

AD-706355

USAF

Technical Applications Center
ENVIRONMENTAL

ETAC

WORLDWIDE AIRFIELD CLIMATIC DATA

VOLUME I (REVISED)

Southeast Asia

THIS DOCUMENT HAS BEEN APPROVED FOR
PUBLIC RELEASE AND SALE: ITS DISTRIBUTION
IS UNLIMITED.

79 07 19 066

Prepared: May 1970

Published volumes of World-Wide Airfield Summaries are available for the following areas:

<u>Volume</u>	<u>Name</u>	<u>Clearinghouse Accession Number</u>
Volume I	Southeast Asia	AD-656-092
Volume II (Parts 1 & 2)	Middle East <i>A002162 & A002163</i>	AD-662-425 & AD-662-427
Volume III	Far East	AD-662-426
Volume IV	Canada-Greenland-Iceland	AD-662-424
Volume V	Australia-Antarctica (including So.Pacific Is.)	AD-662-648
Volume VI (Parts 1 & 2)	South America	AD-664-828 & AD-664-829
Volume VII	Central America	AD-671-845
Volume VIII	United States of America	
Part 1	West Coast, Western Mtns. and Great Basin	AD-688-472
Part 2	Rocky Mtns. and Northwest Basin	AD-689-792
Part 3	Central Plains	AD-693-491
Part 4	Great Lakes	AD 696 971
Part 5	Mississippi Valley	
Part 6	Southeastern Region	
Part 7	East Coast and Appalachian Region	
Part 8	Alaska and Hawaii	
Volume IX	Africa	
Part 1	Northern Half	AD-682-915 680 433
Part 2	Southern Half	AD 682 915

An additional volume is planned for Europe (Volume X).

WORLDWIDE AIRFIELD CLIMATIC DATA

FOREWORD

This is a part of a series of compilations which is worldwide in scope. It consists of climatological data for selected airfields and for the climatic areas in which they are located. When complete, the series will include data for several thousand stations.

These data were compiled and prepared by the USAF Environmental Technical Applications Center (ETAC), Building 159, Navy Yard Annex, Washington, D. C. 20333. This series is also being published by the U. S. Naval Weather Service, Navy Yard, Washington, D. C. 20390, under the title "U. S. Naval Weather Service World-Wide Airfield Summaries." Copies of this document are obtainable from the Federal Clearinghouse for Scientific and Technical Information (CFSTI), Springfield, Virginia 22151, at a cost of \$3.00 per copy.

Worldwide Airfield Summaries - Vol. 1 (Revised)

Southeast Asia

INTRODUCTION

This volume provides climatological summaries for airfields and climatic areas in the United States. Summaries are arranged according to numbered climatic areas, and by increasing WMO Station Index Numbers within the climatic areas. An arbitrary station number (indicated by "/") is used where WMO Index Numbers are not assigned. Maps are included to delineate areas and station locations.

Climatic areas have been selected as being nearly homogeneous climatologically, but considerable variation may exist between locations in an area at a specific time because of topography and other factors. Climatological summaries for these areas follow those for the included airfields.

The latitudes and longitudes of the approximate centers of the climatic areas are indicated in the summary headings. The climatic areas are delineated by straight line segments and the positions of the end points are listed.

Blank values in the tables indicate that no data are available, and "0" indicates record is unknown. Local Standard Time is that of the standard time zone, and no adjustment has been made where local deviations exist. Data sources are listed in detail by means of a number system described on the following pages.

The first page of each station summary provides data for the station, and the second page contains information for the airfield area. The values are in mean number of days. Where observations were not available, the information consists of climatological estimates based on data for surrounding stations. In some instances tables may be based on relatively few observations or on somewhat doubtful data, and these should be used with caution.

GLOSSARY OF GENERAL TERMS

AIRFIELD DATA AND AIRFIELD AREA DATA

Climatological data applicable only to a specified airfield. The data consists of statistical parameters based on actual weather observations made at the airfield. If actual weather observations are not available the data consist of estimates of the statistical parameters, prepared by a climatologist, based on actual meteorological data from surrounding weather stations.

CLIMATIC AREA DATA

Climatological data representative of a nearly homogeneous climatic area. The data are average (or representative) values based on a sample of climatological data available from weather stations within the area. The area data do not imply that the specific condition simultaneously exists at all locations within a country or large climatic area. In rolling and mountainous terrain there may be considerable variation in the data from one location to another within the climatic area.

LOCAL STANDARD TIME

Standard time applicable to a 15 deg. meridional zone. (Zones proceed east and west from the zone centered on the prime meridian and extending from 00730E to 00730W.) No consideration is given to local deviations from the 15 deg. zone boundaries.

AIRFIELD PARAMETERS

ABSOLUTE MAXIMUM (MINIMUM) TEMPERATURE-DEG. F.

The highest (lowest) temperature observed in the specified month during the whole period for which observations are available.

MEAN DAILY MAXIMUM (MINIMUM) TEMPERATURE-DEG. F.

The average of all the daily maximum (minimum) temperatures observed in the specified month.

MEAN NO. DAYS WITH MAXIMUM TEMPERATURE GREATER THAN 90 DEG. F.

The average of the number of days in the specified month on which the maximum temperature was observed to be equal to or greater than 90 deg. F.

MEAN NO. DAYS WITH MINIMUM TEMPERATURE LESS THAN 32 DEG. F (LESS THAN 0 DEG. F.).

The average of the number of days in the specified month on which the minimum temperature was observed to be equal to or less than 32 deg.F.(0 deg.F.).

MEAN DEW POINT TEMPERATURE-DEG. F.

The average of all hourly dew point temperatures observed in the specified month.

MEAN RELATIVE HUMIDITY-PERCENT

The average of all hourly relative humidity values observed in a specified month.

MEAN PRESSURE ALTITUDE-FEET

The average station pressure observed at the airfield in the specified month converted to an altitude by using the U. S. Standard Atmosphere.

MEAN MONTHLY PRECIPITATION-INCHES

The average of the monthly total amount of all forms of precipitation, reduced to its liquid equivalent, observed in the specified month.

MEAN MONTHLY SNOWFALL-INCHES

The average of the monthly total amount of snowfall observed in the specified month.

MEAN NO. DAYS WITH PRECIPITATION GREATER THAN 0.1 INCH (SNOWFALL GREATER THAN 1.5 INCHES)

The average of the number of days in the specified month on which the daily amount of precipitation (snowfall) was observed to be equal to or greater than 0.1 inch (1.5 inches).

MEAN NO. DAYS WITH AN OCCURRENCE OF VISIBILITY LESS THAN 0.5 MILE

The average of the number of days in the specified month on which there was at least one observation of visibility less than 0.5 mile.

MEAN NO. DAYS WITH THUNDERSTORMS

The average of the number of days in the specified month on which the weather observer heard thunder.

PERCENT FREQUENCY SURFACE WIND SPEED GREATER THAN 16 KNOTS (GREATER THAN 27 KNOTS)

The frequency, expressed as a percent of the total number of hourly weather observations considered, during the specified month, in which the surface wind speed was observed to be greater than 16 knots (27 knots).

PERCENT FREQUENCY CEILING LESS THAN 5,000 FEET OR VISIBILITY LESS THAN 5 MILES

The frequency, expressed as a percent of the total number of hourly weather observations considered, during the specified month, in which the ceiling was observed to be less than 5,000 feet and/or the visibility was observed to be less than 5 miles.

PERCENT FREQUENCY CEILING LESS THAN 1,500 FEET (LESS THAN 300 FEET) OR VISIBILITY LESS THAN 3 MILES (LESS THAN 1 MILE)

The frequency, expressed as a percent of all the hourly weather observations considered, in a specified three-hourly period during the day for a specified month in which the ceiling was observed to be less than 1,500 feet (300 feet) and/or the visibility was observed to be less than three miles (one mile).

PARAMETERS FOR AIRFIELD AREA AND CLIMATIC AREA

MEAN NO. DAYS WITH CEILING EQUAL TO OR GREATER THAN 1,000 FEET (EQUAL TO OR GREATER THAN 2,500 FEET, EQUAL TO OR GREATER THAN 6,000 FEET, EQUAL TO OR GREATER THAN 10,000 FEET) AND VISIBILITY EQUAL TO OR GREATER THAN 3 MILES

The average of the number of days when, at a specified hour during the day in the specified month, the ceiling was observed to be equal to or greater than 1,000 feet (2,500 feet, 6,000 feet, 10,000 feet) and the visibility was observed to be equal to or greater than three miles.

MEAN NO. DAYS WITH CEILING EQUAL TO OR GREATER THAN 2,000 FEET AND VISIBILITY EQUAL TO OR GREATER THAN 3 MILES AND SURFACE WIND LESS THAN 10 KNOTS

The average of the number of days when, at a specified hour during the day in the specified month, the ceiling was observed to be equal to or greater than 2,000 feet, the visibility was observed to be equal to or greater than three miles, and the surface wind speed less than ten knots.

MEAN NO. DAYS WITH SURFACE WIND EQUAL TO OR GREATER THAN 17 KNOTS AND NO PRECIPITATION

The average of the number of days when, at a specified hour during the day in the specified month, the surface wind speed was observed to be equal to or greater than 17 knots, and there was no precipitation.

MEAN NO. DAYS WITH SURFACE WIND 4-10 KNOTS AND TEMPERATURE 33-89 DEG. F AND NO PRECIPITATION

The average of the number of days when, at a specified hour during the day in the specified month, the surface wind speed was equal to or greater than four knots, but not greater than ten knots, the temperature was equal to or greater than 33 deg. F. but not greater than 89 deg. F. and there was no precipitation.

MEAN NO. DAYS WITH SKY COVER LESS THAN 0.3 AND VISIBILITY EQUAL TO OR GREATER THAN 3 MILES

The average of the number of days when, at a specified hour during the day in the specified month, the portion of the sky covered with clouds was observed to be less than 0.3 and the visibility was observed to be equal to or greater than three miles.

AREA PARAMETERS (CLIMATIC AREA ONLY)

MEAN DAILY TEMPERATURE RANGE-DEG. F.

Two temperatures for the specified month: (1) a representative mean daily maximum temperature observed in the area; (2) a representative mean daily minimum temperature observed in the area.

RANGE OF MEAN MONTHLY PRECIPITATION-INCHES

Two mean monthly precipitation amounts for the specified month: (1) the largest mean amount observed in the area; (2) the smallest mean amount observed in the area.

DATA SOURCES

The source from which values were taken can be determined from the column labeled "No. Obs."

(1) If the number in that column is positive, the data for that line were computer-summarized, and the number given is the number of observations used in the summarization.

(2) If the number is negative and of three digits or less, the data were hand-copied or estimated as indicated in the following source list.

(3) If the number is less than minus 500, part of the data are derived from computer-summarized data, and part from the source list number plus 500. For example, if the number is "-528," the source is the extreme of the computer-summarized data compared to source "-28."

(4) If the number is minus and a four or five digit number, the data were substituted from a representative station nearby and this number is the number of the source station.

(5) Statistical methods or meteorological relationships were used whenever possible to provide data not available at the National Weather Records Center or in yearbooks and summaries.

SOURCE LIST

- 1 French Equatorial Africa Service Meteorologique - 1950 - 1959
- 2 Climatic Statistics for Selected Stations on Islands of Reunion and Mayotte
- 3 Angola Servico Meteorologico Elmento Meteorologicos - 1942 - 1952
- 4 Algiers, Universite, Institute de Meteorologie, le Climat de L'Algerie
- 5 Algeria Service Meteorologique Bulletin Climatologique Mensual - 1952 - 1960
- 6 World Climatic Data Africa
- 7 Pt. 1 - Algiers Universite Annuaire du Nord - 1945 - 1950
- 8 Climatological Summaries, West Central Africa
- 9 Algeria, Service Meteorologique Resume Mensuel du Temps - 1951 - 1960
- 10 Klimaat Van Suid-Afrika Parts 1 and 9
- 11 Portuguese East Africa Meteorological Data-Mozambique
- 12 Climatological Summaries-Northern Rhodesia - 1938 - 1948
- 13 Rhodesia Met. Service Climatological Studies - 1948 - 1960
- 14 Climatological Summaries, Central Africa
- 15 Climatological Normals for Egypt. Cairo - 1950
- 16 Egypt Meteorological Dept. Metro Report
- 17 So. Africa Meteorological Services. (Wx on the coasts of So. Africa-Vol.II)
- 18 Weather on the west coast of Africa 7 to 20 years
- 19 Sudan-Meteorological Service Annual Met Report - 1950 - 1957
- 20 Climatological Summaries. Mali and Mauritania, Africa
- 21 Republique Francaise du Maroc Annales - 1945 - 1953
- 22 French West Africa Service Meteorologique Resume Mensuel des Observations - 1953 - 1954; 1955 - 1957
- 23 Climatological Summaries - Upper Volta Africa
- 24 World Distribution of Thunderstorm Days
- 25 WMD Model "A"
- 26 Climatological Summaries - French Somaliland and Somali Republic, Africa
- 27 Air France, Climatology of Africa

- 28 British Meteorological Tables
- 29 Statistical Estimate
- 30 Interpolation
- 31 Professional Subjective Estimate
- 32 Climatic Norms (Clino) WMO
- 33 CB Climatological Briefs
- 34 CDC WB Climatic Data Cards
- 35 N Summary
- 36 Climatological Summaries, Niger, Africa
- 37 Cape Verde Islands Servicos de Estatistica Meteorologia E. Climatologia
- 38 Climatic Data Tabulation Indonesia Aug 62
- 39 Climate. Agriculture and Agricultural Zones of Burma. American Institute of Crop Ecology. Wash, D. C. 1957
- 40 Climate of Thailand Aug. 1965
1st Weather Wg Special Study 105-10
- 41 Afghanistan Meteorological Institute Monthly Weather Bulletins
- 42 Lebanon - Service de Climatologie Bulletin Climatologique Mensuel
- 43 Climatological Tables of Observations in India (red book)
- 44 India Meteorological Department - India Weather Review
- 45 Batavia - Rainfall in Indonesia (Verhandelingen No. 37)
- 46 Turkey-Yillik Meteoroloji Bulteni
- 47 Rainfall Statistics of the British Borneo Territories
- 48 Ceylon Meteorological Report December 1938 - 1949
- 49 Kuwait, Arabia - Climatological Data Annual
- 50 Ace Data, computed, derived or substituted from data available 1964
- 51 Promedios Climatologicos de Venezuela Perido 1951/1960
- 52 Chile Servicio Meteorologico, Anuario Meteorologico, Publication No. 73
- 53 Climate of Ecuador
- 54 Peru Direction General de Meteorologia Boletin Anual Meteorologico
- 55 Brazil Normals Climatologicas da Area da Sudene
- 56 Climatologia de Caile, Fasciculo Valores Normales de 36 Estaciones Seleceionadas, period 1916 - 1945
- 57 H.O. Pub No. 527 Weather Summary-Brazil

- 58 H.O. Pub No. 529 Weather Summary-South America - - Southern Part
- 59 Datos Detallados de Climatologia de Venezuela
- 60 Paraguay File
- 61 H.O. Publication No. 530 Weather Summary
- 62 Climatological Summary, Valley of Mexico (Mexico City)
- 63 Argentine Republic Servicio Meteorologico
- 64 Climatological Studies-Weather and Climate of Central America and Mexico
- 65 Climatological Studies Weather and Climate of West Indies
- 66 H.O. Pub. No. 528 Weather Summary South America - - Northern Part
- 67 Climatological Studies-Weather and Climat South America
- 68 Professional Notes British Meteorological Office
- 69 Geografiska Annaler 37-38 - 1955 - 1956
- 70 H.O. Pub. No. 531 Weather Summary Central America - For use w/Naval Air Pilot Supplement '8' Northwest Africa
- 71 Meteorological Yearbook Iranian Met. Dept.
- 72 H.O. Pub. No. 532 Weather Summary-Mexico
- 73 H.O. Pub. No. 264 Weather Summary-South Africa
- 74 H.O. Pub. No. 261 Weather Summary-Supplement 'C' West Central Africa
- 75 H.O. Pub. No. 263 Weather Summary-Supplement 'B' East Central Africa
- 76 H.O. Pub. No. 260 Weather Summary
- 77 Meteorological Data for certain Australian localities
- 78 New Zealand-Meteorological Service Climatological Table - 1951-1958
- 79 Ministerie Van Openbare Werken en Verkeer Meteorologische Dienst
- 80 Climate and Meteorology of Australia-1919 - 1951
- 82 Summaries of Climatological Observations at New Zealand Stations to 1960
- 83 Relative Humidity at 0900 LST only - reference is the same as 82 above.
- 84 Climatological Division Summary (CDC) for Canada, No. 1 thru 13 - 1962-1966
- 85 Climate of British Columbia and the Yukon Territory by W. G. Kendrew and D. Kerr - 1955
- 86 The Climate of Central Canada by W. G. Kendrew and B. W. Currie - 1955

- 87 The Climate of Newfoundland Circular 4019
Cli 30, April 1964
- 88 Servicio Meteorologico Nacional Estadisticas Climatologicas - 1901-1950 Pub. B No. 1 and 1941-1950 Pub. B No. 3
- 89 Anuario Meteorologico 1952, 53, 54
Ministerio de Agricultura Oct. 1955
- 90 Las Precipitaciones en El Uruguay, 1965
- 91 Revista Meteorologica, Sumario, Anos 1944 al 1956 Montevideo 1957
- 92 Climatological Data for Sonora, Northern Sinaloa, Baja, Calif., Univ. of Arizona, Tech. Report Nos. 14, 15, 1 Oct. 1964
- 93 Average Climatic Water Balance Data of the Continents, Part IV, Australia, New Zealand and Oceania, 1963
- 94 Book of Normals - No. 1, Rainfall, Melbourne, 1951
- 95 Climatological Studies, Wea. and Clim. Pacific Islands, Hqs. 2nd Wea Gp F-8
- 96 Climate of the Horow Henua Lowlands New Zealand Met. Service, Note 63. 1966
- 97 Weather Summaries, Pacific and Alaska, Hydrographic Office H.O. Nos. W-270, W-271, 272, 273, 275, 276, 526. Years 1943-1944
- 98 Climatic Table for Japan Area Parts I-II
- 99 The Climate of Japan Vol. IV No. 2, 1931
- 100 Climatic Tables of Japan, Parts 1-5 1931-60
- 101 Climatological Data for Antarctic Stations No. 1-8, 1962-66. (Mean monthly precip. ETAC computed from mean monthly snowfall with water equivalent basis of 10 in. of snow equal 1 in. of precip.).
- 102 Anare Data reports, Series D, Meteorology No. 81, XIII, XII, Melbourne, 1963-65.
- 103 Meteorological and Radiational Regimes of Antarctica, U.S. Dept of Commerce 1964
- 104 Data from Polar Meteorology Section W.B.
- 105 Climatic Summaries for Canada 1947-1954
- 106 Climatic Summaries for Canada, Vol. II, 1948
- 107 Climate of the Canadian Arctic Archipelago, 1951
- 108 Temperature Normals, Averages and Extremes in the Northwest Territories during the period 1931 to 1960
- 109 Averages and Extremes of Climatic Data during 1951-1960 for selected Canadian Arctic stations, 1963
- 110 Canada Met. Br., Temperature Extremes 1966
- 111 Avg. Climatic Water Balance Data of the Continents, Part VI No. America, 1964

- 112 Canada Met. Branch, Monthly Record 1955-1965
- 113 Climatic Summary of the United States Supplement for 1951-through 1960
- 114 Climat. Studies, Hdqs. 19th AF, Alaska G-4, 1960
- 115 Climatological Summary, WB, Alaska, Means and Extremes for period of record thru 1952
- 116 Local Climatological Data, Annual Summary w/ Comparative Data, ESSA, 1966
- 117 Uniform Summary of Surface Wea. Obs.
- 118 Macro and Micro Climatology of the Arctic Slope of Alaska. US Army Tech Report EP-139, Natick Labs, 1960
- 119 Temperatures of Northern America, Hdqs. Quartermaster, US Army, Research Report RER-9, Natick Labs, 1956
- 120 Supplement to Bulletin W, Climatic Summary of the U.S. for 1931 thru 1952
- 121 Hydrographic Institute of the Yugoslav Navy, Met Division, 1946
- 122 Average Climatic Water Balance Data of the Continents, Part V, Europe N.J., 1964
- 123 Meteorology of the Arctic, OPNAV P03-3. March 1956
- 124 Temperatures in Slovenia, Slovenska Akademija. Ljubljana 1965
- 125 Precipitations en Yougoslovie. 1925-40. Belgrad, 1957
- 126 Prilozi Rosnavanju Klime Jugoslavije 1, Belgrad, 1957
- 127 Great Brit. Aviation Meteorological Report No. 19 (Yugoslavia). 1943
- 128 Ireland Met. Service. Monthly Wea. Report 1949-1952
- 129 Ireland Met. Service. Monthly Wea. Report 1958-1962
- 130 Climatological Summaries, Western Coastal Africa
- 131 Climatological Summaries, Tanganyika, Uganda and Kenya, Africa
- 132 Madagascar Meteorologique Service Publications Nos. 10,12,14,15,17,18,20-28.
- 133 O Clima de Portugal Fasciculo XIV. Lisboa 1965
- 134 Weather and Climate at Addis Ababa, Dire Dawa and Jimma, April 1965
- 135 Rhodesia and Nyasaland Climate Handbook Supplement 2
- 136 Rhodesia and Nyasaland Climate Information Sheets No. 1
- 137 Escuisse Climatographique de la Belgique, Brussels, 1947
- 138 Danmarks Kuima, 1933

- 139 General Climatic Data for Spain 2Ww 1955
- 140 Memorial de la Meteorologie Nationale No. 50. Climatologie de la France Paris 1967
- 141 Klimakunde des Deutschen Reiches. Vol II Berlin, 1939
- 142 Statistiche Meteorologiche Relative Alle Principali Localita Italiane, Part 2 Roma, 1962
- 143 Climatological Summaries for Air Navigation in Norway, Vol. No. 6 Bardufoss Airport April 1960
- 144 Klimatabeller for Landbruket, Oslo 1955
- 145 Agricultural Climatology of Sweden and its Agro-Climatic Analogues in North America, No. 11 1950
- 146 Das Klima Der Schweiz, Mauer, Billwiller, Hess 1909
- 147 Averages of Humidity for the British Isles, Met. Office, London, M.O. #421 1938
- 148 Weather in the Home Waters and N.E. Atlantic, Met. Office, London M.O. #446 1943
- 149 Monographies de la Meteorologie Nationale, No. 55. Valeurs Normales des Hauteurs de Precipitations en France. (1931-1960 and 1901-1950). Paris, 1966
- 150 Monographies de la Meteorologies Nationale. No. 59. Elements Climatologiques Concernant Les Cotes de la France Metropolitaine, Paris 1967
- 151 Averages of Rainfall for Great Britain and Northern Ireland. 1916-1950 M.O. #635 1958
- 152 Averages of Temperature for Great Britain and Northern Ireland. 1931-1960 M.O. #735 1963
- 153 Etudes Sur le Climat de la France, Vol I Paris 1904
- 154 Monographies de la Meteorologie Nationale No.30. Valeurs Normales des Temperatures en en France (1921-1950) Paris 1962
- 155 Climate of Malaysia Oct 1964 1st Wea Wg Special Study 105-5
- 156 Climate of Republic of Vietnam April 1965 1st Wea Wg Special Study 105-9
- 157 Climate of Cambodia May 1968 1st Wea Wg Special Study 105-15
- 158 Computer Print-out of climatic data summaries for Laos 1st Wea Gp April 1969
- 159 Climate of North Vietnam June 1965 1st Wea Wg Special Study 105-4

INDEX

STATION INDEX

WORLD-WIDE AIRFIELD SUMMARIES - VOLUME I (REVISED)

SOUTHEAST ASIA

STATION NO./NAME	PAGE NO.	STATION NO./NAME	PAGE NO.
<u>BURMA</u>			
(Climatic Area 1)		(Climatic Area 5)	
48103 Moulmein	01	48035 Lashio	35
48108 Tavoy	03	48056 Heho	37
48110 Mergui	05	48057 Taunggyi	39
48112 Victoria Point	07	48060 Kengtung	41
Climat	09	Climat	43
(Climatic Area 2)		(Climatic Area 6)	
48078 Toungoo	10	48001 Putao	44
48080 Sandoway	12	48008 Myitkyina South	46
48094 Bassein	14	48019 Bhamo	48
48096 Mingaladon	16	49601/ Nampommao	50
49600/ Hmawbi	18	Climat	52
Climat	20		
(Climatic Area 3)		<u>NORTH BORNEO</u>	
48062 Akyab	21	(Climatic Area 1)	
Climat	23	49609/ Tawau	53
(Climatic Area 4)		96491 Sandakan	55
48042 Mandalay	24	Climat	57
48053 Meiktila	26	(Climatic Area 2)	
48064 Minbu	28	96465 Labuan/Intl	58
48074 Pyirmana	30	96471 Kinabalu	60
49604/ Shanthe	32	Climat	62
Climat	34		

STATION NO./NAME	PAGE NO.	STATION NO./NAME	PAGE NO.
<u>NORTH BORNEO</u>			
(Climatic Area 3)		(Climatic Area 2)	
49612/ Ranau/Sinarut	63	96035 Medan/Polonia	95
49613/ Tambunan	65	96091 Tandjungpinang/Kidjang	97
Climat	67	96109 Pakanbaru	99
		96179 Singkep/Dabo	101
		96195 Djambi	103
		96221 Palembang/Talangbetutu	105
		96237 Pangkalpinang	107
		96249 Tandjungpandan/Buluhtumbang	109
		Climat	111
<u>BRUNEI</u>			
(Climatic Area 1)		(Climatic Area 3)	
49610/ Seria/Anduki	68	96739 Tangerang/Budiarto	112
96315 Brunei	70	96743 Djakarta/Kemajoran	114
Climat	72	96747 Djakarta/Halim Perdanakus	116
		96755 Bogor/Atang Sendjaja	118
		96773 Kalidjati	120
		96839 Semarang/Achmad Yani	122
		96881 Madiun/Iswahjudi AFB	124
		96933 Surabaya/Perak NAS	126
		96935 Surabaya/Djuanda NAS	128
		96947 Malang/Abdulrachman Saleh	130
		Climat	132
<u>CAMBODIA</u>			
(Climatic Area 1)		(Climatic Area 4)	
48962 Battambang	73	49621/ Bandung/Sulaiman	133
48966 Siem Reap	75	96781 Bandung/Husein Sastraneg	135
48968 Krakor	77	96801 Tasikmalaja/Tjibeureum	137
48972 Stung Treng	79	96845 Surakarta/Panasan	139
48985 Kampot	81	96853 Jogjakarta/Adisutjipto	141
48991 Phnom Penh	83	96854 Wedi-Sirit	143
48995 Kompong Cham	85	Climat	145
48998 Svay Rieng	87		
Climat	89		
<u>INDONESIA</u>			
(Climatic Area 1)			
96163 Padang/Tabing	90		
96253 Bengkulu/Padangkemiling	92		
Climat	94		

STATION NO./NAME	PAGE NO.	STATION NO./NAME	PAGE NO.
<u>INDONESIA</u>		<u>LAOS</u>	
(Climatic Area 5)		(Climatic Area 1)	
96509 Tarakan	146	48930 Luang-Prabang	196
96581 Pontianak/Sungai Durian	148	48935 Xieng Khouang	198
96583 Pontianak	150	Climat	200
96633 Balikpapan/Sepinggan	152	(Climatic Area 2)	
96685 Bandjarmasin/Ulin	154	48940 Vientiane	201
Climat	156	48947 Savannakhet	203
(Climatic Area 6)		48948 Seno	205
97502 Jefman	157	48955 Pakse	207
97530 Manokwari	159	49105/ Thakhek	209
97560 Biak/Mokmer	161	Climat	211
97652 Boruku	163	(Climatic Area 3)	
97690 Sentani	165	49137/ Attopeu	212
Climat	167	49139/ Saravane	214
(Climatic Area 7)		Climat	216
97876 Tanahmerah	168	<u>MALAYSIA</u>	
97980 Merauke/Mopah	170	(Climatic Area 1)	
Climat	172	48602 Butterworth	217
(Climatic Area 8)		48603 Alor Star	219
49620/ Amahai	173	48625 Ipon	221
97014 Menado/Mapanget	175	48647 Kuala Lumpur/Intl	223
97146 Kendari/Wolter Monginsidi	177	48665 Malacca	225
97180 Makassar/Hasanuddin	179	Climat	227
97230 Bali/Intl	181	(Climatic Area 2)	
97240 Ampenan/Rembiga	183	48601 Penang	228
97260 Sumbawa-Besar	185	48615 Kota Bharu	230
37340 Waingapu/Mau-Hau	187	48619 Kuala Trengganu	232
97372 Kupang/Penfui	189	48657 Kuantan	234
97404 Morotai/Pitu	191		
97724 Ambon/Pattimura	193		
Climat	195		

STATION NO./NAME	PAGE NO.	STATION NO./NAME	PAGE NO.
<u>MALAYSIA</u>		(Climatic Area 2, Cont.)	
(Climatic Area 2, Cont.)			
48674 Mersing	236	48381 Khon Kaen	277
49630/ Temerloh	238	48383 Mukdahan	279
Climat	240	48403 Chaiyaphum	281
		48405 Roi Et	283
		48407 Ubon	285
		48431 Korat	287
		48432 Surin	289
		49640/ Ban Nong Hoi	291
		49641/ Nong Khai	293
		49644/ Nam Phong	295
		Climat	297
<u>SARAWAK</u>		(Climatic Area 3)	
(Climatic Area 1)			
96413 Kuching	241	48300 Mae Son	298
96421 Sibul	243	48303 Muang Niang Rai	300
96441 Bintulu	245	48325 Mae Sariang	302
96449 Miri	247	48327 Chiang Mai	304
Climat	249	48328 Lampang	306
		48331 Nan	308
		48375 Ban Mae Sot	310
		Climat	312
<u>THAILAND (ALSO SIAM)</u>		(Climatic Area 4)	
(Climatic Area 1)			
48330 Phrae	250	48351 Uttaradit East	313
48500 Prachuap Khirikhan	252	48353 Loei	315
48551 Ban Don	254	48378 Phitsanulok	317
48552 Nakhon Si Thammarat	256	48426 Koke Kathiem	319
48564 Phuket	258	48450 Kanchanaburi	321
48565 Phuket/Hin Luk	260	48455 Bangkok	323
48567 Trang	262	48456 Bangkok/Don Muang AFB	325
48568 Songkhla	264	48462 Aranyaprathet	327
48583 Narathiwat	266	48475 Hua Hin	329
49642/ Pattani	268	48477 Ban Sattahip	331
Climat	270	48480 Chanthaburi	333
		49000/ Ban Ta Khli	335
(Climatic Area 2)			
48354 Udon	271		
48356 Sakon Nakhon	273		
48357 Nakhon Phanom	275		

STATION NO./NAME	PAGE NO.	STATION NO./NAME	PAGE NO.
<u>THAILAND (ALSO SIAM)</u>			
(Climatic Area 4, Cont.)		(Climatic Area 3)	
49003/ U-Tapao	337	48802 Chapa	365
49643/ Sara Buri	339	Climat	367
Climat	341	(Climatic Area 4)	
<u>PORTUGUESE TIMOR</u>		48845 Vinh	368
(Climatic Area 1)		48846 Hatinh	370
97390 Dili	342	48848 Donghoi	372
97395 Baucau	344	Climat	374
Climat	346	<u>VIETNAM (SOUTH)</u>	
<u>VIETNAM (NORTH)</u>		(Climatic Area 1)	
(Climatic Area 1)		48907 Rach-Gia	375
48803 Lao Cai/Laokay	347	48914 An Xuyen	377
48820 Hanoi/Gialam	349	48918 Con Son	379
48826 Phu Lien	351	Climat	381
48831 Thai Nguyen	353	(Climatic Area 2)	
48838 Moncay	355	48896 Bien Hoa	382
48640 Thanh Hoa	357	48900 Saigon/Tan Son Nhut	384
Climat	359	48904 Vung Tau	386
(Climatic Area 2)		48910 Vinh Long	388
48808 Cao Bang	360	48911 Can Tho	390
48830 Lang Son	362	48912 Binh Thuy	392
Climat	364	48913 Soc Trang	394
		49502/ Lai Khe	396
		49543/ Long Xuyen	398
		Climat	400

STATION NO./NAME

PAGE NO.

STATION NO./NAME

PAGE NO.

VIETNAM (SOUTH)

(Climatic Area 5)


(Climatic Area 3)


48887	Phan Thiet	401
48889	Phan Rang	403
48897	Cam Ranh Bay AFB	405
	Climat	407

48849	Dong Ha	423
48851	Quang Tri	425
48852	Hue-Phu Bai	427
48855	Da Nang Apt	429
48856	Marble Mountain	431
48863	Quang Ngai	433
48864	Chu Lai AB	435
48870	Qui Nhon	437
48873	Tuy Hoa South	439
48877	Nha Trang	441
49047/	Phu Cat	443
49171/	Duc Pho	445
49230/	Camp Evans	447
49238/	English	449
	Climat	451

(Climatic Area 4)

48858	Pleiku Cu Hanh	408
48866	Pleiku Area	410
48867	An Khe	412
48875	Ban Me Thuot East	414
48881	Dalat/Lien Khoung	416
49218/	Hensel AAF	418
49513/	Kontum	420
	Climat	422





BURMA

MOULMEIN, BURMA

STA NO. 46103L (IN AREA NUMBER 01)

LATITUDE 1626N

LONGITUDE 09739E

ELEVATION(FT) 00130

PARAMETER DESCRIPTION	JAN	FEB	MAR	APP	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	99	99	103	101	102	97	93	98	95	99	99	97	103	43	-339
MEAN MAX TMP (F)	89	92	94	95	89	85	83	83	85	88	89	87	88	43	-39
MEAN MIN TMP (F)	66	68	73	76	76	75	75	75	75	75	73	68	73	15	-39
ABS MIN TMP (F)	55	54	62	67	62	70	66	66	70	67	59	52	52	43	-339
MEAN NO DYS TMP = DR GTR 90(F)	14.8	21.4	28.3	28.8	14.8	3.2	0.0	0.0	3.2	11.6	14.3	8.6	149.0	43	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	43	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	43	-29
MEAN DEW PT TMP (F)	64	67	70	73	76	77	77	77	77	75	71	68	72	23	-29
MEAN REL HUM (PCT)	66	68	68	70	81	91	92	93	91	81	75	64	78	12	10552
MEAN PRESS ALT (FT)	162	196	232	289	344	379	381	379	342	233	195	161	274	0	-50
MEAN PRECIP (IN)	0.30	0.20	0.40	3.00	20.30	35.60	46.30	43.40	28.10	8.50	2.10	0.10	188.3	32	-39
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	43	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	0.7	0.3	1.1	4.9		25.6	26.9	26.6		11.6	5.0	0.3		32	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	43	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.1	0.3	0.1	15	10437
P FREQ WND SPD = DR GTR 28 KTS	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	10437
P FREQ LES 5000 FT A/D LES 5 MI	12.0	33.5	47.7	47.1	36.8	54.0	60.8	63.5	56.7	21.0	6.3	6.0	37.1	12	4175
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	18.1	25.5	33.9	18.8	23.6	45.4	56.2	57.4	42.2	15.7	16.2	7.5	30.0	17	2657
09-11 LST	1.7	1.9	12.6	10.3	15.2	38.9	47.9	51.3	43.6	4.6	0.8	0.0	19.1	10	1436
12-14 LST	0.4	0.3	20.5	13.1	10.3	35.0	36.4	36.7	29.5	3.5	0.4	0.8	15.6	12	2566
15-17 LST														0	0
18-20 LST	25.3	27.7	38.6	32.7	25.9	45.2	48.1	50.0	41.0	24.1	21.7	23.7	33.7	17	3553
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	12.2	17.9	18.5	5.4	8.4	13.5	13.5	10.7	7.0	5.6	11.9	5.9	10.9	17	2657
09-11 LST	0.0	0.0	0.7	0.0	0.0	5.6	5.0	6.1	5.3	0.0	0.0	0.0	1.9	10	1436
12-14 LST	0.0	0.0	0.5	0.5	1.3	7.5	8.4	5.9	4.7	0.4	0.0	0.4	2.5	12	2566
15-17 LST														0	0
18-20 LST	23.3	25.3	27.4	22.5	18.7	23.5	24.1	27.7	20.9	15.6	15.7	15.3	21.7	17	3553
21-23 LST														0	0

MOULMEIN, BURMA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG ≥ GTR 1000 FT AND VSBY ≥ GTR 3 MI	07 LST	25.4	21.6	20.6	24.8	25.2	17.8	15.1	14.8	19.6	27.0	25.1	28.7	265.7	17	2675
	13 LST	30.8	27.9	24.6	26.4	28.4	21.3	21.2	21.7	23.6	30.3	30.0	30.9	317.1	12	2586
	19 LST	23.1	20.7	19.0	20.3	23.5	17.8	17.1	16.8	19.3	24.1	23.6	23.7	249.0	17	3569
	01 LST														0	0
CIG ≥ GTR 2000 FT AND VSBY ≥ GTR 3 MI W/SFC WND LES 10 KTS	07 LST	25.1	21.6	20.0	23.8	22.5	14.7	11.9	11.6	15.2	25.3	25.5	28.7	245.9	17	2606
	13 LST	30.7	27.9	24.6	25.9	27.3	17.5	18.4	17.7	18.9	29.5	29.6	30.6	298.6	12	2569
	19 LST	23.8	21.3	19.9	21.1	22.8	15.8	15.5	14.7	17.4	23.7	23.9	23.9	243.8	17	3412
	01 LST														0	0
SFC WND ≥ GTR 17 KTS AND NO PRECIP.	07 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.2	17	2697
	13 LST	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.2	12	2652
	19 LST	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	17	3502
	01 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	6.3	6.2	4.0	2.0	1.6	1.9	2.0	1.2	1.6	2.0	2.0	5.4	36.2	17	2652
	13 LST	8.1	4.5	1.8	2.0	2.2	6.6	4.5	4.7	3.7	5.7	5.7	8.9	58.4	12	2644
	19 LST	4.1	3.7	4.1	6.1	4.9	4.1	4.2	3.3	2.5	2.3	2.4	4.0	45.7	17	3460
	01 LST														0	0
SKY COVER LES 3/10 AND VSBY ≥ GTR 3 MI	07 LST	12.0	7.4	5.0	6.0	1.1	0.0	0.1	0.0	0.2	2.6	7.3	11.9	53.6	17	2763
	13 LST	20.3	12.5	10.3	7.9	2.5	0.3	0.1	0.1	0.0	3.5	11.6	16.5	85.6	12	2650
	19 LST	12.8	12.3	8.4	7.1	1.8	0.2	0.3	0.0	0.0	2.8	9.6	13.0	68.3	17	3632
	01 LST														0	0
CIG ≥ GTR 2500 FT AND VSBY ≥ GTR 3 MI	07 LST	25.4	21.6	20.2	23.5	21.8	14.0	11.7	11.0	15.2	24.8	25.0	28.6	242.8	17	2675
	13 LST	30.8	27.9	24.6	25.4	27.2	17.9	18.2	17.1	18.8	29.2	29.7	30.6	297.4	12	2586
	19 LST	23.1	20.6	18.8	19.8	22.4	14.6	14.5	14.2	16.0	23.1	23.4	23.7	234.2	17	3569
	01 LST														0	0
CIG ≥ GTR 6000 FT AND VSBY ≥ GTR 3 MI	07 LST	25.4	21.6	20.1	23.3	21.6	13.9	11.2	11.0	15.2	24.5	24.9	28.6	241.3	17	2675
	13 LST	30.7	27.9	24.6	25.3	27.2	17.9	18.0	16.5	18.6	29.2	29.7	30.6	296.2	12	2586
	19 LST	23.1	20.6	18.8	19.8	22.4	14.4	14.2	14.2	15.8	23.1	23.4	23.7	233.5	17	3569
	01 LST														0	0
CIG ≥ GTR 10000 FT AND VSBY ≥ GTR 3 MI	07 LST	25.4	21.6	20.1	23.3	21.6	13.9	11.2	11.0	15.2	24.5	24.9	28.6	241.3	17	2675
	13 LST	30.7	27.7	24.6	25.3	27.2	17.9	18.0	16.5	18.6	29.2	29.7	30.6	296.0	12	2586
	19 LST	23.1	20.6	18.8	19.7	22.4	14.4	14.2	14.0	15.8	23.1	23.4	23.7	233.2	17	3569
	01 LST														0	0

TAVOY, BURMA

STA NO. 48108 (IN AREA NUMBER 01)

LATITUDE 1406N

LONGITUDE 09813E

ELEVATION(FT) 00057

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	98	99	99	101	102	97	100	93	99	99	100	97	102	50	-539
MEAN MAX TMP (F)	90	92	93	94	89	84	83	83	84	88	89	88	88	50	-39
MEAN MIN TMP (F)	65	68	72	75	75	74	74	74	74	73	71	66	72	29	-39
ABS MIN TMP (F)	50	51	57	64	68	69	68	68	69	62	52	48	48	50	-539
MEAN NO DYS TMP = DR GTR 90(F)	21.1	25.5	29.5	29.4	19.7	3.4	2.4	0.8	2.5	13.2	19.9	17.8	185.2	17	3123
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	3051
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	3051
MEAN DEW PT TMP (F)	63	66	69	72	74	75	74	74	74	73	69	65	71	9	4591
MEAN REL HUM (PCT)	66	69	71	71	80	88	89	91	90	83	74	69	78	9	4587
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.20	0.40	1.60	2.60	22.70	44.20	49.20	47.30	33.10	10.60	2.30	0.40	214.6	32	-28
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	50	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	0.4	1.0	2.0	4.0	16.0	25.0	27.0	27.0	23.0	12.0	4.0	1.0	147.4	32	-28
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	50	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	0.0	0.0	2.5	0.0	0.3	0.4	0.0	0.0	0.4	0.4	0.4	0.0	4.4	9	973
MEAN NO DYS TSTMS	2.3	3.2	7.8	10.1	22.2	10.1	9.0	7.2	8.9	10.2	2.7	1.6	95.3	9	972
P FREQ WND SPD = DR GTR 17 KTS	0.2	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.1	0.2	0.3	0.1	0.1	16	16212
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16	16212
P FREQ LES 5000 FT A/D LES 5 MI	20.6	36.1	29.3	19.6	29.7	47.3	52.5	58.8	48.2	23.2	8.6	5.9	31.7	17	8301
P FREQ LES 1500 FT A/D LES 3 MI															
FDR 00-02 LST	0.0	1.9	4.1	2.3	4.4	18.0	21.1	28.9	18.1	8.9	1.1	0.0	9.1	9	1350
03-05 LST		0.0	0.0	3.4	5.1	17.9	15.2	17.6	17.9	12.0	0.0			4	287
06-08 LST	16.4	27.8	30.0	15.4	10.4	25.2	27.1	29.8	26.0	16.7	10.9	12.2	21.2	17	3529
09-11 LST	9.4	8.0	16.6	2.6	10.3	23.1	25.8	30.8	18.2	5.0	1.4	0.7	12.7	12	1594
12-14 LST	2.2	3.8	4.8	3.0	10.6	22.4	21.8	26.7	19.0	5.6	1.3	1.0	10.2	17	3383
15-17 LST	3.6	1.8	4.3	3.1	5.5	10.9	16.7	18.9	15.7	5.1	2.9	0.0	7.4	8	864
18-20 LST	2.1	3.6	2.8	3.4	8.4	22.9	20.1	23.8	19.9	10.1	2.9	0.3	10.0	17	4603
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	0.0	0.0	0.7	0.0	0.0	0.0	0.8	0.0	0.0	0.0	0.0	0.0	0.1	9	1350
03-05 LST		0.0	0.0	3.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0			4	287
06-08 LST	7.3	8.1	14.8	2.7	0.7	1.0	1.3	1.1	3.1	7.6	5.8	5.0	4.9	17	3529
09-11 LST	0.0	0.9	1.3	0.0	0.0	1.5	0.0	0.0	0.0	0.0	0.7	0.0	0.4	12	1594
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.4	0.0	0.0	0.0	0.1	17	3383
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	0.1		8	864
18-20 LST	0.3	0.3	0.0	0.0	0.0	0.3	0.0	0.5	0.5	0.3	0.0	0.3	0.2	17	4603
21-23 LST														0	0

TAVOY, BURMA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO.
CIG ≥ GTR 1000 FT AND VSBY ≥ GTR 3 MI	07 LST	25.9	20.4	19.9	25.7	29.9	27.8	28.8	27.8	26.7	26.9	26.9	27.2	313.9	17	3331
	13 LST	30.4	26.9	29.5	29.3	29.9	27.1	28.4	27.6	27.8	30.9	30.0	30.7	348.5	17	3391
	19 LST	30.4	27.1	30.3	29.4	30.4	28.2	29.5	29.2	28.0	30.4	29.8	30.9	353.6	17	4611
	01 LST	31.0	27.5	29.7	29.5	31.0	29.7	29.3	28.8	29.1	30.7	30.0	31.0	357.3	9	1350
CIG ≥ GTR 2000 FT AND VSBY ≥ GTR 3 MI W/SFC WND LES 10 KTS	07 LST	25.9	20.1	19.7	25.0	25.8	17.5	16.7	15.9	18.1	24.7	26.5	27.0	262.9	17	3300
	13 LST	29.3	26.7	29.1	28.6	25.5	19.5	20.4	18.0	20.6	27.2	28.7	30.4	304.0	17	3362
	19 LST	30.3	26.6	30.0	28.3	26.4	18.4	20.4	18.4	20.1	25.4	28.1	30.8	303.2	17	4589
	01 LST	31.0	27.5	29.7	29.3	28.0	19.5	19.5	16.2	20.7	26.2	29.6	31.0	308.2	9	1347
SFC WND ≥ GTR 17 KTS AND NO PRECIP.	07 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.1	0.1	0.3	17	3625
	13 LST	0.3	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.0	0.1	0.1	0.0	0.8	17	3476
	19 LST	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.1	0.2	0.0	0.4	17	4688
	01 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	1395
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	0.3	0.6	0.3	0.6	0.2	0.6	0.3	0.5	0.5	1.2	1.0	1.3	7.4	17	3588
	13 LST	6.6	2.5	1.3	2.4	3.7	4.3	4.5	4.0	6.7	5.5	7.2	9.4	58.1	17	3442
	19 LST	2.1	2.2	3.1	3.5	3.1	2.5	1.7	2.8	1.2	1.0	2.1	2.4	27.7	17	4661
	01 LST	0.8	0.8	1.6	0.9	1.3	1.2	0.9	0.2	0.8	0.6	0.3	0.9	10.3	9	1395
SKY COVER LES 3/10 AND VSBY ≥ GTR 3 MI	07 LST	10.4	6.0	4.7	3.9	1.2	0.1	0.1	0.1	0.4	2.0	6.0	10.3	45.2	17	3658
	13 LST	15.9	12.9	11.7	5.6	1.8	0.0	0.0	0.1	0.2	2.8	6.9	11.8	69.7	17	3306
	19 LST	14.0	10.2	8.8	3.8	1.2	0.3	0.1	0.1	0.1	2.3	7.2	12.2	60.3	17	4693
	01 LST	21.1	15.9	14.4	11.6	4.9	0.5	0.2	0.0	0.3	6.0	9.7	19.1	103.7	9	1399
CIG ≥ GTR 2500 FT AND VSBY ≥ GTR 3 MI	07 LST	25.7	19.8	19.3	24.2	25.0	16.7	16.1	15.5	17.7	24.4	26.3	27.1	257.8	17	3331
	13 LST	29.5	23.2	28.7	26.9	23.5	18.8	19.3	17.3	20.3	26.2	28.4	29.9	294.0	17	3391
	19 LST	29.7	26.2	29.5	27.8	25.4	17.7	19.4	17.9	19.4	24.5	28.3	30.7	296.5	17	4611
	01 LST	30.6	27.2	29.3	28.4	27.3	19.2	18.8	15.9	20.1	25.6	29.6	31.0	303.0	9	1350
CIG ≥ GTR 6000 FT AND VSBY ≥ GTR 3 MI	07 LST	25.6	19.7	19.2	23.7	24.6	16.5	15.7	15.2	17.2	24.0	26.1	27.1	254.6	17	3331
	13 LST	28.7	24.1	27.9	25.6	22.6	18.2	18.7	16.4	19.9	25.1	28.1	29.7	285.0	17	3391
	19 LST	29.4	26.0	29.3	27.3	24.7	17.1	18.9	17.5	19.2	23.9	28.1	30.5	291.9	17	4611
	01 LST	29.8	27.2	29.0	28.4	27.1	19.2	18.1	15.3	19.8	25.6	29.6	31.0	300.1	9	1350
CIG ≥ GTR 10000 FT AND VSBY ≥ GTR 3 MI	07 LST	25.6	19.7	19.2	23.7	24.6	16.5	15.7	15.2	17.2	24.0	26.1	27.1	254.6	17	3331
	13 LST	28.7	24.1	27.9	25.6	22.6	18.2	18.7	16.4	19.9	25.1	28.1	29.7	285.0	17	3391
	19 LST	29.4	26.0	29.3	27.3	24.7	17.1	18.9	17.5	19.2	23.9	28.1	30.5	291.9	17	4611
	01 LST	29.8	27.2	29.0	28.4	27.1	19.2	18.1	15.3	19.8	25.6	29.6	31.0	300.1	9	1350

MERGUI, BURMA

STA NO. 48110 (IN AREA NUMBER 01)

LATITUDE 1226N

LONGITUDE 09837E

ELEVATION(FT) 00075

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	95	97	99	99	98	98	93	93	91	96	94	97	99	60	-528
MEAN MAX TMP (F)	87	89	90	91	89	85	84	84	84	86	87	87	87	60	-28
MEAN MIN TMP (F)	69	71	73	75	75	74	73	73	73	73	71	69	72	60	-28
ABS MIN TMP (F)	53	60	61	66	67	67	66	66	66	63	59	55	53	60	-528
MEAN NO DYS TMP = DR GTR 90(F)	8.6	13.3	17.9	20.3	14.8	3.2	1.4	1.4	1.3	5.8	8.3	8.6	104.9	60	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	60	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	60	-29
MEAN DEW PT TMP (F)	68	71	73	75	76	76	75	75	75	74	72	69	73	8	4370
MEAN REL HUM (PCT)	73	75	78	79	86	91	93	94	92	86	79	75	83	8	4366
MEAN PRESS ALT (FT)	65	75	95	135	195	165	155	155	125	105	95	65	116	0	-90
MEAN PRECIP (IN)	1.00	2.10	3.10	4.90	16.70	30.00	32.90	30.00	24.90	12.10	3.80	0.80	162.3	60	-28
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	60	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	1.0	3.0	5.0	6.0	18.0	25.0	26.0	26.0	23.0	16.0	6.0	2.0	157.0	60	-28
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	60	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	0.0	0.4	0.6	0.4	0.3	1.5	0.7	0.8	2.2	2.1	0.4	0.0	9.4	8	922
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS	0.0	0.2	0.0	0.1	0.1	0.0	0.1	0.1	0.0	0.0	0.1	0.1	0.1	16	15848
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16	15848
P FREQ LES 3000 FT A/D LES 5 MI	22.3	25.4	23.6	14.9	22.5	30.3	30.9	37.1	36.8	28.1	17.3	18.5	25.6	17	8018
P FREQ LES 1900 FT A/D LES 3 MI															
FOR 00-02 LST	4.5	5.9	9.5	9.6	24.8	36.8	30.8	38.1	32.0	14.2	4.8	0.0	17.6	8	1316
03-05 LST				4.3	10.3	26.8	14.9	21.2	41.9	8.6				5	280
06-08 LST	5.3	13.0	9.1	3.4	6.1	16.3	16.0	23.2	18.0	14.1	1.9	1.6	10.7	17	3559
09-11 LST	0.7	0.0	0.6	0.0	1.9	9.1	12.8	12.1	15.2	3.4	0.0	0.0	4.7	12	1712
12-14 LST	0.3	0.8	1.1	0.0	5.1	12.8	16.0	17.4	14.7	5.8	1.9	0.0	6.3	17	3412
15-17 LST	0.0	0.0	1.4	1.4	8.0	7.7	9.9	7.5	5.0	5.7	0.0	1.9	4.0	8	889
18-20 LST	2.9	4.5	4.8	4.9	8.2	13.3	15.7	15.2	17.2	14.9	6.4	2.5	9.2	17	4123
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.7	1.5	1.6	0.9	3.8	2.7	4.1	0.9	0.0	0.0	1.4	8	1316
03-05 LST				0.0	0.0	2.4	0.0	1.9	2.3	0.0				5	280
06-08 LST	1.2	3.4	1.6	0.4	0.3	1.7	1.2	3.5	2.7	4.9	1.9	0.9	2.0	17	3559
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	1.1	1.4	0.8	0.8	0.0	0.0	0.3	12	1712
12-14 LST	0.3	0.4	0.4	0.0	0.4	1.6	1.0	1.0	0.7	0.6	0.6	0.0	0.6	17	3412
15-17 LST	0.0	0.0	0.0	0.0	1.3	0.0	0.0	0.0	0.0	1.4	0.0	0.0	0.2	8	889
18-20 LST	0.0	1.0	0.3	0.6	1.4	1.0	1.3	0.3	2.1	2.0	0.3	0.6	0.9	17	4123
21-23 LST														0	0

MERGUI, BURMA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	29.5	24.3	28.3	29.1	29.7	26.7	27.1	25.2	25.3	27.4	29.4	30.5	332.5	17	3559
	13 LST	30.9	27.7	30.7	30.0	29.8	26.8	26.8	26.6	26.1	29.5	29.5	31.0	345.4	17	3412
	19 LST	30.3	27.0	30.1	28.9	29.2	26.7	27.1	27.9	25.8	27.2	28.2	30.2	338.8	17	4123
	01 LST	29.5	26.1	28.1	27.3	23.3	19.1	22.3	19.6	21.9	26.9	28.5	31.0	303.6	8	1316
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	29.1	24.3	27.9	28.8	28.5	23.5	25.0	22.5	23.8	25.8	29.4	30.4	319.0	17	3500
	13 LST	30.4	27.4	30.2	29.6	29.0	25.6	25.0	24.5	24.8	28.8	29.2	30.9	335.4	17	3372
	19 LST	29.5	25.5	28.4	27.9	27.7	25.0	25.0	24.8	23.9	25.5	27.8	30.0	321.0	17	4078
	01 LST	29.5	26.1	28.3	27.3	23.3	18.5	20.9	18.3	20.0	26.3	28.5	30.3	297.3	8	1310
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	17	3649
	13 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	3492
	19 LST	0.0	0.2	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.4	17	4181
	01 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	1376
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	2.3	0.9	0.9	0.9	1.4	0.8	0.5	0.4	0.0	0.3	0.8	1.1	10.3	17	3610
	13 LST	14.6	11.3	13.1	11.2	4.9	2.0	2.0	3.0	2.6	5.7	11.8	14.2	97.4	17	3461
	19 LST	9.2	10.7	12.6	11.1	3.7	0.9	1.6	1.6	1.8	2.3	5.4	7.7	68.6	17	4143
	01 LST	2.9	1.5	3.4	2.4	0.0	0.7	0.2	0.2	0.6	1.4	3.1	1.3	17.7	8	1376
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	8.9	3.1	4.3	1.7	0.2	0.1	0.1	0.0	0.1	0.5	4.2	8.1	31.3	17	3684
	13 LST	10.6	6.9	4.1	1.8	0.1	0.1	0.0	0.0	0.0	0.7	3.8	9.1	37.2	17	3519
	19 LST	6.7	4.8	3.2	0.9	0.3	0.0	0.2	0.1	0.0	0.3	2.7	7.8	27.0	17	4194
	01 LST	10.9	7.3	4.4	3.3	0.9	0.0	0.0	0.0	0.0	0.3	3.1	9.5	39.7	8	1376
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	29.4	24.3	27.7	28.8	28.2	23.5	24.6	22.5	23.8	25.6	29.3	30.5	318.2	17	3559
	13 LST	30.8	27.6	30.3	29.9	28.4	25.3	24.8	24.4	24.8	28.6	29.2	30.9	335.0	17	3412
	19 LST	29.5	26.3	28.6	28.0	27.3	24.8	25.1	24.6	23.7	25.0	28.0	30.1	321.0	17	4123
	01 LST	29.5	26.1	27.5	27.3	23.3	18.4	20.6	18.3	19.5	26.6	28.5	31.0	296.6	8	1316
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	29.4	24.2	27.7	28.8	28.2	23.2	24.2	22.3	23.6	25.6	29.3	30.5	317.0	17	3559
	13 LST	30.7	27.6	30.3	29.7	28.4	25.2	24.6	24.2	24.7	28.3	29.2	30.7	333.6	17	3412
	19 LST	29.2	26.3	28.5	27.8	27.0	24.8	25.0	24.5	23.5	24.7	28.0	30.0	319.3	17	4123
	01 LST	29.5	26.1	27.5	27.3	23.3	18.4	20.6	18.3	19.2	26.6	28.5	31.0	296.3	8	1316
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	29.4	24.2	27.7	28.8	28.2	23.2	24.1	22.3	23.6	25.6	29.3	30.5	316.9	17	3559
	13 LST	30.7	27.6	30.3	29.7	28.4	25.2	24.5	24.2	24.7	28.3	29.2	30.7	333.5	17	3412
	19 LST	29.2	26.3	28.5	27.8	27.0	24.8	25.0	24.5	23.5	24.7	28.0	30.0	319.3	17	4123
	01 LST	29.5	26.1	27.5	27.3	23.3	18.4	20.6	18.3	19.2	26.6	28.5	31.0	296.3	8	1316

VICTORIA POINT, BURMA

STA NO. 48112 (IN AREA NUMBER 01)

LATITUDE 0958N

LONGITUDE 09835E

ELEVATION(FT) 00153

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO, OBS
ABS MAX TMP (F)	93	93	95	99	97	91	90	93	91	91	90	90	99	17	3027
MEAN MAX TMP (F)	86	88	90	90	86	84	83	83	83	83	84	85	85	17	3027
MEAN MIN TMP (F)	72	74	75	77	76	75	75	74	74	74	74	73	74	17	2988
ABS MIN TMP (F)	59	66	66	71	68	68	70	68	70	71	66	66	59	17	2988
MEAN NO DYS TMP = DR GTR 90(F)	5.3	10.3	20.3	22.0	9.5	0.9	0.4	0.4	0.3	0.6	0.5	0.8	71.3	17	3027
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	2988
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	2988
MEAN DEW PT TMP (F)	69	70	73	74	75	75	75	74	74	74	72	71	73	8	3617
MEAN REL HUM (PCT)	72	72	74	76	83	86	87	89	90	88	81	77	81	8	3612
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.16	0.71	1.12	2.24	23.39	23.29	25.86	36.95	38.13	21.53	5.10	0.67	179.1	8	818
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	0.5	1.2	3.3	4.5	18.9	21.7	21.5	21.6	22.7	20.6	8.8	2.4	147.7	8	818
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.5	0.4	1.9	8	753
MEAN NO DYS TSTMS	0.0	4.1	9.1	17.8	17.7	8.0	11.2	8.2	5.2	12.3	6.7	1.2	101.5	8	756
P FREQ WND SPD = DR GTR 17 KTS	0.3	0.2	0.5	0.0	0.1	0.2	0.3	0.1	0.0	0.0	0.2	0.1	0.2	16	15592
P FREQ WND SPD = DR GTR 28 KTS	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16	15592
P FREQ LES 5000 FT A/D LES 5 MI	10.9	10.6	9.4	13.1	28.4	33.6	34.1	37.7	40.0	26.5	16.3	10.2	22.6	17	7304
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	0.0	0.0	1.6	2.0	11.3	8.1	10.5	18.6	19.4	11.4	4.4	2.0	7.4	9	1198
03-05 LST		0.0	0.0	0.0	6.8	15.4	11.7	27.8	26.2	13.0				4	406
06-08 LST	4.2	1.8	2.0	2.6	12.8	20.4	20.5	26.1	27.3	13.4	5.3	4.6	11.8	17	3369
09-11 LST	3.0	0.0	0.7	1.9	14.8	15.7	23.4	26.3	25.7	6.9	3.1	2.3	10.3	13	1487
12-14 LST	1.8	1.4	0.9	3.4	11.8	14.4	13.0	19.4	24.3	8.0	4.0	1.2	8.6	17	2886
15-17 LST	0.0	1.6	1.5	5.2	18.0	17.1	20.7	22.7	18.7	17.1	10.4	0.0	11.1	8	951
18-20 LST	2.4	1.4	2.7	6.3	15.4	20.2	19.2	24.6	23.6	17.1	6.8	3.6	11.9	17	4582
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.0	2.1	0.0	1.6	0.0	2.2	0.9	0.0	1.0	0.7	9	1198
03-05 LST		0.0	0.0	0.0	0.0	1.9	0.0	4.2	3.1	3.7				4	406
06-08 LST	2.3	1.1	0.3	0.4	0.7	1.2	0.6	1.5	2.5	1.4	1.3	1.3	1.2	17	3369
09-11 LST	0.8	0.0	0.0	0.0	1.4	2.3	1.4	0.0	3.7	0.0	0.8	0.8	1.0	13	1487
12-14 LST	1.1	0.5	0.4	0.0	1.3	0.0	1.2	1.2	2.6	0.0	0.0	0.0	0.7	17	2886
15-17 LST	0.0	0.0	0.0	1.3	1.1	1.3	2.3	2.1	0.9	3.7	0.0	0.0	1.1	8	951
18-20 LST	0.3	0.0	0.5	0.3	1.0	1.8	0.7	0.8	1.3	1.0	0.3	0.3	0.7	17	4582
21-23 LST														0	0

VICTORIA POINT, BURMA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	29.9	27.5	30.6	29.3	28.3	25.5	26.5	24.7	23.3	28.2	28.8	30.1	332.7	17	3369
	13 LST	30.7	27.7	30.8	29.6	28.4	27.3	27.8	26.9	24.1	29.8	29.4	30.9	343.4	17	2886
	19 LST	30.6	27.8	30.4	28.9	27.8	25.7	26.7	25.7	25.6	28.2	29.2	30.5	337.1	17	4582
	01 LST	31.0	28.0	30.5	29.7	27.8	28.2	28.0	25.7	24.9	28.0	29.0	30.7	341.5	9	1198
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	27.4	27.0	29.8	28.8	25.6	22.1	22.2	20.0	19.9	25.3	27.0	27.3	302.4	17	3329
	13 LST	25.4	25.5	30.0	27.6	26.4	23.1	24.4	21.5	20.7	27.1	26.8	27.6	306.1	17	2859
	19 LST	26.7	26.6	29.5	26.9	24.3	21.6	22.8	19.3	20.1	22.5	25.1	26.4	291.8	17	4551
	01 LST	28.4	27.0	30.5	28.4	25.9	26.6	26.4	22.8	23.0	27.2	27.6	28.5	322.3	9	1188
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.1	0.0	0.1	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.1	0.4	17	3496
	13 LST	0.1	0.0	0.2	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.4	17	3004
	19 LST	0.0	0.1	0.1	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.1	0.0	0.5	17	4696
	01 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	1240
SFC WND 4-10 KTS AND THP 33-89 DEG F AND NO PRECIP.	07 LST	17.4	15.3	15.6	13.4	6.3	5.9	4.4	5.5	4.9	7.8	13.1	16.5	126.1	17	3456
	13 LST	18.3	13.6	13.7	11.7	9.3	10.0	9.1	8.4	8.7	8.5	15.2	19.7	146.2	17	2970
	19 LST	19.1	13.2	13.2	9.8	5.3	8.3	7.1	8.4	5.3	4.2	11.5	18.1	123.5	17	4669
	01 LST	14.0	9.0	6.9	10.2	5.0	8.4	4.6	5.4	5.0	7.5	10.7	17.0	103.7	9	1240
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	3.3	1.5	0.5	0.6	0.2	0.2	0.2	0.0	0.0	0.2	2.0	2.4	11.1	17	3512
	13 LST	3.5	2.8	3.1	0.8	0.2	0.1	0.2	0.0	0.1	0.3	0.8	1.8	13.7	17	3028
	19 LST	4.7	2.0	2.6	0.3	0.1	0.1	0.0	0.2	0.0	0.2	1.8	4.3	16.3	17	4707
	01 LST	11.6	9.0	9.2	6.4	1.2	0.0	0.5	0.0	0.0	2.4	2.9	7.8	91.0	9	1246
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	28.9	27.1	29.8	28.3	25.0	21.8	22.3	20.2	19.7	24.7	27.6	29.0	304.4	17	3369
	13 LST	28.5	26.3	29.8	27.5	24.7	22.7	24.4	21.9	20.0	26.0	26.9	29.2	307.9	17	2886
	19 LST	28.7	25.5	29.2	26.0	23.3	21.4	22.5	20.3	18.8	21.7	25.4	27.7	290.5	17	4582
	01 LST	30.6	27.7	29.9	29.4	26.0	26.0	27.0	23.6	22.3	26.4	28.3	29.7	326.9	9	1198
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	28.3	27.1	29.7	28.2	24.6	21.0	22.0	19.2	19.3	24.5	27.4	29.0	300.3	17	3369
	13 LST	26.8	25.5	29.0	27.0	23.8	21.8	23.5	21.4	19.5	24.9	25.7	28.7	297.6	17	2886
	19 LST	27.9	24.3	28.8	25.4	21.5	20.8	21.8	19.8	17.8	20.6	24.3	26.8	279.8	17	4582
	01 LST	30.6	27.7	29.7	29.4	25.0	25.4	26.7	23.3	21.7	26.1	28.3	29.4	323.3	9	1198
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	28.3	27.1	29.7	28.2	24.4	20.9	22.0	19.2	19.3	24.5	27.4	28.9	299.9	17	3369
	13 LST	26.8	25.5	29.0	27.0	23.8	21.8	23.4	21.4	19.5	24.9	25.7	28.6	297.4	17	2886
	19 LST	27.9	24.3	28.8	25.4	21.4	20.6	21.8	19.8	17.7	20.6	24.3	26.8	279.4	17	4582
	01 LST	30.6	27.7	29.7	29.4	25.0	25.4	26.7	23.3	21.7	26.1	28.3	29.4	323.3	9	1198

AREA NO. 01

PARAMETER DESCRIPTION	BOUNDARIES	PENINSULAR												
		1722N 09654E	1742N 09654E	1742N 09654E	1800N 09744E	LATITUDE 1400N	LONGITUDE 09830E							
		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)		88	90	92	93	88	85	83	83	84	86	87	87	87
MEAN MIN TMP (F)		68	70	73	76	76	75	74	74	74	74	72	69	73
LARGEST MEAN PRECIP(IN)		1.00	2.10	3.10	4.90	23.39	44.20	49.20	47.30	38.13	21.53	5.10	0.80	240.8
SMALLEST MEAN PRECIP(IN)		0.16	0.20	0.40	2.24	16.70	23.29	25.86	30.00	24.90	8.50	2.10	0.10	134.4
		MEAN NUMBER OF DAYS												
CIG ≥ GTR 1000 FT AND VSBY ≥ GTR 3 MI	07 LST	27.7	23.5	24.9	27.2	28.3	24.5	24.4	23.1	23.7	27.4	27.6	29.1	311.4
	13 LST	30.7	27.6	28.9	28.8	29.1	25.6	26.1	25.7	25.4	30.1	29.7	30.9	338.6
	19 LST	28.6	25.7	27.5	26.9	27.7	24.7	25.1	24.9	24.7	27.5	27.7	28.8	319.8
CIG ≥ GTR 2000 FT AND VSBY ≥ GTR 3 MI W/SFC WND LES 10 KTS	07 LST	30.5	27.2	29.4	28.8	27.4	25.7	26.5	24.7	25.3	28.5	29.2	30.9	334.1
	13 LST	26.9	23.3	24.4	26.6	25.6	19.5	19.0	17.5	19.3	25.3	27.1	28.4	282.9
	19 LST	29.0	26.9	28.5	27.9	27.1	21.4	22.1	20.4	21.3	28.2	28.6	29.9	311.3
SFC WND ≥ GTR 17 KTS AND NO PRECIP.	07 LST	27.6	25.0	27.0	26.1	25.3	20.2	20.9	19.3	20.4	24.3	26.2	27.8	290.1
	13 LST	29.6	26.9	29.5	28.3	25.7	21.5	22.3	19.1	21.2	26.6	28.6	29.9	309.2
	01 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.0	0.1	0.3
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	0.1	0.0	0.1	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.3
	13 LST	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.3
	01 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
SKY COVER LES 3/10 AND VSBY ≥ GTR 3 MI	07 LST	6.6	5.8	5.2	4.2	2.4	2.3	1.8	1.9	1.8	2.8	4.2	6.1	45.1
	13 LST	11.9	8.0	7.5	7.1	5.0	5.7	5.0	5.4	5.4	6.4	10.0	13.1	90.1
	01 LST	5.6	7.5	8.3	7.6	4.3	4.0	3.7	4.0	2.7	2.5	5.4	8.1	66.7
CIG ≥ GTR 2500 FT AND VSBY ≥ GTR 3 MI	07 LST	5.9	3.8	4.0	4.5	2.1	3.4	1.9	1.9	2.1	3.2	4.7	6.4	43.9
	13 LST	8.7	4.5	3.6	3.1	0.7	0.1	0.1	0.0	0.2	1.3	4.9	8.2	35.4
	01 LST	12.6	8.8	7.3	4.0	1.2	0.1	0.1	0.1	0.1	1.8	5.8	9.8	51.7
CIG ≥ GTR 6000 FT AND VSBY ≥ GTR 3 MI	07 LST	9.6	7.3	5.8	3.0	0.9	0.2	0.2	0.1	0.0	1.4	5.3	9.3	43.1
	13 LST	14.5	10.7	9.3	7.1	2.3	0.2	0.2	0.0	0.1	2.9	5.2	12.1	64.6
	01 LST	27.4	23.2	24.3	26.2	25.0	19.0	18.7	17.3	19.1	24.9	27.1	28.8	281.0
CIG ≥ GTR 10000 FT AND VSBY ≥ GTR 3 MI	07 LST	29.9	26.8	28.4	27.4	26.0	21.2	21.7	20.2	21.0	27.5	28.6	30.2	308.9
	13 LST	27.8	24.7	26.5	25.4	24.6	19.6	20.4	19.3	19.5	23.6	26.3	28.1	285.8
	01 LST	30.2	27.0	28.9	28.4	25.5	21.2	22.1	19.3	20.6	26.2	28.8	30.6	308.8
CIG ≥ GTR 10000 FT AND VSBY ≥ GTR 3 MI	07 LST	27.2	23.2	24.2	26.0	24.8	18.7	18.3	16.9	18.8	24.7	26.9	28.8	278.5
	13 LST	29.2	26.3	28.0	26.9	25.5	20.8	21.2	19.6	20.7	26.9	28.2	29.9	303.2
	01 LST	27.4	24.3	26.4	25.1	23.9	19.3	20.0	19.0	19.1	23.1	26.0	27.8	281.4
CIG ≥ GTR 10000 FT AND VSBY ≥ GTR 3 MI	07 LST	30.0	27.0	28.7	28.4	25.1	21.0	21.8	19.0	20.2	26.1	28.8	30.5	306.6
	13 LST	27.2	23.2	24.2	26.0	24.7	18.6	18.3	16.9	18.8	24.7	26.9	28.8	278.3
	01 LST	29.2	26.2	28.0	26.9	25.5	20.8	21.2	19.6	20.7	26.9	28.2	29.9	303.1
CIG ≥ GTR 10000 FT AND VSBY ≥ GTR 3 MI	07 LST	27.4	24.3	26.4	25.1	23.9	19.2	20.0	19.0	19.1	23.1	26.0	27.8	281.3
	13 LST	30.0	27.0	28.7	28.4	25.1	21.0	21.8	19.0	20.2	26.1	28.8	30.5	306.6
	01 LST	27.2	23.2	24.2	26.0	24.7	18.6	18.3	16.9	18.8	24.7	26.9	28.8	278.3

TOUNGGOO, BURMA

STA NO. 48078 (IN AREA NUMBER 02)

LATITUDE 1655N

LONGITUDE 09628E

ELEVATION(FT) 00162

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
ABS MAX TMP (F)	96	104	109	109	108	102	99	97	99	99	95	102	109	60	-539
MEAN MAX TMP (F)	85	91	97	100	95	89	86	86	89	90	87	82	90	60	-39
MEAN MIN TMP (F)	59	61	69	76	77	75	75	75	75	74	70	62	71	29	-39
ABS MIN TMP (F)	47	47	54	61	57	65	70	68	64	64	54	49	47	60	-539
MEAN NO DYS TMP = DR GTR 90(F)	13.8	25.5	29.9	29.3	26.5	9.5	5.1	5.7	12.7	22.7	22.5	12.8	216.0	16	2870
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16	2858
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16	2858
MEAN DEW PT TMP (F)	59	59	63	69	75	78	77	77	77	76	70	62	70	33	-29
MEAN REL HUM (PCT)	67	60	56	57	72	87	88	89	86	82	77	72	74	10	11870
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.20	0.20	0.30	2.10	8.00	14.40	17.90	18.90	11.70	7.20	1.90	0.40	83.2	60	-39
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	60	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	0.5	0.5	0.9	4.1	5.2	17.7	19.8	20.3	14.0	10.4	4.7	0.9	99.0	60	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	60	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	11929
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	11929
P FREQ LES 5000 FT A/D LES 5 MI	42.3	45.5	43.6	41.8	42.9	64.2	64.4	71.1	62.4	50.6	39.6	40.1	50.7	16	6542
P FREQ LES 1500 FT A/D LES 3 MI															
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	16.1	22.4	9.0	6.3	13.3	24.4	31.1	40.5	30.7	20.1	16.7	21.8	21.0	16	3308
09-11 LST	4.0	1.9	0.7	1.7	9.1	27.0	28.2	37.0	29.0	9.6	3.1	1.5	12.7	10	1536
12-14 LST	0.7	1.3	0.8	0.4	4.6	15.2	19.7	19.8	9.3	3.3	1.9	0.3	6.4	16	3153
15-17 LST														0	0
18-20 LST	2.2	3.3	2.9	4.2	14.7	35.1	41.3	49.1	39.7	16.7	5.2	1.8	18.0	16	3668
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	8.1	9.0	2.1	0.0	2.2	3.0	5.1	6.6	4.1	3.9	7.0	9.6	5.1	16	3308
09-11 LST	0.0	0.0	0.0	0.0	0.0	2.8	0.6	2.5	3.7	1.0	0.8	0.0	1.0	10	1536
12-14 LST	0.0	0.4	0.0	0.0	0.8	0.4	4.5	3.7	1.2	0.0	0.7	0.0	1.0	16	3153
15-17 LST														0	0
18-20 LST	0.0	0.0	0.3	0.7	1.8	7.3	13.1	17.6	14.1	3.3	1.7	0.4	5.0	16	3668
21-23 LST														0	0

TOUNGOO, BURMA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	06 LST	26.1	21.9	28.4	28.9	28.6	26.1	24.4	21.6	23.9	26.9	25.5	24.3	306.6	16	3308
	12 LST	30.9	27.7	30.8	29.9	30.4	27.8	27.2	27.5	28.8	30.8	29.6	31.0	352.4	16	3153
	18 LST	30.5	27.2	30.2	28.8	28.0	22.1	20.2	18.4	20.5	26.6	28.5	30.5	311.5	16	3668
	00 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	06 LST	26.1	21.6	28.0	27.5	25.2	19.5	18.5	15.5	18.0	22.5	24.5	24.2	271.1	16	3278
	12 LST	30.7	27.6	30.4	29.3	27.8	23.1	22.5	22.1	26.0	29.0	29.3	30.8	328.6	16	3123
	18 LST	30.2	27.0	29.9	28.6	24.5	17.1	16.3	13.5	15.8	25.1	28.4	30.3	286.7	16	3640
	00 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	06 LST	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	16	3331
	12 LST	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	16	3176
	18 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16	3703
	00 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	06 LST	0.8	0.9	1.8	3.7	4.3	7.1	4.2	4.2	2.9	0.7	0.9	1.5	33.0	16	3294
	12 LST	10.4	6.1	2.1	1.8	5.8	12.8	14.2	13.1	10.0	6.1	7.3	10.2	99.9	16	3147
	18 LST	0.9	1.4	2.2	1.4	6.7	7.9	5.4	4.6	3.9	2.7	1.0	0.9	39.0	16	3668
	00 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	06 LST	7.1	5.3	6.5	4.4	1.6	0.2	0.1	0.1	0.5	1.1	3.6	5.4	35.9	16	3374
	12 LST	14.2	13.2	14.4	10.0	2.2	0.1	0.0	0.0	0.1	2.2	9.3	13.6	79.3	16	3211
	18 LST	11.5	8.2	7.8	2.4	0.7	0.0	0.1	0.0	0.0	1.2	7.4	13.0	52.3	16	3716
	00 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	06 LST	25.8	21.4	27.5	26.5	24.2	18.2	17.6	14.7	17.4	21.7	24.0	23.7	262.7	16	3308
	12 LST	30.4	27.3	30.4	29.1	26.7	20.1	19.4	19.3	22.9	27.4	28.3	30.3	311.8	16	3153
	18 LST	30.0	26.9	29.8	27.7	23.7	15.7	15.0	12.3	14.4	22.8	28.1	30.0	276.4	16	3668
	00 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	06 LST	25.7	21.3	27.4	26.0	23.6	17.8	17.0	14.2	17.1	21.2	23.7	23.5	258.5	16	3308
	12 LST	30.3	27.3	30.3	28.7	25.0	18.2	17.0	17.8	20.9	25.7	27.8	30.3	299.3	16	3153
	18 LST	29.9	26.9	29.7	27.4	22.6	14.9	14.0	11.4	13.6	21.3	27.8	29.9	269.4	16	3668
	00 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	06 LST	25.7	21.3	27.4	26.0	23.6	17.8	17.0	14.2	17.1	21.2	23.7	23.5	258.5	16	3308
	12 LST	30.3	27.3	30.3	28.7	25.0	18.2	17.0	17.8	20.9	25.7	27.8	30.3	299.3	16	3153
	18 LST	29.9	26.9	29.7	27.4	22.6	14.9	14.0	11.4	13.5	21.3	27.8	29.9	269.3	16	3668
	00 LST														0	0

SANDOWAY, BURMA

STA NO. 48080 (IN AREA NUMBER 02)

LATITUDE 1827N

LONGITUDE 09418E

ELEVATION(FT) 00030

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	99	95	100	99	100	99	91	91	95	93	97	91	100	16	2787
MEAN MAX TMP (F)	85	88	90	92	91	85	84	84	85	88	89	85	87	16	2787
MEAN MIN TMP (F)	55	56	63	72	77	75	75	75	75	74	69	59	69	16	2789
ABS MIN TMP (F)	45	45	50	61	68	68	64	68	68	66	54	47	45	16	2789
MEAN NO DYS TMP = DR GTR 90(F)	3.3	9.8	20.9	28.4	23.9	5.8	1.7	1.4	4.6	13.6	15.4	3.2	132.0	16	2787
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16	2789
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16	2789
MEAN DEW PT TMP (F)	60	60	66	72	75	76	75	76	76	74	70	64	70	8	4499
MEAN REL HUM (PCT)	73	69	72	75	78	89	91	92	90	86	79	77	81	8	4499
MEAN PRESS ALT (FT)	20	52	100	160	221	283	289	276	219	110	53	19	150	0	-50
MEAN PRECIP (IN)	0.27	0.02	0.09	0.36	10.52	48.32	56.85	54.58	36.52	7.25	1.96	0.31	216.6	8	842
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	0.7	0.0	0.4	1.1	10.8	24.3	26.6	29.1	24.7	13.2	3.7	0.7	135.3	8	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	3.6	2.7	3.5	0.3	0.0	0.0	0.0	0.4	0.4	0.0	0.8	3.3	15.0	8	956
MEAN NO DYS TSTMS	0.7	0.0	0.0	1.5	7.9	11.7	3.8	1.6	5.6	10.2	1.2	1.2	45.4	8	957
P FREQ WND SPD = DR GTR 17 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	4482
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	4482
P FREQ LES 5000 FT A/D LES 5 MI	35.4	33.2	33.1	41.1	40.5	67.6	68.6	76.8	55.6	41.7	32.1	38.1	47.0	16	8726
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	3.5	6.6	5.9	1.4	7.0	33.6	37.7	36.8	19.6	10.6	12.0	7.9	15.2	8	1313
03-05 LST				5.6	12.0	17.7	23.0	25.4	19.6	6.7				5	369
06-08 LST	31.0	24.8	34.8	14.9	9.6	31.3	32.0	40.0	24.1	9.4	7.9	23.6	23.6	16	3244
09-11 LST	0.8	0.0	1.4	4.9	9.5	27.7	29.3	35.2	16.8	3.5	2.9	0.0	11.0	10	1528
12-14 LST	0.7	0.5	1.6	1.2	7.4	30.5	30.9	32.9	18.2	6.6	1.1	0.7	11.0	16	3067
15-17 LST	0.0	1.9	2.5	1.5	7.6	20.0	33.7	32.9	23.1	17.1	2.8	0.0	11.9	9	891
18-20 LST	1.0	2.2	1.3	5.8	12.2	34.2	36.0	38.5	29.0	13.4	3.7	0.7	14.8	16	3616
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	3.5	3.8	0.7	0.0	0.8	0.9	0.0	0.9	0.0	1.9	4.3	4.5	1.8	8	1313
03-05 LST				2.8	2.0	0.0	0.0	0.0	0.0	0.0				5	369
06-08 LST	21.1	15.8	17.8	6.7	0.0	1.2	0.7	0.8	1.3	1.2	5.1	15.2	7.2	16	3244
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.6	1.6	0.0	0.0	0.0	0.0	0.2	10	1528
12-14 LST	0.3	0.0	0.0	0.0	0.0	3.3	0.7	0.9	0.4	1.6	0.0	0.0	0.6	16	3067
15-17 LST	0.0	0.0	1.3	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	0.0	0.2	9	891
18-20 LST	0.0	0.4	0.3	0.0	0.9	1.5	1.4	1.3	0.7	1.8	0.4	0.0	0.7	16	3616
21-23 LST														0	0

SANDOWAY, BURMA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	06 LST	21.5	21.1	20.3	25.6	29.8	26.5	28.5	26.3	27.3	29.5	27.9	23.7	308.0	16	3244
	12 LST	30.9	28.0	30.5	29.9	30.4	27.0	28.3	28.3	28.6	30.1	29.9	31.0	352.9	16	3067
	18 LST	30.8	27.5	30.7	29.6	30.0	26.5	27.5	27.6	27.3	29.8	29.6	30.9	347.8	16	3616
	00 LST	29.9	26.1	29.2	30.0	30.0	25.4	26.9	28.0	28.1	29.5	27.1	28.9	339.1	8	1313
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LFS 10 KTS	06 LST	21.3	21.0	20.2	25.4	26.5	15.2	14.2	11.3	18.7	26.6	27.4	23.6	251.4	16	3225
	12 LST	30.9	27.9	30.5	29.0	27.0	15.1	14.9	13.6	20.7	27.8	29.5	30.5	297.4	16	3040
	18 LST	30.7	27.2	30.4	26.9	24.6	13.4	12.6	11.2	15.7	23.9	28.2	30.7	275.5	16	3591
	00 LST	29.9	26.1	29.2	29.1	27.6	14.7	11.3	12.3	21.2	25.3	26.4	28.9	282.0	8	1311
SFC WND = GTR 17 KTS AND NO PRECIP.	06 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16	3308
	12 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	16	3117
	18 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16	3649
	00 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	1347
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	06 LST	0.0	0.1	0.1	0.2	0.0	0.3	0.5	0.0	0.0	0.0	0.3	0.0	1.5	16	3279
	12 LST	7.3	12.5	15.8	6.5	5.1	5.3	3.7	4.9	5.7	4.9	5.2	6.5	83.4	16	3085
	18 LST	0.4	0.6	1.5	2.9	2.2	1.1	1.9	0.4	0.5	0.0	0.2	0.2	11.9	16	3627
	00 LST	0.0	0.0	0.0	0.0	0.2	0.5	0.5	0.2	0.6	0.0	0.6	0.0	2.6	8	1347
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	06 LST	12.6	14.9	12.6	11.9	4.0	0.4	0.3	0.1	0.4	4.6	10.4	12.9	85.1	16	3320
	12 LST	20.1	20.9	25.3	17.9	6.0	0.2	0.1	0.0	0.5	5.0	13.1	16.6	125.7	16	3138
	18 LST	21.1	18.5	20.6	11.0	3.5	0.1	0.1	0.0	0.1	1.1	14.0	17.1	107.2	16	3654
	00 LST	25.8	21.9	22.9	19.9	9.6	1.0	1.2	0.2	2.3	7.9	16.3	23.8	152.8	8	1349
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	06 LST	20.9	20.3	19.5	23.8	24.2	13.7	13.4	10.4	17.8	26.0	27.1	23.1	240.2	16	3244
	12 LST	30.4	27.5	30.3	28.8	25.9	13.1	14.1	12.2	19.7	26.5	29.1	30.2	287.8	16	3067
	18 LST	30.4	27.0	29.8	24.9	23.0	11.7	11.9	10.3	14.9	22.9	27.4	30.2	264.4	16	3616
	00 LST	29.4	25.6	28.6	27.0	26.6	13.6	10.6	11.2	20.6	25.0	25.7	28.9	272.8	8	1313
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	06 LST	20.6	20.1	19.1	23.0	22.9	13.0	12.8	10.0	17.2	25.9	26.5	23.0	234.1	16	3244
	12 LST	30.4	27.5	30.1	28.4	25.5	11.5	13.1	11.4	19.2	25.9	29.0	30.0	282.0	16	3067
	18 LST	30.1	26.9	29.3	23.7	21.9	10.1	11.4	10.0	14.0	22.0	27.1	29.7	256.2	16	3616
	00 LST	29.4	25.1	28.6	25.9	25.7	12.5	10.3	10.9	20.3	24.7	25.7	28.9	288.0	8	1313
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	06 LST	20.4	20.1	19.1	23.0	22.8	13.0	12.8	10.0	17.2	25.9	26.5	23.0	233.8	16	3244
	12 LST	30.4	27.4	30.1	28.4	25.5	11.3	13.1	11.4	19.1	25.9	29.0	30.0	281.6	16	3067
	18 LST	30.1	26.9	29.3	23.7	21.9	10.1	11.2	9.9	14.0	22.0	27.1	29.6	255.8	16	3616
	00 LST	29.4	25.1	28.6	25.9	25.4	12.5	10.1	10.9	20.3	24.7	25.7	28.9	267.5	8	1313

BASSEIN, BURMA

STA NO. 48094 (IN AREA NUMBER 02)

LATITUDE 1646N

LONGITUDE 09446E

ELEVATION(FT) 00033

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	98	100	103	109	103	99	102	94	97	97	95	93	109	60	-339
MEAN MAX TMP (F)	86	90	95	96	92	87	85	85	86	88	87	85	89	60	-39
MEAN MIN TMP (F)	64	66	71	76	77	76	76	76	76	75	72	65	73	60	-39
ABS MIN TMP (F)	50	51	59	67	65	63	70	65	67	68	59	48	48	60	-339
MEAN NO DYS TMP = DR GTR 90(F)	5.8	16.1	29.8	29.7	23.8	8.3	3.4	3.4	5.6	11.6	8.3	3.4	149.2	60	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	60	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	60	-29
MEAN DEW PT TMP (F)	64	63	67	72	75	76	76	76	76	75	71	65	71	7	4038
MEAN REL HUM (PCT)	71	67	68	70	78	88	91	90	90	85	78	74	79	7	4038
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.10	0.20	0.20	1.10	9.60	23.00	25.10	23.70	14.80	7.60	3.10	0.90	109.0	60	-39
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	60	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	0.3	0.5	0.6	2.6	5.5	22.2	23.0	22.5	15.8	10.8	6.2	1.1	111.1	60	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	60	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	1.8	0.9	1.7	0.0	0.7	2.1	1.2	0.8	0.4	0.0	0.8	2.8	13.2	7	856
MEAN NO DYS TSTMS	0.0	0.0	0.0	4.9	15.9	14.6	10.4	5.0	7.8	11.0	1.7	0.9	72.2	7	861
P FREQ WND SPD = DR GTR 17 KTS	0.1	0.0	0.1	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	16	16022
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16	16022
P FREQ LES 5000 FT A/D LES 5 MI	43.6	45.0	44.3	43.6	52.1	58.5	59.6	57.6	56.5	51.4	44.2	42.2	49.9	17	9713
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	0.0	2.1	3.0	1.8	6.8	15.0	23.5	24.8	16.7	6.3	1.1	2.3	8.6	7	1211
03-05 LST			0.0	26.5	26.3	23.0	27.3	20.9	25.0	10.4				5	390
06-08 LST	63.5	68.5	69.5	45.8	24.8	25.3	31.7	31.9	25.7	31.4	37.0	53.6	42.4	17	3549
09-11 LST	4.6	3.4	2.5	1.5	10.9	16.4	19.1	16.8	14.9	8.9	2.0	0.7	8.5	12	1722
12-14 LST	1.5	0.0	1.4	0.0	9.7	25.3	29.3	24.7	22.7	6.5	2.8	0.3	10.4	17	3618
15-17 LST	3.2	0.0	1.3	0.0	11.1	29.0	30.8	29.4	25.3	13.8	6.2	0.0	12.5	9	897
18-20 LST	20.9	17.6	19.4	16.5	18.6	32.5	41.0	34.1	33.6	25.9	24.3	20.6	25.4	17	4195
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.8	0.0	0.0	4.0	5.9	0.9	2.9	1.0	0.0	0.0	1.3	7	1211
03-05 LST			0.0	0.0	3.5	3.3	6.1	3.0	3.6	0.0				5	390
06-08 LST	31.1	33.2	23.7	12.3	5.1	3.7	4.0	1.8	4.7	8.8	12.5	25.6	13.9	17	3549
09-11 LST	0.7	0.0	0.0	0.0	0.6	1.4	1.7	3.5	0.0	1.6	0.0	0.7	0.9	12	1722
12-14 LST	0.6	0.0	0.0	0.0	2.3	6.3	3.3	3.4	2.7	0.0	0.3	0.0	1.6	17	3618
15-17 LST	1.6	0.0	0.0	0.0	2.5	2.9	3.3	3.5	0.0	0.0	3.1	0.0	1.4	9	897
18-20 LST	5.4	4.9	2.5	1.6	1.4	6.3	6.8	4.2	3.8	3.4	2.6	2.2	3.8	17	4195
21-23 LST														0	0

BASSEIN, BURMA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG ≥ GTR 1000 FT AND VSBY ≥ GTR 3 MI	06 LST	11.3	8.8	9.5	16.3	23.4	22.9	21.5	21.5	22.9	21.9	19.0	14.4	213.4	17	3549
	12 LST	30.6	28.0	30.7	30.0	28.4	23.1	22.8	24.4	24.6	29.8	29.4	30.9	332.7	17	3618
	18 LST	24.6	23.0	25.0	25.0	25.3	20.5	18.7	21.1	20.5	23.3	22.9	24.6	274.5	17	4195
	00 LST	31.0	27.4	30.1	29.4	28.9	25.4	23.7	23.0	25.8	29.4	29.6	30.3	334.0	7	1211
CIG ≥ GTR 2000 FT AND VSBY ≥ GTR 3 MI W/SFC WND LES 10 KTS	06 LST	11.4	8.7	9.4	16.2	23.3	21.8	20.8	20.6	21.7	20.6	19.0	14.4	207.9	17	3525
	12 LST	30.1	27.6	30.0	29.3	26.5	21.6	20.7	22.4	21.8	27.7	28.6	30.8	317.1	17	3590
	18 LST	24.5	22.8	24.8	25.1	25.0	20.1	17.9	19.8	19.3	22.7	22.7	24.8	269.5	17	4163
	00 LST	31.0	27.4	29.8	29.4	28.9	25.4	23.0	23.0	25.8	29.0	29.6	30.3	332.6	7	1209
SFC WND ≥ GTR 17 KTS AND NO PRECIP.	06 LST	0.0	0.1	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.2	17	3614
	12 LST	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	17	3685
	18 LST	0.0	0.0	0.1	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.2	17	4227
	00 LST	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	7	1235
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	06 LST	2.0	3.1	3.6	1.9	3.1	2.1	2.2	1.6	1.6	2.4	2.6	2.5	28.7	17	3568
	12 LST	18.5	10.7	4.8	2.3	4.1	7.6	6.8	6.9	8.6	11.2	16.7	20.2	118.4	17	3639
	18 LST	9.6	17.0	23.5	24.9	13.6	5.0	3.7	4.9	3.7	3.3	3.7	5.5	118.4	17	4186
	00 LST	2.0	5.2	7.6	8.1	4.1	2.9	1.3	2.9	0.8	1.6	2.4	1.4	40.3	7	1235
SKY COVER LES 3/10 AND VSBY ≥ GTR 3 MI	06 LST	6.2	6.0	7.1	8.6	2.6	0.2	0.2	0.0	0.2	1.5	6.2	6.1	44.9	17	3642
	12 LST	19.1	19.3	21.2	12.7	1.6	0.0	0.0	0.0	0.0	0.3	6.1	15.2	95.5	17	3711
	18 LST	15.1	16.0	18.8	15.6	4.1	0.0	0.0	0.0	0.2	2.0	10.1	15.9	97.8	17	4255
	00 LST	25.5	24.8	25.2	24.2	13.1	2.6	0.8	0.8	2.9	10.1	21.3	25.3	176.6	7	1219
CIG ≥ GTR 2500 FT AND VSBY ≥ GTR 3 MI	06 LST	10.9	8.7	9.4	15.9	23.0	21.0	20.0	19.8	21.0	20.4	18.8	14.4	203.3	17	3549
	12 LST	29.5	27.7	30.0	27.2	23.4	19.9	19.1	20.3	19.9	24.3	23.8	29.6	296.7	17	3618
	18 LST	24.2	23.0	24.8	24.8	24.8	18.9	17.1	19.0	18.4	21.8	22.3	24.4	263.5	17	4195
	00 LST	31.0	27.4	30.1	29.4	28.9	25.1	22.2	22.5	25.8	29.1	29.3	30.3	331.1	7	1211
CIG ≥ GTR 6000 FT AND VSBY ≥ GTR 3 MI	06 LST	10.8	8.7	9.4	15.9	22.6	20.0	19.6	19.3	20.4	20.2	18.7	14.4	200.0	17	3549
	12 LST	29.0	27.6	29.7	25.1	20.2	18.6	17.6	19.0	18.5	21.6	23.7	28.8	279.4	17	3618
	18 LST	24.1	22.8	24.8	24.7	24.6	18.3	16.5	18.4	17.9	21.5	22.3	24.4	260.3	17	4195
	00 LST	31.0	27.4	30.1	29.4	28.9	25.1	22.2	22.5	25.8	29.1	29.3	30.3	331.1	7	1211
CIG ≥ GTR 10000 FT AND VSBY ≥ GTR 3 MI	06 LST	10.8	8.7	9.4	15.9	22.6	20.0	19.6	19.3	20.4	20.2	18.7	14.4	200.0	17	3549
	12 LST	29.0	27.6	29.7	25.1	20.2	18.6	17.6	18.8	18.5	21.5	23.6	28.8	279.0	17	3618
	18 LST	24.1	22.8	24.8	24.7	24.6	18.3	16.5	18.4	17.9	21.5	22.3	24.4	260.3	17	4195
	00 LST	31.0	27.4	30.1	29.4	28.9	25.1	22.2	22.5	25.8	29.1	29.3	30.3	331.1	7	1211

MINGALADON, BURMA

STA NO. 48096 (IN AREA NUMBER 02)

LATITUDE 1654N

LONGITUDE 09608E

ELEVATION(FT) 00109

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	99	100	102	109	106	95	99	95	91	93	100	97	109	17	3461
MEAN MAX TMP (F)	89	93	97	98	93	86	85	85	86	87	89	87	90	17	3461
MEAN MIN TMP (F)	64	65	69	75	77	76	75	75	75	75	72	65	72	17	3246
ABS MIN TMP (F)	50	54	58	64	66	70	68	68	71	68	61	53	50	17	3246
MEAN NO DYS TMP = DR GTR 90(F)	16.6	25.8	30.8	29.1	21.4	5.8	2.7	3.2	3.8	10.4	16.5	10.4	176.5	17	3461
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	3246
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	3246
MEAN DEW PT TMP (F)	62	61	65	71	75	76	76	76	76	75	71	64	71	12	6815
MEAN REL HUM (PCT)	67	61	64	66	78	88	90	90	90	85	77	71	77	12	6727
MEAN PRESS ALT (FT)	134	164	194	249	306	341	340	339	308	199	164	134	239	0	-50
MEAN PRECIP (IN)	0.77	0.17	0.20	1.17	8.08	19.63	24.96	17.59	18.64	4.46	0.49	0.45	96.6	8	987
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	2.0	0.5	0.4	1.4	12.5	22.5	24.8	24.2	22.4	9.1	0.8	0.9	121.5	8	987
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.6	2.1	3.2	0.7	1.0	0.7	0.6	0.9	0.2	1.8	0.0	0.0	11.8	12	1347
MEAN NO DYS TSTMS	0.0	0.7	0.2	4.0	10.0	11.0	7.2	5.8	7.4	8.5	0.8	0.7	56.3	12	1343
P FREQ WND SPD = DR GTR 17 KTS	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.0	0.2	0.0	0.0	0.0	0.0	12	6759
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	6759
P FREQ LES 5000 FT A/D LES 5 MI	20.2	31.6	32.7	26.2	37.1	51.4	51.7	55.3	53.7	33.3	15.9	13.8	35.2	17	11694
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	2.9	0.0	0.6	0.6	8.3	13.3	19.4	24.6	14.9	7.9	1.0	0.0	7.8	12	1817
03-05 LST	3.0	3.1	4.5	0.0	7.6	8.9	12.8	16.8	15.0	16.9	0.0	0.0	7.4	9	845
06-08 LST	21.7	35.6	50.8	16.8	13.4	19.4	18.2	21.4	26.8	20.0	8.3	6.4	21.6	17	3735
09-11 LST	3.2	5.5	7.6	4.6	18.6	24.1	24.7	28.9	30.1	7.6	1.9	0.6	13.1	12	1811
12-14 LST	0.3	0.3	1.0	1.4	19.7	39.5	38.1	36.7	32.5	20.2	3.4	1.2	16.2	17	3865
15-17 LST	3.9	1.4	1.2	3.7	19.8	48.2	47.8	47.7	36.8	11.1	2.5	0.0	18.7	10	1069
18-20 LST	1.8	2.5	0.7	2.5	15.4	26.7	29.9	31.6	25.1	8.7	2.3	1.9	12.4	17	4635
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.1	12	1817
03-05 LST	3.0	3.1	2.3	0.0	0.0	1.0	0.0	0.0	1.0	3.9	0.0	0.0	1.2	9	845
06-08 LST	9.8	19.1	24.6	4.6	1.6	1.0	1.8	0.7	1.9	4.9	2.5	3.4	6.3	17	3735
09-11 LST	1.9	3.9	0.0	0.0	0.0	1.3	0.0	0.7	0.8	0.0	0.0	0.0	0.7	12	1811
12-14 LST	0.0	0.0	0.3	0.0	0.9	1.3	0.8	1.0	0.0	0.3	0.0	0.0	0.4	17	3865
15-17 LST	1.3	0.0	0.0	0.0	0.0	3.6	0.9	3.7	0.0	0.0	0.0	0.0	0.8	10	1069
18-20 LST	0.0	0.3	0.2	0.5	0.5	0.7	1.2	1.3	0.3	0.5	0.0	0.3	0.5	17	4635
21-23 LST														0	0

MINGALADON, BURMA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	06 LST	24.3	18.0	15.3	25.3	27.4	25.2	26.4	25.5	23.2	25.4	27.5	29.0	292.5	17	3735
	12 LST	31.0	27.9	30.8	29.8	27.0	21.7	22.1	23.4	25.0	28.8	29.6	30.7	327.8	17	3865
	18 LST	30.5	27.4	30.8	29.5	27.6	23.9	23.5	22.9	24.4	29.2	29.6	30.5	329.8	17	4635
	00 LST	30.1	28.0	30.8	29.8	29.0	26.8	25.7	24.1	27.1	29.6	29.7	31.0	341.7	12	1817
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	06 LST	24.2	18.1	15.1	24.5	25.9	22.9	24.3	23.2	20.8	24.2	27.3	28.7	279.2	17	3685
	12 LST	29.8	27.5	30.2	28.2	20.9	13.4	14.8	14.8	15.3	20.6	28.1	29.6	273.2	17	3828
	18 LST	30.2	26.7	29.1	24.7	21.5	19.5	19.1	18.9	20.6	27.3	29.0	30.1	296.7	17	4583
	00 LST	30.1	27.5	29.6	28.7	26.0	25.0	23.7	21.5	24.9	27.5	29.3	31.0	324.8	12	1804
SFC WND = GTR 17 KTS AND NO PRECIP.	06 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.1	0.2	17	3769
	12 LST	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	17	3925
	18 LST	0.0	0.0	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	17	4678
	00 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	1846
SFC WND 4-10 KTS AND TMP 33-89 DEC P AND NO PRECIP.	06 LST	11.7	10.9	8.7	12.0	10.1	7.9	7.0	6.9	6.2	6.5	10.7	12.8	111.4	17	3723
	12 LST	16.2	8.2	3.5	1.2	3.9	12.1	12.9	13.7	13.9	14.6	15.3	18.3	133.8	17	3879
	18 LST	14.7	16.4	19.4	13.5	10.5	9.7	8.6	7.7	8.5	7.9	8.3	15.6	140.8	17	4641
	00 LST	12.7	20.4	25.9	23.0	15.7	8.9	7.6	8.7	6.3	8.3	11.5	12.9	161.9	12	1840
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	06 LST	13.2	9.6	8.4	10.5	2.3	0.1	0.2	0.0	0.1	1.4	6.8	12.6	65.2	17	3832
	12 LST	16.6	17.6	21.0	13.8	0.6	0.1	0.0	0.0	0.0	0.6	4.6	11.1	86.0	17	3965
	18 LST	14.7	14.3	20.1	11.1	0.8	0.0	0.1	0.0	0.1	2.1	8.6	15.3	87.2	17	4715
	00 LST	23.8	26.5	27.7	24.3	7.8	1.4	0.7	0.0	1.2	8.1	17.6	24.6	163.7	12	1853
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	06 LST	24.1	17.9	15.2	23.9	25.8	23.0	24.1	22.8	20.3	23.9	27.2	28.8	277.0	17	3735
	12 LST	30.1	27.1	30.1	27.4	18.9	13.0	15.2	15.1	14.0	18.8	25.7	29.3	264.7	17	3865
	18 LST	30.0	27.1	30.7	28.5	23.9	19.6	19.6	19.0	20.3	26.9	28.5	29.6	303.7	17	4635
	00 LST	30.1	28.0	30.6	29.8	27.1	24.8	24.1	21.8	24.9	27.4	29.7	31.0	329.3	12	1817
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	06 LST	24.1	17.9	15.2	23.8	25.8	23.0	24.0	22.4	20.2	23.8	27.1	28.8	276.1	17	3735
	12 LST	29.7	26.8	29.9	26.1	16.3	11.5	14.3	14.4	13.0	17.5	23.6	28.3	251.4	17	3865
	18 LST	29.8	27.0	30.7	28.5	23.4	19.2	19.0	18.7	20.2	26.6	28.4	29.5	301.0	17	4635
	00 LST	30.1	28.0	30.6	29.8	26.9	24.8	24.1	21.8	24.9	27.4	29.7	31.0	329.1	12	1817
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	06 LST	24.1	17.9	15.2	23.8	25.7	23.0	24.0	22.4	20.2	23.8	27.1	28.8	276.0	17	3735
	12 LST	29.7	26.8	29.9	26.1	16.3	11.5	14.3	14.4	13.0	17.5	23.6	28.3	251.4	17	3865
	18 LST	29.8	27.0	30.7	28.5	23.4	19.2	19.0	18.7	20.2	26.6	28.3	29.5	300.9	17	4635
	00 LST	30.1	28.0	30.6	29.8	26.9	24.8	24.1	21.8	24.9	27.4	29.7	31.0	329.1	12	1817

HMAW/BI, BURMA

STA NO. 49600/ (IN AREA NUMBER 02)

LATITUDE 1707N

LONGITUDE 09604E

ELEVATION(FT) 00060

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
														(YRS)	DBS
ABS MAX TMP (F)	99	100	102	109	106	95	99	95	91	93	100	97	109	17	-48096
MEAN MAX TMP (F)	89	93	97	98	93	86	85	85	86	87	89	87	90	17	-48096
MEAN MIN TMP (F)	64	65	69	75	77	76	75	75	75	75	72	65	72	17	-48096
ABS MIN TMP (F)	50	54	58	64	66	70	68	68	71	68	61	53	50	17	-48096
MEAN NO DYS TMP = DR GTR 90(F)	16.6	25.8	30.8	29.1	21.4	5.8	2.7	3.2	3.8	10.4	16.5	10.4	176.5	17	-48096
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	-29
MEAN DEW PT TMP (F)	62	61	65	71	75	76	76	76	76	75	71	64	71	12	-48096
MEAN REL HUM (PCT)	67	61	64	66	78	88	90	90	90	85	77	71	77	12	-48096
MEAN PRESS ALT (FT)	22	60	118	182	243	312	326	307	234	125	58	20	167	0	-50
MEAN PRECIP (IN)	0.77	0.17	0.20	1.17	8.08	19.63	24.96	17.59	18.64	4.46	0.49	0.45	96.6	8	-48096
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	2.0	0.5	0.4	1.4	12.5	22.5	24.8	24.2	22.4	9.1	0.8	0.9	121.5	8	-48096
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.6	2.1	3.2	0.7	1.0	0.7	0.6	0.9	0.2	1.8	0.0	0.0	11.8	12	-48096
MEAN NO DYS TSTMS	0.0	0.7	0.2	4.0	10.0	11.0	7.7	5.8	7.4	8.5	0.8	0.7	56.3	12	-48096
P FREQ WND SPD = DR GTR 17 KTS	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.0	0.2	0.0	0.0	0.0	0.0	12	-48096
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-48096
P FREQ LES 5000 FT A/D LES 5 MI	20.2	31.6	32.7	26.2	37.1	51.4	51.7	55.3	53.7	33.3	15.9	13.8	35.2	17	-48096
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	2.9	0.0	0.6	0.6	8.3	13.3	19.4	24.6	14.9	7.9	1.0	0.0	7.8	12	-48096
03-05 LST	3.0	3.1	4.5	0.0	7.6	8.9	12.8	16.8	15.0	16.9	0.0	0.0	7.4	9	-48096
06-08 LST	21.7	35.6	30.8	16.8	13.4	19.4	18.2	21.4	26.8	20.0	8.3	6.4	21.6	17	-48096
09-11 LST	3.2	5.5	7.6	4.6	18.6	24.1	24.7	28.9	30.1	7.6	1.9	0.6	13.1	12	-48096
12-14 LST	0.3	0.3	1.0	1.4	19.7	39.5	38.1	36.7	32.5	20.2	3.4	1.2	16.2	17	-48096
15-17 LST	3.9	1.4	1.2	3.7	19.8	48.2	47.8	47.7	36.8	11.1	2.5	0.0	18.7	10	-48096
18-20 LST	1.8	2.5	0.7	2.5	15.4	26.7	29.9	31.6	25.1	8.7	2.3	1.9	12.4	17	-48096
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.1	12	-48096
03-05 LST	3.0	3.1	2.3	0.0	0.0	1.0	0.0	0.0	1.0	3.9	0.0	0.0	1.2	9	-48096
06-08 LST	9.8	19.1	24.6	4.6	1.6	1.0	1.8	0.7	1.9	4.9	2.5	3.4	6.3	17	-48096
09-11 LST	1.9	3.9	0.0	0.0	0.0	1.3	0.0	0.7	0.8	0.0	0.0	0.0	0.7	12	-48096
12-14 LST	0.0	0.0	0.3	0.0	0.9	1.3	0.8	1.0	0.0	0.3	0.0	0.0	0.4	17	-48096
15-17 LST	1.3	0.0	0.0	0.0	0.0	3.6	0.9	3.7	0.0	0.0	0.0	0.0	0.8	10	-48096
18-20 LST	0.0	0.3	0.2	0.5	0.5	0.7	1.2	1.3	0.3	0.5	0.0	0.3	0.5	17	-48096
21-23 LST														0	0

HMAWBI, BURMA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	06 LST	24.3	18.0	15.3	25.3	27.4	25.2	26.4	25.5	23.2	25.4	27.5	29.0	292.5	17	-48096
	12 LST	31.0	27.9	30.8	29.8	27.0	21.7	22.1	23.4	25.0	28.8	29.6	30.7	327.8	17	-48096
	18 LST	30.5	27.4	30.8	29.5	27.6	23.9	23.5	22.9	24.4	29.2	29.6	30.5	329.8	17	-48096
	00 LST	30.1	28.0	30.8	29.8	29.0	26.8	25.7	24.1	27.1	29.6	29.7	31.0	341.7	12	-48096
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	06 LST	24.2	18.1	15.1	24.5	25.9	22.9	24.3	23.2	20.8	24.2	27.3	28.7	279.2	17	-48096
	12 LST	29.8	27.5	30.2	28.2	20.9	13.4	14.8	14.8	15.3	20.6	28.1	29.6	273.2	17	-48096
	18 LST	30.2	26.7	29.1	24.7	21.5	19.5	19.1	18.9	20.6	27.3	29.0	30.1	296.7	17	-48096
	00 LST	30.1	27.5	29.6	28.7	26.0	25.0	23.7	21.5	24.9	27.5	29.3	31.0	324.8	12	-48096
SFC WND = GTR 17 KTS AND NO PRECIP.	06 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.1	0.2	17	-48096
	12 LST	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	17	-48096
	18 LST	0.0	0.0	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	17	-48096
	00 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-48096
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	06 LST	11.7	10.9	8.7	12.0	10.1	7.9	7.0	6.9	6.2	6.5	10.7	12.8	111.4	17	-48096
	12 LST	16.2	8.2	3.5	1.2	3.9	12.1	12.9	13.7	13.9	14.6	15.3	18.3	133.8	17	-48096
	18 LST	14.7	16.4	19.4	13.5	10.5	9.7	8.6	7.7	8.5	7.9	8.3	15.6	140.8	17	-48096
	00 LST	12.7	20.4	25.9	23.0	15.7	8.9	7.6	8.7	6.3	8.3	11.5	12.9	161.9	12	-48096
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	06 LST	13.2	9.6	8.4	10.5	2.3	0.1	0.2	0.0	0.1	1.4	6.8	12.6	65.2	17	-48096
	12 LST	16.6	17.6	21.0	13.8	0.6	0.1	0.0	0.0	0.0	0.6	4.6	11.1	86.0	17	-48096
	18 LST	14.7	14.3	20.1	11.1	0.8	0.0	0.1	0.0	0.1	2.1	8.6	15.3	87.2	17	-48096
	00 LST	23.8	26.5	27.7	24.3	7.8	1.4	0.7	0.0	1.2	8.1	17.6	24.6	163.7	12	-48096
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	06 LST	24.1	17.9	15.2	23.9	25.8	23.0	24.1	22.8	20.3	23.9	27.2	28.8	277.0	17	-48096
	12 LST	30.1	27.1	30.1	27.4	18.9	13.0	15.2	15.1	14.0	18.8	25.7	29.3	264.7	17	-48096
	18 LST	30.0	27.1	30.7	28.5	23.9	19.6	19.6	19.0	20.3	26.9	28.5	29.6	303.7	17	-48096
	00 LST	30.1	28.0	30.6	29.8	27.1	24.8	24.1	21.8	24.9	27.4	29.7	31.0	329.3	12	-48096
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	06 LST	24.1	17.9	15.2	23.8	25.8	23.0	24.0	22.4	20.2	23.8	27.1	28.8	276.1	17	-48096
	12 LST	29.7	26.8	29.9	26.1	16.3	11.5	14.3	14.4	13.0	17.5	23.6	28.3	251.4	17	-48096
	18 LST	29.8	27.0	30.7	28.5	23.4	19.2	19.0	18.7	20.2	26.6	28.4	29.5	301.0	17	-48096
	00 LST	30.1	28.0	30.6	29.8	26.9	24.8	24.1	21.8	24.9	27.4	29.7	31.0	329.1	12	-48096
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	06 LST	24.1	17.9	15.2	23.8	25.7	23.0	24.0	22.4	20.2	23.8	27.1	28.8	276.0	17	-48096
	12 LST	29.7	26.8	29.9	26.1	16.3	11.5	14.3	14.4	13.0	17.5	23.6	28.3	251.4	17	-48096
	18 LST	29.8	27.0	30.7	28.5	23.4	19.2	19.0	18.7	20.2	26.6	28.3	29.5	300.9	17	-48096
	00 LST	30.1	28.0	30.6	29.8	26.9	24.8	24.1	21.8	24.9	27.4	29.7	31.0	329.1	12	-48096

AREA NO. 02

PARAMETER DESCRIPTION	DELTA REGION													
	BOUNDARIES				LATITUDE 1730N				LONGITUDE 09600E					
	1722N 09654E	1742N 09654E	1742N 09654E	1738N 09628E	1938N 09628E	1728N 09430E								
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	
MEAN MAX TMP (F)	86	91	95	97	93	87	85	85	87	88	88	85	89	
MEAN MIN TMP (F)	61	62	68	75	77	76	75	75	75	75	71	63	71	
LARGEST MEAN PRECIP(IN)	0.77	0.20	0.30	2.10	10.52	48.32	36.85	54.58	36.52	7.60	3.10	0.50	221.4	
SMALLEST MEAN PRECIP(IN)	0.10	0.02	0.09	0.36	8.00	14.40	17.90	17.59	11.70	4.46	0.49	0.31	75.4	
	MEAN NUMBER OF DAYS													
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	06 LST	20.8	17.5	18.4	24.0	27.3	23.2	25.2	23.7	24.3	25.9	25.0	22.9	280.2
	12 LST	30.9	27.9	30.7	29.9	29.1	24.9	25.1	25.9	26.8	29.9	29.6	30.9	341.6
	18 LST	29.1	26.3	29.2	28.2	27.7	23.3	22.5	22.5	23.2	27.2	27.7	29.1	316.0
	00 LST	30.3	27.2	30.0	29.7	29.3	25.9	25.4	25.0	27.0	29.5	28.8	30.1	338.2
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	06 LST	20.8	17.4	18.2	23.4	25.2	19.9	19.5	17.7	19.8	23.5	24.6	22.7	252.7
	12 LST	30.4	27.7	30.3	29.0	25.6	18.3	18.2	18.2	21.0	26.3	28.9	30.4	304.3
	18 LST	28.9	25.9	28.6	26.3	23.9	17.5	16.5	15.9	17.9	24.8	27.1	29.0	282.3
	00 LST	30.3	27.0	29.5	29.1	27.5	21.7	19.3	18.9	24.0	27.3	28.4	30.1	313.1
SFC WND = GTR 17 KTS AND NO PRECIP.	06 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	
	12 LST	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	
	18 LST	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	
	00 LST	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	06 LST	3.6	3.8	3.6	4.5	4.4	4.4	3.5	3.2	2.7	2.4	3.6	4.2	43.9
	12 LST	13.1	9.4	6.6	3.0	4.7	9.5	9.4	9.7	9.6	9.2	11.1	13.8	109.1
	18 LST	6.4	8.9	11.7	10.7	8.3	5.9	4.9	4.4	4.2	3.5	3.3	5.6	77.8
	00 LST	4.9	8.5	11.2	10.4	6.7	4.1	3.1	3.9	2.6	3.3	4.8	4.8	68.3
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	06 LST	9.8	9.0	8.7	8.9	2.6	0.2	0.2	0.1	0.3	2.2	6.8	9.3	58.1
	12 LST	17.5	17.8	20.5	13.6	2.6	0.1	0.0	0.0	0.2	2.0	8.3	14.1	96.7
	18 LST	15.6	14.3	16.8	10.0	2.3	0.0	0.1	0.0	0.1	1.6	10.0	15.3	86.1
	00 LST	25.0	24.4	25.3	22.8	10.2	1.7	0.9	0.3	2.1	8.7	18.4	24.6	164.4
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	06 LST	20.4	17.1	17.9	22.5	24.3	19.0	18.8	16.9	19.1	23.0	24.3	22.5	245.8
	12 LST	30.1	27.4	30.2	28.1	23.7	16.5	17.0	16.8	19.1	24.3	27.2	29.9	290.3
	18 LST	28.7	26.0	28.8	26.5	23.9	16.5	15.9	15.2	17.0	23.6	26.6	28.6	277.3
	00 LST	30.2	27.0	29.8	28.7	27.5	21.2	19.0	18.5	23.8	27.2	28.2	30.1	311.2
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	06 LST	20.3	17.0	17.8	22.2	23.7	18.5	18.4	16.5	18.7	22.8	24.0	22.4	242.3
	12 LST	29.9	27.3	30.0	27.1	21.8	15.0	15.5	15.7	17.9	22.7	26.0	29.4	278.3
	18 LST	28.5	25.9	28.6	26.1	23.1	15.6	15.2	14.6	16.4	22.9	26.4	28.4	271.7
	00 LST	30.2	26.8	29.8	28.4	27.2	20.8	18.9	18.4	23.7	27.1	28.2	30.1	309.6
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	06 LST	20.3	17.0	17.8	22.2	23.7	18.5	18.4	16.5	18.7	22.8	24.0	22.4	242.3
	12 LST	29.9	27.3	30.0	27.1	21.8	14.9	15.5	15.6	17.9	22.7	26.0	29.4	278.1
	18 LST	28.5	25.9	28.6	26.1	23.1	15.6	15.2	14.6	16.4	22.9	26.4	28.4	271.7
	00 LST	30.2	26.8	29.8	28.4	27.1	20.8	18.8	18.4	23.7	27.1	28.2	30.1	309.4

AKYAB, BURMA

STA NO. 48062 (IN AREA NUMBER 03)

LATITUDE 2007N

LONGITUDE 09252E

ELEVATION(FT) 00030

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	97	102	100	101	102	99	99	96	94	93	95	90	102	60	-528
MEAN MAX TMP (F)	81	84	88	90	90	86	84	84	86	87	85	81	86	60	-28
MEAN MIN TMP (F)	59	61	68	75	78	77	77	77	77	76	71	63	72	60	-28
ABS MIN TMP (F)	47	49	50	54	66	68	70	66	66	64	59	48	47	60	-528
MEAN NO DYS TMP = DR GTR 90(F)	0.0	1.2	11.6	17.3	17.9	5.6	1.4	1.4	5.6	8.6	3.2	0.0	73.8	60	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	60	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	60	-29
MEAN DEW PT TMP (F)	61	61	68	74	77	78	77	78	77	75	70	64	72	8	3892
MEAN REL HUM (PCT)	75	70	74	78	79	89	91	91	88	85	79	79	82	8	3888
MEAN PRESS ALT (FT)	-19	17	87	154	227	311	323	298	215	100	19	-23	142	0	-90
MEAN PRECIP (IN)	0.10	0.20	0.40	2.00	15.40	45.30	55.10	44.60	22.70	11.30	5.10	0.70	202.9	60	-28
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	60	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	0.1	0.4	0.7	2.0	11.0	24.0	28.0	27.0	19.0	9.0	4.0	0.7	125.9	60	-28
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	60	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0	0.5	4.9	1.1	0.0	0.0	0.0	0.0	0.0	0.5	0.9	3.4	11.3	8	845
MEAN NO DYS TSTMS	0.0	0.5	0.3	2.1	5.9	7.6	2.9	2.5	7.4	8.2	0.0	0.6	38.0	8	844
P FREQ WND SPD = DR GTR 17 KTS	0.1	0.0	0.0	0.0	1.1	0.6	0.8	0.1	0.0	0.5	0.0	0.2	0.3	16	15374
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16	15374
P FREQ LES 3000 FT A/D LES 3 MI	9.9	15.2	23.0	22.9	35.9	55.5	57.3	63.8	48.2	37.6	19.9	16.7	33.8	17	8395
P FREQ LES 1500 FT A/D LES 3 MI															
FDR 00-02 LST	0.0	7.1	4.1	2.4	9.4	21.2	26.6	28.6	15.8	11.1	2.4	0.0	10.7	8	1294
03-05 LST		0.0	50.0	4.2	21.8	31.4	26.2	26.9	21.3	12.5				4	336
06-08 LST	10.0	14.4	26.4	16.1	16.0	37.2	41.2	38.3	28.7	16.9	12.2	10.7	22.3	17	3009
09-11 LST	0.8	2.1	5.6	7.5	17.5	39.8	37.1	42.1	28.7	19.9	9.2	4.0	17.9	13	2064
12-14 LST	0.9	0.8	3.4	2.0	9.4	36.0	39.7	36.7	25.5	17.6	7.3	1.3	15.1	17	3461
15-17 LST	0.0	0.0	1.2	1.3	7.3	26.5	33.6	33.3	17.1	9.9	2.9	1.8	11.2	9	996
18-20 LST	0.7	0.8	1.2	4.1	9.5	27.9	33.5	33.1	19.8	13.3	2.3	1.6	12.3	20	5.11
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	0.0	2.0	0.7	0.0	0.0	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.3	8	1294
03-05 LST		0.0	50.0	0.0	0.0	2.0	0.0	0.0	0.0	0.0				4	336
06-08 LST	4.2	6.6	19.9	5.4	0.4	0.0	0.0	0.8	0.8	2.8	4.9	5.2	4.3	17	3009
09-11 LST	0.0	0.7	3.4	0.0	1.0	5.8	3.5	6.1	5.1	3.4	0.6	1.1	2.6	13	2064
12-14 LST	0.3	0.0	0.7	0.0	0.0	1.5	0.3	1.1	0.8	0.0	0.0	0.0	0.4	17	3461
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.9	1.1	0.0	0.0	0.0	0.0	0.2	9	996
18-20 LST	0.5	0.3	0.2	0.0	1.1	1.1	1.9	0.6	1.6	0.4	0.0	0.7	0.7	20	5211
21-23 LST														0	0

AKYAB, BURMA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	06 LST	28.0	24.3	23.4	26.5	29.0	23.4	24.0	25.4	27.0	28.3	27.0	27.9	314.2	17	3009
	12 LST	30.8	27.9	30.3	29.6	29.3	23.9	23.8	24.8	26.6	28.7	29.4	30.9	336.0	17	3461
	18 LST	30.8	27.8	30.9	29.7	29.5	25.4	25.4	25.9	28.0	28.9	29.7	30.6	342.6	20	5211
	00 LST	31.0	26.3	30.1	30.0	29.3	25.6	25.2	24.4	27.9	28.8	29.6	31.0	339.2	8	1294
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	06 LST	27.9	23.7	22.1	23.9	23.2	13.8	12.0	13.0	16.0	22.8	25.7	27.0	251.1	17	2968
	12 LST	30.3	27.4	28.3	28.1	26.1	14.4	12.6	13.5	18.0	22.5	26.1	30.1	277.4	17	3421
	18 LST	30.5	27.2	28.3	26.8	26.0	17.4	15.1	15.7	20.1	24.7	28.8	30.3	290.9	20	5175
	00 LST	31.0	25.5	29.3	28.8	25.4	20.8	17.5	19.1	23.4	25.9	29.3	31.0	307.0	8	1293
SFC WND = GTR 17 KTS AND NO PRECIP.	06 LST	0.0	0.1	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.4	17	3051
	12 LST	0.1	0.0	0.0	0.0	0.1	0.2	0.1	0.0	0.0	0.1	0.0	0.0	0.6	17	3511
	18 LST	0.0	0.1	0.0	0.0	0.2	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.4	20	5249
	00 LST	0.0	0.0	0.0	0.0	0.4	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.6	8	1336
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	06 LST	5.1	3.2	3.1	2.0	7.6	6.7	6.6	5.6	5.3	3.8	4.4	5.0	58.4	17	3007
	12 LST	17.4	17.5	19.8	19.2	9.4	9.2	8.7	10.3	7.8	7.8	9.5	16.3	154.9	17	3461
	18 LST	8.0	14.5	20.6	21.6	18.1	9.9	10.3	10.9	9.9	5.8	1.7	2.9	134.2	20	5191
	00 LST	3.0	4.8	6.1	5.8	10.2	7.0	9.4	7.0	6.6	1.9	2.7	3.8	68.3	8	1336
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	06 LST	18.1	17.8	12.6	7.7	2.8	0.3	0.0	0.2	0.0	2.7	11.3	14.8	88.3	17	3094
	12 LST	22.4	21.9	20.6	14.1	6.3	0.3	0.0	0.1	0.5	2.6	11.9	18.7	119.4	17	3537
	18 LST	22.3	20.9	22.2	15.1	7.6	0.2	0.0	0.1	0.7	5.1	15.8	19.6	129.6	20	5266
	00 LST	24.4	22.1	22.5	17.1	6.5	1.0	0.5	0.7	1.4	8.7	18.9	20.4	144.2	8	1329
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	06 LST	27.6	23.6	21.1	22.9	20.8	13.5	12.1	12.1	15.2	22.4	25.3	27.2	243.8	17	3009
	12 LST	30.4	27.6	29.3	28.6	25.4	13.9	13.2	13.5	17.4	20.8	25.7	30.2	276.0	17	3461
	18 LST	30.5	27.6	29.9	26.9	24.9	16.4	15.0	14.9	19.5	24.1	28.7	30.2	288.6	20	5211
	00 LST	31.0	25.5	28.7	27.6	24.4	21.3	18.2	18.5	22.8	25.0	29.3	30.6	302.9	8	1294
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	06 LST	27.6	23.6	20.4	22.2	19.6	12.6	12.0	11.3	14.5	21.7	25.2	27.2	237.9	17	3009
	12 LST	30.3	27.3	29.2	28.3	24.1	13.4	12.9	13.0	16.6	20.2	25.4	30.0	270.7	17	3461
	18 LST	30.5	27.5	29.7	26.4	23.9	15.5	14.1	14.4	18.8	23.7	28.7	30.0	282.2	20	5211
	00 LST	31.0	25.2	28.0	26.6	23.3	21.0	18.0	18.3	22.8	24.6	29.3	30.6	298.7	8	1294
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	06 LST	27.6	23.6	20.3	22.2	19.6	12.5	12.0	11.3	14.5	21.7	25.2	27.2	237.7	17	3009
	12 LST	30.3	27.3	29.2	28.3	24.0	13.4	12.9	13.0	16.6	20.2	25.4	30.0	270.6	17	3461
	18 LST	30.5	27.5	29.7	26.3	23.9	15.5	14.1	14.4	18.7	23.7	28.7	30.0	282.0	20	5211
	00 LST	31.0	25.2	28.0	26.6	23.3	21.0	18.0	18.0	22.8	24.6	29.3	30.6	298.4	8	1294

AREA NO. 03

PARAMETER DESCRIPTION	COASTAL STRIP BOUNDARIES	LATITUDE 2030N				LONGITUDE 09300E				ANN							
		1720N 09430E	1752N 09455E	1752N 09455E	2200N 09240E	JAN	FEB	MAR	APR		MAY	JUN	JUL	AUG	SEP	OCT	NOV
MEAN MAX TMP (F)		81	84	88	90	90	86	84	84	86	87	85	81	86			
MEAN MIN TMP (F)		59	61	68	75	78	77	77	77	77	76	71	63	72			
LARGEST MEAN PRECIP(IN)		0.10	0.20	0.40	2.00	15.40	45.30	55.10	44.60	22.70	11.30	5.10	0.70	202.9			
SMALLEST MEAN PRECIP(IN)		0.10	0.20	0.40	2.00	15.40	45.30	55.10	44.60	22.70	11.30	5.10	0.70	202.9			
		MEAN NUMBER OF DAYS															
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	06 LST	28.0	24.3	23.4	26.5	29.0	23.4	24.0	25.4	27.0	28.3	27.0	27.9	314.2			
	12 LST	30.8	27.9	30.3	29.6	29.3	23.9	23.8	24.8	26.6	28.7	29.4	30.9	336.0			
	18 LST	30.8	27.8	30.9	29.7	29.5	25.4	25.4	25.9	28.0	28.9	29.7	30.6	342.6			
	00 LST	31.0	26.3	30.1	30.0	29.3	25.6	25.2	24.4	27.9	28.8	29.6	31.0	339.2			
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	06 LST	27.9	23.7	22.1	23.9	23.2	13.8	12.0	13.0	16.0	22.8	25.7	27.0	251.1			
	12 LST	30.3	27.4	28.3	28.1	26.1	14.4	12.6	13.5	18.0	22.5	26.1	30.1	277.4			
	18 LST	30.5	27.2	28.3	26.8	26.0	17.4	15.1	15.7	20.1	24.7	28.8	30.3	290.9			
	00 LST	31.0	25.5	29.3	28.8	25.4	20.8	17.5	19.1	23.4	25.9	29.3	31.0	307.0			
SFC WND = GTR 17 KTS AND NO PRECIP.	06 LST	0.0	0.1	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.4			
	12 LST	0.1	0.0	0.0	0.0	0.1	0.2	0.1	0.0	0.0	0.1	0.0	0.0	0.6			
	18 LST	0.0	0.1	0.0	0.0	0.2	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.4			
	00 LST	0.0	0.0	0.0	0.0	0.4	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.6			
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	06 LST	5.1	3.2	3.1	2.0	7.6	6.7	6.6	5.6	5.3	3.8	4.4	5.0	58.4			
	12 LST	17.4	17.5	19.8	19.2	9.4	9.2	8.7	10.3	9.8	7.8	9.5	16.3	154.9			
	18 LST	8.0	14.5	20.6	21.6	18.1	9.9	10.3	10.9	9.9	5.8	1.7	2.9	134.2			
	00 LST	3.0	4.8	6.1	5.8	10.2	7.0	9.4	7.0	6.6	1.9	2.7	3.8	68.3			
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	06 LST	18.1	17.8	12.6	7.7	2.8	0.3	0.0	0.2	0.0	2.7	11.3	14.8	88.3			
	12 LST	22.4	21.9	20.6	14.1	6.3	0.3	0.0	0.1	0.5	2.6	11.9	18.7	119.4			
	18 LST	22.3	20.9	22.2	15.1	7.6	0.2	0.0	0.1	0.7	5.1	15.8	19.6	129.6			
	00 LST	24.4	22.1	22.2	17.1	6.5	1.0	0.5	0.7	1.4	8.7	18.9	20.4	144.2			
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	06 LST	27.6	23.6	21.1	22.9	20.8	13.5	12.1	12.1	15.2	22.4	25.3	27.2	243.8			
	12 LST	30.4	27.6	29.3	28.6	25.4	13.9	13.2	13.5	17.4	20.8	25.7	30.2	276.0			
	18 LST	30.5	27.6	29.9	26.9	24.9	16.4	15.0	14.9	19.5	24.1	28.7	30.2	288.6			
	00 LST	31.0	25.5	28.7	27.6	24.4	21.3	18.2	18.5	22.8	25.0	29.3	30.6	302.9			
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	06 LST	27.6	23.6	20.4	22.2	19.6	12.6	12.0	11.3	14.5	21.7	25.2	27.2	237.9			
	12 LST	30.3	27.3	29.2	28.3	24.1	13.4	12.9	13.0	16.6	20.2	25.4	30.0	270.7			
	18 LST	30.5	27.5	29.7	26.4	23.9	15.5	14.1	14.4	18.8	23.7	28.7	30.0	283.2			
	00 LST	31.0	25.2	28.0	26.6	23.3	21.0	18.0	18.3	22.8	24.6	29.3	30.6	298.7			
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	06 LST	27.6	23.6	20.3	22.2	19.6	12.5	12.0	11.3	14.5	21.7	25.2	27.2	237.7			
	12 LST	30.3	27.3	29.2	28.3	24.0	13.4	12.9	13.0	16.6	20.2	25.4	30.0	270.6			
	18 LST	30.5	27.5	29.7	26.3	23.9	15.5	14.1	14.4	18.7	23.7	28.7	30.0	283.0			
	00 LST	31.0	25.2	28.0	26.6	23.3	21.0	18.0	18.0	22.8	24.6	29.3	30.6	298.4			

MANDALAY, BURMA

STA NO. 48042 (IN AREA NUMBER 04)

LATITUDE 2156N

LONGITUDE 09605E

ELEVATION(FT) 00252

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	96	100	109	114	113	107	106	103	103	102	98	93	114	50	-539
MEAN MAX TMP (F)	82	88	96	100	98	93	93	92	91	89	85	81	91	50	-39
MEAN MIN TMP (F)	56	60	68	77	79	79	79	78	77	75	68	59	71	29	-39
ABS MIN TMP (F)	42	47	54	63	68	68	68	66	69	62	52	44	42	50	-539
MEAN NO DYS TMP = DR GTR 90(F)	1.1	15.7	29.2	29.6	29.8	27.2	27.2	26.0	24.4	22.1	8.2	1.1	241.6	17	2843
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16	2718
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16	2718
MEAN DEW PT TMP (F)	57	56	57	65	74	73	74	73	73	74	67	60	67	9	4468
MEAN REL HUM (PCT)	68	57	47	47	64	70	70	73	78	80	76	72	67	9	4461
MEAN PRESS ALT (FT)	212	250	309	373	435	503	518	499	425	316	247	209	358	0	-50
MEAN PRECIP (IN)	0.05	0.20	0.20	1.40	5.90	6.00	2.90	4.00	5.80	5.00	2.30	0.40	34.3	50	-39
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	50	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	0.2	0.5	0.6	3.1	5.5	10.6	7.3	8.5	9.1	8.3	5.5	0.9	60.1	50	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	50	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0	0.4	0.0	0.3	0.0	0.3	0.0	0.0	0.0	0.8	2.3	1.5	5.6	9	968
MEAN NO DYS TSTMS	0.0	0.8	1.5	5.0	10.2	6.8	4.6	5.8	15.4	9.4	0.5	0.3	60.3	9	966
P FREQ WND SPD = DR GTR 17 KTS	0.0	0.0	0.0	0.0	0.0	0.2	1.6	0.0	0.0	0.0	0.0	0.0	0.2	9	4445
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	4445
P FREQ LES 5000 FT A/D LES 3 MI	39.3	46.9	50.1	45.5	35.0	51.3	53.9	56.0	49.5	42.1	35.3	41.5	45.5	17	8557
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	1.5	0.0	0.7	0.7	1.5	2.4	2.6	2.4	3.5	2.7	1.2	1.0	1.7	9	1392
03-05 LST	0.0	0.0	0.0	0.0	2.1	10.6	1.7	4.3	12.5	4.9	0.0			4	329
06-08 LST	1.4	0.8	1.7	1.3	3.1	4.3	2.7	4.8	9.5	6.2	11.6	10.1	4.8	16	3173
09-11 LST	2.6	4.7	9.8	1.6	2.6	7.9	4.1	8.3	11.0	8.5	7.4	3.4	6.0	14	1727
12-14 LST	1.4	1.4	0.7	1.7	3.2	6.1	5.4	7.3	6.3	5.3	2.3	2.5	3.6	17	3159
15-17 LST	0.0	0.0	0.0	2.5	2.1	9.0	2.8	3.8	6.5	4.4	2.4	0.0	2.8	8	1039
18-20 LST	0.8	0.9	1.4	1.3	2.1	5.1	3.5	4.2	4.5	4.3	1.7	0.9	2.6	19	4296
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	1392
03-05 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	329
06-08 LST	1.0	0.0	0.0	0.9	0.4	0.0	0.0	0.0	0.0	1.6	8.7	9.0	1.8	16	3173
09-11 LST	1.3	0.8	1.1	0.0	0.0	0.0	0.0	0.8	0.0	0.8	2.0	1.4	0.7	14	1727
12-14 LST	0.3	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.4	0.0	0.4	0.1	0.1	17	3159
15-17 LST	0.0	0.0	0.0	1.3	0.0	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.2	8	1039
18-20 LST	0.0	0.0	0.3	0.3	0.3	0.0	0.0	0.6	0.0	0.5	0.3	0.0	0.2	19	4296
21-23 LST														0	0

MANDALAY, BURMA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG ≥ GTR 1000 FT AND VSBY ≥ GTR 3 MI	06 LST	30.6	27.8	30.4	29.6	30.4	29.5	30.7	30.3	28.9	29.8	26.8	28.0	352.8	16	3173
	12 LST	30.6	27.6	30.8	29.6	30.3	29.5	30.2	29.7	29.2	30.2	29.6	30.5	357.8	17	3159
	18 LST	30.7	27.8	30.8	29.8	30.7	29.5	30.8	30.2	29.6	30.2	29.5	30.9	360.5	17	4038
	00 LST	31.0	28.0	31.0	29.6	31.0	30.0	30.6	30.5	30.0	30.7	29.6	30.4	362.4	9	1392
CIG ≥ GTR 2700 FT AND VSBY ≥ GTR 3 MI W/FC WND LES 10 KTS	06 LST	30.6	27.7	30.0	28.9	28.3	25.8	24.8	27.9	25.3	28.2	26.4	27.7	331.6	16	3133
	12 LST	30.4	27.0	29.8	26.4	25.3	18.0	17.6	22.4	25.4	27.7	29.0	29.9	308.9	17	3116
	18 LST	30.5	27.8	30.3	28.7	27.9	22.2	22.7	26.7	26.9	28.9	29.2	30.6	332.4	17	4011
	00 LST	31.0	28.0	30.5	28.4	29.8	25.6	22.1	28.7	27.9	29.6	29.6	30.4	341.6	9	1386
SFC WND ≥ GTR 17 KTS AND NO PRECIP.	06 LST	0.0	0.1	0.2	0.0	0.0	0.0	0.3	0.0	0.0	0.1	0.0	0.0	0.7	16	3221
	12 LST	0.0	0.0	0.0	0.0	0.2	0.2	0.3	0.0	0.1	0.0	0.0	0.0	0.8	17	3212
	18 LST	0.0	0.0	0.0	0.1	0.0	0.3	0.5	0.1	0.0	0.0	0.0	0.0	1.0	17	4084
	00 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.4	9	1418
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	06 LST	0.3	0.9	3.7	9.3	9.7	15.5	16.1	12.9	6.8	2.7	0.4	0.4	78.7	16	3184
	12 LST	11.2	10.2	4.1	0.8	1.9	4.1	3.3	6.6	6.9	6.6	8.9	10.8	75.4	17	3170
	18 LST	1.9	1.5	1.3	0.7	3.3	5.0	6.3	7.7	5.2	4.3	3.0	1.8	42.0	17	4053
	00 LST	0.4	1.6	6.9	6.7	9.5	18.8	18.0	15.3	8.9	1.6	0.7	0.0	88.4	9	1412
SKY COVER LES 3/10 AND VSBY ≥ GTR 3 MI	06 LST	21.0	20.3	22.8	16.4	6.4	0.9	0.5	0.1	1.3	3.3	12.0	16.8	121.8	16	3268
	12 LST	21.8	22.4	23.7	20.0	6.9	0.0	0.0	0.0	0.4	1.9	13.9	18.9	129.9	17	3249
	18 LST	23.6	20.3	21.5	16.0	7.3	0.3	0.0	0.1	0.7	5.1	20.1	24.3	139.3	17	4099
	00 LST	26.0	23.4	25.4	21.4	10.2	3.5	2.5	2.4	5.0	13.4	23.8	24.6	182.6	9	1421
CIG ≥ GTR 2500 FT AND VSBY ≥ GTR 3 MI	06 LST	29.4	26.3	29.5	28.4	24.1	22.4	22.3	20.8	20.0	23.6	23.8	26.3	296.9	16	3173
	12 LST	30.4	27.2	30.5	28.9	26.1	19.9	20.3	22.6	24.9	27.6	29.5	308.2	17	3159	
	18 LST	30.3	26.8	30.1	28.2	26.9	23.1	23.6	23.0	23.0	26.5	28.5	30.0	320.0	17	4038
	00 LST	30.5	27.2	29.9	27.8	25.8	22.2	21.7	21.3	22.0	26.8	28.9	29.8	313.9	9	1392
CIG ≥ GTR 6000 FT AND VSBY ≥ GTR 3 MI	06 LST	28.3	25.6	28.7	27.6	20.0	18.1	17.0	15.1	15.9	20.2	22.2	25.2	263.9	16	3173
	12 LST	30.1	27.2	30.5	28.5	23.0	15.1	14.5	15.3	19.6	21.7	26.8	29.2	281.5	17	3159
	18 LST	29.5	26.5	29.5	26.9	24.5	19.8	19.2	18.3	19.3	24.2	27.8	29.6	295.1	17	4038
	00 LST	30.5	27.2	29.6	26.7	22.1	17.6	15.7	15.7	17.8	24.8	28.6	29.2	285.5	9	1392
CIG ≥ GTR 10000 FT AND VSBY ≥ GTR 3 MI	06 LST	28.3	25.6	28.7	27.6	19.9	18.1	16.9	15.1	15.9	20.2	22.2	25.2	263.7	16	3173
	12 LST	30.1	27.2	30.5	28.5	23.0	15.1	14.4	15.2	19.6	21.6	26.8	29.2	281.2	17	3159
	18 LST	29.5	26.5	29.5	26.9	24.5	19.8	19.2	18.3	19.2	24.1	27.8	29.6	294.9	17	4038
	00 LST	30.5	27.2	29.6	26.7	22.1	17.4	15.7	15.7	17.8	24.8	28.6	29.2	285.3	9	1392

MEIKTILA, BURMA

STA NO. 48053 (IN AREA NUMBER 04)

LATITUDE 2053N

LONGITUDE 0953E

ELEVATION(FT) 00600

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	91	97	108	108	108	104	102	102	99	95	95	91	108	10	1313
MEAN MAX TMP (F)	84	89	96	100	97	91	90	90	90	89	86	83	90	10	1313
MEAN MIN TMP (F)	58	61	68	75	77	76	75	75	74	73	67	59	70	10	1123
ABS MIN TMP (F)	50	50	57	57	70	68	64	70	72	63	59	52	50	10	1123
MEAN NO DYS TMP = DR GTR 90(F)	2.7	18.2	30.0	29.6	28.6	21.0	20.0	23.4	21.5	17.8	6.8	1.3	220.9	10	1313
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	1123
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	1123
MEAN DEW PT TMP (F)	61	59	63	70	65	76	76	77	78	78	71	63	70	0	-50
MEAN REL HUM (PCT)	59	48	41	49	65	75	76	77	80	81	74	66	66	7	4770
MEAN PRESS ALT (FT)	547	588	653	720	785	858	876	853	773	658	583	542	703	0	-50
MEAN PRECIP (IN)	0.17	0.24	0.00	0.40	4.27	5.20	3.62	2.42	6.11	2.39	0.10	0.00	24.9	7	450
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	1.1	1.3	0.0	1.7	6.2	8.6	7.8	8.3	8.9	4.7	0.0	0.0	48.6	7	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS	0.3	0.0	0.6	0.3	1.3	0.7	0.2	0.2	0.0	0.8	0.0	0.0	0.4	9	4750
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	4750
P FREQ LES 5000 FT A/O LES 5 MI	43.1	56.1	86.9	82.9	44.4	49.7	46.1	36.4	46.2	41.4	30.4	34.0	49.8	9	1802
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	13.7	7.8	47.3	40.7	6.8	8.1	15.6	11.4	15.6	5.2	5.6	8.6	15.3	10	1276
09-11 LST	14.5	12.2	41.1	51.1	2.8	13.8	15.3	10.3	11.4	9.1	0.0	7.0	15.7	7	652
12-14 LST	3.8	16.7	74.0	67.9	6.4	15.2	7.6	9.5	4.3	1.0	3.8	0.0	17.5	9	1158
15-17 LST														0	0
18-20 LST	5.4	14.3	61.9	51.7	11.3	11.3	6.8	7.5	14.0	21.7	6.1	1.7	17.8	10	1526
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	1.1	0.0	10.0	2.5	0.8	0.0	0.7	0.9	0.0	1.0	0.0	1.9	1.6	10	1276
09-11 LST	0.0	0.0	14.3	2.1	0.0	0.0	0.0	1.7	0.0	2.3	0.0	0.0	1.7	7	652
12-14 LST	0.0	0.0	10.4	1.3	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	9	1158
15-17 LST														0	0
18-20 LST	0.0	0.0	6.2	2.3	0.0	1.5	0.0	0.6	1.4	3.6	0.0	0.0	1.3	10	1526
21-23 LST														0	0

MEIKTILA, BURMA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG ≥ GTR 1000 FT AND VSBY = GTR 3 MI	06 LST	26.8	25.8	16.3	17.8	29.1	28.4	26.8	28.6	27.0	30.0	28.9	28.6	314.1	10	1276
	12 LST	29.8	23.3	8.0	9.6	29.6	26.0	29.7	28.4	29.3	31.0	29.4	31.0	305.1	9	1158
	18 LST	29.3	24.0	11.8	14.5	28.1	26.8	29.3	28.8	26.4	24.2	28.4	30.4	302.0	10	1526
	00 LST														0	0
CIG ≥ GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	06 LST	26.1	25.8	16.2	17.4	26.0	22.9	22.8	24.1	23.9	28.7	27.5	28.3	289.7	10	1268
	12 LST	29.5	20.7	7.6	9.7	25.9	21.5	22.7	24.8	27.4	30.3	28.6	31.0	279.7	9	1155
	18 LST	29.3	23.5	11.9	13.1	22.5	19.8	24.2	24.1	24.1	23.5	27.9	29.9	273.8	10	1520
	00 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	06 LST	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	10	1303
	12 LST	0.0	0.0	0.4	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	9	1182
	18 LST	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.5	10	1558
	00 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	06 LST	2.2	3.4	5.6	8.6	16.0	18.9	20.5	18.8	9.3	2.5	0.8	1.5	108.1	10	1302
	12 LST	9.6	11.2	2.0	1.5	3.9	13.8	15.3	14.7	8.4	8.2	9.5	10.2	108.3	9	1182
	18 LST	1.9	3.7	2.4	2.0	4.5	12.8	15.1	13.5	7.7	3.1	1.1	0.5	68.3	10	1554
	00 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	06 LST	17.6	14.4	9.6	8.9	3.9	0.6	0.2	0.5	0.3	2.8	10.4	14.8	84.0	10	1307
	12 LST	18.6	14.8	6.4	2.6	5.0	0.0	0.0	0.0	0.6	1.3	10.6	16.5	76.4	9	1175
	18 LST	20.4	15.5	6.2	4.5	4.1	0.0	0.0	0.2	0.6	1.3	15.8	19.2	87.8	10	1560
	00 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	06 LST	26.4	25.2	16.3	17.8	28.4	26.6	25.5	26.6	23.6	28.4	27.5	27.4	299.7	10	1276
	12 LST	28.9	22.9	8.0	9.6	27.0	23.9	25.8	27.1	26.8	29.0	26.9	29.9	285.8	9	1158
	18 LST	29.0	23.7	11.8	14.1	26.2	25.7	27.6	27.5	23.9	23.1	27.9	29.9	290.4	10	1526
	00 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	06 LST	26.4	25.2	16.1	17.8	28.4	26.6	25.5	26.6	23.6	28.4	26.9	27.4	298.9	10	1276
	12 LST	28.6	22.9	8.0	9.6	26.2	23.3	24.7	26.4	25.8	28.4	26.3	29.4	279.6	9	1158
	18 LST	29.0	23.7	11.8	14.1	25.7	25.7	26.9	27.1	23.3	22.2	27.9	29.7	287.1	10	1526
	00 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	06 LST	26.4	25.2	16.1	17.8	28.4	26.6	25.5	26.6	23.6	28.4	26.9	27.4	298.9	10	1276
	12 LST	28.6	22.9	8.0	9.6	26.2	23.0	24.7	26.4	25.8	28.4	26.3	29.4	279.3	9	1158
	18 LST	29.0	23.7	11.8	14.1	25.7	25.7	26.9	27.1	23.3	22.0	27.9	29.7	286.9	10	1526
	00 LST														0	0

MINBU, BURMA

STA NO. 48064 (IN AREA NUMBER 04)

LATITUDE 2010N LONGITUDE 09458E ELEVATION(FT) 00168

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	94	101	108	111	111	109	102	106	99	100	98	98	111	45	-539
MEAN MAX TMP (F)	84	90	98	102	99	92	90	90	91	90	86	82	91	45	-39
MEAN MIN TMP (F)	57	61	69	77	79	77	77	77	76	75	69	61	71	29	-39
ABS MIN TMP (F)	45	47	54	64	68	71	71	71	69	64	56	50	45	45	-539
MEAN NO DYS TMP = DR GTR 90(F)	1.4	16.1	29.8	30.0	31.0	23.0	17.9	17.9	20.3	17.9	5.6	0.0	210.9	45	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	45	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	45	-29
MEAN DFW PT TMP (F)	50	50	51	58	65	68	67	64	66	64	57	52	59	26	-29
MEAN REL HUM (PCT)	52	45	37	39	49	61	62	56	60	57	54	54	52	4	2419
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.05	0.10	0.20	0.80	5.40	6.00	4.40	4.70	6.20	4.40	2.30	0.40	34.9	45	-39
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	45	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	0.2	0.3	0.6	2.0	5.5	10.6	8.9	9.3	9.5	7.6	5.2	0.9	60.6	45	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	45	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS	0.0	0.4	0.3	0.0	0.0	1.7	0.6	0.0	0.0	0.0	0.0	0.9	0.3	6	3088
P FREQ WND SPD = DR GTR 78 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	3088
P FREQ LES 5000 FT A/D LES 3 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
FOR 03-05 LST														0	0
06-08 LST	1.3	1.6	0.0	0.0	7.9	13.2	11.4	2.0	0.0	1.9	1.8	1.5	3.6	8	804
09-11 LST	0.0	0.0	3.4	1.6	8.9	23.6	14.5	3.4	0.0	10.0	0.0	0.0	5.3	6	439
12-14 LST	0.0	0.0	0.0	0.0	14.3	37.0	34.6	50.0	0.0			0.0		4	157
15-17 LST														0	0
18-20 LST	73.3	33.8	7.1	2.7	7.9	6.4	5.7	1.6	3.8	27.2	73.4	67.7	25.9	8	1667
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
FOR 03-05 LST														0	0
06-08 LST	1.3	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8	0.0	0.4	8	804
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.0	0.0	0.0	0.8	6	439
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			0.0		4	157
15-17 LST														0	0
18-20 LST	61.6	10.3	0.6	0.7	2.1	0.0	0.0	0.0	0.8	12.8	40.6	35.4	16.2	8	1667
21-23 LST														0	0

MINBU, BURMA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	06 LST	30.6	27.5	31.0	30.0	29.0	28.0	29.0	30.4	30.0	30.4	29.5	30.5	355.9	8	804
	12 LST	31.0	28.0	31.0	30.0	28.8	24.4	27.4	31.0	30.0	0.0	0.0	31.0	292.6	4	157
	18 LST	8.5	18.7	28.8	29.2	29.0	28.9	30.0	30.5	29.3	22.6	8.2	10.0	273.7	8	1667
	00 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	06 LST	30.6	27.5	31.0	30.0	28.0	22.9	23.9	29.8	29.4	30.4	29.5	30.5	343.5	8	794
	12 LST	31.0	28.0	31.0	30.0	25.5	14.4	13.1	15.5	30.0	0.0	0.0	15.5	234.0	4	156
	18 LST	8.1	18.5	25.6	25.2	21.8	23.9	27.0	28.3	28.1	22.2	7.9	9.9	246.3	8	1646
	00 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	06 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.4	8	800
	12 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15.5	15.5	4	159
	18 LST	0.0	0.2	0.2	0.0	0.0	0.4	0.2	0.0	0.0	0.0	0.0	0.2	1.2	8	1665
	00 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	06 LST	28.4	22.2	23.0	21.5	23.5	22.0	23.8	28.7	27.7	29.8	28.4	29.1	308.1	8	797
	12 LST	31.0	7.4	6.7	2.1	2.2	7.8	11.5	15.5	0.0	0.0	0.0	15.5	99.7	4	158
	18 LST	29.9	21.6	12.9	3.9	8.6	15.9	22.7	27.3	26.5	27.5	29.3	30.0	258.1	8	1660
	00 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	06 LST	25.6	25.2	28.5	21.2	10.0	2.8	1.1	0.6	4.0	12.3	23.8	25.8	180.9	8	801
	12 LST	24.8	24.2	28.3	16.5	3.3	0.0	0.0	0.0	0.0	0.0	0.0	15.5	112.6	4	159
	18 LST	5.6	14.9	26.2	18.6	6.8	1.4	1.9	1.7	3.7	5.6	6.1	7.8	100.3	8	1674
	00 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	06 LST	30.2	27.5	31.0	30.0	27.5	23.3	25.5	29.8	28.3	30.4	28.9	30.9	342.9	8	804
	12 LST	31.0	28.0	31.0	28.9	24.3	11.1	10.7	0.0	30.0	0.0	0.0	15.5	210.5	4	157
	18 LST	8.3	18.5	28.8	28.6	27.0	25.3	27.1	28.8	26.3	21.3	8.0	10.0	258.0	8	1667
	00 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	06 LST	30.2	27.5	31.0	30.0	27.5	22.1	25.5	29.1	28.3	30.4	28.9	30.5	341.0	8	804
	12 LST	31.0	28.0	31.0	28.9	23.3	8.9	8.3	0.0	30.0	0.0	0.0	15.5	204.9	4	157
	18 LST	8.3	18.5	28.8	28.6	26.8	23.8	26.1	27.5	25.0	20.6	8.0	10.0	252.0	8	1667
	00 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	06 LST	30.2	27.5	31.0	30.0	27.1	22.1	25.5	29.1	28.3	30.4	28.9	30.5	340.6	8	804
	12 LST	31.0	28.0	31.0	28.9	23.3	7.8	8.3	0.0	30.0	0.0	0.0	15.5	203.8	4	157
	18 LST	8.3	18.5	28.8	28.6	26.8	23.8	26.1	27.5	25.0	20.3	8.0	10.0	251.7	8	1667
	00 LST														0	0

PYINMANA, BURMA

STA NO. 48074 (IN AREA NUMBER 04)

LATITUDE 1943N

LONGITUDE 09613E

ELEVATION(FT) 00340

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	93	100	104	106	109	102	99	99	97	99	93	91	109	12	1979
MEAN MAX TMP (F)	87	91	97	100	96	88	87	87	88	89	88	86	90	12	1979
MEAN MIN TMP (F)	59	62	68	76	77	75	74	74	75	74	68	60	70	12	2157
ABS MIN TMP (F)	48	52	55	68	70	72	68	68	72	68	57	50	48	12	2157
MEAN NO DYS TMP = DR GTR 90(F)	7.0	23.4	30.1	29.6	28.5	13.4	8.8	7.5	14.0	20.8	13.2	2.9	199.2	12	1979
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	2157
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	2157
MEAN DEW PT TMP (F)	56	55	59	66	73	75	75	76	76	74	68	60	68	11	-29
MEAN REL HUM (PCT)	60	52	50	52	67	81	85	86	84	80	74	68	70	10	8546
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.08	0.03	0.00	0.49	3.81	13.73	7.51	12.97	12.67	4.12	0.52	0.05	56.0	8	781
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	0.7	0.0	0.0	1.4	8.5	17.2	13.4	17.6	15.9	7.6	1.0	0.0	83.3	8	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.4	0.0	0.0	0.1	11	8453
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	11	8453
P FREQ LES 5000 FT A/D LES 5 MI	22.0	19.0	10.5	5.3	14.0	41.7	41.7	49.8	42.4	34.2	26.2	25.4	27.7	12	4281
P FREQ LES 1500 FT A/D LES 3 MI															
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	8.8	8.8	8.9	9.1	7.9	19.8	23.5	29.3	26.8	20.4	5.7	10.9	15.0	12	2408
09-11 LST	1.0	1.0	0.0	0.0	3.3	12.1	13.1	26.0	14.9	6.5	0.0	1.7	6.7	10	1350
12-14 LST	0.0	0.6	0.0	0.6	2.2	11.7	11.2	12.0	2.4	1.0	1.0	0.0	3.6	12	2266
15-17 LST														0	0
18-20 LST	4.9	7.5	4.7	1.7	2.9	17.5	26.2	24.9	17.1	16.2	1.8	4.0	10.8	12	2176
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	6.5	3.4	1.0	1.1	0.5	1.1	0.0	8.6	3.2	7.9	2.9	9.5	3.8	12	2408
09-11 LST	1.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	2.3	0.9	0.0	0.0	0.4	10	1350
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.5	0.5	2.4	0.0	0.0	0.0	0.0	0.3	12	2266
15-17 LST														0	0
18-20 LST	0.5	0.0	0.0	0.0	0.0	1.1	1.8	4.3	2.9	0.6	0.0	0.6	1.0	12	2176
21-23 LST														0	0

PYINMANA, BURMA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG ≥ GTR 1000 FT AND VSBY ≥ GTR 3 MI	06 LST	28.2	25.7	28.5	27.4	29.2	28.0	27.7	26.3	25.1	25.8	28.7	27.9	328.5	12	2408
	12 LST	31.0	27.8	31.0	29.8	31.0	28.9	30.2	29.9	30.0	30.8	29.8	31.0	361.2	12	2266
	18 LST	29.5	25.9	29.5	29.5	30.4	27.0	25.9	26.8	26.4	26.7	29.5	29.8	336.9	12	2176
	00 LST														0	0
CIG ≥ 3TR 2000 FT AND VSBY ≥ GTR 3 MI W/SFC WND LES 10 KTS	06 LST	28.1	25.4	27.9	27.1	27.7	20.3	20.0	17.9	18.8	23.7	28.0	27.4	292.3	12	2392
	12 LST	31.0	27.5	30.7	29.8	28.9	23.9	24.6	25.0	28.6	30.3	29.5	31.0	340.8	12	2248
	18 LST	29.5	25.9	29.2	29.5	29.2	22.6	20.2	19.9	23.4	25.4	29.3	29.6	313.7	12	2163
	00 LST														0	0
SFC WIND ≥ GTR 17 KTS AND NO PRECIP.	06 LST	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.3	12	2458
	12 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.2	12	2328
	18 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	2233
	00 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	06 LST	5.8	5.9	4.3	5.9	10.3	13.5	9.3	6.7	2.3	1.7	4.6	6.1	76.4	12	2449
	12 LST	13.5	11.0	3.5	2.5	5.2	17.3	22.4	20.9	13.2	9.7	12.7	13.1	145.0	12	2318
	18 LST	0.7	1.5	2.3	1.4	6.0	11.6	9.8	9.2	5.8	2.0	1.5	1.6	53.4	12	2226
	00 LST														0	0
SKY COVER LES 3/10 AND VSBY ≥ GTR 3 MI	06 LST	19.4	20.6	22.4	20.3	10.2	1.4	0.2	0.9	1.2	6.5	16.6	18.1	137.8	12	2465
	12 LST	21.9	20.6	26.7	21.5	10.4	0.8	0.9	1.2	1.2	7.0	17.7	20.5	150.4	12	2332
	18 LST	24.2	20.4	23.7	18.8	8.2	1.1	0.8	0.6	2.4	6.5	19.2	23.6	149.5	12	2230
	00 LST														0	0
CIG ≥ GTR 2500 FT AND VSBY ≥ GTR 3 MI	06 LST	27.5	25.0	27.9	26.4	26.9	17.9	18.9	16.9	18.0	23.0	27.4	27.2	283.0	12	2408
	12 LST	30.1	27.7	31.0	29.6	28.7	22.0	23.6	23.4	26.8	29.4	28.9	30.4	331.6	12	2266
	18 LST	29.5	25.9	29.4	29.0	28.9	20.8	18.2	18.3	21.6	24.3	29.3	29.8	305.0	12	2176
	00 LST														0	0
CIG ≥ GTR 6000 FT AND VSBY ≥ GTR 3 MI	06 LST	26.9	24.8	27.9	26.0	26.3	15.2	18.0	16.3	17.3	22.7	27.0	26.9	275.3	12	2408
	12 LST	29.4	27.4	31.0	29.6	28.2	20.7	22.8	22.1	25.9	28.9	28.4	30.2	324.6	12	2266
	18 LST	29.5	25.9	29.4	29.0	28.1	19.5	17.0	16.9	20.2	23.7	29.1	29.8	298.1	12	2176
	00 LST														0	0
CIG ≥ GTR 10000 FT AND VSBY ≥ GTR 3 MI	06 LST	26.9	24.8	27.9	26.0	26.3	15.2	18.0	16.3	17.3	22.7	27.0	26.9	275.3	12	2408
	12 LST	29.4	27.4	31.0	29.6	28.2	20.7	22.8	22.1	25.9	28.9	28.4	30.0	324.4	12	2266
	18 LST	29.5	25.9	29.4	29.0	28.1	19.4	16.8	16.9	20.2	23.7	29.1	29.8	297.8	12	2176
	00 LST														0	0

SHANTHE, BURMA

STA NO. 49604/ (IN AREA NUMBER 04)

LATITUDE 2058N

LONGITUDE 0955E

ELEVATION(FT) 00630

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PGR (YRS)	NO. OBS
ABS MAX TMP (F)	91	97	108	108	108	104	102	102	99	95	95	91	108	10	-48053
MEAN MAX TMP (F)	84	89	96	100	97	91	90	90	90	89	86	83	90	10	-48053
MEAN MIN TMP (F)	58	61	68	75	77	76	75	75	74	73	67	59	70	10	-48053
ABS MIN TMP (F)	50	50	57	57	70	68	64	70	72	63	59	52	50	10	-48053
MEAN NO DYS TMR = DR GTR 90(F)	2.7	18.2	30.0	29.6	28.6	21.0	20.0	23.4	21.5	17.8	6.8	1.3	220.9	10	-48053
MEAN NO DYS TMR = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-48053
MEAN NO DYS TMR = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-48053
MEAN DEW PT TMP (F)	54	51	53	63	72	74	73	74	75	74	67	58	66	9	-29
MEAN REL HUM (PCT)	59	48	41	49	65	75	76	77	80	81	74	66	66	7	-48053
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.17	0.24	0.00	0.40	4.27	5.20	3.62	2.42	6.11	2.39	0.10	0.00	24.9	7	-48053
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	0.4	0.6	0.0	1.1	5.5	9.8	8.1	6.7	9.4	5.3	2.4	0.0	49.3	7	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS	0.3	3.0	0.6	0.3	1.3	0.7	0.2	0.2	0.0	0.8	0.0	0.0	0.4	9	-48053
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	-48053
P FREQ LES 5000 FT A/D LES 5 MI	43.1	56.1	86.9	82.9	44.4	49.7	46.1	36.4	46.2	41.4	30.4	34.0	49.8	9	-48053
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	13.7	7.8	47.3	40.7	6.8	8.1	15.6	11.4	15.6	5.2	5.6	8.6	15.5	10	-48053
09-11 LST	14.5	12.2	41.1	51.1	2.8	13.8	15.3	10.3	11.4	9.1	0.0	7.0	15.7	7	-48053
12-14 LST	3.8	16.7	74.0	67.9	6.4	15.2	7.6	9.5	4.3	1.0	3.8	0.0	17.5	9	-48053
15-17 LST														0	0
18-20 LST	5.4	14.3	61.9	51.7	11.3	11.3	6.4	7.5	14.0	21.7	6.1	1.7	17.8	10	-48053
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	1.1	0.0	10.0	2.5	0.8	0.0	0.7	0.9	0.0	1.0	0.0	1.9	1.6	10	-48053
09-11 LST	0.0	0.0	14.3	2.1	0.0	0.0	0.0	1.7	0.0	2.3	0.0	0.0	1.7	7	-48053
12-14 LST	0.0	0.0	10.4	1.3	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	9	-48053
15-17 LST														0	0
18-20 LST	0.0	0.0	6.2	2.3	0.0	1.5	0.0	0.6	1.4	3.6	0.0	0.0	1.3	10	-48053
21-23 LST														0	0

SHANTHE, BURMA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	06 LST	26.8	25.8	16.3	17.8	29.1	28.4	26.8	28.6	27.0	30.0	28.9	28.6	314.1	10	-48053
	12 LST	29.8	23.3	8.0	9.6	29.6	26.0	29.7	28.4	29.3	31.0	29.4	31.0	305.1	9	-48053
	18 LST	29.3	24.0	11.8	14.5	28.1	26.8	29.3	28.8	26.4	24.2	28.4	30.4	302.0	10	-48053
	00 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	06 LST	26.1	25.8	16.2	17.4	26.0	22.9	22.8	24.1	23.9	28.7	27.5	28.3	289.7	10	-48053
	12 LST	29.5	20.7	7.6	9.7	25.9	21.5	22.7	24.8	27.4	30.3	28.6	31.0	279.7	9	-48053
	18 LST	29.3	23.5	11.9	13.1	22.5	19.8	24.2	24.1	24.1	23.5	27.9	29.9	273.8	10	-48053
	00 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	06 LST	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	10	-48053
	12 LST	0.0	0.0	0.4	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	9	-48053
	18 LST	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.5	10	-48053
	00 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	06 LST	2.2	3.4	5.6	8.6	16.0	18.9	20.5	18.8	9.3	2.5	0.8	1.3	108.1	10	-48053
	12 LST	9.6	11.2	2.0	1.5	3.9	13.8	15.3	14.7	8.4	8.2	9.5	10.2	108.3	9	-48053
	18 LST	1.9	3.7	2.4	2.0	4.5	12.8	15.1	13.5	7.7	3.1	1.1	0.5	68.3	10	-48053
	00 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	06 LST	17.6	14.4	9.6	8.9	3.9	0.6	0.2	0.5	0.3	2.8	10.4	14.8	84.0	10	-48053
	12 LST	18.6	14.8	6.4	2.6	5.0	0.0	0.0	0.0	0.6	1.3	10.6	16.5	76.4	9	-48053
	18 LST	20.4	15.5	6.2	4.5	4.1	0.0	0.0	0.2	0.6	1.3	15.8	19.2	87.8	10	-48053
	00 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	06 LST	26.4	25.2	16.3	17.8	28.4	26.6	25.5	26.6	23.6	28.4	27.5	27.4	299.7	10	-48053
	12 LST	28.9	22.9	8.0	9.6	27.0	23.9	25.8	27.1	26.8	29.0	26.9	29.9	285.8	9	-48053
	18 LST	29.0	23.7	11.8	14.1	26.2	25.7	27.6	27.5	23.9	23.1	27.9	29.9	290.4	10	-48053
	00 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	06 LST	26.4	25.2	16.1	17.8	28.4	26.6	25.5	26.6	23.6	28.4	26.9	27.4	298.9	10	-48053
	12 LST	28.6	22.9	8.0	9.6	26.2	23.3	24.7	26.4	25.8	28.4	26.3	29.4	279.6	9	-48053
	18 LST	29.0	23.7	11.8	14.1	25.7	25.7	26.9	27.1	23.3	22.2	27.9	29.7	287.1	10	-48053
	00 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	06 LST	26.4	25.2	16.1	17.8	28.4	26.6	25.5	26.6	23.6	28.4	26.9	27.4	298.9	10	-48053
	12 LST	28.6	22.9	8.0	9.6	26.2	23.0	24.7	26.4	25.8	28.4	26.3	29.4	279.3	9	-48053
	18 LST	29.0	23.7	11.8	4.1	25.7	25.7	26.9	27.1	23.3	22.0	27.9	29.7	286.9	10	-48053
	00 LST														0	0

AREA NO. 04

PARAMETER DESCRIPTION	IRRAWADDY VALLEY													
	BOUNDARIES													
	2322N 09625E	2200N 09350E	2200N 09350E	2000N 09345E	2000N 09345E	1752N 09455E	1752N 09455E	1938N 09628E	1938N 09628E	2100N 09610E	2100N 09610E	2322N 09625E	2322N 09625E	
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	
MEAN MAX TMP (F)	84	90	97	101	98	91	90	90	90	89	86	83	91	
MEAN MIN TMP (F)	58	61	68	76	78	77	76	76	76	74	68	60	71	
LARGEST MEAN PRECIP(IN)	0.17	0.24	0.20	1.40	5.90	13.73	7.51	12.97	12.67	5.00	2.90	0.40	62.7	
SMALLEST MEAN PRECIP(IN)	0.05	0.03	0.00	0.40	3.81	5.20	2.90	2.42	5.80	2.39	0.10	0.00	23.1	
	MEAN NUMBER OF DAYS													
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	06 LST	29.1	26.7	26.6	26.2	29.4	28.5	28.6	28.9	27.8	29.0	28.5	28.8	338.1
	12 LST	30.6	26.7	25.2	24.8	29.9	27.2	29.4	29.8	29.6	23.0	22.2	30.9	329.3
	18 LST	24.5	24.1	25.2	25.8	29.6	28.1	29.0	29.1	27.9	25.9	23.9	25.3	318.4
	00 LST	31.0	28.0	31.0	29.6	31.0	30.0	30.6	30.5	30.0	30.7	29.6	30.4	362.4
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	06 LST	28.9	26.6	25.3	25.9	27.5	23.0	22.9	24.9	24.4	27.8	27.9	28.5	314.6
	12 LST	30.5	25.8	24.8	24.0	26.4	19.5	19.5	21.9	27.9	22.1	21.8	26.9	291.1
	18 LST	24.4	23.9	24.3	24.1	25.4	22.1	23.5	24.8	25.6	25.0	23.6	25.0	291.7
	00 LST	31.0	28.0	30.5	28.4	29.8	25.6	22.1	28.7	27.9	29.6	29.6	30.4	341.6
SFC WND = GTR 17 KTS AND NO PRECIP.	06 LST	0.0	0.1	0.1	0.0	0.1	0.0	0.2	0.0	0.1	0.0	0.0	0.0	0.6
	12 LST	0.0	0.0	0.1	0.0	0.1	0.1	0.1	0.0	0.0	0.1	0.0	3.9	4.4
	18 LST	0.0	0.1	0.1	0.1	0.0	0.2	0.2	0.0	0.0	0.1	0.0	0.1	0.9
	00 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.4
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	06 LST	9.2	8.1	9.2	11.3	14.9	17.5	17.4	16.8	11.5	9.2	8.6	9.3	143.0
	12 LST	16.3	10.0	4.1	1.7	3.3	10.8	13.1	14.4	7.1	6.1	7.8	12.4	107.1
	18 LST	8.6	7.1	4.7	2.0	5.6	11.3	13.5	14.4	11.3	9.2	8.7	8.5	104.9
	00 LST	0.4	1.6	6.9	6.7	9.5	18.8	18.0	19.3	8.9	1.6	0.7	0.0	88.4
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	06 LST	20.9	20.1	20.8	16.7	7.6	1.4	0.5	0.5	1.7	6.2	15.7	18.9	131.0
	12 LST	21.8	20.5	21.3	15.2	6.4	0.2	0.2	0.3	0.6	2.6	10.6	17.9	117.6
	18 LST	18.5	17.8	19.4	14.5	6.6	0.7	0.7	1.9	4.6	15.3	18.7	119.4	
	00 LST	26.0	23.4	26.4	21.4	10.2	3.5	2.5	2.4	5.0	13.4	23.8	24.6	182.6
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	06 LST	28.4	26.0	26.2	25.7	26.7	22.6	23.1	23.5	22.5	26.4	26.9	27.9	305.9
	12 LST	30.1	26.5	25.1	24.3	26.5	19.2	20.1	17.7	26.6	20.8	20.9	26.3	284.1
	18 LST	24.3	23.7	25.0	25.0	27.3	23.7	24.1	24.4	23.7	23.8	23.4	24.9	293.3
	00 LST	30.5	27.2	29.9	27.9	25.8	22.2	21.7	21.3	22.0	26.8	28.9	29.8	313.9
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	06 LST	28.0	25.8	25.9	25.4	25.6	20.5	21.5	21.8	21.3	25.4	26.3	27.5	295.0
	12 LST	29.8	26.4	25.1	24.2	25.2	17.0	17.6	16.0	25.3	19.8	20.4	26.1	272.9
	18 LST	24.1	23.7	24.9	24.7	26.3	22.2	22.3	22.5	22.0	22.7	23.2	24.8	283.4
	00 LST	30.5	27.2	29.6	26.7	22.1	17.6	15.7	15.7	17.8	24.8	28.6	29.2	285.5
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	06 LST	28.0	25.8	25.9	25.4	25.4	20.5	21.5	21.8	21.3	25.4	26.3	27.5	294.8
	12 LST	29.8	26.4	25.1	24.2	25.2	16.7	17.6	15.9	25.3	19.7	20.4	26.0	272.3
	18 LST	24.1	23.7	24.9	24.7	26.3	22.2	22.3	22.5	21.9	22.5	23.2	24.8	283.1
	00 LST	30.5	27.2	29.6	26.7	22.1	17.4	15.7	15.7	17.8	24.8	28.6	29.2	285.3

LASHIO, BURMA

STA NO. 48035 (IN AREA NUMBER 05)

LATITUDE 2250N

LONGITUDE 09745E

ELEVATION(FT) 02450

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	87	91	95	104	101	95	92	93	91	93	89	81	104	45	-39
MEAN MAX TMP (F)	74	78	85	89	87	84	83	82	83	82	77	73	81	45	-39
MEAN MIN TMP (F)	46	49	56	62	67	70	70	70	69	64	57	49	61	21	-39
ABS MIN TMP (F)	31	36	39	45	54	64	64	62	57	45	39	36	31	45	-539
MEAN NO DYS TMP = DR GTR 90(F)	0.0		3.4	14.3	8.6	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	45	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	45	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	45	-29
MEAN DEW PT TMP (F)	51	50	53	59	66	69	71	71	69	67	60	53	62	28	-29
MEAN REL HUM (PCT)	75	66	59	60	71	78	83	85	81	83	80	78	75	12	4614
MEAN PRESS ALT (FT)	2345	2401	2478	2556	2636	2718	2746	2714	2610	2477	2381	2329	2533	0	-30
MEAN PRECIP (IN)	0.20	0.40	0.50	2.20	6.70	10.10	11.70	12.80	7.90	5.60	2.90	0.0	61.9	45	-39
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	45	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	0.5	0.9	1.3	4.2	5.4	14.4	15.7	16.5	11.1	8.9	6.0	1.9	88.5	45	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	45	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS	0.6	0.0	0.0	0.3	0.0	0.3	0.2	0.0	0.0	0.0	0.0	0.0	0.1	12	4590
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4590
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	63.2	23.8	16.1	11.4	15.3	17.2	17.4	22.6	39.5	48.0	74.7	77.1	35.5	13	1501
09-11 LST	13.1	2.6	1.1	4.8	7.3	5.7	14.2	12.5	7.1	11.5	17.2	15.5	9.4	10	1065
12-14 LST	0.0	0.0	2.6	8.0	4.2	4.5	4.3	5.3	1.5	2.3	0.5	0.0	2.8	14	1876
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	25.3	6.7	2.4	1.9	1.8	6.3	2.5	2.4	18.5	25.7	52.6	51.7	16.5	13	1501
09-11 LST	2.4	0.0	0.0	1.2	1.2	0.0	0.0	0.0	1.4	0.0	7.8	6.2	1.7	10	1065
12-14 LST	0.0	0.0	0.0	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	14	1876
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

LASHIO, BURMA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	11.4	21.3	26.0	26.9	27.1	26.3	27.1	26.7	19.1	16.9	7.8	7.3	243.9	13	1501
	13 LST	31.0	28.0	30.2	27.8	30.7	29.8	30.4	30.4	29.8	30.7	30.0	31.0	339.8	14	1876
	19 LST														0	0
	01 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	11.5	20.8	26.4	25.9	25.7	23.4	24.2	21.4	17.2	15.6	7.4	6.6	226.1	13	1483
	13 LST	30.6	27.4	27.5	25.4	27.5	26.9	27.5	27.9	29.3	29.8	29.7	30.6	340.1	14	1854
	19 LST														0	0
	01 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0
	13 LST	0.2	0.0	0.0	0.2	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	13	1548
	19 LST													0.6	14	1900
	01 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	0.3	0.8	0.5	1.1	1.3	1.1	0.5	1.0	0.7	0.8	0.0	0.5	8.6	0	0
	13 LST	10.7	13.7	19.2	9.8	10.9	13.7	13.2	10.5	7.9	5.5	6.2	8.4	129.7	13	1542
	19 LST														14	1883
	01 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	1.2	11.9	14.5	12.6	6.7	1.6	0.0	0.2	0.0	0.4	0.0	2.1	91.2	0	0
	13 LST	20.0	21.4	21.6	11.5	3.7	0.4	0.2	0.0	1.5	4.0	11.8	17.5	113.6	13	1547
	19 LST														14	1907
	01 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	10.8	20.8	25.2	25.7	23.7	21.3	21.7	19.7	16.4	14.0	6.0	6.3	211.6	0	0
	13 LST	30.8	27.8	29.8	26.8	27.3	26.3	27.0	26.5	27.3	27.1	28.4	30.3	335.4	13	1501
	19 LST														14	1876
	01 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	10.8	20.8	25.0	25.4	22.9	19.7	20.0	18.2	16.0	13.1	5.3	6.3	203.5	0	0
	13 LST	30.8	27.6	29.4	26.5	26.6	25.4	25.5	25.3	26.3	25.3	27.5	30.3	326.5	13	1501
	19 LST														14	1876
	01 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	10.8	20.8	25.0	25.4	22.9	19.7	20.0	18.2	16.0	13.1	5.3	6.3	203.5	0	0
	13 LST	30.8	27.6	29.4	26.5	26.6	25.4	25.5	25.3	26.3	25.2	27.5	30.3	326.4	13	1501
	19 LST														14	1876
	01 LST														0	0

HEHO, BURMA

STA NO. 48056 (IN AREA NUMBER 05)

LATITUDE 2044N

LONGITUDE 09647E

ELEVATION(FT) 03858

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	82	86	91	93	93	88	84	87	84	86	88	82	93	12	-48057
MEAN MAX TMP (F)	72	76	81	84	81	77	75	76	76	75	74	71	77	12	-48057
MEAN MIN TMP (F)	45	47	52	60	63	64	64	64	63	61	52	47	57	12	-48057
ABS MIN TMP (F)	34	37	37	46	52	54	59	61	57	54	32	32	32	12	-48057
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	12	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-29
MEAN DEW PT TMP (F)	46	45	44	53	61	64	64	65	64	62	54	48	56	12	-29
MEAN REL HUM (PCT)	66	59	49	55	72	82	83	85	84	82	76	71	72	12	-48057
MEAN PRESS ALT (FT)	3800	3843	3907	3976	4041	4113	4133	4109	4028	3912	3836	3793	3958	0	-50
MEAN PRECIP (IN)	0.05	0.40	0.10	1.30	9.80	7.80	11.30	13.00	8.50	6.80	1.50	0.60	61.1	9	-48057
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	0.2	0.9	0.4	2.9	5.5	12.4	15.4	16.7	11.6	10.1	4.2	1.3	81.6	9	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.2	0.1	9	-48057
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	-48057
P FREQ LES 5000 FT A/D LES 5 MI	30.9	34.8	26.9	26.3	32.1	50.2	52.3	61.3	57.8	43.0	32.4	33.4	40.1	12	-48057
P FREQ LES 1500 FT A/D LES 3 MI															
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	19.9	16.3	14.4	23.9	27.3	40.8	43.9	58.8	47.0	23.2	13.0	14.3	28.6	13	-48057
09-11 LST	2.6	1.4	5.8	13.5	7.2	28.1	30.8	45.0	34.0	26.9	3.3	10.7	17.4	10	-48057
12-14 LST	1.2	2.5	1.4	3.2	7.5	14.6	19.9	18.6	17.9	13.0	5.3	2.6	9.0	13	-48057
15-17 LST														0	0
18-20 LST	23.4	30.6	23.4	31.3	37.7	44.1	50.6	59.6	45.6	48.0	31.2	24.7	37.5	14	-48057
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	1.8	0.0	0.0	0.0	0.0	2.0	0.0	1.4	1.5	1.2	0.0	0.6	0.7	13	-48057
09-11 LST	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	10.6	1.5	0.0	0.0	1.1	10	-48057
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.7	0.7	0.6	0.0	0.0	0.2	13	-48057
15-17 LST														0	0
18-20 LST	3.5	1.3	0.5	0.6	4.6	4.2	1.7	2.1	4.4	6.4	4.8	7.5	3.5	14	-48057
21-23 LST														0	0

HEHO, BURMA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG ≥ GTR 1000 FT AND VSBY ≥ GTR 3 MI	06 LST	25.2	23.8	26.5	23.0	23.3	19.5	19.4	14.0	17.5	24.6	27.0	27.1	270.9	13	-48057
	12 LST	30.8	28.0	30.5	29.3	28.9	26.9	27.7	27.0	26.9	28.8	29.0	30.8	344.6	13	-48057
	18 LST	23.9	19.8	23.7	20.8	19.8	17.5	16.6	13.5	17.6	16.7	21.1	23.5	234.5	14	-48057
	00 LST														0	0
CIG ≥ GTR 2000 FT AND VSBY ≥ GTR 3 MI W/SFC WND LES 10 KTS	06 LST	24.6	23.4	26.3	22.8	21.6	16.0	15.6	11.5	14.4	23.4	25.3	26.1	251.0	13	-48057
	12 LST	30.4	26.6	30.5	29.0	28.4	24.2	22.1	23.5	22.3	25.4	27.8	29.6	319.8	13	-48057
	18 LST	23.6	19.2	23.7	20.6	18.8	16.2	14.1	11.7	13.0	15.7	20.5	22.8	221.9	14	-48057
	00 LST														0	0
SFC WND ≥ GTR 17 KTS AND NO PRECIP.	06 LST	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	13	-48057
	12 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	13	-48057
	18 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.2	14	-48057
	00 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	06 LST	1.5	0.8	1.1	0.6	0.9	2.1	1.5	1.7	1.3	0.9	0.5	1.3	14.2	13	-48057
	12 LST	8.1	5.0	7.5	5.5	4.2	5.4	2.6	2.4	0.8	2.2	3.9	4.6	52.2	13	-48057
	18 LST	1.6	1.0	1.5	2.2	1.7	3.2	0.9	0.8	0.2	1.5	0.5	0.2	15.3	14	-48057
	00 LST														0	0
SKY COVER LES 3/10 AND VSBY ≥ GTR 3 MI	06 LST	16.6	19.5	23.1	17.1	8.2	0.4	0.3	0.6	1.7	5.7	16.0	18.3	127.3	13	-48057
	12 LST	21.3	19.3	21.5	11.3	2.7	0.0	0.0	0.2	0.0	0.9	9.2	15.7	102.1	13	-48057
	18 LST	17.8	15.1	19.0	8.0	3.4	0.1	0.1	0.0	0.2	1.3	10.1	14.3	89.4	14	-48057
	00 LST														0	0
CIG ≥ GTR 2500 FT AND VSBY ≥ GTR 3 MI	06 LST	24.3	23.2	26.3	22.4	21.5	15.8	15.4	11.3	13.9	23.0	25.0	26.2	248.3	13	-48057
	12 LST	30.1	26.6	30.5	28.1	27.7	22.1	21.0	23.0	21.3	24.6	27.4	29.2	311.6	13	-48057
	18 LST	23.4	18.9	23.6	20.4	18.0	15.3	13.4	11.5	14.8	15.3	19.7	23.0	217.3	14	-48057
	00 LST														0	0
CIG ≥ GTR 6000 FT AND VSBY ≥ GTR 3 MI	06 LST	24.3	23.2	26.3	22.4	21.5	15.6	15.2	11.3	13.6	22.7	25.0	26.2	247.3	13	-48057
	12 LST	29.7	26.6	30.5	27.6	27.3	20.8	20.2	22.4	20.9	24.2	27.4	29.1	306.7	13	-48057
	18 LST	23.4	18.7	23.6	20.0	17.9	14.8	12.8	11.5	14.8	15.3	19.5	23.0	215.3	14	-48057
	00 LST														0	0
CIG ≥ GTR 10000 FT AND VSBY ≥ GTR 3 MI	06 LST	24.3	23.2	26.3	22.4	21.5	15.6	15.2	11.3	13.6	22.7	25.0	26.2	247.3	13	-48057
	12 LST	29.7	26.6	30.5	27.6	27.3	20.6	20.0	22.4	20.9	24.2	27.2	29.1	306.1	13	-48057
	18 LST	23.4	18.7	23.6	20.0	17.9	14.8	12.8	11.5	14.8	15.3	19.5	23.0	215.3	14	-48057
	00 LST														0	0

TAUNGGYI, BURMA

STA NO. 48057 (IN AREA NUMBER 05)

LATITUDE 2047N

LONGITUDE 09703E

ELEVATION(FT) 04712

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	82	86	91	93	93	88	84	87	84	86	88	82	93	12	1800
MEAN MAX TMP (F)	72	76	81	84	81	77	75	76	76	75	74	71	77	12	1800
MEAN MIN TMP (F)	45	47	52	60	63	64	64	64	63	61	52	47	57	12	1506
ABS MIN TMP (F)	34	37	37	46	52	54	59	61	57	54	32	32	32	12	1506
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	12	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-29
MEAN DEW PT TMP (F)	46	45	44	53	61	64	64	65	64	62	54	48	56	12	-29
MEAN REL HUM (PCT)	66	59	49	55	72	82	83	85	84	82	76	71	72	12	6963
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.05	0.40	0.10	1.30	9.80	7.80	11.30	13.00	8.50	6.80	1.50	0.60	61.1	9	-39
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	0.2	0.9	0.4	2.9	5.5	12.4	15.4	16.7	11.6	10.1	4.2	1.3	81.6	9	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.2	0.1	9	7057
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	7057
P FREQ LES 3000 FT A/D LES 5 MI	30.9	34.8	26.9	26.3	32.1	50.2	52.5	61.3	57.8	43.0	32.4	33.4	40.1	12	3706
P FREQ LES 1500 FT A/D LES 3 MI															
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	19.9	16.3	14.4	23.9	27.3	40.8	43.9	58.8	47.0	23.2	13.0	14.3	28.6	13	1822
09-11 LST	2.6	1.4	5.8	13.5	7.2	28.1	30.8	45.0	34.0	26.9	3.3	10.7	17.4	10	1025
12-14 LST	1.2	2.5	1.4	3.2	7.5	14.6	19.9	18.6	17.9	13.0	5.3	2.6	9.0	13	1809
15-17 LST														0	0
18-20 LST	23.4	30.6	23.4	31.3	37.7	44.1	50.6	59.6	45.6	48.0	31.2	24.7	37.5	14	2255
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	1.8	0.0	0.0	0.0	0.0	2.0	0.0	1.4	1.5	1.2	0.0	0.6	0.7	13	1822
09-11 LST	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	10.6	1.5	0.0	0.0	1.1	10	1025
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.7	0.7	0.6	0.0	0.0	0.2	13	1809
15-17 LST														0	0
18-20 LST	3.5	1.3	0.5	0.6	4.6	4.2	1.7	2.1	4.4	6.4	4.8	7.5	3.5	14	2255
21-23 LST														0	0

TAUNGGYI, BURMA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	06 LST	25.2	23.8	26.5	23.0	23.3	19.5	19.4	14.0	17.5	24.6	27.0	27.1	270.9	13	1822
	12 LST	30.8	28.0	30.5	29.3	28.9	26.9	27.7	27.0	26.9	28.8	29.0	30.8	344.6	13	1809
	18 LST	23.9	19.8	23.7	20.8	19.8	17.5	16.6	13.5	17.6	16.7	21.1	23.5	234.5	14	2255
	00 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	06 LST	24.6	23.4	26.3	22.8	21.6	16.0	15.5	11.5	14.4	23.4	25.3	26.1	251.0	13	1810
	12 LST	30.4	26.6	30.5	29.0	28.4	24.2	22.1	23.5	22.3	25.4	27.8	29.6	319.8	13	1800
	18 LST	23.6	19.2	23.7	20.6	18.8	16.2	14.1	11.7	15.0	15.7	20.5	22.8	221.9	14	2246
	00 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	06 LST	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	13	1835
	12 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	13	1831
	18 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.2	14	2273
	00 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	06 LST	1.5	0.8	1.1	0.6	0.9	2.1	1.5	1.7	1.3	0.9	0.5	1.3	14.2	13	1822
	12 LST	8.1	5.0	7.5	5.5	4.2	5.4	2.6	2.4	0.8	2.2	3.9	4.6	52.2	13	1821
	18 LST	1.6	1.0	1.5	2.2	1.7	3.2	0.9	0.8	0.2	1.5	0.5	0.2	15.3	14	2249
	00 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	06 LST	16.6	19.5	23.1	17.1	8.2	0.4	0.3	0.6	1.7	5.7	16.0	18.3	127.5	13	1835
	12 LST	21.3	19.3	21.5	11.3	2.7	0.0	0.0	0.2	0.0	0.9	9.2	15.7	102.1	13	1844
	18 LST	17.8	15.1	19.0	8.0	3.4	0.1	0.1	0.0	0.2	1.3	10.1	14.3	89.4	14	2278
	00 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	06 LST	24.3	23.2	26.3	22.4	21.5	15.8	15.4	11.3	13.9	23.0	25.0	26.2	248.3	13	1822
	12 LST	30.1	26.6	30.5	28.1	27.7	22.1	21.0	23.0	21.3	24.6	27.4	29.2	311.6	13	1809
	18 LST	23.4	18.9	23.6	20.4	18.0	15.3	13.4	11.5	14.8	15.3	19.7	23.0	217.3	14	2255
	00 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	06 LST	24.3	23.2	26.3	22.4	21.5	15.6	15.2	11.3	13.6	22.7	25.0	26.2	247.3	13	1822
	12 LST	29.7	26.6	30.5	27.6	27.3	20.8	20.2	22.4	20.9	24.2	27.4	29.1	306.7	13	1809
	18 LST	23.4	18.7	23.6	20.0	17.9	14.8	12.8	11.5	14.8	15.3	19.5	23.0	215.3	14	2255
	00 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	06 LST	24.3	23.2	26.3	22.4	21.5	15.6	15.2	11.3	13.6	22.7	25.0	26.2	247.3	13	1822
	12 LST	29.7	26.6	30.5	27.6	27.3	20.6	20.0	22.4	20.9	24.2	27.2	29.1	306.1	13	1809
	18 LST	23.4	18.7	23.6	20.0	17.9	14.8	12.8	11.5	14.8	15.3	19.5	23.0	215.3	14	2255
	00 LST														0	0

KENGTUNG, BURMA

STA NO. 48060 (IN AREA NUMBER 05)

LATITUDE 2118N

LONGITUDE 09937E

ELEVATION(FT) 02716

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	86	90	95	104	100	95	91	91	91	93	86	90	104	7	1285
MEAN MAX TMP (F)	76	82	88	93	90	87	85	84	84	82	80	77	84	7	1285
MEAN MIN TMP (F)	50	51	56	64	69	71	71	71	69	66	58	52	62	8	1306
ABS MIN TMP (F)	39	41	48	57	63	64	66	64	61	55	48	37	37	8	1306
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.3	15.0	25.2	20.5	8.4	5.2	4.7	3.1	0.5	0.0	0.2	83.1	7	1285
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	1306
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	1306
MEAN DEW PT TMP (F)	48	48	49	52	63	68	69	70	69	65	59	55	60	7	-29
MEAN REL HUM (PCT)	63	56	49	44	61	72	77	80	80	75	73	73	67	7	5585
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.00	0.19	0.41	0.37	7.08	8.17	11.24	10.34	7.11	0.31	0.46	0.23	45.9	6	403
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	0.0	1.5	1.2	0.7	11.5	17.2	15.5	19.3	16.4		3.2	1.3		6	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	5560
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	5560
P FREQ LES 5000 FT A/D LES 5 MI	39.0	29.5	38.4	47.4	25.9	17.9	25.7	24.3	27.5	38.5	33.4	35.5	31.9	7	3542
P FREQ LES 1500 FT A/D LES 3 MI															
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	41.9	38.9	37.6	38.4	16.8	17.0	25.6	26.4	31.8	43.8	41.9	63.6	35.3	8	1504
09-11 LST	0.0	3.8	12.7	33.3	4.2	7.7	13.9	4.9	4.3	0.0	3.6	27.3	9.6	6	477
12-14 LST	8.3	4.0	13.7	12.7	3.5	3.1	3.9	7.0	8.6	5.9	5.3	1.3	6.4	8	1501
15-17 LST	2.9	0.0	2.7	20.5	5.3	0.0	4.7	2.4	6.5	2.5	3.0	0.0	4.2	5	446
18-20 LST	14.0	2.9	11.6	14.2	4.5	4.5	7.3	5.5	11.5	22.4	15.1	8.5	10.2	7	1495
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	7.7	6.5	0.9	0.0	0.0	0.7	1.3	1.9	8.2	10.1	14.7	22.5	6.2	8	1504
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	2.8	0.0	0.0	0.0	0.0	9.1	1.0	6	477
12-14 LST	0.0	0.0	0.0	0.9	0.0	0.8	0.0	0.9	0.0	0.7	0.8	0.7	0.4	8	1501
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	446
18-20 LST	1.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	7	1495
21-23 LST														0	0

KENGTUNG, BURMA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	18.0	17.1	19.3	18.8	25.8	25.5	23.0	23.7	21.0	17.9	17.6	11.5	239.2	8	1504
	13 LST	28.6	26.9	26.8	26.2	29.9	29.1	30.0	29.4	27.7	29.4	28.4	30.6	343.0	8	1501
	19 LST	26.6	27.2	27.4	25.7	29.6	28.6	28.9	29.3	26.8	24.1	25.7	28.3	328.2	7	1495
	01 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	18.0	17.1	19.3	18.4	25.8	23.9	23.0	22.2	20.2	17.2	17.4	11.3	233.8	8	1501
	13 LST	28.4	26.9	26.7	26.2	29.9	29.1	29.8	28.6	27.6	29.1	28.4	30.6	341.3	8	1493
	19 LST	26.8	27.2	27.3	25.7	29.6	28.6	28.7	29.3	26.3	23.7	25.2	28.3	326.7	7	1486
	01 LST														0	0
SFC WND = GTR 17 KTS AND ND PRECIP.	07 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	1536
	13 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	1529
	19 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	1507
	01 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND ND PRECIP.	07 LST	0.0	0.3	0.2	0.5	1.1	0.4	0.0	0.0	0.0	0.2	0.0	0.2	2.9	8	1534
	13 LST	1.6	2.2	5.8	2.1	1.3	2.4	1.8	1.6	0.8	0.4	1.1	0.8	21.9	8	1528
	19 LST	6.6	1.9	4.3	3.5	1.4	1.6	1.4	1.1	0.2	0.2	1.3	2.4	25.9	7	1505
	01 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	5.7	10.6	15.2	10.0	5.4	0.2	0.6	0.3	1.0	0.9	5.6	3.3	58.8	8	1531
	13 LST	13.8	16.1	20.6	11.4	3.2	1.1	0.0	0.2	1.0	4.1	12.9	14.9	99.3	8	1530
	19 LST	17.6	20.9	22.4	12.5	3.6	0.9	0.4	0.6	4.4	5.7	12.6	16.4	118.0	7	1506
	01 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	17.7	17.	19.1	18.5	25.2	23.6	22.8	21.6	19.9	17.0	17.2	11.1	230.8	8	1504
	13 LST	27.7	26.3	26.2	25.6	29.1	28.6	29.4	28.3	27.4	28.9	27.5	29.9	334.9	8	1501
	19 LST	25.9	26.6	26.9	25.2	28.7	27.7	27.9	29.0	26.3	23.8	24.8	27.9	320.7	7	1495
	01 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	17.7	17.1	19.1	18.5	25.0	23.4	22.6	21.6	19.6	17.0	17.2	11.1	229.9	7	1504
	13 LST	27.0	26.0	26.2	25.6	29.1	28.6	29.0	28.0	27.4	28.9	27.5	29.8	333.1	8	1501
	19 LST	25.1	26.3	26.2	24.9	28.5	27.3	27.5	29.0	26.3	23.8	24.6	27.7	317.2	7	1495
	01 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	17.7	17.1	19.1	18.5	25.0	23.4	22.6	21.6	19.6	17.0	17.2	11.1	229.9	8	1504
	13 LST	27.0	26.0	26.2	25.6	29.1	28.6	29.0	28.0	27.4	28.9	27.5	29.8	333.1	8	1501
	19 LST	25.1	26.3	26.2	24.9	28.5	27.3	27.5	29.0	26.3	23.8	24.6	27.7	317.2	7	1495
	01 LST														0	0

AREA NO. 05

PARAMETER DESCRIPTION	BOUNDARIES	SHAN PLATEAU				LATITUDE 2130N				LONGITUDE 09800E									
		2356N 09732E 1742N 09654E	2322N 09625E 1800N 09744E	2322N 09625E	2100N 09610E	2100N 09610E	1742N 09654E	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC
MEAN MAX TMP (F)		74	79	85	89	86	83	81	81	81	80	77	74	81					
MEAN MIN TMP (F)		47	49	55	62	66	68	68	68	67	64	56	49	60					
LARGEST MEAN PRECIP(IN)		0.20	0.40	0.50	2.20	9.80	10.10	11.70	13.00	8.50	6.80	2.90	0.90	67.0					
SMALLEST MEAN PRECIP(IN)		0.00	0.19	0.10	0.37	6.70	7.80	11.24	10.34	7.11	0.31	0.46	0.23	44.8					
		MEAN NUMBER OF DAYS																	
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	18.2	20.7	23.9	22.9	25.4	23.8	23.2	21.5	19.2	19.8	17.5	15.3	251.4					
	13 LST	30.1	27.6	29.2	27.8	29.8	28.6	29.4	28.9	28.1	29.6	29.1	30.8	349.0					
	19 LST	25.3	23.5	25.6	23.3	24.7	23.1	22.8	21.4	22.2	20.4	23.4	25.9	281.6					
	01 LST																		
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	18.0	20.4	24.0	22.4	24.4	21.1	20.9	18.4	17.3	18.7	16.7	14.7	237.0					
	13 LST	29.8	27.0	28.2	26.9	28.6	26.7	26.5	26.7	26.4	26.1	28.6	30.3	333.8					
	19 LST	25.2	23.2	25.5	23.2	24.2	21.4	20.5	20.7	19.7	22.9	25.6	274.5						
	01 LST																		
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1					
	13 LST	0.1	0.0	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.1	0.4					
	19 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.1					
	01 LST																		
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	0.6	0.6	0.6	0.7	1.1	1.2	0.7	0.9	0.7	0.6	0.2	0.7	8.6					
	13 LST	6.8	7.0	10.8	5.8	5.5	7.2	5.9	4.8	3.2	7.7	3.7	4.6	68.0					
	19 LST	4.1	1.5	2.9	2.9	1.6	2.4	1.2	1.0	0.2	0.9	0.9	1.3	20.9					
	01 LST																		
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	7.8	14.0	17.6	13.2	6.8	0.7	0.3	0.4	0.9	2.3	7.2	7.9	79.1					
	13 LST	18.4	18.9	21.2	11.4	3.2	0.5	0.1	0.1	0.8	3.0	11.3	16.0	104.9					
	19 LST	17.7	18.0	20.7	10.3	3.5	0.5	0.3	0.3	2.3	3.5	11.4	15.4	103.9					
	01 LST																		
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	17.6	20.4	23.5	22.2	23.5	20.2	20.0	17.5	16.7	18.0	16.1	14.5	230.2					
	13 LST	29.5	26.9	28.8	26.8	28.0	25.7	25.8	25.9	25.3	26.9	27.8	29.8	327.2					
	19 LST	24.7	22.8	25.3	22.8	23.4	21.5	20.7	20.3	20.6	19.6	22.3	25.5	269.5					
	01 LST																		
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	17.6	20.4	23.5	22.1	23.1	19.6	19.3	17.0	16.4	17.6	15.8	14.5	226.9					
	13 LST	29.2	26.7	28.7	26.6	27.7	24.9	24.9	25.2	24.9	26.1	27.5	29.7	322.1					
	19 LST	24.3	22.5	24.9	22.5	23.2	21.1	20.2	20.3	20.6	19.6	22.1	25.4	266.7					
	01 LST																		
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	17.6	20.4	23.5	22.1	23.1	19.6	19.3	17.0	16.4	17.6	15.8	14.5	226.9					
	13 LST	29.2	26.7	28.7	26.6	27.7	24.9	24.8	25.2	24.9	26.1	27.4	29.7	321.9					
	19 LST	24.3	22.5	24.9	22.5	23.2	21.1	20.2	20.3	20.6	19.6	22.1	25.4	266.7					
	01 LST																		

PUTAO, BURMA

STA NO. 48001 (IN AREA NUMBER 06)

LATITUDE 2720N

LONGITUDE 09725E

ELEVATION(FT) 01342

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	72	75	91	91	93	93	93	91	90	91	79	73	93	8	1464
MEAN MAX TMP (F)	60	63	69	74	78	79	80	81	79	74	67	61	72	8	1464
MEAN MIN TMP (F)	44	48	53	60	68	72	73	72	71	67	55	47	61	7	547
ABS MIN TMP (F)	36	39	39	48	61	68	63	66	57	57	46	36	36	7	547
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.4	0.7	3.3	1.9	2.3	2.0	0.3	0.2	0.0	0.0	11.1	8	1464
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	547
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	547
MEAN DEW PT TMP (F)	50	53	57	62	69	73	75	75	73	69	59	52	64	7	-29
MEAN REL HUM (PCT)	92	91	88	85	87	92	93	94	93	93	92	92	91	6	3733
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.25	2.60	2.76	3.69	8.10	24.65	39.90	33.35	18.31	4.19	1.09	0.20	139.1	8	464
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	0.0	5.2	5.6	10.0	10.0	24.5	26.8	25.8	16.7	12.2	1.6	0.8	140.2	8	464
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	3712
P FREQ WND SPD = DR GTR 20 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	3712
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	97.5	94.4	88.1	81.9	70.4	88.4	89.7	90.1	76.7	88.5	92.7	99.2	88.1	8	1455
09-11 LST	96.4	74.2	34.4	45.3	47.1	67.2	64.9	77.1	52.2	80.0	87.5	97.4	68.6	8	528
12-14 LST														0	0
15-17 LST														0	0
18-20 LST	67.2	66.9	62.5	67.6	61.8	64.3	49.4	52.8	65.5	77.0	75.8	75.4	65.5	8	1586
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	90.8	81.7	67.4	52.8	31.3	50.9	51.0	58.4	35.0	55.7	74.0	88.7	61.5	8	1455
09-11 LST	82.1	51.6	8.2	18.9	22.1	23.4	19.3	28.6	8.7	36.7	67.5	89.5	38.1	8	528
12-14 LST														0	0
15-17 LST														0	0
18-20 LST	53.0	54.3	45.4	24.5	18.4	26.2	16.3	20.0	35.4	52.5	66.1	63.8	39.7	8	1586
21-23 LST														0	0

PUTAO, BURMA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG ≥ GTR 1000 FT AND VSBY ≥ GTR 3 MI	06 LST	0.8	1.8	4.1	6.6	10.0	3.8	3.8	3.3	8.1	3.8	2.2	0.2	48.5	8	1455
	12 LST														0	0
	18 LST	10.6	9.5	11.8	10.4	12.5	11.2	16.6	15.6	11.7	8.6	7.7	8.1	134.3	8	1586
	00 LST														0	0
CIG ≥ GTR 2000 FT AND VSBY ≥ GTR 3 MI W/SFC WND LES 10 KTS	06 LST	0.8	1.3	3.2	4.5	8.6	3.2	2.6	3.1	5.8	3.3	2.2	0.2	38.8	8	1450
	12 LST														0	0
	18 LST	10.1	9.0	11.2	9.1	11.1	10.4	14.6	13.7	8.8	5.8	7.0	7.4	118.2	8	1574
	00 LST														0	0
SFC WND ≥ GTR 17 KTS AND NO PRECIP.	06 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	1488
	12 LST														0	0
	18 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	1598
	00 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	06 LST	0.2	0.0	0.0	0.0	0.0	0.2	0.2	0.0	0.0	0.0	0.2	0.0	0.8	8	1485
	12 LST														0	0
	18 LST	2.0	2.2	2.5	1.5	3.2	2.2	3.7	2.7	0.8	0.5	1.7	0.7	23.7	8	1597
	00 LST														0	0
SKY COVER LES 3/10 AND VSBY ≥ GTR 3 MI	06 LST	0.0	0.2	0.2	0.5	0.5	0.0	0.2	0.0	0.8	0.7	0.5	0.0	3.6	8	1494
	12 LST														0	0
	18 LST	4.8	1.5	3.1	1.9	1.8	2.4	1.6	2.9	1.8	1.0	2.4	3.5	28.7	8	1607
	00 LST														0	0
CIG ≥ GTR 2500 FT AND VSBY ≥ GTR 3 MI	06 LST	0.5	0.9	3.0	4.0	8.0	2.9	2.1	2.8	4.7	3.0	2.0	0.2	34.1	8	1455
	12 LST														0	0
	18 LST	9.7	8.1	10.6	8.2	10.2	9.3	13.9	12.9	8.0	5.6	6.5	7.1	110.1	8	1586
	00 LST														0	0
CIG ≥ GTR 6000 FT AND VSBY ≥ GTR 3 MI	06 LST	0.5	0.9	3.0	3.5	7.4	2.9	1.9	2.4	3.8	3.0	1.7	0.2	31.2	8	1455
	12 LST														0	0
	18 LST	9.7	7.9	10.2	7.7	9.8	8.8	12.3	11.2	7.4	5.3	6.3	7.1	103.7	8	1586
	00 LST														0	0
CIG ≥ GTR 10000 FT AND VSBY ≥ GTR 3 MI	06 LST	0.5	0.9	3.0	3.5	7.4	2.9	1.9	2.4	3.8	3.0	1.7	0.2	31.2	8	1455
	12 LST														0	0
	18 LST	9.5	7.9	10.2	7.5	9.8	8.8	12.3	11.2	7.4	5.3	6.3	7.1	103.3	8	1586
	00 LST														0	0

MYITKYINA SOUTH, BURMA

STA NO. 48008 (IN AREA NUMBER 06) LATITUDE 2522N LONGITUDE 09721E ELEVATION(PT) 00472

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	97	97	100	106	110	102	99	99	99	98	98	86	110	35	-539
MEAN MAX TMP (F)	75	78	86	90	91	88	87	87	88	86	81	76	84	35	-39
MEAN MIN TMP (F)	50	55	61	68	72	75	76	76	75	70	61	52	66	29	-39
ABS MIN TMP (F)	40	45	47	54	58	60	64	68	66	58	48	40	40	35	-539
MEAN NO DYS TMP = DR GTR 90(F)			5.8	17.3	21.0	11.2	8.6	8.6	11.2	5.8	0.0	0.0		35	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	35	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	35	-29
MEAN DEW PT TMP (F)	54	56	60	63	69	75	77	78	76	73	65	57	67	22	-29
MEAN REL HUM (PCT)	75	72	66	62	70	83	86	88	84	86	82	80	78	2	9489
MEAN PRESS ALT (FT)	319	385	476	560	652	746	784	745	620	475	366	306	536	0	-50
MEAN PRECIP (IN)	0.40	0.90	0.90	1.80	6.30	18.90	18.80	17.10	10.10	7.20	1.90	0.90	84.4	35	-39
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	35	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	0.9	1.9	2.2	3.7	5.4	20.3	20.3	19.3	12.9	10.4	4.2	1.1	102.6	35	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	35	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.9	0.0	5.1	9.0	2	121
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	14	8467
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	8467
P FREQ LES 5000 FT A/D LES 5 MI	61.3	59.4	64.1	71.8	69.9	72.8	79.1	77.5	70.6	70.9	62.1	60.1	68.3	2	8076
P FREQ LES 1900 FT A/D LES 3 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12.5	0.0	0.0	0.0	0.0	1.0	2	184
03-05 LST														0	0
06-08 LST	22.7	23.2	21.7	17.5	17.2	27.5	30.0	35.9	31.5	27.9	27.1	34.5	26.4	12	2272
09-11 LST	7.8	3.6	4.9	16.5	22.6	29.9	36.4	34.3	25.1	22.1	8.4	12.5	18.7	6	1184
12-14 LST	2.3	7.6	4.7	5.7	12.0	23.2	20.8	25.3	11.9	17.0	4.4	0.9	11.3	9	1680
15-17 LST														0	0
18-20 LST	7.7	14.1	10.2	11.5	12.1	14.6	21.4	18.9	12.3	17.9	6.2	1.7	12.4	14	2756
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	184
03-05 LST														0	0
06-08 LST	7.0	2.4	3.3	1.2	2.4	2.5	5.2	6.9	10.0	9.7	15.4	23.5	7.5	12	2272
09-11 LST	2.2	0.0	0.0	1.0	0.0	4.6	0.0	0.0	1.5	0.0	0.0	2.2	1.0	6	1184
12-14 LST	0.0	1.6	0.6	0.7	0.7	2.4	2.7	0.8	1.5	6.6	1.4	0.0	1.6	9	1680
15-17 LST														0	0
18-20 LST	3.7	5.6	4.9	0.5	0.4	0.8	1.3	0.4	1.6	2.9	3.3	0.5	2.2	14	2756
21-23 LST														0	0

MYITKYINA SOUTH, BURMA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	06 LST	24.3	21.9	25.4	25.7	28.1	24.1	24.5	22.3	22.2	24.1	22.8	20.6	286.0	16	2272
	12 LST	30.6	26.7	30.4	29.3	29.0	25.3	26.9	26.8	27.7	27.1	29.2	31.0	340.0	10	1680
	18 LST	28.8	24.6	28.8	27.8	29.7	27.8	26.4	28.3	28.0	27.0	28.7	30.5	336.4	17	2756
	00 LST	31.0	28.0	31.0	30.0	31.0	30.0	31.0	27.1	30.0	31.0	30.0	31.0	361.1	2	184
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	06 LST	23.6	20.9	22.8	23.3	23.1	19.5	18.7	16.5	18.2	20.8	20.8	20.0	248.2	16	2246
	12 LST	29.9	25.1	28.4	26.9	25.3	20.6	21.9	19.4	25.1	24.2	28.2	30.8	305.8	10	1674
	18 LST	28.2	23.4	26.6	25.2	24.7	23.3	21.4	21.9	24.1	23.3	27.3	30.3	299.7	17	2718
	00 LST	31.0	28.0	31.0	30.0	31.0	28.3	31.0	26.8	27.7	31.0	30.0	31.0	356.8	2	182
SFC WND = GTR 17 KTS AND NO PRECIP.	06 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	16	2315
	12 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	1738
	18 LST	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.2	17	2862
	00 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	189
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	06 LST	3.0	3.0	5.2	5.4	4.4	1.5	1.1	0.8	2.3	0.8	1.1	2.3	30.9	16	2299
	12 LST	6.1	5.4	5.6	5.8	2.8	3.0	3.9	3.7	2.0	3.4	4.0	5.6	51.3	10	1737
	18 LST	1.0	1.4	4.0	6.0	4.8	2.5	3.7	3.2	2.4	0.7	0.8	0.9	31.4	17	2838
	00 LST	5.6	2.0	7.8	3.0	1.2	1.7	0.0	0.0	0.0	0.0	0.0	2.8	24.1	2	189
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	06 LST	16.7	13.7	13.1	8.7	5.0	1.7	0.2	1.0	1.7	7.1	13.0	13.8	95.7	16	2337
	12 LST	22.9	18.0	17.3	10.8	5.6	2.0	0.4	1.0	3.9	9.4	20.3	21.8	133.4	10	1731
	18 LST	21.8	14.9	16.0	10.7	6.2	1.5	0.5	1.6	4.9	11.1	19.4	24.8	133.4	17	2836
	00 LST	25.4	22.4	17.1	10.5	8.3	3.2	0.0	0.0	2.1	12.9	25.7	22.5	150.1	2	188
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	06 LST	22.9	20.8	22.9	23.6	23.2	18.9	18.5	16.2	17.7	20.5	20.6	20.0	245.8	16	2272
	12 LST	29.1	24.9	28.2	26.7	24.4	19.6	20.7	17.9	24.0	23.3	28.0	30.6	297.4	10	1680
	18 LST	28.3	23.2	26.0	24.4	24.0	22.4	20.8	20.5	22.7	22.4	27.0	30.2	291.9	17	2756
	00 LST	31.0	28.0	29.5	30.0	31.0	28.3	29.0	27.1	27.7	31.0	30.0	31.0	353.6	2	184
CIG = GTR 4000 FT AND VSBY = GTR 3 MI	06 LST	22.8	20.6	22.9	23.5	23.0	18.4	18.5	16.1	17.1	20.2	20.4	20.0	243.5	16	2272
	12 LST	29.1	24.6	28.0	26.7	23.7	19.1	20.3	17.1	22.8	23.1	28.0	30.4	292.9	10	1680
	18 LST	28.3	23.2	25.7	23.5	23.7	20.9	18.9	17.8	20.0	19.8	24.9	29.9	276.6	17	2756
	00 LST	31.0	28.0	29.5	30.0	31.0	28.3	29.0	27.1	27.7	31.0	30.0	31.0	353.6	2	184
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	06 LST	22.8	20.6	22.9	23.5	23.0	18.4	18.5	16.1	17.1	20.2	20.4	20.0	243.5	16	2272
	12 LST	29.1	24.6	28.0	26.7	23.7	19.1	20.3	16.8	22.8	23.1	28.0	30.4	292.6	10	1680
	18 LST	28.1	23.2	25.7	23.5	23.2	20.9	18.9	17.8	20.0	19.8	24.9	29.9	275.9	17	2756
	00 LST	31.0	28.0	29.5	30.0	31.0	28.3	29.0	27.1	27.7	31.0	30.0	31.0	353.6	2	184

BHAMO, BURMA

STA NO. 48019 (IN AREA NUMBER 06)

LATITUDE 2416N

LONGITUDE 09715E

ELEVATION(FT) 00360

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	88	91	100	106	106	106	99	98	99	98	91	85	106	27	-328
MEAN MAX TMP (F)	76	82	88	93	93	89	88	88	89	87	81	76	86	27	-28
MEAN MIN TMP (F)	47	53	60	67	73	75	76	75	75	70	61	52	65	27	-28
ABS MIN TMP (F)	37	38	42	57	61	66	63	67	61	56	47	39	37	27	-328
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	11.6	25.4	26.3	14.3	11.6	11.6	14.3	8.6	0.0	0.0	123.7	27	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	27	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	27	-29
MEAN DEW PT TMP (F)	54	56	58	63	71	76	77	77	76	72	62	57	67	6	2104
MEAN REL HUM (PCT)	79	75	66	59	69	84	88	88	86	86	83	82	79	6	2104
MEAN PRESS ALT (FT)	279	327	399	473	544	621	646	618	526	401	314	267	451	0	-90
MEAN PRECIP (IN)	0.40	0.60	0.70	1.80	6.10	14.10	16.70	16.10	9.80	4.60	1.70	0.90	73.1	55	-28
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	27	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	1.0	2.0	2.0	5.0	10.0	19.0	20.0	19.0	13.0	7.0	3.0	1.0	102.0	55	-28
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	27	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	6.2	1.4	0.0	0.0	0.0	0.0	0.6	1.3	0.0	0.8	0.8	5.1	16.2	6	485
MEAN NO DYS TSTMS	0.0	2.0	2.0	6.0	10.0	10.0	6.0	6.0	11.0	3.0	1.0	0.0	57.0	4	-35
P FREQ WND SPD = DR GTR 17 KTS	0.3	0.2	0.4	0.1	0.4	0.0	0.1	0.1	0.1	0.3	1.0	0.8	0.3	15	10215
P FREQ WND SPD = DR GTR 20 KTS	0.0	0.1	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.0	15	10215
P FREQ LES 3000 FT A/D LES 5 MI	27.9	28.5	31.6	50.2	28.0	36.4	43.0	41.1	31.6	31.8	20.5	30.9	33.5	11	3875
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	15.0	1.3	5.4	17.3	9.6	9.4	11.1	8.8	10.4	10.3	19.7	25.7	12.0	6	990
03-05 LST														0	0
06-08 LST	53.7	22.8	11.4	20.2	20.8	34.0	38.6	35.3	25.4	30.9	39.8	67.9	33.4	17	2476
09-11 LST	34.3	10.5	7.8	17.2	7.9	20.4	24.0	28.3	28.2	15.4	8.8	27.5	19.2	12	1187
12-14 LST	1.2	1.5	5.4	18.6	7.7	8.4	15.4	19.8	9.6	8.7	3.3	2.6	8.5	12	1687
15-17 LST														0	0
18-20 LST	4.8	6.7	12.5	25.9	16.8	17.0	16.0	16.4	12.0	11.4	3.6	6.0	12.4	17	3116
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	5.0	0.0	0.0	2.0	3.6	0.0	2.0	0.0	0.0	1.3	2.8	10.0	2.2	6	990
03-05 LST														0	0
06-08 LST	36.2	12.1	2.5	5.2	5.1	10.8	10.8	10.7	9.0	16.5	22.1	42.4	15.3	17	2476
09-11 LST	5.9	1.2	0.0	3.4	0.9	2.0	1.7	2.0	1.4	0.0	0.9	6.9	2.2	12	1187
12-14 LST	0.6	0.0	0.0	2.3	2.3	0.7	1.9	5.8	0.0	0.0	0.7	0.0	1.2	12	1687
15-17 LST														0	0
18-20 LST	2.4	5.8	3.2	7.1	10.0	11.0	7.7	8.5	6.9	5.5	0.9	4.6	6.1	17	3116
21-23 LST														0	0

BHAMO, BURMA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	06 LST	14.9	22.3	27.6	24.1	25.8	23.3	23.3	24.0	24.6	22.7	18.6	10.2	261.4	17	2476
	12 LST	30.6	28.0	29.3	24.6	29.3	28.1	28.0	26.6	28.1	30.3	29.4	30.2	342.5	12	1687
	18 LST	29.6	26.2	27.3	22.4	26.1	25.8	27.6	27.7	27.3	28.1	29.2	29.1	326.4	17	3116
	00 LST	25.8	28.0	29.3	24.3	28.4	29.0	28.4	29.3	28.4	28.5	24.1	23.5	327.0	6	990
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	06 LST	13.5	21.1	27.2	23.9	23.3	16.5	15.0	16.1	20.2	20.1	17.8	9.5	224.2	17	2449
	12 LST	30.4	27.1	28.9	23.7	27.9	26.8	24.6	23.0	26.1	25.8	28.6	30.2	323.1	12	1678
	18 LST	29.3	25.8	26.3	21.8	25.3	24.0	24.3	24.1	25.4	26.6	28.6	28.8	310.3	17	3094
	00 LST	25.8	28.0	28.5	24.0	28.4	25.0	26.8	26.9	26.1	27.3	23.6	23.5	313.9	6	988
SFC WND = GTR 17 KTS AND NO PRECIP.	06 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	2638
	12 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	1733
	18 LST	0.0	0.0	0.2	0.0	0.0	0.0	0.1	0.1	0.1	0.2	0.2	0.1	1.0	17	3498
	00 LST	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	6	1009
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	06 LST	0.8	1.3	2.8	3.8	2.5	1.3	0.8	1.5	2.1	1.8	1.1	1.6	21.4	17	2600
	12 LST	10.4	10.2	11.1	5.6	3.0	4.5	4.7	4.8	7.7	5.9	10.9	12.2	91.0	12	1728
	18 LST	3.4	3.9	4.7	4.7	3.7	2.7	2.6	2.6	3.5	4.7	2.3	2.8	41.6	17	3463
	00 LST	1.4	4.6	3.2	5.6	4.7	1.2	0.6	1.0	1.1	1.2	0.8	0.8	26.2	6	1009
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	06 LST	6.0	11.8	12.5	8.0	4.7	1.0	0.4	0.0	1.5	3.3	7.4	4.4	61.0	17	2580
	12 LST	18.4	15.8	16.2	11.1	4.9	0.8	0.0	0.0	2.1	6.1	17.0	20.2	112.6	12	1730
	18 LST	20.9	15.8	14.0	7.2	4.4	1.2	0.3	0.3	2.0	7.2	18.5	19.9	111.7	17	3181
	00 LST	18.7	20.2	21.0	15.6	10.1	4.3	1.2	0.3	5.3	12.6	17.9	16.3	143.5	6	1008
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	06 LST	13.1	20.1	26.1	22.5	21.5	15.0	13.7	14.9	19.0	19.2	17.1	9.1	211.3	17	2476
	12 LST	29.7	26.1	29.3	23.7	27.2	25.0	23.0	21.5	25.2	25.1	28.2	29.6	313.6	12	1687
	18 LST	29.1	25.5	26.5	21.3	24.9	22.7	23.3	23.1	24.5	26.0	28.2	28.8	303.9	17	3116
	00 LST	25.1	27.3	28.8	23.0	26.6	23.1	23.6	25.3	23.8	26.4	23.2	23.5	299.7	6	990
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	06 LST	12.5	18.7	25.2	21.6	20.1	13.9	13.1	14.2	18.6	18.0	16.6	9.0	201.5	17	2476
	12 LST	29.4	25.4	29.1	23.3	27.2	23.9	22.0	20.5	24.7	24.9	28.0	29.6	308.0	12	1687
	18 LST	29.0	25.1	26.4	20.9	24.1	21.8	21.3	21.6	23.9	25.5	28.2	28.8	296.6	17	3116
	00 LST	25.1	26.9	28.2	22.1	25.1	21.5	21.9	24.2	22.3	26.0	22.8	23.0	289.1	6	990
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	06 LST	12.5	18.7	25.2	21.6	20.1	13.9	13.1	14.1	18.6	18.0	16.6	9.0	201.4	17	2476
	12 LST	29.4	25.4	29.1	23.3	27.2	23.9	22.0	20.5	24.7	24.9	28.0	29.6	308.0	12	1687
	18 LST	29.0	25.1	26.4	20.9	24.1	21.8	21.3	21.5	23.9	25.5	28.2	28.8	296.5	17	3116
	00 LST	25.1	26.9	28.2	22.1	25.1	21.5	21.9	24.2	22.3	26.0	22.8	23.0	289.1	6	990

NAMPONMAO, BURMA

STA NO. 49601/ (IN AREA NUMBER 06)

LATITUDE 2521N

LONGITUDE 09717E

ELEVATION(FT) 00470

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POB (YRS)	NO. OBS
ABS MAX TMP (F)	97	97	100	106	110	102	99	99	99	98	98	86	110	35	-48008
MEAN MAX TMP (F)	75	78	86	90	91	88	87	87	88	86	81	76	84	35	-48008
MEAN MIN TMP (F)	50	55	61	68	72	75	76	76	75	70	61	52	66	29	-48008
ABS MIN TMP (F)	40	45	47	54	58	60	64	68	66	58	48	40	40	35	-48008
MEAN NO DYS TMP = OR GTR 90(F)			5.8	17.3	21.0	11.2	8.6	8.6	11.2	5.8	0.0	0.0		35	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	35	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	35	-29
MEAN DEW PT TMP (F)	54	56	60	63	69	75	77	78	76	73	65	57	67	22	-29
MEAN REL HUM (PCT)	75	72	66	62	70	83	86	88	84	86	82	80	78	2	-48008
MEAN PRESS ALT (FT)	317	383	474	558	650	745	782	743	618	473	365	304	534	0	-50
MEAN PRECIP (IN)	0.40	0.90	0.90	1.80	6.30	18.90	18.80	17.10	10.10	7.20	1.50	0.50	84.4	35	-48008
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	35	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	0.9	1.9	2.2	3.7	5.4	20.3	20.3	19.3	12.9	10.4	4.2	1.1	102.6	35	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	35	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.9	0.0	5.1	9.0	2	-48008
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	14	-48008
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	-48008
P FREQ LES 5000 FT A/O LES 5 MI	61.3	59.4	64.1	71.8	69.9	72.8	79.1	77.5	70.6	70.9	62.1	60.1	68.3	2	-48008
P FREQ LES 1500 FT A/O LES 3 MI															
FDR 00-02 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12.3	0.0	0.0	0.0	0.0	1.0	2	-48008
03-05 LST														0	0
06-08 LST	22.7	23.2	21.7	17.5	17.2	27.5	30.0	35.9	31.5	27.9	27.1	34.5	26.4	12	-48008
09-11 LST	7.8	3.6	4.9	16.5	22.6	29.9	36.4	34.3	25.1	22.1	8.4	12.3	18.7	6	-48008
12-14 LST	2.3	7.6	4.7	5.7	12.0	23.2	20.8	25.3	11.9	17.0	4.4	0.9	11.3	9	-48008
15-17 LST														0	0
18-20 LST	7.7	14.1	10.2	11.5	12.1	14.6	21.4	18.9	12.3	17.9	6.2	1.7	12.4	14	-48008
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI															
FDR 00-02 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	-48008
03-05 LST														0	0
06-08 LST	7.0	2.4	3.5	1.2	2.4	2.5	5.2	6.9	10.0	9.7	15.4	23.5	7.5	12	-48008
09-11 LST	2.2	0.0	0.0	1.0	0.0	4.6	0.0	0.0	1.5	0.0	0.0	2.2	1.0	6	-48008
12-14 LST	0.0	1.6	0.6	0.7	0.7	2.4	2.7	0.8	1.5	6.6	1.4	0.0	1.6	9	-48008
15-17 LST														0	0
18-20 LST	3.7	5.6	4.9	0.5	0.4	0.8	1.3	0.4	1.6	2.9	3.3	0.5	2.2	14	-48008
21-23 LST														0	0


NAMPONMAO, BURMA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	06 LST	24.3	21.9	25.4	25.7	28.1	24.1	24.5	22.3	22.2	24.1	22.8	20.6	286.0	16	-48008
	12 LST	30.6	26.7	30.4	29.3	29.0	25.3	26.9	26.8	27.7	27.1	29.2	31.0	340.0	10	-48008
	18 LST	28.8	24.6	28.8	27.8	29.7	27.8	26.4	28.3	28.0	27.0	24.7	30.5	336.4	17	-48008
	00 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	06 LST	23.6	20.9	22.8	23.3	23.1	19.5	18.7	16.5	18.2	20.8	20.8	20.0	248.2	16	-48008
	12 LST	29.9	25.1	28.4	26.9	25.3	20.6	21.9	19.4	25.1	24.2	28.2	30.8	305.8	10	-48008
	18 LST	28.2	23.4	26.6	25.2	24.7	23.3	21.4	21.9	24.1	23.3	27.3	30.3	299.7	17	-48008
	00 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	06 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	16	-48008
	12 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-48008
	18 LST	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.2	17	-48008
	00 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	06 LST	3.0	3.0	3.2	3.4	4.4	1.5	1.1	0.8	2.3	0.8	1.1	2.3	30.9	16	-48008
	12 LST	6.1	3.4	3.6	3.8	2.8	3.0	3.9	3.7	2.0	3.4	4.0	3.6	31.3	10	-48008
	18 LST	1.0	1.4	4.0	6.0	4.8	2.5	3.7	3.2	2.4	0.7	0.8	0.9	31.4	17	-48008
	00 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	06 LST	16.7	13.7	13.1	8.7	5.0	1.7	0.2	1.0	1.7	7.1	13.0	13.8	93.7	16	-48008
	12 LST	22.9	18.0	17.3	10.8	5.6	2.0	0.4	1.0	3.9	9.4	20.3	21.8	133.4	10	-48008
	18 LST	21.8	14.9	16.0	10.7	6.2	1.5	0.5	1.6	4.9	11.1	19.4	24.8	133.4	17	-48008
	00 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	06 LST	22.9	20.8	22.9	23.6	23.2	18.9	18.5	16.2	17.7	20.5	20.6	20.0	243.8	16	-48008
	12 LST	29.1	24.9	28.2	26.7	24.4	19.6	20.7	17.9	24.0	23.3	28.0	30.6	297.4	10	-48008
	18 LST	28.3	23.2	26.0	24.4	24.0	22.4	20.8	20.5	22.7	22.4	27.0	30.2	291.9	17	-48008
	00 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	06 LST	22.8	20.6	22.9	23.5	23.0	18.4	18.5	16.1	17.1	20.2	20.4	20.0	243.5	16	-48008
	12 LST	29.1	24.6	28.0	26.7	23.7	19.1	20.3	17.1	22.8	23.1	28.0	30.4	292.9	10	-48008
	18 LST	28.3	23.2	25.7	23.5	23.7	20.9	18.9	17.8	20.0	19.8	24.9	29.9	276.6	17	-48008
	00 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	06 LST	22.8	20.6	22.9	23.5	23.0	18.4	18.5	16.1	17.1	20.2	20.4	20.0	243.5	16	-48008
	12 LST	29.1	24.6	28.0	26.7	23.7	19.1	20.3	16.8	22.8	23.1	28.0	30.4	292.6	10	-48008
	18 LST	28.1	23.2	25.7	23.5	23.2	20.9	18.9	17.8	20.0	19.8	24.9	29.9	275.9	17	-48008
	00 LST														0	0

AREA NO. 06

PARAMETER DESCRIPTION	BOUNDARIES	NORTHERN HIGHLND												
		2200N 09240E	2000N 09345E	2000N 09345E	2200N 09350E	2200N 09350E	2356N 09732E							
MEAN MAX TMP (F)		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MIN TMP (F)		70	74	81	86	87	85	85	85	85	82	76	71	81
LARGEST MEAN PRECIP(IN)		0.40	2.60	2.76	3.69	8.10	24.65	39.90	33.35	18.31	7.20	1.70	0.50	143.2
SMALLEST MEAN PRECIP(IN)		0.25	0.60	0.70	1.80	6.10	14.10	16.70	16.10	9.80	4.19	1.09	0.20	71.6
		MEAN NUMBER OF DAYS												
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	06 LST	13.3	15.3	19.0	18.8	21.3	17.1	17.2	16.5	18.3	16.9	14.5	10.3	198.5
	12 LST	30.6	27.4	29.9	27.0	29.2	26.7	27.5	26.7	27.9	28.7	29.3	30.6	341.5
	18 LST	23.0	20.1	22.6	20.2	22.8	21.6	23.5	23.9	22.3	21.2	21.9	22.6	265.7
	00 LST	28.4	28.0	30.2	27.2	29.7	29.5	29.7	28.2	29.2	29.8	27.1	27.3	344.3
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	06 LST	12.6	14.4	17.7	17.2	18.3	13.1	12.1	11.9	14.7	14.7	13.6	9.9	170.2
	12 LST	30.2	26.1	28.7	25.3	26.6	23.7	23.3	21.2	25.6	25.0	28.4	30.5	314.6
	18 LST	22.5	19.4	21.4	18.7	20.4	19.2	20.1	19.9	19.4	18.6	21.0	22.2	242.8
	00 LST	28.4	28.0	29.8	27.0	29.7	26.7	28.9	26.9	26.9	29.2	26.8	27.3	335.6
SFC WND = GTR 17 KTS AND NO PRECIP.	06 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	12 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	18 LST	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.4
	00 LST	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	06 LST	1.3	1.4	2.7	3.1	2.3	1.0	0.7	0.8	1.5	0.9	0.8	1.3	17.8
	12 LST	8.3	7.8	8.4	5.7	2.9	3.8	4.3	4.3	4.9	4.7	7.5	8.9	71.5
	18 LST	2.1	2.5	3.7	4.1	3.9	2.5	3.3	2.8	2.2	2.0	1.6	1.5	32.2
	00 LST	3.5	3.3	5.5	4.3	3.0	1.5	0.3	0.5	0.6	0.6	0.4	1.8	25.3
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	06 LST	7.6	8.6	8.6	5.7	3.4	0.9	0.3	0.3	1.3	3.7	7.0	6.1	53.5
	12 LST	20.7	16.9	16.8	11.0	5.3	1.4	0.2	0.5	3.0	7.8	18.7	21.0	123.3
	18 LST	15.8	10.7	11.0	6.6	4.1	1.7	0.8	1.6	2.9	6.4	13.4	16.1	91.1
	00 LST	22.1	21.3	19.1	13.1	9.2	3.8	0.6	0.2	3.7	12.8	21.8	19.4	147.1
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	06 LST	12.2	13.9	17.3	16.7	17.6	12.3	11.4	11.3	13.8	14.2	13.2	9.8	163.7
	12 LST	29.4	25.5	28.8	25.2	25.8	22.3	21.9	19.7	24.6	24.2	28.1	30.1	305.6
	18 LST	22.4	18.9	21.0	18.0	19.7	18.1	19.3	18.8	18.4	18.0	20.6	22.0	233.2
	00 LST	28.1	27.7	29.2	26.5	28.8	25.7	26.3	26.2	25.8	28.7	26.6	27.3	326.9
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	06 LST	11.9	13.4	17.0	16.2	16.8	11.7	11.2	10.9	13.2	13.7	12.9	9.7	158.6
	12 LST	29.3	25.0	28.6	25.0	25.5	21.5	21.2	18.8	23.8	24.0	28.0	30.0	300.7
	18 LST	22.3	18.7	20.8	17.4	19.2	17.2	17.5	16.9	17.1	16.9	19.8	21.9	225.7
	00 LST	28.1	27.5	28.9	26.1	28.1	24.9	25.5	25.7	25.0	28.5	26.4	27.0	321.7
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	06 LST	11.9	13.4	17.0	16.2	16.8	11.7	11.2	10.9	13.2	13.7	12.9	9.7	158.6
	12 LST	29.3	25.0	28.6	25.0	25.5	21.5	21.2	18.7	23.8	24.0	28.0	30.0	300.6
	18 LST	22.2	18.7	20.8	17.3	19.0	17.2	17.5	16.8	17.1	16.9	19.8	21.9	225.2
	00 LST	28.1	27.5	28.9	26.1	28.1	24.9	25.5	25.7	25.0	28.5	26.4	27.0	321.7



SABAH

TAWAU, NORTH BORNEO

STA NO. 49609/ (IN AREA NUMBER 01)

LATITUDE 0415N

LONGITUDE 11753E

ELEVATION(FT) 0058

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	94	96	95	94	94	94	95	93	97	95	93	95	97	12	-155
MEAN MAX TMP (F)	89	89	89	90	89	88	89	88	89	90	89	89	89	13	-155
MEAN MIN TMP (F)	71	71	71	72	71	71	71	71	71	71	71	71	71	13	-155
ABS MIN TMP (F)	61	65	66	66	67	64	67	65	65	66	68	65	61	12	-155
MEAN NO DYS TMP = DR GTR 90(F)	14.8	13.3	14.8	17.3	14.8	11.2	14.8	11.6	14.3	17.9	14.3	14.8	173.9	13	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-29
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)	118	108	148	178	188	178	188	178	168	148	148	148	158	0	-50
MEAN PRECIP (IN)	4.75	3.76	3.88	5.00	6.99	7.42	7.67	7.57	6.00	5.76	6.71	6.24	71.8	33	-47
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	6.7	5.9	5.4	5.6	5.3	12.0	12.3	12.2	9.3	9.1	10.0	7.4	101.2	33	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

TAWAU, NORTH BORNEO

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG ≥ GTR 1000 FT AND VSBY ≥ GTR 3 MI	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
	02 LST													0	0
CIG ≥ GTR 2000 FT AND VSBY ≥ GTR 3 MI W/SFC WND LES 10 KTS	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
	02 LST													0	0
SFC WND ≥ GTR 17 KTS AND NO PRECIP.	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
	02 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
	02 LST													0	0
SKY COVER LES 3/10 AND VSBY ≥ GTR 3 MI	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
	02 LST													0	0
CIG ≥ GTR 2500 FT AND VSBY ≥ GTR 3 MI	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
	02 LST													0	0
CIG ≥ GTR 6000 FT AND VSBY ≥ GTR 3 MI	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
	02 LST													0	0
CIG ≥ GTR 10000 FT AND VSBY ≥ GTR 3 MI	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
	02 LST													0	0

DATA NOT AVAILABLE

SANDAKAN, NORTH BORNEO

STA NO. 96491 (IN AREA NUMBER 01)

LATITUDE 0554N

LONGITUDE 11803E

ELEVATION(FT) 00038

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	91	91	94	95	95	99	96	95	97	94	93	92	99	32	-28
MEAN MAX TMP (F)	85	86	87	89	89	89	89	89	89	88	87	86	88	45	-28
MEAN MIN TMP (F)	74	74	75	76	76	75	75	75	75	75	75	74	75	45	-28
ABS MIN TMP (F)	70	70	71	70	72	71	70	71	70	70	71	71	70	32	-28
MEAN NO DYS TMP = OR GTR 90(F)	3.4	5.2	8.6	14.3	14.8	14.3	14.8	14.8	14.3	11.6	8.3	5.8	130.2	45	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	32	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	32	-29
MEAN DEW PT TMP (F)	75	74	75	76	77	76	75	75	75	77	76	75	76	0	-50
MEAN REL HUM (PCT)	84	83	83	81	81	81	80	80	79	81	84	84	82	9	-28
MEAN PRESS ALT (FT)	98	88	128	158	168	158	168	158	148	128	128	128	138	0	-50
MEAN PRECIP (IN)	19.00	10.90	8.60	4.50	6.20	7.40	6.70	7.90	9.30	10.20	14.50	18.50	123.7	46	-28
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	32	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN			5.2	5.5	5.5	12.0	11.3	12.5	12.2	12.9	15.6			46	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	32	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS	0.6	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.1	0.0	0.1	0.2	10	21915
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	21915
P FREQ LES 5000 FT A/D LES 5 MI	20.8	10.1	6.0	1.8	2.2	1.6	2.1	2.4	2.3	3.3	5.3	10.1	5.7	17	8183
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST														0	0
03-05 LST	17.1	2.6	5.9	3.4	0.0	1.1	1.1	1.4	1.5	1.8	0.0	5.7	3.5	5	747
06-08 LST	21.8	11.0	8.7	1.5	1.8	2.2	0.8	0.4	1.3	2.3	5.7	14.4	6.0	17	2873
09-11 LST	28.0	10.6	6.7	2.3	0.0	0.0	0.0	1.2	2.3	1.1	8.3	5.3	5.5	5	1070
12-14 LST	11.6	8.0	3.6	0.5	2.3	0.4	1.5	1.1	0.8	0.8	2.3	5.1	3.2	17	2945
15-17 LST	22.4	11.0	6.7	1.0	2.7	0.9	1.8	1.1	2.0	1.0	3.3	3.2	4.8	5	1163
18-20 LST	9.7	8.4	4.4	1.2	3.0	8.3	8.4	11.5	12.2	9.1	6.9	7.8	7.6	17	3195
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST														0	0
03-05 LST	2.4	0.0	1.5	1.7	0.0	1.1	0.0	0.0	0.0	1.8	0.0	1.9	0.9	5	747
06-08 LST	1.7	0.5	0.0	0.0	0.5	0.4	0.0	0.0	0.0	0.0	0.4	0.4	0.3	17	2873
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	1070
12-14 LST	0.4	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	17	2945
15-17 LST	1.5	0.0	0.0	0.0	0.0	0.0	0.9	1.1	0.0	0.0	0.0	0.0	0.3	5	1163
18-20 LST	0.4	0.9	0.8	0.0	0.0	2.3	1.7	7.7	0.3	1.6	0.3	1.7	0.9	17	3195
21-23 LST														0	0

SANDAKAN, NORTH BORNEO

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST	25.8	25.5	30.0	29.3	30.4	29.5	30.9	30.9	29.8	30.5	28.9	28.0	349.5	10	3613
	14 LST	28.3	26.4	30.7	29.5	30.7	29.8	31.0	30.9	29.9	30.7	29.9	29.8	357.6	10	3617
	20 LST	29.9	27.6	30.7	29.6	30.9	29.7	30.2	29.6	28.6	30.7	29.7	29.7	357.1	10	3614
	02 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	08 LST	24.4	23.4	29.8	29.3	30.4	29.5	30.9	30.9	29.8	30.5	28.9	27.8	345.6	10	3613
	14 LST	21.0	17.2	25.5	27.2	29.3	29.5	30.3	30.0	29.1	30.2	29.0	27.5	325.8	10	3617
	20 LST	23.3	23.3	29.3	29.7	30.7	29.5	29.8	29.2	28.4	30.3	29.4	28.4	343.3	10	3613
	02 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	08 LST	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	10	3648
	14 LST	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.7	10	3650
	20 LST	0.1	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.4	10	3649
	02 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	08 LST	12.5	12.7	13.4	11.9	9.4	9.5	12.0	10.3	11.6	11.7	12.9	11.8	139.7	10	3617
	14 LST	17.7	15.8	23.3	24.2	18.9	14.9	14.3	14.1	15.7	21.4	22.1	22.8	225.2	10	3619
	20 LST	14.2	17.5	20.3	14.9	6.6	4.3	5.8	5.3	5.1	5.6	7.3	11.6	118.5	10	3618
	02 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST	0.5	1.2	2.0	3.4	2.2	2.9	2.4	1.9	1.9	1.2	1.2	0.8	21.6	10	3651
	14 LST	0.2	0.7	2.8	2.8	1.2	1.1	0.8	0.7	0.4	0.4	0.9	0.2	12.2	10	3652
	20 LST	0.8	1.2	3.3	4.6	2.3	2.2	1.0	0.9	0.6	0.8	0.6	0.6	18.9	10	3650
	02 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	08 LST	23.6	23.4	27.5	28.9	30.3	29.4	30.8	30.9	29.8	30.3	28.6	26.9	340.4	9	3613
	14 LST	25.8	24.4	29.2	28.9	30.1	29.6	30.4	30.7	29.6	30.6	29.4	29.1	347.8	9	3617
	20 LST	28.6	26.7	29.8	29.6	30.8	29.3	29.9	29.3	28.5	30.4	29.4	29.1	351.4	9	3614
	02 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	08 LST	23.0	23.3	27.3	28.8	30.3	29.3	30.4	30.7	29.6	30.1	28.4	26.8	338.0	9	3613
	14 LST	25.5	24.3	29.1	28.8	30.0	29.5	30.4	30.7	29.4	30.6	29.3	29.0	346.6	9	3617
	20 LST	28.4	26.6	29.7	29.6	30.8	29.1	29.8	29.0	28.5	30.3	29.1	29.0	349.9	9	3614
	02 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST	23.0	23.3	27.3	28.8	30.3	29.3	30.4	30.7	29.6	30.1	28.4	26.8	338.0	9	3613
	14 LST	25.5	24.3	29.1	28.8	30.0	29.5	30.4	30.7	29.4	30.6	29.3	29.0	346.6	9	3617
	20 LST	28.4	26.6	29.7	29.6	30.8	29.1	29.8	29.0	28.5	30.3	29.1	29.0	349.9	9	3614
	02 LST														0	0

AREA NO. 01

PARAMETER DESCRIPTION	EAST COAST BOUNDARIES	LATITUDE 0520N LONGITUDE 11815E												
		0422N 11715E	0430N 11800E	0430N 11815E	0510N 11800E	0510N 11800E	0642N 11638E							
		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)		87	88	88	90	89	89	89	89	89	89	88	88	89
MEAN MIN TMP (F)		73	73	73	74	74	73	73	73	73	73	73	73	73
LARGEST MEAN PRECIP(IN)		19.00	10.90	8.60	5.00	6.99	7.42	7.67	7.90	9.30	10.20	14.50	18.50	126.0
SMALLEST MEAN PRECIP(IN)		4.75	3.76	3.88	4.50	6.20	7.40	6.70	7.57	6.00	5.76	6.71	6.24	69.5
		MEAN NUMBER OF DAYS												
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST	25.8	25.5	30.0	29.3	30.4	29.5	30.9	30.9	29.8	30.5	28.9	28.0	349.5
	14 LST	28.3	26.4	30.7	29.5	30.7	29.8	31.0	30.9	29.9	30.7	29.9	29.8	357.6
	20 LST	29.9	27.6	30.7	29.8	30.9	29.7	30.2	29.6	28.6	30.7	29.7	29.7	357.1
	02 LST													
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	08 LST	24.4	23.4	29.8	29.3	30.4	29.5	30.9	30.9	29.8	30.5	28.9	27.8	345.6
	14 LST	21.0	17.2	25.5	27.2	29.3	29.5	30.3	30.0	29.1	30.2	29.0	27.5	325.8
	20 LST	25.3	23.3	29.3	29.7	30.7	29.5	29.8	29.2	28.4	30.3	29.4	28.4	343.3
	02 LST													
SFC WND = GTR 17 KTS AND NO PRECIP.	08 LST	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1
	14 LST	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.7
	20 LST	0.1	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.4
	02 LST													
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	08 LST	12.5	12.7	13.4	11.9	9.4	9.5	12.0	10.3	11.6	11.7	12.0	11.8	139.7
	14 LST	17.7	15.8	23.3	24.2	18.9	14.9	14.3	14.1	15.7	21.4	22.1	22.8	225.2
	20 LST	14.2	17.5	20.3	14.9	6.6	4.3	5.8	5.3	5.1	5.6	7.3	11.6	118.5
	02 LST													
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST	0.5	1.2	2.0	3.4	2.2	2.9	2.4	1.9	1.9	1.2	1.2	0.8	21.6
	14 LST	0.2	0.7	2.8	2.8	1.2	1.1	0.8	0.7	0.4	0.4	0.9	0.2	12.2
	20 LST	0.8	1.2	3.3	4.6	2.3	2.2	1.0	0.9	0.6	0.8	0.6	0.6	18.9
	02 LST													
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	08 LST	23.6	23.4	27.5	28.9	30.3	29.4	30.8	30.9	29.8	30.3	28.6	26.9	340.4
	14 LST	25.8	24.4	29.2	28.9	30.1	29.6	30.4	30.7	29.6	30.6	29.4	29.1	347.8
	20 LST	28.6	26.7	29.8	29.6	30.8	29.3	29.9	29.3	28.5	30.4	29.4	29.1	351.4
	02 LST													
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	08 LST	23.0	23.3	27.3	28.8	30.3	29.3	30.4	30.7	29.6	30.1	28.4	26.8	338.0
	14 LST	25.9	24.3	29.1	28.8	30.0	29.5	30.4	30.7	29.4	30.6	29.3	29.0	346.6
	20 LST	28.4	26.6	29.7	29.6	30.8	29.1	29.8	29.0	28.5	30.3	29.1	29.0	349.9
	02 LST													
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST	23.0	23.3	27.3	28.8	30.3	29.3	30.4	30.7	29.6	30.1	28.4	26.8	338.0
	14 LST	25.5	24.3	29.1	28.8	30.0	29.5	30.4	30.7	29.4	30.6	29.3	29.0	346.6
	20 LST	28.4	26.6	29.7	29.6	30.8	29.1	29.8	29.0	28.5	30.3	29.1	29.0	349.9
	02 LST													

LABUAN/INT'L., NORTH BORNEO

STA NO. 96465 (IN AREA NUMBER 02)

LATITUDE 0517N

LONGITUDE 11514E

ELEVATION(FT) 00090

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	94	93	93	95	99	94	93	99	92	94	93	95	99	20	-528
MEAN MAX TMP (F)	86	86	87	89	89	88	88	88	87	87	87	86	87	21	-28
MEAN MIN TMP (F)	76	76	76	76	76	76	77	76	76	76	76	76	76	21	-28
ABS MIN TMP (F)	68	68	63	60	59	60	68	68	64	63	69	69	59	20	-28
MEAN NO DYS TMP = OR GTR 90(F)	5.8	5.2	8.6	14.3	14.8	11.2	11.6	11.6	8.3	8.6	8.3	5.8	114.1	21	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20	-29
MEAN DEW PT TMP (F)	75	75	75	76	76	76	76	74	74	75	75	75	75	17	-29
MEAN REL HUM (PCT)	83	84	83	82	82	82	82	79	80	81	81	82	82	10	-28
MEAN PRESS ALT (FT)	158	148	188	218	228	218	228	218	208	188	188	188	198	0	-50
MEAN PRECIP (IN)	4.40	4.60	5.90	11.70	13.60	13.80	12.50	11.70	16.40	18.30	16.50	11.20	140.6	14	-28
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	6.4	6.6	5.5	7.3		17.2	16.3	15.7	16.5	17.1	16.5			14	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20	-29
MEAN NO DYS W/NCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS	3.7	4.8	3.7	1.2	0.0	2.1	1.3	3.0	1.1	2.8	1.2	1.7	2.2	10	3610
P FREQ WND SPD = OR GTR 28 KTS	0.3	0.0	0.3	0.0	0.0	0.0	0.0	0.3	0.0	0.3	0.0	0.3	0.1	10	3610
P FREQ LES 5000 FT A/D LES 5 MI	11.5	7.8	6.2	4.8	4.7	3.5	3.1	5.6	6.5	5.7	4.2	4.9	5.7	17	8876
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	16.7	4.3	4.5	6.5	8.1	3.2	0.0	0.0	0.0	21.4	0.0	12.3	6.4	3	246
03-05 LST	6.9	0.0	4.3	1.5	2.6	0.0	2.4	4.6	4.5	2.1	0.0	2.4	2.6	4	709
06-08 LST	5.9	5.0	5.1	4.2	4.4	5.9	4.2	2.0	5.8	4.3	3.9	4.5	4.6	17	2901
09-11 LST	8.3	4.7	1.0	1.1	1.8	0.9	1.9	2.2	4.1	1.0	2.1	3.2	2.7	5	1150
12-14 LST	4.4	2.3	1.4	2.3	1.4	1.6	1.3	1.4	3.2	1.9	2.2	2.1	2.1	17	2973
15-17 LST	11.6	5.6	3.8	0.0	0.9	1.8	0.9	3.1	3.0	1.0	0.0	1.0	2.7	5	1164
18-20 LST	9.1	4.0	5.0	4.6	6.4	6.1	6.3	10.2	10.9	12.6	7.5	8.2	7.6	17	3390
21-23 LST	9.1	5.9	4.2	0.0	4.3	0.0	0.0							1	133
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	246
03-05 LST	0.0	0.0	0.0	0.0	1.3	0.0	0.0	0.0	1.3	0.0	0.0	0.0	0.2	4	709
06-08 LST	0.4	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.4	0.0	0.4	0.1	17	2901
09-11 LST	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	5	1150
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.4	0.0	0.0	0.0	0.1	17	2973
15-17 LST	0.0	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	5	1164
18-20 LST	0.4	0.4	0.0	0.0	0.8	1.6	1.7	1.7	2.6	1.3	0.9	1.9	1.1	17	3390
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0							1	133

LABUAN/INT'L., NORTH BORNEO

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR	NO.
															(YRS)	UBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST	30.1	28.0	29.8	30.0	30.5	28.4	29.5	31.0	29.0	30.1	28.9	28.0	29.0	10	800
	14 LST	31.0	27.6	31.0	30.0	31.0	29.3	30.7	31.0	29.6	30.6	29.3	31.0	362.1	10	914
	20 LST	27.8	27.3	29.8	28.2	29.5	27.3	28.0	26.3	24.6	24.7	26.6	27.2	327.3	11	1493
	02 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	08 LST	28.7	24.3	27.1	26.0	29.4	25.9	25.8	27.8	25.6	23.6	25.0	24.1	313.3	10	790
	14 LST	22.2	16.5	18.9	23.1	26.3	22.4	23.1	23.8	21.5	21.8	20.4	21.5	261.5	10	898
	20 LST	15.1	14.2	18.5	24.0	27.7	25.2	26.4	23.7	22.1	20.1	22.9	20.5	260.4	11	1469
	02 LST														0	0
SFC WND = GTR 17 KTS AND NO PRE-IP.	08 LST	0.0	0.8	0.0	0.0	0.0	0.4	0.5	0.0	0.0	0.0	0.0	0.0	1.7	10	812
	14 LST	0.0	1.1	1.6	0.0	0.0	1.1		1.0	0.4	0.4		1.3		10	922
	20 LST	1.5	1.1	2.0	0.3	0.0	0.0	0.0	0.2	0.5	0.7	0.2	0.4	6.9	11	1498
	02 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEC F AND NO PRECIP.	08 LST	13.6	10.0	14.0	11.0	16.0	13.0	13.8	14.7	13.8	11.7	10.7	10.8	153.1	10	784
	14 LST	19.5	14.0	21.5	16.6	19.6	17.4	21.5	18.0	20.7	21.2	15.6	15.0	220.6	10	891
	20 LST	11.9	10.2	13.7	11.3	8.6	5.6	7.1	7.4	3.5	6.7	8.3	4.8	103.1	11	1463
	02 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST	1.3	2.7	2.7	3.5	2.6	0.4	1.4	1.9	0.5	2.3	1.1	1.7	22.1	10	825
	14 LST	2.9	4.9	4.7	4.9	2.2	2.4	4.2	2.7	0.8	3.0	1.4	1.2	35.3	10	937
	20 LST	4.4	3.5	6.9	3.2	2.6	2.7	3.2	2.4	2.1	1.1	2.9	2.0	37.0	11	1515
	02 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	08 LST	29.7	26.3	27.8	26.6	30.5	27.5	29.0	29.9	28.1	27.8	27.7	28.2	339.1	10	800
	14 LST	30.2	26.8	30.5	29.5	31.0	28.6	30.3	31.0	28.4	30.2	28.2	30.6	355.3	10	914
	20 LST	27.5	26.9	29.5	28.2	29.2	26.8	27.7	25.8	23.9	24.0	25.6	26.7	321.8	11	1493
	02 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	08 LST	29.7	25.9	27.8	26.6	30.5	27.5	29.0	29.9	27.6	27.8	27.7	28.2	338.2	10	800
	14 LST	29.8	26.8	30.5	29.5	31.0	28.6	30.3	31.0	28.4	30.2	28.2	30.6	354.9	10	914
	20 LST	27.3	26.9	29.5	28.2	29.2	26.8	27.5	25.8	23.9	24.0	25.6	26.3	321.0	11	1493
	02 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST	29.2	25.9	27.8	26.6	30.5	27.5	29.0	29.9	27.6	27.8	27.7	28.2	337.7	10	800
	14 LST	29.8	26.8	30.5	29.5	31.0	28.6	30.3	31.0	28.4	30.2	28.2	30.6	354.9	10	914
	20 LST	27.3	26.9	29.5	28.2	29.2	26.8	27.3	25.8	23.9	24.0	25.6	26.3	320.8	11	1493
	02 LST														0	0

KINABALU, NORTH BORNEO

STA NO. 96471 (IN AREA NUMBER 02)

LATITUDE 0556N

LONGITUDE 11603E

ELEVATION(FT) 00009

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	90	89	92	91	92	94	91	92	92	90	89	89	94	10	3621
MEAN MAX TMP (F)	85	85	87	88	88	88	88	87	87	87	86	86	87	10	3621
MEAN MIN TMP (F)	73	73	73	75	75	75	74	74	74	74	74	74	74	10	3621
ABS MIN TMP (F)	67	67	66	70	72	71	70	69	71	71	71	70	66	10	3621
MEAN NO DYS TMP = OR GTR 90(F)	3.4	0.0	8.6	11.2	11.6	11.2	11.6	8.6	8.3	8.6	0.0	0.0	83.1	10	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN DEW PT TMP (F)	74	74	73	73	75	74	74	74	73	73	73	73	74	0	-50
MEAN REL HUM (PCT)	83	82	81	80	81	79	78	78	80	81	82	82	81	10	21732
MEAN PRESS ALT (FT)	69	59	99	129	139	129	139	129	119	99	99	99	109	0	-50
MEAN PRECIP (IN)	4.77	2.28	3.39	5.88	9.27	12.00	10.53	10.01	13.05	14.17	12.05	10.20	107.6	42	-47
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	6.7	4.1	5.1	5.5	5.3	15.9	14.8	14.3	14.8	15.4	14.2			42	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	1.8	2.7	4.9	11.3	14.5	8.3	8.4	4.6	6.5	6.4	4.7	3.9	78.1	10	3542
P FREQ WND SPD = OR GTR 17 KTS	2.2	3.4	0.5	0.1	0.2	0.7	0.5	0.4	0.8	0.6	0.3	0.5	0.9	9	21731
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	21731
P FREQ LES 3000 FT A/D LES 3 MI	11.1	4.9	5.9	5.5	3.7	6.6	6.2	5.2	7.1	6.6	6.4	6.3	6.3	17	6732
P FREQ LES 1900 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST	10.5	0.0	2.7	5.0	1.3	1.2	2.2	2.8	4.7	2.2	5.9	0.0	3.2	5	742
06-08 LST	1.8	1.0	2.2	1.7	1.6	1.4	2.0	1.0	1.4	2.4	2.3	1.6	1.7	17	2501
09-11 LST	6.0	2.2	0.0	1.2	1.0	3.9	3.0	3.6	3.1	1.1	0.0	2.2	2.3	5	1108
12-14 LST	5.7	1.5	2.1	1.6	2.9	4.3	2.3	2.4	3.8	3.8	3.2	3.9	3.1	17	2494
15-17 LST	16.7	4.8	3.0	3.0	2.9	2.7	3.7	5.5	5.1	7.2	5.3	5.7	5.5	5	1119
18-20 LST	12.7	6.3	2.2	7.7	6.6	10.7	15.5	7.3	13.2	10.3	8.4	8.7	9.1	17	3147
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST	2.6	0.0	0.0	1.7	0.0	0.0	1.1	0.0	1.6	0.0	2.0	0.0	0.8	5	742
06-08 LST	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	2501
09-11 LST	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	5	1108
12-14 LST	1.0	0.0	0.5	0.0	0.0	0.9	0.5	0.5	0.0	0.0	0.0	0.0	0.3	17	2494
15-17 LST	4.5	0.0	0.0	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	5	1119
18-20 LST	4.0	1.3	0.0	1.6	1.6	4.1	5.3	0.0	2.6	1.8	1.5	1.5	2.1	17	3147
21-23 LST														0	0

KINABALU, NORTH BORNEO

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST	30.2	28.0	30.8	30.0	30.8	29.5	30.6	30.9	29.4	30.7	29.6	30.9	361.4	10	3611
	14 LST	29.9	27.9	31.0	29.7	30.2	28.9	30.6	30.2	29.3	30.1	28.8	30.3	356.9	10	3618
	20 LST	27.3	26.7	29.8	29.2	29.0	27.2	28.5	29.0	27.0	29.0	28.7	30.3	341.7	10	3609
	02 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	08 LST	30.2	27.9	30.8	29.8	30.3	28.6	29.9	30.2	28.5	29.8	28.9	30.8	355.7	10	3611
	14 LST	22.4	18.1	24.6	25.8	28.0	26.5	27.9	27.7	25.5	27.6	27.1	27.3	308.5	10	3618
	20 LST	25.2	22.7	28.2	28.7	28.5	26.7	27.8	27.8	26.5	28.2	28.2	29.9	328.4	10	3608
	02 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	08 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.2	0.0	0.1	0.1	0.3	10	3616
	14 LST	1.7	2.1	0.4	0.1	0.1	0.3	0.1	0.1	0.1	0.2	0.0	0.1	5.3	10	3622
	20 LST	0.1	0.7	0.1	0.0	0.1	0.1	0.0	0.0	0.0	0.2	0.0	0.0	1.3	10	3620
	02 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	08 LST	12.4	8.6	12.0	14.5	18.5	20.4	23.3	21.0	19.1	17.0	14.4	15.8	197.0	10	3616
	14 LST	19.5	16.3	22.1	23.0	22.2	21.0	24.2	23.6	22.3	23.2	22.9	23.1	263.4	10	3622
	20 LST	11.6	9.3	12.6	12.3	12.7	10.5	11.7	10.1	11.3	13.4	11.5	15.3	142.3	10	3620
	02 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST	2.8	3.1	4.6	5.2	1.5	1.7	2.3	0.4	1.3	1.4	2.0	1.3	27.6	10	3621
	14 LST	1.9	2.4	2.7	3.8	0.9	1.0	1.3	1.3	0.8	0.4	1.1	0.8	18.4	10	3619
	20 LST	2.6	3.5	3.1	2.4	0.8	0.5	0.6	0.7	0.5	1.0	1.8	2.3	19.8	10	3617
	02 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	08 LST	29.8	27.8	30.5	30.0	30.5	29.3	29.9	29.9	28.5	29.9	28.8	30.4	355.3	9	3611
	14 LST	29.1	27.6	30.4	29.2	29.5	27.9	30.1	29.5	28.5	29.3	27.8	30.1	349.0	9	3618
	20 LST	26.7	26.0	29.1	28.9	28.0	26.0	27.4	27.8	25.5	27.3	29.4	29.0	331.1	9	3609
	02 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	08 LST	26.6	25.7	28.8	28.8	28.9	27.4	28.4	27.6	26.0	27.4	26.2	28.6	330.4	9	3611
	14 LST	27.2	26.0	29.7	28.5	28.7	27.4	29.3	28.5	27.3	27.8	26.3	28.8	335.5	9	3618
	20 LST	23.9	23.2	26.4	27.2	25.0	24.0	24.5	23.6	21.8	24.1	24.2	26.8	294.7	9	3609
	02 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST	26.5	25.7	28.8	28.8	28.9	27.4	28.5	27.6	25.9	27.4	26.1	28.2	329.8	9	3611
	14 LST	27.2	25.9	29.6	28.5	28.7	27.3	29.1	28.4	27.3	27.7	26.3	28.6	334.6	9	3618
	20 LST	23.9	23.2	26.4	27.2	25.0	24.0	24.4	23.6	21.8	24.1	24.2	26.7	294.5	9	3609
	02 LST														0	0

AREA NO. 02

PARAMETER DESCRIPTION	BOUNDARIES	NORTHWEST COAST				LATITUDE 0600N				LONGITUDE 11610E				ANN
		0642N 11638E	0630N 11640E	0630N 11640E	0630N 11640E	0630N 11640E	0630N 11640E	0500N 11527E	0500N 11527E	0500N 11527E	0500N 11527E			
		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
MEAN MAX TMP (F)		86	86	87	89	89	88	88	88	87	87	87	86	87
MEAN MIN TMP (F)		75	75	75	76	76	76	76	75	75	75	75	75	75
LARGEST MEAN PRECIP(IN)		4.77	4.60	5.90	11.70	13.60	13.80	12.50	11.70	16.40	18.30	16.50	11.20	141.0
SMALLEST MEAN PRECIP(IN)		4.40	2.28	3.39	5.88	9.27	12.00	10.53	10.01	13.05	14.17	12.05	10.20	107.2
		MEAN NUMBER OF DAYS												
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST	30.2	28.0	30.3	30.0	30.7	29.0	30.1	31.0	29.2	30.4	29.3	29.8	358.0
	14 LST	30.5	27.8	31.0	29.9	30.6	29.1	30.7	30.6	29.5	30.4	29.1	30.7	359.9
	20 LST	27.6	27.0	29.8	28.7	29.3	27.3	28.3	27.7	25.8	26.9	27.7	28.8	334.9
	02 LST													
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	08 LST	29.5	26.1	29.0	27.9	29.9	27.3	27.9	29.0	27.1	26.7	27.0	27.5	334.9
	14 LST	22.3	17.3	21.8	24.5	27.2	24.5	25.5	25.8	23.5	24.7	23.8	24.4	285.3
	20 LST	20.2	18.5	23.4	26.4	28.1	26.0	27.1	25.8	24.3	24.2	25.6	25.2	294.8
	02 LST													
SFC WND = GTR 17 KTS AND NO PRECIP.	08 LST	0.0	0.4	0.0	0.0	0.0	0.2	0.3	0.0	0.1	0.0	0.1	0.1	1.2
	14 LST	0.9	1.6	1.0	0.1	0.1	0.7	0.1	0.6	0.3	0.3	0.0	0.7	6.4
	20 LST	0.8	0.9	1.1	0.2	0.1	0.1	0.0	0.1	0.3	0.5	0.1	0.2	4.4
	02 LST													
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	08 LST	13.0	9.3	13.0	12.8	17.3	16.7	18.6	17.9	16.5	14.4	12.6	13.3	175.4
	14 LST	19.5	15.2	21.8	19.8	20.9	19.2	22.9	20.8	21.5	22.2	19.3	19.1	242.2
	20 LST	11.8	9.8	13.2	11.8	10.7	8.1	9.4	8.8	7.4	10.1	9.9	12.1	123.1
	02 LST													
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST	2.1	2.9	3.7	4.4	2.1	1.1	1.9	1.2	0.9	1.9	1.6	1.5	23.3
	14 LST	2.4	3.7	3.7	4.4	1.6	1.7	2.8	2.0	0.8	1.7	1.3	1.0	27.1
	20 LST	3.5	3.5	5.0	2.8	1.7	1.6	1.9	1.6	1.3	1.1	2.4	2.2	28.6
	02 LST													
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	08 LST	29.8	27.1	29.2	28.3	30.5	28.4	29.5	29.9	28.3	28.9	28.3	29.3	347.5
	14 LST	29.7	27.2	30.5	29.4	30.3	28.3	30.2	30.3	28.5	29.8	28.0	30.4	352.6
	20 LST	27.1	26.5	29.3	28.6	28.6	26.4	27.6	26.8	24.7	25.7	27.5	27.9	326.7
	02 LST													
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	08 LST	28.2	25.8	28.3	27.7	29.7	27.5	28.7	28.8	26.8	27.6	27.0	28.4	334.5
	14 LST	28.5	26.4	30.1	29.0	29.9	28.0	29.8	29.8	27.9	29.0	27.3	29.7	345.4
	20 LST	25.6	25.1	28.0	27.7	27.1	25.4	26.0	24.7	22.9	24.1	24.9	26.6	308.1
	02 LST													
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST	27.9	25.8	28.3	27.7	29.7	27.5	28.8	28.8	26.8	27.6	26.9	28.2	334.0
	14 LST	28.5	26.4	30.1	29.0	29.9	28.0	29.7	29.7	27.9	29.0	27.3	29.6	345.1
	20 LST	25.6	25.1	28.0	27.7	27.1	25.4	25.9	24.7	22.9	24.1	24.9	26.5	307.9
	02 LST													

RANAU/SINARUT, NORTH BORNEO

STA NO. 49612 (IN AREA NUMBER 03)

LATITUDE 0558N

LONGITUDE 11640E

ELEVATION(FT) 01800

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)														0	0
MEAN MAX TMP (F)	80	81	83	84	84	83	83	83	83	82	81	80	82	0	-50
MEAN MIN TMP (F)														0	0
ABS MIN TMP (F)														0	0
MEAN NO DYS TMP = DR GTR 90(F)														0	0
MEAN NO DYS TMP = DR LES 32(F)														0	0
MEAN NO DYS TMP = DR LES 0(F)														0	0
MEAN DEW PT TMP (F)	70	69	70	71	72	72	72	72	72	73	73	71	71	0	-50
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)	1860	1850	1890	1920	1930	1920	1930	1920	1910	1890	1890	1890	1900	0	-50
MEAN PRECIP (IN)	8.25	4.81	4.25	5.19	9.22	11.76	8.91	7.17	8.35	9.36	5.44	8.43	90.5	4	-47
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = DR GTR 0.1 IN		6.7	5.5	5.6	5.3	15.8	12.9	11.8	11.5	12.3	8.7			4	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

RANAU/SINARUT, NORTH BORNEO

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
	02 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
	02 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
	02 LST													0	0
SPC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
	02 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
	02 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
	02 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
	02 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
	02 LST													0	0

DATA NOT AVAILABLE

TAMBUNAN, NORTH BORNEO

STA NO. 49613/ (IN AREA NUMBER 03)

LATITUDE 0540N

LONGITUDE 11622E

ELEVATION(FT) 01200

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	91	94	97	96	95	95	95	95	95	98	93	96	98	10	-155
MEAN MAX TMP (F)	86	87	89	90	90	89	89	89	89	88	87	86	88	9	-155
MEAN MIN TMP (F)	67	65	66	67	68	67	66	66	67	67	67	68	67	9	-155
ABS MIN TMP (F)	56	54	58	61	61	60	57	59	61	63	61	58	54	10	-155
MEAN NO DYS TMP = OR GTR 90(F)	5.8	7.7	14.8	17.3	17.9	14.3	14.8	14.8	14.3	11.6	8.3	9.8	147.4	9	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	5.79	3.74	5.76	7.52	8.22	7.34	5.11	4.85	6.37	6.97	6.79	5.98	74.4	29	-47
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	7.2	5.9	5.5	5.3	5.2	11.9	9.7	9.4	9.7	10.2	10.1	7.3	97.4	29	-29
MEAN NO DYS SNFL = OR GTR 1.9 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 3 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

TAMBUNAN, NORTH BORNEO


MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
	02 LST													0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
	02 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
	02 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
	02 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
	02 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
	02 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
	02 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
	02 LST													0	0

DATA NOT AVAILABLE

AREA NO. 03

PARAMETER DESCRIPTION	NORTH BORNED		INTERIOR HIGHLND				LATITUDE 0510N		LONGITUDE 11630E					
	BOUNDARIES		0420N 11715E	0430N 11800E	0430N 11800E	0510N 11800E	0510N 01800E	0642N 11638E	0642N 11638E	0630N 11640E	0430N 11640E	0500N 11927E	0510N 01800E	0642N 11638E
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	
MEAN MAX TMP (F)	83	84	86	87	87	86	86	86	86	85	84	83	85	
MEAN MIN TMP (F)	67	65	66	67	68	67	66	66	67	67	67	68	67	
LARGEST MEAN PRECIP(IN)	8.25	4.81	5.76	7.52	9.22	11.76	8.31	7.17	8.35	9.36	6.79	8.43	95.7	
SMALLEST MEAN PRECIP(IN)	5.79	3.74	4.25	5.19	8.22	7.34	5.11	4.85	6.37	6.97	5.44	5.98	69.3	
	MEAN NUMBER OF DAYS													
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST	14 LST	20 LST	02 LST										
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	08 LST	14 LST	20 LST	02 LST										
SFC WND = GTR 17 KTS AND NO PRECIP.	08 LST	14 LST	20 LST	02 LST										
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	08 LST	14 LST	20 LST	02 LST										
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST	14 LST	20 LST	02 LST										
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	08 LST	14 LST	20 LST	02 LST										
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	08 LST	14 LST	20 LST	02 LST										
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST	14 LST	20 LST	02 LST										



BRUNEI

SERIA/ANDUKI, BRUNEI

STA NO. 49610/ (IN AREA NUMBER 01)

LATITUDE 0438N

LONGITUDE 11422E

ELEVATION(FT) 00007

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	91	90	93	92	93	95	93	94	93	92	92	92	95	10	-96449
MEAN MAX TMP (F)	86	86	87	88	88	88	88	88	87	87	87	87	87	10	-96449
MEAN MIN TMP (F)	74	74	74	75	75	75	74	74	74	74	74	74	74	10	-96449
ABS MIN TMP (F)	69	69	67	69	71	70	70	70	69	71	69	69	67	10	-96449
MEAN NO DYS TMP = OR GTR 90(F)	5.8	5.2	8.6	11.2	11.6	11.2	11.6	11.6	8.3	8.6	8.3	8.6	110.6	10	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN DEW PT TMP (F)	75	75	75	75	75	75	74	74	74	74	75	75	75	10	-29
MEAN REL HUM (PCT)	86	86	85	83	83	82	81	81	82	83	84	85	83	10	-96449
MEAN PRESS ALT (FT)	67	57	97	127	137	127	137	127	117	97	97	97	107	0	-50
MEAN PRECIP (IN)	16.75	6.52	5.53	4.37	8.21	12.03	8.49	8.43	11.79	11.73	14.45	11.27	119.6	10	-96449
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN		7.5	5.5	5.5	5.2	16.0	13.0	13.0	14.0	14.0	15.6			10	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	4.9	2.9	7.3	9.2	11.2	8.5	8.5	7.2	8.9	9.0	6.3	6.7	90.6	10	-96449
P FREQ WND SPD = OR GTR 17 KTS	2.9	4.4	2.1	1.0	1.5	2.8	2.1	1.7	2.8	1.1	1.9	1.3	2.1	10	-96449
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.0	0.0	0.1	0.0	0.3	0.1	10	-96449
P FREQ LES 5000 FT A/D LES 5 MI	15.5	13.2	11.1	9.5	8.6	7.8	8.2	8.3	10.9	8.6	12.5	14.8	10.8	9	-96449
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FDR 00-02 LST															
03-05 LST	8.3	6.5	8.1	5.5	5.7	6.5	3.1	4.7	6.1	5.8	8.3	9.5	6.5	8	-96449
06-08 LST	4.6	8.3	6.4	4.0	4.0	2.1	3.2	2.3	4.6	1.3	6.8	5.0	4.4	10	-96449
09-11 LST	8.9	5.5	5.0	1.9	2.8	1.7	2.1	2.2	2.4	1.3	3.8	7.6	3.8	10	-96449
12-14 LST	5.2	2.5	1.5	1.4	1.2	1.9	1.6	1.3	1.3	2.5	2.4	3.9	2.2	10	-96449
15-17 LST	3.9	1.8	0.5	0.5	0.8	1.8	2.3	1.2	3.9	1.2	3.6	2.8	2.0	10	-96449
18-20 LST	6.0	1.7	1.9	0.7	1.7	2.5	2.5	3.3	2.9	1.9	4.5	5.3	2.9	10	-96449
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FDR 00-02 LST															
03-05 LST	2.9	1.4	1.5	2.3	0.4	3.1	0.4	0.4	0.9	0.4	1.7	1.7	1.4	8	-96449
06-08 LST	1.0	2.2	1.7	0.4	0.3	0.0	0.8	0.0	0.0	0.3	0.3	1.4	0.7	10	-96449
09-11 LST	0.3	0.7	0.0	0.0	0.0	0.7	0.0	0.0	0.3	0.0	0.3	0.7	0.3	10	-96449
12-14 LST	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.0	0.1	10	-96449
15-17 LST	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.3	0.0	0.1	10	-96449
18-20 LST	1.7	0.7	0.0	0.0	0.0	1.0	0.8	0.6	0.7	0.7	1.0	2.0	0.7	10	-96449
21-23 LST														0	0

SERIA/ANDUKI, BRUNEI

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG ≥ GTR 1000 FT AND VSBY = GTR 3 MI	08 LST	29.4	26.1	29.4	29.2	30.1	29.7	30.2	30.6	28.9	30.7	28.3	29.8	352.4	10	-96449
	14 LST	29.9	27.7	30.8	29.9	30.8	29.5	30.8	30.7	30.0	30.5	29.5	30.5	360.6	10	-96449
	20 LST	29.1	27.4	30.7	29.9	30.7	29.4	30.4	30.2	29.3	30.6	29.1	29.6	356.4	10	-96449
	02 LST														0	0
CIG ≥ GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	08 LST	28.6	25.6	29.0	28.8	29.9	28.2	28.9	29.5	27.8	29.6	27.1	28.4	341.4	10	-96449
	14 LST	23.5	19.7	22.8	24.7	27.0	26.5	26.5	26.2	24.9	26.0	24.2	26.7	298.7	10	-96449
	20 LST	27.9	25.6	30.4	29.0	29.4	28.5	28.1	28.4	27.1	28.6	27.2	28.5	338.7	10	-96449
	02 LST														0	0
SFC WND ≥ GTR 17 KTS AND NO PRECIP.	08 LST	0.0	0.2	0.1	0.0	0.0	0.1	0.1	0.1	0.3	0.0	0.0	0.1	1.0	10	-96449
	14 LST	2.0	2.5	1.5	0.7	1.3	1.2	0.8	0.9	1.1	0.9	0.9	0.6	14.4	10	-96449
	20 LST	0.2	0.4	0.0	0.0	0.2	0.2	0.7	0.2	0.2	0.0	0.1	0.1	2.3	10	-96449
	02 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	08 LST	9.6	7.2	9.7	11.9	16.0	12.6	14.1	13.4	12.7	14.4	12.4	11.5	145.5	10	-96449
	14 LST	18.1	16.5	17.5	20.8	19.0	18.1	20.4	19.8	18.0	19.3	17.8	18.5	223.8	10	-96449
	20 LST	7.3	8.1	7.6	7.5	9.8	9.3	9.0	9.7	9.6	8.1	7.3	7.2	100.5	10	-96449
	02 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST	1.3	1.7	4.0	4.0	2.6	1.7	2.7	1.9	1.6	1.4	2.2	1.8	26.9	10	-96449
	14 LST	0.7	1.4	3.1	4.2	2.3	4.5	3.4	2.4	2.5	1.5	0.8	1.1	27.9	10	-96449
	20 LST	2.8	3.0	4.6	4.6	4.0	3.8	3.3	3.1	1.3	2.3	2.2	2.1	37.1	10	-96449
	02 LST														0	0
CIG ≥ GTR 2500 FT AND VSBY = GTR 3 MI	08 LST	28.4	25.1	28.6	28.4	29.3	29.0	29.8	30.0	28.3	30.3	27.4	28.9	343.5	9	-96449
	14 LST	28.7	26.1	30.0	29.2	30.3	29.3	30.2	30.4	29.2	29.8	29.0	29.1	351.3	9	-96449
	20 LST	29.0	27.1	30.0	29.6	30.2	29.1	30.0	29.8	29.0	30.2	28.1	29.1	351.2	9	-96449
	02 LST														0	0
CIG ≥ GTR 6000 FT AND VSBY = GTR 3 MI	08 LST	27.7	24.8	28.3	28.2	28.7	28.9	29.7	29.7	28.0	30.0	26.8	28.6	339.4	9	-96449
	14 LST	28.3	25.3	29.7	28.8	30.2	29.3	29.8	30.2	29.0	29.7	29.0	29.0	348.3	9	-96449
	20 LST	28.7	27.0	29.7	29.4	30.1	29.0	29.8	29.7	28.6	30.1	27.9	29.0	349.0	9	-96449
	02 LST														0	0
CIG ≥ GTR 10000 FT AND VSBY = GTR 3 MI	08 LST	27.7	24.5	28.2	28.2	28.7	28.9	29.7	29.6	28.0	30.0	26.8	28.6	338.9	9	-96449
	14 LST	28.3	25.3	29.7	28.8	30.2	29.3	29.8	30.2	29.0	29.7	29.0	29.0	348.3	9	-96449
	20 LST	28.7	27.0	29.7	29.4	30.1	29.0	29.8	29.7	28.6	30.1	27.9	29.0	349.0	9	-96449
	02 LST														0	0

BRUNEI, BRUNEI

STA NO. 96315 (IN AREA NUMBER 01)

LATITUDE 0455N

LONGITUDE 11455E

ELEVATION(FT) 00010

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	91	90	93	92	93	95	93	94	93	92	92	92	95	10	-96449
MEAN MAX TMP (F)	86	86	87	88	88	88	88	88	87	87	87	87	87	10	-96449
MEAN MIN TMP (F)	74	74	74	75	75	75	74	74	74	74	74	74	74	10	-96449
ABS MIN TMP (F)	69	69	67	69	71	70	70	70	69	71	69	69	67	10	-96449
MEAN NO DYS TMP = OR GTR 90(F)	5.8	5.2	8.6	11.2	11.6	11.2	11.6	11.6	8.3	8.6	8.3	8.6	110.6	10	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN DEW PT TMP (F)	75	75	75	75	75	75	74	74	74	74	75	75	75	10	-29
MEAN REL HUM (PCT)	86	86	85	83	83	82	81	81	82	83	84	85	83	10	-96449
MEAN PRESS ALT (FT)	70	60	100	130	140	130	140	130	120	100	100	100	110	0	-50
MEAN PRECIP (IN)	16.75	6.52	5.53	4.37	8.21	12.03	8.49	8.43	11.79	11.73	14.45	11.27	119.6	10	-96449
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN		7.5	5.5	5.5	5.2	16.0	13.0	13.0	14.0	14.0	15.6			10	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS W/OCCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSMS	4.9	2.9	7.3	9.2	11.2	8.5	8.5	7.2	8.9	9.0	6.3	6.7	90.6	10	-96449
P FREQ WND SPD = OR GTR 17 KTS	2.9	4.4	2.1	1.0	1.5	2.8	2.1	1.7	2.8	1.1	1.9	1.3	2.1	10	-96449
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.0	0.0	0.1	0.0	0.3	0.1	10	-96449
P FREQ LES 3000 FT A/D LES 5 MI	15.5	13.2	11.1	9.5	8.6	7.8	8.2	8.3	10.9	8.6	12.5	14.8	10.8	9	-96449
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST	8.3	6.5	8.1	5.5	5.7	6.5	3.1	4.7	6.1	5.8	8.3	9.5	6.5	8	-96449
06-08 LST	4.6	8.3	6.4	4.0	4.0	2.1	3.2	2.3	4.6	1.3	6.8	3.0	4.4	10	-96449
09-11 LST	8.9	5.5	5.0	1.9	2.8	1.7	2.1	2.2	2.4	1.3	3.8	7.6	3.8	10	-96449
12-14 LST	5.2	2.5	1.5	1.4	1.2	1.9	1.6	1.3	1.3	2.5	2.4	3.9	2.2	10	-96449
15-17 LST	3.9	1.8	0.5	0.5	0.8	1.8	2.3	1.2	3.9	1.2	3.6	2.8	2.0	10	-96449
18-20 LST	6.0	1.7	1.9	0.7	1.7	2.5	2.5	3.3	2.9	1.9	4.5	5.3	2.9	10	-96449
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST	2.9	1.4	1.5	2.3	0.4	3.1	0.4	0.4	0.9	0.4	1.7	1.7	1.4	8	-96449
06-08 LST	1.0	2.2	1.7	0.4	0.3	0.0	0.8	0.0	0.0	0.3	0.3	1.4	0.7	10	-96449
09-11 LST	0.3	0.7	0.0	0.0	0.0	0.7	0.0	0.0	0.3	0.0	0.3	0.7	0.3	10	-96449
12-14 LST	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.3	0.0	0.1	10	-96449
15-17 LST	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.3	0.0	0.1	10	-96449
18-20 LST	1.7	0.7	0.0	0.0	0.0	1.0	0.8	0.0	0.7	0.7	1.0	2.0	0.7	10	-96449
21-23 LST														0	0

BRUNEI, BRUNEI

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG ≥ GTR 1000 FT AND VSBY = GTR 3 MI	08 LST	29.4	26.1	29.4	29.2	30.1	29.7	30.2	30.6	28.9	30.7	28.3	29.8	352.4	10	-96449
	14 LST	29.9	27.7	30.8	29.9	30.8	29.5	30.8	30.7	30.0	30.5	29.5	30.5	360.6	10	-96449
	20 LST	29.1	27.4	30.7	29.9	30.7	29.4	30.4	30.2	29.3	30.6	29.1	29.6	356.4	10	-96449
	02 LST														0	0
CIG ≥ GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	08 LST	28.6	25.6	29.0	28.8	29.9	28.2	28.9	29.5	27.8	29.6	27.1	28.4	341.4	10	-96449
	14 LST	23.5	19.7	22.8	24.7	27.0	26.5	26.5	26.2	24.9	26.0	24.2	26.7	298.7	10	-96449
	20 LST	27.9	25.6	30.4	29.0	29.4	28.5	28.1	28.4	27.1	28.6	27.2	28.5	338.7	10	-96449
	02 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	08 LST	0.0	0.2	0.1	0.0	0.0	0.1	0.1	0.1	0.3	0.0	0.0	0.1	1.0	10	-96449
	14 LST	2.0	2.5	1.5	0.7	1.3	1.2	0.8	0.9	1.1	0.9	0.9	0.6	14.4	10	-96449
	20 LST	0.2	0.4	0.0	0.0	0.2	0.2	0.7	0.2	0.2	0.0	0.1	0.1	2.3	10	-96449
	02 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	08 LST	9.6	7.2	9.7	11.9	16.0	12.6	14.1	13.4	12.7	14.4	12.4	11.5	143.5	10	-96449
	14 LST	18.1	16.5	17.5	20.8	19.0	18.1	20.4	19.8	18.0	19.3	17.8	18.5	223.8	10	-96449
	20 LST	7.3	8.1	7.6	7.5	9.8	9.3	9.0	9.7	9.6	8.1	7.3	7.2	100.5	10	-96449
	02 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST	1.3	1.7	4.0	4.0	2.6	1.7	2.7	1.9	1.6	1.4	2.2	1.8	26.9	10	-96449
	14 LST	0.7	1.4	3.1	4.2	2.3	4.5	3.4	2.4	2.5	1.5	0.8	1.1	27.9	10	-96449
	20 LST	2.8	3.0	4.6	4.6	4.0	3.8	3.3	3.1	1.3	2.3	2.2	2.1	37.1	10	-96449
	02 LST														0	0
CIG ≥ GTR 2500 FT AND VSBY = GTR 3 MI	08 LST	28.4	25.1	28.6	28.4	29.3	29.0	29.8	30.0	28.3	30.3	27.4	28.9	343.5	9	-96449
	14 LST	28.7	26.1	30.0	29.2	30.3	29.3	30.2	30.4	29.2	29.8	29.0	29.1	351.3	9	-96449
	20 LST	29.0	27.1	30.0	29.6	30.2	29.1	30.0	29.9	29.0	30.2	28.1	29.1	351.2	9	-96449
	02 LST														0	0
CIG ≥ GTR 6000 FT AND VSBY = GTR 3 MI	08 LST	27.7	24.8	28.3	28.2	28.7	28.9	29.7	29.7	28.0	30.0	26.8	28.6	339.4	9	-96449
	14 LST	28.3	25.3	29.7	28.8	30.2	29.3	29.8	30.2	29.0	29.7	29.0	29.0	348.3	9	-96449
	20 LST	28.7	27.0	29.7	29.4	30.1	29.0	29.8	29.7	28.6	30.1	27.9	29.0	349.0	9	-96449
	02 LST														0	0
CIG ≥ GTR 10000 FT AND VSBY = GTR 3 MI	08 LST	27.7	24.5	28.2	28.2	28.7	28.9	29.7	29.6	28.0	30.0	26.8	28.6	338.9	9	-96449
	14 LST	28.3	25.3	29.7	28.8	30.2	29.3	29.8	30.2	29.0	29.7	29.0	29.0	348.3	9	-96449
	20 LST	28.7	27.0	29.7	29.4	30.1	29.0	29.8	29.7	28.6	30.1	27.9	29.0	349.0	9	-96449
	02 LST														0	0

AREA NO. 01

BRUNEI


COASTAL LOWLANDS
BOUNDARIES

LATITUDE 0430N LONGITUDE 11430E

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)													
MEAN MIN TMP (F)													
LARGEST MEAN PRECIP(IN)													
SMALLEST MEAN PRECIP(IN)													
	MEAN NUMBER OF DAYS												
CIG ≥ GTR 1000 FT AND VSBY ≥ GTR 3 MI	00 LST												
	06 LST												
	12 LST												
	18 LST												
CIG ≥ GTR 2000 FT AND VSBY ≥ GTR 3 MI W/SFC WND LES 10 KTS	00 LST												
	06 LST												
	12 LST												
	18 LST												
SFC WND ≥ GTR 17 KTS AND NO PRECIP.	00 LST												
	06 LST												
	12 LST												
	18 LST												
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST												
	06 LST												
	12 LST												
	18 LST												
SKY COVER LES 3/10 AND VSBY ≥ GTR 3 MI	00 LST												
	06 LST												
	12 LST												
	18 LST												
CIG ≥ GTR 2500 FT AND VSBY ≥ GTR 3 MI	00 LST												
	06 LST												
	12 LST												
	18 LST												
CIG ≥ GTR 6000 FT AND VSBY ≥ GTR 3 MI	00 LST												
	06 LST												
	12 LST												
	18 LST												
CIG ≥ GTR 10000 FT AND VSBY ≥ GTR 3 MI	00 LST												
	06 LST												
	12 LST												
	18 LST												

DATA NOT AVAILABLE

CAMBODIA



BATTAMBANG, CAMBODIA

STA NO. 48962 (IN AREA NUMBER 01)

LATITUDE 1306N

LONGITUDE 10312E

ELEVATION(FT) 0009

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	100	101	105	106	105	101	97	96	94	93	93	95	106	21	-157
MEAN MAX TMP (F)	88	92	95	96	93	91	89	89	88	86	86	86	90	13	-157
MEAN MIN TMP (F)	67	70	73	76	76	76	76	76	75	74	72	68	73	13	-157
ABS MIN TMP (F)	50	58	61	61	66	70	70	72	68	67	54	51	50	21	-157
MEAN NO DYS TMP = DR GTR 90(F)	11.6	21.4	29.8	29.7	26.3	20.3	14.8	14.8	11.2	5.8	5.6	5.8	197.1	13	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21	-29
MEAN DEW PT TMP (F)	64	67	70	72	74	74	75	75	75	74	71	68	72	13	-29
MEAN REL HUM (PCT)	67	66	67	67	73	75	79	80	83	83	79	75	75	12	9625
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.20	0.70	1.90	3.40	6.20	5.80	6.10	6.10	10.20	8.80	3.30	1.00	53.7	29	-157
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	0.5	1.5	3.8	5.2	5.5	10.4	10.7	10.7	12.9	11.8	6.4	2.1	81.5	29	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.4	2.7	5.7	10.4	17.1	8.5	13.4	14.2	8.8	7.9	2.9	0.5	92.5	12	622
P FREQ WND SPD = DR GTR 17 KTS	0.1	0.4	0.0	0.5	0.3	1.1	0.3	0.4	0.0	0.1	0.3	0.1	0.3	12	9609
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	9609
P FREQ LES 3000 FT A/D LES 5 MI	12.5	13.5	17.5	14.2	25.2	23.4	23.4	31.5	28.9	28.4	21.9	15.4	21.3	5	8980
P FREQ LES 1900 FT A/D LES 3 MI															
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	7.2	18.4	9.1	4.5	6.1	4.3	7.8	7.0	11.9	21.4	13.7	10.2	10.1	10	2602
09-11 LST	0.7	3.3	3.2	2.6	6.6	3.8	4.3	11.5	11.9	21.4	15.4	3.4	7.7	8	1678
12-14 LST	1.1	3.6	5.8	2.7	10.7	12.5	15.7	15.7	22.7	18.2	13.9	7.5	10.8	10	2186
15-17 LST	1.1	3.0	5.2	7.2	18.7	20.9	23.9	24.4	29.2	15.5	4.8	2.7	13.1	5	1480
18-20 LST	0.8	1.1	2.1	2.3	6.8	9.8	3.0	8.6	5.7	10.6	5.2	2.0	4.8	5	1034
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	5.8	1.4	3.5	1.5	2.5	0.5	2.2	0.5	4.0	7.0	4.7	4.6	3.2	10	2602
09-11 LST	0.0	0.0	1.3	0.0	0.0	0.7	0.0	2.0	0.0	1.6	0.7	0.0	0.5	8	1678
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.5	0.5	0.6	2.0	2.6	0.5	0.0	0.6	10	2186
15-17 LST	0.0	0.0	0.0	1.4	0.0	1.6	2.8	1.9	0.9	0.9	0.0	0.0	0.8	5	1480
18-20 LST	0.0	0.0	1.0	0.0	4.5	3.7	2.0	1.9	0.0	1.6	1.2	0.0	1.3	5	1034
21-23 LST														0	0

BATTAMBANG, CAMBODIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	28.7	27.0	28.3	29.1	29.6	29.1	28.9	29.7	27.5	25.0	26.8	28.4	338.1	10	2602
	13 LST	30.9	28.0	30.7	30.0	30.6	28.6	28.9	29.3	25.9	27.6	27.7	29.9	348.1	10	2186
	19 LST	31.0	28.0	30.7	29.5	29.6	28.3	30.1	29.8	29.3	29.0	29.0	31.0	355.3	5	1034
	01 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	28.6	26.7	28.3	28.9	29.6	29.0	28.6	29.5	27.5	25.0	26.6	28.4	336.7	10	2586
	13 LST	27.9	26.6	29.5	29.3	28.8	24.8	24.9	26.2	24.4	26.2	27.0	28.8	324.4	10	2186
	19 LST	30.8	28.0	29.7	29.1	29.1	27.5	29.7	28.6	28.6	29.0	28.9	31.0	350.0	5	1032
	01 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.3	10	2631
	13 LST	0.0	0.2	0.0	0.2	0.0	0.2	0.2	0.0	0.0	0.2	0.0	0.0	1.0	10	2244
	19 LST	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.3	5	1044
	01 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	3.7	3.3	3.5	4.5	5.6	7.1	7.1	6.1	3.9	5.5	4.7	5.2	60.2	10	2625
	13 LST	14.0	5.8	1.9	1.9	2.4	4.1	7.2	12.1	13.7	13.5	16.9	15.1	108.6	10	2228
	19 LST	2.5	5.8	8.2	7.8	8.1	15.3	12.4	10.5	7.2	4.0	1.4	0.5	83.7	5	1044
	01 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	9.9	11.6	12.5	11.5	3.8	3.7	2.8	2.3	1.4	2.9	6.7	8.2	77.3	10	2660
	13 LST	13.0	8.8	8.1	5.2	1.8	1.3	1.6	0.3	0.6	4.3	6.7	7.8	59.5	10	2240
	19 LST	18.4	11.3	10.3	10.6	3.6	1.1	0.3	0.0	1.3	6.5	14.3	18.0	95.7	5	1042
	01 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	28.0	25.6	27.7	27.8	28.4	27.7	27.8	27.7	25.0	23.0	24.7	26.2	319.6	10	2062
	13 LST	29.3	25.0	26.4	28.0	22.2	22.3	22.4	22.6	19.8	22.9	23.9	26.2	291.0	10	2186
	19 LST	30.0	27.1	29.5	28.8	27.9	25.7	29.0	25.3	26.6	26.4	27.6	29.8	333.7	5	1034
	01 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	22.3	23.0	24.2	25.5	24.2	23.4	23.4	19.8	21.0	11.5	22.0	19.8	260.1	10	2062
	13 LST	27.4	23.5	24.3	26.1	19.8	20.3	20.6	20.4	18.8	22.3	22.9	24.6	271.0	10	2186
	19 LST	27.5	25.4	28.7	28.6	27.2	23.0	28.2	23.3	25.9	25.9	26.2	28.8	320.7	5	1034
	01 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	22.2	23.0	24.1	25.2	24.2	22.8	23.3	19.5	20.8	19.5	21.7	19.4	265.7	10	2062
	13 LST	27.4	23.5	24.3	26.1	19.8	20.3	20.6	20.4	18.8	22.3	22.9	24.5	270.9	10	2186
	19 LST	27.5	25.4	28.7	28.6	27.2	25.0	27.9	23.3	25.9	25.9	26.2	28.4	320.0	5	1034
	01 LST														0	0

SIEM REAP, CAMBODIA

STA NO. 48966 (IN AREA NUMBER 01)

LATITUDE 1325N

LONGITUDE 10349E

ELEVATION(FT) 00075

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
ABS MAX TMP (F)	95	98	102	103	105	102	96	95	94	93	94	94	105	28	-157
MEAN MAX TMP (F)	88	90	93	94	93	91	89	89	87	87	87	86	90	23	-157
MEAN MIN TMP (F)	67	70	74	76	76	76	75	75	75	73	71	67	73	23	-157
ABS MIN TMP (F)	49	55	59	64	66	64	66	66	68	63	54	50	49	29	-157
MEAN NO DYS TMP = DR GTR 90(F)	12.4	21.6	28.1	28.4	28.6	25.2	21.4	17.7	10.1	8.4	9.3	8.2	219.4	15	2423
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	3151
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	3151
MEAN DEW PT TMP (F)	66	71	69	74	74	76	76	77	76	73	71	68	73	4	644
MEAN REL HUM (PCT)	71	70	69	68	75	79	81	82	84	84	80	75	77	15	18251
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.10	0.50	1.00	2.50	5.90	7.00	7.90	7.90	10.60	9.30	3.40	0.60	56.7	37	-157
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	29	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	0.3	1.1	2.4	4.5	5.5	11.6	12.5	12.5	13.2	12.2	6.5	1.3	83.6	37	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	29	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	108
MEAN NO DYS TSTMS	0.0	3.5	1.6	3.8	0.0	0.0	0.0	10.3	0.0	0.0	2.0	0.0	21.2	4	108
P FREQ WND SPD = DR GTR 17 KTS	0.4	0.1	0.3	0.1	0.6	0.9	0.7	1.8	1.1	1.0	0.3	0.3	0.6	15	18361
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.0	0.0	0.0	15	18361
P FREQ LES 5000 FT A/D LES 5 MI	18.0	15.9	18.0	16.2	25.0	33.4	37.5	36.0	41.6	32.3	20.0	19.4	26.1	17	11448
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.0	0.0	4.0	0.0	6.7	5.9	0.0	0.0	1.4	7	295
03-05 LST	1.9	0.9	3.5	0.0	3.6	1.5	3.3	0.8	4.8	7.5	3.6	2.5	2.8	11	1282
06-08 LST	18.1	14.7	14.6	7.2	5.4	8.0	9.7	9.2	14.4	9.8	7.0	12.0	11.2	17	3928
09-11 LST	1.5	1.4	2.8	2.4	7.0	6.5	10.6	13.1	19.9	12.2	4.3	1.3	6.9	16	2246
12-14 LST	0.6	1.9	1.3	2.2	7.1	11.0	12.7	13.8	11.3	11.3	5.8	2.6	6.8	17	3781
15-17 LST	0.6	0.0	0.5	1.6	6.3	13.0	8.0	10.1	8.2	9.0	1.8	1.8	5.1	15	2213
18-20 LST	0.5	1.3	0.0	0.3	4.7	6.7	6.9	8.2	6.0	4.0	3.2	0.5	3.5	17	3949
21-23 LST		0.0	0.0	0.0	0.0	4.7	10.0	10.0	0.0	0.0	20.0	0.0		2	129
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	295
03-05 LST	1.3	0.0	1.7	0.0	3.6	0.0	0.0	0.0	1.0	3.3	0.0	0.0	0.9	11	1282
06-08 LST	9.6	7.2	6.9	7.7	1.8	0.9	0.9	2.5	1.0	1.5	1.6	6.1	3.4	17	3928
09-11 LST	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.5	0.6	0.0	0.0	0.4	0.2	16	2246
12-14 LST	0.0	0.3	0.0	0.0	1.3	0.0	1.5	1.3	0.4	1.4	0.6	0.3	0.6	17	3781
15-17 LST	0.0	0.0	0.0	0.0	0.5	2.9	0.5	1.8	0.0	1.1	0.0	0.0	0.6	15	2213
18-20 LST	0.3	0.3	0.0	0.0	1.2	1.0	1.6	0.3	1.4	0.6	0.6	0.0	0.5	17	3949
21-23 LST		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		2	129

SIEM REAP, CAMBODIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	26.0	24.5	27.1	28.4	28.8	28.1	28.6	28.8	26.6	29.0	28.5	27.7	332.1	16	3928
	13 LST	30.9	27.9	30.9	29.7	30.0	29.7	29.7	29.7	29.2	29.6	29.5	30.9	357.7	16	3781
	19 LST	30.9	27.8	31.0	30.0	30.5	28.9	30.2	29.7	28.9	30.4	29.6	31.0	358.9	16	3949
	01 LST	31.0	28.0	31.0	30.0	31.0	30.0	31.0	31.0	28.0	29.5	30.0	31.0	361.5	5	295
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	26.1	24.3	26.8	28.2	28.8	28.0	28.6	28.6	26.9	28.9	28.4	27.8	331.4	16	3894
	13 LST	29.7	26.4	29.6	28.7	28.9	25.8	27.4	25.4	26.6	29.2	29.2	30.5	337.4	16	3743
	19 LST	30.8	27.8	30.8	29.2	29.8	28.0	29.5	28.9	28.5	30.2	29.5	31.0	354.0	16	3931
	01 LST	31.0	28.0	31.0	30.0	31.0	30.0	31.0	28.9	28.0	29.5	30.0	31.0	359.4	5	293
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.0	0.0	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.4	16	4013
	13 LST	0.2	0.1	0.0	0.0	0.2	0.5	0.4	0.8	0.4	0.2	0.2	0.1	3.1	16	3878
	19 LST	0.0	0.0	0.0	0.1	0.2	0.1	0.1	0.3	0.2	0.0	0.1	0.0	1.1	16	3993
	01 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	302
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	3.0	3.4	4.0	3.1	3.3	2.8	1.2	0.8	2.5	2.3	2.3	1.6	30.3	16	3986
	13 LST	15.0	9.2	3.2	2.5	2.7	6.3	9.0	11.3	11.4	10.9	13.3	14.4	109.2	16	3825
	19 LST	1.1	1.6	1.3	3.4	4.7	4.3	4.3	7.0	3.3	2.5	1.2	1.3	36.0	16	3978
	01 LST	1.9	0.0	1.4	0.0	0.0	0.0	3.7	1.9	0.0	0.0	1.1	2.1	12.1	5	302
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	6.2	6.3	7.2	5.5	1.2	1.7	1.6	0.9	0.3	2.2	4.0	4.7	41.8	16	3992
	13 LST	7.6	8.5	5.6	3.4	0.4	0.2	0.4	0.2	0.0	0.9	1.2	3.2	31.6	16	3878
	19 LST	15.5	13.3	10.7	5.3	1.1	0.5	0.7	0.9	0.4	3.4	8.5	12.0	72.3	16	3983
	01 LST	10.7	9.0	9.6	5.5	0.0	0.0	2.5	1.9	0.0	4.4	5.4	8.6	57.6	5	302
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	25.7	24.1	26.1	27.5	27.0	27.6	27.4	27.0	24.4	26.5	27.4	27.3	318.0	15	3928
	13 LST	27.9	24.4	26.0	24.9	22.1	18.4	18.2	18.0	18.3	20.4	22.8	25.2	266.6	15	3781
	19 LST	30.5	27.4	30.9	29.5	28.0	25.8	27.3	26.2	26.9	28.6	28.2	30.4	339.7	14	3949
	01 LST	31.0	28.0	30.6	30.0	30.4	30.0	29.7	30.0	28.0	29.5	30.0	31.0	358.2	4	295
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	20.4	20.1	21.9	23.5	23.8	23.9	23.8	23.0	20.4	21.3	21.4	21.0	264.5	15	3928
	13 LST	24.7	21.2	21.4	20.2	16.2	12.4	11.2	11.7	11.7	15.0	17.6	20.2	203.5	15	3781
	19 LST	27.1	25.1	27.4	28.2	25.6	21.9	22.8	22.1	23.4	26.3	25.4	26.2	303.5	14	3949
	01 LST	26.0	25.8	29.6	26.1	29.8	28.3	27.1	26.9	20.0	29.5	24.2	28.8	322.1	4	295
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	19.8	20.0	21.9	23.5	23.6	23.9	23.4	22.9	20.3	21.0	21.3	21.0	262.6	15	3928
	13 LST	24.7	21.1	21.4	20.2	16.2	12.3	11.1	11.7	11.7	14.9	17.6	20.0	202.9	15	3781
	19 LST	26.9	25.1	29.2	28.2	25.6	21.5	22.7	21.7	23.4	26.1	25.2	25.9	301.5	14	3949
	01 LST	26.0	25.8	29.6	26.1	29.8	28.3	27.1	26.9	20.0	29.5	24.2	28.8	322.1	4	295

KRAKOR, CAMBODIA

STA NO. 48968 (IN AREA NUMBER 01)

LATITUDE 1231N

LONGITUDE 10411E

ELEVATION(FT) 00016

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	91	97	95	100	100	95	93	91	88	90	91	91	100	4	330
MEAN MAX TMP (F)	85	88	91	95	95	91	91	90	88	84	87	86	89	4	330
MEAN MIN TMP (F)	68	70	74	77	77	76	76	76	76	75	72	69	74	13	1658
ABS MIN TMP (F)	52	59	55	68	68	70	70	72	72	68	61	50	50	13	1658
MEAN NO DYS TMP = DR GTR 90(F)	10.9	15.0	24.5	30.0	31.0	28.9	26.7	24.1	0.0	1.6	5.0	8.2	205.9	4	330
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	1658
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	1658
MEAN DEW PT TMP (F)	66	67	70	74	77	75	76	76	76	73	72	69	73	9	-29
MEAN REL HUM (PCT)	72	70	69	70	76	78	79	81	83	82	79	77	76	10	7739
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.30	0.50	1.30	2.50	7.10	6.40	7.40	8.10	8.80	10.50	4.50	1.20	58.6	27	-157
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	0.7	1.1	2.9	4.5	5.3	11.0	12.0	12.7	11.8	13.1	7.8	2.4	85.3	27	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS	0.0	0.3	0.4	0.2	0.0	0.0	0.1	0.2	0.0	0.0	0.5	0.3	0.2	11	7697
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	7697
P FREQ LES 5000 FT A/D LES 5 MI	11.6	19.2	16.2	18.8	16.7	12.5	18.7	14.5	15.9	12.1	8.7	9.5	14.5	13	3152
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.0	5.9	5.6	6.7	0.0	0.0	12.5	0.0	0.0	2.6	3	137
03-05 LST														0	0
06-08 LST	2.4	9.9	8.3	9.6	6.5	4.0	1.6	5.0	3.5	5.4	5.3	1.0	5.2	15	2331
09-11 LST	2.2	6.2	2.2	9.5	3.0	1.7	1.5	3.9	4.7	4.2	4.4	1.0	3.7	14	1459
12-14 LST	0.5	2.8	1.0	2.7	8.0	3.0	4.1	3.4	2.2	0.7	1.2	0.0	2.5	15	1966
15-17 LST	0.0	1.6	3.0	0.0	5.6	5.3	5.4	6.3	1.5	1.5	0.0	0.0	2.5	11	777
18-20 LST	0.0	0.0	1.8	3.3	5.3	4.6	10.5	12.9	12.5	6.5	4.2	0.0	5.1	6	790
21-23 LST		12.5	0.0	0.0	8.3	0.0	0.0	0.0	25.0	0.0		0.0		2	96
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	137
03-05 LST														0	0
06-08 LST	0.8	3.9	2.8	6.6	1.1	1.0	0.0	1.1	1.2	1.2	2.1	0.0	1.8	15	2331
09-11 LST	0.7	1.0	0.0	2.2	0.0	0.0	0.0	0.8	0.0	0.8	0.0	0.0	0.5	14	1459
12-14 LST	0.0	0.0	0.0	0.7	0.6	0.0	0.0	0.7	0.0	0.0	0.0	0.0	0.2	15	1966
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	1.4	3.8	0.0	0.0	0.0	0.0	0.4	11	777
18-20 LST	0.0	0.0	0.0	0.0	2.7	2.3	1.3	3.2	0.0	2.2	2.8	0.0	1.2	6	790
21-23 LST		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		0.0		2	96

KRAKOR, CAMBODIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	30.5	25.5	28.7	27.4	29.8	29.6	31.0	30.0	29.3	29.9	28.9	30.8	351.4	12	2331
	13 LST	31.0	27.8	31.0	29.8	29.9	29.6	30.3	30.4	30.0	31.0	30.0	31.0	361.8	10	1966
	19 LST	31.0	28.0	31.0	30.0	29.8	29.3	29.8	30.0	27.2	29.0	28.8	31.0	354.9	5	790
	01 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	30.4	25.2	28.4	26.7	29.8	29.2	31.0	29.8	29.1	29.9	28.5	30.8	348.8	12	2398
	13 LST	29.1	26.2	29.0	28.8	29.6	29.1	29.9	29.3	30.0	30.8	29.4	30.6	351.8	10	1944
	19 LST	31.0	28.0	31.0	30.0	29.7	29.0	29.4	30.0	27.2	28.9	28.7	31.0	353.9	5	784
	01 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	12	2357
	13 LST	0.0	0.3	0.0	0.2	0.0	0.0	0.2	0.2	0.0	0.0	0.4	0.2	1.5	10	2001
	19 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	792
	01 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	5.8	5.2	8.5	7.5	6.3	2.4	2.2	1.0	1.6	5.3	5.6	4.6	58.0	12	2332
	13 LST	20.2	14.3	3.2	2.4	2.5	2.7	7.3	9.2	12.4	17.2	17.4	19.9	128.7	10	1979
	19 LST	1.1	0.7	6.5	2.0	3.7	5.4	2.9	3.6	1.8	2.8	0.9	0.3	31.7	5	792
	01 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	13.3	11.7	14.4	11.2	4.8	3.9	3.2	2.5	2.2	3.4	6.1	10.2	86.9	12	2378
	13 LST	17.3	16.1	17.0	7.2	1.3	2.0	2.0	1.4	1.3	3.4	11.3	16.8	98.9	10	2003
	19 LST	15.7	16.2	16.3	8.5	2.0	1.0	1.2	0.9	0.0	6.2	11.6	16.8	96.4	5	793
	01 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	29.8	25.0	28.0	26.2	27.7	27.9	29.7	29.0	28.4	28.3	27.2	29.8	337.0	10	2331
	13 LST	30.0	26.1	30.3	27.7	27.0	26.8	27.1	27.4	27.3	30.2	29.0	30.3	339.2	10	1966
	19 LST	30.6	27.6	30.4	30.0	26.7	27.6	26.7	30.0	27.2	28.6	28.1	30.4	343.9	3	790
	01 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	24.7	22.1	24.6	24.1	25.7	24.4	26.2	26.0	26.9	26.0	22.1	23.9	296.7	10	2331
	13 LST	28.8	25.1	29.9	26.1	26.0	24.9	24.8	25.0	25.7	29.7	28.0	29.3	323.3	10	1966
	19 LST	27.4	26.1	28.8	29.0	23.6	25.2	24.5	29.0	26.3	28.3	26.7	28.3	323.2	3	790
	01 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	24.5	16.5	24.6	24.1	25.3	23.9	26.2	25.9	26.3	26.0	21.4	23.5	288.2	10	2331
	13 LST	28.8	25.1	29.9	26.1	26.0	24.9	24.8	24.8	25.7	29.7	28.0	29.3	323.1	10	1966
	19 LST	27.4	26.1	28.8	29.0	23.6	24.5	24.5	29.0	26.3	28.3	26.7	28.3	322.5	3	790
	01 LST														0	0

STUNG TRENG, CAMBODIA

STA NO. 48972 (IN AREA NUMBER 01)

LATITUDE 1331N

LONGITUDE 10558E

ELEVATION(FT) 00177

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	97	99	101	105	102	99	102	102	93	93	94	93	103	29	-157
MEAN MAX TMP (F)	88	91	94	95	91	89	87	87	86	86	86	85	89	23	-157
MEAN MIN TMP (F)	66	69	74	77	76	75	74	75	74	73	71	66	73	23	-157
ABS MIN TMP (F)	49	52	63	68	66	67	68	67	66	63	53	50	49	29	-157
MEAN NO DYS TMP = OR GTR 90(F)	16.2	25.3	30.4	28.2	27.2	19.9	17.9	13.1	8.6	12.2	10.1	5.3	214.6	11	1948
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	2421
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	2421
MEAN DEW PT TMP (F)	64	65	67	71	74	75	74	75	75	73	70	69	71	20	-29
MEAN REL HUM (PCT)	67	63	61	65	76	81	82	84	85	81	78	79	75	15	12880
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.10	0.50	1.10	3.30	8.00	10.90	13.30	12.20	12.80	7.40	2.40	0.50	72.5	41	-157
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	29	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	0.3	1.1	2.6	5.1	5.2	15.1	16.9	16.1	14.7	10.6	3.4	1.1	94.2	41	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	29	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	1.0	1.0	4.0	12.0	10.0	5.0	8.0	6.0	4.0	1.0	0.0	92.0	4	-157
P FREQ WND SPD = OR GTR 17 KTS	0.4	0.1	0.1	0.2	0.2	0.4	0.1	0.1	0.0	0.1	0.0	0.1	0.2	15	12944
P FREQ WND SPD = OR GTR 28 KTS	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	15	12944
P FREQ LES 9000 FT A/D LES 5 MI	5.8	7.6	11.0	19.0	23.2	36.1	34.8	37.3	38.1	22.0	12.9	7.6	21.3	16	7325
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FDR 00-02 LST														0	0
03-05 LST	0.9	2.1	2.1	6.4	4.6	15.7	6.9	13.6	16.9	4.0	4.8	0.0	6.5	8	938
06-08 LST	0.7	3.7	2.7	10.0	14.6	19.3	22.7	27.2	37.5	18.4	6.4	1.9	13.8	17	3083
09-11 LST	0.6	0.8	2.3	6.8	10.8	14.2	17.2	22.8	27.3	13.5	3.9	0.0	10.0	15	1814
12-14 LST	1.2	0.5	1.3	3.6	6.2	12.3	12.1	13.8	16.4	4.8	3.4	1.5	6.4	17	2783
15-17 LST	0.7	0.0	0.7	1.9	1.2	6.9	4.8	8.6	7.1	1.3	0.7	0.6	2.9	14	1900
18-20 LST	0.5	1.1	2.1	1.1	2.3	11.1	6.7	7.5	6.6	4.8	1.9	0.5	3.9	13	2108
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FDR 00-02 LST														0	0
03-05 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.2	0.0	0.0	0.0	0.4	8	938
06-08 LST	0.0	0.0	0.0	0.0	0.4	0.4	0.8	0.8	1.3	1.1	0.4	1.5	0.6	17	3083
09-11 LST	0.0	0.0	0.0	0.8	0.0	0.7	0.6	0.0	0.0	0.0	0.0	0.0	0.2	15	1814
12-14 LST	0.0	0.0	0.0	0.0	0.4	0.4	0.8	0.4	0.5	0.0	0.0	0.0	0.2	17	2783
15-17 LST	0.0	0.0	0.0	0.6	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.1	14	1900
18-20 LST	0.0	0.6	0.0	0.5	0.0	2.8	1.2	0.6	2.0	0.7	0.0	0.0	0.7	13	2108
21-23 LST														0	0

STUNG TRENG, CAMBODIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG ≥ GTR 1000 FT AND VSBY ≥ GTR 3 MI	07 LST	30.9	27.3	30.5	28.4	28.9	26.1	26.7	24.5	21.6	26.1	28.6	30.5	330.1	16	3083
	13 LST	31.0	28.0	31.0	29.9	30.6	28.9	30.8	30.5	28.9	30.7	30.0	30.8	361.1	16	2783
	19 LST	30.9	27.8	30.5	29.8	30.8	28.8	30.1	30.8	28.8	30.4	30.0	31.0	359.7	11	2109
	01 LST														0	0
CIG ≥ GTR 2000 FT AND VSBY ≥ GTR 3 MI W/SFC WND LES 10 KTS	07 LST	30.6	27.1	30.4	28.3	28.9	25.9	26.5	24.5	21.4	25.8	28.6	30.4	328.4	16	3055
	13 LST	29.8	26.9	30.4	29.5	30.2	28.6	30.1	29.9	28.7	30.7	29.9	30.5	355.2	16	2750
	19 LST	30.9	27.7	30.4	29.7	30.3	28.5	29.5	30.8	28.8	30.1	29.8	31.0	357.5	11	2083
	01 LST														0	0
SFC WND ≥ GTR 17 KTS AND NO PRECIP.	07 LST	0.2	0.0	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.1	0.0	0.1	0.6	16	3139
	13 LST	0.2	0.1	0.1	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.5	16	2836
	19 LST	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	11	2153
	01 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	5.3	4.2	6.4	7.7	3.7	5.3	6.0	4.9	4.8	4.4	4.9	4.5	62.1	16	3108
	13 LST	19.5	11.2	3.3	2.6	5.5	8.0	12.0	15.4	11.6	15.6	16.0	19.1	139.8	16	2803
	19 LST	1.1	1.6	2.4	3.4	3.5	4.5	4.0	5.6	4.6	3.0	1.7	1.0	36.4	11	2115
	01 LST														0	0
SKY COVER LES 3/10 AND VSBY ≥ GTR 3 MI	07 LST	16.7	13.9	13.5	5.1	2.5	2.6	3.1	1.3	0.9	4.2	6.5	11.8	82.1	16	3143
	13 LST	15.9	14.9	14.5	4.9	0.8	2.1	2.7	1.3	2.4	5.3	5.3	10.6	80.7	16	2833
	19 LST	16.9	16.2	17.6	12.4	4.0	2.7	4.2	1.9	2.8	6.7	8.7	11.1	105.2	11	2141
	01 LST														0	0
CIG ≥ GTR 2500 FT AND VSBY ≥ GTR 3 MI	07 LST	30.8	26.5	29.4	25.2	23.8	22.4	21.7	20.2	15.8	24.2	27.3	30.3	297.6	14	3083
	13 LST	29.8	27.0	28.8	26.0	24.2	20.8	20.6	20.9	19.8	25.6	26.4	29.6	299.5	15	2783
	19 LST	30.8	27.5	30.2	29.0	28.9	24.5	27.2	25.8	25.7	27.6	29.3	30.5	337.0	10	2109
	01 LST														0	0
CIG ≥ GTR 6000 FT AND VSBY ≥ GTR 3 MI	07 LST	29.2	24.9	25.2	19.7	20.9	21.2	19.3	17.8	14.1	21.8	25.3	28.0	267.4	14	3083
	13 LST	29.3	26.0	27.2	23.4	20.0	17.2	17.1	18.4	17.8	22.7	24.8	28.4	272.3	15	2783
	19 LST	29.1	26.7	29.6	27.6	28.0	22.5	25.7	23.5	23.3	25.9	27.9	27.3	317.1	10	2109
	01 LST														0	0
CIG ≥ GTR 10000 FT AND VSBY ≥ GTR 3 MI	07 LST	29.1	24.9	25.2	19.4	20.9	21.2	19.3	17.7	14.1	21.3	25.2	27.7	266.0	14	3083
	13 LST	29.1	25.8	27.2	23.3	19.9	17.2	17.1	18.4	17.7	22.5	24.7	28.3	271.2	15	2783
	19 LST	29.1	26.7	29.6	27.6	28.0	22.3	25.7	23.5	23.3	25.9	27.7	27.3	316.7	10	2109
	01 LST														0	0

0080

KAMPOT, CAMBODIA

STA NO. 48985 (IN AREA NUMBER 01)

LATITUDE 1037N

LONGITUDE 10413E

ELEVATION(FT) 00016

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
ABS MAX TMP (F)	95	99	99	97	102	95	93	100	91	93	95	93	102	14	2337
MEAN MAX TMP (F)	88	89	90	91	91	89	88	87	87	88	87	87	89	15	2337
MEAN MIN TMP (F)	71	73	75	77	77	76	75	76	75	75	74	72	75	15	2895
ABS MIN TMP (F)	59	66	66	68	70	68	63	72	70	68	63	64	59	15	2895
MEAN NO DYS TMP = DR GTR 90(F)	10.9	14.6	23.3	26.5	25.8	17.6	10.7	9.6	6.1	11.0	8.3	7.8	172.2	15	2337
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	2895
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	2895
MEAN DEW PT TMP (F)	68	73	74	76	77	76	74	76	76	76	71	68	74	5	879
MEAN REL HUM (PCT)	71	74	74	76	79	81	83	84	85	84	79	72	79	17	17264
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.60	1.00	3.20	4.30	7.60	8.40	12.80	13.30	9.90	9.20	5.70	1.80	77.8	44	-157
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	1.3	2.1	5.0	5.5	5.3	12.9	16.5	16.9	12.7	12.2	9.0	3.4	102.8	44	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	140
MEAN NO DYS TSTMS	0.0	1.6	1.6	8.2	12.4	0.0	15.5	3.4	0.0	6.9	4.7	0.0	54.3	5	142
P FREQ WND SPD = DR GTR 17 KTS	6.4	2.6	3.1	2.8	2.1	3.7	3.3	3.8	2.1	1.4	5.4	9.2	3.8	15	17305
P FREQ WND SPD = DR GTR 28 KTS	0.1	0.0	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.2	0.0	0.1	0.1	15	17305
P FREQ LES 5000 FT A/D LES 5 MI	9.6	16.6	16.8	13.8	10.6	13.8	13.0	14.8	13.8	12.3	9.1	7.2	12.6	17	10135
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	4.5	2.8	2.6	0.0	7.4	4.8	5.0	6.3	0.0	0.0	0.0	0.0	2.8	7	328
03-05 LST	1.9	6.3	8.4	7.3	4.1	1.5	7.0	4.2	4.9	2.0	1.9	1.9	4.3	10	1197
06-08 LST	4.8	5.6	10.9	9.0	3.4	6.7	7.1	10.3	6.7	8.3	3.8	2.8	6.6	17	3607
09-11 LST	2.4	5.5	9.9	7.2	2.2	3.9	4.8	7.6	3.3	3.3	3.0	2.6	4.6	15	2176
12-14 LST	2.1	2.7	2.1	3.1	5.2	9.1	9.2	9.9	6.6	6.6	5.4	2.6	5.4	17	3454
15-17 LST	0.6	0.6	1.0	2.7	2.2	4.8	7.5	8.1	4.7	5.7	5.0	0.6	3.6	12	2123
18-20 LST	3.0	1.0	1.6	2.3	3.8	7.9	6.4	7.8	7.5	7.0	5.8	1.1	4.6	17	3839
21-23 LST	0.0	0.0	0.0	0.0	40.0	13.6	5.6	0.0	0.0	12.5	0.0	0.0	6.0	2	108
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.0	0.0	2.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	7	328
03-05 LST	0.0	0.0	0.0	3.1	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	10	1197
06-08 LST	0.8	0.4	0.6	3.2	0.3	1.0	1.6	3.1	0.7	2.3	0.8	0.0	1.2	17	3607
09-11 LST	0.0	0.6	1.6	1.2	0.6	0.6	1.0	0.5	0.7	1.1	0.6	1.1	0.8	15	2176
12-14 LST	0.0	0.3	0.6	1.0	1.6	1.8	2.0	2.1	1.6	1.2	1.6	1.3	1.3	17	3454
15-17 LST	0.0	0.0	0.5	0.5	1.1	1.6	2.0	3.3	1.7	1.3	1.9	0.6	1.2	12	2123
18-20 LST	1.5	0.7	1.0	0.3	1.2	1.2	1.8	2.5	3.2	1.3	0.6	0.6	1.3	17	3839
21-23 LST	0.0	0.0	0.0	0.0	20.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	2	108

KAMPOT, CAMBODIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	30.3	27.9	29.3	28.0	30.6	28.9	29.7	29.4	28.4	29.2	29.2	30.4	351.3	15	117
	13 LST	31.0	27.8	30.8	29.4	29.9	28.3	29.3	29.0	28.8	29.9	28.9	30.4	353.5	15	3034
	19 LST	30.2	27.8	30.7	29.7	30.2	28.6	29.0	29.3	28.1	29.5	28.8	30.7	352.6	15	3440
	01 LST	31.0	28.0	31.0	30.0	31.0	30.0	31.0	31.0	30.0	31.0	30.0	31.0	365.0	5	215
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	24.5	24.3	26.0	26.0	29.2	24.9	26.9	24.5	25.9	26.2	21.0	21.3	300.7	15	3091
	13 LST	18.2	17.9	17.9	17.7	17.7	13.3	16.4	16.1	17.0	22.1	18.2	15.5	208.0	15	3002
	19 LST	28.6	23.6	23.9	23.5	27.1	23.8	25.7	24.0	25.8	27.0	25.6	28.4	307.0	15	3427
	01 LST	29.8	26.9	27.1	30.0	31.0	23.3	31.0	28.6	25.0	31.0	25.0	31.0	339.7	5	215
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	1.8	0.1	0.1	0.1	0.1	0.2	0.2	0.5	0.1	0.1	2.5	2.5	8.3	15	3189
	13 LST	3.7	1.0	2.0	1.9	1.0	1.9	1.6	1.2	0.9	0.4	1.6	5.1	22.3	15	3105
	19 LST	0.2	0.6	0.5	0.5	0.2	0.4	0.2	0.2	0.0	0.1	0.3	0.7	3.9	15	3461
	01 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	222
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	17.9	12.0	13.7	16.1	15.3	8.4	9.5	8.6	7.9	16.2	18.5	17.8	161.9	15	3158
	13 LST	17.0	14.7	10.7	7.1	6.1	7.1	8.6	6.9	8.7	14.0	16.0	17.1	134.0	15	3065
	19 LST	14.6	14.0	17.1	16.3	15.9	13.1	13.2	13.5	10.0	10.0	12.3	15.1	165.1	15	3450
	01 LST	8.3	11.8	8.7	7.5	5.5	0.0	6.9	8.8	5.0	12.4	21.0	21.5	117.4	5	221
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	7.8	4.0	5.5	5.0	3.1	2.1	2.6	2.0	1.6	2.6	4.8	10.1	51.2	15	3181
	13 LST	8.4	7.6	9.9	6.6	1.7	0.6	2.5	0.9	0.9	1.1	3.7	6.8	50.7	15	3103
	19 LST	9.6	10.0	13.5	7.6	1.0	0.8	1.2	1.1	1.1	2.8	6.7	8.9	64.3	15	3463
	01 LST	14.9	16.1	18.4	8.0	3.6	3.3	0.0	0.0	0.0	2.0	13.5	17.5	97.3	5	223
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	28.7	24.0	24.6	25.3	28.6	25.7	28.0	26.4	26.9	26.7	28.2	29.7	322.8	15	3117
	13 LST	28.4	25.0	28.4	26.4	28.0	25.1	25.8	25.1	25.8	25.3	26.3	28.6	318.2	15	3034
	19 LST	29.0	27.3	29.8	28.4	28.5	25.1	26.1	25.4	25.4	26.0	27.5	29.9	328.4	15	3440
	01 LST	28.6	26.9	28.4	28.0	28.9	26.6	31.0	31.0	30.0	31.0	30.0	31.0	351.4	5	215
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	26.1	20.6	21.2	23.5	26.9	23.8	26.8	25.7	26.6	25.9	27.0	27.8	301.9	15	3117
	13 LST	27.4	23.7	26.7	25.5	26.9	24.3	25.1	23.9	24.7	23.8	25.5	27.5	305.0	15	3034
	19 LST	27.2	26.1	28.4	27.7	26.9	23.6	24.7	23.0	23.6	24.4	25.7	27.7	309.0	15	3440
	01 LST	26.2	25.8	23.3	28.0	28.9	26.6	31.0	28.6	30.0	31.0	29.0	29.6	338.0	5	215
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	25.9	20.4	21.2	23.4	26.8	23.8	26.6	25.5	26.2	25.4	26.3	27.4	298.9	15	3117
	13 LST	27.4	23.7	26.6	25.5	26.6	24.2	25.1	23.9	24.7	23.8	25.5	27.5	304.5	15	3034
	19 LST	27.1	26.0	28.4	27.7	26.8	23.6	24.7	23.0	23.5	24.4	25.7	27.5	308.4	15	3440
	01 LST	26.2	25.8	23.3	28.0	28.9	26.6	31.0	28.6	30.0	31.0	29.0	29.6	338.0	5	215

PHNOM PENH, CAMBODIA

STA NO. 43991 (IN AREA NUMBER 01)

LATITUDE 1133N

LONGITUDE 10451E

ELEVATION(FT) 00039

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	97	98	102	105	102	101	99	100	96	97	94	95	105	42	-157
MEAN MAX TMP (F)	88	91	93	95	93	91	90	90	88	87	86	86	90	37	-157
MEAN MIN TMP (F)	71	72	74	76	76	76	76	76	76	76	74	71	75	37	-157
ABS MIN TMP (F)	55	59	66	64	69	70	68	68	70	63	62	58	55	42	-157
MEAN NO DYS TMP = DR GTR 90(F)	11.6	18.9	26.3	28.8	26.3	20.3	17.9	17.9	11.2	8.6	5.6	5.8	199.2	37	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	42	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	42	-29
MEAN DEW PT TMP (F)	69	70	71	75	75	75	75	75	75	75	72	69	73	8	2911
MEAN REL HUM (PCT)	68	66	64	66	74	76	77	79	82	80	76	72	73	17	21804
MEAN PRESS ALT (FT)	6	36	76	106	146	156	156	156	136	86	66	26	96	0	-50
MEAN PRECIP (IN)	0.30	0.40	1.40	3.10	5.70	5.80	6.00	6.10	8.90	9.90	5.90	1.70	54.8	49	-157
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	42	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	0.7	0.9	3.1	5.0	5.5	10.4	10.6	10.7	11.9	12.7	8.8	3.3	83.6	49	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	42	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0	0.0	0.0	0.0	1.3	1.0	0.0	1.2	0.0	0.0	0.0	0.0	3.5	8	453
MEAN NO DYS TSTMS	0.0	0.7	0.6	3.3	1.3	3.0	5.1	2.5	4.6	5.0	2.1	0.8	29.0	8	450
P FREQ WND SPD = DR GTR 17 KTS	0.6	0.2	0.3	0.6	0.7	2.0	2.5	3.0	0.9	0.3	1.4	1.3	1.2	16	21848
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.0	16	21848
P FREQ LES 5000 FT A/D LES 5 MI	10.1	13.1	17.3	24.5	24.9	18.7	18.7	18.7	19.3	17.4	14.4	8.8	17.2	17	15438
P FREQ LES 1500 FT A/D LES 3 MI															
FDR 00-02 LST	0.0	0.0	0.0	1.6	6.9	1.6	1.3	4.1	0.0	2.0	5.6	1.6	2.1	10	804
03-05 LST	0.0	5.5	4.0	1.9	3.4	4.1	2.7	3.2	0.9	7.2	1.6	0.0	2.9	12	1418
06-08 LST	6.1	9.5	9.6	12.2	9.8	4.1	7.1	3.5	6.0	8.9	8.6	2.9	7.4	17	4388
09-11 LST	5.7	11.0	10.3	12.2	9.5	4.3	5.3	6.9	8.0	8.8	8.1	1.8	7.7	16	2595
12-14 LST	1.5	2.7	2.5	3.8	9.2	7.3	8.3	10.3	11.4	8.4	4.3	2.1	6.0	17	4134
15-17 LST	0.9	0.5	0.4	2.2	8.8	13.7	11.0	11.4	15.1	7.0	3.5	1.3	6.3	16	3038
18-20 LST	0.3	0.6	0.9	1.8	6.0	4.6	6.0	3.9	5.9	6.6	4.0	1.3	3.5	17	4419
21-23 LST	9.1	0.0	3.1	7.3	3.8	0.0	0.0	1.7	5.7	0.0	4.3	2.5	3.1	5	431
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	0.0	0.0	0.0	0.0	1.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	10	804
03-05 LST	0.0	0.8	0.0	0.9	0.0	0.0	0.0	0.8	0.0	0.0	0.0	0.0	0.2	12	1418
06-08 LST	1.6	2.0	2.2	1.3	1.4	0.3	1.1	0.8	0.6	1.1	0.0	0.5	1.1	17	4388
09-11 LST	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.4	0.5	0.8	0.0	0.0	0.2	16	2595
12-14 LST	0.0	0.0	0.3	0.3	0.6	0.3	0.3	0.6	1.6	0.6	0.0	0.0	0.4	17	4134
15-17 LST	0.0	0.0	0.0	0.4	1.5	2.7	2.0	0.3	3.2	0.8	0.0	0.0	0.9	16	3038
18-20 LST	0.0	0.3	0.0	0.5	0.8	0.5	1.1	0.3	1.9	1.9	0.8	0.0	0.7	17	4419
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	0.0	0.0	0.0	0.0	0.1	5	431

PHNOM PENH, CAMBODIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	29.5	25.7	28.4	27.6	28.2	28.9	29.0	30.2	28.7	29.1	27.9	30.2	343.4	17	4389
	13 LST	31.0	27.8	30.8	29.9	30.4	28.9	30.3	30.3	29.0	30.3	29.7	30.8	359.2	17	4134
	19 LST	31.0	27.9	31.0	29.7	30.1	29.3	30.2	30.5	28.7	29.8	29.4	30.8	358.4	15	4419
	01 LST	31.0	28.0	31.0	30.0	28.7	30.0	31.0	30.2	30.0	31.0	28.7	31.0	360.6	8	804
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	28.1	23.5	27.3	27.0	27.8	28.0	28.2	29.1	28.3	28.5	24.3	27.3	329.4	17	4358
	13 LST	26.2	25.0	28.9	28.0	27.7	22.4	23.7	22.6	25.6	28.5	23.6	22.0	304.2	17	4098
	19 LST	30.2	26.8	28.6	27.4	28.7	26.3	26.4	27.1	27.4	28.9	27.6	28.9	334.3	15	4406
	01 LST	31.0	26.0	28.6	28.5	28.1	28.6	29.8	28.1	30.0	31.0	26.6	29.0	345.3	8	798
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.3	0.0	0.0	0.1	0.0	0.0	0.1	0.1	0.0	0.1	0.3	0.4	1.4	17	4495
	13 LST	0.2	0.1	0.1	0.2	0.3	0.7	1.2	1.2	0.3	0.2	0.6	0.7	3.8	17	4234
	19 LST	0.1	0.1	0.2	0.2	0.1	0.3	0.8	0.5	0.1	0.0	0.2	0.2	2.8	15	4468
	01 LST	0.0	0.4	0.0	0.9	0.6	0.9	0.0	0.8	0.0	0.0	0.8	0.5	4.9	8	811
SFC WND 4-10 KTS AND TMP 23-89 DEG F AND NO PRECIP.	07 LST	14.3	15.6	18.8	20.4	14.8	14.6	15.2	13.5	11.8	13.3	16.0	19.2	187.8	17	4450
	13 LST	31.0	27.8	30.8	29.9	30.4	28.9	30.3	30.3	29.0	30.3	29.7	30.8	359.2	17	4134
	19 LST	31.0	27.9	31.0	29.7	30.1	29.3	30.2	30.5	28.7	29.8	29.4	30.8	358.4	15	4419
	01 LST	14.5	20.5	21.6	23.3	10.7	15.5	15.1	12.0	14.5	12.9	13.3	13.6	187.5	8	800
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	8.1	6.7	6.9	4.1	2.1	2.0	1.7	1.6	0.8	1.6	3.8	8.7	48.1	17	4501
	13 LST	8.6	6.3	6.6	2.5	0.6	0.4	0.3	0.1	0.3	1.3	2.9	5.6	35.5	17	4248
	19 LST	11.8	9.3	11.1	4.9	0.6	0.2	0.1	0.2	0.2	1.6	5.2	8.1	53.3	15	4462
	01 LST	14.9	16.0	14.7	8.0	3.4	3.8	2.3	2.5	3.2	2.3	7.2	18.4	96.7	8	807
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	28.9	25.1	27.8	25.9	27.4	28.7	28.5	29.4	27.9	27.2	27.1	29.8	333.7	16	4389
	13 LST	28.9	24.6	25.9	22.7	21.9	23.9	23.9	23.1	22.7	24.8	25.8	29.0	297.2	15	4134
	19 LST	30.8	20.0	30.5	28.8	28.0	27.7	27.8	28.6	27.5	28.1	28.6	30.4	336.8	14	4419
	01 LST	30.6	28.0	30.4	29.5	28.4	29.3	30.8	29.7	28.9	29.6	27.7	31.0	353.9	5	804
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	26.6	22.6	23.0	21.5	25.1	25.7	27.2	27.4	25.8	25.4	25.4	27.8	303.5	16	4389
	13 LST	27.1	22.0	22.0	17.3	17.7	20.9	20.7	20.3	20.7	22.5	23.6	27.7	262.5	15	4134
	19 LST	28.0	26.3	29.4	27.9	25.7	25.3	25.0	25.9	25.0	26.4	27.2	28.1	320.2	14	4419
	01 LST	28.2	26.4	28.2	27.2	27.6	28.1	28.6	27.7	28.4	27.1	25.4	28.0	330.9	5	804
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	26.4	16.3	22.7	21.5	25.0	25.3	26.8	26.8	25.3	24.9	25.0	27.0	293.0	16	4389
	13 LST	27.1	22.0	21.9	17.3	17.7	20.8	20.6	20.3	20.7	22.5	23.3	27.6	261.8	15	4134
	19 LST	27.7	26.3	29.4	27.5	25.6	24.9	24.0	25.3	24.3	26.2	27.1	27.6	315.9	14	4419
	01 LST	27.8	26.4	28.2	27.2	27.6	28.1	28.2	27.7	28.4	26.5	25.4	28.0	329.5	5	804

KOMPONG CHAM, CAMBODIA

STA NO. 48995 (IN AREA NUMBER 01)

LATITUDE 1200N

LONGITUDE 10527E

ELEVATION(FT) 00092

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	96	100	102	103	100	97	99	95	94	94	93	95	103	27	-157
MEAN MAX TMP (F)	88	92	94	95	92	90	89	89	87	87	87	86	90	21	-157
MEAN MIN TMP (F)	70	72	75	77	76	75	75	76	76	75	73	70	74	21	-157
ABS MIN TMP (F)	50	57	65	69	68	70	68	70	70	66	61	52	50	27	-157
MEAN NO DYS TMP = DR GTR 90(F)	11.6	21.4	28.3	28.8	23.8	17.3	14.8	14.8	8.3	8.6	8.3	5.8	191.8	21	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	27	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	27	-29
MEAN DEW PT TMP (F)	66	68	70	73	75	75	74	76	75	74	71	67	72	20	-29
MEAN REL HUM (PCT)	67	66	66	68	76	79	79	81	83	81	76	72	75	17	16985
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.30	0.40	1.30	3.00	7.70	9.30	8.90	8.00	11.60	9.20	3.80	0.90	64.4	34	-157
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	27	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	0.7	0.9	2.9	4.9	5.3	13.7	13.4	12.6	13.9	12.2	7.0	1.9	89.4	34	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	27	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	1.0	1.0	2.0	7.0	13.0	14.0	17.0	15.0	17.0	15.0	8.0	3.0	113.0	34	-157
P FREQ WND SPD = DR GTR 17 KTS	2.3	0.4	0.1	0.2	0.2	0.2	0.1	0.4	0.0	0.4	1.3	3.2	0.7	17	16959
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.1	0.0	17	16959
P FREQ LES 5000 FT A/O LES 5 MI	9.2	13.9	21.7	30.1	29.7	27.4	26.0	29.5	32.6	24.2	15.5	9.3	22.4	8	16359
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FDR 00-02 LST														0	0
03-05 LST	2.0	3.4	8.9	3.4	3.2	4.2	7.1	3.0	5.0	4.8	1.2	0.4	3.9	8	1275
06-08 LST	5.4	3.4	10.8	11.3	6.5	7.7	8.9	4.9	10.0	7.5	4.5	1.7	6.9	16	3882
09-11 LST	2.6	2.5	3.7	6.1	7.8	7.1	8.1	5.8	11.0	7.6	4.5	1.5	5.7	12	2433
12-14 LST	1.0	0.7	0.9	3.0	3.7	4.0	3.8	5.5	5.2	2.7	1.5	1.2	2.8	16	3682
15-17 LST	0.0	0.6	0.0	2.8	3.8	6.2	2.5	2.6	3.0	1.3	0.6	0.6	2.0	11	2227
18-20 LST	0.3	0.2	0.4	2.8	7.7	6.6	9.2	6.8	6.0	5.1	6.0	0.9	4.3	15	2860
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FDR 00-02 LST														0	0
03-05 LST	0.8	0.0	4.6	1.7	0.0	0.0	1.4	0.0	1.8	1.9	1.2	0.0	1.1	8	1275
06-08 LST	1.0	0.9	4.3	3.5	0.6	0.6	0.3	0.3	0.3	0.6	0.9	0.5	1.2	16	3882
09-11 LST	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.5	0.0	0.5	0.2	12	2433
12-14 LST	0.6	0.0	0.0	0.0	0.7	0.0	0.7	0.7	0.0	0.4	0.0	0.0	0.3	16	3682
15-17 LST	0.0	0.6	0.0	2.0	0.5	1.1	0.0	0.4	0.5	0.0	0.0	0.0	0.4	11	2227
18-20 LST	0.3	0.0	0.0	1.6	1.4	2.2	3.7	2.8	2.2	1.0	3.3	0.0	1.5	15	2860
21-23 LST														0	0

KOMPONG CHAM, CAMBODIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	30.3	27.7	28.6	27.5	30.0	28.7	29.6	30.4	29.0	30.3	29.2	30.7	352.0	16	3882
	13 LST	30.8	28.0	31.0	29.9	30.6	29.8	30.6	30.3	29.4	30.7	29.9	31.0	362.0	16	3682
	19 LST	30.9	28.0	30.9	29.3	29.4	28.4	28.6	29.4	28.7	29.7	28.3	30.8	352.4	15	2860
	01 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	26.5	26.8	28.0	27.3	29.7	28.6	29.4	30.1	28.8	29.6	27.4	27.3	339.5	16	3831
	13 LST	24.9	25.7	30.3	29.3	29.9	28.8	29.7	29.6	28.9	29.2	25.7	22.7	334.7	16	3638
	19 LST	29.9	27.5	30.6	24.3	27.9	27.7	28.3	29.0	28.4	29.2	26.7	30.3	343.8	15	2805
	01 LST														0	0
SPC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.5	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.3	0.5	1.6	16	3905
	13 LST	1.0	0.1	0.0	0.0	0.2	0.1	0.0	0.0	0.0	0.3	1.2	2.8	5.7	16	3747
	19 LST	0.1	0.1	0.0	0.2	0.0	0.0	0.0	0.1	0.0	0.1	0.4	0.0	1.0	15	2883
	01 LST														0	0
SPC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	16.2	13.3	14.7	13.8	13.1	11.3	12.5	12.0	8.7	12.6	16.7	20.0	164.9	16	3875
	13 LST	16.8	10.4	3.5	2.7	4.8	8.8	12.2	15.5	16.0	17.3	18.7	18.1	144.8	16	3711
	19 LST	8.3	6.8	6.9	5.0	7.7	10.9	11.4	10.2	8.5	7.3	8.3	9.8	101.1	15	2831
	01 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	14.1	11.2	11.2	6.0	4.4	3.8	3.2	2.3	2.1	5.4	9.7	12.4	85.8	16	3959
	13 LST	14.4	10.6	8.4	5.3	1.2	1.8	3.1	1.3	1.7	2.9	7.0	9.2	66.9	16	3767
	19 LST	18.0	15.8	17.3	11.9	3.6	2.2	2.0	1.4	1.6	3.8	11.5	14.8	103.9	15	2913
	01 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	29.3	26.1	26.5	25.5	21.8	26.6	26.6	28.3	24.5	26.7	27.8	30.3	320.0	16	3882
	13 LST	29.3	25.5	26.7	22.9	23.2	23.3	24.6	22.7	23.2	23.3	26.6	28.7	302.0	16	3682
	19 LST	30.8	27.7	30.4	28.1	26.4	23.7	26.4	23.9	25.0	27.3	27.5	30.3	329.5	15	2860
	01 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	28.0	23.3	23.8	21.2	25.6	24.8	24.7	26.2	21.8	24.8	25.8	28.9	298.9	16	3882
	13 LST	27.7	23.3	22.5	17.2	16.8	18.5	19.8	16.8	18.5	20.8	23.9	26.6	252.4	16	3682
	19 LST	28.5	25.8	28.0	26.0	22.8	21.0	22.4	21.2	20.2	23.9	26.1	28.1	294.0	15	2860
	01 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	27.9	23.2	23.2	20.7	25.3	24.7	24.4	25.9	21.8	24.7	25.4	28.9	296.1	16	3882
	13 LST	27.7	23.2	22.4	17.0	16.8	18.5	19.8	16.8	18.5	20.8	23.8	26.4	251.7	16	3682
	19 LST	27.8	25.6	27.7	25.9	22.5	21.0	22.2	21.0	20.2	23.9	25.8	27.9	291.5	15	2860
	01 LST														0	0

SVAY RIENG, CAMBODIA

STA NO. 48998 (IN AREA NUMBER 01)

LATITUDE 1105N

LONGITUDE 10548E

ELEVATION(FT) 00020

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
ABS MAX TMP (F)	97	98	102	102	101	99	97	106	93	99	104	94	106	25	-657
MEAN MAX TMP (F)	89	92	95	95	92	90	89	89	87	87	87	86	90	19	-157
MEAN MIN TMP (F)	70	71	73	76	76	76	76	76	76	76	74	71	74	19	-157
ABS MIN TMP (F)	52	55	65	69	70	66	68	68	70	63	62	54	52	25	-657
MEAN NO DYS TMP = DR GTR 90(F)	18.0	23.7	29.6	28.0	28.5	23.7	21.5	16.4	10.5	11.6	6.8	10.3	228.6	14	1754
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	2632
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	2632
MEAN DEW PT TMP (F)	67	68	69	73	76	75	75	75	75	75	72	69	72	18	-29
MEAN REL HUM (PCT)	69	67	65	69	78	79	79	80	82	81	78	74	75	15	12400
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.60	0.40	1.20	4.80	7.30	8.10	7.60	6.60	10.70	12.80	7.80	2.40	70.3	36	-157
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	25	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	1.3	0.9	2.7	5.5	5.3	12.7	12.2	11.2	13.3	14.7	11.0	4.3	95.1	36	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	25	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS	0.0	0.2	0.1	0.0	0.0	0.2	0.4	0.1	0.2	0.0	0.4	0.1	0.1	14	12433
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	12433
P FREQ LES 5000 FT A/D LES 5 MI	21.6	25.6	31.3	33.9	24.3	21.2	23.2	19.9	16.8	17.2	8.7	12.3	21.3	16	6462
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FDR 00-02 LST														0	0
03-05 LST	6.7	28.6	7.1	0.0	0.0		0.0	0.0	0.0	7.7	0.0	14.3		2	142
06-08 LST	31.4	26.9	29.7	19.1	13.0	16.5	16.3	11.0	12.3	17.5	7.5	10.9	18.5	17	3313
09-11 LST	4.1	4.3	5.1	3.2	5.7	8.2	7.7	7.4	6.3	8.9	4.4	3.0	5.7	16	1967
12-14 LST	1.4	3.2	4.7	3.2	2.8	3.8	6.7	7.7	7.8	6.5	3.6	3.4	4.6	17	2512
15-17 LST	1.3	1.4	5.3	5.6	7.0	7.4	11.6	7.4	6.1	5.6	6.4	2.0	5.6	15	1898
18-20 LST	2.0	3.0	11.1	18.4	6.1	9.8	15.0	8.4	10.7	9.4	7.0	2.4	8.6	16	2292
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FDR 00-02 LST														0	0
03-05 LST	6.7	0.0	0.0	0.0	0.0		0.0	0.0	0.0	0.0	0.0	14.3		2	142
06-08 LST	24.2	24.1	16.3	9.4	6.0	6.0	4.6	4.7	2.4	3.4	0.4	6.6	9.0	17	3313
09-11 LST	0.0	0.0	0.6	0.6	0.0	0.0	0.0	0.5	0.7	1.7	0.0	0.6	0.4	16	1967
12-14 LST	0.0	0.5	0.5	1.1	0.9	0.9	2.1	1.4	2.2	1.0	0.5	1.0	1.0	17	2512
15-17 LST	0.6	0.7	2.0	2.1	3.2	2.9	2.1	3.2	2.0	1.9	1.4	0.7	1.9	15	1898
18-20 LST	0.0	1.5	2.2	4.1	0.9	2.5	7.3	3.2	5.6	3.8	2.3	0.5	2.8	16	2292
21-23 LST														0	0


SVAY RIENG, CAMBODIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	21.5	18.7	22.7	24.6	27.4	25.4	26.6	28.1	26.7	25.9	28.0	27.6	303.2	15	3313
	13 LST	31.0	27.6	30.4	29.7	30.7	29.5	30.0	29.7	29.2	30.2	29.8	30.7	358.5	15	2512
	19 LST	30.5	27.3	28.6	26.3	29.7	28.1	27.5	29.4	27.8	29.5	28.8	30.6	344.1	13	2292
	01 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	21.3	18.5	22.7	24.6	27.3	24.8	26.2	27.5	26.7	25.7	27.5	27.2	300.0	15	3287
	13 LST	30.7	26.7	30.1	29.4	29.4	27.4	28.1	27.6	28.7	30.2	29.1	30.1	347.5	15	2496
	19 LST	30.1	26.0	25.5	25.1	29.5	27.6	26.1	28.7	26.9	29.4	27.8	30.6	333.3	13	2259
	01 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.1	0.0	0.2	15	3348
	13 LST	0.0	0.0	0.1	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.2	0.0	0.6	15	2555
	19 LST	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.2	0.0	0.5	13	2330
	01 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	9.1	6.3	7.2	7.7	8.6	8.0	8.8	6.9	7.6	13.5	19.5	15.1	118.3	15	3333
	13 LST	15.1	7.6	2.1	1.3	4.5	8.6	9.0	15.4	17.3	16.4	16.2	16.7	130.2	15	531
	19 LST	13.8	13.6	17.8	14.9	10.9	13.4	12.5	13.8	9.4	11.8	11.1	10.4	153.4	13	2302
	01 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	5.8	7.5	8.5	6.0	4.2	2.0	1.9	1.7	2.0	1.6	4.1	7.4	52.7	15	3354
	13 LST	5.0	4.5	4.4	1.4	0.6	0.6	0.8	0.1	0.2	0.9	2.9	5.4	26.8	15	2559
	19 LST	12.7	11.1	11.2	6.7	1.7	1.8	1.3	0.8	1.3	2.4	7.0	13.1	71.1	13	2329
	01 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	20.3	17.8	21.4	24.0	27.1	24.8	25.6	27.1	25.9	25.3	27.4	27.1	293.8	14	3313
	13 LST	27.7	23.8	24.2	22.8	25.4	25.0	25.0	25.2	24.2	25.4	27.5	28.1	304.3	14	2512
	19 LST	29.4	26.8	27.6	24.5	27.7	25.8	25.1	26.8	25.3	26.4	26.9	29.3	321.6	12	2292
	01 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	18.5	16.3	19.4	21.5	25.0	23.8	25.0	26.1	25.7	24.4	26.6	25.5	277.8	14	3313
	13 LST	24.9	20.9	19.3	16.4	20.9	21.5	21.6	22.3	22.0	22.8	26.7	26.8	266.1	14	2512
	19 LST	27.9	25.9	26.5	22.7	25.1	24.7	23.1	25.1	24.2	25.4	26.7	28.9	306.2	12	2292
	01 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	18.4	16.2	19.4	21.5	24.9	23.6	25.0	25.3	25.7	24.3	26.4	25.2	275.9	14	3313
	13 LST	24.7	20.9	19.3	16.4	20.9	21.5	21.6	22.3	21.8	22.8	26.6	26.8	265.6	14	2512
	19 LST	27.9	25.9	26.5	22.7	25.0	24.7	23.1	24.6	24.2	25.4	26.7	28.8	305.5	12	2292
	01 LST														0	0

AREA NO. 01

CAMBODIA		CAMBODIA		LATITUDE 1300N												LONGITUDE 10500E											
BOUNDARIES																											
PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN													
MEAN MAX TMP (F)		88	91	93	95	93	90	89	89	87	87	87	86	90													
MEAN MIN TMP (F)		69	71	74	77	76	76	73	76	75	75	73	69	74													
LARGEST MEAN PRECIP(IN)		0.60	1.00	3.20	4.80	8.00	10.90	13.30	13.30	12.80	12.80	7.80	2.40	90.9													
SMALLEST MEAN PRECIP(IN)		0.10	0.40	1.00	2.50	5.70	5.80	6.00	6.10	8.80	7.40	2.40	0.50	46.7													
		MEAN NUMBER OF DAYS																									
CIG = GTR 1000 FT AND VSBY = GTR 3 MI		07 LST	28.5	25.5	28.0	27.6	29.2	28.1	28.8	28.9	27.2	28.1	28.4	29.5	337.8												
		13 LST	31.0	27.9	30.8	29.8	30.3	29.2	30.0	29.9	28.8	30.0	29.4	30.7	357.8												
		19 LST	30.8	27.8	30.6	29.3	30.0	28.7	29.4	29.9	28.4	29.7	29.1	30.9	354.6												
		01 LST	31.0	28.0	31.0	30.0	30.2	30.0	31.0	30.7	29.3	30.5	29.6	31.0	362.3												
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS		07 LST	27.0	24.8	27.2	27.1	28.9	27.3	28.2	28.0	26.8	27.5	26.5	27.6	326.9												
		13 LST	27.1	25.2	28.2	27.6	27.8	25.0	26.3	25.8	26.2	28.4	26.5	26.3	320.4												
		19 LST	30.3	26.9	28.8	27.8	29.0	27.3	28.1	28.4	27.7	29.1	28.1	30.3	341.8												
		01 LST	30.6	27.0	28.9	29.5	30.0	27.3	30.6	28.5	27.7	30.5	27.2	30.3	348.1												
SFC WND = GTR 17 KTS AND NO PRECIP.		07 LST	0.4	0.0	0.1	0.1	0.0	0.1	0.0	0.1	0.0	0.1	0.4	0.4	1.7												
		13 LST	0.7	0.2	0.3	0.3	0.2	0.4	0.5	0.4	0.2	0.2	0.5	1.1	5.0												
		19 LST	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.0	0.0	0.2	0.1	1.2												
		01 LST	0.0	0.1	0.0	0.3	0.2	0.3	0.0	0.3	0.0	0.0	0.3	0.2	1.7												
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.		07 LST	9.5	7.9	9.6	10.1	8.8	7.5	7.8	6.7	6.1	9.1	11.0	11.0	105.1												
		13 LST	18.6	12.6	7.3	6.3	7.4	9.3	12.0	14.5	13.0	16.9	18.0	18.9	156.8												
		19 LST	9.2	9.0	11.4	10.3	10.6	12.0	11.4	11.8	9.2	8.9	8.3	8.7	120.8												
		01 LST	8.2	10.8	10.6	10.3	5.4	5.2	8.6	7.6	6.5	8.4	11.8	12.4	105.8												
SKY COVER LES 3/10 AND VSBY = GTR 3 MI		07 LST	10.2	9.1	10.0	6.8	3.3	2.7	2.5	1.8	1.4	3.0	5.7	9.2	65.7												
		13 LST	11.3	9.7	9.3	4.6	1.1	1.1	1.7	0.7	0.9	2.8	5.1	8.2	56.5												
		19 LST	14.8	12.9	13.5	8.5	2.2	1.3	1.4	0.9	1.1	4.2	9.2	12.9	82.9												
		01 LST	13.5	13.7	14.2	7.2	2.3	2.4	1.6	1.5	1.1	2.9	8.7	14.8	83.9												
CIG = GTR 2500 FT AND VSBY = GTR 3 MI		07 LST	27.7	24.3	26.4	25.9	26.5	26.4	26.9	26.9	24.9	26.0	27.1	28.8	317.8												
		13 LST	28.9	25.2	27.1	25.2	24.3	23.2	23.5	23.1	22.6	25.0	26.0	28.2	302.3												
		19 LST	30.2	26.4	29.9	28.4	27.8	26.0	27.0	26.5	26.2	27.4	28.0	30.1	333.9												
		01 LST	30.1	27.6	29.8	29.2	29.2	28.6	30.5	30.2	29.0	30.0	29.2	31.0	354.4												
CIG = GTR 6000 FT AND VSBY = GTR 3 MI		07 LST	24.5	21.6	22.9	22.6	24.7	23.9	24.6	24.0	22.8	22.6	24.5	25.3	284.0												
		13 LST	27.2	23.2	24.2	21.5	20.5	20.0	20.1	19.9	20.0	22.5	24.1	26.4	269.6												
		19 LST	27.8	25.9	28.6	27.2	25.6	23.7	24.6	24.1	24.0	25.8	26.5	27.9	311.7												
		01 LST	26.8	26.0	27.0	27.1	28.8	27.7	28.9	27.7	28.1	29.2	26.2	28.8	330.3												
CIG = GTR 10000 FT AND VSBY = GTR 3 MI		07 LST	24.3	20.1	22.8	22.4	24.5	23.7	24.4	23.7	22.6	23.4	24.1	25.0	281.0												
		13 LST	27.1	23.2	24.1	21.5	20.5	20.0	20.1	19.8	20.0	22.4	24.1	26.3	289.1												
		19 LST	27.7	25.9	28.5	27.2	25.5	23.4	24.4	23.9	23.9	25.8	26.4	27.7	310.3												
		01 LST	26.7	26.0	27.0	27.1	28.8	27.7	28.8	27.7	26.1	29.0	26.2	28.8	329.9												



PADANG/TABING, INDONESIA

STA NO. 96163 (IN AREA NUMBER 01)

LATITUDE 0052S

LONGITUDE 10021E

ELEVATION(FT) 00019

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	93	94	93	92	93	93	92	92	91	92	91	91	94	21	-28
MEAN MAX TMP (F)	87	87	87	87	88	87	87	87	86	86	86	86	87	17	-28
MEAN MIN TMP (F)	74	74	74	75	75	74	74	74	74	74	74	74	74	17	-28
ABS MIN TMP (F)	70	69	70	71	71	68	70	69	70	70	70	70	68	21	-28
MEAN NO DYS TMP = OR GTR 90(F)	8.6	7.7	8.6	8.3	11.6	8.3	8.6	8.6	5.6	5.8	5.6	5.8	93.1	17	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21	-29
MEAN DEW PT TMP (F)	74	74	74	75	75	74	74	74	74	74	75	74	74	16	-29
MEAN REL HUM (PCT)	81	81	82	83	81	81	81	82	82	84	85	84	82	13	5519
MEAN PRESS ALT (FT)	50	50	100	100	100	100	100	100	100	100	100	100	92	0	-30
MEAN PRECIP (IN)	13.80	10.20	12.10	14.30	12.40	12.10	10.90	13.70	6.00	19.50	20.40	18.90	164.3	50	-28
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN						16.0	15.1	17.2	9.3	17.5	17.7			50	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	5.0	2.0	8.0	3.0	5.0	1.0	2.0	3.0	4.0	6.0	5.0	11.0	55.0	3	-24
P FREQ WND SPD = OR GTR 17 KTS	0.5	1.5	0.3	0.0	0.7	0.2	0.6	0.2	0.2	0.3	0.5	0.6	0.5	11	5610
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	5610
P FREQ LES 5000 FT A/D LES 5 MI	18.4	27.0	20.4	21.6	6.9	9.1	11.0	23.0	16.7	26.3	20.7	16.9	18.4	10	1731
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	4.2	5.4	6.4	5.4	6.5	2.9	2.3	5.2	10.3	12.9	9.6	7.9	6.6	13	1816
09-11 LST	0.0	25.0	7.1	0.0	4.0	8.0	4.3	4.8	23.8	35.7	19.4	7.1	11.6	3	230
12-14 LST	2.8	2.0	5.9	4.5	5.9	3.5	2.5	6.3	4.1	7.0	9.4	6.0	5.0	12	1755
15-17 LST														0	0
18-20 LST	11.4	13.0	8.9	11.3	7.8	3.8	6.5	11.2	15.3	13.7	14.7	9.2	10.6	10	1641
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	0.0	0.9	0.8	0.6	0.0	0.6	0.6	0.0	5.4	0.0	0.7	0.8	13	1816
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14.3	0.0	0.0	1.2	3	230
12-14 LST	0.0	0.0	0.0	0.0	1.3	0.7	0.0	1.1	1.2	0.6	1.8	0.7	0.6	12	1755
15-17 LST														0	0
18-20 LST	3.5	1.0	0.0	1.0	1.0	0.0	0.0	1.2	0.0	1.1	0.6	0.0	0.8	10	1641
21-23 LST														0	0

PADANG/TABING, INDONESIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	30.2	27.0	29.9	29.5	29.4	29.6	30.6	30.3	27.6	27.5	27.8	29.2	348.9	13	1816
	13 LST	30.6	27.7	29.7	29.2	30.4	29.4	30.6	29.4	29.1	29.8	28.1	29.6	353.6	13	1755
	19 LST	29.1	25.8	29.6	28.1	29.8	29.6	30.3	29.5	28.2	28.9	28.1	29.7	346.7	10	1641
	01 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	30.0	26.7	29.6	29.5	29.0	29.5	30.5	29.9	27.7	27.6	27.6	29.1	346.7	13	1794
	13 LST	27.8	25.8	29.1	28.6	28.9	26.4	27.4	28.1	28.8	29.2	27.5	28.5	336.1	13	1728
	19 LST	28.5	25.1	29.3	27.8	29.8	29.2	29.7	29.2	28.0	28.5	27.4	29.1	341.6	10	1625
	01 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.0	0.3	0.3	0.0	0.2	0.0	0.0	0.2	0.0	0.0	0.0	0.0	1.0	13	1846
	13 LST	0.2	0.3	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.4	0.0	0.2	1.3	13	1782
	19 LST	0.0	0.8	0.0	0.0	0.0	0.4	0.4	0.0	0.2	0.0	0.0	0.2	2.0	10	1664
	01 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	2.9	2.8	1.1	3.0	2.0	1.6	2.0	1.5	1.4	1.2	1.3	1.9	22.7	13	1809
	13 LST	23.6	17.7	24.1	23.5	21.9	20.6	23.3	25.3	24.2	22.7	20.1	22.8	269.8	13	1729
	19 LST	3.6	3.9	6.9	6.9	5.5	4.7	5.0	6.5	4.6	4.4	3.9	5.0	60.9	10	1623
	01 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	2.0	0.8	2.3	1.8	3.1	4.8	4.5	1.2	0.7	0.3	0.2	2.2	23.9	13	1873
	13 LST	3.1	3.5	3.1	2.8	6.0	5.1	5.1	2.3	1.9	1.3	1.2	3.4	38.8	13	1809
	19 LST	0.8	0.5	0.0	0.9	2.4	4.6	1.3	1.1	0.3	0.6	0.0	1.3	13.8	10	1678
	01 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	28.1	25.2	27.9	26.2	28.1	28.1	29.9	27.9	24.8	25.4	25.3	26.5	323.4	11	1816
	13 LST	29.0	26.2	28.0	28.0	28.5	28.4	29.5	28.8	23.1	27.1	26.2	28.5	336.3	10	1755
	19 LST	25.2	22.1	24.6	24.0	25.9	27.1	26.0	24.1	21.8	22.3	21.5	25.3	289.9	8	1641
	01 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	26.4	22.0	25.6	22.4	27.0	26.0	28.7	24.7	22.1	22.8	23.3	23.6	294.6	11	1816
	13 LST	27.8	25.2	27.3	27.6	28.1	28.1	29.0	28.4	27.4	26.1	25.6	27.9	328.5	10	1755
	19 LST	19.3	17.9	20.2	20.1	21.6	24.2	22.9	21.3	18.4	18.8	17.8	21.5	244.0	8	1641
	01 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	26.4	22.0	25.6	22.4	27.0	26.0	28.7	24.7	22.1	22.8	23.3	23.6	294.6	11	1816
	13 LST	27.8	25.2	27.3	27.6	28.1	28.1	29.0	28.4	27.2	26.1	25.6	27.9	328.3	10	1755
	19 LST	19.3	17.9	20.2	20.1	21.6	24.2	22.9	21.3	18.4	18.8	17.5	21.5	243.7	8	1641
	01 LST														0	0

BENGKULU/PADANGKEMILING, INDONESIA

STA NO. 96253 (IN AREA NUMBER 01)

LATITUDE 03515

LONGITUDE 10219E

ELEVATION(FT) 00050

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)														0	0
MEAN MAX TMP (F)	87	87	87	87	88	88	87	87	86	86	86	86	87	0	-50
MEAN MIN TMP (F)														0	0
ABS MIN TMP (F)														0	0
MEAN NO DYS TMP = DR GTR 90(F)														0	0
MEAN NO DYS TMP = DR LES 32(F)														0	0
MEAN NO DYS TMP = DR LES 0(F)														0	0
MEAN DEW PT TMP (F)	72	72	72	72	73	71	71	71	71	72	72	72	72	0	-50
MEAN REL HUM (PCT)	78	76	77	79	77	78	77	78	77	77	79	80	78	6	4650
MEAN PRESS ALT (FT)	150	150	150	150	150	150	150	100	100	100	150	150	138	0	-50
MEAN PRECIP (IN)														0	0
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = DR GTR 0.1 IN														0	0
MEAN NO DYS SNFL = DR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS	0.2	0.2	0.4	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	5	5086
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	5086
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	4.3	1.5	4.3	1.3	0.6	2.1	9.7	15.9	21.7	16.9	8.5	6.0	7.7	6	1966
09-11 LST	3.6	1.5	0.6	1.3	0.9	0.6	0.6	4.0	5.9	14.7	6.7	5.2	3.8	6	1915
12-14 LST	3.0	1.3	0.8	1.9	1.8	2.4	2.0	2.0	6.9	14.0	1.7	3.9	3.5	6	1208
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	2.2	0.6	1.1	1.1	0.6	1.8	8.5	13.9	19.0	12.8	5.7	3.3	5.9	6	1966
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	10.9	1.8	1.4	1.2	6	1915
12-14 LST	0.9	0.0	0.0	0.0	0.0	1.0	0.0	0.0	4.3	11.0	0.0	1.3	1.5	6	1208
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

BENGKULU/PADANGKEMILING, INDONESIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	30.2	27.8	29.8	29.7	30.8	29.5	28.4	26.3	23.5	26.1	27.8	29.6	339.5	7	1966
	13 LST	30.5	28.0	31.0	30.0	30.7	29.7	31.0	31.0	28.4	27.6	29.5	30.2	357.6	7	1208
	19 LST														0	0
	01 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	30.0	27.8	29.8	29.7	30.8	29.5	28.4	26.3	23.3	26.1	27.8	29.5	339.0	7	1966
	13 LST	29.1	25.5	28.3	28.1	28.5	28.8	28.8	25.7	22.2	21.9	29.0	28.1	324.0	7	1208
	19 LST														0	0
	01 LST														0	0
SFC WND = GTR .7 KTS AND NO PRECIP.	07 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	1963
	13 LST	3.0	3.0	3.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11.0	7	1207
	19 LST														0	0
	01 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	2.5	2.5	1.2	0.8	1.0	0.9	0.9	1.6	1.7	0.0	1.0	1.7	15.8	7	1881
	13 LST	17.5	13.0	12.0	14.4	13.6	13.4	18.3	15.1	13.2	16.3	16.5	18.4	181.7	7	1126
	19 LST														0	0
	01 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	1.5	1.2	0.7	0.5	2.2	2.5	4.7	1.2	0.5	0.5	0.0	0.2	15.7	7	1966
	13 LST	2.1	2.2	2.4	2.6	6.7	3.2	4.5	3.7	2.6	1.1	1.5	2.9	37.5	7	1208
	19 LST														0	0
	01 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	28.7	27.1	29.0	29.4	30.4	29.0	27.5	25.9	23.5	25.2	27.1	28.1	330.9	6	1966
	13 LST	28.9	27.2	30.5	28.6	30.2	28.9	29.5	29.6	27.4	25.7	28.0	29.1	343.6	6	1208
	19 LST														0	0
	01 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	27.8	26.7	28.2	29.4	29.9	28.4	27.1	25.3	23.3	25.0	27.1	27.3	325.5	6	1966
	13 LST	28.1	27.0	30.5	28.4	30.2	28.9	29.3	29.4	27.4	25.7	28.0	29.0	341.9	6	1208
	19 LST														0	0
	01 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	27.8	26.7	28.2	29.4	29.9	28.4	27.1	25.3	23.3	25.0	27.1	27.3	325.5	6	1966
	13 LST	28.1	27.0	30.5	28.4	30.2	28.9	29.3	29.4	27.4	25.7	28.0	29.0	341.9	6	1208
	19 LST														0	0
	01 LST														0	0

AREA NO. 01

INDONESIA		WESTERN SUMATRA				LATITUDE 0000N		LONGITUDE 10000E							
BOUNDARIES		0932N	09515E	0200N	09930E	0200N	09930E	0000N	10100E	0000N	10100E	0930S	10515E		
PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	
MEAN MAX TMP (F)		87	87	87	87	88	88	87	87	86	86	86	86	87	
MEAN MIN TMP (F)		74	74	74	75	75	74	74	74	74	74	74	74	74	
LARGEST MEAN PRECIP(IN)		13.80	10.20	12.10	14.30	12.40	12.10	10.90	13.70	6.00	19.50	20.40	18.90	164.3	
SMALLEST MEAN PRECIP(IN)		13.80	10.20	12.10	14.30	12.40	12.10	10.90	13.70	6.00	19.50	20.40	18.90	164.3	
MEAN NUMBER OF DAYS															
CIG = GTR 1000 FT AND VSBY = GTR 3 MI		07 LST	30.2	27.4	29.9	29.6	30.1	29.6	29.5	28.3	25.7	26.8	27.8	29.4	344.3
		13 LST	30.6	27.9	30.4	29.6	30.6	29.6	30.8	30.2	28.8	28.7	28.8	29.9	355.9
		19 LST	29.1	25.8	29.6	28.1	29.8	29.6	30.3	29.5	28.2	28.9	28.1	29.7	346.7
		01 LST													
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS		07 LST	30.0	27.3	29.7	29.6	29.9	29.5	29.5	28.1	25.5	26.9	27.7	29.3	343.0
		13 LST	28.5	25.7	28.7	28.4	28.7	27.6	28.1	26.9	25.5	25.6	28.3	28.3	330.3
		19 LST	28.5	25.1	29.3	27.8	29.8	29.2	29.7	29.2	28.0	28.5	27.4	29.1	341.6
		01 LST													
SFC WND = GTR 17 KTS AND NO PRECIP.		07 LST	0.0	0.2	0.2	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.6	
		13 LST	1.6	1.7	2.5	0.0	0.1	0.0	0.0	0.0	0.2	0.0	0.1	6.2	
		19 LST	0.0	0.8	0.0	0.0	0.0	0.4	0.4	0.0	0.2	0.0	0.2	2.0	
		01 LST													
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.		07 LST	2.7	2.7	1.2	1.9	1.5	1.3	1.5	1.6	1.6	0.6	1.2	1.8	19.6
		13 LST	20.6	15.4	18.1	19.0	17.8	17.0	20.8	20.2	18.7	19.5	18.3	20.6	226.0
		19 LST	3.6	3.9	6.9	6.9	5.5	4.7	5.0	6.5	4.6	4.4	3.9	5.0	60.9
		01 LST													
SKY COVER LES 3/10 AND VSBY = GTR 3 MI		07 LST	1.8	1.0	1.5	1.2	2.7	3.7	4.6	1.2	0.6	0.4	0.1	1.2	20.0
		13 LST	2.6	2.9	2.8	2.7	6.4	5.2	4.8	3.0	2.3	1.2	1.4	3.2	38.5
		19 LST	0.8	0.5	0.0	0.9	2.4	4.6	1.3	1.1	0.3	0.6	0.0	1.3	13.8
		01 LST													
CIG = GTR 2500 FT AND VSBY = GTR 3 MI		07 LST	28.4	26.2	28.5	27.8	29.3	28.6	28.7	26.9	24.2	25.3	26.2	27.3	327.4
		13 LST	29.0	26.7	29.3	28.3	29.4	28.7	29.5	29.2	27.8	26.4	27.1	28.8	340.2
		19 LST	25.2	22.1	24.6	24.0	25.9	27.1	26.0	24.1	21.8	22.3	21.5	25.3	289.9
		01 LST													
CIG = GTR 6000 FT AND VSBY = GTR 3 MI		07 LST	27.1	24.4	26.9	25.9	28.5	27.2	27.9	25.0	22.7	23.9	25.2	25.5	310.2
		13 LST	28.0	26.1	28.9	28.0	29.2	28.5	29.2	28.9	27.4	25.9	26.8	28.5	335.4
		19 LST	19.3	17.9	20.2	20.1	21.6	24.2	22.9	21.3	18.4	18.8	17.8	21.5	244.0
		01 LST													
CIG = GTR 10000 FT AND VSBY = GTR 3 MI		07 LST	27.1	24.4	26.9	25.9	28.5	27.2	27.9	25.0	22.7	23.9	25.2	25.5	310.2
		13 LST	28.0	26.1	28.9	28.0	29.2	28.5	29.2	28.9	27.3	25.9	26.8	28.5	335.3
		19 LST	19.3	17.9	20.2	20.1	21.6	24.2	22.9	21.3	18.4	18.8	17.5	21.5	243.7
		01 LST													

MEDAN/POLONIA, INDONESIA

STA NO. 96035 (IN AREA NUMBER 02)

LATITUDE 0333N

LONGITUDE 09840E

ELEVATION(FT) 00087

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	95	97	97	99	97	99	99	99	97	95	95	94	99	16	-528
MEAN MAX TMP (F)	85	87	88	89	89	89	89	89	88	86	86	85	88	17	-28
MEAN MIN TMP (F)	71	71	72	73	73	72	72	72	72	72	72	72	72	17	-28
ABS MIN TMP (F)	65	65	65	67	65	63	61	65	66	64	60	65	60	16	-528
MEAN NO DYS TMP = DR GTR 90(F)	3.4	7.7	11.6	14.3	14.8	14.3	14.8	14.8	11.2	5.8	5.6	3.4	121.7	17	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16	-29
MEAN DEW PT TMP (F)	71	71	72	73	73	72	73	73	73	73	73	72	72	16	-29
MEAN REL HUM (PCT)	80	79	78	78	79	78	79	79	81	83	83	82	80	15	11207
MEAN PRESS ALT (FT)	147	177	197	207	237	217	217	207	207	177	177	177	195	0	-50
MEAN PRECIP (IN)	5.40	3.60	4.10	5.20	6.90	5.20	5.30	7.00	8.30	10.20	9.70	9.00	79.9	50	-28
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	7.1	5.7	5.4	5.6	5.4	9.8	9.9	11.6	11.4	12.9	12.6			50	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	2.0	2.8	4.9	6.2	9.2	7.4	7.5	9.2	8.5	8.3	7.4	1.9	75.3	10	1197
P FREQ WND SPD = DR GTR 17 KTS	0.2	0.5	0.2	0.7	0.5	0.7	0.4	0.4	0.2	0.3	0.1	0.2	0.4	14	11322
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	11322
P FREQ LES 5000 FT A/D LES 5 MI	18.7	19.9	15.7	12.1	10.9	9.5	11.9	13.4	14.1	16.7	22.4	20.0	15.4	14	5916
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	0.0	3.6	0.0	0.0	3.2	0.0	3.2	0.0	0.0	0.0	1.7	0.0	1.0	3	546
03-05 LST														0	0
06-08 LST	6.5	7.7	1.6	4.6	2.1	2.8	6.3	6.5	3.4	8.6	5.0	3.2	4.9	16	3023
09-11 LST	5.8	1.3	1.1	2.5	1.3	1.3	3.8	5.3	0.0	6.8	6.0	4.8	3.3	5	917
12-14 LST	5.2	5.3	4.9	3.8	2.2	1.3	1.8	1.0	2.4	3.8	4.1	3.1	3.2	16	2986
15-17 LST	5.3	4.0	3.8	2.5	3.7	1.4	3.2	5.8	0.0	3.2	3.0	1.7	3.1	4	843
18-20 LST	3.3	5.6	4.3	6.1	8.8	5.0	5.8	5.4	7.9	6.4	9.1	2.9	5.9	14	2684
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.0	0.0	1.6	0.0	0.0	0.0	0.0	0.0	0.1	3	546
03-05 LST														0	0
06-08 LST	3.2	3.2	0.8	1.7	0.8	1.2	1.7	2.9	0.8	3.0	1.5	0.8	1.8	16	3023
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	0.0	1.4	0.0	0.0	0.2	5	917
12-14 LST	0.4	0.0	0.8	0.9	0.0	0.0	0.7	0.0	0.0	0.0	0.7	0.4	0.3	16	2986
15-17 LST	0.0	1.3	0.0	0.0	0.0	0.0	0.0	1.9	0.0	0.0	0.0	0.0	0.3	4	843
18-20 LST	0.5	0.0	0.4	0.5	1.6	0.0	2.1	0.4	1.2	1.2	1.7	0.4	0.8	14	2684
21-23 LST														0	0

MEDAN/POLONIA, INDONESIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	AMN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	29.3	26.2	30.8	28.9	30.4	29.3	29.6	29.2	29.4	28.7	28.7	30.3	350.8	15	3023
	13 LST	30.7	27.6	30.2	29.5	30.7	29.9	30.7	30.9	29.8	30.5	29.2	30.9	360.6	15	2986
	19 LST	30.5	27.5	30.5	28.9	29.4	29.0	30.1	30.2	28.6	30.0	28.6	30.7	354.0	13	2684
	01 LST	31.0	27.0	31.0	30.0	30.0	30.0	30.5	31.0	30.0	31.0	30.0	31.0	362.5	2	546
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	29.3	26.2	30.8	28.9	30.4	29.3	29.5	29.3	29.4	28.7	28.7	30.1	350.6	15	3005
	13 LST	28.8	26.6	28.9	27.9	30.2	29.2	29.4	30.0	29.5	29.7	29.2	28.9	348.3	15	2964
	19 LST	30.0	27.2	30.1	28.6	28.4	28.8	29.8	29.2	28.6	29.5	28.4	30.7	349.3	13	2662
	01 LST	31.0	27.0	31.0	30.0	30.0	29.0	30.5	31.0	30.0	31.0	30.0	30.5	361.0	2	546
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.2	15	3109
	13 LST	0.0	0.1	0.0	0.4	0.0	0.3	0.1	0.2	0.0	0.2	0.0	0.1	1.4	15	3053
	19 LST	0.0	0.1	0.0	0.0	0.2	0.0	0.0	0.1	0.0	0.0	0.1	0.0	0.5	13	2722
	01 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	546
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	1.0	0.4	0.6	0.5	0.5	0.2	0.5	0.2	0.1	0.2	0.6	1.6	6.4	15	3047
	13 LST	12.4	9.2	8.2	4.6	4.0	2.5	3.3	4.2	6.1	8.4	11.0	12.0	85.9	15	3015
	19 LST	10.0	9.5	9.7	9.2	7.2	8.0	7.6	7.6	6.0	3.2	4.6	5.1	87.7	13	2699
	01 LST	2.0	1.0	1.1	1.0	0.0	1.9	0.5	1.5	3.0	1.5	1.5	0.0	15.0	2	546
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	3.5	2.0	2.3	1.7	1.6	1.6	2.3	0.3	0.1	0.1	1.2	1.1	17.8	15	3099
	13 LST	0.3	0.5	0.3	0.3	1.1	0.4	1.6	0.5	0.2	0.1	0.1	0.2	5.6	15	3050
	19 LST	1.9	1.2	1.8	1.8	0.2	0.7	1.3	0.2	0.4	0.0	0.6	0.5	10.6	13	2729
	01 LST	11.0	10.0	6.9	9.0	3.0	2.9	5.0	1.0	1.5	0.5	2.0	2.5	55.3	2	546
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	28.8	25.3	30.1	28.2	30.2	28.9	29.2	28.7	28.6	28.4	28.1	29.5	344.0	14	3023
	13 LST	24.3	23.0	25.6	26.4	28.9	28.9	29.8	29.8	27.8	27.6	26.0	25.7	323.8	14	2986
	19 LST	28.8	26.6	28.6	26.5	25.9	26.2	27.8	27.3	26.0	26.4	24.2	28.4	322.7	12	2684
	01 LST	31.0	27.0	31.0	30.0	29.5	30.0	29.0	29.5	28.7	30.0	28.5	29.7	353.9	1	546
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	26.8	22.8	28.7	27.2	29.3	27.9	28.2	27.2	27.8	27.8	26.4	27.0	327.1	14	3023
	13 LST	19.7	20.1	22.1	24.1	27.4	28.4	29.1	29.0	26.6	25.7	23.3	21.6	297.1	14	2986
	19 LST	27.2	25.8	27.7	25.2	24.2	23.7	26.5	25.3	24.2	23.3	21.3	25.4	299.8	12	2684
	01 LST	29.0	27.0	31.0	29.0	29.0	30.0	27.5	27.5	27.0	28.0	27.5	27.0	339.5	1	546
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	26.8	22.7	28.7	27.2	29.2	27.8	28.2	27.2	27.8	27.8	26.4	27.0	326.8	14	3023
	13 LST	19.6	20.1	21.9	24.1	27.4	28.4	29.1	29.0	26.6	25.7	23.3	21.4	296.6	14	2986
	19 LST	27.1	25.8	27.7	25.2	24.2	23.6	26.5	25.2	24.2	23.3	21.3	25.3	299.4	12	2684
	01 LST	29.0	27.0	31.0	29.0	29.0	30.0	27.5	27.5	27.0	28.0	27.5	27.0	339.5	1	546

TANDJUNGPINANG/KIDJANG, INDONESIA

STA NO. 96091 (IN AREA NUMBER 02)

LATITUDE 0055N

LONGITUDE 10431E

ELEVATION(FT) 00054

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
ABS MAX TMP (F)														0	0
MEAN MAX TMP (F)	86	88	88	88	89	88	88	87	87	87	87	87	88	0	-50
MEAN MIN TMP (F)														0	0
ABS MIN TMP (F)														0	0
MEAN NO DYS TMP = DR GTR 90(F)														0	0
MEAN NO DYS TMP = DR LES 32(F)														0	0
MEAN NO DYS TMP = DR LES 0(F)														0	0
MEAN DEW PT TMP (F)	76	77	78	78	78	76	77	76	76	76	76	77	77	0	-50
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)	114	144	164	174	204	184	184	174	174	144	144	144	162	0	-50
MEAN PRECIP (IN)														0	0
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = DR GTR 0.1 IN														0	0
MEAN NO DYS SNFL = DR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI	34.4	32.0	22.3	20.5	22.3	14.4	14.6	18.6	16.2	19.0	19.1	28.0	21.8	4	1712
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	5.9	2.9	2.0	5.5	4.0	4.3	3.7	7.3	5.1	5.8	4.0	5.5	4.7	7	1916
09-11 LST	11.1	12.0	5.4	6.7	7.4	5.9	5.3	8.2	2.4	8.6	7.1	9.0	7.4	5	1039
12-14 LST	14.6	14.9	9.5	17.7	11.3	7.9	7.8	6.0	9.1	10.3	16.5	21.3	12.3	7	1750
15-17 LST	10.3	5.9	5.0	6.0	3.9	5.8	3.8	0.0	7.4	2.3	6.3	12.2	5.7	4	657
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	0.0	0.0	1.4	0.7	0.0	0.5	0.6	0.0	1.7	0.0	1.2	0.5	7	1916
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	0.0	1.3	0.3	5	1039
12-14 LST	0.0	0.0	0.0	0.8	0.0	0.8	0.6	0.0	1.3	0.0	0.6	0.6	0.4	7	1750
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	0.2	4	657
18-20 LST														0	0
21-23 LST														0	0

TANDJUNGPINANG/KIDJANG, INDONESIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
	01 LST													0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
	01 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
	01 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
	01 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
	01 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
	01 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
	01 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
	01 LST													0	0

DATA NOT AVAILABLE

PAKANBARU, INDONESIA

STA NO. 96109 (IN AREA NUMBER 02)

LATITUDE 0027N

LONGITUDE 10126E

ELEVATION(FT) 00102

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)														0	0
MEAN MAX TMP (F)	87	87	87	87	88	88	87	87	86	86	86	86	87	0	-50
MEAN MIN TMP (F)														0	0
ABS MIN TMP (F)														0	0
MEAN NO DYS TMP = DR GTR 90(F)														0	0
MEAN NO DYS TMP = DR LES 32(F)														0	0
MEAN NO DYS TMP = DR LES 0(F)														0	0
MEAN DEW PT TMP (F)	72	72	72	72	73	71	71	71	71	72	72	72	72	0	-50
MEAN REL HUM (PCT)	80	80	80	80	77	77	76	77	77	79	80	80	79	7	10393
MEAN PRESS ALT (FT)	162	192	212	222	252	232	232	222	222	192	192	192	210	0	-50
MEAN PRECIP (IN)	7.94	9.94	8.31	8.27	6.89	4.50	6.37	5.78	9.86	12.50	10.95	8.68	100.0	6	1489
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = DR GTR 0.1 IN			5.2	5.2	5.4	9.1	11.0	10.4	12.7	14.5	13.5			6	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	1.2	1.9	4.8	5.2	1.7	0.7	2.0	3.2	2.5	4.5	6.5	2.8	37.0	7	2338
P FREQ WND SPD = DR GTR 17 KTS	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.1	0.1	0.0	0.2	0.1	6	10387
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	10387
P FREQ LES 5000 FT A/D LES 5 MI	40.5	41.5	39.7	39.5	30.7	32.2	34.3	39.9	46.8	49.2	43.9	40.5	39.9	6	10370
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	41.2	46.2	48.8	56.9	47.2	57.8	58.8	60.1	71.1	61.1	50.2	52.4	54.3	6	2339
09-11 LST	22.8	31.2	20.5	16.5	13.6	8.6	10.5	11.0	16.6	18.8	24.1	22.9	18.1	6	2372
12-14 LST	12.0	11.4	10.3	11.5	6.9	4.4	2.1	8.3	8.8	10.7	11.9	8.1	8.9	6	2391
15-17 LST	5.7	5.0	4.2	2.4	1.1	0.8	1.3	1.6	6.4	13.7	12.5	3.3	4.8	6	2344
18-20 LST	7.9	3.6	6.2	6.0	1.8	0.0	1.9	3.5	4.2	18.3	12.8	6.8	6.1	2	904
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	14.2	24.9	23.5	35.3	29.5	26.3	32.3	25.1	40.6	44.3	33.9	31.8	30.1	6	2339
09-11 LST	0.9	2.5	0.5	1.5	0.5	0.6	0.0	0.5	1.9	3.8	2.8	0.5	1.3	6	2372
12-14 LST	0.9	1.5	0.5	0.0	0.0	0.0	0.0	0.0	0.5	3.2	2.8	0.0	0.8	6	2391
15-17 LST	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	5.9	3.4	0.0	1.0	6	2344
18-20 LST	0.0	0.0	1.2	1.2	0.0	0.0	0.0	0.0	0.0	8.6	1.2	1.5	1.1	2	504
21-23 LST														0	0

PAKANBARU, INDONESIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	18.7	15.5	16.7	13.3	16.9	12.9	13.2	12.5	8.7	12.1	15.2	15.1	170.8	7	2339
	13 LST	29.8	26.6	29.7	29.4	30.7	29.3	31.0	30.0	28.3	28.8	28.3	30.3	352.2	7	2391
	19 LST	29.6	28.0	30.6	28.9	30.6	30.0	30.6	31.0	29.5	26.7	27.8	30.5	352.8	4	904
	01 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	18.7	15.5	16.7	13.3	16.9	12.9	13.2	12.5	8.7	12.1	15.2	15.1	170.8	7	2339
	13 LST	28.7	25.9	29.3	29.1	30.6	29.2	29.8	28.3	26.8	28.5	28.2	29.0	343.4	7	2391
	19 LST	29.6	27.3	29.8	27.8	29.5	30.0	30.6	29.9	29.0	26.0	27.1	30.5	347.1	4	904
	01 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	2339
	13 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.1	0.3	7	2391
	19 LST	0.0	0.3	0.0	0.0	0.4	0.0	0.0	0.5	0.0	0.0	0.0	0.0	1.2	4	905
	01 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	1.3	0.9	1.3	1.2	1.7	1.5	5.5	3.4	1.8	2.5	1.2	1.6	23.9	7	2351
	13 LST	22.7	17.3	15.4	12.7	11.1	12.7	16.6	18.7	16.9	18.2	16.5	20.5	199.3	7	2391
	19 LST	6.3	4.7	5.0	4.7	3.6	3.8	6.7	6.0	3.0	5.7	2.9	7.5	59.9	4	905
	01 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	0.9	1.4	0.9	0.2	1.7	1.5	2.2	0.7	0.7	0.3	0.2	0.9	11.6	7	2351
	13 LST	0.0	0.0	0.0	0.0	0.3	0.5	1.2	0.0	0.0	0.0	0.0	0.0	2.0	7	2391
	19 LST	1.1	1.3	1.9	1.1	3.3	2.5	4.7	3.8	1.5	0.0	0.0	0.9	22.1	4	905
	01 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	17.4	14.4	14.7	12.5	15.7	12.2	12.3	12.1	8.7	12.1	14.6	14.4	161.1	6	2339
	13 LST	23.4	21.6	24.8	23.5	26.4	27.8	29.0	25.6	25.7	26.0	23.7	25.8	303.3	6	2390
	19 LST	27.5	25.6	27.1	27.3	29.4	29.0	30.0	28.1	27.8	23.9	24.2	26.1	326.0	2	904
	01 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	16.9	13.9	14.1	12.2	15.3	11.9	12.2	11.7	8.7	12.1	14.2	14.0	157.2	6	2339
	13 LST	22.1	20.1	23.5	23.4	25.7	27.3	28.1	24.7	24.7	25.5	23.2	24.8	293.1	6	2390
	19 LST	26.8	24.3	26.8	27.1	27.7	28.1	29.4	27.7	27.5	23.7	23.8	24.9	317.8	2	904
	01 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	16.9	13.9	14.1	12.2	15.3	11.9	12.2	11.7	8.7	12.1	14.2	14.0	157.2	6	2339
	13 LST	22.1	20.1	23.5	23.4	25.7	27.3	28.1	24.7	24.7	25.5	23.2	24.8	293.1	6	2390
	19 LST	26.8	24.3	26.8	27.1	27.7	28.1	29.4	27.7	27.5	23.7	23.8	24.9	317.8	2	904
	01 LST														0	0

SINGKAP/DABO, INDONESIA

STA NO. 96179 (IN AREA NUMBER 02)

LATITUDE 0028S

LONGITUDE 10434E

ELEVATION(FT) 00095

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)														0	0
MEAN MAX TMP (F)														0	0
MEAN MIN TMP (F)	73	73	73	73	74	75	74	73	71	72	72	72	73	1	419
ABS MIN TMP (F)	70	70	70	70	73	72	68	68	64	66	64	66	64	1	419
MEAN NO DYS TMP = DR GTR 90(F)														0	0
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	-29
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)	80	80	79	79	81	78	78	78	76	80	82	84	80	7	4794
MEAN PRESS ALT (FT)	184	202	207	222	239	225	217	217	206	200	206	193	210	0	-50
MEAN PRECIP (IN)	7.16	4.54	6.75	6.06	9.08	6.54	8.04	7.83	5.25	5.74	6.44	10.55	84.0	6	1699
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN		6.3	5.4	5.5	5.3	11.2	12.6	12.4	8.5	9.0	9.7			6	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	-29
MEAN NO DYS W/OUCR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.5	1.0	5.4	9.4	8.9	4.5	4.9	2.9	3.8	5.2	6.1	5.9	58.5	6	1744
P FREQ WND SPD = DR GTR 17 KTS	3.2	3.2	1.7	1.0	0.2	0.3	0.3	2.0	1.4	1.0	0.7	0.3	1.3	6	4783
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	4783
P FREQ LES 5000 FT A/D LES 5 MI	12.6	8.1	10.4	8.8	7.3	7.5	6.7	9.1	12.7	26.3	8.0	13.5	10.9	5	10214
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	5.5	3.2	3.4	5.0	5.0	5.8	4.3	5.4	5.7	13.3	5.9	5.3	5.7	5	2460
09-11 LST	6.7	4.3	4.8	2.6	6.7	4.5	4.6	6.7	7.4	10.0	1.5	5.7	5.8	5	2459
12-14 LST	8.7	5.5	6.8	6.2	4.9	4.1	4.9	5.1	5.7	8.9	3.6	7.4	6.0	5	2448
15-17 LST	6.6	4.1	3.8	1.2	4.2	0.0	1.4	2.3	3.9	5.0	1.0	2.4	3.0	5	1744
18-20 LST	3.5	1.9	0.4	0.0	1.0	1.0	0.0	0.0	1.4	5.7	0.0	1.0	1.3	2	1103
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.9	0.5	0.0	1.0	1.8	0.0	0.0	0.0	0.0	5.8	1.9	0.5	1.0	5	2460
09-11 LST	0.5	1.0	0.0	0.0	0.0	0.0	0.5	0.5	0.5	3.2	1.4	0.5	0.7	5	2459
12-14 LST	0.5	0.0	0.5	0.0	0.0	0.0	0.0	0.5	0.0	2.0	0.5	1.4	0.5	5	2448
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	0.0	0.0	0.1	5	1744
18-20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.5	0.1	2	1103
21-23 LST														0	0

SINGKEP/DABO, INDONESIA

STA NO. 96179 (IN AREA NUMBER 02)

LATITUDE 0028S

LONGITUDE 10434E

ELEVATION(FT) 00095

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDP (YRS)	NO. OBS
ABS MAX TMP (F)														0	0
MEAN MAX TMP (F)														0	0
MEAN MIN TMP (F)	73	73	73	73	74	75	74	73	71	72	72	72	73	1	419
ABS MIN TMP (F)	70	70	70	70	73	72	68	68	64	66	64	66	64	1	419
MEAN NO DYS TMP = DR GTR 90(F)														0	0
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	-29
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)	80	80	79	79	81	78	78	78	76	80	82	84	80	7	4794
MEAN PRESS ALT (FT)	184	202	207	222	239	225	217	217	206	200	206	193	210	0	-50
MEAN PRECIP (IN)	7.16	4.54	6.75	6.06	9.08	6.59	8.04	7.83	5.25	5.74	6.44	10.55	84.0	6	1699
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN		6.5	5.4	5.5	5.3	11.2	12.6	12.4	8.5	9.0	9.7			6	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.5	1.0	5.4	9.4	8.9	4.5	4.9	2.9	3.8	5.2	6.1	5.9	58.5	6	1744
P FREQ WND SPD = DR GTR 17 KTS	3.2	3.2	1.7	1.0	0.2	0.3	0.3	2.0	1.4	1.0	0.7	0.3	1.3	6	4783
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	4783
P FREQ LES 3000 FT A/D LES 5 MI	12.6	8.1	10.4	8.8	7.3	7.5	6.7	9.1	12.7	26.3	8.0	13.5	10.9	5	10214
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	5.5	3.2	3.4	5.0	5.0	5.8	4.3	5.4	5.7	13.3	5.9	5.3	5.7	5	2460
09-11 LST	6.7	4.3	4.8	2.6	6.7	4.5	4.6	6.7	7.4	10.0	5.5	5.7	5.8	5	2459
12-14 LST	8.7	5.5	6.8	6.2	4.9	4.1	4.9	5.1	5.7	8.9	3.6	7.4	6.0	5	2448
15-17 LST	6.6	4.1	3.8	1.2	4.2	0.0	1.4	2.3	3.9	5.0	1.0	2.4	3.0	5	1744
18-20 LST	3.5	1.9	0.4	0.0	1.0	1.0	0.0	0.0	1.4	5.7	0.0	1.0	1.3	2	1103
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.9	0.5	0.0	1.0	1.8	0.0	0.0	0.0	0.0	5.8	1.9	0.5	1.0	5	2460
09-11 LST	0.5	1.0	0.0	0.0	0.0	0.0	0.5	0.5	0.5	3.2	1.4	0.5	0.7	5	2459
12-14 LST	0.5	0.0	0.5	0.0	0.0	0.0	0.0	0.5	0.0	2.0	0.5	1.4	0.5	5	2448
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	0.0	0.0	0.1	5	1744
18-20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.5	0.1	2	1103
21-23 LST														0	0

SINGKEP/DABO, INDONESIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	29.4	27.4	30.1	28.9	29.7	29.0	30.4	30.2	29.4	27.6	28.4	29.9	350.4	7	2460
	13 LST	29.9	27.1	30.3	29.6	30.6	29.7	30.4	30.5	29.4	29.0	29.3	30.3	356.1	7	2448
	19 LST	29.9	27.6	31.0	30.0	30.7	29.7	31.0	31.0	30.0	29.2	30.0	30.7	360.8	4	1103
	01 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	07 LST	26.7	25.3	29.9	28.7	29.6	27.7	29.4	29.7	28.9	27.6	28.1	29.9	341.5	7	2460
	13 LST	18.0	17.6	22.6	27.6	29.1	26.9	28.6	27.8	26.6	27.7	28.7	28.1	309.3	7	2448
	19 LST	21.2	21.3	29.0	29.7	30.7	29.7	31.0	31.0	30.0	29.2	30.0	28.8	341.6	4	1103
	01 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.3	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.6	7	2460
	13 LST	1.4	0.9	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	3.1	7	2449
	19 LST	0.5	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	4	1103
	01 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	9.9	10.5	9.9	5.7	7.1	13.3	17.3	18.3	18.4	8.3	4.9	7.5	131.1	7	2460
	13 LST	14.7	14.4	17.0	15.9	16.9	18.9	22.5	20.7	20.1	19.4	18.1	17.5	216.1	7	2449
	19 LST	14.7	14.5	16.4	10.2	3.1	4.5	6.1	6.1	5.9	3.6	2.0	8.9	96.0	4	1103
	01 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	7.3	5.5	8.0	10.0	7.3	6.1	8.0	4.8	3.7	3.2	6.1	5.6	75.6	7	2460
	13 LST	3.6	3.3	2.9	4.3	3.9	6.4	8.9	6.8	7.9	3.9	1.4	1.3	54.6	7	2448
	19 LST	9.8	7.1	11.7	16.3	16.1	18.2	22.3	16.6	17.9	12.5	12.6	6.7	167.8	4	1103
	01 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	29.0	26.7	29.7	28.1	29.1	27.5	28.9	27.7	27.2	26.2	28.0	28.9	337.0	5	2460
	13 LST	26.7	25.7	27.6	26.7	28.4	27.8	28.5	28.1	27.2	27.5	28.6	27.0	329.8	5	2448
	19 LST	29.9	27.3	30.7	30.0	30.7	29.7	31.0	30.8	29.1	29.2	30.0	30.7	359.1	2	1103
	01 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	29.0	26.7	29.7	28.1	29.1	27.5	28.9	27.7	27.0	26.2	28.0	28.9	336.8	5	2460
	13 LST	26.7	25.7	27.4	26.7	28.4	27.8	28.4	28.0	27.2	27.5	28.6	26.9	329.3	5	2448
	19 LST	29.9	27.3	30.7	30.0	30.7	29.7	31.0	30.6	29.1	29.2	30.0	30.7	358.9	2	1103
	01 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	29.0	26.7	29.7	28.1	29.1	27.5	28.9	27.7	27.0	26.2	28.0	28.9	336.8	5	2460
	13 LST	26.7	25.7	27.4	26.7	28.4	27.8	28.4	28.0	27.2	27.5	28.6	26.9	329.3	5	2448
	19 LST	29.9	27.3	30.7	30.0	30.7	29.7	31.0	30.6	29.1	29.2	30.0	30.7	358.9	2	1103
	01 LST														0	0

DJAMBI, INDONESIA

STA NO. 96195 (IN AREA NUMBER 02)

LATITUDE 0138S

LONGITUDE 10339E

ELEVATION(FT) 00082

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)														0	0
MEAN MAX TMP (F)														0	0
MEAN MIN TMP (F)														0	0
ABS MIN TMP (F)														0	0
MEAN NO DYS TMP = OR GTR 90(F)														0	0
MEAN NO DYS TMP = OR LES 32(F)														0	0
MEAN NO DYS TMP = OR LES 0(F)														0	0
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)	81	81	83	85	81	81	80	79	77	79	80	84	81	4	617
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	8.86	7.84	10.51	9.88	7.48	5.04	4.37	5.79	6.34	9.33	11.46	10.51	97.4	63	-45
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = OR GTR 0.1 IN			6.0	5.6	5.3	9.6	8.9	10.4	9.6	12.3	13.8			63	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS	2.9	9.3	0.0	0.0	3.6	1.8	1.4	2.4	1.8	3.6	2.3	1.9	2.6	4	644
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	644
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	34.6	48.4	43.9	42.5	38.1	25.5	22.5	20.8	38.1	57.9	43.2	50.0	38.8	11	1445
09-11 LST	40.0	42.1	38.1	41.7	30.0	28.6	31.6	25.0	34.5		13.0	34.2	41.6	2	216
12-14 LST	39.1	31.8	36.0	26.4	22.9	15.0	18.1	15.5	25.0	37.1	29.8	36.8	27.8	13	1770
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	4.9	8.6	9.2	9.4	4.8	6.1	2.5	2.8	10.2	26.3	8.3	2.8	8.0	11	1445
09-11 LST	0.0	5.3	0.0	0.0	0.0	0.0	0.0	0.0	9.1	68.4	0.0	8.3	7.6	2	216
12-14 LST	0.0	0.0	1.6	0.0	0.0	1.4	1.1	0.0	2.9	8.8	1.8	0.0	1.5	13	1770
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

DJAMBI, INDONESIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	27.1	22.9	27.5	26.8	26.2	26.6	31.0	29.8	26.6	22.1	24.0	25.2	315.8	4	174
	13 LST	27.4	24.6	29.9	25.5	22.8	27.8	26.9	31.0	28.7	27.6	29.1	25.7	327.0	5	441
	19 LST														0	0
	01 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	27.1	22.9	22.4	23.7	26.2	26.6	28.0	26.0	23.3	19.9	22.5	20.6	289.2	4	170
	13 LST	20.2	10.1	16.5	17.3	18.4	22.7	16.8	18.5	16.0	19.3	21.2	15.8	212.5	5	431
	19 LST														0	0
	01 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	181
	13 LST	1.1	1.0	0.0	0.0	0.0			1.1	0.6			0.8		5	453
	19 LST														0	0
	01 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEC P AND NO PRECIP.	07 LST	3.9	2.5	1.7	6.0	0.0	0.0	4.7	11.2	16.7	10.3	3.8	2.2	63.0	4	171
	13 LST	17.9	13.5	9.3	12.5	12.7	14.3	18.2	13.7	12.9	14.1	14.0	19.1	172.2	5	427
	19 LST														0	0
	01 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	0.0	0.0	3.3	0.0	9.3	3.0	5.6	3.6	3.3	2.0	0.0	1.8	32.1	4	184
	13 LST	0.0	0.0	0.0	0.0	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	5	460
	19 LST														0	0
	01 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	23.3	20.4	22.4	25.3	23.8	26.6	29.6	24.8	20.0	19.9	24.0	19.4	279.5	4	174
	13 LST	17.9	17.9	18.6	16.7	16.3	20.7	16.2	19.9	17.9	18.4	22.3	15.0	217.8	5	441
	19 LST														0	0
	01 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	23.3	20.4	22.4	25.3	23.8	26.6	29.6	22.3	20.0	19.9	24.0	19.4	277.0	4	174
	13 LST	14.3	15.7	16.5	14.4	14.7	18.6	15.5	16.4	14.7	17.6	19.7	15.0	193.1	5	441
	19 LST														0	0
	01 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	23.3	20.4	22.4	25.3	23.8	26.6	29.6	22.3	20.0	19.9	24.0	19.4	277.0	4	174
	13 LST	13.1	15.7	16.5	14.4	13.9	18.6	14.8	16.4	14.7	17.6	19.7	15.0	190.4	5	441
	19 LST														0	0
	01 LST														0	0

PALEMBANG/TALANGBETUTU, INDONESIA

STA NO. 96221 (IN AREA NUMBER 02)

LATITUDE 0254S LONGITUDE 10442E ELEVATION(FT) 00033

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)														0	0
MEAN MAX TMP (F)														0	0
MEAN MIN TMP (F)														0	0
ABS MIN TMP (F)														0	0
MEAN NO DYS TMP = DR GTR 90(F)														0	0
MEAN NO DYS TMP = DR LES 32(F)														0	0
MEAN NO DYS TMP = DR LES 0(F)														0	0
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)	81	81	81	80	80	79	79	76	73	76	78	81	79	15	10516
MEAN PRESS ALT (FT)	108	122	122	136	122	136	122	94	94	94	122	136	117	0	-50
MEAN PRECIP (IN)	11.26	9.65	12.24	11.18	7.17	4.76	3.82	4.02	4.33	8.03	11.14	12.64	100.2	63	-45
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = DR GTR 0.1 IN				6.6	5.3	9.3	8.3	8.5	7.6	11.2	13.6			63	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.8	4.0	2.9	7.0	4.4	6.1	5.0	5.5	0.8	7.3	6.4	7.9	58.1	4	547
P FREQ WND SPD = DR GTR 17 KTS	1.3	1.1	0.7	0.1	0.2	0.6	0.5	0.3	0.1	0.3	0.3	0.2	0.5	14	10601
P FREQ WND SPD = DR GTR 28 KTS	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	14	10601
P FREQ LES 5000 FT A/D LES 5 MI	41.0	36.0	33.0	33.3	33.0	20.5	29.1	30.7	35.5	36.0	34.4	32.4	32.9	14	4781
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	29.4	30.3	34.7	33.5	33.6	29.8	39.3	35.4	43.5	38.9	32.3	30.0	34.2	16	2917
09-11 LST	17.9	19.1	20.5	12.4	10.0	13.5	14.0	11.5	10.3	53.8	11.7	18.6	17.8	5	1006
12-14 LST	17.5	13.1	9.9	5.7	6.0	4.5	2.5	2.6	3.7	22.1	9.6	11.2	9.0	16	3166
15-17 LST	13.5	15.2	7.4	10.0	8.6	3.2	2.5	4.7	13.8	37.7	20.0	11.9	12.4	4	805
18-20 LST	8.4	3.8	5.8	7.5	6.5	4.5	4.1	2.4	10.7	13.6	9.4	9.1	7.2	14	2339
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	17.3	17.1	19.8	22.0	23.2	14.3	25.7	18.2	25.7	29.0	17.9	16.3	20.5	16	2917
09-11 LST	2.6	1.1	1.1	1.1	1.1	0.0	1.2	0.0	1.1	34.6	6.5	2.9	4.4	5	1006
12-14 LST	1.6	0.5	0.0	0.4	1.6	0.8	0.4	0.3	0.4	14.5	4.1	1.1	2.1	16	3166
15-17 LST	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	30.4	12.3	5.1	4.1	4	805
18-20 LST	0.0	0.0	1.0	1.0	0.7	0.6	0.0	0.5	1.5	9.1	3.8	3.2	1.8	14	2339
21-23 LST														0	0

PALEMBANG/TALANGBETUTU, INDONESIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	22.5	19.8	20.8	20.6	21.1	21.8	19.3	21.6	18.2	19.8	20.7	22.5	248.7	15	2917
	13 LST	29.0	27.1	30.3	29.8	30.4	29.5	30.8	30.9	29.7	25.2	28.3	30.1	351.1	15	3166
	19 LST	29.7	27.7	29.8	29.4	29.4	29.8	30.5	30.5	27.9	27.5	28.2	29.0	349.4	13	2339
	01 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	22.6	19.6	20.8	20.5	21.1	21.9	19.3	21.5	18.1	19.8	20.6	22.5	248.3	15	2896
	13 LST	25.4	23.2	28.8	28.0	29.3	27.9	27.7	29.4	26.4	24.5	27.8	27.6	326.0	15	3138
	19 LST	29.0	26.8	29.0	28.9	29.2	29.4	30.1	30.4	27.8	27.5	27.6	29.1	344.8	13	2315
	01 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	3003
	13 LST	1.1	1.0	0.7	0.1	0.2	0.4	0.3	0.3	0.1	0.1	0.0	0.2	4.5	15	3228
	19 LST	0.0	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.7	13	2381
	01 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	6.3	3.9	3.4	1.9	1.1	2.3	2.1	3.4	2.9	3.0	3.8	4.6	38.7	15	2949
	13 LST	17.1	15.1	13.4	8.8	10.7	8.8	14.4	12.5	6.4	6.0	10.1	17.7	141.0	15	3186
	19 LST	12.4	12.2	10.7	8.2	6.1	7.2	8.1	8.6	11.7	7.5	5.0	6.9	104.6	13	2350
	01 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	0.9	0.4	0.5	1.5	1.8	2.8	3.0	2.3	2.4	2.2	0.9	0.5	19.2	15	2990
	13 LST	0.0	0.0	0.0	0.4	0.4	0.8	1.0	0.9	0.7	0.2	0.2	0.1	4.7	15	3259
	19 LST	0.5	0.9	0.7	1.1	3.5	5.7	5.5	4.7	4.6	1.5	0.7	0.3	29.7	13	2391
	01 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	21.8	19.2	20.2	20.2	20.9	21.7	19.0	21.2	17.4	19.6	20.1	21.2	242.5	14	2917
	13 LST	19.7	18.4	22.3	24.1	25.5	26.4	26.9	26.1	25.0	21.3	23.0	22.1	280.8	14	3166
	19 LST	26.8	25.9	28.0	26.8	28.0	27.6	28.3	29.4	26.6	26.0	26.1	27.4	326.9	11	2339
	01 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	20.3	18.6	19.2	19.8	20.7	21.2	18.7	20.9	17.0	19.3	19.5	20.2	235.4	14	2917
	13 LST	16.5	15.1	18.6	21.0	22.8	24.7	23.7	22.0	21.2	18.6	19.4	18.9	242.5	14	3166
	19 LST	25.6	25.0	27.4	26.1	27.2	26.7	27.4	28.3	25.7	24.9	25.2	26.2	315.7	11	2339
	01 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	20.3	18.6	19.2	19.8	20.7	21.2	18.6	20.9	17.0	19.3	19.5	20.2	235.3	14	2917
	13 LST	16.5	15.1	18.6	21.0	22.8	24.7	23.7	22.0	21.2	18.6	19.4	18.9	242.5	14	3166
	19 LST	25.5	25.0	27.4	26.1	27.2	26.7	27.4	28.3	25.7	24.9	25.2	26.2	315.6	11	2339
	01 LST														0	0

PANGKALPINANG, INDONESIA

STA NO. 96237 (IN AREA NUMBER 02)

LATITUDE 02095

LONGITUDE 10608E

ELEVATION(FT) 00109

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	90	91	91	94	93	92	90	89	90	91	93	92	94	6	-35
MEAN MAX TMP (F)	84	85	86	87	87	86	86	86	86	87	86	85	86	6	-35
MEAN MIN TMP (F)	74	74	74	75	76	77	78	78	77	76	74	74	76	6	-35
ABS MIN TMP (F)	69	70	71	71	72	71	71	59	68	70	71	72	68	6	-35
MEAN NO DYS TMP = DR GTR 90(F)	1.4	3.0	5.8	8.3	8.6	5.6	5.8	0.0	5.6	8.6	5.6	3.4	61.7	6	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	-29
MEAN DEW PT TMP (F)	73	74	74	75	75	74	73	71	70	72	73	75	73	6	-29
MEAN REL HUM (PCT)	84	85	84	82	81	79	76	72	71	75	80	86	80	6	8908
MEAN PRESS ALT (FT)	170	184	212	170	225	239	212	198	198	198	198	212	201	0	-50
MEAN PRECIP (IN)	15.07	12.36	9.92	11.76	9.70	7.49	8.55	5.98	5.91	6.32	11.56	16.27	120.9	10	3437
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN			5.6	7.4	5.5	12.1	13.1	10.6	9.2	9.6	13.9			10	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	7.2	9.1	15.7	15.4	15.4	10.4	8.0	5.8	5.2	12.3	13.4	13.2	131.1	7	2338
P FREQ WND SPD = DR GTR 17 KTS	0.5	0.3	0.0	0.1	0.0	1.0	0.4	0.7	0.8	0.2	0.1	0.0	0.3	6	11744
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	11744
P FREQ LES 5000 FT A/D LES 3 MI	21.5	19.3	15.8	19.5	17.8	14.6	13.0	14.2	8.8	8.2	12.7	20.0	15.5	8	2972
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	7.2	5.7	6.7	4.2	2.6	3.9	2.8	2.3	1.6	7.1	6.4	11.8	5.2	12	2188
09-11 LST	23.2	25.0	9.9	11.8	10.1	10.6	4.3	5.3	5.2	14.7	16.2	16.7	12.8	5	868
12-14 LST	25.1	21.1	14.9	16.8	11.4	10.7	7.8	6.1	4.4	9.8	12.0	22.2	13.5	12	2459
15-17 LST														0	0
18-20 LST	6.0	6.6	5.1	2.8	5.6	4.5	7.6	2.6	1.7	0.7	2.5	4.0	4.1	8	1274
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	0.0	0.6	0.0	0.0	0.0	0.5	0.0	0.0	1.0	0.0	1.2	0.3	12	2188
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.9	0.0	0.0	0.5	5	868
12-14 LST	0.5	0.6	1.0	0.0	0.5	0.5	0.0	0.0	0.0	0.4	0.0	0.5	0.3	12	2459
15-17 LST														0	0
18-20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	1274
21-23 LST														0	0

PANGKALPINANG, INDONESIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	29.2	26.4	30.2	29.3	30.7	29.4	30.7	31.0	29.7	28.8	29.4	29.5	334.3	7	2351
	13 LST	28.5	26.2	29.0	29.0	30.6	29.7	30.7	30.8	29.7	29.7	29.4	29.0	352.3	7	2351
	19 LST	29.5	27.7	30.8	29.7	30.3	29.0	30.5	31.0	29.7	30.0	29.3	30.7	358.2	7	2340
	01 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	29.0	26.4	29.7	29.3	30.4	29.3	30.7	30.8	29.3	28.6	29.3	29.5	352.3	7	2351
	13 LST	21.0	19.9	22.8	26.5	26.4	22.4	16.7	13.5	14.8	20.9	28.3	28.7	261.9	7	2351
	19 LST	29.3	27.7	30.8	29.7	30.3	28.3	30.3	29.9	28.8	29.7	29.3	30.7	354.8	7	2339
	01 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	7	2351
	13 LST	0.3	0.1	0.0	0.2	0.0	0.6	0.2	0.0	0.6	0.3	0.0	0.0	2.3	7	2351
	19 LST	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	7	2338
	01 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	5.4	3.0	2.7	3.4	7.4	12.1	14.7	19.8	17.1	12.1	4.6	4.3	106.6	7	2350
	13 LST	16.2	15.3	16.3	16.1	13.8	14.7	13.7	11.5	9.6	10.0	16.1	17.0	170.3	7	2351
	19 LST	11.2	10.7	7.2	4.2	6.8	12.4	15.8	21.4	17.5	12.3	5.8	3.3	128.6	7	2337
	01 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	2.2	1.7	2.2	2.5	3.6	2.9	5.5	5.8	6.4	3.2	0.6	0.2	36.8	7	2351
	13 LST	0.0	0.0	0.0	0.2	0.4	0.3	0.5	2.3	5.2	1.9	0.3	0.0	11.1	7	2350
	19 LST	1.8	0.6	1.3	1.9	1.4	3.9	3.2	6.4	5.9	2.8	0.6	0.3	30.1	7	2340
	01 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	26.9	25.3	28.6	27.6	29.8	28.2	29.7	30.7	28.7	28.0	27.3	26.8	337.6	6	2351
	13 LST	16.3	15.3	20.7	21.0	23.3	23.4	25.7	28.8	27.8	24.6	22.2	15.5	264.6	6	2351
	19 LST	26.2	25.1	29.8	27.7	27.7	26.3	28.6	30.2	28.5	28.8	27.6	27.9	334.4	6	2340
	01 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	26.8	25.2	28.5	27.5	29.5	28.0	29.5	30.7	28.4	27.8	27.2	26.3	335.4	6	2351
	13 LST	16.0	14.7	20.2	20.3	22.5	22.7	25.2	28.2	27.6	24.6	22.0	14.7	258.7	6	2351
	19 LST	25.7	24.9	29.8	27.5	27.5	26.1	28.5	30.0	28.5	28.7	27.5	27.5	332.2	6	2340
	01 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	26.8	25.2	28.5	27.5	29.5	28.0	29.5	30.7	28.4	27.8	27.2	26.3	335.4	6	2351
	13 LST	16.0	14.7	20.2	20.3	22.5	22.7	25.2	28.2	27.6	24.6	22.0	14.7	258.7	6	2351
	19 LST	25.7	24.9	29.8	27.5	27.5	26.1	28.5	30.0	28.5	28.7	27.5	27.5	332.2	6	2340
	01 LST														0	0

TANDJUNGPANDAN/BULUTUMBANG, INDONESIA

STA NO. 96249 (IN AREA NUMBER 02)

LATITUDE 02455

LONGITUDE 10745E

ELEVATION(FT) 00164

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	90	91	91	94	93	92	92	92	96	96	95	92	96	6	-28
MEAN MAX TMP (F)	83	84	85	86	87	86	87	88	88	87	85	84	86	6	-28
MEAN MIN TMP (F)	75	75	74	74	74	73	73	72	72	73	73	74	74	6	-28
ABS MIN TMP (F)	72	71	71	71	71	69	67	66	66	66	68	70	66	6	-28
MEAN NO DYS TMP = DR GTR 90(F)	1.4	3.0	5.8	8.3	8.6	5.6	5.8	0.0	5.6	8.6	5.6	3.4	51.7	6	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	-29
MEAN DEW PT TMP (F)	73	74	74	75	75	74	74	72	71	73	74	74	74	8	-29
MEAN REL HUM (PCT)	84	84	83	85	85	84	82	79	77	81	86	85	83	12	4798
MEAN PRESS ALT (FT)	70	84	112	70	125	136	112	98	98	98	98	112	101	0	-90
MEAN PRECIP (IN)	10.90	6.50	7.60	10.50	10.10	7.50	6.70	5.60	6.40	10.80	14.60	15.90	113.1	63	-28
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN		7.4	5.3	6.0	5.7	12.1	11.3	10.2	9.7	13.4	15.7			63	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	3.4	10.9	13.0	7.9	0.0	0.0	4.6	14.9	14.0	7.2	75.9	3	166
P FREQ WND SPD = DR GTR 17 KTS	1.0	1.0	0.2	0.2	0.3	0.8	0.9	0.7	0.3	0.9	0.0	0.3	0.6	14	7670
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	14	7670
P FREQ LES 9000 FT A/D LES 5 MI	32.0	28.3	20.4	21.0	18.0	17.0	11.9	17.7	14.0	25.2	24.3	33.5	21.9	7	2339
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	7.5	5.3	4.5	1.6	1.6	2.9	1.8	3.0	2.5	11.5	5.0	9.8	4.8	16	2833
09-11 LST	20.0	19.6	12.3	13.3	2.8	7.7	1.6	8.6	1.6	9.8	17.3	14.3	17.7	3	703
12-14 LST	19.6	16.6	17.3	20.6	21.5	14.5	11.7	9.3	8.2	18.2	28.1	22.2	17.3	16	2870
15-17 LST	33.3	21.7	16.7	15.0	4.9	6.7	0.0	0.0	6.7	7.0	6.9	20.0	11.6	2	288
18-20 LST	10.8	7.3	7.1	0.0	1.7	7.3	0.0	2.4	2.8	7.6	8.1	13.0	5.7	6	743
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.5	0.0	0.5	0.4	0.0	0.0	0.4	0.4	0.8	2.0	0.0	0.0	0.4	16	2833
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	1.9	0.0	0.3	3	703
12-14 LST	0.0	1.1	0.9	2.3	0.8	0.0	0.4	0.3	0.4	0.7	1.7	0.4	0.8	16	2870
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	288
18-20 LST	2.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	6	743
21-23 LST														0	0

TANDJUNGPANDAN/BULUTUMBANG, INDONESIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	29.0	27.1	30.4	29.6	30.8	29.4	30.8	30.2	29.6	28.2	29.3	29.1	353.5	14	2833
	13 LST	28.7	26.4	28.7	27.9	28.4	28.8	29.3	30.4	29.3	29.2	26.4	28.7	342.2	14	2870
	19 LST	28.5	27.3	30.3	30.0	31.0	29.5	31.0	31.0	30.0	29.7	28.1	29.3	355.7	3	743
	01 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	29.0	26.6	30.4	29.6	30.6	29.4	30.5	30.1	29.6	27.9	29.2	29.1	352.0	14	2812
	13 LST	25.4	24.4	27.6	27.5	26.9	27.1	25.7	24.6	23.7	25.9	25.7	26.5	311.0	14	2844
	19 LST	27.6	27.3	30.3	30.0	31.0	29.5	31.0	31.0	30.0	29.7	28.1	29.3	354.8	3	742
	01 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.0	0.3	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.1	0.0	0.0	0.6	14	2912
	13 LST	0.3	0.4	0.1	0.0	0.3	0.4	0.5	0.6	0.2	0.5	0.0	0.3	3.6	14	2901
	19 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	747
	01 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	5.3	3.1	1.3	0.2	0.6	1.5	3.0	3.4	3.0	1.7	0.4	4.5	28.0	14	1881
	13 LST	16.0	17.5	12.8	9.2	9.1	12.5	10.6	11.7	9.4	7.8	10.4	19.3	146.3	14	1883
	19 LST	1.7	2.7	0.7	0.0	0.0	0.5	2.0	2.3	3.9	1.0	1.2	2.7	18.7	3	691
	01 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	1.8	1.2	2.6	5.9	3.9	6.7	9.1	6.3	6.1	3.5	2.2	1.1	50.4	14	2925
	13 LST	0.0	0.0	0.7	0.0	0.0	0.4	0.3	0.3	0.6	0.2	0.0	0.0	2.5	14	2927
	19 LST	5.0	4.0	4.3	4.1	5.8	7.0	11.6	9.5	11.9	4.6	1.9	1.1	70.8	3	750
	01 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	28.2	25.7	29.2	29.4	30.5	28.7	30.1	29.8	29.2	27.8	28.2	26.7	343.5	14	2833
	13 LST	20.3	18.0	19.9	18.6	18.7	21.2	23.2	23.1	23.1	20.1	15.9	18.6	240.7	13	2870
	19 LST	26.0	25.3	27.7	29.4	29.3	25.9	30.7	29.7	28.7	27.6	27.3	26.4	334.0	3	743
	01 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	27.8	25.4	29.0	29.2	30.0	28.5	30.0	29.4	29.1	26.8	27.8	26.3	339.3	14	2833
	13 LST	18.1	15.0	16.1	16.3	16.3	19.0	19.9	19.0	19.1	17.2	14.9	16.0	206.9	13	2870
	19 LST	25.1	25.3	27.3	28.9	28.9	25.1	29.4	29.5	28.3	26.6	27.1	26.4	327.9	3	743
	01 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	27.8	25.4	29.0	29.2	30.0	28.5	30.0	29.3	29.1	26.8	27.8	26.3	339.2	14	2833
	13 LST	18.1	15.0	16.1	16.3	16.3	19.0	19.9	18.9	19.1	17.2	14.8	16.0	206.7	13	2870
	19 LST	25.1	25.3	27.3	28.9	28.9	25.1	29.4	29.5	28.3	26.6	27.1	26.4	327.9	3	743
	01 LST														0	0

AREA NO. 02

INDONESIA	EASTERN SUMATRA				LATITUDE 0000N		LONGITUDE 10200E							
	BOUNDARIES	0532N	09515E	0200N	09930E	0200N	09930E	0000N	10100E	0000N	10100E	0530S	10515E	
PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)		85	86	87	87	88	87	87	87	87	87	86	85	87
MEAN MIN TMP (F)		73	73	73	74	74	74	74	74	73	73	73	73	73
LARGEST MEAN PRECIP(IN)		15.07	12.36	17.24	11.76	10.10	7.50	8.55	7.83	9.86	12.50	14.60	16.27	138.6
SMALLEST MEAN PRECIP(IN)		5.40	3.60	4.10	5.20	6.89	4.50	3.82	4.02	4.33	5.74	6.44	8.68	62.7
		MEAN NUMBER OF DAYS												
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	26.5	23.6	26.5	25.3	26.5	25.5	26.4	26.4	24.5	23.9	25.1	25.9	306.2
	13 LST	29.1	26.5	29.7	28.7	29.2	29.2	30.0	30.6	29.3	28.6	28.6	29.3	348.8
	19 LST	29.6	27.6	30.5	29.5	30.2	29.5	30.6	30.8	29.3	28.9	28.7	30.2	355.4
	01 LST	31.0	27.0	31.0	30.0	30.0	30.0	30.5	31.0	30.0	31.0	30.0	31.0	362.5
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	07 LST	26.1	23.2	25.8	24.9	26.5	25.3	25.8	25.7	23.9	23.5	24.8	25.3	300.8
	13 LST	23.9	21.1	25.2	26.3	27.3	26.5	25.0	24.6	23.4	25.2	27.0	26.3	301.8
	19 LST	27.8	26.3	29.8	29.1	29.9	29.3	30.5	30.2	29.0	28.6	28.4	29.9	348.8
	01 LST	31.0	27.0	31.0	30.0	30.0	29.0	30.5	31.0	30.0	31.0	30.0	30.5	361.0
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.0	0.1	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.2
	13 LST	0.6	0.5	0.2	0.1	0.1	0.3	0.2	0.3	0.2	0.3	0.0	0.2	3.0
	19 LST	0.1	0.2	0.0	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.1	0.0	0.6
	01 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	4.7	3.5	3.0	2.7	2.6	4.4	6.8	8.5	8.6	5.4	2.8	3.8	56.8
	13 LST	16.7	14.6	13.2	11.4	11.2	12.1	14.2	13.3	11.6	12.0	13.7	17.6	161.6
	19 LST	9.4	9.1	8.3	6.1	4.5	6.1	7.7	8.7	8.0	5.6	3.6	5.7	82.8
	01 LST	2.0	1.0	1.1	1.0	0.0	1.9	0.5	1.5	3.0	1.5	1.5	0.0	15.0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	2.4	1.7	2.8	3.1	4.2	3.5	5.1	3.4	3.2	2.1	1.6	1.6	34.7
	13 LST	0.6	0.5	0.6	0.7	1.0	1.3	1.9	1.5	2.1	0.9	0.3	0.2	11.6
	19 LST	3.4	2.5	3.6	4.4	5.1	6.3	8.1	6.9	7.0	3.6	2.7	1.6	55.2
	01 LST	11.0	10.0	6.9	9.0	3.0	2.9	5.0	1.0	1.5	0.5	2.0	2.5	59.3
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	25.1	22.7	25.0	24.5	25.7	24.8	25.5	25.0	22.8	23.1	24.3	23.8	292.0
	13 LST	21.2	20.0	22.8	22.4	23.9	25.2	25.6	25.9	24.9	23.6	23.1	21.4	280.0
	19 LST	27.5	26.0	28.7	28.0	28.5	27.5	29.4	29.3	27.8	27.0	26.6	27.8	334.1
	01 LST	31.0	27.0	31.0	30.0	29.5	30.0	29.0	29.5	28.7	30.0	28.5	29.7	353.9
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	24.4	21.9	24.5	24.2	25.4	24.5	25.3	24.3	22.6	22.8	23.9	23.2	287.0
	13 LST	19.1	18.1	20.6	20.9	22.5	24.1	24.3	23.9	23.0	22.4	21.6	19.7	260.2
	19 LST	26.7	25.4	28.3	27.5	27.7	26.6	28.7	28.6	27.2	26.1	25.8	26.9	325.5
	01 LST	29.0	27.0	31.0	29.0	29.0	30.0	27.5	27.5	27.0	28.0	27.5	27.0	339.5
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	24.4	21.8	24.5	24.2	25.4	24.5	25.3	24.3	22.6	22.8	23.9	23.2	286.9
	13 LST	18.9	18.1	20.6	20.9	22.4	24.1	24.2	23.9	23.0	22.4	21.6	19.7	259.8
	19 LST	26.7	25.4	28.3	27.5	27.7	26.6	28.7	28.6	27.2	26.1	25.8	26.8	325.4
	01 LST	29.0	27.0	31.0	29.0	29.0	30.0	27.5	27.5	27.0	28.0	27.5	27.0	339.5

TANGERANG/BUDIARTO, INDONESIA

STA NO. 96739 (IN AREA NUMBER 03)

LATITUDE 06175

LONGITUDE 10634E

ELEVATION(FT) 00150

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR	NO.
													(YRS)	DBS	
ABS MAX TMP (F)	92	91	92	92	92	92	92	94	96	96	96	93	96	70	-96743
MEAN MAX TMP (F)	84	84	85	86	87	86	86	87	88	88	87	85	86	70	-96743
MEAN MIN TMP (F)	74	74	74	75	75	74	73	73	73	74	74	74	74	70	-96743
ABS MIN TMP (F)	69	69	69	69	70	67	67	67	66	69	68	67	66	70	-96743
MEAN NO D'S TMP = DR GTR 90(F)	1.4	1.2	3.4	5.6	8.6	5.6	5.8	8.6	11.2	11.6	8.3	3.4	74.7	70	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	70	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	70	-29
MEAN DEW PT TMP (F)	73	73	74	74	74	73	71	70	71	72	73	73	73	70	-29
MEAN REL HUM (PCT)	84	84	83	81	80	80	77	75	75	76	79	81	80	70	-96743
MEAN PRESS ALT (FT)	250	250	255	258	264	247	236	236	231	236	235	235	248	0	-90
MEAN PRECIP (IN)	11.80	11.80	8.30	5.80	5.20	3.80	2.50	1.70	2.60	4.40	5.60	8.00	71.5	63	-96743
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	70	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN			5.2	5.5	5.6	8.3	6.8	5.8	5.6	7.6	8.9			63	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	70	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	13.0	12.0	14.0	14.0	12.0	8.0	5.0	5.0	7.0	13.0	16.0	13.0	132.0	69	-96743
P FREQ WND SPD = DR GTR 17 KTS	0.7	1.5	0.5	0.2	0.2	0.2	0.5	0.5	0.7	0.6	0.3	0.7	0.6	9	-96743
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	-96743
P FREQ LES 5000 FT A/D LES 5 MI	35.6	26.5	22.6	17.4	17.4	18.9	18.9	19.7	17.9	21.3	17.9	23.1	21.4	14	-96743
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	3.4	6.8	4.8	1.9	2.1	2.3	1.4	1.5	1.6	2.1	1.4	2.3	2.6	12	-96743
03-05 LST														0	0
06-08 LST	18.9	12.8	15.3	12.5	14.6	16.5	20.3	19.6	18.1	14.1	9.3	7.8	13.0	16	-96743
09-11 LST	20.2	7.4	6.6	2.3	1.5	0.0	1.5	0.8	1.6	1.6	1.6	2.1	4.0	5	-96743
12-14 LST	9.7	4.0	2.5	1.4	2.2	2.3	2.3	1.2	1.4	1.9	4.1	3.8	3.1	16	-96743
15-17 LST	9.1	5.8	5.2	1.9	1.7	1.0	1.3	1.2	1.0	1.0	3.7	3.9	3.1	4	-96743
18-20 LST	8.4	4.2	4.0	3.8	4.3	3.4	1.6	1.6	2.2	2.8	2.8	3.3	3.7	14	-96743
21-23 LST	0.0	0.0	0.0	5.6	6.7	7.1	0.0	0.0	5.3	0.0	0.0	0.0	2.1	1	-96743
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.8	1.0	0.0	1.1	0.0	0.0	0.8	0.0	0.0	0.0	0.3	12	-96743
03-05 LST														0	0
06-08 LST	1.4	0.7	1.7	1.5	1.7	0.7	1.3	1.5	1.0	0.3	0.3	0.7	1.1	16	-96743
09-11 LST	0.0	0.0	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	5	-96743
12-14 LST	0.4	0.4	0.4	0.0	0.4	0.4	0.0	0.0	0.0	0.0	0.7	0.0	0.2	16	-96743
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.1	4	-96743
18-20 LST	0.0	0.0	0.0	0.8	0.4	0.4	0.3	0.6	0.4	0.3	0.0	0.3	0.3	14	-96743
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	-96743

TANGERANG/BUDIARTO, INDONESIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	28.0	26.2	28.5	28.3	27.6	27.5	27.2	27.4	26.2	29.3	27.9	29.5	333.6	11	-96743
	13 LST	30.2	28.0	30.9	29.6	31.0	29.8	30.7	31.0	29.9	30.9	29.9	30.9	362.8	11	-96743
	19 LST	30.5	27.3	30.7	29.5	30.9	30.0	30.7	30.8	29.9	30.8	29.7	30.9	361.7	11	-96743
	01 LST	30.4	27.1	30.4	29.8	31.0	29.8	30.8	31.0	29.9	30.9	30.0	30.9	362.0	11	-96743
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	27.0	25.6	28.5	28.3	27.6	27.5	27.2	27.4	26.1	29.2	27.6	29.1	331.1	11	-96743
	13 LST	15.8	13.2	20.6	25.2	26.8	26.4	24.4	19.9	14.2	18.3	19.2	20.7	244.7	11	-96743
	19 LST	29.7	26.0	29.8	29.2	30.4	29.4	30.6	30.6	29.6	30.3	28.6	29.4	353.6	11	-96743
	01 LST	29.1	26.8	30.3	29.5	30.7	29.8	30.7	30.9	29.8	30.5	29.8	30.5	358.4	11	-96743
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	11	-96743
	13 LST	0.5	1.6	0.6	0.0	0.2	0.0	0.4	0.3	0.8	0.6	0.4	0.5	5.9	11	-96743
	19 LST	0.0	0.2	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.3	11	-96743
	01 LST	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.1	0.0	0.3	11	-96743
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	10.3	7.3	8.7	7.0	7.2	6.5	7.7	8.6	9.3	10.4	12.1	12.5	107.6	11	-96743
	13 LST	11.8	10.3	15.6	13.3	10.1	10.5	11.4	9.9	2.9	6.4	8.4	10.6	121.2	11	-96743
	19 LST	13.3	11.0	13.1	15.2	13.3	13.5	16.4	15.7	13.3	12.4	14.4	14.0	165.6	11	-96743
	01 LST	7.6	5.6	6.5	6.4	7.0	5.8	6.1	5.6	6.8	6.2	8.0	9.8	81.4	11	-96743
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	0.9	1.4	3.3	4.9	6.4	11.6	10.4	11.4	12.0	9.9	4.3	1.9	78.4	11	-96743
	13 LST	0.5	0.6	1.2	2.0	2.9	3.6	5.0	5.4	9.9	5.5	1.7	0.5	38.8	11	-96743
	19 LST	0.9	0.4	2.0	3.5	6.7	10.1	11.7	9.9	9.9	5.4	2.4	1.0	63.9	11	-96743
	01 LST	2.5	3.2	5.7	6.0	8.9	14.3	14.6	12.4	14.6	11.8	8.3	4.3	106.6	11	-96743
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	24.4	23.4	27.5	27.9	27.3	27.4	27.1	27.3	26.1	28.7	27.4	28.8	323.3	9	-96743
	13 LST	25.6	25.7	28.8	28.8	29.7	28.1	29.3	29.6	29.3	29.7	28.1	28.5	341.2	9	-96743
	19 LST	27.7	25.3	28.7	27.4	28.8	28.9	29.5	29.7	28.7	28.4	27.6	28.7	339.4	9	-96743
	01 LST	27.7	25.1	29.3	28.9	29.9	28.9	30.2	30.3	29.5	30.0	29.1	29.4	348.3	9	-96743
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	23.5	22.4	26.4	27.6	26.9	27.1	26.3	27.1	25.7	28.2	27.2	28.2	316.6	9	-96743
	13 LST	23.9	24.2	27.5	28.3	28.6	27.2	28.5	28.6	28.7	28.7	27.1	27.0	328.3	9	-96743
	19 LST	26.0	24.8	27.5	26.3	28.2	28.3	28.6	28.3	27.3	26.8	26.5	26.6	323.2	9	-96743
	01 LST	26.6	24.2	28.3	28.1	29.1	28.1	29.2	29.1	29.1	29.1	28.1	28.2	337.2	9	-96743
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	23.5	22.4	26.4	27.6	26.9	27.1	26.3	27.1	25.7	28.2	27.2	28.2	316.6	9	-96743
	13 LST	23.9	24.2	27.5	28.2	28.6	27.2	28.5	28.6	28.7	28.7	27.1	27.0	328.2	9	-96743
	19 LST	26.0	24.8	27.3	26.3	28.2	28.3	28.6	28.3	27.3	26.8	26.4	26.6	324.9	9	-96743
	01 LST	26.6	24.2	28.2	28.1	29.1	28.1	29.2	29.1	29.0	29.1	28.1	28.2	337.0	9	-96743

DJAKARTA/KEMAJORAN, INDONESIA

STA NO. 96743 (IN AREA NUMBER 03)

LATITUDE 0609S

LONGITUDE 10650E

ELEVATION(FT) 00016

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	92	91	92	92	92	92	92	94	96	96	96	93	96	70	-38
MEAN MAX TMP (F)	84	84	85	86	87	86	86	87	88	88	87	85	86	70	-38
MEAN MIN TMP (F)	74	74	74	75	75	74	73	73	73	74	74	74	74	70	-38
ABS MIN TMP (F)	69	69	69	69	70	67	67	67	66	69	68	67	66	70	-38
MEAN NO DYS TMP = DR GTR 90(F)	1.4	1.2	3.4	5.6	8.6	5.6	5.8	8.6	11.2	11.6	8.3	3.4	74.7	70	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	70	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	70	-29
MEAN DEW PT TMP (F)	73	73	74	74	74	73	71	70	71	72	73	73	73	70	-29
MEAN REL HUM (PCT)	84	84	83	81	80	80	77	75	75	76	79	81	80	70	-38
MEAN PRESS ALT (FT)	116	116	121	124	130	113	102	102	97	102	121	121	114	0	-50
MEAN PRECIP (IN)	11.80	11.80	8.30	5.80	5.20	3.80	2.50	1.70	2.60	4.40	5.60	8.00	71.5	63	-38
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	70	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN			5.2	5.5	5.6	8.3	6.8	5.8	5.6	7.6	8.9			63	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	70	-29
MEAN NO DYS W/3CUR VSBY LES 1/2 MI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0
MEAN NO DYS TSTMS	13.0	12.0	14.0	14.0	12.0	8.0	5.0	5.0	7.0	13.0	16.0	13.0	132.0	69	-38
P FREQ WND SPD = DR GTR 17 KTS	0.7	1.5	0.5	0.2	0.2	0.2	0.5	0.5	0.7	0.6	0.3	0.7	0.6	9	30466
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	30466
P FREQ LES 5000 FT A/D LES 5 MI	35.6	26.5	22.6	17.4	17.4	18.9	18.9	19.7	17.9	21.3	17.9	23.1	21.4	14	9723
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	3.4	6.8	4.8	1.9	2.1	2.3	1.4	1.5	1.6	2.1	1.4	2.3	2.6	12	1401
03-05 LST														0	0
06-08 LST	18.9	12.8	15.3	12.5	14.6	16.5	20.3	19.6	18.1	14.1	9.3	7.8	15.0	16	3372
09-11 LST	20.2	7.4	6.6	2.3	1.5	0.0	1.5	0.8	1.6	1.6	1.5	2.8	4.0	5	1507
12-14 LST	9.7	4.0	2.5	1.4	2.2	2.3	2.5	1.2	1.4	1.9	4.1	3.8	3.1	16	3469
15-17 LST	9.1	5.8	5.2	1.9	1.7	1.0	1.3	1.2	1.0	1.0	3.7	3.9	3.1	4	1193
18-20 LST	8.4	4.2	4.0	5.8	4.3	3.4	1.6	1.6	2.2	2.8	2.8	3.3	3.7	14	3420
21-23 LST	0.0	0.0	0.0	5.6	6.7	7.1	0.0	0.0	5.3	0.0	0.0	0.0	2.1	1	156
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.8	1.0	0.0	1.1	0.0	0.0	0.8	0.0	0.0	0.0	0.3	12	1401
03-05 LST														0	0
06-08 LST	1.4	0.7	1.7	1.5	1.7	0.7	1.3	1.5	1.0	0.3	0.3	0.7	1.1	16	3372
09-11 LST	0.0	0.0	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	5	1507
12-14 LST	0.4	0.4	0.4	0.0	0.4	0.4	0.0	0.0	0.0	0.0	0.7	0.0	0.2	16	3469
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.1	4	1193
18-20 LST	0.0	0.0	0.0	0.8	0.4	0.4	0.3	0.6	0.4	0.3	0.0	0.3	0.3	14	3420
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	156

DJAKARTA/KEMAJORAN, INDONESIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	28.0	26.2	28.5	28.3	27.6	27.5	27.2	27.4	26.2	29.3	27.9	29.5	333.6	11	3853
	13 LST	30.2	28.0	30.9	29.6	31.0	29.8	30.7	31.0	29.9	30.9	29.9	30.9	362.8	11	3851
	19 LST	30.5	27.3	30.7	29.5	30.9	30.0	30.7	30.8	29.9	30.8	29.7	30.9	361.7	11	3845
	01 LST	30.4	27.1	30.4	29.8	31.0	29.8	30.8	31.0	29.9	30.9	30.0	30.9	362.0	11	3733
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	27.0	25.6	28.5	28.3	27.6	27.5	27.2	27.4	26.1	29.2	27.6	29.1	331.1	11	3853
	13 LST	15.8	13.2	20.6	25.2	26.8	26.4	24.4	19.9	14.2	18.3	19.2	20.7	244.7	11	3850
	19 LST	29.7	26.0	29.8	29.2	30.4	29.4	30.6	30.6	29.6	30.3	28.6	29.4	353.6	11	3845
	01 LST	29.1	26.8	30.3	29.5	30.7	29.8	30.7	30.9	29.8	30.5	29.8	30.5	358.4	11	3733
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	11	3855
	13 LST	0.5	1.6	0.6	0.0	0.2	0.0	0.4	0.3	0.8	0.6	0.4	0.5	5.9	11	3852
	19 LST	0.0	0.2	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.3	11	3847
	01 LST	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.1	0.0	0.3	11	3734
SFC WND 4-10 KTS AND TMP 33-89 DEC P AND NO PRECIP.	07 LST	10.3	7.3	8.7	7.0	7.2	6.5	7.7	8.6	9.3	10.4	12.1	12.5	107.6	11	3855
	13 LST	11.8	10.3	15.6	13.3	10.1	10.5	11.4	9.9	2.9	6.4	8.4	10.6	121.2	11	3852
	19 LST	13.3	11.0	13.1	15.2	13.3	13.5	16.4	15.7	13.3	12.4	14.4	14.0	165.6	11	3847
	01 LST	7.6	5.6	6.5	6.4	7.0	5.8	6.1	5.6	6.8	6.2	8.0	9.8	81.4	11	3734
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	0.9	1.4	3.3	4.9	6.4	11.6	10.4	11.4	12.0	9.9	4.3	1.9	78.4	11	3852
	13 LST	0.5	0.6	1.2	2.0	2.9	3.6	5.0	5.4	9.9	5.5	1.7	0.5	38.8	11	3851
	19 LST	0.9	0.4	2.0	3.5	6.7	10.1	11.7	9.9	9.9	5.4	2.4	1.0	63.9	11	3846
	01 LST	2.5	3.2	5.7	6.0	8.9	14.3	14.6	12.4	14.6	11.8	8.3	4.3	106.6	11	3730
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	24.4	23.4	27.5	27.9	27.3	27.4	27.1	27.3	26.1	28.7	27.4	28.8	323.3	9	3853
	13 LST	25.6	25.7	28.8	28.8	29.7	28.1	29.3	29.6	29.3	29.7	28.1	28.5	341.2	9	3851
	19 LST	27.7	25.3	28.7	27.4	28.8	28.9	29.5	29.7	28.7	28.4	27.6	28.7	339.4	9	3845
	01 LST	27.7	25.1	29.3	28.9	29.9	28.9	30.2	30.3	29.5	30.0	29.1	29.4	348.3	9	3733
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	23.5	22.4	26.4	27.6	26.9	27.1	26.3	27.1	25.7	28.2	27.2	28.2	316.6	9	3853
	13 LST	23.9	24.2	27.5	28.3	28.6	27.2	28.5	28.6	28.7	28.7	27.1	27.0	328.3	9	3851
	19 LST	26.0	24.8	27.5	26.3	28.2	28.3	28.6	28.3	27.3	26.8	26.5	26.6	325.2	9	3845
	01 LST	26.6	24.2	28.3	28.1	29.1	28.1	29.2	29.1	29.1	29.1	28.1	28.2	337.2	9	3733
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	23.5	22.4	26.4	27.6	26.9	27.1	26.3	27.1	25.7	28.2	27.2	28.2	316.6	9	3853
	13 LST	23.9	24.2	27.5	28.2	28.6	27.2	28.5	28.6	28.7	28.7	27.1	27.0	328.2	9	3851
	19 LST	26.0	24.8	27.3	26.3	28.2	28.3	28.6	28.3	27.3	26.8	26.4	26.6	324.9	9	3845
	01 LST	26.6	24.2	28.2	28.1	29.1	28.1	29.2	29.1	29.0	29.1	28.1	28.2	337.0	9	3733

DJAKARTA/HALIM PERDANAKUS, INDONESIA

STA NO. 96747 (IN AREA NUMBER 03)

LATITUDE 06165

LONGITUDE 10653E

ELEVATION(FT) 00098

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR	NO.
														(YRS)	DBS
ABS MAX TMP (F)	92	91	92	92	92	92	92	94	96	96	96	93	96	70	-96743
MEAN MAX TMP (F)	84	84	85	86	87	86	86	87	88	88	87	85	86	70	-96743
MEAN MIN TMP (F)	74	74	74	75	75	74	73	73	73	74	74	74	74	70	-96743
ABS MIN TMP (F)	69	69	69	69	70	67	67	67	66	69	68	67	66	70	-96743
MEAN NO DYS TMP = DR GTR 90(F)	1.4	1.2	3.4	5.6	8.6	5.6	5.8	8.6	11.2	11.6	8.3	3.4	74.7	70	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	70	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	70	-29
MEAN DEW PT TMP (F)	73	73	74	74	74	73	71	70	71	72	73	73	73	70	-29
MEAN REL HUM (PCT)	84	84	83	81	80	80	77	75	75	76	79	81	80	70	-96743
MEAN PRESS ALT (FT)	198	198	203	206	212	195	184	184	179	184	203	203	196	0	-50
MEAN PRECIP (IN)	11.80	11.80	8.30	5.80	5.20	3.80	2.50	1.70	2.60	4.40	5.60	8.00	71.5	63	-96743
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	70	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN			5.2	5.5	5.6	8.3	6.8	5.8	5.6	7.6	8.9			63	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	70	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	13.0	12.0	14.0	14.0	12.0	8.0	5.0	5.0	7.0	13.0	16.0	13.0	132.0	69	-96743
P FREQ WND SPD = DR GTR 17 KTS	0.7	1.5	0.5	0.2	0.2	0.2	0.5	0.5	0.7	0.6	0.3	0.7	0.6	9	-96743
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	-96743
P FREQ LES 5000 FT A/D LES 5 MI	35.6	26.5	22.6	17.4	17.4	18.9	18.9	19.7	17.9	21.3	17.9	23.1	21.4	14	-96743
P FREQ LES 1500 FT A/D LES 3 MI															
FDR 00-02 LST	3.4	6.8	4.8	1.9	2.1	2.3	1.4	1.5	1.6	2.1	1.4	2.3	2.6	12	-96743
03-05 LST														0	0
06-08 LST	18.9	12.8	15.3	12.5	14.6	16.5	20.3	19.6	18.1	14.1	9.3	7.8	15.0	16	-96743
09-11 LST	20.2	7.4	6.6	2.3	1.5	0.0	1.5	0.8	1.6	1.6	1.6	2.8	4.0	5	-96743
12-14 LST	9.7	4.0	2.5	1.4	2.2	2.3	2.5	1.2	1.4	1.9	4.1	3.8	3.1	16	-96743
15-17 LST	9.1	5.8	5.2	1.9	1.7	1.0	1.3	1.2	1.0	1.0	3.7	3.9	3.1	4	-96743
18-20 LST	8.4	4.2	4.0	5.8	4.3	3.4	1.6	1.6	2.2	2.8	2.8	3.3	3.7	14	-96743
21-23 LST	0.0	0.0	0.0	5.6	6.7	7.1	0.0	0.0	5.3	0.0	0.0	0.0	2.1	1	-96743
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	0.0	0.0	0.8	1.0	0.0	1.1	0.0	0.0	0.8	0.0	0.0	0.0	0.3	12	-96743
03-05 LST														0	0
06-08 LST	1.4	0.7	1.7	1.5	1.7	0.7	1.3	1.5	1.0	0.3	0.3	0.7	1.1	16	-96743
09-11 LST	0.0	0.0	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	5	-96743
12-14 LST	0.4	0.4	0.4	0.0	0.4	0.4	0.0	0.0	0.0	0.0	0.7	0.0	0.2	16	-96743
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.1	4	-96743
18-20 LST	0.0	0.0	0.0	0.8	0.4	0.4	0.3	0.6	0.4	0.3	0.0	0.3	0.3	14	-96743
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	-96743

DJAKARTA/HALIM PERDANAKUS, INDONESIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR NO.
															(YRS) OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	28.0	26.2	28.5	28.3	27.6	27.5	27.2	27.4	26.2	29.3	27.9	29.5	233.6	11 -96743
	13 LST	30.2	28.0	30.9	29.6	31.0	29.8	30.7	31.0	29.9	30.9	29.9	30.9	262.8	11 -96743
	19 LST	30.5	27.3	30.7	29.5	30.9	30.0	30.7	30.8	29.9	30.8	29.7	30.9	261.7	11 -96743
	01 LST	30.4	27.1	30.4	29.8	31.0	29.8	30.8	31.0	29.9	30.9	30.0	30.9	262.0	11 -96743
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	27.0	25.6	28.5	28.3	27.6	27.5	27.2	27.4	26.1	29.2	27.6	29.1	231.1	11 -96743
	13 LST	15.8	13.2	20.6	25.2	26.8	26.4	24.4	19.9	14.2	18.3	19.2	20.7	244.7	11 -96743
	19 LST	29.7	26.0	29.8	29.2	30.4	29.4	30.6	30.6	29.6	30.3	28.6	29.4	253.6	11 -96743
	01 LST	29.1	26.8	30.3	29.5	30.7	29.8	30.7	30.9	29.8	30.5	29.8	30.5	258.4	11 -96743
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	11 -96743
	13 LST	0.5	1.6	0.6	0.0	0.2	0.0	0.4	0.3	0.8	0.6	0.4	0.5	5.9	11 -96743
	19 LST	0.0	0.2	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.3	11 -96743
	01 LST	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.1	0.0	0.3	11 -96743
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	10.3	7.3	8.7	7.0	7.2	6.5	7.7	8.6	9.3	10.4	12.1	12.5	107.6	11 -96743
	13 LST	11.8	10.3	15.6	13.3	10.1	10.5	11.4	9.9	2.9	6.4	8.4	10.6	121.2	11 -96743
	19 LST	13.3	11.0	13.1	15.2	13.3	13.5	16.4	15.7	13.3	12.4	14.4	14.0	165.6	11 -96743
	01 LST	7.6	5.6	6.5	6.4	7.0	5.8	6.1	5.6	6.8	6.2	8.0	9.8	81.4	11 -96743
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	0.9	1.4	3.3	4.9	6.4	11.6	10.4	11.4	12.0	9.9	4.3	1.9	78.4	11 -96743
	13 LST	0.5	0.6	1.2	2.0	2.9	3.6	5.0	5.4	9.9	5.5	1.7	0.5	38.8	11 -96743
	19 LST	0.9	0.4	2.0	3.5	6.7	10.1	11.7	9.9	9.9	5.4	2.4	1.0	63.9	11 -96743
	01 LST	2.5	3.2	5.7	6.0	8.9	14.3	14.6	12.4	14.6	11.8	8.3	4.3	106.6	11 -96743
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	24.4	23.4	27.5	27.9	27.3	27.4	27.1	27.3	26.1	28.7	27.4	28.8	223.3	9 -96743
	13 LST	25.6	25.7	28.8	28.8	29.7	28.1	29.3	29.6	29.3	29.7	28.1	28.5	241.2	9 -96743
	19 LST	27.7	25.3	28.7	27.4	28.8	28.9	29.5	29.7	28.7	28.4	27.6	28.7	239.4	9 -96743
	01 LST	27.7	25.1	29.2	28.9	28.9	28.9	30.2	30.3	29.5	30.0	29.1	29.4	248.3	9 -96743
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	23.5	22.4	26.4	27.6	26.9	27.1	26.3	27.1	25.7	28.2	27.2	28.2	216.6	9 -96743
	13 LST	23.9	24.2	27.5	28.3	28.6	27.2	28.5	28.6	28.7	28.7	27.1	27.0	228.3	9 -96743
	19 LST	26.0	24.8	27.5	26.3	28.2	28.3	28.6	28.3	27.3	26.8	26.5	26.6	225.2	9 -96743
	01 LST	26.6	24.2	28.3	28.1	29.1	28.1	29.2	29.1	29.1	29.1	28.1	28.2	237.2	9 -96743
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	23.5	22.4	26.4	27.6	26.9	27.1	26.3	27.1	25.7	28.2	27.2	28.2	216.6	9 -96743
	13 LST	23.9	24.2	27.5	28.2	28.6	27.2	28.5	28.6	28.7	28.7	27.1	27.0	228.2	9 -96743
	19 LST	26.0	24.8	27.3	26.3	28.2	28.3	28.6	28.3	27.3	26.8	26.4	26.6	224.9	9 -96743
	01 LST	26.6	24.2	28.2	28.1	29.1	29.1	29.2	29.1	29.0	29.1	28.1	28.2	237.0	9 -96743

BOGOR/ATANG SENDJAJA, INDONESIA

STA NO. 96755 (IN AREA NUMBER 03)	LATITUDE 06325 LONGITUDE 10645E ELEVATION(FT) 00550												PDR	NO.	
PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	(YRS)	QBS
ABS MAX TMP (F)	92	91	92	92	92	92	92	94	96	96	96	93	96	70	-96743
MEAN MAX TMP (F)	84	84	85	86	87	86	86	87	88	88	87	85	86	70	-96743
MEAN MIN TMP (F)	74	74	74	75	75	74	73	73	73	74	74	74	74	70	-96743
ABS MIN TMP (F)	69	69	69	69	70	67	67	67	66	69	68	67	66	70	-96743
MEAN NO DYS TMP = DR GTR 90(F)	1.4	1.2	3.4	5.6	8.6	5.6	5.8	8.6	11.2	11.6	8.3	3.4	74.7	70	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	70	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	70	-29
MEAN DEW PT TMP (F)	73	73	73	73	72	70	69	67	66	67	70	72	70	51	-29
MEAN REL HUM (PCT)	84	84	81	79	77	75	72	68	65	66	74	79	75	12	-96773
MEAN PRESS ALT (FT)	658	658	663	666	672	655	644	644	639	644	663	663	656	0	-50
MEAN PRECIP (IN)	23.37	20.16	14.44	12.00	11.92	3.37	2.13	0.99	0.52	5.02	8.14	18.78	120.8	7	-96773
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	70	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN				7.7	7.6	7.8	6.4	5.0	3.0	8.3	11.3			7	-29
MEAN NO DYS SNPL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	70	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	5.8	5.9	8.9	12.9	1.8	2.2	0.0	0.0	0.0	7.0	9.0	17.9	71.4	4	-96773
P FREQ WND SPD = DR GTR 17 KTS	2.9	2.6	1.3	0.3	0.2	0.0	0.4	0.3	0.0	0.2	0.5	0.4	0.8	10	-96773
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-96773
P FREQ LES 3000 FT A/D LES 5 MI	57.6	50.4	34.1	23.6	18.6	17.3	20.9	19.4	22.3	25.3	26.3	34.2	29.2	10	-96773
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	18.2	14.6	6.8	2.6	3.1	3.6	9.1	10.0	7.9	2.9	1.5	1.8	6.8	12	-96773
09-11 LST	24.8	17.8	5.7	0.9	2.0	0.0	1.0	1.1	0.0	1.2	1.1	1.3	4.7	5	-96773
12-14 LST	17.6	17.9	9.1	8.1	3.7	2.1	1.4	0.5	2.0	1.7	8.2		6.6	12	-96773
15-17 LST	28.7	28.8	21.4	15.6	6.9	2.9	0.0	0.0	5.2	12.7	12.7	18.2	12.8	4	-96773
18-20 LST	8.5	8.1	7.2	9.3	2.0	3.0	2.7	1.1	0.0	2.3	11.4	8.7	5.5	6	-96773
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	1.2	3.8	2.4	1.0	0.0	0.0	0.5	1.1	0.0	0.0	0.0	0.0	0.8	12	-96773
09-11 LST	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	5	-96773
12-14 LST	0.5	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.1	12	-96773
15-17 LST	1.1	1.3	1.2	0.0	1.1	0.0	0.0	0.0	0.0	1.4	0.0	1.5	0.6	4	-96773
18-20 LST	0.0	1.4	0.0	1.3	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	0.3	6	-96773
21-23 LST														0	0

BOGOR/ATANG SENDJAJA, INDONESIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	26.6	24.6	29.3	29.4	30.2	29.8	30.4	29.9	28.9	30.8	29.7	31.0	350.6	12	-96773
	13 LST	29.0	26.7	30.3	29.5	30.8	30.0	31.0	31.0	30.0	31.0	29.5	30.4	359.2	12	-96773
	19 LST	30.5	26.9	30.6	28.4	31.0	28.5	30.6	31.0	30.0	30.6	27.7	29.7	355.5	6	-96773
	01 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	26.3	24.4	29.1	29.4	30.2	29.7	30.2	29.7	28.9	30.6	29.7	30.6	348.8	12	-96773
	13 LST	22.4	20.5	25.9	29.2	30.5	29.3	30.6	30.0	29.8	30.1	28.3	29.1	355.7	12	-96773
	19 LST	28.3	26.1	30.2	27.9	31.0	28.4	29.3	30.7	30.0	30.3	27.7	28.3	348.2	6	-96773
	01 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.4	0.6	12	-96773
	13 LST	1.7	2.0	1.0	0.1	0.0	0.0	0.1	0.3	0.0	0.0	0.3	0.0	5.5	12	-96773
	19 LST	1.0	0.4	0.4	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	2.2	6	-96773
	01 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	6.2	5.3	2.2	0.5	0.8	0.2	0.2	0.2	0.9	0.4	0.9	1.6	19.4	12	-96773
	13 LST	15.3	14.8	15.9	15.1	10.3	12.2	13.7	9.0	6.5	4.0	8.0	15.9	140.7	12	-96773
	19 LST	6.6	7.5	3.4	2.5	4.3	2.6	2.2	4.9	7.4	4.1	3.0	5.6	54.1	6	-96773
	01 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	0.7	1.7	4.2	6.2	9.6	11.7	14.4	14.1	14.4	10.9	5.2	2.5	95.6	12	-96773
	13 LST	0.0	0.3	0.6	1.3	3.2	6.9	9.1	9.9	7.8	4.5	0.7	0.7	45.0	12	-96773
	19 LST	0.5	0.7	1.4	1.5	4.8	8.5	10.2	7.7	8.8	6.3	1.5	0.0	51.9	6	-96773
	01 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	23.9	22.3	28.0	28.8	29.5	29.1	29.6	29.4	27.9	30.1	29.2	30.3	338.1	10	-96773
	13 LST	19.4	17.4	24.0	23.3	27.1	28.1	29.2	29.9	27.5	27.0	22.9	23.3	299.3	10	-96773
	19 LST	24.7	21.4	25.4	24.6	28.5	27.2	28.1	29.4	28.9	28.3	24.3	23.8	314.6	5	-96773
	01 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	22.1	19.4	25.7	27.5	28.3	27.8	27.9	27.6	26.2	29.0	27.5	28.2	317.2	10	-96773
	13 LST	15.8	15.0	21.4	20.6	25.3	26.9	27.9	28.7	25.7	24.1	19.4	20.0	270.8	10	-96773
	19 LST	20.0	17.8	22.0	21.6	26.7	25.0	23.9	27.2	25.0	24.5	21.6	19.8	275.1	5	-96773
	01 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	22.1	19.3	25.7	27.5	28.3	27.8	27.9	27.6	26.2	29.0	27.4	28.2	317.0	10	-96773
	13 LST	15.8	15.0	21.4	20.6	25.3	26.9	27.9	28.7	25.7	24.1	19.4	20.0	270.8	10	-96773
	19 LST	20.0	17.8	22.0	21.6	26.7	25.0	23.9	26.8	25.0	24.5	21.6	19.8	274.7	5	-96773
	01 LST														0	0

KALIDJATI, INDONESIA

STA NO. 96773 (IN AREA NUMBER 03)

LATITUDE 06315

LONGITUDE 10739E

ELEVATION(FT) 00361

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	92	91	92	92	92	92	92	94	96	96	96	93	96	70	-96743
MEAN MAX TMP (F)	84	84	85	86	87	86	86	87	88	88	87	85	86	70	-96743
MEAN MIN TMP (F)	74	74	74	75	75	74	73	73	73	74	74	74	74	70	-96743
ABS MIN TMP (F)	69	69	69	69	70	67	67	67	66	69	68	67	66	70	-96743
MEAN NO DYS TMP = DR GTR 90(F)	1.4	1.2	3.4	5.6	8.6	5.6	5.8	8.6	11.2	11.6	8.3	3.4	74.7	70	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	70	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	70	-29
MEAN DEW PT TMP (F)	73	73	73	73	72	70	69	67	66	67	70	72	70	51	-29
MEAN REL HUM (PCT)	84	84	81	79	77	75	72	68	65	66	74	79	75	12	7529
MEAN PRESS ALT (FT)	461	461	466	469	475	458	447	442	442	447	466	466	459	0	-50
MEAN PRECIP (IN)	23.37	20.16	14.44	12.00	11.92	3.37	2.13	0.99	0.52	5.02	8.14	18.78	120.8	7	1576
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	70	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN				7.7	7.6	7.8	6.4	5.0	3.0	8.3	11.3			7	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	70	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	5.8	5.9	8.9	12.9	1.8	2.2	0.0	0.0	0.0	7.0	9.0	17.9	71.4	4	448
P FREQ WND SPD = DR GTR 17 KTS	2.9	2.6	1.3	0.3	0.2	0.0	0.4	0.3	0.0	0.2	0.5	0.4	0.8	10	7561
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	7561
P FREQ LES 5000 FT A/D LES 5 MI	57.6	50.4	34.1	23.6	18.6	17.3	20.9	19.4	22.3	25.3	26.3	34.2	29.2	10	2860
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	18.2	14.6	6.8	2.6	3.1	3.6	9.1	10.0	7.9	2.9	1.5	1.8	6.8	12	2198
09-11 LST	24.8	17.8	5.7	0.9	2.0	0.0	1.0	1.1	0.0	1.2	1.1	1.3	4.7	5	1138
12-14 LST	17.6	17.9	9.1	8.1	3.7	2.1	1.4	0.5	2.0	1.7	8.2	7.3	6.6	12	2250
15-17 LST	28.7	28.8	21.4	15.6	6.9	2.9	0.0	0.0	5.2	12.7	12.7	18.2	12.8	4	867
18-20 LST	8.5	8.1	7.2	9.3	2.0	5.0	2.7	1.1	0.0	2.3	11.4	8.7	5.5	6	882
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	1.2	3.8	2.4	1.0	0.0	0.0	0.5	1.1	0.0	0.0	0.0	0.0	0.8	12	2198
09-11 LST	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	5	1138
12-14 LST	0.5	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.1	12	2250
15-17 LST	1.1	1.3	1.2	0.0	1.1	0.0	0.0	0.0	0.0	1.4	0.0	1.5	0.6	4	867
18-20 LST	0.0	1.4	0.0	1.3	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	0.3	6	882
21-23 LST														0	0

KALIDJATI, INDONESIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	26.6	24.6	29.3	29.4	30.2	29.8	30.4	29.9	28.9	30.8	29.7	31.0	350.6	12	2198
	13 LST	29.0	26.7	30.3	29.5	30.8	30.0	31.0	31.0	30.0	31.0	29.5	30.4	359.2	12	2250
	19 LST	30.5	26.9	30.6	28.4	31.0	28.5	30.6	31.0	30.0	30.6	27.7	29.7	355.5	6	882
	01 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	26.3	24.4	29.1	29.4	30.2	29.7	30.2	29.7	28.9	30.6	29.7	30.6	348.8	12	2183
	13 LST	22.4	20.5	25.9	29.2	30.5	29.3	30.6	30.0	29.8	30.1	28.3	29.1	335.7	12	2223
	19 LST	28.3	26.1	30.2	27.9	31.0	28.4	29.3	30.7	30.0	30.3	27.7	28.3	348.2	6	869
	01 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.4	0.6	12	2233
	13 LST	1.7	2.0	1.0	0.1	0.0	0.0	0.1	0.3	0.0	0.0	0.3	0.0	5.5	12	2291
	19 LST	1.0	0.4	0.4	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	2.2	6	908
	01 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	6.2	5.3	2.2	0.5	0.8	0.2	0.2	0.2	0.9	0.4	0.9	1.6	19.4	12	2207
	13 LST	15.3	14.8	15.9	15.1	10.3	12.2	13.7	9.0	6.3	4.0	8.0	15.9	140.7	12	2272
	19 LST	6.6	7.5	3.4	2.5	4.3	2.6	2.2	4.9	7.4	4.1	3.0	5.6	34.1	6	883
	01 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	0.7	1.7	4.2	6.2	9.6	11.7	14.4	14.1	14.4	10.9	5.2	2.5	95.6	12	2240
	13 LST	0.0	0.3	0.6	1.3	3.2	6.9	9.1	9.9	7.8	4.5	0.7	0.7	45.0	12	2308
	19 LST	0.5	0.7	1.4	1.5	4.8	8.5	10.2	7.7	8.8	6.3	1.5	0.0	51.9	6	912
	01 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	23.9	22.3	28.0	28.8	29.5	29.1	29.6	29.4	27.9	30.1	29.2	30.3	338.1	10	2198
	13 LST	19.4	17.4	24.0	23.3	27.1	28.1	29.2	29.9	27.5	27.0	22.9	23.5	299.3	10	2250
	19 LST	24.7	21.4	25.4	24.6	28.9	27.2	28.1	29.4	28.9	28.3	24.3	23.8	314.6	5	882
	01 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	22.1	19.4	25.7	27.5	28.3	27.8	27.9	27.6	26.2	29.0	27.5	28.2	317.2	10	2198
	13 LST	15.8	15.0	21.4	20.6	25.3	26.9	27.9	28.7	25.7	24.1	19.4	20.0	270.8	10	2250
	19 LST	20.0	17.8	22.0	21.6	26.7	25.0	23.9	27.2	25.0	24.5	21.6	19.8	275.1	5	882
	01 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	22.1	19.3	25.7	27.5	28.3	27.8	27.9	27.6	26.2	29.0	27.4	28.2	317.0	10	2198
	13 LST	15.8	15.0	21.4	20.6	25.3	26.9	27.9	28.7	25.7	24.1	19.4	20.0	270.8	10	2250
	19 LST	20.0	17.8	22.0	21.6	26.7	25.0	23.9	26.8	25.0	24.5	21.6	19.8	274.7	5	882
	01 LST														0	0

SEMARANG/ACHMAD YANI, INDONESIA

STA NO. 96839 (IN AREA NUMBER 03)

LATITUDE 0658S

LONGITUDE 11022E

ELEVATION(FT) 0010

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	93	91	91	93	93	93	93	95	99	99	95	91	99	2	477
MEAN MAX TMP (F)	89	87	88	90	90	91	90	91	93	93	91	88	90	2	477
MEAN MIN TMP (F)	76	75	76	76	77	75	76	74	73	74	75	75	75	2	477
ABS MIN TMP (F)	73	73	73	73	73	70	73	72	68	70	72	73	68	2	477
MEAN NO DYS TMP = DR GTR 90(F)	14.8	7.7	11.6	17.3	17.9	20.3	17.9	21.0	25.4	26.3	20.3	11.6	212.1	2	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	-29
MEAN DEW PT TMP (F)	76	75	75	74	74	71	70	69	68	70	72	73	72	7	-29
MEAN REL HUM (PCT)	81	82	80	77	75	70	68	67	65	68	73	78	74	16	10996
MEAN PRESS ALT (FT)	94	94	121	108	94	94	80	80	66	94	94	121	95	0	-50
MEAN PRECIP (IN)	14.65	13.07	9.69	7.99	5.67	3.62	2.56	2.21	3.47	5.43	7.84	10.16	86.4	63	-45
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN			5.5	5.2	5.5	8.1	6.9	6.5	6.6	8.7	11.0			63	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	6.5	7.8	7.3	10.4	2.2	1.2	0.8	0.0	1.8	9.3	5.9	13.0	66.2	4	755
P FREQ WND SPD = DR GTR 17 KTS	2.3	2.1	1.1	0.4	0.9	0.6	0.1	0.8	1.1	0.4	0.7	1.0	1.0	14	11036
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	11036
P FREQ LES 5000 FT A/D LES 5 MI	25.5	24.1	19.0	16.3	14.7	13.6	11.8	13.7	12.6	14.8	16.1	22.3	17.0	13	5840
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	8.3	7.3	2.5	2.1	4.0	3.9	1.8	1.4	2.0	1.1	2.5	3.0	3.3	16	3172
09-11 LST	12.1	5.9	2.7	1.8	0.0	0.0	0.0	0.0	0.0	1.1	1.1	2.4	2.3	5	1175
12-14 LST	7.3	8.8	3.3	3.1	1.8	1.6	0.0	0.7	0.4	0.7	3.7	4.7	3.0	16	3167
15-17 LST	19.8	12.9	8.9	7.4	4.0	2.4	2.0	1.9	1.5	11.5	4.7	15.1	7.7	4	926
18-20 LST	11.8	11.2	9.5	4.9	4.2	3.8	4.8	2.3	3.6	6.6	9.5	13.5	7.1	13	2298
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.4	0.1	16	3172
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	1175
12-14 LST	0.0	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	16	3167
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	926
18-20 LST	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.1	13	2298
21-23 LST														0	0

SEMARANG/ACHMAD YANI, INDONESIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	29.6	26.9	30.7	29.7	30.9	30.0	30.8	30.9	29.8	31.0	29.5	30.5	300.3	16	3172
	13 LST	30.0	26.7	30.8	29.8	30.8	29.9	31.0	30.9	30.0	31.0	29.7	30.6	361.2	16	3167
	19 LST	29.5	26.4	29.5	29.3	30.6	29.6	30.1	30.9	29.5	30.2	28.5	30.2	255.0	12	2298
	01 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	29.2	26.1	30.7	29.7	30.9	29.6	30.8	30.7	29.6	30.9	29.5	30.5	358.2	16	3142
	13 LST	19.7	16.9	23.6	28.1	28.5	26.5	26.2	25.8	22.0	24.5	26.0	25.3	295.1	16	3135
	19 LST	27.1	25.4	28.9	29.2	30.2	29.6	30.7	30.0	29.2	29.8	28.2	29.9	348.2	12	2287
	01 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.1	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.3	16	3237
	13 LST	1.2	1.3	0.7	0.2	0.5	0.2	0.1	0.6	0.8	0.1	0.5	0.7	6.9	16	3217
	19 LST	0.0	0.2	0.0	0.2	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.5	12	2337
	01 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	5.5	4.5	3.7	5.6	7.4	8.3	9.7	8.3	6.4	4.7	4.9	3.7	72.7	16	3194
	13 LST	16.3	15.6	18.3	15.8	13.1	10.1	12.1	8.1	4.4	7.9	10.8	19.3	151.8	16	3172
	19 LST	12.1	12.7	9.6	7.3	9.7	13.1	12.3	15.2	16.8	15.9	11.0	9.9	145.6	12	2317
	01 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	0.5	0.7	1.3	1.6	3.8	7.3	10.2	8.0	10.9	6.5	2.6	0.7	54.1	16	3237
	13 LST	0.2	0.0	0.7	1.1	1.3	2.9	5.5	7.5	6.3	3.2	0.7	0.4	29.8	16	3236
	19 LST	0.0	0.0	0.1	0.8	2.2	3.6	5.1	5.4	6.4	2.1	0.9	0.0	26.6	12	2343
	01 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	27.0	24.8	29.6	29.0	29.9	29.7	30.4	30.5	29.5	30.3	29.0	29.4	349.1	14	3172
	13 LST	26.6	23.8	28.7	27.9	29.5	29.0	30.5	30.5	29.4	30.4	27.9	28.1	342.3	14	3167
	19 LST	24.6	22.7	26.0	27.0	28.2	27.7	28.4	29.2	28.2	27.6	25.7	22.9	318.2	10	2298
	01 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	26.0	24.1	28.9	28.2	29.3	29.6	30.3	30.3	29.0	29.6	28.0	29.0	342.3	14	3172
	13 LST	25.4	23.1	28.3	27.3	28.7	28.8	29.9	30.3	28.9	29.9	27.5	27.5	335.6	14	3167
	19 LST	23.3	21.6	25.1	26.0	27.2	27.1	27.7	28.1	27.5	26.7	25.2	21.8	307.3	10	2298
	01 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	26.0	24.0	28.9	28.2	29.3	29.6	30.3	30.2	29.0	29.6	28.0	29.0	342.1	14	3172
	13 LST	25.4	23.1	28.3	27.3	28.7	28.8	29.9	30.3	28.9	29.9	27.5	27.5	335.6	14	3167
	19 LST	23.3	21.6	25.0	26.0	27.2	27.1	27.7	28.1	27.5	26.5	25.2	21.6	306.8	10	2298
	01 LST														0	0

MADIUN/ISWAHJUDI AFB, INDONESIA

STA NO. 96881 (IN AREA NUMBER 03)

LATITUDE 0736S

LONGITUDE 11125E

ELEVATION(FT) 00361

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	89	90	91	92	91	91	90	91	94	95	95	91	95	14	-96854
MEAN MAX TMP (F)	84	84	85	87	86	86	85	86	87	88	86	85	86	14	-96854
MEAN MIN TMP (F)	72	72	72	72	72	70	69	69	71	72	72	72	71	14	-96854
ABS MIN TMP (F)	68	68	66	66	65	62	63	62	64	66	68	68	62	14	-96854
MEAN NO DYS TMP = OR GTR 90(F)	0.0	1.2	3.4	8.3	5.8	5.6	3.4	5.8	8.3	11.6	5.6	3.4	62.4	14	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	-29
MEAN DEW PT TMP (F)	69	70	70	69	67	63	60	57	57	58	64	68	64	12	-29
MEAN REL HUM (PCT)	77	78	78	74	70	64	60	54	52	52	64	72	66	7	12236
MEAN PRESS ALT (FT)	440	440	467	454	440	440	426	426	412	440	440	467	441	0	-50
MEAN PRECIP (IN)	11.89	10.91	10.43	8.78	9.08	3.15	1.34	0.83	1.18	2.87	7.60	10.20	74.3	63	-45
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN			5.9	5.3	5.6	7.6	5.4	4.8	3.8	5.9	10.8			63	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	10.6	12.7	14.6	10.1	6.9	2.1	0.6	0.1	0.9	3.0	14.0	15.6	91.2	7	2453
P FREQ WND SPD = OR GTR 17 KTS	3.3	3.7	1.8	0.1	1.2	4.8	7.9	9.6	11.2	12.6	3.8	1.4	9.1	4	12235
P FREQ WND SPD = OR GTR 28 KTS	0.4	0.2	0.3	0.0	0.0	0.0	0.0	0.2	0.2	0.2	0.2	0.0	0.1	4	12235
P FREQ LES 5000 FT A/D LES 5 MI	47.6	49.0	45.6	34.5	26.6	18.2	18.0	17.9	15.0	16.6	30.6	37.4	29.8	4	12230
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	25.8	29.8	28.1	14.2	11.8	4.3	1.1	1.4	0.0	0.0	4.0	15.5	11.3	4	2454
09-11 LST	12.7	8.3	6.8	2.4	0.7	0.2	1.4	0.7	0.0	0.4	1.4	1.7	3.1	4	2456
12-14 LST	14.8	13.1	13.4	6.5	4.6	1.4	3.0	2.5	0.9	1.2	5.7	9.6	6.4	4	2452
15-17 LST	21.5	23.8	22.6	16.8	11.1	3.3	0.8	2.5	2.8	4.4	16.7	20.9	12.3	4	2452
18-20 LST	22.3	19.8	17.9	21.9	13.9	3.3	2.1	0.7	1.6	6.9	16.2	17.6	12.0	4	2417
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	6.9	14.1	11.2	6.7	6.0	1.0	0.0	0.5	0.0	0.0	0.0	8.0	4.5	4	2454
09-11 LST	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	2456
12-14 LST	0.0	0.0	0.5	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.1	4	2452
15-17 LST	1.9	1.5	0.5	1.9	0.9	0.0	0.0	0.0	0.0	0.0	1.4	2.8	0.9	4	2452
18-20 LST	2.2	1.5	0.5	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.5	4	2417
21-23 LST														0	0

MADIUN/ISWAHJUDI AFB, INDONESIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	23.4	19.8	22.8	26.0	27.6	28.9	30.7	30.6	30.0	31.0	28.9	26.2	325.9	7	2454
	13 LST	30.3	27.6	30.7	29.7	31.0	30.0	30.7	30.9	30.0	31.0	30.0	30.7	362.6	7	2452
	19 LST	28.0	26.0	30.3	28.0	29.7	30.0	30.9	31.0	30.0	31.0	29.3	29.7	353.9	7	2417
	01 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	07 LST	22.9	19.5	22.6	25.8	25.8	25.6	24.3	18.3	12.6	15.3	24.0	24.5	261.2	7	2454
	13 LST	23.7	22.5	27.4	29.0	29.1	24.8	25.0	23.6	23.3	23.0	26.4	27.5	305.3	7	2452
	19 LST	23.3	22.0	27.4	26.4	25.3	21.0	18.2	12.8	9.0	11.6	20.6	26.5	244.1	7	2416
	01 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.1	0.0	0.1	0.0	0.1	0.4	1.6	2.1	2.6	2.3	0.1	0.3	9.9	7	2454
	13 LST	1.3	1.4	1.0	0.1	0.6	1.3	2.0	1.9	1.6	1.5	0.3	0.4	13.4	7	2453
	19 LST	0.3	0.4	0.3	0.0	0.1	2.0	4.0	5.0	7.2	7.1	1.4	0.6	28.4	7	2417
	01 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	6.4	4.8	5.5	8.8	13.6	13.8	15.9	14.9	11.1	14.0	18.8	13.1	140.7	7	2454
	13 LST	12.1	12.7	13.9	11.5	8.6	7.3	10.8	5.3	0.6	1.0	3.9	9.9	97.6	7	2453
	19 LST	11.5	10.7	13.8	15.7	16.6	15.9	14.2	11.5	8.6	10.3	12.6	15.1	156.5	7	2417
	01 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	2.0	1.6	2.5	5.8	9.0	15.6	18.4	21.7	20.9	16.0	8.3	3.9	125.7	7	2455
	13 LST	1.1	0.8	0.9	3.0	6.0	10.9	14.6	16.6	14.3	8.5	3.6	2.2	82.5	7	2453
	19 LST	0.8	0.1	0.6	2.9	8.3	13.1	16.5	17.2	17.1	9.1	3.0	0.4	89.1	7	2418
	01 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	22.1	19.2	21.5	25.3	26.8	28.5	30.5	30.3	29.9	31.0	28.6	26.0	319.7	4	2454
	13 LST	22.3	20.6	22.9	25.9	27.9	29.0	29.2	29.5	28.9	29.9	26.0	24.9	317.0	4	2452
	19 LST	18.3	17.9	19.1	18.5	23.2	27.6	29.4	29.8	28.7	26.0	24.3	20.5	283.3	4	2335
	01 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	21.0	18.4	20.5	25.1	25.8	28.0	29.7	29.9	29.6	31.0	26.4	25.3	310.7	4	2454
	13 LST	22.1	20.1	22.8	25.4	27.7	28.9	29.0	29.0	28.3	29.5	25.4	24.5	312.7	4	2452
	19 LST	16.3	16.9	18.4	18.2	22.7	26.4	28.1	28.1	27.6	24.5	19.7	19.1	266.0	4	2335
	01 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	21.0	18.4	20.5	25.1	25.8	28.0	29.7	29.9	29.6	31.0	26.4	25.3	310.7	4	2454
	13 LST	22.1	20.1	22.8	25.4	27.7	28.9	29.0	29.0	28.3	29.5	25.4	24.5	312.7	4	2452
	19 LST	16.3	16.9	18.4	18.2	22.7	26.4	28.1	28.1	27.6	24.5	19.7	19.1	266.0	4	2335
	01 LST														0	0

SURABAJA/PERAK NAS , INDONESIA

STA NO. 96933 (IN AREA NUMBER 03)

LATITUDE 07135

LONGITUDE 11243E

ELEVATION(FT) 00010

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR	NO.
														(YRS)	DBS
ABS MAX TMP (F)	92	94	93	92	93	93	93	94	93	95	96	95	96	17	-96941
MEAN MAX TMP (F)	88	88	88	88	88	87	87	87	89	90	90	88	88	17	-96941
MEAN MIN TMP (F)	74	74	74	74	73	71	70	70	71	73	75	74	73	17	-96941
ABS MIN TMP (F)	70	70	69	65	62	60	58	61	62	64	67	68	58	17	-96941
MEAN NO DYS TMP = DR GTR 90(F)	11.6	10.4	11.6	11.2	11.6	8.3	8.6	8.6	14.3	17.9	17.3	11.6	143.0	17	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	-29
MEAN DEW PT TMP (F)	75	75	75	74	73	69	69	67	66	68	71	74	71	14	-29
MEAN REL HUM (PCT)	82	83	83	80	80	75	76	71	66	67	72	80	76	9	22841
MEAN PRESS ALT (PT)	108	94	121	108	94	94	80	80	66	94	94	121	96	0	-50
MEAN PRECIP (IN)	10.20	10.70	8.70	5.20	3.50	2.40	0.90	0.20	0.20	0.60	2.30	6.70	31.6	61	-96941
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN			5.2	5.6	5.2	6.7	4.8	4.0	2.6	3.1	5.2	7.5		17	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	13.6	9.4	14.4	9.5	5.7	2.3	2.8	1.3	0.5	2.6	8.1	13.6	83.8	9	3095
P FREQ WND SPD = DR GTR 17 KTS	6.7	4.8	1.0	0.3	0.3	0.8	0.9	1.7	2.3	1.4	0.8	1.1	1.8	7	22865
P FREQ WND SPD = DR GTR 28 KTS	0.3	0.2	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.1	0.1	7	22865
P FREQ LES 3000 FT A/D LES 5 MI	14.1	13.6	12.5	10.0	7.7	6.1	6.0	5.3	4.9	5.0	6.9	13.3	8.8	7	22851
P FREQ LES 1500 FT A/D LES 3 MI														5	2538
FOR 00-02 LST	1.5	1.4	1.8	1.2	1.2	0.9	0.9	0.3	0.2	0.9	0.9	1.0	1.0	5	2538
03-05 LST	0.6	0.6	0.4	0.5	0.7	0.3	0.5	0.3	0.0	0.2	1.1	0.2	0.5	5	2536
06-08 LST	1.1	1.4	0.3	1.5	1.1	1.2	0.6	0.4	0.6	0.9	0.3	0.4	0.8	7	3093
09-11 LST	2.7	1.6	0.9	0.0	0.8	0.2	0.2	0.2	0.0	0.3	0.2	0.6	0.6	7	3094
12-14 LST	1.9	3.8	0.8	3.1	2.1	0.6	0.8	0.2	0.0	0.2	0.5	2.8	1.4	7	3098
15-17 LST	8.3	8.1	4.3	1.1	1.6	0.4	0.8	0.0	0.2	0.2	2.2	6.3	2.8	7	3096
18-20 LST	5.2	7.7	3.5	0.9	1.2	0.0	0.0	0.0	0.0	0.2	2.1	5.8	2.2	6	2724
21-23 LST	2.7	2.9	0.9	1.4	0.7	0.3	0.0	0.3	0.0	0.0	1.7	1.2	1.0	6	2672
P FREQ LES 300 FT A/D LES 1 MI														5	2538
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	2536
03-05 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	3093
06-08 LST	0.0	0.4	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	7	3094
09-11 LST	0.4	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	7	3098
12-14 LST	0.0	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.1	7	3096
15-17 LST	1.1	1.6	1.1	0.0	0.4	0.4	0.4	0.0	0.0	0.0	0.4	0.0	0.3	6	2724
18-20 LST	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.1	6	2672
21-23 LST	0.0	0.4	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	6	2672

SURABAJA/PERAK NAS, INDONESIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST	30.9	27.9	31.0	29.9	31.0	30.0	31.0	31.0	29.9	30.8	30.0	30.9	364.3	9	3093
	14 LST	30.9	27.8	30.9	30.0	31.0	30.0	31.0	31.0	30.0	31.0	29.9	30.9	364.4	9	3098
	20 LST	30.8	27.8	30.8	30.0	30.9	30.0	31.0	31.0	30.0	31.0	29.6	30.8	363.7	9	2724
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	08 LST	26.3	26.2	30.4	29.9	30.8	29.9	30.6	30.3	29.7	30.4	29.6	29.8	353.9	9	3093
	14 LST	20.6	19.4	25.9	25.8	24.0	19.0	19.8	17.4	13.9	16.6	22.7	25.4	250.5	9	3097
	20 LST	22.7	21.1	27.8	29.7	30.6	27.3	27.9	25.3	23.4	25.1	27.6	27.0	315.5	9	2723
SFC WND = GTR 17 KTS AND NO PRECIP.	08 LST	24.6	23.7	29.2	28.7	30.2	29.3	29.6	28.6	28.3	28.5	28.6	28.4	337.7	8	2537
	14 LST	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.2	9	3093
	20 LST	3.4	2.3	0.3	0.2	0.4	0.4	0.9	1.4	2.4	1.7	0.9	0.4	14.7	9	3098
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	08 LST	1.7	1.0	0.2	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.4	2.6	9	2724
	14 LST	1.1	0.8	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	2.2	8	2539
	20 LST	12.2	12.2	8.3	6.7	6.8	6.0	8.8	8.9	11.0	10.2	12.0	14.0	117.1	9	3094
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	14 LST	13.9	15.3	16.5	17.2	18.1	17.6	18.3	15.3	7.7	5.1	5.8	12.9	163.7	9	3096
	20 LST	10.9	9.4	11.7	11.4	11.4	13.4	17.8	19.5	17.3	17.2	13.5	14.4	167.9	9	2719
	02 LST	12.8	10.7	7.6	6.7	6.7	10.3	11.4	14.7	13.7	13.1	11.9	11.3	130.9	8	2533
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	08 LST	2.6	3.2	5.9	7.8	9.1	14.2	13.3	17.1	20.1	16.8	8.0	3.4	121.5	9	3092
	14 LST	1.7	1.3	2.0	5.8	9.2	16.8	17.1	19.9	20.9	15.6	6.0	2.0	118.3	9	3098
	20 LST	1.6	1.6	2.7	7.2	5.3	14.2	15.8	14.5	20.3	15.2	5.9	2.0	110.3	9	2724
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST	4.0	3.7	4.9	9.2	11.7	15.3	16.8	18.1	22.4	19.5	10.3	4.9	141.0	8	2540
	08 LST	30.2	27.1	30.3	28.9	29.9	28.7	30.1	30.6	29.6	30.4	29.6	30.8	356.2	7	3093
	14 LST	27.8	25.0	28.7	27.4	29.3	29.5	30.4	30.6	29.8	30.5	29.2	27.9	346.1	7	3098
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST	27.0	22.7	27.8	28.5	29.8	29.7	30.7	30.6	29.7	30.4	28.6	26.5	342.2	6	2724
	02 LST	28.6	26.3	28.8	28.0	29.5	28.9	29.6	30.3	29.5	29.8	28.1	29.0	346.4	5	2538
	08 LST	30.0	26.5	29.5	28.4	29.3	28.0	29.4	30.3	29.3	29.9	29.4	30.3	350.3	7	3093
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	14 LST	26.6	23.7	26.9	26.6	28.9	29.4	30.1	30.3	29.6	30.1	28.6	26.0	336.8	7	3098
	20 LST	25.7	21.3	26.1	27.5	29.0	29.2	30.3	30.2	29.7	29.9	27.9	25.0	331.8	6	2724
	02 LST	26.9	25.4	27.4	26.2	28.7	28.2	28.6	29.0	28.9	28.9	26.7	27.4	332.3	5	2538

SURABAJA/DJUANDA NAS, INDONESIA

STA NO. 96935 (IN AREA NUMBER 03)

LATITUDE 0722S

LONGITUDE 11247E

ELEVATION(FT) 0010

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NC. OBS
ABS MAX TMP (F)	97	91	93	93	93	91	91	93	95	97	99	93	99	2	448
MEAN MAX TMP (F)	90	88	90	89	90	89	89	90	90	93	94	91	90	2	448
MEAN MIN TMP (F)	77	76	76	76	77	75	75	74	73	75	76	76	76	2	448
ABS MIN TMP (F)	73	73	75	73	73	70	73	68	70	68	72	72	68	2	448
MEAN NO DYS TMP = DR GTR 90(F)	17.9	10.4	17.9	14.3	17.9	14.3	14.8	17.9	17.3	26.3	27.3	21.0	217.3	2	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	-29
MEAN DEW PT TMP (F)	76	75	75	74	75	72	71	70	67	69	73	75	73	6	-29
MEAN REL HUM (PCT)	79	80	79	78	77	74	73	70	65	65	70	78	74	15	10165
MEAN PRESS ALT (FT)	108	94	121	108	94	94	80	80	66	94	94	121	96	0	-50
MEAN PRECIP (IN)	8.29	8.42	9.44	5.44	2.65	1.29	1.43	1.24	0.30	1.32	3.45	4.62	47.9	8	1857
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN			5.4	5.5	4.6	5.3	5.5	5.3	2.7	4.0	6.6	6.6		8	-29
MEAN NO DYS SNPL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	10.9	7.0	16.8	7.9	4.8	0.0	3.8	0.9	0.6	3.4	6.8	10.1	73.0	7	476
P FREQ WND SPD = DR GTR 17 KTS	7.2	5.9	1.4	0.9	0.7	1.1	1.0	1.6	3.6	2.4	1.7	1.6	2.4	13	10189
P FREQ WND SPD = DR GTR 28 KTS	0.1	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	10189
P FREQ LES 5000 FT A/D LES 5 MI	15.3	16.9	14.7	11.8	13.7	11.7	10.1	6.4	6.8	6.0	6.9	11.6	11.0	13	10045
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	4.5	0.0	1.9	0.0	0.0	1.2	0.0	0.6	0.0	1.1	0.0	0.0	0.8	3	748
03-05 LST														0	0
06-08 LST	1.8	1.6	1.4	1.4	3.0	2.4	1.6	0.8	1.3	1.1	0.2	0.5	1.4	13	2851
09-11 LST	2.9	3.0	1.0	0.5	0.5	0.5	1.1	0.0	0.0	0.8	0.0	2.2	1.0	3	963
12-14 LST	4.5	4.4	2.5	3.0	2.6	0.6	0.8	0.2	0.6	1.1	1.2	2.3	2.0	12	2985
15-17 LST	11.6	11.5	4.1	0.7	3.3	0.0	0.0	0.0	0.0	0.0	0.0	3.5	2.9	2	583
18-20 LST	10.9	11.3	4.9	2.8	1.7	1.0	0.5	0.0	0.7	0.8	3.4	5.1	3.6	8	1919
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	2.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	3	748
03-05 LST														0	0
06-08 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	13	2851
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	963
12-14 LST	0.0	1.3	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.2	12	2985
15-17 LST	1.9	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	2	583
18-20 LST	1.4	1.4	0.0	0.7	0.0	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.4	8	1919
21-23 LST														0	0

SURABAJA/DJUANDA NAS, INDONESIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST	30.7	27.7	30.7	29.9	30.6	29.6	30.6	30.9	29.7	30.7	30.0	30.9	362.0	15	2851
	14 LST	30.6	27.6	30.8	30.0	30.9	30.0	31.0	31.0	29.9	30.9	29.8	30.9	363.4	14	2985
	20 LST	29.3	26.6	30.5	29.6	30.8	29.8	31.0	31.0	29.8	31.0	29.5	30.8	359.7	12	1919
	02 LST	30.3	28.0	31.0	30.0	31.0	30.0	31.0	31.0	30.0	31.0	30.0	31.0	364.3	6	748
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	08 LST	27.0	25.9	30.3	29.7	30.4	29.4	30.2	30.5	29.7	29.9	29.6	29.5	352.1	15	2829
	14 LST	20.8	18.8	25.4	26.0	25.7	22.0	22.1	15.4	14.3	17.3	23.5	25.3	256.6	14	2938
	20 LST	24.5	22.0	28.5	28.5	29.7	28.1	28.7	26.7	23.4	26.3	28.2	27.3	321.9	12	1904
	02 LST	27.5	25.4	31.0	28.2	31.0	30.0	30.2	28.2	27.6	29.0	29.0	28.7	345.8	6	741
SFC WND = GTR 17 KTS AND NO PRECIP.	08 LST	0.6	0.0	0.1	0.0	0.1	0.1	0.1	0.0	0.0	0.3	0.0	0.3	1.6	15	2874
	14 LST	2.9	1.8	0.5	0.2	0.5	0.5	0.7	1.3	2.8	2.0	1.2	0.7	15.1	14	3000
	20 LST	1.3	1.2	0.5	0.4	0.0	0.4	0.0	0.2	0.6	0.2	0.0	0.4	5.2	12	1926
	02 LST	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	1.1	6	748
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	08 LST	14.1	12.7	9.1	7.1	5.3	6.1	7.9	9.7	11.9	11.6	11.7	12.3	119.5	15	2824
	14 LST	12.5	13.9	17.8	17.5	19.4	18.5	20.2	14.0	6.3	3.7	8.0	12.7	164.5	14	2972
	20 LST	9.6	9.9	11.5	9.8	9.6	13.3	18.6	22.2	17.8	17.0	11.9	12.4	163.6	12	1909
	02 LST	16.6	12.3	10.1	8.8	10.3	11.0	13.3	16.7	18.4	16.4	10.7	14.5	159.1	6	739
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST	3.2	3.0	5.2	7.8	10.0	14.1	14.8	16.8	20.3	16.8	8.2	3.4	123.6	15	2887
	14 LST	1.5	1.2	2.3	4.4	8.7	16.2	17.8	20.3	19.5	16.0	5.8	1.4	115.1	14	3031
	20 LST	1.1	0.4	1.3	5.4	5.9	10.6	13.4	12.3	17.8	13.4	3.3	0.5	85.4	12	1944
	02 LST	5.5	1.9	3.6	7.1	7.9	13.9	16.1	18.0	19.7	17.2	8.2	4.9	124.0	6	753
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	08 LST	29.8	27.1	30.2	29.0	29.2	28.5	30.2	30.3	29.3	30.3	29.7	30.8	354.4	13	2851
	14 LST	27.4	24.7	28.1	27.2	28.9	29.3	30.3	30.5	29.7	30.2	29.0	28.5	343.8	12	2985
	20 LST	25.4	22.4	27.7	28.4	29.6	29.5	30.3	30.4	29.7	30.0	28.0	26.8	338.2	8	1919
	02 LST	28.2	27.0	27.7	28.7	30.3	29.3	30.0	30.2	29.6	29.5	28.9	30.0	349.4	3	748
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	08 LST	29.5	26.4	29.6	28.6	28.5	27.8	29.7	29.8	29.0	29.9	29.5	30.6	348.9	13	2851
	14 LST	25.9	23.1	26.3	26.2	28.4	29.1	30.0	30.1	29.6	30.0	28.4	26.8	333.9	12	2985
	20 LST	24.5	20.7	26.6	27.5	29.1	29.4	29.8	29.7	29.6	29.4	27.3	25.5	329.1	8	1919
	02 LST	20.9	26.0	25.5	27.4	29.5	28.5	28.6	29.8	28.8	28.3	27.6	29.1	330.0	3	748
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST	29.3	26.4	29.5	28.6	28.5	27.6	29.7	29.8	29.0	29.9	29.5	30.6	348.4	13	2851
	14 LST	25.9	23.0	26.3	26.2	28.4	29.1	30.0	30.1	29.6	30.0	28.4	26.8	333.8	12	2985
	20 LST	24.5	20.7	26.6	27.5	29.1	29.4	29.8	29.7	29.6	29.4	27.3	25.5	329.1	8	1919
	02 LST	20.9	26.0	25.5	27.4	29.5	28.5	28.6	29.8	28.8	28.3	27.6	28.7	329.6	3	748

MALANG/ABDULRACHMAN SALEH, INDONESIA

STA NO. 96947 (IN AREA NUMBER 03)

LATITUDE 0755S

LONGITUDE 11242E

ELEVATION(FT) 01726

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)														0	0
MEAN MAX TMP (F)														0	0
MEAN MIN TMP (F)														0	0
ABS MIN TMP (F)														0	0
MEAN NO DYS TMP = OR GTR 90(F)														0	0
MEAN NO DYS TMP = OR LES 32(F)														0	0
MEAN NO DYS TMP = OR LES 0(F)														0	0
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)	1815	1815	1842	1829	1815	1815	1801	1801	1787	1815	1815	1842	1816	0	-50
MEAN PRECIP (IN)														0	0
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = OR GTR 0.1 IN														0	0
MEAN NO DYS SNFL = OR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 20 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI	39.8	46.4	53.8	43.3	38.7	37.8	38.8	43.0	39.5	46.2	46.7	43.3	43.1	2	1635
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	10.5	8.6	10.0	5.9	16.3	17.4	20.5	23.8	14.6	21.5	19.7	11.3	13.0	3	729
09-11 LST														0	0
12-14 LST	15.0	20.9	13.6	10.9	6.1	6.5	8.8	5.4	2.6	8.1	10.0	18.6	10.3	3	700
15-17 LST														0	0
18-20 LST	16.1	39.3	19.4	13.3	6.3	16.7	13.1	8.1	3.4	4.8	15.0	16.7	14.4	2	545
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	0.0	2.0	0.0	2.0	4.3	6.8	1.2	0.0	0.0	2.8	1.4	1.7	3	729
09-11 LST														0	0
12-14 LST	2.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	3	700
15-17 LST														0	0
18-20 LST	0.0	0.0	3.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	2	545
21-23 LST														0	0

MALANG/ABDULRACHMAN SALEH , INDONESIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
	02 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
	02 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
	02 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
	02 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
	02 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
	02 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
	02 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
	02 LST													0	0

DATA NOT AVAILABLE

AREA NO. 03

INDONESIA	NORTHERN JAVA		LATITUDE 0700S				LONGITUDE 11100E							
	BOUNDARIES		0610S 10550E	0640S 10700E	0640S 10700E	0720S 10930E	0720S 10930E	0720S 10930E	0720S 11100E					
PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	
MEAN MAX TMP (F)	88	86	88	88	89	89	88	89	90	91	91	88	89	
MEAN MIN TMP (F)	76	75	75	76	76	75	75	74	73	74	75	75	75	
LARGEST MEAN PRECIP(IN)	23.37	20.16	14.44	12.00	11.92	3.80	2.56	2.21	3.47	5.43	8.14	18.78	126.3	
SMALLEST MEAN PRECIP(IN)	8.29	8.42	8.30	5.44	2.65	1.29	1.34	0.83	0.30	1.33	3.45	4.62	46.3	
	MEAN NUMBER OF DAYS													
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	28.2	25.5	28.8	28.9	29.7	29.3	30.1	30.1	29.1	30.6	29.3	29.8	349.4
	13 LST	30.2	27.4	30.7	29.8	30.9	30.0	30.9	31.0	30.0	31.0	29.8	30.7	342.4
	19 LST	29.8	26.8	30.4	29.1	30.7	29.7	30.8	31.0	29.9	30.8	29.1	30.4	358.5
	01 LST	30.6	27.7	30.8	29.9	31.7	29.9	30.9	31.0	30.0	31.0	30.0	31.0	363.8
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	26.5	24.6	28.6	28.8	29.3	28.6	28.9	27.8	26.1	27.7	28.3	29.0	334.2
	13 LST	20.5	18.6	24.8	27.2	27.4	24.7	25.0	22.0	19.6	21.6	24.4	25.6	281.4
	19 LST	25.9	23.8	28.8	28.5	29.5	27.3	27.6	26.0	24.1	25.6	26.8	28.1	322.0
	01 LST	27.1	25.3	30.2	28.8	30.6	29.7	30.2	29.2	28.6	29.3	29.1	29.2	347.3
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.2	0.0	0.0	0.0	0.0	0.1	0.3	0.4	0.4	0.5	0.0	0.2	2.1
	13 LST	1.8	1.7	0.7	0.1	0.4	0.4	0.7	1.0	1.4	1.0	0.6	0.5	10.3
	19 LST	0.7	0.6	0.2	0.1	0.0	0.4	0.7	0.9	1.4	1.2	0.2	0.2	6.6
	01 LST	0.6	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.2	1.2
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	9.1	7.8	6.3	6.0	6.9	6.8	8.4	8.4	8.4	8.6	10.1	9.5	96.3
	13 LST	13.7	13.8	16.3	15.1	13.3	12.7	14.4	10.3	4.7	4.7	7.5	13.6	140.1
	19 LST	10.7	10.2	10.5	10.3	10.8	12.0	13.6	14.8	13.5	12.8	11.1	11.9	142.2
	01 LST	12.3	9.5	8.1	7.3	8.0	9.0	10.3	12.3	13.0	11.9	10.2	11.9	123.8
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	1.7	1.9	3.7	5.7	8.0	12.4	13.6	14.9	16.4	12.8	6.1	2.6	99.8
	13 LST	0.8	0.7	1.3	2.9	5.2	9.6	11.5	13.3	13.1	8.9	3.1	1.2	71.6
	19 LST	0.8	0.5	1.4	3.6	6.2	10.0	12.1	11.2	13.4	8.6	2.8	0.7	71.3
	01 LST	4.0	2.9	4.7	7.4	9.5	14.6	15.8	16.2	18.9	16.2	8.9	4.7	123.8
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	26.2	24.0	27.9	28.2	28.8	28.7	29.7	29.7	28.7	30.1	28.9	29.4	340.3
	13 LST	24.9	22.9	26.9	26.8	28.7	28.8	29.8	30.1	29.1	29.6	27.2	26.9	331.7
	19 LST	24.6	22.1	25.8	25.7	28.0	28.4	29.4	29.9	29.0	28.5	26.4	24.9	322.7
	01 LST	28.2	26.1	28.6	28.5	29.9	29.0	29.9	30.3	29.5	29.8	28.7	29.5	348.0
CIG = GTR 8000 FT AND VSBY = GTR 3 MI	07 LST	25.4	22.9	26.8	27.6	28.0	28.1	28.9	29.2	28.1	29.6	28.0	28.6	331.2
	13 LST	23.3	21.5	25.5	25.7	27.9	28.4	29.2	29.5	28.5	28.7	26.1	25.3	319.6
	19 LST	22.6	20.5	24.3	24.5	27.2	27.6	28.1	28.6	27.8	27.0	24.7	23.0	305.9
	01 LST	24.8	25.2	27.1	27.2	29.1	28.3	28.8	29.3	28.9	28.8	27.5	28.2	333.2
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	25.3	22.8	26.8	27.6	28.0	28.0	28.9	29.2	28.1	29.6	28.0	28.6	330.9
	13 LST	23.3	21.5	25.5	25.7	27.9	28.4	29.2	29.5	28.5	28.7	26.1	25.3	319.6
	19 LST	22.6	20.5	24.2	24.5	27.2	27.6	28.1	28.5	27.8	26.9	24.7	22.9	305.5
	01 LST	24.8	25.2	27.0	27.2	29.1	28.3	28.8	29.3	28.9	28.8	27.5	28.1	333.0

BANDUNG/SULAIMAN , INDONESIA

STA NO. 49621/ (IN AREA NUMBER 04)

LATITUDE 0638S

LONGITUDE 10734E

ELEVATION(PT) 02200

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	90	88	90	87	88	87	87	88	91	94	93	88	94	22	-96781
MEAN MAX TMP (F)	81	80	81	82	82	82	82	83	84	84	82	81	82	22	-96781
MEAN MIN TMP (F)	67	67	67	67	66	64	63	63	64	65	66	67	66	22	-96781
ABS MIN TMP (F)	59	60	59	57	57	53	52	53	53	57	55	59	52	22	-96781
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	1.4	0.0	0.0	2.7	22	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	22	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	22	-29
MEAN DEW PT TMP (F)	66	66	66	66	65	62	61	59	58	60	64	66	63	18	-29
MEAN REL HUM (PCT)	79	78	78	78	75	72	70	66	62	65	73	77	73	10	-96781
MEAN PRESS ALT (FT)	2600	2600	2605	2608	2614	2597	2586	2586	2581	2586	2605	2605	2598	0	-50
MEAN PRECIP (IN)	9.45	10.04	9.41	5.63	4.57	4.02	2.72	2.24	1.97	5.95	7.91	8.47	72.4	37	-96781
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	22	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN			5.4	5.5	5.5	8.5	7.1	6.5	4.8	9.3	11.1			37	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	22	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	24.0	24.0	23.0	22.0	20.0	10.0	5.0	12.0	11.0	21.0	22.0	24.0	218.0	4	-96781
P FREQ WND SPD = DR GTR 17 KTS	6.5	9.3	6.0	1.4	2.6	1.2	2.1	2.9	3.3	2.2	0.4	3.3	3.4	9	-96781
P FREQ WND SPD = DR GTR 28 KTS	1.0	1.0	0.9	0.3	0.3	0.0	0.1	0.1	0.2	0.2	0.0	0.5	0.4	9	-96781
P FREQ LES 5000 FT A/D LES 5 MI	45.9	43.2	41.8	48.5	41.7	35.1	37.0	44.5	41.7	49.7	52.2	48.0	44.1	9	-96781
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	23.1	23.9	25.2	20.6	16.0	10.8	14.5	11.8	11.9	12.2	15.5	19.4	17.1	9	-96781
09-11 LST	12.1	8.3	4.3	1.5	1.9	1.8	1.3	3.9	0.5	0.9	1.5	0.9	3.2	9	-96781
12-14 LST	6.6	5.1	4.2	3.8	2.4	0.6	2.4	1.2	0.6	3.4	6.3	4.8	3.5	9	-96781
15-17 LST	13.4	13.8	9.1	12.0	4.3	2.8	3.8	3.6	1.5	5.6	14.2	16.6	8.4	9	-96781
18-20 LST	8.7	8.3	8.9	8.3	3.5	2.1	1.9	2.8	2.0	6.1	12.7	10.5	6.3	9	-96781
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	7.1	10.6	15.6	11.0	5.8	4.7	5.8	3.2	2.0	3.5	9.3	9.1	7.3	9	-96781
09-11 LST	0.3	0.0	0.0	0.0	0.0	0.3	0.0	0.7	0.0	0.0	0.0	0.0	0.1	9	-96781
12-14 LST	0.0	0.0	0.0	0.3	0.3	0.0	0.3	0.0	0.0	0.6	0.4	0.0	0.2	9	-96781
15-17 LST	0.3	1.1	0.3	1.0	0.3	0.0	0.3	0.4	0.0	0.0	0.4	0.7	0.4	9	-96781
18-20 LST	0.0	0.0	1.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	9	-96781
21-23 LST														0	0

BANDUNG/SULAIMAN, INDONESIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	24.9	22.3	23.7	24.0	26.2	27.1	26.8	27.4	26.6	27.4	25.7	25.5	307.6	10	-96781
	13 LST	30.7	27.9	30.8	29.9	30.9	29.9	30.8	31.0	30.0	30.6	29.8	30.9	363.2	10	-96781
	19 LST	29.8	26.9	30.1	29.4	30.8	29.9	31.0	30.8	29.8	30.8	28.7	30.6	358.6	10	-96781
	01 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	23.7	21.0	23.4	23.8	25.9	27.1	26.4	27.1	26.4	27.0	25.6	24.7	302.1	10	-96781
	13 LST	21.7	18.4	23.9	26.4	27.0	27.4	26.9	26.8	26.0	26.6	27.3	25.6	304.0	10	-96781
	19 LST	26.0	23.1	27.2	28.2	28.7	29.1	28.3	27.8	26.9	28.2	28.7	29.2	331.4	10	-96781
	01 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.3	0.2	0.1	0.0	0.0	0.0	0.2	0.0	0.0	0.1	0.0	0.1	1.0	10	-96781
	13 LST	3.6	5.1	3.8	1.0	1.1	0.6	1.0	0.9	1.2	1.2	0.4	2.2	22.1	10	-96781
	19 LST	1.0	1.1	0.3	0.3	0.7	0.2	0.2	0.6	0.5	0.4	0.0	0.4	3.7	10	-96781
	01 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	7.0	5.5	5.8	3.3	4.2	5.0	6.1	8.0	8.7	7.0	4.2	4.6	69.4	10	-96781
	13 LST	18.8	15.7	22.0	20.6	19.8	20.3	19.5	21.6	21.3	20.1	22.3	22.0	244.0	10	-96781
	19 LST	15.1	13.0	12.6	10.6	10.4	15.6	13.2	14.2	16.5	12.8	11.3	10.2	155.5	10	-96781
	01 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	0.6	0.6	1.7	3.5	5.4	8.3	9.2	10.1	12.1	9.1	4.4	1.1	66.1	10	-96781
	13 LST	0.3	0.7	1.4	0.6	3.2	6.2	7.7	7.8	7.0	2.1	0.9	0.3	38.2	10	-96781
	19 LST	0.0	0.1	0.4	0.4	1.9	4.1	4.8	4.3	5.5	2.5	1.0	0.0	25.0	10	-96781
	01 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	21.1	19.3	22.1	23.2	25.3	25.9	25.5	26.8	25.9	26.4	24.5	23.7	289.7	9	-96781
	13 LST	25.6	21.8	25.3	23.4	26.2	27.8	27.5	27.6	27.5	23.3	20.9	24.5	301.4	9	-96781
	19 LST	23.8	21.7	22.6	21.7	25.4	26.2	26.9	26.0	25.7	22.9	20.0	21.0	283.9	9	-96781
	01 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	19.1	18.4	21.4	22.7	24.4	25.5	24.6	25.8	25.2	25.5	24.0	22.8	279.4	9	-96781
	13 LST	20.9	18.2	22.0	19.0	22.9	25.9	25.1	25.0	22.2	18.4	15.5	21.0	256.1	9	-96781
	19 LST	20.5	18.9	18.6	17.7	21.6	23.6	23.8	21.9	21.8	18.2	16.3	16.9	239.8	9	-96781
	01 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	19.1	18.4	21.4	22.7	24.4	25.5	24.6	25.8	25.2	25.5	24.0	22.8	279.4	9	-96781
	13 LST	20.9	18.2	22.0	19.0	22.9	25.9	25.1	25.0	22.2	18.4	15.5	21.0	256.1	9	-96781
	19 LST	20.5	18.9	18.6	17.7	21.6	23.6	23.8	21.9	21.8	18.2	16.3	16.9	239.8	9	-96781
	01 LST														0	0

BANDUNG/HUSEIN SASTRANEG , INDONESIA

STA NO. 96781 (IN AREA NUMBER 04)

LATITUDE 0654S

LONGITUDE 10734E

ELEVATION(FT) 02430

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
ABS MAX TMP (F)	90	88	90	87	88	87	87	88	91	94	93	88	94	22	-38
MEAN MAX TMP (F)	81	80	81	82	82	82	82	83	84	84	82	81	82	22	-38
MEAN MIN TMP (F)	67	67	67	67	66	64	63	63	64	65	66	67	66	22	-38
ABS MIN TMP (F)	59	60	59	57	57	53	52	53	53	57	55	59	52	22	-38
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	1.4	0.0	0.0	2.7	22	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	22	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	22	-29
MEAN DEW PT TMP (F)	66	66	66	66	65	62	61	59	58	60	64	66	63	18	-29
MEAN REL HUM (PCT)	79	78	78	78	75	72	70	66	62	65	73	77	73	10	17920
MEAN PRESS ALT (FT)	2530	2530	2535	2538	2544	2527	2516	2516	2511	2516	2535	2535	2528	0	-50
MEAN PRECIP (IN)	9.45	10.04	9.41	5.63	4.57	4.02	2.72	2.24	1.97	5.95	7.91	8.47	72.4	37	-45
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	22	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN			5.4	5.5	5.5	8.5	7.1	6.5	4.8	9.3	11.1			37	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	22	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	24.0	24.0	23.0	22.0	20.0	10.0	5.0	12.0	11.0	21.0	22.0	24.0	218.0	4	-38
P FREQ WND SPD = DR GTR 17 KTS	6.5	9.3	6.0	1.4	2.6	1.2	2.1	2.9	3.3	2.2	0.4	3.3	3.4	9	17929
P FREQ WND SPD = DR GTR 28 KTS	1.0	1.0	0.9	0.3	0.3	0.0	0.1	0.1	0.2	0.2	0.0	0.5	0.4	9	17929
P FREQ LES 5000 FT A/D LES 5 MI	45.9	43.2	41.8	48.5	41.7	35.1	37.0	44.5	41.7	49.7	52.2	48.0	44.1	9	17925
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	23.1	23.9	25.2	20.6	16.0	10.8	14.5	11.8	11.9	12.2	15.5	19.4	17.1	9	3583
09-11 LST	12.1	8.3	4.3	1.5	1.9	1.8	1.3	3.9	0.5	0.9	1.5	0.9	3.2	9	3586
12-14 LST	6.6	5.1	4.2	3.8	2.4	0.6	2.4	1.2	0.6	3.4	6.3	4.8	3.5	9	3587
15-17 LST	13.4	13.8	9.1	12.0	4.3	2.8	3.8	3.6	1.5	5.6	14.2	16.6	8.4	9	3586
18-20 LST	8.7	8.3	8.9	8.3	3.5	2.1	1.9	2.8	2.0	6.1	12.7	10.5	6.3	9	3583
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	7.1	10.6	15.6	11.0	5.8	4.7	5.8	3.2	2.0	3.5	9.3	9.1	7.3	9	3583
09-11 LST	0.3	0.0	0.0	0.0	0.0	0.3	0.0	0.7	0.0	0.0	0.0	0.0	0.1	9	3586
12-14 LST	0.0	0.0	0.0	0.3	0.3	0.0	0.3	0.0	0.0	0.6	0.4	0.0	0.2	9	3587
15-17 LST	0.3	1.1	0.3	1.0	0.3	0.0	0.3	0.4	0.0	0.0	0.4	0.7	0.4	9	3586
18-20 LST	0.0	0.0	1.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	9	3583
21-23 LST														0	0

BANDUNG/HUSEIN SASTRANEG, INDONESIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	24.9	22.3	23.7	24.0	26.2	27.1	26.8	27.4	26.6	27.4	25.7	25.5	307.6	10	3587
	13 LST	30.7	27.9	30.8	29.9	30.9	29.9	30.8	31.0	30.0	30.6	29.8	30.9	363.2	10	3587
	19 LST	29.8	26.9	30.1	29.4	30.8	29.9	31.0	30.8	29.8	30.8	28.7	30.6	358.6	10	3583
	01 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	23.7	21.0	23.4	23.8	25.9	27.1	26.4	27.1	26.4	27.0	25.6	24.7	302.1	10	3583
	13 LST	21.7	18.4	23.9	26.4	27.0	27.4	26.9	26.8	26.0	26.6	27.3	25.6	304.0	10	3587
	19 LST	26.0	23.1	27.2	28.2	28.7	29.1	28.3	27.8	26.9	28.2	28.7	29.2	331.4	10	3582
	01 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.3	0.2	0.1	0.0	0.0	0.0	0.2	0.0	0.0	0.1	0.0	0.1	1.0	10	3587
	13 LST	3.6	5.1	3.8	1.0	1.1	0.6	1.0	0.9	1.2	1.2	0.4	2.2	22.1	10	3587
	19 LST	1.0	1.1	0.3	0.3	0.7	0.2	0.2	0.6	0.5	0.4	0.0	0.4	5.7	10	3582
	01 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	7.0	5.5	5.8	3.3	4.2	5.0	6.1	8.0	8.7	7.0	4.2	4.6	69.4	10	3585
	13 LST	18.8	15.7	22.0	20.6	19.8	20.3	19.5	21.6	21.3	20.1	22.3	22.0	244.0	10	3584
	19 LST	15.1	13.0	12.6	10.6	10.4	15.6	13.2	14.2	16.5	12.8	11.3	10.2	155.5	10	3579
	01 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	0.6	0.6	1.7	3.5	3.4	8.3	9.2	10.1	12.1	9.1	4.4	1.1	66.1	10	3583
	13 LST	0.3	0.7	1.4	0.6	3.2	6.2	7.7	7.8	7.0	2.1	0.9	0.3	38.2	10	3586
	19 LST	0.0	0.1	0.4	0.4	1.9	4.1	4.8	4.3	5.5	2.5	1.0	0.0	25.0	10	3582
	01 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	21.1	19.3	22.1	23.2	25.3	25.9	25.5	26.8	25.9	26.4	24.5	23.7	269.7	9	3583
	13 LST	25.6	21.8	25.3	23.4	26.2	27.8	27.5	27.6	27.5	23.3	20.9	24.5	301.4	9	3587
	19 LST	23.8	21.7	22.6	21.7	25.4	26.2	26.9	26.0	25.7	22.9	20.0	21.0	283.9	9	3583
	01 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	19.1	18.4	21.4	22.7	24.4	25.5	24.6	25.8	25.2	25.5	24.0	22.8	279.4	9	3583
	13 LST	20.9	18.2	22.0	19.0	22.9	23.9	23.1	23.0	22.2	18.4	15.5	21.0	256.1	9	3587
	19 LST	20.5	18.9	18.6	17.7	21.6	23.6	23.8	21.9	21.8	18.2	16.3	16.9	239.8	9	3583
	01 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	19.1	18.4	21.4	22.7	24.4	25.5	24.6	25.8	25.2	25.5	24.0	22.8	279.4	9	3583
	13 LST	20.9	18.2	22.0	19.0	22.9	23.9	23.1	23.0	22.2	18.4	15.5	21.0	256.1	9	3587
	19 LST	20.5	18.9	18.6	17.7	21.6	23.6	23.8	21.9	21.8	18.2	16.3	16.9	239.8	9	3583
	01 LST														0	0

TASIKMALAJA/TJIBEUREUM, INDONESIA

STA NO. 96801 (IN AREA NUMBER 04)

LATITUDE 0721S

LONGITUDE 10815E

ELEVATION(FT) 01200

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)														0	0
MEAN MAX TMP (F)														0	0
MEAN MIN TMP (F)														0	0
ABS MIN TMP (F)														0	0
MEAN NO DYS TMP = OR GTR 90(F)														0	0
MEAN NO DYS TMP = OR LES 32(F)														0	0
MEAN NO DYS TMP = OR LES 0(F)														0	0
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)	84	83	85	85	82	83	87	85	82	83	81	84	84	4	2010
MEAN PRESS ALT (FT)	1300	1300	1305	1308	1314	1297	1286	1286	1281	1286	1305	1305	1298	0	-50
MEAN PRECIP (IN)	17.44	12.22	16.82	10.53	6.78	4.49	17.98	18.45	6.16	6.08	14.25	16.92	148.1	4	1152
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = OR GTR 0.1 IN				6.0	5.4	9.0	19.8	20.1	9.5	9.4	15.5			4	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS	0.7	2.1	1.4	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.0	1.1	0.5	4	2006
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	2006
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	10.6	12.2	11.8	9.4	12.9	5.7	23.1	18.3	12.7	6.9	6.5	8.4	11.5	5	1169
09-11 LST														0	0
12-14 LST	3.8	1.9	7.8	5.6	1.9	5.5	6.3	9.0	2.9	2.8	1.4	6.8	4.6	4	762
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	4.3	9.8	5.9	5.2	4.3	2.3	6.5	6.7	3.9	1.0	1.9	2.8	4.6	5	1169
09-11 LST														0	0
12-14 LST	0.0	0.0	2.0	0.0	0.0	0.0	0.0	1.3	0.0	0.0	0.0	0.0	0.3	4	762
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

TASIKMALAJA/TJIBEUREUM, INDONESIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	28.7	24.9	28.1	27.5	28.3	29.3	26.1	28.3	27.9	30.7	29.2	29.6	338.6	4	1169
	13 LST	30.4	28.0	30.4	28.9	31.0	30.0	30.6	29.8	30.0	31.0	30.0	31.0	361.1	3	762
	19 LST														0	0
	01 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	28.3	24.6	28.1	27.5	28.3	29.3	26.1	28.3	27.9	30.7	29.2	29.6	337.8	4	1166
	13 LST	28.7	24.8	28.6	28.3	30.4	29.5	27.9	29.4	29.1	31.0	29.2	27.6	344.5	3	761
	19 LST														0	0
	01 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	4	1174
	13 LST	0.6	1.1	0.6	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.8	3.6	3	765
	19 LST														0	0
	01 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	2.7	2.4	1.1	0.0	1.4	1.7	0.8	0.3	0.6	2.7	0.8	4.1	18.6	4	1173
	13 LST	19.3	18.0	22.3	20.4	27.5	24.1	20.2	24.7	23.8	25.8	23.4	20.8	270.3	3	765
	19 LST														0	0
	01 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	1.0	0.0	1.8	2.8	1.3	3.0	1.4	1.8	1.5	1.2	1.7	0.3	17.8	4	1174
	13 LST	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.0	0.4	1.3	1.2	0.0	4.0	3	763
	19 LST														0	0
	01 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	24.7	23.0	25.3	23.9	24.0	23.7	18.8	20.4	20.7	24.0	23.8	25.8	278.1	4	1169
	13 LST	24.6	23.2	26.2	24.2	27.8	24.8	23.9	21.7	24.5	23.8	25.1	20.7	290.5	3	762
	19 LST														0	0
	01 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	22.4	21.8	22.6	20.9	21.3	19.1	15.2	15.8	16.2	20.1	19.7	22.9	238.0	4	1169
	13 LST	19.9	20.3	23.1	20.0	25.7	21.8	20.4	16.3	20.3	18.4	21.0	14.2	241.4	3	762
	19 LST														0	0
	01 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	22.4	21.8	22.6	20.9	21.3	19.1	15.2	15.8	16.2	20.1	19.7	22.9	238.0	4	1169
	13 LST	19.9	20.3	23.1	20.0	25.1	21.8	20.4	16.3	20.3	18.4	21.0	14.2	240.8	3	762
	19 LST														0	0
	01 LST														0	0

SURAKARTA/PANASAN, INDONESIA

STA NO. 96845 (IN AREA NUMBER 04)

LATITUDE 0731S

LONGITUDE 11045E

ELEVATION(FT) 00350

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	89	90	91	92	91	91	90	91	94	95	95	91	95	14	-96854
MEAN MAX TMP (F)	84	84	85	87	86	86	85	86	87	88	86	85	86	14	-96854
MEAN MIN TMP (F)	72	72	72	72	72	70	69	69	71	72	72	72	71	14	-96854
ABS MIN TMP (F)	68	68	66	68	65	62	63	62	64	66	68	68	62	14	-96854
MEAN NO DYS TMP = DR GTR 90(F)	0.0	1.2	3.4	8.3	5.8	5.6	3.4	5.8	8.3	11.6	5.6	3.4	62.4	14	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	-29
MEAN DEW PT TMP (F)	72	72	72	71	70	68	67	66	67	70	70	72	70	14	-29
MEAN REL HUM (PCT)	82	82	81	78	77	74	74	71	69	73	77	82	77	15	-96853
MEAN PRESS ALT (FT)	439	439	466	453	439	439	425	425	411	439	439	466	440	0	-50
MEAN PRECIP (IN)	13.90	13.19	12.24	8.27	4.96	3.47	1.61	0.95	1.22	3.70	8.98	13.39	85.9	63	-96853
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN				5.2	5.6	7.9	5.7	4.9	3.9	6.9	12.0			63	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	4.3	3.4	6.2	4.1	3.9	0.5	1.6	1.0	1.3	1.1	2.1	3.7	33.2	9	-96853
P FREQ WND SPD = DR GTR 17 KTS	1.9	2.3	0.9	1.1	1.7	1.8	1.1	1.4	1.6	1.5	1.2	0.6	1.4	12	-96853
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.1	0.1	0.1	0.0	0.1	0.0	0.3	0.0	0.0	0.0	0.0	0.1	12	-96853
P FREQ LES 5000 FT A/D LES 5 MI	32.7	32.0	30.9	19.7	21.6	16.9	31.3	24.6	27.5	35.8	32.9	33.1	28.3	10	-96853
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	4.5	4.9	5.2	2.8	7.0	11.0	23.7	17.1	10.0	6.9	6.9	7.9	9.0	16	-96853
09-11 LST	3.3	2.1	1.9	0.0	0.0	1.0	1.1	1.3	0.0	2.8	0.0	1.4	1.2	5	-96853
12-14 LST	9.9	4.8	6.8	4.8	2.1	2.1	2.5	1.4	2.2	3.4	2.5	7.7	4.2	15	-96853
15-17 LST	22.4	25.3	18.5	17.3	6.7	6.3	1.7	1.9	3.1	10.1	15.8	14.3	12.0	4	-96853
18-20 LST	9.5	9.8	8.9	8.3	5.9	1.8	2.6	2.6	1.5	6.3	8.1	7.5	6.1	10	-96853
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	0.4	1.7	0.5	2.1	3.5	11.2	7.2	3.1	0.4	0.8	0.8	2.6	16	-96853
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-96853
12-14 LST	0.5	0.0	0.8	0.4	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.5	0.2	15	-96853
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	0.1	4	-96853
18-20 LST	0.0	0.0	0.0	0.6	0.7	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.2	10	-96853
21-23 LST														0	0

SURAKARTA/PANASAN, INDONESIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	30.4	27.1	29.8	29.7	29.1	27.1	25.0	26.5	27.6	30.2	28.7	29.6	340.8	15	-96853
	13 LST	30.4	28.0	30.5	29.7	30.7	29.9	30.9	30.8	29.7	30.9	29.9	30.6	362.0	14	-96853
	19 LST	30.4	27.4	30.1	29.4	30.3	30.0	31.0	30.6	30.0	30.3	29.3	30.6	359.4	10	-96853
	01 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	29.9	27.0	29.8	29.7	29.0	26.8	24.8	26.4	27.5	30.2	28.6	29.6	339.3	15	-96853
	13 LST	25.7	23.3	26.1	25.7	27.1	26.0	26.4	26.7	24.5	22.9	23.9	26.6	304.9	14	-96853
	19 LST	28.7	26.5	29.6	29.4	29.2	28.4	30.0	29.2	28.2	29.4	29.1	30.2	347.9	10	-96853
	01 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.0	0.1	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.3	15	-96853
	13 LST	1.1	1.3	1.0	0.8	1.0	1.3	1.0	1.2	0.7	1.0	0.9	0.5	11.8	14	-96853
	19 LST	0.2	0.6	0.0	0.0	0.2	0.5	0.0	0.0	0.7	0.4	0.0	0.2	2.8	10	-96853
	01 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	7.0	8.4	6.0	4.5	3.8	5.2	3.4	4.4	6.7	5.2	3.6	2.5	60.7	15	-96853
	13 LST	18.7	16.2	16.3	11.4	13.3	15.4	19.7	20.6	13.8	11.6	13.2	19.3	189.5	14	-96853
	19 LST	11.8	5.9	9.8	7.5	10.6	11.8	13.7	17.1	17.2	18.7	15.2	8.0	147.3	10	-96853
	01 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	1.5	2.9	4.5	6.5	8.0	11.5	8.6	7.7	7.4	7.5	4.3	2.2	72.6	15	-96853
	13 LST	0.6	0.7	0.9	1.6	3.1	5.4	5.6	6.3	2.7	3.4	1.5	0.3	32.1	14	-96853
	19 LST	0.8	1.0	1.9	3.4	7.0	12.0	10.1	13.0	15.7	8.5	2.4	0.6	76.4	10	-96853
	01 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	27.9	25.7	27.8	28.7	27.7	26.1	22.8	24.2	24.4	25.3	25.1	26.8	312.5	12	-96853
	13 LST	23.8	22.5	24.6	25.8	28.1	27.3	26.6	27.5	25.7	24.8	25.0	23.9	305.6	12	-96853
	19 LST	23.8	21.4	24.8	25.1	26.4	28.3	28.2	28.6	28.4	26.0	23.6	24.4	309.0	7	-96853
	01 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	26.2	22.5	26.2	27.6	26.3	24.9	20.4	21.7	21.5	21.8	22.9	25.3	287.3	12	-96853
	13 LST	21.2	19.3	21.7	24.0	25.9	25.0	23.1	23.8	20.6	19.9	21.2	20.7	266.4	12	-96853
	19 LST	20.5	18.7	23.2	23.7	24.8	27.1	25.5	26.6	26.2	23.4	20.5	21.6	281.8	7	-96853
	01 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	26.2	22.5	26.2	27.6	26.3	24.9	20.3	21.6	21.5	21.8	22.9	25.3	287.1	12	-96853
	13 LST	21.2	19.2	21.6	24.0	25.9	25.0	23.1	23.8	20.6	19.9	21.2	20.7	266.2	12	-96853
	19 LST	20.5	18.7	23.2	23.7	24.8	27.1	25.5	26.6	26.2	23.2	20.5	21.6	281.6	7	-96853
	01 LST														0	0

JOGJAKARTA/ADISUTJIPTO , INDONESIA

STA NO. 96853 (IN AREA NUMBER 04)

LATITUDE 0747S

LONGITUDE 11025E

ELEVATION(FT) 00350

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	89	90	91	92	91	91	90	91	94	95	95	91	95	14	-96854
MEAN MAX TMP (F)	84	84	85	87	86	86	85	86	87	88	86	85	86	14	-96854
MEAN MIN TMP (F)	72	72	72	72	72	70	69	69	71	72	72	72	71	14	-96854
ABS MIN TMP (F)	68	68	66	68	65	62	63	62	64	66	68	68	62	14	-96854
MEAN NO DYS TMP = OR GTR 90(F)	0.0	1.2	3.4	8.3	5.8	5.6	3.4	5.8	8.3	11.6	5.6	3.4	62.4	14	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	-29
MEAN DEW PT TMP (F)	72	72	72	71	70	68	67	66	67	70	70	72	70	14	-29
MEAN REL HUM (PCT)	82	82	81	78	77	74	74	71	69	73	77	82	77	15	9632
MEAN PRESS ALT (FT)	439	439	466	453	439	439	425	425	411	439	439	466	440	0	-90
MEAN PRECIP (IN)	13.90	13.19	12.24	8.27	4.96	3.47	1.61	0.95	1.22	3.70	8.98	13.39	85.9	63	-45
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN				5.2	5.6	7.9	5.7	4.9	3.9	6.9	12.0			63	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	4.3	3.4	6.2	4.1	3.9	0.5	1.6	1.0	1.3	1.1	2.1	3.7	33.2	9	655
P FREQ WND SPD = OR GTR 17 KTS	1.9	2.3	0.9	1.1	1.7	1.8	1.1	1.4	1.6	1.5	1.2	0.6	1.4	12	9653
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.1	0.1	0.1	0.0	0.1	0.0	0.3	0.0	0.0	0.0	0.0	0.1	12	9653
P FREQ LES 5000 FT A/D LES 5 MI	32.7	32.0	30.9	19.7	21.6	16.9	31.3	24.6	27.5	35.8	32.9	33.1	28.3	10	5151
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	4.5	4.9	5.2	2.8	7.0	11.0	23.7	17.1	10.0	6.9	6.9	7.9	9.0	16	2824
09-11 LST	3.3	2.1	1.9	0.0	0.0	1.0	1.1	1.3	0.0	2.8	0.0	1.4	1.2	5	1070
12-14 LST	9.9	4.8	6.8	4.8	2.1	2.1	2.5	1.4	2.2	3.4	2.5	7.7	4.2	15	2857
15-17 LST	22.4	25.3	18.5	17.3	6.7	6.3	1.7	1.9	3.1	10.1	15.8	14.3	12.0	4	871
18-20 LST	9.5	9.8	8.9	8.3	5.9	1.8	2.6	2.6	1.5	6.3	8.1	7.5	6.1	10	1799
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	0.4	1.7	0.5	2.1	3.5	11.2	7.2	3.1	0.4	0.8	0.8	2.6	16	2824
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	1070
12-14 LST	0.5	0.0	0.8	0.4	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.5	0.2	15	2857
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	0.1	4	871
18-20 LST	0.0	0.0	0.0	0.6	0.7	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.2	10	1799
21-23 LST														0	0

JOGJAKARTA/ADISUTJIPTO , INDONESIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	30.4	27.1	29.8	29.7	29.1	27.1	25.0	26.5	27.6	30.2	28.7	29.6	340.8	15	2824
	13 LST	30.4	28.0	30.5	29.7	30.7	29.9	30.9	30.8	29.7	30.9	29.9	30.6	362.0	14	2857
	19 LST	30.4	27.4	30.1	29.4	30.3	30.0	31.0	30.6	30.0	30.3	29.3	30.6	359.4	10	1799
	01 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	07 LST	29.9	27.0	29.8	29.7	29.0	26.8	24.8	26.4	27.5	30.2	28.6	29.6	339.3	15	2800
	13 LST	25.7	23.3	26.1	25.7	27.1	26.0	26.4	26.7	24.5	22.9	23.9	26.6	304.9	14	2829
	19 LST	28.7	26.5	29.6	29.4	29.2	28.4	30.0	29.2	28.2	29.4	29.1	30.2	347.9	10	1786
	01 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.0	0.1	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.3	19	2856
	13 LST	1.1	1.3	1.0	0.8	1.0	1.3	1.0	1.2	0.7	1.0	0.9	0.5	11.8	14	2931
	19 LST	0.2	0.6	0.0	0.0	0.2	0.5	0.0	0.0	0.7	0.4	0.0	0.2	2.8	10	1817
	01 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	7.0	8.4	6.0	4.5	3.8	5.2	3.4	4.4	6.7	5.2	3.6	2.5	60.7	15	2826
	13 LST	18.7	16.2	16.3	11.4	13.3	15.4	19.7	20.6	13.8	11.6	13.2	19.3	189.5	14	2901
	19 LST	11.8	5.9	9.8	7.5	10.6	11.8	13.7	17.1	17.2	18.7	15.2	8.0	147.3	10	1804
	01 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	1.5	2.9	4.5	6.5	8.0	11.5	8.6	7.7	7.4	7.5	4.3	2.2	72.6	15	2861
	13 LST	0.6	0.7	0.9	1.6	3.1	5.4	5.6	6.3	2.7	3.4	1.5	0.3	32.1	14	2942
	19 LST	0.8	1.0	1.9	3.4	7.0	12.0	10.1	13.0	15.7	8.5	2.4	0.6	76.4	10	1823
	01 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	27.9	25.7	27.8	28.7	27.7	26.1	22.8	24.2	24.4	25.3	25.1	26.8	312.5	12	2824
	13 LST	23.8	22.5	24.6	25.8	28.1	27.3	26.6	27.5	25.7	24.8	25.0	23.9	305.6	12	2857
	19 LST	23.8	21.4	24.8	25.1	26.4	28.3	28.2	28.6	28.4	26.0	23.6	24.4	309.0	7	1799
	01 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	26.2	22.5	26.2	27.6	26.3	24.9	20.4	21.7	21.5	21.8	22.9	25.3	287.3	12	2824
	13 LST	21.2	19.3	21.7	24.0	25.9	25.0	23.1	23.8	20.6	19.9	21.2	20.7	266.4	12	2857
	19 LST	20.5	18.7	23.2	23.7	24.8	27.1	25.5	26.6	26.2	23.4	20.5	21.6	281.8	7	1799
	01 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	26.2	22.5	26.2	27.6	26.3	24.9	20.3	21.6	21.5	21.8	22.9	25.3	287.1	12	2824
	13 LST	21.2	19.2	21.6	24.0	25.9	25.0	23.1	23.8	20.6	19.9	21.2	20.7	266.2	12	2857
	19 LST	20.5	18.7	23.2	23.7	24.8	27.1	25.5	26.6	26.2	23.2	20.5	21.6	281.6	7	1799
	01 LST														0	0

WEDI-BIRIT, INDONESIA

STA NO. 96854 (IN AREA NUMBER 04)

LATITUDE 0745S

LONGITUDE 11036E

ELEVATION(FT) 00492

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	89	90	91	92	91	91	90	91	94	95	95	91	95	14	-28
MEAN MAX TMP (F)	84	84	85	87	86	86	85	86	87	88	86	85	86	14	-28
MEAN MIN TMP (F)	72	72	72	72	72	70	69	69	71	72	72	72	71	14	-28
ABS MIN TMP (F)	68	68	66	68	65	62	63	62	64	66	68	68	62	14	-28
MEAN NO DYS TMP = DR GTR 90(F)	0.0	1.2	3.4	8.3	5.8	5.6	3.4	5.8	8.3	11.6	5.6	3.4	62.4	14	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	-29
MEAN DEW PT TMP (F)	71	71	70	70	69	67	66	65	66	68	69	71	69	14	-29
MEAN REL HUM (PCT)	81	81	78	75	74	72	71	68	68	69	75	79	74	14	-28
MEAN PRESS ALT (FT)														14	-28
MEAN PRECIP (IN)	12.10	11.30	9.40	7.30	4.70	3.10	1.30	1.40	1.30	3.60	8.00	9.30	72.8	0	0
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN			5.4	5.3	5.5	7.5	5.3	5.5	4.0	6.8	11.2			37	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	1													0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

WEDI-BIRIT, INDONESIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
	01 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
	01 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
	01 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
	01 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
	01 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
	01 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
	01 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
	01 LST														0	0

DATA NOT AVAILABLE

AREA NO. 04

INDONESIA	SOUTHERN JAVA										LATITUDE 0800S		LONGITUDE 11030E	
	BOUNDARIES		0610S 10530E	0640S 10700E	0640S 10700E	0720S 10930E	0720S 10930E	0720S 11100E	0815S 11425E	0815S 11425E	0720S 10930E	0720S 11100E	0720S 11100E	0720S 11100E
	PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)		83	82	83	85	84	84	84	85	86	86	84	83	84
MEAN MIN TMP (F)		70	70	70	70	69	67	66	66	68	69	69	70	69
LARGEST MEAN PRECIP(IN)		17.44	13.19	16.82	10.53	6.78	4.49	17.98	18.45	6.16	6.08	14.25	16.92	149.1
SMALLEST MEAN PRECIP(IN)		9.45	10.04	9.40	5.63	4.97	3.10	1.30	0.95	1.22	3.60	7.91	8.47	65.6
		MEAN NUMBER OF DAYS												
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	28.0	24.8	27.2	27.1	27.9	27.8	26.0	27.4	27.4	29.4	27.9	28.2	329.1
	13 LST	30.5	28.0	30.6	29.5	30.9	29.9	30.8	30.5	29.9	30.8	29.9	30.8	362.1
	19 LST	30.1	27.2	30.1	29.4	30.6	30.0	31.0	30.7	29.9	30.6	29.0	30.6	359.2
	01 LST													
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	27.3	24.2	27.1	27.0	27.7	27.7	25.8	27.3	27.3	29.3	27.8	27.9	326.4
	13 LST	25.4	22.2	26.2	26.8	28.2	27.6	27.1	27.6	26.5	26.8	26.8	26.6	317.8
	19 LST	27.4	24.8	28.4	28.8	29.0	28.8	29.2	28.5	27.6	28.8	28.9	29.7	339.9
	01 LST													
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.1	0.2	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.4
	13 LST	1.8	2.5	1.8	0.6	0.7	0.8	0.7	0.7	0.6	0.7	0.4	1.2	12.5
	19 LST	0.6	0.9	0.2	0.2	0.5	0.4	0.1	0.3	0.6	0.4	0.0	0.3	4.5
	01 LST													
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	5.6	5.4	4.3	2.6	3.1	4.0	3.4	4.2	5.3	5.0	2.9	3.7	49.5
	13 LST	18.9	16.6	20.2	17.5	20.2	19.9	19.8	22.3	19.6	19.2	19.6	20.7	234.5
	19 LST	13.5	9.5	11.2	9.1	10.5	13.7	13.5	13.7	16.9	15.8	13.3	9.1	151.8
	01 LST													
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	1.0	1.2	2.7	4.3	4.9	7.6	6.4	6.5	7.0	5.9	3.5	1.2	52.2
	13 LST	0.3	0.5	0.8	0.7	2.1	4.2	4.4	4.7	3.4	2.3	1.2	0.2	24.8
	19 LST	0.4	0.6	1.2	1.9	4.5	8.1	7.5	8.7	10.6	5.5	1.7	0.3	51.0
	01 LST													
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	24.6	22.7	25.1	25.3	25.7	25.2	22.4	23.8	23.7	25.2	24.5	25.4	293.6
	13 LST	24.7	22.5	25.4	24.5	27.4	26.6	26.0	25.6	25.9	24.0	23.7	23.0	299.3
	19 LST	23.8	21.6	23.7	23.4	25.9	27.3	27.6	27.3	27.1	24.5	21.8	22.7	296.7
	01 LST													
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	22.6	20.9	23.4	23.7	24.0	23.2	20.1	21.1	21.0	22.5	22.2	23.7	268.4
	13 LST	20.7	19.3	22.3	21.0	24.8	24.2	22.9	21.7	21.0	18.9	19.2	18.6	234.6
	19 LST	20.5	18.8	20.9	20.7	23.2	23.4	24.7	24.3	24.0	20.8	18.4	19.3	261.0
	01 LST													
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	22.6	20.9	23.4	23.7	24.0	23.2	20.0	21.1	21.0	22.5	22.2	23.7	268.3
	13 LST	20.7	19.2	22.2	21.0	24.6	24.2	22.9	21.7	21.0	18.9	19.2	18.6	234.2
	19 LST	20.5	18.8	20.9	20.7	23.2	23.4	24.7	24.3	24.0	20.7	18.4	19.3	260.9
	01 LST													

TARAKAN, INDONESIA

STA NO. 96509 (IN AREA NUMBER 05)

LATITUDE 0319N

LONGITUDE 11733E

ELEVATION(FT) 00020

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR	NO.
														(YRS)	DBS
ABS MAX TMP (F)	91	94	91	91	92	91	93	92	92	92	92	91	94	19	-28
MEAN MAX TMP (F)	85	86	86	86	87	86	87	87	87	87	86	86	86	19	-28
MEAN MIN TMP (F)	73	73	74	75	74	74	74	74	74	74	74	74	74	19	-28
ABS MIN TMP (F)	68	67	68	69	71	67	69	68	69	69	70	67	67	19	-28
MEAN NO DYS TMP = DR GTR 90(F)	3.4	5.2	5.8	5.6	8.6	5.6	8.6	8.6	8.3	8.6	5.6	5.8	79.7	19	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	19	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	19	-29
MEAN DEW PT TMP (F)	72	73	73	74	74	73	73	73	73	73	73	73	73	0	-50
MEAN REL HUM (PCT)	79	78	79	78	79	79	76	76	77	77	79	80	78	19	-28
MEAN PRESS ALT (FT)	80	70	110	140	140	140	150	140	130	110	110	110	119	0	-50
MEAN PRECIP (IN)	10.90	10.20	14.00	13.90	13.80	12.60	10.30	12.40	11.60	14.30	15.20	13.40	152.3	31	-28
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	19	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN						16.4	14.6	16.2	13.9	15.5	15.9			31	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	19	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	1.0	2.0	3.0	1.0	2.0	1.0	1.0	1.0	0.0	1.0	1.0	1.0	15.0	3	-24
P FREQ WND SPD = DR GTR 17 KTS	0.0	1.2	0.0	0.3	0.9	0.8	0.6	0.7	0.5	0.7	0.0	0.5	0.5	12	4603
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4603
P FREQ LES 9000 FT A/D LES 3 MI	19.4	15.7	16.7	15.7	20.0	6.0	7.1	8.0	7.8	9.0	7.6	12.0	12.1	6	1893
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	9.3	6.4	6.3	10.5	6.5	9.2	5.6	4.5	5.0	5.4	5.1	4.8	6.6	14	1796
09-11 LST	10.0	7.7	0.0	16.7	0.0	20.0	0.0	0.0	11.1	6.3	8.3	16.7	8.1	2	110
12-14 LST	5.2	3.5	3.8	3.3	3.4	3.0	0.6	0.6	1.4	0.6	0.7	1.5	2.3	12	1645
15-17 LST														0	0
18-20 LST	4.0	0.0	0.0	0.0	1.9	0.0	1.0	1.0	2.2	1.7	1.9	2.1	1.3	7	942
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	0.0	0.0	0.7	1.9	1.3	0.6	0.0	1.2	0.0	0.0	0.0	0.5	14	1796
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	110
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	1645
15-17 LST														0	0
18-20 LST	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	7	942
21-23 LST														0	0

TARAKAN, INDONESIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST	30.0	27.4	30.6	29.4	30.2	28.4	30.3	30.5	29.3	30.6	29.1	30.6	356.4	13	1796
	14 LST	30.5	27.3	30.8	30.0	30.5	29.5	31.0	31.0	30.0	31.0	30.0	30.8	362.4	11	1646
	20 LST	30.4	28.0	31.0	30.0	31.0	30.0	31.0	30.7	29.7	31.0	30.0	30.7	363.5	5	942
	02 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	08 LST	29.7	27.0	30.3	28.9	29.4	28.2	29.4	28.7	28.1	30.1	28.5	30.4	348.7	13	1773
	14 LST	30.7	26.8	29.8	29.5	30.2	29.3	30.3	30.3	29.6	30.6	29.6	30.0	356.7	11	1622
	20 LST	30.4	28.0	30.5	30.0	29.2	30.0	30.4	30.0	29.7	30.5	30.0	30.7	359.4	5	940
	02 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	08 LST	0.0	0.2	0.0	0.2	0.2	0.0	0.2	0.2	0.0	0.0	0.0	0.0	1.0	13	1830
	14 LST	0.0	0.2	0.0	0.0	0.3	0.2	0.2	0.0	0.2	0.4	0.0	0.2	1.7	11	1651
	20 LST	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.6	5	958
	02 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	08 LST	3.2	1.9	4.3	4.6	4.8	3.9	5.9	8.0	7.7	5.6	6.2	3.9	60.0	13	1590
	14 LST	13.2	11.6	15.4	9.0	11.2	10.1	10.4	9.0	11.5	11.1	11.3	12.6	136.4	11	1407
	20 LST	8.2	7.8	10.3	6.8	5.6	4.1	6.0	9.2	9.7	3.9	4.5	6.5	82.6	5	743
	02 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST	3.3	3.3	3.7	2.7	1.6	3.8	3.1	2.6	3.2	2.2	1.5	3.1	34.1	13	1840
	14 LST	1.6	1.2	3.1	2.9	3.1	5.6	5.6	3.9	7.2	4.2	1.9	1.9	42.2	11	1671
	20 LST	10.1	12.2	19.8	17.4	10.7	12.1	14.3	11.2	15.8	12.9	11.0	14.4	161.9	5	953
	02 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	08 LST	24.9	23.7	25.7	23.2	27.0	25.3	28.1	28.4	27.2	26.9	27.0	27.4	314.8	12	1796
	14 LST	27.1	25.3	28.2	27.5	27.9	28.7	30.6	30.3	29.1	30.0	29.5	29.5	343.7	9	1646
	20 LST	29.1	28.0	31.0	30.0	29.5	29.8	30.2	30.7	29.3	30.0	29.0	29.9	356.5	3	942
	02 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	08 LST	21.7	21.6	23.4	22.0	25.8	24.3	27.0	27.1	25.7	25.5	25.8	25.5	295.4	12	1796
	14 LST	25.9	23.8	27.2	26.6	27.3	28.4	30.3	30.0	29.0	29.4	29.2	28.4	333.5	9	1646
	20 LST	28.5	26.9	31.0	30.0	29.2	29.6	29.8	30.7	29.0	30.0	28.6	29.4	352.7	3	942
	02 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST	21.7	21.6	23.2	22.0	25.8	24.3	27.0	27.1	25.7	25.5	25.8	25.5	293.2	12	1796
	14 LST	25.7	23.6	27.2	26.6	27.1	28.4	30.3	29.6	29.0	29.4	29.2	28.4	334.5	9	1646
	20 LST	28.5	26.9	31.0	30.0	29.2	29.6	29.8	30.7	29.0	30.0	28.6	29.4	352.7	3	942
	02 LST														0	0

PONTIANAK/SUNGAI DURIAN, INDONESIA

STA NO. 96581 (IN AREA NUMBER 05)

LATITUDE 0008S

LONGITUDE 10924E

ELEVATION(FT) 00010

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	94	94	96	95	96	96	95	95	95	95	95	93	96	20	-96583
MEAN MAX TMP (F)	87	89	89	89	90	90	89	90	90	89	88	87	89	20	-96583
MEAN MIN TMP (F)	74	76	75	75	75	75	74	74	75	75	75	74	75	20	-96583
ABS MIN TMP (F)	69	69	68	71	70	70	68	69	69	71	70	70	68	20	-96583
MEAN NO DYS TMP = OR GTR 90(F)	8.6	13.3	14.8	14.3	17.9	17.3	14.8	17.9	17.3	11.6	11.2	8.6	167.6	20	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20	-29
MEAN DEW PT TMP (F)	75	77	76	76	76	76	74	76	76	78	77	76	76	17	-29
MEAN REL HUM (PCT)	85	85	84	84	82	81	79	82	83	87	86	87	84	11	4465
MEAN PRESS ALT (FT)	50	100	100	50	150	150	100	100	100	100	100	100	100	0	-50
MEAN PRECIP (IN)	11.08	12.21	14.11	9.55	10.58	8.62	7.44	9.53	7.22	11.85	13.77	13.81	129.8	6	1792
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN				5.4	6.0	13.1	12.0	13.9	10.5	14.1	15.2			6	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	5.0	5.0	9.0	9.0	7.0	6.0	4.0	5.0	7.0	8.0	6.0	2.0	73.0	4	-96583
P FREQ WND SPD = OR GTR 17 KTS	0.6	0.4	0.2	0.0	0.0	0.2	0.4	0.0	0.5	0.4	0.3	0.5	0.3	14	7349
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	7349
P FREQ LES 5000 FT A/D LES 5 MI	41.9	43.2	40.9	36.6	39.7	33.6	35.1	37.1	38.4	49.6	46.7	49.3	41.0	11	7164
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	41.1	50.0	43.4	33.2	3.6	31.6	31.7	33.2	30.7	43.6	41.4	50.0	36.1	13	2557
09-11 LST														0	0
12-14 LST	35.3	14.6	10.6	12.8	13.1	8.7	6.7	9.1	6.7	13.0	16.1	15.5	13.5	11	1946
15-17 LST														0	0
18-20 LST	5.6	5.3	4.6	0.4	3.0	3.6	4.0	7.9	11.9	9.4	10.0	8.6	6.2	6	1698
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	8.8	4.6	4.5	5.5	2.5	2.3	6.3	4.7	5.6	4.6	2.2	11.8	5.3	13	2557
09-11 LST														0	0
12-14 LST	0.0	0.8	2.1	0.0	0.6	0.0	0.0	0.5	0.6	0.0	0.0	0.0	0.4	11	1946
15-17 LST														0	0
18-20 LST	1.0	0.0	0.0	0.0	0.0	0.8	0.0	0.0	0.6	0.0	0.0	0.0	0.2	6	1698
21-23 LST														0	0

PONTIANAK/SUNGGAI DURIAN, INDONESIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	18.3	14.4	17.8	20.6	20.1	20.7	21.5	21.0	21.2	18.2	18.0	16.4	228.2	1	402457
	13 LST	29.5	26.7	29.5	28.5	29.9	29.4	30.4	30.0	29.7	29.9	29.3	29.8	352.6	13	1946
	19 LST	29.4	27.7	30.2	30.0	30.4	29.3	30.2	29.1	26.9	29.2	27.7	29.0	349.1	10	1698
	01 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SPC WND LES 10 KTS	07 LST	18.1	14.4	17.5	20.5	20.0	20.6	21.3	20.8	21.3	18.2	18.0	16.4	227.1	14	2442
	13 LST	28.3	25.4	28.8	27.9	29.5	28.7	29.4	29.3	28.8	28.9	27.8	27.5	340.3	13	1924
	19 LST	29.1	27.5	30.0	30.0	30.4	29.3	29.6	28.9	26.7	29.0	27.9	29.0	347.4	10	1689
	01 LST														0	0
SPC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	14	2508
	13 LST	0.2	0.2	0.2	0.0	0.0	0.2	0.1	0.0	0.2	0.4	0.4	0.4	2.3	13	1980
	19 LST	0.3	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.5	10	1719
	01 LST														0	0
SPC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	5.6	3.4	4.9	7.0	7.6	9.1	5.7	8.5	9.1	8.0	6.3	7.0	82.2	14	1310
	13 LST	13.6	11.9	8.4	9.0	8.0	11.7	6.6	9.6	8.5	10.2	11.7	16.0	129.2	13	1226
	19 LST	4.1	6.7	5.4	1.3	1.9	3.6	3.3	4.3	2.3	2.8	3.0	3.3	42.0	10	1708
	01 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	1.2	1.0	1.1	2.7	1.9	3.7	4.7	0.7	1.5	1.2	1.3	1.9	22.9	14	2482
	13 LST	0.4	0.2	0.7	0.0	0.2	0.0	1.1	0.6	1.2	0.2	0.7	0.2	5.5	13	1986
	19 LST	3.1	1.6	2.3	5.2	4.0	5.7	7.5	3.6	3.1	0.6	2.8	2.3	41.8	10	1719
	01 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	17.7	13.4	17.3	19.2	19.3	20.1	20.6	20.2	20.1	16.6	16.6	14.4	215.5	13	2457
	13 LST	21.8	18.8	23.0	20.4	21.5	22.1	24.9	24.6	24.1	21.6	19.6	20.2	262.6	11	1946
	19 LST	28.6	25.3	28.1	29.5	29.3	28.6	28.7	27.6	23.5	26.0	25.7	27.5	330.4	6	1698
	01 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	16.3	12.5	16.6	18.6	18.4	19.0	19.5	19.1	19.1	15.3	14.7	13.5	202.6	13	2457
	13 LST	18.6	16.0	18.7	16.5	17.9	18.2	20.2	20.4	20.0	16.3	16.3	14.6	213.7	11	1946
	19 LST	26.9	24.2	25.0	29.2	26.9	27.2	27.2	26.4	24.2	24.2	23.0	25.2	309.6	6	1698
	01 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	16.3	12.5	16.6	18.6	18.4	19.0	19.5	19.1	19.1	15.3	14.7	13.3	202.4	13	2457
	13 LST	18.2	16.0	18.7	16.5	17.9	18.2	20.2	20.4	20.0	16.3	16.3	14.6	213.3	11	1946
	19 LST	26.9	24.2	25.0	29.2	26.9	27.2	27.2	26.3	24.0	24.2	23.0	25.2	309.3	6	1698
	01 LST														0	0

PONTIANAK/SUNGGAI DURIAN, INDONESIA

STA NO. 96581 (IN AREA NUMBER 05)

LATITUDE 0008S

LONGITUDE 10924E

ELEVATION(FT) 00010

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	94	94	96	95	96	96	95	95	95	95	95	93	96	20	-96583
MEAN MAX TMP (F)	87	89	89	89	90	90	89	90	90	89	88	87	89	20	-96583
MEAN MIN TMP (F)	74	76	75	75	75	75	74	74	75	75	75	74	75	20	-96583
ABS MIN TMP (F)	69	69	68	71	70	70	68	69	69	71	70	70	68	20	-96583
MEAN NO DYS TMP = DR GTR 90(F)	8.6	13.3	14.8	14.3	17.9	17.3	14.8	17.9	17.3	11.6	11.2	8.6	167.6	20	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20	-29
MEAN DEW PT TMP (F)	75	77	76	76	76	76	74	76	76	78	77	76	76	17	-29
MEAN REL HUM (PCT)	85	85	84	84	82	81	79	82	83	87	86	87	84	11	4465
MEAN PRESS ALT (FT)	50	100	100	50	150	150	100	100	100	100	100	100	100	0	-50
MEAN PRECIP (IN)	11.08	12.21	14.11	9.55	10.58	8.62	7.44	9.53	7.22	11.85	13.77	13.81	129.8	6	1792
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN				5.4	6.0	13.1	12.0	13.9	10.5	14.1	15.2			6	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	5.0	5.0	9.0	9.0	7.0	6.0	4.0	5.0	7.0	8.0	6.0	2.0	73.0	4	-96583
P FREQ WND SPD = DR GTR 17 KTS	0.6	0.4	0.2	0.0	0.0	0.2	0.4	0.0	0.5	0.4	0.3	0.5	0.3	14	7349
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	7349
P FREQ LES 5000 FT A/D LES 5 MI	41.9	43.2	40.9	36.6	39.7	33.6	35.1	37.1	38.4	49.6	46.7	49.3	41.0	11	7164
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	41.1	50.0	43.4	33.2	3.6	31.6	31.7	33.2	30.7	43.6	41.4	50.0	36.1	13	2557
09-11 LST														0	0
12-14 LST	35.3	14.6	10.6	12.8	13.1	8.7	6.7	9.1	6.7	13.0	16.1	15.5	13.5	11	1946
15-17 LST														0	0
18-20 LST	5.6	5.3	4.6	0.4	3.0	3.6	4.0	7.9	11.9	9.4	10.0	8.6	6.2	6	1698
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	8.8	4.6	4.5	5.5	2.5	2.3	6.3	4.7	5.6	4.6	2.2	11.8	5.3	13	2557
09-11 LST														0	0
12-14 LST	0.0	0.8	2.1	0.0	0.6	0.0	0.0	0.5	0.6	0.0	0.0	0.0	0.4	11	1946
15-17 LST														0	0
18-20 LST	1.0	0.0	0.0	0.0	0.0	0.8	0.0	0.0	0.6	0.0	0.0	0.0	0.2	6	1698
21-23 LST														0	0

PONTIANAK, INDONESIA

STA NO. 96583 (IN AREA NUMBER 05)

LATITUDE 0000N

LONGITUDE 10920E

ELEVATION(FT) 00013

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	94	94	96	95	96	96	95	95	95	95	95	93	96	20	-28
MEAN MAX TMP (F)	87	89	89	89	90	90	89	90	90	89	88	87	89	20	-28
MEAN MIN TMP (F)	74	76	75	75	75	75	74	74	75	75	75	74	75	20	-28
ABS MIN TMP (F)	69	69	68	71	70	70	68	69	69	71	70	70	68	20	-28
MEAN NO DYS TMP = DR GTR 90(F)	8.6	13.3	14.8	14.3	17.9	17.3	14.8	17.9	17.3	11.6	11.2	8.6	167.6	20	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20	-29
MEAN DEW PT TMP (F)	74	76	75	75	78	76	74	74	76	77	75	74	75	0	-50
MEAN REL HUM (PCT)	80	80	79	80	80	80	78	78	78	79	81	81	80	20	-28
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	10.80	8.20	9.50	10.90	11.10	8.70	6.50	8.00	9.00	14.40	15.30	12.70	125.1	63	-28
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN			5.4	6.3	6.5	13.2	11.1	12.6	12.0	15.6	16.0			63	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	5.0	5.0	9.0	9.0	7.0	6.0	4.0	5.0	7.0	8.0	6.0	2.0	73.0	4	-38
P FREQ WND SPD = DR GTR 17 KTS	2.8	0.8	0.7	0.0	0.0	1.0	0.0	0.0	0.0	2.0	1.1	1.4	0.8	7	1613
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	1613
P FREQ LES 5000 FT A/D LES 5 MI	21.5	25.6	30.3	33.3	34.4	21.9	28.4	30.2	31.8	46.4	33.3	44.8	31.8	5	1734
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	40.8	47.2	39.6	29.5	36.6	30.4	24.3	36.6	35.7	46.8	33.6	50.9	37.7	9	1124
09-11 LST														0	0
12-14 LST	8.3	14.7	15.7	17.1	12.7	14.1	9.5	11.7	9.6	13.4	14.2	19.0	13.3	9	1107
15-17 LST														0	0
18-20 LST	6.1	5.8	5.0	0.9	3.0	4.0	4.3	7.9	12.7	9.4	10.0	9.0	6.5	11	1698
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	10.5	5.6	1.0	6.4	4.2	0.0	3.9	3.6	7.1	4.6	3.4	15.2	5.5	9	1124
09-11 LST														0	0
12-14 LST	0.0	1.3	3.4	0.0	1.4	0.0	0.0	1.0	0.9	0.0	0.0	0.0	0.7	9	1107
15-17 LST														0	0
18-20 LST	1.0	0.0	0.0	0.0	0.0	0.8	0.0	0.0	0.6	0.0	0.0	0.0	0.2	11	1698
21-23 LST														0	0

PONTIANAK, INDONESIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	16.5	13.7	19.0	23.1	18.6	16.8	20.4	19.2	15.8	18.4	19.3	20.5	221.3	7	574
	13 LST	29.2	26.2	27.2	26.1	29.5	28.5	29.8	28.8	29.4	27.4	28.0	28.9	339.0	7	559
	19 LST	31.0	28.0	31.0	30.0	23.3	28.0	27.7	25.0	20.6	25.4	24.8	26.7	321.5	4	381
	01 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	14.8	12.6	17.8	20.4	16.3	13.7	18.9	17.1	13.8	14.8	18.6	16.1	194.9	7	564
	13 LST	22.9	16.5	19.4	19.6	23.8	17.3	21.6	20.4	23.6	21.6	17.6	18.0	242.3	7	543
	19 LST	24.8	22.4	28.6	27.3	23.3	27.0	25.0	23.1	19.4	22.6	23.2	24.1	290.8	4	376
	01 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	7	601
	13 LST	0.6	0.0	0.5	0.0	0.0	0.7	0.0	0.0	0.0	1.7	1.3	1.4	6.2	7	578
	19 LST	6.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.2	4	395
	01 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	8.0	6.4	6.8	9.8	10.0	12.3	9.1	4.8	6.7	8.9	7.8	10.5	101.1	7	539
	13 LST	9.6	12.4	7.4	9.3	9.1	13.1	8.8	11.3	10.4	6.2	9.8	11.5	118.9	7	526
	19 LST	0.0	7.4	9.5	2.7	0.0	5.0	4.9	7.4	4.4	3.2	2.8	7.1	54.4	4	386
	01 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	0.0	1.4	2.2	1.3	1.5	4.8	1.4	0.6	0.0	1.2	0.0	0.6	15.0	7	587
	13 LST	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	1.2		7	587
	19 LST	0.0	0.0	5.1	2.5	0.0	4.8	5.4	1.9	1.1	1.0	0.9	0.0	22.7	4	395
	01 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	14.4	12.4	18.1	18.8	16.3	13.2	18.1	16.7	11.8	13.8	16.8	14.9	185.3	7	574
	13 LST	21.6	14.9	16.0	15.0	19.4	15.8	21.2	19.9	21.1	18.6	17.6	16.2	217.3	7	559
	19 LST	31.0	22.4	26.2	30.0	19.4	27.0	25.3	22.4	18.3	20.3	21.9	24.1	288.3	4	381
	01 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	11.0	12.4	17.7	17.5	14.7	13.2	16.6	16.1	9.5	11.8	13.7	13.0	167.2	7	574
	13 LST	16.4	12.5	11.2	11.7	15.5	12.8	17.2	14.0	15.5	13.3	13.7	11.3	165.1	7	559
	19 LST	31.0	20.5	26.2	30.0	15.5	25.0	23.7	21.8	16.7	18.8	19.0	20.6	268.8	4	381
	01 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	11.0	12.4	17.7	17.5	14.7	13.2	16.6	16.1	9.5	11.8	13.7	12.4	166.6	7	574
	13 LST	15.8	12.5	11.2	11.7	15.5	12.8	17.2	14.0	15.5	13.3	13.7	11.3	164.5	7	559
	19 LST	31.0	20.5	26.2	30.0	15.5	25.0	23.7	21.8	16.7	18.8	19.0	20.6	268.8	4	381
	01 LST														0	0

BALIKPAPAN/SEPINGGAN, INDONESIA

STA NO. 96633 (IN AREA NUMBER 05)

LATITUDE 0116S

LONGITUDE 11653E

ELEVATION(FT) 00010

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	92	92	92	90	91	90	85	86	88	91	92	92	92	6	-28
MEAN MAX TMP (F)	85	86	86	85	85	84	83	84	84	85	85	85	85	6	-28
MEAN MIN TMP (F)	73	73	73	73	74	74	73	74	74	74	73	73	73	6	-28
ABS MIN TMP (F)	70	71	70	70	71	60	68	69	67	69	70	70	60	6	-28
MEAN NO DYS TMP = DR GTR 90(F)	3.4	5.2	5.8	3.2	3.4	1.3	0.0	0.0	0.0	3.4	3.2	3.4	32.3	6	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	-29
MEAN DEW PT TMP (F)	73	73	73	73	74	73	72	72	70	71	72	71	72	6	-29
MEAN REL HUM (PCT)	82	81	81	82	83	82	82	80	77	78	80	79	81	7	-28
MEAN PRESS ALT (FT)	85	99	113	126	126	99	113	99	99	99	99	113	106	0	-50
MEAN PRECIP (IN)	7.90	6.90	9.10	8.20	9.10	7.60	7.10	6.40	5.50	5.20	6.60	8.10	87.7	43	-28
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN		7.5	5.3	5.2	5.3	12.2	11.7	11.0	8.8	8.5	9.9			43	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	3.0	0.3	3.0	3.0	3.0	4.0	1.0	3.0	5.0	3.0	2.0	1.0	31.3	3	-24
P FREQ WND SPD = DR GTR 17 KTS	0.0	1.3	1.4	0.0	1.1	0.0	2.8	0.5	0.4	0.9	0.8	0.5	0.8	7	5854
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	7	5854
P FREQ LES 5000 FT A/D LES 5 MI	9.6	9.0	8.4	6.1	10.6	8.9	10.2	15.5	8.4	8.5	5.5	7.0	9.0	11	2595
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	4.1	2.9	4.2	6.3	8.0	11.2	9.3	13.6	4.4	8.0	3.9	3.0	6.6	13	1864
09-11 LST	10.0	0.0	8.3	16.7	10.0	12.5	0.0	0.0	0.0	5.0	0.0	0.0	5.2	2	146
12-14 LST	3.6	5.2	4.8	3.2	3.4	1.3	3.4	4.3	1.6	2.4	1.8	3.0	3.2	13	2123
15-17 LST	0.0	11.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	2	120
18-20 LST	6.4	4.9	3.8	1.8	1.7	1.0	2.3	4.3	1.7	2.7	1.9	4.8	3.1	11	1429
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.8	0.0	1.4	0.0	0.6	0.0	2.5	0.6	0.0	1.1	0.6	0.0	0.6	13	1864
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	146
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	2123
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	120
18-20 LST	0.0	1.6	0.8	0.0	0.0	0.0	0.0	0.9	0.0	0.7	0.0	0.0	0.3	11	1429
21-23 LST														0	0

BALIKPAPAN/SEPINGGAN, INDONESIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST	30.5	27.8	30.3	29.2	29.5	28.4	29.9	28.7	29.6	29.9	29.3	30.2	333.3	12	1864
	14 LST	30.6	27.8	30.4	29.6	30.5	30.0	30.6	30.4	29.8	30.9	29.8	30.6	361.0	12	2123
	20 LST	29.9	27.1	30.5	29.7	31.0	30.0	30.8	30.7	30.0	30.8	29.8	30.3	360.6	9	1429
	02 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	08 LST	30.0	27.4	29.9	28.7	28.9	27.6	29.3	27.4	28.6	29.2	29.2	30.1	346.3	12	1839
	14 LST	27.8	24.5	26.5	27.5	27.8	27.7	26.7	25.8	27.2	29.5	28.4	28.9	328.3	12	2095
	20 LST	28.5	25.9	28.4	28.1	27.3	25.9	26.6	23.0	25.3	28.6	29.2	30.3	327.1	9	1420
	02 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	08 LST	0.0	0.0	0.0	0.0	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.2	0.6	12	1906
	14 LST	0.2	0.2	0.5	0.2	0.4	0.2	0.5	0.0	0.2	0.1	0.3	0.2	3.0	12	2159
	20 LST	0.0	0.0	0.5	0.3	1.0	0.0	0.5	0.5	0.0	0.0	0.2	0.0	3.0	9	1446
	02 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	08 LST	12.1	8.9	12.2	13.7	14.9	15.5	17.3	18.5	18.1	17.5	14.2	13.4	177.0	12	1836
	14 LST	16.6	17.1	15.7	17.5	17.5	18.5	19.1	22.2	21.2	20.8	16.0	18.4	220.6	12	2127
	20 LST	13.1	13.3	15.1	13.2	18.1	15.9	17.5	15.9	18.0	16.3	10.7	10.7	177.8	9	1426
	02 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST	1.7	3.2	3.5	3.9	2.1	4.5	4.1	2.3	3.2	3.2	3.4	2.8	37.9	12	1927
	14 LST	1.5	0.7	1.8	2.9	3.6	5.3	5.6	3.8	5.4	4.5	3.2	1.3	39.6	12	2176
	20 LST	4.4	4.0	6.6	6.6	9.5	9.8	13.1	10.9	14.1	12.9	7.7	5.8	105.4	9	1442
	02 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	08 LST	29.0	26.4	29.2	27.3	28.0	24.6	26.4	24.9	27.1	26.5	28.4	29.8	327.6	11	1864
	14 LST	29.1	25.4	28.3	28.6	29.3	29.0	29.2	28.8	29.0	29.6	29.1	29.3	344.7	11	2123
	20 LST	28.1	25.8	29.3	29.5	29.9	29.1	29.8	29.3	29.0	29.2	29.0	29.0	347.0	6	1429
	02 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	08 LST	28.2	25.2	28.2	26.7	27.2	24.3	26.2	24.1	25.8	25.9	28.2	29.1	319.1	11	1864
	14 LST	29.0	25.1	27.9	28.3	28.9	28.7	28.9	28.3	28.7	29.4	29.1	29.0	341.3	11	2123
	20 LST	27.6	25.3	29.3	29.2	29.9	28.8	29.5	28.9	29.0	28.9	28.8	28.8	344.0	6	1429
	02 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST	28.2	25.2	28.2	26.7	27.2	24.3	26.2	24.1	25.8	25.9	28.2	29.1	319.1	11	1864
	14 LST	29.0	25.1	27.9	28.3	28.9	28.7	28.9	28.3	28.7	29.4	29.1	29.0	341.3	11	2123
	20 LST	27.6	25.3	29.3	29.2	29.9	28.8	29.5	28.6	29.0	28.9	28.8	28.8	343.7	6	1429
	02 LST														0	0

BANDJARMASIN/ULIN, INDONESIA

STA NO. 96685 (IN AREA NUMBER 05)

LATITUDE 0326S

LONGITUDE 11445E

ELEVATION(FT) 00066

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)														0	0
MEAN MAX TMP (F)														0	0
MEAN MIN TMP (F)														0	0
ABS MIN TMP (F)														0	0
MEAN NO DYS TMP = DR GTR 90(F)														0	0
MEAN NO DYS TMP = DR LES 32(F)														0	0
MEAN NO DYS TMP = DR LES 0(F)														0	0
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)	84	83	82	81	80	79	78	77	73	75	81	84	80	15	9458
MEAN PRESS ALT (FT)	169	145	182	169	145	145	141	141	127	145	145	182	153	0	-50
MEAN PRECIP (IN)	12.72	11.73	11.89	8.54	6.22	5.63	3.54	3.23	3.94	5.08	8.50	12.24	93.3	63	-45
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = DR GTR 0.1 IN			7.6	5.2	5.5	10.2	8.0	7.6	7.1	8.4	11.6			63	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN														0	0
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	8.3	8.8	10.9	11.4	7.8	8.5	5.8	6.6	5.1	7.2	14.4	8.0	102.8	6	999
P FREQ WND SPD = DR GTR 17 KTS	0.6	0.0	0.2	0.1	0.1	0.0	0.1	0.5	0.0	0.2	0.2	0.2	0.2	13	9302
P FREQ WND SPD = DR GTR 28 KTS	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	9302
P FREQ LES 5000 FT A/D LES 5 MI	23.1	22.4	21.9	20.8	14.0	13.3	12.8	16.5	11.1	22.2	24.4	31.9	19.5	9	4781
P FREQ LES 1500 FT A/D LES 3 MI															
FDR 00-02 LST	6.3	10.7	6.5	10.0	3.2	3.3	8.1	9.7	1.7	8.1	6.7	17.7	7.7	3	350
03-05 LST														0	0
06-08 LST	25.3	21.8	24.1	18.3	13.3	12.6	10.3	9.4	17.9	24.4	24.0	32.1	19.5	16	3030
09-11 LST	23.7	21.5	17.1	23.4	8.2	9.4	2.1	2.5	4.7	16.0	13.6	34.5	14.9	3	1106
12-14 LST	16.2	18.3	17.1	12.3	9.6	12.9	10.9	10.8	7.4	7.9	12.2	14.3	12.5	16	2830
15-17 LST	13.5	11.8	7.7	9.3	8.3	0.0	3.3	9.1	3.8	5.7	7.1	2.5	7.0	4	467
18-20 LST	3.3	5.4	5.3	6.1	4.5	4.0	4.7	5.0	3.0	2.9	4.1	9.2	4.8	9	1289
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	0.0	0.0	0.0	0.0	0.0	3.3	1.6	3.2	0.0	3.2	0.0	1.6	1.1	3	350
03-05 LST														0	0
06-08 LST	0.0	0.0	2.4	1.7	1.6	3.3	3.8	5.6	12.5	10.5	2.9	3.7	4.0	16	3030
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	4.0	0.0	0.0	0.4	3	1106
12-14 LST	0.0	0.9	1.6	0.9	0.9	0.0	0.4	0.4	0.9	0.4	0.4	0.0	0.6	16	2830
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	467
18-20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.7	0.7	0.8	0.3	9	1289
21-23 LST														0	0

BANDJARMASIN/ULIN, INDONESIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST	24.1	22.4	24.0	24.8	27.1	26.5	28.3	28.2	25.0	24.0	24.2	21.7	300.3	15	3030
	14 LST	28.8	25.3	28.0	28.4	29.6	28.4	29.6	29.7	29.2	30.0	28.8	29.5	345.3	14	2830
	20 LST	30.3	27.2	31.0	29.4	31.0	29.4	30.3	30.7	29.7	30.6	29.4	29.6	358.6	7	1289
	02 LST	31.0	27.0	31.0	29.0	31.0	29.0	29.5	29.5	30.0	30.0	28.0	29.0	354.0	1	550
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	08 LST	24.0	22.4	24.0	24.8	27.0	26.5	28.3	28.1	25.0	24.0	24.2	21.7	300.0	15	3014
	14 LST	27.9	24.9	27.3	27.4	29.1	28.1	28.6	28.8	28.6	27.6	27.7	28.7	334.7	14	2795
	20 LST	30.3	26.9	30.7	28.5	31.0	29.4	30.3	30.1	29.7	30.1	29.4	29.3	353.7	7	1281
	02 LST	31.0	27.0	31.0	29.0	31.0	29.0	29.5	29.5	30.0	30.0	27.5	29.0	353.5	1	549
SFC WND = GTR 17 KTS AND NO PRECIP.	08 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	3092
	14 LST	0.1	0.0	0.2	0.1	0.0	0.0	0.1	0.5	0.0	0.1	0.2	0.1	1.4	14	2890
	20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	1281
	02 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	549
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	08 LST	11.3	9.3	11.7	13.1	11.9	6.7	3.4	4.6	4.0	7.6	12.5	12.4	108.5	15	3035
	14 LST	15.6	14.9	13.5	11.7	8.4	11.5	11.7	9.5	5.9	6.3	10.2	15.6	134.8	14	2851
	20 LST	6.5	4.5	4.0	6.3	8.7	7.1	9.4	11.0	15.0	9.4	7.2	2.9	92.0	7	1284
	02 LST	2.0	3.0	5.0	3.0	2.0	2.9	1.0	2.0	1.5	1.5	2.0	2.5	28.4	1	549
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST	1.3	1.9	3.2	6.3	9.0	11.0	12.3	12.4	12.5	7.8	4.9	2.6	85.2	15	3091
	14 LST	0.4	0.2	0.6	1.6	1.5	2.5	2.5	1.5	2.0	2.5	0.6	0.1	16.0	14	2922
	20 LST	1.0	1.1	2.3	3.3	9.5	11.4	10.3	11.7	13.7	8.3	2.7	1.4	76.7	7	1301
	02 LST	11.0	5.2	7.0	6.0	12.0	17.4	17.0	15.5	21.4	19.5	10.5	5.0	147.5	1	548
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	08 LST	22.5	21.3	23.2	24.4	26.4	26.0	27.4	28.0	24.8	23.1	22.2	20.2	289.5	13	3030
	14 LST	23.3	19.7	22.2	23.9	26.1	23.5	25.9	24.2	25.4	25.6	23.4	23.2	286.4	13	2830
	20 LST	29.8	25.7	28.0	27.1	28.2	28.4	29.1	28.4	28.5	30.0	27.8	26.9	337.9	5	1289
	02 LST	28.5	23.0	28.0	25.0	30.0	28.6	28.0	27.5	29.5	29.3	26.3	23.3	327.0	1	550
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	08 LST	21.9	21.0	23.0	24.4	26.1	25.9	27.1	27.7	24.6	22.8	21.7	19.8	286.0	13	3030
	14 LST	22.8	18.7	20.7	23.0	25.3	22.9	24.2	22.8	24.3	23.6	21.8	22.5	272.6	13	2830
	20 LST	29.3	25.7	28.0	26.6	28.2	28.2	29.1	28.2	28.2	29.9	27.5	26.7	335.4	5	1289
	02 LST	28.0	23.0	28.0	25.0	30.0	28.1	28.0	27.0	29.5	29.0	26.0	23.0	324.6	1	550
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST	21.8	21.0	23.0	24.4	26.1	25.9	27.1	27.7	24.5	22.8	21.7	19.8	285.8	13	3030
	14 LST	22.8	18.7	20.7	23.0	25.3	22.9	24.2	22.8	24.2	23.6	21.8	22.5	272.5	13	2830
	20 LST	28.9	25.7	28.0	26.6	28.2	28.2	29.1	28.2	27.9	29.9	27.3	26.7	334.7	5	1289
	02 LST	28.0	23.0	28.0	25.0	30.0	28.1	28.0	27.0	29.5	29.0	26.0	23.0	324.6	1	550

AREA NO. 05

INDONESIA		BORNEO		LATITUDE 0030S								LONGITUDE 11400E			
BOUNDARIES															
PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	
MEAN MAX TMP (F)		86	87	87	87	87	87	86	87	87	87	86	86	87	
MEAN MIN TMP (F)		73	74	74	74	74	74	74	74	74	74	74	74	74	
LARGEST MEAN PRECIP(IN)		12.72	12.21	14.11	13.90	13.90	12.60	10.30	12.40	11.60	14.40	13.30	13.81	136.8	
SMALLEST MEAN PRECIP(IN)		7.90	6.90	9.10	8.20	6.22	5.63	3.54	3.23	3.94	5.08	6.60	8.10	74.4	
		MEAN NUMBER OF DAYS													
CIG = GTR 1000 FT AND VSBY = GTR 3 MI		08 LST	23.9	21.1	24.3	25.4	25.1	24.2	26.1	25.5	24.2	24.2	24.0	23.9	291.9
		14 LST	29.7	26.7	29.2	28.5	30.0	29.2	30.3	30.0	29.6	29.8	29.2	29.9	352.1
		20 LST	30.2	27.6	30.7	29.8	29.3	29.3	30.0	29.2	27.4	29.4	28.3	29.3	350.5
		02 LST	31.0	27.0	31.0	29.0	31.0	29.0	29.5	29.5	30.0	30.0	28.0	29.0	354.0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS		08 LST	23.3	20.8	23.9	24.7	24.3	23.3	25.4	24.4	23.4	23.3	23.7	22.9	283.4
		14 LST	27.5	23.6	26.4	26.4	28.1	26.2	27.3	26.9	27.6	27.6	26.2	26.6	320.4
		20 LST	28.6	26.1	29.6	28.8	28.2	28.3	28.4	27.0	26.2	28.2	27.9	28.7	336.0
		02 LST	31.0	27.0	31.0	29.0	31.0	29.0	29.5	29.5	30.0	30.0	27.5	29.0	353.5
SFC WND = GTR 17 KTS AND NO PRECIP.		08 LST	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2
		14 LST	0.2	0.1	0.3	0.1	0.1	0.3	0.2	0.1	0.1	0.5	0.4	0.5	2.9
		20 LST	1.3	0.0	0.1	0.1	0.2	0.1	0.1	0.1	0.0	0.0	0.0	0.0	2.0
		02 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.		08 LST	8.0	6.0	8.0	9.6	9.8	9.5	8.3	8.9	9.3	9.5	9.4	9.4	105.7
		14 LST	13.7	13.6	12.1	11.3	10.8	13.0	11.3	12.3	11.5	10.9	11.8	14.8	147.1
		20 LST	6.4	7.9	8.9	6.1	6.9	7.1	8.2	9.6	9.9	7.1	5.6	6.1	89.8
		02 LST	2.0	3.0	5.0	3.0	2.0	2.9	1.0	2.0	1.5	1.5	2.0	2.5	28.4
SKY COVER LES 3/10 AND VSBY = GTR 3 MI		08 LST	1.5	2.2	2.7	3.4	3.2	5.6	5.1	3.7	4.1	3.1	2.2	2.2	39.0
		14 LST	0.9	0.5	1.2	1.5	1.7	2.7	3.0	2.0	3.2	2.3	1.4	0.7	21.1
		20 LST	3.7	3.8	7.2	7.0	6.7	8.8	10.1	7.9	9.6	7.1	5.0	4.8	81.7
		02 LST	11.0	5.2	7.0	6.0	12.0	17.4	17.0	15.5	21.4	19.5	10.5	5.0	147.5
CIG = GTR 2500 FT AND VSBY = GTR 3 MI		08 LST	21.7	19.4	22.7	22.6	23.4	21.8	24.1	23.6	22.2	21.4	22.2	21.3	266.4
		14 LST	24.6	20.8	23.5	23.1	24.8	23.8	26.4	25.6	25.7	25.1	23.8	23.7	290.9
		20 LST	29.3	25.4	28.5	29.2	27.3	28.6	28.6	27.7	26.1	27.1	26.7	27.5	332.0
		02 LST	28.5	23.0	28.0	25.0	30.0	28.6	28.0	27.5	29.5	29.3	26.3	23.3	327.0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI		08 LST	19.8	18.5	21.8	21.8	22.4	21.3	23.3	22.8	20.9	20.3	20.8	20.2	293.9
		14 LST	22.5	19.2	21.1	21.2	23.0	22.2	24.2	23.1	23.5	22.4	22.0	21.2	265.6
		20 LST	28.7	24.5	27.9	29.0	25.9	27.8	27.9	27.2	25.4	26.4	25.3	26.1	322.1
		02 LST	28.0	23.0	28.0	25.0	30.0	28.1	28.0	27.0	29.5	29.0	26.0	23.0	324.6
CIG = GTR 10000 FT AND VSBY = GTR 3 MI		08 LST	19.8	18.5	21.7	21.8	22.4	21.3	23.3	22.8	20.9	20.3	20.8	20.0	293.6
		14 LST	22.3	19.2	21.1	21.2	22.9	22.2	24.2	23.0	23.5	22.4	22.0	21.2	265.2
		20 LST	28.6	24.5	27.9	29.0	25.9	27.8	27.9	27.1	25.3	26.4	25.3	26.1	321.8
		02 LST	28.0	23.0	28.0	25.0	30.0	28.1	28.0	27.0	29.5	29.0	26.0	23.0	324.6

JEFMAN, INDONESIA

STA NO. 97502 (IN AREA NUMBER 06)

LATITUDE 0055S

LONGITUDE 13107E

ELEVATION(FT) 00010

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	90	90	91	93	93	93	90	91	91	93	91	91	93	2	537
MEAN MAX TMP (F)	88	88	89	90	89	87	85	87	89	89	88	88	88	2	537
MEAN MIN TMP (F)	79	79	79	79	78	78	77	77	77	78	78	78	78	2	537
ABS MIN TMP (F)	75	75	75	75	75	75	72	73	72	75	75	75	72	2	537
MEAN NO DYS TMP = DR GTR 90(F)	11.6	10.4	14.8	17.3	14.8	8.3	3.4	8.6	14.3	14.8	11.2	11.8	141.1	2	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	-29
MEAN DEW PT TMP (F)	77	77	77	78	78	77	76	77	78	77	76	77	77	3	-29
MEAN REL HUM (PCT)	81	81	82	82	85	84	85	86	85	82	82	83	83	6	3741
MEAN PRESS ALT (FT)	150	150	150	150	150	103	100	100	100	100	150	150	129	0	-50
MEAN PRECIP (IN)	7.21	6.58	7.95	9.57	12.40	13.43	13.11	9.69	10.28	8.07	6.93	7.01	112.2	36	-45
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN		7.5	5.2	5.4		17.0	16.8	14.1	13.0	11.2	10.2			36	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	7.0	3.0	4.0	6.0	14.0	10.3	4.8	5.0	4.5	5.1	8.5	3.5	75.7	2	524
P FREQ WND SPD = DR GTR 17 KTS	4.7	2.1	1.4	1.3	1.6	4.2	7.0	14.1	10.1	2.7	0.3	1.0	4.2	4	3731
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.0	0.0	0.0	0.0	0.1	4	3731
P FREQ LES 3000 FT A/D LES 5 MI	7.8	7.3	4.5	5.7	7.3	16.3	11.8	15.3	7.4	7.2	5.6	5.6	8.5	6	2933
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST	0.0	0.0	0.0	3.3	12.9	7.1	7.7	8.1	5.0	3.3	1.7	1.6	4.2	3	524
06-08 LST														0	0
09-11 LST	4.9	5.1	4.7	3.0	4.2	6.2	6.5	6.2	5.7	2.0	2.2	3.8	4.5	6	1052
12-14 LST														0	0
15-17 LST	4.9	10.3	3.7	6.6	7.8	8.2	6.2	5.7	5.7	5.4	4.1	5.6	6.2	6	1106
18-20 LST														0	0
21-23 LST	9.5	5.4	2.5	4.8	5.4	14.1	4.9	9.4	2.5	3.0	3.6	3.8	5.7	6	1008
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST	0.0	0.0	0.0	3.3	3.2	3.6	2.6	0.0	0.0	0.0	0.0	0.0	1.1	3	524
06-08 LST														0	0
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.0	0.0	0.1	6	1052
12-14 LST														0	0
15-17 LST	1.2	1.3	0.0	0.0	1.3	0.0	0.0	0.0	1.1	0.0	0.0	0.9	0.5	6	1106
18-20 LST														0	0
21-23 LST	1.2	0.0	0.0	0.0	0.0	3.1	0.0	2.6	1.3	0.0	0.0	0.0	0.7	6	1008

JEFMAN, INDONESIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	09 LST	30.2	27.3	30.3	30.0	30.6	29.5	30.1	31.0	29.7	31.0	29.3	31.0	360.0	5	1032
	15 LST	30.2	27.3	29.9	29.2	29.8	30.0	30.7	31.0	29.0	30.2	29.7	30.1	357.1	5	1106
	21 LST	28.8	27.5	30.2	29.5	30.6	27.2	30.1	29.7	29.6	30.7	29.3	31.0	354.2	5	1008
	03 LST	31.0	28.0	31.0	28.0	30.0	29.0	30.2	31.0	29.5	31.0	30.0	31.0	359.7	2	524
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	09 LST	26.4	26.2	29.2	29.1	29.3	25.8	22.6	22.1	21.8	27.2	29.3	29.8	318.8	5	1048
	15 LST	23.6	22.5	25.3	27.2	27.0	23.4	22.4	17.0	17.9	21.6	27.5	28.4	283.8	5	1102
	21 LST	22.8	21.5	27.2	27.6	28.5	23.4	24.7	18.0	23.3	27.6	28.6	29.2	302.4	5	1007
	03 LST	26.0	18.0	28.0	26.0	30.0	29.0	27.8	22.0	23.0	30.0	29.5	30.5	319.8	2	524
SFC WND = GTR 17 KTS AND NO PRECIP.	09 LST	0.8	0.0	0.0	0.0	0.4	1.8	2.5	2.2	1.7	0.9	0.0	0.6	10.9	5	1060
	15 LST	1.9	0.7	0.0	0.4	0.4	1.6	2.2	6.1	5.1	1.1	0.3	0.0	19.8	5	1119
	21 LST	0.7	0.5	0.8	0.0	0.4	0.5	1.8	4.0	1.1	0.6	0.0	0.0	10.4	5	1015
	03 LST	2.0	1.0	1.0	0.0	0.0	0.0	0.0	3.0	3.5	0.5	0.0	0.5	11.5	2	524
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	09 LST	14.0	13.8	18.0	19.5	16.9	19.4	19.0	19.1	16.2	16.1	14.7	15.4	202.1	5	1058
	15 LST	16.1	13.6	17.0	13.2	16.9	14.6	14.8	13.1	10.1	14.3	15.5	16.8	178.0	5	1115
	21 LST	14.0	14.0	17.2	14.0	14.2	15.0	14.5	10.9	13.9	18.3	13.7	13.5	173.2	5	1014
	03 LST	23.0	12.0	23.0	18.0	15.0	16.6	20.7	14.0	16.5	18.8	14.0	17.5	209.1	2	524
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	09 LST	6.0	0.7	3.6	5.4	4.5	6.0	2.0	1.9	1.7	5.3	5.9	1.2	44.2	5	1064
	15 LST	5.2	1.4	2.2	3.9	2.8	4.9	3.3	1.5	3.0	4.4	1.2	0.8	34.6	5	1118
	21 LST	7.7	3.5	5.4	6.9	4.5	4.1	4.1	2.9	3.0	8.1	5.4	3.8	59.4	5	1015
	03 LST	18.0	5.0	7.0	10.0	6.0	7.2	3.2	0.5	4.0	13.2	10.0	4.0	88.1	2	524
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	09 LST	28.3	26.7	28.8	28.2	28.9	26.8	27.8	28.0	27.3	30.0	29.3	29.2	339.3	4	1072
	15 LST	29.1	24.1	29.9	27.0	27.4	24.9	28.2	27.4	27.8	28.5	27.8	29.1	331.2	4	1106
	21 LST	27.3	25.8	30.2	28.1	28.1	25.3	28.9	26.3	28.9	29.8	28.7	29.5	337.1	4	1008
	03 LST	31.0	28.0	31.0	28.0	30.0	29.0	29.4	27.5	28.8	29.0	29.0	30.0	350.7	1	524
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	09 LST	27.6	26.6	28.8	28.2	28.9	26.8	27.6	28.0	27.3	30.0	29.3	29.2	338.3	4	1072
	15 LST	29.1	24.1	29.9	26.9	27.4	24.7	28.2	27.4	27.6	28.5	27.8	29.0	330.6	4	1106
	21 LST	27.3	25.5	30.2	28.1	27.7	25.3	28.9	26.5	28.9	29.8	28.6	29.5	336.3	4	1008
	03 LST	31.0	28.0	31.0	28.0	30.0	29.0	29.4	27.5	28.5	29.0	29.0	30.0	350.4	1	524
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	09 LST	27.6	26.6	28.8	28.2	28.9	26.8	27.6	28.0	27.3	30.0	29.3	29.2	338.3	4	1072
	15 LST	29.1	24.1	29.9	26.9	27.4	24.7	28.2	27.4	27.6	28.5	27.8	29.0	330.6	4	1106
	21 LST	27.3	25.5	30.2	28.1	27.7	25.3	28.9	26.5	28.9	29.8	28.6	29.5	336.3	4	1008
	03 LST	31.0	28.0	31.0	28.0	30.0	29.0	29.4	27.5	28.5	29.0	29.0	30.0	350.4	1	524

MANOKWARI, INDONESIA

STA NO. 97530 (IN AREA NUMBER 06)

LATITUDE 00535

LONGITUDE 13403E

ELEVATION(FT) 00010

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	FOR (YRS)	NO. OBS
ABS MAX TMP (F)	91	90	91	91	93	91	90	91	92	92	93	91	93	5	-538
MEAN MAX TMP (F)	86	86	86	86	86	85	86	85	87	87	88	86	86	5	-38
MEAN MIN TMP (F)	73	73	74	74	74	74	74	75	74	74	74	75	74	5	-38
ABS MIN TMP (F)	68	68	69	70	70	70	68	70	70	70	70	70	68	5	-538
MEAN NO DYS TMP = DR GTR 90(F)	5.8	5.2	5.8	5.6	5.8	0.0	5.8	3.4	8.3	8.6	11.2	5.8	71.3	5	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MEAN DEW PT TMP (F)	75	74	75	75	75	74	76	76	76	75	76	76	75	5	-29
MEAN REL HUM (PCT)	86	85	86	86	86	85	87	87	86	84	85	86	86	6	4412
MEAN PRESS ALT (FT)	140	132	129	143	137	124	124	137	126	129	145	156	135	0	-50
MEAN PRECIP (IN)	12.01	9.4	13.19	11.14	7.76	7.24	5.39	5.55	4.96	4.69	6.46	10.28	98.1	40	-45
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN				6.6	5.2	11.8	10.0	10.2	8.2	8.0	9.8			40	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	10.0	7.0	14.0	16.0	12.0	5.0	6.0	11.0	9.0	13.0	11.0	12.0	126.0	4	-38
P FREQ WND SPD = DR GTR 17 KTS	0.3	0.3	0.9	0.3	0.0	1.0	0.7	0.2	0.3	0.2	0.2	0.0	0.4	4	4400
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	4	4400
P FREQ LES 5000 FT A/D LES 5 MI	20.6	16.5	22.2	21.0	14.2	13.7	12.3	13.0	9.3	6.8	14.6	20.8	15.4	7	3354
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST	10.0	10.7	6.5	13.3	6.9	7.1	3.3	3.2	3.3	1.6	1.7	4.8	6.0	3	543
06-08 LST														0	0
09-11 LST	7.4	6.1	6.4	6.4	3.0	4.3	7.8	12.0	8.3	1.7	2.9	0.9	5.6	7	1263
12-14 LST														0	0
15-17 LST	16.0	10.4	22.0	14.1	10.3	7.1	6.8	6.3	9.2	5.9	13.9	27.0	12.4	7	1305
18-20 LST														0	0
21-23 LST	10.9	10.0	18.8	10.6	5.7	8.2	3.7	0.9	4.3	3.4	10.0	11.3	8.2	7	1227
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST	3.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	3	543
06-08 LST														0	0
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	1.6	0.0	0.0	0.0	0.0	0.0	0.1	7	1263
12-14 LST														0	0
15-17 LST	0.0	0.0	0.9	0.0	1.0	0.0	0.8	0.0	0.0	0.0	0.0	1.7	0.4	7	1305
18-20 LST														0	0
21-23 LST	0.0	0.0	0.0	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.8	2.6	0.4	7	1227

MANOKWARI, INDONESIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (/RS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	09 LST	30.0	27.4	30.4	29.0	31.0	30.0	29.5	29.1	29.4	31.0	29.7	31.0	337.5	6	1263
	15 LST	30.7	27.4	29.0	29.0	30.7	29.4	30.3	30.8	29.1	31.0	29.5	27.0	353.9	6	1305
	21 LST	29.6	26.8	28.2	28.2	30.6	29.6	31.0	31.0	29.7	31.0	29.3	29.7	354.7	6	1227
	03 LST	27.8	26.0	30.0	29.0	29.9	29.0	31.0	31.0	29.5	31.0	30.0	30.5	354.7	2	543
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	09 LST	29.0	27.2	29.6	29.0	30.7	28.4	28.6	28.9	29.1	30.5	29.1	31.0	351.1	6	1257
	15 LST	28.7	26.0	27.2	28.4	29.4	28.2	28.7	29.5	28.8	30.0	29.0	25.9	339.8	6	1297
	21 LST	29.3	25.8	28.2	28.2	30.6	28.6	30.7	30.5	29.4	30.2	28.0	28.8	348.3	6	1220
	03 LST	27.8	26.0	30.0	28.0	29.9	29.0	31.0	30.0	29.5	31.0	30.0	29.5	351.7	2	543
SFC WND = GTR 17 KTS AND NO PRECIP.	09 LST	0.3	0.0	0.3	0.0	0.0	0.6	0.2	0.0	0.0	0.3	0.0	0.0	1.7	6	1282
	15 LST	0.3	0.3	0.0	0.0	0.0	0.0	0.2	0.2	0.0	0.0	0.0	0.0	1.0	6	1317
	21 LST	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.7	6	1235
	03 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	543
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	09 LST	9.3	6.6	8.5	7.3	6.8	5.5	6.5	6.1	7.9	9.0	8.1	8.9	90.5	6	1273
	15 LST	17.1	16.9	17.5	16.3	19.7	17.7	18.1	22.0	19.6	19.0	17.6	17.8	219.3	6	1311
	21 LST	4.1	5.8	7.4	4.7	3.9	3.6	6.0	4.1	6.0	3.8	3.5	4.9	57.8	6	1232
	03 LST	2.1	4.0	3.0	3.0	0.0	2.1	5.6	3.0	3.0	2.5	2.5	3.0	33.8	2	543
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	09 LST	2.6	1.4	1.4	1.9	2.7	7.2	3.8	2.9	3.1	4.6	2.9	3.2	37.7	6	1279
	15 LST	1.4	0.6	0.0	0.6	0.3	2.1	1.9	2.0	1.6	3.1	0.5	0.5	14.6	6	1313
	21 LST	1.7	1.8	2.1	1.4	3.5	3.5	4.0	4.9	7.3	5.0	4.3	2.1	41.6	6	1234
	03 LST	4.3	2.0	1.0	0.0	3.2	4.1	5.1	2.5	6.0	8.0	5.5	1.5	43.2	2	543
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	09 LST	27.4	25.3	27.6	27.1	29.3	27.9	27.5	25.7	25.5	30.2	28.6	30.3	332.4	4	1263
	15 LST	21.0	22.8	19.5	22.0	25.6	27.3	27.6	27.2	26.0	27.7	22.3	18.9	287.9	4	1305
	21 LST	25.6	24.3	21.9	25.5	29.2	25.6	28.4	30.2	28.1	28.8	24.3	24.9	316.8	4	1227
	03 LST	26.8	25.0	29.0	24.0	27.3	26.4	28.3	29.3	30.0	29.8	28.5	28.5	333.1	1	543
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	09 LST	27.0	25.2	27.0	26.8	29.1	27.8	26.9	25.5	25.3	30.2	28.6	29.9	329.3	4	1263
	15 LST	20.5	22.5	19.3	21.5	25.6	27.0	27.5	26.6	26.0	27.3	21.9	18.0	283.7	4	1305
	21 LST	25.4	24.3	21.5	24.7	27.8	25.4	27.5	29.9	28.1	28.4	23.8	24.5	311.3	4	1227
	03 LST	25.7	25.0	29.0	24.0	26.7	24.8	28.0	28.0	30.0	29.5	28.0	28.5	327.2	1	543
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	09 LST	27.0	25.2	27.0	26.8	29.1	27.8	26.9	25.5	25.3	30.2	28.6	29.9	329.3	4	1263
	15 LST	20.5	22.5	19.3	21.5	25.6	27.0	27.5	26.6	26.0	27.3	21.9	18.0	283.7	4	1305
	21 LST	25.4	24.3	21.5	24.7	27.8	25.4	27.5	29.9	28.1	28.4	23.8	24.5	311.3	4	1227
	03 LST	25.7	25.0	29.0	24.0	26.7	24.8	28.0	28.0	30.0	29.5	28.0	28.5	327.2	1	543

BIAK/MOKMER, INDONESIA

STA NO. 97560 (IN AREA NUMBER 06)

LATITUDE 01125

LONGITUDE 13607E

ELEVATION(FT) 00046

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	90	88	90	90	90	90	90	90	91	91	91	90	91	2	550
MEAN MAX TMP (F)	86	85	86	86	87	87	85	86	86	87	87	86	86	2	550
MEAN MIN TMP (F)	74	74	75	75	75	75	74	75	74	75	75	75	75	2	550
ABS MIN TMP (F)	72	70	73	73	73	72	70	70	72	72	70	72	70	2	550
MEAN NO DYS TMP = OR GTR 90(F)	5.8	0.0	5.8	5.6	8.6	8.3	3.4	5.8	5.6	8.6	8.3	5.8	71.6	2	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	-29
MEAN DEW PT TMP (F)	74	74	76	75	77	76	74	75	74	75	75	75	75	6	-29
MEAN REL HUM (PCT)	84	85	86	85	87	86	85	84	82	83	84	85	85	15	8643
MEAN PRESS ALT (FT)	179	173	168	184	181	165	162	173	168	168	192	198	176	0	-50
MEAN PRECIP (IN)	10.95	8.21	11.70	8.30	8.58	10.54	11.29	11.15	7.02	6.12	7.30	12.92	113.7	8	1715
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN			7.3	5.2	5.2	14.8	13.4	13.3	10.3	9.4	10.5			8	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	5.9	2.0	5.4	10.0	8.1	9.8	7.0	9.1	8.0	11.2	15.6	10.5	102.6	7	494
P FREQ WND SPD = OR GTR 17 KTS	4.6	1.3	1.8	2.6	0.8	1.7	2.0	2.0	1.8	3.0	5.4	4.0	2.6	13	8678
P FREQ WND SPD = OR GTR 28 KTS	0.2	0.0	0.0	0.3	0.1	0.0	0.1	0.0	0.1	0.1	0.0	0.0	0.1	13	8678
P FREQ LES 3000 FT A/Q LES 5 MI	10.9	15.0	12.3	12.3	14.2	12.8	13.9	14.6	12.1	11.4	9.5	11.6	12.6	16	5683
P FREQ LES 1900 FT A/Q LES 3 MI									0.0	8.3	7.7	11.1	0.0	2	46
FOR 00-02 LST									0.0	8.3	7.7	11.1	0.0	2	46
03-05 LST	4.8	7.2	6.8	10.5	6.7	8.2	8.6	8.9	6.3	5.1	4.7	5.9	6.8	8	1194
06-08 LST			0.0	0.0	10.0	12.5	0.0	9.1	18.2	7.1	0.0	16.7		1	91
09-11 LST	6.9	5.8	9.7	6.6	9.6	6.8	7.5	7.6	9.3	8.5	5.1	7.9	7.6	16	2373
12-14 LST			6.3	20.0	18.2	30.0	6.3	6.3	13.6	14.3	20.0	27.3		1	141
15-17 LST	8.0	12.8	9.6	5.6	10.4	8.1	4.1	7.1	5.4	8.2	5.8	8.0	7.8	16	2370
18-20 LST		0.0	4.0	4.8	0.0	0.0	5.3	17.6	9.5	5.0	10.5	5.9		1	199
21-23 LST	3.0	1.4	1.7	2.5	2.3	1.9	2.0	1.9	2.0	1.8	1.6	1.6	2.0	12	2029
P FREQ LES 300 FT A/Q LES 1 MI									0.0	0.0	0.0	0.0	0.0	2	46
FOR 00-02 LST									0.0	0.0	0.0	0.0	0.0	2	46
03-05 LST	0.0	0.0	0.0	1.1	0.0	0.0	0.8	0.0	0.0	0.8	0.0	0.0	0.2	8	1194
06-08 LST			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		1	91
09-11 LST	0.0	0.0	0.5	0.5	1.0	0.0	0.0	1.0	0.5	0.0	0.5	0.9	0.4	16	2373
12-14 LST			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		1	141
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.5	0.0	0.4	0.4	0.2	16	2370
18-20 LST		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		1	199
21-23 LST	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.6	0.0	0.0	0.5	0.0	0.1	12	2029

BIAK/MOKMER, INDONESIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	09 LST	30.5	28.0	29.8	29.5	29.7	28.9	30.7	30.4	29.2	30.2	29.9	30.3	337.1	15	2373
	15 LST	30.4	27.7	29.9	29.7	30.1	29.4	30.9	30.9	29.4	30.7	29.6	29.9	358.6	15	2370
	21 LST	30.8	28.0	30.8	29.6	30.6	30.0	31.0	30.8	30.0	31.0	29.8	31.0	363.4	10	2029
	03 LST	31.0	27.2	30.3	29.4	31.0	29.4	29.8	30.4	30.0	30.7	29.7	30.7	359.6	7	1194
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	09 LST	27.2	26.9	28.5	27.0	29.4	27.6	28.4	28.3	26.9	27.1	26.5	26.3	330.1	15	2354
	15 LST	22.1	23.5	24.6	22.9	27.0	25.6	27.2	26.1	25.0	26.8	22.9	24.7	298.4	15	2549
	21 LST	28.2	27.0	30.5	29.1	30.4	29.4	30.0	29.1	30.0	29.9	28.7	29.5	351.8	10	2017
	03 LST	28.0	26.0	28.2	28.1	30.5	28.1	28.1	28.0	28.1	29.7	28.0	28.2	339.0	7	1191
SFC WND = GTR 17 KTS AND NO PRECIP.	09 LST	1.0	0.0	0.3	0.7	0.0	0.5	0.0	0.6	0.6	1.2	2.0	0.8	7.7	15	2415
	15 LST	1.9	0.4	0.9	1.2	0.4	0.8	0.7	1.0	0.7	1.9	2.5	2.3	14.7	15	2600
	21 LST	0.7	0.2	0.0	0.0	0.2	0.2	0.2	0.2	0.0	0.0	0.5	0.5	2.7	10	2052
	03 LST	1.0	0.4	0.7	0.6	0.0	0.6	0.5	0.0	0.6	0.0	0.8	0.3	5.5	7	1203
SFC WND 4-10 KTS AND TMP 33-89 DEC F AND NO PRECIP.	09 LST	11.7	9.3	10.5	12.6	11.3	11.0	9.3	11.8	10.6	13.4	11.5	10.4	133.4	15	2380
	15 LST	13.2	13.6	14.7	13.7	16.0	14.7	16.1	16.3	17.2	17.3	13.1	15.1	181.0	15	2560
	21 LST	7.1	7.7	5.9	7.9	5.7	4.6	5.7	8.1	7.5	6.7	8.4	6.3	81.8	10	2045
	03 LST	8.7	6.3	6.9	6.3	2.9	5.6	8.8	7.1	8.2	9.6	7.9	4.7	83.0	7	1203
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	09 LST	2.0	0.8	0.7	2.0	1.7	2.9	1.5	1.7	3.5	1.4	1.5	1.0	20.7	15	2420
	15 LST	1.7	1.0	1.5	1.9	1.2	2.2	3.4	3.4	3.3	3.1	1.7	0.8	25.2	15	2605
	21 LST	7.5	3.5	6.1	7.6	10.2	7.5	8.0	8.9	10.7	9.4	10.6	8.3	98.3	10	2036
	03 LST	8.1	4.8	2.7	5.7	7.6	7.2	4.4	3.6	6.3	7.4	7.7	8.4	73.9	7	1191
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	09 LST	27.7	25.2	26.4	26.5	26.2	26.5	26.7	27.2	25.1	26.6	26.9	26.8	317.8	13	2373
	15 LST	26.7	21.7	26.3	27.0	25.3	25.8	28.2	26.8	27.5	26.7	27.1	27.1	316.2	13	2570
	21 LST	29.4	27.4	30.3	29.0	30.0	28.6	29.3	29.9	28.8	29.8	29.3	29.9	351.7	7	2029
	03 LST	28.6	24.6	27.2	24.6	26.8	26.1	26.4	26.9	26.0	28.4	27.6	27.8	321.0	5	1194
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	09 LST	27.4	24.9	26.0	25.9	25.6	26.0	26.2	26.9	24.8	26.2	26.6	26.4	312.9	13	2373
	15 LST	26.5	21.3	25.7	26.8	24.7	25.5	28.1	26.3	27.2	26.6	26.8	27.0	312.5	13	2570
	21 LST	29.0	27.4	30.3	28.9	29.9	28.0	28.6	29.5	28.4	29.5	29.2	29.7	348.4	7	2029
	03 LST	28.1	24.4	26.8	24.6	26.8	25.7	26.2	26.0	25.6	28.4	27.5	27.3	317.4	5	1194
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	09 LST	27.4	24.9	26.0	25.9	25.6	26.0	26.2	26.9	24.8	26.2	26.6	26.2	312.7	13	2373
	15 LST	26.3	21.1	25.7	26.8	24.7	25.5	28.1	26.3	27.2	26.4	26.8	27.0	311.9	13	2570
	21 LST	29.0	27.4	30.3	28.9	29.9	28.0	28.6	29.5	28.4	29.5	29.2	29.7	348.4	7	2029
	03 LST	28.1	24.4	26.8	24.6	26.8	25.7	26.2	26.0	25.6	28.4	27.5	27.3	317.4	5	1194

BORUKU, INDONESIA

STA NO. 97652 (IN AREA NUMBER 06)

LATITUDE 0110S

LONGITUDE 13604E

ELEVATION(FT) 00030

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	90	88	90	90	90	90	90	90	91	91	91	90	91	2	-97560
MEAN MAX TMP (F)	86	85	86	86	87	87	85	86	86	87	87	86	86	2	-97560
MEAN MIN TMP (F)	74	74	75	75	75	75	74	75	74	75	75	75	75	2	-97560
ABS MIN TMP (F)	72	70	73	73	73	72	70	70	72	72	70	72	70	2	-97560
MEAN NO DYS TMP = OR GTR 90(F)	5.8	0.0	5.8	5.6	8.6	8.3	3.4	5.8	5.6	8.6	8.3	5.8	71.6	2	-29
MEAN NO DYS TMP = OR LES 22(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	-29
MEAN DEW PT TMP (F)	74	74	76	75	77	76	74	75	74	75	75	75	75	6	-29
MEAN REL HUM (PCT)	84	85	86	85	87	86	85	84	83	83	84	85	85	15	-97560
MEAN PRESS ALT (FT)	163	157	152	168	165	149	146	157	152	152	176	182	160	0	-50
MEAN PRECIP (IN)	10.95	8.21	11.70	8.30	8.58	10.54	11.29	11.15	7.02	6.12	7.90	12.92	113.7	8	-97560
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN			7.3	5.2	5.2	14.8	15.4	15.3	10.3	9.4	10.5			8	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	5.9	2.0	5.4	10.0	8.1	9.8	7.0	9.1	8.0	11.2	15.6	10.5	102.6	7	-97560
P FREQ WND SPD = OR GTR 17 KTS	4.6	1.3	1.8	2.6	0.8	1.7	2.0	2.0	1.8	3.0	5.4	4.0	2.6	13	-97560
P FREQ WND SPD = OR GTR 28 KTS	0.2	0.0	0.0	0.3	0.1	0.0	0.1	0.0	0.1	0.1	0.0	0.0	0.1	13	-97560
P FREQ LES 5000 FT A/D LES 5 MI	10.9	15.0	12.3	12.3	14.2	12.8	13.9	14.6	12.1	11.4	9.5	11.6	12.6	16	-97560
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST								0.0	8.3	7.7	11.1	0.0		2	-97560
03-05 LST	4.8	7.2	6.8	10.5	6.7	6.2	8.6	8.9	6.3	5.1	4.7	5.9	6.8	8	-97560
06-08 LST			0.0	0.0	10.0	12.5	0.0	9.1	18.2	7.1	0.0	16.7		1	-97560
09-11 LST	6.9	5.8	9.7	6.4	9.6	6.8	7.5	7.6	9.3	8.5	5.1	7.9	7.6	16	-97560
12-14 LST			6.3	20.0	18.2	30.0	6.3	6.3	13.6	14.3	20.0	27.3		1	-97560
15-17 LST	8.0	12.8	9.6	5.6	10.4	8.1	4.1	7.1	5.4	8.2	5.8	8.0	7.8	16	-97560
18-20 LST		0.0	4.0	4.8	0.0	0.0	9.3	17.6	9.5	5.0	10.5	5.9		1	-97560
21-23 LST	3.0	1.4	1.7	2.5	2.3	1.9	2.0	1.9	2.0	1.8	1.6	1.6	2.0	12	-97560
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST								0.0	0.0	0.0	0.0	0.0		2	-97560
03-05 LST	0.0	0.0	0.0	1.1	0.0	0.0	0.8	0.0	0.0	0.8	0.0	0.0	0.2	8	-97560
06-08 LST			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		1	-97560
09-11 LST	0.0	0.0	0.5	0.5	1.0	0.0	0.0	1.0	0.5	0.0	0.5	0.9	0.4	16	-97560
12-14 LST			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		1	-97560
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.5	0.0	0.4	0.4	0.2	16	-97560
18-20 LST		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		1	-97560
21-23 LST	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.6	0.0	0.0	0.5	0.0	0.1	12	-97560

BORUKU, INDONESIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG ≥ GTR 1000 FT AND VSBY ≥ GTR 3 MI	09 LST	30.5	28.0	29.8	29.5	29.7	28.9	30.7	30.4	29.2	30.2	29.9	30.3	307.1	15	-97560
	15 LST	30.4	27.7	29.9	29.7	30.1	29.4	30.9	30.9	29.4	30.7	29.6	29.9	358.6	15	-97560
	21 LST	30.8	28.0	30.8	29.6	30.6	30.0	31.0	30.8	30.0	31.0	29.8	31.0	363.4	10	-97560
	03 LST	31.0	27.2	30.3	29.4	31.0	29.4	29.8	30.4	30.0	30.7	29.7	30.7	359.6	7	-97560
CIG ≥ GTR 2000 FT AND VSBY ≥ GTR 3 MI W/SFC WND LES 10 KTS	09 LST	27.2	26.9	28.5	27.0	29.4	27.6	28.4	28.3	26.9	27.1	26.5	26.3	330.1	15	-97560
	15 LST	22.1	23.5	24.6	22.9	27.0	25.6	27.2	26.1	25.0	26.8	22.9	24.7	298.4	15	-97560
	21 LST	28.2	27.0	30.5	29.1	30.4	29.4	30.9	29.1	30.0	29.9	28.7	29.5	351.8	10	-97560
	03 LST	28.0	26.0	28.2	28.1	30.5	28.1	28.1	28.0	28.1	29.7	28.0	28.2	339.0	7	-97560
SFC WND ≥ GTR 17 KTS AND NO PRECIP.	09 LST	1.0	0.0	0.3	0.7	0.0	0.5	0.0	0.6	0.6	1.2	2.0	0.8	7.7	15	-97560
	15 LST	1.9	0.4	0.9	1.2	0.4	0.8	0.7	1.0	0.7	1.9	2.5	2.3	14.7	15	-97560
	21 LST	0.7	0.2	0.0	0.0	0.2	0.2	0.2	0.2	0.0	0.0	0.5	0.5	2.7	10	-97560
	03 LST	1.0	0.4	0.7	0.6	0.0	0.6	0.5	0.0	0.6	0.0	0.8	0.3	5.5	7	-97560
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	09 LST	11.7	9.3	10.5	12.6	11.3	11.0	9.3	11.8	10.6	13.4	11.5	10.4	133.4	15	-97560
	15 LST	13.2	13.6	14.7	13.7	16.0	14.7	16.1	16.3	17.2	17.3	13.1	15.1	181.0	15	-97560
	21 LST	7.1	7.7	5.9	7.9	5.7	4.6	5.7	8.1	7.5	6.7	8.4	6.5	81.8	10	-97560
	03 LST	8.7	6.3	6.9	6.3	2.9	5.6	8.8	7.1	8.2	9.6	7.9	4.7	83.0	7	-97560
SKY COVER LES 3/10 AND VSBY ≥ GTR 3 MI	09 LST	2.0	0.8	0.7	2.0	1.7	2.9	1.5	1.7	3.5	1.4	1.5	1.0	20.7	15	-97560
	15 LST	1.7	1.0	1.5	1.9	1.2	2.2	3.4	3.4	3.3	3.1	1.7	0.8	25.2	15	-97560
	21 LST	7.3	3.5	6.1	7.6	10.2	7.5	8.0	8.9	10.7	9.4	10.6	8.3	98.3	10	-97560
	03 LST	8.1	4.8	2.7	5.7	7.6	7.2	4.4	3.6	6.3	7.4	7.7	8.4	73.9	7	-97560
CIG ≥ GTR 2500 FT AND VSBY ≥ GTR 3 MI	09 LST	27.7	25.2	26.4	26.5	26.2	26.5	26.7	27.2	25.1	26.6	26.9	26.8	317.8	15	-97560
	15 LST	26.7	21.7	26.3	27.0	25.3	25.8	28.2	26.8	27.5	26.7	27.1	27.1	316.2	15	-97560
	21 LST	29.4	27.4	30.3	29.0	30.0	28.6	29.3	29.9	28.8	29.8	29.3	29.9	351.7	7	-97560
	03 LST	28.6	24.6	27.2	24.6	26.8	26.1	26.4	26.9	26.0	28.4	27.6	27.8	321.0	5	-97560
CIG ≥ GTR 6000 FT AND VSBY ≥ GTR 3 MI	09 LST	27.4	24.9	26.0	25.9	25.6	26.0	26.2	26.9	24.8	26.2	26.6	26.4	312.9	15	-97560
	15 LST	26.5	21.3	25.7	26.8	24.7	25.5	28.1	26.3	27.2	26.6	26.8	27.0	312.5	15	-97560
	21 LST	29.0	27.4	30.3	28.9	29.9	24.0	28.6	29.5	28.4	29.5	29.2	29.7	348.4	7	-97560
	03 LST	28.1	24.4	26.8	24.6	26.8	25.7	26.2	26.0	25.6	28.4	27.5	27.3	317.4	5	-97560
CIG ≥ GTR 10000 FT AND VSBY ≥ GTR 3 MI	09 LST	27.4	24.9	26.0	25.9	25.6	26.0	26.2	26.9	24.8	26.2	26.6	26.2	312.7	15	-97560
	15 LST	26.3	21.1	25.7	26.8	24.7	25.5	28.1	26.3	27.2	26.4	26.8	27.0	311.9	15	-97560
	21 LST	29.0	27.4	30.3	28.9	29.9	28.0	28.6	29.5	28.4	29.5	29.2	29.7	348.4	7	-97560
	03 LST	28.1	24.4	26.8	24.6	26.8	25.7	26.2	26.0	25.6	28.4	27.5	27.3	317.4	5	-97560

SENTANI, INDONESIA

STA NO. 97690 (IN AREA NUMBER 06)

LATITUDE 0234S

LONGITUDE 14030E

ELEVATION(FT) 00289

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	93	93	91	93	91	91	91	93	93	97	95	93	97	2	549
MEAN MAX TMP (F)	89	88	89	90	90	89	87	89	89	90	90	89	89	2	549
MEAN MIN TMP (F)	73	73	73	74	73	73	72	72	72	73	73	73	73	2	549
ABS MIN TMP (F)	70	70	68	68	70	70	70	70	68	68	70	68	68	2	549
MEAN NO DYS TMP = DR GTR 90(F)	14.8	10.4	14.8	17.3	17.9	14.3	8.6	14.8	14.3	17.9	17.3	14.8	177.2	2	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	-29
MEAN DEW PT TMP (F)	73	73	74	75	75	74	73	73	73	74	75	74	74	6	-29
MEAN REL HUM (PCT)	79	80	80	80	81	80	81	81	80	79	81	81	80	13	5712
MEAN PRESS ALT (FT)	435	427	424	427	424	405	403	413	408	405	430	449	421	0	-50
MEAN PRECIP (IN)	8.32	8.27	8.51	4.58	2.42	5.18	4.10	3.88	5.33	2.91	6.68	6.98	67.2	8	1256
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN			5.2	5.5	4.4	9.8	8.6	8.4	8.6	6.0	10.0	7.5		8	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	11.0	2.8	4.7	7.0	8.3	8.4	7.4	8.4	9.7	11.5	15.3	12.5	107.0	3	549
P FREQ WND SPD = DR GTR 17 KTS	1.5	2.6	4.2	1.1	0.2	0.0	0.5	0.4	1.0	1.1	1.7	3.2	1.5	11	5721
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.2	0.2	0.0	0.0	0.0	0.0	0.2	0.0	0.2	0.0	0.1	11	5721
P FREQ LES 5000 FT A/D LES 5 MI	17.3	17.2	17.1	16.7	15.8	12.9	13.0	12.5	9.1	10.2	11.5	18.1	14.3	14	3622
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST	18.8	22.2	13.2	15.8	6.8	7.3	16.2	9.7	8.5	9.3	6.9	12.1	12.2	4	625
06-08 LST														0	0
09-11 LST	8.6	8.6	7.7	8.7	7.3	7.8	6.5	6.6	4.4	4.8	5.7	7.5	7.0	14	1701
12-14 LST														0	0
15-17 LST	5.6	4.4	7.7	7.0	4.9	8.1	6.7	4.6	3.8	4.5	5.1	5.7	5.7	14	1873
18-20 LST														0	0
21-23 LST	8.0	14.0	24.7	16.5	13.3	14.3	10.6	6.5	2.8	3.3	5.7	9.8	10.8	8	1314
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	625
06-08 LST														0	0
09-11 LST	0.0	0.9	0.0	0.7	0.7	0.0	0.0	0.7	1.3	0.7	0.0	0.0	0.4	14	1701
12-14 LST														0	0
15-17 LST	0.0	0.0	0.7	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.1	14	1873
18-20 LST														0	0
21-23 LST	1.0	7.0	12.1	10.7	3.8	9.2	1.6	0.0	0.0	0.0	0.0	0.0	3.8	8	1314

SENTANI, INDONESIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. Q35
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	09 LST	29.7	26.6	30.1	28.9	30.0	29.3	29.9	30.2	29.1	30.4	29.1	30.8	354.1	13	1701
	15 LST	30.8	27.8	30.3	29.8	30.8	28.6	30.5	30.8	29.8	30.8	30.0	30.8	260.8	13	1873
	21 LST	30.1	25.4	26.0	26.5	28.6	26.6	29.0	30.5	30.0	31.0	29.5	30.7	343.9	7	1314
	03 LST	31.0	26.4	29.4	28.4	30.3	30.0	28.5	30.1	29.0	30.6	30.0	29.9	353.6	3	625
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	09 LST	28.6	25.8	27.7	28.7	30.0	28.6	29.3	30.2	28.4	29.7	28.1	29.1	344.2	13	1678
	15 LST	26.4	22.0	24.1	26.2	28.3	25.5	27.8	27.1	25.8	26.3	26.7	22.3	308.5	13	1854
	21 LST	29.8	24.1	24.7	25.9	28.0	26.0	28.7	29.7	29.7	30.5	29.0	29.7	335.8	7	1308
	03 LST	31.0	26.4	28.6	28.4	30.3	30.0	28.5	30.1	29.0	30.6	30.0	29.9	352.8	3	625
SFC WND = GTR 17 KTS AND NO PRECIP.	09 LST	0.0	0.0	0.9	0.0	0.0	0.0	0.2	0.0	0.2	0.0	0.0	0.8	2.1	13	1734
	15 LST	0.9	1.0	2.9	0.8	0.0	0.0	0.2	0.2	0.6	0.9	0.6	1.7	9.8	13	1893
	21 LST	0.3	0.3	0.3	0.0	0.3	0.0	0.2	0.0	0.3	0.2	0.7	0.7	3.3	7	1421
	03 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	628
SFC WND 4-10 KTS AND THP 33-89 DEG F AND NO PRECIP.	09 LST	11.7	8.9	8.7	9.8	11.1	10.7	10.6	12.2	11.5	10.0	11.6	10.8	133.6	13	1720
	15 LST	11.7	10.9	12.5	9.7	9.5	14.2	14.7	12.3	11.0	10.0	12.8	11.4	140.7	13	1872
	21 LST	6.2	5.3	6.3	6.9	3.1	2.8	4.8	5.2	3.6	7.5	6.5	5.6	64.0	7	1410
	03 LST	5.0	2.3	10.1	6.2	4.2	1.5	2.5	1.3	1.5	2.9	3.1	4.8	45.4	3	628
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	09 LST	0.8	0.0	1.3	1.9	1.8	5.1	4.6	3.2	4.3	3.2	2.1	0.8	29.1	13	1746
	15 LST	2.6	0.4	0.8	2.2	2.4	2.6	4.1	2.6	3.0	2.9	1.5	1.1	26.2	13	1909
	21 LST	6.8	3.5	3.6	1.4	5.4	5.5	6.4	4.6	6.2	9.1	6.2	3.4	62.1	7	1413
	03 LST	4.0	0.0	4.7	3.8	2.8	8.0	4.1	6.5	6.6	4.6	2.5	1.6	49.2	3	628
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	09 LST	27.0	24.6	27.5	25.7	27.6	25.4	28.3	27.6	27.8	28.4	27.2	27.3	324.9	10	1701
	15 LST	27.5	25.5	27.2	26.1	27.8	26.7	26.8	28.0	27.6	28.3	27.0	27.6	326.1	10	1873
	21 LST	26.8	22.6	20.8	23.7	25.0	24.4	26.2	27.4	28.1	28.6	27.3	24.8	305.7	5	1314
	03 LST	21.0	21.4	24.6	21.9	27.3	28.2	24.8	26.0	25.4	25.4	26.4	24.6	297.2	1	625
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	09 LST	26.2	24.6	27.1	25.2	27.3	25.6	27.7	27.1	26.8	28.0	26.4	27.0	319.0	10	1701
	15 LST	26.8	25.3	27.0	25.8	27.3	26.6	26.2	27.3	27.1	28.0	26.7	27.5	321.6	10	1873
	21 LST	26.4	21.8	19.4	23.6	24.8	23.9	25.9	26.8	27.2	28.2	26.6	24.1	298.7	5	1314
	03 LST	21.0	20.2	24.6	21.1	27.5	27.8	24.8	25.8	25.4	24.7	26.4	24.6	293.9	1	625
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	09 LST	26.2	24.6	27.1	25.2	27.3	25.6	27.7	27.1	26.8	28.0	26.4	27.0	319.0	10	1701
	15 LST	26.8	25.3	27.0	25.8	27.3	26.6	26.2	27.3	27.1	28.0	26.7	27.5	321.6	10	1873
	21 LST	26.4	21.8	19.4	23.6	24.8	23.9	25.9	26.8	27.2	28.2	26.6	24.1	298.7	5	1314
	03 LST	21.0	20.2	24.6	21.1	27.5	27.8	24.8	25.8	25.4	24.7	26.4	24.6	293.9	1	625

AREA NO. 06

INDONESIA	NW NEW GUINEA				LATITUDE 0330S				LONGITUDE 13800E					
	BOUNDARIES	0340S	13200E	0345S	13300E	0345S	13500E	0500S	14100E					
PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)		87	87	88	88	88	87	86	87	88	88	88	87	87
MEAN MIN TMP (F)		75	75	75	76	75	75	74	75	74	75	75	75	75
LARGEST MEAN PRECIP(IN)		12.01	9.41	13.19	11.14	12.40	13.43	13.11	11.15	10.28	8.07	7.30	12.52	134.0
SMALLEST MEAN PRECIP(IN)		7.21	6.58	7.95	4.58	2.42	5.18	4.10	3.88	4.96	2.91	6.46	6.98	62.2
		MEAN NUMBER OF DAYS												
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	09 LST	30.1	27.3	30.2	29.4	30.3	29.4	30.1	30.2	29.4	30.7	29.5	30.8	357.4
	15 LST	30.5	27.6	29.8	29.4	30.4	29.4	30.6	30.9	29.3	30.7	29.7	29.5	357.8
	21 LST	29.8	26.9	28.8	28.5	30.1	28.4	30.3	30.5	29.8	30.9	29.5	30.6	354.1
	03 LST	30.2	26.9	30.2	28.7	30.3	29.4	29.9	30.6	29.5	30.8	29.9	30.5	356.9
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	09 LST	27.8	26.5	28.8	28.5	29.9	27.6	27.2	27.4	26.6	28.6	28.3	29.1	336.3
	15 LST	25.2	23.5	25.3	26.2	27.9	25.7	24.5	24.9	24.4	26.2	26.5	25.3	307.6
	21 LST	27.5	24.6	27.7	27.7	29.4	26.9	25.5	26.8	28.1	29.6	28.6	29.3	334.7
	03 LST	28.2	24.1	28.7	27.6	30.2	29.0	28.9	27.5	27.4	30.3	29.4	29.5	340.8
SFC WND = GTR 17 KTS AND NO PRECIP.	09 LST	0.5	0.0	0.4	0.2	0.1	0.7	0.7	0.7	0.6	0.6	0.5	0.6	5.6
	15 LST	1.3	0.6	1.0	0.6	0.2	0.6	0.8	1.9	1.6	1.0	0.9	1.0	11.5
	21 LST	0.4	0.3	0.3	0.1	0.2	0.2	0.6	1.1	0.4	0.2	0.4	0.3	4.5
	03 LST	0.8	0.4	0.4	0.2	0.0	0.2	0.1	0.8	1.0	0.1	0.2	0.2	4.4
SFC WND 4-10 KTS AND TMP 33-89 DEC F AND NO PRECIP.	09 LST	11.7	9.7	11.4	12.3	11.5	11.7	11.4	12.3	11.6	13.6	11.5	11.4	140.1
	15 LST	14.5	13.8	15.4	13.2	15.5	15.3	15.9	15.9	14.5	15.2	14.8	15.3	179.3
	21 LST	7.9	8.3	9.2	8.4	6.7	5.5	7.8	7.1	7.8	9.1	8.0	7.6	94.4
	03 LST	9.7	6.2	10.8	8.4	5.5	6.5	9.4	6.4	7.3	8.5	6.9	7.5	93.1
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	09 LST	2.9	0.7	1.8	2.8	2.7	5.3	3.0	2.4	3.2	3.6	3.1	1.6	33.1
	15 LST	2.7	0.9	1.1	2.2	1.7	3.0	3.2	2.4	2.7	3.4	1.2	0.8	25.3
	21 LST	5.9	3.1	4.3	4.3	5.9	5.2	5.6	5.3	6.8	7.9	6.6	4.4	65.3
	03 LST	8.6	3.0	3.9	4.9	4.9	6.6	4.2	3.3	5.7	8.3	6.4	3.9	63.7
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	09 LST	27.6	25.5	27.6	26.9	28.0	26.8	27.6	27.1	26.4	28.8	28.0	28.4	328.7
	15 LST	26.1	23.5	25.7	25.5	26.5	26.2	27.7	27.4	27.2	27.8	26.1	25.7	315.4
	21 LST	27.3	25.0	25.8	26.6	28.1	26.0	28.2	28.5	28.5	29.3	27.4	27.3	328.0
	03 LST	26.9	24.8	28.0	24.6	27.9	27.4	27.3	27.4	27.6	28.2	27.9	27.7	325.7
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	09 LST	27.1	25.3	27.2	26.5	27.7	26.6	27.1	26.9	26.1	28.6	27.7	28.1	324.9
	15 LST	25.7	23.3	25.5	25.3	26.3	26.0	27.5	26.9	27.0	27.6	25.8	25.4	312.3
	21 LST	27.0	24.8	25.4	26.3	27.6	25.7	27.7	28.2	28.2	29.0	27.1	27.0	324.0
	03 LST	26.5	24.4	27.9	24.4	27.8	26.8	27.1	26.8	27.4	27.9	27.7	27.6	322.3
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	09 LST	27.1	25.3	27.2	26.5	27.7	26.6	27.1	26.9	26.1	28.6	27.7	28.1	324.9
	15 LST	25.7	23.3	25.5	25.3	26.3	26.0	27.5	26.9	27.0	27.6	25.8	25.4	312.3
	21 LST	27.0	24.8	25.4	26.3	27.6	25.7	27.7	28.2	28.2	29.0	27.1	27.0	324.0
	03 LST	26.5	24.4	27.9	24.4	27.8	26.8	27.1	26.8	27.4	27.9	27.7	27.6	322.3

TANAHMERAH, INDONESIA

STA NO. 97876 (IN AREA NUMBER 07)

LATITUDE 0605S

LONGITUDE 14019E

ELEVATION(PT) 00075

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	96	96	95	94	92	90	89	90	93	98	98	96	98	5	-35
MEAN MAX TMP (F)	90	89	90	89	87	85	84	85	87	90	91	90	88	5	-35
MEAN MIN TMP (F)	73	73	73	73	74	73	72	71	71	72	73	74	73	5	-35
ABS MIN TMP (F)	70	69	69	69	69	67	67	66	66	64	68	69	64	5	-35
MEAN NO DYS TMP = OR GTR 90(F)	17.9	13.3	17.9	14.3	8.6	3.2	0.0	3.4	8.3	17.9	20.3	17.9	143.0	5	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)	254	235	224	213	194	198	147	153	164	189	224	252	201	0	-50
MEAN PRECIP (IN)	14.50	15.80	17.40	17.30	15.50	11.90	11.50	12.10	14.70	13.20	14.40	15.90	174.2	21	-35
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN						15.9	15.5	16.0	15.7	14.9	15.6			21	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MEAN NO DYS W/OCCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	12.0	11.0	14.0	9.0	8.0	5.0	4.0	4.0	5.0	11.0	9.0	12.0	104.0	5	-35
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI	11.4	14.1	12.4	20.0	28.2	26.0	23.0	23.4	25.6	19.8	18.5	17.2	20.0	2	1640
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FDR 00-02 LST														0	0
03-05 LST	0.0	0.0	0.0	0.0	0.0	14.3	25.0	42.9	33.3	30.0	14.3	0.0	13.3	2	58
06-08 LST														0	0
09-11 LST	6.9	3.6	6.7	13.3	17.9	26.7	17.7	16.1	15.3	19.4	16.7	16.7	14.8	2	540
12-14 LST														0	0
15-17 LST	10.3	18.5	13.8	10.3	12.9	6.5	9.8	8.5	8.6	1.6	1.7	8.5	9.3	2	533
18-20 LST														0	0
21-23 LST	3.4	3.7	3.6	10.3	16.1	12.9	8.2	18.0	13.8	8.2	8.3	5.1	9.3	2	535
P FREQ LES 300 FT A/D LES 1 MI														0	0
FDR 00-02 LST														0	0
03-05 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14.3	0.0	0.0	0.0	0.0	1.2	2	58
06-08 LST														0	0
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	0.3	2	540
12-14 LST														0	0
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	533
18-20 LST														0	0
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.6	3.2	0.0	0.0	0.0	1.0	2	535

TANAHMERAH, INDONESIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
	03 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
	03 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
	03 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
	03 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
	03 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
	03 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
	03 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
	03 LST													0	0

DATA NOT AVAILABLE

MERAUKE/MOPAH, INDONESIA

STA NO. 97980 (IN AREA NUMBER 07)

LATITUDE 0831S

LONGITUDE 14024E

ELEVATION(FT) 00010

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	93	91	92	92	92	90	90	91	92	96	97	95	97	5	-38
MEAN MAX TMP (F)	89	87	88	88	87	85	84	85	87	89	91	89	87	5	-38
MEAN MIN TMP (F)	74	74	74	74	73	71	70	71	69	71	73	74	72	5	-38
ABS MIN TMP (F)	68	70	69	67	66	62	63	58	58	60	63	69	58	5	-38
MEAN NO DYS TMP = DR GTR 90(F)	14.8	10.4	11.6	8.3	5.8	0.0	0.0	0.0	0.0	5.8	8.3	14.8	79.8	5	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MEAN DEW PT TMP (F)	78	78	77	77	75	74	73	73	73	75	74	77	75	0	-50
MEAN REL HUM (PCT)	89	91	88	88	85	88	88	85	85	85	79	87	87	3	-29
MEAN PRESS ALT (FT)	200	150	150	150	150	100	100	100	100	100	150	200	138	0	-50
MEAN PRECIP (IN)	10.30	9.00	10.00	7.20	4.90	1.70	1.30	0.70	1.10	1.60	3.00	7.40	58.2	40	-38
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN			5.6	5.3	5.5	5.8	5.3	4.6	3.7	4.4	6.1			40	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	16.0	14.0	15.0	11.0	7.0	3.0	2.0	2.0	3.0	9.0	13.0	19.0	114.0	5	-38
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI	8.2	12.6	9.8	14.3	8.1	13.7	7.7	11.0	14.2	11.0	7.1	14.0	11.0	2	2176
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST	10.0	3.7	3.4	6.9	6.7	10.7	6.5	3.3	15.3	16.7	5.0	9.8	8.2	3	335
06-08 LST														0	0
09-11 LST	6.9	4.5	12.5	9.3	1.8	11.5	7.9	13.0	12.5	4.4	5.3	8.1	8.1	5	849
12-14 LST														0	0
15-17 LST	0.0	7.1	3.2	3.3	6.5	9.7	3.2	4.8	0.0	3.2	3.3	3.2	4.0	3	551
18-20 LST														0	0
21-23 LST	5.0	7.9	0.0	6.5	3.0	0.0	2.8	3.8	2.6	4.1	1.7	1.6	3.3	4	647
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST	0.0	3.7	0.0	0.0	0.0	3.6	3.2	0.0	10.2	11.7	1.7	1.6	3.0	3	535
06-08 LST														0	0
09-11 LST	0.0	0.0	0.0	0.0	0.0	1.9	0.0	0.0	0.0	0.0	0.0	0.0	0.2	3	849
12-14 LST														0	0
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	1.6	0.3	3	551
18-20 LST														0	0
21-23 LST	0.0	2.6	0.0	3.2	0.0	0.0	0.0	0.0	0.0	1.4	0.0	0.0	0.6	4	647

MERAUKE/MOPAH, INDONESIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
	03 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SPC WND LES 10 KTS	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
	03 LST													0	0
SPC WND = GTR 17 KTS AND NO PRECIP.	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
	03 LST													0	0
SPC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
	03 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
	03 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
	03 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
	03 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	09 LST													0	0
	15 LST													0	0
	21 LST													0	0
	03 LST													0	0

DATA NOT AVAILABLE

AREA NO. 07

INDONESIA	SW NEW GUINEA				LATITUDE 0600S		LONGITUDE 13930E						
	BOUNDARIES	0340S 13200E	0345S 13300E	0345S 13500E	0345S 13500E	0500S 14100E							
PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)	90	88	89	89	87	85	84	85	87	90	91	90	88
MEAN MIN TMP (F)	74	74	74	74	74	72	71	71	70	72	73	74	73
LARGEST MEAN PRECIP(IN)	14.50	15.80	17.40	17.30	15.50	11.90	11.50	12.10	14.70	13.20	14.40	15.90	174.2
SMALLEST MEAN PRECIP(IN)	10.30	9.00	10.00	7.20	4.90	1.70	1.30	0.70	1.10	1.60	3.00	7.40	58.2
	MEAN NUMBER OF DAYS												
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	09 LST	15 LST	21 LST	03 LST	09 LST	15 LST	21 LST	03 LST	09 LST	15 LST	21 LST	03 LST	09 LST
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	09 LST	15 LST	21 LST	03 LST	09 LST	15 LST	21 LST	03 LST	09 LST	15 LST	21 LST	03 LST	09 LST
SFC WND = GTR 17 KTS AND NO PRECIP.	09 LST	15 LST	21 LST	03 LST	09 LST	15 LST	21 LST	03 LST	09 LST	15 LST	21 LST	03 LST	09 LST
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	09 LST	15 LST	21 LST	03 LST	09 LST	15 LST	21 LST	03 LST	09 LST	15 LST	21 LST	03 LST	09 LST
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	09 LST	15 LST	21 LST	03 LST	09 LST	15 LST	21 LST	03 LST	09 LST	15 LST	21 LST	03 LST	09 LST
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	09 LST	15 LST	21 LST	03 LST	09 LST	15 LST	21 LST	03 LST	09 LST	15 LST	21 LST	03 LST	09 LST
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	09 LST	15 LST	21 LST	03 LST	09 LST	15 LST	21 LST	03 LST	09 LST	15 LST	21 LST	03 LST	09 LST
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	09 LST	15 LST	21 LST	03 LST	09 LST	15 LST	21 LST	03 LST	09 LST	15 LST	21 LST	03 LST	09 LST

AMAHAI, INDONESIA

STA NO. 49620/ (IN AREA NUMBER 08)

LATITUDE 0319S

LONGITUDE 12855E

ELEVATION(FT) 00010

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR	NO.
														(YRS)	QBS
ABS MAX TMP (F)	96	96	95	93	90	87	86	87	88	91	94	96	96	18	-97724
MEAN MAX TMP (F)	88	88	88	86	84	82	81	81	83	85	88	88	85	18	-97724
MEAN MIN TMP (F)	76	76	76	76	75	74	74	74	74	74	75	76	75	18	-97724
ABS MIN TMP (F)	72	73	72	71	70	69	68	67	66	66	70	68	66	18	-97724
MEAN NO DYS TMP = DR GTR 90(F)	11.6	10.4	11.6	5.6	1.4	0.0	0.0	0.0	0.0	3.4	11.2	11.6	66.8	18	-29
MEAN NO DYS TMP = DR LES 92(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18	-29
MEAN DEW PT TMP (F)	74	73	74	75	74	72	72	71	72	72	74	74	73	17	-29
MEAN REL HUM (PCT)	78	77	79	82	83	84	83	82	81	80	79	78	81	15	-97724
MEAN PRESS ALT (FT)	137	129	126	137	137	118	115	118	118	121	141	148	129	0	-50
MEAN PRECIP (IN)	5.00	4.70	5.30	11.00	20.30	25.10	23.70	19.80	9.50	6.10	4.50	5.20	136.2	50	-97724
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	6.8	6.6	5.6	6.4		23.0	22.5	18.6	12.4	9.4	7.8	7.0		50	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	2.3	1.5	2.6	1.5	1.6	1.0	0.3	0.5	1.4	1.5	3.0	3.9	21.1	10	-97724
P FREQ WND SPD = DR GTR 17 KTS	2.7	3.6	3.6	1.3	1.4	3.1	3.0	3.8	4.2	2.7	2.2	2.2	2.8	8	-97724
P FREQ WND SPD = DR GTR 28 KTS	0.1	0.3	0.3	0.1	0.2	0.2	0.0	0.4	0.1	0.0	0.1	0.3	0.2	8	-97724
P FREQ LES 3000 FT A/D LES 3 MI	17.1	14.8	13.5	14.7	32.2	44.8	54.2	52.7	37.2	18.8	12.8	15.5	27.4	8	-97724
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	6.5	0.9	2.6	3.4	16.1	15.0	21.8	18.6	10.2	2.4	11.7	9.7	9.9	2	-97724
09-11 LST	2.7	2.3	2.3	2.9	10.4	14.4	19.4	20.6	13.7	4.1	2.3	2.6	8.1	8	-97724
12-14 LST	4.4	3.3	4.6	5.6	10.3	14.0	21.6	18.4	9.4	4.4	2.5	5.2	8.6	8	-97724
15-17 LST	4.2	4.2	4.2	3.9	11.0	14.2	21.5	19.4	8.9	3.1	3.0	4.6	8.5	8	-97724
18-20 LST	8.4	5.7	4.0	5.8	13.0	17.1	20.1	17.5	10.1	4.4	3.5	5.3	9.6	8	-97724
21-23 LST	6.7	7.1	5.4	3.9	8.2	12.8	18.1	16.8	9.1	2.5	2.7	5.6	8.2	8	-97724
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	0.0	0.0	0.0	1.8	0.0	1.6	0.0	0.0	0.0	0.0	0.0	0.3	2	-97724
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.4	1.1	0.3	0.0	0.0	0.0	0.0	0.2	8	-97724
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.3	0.0	0.0	0.0	0.0	0.1	8	-97724
15-17 LST	0.0	0.4	0.0	0.4	0.0	0.4	0.4	0.3	0.0	0.0	0.0	0.3	0.2	8	-97724
18-20 LST	0.0	0.0	0.3	0.0	0.0	0.4	0.4	0.3	0.0	0.0	0.0	0.0	0.1	8	-97724
21-23 LST	0.3	0.4	0.0	0.0	0.0	0.8	0.7	0.3	0.0	0.0	0.0	0.3	0.2	8	-97724

AMAHAI, INDONESIA

MEAN NUMBER OF DAYS /

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	ND. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	09 LST	30.7	27.9	30.9	29.8	30.7	29.5	30.0	29.3	28.9	30.8	29.7	31.0	359.2	10	-97724
	15 LST	31.0	27.8	31.0	29.8	30.7	29.8	29.8	29.9	29.6	31.0	30.0	30.8	361.2	10	-97724
	21 LST	30.5	27.8	30.6	29.8	30.9	29.5	30.1	29.5	29.6	31.0	29.8	30.8	359.9	10	-97724
	03 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	09 LST	28.6	26.1	29.5	29.6	30.8	26.9	27.8	26.0	26.0	29.7	28.9	29.6	339.2	10	-97724
	15 LST	25.1	23.2	24.3	23.8	25.1	21.0	21.2	22.1	21.7	24.6	24.9	25.8	282.8	10	-97724
	21 LST	28.9	27.1	29.9	29.0	30.7	26.6	27.4	27.9	28.0	29.7	28.3	30.0	343.5	10	-97724
	03 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	09 LST	0.1	0.7	0.6	0.0	0.0	0.4	0.2	0.9	0.8	0.2	0.0	0.4	4.1	10	-97724
	15 LST	2.0	1.9	2.4	0.9	0.8	1.6	1.3	1.7	1.9	2.4	1.5	0.9	19.3	10	-97724
	21 LST	0.2	0.0	0.0	0.0	0.0	0.4	0.3	0.3	0.4	0.3	0.4	0.1	2.4	10	-97724
	03 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	09 LST	14.6	9.7	10.9	9.1	9.6	11.8	12.9	12.0	11.6	12.5	13.3	13.7	141.7	10	-97724
	15 LST	14.5	14.1	14.6	16.7	17.5	13.9	15.1	17.2	18.4	21.4	18.5	14.3	196.2	10	-97724
	21 LST	13.1	10.5	12.8	11.3	13.0	10.9	11.7	13.4	11.6	13.6	12.4	12.5	146.8	10	-97724
	03 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	09 LST	2.5	2.8	5.2	5.4	2.6	2.6	1.3	1.3	1.2	5.5	6.7	3.7	40.8	10	-97724
	15 LST	0.9	1.0	2.1	2.9	1.8	2.5	1.1	1.2	2.4	5.0	3.7	1.1	26.9	10	-97724
	21 LST	3.1	2.7	4.3	4.6	3.2	4.0	2.7	1.5	4.0	7.5	9.2	5.6	52.4	10	-97724
	03 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	09 LST	29.2	26.6	29.3	28.0	24.0	19.6	17.8	17.6	20.5	27.6	28.3	29.1	297.6	8	-97724
	15 LST	27.1	25.2	27.3	27.0	22.8	19.5	15.9	16.7	22.8	27.5	27.3	27.3	286.4	8	-97724
	21 LST	25.5	22.8	27.2	26.9	24.1	20.6	18.1	18.6	22.1	27.5	27.8	26.8	288.0	8	-97724
	03 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	09 LST	28.9	26.4	29.0	27.5	22.8	17.3	14.8	15.1	18.1	26.5	28.0	28.8	283.2	8	-97724
	15 LST	25.6	24.6	26.3	26.1	21.0	17.3	12.9	14.5	20.5	26.0	26.5	26.1	267.4	8	-97724
	21 LST	23.6	22.3	26.3	25.6	22.0	18.1	15.0	15.3	18.7	25.3	26.9	25.8	264.9	8	-97724
	03 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	09 LST	28.9	26.4	29.0	27.5	22.8	17.3	14.8	15.1	18.1	26.5	28.0	28.8	283.2	8	-97724
	15 LST	25.6	24.6	26.3	26.1	21.0	17.3	12.9	14.5	20.5	26.0	26.5	26.1	267.4	8	-97724
	21 LST	23.6	22.3	26.3	25.6	22.0	18.1	15.0	15.3	18.7	25.3	26.9	25.8	264.9	8	-97724
	03 LST														0	0

MENADO/MAPANGET, INDONESIA

STA NO. 97014 (IN AREA NUMBER 08)

LATITUDE 0132N

LONGITUDE 12455E

ELEVATION(FT) 00264

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	91	92	92	92	92	93	93	95	96	97	94	92	97	21	-38
MEAN MAX TMP (F)	85	85	85	86	87	87	87	89	89	89	87	86	87	21	-38
MEAN MIN TMP (F)	73	73	73	73	74	73	73	73	73	72	73	74	73	21	-38
ABS MIN TMP (F)	67	67	68	65	69	68	65	66	66	65	66	68	65	21	-38
MEAN NO DYS TMP = DR GTR 90(F)	3.4	3.0	3.4	5.6	8.6	8.3	8.6	14.8	14.3	14.8	8.3	5.8	98.9	21	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21	-29
MEAN DEW PT TMP (F)	73	73	73	74	74	73	71	72	73	73	74	74	73	0	-50
MEAN REL HUM (PCT)	84	83	83	83	81	80	75	72	75	77	82	83	80	19	-28
MEAN S LESS ALT (FT)	324	314	354	384	384	384	394	384	374	354	354	354	363	0	-50
MEAN PRECIP (IN)	18.62	13.82	12.17	8.03	6.42	6.50	4.80	4.02	3.35	4.92	8.86	14.69	106.2	63	-45
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN				5.2	5.4	11.1	9.4	8.5	6.5	8.2	11.9			63	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	1.0	1.0	1.5	4.5	7.0	5.5	1.5	3.3	2.3	4.4	3.4	2.0	37.4	4	1516
P FREQ WND SPD = DR GTR 17 KTS	0.2	1.6	0.6	0.6	0.0	0.6	0.7	1.3	1.1	0.2	0.2	0.2	0.6	10	4975
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	4975
P FREQ LES 5000 FT A/D LES 5 MI	37.4	38.0	29.1	24.2	23.6	18.6	12.3	10.3	11.0	15.0	23.0	28.3	22.6	6	10575
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	17.3	17.1	7.6	4.8	1.8	0.9	1.1	0.5	0.0	0.2	3.1	11.8	3.5	6	2515
09-11 LST	14.5	16.6	6.7	5.8	4.9	0.7	2.8	0.5	1.4	1.6	3.7	1.5	3.2	6	2515
12-14 LST	16.1	19.0	19.3	15.9	17.3	11.9	8.9	7.4	9.8	8.4	20.2	19.7	14.5	6	2515
15-17 LST	19.4	13.3	19.0	10.0	12.9	6.3	3.4	4.9	3.8	4.2	6.4	12.0	9.6	4	1516
18-20 LST	14.5	11.1	12.9	3.8	4.0	3.3	0.4	1.6	0.4	1.2	0.6	6.8	3.1	4	1514
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	1.1	1.0	0.5	2.4	0.5	0.0	0.0	0.0	0.0	0.0	0.5	11.8	1.5	6	2515
09-11 LST	2.2	2.0	0.0	0.5	0.5	0.0	0.0	0.0	0.0	0.5	0.5	0.5	0.6	6	2515
12-14 LST	2.7	2.0	2.3	1.0	1.8	2.4	0.5	0.9	0.5	0.5	1.4	1.9	1.5	6	2515
15-17 LST	4.8	0.0	2.4	0.0	0.0	0.0	0.0	0.8	0.0	0.0	0.7	1.3	0.8	4	1516
18-20 LST	2.4	1.8	1.6	0.8	0.0	0.8	0.0	0.8	0.0	0.0	0.0	1.3	0.8	4	1514
21-23 LST														0	0

MENADO/MAPANGET, INDONESIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST	26.8	24.6	29.1	29.0	30.9	29.9	30.7	30.9	30.0	31.0	29.4	28.1	350.4	7	2515
	14 LST	27.3	25.3	28.4	27.3	28.0	28.0	28.7	29.9	28.4	30.0	26.6	26.8	334.7	7	2515
	20 LST	27.5	25.5	28.0	29.0	30.3	29.8	31.0	30.8	30.0	31.0	30.0	29.4	352.3	4	1514
	02 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	08 LST	26.8	24.6	29.1	29.0	30.9	29.7	29.1	29.0	29.7	31.0	29.4	28.1	346.4	7	2515
	14 LST	26.8	24.0	28.0	27.0	27.6	27.4	26.4	25.7	27.6	29.7	26.3	26.3	322.8	7	2515
	20 LST	27.5	25.5	28.0	29.0	30.3	29.8	29.7	29.8	29.8	31.0	30.0	29.4	349.8	4	1514
	02 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	08 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.2	7	2515
	14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.3	0.0	0.0	0.0	0.7	7	2515
	20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	1514
	02 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	08 LST	0.8	2.1	1.0	1.7	3.4	5.3	8.4	12.5	6.4	2.9	1.3	0.4	46.2	7	2515
	14 LST	13.8	13.7	16.9	13.3	9.6	10.9	12.9	10.6	6.1	8.0	9.1	12.1	107.0	7	2515
	20 LST	0.5	1.0	0.8	0.8	1.0	2.8	9.8	9.0	5.8	1.0	0.2	0.6	33.3	4	1513
	02 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST	3.7	2.8	5.6	11.4	11.0	12.3	11.6	12.3	14.0	16.9	12.4	8.0	122.0	7	2515
	14 LST	1.0	1.4	1.3	1.6	0.6	2.7	3.3	4.4	4.0	3.5	1.3	0.7	25.8	7	2515
	20 LST	7.8	4.2	5.5	14.9	9.3	12.8	12.1	12.8	16.8	15.6	14.4	12.2	138.4	4	1514
	02 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	08 LST	24.1	21.3	27.7	27.7	29.8	29.3	30.5	30.7	30.0	30.7	28.6	26.1	336.5	6	2515
	14 LST	21.5	18.0	22.0	20.8	21.1	22.1	25.9	26.6	24.6	24.0	19.2	20.8	266.6	6	2515
	20 LST	24.4	23.1	25.2	28.5	28.5	28.1	30.1	30.1	29.8	30.1	29.5	27.8	335.2	4	1514
	02 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	08 LST	23.9	21.1	27.2	27.3	29.6	28.7	30.1	30.3	30.0	30.6	28.3	25.6	332.7	6	2515
	14 LST	18.0	15.8	18.8	17.6	18.3	19.3	24.9	24.6	22.9	20.6	16.9	18.5	236.2	6	2515
	20 LST	23.3	22.3	24.5	28.0	27.7	28.0	28.9	30.0	29.3	30.0	29.2	27.2	328.4	4	1514
	02 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST	23.9	21.1	27.2	27.3	29.6	28.7	30.1	30.3	30.0	30.6	28.3	25.6	332.7	6	2515
	14 LST	18.0	15.8	18.8	17.6	18.3	19.3	24.9	24.6	22.9	20.6	16.9	18.5	236.2	6	2515
	20 LST	23.3	22.3	24.5	28.0	27.7	28.0	28.9	30.0	29.3	30.0	29.2	27.2	328.4	4	1514
	02 LST														0	0

KENDARI/WOLTER MONGINSIDI, INDONESIA

STA NO. 97146 (IN AREA NUMBER 08) LATITUDE 0404S LONGITUDE 12225E ELEVATION(FT) 00164

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)														0	0
MEAN MAX TMP (F)														0	0
MEAN MIN TMP (F)														0	0
ABS MIN TMP (F)														0	0
MEAN NO DYS TMP = DR GTR 90(F)														0	0
MEAN VJ DYS TMP = DR LES 32(F)														0	0
MEAN NO DYS TMP = DR LES 0(F)														0	0
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)	80	81	82	83	85	84	86	80	76	73	76	82	81	9	3077
MEAN PRESS ALT (FT)	280	253	267	269	253	239	239	225	212	253	253	294	253	0	-50
MEAN PRECIP (IN)	7.17	6.69	7.80	7.13	8.15	7.64	4.72	2.44	1.14	0.67	2.72	6.73	63.0	33	-45
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = DR GTR 0.1 IN		7.5	5.2	5.3	5.2	12.2	9.3	6.7	3.7	3.2	5.7	7.5		33	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	7.8	6.8	8.9	6.8	3.8	1.0	0.8	0.7	1.3	5.0	12.9	12.6	66.4	6	2063
P FREQ WND SPD = DR GTR 17 KTS	2.2	0.5	1.1	0.0	0.8	1.2	2.1	1.8	0.9	1.8	2.2	0.6	1.3	10	3421
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	3421
P FREQ LES 5000 FT A/D LES 5 MI	36.2	35.9	35.5	39.3	37.1	38.9	36.1	28.2	28.0	25.0	31.4	31.7	33.6	5	8483
P FREQ LES 1500 FT A/J LES 3 MI															
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	11.1	10.9	9.0	8.5	13.5	17.7	14.8	8.7	3.9	1.6	5.0	6.0	9.2	5	2146
09-11 LST	4.8	5.3	7.2	7.3	10.0	10.7	7.1	4.4	1.9	1.3	4.2	2.5	5.6	5	2071
12-14 LST	12.0	12.4	12.1	17.6	17.2	11.5	10.4	6.1	5.6	8.6	14.3	14.6	11.9	5	2122
15-17 LST														0	0
18-20 LST	20.3	15.1	5.7	6.0	7.6	5.9	4.5	0.5	2.5	4.8	5.1	10.5	7.4	5	2144
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	0.0	0.5	0.6	0.0	2.2	2.6	2.2	1.1	0.0	0.6	0.0	0.8	5	2146
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	2071
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	2122
15-17 LST														0	0
18-20 LST	1.1	0.6	0.0	0.0	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	5	2144
21-23 LST														0	0

KENDARI/WOLTER MONGINSIDI, INDONESIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST	28.8	26.4	29.5	28.7	29.0	26.6	28.0	28.8	29.2	30.7	28.8	29.8	344.3	6	2146
	14 LST	30.6	27.7	30.7	29.3	29.8	28.7	30.2	30.8	29.5	30.8	29.3	30.8	358.2	6	2122
	20 LST	27.6	26.5	30.2	29.5	29.7	28.8	30.0	31.0	29.7	30.2	29.8	30.0	353.0	6	2144
	02 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	08 LST	28.5	26.2	29.3	28.7	29.0	26.6	28.0	28.6	28.7	30.5	28.8	29.8	342.7	6	2146
	14 LST	27.9	25.3	28.6	28.8	29.3	28.7	30.0	30.3	28.5	28.7	27.1	30.0	343.2	6	2122
	20 LST	27.3	26.3	29.7	29.3	29.7	28.8	30.0	31.0	29.7	30.2	29.8	30.0	351.8	6	2144
	02 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	08 LST	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.4	6	2146
	14 LST	0.2	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	6	2122
	20 LST	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	6	2144
	02 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	08 LST	8.4	7.6	7.8	11.1	14.5	12.8	16.0	16.4	13.5	17.8	14.5	14.5	154.9	6	2146
	14 LST	11.5	9.7	11.0	9.0	10.7	13.5	12.6	15.8	11.7	5.5	7.9	9.2	128.1	6	2122
	20 LST	4.7	2.7	4.5	2.5	2.7	2.4	2.0	2.0	4.3	4.7	5.5	6.5	44.5	6	2144
	02 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST	0.7	2.0	2.2	3.2	2.3	3.5	3.4	9.7	9.8	13.8	8.1	4.7	63.4	6	2146
	14 LST	0.5	0.0	0.0	0.0	0.0	0.3	0.0	0.3	0.8	2.0	1.0	0.0	4.9	6	2121
	20 LST	0.8	1.0	1.7	1.9	3.0	4.4	5.8	12.3	15.0	16.5	6.0	2.4	70.8	6	2144
	02 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	08 LST	25.3	23.0	26.7	25.9	24.4	21.5	23.7	27.4	27.8	30.1	28.1	28.3	312.2	5	2146
	14 LST	20.0	17.1	19.3	16.3	18.0	21.7	20.4	21.1	21.2	22.0	18.6	18.6	234.3	5	2122
	20 LST	20.5	20.1	26.3	25.7	26.3	25.7	27.4	29.4	28.1	28.5	26.8	24.6	309.4	5	2144
	02 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	08 LST	24.3	22.6	26.1	25.1	24.1	19.9	22.4	27.1	26.7	29.7	27.8	28.1	303.9	5	2146
	14 LST	16.0	12.9	14.7	12.2	14.7	18.9	15.4	14.7	15.4	17.7	15.2	15.0	182.8	5	2122
	20 LST	18.8	19.0	24.1	23.7	24.5	22.6	25.4	28.1	27.2	28.2	25.8	23.5	290.9	5	2144
	02 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST	24.3	22.6	26.1	25.1	24.1	19.9	22.4	27.1	26.7	29.7	27.8	28.1	303.9	5	2146
	14 LST	16.0	12.9	14.7	12.2	14.7	18.9	15.4	14.7	15.4	17.7	15.2	15.0	182.8	5	2122
	20 LST	18.8	19.0	24.1	23.7	24.5	22.6	25.4	28.1	27.2	28.2	25.8	23.5	290.9	5	2144
	02 LST														0	0

MAKASSAR/HASANUDDIN, INDONESIA

STA NO. 97180 (IN AREA NUMBER 08) LATITUDE 0503S LONGITUDE 11933E ELEVATION(FT) 00046

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	88	89	89	91	91	91	92	94	95	92	91	89	95	10	-28
MEAN MAX TMP (F)	84	84	85	86	87	86	86	87	87	87	86	84	86	10	-28
MEAN MIN TMP (F)	74	75	74	74	74	72	70	69	70	72	74	74	73	10	-28
ABS MIN TMP (F)	70	70	70	69	63	63	63	62	58	65	66	69	58	10	-28
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	5.6	8.6	5.6	5.8	8.6	8.3	8.6	5.6	0.0	56.7	10	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN DEW PT TMP (F)	73	74	74	73	73	70	67	65	64	68	71	73	70	10	-29
MEAN REL HUM (PCT)	84	85	84	80	79	76	72	67	64	70	77	84	77	10	8706
MEAN PRESS ALT (FT)	149	162	176	149	195	121	94	80	80	121	195	170	131	0	-90
MEAN PRECIP (IN)	28.31	20.91	16.73	6.54	3.62	2.68	1.34	0.39	0.51	1.58	6.85	23.23	112.7	63	-45
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN				5.4	5.3	7.0	5.4	4.2	3.0	4.3	10.1			63	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS W/O CUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	8.3	6.5	6.9	6.7	6.8	0.0	1.5	0.8	2.0	5.3	13.4	8.9	67.1	5	846
P FREQ WND SPD = OR GTR 17 KTS	0.7	0.5	0.4	0.5	0.2	0.5	0.8	1.4	2.4	1.6	1.0	0.5	0.9	11	8810
P FREQ WND SPD = OR GTR 28 KTS	0.2	0.2	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	11	8810
P FREQ LES 5000 FT A/O LES 5 MI	23.1	27.9	24.4	14.7	10.5	9.9	5.0	3.1	3.4	6.1	9.5	23.5	13.6	13	4645
P FREQ LES 1500 FT A/O LES 3 MI															
FDR 00-02 LST	5.1	22.9	7.3	10.0	5.4	9.7	1.5	2.9	0.0	3.2	1.6	12.7	6.9	4	613
03-05 LST														0	0
06-08 LST	17.8	13.7	8.2	3.8	2.5	2.6	1.4	0.9	0.5	0.0	3.8	13.2	5.7	13	2411
09-11 LST	20.6	12.8	19.6	4.5	4.8	2.2	0.0	0.0	4.8	0.0	7.8	10.3	7.3	4	471
12-14 LST	17.0	15.3	14.1	9.7	4.8	4.4	2.8	1.3	2.0	7.7	12.3	15.3	8.9	13	2464
15-17 LST	15.8	22.2	29.4	7.7	20.0	5.9	0.0	0.0	0.0	5.0	6.3	25.0	11.4	2	204
18-20 LST	12.4	15.8	13.0	8.0	7.7	4.2	1.1	2.0	1.4	1.9	4.0	14.3	7.2	13	2411
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI															
FDR 00-02 LST	0.0	0.0	0.0	3.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	4	613
03-05 LST														0	0
06-08 LST	2.5	1.1	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.5	13	2411
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	471
12-14 LST	0.0	0.6	1.0	0.0	1.1	0.0	0.0	0.0	0.0	0.4	1.6	0.0	0.4	13	2464
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	204
18-20 LST	2.2	1.0	0.0	1.1	1.5	0.7	0.0	1.0	0.5	0.0	0.0	0.0	0.7	13	2411
21-23 LST														0	0

MAKASSAR/HASANUDDIN, INDONESIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST	28.2	25.3	29.4	29.4	30.7	29.5	30.7	31.0	30.0	31.0	29.5	28.3	353.0	12	2411
	14 LST	28.3	26.3	29.0	29.4	30.3	29.7	30.9	31.0	29.9	29.7	27.7	28.6	390.8	12	2464
	20 LST	29.2	25.2	29.1	29.0	29.6	29.4	30.8	30.7	29.9	30.6	29.3	28.4	351.2	12	2411
	02 LST	31.0	24.1	31.0	27.8	29.4	29.0	31.0	30.6	30.0	31.0	29.5	29.0	353.4	3	613
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	08 LST	28.0	25.1	29.1	29.3	30.5	29.4	30.6	30.7	29.2	30.7	29.2	28.1	349.9	12	2386
	14 LST	27.6	25.4	28.1	28.5	29.8	28.0	27.9	26.1	22.6	23.0	24.0	27.2	318.2	12	2437
	20 LST	28.8	25.1	28.9	28.8	29.3	29.2	30.5	30.5	29.7	30.6	29.2	28.3	348.9	12	2398
	02 LST	31.0	24.1	30.2	26.9	29.4	29.0	31.0	30.1	30.0	30.5	29.5	29.0	350.7	3	609
SFC WND = GTR 17 KTS AND NO PRECIP.	08 LST	0.0	0.2	0.0	0.0	0.1	0.0	0.1	0.0	0.2	0.0	0.0	0.1	0.7	12	2453
	14 LST	0.3	0.2	0.0	0.0	0.0	0.5	0.6	1.4	2.3	2.0	1.1	0.3	8.7	12	2515
	20 LST	0.2	0.0	0.3	0.2	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.9	12	2435
	02 LST	0.0	0.0	0.0	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	3	614
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	08 LST	4.3	4.9	6.0	5.3	5.0	5.7	5.8	8.2	7.3	5.3	6.7	5.1	69.6	12	2393
	14 LST	17.5	16.3	18.1	16.9	15.8	14.2	14.4	11.1	6.0	6.9	9.1	14.9	161.2	12	2475
	20 LST	5.3	2.1	4.9	4.0	6.1	4.0	7.2	9.0	8.9	6.5	5.5	4.1	67.6	12	2401
	02 LST	5.2	4.7	7.4	3.8	3.2	1.9	4.2	4.1	4.5	1.5	3.9	3.9	48.3	3	612
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST	3.7	1.4	3.5	8.1	7.6	11.3	14.4	16.7	15.2	14.3	8.0	3.8	108.0	12	2464
	14 LST	0.7	0.5	0.6	2.1	5.9	6.8	7.4	10.5	13.0	8.7	2.8	0.7	59.7	12	2523
	20 LST	2.1	2.2	2.7	5.8	8.8	15.4	15.6	19.6	21.1	17.9	8.8	2.5	122.5	12	2490
	02 LST	12.6	0.0	5.3	5.3	7.9	12.6	17.4	17.5	20.6	21.7	16.2	3.4	140.5	3	616
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	08 LST	23.2	22.6	27.2	28.4	29.5	28.6	30.2	30.6	29.8	30.9	28.3	25.5	334.8	11	2411
	14 LST	22.9	20.9	23.7	24.8	28.3	27.5	29.0	29.6	28.3	27.2	24.5	23.0	309.7	11	2464
	20 LST	24.3	21.1	24.5	26.2	27.2	27.7	30.6	30.2	29.5	30.1	28.2	24.5	324.1	10	2411
	02 LST	29.5	19.0	26.4	26.3	28.1	27.6	30.5	29.2	30.0	30.5	29.3	24.6	331.0	2	613
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	08 LST	22.3	22.1	26.7	27.7	28.5	28.1	29.9	30.3	29.2	30.8	28.2	25.4	329.2	11	2411
	14 LST	22.1	20.4	22.6	24.5	27.8	27.0	28.4	28.8	27.3	26.6	23.5	21.4	300.4	11	2464
	20 LST	23.3	20.2	23.5	25.7	26.5	26.4	30.3	30.1	28.9	30.1	28.1	24.0	317.1	10	2411
	02 LST	29.4	18.7	24.8	26.3	27.7	27.1	30.5	28.8	30.0	30.5	29.0	24.6	327.4	2	613
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST	22.3	21.9	26.7	27.7	28.5	28.1	29.9	30.3	29.2	30.7	28.2	25.4	328.9	11	2411
	14 LST	22.1	20.0	22.6	24.5	27.8	27.0	28.4	28.7	27.3	26.6	23.5	21.4	299.9	11	2464
	20 LST	23.3	20.2	23.5	25.7	26.5	26.4	30.3	30.1	28.9	30.1	28.1	24.0	317.1	10	2411
	02 LST	29.4	18.7	24.8	26.3	27.7	27.1	30.5	28.8	30.0	30.5	29.0	24.6	327.4	2	613

BALI/INTERNATIONAL, INDONESIA

STA NO. 97230 (IN AREA NUMBER 08)

LATITUDE 0844S

LONGITUDE 11510E

ELEVATION(FT) 00016

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PUR (YRS)	NO. OBS
ABS MAX TMP (F)	93	91	91	95	91	91	88	88	91	93	97	93	97	2	479
MEAN MAX TMP (F)	90	89	90	91	90	88	87	86	88	89	91	90	89	2	479
MEAN MIN TMP (F)	73	73	73	72	72	70	68	71	71	71	72	71	71	2	479
ABS MIN TMP (F)	68	70	70	58	66	64	63	66	64	64	68	66	63	2	479
MEAN NO DYS TMP = DR GTR 90(F)	17.9	13.3	17.9	20.3	17.9	11.2	0.0	0.0	11.2	14.8	20.3	17.9	162.7	2	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	-29
MEAN DFH PT TMP (F)	72	73	73	72	72	69	68	68	69	69	71	71	71	6	-29
MEAN REL HUM (PCT)	76	78	77	75	76	75	74	72	72	72	73	76	75	13	6377
MEAN PRESS ALT (F)	150	150	200	150	150	150	100	100	100	150	150	200	146	0	-50
MEAN PRECIP (IN)	15.86	8.44	8.10	5.03	1.64	2.02	3.84	1.45	0.43	4.84	7.92	14.70	74.3	5	1020
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN			5.2	5.6	3.4	6.2	8.3	5.5	2.9	8.1	11.1			5	-79
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	2.0	2.0	1.0	0.3	1.0	3.0	0.3	0.0	0.0	0.3	0.3	4.0	14.2	3	-24
P FREQ WND SPD = DR GTR 17 KTS	8.1	5.5	2.9	0.6	2.6	3.5	5.1	1.5	1.6	2.5	2.2	1.2	3.1	11	6479
P FREQ WND SPD = DR GTR 28 KTS	1.5	0.0	0.2	0.0	0.2	0.2	0.2	0.3	0.0	0.2	0.2	0.2	0.3	11	6479
P FREQ LES 5000 FT A/Q LES 5 MI	16.7	19.0	15.3	7.7	10.9	15.5	13.4	15.6	14.5	16.0	14.7	16.9	14.7	11	2529
P FREQ LES 1500 FT A/Q LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	11.7	10.2	8.3	4.5	4.1	5.9	8.8	8.7	6.7	10.0	5.9	6.1	7.6	13	1995
09-11 LST	0.0	11.8	16.7	4.8	0.0	6.3	7.7	6.7	11.8	10.3	10.3	7.7	7.8	3	263
12-14 LST	5.1	7.4	4.8	2.4	1.1	1.2	3.0	2.4	2.1	4.1	4.9	2.7	3.4	13	2270
15-17 LST	13.3	16.7	16.7	0.0	0.0	0.0	0.0	0.0	7.7	4.5	0.0	9.5	5.7	2	146
18-20 LST	7.6	11.0	4.6	3.0	2.3	2.3	2.7	2.4	0.9	0.7	3.3	10.0	4.3	11	1292
21-23 LST														0	0
P FREQ LES 300 FT A/Q LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.8	1.4	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.0	0.0	0.3	13	1995
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	0.0	0.0	0.2	3	263
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	13	2270
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	146
18-20 LST	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	11	1292
21-23 LST														0	0

BALI/INTERNATIONAL, INDONESIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST	29.2	26.9	30.4	29.8	30.8	28.9	30.5	30.2	29.3	30.1	29.5	30.6	306.2	12	1995
	14 LST	30.8	27.5	30.7	30.0	31.0	30.0	30.8	30.7	29.8	31.0	29.6	31.0	302.9	12	2270
	20 LST	31.0	27.1	30.7	29.7	31.0	29.7	30.7	31.0	30.0	30.8	29.5	29.2	360.4	10	1292
	02 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	08 LST	26.5	24.5	28.0	29.0	28.9	26.8	25.8	25.3	27.1	29.4	28.9	28.7	328.9	12	1971
	14 LST	20.9	20.0	25.9	23.0	20.7	16.1	15.3	10.0	12.9	18.3	20.8	24.8	228.7	12	2242
	20 LST	25.4	24.6	28.4	29.1	27.0	25.0	28.0	26.5	27.9	28.8	28.3	26.6	325.6	10	1284
	02 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	08 LST	0.7	0.4	0.2	0.0	0.3	0.3	1.2	0.3	0.2	0.3	0.3	0.0	4.2	12	2052
	14 LST	3.3	1.0	1.0	0.2	0.9	1.6	2.8	0.7	0.8	1.3	1.4	0.6	15.6	12	2305
	20 LST	1.1	1.8	0.9	0.5	1.3	1.1	0.7	0.0	0.4	0.5	0.0	0.6	8.9	10	1645
	02 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	08 LST	6.8	6.8	8.7	3.4	8.0	8.0	9.9	11.7	14.9	12.2	8.7	6.6	105.7	12	2016
	14 LST	12.3	11.7	16.5	10.4	12.8	12.5	12.6	9.5	11.2	12.8	8.9	12.4	143.6	12	2253
	20 LST	11.8	8.0	10.6	14.4	17.0	19.5	21.9	22.9	23.4	16.8	18.4	10.6	195.3	10	1619
	02 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST	6.4	2.7	2.8	9.8	8.2	8.7	7.9	7.2	9.2	7.5	5.1	3.7	79.2	12	2065
	14 LST	5.0	3.1	4.6	10.4	12.4	12.1	12.8	14.1	15.8	9.5	6.1	2.2	108.1	12	2312
	20 LST	4.7	1.7	7.9	11.8	13.7	13.5	17.0	17.3	15.9	12.6	6.4	3.4	125.9	10	1651
	02 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	08 LST	24.8	23.6	28.2	27.3	27.8	25.9	25.4	25.6	25.2	25.6	26.1	27.1	312.6	11	1995
	14 LST	27.8	23.8	28.3	28.5	30.0	28.9	28.8	29.0	28.5	27.0	26.5	28.7	335.8	11	2270
	20 LST	26.5	23.1	28.2	27.9	29.2	28.6	28.9	28.9	29.1	30.1	27.9	26.2	334.6	9	1292
	02 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	08 LST	23.5	23.2	27.4	26.6	26.5	23.6	23.9	24.7	23.8	24.6	25.2	26.3	299.3	11	1995
	14 LST	27.3	23.2	28.0	28.2	29.5	28.1	28.0	28.0	27.9	25.6	24.9	28.0	326.7	11	2270
	20 LST	26.3	22.5	27.3	27.0	28.6	27.2	27.7	28.0	28.2	29.2	27.3	25.6	324.9	9	1292
	02 LST	23.5	23.0	27.4	26.6	26.5	23.6	23.9	24.7	23.8	24.6	25.1	26.3	299.0	11	1995
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST	23.3	23.4	26.5	26.5	28.1	25.6	25.8	24.7	24.6	25.8	26.3	27.4	308.0	7	883
	14 LST	27.3	23.2	28.0	28.2	29.5	28.1	28.0	27.9	27.9	25.6	24.9	28.0	326.6	11	2270
	20 LST	26.3	22.5	27.3	27.0	28.6	27.2	27.7	28.0	28.2	29.2	27.3	25.6	324.9	9	1292
	02 LST														0	0

AMPENAN/REMBIGA, INDONESIA

STA NO. 97240 (IN AREA NUMBER 08)

LATITUDE 0833S

LONGITUDE 11605E

ELEVATION(FT) 00048

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)														0	0
MEAN MAX TMP (F)	88	88	88	88	88	87	87	87	89	90	90	88	88	0	-50
MEAN MIN TMP (F)														0	0
ABS MIN TMP (F)														0	0
MEAN NO DYS TMP = DR GTR 90(F)														0	0
MEAN NO DYS TMP = DR LES 32(F)														0	0
MEAN NO DYS TMP = DR LES 0(F)														0	0
MEAN DEW PT TMP (F)	74	74	75	74	73	71	69	63	59	69	72	73	71	0	-50
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)	150	150	200	150	150	150	100	100	100	150	150	200	146	0	-50
MEAN PRECIP (IN)														0	0
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = DR GTR 0.1 IN														0	0
MEAN NO DYS SNFL = DR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 3000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	4.0	10.7	17.6	2.1	22.0	7.1	6.1	9.1	17.4	5.7	0.0	10.0	9.3	4	379
09-11 LST	25.0	0.0	12.5	0.0	0.0	0.0	0.0	0.0	0.0					1	62
12-14 LST	12.1	22.9	10.7	14.7	14.7	7.1	5.4	12.0	21.2	26.5	8.0	12.9	14.0	4	391
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	0.0	0.0	0.0	2.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	4	379
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0					1	62
12-14 LST	3.0	2.9	3.6	0.0	2.9	0.0	2.7	0.0	12.1	8.8	0.0	0.0	3.0	4	391
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

AMPENAN/REMBIGA, INDONESIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG ≥ GTR 1000 FT AND VSBY ≥ GTR 3 MI	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
	02 LST													0	0
CIG ≥ GTR 2000 FT AND VSBY ≥ GTR 3 MI W/SFC WND LES 10 KTS	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
	02 LST													0	0
SFC WND ≥ GTR 17 KTS AND NO PRECIP.	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
	02 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
	02 LST													0	0
SKY COVER LES 3/10 AND VSBY ≥ GTR 3 MI	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
	02 LST													0	0
CIG ≥ GTR 2500 FT AND VSBY ≥ GTR 3 MI	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
	02 LST													0	0
CIG ≥ GTR 6000 FT AND VSBY ≥ GTR 3 MI	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
	02 LST													0	0
CIG ≥ GTR 10000 FT AND VSBY ≥ GTR 3 MI	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
	02 LST													0	0

DATA NOT AVAILABLE

SUMBAWA-BESAR, INDONESIA

STA NO. 97260 (IN AREA NUMBER 08)

LATITUDE 0829S

LONGITUDE 11725E

ELEVATION(PT) 00028

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)														0	0
MEAN MAX TMP (F)	88	88	88	88	88	87	87	87	89	90	90	88	88	0	-50
MEAN MIN TMP (F)														0	0
ABS MIN TMP (F)														0	0
MEAN NO DYS TMP = DR GTR 90(F)														0	0
MEAN NO DYS TMP = DR LES 32(F)														0	0
MEAN NO DYS TMP = DR LES 0(F)														0	0
MEAN DEW PT TMP (F)	74	74	75	74	73	71	69	63	59	69	72	73	71	0	-50
MEAN REL HUM (PCT)	84	81	85	75	72	68	66	61	61	66	72	76	72	2	2567
MEAN PRESS ALT (FT)	200	200	200	150	150	100	100	100	50	100	150	200	142	0	-50
MEAN PRECIP (IN)	7.32	19.82	9.63	2.42	3.71	2.46	0.00	0.00	0.10	1.88	7.05	3.31	57.7	3	148
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = DR GTR 0.1 IN			5.5	4.4	5.3	6.7	0.0	0.0	2.4	4.7	10.3	5.4		3	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN							0.0	0.0	0.0					0	-29
MEAN NO DYS W/OCCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	6.7	11.2	13.1	5.4	1.0	0.7	0.0	0.3	0.3	4.1	6.6	13.7	63.1	3	1200
P FREQ WND SPD = DR GTR 17 KTS	0.0	0.9	0.0	0.0	0.0	0.0	0.4	0.2	0.0	0.0	0.0	0.0	0.1	3	5385
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	5385
P FREQ LES 5000 FT A/D LES 5 MI	10.5	17.2	14.8	7.4	6.9	5.6	5.8	7.4	11.0	10.9	12.7	12.4	10.2	3	5385
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.5	2.2	0.8	1.2	0.8	0.0	0.0	0.0	0.0	0.0	1.2	0.5	0.6	3	1395
09-11 LST	1.1	3.5	1.2	1.2	0.8	1.2	0.0	0.0	0.0	0.0	0.4	2.1	1.0	3	1394
12-14 LST	6.5	9.3	5.4	2.5	2.0	1.2	0.4	0.8	0.8	0.4	1.0	5.4	3.0	3	1393
15-17 LST														0	0
18-20 LST	4.4	11.2	6.1	6.7	1.1	1.1	0.0	0.0	0.0	0.0	2.5	4.9	3.2	3	1203
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.1	3	1395
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.1	3	1394
12-14 LST	0.0	0.0	0.0	0.8	0.0	0.8	0.0	0.8	0.8	0.0	0.8	1.1	0.4	3	1393
15-17 LST														0	0
18-20 LST	1.1	1.2	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.4	3	1203
21-23 LST														0	0

SUMBAWA-BESAR, INDONESIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PGR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST	31.0	28.0	31.0	29.7	30.8	30.0	31.0	31.0	30.0	31.0	29.8	31.0	304.3	4	1395
	14 LST	30.7	27.8	30.2	29.7	30.8	29.8	31.0	30.8	29.8	31.0	29.8	30.7	302.1	4	1393
	20 LST	30.3	26.7	30.3	28.7	31.0	29.7	31.0	31.0	30.0	31.0	29.8	30.7	300.2	4	1203
	02 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	08 LST	31.0	26.8	31.0	29.7	30.8	30.0	31.0	31.0	29.3	31.0	29.8	31.0	302.4	4	1395
	14 LST	18.7	17.1	23.3	27.0	24.3	20.8	19.5	21.3	17.3	16.8	12.3	20.0	238.4	4	1393
	20 LST	30.0	26.0	30.0	28.7	31.0	29.7	30.0	30.5	29.5	29.8	28.8	30.3	354.3	4	1203
	02 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	08 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	1395
	14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	1393
	20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	1203
	02 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	08 LST	10.0	7.4	5.7	11.7	20.5	25.0	28.0	26.5	22.0	23.5	19.5	6.0	205.8	4	643
	14 LST	10.0	13.2	17.1	8.1	5.5	6.0	5.5	3.0	1.5	8.3	7.5	18.0	103.7	4	641
	20 LST	7.0	4.9	4.1	2.5	6.5	10.5	17.0	11.2	8.0	10.5	7.0	7.0	96.2	4	642
	02 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST	8.3	8.4	9.2	19.2	19.8	25.8	25.8	26.0	26.3	24.5	20.3	15.3	228.9	4	1395
	14 LST	4.3	2.5	3.1	10.1	12.5	13.8	12.5	17.5	18.5	13.0	12.8	7.0	127.6	4	1393
	20 LST	5.3	4.6	3.8	15.8	21.3	23.0	24.6	25.0	25.0	17.9	14.5	8.4	189.2	4	1201
	02 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	08 LST	30.5	26.5	30.5	29.2	30.8	30.0	30.8	30.9	30.0	30.8	29.5	30.5	300.0	3	1395
	14 LST	27.2	22.4	27.9	28.4	29.8	29.1	29.2	28.4	28.7	29.4	26.3	27.7	334.5	3	1323
	20 LST	28.1	22.4	27.7	27.1	29.8	29.0	30.5	29.6	29.0	29.7	27.6	27.7	338.2	3	1193
	02 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	08 LST	30.3	26.3	30.5	29.0	30.8	30.0	30.5	30.8	30.0	30.5	29.5	30.3	358.5	3	1395
	14 LST	27.0	21.8	27.4	28.0	29.5	28.3	27.7	28.2	27.8	27.9	25.0	27.3	325.9	3	1323
	20 LST	27.3	22.1	27.6	27.0	29.3	28.3	30.0	28.3	28.0	28.5	26.5	26.3	329.2	3	1193
	02 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST	30.3	26.3	30.5	29.0	30.8	30.0	30.5	30.8	30.0	30.5	29.5	30.3	358.5	3	1395
	14 LST	27.0	21.8	27.4	28.0	29.5	28.3	27.7	28.2	27.8	27.9	25.0	27.3	325.9	3	1323
	20 LST	27.3	22.1	27.6	27.0	29.3	28.3	30.0	28.3	28.0	28.5	26.5	26.3	329.2	3	1193
	02 LST														0	0

WANGAPU/MAU-HAU, INDONESIA

STA NO. 97340 (IN AREA NUMBER 08)

LATITUDE 0940S

LONGITUDE 12010E

ELEVATION(FT) 00039

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
ABS MAX TMP (F)														0	0
MEAN MAX TMP (F)	87	87	87	89	89	88	88	89	91	92	92	88	89	0	-50
MEAN MIN TMP (F)														0	0
ABS MIN TMP (F)														0	0
MEAN NO DYS TMP = DR GTR 90(F)														0	0
MEAN NO DYS TMP = DR LES 32(F)														0	0
MEAN NO DYS TMP = DR LES 0(F)														0	0
MEAN DEW PT TMP (F)	73	73	73	70	69	66	64	63	64	67	69	71	69	0	-50
MEAN REL HUM (PCT)	78	79	80	71	71	71	67	67	64	65	71	72	71	2	3718
MEAN PRESS ALT (FT)	200	200	200	150	150	100	100	100	90	100	150	200	142	0	-50
MEAN PRECIP (IN)	5.26	7.51	4.41	1.62	0.95	0.87	0.32	0.18	0.13	0.33	1.62	5.26	28.7	13	5421
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = DR GTR 0.1 IN	7.0		5.5	3.4	2.3	4.8	4.1	3.9	2.5	2.7	4.7	7.0		13	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN									0.0					0	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	8.6	8.1	7.0	2.9	1.9	0.1	0.1	0.2	0.1	1.9	9.7	13.6	94.2	7	2519
P FREQ WND SPD = DR GTR 17 KTS	1.1	0.1	0.0	0.5	1.8	3.8	6.5	9.4	1.7	1.7	0.6	0.6	2.0	6	12595
P FREQ WND SPD = DR GTR 28 KTS	0.1	0.0	0.0	0.0	0.0	0.1	0.2	0.2	0.0	0.0	0.0	0.0	0.1	6	12595
P FREQ LES 5000 FT A/D LES 5 MI	19.4	15.9	13.1	10.5	11.9	11.8	13.1	6.6	4.4	5.1	5.8	8.4	13.5	6	12596
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	1.1	1.2	1.8	0.9	1.4	1.6	1.8	0.5	0.7	1.4	1.9	0.7	1.3	6	2520
09-11 LST	6.0	6.6	5.1	6.3	5.4	7.6	7.6	4.0	1.4	0.4	0.9	0.7	4.3	6	2520
12-14 LST	10.6	7.7	5.4	1.9	2.0	2.1	3.7	1.1	0.2	0.4	0.9	4.8	3.4	6	2520
15-17 LST	6.7	8.7	4.2	2.2	1.6	0.7	0.2	1.3	1.2	1.6	2.6	5.1	3.0	6	2519
18-20 LST	10.1	13.9	14.0	9.2	10.8	7.9	11.1	0.0	2.4	0.4	1.7	3.0	7.0	6	2517
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	2520
09-11 LST	0.5	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	6	2520
12-14 LST	1.8	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.3	6	2520
15-17 LST	0.0	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	6	2519
18-20 LST	1.4	7.6	7.4	8.7	6.9	6.2	8.4	0.0	1.9	0.0	0.0	0.0	4.0	6	2517
21-23 LST														0	0

WANGAPU/MAU-HAU, INDONESIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG ≥ GTR 1000 FT AND VSBY ≥ GTR 3 MI	08 LST	30.9	27.9	30.7	29.9	30.9	30.0	31.0	31.0	30.0	31.0	30.0	31.0	304.3	7	2520
	14 LST	29.0	26.6	30.6	30.0	31.0	30.0	31.0	31.0	30.0	31.0	30.0	30.0	360.2	7	2520
	20 LST	28.0	24.3	26.9	27.4	27.9	27.7	27.7	31.0	29.4	31.0	29.9	30.7	341.9	7	2517
	02 LST														0	0
CIG ≥ GTR 2000 FT AND VSBY ≥ GTR 3 MI W/SFC WND LES 10 KTS	08 LST	30.7	27.9	30.7	29.9	30.9	29.9	30.7	30.8	29.9	30.9	30.0	31.0	363.3	7	2520
	14 LST	24.0	25.3	30.0	25.4	18.7	12.6	12.5	10.0	12.8	19.7	20.3	25.6	236.9	7	2520
	20 LST	28.0	24.3	26.9	27.4	27.7	27.7	27.5	31.0	29.4	30.9	29.9	30.7	341.4	7	2516
	02 LST														0	0
SFC WND ≥ GTR 17 KTS AND NO PRECIP.	08 LST	0.1	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.2	7	2520
	14 LST	1.1	0.1	0.0	0.7	1.6	2.9	5.8	5.7	2.2	1.6	0.6	1.0	23.3	7	2520
	20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	2516
	02 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	08 LST	8.5	15.8	9.5	14.0	16.0	17.0	14.5	20.0	15.5	10.0	5.7	5.8	152.3	7	744
	14 LST	14.5	14.3	14.5	8.3	9.5	14.0	13.5	7.0	11.0	13.5	12.7	12.0	144.8	7	744
	20 LST	9.0	10.2	13.0	2.1	1.5	0.0	3.5	2.0	5.5	10.0	10.0	8.6	75.4	7	743
	02 LST														0	0
SKY COVER LES 3/10 AND VSBY ≥ GTR 3 MI	08 LST	7.3	6.7	8.9	13.3	16.9	17.4	19.6	20.3	22.7	19.3	17.0	11.1	180.5	7	2520
	14 LST	3.4	4.4	7.0	10.0	10.9	14.6	17.2	22.5	25.6	22.9	14.6	9.6	162.7	7	2519
	20 LST	5.0	4.7	9.6	15.6	18.9	21.2	22.3	24.8	24.7	21.3	13.7	9.3	191.1	7	2517
	02 LST														0	0
CIG ≥ GTR 2500 FT AND VSBY ≥ GTR 3 MI	08 LST	30.0	27.4	29.7	29.1	30.1	28.4	29.2	30.3	29.2	30.0	28.7	30.5	352.6	6	2520
	14 LST	25.9	24.9	28.4	28.4	29.3	28.1	28.3	30.2	29.7	30.7	29.4	28.7	342.0	6	2520
	20 LST	26.6	23.5	25.9	26.9	26.8	27.5	26.8	30.4	28.8	29.9	28.7	28.7	330.6	6	2517
	02 LST														0	0
CIG ≥ GTR 6000 FT AND VSBY ≥ GTR 3 MI	08 LST	29.3	27.0	28.4	28.3	29.6	27.2	28.3	29.2	28.1	29.4	28.6	30.0	343.4	6	2520
	14 LST	25.0	24.7	28.0	27.8	28.6	27.4	27.4	29.8	29.6	30.7	29.4	28.4	336.8	6	2520
	20 LST	24.0	21.8	24.4	25.8	24.6	26.1	25.5	29.2	28.0	28.1	26.9	26.7	311.1	6	2517
	02 LST														0	0
CIG ≥ GTR 10000 FT AND VSBY ≥ GTR 3 MI	08 LST	29.3	27.0	28.4	28.3	29.6	27.2	28.3	29.2	28.1	29.4	28.6	30.0	343.4	6	2520
	14 LST	25.0	24.7	28.0	27.8	28.6	27.4	27.4	29.8	29.6	30.7	29.4	28.4	336.8	6	2520
	20 LST	24.0	21.8	24.4	25.8	24.6	26.1	25.5	29.2	28.0	28.1	26.9	26.7	311.1	6	2517
	02 LST														0	0

KUPANG/PENFUI, INDONESIA

STA NO. 97372 (IN AREA NUMBER 08)

LATITUDE 10105

LONGITUDE 12339E

ELEVATION(PT) 00335

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	95	94	96	97	96	94	95	98	99	101	101	98	101	21	-528
MEAN MAX TMP (F)	87	87	87	89	89	88	88	89	91	92	92	88	89	21	-28
MEAN MIN TMP (F)	75	75	74	72	72	71	70	70	71	72	74	73	73	21	-28
ABS MIN TMP (F)	70	68	69	63	62	60	58	60	62	64	67	68	58	21	-528
MEAN NO DYS TMP = DR GTR 90(F)	8.6	7.7	8.6	14.3	14.8	11.2	11.6	14.8	20.3	23.8	23.0	11.6	170.3	21	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21	-29
MEAN DEW PT TMP (F)	73	73	75	76	66	64	62	62	62	66	69	73	68	0	-50
MEAN REL HUM (PCT)	78	79	78	68	61	59	56	53	53	56	61	74	65	21	-28
MEAN PRESS ALT (FT)	500	500	500	450	450	400	400	400	400	400	450	500	446	0	-50
MEAN PRECIP (IN)	15.30	14.40	8.70	2.50	1.10	0.40	0.20	0.10	0.10	0.70	3.50	9.70	56.7	30	-28
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN			5.2	4.5	2.6	4.2	4.0	3.8	2.4	3.2	6.6			30	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	12.0	10.0	12.0	2.0	0.3	0.3	0.3	0.3	0.3	3.0	12.0	20.0	72.5	11	-38
P FREQ WND SPD = DR GTR 17 KTS	5.4	4.0	2.3	7.7	18.8	25.8	25.8	29.3	20.2	7.9	5.5	2.1	12.9	11	6264
P FREQ WND SPD = DR GTR 28 KTS	0.2	0.2	0.0	2.1	5.1	6.2	5.5	8.4	4.7	0.7	0.4	0.0	2.8	11	6264
P FREQ LES 5000 FT A/D LES 5 MI	24.5	23.7	19.4	6.7	6.0	5.3	8.0	2.2	1.3	9.4	10.2	24.6	11.9	13	2626
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	11.9	12.5	7.9	3.0	0.0	0.6	1.5	0.5	0.6	0.0	1.2	7.1	3.9	14	2020
09-11 LST														0	0
12-14 LST	14.3	16.0	10.7	6.0	2.4	1.9	1.5	0.5	0.6	4.6	5.1	12.9	6.4	14	2106
15-17 LST														0	0
18-20 LST	8.4	8.4	5.2	1.4	0.9	1.4	0.6	0.0	0.0	0.5	2.1	3.4	2.7	13	2020
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	0.7	0.0	0.6	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.2	14	2020
09-11 LST														0	0
12-14 LST	0.6	0.0	0.0	0.0	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	14	2106
15-17 LST														0	0
18-20 LST	0.0	0.0	0.0	0.7	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.1	13	2020
21-23 LST														0	0

KUPANG/PENFUI, INDONESIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	DCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST	29.3	26.0	30.4	29.5	31.0	29.8	30.7	30.8	29.8	31.0	29.8	29.5	357.6	13	2020
	14 LST	29.8	26.7	30.0	29.5	30.4	29.8	30.8	31.0	30.0	30.7	29.7	29.7	358.1	13	2106
	20 LST	30.1	26.6	30.8	29.8	31.0	29.8	30.8	31.0	30.0	30.9	29.8	31.0	361.6	12	2020
	02 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	08 LST	28.3	24.8	29.5	25.2	21.9	18.1	17.1	18.3	23.7	29.9	28.9	28.3	294.2	13	1976
	14 LST	20.4	15.5	20.2	16.9	13.5	10.6	8.7	8.4	8.1	14.2	16.2	22.4	175.1	13	2071
	20 LST	29.5	24.9	30.0	25.2	20.5	16.5	19.6	16.8	18.8	27.6	25.9	30.1	285.4	12	2007
	02 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	08 LST	0.5	0.0	0.2	0.7	3.7	5.4	3.9	5.2	1.5	0.4	0.5	0.0	22.0	13	2026
	14 LST	2.8	2.7	1.7	4.4	10.0	13.0	15.0	13.7	12.4	5.2	2.8	2.0	85.7	13	2112
	20 LST	0.6	0.3	0.3	1.6	3.2	4.7	4.6	8.0	4.5	1.0	1.4	0.0	30.2	12	2052
	02 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	08 LST	10.1	9.9	9.2	14.2	16.7	15.8	13.2	15.3	16.2	15.6	16.0	12.4	164.6	13	1983
	14 LST	15.1	10.9	15.7	11.3	8.5	8.7	6.9	6.5	6.7	8.2	7.8	12.9	119.2	13	2079
	20 LST	7.7	5.0	5.9	8.6	11.3	10.6	13.7	12.5	13.3	17.0	10.2	7.9	123.7	12	2016
	02 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST	5.1	2.3	5.8	14.1	13.9	18.2	19.2	21.5	25.2	15.0	10.2	4.5	155.0	13	2071
	14 LST	1.0	1.1	2.1	6.0	9.5	9.8	13.3	16.4	18.4	11.6	8.2	2.4	99.8	13	2125
	20 LST	4.5	3.3	9.4	13.6	19.3	18.6	21.6	22.1	26.3	21.9	14.0	5.4	180.2	12	2060
	02 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	08 LST	27.8	23.0	26.8	28.4	30.7	29.4	30.2	30.8	29.5	30.2	28.8	27.0	342.6	11	2020
	14 LST	22.4	19.7	24.4	26.0	29.0	27.7	29.2	29.9	28.9	27.0	25.7	22.9	312.8	11	2106
	20 LST	26.2	24.6	27.5	29.5	30.4	29.6	30.6	30.5	30.0	30.7	28.7	28.6	346.9	10	2020
	02 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	08 LST	23.9	22.8	26.5	28.0	30.1	28.7	30.0	30.7	29.3	29.3	27.7	25.9	332.9	11	2020
	14 LST	20.9	18.8	23.2	24.9	27.7	25.9	28.1	28.7	28.1	25.5	23.9	21.3	297.0	11	2106
	20 LST	25.8	24.2	26.9	29.4	29.9	29.0	30.1	29.6	29.8	30.3	28.0	28.2	341.2	10	2020
	02 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST	23.9	22.8	26.5	28.0	30.1	28.7	30.0	30.7	29.3	29.3	27.7	25.9	332.9	11	2020
	14 LST	20.9	18.8	23.0	24.8	27.7	25.9	28.1	28.7	28.1	25.5	23.9	21.3	296.7	11	2106
	20 LST	25.6	24.2	26.9	29.4	29.9	29.0	30.1	29.6	29.7	30.3	28.0	28.2	340.9	10	2020
	02 LST														0	0

MOROTAI/PITU, INDONESIA

STA NO. 97404 (IN AREA NUMBER 08)

LATITUDE 0202N LONGITUDE 12819E ELEVATION(FT) 00050

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)														0	0
MEAN MAX TMP (F)	85	85	85	86	87	87	87	89	89	89	87	86	87	0	-50
MEAN MIN TMP (F)														0	0
ABS MIN TMP (F)														0	0
MEAN NO DYS TMP = OR GTR 90(F)														0	0
MEAN NO DYS TMP = OR LES 32(F)														0	0
MEAN NO DYS TMP = OR LES 0(F)														0	0
MEAN DEW PT TMP (F)	72	72	72	73	73	71	69	69	70	71	72	73	71	0	-50
MEAN REL HUM (PCT)	82	83	81	81	81	82	79	77	77	74	77	80	80	10	14873
MEAN PRESS ALT (FT)	110	100	140	170	170	170	180	170	160	140	140	140	149	0	-50
MEAN PRECIP (IN)	7.82	9.42	4.69	4.54	5.96	6.88	5.64	4.06	6.06	4.06	4.68	4.33	68.1	5	1766
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = OR GTR 0.1 IN			5.5	5.5	5.5	11.5	10.3	8.6	9.4	7.3	8.0	6.4		5	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	1.9	2.0	4.7	6.4	7.6	5.6	3.7	4.7	6.2	7.2	7.4	3.3	60.7	10	2838
P FREQ WND SPD = OR GTR 17 KTS	5.1	3.5	0.7	0.8	0.7	0.1	0.2	0.6	2.2	3.0	3.2	1.5	1.8	7	14870
P FREQ WND SPD = OR GTR 28 KTS	1.7	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.9	0.2	0.3	7	14870
P FREQ LES 5000 FT A/D LES 5 MI	10.6	13.6	10.2	7.9	6.4	5.3	5.0	5.3	5.9	5.2	6.8	12.3	7.7	7	14866
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	0.0	0.8	0.0	0.8	0.0	0.0	0.0	0.0	0.0	0.9	1.6	0.3	2	697
09-11 LST	0.2	1.6	2.3	0.9	1.7	1.2	1.1	1.0	0.5	0.5	0.5	1.5	1.1	7	2838
12-14 LST	1.2	1.6	1.8	0.7	1.3	0.5	0.7	0.0	0.9	0.5	0.6	1.5	0.9	7	2840
15-17 LST	4.0	3.3	4.4	3.9	2.0	0.9	2.1	0.0	0.9	0.9	1.1	5.2	2.4	7	2839
18-20 LST	2.5	3.7	1.8	1.6	2.4	0.5	1.4	1.5	2.4	0.9	2.3	2.8	2.0	7	2839
21-23 LST	0.0	0.7	1.1	1.3	1.7	0.5	1.4	1.0	1.3	1.0	1.5	1.1	1.1	7	2813
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	697
09-11 LST	0.0	0.0	0.0	0.5	0.4	0.0	0.0	0.0	0.0	0.3	0.0	0.4	0.1	7	2838
12-14 LST	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	2840
15-17 LST	0.4	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.1	7	2839
18-20 LST	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.1	7	2839
21-23 LST	0.0	0.0	0.5	0.0	0.4	0.0	0.5	0.0	0.0	0.0	0.5	0.0	0.2	7	2813

MOROTAI/PITU, INDONESIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	10 LST	31.0	27.7	30.7	29.9	30.7	29.7	31.0	31.0	29.9	30.9	29.9	30.7	303.1	10	2030
	16 LST	30.8	27.7	30.7	29.9	30.7	29.9	30.7	31.0	29.8	31.0	30.0	30.5	302.7	10	2039
	22 LST	31.0	27.9	30.9	30.0	30.6	29.9	30.9	31.0	30.0	31.0	29.9	30.7	303.8	10	2013
	04 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	10 LST	30.1	27.3	30.7	29.9	30.3	29.6	30.4	29.9	28.5	29.5	29.3	30.5	356.0	10	2037
	16 LST	23.4	21.0	26.0	25.8	25.9	26.4	28.3	28.1	24.7	23.9	21.9	22.0	297.4	10	2039
	22 LST	30.5	27.6	30.6	29.7	29.9	29.7	30.6	30.6	29.3	30.0	29.0	30.1	357.6	10	2013
	04 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	10 LST	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.4	0.0	0.1	0.0	0.9	10	2030
	16 LST	3.0	2.5	0.3	0.4	0.1	0.0	0.1	0.0	1.2	1.9	2.6	0.9	13.0	10	2040
	22 LST	0.1	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.5	10	2014
	04 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	10 LST	8.9	7.1	5.9	5.2	7.7	7.7	10.6	13.6	11.5	14.2	12.7	11.5	116.6	10	2030
	16 LST	12.0	10.8	14.7	12.1	13.1	13.7	14.1	14.8	12.3	9.1	11.4	12.3	150.4	10	2040
	22 LST	7.1	4.8	2.4	3.0	4.2	3.6	5.5	5.9	5.1	9.8	5.8	6.9	64.1	10	2014
	04 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	10 LST	5.4	5.0	7.0	8.6	6.6	4.1	5.9	4.1	6.3	8.3	4.7	5.6	71.6	10	2039
	16 LST	2.3	0.9	3.6	2.7	4.2	3.9	7.2	5.3	6.0	9.3	4.0	2.8	52.2	10	2039
	22 LST	6.8	4.2	7.0	7.0	4.9	6.0	4.7	3.8	6.4	11.3	6.7	7.8	76.6	10	2014
	04 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	10 LST	30.6	26.9	29.6	29.6	30.1	29.4	30.1	30.1	29.7	30.7	29.6	29.8	356.2	7	2030
	16 LST	27.4	24.9	27.5	27.1	29.6	29.0	29.9	30.9	29.4	29.9	29.0	27.6	342.2	7	2039
	22 LST	30.4	27.3	30.3	28.9	30.0	29.6	30.0	29.8	28.9	30.3	28.9	30.2	354.6	7	2013
	04 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	10 LST	29.9	26.3	29.4	29.6	29.9	29.3	29.9	29.8	29.6	30.6	29.3	29.1	352.7	7	2030
	16 LST	26.0	23.1	26.3	26.4	29.1	28.4	29.7	30.8	29.2	29.5	28.6	26.8	333.9	7	2039
	22 LST	30.3	26.7	30.1	28.5	29.6	29.3	29.7	29.2	28.5	30.2	28.5	29.5	350.1	7	2013
	04 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	10 LST	29.9	26.3	29.4	29.6	29.9	29.3	29.9	29.8	29.6	30.6	29.3	29.1	352.7	7	2030
	16 LST	26.0	23.1	26.3	26.4	29.1	28.4	29.7	30.8	29.2	29.5	28.6	26.8	333.9	7	2039
	22 LST	30.3	26.7	30.1	28.5	29.6	29.3	29.7	29.2	28.5	30.2	28.5	29.5	350.1	7	2013
	04 LST														0	0

AMBON/PATTIMURA, INDONESIA

STA NO. 97724 (IN AREA NUMBER 08)

LATITUDE 03425

LONGITUDE 12804E

ELEVATION(FT) 00033

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	76	96	95	93	90	87	86	87	88	91	94	96	96	18	-28
MEAN MAX TMP (F)	88	88	88	86	84	82	81	81	83	85	88	88	85	18	-28
MEAN MIN TMP (F)	76	76	76	76	75	74	74	74	74	74	75	76	75	18	-28
ABS MIN TMP (F)	72	73	72	71	70	69	68	67	66	66	70	68	66	18	-28
MEAN NO DYS TMP = DR GTR 90(F)	11.6	10.4	11.6	5.6	1.4	0.0	0.0	0.0	0.0	3.4	11.2	11.6	66.8	18	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18	-29
MEAN DEW PT TMP (F)	74	73	74	75	74	72	72	71	72	72	74	74	73	17	-29
MEAN REL HUM (PCT)	78	77	79	82	83	84	83	82	81	80	79	78	81	15	-28
MEAN PRESS ALT (FT)	160	152	149	160	160	141	138	141	141	144	164	171	152	0	-50
MEAN PRECIP (IN)	5.00	4.70	5.30	11.00	20.30	25.10	23.70	15.80	9.50	6.10	4.50	5.20	136.2	50	-28
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	6.8	6.6	5.6	6.4		23.0	22.5	18.6	12.4	9.4	7.8	7.0		50	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	2.3	1.5	2.6	1.5	1.6	1.0	1.3	0.5	1.4	1.5	3.0	3.9	21.1	10	3446
P FREQ WND SPD = DR GTR 17 KTS	2.7	3.6	3.0	1.3	1.4	3.1	3.0	3.8	4.2	2.7	2.2	2.2	2.8	8	17890
P FREQ WND SPD = DR GTR 28 KTS	0.1	0.3	0.3	0.1	0.2	0.2	0.0	0.4	0.1	0.0	0.1	0.3	0.2	8	17890
P FREQ LES 5000 FT A/D LES 5 MI	17.1	14.8	13.5	14.7	32.2	44.8	54.2	52.7	37.2	18.8	12.8	15.5	27.4	8	17886
P FREQ LES 1900 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	6.5	0.9	2.6	3.4	16.1	15.0	21.8	18.6	10.2	2.4	11.7	9.7	9.9	2	663
09-11 LST	2.7	2.3	2.3	2.9	10.4	14.4	19.4	20.6	13.7	4.1	2.3	2.6	8.1	8	3446
12-14 LST	4.4	3.3	4.6	5.6	10.3	14.0	21.6	18.4	9.4	4.4	2.5	5.2	8.6	8	3446
15-17 LST	4.2	4.2	4.2	3.9	11.0	14.2	21.5	19.4	8.9	3.1	3.0	4.6	8.5	8	3445
18-20 LST	8.4	5.7	4.0	5.8	13.0	17.1	20.1	17.5	10.1	4.4	3.5	5.3	9.6	8	3445
21-23 LST	6.7	7.1	5.4	3.9	8.2	12.8	18.1	16.8	9.1	2.5	2.7	5.6	8.2	8	3441
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	0.0	0.0	0.0	1.6	0.0	1.6	0.0	0.0	0.0	0.0	0.0	0.3	2	663
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.4	1.1	0.3	0.0	0.0	0.0	0.0	0.2	8	3446
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.3	0.0	0.0	0.0	0.0	0.1	8	3446
15-17 LST	0.0	0.4	0.0	0.4	0.0	0.4	0.4	0.3	0.0	0.0	0.0	0.3	0.2	8	3445
18-20 LST	0.0	0.0	0.3	0.0	0.0	0.4	0.4	0.3	0.0	0.0	0.0	0.0	0.1	8	3445
21-23 LST	0.3	0.4	0.0	0.0	0.0	0.8	0.7	0.3	0.0	0.0	0.0	0.3	0.2	8	3441


AMBON/PATTIMURA, INDONESIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	09 LST	30.7	27.9	30.9	29.8	30.7	29.5	30.0	29.3	28.9	30.8	29.7	31.0	359.2	10	3446
	15 LST	31.0	27.8	31.0	29.8	30.7	29.8	29.8	29.9	29.6	31.0	30.0	30.8	361.2	10	3445
	21 LST	30.5	27.8	30.6	29.8	30.9	29.5	30.1	29.5	29.6	31.0	29.8	30.8	359.9	10	3441
	03 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	09 LST	28.6	26.1	29.5	29.6	30.5	26.9	27.8	26.0	26.0	29.7	28.9	29.6	339.2	10	3446
	15 LST	25.1	23.2	24.3	23.8	25.1	21.0	21.2	22.1	21.7	24.6	24.9	25.8	282.8	10	3444
	21 LST	28.9	27.1	29.9	29.0	30.7	26.6	27.4	27.9	28.0	29.7	28.3	30.0	343.5	10	3441
	03 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	09 LST	0.1	0.7	0.6	0.0	0.0	0.4	0.2	0.9	0.6	0.2	0.0	0.4	4.1	10	3447
	15 LST	2.0	1.9	2.4	0.9	0.8	1.6	1.3	1.7	1.9	2.4	1.5	0.9	19.3	10	3445
	21 LST	0.2	0.0	0.0	0.0	0.0	0.4	0.3	0.3	0.4	0.3	0.4	0.1	2.4	10	3442
	03 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	09 LST	14.6	9.7	10.9	9.1	9.6	11.8	12.9	12.0	11.6	12.5	13.3	13.7	141.7	10	3447
	15 LST	14.5	14.1	14.6	16.7	17.5	13.9	15.1	17.2	18.4	21.4	18.5	14.3	196.2	10	3445
	21 LST	13.1	10.5	12.8	11.3	13.0	10.9	11.7	13.4	11.6	13.6	12.4	12.5	146.8	10	3442
	03 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	09 LST	2.5	2.8	5.2	5.4	2.6	2.6	1.3	1.3	1.2	5.5	6.7	3.7	40.8	10	3447
	15 LST	0.9	1.0	2.1	2.9	1.0	2.5	1.1	1.2	2.4	5.0	5.7	1.1	26.9	10	3446
	21 LST	3.1	2.7	4.3	4.6	3.2	4.0	2.7	1.5	4.0	7.5	9.2	5.6	52.4	10	3441
	03 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	09 LST	29.2	26.6	29.3	28.0	24.0	19.6	17.8	17.6	20.5	27.6	25.3	29.1	297.6	8	3446
	15 LST	27.1	25.2	27.3	27.0	22.8	19.5	15.9	16.7	22.8	27.5	27.3	27.3	286.4	8	3445
	21 LST	25.5	22.8	27.2	26.9	24.1	20.6	18.1	18.6	22.1	27.5	27.8	26.8	288.0	8	3441
	03 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	09 LST	28.9	26.4	29.0	27.5	22.8	17.3	14.8	15.1	18.1	26.5	28.0	28.8	283.2	8	3446
	15 LST	25.6	24.6	26.3	26.1	21.0	17.3	12.9	14.5	20.5	26.0	26.5	26.1	267.4	8	3445
	21 LST	23.6	22.3	26.3	25.6	22.0	18.1	15.0	15.3	18.7	25.3	26.9	25.8	264.9	8	3441
	03 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	09 LST	28.9	26.4	29.0	27.5	22.8	17.3	14.8	15.1	18.1	26.5	28.0	28.8	283.2	8	3446
	15 LST	25.6	24.6	26.3	26.1	21.0	17.3	12.9	14.5	20.5	26.0	26.5	26.1	267.4	8	3445
	21 LST	23.6	22.3	26.3	25.6	22.0	18.1	15.0	15.3	18.7	25.3	26.9	25.8	264.9	8	3441
	03 LST														0	0

AREA NO. 08

INDONESIA		TROPICAL ISLANDS		LATITUDE 0730S LONGITUDE 12030E											
BOUNDARIES		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	
PARAMETER DESCRIPTION															
MEAN MAX TMP (F)		87	87	87	88	88	87	86	87	88	89	89	87	88	
MEAN MIN TMP (F)		74	74	74	73	73	72	71	71	72	72	74	74	73	
LARGEST MEAN PRECIP(IN)		28.31	20.91	16.73	11.00	20.30	25.10	23.70	15.80	9.50	6.10	8.86	23.23	209.5	
SMALLEST MEAN PRECIP(IN)		5.00	4.70	4.41	1.62	0.95	0.40	0.00	0.00	0.10	0.33	1.82	3.31	22.6	
		MEAN NUMBER OF DAYS													
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST	29.5	26.7	30.2	29.5	30.6	29.3	30.4	30.4	29.7	30.8	29.6	30.0	356.7	
	14 LST	29.8	27.0	30.1	29.4	30.3	29.5	30.4	30.7	29.6	30.7	29.2	29.9	356.6	
	20 LST	29.5	26.4	29.7	29.2	30.2	29.4	30.3	30.8	29.8	30.8	29.8	30.1	356.0	
	02 LST	31.0	24.1	31.0	27.8	29.4	29.0	31.0	30.6	30.0	31.0	29.5	29.0	353.4	
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	08 LST	28.7	25.9	29.7	28.9	29.3	27.4	27.8	27.7	28.0	30.3	29.2	29.5	342.4	
	14 LST	23.9	21.9	26.0	25.1	23.9	21.3	21.1	20.2	19.6	22.1	21.5	24.9	271.5	
	20 LST	28.4	25.7	29.2	28.5	28.5	27.0	28.1	28.3	28.0	29.8	28.8	29.5	339.8	
	02 LST	31.0	24.1	30.2	26.9	29.4	29.0	31.0	30.1	30.0	30.5	29.5	29.0	350.7	
SFC WND = GTR 17 KTS AND NO PRECIP.	08 LST	0.2	0.1	0.1	0.1	0.5	0.7	0.6	0.7	0.3	0.1	0.1	0.1	3.6	
	14 LST	1.4	1.0	0.6	0.7	1.5	2.2	2.9	2.6	2.3	1.6	1.1	0.6	18.5	
	20 LST	0.2	0.3	0.2	0.3	0.5	0.7	0.6	0.9	0.6	0.2	0.2	0.1	4.8	
	02 LST	0.0	0.0	0.0	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	08 LST	8.0	7.9	7.2	8.4	11.3	12.1	13.3	15.1	13.2	12.7	10.9	8.4	128.5	
	14 LST	13.5	12.7	15.5	11.8	11.4	11.9	12.0	10.6	9.4	10.4	10.3	13.1	142.6	
	20 LST	7.4	5.5	6.6	5.5	7.0	7.1	10.3	9.8	9.5	10.0	8.3	7.2	94.2	
	02 LST	5.2	4.7	7.4	3.8	3.2	1.9	4.2	4.1	4.5	1.5	3.9	3.9	48.3	
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST	4.8	3.8	5.6	10.3	9.9	11.5	12.1	13.2	14.4	13.9	10.3	6.7	116.5	
	14 LST	2.1	1.7	2.7	5.1	6.3	7.4	8.3	10.2	11.6	9.5	6.3	2.9	74.1	
	20 LST	4.5	3.2	5.8	10.1	11.4	13.2	14.0	15.5	17.2	15.8	10.4	6.3	127.4	
	02 LST	12.6	0.0	5.3	5.3	7.9	12.6	17.4	17.5	20.6	21.7	16.2	3.4	140.5	
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	08 LST	27.3	24.5	28.4	28.2	28.6	26.9	27.5	28.2	28.0	29.6	28.4	28.2	333.8	
	14 LST	24.7	21.9	25.4	25.3	26.4	26.0	26.3	26.9	26.9	27.2	25.2	25.0	307.2	
	20 LST	25.8	23.1	27.0	27.5	28.0	27.4	28.1	28.6	28.4	29.7	28.2	27.2	329.0	
	02 LST	29.5	19.0	26.4	26.3	28.1	27.6	30.5	29.2	30.0	30.5	29.3	24.6	331.0	
CIG = GTR 100 FT AND VSBY = GTR 3 MI	08 LST	26.3	24.2	27.9	27.7	28.0	25.9	26.6	27.6	27.2	29.1	28.1	27.7	326.3	
	14 LST	23.1	20.6	23.9	24.0	25.1	24.5	24.7	25.3	25.4	25.6	23.8	23.6	289.6	
	20 LST	24.7	22.3	26.1	26.7	27.0	26.1	27.0	27.5	27.4	28.9	27.5	26.3	317.5	
	02 LST	26.5	20.9	26.1	26.5	27.1	25.4	27.2	26.8	26.9	27.6	27.1	25.8	313.6	
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST	26.2	24.2	27.8	27.7	28.2	26.1	26.9	27.6	27.3	29.2	28.2	27.8	327.2	
	14 LST	23.1	20.5	23.9	24.0	25.1	24.5	24.7	25.3	25.4	25.6	23.8	23.6	289.5	
	20 LST	24.7	22.3	26.1	26.7	27.0	26.1	27.0	27.5	27.4	28.9	27.5	26.3	317.5	
	02 LST	29.4	18.7	24.8	26.3	27.7	27.1	30.5	28.8	30.0	30.5	29.0	24.6	327.4	



LAOS

LUANG-PRABANG, LAOS

STA NO. 48930 (IN AREA NUMBER 01)

LATITUDE 1953N

LONGITUDE 10208E

ELEVATION(FT) 00997

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDF (YRS)	NO. OBS
ABS MAX TMP (F)	103	102	106	113	111	104	102	104	102	101	97	91	113	28	-528
MEAN MAX TMP (F)	82	89	93	96	95	93	90	90	91	89	85	81	90	28	-28
MEAN MIN TMP (F)	56	58	63	69	73	74	74	74	73	69	64	59	67	28	-28
ABS MIN TMP (F)	32	45	48	57	54	57	59	57	51	54	43	36	32	28	-528
MEAN NO DYS TMP = DR GTR 90(F)	0.0	13.3	26.3	29.7	29.8	25.4	17.9	17.9	20.3	14.8	3.2	0.0	198.6	28	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	28	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	28	-29
MEAN DEW PT TMP (F)	58	58	60	64	68	72	70	74	71	68	63	59	65	25	-29
MEAN REL HUM (PCT)	70	62	58	58	62	71	71	78	72	71	70	71	68	19	-28
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.60	0.70	1.20	4.30	6.40	6.10	9.10	11.80	6.50	3.10	1.20	0.50	51.5	31	-28
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	28	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	1.3	1.5	2.7	5.5	5.4	10.7	13.6	15.8	9.8	6.2	3.9	1.1	77.5	31	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	28	-29
MEAN NO DYS W/OCCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.3	1.0	2.0	4.0	9.0	5.0	5.0	5.0	4.0	1.0	0.3	0.3	36.9	9	-24
P FREQ WND SPD = DR GTR 17 KTS	0.0	0.0	0.1	0.4	0.4	0.2	0.4	0.2	0.0	0.1	0.2	0.0	0.2	10	7379
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	7379
P FREQ LES 5000 FT A/D LES 5 MI	42.8	49.3	66.6	52.1	29.9	27.6	43.6	49.5	36.4	33.2	30.7	38.7	41.7	11	3500
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FDR 00-02 LST														0	0
03-05 LST	83.3	41.2	69.2	0.0	50.0	14.3	40.0	62.5	64.3	62.5	66.7	92.9	53.9	5	181
06-08 LST	76.1	66.4	59.4	45.9	26.4	26.8	39.6	54.4	53.6	50.9	65.9	70.2	53.0	12	1826
09-11 LST	38.2	27.0	35.9	38.8	5.7	11.6	20.6	17.6	17.8	16.2	29.5	47.0	25.5	12	1356
12-14 LST	6.8	8.5	18.2	21.8	6.4	12.3	15.3	17.9	7.6	4.9	0.7	6.0	10.5	12	1602
15-17 LST	3.3	3.2	19.6	22.4	5.4	9.7	13.6	9.3	4.3	1.9	0.0	0.0	7.7	12	1462
18-20 LST	4.5	10.5	33.8	25.5	6.1	5.4	14.0	17.1	25.5	7.0	3.0	8.6	13.4	10	674
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FDR 00-02 LST														0	0
03-05 LST	80.0	23.5	23.1	0.0	0.0	14.3	10.0	12.5	42.9	34.4	50.0	78.6	30.8	5	181
06-08 LST	70.6	52.3	28.6	10.4	7.4	10.1	11.5	26.2	19.1	18.9	50.0	62.4	30.6	12	1826
09-11 LST	22.8	12.2	8.6	8.7	1.1	1.2	3.1	8.3	2.3	3.1	6.1	23.9	8.5	12	1356
12-14 LST	2.7	1.5	2.9	4.5	0.0	0.0	3.4	3.0	1.3	0.6	0.0	1.5	1.8	12	1602
15-17 LST	0.0	0.0	2.2	1.9	0.0	1.1	4.5	3.9	0.6	0.0	0.0	0.0	1.2	12	1462
18-20 LST	2.3	1.8	4.4	2.0	0.0	0.0	0.0	7.3	6.4	0.0	0.0	1.4	2.1	10	674
21-23 LST														0	0

LUANG-PRABANG, LAOS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	8.0	9.7	12.7	16.2	23.9	22.4	18.9	14.7	14.1	13.3	10.2	9.9	176.0	12	770
	13 LST	29.1	26.3	25.5	23.7	29.9	28.0	27.0	26.6	28.1	30.2	30.0	29.8	334.2	12	1602
	19 LST	29.9	25.5	21.0	22.9	30.3	29.7	28.1	26.4	23.6	29.4	29.1	28.8	324.2	10	674
	01 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC UND LES 10 KTS	07 LST	7.2	8.7	12.6	15.8	22.6	21.9	18.3	13.1	13.1	14.9	10.1	8.6	166.9	12	1737
	13 LST	28.4	25.2	24.9	22.3	27.5	24.3	24.7	24.1	27.1	7	28.9	28.2	314.3	12	1590
	19 LST	29.6	25.0	20.6	21.6	27.8	28.4	25.2	24.9	21.5	28.3	29.1	27.9	309.9	10	668
	01 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	1812
	13 LST	0.0	0.0	0.0	0.5	0.0	0.2		0.0	0.0	0.0		0.0		12	1636
	19 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	685
	01 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	1.5	0.7	0.3	0.7	1.1	0.6	0.7	0.4	0.7	0.6	2.6	2.8	12.7	12	1782
	13 LST	11.5	13.2	7.3	3.0	4.1	4.8	5.8	2.7	6.5	8.7	11.6	9.7	88.9	12	1608
	19 LST	3.9	4.0	3.2	2.4	3.9	0.8	1.5	2.1	3.9	3.1	2.3	5.3	36.4	10	672
	01 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	0.6	3.0	5.3	5.6	2.5	1.4	0.2	0.0	0.3	1.7	1.4	1.1	23.1	12	1810
	13 LST	19.3	17.4	17.7	12.5	2.7	0.5	0.7	0.2	2.8	9.1	15.3	16.6	114.8	12	1645
	19 LST	24.0	19.2	13.3	10.6	6.3	0.8	0.7	0.0	4.3	18.2	19.2	23.1	139.7	10	686
	01 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	6.6	8.5	12.2	14.9	21.8	19.6	16.0	12.1	12.8	14.2	8.8	7.7	155.2	12	1770
	13 LST	28.0	24.3	24.6	22.9	27.3	23.9	23.9	23.6	26.6	28.5	29.1	27.5	310.2	12	1602
	19 LST	29.6	25.0	19.6	21.8	28.5	27.5	23.8	23.4	21.7	26.6	28.2	27.4	303.1	10	674
	01 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	5.5	6.6	10.4	14.0	18.8	16.5	14.3	10.3	13.1	12.3	7.4	5.7	133.9	12	1770
	13 LST	27.4	23.9	24.2	21.8	25.0	23.1	22.3	23.1	26.0	27.8	28.1	25.9	298.6	12	1602
	19 LST	28.5	24.1	19.6	21.2	28.5	27.5	23.1	21.1	21.7	25.0	27.3	27.0	294.6	10	674
	01 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	5.1	6.4	10.0	13.7	18.2	16.5	14.3	10.1	12.1	12.3	7.4	5.5	131.6	12	1770
	13 LST	26.9	23.9	24.2	21.8	25.0	23.1	22.3	23.1	26.0	27.8	28.1	25.9	298.1	12	1602
	19 LST	28.5	24.1	19.6	20.6	28.5	27.5	23.1	21.1	21.7	25.0	27.3	26.6	293.6	10	674
	01 LST														0	0

XIENG KHOUANG, LAOS

STA NO. 48935 (IN AREA NUMBER 01)

LATITUDE 1926N

LONGITUDE 10308E

ELEVATION(FT) 03445

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	86	90	97	93	90	86	84	84	82	95	99	91	99	3	274
MEAN MAX TMP (F)	76	80	80	85	84	81	78	79	79	78	74	71	79	3	274
MEAN MIN TMP (F)	46	51	56	62	67	68	67	68	66	61	56	47	60	10	1160
ABS MIN TMP (F)	28	32	41	54	61	60	50	61	55	45	39	28	28	10	1160
MEAN NO DYS TMP = DR GTR 90(F)	0.0	1.5	1.2	10.9	2.0	0.0	0.0	0.0	0.0	0.8	0.7	1.0	18.1	3	274
MEAN NO DYS TMP = DR LES 32(F)	0.8	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	2.1	10	1160
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	1160
MEAN DEW PT TMP (F)	49	53	56	61	67	67	66	68	65	59	53	47	59	7	-29
MEAN REL HUM (PCT)	68	67	68	69	76	79	82	84	80	72	69	67	73	9	31873
MEAN PRESS ALT (FT)	3400	3500	3550	3600	3650	3650	3650	3650	3600	3500	3450	3400	3550	0	-50
MEAN PRECIP (IN)	0.00	0.42	1.22	3.74	4.23	6.38	12.87	11.42	6.02	1.45	0.33	0.00	48.1	5	553
MEAN SNOW FALL (IN)		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			10	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	0.0	0.9	2.8	5.3	5.5	11.0	16.6	15.5	9.3	4.2	2.7	0.0	73.8	5	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	0.8	7.5	7.5	3.5	2.1	3.3	0.0	1.6	0.0	2.2	28.5	8	431
P FREQ WND SPD = DR GTR 17 KTS	7.5	5.1	3.2	0.7	0.7	0.3	0.4	0.4	0.4	4.0	9.0	4.3	3.0	8	5277
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.4	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.1	8	5277
P FREQ LES 5000 FT A/D LES 5 MI	29.8	42.1	44.3	35.7	32.3	35.4	32.7	42.6	34.0	28.8	22.7	28.7	34.1	10	2328
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST	50.0	72.2	50.0		0.0	0.0	0.0	0.0	23.0	0.0		40.0		2	58
06-08 LST	41.6	46.7	65.7	22.0	8.9	15.9	20.8	27.3	30.2	26.0	33.9	47.7	30.6	10	1266
09-11 LST	18.9	9.1	24.3	4.4	7.6	11.0	16.3	15.9	9.6	7.6	6.2	15.4	12.2	10	1166
12-14 LST	1.2	8.6	16.3	11.8	9.8	4.4	13.9	13.6	8.5	2.8	2.3	2.3	8.0	10	1225
15-17 LST	2.9	3.8	11.8	13.1	10.5	5.3	12.8	10.7	4.4	1.0	1.6	0.0	6.5	10	1044
18-20 LST	0.0	23.8	24.0	17.4	0.0	7.1	0.0	10.8	10.0	5.0	0.0	3.0	8.4	5	308
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST	10.0	22.2	0.0		0.0	0.0	0.0	0.0	0.0	0.0		40.0		2	58
06-08 LST	18.2	21.7	20.0	6.0	3.0	7.3	6.6	11.6	16.3	15.7	22.3	29.1	14.8	10	1266
09-11 LST	1.1	0.0	5.6	0.0	0.0	1.4	0.0	1.2	0.0	2.5	0.0	6.6	1.5	10	1166
12-14 LST	0.0	1.0	2.3	2.9	3.3	1.1	0.0	0.0	0.8	0.0	0.0	0.0	1.0	10	1225
15-17 LST	0.0	1.0	0.0	4.8	1.1	0.0	0.0	0.0	1.1	0.0	0.0	0.0	0.7	10	1044
18-20 LST	0.0	4.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	5	308
21-23 LST														0	0

XIENG KHOUANG, LAOS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	19.7	15.4	17.4	23.7	29.1	26.3	24.8	23.0	21.2	23.9	20.9	17.6	263.0	10	266
	13 LST	31.0	26.1	26.9	27.3	29.3	29.3	29.1	28.9	27.7	30.7	30.0	30.6	346.9	10	1225
	19 LST	31.0	22.7	23.6	24.8	31.0	30.0	31.0	29.4	28.0	30.2	30.0	31.0	342.7	5	308
	01 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	14.1	13.4	15.3	21.4	26.6	23.4	24.1	21.8	20.6	21.6	17.0	13.0	232.3	10	1252
	13 LST	20.6	15.3	18.7	19.1	22.8	21.7	19.9	22.4	19.1	18.6	15.3	18.0	231.5	10	1204
	19 LST	21.3	16.0	16.1	20.9	28.0	23.6	28.2	27.5	20.0	20.2	17.1	18.8	257.7	5	305
	01 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	1.1	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.5	0.3	2.3	10	1320
	13 LST	2.5	2.9	2.3	0.0	0.3	0.3	0.0	0.3	0.0	1.4	3.8	3.1	16.9	10	1248
	19 LST	5.5	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.9	2.1	4.9	1.8	16.5	5	317
	01 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	7.8	5.5	5.1	6.5	4.3	4.5	4.1	0.8	4.5	4.8	6.8	6.3	61.0	10	1284
	13 LST	16.6	14.1	16.8	15.5	13.7	15.0	11.4	7.0	12.2	14.0	14.0	14.1	164.4	10	1223
	19 LST	14.6	11.8	9.5	11.7	16.2	21.4	5.9	3.4	4.0	14.0	14.6	10.9	138.0	5	308
	01 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	6.5	5.2	5.3	10.0	2.1	1.0	1.4	0.5	1.1	5.7	5.2	2.8	46.8	10	1315
	13 LST	18.6	12.9	9.6	4.7	1.0	0.3	0.0	0.2	0.8	5.4	6.6	17.5	77.6	10	1248
	19 LST	27.3	10.6	16.1	5.0	1.5	0.0	2.8	0.0	1.9	10.3	11.2	12.7	99.4	5	314
	01 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	16.1	13.7	14.8	22.8	27.0	23.0	24.0	20.2	20.0	21.2	17.9	14.4	235.1	10	1266
	13 LST	29.5	23.2	23.3	24.1	21.5	25.4	20.2	19.4	21.8	23.9	26.6	28.2	289.1	10	1225
	19 LST	31.0	21.3	22.3	22.2	29.5	21.4	28.4	26.1	23.0	27.9	27.8	30.0	312.9	5	308
	01 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	14.1	13.0	12.7	20.4	25.1	20.9	21.0	17.4	17.9	17.8	15.5	11.9	207.7	10	1266
	13 LST	27.7	21.6	22.1	21.2	15.5	20.1	17.2	15.5	16.3	19.3	21.0	27.5	245.0	10	1225
	19 LST	31.0	20.0	22.3	18.2	28.0	12.8	24.5	22.8	23.0	25.6	27.8	27.2	283.2	5	308
	01 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	14.1	13.0	12.7	20.4	24.8	20.9	21.0	17.1	17.9	17.5	15.2	11.9	206.5	10	1266
	13 LST	27.7	21.3	22.1	21.2	15.5	20.1	17.2	15.5	16.0	19.3	20.7	27.5	244.1	10	1225
	19 LST	31.0	20.0	22.3	18.2	28.0	12.8	24.5	22.8	23.0	25.6	27.8	27.2	283.2	5	308
	01 LST														0	0

AREA NO. 01

PARAMETER DESCRIPTION	BOUNDARIES	MOUNTAINS				LATITUDE 2000N				LONGITUDE 10230E				ANN
		1810N	10110E	1850N	10340E	1850N	10340E	1750N	10540E	1850N	10340E	1750N	10540E	
MEAN MAX TMP (F)		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MIN TMP (F)		79	85	87	91	90	87	84	85	85	84	80	76	84
LARGEST MEAN PRECIP(IN)		51	55	60	66	70	71	71	71	70	65	60	53	64
SMALLEST MEAN PRECIP(IN)		0.60	0.70	1.22	4.30	6.40	6.38	12.87	11.80	6.50	3.10	1.20	0.50	55.6
		0.00	0.42	1.20	3.74	4.23	6.10	9.10	11.42	6.02	1.45	0.33	0.00	44.0
		MEAN NUMBER OF DAYS												
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	13.9	12.6	15.1	20.0	26.5	24.4	21.9	18.9	17.7	19.6	15.6	13.8	220.0
	13 LST	30.1	26.2	26.2	25.5	29.6	28.7	28.1	27.8	27.9	30.5	30.0	30.2	340.8
	19 LST	30.5	24.1	22.3	23.9	30.7	29.6	29.6	27.9	25.8	29.8	29.6	29.9	333.7
	01 LST													
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	10.7	11.1	14.0	18.6	24.6	22.7	21.2	17.5	16.9	18.3	13.6	10.8	200.0
	13 LST	24.5	20.3	21.8	20.7	25.2	23.0	22.3	23.3	23.1	23.7	22.1	23.1	273.1
	19 LST	25.5	20.5	18.4	21.3	27.9	26.0	26.7	26.2	20.8	24.3	23.1	23.4	284.1
	01 LST													
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.6	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.3	0.2	1.3
	13 LST	1.3	1.5	1.2	0.3	0.2	0.3	0.0	0.2	0.0	0.7	3.8	1.6	11.1
	19 LST	2.8	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.5	1.1	2.5	0.9	8.5
	01 LST													
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	4.7	3.1	2.7	3.6	2.7	2.6	2.4	0.6	2.6	2.7	4.7	4.6	37.0
	13 LST	14.1	13.7	12.1	9.3	8.9	9.9	8.6	4.9	9.4	11.4	12.8	11.9	127.0
	19 LST	9.3	7.9	6.4	7.1	10.1	11.1	3.7	2.8	4.0	8.6	8.5	6.1	87.6
	01 LST													
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	3.6	4.1	5.3	7.8	2.3	1.2	0.8	0.3	0.7	3.7	3.3	2.0	35.1
	13 LST	19.0	15.2	13.7	8.6	1.9	0.4	0.4	0.2	1.8	7.3	11.0	17.1	96.6
	19 LST	25.7	14.9	14.7	7.8	3.9	0.4	1.8	0.0	3.1	14.3	15.2	17.9	119.7
	01 LST													
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	11.4	11.1	13.5	18.9	24.4	21.3	20.0	16.2	16.4	17.7	13.4	11.1	195.4
	13 LST	28.8	23.8	24.0	23.5	24.4	24.7	22.1	21.5	24.2	27.2	27.9	27.9	300.0
	19 LST	30.3	23.2	21.0	22.0	29.0	24.5	26.1	24.8	23.4	27.3	28.0	28.7	308.3
	01 LST													
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	9.8	9.8	11.6	17.2	22.0	18.7	17.7	13.9	15.0	15.1	11.5	8.8	171.1
	13 LST	27.6	22.8	23.2	21.5	20.3	21.6	19.8	19.3	21.2	23.6	24.6	26.7	272.2
	19 LST	29.8	22.1	21.0	19.7	28.3	20.2	23.8	22.0	22.4	25.3	27.6	27.1	289.3
	01 LST													
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	9.6	9.7	11.4	17.1	21.5	18.7	17.7	13.6	15.0	14.9	11.3	8.7	169.2
	13 LST	27.3	22.6	23.2	21.5	20.3	21.6	19.8	19.3	21.0	23.6	24.4	26.7	271.3
	19 LST	29.8	22.1	21.0	19.4	28.3	20.2	23.8	22.0	22.4	25.3	27.6	26.9	288.8
	01 LST													

VIENTIANE. LAOS

STA NO. 48940 (IN AREA NUMBER 02)

LATITUDE 1758N

LONGITUDE 10234E

ELEVATION(PT) 00559

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
ABS MAX TMP (F)	95	100	104	108	102	100	97	98	100	97	99	95	108	36	-158
MEAN MAX TMP (F)	83	87	91	93	90	89	87	87	87	87	85	83	87	25	-158
MEAN MIN TMP (F)	58	63	67	72	75	76	75	75	74	71	66	59	69	25	-158
ABS MIN TMP (F)	37	46	52	57	63	66	64	64	63	55	43	41	37	36	-158
MEAN NO DYS TMP = OR GTR 90(F)	3.7	11.7	21.7	25.3	23.7	21.2	16.7	10.5	11.5	11.5	9.5	2.5	169.5	14	2905
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	13	3313
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	3313
MEAN DEW PT TMP (F)	60	62	67	71	75	76	76	76	75	72	66	61	70	8	9058
MEAN REL HUM (PCT)	71	70	67	70	79	83	83	85	85	79	75	73	77	17	24178
MEAN PRESS ALT (FT)	471	531	587	662	736	792	807	794	718	599	514	471	640	0	-50
MEAN PRECIP (IN)	0.30	0.60	1.40	3.80	10.50	11.60	10.10	12.80	12.20	4.10	0.80	0.10	68.3	39	-158
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	36	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	0.7	1.3	3.1	5.3	6.0	15.6	14.4	16.5	14.3	7.3	3.3	0.3	88.1	39	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	36	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.8	0.3	0.7	0.3	0.3	0.8	0.3	0.5	0.0	0.2	0.9	0.3	5.4	8	1273
MEAN NO DYS TSMS	0.0	1.0	8.0	13.0	17.0	13.0	13.0	13.0	12.0	5.0	1.0	0.0	96.0	9	-158
P FREQ WND SPD = OR GTR 17 KTS	0.1	0.1	0.0	0.3	0.3	0.2	0.2	0.2	0.2	0.1	0.1	0.2	0.2	16	24265
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16	24265
P FREQ LES 5000 FT A/D LES 5 MI	29.6	59.3	67.1	68.6	40.8	38.7	41.1	43.8	38.9	25.7	20.2	20.2	41.2	17	17379
P FREQ LES 1500 FT A/D LES 3 MI															
FDR 00-02 LST	15.4	38.3	34.1	48.6	39.6	39.6	32.8	30.4	28.8	13.7	13.9	2.9	28.2	10	1483
03-05 LST	15.9	31.8	37.0	45.6	37.9	38.4	37.2	36.8	37.8	22.3	17.9	10.3	30.7	13	1737
06-08 LST	29.7	42.8	51.0	47.3	24.6	26.3	25.2	34.7	32.0	11.8	8.5	12.8	28.9	17	4118
09-11 LST	1.5	13.9	24.9	19.9	16.8	25.0	19.5	29.5	23.4	8.6	1.9	2.1	15.6	16	2897
12-14 LST	3.0	8.1	14.3	13.2	9.5	14.7	19.3	19.3	19.9	8.0	3.5	2.8	11.3	17	3993
15-17 LST	2.0	7.3	14.8	11.1	4.2	9.1	11.6	14.1	9.8	5.8	1.8	1.8	7.8	16	3303
18-20 LST	29.0	27.3	41.3	33.2	11.2	7.6	13.4	15.7	16.3	17.6	15.6	18.6	20.6	17	4706
21-23 LST	14.8	35.9	42.5	47.0	35.9	28.2	23.1	19.2	20.3	11.9	7.6	8.0	24.5	10	1360
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	0.0	0.0	5.2	10.1	4.5	6.6	7.3	5.2	2.3	3.2	0.0	0.0	3.7	10	1483
03-05 LST	3.2	0.7	5.6	6.9	5.3	5.4	5.0	3.5	3.2	1.4	2.5	2.7	4.0	13	1737
06-08 LST	6.4	4.5	6.6	4.3	1.2	3.0	2.2	2.8	3.7	1.6	1.7	3.8	3.5	17	4118
09-11 LST	0.4	0.5	2.1	1.4	1.9	3.1	0.9	1.6	1.5	0.0	0.0	0.4	1.2	16	2897
12-14 LST	0.3	0.0	0.8	0.3	0.0	1.4	1.3	0.6	0.5	0.3	0.3	0.6	0.5	17	3993
15-17 LST	0.8	0.5	0.0	0.3	0.4	1.2	0.0	1.0	1.3	0.3	0.7	0.4	0.6	16	3303
18-20 LST	1.3	2.3	4.6	3.3	0.8	0.0	0.8	0.8	1.4	0.7	0.8	0.5	1.4	17	4706
21-23 LST	0.0	0.0	8.0	10.6	5.1	3.9	5.1	6.9	4.1	2.8	0.0	0.0	3.9	10	1360

VIENTIANE, LAOS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG ≥ GTR 1000 FT AND VSBY ≥ GTR 3 MI	07 LST	23.1	15.7	15.7	15.4	25.5	24.3	24.7	22.0	21.9	28.1	27.9	27.8	272.1	14	417
	13 LST	30.5	26.0	26.7	26.3	29.9	28.3	28.2	27.7	26.1	29.8	30.0	30.6	340.1	14	3309
	19 LST	23.3	21.0	19.7	20.3	28.5	28.4	28.6	27.7	27.1	27.2	26.7	27.5	306.0	14	3866
	01 LST	26.2	17.8	20.1	17.9	23.2	22.5	23.5	22.6	22.8	26.7	27.0	30.7	281.0	8	1394
CIG ≥ GTR 2000 FT AND VSBY ≥ GTR 3 MI W/SFC WND LES 10 KTS	07 LST	23.3	15.5	15.1	15.0	23.2	21.9	22.7	19.7	19.8	27.1	27.6	27.7	258.6	14	3396
	13 LST	30.8	25.3	25.5	24.8	26.8	24.0	21.9	22.3	22.0	27.0	27.7	29.2	306.5	14	3282
	19 LST	23.3	20.5	19.2	19.6	26.8	27.2	26.1	25.8	26.1	27.0	26.4	27.4	295.4	14	3844
	01 LST	25.6	17.5	19.4	17.3	22.0	21.2	20.9	21.6	21.6	26.7	27.0	30.7	271.5	8	1384
SFC WND ≥ GTR 17 KTS AND ND PRECIP.	07 LST	0.0	0.0	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.2	14	3464
	13 LST	0.0	0.1	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.1	0.3	0.7	14	3388
	19 LST	0.0	0.0	0.0	0.2	0.1	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.4	14	3890
	01 LST	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	8	1406
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND ND PRECIP.	07 LST	1.8	3.0	3.0	3.4	3.4	2.3	2.6	2.1	2.9	2.6	2.6	1.4	31.1	14	3448
	13 LST	13.2	8.5	6.6	2.6	5.2	5.0	6.1	5.8	5.9	10.5	10.1	11.6	91.1	14	3353
	19 LST	3.2	4.5	5.3	4.8	5.7	3.6	3.6	2.4	3.1	2.5	4.3	2.9	45.9	14	3876
	01 LST	4.3	3.6	4.6	2.7	3.1	2.2	1.7	2.2	2.7	3.0	1.9	2.5	34.5	8	1394
SKY COVER LES 3/10 AND VSBY ≥ GTR 3 MI	07 LST	10.6	5.2	6.1	3.8	0.8	0.5	0.6	0.4	1.2	6.4	10.3	11.1	57.0	14	3464
	13 LST	16.2	16.3	15.4	11.4	1.5	0.5	0.0	0.0	0.7	4.2	6.7	11.6	84.5	14	3353
	19 LST	17.0	14.3	12.1	7.8	2.5	0.5	1.2	0.5	2.5	9.8	14.3	18.5	101.0	14	3894
	01 LST	20.3	14.0	14.6	9.0	3.6	0.6	2.6	2.2	2.7	10.2	16.3	20.9	117.0	8	1416
CIG ≥ GTR 2500 FT AND VSBY ≥ GTR 3 MI	07 LST	22.6	15.0	15.2	14.6	22.5	21.1	21.3	19.4	19.2	26.3	27.2	27.6	252.0	14	3417
	13 LST	29.0	24.9	25.6	23.9	23.7	21.4	19.2	19.9	20.7	25.5	26.4	29.5	289.7	14	3309
	19 LST	23.0	20.6	19.2	19.7	26.3	26.2	25.3	25.5	25.4	26.6	26.4	27.5	241.7	14	3866
	01 LST	25.6	17.0	19.6	17.2	20.7	20.2	20.3	20.2	20.5	26.0	26.7	30.4	264.4	8	1394
CIG ≥ GTR 6000 FT AND VSBY ≥ GTR 3 MI	07 LST	19.9	11.3	12.8	12.2	20.9	19.2	18.4	17.1	17.2	23.8	24.4	24.7	221.9	14	3417
	13 LST	27.6	22.7	23.9	22.9	21.2	18.8	16.9	18.0	19.2	23.3	24.5	28.4	267.4	14	3309
	19 LST	21.1	19.2	17.8	18.3	24.2	24.2	24.1	23.3	24.2	25.9	24.5	26.0	272.8	14	3866
	01 LST	25.6	16.5	17.8	16.5	18.4	16.6	18.1	18.7	19.1	24.0	24.8	28.8	244.9	8	1394
CIG ≥ GTR 10000 FT AND VSBY ≥ GTR 3 MI	07 LST	19.7	10.8	12.5	12.1	20.9	19.1	18.4	16.9	17.2	23.6	23.9	24.2	219.3	14	3417
	13 LST	27.6	22.6	23.8	22.9	21.2	18.8	16.9	18.0	19.1	23.3	24.5	28.3	267.0	14	3309
	19 LST	21.1	18.9	17.7	18.2	24.2	24.2	24.1	23.0	24.2	25.7	24.2	25.8	271.3	14	3866
	01 LST	25.6	16.5	17.8	16.5	18.4	16.6	18.1	18.7	18.8	24.0	24.8	28.8	244.6	8	1394

SAVANNAKHET, LAOS

STA NO. 48947 (IN AREA NUMBER 02)

LATITUDE 1633N

LONGITUDE 10445E

ELEVATION(FT) 00509

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
														(YRS)	QBS
ABS MAX TMP (F)	101	102	108	107	105	98	97	96	94	98	96	97	108	21	-48948
MEAN MAX TMP (F)	86	89	93	95	92	90	88	88	88	87	86	83	89	21	-48948
MEAN MIN TMP (F)	87	62	68	73	74	75	74	74	73	69	64	58	71	21	-48948
ABS MIN TMP (F)	36	48	51	52	64	67	67	67	54	54	47	42	36	28	-48948
MEAN NO DYS TMP = DR GTR 90(F)	5.8	13.3	26.3	28.8	23.8	17.3	11.6	11.6	11.2	8.6	5.6	0.0	163.9	21	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	28	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	28	-29
MEAN DEW PT TMP (F)	73	62	66	70	73	73	74	75	74	69	63	59	69	18	-29
MEAN REL HUM (PCT)	67	66	64	67	75	80	80	82	83	75	70	69	73	12	-48948
MEAN PRESS ALT (FT)	463	513	563	620	679	709	711	734	682	574	517	470	603	0	-50
MEAN PRECIP (IN)	0.10	0.90	1.30	3.20	8.50	8.10	11.80	9.60	10.40	2.10	3.00	0.00	99.0	13	-158
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	28	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	0.3	1.9	2.9	5.0	5.2	12.7	15.8	14.0	13.1	5.0	6.1	0.0	82.0	13	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	28	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	1.0	2.0	4.0	6.0	14.0	16.0	19.0	20.0	18.0	7.0	1.0	0.0	108.0	17	-48948
P FREQ WND SPD = DR GTR 17 KTS	4.2	3.9	1.0	0.8	0.2	1.0	0.4	0.1	0.6	1.3	3.0	1.7	1.5	11	-48948
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	-48948
P FREQ LES 5000 FT A/D LES 5 MI	11.8	28.9	26.5	19.0	33.3	38.8	43.8	54.4	46.6	21.6	17.2	14.3	29.7	12	-48948
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.0	11.8	12.5	15.4	11.1	0.0	0.0			1	-48948
03-05 LST	3.1	11.4	12.0	3.6	2.8	7.0	13.5	18.5	18.2	1.6	0.0	0.0	7.6	8	-48948
06-08 LST	9.8	20.7	14.6	3.8	9.3	23.0	29.5	40.1	33.2	6.0	2.1	8.3	16.7	12	-48948
09-11 LST	0.5	6.3	5.6	3.1	17.5	27.1	34.2	39.3	31.6	5.2	0.5	1.6	14.4	11	-48948
12-14 LST	1.2	5.4	3.5	3.7	10.3	17.6	18.1	23.9	22.7	10.7	6.1	3.0	10.5	12	-48948
15-17 LST	1.7	7.9	3.6	1.6	3.3	10.2	7.2	10.9	13.1	4.8	1.1	1.2	5.6	11	-48948
18-20 LST	1.8	3.7	8.3	4.6	11.0	7.0	6.8	10.4	13.4	10.4	5.4	3.2	7.2	8	-48948
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18.2	11.1	0.0	0.0			1	-48948
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.7	0.0	0.0	0.0			1	-48948
03-05 LST	0.0	2.9	0.0	0.0	0.0	2.3	1.9	1.9	6.1	0.0	0.0	0.0	1.3	8	-48948
06-08 LST	3.4	3.6	1.0	1.1	2.0	4.6	4.7	9.9	10.3	3.4	1.3	2.8	4.0	12	-48948
09-11 LST	0.0	0.6	1.3	0.8	3.2	1.9	1.3	2.5	2.8	0.5	0.0	0.5	1.3	11	-48948
12-14 LST	0.4	0.5	0.9	0.0	0.5	1.2	1.6	0.4	2.1	2.0	0.0	0.4	0.8	12	-48948
15-17 LST	1.1	1.2	0.5	0.0	0.7	1.3	1.3	1.5	1.4	1.0	0.0	0.9	0.8	11	-48948
18-20 LST	0.0	0.9	0.0	0.9	2.2	3.1	0.0	4.7	3.5	1.5	0.0	0.8	1.5	8	-48948
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			1	-48948

SAVANNAKHET, LAOS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG ≥ GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	28.2	22.5	26.6	24.2	29.0	23.9	23.4	19.7	20.8	29.1	29.5	28.7	310.6	12	-48948
	13 LST	30.9	26.6	30.2	29.3	30.2	27.9	29.2	27.3	26.1	29.9	30.0	30.8	348.4	12	-48948
	19 LST	31.0	26.9	28.4	29.4	29.6	28.8	29.8	29.2	26.8	29.6	29.8	30.5	349.8	8	-48948
	01 LST	31.0	28.0	31.0	30.0	31.0	28.3	26.8	28.6	28.7	31.0	30.0			1	-48948
CIG ≥ GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	26.7	19.9	25.6	28.0	27.5	21.8	20.8	17.6	19.0	28.6	28.3	27.8	291.6	12	-48948
	13 LST	21.9	18.5	24.3	23.4	23.4	17.9	19.3	18.7	13.3	17.5	13.0	16.6	232.8	12	-48948
	19 LST	24.4	18.6	23.3	25.3	23.0	25.8	23.4	24.0	14.7	23.8	22.6	22.8	283.7	8	-48948
	01 LST	31.0	21.0	31.0	26.6	25.8	25.0	24.8	23.8	26.6	24.8	30.0			1	-48948
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.2	0.1	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.5	12	-48948
	13 LST	2.0	1.7	0.2	0.4	0.0	0.5	0.2	0.0	0.1	1.0	1.8	1.1	9.0	12	-48948
	19 LST	0.8	2.0	0.0	0.0	0.2	0.0	0.0	0.0	0.2	0.0	0.3	0.5	4.0	8	-48948
	01 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			1	-48948
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	4.5	7.4	8.2	12.1	11.8	11.2	8.8	7.1	3.0	6.8	7.1	3.5	91.5	12	-48948
	13 LST	15.4	10.2	7.4	5.0	8.3	11.5	11.5	13.4	10.9	16.4	14.7	17.1	141.8	12	-48948
	19 LST	13.2	4.9	12.4	6.8	5.9	8.0	7.5	6.9	2.9	9.2	11.4	15.9	105.0	8	-48948
	01 LST	5.1	5.6	0.0	10.0	15.5	10.0	7.8	7.1	1.7	9.3	12.8			1	-48948
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	11.1	10.3	13.0	8.0	3.3	2.5	1.8	0.7	2.0	9.6	13.3	13.8	93.4	12	-48948
	13 LST	16.2	13.9	12.8	5.1	0.7	0.2	0.3	0.0	0.2	1.8	4.4	8.8	64.4	12	-48948
	19 LST	17.6	17.5	17.9	6.2	2.7	1.4	1.9	0.6	0.8	6.0	9.2	13.7	95.5	8	-48948
	01 LST	25.8	28.0	24.8	23.3	15.5	3.3	7.8	0.0	5.0	6.2	8.6			1	-48948
CIG ≥ GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	27.3	21.7	25.7	28.0	26.8	21.2	20.6	16.9	18.5	28.8	29.0	27.9	292.4	12	-48948
	13 LST	29.2	24.9	28.0	25.5	19.7	16.2	15.7	13.5	15.4	20.0	21.9	27.4	257.4	12	-48948
	19 LST	30.2	26.7	27.9	26.9	22.8	26.0	23.7	24.6	22.4	25.2	25.5	29.2	311.1	8	-48948
	01 LST	31.0	28.0	31.0	30.0	31.0	23.3	24.8	16.7	23.3	27.9	30.0			1	-48948
CIG ≥ GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	25.1	18.6	22.8	25.8	23.9	19.5	19.3	14.2	15.9	26.6	27.8	26.0	265.5	12	-48948
	13 LST	26.6	22.0	24.6	18.6	11.4	11.3	9.4	7.9	10.8	15.4	17.4	24.0	199.4	12	-48948
	19 LST	28.6	25.6	26.4	25.0	18.9	23.7	20.6	23.1	19.8	24.3	23.7	27.0	286.7	8	-48948
	01 LST	31.0	28.0	31.0	30.0	31.0	18.3	22.7	7.1	20.0	24.8	30.0			1	-48948
CIG ≥ GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	25.0	18.3	22.3	25.3	23.9	19.2	19.3	14.0	15.8	26.4	27.5	25.9	262.9	12	-48948
	13 LST	26.4	22.0	24.6	18.6	11.3	11.3	9.2	7.9	10.6	15.3	17.3	23.8	198.3	12	-48948
	19 LST	28.6	25.1	25.8	25.0	18.9	23.7	20.6	23.1	19.8	24.3	23.7	27.0	285.6	8	-48948
	01 LST	31.0	28.0	31.0	30.0	31.0	18.3	22.7	7.1	20.0	24.8	30.0			1	-48948

SENO, LAOS

STA NO. 48948 (IN AREA NUMBER 02) LATITUDE 1640N LONGITUDE 10500E ELEVATION(FT) 00607

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	101	102	108	107	105	98	97	96	94	98	96	97	108	21	-158
MEAN MAX TMP (F)	86	89	93	95	92	90	88	88	88	87	86	83	89	21	-158
MEAN MIN TMP (F)	87	62	68	73	74	75	74	74	73	69	64	58	71	21	-158
ABS MIN TMP (F)	36	48	51	52	64	67	67	67	54	54	47	42	36	28	-658
MEAN NO DYS TMP = OR GTR 90(F)	5.8	13.3	26.3	28.8	23.8	17.3	11.6	11.6	11.2	8.6	5.6	0.0	163.9	21	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	28	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	28	-29
MEAN DEW PT TMP (F)	73	62	66	70	73	75	74	75	74	69	63	59	69	18	-29
MEAN REL HUM (PCT)	67	66	64	67	75	80	80	82	83	75	70	69	73	12	45516
MEAN PRESS ALT (FT)	562	612	662	718	776	806	807	832	781	673	616	570	701	0	-50
MEAN PRECIP (IN)	0.20	0.90	1.30	3.20	7.60	10.10	10.40	12.90	13.10	3.70	0.40	0.00	63.8	17	-158
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	28	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	0.5	1.9	2.9	3.0	3.3	14.4	14.7	16.6	14.8	6.9	2.8	0.0	85.8	17	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	28	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	1.0	2.0	4.0	6.0	14.0	16.0	19.0	20.0	18.0	7.0	1.0	0.0	108.0	17	-158
P FREQ WND SPD = OR GTR 17 KTS	4.2	3.9	1.0	0.8	0.2	1.0	0.4	0.1	0.6	1.3	3.0	1.7	1.3	11	12029
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	12029
P FREQ LES 5000 FT A/D LES 5 MI	11.8	28.9	26.5	19.0	33.3	38.8	43.8	54.4	46.6	21.6	17.2	14.3	29.7	12	7291
P FREQ LES 1500 FT A/D LES 3 MI														1	111
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.0	11.8	12.5	15.4	11.1	0.0	0.0			8	611
03-05 LST	3.1	11.4	12.0	3.6	2.8	7.0	13.5	18.5	18.2	1.6	0.0	0.0	7.6	12	2604
06-08 LST	9.8	20.7	14.6	3.8	9.3	23.0	29.5	40.1	33.2	6.0	2.1	8.3	16.7	11	1946
09-11 LST	0.5	6.3	5.6	3.1	17.5	27.1	34.2	39.3	31.6	5.2	0.5	1.6	14.4	11	1946
12-14 LST	1.2	5.4	3.5	3.7	10.3	17.6	18.1	23.9	22.7	10.7	6.1	3.0	10.5	12	2665
15-17 LST	1.7	7.9	3.6	1.6	3.3	10.2	7.2	10.9	13.1	4.8	1.1	1.2	5.6	11	2137
18-20 LST	1.8	1.7	8.3	4.6	11.0	7.0	6.8	10.4	13.4	10.4	5.4	3.2	7.2	8	1487
21-23 LST	0.0	1.0	0.0	0.0	0.0	0.0	0.0	18.2	11.1	0.0	0.0			1	98
P FREQ LES 300 FT A/D LES 1 MI														1	111
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.7	0.0	0.0	0.0			8	611
03-05 LST	0.0	2.9	0.0	0.0	0.0	2.3	1.9	1.9	6.1	0.0	0.0	0.0	1.3	12	2604
06-08 LST	3.4	3.6	1.0	1.1	2.0	4.6	4.7	9.9	10.3	3.4	1.3	2.8	4.0	11	1946
09-11 LST	0.0	0.6	1.3	0.8	3.2	1.9	1.3	2.5	2.8	0.3	0.0	0.3	1.3	11	1946
12-14 LST	0.4	0.5	0.9	0.0	0.3	1.2	1.6	0.4	2.1	2.0	0.0	0.4	0.8	12	2665
15-17 LST	1.1	1.2	0.5	0.0	0.7	1.3	1.3	1.5	1.4	1.0	0.0	0.0	0.8	11	2137
18-20 LST	0.0	0.9	0.0	0.9	2.2	3.1	0.0	4.7	3.5	1.3	0.0	0.8	1.3	8	1487
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			1	98

SENO, LAOS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	28.2	22.5	26.6	29.2	29.0	23.9	23.4	19.7	20.8	29.1	29.5	28.7	310.6	12	955
	13 LST	30.9	26.6	30.2	29.3	30.2	27.9	29.2	27.3	26.1	29.9	30.0	30.8	348.4	12	2665
	19 LST	31.0	26.9	28.4	29.4	29.6	28.8	29.8	29.2	26.8	29.6	29.8	30.5	349.8	8	1487
	01 LST	31.0	28.0	31.0	30.0	31.0	28.3	26.8	28.6	28.3	31.0	30.0			1	111
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	26.7	19.9	25.6	28.0	27.5	21.8	20.8	17.6	19.0	28.6	28.3	27.8	291.6	12	2533
	13 LST	21.9	18.5	24.3	23.4	23.4	17.9	19.3	18.7	18.3	17.5	13.0	16.6	232.8	12	2634
	19 LST	24.4	18.6	23.3	25.3	23.0	25.8	25.4	24.0	24.7	23.8	22.6	22.8	289.7	8	1483
	01 LST	31.0	21.0	31.0	26.6	25.8	25.0	24.8	23.8	26.6	24.8	30.0			1	111
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.2	0.1	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.5	12	2596
	13 LST	2.0	1.7	0.2	0.4	0.0	0.5	0.2	0.0	0.1	1.0	1.8	1.1	9.0	12	2727
	19 LST	0.8	2.0	0.0	0.0	0.2	0.0	0.0	0.0	0.2	0.0	0.3	0.5	4.0	8	1496
	01 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			1	113
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	4.5	7.4	8.2	12.1	11.8	11.2	8.8	7.1	3.0	6.8	7.1	3.5	91.5	12	2573
	13 LST	15.4	10.2	7.4	5.0	8.3	11.5	11.5	13.4	10.9	16.4	14.7	17.1	141.8	12	2681
	19 LST	13.2	4.9	12.4	6.8	5.9	8.0	7.5	6.9	2.9	9.2	11.4	15.9	105.0	8	1488
	01 LST	5.1	5.6	0.0	10.0	15.5	10.0	7.8	7.1	1.7	9.3	12.8			1	113
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	17.1	10.3	13.0	8.0	3.3	2.5	1.8	0.7	2.0	9.6	13.3	13.8	95.4	12	2601
	13 LST	16.2	13.9	12.8	5.1	0.7	0.2	0.3	0.0	0.2	1.8	4.4	8.8	64.4	12	2738
	19 LST	17.6	17.5	17.9	6.2	2.7	1.4	1.9	0.6	0.8	6.0	9.2	13.7	95.5	8	1493
	01 LST	25.8	28.0	24.8	23.3	15.5	3.3	7.8	0.0	5.0	6.2	8.6			1	112
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	27.3	21.7	29.7	28.0	26.8	21.2	20.6	16.9	18.5	28.8	29.0	27.9	292.4	12	2555
	13 LST	29.2	24.9	28.0	25.5	19.7	16.2	15.7	13.5	15.4	20.0	21.9	27.4	257.4	12	2665
	19 LST	30.2	26.7	27.9	26.9	22.8	26.0	23.7	24.6	22.4	25.2	25.5	29.2	311.1	8	1487
	01 LST	31.0	28.0	31.0	30.0	31.0	23.3	24.8	16.7	23.3	27.9	30.0			1	111
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	25.1	18.6	22.8	25.8	23.9	19.5	19.3	14.2	15.9	26.6	27.8	26.0	265.5	12	2555
	13 LST	26.6	22.0	24.6	18.6	11.4	11.3	9.4	7.9	10.8	15.4	17.4	24.0	199.4	12	2665
	19 LST	28.6	25.6	26.4	25.0	18.9	23.7	20.6	23.1	19.8	24.3	23.7	27.0	286.7	8	1487
	01 LST	31.0	28.0	31.0	30.0	31.0	18.3	22.7	7.1	20.0	24.8	30.0			1	111
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	25.0	18.3	22.3	25.3	23.9	19.2	19.3	14.0	15.8	26.4	27.5	25.9	262.9	12	2555
	13 LST	26.4	22.0	24.6	18.6	11.3	11.3	9.2	7.9	10.6	15.3	17.3	23.8	198.3	12	2665
	19 LST	28.6	25.1	25.8	25.0	18.9	23.7	20.6	23.1	19.8	24.3	23.7	27.0	285.6	8	1487
	01 LST	31.0	28.0	31.0	30.0	31.0	18.3	22.7	7.1	20.0	24.8	30.0			1	111

PAKSE, LAOS

STA NO. 48955 (IN AREA NUMBER 02)

LATITUDE 1507N

LONGITUDE 10547E

ELEVATION(FT) 00305

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	98	100	100	103	101	97	95	95	96	95	95	95	103	28	-158
MEAN MAX TMP (F)	88	91	94	95	91	88	87	87	86	88	88	87	89	21	-158
MEAN MIN TMP (F)	64	69	73	76	76	75	75	75	74	72	69	64	72	21	-158
ABS MIN TMP (F)	45	54	55	59	68	64	68	68	64	62	54	51	45	29	-158
MEAN NO DYS TMP = DR GTR 90(F)	11.6	18.9	28.3	28.8	21.0	11.2	8.6	8.6	5.6	11.6	11.2	8.6	174.0	21	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	29	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	29	-29
MEAN DEW PT TMP (F)	60	63	67	71	74	74	75	75	75	73	68	63	70	9	47875
MEAN REL HUM (PCT)	58	56	56	64	76	77	82	84	84	77	69	64	71	9	48147
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.10	0.40	0.90	3.20	8.50	13.40	17.30	19.60	16.10	4.50	1.10	0.10	89.2	23	-158
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	0.3	0.9	2.2	5.0	5.2	17.0	19.5	20.7	16.3	7.8	3.7	0.3	98.9	23	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	29	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	1.1	0.0	2.7	5.2	3.0	7.5	1.2	7.0	1.1	0.0	0.0	28.8	7	289
P FREQ WND SPD = DR GTR 17 KTS	1.3	0.9	0.6	0.0	0.2	0.2	0.0	0.2	0.3	0.2	0.4	0.5	0.4	12	6349
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	12	6349
P FREQ LES 3000 FT A/D LES 5 MI	13.9	44.4	34.3	32.1	28.0	90.2	31.1	43.2	34.7	17.5	14.1	11.4	27.9	13	2218
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST														0	0
03-05 LST	27.3	90.0	80.0	50.0	0.0			0.0	40.0	0.0		50.0		2	45
06-08 LST	10.7	8.8	9.1	9.1	11.7	12.1	17.4	20.9	19.6	8.6	7.4	7.3	11.9	14	2018
09-11 LST	1.6	5.2	6.6	2.8	4.8	13.8	10.9	22.1	15.5	6.5	2.5	0.0	7.7	12	1392
12-14 LST	1.1	5.0	9.5	7.0	8.6	10.0	7.4	13.3	13.0	2.1	2.6	2.0	6.8	14	1775
15-17 LST	2.1	7.1	7.5	4.2	6.8	3.1	5.4	7.8	5.2	3.4	3.9	1.0	4.8	13	1370
18-20 LST	4.3	55.0	77.8	13.6	15.4	14.3	3.8	0.0	20.0	0.0	0.0	0.0	17.0	8	186
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST														0	0
03-05 LST	0.0	0.0	0.0	0.0	0.0			0.0	0.0	0.0		0.0		2	45
06-08 LST	3.4	0.9	0.6	2.1	0.0	2.9	2.6	4.3	3.3	1.6	4.3	3.6	2.4	14	2018
09-11 LST	0.8	0.0	0.7	0.0	0.0	0.0	0.9	3.3	3.9	0.0	0.8	0.0	0.9	12	1392
12-14 LST	0.0	0.0	2.2	0.7	1.9	2.7	0.0	3.0	2.6	0.7	0.7	0.0	1.2	14	1775
15-17 LST	1.0	0.0	1.5	0.8	1.0	1.0	1.8	3.2	0.0	1.7	1.0	0.0	1.1	13	1370
18-20 LST	0.0	0.0	0.0	0.0	0.0	0.0	3.8	0.0	0.0	0.0	0.0	0.0	0.3	8	186
21-23 LST														0	0

PAKSE, LAOS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
	01 LST													0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
	01 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
	01 LST													0	0
SFC WND 4-10 KTS AND TMP 33-49 DEG F AND NO PRECIP.	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
	01 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
	01 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
	01 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
	01 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
	01 LST													0	0

DATA NOT AVAILABLE

THAKHEK, LAOS

STA NO. 49105 (IN AREA NUMBER 02)

LATITUDE 1724N

LONGITUDE 10449E

ELEVATION(FT) 00492

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	96	100	102	104	103	97	95	96	98	96	95	97	104	12	-158
MEAN MAX TMP (F)	84	87	91	94	91	88	85	86	86	87	86	83	87	12	-158
MEAN MIN TMP (F)	56	62	67	72	75	76	75	75	74	68	64	58	69	12	-158
ABS MIN TMP (F)	38	46	51	56	68	70	70	70	64	53	50	42	38	12	-158
MEAN NO DYS TMP = OR GTR 90(F)	1.4	7.7	21.0	27.3	21.0	11.2	3.4	5.8	5.6	8.6	5.6	0.0	118.6	12	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-29
MEAN DEW PT TMP (F)	57	62	67	73	76	77	75	76	75	69	65	59	69	10	-29
MEAN REL HUM (PCT)	67	68	69	75	80	85	86	87	86	77	73	70	77	7	4813
MEAN PRESS ALT (FT)	463	524	570	622	662	687	693	680	646	530	475	438	583	0	-50
MEAN PRECIP (IN)	0.10	1.10	1.60	4.00	10.90	13.20	22.10	21.10	16.10	2.50	0.40	0.30	93.4	14	-158
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	0.3	2.2	3.4	5.4	6.3	16.8	21.9	21.4	16.3	5.3	2.8	0.7	103.0	14	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	0.0	3.0	8.0	13.0	23.0	16.0	13.0	17.0	10.0	3.0	1.0	0.0	107.0	3	-158
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	53.3	44.4	40.3	33.8	25.6	23.3	27.8	30.6	28.6	29.3	37.3	46.7	35.1	7	2399
09-11 LST														0	0
12-14 LST	2.0	5.1	10.7	3.4	5.1	6.7	14.3	13.7	12.3	3.1	0.2	0.7	6.4	7	2399
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	29.7	25.1	22.6	13.3	9.0	12.4	20.2	21.4	12.4	16.7	19.0	25.4	18.9	7	2399
09-11 LST														0	0
12-14 LST	1.0	1.1	6.4	1.0	3.2	4.6	7.0	7.9	5.7	2.0	0.0	0.0	3.3	7	2399
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

THAKHEK, LAOS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG ≥ GTR 1000 FT AND VSBY ≥ GTR 3 MI	07 LST	14.3	14.2	18.6	19.7	22.7	22.5	20.7	19.8	20.7	21.6	18.6	16.5	229.9	7	2559
	13 LST	30.4	26.6	27.7	29.0	29.1	27.8	27.4	26.2	26.3	29.9	30.0	30.8	341.2	7	2399
	19 LST														0	0
	01 LST														0	0
CIG ≥ GTR 2000 FT AND VSBY ≥ GTR 3 MI W/SFC WND LES 10 KTS	07 LST	14.3	14.0	18.2	19.2	22.6	22.5	20.5	19.8	20.7	21.3	18.3	16.5	227.9	7	2559
	13 LST	25.1	22.7	25.6	27.9	28.4	27.2	25.5	25.0	26.0	27.3	25.9	26.2	312.8	7	2399
	19 LST														0	0
	01 LST														0	0
SFC WND ≥ GTR 17 KTS AND NO PRECIP.	07 LST	0.0	0.2	0.0	0.0	0.1	0.0	0.2	0.0	0.0	0.1	0.1	0.0	0.7	7	2559
	13 LST	0.3	0.2	0.2	0.0	0.3	0.2	0.2	0.0	0.1	0.4	0.1	0.6	2.6	7	2399
	19 LST														0	0
	01 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	1.0	2.1	5.4	4.5	4.3	3.1	0.6	1.9	2.0	1.3	1.7	0.9	28.8	7	2559
	13 LST	14.2	9.3	6.0	3.3	6.3	6.0	9.5	7.6	6.5	10.9	11.8	15.0	106.4	7	2399
	19 LST														0	0
	01 LST														0	0
SKY COVER LES 3/10 AND VSBY ≥ GTR 3 MI	07 LST	11.1	10.1	8.7	7.7	4.3	1.8	1.5	0.7	5.1	10.6	11.3	10.1	83.0	7	2559
	13 LST	25.1	17.6	15.5	13.6	8.1	3.6	1.9	1.8	5.7	13.7	15.0	22.4	144.0	7	2399
	19 LST														0	0
	01 LST														0	0
CIG ≥ GTR 2500 FT AND VSBY ≥ GTR 3 MI	07 LST	17.7	14.1	17.6	19.1	20.2	23.0	15.4	14.3	17.1	20.5	18.0	15.4	212.4	7	2559
	13 LST	29.6	24.7	25.4	26.6	25.0	20.4	18.0	20.4	22.0	27.0	27.3	29.6	296.0	7	2399
	19 LST														0	0
	01 LST														0	0
CIG ≥ GTR 6000 FT AND VSBY ≥ GTR 3 MI	07 LST	16.7	12.8	13.0	14.5	12.4	8.5	9.0	5.4	10.5	16.8	15.8	13.8	149.2	7	2559
	13 LST	28.6	20.7	20.7	21.8	16.8	11.1	6.6	7.1	15.6	22.2	23.2	27.5	221.9	7	2399
	19 LST														0	0
	01 LST														0	0
CIG ≥ GTR 10000 FT AND VSBY ≥ GTR 3 MI	07 LST	16.6	12.8	12.9	14.2	12.4	8.5	9.0	5.4	10.2	16.7	15.5	13.5	147.7	7	2559
	13 LST	28.6	20.6	20.7	21.8	16.8	11.1	6.6	6.9	15.8	21.7	23.2	27.3	220.9	7	2399
	19 LST														0	0
	01 LST														0	0

AREA NO. 02

PARAMETER DESCRIPTION	MEKONG VALLEY				LATITUDE 1700N				LONGITUDE 10500E				ANN	
	BOUNDARIES	1818N 10110E	1850N 10340E	1850N 10340E	1850N 10340E	1750N 10540E	1750N 10540E	1750N 10540E	1420N 10600E					
MEAN MAX TMP (F)		85	89	92	94	91	89	87	87	87	86	84	88	
MEAN MIN TMP (F)		66	64	69	73	75	76	75	75	74	70	60	70	
LARGEST MEAN PRECIP(IN)		0.30	1.10	1.60	4.00	10.90	13.40	22.10	21.10	16.10	4.50	3.00	0.30	98.4
SMALLEST MEAN PRECIP(IN)		0.10	0.40	0.90	3.20	7.60	8.10	10.10	9.60	10.40	2.10	0.40	0.00	52.9
		MEAN NUMBER OF DAYS												
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	21.9	17.5	20.3	21.4	25.7	23.6	22.9	20.5	21.1	26.3	25.3	24.3	270.8
	13 LST	30.6	26.4	28.2	28.2	29.7	28.0	28.3	27.1	26.2	29.9	30.0	30.7	343.3
	01 LST	27.2	24.0	24.1	24.9	29.1	28.6	29.2	28.5	27.0	28.4	28.3	29.0	328.3
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	21.4	16.5	19.6	20.7	24.4	22.1	21.3	19.0	19.8	25.7	24.7	24.0	259.2
	13 LST	25.7	22.2	25.1	25.4	26.2	23.0	22.2	22.0	22.1	23.9	22.2	24.0	284.0
	01 LST	23.9	19.6	21.3	22.5	24.9	26.5	25.8	24.9	25.4	25.4	24.5	25.1	289.8
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.1	0.1	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.4
	13 LST	0.8	0.7	0.1	0.1	0.1	0.2	0.2	0.0	0.1	0.5	0.7	0.7	4.2
	01 LST	0.4	1.0	0.0	0.1	0.2	0.0	0.0	0.0	0.2	0.0	0.2	0.3	2.4
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	2.4	4.2	5.5	6.7	6.5	5.5	4.0	3.7	2.6	3.6	3.8	1.9	50.4
	13 LST	14.3	9.3	6.7	3.6	6.6	7.5	9.0	8.9	7.8	12.6	12.2	14.6	113.1
	01 LST	8.2	4.7	8.9	5.8	5.8	5.8	5.6	4.7	3.0	5.9	7.9	9.4	75.7
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	12.9	8.5	9.3	6.5	2.8	1.6	1.3	0.6	2.8	8.9	11.6	11.7	78.5
	13 LST	19.2	15.9	14.6	10.0	3.4	1.4	0.7	0.6	2.2	6.6	8.7	14.3	97.6
	01 LST	17.3	15.9	15.0	7.0	2.6	1.0	1.6	0.6	1.7	7.9	11.8	16.1	98.5
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	23.1	21.0	19.7	16.2	9.6	2.0	5.2	1.1	3.9	8.2	12.5	20.9	143.4
	13 LST	22.5	16.9	19.5	20.6	23.2	21.8	19.1	16.9	18.3	25.2	24.7	23.6	252.3
	01 LST	29.3	24.8	26.3	25.3	22.8	19.3	17.6	17.9	19.4	24.2	25.2	28.8	280.9
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	26.6	23.7	23.6	23.3	24.6	26.1	24.5	25.1	23.9	25.9	26.0	28.4	301.7
	13 LST	28.3	22.5	25.3	23.6	25.9	21.8	22.6	18.5	21.9	27.0	28.4	30.4	296.2
	01 LST	20.6	14.2	16.2	17.5	19.1	15.7	15.6	12.2	14.5	22.4	22.7	21.5	212.2
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	27.6	21.8	23.1	21.1	16.5	13.7	11.0	11.0	15.2	20.3	21.7	26.6	229.6
	13 LST	24.9	22.4	22.1	21.7	21.6	24.0	22.4	23.2	22.0	25.1	24.1	26.5	280.0
	01 LST	28.3	22.3	24.4	23.3	24.7	17.5	20.4	12.9	19.6	24.4	27.4	28.8	274.0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	20.4	14.0	15.9	17.2	19.1	15.6	15.6	12.1	14.4	22.2	22.3	21.2	210.0
	13 LST	27.5	21.7	23.0	21.1	16.4	13.7	10.9	10.9	15.1	20.1	21.7	26.5	228.6
	01 LST	24.9	22.0	21.8	21.6	21.6	24.0	22.4	23.1	22.0	25.0	24.0	26.4	278.8
		28.3	22.3	24.4	23.3	24.7	17.5	20.4	12.9	19.4	24.4	27.4	28.8	273.8

ATTOPEU, LAOS

STA NO. 49137 (IN AREA NUMBER 03)

LATITUDE 1449N

LONGITUDE 10650E

ELEVATION(FT) 00344

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)														0	0
MEAN MAX TMP (F)														0	0
MEAN MIN TMP (F)														0	0
ABS MIN TMP (F)														0	0
MEAN NO DYS TMP = DR GTR 90(F)														0	0
MEAN NO DYS TMP = DR LES 92(F)														0	0
MEAN NO DYS TMP = DR LES 0(F)														0	0
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)	275	345	374	425	466	466	477	481	460	380	337	299	399	0	-50
MEAN PRECIP (IN)	0.10	0.40	1.40	3.20	10.40	14.10	22.00	23.00	19.00	6.30	1.50	0.30	101.7	22	-158
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = DR GTR 0.1 IN	0.3	0.9	3.1	5.0	5.9	17.5	21.8	22.2	17.4	9.6	4.2	0.7	108.6	22	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0													0	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI				13.0	32.1	42.1	58.0	62.1	32.6	13.2	6.7	10.7		1	9280
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST				1.7	2.0	2.8	4.6	3.3	0.0	2.8	0.0	0.0		1	1155
03-05 LST				0.0	4.0	9.4	6.4	6.7	0.0	3.8	2.2	0.0		1	1158
06-08 LST				6.6	6.9	15.6	17.1	24.4	3.8	6.0	5.0	5.0		1	1160
09-11 LST				3.3	3.7	9.2	16.5	20.5	2.2	0.0	1.1	0.0		1	1161
12-14 LST				0.6	0.0	1.1	4.9	4.5	1.1	0.0	0.0	0.0		1	1162
15-17 LST				1.1	0.0	2.6	3.8	5.1	1.7	0.0	0.0	0.0		1	1163
18-20 LST				0.0	3.6	5.0	2.5	5.1	2.8	0.6	0.0	0.0		1	1160
21-23 LST				0.0	2.9	4.8	2.2	4.1	0.6	0.0	0.0	0.0		1	1161
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		1	1155
03-05 LST				0.0	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0		1	1158
06-08 LST				0.0	1.3	0.0	1.1	0.5	0.0	1.1	2.2	4.4		1	1160
09-11 LST				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		1	1161
12-14 LST				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		1	1162
15-17 LST				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		1	1163
18-20 LST				0.0	0.0	0.6	0.0	0.5	0.0	0.0	0.0	0.0		1	1160
21-23 LST				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		1	1161

ATTOPEU, LAOS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
	01 LST													0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
	01 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
	01 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
	01 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
	01 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST			27.7	25.7	19.5	18.9	15.6	27.0	27.7	27.7	29.1		1	1160
	13 LST			28.8	30.0	26.9	26.6	25.2	28.7	30.8	30.0	31.0		1	1162
	19 LST			30.0	27.8	26.8	27.7	27.0	28.8	30.7	30.0	30.8		1	1160
	01 LST			29.3	29.8	27.0	26.2	26.5	30.0	30.0	30.0	31.0		1	1155
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST			26.4	17.7	10.3	6.8	5.9	17.0	23.3	26.4	28.0		1	1160
	13 LST			24.3	23.8	19.7	15.5	13.0	20.3	28.0	29.3	24.8		1	1162
	19 LST			25.3	20.7	21.3	16.9	17.3	22.4	28.3	27.0	24.0		1	1160
	01 LST			29.0	22.1	17.5	11.6	7.8	21.0	29.3	29.3	28.7		1	1155
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST			20.4	9.6	6.5	4.5	3.8	11.3	20.6	24.7	27.0		1	1160
	13 LST			19.3	17.2	14.2	12.1	9.0	19.4	27.0	28.7	24.7		1	1162
	19 LST			18.3	15.2	17.1	11.0	13.8	15.7	18.7	24.7	21.3		1	1160
	01 LST			23.0	13.4	13.7	9.1	5.8	14.0	23.6	27.0	28.7		1	1155

SARAVANE, LAOS

STA NO. 49139 (IN AREA NUMBER 03)

LATITUDE 1543N

LONGITUDE 10625E

ELEVATION(FT) 00550

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
ABS MAX TMP (F)														0	0
MEAN MAX TMP (F)														0	0
MEAN MIN TMP (F)														0	0
ABS MIN TMP (F)														0	0
MEAN NO DYS TMP = DR GTR 90(F)														0	0
MEAN NO DYS TMP = DR LES 32(F)														0	0
MEAN NO DYS TMP = DR LES 0(F)														0	0
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)	481	551	580	631	672	672	683	687	666	586	543	505	605	0	-50
MEAN PRECIP (IN)	0.10	0.70	0.60	2.20	4.30	7.30	14.60	12.40	9.20	1.90	0.40	0.10	53.8	12	-158
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = DR GTR 0.1 IN	0.3	1.5	1.6	4.2	5.5	11.9	17.8	16.2	12.2	4.7	2.8	0.3	79.0	12	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0											0.0		0	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI	2.7	0.3	10.4	7.0	28.0	38.0	49.2	57.7	41.2	24.0	17.5	5.4	23.1	1	12845
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.0	0.0	1.1	2.7	0.6	0.0	0.6	0.0	0.4	1	1602
03-05 LST	0.0	0.0	0.0	1.1	0.8	0.0	2.2	4.9	1.7	1.1	0.0	0.0	1.0	1	1600
06-08 LST	0.0	0.0	0.7	0.6	1.9	2.6	8.9	16.1	7.8	6.5	3.9	3.3	4.4	1	1608
09-11 LST	0.0	1.2	0.0	0.0	2.1	1.1	3.8	9.9	5.0	2.7	0.0	0.0	2.2	1	1608
12-14 LST	0.0	0.0	0.0	0.0	1.6	0.0	2.4	4.0	5.1	0.0	1.1	0.0	1.2	1	1607
15-17 LST	0.0	0.0	0.0	0.0	0.8	1.7	1.0	2.5	5.6	2.1	1.7	0.0	1.3	1	1605
18-20 LST	0.0	0.0	0.0	1.4	2.1	0.0	0.6	2.6	3.4	1.1	2.8	0.0	1.2	1	1607
21-23 LST	0.0	0.0	0.0	0.3	2.2	0.0	1.0	0.8	0.6	1.6	1.7	0.0	0.7	1	1608
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	1602
03-05 LST	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	1600
06-08 LST	0.0	0.0	0.0	0.0	0.0	0.6	0.0	1.1	0.0	3.3	1.1	2.2	0.7	1	1608
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	1608
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	1	1607
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	1605
18-20 LST	0.0	0.0	0.0	1.1	0.0	0.0	0.0	1.1	0.0	0.0	0.0	0.0	0.2	1	1607
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	1606

SARAVANE, LAOS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
	01 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
	01 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
	01 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
	01 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
	01 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	31.0	28.0	30.8	29.6	29.6	28.3	24.2	19.5	26.5	26.3	28.4	30.0	332.2	1	1608
	13 LST	31.0	27.7	31.0	30.0	29.9	29.2	27.9	26.3	28.5	29.0	29.2	30.8	330.5	1	1607
	19 LST	31.0	28.0	31.0	29.4	30.5	29.9	30.2	28.2	26.0	28.5	29.0	31.0	332.7	1	1607
	01 LST	31.0	28.0	31.0	29.9	30.7	30.0	30.5	26.9	29.0	30.3	29.3	31.0	337.6	1	1602
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	30.7	28.0	28.9	28.8	23.0	14.5	11.7	6.0	16.7	24.0	25.4	30.0	267.7	1	1608
	13 LST	29.3	27.7	29.1	28.0	17.4	12.8	14.8	12.5	18.9	23.3	22.4	28.0	264.2	1	1607
	19 LST	29.7	28.0	30.4	26.1	24.3	23.3	22.1	20.9	17.0	20.6	25.7	29.3	297.4	1	1607
	01 LST	31.0	28.0	29.9	28.3	24.1	21.5	19.0	11.1	18.5	23.7	26.0	30.3	293.4	1	1602
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	25.7	25.0	27.6	27.2	10.7	7.2	6.2	2.7	13.0	21.7	20.0	26.0	213.0	1	1608
	13 LST	28.0	26.7	27.2	21.7	9.5	7.8	9.0	5.3	13.1	17.0	16.0	23.0	204.3	1	1607
	19 LST	26.0	25.3	29.9	19.8	15.0	17.3	13.5	13.3	14.3	16.0	24.3	26.7	243.6	1	1607
	01 LST	26.7	27.0	29.9	25.8	14.9	16.1	12.6	7.1	17.2	22.7	24.3	26.7	231.0	1	1602


AREA NO. 03

LAOS

BOLOVENS PLATEAU
BOUNDARIES 1750N 10540E 1420N 10600E

LATITUDE 1930N LONGITUDE 10630E

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	
MEAN MAX TMP (F)														
MEAN MIN TMP (F)														
LARGEST MEAN PRECIP(IN)	0.10	0.70	1.40	3.20	10.40	14.10	22.00	23.00	19.00	6.30	1.50	0.30	102.0	
SMALLEST MEAN PRECIP(IN)	0.10	0.40	0.60	2.20	4.30	7.30	14.60	12.40	9.20	1.90	0.40	0.10	33.5	
	MEAN NUMBER OF DAYS													
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST													
	13 LST													
	19 LST													
	01 LST													
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	07 LST													
	13 LST													
	19 LST													
	01 LST													
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST													
	13 LST													
	19 LST													
	01 LST													
SPC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST													
	13 LST													
	19 LST													
	01 LST													
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST													
	13 LST													
	19 LST													
	01 LST													
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	31.0	28.0	30.8	28.7	27.7	23.9	21.6	17.6	26.8	27.0	28.1	29.6	320.8
	13 LST	31.0	27.7	31.0	29.4	30.0	28.1	27.3	25.8	28.6	29.9	29.6	30.9	349.3
	19 LST	31.0	28.0	31.0	29.7	29.2	28.4	29.0	27.6	27.4	29.6	29.5	30.9	351.3
	01 LST	31.0	28.0	31.0	29.6	30.3	28.5	28.4	26.7	29.5	30.2	29.7	31.0	353.9
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	30.7	28.0	28.9	27.6	20.4	12.4	9.3	6.0	16.9	23.7	25.9	29.0	258.8
	13 LST	29.3	27.7	29.1	26.2	20.6	16.3	15.2	12.8	19.6	25.7	25.9	26.4	274.8
	19 LST	29.7	28.0	30.4	25.7	22.5	22.3	19.5	19.1	19.7	24.5	26.4	26.7	294.5
	01 LST	31.0	28.0	29.9	28.7	23.1	19.5	15.3	9.5	19.8	27.5	27.7	29.5	289.5
CIG = GTR 10300 FT AND VSBY = GTR 3 MI	07 LST	23.7	25.0	27.6	23.8	10.2	6.9	5.4	3.3	12.2	21.2	22.4	26.5	210.3
	13 LST	28.0	26.7	27.2	20.5	13.4	11.0	10.6	7.2	16.3	22.0	22.4	23.9	229.2
	19 LST	26.0	25.3	29.9	19.1	13.1	17.2	12.3	14.6	15.0	17.4	24.6	14.0	240.5
	01 LST	26.7	27.0	29.9	24.4	14.2	14.9	10.9	6.5	15.6	23.2	25.7	27.7	246.7



MALAYSIA

BUTTERWORTH, MALAYA

STA NO. 48602 (IN AREA NUMBER 01)

LATITUDE 0527N

LONGITUDE 10023E

ELEVATION(FT) 00008

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	93	96	95	94	92	91	91	91	92	91	91	90	96	7	-155
MEAN MAX TMP (F)	88	89	89	89	89	88	87	87	87	86	86	87	88	7	-155
MEAN MIN TMP (F)	72	73	74	75	75	74	74	74	74	74	73	73	74	7	-155
ABS MIN TMP (F)	65	69	70	72	72	70	69	71	70	71	70	68	65	7	-155
MEAN NO DYS TMP = DR GTR 90(F)	11.6	13.3	14.8	14.3	14.8	11.2	8.6	8.6	8.3	5.8	5.6	8.6	125.5	7	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	-29
MEAN DEW PT TMP (F)	73	74	75	77	77	75	75	75	75	75	75	74	75	7	-29
MEAN REL HUM (PCT)	80	81	83	86	85	84	84	85	84	86	87	83	84	6	-155
MEAN PRESS ALT (FT)	58	78	98	138	148	158	148	148	138	108	108	68	116	0	-50
MEAN PRECIP (IN)	4.20	4.10	6.30	8.10	7.20	7.90	5.80	8.70	11.50	14.70	11.90	5.40	95.8	7	-155
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	6.3	6.2	5.4	5.2	5.3	12.5	10.4	13.2	13.8	15.7	14.1	7.1	115.2	7	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-48601
MEAN NO DYS TSTMS	7.0	8.0	13.0	17.0	13.0	9.0	9.0	12.0	9.0	10.0	11.0	9.0	127.0	6	-155
P FREQ WND SPD = DR GTR 17 KTS	0.2	0.1	0.0	0.0	0.0	0.2	0.2	0.0	0.2	0.0	0.2	0.1	0.1	19	-48601
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	19	-48601
P FREQ LES 5000 FT A/D LES 5 MI	4.1	2.1	4.1	4.5	5.6	4.2	4.8	6.4	7.9	10.6	6.6	4.6	5.5	20	-48601
P FREQ LES 1500 FT A/D LES 3 MI															
FDR 00-02 LST	0.3	0.4	1.3	1.4	2.4	1.2	1.3	1.3	1.4	3.8	1.6	1.0	1.5	18	-48601
03-05 LST	1.3	0.8	1.2	0.0	3.0	1.1	3.4	1.9	4.8	3.4	1.2	1.8	2.0	8	-48601
06-08 LST	1.7	1.1	2.2	2.6	3.9	2.9	3.0	6.7	7.1	6.3	4.3	1.4	3.6	20	-48601
09-11 LST	2.1	1.3	2.7	1.1	2.2	2.8	2.5	5.2	6.1	7.0	4.6	1.0	3.2	9	-48601
12-14 LST	0.7	0.6	0.8	1.7	2.3	2.0	1.7	3.3	5.0	3.9	3.1	0.8	2.2	20	-48601
15-17 LST	0.5	0.0	1.1	0.5	2.0	1.6	2.9	2.5	2.7	5.6	6.1	1.4	2.2	8	-48601
18-20 LST	2.3	1.5	2.1	2.7	1.9	1.7	1.7	2.4	2.2	4.6	3.4	1.6	2.3	20	-48601
21-23 LST	0.6	0.7	2.2	2.9	1.6	0.6	2.2	1.1	0.6	3.8	1.7	0.0	1.5	8	-48601
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	0.0	0.0	0.0	0.3	0.0	0.4	0.0	0.0	0.0	0.0	0.3	0.0	0.1	18	-48601
03-05 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.1	8	-48601
06-08 LST	0.2	0.0	0.0	0.0	0.0	0.3	0.0	0.5	0.5	0.2	0.2	0.0	0.2	20	-48601
09-11 LST	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	-48601
12-14 LST	0.0	0.0	0.0	0.0	0.3	0.0	0.3	0.3	0.0	0.5	0.3	0.0	0.1	20	-48601
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	8	-48601
18-20 LST	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	20	-48601
21-23 LST	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	8	-48601

BUTTERWORTH, MALAYA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	30.9	27.9	30.8	29.8	30.3	29.8	30.7	29.8	28.7	29.6	29.2	30.9	358.4	19	-48601
	13 LST	31.0	28.0	31.0	29.8	30.7	29.9	30.7	30.4	29.4	30.7	29.5	31.0	362.1	19	-48601
	19 LST	30.7	27.9	30.9	29.7	30.9	29.9	30.9	30.7	29.7	30.1	29.6	30.8	361.8	19	-48601
	01 LST	31.0	28.0	31.0	29.9	30.9	29.9	31.0	30.8	29.7	30.4	29.8	30.9	363.3	16	-48601
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	29.9	27.9	30.7	29.8	30.2	29.6	30.5	29.5	28.5	29.5	29.1	30.8	356.0	19	-48601
	13 LST	28.9	26.3	29.2	28.4	29.4	27.6	28.4	27.3	27.7	29.3	28.8	30.2	341.5	19	-48601
	19 LST	30.2	27.4	30.3	29.4	30.6	29.7	30.5	30.2	29.5	29.8	29.4	30.2	357.2	19	-48601
	01 LST	30.1	27.8	30.9	29.7	30.8	29.3	30.7	30.5	29.2	30.4	29.8	30.4	359.6	16	-48601
SFC WND = GTR 17 KTS AND ND PRECIP.	07 LST	0.1	0.0	0.0	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.3	19	-48601
	13 LST	0.1	0.0	0.0	0.0	0.0	0.1	0.0	0.2	0.2	0.0	0.1	0.1	0.8	19	-48601
	19 LST	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.3	19	-48601
	01 LST	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.2	16	-48601
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND ND PRECIP.	07 LST	16.4	11.4	6.2	2.8	2.8	2.7	2.4	3.0	3.2	3.4	6.8	13.2	74.3	19	-48601
	13 LST	20.0	16.3	20.4	20.3	18.4	20.1	21.9	20.8	20.2	21.7	22.5	23.1	245.7	19	-48601
	19 LST	7.8	7.6	7.5	6.0	4.1	5.3	4.7	4.1	3.3	3.6	4.1	6.2	64.3	19	-48601
	01 LST	12.5	6.8	3.0	2.2	2.7	1.7	1.4	2.0	1.4	2.9	4.9	11.5	53.0	16	-48601
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	2.0	0.9	1.6	0.3	0.3	0.5	0.7	0.3	0.2	0.4	0.6	1.1	8.9	19	-48601
	13 LST	2.8	1.8	1.8	0.6	0.6	0.9	1.2	0.4	0.3	0.0	0.5	1.6	12.5	19	-48601
	19 LST	1.1	0.8	1.3	0.2	0.3	0.3	0.6	0.1	0.1	0.2	0.4	1.4	6.8	19	-48601
	01 LST	3.0	1.6	1.2	0.3	0.4	0.6	1.0	0.8	0.2	0.2	0.6	1.6	11.5	16	-48601
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	29.9	27.3	30.0	28.3	29.2	28.7	29.3	27.9	26.9	28.7	28.2	30.1	344.5	19	-48601
	13 LST	30.3	27.6	30.6	28.8	29.5	28.7	30.2	29.1	27.4	28.6	28.3	30.3	349.4	18	-48601
	19 LST	29.5	27.3	30.0	28.8	29.9	29.1	29.9	29.9	28.9	29.0	28.5	29.8	350.6	19	-48601
	01 LST	30.8	27.6	30.0	29.4	29.6	29.5	30.7	30.3	29.4	29.7	29.2	30.4	356.1	14	-48601
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	29.1	27.0	29.8	27.9	28.8	28.3	28.9	27.7	26.4	28.3	28.0	29.3	339.5	19	-48601
	13 LST	30.1	27.5	30.5	28.4	29.0	28.4	30.0	28.7	26.9	28.1	27.9	30.0	345.5	18	-48601
	19 LST	28.5	26.6	29.5	28.7	29.5	28.9	29.4	29.6	28.6	28.5	28.3	29.2	345.3	19	-48601
	01 LST	30.8	27.4	29.9	29.3	29.4	29.3	30.1	30.0	29.4	29.5	29.0	30.1	354.2	14	-48601
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	29.1	27.0	29.8	27.9	28.8	28.3	28.9	27.7	26.4	28.3	28.0	29.3	339.5	19	-48601
	13 LST	30.1	27.5	30.5	28.4	29.0	28.4	30.0	28.7	26.9	28.1	27.9	30.0	345.5	18	-48601
	19 LST	28.5	26.6	29.5	28.7	29.4	28.9	29.4	29.6	28.6	28.5	28.3	29.2	345.2	19	-48601
	01 LST	30.8	27.4	29.9	29.3	29.4	29.3	30.1	30.0	29.4	29.5	29.0	30.1	354.2	14	-48601

ALOR STAR, MALAYA

STA NO. 48603 (IN AREA NUMBER 01)

LATITUDE 0611N

LONGITUDE 10024E

ELEVATION(FT) 00013

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	97	97	99	100	99	96	93	97	93	93	95	93	100	15	2464
MEAN MAX TMP (F)	90	92	93	93	90	89	88	88	87	87	88	88	89	15	2464
MEAN MIN TMP (F)	71	71	73	74	75	74	74	74	74	74	73	72	73	15	2388
ABS MIN TMP (F)	61	64	64	70	72	72	70	70	71	71	65	66	61	15	2388
MEAN NO DYS TMP = DR GTR 90(F)	17.9	21.4	26.3	25.4	17.9	14.3	11.6	11.6	8.3	8.6	11.2	11.6	186.1	15	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	-29
MEAN DEW PT TMP (F)	69	67	71	74	75	74	73	73	74	75	74	71	73	16	-29
MEAN REL HUM (PCT)	71	66	70	75	79	79	79	79	82	84	83	77	77	17	13477
MEAN PRESS ALT (FT)	63	83	103	143	193	163	193	193	143	113	113	73	121	0	-50
MEAN PRECIP (IN)	2.50	2.20	5.80	9.00	10.70	7.80	7.70	10.40	12.80	11.90	8.10	5.20	94.1	28	-155
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	4.4	4.0	5.5	5.3	6.1	12.4	12.3	14.7	14.7	14.1	11.2	7.0	111.7	28	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	2.0	5.0	17.0	21.0	14.0	11.0	12.0	14.0	9.0	12.0	11.0	5.0	139.0	10	-155
P FREQ WND SPD = DR GTR 17 KTS	0.3	0.5	0.0	0.2	0.3	0.1	0.2	0.2	0.2	0.1	0.1	0.1	0.2	15	13471
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	15	13471
P FREQ LES 3000 FT A/D LES 5 MI	7.0	12.1	9.3	7.2	7.5	6.8	8.1	9.4	12.7	13.9	14.9	10.5	10.0	17	8980
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	1.4	2.2	3.7	4.0	5.4	5.7	3.7	5.2	7.0	9.9	12.2	3.8	5.4	17	3212
09-11 LST	0.8	1.7	1.5	0.8	3.6	2.3	2.1	6.7	11.8	9.4	8.6	3.8	4.4	6	1585
12-14 LST	1.1	4.2	1.9	1.2	4.0	2.0	4.2	3.7	6.4	6.2	6.4	3.5	3.7	17	3210
15-17 LST	2.4	4.3	2.8	2.3	3.6	2.3	6.7	2.2	9.4	11.9	11.6	9.6	5.8	5	1576
18-20 LST	1.2	3.0	4.0	5.0	2.2	1.7	2.9	4.3	4.8	5.4	6.1	3.3	3.7	17	3754
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	0.0	2.6	1.8	1.7	0.8	0.0	0.4	0.7	4.1	4.9	0.6	1.5	17	3212
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.0	0.0	0.1	6	1585
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	3210
15-17 LST	0.0	0.0	0.0	0.0	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.1	5	1576
18-20 LST	0.0	0.4	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.1	17	3754
21-23 LST														0	0

ALOR STAR, MALAYA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	30.7	27.8	30.1	29.2	30.0	28.9	30.5	29.9	28.3	28.6	27.2	30.4	351.6	16	3212
	13 LST	31.0	27.6	31.0	29.9	30.8	29.9	30.8	30.4	28.7	29.9	29.1	30.6	359.7	16	3210
	19 LST	30.9	27.8	30.4	29.3	30.5	30.0	30.6	30.0	29.5	29.9	28.8	30.6	356.3	16	3754
	01 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	30.6	27.8	30.1	29.2	30.0	28.7	30.3	29.6	28.2	28.6	27.3	30.4	350.8	16	3197
	13 LST	28.8	25.6	30.4	29.3	30.2	29.5	29.5	29.7	28.1	29.6	28.7	30.4	349.8	16	3176
	19 LST	30.7	27.4	30.2	29.3	30.4	29.8	30.5	29.9	29.5	29.7	28.8	30.5	356.7	16	3731
	01 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16	3259
	13 LST	0.3	0.1	0.0	0.1	0.1	0.0	0.0	0.1	0.3	0.0	0.1	0.0	1.1	16	3205
	19 LST	0.0	0.1	0.0	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.1	0.4	16	3765
	01 LST														0	0
SFC WND 4-10 KTS AND TMP DEG F AND NO PRECIP.	07 LST	1.7	1.3	0.5	0.4	0.8	0.2	0.9	0.6	0.6	0.7	0.4	1.2	9.3	16	3225
	13 LST	15.3	5.3	2.4	2.8	5.0	8.4	10.4	11.1	11.1	10.0	9.1	15.2	106.1	16	3187
	19 LST	11.3	10.7	6.1	3.0	2.3	1.7	3.2	2.3	1.5	0.6	2.2	5.6	50.5	16	3747
	01 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	4.7	3.5	4.6	1.7	0.3	1.4	1.4	1.2	1.2	1.2	1.6	4.6	27.4	16	3250
	13 LST	2.2	2.4	2.3	1.4	0.1	0.5	0.6	0.5	0.4	0.1	0.9	1.8	13.2	16	3225
	19 LST	4.1	2.8	2.4	0.6	0.6	0.9	0.5	0.7	0.4	0.2	1.1	4.4	18.7	16	3780
	01 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	30.1	27.0	29.6	28.7	29.0	27.6	29.5	28.7	27.4	27.5	25.6	29.3	340.0	15	3212
	13 LST	29.2	24.5	28.0	28.2	28.3	28.7	28.0	28.7	27.7	28.3	26.7	28.6	334.9	15	3210
	19 LST	30.0	26.2	28.6	27.6	30.1	28.9	29.7	29.4	28.0	29.0	27.5	29.3	344.3	15	3754
	01 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	29.0	26.2	28.8	28.1	28.4	27.5	29.3	28.4	26.9	27.0	24.7	28.2	332.5	15	3212
	13 LST	28.0	22.8	26.2	26.9	27.3	28.3	27.4	28.0	27.5	28.1	26.3	28.0	324.8	15	3210
	19 LST	29.6	25.4	27.7	27.4	29.7	28.6	29.6	29.2	27.9	28.7	27.0	28.9	359.7	15	3754
	01 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	29.0	26.2	28.8	28.1	28.4	27.5	29.3	28.4	26.9	27.0	24.7	28.2	332.5	15	3212
	13 LST	28.0	22.8	26.2	26.9	27.3	28.3	27.4	28.0	27.5	28.1	26.3	28.0	324.8	15	3210
	19 LST	29.6	25.4	27.6	27.4	29.7	28.6	29.6	29.2	27.9	28.7	27.0	28.9	359.6	15	3754
	01 LST														0	0

IPOH, MALAYA

STA NO. 48625 (IN AREA NUMBER 01)

LATITUDE 0434N

LONGITUDE 10105E

ELEVATION(FT) 00123

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO.
ABS MAX TMP (F)	96	97	97	97	99	98	97	98	95	95	93	95	99	14	2430
MEAN MAX TMP (F)	90	92	93	92	92	92	91	91	90	89	89	89	91	14	2430
MEAN MIN TMP (F)	72	72	73	73	74	73	72	72	73	72	72	72	73	14	2416
ABS MIN TMP (F)	64	64	64	68	70	70	68	68	68	68	69	65	64	14	2416
MEAN NO DYS TMP = OR GTR 90(F)	17.9	21.4	26.3	23.0	23.8	23.0	21.0	21.0	17.3	14.8	14.3	14.8	230.6	14	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	-29
MEAN DEW PT TMP (F)	72	72	74	74	75	73	72	73	74	74	74	74	73	15	-29
MEAN REL HUM (PCT)	76	74	76	78	78	75	76	77	79	82	82	81	78	17	13376
MEAN PRESS ALT (FT)	213	233	233	243	263	253	243	243	233	223	233	213	236	0	-50
MEAN PRECIP (IN)	7.94	3.08	7.61	8.43	6.17	3.58	7.19	6.84	8.80	11.00	12.97	8.92	92.5	10	2084
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN		5.2	5.3	5.2	5.5	8.0	11.8	11.5	11.8	13.5	14.8			10	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	4.8	4.8	11.0	17.6	11.9	7.4	9.0	8.3	10.5	11.6	12.5	7.7	117.1	6	1596
P FREQ WND SPD = OR GTR 17 KTS	0.2	0.1	0.4	0.5	0.1	0.3	0.4	0.3	0.9	0.2	0.2	0.1	0.3	15	13422
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	13422
P FREQ LES 3000 FT A/D LES 5 MI	8.6	8.4	8.5	8.6	8.3	6.7	9.7	7.3	14.3	20.3	15.5	11.3	10.6	17	9126
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	1.4	0.4	0.0	2.3	1.3	1.5	1.6	2.3	2.4	5.9	4.2	1.3	2.1	17	3150
09-11 LST	0.0	0.0	1.5	2.8	1.4	0.8	1.4	1.5	3.2	4.3	1.4	1.6	1.7	6	1557
12-14 LST	0.7	0.9	1.1	0.8	1.9	1.5	3.4	1.1	3.1	5.2	4.1	2.8	2.2	17	3230
15-17 LST	1.6	0.8	3.5	5.8	2.1	4.7	5.1	2.2	5.6	13.4	6.8	6.7	4.9	5	1596
18-20 LST	3.3	2.8	3.8	3.4	2.1	2.0	2.7	2.3	3.6	6.7	7.2	6.0	3.8	17	3709
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	0.0	0.0	0.5	0.0	0.4	0.4	0.0	0.4	1.0	0.3	0.3	0.3	17	3150
09-11 LST	0.0	0.0	0.7	0.0	0.0	0.0	0.7	0.0	0.0	0.0	0.0	0.0	0.1	6	1557
12-14 LST	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.3	0.3	0.1	17	3230
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.0	0.0	0.7	0.8	1.3	0.3	5	1596
18-20 LST	0.0	0.4	0.3	0.0	0.3	0.0	0.0	0.0	0.7	1.2	0.3	0.6	0.3	17	3709
21-23 LST														0	0

IPOH, MALAYA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	30.7	27.9	31.0	29.6	30.7	29.7	30.6	30.5	29.6	29.6	28.9	30.8	359.6	16	3158
	13 LST	30.9	28.0	30.9	30.0	30.9	30.0	30.7	31.0	29.5	30.3	29.8	30.8	362.8	16	3230
	19 LST	30.6	27.6	30.4	29.5	30.7	29.8	30.6	30.7	29.5	29.6	28.7	30.1	357.8	16	3709
	01 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SPC WND LES 10 KTS	07 LST	30.7	27.6	30.8	29.6	30.7	29.4	30.8	30.1	29.5	29.6	28.7	30.6	357.6	16	3130
	13 LST	30.8	27.9	30.2	29.3	29.1	27.1	27.2	28.9	27.1	28.1	27.8	30.6	344.1	16	3207
	19 LST	29.3	26.8	29.2	28.8	30.0	29.5	30.4	30.4	28.8	29.1	28.0	29.1	349.4	16	3685
	01 LST														0	0
SPC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.0	0.2	16	3172
	13 LST	0.0	0.0	0.0	0.0	0.1	0.0	0.2	0.2	0.2	0.1	0.0	0.0	0.8	16	3254
	19 LST	0.1	0.0	0.2	0.0	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.5	16	3740
	01 LST														0	0
SPC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	14.6	13.3	12.7	13.6	14.8	13.6	15.3	14.6	15.7	14.5	13.6	14.2	170.5	16	3136
	13 LST	9.6	5.7	4.2	4.1	5.0	5.7	8.9	10.3	9.6	12.6	13.2	12.4	101.3	16	3221
	19 LST	14.3	16.1	14.8	12.4	9.4	11.6	10.6	12.4	10.7	9.2	9.3	11.2	142.0	16	3711
	01 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	3.1	2.5	2.5	1.2	0.8	1.5	1.2	0.7	0.2	0.3	0.5	2.1	16.6	16	3197
	13 LST	1.7	2.2	1.5	0.5	0.6	1.4	1.3	0.8	0.2	0.1	0.2	2.1	12.6	16	3265
	19 LST	0.5	0.6	0.5	0.1	0.1	0.7	0.3	0.2	0.3	0.4	0.3	0.6	4.6	16	3754
	01 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	29.9	27.6	30.3	28.4	30.2	29.0	29.9	29.4	28.6	28.6	28.6	29.7	350.2	15	3158
	13 LST	30.1	26.5	29.3	28.3	28.0	28.1	28.1	29.2	27.3	26.9	26.6	29.0	337.4	15	3230
	19 LST	28.5	25.9	28.4	27.7	29.5	28.9	29.5	29.1	27.6	28.3	27.1	27.9	338.4	15	3709
	01 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	29.0	27.1	28.6	27.2	29.5	28.0	28.8	28.6	27.4	27.4	27.8	27.8	337.2	15	3158
	13 LST	29.4	25.4	28.1	27.0	25.9	27.0	26.7	28.0	25.9	25.0	25.0	28.2	321.6	15	3230
	19 LST	26.8	24.3	26.8	26.0	28.3	27.6	27.7	27.9	26.1	27.1	25.9	26.8	321.3	15	3709
	01 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	29.0	27.1	28.6	27.2	29.5	27.8	28.6	28.4	27.4	27.4	27.8	27.8	336.6	15	3158
	13 LST	29.4	25.4	28.1	27.0	25.9	27.0	26.6	28.0	25.9	25.0	25.0	28.2	321.5	15	3230
	19 LST	26.8	24.3	26.8	26.0	28.3	27.5	27.7	27.9	26.1	27.1	25.8	26.8	321.1	15	3709
	01 LST														0	0

KUALA LUMPUR/INT'L., MALAYA

STA NO. 48647 (IN AREA NUMBER 01)

LATITUDE 0308N

LONGITUDE 10133E

ELEVATION(FT) 00089

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	96	99	97	95	97	97	95	96	95	95	95	95	99	18	2772
MEAN MAX TMP (F)	90	91	92	92	91	91	90	90	90	89	89	89	90	18	2772
MEAN MIN TMP (F)	73	72	73	74	75	73	73	73	73	73	73	73	73	18	2600
ABS MIN TMP (F)	66	66	66	71	70	69	69	70	69	70	69	68	66	18	2600
MEAN NO DYS TMP = DR GTR 90(F)	17.9	18.9	23.8	23.0	21.0	20.3	17.9	17.9	17.3	14.8	14.3	14.8	221.9	18	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18	-29
MEAN DEW PT TMP (F)	75	74	76	77	77	76	75	75	75	76	77	76	76	19	-29
MEAN REL HUM (PCT)	81	79	82	84	83	82	83	83	83	85	88	85	83	20	28266
MEAN PRESS ALT (FT)	201	221	221	231	291	241	231	231	221	211	221	201	224	0	-50
MEAN PRECIP (IN)	6.76	4.78	10.43	11.52	9.02	5.35	6.03	7.25	8.20	11.19	13.89	11.32	105.7	19	3569
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	7.5	6.7	5.9	7.0	5.3	10.0	10.7	11.9	11.3	13.6	15.3			19	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	6.9	2.5	0.0	3.3	0.0		0.0	3.9	0.0	0.0	7.1	4.4		5	103
MEAN NO DYS TSTMS	9.1	6.6	16.2	21.9	12.9	11.7	9.8	9.7	13.3	14.5	15.9	12.8	154.4	18	2979
P FREQ WND SPD = DR GTR 17 KTS	0.1	0.1	0.0	0.1	0.1	0.0	0.2	0.2	0.1	0.2	0.0	0.2	0.1	19	28327
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	19	28327
P FREQ LES 5000 FT A/D LES 5 MI	15.8	14.8	15.2	17.0	12.5	10.7	11.7	11.7	17.8	26.3	23.8	20.0	16.4	20	21706
P FREQ LES 1500 FT A/D LES 3 MI															
PDR 00-02 LST	5.0	3.5	3.5	3.7	3.6	3.4	2.9	2.3	4.6	7.9	9.1	8.3	4.8	18	3705
03-05 LST	14.5	6.1	10.4	8.4	3.6	4.9	5.8	2.3	10.8	19.1	23.5	20.7	10.8	8	2097
06-08 LST	20.3	16.8	19.2	23.5	14.7	11.2	10.1	10.4	20.9	28.3	30.4	32.8	19.9	20	4824
09-11 LST	2.9	2.3	1.6	3.1	3.9	4.2	4.3	5.3	4.1	14.3	9.1	3.4	4.9	9	2392
12-14 LST	3.3	4.4	3.3	6.7	6.2	5.4	7.0	6.4	7.9	12.2	8.7	5.2	6.4	20	4699
15-17 LST	5.2	10.2	7.6	13.7	5.5	4.9	9.0	5.8	6.7	11.4	11.8	9.9	8.5	8	2404
18-20 LST	4.9	4.9	5.7	5.9	3.3	2.9	1.3	2.2	4.3	6.3	6.6	7.8	4.7	20	5453
21-23 LST	3.9	1.8	3.1	1.6	1.0	1.0	1.0	0.5	3.2	5.0	4.6	3.5	2.5	8	2318
P FREQ LES 300 FT A/D LES 1 MI															
PDR 00-02 LST	1.3	0.3	1.2	1.3	1.3	1.1	0.7	0.0	0.7	1.2	3.5	2.9	1.3	18	3705
03-05 LST	5.2	4.7	3.3	3.4	2.4	2.2	1.0	0.0	3.6	5.6	11.4	9.8	4.4	8	2097
06-08 LST	8.3	9.4	11.4	12.3	6.7	4.6	3.5	3.6	7.0	10.0	16.5	14.2	9.0	20	4824
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.5	0.5	0.0	0.1	9	2392
12-14 LST	0.0	0.6	0.0	0.3	0.3	0.5	0.0	0.0	0.5	1.4	0.7	0.0	0.4	20	4699
15-17 LST	0.0	1.2	0.5	0.5	0.5	0.5	0.5	0.0	0.5	0.5	3.1	0.0	0.7	8	2404
18-20 LST	0.0	0.0	0.2	0.7	0.2	0.0	0.0	0.7	0.6	0.2	0.6	0.2	0.3	20	5453
21-23 LST	0.0	0.0	0.0	0.5	0.0	0.5	0.0	0.0	0.0	0.0	0.5	1.0	0.2	8	2318

KUALA LUMPUR/INT'L., MALAYA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	25.7	23.5	25.4	23.4	27.0	27.0	28.2	28.0	24.4	23.3	21.2	21.8	298.9	19	4824
	13 LST	30.8	27.7	30.9	29.3	30.5	29.5	30.6	30.4	29.2	29.1	29.2	30.8	358.0	19	4899
	19 LST	30.3	27.4	30.1	28.9	30.2	29.7	30.8	30.5	29.0	29.6	29.2	29.6	355.3	19	5453
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	25.3	23.6	25.4	23.4	27.1	27.0	28.2	27.9	24.4	23.2	21.2	21.8	298.5	19	4801
	13 LST	29.8	27.4	30.2	29.2	30.5	29.2	30.5	30.5	29.3	28.7	27.7	29.1	352.1	15	3705
	19 LST	25.3	23.6	25.4	23.4	27.1	27.0	28.2	27.9	24.4	23.2	21.2	21.8	298.5	19	4801
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	29.5	26.3	29.3	28.6	29.8	28.3	28.6	28.7	27.7	27.4	27.5	29.9	341.6	19	4849
	13 LST	29.8	27.3	30.2	29.2	30.3	29.2	30.3	30.3	29.2	29.5	29.1	29.4	353.4	19	5434
	01 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	3698
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	13 LST	0.1	0.0	0.0	0.0	0.1	0.1	0.0	0.2	0.2	0.1	0.0	0.1	0.9	19	4914
	19 LST	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.2	19	4736
	01 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	19	5524
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	0.9	0.3	1.0	1.8	1.5	2.6	2.2	2.6	1.7	1.9	2.3	1.5	20.3	19	3738
	13 LST	11.7	7.3	5.6	5.4	7.3	8.5	12.3	12.9	13.0	12.4	12.5	12.3	121.2	19	4865
	19 LST	5.0	6.3	6.2	4.2	2.8	3.8	2.9	3.9	2.8	3.8	2.6	3.2	47.5	19	4888
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	1.8	1.6	1.5	1.3	1.9	1.6	1.1	1.1	1.9	1.6	1.1	1.5	18.0	19	5486
	13 LST	0.2	1.1	0.5	0.2	0.3	0.5	0.2	0.1	0.0	0.1	0.1	0.1	3.4	19	4914
	19 LST	0.2	0.5	0.2	0.0	0.2	0.1	0.1	0.1	0.0	0.0	0.0	0.1	1.5	19	4769
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	0.8	1.4	1.1	0.2	0.2	0.2	0.4	0.4	0.0	0.1	0.1	0.3	2.4	19	5330
	07 LST	25.1	22.9	25.1	23.1	26.2	26.7	27.6	27.6	23.5	22.6	20.8	21.2	292.4	15	3745
	13 LST	28.1	24.5	27.0	25.2	26.2	26.0	25.2	25.5	24.2	24.4	24.6	26.7	307.6	19	4824
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	28.5	25.5	28.3	27.4	29.8	28.7	30.2	30.0	28.3	28.6	27.3	27.9	340.5	18	4699
	01 LST	29.5	26.4	29.5	28.7	29.6	28.6	30.0	29.8	28.6	28.0	27.3	28.7	344.7	19	5453
	07 LST	24.9	22.3	25.0	22.8	25.8	26.3	27.4	27.2	23.0	22.4	20.5	20.8	288.4	14	3705
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	13 LST	26.9	23.1	24.9	23.5	24.5	24.5	23.0	23.2	22.3	22.8	23.4	23.4	287.5	19	4824
	19 LST	27.9	24.6	27.8	27.2	29.6	28.7	29.9	29.6	28.1	27.9	27.0	27.5	335.8	18	4699
	01 LST	29.1	25.9	29.3	28.4	29.3	28.3	30.0	29.5	28.1	27.9	27.2	28.4	341.4	19	5453
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	24.8	22.2	25.0	22.8	25.8	26.3	27.4	27.2	23.0	22.4	20.5	20.8	288.2	19	4824
	13 LST	26.9	23.1	24.9	23.5	24.5	24.5	23.0	23.2	22.3	22.8	23.4	23.4	287.5	18	4699
	19 LST	27.9	24.6	27.8	27.2	29.6	28.7	29.9	29.6	28.1	27.9	27.2	28.4	341.4	19	5453
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	29.1	25.9	29.3	28.4	29.3	28.3	30.0	29.5	28.1	27.9	27.2	28.4	341.4	14	3705
	07 LST	24.8	22.2	25.0	22.8	25.8	26.3	27.4	27.2	23.0	22.4	20.5	20.8	288.2	19	4824
	13 LST	26.9	23.1	24.9	23.5	24.5	24.5	23.0	23.2	22.3	22.8	23.4	23.4	287.5	18	4699
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	27.9	24.6	27.8	27.2	29.6	28.7	29.9	29.6	28.1	27.9	27.2	28.4	341.4	19	5453
	01 LST	29.1	25.9	29.3	28.4	29.3	28.3	30.0	29.5	28.1	27.9	27.2	28.4	341.4	14	3705

MALACCA, MALAYA

STA NO. 48665 (IN AREA NUMBER 01)

LATITUDE 0216N

LONGITUDE 10215E

ELEVATION(FT) 00040

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	93	96	96	96	98	99	99	94	99	92	93	94	99	35	-528
MEAN MAX TMP (F)	88	89	89	89	89	88	88	88	88	88	88	88	88	44	-28
MEAN MIN TMP (F)	72	72	72	73	73	73	72	72	72	72	72	72	72	48	-28
ABS MIN TMP (F)	65	63	65	67	67	67	64	61	65	64	62	65	61	35	-28
MEAN NO DYS TMP = OR GTR 90(F)	11.6	13.3	14.8	14.3	14.8	11.2	11.6	11.6	11.2	11.6	11.2	11.6	148.8	48	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	35	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	35	-29
MEAN DEW PT TMP (F)	73	73	74	74	75	75	74	74	73	74	74	73	74	5	428
MEAN REL HUM (PCT)	79	79	82	85	85	83	84	84	84	84	84	82	83	20	-28
MEAN PRESS ALT (FT)	130	150	150	160	180	170	160	160	150	140	150	130	153	0	-50
MEAN PRECIP (IN)	3.90	3.70	4.90	7.40	6.80	7.90	7.80	10.30	8.80	10.10	8.70	6.90	86.8	48	-28
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	35	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	6.0	5.8	5.5	5.3	5.4	12.5	12.4	14.6	11.8	12.9	11.8	7.4	111.4	48	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	35	-29
MEAN NO DYS W/OCNR VSBY LES 1/2 MI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	0.0	0.0	0.0	3.3	5	100
MEAN NO DYS TSTMS	4.0	4.3	10.9	19.7	19.8	17.6	19.2	16.5	16.0	18.4	18.2	11.0	175.6	18	2900
P FREQ WND SPD = OR GTR 17 KTS	2.0	2.5	0.8	0.5	0.1	0.2	0.2	0.3	0.4	0.4	0.5	0.5	0.7	19	26083
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	19	26083
P FREQ LES 5000 FT A/D LES 5 MI	8.2	9.7	8.0	7.4	8.7	8.4	9.6	10.1	12.1	16.7	13.9	10.9	10.3	18	16178
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	1.2	2.5	3.5	3.8	5.6	1.9	1.5	1.2	2.0	3.5	1.6	1.9	2.5	16	3105
03-05 LST	0.7	0.8	2.3	0.0	2.2	2.8	0.7	2.9	3.7	5.6	2.2	2.1	2.2	6	1637
06-08 LST	3.1	2.4	3.6	2.4	8.1	6.7	5.9	7.0	9.6	12.7	5.4	4.5	6.0	18	4276
09-11 LST	7.8	10.1	4.2	10.5	13.8	13.7	20.3	13.9	13.0	19.9	13.1	7.8	12.5	7	1782
12-14 LST	6.7	7.3	4.6	4.4	4.2	3.4	5.1	4.5	5.5	6.9	8.4	9.4	5.9	18	4083
15-17 LST	7.9	5.0	4.8	4.1	0.0	0.7	2.6	3.3	1.4	6.0	9.7	8.7	4.5	6	1792
18-20 LST	5.0	6.2	3.4	4.2	2.5	2.3	2.2	2.8	2.9	4.6	4.4	5.0	3.8	18	4842
21-23 LST	33.3	0.0	90.0		0.0	0.7	0.7	0.7	3.0			0.0		5	591
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.7	0.0	1.1	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.2	16	3105
03-05 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.7	0.0	0.0	0.1	6	1637
06-08 LST	0.0	0.0	0.3	0.3	0.8	0.6	1.5	1.1	1.2	0.5	0.8	0.5	0.6	18	4276
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.0	0.0	0.1	7	1782
12-14 LST	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.3	0.6	0.0	0.0	0.3	0.2	18	4083
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	1792
18-20 LST	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.1	18	4842
21-23 LST	0.0	0.0	0.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		5	591

MALACCA, MALAYA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	29.7	27.1	30.0	29.0	27.7	28.3	28.7	28.4	27.4	27.0	27.8	29.2	340.3	19	4885
	13 LST	29.9	27.5	30.4	29.0	29.8	29.2	29.6	30.3	29.1	29.8	27.7	29.2	351.5	19	4649
	19 LST	30.1	26.8	30.1	27.1	30.4	29.2	30.3	30.0	29.5	29.7	28.6	28.2	352.0	19	5444
	01 LST	30.2	27.3	30.3	29.1	29.5	29.4	30.4	30.8	29.6	29.6	29.3	30.0	355.5	16	3557
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	25.9	24.3	29.0	28.7	27.2	27.9	28.3	28.0	26.7	26.3	27.4	27.8	327.5	19	4835
	13 LST	16.9	16.2	22.5	23.6	25.1	25.5	26.0	25.6	25.1	24.9	22.5	22.7	276.6	19	4606
	19 LST	28.1	25.8	29.7	28.9	30.2	28.9	30.1	29.5	29.2	29.1	27.7	27.8	345.0	19	5416
	01 LST	25.0	24.6	29.5	28.8	29.3	29.1	30.2	30.3	29.0	29.1	29.2	28.2	342.3	16	3536
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.5	0.1	0.0	0.2	0.0	0.1	0.0	0.0	0.1	0.1	0.0	0.1	1.2	19	4913
	13 LST	1.4	1.4	0.4	0.3	0.2	0.3	0.2	0.0	0.4	0.4	0.4	0.3	5.7	19	4662
	19 LST	0.3	0.1	0.0	0.1	0.1	0.1	0.2	0.1	0.1	0.0	0.3	0.1	1.5	19	5456
	01 LST	0.1	0.3	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.1	0.0	0.0	0.8	16	3572
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	16.6	13.8	14.2	8.1	6.3	6.2	5.5	6.4	5.3	7.1	7.7	12.1	109.3	19	4862
	13 LST	12.9	10.5	13.0	15.2	18.8	20.9	21.9	22.2	22.0	21.2	17.8	17.2	213.6	19	4614
	19 LST	13.2	9.5	8.6	7.0	6.1	5.1	7.0	6.3	6.1	7.8	8.3	12.6	97.6	19	5427
	01 LST	16.3	14.4	12.6	6.0	4.8	3.0	4.5	4.7	3.9	6.3	8.7	13.2	98.4	16	3552
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	0.9	1.4	0.8	0.8	0.7	0.6	1.9	1.1	0.7	0.5	0.3	1.0	10.7	19	4960
	13 LST	0.5	0.8	0.8	0.6	1.4	0.9	1.3	0.8	1.1	0.5	0.0	0.1	8.8	19	4701
	19 LST	0.9	1.1	1.2	0.5	0.9	1.1	1.4	0.8	0.5	0.5	0.2	1.0	10.1	19	5485
	01 LST	2.8	2.8	2.4	0.6	2.0	1.6	3.3	2.4	1.3	0.8	0.4	1.7	22.1	16	3586
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	29.3	26.5	29.1	28.5	26.7	26.9	27.7	27.8	26.4	26.4	27.2	28.1	330.6	19	4885
	13 LST	26.4	23.7	27.7	26.0	27.7	27.2	27.4	27.8	26.9	27.7	24.9	24.9	318.5	18	4649
	19 LST	29.3	26.0	29.5	28.4	29.8	28.8	30.0	29.3	28.6	28.9	27.5	28.1	344.2	19	5444
	01 LST	30.1	27.1	30.0	28.7	28.6	29.0	30.2	30.2	29.2	28.9	29.1	29.7	350.8	14	3357
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	28.7	25.5	28.8	28.4	26.4	26.6	27.6	27.6	26.2	26.3	27.1	27.6	326.8	19	4885
	13 LST	25.6	23.0	26.7	25.5	27.7	27.0	27.0	27.7	26.7	27.6	24.8	24.4	313.7	18	4649
	19 LST	28.7	25.4	29.1	28.3	29.6	28.3	29.7	29.2	28.4	28.7	27.4	27.4	340.2	19	5444
	01 LST	29.7	26.8	29.9	28.4	28.5	29.0	29.9	29.9	29.0	28.7	29.1	29.5	348.4	14	3357
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	28.7	25.5	28.8	28.4	26.4	26.6	27.6	27.6	26.2	26.3	27.1	27.6	326.8	19	4885
	13 LST	25.6	23.0	26.7	25.5	27.7	27.0	27.0	27.7	26.7	27.6	24.8	24.4	313.7	18	4649
	19 LST	28.6	25.3	29.1	28.3	29.6	28.3	29.7	29.2	28.4	28.7	27.4	27.4	340.0	19	5444
	01 LST	29.7	26.7	29.9	28.3	28.5	29.0	29.9	29.9	29.0	28.7	29.1	29.5	348.2	14	3357

AREA NO. 01

MALAYA, FED	WESTERN SLOPES				LATITUDE 0400N		LONGITUDE 10130E							
	BOUNDARIES	0546N	10142E	0330N	10210E	0330N	10210E	0120N	10345E					
PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)		89	91	91	91	90	90	89	89	88	88	88	88	89
MEAN MIN TMP (F)		72	72	73	74	74	73	73	73	73	73	73	72	73
LARGEST MEAN PRECIP(IN)		7.94	4.78	10.43	11.52	10.70	7.90	7.80	10.40	12.80	14.70	13.89	11.32	124.2
SMALLEST MEAN PRECIP(IN)		2.50	2.20	4.90	7.40	6.17	3.58	5.80	6.84	8.20	10.10	8.10	5.20	71.0
		MEAN NUMBER OF DAYS												
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	29.2	26.6	29.1	27.8	28.9	28.5	29.5	29.2	27.4	27.1	26.3	28.1	337.7
	13 LST	30.7	27.7	30.8	29.6	30.5	29.7	30.4	30.5	29.1	29.8	29.0	30.4	358.2
	19 LST	30.5	27.4	30.3	29.2	30.5	29.7	30.6	30.3	29.4	29.7	28.8	29.6	356.0
	01 LST	30.0	27.4	30.3	29.2	30.0	29.3	30.5	30.7	29.5	29.2	28.5	29.6	354.2
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	28.0	25.8	28.8	27.7	28.8	28.3	29.4	28.9	27.2	26.9	26.2	27.7	333.7
	13 LST	26.5	24.0	28.1	27.7	28.6	27.6	27.8	28.2	27.0	27.5	26.6	28.4	328.0
	19 LST	29.6	26.8	29.7	29.0	30.2	29.5	30.4	30.1	29.1	29.4	28.4	29.2	351.4
	01 LST	27.4	26.0	29.9	29.0	29.8	29.2	30.3	30.3	29.1	28.9	28.5	28.6	347.0
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.3
	13 LST	0.5	0.4	0.1	0.1	0.1	0.1	0.1	0.1	0.3	0.2	0.1	0.1	2.2
	19 LST	0.1	0.1	0.1	0.0	0.1	0.1	0.1	0.0	0.1	0.0	0.1	0.1	0.9
	01 LST	0.1	0.2	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.0	0.0	0.6
SFC WND 4-10 KTS AND TMP 33-89 DEC F AND NO PRECIP.	07 LST	8.5	7.2	7.1	6.0	5.9	5.7	6.0	6.1	5.8	6.1	6.0	7.3	77.7
	13 LST	12.4	7.2	6.3	6.9	9.0	10.9	13.4	14.1	13.9	14.1	13.2	14.3	135.7
	19 LST	11.0	10.7	8.9	6.7	5.2	5.6	5.9	6.2	5.3	5.4	5.6	8.2	84.7
	01 LST	9.1	8.0	7.1	3.7	3.4	2.3	2.8	2.9	2.9	4.0	4.9	7.4	58.5
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	2.2	2.1	2.1	1.0	0.5	1.0	1.2	0.8	0.5	0.5	0.6	2.0	14.5
	13 LST	1.2	1.5	1.2	0.6	0.6	0.7	0.8	0.6	0.4	0.2	0.3	1.0	9.1
	19 LST	1.4	1.2	1.1	0.3	0.5	0.8	0.6	0.5	0.4	0.3	0.4	1.6	9.1
	01 LST	1.8	2.1	1.8	0.4	1.1	0.9	1.9	1.4	0.7	0.4	0.5	0.9	13.9
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	28.6	26.0	28.5	27.2	28.0	27.6	28.7	28.4	26.5	26.3	25.6	27.1	328.5
	13 LST	28.5	24.8	28.0	26.9	27.6	27.5	27.2	27.8	26.5	26.8	25.7	27.3	324.6
	19 LST	29.1	25.9	28.7	27.8	29.8	28.8	29.9	29.5	28.1	28.7	27.4	28.3	342.0
	01 LST	29.8	26.8	29.8	28.7	29.1	28.8	30.1	30.0	28.9	28.5	28.2	29.2	347.9
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	27.9	25.3	27.8	26.6	27.5	27.1	28.3	28.0	25.9	25.8	25.0	26.1	321.3
	13 LST	27.5	23.6	26.5	25.7	26.4	26.7	26.0	26.7	25.6	25.9	24.9	26.5	312.0
	19 LST	28.3	24.9	27.9	27.2	29.3	28.3	29.2	29.0	27.6	28.1	26.8	27.7	334.3
	01 LST	29.4	26.4	29.6	28.4	28.9	28.7	30.0	29.7	28.6	28.3	28.2	29.0	345.2
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	27.9	25.3	27.8	26.6	27.5	27.1	28.2	27.9	25.9	25.8	25.0	26.1	321.1
	13 LST	27.5	23.6	26.5	25.7	26.4	26.7	26.0	26.7	25.6	25.9	24.9	26.5	312.0
	19 LST	28.2	24.9	27.8	27.2	29.3	28.3	29.2	29.0	27.6	28.1	26.8	27.7	334.1
	01 LST	29.4	26.3	29.6	28.4	28.9	28.7	30.0	29.7	28.6	28.3	28.2	29.0	345.1

PENANG, MALAYA

STA NO. 48601 (IN AREA NUMBER 02)

LATITUDE 0517N

LONGITUDE 10016E

ELEVATION(FT) 00008

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	98	97	98	98	96	97	95	96	98	94	95	95	98	48	-28
MEAN MAX TMP (F)	90	91	92	91	90	90	90	89	88	89	88	89	90	49	-28
MEAN MIN TMP (F)	73	73	74	75	74	74	74	73	73	73	73	73	74	49	-28
ABS MIN TMP (F)	66	66	67	67	67	68	69	69	68	67	65	67	65	48	-28
MEAN NO DYS TMP = DR GTR 90(F)	17.9	18.9	23.8	20.3	17.9	17.3	17.9	14.8	11.2	14.8	11.2	14.8	200.8	49	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	48	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	48	-29
MEAN DEW PT TMP (F)	72	73	76	77	76	76	77	76	75	77	76	74	75	39	-29
MEAN REL HUM (PCT)	76	77	81	84	84	84	85	85	85	87	86	81	83	20	27106
MEAN PRESS ALT (FT)	59	79	99	139	149	159	149	149	139	109	109	69	117	0	-90
MEAN PRECIP (IN)	3.70	3.10	5.60	7.40	10.70	7.70	7.50	11.60	15.80	16.90	11.90	5.80	107.7	50	-28
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	48	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	5.8	5.2	5.5	5.3	6.1	12.3	12.1	15.6	16.2	16.7	14.1	7.2	122.1	50	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	48	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	106
MEAN NO DYS TSTMS	6.6	9.5	18.0	24.7	20.5	15.3	16.3	15.4	15.5	16.9	17.1	12.0	187.8	8	2809
P FREQ WND SPD = DR GTR 17 KTS	0.2	0.1	0.0	0.0	0.0	0.2	0.2	0.0	0.2	0.0	0.2	0.1	0.1	19	27145
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	19	27145
P FREQ LES 9000 FT A/D LES 5 MI	4.1	2.1	4.1	4.5	5.6	4.2	4.8	6.4	7.9	10.6	6.6	4.6	5.5	20	20458
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	0.3	0.4	1.3	1.4	2.4	1.2	1.3	1.3	1.4	3.8	1.6	1.0	1.5	18	3505
03-05 LST	1.3	0.8	1.2	0.0	3.0	1.1	3.4	1.9	4.8	3.4	1.2	1.8	2.0	8	1962
06-08 LST	1.7	1.1	2.2	2.6	3.9	2.9	3.0	6.7	7.1	6.3	4.3	1.4	3.6	20	4645
09-11 LST	2.1	1.3	2.7	1.1	2.2	2.8	2.5	5.2	6.1	7.0	4.6	1.0	3.2	9	2243
12-14 LST	0.7	0.6	0.8	1.7	2.3	2.0	1.7	3.3	5.0	3.9	3.1	0.8	2.2	20	4480
15-17 LST	0.5	0.0	1.1	0.5	2.0	1.6	2.9	2.5	2.7	5.6	6.1	1.4	2.2	8	2314
18-20 LST	2.3	1.5	2.1	2.7	1.9	1.7	1.7	2.4	2.2	4.6	3.4	1.6	2.3	20	5604
21-23 LST	0.6	0.7	2.2	2.9	1.6	0.6	2.2	1.1	0.6	3.8	1.7	0.0	1.5	8	2113
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.3	0.0	0.4	0.0	0.0	0.0	0.0	0.3	0.0	0.1	18	3505
03-05 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.1	8	1962
06-08 LST	0.2	0.0	0.0	0.0	0.0	0.3	0.0	0.5	0.5	0.2	0.2	0.0	0.2	20	4645
09-11 LST	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	2243
12-14 LST	0.0	0.0	0.0	0.0	0.3	0.0	0.3	0.3	0.0	0.5	0.3	0.0	0.1	20	4480
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	8	2314
18-20 LST	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	20	5604
21-23 LST	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	8	2113

PENANG, MALAYA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	30.9	27.9	30.8	29.8	30.3	29.8	30.7	29.8	28.7	29.6	29.2	30.9	358.4	19	4643
	13 LST	31.0	28.0	31.0	29.8	30.7	29.9	30.7	30.4	29.4	30.7	29.5	31.0	362.1	19	4480
	19 LST	30.7	27.9	30.9	29.7	30.9	29.9	30.9	30.7	29.7	30.1	29.6	30.8	361.8	19	5604
	01 LST	31.0	28.0	31.0	29.9	30.9	29.9	31.0	30.8	29.7	30.4	29.8	30.9	363.3	16	3505
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	29.9	27.9	30.7	29.8	30.2	29.6	30.5	29.5	28.5	29.5	29.1	30.8	356.0	19	4603
	13 LST	28.9	26.3	29.2	28.4	29.4	27.6	28.4	27.3	27.7	29.3	28.8	30.2	341.5	19	4440
	19 LST	30.2	27.4	30.3	29.4	30.6	29.7	30.5	30.2	29.5	29.8	29.4	30.2	357.2	19	5584
	01 LST	30.1	27.8	30.9	29.7	30.8	29.3	30.7	30.5	29.2	30.4	29.8	30.4	359.6	16	3492
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.1	0.0	0.0	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.3	19	4678
	13 LST	0.1	0.0	0.0	0.0	0.0	0.1	0.0	0.2	0.2	0.0	0.1	0.1	0.8	19	4500
	19 LST	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.3	19	5625
	01 LST	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.2	16	3541
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	16.4	11.4	6.2	2.8	2.8	2.7	2.4	3.0	3.2	3.4	6.8	13.2	74.3	19	4625
	13 LST	20.0	16.3	20.4	20.3	18.4	20.1	21.9	20.8	20.2	21.7	22.5	23.1	245.7	19	4462
	19 LST	7.8	7.6	7.5	6.0	4.1	5.3	4.7	4.1	3.3	3.6	4.1	6.2	64.3	19	5614
	01 LST	12.5	6.8	3.0	2.2	2.7	1.7	1.4	2.0	1.4	2.9	4.9	11.5	53.0	16	3524
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	2.0	0.9	1.6	0.3	0.3	0.5	0.7	0.3	0.2	0.4	0.6	1.1	8.9	19	4697
	13 LST	2.8	1.8	1.8	0.6	0.6	0.9	1.2	0.4	0.3	0.0	0.5	1.6	12.5	19	4529
	19 LST	1.1	0.8	1.3	0.2	0.3	0.3	0.6	0.1	0.1	0.2	0.4	1.4	6.8	19	5641
	01 LST	3.0	1.6	1.2	0.3	0.4	0.6	1.0	0.8	0.2	0.2	0.6	1.6	11.5	16	3541
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	29.9	27.3	30.0	28.3	29.2	28.7	29.3	27.9	26.9	28.7	28.2	30.1	344.5	19	4645
	13 LST	30.3	27.6	30.6	28.8	29.5	28.7	30.2	29.1	27.4	28.6	28.3	30.3	349.4	18	4480
	19 LST	29.5	27.3	30.0	28.8	29.9	29.1	29.9	29.9	28.9	29.0	28.5	29.8	350.6	19	5604
	01 LST	30.8	27.6	30.0	29.4	29.6	29.5	30.2	30.3	29.4	29.7	29.2	30.4	356.1	14	3505
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	29.1	27.0	29.8	27.9	28.8	28.3	28.9	27.7	26.4	28.3	28.0	29.3	339.5	19	4645
	13 LST	30.1	27.5	30.5	28.4	29.0	28.4	30.0	28.7	26.9	28.1	27.9	30.0	345.5	18	4480
	19 LST	28.5	26.6	29.5	28.7	29.5	28.9	29.4	29.6	28.6	28.5	28.3	29.2	345.3	19	5604
	01 LST	30.8	27.4	29.9	29.3	29.4	29.3	30.1	30.0	29.4	29.5	29.0	30.1	354.2	14	3505
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	29.1	27.0	29.8	27.9	28.8	28.3	28.9	27.7	26.4	28.3	28.0	29.3	339.5	19	4645
	13 LST	30.1	27.5	30.5	28.4	29.0	28.4	30.0	28.7	26.9	28.1	27.9	30.0	345.5	18	4480
	19 LST	28.5	26.6	29.5	28.7	29.4	28.9	29.4	29.6	28.6	28.5	28.3	29.2	345.2	19	5604
	01 LST	30.8	27.4	29.9	29.3	29.4	29.3	30.1	30.0	29.4	29.5	29.0	30.1	354.2	14	3505

KOTA BHARU, MALAYA

STA NO. 48615 (IN AREA NUMBER 02)

LATITUDE 0610N

LONGITUDE 10217E

ELEVATION(FT) 00015

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	90	90	92	94	95	93	93	95	93	93	90	89	95	16	2324
MEAN MAX TMP (F)	84	85	87	90	90	90	89	89	89	87	84	83	87	16	2324
MEAN MIN TMP (F)	73	73	74	75	75	74	74	74	74	74	74	73	74	17	2515
ABS MIN TMP (F)	66	67	68	70	72	71	70	70	70	70	68	69	66	17	2515
MEAN NO DYS TMP = OR GTR 90(F)	1.4	3.0	8.6	17.3	17.9	17.3	14.8	14.8	14.3	8.6	1.3	0.0	119.3	16	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	-29
MEAN DEW PT TMP (F)	72	73	74	76	76	76	75	75	75	76	75	73	75	18	-29
MEAN REL HUM (PCT)	82	82	81	81	81	82	82	83	83	86	88	86	83	20	25933
MEAN PRESS ALT (FT)	65	85	105	145	155	165	155	155	145	115	115	75	123	0	-30
MEAN PRECIP (IN)	5.06	3.35	3.88	3.95	3.88	5.70	5.42	8.37	7.45	11.08	22.55	25.74	106.4	13	3387
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	6.9	5.5	5.4	5.4	5.4	10.3	10.0	12.9	10.7	13.6	18.0			13	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.1	0.4	0.8	3.8	13.9	15.4	12.5	13.3	16.2	9.6	4.9	0.6	91.5	15	2754
P FREQ WND SPD = OR GTR 17 KTS	2.9	0.9	0.6	0.4	0.4	0.3	0.4	0.1	0.3	0.3	0.3	2.0	0.7	19	25949
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	19	25949
P FREQ LES 5000 FT A/O LES 5 MI	29.0	29.6	23.2	9.3	6.3	4.6	6.0	7.2	8.1	12.8	23.0	31.8	15.9	20	19799
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	8.2	5.9	3.3	3.2	1.5	2.4	2.7	2.8	3.2	7.7	9.7	11.2	5.2	15	3072
03-05 LST	6.4	6.7	5.7	3.0	2.9	1.1	1.2	0.6	0.6	2.3	7.3	12.5	4.2	8	2001
06-08 LST	14.4	10.8	10.1	4.0	2.6	1.9	1.3	2.3	3.6	6.0	14.7	20.3	7.7	20	4585
09-11 LST	14.6	15.4	11.5	4.3	1.5	0.6	0.5	0.5	1.6	5.3	18.2	24.3	8.2	9	2204
12-14 LST	10.9	9.4	5.7	2.0	1.7	1.5	1.7	2.2	2.6	5.9	16.5	16.6	6.4	20	4412
15-17 LST	11.8	10.3	6.3	1.6	3.6	1.0	2.5	1.5	3.9	6.7	11.5	19.0	6.6	8	2258
18-20 LST	8.2	6.9	4.8	4.0	5.7	5.7	4.9	6.8	6.7	6.7	10.1	13.9	7.0	20	4986
21-23 LST	6.1	5.3	3.2	1.7	3.2	2.7	2.7	3.2	2.8	3.9	7.7	9.7	4.4	8	2178
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.4	0.5	0.4	0.0	0.0	0.0	0.4	0.0	0.4	0.0	0.4	0.0	0.2	15	3072
03-05 LST	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.6	0.0	0.0	0.6	0.2	8	2001
06-08 LST	2.3	1.4	2.4	1.1	0.5	0.3	0.3	0.5	1.4	0.7	1.0	2.6	1.2	20	4585
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	2204
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.2	0.8	0.1	20	4412
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	8	2258
18-20 LST	0.0	0.6	0.5	0.0	0.5	0.2	0.0	0.0	0.2	0.2	0.5	0.7	0.3	20	4986
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2178

KOTA BHARU, MALAYA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	29.2	27.3	29.3	29.4	30.6	29.7	30.8	30.6	29.3	30.0	27.2	27.8	351.2	19	4585
	13 LST	30.4	27.7	30.8	30.0	31.0	30.0	31.0	31.0	29.9	30.3	26.9	28.9	357.9	19	4412
	19 LST	30.3	27.7	30.7	29.7	30.7	29.7	30.9	30.4	29.6	30.5	28.5	28.9	357.6	18	4986
	01 LST	30.4	27.6	30.9	29.9	30.9	29.8	30.8	31.0	29.8	30.7	29.2	30.6	361.6	14	3072
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	26.6	25.2	28.7	29.0	30.4	29.7	30.8	30.6	29.2	29.8	26.9	24.9	341.8	19	4544
	13 LST	20.1	16.5	20.9	24.7	28.3	29.3	29.8	30.2	28.6	28.7	24.1	21.6	302.8	19	4383
	19 LST	24.5	24.0	27.6	28.6	29.8	28.7	29.6	29.8	28.6	29.7	27.4	25.3	333.6	18	4972
	01 LST	27.8	25.1	29.7	29.5	30.9	29.8	30.6	30.8	29.5	30.3	28.4	27.8	350.2	14	3061
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.7	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	1.4	19	4619
	13 LST	1.7	0.4	0.4	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.2	0.8	3.7	19	4448
	19 LST	0.6	0.1	0.3	0.2	0.1	0.0	0.2	0.1	0.1	0.1	0.1	0.3	2.2	18	5015
	01 LST	0.5	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.8	14	3084
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	6.2	5.2	3.4	5.3	7.2	8.5	9.0	6.5	10.0	7.9	6.0	5.6	80.8	19	4583
	13 LST	17.4	15.1	17.5	14.2	12.6	15.9	18.3	21.6	21.1	21.9	17.6	14.8	208.0	19	4414
	19 LST	16.5	17.6	17.5	13.2	7.4	6.6	7.8	6.5	6.4	7.0	9.1	12.6	128.0	18	4990
	01 LST	10.4	10.1	7.6	2.6	4.9	4.0	4.0	4.8	4.5	3.7	4.1	8.4	89.1	14	3077
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	0.6	0.9	1.7	0.8	0.4	0.4	0.6	0.7	0.5	0.2	0.1	0.5	7.4	19	4649
	13 LST	0.2	0.9	1.7	1.7	0.4	0.6	0.6	0.4	0.2	0.2	0.1	0.6	7.6	19	4470
	19 LST	1.3	1.5	2.5	1.7	0.5	0.3	1.1	0.8	0.7	0.7	0.3	1.0	12.4	18	5026
	01 LST	1.0	1.6	1.9	1.8	0.5	0.2	0.6	0.1	0.6	0.5	0.0	1.1	9.9	14	3088
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	22.5	21.6	25.5	28.1	29.7	29.0	30.2	29.8	28.2	28.1	23.7	21.2	317.6	19	4585
	13 LST	23.5	22.0	26.6	28.5	29.8	29.0	29.8	29.2	28.3	28.0	23.1	22.4	320.2	18	4412
	19 LST	25.6	23.8	27.5	27.9	27.9	27.0	28.0	27.7	26.2	27.2	25.2	24.1	318.1	17	4986
	01 LST	25.6	23.4	28.2	27.7	30.1	28.7	29.1	28.8	28.1	26.2	24.4	24.0	324.3	13	3072
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	20.9	20.1	24.3	27.9	29.5	28.8	29.6	28.8	27.8	27.5	23.2	20.4	308.8	19	4585
	13 LST	21.8	20.5	24.9	28.1	29.5	28.9	29.5	28.7	28.1	27.7	22.9	21.8	312.4	18	4412
	19 LST	24.4	22.8	26.6	27.8	27.7	27.0	27.8	27.6	25.9	27.0	24.7	23.3	312.6	17	4986
	01 LST	24.5	21.7	27.1	27.2	29.9	28.4	28.5	28.0	27.5	25.8	23.9	22.8	315.3	19	3072
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	20.9	20.1	24.3	27.9	29.5	28.8	29.6	28.8	27.8	27.5	23.2	20.4	308.8	19	4585
	13 LST	21.8	20.4	24.9	28.1	29.5	28.9	29.5	28.7	28.1	27.7	22.8	21.8	312.2	18	4412
	19 LST	24.4	22.8	26.6	27.8	27.7	27.0	27.8	27.6	25.9	27.0	24.7	23.3	312.6	17	4986
	01 LST	24.5	21.7	27.1	27.2	29.9	28.4	28.5	28.0	27.5	25.8	23.9	22.8	315.3	13	3072

KUALA TRENGGANU, MALAYA

STA NO. 48619 (IN AREA NUMBER 02)

LATITUDE 0524N

LONGITUDE 10306E

ELEVATION(FT) 00010

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	89	90	91	92	93	94	92	93	91	92	90	88	94	15	2229
MEAN MAX TMP (F)	82	84	86	89	90	89	89	88	88	87	84	82	87	15	2229
MEAN MIN TMP (F)	73	73	73	74	74	73	73	73	73	73	73	73	73	15	2430
ABS MIN TMP (F)	68	66	68	70	71	70	69	69	70	70	68	67	66	15	2430
MEAN NO DYS TMP = DR GTR 90(F)	0.0	1.2	5.8	14.3	17.9	14.3	14.8	11.6	11.2	8.6	1.3	0.0	101.0	15	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	3.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	-29
MEAN DEW PT TMP (F)	72	73	73	75	75	74	74	74	74	75	74	73	74	16	-29
MEAN REL HUM (PCT)	84	84	82	81	80	80	80	81	81	85	87	86	83	17	13999
MEAN PRESS ALT (FT)	60	80	100	140	150	160	150	150	140	110	110	70	118	0	-90
MEAN PRECIP (IN)	5.74	4.71	4.78	2.52	3.83	3.59	6.20	4.52	6.47	8.82	24.18	25.22	100.6	10	2181
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	7.2	6.7	5.5	4.5	5.3	8.1	10.8	9.1	9.8	11.9	18.1			10	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSMS	0.0	0.2	0.7	2.9	9.9	11.5	9.3	15.6	13.1	11.9	4.1	1.3	80.5	7	1490
P FREQ WND SPD = DR GTR 17 KTS	2.4	1.0	0.3	0.2	0.4	0.1	0.7	0.4	0.3	0.3	0.5	3.2	0.8	15	14042
P FREQ WND SPD = DR GTR 28 KTS	0.2	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	15	14042
P FREQ LES 5000 FT A/D LES 5 MI	26.7	27.4	22.4	7.5	1.9	1.7	1.5	3.4	3.4	6.3	23.3	31.7	13.1	17	9745
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST	6.5	11.5	0.0	0.0			0.0			1.7	12.8	18.5		5	604
06-08 LST	15.0	15.9	14.2	5.3	2.1	0.8	1.6	4.2	1.5	2.5	15.8	20.6	8.3	17	3253
09-11 LST	8.9	9.4	7.8	1.6	0.0	0.0	0.0	0.8	0.8	3.5	17.2	21.3	5.9	7	1537
12-14 LST	8.3	7.3	3.2	2.4	0.4	0.4	0.4	0.4	1.2	1.6	10.0	12.7	4.0	17	3311
15-17 LST	12.9	12.3	7.9	2.3	0.0	0.8	2.3	1.5	0.8	3.1	14.9	19.8	6.6	5	1518
18-20 LST	8.7	8.0	4.8	1.9	1.6	0.7	0.7	2.2	3.6	4.6	9.5	12.9	4.9	17	3703
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST	0.8	0.9	0.0	0.0			0.0			0.0	0.9	0.0		5	604
06-08 LST	2.2	3.0	5.7	3.1	0.4	0.4	1.2	1.5	0.4	0.6	1.7	1.5	1.8	17	3253
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.1	7	1537
12-14 LST	0.0	0.0	0.0	0.4	0.0	0.0	0.4	0.0	0.4	0.0	0.3	0.3	0.2	17	3311
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	1518
18-20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.3	0.1	17	3703
21-23 LST														0	0

KUALA TRENGGANU, MALAYA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	UCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	29.6	26.4	28.6	28.9	30.9	29.9	30.6	30.2	29.7	30.7	26.6	28.0	330.1	16	3253
	13 LST	31.0	27.9	30.9	29.6	31.0	30.0	30.9	31.0	29.8	30.9	28.3	29.2	360.5	16	3311
	19 LST	30.8	27.9	31.0	30.0	30.7	30.0	31.0	30.8	29.8	30.5	28.8	29.7	361.0	16	3703
	01 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	26.5	24.4	28.0	28.4	30.9	29.9	30.6	29.7	29.4	30.6	25.9	24.6	338.9	16	3220
	13 LST	24.9	23.7	26.2	27.2	29.2	29.0	28.8	28.2	28.4	29.0	24.9	22.9	322.4	16	3280
	19 LST	25.6	26.1	29.6	29.5	30.1	29.7	29.2	29.8	29.2	29.6	27.5	25.0	340.9	16	3684
	01 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.6	0.2	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.1	0.6	1.7	16	3252
	13 LST	1.3	0.6	0.2	0.1	0.1	0.0	0.3	0.0	0.2	0.1	0.1	0.9	3.9	16	3302
	19 LST	0.8	0.2	0.0	0.0	0.3	0.0	0.2	0.3	0.0	0.2	0.2	0.6	2.8	16	3717
	01 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	14.5	12.0	14.0	12.2	14.2	12.1	12.4	12.1	12.6	13.7	7.2	10.6	147.6	16	3223
	13 LST	21.7	20.4	22.9	20.2	14.5	14.1	18.3	19.2	22.8	21.4	16.3	17.1	228.9	16	3260
	19 LST	16.8	18.1	15.0	10.4	9.5	11.1	11.7	12.3	10.9	8.8	7.9	14.7	147.2	16	3677
	01 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	0.0	0.1	0.1	0.8	0.8	0.5	0.5	0.4	0.3	0.0	0.1	0.2	3.8	16	3261
	13 LST	0.0	0.5	0.9	1.4	0.4	0.4	0.4	0.2	0.2	0.0	0.0	0.2	4.6	16	3332
	19 LST	0.2	0.3	1.5	1.0	0.3	0.4	0.2	0.4	0.4	0.3	0.2	0.6	6.2	16	3754
	01 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	22.9	20.5	24.2	27.9	29.8	29.7	30.5	29.5	29.4	29.7	23.9	21.1	319.1	15	3253
	13 LST	25.3	25.9	28.4	28.9	30.8	29.8	30.8	30.7	29.2	30.1	25.8	24.8	340.5	15	3311
	19 LST	25.9	23.5	27.8	28.9	30.5	29.7	30.8	29.7	28.1	29.6	25.8	24.5	334.8	15	3703
	01 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	22.5	19.9	23.6	27.8	29.8	29.6	30.4	29.4	29.4	29.7	23.8	20.7	316.6	15	3253
	13 LST	24.7	25.2	27.6	28.8	30.7	29.7	30.7	30.6	28.9	29.9	25.7	24.5	337.0	15	3311
	19 LST	25.4	23.0	27.4	28.7	30.4	29.7	30.7	29.6	28.0	28.6	25.7	24.4	331.6	15	3703
	01 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	22.4	19.8	23.6	27.8	29.8	29.6	30.4	29.4	29.4	29.7	23.8	20.7	316.4	15	3253
	13 LST	24.7	25.2	27.6	28.8	30.7	29.7	30.7	30.6	28.9	29.9	25.7	24.5	337.0	15	3311
	19 LST	25.4	23.0	27.4	28.7	30.4	29.7	30.7	29.6	28.0	28.6	25.7	24.4	331.6	15	3703
	01 LST														0	0

KUANTAN, MALAYA

STA NO. 48657 (IN AREA NUMBER 02)

LATITUDE 0346N

LONGITUDE 10312E

ELEVATION(PT) 00058

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR	NO.
														(YRS)	DBS
ABS MAX TMP (F)	90	94	93	94	93	98	96	94	96	93	91	93	98	17	2482
MEAN MAX TMP (F)	83	85	88	89	90	90	89	89	89	88	86	84	88	17	2482
MEAN MIN TMP (F)	71	71	71	72	73	72	72	72	72	72	72	71	72	17	2504
ABS MIN TMP (F)	63	61	64	66	66	68	66	66	68	68	66	64	61	17	2504
MEAN NO DYS TMP = DR GTR 90(F)	0.0	3.0	11.6	14.3	17.9	17.3	14.8	14.8	14.3	11.6	5.6	1.4	126.6	17	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	-29
MEAN DEW PT TMP (F)	73	74	75	76	77	76	76	76	76	76	76	74	75	18	-29
MEAN REL HUM (PCT)	88	88	87	86	87	86	86	86	86	86	87	90	87	20	26027
MEAN PRESS ALT (FT)	148	168	168	188	198	188	178	178	168	168	168	198	173	0	-50
MEAN PRECIP (IN)	16.38	7.51	10.61	8.28	7.82	7.31	7.43	7.79	8.37	10.64	11.06	20.85	124.0	13	3146
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN			6.0	5.2	5.2	11.9	12.0	12.4	11.5	13.3	13.5			13	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	1.3	1.6	6.6	14.2	20.1	15.9	16.8	17.6	18.7	17.8	12.9	4.8	148.3	15	2725
P FREQ WND SPD = DR GTR 17 KTS	0.6	1.3	0.3	0.1	0.1	0.2	0.2	0.2	0.4	0.1	0.2	0.6	0.4	19	26082
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	19	26082
P FREQ LES 5000 FT A/D LES 5 MI	30.9	26.2	24.9	25.1	21.2	16.3	19.9	21.8	25.6	35.4	30.7	34.4	26.0	20	19398
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	8.8	5.9	3.3	5.2	4.1	4.2	7.8	7.1	8.9	13.1	9.4	11.4	7.4	15	3255
03-05 LST	9.9	3.6	8.8	9.4	10.1	8.1	9.1	12.9	11.2	27.2	20.1	19.0	12.5	8	2012
06-08 LST	14.5	12.4	14.5	26.2	24.9	13.2	17.1	21.2	27.3	40.4	31.5	24.6	22.3	20	4544
09-11 LST	21.5	14.4	9.7	5.0	3.6	1.6	4.2	3.1	2.3	9.2	12.7	23.0	9.2	9	2209
12-14 LST	25.7	19.8	12.7	12.2	7.3	5.7	5.1	5.5	5.7	10.0	18.1	25.4	12.8	20	4496
15-17 LST	21.0	9.9	5.9	3.8	8.1	4.1	6.9	6.0	5.0	9.4	16.1	18.9	9.6	8	2257
18-20 LST	11.7	6.1	3.9	4.3	6.1	5.9	6.5	4.8	9.5	12.7	9.4	14.0	7.9	20	4841
21-23 LST	9.9	6.0	2.2	1.2	5.4	2.7	3.2	4.7	6.4	9.4	4.8	9.7	5.5	8	2098
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.4	0.4	0.0	1.2	1.1	1.1	0.7	2.6	1.6	4.2	3.5	0.7	1.5	15	3255
03-05 LST	0.6	0.0	1.2	3.8	3.9	1.1	3.4	4.1	1.9	8.9	5.0	3.4	3.1	8	2012
06-08 LST	2.8	2.5	4.3	12.8	15.8	6.2	6.7	12.4	10.8	20.7	20.0	7.4	10.2	20	4544
09-11 LST	1.0	1.3	1.1	0.0	0.0	0.0	1.0	0.5	0.0	1.0	1.1	0.5	0.6	9	2209
12-14 LST	0.7	0.0	0.5	0.0	0.5	0.0	0.3	0.3	0.0	0.2	0.0	1.2	0.3	20	4496
15-17 LST	0.5	0.0	0.0	0.0	0.0	0.5	1.0	0.0	0.6	2.2	0.0	1.3	0.5	8	2257
18-20 LST	0.2	0.0	0.3	0.0	0.0	0.2	0.2	0.2	0.5	1.2	0.2	0.2	0.3	20	4841
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.6	1.1	0.2	8	2098

KUANTAN, MALAYA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	27.2	25.2	27.7	23.4	24.3	26.9	26.5	25.3	23.3	19.3	21.5	24.4	295.0	19	4544
	13 LST	26.8	25.6	29.8	29.1	30.5	29.6	30.4	30.8	29.8	30.2	27.5	25.9	346.0	19	4496
	19 LST	28.4	27.0	30.4	29.5	30.3	29.3	29.8	30.2	28.4	28.1	28.2	28.0	347.6	19	4841
	01 LST	29.4	27.1	30.5	29.3	30.4	29.1	29.6	29.7	27.9	28.0	28.0	28.6	347.6	13	3255
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	27.0	25.1	27.7	23.3	24.3	26.9	26.5	25.2	23.2	19.3	21.5	24.2	294.2	19	4522
	13 LST	16.9	17.4	23.1	24.5	28.3	27.5	28.5	28.3	27.7	28.0	25.0	22.0	297.2	19	4459
	19 LST	28.2	26.1	30.3	29.2	30.2	29.0	29.3	29.6	28.1	27.9	28.1	27.6	343.6	19	4822
	01 LST	29.2	26.9	30.5	29.2	30.4	29.0	29.6	29.6	27.5	27.9	27.9	28.4	346.1	13	3247
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.2	19	4628
	13 LST	0.8	1.0	0.4	0.0	0.2	0.2	0.0	0.1	0.0	0.3	0.3	0.3	3.8	19	4522
	19 LST	0.0	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.1	0.0	0.0	0.0	0.7	19	4882
	01 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	3279
SFC WND 4-10 KTS AND TMP 33-89 DEC F AND NO PRECIP.	07 LST	8.0	5.2	2.8	1.0	2.4	2.3	1.9	3.0	2.4	1.7	2.3	4.6	37.6	19	4586
	13 LST	14.0	14.3	15.3	11.3	9.9	14.4	18.5	18.1	17.0	16.4	14.8	16.1	180.1	19	4495
	19 LST	14.0	14.0	9.8	4.2	3.6	3.4	3.4	4.7	4.1	3.5	4.5	8.5	77.7	19	4843
	01 LST	10.2	7.7	2.8	1.4	1.1	2.5	2.5	2.3	1.5	1.7	2.5	7.5	43.7	13	3270
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	0.6	0.8	1.6	0.8	0.8	0.7	0.9	0.2	0.1	0.3	0.2	0.6	7.6	19	4629
	13 LST	0.0	0.2	0.2	0.1	0.2	0.0	0.2	0.1	0.2	0.1	0.0	0.0	1.3	19	4549
	19 LST	1.1	1.3	1.7	1.0	0.8	0.8	1.2	0.4	0.3	0.1	0.5	0.2	9.4	19	4902
	01 LST	2.0	1.6	2.6	1.1	0.9	0.3	0.4	0.5	0.1	0.2	0.5	0.7	10.9	13	3285
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	25.6	23.8	26.2	22.8	24.0	26.7	26.3	25.0	23.0	19.1	20.9	23.3	286.7	19	4544
	13 LST	18.0	17.4	21.2	20.5	25.4	25.7	26.5	25.7	25.3	25.0	20.9	19.6	271.2	19	4496
	19 LST	26.1	25.3	29.0	27.8	28.3	27.3	28.5	28.8	26.3	26.2	26.5	25.5	325.6	19	4841
	01 LST	26.8	25.2	29.3	27.5	29.7	28.7	28.2	28.6	26.6	26.7	26.7	26.7	330.7	13	3255
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	24.8	23.2	25.8	22.7	23.8	26.4	26.2	24.4	22.7	18.7	20.6	22.8	282.1	19	4544
	13 LST	15.9	15.1	17.2	17.0	23.7	24.1	24.5	23.3	23.4	23.8	19.4	18.0	245.4	19	4496
	19 LST	25.0	24.5	28.5	27.3	28.1	27.0	28.3	28.5	26.0	26.0	26.0	24.7	319.9	19	4841
	01 LST	26.1	24.5	28.4	26.8	29.4	28.5	27.8	28.1	26.1	26.0	26.0	26.3	324.0	13	3255
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	24.8	23.2	25.8	22.7	23.8	26.4	26.2	24.4	22.7	18.7	20.6	22.8	282.1	19	4544
	13 LST	15.9	15.1	17.2	17.0	23.7	24.1	24.5	23.3	23.4	23.8	19.4	18.0	245.4	19	4496
	19 LST	25.0	24.5	28.5	27.3	28.1	27.0	28.3	28.4	26.0	26.0	26.0	24.7	319.8	19	4841
	01 LST	26.1	24.5	28.4	26.8	29.4	28.5	27.8	28.1	26.1	26.0	26.0	26.3	324.0	13	3255

MERSING, MALAYA

STA NO. 48674 (IN AREA NUMBER 02)

LATITUDE 0227N

LONGITUDE 10350E

ELEVATION(FT) 00191

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
ABS MAX TMP (F)	88	93	93	93	96	95	99	92	91	92	91	90	99	15	2209
MEAN MAX TMP (F)	82	83	86	89	90	89	88	87	87	87	86	82	86	15	2209
MEAN MIN TMP (F)	74	74	74	73	73	72	72	72	72	72	72	73	73	15	2336
ABS MIN TMP (F)	68	70	68	68	68	69	68	68	68	68	69	70	68	15	2336
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	5.8	14.3	17.9	14.3	11.6	8.6	8.3	8.6	5.6	0.0	95.0	15	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	-29
MEAN DEW PT TMP (F)	72	72	73	75	75	74	74	74	74	74	74	73	74	16	-29
MEAN REL HUM (PCT)	82	82	81	82	82	83	84	84	84	84	85	86	83	17	13151
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	14.43	6.29	6.10	4.63	7.13	5.05	5.57	6.69	9.25	9.91	13.41	24.29	112.8	10	2226
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN		7.4	5.5	5.5	5.3	9.6	10.2	11.3	12.2	12.7	15.0			10	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.7	3.6	8.7	18.8	18.1	16.3	17.4	17.1	14.9	10.6	2.0	128.2	6	1569
P FREQ WND SPD = DR GTR 17 KTS	19.4	19.6	6.3	2.3	0.3	0.7	1.1	0.8	1.1	0.4	1.2	8.0	5.1	15	13133
P FREQ WND SPD = DR GTR 28 KTS	0.4	0.1	0.1	0.4	0.0	0.1	0.0	0.0	0.0	0.2	0.1	0.2	0.1	15	13133
P FREQ LES 5000 FT A/D LES 5 MI	16.3	9.7	6.2	2.2	1.7	3.5	2.8	5.4	2.4	4.9	4.3	18.6	6.5	17	9029
P FREQ LES 1500 FT A/D LES 3 MI															
PDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	8.5	6.0	4.7	3.6	0.4	1.6	0.4	1.2	1.2	3.3	2.6	12.4	3.8	17	3189
09-11 LST	7.3	7.8	3.6	0.8	0.7	0.8	0.7	2.2	0.0	2.1	3.5	17.3	3.9	6	1595
12-14 LST	11.3	6.5	4.6	3.3	2.8	2.7	3.8	4.6	3.9	3.2	4.7	15.5	5.6	17	3208
15-17 LST	12.1	1.7	2.8	1.5	0.7	2.2	5.1	4.2	3.8	3.6	2.3	16.3	4.7	5	1612
18-20 LST	6.5	4.9	3.3	2.9	2.9	1.7	2.1	1.5	2.3	1.9	3.3	5.9	3.3	17	3620
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
PDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	0.0	0.4	0.4	0.0	0.4	0.0	0.4	0.8	0.7	0.0	0.0	0.3	17	3189
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	1595
12-14 LST	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.1	17	3208
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.0	0.0	0.1	5	1612
18-20 LST	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.3	0.0	0.2	17	3620
21-23 LST														0	0

MERSING, MALAYA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	30.4	27.4	30.5	29.6	31.0	29.6	31.0	30.8	29.8	30.4	29.4	28.5	358.4	16	3189
	13 LST	29.8	27.6	30.9	29.7	30.8	29.8	30.4	30.5	29.8	30.5	29.6	28.4	357.8	16	3208
	19 LST	30.3	27.7	30.9	29.9	30.9	29.8	31.0	30.8	29.7	30.9	29.6	30.2	361.7	16	3420
	01 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	19.5	16.5	25.5	28.2	30.6	29.4	31.0	30.1	29.5	29.6	29.0	25.7	324.6	16	3153
	13 LST	9.0	8.7	15.0	23.0	26.8	24.2	22.7	20.8	21.1	25.4	22.9	15.3	234.9	16	3171
	19 LST	13.1	13.5	22.1	28.0	30.2	29.2	30.6	29.6	29.1	30.2	27.8	21.7	305.1	16	3392
	01 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	3.7	3.5	0.7	0.8	0.0	0.1	0.0	0.0	0.0	0.0	0.1	0.0	8.9	16	3218
	13 LST	7.5	7.0	3.0	0.9	0.1	0.2	0.7	0.5	0.8	0.1	0.4	2.6	23.8	16	3207
	19 LST	6.3	4.6	1.8	0.2	0.0	0.1	0.0	0.0	0.0	0.2	0.4	2.3	16.1	16	3425
	01 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	14.1	12.1	19.1	22.3	25.3	24.8	26.5	26.8	27.0	25.7	21.1	17.3	262.1	16	3180
	13 LST	7.2	6.7	12.4	15.1	14.4	17.9	18.3	17.1	17.4	20.1	17.3	11.4	175.3	16	3180
	19 LST	10.9	11.2	17.1	20.2	19.2	17.0	19.9	19.1	20.4	19.0	16.7	15.6	206.3	16	3401
	01 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	0.4	0.2	0.5	3.0	1.7	2.4	2.5	2.0	1.3	0.4	0.9	0.6	15.9	16	3245
	13 LST	0.1	0.4	0.9	2.4	1.1	0.7	0.5	0.2	0.5	0.4	0.4	0.1	7.7	16	3228
	19 LST	1.5	1.0	2.6	1.9	1.5	0.8	1.4	2.1	0.8	0.8	0.7	1.1	16.2	16	3450
	01 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	26.5	25.3	28.7	28.4	30.7	29.6	31.0	30.6	29.6	29.9	29.0	26.1	345.4	15	3189
	13 LST	25.2	24.9	28.1	28.6	29.5	28.5	29.1	28.6	27.8	29.3	27.8	24.2	331.6	15	3208
	19 LST	27.9	25.6	29.4	28.7	29.5	29.2	29.8	30.3	29.0	29.9	28.4	28.1	345.8	15	3420
	01 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	26.4	25.1	28.7	28.4	30.4	29.5	31.0	30.4	29.6	29.9	28.9	25.8	344.1	15	3189
	13 LST	25.0	24.8	28.0	28.5	29.4	28.4	28.9	28.3	27.7	29.0	27.8	24.2	330.0	15	3208
	19 LST	27.8	25.6	29.4	28.7	29.5	28.5	29.7	30.2	29.0	29.9	28.4	28.0	344.7	15	3420
	01 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	26.4	25.1	28.7	28.4	30.4	29.5	31.0	30.4	29.6	29.9	28.9	25.8	344.1	15	3189
	13 LST	25.0	24.8	28.0	28.5	29.4	28.4	28.9	28.3	27.7	29.0	27.8	24.2	330.0	15	3208
	19 LST	27.8	25.6	29.4	28.7	29.4	28.5	29.7	30.2	29.0	29.9	28.4	28.0	344.6	15	3420
	01 LST														0	0

TEMERLOH, MALAYA

STA NO. 49630/ (IN AREA NUMBER 02)

LATITUDE 0327N

LONGITUDE 10226E

ELEVATION(FT) 00163

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	91	95	96	97	96	95	95	95	95	95	93	92	97	10	-155
MEAN MAX TMP (F)	85	88	90	91	91	90	90	90	90	89	87	86	89	10	-155
MEAN MIN TMP (F)	71	71	72	73	73	73	72	72	72	73	73	72	72	10	-155
ABS MIN TMP (F)	64	66	67	69	68	68	68	67	66	69	69	65	64	10	-155
MEAN NO DYS TMP = DR GTR 90(F)	3.4	10.4	17.9	20.3	21.0	17.3	17.9	17.9	17.3	14.8	8.3	5.8	172.3	10	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN DEW PT TMP (F)	74	74	75	77	77	77	77	75	76	77	77	75	76	9	-29
MEAN REL HUM (PCT)	87	83	84	85	86	86	87	84	86	87	89	88	86	8	-155
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	7.80	3.90	6.00	7.60	6.60	4.30	3.40	5.60	6.50	9.30	9.70	10.10	80.8	30	-155
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN		6.0	5.5	5.3	5.4	8.8	7.8	10.2	9.8	12.2	12.6			30	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	2.0	5.0	12.0	16.0	19.0	13.0	13.0	13.0	16.0	13.0	13.0	5.0	146.0	10	-155
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 3 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	30.8	42.5	39.5	46.7	71.4	45.2	32.6	43.6	31.9	66.7	66.0	44.4	50.1	5	534
09-11 LST														0	0
12-14 LST	10.3	9.5	5.6	6.8	10.2	4.4	8.7	6.8	9.1	6.3	9.1	12.2	8.3	5	619
15-17 LST														0	0
18-20 LST	5.6	5.0	1.6	10.3	13.2	3.6	1.8	3.4	4.5	10.9	12.8	4.5	6.4	5	682
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	19.2	25.0	26.3	33.3	40.0	28.6	44.7	36.4	44.2	46.7	46.8	17.8	34.1	5	534
09-11 LST														0	0
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	0.2	5	619
15-17 LST														0	0
18-20 LST	0.0	0.0	0.0	1.7	2.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	5	682
21-23 LST														0	0


TEMERLOH, MALAYA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. DBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	23.8	16.8	21.2	17.0	8.0	16.4	15.5	18.6	13.8	12.4	14.7	20.0	198.2	5	534
	13 LST	31.0	27.3	31.0	29.3	31.0	30.0	31.0	31.0	30.0	31.0	30.0	29.7	362.3	5	619
	19 LST	27.0	25.9	31.0	28.4	28.1	28.4	31.0	30.5	29.1	26.1	23.6	28.9	338.0	5	682
	01 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	20.2	11.2	15.5	13.0	7.1	15.0	14.6	16.3	11.5	7.9	7.0	13.1	152.4	5	529
	13 LST	23.8	21.8	26.9	25.2	25.8	27.3	25.5	26.3	24.5	26.5	26.2	25.8	305.6	5	611
	19 LST	24.7	23.1	30.0	24.3	25.3	26.8	30.4	28.9	28.2	22.8	21.7	27.4	313.6	5	679
	01 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	547
	13 LST	0.0	0.0	0.0	0.0	0.0	0.0		0.5	0.0	0.0		0.0		5	629
	19 LST	0.6	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	5	696
	01 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	1.1	2.9	2.6	1.1	0.0	0.0	0.8	0.6	1.2	1.6	0.0	1.2	13.1	5	523
	13 LST	9.2	4.5	6.5	5.4	4.7	8.0	7.3	10.1	6.7	8.6	6.2	8.2	85.4	5	613
	19 LST	0.6	1.3	3.2	2.6	2.8	3.5	1.6	2.0	1.8	1.5	0.6	2.7	24.2	5	688
	01 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	0.0	0.0	1.6	1.0	0.8	0.0	1.3	1.6	1.7	0.0	0.0	0.0	8.2	5	548
	13 LST	0.5	0.6	1.7	0.7	0.6	0.6	0.0	1.6	0.3	0.0	0.0	0.0	6.8	5	640
	19 LST	0.0	0.7	4.0	0.5	0.8	1.0	0.5	1.0	1.4	0.0	0.6	2.6	13.1	5	698
	01 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	19.7	9.8	13.9	13.0	6.2	13.6	14.7	15.8	11.3	7.8	7.0	12.4	145.4	5	534
	13 LST	21.9	22.0	26.4	23.2	25.3	26.6	23.6	25.7	24.0	26.1	24.0	23.4	292.2	5	619
	19 LST	25.8	23.8	29.0	23.8	25.3	26.8	29.9	28.4	27.7	22.3	21.1	26.0	309.9	5	682
	01 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	16.7	9.8	11.4	11.0	5.3	13.6	13.9	15.2	10.4	7.8	7.0	11.0	133.1	5	534
	13 LST	20.8	20.7	24.7	21.8	23.3	26.0	20.9	25.2	24.0	25.6	22.9	21.5	279.4	5	619
	19 LST	23.5	20.3	27.0	21.2	25.3	26.8	29.3	27.3	26.8	20.8	19.1	23.9	291.3	5	682
	01 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	16.7	9.8	11.4	11.0	5.3	13.6	13.9	15.2	10.4	7.8	7.0	11.0	133.1	5	534
	13 LST	20.8	20.7	24.7	21.8	23.3	26.0	20.9	25.2	24.0	25.6	22.9	21.5	279.4	5	619
	19 LST	23.5	20.3	27.0	21.2	25.3	26.8	29.3	27.3	26.8	20.8	19.1	23.9	291.3	5	682
	01 LST														0	0

AREA NO. 02

PARAMETER DESCRIPTION	EASTERN SLOPES				LATITUDE 0400N				LONGITUDE 10240E				ANN	
	BOUNDARIES	0546N 10142E	0330N 10210E		0330N 10210E		0128N 10345E							
MEAN MAX TMP (F)		84	86	88	90	90	90	89	89	89	88	86	84	88
MEAN MIN TMP (F)		73	73	73	74	74	73	73	73	73	73	73	73	73
LARGEST MEAN PRECIP(IN)		16.38	7.51	10.61	8.28	10.70	7.70	7.50	11.60	15.80	16.90	24.18	25.74	162.9
SMALLEST MEAN PRECIP(IN)		3.70	3.10	3.88	2.52	3.83	3.59	3.40	4.52	6.47	8.82	9.70	5.80	59.3
		MEAN NUMBER OF DAYS												
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	28.5	25.2	28.0	26.4	25.9	27.1	27.5	27.6	25.8	25.4	24.8	26.6	318.3
	13 LST	30.0	27.4	30.7	29.6	30.8	29.9	30.7	30.8	29.8	30.6	28.6	28.9	357.8
	19 LST	29.6	27.4	30.8	29.5	30.3	29.5	30.8	30.6	29.4	29.4	28.1	29.4	354.8
	01 LST	30.3	27.6	30.8	29.7	30.7	29.6	30.5	30.5	29.1	29.7	29.0	30.0	357.5
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	25.0	21.7	26.0	25.3	25.6	26.8	27.3	26.9	25.2	24.5	23.2	23.9	301.4
	13 LST	20.6	19.1	23.6	25.5	28.0	27.5	27.3	26.9	26.3	27.8	25.3	23.0	300.9
	19 LST	24.4	23.4	28.3	28.2	29.4	28.9	29.9	29.7	28.8	28.3	27.0	26.2	332.5
	01 LST	29.0	26.6	30.4	29.5	30.7	29.4	30.3	30.3	28.7	29.5	28.7	28.9	352.0
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.9	0.7	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	2.0
	13 LST	1.9	1.5	0.7	0.2	0.1	0.1	0.2	0.2	0.2	0.1	0.2	0.8	6.2
	19 LST	1.4	0.9	0.4	0.1	0.2	0.0	0.1	0.1	0.0	0.1	0.1	0.6	4.0
	01 LST	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	10.1	8.1	8.0	7.5	8.7	8.4	8.8	8.7	9.4	9.0	7.2	8.8	102.7
	13 LST	14.9	12.9	15.8	14.4	12.4	15.1	17.1	17.8	17.5	18.4	15.8	15.1	187.2
	19 LST	11.1	11.6	11.7	9.4	7.8	7.8	8.2	8.1	7.8	7.2	7.2	10.0	107.9
	01 LST	11.0	8.2	4.5	2.1	2.9	2.7	2.6	3.0	2.5	2.8	3.8	9.1	95.2
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	0.6	0.5	1.2	1.1	0.8	0.8	1.1	0.9	0.7	0.2	0.3	0.5	8.7
	13 LST	0.6	0.7	1.2	1.2	0.6	0.5	0.5	0.5	0.3	0.1	0.2	0.4	6.8
	19 LST	0.9	1.0	2.3	1.1	0.7	0.6	0.8	0.8	0.6	0.4	0.5	1.2	10.9
	01 LST	2.0	1.6	1.9	1.1	0.6	0.4	0.7	0.5	0.3	0.3	0.4	1.1	10.9
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	24.5	21.4	24.8	24.8	24.9	26.2	27.0	26.4	24.8	23.9	22.1	22.4	293.2
	13 LST	24.0	23.3	26.9	26.4	28.4	28.1	28.3	28.2	27.0	27.9	25.0	24.1	317.6
	19 LST	26.8	24.9	28.8	27.7	28.6	28.2	29.5	29.1	27.7	27.4	25.9	26.3	330.9
	01 LST	27.7	25.4	29.2	28.2	29.8	29.0	29.2	29.2	28.0	27.5	26.8	27.0	337.0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	23.4	20.9	23.9	24.3	24.6	26.0	26.7	26.0	24.4	23.7	21.9	21.7	287.5
	13 LST	23.1	22.3	25.5	25.4	27.9	27.6	27.4	27.5	26.5	27.4	24.4	23.3	308.3
	19 LST	25.8	23.8	28.1	27.1	28.4	28.0	29.2	28.8	27.4	26.8	25.4	25.6	324.4
	01 LST	27.1	24.5	28.5	27.8	29.6	28.7	28.8	28.7	27.7	27.1	26.3	26.4	331.2
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	23.4	20.8	23.9	24.3	24.6	26.0	26.7	26.0	24.4	23.7	21.9	21.7	287.4
	13 LST	23.1	22.3	25.5	25.4	27.9	27.6	27.4	27.5	26.5	27.4	24.4	23.3	308.3
	19 LST	25.8	23.8	28.1	27.1	28.4	28.0	29.2	28.8	27.4	26.8	25.4	25.6	324.4
	01 LST	27.1	24.5	28.5	27.8	29.6	28.7	28.8	28.7	27.7	27.1	26.3	26.4	331.2



SARAWAK

KUCHING, SARAWAK

STA NO. 96413 (IN AREA NUMBER 01)

LATITUDE 0129N

LONGITUDE 11020E

ELEVATION(PT) 00085

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	93	93	93	96	85	96	97	96	94	94	93	91	97	10	-155
MEAN MAX TMP (F)	88	88	89	90	91	91	91	92	90	90	90	88	90	11	-155
MEAN MIN TMP (F)	72	72	72	72	72	73	72	72	72	72	72	72	72	11	-155
ABS MIN TMP (F)	65	67	65	69	66	66	66	67	65	68	64	66	64	11	-155
MEAN NO DYS TMP = DR GTR 90(F)	11.6	10.4	14.8	17.3	0.0	20.3	21.0	23.8	17.3	17.9	17.3	11.6	183.3	11	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	-29
MEAN DEW PT TMP (F)	77	76	76	76	76	76	75	76	75	76	77	76	76	11	-29
MEAN REL HUM (PCT)	89	88	86	85	85	83	82	83	84	85	87	88	85	10	23256
MEAN PRESS ALT (FT)	145	165	195	205	205	205	205	175	175	175	175	175	183	0	-50
MEAN PRECIP (IN)	27.10	19.70	14.20	9.70	9.00	8.50	6.90	8.80	9.50	12.60	13.10	20.10	159.2	49	-155
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN				5.5	5.3	13.0	11.5	13.3	12.4	14.5	14.8			49	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	6.4	7.2	10.0	14.0	14.5	10.5	10.5	12.2	15.7	16.9	13.1	9.0	140.0	10	3625
P FREQ WND SPD = DR GTR 17 KTS	0.4	0.8	0.3	0.3	0.5	0.4	0.3	0.4	0.4	0.3	0.5	0.3	0.4	10	23442
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	10	23442
P FREQ LES 5000 FT A/D LES 5 MI	39.4	35.7	30.5	26.3	20.4	14.3	13.4	21.4	26.4	31.2	26.2	33.2	26.5	17	9307
P FREQ LES 1500 FT A/D LES 3 MI															
FDR 00-02 LST	21.7	22.7	10.3	13.5	9.6	5.5	2.1	9.4	10.0	19.5	23.1	18.8	13.9	5	436
03-05 LST	27.3	21.4	22.2	12.7	15.8	4.2	4.4	7.1	13.4	13.2	10.5	23.6	14.8	5	779
06-08 LST	32.6	29.5	27.4	16.7	12.6	6.8	5.4	11.0	16.0	17.9	19.9	23.4	18.3	17	3250
09-11 LST	36.7	30.1	11.0	8.2	3.9	1.9	1.9	4.6	4.6	6.5	6.5	7.8	10.3	5	1091
12-14 LST	18.4	17.6	10.3	8.1	7.3	3.2	3.4	3.9	5.6	12.3	11.1	15.5	7	17	3317
15-17 LST	21.2	16.1	8.2	11.0	6.8	6.8	6.5	9.6	9.8	16.3	11.0	18.2	11.8	5	1117
18-20 LST	12.7	10.8	7.2	6.9	7.7	6.0	6.6	8.6	6.1	8.5	8.0	13.6	8.6	17	3577
21-23 LST	11.8	14.3	7.0	6.9	5.3	0.0	2.5	0.0	4.3	9.4	3.0	12.5	6.4	4	385
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	0.0	4.5	2.6	2.7	3.8	3.6	0.0	3.1	6.7	2.4	15.4	3.1	4.0	5	436
03-05 LST	6.1	2.4	12.7	7.9	7.9	2.1	1.1	4.3	3.0	3.0	5.3	10.9	5.6	5	779
06-08 LST	11.1	8.6	11.7	6.1	6.9	2.3	2.3	4.8	4.1	9.3	10.7	9.4	7.3	17	3250
09-11 LST	3.8	0.0	2.4	0.0	1.9	0.0	0.0	0.0	0.0	0.0	1.1	1.1	0.9	5	1091
12-14 LST	0.4	1.6	0.0	0.8	0.4	0.0	0.3	0.7	0.7	2.2	0.4	0.6	0.7	17	3317
15-17 LST	4.5	0.0	1.0	1.0	0.0	0.0	0.0	1.1	1.1	0.0	0.0	1.1	0.8	5	1117
18-20 LST	1.1	0.0	0.7	0.7	1.1	0.0	0.7	1.0	0.3	1.2	0.0	0.0	0.6	17	3577
21-23 LST	0.0	4.8	2.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	4	385

KUCHING, SARAWAK

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	24.9	23.7	26.3	26.1	28.2	29.0	29.4	28.5	27.7	27.2	24.7	25.4	321.1	10	3432
	13 LST	28.6	26.1	30.4	29.5	30.8	29.8	30.7	30.7	29.4	30.3	29.1	29.9	355.3	10	3602
	19 LST	28.8	26.8	30.7	29.1	29.7	29.5	29.9	30.4	29.1	29.6	29.4	29.6	352.6	10	3561
	01 LST	30.0	24.1	28.0	28.0	28.0	29.0	30.0	29.0	27.9	30.0	26.4	27.9	338.3	2	722
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	24.9	23.7	26.3	26.1	28.2	28.7	29.3	28.5	27.5	27.2	24.7	25.3	320.4	10	3432
	13 LST	24.6	21.5	27.1	28.0	29.0	28.6	29.5	29.6	27.8	29.0	26.7	27.9	329.3	10	3602
	19 LST	28.6	26.6	30.5	28.8	29.5	28.8	29.5	29.7	28.8	29.4	29.0	29.3	348.5	10	3561
	01 LST	30.0	24.1	28.0	28.0	28.0	28.0	30.0	28.5	27.9	30.0	26.4	27.9	336.8	2	722
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	3651
	13 LST	0.2	0.4	0.1	0.2	0.2	0.1	0.0	0.0	0.3	0.1	0.3	0.2	2.1	10	3649
	19 LST	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.1	0.0	0.0	0.2	10	3652
	01 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	762
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	0.6	0.8	0.5	0.8	1.0	1.1	1.1	1.6	1.4	1.4	1.7	0.8	12.8	10	3620
	13 LST	13.1	12.4	16.2	12.0	8.9	9.0	9.1	10.1	9.5	12.4	12.9	13.9	139.5	10	3618
	19 LST	1.8	2.0	2.4	2.2	2.1	2.7	4.1	3.0	3.8	3.6	3.0	1.9	32.6	10	3621
	01 LST	0.5	0.0	1.5	0.5	1.5	0.0	2.0	0.5	1.5	0.0	1.0	1.0	10.0	2	762
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	0.5	0.4	0.6	2.4	2.9	2.2	4.3	1.3	1.5	1.1	0.5	0.9	18.6	10	3651
	13 LST	0.0	0.0	0.1	0.1	0.3	0.6	0.9	0.6	0.1	0.2	0.0	0.0	2.9	10	3652
	19 LST	1.2	2.3	4.6	2.6	3.1	4.8	3.5	3.0	2.0	2.0	1.5	1.6	34.2	10	3649
	01 LST	0.5	0.0	1.0	5.5	7.0	7.0	5.5	2.5	1.0	1.0	3.0	3.7	37.7	2	762
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	23.2	21.2	25.2	25.7	28.1	28.6	29.4	28.2	27.6	26.8	24.5	24.8	313.3	9	3432
	13 LST	23.7	21.6	26.0	25.5	28.0	26.1	28.1	30.5	26.7	26.3	25.9	26.3	314.7	9	3602
	19 LST	26.5	25.3	29.7	27.9	28.2	28.6	28.8	29.0	27.8	28.9	28.8	28.7	338.2	9	3561
	01 LST	27.5	22.1	27.2	28.0	28.0	29.0	30.0	28.7	27.9	30.0	26.4	27.4	332.2	1	722
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	22.5	21.0	24.1	25.1	28.0	28.2	29.2	27.6	27.4	26.4	24.2	24.7	308.4	9	3432
	13 LST	20.8	18.2	22.1	22.4	25.3	23.1	25.5	26.8	24.2	23.2	23.5	23.8	278.9	9	3602
	19 LST	26.0	24.7	29.5	27.6	27.8	27.9	28.2	28.8	27.2	28.5	28.2	28.4	332.8	9	3561
	01 LST	26.9	21.1	27.0	28.0	28.0	29.0	30.0	28.5	27.9	30.0	26.4	27.2	330.0	1	722
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	22.4	21.0	24.1	25.1	28.0	28.2	29.1	27.6	27.4	26.4	24.2	24.7	308.2	9	3432
	13 LST	20.8	18.2	22.1	22.4	25.3	23.1	25.5	26.8	24.2	23.2	23.5	23.8	278.9	9	3602
	19 LST	26.0	24.7	29.5	27.6	27.8	27.9	28.2	28.8	27.2	28.5	28.2	28.4	332.8	9	3561
	01 LST	26.9	21.1	27.0	28.0	28.0	29.0	30.0	28.5	27.9	30.0	26.4	27.2	330.0	1	722

SIBU, SARAWAK

STA NO. 96421 (IN AREA NUMBER 01)

LATITUDE 0220N

LONGITUDE 11150E

ELEVATION(FT) 00022

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	90	92	92	92	95	99	92	96	93	91	92	89	99	5	443
MEAN MAX TMP (F)	86	86	87	88	88	90	88	90	87	87	88	87	88	5	443
MEAN MIN TMP (F)	74	74	73	74	74	74	74	73	73	73	73	74	74	6	676
ABS MIN TMP (F)	63	71	70	72	70	72	70	68	71	69	71	69	63	6	676
MEAN NO DYS TMP = DR GTR 90(F)	5.5	2.1	3.9	8.2	9.3	15.0	8.9	16.2	6.5	3.2	6.5	0.0	85.3	5	443
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	676
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	676
MEAN DEW PT TMP (F)	76	77	77	76	77	75	74	77	77	76	76	77	76	0	-50
MEAN REL HUM (PCT)	88	90	90	85	88	81	81	87	90	88	87	89	87	4	-29
MEAN PRESS ALT (FT)	82	102	132	142	142	142	142	112	112	112	112	112	120	0	-50
MEAN PRECIP (IN)	19.20	10.90	11.20	8.10	9.00	7.30	7.00	6.30	10.90	9.20	10.20	12.20	117.5	8	-155
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN			6.6	5.2	5.3	11.9	11.6	10.9	13.4	12.2	12.9			8	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI	41.8	40.2	39.9	35.8	22.9	19.0	17.2	17.4	24.1	22.6	26.1	29.4	28.0	5	4707
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST	20.0	18.8	31.0	24.4	10.9	17.1	20.3	20.9	23.5	18.9	24.1	23.4	21.1	5	593
06-08 LST	43.4	47.5	51.6	34.0	25.5	14.1	21.6	14.4	29.2	24.3	29.6	35.7	30.9	5	1194
09-11 LST	46.0	44.2	26.2	21.4	16.9	10.3	3.8	12.5	10.1	14.7	20.2	21.2	20.6	5	856
12-14 LST	22.6	13.6	12.0	9.5	9.8	6.5	6.6	5.6	4.7	9.8	10.7	10.9	10.2	5	1180
15-17 LST	19.4	15.3	14.1	7.7	13.2	6.0	7.6	4.8	6.4	4.3	7.0	11.6	9.8	5	911
18-20 LST	7.6	15.2	10.5	4.6	6.9	5.6	6.9	4.7	8.1	1.9	5.5	2.9	6.7	5	1082
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST	0.0	12.5	16.7	17.1	9.1	11.4	11.9	7.0	13.2	15.1	17.2	19.1	12.5	5	593
06-08 LST	18.4	23.8	29.7	20.6	10.4	6.1	11.3	7.8	14.2	10.4	13.0	19.1	15.4	5	1194
09-11 LST	0.0	0.0	0.0	0.0	1.4	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.2	5	856
12-14 LST	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.0	0.0	0.2	5	1180
15-17 LST	0.0	0.0	1.6	0.0	1.3	0.0	1.3	1.6	0.0	1.1	1.2	1.2	0.8	5	911
18-20 LST	0.0	1.5	0.0	1.1	0.0	0.0	2.3	0.0	0.0	1.0	0.0	1.0	0.6	5	1082
21-23 LST														0	0

SIBU, SARAWAK

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	21.9	21.0	24.3	24.0	26.4	24.9	27.8	25.2	23.2	20.1	25.2	22.2	286.2	11	291
	13 LST	28.8	25.1	29.8	28.0	29.9	29.0	30.6	29.6	27.8	29.5	27.4	29.6	345.1	11	1135
	19 LST	27.3	22.4	28.5	28.1	29.9	28.8	29.5	27.8	26.0	26.4	27.2	27.0	328.9	10	1254
	01 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	21.5	18.8	23.6	22.2	25.0	24.5	27.1	25.0	23.2	19.5	24.4	21.2	276.0	11	1218
	13 LST	24.1	21.3	27.3	26.2	28.0	27.2	29.9	25.9	25.8	27.6	26.2	25.6	315.1	11	1108
	19 LST	25.4	20.2	26.2	26.3	29.1	27.5	27.6	24.9	25.0	24.2	25.5	24.1	306.0	10	1237
	01 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.2	0.3	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.9	11	1269
	13 LST	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	1.0	11	1139
	19 LST	0.0	0.0	0.2	0.6	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.8	1.8	10	1267
	01 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	2.5	2.5	3.8	2.9	5.0	4.0	7.2	6.5	4.3	3.1	5.3	5.2	52.3	11	1217
	13 LST	15.8	15.3	22.6	14.1	10.9	15.2	15.1	11.4	15.8	18.9	12.5	15.1	182.7	11	1092
	19 LST	9.2	8.3	10.0	4.9	2.5	3.6	4.4	5.1	3.9	5.3	2.2	7.9	67.2	10	1218
	01 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	0.0	0.6	0.5	0.7	3.1	2.6	1.9	0.6	0.3	0.5	0.9	0.5	12.2	11	1277
	13 LST	0.3	0.0	1.2	2.6	2.6	1.8	1.0	0.8	0.0	0.6	1.3	1.4	13.6	11	1154
	19 LST	2.0	0.9	3.0	4.1	2.9	5.3	2.9	0.6	1.5	0.9	1.4	0.8	26.3	10	1274
	01 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	20.3	19.8	22.7	22.7	24.8	24.2	27.2	24.9	22.6	19.0	24.5	21.6	274.3	11	1251
	13 LST	24.4	20.2	27.7	24.7	26.6	27.2	28.2	25.7	26.3	28.9	26.0	25.3	311.2	11	1135
	19 LST	24.7	19.3	25.5	27.2	28.9	27.3	27.8	25.3	24.7	23.5	24.7	23.8	302.2	10	1254
	01 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	19.8	19.2	21.7	21.7	24.4	23.6	27.2	24.3	22.4	19.0	23.7	21.4	268.4	11	1251
	13 LST	23.8	19.5	26.8	24.3	26.3	26.9	27.8	24.8	26.3	28.6	25.7	24.2	305.0	11	1135
	19 LST	23.9	18.6	25.2	27.2	28.9	27.1	27.8	25.3	24.7	23.5	24.4	23.8	300.4	10	1254
	01 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	19.8	19.2	21.7	21.7	24.4	23.6	27.2	24.3	22.1	18.8	23.7	21.4	267.9	11	1251
	13 LST	23.8	19.5	26.8	24.3	26.3	26.9	27.8	24.8	26.3	28.6	24.4	24.2	303.7	11	1135
	19 LST	23.9	18.6	25.2	27.2	28.9	27.1	27.8	25.3	24.7	23.5	24.4	23.8	300.4	10	1254
	01 LST														0	0

BINTULU, SARAWAK

STA NO. 96441 (IN AREA NUMBER 01)

LATITUDE 0312N

LONGITUDE 11302E

ELEVATION(FT) 0010

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	90	92	92	92	95	99	92	96	93	91	92	89	99	5	443
MEAN MAX TMP (F)	86	86	87	88	88	90	88	90	87	87	88	87	88	5	443
MEAN MIN TMP (F)	74	74	73	74	74	74	74	74	73	73	73	74	74	5	676
ABS MIN TMP (F)	63	71	70	72	70	72	70	68	71	69	71	69	63	5	676
MEAN NO DYS TMP = DR GTR 90(F)	5.8	5.2	8.6	11.2	11.6	17.3	11.6	17.9	8.3	8.6	11.2	0.0	117.3	5	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MEAN DEW PT TMP (F)	76	76	75	76	76	76	75	77	75	75	76	76	76	7	-29
MEAN REL HUM (PCT)	87	87	85	85	85	84	83	85	85	86	86	87	85	11	3916
MEAN PRESS ALT (FT)	84	106	95	106	117	101	117	106	90	92	101	112	102	0	-50
MEAN PRECIP (IN)	14.70	12.40	10.80	9.50	8.70	10.00	7.40	8.40	13.90	13.90	14.10	17.10	140.5	10	-35
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN			6.2	5.4	5.2	14.3	12.0	12.9	15.1	15.3	15.4			10	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	5.0	4.0	9.0	7.0	9.0	7.0	9.0	9.0	11.0	8.0	7.0	91.0		6	-35
P FREQ WND SPD = DR GTR 17 KTS	0.8	0.6	0.8	0.6	0.0	0.0	0.3	0.3	0.0	0.3	0.6	0.5	0.4	11	4050
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	11	4050
P FREQ LES 5000 FT A/D LES 5 MI	38.6	40.3	26.1	25.4	19.9	23.0	19.5	31.4	29.7	32.7	27.5	33.9	29.0	11	3945
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	26.6	24.9	22.3	20.7	17.2	16.4	12.0	16.7	22.4	35.8	16.4	25.6	21.4	11	1342
09-11 LST														0	0
12-14 LST	12.7	17.4	3.2	8.1	6.0	5.1	3.1	6.0	9.2	5.7	7.5	7.8	7.8	11	1244
15-17 LST														0	0
18-20 LST	13.5	22.6	9.7	7.4	4.2	4.8	6.8	12.2	13.0	17.3	10.9	12.5	11.2	11	1359
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	18.2	13.7	14.5	11.7	7.1	9.4	3.0	10.8	11.7	24.4	8.8	13.9	12.3	11	1342
09-11 LST														0	0
12-14 LST	1.7	1.0	2.5	1.1	1.1	1.0	0.0	0.0	1.0	0.0	1.0	0.0	0.9	11	1244
15-17 LST														0	0
18-20 LST	1.7	4.9	1.6	1.0	0.0	0.0	2.4	2.0	6.0	2.7	4.5	0.9	2.3	11	1359
21-23 LST														0	0

BINTULU, SARAWAK

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST	22.6	21.5	24.6	24.3	26.3	25.2	27.6	26.1	23.3	20.2	25.2	23.3	290.2	11	1342
	14 LST	28.8	25.0	30.0	28.4	30.0	29.1	30.3	29.9	27.9	29.6	27.2	29.9	346.1	11	1244
	20 LST	27.8	23.3	28.9	26.3	30.0	29.0	29.5	28.5	26.4	26.7	27.5	28.4	334.3	11	1359
	02 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	08 LST	22.4	20.3	24.5	23.6	26.1	25.1	27.2	25.9	23.3	20.5	24.4	22.7	286.0	11	1309
	14 LST	27.3	23.5	28.1	28.0	30.0	28.8	30.3	29.3	27.2	28.4	26.4	28.8	336.1	11	1215
	20 LST	27.5	23.3	28.6	27.4	29.7	28.8	28.8	27.8	26.4	26.1	27.5	27.5	329.4	11	1341
	02 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	08 LST	0.2	0.3	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.9	11	1364
	14 LST	0.3	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.6	1.8	11	1249
	20 LST	0.0	0.0	0.2	0.6	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.6	1.7	11	1376
	02 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	08 LST	3.1	2.3	4.2	3.6	5.4	3.6	7.0	6.5	4.6	3.3	5.6	5.3	54.5	11	1310
	14 LST	19.1	16.7	23.4	15.5	11.1	15.6	15.3	11.8	16.8	20.2	14.8	18.8	198.9	11	1201
	20 LST	9.6	8.6	9.2	4.5	2.7	4.1	4.5	5.2	4.1	5.7	3.3	6.3	67.8	11	1325
	02 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST	0.0	0.6	0.5	0.6	3.0	2.9	1.8	0.6	0.3	0.5	0.9	0.7	12.4	11	1370
	14 LST	0.5	0.0	1.0	2.6	2.4	1.8	1.6	0.8	0.0	0.5	1.2	1.1	13.5	11	1266
	20 LST	1.8	1.1	2.7	3.7	2.8	5.5	3.0	0.6	1.5	0.8	1.3	0.9	25.7	11	1383
	02 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	08 LST	22.0	20.4	23.1	23.3	25.0	24.9	26.7	25.4	23.0	19.5	24.8	22.6	280.7	11	1342
	14 LST	24.7	20.4	28.3	25.8	27.3	27.4	28.7	26.3	26.3	29.0	26.8	26.4	317.4	11	1244
	20 LST	25.2	19.5	26.3	27.5	28.9	27.5	28.1	25.8	25.4	22.5	25.1	25.2	307.0	11	1359
	02 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	08 LST	17.7	19.8	21.7	22.1	24.0	23.8	26.4	24.6	22.4	19.2	23.8	22.2	267.7	11	1342
	14 LST	23.7	19.1	27.2	24.5	25.9	27.2	27.4	25.2	26.0	28.7	25.7	25.3	305.9	11	1244
	20 LST	24.6	18.3	25.6	27.4	28.7	27.1	27.8	25.6	25.2	21.9	24.6	24.7	301.5	11	1359
	02 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST	17.5	19.8	21.7	22.1	24.0	23.8	26.4	24.6	21.8	18.4	23.3	22.2	265.6	11	1342
	14 LST	23.7	19.1	27.2	24.5	25.9	27.2	27.4	25.0	26.0	28.7	24.4	25.0	304.1	11	1244
	20 LST	24.6	18.3	25.3	27.4	27.9	27.1	27.8	25.3	25.2	21.6	24.6	24.4	299.5	11	1359
	02 LST														0	0

MIRI, SARAWAK

STA NO. 96449 (IN AREA NUMBER 01)

LATITUDE 0423N

LONGITUDE 11359E

ELEVATION(FT) 00013

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	91	90	93	92	93	95	93	94	93	92	92	92	95	10	3653
MEAN MAX TMP (F)	86	86	87	88	88	88	88	88	87	87	87	87	87	10	3653
MEAN MIN TMP (F)	74	74	74	75	75	75	74	74	74	74	74	74	74	10	3653
ABS MIN TMP (F)	69	69	67	69	71	70	70	70	69	71	69	69	67	10	3653
MEAN NO DYS TMP = DR GTR 90(F)	5.8	5.2	8.6	11.2	11.6	11.2	11.6	11.6	8.3	8.6	8.3	8.6	110.6	10	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN DEW PT TMP (F)	75	75	75	75	75	75	74	74	74	74	75	75	75	10	-29
MEAN REL HUM (PCT)	86	86	85	83	83	82	81	81	82	83	84	85	83	10	21493
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	16.75	6.52	5.53	4.37	8.21	12.03	8.49	8.43	11.79	11.73	14.45	11.27	119.6	10	3637
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN		7.5	5.5	5.5	5.2	16.0	13.0	13.0	14.0	14.0	15.6			10	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	4.9	2.9	7.3	9.2	11.2	8.5	8.5	7.2	8.9	9.0	6.3	6.7	90.6	10	3630
P FREQ WND SPD = DR GTR 17 KTS	2.9	4.4	2.1	1.0	1.5	2.8	2.1	1.7	2.8	1.1	1.9	1.3	2.1	10	21492
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.0	0.0	0.1	0.0	0.3	0.1	10	21492
P FREQ LES 3000 FT A/D LES 5 MI	15.5	13.2	11.1	9.5	8.6	7.8	8.2	8.3	10.9	8.6	12.5	14.8	10.8	9	20497
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST	8.3	6.3	8.1	5.5	5.7	6.5	3.1	4.7	6.1	5.8	8.3	9.3	6.5	8	2919
06-08 LST	4.6	8.3	6.4	4.0	4.0	2.1	3.2	2.3	4.6	1.3	6.8	5.0	4.4	10	3404
09-11 LST	8.9	5.5	5.0	1.9	2.8	1.7	2.1	2.2	2.4	1.3	3.8	7.6	3.5	10	3532
12-14 LST	5.2	2.5	1.5	1.4	1.2	1.9	1.6	1.3	1.3	2.3	2.4	3.9	2.2	10	3532
15-17 LST	3.9	1.8	0.5	0.5	0.8	1.8	2.3	1.2	3.9	1.2	3.6	2.8	2.0	10	3494
18-20 LST	6.0	1.7	1.9	0.7	1.7	2.5	2.5	3.3	2.9	1.9	4.5	5.3	2.9	10	3466
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST	2.9	1.4	1.5	2.3	0.4	3.1	0.4	0.4	0.9	0.4	1.7	1.7	1.4	8	2919
06-08 LST	1.0	2.2	1.7	0.4	0.3	0.0	0.8	0.0	0.0	0.3	0.3	1.4	0.7	10	3404
09-11 LST	0.3	0.7	0.0	0.0	0.0	0.7	0.0	0.0	0.3	0.0	0.3	0.7	0.3	10	3532
12-14 LST	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.0	0.1	10	3532
15-17 LST	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.3	0.0	0.1	10	3494
18-20 LST	1.7	0.7	0.0	0.0	0.0	1.0	0.8	0.0	0.7	0.7	1.0	2.0	0.7	10	3466
21-23 LST														0	0


MIRI, SARAWAK

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST	29.4	26.1	29.4	29.2	30.1	29.7	30.2	30.6	28.9	30.7	28.3	29.8	352.4	10	3404
	14 LST	29.9	27.7	30.8	29.9	30.8	29.5	30.8	30.7	30.0	30.5	29.5	30.5	360.6	10	3532
	20 LST	29.1	27.4	30.7	29.9	30.7	29.4	30.4	30.2	29.3	30.6	29.1	29.6	356.4	10	3466
	02 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	08 LST	28.6	25.6	29.0	28.8	29.9	28.2	28.9	29.5	27.8	29.6	27.1	28.4	341.4	10	3403
	14 LST	23.5	19.7	22.8	24.7	27.0	26.5	26.5	26.2	24.9	26.0	24.2	26.7	298.7	10	3532
	20 LST	27.9	25.6	30.4	29.0	29.4	28.5	28.1	28.4	27.1	28.6	27.2	28.5	338.7	10	3466
	02 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	08 LST	0.0	0.2	0.1	0.0	0.0	0.1	0.1	0.1	0.3	0.0	0.0	0.1	1.0	10	3643
	14 LST	2.0	2.5	1.5	0.7	1.3	1.2	0.8	0.9	1.1	0.9	0.9	0.6	14.4	10	3641
	20 LST	0.2	0.4	0.0	0.0	0.2	0.2	0.7	0.2	0.2	0.0	0.1	0.1	2.3	10	3649
	02 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	08 LST	9.6	7.2	9.7	11.9	16.0	12.6	14.1	13.4	12.7	14.4	12.4	11.3	145.5	10	3643
	14 LST	18.1	16.5	17.5	20.8	19.0	18.1	20.4	19.8	18.0	19.3	17.8	18.5	223.8	10	3641
	20 LST	7.3	8.1	7.6	7.5	9.8	9.3	9.0	9.7	9.6	8.1	7.3	7.2	100.5	10	3649
	02 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST	1.3	1.7	4.0	4.0	2.6	1.7	2.7	1.9	1.6	1.4	2.2	1.8	26.9	10	3621
	14 LST	0.7	1.4	3.1	4.2	2.3	4.5	3.4	2.4	2.5	1.5	0.8	1.1	27.9	10	3621
	20 LST	2.8	3.0	4.6	4.6	4.0	3.8	3.3	3.1	1.3	2.3	2.2	2.1	37.1	10	3620
	02 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	08 LST	28.4	25.1	28.6	28.4	29.3	29.0	29.8	30.0	28.3	30.3	27.4	28.9	343.5	9	3404
	14 LST	28.7	26.1	30.0	29.2	30.3	29.3	30.2	30.4	29.2	29.8	29.0	29.1	351.3	9	3532
	20 LST	29.0	27.1	30.0	29.6	30.2	29.1	30.0	29.8	29.0	30.2	28.1	29.1	351.2	9	3466
	02 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	08 LST	27.7	24.8	28.3	28.2	28.7	28.9	29.7	29.7	28.0	30.0	26.8	28.6	339.4	9	3404
	14 LST	28.3	25.3	29.7	28.8	30.2	29.3	29.8	30.2	29.0	29.7	29.0	29.0	348.3	9	3532
	20 LST	28.7	27.0	29.7	29.4	30.1	29.0	29.8	29.7	28.6	30.1	27.9	29.0	349.0	9	3466
	02 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST	27.7	24.5	28.2	28.2	28.7	28.9	29.7	29.6	28.0	30.0	26.8	28.6	338.9	9	3404
	14 LST	28.3	25.3	29.7	28.8	30.2	29.3	29.8	30.2	29.0	29.7	29.0	29.0	348.3	9	3532
	20 LST	28.7	27.0	29.7	29.4	30.1	29.0	29.8	29.7	28.6	30.1	27.9	29.0	349.0	9	3466
	02 LST														0	0

AREA NO. 01

SARAWAK	SARAWAK BOUNDARIES	LATITUDE 0300N												LONGITUDE 11300E																								
PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN																								
MEAN MAX TMP (F)		87	87	88	89	89	90	89	90	88	88	88	87	88																								
MEAN MIN TMP (F)		74	74	73	74	74	74	74	73	73	73	74	74	74																								
LARGEST MEAN PRECIP(IN)		27.10	19.70	14.20	9.70	9.00	12.03	8.49	8.80	13.90	13.90	14.45	20.10	171.0																								
SMALLEST MEAN PRECIP(IN)		14.70	6.52	5.53	4.37	8.21	7.30	6.90	6.30	9.50	9.20	10.20	11.27	100.0																								
		MEAN NUMBER OF DAYS																																				
CIG = GTR 1000 FT AND VSBY = GTR 3 MI		07 LST	24.7	23.1	26.2	25.9	27.8	27.2	28.8	27.6	25.8	24.6	25.9	25.2	312.8																							
		13 LST	29.0	26.0	30.3	29.0	30.4	29.4	30.6	30.2	28.8	30.0	28.3	30.0	352.0																							
		19 LST	28.3	25.0	29.7	28.9	30.1	29.2	29.8	29.2	27.7	28.3	28.3	28.7	343.2																							
		01 LST	30.0	24.1	28.0	28.0	28.0	29.0	30.0	29.0	27.9	30.0	26.4	27.9	338.3																							
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS		07 LST	24.4	22.1	25.9	25.2	27.3	26.6	28.1	27.2	25.5	24.2	25.2	24.4	306.1																							
		13 LST	24.9	21.5	26.3	26.7	28.5	27.8	29.1	27.8	26.4	27.8	25.9	27.3	320.0																							
		19 LST	27.4	23.9	28.9	27.9	29.4	28.4	28.5	27.7	26.8	27.1	27.3	27.4	330.7																							
		01 LST	30.0	24.1	28.0	28.0	28.0	28.0	30.0	28.5	27.9	30.0	26.4	27.9	336.8																							
SFC WND = GTR 17 KTS AND NO PRECIP.		07 LST	0.1	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.0	0.6																							
		13 LST	0.7	0.7	0.5	0.2	0.4	0.3	0.2	0.2	0.4	0.3	0.3	0.3	4.9																							
		19 LST	0.1	0.1	0.1	0.3	0.2	0.1	0.2	0.1	0.1	0.0	0.0	0.4	1.7																							
		01 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0																							
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.		07 LST	4.0	3.2	4.6	4.8	6.9	5.3	7.4	7.0	5.8	5.6	6.3	5.7	66.6																							
		13 LST	16.5	15.2	19.9	15.6	12.5	14.5	15.0	13.3	15.0	17.7	14.5	16.5	186.2																							
		19 LST	7.0	6.7	7.3	4.8	4.3	4.9	5.3	5.8	5.4	5.7	4.0	5.8	67.2																							
		01 LST	0.5	0.0	1.5	0.5	1.5	0.0	2.0	0.3	1.5	0.0	1.0	1.0	10.0																							
SKY COVER LES 3/10 AND VSBY = GTR 3 MI		07 LST	0.5	0.8	1.4	1.9	2.9	2.4	2.7	1.1	0.9	0.9	1.1	1.0	17.6																							
		13 LST	0.4	0.4	1.4	2.4	1.9	2.2	1.7	1.2	0.7	0.7	0.8	0.9	14.7																							
		19 LST	2.0	1.8	3.7	3.8	3.2	4.9	3.7	1.8	1.6	1.5	1.6	1.4	31.0																							
		01 LST	0.5	0.0	1.0	5.5	7.0	7.0	5.5	2.5	1.0	1.0	3.0	3.7	37.7																							
CIG = GTR 2500 FT AND VSBY = GTR 3 MI		07 LST	23.5	21.6	24.9	25.0	26.8	26.7	28.3	27.1	25.4	23.9	25.3	24.5	303.0																							
		13 LST	25.4	22.1	28.0	26.3	28.1	27.5	28.8	28.2	27.1	28.3	26.9	26.8	323.7																							
		19 LST	26.2	22.8	27.9	28.1	29.1	28.1	28.7	27.5	26.7	26.3	26.7	26.7	324.8																							
		01 LST	27.5	22.1	27.2	28.0	28.0	29.0	30.0	28.7	27.9	30.0	26.4	27.4	332.2																							
CIG = GTR 6000 FT AND VSBY = GTR 3 MI		07 LST	21.9	21.2	24.0	24.3	26.3	26.1	28.1	26.6	25.1	23.7	24.6	24.2	296.1																							
		13 LST	24.2	20.5	26.5	25.0	26.9	26.6	27.6	26.8	25.4	27.6	26.0	25.6	309.7																							
		19 LST	25.8	22.2	27.5	27.9	28.9	27.8	28.4	27.4	26.4	26.0	26.3	26.5	321.1																							
		01 LST	28.9	21.1	27.0	28.0	28.0	29.0	30.0	28.5	27.9	30.0	26.4	27.2	330.0																							
CIG = GTR 10000 FT AND VSBY = GTR 3 MI		07 LST	21.9	21.1	23.9	24.3	26.3	26.1	28.1	26.5	24.8	23.4	24.5	24.2	295.1																							
		13 LST	24.2	20.5	26.5	25.0	26.9	26.6	27.6	26.7	26.4	27.6	25.3	25.5	308.8																							
		19 LST	25.8	22.2	27.4	27.9	28.7	27.8	28.4	27.3	26.4	25.9	26.3	26.4	320.5																							
		01 LST	26.9	21.1	27.0	28.0	28.0	29.0	30.0	28.5	27.9	30.0	26.4	27.2	330.0																							



THAILAND

PHRAE, THAILAND

STA NO. 48330 (IN AREA NUMBER 01)

LATITUDE 1810N

LONGITUDE 10008E

ELEVATION(FT) 00515

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	97	98	105	109	108	99	100	99	96	95	96	92	109	14	-40
MEAN MAX TMP (F)	88	92	96	99	95	91	89	89	88	89	88	86	91	10	-40
MEAN MIN TMP (F)	57	61	67	74	75	75	74	74	74	72	66	58	69	10	-40
ABS MIN TMP (F)	41	48	50	57	64	66	68	70	67	61	50	41	41	14	-40
MEAN NO DYS TMP = DR GTR 90(F)	11.6	21.4	30.7	30.0	29.8	20.3	14.8	14.8	11.2	14.8	11.2	5.8	216.4	10	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	-29
MEAN DEW PT TMP (F)	59	61	62	67	72	74	73	74	74	73	68	61	68	11	-29
MEAN REL HUM (PCT)	67	62	56	57	68	76	77	80	81	80	77	71	71	14	13422
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.30	0.40	1.40	3.40	6.70	9.20	6.90	9.10	9.50	3.30	1.10	0.40	47.7	45	-40
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	0.7	0.9	3.1	5.2	5.4	9.8	11.5	13.6	12.4	6.4	3.7	0.9	73.6	45	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	3.0	7.0	16.0	11.0	10.0	11.0	12.0	9.0	1.0	0.0	80.0	30	-40
P FREQ WND SPD = DR GTR 17 KTS	0.4	0.5	1.0	1.0	0.3	0.6	0.6	0.2	0.0	0.5	0.2	0.2	0.5	14	13445
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	13445
P FREQ LES 3000 FT A/D LES 5 MI	78.5	86.4	94.9	72.7	51.1	51.0	55.4	59.7	64.7	66.7	67.2	68.6	68.1	10	13174
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	79.7	74.1	60.3	21.3	8.5	7.2	11.1	12.6	25.6	56.5	79.8	81.3	43.2	12	2815
09-11 LST	36.3	50.3	32.8	4.1	5.6	4.2	7.3	5.9	10.7	10.4	18.0	35.8	18.5	11	2416
12-14 LST	2.5	14.8	15.7	4.0	1.3	2.3	3.1	5.0	5.9	3.5	1.2	1.6	5.1	14	2931
15-17 LST	1.1	12.3	7.4	1.1	2.2	3.5	2.8	5.6	4.9	3.6	2.5	1.0	4.0	11	2522
18-20 LST	0.5	9.9	9.3	3.8	3.7	6.5	6.8	5.9	8.9	5.5	1.4	1.4	5.3	11	2490
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	58.0	51.7	27.5	4.9	1.3	0.8	2.0	1.2	5.0	41.5	73.9	73.8	28.5	12	2815
09-11 LST	1.0	15.0	8.2	1.2	0.0	0.5	0.5	0.5	2.0	1.4	3.4	13.2	3.9	11	2416
12-14 LST	0.0	2.8	3.2	0.4	0.0	0.0	0.4	0.4	0.8	0.0	0.0	0.0	0.7	14	2931
15-17 LST	0.0	1.8	1.6	0.0	0.5	1.1	0.4	1.3	0.0	0.8	0.4	0.4	0.7	11	2522
18-20 LST	0.0	2.2	2.0	0.6	0.5	1.4	0.5	1.4	1.5	0.8	0.9	0.9	1.1	11	2490
21-23 LST														0	0

PHRAE, THAILAND

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	6.3	7.2	12.3	23.7	29.3	29.0	28.8	28.1	29.1	19.0	6.3	5.8	216.9	12	2815
	13 LST	30.3	23.9	26.3	28.8	30.9	29.9	30.5	30.2	29.3	30.4	29.8	30.5	350.8	14	2931
	19 LST	30.8	25.2	28.2	29.3	30.4	28.5	29.5	29.8	28.2	29.8	29.6	30.6	349.9	11	2490
	01 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	6.3	7.1	11.9	22.9	28.9	28.6	28.4	27.6	29.0	19.0	6.0	5.7	213.4	12	2804
	13 LST	29.4	20.9	22.1	25.6	29.1	26.6	27.0	27.2	27.8	29.3	28.8	29.8	323.6	14	2925
	19 LST	39.3	24.8	26.1	28.1	28.5	26.6	27.4	28.8	27.6	29.0	28.6	29.6	344.4	11	2480
	01 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.1	12	2896
	13 LST	0.1	0.4	0.4	0.3	0.1	0.0	0.2	0.1	0.0	0.0	0.0	0.0	1.6	14	2978
	19 LST	0.2	0.0	0.3	0.2	0.3	0.3	0.1	0.1	0.0	0.3	0.3	0.0	2.3	11	2512
	01 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	1.6	2.8	5.8	11.0	10.3	11.5	7.6	8.0	6.4	4.6	2.2	1.4	73.2	12	2846
	13 LST	17.3	10.6	3.4	1.7	5.9	11.1	10.2	11.2	13.0	13.3	15.7	17.8	131.2	14	2961
	19 LST	12.9	12.0	13.0	6.8	9.7	14.5	13.0	13.9	12.9	10.9	7.3	10.1	137.0	11	2505
	01 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	1.0	0.7	1.1	3.2	1.2	0.4	0.0	0.0	0.0	0.1	0.7	0.6	9.0	12	2836
	13 LST	12.3	9.2	8.0	8.3	1.2	0.1	0.2	0.0	0.1	2.1	4.8	8.9	55.2	14	2975
	19 LST	18.2	8.9	8.1	3.4	0.6	0.1	0.1	0.1	0.7	4.5	13.0	13.1	70.8	11	2501
	01 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	6.2	7.1	12.2	23.5	26.4	29.7	29.4	24.3	18.1	11.1	5.7	5.4	191.1	12	2815
	13 LST	29.5	23.5	25.9	28.5	28.9	24.4	25.7	25.9	25.4	28.0	28.6	30.1	326.4	14	2931
	19 LST	30.8	25.2	28.1	28.2	29.0	27.2	27.3	27.5	25.2	28.3	29.0	30.2	336.0	11	2490
	01 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	6.0	6.9	12.0	23.0	25.5	24.8	24.2	23.3	16.5	10.2	5.6	5.2	183.2	12	2815
	13 LST	29.1	23.2	25.8	28.1	27.5	23.7	21.7	22.9	23.6	26.5	27.6	29.5	309.2	14	2931
	19 LST	30.7	25.2	28.1	27.9	28.5	26.6	26.3	26.3	24.0	27.9	28.5	29.7	329.7	11	2490
	01 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	6.0	6.9	12.0	23.0	25.4	24.8	24.2	23.3	16.5	10.2	5.6	5.2	183.1	12	2815
	13 LST	29.1	23.2	25.8	28.1	27.5	23.7	21.7	22.8	23.5	26.5	27.6	29.5	309.0	14	2931
	19 LST	30.7	25.2	28.1	27.9	28.5	26.6	26.3	26.3	24.0	27.9	28.5	29.7	329.7	11	2490
	01 LST														0	0

PRACHUAP KHIRIKHAN, THAILAND

STA NO. 48500 (IN AREA NUMBER 01)

LATITUDE 1140N

LONGITUDE 09948E

ELEVATION(FT) 00016

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	95	98	102	103	102	101	100	99	100	97	94	95	103	21	-540
MEAN MAX TMP (F)	87	89	91	93	92	90	90	90	90	87	86	85	89	21	-40
MEAN MIN TMP (F)	66	69	71	74	75	76	75	75	74	73	71	68	72	21	-40
ABS MIN TMP (F)	52	54	61	64	68	70	70	69	69	67	55	52	52	21	-540
MEAN NO DYS TMP = DR GTR 90(F)	8.6	13.3	21.0	25.4	23.8	17.3	17.9	17.9	17.3	8.6	5.6	3.4	100.1	21	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21	-29
MEAN DEW PT TMP (F)	66	70	72	73	74	74	73	74	74	74	70	66	72	20	-29
MEAN REL HUM (PCT)	73	76	76	74	76	76	76	77	78	82	78	73	76	17	19325
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	1.20	1.80	1.80	3.10	4.40	3.70	3.70	3.60	4.50	10.00	6.50	1.30	45.6	30	-40
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	2.4	3.4	3.7	5.0	5.5	8.2	8.2	8.1	7.8	12.8	9.8	2.6	77.5	30	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.8	3	573
MEAN NO DYS TSTMS	0.4	1.4	6.2	12.5	17.7	6.6	6.7	5.8	6.0	13.2	8.1	2.6	87.2	12	-35
P FREQ WND SPD = DR GTR 17 KTS	11.3	3.2	1.3	1.7	1.3	1.4	1.5	1.5	1.4	4.4	14.1	15.8	4.9	17	19348
P FREQ WND SPD = DR GTR 28 KTS	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.7	0.6	0.2	17	19348
P FREQ LES 5000 FT A/D LES 5 MI	71.0	75.7	83.1	59.8	26.9	28.0	26.0	30.8	24.7	25.3	24.4	29.7	42.1	17	13322
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	14.5	37.7	10.9	1.8	3.0	2.8	1.6	4.6	2.6	2.3	3.6	1.0	7.2	5	1290
03-05 LST														0	0
06-08 LST	41.2	46.2	44.3	27.1	8.6	7.0	8.0	6.1	4.8	11.9	9.0	9.9	18.6	17	3782
09-11 LST	17.7	27.0	17.9	2.7	2.4	6.9	7.7	7.7	5.3	10.2	7.9	4.8	9.9	12	2593
12-14 LST	14.5	23.0	15.1	4.7	7.1	10.2	7.6	9.1	9.4	12.0	5.8	4.3	10.2	17	3846
15-17 LST	12.0	23.2	13.1	3.1	9.8	8.8	9.0	13.7	7.6	8.5	3.4	3.3	9.6	12	2847
18-20 LST	12.8	19.5	11.8	5.6	5.4	7.8	7.8	8.1	7.7	6.8	3.6	0.8	8.1	17	4571
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	1.6	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.8	0.0	0.0	0.3	5	1290
03-05 LST														0	0
06-08 LST	3.1	5.5	1.0	0.7	0.3	0.3	1.0	1.0	0.0	2.3	1.1	0.6	1.4	17	3782
09-11 LST	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	3.4	1.2	0.0	0.5	12	2593
12-14 LST	1.5	1.8	0.3	0.3	0.3	0.3	0.0	0.6	0.3	1.8	1.2	0.6	0.8	17	3846
15-17 LST	0.4	0.0	1.8	0.5	2.1	0.8	1.2	1.2	0.0	1.5	0.4	0.0	0.8	12	2847
18-20 LST	1.1	2.3	0.6	0.6	1.0	0.5	0.5	0.8	0.5	1.0	1.0	0.0	0.6	17	4571
21-23 LST														0	0

PRACHUAP KHIRIKHAN, THAILAND

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	24.1	19.8	24.2	27.6	30.0	29.4	30.3	30.1	29.8	28.7	29.2	30.3	333.5	17	3782
	13 LST	29.2	25.9	29.7	29.6	30.1	28.8	30.5	29.9	28.7	29.1	29.0	30.6	351.1	17	3846
	19 LST	29.9	26.1	30.0	28.9	30.5	28.9	29.8	30.2	29.4	29.7	29.3	30.9	353.6	16	4571
	01 LST	30.5	24.0	30.5	30.0	30.7	29.7	30.8	31.0	29.7	30.3	29.7	30.7	357.6	5	1290
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	20.6	19.1	24.1	27.3	29.7	29.1	29.6	29.6	29.4	26.6	22.2	22.7	310.0	17	3755
	13 LST	16.4	18.7	21.6	17.8	21.8	19.2	20.4	20.5	20.8	21.8	12.9	11.9	223.8	17	3818
	19 LST	22.9	24.5	29.2	27.7	29.2	27.9	27.7	28.6	28.1	25.8	21.3	21.3	314.2	16	4561
	01 LST	26.0	22.4	30.0	29.5	30.7	29.7	30.5	30.3	28.9	29.1	24.4	26.7	338.2	5	1289
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	1.6	0.2	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.5	2.0	2.6	7.1	17	3870
	13 LST	6.7	1.7	1.0	1.3	0.9	0.9	0.9	1.0	1.0	2.3	7.6	8.6	33.9	17	3907
	19 LST	1.5	0.8	0.3	0.3	0.1	0.2	0.1	0.1	0.2	0.6	2.9	2.9	10.0	16	4625
	01 LST	0.5	0.8	0.0	0.0	0.0	0.0	0.0	0.5	0.3	0.2	0.8	1.3	4.4	5	1295
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	3.0	1.5	1.7	4.1	4.9	7.3	6.5	7.0	5.8	4.9	4.8	6.7	58.2	17	3836
	13 LST	11.3	12.5	5.6	0.9	4.1	7.4	6.7	8.2	7.5	10.2	5.9	9.2	89.5	17	3878
	19 LST	8.5	9.8	15.0	13.0	10.7	14.0	11.4	12.6	10.5	8.1	9.9	14.2	137.7	16	4610
	01 LST	5.0	1.2	4.3	2.9	5.8	5.9	9.0	6.0	8.9	3.0	3.8	5.2	61.0	5	1295
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	8.8	5.9	11.3	9.5	2.6	1.8	1.3	1.3	1.4	3.3	6.7	12.2	66.1	17	3849
	13 LST	15.2	11.7	15.7	10.9	2.7	1.0	1.2	0.9	0.8	3.2	8.1	15.0	86.4	17	3910
	19 LST	16.8	12.0	12.8	9.6	2.4	1.3	0.8	0.6	1.3	6.6	11.6	18.7	94.5	16	4606
	01 LST	20.5	21.2	22.6	19.2	9.3	2.7	3.4	1.7	3.7	9.0	15.5	21.2	150.0	5	1293
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	23.0	19.0	23.1	27.0	28.7	27.8	28.4	28.4	28.1	27.0	27.6	29.5	317.6	16	3782
	13 LST	28.6	25.2	28.5	29.0	28.2	26.5	27.7	26.8	26.3	26.0	28.0	30.2	331.0	16	3846
	19 LST	29.2	25.4	29.4	28.5	28.2	27.1	28.0	27.4	26.9	28.1	28.7	30.7	337.6	15	4571
	01 LST	29.5	23.6	29.8	30.0	29.7	29.5	29.8	29.5	29.0	30.3	29.5	30.3	350.5	4	1290
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	22.4	18.8	23.0	26.8	28.6	27.6	28.2	28.0	27.5	26.2	27.4	29.3	313.8	16	3782
	13 LST	28.6	25.0	28.2	28.8	27.6	26.0	27.0	25.7	25.7	25.7	27.8	30.1	326.2	16	3846
	19 LST	29.0	25.2	29.3	28.5	27.8	26.9	27.4	26.8	26.2	27.8	28.7	30.6	334.2	15	4571
	01 LST	29.5	23.6	29.4	30.0	29.7	29.5	29.5	29.1	29.0	30.3	29.5	30.0	349.1	4	1290
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	22.3	18.8	23.0	26.8	28.6	27.6	28.2	28.0	27.5	26.2	27.4	29.3	313.7	16	3782
	13 LST	28.6	25.0	28.2	28.8	27.6	26.0	27.0	25.7	25.7	25.7	27.8	30.1	326.2	16	3846
	19 LST	29.0	25.2	29.3	28.5	27.6	26.9	27.4	26.8	26.2	27.8	28.7	30.6	334.0	15	4571
	01 LST	29.5	23.6	29.4	30.0	29.7	29.5	29.5	29.1	29.0	30.3	29.5	30.0	349.1	4	1290

BAN DON, THAILAND

STA NO. 48551 (IN AREA NUMBER 01)

LATITUDE 0908N

LONGITUDE 09910E

ELEVATION(FT) 00010

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	97	99	102	105	102	100	98	100	99	96	95	94	105	24	-540
MEAN MAX TMP (F)	88	92	95	95	93	91	90	91	90	89	87	86	91	24	-40
MEAN MIN TMP (F)	69	69	70	73	74	74	74	74	73	73	72	71	72	24	-40
ABS MIN TMP (F)	54	47	60	66	66	66	68	69	69	68	61	57	47	24	-540
MEAN NO DYS TMP = OR GTR 90(F)	13.1	24.8	30.7	28.8	27.9	23.6	22.5	23.8	19.7	13.1	8.5	3.9	240.4	12	2407
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	2432
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	2432
MEAN DEW PT TMP (F)	71	71	72	73	74	73	73	73	73	74	73	72	73	4	3025
MEAN REL HUM (PCT)	82	78	75	79	83	82	82	82	84	87	87	86	82	24	-40
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	2.50	1.10	1.20	3.80	0.80	5.70	5.20	5.70	7.70	10.60	12.30	9.40	66.0	30	-40
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	24	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	4.4	2.2	2.7	5.3	2.0	10.3	9.8	10.3	10.9	13.2	14.4			30	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	24	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	4.4	3.2	2.3	3.4	2.0	0.0	1.6	0.0	0.0	11.0	3.8	3.2	34.9	4	540
MEAN NO DYS TSTMS	0.9	2.5	10.3	19.6	21.5	12.9	15.6	10.5	10.9	15.1	11.5	2.4	133.7	12	2523
P FREQ WND SPD = OR GTR 17 KTS	1.0	0.1	0.8	0.5	0.4	1.4	1.0	1.2	1.0	0.3	0.6	0.3	0.7	15	17990
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	17990
P FREQ LES 5000 FT A/D LES 5 MI	28.1	31.3	34.4	39.5	26.0	20.8	24.3	24.6	26.8	31.5	34.8	36.3	29.9	17	12058
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	1.4	3.6	2.7	2.5	3.5	2.8	1.7	4.4	3.6	4.1	6.4	2.4	3.3	6	1079
03-05 LST														0	0
06-08 LST	41.8	55.5	57.1	38.9	16.1	6.5	12.1	11.7	12.3	36.8	41.3	39.4	30.8	17	3291
09-11 LST	5.3	3.9	6.9	11.0	3.6	2.5	3.0	4.1	3.9	8.8	14.1	11.3	6.5	12	2451
12-14 LST	10.4	5.1	8.1	8.5	9.0	10.5	13.1	14.9	13.9	14.3	16.0	15.0	11.6	17	3505
15-17 LST	8.6	3.6	5.0	12.6	14.6	17.4	15.8	15.6	17.1	14.3	14.6	12.5	12.7	12	2770
18-20 LST	8.1	4.1	5.9	11.3	15.2	13.6	16.7	16.7	17.0	16.7	14.2	12.3	12.7	17	4437
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	1.0	1.6	0.0	0.3	6	1079
03-05 LST														0	0
06-08 LST	27.9	41.5	31.4	21.3	8.1	2.0	7.6	4.7	5.8	25.7	25.4	19.3	18.4	17	3291
09-11 LST	0.5	0.7	0.0	1.9	0.0	0.4	0.4	0.0	0.6	0.0	0.8	0.0	0.4	12	2451
12-14 LST	0.0	0.0	0.0	0.4	0.3	0.9	0.9	1.9	0.8	0.0	1.7	0.0	0.6	17	3505
15-17 LST	0.5	0.0	0.6	0.5	0.8	0.8	1.2	0.4	0.9	0.4	1.0	0.3	0.6	12	2770
18-20 LST	0.0	0.3	0.0	0.3	0.0	1.0	1.0	1.1	0.9	0.8	1.4	0.0	0.6	17	4437
21-23 LST														0	0

BAN DON, THAILAND

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	19.9	14.1	15.4	20.3	27.4	28.9	28.2	28.7	27.6	20.9	20.6	21.8	273.8	17	3291
	13 LST	30.9	27.9	30.5	29.3	30.6	29.2	30.1	29.6	29.0	30.2	29.2	30.4	356.9	17	3505
	19 LST	30.7	27.8	30.4	29.3	29.8	28.9	29.8	29.9	28.8	29.3	29.0	30.5	354.2	17	4437
	01 LST	30.6	27.5	31.0	30.0	31.0	29.7	31.0	30.3	29.6	30.1	29.4	31.0	361.2	6	1079
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	19.9	14.1	15.3	20.4	27.4	28.7	27.9	28.2	27.6	20.7	20.5	21.8	272.5	17	3281
	13 LST	26.5	24.8	27.7	25.6	27.8	24.4	26.2	24.7	26.3	29.4	27.1	27.2	317.7	17	3482
	19 LST	30.0	27.6	29.7	28.8	29.5	27.9	29.3	29.3	28.4	29.0	28.5	30.3	348.3	17	4419
	01 LST	30.6	27.5	31.0	30.0	31.0	29.7	31.0	30.3	29.6	30.1	29.4	31.0	361.2	6	1078
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.0	0.1	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.2	0.4	17	3382
	13 LST	0.8	0.1	0.4	0.1	0.0	1.1	0.8	1.2	0.7	0.2	0.4	0.3	6.1	17	3592
	19 LST	0.1	0.0	0.1	0.1	0.0	0.0	0.1	0.0	0.1	0.0	0.1	0.0	0.6	17	4481
	01 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	1087
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	0.6	0.2	0.4	0.7	2.5	4.4	4.0	4.3	3.2	0.7	0.6	0.8	22.4	17	3351
	13 LST	13.0	6.0	2.3	0.9	4.0	6.1	5.5	8.1	7.6	6.3	10.7	15.9	86.4	17	3367
	19 LST	5.2	6.6	6.9	4.8	3.9	5.1	4.8	5.5	2.4	2.1	2.8	4.3	54.4	17	4461
	01 LST	0.4	0.0	0.0	0.4	0.8	1.1	0.8	1.0	1.1	0.6	0.0	0.7	6.9	6	1087
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	3.7	2.7	3.0	1.8	0.7	1.0	1.4	0.9	1.1	1.0	1.3	1.6	20.2	17	3367
	13 LST	1.7	1.8	1.5	1.2	0.5	0.2	0.3	0.0	0.1	0.4	0.7	0.9	9.3	17	3603
	19 LST	5.3	5.8	4.8	1.1	0.1	0.5	0.5	0.5	0.3	1.1	1.6	3.4	25.0	17	4468
	01 LST	13.0	16.0	18.6	8.6	2.2	2.5	2.4	2.8	2.9	4.9	3.5	11.0	88.4	6	1085
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	20.3	13.0	14.2	19.1	25.2	27.1	26.4	26.2	25.4	18.8	16.4	17.2	249.3	15	3291
	13 LST	23.1	23.8	26.7	26.2	24.2	24.0	23.4	22.5	21.6	23.0	21.5	21.3	281.3	15	3505
	19 LST	26.0	25.5	28.0	24.8	21.7	23.2	21.9	21.5	20.9	22.0	23.1	23.6	282.2	15	4437
	01 LST	30.3	26.5	30.6	29.3	28.8	29.3	29.9	29.3	28.0	29.8	27.5	28.7	348.0	4	1079
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	16.8	12.6	14.0	18.9	24.8	26.6	25.9	25.8	25.1	18.4	16.3	16.6	241.8	15	3291
	13 LST	21.2	22.0	25.7	25.1	22.1	23.1	22.7	21.2	19.5	22.1	19.9	19.6	264.2	15	3505
	19 LST	25.5	25.0	27.5	23.9	21.3	22.7	21.3	20.8	20.2	21.1	22.7	22.5	274.5	15	4437
	01 LST	30.1	26.5	30.6	29.3	28.8	28.9	29.7	29.3	27.5	29.8	27.2	28.0	345.7	4	1079
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	16.8	12.6	14.0	18.9	24.8	26.6	25.9	25.8	25.1	18.4	16.3	16.6	241.8	15	3291
	13 LST	21.2	22.0	25.7	25.1	22.1	23.1	22.7	21.2	19.5	22.1	19.9	19.6	264.2	15	3505
	19 LST	25.5	25.0	27.5	23.9	21.3	22.6	21.3	20.8	20.2	21.1	22.6	22.4	274.2	15	4437
	01 LST	30.1	26.5	30.6	29.3	28.8	28.9	29.7	29.3	27.5	29.8	27.2	28.0	345.7	4	1079

NAKHON SI THAMMARAT, THAILAND

STA NO. 48552 (IN AREA NUMBER 01)

LATITUDE 0825N

LONGITUDE 09998E

ELEVATION(FT) 00024

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	94	97	97	104	99	100	103	102	100	102	93	97	104	29	-40
MEAN MAX TMP (F)	86	88	90	92	92	92	91	91	91	88	86	85	89	18	-40
MEAN MIN TMP (F)	72	71	72	73	75	74	73	73	73	73	73	72	73	18	-40
ABS MIN TMP (F)	64	63	68	66	70	70	68	67	68	69	64	63	63	18	-40
MEAN NO DYS TMP = DR GTR 90(F)	5.8	10.4	17.9	23.0	23.8	23.0	21.0	21.0	20.3	11.6	5.6	3.4	106.8	18	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18	-29
MEAN DEW PT TMP (F)	71	70	70	72	74	71	71	72	73	73	74	72	72	16	-29
MEAN REL HUM (PCT)	78	76	72	73	76	71	73	74	76	80	83	82	76	19	16069
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	8.10	3.30	4.10	5.70	7.20	4.40	3.90	4.70	6.10	13.10	23.70	18.80	103.1	50	-40
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN		5.4	5.4	5.5	5.3	8.9	8.4	9.3	9.4	14.8	18.1			50	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	2.0	3.0	5.0	16.0	19.0	10.0	9.0	11.0	13.0	15.0	10.0	5.0	118.0	20	-40
P FREQ WND SPD = DR GTR 17 KTS	0.5	1.1	1.1	0.6	1.0	6.2	2.8	3.8	1.5	0.3	0.3	0.1	1.6	17	13267
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.4	0.1	0.2	0.0	0.0	0.0	0.0	0.1	17	13267
P FREQ LES 5000 FT A/D LES 5 MI	87.8	83.8	87.0	81.6	64.3	67.3	70.6	69.5	71.0	71.2	80.9	80.5	76.3	11	15581
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	26.9	29.9	33.1	27.0	6.9	11.4	12.0	13.9	16.5	22.1	23.7	18.0	20.1	12	2957
09-11 LST	12.3	10.0	10.4	10.1	2.3	6.1	2.1	2.6	2.7	9.7	18.4	19.5	8.9	12	2709
12-14 LST	11.1	6.5	10.3	11.9	7.7	3.7	4.9	5.2	6.5	15.2	23.1	19.9	10.5	12	3443
15-17 LST	13.4	12.4	20.3	15.2	13.3	8.2	11.0	13.3	13.1	16.6	18.9	22.1	14.8	14	3028
18-20 LST	13.9	15.5	19.1	13.3	15.8	11.3	12.3	15.1	17.1	19.0	24.6	22.0	16.6	14	3444
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	4.8	8.2	12.6	4.7	1.2	4.0	1.9	2.2	5.1	6.5	5.9	3.6	5.1	12	2957
09-11 LST	0.4	0.0	1.4	1.4	0.0	0.0	0.8	0.0	0.0	2.8	3.0	4.3	1.2	12	2709
12-14 LST	0.9	0.8	1.7	2.7	0.7	1.0	1.3	0.3	0.4	3.0	3.7	2.8	1.6	12	3443
15-17 LST	1.6	0.9	2.1	0.9	2.7	2.3	2.6	2.6	1.7	2.8	3.3	3.4	2.2	14	3028
18-20 LST	2.0	0.8	1.4	1.7	1.0	1.8	0.7	1.4	1.1	1.8	8.9	3.3	2.2	14	3444
21-23 LST														0	0

NAKHON SI THAMMARAT, THAILAND

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	23.7	20.3	21.4	22.0	29.2	26.9	27.7	27.2	25.9	25.5	24.3	27.2	301.3	12	2957
	13 LST	29.4	27.2	28.7	27.2	30.1	29.3	30.2	30.4	29.5	28.3	25.8	27.8	343.9	12	3443
	19 LST	28.3	24.5	25.2	26.4	27.4	27.2	28.2	28.0	27.7	26.2	24.2	26.8	320.1	14	3444
	01 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	23.8	20.3	21.3	22.0	24.4	25.5	27.4	25.9	25.3	25.4	24.3	27.0	296.6	12	2945
	13 LST	23.7	21.7	23.2	23.9	27.8	22.7	24.9	25.4	25.9	27.7	23.8	25.0	295.7	12	3427
	19 LST	27.6	24.0	24.5	26.2	25.8	23.0	26.1	25.6	26.9	25.6	24.9	26.2	306.4	14	3431
	01 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.0	0.0	0.0	0.0	0.2	0.2	0.0	0.3	0.1	0.0	0.0	0.0	0.8	12	3023
	13 LST	0.3	0.4	0.8	0.2	0.4	2.6	2.2	1.5	0.5	0.0	0.0	0.0	8.9	12	3526
	19 LST	0.0	0.0	0.1	0.1	0.1	1.1	0.3	0.7	0.2	0.4	0.0	0.0	3.0	14	3520
	01 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	1.2	0.5	0.9	0.8	2.5	3.3	2.8	3.6	2.4	2.4	2.9	5.5	28.8	12	3018
	13 LST	16.4	12.9	6.3	2.3	3.2	2.3	2.9	4.2	5.9	10.4	12.2	16.1	95.1	12	3496
	19 LST	7.1	4.2	2.7	2.9	7.1	8.8	7.9	7.8	7.4	5.4	5.5	6.3	73.1	14	3497
	01 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	3.9	2.7	4.3	3.8	1.3	1.3	2.2	1.1	1.2	1.5	2.0	3.3	28.6	12	2993
	13 LST	1.4	2.6	3.6	4.1	0.7	0.8	1.5	0.9	0.7	0.4	0.9	1.1	18.7	12	3318
	19 LST	5.5	5.2	6.6	4.5	0.7	1.0	1.4	1.5	1.5	2.7	2.6	4.0	37.2	14	3491
	01 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	21.1	18.5	20.0	21.6	28.4	26.2	26.6	25.8	24.2	24.4	21.5	23.2	281.5	12	2957
	13 LST	22.6	22.4	24.8	24.3	25.4	27.7	27.5	27.3	24.8	23.9	18.7	20.0	289.4	12	3443
	19 LST	24.6	22.6	24.9	25.6	24.5	25.7	26.0	24.3	24.8	24.0	21.7	23.0	291.7	14	3444
	01 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	20.4	18.1	19.8	21.5	28.3	26.1	26.4	25.5	24.2	24.4	21.3	22.6	278.6	12	2957
	13 LST	19.3	19.4	22.3	22.9	23.7	26.8	26.1	26.3	22.9	22.1	16.8	17.9	266.5	12	3443
	19 LST	24.1	22.3	24.9	25.6	24.3	25.4	25.5	24.0	24.3	23.9	21.5	22.4	288.2	14	3444
	01 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	20.4	18.1	19.8	21.4	28.3	26.1	26.3	25.5	24.2	24.4	21.3	22.6	278.4	12	2957
	13 LST	19.3	19.3	22.3	22.9	23.7	26.8	26.1	26.3	22.9	22.1	16.8	17.9	266.4	12	3443
	19 LST	24.1	22.3	24.9	25.6	24.3	25.4	25.5	24.0	24.3	23.9	21.4	22.4	288.1	14	3444
	01 LST														0	0

PHUKET, THAILAND

STA NO. 48564 (IN AREA NUMBER 01)

LATITUDE 0758N

LONGITUDE 09824E

ELEVATION(FT) 00100

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	ND. OBS
ABS MAX TMP (F)	93	97	97	100	97	93	95	92	94	94	92	92	100	23	-540
MEAN MAX TMP (F)	88	90	91	91	89	89	87	87	86	87	87	87	88	23	-40
MEAN MIN TMP (F)	75	75	75	77	76	76	76	76	75	75	75	75	76	23	-40
ABS MIN TMP (F)	63	62	64	70	71	70	68	68	69	70	64	63	62	23	-540
MEAN NO DYS TMP = OR GTR 90(F)	11.6	16.1	21.0	20.3	14.8	14.3	6.6	8.6	5.6	8.6	8.3	8.6	146.4	23	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	23	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	23	-29
MEAN DEW PT TMP (F)	71	71	72	76	76	76	75	75	74	75	74	72	74	23	-29
MEAN REL HUM (PCT)	73	72	73	78	82	81	81	81	83	83	81	77	79	23	-40
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	1.40	1.20	2.60	5.90	11.00	11.80	11.10	10.90	12.90	14.30	8.10	2.70	93.9	30	-40
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	23	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	2.8	2.4	4.6	5.5	6.4	15.8	15.2	15.1	14.7	15.5	11.2	4.7	113.9	30	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	23	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	1.0	2.0	4.0	6.0	4.0	2.0	2.0	1.0	1.0	3.0	4.0	2.0	32.0	9	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI	18.0	26.7	42.8	37.9	23.6	28.1	19.6	20.7	19.9	20.8	14.4	7.2	23.3	11	2207
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	3.8	13.3	18.3	14.3	14.4	21.8	15.5	21.8	9.0	12.6	5.5	1.0	12.6	12	1141
09-11 LST	4.5	6.8	3.8	8.5	7.3	3.2	14.5	6.9	8.9	8.0	3.5	0.0	6.3	8	813
12-14 LST	1.6	3.7	4.2	5.4	9.3	10.5	8.9	5.4	10.7	11.7	4.7	0.0	6.3	13	1394
15-17 LST	7.8	3.8	7.4	3.9	7.0	7.6	3.9	8.0	10.2	9.9	4.9	0.0	6.2	8	1107
18-20 LST	5.6	4.3	12.0	6.1	6.6	8.7	6.8	8.9	7.8	6.8	4.8	5.1	7.0	13	1506
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	2.2	2.2	3.2	0.0	4.0	1.9	8.9	1.3	1.0	0.9	0.0	2.1	12	1141
09-11 LST	3.4	0.0	0.0	2.1	1.8	0.0	0.0	1.7	0.0	1.3	0.0	0.0	0.9	8	813
12-14 LST	0.8	0.9	0.8	0.0	2.3	0.0	1.5	0.9	0.0	2.5	1.3	0.0	0.9	13	1394
15-17 LST	1.1	0.0	0.0	1.3	0.0	1.1	0.0	0.0	0.0	3.0	0.0	0.0	0.5	8	1107
18-20 LST	0.8	0.9	0.8	0.0	0.0	0.0	0.9	0.8	0.0	0.7	0.7	0.7	0.5	13	1506
21-23 LST														0	0

PHUKET, THAILAND

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	30.1	24.4	25.3	26.6	28.8	26.8	27.9	27.0	28.8	28.4	29.7	31.0	334.8	11	93
	13 LST	30.5	27.2	29.9	29.3	29.9	28.7	29.3	30.7	28.1	29.1	29.1	31.0	352.8	12	1347
	19 LST	30.0	27.2	27.5	28.4	30.5	28.8	29.9	30.4	29.0	30.1	29.8	30.5	352.1	12	1437
	01 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	28.0	23.7	25.3	26.0	26.3	21.7	24.6	21.6	25.6	26.5	26.5	29.1	304.9	11	1091
	13 LST	21.3	20.2	23.2	24.4	24.6	18.0	19.7	18.6	21.2	24.0	23.6	23.9	262.7	12	1334
	19 LST	25.6	25.0	26.5	27.6	27.6	25.1	28.2	24.9	25.3	27.3	26.4	27.2	316.7	12	1428
	01 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.0	0.0	0.0	0.7	11	1122
	13 LST	0.2	0.3	0.2	0.0	0.0	0.3		0.8	0.0	0.0		0.0		12	1381
	19 LST	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.4	12	1464
	01 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	5.0	3.2	2.3	0.5	1.1	3.9	4.7	2.7	4.7	2.2	3.1	7.0	40.4	11	1117
	13 LST	19.4	11.3	6.4	5.0	4.7	10.1	11.0	13.4	10.0	9.6	15.8	18.6	135.3	12	1372
	19 LST	9.4	7.5	8.7	8.7	3.9	7.6	6.1	6.7	7.1	3.3	5.4	7.8	82.2	12	1447
	01 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	13.1	9.5	9.6	2.9	1.0	1.8	3.6	2.0	2.4	2.5	6.4	11.8	66.6	11	1116
	13 LST	13.4	13.0	14.0	3.4	1.1	2.7	3.0	1.1	1.5	0.8	6.4	9.6	70.0	12	1390
	19 LST	9.7	9.0	9.6	2.8	1.8	4.0	2.1	2.4	1.0	1.3	5.4	9.3	58.4	12	1465
	01 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	29.8	24.1	24.9	25.1	25.9	22.0	24.2	23.7	27.6	26.5	27.7	30.0	311.5	11	1093
	13 LST	30.0	26.7	29.6	27.1	25.4	24.6	25.8	26.3	24.4	25.8	27.2	30.5	323.4	12	1347
	19 LST	28.5	26.0	26.2	26.6	27.4	26.9	29.3	27.2	26.6	27.3	26.0	28.3	326.3	12	1437
	01 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	29.5	24.1	24.9	25.1	25.9	22.0	23.9	23.3	27.6	26.5	27.4	29.7	309.9	11	1093
	13 LST	30.0	26.7	29.6	26.4	24.6	23.7	25.6	25.7	24.4	25.5	26.8	30.2	319.2	12	1347
	19 LST	27.9	25.8	26.0	25.8	27.1	26.9	29.3	27.2	26.6	26.9	26.0	28.0	323.5	12	1437
	01 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	29.5	24.1	24.9	25.1	25.9	22.0	23.9	23.3	27.6	26.5	27.4	29.7	309.9	11	1093
	13 LST	30.0	26.7	29.6	26.4	24.6	23.7	25.6	25.7	24.4	25.5	26.8	30.2	319.2	12	1347
	19 LST	27.9	25.8	26.0	25.8	27.1	26.9	29.3	27.2	26.6	26.9	25.8	28.0	323.3	12	1437
	01 LST														0	0

PHUKET/HIN LUK, THAILAND

STA NO. 48565 (IN AREA NUMBER 01)

LATITUDE 0806N

LONGITUDE 09818E

ELEVATION(FT) 00006

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	91	97	95	97	99	95	100	93	91	93	100	91	100	10	1792
MEAN MAX TMP (F)	88	90	91	91	89	88	87	87	86	86	87	87	88	10	1792
MEAN MIN TMP (F)	71	72	73	75	76	77	76	76	75	74	73	73	74	10	1190
ABS MIN TMP (F)	64	66	68	68	72	72	68	70	72	68	68	68	64	10	1190
MEAN NO DYS TMP = DR GTR 90(F)	11.6	16.1	21.0	20.3	14.8	11.2	8.6	8.6	5.6	5.8	8.3	8.6	140.5	10	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN DEW PT TMP (F)	68	69	70	72	75	75	74	75	75	74	73	71	73	10	-29
MEAN REL HUM (PCT)	71	69	71	73	80	79	79	81	84	84	80	76	77	10	7987
MEAN PRESS ALT (FT)	86	106	106	116	136	136	136	126	106	106	106	86	113	0	-50
MEAN PRECIP (IN)	0.67	1.02	2.36	4.59	19.66	10.44	10.99	11.12	14.26	12.86	5.85	3.98	91.8	10	1176
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	1.4	2.1	4.3	5.5		14.7	15.1	15.2	15.5	14.7	9.2	6.1		10	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	2.2	2.1	6.8	9.5	11.4	3.8	4.1	3.8	1.0	3.0	8.8	5.4	63.9	9	1003
P FREQ WND SPD = DR GTR 17 KTS	3.3	2.1	0.8	0.7	2.0	6.8	2.9	6.4	3.2	1.1	0.3	1.4	2.6	9	7937
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.7	0.1	0.3	0.2	0.0	0.0	0.0	0.1	9	7937
P FREQ LES 5000 FT A/O LES 5 MI	12.4	18.4	17.3	48.0	42.8	32.7	27.7	26.4	26.6	27.0	15.5	16.4	23.9	9	3701
P FREQ LES 1900 FT A/O LES 3 MI															
FOR 00-02 LST	0.0	4.3	0.0	11.5	18.2	10.0	0.0	13.0	7.5	4.3	0.0	0.0	5.7	5	297
03-03 LST														0	0
06-08 LST	3.0	5.3	11.9	26.1	21.9	17.9	11.9	8.2	14.1	9.8	2.6	3.4	11.3	10	1245
09-11 LST	0.0	0.0	0.0	16.3	12.5	13.9	9.4	12.2	11.7	7.3	3.1	0.8	7.3	10	1308
12-14 LST	0.8	0.9	2.0	14.1	11.0	12.6	6.1	9.2	14.9	11.2	5.8	2.1	7.6	10	1413
15-17 LST	1.4	1.9	0.8	8.8	8.1	12.6	6.3	9.0	13.2	11.3	7.4	4.9	7.1	10	1689
18-20 LST	2.1	6.2	3.0	10.9	9.7	4.9	5.9	8.3	7.1	15.8	13.0	6.4	7.8	10	1817
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.0	10.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	5	297
03-03 LST														0	0
06-08 LST	0.0	1.1	2.0	2.3	1.0	2.4	0.0	0.0	0.0	1.3	0.0	0.8	0.9	10	1245
09-11 LST	0.0	0.0	0.0	0.0	1.9	2.0	2.6	1.6	1.0	0.0	0.0	0.0	0.8	10	1308
12-14 LST	0.0	0.0	0.0	0.0	1.8	3.6	6.0	0.8	1.0	1.3	1.3	0.0	0.9	10	1413
15-17 LST	0.0	0.0	0.0	0.0	0.8	2.4	1.4	0.0	2.9	0.7	1.2	0.3	0.8	10	1689
18-20 LST	0.0	0.8	0.7	0.7	1.3	0.7	1.3	0.0	1.3	1.3	3.6	0.0	1.0	10	1817
21-23 LST														0	0

PHUKET/HIN LUK, THAILAND

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	30.7	27.4	28.5	24.9	27.4	27.1	29.8	31.0	29.0	30.1	29.5	30.7	346.1	9	1245
	13 LST	31.0	28.0	30.4	28.7	29.3	28.1	29.9	29.8	29.8	29.4	29.6	31.0	354.0	9	1413
	01 LST	31.0	27.8	30.8	28.7	29.8	29.8	30.2	30.6	29.6	29.2	28.4	30.8	356.7	10	1817
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	26.6	25.6	27.6	23.9	25.8	22.0	26.4	25.1	25.4	28.7	29.5	28.3	314.9	9	1237
	13 LST	20.3	18.9	25.1	27.0	24.7	20.3	22.9	19.3	21.1	27.5	28.0	25.1	280.2	9	1403
	01 LST	22.4	26.7	29.9	27.5	25.4	15.0	29.6	25.6	27.8	30.3	30.0	31.0	321.2	4	295
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.0	0.3	0.0	0.0	0.0	1.1	0.3	2.3	0.0	0.2	0.0	0.3	4.5	9	1252
	13 LST	1.9	0.5	0.3	0.3	0.9	1.3	0.8	1.7	0.6	0.0	0.2	0.4	8.9	9	1423
	01 LST	1.6	0.0	0.0	1.3	0.0	6.0	0.0	0.0	0.0	0.0	0.0	0.0	8.9	4	305
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	8.4	6.1	3.9	2.0	4.5	9.2	12.3	7.7	10.0	3.0	2.3	5.6	75.0	9	1252
	13 LST	15.7	13.3	9.2	7.7	9.4	13.8	16.9	12.3	11.8	16.3	18.6	18.7	163.7	9	1423
	01 LST	7.3	7.8	13.1	13.5	7.0	11.4	13.6	10.6	10.6	6.4	4.3	5.2	110.8	10	1849
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	9.2	4.7	4.5	2.7	0.3	1.0	0.9	0.8	1.0	1.6	2.8	5.2	34.7	9	1257
	13 LST	11.6	6.8	6.2	1.3	1.4	0.8	0.8	0.5	0.6	1.4	3.1	6.0	40.5	9	1424
	01 LST	15.5	14.6	9.2	8.8	0.0	2.7	1.3	1.3	2.1	2.0	3.9	6.4	67.8	4	302
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	30.1	26.4	27.9	24.2	21.8	20.7	23.2	25.5	21.5	24.6	27.6	28.6	302.1	8	1245
	13 LST	30.6	27.9	30.2	27.9	24.5	25.1	26.7	25.1	23.0	26.4	26.7	29.2	323.3	7	1413
	01 LST	28.7	24.0	28.8	26.1	25.7	25.6	26.6	25.5	26.2	25.1	23.6	25.7	311.6	9	1817
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	29.5	25.6	27.6	23.6	19.0	18.2	19.9	23.4	19.6	22.3	26.9	27.3	282.9	2	297
	13 LST	30.5	27.7	30.1	26.8	22.5	24.1	24.3	23.6	22.3	25.2	26.0	28.2	311.3	7	1413
	01 LST	27.3	22.4	27.6	25.0	24.2	23.5	24.5	24.0	25.1	23.9	22.2	23.7	293.4	9	1817
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	31.0	25.5	30.0	27.5	25.4	24.5	29.6	27.0	26.3	28.4	30.0	28.7	333.9	2	297
	13 LST	29.5	25.6	27.6	23.6	19.0	18.2	19.9	23.4	19.6	22.3	26.9	27.3	282.9	8	1245
	01 LST	30.5	27.7	30.1	26.8	22.5	23.8	24.3	22.8	22.3	25.2	26.0	28.2	310.2	7	1413
	19 LST	27.3	22.4	27.6	25.0	24.2	23.5	24.5	24.0	25.1	23.9	22.2	23.7	293.4	9	1817
	01 LST	31.0	25.5	30.0	27.5	25.4	24.5	29.6	27.0	26.3	28.4	30.0	28.7	333.9	2	297

TRANG, THAILAND

STA NO. 48567 (IN AREA NUMBER 01)

LATITUDE 0730N

LONGITUDE 09940E

ELEVATION(FT) 00039

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	100	102	102	104	100	100	98	97	95	99	93	95	104	15	-40
MEAN MAX TMP (F)	91	94	96	94	91	89	88	88	88	88	87	88	90	13	-40
MEAN MIN TMP (F)	70	71	72	74	75	74	74	77	74	73	72	71	73	13	-40
ABS MIN TMP (F)	62	61	64	66	68	70	68	68	69	68	63	61	61	15	-40
MEAN NO DYS TMP = OR GTR 90(F)	21.0	25.5	30.7	27.3	21.0	14.3	11.6	11.6	11.2	11.6	8.3	11.6	205.7	13	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	-29
MEAN DEW PT TMP (F)	70	70	72	74	76	75	75	76	75	75	74	71	74	14	-29
MEAN REL HUM (PCT)	73	69	70	75	82	82	83	83	84	85	83	78	79	16	17915
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	2.10	1.00	2.60	7.50	9.70	9.80	10.20	11.60	12.80	12.70	9.50	4.40	93.9	50	-40
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	3.9	2.1	4.6	5.3	5.5	14.2	14.5	15.6	14.7	14.6	12.4	6.4	113.8	50	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	3.0	1.0	4.0	9.0	11.0	11.0	10.0	12.0	13.0	14.0	11.0	5.0	104.0	30	-40
P FREQ WND SPD = OR GTR 17 KTS	15.4	14.0	5.8	3.4	1.2	5.3	4.9	7.1	5.2	2.6	3.2	9.9	6.5	16	18192
P FREQ WND SPD = OR GTR 28 KTS	0.4	0.4	0.1	0.1	0.1	0.1	0.3	0.6	0.5	0.1	0.1	0.2	0.3	16	18192
P FREQ LES 5000 FT A/D LES 5 MI	46.8	54.9	62.2	70.7	65.9	50.3	63.6	62.9	67.1	66.5	64.2	40.9	59.7	11	17718
P FREQ LES 1500 FT A/D LES 3 MI														0	0
PDR 00-02 LST	8.1	7.2	10.9	16.7	28.8	24.2	31.1	26.9	30.2	37.0	25.5	8.8	21.3	7	1380
03-05 LST														0	0
06-08 LST	50.2	55.1	63.4	59.8	58.1	53.4	62.5	62.4	67.7	76.1	59.6	40.9	59.1	16	3252
09-11 LST	3.4	2.5	2.0	8.1	9.5	13.6	16.9	15.1	24.7	17.3	15.6	11.3	11.7	11	2725
12-14 LST	6.4	5.5	5.4	14.5	15.3	15.7	23.6	20.5	21.0	23.9	19.6	11.3	15.2	16	3650
15-17 LST	7.0	11.1	15.9	27.4	21.9	16.2	25.6	24.4	27.3	40.7	22.1	12.3	21.0	11	2870
18-20 LST	7.3	9.2	12.2	21.5	22.3	20.1	20.9	19.6	28.4	29.1	22.5	13.4	18.9	16	3841
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
PDR 00-02 LST	4.4	1.0	2.9	5.9	9.8	5.8	9.2	9.1	14.9	18.9	12.9	4.7	8.3	7	1380
03-05 LST														0	0
06-08 LST	17.0	23.1	27.9	28.1	27.8	24.3	36.0	33.0	38.7	53.7	32.8	15.9	29.9	16	3252
09-11 LST	0.4	0.5	0.5	1.6	4.4	4.6	8.8	5.3	7.8	5.1	4.1	2.0	3.8	11	2725
12-14 LST	1.6	2.2	2.0	3.9	4.2	6.5	7.2	7.9	7.7	11.1	5.8	2.8	5.2	16	3650
15-17 LST	0.9	3.0	3.5	9.9	9.5	7.1	10.0	12.6	11.9	21.2	9.3	3.7	8.6	11	2870
18-20 LST	2.8	6.0	6.2	8.8	10.9	9.8	10.6	9.4	15.5	14.8	12.5	7.1	9.5	16	3841
21-23 LST														0	0

TRANG, THAILAND

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	15.5	12.6	11.3	12.4	13.2	14.7	12.0	11.9	10.0	7.7	12.6	18.5	152.4	16	3292
	13 LST	29.4	26.7	29.3	26.7	27.0	26.6	26.2	25.6	25.1	23.9	25.4	28.4	320.3	16	3690
	19 LST	29.1	25.5	27.3	24.1	24.8	24.5	25.0	25.7	22.3	23.1	23.9	27.2	302.5	16	3841
	01 LST	28.7	26.3	27.6	25.3	22.7	24.3	22.2	23.7	21.6	20.3	22.8	28.8	294.3	7	1380
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	14.6	11.8	11.3	12.3	13.2	14.1	12.0	11.8	9.6	7.4	12.4	18.3	148.8	16	3238
	13 LST	14.1	13.0	20.2	22.5	23.2	16.1	16.6	14.9	16.5	19.4	19.4	16.0	211.9	16	3619
	19 LST	24.1	21.3	25.3	22.9	24.3	24.2	24.7	25.0	22.0	22.7	22.5	23.6	282.6	16	3820
	01 LST	25.5	23.1	27.0	25.0	22.7	24.0	21.9	23.7	21.3	19.9	22.4	27.7	284.2	7	1377
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.3	0.2	0.0	0.0	0.0	0.2	0.0	0.3	0.0	0.0	0.0	0.1	1.1	16	3324
	13 LST	9.3	8.7	3.4	1.9	0.3	3.9	4.1	5.5	4.3	2.3	2.4	6.3	52.6	16	3700
	19 LST	0.6	0.9	0.1	0.2	0.2	0.0	0.0	0.6	0.1	0.1	0.2	0.9	3.9	16	3921
	01 LST	1.4	1.1	0.2	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	7	1395
SFC WND 4-10 KTS AND TMP 33-87 DEG F AND NO PRECIP.	07 LST	4.8	5.3	3.2	1.0	1.4	1.6	1.6	0.6	1.1	1.8	4.4	6.4	33.2	16	3296
	13 LST	6.7	1.6	1.2	3.0	6.4	6.4	7.5	7.7	8.4	11.2	10.5	9.3	79.9	16	3643
	19 LST	15.6	14.0	15.4	8.8	4.8	3.8	5.8	5.4	2.5	3.8	8.8	14.0	102.7	16	3887
	01 LST	13.2	9.7	5.5	1.5	1.8	1.5	1.2	0.9	2.0	2.1	7.0	12.1	58.5	7	1392
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	4.8	2.6	2.4	1.9	0.4	0.9	0.2	0.3	0.0	0.2	1.5	3.3	18.5	16	3313
	13 LST	2.4	2.1	1.0	0.4	0.1	0.0	0.0	0.2	0.0	0.0	0.4	1.0	7.6	16	3781
	19 LST	10.3	6.9	4.3	2.0	0.3	1.3	1.0	0.6	0.7	1.1	2.3	5.2	36.2	16	3908
	01 LST	11.4	8.9	8.8	3.8	0.5	1.2	1.2	1.4	0.5	0.8	2.5	8.2	49.2	7	1401
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	15.3	12.7	11.3	11.6	12.8	13.3	11.1	10.8	9.1	7.2	11.5	17.3	144.2	16	3292
	13 LST	28.0	25.6	28.2	23.1	24.2	23.0	22.4	22.1	20.8	19.5	21.7	26.2	284.8	16	3690
	19 LST	28.4	25.1	27.0	22.8	22.7	23.0	23.9	24.0	20.5	20.6	22.5	26.3	286.8	16	3841
	01 LST	28.0	25.8	27.5	24.7	21.4	22.7	20.5	21.5	19.8	19.0	21.8	27.7	280.4	7	1380
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	15.0	12.3	11.3	11.5	12.7	13.3	11.1	10.5	8.7	7.1	11.3	17.4	142.2	16	3292
	13 LST	27.4	24.7	26.8	21.3	22.5	21.9	20.9	20.6	19.1	17.5	20.2	25.2	268.1	16	3690
	19 LST	28.3	24.8	26.8	22.6	21.7	22.7	23.7	23.5	20.1	20.4	22.3	25.9	282.8	16	3841
	01 LST	27.8	25.7	27.4	24.4	21.2	22.3	20.5	21.4	19.3	18.8	21.7	27.3	277.8	7	1380
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	15.0	12.3	11.3	11.5	12.7	13.3	11.1	10.4	8.7	7.1	11.3	17.4	142.1	16	3292
	13 LST	27.4	24.7	26.8	21.2	22.5	21.9	20.9	20.6	19.1	17.5	20.2	25.2	268.0	16	3690
	19 LST	28.3	24.8	26.8	22.6	21.7	22.7	23.7	23.5	20.1	20.4	22.3	25.9	282.8	16	3841
	01 LST	27.8	25.7	27.4	24.4	21.2	22.3	20.5	21.4	19.3	18.8	21.7	27.3	277.8	7	1380

SONGKHLA, THAILAND

STA NO. 48568 (IN AREA NUMBER 01)

LATITUDE 0711N

LONGITUDE 10037E

ELEVATION(FT) 00012

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	93	95	97	100	100	102	100	100	99	98	95	95	102	24	-940
MEAN MAX TMP (F)	85	87	89	91	92	91	91	91	90	88	86	85	89	24	-40
MEAN MIN TMP (F)	75	75	76	76	76	76	75	75	75	75	75	75	75	24	-40
ABS MIN TMP (F)	67	68	64	66	68	68	69	68	68	70	66	68	64	24	-940
MEAN NO DYS TMP = DR GTR 90(F)	3.4	7.7	14.8	20.3	23.8	20.3	21.0	21.0	17.3	11.6	5.6	3.4	170.2	24	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	24	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	24	-29
MEAN DEW PT TMP (F)	72	73	74	75	76	74	74	74	74	74	74	73	74	10	81516
MEAN REL HUM (PCT)	76	76	75	75	76	75	76	76	77	81	83	80	77	17	16899
MEAN PRESS ALT (FT)	52	72	82	112	142	142	122	132	112	92	82	92	100	0	-50
MEAN PRECIP (IN)	6.30	2.30	2.30	3.60	4.70	3.90	3.60	3.60	4.10	12.80	22.80	18.00	88.0	30	-40
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	24	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	7.4	4.2	4.3	5.2	5.5	8.4	8.1	8.1	7.3	14.7	18.0			30	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	24	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.2	0.0	0.1	0.2	0.2	0.3	0.2	0.3	0.0	0.6	1.1	0.7	3.9	10	3562
MEAN NO DYS TSTMS	0.2	1.3	1.8	9.0	15.2	9.7	12.9	10.7	9.0	10.0	6.5	1.9	88.2	12	2202
P FREQ WND SPD = DR GTR 17 KTS	41.2	36.0	21.6	9.2	3.2	4.6	3.4	5.2	6.9	4.3	9.3	26.3	14.3	16	16893
P FREQ WND SPD = DR GTR 28 KTS	4.4	4.2	1.8	0.8	0.2	0.2	0.0	0.1	0.1	0.4	0.4	2.6	1.3	16	16893
P FREQ LES 5000 FT A/O LES 5 MI	24.1	14.3	14.4	11.8	12.4	12.4	13.4	13.1	13.4	25.1	33.4	31.7	18.3	16	84970
P FREQ LES 1900 FT A/O LES 3 MI															
FOR 00-02 LST	11.7	6.5	8.1	7.9	7.4	3.2	3.7	6.4	3.6	14.1	20.5	17.0	9.3	12	9443
03-05 LST	12.4	5.9	7.6	5.2	5.1	3.7	2.3	3.7	3.1	11.3	18.7	17.5	8.0	10	9513
06-08 LST	13.5	7.9	7.4	3.7	2.6	3.1	2.9	3.2	3.0	13.6	19.8	20.0	8.4	16	11519
09-11 LST	12.1	7.1	7.5	4.0	2.1	3.2	1.7	2.5	2.7	12.0	17.1	17.1	7.4	12	11301
12-14 LST	9.1	4.7	3.6	2.7	5.1	7.3	6.6	7.2	6.8	12.6	16.6	15.9	8.2	17	11845
15-17 LST	7.8	3.2	3.3	4.2	9.3	9.9	12.0	11.1	11.0	15.5	17.7	14.0	9.9	12	11313
18-20 LST	9.3	5.2	6.0	5.3	8.6	6.9	7.3	7.0	6.5	12.9	18.1	13.7	8.9	17	12843
21-23 LST	9.5	5.7	6.6	6.9	7.0	5.7	4.1	4.4	4.0	12.1	17.6	11.2	7.9	10	9841
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.1	0.3	0.0	0.0	0.0	0.0	0.0	0.1	1.5	0.8	0.2	12	9443
03-05 LST	0.1	0.0	0.2	0.0	0.6	0.1	0.0	0.0	0.0	0.5	1.1	0.6	0.3	10	9513
06-08 LST	0.6	0.1	0.2	0.0	0.2	0.0	0.1	0.2	0.0	1.0	1.8	0.7	0.4	16	11519
09-11 LST	0.3	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.0	1.4	1.5	0.6	0.3	12	11301
12-14 LST	0.2	0.0	0.0	0.0	0.1	0.0	0.6	0.2	0.2	1.1	1.4	1.4	0.4	17	11845
15-17 LST	0.2	0.0	0.0	0.0	0.0	0.2	0.6	0.7	0.7	1.3	2.5	0.3	0.5	12	11313
18-20 LST	0.1	0.2	0.1	0.0	0.2	0.1	0.3	0.4	0.1	0.8	1.7	0.6	0.4	17	12843
21-23 LST	0.2	0.0	0.0	0.3	0.1	0.1	0.1	0.0	0.1	0.8	0.7	0.3	0.2	10	9841

SONGKHLA, THAILAND

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	30.5	27.7	30.9	29.7	30.7	29.7	30.8	30.5	29.5	28.4	27.3	29.4	355.1	10	3559
	13 LST	30.3	27.9	30.8	30.0	30.7	29.4	30.6	30.0	29.5	29.3	27.7	29.1	355.3	10	3561
	19 LST	30.5	28.0	31.0	29.9	30.5	29.4	30.5	30.3	29.3	29.4	27.9	30.4	357.1	10	3562
	01 LST	30.2	27.9	30.9	29.9	30.6	29.7	30.9	30.8	29.9	29.1	27.2	29.1	356.2	10	3558
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	9.9	15.0	19.7	25.4	28.0	26.9	28.0	26.9	26.8	22.8	14.7	10.8	294.9	10	3559
	13 LST	4.9	7.9	10.8	12.6	16.7	15.6	15.6	11.9	12.6	15.0	10.8	8.0	142.4	10	3561
	19 LST	5.0	5.9	8.8	14.2	19.7	17.6	19.4	16.5	19.3	17.5	11.2	7.4	162.5	10	3562
	01 LST	5.0	8.6	14.8	20.0	23.6	23.3	25.2	22.6	24.5	19.8	12.0	6.9	206.3	10	3558
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	9.1	5.4	2.3	0.4	0.0	0.2	0.0	0.3	0.1	0.1	1.5	5.1	24.5	10	3519
	13 LST	11.9	8.7	5.1	0.9	0.6	1.7	1.1	3.4	2.3	1.5	3.4	6.9	47.5	10	3528
	19 LST	14.1	8.6	7.6	2.2	0.6	1.3	0.4	1.2	0.9	1.0	3.2	8.0	49.1	10	3516
	01 LST	12.9	7.7	4.7	1.0	0.1	0.1	0.0	0.2	0.2	0.6	2.0	6.9	36.4	10	3469
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NU PRECIP.	07 LST	6.2	5.5	4.2	3.1	3.0	4.8	3.8	7.0	5.7	5.0	7.4	8.8	64.5	10	3513
	13 LST	8.0	10.4	13.7	9.1	5.3	7.7	9.6	10.0	9.7	15.1	15.2	12.7	126.5	10	3523
	19 LST	6.6	7.7	11.6	11.9	12.3	11.3	12.6	14.9	12.0	12.2	10.6	9.8	133.5	10	3513
	01 LST	6.0	8.3	10.1	7.2	5.1	5.5	6.7	9.0	7.7	7.0	9.2	10.3	92.1	10	3451
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	0.0	0.2	0.1	0.0	0.0	0.1	0.3	0.0	0.0	0.0	0.0	0.0	0.7	10	3559
	13 LST	0.1	0.8	0.8	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	10	3561
	19 LST	0.4	0.6	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	1.5	10	3561
	01 LST	0.3	0.7	0.4	0.3	0.0	0.0	0.4	0.1	0.2	0.1	0.2	0.2	2.9	10	3554
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	16.2	19.1	21.0	25.4	26.4	25.8	27.0	26.1	25.0	19.7	13.9	13.9	259.5	10	3559
	13 LST	17.4	20.3	25.0	26.5	23.6	19.6	20.4	19.5	18.7	17.1	14.8	16.1	239.0	10	3561
	19 LST	18.2	21.1	22.0	22.6	21.3	20.9	21.7	21.4	20.6	17.6	15.4	17.0	239.8	10	3562
	01 LST	15.5	16.7	18.8	19.1	20.9	21.0	21.7	19.5	20.0	15.5	13.0	13.5	214.8	10	3558
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	15.7	19.1	21.0	25.3	26.2	25.8	26.7	25.8	24.3	19.4	13.9	13.4	256.6	10	3559
	13 LST	17.3	20.2	25.0	26.5	23.5	19.4	20.1	19.1	18.3	16.9	14.5	15.8	236.6	10	3561
	19 LST	17.9	21.1	21.9	22.6	21.0	20.8	21.4	21.1	19.9	17.5	14.9	16.7	236.8	10	3562
	01 LST	15.5	16.6	18.6	18.9	20.4	20.8	21.7	19.1	19.6	15.3	13.0	13.5	213.0	10	3558
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	15.7	19.1	21.0	25.3	26.2	25.8	26.6	25.8	24.3	19.4	13.9	13.4	256.5	10	3559
	13 LST	17.3	20.2	25.0	26.5	23.5	19.4	20.1	19.1	18.3	16.9	14.5	15.8	236.6	10	3561
	19 LST	17.9	21.1	21.9	22.6	21.0	20.7	21.4	21.1	19.9	17.3	14.9	16.7	236.5	10	3562
	01 LST	15.5	16.6	18.6	18.9	20.4	20.8	21.6	19.1	19.6	15.2	13.0	13.5	212.8	10	3558

NARATHIWAT, THAILAND

STA NO. 48583 (IN AREA NUMBER)

LATITUDE 0626N

LONGITUDE 10150E

ELEVATION(FT) 00013

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	91	94	95	96	97	96	97	95	97	95	93	91	97	23	-40
MEAN MAX TMP (F)	86	87	89	90	90	90	89	89	89	87	84	84	88	18	-40
MEAN MIN TMP (F)	72	72	72	73	74	74	73	73	73	73	73	73	73	18	-40
ABS MIN TMP (F)	63	66	67	68	68	70	67	68	68	70	61	66	61	23	-40
MEAN NO DYS TMP = DR GTR 90(F)	5.8	7.7	14.8	17.3	17.9	17.3	14.8	14.8	14.3	8.6	1.3	1.4	136.0	18	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	23	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	23	-29
MEAN DEW PT TMP (F)	72	72	72	73	74	74	73	73	74	74	73	73	73	18	-29
MEAN REL HUM (PCT)	80	79	78	77	78	78	79	79	80	83	85	84	80	18	11682
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	8.80	3.50	5.60	3.30	6.30	5.30	4.10	6.00	6.50	11.30	22.90	20.70	104.3	44	-40
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	23	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN		5.6	5.5	5.1	5.4	9.9	8.6	10.6	9.8	13.7	18.0			44	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	23	-29
MEAN NO DYS W/OCCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.1	0.2	0.7	15.0	13.0	13.0	12.0	11.0	8.0	4.0	1.0	78.0	15	-40
P FREQ WND SPD = DR GTR 17 KTS	5.1	5.0	3.4	3.1	1.3	2.3	2.4	2.6	1.3	2.1	2.9	6.4	3.2	17	11740
P FREQ WND SPD = DR GTR 28 KTS	0.1	0.0	0.2	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.1	0.5	0.1	17	11740
P FREQ LES 5000 FT A/D LES 5 MI	34.8	24.6	25.9	17.6	25.4	21.6	25.9	28.9	29.1	30.6	43.8	45.1	29.4	5	11521
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	22.1	12.5	6.4	0.7	6.8	4.4	6.5	10.2	10.1	10.4	22.1	22.2	11.2	5	1059
03-05 LST														0	0
06-08 LST	17.0	13.6	7.3	4.4	3.0	4.4	6.0	4.4	6.7	6.6	24.6	26.0	10.3	16	2600
09-11 LST	12.4	4.0	6.9	1.6	2.3	1.8	1.2	1.5	1.0	8.9	18.1	20.3	6.7	10	1064
12-14 LST	10.3	2.4	2.9	1.5	2.4	1.7	2.1	1.6	3.0	8.5	14.3	24.6	6.3	15	2562
15-17 LST	10.9	2.7	3.7	2.9	5.8	6.1	5.3	10.1	11.4	9.4	15.7	17.0	8.4	10	1899
18-20 LST	8.9	5.3	3.9	3.1	5.3	9.8	6.7	4.4	13.8	12.9	20.0	20.2	9.5	15	2356
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.0	1.2	0.9	0.0	1.4	1.3	0.9	3.2	2.0	1.9	4.2	7.4	2.0	5	1059
03-05 LST														0	0
06-08 LST	3.5	0.0	0.7	0.0	0.7	0.0	1.3	0.6	1.3	0.7	4.4	3.8	1.4	16	2600
09-11 LST	0.0	0.0	1.4	0.8	0.0	0.0	0.0	0.0	0.0	1.3	2.5	2.4	0.7	15	1064
12-14 LST	2.1	0.0	0.9	0.0	0.3	0.0	0.0	0.0	0.0	0.4	2.0	2.9	0.7	15	2562
15-17 LST	0.6	0.8	0.7	0.0	0.6	1.4	0.7	1.2	0.7	0.0	1.5	1.5	0.8	10	1899
18-20 LST	0.4	0.0	0.0	0.0	0.6	2.8	0.6	1.6	1.1	2.8	6.0	5.3	1.8	15	2356
21-23 LST														0	0

NARATHIWAT, THAILAND

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	27.7	26.7	30.0	29.2	30.5	28.8	29.8	30.4	29.0	29.6	26.1	27.2	345.0	10	1790
	13 LST	29.2	28.0	30.6	29.8	30.8	30.0	31.0	31.0	30.0	29.9	28.3	27.9	356.5	16	2562
	19 LST	29.5	27.4	30.7	29.7	29.7	27.5	30.3	29.5	27.6	28.7	26.1	26.3	343.0	15	2356
	01 LST	26.9	26.7	30.4	30.0	29.3	28.8	30.1	28.7	27.9	28.7	25.3	26.8	339.6	5	1059
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	26.8	24.2	29.2	28.4	30.1	28.7	29.6	30.0	29.0	29.4	25.6	25.0	336.0	10	1790
	13 LST	19.3	15.2	19.5	20.1	24.0	23.4	24.6	25.5	25.6	24.1	22.8	18.3	262.4	16	2531
	19 LST	21.9	22.4	27.4	29.6	28.1	25.6	28.4	27.9	26.3	26.7	23.8	20.5	308.6	15	2356
	01 LST	22.4	24.3	29.0	30.0	28.9	28.8	30.1	28.6	27.9	28.6	24.9	24.9	328.4	5	1057
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.2	0.8	0.4	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.6	2.7	10	1809
	13 LST	3.4	2.6	2.6	2.9	0.8	1.3	2.7	2.0	1.1	1.2	1.5	2.9	25.0	16	2592
	19 LST	1.6	1.0	0.4	0.2	0.4	0.3	0.2	0.3	0.0	0.3	0.5	1.5	6.7	15	2383
	01 LST	0.1	0.7	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	2.1	5	1062
SFC WND 4-10 KTS AND THP 33-89 DEG F AND NO PRECIP.	07 LST	3.0	2.7	1.2	1.0	3.2	2.7	2.7	2.3	2.3	1.8	1.5	2.0	26.4	10	1809
	13 LST	14.0	10.9	13.8	8.5	7.8	7.6	12.7	10.8	11.7	14.3	11.9	9.5	133.5	16	2552
	19 LST	8.0	9.3	9.3	5.3	6.5	4.3	4.4	6.4	4.5	6.0	6.6	5.2	75.8	15	2347
	01 LST	2.5	3.3	1.4	0.8	1.7	1.5	0.6	1.0	0.0	0.3	0.6	3.0	16.7	5	1062
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	2.4	3.2	6.3	11.1	2.1	2.7	3.4	2.5	1.6	2.6	2.0	1.8	41.7	10	1810
	13 LST	2.1	2.3	6.6	5.6	1.2	1.3	1.1	1.0	0.5	0.3	1.9	1.6	25.5	16	2600
	19 LST	3.3	4.2	6.9	4.5	2.0	1.8	1.4	1.5	1.2	1.6	2.8	4.4	35.6	15	2379
	01 LST	6.0	8.3	10.6	14.8	11.2	6.5	6.5	6.3	3.6	7.1	5.3	3.4	89.6	5	1064
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	23.5	22.0	27.5	28.2	29.5	28.3	28.5	28.7	26.8	27.3	19.0	13.2	302.5	10	1790
	13 LST	25.2	25.8	28.7	29.1	28.9	28.7	28.5	28.9	26.7	26.4	22.0	21.1	320.0	16	2562
	19 LST	26.6	25.3	28.4	28.4	28.3	26.3	27.1	26.4	23.9	25.1	21.6	22.5	309.9	15	2356
	01 LST	21.0	22.6	26.8	29.6	28.5	28.5	27.8	27.0	26.0	26.8	21.0	20.5	306.1	5	1059
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	23.3	21.7	27.5	28.2	29.4	27.9	28.5	28.5	26.8	27.3	18.9	17.7	305.7	10	1790
	13 LST	22.4	24.4	27.2	28.9	28.0	28.2	27.2	27.3	25.1	25.7	20.4	19.5	304.3	16	2562
	19 LST	26.0	24.9	27.7	28.1	27.7	26.0	26.7	26.1	23.6	25.0	21.2	21.9	304.9	15	2356
	01 LST	20.8	21.7	26.1	29.6	28.5	28.5	27.8	27.0	26.0	26.8	20.2	19.5	302.5	10	1059
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	23.3	21.7	27.5	28.2	29.4	27.9	28.5	28.5	26.8	27.3	18.9	17.7	305.7	10	1790
	13 LST	22.4	24.4	27.1	28.9	28.0	28.2	27.2	27.3	25.1	25.7	20.4	19.4	304.1	16	2562
	19 LST	26.0	24.7	27.7	28.1	27.7	26.0	26.7	26.1	23.6	25.0	21.2	21.9	304.7	15	2356
	01 LST	20.8	21.7	26.1	29.6	28.5	28.5	27.8	27.0	26.0	26.8	20.2	19.5	302.5	5	1059

PATTANI, THAILAND

STA NO. 49642/ (IN AREA NUMBER 01)

LATITUDE 0646N

LONGITUDE 10109E

ELEVATION(FT) 00020

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	93	95	97	100	100	102	100	100	99	98	95	95	102	24	-48568
MEAN MAX TMP (F)	85	87	89	91	92	91	91	91	90	88	86	85	89	24	-48568
MEAN MIN TMP (F)	75	75	76	76	76	76	75	75	75	75	75	75	75	24	-48568
ABS MIN TMP (F)	67	68	64	66	68	68	69	68	68	70	66	68	64	24	-48568
MEAN NO DYS TMP = DR GTR 90(F)	3.4	7.7	14.8	20.3	23.8	20.3	21.0	21.0	17.3	11.6	5.6	3.1	170.2	24	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	24	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	24	-29
MEAN DEW PT TMP (F)	72	73	74	75	76	74	74	74	74	74	74	73	74	10	-48568
MEAN REL HUM (PCT)	76	76	75	75	76	75	76	76	77	81	83	80	77	17	-48568
MEAN PRESS ALT (FT)	60	80	90	120	150	150	130	140	120	100	90	60	108	0	-50
MEAN PRECIP (IN)	3.60	1.00	1.50	1.60	3.40	3.40	3.20	4.30	3.80	8.70	18.10	14.60	67.2	20	-40
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	24	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	5.7	2.1	3.2	3.4	5.2	7.8	7.6	8.8	7.0	11.8	17.1			20	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	24	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.2	0.0	0.1	0.2	0.2	0.3	0.2	0.3	0.0	0.6	1.1	0.7	3.9	10	-48568
MEAN NO DYS TSTMS	0.2	1.3	1.8	9.0	15.2	9.7	12.9	10.7	9.0	10.0	6.5	1.9	88.2	12	-48568
P FREQ WND SPD = DR GTR 17 KTS	41.2	36.0	21.6	9.2	3.2	4.6	3.4	5.2	6.9	4.3	9.3	26.3	14.3	16	-48568
P FREQ WND SPD = DR GTR 28 KTS	4.4	4.2	1.8	0.8	0.2	0.2	0.0	0.1	0.1	0.4	0.4	2.6	1.3	16	-48568
P FREQ LES 5000 FT A/D LES 5 MI	24.1	14.3	14.4	11.8	12.4	12.4	13.4	13.1	13.4	23.1	33.4	31.7	18.3	16	-48568
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	11.7	6.5	8.1	7.9	7.4	5.2	3.7	6.4	3.6	14.1	20.5	17.0	9.3	12	-48568
03-05 LST	12.4	5.9	7.6	5.2	5.1	3.7	2.3	3.7	3.1	11.3	18.7	17.5	8.0	10	-48568
06-08 LST	13.5	7.9	7.4	3.7	2.6	3.1	2.9	3.2	3.0	13.6	19.8	20.0	8.4	16	-48568
09-11 LST	12.1	7.1	7.5	4.0	2.1	3.2	1.7	2.5	2.7	12.0	17.1	17.1	7.4	12	-48568
12-14 LST	9.1	4.7	3.6	2.7	5.1	7.3	6.6	7.2	6.8	12.6	16.6	15.9	8.2	17	-48568
15-17 LST	7.8	3.2	3.3	4.2	9.5	9.9	12.0	11.1	11.0	15.5	17.7	14.0	9.9	12	-48568
18-20 LST	9.3	5.2	6.0	5.3	8.6	6.9	7.3	7.0	6.5	12.9	18.1	13.7	8.9	17	-48568
21-23 LST	9.5	5.7	6.6	6.9	7.0	5.7	4.1	4.4	4.0	12.1	17.6	11.2	7.9	10	-48568
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.1	0.3	0.0	0.0	0.0	0.0	0.0	0.1	1.5	0.8	0.2	12	-48568
03-05 LST	0.1	0.0	0.2	0.0	0.6	0.1	0.0	0.0	0.0	0.3	1.1	0.6	0.3	10	-48568
06-08 LST	0.6	0.1	0.2	0.0	0.2	0.0	0.1	0.2	0.0	1.0	1.8	0.7	0.4	16	-48568
09-11 LST	0.3	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.0	1.4	1.5	0.6	0.3	12	-48568
12-14 LST	0.2	0.0	0.0	0.0	0.1	0.0	0.6	0.2	0.2	1.1	1.4	1.4	0.4	17	-48568
15-17 LST	0.2	0.0	0.0	0.0	0.0	0.2	0.6	0.7	0.7	1.3	2.5	0.3	0.5	12	-48568
18-20 LST	0.1	0.2	0.1	0.0	0.2	0.1	0.3	0.4	0.1	0.8	1.7	0.6	0.4	17	-48568
21-23 LST	0.2	0.0	0.0	0.3	0.1	0.1	0.1	0.0	0.1	0.8	0.7	0.3	0.2	10	-48568

PATTANI, THAILAND

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	30.5	27.7	30.9	29.7	30.7	29.7	30.8	30.5	29.5	28.4	27.3	29.4	355.1	10	-48568
	13 LST	30.3	27.9	30.8	30.0	30.7	29.4	30.6	30.0	29.5	29.3	27.7	29.1	355.3	10	-48568
	19 LST	30.5	28.0	31.0	29.9	30.5	29.4	30.5	30.3	29.3	29.4	27.9	30.4	357.1	10	-48568
	01 LST	30.2	27.9	30.9	29.9	30.6	29.7	30.9	30.8	29.9	29.1	27.2	29.1	356.2	10	-48568
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	9.9	15.0	19.7	25.4	28.0	26.9	28.0	26.9	26.8	22.8	14.7	10.8	254.9	10	-48568
	13 LST	4.9	7.9	10.8	12.6	16.7	15.6	15.6	11.9	12.6	15.0	10.8	8.0	142.4	10	-48568
	19 LST	5.0	5.9	8.8	14.2	19.7	17.6	19.4	16.5	19.3	17.5	11.2	7.4	162.5	10	-48568
	01 LST	5.0	8.6	14.8	20.0	23.6	23.3	25.2	22.6	24.5	19.8	12.0	6.9	206.3	10	-48568
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	9.1	5.4	2.3	0.4	0.0	0.2	0.0	0.3	0.1	0.1	1.5	5.1	24.5	10	-48568
	13 LST	11.9	8.7	5.1	0.9	0.6	1.7	1.1	3.4	2.3	1.5	3.4	6.9	47.5	10	-48568
	19 LST	14.1	8.6	7.6	2.2	0.6	1.3	0.4	1.2	0.9	1.0	3.2	8.0	49.1	10	-48568
	01 LST	12.9	7.7	4.7	1.0	0.1	0.1	0.0	0.2	0.2	0.6	2.0	6.9	36.4	10	-48568
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	6.2	5.5	4.2	3.1	3.0	4.8	3.8	7.0	5.7	5.0	7.4	8.8	64.5	10	-48568
	13 LST	8.0	10.4	13.7	9.1	5.3	7.7	9.6	10.0	9.7	15.1	15.2	12.7	126.5	10	-48568
	19 LST	6.6	7.7	11.6	11.9	12.3	11.3	12.6	14.9	12.0	12.2	10.6	9.8	133.5	10	-48568
	01 LST	6.0	8.3	10.1	7.2	5.1	5.5	6.7	9.0	7.7	7.0	9.2	10.3	92.1	10	-48568
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	0.0	0.2	0.1	0.0	0.0	0.1	0.3	0.0	0.0	0.0	0.0	0.0	0.7	10	-48568
	13 LST	0.1	0.8	0.8	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	10	-48568
	19 LST	0.4	0.6	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	1.5	10	-48568
	01 LST	0.3	0.7	0.4	0.3	0.0	0.0	0.4	0.1	0.2	0.1	0.2	0.2	2.9	10	-48568
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	16.2	19.1	21.0	25.4	26.4	25.8	27.0	26.1	25.0	19.7	13.9	13.9	259.5	10	-48568
	13 LST	17.4	20.3	25.0	26.5	23.6	19.6	20.4	19.5	18.7	17.1	14.8	16.1	239.0	10	-48568
	19 LST	18.2	21.1	22.0	22.6	21.3	20.9	21.7	21.4	20.6	17.6	15.4	17.0	239.8	10	-48568
	01 LST	15.5	16.7	18.8	19.1	20.5	21.0	21.7	19.5	20.0	15.5	13.0	13.5	214.8	10	-48568
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	15.7	19.1	21.0	25.3	26.2	25.8	26.7	25.8	24.3	19.4	13.9	13.4	256.6	10	-48568
	13 LST	17.3	20.2	25.0	26.5	23.5	19.4	20.1	19.1	18.3	16.9	14.5	15.8	236.6	10	-48568
	19 LST	17.9	21.1	21.9	22.6	21.0	20.8	21.4	21.1	19.9	17.5	14.9	16.7	236.8	10	-48568
	01 LST	15.5	16.6	18.6	18.9	20.4	20.8	21.7	19.1	19.6	15.3	13.0	13.5	213.0	10	-48568
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	15.7	19.1	21.0	25.3	26.2	25.8	26.6	25.8	24.3	19.4	13.9	13.4	256.5	10	-48568
	13 LST	17.3	20.2	25.0	26.5	23.5	19.4	20.1	19.1	18.3	16.9	14.5	15.8	236.6	10	-48568
	19 LST	17.9	21.1	21.9	22.6	21.0	20.7	21.4	21.1	19.9	17.3	14.9	16.7	236.5	10	-48568
	01 LST	15.5	16.6	18.6	18.9	20.4	20.8	21.6	19.1	19.6	15.2	13.0	13.5	212.8	10	-48568

AREA NO. 01

PARAMETER DESCRIPTION	BOUNDARIES	PENINSULAR		LATITUDE 0900N LONGITUDE 09900E												
		1200N 09935E	1150N 09950E	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)				87	90	92	93	91	90	89	89	89	88	86	86	89
MEAN MIN TMP (F)				70	71	72	74	75	75	74	75	74	73	72	71	73
LARGEST MEAN PRECIP(IN)				8.80	3.50	5.60	7.50	13.66	11.80	11.10	11.60	14.26	14.30	23.70	20.70	146.5
SMALLEST MEAN PRECIP(IN)				0.30	0.40	1.20	1.60	0.80	3.40	3.20	3.60	3.80	3.30	1.10	0.40	23.1
				MEAN NUMBER OF DAYS												
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	23.2	20.0	22.1	24.0	27.4	26.8	27.3	27.2	26.1	23.8	22.8	24.7	295.4		
	13 LST	30.0	27.0	29.6	28.8	29.9	28.9	29.8	29.7	28.7	28.8	28.2	29.6	349.0		
	19 LST	30.0	26.6	29.0	28.3	29.3	28.2	29.2	29.4	28.0	28.4	27.6	29.3	343.3		
	01 LST	29.7	26.7	30.2	29.0	29.2	28.3	29.3	28.8	28.1	28.3	27.4	19.6	344.6		
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	19.6	17.9	20.6	23.2	26.4	25.0	26.0	25.2	24.9	22.5	20.2	21.0	272.5		
	13 LST	19.5	17.9	21.5	22.2	24.4	20.7	22.0	20.9	22.0	24.2	21.9	20.6	257.8		
	19 LST	25.0	22.4	25.1	25.8	26.6	24.7	26.4	25.7	25.5	25.7	23.9	24.0	300.8		
	01 LST	22.0	22.1	27.0	27.0	27.1	25.1	28.1	26.9	26.7	26.3	23.9	24.7	306.9		
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	1.2	0.8	0.3	0.1	0.0	0.2	0.1	0.4	0.0	0.1	0.4	1.0	4.6		
	13 LST	3.8	2.6	1.6	0.9	0.5	1.5	1.6	1.9	1.2	0.8	1.9	2.8	21.1		
	19 LST	2.0	1.3	1.0	0.4	0.2	0.5	0.2	0.4	0.3	0.3	0.8	1.5	8.9		
	01 LST	2.8	1.7	1.0	0.4	0.0	1.0	0.0	0.1	0.1	0.1	0.5	1.4	9.1		
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	3.8	3.1	2.6	2.7	3.7	5.4	5.1	4.8	4.6	2.9	3.2	4.9	46.8		
	13 LST	13.5	9.9	6.9	4.3	5.6	8.1	9.2	9.5	9.5	11.9	12.9	14.2	115.5		
	19 LST	9.0	8.8	10.6	8.4	7.3	9.0	8.8	9.3	7.8	6.5	6.8	8.5	100.8		
	01 LST	5.6	4.9	4.7	3.2	2.5	2.6	4.2	4.9	5.2	2.6	3.9	6.5	90.8		
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	5.2	3.6	4.7	4.1	1.1	1.2	1.5	1.0	1.0	1.4	2.6	4.4	31.8		
	13 LST	6.7	5.6	6.4	4.0	1.0	0.8	0.9	0.5	0.5	1.0	2.9	4.8	35.2		
	19 LST	8.5	6.2	6.2	3.3	1.0	1.2	0.9	0.9	0.9	2.2	4.7	6.8	42.8		
	01 LST	11.1	11.6	11.7	9.3	3.9	2.6	2.5	2.3	2.2	4.0	5.2	8.4	74.8		
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	20.6	18.0	20.2	22.9	25.0	24.1	24.5	24.4	22.9	20.7	19.0	19.8	262.1		
	13 LST	26.1	24.6	27.5	26.9	25.9	25.1	25.3	24.9	23.5	24.0	23.2	25.0	302.0		
	19 LST	26.8	24.5	27.0	26.0	25.4	25.1	25.8	25.0	24.0	24.2	23.5	25.3	302.6		
	01 LST	25.9	23.6	27.3	26.8	26.0	26.2	26.7	25.6	24.9	25.0	23.8	25.1	306.9		
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	19.8	17.7	20.1	22.7	24.5	23.6	23.9	23.8	22.3	20.2	18.8	19.9	257.3		
	13 LST	25.1	23.7	26.7	26.1	24.7	24.1	24.0	23.6	22.3	23.0	22.2	24.0	289.5		
	19 LST	26.3	24.1	26.6	25.6	24.8	24.6	25.1	24.4	23.3	23.8	23.1	24.6	296.3		
	01 LST	25.8	23.3	27.0	26.6	25.7	25.8	26.5	25.5	24.6	24.9	23.6	24.5	303.8		
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	19.8	17.7	20.1	22.6	24.5	23.6	23.8	23.8	22.3	20.2	18.8	19.9	257.1		
	13 LST	25.1	23.7	26.7	26.1	24.7	24.1	24.0	23.5	22.3	23.0	22.2	24.0	289.4		
	19 LST	26.3	24.1	26.6	25.6	24.8	24.6	25.1	24.4	23.3	23.8	23.1	24.6	296.3		
	01 LST	25.8	23.3	27.0	26.6	25.7	25.8	26.5	25.5	24.6	24.9	23.6	24.5	303.8		

UDORN, THAILAND

STA NO. 48354 (IN AREA NUMBER 02)

LATITUDE 1723N

LONGITUDE 10247E

ELEVATION(FT) 00585

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
ABS MAX TMP (F)	99	102	108	111	109	104	103	103	100	99	99	99	111	24	-540
MEAN MAX TMP (F)	87	91	96	98	94	92	91	90	89	89	88	96	92	24	-40
MEAN MIN TMP (F)	57	63	69	74	75	76	75	75	75	71	65	59	70	24	-40
ABS MIN TMP (F)	37	48	50	53	67	71	70	68	68	54	42	38	37	24	-540
MEAN NO DYS TMP = OR GTR 90(F)	8.6	18.9	30.7	28.8	28.3	23.0	21.0	17.9	14.3	14.8	11.2	30.7	248.2	24	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	24	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	24	-29
MEAN DEW PT TMP (F)	56	60	65	72	76	76	75	76	75	71	66	58	69	9	2843
MEAN REL HUM (PCT)	63	64	62	63	74	78	78	81	81	76	71	66	71	17	18000
MEAN PRESS ALT (FT)	487	549	606	684	762	823	841	822	742	620	530	488	663	0	-50
MEAN PRECIP (IN)	0.30	0.80	1.50	3.80	8.80	8.60	7.80	9.70	10.40	3.50	0.60	0.20	56.0	30	-40
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	24	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	0.7	1.7	3.2	5.3	5.3	13.1	12.4	14.1	13.1	6.6	3.1	0.5	79.1	30	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	24	-29
MEAN NO DYS W/O CUR VSBY LES 1/2 MI	5.7	9.9	8.4	1.8	0.7	0.8	0.0	1.5	0.7	2.7	0.5	1.0	33.7	9	523
MEAN NO DYS TSTMS	0.0	0.3	4.3	11.2	16.7	10.8	9.3	12.7	8.1	2.6	0.6	0.4	77.2	12	2354
P FREQ WND SPD = OR GTR 17 KTS	0.1	0.5	0.6	0.5	0.3	0.3	0.5	0.2	1.0	0.3	0.2	0.3	0.4	17	18041
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	18041
P FREQ LES 5000 FT A/D LES 5 MI	84.3	90.3	93.1	81.9	59.6	57.3	50.2	53.1	53.0	49.4	57.3	69.5	66.6	17	11083
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	79.0	92.6	85.4	69.0	27.2	22.1	18.3	17.7	15.3	27.2	37.3	66.7	46.5	12	1095
03-05 LST														0	0
06-08 LST	92.8	85.5	91.5	79.4	42.9	37.1	23.6	34.6	44.2	51.6	70.8	86.4	61.7	17	3199
09-11 LST	45.5	61.8	71.7	50.3	15.7	16.9	13.2	22.1	22.6	11.1	9.7	27.1	30.6	12	2386
12-14 LST	26.6	42.8	58.4	35.7	10.2	15.7	11.0	16.0	14.6	10.6	2.4	11.2	21.3	17	3761
15-17 LST	28.8	54.4	65.1	43.9	8.9	13.0	13.5	12.4	11.6	6.3	2.0	5.9	22.2	12	2762
18-20 LST	46.3	61.3	68.5	56.7	11.8	10.6	13.9	14.2	12.1	11.7	17.9	36.4	30.1	17	4189
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	6.5	13.2	21.9	8.0	1.1	5.3	2.2	6.3	3.5	2.4	0.0	1.2	6.0	12	1095
03-05 LST														0	0
06-08 LST	53.6	50.9	53.7	23.5	4.5	5.1	2.4	4.9	7.6	9.2	14.7	35.9	22.2	17	3199
09-11 LST	5.0	15.7	19.7	3.9	0.0	2.8	0.9	1.3	3.1	0.4	0.0	1.6	4.5	12	2386
12-14 LST	1.2	9.1	11.6	3.3	1.0	2.0	1.5	3.4	2.4	2.1	0.0	0.3	3.2	17	3761
15-17 LST	0.9	9.8	13.3	3.9	1.9	1.9	2.4	2.4	0.5	0.8	0.0	0.0	3.2	12	2762
18-20 LST	0.9	7.8	15.2	7.5	1.7	2.2	2.1	3.1	2.4	1.3	0.0	1.3	3.8	17	4189
21-23 LST														0	0

UDORN, THAILAND

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	4.5	5.0	3.8	9.6	22.4	21.2	25.3	22.3	18.8	19.1	12.2	6.4	170.6	17	3199
	13 LST	27.4	19.8	17.5	24.1	29.6	27.4	29.3	27.9	27.8	29.2	29.9	30.0	319.9	16	3761
	19 LST	24.4	17.2	14.7	20.0	29.1	28.1	28.4	28.0	27.6	29.4	28.5	27.9	303.3	17	4189
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	10.3	6.3	8.2	16.1	27.7	27.2	28.0	28.4	27.9	26.8	23.7	16.8	247.4	10	1095
	13 LST	23.4	17.4	16.7	22.5	29.0	27.0	26.8	25.9	27.0	27.8	27.9	28.5	301.9	16	3738
	19 LST	24.3	16.8	13.9	19.5	28.4	27.6	27.9	27.8	27.1	29.2	28.4	27.7	298.6	17	4181
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	10.3	5.0	7.9	16.1	27.7	26.9	28.0	28.4	27.6	26.8	23.6	16.8	245.1	10	1093
	13 LST	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	17	3279
	19 LST	0.0	0.1	0.3	0.2	0.1	0.0	0.4	0.0	0.2	0.1	0.0	0.3	1.7	16	3837
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	4243
	13 LST	1.0	3.3	3.8	3.8	3.5	2.4	2.5	1.7	3.3	1.5	0.6	1.8	29.2	10	1109
	19 LST	14.5	8.8	4.5	2.7	2.9	4.1	6.0	5.9	8.1	10.3	13.1	17.9	98.8	17	3248
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	3.2	2.8	3.9	3.2	3.2	3.5	4.9	4.3	4.1	3.6	2.6	4.1	43.4	16	3808
	13 LST	1.5	3.8	5.4	5.6	2.7	2.7	4.6	2.6	2.7	1.0	0.6	0.8	34.0	17	4230
	19 LST	1.3	1.5	1.1	1.7	1.8	1.2	0.8	0.3	1.2	5.2	3.9	2.6	22.6	10	1100
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	16.4	9.9	8.2	7.0	1.6	0.1	0.4	0.3	0.6	3.0	8.5	12.9	70.9	16	3826
	13 LST	4.9	3.8	2.8	5.8	4.6	2.1	1.9	1.6	3.8	12.7	13.2	11.0	88.2	17	4231
	19 LST	4.4	4.9	3.6	8.8	18.5	17.5	22.2	18.0	14.7	17.5	11.9	6.3	148.3	10	1107
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	25.8	18.7	15.7	21.3	21.7	18.8	21.0	19.4	18.6	23.7	26.4	27.5	258.6	16	3199
	13 LST	24.1	16.6	13.6	18.0	24.3	22.8	22.8	23.2	23.4	27.4	28.0	27.5	271.7	16	3761
	19 LST	24.1	16.6	13.6	18.0	24.3	22.8	22.8	23.2	23.4	27.4	28.0	27.5	271.7	17	4189
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	10.3	6.0	7.7	14.2	23.0	21.1	21.6	24.2	19.9	24.7	23.1	16.8	212.6	8	1095
	13 LST	3.6	3.8	2.9	8.1	15.9	13.5	16.9	12.2	11.6	15.8	10.1	6.0	120.4	16	3199
	19 LST	25.1	16.6	14.1	18.5	14.9	13.0	14.1	13.0	12.5	18.5	21.5	23.5	205.3	16	3761
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	22.5	15.7	12.2	16.3	20.9	19.1	18.6	19.6	20.4	25.3	25.8	25.1	241.5	17	4189
	13 LST	8.9	5.4	6.0	12.4	20.4	15.0	13.5	19.8	15.4	22.6	21.6	15.7	176.7	8	1095
	19 LST	3.6	3.8	2.9	8.1	15.9	13.5	16.4	11.9	11.5	15.8	9.7	5.8	118.9	16	3199
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	13 LST	25.1	16.6	14.1	18.5	14.9	13.0	14.1	13.0	12.5	18.5	21.4	23.4	205.1	16	3761
	01 LST	22.4	15.7	12.2	16.3	20.9	19.0	18.5	19.5	20.4	25.3	25.8	25.0	241.0	17	4189
	01 LST	8.9	5.4	6.0	12.4	20.4	15.0	13.5	19.8	15.4	22.6	21.6	15.3	176.3	8	1095

SAKON NAKHON, THAILAND

STA NO. 48356 (IN AREA NUMBER 02)

LATITUDE 1710N

LONGITUDE 10409E

ELEVATION(FT) 00525

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	95	102	106	108	104	104	97	97	99	97	97	97	108	17	2727
MEAN MAX TMP (F)	84	88	93	96	93	90	90	89	88	88	87	85	89	17	2727
MEAN MIN TMP (F)	54	61	68	74	75	75	75	74	74	70	64	57	69	17	2847
ABS MIN TMP (F)	34	46	50	57	68	69	71	70	68	55	46	41	34	17	2847
MEAN NO DYS TMP = DR GTR 90(F)	5.5	13.1	24.0	26.5	26.5	21.0	22.5	17.9	16.5	14.1	12.5	5.5	206.6	12	1961
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	2104
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	2104
MEAN DEW PT TMP (F)	55	61	67	71	76	76	76	76	75	70	64	59	69	17	-29
MEAN REL HUM (PCT)	64	66	67	67	78	82	81	83	83	77	71	69	74	17	14967
MEAN PRESS ALT (FT)														17	14967
MEAN PRECIP (IN)	0.30	0.70	2.10	3.50	9.30	9.20	10.20	10.70	10.10	2.20	0.50	0.00	58.8	0	0
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	30	-40
MEAN NO DYS PRCP = DR GTR 0.1 IN	0.7	1.5	4.1	5.2	5.4	13.6	14.5	14.9	12.9	5.1	3.0	0.0	80.9	17	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	30	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	-25
MEAN NO DYS TSTMS	0.2	1.1	6.2	12.6	17.6	11.6	8.1	10.9	6.6	3.2	0.4	0.2	78.7	4	466
P FREQ WND SPD = DR GTR 17 KTS	0.2	0.9	0.1	0.2	0.0	0.2	0.4	0.2	0.3	0.5	0.2	0.2	0.3	12	1974
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.1	0.0	0.0	17	14981
P FREQ LES 3000 FT A/D LES 3 MI	28.2	36.1	42.7	32.7	33.3	45.7	41.2	43.3	39.2	20.9	13.9	22.4	33.3	17	14981
P FREQ LES 1500 FT A/D LES 3 MI														16	9612
FDR 00-02 LST	14.3	10.0	19.9	12.6	19.7	28.2	12.8	16.8	16.0	7.3	3.0	1.3	13.2	6	1044
03-05 LST														0	0
06-08 LST	55.9	54.0	41.1	21.0	14.6	25.8	17.6	26.8	24.2	17.4	21.4	55.0	31.2	17	3019
09-11 LST	2.9	9.0	5.1	2.5	6.9	13.4	10.9	17.6	11.8	4.3	0.4	0.9	7.1	12	2191
12-14 LST	3.4	9.1	11.6	5.6	10.8	12.0	12.3	13.7	13.1	3.2	0.6	0.3	8.0	17	3213
15-17 LST	1.0	8.0	6.3	6.4	12.7	14.4	14.5	12.6	11.1	5.3	1.3	0.4	7.8	12	2311
18-20 LST	2.2	4.2	11.1	5.7	8.9	10.9	11.1	8.7	11.1	5.5	1.9	0.3	6.8	17	2898
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FDR 00-02 LST	0.0	0.0	0.9	2.1	0.0	1.4	1.1	0.0	3.2	1.8	0.0	0.0	0.9	6	1044
03-05 LST														0	0
06-08 LST	4.1	9.8	7.3	1.8	1.5	4.1	1.8	2.2	3.5	1.0	1.0	3.8	3.5	17	3019
09-11 LST	0.5	1.3	0.0	0.0	0.0	0.0	0.0	1.0	0.7	0.5	0.0	0.0	0.3	12	2191
12-14 LST	0.3	0.4	0.4	0.8	1.0	0.8	1.1	1.8	3.1	0.0	0.0	0.0	0.8	17	3213
15-17 LST	0.0	0.0	0.0	0.0	0.6	2.3	0.0	0.9	0.5	0.9	0.4	0.0	0.5	12	2311
18-20 LST	0.4	0.0	0.4	0.4	0.5	2.7	0.9	0.4	0.9	1.8	0.8	0.0	0.8	17	2898
21-23 LST														0	0

SAKON NAKHON, THAILAND

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	21.8	18.4	23.8	27.8	29.4	26.6	28.8	27.6	26.1	28.5	27.1	24.0	309.9	17	3019
	13 LST	30.3	26.5	28.6	29.5	30.2	28.4	29.7	29.5	28.0	30.4	29.9	30.9	351.9	17	3213
	19 LST	30.6	27.6	29.2	29.6	29.6	28.4	30.0	30.2	29.1	30.1	29.7	31.0	355.1	15	2898
	01 LST	29.8	26.8	30.1	28.4	27.8	26.5	29.1	29.5	28.0	29.9	29.7	31.0	346.6	5	1044
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	21.8	18.2	23.8	27.7	29.4	26.4	28.6	27.6	25.9	28.5	27.2	23.9	309.0	17	3007
	13 LST	28.7	24.6	27.3	29.3	30.2	27.8	29.4	29.2	27.6	29.7	28.9	29.8	342.5	17	3198
	19 LST	27.9	25.3	27.9	28.8	29.7	28.4	29.6	30.1	29.0	29.4	28.4	29.9	344.4	15	2882
	01 LST	29.1	26.8	29.8	28.4	27.8	26.5	28.8	29.5	28.0	29.9	29.7	31.0	345.3	5	1041
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.0	0.3	0.0	0.0	0.0	0.1	0.2	0.0	0.0	0.0	0.0	0.0	0.6	17	3059
	13 LST	0.2	0.3	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.3	0.1	0.2	1.3	17	3271
	19 LST	0.0	0.6	0.0	0.2	0.0	0.0	0.1	0.0	0.0	0.0	0.1	0.2	1.2	15	2937
	01 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	1048
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	0.7	2.3	3.6	2.9	2.7	4.6	4.2	3.6	2.3	1.3	1.2	1.4	30.8	17	3031
	13 LST	16.7	10.4	7.0	2.5	4.5	6.3	7.2	8.4	7.6	11.4	14.9	14.1	111.0	17	3253
	19 LST	10.2	7.2	5.7	4.1	3.1	2.5	3.4	3.0	3.6	6.9	8.5	10.4	68.6	15	2926
	01 LST	5.0	7.2	7.0	4.8	1.6	5.5	4.7	4.9	2.6	2.5	1.5	3.2	50.5	5	1048
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	11.7	7.8	10.3	8.6	4.8	1.8	1.7	0.9	2.0	12.5	13.9	13.2	89.2	17	3057
	13 LST	20.5	14.1	13.2	6.2	0.7	0.1	0.7	0.1	1.5	7.2	10.8	13.3	90.4	17	3263
	19 LST	24.1	18.3	17.0	11.8	3.6	1.3	1.8	1.7	4.7	13.9	18.9	21.6	138.7	15	2929
	01 LST	24.8	18.8	17.8	12.6	6.8	1.3	2.6	2.8	5.8	18.2	20.5	25.8	157.8	5	1048
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	21.6	18.6	22.8	27.1	23.7	19.5	22.7	18.4	19.1	26.5	26.8	23.8	270.6	16	3019
	13 LST	29.9	25.5	26.6	27.5	22.9	21.2	22.0	20.9	22.3	28.1	28.7	30.3	305.9	16	3213
	19 LST	30.5	27.4	27.8	27.4	25.7	24.9	24.9	24.8	23.9	28.6	29.3	30.9	327.1	14	2898
	01 LST	29.8	26.6	28.6	26.8	23.5	20.6	22.5	23.7	22.3	28.5	28.9	31.0	312.8	5	1044
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	21.2	17.9	22.3	26.7	22.1	16.9	20.6	16.1	17.2	25.6	26.5	23.7	258.8	16	3019
	13 LST	29.2	24.5	24.4	24.3	18.3	14.2	15.4	14.9	18.1	24.6	24.3	29.1	261.3	16	3213
	19 LST	30.4	27.1	27.2	26.5	25.2	23.4	23.0	22.3	22.2	27.7	29.0	30.6	314.6	14	2898
	01 LST	29.8	26.4	28.1	26.1	22.5	17.8	19.8	16.9	20.2	27.4	28.8	31.0	294.8	5	1044
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	21.2	17.9	22.3	26.7	22.0	16.9	20.6	16.1	17.2	25.6	26.5	23.7	258.7	16	3019
	13 LST	29.2	24.5	24.4	24.3	18.3	14.2	15.4	14.9	18.1	24.6	24.3	29.1	261.3	16	3213
	19 LST	30.4	27.1	27.2	26.5	25.2	23.4	23.0	22.3	22.2	27.7	29.0	30.6	314.6	14	2898
	01 LST	29.8	26.4	28.1	26.1	22.5	17.8	19.8	16.9	20.2	27.4	28.8	31.0	294.8	5	1044

NAKHON PHANOM, THAILAND

STA NO. 48357 (IN AREA NUMBER 02)

LATITUDE 1723N

LONGITUDE 10439E

ELEVATION(FT) 00562

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	93	97	100	106	102	99	99	97	95	95	93	92	106	12	1700
MEAN MAX TMP (F)	82	85	91	95	93	89	88	88	88	88	87	84	88	12	1700
MEAN MIN TMP (F)	56	62	70	74	76	76	75	74	74	69	64	59	69	11	1965
ABS MIN TMP (F)	36	46	48	64	70	68	69	66	68	57	46	43	36	11	1965
MEAN NO DYS TMP = OR GTR 90(F)	2.3	9.7	21.5	26.1	25.7	17.3	16.4	14.0	15.2	14.8	10.9	4.8	178.7	12	1700
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	1965
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	1965
MEAN DEW PT TMP (F)	60	66	65	70	74	76	75	75	75	71	64	59	69	7	380
MEAN REL HUM (PCT)	61	63	62	63	74	82	81	82	82	73	66	62	71	14	12622
MEAN PRESS ALT (FT)	460	522	579	656	737	798	816	800	721	598	507	462	638	0	-50
MEAN PRECIP (IN)	0.20	0.70	1.10	3.50	9.10	15.80	18.70	20.50	12.20	2.50	0.20	0.20	84.7	49	-40
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	0.5	1.5	2.6	5.2	5.3	18.6	20.2	21.1	14.3	5.5	2.6	0.3	97.9	49	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	3.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.2	7	79
MEAN NO DYS TSMS	0.2	0.0	6.5	10.3	18.8	15.7	14.9	13.9	11.8	3.9	0.2	0.2	96.4	12	1602
P FREQ WND SPD = OR GTR 17 KTS	2.8	0.9	0.5	0.6	0.0	0.1	0.0	0.0	0.4	0.4	2.2	1.3	0.8	13	12599
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	13	12599
P FREQ LES 3000 FT A/D LES 5 MI	26.2	31.9	45.6	37.0	25.3	50.1	53.0	47.2	43.1	29.8	24.3	22.5	36.3	12	6631
P FREQ LES 1500 FT A/D LES 3 MI															
PDR 00-02 LST	0.0	20.9	17.0	3.3	4.9	26.3	29.5	36.0	25.6	8.5	2.8	0.0	14.6	10	479
03-05 LST														0	0
06-08 LST	47.7	48.9	35.3	25.4	10.7	33.5	27.4	30.3	24.0	21.2	27.0	48.5	31.7	13	2486
09-11 LST	3.1	7.7	14.1	3.3	5.9	25.1	16.1	24.5	15.5	2.5	0.5	2.3	10.1	12	2139
12-14 LST	2.2	2.5	13.3	6.1	3.3	15.6	12.5	14.8	12.1	1.8	1.2	0.4	7.2	14	2628
15-17 LST	1.0	1.4	16.2	3.5	4.2	9.9	11.4	11.6	9.8	4.1	0.5	0.3	6.2	12	2186
18-20 LST	1.4	5.7	17.6	6.9	6.0	12.6	13.0	14.9	12.3	6.4	3.7	1.3	8.5	14	2409
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
PDR 00-02 LST	0.0	4.7	4.3	0.0	0.0	5.3	2.3	0.0	0.0	0.0	0.0	0.0	1.4	10	479
03-05 LST														0	0
06-08 LST	26.7	15.3	11.6	0.5	1.5	2.9	1.8	2.2	3.9	4.4	9.0	16.7	8.0	13	2486
09-11 LST	0.0	0.0	1.4	0.0	0.0	1.2	1.0	0.5	1.3	0.0	0.0	0.5	0.5	12	2139
12-14 LST	0.0	0.0	2.0	0.0	0.0	2.2	0.9	0.4	0.5	0.5	0.0	0.4	0.6	14	2628
15-17 LST	0.0	0.0	2.4	0.0	0.5	1.3	1.6	1.5	1.7	1.5	0.5	0.5	1.0	12	2186
18-20 LST	0.0	0.0	1.6	0.0	0.0	2.7	0.5	1.5	0.0	0.0	0.0	0.4	0.6	14	2409
21-23 LST														0	0

NAKHON PHANOM, THAILAND

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	21.0	21.2	25.9	27.4	30.1	26.2	28.7	26.2	25.9	27.8	25.3	23.1	308.8	13	2486
	13 LST	30.9	28.0	29.5	29.2	30.8	28.7	30.3	29.7	28.3	30.9	30.0	30.9	357.2	13	2628
	19 LST	31.0	27.5	29.0	29.6	30.8	29.0	30.4	28.7	28.8	30.0	29.7	30.7	355.2	13	2409
	01 LST	31.0	24.7	29.0	30.0	30.3	26.8	27.3	24.9	25.5	30.3	30.0	31.0	340.8	8	479
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	20.3	20.6	25.4	27.2	30.1	26.0	28.5	26.1	25.9	27.8	25.2	22.6	305.7	13	2474
	13 LST	27.6	25.8	28.5	28.2	30.8	28.5	29.9	29.5	27.8	29.9	26.7	28.4	341.6	13	2618
	19 LST	29.1	26.2	26.9	28.8	30.7	29.0	30.4	28.5	28.6	29.3	28.6	29.1	345.2	13	2402
	01 LST	29.6	22.8	26.9	29.0	29.6	26.8	27.3	24.9	24.8	30.3	29.1	29.5	330.6	8	478
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.3	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	13	2319
	13 LST	0.9	0.3	0.0	0.3	0.0	0.0	0.0	0.0	0.1	0.3	1.1	0.7	3.7	13	2668
	19 LST	1.0	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.3	2.3	13	2446
	01 LST	1.4	1.3	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	4.9	8	491
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	1.6	2.9	3.3	3.1	2.5	3.1	2.4	2.1	1.0	0.4	0.7	1.0	24.5	13	2515
	13 LST	13.0	9.9	6.1	1.5	2.7	5.8	4.5	4.9	2.1	7.8	11.2	12.9	82.4	13	2660
	19 LST	10.5	9.2	5.8	2.9	2.5	1.7	1.7	1.0	1.2	7.0	7.3	10.3	61.1	13	2445
	01 LST	3.6	5.2	4.8	3.0	6.3	1.5	2.1	1.7	3.0	0.6	2.6	1.5	35.9	8	487
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	12.3	11.3	11.0	8.4	3.6	1.6	1.2	2.0	1.6	11.0	12.9	13.8	90.7	13	2501
	13 LST	22.3	16.0	13.4	7.5	1.0	0.3	0.5	0.4	1.4	4.8	10.1	15.3	93.0	13	2660
	19 LST	27.7	19.0	16.5	14.9	7.6	1.9	2.0	3.0	3.1	13.7	16.8	22.4	148.6	13	2438
	01 LST	26.7	16.7	16.5	17.0	7.0	3.1	2.1	3.0	1.5	11.6	15.0	25.1	145.3	8	483
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	20.7	20.8	25.3	27.0	27.5	20.0	22.8	21.5	21.7	27.0	25.2	23.1	282.6	12	2486
	13 LST	30.7	27.0	28.9	27.6	25.9	22.4	22.2	23.7	21.8	29.1	29.5	30.7	319.5	12	2628
	19 LST	31.0	27.1	28.3	28.8	29.8	26.7	26.7	25.1	25.0	29.1	29.5	30.7	337.8	12	2409
	01 LST	31.0	24.8	29.0	30.0	28.1	26.1	25.5	22.2	21.8	30.3	30.0	31.0	329.8	7	479
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	20.5	20.4	24.9	26.5	25.6	17.3	18.8	17.8	19.0	26.4	25.2	23.1	265.5	12	2486
	13 LST	30.6	25.8	28.0	24.7	20.7	16.6	14.8	17.5	18.6	26.9	27.8	29.8	281.8	12	2628
	19 LST	30.8	26.6	27.4	27.8	28.5	25.4	24.2	22.4	22.6	28.6	28.9	30.4	323.6	12	2409
	01 LST	31.0	24.8	29.0	30.0	26.7	25.3	23.6	19.4	18.8	29.7	30.0	31.0	319.3	7	479
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	20.5	20.4	24.9	26.5	25.4	17.2	18.8	17.8	19.0	26.4	25.2	23.1	265.2	12	2486
	13 LST	30.6	25.8	28.0	24.7	20.7	16.5	14.8	17.5	18.6	26.9	27.8	29.8	281.7	12	2628
	19 LST	30.8	26.6	27.4	27.8	28.5	25.4	24.2	22.4	22.6	28.6	28.9	30.4	323.6	12	2409
	01 LST	31.0	24.8	29.0	30.0	26.7	25.3	23.6	19.4	18.8	29.7	30.0	31.0	319.3	7	479

KHON KAEN, THAILAND

STA NO. 40301 (IN AREA NUMBER 02)

LATITUDE 1620N

LONGITUDE 10251E

ELEVATION(FT) 00515

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	102	100	108	109	106	100	101	99	95	95	100	99	109	12	2380
MEAN MAX TMP (F)	86	91	96	99	95	92	91	90	89	88	88	86	91	12	2380
MEAN MIN TMP (F)	58	65	71	76	77	76	76	75	75	72	67	59	71	12	2480
ABS MIN TMP (F)	45	52	50	66	70	70	69	70	70	63	50	45	45	12	2480
MEAN NO DYS TMP = DR GTR 90(F)	11.1	19.6	27.3	28.7	28.5	25.3	24.6	22.0	17.5	14.6	15.2	9.4	243.8	12	2380
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	2480
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	2480
MEAN DEW PT TMP (F)	59	63	69	73	76	76	75	75	75	72	68	62	70	10	5738
MEAN REL HUM (PCT)	63	63	62	63	73	76	78	80	82	76	70	66	71	17	19829
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.40	0.70	1.40	3.30	7.70	7.30	6.20	7.00	11.00	3.90	0.60	0.10	19.6	50	-40
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	0.9	1.5	3.1	5.1	5.3	11.9	10.8	11.6	13.5	7.1	3.1	0.3	76.2	50	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.3	0.0	0.0	0.7	10	1040
MEAN NO DYS TSTMS	0.4	0.4	5.8	11.3	21.8	10.5	14.4	15.9	13.6	4.5	1.6	0.4	100.6	10	1048
P FREQ WND SPD = DR GTR 17 KTS	0.4	0.0	0.0	0.2	0.1	0.0	0.0	0.1	0.1	0.3	0.2	0.1	0.1	17	19889
P FREQ WND SPD = DR GTR 28 KTS	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	17	19889
P FREQ LES 3000 FT A/D LES 5 MI	52.4	63.4	76.6	56.5	49.0	49.2	58.3	58.0	56.5	43.8	40.1	45.6	54.1	16	14388
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	13.9	21.9	28.9	16.9	23.7	16.5	21.9	24.1	25.4	23.7	16.0	22.1	21.3	12	2134
03-05 LST														0	0
06-08 LST	36.8	44.6	45.2	34.6	30.5	26.1	29.1	29.7	31.9	28.8	23.2	33.3	32.8	17	3878
09-11 LST	14.0	24.9	31.8	21.1	24.9	23.6	27.2	27.9	31.3	25.7	23.5	24.6	25.0	12	2814
12-14 LST	14.4	17.5	23.2	16.4	20.6	19.2	24.3	23.1	25.4	19.3	18.2	20.2	20.2	17	3969
15-17 LST	16.7	19.2	26.8	19.8	23.0	21.2	25.5	23.0	26.2	24.5	20.4	22.1	22.4	12	3130
18-20 LST	15.6	19.2	33.7	22.7	20.8	21.0	22.8	23.4	24.4	20.8	21.5	21.2	22.3	16	3533
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	12	2134
03-05 LST														0	0
06-08 LST	3.6	5.4	2.3	0.7	0.3	0.0	0.3	0.9	0.0	0.9	1.4	2.0	1.5	17	3878
09-11 LST	0.0	1.0	1.4	0.0	0.0	0.0	0.4	0.0	0.5	0.0	0.0	0.0	0.3	12	2814
12-14 LST	0.0	0.0	1.0	0.3	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.3	0.2	17	3969
15-17 LST	0.0	0.0	0.4	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.1	12	3130
18-20 LST	0.0	0.0	1.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	16	3533
21-23 LST														0	0

KHON KAEN, THAILAND

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	24.3	20.0	24.0	28.6	29.3	28.8	29.7	29.0	27.5	28.3	25.5	23.2	318.2	17	3878
	13 LST	30.8	27.9	30.0	29.8	30.9	29.1	30.6	30.1	28.3	30.6	29.8	30.8	358.7	17	3969
	19 LST	30.7	27.8	28.8	29.1	29.8	29.4	29.9	29.4	26.5	29.9	29.9	30.7	351.9	16	3533
	01 LST	30.8	27.3	28.9	29.8	29.8	27.4	29.3	27.9	27.4	30.4	29.5	30.6	349.1	11	2134
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	24.0	19.9	24.0	28.5	29.1	28.8	29.6	28.9	27.7	28.3	25.1	23.1	317.0	17	3860
	13 LST	29.6	26.7	29.9	29.3	30.8	28.8	29.8	29.6	28.2	29.4	28.2	28.5	348.8	17	3943
	19 LST	30.2	27.4	28.6	28.8	29.8	29.3	29.5	29.2	28.4	29.4	29.4	30.4	348.4	16	3517
	01 LST	30.6	27.3	28.6	29.8	29.8	27.4	29.1	27.7	27.4	30.4	29.5	30.4	348.0	11	2133
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.3	17	3935
	13 LST	0.3	0.0	0.0	0.2	0.1	0.0	0.0	0.1	0.0	0.1	0.1	0.1	1.0	17	4037
	19 LST	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.2	16	3576
	01 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	2161
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	1.2	0.9	3.1	3.1	2.4	5.4	5.1	5.2	1.8	2.9	1.7	1.0	33.8	17	3899
	13 LST	11.6	5.5	3.1	1.6	2.0	3.6	5.6	6.3	5.1	12.3	15.3	15.0	87.0	17	4002
	19 LST	2.0	2.8	3.3	2.6	3.3	3.3	4.2	3.7	1.8	2.6	3.6	5.3	38.5	16	3551
	01 LST	3.6	3.3	3.6	3.0	4.0	5.6	5.6	4.5	2.2	4.1	1.9	2.7	44.1	11	2157
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	12.1	8.0	9.5	10.4	3.5	1.6	2.0	0.9	1.0	6.9	10.0	8.6	74.5	17	3920
	13 LST	19.6	15.7	14.0	7.3	0.8	0.4	0.3	0.0	0.3	4.1	7.1	13.4	83.0	17	4035
	19 LST	23.5	17.7	13.2	8.0	2.6	0.6	0.5	0.3	1.3	11.4	16.9	18.3	114.3	16	3568
	01 LST	27.4	21.9	20.1	15.0	6.1	3.5	3.1	2.3	3.0	14.5	18.1	21.1	198.1	11	2154
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	23.3	18.8	22.8	27.5	25.5	24.9	25.3	22.4	21.9	24.8	24.5	22.4	284.1	16	3878
	13 LST	30.3	26.8	28.5	28.2	27.7	25.4	24.3	23.8	23.0	27.5	28.4	30.1	324.2	16	3969
	19 LST	30.3	27.4	27.1	27.0	27.4	26.9	25.4	24.8	23.4	27.7	28.7	29.5	325.6	15	3533
	01 LST	30.3	26.3	28.0	28.8	25.6	23.8	23.7	24.3	21.0	26.9	28.1	30.2	317.0	11	2134
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	22.4	17.9	22.2	26.9	24.0	22.6	22.7	19.4	20.0	23.2	23.6	21.7	286.6	16	3878
	13 LST	29.9	25.6	27.3	27.1	25.7	23.3	21.4	20.3	20.4	25.4	27.0	29.4	302.8	16	3969
	19 LST	30.1	27.0	26.0	26.3	26.1	25.1	22.6	22.4	21.8	25.8	27.8	28.5	309.5	15	3533
	01 LST	30.2	25.8	27.5	28.1	24.5	21.7	20.8	18.0	17.9	25.4	27.1	29.8	296.8	11	2134
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	22.4	17.9	22.2	26.9	24.0	22.6	22.6	19.4	20.0	23.2	23.6	21.7	286.5	16	3878
	13 LST	29.9	25.6	27.3	27.1	25.7	23.3	21.4	20.3	20.4	25.4	27.0	29.4	302.8	16	3969
	19 LST	30.1	27.0	26.0	26.3	26.1	25.1	22.6	22.4	21.7	25.8	27.8	28.5	309.4	15	3533
	01 LST	30.2	25.8	27.5	28.1	24.5	21.7	20.8	18.0	17.9	25.4	27.1	29.8	296.8	11	2134

MUKDAHAN, THAILAND

STA NO. 48303 (IN AREA NUMBER 02) LATITUDE 1633N LONGITUDE 10444E ELEVATION(FT) 00433

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	97	100	104	106	104	100	97	100	95	102	95	93	106	16	2396
MEAN MAX TMP (F)	84	89	94	96	93	90	90	89	88	89	87	84	89	16	2396
MEAN MIN TMP (F)	56	62	69	73	75	75	75	75	74	71	66	59	69	16	2329
ABS MIN TMP (F)	37	48	50	59	68	66	68	70	68	61	52	46	37	16	2329
MEAN NO DYS TMP = DR GTR 90(F)	1.4	13.3	28.3	29.7	26.3	17.3	17.9	14.8	11.2	14.8	8.3	1.4	184.7	16	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16	-29
MEAN DEW PT TMP (F)	58	62	67	71	75	75	75	76	75	71	68	60	69	9	3555
MEAN REL HUM (PCT)	66	65	64	65	74	79	79	82	83	77	72	70	73	17	14618
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.10	0.30	1.70	2.60	8.50	8.60	9.70	10.60	11.40	2.10	0.20	0.90	96.7	30	-40
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	0.3	0.7	3.5	4.6	5.2	13.1	14.1	14.8	13.8	5.0	2.6	1.9	79.6	30	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	5.8	4.6	2.2	1.5	0.0	0.8	2.0	1.1	0.5	0.9	1.5	0.7	21.6	9	655
MEAN NO DYS TSTMS	0.0	0.5	7.0	11.4	18.5	13.0	11.0	13.5	9.5	4.8	0.4	0.2	89.8	12	2166
P FREQ WND SPD = DR GTR 17 KTS	3.8	1.9	1.0	0.9	0.1	0.1	0.3	0.2	0.3	1.6	2.9	2.8	1.3	16	14949
P FREQ WND SPD = DR GTR 28 KTS	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	16	14949
P FREQ LES 5000 FT A/D LES 5 MI	56.9	70.6	77.8	68.3	37.9	41.8	34.2	37.7	38.0	25.4	24.0	36.3	45.7	15	10174
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	25.0	36.4	50.3	43.4	12.1	17.9	12.3	18.1	17.1	9.8	3.1	8.7	21.2	12	1609
03-05 LST														0	0
06-08 LST	63.1	60.2	69.0	47.6	20.6	23.0	20.8	27.3	32.0	23.1	29.7	93.0	39.1	17	2362
09-11 LST	24.4	40.5	51.2	37.3	12.2	19.8	16.7	22.9	22.3	9.3	3.5	10.7	22.6	12	2345
12-14 LST	18.2	36.5	54.2	37.0	9.3	15.7	12.6	14.1	21.3	10.0	0.8	4.7	19.5	16	2742
15-17 LST	24.2	52.3	69.1	50.6	12.9	10.6	9.6	13.4	11.4	7.6	2.6	7.0	22.6	12	2317
18-20 LST	21.3	40.6	63.9	46.2	10.6	8.1	7.9	8.4	11.7	8.4	1.8	5.7	19.6	16	2900
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	6.5	12.7	27.7	13.2	2.8	4.9	5.8	8.3	5.7	3.1	0.0	3.5	7.9	12	1609
03-05 LST														0	0
06-08 LST	46.3	41.2	47.3	25.2	3.9	10.8	3.9	9.3	12.4	9.0	14.7	37.3	21.8	17	2362
09-11 LST	6.7	19.0	25.3	16.3	1.6	3.6	4.1	5.2	8.4	1.3	0.4	1.5	7.8	12	2345
12-14 LST	5.3	13.5	28.2	13.9	2.8	4.9	3.3	2.5	5.6	0.4	0.0	0.4	6.7	16	2742
15-17 LST	6.5	20.9	38.7	22.3	4.5	4.3	2.7	4.6	1.1	1.4	0.4	1.4	9.1	12	2317
18-20 LST	9.1	17.4	38.3	22.1	2.5	2.2	2.0	2.4	4.0	1.5	0.4	1.5	8.6	16	2900
21-23 LST														0	0

MUKDAHAN, THAILAND

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. DBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	13.6	12.3	12.1	19.2	27.7	25.6	28.3	25.9	23.8	26.0	22.5	16.9	253.9	15	2561
	13 LST	27.1	20.6	17.7	22.5	29.7	27.8	28.7	29.2	26.8	29.3	29.9	30.7	320.0	16	2742
	19 LST	26.8	20.5	14.0	19.9	29.0	28.4	29.9	29.4	27.6	29.2	29.9	29.9	314.5	16	2900
	01 LST	26.1	21.4	18.3	20.2	28.6	25.7	28.3	28.0	26.3	29.7	30.0	28.5	311.1	10	1609
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	13.0	11.8	11.6	18.6	27.8	25.2	28.2	25.9	23.8	26.0	21.7	15.4	249.0	15	2856
	13 LST	21.4	16.1	15.6	21.3	29.4	27.3	27.8	27.5	26.0	24.5	22.8	24.5	286.2	16	2736
	19 LST	21.3	17.3	11.7	18.9	28.6	28.2	29.8	29.4	27.3	26.9	25.8	25.6	290.8	16	2891
	01 LST	22.5	19.2	16.9	19.6	27.9	25.4	27.9	27.8	26.3	29.1	28.6	26.3	297.5	10	1606
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.3	0.0	0.1	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.1	0.4	1.1	15	2579
	13 LST	1.9	1.0	0.7	0.6	0.0	0.0	0.0	0.1	0.1	1.0	1.7	1.2	8.3	16	2767
	19 LST	0.9	1.0	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.7	3.6	16	2913
	01 LST	0.3	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.8	10	1623
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	5.0	3.6	6.0	4.8	4.0	5.2	3.4	3.4	2.0	5.9	4.4	4.5	52.2	15	2568
	13 LST	14.3	7.2	3.2	3.5	3.1	6.4	8.5	7.3	8.3	11.9	13.1	14.7	101.5	16	2757
	19 LST	8.9	7.5	4.7	5.0	4.6	3.5	2.8	3.2	4.5	8.8	11.6	13.0	78.1	16	2903
	01 LST	10.8	8.3	7.0	5.8	6.9	4.0	5.1	2.8	2.6	6.3	7.2	8.5	75.3	10	1622
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	5.7	4.0	3.6	5.5	3.6	1.6	2.5	0.9	2.0	10.0	8.6	8.9	56.9	15	2576
	13 LST	15.4	9.2	6.3	2.6	0.4	0.1	0.5	0.0	0.4	1.9	6.2	11.0	54.0	16	2769
	19 LST	20.9	11.8	6.1	6.0	3.5	1.3	2.3	1.3	4.1	15.8	19.7	20.0	112.8	16	2916
	01 LST	22.8	15.3	10.6	9.4	6.8	4.6	5.3	2.3	5.1	15.8	19.9	22.5	140.4	10	1619
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	13.5	11.9	11.7	18.5	23.2	20.4	22.4	19.5	19.0	24.8	22.1	16.9	223.9	13	2561
	13 LST	26.5	19.6	17.0	20.8	23.6	19.6	21.6	21.9	20.2	25.2	27.1	28.0	271.1	14	2742
	19 LST	26.7	20.3	13.4	19.3	26.2	26.0	26.5	26.3	25.4	28.3	29.4	29.6	297.4	15	2900
	01 LST	26.1	21.1	17.7	19.3	26.7	22.1	24.2	23.2	22.4	28.2	29.6	28.5	289.1	8	1609
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	13.1	11.3	11.5	18.1	22.6	19.4	21.0	18.9	18.8	24.6	21.6	16.8	217.7	13	2561
	13 LST	25.9	18.9	16.3	19.3	20.2	14.5	17.1	18.5	17.5	22.4	24.2	25.7	240.5	14	2742
	19 LST	26.7	20.1	13.2	18.9	24.3	24.5	25.3	24.3	23.9	27.8	29.0	29.5	287.5	15	2900
	01 LST	26.1	21.1	17.6	18.1	25.2	20.2	22.8	21.5	20.9	27.6	29.3	28.5	278.9	8	1609
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	13.1	11.3	11.5	18.1	22.6	19.4	21.0	18.9	18.8	24.6	21.6	16.8	217.7	13	2561
	13 LST	25.9	18.9	16.3	19.3	20.2	14.4	17.1	18.5	17.5	22.4	24.2	25.7	240.4	14	2742
	19 LST	26.7	20.1	13.2	18.9	24.3	24.5	25.3	24.3	23.9	27.8	29.0	29.5	287.5	15	2900
	01 LST	26.1	21.1	17.6	18.1	25.2	20.2	22.8	21.5	20.9	27.6	29.3	28.5	278.9	8	1609

CHAIYAPHUM, THAILAND

STA NO. 48403 (IN AREA NUMBER 02)

LATITUDE 1548N

LONGITUDE 10201E

ELEVATION(FT) 00098

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	98	99	105	109	105	105	98	96	96	93	95	95	109	10	-540
MEAN MAX TMP (F)	88	91	96	97	97	92	90	89	87	86	83	86	90	10	-40
MEAN MIN TMP (F)	62	67	72	76	77	76	75	74	74	73	65	66	71	10	-40
ABS MIN TMP (F)	43	35	34	68	71	68	70	70	70	64	50	48	35	10	-540
MEAN NO DYS TMP = DR GTR 90(F)	11.6	18.9	30.7	29.7	30.7	23.0	17.9	14.8	8.3	5.8	0.0	5.8	197.2	10	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN DEW PT TMP (F)	57	61	64	70	72	73	73	73	73	72	64	57	67	4	-40
MEAN REL HUM (PCT)	51	52	52	55	64	70	74	76	79	71	61	54	63	5	-40
MEAN PRESS ALT (FT)	52	103	154	216	276	309	314	325	269	198	100	51	194	0	-50
MEAN PRECIP (IN)	0.20	0.60	1.70	3.10	5.70	5.10	4.80	5.90	9.20	3.50	0.70	0.10	40.6	50	-40
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	0.5	1.3	3.5	5.0	5.5	9.7	9.4	10.5	12.2	6.6	3.2	0.3	67.7	50	-29
MEAN NO DYS SNFL = DR, GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 3000 FT A/D LES 5 MI	50.9	70.0	76.6	52.0	34.1	31.7	40.9	37.2	40.2	27.1	23.2	32.0	43.0	7	7263
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	43.0	53.3	59.5	26.0	8.9	6.6	16.3	15.3	18.6	17.8	19.1	33.9	26.5	10	2400
09-11 LST	8.5	18.9	31.4	14.8	10.6	11.0	18.6	16.6	19.7	8.0	2.7	3.3	13.7	7	1544
12-14 LST	1.9	13.8	20.8	9.8	7.1	12.8	18.0	20.3	16.8	9.0	1.7	0.8	11.1	10	2497
15-17 LST	5.6	20.4	24.6	16.8	14.6	10.9	19.9	16.9	21.1	10.2	1.3	0.0	13.5	6	1574
18-20 LST	4.4	16.7	23.6	14.4	18.1	2.3	18.6	10.9	17.4	11.1	2.5	0.0	11.7	7	1713
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	4.7	7.9	6.7	0.5	1.6	0.0	1.0	0.9	2.3	0.5	1.7	5.3	2.8	10	2400
09-11 LST	0.8	0.0	0.8	0.0	0.0	0.0	0.0	0.0	3.4	0.7	0.0	0.7	0.5	7	1544
12-14 LST	0.0	0.0	0.0	0.0	1.0	0.0	0.9	0.5	1.4	0.3	0.0	0.0	0.4	10	2497
15-17 LST	0.0	0.0	0.0	0.0	3.6	0.7	0.7	0.7	3.3	2.0	0.0	0.0	0.9	6	1574
18-20 LST	0.0	0.0	1.4	0.8	2.8	0.0	0.7	0.7	2.9	0.6	0.0	0.0	0.8	7	1713
21-23 LST														0	0

CHAIYAPHUM, THAILAND

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	18.8	13.0	15.5	21.9	29.9	28.5	27.9	28.9	25.9	26.8	24.7	20.2	281.6	8	711
	13 LST	30.2	23.6	27.1	26.6	31.0	29.0	29.0	29.3	28.9	29.5	30.0	30.8	349.0	8	1740
	19 LST	28.6	22.4	25.6	26.1	28.3	30.0	29.8	29.4	27.3	28.9	29.7	31.0	337.1	9	971
	01 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	17.9	12.1	14.1	21.1	28.3	26.3	23.4	24.3	22.5	24.0	24.0	19.6	257.6	8	1703
	13 LST	21.3	18.7	25.2	23.9	27.5	20.5	17.9	17.6	20.1	20.8	21.7	24.8	260.0	8	1730
	19 LST	28.1	21.6	22.3	23.8	24.9	27.5	23.6	26.3	21.8	26.0	28.5	30.3	304.7	9	970
	01 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.4	8	1765
	13 LST	0.8	0.6	0.0	0.0	0.0	0.4		0.8	0.0	0.7		0.2		8	1778
	19 LST	0.0	0.0	0.3	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.7	9	984
	01 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	9.9	6.9	3.4	5.7	4.6	4.8	5.5	4.5	4.6	8.2	7.1	6.4	71.6	8	1764
	13 LST	14.7	9.2	6.3	2.9	3.4	8.8	10.9	9.3	10.8	17.2	17.1	19.2	129.8	8	1778
	19 LST	8.2	5.5	8.3	4.9	5.6	8.3	12.0	5.7	6.4	5.6	4.9	5.0	80.4	9	984
	01 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	7.0	5.7	5.3	6.7	5.6	2.2	0.9	1.1	0.8	9.0	11.2	8.9	64.4	8	1732
	13 LST	16.6	11.0	8.3	6.7	1.4	0.8	0.2	0.2	0.0	2.6	5.9	11.4	65.1	8	1771
	19 LST	19.7	14.6	9.0	5.3	3.4	2.8	0.8	1.1	1.4	10.9	15.4	17.1	101.5	9	981
	01 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	17.7	12.1	13.9	20.3	27.4	24.5	21.2	21.7	20.0	23.1	23.7	19.0	244.6	8	1711
	13 LST	29.8	22.0	25.2	24.9	25.0	20.0	19.4	17.4	19.0	22.6	26.9	28.9	281.1	8	1740
	19 LST	28.2	21.6	23.8	23.1	24.2	26.3	21.9	25.1	21.4	25.6	27.9	29.0	298.1	9	971
	01 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	17.1	11.6	13.5	19.3	26.4	23.0	19.6	19.8	18.6	22.1	22.8	17.7	231.5	8	1711
	13 LST	29.1	20.8	24.3	24.2	22.7	17.6	17.3	15.9	17.0	20.6	23.4	27.4	262.3	8	1740
	19 LST	27.4	21.2	23.4	21.9	23.4	25.1	20.6	23.9	19.5	25.3	27.6	28.1	287.4	9	971
	01 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	17.1	11.6	13.5	19.3	26.4	23.0	19.6	19.8	18.6	22.1	22.8	17.7	231.5	8	1711
	13 LST	29.1	20.8	24.3	24.2	22.7	17.6	17.3	15.9	17.0	20.6	23.4	27.4	262.3	8	1740
	19 LST	27.4	21.2	23.4	21.9	23.4	25.1	20.6	23.9	19.5	25.3	27.6	28.1	287.4	9	971
	01 LST														0	0

ROI ET, THAILAND

STA NO. 48405 (IN AREA NUMBER 02)

LATITUDE 1603N

LONGITUDE 10341E

ELEVATION(PT) 00459

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	97	102	105	113	104	103	102	100	95	98	96	95	113	18	-340
MEAN MAX TMP (F)	88	90	96	96	94	92	90	89	88	88	87	85	90	18	-40
MEAN MIN TMP (F)	62	66	72	75	77	77	76	76	75	72	67	61	71	18	-40
1.5 MIN TMP (F)	43	49	54	61	68	67	71	70	68	59	53	48	43	18	-540
MEAN NO DYS TMP = DR GTR 90(F)	11.6	16.1	30.7	29.7	28.3	23.0	17.9	14.8	11.2	11.6	8.3	3.4	206.6	18	-29
MEAN NO DYS TMP = DR LES 92(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18	-29
MEAN DEW PT TMP (F)	62	63	68	72	75	75	75	75	75	72	68	61	70	10	3003
MEAN REL HUM (PCT)	60	60	60	62	71	74	76	79	81	76	70	65	70	17	15668
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.10	1.00	1.40	3.60	7.80	7.50	8.40	9.80	12.80	2.90	0.50	0.10	55.9	30	-40
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	0.3	2.1	3.1	5.2	5.2	12.1	12.9	14.2	14.7	6.0	3.0	0.3	79.1	30	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	2.5	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4	10	536
MEAN NO DYS TSTMS	0.2	0.6	3.7	10.5	17.5	7.3	11.7	13.7	11.4	5.9	0.5	0.5	83.5	12	2206
P FREQ WND SPD = DR GTR 17 KTS	0.5	0.6	0.3	0.6	0.5	0.5	0.4	0.3	0.3	0.3	0.9	0.5	0.5	16	15667
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	16	15667
P FREQ LES 5000 FT A/D LES 5 MI	48.7	55.2	52.6	44.6	34.0	33.6	40.1	44.2	44.7	22.7	23.9	31.1	39.6	17	9971
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	22.1	32.9	19.7	9.6	8.4	12.0	18.8	16.2	25.0	5.3	8.1	15.1	16.1	11	1205
03-05 LST														0	0
06-08 LST	52.3	43.8	30.4	16.8	11.7	9.4	15.6	12.9	25.1	13.4	19.4	45.4	24.7	17	2888
09-11 LST	9.8	19.1	10.7	4.1	5.0	6.5	10.5	14.0	13.9	2.4	0.8	6.4	8.6	12	2405
12-14 LST	2.1	11.6	6.6	2.0	5.9	5.9	7.6	9.0	10.3	4.0	1.2	2.2	5.7	17	3310
15-17 LST	1.3	10.9	7.3	2.0	4.9	4.9	5.3	6.1	11.2	4.2	1.9	2.1	5.2	12	2719
18-20 LST	4.2	7.8	8.3	7.9	7.4	7.3	11.1	9.6	13.1	5.3	0.0	2.4	7.0	17	2884
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.0	2.4	1.7	0.0	0.9	1.1	9.4	3.8	5.4	0.9	0.8	1.1	2.3	11	1205
03-05 LST														0	0
06-08 LST	24.9	13.4	4.8	1.3	1.3	0.9	1.9	3.3	4.4	2.7	6.2	23.4	7.4	17	2888
09-11 LST	0.9	0.6	0.0	0.6	0.0	0.0	1.4	1.0	0.5	0.0	0.4	0.0	0.5	12	2405
12-14 LST	0.0	0.4	0.0	0.4	0.4	0.8	1.4	0.7	0.8	0.0	0.3	0.0	0.4	17	3310
15-17 LST	0.0	0.0	0.5	0.0	0.5	0.0	0.9	0.8	2.2	0.8	0.8	0.0	0.5	12	2719
18-20 LST	0.4	0.9	0.0	0.4	1.6	0.5	1.8	2.9	3.3	1.1	0.0	0.3	1.1	17	2884
21-23 LST														0	0

ROI ET, THAILAND

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG ≥ GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	17.9	20.8	26.0	28.1	29.7	28.7	29.5	28.9	26.4	28.5	26.2	20.2	310.9	16	2888
	13 LST	31.0	27.5	30.5	29.6	30.5	29.4	30.1	29.8	28.3	30.6	29.9	30.8	358.0	16	3310
	19 LST	30.7	27.4	30.0	28.9	29.5	28.8	29.9	29.6	27.6	30.1	30.0	30.5	353.0	17	2884
	01 LST	29.2	27.0	28.6	29.2	30.1	28.7	27.2	27.2	26.6	30.7	29.3	29.0	342.8	10	1205
CIG ≥ GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	17.2	20.6	25.4	27.7	29.6	28.5	29.2	28.6	26.3	27.8	26.1	19.6	306.6	16	2873
	13 LST	27.4	26.0	28.9	27.4	29.2	27.8	27.9	27.7	27.6	27.7	25.7	27.1	330.4	16	3295
	19 LST	29.6	26.3	29.2	28.7	28.4	28.8	29.8	29.3	27.4	29.2	28.6	28.7	343.9	17	2879
	01 LST	27.9	26.0	27.3	28.4	29.8	28.4	25.6	26.6	26.0	29.6	29.0	28.7	333.3	10	1203
SFC WND ≥ GTR 17 KTS AND NO PRECIP.	07 LST	0.0	0.1	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.1	0.0	0.0	0.4	16	2920
	13 LST	0.3	0.5	0.5	0.7	0.5	0.7	0.1	0.2	0.3	0.2	0.3	0.5	4.8	16	3347
	19 LST	0.1	0.1	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.3	0.3	1.1	17	2755
	01 LST	0.4	0.3	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.2	0.0	1.2	10	1216
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	2.3	3.8	4.3	2.2	2.5	7.9	6.3	5.1	2.7	2.3	1.5	2.4	43.3	16	2908
	13 LST	12.2	8.0	4.5	2.0	2.2	5.6	6.4	9.0	6.5	11.1	12.9	13.1	93.5	16	3335
	19 LST	3.8	3.4	2.3	3.0	3.5	3.2	3.4	2.5	2.4	3.7	4.1	5.0	40.3	17	2895
	01 LST	5.8	7.3	6.0	6.5	5.2	8.6	7.8	7.8	3.9	6.4	4.5	7.8	77.6	10	1216
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	5.8	5.9	7.1	6.3	2.3	1.2	1.1	0.8	0.2	6.7	11.8	6.5	93.7	16	2899
	13 LST	15.9	12.7	10.3	5.1	0.4	0.0	0.1	0.0	0.2	3.5	9.0	14.4	71.6	16	3344
	19 LST	18.8	12.6	9.2	5.6	2.9	1.4	0.8	0.3	1.8	9.9	16.8	19.1	99.2	17	2904
	01 LST	19.5	16.0	12.3	9.1	4.0	2.9	1.9	1.5	1.3	14.8	17.2	20.3	120.8	10	1209
CIG ≥ GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	17.6	20.0	25.5	27.1	26.1	25.2	24.7	23.6	21.0	25.9	26.0	20.1	282.8	15	2888
	13 LST	30.7	27.1	29.8	28.4	27.4	24.8	26.1	23.4	22.5	27.6	28.6	30.4	327.0	16	3310
	19 LST	30.8	27.2	29.3	27.0	26.8	26.1	24.9	26.3	23.6	28.7	29.5	30.3	330.5	15	2884
	01 LST	29.2	27.0	28.2	27.9	27.2	25.1	23.5	21.9	22.6	29.0	29.0	29.0	319.6	9	1205
CIG ≥ GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	17.0	19.1	24.0	26.2	24.9	23.4	22.4	20.8	19.0	25.0	25.6	19.8	267.2	15	2888
	13 LST	30.3	25.9	27.7	24.1	21.2	17.3	20.1	15.3	15.6	24.6	26.2	29.8	278.1	16	3310
	19 LST	30.6	26.9	28.7	25.1	24.5	24.3	22.1	23.6	21.0	27.8	29.0	29.9	313.5	15	2884
	01 LST	29.2	27.0	27.8	26.9	24.6	22.8	19.5	18.9	21.3	27.8	28.8	29.0	303.6	9	1205
CIG ≥ GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	17.0	19.1	24.0	26.2	24.9	23.4	22.4	20.8	19.0	25.0	25.6	19.8	267.2	15	2888
	13 LST	30.3	25.9	27.7	24.1	21.0	17.3	20.0	15.3	15.6	24.6	26.2	29.8	277.8	16	3310
	19 LST	30.6	26.9	28.7	25.1	24.5	24.2	22.1	23.6	21.0	27.8	29.0	29.9	313.4	15	2884
	01 LST	29.2	27.0	27.8	26.9	24.6	22.8	19.5	18.9	21.3	27.8	28.8	29.0	303.6	9	1205

UBON, THAILAND

STA NO. 48407 (IN AREA NUMBER 02)

LATITUDE 1514N

LONGITUDE 10452E

ELEVATION(FT) 00400

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	99	101	104	107	104	103	97	100	97	97	96	97	107	23	-40
MEAN MAX TMP (F)	88	92	96	96	94	91	90	89	88	88	87	85	90	18	-40
MEAN MIN TMP (F)	62	66	71	75	76	76	75	75	74	72	68	63	71	18	-40
ABS MIN TMP (F)	46	52	57	62	68	70	68	68	69	62	54	49	46	23	-40
MEAN NO DYS TMP = DR GTR 90(F)	11.6	21.4	30.7	29.7	28.3	20.3	17.9	14.8	11.2	11.6	8.3	3.4	209.2	18	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	23	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	23	-29
MEAN DEW PT TMP (F)	58	61	66	70	74	75	74	75	74	70	65	59	68	18	-29
MEAN REL HUM (PCT)	60	59	60	63	73	77	78	80	81	75	69	64	70	17	16930
MEAN PRESS ALT (FT)	337	390	443	506	571	611	617	630	569	456	390	343	489	0	-50
MEAN PRECIP (IN)	0.10	0.40	1.50	2.90	6.60	7.90	9.90	11.30	11.60	4.80	0.70	0.10	57.8	50	-40
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	23	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	0.3	0.9	3.2	4.8	5.4	12.5	14.2	15.4	13.9	8.1	3.2	0.3	82.2	50	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	23	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	1.0	4.0	12.0	20.0	15.0	15.0	15.0	13.0	7.0	2.0	0.0	104.0	20	-40
P FREQ WND SPD = DR GTR 17 KTS	2.7	0.8	0.4	0.6	0.2	0.1	0.3	0.7	0.3	0.8	3.6	3.8	1.2	17	16950
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	17	16950
P FREQ LES 5000 FT A/D LES 5 MI	21.0	32.1	48.1	42.9	38.2	36.2	35.3	43.3	48.0	23.8	15.4	12.8	33.1	17	10414
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	5.9	5.0	17.1	5.1	11.4	7.0	11.5	15.5	20.4	3.1	0.0	0.0	8.5	3	506
03-05 LST														0	0
06-08 LST	27.7	35.4	40.2	27.3	12.5	8.8	10.1	16.2	21.3	8.2	8.9	13.0	19.1	17	3323
09-11 LST	3.7	8.8	11.0	10.8	3.2	6.7	7.7	12.8	18.9	6.6	0.5	0.5	7.6	12	2220
12-14 LST	0.7	6.4	10.3	7.1	5.8	6.3	6.1	9.2	13.0	4.5	0.7	0.6	5.9	17	3265
15-17 LST	0.8	9.6	10.2	7.8	4.2	5.1	7.6	9.7	10.4	5.3	1.1	0.0	6.0	12	2922
18-20 LST	0.6	5.2	9.5	9.7	7.3	7.0	12.7	10.5	11.3	5.4	2.3	0.0	6.8	17	4372
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.0	0.0	2.9	0.0	0.0	2.3	4.9	3.4	1.9	1.6	0.0	0.0	1.4	3	506
03-05 LST														0	0
06-08 LST	8.4	12.5	9.0	5.9	1.8	1.1	2.0	1.3	3.7	2.1	3.4	5.0	4.7	17	3323
09-11 LST	0.0	0.6	1.7	0.6	1.1	0.0	1.5	0.0	0.6	0.0	0.0	0.0	0.5	12	2220
12-14 LST	0.0	0.0	0.8	0.8	1.6	0.7	0.7	0.7	1.9	1.6	0.0	0.0	0.7	17	3265
15-17 LST	0.0	0.0	1.4	0.4	0.4	1.3	1.2	2.6	0.8	1.1	0.0	0.0	0.7	12	2922
18-20 LST	0.0	0.0	2.0	1.5	2.6	1.4	2.8	2.8	4.1	1.5	0.3	0.0	1.6	17	4372
21-23 LST														0	0

UBON, THAILAND

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PGR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	24.4	20.4	23.1	25.0	29.1	28.8	28.8	28.0	26.2	29.8	27.5	28.4	319.5	16	3323
	13 LST	31.0	27.4	29.0	29.1	30.4	29.3	30.0	30.0	28.6	30.5	29.9	31.0	356.2	17	3265
	19 LST	30.9	27.4	28.9	28.7	30.0	29.1	28.7	28.8	27.6	29.6	29.8	31.0	350.5	17	4272
	01 LST	31.0	28.0	26.7	30.0	30.1	28.7	29.5	27.3	26.0	30.5	30.0	31.0	348.8	3	506
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	23.2	19.7	23.0	25.0	28.9	28.5	28.7	27.5	25.8	29.5	26.2	26.4	312.4	16	3304
	13 LST	27.0	25.2	27.4	28.1	29.2	26.0	26.5	27.4	27.5	27.3	22.9	25.0	319.5	17	3255
	19 LST	27.4	25.6	27.5	28.1	29.5	28.2	28.2	28.4	27.4	28.3	26.0	26.7	331.3	17	4365
	01 LST	31.0	19.6	25.8	30.0	30.1	28.0	26.9	25.2	26.0	29.5	25.2	27.4	324.7	3	503
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.3	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.4	1.1	16	3378
	13 LST	1.5	0.2	0.4	0.0	0.0	0.0	0.2	0.3	0.1	0.3	2.1	1.6	6.7	17	3328
	19 LST	0.6	0.3	0.1	0.2	0.1	0.0	0.1	0.0	0.0	0.1	0.7	0.7	2.9	17	4402
	01 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.9	3	504
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	7.2	4.5	6.4	5.4	4.3	5.6	5.7	4.2	4.4	7.5	9.4	9.5	74.1	16	3354
	13 LST	12.0	4.9	2.8	0.9	2.5	7.5	9.3	11.0	9.3	9.6	8.7	11.8	49.3	17	3317
	19 LST	7.4	3.4	2.9	2.5	3.7	3.7	4.2	3.8	3.2	6.7	7.3	8.8	57.6	17	4384
	01 LST	5.5	11.2	12.1	8.9	13.7	11.1	11.9	9.5	7.5	9.5	11.6	16.4	128.9	3	504
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	8.9	5.9	6.9	5.8	3.2	2.1	2.6	1.1	1.2	8.1	12.1	12.3	70.2	16	3366
	13 LST	17.1	13.1	8.8	2.9	0.2	0.0	0.1	0.1	0.2	2.3	5.5	12.1	62.4	17	3318
	19 LST	22.7	17.5	13.4	10.9	2.8	1.8	2.2	1.4	3.4	12.6	17.3	21.8	127.8	17	4392
	01 LST	27.4	14.7	16.4	15.0	1.8	3.3	4.7	2.6	3.4	18.1	17.7	21.0	146.1	3	507
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	24.0	19.8	22.2	23.8	25.1	25.6	26.2	23.9	19.7	26.5	27.3	28.1	292.2	16	3323
	13 LST	29.9	26.6	27.1	25.2	22.1	21.5	22.2	20.9	18.2	23.9	26.8	29.9	294.3	16	3265
	19 LST	30.8	27.1	28.2	27.5	26.8	25.6	25.5	25.1	24.3	28.5	28.9	30.8	329.1	16	4372
	01 LST	31.0	26.7	27.7	29.2	29.1	24.7	25.3	22.6	23.2	29.0	30.0	31.0	324.5	2	506
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	23.3	19.2	21.0	22.7	22.6	23.3	23.3	21.3	16.9	25.1	26.8	27.7	273.2	16	3323
	13 LST	28.5	25.5	24.4	20.3	14.4	14.6	14.1	12.6	11.5	17.5	23.2	28.5	235.1	16	3265
	19 LST	30.6	26.6	27.4	26.6	23.9	23.0	23.1	21.9	22.0	27.7	26.4	30.6	311.8	16	4372
	01 LST	31.0	25.3	26.7	29.2	22.8	22.0	21.7	20.5	21.0	28.6	29.3	31.0	309.1	2	506
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	23.1	19.2	20.9	22.7	22.6	23.3	23.3	21.3	16.9	25.0	26.8	27.7	272.8	16	3323
	13 LST	28.5	25.4	24.4	20.3	14.4	14.6	14.1	12.6	11.5	17.5	23.2	28.5	235.0	16	3265
	19 LST	30.5	26.6	27.4	26.6	23.9	23.0	22.9	21.8	22.0	27.7	28.4	30.6	311.4	16	4372
	01 LST	31.0	25.3	26.7	29.2	22.8	22.0	21.7	20.5	21.0	28.6	29.3	31.0	309.1	2	506

KORAT, THAILAND

STA NO. 48431 (IN AREA NUMBER 02)

LATITUDE 1458N

LONGITUDE 10207E

ELEVATION(FT) 00729

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	100	105	108	110	106	104	102	101	101	99	100	100	110	24	-340
MEAN MAX TMP (F)	90	94	98	98	95	93	92	91	90	88	88	86	92	24	-40
MEAN MIN TMP (F)	60	67	71	74	75	75	74	74	73	71	67	60	70	24	-40
ABS MIN TMP (F)	41	44	52	60	69	70	68	64	62	59	48	44	41	24	-40
MEAN NO DYS TMP = DR GTR 90(F)	17.9	25.5	29.8	28.8	29.8	25.4	23.8	21.0	17.3	11.6	11.2	5.8	247.9	24	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	24	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	24	-29
MEAN DEW PT TMP (F)	56	63	68	73	76	74	73	74	73	71	67	59	69	6	21490
MEAN REL HUM (PCT)	63	61	62	64	73	73	74	75	80	79	73	68	70	17	20843
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.30	1.30	1.90	3.10	6.60	4.50	5.00	5.50	9.30	6.60	1.40	0.10	45.6	30	-40
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	24	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	0.7	2.6	3.8	5.0	5.4	9.1	9.6	10.1	12.2	9.9	4.1	0.3	72.8	30	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	24	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0	0.0	0.0	0.2	0.0	0.0	0.2	0.0	0.0	1.3	0.0	0.2	1.9	6	1358
MEAN NO DYS TSTMS	0.4	1.4	8.2	13.5	15.0	5.9	8.7	7.7	7.9	6.4	0.7	0.1	75.9	12	3072
P FREQ WND SPD = DR GTR 17 KTS	0.4	0.2	0.3	0.1	0.2	0.9	0.9	0.5	0.2	0.2	0.2	0.2	0.4	17	20945
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	17	20945
P FREQ LES 5000 FT A/D LES 5 MI	19.1	24.5	26.4	16.5	16.0	13.0	14.5	15.3	27.4	27.0	19.3	14.0	19.4	17	35379
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	0.0	0.0	1.2	0.0	1.5	2.7	0.5	1.0	2.9	1.3	0.4	0.4	1.0	7	2407
03-05 LST	0.0	0.0	0.0	0.6	1.0	0.0	0.0	0.9	2.7	2.6	1.4	0.0	0.8	5	1749
06-08 LST	30.5	25.7	21.2	9.9	6.9	2.0	2.8	3.1	9.8	19.5	24.6	23.0	14.9	17	7101
09-11 LST	3.8	3.8	2.3	2.0	1.2	1.2	1.7	2.1	9.8	9.0	3.6	0.8	3.4	12	6093
12-14 LST	3.3	3.5	1.5	2.0	3.3	4.2	3.1	2.8	7.2	8.6	3.8	1.0	3.7	17	7221
15-17 LST	1.0	1.4	1.5	1.5	4.4	2.5	2.5	2.1	6.5	3.8	1.5	0.3	2.4	12	6119
18-20 LST	4.0	5.2	4.8	3.6	8.6	4.0	4.9	6.3	11.3	8.1	3.1	1.7	5.5	17	6650
21-23 LST	0.0	0.0	0.9	1.2	1.4	1.0	0.8	1.9	2.4	1.7	0.4	0.0	1.0	6	2476
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	7	2407
03-05 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.0	0.0	0.1	5	1749
06-08 LST	7.7	8.3	7.3	2.4	1.6	0.4	0.9	0.4	2.1	6.1	6.3	6.6	4.2	17	7101
09-11 LST	0.0	0.2	0.0	0.3	0.0	0.0	0.0	0.0	0.6	0.2	0.4	0.2	0.2	12	6093
12-14 LST	0.2	0.2	0.0	0.3	0.8	1.0	0.4	0.2	1.0	1.0	0.2	0.1	0.5	17	7221
15-17 LST	0.0	0.0	0.0	0.2	0.3	0.2	0.2	0.0	0.6	0.4	0.2	0.0	0.2	12	6119
18-20 LST	1.6	2.2	1.7	0.3	1.8	0.5	1.0	0.7	2.1	1.4	0.5	0.0	1.2	17	6650
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	2476

KORAT, THAILAND

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	15.4	13.8	18.4	25.1	28.9	29.2	29.9	30.2	27.5	24.6	19.8	18.2	281.0	17	4125
	13 LST	30.2	26.5	30.3	29.7	30.6	29.3	30.5	30.7	29.0	29.7	29.6	30.6	356.7	17	4243
	19 LST	29.7	26.1	29.4	28.8	29.0	29.0	29.9	29.4	27.6	29.1	29.2	30.5	347.7	17	4608
	01 LST	31.0	28.0	30.3	29.7	30.7	30.0	30.4	30.7	29.4	30.8	30.0	31.0	362.0	5	1182
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	15.4	13.8	18.2	25.2	28.9	29.2	29.9	29.9	27.4	24.4	19.7	18.2	280.2	17	4108
	13 LST	28.2	25.3	29.9	29.1	29.1	24.0	25.4	25.2	27.3	26.8	26.6	27.3	324.2	17	4218
	19 LST	29.5	25.6	29.0	28.2	28.8	27.9	28.8	28.6	27.2	28.5	28.9	30.3	341.3	17	4593
	01 LST	31.0	28.0	30.0	29.4	30.7	29.7	30.1	30.7	29.1	30.8	30.0	30.2	359.7	5	1181
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.3	17	4223
	13 LST	0.2	0.1	0.0	0.1	0.2	0.8	0.8	0.3	0.1	0.1	0.3	0.1	3.1	17	4333
	19 LST	0.2	0.2	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.1	0.0	0.0	0.7	17	4698
	01 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	1190
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	2.0	2.6	2.0	1.8	1.1	2.7	2.3	1.4	1.3	2.6	1.5	1.2	22.5	17	4185
	13 LST	13.1	8.1	4.2	1.4	1.6	4.2	5.4	6.6	7.2	12.5	15.6	15.0	94.9	17	4299
	19 LST	2.4	3.7	5.1	4.4	4.7	6.9	6.8	8.4	3.3	2.7	2.3	2.0	52.7	17	4666
	01 LST	4.8	4.6	3.4	3.9	2.2	3.5	3.8	3.0	1.9	2.2	1.9	3.9	39.1	5	1189
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	6.0	5.2	6.8	7.8	2.2	1.9	1.9	0.9	0.8	3.9	6.8	6.7	30.9	17	4206
	13 LST	16.0	10.6	8.0	3.9	0.6	0.1	0.2	0.2	0.3	2.2	5.7	10.4	58.2	17	4347
	19 LST	19.3	10.8	6.8	2.6	0.9	0.8	0.5	0.9	1.4	7.7	12.7	18.1	82.5	17	4681
	01 LST	25.1	20.9	16.8	12.8	6.8	4.1	2.7	2.1	2.8	8.5	17.5	19.0	139.1	5	1187
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	14.8	13.0	17.5	24.2	27.2	28.3	28.5	28.1	24.2	21.5	18.6	17.7	263.6	16	4125
	13 LST	29.5	25.3	28.7	27.2	25.9	24.3	25.3	25.4	22.6	24.1	26.1	29.1	313.5	16	4243
	19 LST	29.0	24.8	26.8	26.9	25.8	26.8	25.6	25.5	23.0	26.3	27.9	29.7	318.1	17	4608
	01 LST	31.0	27.8	29.5	28.6	29.0	28.9	28.9	29.0	27.0	29.6	29.4	30.8	349.5	5	1182
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	14.5	12.1	16.4	23.8	26.3	27.1	27.2	26.7	22.2	20.2	17.6	16.9	251.0	16	4125
	13 LST	28.3	23.8	26.6	24.8	21.6	19.7	20.7	20.2	17.6	19.9	22.9	27.3	273.4	16	4243
	19 LST	28.2	23.2	24.6	25.1	23.8	25.4	22.7	22.8	20.2	24.5	26.6	29.0	296.1	17	4608
	01 LST	31.0	27.6	29.0	28.1	27.6	27.8	28.1	27.7	25.0	28.8	28.9	30.6	340.2	5	1182
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	14.5	12.1	16.4	23.8	26.2	27.1	27.2	26.7	22.2	20.2	17.6	16.9	251.0	16	4125
	13 LST	28.3	23.8	26.6	24.8	21.5	19.7	20.6	20.2	17.5	19.9	22.9	27.3	273.1	16	4243
	19 LST	28.2	23.2	24.5	25.1	23.8	25.3	22.7	22.8	20.2	24.4	26.5	29.0	295.7	17	4608
	01 LST	31.0	27.6	29.0	28.1	27.6	27.8	28.1	27.7	25.0	28.8	28.9	30.6	340.2	5	1182

SURIN, THAILAND

STA NO. 40432 (IN AREA NUMBER 02)

LATITUDE 1453N

LONGITUDE 10329E

ELEVATION(FT) 00476

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	108	104	108	109	105	102	100	99	101	97	97	95	109	18	-40
MEAN MAX TMP (F)	89	93	96	98	95	93	92	91	90	88	87	85	91	13	-40
MEAN MIN TMP (F)	62	67	73	75	76	76	75	75	74	73	66	62	71	13	-40
ABS MIN TMP (F)	45	52	52	59	68	68	68	66	66	61	53	51	45	18	-40
MEAN NO DYS TMP = DR GTR 90(F)	14.8	23.7	30.7	28.8	29.8	25.4	23.8	21.0	17.3	11.6	8.3	3.4	238.6	13	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18	-29
MEAN DEW PT TMP (F)	60	63	68	71	75	76	75	76	76	73	68	60	70	14	-29
MEAN REL HUM (PCT)	62	61	62	64	74	78	78	81	83	79	74	67	72	17	20699
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.10	0.70	1.90	2.80	6.40	7.00	7.80	8.60	10.70	5.40	1.10	0.30	62.8	50	-40
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	0.3	1.5	3.8	4.8	5.4	11.6	12.4	13.1	13.3	8.7	3.7	0.7	79.3	50	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	1.0	4.0	12.0	19.0	26.0	21.0	22.0	20.0	20.0	14.0	3.0	0.0	162.0	10	-40
P FREQ WND SPD = DR GTR 17 KTS	0.8	0.4	0.1	0.5	0.2	0.1	0.2	0.1	0.1	0.3	0.4	0.4	0.3	17	20748
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	20748
P FREQ LES 5000 FT A/D LES 5 MI	86.0	92.9	90.7	83.9	72.6	71.6	72.8	73.0	73.8	74.2	67.5	73.3	77.7	10	20204
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	0.7	5.0	1.8	1.2	3.6	8.7	5.0	3.6	6.7	3.0	2.3	1.3	3.7	10	2173
03-05 LST														0	0
06-08 LST	19.9	20.0	9.9	5.2	2.6	2.5	3.2	3.1	7.1	5.2	10.6	19.6	9.1	16	3931
09-11 LST	0.4	6.4	0.2	1.6	4.5	1.4	2.6	2.5	9.2	2.6	0.8	0.7	2.7	11	2916
12-14 LST	2.2	5.4	2.3	3.3	2.9	3.4	6.5	4.9	6.1	3.0	0.8	0.8	3.5	16	3964
15-17 LST	0.0	1.4	0.6	2.4	4.8	4.5	4.5	5.8	7.9	2.9	1.2	0.0	3.0	11	3209
18-20 LST	0.9	2.4	3.3	3.9	7.5	7.9	5.7	8.8	10.2	5.8	1.1	0.3	4.8	15	4011
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.7	0.6	0.0	1.2	1.8	3.0	1.5	3.7	2.5	1.4	0.0	0.0	1.4	10	2173
03-05 LST														0	0
06-08 LST	13.2	10.1	3.1	1.0	0.3	0.6	0.6	0.9	1.8	1.2	7.5	14.1	4.5	16	3931
09-11 LST	0.0	0.0	0.0	0.9	0.9	0.0	0.4	0.0	1.7	0.0	0.0	0.0	0.3	11	2916
12-14 LST	0.6	0.4	0.0	1.2	0.9	0.3	0.6	1.5	1.9	0.0	0.0	0.6	0.7	16	3964
15-17 LST	0.0	0.0	0.0	0.8	1.1	1.1	0.7	1.0	3.4	1.4	0.0	0.0	0.8	11	3209
18-20 LST	0.0	0.7	0.3	1.8	2.7	2.7	2.6	3.0	5.2	3.9	0.3	0.0	1.9	15	4011
21-23 LST														0	0

SURIN, THAILAND

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	24.8	22.4	28.0	29.2	30.7	29.5	30.3	30.5	28.9	30.2	26.9	25.0	336.4	17	3931
	13 LST	30.3	26.5	30.3	29.4	30.5	29.6	30.1	30.3	29.2	30.6	29.8	30.7	357.3	17	3964
	19 LST	30.7	27.3	30.2	29.2	29.6	28.1	29.8	29.1	28.0	29.5	29.7	31.0	352.2	15	4011
	01 LST	30.8	26.6	30.5	29.7	30.2	28.2	30.1	29.6	28.8	30.3	29.4	30.6	354.8	11	2173
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	24.6	22.0	27.8	29.0	30.4	29.5	30.2	30.4	27	30.0	26.5	24.7	333.8	17	3904
	13 LST	28.5	25.6	29.5	28.1	30.0	29.2	29.4	30.1	28.8	28.9	27.9	28.7	344.7	17	3944
	19 LST	30.1	26.7	29.8	28.4	28.9	27.8	29.0	28.8	27.9	28.9	29.2	29.7	345.2	15	3994
	01 LST	30.3	24.7	30.0	29.5	30.2	28.0	29.8	29.1	28.8	30.1	29.2	29.8	349.5	11	2169
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.2	17	4003
	13 LST	0.3	0.2	0.0	0.3	0.0	0.1	0.3	0.0	0.1	0.1	0.2	0.2	1.8	17	4070
	19 LST	0.2	0.1	0.0	0.3	0.2	0.0	0.1	0.1	0.0	0.2	0.1	0.1	1.4	15	4074
	01 LST	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.3	11	2202
SFC WND 4-10 KTS AND TMP 33-89 DEC F AND NO PRECIP.	07 LST	3.9	4.4	3.4	3.4	2.9	4.6	2.8	3.3	2.7	3.9	2.9	2.7	40.9	17	3967
	13 LST	7.6	4.3	2.0	1.2	1.7	4.3	6.5	5.5	5.1	8.0	10.9	10.5	67.6	17	4038
	19 LST	2.2	2.1	2.5	2.5	3.4	3.9	4.3	3.9	4.0	4.1	3.9	2.8	39.6	15	4045
	01 LST	6.0	5.5	4.2	3.7	3.9	7.1	4.4	3.2	3.8	4.6	5.6	4.3	56.3	11	2200
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	7.5	5.1	6.6	5.6	1.2	0.8	1.2	0.7	0.3	3.8	5.3	6.7	44.8	17	3984
	13 LST	11.3	7.5	5.2	0.9	0.0	0.0	0.1	0.0	0.0	1.1	2.5	6.3	34.9	17	4067
	19 LST	17.1	11.3	7.5	3.4	0.2	0.0	0.1	0.1	0.2	4.8	8.3	13.4	66.4	15	4077
	01 LST	21.1	14.8	14.5	9.6	2.2	0.9	0.6	0.6	0.3	6.3	12.0	16.3	99.2	11	2196
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	24.4	22.1	27.0	27.6	28.3	27.6	28.6	28.2	25.5	26.8	26.6	24.6	317.3	17	3931
	13 LST	29.4	25.0	27.6	24.9	24.7	23.6	23.6	23.0	22.2	26.6	27.4	29.5	307.5	17	3964
	19 LST	30.4	26.9	28.6	26.8	24.8	24.2	24.9	23.6	22.9	27.2	28.9	30.5	319.7	15	4011
	01 LST	30.7	26.6	30.2	29.4	28.9	25.9	27.6	27.1	26.0	29.3	28.9	30.5	341.1	11	2173
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	23.7	21.7	26.2	26.7	26.9	26.2	27.2	26.7	23.6	25.1	26.4	24.5	304.9	17	3931
	13 LST	28.3	23.4	24.6	20.9	19.3	18.0	17.7	17.1	17.0	20.2	24.9	28.2	259.6	17	3964
	19 LST	29.9	26.6	27.4	25.0	21.8	21.2	20.9	19.6	19.8	25.2	28.3	30.1	295.8	15	4011
	01 LST	30.7	26.6	30.0	29.0	27.4	25.0	26.4	25.1	24.9	28.7	28.6	30.4	332.8	11	2173
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	23.7	21.7	26.2	26.7	26.9	26.2	27.2	26.7	23.6	25.1	26.4	24.5	304.9	17	3931
	13 LST	28.3	23.4	24.6	20.9	19.2	18.0	17.7	17.1	17.0	20.2	24.8	28.2	259.4	17	3964
	19 LST	29.9	26.6	27.4	25.0	21.8	21.2	20.9	19.6	19.8	25.2	28.3	30.1	295.8	15	4011
	01 LST	30.7	26.6	30.0	29.0	27.4	25.0	26.4	25.1	24.9	28.7	28.6	30.4	332.8	11	2173

BAN NONG HOI, THAILAND

STA NO. 49640/ (IN AREA NUMBER 02)

LATITUDE 1717N

LONGITUDE 10406E

ELEVATION(FT) 00550

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	95	102	106	108	104	104	97	97	99	97	97	97	100	17	-48356
MEAN MAX TMP (F)	84	88	93	96	93	90	90	89	88	88	87	85	89	17	-48356
MEAN MIN TMP (F)	54	61	68	74	75	75	75	75	74	70	64	57	69	17	-48356
ABS MIN TMP (F)	34	46	50	57	68	69	71	70	68	58	46	41	34	17	-48356
MEAN NO DYS TMP = OR GTR 90(F)	1.4	10.4	26.3	29.7	26.3	17.3	17.9	14.8	11.2	11.6	8.3	3.4	178.6	17	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	-29
MEAN DEW PT TMP (F)	55	61	67	71	76	76	76	76	75	70	64	59	69	17	-29
MEAN REL HUM (PCT)	64	66	67	67	78	82	81	83	83	77	71	69	74	17	-48356
MEAN PRESS ALT (FT)	448	510	567	644	726	788	806	788	708	585	493	450	626	0	-50
MEAN PRECIP (IN)	0.30	0.70	2.10	3.50	9.30	9.20	10.20	10.70	10.10	2.20	0.50	0.00	58.8	30	-48356
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	0.7	1.5	4.1	5.2	5.4	13.6	14.5	14.9	12.9	5.1	3.0	0.0	80.9	30	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.7	0.0	0.0	0.0	1.3	4	-48356
MEAN NO DYS TSMS	0.2	1.1	6.2	12.6	17.6	11.6	8.1	10.9	6.6	3.2	0.4	0.2	78.7	12	-48356
P FREQ WND SPD = OR GTR 17 KTS	0.2	0.9	0.1	0.2	0.0	0.2	0.4	0.2	0.3	0.5	0.2	0.2	0.3	17	-48356
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.1	0.0	0.0	17	-48356
P FREQ LES 5000 FT A/D LES 5 MI	28.2	36.1	42.7	32.7	33.3	45.7	41.2	43.3	39.2	20.9	13.9	22.4	33.3	16	-48356
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	14.3	10.0	15.9	12.6	19.7	28.2	12.8	16.8	16.0	7.3	3.0	1.3	13.2	6	-48356
03-05 LST														0	0
06-08 LST	55.9	54.0	41.1	21.0	14.6	25.8	17.6	26.8	24.2	17.4	21.4	55.0	31.2	17	-48356
09-11 LST	2.9	9.0	5.1	2.5	6.9	13.4	10.9	17.6	11.8	4.3	0.4	0.9	7.1	12	-48356
12-14 LST	3.4	9.1	11.6	5.6	10.8	12.0	12.3	13.7	13.1	3.2	0.6	0.3	8.0	17	-48356
15-17 LST	1.0	8.0	6.3	6.4	12.7	14.4	14.5	12.6	11.1	5.3	1.3	0.4	7.8	17	-48356
18-20 LST	2.2	4.2	11.1	5.7	8.9	10.9	11.1	8.7	11.1	5.5	1.9	0.3	6.8	17	-48356
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.9	2.1	0.0	1.4	1.1	0.0	3.2	1.8	0.0	0.0	0.9	6	-48356
03-05 LST														0	0
06-08 LST	4.1	9.8	7.3	1.8	1.5	4.1	1.8	2.2	3.5	1.0	1.0	3.6	3.5	17	-48356
09-11 LST	0.5	1.3	0.0	0.0	0.0	0.0	0.0	1.0	0.7	0.5	0.0	0.0	0.3	12	-48356
12-14 LST	0.3	0.4	0.4	0.8	1.0	0.8	1.1	1.8	3.1	0.0	0.0	0.0	0.8	17	-48356
15-17 LST	0.0	0.0	0.0	0.0	0.6	2.3	0.0	0.9	0.9	0.9	0.4	0.0	0.5	12	-48356
18-20 LST	0.4	0.0	0.4	0.4	0.5	2.7	0.9	0.4	0.9	1.8	0.8	0.0	0.8	17	-48356
21-23 LST														0	0

BAN NONG HOI, THAILAND

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	21.8	18.4	23.8	27.8	29.4	26.6	28.8	27.6	26.1	28.5	27.1	24.0	309.9	17	-48356
	13 LST	30.3	26.5	28.6	29.5	30.2	28.4	29.7	29.5	28.0	30.4	29.9	30.9	351.9	17	-48356
	19 LST	30.6	27.6	29.2	29.6	29.6	28.4	30.0	30.2	29.1	30.1	29.7	31.0	355.1	15	-48356
	01 LST	29.8	26.8	30.1	28.4	27.8	26.5	29.1	29.5	28.0	29.9	29.7	31.0	346.6	5	-48356
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	21.8	18.2	23.8	27.7	29.4	26.4	28.6	27.6	25.9	28.5	27.2	23.9	309.0	17	-48356
	13 LST	28.7	24.6	27.3	29.3	30.2	27.8	29.4	29.2	27.6	29.7	28.9	29.8	342.5	17	-48356
	19 LST	27.9	25.3	27.9	28.8	29.7	28.4	29.6	30.1	29.0	29.4	28.4	29.9	344.4	15	-48356
	01 LST	29.1	26.8	29.8	28.4	27.8	26.5	28.8	29.5	28.0	29.9	29.7	31.0	345.3	5	-48356
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.0	0.3	0.0	0.0	0.0	0.1	0.2	0.0	0.0	0.0	0.0	0.0	0.6	17	-48356
	13 LST	0.2	0.3	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.1	0.2	1.3	17	-48356
	19 LST	0.0	0.6	0.0	0.2	0.0	0.0	0.1	0.0	0.0	0.0	0.1	0.2	1.2	15	-48356
	01 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-48356
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	0.7	2.3	3.6	2.9	2.7	4.6	4.2	3.6	2.3	1.3	1.2	1.4	30.8	17	-48356
	13 LST	16.7	10.4	7.0	2.5	4.5	6.3	7.2	8.4	7.6	11.4	14.9	14.1	111.0	17	-48356
	19 LST	10.2	7.2	5.7	4.1	3.1	2.5	3.4	3.0	3.6	6.9	8.5	10.4	68.6	15	-48356
	01 LST	9.0	7.2	7.0	4.8	1.6	5.5	4.7	4.9	2.6	2.5	1.5	3.2	90.5	5	-48356
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	11.7	7.8	10.3	8.6	4.8	1.8	1.7	0.9	2.0	12.5	13.9	13.2	89.2	17	-48356
	13 LST	20.5	14.1	13.2	6.2	0.7	0.1	0.7	0.1	1.5	7.2	10.8	15.3	90.4	17	-48356
	19 LST	24.1	18.3	17.0	11.8	3.6	1.3	1.8	1.7	4.7	13.9	18.9	21.6	138.7	15	-48356
	01 LST	24.8	18.8	17.8	12.6	6.8	1.3	2.6	2.8	5.8	18.2	20.5	25.8	157.8	5	-48356
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	21.6	18.6	22.8	27.1	23.7	19.5	22.7	18.4	19.1	26.5	26.8	23.8	270.6	16	-48356
	13 LST	29.9	25.5	26.6	27.5	22.9	21.2	22.0	20.9	22.3	28.1	28.7	30.3	305.9	16	-48356
	19 LST	30.5	27.4	27.8	27.4	26.7	24.9	24.9	24.8	23.9	28.6	29.3	30.9	327.1	14	-48356
	01 LST	29.8	26.6	28.6	26.8	23.5	20.6	22.5	23.7	22.3	28.5	28.9	31.0	312.8	5	-48356
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	21.2	17.9	22.3	26.7	22.1	16.9	20.6	16.1	17.2	25.6	26.5	23.7	256.8	16	-48356
	13 LST	29.2	24.5	24.4	24.3	18.3	14.2	15.4	14.9	18.1	24.6	24.3	29.1	261.3	16	-48356
	19 LST	30.4	27.1	27.2	26.5	25.2	23.4	23.0	22.3	22.2	27.7	29.0	30.6	314.6	14	-48356
	01 LST	29.8	26.4	28.1	26.1	22.5	17.8	19.8	16.9	20.2	27.4	28.8	31.0	294.8	5	-48356
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	21.2	17.9	22.3	26.7	22.0	16.9	20.6	16.1	17.2	25.6	26.5	23.7	256.7	16	-48356
	13 LST	29.2	24.5	24.4	24.3	18.3	14.2	15.4	14.9	18.1	24.6	24.3	29.1	261.3	16	-48356
	19 LST	30.4	27.1	27.2	26.5	25.2	23.4	23.0	22.3	22.2	27.7	29.0	30.6	314.6	14	-48356
	01 LST	29.8	26.4	28.1	26.1	22.5	17.8	19.8	16.9	20.2	27.4	28.8	31.0	294.8	5	-48356

NONG KHAI, THAILAND

STA NO. 49641/ (IN AREA NUMBER 02)

LATITUDE 1751N

LONGITUDE 10244E

ELEVATION(FT) 00525

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	99	102	108	111	109	104	103	103	100	99	99	99	111	24	-48354
MEAN MAX TMP (F)	87	91	96	98	94	92	91	90	89	89	88	96	92	24	-48354
MEAN MIN TMP (F)	57	63	69	74	75	76	75	75	75	71	65	59	70	24	-48354
ABS MIN TMP (F)	37	48	50	53	67	71	70	68	68	54	42	38	37	24	-48354
MEAN NO DYS TMP = DR GTR 90(F)	8.6	18.9	30.7	28.8	28.3	23.0	21.0	17.9	14.3	14.8	11.2	30.7	248.2	24	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	24	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	24	-29
MEAN DEW PT TMP (F)	56	60	65	72	76	76	75	76	75	71	66	58	69	9	-48354
MEAN REL HUM (PCT)	63	64	62	63	74	78	78	81	81	76	71	66	71	17	-48354
MEAN PRESS ALT (FT)	435	495	551	627	702	758	774	760	684	564	478	435	605	0	-50
MEAN PRECIP (IN)	0.10	0.50	1.10	3.00	7.70	9.00	9.20	12.90	10.50	3.30	0.50	0.10	37.5	20	-40
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	24	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	0.3	1.1	2.6	4.9	5.3	13.5	13.6	16.3	13.1	6.4	3.0	0.3	80.4	20	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	24	-29
MEAN NO DYS W/O CUR VSBY LES 1/2 MI	5.7	9.9	8.4	1.8	0.7	0.8	0.0	1.5	0.7	2.7	0.5	1.0	33.7	9	-48354
MEAN NO DYS TSTMS	0.0	0.5	4.3	11.2	16.7	10.8	9.3	12.7	8.1	2.6	0.6	0.4	77.2	12	-48354
P FREQ WND SPD = DR GTR 17 KTS	0.1	0.5	0.6	0.5	0.3	0.3	0.5	0.2	1.0	0.3	0.2	0.3	0.4	17	-48354
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	-48354
P FREQ LES 5000 FT A/D LES 5 MI	84.3	90.3	93.1	81.9	59.6	57.3	50.2	53.1	53.0	49.4	57.3	69.5	66.6	17	-48354
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	79.0	92.6	85.4	69.0	27.2	22.1	18.3	17.7	15.3	27.2	37.3	66.7	46.5	12	-48354
03-05 LST														0	0
06-08 LST	92.8	85.5	91.5	79.4	42.9	37.1	23.6	34.6	44.2	51.6	70.8	86.4	61.7	17	-48354
09-11 LST	45.5	61.8	71.7	50.3	15.7	16.9	13.2	22.1	22.6	11.1	9.7	27.1	30.6	12	-48354
12-14 LST	26.6	42.8	58.4	35.7	10.2	13.7	11.0	16.0	14.6	10.6	2.4	11.2	21.3	17	-48354
15-17 LST	28.8	54.4	65.1	43.9	8.9	13.0	13.5	12.4	11.6	6.5	2.0	5.9	22.2	12	-48354
18-20 LST	46.3	61.3	68.5	56.7	11.8	10.6	13.9	14.2	12.1	11.7	17.9	36.4	30.1	17	-48354
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	6.5	13.2	21.9	8.0	1.1	5.3	2.2	6.3	3.5	2.4	0.0	1.2	6.0	12	-48354
03-05 LST														0	0
06-08 LST	53.6	50.9	53.7	23.5	4.5	5.1	2.4	4.9	7.6	9.2	14.7	35.9	22.2	17	-48354
09-11 LST	5.0	15.7	19.7	3.9	0.0	2.8	0.9	1.3	3.1	0.4	0.0	1.6	4.5	12	-48354
12-14 LST	1.2	9.1	11.6	3.3	1.0	2.0	1.3	3.4	2.4	2.1	0.0	0.3	3.2	17	-48354
15-17 LST	0.9	9.8	13.3	3.9	1.9	1.9	2.4	2.4	0.5	0.8	0.0	0.0	3.2	12	-48354
18-20 LST	0.9	7.8	15.2	7.5	1.7	2.2	2.1	3.1	2.4	1.3	0.0	1.3	3.8	17	-48354
21-23 LST														0	0

NONG KHAI, THAILAND

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR	NO.
															(YRS)	OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	4.5	5.0	3.8	9.6	22.4	21.2	25.3	22.3	18.8	19.1	12.2	6.4	170.6	17	-48354
	13 LST	27.4	19.8	17.5	24.1	29.6	27.4	29.3	27.9	27.8	29.2	29.9	30.0	319.9	16	-48354
	19 LST	24.4	17.2	14.7	20.0	29.1	28.1	28.4	28.0	27.6	29.4	28.5	27.9	303.3	17	-48354
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	10.3	6.3	8.2	16.1	27.7	27.2	28.0	28.4	27.9	26.8	23.7	16.8	247.4	10	-48354
	07 LST	4.5	4.9	3.7	9.6	22.4	21.2	25.1	22.3	18.6	19.1	12.2	6.4	170.0	17	-48354
	13 LST	25.4	17.4	16.7	22.5	29.0	27.0	26.8	25.9	27.0	27.8	27.9	28.5	301.9	16	-48354
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	24.3	16.8	13.9	19.5	28.4	27.6	27.9	27.8	27.1	29.2	28.4	27.7	298.6	17	-48354
	01 LST	10.3	5.0	7.9	16.1	27.7	26.9	28.0	28.4	27.6	26.8	23.6	16.8	245.1	10	-48354
	07 LST	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	17	-48354
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	13 LST	0.0	0.1	0.3	0.2	0.1	0.0	0.4	0.0	0.2	0.1	0.0	0.3	1.7	16	-48354
	19 LST	0.0	0.1	0.1	0.0	0.0	0.1	0.3	0.0	0.3	0.1	0.0	0.0	1.0	17	-48354
	01 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-48354
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	1.0	3.3	3.8	3.8	3.5	2.4	2.5	1.7	3.3	1.5	0.6	1.8	29.2	17	-48354
	13 LST	14.5	8.8	4.5	2.7	2.9	4.1	6.0	5.9	8.1	10.3	13.1	17.9	98.8	16	-48354
	19 LST	3.2	2.8	3.9	3.2	3.2	3.5	4.9	4.3	4.1	3.8	2.6	4.1	43.4	17	-48354
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	1.5	3.8	5.4	5.6	2.7	2.7	4.6	2.6	2.7	1.0	0.6	0.8	34.0	10	-48354
	07 LST	1.3	1.5	1.1	1.7	1.8	1.2	0.8	0.3	1.2	5.2	3.9	2.6	22.6	17	-48354
	13 LST	16.4	9.9	8.2	7.0	1.6	0.1	0.4	0.3	0.6	5.0	8.5	12.9	70.9	16	-48354
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	16.6	10.1	6.6	5.8	2.3	1.1	1.3	1.0	4.3	12.3	17.8	18.4	97.6	17	-48354
	01 LST	4.9	3.8	2.8	5.8	4.6	2.1	1.9	1.6	3.8	12.7	13.2	11.0	68.2	10	-48354
	07 LST	4.4	4.9	3.6	8.8	18.5	17.5	22.2	18.0	14.7	17.5	11.9	6.3	148.3	16	-48354
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	13 LST	25.8	18.7	15.7	21.3	21.7	18.8	21.0	19.4	18.6	23.7	26.4	27.5	258.6	16	-48354
	19 LST	24.1	16.6	13.6	18.0	24.3	22.8	22.8	23.2	23.4	27.4	28.0	27.5	271.7	17	-48354
	01 LST	10.3	6.0	7.7	14.2	23.0	21.1	21.6	24.2	19.9	24.7	23.1	16.8	212.6	8	-48354
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	3.6	3.8	2.9	8.1	15.9	13.5	16.9	12.2	11.6	15.8	10.1	6.0	120.4	16	-48354
	13 LST	23.1	16.6	14.1	18.5	14.9	13.0	14.1	13.0	12.5	18.5	21.5	23.5	205.3	16	-48354
	19 LST	22.5	15.7	12.2	16.3	20.9	19.1	18.6	19.6	20.4	25.3	25.8	25.1	241.5	17	-48354
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	8.9	5.4	6.0	12.4	20.4	15.0	13.5	19.8	15.4	22.6	21.6	15.7	176.7	8	-48354
	07 LST	3.6	3.8	2.9	8.1	15.9	13.5	16.4	11.9	11.5	15.8	9.7	5.8	118.9	16	-48354
	13 LST	25.1	16.6	14.1	18.5	14.9	13.0	14.1	13.0	12.5	18.3	21.4	23.4	209.1	16	-48354
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	22.4	15.7	12.2	16.3	20.9	19.0	18.5	19.5	20.4	25.3	25.8	25.0	241.0	17	-48354
	01 LST	8.9	5.4	6.0	12.4	20.4	15.0	13.5	19.8	15.4	22.6	21.6	15.3	176.3	8	-48354

NAM PHONG, THAILAND

STA NO. 49644/ (IN AREA NUMBER 02)

LATITUDE 1639N

LONGITUDE 10258E

ELEVATION(FT) 00750

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	102	100	108	109	106	100	101	99	95	95	100	99	109	12	-48381
MEAN MAX TMP (F)	86	91	96	99	95	92	91	90	89	88	88	86	91	12	-48381
MEAN MIN TMP (F)	58	65	71	76	77	76	76	75	75	72	67	59	71	12	-48381
ABS MIN TMP (F)	45	52	50	66	70	70	69	70	70	63	50	45	45	12	-48381
MEAN NO DYS TMP = DR GTR 90(F)	11.1	19.6	27.3	28.7	28.5	25.3	24.6	22.0	17.5	14.6	15.2	9.4	243.8	12	-48381
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-48381
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-48381
MEAN DEW PT TMP (F)	59	63	69	73	76	76	75	75	75	72	68	62	70	10	-48381
MEAN REL HUM (PCT)	63	63	62	63	73	76	78	80	82	76	70	66	71	17	-48381
MEAN PRESS ALT (FT)	736	815	861	913	954	984	976	993	939	832	772	719	875	0	-50
MEAN PRECIP (IN)	0.40	0.70	1.40	3.30	7.70	7.30	6.20	7.00	11.00	3.90	0.60	0.10	49.6	50	-48381
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	0.9	1.5	3.1	5.1	5.3	11.9	10.8	11.6	13.5	7.1	3.1	0.3	74.2	50	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.3	0.0	0.0	0.7	10	-48381
MEAN NO DYS TSTMS	0.4	0.4	5.8	11.3	21.8	10.5	14.4	15.9	13.6	4.5	1.6	0.4	100.6	10	-48381
P FREQ WND SPD = DR GTR 17 KTS	0.4	0.0	0.0	0.2	0.1	0.0	0.0	0.1	0.1	0.3	0.2	0.1	0.1	17	-48381
P FREQ WND SPD = DR GTR 28 KTS	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	17	-48381
P FREQ LES 5000 FT A/O LES 3 MI	52.4	63.4	76.6	56.5	49.0	49.2	58.3	58.0	56.5	43.8	40.1	45.6	54.1	16	-48381
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	13.9	21.9	28.9	16.9	23.7	16.5	21.9	24.1	25.4	23.7	16.0	22.1	21.3	12	-48381
03-05 LST														0	0
06-08 LST	36.8	44.6	45.2	34.6	30.5	26.1	29.1	29.7	31.9	28.8	23.2	33.3	32.8	17	-48381
09-11 LST	14.0	24.9	31.8	21.1	24.9	23.6	27.2	27.9	31.3	25.7	23.5	24.6	25.0	12	-48381
12-14 LST	14.4	17.5	23.2	16.4	20.6	19.2	24.3	23.1	25.4	19.3	18.2	20.2	20.2	17	-48381
15-17 LST	16.7	19.2	26.8	19.8	23.0	21.2	25.5	23.0	26.2	24.5	20.4	22.1	22.4	12	-48381
18-20 LST	15.6	19.2	33.7	22.7	20.8	21.0	22.8	23.4	24.4	20.8	21.5	21.2	22.3	16	-48381
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	12	-48381
03-05 LST														0	0
06-08 LST	3.6	5.4	2.3	0.7	0.3	0.0	0.3	0.9	0.0	0.9	1.4	2.0	1.5	17	-48381
09-11 LST	0.0	1.0	1.4	0.0	0.0	0.0	0.4	0.0	0.5	0.0	0.0	0.0	0.3	12	-48381
12-14 LST	0.0	0.0	1.0	0.3	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.3	0.2	17	-48381
15-17 LST	0.0	0.0	0.4	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.1	12	-48381
18-20 LST	0.0	0.0	1.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	16	-48381
21-23 LST														0	0

NAM PHONG, THAILAND

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	24.3	20.0	24.0	28.6	29.3	28.8	29.7	29.0	27.5	28.3	25.5	23.2	316.2	17	-48381
	13 LST	30.8	27.9	30.0	29.8	30.9	29.1	30.6	30.1	28.3	30.6	29.8	30.8	358.7	17	-48381
	19 LST	30.7	27.8	28.8	29.1	29.8	29.4	29.9	29.4	26.5	29.9	29.9	30.7	351.9	16	-48381
	01 LST	30.8	27.3	28.9	29.8	29.8	27.4	29.3	27.9	27.4	30.4	29.5	30.6	349.1	11	-48381
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	24.0	19.9	24.0	28.5	29.1	28.8	29.6	28.9	27.7	28.3	25.1	23.1	317.0	17	-48381
	13 LST	29.6	26.7	29.9	29.3	30.8	28.8	29.8	29.6	28.2	29.4	28.2	28.5	348.8	17	-48381
	19 LST	30.2	27.4	28.6	28.8	29.8	29.3	29.5	29.2	26.4	29.4	29.4	30.4	348.4	16	-48381
	01 LST	30.6	27.3	28.6	29.8	29.8	27.4	29.1	27.7	27.4	30.4	29.5	30.4	348.0	11	-48381
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.3	17	-48381
	13 LST	0.3	0.0	0.0	0.2	0.1	0.0	0.0	0.1	0.0	0.1	0.1	0.1	1.0	17	-48381
	19 LST	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.2	16	-48381
	01 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	-48381
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	1.2	0.9	3.1	3.1	2.4	5.4	5.1	5.2	1.8	2.9	1.7	1.0	33.8	17	-48381
	13 LST	11.6	5.5	3.1	1.6	2.0	3.6	5.6	6.3	5.1	12.3	15.3	15.0	87.0	17	-48381
	19 LST	2.0	2.8	3.3	2.6	3.3	3.3	4.2	3.7	1.8	2.6	3.6	5.3	38.5	16	-48381
	01 LST	3.6	3.3	3.6	3.0	4.0	5.6	5.6	4.5	2.2	4.1	1.9	2.7	44.1	11	-48381
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	12.1	8.0	9.5	10.4	3.5	1.6	2.0	0.9	1.0	6.9	10.0	8.6	74.5	17	-48381
	13 LST	19.6	15.7	14.0	7.3	0.8	0.4	0.3	0.0	0.3	4.1	7.1	13.4	83.0	17	-48381
	19 LST	23.5	17.7	13.2	8.0	2.6	0.6	0.5	0.3	1.3	11.4	16.9	18.3	114.3	16	-48381
	01 LST	27.4	21.9	20.1	15.0	6.1	3.5	3.1	2.3	3.0	14.5	18.1	21.1	156.1	11	-48381
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	23.3	18.8	22.8	27.5	25.5	24.9	25.3	22.4	21.9	24.8	24.5	22.4	284.1	16	-48381
	13 LST	30.5	26.8	28.5	28.2	27.7	25.4	24.3	23.8	23.0	27.5	28.4	30.1	324.2	16	-48381
	19 LST	30.3	27.4	27.1	27.0	27.4	26.9	25.4	24.8	23.4	27.7	28.7	29.5	325.6	15	-48381
	01 LST	30.3	26.3	28.0	28.8	25.6	23.8	23.7	24.3	21.0	26.9	28.1	30.2	317.0	11	-48381
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	22.4	17.9	22.2	26.9	24.0	22.6	22.7	19.4	20.0	23.2	23.6	21.7	266.6	16	-48381
	13 LST	29.9	25.6	27.3	27.1	25.7	23.3	21.4	20.3	20.4	25.4	27.0	29.4	302.8	16	-48381
	19 LST	30.1	27.0	26.0	26.3	26.1	25.1	22.6	22.4	21.8	25.8	27.8	28.5	309.5	15	-48381
	01 LST	30.2	25.8	27.5	28.1	24.5	21.7	20.8	18.0	17.9	25.4	27.1	29.8	296.8	11	-48381
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	22.4	17.9	22.2	26.9	24.0	22.6	22.6	19.4	20.0	23.2	23.6	21.7	266.5	16	-48381
	13 LST	29.9	25.6	27.3	27.1	25.7	23.3	21.4	20.3	20.4	25.4	27.0	29.4	302.8	16	-48381
	19 LST	30.1	27.0	26.0	26.3	26.1	25.1	22.6	22.4	21.7	25.8	27.8	28.5	309.4	15	-48381
	01 LST	30.2	25.8	27.5	28.1	24.5	21.7	20.8	18.0	17.9	25.4	27.1	29.8	296.8	11	-48381

AREA NO. 02

PARAMETER DESCRIPTION	BOUNDARIES	KORAT PLATEAU				LATITUDE 1600N				LONGITUDE 10330E				ANN
		1420N	10300E	1420N	10200E	1420N	10200E	1810N	10200E	1810N	10200E	1810N	10200E	
MEAN MAX TMP (F)		JAN 87	FEB 90	MAR 95	APR 97	MAY 94	JUN 91	JUL 90	AUG 90	SEP 89	OCT 88	NOV 87	DEC 86	90
MEAN MIN TMP (F)		59	65	71	75	76	76	75	75	74	71	66	61	70
LARGEST MEAN PRECIP(IN)		0.40	1.30	2.10	3.80	9.30	15.80	18.70	20.90	12.80	6.60	1.40	0.90	93.6
SMALLEST MEAN PRECIP(IN)		0.10	0.30	1.10	2.60	9.70	4.50	4.80	5.90	9.20	2.10	0.20	0.00	36.1
		MEAN NUMBER OF DAYS												
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	18.7	16.7	20.1	24.2	28.7	27.3	28.7	27.8	25.7	27.0	23.8	20.6	289.3
	13 LST	29.9	25.4	27.1	28.0	30.4	28.8	29.8	29.7	28.3	30.1	29.9	30.7	348.1
	19 LST	29.4	25.1	26.0	27.0	29.5	28.8	29.7	29.2	27.8	29.6	29.6	30.4	342.1
	01 LST	27.8	24.0	25.6	27.0	29.5	27.7	28.8	28.2	27.3	29.9	29.1	28.8	333.7
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	18.2	16.4	19.7	24.0	28.5	27.0	28.1	27.2	25.3	26.5	23.4	20.0	284.3
	13 LST	26.5	23.3	25.9	26.7	29.5	26.7	27.1	27.0	26.8	27.3	25.9	27.3	320.0
	19 LST	27.8	23.9	24.7	26.2	28.8	28.3	28.7	28.6	27.0	28.5	28.2	28.8	329.5
	01 LST	26.9	22.2	24.8	26.7	29.3	27.5	28.2	27.8	27.1	29.6	28.2	27.8	326.1
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.4
	13 LST	0.6	0.3	0.2	0.2	0.1	0.2	0.2	0.2	0.1	0.3	0.7	0.5	3.6
	19 LST	0.3	0.3	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.1	0.2	0.2	1.6
	01 LST	0.2	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.8
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	3.5	3.5	3.9	3.6	3.1	4.6	4.1	3.5	2.6	3.7	3.1	3.2	42.4
	13 LST	13.0	7.6	4.4	2.0	2.7	5.7	7.0	7.4	7.0	11.2	13.3	14.4	95.7
	19 LST	5.9	4.8	4.5	3.5	3.8	4.1	4.8	4.0	3.5	5.2	5.6	6.7	56.4
	01 LST	5.2	6.3	5.9	5.0	5.2	5.5	5.6	4.4	3.4	4.1	4.2	5.5	60.3
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	7.8	6.0	6.8	6.7	3.2	1.6	1.6	1.0	1.1	7.7	9.7	8.8	62.0
	13 LST	17.1	12.0	9.6	5.0	0.7	0.2	0.3	0.1	0.5	3.5	7.1	12.3	68.4
	19 LST	21.0	14.4	10.5	7.4	3.0	1.3	1.2	1.1	2.6	11.3	16.1	19.0	108.9
	01 LST	22.2	15.9	14.2	11.8	5.1	2.9	2.8	2.1	3.0	13.4	16.8	20.2	130.4
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	18.2	16.2	19.2	23.2	25.3	23.4	24.5	22.5	20.7	24.4	23.3	20.2	261.1
	13 LST	29.3	24.4	25.5	25.6	24.7	22.2	22.8	22.0	21.0	25.8	27.6	29.4	300.3
	19 LST	29.2	24.6	24.7	25.2	26.3	25.6	24.9	25.0	23.6	27.7	28.8	29.9	315.5
	01 LST	27.7	23.7	25.1	26.0	26.3	24.3	24.8	24.2	22.9	28.4	28.6	28.8	310.8
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	17.6	15.5	18.5	22.5	23.7	21.3	22.0	20.0	18.7	23.3	22.6	19.8	245.5
	13 LST	28.5	23.1	23.8	22.8	19.9	16.9	17.3	16.5	16.6	22.1	24.7	27.9	260.1
	19 LST	28.7	24.1	23.8	24.0	24.2	23.7	22.3	22.3	21.3	26.6	28.0	29.2	298.2
	01 LST	27.5	23.3	24.6	25.3	24.6	22.0	21.8	20.9	20.6	27.4	28.0	28.6	294.6
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	17.6	15.5	18.5	22.5	23.7	21.3	21.9	19.9	18.7	23.3	22.6	19.8	245.5
	13 LST	28.5	23.1	23.8	22.8	19.9	16.9	17.3	16.5	16.6	22.1	24.7	27.9	260.1
	19 LST	28.7	24.1	23.7	24.0	24.2	23.6	22.3	22.3	21.3	26.6	28.0	29.2	298.0
	01 LST	27.5	23.3	24.6	25.3	24.6	22.0	21.8	20.9	20.6	27.4	28.0	28.5	294.5

MAE HONG SON, THAILAND

STA NO. 48300 (IN AREA NUMBER 03)

LATITUDE 1916N

LONGITUDE 09756E

ELEVATION(FT) 00711

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	94	97	102	108	106	97	95	98	95	96	95	93	108	23	-40
MEAN MAX TMP (F)	86	91	97	98	95	89	87	87	88	90	88	85	90	18	-40
MEAN MIN TMP (F)	57	57	62	72	76	75	74	74	74	72	68	59	68	18	-40
ABS MIN TMP (F)	43	47	52	55	63	69	68	70	68	63	52	45	43	23	-40
MEAN NO DYS TMP = OR GTR 90(F)	5.8	16.1	30.7	28.8	29.8	14.3	8.6	8.6	11.2	17.9	11.2	3.4	186.4	18	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	23	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	23	-29
MEAN DEW PT TMP (F)	60	60	58	66	71	74	74	74	74	73	67	61	68	5	1479
MEAN REL HUM (PCT)	67	60	50	50	68	81	82	83	83	82	75	71	71	17	10439
MEAN PRESS ALT (FT)	693	732	778	840	897	946	954	945	889	780	727	690	823	0	-50
MEAN PRECIP (IN)	0.40	0.20	0.30	1.70	6.10	7.10	9.60	9.90	8.10	3.90	1.20	0.40	48.9	46	-40
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	23	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	0.9	0.5	0.9	3.5	5.5	11.7	14.0	14.2	11.2	7.1	3.9	0.9	74.3	46	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	23	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	13.3	9.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	10.3	14.0	48.8	5	271
MEAN NO DYS TSTMS	0.0	1.4	1.7	9.5	14.9	7.3	3.0	6.0	9.5	10.8	1.3	0.0	65.4	7	1392
P FREQ WND SPD = OR GTR 17 KTS	0.0	0.0	0.1	0.1	0.0	0.1	0.0	0.1	0.0	0.1	0.0	0.1	0.1	11	10413
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	10413
P FREQ LES 5000 FT A/D LES 5 MI	36.6	45.2	76.9	58.5	33.0	64.4	59.5	63.1	52.1	48.0	33.2	30.0	30.0	11	6322
P FREQ LES 1500 FT A/D LES 3 MI	0.0	16.7	20.0	18.2	4.6	11.3	13.4	19.7	12.3	36.5	20.9	23.1	16.4	7	843
03-05 LST														0	0
06-08 LST	90.5	68.8	77.1	56.2	22.0	34.5	30.9	39.4	48.4	67.7	81.0	85.5	58.5	12	2039
09-11 LST	24.8	21.1	39.6	49.0	1.8	11.8	17.0	13.4	8.9	10.9	9.7	15.1	20.4	7	1342
12-14 LST	0.5	7.6	42.3	33.9	3.9	12.0	16.1	12.6	6.0	4.8	1.0	0.4	11.8	11	2231
15-17 LST	0.6	3.7	34.1	33.7	7.4	10.6	16.3	12.6	7.0	6.6	1.0	0.5	11.3	12	2222
18-20 LST	0.8	4.4	22.5	25.2	5.3	18.0	20.6	18.5	11.0	6.6	1.5	0.0	11.2	9	1565
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI	0.0	1.7	0.0	0.0	0.0	0.0	1.5	0.0	1.5	18.8	11.0	9.0	3.6	7	843
03-05 LST														0	0
06-08 LST	70.3	30.4	8.3	4.6	1.2	0.6	0.6	0.6	5.0	22.9	59.5	75.1	23.3	12	2039
09-11 LST	2.8	0.0	2.9	2.0	0.0	0.0	0.9	0.0	0.0	0.0	0.0	1.7	0.9	7	1342
12-14 LST	0.0	0.0	3.4	3.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.6	11	2231
15-17 LST	0.0	0.0	3.2	2.9	0.5	0.0	0.5	0.5	1.2	0.5	0.0	0.0	0.8	12	2222
18-20 LST	0.0	0.9	0.0	2.5	0.0	0.8	2.3	0.0	0.8	0.7	0.0	0.0	0.7	9	1565
21-23 LST														0	0

MAE HONG SON, THAILAND

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	0.5	13.4	12.6	17.1	27.8	26.3	26.9	24.8	22.7	15.6	8.0	5.6	201.3	11	2039
	13 LST	31.0	28.0	25.2	23.3	30.7	29.2	29.2	29.4	29.5	30.3	29.9	30.9	346.6	11	2231
	19 LST	30.8	27.8	29.1	26.0	30.1	28.5	27.0	28.9	28.7	30.0	29.8	31.0	347.7	7	1565
	01 LST	30.4	24.7	28.0	28.6	31.0	30.0	30.5	28.2	29.0	22.8	24.7	25.3	333.2	5	843
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	4.9	13.4	12.6	17.1	27.8	26.3	26.9	24.8	22.6	15.7	8.0	5.5	205.6	11	2031
	13 LST	31.0	27.5	24.8	23.2	30.3	29.2	29.0	29.4	29.5	30.3	29.9	30.7	344.8	11	2225
	19 LST	30.8	27.3	28.8	25.4	29.6	28.3	26.9	28.9	28.5	29.8	29.5	30.8	344.6	7	1560
	01 LST	30.4	24.7	28.0	28.1	31.0	30.0	30.5	28.1	29.0	22.8	24.7	25.3	332.6	5	840
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	2072
	13 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	2263
	19 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.2	7	1572
	01 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	846
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	0.0	0.0	0.4	0.9	0.5	0.2	0.2	0.7	0.4	0.2	0.1	0.2	3.8	11	2067
	13 LST	4.4	3.5	1.4	0.7	2.5	5.2	5.8	5.6	3.3	2.6	2.7	2.4	40.1	11	2263
	19 LST	2.7	5.4	5.8	1.8	3.5	2.7	4.7	4.9	2.5	1.8	1.1	2.0	38.9	7	1569
	01 LST	0.0	0.0	1.5	1.9	1.9	3.3	3.2	2.4	0.0	0.0	0.3	0.4	14.9	5	846
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	1.5	7.9	10.1	9.0	3.0	0.0	0.0	0.0	0.2	0.5	0.6	1.6	34.4	11	2067
	13 LST	19.6	19.8	19.7	13.0	2.9	0.0	0.2	0.0	0.4	2.5	12.6	17.2	107.9	11	2255
	19 LST	22.1	16.8	16.6	9.2	1.9	0.0	1.2	0.2	1.0	5.1	18.8	21.7	114.6	7	1571
	01 LST	23.4	20.9	24.7	17.9	9.1	0.0	0.9	1.2	3.3	4.8	15.2	16.3	137.7	5	845
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	4.8	13.0	18.4	16.3	20.1	14.2	13.1	12.5	10.4	8.3	5.5	4.4	143.0	11	2039
	13 LST	30.4	27.2	25.0	23.0	27.7	21.4	19.6	21.1	24.2	26.2	28.1	30.1	304.0	10	2231
	19 LST	30.4	26.2	28.2	25.1	25.9	20.6	21.3	22.0	24.5	26.9	29.2	30.5	310.8	5	1565
	01 LST	30.4	24.7	27.8	27.6	28.1	23.3	22.2	19.8	22.4	17.8	23.4	24.3	291.8	4	843
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	3.6	12.6	18.4	15.5	15.6	9.3	9.8	8.4	8.6	7.4	5.1	4.3	118.6	11	2039
	13 LST	29.2	26.4	24.9	22.2	22.9	14.0	11.7	14.2	18.5	23.1	26.3	29.1	262.5	10	2231
	19 LST	30.0	25.5	27.4	23.2	20.3	12.5	15.6	14.0	19.8	24.5	28.4	29.6	270.8	5	1565
	01 LST	29.8	24.2	27.7	26.2	24.8	16.2	14.4	13.7	17.6	15.0	22.4	23.3	255.3	4	843
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	3.6	12.6	18.4	15.5	15.2	9.3	9.8	8.4	8.6	7.4	5.1	4.3	118.2	11	2039
	13 LST	29.2	26.4	24.9	22.2	22.9	13.7	11.7	14.2	18.5	23.1	26.3	29.1	262.2	10	2231
	19 LST	30.0	25.5	27.2	23.2	20.3	12.5	15.6	14.0	19.6	24.5	28.4	29.6	270.4	5	1565
	01 LST	29.8	24.2	27.7	26.2	24.8	16.2	14.4	13.7	17.6	15.0	22.4	23.3	255.3	4	843

MUANG CHIANG RAI, THAILAND

STA NO. 48303 (IN AREA NUMBER 03)

LATITUDE 1953N

LONGITUDE 09949E

ELEVATION(FT) 01200

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	91	99	102	106	104	102	102	96	96	97	95	89	106	23	-540
MEAN MAX TMP (F)	82	88	92	95	92	90	88	87	88	87	84	81	88	23	-40
MEAN MIN TMP (F)	52	54	60	67	72	74	74	73	72	69	64	56	66	23	-40
ABS MIN TMP (F)	36	42	49	53	64	68	68	68	65	53	43	36	36	23	-540
MEAN NO DYS TMP = DR GTR 90(F)	0.7	9.7	26.5	26.1	25.2	19.5	13.5	10.3	12.0	5.2	3.2	0.0	151.9	8	1104
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	968
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	968
MEAN DEW PT TMP (F)	59	59	61	67	72	75	74	74	74	71	67	62	68	23	-29
MEAN REL HUM (PCT)	77	69	64	65	74	80	80	84	83	80	81	81	77	24	-40
MEAN PRESS ALT (FT)	1098	1159	1224	1304	1378	1447	1474	1443	1390	1224	1136	1091	1277		-50
MEAN PRECIP (IN)	0.50	0.50	0.90	3.00	8.30	9.00	12.20	15.70	12.20	4.70	1.40	0.40	68.8	23	-40
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	23	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	1.1	1.1	2.2	4.9	5.2	13.5	16.1	18.5	14.3	8.0	4.1	0.9	89.9	30	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	23	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	0.0	7.8	9.0	0.0	18.4	3	90
MEAN NO DYS TSTMS	0.0	0.8	2.1	8.2	12.9	12.4	7.9	10.3	10.5	7.4	1.7	0.0	74.2	10	1265
P FREQ WND SPD = DR GTR 17 KTS	0.0	1.9	1.2	2.1	0.8	0.7	0.5	0.1	0.1	0.2	0.1	0.0	0.6	10	9206
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	9206
P FREQ LES 5000 FT A/D LES 5 MI	40.4	54.1	88.8	79.0	23.5	22.9	36.0	34.4	26.6	36.4	26.7	40.1	42.4	10	5372
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	60.0	41.7	81.3	78.9	18.9	9.1	21.6	26.1	14.6	27.5	18.8	72.7	39.3	5	365
03-05 LST														0	0
06-08 LST	70.1	56.5	81.9	72.5	11.6	12.5	26.3	27.3	25.6	45.6	55.4	73.9	46.6	10	1638
09-11 LST	23.5	29.6	74.2	70.0	5.4	9.4	19.7	12.4	4.1	15.4	16.9	45.6	27.2	10	1472
12-14 LST	4.7	13.0	62.8	56.0	3.6	4.9	11.7	7.1	4.7	7.1	1.0	5.0	15.1	10	2089
15-17 LST	3.8	15.0	63.2	58.9	3.5	5.7	10.7	9.0	4.7	7.1	1.2	1.9	15.4	10	1661
18-20 LST	11.7	23.7	74.0	66.0	8.6	5.8	10.8	12.9	8.5	13.1	3.4	11.2	20.8	10	1810
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.0	0.0	6.3	15.8	5.4	0.0	0.0	0.0	0.0	0.0	0.0	9.1	3.1	5	365
03-05 LST														0	0
06-08 LST	39.6	5.6	9.4	26.1	0.0	0.0	1.3	2.9	6.8	23.5	39.2	59.7	17.8	10	1638
09-11 LST	4.5	1.0	7.2	21.8	0.0	2.3	0.7	1.6	0.0	1.5	4.9	22.8	9.7	10	1472
12-14 LST	0.6	0.0	7.6	9.5	0.0	0.6	0.0	0.0	0.0	1.6	0.0	0.6	1.7	10	2089
15-17 LST	0.0	0.0	5.9	8.1	0.0	0.0	1.4	1.4	0.0	1.3	0.0	0.0	1.5	10	1661
18-20 LST	0.0	0.0	7.8	13.9	0.7	0.0	0.7	0.6	0.0	1.9	0.0	0.0	2.1	10	1810
21-23 LST														0	0

MUANG CHIANG RAI, THAILAND

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	13.9	19.2	13.0	12.6	30.0	29.6	27.7	26.5	26.4	21.0	15.2	10.6	245.7	9	1638
	13 LST	30.6	27.3	17.8	15.5	30.8	29.8	30.1	30.6	29.6	29.8	30.0	30.3	332.4	10	2089
	19 LST	29.9	24.9	15.3	12.5	30.3	29.6	30.2	29.4	29.6	28.9	29.7	30.2	320.3	9	1810
	01 LST	18.6	28.0	19.4	10.5	29.3	30.0	28.0	27.0	30.0	26.6	27.1	21.7	296.2	4	365
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	13.8	18.9	12.7	12.6	29.6	29.6	27.7	26.3	26.4	20.8	15.2	10.2	243.8	9	1635
	13 LST	30.3	25.8	17.1	13.6	27.8	28.3	28.2	29.5	27.9	27.5	28.1	28.4	312.5	10	2081
	19 LST	29.3	23.9	15.1	11.5	27.5	28.7	28.5	28.6	29.0	28.1	29.5	29.8	309.7	9	1807
	01 LST	18.6	28.0	19.4	10.5	28.5	30.0	27.4	27.0	30.0	26.5	27.1	21.7	294.7	4	364
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	1657
	13 LST	0.0	0.7	0.2	1.0	0.4	0.0	0.3	0.0	0.0	0.0	0.0	0.0	2.6	10	2129
	19 LST	0.0	0.2	0.4	0.2	0.2	0.2	0.2	0.0	0.0	0.2	0.0	0.0	1.6	9	1829
	01 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	365
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	0.7	0.8	1.3	4.7	1.7	2.0	2.2	1.8	1.5	2.3	1.8	1.6	22.4	9	1657
	13 LST	14.2	11.7	10.4	4.0	6.2	10.9	10.9	10.5	12.3	11.8	13.6	12.0	128.5	10	2129
	19 LST	2.4	3.1	3.8	3.7	7.3	6.9	6.4	3.0	3.9	2.7	2.3	1.3	47.0	9	1829
	01 LST	0.0	2.3	0.0	6.0	5.0	2.6	3.0	2.0	4.6	0.7	2.0	3.1	31.3	4	365
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	4.2	9.0	4.1	3.2	3.3	0.6	0.6	0.0	1.6	1.4	4.4	2.5	34.9	9	1652
	13 LST	12.9	13.3	8.9	5.7	2.4	0.2	0.2	0.2	0.7	2.0	6.0	8.4	62.9	10	2120
	19 LST	17.9	12.1	4.6	3.3	1.8	0.4	1.6	0.4	3.5	7.8	15.8	13.6	82.8	9	1830
	01 LST	10.9	14.0	9.7	3.0	1.7	0.0	1.2	0.7	2.0	6.5	13.5	9.3	72.5	4	367
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	12.2	19.2	12.6	11.6	26.6	24.8	20.2	19.4	18.8	15.3	13.7	8.8	203.2	8	1638
	13 LST	29.5	27.0	17.3	15.5	27.6	26.4	24.2	25.9	26.7	27.2	28.5	27.9	303.7	10	2089
	19 LST	29.3	24.9	15.0	12.2	28.5	27.6	25.5	26.4	26.5	26.7	28.8	29.0	300.4	8	1810
	01 LST	18.6	28.0	19.4	8.3	26.8	25.1	24.0	24.6	26.1	21.8	26.6	21.7	271.0	3	365
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	11.3	19.2	12.6	11.5	25.7	23.6	18.5	17.9	16.0	13.5	13.2	8.6	191.6	8	1638
	13 LST	28.8	26.8	17.3	15.4	25.8	24.5	21.5	23.7	24.9	25.9	27.2	26.4	288.2	10	2089
	19 LST	28.9	24.9	14.9	12.1	27.7	26.6	24.1	25.4	25.1	26.1	28.1	28.3	292.2	8	1810
	01 LST	17.1	28.0	19.4	7.5	25.1	23.8	23.5	23.6	24.8	19.2	26.1	21.7	259.8	3	365
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	11.3	19.2	12.6	11.5	25.7	23.6	18.5	17.9	16.0	13.5	13.2	8.6	191.6	8	1638
	13 LST	28.8	26.8	17.3	15.4	25.8	24.5	21.5	23.7	24.9	25.9	27.2	26.4	288.2	10	2089
	19 LST	28.9	24.9	14.9	12.1	27.7	26.6	24.1	25.4	25.1	26.1	28.1	28.3	292.2	8	1810
	01 LST	17.1	28.0	19.4	7.5	25.1	23.8	23.5	23.6	24.1	18.4	26.1	21.7	258.3	3	365

MAE SARIANG, THAILAND

STA NO. 48325 (IN AREA NUMBER 03)

LATITUDE 1810N

LONGITUDE 09750E

ELEVATION(FT) 01030

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	98	99	104	111	108	101	97	98	99	97	98	97	111	22	-40
MEAN MAX TMP (F)	88	92	96	99	94	89	87	87	89	90	89	86	91	17	-40
MEAN MIN TMP (F)	58	57	64	73	76	75	74	74	74	72	68	60	69	17	-40
ABS MIN TMP (F)	41	45	45	57	68	68	70	70	69	64	46	44	41	22	-40
MEAN NO DYS TMP = DR GTR 90(F)	11.6	21.4	30.7	30.0	28.3	14.3	8.6	8.6	14.3	17.9	14.3	5.8	205.8	17	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	22	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	22	-29
MEAN DEW PT TMP (F)	62	61	61	66	72	76	74	75	75	74	70	64	69	15	-29
MEAN REL HUM (PCT)	72	67	57	55	68	83	83	84	83	81	77	75	74	11	9286
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.30	0.20	0.30	1.90	5.70	9.00	8.40	10.80	8.70	3.70	1.10	0.60	50.7	30	-40
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	22	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	0.7	0.5	0.9	3.8	5.5	13.5	12.9	15.0	11.8	6.9	3.7	1.3	76.5	30	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	22	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	1.0	1.0	5.0	12.0	4.0	3.0	4.0	7.0	9.0	2.0	1.0	49.0	15	-40
P FREQ WND SPD = DR GTR 17 KTS	0.1	0.3	0.6	0.1	0.1	0.0	0.0	0.0	0.3	0.1	0.1	0.0	0.1	12	9279
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	9279
P FREQ LES 5000 FT A/D LES 5 MI	55.2	68.2	78.5	73.1	32.6	61.1	60.3	54.2	44.4	34.2	29.7	33.6	52.1	6	8159
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	92.7	92.7	96.5	75.8	16.3	35.1	42.1	38.2	39.9	55.8	79.5	85.6	62.5	10	1923
09-11 LST	20.7	34.9	88.4	59.5	0.0	19.5	27.9	18.2	14.0	6.2	5.6	16.2	25.9	5	1379
12-14 LST	1.3	19.1	62.0	54.0	5.5	9.7	20.8	21.2	8.8	6.4	0.0	0.7	17.5	10	1970
15-17 LST	0.8	17.2	48.6	36.4	3.9	19.7	23.6	21.9	16.0	8.2	0.6	0.6	16.5	6	1479
18-20 LST	0.0	25.2	63.4	53.9	9.5	31.7	30.7	21.7	16.4	15.8	3.2	4.1	23.0	6	1568
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	86.7	67.5	85.9	59.1	5.5	13.7	11.4	19.4	14.5	23.8	56.1	72.8	43.0	10	1923
09-11 LST	1.8	3.6	64.2	32.4	0.0	8.8	10.8	8.1	6.5	3.3	0.0	0.8	11.7	5	1379
12-14 LST	1.3	1.4	25.6	15.8	2.9	4.0	8.4	9.8	3.4	3.5	0.0	0.5	6.4	10	1970
15-17 LST	0.8	0.0	21.1	7.5	1.6	10.6	9.6	12.2	7.1	4.4	0.0	0.0	6.2	6	1479
18-20 LST	0.0	3.7	27.7	21.9	3.8	10.8	14.0	9.7	10.4	7.5	1.3	2.7	9.5	6	1568
21-23 LST														0	0

MAE SARIANG, THAILAND

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	2.3	2.3	1.1	7.2	26.4	19.8	20.2	20.9	20.2	16.0	8.3	4.8	149.3	10	1923
	13 LST	30.6	23.8	11.8	13.8	29.4	27.2	25.0	25.1	27.8	29.6	30.0	30.8	304.9	10	1970
	19 LST	31.0	20.9	11.3	13.8	28.2	21.8	22.3	25.4	25.4	26.3	29.0	29.7	285.1	6	1568
	01 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	2.3	2.3	1.1	7.2	26.4	19.8	20.2	21.0	20.2	16.0	8.3	4.9	149.7	10	1916
	13 LST	29.6	23.6	10.4	13.6	28.3	26.4	24.6	24.9	27.3	29.0	29.5	30.8	298.0	10	1963
	19 LST	31.0	20.7	11.5	13.6	28.2	21.8	22.3	25.4	25.4	26.3	29.0	29.7	284.9	6	1566
	01 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	1967
	13 LST	0.2	0.2	0.2	0.0	0.2	0.0	0.0	0.0	0.0	0.2	0.0	0.0	1.0	10	1981
	19 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	1582
	01 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEC F AND NO PRECIP.	07 LST	0.0	0.0	0.0	0.4	0.4	0.2	0.2	0.6	0.7	0.3	0.1	0.7	3.6	10	1958
	13 LST	6.3	3.8	0.7	0.9	1.7	5.8	7.3	5.7	4.7	5.0	4.4	5.2	51.5	10	1974
	19 LST	0.5	0.5	1.7	0.9	3.0	2.3	2.4	0.7	0.5	0.6	0.4	0.4	13.9	6	1581
	01 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	0.7	16.0	0.4	3.4	4.2	0.2	0.0	0.2	0.0	0.3	0.3	0.7	26.4	10	1952
	13 LST	24.1	18.3	8.7	5.4	2.3	0.4	0.0	0.6	0.8	5.7	12.6	19.5	98.4	10	1979
	19 LST	27.5	17.0	9.1	7.2	4.9	0.5	0.2	0.5	1.4	7.9	18.1	22.8	117.1	6	1577
	01 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	2.2	2.1	1.1	6.7	23.2	17.1	14.3	16.1	15.5	10.9	9.3	4.0	122.5	10	1923
	13 LST	30.5	23.5	11.8	13.8	28.6	24.0	21.7	22.3	25.8	28.5	29.6	30.4	290.5	10	1970
	19 LST	31.0	20.9	11.3	13.8	27.7	17.3	18.4	21.8	23.5	25.9	28.9	29.6	270.1	6	1568
	01 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	2.0	2.1	1.1	5.6	19.8	10.4	12.7	14.1	14.0	9.6	5.6	3.6	100.6	10	1923
	13 LST	30.2	23.2	11.8	13.6	26.1	18.6	17.4	18.8	23.6	26.6	28.7	29.9	268.5	10	1970
	19 LST	30.8	20.9	11.3	13.6	27.1	13.7	15.9	19.4	22.3	25.9	28.4	29.1	258.4	6	1568
	01 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	2.0	2.1	1.1	5.6	19.8	10.4	12.7	14.1	14.0	9.6	5.6	3.6	100.6	10	1923
	13 LST	30.2	23.2	11.8	13.6	26.1	18.6	17.4	18.7	23.6	26.6	28.7	29.9	268.4	10	1970
	19 LST	30.8	20.9	11.3	13.6	27.1	13.7	15.9	19.4	22.3	25.9	28.4	29.1	258.4	6	1568
	01 LST														0	0

CHIANG MAI, THAILAND

STA NO. 48327 (IN AREA NUMBER 03)

LATITUDE 1846N

LONGITUDE 09858E

ELEVATION(FT) 01100

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	95	102	105	109	104	103	99	96	100	100	100	92	109	24	-540
MEAN MAX TMP (F)	85	90	95	96	94	90	89	87	88	88	86	84	89	24	-40
MEAN MIN TMP (F)	56	57	62	70	74	74	74	75	73	71	66	75	69	24	-40
ABS MIN TMP (F)	38	42	48	56	62	64	64	64	62	58	44	40	38	24	-540
MEAN NO DYS TMP = DR GTR 90(F)	3.0	19.0	29.1	28.8	27.0	20.7	16.0	13.1	13.5	9.9	5.9	1.5	187.5	10	3609
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	3609
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	3609
MEAN DEW PT TMP (F)	58	58	60	66	72	73	73	74	74	72	67	61	67	10	79898
MEAN REL HUM (PCT)	73	65	58	62	73	78	80	83	83	81	79	76	74	24	-40
MEAN PRESS ALT (FT)	1064	1109	1160	1225	1283	1331	1344	1332	1270	1159	1100	1060	1203	0	-50
MEAN PRECIP (IN)	0.30	0.40	0.60	2.00	5.30	6.10	7.40	8.70	11.50	4.90	1.50	0.40	49.3	30	-40
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	24	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	0.7	0.9	1.6	3.9	5.5	10.7	12.0	13.2	13.8	8.2	4.2	0.9	75.6	30	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	24	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	1.0	0.6	1.4	1.2	0.1	0.2	0.2	0.2	0.4	1.6	2.4	2.8	12.1	10	3591
MEAN NO DYS TSTMS	1.0	1.0	4.0	10.0	22.0	13.0	11.0	14.0	16.0	10.0	2.0	0.0	104.0	20	-40
P FREQ WND SPD = DR GTR 17 KTS	0.1	0.3	0.1	0.3	0.3	0.1	0.1	0.1	0.2	0.1	0.1	0.2	0.2	17	17915
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	17915
P FREQ LES 3000 FT A/D LES 3 MI	37.5	59.5	74.2	64.2	20.0	26.4	30.9	33.3	26.5	19.2	15.7	22.6	35.8	17	54311
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	0.8	3.1	8.5	7.8	8.6	3.8	5.3	5.7	8.6	4.1	1.2	1.5	4.9	12	5968
03-05 LST	1.6	3.9	9.1	4.6	7.4	2.6	5.9	5.4	8.0	4.7	1.8	4.2	4.9	10	5483
06-08 LST	25.5	31.4	49.4	39.4	3.5	3.7	3.9	5.3	9.6	10.5	13.5	22.7	18.2	17	9220
09-11 LST	22.1	41.1	70.9	53.2	2.3	4.7	4.5	4.5	6.1	4.7	4.3	15.9	19.5	12	8900
12-14 LST	8.6	26.8	59.8	48.0	1.8	2.5	2.9	4.6	3.7	2.1	0.7	2.2	13.6	17	9248
15-17 LST	3.0	18.0	31.5	40.5	2.6	2.4	4.0	6.3	3.3	2.2	1.0	0.9	11.3	12	8603
18-20 LST	1.9	11.7	36.1	27.7	3.4	3.5	5.0	5.6	3.6	2.6	1.1	0.6	8.6	17	10036
21-23 LST	0.5	5.0	16.2	15.4	6.8	4.8	4.5	5.9	4.8	2.5	0.8	1.3	5.7	10	5592
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.3	0.0	0.2	0.0	0.4	0.0	0.0	0.2	0.2	0.0	0.0	0.7	0.2	12	5968
03-05 LST	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.4	0.6	0.4	1.0	3.2	0.5	10	5483
06-08 LST	3.7	2.2	4.2	2.4	0.0	0.1	0.1	0.0	1.3	3.3	5.2	6.2	2.4	17	9220
09-11 LST	1.4	0.9	10.2	6.7	0.0	0.0	0.3	0.3	0.6	0.2	0.7	2.1	2.0	12	8900
12-14 LST	0.2	1.0	7.1	4.7	0.1	0.1	0.0	0.2	0.4	0.0	0.2	0.6	1.2	17	9248
15-17 LST	0.0	0.6	2.4	3.4	0.3	0.1	0.3	0.3	0.4	0.0	0.0	0.0	0.7	12	8603
18-20 LST	0.1	0.7	1.4	1.2	0.4	0.2	0.1	0.2	0.4	0.0	0.0	0.0	0.4	17	10036
21-23 LST	0.0	0.7	0.5	0.2	0.0	0.0	0.2	0.0	0.8	0.2	0.0	0.5	0.3	10	5592

CHIANG MAI, THAILAND

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	22.0	18.9	12.9	17.7	30.2	29.4	30.3	29.9	28.2	27.4	23.4	22.9	295.2	10	3589
	13 LST	28.5	21.0	12.6	16.6	30.7	29.6	30.2	29.9	29.4	30.6	29.9	30.8	319.8	10	3587
	19 LST	30.2	24.7	17.9	21.4	30.4	29.5	29.8	29.5	29.2	30.5	29.7	30.8	333.6	10	3585
	01 LST	30.9	27.7	29.3	28.8	29.5	29.3	29.8	30.0	28.2	30.3	29.9	30.8	354.5	10	3599
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	21.9	18.9	12.8	17.4	29.3	29.1	28.6	28.5	26.6	25.8	23.0	23.0	286.9	10	3589
	13 LST	27.6	19.9	12.1	15.3	28.7	28.7	29.5	29.6	27.8	29.4	29.7	30.1	308.4	10	3587
	19 LST	29.7	24.7	17.5	19.2	28.5	28.6	28.8	28.3	28.0	29.9	29.7	30.8	323.7	10	3585
	01 LST	30.4	27.6	28.9	27.8	28.8	29.1	29.5	29.1	27.8	29.8	29.9	30.7	349.4	10	3599
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.2	10	3510
	13 LST	0.0	0.1	0.0	0.1	0.0	0.0	0.1	0.0	0.3	0.0	0.0	0.0	0.6	10	3551
	19 LST	0.1	0.0	0.2	0.5	0.3	0.0	0.1	0.3	0.0	0.0	0.0	0.0	1.5	10	3545
	01 LST	0.0	0.0	0.0	0.3	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	10	3468
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	0.4	0.4	0.1	1.0	1.2	0.8	0.6	0.5	1.2	1.3	0.4	0.5	8.4	10	3503
	13 LST	9.3	9.3	3.7	1.1	3.1	5.1	6.1	7.4	7.1	8.7	7.4	9.9	78.4	10	3542
	19 LST	1.0	1.5	2.4	3.2	3.9	6.1	6.0	4.6	3.5	1.3	1.0	0.4	36.9	10	3530
	01 LST	1.4	0.9	2.6	3.7	3.3	2.2	2.8	1.7	2.3	1.6	1.0	1.0	24.5	10	3432
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	4.7	4.6	2.2	2.3	0.5	0.0	0.0	0.0	0.0	0.7	2.6	2.5	20.1	10	3586
	13 LST	9.1	8.2	3.6	2.0	0.1	0.0	0.0	0.0	0.0	0.0	1.2	3.1	27.3	10	3584
	19 LST	9.4	7.3	2.9	0.5	0.1	0.0	0.0	0.0	0.2	0.8	4.2	5.3	30.7	10	3583
	01 LST	18.2	17.8	14.6	8.1	1.3	0.1	0.1	0.0	0.3	4.8	11.4	16.0	92.7	10	3599
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	21.9	18.8	12.8	17.7	29.0	28.4	27.7	26.9	24.8	25.8	25.0	22.9	281.4	10	3589
	13 LST	28.4	20.7	12.6	16.5	30.2	28.7	29.5	27.8	27.8	30.0	29.9	30.5	312.6	10	3587
	19 LST	30.2	24.5	17.9	21.4	30.1	28.8	28.9	27.5	27.9	30.1	29.6	30.7	327.6	10	3585
	01 LST	30.8	27.6	29.2	28.8	29.3	28.6	29.1	27.8	26.6	29.6	29.9	30.8	348.1	10	3599
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	19.4	18.2	12.5	16.4	23.8	20.1	18.9	16.5	15.6	18.6	21.2	20.4	221.6	10	3589
	13 LST	27.3	19.9	12.4	15.9	24.8	16.1	15.6	15.2	19.2	24.5	26.6	28.5	246.0	10	3587
	19 LST	28.1	23.7	17.1	18.9	22.3	17.1	15.9	15.3	18.9	25.1	27.5	29.3	259.2	10	3585
	01 LST	29.6	26.7	28.7	26.7	23.1	19.9	18.0	15.5	18.3	24.1	27.7	28.5	286.8	10	3599
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	19.4	18.2	12.5	16.4	23.8	20.1	18.9	16.5	15.6	18.6	21.2	20.4	221.6	10	3589
	13 LST	27.3	19.9	12.4	15.9	24.8	16.1	15.6	15.2	19.2	24.5	26.6	28.5	246.0	10	3587
	19 LST	28.1	23.7	17.1	18.9	22.3	17.1	15.9	15.3	18.9	25.1	27.5	29.3	259.2	10	3585
	01 LST	29.6	26.7	28.7	26.7	23.1	19.9	18.0	15.5	18.3	24.1	27.7	28.5	286.8	10	3599

LAMPANG, THAILAND

STA NO. 48328 (IN AREA NUMBER 03)

LATITUDE 1817N

LONGITUDE 09931E

ELEVATION(FT) 00900

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	95	99	106	109	106	100	106	97	98	93	95	93	109	13	2212
MEAN MAX TMP (F)	86	91	96	99	95	92	90	89	88	88	88	85	91	13	2212
MEAN MIN TMP (F)	56	59	65	73	75	75	75	74	73	71	65	58	68	13	2133
ABS MIN TMP (F)	41	46	54	61	67	72	72	63	68	63	50	43	41	13	2133
MEAN NO DYS TMP = DR GTR 90(F)	8.8	21.3	29.3	29.0	28.3	23.2	19.8	18.1	16.7	15.8	13.4	5.8	229.5	13	2212
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	2133
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	2133
MEAN DEW PT TMP (F)	58	58	61	69	73	74	74	75	74	72	68	61	68	7	1409
MEAN REL HUM (PCT)	67	60	54	58	70	78	76	80	82	81	77	74	71	17	-40
MEAN PRESS ALT (FT)	744	793	846	915	974	1023	1039	1024	957	845	790	740	890	0	-50
MEAN PRECIP (IN)	0.30	0.40	0.90	2.80	5.40	5.00	5.10	7.50	8.00	4.90	0.90	0.20	41.4	30	-40
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	0.7	0.9	2.2	4.8	5.5	9.6	9.7	12.1	11.2	8.2	3.5	0.5	68.9	30	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0	0.0	0.0	0.0	0.0	0.0	2.6	0.0	5.2	11.9	5.6	6.9	32.2	7	253
MEAN NO DYS TSTMS	0.0	1.0	5.0	8.0	15.0	9.0	11.0	11.0	12.0	7.0	1.0	0.0	80.0	10	-40
P FREQ WND SPD = DR GTR 17 KTS	0.0	0.0	0.0	0.0	1.7	0.0	0.7	1.7	0.0	0.0	1.3	0.0	0.5	7	1398
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	1398
P FREQ LES 5000 FT A/D LES 5 MI	63.5	88.3	95.6	73.9	34.4	47.9	42.1	41.1	44.9	41.5	38.3	38.8	54.2	15	9109
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	33.3	76.3	77.8	43.2	3.1	8.0	11.3	13.2	7.4	4.8	2.2	8.1	24.1	10	1030
03-05 LST														0	0
06-08 LST	78.8	90.6	92.2	63.2	15.1	11.7	14.0	14.5	35.6	60.2	59.7	57.8	49.5	15	2759
09-11 LST	55.8	77.4	86.3	41.1	3.6	5.1	7.7	10.5	15.3	13.6	8.3	16.5	28.4	12	2375
12-14 LST	12.7	44.7	52.7	21.3	3.3	6.7	7.7	10.2	14.4	10.5	3.4	2.4	15.8	16	3154
15-17 LST	6.6	46.7	54.9	19.8	5.1	6.6	8.8	8.3	10.0	6.2	1.7	0.4	14.6	12	2605
18-20 LST	8.8	37.6	45.8	23.7	7.8	8.2	9.6	11.5	11.6	10.1	2.2	2.3	14.9	16	3255
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.0	5.3	3.7	1.4	0.0	2.3	0.0	1.1	1.1	0.0	0.0	0.0	1.2	10	1030
03-05 LST														0	0
06-08 LST	30.2	41.8	49.0	20.5	0.4	0.0	1.6	2.3	11.2	34.3	43.7	37.8	22.8	15	2759
09-11 LST	4.6	25.6	26.9	7.4	0.0	0.5	0.0	0.5	0.5	1.9	0.0	2.7	5.9	12	2375
12-14 LST	0.0	3.1	4.3	1.3	0.0	0.8	0.3	0.3	1.6	1.0	0.0	0.0	1.1	16	3154
15-17 LST	0.5	1.1	2.4	1.1	0.9	0.5	1.2	1.2	0.9	0.0	0.4	0.0	0.9	12	2605
18-20 LST	1.9	2.1	1.7	1.2	1.1	0.9	0.7	1.4	0.4	0.3	0.0	0.3	1.0	16	3255
21-23 LST														0	0

LAMPANG, THAILAND

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	6.5	2.8	2.7	11.7	26.9	26.6	27.7	27.0	19.6	13.2	12.0	13.0	189.7	13	2109
	13 LST	26.1	13.6	14.3	23.8	30.8	28.9	30.1	29.2	27.4	29.5	29.8	30.4	313.9	13	2308
	19 LST	27.7	15.1	16.7	24.0	29.4	28.4	28.8	28.3	27.8	29.5	29.6	30.7	316.0	13	2364
	01 LST	18.1	4.7	8.7	22.0	30.5	26.8	28.3	27.7	29.4	31.0	29.4	26.7	283.3	7	639
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	6.3	2.6	2.7	11.7	26.1	25.6	26.8	25.9	18.5	11.6	11.5	12.7	182.0	13	2102
	13 LST	25.4	12.9	13.1	20.6	28.4	23.9	25.0	25.0	23.8	26.7	28.9	29.4	283.1	13	2292
	19 LST	27.0	15.0	15.9	22.0	27.5	24.7	25.6	26.1	25.4	27.6	29.3	30.2	296.3	13	2349
	01 LST	18.1	4.7	8.2	21.1	30.5	26.8	28.3	25.5	28.3	30.3	29.4	26.7	277.9	7	635
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	2180
	13 LST	0.2	0.3	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.2	0.0	0.8	13	2358
	19 LST	0.0	0.0	0.0	0.5	0.3	0.0	0.0	0.0	0.0	0.2	0.0	0.0	1.0	13	2394
	01 LST	0.0	0.0	0.6	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	7	675
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	0.2	0.4	0.6	1.2	0.2	0.8	1.2	0.5	1.0	0.6	0.1	0.3	7.1	13	2166
	13 LST	10.0	8.9	2.7	2.1	1.7	4.1	5.5	4.3	3.0	5.6	6.5	8.4	62.8	13	2333
	19 LST	3.5	5.3	4.0	2.8	2.3	5.6	6.2	3.3	1.8	1.2	2.0	2.2	40.2	13	2372
	01 LST	0.6	0.9	5.2	1.8	1.4	1.0	3.1	1.0	2.0	0.6	0.0	0.0	17.6	7	669
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	2.6	0.6	1.1	3.6	2.4	1.1	0.6	0.2	0.2	0.7	2.7	2.4	18.2	13	2153
	13 LST	13.5	8.1	8.9	12.6	3.7	0.5	0.3	0.0	0.9	4.3	6.3	10.9	70.0	13	2350
	19 LST	19.3	9.2	9.7	6.7	1.5	0.2	0.3	0.7	1.2	8.8	16.6	18.6	92.8	13	2383
	01 LST	14.5	4.3	7.6	11.4	4.3	1.5	4.2	1.6	4.8	12.9	15.8	17.0	99.9	7	661
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	5.9	2.8	2.3	11.1	24.5	23.8	24.7	24.7	17.5	10.7	10.5	12.2	170.7	13	2109
	13 LST	24.6	12.9	13.7	22.6	26.6	23.0	24.4	23.1	21.8	23.7	25.4	28.4	270.2	13	2308
	19 LST	27.2	15.1	16.2	21.8	25.1	23.4	23.9	23.3	23.3	27.3	28.7	30.0	285.3	13	2364
	01 LST	18.1	4.7	8.7	20.2	29.0	24.2	26.2	24.9	27.8	29.0	28.8	26.7	288.3	7	639
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	5.9	2.8	2.3	10.1	23.1	21.9	21.6	23.6	16.6	9.7	9.0	11.7	158.3	13	2109
	13 LST	23.3	12.0	13.7	22.1	24.1	19.7	21.0	19.9	20.5	20.5	22.7	26.4	245.9	13	2308
	19 LST	26.9	15.0	16.0	20.5	22.9	22.0	21.1	20.7	21.7	26.4	27.5	29.4	270.1	13	2364
	01 LST	18.1	4.7	8.7	19.6	27.9	22.6	25.1	24.9	27.8	29.0	27.5	26.7	262.6	7	639
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	5.9	2.8	2.3	10.1	23.1	21.9	21.6	23.6	16.6	9.7	9.0	11.7	158.3	13	2109
	13 LST	23.3	12.0	13.7	22.1	24.1	19.7	20.7	19.9	20.5	20.5	22.7	26.4	245.4	13	2308
	19 LST	26.9	15.0	16.0	20.5	22.9	22.0	21.1	20.7	21.7	26.4	27.5	29.4	270.1	13	2364
	01 LST	18.1	4.7	8.7	19.6	27.9	22.6	25.1	24.9	27.8	29.0	27.5	26.7	262.6	7	639

WAN, THAILAND

STA NO. 48331 (IN AREA NUMBER 03)

LATITUDE 1847N

LONGITUDE 10047E

ELEVATION(FT) 00660

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
ABS MAX TMP (F)	95	100	104	109	108	100	100	95	95	95	97	95	109	12	2349
MEAN MAX TMP (F)	86	91	96	99	96	92	90	89	90	90	88	85	91	12	2349
MEAN MIN TMP (F)	55	59	64	71	75	75	75	75	74	71	66	58	68	12	2368
ABS MIN TMP (F)	41	45	50	61	68	68	72	70	68	61	48	41	41	12	2368
MEAN NO DYS TMP = DR GTR 90(F)	7.3	20.9	29.5	28.4	29.6	23.8	20.6	17.2	19.8	19.9	15.1	5.4	237.5	12	2349
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	2368
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	2368
MEAN DEN PT TMP (F)	62	62	65	70	75	76	76	76	76	73	69	62	70	8	4681
MEAN REL HUM (PCT)	74	69	65	65	73	79	81	84	84	83	79	78	76	17	17491
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.30	0.50	0.90	3.30	5.70	4.90	8.10	10.60	8.50	2.20	0.60	0.20	45.8	30	-40
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	0.7	1.1	2.2	5.1	5.5	9.5	12.7	14.8	11.6	5.1	3.1	0.5	71.9	30	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	15.1	6.2	2.3	0.0	0.0	0.0	0.0	1.2	0.8	7.7	20.0	21.5	74.8	8	856
MEAN NO DYS TSTMS	0.2	1.4	3.5	9.1	17.8	11.3	11.3	14.5	14.7	9.2	1.8	0.0	95.0	12	2514
P FREQ WND SPD = DR GTR 17 KTS	0.0	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	17	17349
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	17349
P FREQ LES 5000 FT A/D LES 5 MI	69.6	83.6	94.5	79.7	39.8	47.5	47.6	51.7	47.9	51.2	50.0	59.1	60.2	16	12140
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	77.7	68.7	80.6	64.5	22.3	22.9	31.4	32.2	33.1	30.3	47.4	66.0	48.1	10	1847
03-05 LST														0	0
06-08 LST	94.9	91.4	91.4	68.1	25.5	22.8	30.4	37.5	51.1	67.4	81.8	90.3	62.7	17	3296
09-11 LST	61.6	54.2	64.5	43.1	7.1	10.0	16.7	12.5	13.3	12.9	23.1	50.9	30.8	12	2417
12-14 LST	9.5	27.8	47.0	36.7	5.1	7.1	8.3	7.1	5.4	3.1	1.9	2.6	13.5	17	3414
15-17 LST	6.8	29.9	49.8	40.1	4.1	3.9	7.4	6.8	4.9	2.5	0.4	1.7	13.2	12	2551
18-20 LST	34.8	41.1	61.6	51.1	14.4	7.8	11.6	12.2	13.1	12.1	15.4	20.9	24.7	17	3626
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	6.8	0.0	7.9	0.6	0.7	0.0	1.0	2.3	1.3	6.5	13.2	24.5	5.4	10	1847
03-05 LST														0	0
06-08 LST	74.2	38.2	28.7	7.3	0.0	0.4	1.0	2.5	8.3	35.1	63.0	78.8	28.1	17	3296
09-11 LST	16.8	2.4	3.3	1.7	0.0	0.0	0.0	0.9	0.0	1.0	3.4	15.8	3.8	12	2417
12-14 LST	0.0	0.0	2.6	0.8	0.4	0.0	0.3	0.0	0.4	0.3	0.3	0.0	0.4	17	3414
15-17 LST	0.0	0.6	2.0	0.5	0.0	0.5	0.0	0.0	0.5	0.4	0.0	0.0	0.4	12	2551
18-20 LST	0.0	0.4	4.2	0.4	0.0	0.0	0.0	0.3	0.7	0.3	0.3	0.0	0.6	17	3626
21-23 LST														0	0

NAN, THAILAND

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG ≥ GTR 1000 FT AND VSBY ≥ GTR 3 MI	07 LST	3.1	6.2	6.2	15.8	27.1	27.2	26.5	25.9	20.0	13.9	7.7	4.1	183.7	16	3296
	13 LST	30.6	26.1	24.1	26.1	30.8	29.6	29.9	30.5	29.6	30.7	29.7	30.9	348.6	17	3414
	19 LST	28.4	22.4	20.7	22.0	30.5	29.6	30.3	30.3	28.7	30.2	29.4	29.5	331.5	17	3626
	01 LST	17.5	19.9	14.9	20.1	29.7	29.0	28.2	27.1	26.9	27.7	24.5	18.0	283.5	10	1847
CIG ≥ GTR 2000 FT AND VSBY ≥ GTR 3 MI W/SFC WND LES 10 KTS	07 LST	3.1	6.2	6.2	15.8	27.1	27.2	26.5	25.7	20.0	13.9	7.7	4.1	183.5	16	3291
	13 LST	30.6	26.1	23.9	26.1	30.5	29.6	29.8	30.2	29.6	30.7	29.6	30.8	347.5	17	3405
	19 LST	28.4	22.4	20.0	21.9	30.2	29.3	30.2	30.2	28.6	30.1	29.3	29.5	330.1	17	3618
	01 LST	17.5	19.9	14.9	20.1	29.7	29.0	28.2	27.1	26.9	27.7	24.5	18.0	283.5	10	1847
SFC WND ≥ GTR 17 KTS AND NO PRECIP.	07 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16	3383
	13 LST	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.2	17	3489
	19 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	3667
	01 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	1871
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	0.5	0.7	0.0	1.0	0.7	0.9	1.2	1.1	0.7	0.2	0.1	0.2	7.3	16	3372
	13 LST	10.3	7.6	2.8	1.0	2.3	3.2	4.1	4.9	3.5	3.9	7.2	9.3	60.1	17	3471
	19 LST	1.2	1.3	3.0	1.9	2.2	2.0	2.8	2.1	1.3	0.4	1.0	0.5	19.7	17	3644
	01 LST	0.0	0.0	0.4	1.3	0.4	1.3	1.8	1.1	0.2	0.0	0.0	0.0	6.5	10	1871
SKY COVER LES 3/10 AND VSBY ≥ GTR 3 MI	07 LST	0.6	1.3	1.8	4.1	1.8	0.4	0.3	0.1	0.2	0.1	0.9	0.0	11.6	16	3352
	13 LST	17.8	16.4	15.4	11.2	2.2	0.0	0.1	0.2	0.6	4.4	9.3	13.5	91.1	17	3491
	19 LST	21.1	15.1	14.3	8.0	1.6	0.8	0.4	0.1	1.6	7.3	16.0	18.3	104.6	17	3666
	01 LST	12.9	14.8	11.6	8.4	4.0	1.1	0.0	0.5	1.3	4.4	11.4	10.4	80.8	10	1866
CIG ≥ GTR 2500 FT AND VSBY ≥ GTR 3 MI	07 LST	3.1	5.9	6.0	14.4	23.9	22.2	22.1	18.4	14.3	10.1	5.8	3.5	150.7	14	3296
	13 LST	30.2	25.6	23.8	25.4	28.2	25.3	25.9	25.4	26.0	28.7	28.9	29.9	323.3	16	3414
	19 LST	28.4	22.2	20.0	21.6	28.8	26.3	26.4	27.0	26.4	28.5	28.3	29.0	312.9	17	3626
	01 LST	18.5	19.7	14.8	20.4	28.0	25.4	24.5	21.0	23.4	24.7	23.6	17.7	261.7	9	1847
CIG ≥ GTR 6000 FT AND VSBY ≥ GTR 3 MI	07 LST	2.5	4.9	5.5	12.5	18.6	15.2	15.7	10.5	8.8	7.3	5.7	2.7	109.9	14	3296
	13 LST	29.4	24.8	22.8	23.9	27.3	19.1	19.3	18.4	22.5	25.8	28.0	28.4	289.7	16	3414
	19 LST	28.2	21.8	19.4	20.7	25.7	21.9	21.4	22.5	23.6	26.5	26.3	28.0	286.0	17	3626
	01 LST	18.5	19.5	14.7	17.4	24.9	20.5	20.1	15.4	18.5	21.5	21.6	16.2	228.8	9	1847
CIG ≥ GTR 10000 FT AND VSBY ≥ GTR 3 MI	07 LST	2.4	4.9	5.5	12.2	18.6	14.9	15.5	10.5	8.5	6.8	5.6	2.7	108.1	14	3296
	13 LST	29.3	24.8	22.8	23.9	27.3	19.0	19.1	18.0	22.1	25.8	28.0	28.4	288.5	16	3414
	19 LST	28.0	21.8	19.4	20.7	25.6	21.8	21.4	22.2	23.0	26.3	26.3	28.0	284.5	17	3626
	01 LST	18.5	19.5	14.7	17.4	24.9	20.2	20.1	15.4	18.5	21.5	21.6	16.2	228.5	9	1847

BAN MAE SOT, THAILAND

STA NO. 48375 (IN AREA NUMBER 03)

LATITUDE 1641N

LONGITUDE 09832E

ELEVATION(FT) 00742

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	96	101	104	106	106	96	93	100	99	98	95	95	106	24	-540
MEAN MAX TMP (F)	89	93	97	99	94	87	85	85	88	90	89	87	90	24	-40
MEAN MIN TMP (F)	58	61	67	73	75	75	74	75	74	72	67	60	69	24	-40
ABS MIN TMP (F)	42	48	55	61	69	70	70	70	69	60	48	39	39	24	-40
MEAN NO DYS TMP = DR GTR 90(F)	14.8	23.7	30.7	30.0	28.3	8.3	3.4	3.4	11.2	17.9	14.3	8.6	194.6	24	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	24	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	24	-29
MEAN DEW PT TMP (F)	60	62	64	70	75	75	75	76	76	74	69	64	70	23	-29
MEAN REL HUM (PCT)	67	64	58	63	75	84	86	87	85	81	76	74	75	22	-40
MEAN PRESS ALT (FT)	747	786	824	881	934	964	966	969	930	821	784	745	863	0	-50
MEAN PRECIP (IN)	0.20	0.20	0.20	1.50	5.70	8.80	13.60	16.00	7.80	4.10	0.70	0.10	58.9	30	-40
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	24	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	0.5	0.5	0.6	3.2	5.5	13.3	17.1	18.7	11.0	7.3	3.2	0.3	81.2	30	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	24	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.3	0.9	2.4	9.9	13.5	3.4	3.8	5.1	4.3	8.8	2.4	0.7	55.5	11	1494
P FREQ WND SPD = DR GTR 17 KTS	3.3	1.9	2.6	2.7	0.7	0.3	0.5	0.1	0.1	0.8	1.0	2.9	1.4	16	12080
P FREQ WND SPD = DR GTR 28 KTS	0.2	0.1	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.1	16	12080
P FREQ LES 5000 FT A/D LES 5 MI	53.9	77.2	93.3	70.2	35.6	49.0	47.9	45.6	40.2	31.5	32.4	32.6	50.8	15	6508
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	50.0	56.0	77.3	43.1	9.8	25.0	26.6	20.8	20.6	27.7	27.0	30.5	34.5	6	753
03-05 LST														0	0
06-08 LST	93.3	95.2	94.3	78.4	51.3	52.5	47.1	48.1	53.4	68.9	82.8	80.6	70.5	15	1881
09-11 LST	51.3	78.2	89.6	49.3	4.0	18.4	23.9	20.4	16.0	5.4	14.8	23.9	32.9	12	1932
12-14 LST	1.8	20.9	41.3	13.7	5.0	14.7	17.5	12.8	12.7	3.2	1.2	0.4	12.1	17	2575
15-17 LST	1.7	15.6	28.2	5.9	8.6	16.7	17.5	16.4	12.2	2.7	0.9	0.4	10.6	12	2297
18-20 LST	2.6	8.3	17.5	10.1	5.9	19.3	17.6	22.4	12.5	5.7	0.5	2.1	10.4	17	2395
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	2.8	0.0	4.5	1.5	0.0	3.6	0.0	0.0	0.0	4.8	9.5	5.1	2.7	6	753
03-05 LST														0	0
06-08 LST	73.3	46.0	37.3	9.8	1.9	3.7	2.5	4.4	11.0	29.0	50.0	68.1	28.1	15	1881
09-11 LST	0.7	5.6	11.8	2.8	0.7	1.8	0.6	0.6	1.4	0.0	1.5	5.9	2.8	12	1932
12-14 LST	0.5	0.0	3.3	0.0	1.0	1.0	0.5	0.4	1.4	0.0	0.0	0.0	0.7	17	2575
15-17 LST	0.6	0.7	0.6	0.0	0.5	0.6	1.3	2.1	1.1	0.9	0.0	0.4	0.8	12	2297
18-20 LST	0.0	0.6	0.5	0.5	0.5	2.2	0.5	2.5	2.1	1.0	0.0	0.0	0.9	17	2395
21-23 LST														0	0

BAN MAE SOT, THAILAND

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	2.3	2.5	2.9	10.8	23.3	20.9	21.9	21.3	20.7	13.2	7.1	6.5	153.4	9	1882
	13 LST	30.7	25.3	25.0	28.0	30.4	27.6	29.1	28.8	27.6	30.6	30.0	30.9	344.0	17	2576
	19 LST	30.5	27.3	29.3	29.2	30.2	27.0	28.4	27.5	28.1	29.7	30.0	30.7	347.9	17	2395
	01 LST	18.9	17.6	14.6	25.8	31.0	26.8	28.2	27.6	28.5	27.0	25.2	25.1	296.3	5	753
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	2.3	2.5	2.9	10.5	23.1	20.9	22.0	21.4	20.5	13.1	6.8	6.1	152.1	9	1874
	13 LST	28.1	23.2	22.0	23.9	27.2	25.9	27.4	27.1	27.0	27.6	24.9	26.4	310.7	17	2563
	19 LST	28.6	26.5	26.4	26.1	29.1	26.5	28.3	26.8	27.9	29.4	28.4	29.5	333.5	17	2385
	01 LST	18.9	17.6	14.6	25.3	31.0	26.8	28.2	27.5	28.5	27.0	25.2	25.1	295.7	5	751
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.2	9	1909
	13 LST	0.8	0.5	0.6	0.8	0.3	0.2	0.2	0.1	0.0	0.4	0.9	1.9	6.7	17	2606
	19 LST	0.9	0.2	0.2	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	2.1	17	2433
	01 LST	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	5	755
SFC WND 4-10 KTS AND TMP 33-89 DEG ° AND NO PRECIP.	07 LST	0.7	0.2	0.8	1.6	1.0	1.4	1.0	0.0	0.2	0.8	0.5	0.9	9.1	9	1896
	13 LST	8.7	5.7	1.3	0.9	3.2	9.2	12.6	9.9	9.7	8.5	8.2	10.8	88.7	17	2589
	19 LST	4.3	3.7	7.1	7.6	6.9	4.7	5.4	4.2	4.3	4.0	4.5	3.8	60.5	17	2421
	01 LST	2.6	1.1	2.3	4.7	4.5	2.1	2.0	1.3	1.0	1.8	0.5	0.0	23.9	5	755
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	1.6	0.7	1.6	5.4	1.2	0.2	0.0	0.0	0.0	1.8	2.3	1.7	16.5	9	1911
	13 LST	20.1	18.5	16.7	9.9	0.8	0.0	0.0	0.0	0.3	2.3	6.7	13.3	88.6	17	2602
	19 LST	23.8	20.0	18.4	12.6	3.1	0.0	0.2	0.2	1.4	6.9	14.8	19.1	120.5	17	2419
	01 LST	18.9	13.7	13.2	18.3	9.0	1.1	0.8	0.8	0.5	7.8	16.9	14.4	115.4	5	757
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	5.1	2.5	2.9	10.4	21.9	17.9	19.2	16.6	20.0	11.9	6.8	6.2	141.4	11	1882
	13 LST	30.7	25.1	25.0	27.7	26.4	18.4	21.0	23.7	22.8	28.6	28.7	30.7	308.8	16	2576
	19 LST	30.4	27.2	29.0	28.8	28.6	21.3	23.5	21.7	25.1	28.6	29.6	30.5	324.3	12	2395
	01 LST	18.9	17.3	14.6	25.8	29.0	24.7	23.9	24.9	27.1	25.9	25.2	24.9	282.2	5	753
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	1.8	2.5	2.9	10.2	20.6	17.0	18.4	16.3	19.8	10.0	6.6	6.0	132.1	11	1882
	13 LST	30.6	24.9	24.9	27.4	23.2	15.7	17.4	19.7	19.6	26.9	27.1	30.3	287.7	16	2576
	19 LST	30.0	27.0	28.7	28.1	27.0	18.9	20.7	19.1	21.6	27.0	28.8	30.3	307.2	12	2395
	01 LST	18.9	17.0	14.6	25.8	28.0	23.6	22.7	24.6	26.6	24.8	25.2	24.1	275.9	5	753
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	1.8	2.5	2.9	10.2	20.6	17.0	18.4	16.3	19.8	10.0	6.6	6.0	132.1	11	1882
	13 LST	30.6	24.9	24.9	27.4	23.1	15.7	17.4	19.7	19.6	26.9	27.1	30.3	287.6	16	2576
	19 LST	30.0	27.0	28.7	28.1	27.0	18.9	20.7	19.1	21.6	27.0	28.8	30.3	307.2	12	2395
	01 LST	18.9	17.0	14.6	25.8	28.0	23.6	22.7	24.6	26.6	24.8	25.2	24.1	275.9	5	753

AREA NO. 03

PARAMETER DESCRIPTION	BOUNDARIES	MOUNTAINS												ANN
		LATITUDE 1830N						LONGITUDE 09900E						
		1800N 10145E	1630N 10100E	1630N 10100E	1800N 10030E	1800N 10030E	1800N 09920E	1200N 09935E	1800N 10030E	1800N 10030E	1800N 09920E	1800N 09920E		
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	
MEAN MAX TMP (F)		86	91	96	98	94	90	88	87	88	89	87	85	90
MEAN MIN TMP (F)		56	58	63	71	73	75	74	74	73	71	66	61	68
LARGEST MEAN PRECIP(IN)		0.50	0.50	0.90	3.30	8.30	9.00	13.60	16.00	12.20	4.90	1.50	0.60	71.3
SMALLEST MEAN PRECIP(IN)		0.20	0.20	0.20	1.50	5.40	4.90	5.10	7.50	7.80	2.20	0.50	0.10	35.7
		MEAN NUMBER OF DAYS												
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	7.2	9.3	7.3	13.3	27.4	25.7	25.9	25.2	22.5	17.2	12.0	9.6	202.6
	13 LST	29.7	23.6	18.7	21.0	30.5	28.8	29.1	29.1	28.7	30.2	21.9	30.7	330.0
	19 LST	29.8	23.3	20.0	21.3	29.9	27.8	28.1	28.5	28.2	29.3	29.6	30.4	326.2
	01 LST	22.4	20.4	19.2	22.6	30.2	28.7	28.8	27.9	28.7	27.6	26.8	24.6	307.9
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	7.8	9.3	7.3	13.2	27.1	25.5	25.5	24.8	22.1	16.7	11.8	9.5	200.6
	13 LST	28.9	22.7	17.6	19.5	28.7	27.4	27.6	28.0	27.6	28.7	28.7	29.5	314.9
	19 LST	29.3	22.9	19.3	20.0	28.7	26.8	27.2	27.8	27.5	28.7	29.2	30.0	317.4
	01 LST	22.3	20.4	19.0	22.2	29.9	28.6	28.7	27.4	28.4	27.4	26.8	24.6	305.7
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	13 LST	0.2	0.3	0.2	0.3	0.1	0.0	0.1	0.0	0.0	0.1	0.2	0.3	1.8
	19 LST	0.1	0.1	0.1	0.2	0.1	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.7
	01 LST	0.0	0.0	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	0.4	0.4	0.5	1.5	0.8	0.9	0.9	0.7	0.8	0.8	0.4	0.6	8.7
	13 LST	9.1	7.2	3.3	1.5	3.0	6.2	7.5	6.9	6.2	6.6	7.1	8.3	72.9
	19 LST	2.2	3.0	4.0	3.1	4.5	4.3	4.8	3.3	2.5	1.7	1.8	1.5	36.7
	01 LST	0.8	0.9	2.0	3.2	2.8	2.1	2.7	1.6	1.7	0.8	0.6	0.8	20.0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	2.3	5.7	3.0	4.4	2.3	0.4	0.2	0.1	0.3	0.8	2.0	1.6	23.1
	13 LST	16.7	14.9	11.7	8.5	2.1	0.2	0.1	0.1	0.5	3.0	7.8	12.3	77.9
	19 LST	20.2	13.9	10.8	6.8	2.1	0.3	0.6	0.3	1.5	6.4	14.9	17.1	94.9
	01 LST	16.5	14.3	13.6	11.2	4.9	0.6	1.2	0.8	2.0	6.9	14.0	13.9	99.9
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	7.9	9.2	8.0	12.6	24.2	21.2	20.5	19.2	17.3	13.2	11.1	8.9	173.3
	13 LST	29.2	23.1	18.5	20.6	27.9	23.9	23.8	24.2	25.0	27.6	28.4	29.7	301.9
	19 LST	29.6	23.0	19.7	20.7	27.8	23.6	24.0	24.2	25.3	27.7	29.0	29.9	304.5
	01 LST	22.6	20.3	19.1	21.9	28.4	25.2	25.0	23.8	25.6	24.8	26.3	24.4	287.4
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	6.6	8.9	7.9	11.7	21.0	16.8	16.5	15.3	14.2	10.9	9.5	8.2	147.5
	13 LST	28.4	22.6	18.3	20.1	24.9	18.2	17.7	18.6	21.3	24.8	26.7	28.4	270.0
	19 LST	29.0	22.7	19.3	19.6	24.7	19.0	19.2	19.5	21.9	25.9	27.9	29.1	277.8
	01 LST	22.0	20.0	19.0	20.5	25.6	21.1	20.6	19.6	22.3	22.3	25.1	23.4	261.5
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	6.6	8.9	7.9	11.6	21.0	16.7	16.5	15.3	14.2	10.8	9.5	8.2	147.2
	13 LST	28.4	22.6	18.3	20.1	24.9	18.2	17.6	18.5	21.2	24.7	26.7	28.4	269.6
	19 LST	29.0	22.7	19.2	19.6	24.7	18.9	19.2	19.4	21.7	25.9	27.9	29.1	277.3
	01 LST	22.0	20.0	19.0	20.5	25.6	21.1	20.6	19.6	22.2	22.1	25.1	23.4	261.2

UTTARADIT EAST, THAILAND

STA NO. 48351 (IN AREA NUMBER 04)

LATITUDE 1740N

LONGITUDE 10014E

ELEVATION(FT) 00269

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. DBS
ABS MAX TMP (F)	101	107	109	112	109	104	106	100	103	100	102	102	112	21	-40
MEAN MAX TMP (F)	92	96	100	101	97	93	91	91	92	92	92	90	94	21	-40
MEAN MIN TMP (F)	60	63	69	74	76	76	76	76	75	73	68	62	71	21	-40
ABS MIN TMP (F)	40	30	36	61	70	71	72	72	70	59	52	47	40	21	-40
MEAN NO DYS TMP = DR GTR 90(F)	23.8	27.7	31.0	30.0	30.7	25.4	21.0	21.0	23.0	23.8	23.0	17.9	298.3	21	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21	-29
MEAN DEW PT TMP (F)	62	65	67	70	75	77	77	77	78	75	70	64	71	17	-29
MEAN REL HUM (PCT)	66	64	59	61	72	80	81	83	84	79	75	70	73	9	15370
MEAN PRESS ALT (FT)	245	318	360	409	448	474	457	471	425	329	271	222	369	0	-50
MEAN PRECIP (IN)	0.20	0.50	1.20	3.10	7.40	8.00	9.30	10.50	12.50	4.90	1.10	0.10	38.8	46	-40
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	0.5	1.1	2.7	5.0	5.3	12.6	13.7	14.7	14.5	8.2	3.7	0.3	82.3	46	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	1.0	4.0	8.0	16.0	13.0	11.0	13.0	13.0	8.0	1.0	0.0	88.0	20	-40
P FREQ WND SPD = DR GTR 17 KTS	0.2	0.1	0.1	0.2	0.3	0.5	0.3	0.1	0.1	0.0	0.1	0.1	0.2	15	15396
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	15396
P FREQ LES 5000 FT A/D LES 5 MI	54.2	82.2	92.1	64.7	30.7	35.3	38.8	44.1	39.4	25.6	11.1	13.6	44.3	8	15098
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	1.0	7.5	15.7	6.3	5.8	8.1	14.4	11.5	9.6	7.3	1.2	0.0	7.4	9	1479
03-05 LST														0	0
06-08 LST	17.2	37.1	33.7	10.5	4.5	6.4	14.0	11.1	12.5	5.3	3.7	5.3	13.4	15	3071
09-11 LST	2.4	23.9	22.2	1.0	5.0	6.7	6.4	8.5	9.5	3.0	0.0	0.0	7.4	8	1842
12-14 LST	1.7	15.6	14.1	4.7	1.2	4.9	7.3	7.1	7.3	3.1	0.0	0.2	5.6	15	3237
15-17 LST	1.4	17.8	16.4	2.3	0.6	6.2	6.6	6.4	6.5	1.4	0.5	0.0	5.5	8	2004
18-20 LST	2.0	13.6	15.0	6.3	2.8	4.9	7.9	7.3	4.9	1.6	0.5	0.0	5.6	15	3465
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.0	2.5	1.4	1.7	0.8	1.9	1.4	3.5	0.8	1.4	0.0	0.0	1.3	9	1479
03-05 LST														0	0
06-08 LST	7.2	11.7	5.5	0.4	0.4	0.0	2.0	1.2	3.8	0.8	1.0	0.7	2.9	15	3071
09-11 LST	0.0	5.3	1.6	0.0	0.7	0.6	0.0	0.6	1.4	0.0	0.0	0.0	0.9	8	1842
12-14 LST	0.7	2.0	2.3	0.4	0.4	0.4	0.4	0.4	0.0	0.8	0.0	0.0	0.7	15	3237
15-17 LST	0.0	3.6	0.7	0.0	0.0	0.6	1.1	1.2	1.8	0.6	0.0	0.0	0.8	8	2004
18-20 LST	0.3	3.4	4.9	1.2	0.6	0.8	2.2	1.3	0.7	0.3	0.3	0.0	1.3	15	3465
21-23 LST														0	0

UTTARADIT EAST, THAILAND

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	25.8	17.7	20.7	27.0	30.5	28.7	28.3	29.2	27.5	29.8	29.1	29.4	323.7	15	3071
	13 LST	30.5	23.6	26.6	28.6	30.8	29.1	29.5	29.6	28.2	30.4	30.0	31.0	347.9	15	3237
	19 LST	30.4	24.2	26.2	28.4	30.5	29.0	29.2	30.0	29.3	30.9	29.9	31.0	349.0	15	3465
	01 LST	30.7	25.9	26.0	29.0	28.9	27.4	27.0	27.4	27.0	28.8	29.8	31.0	338.9	9	1479
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	25.8	17.7	20.5	26.9	30.4	28.7	28.3	29.2	27.5	29.7	29.0	29.3	323.0	15	3059
	13 LST	30.2	23.5	26.5	28.4	30.4	28.8	28.9	29.4	27.7	30.1	29.5	31.0	344.4	15	3214
	19 LST	29.9	24.0	26.0	27.8	29.2	28.6	28.8	29.6	29.1	30.8	29.7	30.9	344.4	15	3445
	01 LST	30.7	25.9	25.8	29.0	28.9	27.4	27.0	27.4	27.0	28.8	29.5	31.0	338.4	9	1476
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	3118
	13 LST	0.1	0.1	0.0	0.1	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	15	3265
	19 LST	0.0	0.0	0.1	0.0	0.1	0.2	0.3	0.0	0.1	0.0	0.0	0.0	0.0	15	3489
	01 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	1506
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	2.2	1.0	0.8	1.0	0.9	1.1	0.3	0.7	0.8	1.5	1.3	3.8	15.4	15	3086
	13 LST	5.6	1.6	0.8	0.8	1.3	4.0	4.2	4.4	3.2	3.0	5.1	7.4	41.4	15	3233
	19 LST	1.7	1.6	1.0	1.7	1.9	3.7	2.9	3.1	2.1	1.7	1.2	1.1	23.7	15	3464
	01 LST	3.8	1.4	2.4	2.5	2.8	0.0	0.0	0.7	0.7	0.6	1.8	0.9	17.6	9	1505
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	7.8	3.0	5.0	6.1	2.7	0.7	0.2	0.3	0.5	5.7	10.1	11.3	53.4	15	3104
	13 LST	17.3	13.2	14.2	12.1	3.0	0.3	0.4	0.3	1.0	4.1	8.7	10.5	85.1	15	3279
	19 LST	21.8	14.8	14.1	8.9	1.7	0.3	0.4	0.2	2.2	11.8	17.7	21.7	115.6	15	3488
	01 LST	21.7	18.3	14.7	10.8	4.1	2.3	1.1	0.9	1.0	12.5	18.5	21.4	127.3	9	1493
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	25.2	17.2	19.7	25.9	26.7	25.4	23.5	22.9	22.4	27.6	28.4	28.9	293.8	15	3071
	13 LST	30.0	23.2	26.5	28.3	29.0	25.9	26.0	25.5	23.7	28.6	29.4	30.4	328.5	15	3237
	19 LST	30.3	24.1	26.1	27.4	28.8	26.1	26.2	24.7	26.0	29.7	29.7	31.0	330.1	15	3465
	01 LST	30.7	25.6	25.7	26.9	26.2	23.4	23.3	22.6	21.8	26.6	29.0	31.0	312.8	9	1479
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	24.7	16.7	19.1	24.8	24.3	23.5	22.4	20.0	20.8	26.8	26.0	28.4	279.5	15	3071
	13 LST	29.8	22.6	25.9	27.9	27.6	23.9	24.2	23.2	24.1	27.3	28.7	29.9	315.3	15	3237
	19 LST	28.6	24.0	25.9	26.9	27.3	24.5	24.6	22.0	24.3	28.9	29.4	31.0	317.4	15	3465
	01 LST	30.7	25.6	25.4	26.8	25.0	21.7	22.4	20.5	19.2	25.4	29.0	31.0	302.7	9	1479
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	24.7	16.7	19.1	24.8	24.3	23.5	22.4	20.0	20.8	26.8	26.0	28.4	279.5	15	3071
	13 LST	29.8	22.6	25.9	27.9	27.6	23.9	24.2	23.2	24.1	27.3	28.7	29.9	315.3	15	3237
	19 LST	28.6	24.0	25.9	26.9	27.3	24.5	24.6	22.0	24.3	28.9	29.4	31.0	317.4	15	3465
	01 LST	30.7	25.6	25.4	26.8	25.0	21.7	22.4	20.5	19.2	25.4	29.0	31.0	302.7	9	1479

LOEI, THAILAND

STA NO. 48353 (IN AREA NUMBER 04)

LATITUDE 1732N

LONGITUDE 10190E

ELEVATION(FT) 00817

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	97	100	106	106	104	100	99	97	93	93	93	93	106	10	1768
MEAN MAX TMP (F)	85	89	94	97	93	91	90	89	88	87	87	84	90	10	1768
MEAN MIN TMP (F)	52	58	65	70	73	74	74	74	73	69	64	56	67	10	1605
ABS MIN TMP (F)	34	46	46	63	68	68	70	70	68	59	43	39	34	10	1605
MEAN NO DYS TMP = DR GTR 90(F)	8.0	16.8	25.6	27.9	26.8	25.0	20.6	16.5	14.1	10.6	10.8	5.1	207.8	10	1768
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	1605
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	1605
MEAN DEW PT TMP (F)	53	58	63	69	74	74	73	74	74	71	67	58	67	4	2861
MEAN REL HUM (PCT)	62	60	59	62	75	77	77	79	82	79	74	69	71	12	13383
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.20	0.80	1.40	3.60	6.90	6.80	5.00	8.30	8.80	4.30	0.80	0.10	47.0	30	-40
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	0.5	1.7	3.1	5.2	5.4	11.4	9.6	12.8	11.8	7.5	3.3	0.3	72.6	30	-29
MEAN NO DYS SNFL = DR GTR 1.3 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	11.3	0.8	0.5	0.0	1.6	0.7	2.6	4.2	4.8	17.9	17.3	18.2	79.9	4	512
MEAN NO DYS TSTMS	0.4	1.4	8.0	16.4	24.3	13.3	11.7	13.2	10.1	7.5	1.3	0.2	107.8	12	2034
P FREQ WND SPD = DR GTR 17 KTS	0.0	0.0	0.2	0.5	0.1	0.3	0.1	0.0	0.3	0.1	0.0	0.0	0.1	11	13376
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	13376
P FREQ LES 5000 FT A/D LES 5 MI	60.1	81.8	91.6	75.8	39.2	30.7	33.4	31.2	38.9	36.6	32.5	39.5	49.3	12	9739
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	37.0	46.5	76.1	54.0	19.8	8.4	12.5	10.8	21.6	46.6	41.5	33.8	34.1	6	1133
03-05 LST														0	0
06-08 LST	90.3	92.5	94.7	86.6	67.0	38.2	39.7	47.0	63.7	79.1	86.1	84.9	72.5	12	2407
09-11 LST	27.7	34.4	78.5	53.4	12.8	7.5	10.4	8.8	14.6	11.3	4.2	11.6	24.6	12	2144
12-14 LST	12.1	40.0	70.0	50.0	5.7	7.3	6.4	7.1	11.9	5.3	2.3	0.8	18.2	12	2697
15-17 LST	19.6	51.0	73.0	50.3	10.3	11.2	10.3	8.2	13.6	7.2	2.4	3.9	21.8	12	2293
18-20 LST	17.8	31.2	74.9	47.0	7.8	5.6	8.7	6.3	8.5	3.4	2.6	1.8	19.6	12	2519
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	1.9	5.6	9.4	6.2	1.0	1.1	1.8	4.9	6.2	25.0	23.2	12.3	8.2	6	1133
03-05 LST														0	0
06-08 LST	56.2	45.6	60.8	37.1	15.1	13.4	15.3	17.7	23.8	53.2	67.3	64.9	39.2	12	2407
09-11 LST	1.6	8.1	14.7	7.3	0.0	0.0	0.0	1.0	1.3	2.2	0.9	3.7	3.4	12	2144
12-14 LST	0.0	2.1	12.3	5.8	0.5	0.0	0.4	0.4	0.9	0.4	0.0	0.0	1.9	12	2697
15-17 LST	0.0	2.5	14.8	9.6	0.0	1.1	2.1	1.4	3.3	0.5	0.5	0.5	3.0	12	2293
18-20 LST	0.0	2.5	12.6	7.0	1.0	0.5	1.5	0.0	0.0	0.0	0.0	0.0	2.1	12	2519
21-23 LST														0	0

LOEI, THAILAND

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	5.4	4.9	2.3	6.0	14.9	23.1	21.7	20.8	16.6	9.2	7.4	6.8	139.1	12	2407
	13 LST	29.8	21.1	15.6	18.8	29.7	28.3	30.3	29.8	27.7	30.3	29.5	31.0	321.9	12	2697
	19 LST	29.2	19.5	13.7	18.8	29.9	29.4	29.3	30.2	28.8	30.6	29.9	30.9	320.2	11	2519
	01 LST	25.4	19.2	16.3	19.3	27.9	29.1	29.1	29.5	26.5	20.6	21.0	24.3	288.2	5	1133
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	5.4	4.9	2.3	6.0	14.9	22.9	21.7	20.6	16.6	9.0	7.4	6.8	138.5	12	2404
	13 LST	29.3	20.6	15.6	18.6	29.5	27.7	28.3	29.1	27.6	30.3	29.2	30.9	316.7	12	2691
	19 LST	28.5	19.2	13.7	18.5	29.2	28.9	29.0	29.6	28.6	30.5	29.7	30.7	316.1	11	2512
	01 LST	25.4	19.2	16.3	19.2	28.2	29.1	29.1	29.5	26.5	20.6	21.0	24.3	288.4	5	1130
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	2428
	13 LST	0.0	0.0	0.0	0.4	0.0	0.0	0.1	0.0	0.3	0.0	0.0	0.0	0.8	12	2722
	19 LST	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.1	0.0	0.0	0.3	11	2593
	01 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	1138
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	0.3	0.7	0.7	1.0	0.3	1.1	1.8	1.7	0.8	0.8	0.3	0.7	10.2	12	2421
	13 LST	16.4	12.0	4.6	2.2	3.1	4.6	6.8	6.0	5.9	9.1	10.1	12.2	93.0	12	2718
	19 LST	0.8	3.2	4.6	3.4	1.6	2.3	3.2	3.4	0.6	0.9	0.4	1.1	25.5	11	2529
	01 LST	1.1	0.4	1.3	2.2	0.6	0.0	1.1	1.5	0.9	0.8	0.4	0.9	11.2	5	1138
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	1.0	1.1	0.7	1.9	1.2	0.4	0.5	0.3	0.0	1.1	0.9	1.1	10.2	12	2412
	13 LST	21.7	14.2	8.2	4.9	1.9	0.0	0.1	0.5	1.1	4.9	11.1	14.7	83.3	12	2725
	19 LST	22.6	12.2	6.4	4.2	2.6	1.1	0.6	1.1	3.2	15.4	21.5	22.5	113.4	11	2922
	01 LST	19.7	15.3	11.6	12.8	8.1	4.3	4.3	2.4	2.8	8.9	12.4	15.3	117.9	5	1137
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	4.7	4.5	3.0	5.5	13.5	20.8	20.1	19.0	13.4	7.8	6.3	6.0	124.6	10	2407
	13 LST	29.3	20.8	15.1	18.5	27.4	26.6	27.5	27.2	25.7	28.4	28.7	30.5	305.7	11	2697
	19 LST	28.9	18.5	13.4	18.1	28.0	27.8	27.2	28.0	26.8	29.8	29.5	30.1	306.1	11	2519
	01 LST	25.1	19.2	15.9	19.2	26.7	26.6	27.2	26.4	24.3	19.3	20.6	23.4	273.9	5	1133
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	4.0	4.0	1.8	5.3	12.9	19.1	19.2	18.0	12.1	7.2	5.0	4.5	113.1	10	2407
	13 LST	28.7	20.2	14.4	18.2	25.2	25.2	25.4	24.2	27.3	27.5	29.7	291.2	11	2697	
	19 LST	28.4	17.6	12.8	17.6	26.4	26.6	25.7	26.5	25.8	29.6	29.1	29.3	295.4	11	2519
	01 LST	24.8	19.2	15.5	19.0	25.4	23.7	26.1	24.9	22.7	18.8	20.3	22.4	262.8	5	1133
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	4.0	4.0	1.8	5.3	12.9	19.1	19.2	18.0	12.1	7.2	5.0	4.5	113.1	10	2407
	13 LST	28.7	20.2	14.4	18.2	25.2	25.2	25.2	25.4	24.0	27.3	27.5	29.7	291.0	11	2697
	19 LST	28.4	17.6	12.8	17.6	26.4	26.6	25.7	26.5	25.8	29.6	29.1	29.3	295.4	11	2519
	01 LST	24.8	19.2	15.5	19.0	25.4	23.7	26.1	24.9	22.7	18.8	20.3	22.4	262.8	5	1133

PHITSANULOK, THAILAND

STA NO. 48378 (IN AREA NUMBER 04)

LATITUDE 1647N

LONGITUDE 10016E

ELEVATION(FT) 00165

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	99	103	106	109	111	102	100	98	99	108	102	99	111	24	-540
MEAN MAX TMP (F)	89	93	96	98	96	92	91	90	90	90	90	88	92	24	-40
MEAN MIN TMP (F)	63	67	73	76	77	76	76	76	76	75	71	65	73	24	-40
ABS MIN TMP (F)	46	53	57	63	68	72	70	71	68	64	51	50	46	24	-540
MEAN NO DYS TMP = DR GTR 90(F)	14.8	23.7	30.7	28.8	30.7	23.0	21.0	17.9	17.3	17.9	17.3	11.6	256.7	24	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	24	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	24	-29
MEAN DEW PT TMP (F)	61	66	70	73	75	75	75	76	76	74	70	63	71	10	3883
MEAN REL HUM (PCT)	64	64	62	60	70	77	78	81	82	79	73	68	72	17	-40
MEAN PRESS ALT (FT)	137	184	227	285	336	361	363	374	330	220	180	132	261	0	-30
MEAN PRECIP (IN)	0.30	0.90	1.50	3.20	6.20	7.70	8.60	9.60	11.40	5.70	1.40	0.20	56.7	50	-40
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	24	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	0.7	1.9	3.2	5.0	5.5	12.3	13.1	14.0	13.8	9.0	4.1	0.5	83.1	50	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	24	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	5.7	2.0	1.0	0.0	1.1	0.0	0.0	2.2	0.4	0.7	0.0	0.0	13.1	10	720
MEAN NO DYS TSTMS	0.0	2.0	7.0	10.0	18.0	15.0	13.0	14.0	15.0	12.0	2.0	0.0	108.0	20	-40
P FREQ WND SPD = DR GTR 17 KTS	0.0	0.2	0.2	0.0	0.2	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.1	17	19152
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	19152
P FREQ LES 3000 FT A/D LES 5 MI	70.6	89.2	88.9	63.8	32.5	39.5	43.4	47.6	46.7	32.4	30.2	33.7	51.5	17	12417
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	37.7	59.5	53.2	27.4	13.7	18.3	18.5	17.3	15.5	8.9	7.2	6.3	23.6	12	1709
03-05 LST														0	0
06-08 LST	76.2	74.2	63.8	34.7	13.9	11.8	15.3	13.7	18.9	23.9	42.7	56.9	37.2	17	3444
09-11 LST	35.2	54.8	30.5	21.6	5.1	9.2	8.0	10.6	10.3	5.7	3.6	7.8	18.5	12	2624
12-14 LST	15.9	35.0	30.4	13.5	1.4	4.7	5.8	5.2	8.6	3.7	1.8	3.2	10.8	17	3712
15-17 LST	20.5	48.0	40.8	17.0	3.4	5.9	8.3	7.9	6.1	5.4	2.7	3.1	14.1	12	2787
18-20 LST	21.6	32.7	36.7	21.5	6.5	9.5	11.8	11.0	9.2	4.4	3.7	4.1	14.4	17	4450
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.9	5.8	6.5	2.2	2.9	5.8	0.7	3.2	1.9	1.6	0.0	0.8	2.7	12	1709
03-05 LST														0	0
06-08 LST	44.1	35.8	13.5	4.5	2.7	0.4	1.0	1.8	1.6	5.6	13.6	26.8	12.8	17	3444
09-11 LST	5.5	9.0	8.8	3.5	0.5	0.5	0.4	0.8	1.0	0.8	0.0	2.6	2.8	12	2624
12-14 LST	1.9	4.6	4.7	0.3	0.0	0.3	0.6	0.3	0.3	0.0	0.0	0.3	1.1	17	3712
15-17 LST	0.9	8.5	8.7	1.4	0.0	1.0	0.0	1.2	1.2	0.0	0.0	0.4	1.9	12	2787
18-20 LST	0.9	4.7	4.0	1.2	1.4	1.4	0.8	1.0	1.6	0.5	0.0	0.3	1.5	17	4450
21-23 LST														0	0

PHITSANULOK, THAILAND

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	8.8	9.2	14.5	23.0	28.6	27.6	28.8	29.1	27.2	26.3	20.5	17.2	260.8	17	3444
	13 LST	27.9	22.9	26.2	28.3	30.9	29.5	30.4	30.4	29.2	30.9	29.7	30.3	346.6	17	3712
	19 LST	27.5	22.8	24.3	26.4	29.7	28.4	30.0	30.0	28.6	30.5	29.4	30.2	337.8	17	4450
	01 LST	21.3	17.1	23.3	27.1	28.3	26.7	29.5	28.8	28.4	29.7	29.0	29.5	318.7	10	1709
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	8.8	9.0	14.5	22.9	28.6	27.5	28.8	29.1	27.2	26.3	20.4	17.2	260.3	17	3436
	13 LST	27.9	22.8	26.0	28.2	30.7	28.8	30.2	30.3	29.1	30.9	29.7	30.2	344.8	17	3691
	19 LST	27.5	22.8	23.9	26.2	29.4	28.1	29.7	30.1	28.6	30.5	29.3	30.2	336.3	17	4445
	01 LST	21.3	17.1	23.3	26.9	28.1	26.7	29.5	28.8	28.6	29.7	28.8	29.3	318.3	10	1707
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	17	3522
	13 LST	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	17	3786
	19 LST	0.0	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	17	4491
	01 LST	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	10	1731
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	0.1	0.8	2.3	3.3	3.2	3.5	1.2	0.8	1.2	1.0	0.1	0.4	17.9	17	3493
	13 LST	2.7	2.7	0.9	0.3	1.6	2.7	3.3	4.1	4.0	4.3	3.2	4.9	34.7	17	3749
	19 LST	0.9	0.9	1.2	1.9	1.7	3.0	1.5	1.6	0.6	1.3	0.9	0.9	16.4	17	4475
	01 LST	0.3	0.5	2.2	5.2	4.2	1.9	1.0	1.6	1.0	0.6	0.0	0.0	18.5	10	1722
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	3.4	1.4	3.1	4.0	1.8	0.2	0.3	0.6	0.3	3.1	5.5	4.9	28.6	17	3509
	13 LST	13.1	8.6	9.9	7.2	1.1	0.0	0.0	0.3	0.2	2.6	4.0	7.8	94.8	17	3792
	19 LST	15.4	9.6	8.2	3.8	1.2	0.2	0.2	0.2	0.6	4.1	10.2	15.6	69.3	17	4479
	01 LST	12.4	8.3	6.1	5.3	2.0	0.7	0.8	0.4	1.0	8.0	13.9	15.9	74.8	10	1725
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	8.4	8.3	13.5	21.9	25.1	22.9	23.1	22.2	19.6	21.6	18.4	16.2	221.2	16	3444
	13 LST	27.3	21.0	25.1	26.7	26.6	23.7	22.9	22.8	22.1	26.7	27.7	28.8	301.4	16	3712
	19 LST	26.6	22.3	23.7	24.8	26.4	23.7	24.1	23.8	23.5	28.4	28.0	29.4	304.7	17	4450
	01 LST	20.9	16.0	22.3	25.4	24.3	19.7	22.1	21.8	23.0	26.4	28.2	29.3	279.6	10	1709
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	7.9	7.2	13.0	20.6	22.8	19.9	19.6	18.3	15.8	19.4	16.8	15.4	196.7	16	3444
	13 LST	26.7	19.3	24.0	25.4	22.0	18.9	16.7	15.8	17.3	23.6	25.4	27.0	262.1	16	3712
	19 LST	25.9	21.9	23.3	23.4	23.9	20.0	21.1	20.6	20.1	26.8	27.0	28.6	282.6	17	4430
	01 LST	20.5	15.3	21.3	24.0	21.8	16.1	18.9	18.8	17.4	24.6	27.5	29.5	255.7	10	1709
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	7.9	7.2	13.0	20.6	22.8	19.9	19.6	18.3	15.8	19.4	16.8	15.4	196.7	16	3444
	13 LST	26.7	19.3	24.0	25.4	22.0	18.9	16.7	15.7	17.1	23.3	25.4	27.0	261.7	16	3712
	19 LST	25.9	21.9	23.3	23.4	23.9	20.0	21.1	20.6	20.1	26.8	27.0	28.6	282.6	17	4430
	01 LST	20.5	15.3	21.3	24.0	21.8	16.1	18.9	18.8	17.4	24.6	27.5	29.5	255.7	10	1709

KOKE KATHIEM, THAILAND

STA NO. 48426 (IN AREA NUMBER 04)

LATITUDE 1453N

LONGITUDE 10040E

ELEVATION(FT) 00098

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO, OBS
ABS MAX TMP (F)	101	102	105	108	108	101	99	99	97	97	96	99	108	18	-540
MEAN MAX TMP (F)	92	95	98	98	95	92	91	90	89	89	89	89	92	18	-40
MEAN MIN TMP (F)	66	72	75	76	76	76	75	75	75	75	70	66	73	18	-40
ABS MIN TMP (F)	45	50	63	69	71	66	68	68	68	62	51	51	45	18	-540
MEAN NO DYS TMP = DR GTR 90(F)	21.7	25.4	29.8	29.2	29.9	26.9	25.2	22.6	17.0	17.8	18.1	19.0	282.6	12	2736
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	2427
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	2427
MEAN DEW PT TMP (F)	62	65	70	73	75	75	74	75	76	73	68	62	71	10	4297
MEAN REL HUM (PCT)	55	60	61	63	71	73	76	77	81	77	69	60	69	17	19307
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.10	0.80	1.90	3.30	5.60	5.80	6.30	7.10	10.20	6.20	1.30	0.10	48.7	30	-40
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	0.3	1.7	3.8	5.1	5.5	10.4	10.9	11.7	12.9	9.5	4.0	0.3	76.1	30	-29
MEAN NO DYS SNFL = DR GTR 1.9 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.5	0.4	0.4	0.0	0.0	0.0	0.0	1.3	0.9	1.6	0.3	0.4	5.8	10	784
MEAN NO DYS TSTMS	1.0	3.0	9.0	13.0	19.0	12.0	12.0	11.0	14.0	9.0	3.0	0.0	106.0	15	-40
P FREQ WND SPD = DR GTR 17 KTS	7.1	4.7	5.1	4.8	1.7	2.9	1.4	0.9	0.7	2.0	3.2	6.9	3.5	17	19387
P FREQ WND SPD = DR GTR 28 KTS	0.9	0.6	0.1	0.2	0.0	0.1	0.1	0.0	0.1	0.0	0.0	0.6	0.2	17	19387
P FREQ LES 5000 FT A/D LES 5 MI	21.8	33.4	40.5	32.5	20.8	21.8	24.9	23.6	24.5	16.7	12.3	9.2	23.5	17	12730
P FREQ LES 1900 FT A/D LES 3 MI															
FOR 00-02 LST	2.2	2.5	6.4	2.0	4.8	2.5	5.2	6.9	12.6	6.6	1.4	0.0	4.4	12	1559
03-05 LST														0	0
06-08 LST	28.4	25.7	21.5	17.4	5.0	4.6	7.2	4.8	9.6	9.7	7.5	10.3	12.2	17	3557
09-11 LST	7.2	13.8	17.1	7.6	0.5	2.3	2.0	2.7	4.2	2.1	0.8	1.5	5.2	12	2736
12-14 LST	4.0	11.8	13.0	4.5	1.6	1.5	1.8	1.9	3.8	2.4	0.8	0.5	4.0	17	3949
15-17 LST	2.4	12.8	13.8	4.0	1.7	0.4	3.8	1.9	4.0	4.4	0.7	0.3	4.2	12	3032
18-20 LST	8.7	18.0	13.1	5.9	5.1	4.8	6.6	9.2	9.3	6.3	3.2	3.9	7.8	17	4006
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.0	1.7	1.8	0.7	0.0	0.0	0.0	1.7	6.7	2.0	0.7	0.0	1.3	12	1559
03-05 LST														0	0
06-08 LST	11.5	9.3	8.6	2.8	0.0	0.4	0.3	0.7	4.2	3.1	4.3	6.3	4.3	17	3557
09-11 LST	1.3	2.6	4.3	1.0	0.0	0.0	0.0	0.0	0.5	0.8	0.0	0.7	0.9	12	2736
12-14 LST	0.0	1.1	1.8	0.6	0.3	0.3	0.0	0.0	1.6	0.6	0.0	0.0	0.5	17	3949
15-17 LST	0.4	1.0	2.8	0.4	0.0	0.0	0.8	0.8	1.2	0.4	0.0	0.0	0.7	12	3032
18-20 LST	0.0	2.6	2.9	2.2	2.4	1.2	0.9	3.1	3.3	0.9	0.6	1.7	1.8	17	4006
21-23 LST														0	0

KOKE KATHIEM, THAILAND

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	24.9	22.8	26.0	26.8	30.1	28.9	30.0	29.6	27.5	28.6	27.8	28.2	331.2	17	3557
	13 LST	30.2	25.7	28.1	29.0	30.8	29.6	30.6	30.8	29.2	30.4	29.9	30.9	355.2	17	3949
	19 LST	28.9	24.2	28.1	28.5	29.6	29.0	29.6	28.6	27.6	29.6	29.6	30.0	343.3	17	4006
	01 LST	30.7	27.5	30.3	29.4	30.0	29.5	30.2	30.2	27.1	29.6	29.8	31.0	355.3	12	1559
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	18.5	19.5	22.9	22.7	29.4	28.3	29.4	29.4	27.3	26.4	24.4	21.8	300.0	17	3548
	13 LST	24.6	20.8	22.3	22.8	26.7	23.1	27.0	25.8	25.8	26.9	24.4	23.9	294.1	17	3931
	19 LST	27.7	22.0	20.8	23.1	25.6	24.3	27.3	26.1	26.1	28.7	29.1	28.3	309.1	17	3995
	01 LST	29.0	23.6	23.7	22.1	27.6	28.0	29.1	29.7	26.6	28.8	27.9	28.6	324.7	12	1556
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	3.3	1.3	1.0	0.2	0.0	0.2	0.0	0.0	0.0	0.7	1.3	2.9	10.9	17	3631
	13 LST	2.0	1.5	1.6	1.0	0.3	0.8	0.4	0.5	0.3	0.9	1.2	2.0	12.5	17	4035
	19 LST	0.4	0.2	1.7	1.8	0.5	1.5	0.5	0.2	0.4	0.2	0.1	0.4	7.9	17	4082
	01 LST	0.7	2.2	0.9	1.4	0.2	0.2	0.3	0.0	0.0	0.4	0.2	0.8	7.3	12	1596
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	5.6	8.3	13.5	11.3	10.2	11.1	7.9	10.6	7.6	8.2	7.1	7.0	110.4	17	3603
	13 LST	7.0	3.0	1.2	1.0	2.4	4.2	7.5	9.8	11.7	12.5	13.0	10.8	84.1	17	4002
	19 LST	7.0	7.4	4.0	4.2	7.9	10.3	9.3	9.7	6.7	7.0	7.0	7.9	88.4	17	4057
	01 LST	8.2	9.8	13.3	9.9	9.5	9.8	8.1	8.6	7.3	5.8	4.7	6.1	101.1	12	1594
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	7.6	3.3	2.0	1.5	0.9	0.6	0.6	0.2	0.3	2.6	6.5	9.8	35.9	17	3628
	13 LST	10.4	4.9	3.8	2.7	0.5	0.3	0.1	0.2	0.1	1.7	5.9	10.3	40.9	17	4033
	19 LST	9.9	5.9	3.2	2.7	0.3	0.1	0.1	0.1	0.4	3.6	7.6	11.6	45.5	17	4079
	01 LST	14.0	7.8	3.9	4.5	0.9	0.5	0.8	0.0	0.4	3.9	10.8	13.5	61.0	12	1595
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	24.6	22.0	25.2	25.6	29.3	27.6	28.4	28.1	25.4	27.2	27.2	27.6	318.2	15	3557
	13 LST	29.5	24.7	26.5	26.3	27.6	26.7	27.5	27.5	26.4	28.4	28.6	30.3	330.0	16	3949
	19 LST	28.7	23.9	27.4	27.5	27.5	26.9	27.0	26.0	26.0	28.7	29.1	29.6	328.3	17	4006
	01 LST	30.5	27.2	29.2	28.9	29.2	28.6	29.1	29.0	25.9	28.7	29.4	30.7	346.4	11	1559
CIG = GTR 8000 FT AND VSBY = GTR 3 MI	07 LST	24.1	21.1	24.2	24.4	28.4	26.4	26.8	26.2	23.6	25.7	26.6	26.9	304.4	15	3557
	13 LST	28.5	23.7	24.4	23.5	24.1	23.2	24.4	24.1	23.6	26.0	27.1	29.7	302.3	16	3949
	19 LST	28.2	23.4	26.6	26.5	25.3	24.2	24.6	23.7	24.4	28.1	28.2	29.0	312.2	17	4006
	01 LST	30.3	26.9	28.1	28.4	28.6	27.7	28.1	28.1	24.9	28.0	29.0	30.5	338.6	11	1559
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	24.1	21.1	24.2	24.4	28.4	26.4	26.8	26.2	23.5	25.7	26.6	26.9	304.3	15	3557
	13 LST	28.5	23.7	24.3	23.4	24.1	23.2	24.3	24.1	23.6	25.9	27.1	29.7	301.9	16	3949
	19 LST	28.2	23.4	26.6	26.5	25.3	24.2	24.6	23.7	24.4	28.1	28.2	29.0	312.2	17	4006
	01 LST	30.3	26.9	28.1	28.4	28.6	27.7	28.1	28.1	24.9	28.0	29.0	30.5	338.6	11	1559

KANCHANABURI, THAILAND

STA NO. 48450 (IN AREA NUMBER 04)

LATITUDE 1401N

LONGITUDE 09932E

ELEVATION(PT) 00092

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	99	104	108	110	109	101	100	100	102	99	100	96	110	17	-40
MEAN MAX TMP (F)	91	96	100	100	96	93	92	91	91	89	88	88	93	10	-40
MEAN MIN TMP (F)	63	69	73	77	77	76	75	75	74	73	69	63	72	10	-40
ABS MIN TMP (F)	42	52	52	63	70	72	71	72	69	66	54	48	42	17	-40
MEAN NO DYS TMP = OR GTR 90(F)	21.0	27.7	31.0	30.0	30.7	25.4	23.8	21.0	20.3	14.8	11.2	11.6	268.5	10	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	-29
MEAN DEW PT TMP (F)	61	66	68	70	75	74	73	73	75	74	69	62	70	12	-29
MEAN REL HUM (PCY)	61	61	58	58	72	74	73	75	79	80	75	67	69	15	14818
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.10	0.60	1.20	2.80	5.10	3.50	4.40	3.80	7.50	7.10	2.50	0.20	38.8	50	-40
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	-29
MEAN NO D/S PRCP = OR GTR 0.1 IN	0.3	1.3	2.7	4.8	5.6	7.9	8.9	8.3	10.7	10.4	5.5	0.5	66.9	50	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	2.0	8.0	11.0	15.0	6.0	7.0	6.0	10.0	9.0	2.0	0.0	76.0	10	-40
P FREQ WND SPD = OR GTR 17 KTS	0.5	0.2	0.5	0.4	0.0	0.2	0.5	0.2	0.1	0.0	0.0	0.1	0.2	17	14848
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	14848
P FREQ LES 5000 FT A/D LES 5 MI	63.6	74.2	72.1	48.9	45.5	40.2	39.2	44.8	45.6	42.5	45.2	50.9	51.1	7	14637
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	1.4	22.0	14.3	4.9	3.4	4.2	3.9	3.4	9.0	7.7	1.0	0.0	6.3	7	1261
03-05 LST														0	0
06-08 LST	22.7	27.6	22.3	2.9	4.1	5.8	3.6	4.2	9.7	12.9	15.2	14.7	12.1	16	2493
09-11 LST	6.4	17.5	13.3	0.7	2.7	1.7	2.5	0.7	5.3	6.9	2.7	0.6	5.1	11	2471
12-14 LST	1.6	7.4	5.5	2.6	1.6	1.5	1.8	1.6	5.0	6.1	1.5	0.8	3.1	16	2862
15-17 LST	0.3	6.9	9.8	3.7	5.3	4.3	5.2	4.4	8.2	3.1	2.3	0.3	4.5	11	2181
18-20 LST	2.5	7.1	8.6	5.9	8.6	3.8	5.2	7.3	9.8	6.4	1.3	0.5	5.6	16	3369
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.0	2.2	1.8	1.1	0.9	0.0	0.7	0.0	0.9	5.7	0.0	0.0	1.1	7	1261
03-05 LST														0	0
06-08 LST	6.7	12.2	8.6	1.8	0.0	1.7	0.4	1.4	3.9	5.3	2.5	7.2	4.3	16	2493
09-11 LST	0.0	6.8	4.3	0.0	0.0	0.0	0.0	0.0	1.1	0.5	0.5	0.0	1.1	11	2471
12-14 LST	0.0	0.9	2.1	2.1	0.0	0.0	0.0	0.0	0.4	1.2	0.0	0.4	0.6	16	2862
15-17 LST	0.0	0.0	2.5	1.4	2.1	0.0	1.5	0.5	2.2	0.9	1.0	0.0	1.0	11	2181
18-20 LST	0.4	1.2	0.8	1.2	2.1	0.3	1.0	2.1	1.4	2.4	0.4	0.0	1.1	16	3369
21-23 LST														0	0

KANCHANABURI, THAILAND

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	24.0	20.3	24.0	29.1	30.3	28.5	30.3	30.6	27.2	27.2	26.0	26.7	324.2	16	2493
	13 LST	30.6	25.9	29.3	29.2	30.7	29.7	30.8	30.6	28.8	29.5	29.6	30.8	355.5	16	2862
	19 LST	30.2	26.0	28.4	28.4	28.8	29.2	30.2	29.0	27.5	29.3	29.7	30.9	347.6	16	3369
	01 LST	30.6	21.8	26.7	28.7	30.2	29.1	30.3	30.5	27.3	28.7	29.7	31.0	344.6	7	1261
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	23.8	20.0	24.0	28.9	30.3	28.6	30.0	30.0	27.3	27.2	26.0	26.4	322.5	16	2492
	13 LST	29.3	25.3	28.8	29.1	30.3	29.2	28.8	28.5	28.4	29.3	28.2	28.9	344.1	16	2843
	19 LST	30.1	25.3	27.4	27.4	28.5	28.6	29.7	28.2	27.4	29.2	29.7	30.9	342.4	16	3335
	01 LST	30.6	21.8	26.4	28.4	29.9	28.8	29.9	30.5	27.0	28.7	29.7	31.0	342.7	7	1260
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.2	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.3	16	2520
	13 LST	0.3	0.0	0.3	0.2	0.0	0.1	0.2	0.1	0.0	0.0	0.0	0.0	1.2	16	2881
	19 LST	0.0	0.1	0.4	0.1	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.8	16	3402
	01 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	1266
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	1.4	0.8	1.2	3.3	1.0	1.3	1.3	1.5	1.2	0.8	1.0	1.9	17.7	16	2505
	13 LST	10.0	3.4	1.4	0.6	1.7	3.4	5.4	6.6	4.7	7.4	10.6	11.1	66.3	16	2834
	19 LST	1.5	5.9	7.1	2.9	2.4	4.1	5.6	7.0	3.2	0.5	0.1	1.0	41.3	16	3376
	01 LST	0.8	2.2	0.6	2.5	2.6	1.5	3.0	1.6	1.6	1.0	0.9	0.4	18.7	7	1265
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	8.1	3.6	3.4	6.2	3.4	0.8	1.0	0.1	0.1	2.0	3.7	6.3	38.7	16	2503
	13 LST	12.5	6.3	5.3	5.4	1.3	0.4	0.2	0.0	0.6	1.5	2.8	7.3	43.6	16	2881
	19 LST	14.8	8.7	4.3	0.7	0.3	0.0	0.1	0.0	0.0	5.7	11.2	17.0	62.8	16	3388
	01 LST	13.2	9.5	6.5	9.8	4.0	2.1	2.6	0.3	1.4	5.0	10.1	18.7	83.2	7	1264
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	23.8	21.7	23.8	29.0	28.5	26.3	28.0	28.1	25.2	25.6	23.7	25.6	309.3	16	2493
	13 LST	29.8	25.2	28.6	28.8	28.7	26.4	27.5	26.9	25.9	26.4	27.0	29.5	330.7	16	2862
	19 LST	29.9	25.5	27.7	27.2	25.2	25.0	25.8	25.3	24.0	27.3	28.7	30.5	322.1	16	3369
	01 LST	30.1	21.8	26.3	28.2	28.3	26.9	28.0	28.1	25.7	27.5	28.5	30.6	330.0	7	1261
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	23.7	20.0	23.5	28.9	27.7	24.3	26.3	26.4	23.4	24.1	22.4	25.0	295.7	16	2493
	13 LST	29.2	24.5	27.8	28.3	26.9	23.2	24.7	23.2	23.2	24.1	24.6	28.1	307.8	16	2862
	19 LST	29.5	24.9	26.9	26.2	22.6	21.3	22.9	22.1	22.1	25.7	27.7	30.1	302.0	16	3369
	01 LST	29.7	21.8	26.1	28.1	27.0	25.4	26.7	26.8	24.5	26.5	27.2	30.1	320.1	7	1261
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	23.7	20.0	23.5	28.9	27.7	24.3	26.3	26.4	23.4	24.1	22.4	25.0	295.7	16	2493
	13 LST	29.2	24.5	27.8	28.3	26.9	23.2	24.7	23.1	23.2	24.0	24.6	28.1	307.6	16	2862
	19 LST	29.5	24.9	26.9	26.2	22.6	21.3	22.9	22.1	22.1	25.7	27.7	30.1	302.0	16	3369
	01 LST	29.7	21.8	26.1	28.1	27.0	25.4	26.7	26.8	24.5	26.5	27.2	30.1	320.1	7	1261

BANGKOK, THAILAND

STA NO. 48455 (IN AREA NUMBER 04)

LATITUDE 1344N

LONGITUDE 10030E

ELEVATION(FT) 00033

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	98	103	104	114	104	100	97	96	96	97	96	96	114	24	-540
MEAN MAX TMP (F)	89	91	93	95	93	91	90	90	89	88	88	88	90	17	4339
MEAN MIN TMP (F)	68	73	76	78	77	77	76	76	76	75	73	69	75	24	-40
ABS MIN TMP (F)	50	61	61	65	70	70	68	70	68	66	60	50	50	24	-540
MEAN NO DYS TMP = DR GTR 90(F)	16.3	22.3	29.6	29.0	28.2	24.6	21.5	19.6	14.5	10.5	12.5	12.2	240.8	10	3642
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	3642
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	3642
MEAN DEW PT TMP (F)	66	71	74	76	77	76	75	75	76	75	72	68	73	10	86665
MEAN REL HUM (PCT)	72	74	74	75	78	79	80	81	83	83	80	74	78	24	-40
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.50	0.90	1.50	3.60	6.20	6.00	6.60	6.80	11.80	9.20	2.30	0.40	55.8	48	-40
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	24	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	1.1	1.9	3.2	5.2	5.5	10.6	11.2	11.4	14.0	12.2	5.2	0.9	82.4	48	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	24	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	2.2	1.4	0.2	0.1	0.5	0.2	0.6	0.1	0.3	0.5	0.3	0.0	6.4	10	3609
MEAN NO DYS YSTMS	0.0	2.0	5.0	11.0	17.0	11.0	11.0	11.0	13.0	11.0	4.0	0.0	96.0	20	-40
P FREQ WND SPD = DR GTR 17 KTS	0.5	0.9	1.6	1.1	0.8	1.8	1.0	1.0	0.2	0.4	0.2	0.0	0.8	17	23437
P FREQ WND SPD = DR GTR 28 KTS	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	23437
P FREQ LES 5000 FT A/D LES 5 MI	25.3	29.6	28.4	20.2	12.0	14.9	16.9	18.8	21.3	16.2	14.7	15.3	19.5	17	86358
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	2.3	5.9	5.2	1.4	2.4	1.5	2.5	1.8	3.9	1.7	0.8	0.4	2.5	13	10945
03-05 LST	5.9	9.5	6.9	2.9	2.8	1.1	1.4	0.9	2.7	1.6	1.3	1.4	3.2	10	10364
06-08 LST	30.7	33.3	25.4	12.4	6.0	7.9	8.6	6.5	10.0	8.9	12.7	14.2	14.7	17	11976
09-11 LST	9.5	11.6	7.5	2.3	1.7	0.7	0.9	0.8	2.2	2.2	0.2	1.6	3.4	12	10948
12-14 LST	3.3	3.8	3.8	1.7	0.5	0.2	0.6	1.0	2.1	1.6	0.7	0.4	1.6	17	11848
15-17 LST	2.1	3.7	3.4	1.0	1.4	1.5	2.7	3.3	2.3	1.9	0.3	0.1	2.0	12	10946
18-20 LST	3.1	5.5	5.2	2.9	1.6	2.3	3.9	4.3	4.6	2.1	0.8	0.1	3.0	17	12622
21-23 LST	2.2	6.0	4.8	2.5	0.9	3.0	3.0	2.6	3.6	1.9	0.6	0.0	2.6	11	10286
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.2	0.0	0.0	0.0	0.1	0.3	0.3	0.2	0.1	0.1	0.1	0.0	0.1	13	10945
03-05 LST	1.1	1.1	0.1	0.1	0.2	0.0	0.0	0.0	0.1	0.0	0.2	0.2	0.2	10	10364
06-08 LST	6.5	5.0	1.1	0.6	0.7	0.3	0.5	0.2	0.1	0.2	1.0	1.6	1.5	17	11976
09-11 LST	0.8	0.0	0.7	0.1	0.4	0.0	0.0	0.1	0.1	0.2	0.0	0.1	0.2	12	10948
12-14 LST	0.1	0.0	0.3	0.2	0.0	0.0	0.2	0.0	0.1	0.1	0.0	0.1	0.1	17	11848
15-17 LST	0.0	0.0	0.0	0.1	0.1	0.6	0.7	0.3	0.5	0.1	0.0	0.0	0.2	12	10946
18-20 LST	0.0	0.0	0.1	0.1	0.2	0.1	0.6	0.4	0.5	0.2	0.1	0.0	0.2	17	12622
21-23 LST	0.0	0.0	0.0	0.0	0.1	0.2	0.7	0.2	0.0	0.2	0.0	0.0	0.1	11	10286

BANGKOK, THAILAND

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG ≥ GTR 1000 FT AND VSBY ≥ GTR 3 MI	07 LST	19.4	16.6	21.5	26.7	29.2	28.3	28.5	28.9	26.8	27.8	25.2	25.4	304.3	17	4325
	13 LST	30.4	27.5	30.0	29.4	30.9	30.0	31.0	30.7	29.6	30.7	29.8	30.8	360.8	17	4362
	19 LST	30.6	27.0	29.7	29.1	30.5	29.2	30.0	30.1	29.0	30.2	29.9	30.9	356.2	17	5176
	01 LST	30.5	26.9	30.6	30.0	30.3	29.6	30.3	30.4	29.0	30.6	29.7	31.0	358.9	11	2718
CIG ≥ GTR 2000 FT AND VSBY ≥ GTR 3 MI W/SFC WND LES 10 KTS	07 LST	18.8	16.3	21.2	26.5	29.0	28.1	28.3	28.9	26.8	27.4	24.6	25.2	301.1	17	4303
	13 LST	26.5	22.1	24.2	23.5	26.4	24.5	26.3	26.1	25.9	28.1	28.3	28.9	310.8	17	4339
	19 LST	30.2	25.1	25.5	24.6	26.3	26.2	27.7	28.2	28.2	29.1	29.5	30.7	331.3	17	5164
	01 LST	30.3	26.6	28.9	29.0	29.3	29.1	29.9	30.4	28.6	29.9	29.7	31.0	352.7	11	2714
SFC WND ≥ GTR 17 KTS AND NO PRECIP.	07 LST	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.2	0.4	17	4396
	13 LST	0.2	0.5	0.5	0.3	0.3	0.9	0.2	0.7	0.1	0.2	0.2	0.0	4.1	17	4437
	19 LST	0.1	0.1	0.2	0.3	0.2	0.4	0.4	0.2	0.1	0.1	0.0	0.0	2.1	17	5240
	01 LST	0.0	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.4	11	2753
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	6.0	4.7	4.2	5.4	2.8	3.8	3.2	3.6	3.3	4.7	3.9	4.2	49.8	17	4361
	13 LST	13.0	6.8	2.7	1.5	3.7	6.3	10.4	12.6	14.0	16.6	17.1	18.1	122.8	17	4405
	19 LST	7.3	12.6	17.5	15.9	12.1	13.6	13.1	12.3	9.3	4.2	4.9	4.7	127.5	17	5219
	01 LST	6.2	9.4	12.1	13.6	7.8	5.3	3.2	3.4	4.4	3.3	3.2	2.7	74.6	11	2744
SKY COVER LES 3/10 AND VSBY ≥ GTR 3 MI	07 LST	3.5	1.7	1.6	0.4	0.1	0.1	0.0	0.2	0.0	0.5	2.0	3.2	13.3	17	4393
	13 LST	9.3	4.6	3.7	2.4	0.4	0.0	0.1	0.3	0.2	1.6	2.3	6.0	30.9	17	4446
	19 LST	7.0	4.2	4.6	1.8	0.1	0.1	0.0	0.0	0.1	1.3	3.1	5.0	27.3	17	5227
	01 LST	10.9	5.9	7.3	3.0	0.6	0.4	0.1	0.0	0.0	1.1	6.7	7.2	43.2	11	2745
CIG ≥ GTR 2500 FT AND VSBY ≥ GTR 3 MI	07 LST	19.0	15.7	20.7	26.0	27.7	26.0	26.5	26.7	23.6	25.0	23.9	24.8	285.6	16	4323
	13 LST	29.8	26.3	28.7	28.2	27.4	25.6	25.8	24.9	22.4	25.6	28.1	29.8	322.6	16	4362
	19 LST	29.9	26.7	29.4	28.5	28.6	25.8	26.3	25.1	24.5	27.6	28.2	30.2	330.8	17	5176
	01 LST	30.3	26.4	29.9	29.5	28.7	27.1	28.1	26.4	23.2	27.7	29.1	30.5	336.9	11	2718
CIG ≥ GTR 6000 FT AND VSBY ≥ GTR 3 MI	07 LST	17.6	14.9	20.1	25.3	26.2	23.7	24.1	23.7	21.1	22.8	22.3	23.5	265.3	16	4325
	13 LST	29.2	25.4	27.7	26.8	24.6	21.9	21.6	19.9	18.2	22.4	26.7	28.6	293.0	16	4362
	19 LST	29.1	26.1	29.0	27.9	27.6	23.0	24.3	22.2	21.6	25.8	24.2	29.0	309.8	17	5176
	01 LST	29.7	26.1	29.4	29.2	27.5	24.3	25.6	23.4	19.6	25.6	27.9	28.9	317.2	11	2718
CIG ≥ GTR 10000 FT AND VSBY ≥ GTR 3 MI	07 LST	17.6	14.9	20.1	25.3	26.2	23.7	24.1	23.7	21.1	22.8	22.3	23.5	265.3	16	4325
	13 LST	29.2	25.4	27.7	26.8	24.6	21.9	21.6	19.9	18.2	22.4	26.7	28.6	293.0	16	4362
	19 LST	29.1	26.1	29.0	27.9	27.6	23.0	24.2	22.2	21.6	25.8	24.2	29.0	309.7	17	5176
	01 LST	29.7	26.1	29.4	29.2	27.5	24.3	25.6	23.4	19.6	25.6	27.9	28.9	317.2	11	2718

BANGKOK/DON MUANG AFB, THAILAND

STA NO. 48456 (IN AREA NUMBER 04)

LATITUDE 1354N

LONGITUDE 10036E

ELEVATION(FT) 00012

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	100	106	104	106	106	100	101	99	98	100	99	100	106	24	-540
MEAN MAX TMP (F)	91	93	95	96	94	92	91	91	89	89	89	87	91	24	-40
MEAN MIN TMP (F)	67	71	74	76	77	77	76	77	77	77	75	69	74	24	-40
ABS MIN TMP (F)	48	56	60	65	69	67	69	67	68	64	56	52	48	24	-540
MEAN NO DYS TMP = DR GTR 90(F)	21.0	23.7	29.8	29.7	28.3	23.0	21.0	21.0	14.3	14.8	14.3	8.6	249.5	24	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	24	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	24	-29
MEAN DEW PT TMP (F)	66	71	74	75	76	75	75	75	75	75	73	68	73	10	85263
MEAN REL HUM (PCT)	71	75	75	74	77	78	80	80	81	80	78	74	77	10	85139
MEAN PRESS ALT (FT)	0	47	90	147	197	219	219	236	193	85	46	-3	123	0	-50
MEAN PRECIP (IN)	0.20	1.10	1.70	4.20	6.80	6.80	7.10	5.50	11.70	10.50	1.90	0.30	60.8	30	-40
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	24	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	0.5	2.2	3.5	5.5	5.4	11.4	11.7	13.0	14.0	13.1	4.7	0.7	85.7	30	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	24	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	2.6	2.4	0.3	0.2	0.2	0.2	0.0	0.2	0.2	0.6	0.2	0.4	7.5	10	3552
MEAN NO DYS TSTMS	0.2	0.8	2.4	6.0	9.9	8.2	7.2	8.3	8.6	7.3	2.1	0.2	61.2	10	3545
P FREQ WND SPD = DR GTR 17 KTS	1.1	2.9	4.6	5.6	4.4	3.4	2.2	1.8	1.1	1.5	0.4	0.2	2.4	10	85210
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.1	0.1	0.1	0.1	0.0	0.1	0.0	0.1	0.0	0.0	0.1	10	85210
P FREQ LES 5000 FT A/D LES 5 MI	23.7	27.3	16.3	7.5	3.4	4.1	4.8	5.1	5.5	5.0	3.6	8.7	9.6	15	85280
P FREQ LES 1500 FT A/D LES 3 MI															
FDR 00-02 LST	0.7	3.2	0.2	0.2	0.6	0.7	0.4	0.7	1.3	0.9	0.2	0.1	0.8	10	10703
03-05 LST	9.1	10.4	2.5	0.7	0.7	0.0	0.6	0.2	0.8	1.3	0.1	1.1	2.3	10	10689
06-08 LST	38.6	43.1	17.9	2.8	1.8	1.4	1.7	0.9	2.4	2.5	1.5	8.9	10.3	15	11219
09-11 LST	8.8	8.3	1.5	0.5	0.8	0.5	0.7	0.2	2.0	1.7	0.4	0.4	2.2	10	10670
12-14 LST	1.1	0.6	0.8	0.6	0.9	0.7	0.7	0.7	1.2	1.2	0.2	0.1	0.7	15	11221
15-17 LST	0.2	0.1	0.8	0.6	0.8	2.8	1.9	2.6	1.2	1.0	0.3	0.1	1.0	10	10677
18-20 LST	0.7	1.4	0.6	0.3	1.6	2.3	3.2	4.4	2.6	2.5	0.7	0.2	1.7	15	11590
21-23 LST	0.7	1.1	0.1	0.0	0.8	0.3	0.3	1.0	1.4	1.1	0.1	0.1	0.6	10	10673
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	0.1	0.2	0.0	0.1	0.1	0.2	0.0	0.1	0.2	0.3	0.1	0.0	0.1	10	10703
03-05 LST	3.1	2.7	0.2	0.1	0.0	0.0	0.2	0.0	0.1	0.2	0.0	0.0	0.6	10	10689
06-08 LST	5.5	5.6	0.7	0.2	0.3	0.4	0.2	0.0	0.0	0.5	0.1	1.1	1.2	15	11219
09-11 LST	0.7	0.2	0.0	0.0	0.1	0.0	0.1	0.0	0.2	0.2	0.0	0.0	0.1	10	10670
12-14 LST	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0	15	11221
15-17 LST	0.0	0.0	0.0	0.0	0.1	0.8	0.7	0.4	0.4	0.2	0.0	0.0	0.2	10	10677
18-20 LST	0.1	0.0	0.1	0.0	0.3	0.4	0.4	1.1	0.1	0.5	0.1	0.0	0.3	15	11590
21-23 LST	0.0	0.1	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.0	0.0	0.1	0.0	10	10673

BANGKOK/DON MUANG AFB, THAILAND

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	14.6	11.3	22.5	28.9	30.7	29.7	30.6	30.8	29.2	30.0	29.4	26.4	214.1	10	3575
	13 LST	30.7	28.0	30.9	30.0	30.6	29.7	30.7	30.9	29.9	30.9	29.9	31.0	363.2	10	3590
	19 LST	30.7	27.4	30.8	29.9	30.7	29.3	30.5	29.4	29.0	30.3	30.0	31.0	359.0	10	3566
	01 LST	30.9	27.1	31.0	30.0	30.9	29.9	30.9	30.9	29.5	30.4	29.9	30.9	362.3	10	3626
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	14.0	10.5	20.2	26.9	27.6	28.1	27.8	28.6	24.1	23.0	27.6	26.1	284.5	10	3575
	13 LST	22.3	15.9	14.9	16.8	16.6	18.9	19.7	19.2	20.0	23.8	24.9	25.3	238.3	10	3590
	19 LST	28.1	15.5	11.2	9.8	14.0	15.7	17.0	16.0	19.2	24.3	28.3	29.9	229.0	10	3566
	01 LST	29.9	24.7	27.0	25.7	27.1	27.4	29.3	28.7	25.4	25.9	28.9	30.4	330.4	10	3626
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.0	0.1	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.3	0.1	0.0	0.7	10	3539
	13 LST	0.9	1.2	1.6	1.6	0.7	1.3	1.3	0.5	0.1	0.3	0.2	0.2	9.9	10	3568
	19 LST	0.0	0.9	2.1	4.3	3.8	2.5	1.1	1.4	1.2	0.2	0.1	0.0	17.6	10	3512
	01 LST	0.0	0.0	0.0	0.2	0.2	0.1	0.0	0.0	0.3	0.0	0.0	0.0	0.8	10	3525
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	9.1	14.0	16.2	17.3	13.4	12.5	11.5	11.8	13.7	13.9	11.3	9.2	133.9	10	3533
	13 LST	11.7	8.7	2.0	2.2	2.9	5.1	10.2	13.1	14.3	16.6	16.4	17.7	121.1	10	3564
	19 LST	17.1	15.1	12.7	9.7	14.2	15.7	18.4	18.0	15.6	15.9	15.0	16.4	183.8	10	3508
	01 LST	12.8	16.6	19.2	17.7	19.1	15.7	15.9	15.3	15.4	13.2	9.9	12.6	183.4	10	3523
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	1.3	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.2	1.0	1.5	4.2	10	3568
	13 LST	5.2	1.4	0.5	0.1	0.0	0.0	0.0	0.0	0.0	0.1	1.7	2.7	11.7	10	3585
	19 LST	2.9	1.2	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.3	1.6	1.6	8.9	10	3563
	01 LST	6.7	2.7	2.5	0.5	0.4	0.0	0.0	0.0	0.0	0.9	3.5	4.7	21.9	10	3625
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	14.6	10.5	21.7	28.1	27.6	28.1	27.8	27.9	23.1	24.1	27.9	26.2	287.6	10	3575
	13 LST	30.6	27.1	30.1	29.1	27.2	27.7	27.7	28.5	26.4	26.5	28.6	30.7	340.2	10	3590
	19 LST	30.6	27.3	30.5	29.2	27.2	26.6	26.5	23.6	24.4	26.1	29.6	30.9	332.5	10	3566
	01 LST	30.8	26.7	31.0	29.5	29.1	28.5	29.4	28.7	25.9	27.3	29.4	30.9	347.2	10	3626
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	12.9	9.2	19.5	26.5	23.6	22.3	20.0	18.9	15.0	19.3	24.5	23.3	235.0	10	3575
	13 LST	28.0	22.3	23.1	23.5	19.4	18.7	17.3	17.9	17.3	19.8	25.0	28.5	260.8	10	3590
	19 LST	29.0	25.8	29.4	27.6	23.8	19.0	17.1	15.4	16.1	20.3	25.9	27.7	277.1	10	3566
	01 LST	30.0	25.8	29.9	28.4	24.8	23.5	22.1	20.0	16.5	20.6	27.2	28.8	297.6	10	3626
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	12.7	9.2	19.3	26.5	23.4	21.8	19.2	17.9	14.6	19.0	24.2	23.1	230.9	10	3575
	13 LST	27.8	22.3	23.1	23.4	19.4	18.3	16.5	17.2	16.8	19.4	24.8	27.9	256.9	10	3590
	19 LST	28.3	25.7	29.3	27.5	23.7	18.3	17.0	15.2	15.9	20.1	25.6	27.4	274.0	10	3566
	01 LST	29.9	25.8	29.9	28.3	24.6	23.3	22.0	19.7	16.3	20.6	26.8	28.2	295.4	10	3626

ARANYAPRATHET, THAILAND

STA NO. 48462 (IN AREA NUMBER 04)

LATITUDE 1342N

LONGITUDE 10235E

ELEVATION(FT) 00144

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	103	103	105	107	105	104	100	97	97	98	99	100	107	23	-540
MEAN MAX TMP (F)	90	94	97	97	94	91	90	90	89	89	87	88	91	23	-40
MEAN MIN TMP (F)	64	70	74	75	76	76	75	75	74	73	70	65	72	23	-40
ABS MIN TMP (F)	46	55	57	65	68	70	69	70	70	63	50	50	46	23	-540
MEAN NO DYS TMP = DR GTR 90(F)	17.4	24.4	29.7	28.9	29.5	25.3	21.8	20.5	16.2	19.1	17.4	13.8	264.0	12	2630
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	2946
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	2946
MEAN DEW PT TMP (F)	64	67	71	74	76	76	75	75	75	74	70	65	72	10	5732
MEAN REL HUM (PCT)	62	62	66	70	77	80	81	82	83	79	73	67	74	23	-40
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.30	1.20	2.70	4.40	6.90	7.20	8.60	7.50	10.60	7.60	2.20	0.50	59.7	30	-40
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	23	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	0.7	2.4	4.7	5.5	5.4	11.8	13.1	12.1	13.2	10.8	5.1	1.1	85.9	30	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	23	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	2.6	3.2	1.4	2.3	3.3	3.2	3.0	2.2	5.2	3.8	0.9	1.7	32.8	10	1055
MEAN NO DYS TSTMS	1.0	3.0	10.0	16.0	19.0	11.0	10.0	9.0	10.0	9.0	3.0	0.0	101.0	20	-40
P FREQ WND SPD = DR GTR 17 KTS	0.2	0.1	0.5	0.1	0.1	0.1	0.2	0.1	0.0	0.0	0.0	0.1	0.1	17	20204
P FREQ WND SPD = DR GTR 28 KTS	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	20204
P FREQ LES 3000 FT A/D LES 5 MI	15.3	15.0	16.5	14.4	21.3	22.5	22.3	22.8	28.3	16.8	10.0	8.3	17.8	17	14075
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	0.7	0.6	2.2	1.1	5.0	7.6	8.5	8.5	13.4	9.1	4.0	0.6	5.1	12	2097
03-05 LST														0	0
06-08 LST	29.9	24.2	12.5	7.7	7.4	8.5	10.1	10.3	14.1	11.4	11.2	17.5	18.7	17	3933
09-11 LST	1.7	1.0	2.0	3.1	3.0	5.8	4.0	4.5	6.1	2.5	2.3	0.0	3.0	12	2730
12-14 LST	0.9	2.8	3.7	3.5	6.0	10.6	9.2	6.7	6.0	4.5	2.0	0.3	4.7	17	3852
15-17 LST	1.3	2.0	7.4	7.0	14.7	14.5	13.0	11.8	15.8	10.3	1.5	0.8	8.3	12	2941
18-20 LST	1.5	6.5	8.7	10.0	10.8	8.0	10.9	12.3	13.8	12.1	4.0	0.3	8.2	17	4148
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.7	0.6	0.5	0.0	1.1	3.2	2.7	2.5	2.9	2.9	1.7	0.6	1.6	12	2097
03-05 LST														0	0
06-08 LST	20.1	14.8	3.4	3.2	1.9	1.8	1.8	2.1	5.6	5.7	3.7	11.8	6.3	17	3933
09-11 LST	0.9	0.0	0.0	1.6	0.4	0.9	0.8	0.0	0.9	0.8	0.4	0.0	0.6	12	2730
12-14 LST	0.3	0.0	0.6	0.3	1.3	2.9	1.2	0.6	0.7	0.3	0.0	0.0	0.7	17	3852
15-17 LST	0.0	0.0	1.3	1.3	2.4	5.8	3.8	2.2	4.2	3.4	0.0	0.0	2.0	12	2941
18-20 LST	0.3	1.4	1.8	2.2	2.0	1.7	2.5	2.0	3.2	4.0	0.8	0.0	1.8	17	4148
21-23 LST														0	0

ARANYAPRATHET, THAILAND

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG ≥ GTR 1000 FT AND VSBY ≥ GTR 3 MI	07 LST	22.0	21.7	28.2	28.5	29.9	28.8	30.0	30.2	27.4	28.7	27.6	25.9	328.9	17	3933
	13 LST	30.8	27.3	30.0	29.5	30.2	28.7	30.1	30.6	29.6	30.5	29.8	31.0	358.1	17	3852
	19 LST	30.7	26.7	29.6	28.2	30.1	29.1	29.7	29.9	28.4	28.9	29.6	31.0	351.9	16	4148
	01 LST	30.8	27.8	30.8	30.0	30.7	29.1	30.0	29.7	28.3	30.1	29.1	30.8	357.2	12	2097
CIG ≥ GTR 2000 FT AND VSBY ≥ GTR 3 MI W/SFC WND LES 10 KTS	07 LST	21.6	21.5	28.1	28.3	29.9	28.8	29.9	30.1	27.4	28.8	27.3	25.8	327.5	17	3917
	13 LST	29.3	26.6	29.6	29.1	29.7	28.4	29.5	29.7	29.2	30.5	29.0	29.3	349.9	17	3825
	19 LST	30.4	26.2	28.4	27.8	29.7	29.0	29.6	29.9	28.4	28.8	29.4	30.5	348.1	16	4122
	01 LST	30.6	27.6	30.7	29.8	30.7	29.1	30.0	29.6	28.1	30.1	28.6	30.4	355.3	12	2094
SFC WND ≥ GTR 17 KTS AND NO PRECIP.	07 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	4028
	13 LST	0.1	0.2	0.0	0.2	0.1	0.0	0.2	0.1	0.0	0.1	0.1	1.0	2.1	17	3926
	19 LST	0.1	0.0	0.3	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.9	16	4193
	01 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	2129
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	2.0	1.5	0.9	0.8	0.8	0.7	1.2	0.9	0.9	0.7	1.8	1.9	14.1	17	3997
	13 LST	5.9	1.9	0.9	0.8	1.2	2.5	4.2	5.2	3.7	5.2	8.4	9.6	49.5	17	3892
	19 LST	3.6	2.7	3.3	2.2	2.2	1.9	1.9	1.6	1.7	2.5	2.8	3.1	29.5	16	4160
	01 LST	1.7	1.1	0.7	1.2	0.3	0.7	1.0	1.1	0.7	0.7	1.9	1.0	12.1	12	2129
SKY COVER LES 3/10 AND VSBY ≥ GTR 3 MI	07 LST	9.2	8.7	10.8	11.6	5.7	4.2	3.0	2.0	2.1	6.8	11.0	11.7	86.8	17	4008
	13 LST	13.7	8.3	5.8	3.1	0.5	0.4	0.2	0.5	0.1	2.1	6.2	9.8	50.7	17	3913
	19 LST	18.3	11.3	6.9	3.8	0.9	1.2	1.0	1.2	0.8	5.2	12.3	17.7	80.6	16	4184
	01 LST	23.4	18.0	13.3	11.8	4.6	1.3	1.4	1.4	1.7	6.4	16.1	23.2	122.6	12	2129
CIG ≥ GTR 2500 FT AND VSBY ≥ GTR 3 MI	07 LST	21.5	21.4	27.4	27.2	27.5	25.8	25.8	25.2	23.8	26.4	26.3	25.6	303.9	16	3933
	13 LST	30.1	26.2	28.9	27.6	26.8	23.6	25.2	25.2	24.9	27.2	28.3	30.4	324.4	16	3852
	19 LST	30.1	25.4	26.5	25.2	25.6	25.7	25.0	24.1	23.1	24.8	27.7	30.8	314.0	16	4148
	01 LST	30.8	27.7	30.0	29.3	28.1	26.4	26.8	26.3	23.9	27.4	28.3	30.7	335.7	11	2097
CIG ≥ GTR 6000 FT AND VSBY ≥ GTR 3 MI	07 LST	21.0	20.9	26.8	26.8	26.8	25.2	25.1	23.9	22.5	26.0	25.4	25.2	295.6	16	3933
	13 LST	29.3	25.0	26.8	26.5	24.9	22.3	23.9	23.0	22.8	25.4	27.3	29.7	306.9	16	3852
	19 LST	29.7	24.6	25.5	24.3	24.8	25.0	23.7	23.3	22.2	24.3	27.4	30.6	305.4	16	4148
	01 LST	30.8	27.6	29.7	29.3	28.0	26.0	26.5	26.0	23.0	27.0	28.1	30.7	332.7	11	2097
CIG ≥ GTR 10000 FT AND VSBY ≥ GTR 3 MI	07 LST	21.0	20.9	26.8	26.8	26.8	25.2	25.1	23.9	22.5	26.0	25.4	25.2	295.6	16	3933
	13 LST	29.3	25.0	26.8	26.5	24.9	22.3	23.9	23.0	22.8	25.4	27.3	29.7	306.9	16	3852
	19 LST	29.7	24.6	25.5	24.3	24.8	25.0	23.7	23.3	22.2	24.3	27.4	30.6	305.4	16	4148
	01 LST	30.8	27.6	29.7	29.3	28.0	26.0	26.5	26.0	23.0	27.0	28.1	30.7	332.7	11	2097

HUA HIN, THAILAND

STA NO. 48475 (IN AREA NUMBER 04)

LATITUDE 1234N

LONGITUDE 09948E

ELEVATION(FT) 00010

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR	NO.
														(YRS)	DBS
ABS MAX TMP (F)	96	96	98	101	100	100	100	100	100	96	94	93	101	26	-40
MEAN MAX TMP (F)	85	87	90	91	91	91	90	90	89	87	86	84	88	19	-40
MEAN MIN TMP (F)	69	70	74	76	77	77	76	76	75	74	73	70	74	19	-40
ABS MIN TMP (F)	54	59	66	68	68	70	72	71	70	68	61	57	54	26	-40
MEAN NO DYS TMP = DR GTR 90(F)	3.4	7.7	17.9	20.3	21.0	20.3	17.9	17.9	14.3	8.6	5.6	1.4	156.3	19	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	26	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	26	-29
MEAN DEW PT TMP (F)	65	69	71	72	74	73	73	74	74	74	71	66	71	18	-29
MEAN REL HUM (PCT)	69	74	73	72	75	73	74	76	79	81	77	72	75	17	20842
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.60	0.80	0.80	2.50	4.30	3.10	3.10	3.50	5.40	10.50	5.20	0.40	40.2	30	-40
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	26	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	1.3	1.7	2.0	4.5	5.5	7.5	7.5	7.9	8.7	13.1	8.5	0.9	69.1	30	-29
MEAN NO DYS SNFL = DR LES 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	26	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	1.0	1.0	6.0	13.0	20.0	9.0	10.0	9.0	12.0	14.0	6.0	1.0	102.0	20	-40
P FREQ WND SPD = DR GTR 17 KTS	1.2	1.3	2.7	1.7	0.6	1.3	0.2	0.2	0.2	0.8	2.0	2.2	1.2	17	20874
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.1	0.0	0.1	0.0	17	20874
P FREQ LES 5000 FT A/D LES 5 MI	61.1	60.2	64.5	45.4	27.7	21.9	25.1	27.9	29.2	28.4	26.7	37.3	38.0	11	20971
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	0.0	0.8	0.3	0.9	1.9	1.7	3.4	1.1	3.3	2.8	2.8	0.0	1.6	11	1962
03-05 LST														0	0
06-08 LST	6.4	5.1	3.3	2.0	1.8	0.6	2.5	1.7	0.6	7.3	5.6	2.1	3.3	17	4048
09-11 LST	0.5	2.2	2.2	0.3	1.3	1.4	2.3	0.4	0.5	6.0	3.5	0.8	1.8	11	2807
12-14 LST	2.9	4.3	1.2	1.4	3.6	3.5	3.6	3.5	2.3	4.4	3.0	2.0	3.0	17	4056
15-17 LST	2.4	1.8	1.4	0.6	3.9	4.2	5.0	5.3	10.2	1.8	1.5	0.4	3.2	11	3157
18-20 LST	3.0	5.4	1.3	1.9	3.3	2.6	5.9	3.2	4.4	5.6	2.3	1.4	3.4	17	4541
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.6	0.5	1.1	0.0	0.2	11	1962
03-05 LST														0	0
06-08 LST	2.3	1.9	1.2	0.6	0.0	0.0	0.3	0.3	0.3	3.3	1.4	1.3	1.1	17	4048
09-11 LST	0.0	1.1	0.0	0.0	0.0	0.0	0.8	0.0	0.0	2.0	1.4	0.0	0.4	11	2807
12-14 LST	0.3	0.3	0.3	0.3	0.3	1.2	0.3	0.9	0.0	1.5	1.1	0.0	0.5	17	4056
15-17 LST	0.0	0.0	0.0	0.0	0.7	0.4	0.3	1.5	3.3	0.4	0.3	0.0	0.6	11	3157
18-20 LST	0.3	0.0	0.0	0.8	0.3	0.3	0.5	0.8	0.8	2.6	0.5	0.5	0.6	17	4541
21-23 LST														0	0

HUA HIN, THAILAND

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	29.0	26.7	30.1	29.4	30.7	30.0	30.6	30.7	29.9	29.5	28.9	30.6	356.1	17	4048
	13 LST	30.1	26.9	30.8	29.7	30.5	29.5	30.5	30.5	29.6	30.0	29.2	30.5	357.8	17	4056
	19 LST	30.1	26.6	30.7	29.6	30.6	29.5	30.1	30.5	29.1	29.6	29.5	30.6	356.5	17	4541
	01 LST	30.1	27.8	31.0	29.8	31.0	30.0	30.7	31.0	29.5	30.7	29.3	31.0	361.9	11	1962
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	28.4	26.4	30.1	29.4	30.6	29.8	30.5	30.5	29.9	28.5	28.4	29.4	351.9	17	4048
	13 LST	28.9	23.5	24.4	23.3	28.2	26.6	28.7	28.6	28.8	26.8	23.3	23.2	309.3	17	4022
	19 LST	29.4	26.1	29.9	28.6	30.0	28.6	29.7	29.3	28.7	29.1	28.8	29.7	347.9	17	4518
	01 LST	30.8	27.4	30.8	29.4	30.8	29.8	30.1	31.0	29.5	30.1	29.0	29.9	358.6	17	1959
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.2	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.1	0.2	0.2	0.4	1.3	17	4099
	13 LST	0.9	0.5	1.6	1.1	0.3	0.6	0.0	0.1	0.0	0.4	1.0	1.6	8.1	17	4077
	19 LST	0.1	0.1	0.0	0.1	0.0	0.3	0.0	0.0	0.0	0.0	0.1	0.2	0.9	17	4573
	01 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.2	0.2	0.2	0.8	17	1980
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	6.6	2.9	3.1	2.8	2.7	4.2	4.9	3.7	2.3	5.5	8.5	8.7	55.9	17	4068
	13 LST	19.4	18.7	14.0	3.9	7.1	7.0	10.2	12.1	10.8	13.9	15.8	20.0	152.9	17	4039
	19 LST	3.2	7.1	12.7	11.6	7.6	8.3	9.2	6.9	4.5	3.7	4.1	4.3	83.2	17	4541
	01 LST	8.5	4.9	6.5	5.4	4.8	7.2	5.1	3.3	3.4	6.0	9.2	8.7	73.0	17	1978
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	10.9	8.7	11.7	8.4	2.3	1.4	1.3	0.4	0.8	2.2	6.9	10.3	65.3	17	4087
	13 LST	17.7	13.5	16.3	11.1	3.0	0.6	1.2	0.8	0.6	3.2	8.5	15.4	91.9	17	4098
	19 LST	18.0	12.7	10.8	6.5	2.0	0.7	0.3	0.4	0.7	5.9	12.7	16.7	87.4	17	4581
	01 LST	22.6	20.4	22.0	17.6	9.4	3.2	2.5	1.8	2.3	6.7	14.9	18.8	142.2	17	1975
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	28.8	26.3	30.7	29.2	30.0	29.2	29.5	30.0	29.2	27.0	27.3	29.0	336.2	17	4048
	13 LST	30.2	26.5	30.2	29.2	28.6	27.6	28.1	28.3	28.2	28.5	28.7	30.0	344.1	17	4056
	19 LST	30.0	26.2	30.3	29.2	29.2	28.8	27.3	28.8	27.6	28.5	28.9	30.4	343.2	17	4541
	01 LST	30.9	27.2	30.7	29.6	29.5	29.0	28.8	29.9	28.2	29.1	28.9	30.7	352.5	11	1962
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	28.2	26.2	29.5	29.0	29.8	28.6	29.1	29.2	28.6	26.6	26.9	29.2	340.9	17	4048
	13 LST	29.8	26.0	29.9	28.8	28.4	28.6	28.9	27.4	27.6	27.6	28.5	29.7	337.2	17	4056
	19 LST	29.9	26.1	29.9	29.1	29.0	28.4	26.1	28.0	26.9	28.0	28.7	30.3	340.4	17	4541
	01 LST	30.9	26.7	30.5	29.6	29.2	29.0	28.1	29.4	27.7	28.5	28.8	29.9	348.3	11	1962
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	28.2	26.2	29.5	29.0	29.8	28.6	29.1	29.1	28.6	26.6	26.9	29.2	340.8	17	4048
	13 LST	29.8	26.0	29.9	28.8	28.4	26.6	26.8	27.4	27.6	27.6	28.5	29.7	337.1	17	4056
	19 LST	29.8	26.1	29.9	29.1	29.0	28.4	26.1	28.0	26.9	27.9	28.7	30.3	340.2	17	4541
	01 LST	30.9	26.7	30.5	29.6	29.2	29.0	28.1	29.4	27.7	28.5	28.8	29.9	348.3	11	1962

BAN SATTAPHI, THAILAND

STA NO. 48477 (IN AREA NUMBER 04)

LATITUDE 1239N

LONGITUDE 10056E

ELEVATION(PT) 00023

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	103	103	104	105	105	100	100	102	103	97	101	104	105	23	-540
MEAN MAX TMP (F)	93	94	94	94	92	91	91	91	91	90	90	91	92	23	-40
MEAN MIN TMP (F)	73	77	79	80	79	80	79	78	77	75	73	71	77	23	-40
ABS MIN TMP (F)	46	64	66	66	70	71	66	71	66	64	61	57	46	23	-540
MEAN NO DYS TMP = DR GTR 90(F)	27.4	27.1	27.9	28.7	28.4	26.9	24.5	27.0	24.2	19.8	20.4	27.2	307.5	11	1296
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	1141
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	1141
MEAN DEW PT TMP (F)	69	71	75	76	78	77	75	76	75	74	73	73	74	6	504
MEAN REL HUM (PCT)	68	72	73	75	77	76	76	77	80	82	77	70	75	23	-40
MEAN PRESS ALT (FT)	7	54	99	155	206	229	229	247	203	95	54	4	132	0	-50
MEAN PRECIP (IN)	0.90	1.90	2.60	4.30	6.30	3.10	3.70	4.20	8.90	11.00	3.90	0.70	91.5	30	-40
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	23	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	1.9	3.6	4.6	5.5	5.4	7.5	8.2	8.7	11.9	13.5	7.1	1.5	79.4	30	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	23	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	98
MEAN NO DYS TSTMS	1.0	4.0	9.0	13.0	14.0	5.0	5.0	5.0	8.0	12.0	7.0	1.0	84.0	15	-40
P FREQ WND SPD = DR GTR 17 KTS	0.2	0.2	0.4	0.2	3.4	6.7	5.6	4.4	2.4	0.0	0.2	0.0	2.0	11	6762
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.2	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	11	6762
P FREQ LES 5000 FT A/D LES 5 MI	79.2	83.2	44.4	47.1	34.8	11.3	28.8	15.2	20.5	27.4	24.2	36.8	37.7	11	1790
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	4.5	5.3	7.3	0.0	4.7	0.0	4.2	5.4	10.8	17.1	0.0	3.0	5.2	7	522
03-05 LST														0	0
06-08 LST	16.0	18.9	13.8	10.0	6.5	5.8	6.2	5.1	8.2	15.2	3.2	13.1	10.2	13	1153
09-11 LST	19.8	16.9	21.6	12.5	4.3	5.0	7.7	4.0	10.3	9.9	2.3	9.3	10.3	9	909
12-14 LST	23.4	20.2	23.0	18.0	4.3	3.3	3.2	3.7	4.4	12.5	3.7	8.1	10.7	14	1219
15-17 LST	23.6	19.8	17.7	12.8	3.2	3.2	7.6	5.4	5.2	10.9	3.1	8.5	10.1	9	1203
18-20 LST	26.0	18.3	22.2	16.3	2.8	1.7	6.3	7.6	6.3	9.6	7.6	13.0	11.5	14	1466
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.0	2.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	7	522
03-05 LST														0	0
06-08 LST	0.0	1.1	0.0	0.0	1.1	1.0	0.0	0.0	0.0	2.2	0.0	0.0	0.5	13	1153
09-11 LST	0.0	1.5	2.0	0.0	0.0	2.5	0.0	0.0	1.7	0.0	0.0	0.0	0.6	9	909
12-14 LST	0.7	2.1	1.1	1.1	1.1	0.0	0.8	0.0	1.1	2.3	0.0	0.0	0.9	14	1219
15-17 LST	0.0	1.2	1.0	1.2	1.1	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.5	9	1203
18-20 LST	0.0	0.9	0.7	2.3	0.7	0.0	0.0	1.5	1.0	0.0	1.7	0.0	0.7	14	1466
21-23 LST														0	0

BAN SATTAHIP, THAILAND

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG ≥ GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	25.9	22.7	27.5	27.2	29.3	28.7	29.7	30.3	28.9	27.2	29.3	27.5	334.2	11	113
	13 LST	23.9	21.9	23.7	25.4	30.3	29.0	30.4	30.3	29.3	28.7	29.4	28.8	331.1	11	1122
	19 LST	22.5	22.6	24.0	25.6	30.5	30.0	29.4	29.7	28.3	28.6	28.9	27.0	327.1	11	1342
	01 LST	29.6	26.5	28.7	30.0	29.6	30.0	31.0	29.3	27.8	26.2	30.0	30.1	348.8	7	522
CIG ≥ GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	24.6	21.1	26.4	24.9	22.1	15.2	15.5	14.7	20.5	24.1	23.3	21.6	254.0	11	1107
	13 LST	21.0	19.5	20.8	22.0	23.7	19.4	19.0	16.8	18.4	24.9	24.5	26.0	256.0	11	1116
	19 LST	21.8	20.8	21.6	21.1	20.6	15.6	18.0	17.8	24.1	27.3	27.0	26.7	262.4	11	1338
	01 LST	28.2	20.1	25.4	26.0	21.1	14.2	12.1	15.9	19.5	23.8	26.0	29.2	261.5	7	522
SPC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.0	0.0	0.0	0.0	0.3	1.1	0.9	0.6	0.3	0.0	0.0	0.0	3.2	11	1160
	13 LST	0.0	0.0	0.0	0.0	0.7	0.3	0.0	0.0	0.0	0.0	0.0	0.0	1.0	11	1150
	19 LST	0.0	0.0	0.0	0.0	0.7	3.2	2.8	2.0	1.3	0.0	0.0	0.0	10.0	11	1376
	01 LST	0.0	0.0	0.0	0.0	0.0	3.3	2.7	0.8	1.4	0.0	0.0	0.0	8.2	7	532
SPC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	11.5	14.1	14.1	16.1	12.0	10.1	10.6	11.4	10.7	10.2	16.5	19.9	157.2	11	1158
	13 LST	8.1	2.2	1.2	1.4	3.2	2.6	7.2	3.3	6.6	6.8	8.8	7.4	58.8	11	1145
	19 LST	7.3	15.8	19.9	16.1	11.8	10.6	12.4	11.4	14.1	7.1	13.1	10.3	149.9	11	1368
	01 LST	14.1	17.7	18.8	16.7	13.5	12.5	6.7	10.6	11.6	13.6	19.3	19.1	174.2	7	532
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	8.1	4.8	5.5	4.1	1.9	1.1	0.6	0.9	0.6	3.7	6.2	9.7	47.2	11	1151
	13 LST	11.6	10.4	13.7	3.9	2.1	2.6	1.3	0.3	0.7	3.9	6.3	9.9	66.7	11	1153
	19 LST	12.6	11.6	11.8	4.7	3.3	1.2	0.0	0.5	0.0	4.4	7.5	12.2	69.8	11	1372
	01 LST	21.4	18.2	20.8	10.6	7.6	6.8	0.0	0.8	0.7	8.3	12.0	17.8	125.2	7	526
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	25.2	19.7	24.6	25.4	26.9	26.6	27.7	28.1	24.7	25.5	29.0	27.2	310.6	11	1113
	13 LST	22.9	19.9	21.2	23.9	28.1	27.6	29.4	27.7	27.4	25.6	27.6	28.2	309.5	11	1122
	19 LST	22.3	22.0	23.3	24.8	28.3	27.1	28.1	26.6	26.2	26.7	26.4	26.7	308.5	11	1342
	01 LST	29.6	25.5	28.7	28.2	28.3	26.9	28.5	27.0	24.6	30.0	30.1	335.6	7	522	
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	25.2	18.4	23.6	24.7	25.2	26.3	27.1	27.8	24.3	25.5	29.0	26.9	304.0	11	1113
	13 LST	22.7	19.3	21.2	23.2	27.3	26.9	29.4	27.1	27.4	25.2	27.3	28.2	305.2	11	1122
	19 LST	22.0	21.7	22.8	24.8	26.9	25.8	27.0	25.4	25.9	26.7	26.4	26.7	302.1	11	1342
	01 LST	29.6	25.0	28.7	27.3	28.2	27.5	25.6	28.5	27.0	24.6	30.0	30.1	332.1	7	522
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	25.2	18.4	23.6	24.7	25.2	26.3	27.1	27.8	24.3	25.5	29.0	26.9	304.0	11	1113
	13 LST	22.7	19.3	21.2	23.2	27.3	26.9	29.4	27.1	27.4	25.2	27.3	28.2	305.2	11	1122
	19 LST	22.0	21.7	22.8	24.8	26.6	25.8	27.0	25.4	25.9	26.7	26.4	26.7	301.8	11	1342
	01 LST	29.6	25.0	28.7	27.3	28.2	27.5	25.6	28.5	27.0	24.6	30.0	30.1	332.1	7	522

CHANTHABURI, THAILAND

STA NO. 48480 (IN AREA NUMBER 04)

LATITUDE 1237N

LONGITUDE 10207E

ELEVATION(FT) 00016

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	99	100	100	101	105	100	95	93	95	96	98	97	103	23	-540
MEAN MAX TMP (F)	91	92	92	93	91	88	87	87	87	89	89	88	90	23	-40
MEAN MIN TMP (F)	67	70	72	74	75	76	75	75	74	73	71	67	72	23	-40
ABS MIN TMP (F)	52	59	59	66	68	70	70	66	69	62	50	48	48	23	-540
MEAN NO DYS TMP = OR GTR 90(F)	19.7	21.6	25.9	26.9	23.6	15.3	7.7	7.1	7.4	16.1	18.3	17.0	206.6	12	2455
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	2560
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	2560
MEAN DEW PT TMP (F)	66	70	74	76	77	77	76	76	76	75	72	66	73	10	5257
MEAN REL HUM (PCT)	71	75	78	80	85	86	86	87	88	84	77	71	81	23	-40
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.80	1.40	2.70	4.80	12.40	19.30	19.30	17.90	19.60	9.90	2.80	0.50	111.4	50	-40
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	23	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	1.7	2.8	4.7	5.5		20.5	20.5	19.8	17.5	12.7	5.8	1.1		50	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	23	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	3.4	4.7	5.0	2.0	5.1	3.2	3.8	5.1	5.6	5.4	0.0	0.5	43.8	10	964
MEAN NO DYS TSMS	1.0	4.0	10.5	15.9	20.9	12.4	13.1	12.8	11.9	11.7	4.8	1.1	120.1	11	2881
P FREQ WND SPD = OR GTR 17 KTS	8.7	2.5	0.5	0.1	0.3	1.3	1.2	1.8	0.1	1.4	5.9	9.0	2.7	16	18134
P FREQ WND SPD = OR GTR 28 KTS	0.7	0.2	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.1	0.2	0.1	16	18134
P FREQ LES 5000 FT A/D LES 5 MI	44.0	74.0	66.8	51.1	42.8	53.0	53.6	59.8	61.0	32.4	19.5	14.4	47.7	13	13457
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	27.6	55.4	51.1	30.5	16.8	15.4	18.6	27.1	31.1	14.0	1.3	7.5	24.7	12	1889
03-05 LST														0	0
06-08 LST	47.8	75.4	82.2	61.5	23.3	29.7	23.7	33.4	34.2	21.0	13.1	19.0	38.7	17	3423
09-11 LST	17.4	29.0	17.5	10.7	10.5	15.5	16.3	17.0	16.9	6.5	1.1	1.1	13.3	12	2743
12-14 LST	6.6	11.6	9.9	8.6	12.1	15.9	18.5	13.9	19.8	10.6	2.9	0.3	10.9	17	3353
15-17 LST	5.2	13.2	4.1	7.8	8.1	13.9	11.8	19.4	21.7	15.3	3.2	0.3	10.3	12	3095
18-20 LST	9.7	31.1	21.2	9.3	11.6	12.9	16.1	16.2	22.7	13.9	2.3	1.3	14.1	17	3472
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	4.9	13.2	6.8	1.8	9.0	4.4	7.0	12.5	15.8	7.5	0.7	1.5	7.1	12	1889
03-05 LST														0	0
06-08 LST	14.0	28.1	26.1	12.3	8.0	8.2	6.0	11.1	10.3	6.8	2.6	2.2	11.3	17	3423
09-11 LST	0.0	1.1	0.0	0.5	3.3	4.2	6.9	3.7	3.9	0.8	0.0	0.0	2.0	12	2748
12-14 LST	0.0	0.8	2.8	2.0	4.7	4.0	5.0	4.4	4.0	4.4	1.0	0.0	2.8	17	3353
15-17 LST	0.4	0.5	1.6	1.7	2.4	4.1	3.0	4.9	7.2	5.0	0.4	0.0	2.6	12	3095
18-20 LST	0.7	4.8	2.8	1.6	4.9	4.3	5.7	4.8	5.7	5.2	0.0	0.0	3.4	17	3422
21-23 LST														0	0

CHANTHABURI, THAILAND

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	18.3	10.8	8.1	15.1	26.2	23.9	27.0	23.7	22.9	26.1	27.5	26.7	255.9	15	3423
	13 LST	29.9	27.3	29.5	28.7	28.8	27.3	27.7	28.2	26.2	28.5	29.3	31.0	342.4	15	3353
	19 LST	29.4	22.4	26.5	27.7	28.6	27.5	27.8	27.7	25.0	27.7	29.5	30.8	330.8	16	3422
	01 LST	24.1	15.2	18.2	23.1	27.2	26.9	26.5	23.8	22.9	28.0	29.6	29.1	294.6	11	1889
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	12.6	8.9	6.7	15.0	26.0	23.8	26.8	23.6	22.6	23.4	22.5	19.5	231.4	15	3412
	13 LST	19.3	22.9	27.6	25.9	26.7	22.6	24.8	25.0	25.4	24.7	20.4	19.1	284.4	15	3345
	19 LST	29.1	22.4	26.2	27.6	28.2	26.5	27.5	27.1	24.9	27.3	28.4	29.7	324.9	16	3414
	01 LST	22.6	14.2	18.2	22.9	26.8	26.4	26.2	23.8	22.9	27.5	27.6	26.2	285.3	11	1886
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	3.2	0.5	0.2	0.0	0.0	0.1	0.1	0.0	0.0	0.4	1.8	2.7	9.0	15	3442
	13 LST	3.7	1.1	0.1	0.0	0.4	1.0	1.0	1.5	0.1	0.6	3.2	3.7	16.4	15	3374
	19 LST	0.2	0.0	0.1	0.0	0.0	0.1	0.1	0.4	0.0	0.0	0.2	0.4	1.5	16	3459
	01 LST	1.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.7	2.3	4.6	11	1894
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	5.3	2.9	1.7	1.5	1.2	1.5	1.3	1.0	0.9	4.9	8.2	8.4	38.8	15	3428
	13 LST	4.5	5.0	6.0	2.0	5.2	9.4	11.4	12.3	10.7	7.3	8.2	8.1	90.1	15	3363
	19 LST	2.8	1.9	2.1	1.9	3.0	4.3	4.3	4.9	1.7	2.0	4.1	4.2	37.2	16	3446
	01 LST	4.4	1.2	0.7	0.5	1.6	2.6	1.6	1.6	0.3	2.9	5.8	4.1	27.3	11	1893
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	4.5	0.9	0.6	0.5	0.4	0.0	0.0	0.2	0.3	1.0	5.4	7.0	20.8	15	3444
	13 LST	6.5	2.7	1.1	0.8	0.0	0.0	0.0	0.0	0.0	0.4	3.7	8.1	23.3	15	3380
	19 LST	8.7	3.8	1.3	1.2	0.3	0.2	0.2	0.1	0.0	1.9	6.9	10.2	34.8	16	3456
	01 LST	7.9	2.3	1.0	1.8	1.2	0.2	0.0	0.0	0.2	2.0	8.0	14.7	39.3	11	1895
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	17.9	10.4	9.4	13.9	22.7	19.3	22.5	19.1	18.3	24.7	27.2	26.4	231.8	14	3423
	13 LST	29.0	24.5	25.6	24.8	23.0	21.0	19.7	20.7	18.9	24.9	28.0	30.5	290.1	14	3353
	19 LST	28.7	20.7	21.6	26.1	24.9	22.5	23.0	22.7	20.4	25.3	28.3	30.6	294.8	15	3422
	01 LST	23.4	14.3	16.6	21.9	23.7	21.6	21.9	20.2	19.1	25.8	21.8	29.1	259.4	11	1889
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	16.7	9.4	6.5	12.9	20.2	16.9	19.9	16.1	15.4	23.1	26.0	25.3	208.4	14	3423
	13 LST	27.0	21.1	21.5	21.1	18.1	16.8	12.9	14.7	14.0	21.9	25.6	29.5	244.2	14	3353
	19 LST	26.5	18.9	21.6	23.8	22.8	19.3	19.9	18.3	17.2	23.3	25.8	29.3	266.7	15	3422
	01 LST	22.2	13.1	14.9	20.7	21.3	17.4	19.6	14.7	16.6	24.1	20.6	29.1	234.3	11	1889
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	16.7	9.4	6.5	12.9	20.2	16.9	19.9	16.0	15.4	23.1	26.0	25.3	208.3	14	3423
	13 LST	27.0	21.1	21.5	21.1	18.1	16.8	12.9	14.7	14.0	21.8	25.6	29.5	244.1	14	3353
	19 LST	26.5	18.9	21.6	23.8	22.8	19.3	19.9	18.3	17.2	23.3	25.8	29.3	266.7	15	3422
	01 LST	22.2	13.1	14.9	20.7	21.3	17.4	19.4	14.7	16.6	24.1	20.6	29.1	234.1	11	1889

BAN TA KHLI, THAILAND

STA NO. 49000 (IN AREA NUMBER 04)

LATITUDE 1516N LONGITUDE 10017E ELEVATION(FT) 00100

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	102	104	106	108	113	106	102	100	99	94	97	97	113	13	2469
MEAN MAX TMP (F)	89	94	99	100	97	94	92	91	89	89	89	88	93	13	2469
MEAN MIN TMP (F)	63	70	74	77	77	76	76	75	75	74	70	64	73	13	2756
ABS MIN TMP (F)	43	57	63	63	64	72	70	68	70	68	54	52	43	13	2756
MEAN NO DYS TMP = OR GTR 90(F)	17.5	24.8	30.4	29.6	30.6	27.0	26.4	23.4	17.9	16.2	14.4	12.2	270.4	13	2469
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	2756
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	2756
MEAN DEW PT TMP (F)	66	72	76	77	77	77	76	77	78	74	71	64	74	0	-50
MEAN REL HUM (PCT)	60	61	60	72	64	75	80	83	85	83	78	68	72	9	-29
MEAN PRESS ALT (FT)	67	116	164	229	283	319	327	326	271	160	107	62	203	0	-50
MEAN PRECIP (IN)	0.10	0.70	1.40	3.40	5.10	5.40	5.50	6.30	11.20	6.20	1.40	0.10	46.8	30	-40
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	0.3	1.5	3.1	5.2	5.6	10.0	10.1	10.9	13.6	9.5	4.1	0.3	74.2	30	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	4	473
MEAN NO DYS TSTMS	0.0	1.0	4.0	6.0	14.0	3.0	12.0	8.0	10.0	10.0	4.0	0.0	74.0	3	-40
P FREQ WND SPD = OR GTR 17 KTS	0.0	0.5	0.4	0.3	0.1	0.1	0.1	0.1	0.0	0.0	0.1	0.1	0.2	3	27949
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	27949
P FREQ LES 5000 FT A/D LES 5 MI	3.8	13.8	13.5	8.5	15.6	12.4	15.9	16.9	27.6	23.1	7.5	4.0	13.6	4	33994
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	0.3	0.8	0.0	0.6	2.2	0.0	1.2	1.4	4.6	4.0	0.0	0.6	1.3	2	3282
03-05 LST	0.6	5.6	7.5	0.0	6.8	0.0	5.2	95.6	7.3	5.5	0.4	0.6	11.3	2	3351
06-08 LST	2.4	5.1	7.7	1.7	6.3	2.3	6.0	5.3	7.2	7.8	0.7	0.4	4.4	4	5024
09-11 LST	0.9	5.6	1.9	0.6	5.7	1.4	4.8	6.4	10.1	4.8	0.2	0.0	3.5	4	5056
12-14 LST	0.0	0.2	0.0	0.0	1.4	0.0	1.5	0.7	4.2	3.6	0.7	0.2	1.0	4	5059
15-17 LST	0.0	0.0	0.0	0.6	0.5	0.3	1.8	0.7	3.8	1.2	0.0	0.2	0.8	4	5022
18-20 LST	0.0	0.0	0.0	0.4	2.3	1.4	3.2	3.9	3.8	1.9	0.0	0.3	1.4	4	3861
21-23 LST	0.0	0.0	0.0	0.6	0.7	0.0	1.7	1.9	3.4	1.9	0.4	0.0	0.9	2	3339
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	3282
03-05 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	3351
06-08 LST	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	0.0	0.2	0.2	4	5024
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	4	5056
12-14 LST	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	4	5059
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	4	5022
18-20 LST	0.0	0.0	0.0	0.0	0.3	0.0	0.9	0.5	0.0	0.6	0.0	0.0	0.2	4	3861
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.4	0.0	0.0	0.0	0.1	2	3339

BAN TA KHLI, THAILAND

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	20.2	18.4	25.5	28.9	29.8	29.7	29.4	29.5	28.2	28.4	25.7	21.3	315.0	13	327
	13 LST	30.6	26.8	29.7	29.3	30.2	29.8	29.9	30.9	28.9	30.3	30.0	30.8	357.2	13	3297
	19 LST	30.1	25.5	28.1	29.0	30.7	29.2	29.8	29.1	28.1	30.3	29.8	30.9	350.6	13	3189
	01 LST	31.0	28.0	31.0		31.0	30.0	31.0	31.0	29.5	30.0	30.0	31.0		4	457
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	07 LST	18.4	16.8	23.5	25.7	28.3	27.3	27.2	26.8	26.5	26.8	25.2	20.9	293.4	13	3310
	13 LST	25.8	22.4	26.2	25.4	28.1	26.9	27.7	27.0	26.5	26.8	26.3	26.8	315.9	13	3282
	19 LST	29.7	24.9	25.1	25.3	27.4	25.7	28.0	26.8	24.7	28.9	29.5	30.4	326.4	13	3176
	01 LST	31.0	27.0	31.0		28.0	30.0	31.0	31.0	28.5	28.0	29.5	31.0		4	457
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.1	0.3	0.1	0.0	0.1	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.8	13	3378
	13 LST	0.6	0.8	0.2	0.4	0.7	0.0	0.1	0.2	0.0	0.1	0.1	0.5	3.7	13	3360
	19 LST	0.2	0.1	0.0	0.5	0.1	0.2	0.0	0.2	0.0	0.0	0.0	0.1	1.4	13	3197
	01 LST	0.0	0.0	0.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		4	444
SFC WND 4-10 KTS AND THP 33-89 DEG F AND NO PRECIP.	07 LST	5.3	6.5	9.7	10.0	10.3	9.7	6.0	7.3	2.8	3.1	3.6	4.4	78.7	13	3353
	13 LST	13.8	5.6	2.0	1.4	1.3	3.3	6.6	7.5	7.4	12.0	13.3	17.3	91.5	13	3325
	19 LST	3.2	4.6	2.6	3.0	5.1	6.6	5.3	6.9	6.3	3.8	3.9	5.2	56.5	13	3154
	01 LST	5.6	14.0	31.0		22.0	17.3	5.1	4.3	4.4	2.5	6.0	9.2		4	443
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	5.0	1.9	3.9	3.7	2.6	0.2	0.3	0.0	0.0	1.9	4.0	4.6	28.1	13	3376
	13 LST	12.2	7.4	7.3	3.7	0.3	0.0	0.0	0.0	0.1	1.3	2.9	6.6	42.0	13	3361
	19 LST	12.3	7.4	6.4	2.3	0.1	0.0	0.0	0.0	0.2	2.5	6.6	8.7	46.5	13	3215
	01 LST	18.3	7.0	31.0		8.0	2.0	0.0	0.5	0.0	4.5	9.5	18.5		4	457
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	19.7	17.1	24.6	27.5	28.5	27.9	27.2	26.9	24.9	25.2	25.0	21.1	295.6	13	3327
	13 LST	30.3	26.4	29.0	27.0	28.3	27.0	28.1	26.8	24.6	27.0	28.6	30.1	333.2	13	3297
	19 LST	29.9	25.2	26.7	27.2	28.8	25.3	26.6	25.1	23.3	28.2	29.2	30.4	325.9	13	3189
	01 LST	31.0	28.0	31.0		30.0	30.0	31.0	29.9	28.0	27.5	29.5	31.0		4	457
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	19.3	16.7	23.5	27.1	27.6	27.4	24.7	24.1	22.2	23.2	24.5	20.3	280.6	13	3327
	13 LST	29.3	25.6	27.4	25.3	25.7	22.7	23.5	22.5	20.7	22.3	26.3	29.3	300.6	13	3297
	19 LST	29.5	24.7	25.5	25.7	27.1	21.9	21.7	21.2	19.1	26.0	28.3	29.7	300.4	13	3189
	01 LST	31.0	27.0	31.0		28.0	20.0	22.1	24.3	22.5	25.5	29.5	30.4		4	457
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	19.3	16.5	23.5	26.9	27.6	27.0	22.9	23.0	21.9	23.0	24.2	20.2	276.0	13	3327
	13 LST	29.3	25.6	27.4	25.3	25.6	22.6	22.2	22.4	20.3	22.3	26.2	29.3	298.5	13	3297
	19 LST	29.5	24.7	25.4	25.6	26.8	21.8	20.6	20.4	18.9	25.9	28.2	29.7	297.5	13	3189
	01 LST	31.0	27.0	31.0		28.0	19.0	22.1	22.2	21.0	25.0	29.5	29.9		4	457

U-TAPAO, THAILAND

STA NO. 49003 (IN AREA NUMBER 04)

LATITUDE 1241N

LONGITUDE 10101E

ELEVATION(PT) 00059

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	90	91	93	94	94	91	92	92	94	92	92	91	94	1	487
MEAN MAX TMP (F)	86	87	90	91	89	88	87	88	88	87	88	86	88	1	515
MEAN MIN TMP (F)	71	73	77	79	79	81	79	80	78	75	74	72	77	1	515
ABS MIN TMP (F)	59	68	70	74	73	75	75	78	74	71	71	65	59	1	487
MEAN NO DYS TMP = DR GTR 90(F)	5.8	7.7	17.9	20.3	14.8	11.2	8.6	11.6	11.2	8.6	11.2	5.8	134.7	1	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	-29
MEAN DEW PT TMP (F)	64	70	72	75	75	73	74	74	74	73	70	66	72	1	12795
MEAN REL HUM (PCT)	64	74	71	74	75	70	72	73	76	80	72	68	72	1	12795
MEAN PRESS ALT (FT)	67	94	122	169	215	215	225	215	197	150	104	85	155	0	-50
MEAN PRECIP (IN)	0.06	0.48	0.00	0.95	10.88	0.94	2.91	0.52	6.18	11.95	1.62	0.16	36.6	1	487
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	0.2	1.1	0.0	2.3	6.3	4.9	7.3	4.4	9.5	14.1	4.4	0.4	54.9	1	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	0.0	10.0	8.0	1.0	3.0	3.2	6.2	10.5	1.9	1.5	45.3	1	515
P FREQ WND SPD = DR GTR 17 KTS	1.3	0.3	0.5	0.4	0.1	0.4	0.1	0.2	0.0	0.3	0.0	0.1	0.3	1	12800
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	12800
P FREQ LES 5000 FT A/D LES 5 MI	2.0	5.1	3.6	3.7	8.1	0.8	5.0	6.2	7.1	10.4	1.7	0.4	4.5	1	12800
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	2.2	2.4	2.2	0.0	2.2	0.0	0.0	0.6	1.1	1.6	0.0	0.0	1.0	1	1545
03-05 LST	3.2	2.4	2.2	3.3	5.4	0.0	0.0	0.0	1.1	2.2	0.0	0.0	1.7	1	1576
06-08 LST	2.2	1.2	0.0	1.1	5.4	0.0	0.0	0.0	0.6	0.5	0.0	0.0	11.0	1	1641
09-11 LST	0.0	0.0	0.0	0.0	1.1	0.0	1.1	0.0	1.1	2.7	0.0	0.0	0.5	1	1641
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.6	2.2	0.6	0.0	0.3	1	1642
15-17 LST	0.0	1.2	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.0	0.0	0.0	0.2	1	1644
18-20 LST	0.0	0.0	0.0	0.0	2.2	0.0	0.9	0.0	1.1	1.6	0.0	0.0	0.5	1	1566
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	1.1	1.1	0.0	0.0	0.2	1	1545
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	1545
03-05 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	1	1576
06-08 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	1641
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	1	1641
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.1	1	1642
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	1644
18-20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	1566
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	1545

U-TAPAO, THAILAND

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG ≥ GTR 1000 FT AND VSBY ≥ GTR 3 MI	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
	01 LST														0	0
CIG ≥ GTR 2000 FT AND VSBY ≥ GTR 3 MI W/SFC WND LES 10 KTS	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
	01 LST														0	0
SFC WND ≥ GTR 17 KTS AND NO PRECIP.	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
	01 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
	01 LST														0	0
SKY COVER LES 3/10 AND VSBY ≥ GTR 3 MI	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
	01 LST														0	0
CIG ≥ GTR 2500 FT AND VSBY ≥ GTR 3 MI	07 LST	30.0	26.3	29.7	29.3	26.3	29.7	31.0	30.5	30.5	30.5	30.0	31.0	354.8	1	1641
	13 LST	31.0	26.7	31.0	29.0	30.7	29.3	30.0	28.9	29.8	28.7	29.8	31.0	355.9	1	1642
	19 LST	31.0	27.7	31.0	30.0	28.3	30.0	29.3	27.9	30.0	29.7	30.0	30.8	355.7	1	1566
	01 LST	30.0	26.3	28.3	29.7	29.7	30.0	31.0	29.0	29.7	30.3	30.0	31.0	355.0	1	1545
CIG ≥ GTR 6000 FT AND VSBY ≥ GTR 3 MI	07 LST	28.3	26.3	29.0	29.3	25.0	29.7	29.5	30.3	28.2	28.5	29.8	30.8	344.7	1	1641
	13 LST	31.0	27.0	30.7	29.0	30.0	29.3	29.1	28.7	29.8	26.5	28.7	31.0	350.8	1	1642
	19 LST	30.7	27.7	31.0	30.0	26.0	30.0	28.2	26.7	28.2	27.3	29.3	30.7	345.8	1	1566
	01 LST	29.7	25.3	28.3	29.7	27.3	29.7	30.3	29.0	27.0	26.1	29.3	31.0	342.7	1	1545
CIG ≥ GTR 10000 FT AND VSBY ≥ GTR 3 MI	07 LST	22.7	24.0	28.7	29.3	22.0	28.0	27.9	29.0	25.5	24.3	29.0	30.2	320.6	1	1641
	13 LST	26.0	24.3	30.3	29.0	27.7	29.3	27.6	27.9	28.6	24.7	27.8	29.3	332.5	1	1642
	19 LST	25.7	25.3	29.7	30.0	26.0	28.0	27.4	25.7	26.3	24.7	27.2	30.2	326.2	1	1566
	01 LST	25.7	23.3	28.3	29.7	25.0	28.0	28.7	27.0	23.0	23.5	28.7	30.8	321.7	1	1545

SARA BURI, THAILAND

STA NO. 49643/ (IN AREA NUMBER 04)

LATITUDE 1430N

LONGITUDE 10055E

ELEVATION(FT) 00100

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	101	102	105	108	108	101	99	99	97	97	96	99	108	18	-48426
MEAN MAX TMP (F)	92	95	98	98	95	92	91	90	89	89	89	89	92	18	-48426
MEAN MIN TMP (F)	66	72	75	76	76	76	75	75	75	75	70	66	73	18	-48426
ABS MIN TMP (F)	45	50	63	69	71	66	68	68	68	62	51	51	45	18	-48426
MEAN NO DYS TMP = OR GTR 90(F)	23.8	26.9	29.8	28.8	29.8	23.0	21.0	17.9	14.3	14.8	14.3	14.8	259.2	18	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18	-29
MEAN DEW PT TMP (F)	62	65	70	73	75	75	74	75	76	73	68	62	71	10	-48426
MEAN REL HUM (PCT)	55	60	61	63	71	73	76	77	81	77	69	60	69	17	-48426
MEAN PRESS ALT (FT)	84	132	176	232	283	306	306	324	280	172	131	81	209	0	-50
MEAN PRECIP (IN)	0.10	0.90	2.00	3.60	6.30	9.30	9.20	9.40	10.20	5.60	1.80	0.20	58.6	20	-40
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	0.3	1.9	3.9	5.2	5.4	13.7	13.6	13.8	12.9	8.9	4.6	0.3	84.7	20	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.5	0.4	0.4	0.0	0.0	0.0	0.0	1.3	0.9	1.6	0.3	0.4	5.8	10	-48426
MEAN NO DYS TSTMS	1.0	3.0	9.0	13.0	19.0	12.0	12.0	11.0	14.0	9.0	3.0	0.0	106.0	15	-48426
P FREQ WND SPD = OR GTR 17 KTS	7.1	4.7	5.1	4.8	1.7	2.9	1.4	0.9	0.7	2.0	3.2	6.9	3.5	17	-48426
P FREQ WND SPD = OR GTR 28 KTS	0.9	0.6	0.1	0.2	0.0	0.1	0.1	0.0	0.1	0.0	0.0	0.6	0.2	17	-48426
P FREQ LES 5000 FT A/D LES 5 MI	21.8	33.4	40.5	32.5	20.8	21.8	24.9	23.6	24.5	16.7	12.3	9.2	23.5	17	-48426
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	2.2	2.5	6.4	2.0	4.8	2.5	5.2	6.9	12.6	6.6	1.4	0.0	4.4	12	-48426
03-05 LST														0	0
06-08 LST	23.4	25.7	21.5	17.4	5.0	4.6	7.2	4.8	9.6	9.7	7.5	10.3	12.2	17	-48426
09-11 LST	7.2	13.8	17.1	7.6	0.5	2.3	2.0	2.7	4.2	2.1	0.8	1.5	5.2	12	-48426
12-14 LST	4.0	11.8	13.0	4.5	1.6	1.5	1.8	1.9	3.8	2.4	0.8	0.5	4.0	17	-48426
15-17 LST	2.4	12.8	13.8	4.0	1.7	0.4	3.8	1.9	4.0	4.4	0.7	0.3	4.2	12	-48426
18-20 LST	8.7	18.0	13.1	5.9	5.1	4.8	6.6	9.2	9.3	6.3	3.2	3.9	7.8	17	-48426
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.0	1.7	1.8	0.7	0.0	0.0	0.0	1.7	6.7	2.0	0.7	0.0	1.3	12	-48426
03-05 LST														0	0
06-08 LST	11.5	9.3	8.6	2.8	0.0	0.4	0.3	0.7	4.2	3.1	4.3	6.3	4.3	17	-48426
09-11 LST	1.3	2.6	4.3	1.0	0.0	0.0	0.0	0.0	0.5	0.8	0.0	0.7	0.9	12	-48426
12-14 LST	0.0	1.1	1.8	0.6	0.3	0.3	0.0	0.0	1.6	0.6	0.0	0.0	0.5	17	-48426
15-17 LST	0.4	1.0	2.8	0.4	0.0	0.0	0.8	0.8	1.2	0.4	0.0	0.0	0.7	12	-48426
18-20 LST	0.0	2.6	2.9	2.2	2.4	1.2	0.9	3.1	3.3	0.9	0.6	1.7	1.8	17	-48426
21-23 LST														0	0

SARA BURI, THAILAND


MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	24.9	22.8	26.0	26.8	30.1	28.9	30.0	29.6	27.5	28.6	27.8	28.2	331.2	17	-48426
	13 LST	30.2	25.7	28.1	29.0	30.8	29.6	30.6	30.8	29.2	30.4	29.9	30.9	355.2	17	-48426
	19 LST	28.9	24.2	28.1	28.5	29.6	29.0	29.6	28.6	27.6	29.6	29.6	30.0	343.3	17	-48426
	01 LST	30.7	27.5	30.3	29.4	30.0	29.5	30.2	30.2	27.1	29.6	29.8	31.0	355.3	12	-48426
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	18.5	19.5	22.9	22.7	29.4	28.3	29.4	29.4	27.3	26.4	24.4	21.8	300.0	17	-48426
	13 LST	24.6	20.8	22.3	22.8	26.7	23.1	27.0	25.8	25.8	26.9	24.4	23.9	294.1	17	-48426
	19 LST	27.7	22.0	20.8	23.1	25.6	24.3	27.3	26.1	26.1	28.7	29.1	28.3	309.1	17	-48426
	01 LST	29.0	23.6	23.7	22.1	27.6	28.0	29.1	29.7	26.6	28.8	27.9	28.6	324.7	12	-48426
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	3.3	1.3	1.0	0.2	0.0	0.2	0.0	0.0	0.0	0.7	1.3	2.9	10.9	17	-48426
	13 LST	2.0	1.5	1.6	1.0	0.3	0.8	0.4	0.5	0.3	0.9	1.2	2.0	12.9	17	-48426
	19 LST	0.4	0.2	1.7	1.8	0.5	1.5	0.5	0.5	0.4	0.2	0.1	0.4	7.9	17	-48426
	01 LST	0.7	2.2	0.9	1.4	0.2	0.2	0.3	0.0	0.0	0.4	0.2	0.8	7.3	12	-48426
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	5.6	8.3	13.5	11.3	10.2	11.1	7.9	10.6	7.6	8.2	7.1	9.0	110.4	17	-48426
	13 LST	7.0	3.0	1.2	1.0	2.4	4.2	7.5	9.8	11.7	12.5	13.0	10.8	84.1	17	-48426
	19 LST	7.0	7.4	4.0	4.2	7.9	10.3	9.3	9.7	6.7	7.0	7.9	88.4	17	-48426	
	01 LST	8.2	9.8	13.3	9.9	9.5	9.8	8.1	8.6	7.3	5.8	4.7	6.1	101.1	12	-48426
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	7.6	3.3	2.0	1.5	0.9	0.6	0.6	0.2	0.3	2.6	6.5	9.8	35.9	17	-48426
	13 LST	10.4	4.9	3.8	2.7	0.5	0.3	0.1	0.2	0.1	1.7	5.9	10.3	40.9	17	-48426
	19 LST	9.9	5.9	3.2	2.7	0.3	0.1	0.1	0.1	0.4	3.5	7.6	11.6	45.5	17	-48426
	01 LST	14.0	7.8	3.9	4.5	0.9	0.5	0.8	0.0	0.4	3.9	10.8	13.8	61.0	12	-48426
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	24.6	22.0	25.2	25.6	29.3	27.6	28.4	28.1	25.4	27.2	27.2	27.6	316.2	15	-48426
	13 LST	29.5	24.7	26.5	26.3	27.6	26.7	27.5	27.5	26.4	28.4	28.6	30.3	330.0	16	-48426
	19 LST	28.7	23.9	27.4	27.5	27.5	26.9	27.0	26.0	26.0	28.7	29.1	29.6	328.3	17	-48426
	01 LST	30.5	27.2	29.2	28.9	29.2	28.6	29.1	29.0	25.9	28.7	29.4	30.7	346.4	11	-48426
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	24.1	21.1	24.2	24.4	28.4	26.4	26.8	26.2	23.6	25.7	26.6	26.9	304.4	15	-48426
	13 LST	28.5	23.7	24.4	23.5	24.1	23.2	24.4	24.1	23.6	26.6	27.1	29.7	302.3	16	-48426
	19 LST	28.2	23.4	26.6	26.5	25.3	24.2	24.6	23.7	24.4	28.1	29.2	29.0	312.2	17	-48426
	01 LST	30.3	26.9	28.1	28.4	28.6	27.7	28.1	28.1	24.9	28.0	29.0	30.5	338.6	11	-48426
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	24.1	21.1	24.2	24.4	28.4	26.4	26.8	26.2	23.5	25.7	26.6	26.9	304.3	15	-48426
	13 LST	28.5	23.7	24.3	23.4	24.1	23.2	24.3	24.1	23.6	25.9	27.1	29.7	301.9	16	-48426
	19 LST	28.2	23.4	26.6	26.5	25.3	24.2	24.6	23.7	24.4	28.1	28.2	29.0	312.2	17	-48426
	01 LST	30.3	26.9	28.1	28.4	28.6	27.7	28.1	28.1	24.9	28.0	29.0	30.5	338.6	11	-48426

AREA NO. 04

PARAMETER DESCRIPTION	BOUNDARIES	CENTRAL LOWLANDS				LATITUDE 1330N		LONGITUDE 10030E				1800N 09920E		
		1800N 10145E	1630N 10100E	1630N 10100E	1200N 09935E	1200N 09935E	1150N 09950E	1420N 10360E	1420N 10360E	1800N 09920E	1420N 10200E			
		1420N 10200E	1810N 10200E											
		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)		89	92	95	96	94	91	90	90	89	89	89	88	91
MEAN MIN TMP (F)		65	69	73	76	77	77	76	76	75	74	71	66	73
LARGEST MEAN PRECIP(IN)		0.90	1.90	2.70	4.80	12.40	19.30	19.30	17.90	19.60	11.95	5.20	0.70	116.8
SMALLEST MEAN PRECIP(IN)		0.06	0.48	0.00	0.95	4.30	0.94	2.91	0.52	5.40	4.30	0.80	0.10	20.8
		MEAN NUMBER OF DAYS												
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	19.9	16.9	20.9	24.7	28.4	28.0	28.7	28.6	26.6	26.6	25.4	24.3	299.0
	13 LST	29.6	25.4	27.5	28.0	30.4	29.2	30.2	30.3	28.9	30.1	29.7	30.7	350.0
	19 LST	29.2	24.6	26.7	27.5	30.0	29.1	29.6	29.5	28.2	29.7	29.6	30.4	344.1
	01 LST	28.8	24.2	27.0	27.9	29.7	28.9	29.7	29.4	27.7	28.6	28.9	30.1	340.9
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	18.4	16.1	20.0	23.7	27.3	26.4	27.0	26.8	25.3	25.1	23.8	22.5	282.4
	13 LST	25.8	22.2	23.9	24.4	27.3	25.4	26.6	26.3	26.1	27.8	26.5	27.0	309.3
	19 LST	28.5	22.9	23.3	24.0	26.5	25.5	26.8	26.6	26.5	28.7	29.0	29.9	318.2
	01 LST	28.4	22.9	25.6	26.2	28.0	27.2	27.8	28.0	26.5	27.7	28.0	29.4	325.7
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.6	0.2	0.1	0.0	0.0	0.1	0.1	0.1	0.0	0.1	0.3	0.5	2.1
	13 LST	0.7	0.5	0.5	0.4	0.3	0.4	0.3	0.3	0.1	0.2	0.5	0.8	5.0
	19 LST	0.1	0.1	0.4	0.6	0.5	0.7	0.5	0.4	0.3	0.1	0.0	0.1	3.8
	01 LST	0.1	0.2	0.1	0.1	0.0	0.3	0.3	0.1	0.1	0.1	0.1	0.3	1.8
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	4.6	4.9	5.7	6.2	4.9	5.1	4.3	4.6	3.9	4.6	5.4	6.0	60.2
	13 LST	9.8	6.0	3.1	1.5	2.9	4.6	7.3	8.1	8.1	9.6	10.8	12.1	83.9
	19 LST	4.7	6.6	7.4	6.2	6.0	7.0	7.3	7.2	5.5	4.2	4.8	5.0	71.9
	01 LST	5.6	6.6	9.1	7.0	7.4	6.2	4.3	4.5	4.3	4.3	5.3	5.5	70.1
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	5.9	3.3	4.0	4.0	1.9	0.8	0.7	0.4	0.4	2.6	5.3	6.8	36.1
	13 LST	12.6	8.0	7.5	4.8	1.2	0.4	0.3	0.3	0.4	2.3	5.3	9.1	52.2
	19 LST	13.7	8.6	6.5	3.4	1.1	0.4	0.2	0.3	0.7	5.2	9.9	13.4	63.5
	01 LST	16.0	11.1	11.7	8.0	4.2	2.0	1.1	0.7	1.0	5.7	11.4	15.8	88.7
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	20.3	17.0	20.3	24.2	26.2	25.8	26.2	25.7	23.4	24.5	24.7	24.8	282.6
	13 LST	29.2	24.5	26.7	26.7	27.6	26.1	26.5	26.2	25.3	27.1	28.4	30.0	324.3
	19 LST	29.0	24.3	26.0	26.6	27.4	26.3	26.3	25.5	25.1	27.8	28.7	30.1	323.1
	01 LST	28.8	24.0	26.6	27.2	27.8	26.6	27.2	26.7	25.1	26.8	27.9	29.9	324.6
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	19.5	16.2	20.0	23.5	24.7	24.1	24.1	23.3	21.0	22.9	23.6	23.4	266.3
	13 LST	28.4	23.2	25.0	25.2	24.9	23.0	23.1	22.5	22.3	24.6	26.8	29.1	298.1
	19 LST	28.2	23.6	25.4	25.7	25.7	23.8	23.6	22.7	22.6	26.2	27.5	29.4	304.4
	01 LST	28.5	23.5	26.1	26.7	26.3	24.0	24.8	24.2	22.2	25.0	27.3	29.4	308.0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	19.1	16.0	20.0	23.5	24.4	23.9	23.8	23.0	20.7	22.6	23.5	23.4	263.9
	13 LST	28.0	23.0	24.9	25.2	24.8	23.0	22.8	22.4	22.1	24.4	26.7	29.0	296.3
	19 LST	27.8	23.5	25.3	25.7	25.6	23.6	23.4	22.6	22.4	26.0	27.3	29.3	302.5
	01 LST	28.1	23.3	26.1	26.7	26.1	23.8	24.6	23.8	21.8	24.8	27.2	29.3	305.6

PORTUGUESE TIMOR



DILI, PORTUGUESE TIMOR

STA NO. 97390 (IN AREA NUMBER 01)

LATITUDE 0833S

LONGITUDE 12532E

ELEVATION(FT) 00015

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	97	95	98	97	95	98	92	95	93	93	97	95	98	10	-28
MEAN MAX TMP (F)	88	88	89	89	89	88	87	87	87	88	90	90	88	10	-28
MEAN MIN TMP (F)	78	78	77	77	76	75	73	72	72	74	77	78	76	10	-28
ABS MIN TMP (F)	70	73	68	71	69	66	61	63	51	65	70	73	61	10	-28
MEAN NO DYS TMP = OR GTR 90(F)	11.6	10.4	14.8	14.3	14.8	11.2	8.6	8.6	8.3	11.6	17.3	17.9	149.4	10	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN DEW PT TMP (F)	74	75	75	74	70	71	68	68	67	70	71	74	71	0	-50
MEAN REL HUM (PCT)	75	76	77	75	70	67	67	67	66	68	69	72	71	20	-28
MEAN PRESS ALT (FT)	200	200	200	150	150	100	100	100	100	100	150	200	146	0	-50
MEAN PRECIP (IN)	5.00	4.70	5.40	4.30	3.40	1.00	0.50	0.20	0.30	0.90	2.00	5.50	33.2	23	-28
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	6.8	6.6	5.5	5.5	5.2	5.0	4.3	4.0	2.7	3.5	4.9	7.1	61.1	23	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	9.5	6.8	6.0	2.5	0.3	0.0	0.0	0.0	0.8	2.1	6.4	11.9	46.3	6	1175
P FREQ WND SPD = OR GTR 17 KTS	1.1	1.0	0.7	0.2	0.7	0.8	2.5	1.9	3.1	0.5	0.6	0.8	1.2	6	7417
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.2	0.0	0.0	0.0	0.0	0.1	0.3	0.0	0.1	0.0	0.0	0.1	6	7417
P FREQ LES 5000 FT A/D LES 5 MI	19.5	19.0	21.5	14.5	11.0	9.0	8.6	7.8	4.8	5.1	10.8	14.7	12.2	6	4707
P FREQ LES 1500 FT A/D LES 3 MI															
FDR 00-02 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.0	0.0	0.1	5	948
03-05 LST														0	0
06-08 LST	1.4	2.2	2.6	1.4	1.4	0.0	0.0	0.5	0.0	0.0	0.5	0.5	0.9	8	1975
09-11 LST	3.4	3.9	4.8	1.4	0.0	0.0	0.0	0.0	1.1	0.0	0.0	1.1	1.3	5	1045
12-14 LST	2.7	5.7	1.9	1.3	0.6	1.4	0.5	0.0	0.6	0.0	1.5	3.1	1.6	8	2025
15-17 LST														0	0
18-20 LST	0.0	4.5	0.0	2.5	2.1	0.0	0.0	0.0	0.0	0.8	0.0	1.4	0.9	6	1325
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	948
03-05 LST														0	0
06-08 LST	0.0	0.0	0.0	0.7	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.1	4	1975
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	1045
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	8	2025
15-17 LST														0	0
18-20 LST	0.0	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	6	1325
21-23 LST														0	0

DILI, PORTUGUESE TIMOR

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST	31.0	28.0	30.6	29.8	30.8	30.0	31.0	30.8	30.0	31.0	30.0	31.0	30.0	7	1975
	14 LST	30.6	27.4	30.8	29.8	31.0	29.8	31.0	31.0	30.0	31.0	29.9	30.8	30.3	7	2025
	20 LST	31.0	27.4	31.0	29.6	30.7	30.0	31.0	31.0	30.0	31.0	30.0	30.8	30.3	6	1325
	02 LST	31.0	28.0	31.0	30.0	31.0	30.0	31.0	31.0	30.0	31.0	30.0	31.0	30.0	4	948
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	08 LST	31.0	28.0	30.6	29.8	30.6	30.0	30.8	30.8	29.5	30.8	29.8	30.5	30.2	7	1967
	14 LST	29.0	23.8	27.5	27.6	26.3	25.6	21.9	21.7	20.8	24.9	24.6	26.5	29.2	7	2016
	20 LST	31.0	26.7	31.0	29.6	30.7	30.0	31.0	30.8	30.0	31.0	30.0	30.8	30.2	6	1322
	02 LST	31.0	28.0	31.0	29.5	31.0	30.0	30.7	31.0	30.0	31.0	30.0	31.0	30.2	4	946
SFC WND = GTR 17 KTS AND NO PRECIP.	08 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.2	7	1996
	14 LST	0.8	0.6	0.8	0.2	0.6	0.6	2.2	1.0	1.6	0.4	0.1	0.6	9.5	7	2040
	20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	1322
	02 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	946
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	08 LST	3.4	1.4	1.0	0.6	0.2	1.1	1.7	1.3	2.0	5.0	6.9	2.6	27.2	7	1995
	14 LST	15.3	15.2	17.3	17.8	18.1	16.3	18.8	19.7	17.9	20.3	17.6	16.2	210.5	7	2038
	20 LST	0.7	1.6	0.4	0.4	1.3	1.3	3.1	1.6	1.6	0.0	0.7	0.8	13.5	6	1329
	02 LST	1.0	0.4	0.0	0.0	0.0	0.5	0.3	0.3	0.3	0.3	0.0	0.3	3.4	4	957
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST	2.3	2.8	4.6	10.2	11.1	16.7	16.9	17.5	19.8	16.9	11.8	4.2	134.8	7	1979
	14 LST	1.1	1.6	1.3	4.7	5.4	7.7	7.8	11.9	14.8	12.1	6.8	2.7	77.9	7	2029
	20 LST	5.0	4.5	3.9	8.9	12.7	13.5	14.9	19.3	20.5	20.7	13.1	5.0	142.0	6	1320
	02 LST	10.2	7.8	8.7	13.3	17.6	17.9	19.5	20.9	24.9	24.3	17.9	9.8	192.8	4	947
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	08 LST	27.8	25.4	28.5	28.6	29.8	29.6	30.7	30.8	30.0	30.8	29.5	30.4	351.9	6	1975
	14 LST	26.2	23.1	26.8	27.1	29.4	28.1	29.7	30.3	29.7	30.2	28.5	27.6	336.7	6	2025
	20 LST	29.2	25.0	28.2	26.6	29.5	30.0	30.0	30.7	29.6	30.4	29.0	28.7	346.9	4	1325
	02 LST	30.2	27.6	29.5	30.0	31.0	30.0	31.0	31.0	29.5	31.0	29.8	30.5	361.1	3	948
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	08 LST	22.9	23.3	25.0	26.6	27.7	27.8	29.5	29.9	29.8	30.5	28.9	29.8	331.7	6	1975
	14 LST	21.2	19.6	22.3	22.9	26.3	25.2	26.3	27.2	28.1	27.4	24.6	24.9	296.0	6	2025
	20 LST	23.8	21.6	23.3	21.8	28.1	26.7	27.0	28.5	28.4	29.4	24.8	23.5	306.9	4	1325
	02 LST	27.9	25.4	27.6	28.6	30.1	30.0	30.0	30.1	29.3	30.3	29.0	29.4	347.7	3	948
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST	22.9	23.3	25.0	26.4	27.7	27.8	29.5	29.9	29.6	30.3	28.9	29.8	331.1	6	1975
	14 LST	21.0	19.6	22.3	22.9	26.3	25.2	26.3	27.2	28.1	27.4	24.6	24.9	295.8	6	2025
	20 LST	23.8	21.6	23.3	21.5	28.1	26.7	26.8	28.5	28.4	29.4	24.8	23.5	306.4	4	1325
	02 LST	27.9	25.4	27.6	28.6	30.1	30.0	30.0	30.1	29.3	30.3	29.0	29.4	347.7	3	948

BAUCAU, PORTUGUESE TIMOR

STA NO. 97395 (IN AREA NUMBER 01)

LATITUDE 0829S

LONGITUDE 12624E

ELEVATION(FT) 01678

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)														0	0
MEAN MAX TMP (F)	83	83	84	84	84	83	82	82	82	83	85	85	83	0	-50
MEAN MIN TMP (F)														0	0
ABS MIN TMP (F)														0	0
MEAN NO DYS TMP = DR GTR 90(F)														0	0
MEAN NO DYS TMP = DR LES 32(F)														0	0
MEAN NO DYS TMP = DR LES 9(F)														0	0
MEAN DEW PT TMP (F)	71	72	72	71	67	58	65	65	64	67	68	71	68	0	-50
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)	1850	1850	1850	1800	1800	1750	1750	1750	1750	1750	1800	1850	1796	0	-50
MEAN PRECIP (IN)														0	0
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = DR GTR 0.1 IN														0	0
MEAN NO DYS SNFL = DR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI	47.1	35.1	40.3	28.2	11.9	10.5	11.0	8.4	4.2	5.3	7.0	13.0	18.5	4	1821
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	25.2	13.8	14.6	5.3	4.5	1.0	0.8	0.8	0.0	1.7	1.5	0.7	5.8	6	1439
09-11 LST	19.1	40.0	16.7	24.4	2.0	4.3	5.0	2.6	0.0	0.0	4.7	2.9	9.7	3	463
12-14 LST	34.9	34.9	28.2	18.1	8.1	1.0	1.7	1.6	0.0	0.9	8.2	14.3	12.7	6	1403
15-17 LST														0	0
18-20 LST	29.6	12.5	28.1	8.3	3.8	2.2	0.0	1.3	0.0	0.0	1.7	2.4	7.5	4	745
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	19.3	7.1	7.3	0.9	1.8	0.0	0.0	0.0	0.0	0.8	0.8	0.0	3.2	6	1439
09-11 LST	12.8	17.1	7.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	3	463
12-14 LST	22.0	19.8	11.3	1.7	4.1	0.0	0.8	0.0	0.0	0.9	0.7	4.2	5.5	6	1403
15-17 LST														0	0
18-20 LST	16.7	6.3	12.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	4	745
21-23 LST														0	0

BAUCAU, PORTUGUESE TIMOR


MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. DBS
CIG = GTR 1000 FT AND	08 LST													0	0
VSBY = GTR 3 MI	14 LST													0	0
	20 LST													0	0
	02 LST													0	0
CIG = GTR 2000 FT AND VSBY = GTR	08 LST													0	0
3 MI W/SFC WND LES 10 KTS	14 LST													0	0
	20 LST													0	0
	02 LST													0	0
SFC WND = GTR 17 KTS AND	08 LST													0	0
NO PRECIP.	14 LST													0	0
	20 LST													0	0
	02 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89	08 LST													0	0
DEG F AND NO PRECIP.	14 LST													0	0
	20 LST													0	0
	02 LST													0	0
SKY COVER LES 3/10 AND	08 LST													0	0
VSBY = GTR 3 MI	14 LST													0	0
	20 LST													0	0
	02 LST													0	0
CIG = GTR 2500 FT AND	08 LST													0	0
VSBY = GTR 3 MI	14 LST													0	0
	20 LST													0	0
	02 LST													0	0
CIG = GTR 6000 FT AND	08 LST													0	0
VSBY = GTR 3 MI	14 LST													0	0
	20 LST													0	0
	02 LST													0	0
CIG = GTR 10000 FT AND	08 LST													0	0
VSBY = GTR 3 MI	14 LST													0	0
	20 LST													0	0
	02 LST													0	0

DATA NOT AVAILABLE

AREA NO. 01

PORTUGUESE TIMOR		TROPICAL ISLAND BOUNDARIES		LATITUDE 0830S				LONGITUDE 12600E						
PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)		86	86	87	87	87	86	85	85	85	86	88	88	86
MEAN MIN TMP (F)		78	78	77	77	76	75	73	72	72	74	77	78	76
LARGEST MEAN PRECIP(IN)		5.00	4.70	5.40	4.30	3.40	1.00	0.50	0.20	0.30	0.90	2.00	5.50	33.2
SMALLEST MEAN PRECIP(IN)		5.00	4.70	5.40	4.30	3.40	1.00	0.50	0.20	0.30	0.90	2.00	5.50	33.2
MEAN NUMBER OF DAYS														
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST	31.0	28.0	30.6	29.8	30.8	30.0	31.0	30.8	30.0	31.0	30.0	31.0	364.0
	14 LST	30.6	27.4	30.8	29.8	31.0	29.8	31.0	31.0	30.0	31.0	29.9	30.8	363.1
	20 LST	31.0	27.4	31.0	29.6	30.7	30.0	31.0	31.0	30.0	31.0	30.0	30.8	363.5
	02 LST	31.0	28.0	31.0	30.0	31.0	30.0	31.0	31.0	30.0	31.0	30.0	31.0	365.0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	08 LST	31.0	28.0	30.6	29.8	30.6	30.0	30.8	30.8	29.5	30.8	29.8	30.5	362.2
	14 LST	29.0	23.8	27.5	27.6	26.3	25.6	21.9	21.7	20.8	24.9	24.6	26.5	296.2
	20 LST	31.0	26.7	31.0	29.6	30.7	30.0	31.0	30.8	30.0	31.0	30.0	30.8	362.6
	02 LST	31.0	28.0	31.0	29.5	31.0	30.0	30.7	31.0	30.0	31.0	30.0	31.0	364.2
SFC WND = GTR 17 KTS AND NO PRECIP.	08 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.2
	14 LST	0.8	0.6	0.8	0.2	0.6	0.6	2.2	1.0	1.6	0.4	0.1	0.6	9.5
	20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	02 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	08 LST	3.4	1.4	1.0	0.6	0.2	1.1	1.7	1.3	2.0	5.0	6.9	2.6	27.2
	14 LST	15.3	15.2	17.3	17.8	18.1	16.3	18.8	19.7	17.9	20.3	17.6	16.2	210.5
	20 LST	0.7	1.6	0.4	0.4	1.3	1.3	3.1	1.6	1.6	0.0	0.7	0.8	13.5
	02 LST	1.0	0.4	0.0	0.0	0.0	0.5	0.3	0.3	0.3	0.3	0.0	0.3	3.4
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST	2.3	2.8	4.6	10.2	11.1	16.7	16.9	17.5	19.8	16.9	11.8	4.2	134.8
	14 LST	1.1	1.6	1.3	4.7	5.4	7.7	7.8	11.9	14.8	12.1	6.8	2.7	77.9
	20 LST	5.0	4.5	3.9	8.9	12.7	13.5	14.9	19.3	20.5	20.7	13.1	5.0	142.0
	02 LST	10.2	7.8	8.7	13.3	17.6	17.9	19.5	20.9	24.9	24.3	17.9	9.8	192.8
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	08 LST	27.8	25.4	28.5	28.6	29.8	29.6	30.7	30.8	30.0	30.8	29.5	30.4	351.9
	14 LST	26.2	23.1	26.8	27.1	29.4	28.1	29.7	30.3	29.7	30.2	28.5	27.6	336.7
	20 LST	29.2	25.0	28.2	26.6	29.5	30.0	30.0	30.7	29.6	30.4	29.0	28.7	346.9
	02 LST	30.2	27.6	29.5	30.0	31.0	30.0	31.0	31.0	29.5	31.0	29.8	30.5	361.1
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	08 LST	22.9	23.3	25.0	26.6	27.7	27.8	29.5	29.9	29.8	30.5	28.9	29.8	331.7
	14 LST	21.2	19.6	22.3	22.9	26.3	25.2	26.3	27.2	28.1	27.4	24.6	24.9	296.0
	20 LST	23.8	21.6	23.3	21.8	28.1	26.7	27.0	28.5	28.4	29.4	24.8	23.5	306.9
	02 LST	27.9	25.4	27.6	28.6	30.1	30.0	30.0	30.1	29.3	30.3	29.0	29.4	347.7
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST	22.9	23.3	25.0	26.4	27.7	27.8	29.5	29.9	29.6	30.3	28.9	29.8	331.1
	14 LST	21.0	19.6	22.3	22.9	26.3	25.2	26.3	27.2	28.1	27.4	24.6	24.9	295.8
	20 LST	23.8	21.6	23.3	21.5	28.1	26.7	26.8	28.5	28.4	29.4	24.8	23.5	306.4
	02 LST	27.9	25.4	27.6	28.6	30.1	30.0	30.0	30.1	29.3	30.3	29.0	29.4	347.7



NORTH VIETNAM

LAO CAI/LAOKAY, NORTH VIETNAM

STA NO. 48803 (IN AREA NUMBER 01)

LATITUDE 2230N

LONGITUDE 10357E

ELEVATION(FT) 00338

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	88	93	99	102	109	103	103	101	99	98	95	91	109	39	-159
MEAN MAX TMP (F)	69	71	77	83	89	90	90	90	88	83	78	73	82	34	-159
MEAN MIN TMP (F)	56	58	63	69	73	76	76	76	74	69	63	58	68	34	-159
ABS MIN TMP (F)	32	36	42	46	55	55	52	54	58	46	42	39	32	39	-159
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.7	6.0	18.5	21.5	22.7	22.7	18.9	4.7	0.5	0.0	116.2	7	1762
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	39	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	39	-29
MEAN DEW PT TMP (F)	58	60	65	71	75	77	78	79	77	72	66	61	70	25	-29
MEAN REL HUM (PCT)	85	86	84	84	82	84	86	87	87	88	86	86	85	7	10978
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.60	1.40	2.20	4.50	8.50	8.70	11.50	13.30	9.10	4.70	2.30	9.00	75.8	38	-159
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	39	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	1.3	2.8	4.2	5.5	5.2	13.2	15.5	16.9	12.1	8.0	5.2			38	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	39	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	2.4	7.2	14.1	13.6	17.4	16.8	19.9	10.3	2.8	1.3	0.3	106.1	5	1520
P FREQ WND SPD = DR GTR 17 KTS	0.3	0.0	0.2	0.2	0.3	0.1	0.0	0.1	0.2	0.1	0.0	0.1	0.1	7	10983
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	10983
P FREQ LES 5000 FT A/D LES 5 MI	79.2	81.1	76.3	67.8	59.1	58.9	60.1	57.6	53.8	66.9	63.1	68.1	66.0	9	8548
P FREQ LES 1500 FT A/D LES 3 MI															
DR 00-02 LST	15.0	16.7	10.3	9.7	9.7	10.0	19.1	15.8	16.7	19.0	13.0	18.2	14.4	7	1588
03-05 LST	34.8	36.0	16.1	10.8	14.5	25.4	22.6	28.6	30.6	50.0	41.2	64.7	31.3	4	464
06-08 LST	37.6	39.4	33.9	26.9	30.2	33.5	36.0	42.9	44.4	46.7	37.1	36.3	37.1	9	1986
09-11 LST	26.8	37.6	22.3	17.6	11.8	19.1	14.4	15.2	15.5	19.3	12.7	25.0	19.8	7	1171
12-14 LST	18.6	17.4	14.6	9.3	6.5	12.1	10.7	8.5	7.9	10.3	9.2	11.0	11.3	9	1899
15-17 LST	5.9	11.1	6.8	4.4	4.8	4.9	6.0	7.9	7.0	16.1	7.1	6.3	7.4	7	650
18-20 LST	5.1	6.6	8.3	7.5	5.2	7.4	9.0	3.2	7.4	6.4	2.2	4.0	6.5	9	1850
21-23 LST	8.7	11.7	8.4	7.0	3.5	6.5	7.1	5.1	6.9	13.1	8.2	2.5	7.4	6	1195
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	6.3	3.3	2.1	0.7	1.4	1.4	0.7	0.0	3.0	7.9	2.4	10.7	3.3	7	1588
03-05 LST	17.4	12.0	3.2	0.0	1.6	4.8	1.9	5.4	11.1	0.0	5.9	29.4	7.7	4	464
06-08 LST	18.2	10.3	6.1	1.9	2.6	5.1	3.7	6.5	11.1	17.1	13.2	19.9	9.6	9	1986
09-11 LST	1.8	3.0	0.0	2.0	0.0	0.9	0.0	0.0	1.2	0.0	0.0	4.8	1.1	7	1171
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.0	0.0	0.0	0.1	9	1899
15-17 LST	0.0	2.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	7	650
18-20 LST	0.0	0.0	0.0	0.0	0.0	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.1	9	1850
21-23 LST	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.0	0.2	6	1195

LAO CAI/LAOKAY, NORTH VIETNAM

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	23.0	23.1	26.4	27.8	26.6	24.7	25.0	22.7	22.4	22.2	23.2	23.4	290.3	7	1986
	13 LST	29.7	27.6	30.6	29.4	30.6	29.2	30.4	30.4	29.2	30.2	29.2	30.8	357.3	7	1899
	19 LST	30.8	28.0	30.6	29.4	30.5	29.0	30.2	29.8	29.2	30.1	29.6	30.8	358.0	8	1850
	01 LST	28.3	25.7	29.9	28.2	29.9	28.1	27.6	28.9	27.3	27.3	28.5	26.9	336.6	6	1588
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	22.3	22.8	26.3	27.8	26.6	24.7	25.0	22.7	22.4	22.4	23.2	23.2	289.4	7	1981
	13 LST	28.0	26.3	29.3	29.1	29.7	29.0	29.9	30.0	29.0	29.8	28.5	30.8	349.4	7	1893
	19 LST	30.4	27.8	29.2	29.2	30.1	29.0	29.8	29.6	29.2	29.9	29.6	30.6	354.4	8	1846
	01 LST	27.4	25.4	29.5	27.3	29.1	27.9	27.4	28.9	27.3	27.3	28.5	26.9	332.9	6	1587
SFC WND = GTR 17 KTS A:ND NO PRECIP.	07 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	7	2008
	13 LST	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.2	0.2	0.2	0.0	0.0	0.8	7	1937
	19 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	1870
	01 LST	0.2	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	6	1617
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	2.6	2.7	2.3	3.2	3.4	2.7	3.2	2.0	1.7	1.6	1.8	2.1	29.3	7	2001
	13 LST	18.2	18.1	21.8	21.0	9.5	7.6	8.2	7.0	7.9	16.4	17.6	20.7	174.0	7	1930
	19 LST	6.4	10.2	14.5	14.1	9.6	3.9	5.0	3.0	2.2	3.1	3.8	4.1	79.9	8	1868
	01 LST	2.8	3.0	4.9	4.8	6.5	3.1	3.1	2.5	2.1	1.7	3.6	2.4	42.5	6	1617
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	0.2	0.2	0.2	0.8	0.6	0.2	0.2	0.6	1.7	0.4	0.6	0.9	6.6	7	2008
	13 LST	4.8	3.2	6.8	8.8	5.5	2.8	2.2	3.2	5.7	4.4	7.5	9.7	64.6	7	1935
	19 LST	8.0	5.1	8.5	7.0	8.0	3.7	3.2	3.4	9.5	11.0	10.9	12.0	92.3	8	1872
	01 LST	4.3	1.4	3.2	3.0	4.6	4.3	3.3	4.1	6.6	4.1	4.6	4.1	47.6	6	1618
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	14.9	13.0	14.4	14.3	13.6	14.0	12.9	12.5	13.6	12.1	13.1	15.9	164.5	7	1986
	13 LST	17.5	14.1	19.4	21.7	23.7	19.8	21.2	24.0	23.6	22.6	21.7	21.7	251.0	7	1899
	19 LST	19.9	22.4	24.1	24.4	26.2	24.2	21.8	24.0	25.9	27.2	27.0	27.9	293.0	8	1850
	01 LST	21.8	18.5	24.1	22.5	22.3	23.0	19.7	20.2	20.3	22.1	21.5	21.7	257.7	6	1588
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	7.1	5.6	1.2	2.8	4.0	5.3	5.2	5.1	6.7	3.7	3.8	1.8	52.5	7	1986
	13 LST	10.4	6.9	12.5	16.8	18.4	15.3	16.4	20.1	19.1	19.4	16.7	16.4	188.4	7	1899
	19 LST	9.7	7.0	11.2	12.1	14.9	16.5	13.8	18.6	18.7	15.9	16.0	15.9	170.3	8	1850
	01 LST	4.8	2.8	4.2	4.9	8.3	10.4	7.9	10.4	10.3	6.3	7.8	6.1	84.2	6	1588
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	6.5	1.7	1.2	2.8	4.0	3.4	4.8	4.6	6.3	3.7	3.8	1.8	44.6	7	1986
	13 LST	9.6	5.8	12.1	16.8	18.0	14.9	16.4	19.7	19.1	19.0	16.3	15.9	183.6	7	1899
	19 LST	9.7	7.0	11.2	12.1	14.5	16.5	13.4	18.1	18.7	15.9	16.0	15.5	168.6	8	1850
	01 LST	4.8	2.4	3.9	4.5	7.4	10.4	7.9	10.4	10.3	6.3	7.4	5.5	81.2	6	1588

HANOI/GIALAM, NORTH VIETNAM

STA NO. 48820 (IN AREA NUMBER 01)

LATITUDE 2103N

LONGITUDE 10552E

ELEVATION(FT) 00020

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO, OBS
ABS MAX TMP (F)	92	95	98	101	109	108	104	101	99	96	94	89	109	53	-159
MEAN MAX TMP (F)	69	69	74	81	89	92	91	90	88	84	78	72	81	48	-159
MEAN MIN TMP (F)	57	58	63	69	75	78	78	78	76	71	65	59	69	48	-159
ABS MIN TMP (F)	41	43	46	50	60	64	63	63	63	54	44	41	41	53	-159
MEAN NO DYS TMP = DR GTR 90(F)				0.0	14.8	23.0	21.0	17.9	11.2	1.4			41	53	-159
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	48	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	53	-29
MEAN DEW PT TMP (F)	57	58	64	71	76	78	78	79	77	72	66	59	70	53	-29
MEAN REL HUM (PCT)	81	83	87	87	84	82	82	86	66	83	83	81	84	36	-29
MEAN PRESS ALT (FT)														12	17914
MEAN PRECIP (IN)	0.70	1.10	1.50	3.20	7.70	9.40	12.70	13.50	10.00	3.90	1.70	0.80	66.2	0	0
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	31	-159
MEAN NO DYS PRCP = DR GTR 0.1 IN	1.5	2.2	3.2	5.0	5.3	13.8	16.5	17.0	12.8	7.1	4.5	1.7	90.6	53	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	31	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														53	-29
MEAN NO DYS TSTMS	0.3	0.3	2.0	4.0	8.0	9.0	10.0	11.0	6.0	2.0	1.0	0.0	53.6	0	0
P FREQ WND SPD = DR GTR 17 KTS	1.2	1.0	0.6	1.1	0.7	0.8	1.1	1.4	1.3	0.6	1.1	0.8	1.0	10	-24
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.4	0.2	0.0	0.1	0.0	0.1	12	17932
P FREQ LES 5000 FT A/D LES 5 MI	59.5	77.4	81.6	78.8	51.4	43.0	36.9	36.7	42.3	36.6	50.6	47.0	53.5	12	17932
P FREQ LES 1500 FT A/D LES 3 MI														7	9050
FDR 00-02 LST	17.6	27.6	34.2	31.0	13.9	6.0	7.6	7.6	11.5	3.3	14.5	12.2	15.6	7	1618
03-05 LST	21.7	23.1	30.0	37.3	27.1	17.4	8.6	9.4	18.2	21.4	35.7	11.1	23.4	4	483
06-08 LST	35.0	50.7	59.4	50.6	32.2	27.9	18.4	18.6	29.5	20.0	32.0	32.9	33.9	8	1942
09-11 LST	25.7	43.4	54.2	41.1	18.6	15.1	8.9	5.7	18.3	14.6	21.8	22.3	24.1	6	1158
12-14 LST	21.5	33.6	41.9	27.5	10.2	7.6	6.6	6.0	14.0	7.5	11.7	15.1	16.9	7	1774
15-17 LST	17.1	25.8	37.7	25.6	4.7	3.9	6.3	4.3	10.9	13.8	16.7	6.3	14.4	5	637
18-20 LST	10.9	20.4	35.4	23.6	12.0	6.5	8.9	9.8	9.3	4.8	8.6	9.7	13.3	8	1907
21-23 LST	11.3	35.2	37.8	33.3	10.2	7.2	7.0	3.0	12.1	2.4	9.5	14.6	15.3	6	1218
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	0.8	5.2	4.1	0.7	0.0	0.7	0.0	0.7	0.0	0.0	0.0	0.8	1.1	7	1618
03-05 LST	4.3	3.8	5.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	4	483
06-08 LST	9.4	9.3	10.6	4.3	1.1	0.0	0.0	0.0	0.7	1.4	2.0	6.9	3.8	8	1942
09-11 LST	0.9	4.0	4.7	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	6	1158
12-14 LST	0.6	1.4	1.3	0.0	1.3	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.4	7	1774
15-17 LST	0.0	0.0	1.9	0.0	0.0	0.0	0.0	1.4	0.0	0.0	0.0	0.0	0.3	5	637
18-20 LST	0.0	2.7	3.2	0.0	0.6	0.0	0.0	1.2	0.0	0.0	0.0	0.0	0.6	8	1907
21-23 LST	0.0	3.8	1.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	6	1218

HANOI/GIALAM, NORTH VIETNAM

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	20.9	15.9	16.7	17.2	24.9	26.0	28.4	27.1	25.2	25.9	24.0	24.4	276.6	12	3240
	13 LST	28.0	24.3	25.7	27.7	29.8	29.3	30.2	29.4	27.6	29.2	27.4	29.0	337.6	12	2982
	19 LST	27.7	23.8	23.7	26.4	29.2	29.6	29.7	29.1	28.4	29.3	28.0	29.2	334.1	12	3769
	01 LST	25.9	20.9	23.0	22.7	28.0	28.9	30.3	28.6	28.6	29.6	27.1	29.0	322.6	9	2084
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	19.8	14.7	16.0	16.4	23.8	25.3	28.2	26.0	24.6	25.3	22.7	22.7	265.5	12	3229
	13 LST	25.0	21.4	23.2	22.4	26.3	27.2	27.5	27.5	24.8	27.2	24.0	26.0	302.5	12	2967
	19 LST	25.2	20.8	22.2	23.4	24.9	27.8	27.7	28.0	28.0	28.2	26.0	27.1	309.3	12	3765
	01 LST	23.6	18.7	21.8	21.4	25.9	27.9	28.8	26.3	27.4	27.9	25.4	27.5	304.8	9	2076
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.2	0.1	0.0	0.0	0.1	0.2	0.0	0.2	0.2	0.1	0.1	0.1	1.3	12	3301
	13 LST	0.4	0.1	0.6	0.5	0.6	0.2	0.4	0.2	0.6	0.3	0.4	0.3	4.6	12	3027
	19 LST	0.3	0.5	0.0	0.3	0.0	0.1	0.1	0.0	0.1	0.0	0.1	0.2	1.7	12	3797
	01 LST	0.2	0.0	0.0	0.2	0.2	0.2	0.2	0.0	0.2	0.2	0.2	0.0	1.6	9	2124
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	13.5	11.4	9.6	12.9	17.4	14.1	15.9	10.9	13.7	15.3	13.1	13.5	161.3	12	3279
	13 LST	17.2	15.3	16.3	15.7	10.8	5.9	6.4	8.2	12.9	17.6	14.4	17.5	158.2	12	2998
	19 LST	14.4	14.6	16.6	16.8	16.3	11.6	12.7	14.1	11.7	13.3	13.0	12.8	167.9	12	3791
	01 LST	14.7	12.0	15.3	13.8	20.6	15.6	17.0	13.9	11.8	12.2	13.0	13.3	173.2	9	2115
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	2.8	0.5	0.5	1.3	1.5	1.2	3.2	1.3	2.4	6.7	3.7	4.3	29.4	12	3300
	13 LST	5.5	3.2	1.8	2.5	2.3	1.4	1.4	1.0	3.4	5.1	4.1	8.3	12	3021	
	19 LST	10.0	5.2	3.5	4.8	6.1	2.8	2.5	2.7	7.1	14.0	13.5	13.3	85.5	12	3797
	01 LST	8.1	3.3	2.1	3.6	10.5	7.9	8.4	7.8	9.9	12.9	7.0	10.0	91.5	9	2129
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	14.7	16.9	9.3	10.1	14.7	18.8	22.9	20.8	18.4	21.9	17.4	18.7	204.6	12	3240
	13 LST	20.2	15.1	13.7	13.0	20.5	23.6	25.2	23.4	21.3	23.3	20.6	22.3	242.2	12	2982
	19 LST	22.6	21.8	14.4	17.6	24.5	25.8	25.6	25.5	25.8	27.5	25.4	25.1	281.6	12	3769
	01 LST	20.8	14.3	11.4	13.2	21.8	24.0	24.8	24.9	22.8	27.7	15.8	22.1	243.6	9	2084
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	7.5	15.4	1.4	3.7	11.2	15.2	19.1	18.2	15.3	17.1	9.3	8.8	142.2	12	3240
	13 LST	9.4	6.7	4.7	5.6	14.8	20.3	22.3	19.3	17.9	19.3	13.9	14.4	168.6	12	2982
	19 LST	12.5	6.8	5.5	10.7	21.1	22.3	23.5	24.2	23.5	22.0	18.8	15.9	206.8	12	3769
	01 LST	8.9	4.0	3.3	6.0	18.4	17.3	22.0	22.5	18.4	25.3	12.7	12.2	171.0	9	2084
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	6.9	10.9	0.5	2.3	11.2	14.7	18.9	18.2	14.6	16.1	8.4	6.7	129.4	12	3240
	13 LST	8.1	5.0	3.7	4.6	14.8	19.2	22.0	19.3	17.7	17.9	13.9	12.6	158.8	12	2982
	19 LST	12.1	6.4	5.3	10.5	20.9	22.3	23.5	22.5	23.3	21.4	18.2	15.0	201.4	12	3769
	01 LST	8.9	3.2	2.3	5.3	17.7	16.4	21.7	22.5	17.3	18.4	12.3	10.7	156.7	9	2084

PHU LIEN, NORTH VIETNAM

STA NO. 48826 (IN AREA NUMBER 01)

LATITUDE 2048N

LONGITUDE 10638E

ELEVATION(FT) 00371

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	88	94	96	98	107	101	101	103	99	98	92	86	107	38	-159
MEAN MAX TMP (F)	68	58	71	79	86	89	89	89	87	86	78	72	80	34	-159
MEAN MIN TMP (F)	57	58	62	69	75	78	78	77	75	71	65	60	69	34	-159
ABS MIN TMP (F)	43	45	48	51	62	68	70	69	61	59	46	44	43	38	-133
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.4	10.4	17.7	18.0	16.4	10.1	2.3	0.0	0.0	75.3	6	1716
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	38	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	38	-29
MEAN DEW PT TMP (F)	55	59	64	71	76	79	79	79	77	71	66	59	70	25	-29
MEAN REL HUM (PCT)	78	86	90	91	87	86	86	88	87	80	83	79	85	6	10581
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	1.10	1.70	1.90	3.20	7.90	9.40	11.60	13.00	12.10	4.80	2.20	1.10	70.0	34	-159
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	38	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	2.2	3.3	3.8	5.0	5.2	13.8	15.6	16.7	14.2	8.1	5.1	2.2	95.2	34	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	38	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.3	0.3	3.0	3.0	7.0	9.0	10.0	10.0	8.0	2.0	1.0	0.0	53.6	8	-24
P FREQ WND SPD = DR GTR 17 KTS	0.1	0.0	0.2	0.6	0.6	1.1	4.1	1.6	4.0	0.7	0.7	0.1	1.2	6	10571
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.3	0.0	0.0	0.0	0.1	6	10571
P FREQ LES 5000 FT A/D LES 5 MI	62.1	82.5	84.2	78.0	51.3	38.6	31.3	33.7	38.5	31.2	42.5	43.5	51.5	7	8826
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	17.4	24.3	31.3	30.2	20.8	13.4	10.4	13.9	17.1	11.4	13.9	11.8	18.0	7	1580
03-05 LST	20.0	28.6	30.3	38.2	25.4	16.1	13.7	14.8	10.7	6.7	11.8	10.0	18.9	5	467
06-08 LST	21.3	35.9	40.6	41.8	31.1	15.6	16.0	16.4	21.0	10.9	19.4	16.7	23.9	7	1810
09-11 LST	13.9	27.7	38.7	42.4	31.3	21.1	15.1	15.1	21.3	14.3	20.0	18.4	23.3	6	1162
12-14 LST	17.6	29.1	39.9	40.1	25.9	15.8	15.5	18.7	18.6	15.6	18.3	18.9	22.8	7	1772
15-17 LST	14.3	38.7	29.4	36.4	19.5	12.0	13.5	10.4	10.8	10.0	11.7	9.4	18.4	5	632
18-20 LST	13.6	24.3	29.3	27.2	12.2	11.0	12.4	9.9	6.9	6.6	8.1	9.2	14.2	7	1786
21-23 LST	9.2	26.0	28.2	31.9	14.0	9.0	5.8	7.9	9.6	7.1	9.2	8.2	13.8	6	1223
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	3.8	10.4	9.7	9.4	1.3	0.0	0.0	0.0	0.0	0.8	1.7	0.8	3.2	7	1580
03-05 LST	0.0	7.1	15.2	10.3	2.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	5	467
06-08 LST	4.5	13.1	15.0	11.4	1.9	1.9	1.3	0.7	0.0	0.0	1.4	3.1	4.5	7	1810
09-11 LST	2.6	5.9	7.2	7.1	0.0	0.0	0.0	0.0	0.0	1.2	0.0	1.1	2.1	6	1162
12-14 LST	4.4	4.7	2.6	3.8	0.0	0.0	0.7	0.0	0.0	0.0	0.8	0.8	1.5	7	1772
15-17 LST	0.0	6.5	5.9	2.3	0.0	0.0	1.4	0.0	0.0	0.0	0.0	0.0	1.3	5	632
18-20 LST	1.9	6.1	4.5	5.1	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.7	1.6	7	1786
21-23 LST	0.9	5.8	5.1	6.9	0.0	0.0	0.0	1.0	1.2	0.0	0.0	1.2	1.8	6	1223

PHU LIEN, NORTH VIETNAM

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	28.2	21.6	24.8	23.9	29.3	28.9	30.0	29.9	29.2	30.1	28.9	29.5	334.3	5	1810
	13 LST	29.4	25.7	27.4	26.9	30.6	29.8	30.6	30.6	28.8	30.5	29.5	30.0	349.8	5	1772
	19 LST	29.5	25.0	28.0	28.1	30.8	29.3	30.1	29.7	29.5	30.3	29.6	29.8	349.7	5	1786
	01 LST	28.7	24.1	26.3	26.1	30.4	28.9	30.5	30.1	29.5	30.0	29.5	30.3	344.4	5	1580
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	25.0	20.5	23.3	23.2	26.7	25.9	26.5	27.5	23.3	25.1	27.6	27.6	302.2	5	1809
	13 LST	28.3	25.0	25.3	23.5	19.3	24.7	22.4	26.5	23.5	25.7	25.2	28.1	297.5	5	1770
	19 LST	28.3	22.5	25.5	26.6	24.4	23.0	18.6	25.1	25.2	26.7	26.0	27.6	299.5	5	1786
	01 LST	26.5	23.6	25.4	24.6	28.3	26.8	25.0	26.3	24.1	26.4	27.7	29.3	314.0	5	1576
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.2	0.0	0.0	0.0	0.0	0.4	5	1835
	13 LST	0.0	0.0	0.0	0.2	0.6	0.2	1.1	0.4	1.2	0.0	0.2	0.0	3.9	5	1794
	19 LST	0.0	0.0	0.0	0.0	0.0	0.2	1.7	0.0	0.0	0.2	0.4	0.0	2.5	5	1803
	01 LST	0.0	0.0	0.0	0.4	0.0	0.0	0.2	0.0	1.0	0.0	0.3	0.0	1.9	5	1594
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	22.4	15.9	16.6	16.9	19.2	16.4	18.8	17.7	15.2	22.0	24.0	24.7	229.8	5	1835
	13 LST	22.5	18.9	17.6	19.4	11.0	8.2	10.1	10.7	12.8	19.7	20.9	22.1	193.9	5	1794
	19 LST	23.6	18.8	19.7	23.2	22.2	20.1	16.5	21.5	20.5	22.5	24.0	26.0	298.6	5	1803
	01 LST	22.4	18.7	16.8	19.0	24.3	20.0	17.6	18.9	17.8	24.9	23.5	25.8	249.7	5	1594
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	5.7	1.9	0.4	0.8	1.5	1.1	1.6	1.1	2.5	7.6	6.2	5.9	36.3	5	1834
	13 LST	7.7	2.8	0.8	1.5	1.5	0.6	0.4	0.6	1.4	5.4	3.5	7.6	33.8	5	1792
	19 LST	11.6	5.4	3.9	5.1	4.9	1.6	1.3	2.6	6.5	14.3	14.4	16.7	88.3	5	1802
	01 LST	8.4	4.7	1.9	3.2	7.6	4.8	5.9	6.8	7.2	13.1	9.9	12.3	85.8	5	1596
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	19.8	13.4	10.6	9.9	13.3	19.7	21.6	20.7	17.5	24.1	18.5	21.4	210.5	5	1810
	13 LST	20.7	13.4	9.1	8.1	14.4	18.9	20.5	18.4	18.7	20.4	18.6	19.8	201.0	5	1772
	19 LST	23.4	16.7	15.2	14.6	22.8	23.1	24.1	26.0	25.5	27.0	25.6	26.0	270.0	5	1786
	01 LST	22.2	17.8	14.6	13.6	18.9	20.9	24.5	22.8	19.8	24.4	22.2	23.7	243.4	5	1580
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	8.4	3.4	1.6	4.6	11.3	15.9	20.1	19.3	15.5	21.0	13.2	13.2	147.5	5	1810
	13 LST	11.5	5.5	4.9	5.0	12.4	16.6	18.6	16.1	16.7	18.4	15.2	15.4	156.3	5	1772
	19 LST	15.1	8.0	7.1	11.2	20.1	21.2	23.3	25.5	24.1	23.5	20.9	20.9	220.9	5	1786
	01 LST	10.5	7.1	4.1	7.6	16.3	16.9	23.2	21.7	18.6	21.0	17.8	15.6	180.4	5	1580
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	8.4	3.4	1.6	4.6	11.3	15.9	20.1	19.3	15.1	21.0	13.2	12.2	146.1	5	1810
	13 LST	11.1	5.5	4.4	5.0	12.1	16.6	18.6	16.1	16.7	18.4	15.2	15.4	155.1	5	1772
	19 LST	15.1	8.0	7.1	11.2	20.1	21.2	23.3	25.5	24.1	23.2	20.9	20.9	220.6	5	1786
	01 LST	10.1	7.1	4.1	7.1	16.3	16.9	23.2	21.2	18.6	20.5	17.8	15.6	178.5	5	1580

THAI NGUYEN, NORTH VIETNAM

STA NO. 48831 (IN AREA NUMBER 01)

LATITUDE 2136N

LONGITUDE 10550E

ELEVATION(FT) 00134

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
ABS MAX TMP (F)	82	82	86	91	99	102	99	97	95	95	91	84	102	4	1136
MEAN MAX TMP (F)	67	68	73	79	88	91	90	90	88	85	79	71	81	4	1136
MEAN MIN TMP (F)	53	58	65	70	76	78	78	77	75	70	65	58	69	4	1035
ABS MIN TMP (F)	37	48	50	57	63	72	72	72	66	63	50	43	37	4	1035
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	1.9	16.5	22.2	21.0	21.6	17.3	5.8	0.7	0.0	107.0	4	1136
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	1035
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	1035
MEAN DEW PT TMP (F)	51	57	64	70	76	77	78	79	76	71	66	58	69	4	-29
MEAN REL HUM (PCT)	75	82	85	86	82	80	84	86	85	82	82	80	82	4	6523
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.70	1.80	2.50	4.10	10.50	14.00	17.40	17.10	8.30	4.00	1.70	0.90	83.0	19	-159
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	1.5	3.4	4.5	5.4	6.0	17.4	19.5	19.3	11.4	7.2	4.5	1.9	102.0	19	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.3	3.8	8.9	12.3	15.9	16.9	21.7	10.3	1.5	0.0	0.0	91.6	4	1046
P FREQ WND SPD = DR GTR 17 KTS	0.0	0.2	0.5	0.2	0.0	0.3	0.1	0.0	0.0	0.0	0.2	0.0	0.2	4	6915
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	6915
P FREQ LES 5000 FT A/D LES 5 MI	55.5	71.2	76.7	80.6	63.8	50.2	52.6	45.4	50.0	49.6	53.4	56.1	58.8	5	5567
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	5.7	20.5	22.1	25.6	15.8	13.0	16.4	8.4	12.2	3.3	8.9	9.3	13.4	5	1098
03-05 LST	0.0	33.3	17.4	27.5	18.5	17.8	13.6	7.4	22.2	0.0	0.0	50.0	17.3	3	269
06-08 LST	18.9	22.2	33.9	33.7	28.2	16.1	23.8	20.3	19.8	10.1	16.3	21.1	22.0	5	1223
09-11 LST	11.6	27.8	33.0	33.8	29.1	17.6	22.2	13.5	14.3	8.8	20.0	23.7	21.3	5	839
12-14 LST	12.6	23.9	28.7	32.1	16.8	8.4	15.7	12.5	13.4	8.8	9.0	19.1	16.8	5	1063
15-17 LST	0.0	42.9	20.7	21.3	11.8	7.8	10.7	6.9	0.0	0.0	0.0	0.0	10.2	3	304
18-20 LST	7.3	19.8	20.4	19.4	9.9	5.6	12.5	8.9	6.7	4.2	5.5	8.3	10.7	5	1164
21-23 LST	5.1	18.8	23.0	24.4	18.5	9.8	12.4	5.2	7.7	3.4	7.0	11.9	12.3	5	879
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.0	1.2	0.0	1.1	0.0	0.0	0.0	0.0	1.2	0.0	0.0	0.0	0.3	5	1098
03-05 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.7	0.0	0.0	0.0	0.0	0.3	3	269
06-08 LST	2.7	2.2	2.6	1.1	0.0	0.0	1.6	0.0	2.3	1.0	0.0	1.1	1.2	5	1223
09-11 LST	1.2	0.0	3.4	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	5	839
12-14 LST	0.0	1.1	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	5	1063
15-17 LST	0.0	0.0	0.0	0.0	0.0	2.0	1.8	0.0	0.0	0.0	0.0	0.0	0.3	3	304
18-20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	1164
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	879

THAI NGUYEN, NORTH VIETNAM

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. '85
CIG ≥ GTR 1000 FT AND VSBY ≥ GTR 3 MI	07 LST	28.2	26.8	26.1	26.7	30.0	29.7	29.7	29.8	28.6	29.7	29.7	29.4	344.4	4	1223
	13 LST	30.4	27.4	29.8	29.3	30.7	29.7	31.0	31.0	30.0	30.6	30.0	30.0	359.9	4	1063
	19 LST	30.7	27.7	30.4	29.7	30.7	30.0	31.0	30.6	30.0	31.0	30.0	30.7	362.5	4	1164
	01 LST	30.6	27.0	28.7	28.7	30.7	29.7	30.1	31.0	29.3	31.0	30.0	30.7	357.5	4	1098
CIG ≥ GTR 2000 FT AND VSBY ≥ GTR 3 MI W/SFC WND LES 10 KTS	07 LST	28.2	26.8	25.9	26.7	29.8	29.2	29.2	29.8	28.6	29.7	29.7	28.7	342.3	4	1223
	13 LST	29.5	27.0	28.9	28.6	29.2	29.1	29.9	30.6	30.0	29.8	28.2	29.6	350.4	4	1061
	19 LST	30.7	27.7	29.6	28.7	28.8	29.7	30.2	30.2	29.6	30.4	29.3	30.7	355.6	4	1164
	01 LST	29.6	26.3	28.1	28.3	29.5	28.8	30.1	31.0	28.6	30.7	29.0	29.6	349.6	4	1097
SFC WND ≥ GTR 17 KTS AND NO PRECIP.	07 LST	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.3	4	1231
	13 LST	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.4	0.0	1.1	4	1067
	19 LST	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.6	4	1176
	01 LST	0.0	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	4	1122
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	13.6	7.8	6.5	7.5	13.9	13.1	13.4	12.0	15.0	14.0	9.9	12.1	138.8	4	1231
	13 LST	18.7	14.3	14.7	19.6	16.7	7.2	9.8	8.5	9.9	14.9	15.2	19.4	168.9	4	1067
	19 LST	9.9	9.0	12.1	15.6	19.6	12.1	10.2	10.9	6.4	8.7	8.2	11.3	134.0	4	1176
	01 LST	13.0	7.0	8.5	11.9	16.5	9.6	14.5	13.3	13.4	14.3	10.7	13.5	146.2	4	1122
SKY COVER LES 3/10 AND VSBY ≥ GTR 3 MI	07 LST	5.9	1.6	0.3	1.0	1.0	2.8	1.0	2.3	5.2	6.9	4.8	5.5	38.3	4	1228
	13 LST	7.5	4.1	2.7	1.4	1.2	1.9	0.3	1.2	3.6	4.2	4.0	5.2	37.3	4	1068
	19 LST	11.8	6.4	3.7	3.2	4.4	4.1	3.6	1.6	7.6	13.6	11.5	11.9	83.4	4	1173
	01 LST	10.0	5.0	1.6	2.0	4.6	4.4	5.4	5.5	8.5	10.9	7.0	6.4	71.3	4	1122
CIG ≥ GTR 2500 FT AND VSBY ≥ GTR 3 MI	07 LST	21.9	16.8	14.4	12.7	13.6	18.8	16.8	18.6	19.2	24.7	18.9	19.6	216.0	4	1223
	13 LST	21.5	14.3	13.3	9.3	16.1	20.9	17.1	19.3	18.8	19.7	17.9	18.1	206.3	4	1063
	19 LST	26.5	17.9	18.6	17.7	24.0	24.3	21.9	22.0	23.8	27.6	26.9	26.1	277.3	4	1164
	01 LST	27.6	17.4	19.5	14.5	19.7	20.9	19.6	24.2	21.7	28.6	24.1	24.6	262.4	4	1098
CIG ≥ GTR 6000 FT AND VSBY ≥ GTR 3 MI	07 LST	8.6	3.4	3.8	2.3	7.5	12.5	11.2	14.1	13.3	14.4	8.8	8.2	108.1	4	1223
	13 LST	10.5	7.0	6.1	3.9	10.1	15.8	12.3	15.1	14.8	12.4	9.0	9.8	126.8	4	1063
	19 LST	13.5	7.9	6.6	7.1	19.0	18.1	18.8	16.5	17.6	20.7	16.5	15.5	179.8	4	1164
	01 LST	12.1	6.1	3.6	3.4	9.9	12.4	13.6	20.0	14.8	15.7	10.8	7.0	129.4	4	1098
CIG ≥ GTR 10000 FT AND VSBY ≥ GTR 3 MI	07 LST	8.6	2.8	3.2	2.3	7.5	12.0	11.2	14.1	13.3	14.4	8.8	8.2	106.4	4	1223
	13 LST	10.5	5.7	5.5	3.9	10.1	15.8	12.3	15.1	14.8	12.4	8.1	8.3	122.5	4	1063
	19 LST	14.0	7.9	6.6	7.1	19.0	18.1	18.8	16.5	17.6	20.7	15.8	14.2	176.3	4	1164
	01 LST	12.1	5.5	2.3	3.4	9.9	12.4	13.6	20.0	14.8	15.7	10.8	7.0	127.5	4	1098

MONCAY, NORTH VIETNAM

STA NO. 48838 (IN AREA NUMBER 01)

LATITUDE 2131N

LONGITUDE 10758E

ELEVATION(FT) 00033

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	88	85	95	93	100	99	102	100	102	98	92	89	102	50	-159
MEAN MAX TMP (F)	67	67	71	78	86	89	89	89	89	85	78	71	80	45	-159
MEAN MIN TMP (F)	54	56	61	68	74	77	77	77	75	69	62	56	67	45	-159
ABS MIN TMP (F)	34	41	44	49	58	66	68	59	61	51	37	38	34	51	-159
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.2	3.2	11.9	12.7	14.1	9.5	1.8	0.0	0.0	53.4	7	1795
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	51	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	51	-29
MEAN DEW PT TMP (F)	51	55	62	69	74	78	78	78	76	69	63	55	67	34	-29
MEAN REL HUM (PCT)	74	81	86	87	84	85	85	86	83	78	81	76	82	12	12940
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	1.50	2.30	3.00	3.80	12.00	18.70	23.60	22.50	13.10	7.20	3.20	1.60	112.5	42	-159
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	51	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	2.9	4.2	4.9	5.3	7.7	20.2	22.5	22.0	14.8	10.4	6.3	3.1	124.3	42	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	51	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.2	0.0	3.5	8.5	13.8	18.8	23.4	23.4	12.9	4.3	0.5	0.3	109.6	7	1564
P FREQ WND SPD = OR GTR 17 KTS	1.6	1.7	0.0	0.0	0.0	0.7	2.5	1.7	1.6	0.8	0.0	0.0	0.9	6	13169
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.8	1.7	0.0	0.0	0.0	0.0	0.2	6	13169
P FREQ LES 5000 FT A/D LES 5 MI	66.1	80.7	80.4	70.7	53.8	54.1	52.4	45.5	49.8	40.9	55.2	54.5	58.7	13	8996
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	3.9	9.6	16.8	8.8	7.0	5.8	12.1	10.9	11.8	5.7	5.8	7.6	8.8	7	1522
03-05 LST	9.1	16.7	22.2	17.7	11.0	10.0	16.1	14.8	17.4	5.6	15.0	4.8	13.4	4	469
06-08 LST	34.7	37.7	48.3	42.0	22.1	23.2	21.0	19.6	17.5	13.8	14.9	22.5	26.4	14	2516
09-11 LST	21.3	29.9	38.9	38.2	23.7	18.2	17.8	23.5	18.6	10.9	17.5	14.5	22.8	11	1612
12-14 LST	18.3	19.5	34.7	30.1	18.7	12.4	18.0	14.8	14.3	9.4	13.7	12.3	18.0	13	2506
15-17 LST	24.5	33.3	35.4	20.8	13.0	11.8	10.4	12.8	15.7	8.3	14.6	8.5	17.4	9	942
18-20 LST	14.4	15.5	18.3	11.9	7.5	7.0	11.5	5.8	7.4	4.4	6.6	10.1	10.0	14	1985
21-23 LST	5.5	4.9	11.4	7.8	4.2	5.5	4.8	8.4	9.4	4.7	2.6	12.9	7.0	6	1202
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	1.6	2.6	5.8	0.7	0.7	0.0	0.9	0.0	2.5	0.0	0.0	1.7	1.4	7	1522
03-05 LST	0.0	0.0	5.6	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	4	469
06-08 LST	5.5	5.9	9.4	3.3	1.4	2.2	1.0	2.1	1.1	1.6	1.5	3.6	3.2	14	2516
09-11 LST	1.2	4.2	3.6	4.4	0.7	1.4	0.0	1.7	1.0	1.6	0.9	0.8	1.8	11	1612
12-14 LST	0.9	1.8	3.1	2.3	0.0	1.4	1.9	3.1	1.0	1.0	0.0	1.0	1.5	13	2506
15-17 LST	2.0	1.7	1.2	0.8	0.8	0.9	0.0	0.0	2.9	2.1	2.4	0.0	1.2	9	942
18-20 LST	3.0	0.6	1.8	0.6	0.0	0.5	0.0	0.0	0.6	0.6	0.0	0.6	0.7	14	1985
21-23 LST	2.8	1.0	1.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	1.2	6	1202

MONCAY, NORTH VIETNAM

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	25.4	23.8	25.2	25.6	24.1	28.5	29.7	29.4	29.2	29.2	23.3	28.6	332.0	12	2516
	13 LST	29.0	26.1	27.2	27.2	30.3	28.6	29.2	29.1	29.1	29.9	29.1	29.6	344.4	8	2506
	19 LST	29.7	27.6	29.9	29.3	30.7	29.8	31.0	31.0	29.6	30.8	29.4	30.6	339.4	10	1985
	01 LST	30.3	27.0	29.0	29.4	30.6	30.0	30.5	31.0	29.3	30.7	30.0	30.5	338.3	6	1522
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	24.3	23.3	24.2	24.1	27.9	26.9	27.9	28.3	26.9	28.5	27.1	27.5	316.9	12	2501
	13 LST	23.0	23.4	24.3	21.5	20.5	21.3	22.9	25.3	25.1	23.2	22.1	21.5	274.1	8	2498
	19 LST	27.1	25.8	28.6	27.1	29.3	27.9	29.4	29.8	27.2	30.2	28.6	28.6	339.6	10	1983
	01 LST	25.6	24.9	28.5	27.5	29.5	28.2	28.6	29.4	27.5	29.2	27.7	28.2	334.8	6	1519
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.4	12	2537
	13 LST	0.6	0.0	0.2	0.8	1.2	0.3	1.0	0.5	0.5	0.2	0.2	0.3	3.8	8	2544
	19 LST	0.4	0.0	0.0	0.5	0.0	0.0	0.2	0.2	0.4	0.0	0.0	0.0	1.7	10	1994
	01 LST	0.5	0.5	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.3	0.0	0.0	1.6	6	1539
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	12.0	9.8	8.0	7.1	10.4	10.5	7.5	5.5	8.5	11.2	12.8	11.4	114.7	12	2521
	13 LST	16.8	16.0	16.4	16.3	16.1	11.8	12.6	11.9	15.0	17.5	18.0	16.8	185.2	8	2527
	19 LST	8.9	8.4	10.1	9.7	14.6	11.8	11.1	9.4	5.1	7.0	10.4	10.1	116.6	10	1992
	01 LST	11.5	9.7	10.6	7.8	6.6	5.4	7.4	5.5	6.6	8.4	11.8	9.8	101.1	6	1539
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	5.3	2.1	2.1	2.4	2.3	1.6	1.9	3.7	5.2	8.4	5.5	7.5	48.0	12	2547
	13 LST	8.4	4.1	3.0	4.2	2.9	1.6	2.2	2.4	4.5	9.6	8.2	10.9	62.0	8	2555
	19 LST	11.4	7.0	5.0	9.1	9.7	2.8	2.4	3.0	8.5	19.1	12.0	13.4	103.4	10	1993
	01 LST	8.1	4.0	4.0	5.3	11.3	5.7	7.1	10.2	9.6	14.9	9.8	9.6	99.6	6	1538
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	20.6	17.4	14.5	14.2	16.5	16.5	17.8	19.2	18.4	23.8	21.8	21.9	222.6	12	2516
	13 LST	21.7	18.6	14.0	14.3	18.1	20.0	19.9	20.0	20.9	24.7	21.2	23.9	237.3	8	2506
	19 LST	25.7	23.7	21.6	24.3	25.4	23.0	22.1	25.2	23.4	28.5	26.9	27.4	297.2	10	1985
	01 LST	28.9	23.6	22.4	23.8	25.2	22.8	20.8	21.9	21.6	27.3	25.6	27.1	291.0	6	1522
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	7.1	3.1	3.1	5.0	8.0	10.3	12.2	14.6	14.1	15.2	9.1	9.6	109.4	12	2516
	13 LST	10.0	6.8	4.8	8.1	12.3	14.9	15.9	15.0	16.4	18.5	13.2	15.0	190.9	8	2506
	19 LST	13.0	8.0	7.7	13.1	18.2	16.4	18.0	21.1	18.8	22.2	16.4	15.2	188.1	10	1985
	01 LST	9.5	4.8	5.2	8.4	15.9	14.6	14.0	16.7	15.8	18.3	14.4	11.0	148.6	6	1522
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	7.1	2.8	3.1	4.7	8.0	10.1	12.2	14.6	12.1	14.8	9.1	9.6	108.2	12	2516
	13 LST	10.0	6.6	4.8	8.1	12.0	14.9	15.9	15.0	15.5	18.2	13.2	14.7	148.9	8	2506
	19 LST	13.0	8.0	7.7	13.1	18.2	16.4	18.0	21.1	18.8	22.2	16.4	15.2	188.1	10	1985
	01 LST	9.5	4.8	5.2	8.0	15.5	14.6	14.0	16.7	15.8	18.3	13.6	11.0	147.0	6	1522

THANH HOA, NORTH VIETNAM

STA NO. 48840 (IN AREA NUMBER 01)

LATITUDE 1948N

LONGITUDE 10547E

ELEVATION(FT) 00016

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	DOCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	91	96	102	107	107	106	108	107	101	99	95	89	108	39	-159
MEAN MAX TMP (F)	70	70	74	82	90	93	92	91	88	84	78	73	82	34	-159
MEAN MIN TMP (F)	58	59	63	69	75	78	78	77	75	70	65	60	69	34	-159
ABS MIN TMP (F)	42	46	48	53	59	67	68	66	61	56	44	44	42	39	-159
MEAN NO DYS TMP = OR GTR 90(F)				0.0	17.9	25.4	23.8	21.0	11.2	1.4		0.0		34	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	39	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	39	-29
MEAN DEW PT TMP (F)	58	60	66	72	76	78	78	79	77	72	67	61	70	25	-29
MEAN REL HUM (PCT)	81	86	90	88	83	91	81	85	86	85	85	83	85	6	10787
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	1.10	1.30	1.70	2.10	7.00	6.80	8.50	10.40	14.40	10.20	3.30	1.10	67.9	40	-159
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	39	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	2.2	2.6	3.5	4.1	5.3	11.4	13.0	14.7	15.6	12.9	6.4	2.2	93.9	40	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	39	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	3.0	7.9	14.8	17.6	15.2	18.9	12.5	3.2	1.4	0.0	94.5	6	1586
P FREQ WND SPD = OR GTR 17 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	3.0	0.0	0.8	0.1	6	10777
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	10777
P FREQ LES 5000 FT A/D LES 5 MI	61.7	76.1	82.8	72.6	46.4	43.0	34.5	40.6	51.8	32.7	59.3	51.9	56.1	7	9077
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	7.6	9.8	10.1	7.4	7.5	7.8	4.0	4.9	8.7	6.6	8.9	7.0	8.2	7	1635
03-05 LST	14.3	15.4	17.1	13.8	9.0	9.2	7.4	9.7	14.3	11.8	6.7	0.0	10.7	6	472
06-08 LST	14.9	33.6	47.5	30.7	18.4	7.5	8.9	14.5	23.4	16.3	24.6	17.3	21.5	7	1833
09-11 LST	14.5	27.7	32.1	33.3	19.0	12.0	8.3	16.0	22.6	14.8	26.0	15.3	20.2	6	1174
12-14 LST	13.3	23.7	27.8	22.8	11.4	7.8	9.3	14.5	16.9	15.0	18.0	15.3	16.3	7	1808
15-17 LST	20.0	28.1	25.5	23.6	12.2	6.7	9.7	10.4	17.8	16.7	13.8	6.9	16.0	5	626
18-20 LST	6.1	13.0	23.3	13.5	12.3	9.4	11.7	8.1	9.7	7.5	5.8	5.6	10.5	7	1839
21-23 LST	5.7	9.5	17.2	12.8	9.7	7.1	4.0	3.7	7.9	5.7	10.5	9.1	8.6	6	1238
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	1.5	1.6	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	0.5	7	1635
03-05 LST	0.0	3.8	8.6	0.0	0.0	0.0	0.0	0.0	3.6	0.0	0.0	0.0	1.3	6	472
06-08 LST	2.4	5.9	9.9	3.3	1.2	0.0	0.0	0.7	2.1	3.0	3.5	7.4	3.3	7	1833
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	0.1	6	1174
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.8	1.3	0.2	7	1808
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	626
18-20 LST	0.0	0.0	1.8	0.0	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.3	7	1839
21-23 LST	0.0	0.0	0.0	0.0	0.8	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.1	6	1238

THANH HOA, NORTH VIETNAM

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	29.9	23.6	22.6	27.4	29.7	29.6	30.4	30.3	27.7	29.6	28.3	28.5	337.8	6	1833
	13 LST	31.0	25.7	29.7	29.8	30.8	29.6	30.4	31.0	30.0	30.8	29.8	30.6	360.2	6	1808
	19 LST	31.0	24.5	28.1	29.4	30.4	29.5	30.6	30.6	29.6	30.8	30.0	30.8	357.3	6	1839
	01 LST	30.5	26.2	28.2	29.4	30.4	29.6	30.8	31.0	30.0	31.0	29.8	30.5	357.6	6	1635
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	29.7	23.2	22.6	27.6	29.7	29.4	30.0	30.1	27.0	28.9	28.1	27.4	333.7	6	1832
	13 LST	29.1	26.0	28.9	29.1	29.3	27.9	28.9	31.0	27.1	28.9	28.3	29.4	343.9	6	1806
	19 LST	30.2	25.9	27.8	28.1	29.5	28.8	28.9	30.6	28.4	30.8	29.1	30.4	348.5	6	1837
	01 LST	29.3	26.1	28.2	28.4	30.0	28.8	30.0	30.6	28.6	30.5	28.5	28.4	347.4	6	1633
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.2	6	1800
	13 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	1826
	19 LST	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.4	6	1851
	01 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	1637
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	8.8	6.1	6.6	5.3	8.1	5.7	5.5	5.3	5.0	5.7	8.7	8.5	79.3	6	1860
	13 LST	19.7	14.9	15.0	21.3	16.7	8.1	7.0	7.4	10.0	17.6	16.0	18.3	172.0	6	1826
	19 LST	14.0	15.1	13.6	19.6	18.0	14.3	13.7	9.6	6.9	7.5	10.1	10.3	152.9	6	1851
	01 LST	8.9	5.5	5.2	8.5	8.5	8.8	10.3	6.7	6.7	5.3	6.5	6.1	87.0	6	1637
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	5.5	1.5	1.1	2.1	2.3	2.3	3.1	1.6	1.5	6.2	4.9	7.4	39.5	6	1854
	13 LST	7.7	4.4	2.9	4.0	6.3	2.7	3.2	1.2	1.7	2.5	3.4	7.0	47.0	6	1826
	19 LST	12.5	6.6	4.7	6.3	8.3	4.9	4.8	3.1	7.6	17.1	13.4	16.1	105.4	6	1853
	01 LST	7.9	3.6	3.2	6.8	12.1	7.6	10.1	7.9	9.8	14.3	9.9	10.9	104.1	6	1636
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	27.3	21.4	18.7	23.5	21.0	24.6	25.3	22.4	19.0	21.3	20.1	25.8	270.6	6	1833
	13 LST	23.8	16.6	16.2	15.5	21.9	23.1	23.9	22.2	18.0	19.3	15.7	21.4	237.6	6	1808
	19 LST	29.1	23.4	20.1	26.4	22.1	23.9	24.9	25.8	24.3	27.4	26.9	28.1	302.4	6	1839
	01 LST	26.8	23.1	21.8	25.6	25.7	23.5	28.2	25.5	23.2	26.8	24.4	27.0	301.6	6	1635
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	6.8	2.0	2.3	4.9	9.1	14.2	17.7	13.9	8.7	13.1	8.3	11.3	112.3	6	1833
	13 LST	9.7	5.7	5.0	8.7	17.9	18.1	19.3	17.9	12.4	8.0	7.9	12.6	143.2	6	1808
	19 LST	13.1	8.1	6.5	9.3	15.9	17.7	20.9	21.2	16.3	20.1	17.0	19.3	185.4	6	1839
	01 LST	8.5	4.6	3.9	10.1	17.4	16.9	21.5	17.8	15.6	17.4	14.4	12.2	160.3	6	1635
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	6.8	2.0	2.3	4.5	9.1	14.2	17.7	13.9	8.7	12.6	8.3	11.1	111.2	6	1833
	13 LST	9.7	5.7	5.0	8.7	17.9	18.1	18.9	17.9	12.4	8.0	7.9	12.2	142.4	6	1808
	19 LST	13.1	8.1	6.5	8.9	15.4	17.4	20.9	21.2	16.3	20.1	17.0	19.3	184.2	6	1839
	01 LST	8.0	4.6	3.9	10.1	17.0	16.9	21.5	17.8	15.6	16.9	14.4	11.7	158.4	6	1635

AREA NO. 01

VIETNAM(NORTH)	CENTRAL LOWLANDS				LATITUDE 2100N		LONGITUDE 10600E							
	BOUNDARIES		1850N 10543E	1850N 10442E	1850N 10442E	2020N 10515E	2020N 10515E	2246N 10342E						
	2244N 10425E	2134N 10625E	2134N 10625E	2138N 10725E										
PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	
MEAN MAX TMP (F)	68	69	73	80	88	91	90	90	88	85	78	72	81	
MEAN MIN TMP (F)	56	58	63	69	75	78	78	77	75	70	64	59	69	
LARGEST MEAN PRECIP(IN)	1.50	2.30	3.00	4.50	12.00	18.70	23.60	22.50	14.40	10.20	3.30	9.00	125.0	
SMALLEST MEAN PRECIP(IN)	0.60	1.10	1.50	2.10	7.00	6.80	8.50	10.40	8.30	3.90	1.70	0.80	52.7	
	MEAN NUMBER OF DAYS													
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	25.9	22.5	23.6	24.8	28.3	27.9	28.9	28.2	27.1	27.8	27.1	27.3	319.4
	13 LST	29.6	26.3	28.4	28.4	30.5	29.4	30.3	30.3	29.1	30.2	29.2	30.0	351.7
	19 LST	29.9	26.4	28.5	28.7	30.4	29.5	30.4	30.1	29.4	30.4	29.4	30.3	353.4
	01 LST	29.1	25.2	27.5	27.5	30.0	29.2	30.0	30.1	29.0	29.9	29.2	29.7	346.4
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	24.9	21.9	23.1	24.3	27.4	26.9	27.8	27.4	25.5	26.7	26.4	26.2	308.5
	13 LST	27.2	24.9	26.7	25.7	25.7	26.5	26.9	28.5	26.6	27.4	26.1	27.6	319.8
	19 LST	28.7	25.1	27.2	27.2	27.8	27.7	27.4	28.9	27.9	29.4	28.1	29.2	334.6
	01 LST	27.0	24.2	26.9	26.3	28.7	28.1	28.3	29.1	27.3	28.7	27.8	28.3	330.7
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.1	0.0	0.0	0.1	0.4
	13 LST	0.2	0.0	0.2	0.3	0.4	0.1	0.4	0.2	0.4	0.2	0.2	0.1	2.7
	19 LST	0.2	0.1	0.1	0.1	0.0	0.1	0.3	0.0	0.1	0.1	0.1	0.0	1.2
	01 LST	0.2	0.1	0.1	0.1	0.0	0.0	0.1	0.0	0.2	0.1	0.1	0.0	1.0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	12.2	9.0	8.3	8.8	12.1	10.4	10.7	8.9	9.9	11.6	11.7	12.1	125.7
	13 LST	18.9	16.3	17.0	18.9	13.5	8.1	9.0	9.0	11.4	17.3	17.0	19.1	175.5
	19 LST	12.9	12.7	14.4	16.5	16.7	12.3	11.5	11.4	8.8	10.4	11.6	12.5	151.7
	01 LST	12.2	9.7	10.2	11.0	13.8	10.4	11.7	10.1	9.7	11.1	11.5	11.8	133.2
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	4.2	1.3	0.8	1.4	1.5	1.5	1.8	1.8	3.1	6.0	4.3	5.3	33.0
	13 LST	6.9	3.6	3.0	3.7	3.3	1.8	1.6	1.6	3.4	5.2	5.1	8.1	47.3
	19 LST	10.9	6.0	4.9	5.9	6.9	3.3	3.0	3.1	7.8	14.9	12.6	13.9	93.2
	01 LST	7.8	3.7	2.7	4.0	8.5	5.8	6.7	7.1	8.6	11.7	8.0	8.9	83.5
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	19.9	16.5	13.7	14.2	15.5	18.7	19.6	19.0	17.7	21.4	18.3	20.6	215.1
	13 LST	20.9	15.4	14.3	13.7	19.1	21.1	21.3	21.2	20.2	21.7	19.3	21.2	229.4
	19 LST	24.5	21.0	19.0	20.8	24.2	24.1	23.4	24.8	24.8	27.5	26.5	26.8	287.4
	01 LST	24.7	19.1	19.0	18.9	22.3	22.5	22.9	23.3	21.6	26.2	22.3	24.4	267.2
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	7.6	5.5	2.2	3.9	8.5	12.3	14.3	14.2	11.9	14.1	8.8	8.9	112.2
	13 LST	10.3	6.4	6.3	8.0	14.3	16.8	17.5	17.3	16.2	16.0	12.7	13.9	155.7
	19 LST	13.2	7.6	7.4	10.6	18.2	18.7	19.7	21.2	19.8	20.7	17.6	17.1	191.8
	01 LST	9.1	4.9	4.1	6.7	14.4	14.8	17.0	18.2	15.6	17.3	13.0	10.7	145.8
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	7.4	3.9	2.0	3.5	8.5	11.7	14.2	14.1	11.7	13.8	8.6	8.3	107.7
	13 LST	9.8	5.7	5.9	7.9	14.2	16.6	17.4	17.2	16.0	15.7	12.4	13.2	152.0
	19 LST	12.8	7.6	7.4	10.5	18.0	18.7	19.7	20.8	19.8	20.6	17.4	16.7	190.0
	01 LST	8.9	4.6	3.6	6.4	14.0	14.6	17.0	18.1	15.4	16.0	12.7	10.3	141.6

CAO BANG, NORTH VIETNAM

STA NO. 48808 (IN AREA NUMBER 02)

LATITUDE 2240N

LONGITUDE 10615E

ELEVATION(FT) 00863

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
ABS MAX TMP (F)	84	90	99	97	99	99	102	100	97	93	91	82	102	8	1569
MEAN MAX TMP (F)	65	66	74	81	87	90	90	89	88	82	76	69	80	8	1569
MEAN MIN TMP (F)	49	53	61	67	72	74	75	74	72	65	61	53	65	8	1228
ABS MIN TMP (F)	30	37	46	48	55	63	68	64	59	54	48	32	30	8	1228
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.2	1.0	3.9	14.0	18.2	19.5	19.7	16.6	3.6	0.3	0.0	97.0	8	1569
MEAN NO DYS TMP = OR L'S 32(F)	1.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	8	1228
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	1228
MEAN DEW PT TMP (F)	49	53	61	66	71	75	77	76	74	67	63	53	66	8	-29
MEAN REL HUM (PCT)	76	80	80	78	77	80	84	85	84	82	84	82	81	7	9883
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.50	1.40	1.10	2.60	7.10	10.60	10.80	11.20	5.70	4.30	1.90	0.50	37.7	20	-159
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	1.1	2.8	2.6	4.6	5.3	14.8	15.0	15.3	9.0	7.5	4.7	1.1	83.8	20	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSMS	0.0	0.5	4.5	7.6	10.9	16.4	20.6	19.5	8.7	1.1	0.9	0.3	91.0	5	1383
P FREQ WND SPD = OR GTR 17 KTS	0.7	0.9	1.0	1.1	1.3	0.5	0.4	0.4	0.3	0.3	0.4	0.0	0.6	6	9889
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.1	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	9889
P FREQ LES 3000 FT A/D LES 5 MI	72.7	82.4	85.2	77.4	66.2	71.7	71.7	59.9	60.3	70.3	73.5	68.0	71.6	8	7514
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	14.5	15.2	15.9	13.3	8.8	12.9	13.0	15.5	20.9	21.6	16.9	18.6	15.6	6	1408
03-05 LST	26.9	37.5	18.2	14.9	10.9	16.1	21.3	27.9	38.9	47.8	50.0	55.6	30.5	4	459
06-08 LST	30.8	30.2	20.4	22.3	22.1	26.9	34.8	44.2	61.4	47.9	37.5	47.9	35.5	8	1633
09-11 LST	17.6	30.9	26.7	32.3	23.3	25.5	26.7	18.3	22.1	17.9	32.0	29.4	25.2	6	1091
12-14 LST	15.2	26.7	21.9	27.1	14.3	14.6	12.7	12.0	15.0	15.9	22.5	17.5	18.0	8	1633
15-17 LST	21.6	30.3	22.8	19.1	10.6	11.1	14.9	9.7	15.0	20.6	28.1	16.1	18.3	5	648
18-20 LST	6.9	13.6	11.5	11.8	4.7	11.9	14.8	9.4	9.5	5.6	4.1	3.9	9.0	8	1673
21-23 LST	10.4	15.4	12.2	14.2	7.7	15.1	9.1	6.1	6.1	5.5	8.5	4.9	9.6	6	1189
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	3.6	1.0	3.2	0.9	1.5	0.8	1.7	6.9	14.8	14.7	11.0	14.2	6.2	6	1408
03-05 LST	7.7	8.3	6.1	3.0	3.1	3.2	4.3	18.6	30.6	30.4	31.3	38.9	15.5	4	459
06-08 LST	19.5	12.2	4.8	6.6	3.7	4.5	9.1	22.5	33.9	32.2	25.0	33.6	17.3	8	1633
09-11 LST	1.9	5.3	1.0	0.0	0.0	0.9	2.3	0.0	1.3	3.8	5.3	9.4	2.6	6	1091
12-14 LST	1.3	0.8	2.1	0.0	1.2	0.7	2.8	1.4	0.8	0.8	0.0	0.8	1.1	8	1633
15-17 LST	0.0	0.0	0.0	0.0	2.4	0.0	1.5	0.0	2.5	2.9	0.0	0.0	0.8	5	648
18-20 LST	0.7	2.1	0.6	0.0	0.0	0.0	3.1	1.4	1.6	0.8	0.8	0.0	0.9	8	1673
21-23 LST	0.0	1.9	0.0	0.0	0.0	1.9	1.0	0.0	0.0	1.2	1.2	0.0	0.6	6	1189

CAO BANG, NORTH VIETNAM

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG ≥ GTR 1000 FT AND VSBY ≥ GTR 3 MI	07 LST	24.2	22.6	27.2	28.0	28.3	26.5	26.1	21.1	14.2	19.0	22.0	18.8	278.0	5	1634
	13 LST	30.2	26.5	29.9	30.0	30.6	29.2	30.1	30.3	28.0	29.8	29.4	29.8	353.8	6	1634
	19 LST	30.4	26.6	29.8	29.8	31.0	29.8	29.8	30.1	29.5	30.5	29.8	30.8	357.9	6	1674
	01 LST	28.7	26.1	27.3	29.5	30.5	29.5	29.1	27.5	24.7	25.7	26.7	25.9	331.2	6	1410
CIG ≥ GTR 2000 FT AND VSBY ≥ GTR 3 MI W/SFC WND LES 10 KTS	07 LST	23.7	22.2	26.8	26.8	27.8	26.3	26.1	20.7	13.8	19.0	21.0	18.2	272.4	5	1630
	13 LST	27.5	23.3	22.7	21.6	25.6	26.9	28.0	28.4	25.9	28.5	26.7	28.5	313.6	6	1629
	19 LST	28.6	25.4	27.1	25.6	28.2	28.4	29.1	29.2	29.3	30.0	29.0	30.8	340.7	6	1672
	01 LST	25.9	24.8	26.6	26.5	27.8	28.3	28.4	27.2	24.7	25.2	25.2	25.1	315.7	6	1408
SFC WND ≥ GTR 17 KTS AL. NO PRECIP.	07 LST	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.4	5	1656
	13 LST	0.4	1.1	1.1	0.5	0.8	0.6	0.6	0.2	0.2	0.2	0.0	0.0	5.7	6	1635
	19 LST	0.2	0.2	0.2	0.2	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	6	1694
	01 LST	0.3	0.0	0.0	0.5	0.4	0.0	0.0	0.0	0.0	0.0	0.3	0.0	1.5	6	1435
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	5.9	6.0	11.9	13.1	12.9	7.3	8.4	4.0	3.0	3.9	4.8	6.0	87.2	5	1653
	13 LST	16.5	15.9	15.8	16.3	14.7	10.0	10.1	10.4	10.5	17.5	18.0	17.3	173.0	6	1631
	19 LST	18.6	12.5	19.6	17.8	18.6	14.8	15.6	12.8	15.1	18.7	18.5	17.1	199.7	6	1693
	01 LST	10.8	8.1	14.2	18.5	18.2	14.0	12.9	11.7	7.3	9.5	9.6	9.5	144.3	6	1435
SKY COVER LES 3/10 AND VSBY ≥ GTR 3 MI	07 LST	2.7	1.0	1.2	1.7	1.7	1.9	0.9	0.7	0.5	1.0	0.8	1.6	15.7	5	1655
	13 LST	5.9	4.3	3.2	2.6	1.0	1.2	0.4	1.3	3.6	4.4	4.4	7.6	39.9	6	1640
	19 LST	12.0	6.7	5.8	6.5	8.5	3.4	3.3	5.9	9.5	11.2	10.2	13.9	96.9	6	1696
	01 LST	8.0	3.9	3.9	3.1	6.2	3.9	3.9	7.5	5.6	6.6	4.8	6.7	64.1	6	1435
CIG ≥ GTR 2500 FT AND VSBY ≥ GTR 3 MI	07 LST	18.7	14.0	17.3	15.3	16.6	15.4	12.7	12.0	8.1	13.7	13.9	13.9	171.6	5	1634
	13 LST	20.1	12.6	14.8	11.4	16.0	15.7	17.2	17.8	18.6	18.8	13.2	19.9	196.1	6	1634
	19 LST	23.8	19.8	21.6	20.8	24.7	19.0	18.6	21.9	22.9	22.4	20.4	27.1	265.0	6	1674
	01 LST	23.7	18.6	20.8	19.1	21.3	18.5	20.2	21.2	18.4	21.9	20.5	21.5	245.7	6	1410
CIG ≥ GTR 6000 FT AND VSBY ≥ GTR 3 MI	07 LST	4.9	4.6	1.9	3.7	5.5	5.5	3.3	5.3	3.3	3.1	2.0	2.6	45.7	5	1634
	13 LST	10.3	6.4	4.9	6.3	7.9	8.1	8.7	10.7	12.6	12.1	7.7	10.6	106.3	6	1634
	19 LST	13.5	8.2	7.1	10.8	18.0	11.9	11.8	15.3	15.7	15.5	12.3	15.7	155.8	6	1674
	01 LST	9.1	4.5	4.7	5.6	7.9	6.7	8.7	13.9	8.4	8.0	6.6	7.8	91.9	6	1410
CIG ≥ GTR 10000 FT AND VSBY ≥ GTR 3 MI	07 LST	4.2	4.6	1.9	3.2	5.5	5.5	3.3	5.3	3.3	2.5	2.0	2.6	43.9	5	1634
	13 LST	10.3	6.0	4.0	5.9	7.9	7.7	8.2	10.7	12.6	11.1	7.7	10.6	102.7	6	1634
	19 LST	13.5	8.2	7.1	10.8	18.0	11.9	11.3	15.3	15.7	15.5	12.3	15.7	155.3	6	1674
	01 LST	8.5	4.5	4.7	5.6	7.9	6.7	8.7	13.9	8.4	8.0	6.1	7.8	90.8	6	1410

LANG SON, NORTH VIETNAM

STA NO. 48830 (IN AREA NUMBER 02)

LATITUDE 2151N

LONGITUDE 10645E

ELEVATION(FT) 00869

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
ABS MAX TMP (F)	89	98	98	101	104	97	99	99	97	94	91	88	104	39	-159
MEAN MAX TMP (F)	64	65	71	79	87	88	89	89	86	82	75	68	79	34	-159
MEAN MIN TMP (F)	50	53	58	66	72	74	74	74	71	65	58	52	64	34	-159
ABS MIN TMP (F)	30	33	42	44	52	61	67	66	56	46	36	32	30	38	-159
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.2	0.5	2.5	12.7	16.4	17.1	17.9	7.7	2.0	0.8	0.0	77.8	7	1920
MEAN NO DYS TMP = DR LES 32(F)	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.5	7	1567
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	1567
MEAN DEW PT TMP (F)	47	52	58	66	72	74	75	76	73	67	60	53	64	25	-29
MEAN REL HUM (PCT)	73	79	82	82	79	81	83	85	85	81	82	79	81	7	11410
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.90	2.00	2.00	3.50	6.30	7.60	10.80	10.70	6.20	3.30	1.40	1.00	53.7	38	-159
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	38	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	1.9	3.7	3.9	5.2	5.4	12.2	15.0	14.9	9.5	6.4	4.1	2.1	84.3	38	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	38	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSMS	0.0	0.7	2.7	9.2	10.9	15.5	16.1	19.8	10.4	2.2	0.2	0.0	87.7	6	1519
P FREQ WND SPD = DR GTR 17 KTS	0.0	0.0	0.0	1.4	0.7	0.0	0.7	0.0	0.8	0.0	1.6	0.8	0.5	6	11437
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	11437
P FREQ LES 5000 FT A/D LES 5 MI	45.0	67.0	74.0	64.2	47.4	44.3	41.1	38.4	44.4	46.6	52.9	48.0	51.1	9	9276
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	9.4	14.4	18.9	14.7	10.6	7.5	7.8	8.6	9.5	13.2	7.3	9.7	11.0	7	1824
03-05 LST	9.1	28.6	21.9	18.9	7.5	11.9	9.6	12.3	18.2	33.3	20.0	10.0	16.8	4	485
06-08 LST	22.6	31.3	42.9	33.9	24.5	20.2	22.3	27.2	38.8	25.8	31.6	29.6	29.2	9	2054
09-11 LST	13.4	32.0	39.3	38.6	19.6	15.6	18.0	22.7	21.2	17.1	25.3	21.3	23.7	6	1159
12-14 LST	15.2	21.9	35.8	25.7	16.8	14.3	15.1	11.4	19.1	17.5	17.5	16.3	18.9	9	2046
15-17 LST	20.0	34.4	29.1	20.9	6.0	11.3	10.8	11.1	9.1	13.8	13.3	13.3	16.1	6	633
18-20 LST	9.0	12.8	29.9	17.2	7.3	9.1	7.3	8.6	11.1	8.9	8.6	9.7	11.5	9	2042
21-23 LST	6.5	14.6	21.8	12.1	5.9	8.3	6.2	4.8	7.5	7.3	8.2	11.5	9.6	6	1221
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.0	0.0	1.4	0.7	1.3	0.7	0.1	0.0	3.2	6.2	0.0	0.8	1.3	7	1824
03-05 LST	0.0	0.0	3.1	0.0	0.0	0.0	0.0	0.0	6.1	11.1	0.0	5.0	2.1	4	485
06-08 LST	7.9	5.1	6.9	0.6	0.5	0.6	1.7	6.3	13.1	12.9	9.9	10.1	6.3	9	2054
09-11 LST	0.0	1.0	2.8	1.0	0.0	0.0	0.0	1.1	1.2	0.0	0.0	0.0	0.6	6	1159
12-14 LST	0.0	0.0	2.1	0.0	0.0	0.0	0.0	0.6	1.2	0.6	0.7	0.0	0.4	9	2046
15-17 LST	0.0	0.0	0.0	0.0	0.0	1.4	1.5	0.0	0.0	0.0	0.0	0.0	0.2	6	633
18-20 LST	0.0	0.0	2.6	1.1	0.6	0.0	1.0	0.6	1.3	0.0	0.0	0.6	0.6	9	2042
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9	0.0	0.0	0.0	0.0	0.2	6	1221

LANG SON, NORTH VIETNAM

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG ≥ GTR 1000 FT AND VSBY ≥ GTR 3 MI	07 LST	27.2	23.5	23.8	26.6	29.7	28.5	28.9	26.5	22.7	26.0	25.3	25.5	314.2	8	2054
	13 LST	30.0	26.3	26.4	28.8	30.3	29.5	30.7	30.1	28.0	30.0	29.8	29.7	349.6	8	2046
	19 LST	29.7	26.6	25.6	28.6	30.5	29.2	30.8	29.5	29.0	30.4	29.8	29.7	349.4	8	2042
	01 LST	29.7	26.0	28.7	29.2	30.2	29.2	30.1	30.3	29.0	28.9	30.0	29.8	351.1	6	1624
CIG ≥ GTR 2000 FT AND VSBY ≥ GTR 3 MI W/SFC WND LES 10 KTS	07 LST	24.5	21.6	22.8	25.7	29.1	28.5	28.5	26.3	22.6	25.4	22.9	22.7	300.6	8	2051
	13 LST	23.7	21.5	23.9	26.1	28.0	27.7	29.1	28.5	25.6	26.1	24.7	25.2	310.1	8	2034
	19 LST	27.7	24.7	24.9	27.2	28.7	28.9	30.1	29.3	27.8	29.1	29.0	27.2	334.6	8	2038
	01 LST	25.2	22.1	27.9	28.3	30.0	29.2	29.2	30.3	28.6	28.6	27.3	26.0	332.7	6	1621
SFC WND ≥ GIR 17 KTS AND NO PRECIP.	07 LST	0.3	0.2	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.4	1.5	8	2101
	13 LST	0.5	0.9	0.2	0.2	0.2	0.0	0.0	0.0	0.0	0.4	0.4	0.4	3.2	8	2064
	19 LST	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.0	0.2	0.9	8	2057
	01 LST	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.2	0.0	0.5	0.2	1.1	6	1654
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	10.5	9.0	7.6	10.7	12.8	8.9	9.2	7.4	7.2	8.4	7.8	8.3	107.8	8	2088
	13 LST	16.4	16.5	15.9	17.9	15.7	12.6	10.7	13.8	13.9	18.7	17.6	17.8	187.5	8	2050
	19 LST	13.2	13.0	13.2	17.6	15.2	12.2	12.0	8.2	5.6	6.6	11.8	8.5	137.1	8	2057
	01 LST	8.9	7.7	9.6	11.5	12.2	8.6	12.1	8.9	5.1	6.3	8.0	5.7	104.6	6	1651
SKY COVER LES 3/10 AND VSBY ≥ GTR 3 MI	07 LST	4.0	2.1	1.0	2.1	3.2	3.0	1.8	2.0	3.5	6.5	5.5	4.7	39.4	8	2097
	13 LST	7.6	4.2	3.5	3.4	2.4	1.1	1.0	0.0	2.0	4.6	5.5	8.2	43.5	8	2075
	19 LST	10.8	7.3	3.8	7.7	8.5	3.5	2.6	3.2	7.5	14.1	13.3	14.8	97.1	8	2055
	01 LST	9.8	5.1	2.7	5.8	9.6	8.4	11.0	11.0	11.3	12.2	9.1	9.9	105.9	6	1653
CIG ≥ GTR 2500 FT AND VSBY ≥ GTR 3 MI	07 LST	21.7	15.7	13.7	14.1	17.3	19.7	19.4	18.9	14.4	20.6	16.8	18.3	210.6	8	2054
	13 LST	21.2	16.0	7.5	13.7	16.7	17.1	18.7	20.9	17.8	18.3	17.5	20.2	204.6	8	2046
	19 LST	25.6	21.2	17.2	20.1	25.5	23.1	24.6	25.5	22.6	26.7	24.5	25.5	282.1	8	2042
	01 LST	25.8	21.4	21.2	21.2	23.5	24.7	26.3	26.7	24.2	24.8	25.2	25.8	290.8	6	1624
CIG ≥ GTR 6000 FT AND VSBY ≥ GTR 3 MI	07 LST	6.9	4.0	4.1	5.7	13.3	16.4	16.6	16.5	10.3	14.8	10.1	8.6	127.3	8	2054
	13 LST	11.6	7.6	6.0	6.7	10.7	12.0	13.2	15.9	13.9	13.5	12.0	12.4	135.5	8	2046
	19 LST	14.3	9.4	6.1	12.2	21.2	18.9	21.0	21.8	19.0	21.2	18.6	17.5	201.2	8	2042
	01 LST	11.7	6.0	4.0	9.5	15.9	17.2	21.0	22.0	20.2	18.1	13.4	11.9	170.9	6	1624
CIG ≥ GTR 10000 FT AND VSBY ≥ GTR 3 MI	07 LST	6.2	3.6	3.8	5.7	13.3	16.0	16.6	16.1	10.3	14.4	10.1	8.6	124.7	8	2054
	13 LST	10.9	6.9	6.0	6.3	10.7	12.0	12.4	15.9	13.9	13.5	10.8	12.4	131.7	8	2046
	19 LST	14.3	8.8	5.8	11.9	21.2	18.6	21.0	21.8	19.0	21.2	18.6	17.5	199.7	8	2042
	01 LST	11.7	6.0	3.5	9.5	15.9	17.2	21.0	22.0	20.2	18.1	12.9	11.4	169.4	6	1624

AREA NO. 02

PARAMETER DESCRIPTION	NORTHERN MTNS				LATITUDE 2230N				LONGITUDE 10600E				ANN	
	BOUNDARIES	2138N 10725E	2134N 10625E	2134N 10625E	2134N 10625E	2244N 10425E								
MEAN MAX TMP (F)		65	66	73	80	87	89	90	89	87	82	76	69	79
MEAN MIN TMP (F)		50	53	60	67	72	74	75	74	72	65	60	53	65
LARGEST MEAN PRECIP(IN)		0.90	2.00	2.00	3.50	7.10	10.60	10.80	11.20	6.20	4.30	1.90	1.00	61.5
SMALLEST MEAN PRECIP(IN)		0.50	1.40	1.10	2.60	6.30	7.60	10.80	10.70	5.70	3.30	1.40	0.50	31.9
		MEAN NUMBER OF DAYS												
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	25.7	23.1	25.5	27.3	29.0	27.5	27.5	23.8	18.5	22.5	23.7	22.2	296.3
	13 LST	30.1	26.4	28.2	29.4	30.5	29.4	30.4	30.2	28.0	29.9	29.6	29.8	331.9
	19 LST	30.1	26.6	27.7	29.2	30.8	29.5	30.3	29.8	29.3	30.5	29.8	30.3	353.9
	01 LST	29.2	26.1	28.0	29.4	30.4	29.4	29.6	28.9	26.9	27.3	28.4	27.9	341.5
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	24.1	21.9	24.8	26.3	28.5	27.4	27.3	23.5	18.2	22.2	22.0	20.5	286.7
	13 LST	25.6	22.4	23.3	23.9	26.8	27.3	28.6	28.5	25.8	27.3	25.7	26.9	312.1
	19 LST	28.2	25.1	26.0	26.4	28.3	28.7	29.6	29.3	28.6	29.6	29.0	29.0	338.0
	01 LST	25.6	23.5	27.3	27.4	28.9	28.8	28.8	28.8	26.7	26.9	26.3	25.6	324.6
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.2	0.1	0.0	0.1	0.1	0.0	0.0	0.1	0.0	0.0	0.2	0.2	1.0
	13 LST	0.5	1.0	0.7	0.4	0.5	0.3	0.3	0.1	0.1	0.3	0.2	0.2	4.6
	19 LST	0.1	0.3	0.1	0.1	0.2	0.0	0.0	0.0	0.1	0.1	0.0	0.1	1.1
	01 LST	0.2	0.0	0.0	0.4	0.2	0.0	0.0	0.0	0.1	0.0	0.4	0.1	1.4
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	8.2	7.5	9.8	11.9	12.9	8.1	8.8	5.7	5.1	6.2	6.3	7.2	97.7
	13 LST	16.5	16.2	15.9	17.1	15.2	11.3	10.4	12.1	12.2	18.1	17.8	17.6	180.4
	19 LST	15.9	12.8	16.4	17.7	16.9	13.5	13.8	10.5	10.4	12.7	15.2	12.8	168.6
	01 LST	9.9	7.9	11.9	15.0	15.2	11.3	12.5	10.3	6.2	7.9	8.8	7.6	124.5
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	3.4	1.6	1.1	1.9	2.5	2.5	1.4	1.4	2.0	3.8	3.2	3.2	28.0
	13 LST	6.8	4.3	3.4	3.0	1.7	1.2	0.7	0.7	2.8	4.5	5.0	7.9	42.0
	19 LST	11.4	7.0	4.8	7.1	8.5	3.5	3.0	4.6	8.5	12.7	11.8	14.4	97.3
	01 LST	8.9	4.5	3.3	4.5	7.9	6.2	7.5	9.3	8.5	9.4	7.0	8.3	85.3
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	20.2	14.9	15.5	14.7	17.0	17.6	16.1	15.5	11.3	17.2	15.4	16.1	191.5
	13 LST	20.7	14.3	11.2	12.1	16.4	16.4	18.0	19.4	18.2	18.6	15.4	20.1	200.8
	19 LST	25.7	20.5	19.4	20.5	25.1	21.1	21.6	23.7	22.8	24.6	22.5	26.3	273.8
	01 LST	24.8	20.0	21.0	20.2	22.4	21.4	23.3	24.0	21.3	23.4	22.9	23.7	268.6
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	5.9	4.3	3.0	4.7	9.4	11.0	10.0	10.9	6.8	9.0	6.1	5.6	86.7
	13 LST	11.0	7.0	5.5	6.5	9.3	10.1	11.0	13.3	13.3	12.8	9.9	11.5	121.2
	19 LST	13.9	8.8	6.6	11.5	19.6	15.4	16.4	18.6	17.4	18.4	15.5	16.6	178.7
	01 LST	10.4	5.3	4.4	7.6	11.9	12.0	14.9	18.0	14.3	13.1	10.0	9.9	131.8
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	5.2	4.1	2.9	4.5	9.4	10.8	10.0	10.7	6.8	8.5	6.1	5.6	84.6
	13 LST	10.6	6.5	5.0	6.1	9.3	9.9	10.3	13.3	13.3	12.3	9.3	11.5	117.4
	19 LST	13.9	8.5	6.5	11.4	19.6	15.3	16.2	18.6	17.4	18.4	15.5	16.6	177.9
	01 LST	10.1	5.3	4.1	7.6	11.9	12.0	14.9	18.0	14.3	13.1	9.5	9.6	130.4

CHAPA, NORTH VIETNAM

STA NO. 48602 (IN AREA NUMBER 03)

LATITUDE 2221N

LONGITUDE 10349E

ELEVATION(FT) 05981

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	75	78	81	86	86	84	84	83	91	81	80	73	91	14	-159
MEAN MAX TMP (F)	52	54	65	70	73	73	74	73	72	66	63	57	66	5	1343
MEAN MIN TMP (F)	41	44	52	56	61	63	64	63	61	56	51	46	55	5	1109
ABS MIN TMP (F)	28	32	35	37	48	52	45	51	50	43	34	28	28	14	-159
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.6	5	1343
MEAN NO DYS TMP = DR LES 32(F)	2.8	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	5	1109
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	1109
MEAN DEW PT TMP (F)	42	47	54	57	62	64	65	65	62	59	54	48	57	5	-29
MEAN REL HUM (PCT)	86	92	86	82	85	88	88	89	87	93	90	88	88	5	9092
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	1.60	2.80	4.70	7.00	14.60	14.00	18.90	18.90	12.60	7.50	4.70	1.60	108.9	27	-159
MEAN SNOW FALL (IN)		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			14	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	3.1	4.8	5.5	5.3		17.4	20.3	20.3	14.9	10.7	8.0	3.1		27	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			14	-29
MEAN NO DYS W/OCCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS YSTMS	0.3	2.5	7.1	14.3	14.0	14.7	14.4	16.3	7.1	3.5	1.5	1.1	96.8	4	1373
P FREQ WND SPD = DR GTR 17 KTS	2.1	0.6	1.6	2.0	0.9	0.6	2.6	0.5	0.0	0.1	1.1	2.6	1.2	5	9070
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	5	9070
P FREQ LES 5000 FT A/D LES 5 MI	63.3	77.7	68.4	56.7	66.5	65.5	83.0	75.0	67.1	81.7	63.8	58.9	69.0	5	2682
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	49.4	69.5	46.6	31.6	14.1	5.6	4.7	9.0	6.1	23.0	23.1	37.9	26.7	6	1021
03-05 LST	38.5	72.2	82.0	30.0	10.2	4.8	2.4	6.1	11.1	31.3	7.1	18.8	23.7	4	348
06-08 LST	52.2	71.8	49.4	31.5	17.6	12.5	7.9	13.3	17.1	22.1	30.4	34.7	30.0	6	988
09-11 LST	55.6	74.0	43.7	25.0	10.2	15.2	10.9	23.5	15.6	30.6	28.8	26.5	30.0	6	717
12-14 LST	53.9	71.8	35.5	27.9	18.8	10.5	15.8	41.9	23.4	34.0	38.1	42.7	34.5	6	692
15-17 LST	51.4	65.2	43.9	24.1	16.1	16.7	17.9	19.0	27.8	55.6	35.3	34.8	34.0	4	339
18-20 LST	51.8	66.3	45.0	44.6	15.5	1.4	4.4	18.1	8.0	31.1	33.7	40.0	30.0	6	1034
21-23 LST	50.6	70.9	46.1	36.9	7.0	4.9	1.3	6.2	4.9	27.7	24.6	29.4	25.9	6	859
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	45.9	68.3	44.3	27.6	7.6	2.2	0.0	2.2	1.2	18.4	23.1	34.5	22.9	6	1021
03-05 LST	30.8	72.2	48.0	22.5	4.1	2.4	0.0	0.0	7.4	31.3	7.1	18.8	20.4	4	348
06-08 LST	48.7	70.6	45.9	23.3	2.9	2.5	3.9	4.0	1.4	14.0	26.6	30.6	22.9	6	988
09-11 LST	50.0	72.6	39.4	15.6	1.7	4.5	0.0	5.9	4.4	12.2	25.0	19.1	20.9	6	717
12-14 LST	50.6	66.7	30.3	18.0	6.3	5.3	5.3	0.0	10.6	18.0	14.3	33.3	21.6	6	692
15-17 LST	42.9	65.2	41.5	16.7	3.2	6.7	3.6	4.8	0.0	33.3	17.6	21.7	21.4	4	339
18-20 LST	49.1	64.1	42.0	38.6	12.7	1.4	0.0	0.0	1.1	30.0	29.2	35.0	23.3	6	1034
21-23 LST	49.4	68.6	43.4	32.3	5.6	1.2	0.0	3.1	1.6	24.6	24.6	29.4	23.7	6	859

CHAPA, NORTH VIETNAM

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	15.4	8.1	16.8	21.8	27.4	28.9	29.4	29.3	27.9	26.0	21.6	20.9	273.6	5	988
	13 LST	15.3	9.0	20.8	23.6	29.1	27.9	28.6	24.0	26.8	22.9	23.4	19.0	270.6	5	692
	19 LST	15.2	10.0	17.7	17.7	26.2	29.6	30.1	29.3	26.3	21.7	20.2	19.2	265.2	5	1034
	01 LST	16.2	8.5	17.1	20.9	27.3	28.4	29.9	29.0	28.6	24.6	22.3	20.3	273.4	5	1021
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	13.0	6.3	15.3	18.1	22.3	26.6	26.5	27.7	27.4	26.0	20.4	18.7	248.3	5	986
	13 LST	12.5	7.2	17.1	18.2	25.1	23.7	22.8	22.0	26.8	22.3	22.9	16.3	236.9	5	690
	19 LST	13.3	8.2	14.9	15.9	23.1	25.7	23.7	26.0	27.9	21.7	17.9	15.8	236.1	5	1034
	01 LST	13.3	6.8	15.9	17.6	23.5	25.2	26.8	27.9	28.5	24.6	21.5	18.0	249.6	5	1017
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.9	0.0	0.0	0.3	0.0	0.0	0.2	0.3	0.0	0.0	0.5	0.7	2.9	5	1464
	13 LST	1.0	0.5	1.5	1.1	0.8	0.0	1.2	0.3	0.0	0.0	0.0	0.5	6.9	5	1372
	19 LST	0.5	0.0	0.2	0.3	0.0	0.0	0.8	0.0	0.0	0.0	0.5	0.8	3.1	5	1452
	01 LST	0.0	0.0	0.0	0.9	0.0	0.2	0.5	0.0	0.0	0.0	0.3	0.6	2.5	5	1396
SFC WND 6-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	6.1	6.3	11.3	9.8	7.6	4.9	5.7	5.7	5.6	3.3	4.8	7.9	79.0	5	1464
	13 LST	16.4	12.4	16.0	17.2	16.3	11.6	7.9	10.2	13.9	10.5	15.7	16.2	164.3	5	1372
	19 LST	8.1	8.3	14.1	9.8	7.4	7.0	7.1	5.6	2.9	2.2	7.7	6.9	87.1	5	1452
	01 LST	7.6	7.7	12.3	10.5	9.3	5.8	6.8	8.0	1.9	3.5	6.2	10.0	89.6	5	1396
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	7.2	3.9	5.9	5.0	1.2	1.8	1.3	3.2	5.1	4.7	9.2	7.1	55.6	5	1462
	13 LST	7.5	3.4	8.8	6.9	1.8	0.5	0.0	0.0	0.9	0.6	3.2	6.8	40.4	5	1371
	19 LST	10.3	6.3	10.5	8.8	7.2	3.6	2.3	4.6	8.7	7.0	11.2	11.4	91.9	5	1453
	01 LST	8.5	4.5	9.0	6.3	5.6	4.8	3.0	5.8	7.4	5.7	10.9	8.0	79.5	5	1399
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	13.1	6.9	13.3	17.0	19.6	22.7	23.4	21.1	20.4	21.1	18.8	17.2	214.6	5	988
	13 LST	12.3	6.5	17.1	18.5	16.8	19.7	17.9	13.5	17.9	14.6	13.6	14.3	182.7	5	692
	19 LST	14.5	8.8	16.6	16.6	23.6	26.6	19.2	23.0	25.2	18.6	19.1	16.9	228.7	5	1034
	01 LST	14.4	7.8	15.5	18.5	23.2	24.2	25.4	22.4	24.6	19.7	20.4	18.3	232.4	5	1021
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	9.3	5.3	10.2	11.1	9.1	7.9	6.2	10.0	9.5	8.7	12.9	10.1	112.3	5	988
	13 LST	10.4	5.0	11.0	16.7	7.1	6.2	6.5	6.0	6.3	1.9	6.4	9.9	95.4	5	692
	19 LST	12.7	7.9	14.3	14.5	17.0	16.3	10.9	14.2	17.6	11.0	15.5	13.6	169.5	5	1034
	01 LST	12.2	6.5	12.8	13.4	13.6	9.6	10.0	9.8	14.8	10.3	14.6	11.8	139.4	5	1021
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	9.3	5.3	10.2	9.8	8.5	7.9	8.2	9.5	9.5	8.7	12.9	10.1	109.9	5	988
	13 LST	10.4	5.0	11.0	16.7	7.1	6.2	4.9	6.0	8.3	0.6	6.4	9.9	92.5	5	692
	19 LST	12.7	7.9	14.3	14.5	17.0	16.3	10.9	13.3	17.6	11.0	15.5	13.6	164.6	5	1034
	01 LST	12.2	6.5	12.8	12.4	13.6	8.3	10.0	9.8	14.8	10.3	14.6	11.8	136.1	5	1021

AREA NO. 03

VIETNAM(NDRTH)	WESTERN MTNS		LATITUDE 2130N				LONGITUDE 10400E							
	BOUNDARIES	2246N 10342E	2020N 10910E	2020N 10510E	2020N 10510E	1850N 10442E								
PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)		52	54	65	70	73	73	74	73	72	66	63	57	66
MEAN MIN TMP (F)		41	44	52	56	61	63	64	63	61	56	51	46	55
LARGEST MEAN PRECIP(IN)		1.60	2.80	4.70	7.00	14.60	14.00	18.90	18.90	12.60	7.50	4.70	1.60	106.9
SMALLEST MEAN PRECIP(IN)		1.60	2.80	4.70	7.00	14.60	14.00	18.90	18.90	12.60	7.50	4.70	1.60	106.9
		MEAN NUMBER OF DAYS												
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	15.4	8.2	16.8	21.8	27.4	28.9	29.4	29.3	27.9	26.0	21.6	20.9	273.6
	13 LST	15.3	9.0	20.8	23.6	29.1	27.9	28.6	24.0	26.8	22.9	23.6	19.0	270.6
	19 LST	15.2	10.0	17.7	17.7	26.2	29.6	30.1	29.3	28.3	21.7	20.2	19.2	265.2
	01 LST	16.2	8.5	17.1	20.9	27.3	28.4	29.9	29.3	28.6	24.6	22.3	20.3	273.4
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	13.0	6.3	15.3	18.1	22.3	26.6	26.5	27.7	27.4	26.0	20.4	18.7	248.3
	13 LST	12.5	7.2	17.1	18.2	25.1	23.7	22.8	22.0	26.8	22.3	22.9	16.3	236.9
	19 LST	13.3	8.2	14.9	15.9	23.1	25.7	23.7	28.0	27.9	21.7	17.9	15.8	236.1
	01 LST	13.3	6.8	15.9	17.6	23.5	25.2	26.8	27.9	28.5	24.6	21.5	18.0	249.6
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.9	0.0	0.0	0.3	0.0	0.0	0.2	0.3	0.0	0.0	0.5	0.7	2.9
	13 LST	1.0	0.5	1.5	1.1	0.8	0.0	1.2	0.3	0.0	0.0	0.0	0.5	6.9
	19 LST	0.5	0.0	0.2	0.3	0.0	0.0	0.8	0.0	0.0	0.0	0.5	0.8	3.1
	01 LST	0.0	0.0	0.0	0.9	0.0	0.2	0.5	0.0	0.0	0.0	0.3	0.6	2.5
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	6.1	6.3	11.3	9.8	7.6	4.9	5.7	5.7	5.6	3.3	4.8	7.9	79.0
	13 LST	16.4	12.4	16.0	17.2	16.3	11.6	7.9	10.2	13.9	10.5	15.7	16.2	164.3
	19 LST	8.1	8.3	14.1	9.8	7.4	7.0	7.1	5.6	2.9	2.2	7.7	6.9	87.1
	01 LST	7.6	7.7	12.3	10.5	9.3	5.8	6.8	8.0	1.9	3.5	6.2	10.0	89.6
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	7.2	2.9	5.9	5.0	1.2	1.8	1.3	3.2	5.1	4.7	9.2	7.1	55.6
	13 LST	7.5	3.4	8.8	6.9	1.8	0.5	0.0	0.0	0.9	0.6	3.2	6.8	40.4
	19 LST	10.3	6.3	10.5	8.8	7.2	3.6	2.3	4.6	8.7	7.0	11.2	11.4	91.9
	01 LST	8.5	4.5	9.0	6.3	5.6	4.8	3.0	5.8	7.4	5.7	10.9	8.0	79.5
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	13.1	6.9	13.3	17.0	19.6	22.7	23.4	21.1	20.4	21.1	18.8	17.2	214.6
	13 LST	12.3	6.5	17.1	18.5	16.8	19.7	17.9	13.5	17.9	14.6	13.6	14.3	182.7
	19 LST	14.5	8.8	16.6	16.6	23.6	26.6	19.2	23.0	25.2	18.6	19.1	16.9	228.7
	01 LST	14.4	7.8	15.5	18.5	23.2	24.2	25.4	22.4	24.6	19.7	20.4	16.3	232.4
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	9.3	5.3	10.2	11.1	9.1	7.9	8.2	10.0	9.5	8.7	12.9	10.1	112.3
	13 LST	10.4	5.0	11.0	16.7	7.1	6.2	6.5	6.0	8.3	1.9	6.4	9.9	95.4
	19 LST	12.7	7.9	14.3	14.5	17.0	16.3	10.9	14.2	17.6	11.0	15.5	13.6	165.5
	01 LST	12.7	6.5	12.8	13.4	13.6	9.6	10.0	9.8	14.8	10.3	14.6	11.8	139.4
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	9.3	5.3	10.2	9.8	8.5	7.9	8.2	9.5	9.5	8.7	12.9	10.1	109.9
	13 LST	10.4	5.0	11.0	16.7	7.1	6.2	4.9	6.0	8.3	0.6	6.4	9.9	92.3
	19 LST	12.7	7.9	14.3	14.5	17.0	16.3	10.9	13.3	17.6	11.0	15.5	13.6	164.6
	01 LST	12.2	6.5	12.8	13.4	13.6	8.3	10.0	9.8	14.8	10.3	14.6	11.8	138.1

VINH, NORTH VIETNAM

STA NO. 48845 (IN AREA NUMBER 04)

LATITUDE 1839N

LONGITUDE 10541E

ELEVATION(FT) 00016

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
ABS MAX TMP (F)	95	96	102	104	106	108	106	103	103	99	97	89	108	39	-159
MEAN MAX TMP (F)	70	70	74	83	90	94	94	93	87	83	77	72	82	34	-159
MEAN MIN TMP (F)	59	61	64	70	75	78	78	78	75	71	66	62	70	34	-159
ABS MIN TMP (F)	39	45	50	53	59	68	72	66	63	54	47	47	39	39	-159
MEAN NO DYS TMP = OR GTR 90(F)				0.0	17.9	27.3	28.3	26.3	8.3	0.0		0.0		34	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	39	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	39	-29
MEAN DEW PT TMP (F)	60	63	66	73	77	77	76	79	77	73	68	63	71	25	-29
MEAN REL HUM (PCT)	86	91	91	89	84	77	75	82	87	88	89	86	85	6	9856
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	2.20	1.90	1.90	2.60	3.40	4.50	5.60	7.00	16.90	14.20	7.90	3.10	73.2	40	-159
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	39	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	4.0	3.6	3.8	4.6	5.5	9.1	10.2	11.6	16.7	15.3	11.1	5.2	100.9	40	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	39	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	4.7	8.9	17.2	13.3	8.9	19.3	15.1	7.0	0.3	0.0	94.7	5	1429
P FREQ WND SPD = OR GTR 17 KTS	0.8	0.0	0.0	0.0	1.4	0.0	0.8	0.0	1.0	2.7	0.9	1.8	0.8	6	9838
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	9838
P FREQ LES 5000 FT A/D LES 5 MI	63.1	82.7	81.6	80.4	30.9	25.8	19.1	24.5	44.2	61.0	65.0	54.3	51.1	7	8022
P FREQ LES 1900 FT A/D LES 3 MI															
FOR 00-02 LST	13.6	19.0	14.2	11.3	5.8	2.3	6.5	2.8	11.5	11.1	8.5	6.9	9.1	6	1427
03-05 LST	15.8	8.0	10.5	20.0	5.8	1.5	1.9	3.6	13.3	22.2	16.7	17.6	11.4	4	471
06-08 LST	37.7	54.4	65.4	50.0	15.6	5.7	5.6	6.8	25.2	31.4	39.7	31.1	30.7	7	1695
09-11 LST	25.6	43.1	43.4	28.7	9.3	5.6	3.3	4.3	15.2	20.9	22.8	21.2	20.3	6	1162
12-14 LST	21.3	28.6	29.0	15.2	5.7	5.2	5.5	7.0	17.6	20.0	18.9	14.3	15.7	7	1487
15-17 LST	27.8	39.4	29.1	13.8	6.2	7.7	1.4	3.1	7.7	25.8	16.7	9.4	15.7	4	636
18-20 LST	14.1	20.5	21.6	12.9	5.1	4.1	4.0	5.1	11.4	12.1	11.3	6.6	10.7	7	1588
21-23 LST	14.5	17.8	22.4	12.8	3.4	1.9	3.9	3.8	9.5	12.6	7.1	5.6	9.6	6	1227
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	2.4	3.5	3.0	3.8	0.7	0.0	0.8	0.0	2.9	0.0	0.9	1.0	1.6	6	1427
03-05 LST	5.3	0.0	2.6	7.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	4	471
06-08 LST	10.5	18.4	17.9	13.2	0.0	0.0	0.0	0.0	4.1	4.1	8.7	12.2	7.4	7	1695
09-11 LST	0.8	3.9	1.9	0.0	0.0	0.9	0.0	0.0	2.5	1.2	0.0	1.1	1.0	6	1162
12-14 LST	0.0	2.5	2.2	0.0	0.7	0.0	0.0	0.0	1.9	0.0	0.0	0.0	0.6	7	1487
15-17 LST	0.0	0.0	1.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	4	636
18-20 LST	0.0	4.1	2.7	1.5	0.6	0.0	0.0	0.9	3.5	0.0	0.0	0.0	1.1	7	1588
21-23 LST	0.0	3.7	6.0	2.6	0.0	0.0	0.0	1.0	2.4	0.0	0.0	0.0	1.3	6	1227

VINH, NORTH VIETNAM

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	26.2	18.7	18.9	21.9	29.8	29.2	30.1	30.2	26.8	27.7	25.5	25.6	310.8	6	1695
	13 LST	29.6	25.9	29.7	29.3	30.6	29.6	30.5	30.5	28.1	28.7	28.4	29.3	350.4	6	1487
	19 LST	29.5	24.6	28.1	29.1	30.6	29.6	30.3	30.2	27.6	30.3	28.8	30.1	348.8	6	1588
	01 LST	29.3	25.3	28.0	28.4	29.9	29.5	29.5	30.4	28.3	30.7	29.4	30.1	348.8	6	1427
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	24.8	17.7	18.5	21.6	29.5	28.1	28.8	29.4	25.9	26.6	24.8	24.7	300.4	6	1691
	13 LST	26.9	23.5	29.0	27.8	27.0	24.8	22.0	27.4	25.3	25.9	26.8	26.8	313.2	6	1436
	19 LST	27.9	23.6	27.2	27.9	28.8	26.6	25.8	28.9	27.3	28.5	28.8	29.2	330.5	6	1586
	01 LST	27.8	24.8	27.6	27.9	29.3	27.9	28.0	29.0	27.1	28.1	28.0	28.3	333.8	6	1427
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.8	0.0	0.0	0.0	0.0	0.2	0.4	0.0	0.2	0.3	0.0	0.2	2.1	6	1714
	13 LST	0.2	0.0	0.0	0.5	0.2	0.9	1.0	0.5	0.0	0.6	0.2	0.0	4.2	4	1503
	19 LST	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.5	6	1600
	01 LST	0.0	0.0	0.0	0.0	0.2	0.0	0.3	0.0	0.0	0.3	0.3	0.3	1.4	6	1451
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	8.3	3.9	5.2	6.3	9.3	12.3	12.6	8.3	5.1	9.1	5.9	7.8	94.1	6	1713
	13 LST	16.8	13.3	18.8	21.4	13.9	4.7	4.4	7.3	13.2	16.6	18.1	17.6	166.1	6	1502
	19 LST	14.0	11.7	17.5	18.5	18.4	14.8	16.7	12.5	6.3	8.5	9.6	12.3	160.8	6	1600
	01 LST	7.4	4.3	6.4	8.4	5.9	11.2	13.8	6.0	6.4	6.3	5.0	7.7	88.8	6	1451
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	2.9	0.6	1.2	3.1	2.3	1.5	4.0	3.1	1.7	3.3	1.4	4.1	29.2	6	1711
	13 LST	5.8	2.1	3.7	6.7	6.5	2.2	4.9	2.2	1.7	2.0	1.5	5.1	44.4	6	1504
	19 LST	9.8	5.2	6.2	8.5	5.2	1.4	4.7	1.3	3.9	8.3	10.1	12.5	77.1	6	1801
	01 LST	8.4	3.8	3.8	10.1	12.5	5.1	10.2	5.2	3.8	8.8	7.0	11.1	89.8	6	1450
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	19.6	15.6	10.9	15.7	24.4	26.4	27.9	27.6	19.6	17.9	18.4	19.4	243.4	6	1695
	13 LST	20.5	15.2	13.0	19.1	25.7	25.9	27.3	25.7	21.7	16.6	17.1	20.4	248.2	6	1487
	19 LST	22.7	19.6	19.9	20.7	25.1	26.4	27.9	27.1	22.6	22.6	23.6	26.9	285.1	6	1588
	01 LST	22.5	20.9	22.5	24.0	27.4	27.2	28.2	28.1	22.5	21.7	23.6	26.8	295.4	6	1427
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	4.6	1.2	3.0	8.1	18.8	20.6	22.6	22.3	13.4	9.2	5.0	8.4	137.2	6	1695
	13 LST	8.9	4.9	5.2	14.2	22.4	23.1	25.4	21.5	17.5	9.3	5.7	11.3	169.4	6	1487
	19 LST	11.8	7.1	8.6	13.4	20.6	22.3	24.5	23.1	17.4	16.5	14.0	16.6	195.9	6	1588
	01 LST	9.3	4.0	5.1	14.2	22.8	20.9	24.0	24.6	16.1	13.2	11.6	12.3	178.3	6	1427
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	4.6	1.2	3.0	8.1	18.8	20.6	22.6	22.3	13.4	9.2	4.5	8.4	136.7	6	1695
	13 LST	8.9	4.9	5.2	13.7	22.4	22.6	24.9	21.5	17.5	9.3	5.7	11.3	167.9	6	1487
	19 LST	11.3	7.1	8.6	13.4	20.6	22.3	24.5	23.1	17.4	16.5	14.0	16.6	195.4	6	1588
	01 LST	9.3	4.0	5.1	14.2	22.8	20.9	23.0	24.0	16.1	13.2	11.6	12.5	176.7	6	1427

HATINH, NORTH VIETNAM

STA NO. 48846 (IN AREA NUMBER 04)

LATITUDE 1821N

LONGITUDE 10554E

ELEVATION(FT) 00019

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	79	81	100	97	100	102	100	99	99	90	91	86	102	4	1145
MEAN MAX TMP (F)	67	69	75	80	89	92	93	92	86	82	77	72	81	4	1145
MEAN MIN TMP (F)	58	61	67	71	76	79	79	78	76	72	68	63	71	4	1018
ABS MIN TMP (F)	46	50	50	59	64	70	73	75	70	64	54	50	46	4	1018
MEAN NO /S TMP = DR GTR 90(F)	0.0	0.0	0.0	2.9	18.4	23.5	26.9	24.0	9.2	0.4	0.3	0.0	106.2	4	1145
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	1018
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	1018
MEAN DEW PT TMP (F)	58	62	68	72	76	78	77	78	77	74	69	64	71	4	-29
MEAN REL HUM (PCT)	87	91	90	89	83	79	76	80	88	89	92	89	86	4	6944
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	2.79	1.88	3.47	2.61	3.85	9.65	3.69	8.02	17.92	17.85	9.59	6.67	88.0	4	968
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	4.8	3.5	5.2	4.6	5.3	14.0	8.2	12.6	17.0	17.0	12.5	7.3	112.2	4	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-29
MEAN NO DYS W/O CUR VS BY LES 1/2 MI														0	0
MEAN NO DYS TSMS	0.3	0.0	4.4	7.2	17.8	12.4	10.9	18.7	13.8	6.2	0.4	0.0	92.1	4	1045
P FREQ WND SPD = DR GTR 17 KTS	1.2	1.3	0.0	0.0	0.0	0.0	0.0	0.0	1.2	2.2	1.3	0.0	0.6	4	6931
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	6931
P FREQ LES 5000 FT A/D LES 5 MI	72.7	79.1	83.0	68.6	94.8	40.6	32.3	45.8	63.0	58.8	70.2	64.0	59.4	5	5474
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	13.4	16.0	17.2	14.0	2.8	2.7	2.6	3.6	11.1	15.3	14.1	14.9	10.6	5	1080
03-05 LST	0.0	12.5	28.0	10.9	6.0	7.7	4.5	3.6	12.5	33.3	0.0	0.0	9.9	3	265
06-08 LST	25.7	31.1	38.5	27.2	11.2	3.6	5.0	5.9	16.3	23.3	26.0	17.9	19.3	5	1212
09-11 LST	25.0	31.6	28.8	17.8	11.4	4.6	1.3	5.5	18.4	21.3	16.4	14.3	13.4	5	842
12-14 LST	19.4	30.5	23.3	11.3	7.4	3.0	3.7	7.1	11.3	26.6	22.4	18.6	13.4	5	1070
15-17 LST	25.0	25.0	24.1	11.7	9.6	5.8	3.3	3.1	0.0	0.0				4	312
18-20 LST	15.7	19.1	22.5	14.1	6.1	6.9	3.4	3.8	9.6	18.0	16.1	15.7	12.6	5	1173
21-23 LST	11.4	20.5	22.5	14.6	3.3	2.4	3.3	3.3	13.0	17.5	12.3	10.0	11.2	5	880
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.0	1.3	1.1	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	5	1080
03-05 LST	0.0	0.0	4.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	3	265
06-08 LST	6.2	6.7	8.3	5.4	0.0	0.0	0.0	0.0	0.0	1.1	4.2	4.2	3.0	5	1212
09-11 LST	2.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	0.0	0.0	0.0	0.4	5	842
12-14 LST	1.0	1.2	0.0	0.0	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	5	1070
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0				4	312
18-20 LST	1.9	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	5	1173
21-23 LST	1.3	1.3	0.0	0.0	0.0	0.0	0.0	1.7	0.0	0.0	0.0	0.0	0.4	5	880

HATINH, NORTH VIETNAM

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	28.8	24.9	27.3	28.0	30.8	30.0	31.0	31.0	29.7	29.8	26.9	29.0	247.0	4	1212
	13 LST	30.4	27.0	30.4	30.0	30.4	30.0	31.0	31.0	30.0	31.0	28.7	31.0	260.9	4	1070
	19 LST	30.4	27.7	30.7	29.3	31.0	30.0	31.0	31.0	30.0	30.0	29.0	30.4	260.5	4	1173
	01 LST	30.6	27.3	30.7	29.3	31.0	29.7	31.0	30.8	28.9	30.3	29.2	29.9	258.5	4	1080
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	26.3	23.6	26.7	27.7	30.5	29.5	30.2	30.6	27.6	26.9	24.7	27.1	231.4	4	1211
	13 LST	25.6	24.2	27.7	28.5	28.7	27.9	29.0	30.6	25.4	25.1	24.6	25.2	222.5	4	1067
	19 LST	29.9	27.1	30.4	29.0	29.4	29.0	29.9	30.2	27.9	27.5	27.7	29.2	247.2	4	1173
	01 LST	27.6	26.5	30.0	28.9	30.2	28.7	30.3	28.7	28.1	27.4	26.1	27.4	240.5	4	1679
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	1228
	13 LST	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	1.5	4	1074
	19 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.4	4	1165
	01 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.4	4	1099
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	13.1	5.2	3.7	4.5	9.3	8.5	9.6	9.0	7.9	10.2	8.4	11.9	101.3	4	1228
	13 LST	16.4	15.0	18.4	21.6	12.3	7.2	4.6	7.2	11.8	15.9	13.7	15.9	160.0	4	1079
	19 LST	12.3	7.8	11.3	12.1	14.0	10.6	17.0	14.7	12.4	6.6	5.8	11.2	135.6	4	1184
	01 LST	7.3	5.8	6.3	4.9	5.9	6.4	11.4	7.6	4.3	6.0	8.4	8.5	82.8	4	1097
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	3.3	1.5	1.7	1.9	3.9	2.6	4.1	3.2	0.7	5.5	2.5	3.8	34.5	4	1226
	13 LST	4.2	2.7	3.6	7.0	6.6	2.1	5.2	2.8	1.7	3.1	0.9	3.2	42.9	4	1077
	19 LST	10.3	7.2	7.5	8.0	8.1	3.1	5.9	1.9	2.8	12.5	8.7	8.8	84.8	4	1181
	01 LST	10.3	5.8	5.9	5.8	15.4	8.8	10.2	8.2	4.6	11.8	9.3	8.4	107.7	4	1099
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	19.0	16.3	13.8	16.0	21.8	24.1	25.7	24.6	18.0	18.0	16.1	20.2	231.6	4	1212
	13 LST	18.2	11.9	13.7	18.9	25.1	24.2	24.5	20.6	18.8	13.7	13.9	17.3	220.8	4	1070
	19 LST	21.4	17.4	16.2	20.4	24.5	23.5	26.8	23.7	20.8	19.8	20.2	20.8	255.5	4	1173
	01 LST	22.8	19.6	19.8	22.0	28.2	26.4	24.6	27.0	21.5	20.4	22.2	20.6	275.1	4	1080
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	4.9	3.4	2.9	5.6	14.6	14.7	18.8	16.4	8.4	10.3	4.4	8.2	112.6	4	1212
	13 LST	6.6	4.5	5.7	11.3	22.7	19.1	19.8	12.9	12.2	7.8	6.7	8.6	137.9	4	1070
	19 LST	10.6	8.5	8.2	12.7	18.1	19.1	19.5	15.1	13.1	17.1	12.3	11.3	165.6	4	1173
	01 LST	11.0	7.1	7.3	12.2	21.7	17.4	17.0	18.5	12.4	15.5	14.4	9.9	164.4	4	1080
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	4.9	3.4	2.9	5.6	14.6	14.7	18.8	16.4	8.4	9.6	4.4	8.2	111.9	4	1212
	13 LST	6.0	4.5	5.1	11.3	22.7	19.1	19.8	12.9	11.4	7.8	6.7	8.6	135.9	4	1070
	19 LST	10.6	7.9	8.2	12.7	18.1	19.1	19.5	15.1	13.1	17.1	12.3	11.3	165.0	4	1173
	01 LST	11.0	7.1	6.6	12.2	21.7	17.4	17.0	18.5	11.6	15.5	13.7	9.9	162.2	4	1080

DONGHOI, NORTH VIETNAM

STA NO. 48848 (IN AREA NUMBER 04)

LATITUDE 1729N

LONGITUDE 10636E

ELEVATION(FT) 00016

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. DBS
ABS MAX TMP (F)	94	99	103	106	108	107	106	107	106	99	95	85	108	46	-159
MEAN MAX TMP (F)	72	73	77	84	91	94	94	93	88	83	78	73	83	46	-159
MEAN MIN TMP (F)	63	64	67	72	77	80	80	79	76	72	68	64	72	46	-159
ABS MIN TMP (F)	46	46	51	53	59	69	69	72	65	61	54	50	46	46	-159
MEAN NO DYS TMP = OR GTR 90(F)				1.3	21.0	27.3	28.3	26.3	11.2	0.0		0.0		46	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	46	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	46	-29
MEAN DEW PT TMP (F)	65	66	69	74	78	76	77	76	77	73	69	59	72	34	-29
MEAN REL HUM (PCT)	85	90	90	87	83	73	74	75	86	86	88	75	83	11	-159
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	2.60	1.70	1.80	2.10	4.30	3.20	3.60	5.50	16.60	21.40	14.20	5.30	82.3	47	-159
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	46	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	4.6	3.3	3.7	4.1	5.5	7.6	8.1	10.1	16.6	17.9	15.5	7.0	104.0	47	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	46	-29
MEAN NO DYS W/OCCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	1.0	6.0	4.0	15.0	5.0	4.0	6.0	9.0	3.0	0.0	0.0	53.0	3	-159
P FREQ WND SPD = OR GTR 17 KTS	5.0	3.9	3.3	1.6	1.4	2.8	5.7	2.1	3.0	7.0	6.6	8.0	4.2	11	14547
P FREQ WND SPD = OR GTR 24 KTS	0.0	0.0	0.1	0.0	0.0	0.1	0.2	0.2	0.5	1.0	0.1	0.3	0.2	11	14547
P FREQ LES 5000 FT A/D LES 5 MI	74.6	78.6	77.0	56.0	28.4	26.5	21.3	19.4	35.2	51.1	56.8	61.5	48.9	12	10486
P FREQ LES 1900 FT A/D LES 3 MI															
FOR 00-02 LST	16.4	25.2	28.6	15.8	5.9	3.7	4.2	1.6	10.7	16.8	20.7	16.2	13.8	7	1496
03-05 LST	26.7	34.7	41.6	27.0	5.6	5.3	3.0	3.8	8.2	19.1	13.7	20.0	17.4	9	871
06-08 LST	24.8	36.3	49.4	37.1	8.4	4.8	4.7	3.7	9.9	21.6	22.8	20.1	20.3	13	2744
09-11 LST	23.8	33.1	34.5	21.9	5.2	3.9	3.8	4.5	11.1	17.2	23.3	25.0	17.3	11	1629
12-14 LST	21.6	26.8	22.1	13.3	4.5	3.1	3.9	2.0	12.4	17.2	19.1	16.5	13.5	12	2463
15-17 LST	13.3	14.5	23.8	14.4	3.8	3.4	3.8	2.2	5.2	29.0	13.6	11.8	11.2	9	1288
18-20 LST	19.4	25.5	25.8	14.0	4.0	4.0	2.0	2.3	9.5	16.4	22.3	16.4	13.7	13	2570
21-23 LST	16.4	28.3	25.2	18.4	6.6	5.5	3.7	2.8	10.3	13.3	16.7	15.1	13.5	6	1231
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.0	0.8	1.5	0.0	0.0	0.0	0.0	0.0	0.9	1.6	1.7	0.0	0.5	7	1496
03-05 LST	8.1	8.3	16.9	9.6	1.1	0.0	0.0	1.3	0.0	6.4	0.0	6.2	4.8	9	871
06-08 LST	5.3	9.3	14.5	11.2	1.7	0.0	0.4	0.0	0.5	2.3	2.7	3.0	4.2	13	2744
09-11 LST	1.9	2.7	2.0	2.9	0.7	1.3	0.0	0.7	1.9	2.6	1.6	6.8	2.1	11	1629
12-14 LST	2.2	1.5	1.8	0.0	0.5	0.4	0.0	0.0	1.0	2.2	1.1	1.9	1.1	12	2463
15-17 LST	1.2	1.2	2.4	0.7	0.0	0.0	0.0	0.0	0.0	6.0	1.5	2.9	1.3	9	1288
18-20 LST	2.4	1.0	1.7	2.2	0.4	0.4	0.0	0.0	1.0	1.5	1.0	3.2	1.2	13	2570
21-23 LST	0.0	1.0	0.0	0.9	0.0	0.0	0.0	0.9	0.0	0.0	0.0	1.2	0.3	6	1231


DONGHOI, NORTH VIETNAM

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	26.9	21.7	20.8	22.5	29.8	29.7	30.7	31.0	29.1	28.7	27.1	28.7	326.7	11	2764
	13 LST	27.6	24.9	28.1	28.4	30.3	29.7	30.8	30.7	28.5	28.6	28.3	28.9	344.8	10	2463
	19 LST	28.1	25.6	26.9	28.2	30.7	29.6	31.0	30.9	29.1	29.3	26.7	28.7	344.8	11	2570
	01 LST	30.2	26.4	26.6	29.3	30.8	30.0	31.0	31.0	28.9	30.0	27.8	29.4	351.4	6	1496
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	20.9	19.3	19.9	21.8	28.5	27.6	26.9	29.4	27.8	25.5	23.5	23.8	296.9	11	2744
	13 LST	18.3	18.5	21.2	21.4	20.9	19.3	18.4	22.2	22.7	20.3	21.1	18.2	242.5	10	2448
	19 LST	21.0	21.1	22.5	25.0	26.9	27.6	25.3	28.0	25.0	23.5	23.1	22.1	291.1	11	2557
	01 LST	22.9	22.8	24.4	28.6	30.1	27.5	26.6	28.5	26.2	24.1	23.6	23.2	308.5	6	1492
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.7	0.5	0.3	0.1	0.3	0.3	0.7	0.3	0.3	1.0	1.1	1.0	6.6	11	2800
	13 LST	1.2	0.7	1.0	0.6	0.6	2.0	2.8	1.4	0.6	1.2	1.5	2.1	15.7	10	2501
	19 LST	0.6	1.1	1.3	0.0	1.0	0.5	1.0	0.1	0.2	1.1	0.9	1.5	10.1	11	2598
	01 LST	0.5	0.0	0.2	0.0	0.4	0.5	1.5	0.0	0.0	2.0	1.0	0.3	6.2	6	1510
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	9.9	8.7	7.0	6.6	10.2	11.2	13.5	11.0	5.8	8.4	8.5	10.6	111.4	11	2779
	13 LST	15.3	14.1	16.8	16.8	11.6	4.3	3.5	6.2	10.9	13.5	15.1	14.7	142.8	10	2477
	19 LST	13.0	11.8	13.7	15.2	14.5	12.5	15.7	14.0	12.4	13.3	13.3	12.9	162.3	11	2585
	01 LST	9.7	11.1	10.6	7.4	9.5	14.4	12.2	13.6	9.6	12.7	11.2	10.7	132.7	6	1510
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	2.3	0.9	1.8	2.4	3.4	2.4	6.0	3.1	3.5	5.2	3.6	3.2	37.8	11	2809
	13 LST	5.6	6.0	6.7	10.6	5.4	2.8	4.4	3.6	3.0	6.2	6.6	5.7	66.6	10	2513
	19 LST	6.5	4.7	4.7	8.2	4.8	2.9	5.2	3.0	3.4	8.9	6.2	6.8	65.3	11	2606
	01 LST	7.9	6.3	4.2	10.5	7.9	4.5	9.1	4.8	2.9	10.3	7.4	8.9	84.7	6	1515
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	17.8	13.6	11.5	15.5	23.8	24.9	27.0	27.3	23.3	18.5	18.2	19.0	240.4	11	2764
	13 LST	19.4	15.5	17.9	22.8	27.7	26.8	27.7	26.4	22.7	26.6	18.7	20.3	272.5	10	2463
	19 LST	21.0	15.3	13.3	23.8	25.6	26.1	28.6	28.3	24.3	21.6	19.4	20.1	267.4	11	2570
	01 LST	21.1	15.4	16.2	21.2	26.0	26.0	26.9	28.5	22.8	19.7	17.7	20.8	262.3	6	1496
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	4.7	2.9	4.1	8.6	21.3	19.5	23.0	22.3	18.2	13.8	10.3	8.1	156.8	11	2764
	13 LST	10.0	8.8	11.3	19.4	23.9	24.3	26.2	25.1	19.5	17.9	13.3	13.2	214.9	10	2463
	19 LST	8.6	6.2	8.5	15.5	20.7	22.4	25.7	24.8	21.0	16.9	17.3	11.0	198.8	11	2570
	01 LST	9.9	8.0	7.9	16.1	21.3	22.1	23.4	25.0	18.5	15.4	11.9	13.8	193.3	6	1496
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	4.7	2.9	3.8	8.3	21.3	19.5	23.0	22.3	17.9	13.5	10.0	7.9	155.1	11	2764
	13 LST	9.7	8.8	10.7	19.4	25.9	24.3	26.2	25.1	19.5	17.9	12.7	12.6	212.8	10	2463
	19 LST	8.0	5.9	8.3	15.2	20.7	22.4	25.7	24.8	20.7	16.9	12.7	10.4	191.7	11	2570
	01 LST	9.9	7.5	7.2	16.1	20.4	22.1	22.8	25.0	18.5	14.9	11.4	13.3	189.1	6	1496

AREA NO. 04

PARAMETER DESCRIPTION	VIETNAM(NORTH)		SOUTHERN COAST		LATITUDE 1800N		LONGITUDE 10600E							ANN								
	BOUNDARIES		1850N 10543E	1850N 10442E					JAN	FEB	MAR	APR	MAY		JUN	JUL	AUG	SEP	OCT	NOV	DEC	
MEAN MAX TMP (F)			70	71	75	82	90	93	94	93	87	83	77	72	82							
MEAN MIN TMP (F)			60	62	66	71	76	79	79	78	76	72	67	63	71							
LARGEST MEAN PRECIP(IN)			2.79	1.90	3.47	2.61	5.40	9.65	5.60	8.02	17.92	21.40	14.20	6.67	99.6							
SMALLEST MEAN PRECIP(IN)			2.20	1.70	1.80	2.10	3.85	3.20	3.60	5.50	16.60	14.20	7.90	3.10	65.8							
MEAN NUMBER OF DAYS																						
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST		27.3	21.8	22.3	24.1	30.1	29.6	30.6	30.7	28.5	28.7	26.5	27.8	328.0							
	13 LST		29.2	25.9	29.4	29.2	30.4	29.8	30.8	30.7	28.9	29.4	28.5	29.8	352.0							
	19 LST		29.3	26.0	28.6	28.9	30.8	29.7	30.8	30.7	28.9	29.9	28.2	29.7	351.5							
	01 LST		30.0	26.3	28.4	29.0	30.6	29.7	30.5	30.7	28.7	30.3	28.8	29.8	352.8							
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	07 LST		24.0	20.2	21.7	23.7	29.5	28.4	28.6	29.8	27.1	26.3	24.3	25.2	308.8							
	13 LST		23.6	22.1	26.0	25.9	25.5	24.0	23.1	26.7	24.5	23.8	24.2	23.4	292.8							
	19 LST		26.3	23.9	26.7	27.3	28.4	27.7	27.0	29.0	26.7	26.5	26.5	26.4	322.8							
	01 LST		26.1	24.7	27.3	28.5	29.9	28.0	28.4	28.7	27.1	26.5	25.9	26.4	327.5							
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST		0.5	0.2	0.1	0.0	0.1	0.2	0.4	0.1	0.2	0.4	0.4	0.4	3.0							
	13 LST		0.6	0.2	0.3	0.4	0.3	1.0	1.3	0.6	0.2	0.9	0.6	0.8	7.2							
	19 LST		0.2	0.4	0.4	0.3	0.3	0.2	0.3	0.0	0.1	0.5	0.4	0.6	3.7							
	01 LST		0.2	0.0	0.1	0.0	0.1	0.2	0.6	0.0	0.1	0.8	0.4	0.2	2.7							
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST		10.4	5.9	5.3	5.8	9.6	10.7	11.9	9.4	6.3	9.2	7.6	10.1	102.2							
	13 LST		16.2	14.1	18.0	19.9	12.6	5.4	4.2	6.9	12.0	15.3	15.6	16.1	156.3							
	19 LST		13.1	10.4	14.2	15.3	15.6	12.6	16.5	13.7	10.3	9.5	9.6	12.1	152.9							
	01 LST		8.1	7.1	7.8	6.9	7.1	10.7	12.5	9.1	6.8	8.3	8.2	9.0	101.6							
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST		2.8	1.0	1.6	2.5	3.2	2.2	4.7	3.1	7.0	4.7	2.5	3.6	33.9							
	13 LST		5.2	3.6	4.7	8.1	6.2	2.4	4.8	2.8	2.1	3.8	3.0	4.7	51.4							
	19 LST		8.9	5.7	6.1	8.2	6.0	2.5	5.3	2.1	3.4	9.0	8.3	9.4	75.8							
	01 LST		8.9	5.3	4.6	9.8	11.9	6.1	9.8	6.1	3.8	10.3	8.0	9.3	94.1							
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST		18.8	15.2	12.1	15.7	23.3	25.1	26.9	26.5	20.3	17.5	17.6	19.5	238.5							
	13 LST		19.4	14.2	14.9	20.3	26.2	25.6	26.5	24.2	21.1	19.0	16.6	19.3	247.3							
	19 LST		21.7	17.4	16.5	21.6	25.1	25.3	27.8	26.4	22.6	21.3	21.1	22.6	249.4							
	01 LST		22.1	18.6	19.5	22.4	27.2	26.5	26.6	27.9	22.3	20.6	21.2	22.7	277.6							
CIG = GTR 6000 FT AND VSPY = GTR 3 MI	07 LST		4.7	2.5	3.3	7.4	18.2	18.3	21.5	20.3	13.3	11.1	6.6	8.2	135.4							
	13 LST		8.5	6.1	7.4	15.0	23.7	22.2	23.8	19.8	16.4	11.7	8.6	11.0	174.2							
	19 LST		10.3	7.3	8.4	13.9	19.8	21.3	23.2	21.0	17.2	16.8	14.5	13.0	186.7							
	01 LST		10.1	6.4	6.8	14.2	21.9	20.1	21.5	22.7	15.7	14.7	12.6	12.1	178.8							
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST		4.7	2.5	3.2	7.3	18.2	18.3	21.5	20.3	13.2	10.8	6.3	8.2	134.5							
	13 LST		8.2	6.1	7.0	14.8	23.7	22.0	23.6	19.8	16.1	11.7	8.4	10.8	172.2							
	19 LST		10.0	7.0	8.4	13.8	19.8	21.3	23.2	21.0	17.1	16.8	13.0	12.8	184.2							
	01 LST		10.1	6.2	6.3	14.2	21.6	20.1	20.9	22.3	15.4	14.5	12.2	11.9	175.9							



SOUTH VIETNAM

RACH-GIA, SOUTH VIETNAM

STA NO. 48907 (IN AREA NUMBER 01)

LATITUDE 1000N

LONGITUDE 10505E

ELEVATION(FT) 00010

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	95	95	97	99	99	93	93	91	90	91	91	91	99	10	2933
MEAN MAX TMP (F)	88	90	92	93	90	87	86	85	85	87	87	87	88	10	2933
MEAN MIN TMP (F)	70	71	74	77	78	79	79	79	79	78	76	73	76	10	2655
ABS MIN TMP (F)	61	63	64	68	73	68	68	72	70	68	68	66	61	10	2655
MEAN NO DYS TMP = DR GTR 90(F)	11.6	16.1	23.8	25.4	17.9	8.3	5.8	3.4	3.2	8.6	8.3	8.6	141.0	10	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN DEW PT TMP (F)	69	70	73	76	78	78	77	77	77	77	75	72	73	10	-29
MEAN REL HUM (PCT)	73	73	74	76	83	85	85	86	85	84	81	78	80	10	18293
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.40	0.30	1.40	3.70	8.70	10.00	11.80	12.10	11.90	10.90	6.70	1.70	79.2	46	-156
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	0.9	0.7	3.1	5.3	5.2	14.3	15.8	16.0	14.1	13.1	10.0	3.3	101.8	46	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	1.8	0.0	0.0	3.5	2	151
MEAN NO DYS TSTMS	0.0	1.0	6.0	13.0	25.0	11.0	11.0	8.0	8.0	12.0	8.0	1.0	104.0	11	-156
P FREQ WND SPD = DR GTR 17 KTS	1.9	1.9	1.4	1.4	3.5	10.4	8.7	10.2	7.9	1.7	0.5	1.3	4.2	10	18259
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.1	0.0	0.0	0.0	10	18259
P FREQ LES 5000 FT A/D LES 5 MI	19.9	21.6	26.0	26.7	19.5	18.4	20.4	20.8	21.5	21.1	19.4	16.4	21.0	10	16242
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	0.0	1.8	1.2	1.4	7.6	6.0	8.5	12.1	16.5	12.5	4.2	2.6	6.2	5	768
03-05 LST	4.9	7.6	5.3	1.9	7.2	13.1	14.7	22.1	16.5	10.6	4.5	2.0	9.2	10	1890
06-08 LST	12.5	15.6	17.8	14.8	7.5	11.2	15.0	13.9	15.3	12.3	6.9	8.0	12.6	10	3240
09-11 LST	4.5	2.6	4.7	2.4	9.1	11.7	10.5	16.2	14.9	11.4	8.7	9.3	8.8	10	2783
12-14 LST	3.1	1.3	1.2	3.2	7.6	8.9	11.3	7.9	14.2	9.0	7.8	3.3	6.6	10	3063
15-17 LST	1.1	1.2	2.7	6.6	12.3	8.3	11.3	8.9	9.8	7.4	7.1	3.2	6.7	10	3142
18-20 LST	1.6	3.0	3.4	6.1	9.7	8.1	10.5	14.8	14.0	15.1	11.4	1.9	8.3	10	2971
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.0	3.0	2.0	0.0	1.7	0.0	1.9	0.0	0.0	0.7	5	768
03-05 LST	2.5	3.5	2.4	1.9	1.1	5.0	5.1	8.3	2.9	4.2	0.6	0.0	3.1	10	1890
06-08 LST	9.5	11.5	13.2	7.2	2.9	4.6	2.8	3.2	2.2	2.8	0.4	2.8	5.3	10	3240
09-11 LST	0.0	0.0	0.0	0.0	1.7	2.3	2.7	4.8	4.1	2.5	0.4	0.0	1.5	10	2783
12-14 LST	0.0	0.0	0.0	0.0	2.0	2.0	2.7	0.7	3.1	2.7	1.2	0.4	1.2	10	3063
15-17 LST	0.0	0.0	0.0	2.0	5.0	2.8	3.4	1.5	1.6	1.8	2.2	0.0	1.7	10	3142
18-20 LST	0.4	0.0	0.8	1.7	1.6	2.0	1.6	3.2	3.3	2.3	4.7	0.0	1.8	10	2971
21-23 LST														0	0

RACH-GIA, SOUTH VIETNAM

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	27.6	23.9	26.1	26.5	29.5	28.0	28.5	28.0	27.2	28.7	29.5	29.2	332.7	10	3240
	13 LST	30.9	27.9	31.0	29.8	29.8	28.1	28.5	29.4	27.2	29.7	29.1	30.8	392.2	10	3063
	19 LST	30.9	27.5	30.7	29.5	29.0	28.3	28.7	27.2	27.0	27.4	27.4	30.8	344.4	10	2971
	01 LST	31.0	28.0	31.0	30.0	29.1	28.8	29.9	28.4	25.5	27.7	29.1	31.0	349.5	4	768
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND #5 10 KTS	07 LST	27.0	23.2	25.8	26.3	28.0	21.6	22.4	21.8	22.3	27.3	29.1	28.9	303.3	10	3237
	13 LST	22.9	21.1	24.9	25.7	25.4	14.2	19.1	18.1	16.5	26.0	25.9	26.0	265.8	10	3061
	19 LST	30.0	23.6	23.1	22.1	23.9	15.1	18.8	16.4	16.7	24.7	26.7	29.0	272.1	10	2967
	01 LST	29.7	27.1	30.6	28.4	27.2	21.2	22.4	21.0	19.9	26.5	29.1	30.2	313.3	4	768
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.0	0.0	0.0	0.0	0.4	0.8	1.3	1.5	1.0	0.2	0.0	0.0	5.2	10	3304
	13 LST	1.1	0.7	0.6	0.6	0.7	4.0	2.5	2.5	2.5	0.5	0.2	0.9	16.8	10	3115
	19 LST	0.0	0.5	0.6	0.8	0.8	2.8	2.4	3.1	1.5	0.4	0.0	0.2	13.1	10	3009
	01 LST	0.0	0.0	0.0	0.0	0.9	3.5	2.1	1.0	1.8	0.0	0.0	0.0	9.3	4	779
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	9.0	8.3	8.5	8.1	9.9	12.0	13.0	12.8	15.2	7.1	7.7	9.4	121.0	10	3303
	13 LST	16.3	11.2	8.5	5.0	8.9	11.0	14.8	14.6	13.5	16.3	18.4	20.5	159.0	10	3115
	19 LST	15.6	18.7	20.2	16.7	15.4	12.8	15.6	12.7	15.4	11.1	7.1	8.0	169.3	10	3009
	01 LST	14.2	16.8	19.1	14.2	13.0	17.1	18.6	11.7	13.7	5.7	5.7	7.9	157.7	4	779
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	1.6	1.8	1.8	0.7	0.8	0.3	1.0	1.0	0.4	0.4	1.5	2.1	13.4	10	3289
	13 LST	1.8	1.6	1.3	1.5	0.7	0.6	0.9	0.9	0.6	0.4	0.8	3.3	14.4	10	3115
	19 LST	6.4	3.9	3.3	0.9	0.1	0.1	0.2	0.0	0.2	0.4	1.4	4.9	21.8	10	2999
	01 LST	1.3	1.4	0.4	0.8	0.9	0.0	0.5	0.0	0.0	0.0	0.0	2.4	7.7	4	780
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	26.3	23.1	24.8	24.4	27.7	25.2	24.2	25.1	23.8	25.9	26.3	27.5	304.3	10	3240
	13 LST	25.8	23.4	26.2	24.5	26.3	26.6	25.9	27.5	24.2	25.7	24.1	26.7	306.9	10	3063
	19 LST	29.8	26.6	28.6	26.3	26.7	26.7	26.8	25.5	24.9	25.3	25.7	29.8	322.7	9	2971
	01 LST	29.7	27.5	30.3	29.2	28.6	28.2	27.3	25.7	25.1	27.1	28.3	29.4	336.4	3	768
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	22.6	19.2	20.7	22.4	27.1	24.8	23.6	24.5	23.5	25.2	24.4	24.2	282.2	10	3240
	13 LST	20.2	16.3	16.8	16.9	24.3	26.3	25.2	27.1	24.1	24.7	21.7	23.7	267.3	10	3063
	19 LST	27.8	24.9	25.9	25.3	25.9	26.3	26.5	25.4	24.9	25.1	24.3	27.8	310.1	9	2971
	01 LST	25.8	25.2	25.9	27.6	27.7	28.2	26.7	24.7	24.0	26.8	26.1	27.8	310.5	3	768
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	21.0	18.5	20.1	22.3	26.8	24.7	23.6	24.5	23.3	25.0	24.1	23.3	277.2	10	3240
	13 LST	20.2	16.2	16.7	16.9	24.3	26.3	25.2	26.9	24.1	24.6	21.5	23.6	266.5	10	3063
	19 LST	27.4	24.7	25.9	25.3	25.9	26.3	26.4	25.4	24.9	25.1	24.2	27.7	309.2	9	2971
	01 LST	24.6	24.7	25.9	27.2	27.7	28.2	26.7	24.7	24.0	26.8	26.1	27.0	313.6	3	768

AN XUYEN, SOUTH VIETNAM

STA NO. 48914 (IN AREA NUMBER 01)

LATITUDE 0910N

LONGITUDE 10510E

ELEVATION(FT) 00010

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	90	97	99	99	99	95	95	91	95	90	90	90	99	8	2415
MEAN MAX TMP (F)	86	88	90	92	91	91	88	87	86	86	86	86	88	8	2415
MEAN MIN TMP (F)	70	71	72	74	76	77	77	76	77	76	75	73	75	8	2710
ABS MIN TMP (F)	59	57	64	66	70	68	72	70	70	68	68	74	57	8	2710
MEAN NO DYS TMP = DR GTR 90(F)	5.8	10.4	17.9	23.0	21.0	20.3	11.6	8.6	5.6	5.8	5.6	5.8	141.4	8	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-29
MEAN DEW PT TMP (F)	70	71	73	75	78	80	78	78	77	76	76	74	76	8	-29
MEAN REL HUM (PCT)	79	78	78	79	85	87	87	88	86	86	86	83	84	8	15469
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.17	0.57	0.96	3.99	10.56	11.96	13.28	17.38	12.56	13.42	5.56	2.48	92.9	8	2586
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	0.4	1.2	2.3	5.4	6.0	15.9	16.9	19.5	14.5	15.0	8.9	4.4	110.4	8	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.2	0.2	1.2	5.1	11.2	5.1	6.3	2.7	3.5	4.3	1.1	0.4	41.3	8	2500
P FREQ WND SPD = DR GTR 17 KTS	3.9	13.7	8.3	2.2	0.3	0.4	0.6	0.7	0.8	1.2	0.6	1.3	2.8	8	15448
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	15448
P FREQ LES 5000 FT A/D LES 5 MI	36.7	32.3	48.4	51.6	45.0	37.2	41.0	36.8	37.7	40.0	38.0	39.8	40.4	3	15040
P FREQ LES 1500 FT A/D LES 3 MI															
FDR 00-02 LST	33.3	4.5	25.9	52.4	37.0	12.1	19.5	6.0	15.1	18.5	4.0	10.4	19.9	3	570
03-05 LST	14.4	25.2	27.9	46.8	31.2	13.9	15.6	13.0	11.4	13.5	8.5	14.8	19.7	8	1747
06-08 LST	21.9	22.4	39.9	52.4	29.9	9.8	17.7	13.3	14.6	14.5	9.9	16.9	21.9	8	2735
09-11 LST	2.2	3.3	4.3	2.8	6.0	11.5	9.8	15.0	13.4	13.5	9.7	6.3	8.2	8	2414
12-14 LST	2.0	1.5	0.4	4.3	17.0	12.9	17.2	18.2	17.7	12.3	11.8	5.9	10.1	8	2671
15-17 LST	1.4	3.5	1.2	4.8	13.3	12.8	13.7	16.1	16.0	17.0	12.7	7.9	10.0	8	2451
18-20 LST	0.7	1.4	2.0	3.9	6.8	6.1	7.1	9.1	9.1	11.2	3.5	4.7	5.6	8	2452
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	11.7	0.0	13.5	21.0	24.1	3.7	1.7	2.0	5.5	8.1	0.0	0.0	7.6	3	570
03-05 LST	9.2	18.0	22.7	35.1	18.4	4.2	3.3	3.4	1.4	8.6	0.7	11.7	11.4	8	1747
06-08 LST	15.7	20.0	36.0	43.3	19.2	3.7	8.0	4.1	4.1	5.1	1.6	8.9	14.1	8	2735
09-11 LST	0.0	0.0	0.0	0.0	0.5	2.2	1.5	1.1	0.9	1.4	0.4	0.0	0.7	8	2414
12-14 LST	0.0	0.0	0.0	0.0	3.2	0.5	0.5	1.4	2.5	2.9	1.3	0.0	1.0	8	2671
15-17 LST	0.0	0.0	0.0	0.0	1.4	1.0	1.4	1.3	1.0	0.9	0.0	0.5	0.6	8	2451
18-20 LST	0.5	0.0	0.0	1.0	1.0	0.0	0.5	1.0	0.9	2.6	0.0	0.4	0.7	8	2452
21-23 LST														0	0

AN XUYEN, SOUTH VIETNAM

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	24.3	22.1	18.9	14.5	22.5	27.8	26.6	28.2	26.4	27.7	27.9	26.3	293.2	8	2735
	13 LST	31.0	27.9	31.0	29.9	29.0	28.9	29.6	28.6	27.2	29.0	29.0	30.7	351.8	8	2671
	19 LST	30.8	27.8	30.7	29.5	30.1	29.1	30.6	29.9	28.6	28.8	29.5	30.5	355.9	8	2452
	01 LST	20.7	28.0	23.3	14.5	19.5	26.7	28.4	29.1	25.9	25.5	29.4	28.4	299.4	3	570
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	07 LST	23.6	21.2	18.0	14.0	22.5	27.5	26.3	28.2	26.2	27.3	27.4	25.5	287.7	8	2734
	13 LST	16.5	11.0	16.8	20.0	23.9	23.1	24.0	21.1	21.4	23.5	21.5	21.3	244.1	8	2669
	19 LST	29.5	21.2	25.2	26.6	29.9	28.2	30.0	29.4	27.8	27.5	28.2	29.1	332.6	8	2448
	01 LST	17.2	22.9	20.9	14.5	18.9	26.7	28.4	28.5	25.5	25.5	29.4	27.1	285.5	3	570
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.1	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.5	8	2769
	13 LST	3.8	8.7	5.7	1.6	0.1	0.1	0.4	0.3	0.3	0.4	0.5	0.9	22.8	3	2690
	19 LST	0.0	0.6	0.5	0.5	0.0	0.0	0.0	0.2	0.1	0.1	0.0	0.1	2.1	8	2478
	01 LST	2.5	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	3	582
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	12.7	11.2	9.4	5.9	7.2	6.3	7.2	7.2	8.9	10.1	12.0	12.6	110.7	8	2768
	13 LST	14.6	7.4	5.0	2.0	9.4	9.5	13.8	14.3	12.8	16.5	16.4	16.6	138.3	8	2689
	19 LST	24.5	18.0	17.5	17.5	12.0	15.5	15.2	17.9	15.5	15.2	16.8	18.7	204.3	8	2478
	01 LST	13.8	17.8	8.8	1.0	3.4	6.1	9.2	8.0	7.0	3.5	9.8	7.8	96.2	3	582
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	5.5	3.4	3.2	1.9	1.3	2.2	0.7	0.4	1.1	1.7	3.3	2.2	26.9	8	2763
	13 LST	1.1	1.0	1.0	1.0	0.1	0.0	0.4	0.0	0.4	0.3	0.5	0.5	6.3	8	2689
	19 LST	4.9	4.0	4.1	2.8	0.6	0.2	0.1	0.2	0.3	0.7	2.2	3.0	23.1	8	2473
	01 LST	0.0	0.0	7.0	1.0	0.0	0.0	0.5	0.0	0.0	1.0	0.6	0.0	10.1	3	577
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	23.8	20.9	18.3	13.8	21.0	25.9	24.2	25.2	24.7	25.0	25.5	24.8	273.1	9	2735
	13 LST	23.3	22.3	24.6	21.4	19.5	21.4	19.8	20.7	20.4	21.5	21.2	22.9	259.0	8	2671
	19 LST	29.8	26.9	29.4	26.8	27.6	26.9	26.8	26.3	25.6	26.2	26.8	27.6	326.7	8	2452
	01 LST	19.0	25.5	22.7	13.8	19.5	26.1	26.8	29.1	26.3	24.8	27.9	26.5	288.0	3	570
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	19.2	17.4	16.5	13.2	20.1	24.5	22.2	24.4	23.6	22.8	22.7	19.6	246.2	8	2735
	13 LST	16.4	16.1	15.8	13.3	15.7	19.0	17.1	18.2	18.1	19.5	18.4	17.2	204.8	8	2671
	19 LST	27.9	24.8	26.8	23.6	26.1	25.9	25.5	25.2	24.1	25.0	25.0	23.7	303.6	8	2452
	01 LST	13.8	22.9	22.1	13.1	18.9	26.1	26.8	28.5	24.2	23.5	26.9	23.3	270.1	3	570
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	18.8	17.2	16.5	13.2	20.1	24.4	22.2	24.4	23.6	22.8	22.5	19.5	245.2	8	2735
	13 LST	16.4	16.1	15.7	13.3	15.7	19.0	17.0	18.2	17.9	19.4	18.4	16.8	203.9	8	2671
	19 LST	27.8	23.8	26.6	23.6	26.1	25.9	25.5	25.1	24.3	25.0	25.0	23.7	302.1	8	2452
	01 LST	13.8	22.9	22.1	13.1	18.9	26.1	26.8	28.5	24.2	23.5	26.9	23.3	270.1	3	570

CON SON, SOUTH VIETNAM

STA NO. 48918 (IN AREA NUMBER 01)

LATITUDE 0842N

LONGITUDE 10635E

ELEVATION(PT) 00016

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	92	93	93	94	95	93	100	97	93	95	90	88	100	27	-156
MEAN MAX TMP (F)	82	83	85	88	88	87	86	86	86	85	84	82	85	22	-156
MEAN MIN TMP (F)	75	75	76	78	78	78	77	77	77	76	76	76	77	22	-156
ABS MIN TMP (F)	64	66	66	68	72	63	64	68	68	68	66	64	63	27	-156
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	3.4	11.2	11.8	8.3	5.8	5.8	5.6	3.4	1.3	0.0	56.4	22	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	27	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	27	-29
MEAN DEW PT TMP (F)	70	71	73	75	75	75	74	74	75	74	74	71	73	20	-29
MEAN REL HUM (PCT)	78	79	79	78	79	79	80	80	81	83	82	79	80	17	25449
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.60	0.20	0.30	1.50	8.90	12.20	10.30	12.50	13.30	12.00	8.00	2.90	82.7	28	-156
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	27	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	1.3	0.5	0.9	3.2	5.3	16.1	14.6	16.3	15.0	14.2	11.2	4.9	103.5	28	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	27	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	0.0	1.0	8.0	7.0	5.0	3.0	4.0	3.0	1.0	0.0	32.0	17	-156
P FREQ WND SPD = DR GTR 17 KTS	12.6	11.7	4.9	0.9	1.6	5.1	4.9	6.3	3.8	2.5	5.9	11.3	6.0	16	25482
P FREQ WND SPD = DR GTR 28 KTS	0.9	0.1	0.3	0.0	0.1	0.1	0.4	0.2	0.0	0.0	0.1	0.5	0.2	16	25482
P FREQ LES 5000 FT A/D LES 5 MI	41.2	42.5	33.6	21.2	21.7	26.6	27.4	30.6	34.2	35.4	42.3	40.7	33.1	17	19847
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	16.0	16.3	6.8	1.3	2.9	7.3	4.5	3.5	10.2	9.1	8.5	7.9	7.9	4	775
03-05 LST	17.6	12.6	12.5	4.8	5.5	7.0	4.7	8.8	10.0	13.0	13.5	13.1	10.3	16	2474
06-08 LST	19.8	20.3	17.8	9.5	7.3	9.9	9.0	9.2	13.6	13.3	19.2	20.3	14.1	17	4522
09-11 LST	13.7	14.8	12.2	7.7	9.4	8.1	7.1	11.5	12.6	12.3	12.5	12.7	11.2	16	3450
12-14 LST	11.3	11.0	8.9	5.6	10.2	9.5	10.2	10.7	12.8	16.2	15.1	13.4	11.2	17	4216
15-17 LST	8.4	10.9	6.9	2.5	4.8	8.0	8.0	11.2	14.4	12.5	13.2	11.3	9.3	16	3790
18-20 LST	8.3	8.1	6.3	3.5	4.9	9.7	6.4	10.5	9.2	9.3	8.6	11.3	8.0	17	4759
21-23 LST	4.2	12.3	5.4	2.6	1.4	5.1	2.5	4.9	4.5	6.9	5.1	6.3	5.1	4	1016
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.0	2.4	0.0	0.0	0.0	0.0	0.0	0.0	0.2	4	775
03-05 LST	0.0	0.0	0.4	0.5	0.5	0.5	0.0	0.0	0.0	1.0	0.0	0.5	0.3	16	2474
06-08 LST	0.5	0.3	1.3	0.3	0.8	0.3	0.3	0.3	0.8	0.3	0.0	0.8	0.5	17	4522
09-11 LST	0.0	0.0	0.3	0.0	1.1	0.0	0.3	0.7	0.0	0.0	0.0	0.3	0.2	16	3450
12-14 LST	0.3	0.3	0.0	0.0	1.4	0.6	1.1	0.8	0.6	0.9	0.0	0.5	0.5	17	4216
15-17 LST	0.0	0.0	0.0	0.0	0.6	0.0	0.3	0.6	0.6	0.0	0.0	0.3	0.2	16	3790
18-20 LST	0.0	0.3	0.0	0.0	0.8	0.3	0.5	0.9	0.2	0.3	0.3	0.0	0.3	17	4759
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	1016

CON SON, SOUTH VIETNAM

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	20.4	27.8	30.3	29.9	30.3	29.0	30.4	29.8	28.9	30.0	29.7	29.9	356.4	16	4522
	13 LST	30.6	27.8	31.0	29.9	29.9	29.1	29.7	30.1	29.0	29.3	29.1	30.2	355.7	16	4216
	19 LST	30.8	27.8	30.9	30.0	30.4	29.4	30.6	29.8	29.3	30.2	29.3	30.5	359.0	16	4759
	01 LST	31.0	27.4	31.0	30.0	31.0	29.3	31.0	30.6	29.4	30.1	30.0	31.0	361.8	3	775
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	18.4	17.9	23.3	28.4	28.9	25.6	25.5	25.2	24.4	27.2	24.1	16.3	285.2	16	4499
	13 LST	17.2	15.0	21.6	26.9	26.6	21.2	22.4	21.9	22.5	26.3	21.8	14.9	258.3	16	4192
	19 LST	19.2	18.7	24.6	27.5	28.8	23.4	22.2	22.5	24.6	26.9	22.7	17.3	279.4	16	4755
	01 LST	23.3	11.8	22.2	28.0	28.8	23.4	26.8	27.4	23.9	28.5	27.9	18.8	290.8	3	775
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	4.1	3.2	1.4	0.1	0.1	0.8	1.0	1.4	0.5	0.3	1.2	3.5	17.6	16	4592
	13 LST	3.6	3.9	1.9	0.4	0.5	1.8	1.5	1.4	0.9	0.4	1.5	3.3	21.1	16	4285
	19 LST	5.0	3.7	2.0	0.5	0.4	0.9	1.4	2.2	1.0	1.2	1.7	4.6	24.6	16	4803
	01 LST	1.3	5.0	0.4	0.0	0.4	0.0	1.4	0.4	0.6	0.0	0.5	4.0	14.0	3	782
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	14.5	12.1	11.4	9.9	6.3	11.7	12.3	13.4	12.8	9.6	12.9	11.8	138.7	16	4567
	13 LST	16.1	13.3	17.2	17.1	10.4	14.5	16.1	16.4	16.8	16.8	16.5	12.2	163.4	16	4259
	19 LST	14.6	12.2	13.2	12.8	8.3	12.2	12.1	13.3	12.5	9.4	10.6	11.9	142.7	16	4795
	01 LST	12.9	8.1	9.8	12.5	9.6	15.0	15.7	15.9	15.0	9.2	13.7	12.7	150.1	3	781
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	0.3	0.3	1.6	2.2	0.6	0.6	1.3	0.9	0.2	0.4	0.3	0.8	9.2	16	4576
	13 LST	0.8	0.4	1.1	1.4	0.7	0.4	0.4	0.2	0.3	0.1	0.1	0.5	6.4	16	4308
	19 LST	2.7	2.8	6.6	8.6	4.6	1.7	2.7	1.6	1.8	2.3	2.4	3.3	41.1	16	4789
	01 LST	0.0	3.7	6.7	7.8	4.4	0.7	2.3	1.8	1.5	3.2	4.6	6.4	43.1	3	782
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	18.0	15.1	19.3	23.4	26.6	24.3	25.2	25.5	21.8	22.3	17.1	17.6	256.2	15	4522
	13 LST	20.6	15.0	22.3	23.3	23.7	22.7	22.9	21.3	19.9	18.6	17.3	20.0	247.6	16	4216
	19 LST	25.3	22.7	26.4	27.6	28.1	24.4	26.7	25.0	24.3	25.4	24.3	24.0	304.2	15	4759
	01 LST	20.6	19.0	27.0	28.2	29.3	26.3	26.5	28.0	23.7	25.9	24.5	24.5	303.5	3	775
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	15.5	12.6	17.3	22.1	26.0	23.0	23.8	24.3	20.6	20.5	14.6	15.1	235.4	15	4522
	13 LST	16.1	14.9	18.4	19.3	20.9	19.5	19.6	16.9	16.3	14.4	13.2	16.1	205.6	16	4216
	19 LST	24.3	21.2	25.3	27.1	27.2	23.7	25.5	24.0	23.3	24.2	23.2	23.2	292.2	15	4759
	01 LST	18.1	18.0	26.4	27.2	28.8	25.6	24.9	26.4	22.7	25.0	23.2	22.8	289.1	3	775
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	15.5	12.4	17.1	22.1	25.9	23.0	23.8	24.3	20.5	20.5	14.6	15.0	234.7	15	4522
	13 LST	16.1	14.9	18.4	19.3	20.9	19.3	19.6	16.8	16.3	14.4	13.2	15.9	205.1	16	4216
	19 LST	24.3	21.2	25.3	27.1	27.2	23.7	25.5	24.0	23.3	24.2	23.1	23.2	292.1	15	4759
	01 LST	18.1	18.0	26.4	27.2	28.8	25.6	24.9	26.4	22.7	24.2	23.2	22.8	288.3	3	775

AREA NO. 01

VIETNAM(SOUTH)		SOUTHWEST COAST				LATITUDE 0945N				LONGITUDE 10520E					
BOUNDARIES		1040N	10500E	0918N	10600E										
PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	
MEAN MAX TMP (F)		85	87	89	91	90	88	87	86	86	86	86	85	87	
MEAN MIN TMP (F)		72	72	74	76	77	78	78	77	78	77	76	74	76	
LARGEST MEAN PRECIP(IN)		0.60	0.57	1.40	3.99	10.56	12.20	13.28	17.38	13.30	13.42	8.00	2.90	97.6	
SMALLEST MEAN PRECIP(IN)		0.17	0.20	0.30	1.50	8.70	10.00	10.30	12.10	11.90	10.50	5.56	1.70	72.9	
		MEAN NUMBER OF DAYS													
CIG = GTR 1000 FT AND VSBY = GTR 3 MI		07 LST	27.4	24.6	25.1	23.6	27.4	28.3	26.5	28.7	27.5	28.8	29.0	28.5	327.4
		13 LST	30.8	27.9	31.0	29.9	29.6	28.7	29.3	29.4	27.8	29.3	29.1	30.6	353.4
		19 LST	30.8	27.7	30.8	29.7	29.8	28.9	30.0	29.0	28.3	28.8	28.7	30.6	353.1
		01 LST	27.6	27.8	28.4	24.8	26.5	28.3	29.8	29.4	26.9	27.8	29.5	30.1	336.9
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS		07 LST	23.0	20.8	22.4	22.9	26.5	24.9	24.7	25.1	24.3	27.3	26.9	23.4	292.2
		13 LST	18.9	15.7	21.1	24.2	25.3	19.5	21.8	20.4	20.1	25.3	23.1	20.7	256.1
		19 LST	26.2	21.2	24.3	25.4	27.5	22.2	24.0	22.8	23.7	26.4	25.9	25.1	294.7
		01 LST	23.4	20.6	24.6	23.6	25.0	23.8	25.9	25.6	23.1	26.8	28.8	25.4	296.6
SPC WND = GTR 17 KTS AND NO PRECIP.		07 LST	1.4	1.2	0.5	0.0	0.2	0.5	0.8	1.0	0.5	0.2	0.4	1.2	7.9
		13 LST	2.8	4.4	2.7	0.9	0.4	2.0	1.5	1.4	1.2	0.4	0.7	1.7	20.1
		19 LST	1.7	1.6	1.0	0.6	0.4	1.2	1.3	1.8	0.9	0.6	0.6	1.6	13.3
		01 LST	1.3	1.9	0.1	0.0	0.4	1.2	1.2	0.5	0.8	0.0	0.2	1.3	8.9
SPC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.		07 LST	12.1	10.5	9.8	8.0	7.8	10.0	10.8	11.1	12.3	8.9	10.9	11.3	123.5
		13 LST	15.7	10.6	10.2	8.0	9.6	11.7	14.9	15.1	14.4	16.5	17.1	16.4	160.2
		19 LST	18.2	16.3	17.0	15.7	11.9	13.5	14.3	14.6	14.5	11.9	11.5	12.7	172.1
		01 LST	13.6	14.2	12.6	9.2	8.7	12.7	14.5	11.9	11.9	6.1	9.7	9.5	134.6
SKY COVER LES 3/10 AND VSBY = GTR 3 MI		07 LST	2.5	1.8	2.2	1.6	0.9	1.0	1.0	0.8	0.6	0.8	1.7	1.6	16.5
		13 LST	1.2	1.0	1.1	1.3	0.5	0.3	0.6	0.4	0.3	0.5	1.4	1.4	9.0
		19 LST	4.7	3.6	4.7	4.1	1.8	0.7	1.0	0.6	0.8	1.1	7.0	3.7	28.8
		01 LST	0.4	1.7	4.7	3.2	1.8	0.2	1.1	0.6	0.5	1.4	1.7	2.9	20.2
CIG = GTR 2500 FT AND VSBY = GTR 3 MI		07 LST	22.7	19.7	20.8	20.5	25.1	25.1	24.5	25.3	23.4	24.4	23.0	23.3	277.8
		13 LST	23.2	20.2	24.4	23.1	23.2	23.6	22.9	23.2	21.5	21.9	20.9	23.2	271.3
		19 LST	28.3	25.4	28.1	26.9	27.5	26.0	26.8	25.6	24.9	25.6	25.6	27.1	317.8
		01 LST	23.1	24.0	26.7	23.7	25.8	26.9	26.9	27.6	25.0	25.9	26.9	26.8	309.3
CIG = GTR 6000 FT AND VSBY = GTR 3 MI		07 LST	19.1	16.4	18.2	19.2	24.4	24.1	23.2	24.4	22.6	22.8	20.6	19.6	254.6
		13 LST	17.6	15.8	17.0	16.5	20.3	21.6	20.6	20.7	19.5	19.5	17.8	19.0	225.9
		19 LST	26.7	23.6	26.0	25.3	26.4	25.3	25.8	24.9	24.1	24.8	24.2	24.9	302.0
		01 LST	19.2	22.0	24.8	22.6	25.1	26.6	26.1	26.5	23.6	25.1	25.4	24.6	291.6
CIG = GTR 10000 FT AND VSBY = GTR 3 MI		07 LST	18.4	16.0	17.9	19.2	24.3	24.0	23.2	24.4	22.5	22.8	20.4	19.3	252.4
		13 LST	17.6	15.7	16.9	16.5	20.3	21.5	20.6	20.6	19.4	19.5	17.7	18.8	225.1
		19 LST	26.5	23.2	25.9	25.3	26.4	25.3	25.8	24.8	24.1	24.8	24.1	24.9	301.1
		01 LST	18.8	21.9	24.8	22.5	25.1	26.6	26.1	26.5	23.6	24.8	25.4	24.4	290.5

BIEN HOA, SOUTH VIETNAM

STA NO. 48896 (IN AREA NUMBER 02)

LATITUDE 1058N

LONGITUDE 10649E

ELEVATION(FT) 00036

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	95	98	99	101	100	95	94	92	93	92	93	92	101	4	638
MEAN MAX TMP (F)	89	92	94	96	93	91	90	88	88	89	88	88	91	4	638
MEAN MIN TMP (F)	67	69	72	76	76	75	75	75	75	74	71	68	73	4	643
ABS MIN TMP (F)	56	58	62	70	72	70	68	71	71	71	65	63	56	4	643
MEAN NO D/S TMP = OR GTR 90(F)	14.8	21.4	28.3	29.7	26.3	20.3	17.9	11.6	11.2	14.8	11.2	11.6	219.1	4	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-29
MEAN DEW PT TMP (F)	66	67	69	73	75	75	75	75	75	75	73	69	72	4	9568
MEAN REL HUM (PCT)	71	66	68	70	79	83	85	87	87	86	83	78	79	4	9568
MEAN PRESS ALT (FT)	66	76	106	136	166	176	186	186	166	136	116	86	134	0	-30
MEAN PRECIP (IN)	0.30	0.20	0.60	1.80	6.20	9.30	10.40	10.90	11.50	8.00	3.20	1.10	63.5	4	9568
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	0.7	0.5	1.6	3.7	5.5	13.7	14.7	15.1	13.8	11.2	6.3	2.2	89.0	3	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	1.0	4.0	13.0	12.0	9.0	9.0	8.0	8.0	5.0	1.0	70.0	9	-156
P FREQ WND SPD = OR GTR 17 KTS	0.0	0.0	0.1	0.1	0.1	0.2	0.2	0.2	0.0	0.1	0.1	0.0	0.1	6	5321
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	5321
P FREQ LES 5000 FT A/D LES 5 MI	14.8	11.0	11.1	13.5	17.2	22.9	30.1	36.5	34.1	23.2	21.5	19.7	21.3	4	4361
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	0.0	0.0	0.0	1.4	4.1	1.9	0.0	6.1	12.2	2.6	8.2	5.1	3.5	4	606
03-05 LST	10.8	0.0	0.0	0.0	4.6	1.6	6.5	4.4	14.0	27.8	10.3	11.8	7.7	4	559
06-08 LST	6.1	0.0	4.6	3.1	6.1	7.5	14.0	38.3	25.5	28.3	17.8	7.7	13.3	4	699
09-11 LST	4.3	2.0	1.5	1.0	7.0	14.1	10.9	26.0	20.0	12.0	6.7	6.3	9.3	4	703
12-14 LST	1.9	0.0	0.0	1.0	3.4	7.7	9.1	24.0	17.9	6.4	10.8	0.0	6.9	4	687
15-17 LST	0.0	2.0	0.0	3.5	7.4	9.0	18.0	20.4	12.8	14.3	6.4	2.3	8.0	4	695
18-20 LST	0.0	3.7	1.6	1.1	9.1	10.8	12.0	21.2	10.9	8.0	9.6	2.2	7.3	4	702
21-23 LST	0.0	2.0	0.0	0.0	2.8	4.5	0.0	2.3	5.4	10.2	6.0	0.0	2.8	4	634
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	0.2	4	606
03-05 LST	5.4	0.0	0.0	0.0	0.0	0.0	2.2	0.0	4.7	13.9	0.0	5.9	2.7	4	559
06-08 LST	2.0	0.0	0.0	1.0	0.0	0.0	0.0	4.3	0.0	9.4	6.7	5.1	2.4	4	699
09-11 LST	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	4	703
12-14 LST	1.9	0.0	0.0	0.0	0.0	1.5	0.0	0.0	0.0	0.0	0.0	0.0	0.3	4	687
15-17 LST	0.0	0.0	0.0	0.0	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	4	695
18-20 LST	0.0	0.0	0.0	0.0	1.1	1.5	0.0	3.8	0.0	0.0	0.0	0.0	0.3	4	702
21-23 LST	0.0	0.0	0.0	0.0	0.0	1.5	0.0	0.0	0.0	0.0	0.0	0.0	0.1	4	634

BIEN HOA, SOUTH VIETNAM

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	29.7	28.0	30.5	29.4	29.4	29.4	27.4	20.4	23.6	22.8	24.7	28.6	323.9	4	699
	13 LST	30.4	28.0	31.0	30.0	31.0	29.5	31.0	27.9	28.5	29.7	28.4	31.0	356.4	4	687
	19 LST	31.0	27.5	31.0	30.0	29.9	29.5	26.5	26.8	28.7	30.4	27.7	31.0	352.0	4	702
	01 LST	31.0	28.0	31.0	30.0	30.6	29.4	31.0	29.1	27.0	31	28.2	30.2	356.5	4	606
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	29.7	28.0	30.5	29.4	29.4	29.6	27.4	20.4	23.6	22.6	24.0	28.6	323.4	4	699
	13 LST	29.8	26.8	30.0	28.5	30.0	26.3	29.9	22.9	25.4	29.0	27.6	30.2	336.4	4	686
	19 LST	31.0	23.9	26.0	21.3	27.5	28.2	27.9	26.2	28.7	30.4	27.7	31.0	329.8	4	702
	01 LST	31.0	28.0	31.0	30.0	30.6	29.4	31.0	29.1	27.0	31.0	28.2	30.2	356.5	4	606
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	702
	13 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.6	4	692
	19 LST	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	4	707
	01 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	612
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	2.5	3.6	6.2	8.4	5.3	4.5	3.5	6.5	1.3	1.2	2.6	3.2	48.8	4	702
	13 LST	9.4	5.3	2.0	1.5	4.5	9.1	7.9	13.0	14.6	11.2	10.0	12.1	100.6	4	692
	19 LST	25.2	20.9	24.0	19.0	14.6	12.5	16.1	5.6	5.9	9.3	5.8	12.4	171.3	4	707
	01 LST	1.7	7.1	11.0	18.2	5.0	2.8	7.3	1.9	1.4	1.6	4.8	3.3	66.1	4	612
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	8.9	6.6	10.0	7.7	3.1	2.7	2.8	0.0	1.3	1.2	2.0	4.0	50.3	4	703
	13 LST	3.5	5.3	4.1	2.1	0.0	0.5	0.6	0.0	0.0	0.0	0.0	1.5	17.6	4	689
	19 LST	11.0	12.7	11.0	9.0	1.4	0.0	0.6	0.0	0.7	0.6	4.0	6.2	57.2	4	707
	01 LST	19.8	19.1	20.5	15.0	2.5	2.2	2.6	0.0	2.1	1.6	3.0	11.4	99.8	4	612
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	15.2	22.9	21.5	26.3	26.6	19.3	20.2	14.2	15.3	19.9	20.7	22.7	244.8	2	699
	13 LST	26.3	25.6	29.2	26.3	26.4	21.5	21.7	14.9	17.7	27.0	22.7	25.3	284.6	2	687
	19 LST	31.0	27.0	30.3	28.7	23.8	21.5	25.1	17.6	18.6	23.6	23.9	29.3	300.4	2	702
	01 LST	31.0	27.4	30.3	29.6	24.7	26.0	27.6	23.4	21.0	26.9	24.5	25.3	317.7	2	606
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	14.5	21.3	20.5	25.1	26.0	18.4	18.7	13.2	14.7	19.9	20.0	22.3	234.6	2	699
	13 LST	21.0	20.4	22.4	20.0	23.0	16.1	18.0	11.8	13.3	25.7	17.9	19.7	229.3	2	687
	19 LST	29.1	24.9	30.0	26.7	22.5	19.8	24.2	16.7	18.3	23.6	22.5	27.6	285.9	2	606
	01 LST	29.3	26.2	29.0	27.2	23.5	24.4	22.3	22.2	19.5	26.9	23.9	24.5	298.9	2	606
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	14.5	21.3	20.0	25.1	26.0	18.4	18.7	13.2	14.7	19.9	20.0	22.3	234.1	2	699
	13 LST	21.0	20.4	22.4	20.0	23.0	16.1	18.0	11.8	13.3	25.7	17.9	19.7	229.3	2	687
	19 LST	29.1	24.9	30.0	26.7	22.5	19.8	24.2	16.7	18.3	23.6	22.5	27.6	285.9	2	606
	01 LST	29.3	26.2	29.0	27.2	23.5	24.4	22.3	22.2	19.5	26.9	23.9	23.7	298.1	2	606

SAIGON/TAN SON NHUT, VIETNAM

STA NO. 48900 (IN AREA NUMBER 02)

LATITUDE 1049N

LONGITUDE 10639E

ELEVATION(FT) 00033

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
ABS MAX TMP (F)	99	102	103	104	102	100	95	97	96	97	95	97	104	56	-156
MEAN MAX TMP (F)	89	91	93	94	92	89	88	89	88	88	87	87	90	45	-156
MEAN MIN TMP (F)	70	71	74	77	76	75	75	75	75	74	73	71	74	45	-156
ABS MIN TMP (F)	57	61	63	68	70	69	67	68	68	68	63	57	57	57	-156
MEAN NO DYS TMP = OR GTR 90(F)	14.8	18.9	26.3	27.3	23.8	14.3	11.6	14.8	11.2	11.6	8.3	8.6	191.3	45	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	57	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	57	-29
MEAN DEW PT TMP (F)	68	69	71	74	76	76	75	76	76	76	73	70	73	36	-29
MEAN REL HUM (PC)	70	69	69	72	79	82	82	83	85	85	81	76	78	17	34731
MEAN PRESS ALT (FT)	63	73	103	133	163	173	183	183	163	133	113	83	131	0	-50
MEAN PRECIP (IN)	0.60	0.20	0.40	2.00	8.60	12.40	11.70	10.70	13.00	10.20	4.60	2.10	76.5	57	-156
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	57	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	1.3	0.5	1.1	3.9	5.2	16.2	15.7	14.9	14.8	12.9	7.9	3.9	98.3	57	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	57	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.7	0.0	0.1	0.2	0.2	0.5	0.4	0.6	0.3	0.6	1.1	0.8	5.5	12	2706
MEAN NO DYS TSTMS	0.3	0.1	0.1	4.9	9.9	10.1	6.8	6.5	6.7	6.5	3.2	0.6	55.7	12	2707
P FREQ WND SPD = OR GTR 17 KTS	0.1	0.1	0.1	0.3	0.1	0.7	0.9	1.0	0.3	0.2	0.0	0.1	0.3	17	34806
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	34806
P FREQ LES 3000 FT A/D LES 5 MI	17.8	15.7	19.2	24.4	26.9	29.1	27.9	31.5	32.1	28.1	22.1	21.3	24.7	17	29492
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	0.4	1.2	0.7	1.5	2.7	1.9	2.8	4.0	6.6	6.4	2.0	1.8	2.7	16	3862
03-05 LST	0.9	1.8	1.5	1.5	4.2	4.8	3.8	4.3	11.1	11.3	8.5	3.4	4.8	16	3143
06-08 LST	28.6	24.8	24.5	19.6	10.1	15.4	17.9	21.3	28.1	20.0	16.8	18.3	20.5	17	5183
09-11 LST	1.5	2.0	3.8	3.5	9.8	14.5	16.3	20.8	22.5	11.7	6.8	4.8	9.8	15	3693
12-14 LST	1.1	1.3	1.4	3.5	10.0	15.3	12.2	19.6	15.3	11.7	6.7	2.9	8.4	17	4947
15-17 LST	1.1	0.3	0.5	0.8	6.8	15.1	10.1	12.4	12.9	12.7	4.8	2.6	6.7	15	4316
18-20 LST	0.9	0.5	0.4	2.1	7.1	10.9	9.2	9.4	7.5	7.6	4.8	1.4	5.2	17	5727
21-23 LST	0.5	0.0	0.8	1.1	4.3	3.8	5.7	3.1	5.0	3.9	1.5	0.0	2.5	13	3116
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.6	0.6	0.0	0.1	16	3862
03-05 LST	0.5	0.0	0.0	0.0	0.0	0.4	0.8	0.4	0.4	3.3	3.3	1.1	0.9	16	3143
06-08 LST	6.7	4.9	2.8	2.1	0.9	2.5	2.2	1.3	3.3	2.9	4.3	4.6	3.2	17	5183
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	1.6	0.6	0.3	0.3	0.3	15	3693
12-14 LST	0.2	0.0	0.0	0.3	0.5	0.8	0.8	1.2	0.7	0.5	0.7	0.4	0.5	17	4947
15-17 LST	0.3	0.0	0.0	0.0	0.6	2.7	1.7	1.5	1.3	1.6	0.6	0.5	0.9	15	4316
18-20 LST	0.2	0.0	0.0	0.4	1.6	1.3	0.8	0.8	0.8	0.8	0.2	0.2	0.6	17	5727
21-23 LST	0.0	0.0	0.0	0.4	0.4	0.0	0.7	0.0	0.0	0.0	0.0	0.0	0.1	13	3116

SAIGON/TAN SON NHUT, VIETNAM

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG ≥ GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	24.4	22.6	25.9	26.6	29.0	26.6	27.1	25.8	23.3	26.1	25.4	26.4	309.2	17	5183
	13 LST	30.9	27.9	30.9	29.6	30.4	28.5	30.1	29.7	28.9	30.1	29.5	30.8	357.3	17	4947
	19 LST	30.9	27.9	30.9	29.6	29.9	28.4	29.7	29.8	28.7	29.6	29.3	30.7	355.4	17	5727
	01 LST	31.0	27.9	30.9	29.7	30.6	29.6	30.4	30.3	28.6	30.0	29.7	30.5	359.2	15	3862
CIG ≥ GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	24.4	22.4	25.8	26.3	28.8	26.3	26.8	25.6	23.2	26.0	25.3	26.3	307.2	17	5154
	13 LST	30.5	27.5	30.3	28.5	28.6	23.0	23.2	20.1	24.2	29.1	29.1	30.2	324.3	17	4918
	19 LST	30.3	27.1	27.3	25.7	29.1	27.6	27.8	27.9	27.9	29.4	29.2	30.6	339.9	17	5720
	01 LST	31.0	27.7	30.8	29.5	30.6	29.4	30.3	29.9	28.5	29.9	29.5	30.4	357.5	15	3846
SFC WND ≥ GTR 17 KTS AND NO PRECIP.	07 LST	0.1	0.0	0.0	0.2	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.5	17	5232
	13 LST	0.1	0.1	0.1	0.2	0.0	0.2	1.0	0.8	0.4	0.0	0.0	0.0	2.9	17	5023
	19 LST	0.0	0.1	0.1	0.1	0.0	0.1	0.1	0.1	0.1	0.0	0.0	0.0	0.7	17	5775
	01 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	15	3937
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	9.4	9.2	13.3	14.3	10.7	11.0	13.0	14.4	11.5	10.2	10.3	12.8	140.1	17	5213
	13 LST	18.7	10.9	5.1	1.3	5.6	8.2	11.8	11.2	15.0	18.0	17.9	19.7	143.4	17	4988
	19 LST	23.7	25.0	26.3	23.2	18.9	15.1	16.7	17.4	15.6	13.4	15.3	19.3	229.9	17	5758
	01 LST	15.6	17.3	22.4	21.3	12.7	14.5	15.4	13.9	14.5	9.8	10.7	13.7	181.8	15	3920
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	5.8	5.2	8.1	4.5	1.9	2.2	1.8	0.9	0.8	0.9	3.0	4.4	39.5	17	5243
	13 LST	3.4	3.5	4.5	1.2	0.0	0.0	0.1	0.0	0.1	0.1	0.0	1.5	14.4	17	9027
	19 LST	8.3	10.2	13.2	7.5	1.1	0.4	0.1	0.4	0.4	0.5	1.6	4.0	47.7	17	5776
	01 LST	12.3	10.3	15.5	6.6	1.8	1.2	1.8	1.0	1.6	1.5	3.8	6.7	64.5	15	3927
CIG ≥ GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	23.6	21.6	24.5	25.1	27.2	25.5	25.7	24.4	24.8	24.6	24.5	25.6	297.1	17	5183
	13 LST	27.3	25.1	25.9	22.5	20.2	19.6	21.0	17.7	20.2	21.9	22.9	25.4	369.7	16	4197
	19 LST	28.4	27.6	30.8	29.0	27.7	24.8	27.0	26.8	26.9	27.3	27.7	29.8	333.8	17	5727
	01 LST	30.9	27.6	30.6	29.3	29.3	29.0	29.9	28.8	27.7	28.6	29.1	30.3	351.1	14	3862
CIG ≥ GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	21.7	19.4	21.2	23.0	25.6	24.2	23.8	23.0	20.5	22.5	22.4	22.6	269.9	17	5183
	13 LST	22.9	21.8	20.2	15.2	14.8	16.2	18.3	14.2	18.0	18.8	18.9	20.4	219.7	16	4197
	19 LST	26.8	26.4	29.8	27.4	26.7	23.9	26.3	25.8	26.1	26.5	25.6	25.0	316.3	17	5727
	01 LST	29.1	26.0	28.0	26.3	27.5	26.8	28.1	26.7	25.1	27.0	26.9	27.6	325.1	14	3862
CIG ≥ GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	21.1	19.1	21.0	22.8	25.5	23.9	23.7	22.7	20.2	22.4	22.1	21.9	266.4	17	5183
	13 LST	22.9	21.7	20.2	15.2	14.8	16.2	18.3	14.2	18.0	18.7	18.9	20.4	219.5	16	4197
	19 LST	26.5	26.2	29.8	27.4	26.7	23.9	26.3	25.8	26.1	26.5	25.5	24.9	315.6	17	5727
	01 LST	28.8	25.8	27.7	26.1	27.5	26.7	28.1	26.6	25.1	26.9	26.9	27.5	323.7	14	3862

VUNG TAU, SOUTH VIETNAM

STA NO. 48904 (IN AREA NUMBER 02) LATITUDE 1022N LONGITUDE 10705E ELEVATION(FT) 00013

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	88	91	91	97	95	97	93	92	91	91	90	89	97	2	579
MEAN MAX TMP (F)	86	86	88	91	90	91	88	88	87	87	87	85	88	2	609
MEAN MIN TMP (F)	74	77	78	80	78	78	77	77	77	77	76	75	77	2	609
ABS MIN TMP (F)	71	73	74	76	74	72	73	72	73	73	71	70	70	2	579
MEAN NO DYS TMP = OR GTR 90(F)	0.0	5.2	11.6	20.3	17.9	20.3	11.6	11.6	8.3	8.6	8.3	0.0	123.7	2	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	-29
MEAN DEW PT TMP (F)	69	70	72	75	76	76	75	75	75	75	73	71	74	5	35789
MEAN REL HUM (PCT)	73	72	74	74	78	78	81	81	82	81	78	76	77	5	35788
MEAN PRESS ALT (FT)	43	53	83	113	143	133	163	163	143	113	93	63	111	0	-50
MEAN PRECIP (IN)	0.02	0.02	0.86	0.57	9.30	9.42	9.25	9.91	8.48	9.50	2.62	0.87	60.8	4	1280
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	0.1	0.1	2.1	1.5	5.4	13.8	13.7	14.3	11.6	12.4	5.6	1.6	82.4	4	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0	0.0	0.1	0.0	0.6	0.7	0.7	0.3	0.3	0.3	0.1	0.0	3.3	5	-35
MEAN NO DYS TSTMS	0.0	0.0	0.1	0.0	0.6	0.7	0.7	0.3	0.3	0.3	0.1	0.0	3.3	5	-35
P FREQ WND SPD = OR GTR 17 KTS	0.5	2.3	1.1	0.4	0.5	0.9	0.7	1.1	0.1	0.1	0.7	0.4	0.7	5	35792
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	35792
P FREQ LES 5000 FT A/O LES 5 MI	4.1	3.0	4.2	7.8	11.9	12.5	15.1	14.1	13.0	11.4	6.8	6.7	9.2	5	35792
P FREQ LES 1500 FT A/O LES 3 MI	0.0	0.0	0.1	0.0	0.6	0.7	0.7	0.3	0.3	0.3	0.1	0.0	3.3	5	-35
FDR 00-02 LST	0.0	2.4	2.7	2.8	2.5	1.9	9.7	2.2	5.9	7.2	2.5	1.6	3.5	2	2838
03-05 LST	0.6	0.0	3.2	4.6	6.7	6.6	7.9	5.0	6.4	5.2	2.8	1.9	4.2	4	4288
06-08 LST	1.3	0.7	2.8	8.7	5.8	10.9	10.8	10.8	11.3	6.5	2.2	1.9	6.1	5	5425
09-11 LST	0.0	0.0	0.2	1.1	3.0	4.7	5.8	5.8	5.1	1.9	1.8	0.2	2.5	5	5471
12-14 LST	0.0	0.0	0.0	0.0	1.9	1.6	0.9	3.4	1.6	0.9	0.2	0.0	0.9	5	5467
15-17 LST	0.0	0.0	0.0	0.2	2.9	2.6	5.2	6.5	3.6	1.1	0.7	0.7	2.0	5	5361
18-20 LST	0.0	0.8	1.4	1.2	3.9	6.5	7.2	4.7	5.4	3.7	0.5	1.1	3.0	4	4127
21-23 LST	0.0	1.2	3.2	0.0	0.7	1.1	2.5	3.2	4.1	2.9	1.1	0.0	1.7	2	2835
P FREQ LES 300 FT A/O LES 1 MI	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	2838
FDR 00-02 LST	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	4288
03-05 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	5	5425
06-08 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	5	5471
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	5	5467
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.2	0.0	0.0	0.0	0.1	5	5467
15-17 LST	0.0	0.0	0.0	0.0	0.2	0.5	0.6	0.9	0.2	0.0	0.0	0.0	0.2	5	5361
18-20 LST	0.0	0.0	0.0	0.0	0.3	0.3	0.0	0.0	0.3	0.5	0.0	0.0	0.1	4	4127
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	2835

VUNG TAU, SOUTH VIETNAM

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
	01 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
	01 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
	01 LST														0	0
SFC WND 4-10 KTS AND TMP 33-69 DEG F AND NO PRECIP.	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
	01 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
	01 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	30.4	27.5	29.1	26.2	27.7	25.9	27.0	27.1	25.9	27.9	28.7	30.1	333.5	5	5425
	13 LST	31.0	27.9	30.9	29.9	29.4	28.6	29.3	27.5	28.0	29.5	29.5	30.4	331.9	5	5467
	19 LST	30.9	27.8	30.0	28.1	28.9	27.1	27.3	26.7	26.6	28.1	29.2	30.4	341.1	4	4127
	01 LST	30.7	27.5	29.5	28.5	28.4	28.6	27.4	30.2	26.9	26.2	28.1	29.3	341.5	2	2838
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	28.8	26.1	28.0	24.5	25.6	25.0	26.4	26.1	24.9	27.0	27.3	27.8	317.5	5	5425
	13 LST	29.4	27.4	30.3	29.2	28.7	26.3	27.5	25.5	26.7	28.5	28.9	28.3	336.7	5	5467
	19 LST	29.5	27.4	29.2	28.1	27.3	24.1	23.9	25.1	23.9	26.4	27.9	28.7	321.5	4	4127
	01 LST	29.5	26.8	28.5	27.3	27.0	28.2	25.9	28.5	25.3	24.9	26.7	29.4	326.0	2	2838
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	25.6	24.2	26.5	23.9	23.5	24.3	25.1	22.5	24.2	25.3	25.2	25.5	295.8	5	5425
	13 LST	28.1	26.9	29.8	29.1	27.6	26.1	26.3	23.2	24.8	27.0	27.9	27.2	324.1	5	5467
	19 LST	26.8	26.7	28.7	27.9	26.5	23.0	22.5	21.1	22.1	25.2	27.2	26.5	304.2	4	4127
	01 LST	25.5	26.2	27.8	27.2	26.4	26.7	24.5	26.2	24.5	24.0	25.9	28.8	313.5	2	2838

VINH LONG, SOUTH VIETNAM

STA NO. 48910 (IN AREA NUMBER 02)

LATITUDE 1015N LONGITUDE 10557E ELEVATION(FT) 00001

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	92	92	97	99	97	96	95	95	92	91	92	91	99	3	-156
MEAN MAX TMP (F)	86	89	91	94	90	90	89	88	87	87	87	88	89	3	-156
MEAN MIN TMP (F)	73	74	77	77	77	77	77	77	77	77	78	75	76	3	-156
ABS MIN TMP (F)	64	70	72	72	73	72	72	71	72	71	72	69	64	3	-156
MEAN NO DYS TMP = OR GTR 90(F)	5.8	13.3	21.0	27.3	17.9	17.3	14.8	11.6	8.3	8.6	8.3	11.6	165.8	3	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	-29
MEAN DEW PT TMP (F)	70	70	72	74	77	76	76	76	77	76	73	70	74	2	11337
MEAN REL HUM (PCT)	72	69	71	70	80	82	80	84	84	82	78	74	77	2	11337
MEAN PRESS ALT (FT)	55	65	118	143	171	173	197	179	144	120	115	88	132	0	-50
MEAN PRECIP (IN)	0.30	0.10	0.30	1.30	6.30	7.80	7.90	7.10	8.30	9.00	6.30	1.90	56.6	38	-156
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	0.7	0.3	0.9	2.9	5.4	12.4	12.5	11.7	11.4	12.0	9.6	3.6	83.4	38	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	1.0	0.0	2.0	1.0	13.0	8.0	5.0	4.0	4.0	1.0	4.0	1.0	44.0	3	-156
P FREQ WND SPD = OR GTR 17 KTS	0.0	0.5	0.0	1.5	0.9	4.3	6.5	3.6	0.8	0.2	0.0	0.0	1.3	2	11939
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	2	11939
P FREQ LES 5000 FT A/D LES 5 MI	7.7	5.5	9.5	8.7	17.0	13.3	10.0	14.8	14.6	13.7	12.5	9.3	11.4	2	11938
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST														0	0
03-05 LST	1.6	3.4	0.0	6.5	0.9	0.9	1.1	3.2	4.3	1.0	5.8	6.6	2.9	2	979
06-08 LST	4.3	2.3	4.3	6.7	4.3	1.1	1.4	4.7	3.0	2.5	5.6	5.4	3.8	2	2700
09-11 LST	3.8	1.2	1.6	5.0	4.3	1.1	0.4	6.1	7.4	1.8	5.6	5.9	3.7	2	2699
12-14 LST	0.0	0.0	0.0	0.0	2.6	2.2	0.4	3.6	4.8	3.6	2.8	1.1	1.8	2	2700
15-17 LST	0.0	0.0	0.0	0.0	6.8	1.9	2.5	5.4	3.3	6.1	2.8	1.1	2.5	2	2700
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	3.4	0.0	0.0	0.0	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.4	2	979
09-11 LST	1.6	1.8	0.0	0.6	0.0	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.4	2	2700
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	2699
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.4	0.0	0.0	0.1	2	2700
18-20 LST	0.0	0.0	0.0	0.0	0.4	0.4	1.1	0.4	0.0	1.4	0.0	0.5	0.4	2	2700
21-23 LST														0	0

VINH LONG, SOUTH VIETNAM

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
	01 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
	01 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
	01 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
	01 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
	01 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	28.7	26.9	29.0	27.7	29.0	29.2	30.4	28.7	28.3	29.9	27.7	28.0	343.5	2	2700
	13 LST	30.7	28.0	31.0	29.8	28.0	27.0	28.7	27.6	25.2	26.2	25.3	29.7	337.4	2	2700
	19 LST														0	0
	01 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	25.7	24.1	27.3	27.3	27.7	27.6	28.9	27.1	27.0	28.7	26.8	26.8	323.0	2	2700
	13 LST	30.2	27.2	29.5	28.5	24.9	23.7	27.0	25.5	24.6	25.7	24.3	29.3	320.6	2	2700
	19 LST														0	0
	01 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	24.2	23.1	26.8	26.5	24.1	26.2	26.8	24.3	23.4	26.8	25.3	26.3	303.8	2	2700
	13 LST	29.2	24.9	28.7	28.2	22.3	20.7	25.5	23.6	22.4	23.5	22.7	28.0	299.7	2	2700
	19 LST														0	0
	01 LST														0	0

CAN THO, SOUTH VIETNAM

STA NO. 48911 (IN AREA NUMBER 02)

LATITUDE 1002N

LONGITUDE 10545E

ELEVATION(FT) 00007

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
ABS MAX TMP (F)	94	95	98	100	100	97	98	94	93	93	94	93	100	15	-156
MEAN MAX TMP (F)	86	89	91	93	92	90	88	88	87	87	87	86	89	14	-156
MEAN MIN TMP (F)	70	72	73	76	75	75	75	75	76	76	76	73	74	14	-156
ABS MIN TMP (F)	59	63	64	67	66	66	67	65	69	67	64	62	59	14	-156
MEAN NO DYS TMP = DR GTR 90(F)	5.8	13.3	21.0	25.4	23.8	17.3	11.6	11.6	8.3	8.6	8.3	5.8	160.8	14	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	-29
MEAN DEW PT TMP (F)	66	66	67	70	75	75	72	75	74	73	73	69	71	10	-29
MEAN REL HUM (PCT)	70	64	64	66	77	79	76	83	79	78	78	74	74	2	1672
MEAN PRESS ALT (FT)	37	47	77	107	137	147	157	157	137	107	87	97	105	0	-50
MEAN PRECIP (IN)	0.60	0.10	0.30	2.10	6.50	7.40	8.70	7.60	11.30	9.80	6.70	2.10	63.4	36	-156
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	1.3	0.3	1.3	4.1	5.4	12.0	13.2	12.2	13.7	12.6	10.0	3.9	90.0	36	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	3.0	3.0	11.0	6.0	4.0	5.0	5.0	7.0	4.0	1.0	49.0	4	-156
P FREQ WND SPD = DR GTR 17 KTS	0.0	0.0	0.0	0.0	0.0	0.6	1.4	2.2	3.2	0.0	0.0	0.0	0.0	1	1691
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	1691
P FREQ LES 5000 FT A/D LES 5 MI	5.9	3.6	10.1	10.8	21.6	29.9	20.8	26.6	31.2	19.3	22.2	6.9	17.4	2	1034
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	4.8	0.0	4.2	5.3	2.6	2.7	7.3	5.4	6.8	10.0	11.8	5.1	2	394
09-11 LST	5.9	0.0	0.0	3.6	3.9	8.1	2.7	20.8	19.4	9.5	7.1	2.3	6.9	2	426
12-14 LST	0.0	0.0	0.0	0.0	7.3	4.3	4.8	13.3	3.1	4.7	5.4	2.3	4.0	2	434
15-17 LST	0.0	0.0	0.0	0.0	5.0	6.1	9.4	11.4	12.5	13.3	4.7	2.6	5.4	2	408
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	0.0	2.9	0.4	2	394
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	0.0	0.0	0.0	0.0	0.2	2	426
12-14 LST	0.0	0.0	0.0	0.0	2.3	0.0	0.0	2.2	0.0	0.0	0.0	0.0	0.4	2	434
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	0.0	2.2	0.0	0.0	0.4	2	408
18-20 LST														0	0
21-23 LST														0	0

CAN THO, SOUTH VIETNAM

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG ≥ GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	31.0	26.7	31.0	28.8	30.2	30.0	31.0	29.5	29.2	30.3	27.8	28.3	353.8	2	394
	13 LST	31.0	28.0	31.0	30.0	29.5	29.3	30.3	29.6	30.0	31.0	29.2	31.0	359.9	2	434
	19 LST														0	0
	01 LST														0	0
CIG ≥ GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	31.0	24.0	31.0	28.8	30.2	30.0	31.0	28.0	28.4	30.3	27.0	28.3	348.0	2	394
	13 LST	27.0	19.5	25.6	25.9	27.1	22.8	21.4	17.9	23.8	29.6	27.6	31.0	299.2	2	434
	19 LST														0	0
	01 LST														0	0
SFC WND ≥ GTR 17 KTS AND NO PRECIP.	07 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.0	0.0	0.8	2	402
	13 LST	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.7	0.8	0.0	0.0	0.0	2.1	2	439
	19 LST														0	0
	01 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	16.3	13.3	6.7	7.5	5.6	15.4	11.5	17.4	15.4	11.3	15.4	13.3	149.1	2	400
	13 LST	16.2	8.5	4.0	1.0	6.8	9.6	7.9	12.8	12.3	18.6	18.6	20.0	136.3	2	437
	19 LST														0	0
	01 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	12.1	12.0	17.5	15.0	3.2	7.1	5.9	1.5	0.8	2.8	2.9	7.1	87.9	2	400
	13 LST	4.0	14.6	9.4	4.1	0.8	0.6	0.7	0.0	0.8	0.7	0.0	6.9	42.6	2	440
	19 LST														0	0
	01 LST														0	0
CIG ≥ GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	26.7	25.3	21.1	20.0	22.0	26.9	25.5	25.4	26.0	26.1	25.5	25.5	296.0	1	394
	13 LST	30.3	28.0	29.0	26.9	24.8	20.6	26.6	21.7	22.3	28.0	23.5	29.9	311.6	1	434
	19 LST														0	0
	01 LST														0	0
CIG ≥ GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	22.4	22.7	21.1	20.0	22.0	26.1	24.3	25.0	26.0	26.1	24.0	24.6	284.3	1	394
	13 LST	29.7	28.0	27.0	23.8	21.7	13.7	24.4	19.3	17.9	23.8	19.5	29.6	278.4	1	434
	19 LST														0	0
	01 LST														0	0
CIG ≥ GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	22.4	22.7	21.1	20.0	22.0	26.1	24.3	24.2	26.0	26.1	24.0	24.6	283.5	1	394
	13 LST	29.7	28.0	27.0	23.8	21.7	13.1	24.4	19.3	17.9	23.8	19.5	29.6	277.8	1	434
	19 LST														0	0
	01 LST														0	0

BINH THUY, SOUTH VIETNAM

STA NO. 48912 (IN AREA NUMBER 02)

LATITUDE 1005N

LONGITUDE 10543E

ELEVATION(FT) 00007

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	92	95	98	100	100	95	91	91	90	92	91	93	100	1	365
MEAN MAX TMP (F)	89	91	94	96	91	91	87	88	87	87	86	88	90	1	365
MEAN MIN TMP (F)	75	76	76	78	77	78	76	77	77	77	77	76	77	1	365
ABS MIN TMP (F)	70	73	72	76	75	75	74	74	74	71	73	71	70	1	365
MEAN NO DYS TMP = DR GTR 90(F)	14.8	18.9	28.3	29.7	21.0	20.3	8.6	11.6	8.3	8.6	5.6	11.6	187.3	1	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	-29
MEAN DEW PT TMP (F)	70	71	72	75	75	75	75	74	74	73	74	71	73	2	17006
MEAN REL HUM (PCT)	76	74	75	76	79	80	83	81	77	77	78	75	78	2	17006
MEAN PRESS ALT (FT)	53	83	116	141	169	171	195	177	142	118	113	86	130	0	-50
MEAN PRECIP (IN)	0.20	0.11	3.53	1.09	9.08	4.66	15.94	9.02	6.98	14.13	6.99	1.44	73.2	1	365
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	0.5	0.3	5.2	2.5	5.3	9.2	18.7	13.5	10.2	15.4	10.3	2.8	93.9	1	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS	0.3	0.0	0.1	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.1	0.1	2	17774
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	17774
P FREQ LES 5000 FT A/D LES 5 MI	6.4	6.0	11.2	11.6	11.6	12.5	13.5	10.8	8.4	12.3	8.9	5.3	9.9	2	17774
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	0.5	1.2	1.1	10.6	0.0	0.6	1.1	0.5	0.6	3.2	0.6	0.0	..7	2	2186
03-05 LST	1.6	1.2	10.2	10.6	0.0	2.8	2.7	0.0	0.6	2.2	0.0	0.0	2.7	2	2199
06-08 LST	3.2	3.6	10.2	8.3	1.6	2.2	5.4	1.6	3.3	4.3	2.2	0.8	3.9	2	2244
09-11 LST	1.1	3.6	1.6	0.6	3.8	3.7	7.0	5.4	2.8	5.4	1.7	2.1	3.2	2	2244
12-14 LST	0.0	0.0	0.5	0.6	1.6	2.8	4.3	3.8	1.1	1.1	0.6	0.0	1.4	2	2245
15-17 LST	0.0	0.0	1.6	0.0	1.6	1.7	1.1	2.7	2.2	1.1	0.6	0.0	1.1	2	2245
18-20 LST	0.0	0.0	0.5	1.7	0.5	1.1	1.6	2.2	1.1	3.2	0.0	0.0	1.0	2	2222
21-23 LST	0.0	0.0	0.5	10.6	1.1	1.1	2.2	0.5	1.1	1.6	1.7	0.0	1.7	2	2189
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.0	0.0	1.1	4.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	2	2186
03-05 LST	0.0	0.0	2.2	2.8	0.0	1.1	0.0	0.0	0.0	0.5	0.0	0.0	0.6	2	2199
06-08 LST	0.0	0.0	3.8	2.2	0.0	0.6	0.0	0.0	0.0	1.1	0.0	0.0	0.6	2	2244
09-11 LST	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	2244
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.6	0.5	0.5	0.0	0.5	0.0	0.0	0.2	2	2245
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	2	2245
18-20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	2	2189
21-23 LST	0.0	0.0	0.0	3.9	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.4	2	2186

BINH THUY, SOUTH VIETNAM

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
	01 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
	01 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
	01 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
	01 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
	01 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	29.2	26.5	27.5	27.5	29.2	28.7	27.8	29.7	28.5	28.5	28.7	30.0	341.8	2	2244
	13 LST	29.0	25.0	29.3	28.8	27.8	25.8	26.0	24.3	26.2	27.2	28.3	29.9	327.6	2	2245
	19 LST	31.0	28.0	30.8	29.5	30.2	28.8	28.7	29.5	28.3	28.0	29.0	30.4	352.2	2	2222
	01 LST	30.8	27.5	30.7	26.3	30.2	29.7	29.3	29.8	29.3	28.7	29.8	30.8	352.9	2	2186
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	28.0	25.7	26.0	27.2	28.3	28.0	26.7	27.7	28.3	27.7	28.3	28.6	328.5	2	2244
	13 LST	26.7	22.8	26.0	27.0	24.0	21.5	24.0	23.0	23.5	26.5	27.5	29.6	304.1	2	2245
	19 LST	28.7	27.8	30.0	29.0	28.3	27.7	27.8	28.3	27.8	27.2	27.5	28.7	339.0	2	2222
	01 LST	29.8	27.3	30.2	25.5	29.5	28.3	27.3	29.7	29.0	26.3	26.8	29.7	339.4	2	2186
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	24.7	22.8	24.3	24.7	22.5	24.3	16.2	19.7	22.0	18.8	21.3	25.3	266.6	2	2244
	13 LST	21.2	21.3	23.8	25.5	18.0	16.8	16.7	15.7	19.7	18.8	23.5	26.4	247.6	2	2445
	19 LST	26.3	25.3	27.7	27.2	22.7	22.0	14.7	17.5	20.7	20.8	26.7	24.7	276.3	2	2222
	01 LST	28.0	25.8	29.0	24.2	27.0	25.7	14.2	17.8	24.3	17.7	23.1	25.3	282.1	2	2186

SOC TRANG, SOUTH VIETNAM

STA NO. 48913 (IN AREA NUMBER 02)

LATITUDE 0934N

LONGITUDE 10557E

ELEVATION(FT) 00016

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	92	95	99	99	100	96	95	92	93	97	93	93	100	19	-156
MEAN MAX TMP (F)	86	88	91	93	91	89	88	87	87	86	86	85	88	18	-156
MEAN MIN TMP (F)	71	72	74	76	77	76	76	76	76	76	75	73	75	18	-156
ABS MIN TMP (F)	61	61	66	64	68	64	68	68	68	70	66	65	61	19	-156
MEAN NO DYS TMP = DR GTR 90(F)	5.8	10.4	21.0	25.4	21.0	14.3	11.6	8.6	8.3	5.8	5.6	3.4	141.2	18	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	19	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	19	-29
MEAN DEW PT TMP (F)	70	70	72	74	77	77	77	77	77	76	75	72	75	18	-29
MEAN REL HUM (PCT)	77	75	73	73	81	84	85	86	87	86	84	81	81	17	21255
MEAN PRESS ALT (FT)	46	56	86	116	146	156	166	166	146	116	96	66	114	0	-30
MEAN PRECIP (IN)	0.30	0.10	0.40	2.70	8.70	9.80	9.60	10.30	10.60	11.10	7.00	1.70	72.3	51	-156
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	19	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	0.7	0.3	1.1	4.7	5.2	14.2	14.0	14.6	13.2	13.6	10.3	3.3	95.2	51	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	19	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	1.0	6.0	15.0	13.0	12.0	8.0	8.0	6.0	2.0	0.0	71.0	17	-156
P FREQ WND SPD = DR GTR 17 KTS	6.0	10.2	6.8	3.5	1.4	1.6	2.9	2.9	1.3	0.3	0.9	3.1	3.4	15	21276
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.1	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.0	0.2	0.1	0.1	15	21276
P FREQ LES 5000 FT A/D LES 5 MI	16.9	13.7	13.5	14.6	18.7	17.2	15.9	18.3	20.9	21.6	17.8	19.5	17.4	15	17216
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.0	2.5	0.0	1.4	3.0	5.3	2.8	5.2	2.2	1.9	3	756
03-05 LST	5.1	6.9	6.7	6.6	5.2	4.8	2.3	3.9	6.5	8.6	6.5	9.3	6.0	15	2397
06-08 LST	7.3	10.0	10.5	11.6	6.3	4.3	4.2	4.7	3.9	7.0	7.3	9.4	7.2	17	4049
09-11 LST	3.2	3.3	3.9	4.2	4.8	3.2	4.8	5.8	7.4	8.7	7.3	6.0	5.4	15	3144
12-14 LST	2.6	1.8	2.1	2.8	5.8	6.3	9.2	9.4	10.8	6.6	6.8	4.5	5.7	17	3706
15-17 LST	1.4	0.8	1.2	2.3	3.8	8.2	8.8	8.4	11.6	8.6	4.5	1.9	5.1	15	3360
18-20 LST	6.0	0.0	0.0	1.2	2.2	5.8	4.1	4.4	7.2	6.0	2.5	1.6	2.9	17	2919
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	2.3	0.0	0.0	3.6	3.8	2.5	1.0	3	642
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	756
03-05 LST	2.3	2.3	4.5	5.5	0.6	1.1	0.9	2.9	2.3	1.1	2.5	4.7	2.6	15	2397
06-08 LST	2.1	6.2	4.2	4.3	1.5	0.6	2.1	1.8	0.6	2.8	3.5	3.2	2.7	17	4049
09-11 LST	0.3	0.0	0.0	0.0	0.0	0.5	0.4	0.4	0.4	0.0	0.3	0.3	0.2	15	3144
12-14 LST	0.0	0.0	0.4	0.0	0.0	0.4	1.6	1.3	0.9	0.9	0.9	0.0	0.6	17	3706
15-17 LST	0.0	0.0	0.0	0.8	0.0	1.1	1.4	1.4	1.7	1.0	0.0	0.0	0.6	15	3360
18-20 LST	0.0	0.0	0.0	0.4	0.4	0.8	0.8	0.4	1.7	1.2	0.4	0.4	0.5	17	2919
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8	0.0	0.0	0.2	3	642

SOC TRANG, SOUTH VIETNAM

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	29.0	25.5	28.1	27.0	29.4	29.0	30.0	30.1	29.2	29.4	28.2	28.5	343.4	16	4049
	13 LST	31.0	28.0	30.7	29.9	30.1	29.4	29.9	29.8	28.3	30.1	29.1	30.6	356.9	16	3706
	19 LST	31.0	28.0	31.0	29.8	30.5	28.5	30.1	30.4	28.2	29.8	29.5	30.8	337.6	14	2919
	01 LST	31.0	28.0	31.0	30.0	31.0	30.0	30.6	31.0	28.9	30.6	28.9	31.0	362.0	3	756
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	28.6	24.4	27.3	26.3	29.4	27.9	29.1	29.0	28.9	29.1	28.2	28.3	336.5	16	4028
	13 LST	15.3	8.1	12.6	18.0	22.8	20.4	20.9	19.2	21.5	26.4	22.5	20.8	228.5	16	3685
	19 LST	29.2	22.9	26.5	27.4	29.6	27.1	27.4	27.2	27.2	29.3	28.6	29.2	331.6	14	2910
	01 LST	30.2	20.6	25.4	28.8	30.6	29.6	30.6	29.1	28.4	30.6	28.9	31.0	343.8	3	756
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.0	0.1	0.1	0.1	0.0	0.1	0.3	0.1	0.0	0.0	0.0	0.0	0.8	16	4092
	13 LST	5.4	8.3	5.6	2.8	1.2	1.2	1.8	1.2	1.0	0.2	0.6	2.9	32.2	16	3753
	19 LST	0.2	0.8	0.1	0.4	0.0	0.1	0.1	0.2	0.3	0.0	0.1	0.4	2.7	14	2942
	01 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.5	3	764
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	11.2	11.6	11.4	7.2	6.2	11.5	11.3	11.9	10.7	6.3	6.4	7.8	113.5	16	4066
	13 LST	12.2	5.8	2.5	1.0	6.5	8.6	11.8	10.3	14.1	13.7	17.3	16.0	119.8	16	3729
	19 LST	21.3	20.1	23.7	23.4	18.3	19.5	20.8	20.4	16.9	12.4	14.3	14.8	223.9	14	2925
	01 LST	17.4	15.8	15.3	9.0	8.3	17.3	10.2	11.3	10.7	5.2	5.0	11.0	136.5	3	764
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	8.2	8.5	11.1	8.2	3.6	4.4	4.4	3.6	2.4	3.2	5.5	5.4	68.5	16	4083
	13 LST	4.2	4.0	3.6	2.5	0.9	0.1	0.3	0.0	0.2	0.1	0.6	1.7	18.2	16	3768
	19 LST	15.0	14.9	16.8	13.1	2.7	1.2	1.2	1.5	1.4	2.5	6.8	10.8	87.9	14	2932
	01 LST	23.4	18.5	20.4	17.7	7.6	9.2	10.6	5.6	6.2	12.5	11.5	20.7	163.9	3	762
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	24.4	22.3	23.6	19.2	22.7	26.5	27.1	26.9	25.1	25.3	23.9	22.2	289.2	14	4049
	13 LST	27.0	25.1	27.4	25.6	23.7	23.5	23.3	21.7	22.0	23.7	23.6	25.6	292.2	15	3706
	19 LST	30.4	27.8	30.7	29.2	28.8	25.4	27.4	26.7	26.0	26.2	27.7	28.4	334.7	12	2919
	01 LST	30.3	26.1	30.8	27.7	28.3	29.2	30.1	29.4	27.6	29.0	28.4	29.3	346.2	2	756
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	21.3	20.3	22.1	19.1	21.6	25.5	25.8	25.9	23.7	24.1	21.9	19.4	270.7	14	4049
	13 LST	23.8	23.8	24.0	22.5	20.5	21.4	20.9	18.6	20.1	19.9	21.2	21.9	238.6	15	3706
	19 LST	29.5	27.3	30.6	28.9	27.8	24.4	26.8	26.2	25.5	25.4	27.5	27.4	327.3	12	2919
	01 LST	29.5	25.3	30.5	26.3	27.6	29.2	30.1	29.1	26.9	28.0	28.4	28.2	339.1	2	756
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	21.2	20.2	22.0	19.1	21.6	25.5	25.7	25.9	23.7	24.1	21.8	19.4	270.2	14	4049
	13 LST	23.8	23.8	24.0	22.5	20.5	21.4	20.9	18.5	20.0	19.9	21.2	21.9	238.4	15	3706
	19 LST	29.5	27.2	30.6	28.9	27.8	24.4	26.8	26.2	25.5	25.4	27.5	27.4	327.2	12	2919
	01 LST	28.0	25.3	30.5	26.3	27.6	29.2	30.1	28.6	26.9	28.0	28.4	27.6	336.5	2	756

LAI KHE, SOUTH VIETNAM

STA NO. 49502 (IN AREA NUMBER 02)

LATITUDE 1112N

LONGITUDE 10637E

ELEVATION(FT) 00121

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	95	98	99	101	100	95	94	92	93	92	93	92	101	4	-48896
MEAN MAX TMP (F)	89	92	94	96	93	91	90	88	88	89	88	88	91	4	-48896
MEAN MIN TMP (F)	67	69	72	76	76	75	75	75	75	74	71	68	73	4	-48896
ABS MIN TMP (F)	56	58	62	70	72	70	68	71	71	71	65	63	56	4	-48896
MEAN NO DYS TMP = OR GTR 90(F)	14.8	21.4	28.3	29.7	26.3	20.3	17.9	11.6	11.2	14.8	11.2	11.6	219.1	4	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-29
MEAN DEW PT TMP (F)	66	67	69	73	75	75	75	75	75	73	73	69	72	4	-48896
MEAN REL HUM (PCT)	71	66	68	70	79	83	85	87	87	86	83	78	79	4	-48896
MEAN PRESS ALT (FT)	149	172	190	224	262	298	290	277	244	212	204	176	225	0	-50
MEAN PRECIP (IN)	0.30	0.20	0.60	1.80	6.20	9.30	10.40	10.90	11.50	8.00	3.20	1.10	63.5	4	-48896
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	0.7	0.5	1.6	3.7	5.5	13.7	14.7	15.1	13.8	11.2	6.3	2.2	89.0	4	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0	0.0	1.0	4.0	13.0	12.0	9.0	9.0	8.0	8.0	5.0	1.0	70.0	9	-48896
MEAN NO DYS TSTMS	0.0	0.0	1.0	4.0	13.0	12.0	9.0	9.0	8.0	8.0	5.0	1.0	70.0	9	-48896
P FREQ WND SPD = OR GTR 17 KTS	0.0	0.0	0.1	0.1	0.1	0.2	0.2	0.2	0.0	0.1	0.1	0.0	0.1	6	-48896
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	-48896
P FREQ LES 5000 FT A/D LES 5 MI	14.8	11.0	11.1	13.5	17.2	22.9	30.1	36.5	34.1	23.2	21.5	19.7	21.3	4	-48896
P FREQ LES 1500 FT A/D LES 3 MI	0.0	0.0	0.0	1.4	4.1	1.9	0.0	6.1	12.2	2.6	8.2	5.1	3.5	4	-48896
FDR 00-02 LST	0.0	0.0	0.0	1.4	4.1	1.9	0.0	6.1	12.2	2.6	8.2	5.1	3.5	4	-48896
03-05 LST	10.8	0.0	0.0	0.0	4.6	1.6	6.5	4.4	14.0	27.8	10.3	11.8	7.7	4	-48896
06-08 LST	6.1	0.0	4.6	3.1	6.1	7.5	14.0	38.3	25.5	28.3	17.8	7.7	13.3	4	-48896
09-11 LST	4.3	2.0	1.5	1.0	7.0	14.1	10.9	26.0	20.0	12.0	6.7	6.3	9.3	4	-48896
12-14 LST	1.9	0.0	0.0	1.0	3.4	7.7	9.1	24.0	17.9	6.4	10.8	0.0	6.9	4	-48896
15-17 LST	0.0	2.0	0.0	3.5	7.4	9.0	18.0	20.4	12.8	14.3	6.4	2.3	8.0	4	-48896
18-20 LST	0.0	3.7	1.6	1.1	9.1	10.8	12.0	21.2	10.9	8.0	9.6	2.2	7.5	4	-48896
21-23 LST	0.0	2.0	0.0	0.0	2.8	4.5	0.0	2.3	5.4	10.2	6.0	0.0	2.6	4	-48896
P FREQ LES 300 FT A/D LES 1 MI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	0.2	4	-48896
FDR 00-02 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	0.2	4	-48896
03-05 LST	5.4	0.0	0.0	0.0	0.0	0.0	2.2	0.0	4.7	13.9	0.0	5.9	2.7	4	-48896
06-08 LST	2.0	0.0	0.0	1.0	0.0	0.0	0.0	4.3	0.0	9.4	6.7	5.1	2.4	4	-48896
09-11 LST	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	4	-48896
12-14 LST	1.9	0.0	0.0	0.0	0.0	1.5	0.0	0.0	0.0	0.0	0.0	0.0	0.3	4	-48896
15-17 LST	0.0	0.0	0.0	0.0	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	4	-48896
18-20 LST	0.0	0.0	0.0	0.0	1.1	1.5	0.0	3.8	0.0	0.0	0.0	0.0	0.5	4	-48896
21-23 LST	0.0	0.0	0.0	0.0	0.0	1.5	0.0	0.0	0.0	0.0	0.0	0.0	0.1	4	-48896

LAI KHE, SOUTH VIETNAM

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	29.7	28.0	30.5	29.4	29.4	29.4	27.4	20.4	23.6	22.8	24.7	28.6	323.9	4	-48896
	13 LST	30.4	28.0	31.0	30.0	31.0	29.5	31.0	27.9	28.5	29.7	28.4	31.0	336.4	4	-48896
	19 LST	31.0	27.5	31.0	30.0	29.9	29.5	28.5	26.8	28.7	30.4	27.7	31.0	332.0	4	-48896
	01 LST	31.0	28.0	31.0	30.0	30.6	29.4	31.0	29.1	27.0	31.0	28.2	30.2	336.5	4	-48896
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	29.7	28.0	30.5	29.4	29.4	29.6	27.4	20.4	23.6	22.8	24.0	28.6	323.4	4	-48896
	13 LST	29.8	26.8	30.0	28.5	30.0	26.3	29.9	22.9	25.4	29.0	27.6	30.2	336.4	4	-48896
	19 LST	31.0	23.9	26.0	21.3	27.5	28.2	27.9	26.2	28.7	30.4	27.7	31.0	329.8	4	-48896
	01 LST	31.0	28.0	31.0	30.0	30.6	29.4	31.0	29.1	27.0	31.0	28.2	30.2	336.5	4	-48896
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-48896
	13 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.6	4	-48896
	19 LST	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	4	-48896
	01 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-48896
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	2.5	3.6	6.2	8.4	5.3	4.5	3.5	6.5	1.3	1.2	2.6	3.2	48.8	4	-48896
	13 LST	9.4	5.3	2.0	1.5	4.5	9.1	7.9	13.0	14.6	11.2	10.0	12.1	100.6	4	-48896
	19 LST	25.2	20.9	24.0	19.0	14.6	12.5	16.1	5.6	5.9	9.3	5.8	12.4	171.3	4	-48896
	01 LST	1.7	7.1	11.0	18.2	5.0	2.8	7.3	1.9	1.4	1.6	4.8	3.3	66.1	4	-48896
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	8.9	6.6	10.0	7.7	3.1	2.7	2.8	0.0	1.3	1.2	2.0	4.0	50.3	4	-48896
	13 LST	3.5	3.3	4.1	2.1	0.0	0.5	0.6	0.0	0.0	0.0	0.0	1.3	17.6	4	-48896
	19 LST	11.0	12.7	11.0	9.0	1.4	0.0	0.6	0.0	0.7	0.6	4.0	6.2	57.2	4	-48896
	01 LST	19.8	19.1	20.5	15.0	2.5	2.2	2.6	0.0	2.1	1.6	3.0	11.4	99.8	4	-48896
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	15.2	22.9	21.5	26.3	26.6	19.3	20.2	14.2	15.3	19.9	20.7	22.7	244.8	2	-48896
	13 LST	26.3	25.6	29.2	26.3	26.4	21.5	21.7	14.9	17.7	27.0	22.7	25.3	284.6	2	-48896
	19 LST	31.0	27.0	30.3	28.7	23.8	21.5	25.1	17.6	18.6	23.6	23.9	29.3	300.4	2	-48896
	01 LST	31.0	27.4	30.3	29.6	24.7	26.0	27.6	23.4	21.0	26.9	24.5	25.3	317.7	2	-48896
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	14.5	21.3	20.5	25.1	26.0	18.4	18.7	13.2	14.7	19.9	20.0	22.3	234.6	2	-48896
	13 LST	21.0	20.4	22.4	20.0	23.0	16.1	18.0	11.8	13.3	25.7	17.9	19.7	229.3	2	-48896
	19 LST	29.1	24.9	30.0	26.7	22.5	19.8	24.2	16.7	18.3	23.6	22.5	27.6	285.9	2	-48896
	01 LST	29.3	26.2	29.0	27.2	23.5	24.4	22.3	22.2	19.5	26.9	23.9	24.5	298.9	2	-48896
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	14.5	21.3	20.0	25.1	26.0	18.4	18.7	13.2	14.7	19.9	20.0	22.3	234.1	2	-48896
	13 LST	21.0	20.4	22.4	20.0	23.0	16.1	18.0	11.8	13.3	25.7	17.9	19.7	229.3	2	-48896
	19 LST	29.1	24.9	30.0	26.7	22.5	19.8	24.2	16.7	18.3	23.6	22.5	27.6	285.9	2	-48896
	01 LST	29.3	26.2	29.0	27.2	23.5	24.4	22.3	22.2	19.5	26.9	23.9	23.7	298.1	2	-48896

LONG XUYEN, SOUTH VIETNAM

STA NO. 49543 (IN AREA NUMBER 02)

LATITUDE 1019N

LONGITUDE 10528E

ELEVATION(FT) 00011

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
ABS MAX TMP (F)	94	95	98	100	100	97	98	94	93	93	94	93	100	15	-48911
MEAN MAX TMP (F)	86	89	91	93	92	90	88	88	87	87	87	86	89	14	-48911
MEAN MIN TMP (F)	70	72	73	76	75	75	75	75	76	76	76	73	74	14	-48911
ABS MIN TMP (F)	59	63	64	67	66	66	67	69	69	67	64	62	59	14	-48911
MEAN NO DYS TMP = DR GTR 90(F)	5.8	13.3	21.0	25.4	23.8	17.3	11.6	11.6	8.3	8.6	8.3	5.8	160.8	14	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	-29
MEAN DEW PT TMP (F)	66	66	67	70	75	75	72	75	74	73	73	69	71	10	-29
MEAN REL HUM (PCT)	70	64	64	66	77	79	76	83	79	78	78	74	74	2	-48911
MEAN PRESS ALT (FT)	41	51	81	111	141	151	161	161	141	111	91	61	109	0	-50
MEAN PRECIP (IN)	0.60	0.10	0.50	2.10	6.50	7.40	8.70	7.60	11.30	9.80	6.70	2.10	63.4	36	-48911
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	1.3	0.3	1.3	4.1	5.4	12.0	13.2	12.2	13.7	12.6	10.0	3.9	90.0	36	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	3.0	3.0	11.0	6.0	4.0	5.0	5.0	7.0	4.0	1.0	49.0	4	-48911
P FREQ WND SPD = DR GTR 17 KTS	0.0	0.0	0.0	0.0	0.0	0.6	1.4	2.2	3.2	0.0	0.0	0.0	0.6	1	-48911
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	-48911
P FREQ LES 3000 FT A/D LES 5 MI	5.9	3.6	10.1	10.8	21.6	29.9	20.8	26.6	31.2	19.3	22.2	6.9	17.4	2	-48911
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	4.8	0.0	4.2	5.3	2.6	2.7	7.3	5.4	6.8	10.0	11.8	5.1	2	-48911
09-11 LST	5.9	0.0	0.0	3.6	3.9	8.1	2.7	20.8	19.4	9.5	7.1	2.3	6.9	2	-48911
12-14 LST	0.0	0.0	0.0	0.0	7.5	4.3	4.8	13.3	5.1	4.7	5.4	2.3	4.0	2	-48911
15-17 LST	0.0	0.0	0.0	0.0	5.0	6.1	9.4	11.4	12.5	13.3	4.7	2.6	5.4	2	-48911
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	0.0	2.9	0.4	2	-48911
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	0.0	0.0	0.0	0.0	0.2	2	-48911
12-14 LST	0.0	0.0	0.0	0.0	2.3	0.0	0.0	2.2	0.0	0.0	0.0	0.0	0.4	2	-48911
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	0.0	2.2	0.0	0.0	0.4	2	-48911
18-20 LST														0	0
21-23 LST														0	0

LONG XUYEN, SOUTH VIETNAM

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	31.0	26.7	31.0	28.8	30.2	30.0	31.0	29.5	29.2	30.3	27.8	28.3	353.8	2	-48911
	13 LST	31.0	28.0	31.0	30.0	29.5	29.3	30.3	29.6	30.0	31.0	29.2	31.0	359.9	2	-48911
	19 LST														0	0
	01 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	31.0	24.0	31.0	28.8	30.2	30.0	31.0	28.0	28.4	30.3	27.0	28.3	248.0	2	-48911
	13 LST	27.0	19.5	25.6	25.9	27.1	22.8	21.4	17.9	23.8	29.6	27.6	31.0	299.2	2	-48911
	19 LST														0	0
	01 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.0	0.0	0.8	2	-48911
	13 LST	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.7	0.8	0.0	0.0	0.0	2.1	2	-48911
	19 LST														0	0
	01 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	16.3	13.3	6.7	7.5	5.6	15.4	11.5	17.4	15.4	11.3	15.4	13.3	149.1	2	-48911
	13 LST	16.2	8.5	4.0	1.0	6.8	9.6	7.9	12.8	12.3	18.6	18.6	20.0	136.3	2	-48911
	19 LST														0	0
	01 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	12.1	12.0	17.5	15.0	3.2	7.1	5.9	1.5	0.8	2.8	2.9	7.1	87.9	2	-48911
	13 LST	4.0	14.6	9.4	4.1	0.8	0.6	0.7	0.0	0.8	0.7	0.0	6.9	42.6	2	-48911
	19 LST														0	0
	01 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	26.7	25.3	21.1	20.0	22.0	26.9	25.5	25.4	26.0	26.1	25.5	25.3	296.0	1	-48911
	13 LST	30.3	28.0	29.0	26.9	24.8	20.6	26.6	21.7	22.3	28.0	23.5	29.9	311.6	1	-48911
	19 LST														0	0
	01 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	22.4	22.7	21.1	20.0	22.0	26.1	24.3	25.0	26.0	26.1	24.0	24.6	284.3	1	-48911
	13 LST	29.7	28.0	27.0	23.8	21.7	13.7	24.4	19.3	17.9	23.8	19.5	29.6	278.4	1	-48911
	19 LST														0	0
	01 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	22.4	22.7	21.1	20.0	22.0	26.1	24.3	24.2	26.0	26.1	24.0	24.6	283.5	1	-48911
	13 LST	29.7	28.0	27.0	23.8	21.7	13.1	24.4	19.3	17.9	23.8	19.5	29.6	277.8	1	-48911
	19 LST														0	0
	01 LST														0	0

AREA NO. 02

VIETNAM(SOUTH)	MEKONG LOWLANDS				LATITUDE 1040N		LONGITUDE 10620E							
	BOUNDARIES	1200N 10640E	1030N 10730E	1040N 10500E	0918N 10600E									
PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)		87	89	92	94	91	90	88	88	87	87	87	87	89
MEAN MIN TMP (F)		71	73	75	77	77	76	76	76	76	75	75	73	75
LARGEST MEAN PRECIP(IN)		0.60	0.20	3.53	2.70	9.30	12.40	15.94	10.90	13.00	14.13	7.00	2.10	91.8
SMALLEST MEAN PRECIP(IN)		0.02	0.02	0.30	0.57	6.20	4.66	7.90	7.10	6.98	8.00	2.62	0.87	45.2
		MEAN NUMBER OF DAYS												
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	28.5	25.7	28.9	28.0	29.5	28.8	28.9	26.5	26.3	27.2	26.5	28.0	332.8
	13 LST	30.8	28.0	30.9	29.9	30.3	29.2	30.3	29.3	28.9	30.2	29.1	30.9	357.8
	19 LST	31.0	27.8	31.0	29.8	30.1	28.8	29.4	29.0	28.5	29.9	28.8	30.8	354.9
	01 LST	31.0	28.0	31.0	29.9	30.7	29.7	30.7	30.1	28.2	30.5	28.9	30.6	359.3
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	28.4	24.7	28.7	27.7	29.5	28.5	28.6	25.8	26.0	27.1	26.1	27.9	329.0
	13 LST	25.7	20.5	24.6	25.2	27.1	23.1	23.9	20.0	23.7	28.5	26.7	28.1	297.1
	19 LST	30.2	24.6	26.6	24.8	28.7	27.6	27.7	27.1	27.9	29.7	28.5	30.3	333.7
	01 LST	30.7	23.4	29.1	29.4	30.6	29.5	30.6	29.4	28.0	30.5	28.9	30.5	352.6
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.1	0.2	0.0	0.0	0.0	0.5
	13 LST	1.4	2.1	1.4	0.8	0.3	0.5	0.9	0.7	0.6	0.1	0.2	0.7	9.7
	19 LST	0.1	0.3	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.1	1.3
	01 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.2
SFC WND 4-10 KTS AND TMP 33-89 DEC F AND NO PRECIP.	07 LST	9.9	9.4	9.4	9.4	7.0	10.6	9.8	12.6	9.7	7.3	8.7	9.3	113.1
	13 LST	14.1	7.6	3.4	1.2	5.9	8.9	9.9	11.8	14.0	13.4	16.0	17.0	123.2
	19 LST	23.4	22.0	24.7	21.9	17.3	15.7	17.9	14.5	12.8	11.7	11.8	15.5	209.2
	01 LST	11.6	13.4	16.2	16.2	8.7	11.5	11.0	9.0	8.9	5.5	6.8	9.3	128.1
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	8.8	8.1	11.7	8.9	3.0	4.1	3.7	1.5	1.3	2.0	3.4	5.2	61.7
	13 LST	3.8	6.9	5.4	2.5	0.4	0.3	0.4	0.0	0.3	0.2	0.2	2.9	23.3
	19 LST	11.4	12.6	13.7	9.9	1.7	0.5	0.6	0.6	0.8	1.2	4.1	7.0	64.1
	01 LST	18.6	16.0	18.8	13.1	4.0	4.2	5.0	2.2	3.3	5.2	6.1	12.9	109.4
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	25.5	24.7	25.2	24.6	26.3	26.0	26.2	25.2	24.8	26.0	25.7	26.3	306.5
	13 LST	28.8	26.4	29.0	27.1	25.8	23.8	25.2	22.2	23.1	26.2	23.1	28.0	310.7
	19 LST	30.3	27.6	30.5	28.9	27.9	25.5	27.1	25.5	25.3	26.6	27.5	29.7	332.4
	01 LST	30.7	27.2	30.4	28.3	28.2	28.5	28.9	28.3	26.5	27.9	28.0	29.0	341.9
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	23.2	22.8	23.7	23.7	25.3	23.0	24.9	24.0	23.6	25.1	24.1	24.6	290.0
	13 LST	26.2	24.5	25.6	23.7	22.5	19.8	22.9	19.7	20.9	24.1	22.6	25.5	278.0
	19 LST	28.7	26.8	29.9	28.0	26.6	24.0	25.8	24.4	24.3	25.8	26.2	27.5	318.0
	01 LST	29.4	26.3	29.2	26.5	27.0	27.4	26.7	27.2	25.2	26.6	26.5	27.9	325.9
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	22.0	21.9	23.1	23.2	23.6	24.1	22.9	21.8	22.0	23.3	22.8	23.6	274.3
	13 LST	25.1	23.9	25.1	23.5	21.1	18.6	21.4	18.0	19.5	22.5	21.7	24.7	265.1
	19 LST	27.6	26.1	29.4	27.6	25.2	22.6	22.9	21.5	22.5	24.3	25.9	26.2	301.8
	01 LST	27.9	25.9	28.8	26.2	26.4	26.4	23.8	24.3	24.1	24.7	25.6	26.5	310.7

PHAN THIET, SOUTH VIETNAM

STA NO. 48887 (IN AREA NUMBER 03)

LATITUDE 1056N

LONGITUDE 10806E

ELEVATION(FT) 00039

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	94	93	96	96	99	100	97	97	97	94	93	94	100	19	-156
MEAN MAX TMP (F)	85	85	86	88	89	90	88	89	88	87	87	85	87	19	-156
MEAN MIN TMP (F)	68	69	73	76	77	76	75	76	75	74	73	69	73	19	-156
ABS MIN TMP (F)	58	61	63	68	72	71	69	64	72	69	64	54	54	19	-156
MEAN NO DYS TMP = OR GTR 90(F)	3.4	3.0	5.8	11.2	14.8	17.3	11.6	14.8	11.2	8.6	8.3	3.4	113.4	19	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	19	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	19	-29
MEAN DEW PT TMP (F)	67	68	71	74	76	76	75	76	76	74	72	68	73	16	-29
MEAN REL HUM (PCT)	74	75	78	79	80	81	82	83	84	83	79	77	80	10	12910
MEAN PRESS ALT (FT)															0
MEAN PRECI. (IN)	0.00	0.00	0.00	1.30	5.60	6.20	7.60	7.00	8.10	7.10	2.10	0.70	45.7	29	-156
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	19	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	0.0	0.0	0.0	2.9	5.5	10.8	12.2	11.6	11.2	10.4	5.0	1.5	71.1	29	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	19	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI															0
MEAN NO DYS TSTMS	0.0	0.0	1.0	2.0	10.0	9.0	9.0	7.0	7.0	5.0	1.0	0.0	91.0	11	-156
P FREQ WND SPD = OR GTR 17 KTS	29.8	35.7	28.7	18.3	8.6	14.1	10.4	11.1	5.6	10.8	18.7	20.7	17.7	9	12863
P FREQ WND SPD = OR GTR 28 KTS	0.5	2.5	2.2	0.6	0.1	0.6	0.0	0.1	0.0	0.1	0.3	0.7	0.6	9	12863
P FREQ LES 5000 FT A/O LES 5 MI	4.4	4.4	8.3	6.8	8.8	11.8	16.4	15.3	15.8	10.6	6.5	5.1	9.5	10	10155
P FREQ LES 1500 FT A/O LES 3 MI															0
FOR 00-02 LST															0
03-05 LST	1.3	1.0	0.0	2.7	5.9	1.1	4.3	5.4	3.1	9.2	1.1	0.0	2.9	9	1195
06-08 LST	0.4	1.1	1.0	3.4	2.1	2.0	4.6	7.5	5.0	9.1	3.1	2.0	3.4	10	2559
09-11 LST	1.0	0.6	0.0	2.6	4.0	1.4	4.8	2.5	3.8	1.7	2.1	1.4	2.2	10	2043
12-14 LST	0.0	0.0	0.3	0.0	1.9	3.6	7.7	8.1	6.3	3.6	0.5	0.8	2.8	10	2574
15-17 LST	0.0	0.0	1.7	0.6	2.2	6.8	9.0	10.0	10.7	4.0	2.5	1.3	4.1	10	2349
18-20 LST	0.0	0.7	3.3	2.7	4.6	6.7	7.5	7.7	7.8	3.2	2.6	0.3	3.9	8	2006
21-23 LST															0
P FREQ LES 300 FT A/O LES 1 MI															0
FOR 00-02 LST															0
03-05 LST	0.0	0.0	0.0	0.9	0.8	0.0	1.1	0.9	1.0	6.1	0.0	0.0	0.9	9	1195
06-08 LST	0.0	0.3	0.0	0.6	0.5	0.5	1.4	3.3	1.8	4.1	0.9	0.4	1.2	10	2559
09-11 LST	0.0	0.0	0.0	0.6	0.7	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.2	10	2043
12-14 LST	0.0	0.0	0.0	0.0	0.5	0.5	1.0	2.7	0.3	1.3	0.0	0.0	0.3	10	2574
15-17 LST	0.0	0.0	0.0	0.0	0.0	2.6	1.4	3.8	2.0	0.5	2.0	0.4	1.1	10	2349
18-20 LST	0.0	0.0	0.0	0.0	0.0	0.7	1.2	0.5	2.2	0.0	1.0	0.0	0.5	8	2006
21-23 LST															0

PHAN THIET, SOUTH VIETNAM

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	31.0	27.9	31.0	29.8	30.7	29.8	30.3	29.3	29.0	28.7	29.6	30.6	357.7	9	2559
	13 LST	31.0	28.0	31.0	30.0	30.9	29.5	30.0	29.6	29.6	30.4	29.9	31.0	360.9	9	2574
	19 LST	31.0	28.0	30.4	30.0	31.0	29.3	30.1	29.9	29.0	30.3	29.7	31.0	359.7	7	2006
	01 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	30.5	25.5	28.4	28.6	27.7	22.4	25.6	22.3	25.0	27.1	28.7	29.4	321.2	9	2554
	13 LST	5.7	4.0	4.9	7.2	13.3	7.5	13.1	13.4	13.8	17.4	10.0	8.2	118.5	9	2570
	19 LST	9.3	8.0	11.3	17.4	23.1	17.6	22.2	21.4	23.7	18.0	15.9	19.7	203.6	7	2002
	01 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.1	0.6	0.3	0.5	0.3	1.0	1.3	1.4	0.3	0.0	0.1	0.1	6.0	9	2585
	13 LST	15.4	16.9	15.4	10.9	5.0	5.7	4.4	5.3	3.4	5.5	11.0	12.4	111.3	9	2589
	19 LST	12.6	14.9	12.5	5.0	2.5	2.4	0.9	1.0	0.5	3.8	5.5	6.4	68.0	7	2020
	01 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	11.3	13.8	12.5	14.4	14.9	16.1	17.1	15.5	16.8	10.5	9.2	11.9	164.0	9	2585
	13 LST	5.0	3.8	4.7	6.1	8.9	4.4	10.3	10.6	9.6	14.3	8.8	7.1	93.6	9	2589
	19 LST	7.7	6.9	9.7	14.5	18.5	13.0	13.8	13.7	14.7	12.9	10.9	11.4	147.7	7	2020
	01 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	7.8	9.3	12.3	9.8	3.4	4.6	4.9	3.2	3.4	5.1	7.0	7.1	77.9	9	2576
	13 LST	11.2	10.9	14.4	14.1	4.7	2.1	2.2	1.5	1.9	5.2	5.5	8.8	82.5	9	2588
	19 LST	9.9	9.0	13.1	7.7	3.6	3.6	3.0	1.8	3.3	5.5	5.4	8.0	73.9	7	2012
	01 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	30.9	27.4	30.2	27.8	29.9	28.8	28.5	27.9	27.5	27.5	28.4	29.9	344.7	8	2559
	13 LST	30.8	27.9	30.7	29.7	29.4	26.9	26.2	26.2	25.7	29.0	29.2	30.1	341.8	8	2574
	19 LST	31.0	27.7	29.5	28.5	27.8	26.3	26.9	26.8	25.6	29.5	28.8	30.3	338.7	7	2006
	01 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	28.6	26.5	29.3	26.6	28.7	27.3	27.5	26.4	26.6	26.1	26.5	28.3	328.4	8	2559
	13 LST	30.3	27.6	30.2	29.4	28.6	25.1	24.6	25.0	24.6	28.4	28.5	29.3	331.6	8	2574
	19 LST	29.2	25.0	29.0	27.6	27.2	26.0	25.6	24.3	24.6	27.4	28.0	28.0	321.9	7	2006
	01 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	26.9	26.2	28.9	26.4	28.6	27.1	26.8	25.3	26.3	25.9	25.4	27.3	321.1	8	2559
	13 LST	30.2	27.3	30.2	29.4	28.6	25.1	24.6	25.0	24.5	28.4	28.4	29.3	331.0	8	2574
	19 LST	28.5	24.8	29.0	27.4	27.2	25.8	25.6	24.1	24.6	27.4	27.8	27.2	319.4	7	2006
	01 LST														0	0

PHAN RANG, SOUTH VIETNAM

STA NO. 48889 (IN AREA NUMBER 03)

LATITUDE 1138N

LONGITUDE 10858E

ELEVATION(PT) 00102

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)														0	0
MEAN MAX TMP (F)														0	0
MEAN MIN TMP (F)														0	0
ABS MIN TMP (F)														0	0
MEAN NO DYS TMP = OR GTR 90(F)														0	0
MEAN NO DYS TMP = OR LES 32(F)														0	0
MEAN NO DYS TMP = OR LES 0(F)														0	0
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)	93	112	154	184	246	290	323	318	262	200	183	149	210	0	-50
MEAN PRECIP (IN)	0.20	0.03	0.20	0.80	2.50	1.70	1.50	1.90	4.30	7.10	5.10	2.10	27.4	23	-156
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = OR GTR 0.1 IN	0.5	0.1	0.6	2.0	4.5	5.8	5.6	6.1	7.5	10.4	8.4	3.9	55.4	23	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN		0.0												0	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	4.0	2.0	9.0	10.0	5.0	14.0	6.0	2.0	4.0	2.0	58.0	1	317
P FREQ WND SPD = OR GTR 17 KTS	12.8	13.6	9.8	3.0	1.3	2.7	1.4	0.7	0.6	1.3	2.8	5.2	4.6	2	17121
P FREQ WND SPD = OR GTR 28 KTS	0.3	0.4	0.7	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.2	2	17121
P FREQ LES 3000 FT A/D LES 5 MI	15.7	1.9	5.8	6.2	8.7	4.8	4.0	3.4	5.0	10.3	10.3	13.5	7.4	2	17121
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	0.0	0.1	2	2046
03-05 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	2.8	0.0	0.3	2	2046
06-08 LST	1.2	0.6	0.0	0.6	0.3	0.0	0.0	0.0	0.0	0.5	0.0	1.1	0.4	2	2174
09-11 LST	2.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	0.0	0.0	0.4	2	2184
12-14 LST	2.2	0.0	1.1	0.0	0.0	0.0	0.0	0.5	0.0	1.1	0.0	1.1	0.3	2	2184
15-17 LST	0.0	0.0	0.3	0.0	2.2	0.6	0.0	0.5	1.7	1.1	0.6	0.0	0.6	2	2188
18-20 LST	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.5	0.0	0.0	0.5	0.1		2	2188
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.0	0.1	2	2159
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.1	2	2046
03-05 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	2046
06-08 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	2174
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	2	2184
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	2184
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.6	0.0	0.1	2	2188
18-20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	2188
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	2159

PHAN RANG, SOUTH VIETNAM

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
	01 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
	01 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
	01 LST														0	0
SFC WND 4-13 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
	01 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
	01 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	30.4	27.8	30.2	29.3	30.8	30.0	31.0	31.0	30.0	30.5	30.0	30.5	361.5	2	2174
	13 LST	29.6	27.8	30.7	30.0	30.8	29.8	31.0	30.8	30.0	30.7	29.5	30.5	361.2	2	2184
	19 LST	31.0	28.0	30.8	30.0	30.3	29.7	31.0	30.8	29.8	30.7	29.8	30.7	362.6	2	2180
	01 LST	31.0	28.0	30.7	29.7	31.0	30.0	31.0	31.0	29.8	30.8	29.5	31.0	363.5	2	2046
CIG = GTR 3000 FT AND VSBY = GTR 3 MI	07 LST	23.0	25.8	29.0	27.8	30.5	30.0	30.8	30.8	29.2	28.3	27.3	25.0	337.5	2	2174
	13 LST	25.3	26.5	29.3	29.5	29.0	28.8	30.0	29.8	28.8	28.0	26.5	26.0	337.5	2	2184
	19 LST	26.6	27.5	29.3	28.3	25.7	26.7	27.0	27.2	25.5	23.0	26.3	25.2	318.3	2	2180
	01 LST	25.0	28.0	28.8	26.2	28.7	29.7	28.8	30.0	27.7	26.0	26.3	26.0	331.2	2	2046
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	17.5	22.3	26.1	25.5	25.0	29.0	25.2	27.7	27.2	22.8	21.8	22.7	292.8	2	2174
	13 LST	21.4	24.5	27.0	28.5	25.5	27.2	26.7	26.5	26.2	23.2	24.5	23.7	304.9	2	2184
	19 LST	22.1	25.8	27.3	26.3	17.0	25.5	20.8	22.5	21.2	16.5	22.2	21.7	288.9	2	2180
	01 LST	20.0	26.6	27.2	24.7	23.3	28.2	24.8	26.8	24.2	19.2	24.5	22.5	292.0	2	2046

CAM RANH BAY AFB, SOUTH VIETNAM

STA NO. 48897 (IN AREA NUMBER 03)

LATITUDE 1200N

LONGITUDE 10914E

ELEVATION(FT) 00037

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	84	87	96	95	100	100	103	99	96	92	90	85	103	2	610
MEAN MAX TMP (F)	81	83	88	91	92	94	93	93	92	88	86	82	89	2	779
MEAN MIN TMP (F)	72	71	72	76	78	78	78	78	76	75	74	73	75	2	610
ABS MIN TMP (F)	68	63	68	71	75	75	76	75	73	72	69	68	63	2	610
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	11.6	20.3	23.8	27.3	26.3	26.3	23.0	11.6	5.6	0.0	175.8	2	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	-29
MEAN DEW PT TMP (F)	69	69	71	74	75	74	74	74	73	73	72	70	72	2	18798
MEAN REL HUM (PCT)	80	78	78	76	76	72	73	72	73	79	80	80	76	2	18798
MEAN PRESS ALT (FT)	28	51	107	142	219	236	265	262	197	128	101	65	190	0	-50
MEAN PRECIP (IN)	6.64	0.39	1.48	2.31	3.32	1.04	1.36	1.71	2.75	7.05	9.36	14.14	51.5	2	761
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	7.5	0.9	3.2	4.3	5.1	5.0	5.4	5.8	5.8	10.3	12.3			2	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	0.5	3.0	9.5	3.0	3.5	4.0	7.0	2.0	0.7	0.0	33.2	2	787
P FREQ WND SPD = DR GTR 17 KTS	22.2	10.8	8.8	0.6	0.9	4.1	2.1	2.0	0.3	3.1	10.9	19.4	7.1	2	18919
P FREQ WND SPD = DR GTR 28 KTS	2.2	0.1	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.4	0.2	2	18919
P FREQ LES 5000 FT A/D LES 5 MI	36.4	19.2	14.3	8.3	8.7	3.9	5.4	3.6	4.9	13.8	23.9	37.4	15.0	2	18916
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	5.4	0.0	0.0	0.6	0.0	0.6	1.6	0.0	0.6	1.6	2.7	4.3	1.5	2	2364
03-05 LST	4.8	1.2	0.0	1.1	0.0	0.0	0.0	0.0	0.0	1.6	3.1	5.0	1.4	2	2361
06-08 LST	4.8	1.2	0.5	0.0	0.0	1.1	0.0	0.0	0.0	0.0	3.8	5.0	1.4	2	2365
09-11 LST	9.2	0.0	1.6	1.1	0.0	0.0	0.0	0.0	0.0	0.5	4.5	3.9	1.7	2	2366
12-14 LST	9.1	0.6	1.6	0.0	0.0	0.0	0.0	0.5	0.0	0.5	1.9	3.6	1.5	2	2366
15-17 LST	5.9	0.0	1.6	0.0	3.2	0.6	0.5	1.6	0.0	0.5	1.9	6.5	1.9	2	2367
18-20 LST	8.6	0.0	1.6	1.1	0.0	0.6	0.0	0.0	0.0	2.2	1.5	5.0	1.7	2	2365
21-23 LST	8.1	0.0	0.5	0.0	0.0	0.6	0.0	0.0	0.6	2.7	3.0	1.8	1.4	2	2362
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.1	2	2364
03-05 LST	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.4	0.1	2	2361
06-08 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.1	2	2365
09-11 LST	2.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.7	0.3	2	2366
12-14 LST	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.2	2	2366
15-17 LST	1.1	0.0	0.0	0.0	1.1	0.6	0.5	0.5	0.0	0.0	0.0	1.1	0.4	2	2367
18-20 LST	0.5	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.2	2	2365
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.1	2	2362

CAM RANH BAY AFB, SOUTH VIETNAM

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
	01 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
	01 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
	01 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
	01 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
	01 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	24.2	24.8	29.2	29.0	31.0	29.5	31.0	31.0	30.0	30.5	26.8	25.4	342.4	2	2365
	13 LST	24.8	27.3	30.2	30.0	30.8	30.0	31.0	30.5	30.0	30.7	28.0	27.4	350.7	2	2366
	19 LST	26.3	27.5	29.7	29.3	30.0	29.7	30.8	30.8	29.2	29.3	27.7	26.0	346.3	2	2365
	01 LST	25.7	27.5	29.0	28.2	30.5	29.8	30.0	31.0	29.2	29.2	27.0	25.5	342.6	2	2364
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	14.3	16.8	24.5	26.0	29.8	29.0	30.5	31.0	29.7	25.5	20.5	14.8	292.4	2	2365
	13 LST	19.0	23.5	28.8	29.8	28.8	29.2	30.8	28.2	28.2	27.7	24.9	22.1	321.0	2	2366
	19 LST	19.5	24.5	27.7	27.8	26.8	27.5	27.2	27.2	26.2	24.8	23.3	18.4	300.9	2	2365
	01 LST	17.0	20.3	22.3	24.0	27.8	29.5	27.8	30.5	27.8	24.2	19.1	15.7	286.0	2	2364
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	10.8	14.0	21.7	24.8	24.0	27.5	27.3	31.0	27.7	22.8	16.5	11.8	259.9	2	2365
	13 LST	15.8	21.2	26.8	29.5	26.2	28.5	28.5	25.7	26.0	23.0	20.5	15.2	286.9	2	2366
	19 LST	16.5	21.0	25.3	27.0	21.9	24.8	20.3	22.5	20.2	20.2	19.2	14.3	253.2	2	2365
	01 LST	13.2	17.5	21.5	22.7	24.0	29.2	24.8	27.3	24.7	19.5	14.5	13.2	252.1	2	2364

AREA NO. 03

VIETNAM(SOUTH)		SOUTHEAST COAST				LATITUDE 1115N				LONGITUDE 10830E					
BOUNDARIES		1030N	10730E	1215N	10912E										
PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	
MEAN MAX TMP (F)		83	84	87	90	91	92	91	91	90	88	87	84	88	
MEAN MIN TMP (F)		70	70	73	76	78	77	77	77	76	75	74	71	75	
LARGEST MEAN PRECIP(IN)		6.64	0.39	1.48	2.31	5.60	6.20	7.60	7.00	8.10	7.10	9.36	14.14	75.9	
SMALLEST MEAN PRECIP(IN)		0.00	0.00	0.00	0.80	2.50	1.04	1.36	1.71	2.75	7.05	2.10	0.70	20.0	
		MEAN NUMBER OF DAYS													
CIG = GTR 1000 FT AND VSBY = GTR 3 MI		07 LST	31.0	27.9	31.0	29.9	30.7	29.8	30.3	29.3	29.0	28.7	29.6	30.6	357.7
		13 LST	31.0	28.0	31.0	30.0	30.9	29.5	30.0	29.6	29.6	30.4	29.9	31.0	360.9
		19 LST	31.0	28.0	30.4	30.0	31.0	29.3	30.1	29.9	29.0	30.3	29.7	31.0	359.7
		01 LST													
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS		07 LST	30.5	25.5	28.4	28.6	27.7	22.4	25.6	22.3	25.0	27.1	28.7	29.4	321.2
		13 LST	5.7	4.0	4.9	7.2	13.3	7.5	13.1	13.4	13.8	17.4	10.0	8.2	118.5
		19 LST	9.3	8.0	11.3	17.4	23.1	17.6	22.2	21.4	23.7	18.0	15.9	15.7	203.6
		01 LST													
SFC WND = GTR 17 KTS AND NO PRECIP.		07 LST	0.1	0.6	0.3	0.5	0.3	1.0	1.3	1.4	0.3	0.0	0.1	0.1	6.0
		13 LST	15.4	16.9	15.4	10.9	5.0	5.7	4.4	5.3	3.4	5.5	11.0	12.4	111.3
		19 LST	12.6	14.9	12.5	5.0	2.5	2.4	0.9	1.0	0.5	3.8	5.5	6.4	68.0
		01 LST													
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.		07 LST	11.3	13.8	12.5	14.4	14.9	16.1	17.1	15.5	16.8	10.5	9.2	11.9	164.0
		13 LST	5.0	3.8	4.7	6.1	8.9	4.4	10.3	10.6	9.6	14.3	8.8	7.1	93.6
		19 LST	7.7	6.9	9.7	14.5	18.5	13.0	13.8	13.7	14.7	12.9	10.9	11.4	147.7
		01 LST													
SKY COVER LES 3/10 AND VSBY = GTR 3 MI		07 LST	7.8	9.3	12.3	9.8	3.4	4.6	4.9	3.2	3.4	5.1	7.0	7.1	77.9
		13 LST	11.2	10.9	14.4	14.1	4.7	2.1	2.2	1.5	1.9	5.2	5.5	8.8	82.5
		19 LST	9.9	9.0	13.1	7.7	3.6	3.6	3.0	1.8	3.3	5.5	5.4	8.0	73.9
		01 LST													
CIG = GTR 2500 FT AND VSBY = GTR 3 MI		07 LST	28.5	26.7	29.9	28.7	30.6	29.4	30.2	30.0	29.2	29.5	28.4	28.6	349.7
		13 LST	28.4	27.7	30.5	29.9	30.3	28.9	29.4	29.2	28.6	30.1	28.9	29.3	351.2
		19 LST	29.4	27.7	30.0	29.3	29.4	28.6	29.6	29.5	28.2	29.8	28.8	29.0	349.3
		01 LST	28.4	27.8	29.9	29.0	30.8	29.9	30.5	31.0	29.5	30.0	28.3	28.3	353.4
CIG = GTR 6000 FT AND VSBY = GTR 3 MI		07 LST	22.0	23.0	27.6	26.8	29.7	28.8	29.6	29.4	28.5	26.6	24.8	22.7	319.5
		13 LST	24.9	25.9	29.4	29.6	28.8	27.7	28.5	27.7	27.2	28.0	26.6	25.8	330.1
		19 LST	25.1	25.7	28.7	27.9	26.6	26.7	26.6	26.2	25.4	25.1	25.9	23.9	313.8
		01 LST	21.0	24.2	25.6	25.1	28.3	29.6	28.3	30.3	27.8	25.1	22.7	20.9	308.9
CIG = GTR 10000 FT AND VSBY = GTR 3 MI		07 LST	18.4	20.8	25.6	25.6	25.9	27.9	26.4	28.0	27.1	23.8	21.2	20.6	291.3
		13 LST	22.5	24.3	28.0	29.1	26.8	26.9	26.6	25.7	25.6	24.9	24.5	22.7	307.6
		19 LST	22.4	23.9	27.2	26.9	22.0	25.4	22.2	23.0	22.0	21.4	23.1	21.1	280.6
		01 LST	16.6	22.1	24.4	23.7	23.7	28.7	24.8	27.1	24.5	19.4	19.5	17.9	272.4

PLEIKU CU HANH, SOUTH VIETNAM

STA NO. 48898 (IN AREA NUMBER 04)

LATITUDE 1400N

LONGITUDE 10801E

ELEVATION(FT) 02448

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	91	93	95	96	96	89	91	85	90	88	89	93	96	4	1281
MEAN MAX TMP (F)	80	84	88	89	85	83	82	79	80	82	82	80	83	5	1397
MEAN MIN TMP (F)	58	59	64	67	69	70	69	69	68	65	62	58	65	5	1397
ABS MIN TMP (F)	47	50	56	58	64	65	65	66	61	56	54	48	47	4	1281
MEAN NO DYS TMP = OR GTR 90(F)		1.2	11.6	14.3	3.4	0.0	0.0	0.0	0.0	0.0	0.0			5	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-29
MEAN DEW PT TMP (F)	57	56	61	66	69	70	70	70	69	66	63	58	65	3	39424
MEAN REL HUM (PCT)	71	67	68	72	80	84	87	89	87	81	77	74	78	3	39424
MEAN PRESS ALT (FT)	2398	2445	2492	2546	2603	2640	2640	2671	2623	2520	2462	2418	2338	0	-50
MEAN PRECIP (IN)	0.00	1.23	1.64	2.86	14.24	8.81	13.46	12.78	14.48	4.04	1.62	0.46	75.6	5	1220
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	0.0	2.3	3.4	4.8		13.3	17.0	16.5	15.6	7.3	4.4	1.0		5	-29
MEAN NO DYS SNPL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-29
MEAN NO DYS W/O CUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	1.0	5.9	8.3	12.2	6.8	10.0	4.0	5.5	3.9	0.2	0.0	57.8	5	1398
P FREQ WND SPD = OR GTR 17 KTS	3.4	1.3	1.3	0.2	0.1	0.7	1.3	1.0	1.9	0.2	0.6	1.7	1.1	3	39436
P FREQ WND SPD = OR GTR 28 KTS	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	39436
P FREQ LES 5000 FT A/D LES 5 MI	14.8	4.4	15.3	17.4	43.3	49.1	56.3	71.0	56.9	26.5	19.6	15.2	32.5	3	39436
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	1.5	0.8	0.7	1.4	15.9	25.3	36.0	50.4	39.2	9.2	2.4	0.5	15.3	3	4870
03-05 LST	5.6	3.2	7.2	5.6	25.5	43.1	50.8	64.9	54.5	17.8	7.5	4.8	24.2	3	4921
06-08 LST	7.5	4.0	14.7	5.6	31.5	60.9	66.4	78.0	64.1	17.2	7.3	4.8	30.2	3	4959
09-11 LST	0.4	0.0	1.4	1.7	12.9	35.6	41.7	62.4	42.1	7.7	0.6	0.0	17.2	3	4962
12-14 LST	0.0	0.0	0.4	0.0	4.3	10.5	21.0	34.6	22.1	1.5	1.3	0.2	8.0	3	4961
15-17 LST	0.0	0.4	1.1	0.0	4.0	3.6	10.8	15.9	12.8	2.2	1.5	0.2	4.4	3	4959
18-20 LST	0.0	0.4	0.4	1.1	6.7	4.4	16.7	20.6	14.9	1.9	1.7	0.0	5.7	3	4952
21-23 LST	0.2	0.0	0.0	0.0	9.4	11.1	21.8	32.5	24.1	4.7	0.8	0.2	8.7	3	4852
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.4	0.8	0.7	0.6	0.8	2.5	4.8	2.8	3.6	3.3	1.4	0.4	1.8	3	4870
03-05 LST	5.0	0.8	4.3	2.8	3.0	5.6	9.4	5.6	8.8	7.5	3.9	3.0	5.0	3	4921
06-08 LST	6.5	4.0	8.2	1.9	2.4	4.9	9.4	12.9	9.2	7.3	4.1	3.4	6.2	3	4959
09-11 LST	0.2	0.0	0.0	0.0	0.3	0.5	0.5	0.9	0.0	0.9	0.2	0.0	0.3	3	4962
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	4961
15-17 LST	0.0	0.0	0.4	0.0	0.8	0.0	0.5	0.4	0.5	0.2	0.0	0.0	0.2	3	4959
18-20 LST	0.0	0.0	0.0	0.0	0.3	0.0	0.3	0.4	0.0	0.0	0.0	0.0	0.1	3	4952
21-23 LST	0.0	0.0	0.0	0.0	0.3	0.5	1.6	1.3	1.1	1.3	0.6	0.0	0.6	3	4852

PLEIKU CU HANH, SOUTH VIETNAM

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
	01 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
	01 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
	01 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
	01 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
	01 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	28.4	26.9	25.9	27.6	18.4	7.3	7.8	5.1	9.7	24.9	27.3	29.2	238.5	3	4959
	13 LST	31.0	28.0	30.4	29.5	25.5	20.0	19.3	12.1	15.8	27.9	28.2	30.0	297.7	3	4961
	19 LST	30.8	27.9	30.4	29.5	25.9	27.1	22.9	21.0	22.9	29.4	28.9	30.8	327.5	3	4952
	01 LST	30.4	27.8	30.7	29.4	22.2	19.4	16.4	11.1	16.1	26.7	28.8	30.5	289.5	3	4870
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	23.7	26.9	23.8	25.7	14.8	5.9	6.3	4.0	8.4	22.9	24.8	28.2	217.4	3	4959
	13 LST	22.0	24.8	25.5	21.0	14.8	13.9	12.6	6.2	9.7	15.7	16.7	20.5	203.2	3	4961
	19 LST	26.8	26.3	26.9	23.8	19.7	22.7	19.1	17.0	18.4	25.5	26.1	27.2	279.5	3	4952
	01 LST	28.7	27.8	29.3	28.5	17.3	16.0	14.0	8.6	12.8	24.9	26.5	28.7	263.1	3	4870
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	24.0	26.7	22.1	24.2	13.6	4.9	5.8	2.5	6.8	20.7	22.4	26.7	200.4	3	4959
	13 LST	20.8	24.8	24.2	20.4	13.1	12.4	12.2	5.2	8.5	13.6	15.0	19.5	189.7	3	4961
	19 LST	25.3	26.2	25.8	22.1	17.0	19.5	16.7	13.6	14.4	22.2	23.8	26.7	253.3	3	4952
	01 LST	27.7	27.6	28.9	26.9	16.1	14.0	12.7	8.0	10.4	22.2	24.8	28.1	247.4	3	4870

PLEIKU AREA, SOUTH VIETNAM

STA NO. 48866 (IN AREA NUMBER 04)

LATITUDE 1358N

LONGITUDE 10802E

ELEVATION(FT) 02460

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PJR (YRS)	NO, OBS
ABS MAX TMP (F)	90	91	93	95	91	93	90	90	86	90	88	90	95	6	1610
MEAN MAX TMP (F)	77	82	86	88	85	80	79	80	79	81	80	79	81	6	1610
MEAN MIN TMP (F)	55	57	61	65	68	68	67	67	67	64	62	57	63	8	2056
ABS MIN TMP (F)	43	46	46	55	63	63	63	63	61	52	50	46	43	8	2056
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.9	8.7	13.1	5.0	1.0	0.3	0.8	0.0	0.3	0.0	0.2	30.3	6	1208
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-29
MEAN DEW PT TMP (F)	55	58	61	65	69	70	70	71	70	67	64	58	65	7	-29
MEAN REL HUM (PCT)	70	69	68	71	80	88	90	91	90	84	79	73	79	8	12149
MEAN PRESS ALT (FT)	2410	2437	2504	2558	2615	2652	2652	2683	2635	2532	2474	2430	2550	0	-50
MEAN PRECIP (IN)	0.01	0.16	1.09	3.33	8.41	16.16	16.76	19.54	13.84	6.09	2.21	0.32	87.9	8	1895
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	0.1	0.4	2.5	5.1	5.2	18.8	19.2	20.7	13.3	9.4	3.1	0.7	102.5	8	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0	0.0	0.0	3.3	5.7	4.0	8.3	10.0	13.7	5.1	4.3	0.0	54.4	2	301
MEAN NO DYS TSTMS	0.0	0.6	3.0	8.7	9.4	3.5	3.6	3.9	4.9	4.7	0.2	0.3	42.8	8	1827
P FREQ WND SPD = OR GTR 17 KTS	5.6	8.5	3.7	1.6	0.8	4.1	5.3	4.3	5.8	2.2	5.2	8.6	4.6	7	12281
P FREQ WND SPD = OR GTR 28 KTS	0.2	0.3	0.0	0.0	0.0	0.3	0.0	0.0	0.2	0.0	0.2	0.4	0.1	7	12281
P FREQ LES 5000 FT A/D LES 5 MI	29.9	22.9	33.5	45.5	48.6	68.1	73.4	72.7	70.7	46.2	33.3	26.6	47.6	8	10583
P FREQ LES 1500 FT A/D LES 3 MI															
FDR 00-02 LST	2.9	0.0	0.0	8.9	12.0	64.5	56.8	54.0	65.7	20.7	15.7	3.9	25.4	5	948
03-05 LST	4.0	12.5	17.7	20.7	26.5	32.3	78.0	79.3	80.6	38.8	13.3	6.7	35.9	6	1101
06-08 LST	15.2	13.1	23.5	24.4	36.3	81.0	86.4	92.0	84.1	33.0	14.6	11.6	42.9	8	2139
09-11 LST	3.8	2.9	11.3	15.0	22.4	59.6	67.7	66.7	56.8	19.7	10.5	5.2	28.5	8	1982
12-14 LST	3.5	1.9	6.9	9.0	15.3	37.6	43.3	41.3	39.0	23.1	11.7	5.2	19.9	8	2160
15-17 LST	2.4	2.0	14.9	18.2	20.6	28.7	32.1	32.7	28.8	20.4	9.3	4.4	17.9	8	2089
18-20 LST	0.7	0.0	5.1	19.7	14.6	28.3	39.9	39.7	38.6	11.0	4.3	2.4	17.0	6	1672
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	2.9	0.0	0.0	3.3	3.0	6.5	7.4	8.0	19.2	8.1	1.2	0.0	5.0	5	948
03-05 LST	4.0	10.2	12.5	8.7	8.8	19.8	22.0	35.6	32.0	24.7	8.2	6.7	16.1	6	1101
06-08 LST	10.3	10.6	13.4	9.9	10.6	23.8	37.3	44.3	31.9	15.1	4.9	5.8	18.2	8	2139
09-11 LST	6.0	0.0	1.3	1.4	0.0	6.0	12.6	9.8	5.7	0.5	0.0	0.0	3.1	8	1982
12-14 LST	0.0	0.0	0.6	0.6	1.8	2.8	2.8	4.5	0.5	2.0	0.5	0.0	1.3	8	2160
15-17 LST	0.0	0.0	1.1	1.8	3.1	4.3	2.4	3.0	1.6	0.5	0.0	0.0	1.5	8	2089
18-20 LST	0.0	0.0	0.0	0.0	1.5	3.8	5.8	5.9	1.4	1.4	0.0	0.0	1.7	6	1672
21-23 LST														0	0

PLEIKU AREA, SOUTH VIETNAM

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	26.8	24.7	24.9	24.2	21.5	7.1	4.9	3.9	5.8	21.3	26.1	27.9	219.1	7	2139
	13 LST	31.0	28.0	29.8	29.3	29.7	24.7	22.9	24.0	23.4	28.2	29.1	30.6	330.7	7	2160
	19 LST	30.8	28.0	29.9	26.9	29.0	23.5	21.1	21.7	20.6	29.1	29.1	30.4	320.1	5	1672
	01 LST	30.1	28.0	31.0	27.4	27.8	12.0	14.2	15.7	10.6	25.7	25.3	29.7	277.5	4	948
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	26.1	23.6	24.4	23.3	21.3	6.4	4.7	3.6	5.8	20.7	24.8	25.3	210.0	7	2131
	13 LST	19.3	14.2	22.8	25.1	25.3	16.1	15.7	17.9	18.6	22.3	19.3	17.2	233.8	7	2160
	19 LST	26.9	18.4	23.8	22.6	27.2	22.9	20.4	21.1	19.9	27.1	26.3	25.8	282.4	5	1670
	01 LST	30.1	25.7	29.0	26.3	27.8	11.1	13.5	15.3	10.6	25.2	23.9	28.4	266.9	4	947
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.2	0.2	0.2	0.0	0.0	0.3	0.2	0.2	0.7	0.0	0.3	0.5	2.8	7	2173
	13 LST	3.4	5.3	1.9	0.7	0.4	0.7	1.5	0.9	2.1	1.7	2.6	4.5	25.7	7	2178
	19 LST	0.8	1.1	0.9	0.4	0.0	0.0	0.0	0.0	0.4	0.0	0.6	0.9	5.1	5	1690
	01 LST	0.0	0.0	0.4	0.3	0.0	0.5	0.7	0.0	0.3	0.0	0.4	0.0	2.6	4	957
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	10.8	11.2	11.8	9.3	6.5	9.3	6.1	6.0	6.0	8.2	8.7	9.0	102.9	7	2128
	13 LST	16.0	12.1	19.1	17.7	20.1	14.8	14.4	16.3	13.9	15.3	15.4	13.6	188.7	7	2143
	19 LST	19.7	11.7	13.8	10.0	11.0	13.1	9.8	9.2	9.6	13.5	15.6	16.5	153.5	5	1690
	01 LST	12.8	21.2	20.4	10.5	5.7	9.2	6.5	5.2	5.6	10.2	10.9	16.1	134.3	4	957
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	8.5	7.1	7.3	6.2	1.7	0.0	0.2	0.2	0.5	4.8	6.1	6.7	49.3	7	2169
	13 LST	3.3	4.6	6.0	2.0	0.2	0.0	0.0	0.0	0.0	0.3	0.9	2.2	19.3	7	2173
	19 LST	12.7	12.4	10.9	6.8	1.3	0.3	0.9	0.9	1.3	7.9	7.4	11.0	73.8	5	1687
	01 LST	16.4	19.0	20.8	11.4	3.2	1.4	1.0	1.4	1.2	10.5	8.1	14.2	108.6	4	956
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	26.1	24.0	23.7	21.7	17.6	4.3	3.6	2.9	4.4	20.3	24.9	26.8	200.3	7	2139
	13 LST	22.7	23.6	23.1	19.5	16.7	11.8	10.1	9.6	11.2	15.7	19.8	23.4	207.2	7	2160
	19 LST	30.7	27.9	29.1	23.0	24.2	19.1	17.1	16.2	16.9	26.1	28.4	29.8	288.5	5	1672
	01 LST	30.1	28.0	30.4	26.7	26.2	9.7	13.9	13.7	10.1	24.5	24.2	27.8	265.3	3	948
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	21.6	21.7	22.5	19.7	15.2	3.8	2.6	1.6	3.5	17.4	22.1	23.6	175.3	7	2139
	13 LST	15.7	19.4	17.3	13.2	9.5	9.1	7.1	6.8	8.2	10.3	13.9	17.2	147.7	7	2160
	19 LST	26.5	25.6	26.5	20.3	22.8	17.6	15.9	15.5	16.4	24.1	26.1	26.1	263.4	5	1672
	01 LST	27.3	27.1	29.0	25.4	23.0	8.8	12.7	12.8	8.5	22.4	20.3	27.1	244.4	3	948
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	21.6	21.5	22.3	19.7	15.2	3.8	2.6	1.5	3.5	17.4	22.1	23.6	174.8	7	2139
	13 LST	15.7	19.4	17.3	13.2	9.5	9.1	7.1	6.8	8.2	10.3	13.9	17.2	147.7	7	2160
	19 LST	26.5	25.6	26.5	20.3	22.8	17.6	15.9	15.5	16.4	23.9	26.1	26.1	263.2	5	1672
	01 LST	27.3	27.1	29.0	25.4	23.0	8.8	12.7	12.8	8.5	22.4	20.3	27.1	244.4	3	948

AN KHE, SOUTH VIETNAM

STA NO. 48867 (IN AREA NUMBER 04)

LATITUDE 1358N

LONGITUDE 10840E

ELEVATION(FT) 21300

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	86	89	96	99	97	95	97	92	92	94	86	88	99	2	396
MEAN MAX TMP (F)	79	84	91	93	89	92	89	89	86	84	80	79	86	2	396
MEAN MIN TMP (F)	64	65	69	70	73	74	73	73	70	69	67	66	69	2	396
ABS MIN TMP (F)	58	59	64	66	70	69	69	69	62	66	60	61	58	2	396
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	21.0	23.4	14.8	23.0	14.8	14.8	5.6	1.4	0.0	0.0	120.8	2	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	-29
MEAN DEW PT TMP (F)	65	64	67	70	72	73	72	72	71	69	68	68	69	2	17503
MEAN REL HUM (PCT)	90	83	79	77	79	78	79	81	82	86	88	90	83	2	17503
MEAN PRESS ALT (FT)	1269	1315	1404	1437	1500	1529	1544	1525	1453	1389	1350	1332	1421	0	-30
MEAN PRECIP (IN)	2.13	0.38	2.61	0.71	6.97	3.91	7.84	5.71	4.67	17.04	13.87	6.34	72.4	2	396
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	229
MEAN NO DYS PRCP = DR GTR 0.1 IN	3.9	0.9	4.8	1.8	5.3	8.4	12.4	10.3	7.9	16.7	15.3	7.4	95.1	2	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS	2.6	0.3	0.9	0.1	2.5	4.9	3.3	4.6	0.7	0.1	1.0	2.1	1.9	2	17512
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	17512
P FREQ LES 5000 FT A/D LES 5 MI	68.0	42.3	29.1	16.7	25.5	18.6	24.9	25.6	25.6	35.9	48.3	57.1	34.8	2	17512
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	18.8	13.1	18.3	11.1	6.5	3.9	3.2	2.2	5.0	14.0	22.8	17.7	11.4	2	2204
03-05 LST	26.3	22.6	27.4	18.9	8.6	10.6	10.8	5.4	6.7	17.7	19.2	19.9	16.2	2	2204
06-08 LST	20.4	19.6	24.2	12.2	11.3	10.0	13.4	7.0	7.2	21.0	21.7	31.7	16.6	2	2204
09-11 LST	17.7	6.0	4.8	1.7	0.5	0.0	7.5	5.4	8.3	16.7	18.9	21.5	9.1	2	2204
12-14 LST	13.4	0.6	0.0	0.6	1.1	0.0	3.8	1.6	2.8	14.0	11.1	9.1	4.8	2	2204
15-17 LST	14.5	1.2	0.0	0.6	0.0	0.6	3.8	3.2	3.3	10.2	12.8	10.8	5.1	2	2204
18-20 LST	21.5	3.0	4.3	6.7	8.1	1.1	3.2	0.5	6.1	7.6	11.7	9.7	7.0	2	2196
21-23 LST	17.7	8.3	14.0	8.3	4.3	3.3	3.2	0.5	2.3	8.6	12.8	10.8	7.8	2	2204
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	1.1	3.0	1.1	0.6	0.0	0.0	0.5	0.0	0.0	0.5	0.0	1.6	0.7	2	2204
03-05 LST	5.4	6.5	5.9	1.1	0.5	1.1	4.3	0.5	3.9	5.4	0.0	1.6	3.0	2	2204
06-08 LST	4.3	8.3	9.1	2.8	3.2	1.7	3.8	1.1	1.7	2.2	0.6	5.9	3.7	2	2204
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	1.7	0.0	0.2	2	2204
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	1.6	1.7	0.0	0.3	2	2204
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.6	0.5	1.1	0.0	0.2	2	2204
18-20 LST	0.3	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.1	2	2196
21-23 LST	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	1.1	0.0	0.2	2	2204

AN KHE, SOUTH VIETNAM

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
	01 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
	01 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
	01 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
	01 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
	01 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	17.3	16.5	19.8	24.3	26.3	24.5	24.7	24.2	27.0	21.8	18.3	11.0	255.7	2	2204
	13 LST	16.8	24.0	28.5	29.0	29.2	29.0	27.2	25.7	26.5	25.0	19.7	19.0	299.6	2	2204
	19 LST	19.0	24.3	28.0	27.2	26.5	27.8	27.7	27.5	26.2	25.8	20.8	21.8	302.6	2	2196
	01 LST	17.5	19.0	21.3	24.8	27.5	27.0	26.7	25.5	26.7	23.7	20.7	19.0	279.4	2	2204
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	6.8	11.8	17.5	23.3	22.0	23.0	21.3	22.7	24.3	17.5	16.0	6.0	212.2	2	2204
	13 LST	6.5	16.0	25.3	27.0	24.8	24.9	22.8	23.0	19.7	18.3	10.8	13.0	232.1	2	2204
	19 LST	13.2	20.8	23.3	24.7	20.8	22.8	23.2	21.3	19.8	21.7	15.2	15.5	242.3	2	2196
	01 LST	9.8	15.2	20.0	23.8	22.3	24.3	22.0	21.8	21.5	19.5	16.7	13.5	230.4	2	2204
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	5.5	10.3	15.8	19.7	15.8	20.2	17.0	10.7	15.8	13.8	13.5	3.3	161.4	2	2204
	13 LST	5.7	13.2	24.5	26.3	21.5	21.8	19.5	16.7	12.8	14.5	7.8	8.0	192.3	2	2204
	19 LST	11.8	18.7	22.5	21.7	17.2	21.2	19.5	14.8	14.5	18.0	13.0	10.3	203.2	2	2196
	01 LST	8.5	12.8	19.0	21.3	19.3	23.7	18.5	16.3	15.8	13.8	13.3	8.8	193.1	2	2204

BAN ME THUOT EAS, SOUTH VIETNAM

STA NO. 48075 (IN AREA NUMBER 04)

LATITUDE 1239N

LONGITUDE 10807E

ELEVATION(FT) 01739

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	92	97	99	103	99	95	90	94	90	92	90	89	103	29	-156
MEAN MAX TMP (F)	80	85	89	90	88	85	84	84	83	82	81	79	84	20	-156
MEAN MIN TMP (F)	63	65	67	70	71	70	70	70	70	68	67	65	68	20	-156
ABS MIN TMP (F)	48	46	55	61	58	63	64	58	63	59	50	45	45	29	-156
MEAN NO DYS TMP = DR GTR 90(F)		3.0	14.8	17.3	11.6	3.2	1.4	1.4	0.0	0.0	0.0	0.0		20	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	29	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	29	-29
MEAN DEW PT TMP (F)	60	61	62	63	69	70	70	71	71	69	66	64	66	17	-29
MEAN REL HUM (PCT)	70	65	61	61	72	79	81	82	84	82	79	77	74	12	13002
MEAN PRESS ALT (FT)	1689	1733	1780	1834	1892	1930	1930	1961	1914	1812	1752	1711	1828	0	-30
MEAN PRECIP (IN)	0.00	0.10	1.30	3.70	9.50	9.80	10.90	11.80	12.20	8.80	3.90	0.80	72.8	25	-156
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	29	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	0.0	0.3	2.9	5.3	5.4	14.2	15.1	15.8	14.3	11.8	7.1	1.7	93.9	25	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	29	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	2.0	7.0	15.0	11.0	7.0	7.0	6.0	4.0	0.0	0.0	59.0	11	-156
P FREQ WND SPD = DR GTR 17 KTS	7.6	7.9	4.4	1.8	0.3	0.7	0.1	0.7	0.3	0.7	2.1	3.7	2.5	12	13203
P FREQ WND SPD = DR GTR 28 KTS	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	12	13203
P FREQ LES 3000 FT A/D LES 5 MI	29.0	21.5	20.3	21.2	36.0	41.4	47.2	47.9	43.4	34.3	34.7	36.2	34.4	13	9116
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	19.9	17.5	15.9	7.9	15.8	15.7	18.2	20.4	21.7	24.1	22.3	20.6	18.3	13	3375
09-11 LST	14.1	9.2	5.7	6.4	13.9	21.7	22.7	27.6	27.3	22.3	20.9	23.1	17.9	13	2927
12-14 LST	9.8	5.2	3.2	5.0	8.4	19.4	21.9	25.9	22.5	17.5	17.1	12.1	14.0	12	3238
15-17 LST	5.4	0.8	2.1	4.0	10.6	11.5	14.7	15.9	13.5	12.5	8.7	8.9	9.1	13	3337
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	2.2	3.9	4.3	1.2	3.9	4.8	4.7	4.8	6.9	7.1	2.0	2.3	4.0	13	3375
09-11 LST	0.0	0.0	0.0	0.0	0.0	1.4	0.8	1.3	0.8	1.1	0.0	0.4	0.5	13	2927
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.8	0.8	1.1	0.4	1.3	0.3	0.6	0.4	12	3238
15-17 LST	0.0	0.4	0.0	0.4	1.4	0.4	1.6	0.7	1.1	1.7	1.0	0.3	0.8	13	3337
18-20 LST														0	0
21-23 LST														0	0

BAN ME THUOT EAS, SOUTH VIETNAM

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG ≥ GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	27.2	25.0	27.8	28.6	27.4	26.4	27.4	26.5	25.4	25.2	25.0	26.0	317.9	13	3375
	13 LST	30.2	27.7	30.8	29.9	29.7	27.1	29.5	28.3	28.4	29.3	28.4	30.2	349.5	11	3238
	19 LST														0	0
	01 LST														0	0
CIG ≥ GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	20.3	17.0	22.9	26.4	26.6	29.6	27.2	26.4	25.2	23.9	22.8	20.6	284.9	13	3361
	13 LST	15.2	14.5	20.9	25.5	28.0	25.6	25.9	25.9	26.9	25.3	19.6	14.9	268.2	11	3231
	19 LST														0	0
	01 LST														0	0
SFC WND ≥ GTR 17 KTS AND NO PRECIP.	07 LST	1.2	0.6	0.3	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.1	0.5	2.9	13	3437
	13 LST	2.6	3.2	1.2	0.5	0.0	0.1	0.1	0.3	0.2	0.4	1.1	1.8	11.3	11	3295
	19 LST														0	0
	01 LST														0	0
SFC WND 4-10 KTS AND THP 33-89 DEG F AND NO PRECIP.	07 LST	21.1	15.9	17.8	14.6	8.2	5.6	6.9	7.7	4.4	11.9	16.3	19.2	149.6	13	3367
	13 LST	13.6	9.8	9.3	7.0	15.8	20.6	18.1	20.2	18.0	18.4	16.4	13.3	180.5	11	3290
	19 LST														0	0
	01 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	8.0	8.4	10.9	9.1	3.4	2.8	2.6	1.9	1.0	1.9	2.9	4.1	37.0	13	3428
	13 LST	4.2	5.9	7.6	2.2	0.3	0.0	0.0	0.1	0.0	0.4	2.6	1.9	23.4	11	3284
	19 LST														0	0
	01 LST														0	0
CIG ≥ GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	22.4	21.6	24.6	26.6	24.8	23.9	22.3	22.0	21.3	21.7	21.6	23.1	275.9	12	3375
	13 LST	23.8	23.2	26.7	23.7	22.3	16.8	16.0	15.0	17.2	20.1	20.1	21.2	246.1	10	3238
	19 LST														0	0
	01 LST														0	0
CIG ≥ GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	21.3	20.5	23.4	25.7	22.3	21.7	19.5	18.5	18.5	19.2	20.2	21.8	252.6	12	3375
	13 LST	21.3	22.4	23.5	20.0	17.1	11.3	12.9	12.0	15.3	17.9	17.9	17.7	209.3	10	3238
	19 LST														0	0
	01 LST														0	0
CIG ≥ GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	21.3	20.5	23.4	25.7	22.3	21.4	19.3	18.5	18.2	19.2	19.9	21.6	251.3	12	3375
	13 LST	21.3	22.4	23.5	20.0	17.0	11.3	12.9	11.9	15.2	17.8	17.8	17.3	208.6	10	3238
	19 LST														0	0
	01 LST														0	0

DALAT/LIEN KHOUNG, SOUTH VIETNAM

STA NO. 48881 (IN AREA NUMBER 04)

LATITUDE 1144N

LONGITUDE 10822E

ELEVATION(FT) 03156

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	91	93	93	93	91	88	86	88	91	86	90	91	93	16	2695
MEAN MAX TMP (F)	80	82	84	85	84	81	81	80	80	80	79	79	81	16	2695
MEAN MIN TMP (F)	56	57	59	62	65	65	65	65	65	63	60	58	62	17	4335
ABS MIN TMP (F)	45	43	48	50	50	50	54	50	50	50	45	45	43	17	4335
MEAN NO DYS TMP = DR GTR 90(F)	0.1	0.3	2.0	3.2	1.0	0.0	0.0	0.0	0.3	0.0	0.3	0.0	7.2	11	2458
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	3324
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	3324
MEAN DEW PT TMP (F)	57	57	59	63	66	67	66	66	67	65	62	59	63	9	31577
MEAN REL HUM (PCT)	68	64	65	71	78	81	82	83	84	82	76	73	76	17	23252
MEAN PRESS ALT (FT)	3186	3196	3226	3256	3286	3296	3306	3306	3286	3256	3236	3206	3254	0	-50
MEAN PRECIP (IN)	0.20	0.90	1.60	4.60	9.10	6.10	7.70	8.20	10.10	9.70	2.70	1.30	62.2	17	-156
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	0.5	1.9	3.4	5.5	5.3	10.7	12.3	12.7	12.9	12.6	5.7	2.6	86.1	17	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSMS	0.5	0.8	2.5	9.6	12.0	7.7	6.3	6.6	5.4	4.8	0.9	0.2	57.3	16	3713
P FREQ WND SPD = DR GTR 17 KTS	6.1	6.6	4.3	1.8	0.3	1.3	2.7	1.3	0.9	1.3	3.4	4.6	2.9	16	23642
P FREQ WND SPD = DR GTR 28 KTS	0.1	0.2	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	16	23642
P FREQ LES 5000 FT A/D LES 5 MI	11.1	9.7	18.9	27.6	33.6	43.8	48.1	52.0	48.8	29.7	19.0	13.5	29.7	17	18019
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST	1.6	0.9	10.9	14.2	14.8	19.7	32.4	31.5	33.2	15.8	8.5	7.6	15.9	16	2636
06-08 LST	2.6	3.6	11.4	11.2	13.0	22.1	30.6	32.3	36.7	18.0	10.4	5.3	16.4	17	4629
09-11 LST	0.6	1.0	1.9	1.5	4.1	10.6	13.2	19.2	12.7	5.7	3.1	2.1	6.3	16	3580
12-14 LST	0.5	0.8	2.0	0.6	3.7	9.5	7.1	11.9	9.7	4.8	2.3	1.9	4.6	17	4679
15-17 LST	0.6	0.0	1.1	3.6	7.5	8.5	8.7	11.7	14.6	7.2	4.1	0.3	5.7	16	4035
18-20 LST	0.7	1.2	0.3	1.3	5.6	11.6	8.7	16.5	16.0	9.4	2.0	1.0	6.2	17	3409
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST	0.8	0.4	6.1	8.2	5.6	5.1	6.9	7.8	11.2	9.5	4.0	5.1	5.9	16	2636
06-08 LST	1.7	2.5	6.8	7.6	4.4	3.2	7.8	6.9	9.5	9.4	6.1	3.2	5.8	17	4629
09-11 LST	0.0	0.0	1.0	0.8	0.8	0.4	0.0	1.3	0.0	1.3	0.3	0.6	0.5	16	3580
12-14 LST	0.0	0.5	0.8	0.0	0.6	1.4	0.5	0.7	1.0	0.2	0.3	0.7	0.6	17	4679
15-17 LST	0.3	0.0	0.3	0.6	0.9	0.6	0.0	0.9	1.7	0.0	0.9	0.0	0.5	16	4035
18-20 LST	0.4	0.0	0.0	0.0	0.0	1.6	0.4	1.3	0.7	1.9	0.3	0.0	0.6	17	3409
21-23 LST														0	0

DALAT/LIEN KHONG, SOUTH VIETNAM

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	30.3	27.1	27.6	26.9	26.4	25.9	24.8	24.0	20.9	26.2	28.0	29.6	319.7	16	4629
	13 LST	31.0	27.9	30.5	30.0	30.7	29.0	30.3	29.5	29.0	30.3	29.8	30.6	358.6	16	4679
	19 LST	30.9	27.8	30.9	29.9	30.3	27.7	30.0	28.0	27.1	29.2	29.5	30.8	352.1	15	3409
	01 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	28.4	25.2	26.6	26.4	28.1	25.3	24.2	23.6	20.7	25.4	27.2	28.4	309.5	16	4604
	13 LST	17.5	15.9	20.6	24.2	27.3	21.3	23.3	22.4	25.2	24.8	21.2	18.6	262.3	16	4650
	19 LST	26.7	23.9	27.4	28.2	30.0	26.9	30.0	27.2	26.9	28.2	28.3	29.0	332.7	15	3400
	01 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.3	0.2	0.2	0.0	0.0	0.0	0.2	0.1	0.0	0.1	0.1	0.1	1.3	16	4732
	13 LST	4.1	4.0	2.7	0.9	0.2	0.8	1.6	1.1	0.4	1.0	2.4	3.5	22.7	16	4790
	19 LST	0.5	0.4	0.4	0.2	0.0	0.2	0.0	0.1	0.0	0.0	0.1	0.3	2.2	15	3465
	01 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	13.8	12.8	14.1	9.4	6.7	8.4	9.4	8.4	4.2	5.5	7.6	10.3	110.6	16	4660
	13 LST	14.0	12.6	16.6	18.6	18.6	15.5	16.4	16.8	17.1	15.4	14.4	13.8	189.8	16	4681
	19 LST	18.0	15.5	14.4	9.8	6.2	6.3	6.6	5.7	3.9	6.6	10.2	15.2	118.4	15	3411
	01 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	12.5	12.7	13.1	9.2	5.3	3.1	2.3	2.2	1.8	5.4	7.2	10.1	84.9	16	4721
	13 LST	7.8	7.7	8.3	2.0	0.3	0.0	0.2	0.0	0.0	0.5	2.5	4.3	33.6	16	4782
	19 LST	13.2	11.7	11.0	4.3	0.7	0.8	1.2	1.0	0.4	3.3	6.0	8.1	61.7	15	3465
	01 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	29.6	26.4	27.0	25.5	24.9	19.5	17.4	16.9	16.3	27.0	25.3	28.5	284.3	16	4629
	13 LST	28.8	25.9	28.2	24.3	21.8	17.9	19.4	17.1	17.9	22.7	26.2	27.7	277.9	16	4679
	19 LST	29.8	27.2	30.1	27.5	26.6	28.2	25.0	22.5	22.3	26.1	28.1	29.6	323.0	14	3409
	01 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	28.5	25.7	25.9	24.3	23.8	17.6	16.2	15.2	14.7	25.8	24.2	27.3	269.2	16	4629
	13 LST	25.6	23.0	25.0	16.8	13.8	10.8	10.9	8.7	10.3	16.4	23.2	24.9	209.4	16	4679
	19 LST	27.5	26.2	28.5	24.8	24.7	22.9	22.6	20.9	21.4	24.6	26.4	27.4	297.9	14	3409
	01 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	28.4	25.7	25.9	24.3	23.8	17.6	16.1	15.2	14.6	25.7	24.2	27.2	268.7	16	4629
	13 LST	25.6	23.0	25.0	16.8	13.8	10.8	10.9	8.7	10.3	16.2	23.2	24.9	209.2	16	4679
	19 LST	27.5	26.2	28.5	24.8	24.7	22.9	22.6	20.9	21.3	24.5	26.4	27.4	297.7	14	3409
	01 LST														0	0

HENSEL AAF, SOUTH VIETNAM

STA NO. 49218 (IN AREA NUMBER 04)

LATITUDE 1351N

LONGITUDE 10803E

ELEVATION(FT) 02529

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
														(YRS)	DBS
ABS MAX TMP (F)	90	91	93	95	91	93	90	90	86	90	88	90	95	6	-48866
MEAN MAX TMP (F)	77	82	86	88	89	80	79	80	79	81	80	79	81	6	-48866
MEAN MIN TMP (F)	55	57	61	65	68	68	67	67	67	64	62	57	63	8	-48866
ABS MIN TMP (F)	43	46	46	55	63	63	63	63	61	52	50	46	43	8	-48866
MEAN NO DYS TMP = DR GTR 93(F)	0.0	0.9	8.7	13.1	5.0	1.0	0.3	0.8	0.0	0.3	0.0	0.2	30.3	6	-48866
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-29
MEAN DEW PT TMP (F)	55	58	61	65	69	70	70	71	70	67	64	58	65	7	-29
MEAN REL HUM (PCT)	70	69	68	71	80	88	90	91	90	84	79	73	79	8	-48866
MEAN PRESS ALT (FT)	2351	2374	2408	2443	2500	2553	2572	2627	2562	2356	2460	2409	2485	0	-50
MEAN PRECIP (IN)	0.01	0.16	1.09	3.33	8.41	16.16	16.76	19.54	13.84	6.09	2.21	0.32	87.9	8	-48866
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	0.1	0.4	2.5	5.1	5.2	18.8	19.2	20.7	15.3	9.4	5.1	0.7	102.5	8	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0	0.0	0.0	3.3	5.7	4.0	8.3	10.0	13.7	5.1	4.3	0.0	54.4	2	-48866
MEAN NO DYS TSTMS	0.0	0.6	3.0	8.7	9.4	3.5	3.6	3.9	4.9	4.7	0.2	0.3	42.8	8	-48866
P FREQ WND SPD = DR GTR 17 KTS	5.6	8.5	3.7	1.6	0.8	4.1	5.3	4.3	5.8	2.2	5.2	8.6	4.6	7	-48866
P FREQ WND SPD = DR GTR 28 KTS	0.2	0.3	0.0	0.0	0.0	0.3	0.0	0.0	0.2	0.0	0.2	0.4	0.1	7	-48866
P FREQ LES 5000 FT A/D LES 5 MI	29.9	22.9	33.5	45.5	48.6	68.1	73.4	72.7	70.7	46.2	33.3	26.6	47.6	8	-48866
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	2.9	0.0	0.0	8.9	12.0	64.5	56.8	54.0	65.7	20.7	15.7	3.9	25.4	5	-48866
03-05 LST	4.0	12.5	17.7	20.7	26.5	52.3	78.0	79.3	80.6	38.8	19.3	6.7	35.9	6	-48866
06-08 LST	15.2	13.1	23.5	24.4	36.3	81.0	86.4	92.0	84.1	33.0	14.6	11.6	42.9	8	-48866
09-11 LST	3.8	2.9	11.3	15.0	22.4	59.6	67.7	66.7	56.8	19.7	10.5	5.2	28.5	8	-48866
12-14 LST	3.5	1.9	6.9	9.0	15.3	37.6	43.3	41.8	39.0	23.1	11.7	5.2	19.9	8	-48866
15-17 LST	2.4	2.0	14.9	18.2	20.6	28.7	32.1	32.7	28.8	20.4	7.3	4.4	17.9	8	-48866
18-20 LST	0.7	0.0	5.1	19.7	14.6	28.3	39.9	39.7	38.6	11.0	4.3	2.4	17.0	6	-48866
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	2.9	0.0	0.0	3.3	3.0	6.5	7.4	8.0	19.2	8.1	1.2	0.0	5.0	5	-48866
03-05 LST	4.0	10.2	12.5	8.7	8.8	19.8	22.0	35.6	32.0	24.7	8.2	6.7	16.1	6	-48866
06-08 LST	10.5	10.6	13.4	9.9	10.6	23.8	37.3	44.3	31.9	15.1	4.9	5.8	18.2	8	-48866
09-11 LST	0.0	0.0	1.3	1.4	0.0	6.0	12.6	9.8	5.7	0.5	0.0	0.0	3.1	8	-48866
12-14 LST	0.0	0.0	0.6	0.6	1.8	2.8	2.8	4.5	0.5	2.0	0.5	0.0	1.3	8	-48866
15-17 LST	0.0	0.0	1.1	1.8	3.1	4.3	2.4	3.0	1.6	0.5	0.0	0.0	1.5	8	-48866
18-20 LST	0.0	0.0	0.0	0.0	1.5	3.8	5.8	5.9	1.4	1.4	0.0	0.0	1.7	6	-48866
21-23 LST														0	0

HENSEL AAF, SOUTH VIETNAM

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG ≥ GTR 1000 FT AND VSBY ≥ GTR 3 MI	07 LST	26.8	24.7	24.9	24.2	21.5	7.1	4.9	3.9	5.8	21.3	26.1	27.9	219.1	7	-48866
	13 LST	31.0	28.0	29.8	29.3	29.7	24.7	22.9	24.0	23.4	28.2	29.1	30.6	330.7	7	-48866
	19 LST	30.8	28.0	29.9	26.9	29.0	23.5	21.1	21.7	20.6	29.1	29.1	30.4	320.1	5	-48866
	01 LST	30.1	28.0	31.0	27.4	27.8	12.0	14.2	15.7	10.6	25.7	25.3	29.7	277.5	4	-48866
CIG ≥ GTR 2000 FT AND VSBY ≥ GTR 3 MI W/SFC WND LES 10 KTS	07 LST	26.1	23.6	24.4	23.3	21.3	6.4	4.7	3.6	5.8	20.7	24.8	25.3	210.0	7	-48866
	13 LST	19.3	14.2	22.8	25.1	25.3	16.1	15.7	17.9	18.6	22.3	19.3	17.2	233.8	7	-48866
	19 LST	26.9	18.4	23.8	22.6	27.2	22.9	20.4	21.1	19.9	27.1	26.3	25.8	282.4	5	-48866
	01 LST	30.1	25.7	29.0	26.3	27.8	11.1	13.5	15.3	10.6	25.2	23.9	28.4	266.9	4	-48866
SFC WND ≥ GTR 17 KTS AND NO PRECIP.	07 LST	0.2	0.2	0.2	0.0	0.0	0.3	0.2	0.2	0.7	0.0	0.3	0.5	2.8	7	-48866
	13 LST	3.4	5.3	1.9	0.7	0.4	0.7	1.5	0.9	2.1	1.7	2.6	4.5	25.7	7	-48866
	19 LST	0.8	1.1	0.9	0.4	0.0	0.0	0.0	0.0	0.4	0.0	0.6	0.9	5.1	5	-48866
	01 LST	0.0	0.0	0.4	0.3	0.0	0.5	0.7	0.0	0.3	0.0	0.4	0.0	2.6	4	-48866
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	10.8	11.2	11.8	9.3	6.5	9.3	6.1	6.0	6.0	8.2	8.7	9.0	102.9	7	-48866
	13 LST	16.0	12.1	19.1	17.7	20.1	14.8	14.4	16.3	13.9	15.3	15.4	13.6	188.7	7	-48866
	19 LST	19.7	11.7	13.8	10.0	11.0	13.1	9.8	9.2	9.6	13.5	13.6	16.5	153.5	5	-48866
	01 LST	12.8	21.2	20.4	10.5	5.7	9.2	6.5	5.2	5.6	10.2	10.9	16.1	134.3	4	-48866
SKY COVER LES 3/10 AND VSBY ≥ GTR 3 MI	07 LST	8.5	7.1	7.3	6.2	1.7	0.0	0.2	0.2	0.5	4.8	6.1	6.7	49.3	7	-48866
	13 LST	3.3	4.6	6.0	2.0	0.2	0.0	0.0	0.0	0.0	0.3	0.9	2.2	19.5	7	-48866
	19 LST	12.7	12.4	10.9	6.8	1.3	0.3	0.9	0.9	1.3	7.9	7.4	11.0	73.8	5	-48866
	01 LST	16.4	19.0	20.8	11.4	3.2	1.4	1.0	1.4	1.2	10.5	8.1	14.2	108.6	4	-48866
CIG ≥ GTR 2500 FT AND VSBY ≥ GTR 3 MI	07 LST	26.1	24.0	23.7	21.7	17.6	4.3	3.6	2.9	4.4	20.3	24.9	26.8	200.3	7	-48866
	13 LST	22.7	23.6	23.1	19.5	16.7	11.8	10.1	9.6	11.2	15.7	19.8	23.4	207.2	7	-48866
	19 LST	30.7	27.9	29.1	23.0	24.2	19.1	17.1	16.2	16.9	26.1	28.4	29.8	288.5	5	-48866
	01 LST	30.1	28.0	30.4	26.7	26.2	9.7	13.9	13.7	10.1	24.5	24.2	27.8	265.3	3	-48866
CIG ≥ GTR 6000 FT AND VSBY ≥ GTR 3 MI	07 LST	21.6	21.7	22.5	19.7	15.2	3.8	2.6	1.6	3.5	17.4	22.1	23.6	175.3	7	-48866
	13 LST	15.7	19.4	17.3	13.2	9.5	9.1	7.1	6.8	8.2	10.3	13.9	17.2	147.7	7	-48866
	19 LST	26.5	25.6	26.5	20.3	22.8	17.6	15.9	15.5	16.4	24.1	26.1	26.1	263.4	5	-48866
	01 LST	27.3	27.1	29.0	25.4	23.0	8.8	12.7	12.8	8.5	22.4	20.3	27.1	244.4	3	-48866
CIG ≥ GTR 10000 FT AND VSBY ≥ GTR 3 MI	07 LST	21.6	21.5	22.3	19.7	15.2	3.8	2.6	1.5	3.5	17.4	22.1	23.6	174.8	7	-48866
	13 LST	15.7	19.4	17.3	13.2	9.5	9.1	7.1	6.8	8.2	10.3	13.9	17.2	147.7	7	-48866
	19 LST	26.5	25.6	26.5	20.3	22.8	17.6	15.9	15.5	16.4	23.9	26.1	26.1	263.2	5	-48866
	01 LST	27.3	27.1	29.0	25.4	23.0	8.8	12.7	12.8	8.5	22.4	20.3	27.1	244.4	3	-48866

KONTUM, SOUTH VIETNAM

STA NO. 49513 (IN AREA NUMBER 04)

LATITUDE 1421N

LONGITUDE 10801E

ELEVATION(FT) 01804

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	90	91	93	95	91	93	90	90	86	90	88	90	95	6	-48866
MEAN MAX TMP (F)	77	82	86	88	85	80	79	80	79	81	80	79	81	6	-48866
MEAN MIN TMP (F)	55	57	61	65	68	68	67	67	67	64	62	57	63	8	-48866
ABS MIN TMP (F)	43	46	46	55	63	63	63	63	61	52	50	46	43	8	-48866
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.9	8.7	13.1	5.0	1.0	0.3	0.8	0.0	0.3	0.0	0.2	30.3	6	-48866
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-29
MEAN DEW PT TMP (F)	55	58	61	65	69	70	70	71	70	67	64	58	65	7	-29
MEAN REL HUM (PCT)	70	69	68	71	80	88	90	91	90	84	79	73	79	8	-48866
MEAN PRESS ALT (FT)	1626	1649	1683	1718	1775	1828	1847	1902	1837	1831	1735	1684	1760	0	-30
MEAN PRECIP (IN)	0.01	0.16	1.09	3.33	8.41	16.16	16.76	19.54	13.84	6.09	2.21	0.32	87.9	8	-48866
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	0.1	0.4	2.5	5.1	5.2	18.8	19.2	20.7	13.3	9.4	5.1	0.7	102.3	8	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0	0.0	0.0	3.3	5.7	4.0	8.3	10.0	13.7	5.1	4.3	0.0	54.4	2	-48866
MEAN NO DYS TSTMS	0.0	0.6	3.0	8.7	9.4	3.5	3.6	3.9	4.9	4.7	0.2	0.3	42.8	8	-48866
P PREQ WND SPD = OR GTR 17 KTS	5.6	8.5	3.7	1.6	0.8	4.1	5.3	4.3	5.8	2.2	5.2	8.6	4.6	7	-48866
P PREQ WND SPD = OR GTR 28 KTS	0.2	0.3	0.0	0.0	0.0	0.3	0.0	0.0	0.2	0.0	0.2	0.4	0.1	7	-48866
P PREQ LES 5000 FT A/D LES 5 MI	29.9	22.9	33.5	45.5	48.6	68.1	73.4	72.7	70.7	46.2	33.3	26.6	47.6	8	-48866
P PREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	2.9	0.0	0.0	8.9	12.0	64.5	56.8	54.0	65.7	20.7	15.7	3.9	25.4	5	-48866
03-05 LST	4.0	12.5	17.7	20.7	26.5	52.3	78.0	79.3	80.6	38.8	13.3	6.7	35.9	6	-48866
06-08 LST	15.2	13.1	23.5	24.4	36.3	81.0	86.4	92.0	84.1	33.0	14.6	11.6	42.9	8	-48866
09-11 LST	3.8	2.9	11.3	15.0	22.4	59.6	67.7	66.7	56.8	19.7	10.5	5.2	28.5	8	-48866
12-14 LST	3.5	1.9	6.9	9.0	15.3	37.6	43.3	41.8	39.0	23.1	11.7	5.2	19.9	8	-48866
15-17 LST	2.4	2.0	14.9	18.2	20.6	28.7	32.1	32.7	28.8	20.4	9.3	4.4	17.9	8	-48866
18-20 LST	0.7	0.0	5.1	19.7	14.6	28.3	39.9	39.7	38.6	11.0	4.3	2.4	17.0	6	-48866
21-23 LST														0	0
P PREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	2.9	0.0	0.0	3.3	3.0	6.5	7.4	8.0	19.2	8.1	1.2	0.0	5.0	5	-48866
03-05 LST	4.0	10.2	12.5	8.7	8.8	19.8	22.0	35.6	32.0	24.7	8.2	6.7	16.1	6	-48866
06-08 LST	10.5	10.6	13.4	9.9	10.6	23.8	37.3	44.3	31.9	15.1	4.9	5.8	18.2	8	-48866
09-11 LST	0.0	0.0	1.3	1.4	0.0	6.0	12.6	9.8	5.7	0.5	0.0	0.0	2.1	8	-48866
12-14 LST	0.0	0.0	0.6	0.6	1.8	2.8	2.8	4.5	0.5	2.0	0.5	0.0	1.3	8	-48866
15-17 LST	0.0	0.0	1.1	1.8	3.1	4.3	2.4	3.0	1.6	0.5	0.0	0.0	1.5	8	-48866
18-20 LST														0	0
21-23 LST														0	0

KONTUM, SOUTH VIETNAM

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR	NO.
															(YRS)	OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	26.8	24.7	24.9	24.2	21.5	7.1	4.9	3.9	5.8	21.3	26.1	27.9	219.1	7	-48866
	13 LST	31.0	28.0	29.8	29.3	29.7	24.7	22.9	24.0	23.4	28.2	29.1	30.6	330.7	7	-48866
	19 LST	30.8	28.0	29.9	26.9	29.0	23.5	21.1	21.7	20.6	29.1	29.1	30.4	320.1	5	-48866
	01 LST	30.1	28.0	31.0	27.4	27.8	12.0	14.2	15.7	10.6	25.7	25.3	29.7	277.5	4	-48866
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	26.1	23.6	24.4	23.3	21.3	6.4	4.7	3.6	5.8	20.7	24.8	25.3	210.0	7	-48866
	13 LST	19.3	14.2	22.8	25.1	25.3	16.1	15.7	17.9	18.6	22.3	19.3	17.2	233.8	7	-48866
	19 LST	26.9	18.4	23.8	22.6	27.2	22.9	20.4	21.1	19.9	27.1	26.3	25.8	282.4	5	-48866
	01 LST	30.1	25.7	29.0	26.3	27.8	11.1	13.5	15.3	10.6	25.2	23.9	28.4	266.9	4	-48866
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.2	0.2	0.2	0.0	0.0	0.3	0.2	0.2	0.7	0.0	0.3	0.5	2.8	7	-48866
	13 LST	3.4	5.3	1.9	0.7	0.4	0.7	1.5	0.9	2.1	1.7	2.6	4.5	25.7	7	-48866
	19 LST	0.8	1.1	0.9	0.4	0.0	0.0	0.0	0.4	0.0	0.6	0.9	5.1	5	-48866	
	01 LST	0.0	0.0	0.4	0.3	0.0	0.5	0.7	0.0	0.3	0.0	0.4	0.0	2.6	4	-48866
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	10.8	11.2	11.8	9.3	6.5	9.3	6.1	6.0	6.0	8.2	8.7	9.0	102.9	7	-48866
	13 LST	16.0	12.1	19.1	17.7	20.1	14.8	14.4	16.3	13.9	15.3	15.4	13.6	188.7	7	-48866
	19 LST	19.7	11.7	13.8	10.0	11.0	13.1	9.8	9.2	9.6	13.5	15.6	16.5	153.5	5	-48866
	01 LST	12.8	21.2	20.4	10.5	5.7	9.2	6.5	5.2	5.6	10.2	10.9	16.1	134.3	4	-48866
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	8.5	7.1	7.3	6.2	1.7	0.0	0.2	0.2	0.5	4.8	6.1	6.7	49.3	7	-48866
	13 LST	3.3	4.6	6.0	2.0	0.2	0.0	0.0	0.0	0.3	0.9	2.2	19.5	7	-48866	
	19 LST	12.7	12.4	10.9	6.8	1.3	0.3	0.9	0.9	1.3	7.9	7.4	11.0	73.8	5	-48866
	01 LST	16.4	19.0	20.8	11.4	3.2	1.4	1.0	1.4	1.2	10.5	8.1	14.2	108.6	4	-48866
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	26.1	24.0	23.7	21.7	17.6	4.3	3.6	2.9	4.4	20.3	24.9	26.8	200.3	7	-48866
	13 LST	22.7	23.6	23.1	19.5	16.7	11.8	10.1	9.6	11.2	15.7	19.8	23.4	207.2	7	-48866
	19 LST	30.7	27.9	29.1	23.0	24.2	19.1	17.1	16.2	16.9	26.1	28.4	29.8	288.5	5	-48866
	01 LST	30.1	28.0	30.4	26.7	26.2	9.7	13.9	13.7	10.1	24.5	24.2	27.8	265.3	3	-48866
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	21.6	21.7	22.5	19.7	15.2	3.8	2.6	1.6	3.5	17.4	22.1	23.6	175.3	7	-48866
	13 LST	15.7	19.4	17.3	13.2	9.5	9.1	7.1	6.8	8.2	10.3	13.9	17.2	147.7	7	-48866
	19 LST	26.5	23.6	26.5	20.3	22.8	17.6	15.9	15.5	16.4	24.1	26.1	26.1	263.4	5	-48866
	01 LST	27.3	27.1	29.0	25.4	23.0	8.8	12.7	12.8	8.5	22.4	20.3	27.1	244.4	3	-48866
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	21.6	21.5	22.3	19.7	15.2	3.8	2.6	1.5	3.5	17.4	22.1	23.6	174.8	7	-48866
	13 LST	15.7	19.4	17.3	13.2	9.5	9.1	7.1	6.8	8.2	10.3	13.9	17.2	147.7	7	-48866
	19 LST	26.5	25.6	26.5	20.3	22.8	17.6	15.9	15.5	16.4	23.9	26.1	26.1	263.2	5	-48866
	01 LST	27.3	27.1	29.0	25.4	23.0	8.8	12.7	12.8	8.5	22.4	20.3	27.1	244.4	3	-48866

AREA NO. 04

PARAMETER DESCRIPTION	BOUNDARIES	INTERIOR HIGHLND													
		1200N 10640E		1030N 10730E		1030N 10730E		1215N 10912E		1215N 10912E		1230N 10900E			
		1230N 10900E	1400N 10900E	1400N 10900E	1400N 10900E	1600N 10800E	1600N 10800E	1600N 10800E	1600N 10800E	1600N 10800E	1636N 10639E	1636N 10639E			
		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	
MEAN MAX TMP (F)		79	83	88	89	86	84	83	82	82	82	80	79	83	
MEAN MIN TMP (F)		59	61	64	67	69	69	69	69	68	66	64	61	66	
LARGEST MEAN PRECIP(IN)		2.13	1.23	2.81	4.60	14.24	16.16	16.76	19.54	14.48	17.04	13.87	6.34	129.2	
SMALLEST MEAN PRECIP(IN)		0.00	0.10	1.09	0.71	6.97	3.91	7.70	5.71	4.67	4.04	1.62	0.32	36.8	
		MEAN NUMBER OF DAYS													
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	28.1	25.6	26.8	26.6	25.8	19.8	19.0	18.1	17.4	24.2	26.4	27.8	285.6	
	13 LST	30.7	27.9	30.4	29.7	30.0	26.9	27.6	27.3	26.9	29.3	29.1	30.5	346.3	
	19 LST	30.9	27.9	30.4	28.4	29.7	25.6	25.6	24.9	23.9	29.2	29.3	30.6	336.4	
	01 LST	30.1	28.0	31.0	27.4	27.8	12.0	14.2	15.7	10.6	25.7	25.3	29.7	277.5	
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	24.9	21.9	24.6	25.4	25.3	19.1	18.7	17.9	17.2	23.3	24.9	24.8	268.0	
	13 LST	17.3	14.9	21.4	24.9	26.9	21.0	21.6	22.1	23.6	24.1	20.0	16.9	254.7	
	19 LST	26.8	21.2	25.6	25.4	28.6	24.9	25.2	24.2	23.4	27.7	27.3	27.4	307.7	
	01 LST	30.1	25.7	29.0	26.3	27.8	11.1	13.5	15.3	10.6	25.2	23.9	28.4	266.9	
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.6	0.3	0.2	0.0	0.0	0.1	0.1	0.1	0.2	0.0	0.2	0.4	2.2	
	13 LST	3.4	4.2	1.9	0.7	0.2	0.5	1.1	0.8	0.9	1.0	2.0	3.3	20.0	
	19 LST	0.7	0.8	0.7	0.3	0.0	0.1	0.0	0.1	0.2	0.0	0.4	0.6	3.9	
	01 LST	0.0	0.0	0.4	0.3	0.0	0.5	0.7	0.0	0.3	0.0	0.4	0.0	2.6	
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	15.2	13.3	14.6	11.1	7.1	7.8	7.5	7.4	4.9	8.5	10.9	12.8	121.1	
	13 LST	14.5	11.5	15.0	14.4	18.2	17.0	16.3	17.8	16.3	16.4	15.4	13.6	186.4	
	19 LST	18.9	13.6	14.1	9.9	8.6	9.7	8.2	7.5	6.8	10.1	12.9	15.9	136.2	
	01 LST	12.8	21.2	20.4	10.5	5.7	9.2	6.5	5.2	5.6	10.2	10.9	16.1	134.3	
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	9.7	9.4	10.4	8.2	3.5	2.0	1.7	1.4	1.1	4.0	5.4	7.0	63.8	
	13 LST	5.1	6.1	7.3	2.1	0.3	0.0	0.1	0.0	0.0	0.4	1.3	2.8	25.5	
	19 LST	13.0	12.1	11.0	5.6	1.0	0.6	1.1	1.0	0.9	5.6	6.7	9.6	68.2	
	01 LST	16.4	19.0	20.8	11.4	3.2	1.4	1.0	1.4	1.2	10.5	8.1	14.2	108.6	
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	24.8	23.1	24.2	25.1	22.4	15.9	15.2	14.2	15.7	23.1	23.5	23.7	250.9	
	13 LST	24.6	24.9	27.4	25.2	23.1	19.1	18.4	15.9	17.7	22.3	22.8	24.3	265.7	
	19 LST	27.6	26.8	29.4	26.8	25.8	25.6	23.2	21.8	22.1	26.9	26.6	28.0	310.6	
	01 LST	26.0	24.9	27.5	27.0	25.3	18.7	19.0	16.8	17.6	25.0	24.6	25.8	278.2	
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	20.8	21.3	22.6	23.7	19.6	14.4	13.2	12.4	13.9	20.6	21.5	21.4	225.4	
	13 LST	18.2	21.1	23.3	19.6	16.0	14.0	13.3	11.3	12.6	15.7	16.5	18.7	200.3	
	19 LST	23.5	24.7	26.3	23.4	22.0	21.5	20.2	18.7	19.0	24.0	23.5	24.1	270.9	
	01 LST	21.9	23.4	26.1	25.9	20.9	16.4	16.2	14.4	14.3	22.3	21.2	23.1	246.1	
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	20.2	20.9	21.9	22.7	18.1	13.6	12.2	9.7	11.8	19.4	20.4	20.5	211.4	
	13 LST	17.8	20.6	22.9	19.3	15.0	13.1	12.5	9.9	11.0	14.5	15.5	17.4	189.5	
	19 LST	22.8	24.2	25.8	22.2	20.4	20.3	18.7	16.2	16.7	22.2	22.3	22.6	254.4	
	01 LST	21.2	22.5	25.6	24.5	19.5	15.5	14.6	12.4	11.6	20.1	19.5	21.3	228.3	

DONG HA, SOUTH VIETNAM

STA NO. 48849 (IN AREA NUMBER 05)

LATITUDE 1649N

LONGITUDE 10705E

ELEVATION(FT) 00082

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	87	90	101	105	104	102	104	99	108	98	94	91	108	1	360
MEAN MAX TMP (F)	79	81	87	97	92	97	97	94	94	89	82	79	89	1	360
MEAN MIN TMP (F)	67	68	71	75	76	80	78	78	73	74	69	68	73	1	360
ABS MIN TMP (F)	62	59	63	71	69	74	74	73	68	70	63	57	57	1	360
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	8.6	29.7	23.8	29.7	30.7	28.3	27.3	14.8	0.0			1	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	-29
MEAN DEW PT TMP (F)	64	65	70	73	75	74	73	74	74	73	70	66	71	2	17270
MEAN REL HUM (PCT)	88	91	87	82	77	69	67	70	82	85	87	88	81	2	17271
MEAN PRESS ALT (FT)	-83	-16	113	168	262	310	337	331	210	97	43	-24	146	0	-50
MEAN PRECIP (IN)	3.25	2.44	1.82	1.25	16.55	0.54	2.32	4.57	3.66	21.56	15.50	10.49	83.9	1	365
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	5.3	4.3	3.7	2.3		4.4	6.6	9.1	6.8	17.9	16.1			1	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	0.0	7.0	7.0	2.0	2.0	5.0	3.0	3.0	0.0	0.0	29.0	1	364
P FREQ WND SPD = DR GTR 17 KTS	1.6	0.6	0.5	0.1	3.4	2.3	7.4	11.4	0.8	0.2	2.0	2.6	2.7	2	17365
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	2	17365
P FREQ LES 5000 FT A/D LES 5 MI	74.0	85.1	60.4	44.1	30.0	7.5	4.9	8.1	19.5	53.0	58.7	72.0	43.1	2	17379
P FREQ LES 1500 FT A/D LES 3 MI															
POR 00-02 LST	45.6	66.7	51.6	31.8	10.3	0.6	0.0	1.1	6.4	15.1	17.8	41.4	24.0	2	2144
03-05 LST	49.2	78.0	58.6	41.1	8.7	0.6	0.0	1.1	5.6	14.0	21.1	38.7	26.4	2	2155
06-08 LST	46.4	74.4	62.9	42.8	10.2	0.0	0.5	0.0	3.4	14.0	24.7	34.4	26.1	2	2180
09-11 LST	38.8	69.0	52.7	35.0	9.1	0.0	1.1	0.5	4.0	16.1	26.0	33.9	23.9	2	2180
12-14 LST	38.3	54.8	29.6	14.4	6.6	0.6	0.0	0.0	2.8	15.7	24.3	40.3	19.1	2	2178
15-17 LST	37.2	45.8	25.8	15.6	10.2	0.0	0.0	0.5	1.7	12.9	21.8	39.2	17.6	2	2182
18-20 LST	42.4	50.9	33.5	22.2	8.6	0.0	0.0	2.2	4.5	14.0	25.0	32.3	19.6	2	2182
21-23 LST	41.3	54.9	39.5	22.2	8.7	0.0	0.0	0.0	5.6	12.9	21.3	40.0	20.5	2	2169
P FREQ LES 300 FT A/D LES 1 MI															
POR 00-02 LST	5.6	7.7	7.5	1.7	0.5	0.0	0.0	0.0	0.0	1.6	0.0	1.1	2.1	2	2144
03-05 LST	6.6	10.1	11.3	2.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	2.7	2	2155
06-08 LST	7.7	12.5	10.2	7.3	0.5	0.0	0.0	0.0	0.0	1.6	1.7	2.7	3.7	2	2180
09-11 LST	1.6	4.8	3.8	1.1	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.5	1.0	2	2180
12-14 LST	1.6	2.4	3.2	0.6	0.5	0.0	0.0	0.0	0.0	0.5	0.6	0.5	0.8	2	2178
15-17 LST	2.7	2.4	1.6	0.6	0.5	0.0	0.0	0.0	0.0	0.0	2.2	0.0	0.8	2	2182
18-20 LST	5.4	3.0	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	1.1	1.0	2	2182
21-23 LST	6.0	2.4	2.2	0.6	0.5	0.0	0.0	0.0	0.0	0.0	0.0	1.6	1.1	2	2169

DONG HA, SOUTH VIETNAM

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
	01 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
	01 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
	01 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
	01 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
	01 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	9.1	3.7	9.0	16.2	25.2	30.0	30.7	30.8	28.5	23.7	16.9	11.8	235.6	2	2180
	13 LST	13.2	8.5	15.7	23.2	24.8	29.5	31.0	30.8	28.7	20.2	16.1	12.8	254.5	2	2178
	19 LST	13.8	9.5	16.9	20.3	25.7	29.8	31.0	29.2	27.8	22.5	16.7	15.5	258.7	2	2182
	01 LST	11.2	4.0	11.0	17.9	23.8	29.8	31.0	30.7	27.7	21.3	19.0	12.2	239.6	2	2144
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	5.2	1.5	8.7	14.8	21.8	28.2	30.7	29.8	25.5	14.3	11.3	6.8	198.6	2	2180
	13 LST	9.3	6.0	15.2	19.7	20.0	26.8	26.0	28.0	21.0	9.4	9.5	7.7	198.6	2	2178
	19 LST	8.2	6.7	14.2	17.2	21.3	25.0	30.0	26.6	22.7	16.7	13.3	8.8	210.7	2	2182
	01 LST	7.1	2.0	11.0	15.9	21.1	27.2	30.8	29.7	24.8	14.8	13.2	7.0	204.6	2	2144
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	4.6	1.3	8.3	12.2	17.3	24.0	29.5	24.5	20.2	11.3	7.6	5.3	166.1	2	2180
	13 LST	8.0	5.8	14.5	18.3	17.8	24.3	24.8	26.0	16.7	6.9	5.9	7.0	176.0	2	2178
	19 LST	6.7	6.0	12.7	16.0	17.0	22.5	28.1	24.1	20.1	12.5	8.8	6.8	181.3	2	2182
	01 LST	5.9	1.5	10.8	15.4	18.3	24.8	29.0	24.1	23.5	12.1	10.2	6.5	182.1	2	2144

QUANG TRI, SOUTH VIETNAM

STA NO. 48851 (IN AREA NUMBER 05)

LATITUDE 1646N

LONGITUDE 10710E

ELEVATION(FT) 00036

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	93	97	102	103	103	105	104	102	103	97	94	91	105	48	-156
MEAN MAX TMP (F)	73	75	79	87	92	93	92	93	88	83	78	74	84	34	-156
MEAN MIN TMP (F)	63	64	67	72	75	77	78	77	74	72	69	65	71	34	-156
ABS MIN TMP (F)	49	50	52	55	64	64	68	68	64	60	55	52	49	48	-156
MEAN NO DYS TMP = DR GTR 90(F)				8.3	23.8	25.4	23.8	26.3	11.2	0.0				34	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	48	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	48	-29
MEAN DEW PT TMP (F)	64	66	70	74	77	76	75	76	76	74	72	67	72	7	25703
MEAN REL HUM (PCT)	90	92	90	86	82	75	73	76	84	89	89	90	85	7	26037
MEAN PRESS ALT (FT)	-72	-40	38	136	207	280	290	288	237	78	8	-48	117	0	-90
MEAN PRECIP (IN)	6.20	2.60	2.60	2.30	4.00	3.20	3.20	4.40	16.40	22.90	21.00	11.40	100.2	43	-156
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	48	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	7.4	4.6	4.6	4.3	5.4	7.6	7.6	8.9	16.5	18.0	17.8			43	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	48	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	2.0	8.0	17.0	7.0	7.0	6.0	5.0	3.0	1.0	0.0	56.0	8	-156
P FREQ WND SPD = DR GTR 17 KTS	1.7	0.4	0.4	0.5	1.0	7.4	8.9	6.1	3.4	0.8	1.1	2.6	2.9	7	18959
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.1	0.0	0.1	0.6	0.6	0.1	0.6	0.0	0.0	0.0	0.2	7	18959
P FREQ LES 5000 FT A/O LES 5 MI	66.6	61.9	59.2	42.4	29.3	19.7	17.8	24.0	38.2	60.5	57.6	55.9	46.4	7	5899
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	56.5	56.4	51.9	38.6	24.9	5.7	7.2	9.3	24.6	28.0	29.9	47.0	31.7	7	1935
09-11 LST	39.2	37.5	33.7	20.2	6.0	5.1	4.1	10.3	21.9	26.1	29.4	35.0	22.4	7	1590
12-14 LST	34.5	31.8	20.9	13.9	9.8	4.1	5.6	4.5	16.2	24.1	31.7	31.6	19.1	7	1344
15-17 LST	21.9	37.0	27.2	19.1	10.7	6.2	5.1	8.9	16.1	28.9	25.7	26.3	19.4	7	1030
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	13.3	15.4	16.2	13.2	0.6	0.0	0.0	0.0	0.0	1.9	0.0	11.5	6.0	7	1935
09-11 LST	1.4	4.8	2.0	0.8	0.0	0.8	0.0	0.8	2.4	0.8	2.5	3.1	1.6	7	1590
12-14 LST	1.7	1.9	1.6	1.7	0.0	0.0	0.0	0.0	2.0	0.0	4.7	1.7	1.3	7	1344
15-17 LST	0.0	2.6	1.0	2.1	0.0	0.0	0.0	0.0	1.2	1.2	3.8	0.0	1.0	7	1030
18-20 LST														0	0
21-23 LST														0	0

QUANG TRI, SOUTH VIETNAM

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	15.3	13.0	15.6	19.4	29.5	29.2	30.1	29.4	23.6	25.1	24.2	19.0	273.4	7	1935
	13 LST	23.0	22.3	27.4	27.7	29.9	29.7	30.4	31.0	26.8	27.9	25.5	25.1	326.7	7	1344
	19 LST														0	0
	01 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	14.9	12.6	15.6	19.2	28.6	24.2	24.1	24.8	21.4	24.5	23.3	18.8	252.0	7	1928
	13 LST	19.8	18.3	25.5	24.5	24.7	14.5	17.5	20.2	22.6	25.1	20.7	21.6	255.0	7	1342
	19 LST														0	0
	01 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.4	0.0	0.0	0.0	0.0	0.2	2.0	1.2	0.6	0.0	0.6	0.2	5.2	7	1948
	13 LST	0.5	0.0	0.2	0.3	0.5	3.3	3.5	2.7	0.9	0.3	0.0	0.5	12.7	7	1348
	19 LST														0	0
	01 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	7.9	4.9	6.9	6.5	9.1	13.1	12.6	11.2	7.3	6.4	5.1	7.1	98.1	7	1948
	13 LST	16.6	14.8	18.5	15.8	8.6	2.7	2.0	4.9	9.6	18.3	15.7	16.9	144.4	7	1348
	19 LST														0	0
	01 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	0.9	0.4	0.9	3.7	4.4	3.0	5.6	3.2	2.5	3.6	4.0	1.5	33.7	7	1941
	13 LST	2.9	3.0	5.0	4.7	3.3	1.9	4.7	1.9	1.7	2.3	0.6	2.1	34.1	7	1347
	19 LST														0	0
	01 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	11.5	11.0	14.0	17.3	21.5	27.4	27.7	26.7	21.2	18.8	17.7	13.7	228.5	7	1935
	13 LST	16.6	15.3	21.3	23.6	24.4	27.3	27.4	27.8	22.9	21.1	14.8	16.4	258.9	7	1344
	19 LST														0	0
	01 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	10.3	10.1	13.7	16.0	20.1	26.0	27.3	26.3	18.3	16.3	16.2	12.7	213.3	7	1935
	13 LST	15.0	14.5	20.2	22.7	22.8	26.5	26.7	27.4	22.4	16.6	14.1	15.3	244.2	7	1344
	19 LST														0	0
	01 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	10.3	9.9	13.0	15.7	19.6	25.0	26.9	26.3	18.1	16.3	15.6	11.4	208.1	7	1935
	13 LST	14.7	14.5	19.7	22.4	22.8	25.9	26.7	27.1	22.4	16.6	14.1	14.7	241.6	7	1344
	19 LST														0	0
	01 LST														0	0

HUE-PHU BAI, SOUTH VIETNAM

STA NO. 48852 (IN AREA NUMBER 05)

LATITUDE 1623N

LONGITUDE 10742E

ELEVATION(FT) 00049

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR	NO.
														(YRS)	UBS
ABS MAX TMP (F)	94	97	101	104	103	104	104	104	101	96	96	90	104	53	-156
MEAN MAX TMP (F)	74	76	81	87	92	94	94	94	88	83	79	75	85	34	-156
MEAN MIN TMP (F)	63	65	68	72	75	77	77	76	74	72	69	65	71	34	-156
ABS MIN TMP (F)	48	52	54	57	64	70	68	70	66	61	55	52	48	53	-156
MEAN NO DYS TMP = OR GTR 90(F)			0.0	8.3	23.8	27.3	28.3	28.3	11.2	0.0		0.0		34	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	53	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	53	-29
MEAN DEW PT TMP (F)	64	66	70	73	74	74	73	74	75	73	70	67	71	9	38546
MEAN REL HUM (PCT)	87	87	84	79	74	69	67	70	79	84	84	86	79	17	21040
MEAN PRESS ALT (FT)	-3	43	92	147	207	244	245	273	223	118	57	14	138	0	-50
MEAN PRECIP (IN)	7.10	3.70	2.60	2.40	3.30	3.80	2.00	5.40	19.80	27.10	25.90	14.80	117.5	29	-156
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	53	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN		5.8	4.6	4.4	5.1	8.3	6.2	10.0	17.6					29	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	53	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.2	0.2	1.0	4.1	9.7	4.5	5.9	5.3	4.8	1.8	0.1	0.3	37.9	16	3041
P FREQ WND SPD = OR GTR 17 KTS	1.7	1.1	0.9	0.6	0.6	1.1	1.1	1.0	2.2	3.3	2.3	2.2	1.5	16	21646
P FREQ WND SPD = OR GTR 28 KTS	0.1	0.0	0.0	0.1	0.0	0.1	0.1	0.1	0.2	0.3	0.1	0.1	0.1	16	21646
P FREQ LES 3000 FT A/D LES 3 MI	68.6	62.2	51.7	28.2	18.3	13.1	9.4	10.6	25.4	46.1	56.5	66.5	38.1	17	16078
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST	46.3	42.8	44.0	18.9	10.8	4.8	3.6	4.8	9.8	25.0	32.0	36.8	23.3	12	2227
06-08 LST	50.3	49.4	47.8	26.0	6.8	4.3	2.0	3.0	16.1	30.0	37.7	44.4	26.5	17	4302
09-11 LST	44.2	39.1	32.8	17.2	7.5	4.5	2.2	2.0	15.5	30.4	37.8	44.2	23.1	16	3396
12-14 LST	37.6	29.4	23.7	11.5	6.4	4.2	2.2	2.3	12.4	24.2	30.1	36.9	18.4	17	4437
15-17 LST	38.5	36.3	25.7	12.8	9.1	4.6	2.1	3.0	13.6	25.4	34.0	38.5	20.3	16	3860
18-20 LST	44.8	36.8	31.5	16.3	8.9	4.8	4.1	3.5	15.1	22.7	27.0	38.7	21.2	17	2669
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST	7.9	5.9	10.2	2.7	0.6	0.0	0.0	0.6	2.7	2.2	2.0	7.2	3.5	12	2227
06-08 LST	11.0	7.2	12.1	4.4	0.5	0.3	0.5	0.2	2.7	3.7	3.5	8.7	4.6	17	4302
09-11 LST	2.2	2.7	2.8	0.4	0.0	0.0	0.0	0.3	2.9	5.2	4.0	7.4	2.3	16	3396
12-14 LST	4.6	2.9	2.1	0.6	0.0	0.8	0.0	0.6	2.2	4.3	2.9	7.0	2.3	17	4437
15-17 LST	3.9	2.9	1.5	1.2	0.6	0.3	0.3	0.0	1.5	1.7	4.9	5.7	2.0	16	3860
18-20 LST	2.8	4.9	2.8	1.3	0.0	0.0	0.0	1.0	1.4	2.5	1.0	8.1	2.2	17	2669
21-23 LST														0	0

HUE-PHU BAI, SOUTH VIETNAM

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	18.5	17.1	18.2	23.7	29.8	29.5	30.8	30.5	26.6	25.0	21.6	20.0	291.3	16	4502
	13 LST	22.6	22.7	26.8	28.4	29.9	29.4	30.7	30.5	27.5	26.6	23.5	22.1	320.7	16	4437
	19 LST	20.0	20.2	24.0	26.7	29.4	29.1	30.4	30.4	27.0	27.2	24.7	21.9	311.0	12	2669
	01 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	18.0	16.8	17.6	23.5	29.4	28.9	30.0	29.9	26.4	23.6	20.1	18.7	282.9	16	4476
	13 LST	19.2	19.4	22.5	23.7	23.9	22.5	23.9	24.8	24.0	23.1	18.6	18.8	264.4	16	4411
	19 LST	18.1	18.9	23.0	25.0	28.4	27.9	28.5	29.1	26.0	25.4	23.2	20.1	293.6	12	2658
	01 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.2	0.0	0.1	0.1	0.1	0.1	0.0	0.1	0.2	0.7	0.4	0.3	2.3	16	4549
	13 LST	0.4	0.0	0.1	0.1	0.3	0.4	0.7	0.4	0.7	0.5	0.3	0.3	4.2	16	4507
	19 LST	0.0	0.1	0.0	0.0	0.2	0.4	0.0	0.2	0.3	0.3	0.1	0.1	1.7	12	2712
	01 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	7.3	6.2	7.2	9.1	11.6	11.3	12.8	11.0	8.6	7.8	6.9	7.6	107.4	16	4526
	13 LST	18.0	17.9	19.2	14.4	7.8	4.2	4.2	5.0	11.6	17.9	16.7	17.8	154.7	16	4473
	19 LST	12.8	12.9	13.2	13.4	17.1	15.6	15.4	14.6	13.6	14.5	14.2	14.3	171.6	12	2625
	01 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	4.8	5.0	6.1	7.1	6.2	4.0	6.9	4.2	2.9	4.6	4.2	2.7	58.7	16	4547
	13 LST	6.9	7.6	10.9	12.8	8.0	3.9	7.8	4.6	2.7	5.2	4.8	4.0	79.2	16	4517
	19 LST	5.5	5.3	5.8	5.5	4.7	3.8	6.1	2.9	4.0	7.1	6.4	4.7	61.8	12	2704
	01 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	11.6	11.7	14.1	20.3	27.2	27.4	29.6	30.3	23.3	18.0	14.7	12.9	241.1	16	4502
	13 LST	16.9	15.3	19.9	23.7	27.6	27.3	29.8	29.7	24.4	19.4	16.2	14.7	264.9	16	4437
	19 LST	13.0	13.9	17.0	23.2	26.7	27.9	28.6	29.1	24.2	19.7	17.7	14.9	255.9	11	2669
	01 LST														0	0
CIG = GTR 8000 FT AND VSBY = GTR 3 MI	07 LST	8.0	9.5	11.7	18.5	25.4	25.6	27.7	26.7	21.9	16.0	11.8	8.8	211.6	16	4502
	13 LST	12.2	13.4	17.9	22.0	27.0	26.1	29.2	28.7	23.4	17.3	12.9	10.9	241.0	16	4437
	19 LST	9.4	10.1	14.0	21.2	25.7	26.4	27.3	27.5	22.1	17.7	14.7	11.6	227.7	11	2669
	01 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	8.0	9.5	11.7	18.5	25.4	25.5	27.6	26.6	21.8	16.0	11.7	8.6	210.9	16	4502
	13 LST	12.1	13.3	17.9	22.0	27.0	26.1	29.1	28.7	23.3	17.3	12.9	10.8	240.5	16	4437
	19 LST	9.4	10.1	14.0	21.2	25.7	26.4	27.3	27.3	22.1	17.5	14.4	11.6	227.0	11	2669
	01 LST														0	0

DA NANG APT., SOUTH VIETNAM

STA NO. 48855 (IN AREA NUMBER 05)

LATITUDE 1602N

LONGITUDE 10812E

ELEVATION(FT) 00033

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	97	98	103	105	106	106	105	102	99	97	93	88	106	33	-156
MEAN MAX TMP (F)	76	79	82	87	91	94	93	93	89	84	81	77	86	33	-156
MEAN MIN TMP (F)	66	67	70	74	76	78	77	77	75	73	71	67	73	33	-156
ABS MIN TMP (F)	50	57	57	62	68	68	70	68	68	59	55	53	50	33	-156
MEAN NO DYS TMP = DR GTR 90(F)	0.2	0.6	2.8	13.0	26.2	26.8	28.6	28.1	18.2	3.0	0.8	0.0	148.3	12	3372
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	3624
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	3624
MEAN DEW PT TMP (F)	66	67	71	74	76	76	76	76	75	73	70	67	72	11	14902
MEAN REL HUM (PCT)	85	84	84	82	79	76	75	77	82	85	85	85	82	17	32828
MEAN PRESS ALT (FT)	-22	23	71	127	189	229	231	258	206	101	38	-3	121	0	-30
MEAN PRECIP (IN)	4.50	1.60	1.00	1.20	2.40	2.90	3.00	4.60	15.30	22.40	15.20	8.80	82.9	36	-156
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	33	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	6.5	3.1	2.4	2.7	4.4	7.3	7.4	9.2	16.0	18.0	15.9			36	-29
MEAN NO DYS SNFL = DR STR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	33	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.6	0.7	1.0	0.4	0.2	0.2	0.7	0.5	0.0	0.5	0.6	0.5	5.9	11	2135
MEAN NO DYS TSTMS	0.0	0.0	1.0	5.0	10.0	9.0	7.0	7.0	7.0	2.0	0.0	0.0	48.0	17	-156
P FREQ WND SPD = DR GTR 17 KTS	1.4	1.5	1.2	1.3	0.8	0.5	0.4	0.3	0.9	1.9	3.0	2.1	1.3	17	24932
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.1	0.1	0.1	17	24952
P FREQ LES 5000 FT A/D LES 5 MI	61.3	56.7	48.3	32.7	13.4	11.0	8.4	8.8	18.5	41.9	51.7	63.0	34.6	17	27245
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	32.2	24.2	16.7	17.5	8.6	5.5	5.0	4.1	9.7	23.6	23.9	34.5	18.0	14	3069
03-05 LST	29.7	26.5	28.9	16.3	4.5	5.1	2.6	2.4	6.6	20.6	23.7	31.4	16.5	17	2979
06-08 LST	32.6	32.2	32.4	22.4	3.3	2.8	1.9	1.4	10.1	23.1	30.1	34.9	18.6	17	5041
09-11 LST	33.3	28.1	22.8	12.0	2.8	2.7	1.7	1.6	7.9	23.5	28.2	30.6	16.3	15	3650
12-14 LST	24.7	15.1	10.0	3.8	2.0	2.2	0.8	1.7	5.8	22.0	23.4	26.7	11.5	17	4841
15-17 LST	20.9	15.6	11.1	6.7	3.0	3.6	2.5	3.7	5.9	18.5	24.9	27.8	12.0	15	4234
18-20 LST	21.8	17.1	16.4	9.4	4.9	4.7	2.8	3.8	10.3	20.1	21.7	25.7	13.2	17	5545
21-23 LST	29.2	24.6	23.8	16.2	9.8	5.4	3.9	4.2	10.0	19.3	24.0	28.6	16.6	13	2873
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	1.4	0.4	0.8	0.8	1.1	0.4	1.6	0.7	0.7	1.5	0.7	1.2	0.9	14	3069
03-05 LST	0.4	1.7	1.9	0.8	0.0	0.5	0.4	0.8	0.8	1.2	2.5	2.5	1.1	17	2979
06-08 LST	2.7	5.5	3.6	4.1	0.2	0.3	0.2	0.7	1.2	2.3	2.9	3.3	2.3	17	5041
09-11 LST	2.7	1.8	0.3	0.7	0.0	1.2	0.3	0.3	1.3	1.5	1.9	2.7	1.2	15	3650
12-14 LST	0.9	0.8	0.5	0.0	0.8	0.3	0.0	0.0	0.7	2.3	1.9	2.5	0.9	17	4841
15-17 LST	1.2	0.3	0.3	0.3	0.0	0.6	0.6	0.2	0.5	1.6	2.9	2.2	0.9	15	4234
18-20 LST	0.7	1.0	0.4	0.6	0.4	0.7	0.4	0.2	0.9	2.8	1.7	3.0	1.1	17	5545
21-23 LST	0.5	0.5	0.8	0.4	0.0	0.4	1.6	0.4	0.4	1.9	0.8	0.4	0.7	13	2873

DA NANG APT., SOUTH VIETNAM

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	24.7	22.3	24.5	25.7	30.6	29.5	30.6	30.8	27.7	27.0	24.2	23.9	321.5	17	5041
	13 LST	27.0	26.3	30.0	29.6	30.6	29.7	30.9	30.6	28.9	26.7	25.6	25.7	341.6	17	4841
	19 LST	27.4	26.0	28.8	28.8	30.4	29.1	30.7	30.6	28.3	27.4	26.5	25.9	339.9	17	5545
	01 LST	25.8	25.6	27.3	27.8	30.1	28.9	30.1	30.2	28.2	27.1	25.6	24.8	331.5	13	3069
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	24.0	21.8	23.9	25.4	30.2	29.5	30.0	30.6	27.5	26.0	22.4	22.8	314.1	17	5026
	13 LST	22.2	19.4	20.8	19.2	19.8	23.6	23.8	25.7	23.4	22.0	19.7	21.5	261.1	17	4810
	19 LST	25.5	23.3	26.6	26.8	29.8	28.4	30.2	29.9	27.0	25.6	24.1	23.7	320.9	17	5525
	01 LST	25.1	24.7	26.7	27.4	29.9	28.8	29.9	29.8	27.9	26.4	24.3	23.7	324.6	13	3057
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.1	0.1	0.1	0.1	0.1	0.0	0.1	0.0	0.0	0.1	0.1	0.1	0.9	17	5098
	13 LST	0.7	0.9	0.9	0.8	0.8	0.4	0.5	0.4	0.5	0.2	1.0	0.4	7.5	17	4902
	19 LST	0.3	0.5	0.4	0.5	0.1	0.0	0.1	0.1	0.1	0.2	0.3	0.3	2.9	17	5581
	01 LST	0.0	0.2	0.1	0.0	0.0	0.0	0.1	0.0	0.0	0.2	0.1	0.0	0.7	13	3118
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	4.7	6.6	6.3	6.5	7.7	4.1	3.4	3.4	3.0	4.1	4.0	4.3	58.1	17	5061
	13 LST	17.2	17.2	18.7	13.7	5.0	3.9	2.9	3.3	7.7	15.5	15.9	16.6	137.6	17	4862
	19 LST	11.2	11.7	10.6	11.3	11.2	9.4	10.4	9.7	9.1	8.6	8.5	10.2	121.9	17	5567
	01 LST	6.2	7.6	7.4	6.6	6.1	4.2	4.5	4.5	3.9	5.2	5.9	4.4	86.5	13	3095
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	2.9	2.6	5.2	5.9	5.3	3.6	5.7	4.2	2.7	3.5	2.9	1.9	46.4	17	5093
	13 LST	4.0	7.0	11.7	11.3	6.2	2.1	4.3	2.7	1.9	2.9	2.2	2.0	58.3	17	4904
	19 LST	7.1	7.1	6.6	5.7	4.2	3.0	3.8	2.8	3.7	4.4	5.4	4.3	38.1	17	5582
	01 LST	3.1	4.2	6.2	6.4	9.9	8.2	9.0	6.7	6.6	6.8	5.4	4.0	78.5	13	3125
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	15.2	14.2	17.3	20.9	29.1	28.5	29.9	30.2	26.3	19.8	16.5	14.2	262.1	17	5041
	13 LST	17.4	18.8	24.3	27.3	29.9	28.4	30.2	29.7	27.0	20.8	18.7	17.1	289.6	16	4841
	19 LST	19.7	18.7	21.4	24.6	28.0	27.2	29.0	28.6	25.4	21.6	19.4	18.3	282.1	17	5545
	01 LST	14.6	13.7	16.5	20.4	25.6	27.2	28.5	29.0	24.9	20.0	17.4	14.6	252.4	12	3069
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	9.5	9.5	13.8	19.1	28.0	27.2	28.8	28.5	25.1	17.6	13.3	8.8	229.2	17	5041
	13 LST	13.5	15.5	21.9	26.1	29.5	27.3	29.5	28.7	26.0	19.1	16.0	12.5	265.6	16	4841
	19 LST	14.5	14.1	17.7	21.4	26.2	25.3	27.0	27.0	23.8	19.3	16.0	13.8	246.1	17	5545
	01 LST	8.9	8.8	12.2	17.1	23.9	25.5	26.9	27.2	22.7	17.9	13.4	10.6	215.1	12	3069
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	9.4	9.4	13.8	19.0	28.0	27.2	28.4	28.3	25.1	17.5	13.2	8.7	228.0	17	5041
	13 LST	13.4	15.5	21.9	26.1	29.5	27.3	29.5	28.7	26.0	19.1	16.0	12.5	265.5	16	4841
	19 LST	14.3	14.0	17.5	21.3	26.2	24.9	26.9	26.7	23.6	19.2	16.0	13.8	244.4	17	5545
	01 LST	8.8	8.8	12.0	17.0	23.7	25.5	26.8	27.1	22.3	17.8	13.2	10.5	213.5	12	3069

MARBLE MOUNTAIN, SOUTH VIETNAM

STA NO. 48856 (IN AREA NUMBER 05)

LATITUDE 1602N

LONGITUDE 10815E

ELEVATION(FT) 00029

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	97	98	103	105	106	106	105	102	99	97	93	88	106	33	-48855
MEAN MAX TMP (F)	76	79	82	87	91	94	93	93	89	84	81	77	86	33	-48855
MEAN MIN TMP (F)	66	67	70	74	76	78	77	77	75	71	67	73	73	33	-48855
ABS MIN TMP (F)	50	57	57	62	68	68	70	68	68	59	55	53	50	33	-48855
MEAN NO DYS TMP = DR GTR 90(F)	0.2	0.6	2.8	13.0	26.2	26.8	28.6	28.1	18.2	3.0	0.8	0.0	148.3	12	-48855
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-48855
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-48855
MEAN DEW PT TMP (F)	66	67	71	74	76	76	76	76	75	73	70	67	72	11	-48855
MEAN REL HUM (PCT)	85	84	84	82	79	76	75	77	82	85	85	85	82	17	-48855
MEAN PRESS ALT (FT)	-71	-26	47	124	198	262	270	264	210	79	8	-35	111	0	-50
MEAN PRECIP (IN)	4.50	1.60	1.00	1.20	2.40	2.90	3.00	4.60	19.30	22.40	15.20	8.80	82.9	36	-48855
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	33	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	6.5	3.1	2.4	2.7	4.4	7.3	7.4	9.2	16.0	18.0	15.9			36	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	33	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.6	0.7	1.0	0.4	0.2	0.2	0.7	0.5	0.0	0.5	0.6	0.5	5.9	11	-48855
MEAN NO DYS TSTMS	0.0	0.0	1.0	5.0	10.0	9.0	7.0	7.0	7.0	2.0	0.0	0.0	46.0	17	-48855
P FREQ WND SPD = DR GTR 17 KTS	1.4	1.5	1.2	1.3	0.8	0.5	0.4	0.3	0.9	1.9	3.0	2.1	1.3	17	-48855
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.1	0.1	0.1	17	-48855
P FREQ LES 5000 FT A/Q LES 5 MI	61.3	56.7	48.3	32.7	13.4	11.0	8.4	8.8	18.5	41.9	51.7	63.0	34.6	17	-48855
P FREQ LES 1500 FT A/Q LES 3 MI															
FOR 00-02 LST	32.2	24.2	26.7	17.5	8.6	5.5	5.0	4.1	9.7	23.6	23.9	34.3	18.0	14	-48855
03-05 LST	29.7	26.5	28.9	16.3	4.5	5.1	2.6	2.4	6.6	20.6	23.7	31.4	16.5	17	-48855
06-08 LST	32.6	32.2	32.4	22.4	3.3	2.8	1.9	1.4	10.1	23.1	30.1	34.9	18.9	17	-48855
09-11 LST	33.3	28.1	22.8	12.0	2.8	2.7	1.7	1.6	7.9	13.5	28.2	30.6	16.3	15	-48855
12-14 LST	24.7	15.1	10.0	3.8	2.0	2.2	0.8	1.7	5.8	22.0	23.4	26.7	11.5	17	-48855
15-17 LST	20.9	15.6	11.1	6.7	3.0	3.6	2.5	3.7	5.9	18.5	24.9	27.8	12.0	15	-48855
18-20 LST	21.8	17.1	16.4	9.4	4.9	4.7	2.8	3.8	10.3	20.1	21.7	25.7	13.2	17	-48855
21-23 LST	29.2	24.6	23.8	16.2	9.8	5.4	3.9	4.2	10.0	19.3	24.0	28.6	16.6	13	-48855
P FREQ LES 300 FT A/Q LES 1 MI															
FOR 00-02 LST	1.4	0.4	0.8	0.8	1.1	0.4	1.6	0.7	0.7	1.5	0.7	1.2	0.9	14	-48855
03-05 LST	0.4	1.7	1.9	0.8	0.0	0.5	0.4	0.8	0.8	1.2	2.5	2.3	1.1	17	-48855
06-08 LST	2.7	5.5	3.6	4.1	0.2	0.3	0.2	0.7	1.2	2.3	2.9	3.3	2.3	17	-48855
09-11 LST	2.7	1.8	0.3	0.7	0.0	1.2	0.3	0.3	1.3	1.5	1.9	2.7	1.2	15	-48855
12-14 LST	0.9	0.8	0.5	0.0	0.8	0.3	0.0	0.0	0.7	2.3	1.9	2.5	0.9	17	-48855
15-17 LST	1.2	0.3	0.3	0.3	0.0	0.6	0.6	0.8	0.5	1.6	2.9	2.2	0.9	15	-48855
18-20 LST	0.7	1.0	0.4	0.6	0.4	0.7	0.4	0.2	0.9	2.8	1.7	3.0	1.1	17	-48855
21-23 LST	0.5	0.5	0.8	0.4	0.0	0.4	1.6	0.4	0.4	1.9	0.8	0.4	0.7	13	-48855

MARBLE MOUNTAIN, SOUTH VIETNAM

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YAS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	24.7	22.3	24.5	25.7	30.6	29.5	30.6	30.8	27.7	27.0	24.2	23.9	321.5	17	-48855
	13 LST	27.0	26.3	30.0	29.6	30.6	29.7	30.9	30.6	28.9	26.7	25.6	25.7	341.6	17	-48855
	19 LST	27.4	26.0	28.8	28.8	30.4	29.1	30.7	30.6	28.3	27.4	26.5	25.9	339.9	17	-48855
	01 LST	25.8	25.6	27.3	27.8	30.1	28.9	30.1	30.2	28.2	27.1	25.6	24.8	331.5	13	-48855
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	24.0	21.8	23.9	25.4	30.2	29.5	30.0	30.6	27.5	26.0	22.4	22.8	314.1	17	-48855
	13 LST	22.2	19.4	20.8	19.2	19.8	23.6	23.8	25.7	23.4	22.0	19.7	21.9	261.1	17	-48855
	19 LST	25.5	23.3	26.6	26.8	29.8	28.4	30.2	29.9	27.0	25.6	24.1	23.7	320.9	17	-48855
	01 LST	25.1	24.7	26.7	27.4	29.9	28.8	29.9	29.8	27.9	26.4	24.3	23.7	324.6	13	-48855
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.1	0.1	0.1	0.1	0.1	0.0	0.1	0.0	0.0	0.1	0.1	0.1	0.9	17	-48855
	13 LST	0.7	0.9	0.9	0.8	0.8	0.4	0.5	0.4	0.5	0.2	1.0	0.4	7.5	17	-48855
	19 LST	0.3	0.5	0.4	0.5	0.1	0.0	0.1	0.1	0.1	0.2	0.3	0.3	2.9	17	-48855
	01 LST	0.0	0.2	0.1	0.0	0.0	0.0	0.1	0.0	0.0	0.2	0.1	0.0	0.7	13	-48855
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	4.7	6.6	6.3	6.5	7.7	4.1	3.4	3.4	3.0	4.1	4.0	4.3	58.1	17	-48855
	13 LST	17.2	17.2	18.7	13.7	5.0	3.9	2.9	3.3	7.7	15.5	15.9	16.6	137.6	17	-48855
	19 LST	11.2	11.7	10.6	11.3	11.2	9.4	10.4	9.7	9.1	8.6	8.5	10.2	121.9	17	-48855
	01 LST	6.2	7.6	7.4	6.6	6.1	4.2	4.5	4.5	3.9	5.2	5.9	4.4	66.5	13	-48855
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	2.9	2.6	5.2	5.9	5.3	3.6	5.7	4.2	2.7	3.5	2.9	1.9	46.4	17	-48855
	13 LST	4.0	7.0	11.7	11.3	6.2	2.1	4.3	2.7	1.9	2.9	2.2	2.0	58.3	17	-48855
	19 LST	7.1	7.1	6.6	5.7	4.2	3.0	3.8	2.8	3.7	4.4	5.4	4.3	58.1	17	-48855
	01 LST	3.1	4.2	6.2	8.4	9.9	8.2	9.0	6.7	6.6	6.8	5.4	4.0	78.5	13	-48855
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	15.2	14.2	17.3	20.9	29.1	28.5	29.9	30.2	26.3	19.8	16.5	14.2	262.1	17	-48855
	13 LST	17.4	18.8	24.3	27.3	29.9	28.4	30.2	29.7	27.0	20.8	18.7	17.1	289.6	16	-48855
	19 LST	19.7	18.7	21.6	24.6	28.0	27.2	29.0	28.6	25.4	21.6	19.4	18.3	282.1	17	-48855
	01 LST	14.6	17.7	16.5	20.4	25.6	27.2	28.5	29.0	24.9	20.0	17.4	14.6	252.4	12	-48855
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	9.5	9.5	13.8	19.1	28.0	27.2	28.8	28.5	25.1	17.6	13.3	8.8	229.2	17	-48855
	13 LST	13.5	15.5	21.9	26.1	29.5	27.3	29.5	28.7	26.0	19.1	16.0	12.5	265.6	16	-48855
	19 LST	14.5	14.1	17.7	21.4	26.2	25.3	27.0	27.0	23.8	19.3	16.0	13.8	246.1	17	-48855
	01 LST	8.9	8.8	12.2	17.1	23.9	25.5	26.9	27.2	22.7	17.9	13.4	10.8	215.1	12	-48855
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	9.4	9.4	13.8	19.0	28.0	27.2	28.4	28.3	25.1	17.5	13.2	8.7	228.0	17	-48855
	13 LST	13.4	15.5	21.9	26.1	29.5	27.3	29.5	28.7	26.0	19.1	16.0	12.5	265.5	16	-48855
	19 LST	14.3	14.0	17.5	21.3	26.2	24.9	26.9	26.7	23.6	19.2	16.0	13.8	244.4	17	-48855
	01 LST	8.8	8.8	12.0	17.0	23.7	25.5	26.8	27.1	22.3	17.8	13.2	10.5	213.5	12	-48855

QUANG NGAI, SOUTH VIETNAM

STA NO. 48863 (IN AREA NUMBER 05)

LATITUDE 1507N

LONGITUDE 10846E

ELEVATION(FT) 00036

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
ABS MAX TMP (F)	92	95	100	102	102	107	105	105	102	94	93	88	107	45	-156
MEAN MAX TMP (F)	77	80	84	84	93	94	94	94	89	84	81	78	86	34	-156
MEAN MIN TMP (F)	63	64	67	72	75	77	78	77	74	72	69	65	71	34	-156
ABS MIN TMP (F)	52	52	54	63	67	68	68	68	69	63	60	52	52	45	-156
MEAN NO DYS TMP = DR GTR 90(F)			1.4	14.3	26.3	27.3	28.3	28.3	14.3	1.4	0.0	0.0		34	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	45	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	45	-29
MEAN DEW PT TMP (F)	67	68	71	74	76	76	76	76	74	74	72	69	73	8	35362
MEAN REL HUM (PCT)	88	87	86	83	79	78	78	80	85	88	89	88	84	8	35518
MEAN PRESS ALT (FT)	-56	-22	44	126	206	275	277	274	231	93	25	-26	121	0	-50
MEAN PRECIP (IN)	5.20	2.40	1.70	1.20	2.00	2.80	2.70	4.90	11.40	21.40	21.80	10.60	88.1	44	-156
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	45	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	7.0	4.3	3.5	2.7	3.9	7.1	7.0	9.5	13.8	17.9	17.9			44	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	45	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTHS	0.0	0.0	1.0	4.0	11.0	13.0	13.0	12.0	10.0	4.0	1.0	0.0	69.0	10	-156
P FREQ WND SPD = DR GTR 17 KTS	3.1	0.1	0.4	0.7	0.6	0.0	0.2	0.0	0.1	0.6	0.4	0.4	0.3	8	43314
P FREQ WND SPD = DR GTR 28 KTS	3.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	8	43314
P FREQ LES 3000 FT A/D LES 5 MI	68.2	58.7	44.5	22.9	11.3	11.4	10.1	13.6	20.3	40.5	55.5	63.4	33.0	8	14973
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST	25.6	20.4	18.1	8.7	1.8	1.9	1.5	2.7	9.1	20.1	31.0	25.1	13.8	8	1655
06-08 LST	38.2	33.9	33.1	20.0	3.5	2.4	1.5	1.5	9.6	24.0	31.9	31.3	19.2	8	2683
09-11 LST	38.5	24.7	18.7	7.5	4.6	2.0	1.6	2.1	7.0	22.4	32.5	29.3	15.9	8	2441
12-14 LST	29.0	22.9	15.0	5.8	2.7	4.3	2.3	1.5	6.2	22.6	24.6	28.9	13.8	8	2819
15-17 LST	28.3	20.4	12.8	5.7	3.8	5.8	5.8	7.1	6.7	21.5	30.3	28.6	14.7	8	2815
18-20 LST	28.2	16.2	13.5	5.5	3.1	3.3	5.3	5.7	8.0	17.7	23.5	23.7	12.8	8	2560
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST	2.6	4.9	7.1	5.1	0.0	0.0	0.0	0.0	2.2	1.4	0.7	2.4	2.2	8	1655
06-08 LST	4.1	9.0	17.7	9.0	0.0	0.0	0.0	0.0	1.7	2.8	1.3	2.1	4.0	8	2683
09-11 LST	2.7	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.5	0.5	2.7	0.0	0.6	8	2441
12-14 LST	0.4	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	1.6	0.0	0.0	0.3	8	2819
15-17 LST	0.3	0.0	0.0	0.0	0.4	1.2	0.0	0.4	0.0	1.2	0.4	3.1	0.6	8	2815
18-20 LST	2.0	0.0	0.0	0.0	0.0	0.5	0.4	0.8	0.0	1.7	0.4	0.0	0.5	8	2560
21-23 LST														0	0

QUANG NGAI, SOUTH VIETNAM

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	26.4	24.2	24.5	26.3	30.9	29.4	30.9	30.7	28.6	27.5	26.8	28.8	335.0	8	2603
	13 LST	28.6	27.5	30.3	29.6	31.0	29.6	30.6	31.0	29.9	28.6	27.6	29.9	354.2	8	2828
	19 LST	27.4	26.8	30.4	29.8	31.0	29.4	30.6	30.3	29.1	28.4	26.8	28.9	348.9	8	2560
	01 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	25.8	24.1	24.4	26.1	30.9	29.3	30.9	30.7	28.4	27.3	25.8	27.5	331.2	8	2603
	13 LST	25.6	23.3	23.5	22.0	23.6	27.8	29.4	29.0	29.2	25.7	23.9	25.5	308.3	8	2827
	19 LST	26.9	25.2	29.0	28.9	30.0	29.4	30.2	29.9	29.1	28.7	26.1	27.4	340.8	8	2559
	01 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2715
	13 LST	0.1	0.0	0.4	0.3	0.8	0.0	0.1	0.0	0.0	0.0	0.1	0.2	2.0	8	2847
	19 LST	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.1	0.6	8	2578
	01 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	8.0	5.1	4.7	3.7	3.9	3.8	4.2	3.0	5.7	7.4	9.0	10.4	68.9	8	2715
	13 LST	22.2	20.3	19.4	12.5	4.2	2.8	3.7	2.6	8.8	18.1	18.3	20.9	153.8	8	2847
	19 LST	10.1	11.4	16.1	16.1	13.0	9.5	8.0	7.4	9.1	8.4	8.7	7.8	121.6	8	2578
	01 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	1.9	3.0	5.0	9.9	8.2	4.6	6.0	5.1	3.1	4.0	3.3	2.8	56.9	8	2710
	13 LST	3.0	5.6	11.1	14.2	7.2	3.0	5.3	3.4	1.9	1.3	1.2	2.4	59.6	8	2847
	19 LST	6.5	10.1	9.2	8.7	7.0	3.6	4.5	4.6	3.5	7.9	8.3	6.5	80.4	8	2575
	01 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	11.3	9.7	15.4	21.3	28.4	29.0	30.0	30.0	25.4	19.0	14.0	13.0	246.5	8	2603
	13 LST	12.6	13.1	20.9	26.2	28.8	26.9	29.1	28.8	25.4	17.7	12.6	11.8	253.9	8	2819
	19 LST	16.5	18.9	22.7	26.4	28.8	27.7	27.5	27.8	25.7	22.4	18.8	17.6	280.8	8	2560
	01 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	7.1	8.1	11.8	19.5	26.3	26.9	27.8	26.4	23.8	17.1	12.5	9.9	217.2	8	2603
	13 LST	9.6	10.4	19.2	25.4	28.3	26.0	28.1	27.3	24.0	16.1	10.4	9.0	233.8	8	2819
	19 LST	9.8	15.1	18.4	24.6	27.7	26.2	25.3	26.4	24.5	21.1	17.7	12.8	249.3	8	2560
	01 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	7.1	8.1	11.7	19.4	26.3	26.8	27.8	26.4	23.6	17.1	12.5	9.7	216.8	8	2603
	13 LST	9.4	10.4	19.2	25.4	28.3	26.0	28.1	27.3	24.0	16.1	10.3	8.9	233.4	8	2819
	19 LST	9.8	15.1	18.4	24.6	27.7	26.2	25.2	26.4	24.5	21.1	17.4	12.6	249.0	8	2560
	01 LST														0	0

CHU LAI AB, SOUTH VIETNAM

STA NO. 48864 (IN AREA NUMBER 05) LATITUDE 1525N LONGITUDE 10842E ELEVATION(FT) 00025

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	91	92	97	99	101	100	103	102	97	96	93	89	103	3	1090
MEAN MAX TMP (F)	77	79	84	87	91	93	94	94	90	87	83	80	87	3	1039
MEAN MIN TMP (F)	68	67	71	74	77	78	78	77	75	75	73	70	74	3	1089
ABS MIN TMP (F)	57	61	61	69	72	74	74	72	68	69	67	59	57	3	1089
MEAN NO DYS TMP = DR GTR 90(F)			1.4	8.5	21.0	25.4	28.3	28.3	17.3	8.6	0.0	0.0		3	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	-29
MEAN DEW PT TMP (F)	67	67	71	73	75	75	75	76	74	74	73	70	73	3	26247
MEAN REL HUM (PCT)	85	85	83	82	77	75	75	76	80	84	86	87	81	3	26247
MEAN PRESS ALT (FT)	-45	-28	86	119	229	265	299	268	197	80	36	-24	124	0	-50
MEAN PRECIP (IN)	10.00	3.49	1.66	3.25	2.75	1.22	1.94	5.30	12.05	26.38	17.94	12.90	98.9	3	1034
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN		5.6	3.5	5.1	4.7	5.2	6.1	9.9	14.2		17.0			3	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	2.3	4.0	4.9	3.7	5.3	3.0	0.1	0.0	23.3	3	1090
P FREQ WND SPD = DR GTR 17 KTS	2.5	1.0	1.2	0.5	0.0	0.3	0.0	0.1	0.2	0.6	1.7	4.2	1.0	3	26216
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	26216
P FREQ LES 5000 FT A/D LES 5 MI	48.5	54.0	37.0	22.8	14.0	5.6	7.1	7.2	17.5	37.2	52.2	63.8	30.6	3	26223
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	16.7	11.8	14.3	6.7	0.7	0.7	0.0	1.4	1.1	6.1	15.9	16.2	7.6	3	2986
03-05 LST	10.5	16.9	14.7	9.3	0.0	0.0	0.0	0.4	1.5	5.4	14.4	15.4	7.4	3	3274
06-08 LST	10.5	14.1	14.0	7.4	1.4	0.0	0.0	0.0	2.2	6.8	11.5	15.8	7.0	3	3283
09-11 LST	14.1	10.2	7.9	5.9	1.1	0.0	0.0	0.0	3.7	9.0	13.0	11.5	6.4	3	3285
12-14 LST	13.0	10.6	6.1	2.2	3.2	0.4	0.0	0.4	2.2	11.1	13.0	10.7	6.1	3	3284
15-17 LST	17.0	14.1	5.7	2.2	2.1	1.1	0.0	1.1	0.4	9.0	14.1	13.6	6.7	3	3284
18-20 LST	18.1	11.8	9.0	4.4	2.9	0.7	1.1	2.9	4.1	6.8	13.7	17.4	7.7	3	3278
21-23 LST	15.6	16.1	11.5	3.7	2.1	1.1	0.4	2.1	1.5	5.0	15.6	17.4	7.7	3	3266
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	1.8	0.6	1.1	0.4	0.0	0.0	0.0	0.0	0.0	0.4	6.4	0.0	0.4	3	2986
03-05 LST	1.4	0.0	2.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	3	3274
06-08 LST	1.1	0.4	1.8	0.4	0.0	0.0	0.0	0.0	0.0	0.4	1.1	0.4	0.5	3	3283
09-11 LST	2.2	0.8	0.4	1.1	0.0	0.0	0.0	0.0	0.0	1.4	1.1	0.4	0.6	3	3285
12-14 LST	1.4	1.2	0.4	0.0	0.4	0.0	0.0	0.0	0.0	2.1	1.8	0.7	0.7	3	3284
15-17 LST	4.0	4.7	1.8	0.4	0.0	0.7	0.0	0.0	0.0	1.4	2.2	1.4	1.4	3	3284
18-20 LST	2.5	2.3	0.7	0.0	0.0	0.0	0.0	0.4	0.7	1.8	0.4	1.4	0.9	3	3278
21-23 LST	1.1	1.2	1.1	0.7	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.4	0.4	3	3266

CHU LAI AB, SOUTH VIETNAM

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
	01 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
	01 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
	01 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEC F AND NO PRECIP.	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
	01 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
	01 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	22.3	18.3	22.1	25.4	29.8	30.0	30.9	30.9	28.4	25.3	20.0	16.3	299.7	3	3283
	13 LST	23.3	23.0	27.1	28.0	29.8	29.9	31.0	30.8	28.8	23.9	21.7	22.2	319.5	3	3284
	19 LST	23.7	21.8	26.2	27.7	28.9	29.5	30.3	29.3	27.2	23.7	20.3	19.9	308.5	3	3278
	01 LST	20.4	16.8	21.3	26.8	29.3	29.3	30.2	30.0	28.8	23.8	17.6	16.9	291.2	3	2986
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	10.9	10.4	15.3	21.0	27.6	28.8	29.5	30.7	26.2	17.0	13.0	5.5	235.9	3	3283
	13 LST	14.3	16.8	21.1	24.1	28.3	28.9	30.1	30.1	25.7	18.7	13.4	9.3	260.8	3	3284
	19 LST	15.8	13.4	22.6	22.6	24.3	26.0	25.7	26.2	22.7	19.7	13.0	11.1	243.1	3	3278
	01 LST	12.5	8.6	15.4	22.3	25.2	28.0	26.9	27.2	21.9	17.8	11.6	7.9	225.3	3	2986
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	8.1	9.5	14.4	17.0	22.2	25.7	24.3	26.8	21.8	13.7	10.1	4.1	197.7	3	3283
	13 LST	9.2	10.1	19.7	22.0	26.1	26.9	28.6	28.8	23.1	16.3	9.5	6.8	227.1	3	3284
	19 LST	11.7	11.9	20.3	15.1	19.0	21.5	21.3	21.5	17.7	16.6	10.9	8.8	196.3	3	3278
	01 LST	9.5	7.6	14.8	18.8	23.0	25.6	24.6	25.7	19.0	15.0	9.6	6.6	199.8	3	2986

QUI NHON, SOUTH VIETNAM

STA NO. 48870 (IN AREA NUMBER 05)

LATITUDE 1345N

LONGITUDE 10913E

ELEVATION(FT) 00020

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
ABS MAX TMP (F)	91	96	101	96	103	106	108	106	102	99	92	88	108	47	-156
MEAN MAX TMP (F)	78	80	83	87	90	92	92	94	89	84	81	78	86	32	-156
MEAN MIN TMP (F)	69	70	72	75	78	79	79	79	77	75	73	71	75	32	-156
ABS MIN TMP (F)	59	60	61	67	66	71	68	69	69	64	59	61	59	47	-156
MEAN NO DYS TMP = OR GTR 90(F)			0.0	8.3	17.9	23.0	23.8	28.3	14.3	1.4	0.0	0.0		32	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	47	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	47	-29
MEAN DEW PT TMP (F)	67	68	72	75	77	75	74	74	75	74	73	70	73	9	52093
MEAN REL HUM (PCT)	81	81	83	83	80	71	71	71	77	83	84	82	79	9	52986
MEAN PRESS ALT (FT)	-30	12	57	111	169	209	209	241	195	94	34	-6	108	0	-50
MEAN PRECIP (IN)	2.40	1.30	1.00	1.50	2.10	1.90	2.60	2.40	10.00	17.50	17.90	6.80	67.4	40	-156
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	47	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	4.3	2.6	2.4	3.2	4.1	6.1	6.9	6.7	12.8	16.9	17.0	7.5	90.5	40	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	47	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.0	0.0	0.3	1.1	0.0	2.2	4	765
MEAN NO DYS TSTMS	0.0	0.0	1.0	3.0	8.0	4.0	5.0	5.0	7.0	3.0	0.0	0.0	36.0	11	-156
P FREQ WND SPD = OR GTR 17 KTS	2.5	2.9	2.1	3.6	2.2	3.0	4.8	1.7	0.5	1.4	5.1	4.2	2.8	9	19247
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.1	0.0	0.0	0.1	0.1	0.1	0.0	0.0	0.1	0.1	0.1	0.1	9	19247
P FREQ LES 5000 FT A/D LES 5 MI	57.3	50.4	34.2	18.2	9.6	7.5	7.8	9.4	15.4	38.7	56.0	63.5	30.7	10	17371
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	28.6	20.8	16.2	11.5	3.4	4.0	1.0	1.6	10.0	23.8	33.6	25.5	15.0	6	1409
03-05 LST	25.8	26.4	19.0	10.2	5.7	1.3	2.6	1.3	3.5	19.0	31.7	32.8	14.9	9	1953
06-08 LST	34.0	35.0	24.1	10.7	4.8	2.9	1.5	2.6	7.1	28.7	32.8	40.0	18.7	10	2996
09-11 LST	26.5	22.7	15.2	6.3	3.8	0.5	0.0	0.9	8.5	26.8	34.9	35.2	15.1	10	2644
12-14 LST	25.6	16.9	9.5	3.8	2.1	1.2	0.8	1.8	4.6	16.5	31.8	32.3	12.2	10	3037
15-17 LST	22.9	15.2	8.2	2.1	2.9	2.0	5.5	2.3	7.7	17.2	28.9	30.7	12.1	10	3033
18-20 LST	20.1	17.3	8.7	5.2	5.0	3.0	2.5	3.5	12.5	19.0	27.9	27.2	12.7	9	2871
21-23 LST	24.6	19.8	15.7	6.3	6.1	1.4	1.5	5.1	9.4	21.3	35.2	31.3	14.8	6	980
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	1.3	2.5	0.0	0.4	6	1409
03-05 LST	1.8	1.2	0.0	0.0	0.6	0.0	0.6	0.0	0.0	2.5	2.2	1.7	0.9	9	1953
06-08 LST	1.6	2.2	0.4	0.4	0.4	0.4	0.0	0.0	0.8	3.1	2.3	3.6	1.3	10	2996
09-11 LST	2.1	0.5	0.5	0.0	0.5	0.0	0.0	0.0	1.4	0.9	3.0	4.2	1.1	10	2644
12-14 LST	2.7	0.8	0.4	0.0	0.0	0.0	0.0	0.0	0.8	1.5	4.2	2.9	1.1	10	3037
15-17 LST	0.8	0.5	0.0	0.0	0.4	0.0	0.4	0.0	0.9	1.5	3.6	1.8	0.8	10	3033
18-20 LST	1.2	0.0	0.4	0.4	0.4	0.0	0.0	0.9	1.4	2.4	3.3	2.3	1.1	9	2871
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	1.6	4.6	0.0	0.7	6	980

QUI NHON, SOUTH VIETNAM

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	26.3	23.9	28.1	29.1	30.5	29.6	30.8	30.5	28.8	25.2	25.8	24.4	333.0	10	2996
	13 LST	28.6	26.8	30.0	29.7	31.0	29.8	30.9	30.9	29.4	29.1	25.6	27.2	349.0	10	3037
	19 LST	29.2	27.1	30.6	29.2	30.6	29.6	30.6	30.6	27.9	28.7	26.1	27.6	347.8	9	2871
	01 LST	29.1	27.2	30.5	29.3	31.0	29.7	31.0	30.8	28.4	28.0	26.2	29.0	350.2	5	1409
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	21.9	21.9	26.6	28.4	29.7	27.4	26.9	28.0	27.0	24.5	21.2	18.7	302.2	10	2991
	13 LST	17.5	17.0	19.9	18.2	21.5	20.0	20.4	21.6	24.3	23.4	16.6	15.6	236.0	10	3032
	19 LST	22.6	20.1	21.9	17.3	21.2	20.0	22.1	24.5	22.9	25.9	21.3	21.3	261.1	9	2869
	01 LST	23.0	24.1	28.5	28.6	30.2	27.3	25.7	30.5	27.2	26.4	24.2	22.3	320.0	5	1409
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.5	0.2	0.1	0.0	0.1	0.7	1.5	0.2	0.1	0.0	0.9	0.5	4.8	10	3040
	13 LST	0.7	1.5	0.4	1.0	0.5	0.5	1.8	0.8	0.4	0.2	1.7	1.8	11.3	10	3068
	19 LST	0.8	1.1	1.3	2.4	1.2	1.0	0.6	0.9	0.0	0.1	0.9	0.8	11.1	9	2898
	01 LST	1.1	0.3	0.2	0.0	0.0	0.3	1.2	0.0	0.0	0.0	0.0	0.8	3.9	5	1426
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	17.5	15.3	10.9	9.0	7.9	9.8	8.5	10.7	9.0	14.7	14.0	17.8	145.1	10	3040
	13 LST	13.6	15.5	18.9	15.3	11.8	6.9	8.9	7.7	9.3	18.4	14.0	14.7	156.6	10	3068
	19 LST	19.1	16.5	16.0	13.3	13.8	9.8	11.5	11.7	11.6	16.4	13.4	17.5	172.6	9	2898
	01 LST	19.2	15.4	15.0	11.4	9.5	7.3	7.8	10.5	8.1	12.7	15.6	17.2	149.7	5	1426
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	2.2	2.9	5.0	8.1	6.1	6.4	5.8	4.7	3.2	4.6	2.1	2.1	53.2	10	3032
	13 LST	3.4	5.5	11.6	14.1	7.7	3.4	3.4	2.6	1.5	2.3	1.6	1.8	58.9	10	3064
	19 LST	7.3	8.4	12.5	13.0	7.8	7.1	5.2	4.1	2.8	4.1	3.8	5.3	81.4	9	2900
	01 LST	5.9	5.4	7.3	7.7	10.2	10.8	10.2	7.8	5.8	4.4	3.0	4.4	82.9	5	1425
C'G = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	13.9	12.0	18.4	24.4	28.1	28.5	29.8	29.7	27.0	18.8	14.5	12.2	257.3	9	2996
	13 LST	16.0	17.8	25.2	27.3	29.5	28.8	29.9	29.5	27.5	22.2	13.7	13.1	280.5	9	3037
	19 LST	19.0	18.3	25.2	27.3	28.5	28.6	28.9	28.6	24.9	22.2	16.5	17.0	285.0	8	2871
	01 LST	15.5	16.5	20.7	23.1	28.9	27.6	30.7	29.8	25.8	19.6	13.5	17.6	269.3	4	1409
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	9.9	9.3	15.7	22.3	27.2	27.1	28.0	27.4	25.4	16.6	12.2	8.9	230.0	9	2996
	13 LST	12.6	10.9	23.6	26.4	29.0	27.5	28.5	28.2	26.6	20.6	11.5	9.8	255.2	9	3037
	19 LST	14.5	15.7	23.5	26.0	27.4	26.9	26.6	26.3	23.8	20.2	14.0	13.9	258.8	8	2871
	01 LST	10.1	13.0	17.0	19.9	28.6	24.7	27.9	28.3	22.7	18.3	12.1	14.2	236.8	4	1409
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	9.4	9.2	15.7	22.0	26.8	26.9	27.8	27.0	25.3	16.5	11.9	8.7	227.2	9	2996
	13 LST	12.6	10.9	23.5	26.4	29.0	27.5	28.5	28.1	26.6	20.5	11.5	9.8	234.9	9	3037
	19 LST	14.5	15.7	23.4	26.0	27.4	26.9	26.6	26.3	23.6	20.1	14.0	13.8	238.3	8	2871
	01 LST	10.1	12.7	17.0	19.9	28.6	24.4	27.6	28.3	22.7	18.3	12.1	14.2	235.9	4	1409

TUY HOA SOUTH, SOUTH VIETNAM

STA NO. 48873 (IN AREA NUMBER 05)

LATITUDE 1303N

LONGITUDE 10920E

ELEVATION(FT) 00028

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	91	97	97	102	102	102	99	100	100	95	90	85	102	17	-156
MEAN MAX TMP (F)	79	81	85	88	91	94	93	92	90	85	82	80	87	17	-156
MEAN MIN TMP (F)	70	70	72	75	77	79	78	78	76	73	74	71	75	17	-156
ABS MIN TMP (F)	59	62	63	66	70	70	71	72	68	66	59	61	59	17	-156
MEAN NO DYS TMP = OR GTR 90(F)		0.0	3.4	11.2	21.0	27.3	26.3	23.8	17.3	3.4	0.0	0.0		17	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	-29
MEAN DEW PT TMP (F)	69	70	72	75	76	75	75	75	76	75	74	70	74	9	38151
MEAN REL HUM (PCT)	84	84	84	82	79	72	74	76	81	86	87	84	81	9	38856
MEAN PRESS ALT (FT)	-21	-1	48	117	191	241	246	246	210	109	54	9	121	0	-50
MEAN PRECIP (IN)	2.30	1.10	0.70	1.60	3.50	1.60	1.50	2.40	8.20	16.50	15.30	6.30	61.0	19	-156
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	4.2	2.2	1.8	3.4	5.2	5.7	5.6	6.7	11.3	16.5	16.0	7.4	86.0	19	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	1.0	2.0	6.0	3.0	3.0	3.0	4.0	1.0	0.0	0.0	23.0	11	-156
P FREQ WND SPD = OR GTR 17 KTS	10.0	5.4	3.1	1.8	2.3	10.5	13.9	10.2	4.0	3.6	8.5	10.8	7.0	9	46919
P FREQ WND SPD = OR GTR 28 KTS	0.8	0.0	0.0	0.0	0.0	0.1	0.7	0.1	0.0	0.0	0.2	0.0	0.1	9	46919
P FREQ LES 3000 FT A/D LES 5 MI	50.3	41.8	32.1	14.2	8.7	14.5	12.4	12.0	17.8	32.0	46.5	35.2	28.1	9	15899
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST	20.8	23.7	11.7	6.9	2.9	2.2	1.2	0.7	3.2	20.5	27.2	24.5	12.1	9	1657
06-08 LST	24.0	19.5	18.8	6.1	5.2	0.9	1.2	2.0	4.1	25.7	30.6	31.8	14.2	9	2953
09-11 LST	19.2	13.0	5.5	2.3	2.6	1.0	1.1	1.5	5.6	19.7	24.4	25.5	10.1	9	2696
12-14 LST	15.0	8.7	3.5	1.5	1.8	2.3	1.4	0.7	4.4	13.7	18.6	20.3	7.7	9	3052
15-17 LST	15.8	9.8	3.9	2.5	2.2	4.0	4.2	2.2	8.5	11.2	17.5	20.6	8.5	9	2955
18-20 LST	13.1	10.9	5.8	0.6	3.8	4.8	2.9	9.9	10.2	12.6	18.9	23.6	9.8	9	2406
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST	0.0	2.9	1.4	0.0	3.0	0.0	0.0	0.0	0.7	1.6	1.4	0.7	0.7	9	1657
06-08 LST	2.0	2.3	4.3	0.9	2.0	0.0	0.0	0.4	0.4	3.1	1.6	4.4	1.8	9	2953
09-11 LST	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.8	0.0	0.4	0.2	9	2696
12-14 LST	0.0	0.0	0.0	0.0	0.8	0.4	0.0	0.0	0.0	0.0	0.4	0.4	0.2	9	3052
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.4	0.1	9	2955
18-20 LST	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.9	2.4	0.5	0.5	2.6	0.7	9	2406
21-23 LST														0	0

TUY HOA SOUTH, SOUTH VIETNAM

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	27.1	25.5	28.1	29.4	30.3	29.9	30.9	30.8	29.2	25.7	24.3	26.0	297.2	9	2953
	13 LST	29.4	27.2	30.7	29.9	30.8	29.9	30.9	31.0	29.4	29.4	27.5	28.6	354.7	9	3052
	19 LST	29.2	26.8	30.6	30.0	30.5	29.3	30.7	30.4	28.0	28.7	26.9	27.0	348.1	9	2406
	01 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	23.0	22.9	26.7	28.6	28.7	20.8	19.9	19.9	25.2	24.4	19.5	21.3	280.9	9	2947
	13 LST	15.4	14.1	17.4	15.6	15.3	12.3	12.4	14.3	19.8	19.9	13.9	13.8	184.2	9	3052
	19 LST	21.9	20.1	26.0	27.7	29.6	27.2	26.1	27.4	26.9	25.1	20.5	17.3	296.0	9	2404
	01 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	1.9	0.4	0.3	0.3	0.1	3.1	4.6	4.0	1.4	0.2	2.2	1.2	19.7	9	2994
	13 LST	3.0	2.7	1.7	1.1	2.5	4.5	5.2	4.2	1.6	1.6	3.2	4.7	36.0	9	3082
	19 LST	2.5	0.9	0.9	0.0	0.4	0.7	1.0	0.6	0.6	1.3	1.7	2.0	12.6	9	2422
	01 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	9.1	6.9	5.3	1.9	7.1	12.9	10.2	12.3	12.2	6.4	6.5	9.2	100.0	9	2992
	13 LST	14.3	13.3	15.6	10.9	6.8	2.7	3.8	6.7	7.4	14.4	11.4	13.4	118.7	9	3081
	19 LST	16.7	14.8	20.5	0.3	17.0	12.7	15.6	15.8	12.3	14.7	13.8	13.2	187.4	9	2422
	01 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	1.6	2.6	4.6	9.2	7.4	6.5	6.0	5.8	3.8	3.2	1.9	1.1	53.7	9	2988
	13 LST	5.5	8.7	14.9	16.7	8.0	3.7	2.4	3.0	2.0	3.8	2.2	2.1	73.0	9	3076
	19 LST	9.5	11.4	15.9	17.5	11.5	5.1	5.9	5.8	4.3	7.4	4.1	4.7	103.1	9	2417
	01 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	16.9	17.3	20.3	25.4	28.0	29.0	29.9	29.5	28.1	19.5	16.1	14.3	274.3	9	2953
	13 LST	20.9	23.6	27.7	28.8	30.0	27.0	29.1	29.0	26.9	23.9	19.9	18.6	305.4	9	3052
	19 LST	23.1	22.4	26.8	29.3	28.9	27.0	28.7	28.9	26.4	24.8	20.7	19.3	306.3	9	2406
	01 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	10.5	10.1	14.4	23.1	26.4	24.5	26.8	26.5	25.1	17.6	13.6	9.8	228.4	9	2953
	13 LST	17.7	19.7	25.2	28.4	29.8	25.3	27.7	27.2	25.8	23.7	17.8	15.6	283.9	9	3052
	19 LST	17.5	18.4	24.0	29.0	28.5	24.7	25.8	26.8	23.7	23.8	17.7	14.0	273.9	9	2406
	01 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	10.5	10.0	14.4	23.1	26.4	24.2	26.8	26.4	25.1	17.2	13.5	9.5	227.1	9	2953
	13 LST	17.7	19.7	25.2	28.4	29.8	25.1	27.7	27.2	25.8	23.7	17.8	15.5	283.6	9	3052
	19 LST	17.5	18.3	24.0	29.0	28.5	24.7	25.8	26.8	23.7	23.8	17.7	13.9	273.7	9	2406
	01 LST														0	0

NHA TRANG, SOUTH VIETNAM

STA NO. 48877 (IN AREA NUMBER 05)

LATITUDE 1213N

LONGITUDE 10911E

ELEVATION(FT) 00019

PARAMETER DESCRIPTION													PDR	NO.	
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	(YRS)	UBS
ABS MAX TMP (F)	89	92	94	97	101	103	102	103	101	95	94	91	103	58	-156
MEAN MAX TMP (F)	82	84	86	89	91	92	91	91	89	86	84	82	87	47	-156
MEAN MIN TMP (F)	69	69	71	74	76	76	76	76	75	74	72	71	73	47	-156
ABS MIN TMP (F)	54	58	61	66	67	68	64	68	68	66	62	60	54	58	-156
MEAN NO DYS TMP = DR GTR 90(F)	0.0	1.2	5.8	14.3	21.0	23.0	21.0	21.0	14.3	5.8	1.3	0.0	128.7	47	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	58	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	58	-29
MEAN DRW PT TMP (F)	67	68	71	74	76	75	75	75	75	74	72	69	73	11	13942
MEAN REL HUM (PCT)	77	78	79	80	80	77	77	77	80	83	81	78	79	17	31359
MEAN PRESS ALT (FT)	-31	9	55	107	166	207	207	240	194	93	33	-4	106	0	-30
MEAN PRECIP (IN)	1.80	0.70	1.20	1.50	2.40	1.80	1.60	2.10	6.90	12.70	14.30	7.00	53.6	57	-156
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	58	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	3.4	1.5	2.7	3.2	4.4	6.0	5.7	6.3	9.8	14.6	15.3	7.3	80.6	57	-29
MEAN NO DYS SNPL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	58	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.2	0.0	0.2	0.2	0.0	0.0	0.0	0.2	0.3	0.0	0.2	0.2	1.3	11	2074
MEAN NO DYS TSTMS	0.0	0.0	0.0	2.0	10.0	7.0	5.0	6.0	8.0	3.0	0.0	0.0	41.0	17	-156
P FREQ WND SPD = DR GTR 17 KTS	1.8	1.6	0.7	1.3	0.9	0.8	0.6	0.9	0.4	0.4	1.5	2.7	1.1	17	31438
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	31438
P FREQ LES 3000 FT A/D LES 5 MI	49.6	39.9	28.3	18.3	15.5	16.7	13.5	12.6	17.5	33.9	45.2	54.1	28.8	17	25355
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	16.9	10.3	5.8	3.7	3.8	2.3	1.9	1.5	6.3	12.2	17.2	13.3	7.9	13	3131
03-05 LST	11.1	9.7	4.4	3.8	4.8	2.8	1.5	1.4	3.6	9.1	15.2	14.3	6.8	16	2735
06-08 LST	16.4	11.1	9.8	6.2	3.6	2.8	3.0	1.6	2.2	12.7	17.9	19.2	8.9	17	4939
09-11 LST	15.2	8.8	5.0	3.9	3.7	2.8	1.7	1.7	2.4	12.2	17.8	17.6	7.7	16	3504
12-14 LST	10.3	5.7	2.9	2.3	3.1	2.5	1.3	2.0	3.1	9.8	15.1	14.4	6.0	17	4790
15-17 LST	5.3	5.6	2.4	2.7	5.3	4.0	4.3	3.9	7.8	12.5	18.9	15.2	7.6	16	4020
18-20 LST	8.0	2.8	2.5	2.4	4.3	2.6	3.8	3.2	8.7	10.8	11.6	10.3	5.9	17	5344
21-23 LST	13.9	4.4	5.3	1.7	3.8	6.0	2.3	2.9	12.4	15.3	16.2	15.9	8.3	10	2214
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.8	0.7	0.4	0.0	0.2	13	3131
03-05 LST	0.0	0.0	0.0	0.8	0.3	0.0	0.0	0.5	0.0	0.5	1.2	0.0	0.3	16	2735
06-08 LST	2.2	0.5	0.5	0.0	0.0	0.0	0.3	0.0	0.5	0.2	0.7	0.2	0.4	17	4939
09-11 LST	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.6	0.0	1.3	0.2	16	3504
12-14 LST	0.7	0.3	0.0	0.3	0.3	0.0	0.0	0.5	0.3	1.0	1.7	0.5	0.5	17	4790
15-17 LST	0.6	0.7	0.0	0.6	0.3	0.3	0.0	0.6	1.4	0.9	2.2	0.6	0.7	16	4020
18-20 LST	0.0	0.0	0.0	0.2	0.0	0.0	0.2	0.0	0.2	0.2	0.0	0.4	0.1	17	5344
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.3	0.0	0.0	0.1	10	2214

NHA TRANG, SOUTH VIETNAM

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	29.0	27.2	30.0	29.4	30.0	29.8	30.6	31.0	29.6	28.8	27.7	28.7	292.6	17	4939
	13 LST	30.3	27.6	30.8	29.8	30.4	29.9	30.8	30.8	29.6	29.9	28.1	29.2	397.3	17	4790
	19 LST	30.4	28.0	30.9	29.9	30.6	29.9	30.7	30.8	29.0	29.5	28.6	29.8	358.1	17	5344
	01 LST	29.9	27.5	30.6	29.8	30.9	30.0	30.8	30.8	28.9	29.5	28.4	29.6	356.7	12	3131
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	27.0	26.5	29.7	29.1	30.7	29.6	30.2	30.7	29.3	28.5	26.3	26.2	243.8	17	4915
	13 LST	23.5	22.0	24.2	19.7	22.0	22.7	23.1	22.1	24.9	27.8	23.3	22.2	277.5	17	4769
	19 LST	26.5	24.5	28.2	27.0	29.2	28.5	28.9	29.6	28.0	28.4	26.4	24.3	329.5	17	5327
	01 LST	28.0	26.4	29.6	29.6	30.8	29.8	30.5	30.8	28.7	29.3	27.3	26.8	347.6	12	3115
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.3	0.1	0.0	0.2	0.1	0.1	0.1	0.1	0.0	0.1	0.4	0.6	2.1	17	5022
	13 LST	0.8	0.6	0.3	1.1	0.6	0.6	0.3	0.8	0.1	0.1	0.9	1.3	7.5	17	4862
	19 LST	0.6	1.0	0.3	0.2	0.1	0.2	0.1	0.3	0.1	0.1	0.4	1.0	4.4	17	5404
	01 LST	0.3	0.1	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.1	0.6	1.3	12	3185
SFC WND 4-10 KTS AND THP 33-89 DEG F AND NO PRECIP.	07 LST	20.4	18.5	18.7	16.5	18.9	19.2	13.4	14.1	15.3	16.6	18.0	19.5	205.1	17	4991
	13 LST	21.5	20.7	22.5	14.8	9.4	7.3	9.7	7.2	12.7	22.1	19.8	19.6	187.3	17	4821
	19 LST	19.4	18.7	20.9	20.0	19.7	15.5	15.9	14.9	12.9	15.7	16.4	18.0	208.0	17	5386
	01 LST	17.7	14.1	12.3	8.6	9.7	8.5	10.1	11.5	14.1	14.9	16.1	17.5	155.1	12	3162
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	2.2	2.7	5.9	5.8	4.9	3.8	3.6	3.1	1.9	2.9	1.2	1.1	39.1	17	5032
	13 LST	3.2	3.9	8.9	7.8	5.3	2.1	2.8	2.3	1.5	1.3	1.2	1.4	41.7	17	4874
	19 LST	5.7	7.0	9.9	8.0	5.2	3.4	3.4	3.1	2.1	3.0	2.8	3.1	56.7	17	5413
	01 LST	4.8	5.7	9.2	8.3	6.6	6.1	6.4	4.3	3.6	3.7	2.7	3.6	65.0	12	3187
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	19.7	19.7	23.6	25.0	28.4	28.0	29.2	29.6	28.4	23.9	19.4	18.8	293.7	17	4939
	13 LST	22.2	22.9	27.6	28.0	29.1	27.7	29.3	29.2	27.9	24.8	20.9	20.0	309.6	16	4790
	19 LST	24.1	24.3	27.6	27.7	27.5	27.2	28.0	27.6	24.3	24.2	22.1	23.0	307.6	16	5344
	01 LST	19.1	20.6	25.4	26.0	27.3	27.3	29.0	29.3	25.7	22.7	18.8	20.2	291.4	12	3131
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	12.6	14.3	18.8	21.7	27.1	26.7	28.1	28.6	27.3	20.8	15.5	11.3	252.8	17	4939
	13 LST	16.6	18.4	25.0	27.0	28.3	26.6	28.0	28.1	26.6	23.3	17.4	13.6	278.9	16	4790
	19 LST	20.8	19.4	21.1	25.9	25.7	24.8	25.1	24.3	20.9	21.3	17.9	15.7	262.9	16	5344
	01 LST	13.0	15.5	19.5	22.6	24.1	24.2	25.9	26.0	23.4	18.4	14.6	12.3	239.5	12	3131
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	12.6	14.3	18.7	21.7	27.1	26.6	27.9	28.5	27.2	20.6	15.2	11.0	251.4	17	4939
	13 LST	16.6	18.2	24.9	27.0	28.3	26.6	28.0	28.1	26.6	23.3	17.4	13.5	278.5	16	4790
	19 LST	20.7	19.2	21.1	25.8	25.7	24.7	25.1	24.2	20.9	21.2	17.9	15.6	262.1	16	5344
	01 LST	12.8	15.4	19.5	22.4	24.1	24.1	25.9	26.0	23.3	18.3	14.6	12.3	238.7	12	3131

PHU CAT, SOUTH VIETNAM

STA NO. 49047 (IN AREA NUMBER 05)

LATITUDE 1357N

LONGITUDE 10903E

ELEVATION(FT) 00101

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. DRS
ABS MAX TMP (F)	91	96	101	98	103	106	106	106	102	99	92	88	108	47	-48870
MEAN MAX TMP (F)	78	80	83	87	90	92	92	94	89	84	81	78	86	32	-48870
MEAN MIN TMP (F)	69	70	72	75	78	79	79	79	77	75	73	71	75	32	-48870
ABS MIN TMP (F)	59	60	61	67	66	71	68	69	69	64	59	61	59	47	-48870
MEAN NO DYS TMP = OR GTR 90(F)			0.0	8.3	17.9	23.0	23.8	28.3	14.3	1.4	0.0	0.0		32	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	47	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	47	-29
MEAN DEW PT TMP (F)	67	68	72	75	77	75	74	74	75	74	73	70	73	9	-48870
MEAN REL HUM (PCT)	81	81	83	83	80	71	71	71	77	83	84	82	79	9	-48870
MEAN PRESS ALT (FT)	29	50	113	178	251	304	312	313	271	165	109	66	180	0	-50
MEAN PRECIP (IN)	2.40	1.30	1.00	1.50	2.10	1.90	2.60	2.40	10.00	17.50	17.90	6.80	67.4	40	-48870
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	47	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	4.3	2.6	2.4	3.2	4.1	6.1	6.9	6.7	12.8	16.9	17.0	7.5	90.5	40	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	47	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.0	0.0	0.3	1.1	0.0	2.2	4	-48870
MEAN NO DYS TSMS	0.0	0.0	1.0	3.0	8.0	4.0	5.0	5.0	7.0	3.0	0.0	0.0	36.0	11	-48870
P FREQ WND SPD = OR GTR 17 KTS	2.5	2.9	2.1	3.6	2.2	3.0	4.8	1.7	0.5	1.4	5.1	4.2	2.8	9	-48870
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.1	0.0	0.0	0.1	0.1	0.1	0.0	0.0	0.1	0.1	0.1	0.1	9	-48870
P FREQ LES 5000 FT A/D LES 5 MI	57.3	50.4	34.2	18.2	9.6	7.5	7.8	9.4	15.4	38.7	56.0	63.5	30.7	10	-48870
P FREQ LES 1500 FT A/D LES 3 MI															
FDR 00-02 LST	28.6	20.8	16.2	11.5	7.4	4.0	1.0	1.6	10.0	23.8	33.6	25.5	15.0	6	-48870
03-05 LST	25.8	26.4	19.0	10.2	5.7	1.3	2.6	1.3	3.5	19.0	31.7	32.8	14.9	9	-48870
06-08 LST	34.0	35.0	24.1	10.7	4.8	2.9	1.5	2.6	7.1	28.7	32.8	40.0	18.7	10	-48870
09-11 LST	26.5	22.7	15.2	6.3	3.8	0.5	0.0	0.9	8.5	26.8	34.9	35.2	15.1	10	-48870
12-14 LST	25.6	16.9	9.5	3.8	2.1	1.2	0.8	1.5	4.6	16.5	31.8	32.3	12.2	10	-48870
15-17 LST	22.9	15.2	8.2	2.1	2.9	2.0	5.5	2.3	7.7	17.2	28.9	30.7	12.1	10	-48870
18-20 LST	20.1	17.3	8.7	5.2	5.0	3.0	2.5	3.5	12.5	19.0	27.9	27.2	12.7	9	-48870
21-23 LST	24.6	19.8	15.7	6.3	6.1	1.4	1.5	5.1	9.4	21.3	35.2	31.3	14.8	6	-48870
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	1.3	2.5	0.0	0.4	6	-48870
03-05 LST	1.8	1.2	0.0	0.0	0.6	0.0	0.6	0.0	0.0	2.5	2.2	1.7	0.9	9	-48870
06-08 LST	1.6	2.2	0.4	0.4	0.4	0.4	0.0	0.0	0.8	3.1	2.3	3.6	1.3	10	-48870
09-11 LST	2.1	0.5	0.5	0.0	0.5	0.0	0.0	0.0	1.4	0.9	3.0	4.2	1.1	10	-48870
12-14 LST	2.7	0.8	0.4	0.0	0.0	0.0	0.0	0.0	0.8	1.5	4.2	2.9	1.1	10	-48870
15-17 LST	0.8	0.5	0.0	0.0	0.4	0.0	0.4	0.0	0.9	1.5	3.6	1.8	0.8	10	-48870
18-20 LST	1.2	0.0	0.4	0.4	0.4	0.0	0.0	0.9	1.4	2.4	3.3	2.3	1.1	9	-48870
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	1.6	4.6	0.0	0.7	6	-48870

PHU CAT, SOUTH VIETNAM

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	26.3	23.9	28.1	29.1	30.5	29.6	30.8	30.5	28.8	25.2	25.8	24.4	333.0	10	-48870
	13 LST	28.6	26.8	30.0	29.7	31.0	29.8	30.9	30.9	29.4	29.1	25.6	27.2	349.0	10	-48870
	19 LST	29.2	27.1	30.6	29.2	30.6	29.6	30.6	30.6	27.9	28.7	26.1	27.6	347.8	9	-48870
	01 LST	29.1	27.2	30.5	29.3	31.0	29.7	31.0	30.8	28.4	28.0	26.2	29.0	350.2	5	-48870
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	21.9	21.9	26.6	28.4	29.7	27.4	26.9	28.0	27.0	24.5	21.2	18.7	302.2	10	-48870
	13 LST	17.5	17.0	19.9	18.2	21.5	20.0	20.4	21.6	24.3	23.4	16.6	15.6	236.0	10	-48870
	19 LST	22.6	20.1	21.9	17.3	21.2	20.0	22.1	24.5	22.9	25.9	21.3	21.3	261.1	9	-48870
	01 LST	25.0	24.1	28.5	28.6	30.2	27.3	25.7	30.5	27.2	26.4	24.2	22.3	320.0	5	-48870
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.5	0.2	0.1	0.0	0.1	0.7	1.5	0.2	0.1	0.0	0.9	0.5	4.8	10	-48870
	13 LST	0.7	1.5	0.4	1.0	0.5	0.5	1.8	0.8	0.4	0.2	1.7	1.8	11.3	10	-48870
	19 LST	0.8	1.1	1.3	2.4	1.2	1.0	0.6	0.9	0.0	0.1	0.9	0.8	11.1	9	-48870
	01 LST	1.1	0.3	0.2	0.0	0.0	0.3	1.2	0.0	0.0	0.0	0.0	0.8	3.9	5	-48870
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	17.5	15.3	10.9	9.0	7.9	9.8	8.5	10.7	9.0	14.7	14.0	17.8	145.1	10	-48870
	13 LST	15.6	15.3	18.5	15.3	11.8	6.9	8.9	7.7	9.3	18.4	14.0	14.7	156.6	10	-48870
	19 LST	19.1	16.5	16.0	13.3	13.8	9.8	11.5	11.7	11.6	16.4	15.4	17.5	172.6	9	-48870
	01 LST	19.2	15.4	15.0	11.4	9.5	7.3	7.8	10.5	8.1	12.7	15.6	17.2	149.7	5	-48870
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	2.2	2.9	5.0	8.1	6.1	6.4	5.8	4.7	3.2	4.6	2.1	2.1	53.2	10	-48870
	13 LST	3.4	5.5	11.6	14.1	7.7	3.4	3.4	2.6	1.5	2.3	1.6	1.8	58.9	10	-48870
	19 LST	7.3	8.4	12.5	13.0	7.8	7.1	5.2	4.1	2.8	4.1	3.8	5.3	81.4	9	-48870
	01 LST	5.9	5.4	7.3	7.7	10.2	10.8	10.2	7.8	5.8	4.4	3.0	4.4	82.9	5	-48870
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	13.9	12.0	18.4	24.4	28.1	28.5	29.8	29.7	27.0	18.8	14.5	12.2	257.3	9	-48870
	13 LST	16.0	17.8	25.2	27.3	29.5	28.8	29.9	29.5	27.5	22.2	13.7	13.1	280.5	9	-48870
	19 LST	19.0	18.3	25.2	27.3	28.5	28.6	28.9	28.6	24.9	22.2	16.5	17.0	285.0	8	-48870
	01 LST	15.5	16.5	20.7	23.1	28.9	27.6	30.7	29.8	25.8	19.6	13.5	17.6	269.3	4	-48870
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	9.9	9.3	15.7	22.3	27.2	27.1	28.0	27.4	25.4	16.6	12.2	9.9	230.0	9	-48870
	13 LST	12.6	10.9	23.6	26.4	29.0	27.5	28.5	28.2	26.6	20.6	11.5	9.8	255.2	9	-48870
	19 LST	14.5	15.7	23.5	26.0	27.4	26.9	26.6	26.3	23.8	20.2	14.0	13.9	258.8	8	-48870
	01 LST	10.1	13.0	17.0	19.9	28.6	24.7	27.9	28.3	22.7	18.3	12.1	14.2	236.8	4	-48870
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	9.4	9.2	15.7	22.0	26.8	26.9	27.8	27.0	25.3	16.5	11.9	8.7	227.2	9	-48870
	13 LST	12.6	10.9	23.5	26.4	29.0	27.5	28.5	28.1	26.6	20.5	11.5	9.8	254.9	9	-48870
	19 LST	14.5	15.7	23.4	26.0	27.4	26.9	26.6	26.3	23.6	20.1	14.0	13.8	258.3	8	-48870
	01 LST	10.1	12.7	17.0	19.9	28.6	24.4	27.6	28.3	22.7	18.3	12.1	14.2	235.9	4	-48870

DUC PHO, SOUTH VIETNAM

STA NO. 49171 (IN AREA NUMBER 05)

LATITUDE 1449N

LONGITUDE 10858E

ELEVATION(FT) 00033

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	92	95	100	102	102	107	105	105	102	94	93	88	107	45	-48863
MEAN MAX TMP (F)	77	80	84	89	93	94	94	94	89	84	81	78	86	34	-48863
MEAN MIN TMP (F)	63	64	67	72	75	77	78	77	74	72	69	69	71	34	-48863
ABS MIN TMP (F)	52	52	54	63	67	68	68	68	69	63	60	52	52	45	-48863
MEAN NO DYS TMP = OR GTR 90(F)			1.4	14.3	26.3	27.3	28.3	28.3	14.3	1.4	0.0	0.0		34	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	45	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	45	-29
MEAN DEW PT TMP (F)	67	68	71	74	76	76	76	76	76	74	72	69	73	8	-48863
MEAN REL HUM (PCT)	88	87	86	83	79	78	78	80	85	88	89	88	84	8	-48863
MEAN PRESS ALT (FT)	-59	-25	41	125	203	272	274	271	228	90	22	-29	118	0	-50
MEAN PRECIP (IN)	5.20	2.40	1.70	1.20	2.00	2.80	2.70	4.90	11.40	21.40	21.80	10.60	88.1	44	-48863
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	45	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	7.0	4.3	3.5	2.7	3.9	7.1	7.0	9.5	13.8	17.9	17.9			44	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	45	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	1.0	4.0	11.0	13.0	13.0	12.0	10.0	4.0	1.0	0.0	69.0	10	-48863
P FREQ WND SPD = OR GTR 17 KTS	0.1	0.1	0.4	0.7	0.6	0.0	0.2	0.0	0.1	0.6	0.4	0.4	0.3	8	-48863
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	8	-48863
P FREQ LES 3000 FT A/D LES 5 MI	68.2	58.7	44.5	22.9	11.3	11.4	10.1	13.6	20.3	40.5	55.5	63.4	35.0	8	-48863
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST															
03-05 LST	25.6	20.4	18.1	8.7	1.8	1.9	1.5	2.7	9.1	20.1	31.0	25.1	13.8	8	-48863
06-08 LST	38.2	33.9	33.1	20.0	3.5	2.4	1.5	1.5	9.6	24.0	31.9	31.3	19.2	8	-48863
09-11 LST	38.5	24.7	18.7	7.5	4.6	2.0	1.6	2.1	7.0	22.4	32.5	29.3	15.9	8	-48863
12-14 LST	29.0	22.9	15.0	5.8	2.7	4.3	2.3	1.5	6.2	22.6	24.6	28.9	13.8	8	-48863
15-17 LST	28.3	20.4	12.8	5.7	3.8	5.8	5.8	7.1	6.7	21.5	30.3	28.6	14.7	8	-48863
18-20 LST	28.2	16.2	13.5	5.5	3.1	3.3	5.3	5.7	8.0	17.7	23.5	23.7	12.8	8	-48863
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST															
03-05 LST	2.6	4.9	7.1	5.1	0.0	0.0	0.0	0.0	2.2	1.4	0.7	2.4	2.2	8	-48863
06-08 LST	4.1	9.0	17.1	9.0	0.0	0.0	0.0	0.0	1.7	2.8	1.3	2.1	4.0	8	-48863
09-11 LST	2.7	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.5	0.5	2.7	0.0	0.6	8	-48863
12-14 LST	0.4	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	1.6	0.0	0.8	0.3	8	-48863
15-17 LST	0.5	0.0	0.0	0.0	0.4	1.2	0.0	0.4	0.0	1.2	0.4	3.1	0.6	8	-48863
18-20 LST	2.0	0.0	0.0	0.0	0.0	0.5	0.4	0.8	0.0	1.7	0.4	0.0	0.5	8	-48863
21-23 LST														0	0

DUC PHO, SOUTH VIETNAM

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR	NC
															(YRS)	OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	26.4	24.2	24.5	26.3	30.9	29.4	30.9	30.7	28.6	27.5	26.8	28.8	335.0	8	-48863
	13 LST	28.6	27.5	30.3	29.6	31.0	29.6	30.6	31.0	29.9	28.6	27.6	29.9	354.2	8	-48863
	19 LST	27.4	26.8	30.4	29.8	31.0	29.4	30.6	30.3	29.1	28.4	26.8	28.9	348.9	8	-48863
	01 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	25.8	24.1	24.4	26.1	30.9	29.3	30.9	30.7	28.4	27.3	25.8	27.5	331.2	8	-48863
	13 LST	25.6	23.3	23.5	22.0	23.6	27.8	29.4	29.0	29.2	25.7	23.9	25.5	308.5	8	-48863
	19 LST	26.9	25.2	29.0	28.9	30.0	29.4	30.2	29.9	29.1	28.7	26.1	27.4	340.8	8	-48863
	01 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-48863
	13 LST	0.1	0.0	0.4	0.3	0.8	0.0	0.1	0.0	0.0	0.0	0.1	0.2	2.0	8	-48863
	19 LST	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.1	0.6	8	-48863
	01 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG # AND NO PRECIP.	07 LST	8.0	5.1	4.7	3.7	3.9	3.8	4.2	3.0	5.7	7.4	9.0	10.4	68.9	8	-48863
	13 LST	22.2	20.3	19.4	12.5	4.2	2.8	3.7	2.6	8.8	18.1	18.3	20.9	153.8	8	-48863
	19 LST	10.1	11.4	16.1	16.1	13.0	9.5	8.0	7.4	5.1	8.4	8.7	7.8	121.6	8	-48863
	01 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	1.9	3.0	5.0	9.9	8.2	4.6	6.0	5.1	3.1	4.0	3.3	2.8	56.9	8	-48863
	13 LST	3.0	5.6	11.1	14.2	7.2	3.0	5.3	3.4	1.9	1.3	1.2	2.4	59.6	8	-48863
	19 LST	6.5	10.1	9.2	8.7	7.0	3.6	4.5	4.6	3.5	7.9	8.3	6.5	80.4	8	-48863
	01 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	11.3	9.7	15.4	21.3	28.4	29.0	30.0	30.0	25.4	19.0	14.0	13.0	246.5	8	-48863
	13 LST	12.6	13.1	20.9	26.2	28.8	26.9	29.1	28.8	25.4	17.7	12.6	11.8	253.9	8	-48863
	19 LST	16.5	18.9	22.7	26.4	28.8	27.7	27.5	27.8	25.7	22.4	18.8	17.6	280.8	8	-48863
	01 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	7.1	8.1	11.8	19.5	26.3	26.9	27.8	26.4	23.8	17.1	12.5	9.9	217.2	8	-48863
	13 LST	9.6	10.4	19.2	25.4	28.3	26.0	28.1	27.3	24.0	16.1	10.4	9.0	233.8	8	-48863
	19 LST	9.8	15.1	18.4	24.6	27.7	26.2	25.3	26.4	24.5	21.1	17.4	12.8	249.3	8	-48863
	01 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	7.1	8.1	11.7	19.4	26.3	26.8	27.8	26.4	23.6	17.1	12.5	9.7	216.5	8	-48863
	13 LST	9.4	10.4	19.2	25.4	28.3	26.0	28.1	27.3	24.0	16.1	10.3	8.9	233.4	8	-48863
	19 LST	9.8	15.1	18.4	24.6	27.7	26.2	25.2	26.4	24.5	21.1	17.4	12.8	249.0	8	-48863
	01 LST														0	0

CAMP EVANS, SOUTH VIETNAM

STA NO. 49230 (IN AREA NUMBER 05)

LATITUDE 1633N

LONGITUDE 10723E

ELEVATION(FT) 00063

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	94	97	101	104	103	104	104	104	101	96	96	90	104	53	-48852
MEAN MAX TMP (F)	74	76	81	87	92	94	94	94	88	83	79	75	85	34	-48852
MEAN MIN TMP (F)	63	65	68	72	75	77	77	76	74	72	69	65	71	34	-48852
ABS MIN TMP (F)	48	52	54	57	64	70	68	70	66	61	55	52	48	53	-48852
MEAN NO DYS TMP = DR GTR 90(F)			0.0	8.3	23.8	27.3	28.3	28.3	11.2	0.0		0.0		34	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	53	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	53	-29
MEAN DEW PT TMP (F)	64	66	70	73	74	74	73	74	75	73	70	67	71	9	-48852
MEAN REL HUM (PCT)	87	87	84	79	74	69	67	70	79	84	84	86	79	17	-48852
MEAN PRESS ALT (FT)	-46	8	74	161	233	307	317	314	254	105	27	-15	145	0	-50
MEAN PRECIP (IN)	7.10	3.70	2.60	2.40	3.30	3.80	2.00	5.40	19.80	27.10	25.90	14.80	117.5	29	-48852
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	53	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN		5.8	4.6	4.4	5.1	6.3	6.2	10.0	17.6					29	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	53	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.2	0.2	1.0	4.1	9.7	4.5	5.9	5.3	4.6	1.8	0.1	0.3	37.9	16	-48852
P FREQ WND SPD = DR GTR 17 KTS	1.7	1.1	0.9	0.6	0.6	1.1	1.1	1.0	2.2	3.3	2.3	2.2	1.5	16	-48852
P FREQ WND SPD = DR GTR 28 KTS	0.1	0.0	0.0	0.1	0.0	0.1	0.1	0.1	0.2	0.3	0.1	0.1	0.1	16	-48852
P FREQ LES 3000 FT A/D LES 5 MI	68.6	62.2	51.7	28.2	18.3	13.1	9.4	10.6	25.4	46.1	56.5	66.5	38.1	17	-48852
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST	46.3	42.8	44.0	18.9	10.8	4.8	3.6	4.8	9.8	25.0	32.0	36.8	23.3	12	-48852
06-08 LST	50.3	49.4	47.8	26.0	6.8	4.3	2.0	3.0	16.1	30.0	37.7	44.4	26.5	17	-48852
09-11 LST	44.2	39.1	32.8	17.2	7.5	4.5	2.2	2.0	15.5	30.4	37.8	44.2	23.1	16	-48852
12-14 LST	37.6	29.4	23.7	11.5	6.4	4.2	2.2	2.3	12.4	24.2	30.1	36.9	18.4	17	-48852
15-17 LST	38.5	36.3	25.7	12.8	9.1	4.6	2.1	3.0	13.6	25.4	34.0	38.5	20.3	16	-48852
18-20 LST	44.8	36.8	31.5	16.3	8.9	4.8	4.1	3.5	15.1	22.7	27.0	38.7	21.2	17	-48852
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST	7.9	5.9	10.2	2.7	0.6	0.0	0.0	0.6	2.7	2.2	2.0	7.2	3.5	12	-48852
06-08 LST	11.0	7.2	12.1	4.4	0.5	0.3	0.5	0.2	2.7	3.7	3.5	8.7	4.6	17	-48852
09-11 LST	2.2	2.7	2.8	0.4	0.0	0.0	0.0	0.3	2.9	5.2	4.0	7.4	2.3	16	-48852
12-14 LST	4.6	2.9	2.1	0.6	0.0	0.8	0.0	0.6	2.2	4.3	2.9	7.0	2.3	17	-48852
15-17 LST	3.9	2.9	1.5	1.2	0.6	0.3	0.3	0.0	1.5	1.7	4.9	5.7	2.0	16	-48852
18-20 LST	2.8	4.9	2.8	1.3	0.0	0.0	0.0	1.0	1.4	2.5	1.0	8.1	2.2	17	-48852
21-23 LST														0	0

CAMP EVANS, SOUTH VIETNAM

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	18.5	17.1	18.2	23.7	29.8	29.5	30.8	30.5	26.6	25.0	21.6	20.0	291.3	16	-48852
	13 LST	22.6	22.7	26.8	28.4	29.9	29.4	30.7	30.5	27.5	26.6	23.5	22.1	320.7	16	-48852
	19 LST	20.0	20.2	24.0	26.7	29.4	29.1	30.4	30.4	27.0	27.2	24.7	21.9	311.0	12	-48852
	01 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	07 LST	18.0	16.8	17.6	23.5	29.4	28.9	30.0	29.9	26.4	23.6	20.1	18.7	282.9	16	-48852
	13 LST	19.2	19.4	22.5	23.7	23.9	22.5	23.9	24.8	24.0	23.1	18.6	18.8	264.4	16	-48852
	19 LST	18.1	18.9	23.0	25.0	28.4	27.9	28.5	29.1	26.0	25.4	23.2	20.1	293.6	12	-48852
	01 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.2	0.0	0.1	0.1	0.1	0.1	0.0	0.1	0.2	0.7	0.4	0.3	2.3	16	-48852
	13 LST	0.4	0.0	0.1	0.1	0.3	0.4	0.7	0.4	0.7	0.5	0.3	0.3	4.2	16	-48852
	19 LST	0.0	0.1	0.0	0.0	0.2	0.4	0.0	0.2	0.3	0.3	0.1	0.1	1.7	12	-48852
	01 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	7.3	6.2	7.2	9.1	11.6	11.3	12.8	11.0	8.6	7.8	6.9	7.6	107.4	16	-48852
	13 LST	18.0	17.9	19.2	14.4	7.8	4.2	4.2	5.0	11.6	17.9	16.7	17.8	154.7	16	-48852
	19 LST	12.8	12.9	13.2	13.4	17.1	15.6	15.4	14.6	13.6	14.5	14.2	14.3	171.6	12	-48852
	01 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	4.8	5.0	6.1	7.1	6.2	4.0	6.9	4.2	2.9	4.6	4.2	2.7	58.7	16	-48852
	13 LST	6.9	7.6	10.9	12.8	8.0	3.9	7.8	4.6	2.7	5.2	4.8	4.0	79.2	16	-48852
	19 LST	5.5	5.3	5.8	5.5	4.7	3.8	6.1	2.9	4.0	7.1	6.4	4.7	61.8	12	-48852
	01 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	11.6	11.7	14.1	20.3	27.2	27.4	29.6	30.3	23.3	18.0	14.7	12.9	241.1	16	-48852
	13 LST	16.9	15.3	19.9	23.7	27.6	27.3	29.8	29.7	24.4	19.4	16.2	14.7	264.9	16	-48852
	19 LST	13.0	13.9	17.0	23.2	26.7	27.9	28.6	29.1	24.2	19.7	17.7	14.9	255.9	11	-48852
	01 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	8.0	9.5	11.7	18.5	25.4	25.6	27.7	26.7	21.9	16.0	11.8	8.8	211.6	16	-48852
	13 LST	12.2	13.4	17.9	22.0	27.0	26.1	29.2	28.7	23.4	17.3	12.9	10.9	241.0	16	-48852
	19 LST	9.4	10.1	14.0	21.2	25.7	26.4	27.3	27.5	22.1	17.7	14.7	11.6	227.7	11	-48852
	01 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	8.0	9.5	11.7	18.5	25.4	25.5	27.6	26.6	21.8	16.0	11.7	8.6	210.9	16	-48852
	13 LST	12.1	13.3	17.9	22.0	27.0	26.1	29.1	28.7	23.3	17.3	12.9	10.8	240.5	16	-48852
	19 LST	9.4	10.1	14.0	21.2	25.7	26.4	27.3	27.3	22.1	17.5	14.4	11.6	227.0	11	-48852
	01 LST														0	0

ENGLISH, SOUTH VIETNAM

STA NO. 49238 (IN AREA NUMBER 05)

LATITUDE 1428N

LONGITUDE 10902E

ELEVATION(FT) 00098

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR	NO.
														(YRS)	UBS
ABS MAX TMP (F)	91	96	101	98	103	106	108	106	102	99	92	88	108	47	-48870
MEAN MAX TMP (F)	78	80	83	87	90	92	92	94	89	84	81	78	86	32	-48870
MEAN MIN TMP (F)	69	70	72	75	78	79	79	79	77	75	73	71	75	32	-48870
ABS MIN TMP (F)	59	60	61	67	66	71	68	69	69	64	59	61	59	47	-48870
MEAN NO DYS TMP = DR GTR 90(F)			0.0	8.3	17.9	23.0	23.8	28.3	14.3	1.4	0.0	0.0		32	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	47	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	47	-29
MEAN DEW PT TMP (F)	67	68	72	75	77	75	74	74	75	74	73	70	73	9	-48870
MEAN REL HUM (PCT)	81	81	83	83	80	71	71	71	77	83	84	82	79	9	-48870
MEAN PRESS ALT (FT)	15	43	108	181	298	319	324	323	280	158	96	49	180	0	-50
MEAN PRECIP (IN)	2.40	1.30	1.00	1.50	2.10	1.90	2.60	2.40	10.00	17.50	17.90	6.80	67.4	40	-48870
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	47	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	4.3	2.6	2.4	3.2	4.1	6.1	6.9	6.7	12.8	16.9	17.0	7.5	90.5	40	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	47	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.0	0.0	0.3	1.1	0.0	2.2	4	-48870
MEAN NO DYS TSMS	0.0	0.0	1.0	3.0	8.0	4.0	5.0	5.0	7.0	3.0	0.0	0.0	36.0	11	-48870
P FREQ WND SPD = DR GTR 17 KTS	2.5	2.9	2.1	3.6	2.2	3.0	4.8	1.7	0.5	1.4	5.1	4.2	2.8	9	-48870
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.1	0.0	0.0	0.1	0.1	0.1	0.0	0.0	0.1	0.1	0.1	0.1	9	-48870
P FREQ LES 5000 FT A/D LES 5 MI	57.3	50.4	34.2	18.2	9.6	7.5	7.8	9.4	15.4	38.7	56.0	63.5	30.7	10	-48870
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	28.6	20.8	16.2	11.5	3.4	4.0	1.0	1.6	10.0	23.8	33.6	25.5	15.0	6	-48870
03-05 LST	25.8	26.4	19.0	10.2	5.7	1.3	2.6	1.3	3.5	19.0	31.7	32.8	14.9	9	-48870
06-08 LST	34.0	35.0	24.1	10.7	4.8	2.9	1.5	2.6	7.1	28.7	32.8	40.0	18.7	10	-48870
09-11 LST	26.5	22.7	15.2	6.3	3.8	0.5	0.0	0.9	8.5	26.8	34.9	35.2	15.1	10	-48870
12-14 LST	25.6	16.9	9.5	3.8	2.1	1.2	0.8	1.5	4.6	16.5	31.8	32.3	12.2	10	-48870
15-17 LST	22.9	15.2	8.2	2.1	2.9	2.0	5.5	2.3	7.7	17.2	28.9	30.7	12.1	10	-48870
18-20 LST	20.1	17.3	8.7	5.2	5.0	3.0	2.5	3.5	12.5	19.0	27.9	27.2	12.7	9	-48870
21-23 LST	24.6	19.8	15.7	6.3	6.1	1.4	1.5	5.1	9.4	21.3	33.2	31.3	14.8	6	-48870
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	1.3	2.5	0.0	0.4	6	-48870
03-05 LST	1.8	1.2	0.0	0.0	0.6	0.0	0.6	0.0	0.0	2.5	2.2	1.7	0.9	9	-48870
06-08 LST	1.6	2.2	0.4	0.4	0.4	0.4	0.0	0.0	0.8	3.1	2.3	3.6	1.3	10	-48870
09-11 LST	2.1	0.5	0.5	0.0	0.5	0.0	0.0	0.0	1.4	0.9	3.0	4.2	1.1	10	-48870
12-14 LST	2.7	0.8	0.4	0.0	0.0	0.0	0.0	0.0	0.8	1.5	4.2	2.9	1.1	10	-48870
15-17 LST	0.8	0.5	0.0	0.0	0.4	0.0	0.4	0.0	0.9	1.5	3.6	1.8	0.8	10	-48870
18-20 LST	1.2	0.0	0.4	0.4	0.4	0.0	0.0	0.9	1.4	2.4	3.3	2.3	1.1	9	-48870
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	1.6	4.6	0.0	0.7	6	-48870

ENGLISH, SOUTH VIETNAM

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	26.3	23.9	26.1	29.1	30.3	29.6	30.8	30.3	28.8	25.2	23.8	24.4	333.0	10	-48870
	13 LST	28.6	26.8	30.0	29.7	31.0	29.8	30.9	30.9	29.4	29.1	25.6	27.2	349.0	10	-48870
	19 LST	29.2	27.1	30.6	29.2	30.6	29.6	30.6	30.6	27.9	28.7	26.1	27.6	347.8	9	-48870
	01 LST	29.1	27.2	30.5	29.3	31.0	29.7	31.0	30.8	28.4	28.0	26.2	29.0	350.2	5	-48870
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	07 LST	21.9	21.9	26.6	28.4	29.7	27.4	26.9	28.0	27.0	24.3	21.2	18.7	302.2	10	-48870
	13 LST	17.5	17.0	19.9	18.2	21.5	20.0	20.4	21.6	24.3	23.4	16.6	19.6	236.0	10	-48870
	19 LST	22.6	20.1	21.9	17.3	21.2	20.0	22.1	24.5	22.9	25.9	21.3	21.3	261.1	9	-48870
	01 LST	25.0	24.1	28.5	26.6	30.2	27.3	25.7	30.3	27.2	26.4	24.2	22.3	320.0	5	-48870
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.5	0.2	0.1	0.0	0.1	0.7	1.5	0.2	0.1	0.0	0.9	0.5	4.8	10	-48870
	13 LST	0.7	1.5	0.4	1.0	0.3	0.5	1.8	0.8	0.4	0.2	1.7	1.8	11.3	10	-48870
	19 LST	0.8	1.1	1.3	2.4	1.7	1.0	0.6	0.9	0.0	0.1	0.9	0.8	11.1	9	-48870
	01 LST	1.1	0.3	0.2	0.0	0.0	0.3	1.2	0.0	0.0	0.0	0.0	0.8	3.9	5	-48870
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	17.5	15.3	10.9	9.0	7.9	9.8	8.5	10.7	9.0	14.7	14.0	17.8	145.1	10	-48870
	13 LST	15.6	15.5	18.5	15.3	11.8	6.9	8.9	7.7	9.3	18.4	14.0	14.7	156.6	10	-48870
	19 LST	19.1	16.5	16.0	13.3	13.8	9.8	11.5	11.7	11.6	16.4	15.4	17.5	172.6	9	-48870
	01 LST	19.2	15.4	15.0	11.4	9.5	7.3	7.8	10.5	8.1	12.7	15.6	17.2	149.7	5	-48870
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	2.2	2.9	5.0	6.1	6.1	6.4	5.8	4.7	3.2	4.6	2.1	2.1	53.2	10	-48870
	13 LST	3.4	5.5	11.6	14.1	7.7	3.4	3.4	2.6	1.5	2.3	1.6	1.8	58.9	10	-48870
	19 LST	7.3	8.4	12.5	13.0	7.8	7.1	5.2	4.1	2.8	4.1	3.8	5.3	81.4	9	-48870
	01 LST	5.9	5.4	7.3	7.7	10.2	10.8	10.2	7.8	5.8	4.4	3.0	4.4	82.9	5	-48870
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	13.9	12.0	18.4	24.4	28.1	26.3	24.8	29.7	27.0	18.8	14.5	12.2	257.3	9	-48870
	13 LST	16.0	17.8	25.2	27.3	29.5	28.8	29.9	29.5	27.5	22.2	13.7	13.1	280.5	9	-48870
	19 LST	19.0	18.3	25.2	27.3	28.5	28.6	28.9	28.6	24.9	22.2	16.5	17.0	285.0	8	-48870
	01 LST	15.5	16.5	20.7	23.1	28.9	27.6	30.7	29.8	25.8	19.6	13.5	17.6	269.3	4	-48870
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	9.9	9.3	15.7	22.3	27.2	27.1	26.0	27.4	23.4	16.6	12.2	8.9	230.0	9	-48870
	13 LST	12.6	10.9	23.6	26.4	29.0	27.5	28.5	28.2	26.6	20.6	11.5	9.8	235.2	9	-48870
	19 LST	14.5	15.7	23.5	26.0	27.4	26.9	26.6	26.3	23.8	20.2	14.0	13.9	258.8	8	-48870
	01 LST	10.1	13.0	17.0	19.9	28.6	24.7	27.9	28.3	22.7	18.3	12.1	14.2	236.8	4	-48870
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	9.4	9.2	15.7	22.0	26.8	26.9	27.8	27.0	25.3	16.5	11.9	8.7	227.2	9	-48870
	13 LST	12.6	10.9	23.5	26.4	29.0	27.5	28.5	28.1	26.6	20.5	11.5	9.8	254.9	9	-48870
	19 LST	14.5	15.7	23.4	26.0	27.4	26.9	26.6	26.3	23.6	20.1	14.0	13.8	258.3	8	-48870
	01 LST	10.1	12.7	17.0	19.9	28.6	24.4	27.6	28.3	22.7	18.3	12.1	14.2	235.9	4	-48870

AREA NO. 05

PARAMETER DESCRIPTION	VIETNAM(SOUTH)		EASTERN COAST				LATITUDE 1530N		LONGITUDE 10830E						
	BOUNDARIES		1215N	17912E	1230N	10900E	1230N	10900E	1400N	10900E	1400N	10900E	1600N	10800E	
	1600N	10800E	1656N	10655E											
			JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)			77	79	83	89	91	94	93	93	90	85	81	78	86
MEAN MIN TMP (F)			66	67	70	74	76	78	78	77	75	74	71	68	73
LARGEST MEAN PRECIP(IN)			10.00	3.70	2.60	3.25	16.55	3.80	3.20	5.40	19.80	27.10	25.50	14.80	135.7
SMALLEST MEAN PRECIP(IN)			1.80	0.70	0.70	1.20	2.00	0.54	1.30	2.10	3.66	12.70	14.30	6.30	47.5
			MEAN NUMBER OF DAYS												
CIG ≥ GTR 1000 FT AND VSBY ≥ GTR 3 MI	07 LST	23.9	21.9	24.1	26.1	30.3	29.6	30.7	30.5	27.7	26.3	24.9	24.4	320.4	
	13 LST	27.1	25.8	29.4	29.2	30.5	29.7	30.7	30.8	28.8	28.3	26.2	26.8	349.3	
	19 LST	27.3	25.8	29.2	29.1	30.4	29.4	30.6	30.5	28.2	28.3	26.6	26.9	342.3	
	01 LST	28.3	26.8	29.5	29.0	30.7	29.5	30.6	30.6	28.5	28.2	26.7	27.8	346.2	
CIG ≥ GTR 2000 FT AND VSBY ≥ GTR 3 MI W/SFC WND LES 10 KTS	07 LST	22.1	20.9	23.5	25.8	29.7	27.1	27.4	27.8	26.5	25.5	22.7	22.0	301.0	
	13 LST	20.5	19.1	22.0	20.4	21.5	20.5	21.5	22.5	24.0	23.9	19.5	19.9	259.3	
	19 LST	23.6	22.0	25.8	25.5	28.0	26.9	27.7	28.4	26.7	26.5	23.6	22.4	307.1	
	01 LST	26.0	25.1	28.3	28.5	30.3	28.6	28.7	30.4	27.9	27.4	25.3	24.3	330.8	
SFC WND ≥ GTR 17 KTS AND NO PRECIP.	07 LST	0.5	0.1	0.1	0.1	0.1	0.6	1.2	0.8	0.3	0.2	0.7	0.4	5.1	
	13 LST	0.9	0.8	0.6	0.7	0.9	1.4	1.7	1.3	0.6	0.4	1.0	1.3	11.6	
	19 LST	0.7	0.6	0.5	0.5	0.3	0.4	0.3	0.4	0.2	0.3	0.6	0.7	5.5	
	01 LST	0.5	0.2	0.1	0.0	0.0	0.1	0.5	0.0	0.0	0.1	0.1	0.5	2.1	
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	10.7	9.1	8.6	7.6	9.5	10.0	9.3	9.4	8.7	9.1	9.1	10.8	111.9	
	13 LST	17.9	17.1	18.9	13.9	7.7	4.4	5.0	5.1	9.6	17.8	16.0	17.1	150.5	
	19 LST	14.9	14.3	16.2	15.7	15.3	12.1	12.8	12.4	10.8	13.1	12.8	13.5	163.9	
	01 LST	14.4	12.4	11.6	8.9	8.4	6.7	7.5	8.8	8.7	10.9	12.5	13.0	123.8	
SKY COVER LES 3/10 AND VSBY ≥ GTR 3 MI	07 LST	2.4	2.7	4.7	7.1	6.1	4.6	5.7	4.3	2.9	3.8	2.8	1.9	49.0	
	13 LST	4.1	5.9	10.6	11.7	6.5	2.9	4.4	2.9	1.9	2.7	2.0	2.3	57.9	
	19 LST	6.9	8.2	10.0	9.7	6.7	4.3	4.8	3.9	3.4	5.7	5.1	4.8	73.5	
	01 LST	4.6	5.1	7.6	8.1	8.9	8.4	8.5	6.3	5.3	5.0	3.7	4.0	75.5	
CIG ≥ GTR 2500 FT AND VSBY ≥ GTR 3 MI	07 LST	14.6	13.1	17.1	21.8	27.3	28.6	29.7	29.7	26.3	20.8	16.6	14.1	259.7	
	13 LST	17.7	17.6	23.3	26.2	28.2	28.1	29.6	29.5	26.6	21.6	17.2	16.3	281.9	
	19 LST	19.1	18.5	23.0	25.8	27.9	28.1	29.0	28.6	25.7	22.6	19.0	18.2	285.5	
	01 LST	16.2	14.3	19.0	22.8	27.0	28.2	29.9	29.8	26.6	21.5	17.3	16.3	268.9	
CIG ≥ GTR 6000 FT AND VSBY ≥ GTR 3 MI	07 LST	9.3	9.2	13.8	19.6	25.5	26.8	28.3	27.9	24.3	17.0	13.3	9.2	224.2	
	13 LST	13.4	14.0	21.0	24.6	27.0	26.8	28.2	28.2	24.6	18.3	13.7	11.5	251.3	
	19 LST	13.8	14.1	19.4	23.5	25.9	25.7	26.6	26.4	23.0	20.0	15.5	12.7	246.6	
	01 LST	10.3	9.6	15.0	19.6	24.6	25.9	27.7	27.7	23.1	17.4	13.0	10.4	224.3	
CIG ≥ GTR 10000 FT AND VSBY ≥ GTR 3 MI	07 LST	8.9	9.0	13.5	18.7	24.3	25.8	27.4	26.8	23.1	16.2	12.4	8.6	214.7	
	13 LST	12.6	13.2	20.7	24.2	26.5	26.2	27.9	27.8	23.8	17.8	12.8	11.1	244.6	
	19 LST	13.1	13.8	18.9	22.4	24.7	24.7	25.8	25.4	22.0	19.0	14.6	12.1	236.5	
	01 LST	9.4	9.2	14.8	18.7	23.5	24.9	26.8	26.2	22.2	16.3	11.9	10.0	213.9	