

AFRRI SR70-4
MAY 1970

AFRRI
SCIENTIFIC
REPORT

**CARDIOVASCULAR RESPONSE
OF BEAGLES TO A
SUPRALETHAL DOSE OF MIXED
GAMMA-NEUTRON RADIATION**

AFRRI SR70-4

ARMED FORCES RADIOBIOLOGY RESEARCH INSTITUTE
Defense Atomic Support Agency
Bethesda, Maryland

This document has been approved for public release and sale;
its distribution is unlimited.

All aspects of investigative programs involving the use of laboratory animals sponsored by DoD components are conducted according to the principles enunciated in the "Guide for Laboratory Animal Facilities and Care", prepared by the National Academy of Sciences - National Research Council.

AFRRI SR70-4
May 1970

CARDIOVASCULAR RESPONSE OF BEAGLES TO A SUPRALETHAL DOSE
OF MIXED GAMMA-NEUTRON RADIATION

C. L. TURBYFILL
J. W. THORP
D. WISE



R. E. GEORGE
Commander, MSC, USN
Chairman
Radiation Biology Department



HUGH B. MITCHELL
Colonel, USAF, MC
Director

ARMED FORCES RADIOBIOLOGY RESEARCH INSTITUTE
Defense Atomic Support Agency
Bethesda, Maryland

ACKNOWLEDGMENT

The authors acknowledge the assistance of V. A. Kieffer, W. A. Dewes and E. L. Barron for their contributions to the study.

TABLE OF CONTENTS

	Page
Foreword (Nontechnical summary)	iii
Abstract	v
I. Introduction	1
II. Materials and Methods	1
III. Results	4
IV. Discussion	5
References	7

FIGURE

Figure 1. Blood pressure and heart rate of beagles after a pulsed supralethal dose of mixed gamma-neutron radiation	4
---	---

FOREWORD

(Nontechnical summary)

The monkey and apparently man display a period of early transient incapacitation (ETI) after moderately high supralethal doses of radiation (5-10 krads). A marked hypotension has been reported to be associated with the ETI period. Although an ETI period has not been observed in the beagle, CNS symptoms and early permanent incapacitation can occur immediately after supralethal doses of radiation in excess of 10 krads.

It has been shown that head shielding will prevent CNS symptoms and early incapacitation in the beagles receiving a supralethal dose of radiation. The objective of this study was to evaluate the effect of a supralethal dose of radiation on the cardiovascular system of the beagle and to determine if the cardiovascular response could be altered by shielding the head or trunk of the beagle during irradiation.

Eighteen male and female beagles, 2 to 3 years of age and weighing 8.2 to 13.7 kg were used. The animals were divided into three groups, unshielded, trunk-shielded, and head-shielded, with six animals per group. One week before irradiation catheters were surgically placed in the femoral artery and vein. The animals were irradiated with a pulse of mixed gamma-neutron radiation. Unshielded dogs received 19,000 rads to the midline of the trunk and 14,000 rads to the midline of the head. Trunk-shielded animals received 14,000 rads to the head and head-shielded dogs received 19,000 rads to the trunk. The variation of dose between animals within each group was less than 5 percent. The midline tissue dose behind the shield was approximately 6 percent of the midline tissue dose at the same point without the shield in place.

Unshielded and trunk-shielded animals displayed CNS symptoms of nystagmus, convulsions, and copious salivation. No CNS symptoms were observed in the head-shielded beagles.

Immediately after irradiation the blood pressure increased in all groups. This prompt hypertension gradually decreased until by 4 minutes postirradiation near normal values were reached; however, the arterial pressure of the head-shielded group declined further and remained lower than those of the unshielded and trunk-shielded animals. In general, this difference was statistically significant beyond 8 minutes postirradiation. No significant difference among the three groups was found in the blood volume, heart rate, hematocrit, or serum chemistry values studied.

A decrease in the arterial pressure of the beagle has not been observed that is comparable to the acute hypotension which occurs in the monkey after supralethal doses of radiation. It has been reported that shielding the head of the monkey only partially alleviated the acute hypotension or the inability to perform a learned task after irradiation. However, shielding the head of the beagle during irradiation prevented the early incapacitation which occurs in unshielded or trunk-shielded animals. It appears that the early incapacitation observed in the beagle is due mainly to brain damage, whereas damage to both head and trunk structures contributes to the acute hypotension and performance decrement observed in the monkey.

ABSTRACT

Unshielded, head-shielded or trunk-shielded beagles were irradiated with a 19,000-rad midline tissue dose of pulsed mixed gamma-neutron radiation. The cardiovascular response of the beagle and its alteration by shielding were evaluated. Arterial pressure, blood volume, heart rate, and some plasma chemistry values were determined before and for 1 hour following irradiation. Immediately after irradiation the blood pressure increased in all groups. This prompt hypertension gradually decreased until by 4 minutes postirradiation near normal values were reached; however, the arterial pressure of the head-shielded group declined further and remained lower than those of the unshielded and trunk-shielded animals. In general, this difference was statistically significant beyond 8 minutes postirradiation. No significant difference among the three groups was found in the blood volume, heart rate, hematocrit, or serum chemistry values studied.

I. INTRODUCTION

Dogs receiving up to 3000 R of x or gamma radiation showed no significant changes in arterial pressure, blood volume, or hematocrit until within 10 hours of death.^{2, 5, 7-9} Thorp found that beagles which were unshielded or trunk-shielded during irradiation and received 14,000 rads of pulsed mixed gamma-neutron radiation to the head, and in the unshielded animals 19,000 rads to the trunk, exhibited symptoms of central nervous system (CNS) damage within 20 minutes postexposure. No early symptoms of CNS damage were observed in head-shielded beagles that received 19,000 or 25,000 rads to the trunk.¹¹ Pitchford found that immediate partial incapacitation generally occurred in the beagle at doses of 10,000 to 30,000 rads.¹⁰ Severe hypotension has been reported in man⁴ and the monkey⁶ during periods associated with early incapacitation.

In the present study the arterial pressure, blood volume, heart rate, hematocrit, and some plasma chemistry values were determined before and for 1 hour after the unshielded, head-shielded, or trunk-shielded beagle received a supralethal dose of pulsed mixed gamma-neutron radiation. The effects of a supralethal dose of radiation on the cardiovascular system of the unshielded and shielded beagles were measured and the contributions of the cardiovascular system to the early incapacitation observed in the beagle were evaluated.

II. MATERIALS AND METHODS

Eighteen male and female beagles, 2 to 3 years old and weighing 8.2 to 13.7 kg, were used in the study.

Catheters were surgically placed in the femoral artery and vein of the anesthetized dog and advanced into the aorta and vena cava. The catheters were run to the top of the shoulders by tunneling under the skin and terminated in a ball valve device which protruded through the skin. The ball valve device was anchored by a larger base under the skin. After surgery the animals were returned to their regular cages where they remained for approximately 1 week before irradiation. The catheters were flushed daily with physiological saline and filled with a heparin-saline solution.

Food was withheld from the dogs for 16 hours before irradiation. Water was available ad libitum. At approximately 1 hour before irradiation the animals were placed in Lucite restraining cages and transferred to the exposure room. The shield, its characteristics, and the methods for dosimetry have been previously described.¹¹ The arterial catheter was attached to a Statham* transducer for blood pressure determination and the transducer's output recorded by a Sanborn† recorder. The venous catheter was attached to a remotely controlled blood collector containing heparinized glass tubes for the blood. At approximately 20 minutes before irradiation a control sample (8 ml) of blood was withdrawn for plasma chemistry studies. Following the withdrawal of this sample approximately 2.5 μCi of ^{125}I labeled albumin in a volume of 1 ml was injected via the arterial catheter followed by a 1 ml suspension of erythrocytes labeled with approximately 4 μCi of ^{51}Cr suspended in physiological saline. Five minutes before irradiation and at 2, 7, 15, 30, and 60 minutes postirradiation,

* Type P23Db pressure transducer, Statham Laboratories Inc., Hato Rey, Puerto Rico

† Eight-channel recorder, Model 7700, Hewlett-Packard Company, Rockville, Maryland

8 ml of blood were withdrawn for blood volume and plasma chemistry studies. At 45 minutes postirradiation the isotopes were injected as before. At 60 minutes postirradiation the blood sample for blood volume and plasma chemistry determination was collected. The animals were then removed from the exposure room. The unshielded animals were sacrificed after removal from the exposure room. The head- and trunk-shielded animals were observed until 12 hours postirradiation and then sacrificed. All dogs were observed continuously during the study. While in the exposure room they were monitored via closed circuit television. The times of occurrence and the severity of clinical symptoms were recorded.

The unshielded dogs received a midline tissue dose of 19,000 rads of pulsed mixed gamma-neutron radiation to the trunk and 14,000 rads to the head. The trunk-shielded animals received a midline tissue dose of 14,000 rads to the head and the head-shielded animals received a midline tissue dose of 19,000 rads to the trunk. The variation of dose among animals within groups was less than 5 percent. The midline tissue dose behind the shield was approximately 6 percent of the midline tissue dose at the same point without the shield in place.

After the animals were removed from the exposure room the blood was removed from the remote blood collector. Two milliliters of blood from each collection were transferred to glass tubes for blood volume determinations. The technique of Wood and Levitt¹² was used to determine the blood volumes. The remainder of each sample was centrifuged and the plasma decanted for chemistry determinations. The handling, storage, and methods used for the chemical analyses of the plasma have been previously reported.³

III. RESULTS

The mean arterial pressure (diastolic + $1/3$ pulse pressure) and heart rate before irradiation and for 1 hour postirradiation are plotted in Figure 1.

Immediately after irradiation the blood pressure increased in all groups. This prompt hypertension gradually decreased until by 4 minutes postirradiation near normal values were reached; however, the arterial pressure of the head-shielded group




Figure 1. Blood pressure and heart rate of beagles after a pulsed supralethal dose of mixed gamma-neutron radiation (14,000 rads to the head and 19,000 rads to the trunk)

declined further and remained lower than those of the unshielded animals and the trunk-shielded animals. In general, this difference was statistically significant beyond 8 minutes postirradiation.

Considerable variation was observed in the heart rate of animals within the groups after irradiation. No significant difference was found among the three groups.

No significant changes were observed in the hematocrit, cell volume, or total blood volume after irradiation.

The plasma concentrations of sodium, potassium, lactic dehydrogenase, and glutamic oxalacetic transaminase were not significantly different after irradiation from control values previously published for the beagle.³

The unshielded and trunk-shielded animals displayed CNS symptoms of nystagmus, convulsions, and copious salivation after irradiation. The head-shielded dogs displayed no CNS symptoms.

IV. DISCUSSION

At present no explanation is offered as to the mechanisms whereby the beagle avoids the prompt, acute hypotension found in man⁴ or the monkey.⁶ The blood volume was not found to change significantly, as might be expected in an effort to maintain the arterial pressure,⁵ nor did the heart rate increase significantly after irradiation. The head-shielded animals were quiet with less movement in the restraining cages after irradiation, whereas the unshielded and trunk-shielded animals were in constant movement and convulsions were frequent. This physical activity may have assisted the latter animals in maintaining arterial pressure at or above their preirradiation values.

When the monkey receives a 15,000-rad dose of pulsed mixed gamma-neutron radiation the arterial pressure begins to decrease within 4 minutes and remains significantly depressed until approximately 20 minutes postirradiation when it begins to return toward normal values.* In the present study, the arterial pressure of the beagle did not decrease significantly after supralethal doses of radiation.

A decrease in the arterial pressure of the dog was not observed that is comparable to the acute hypotension displayed by the monkey after a supralethal dose of radiation. Thorp¹¹ found that shielding the head of the beagle during irradiation prevented the early incapacitation observed in the unshielded or trunk-shielded animals, whereas Chapman¹ observed that shielding the head of the monkey only partially alleviated the acute hypotension or the inability to perform a learned task after irradiation. It appears that the early incapacitation observed in the beagle after supralethal doses of radiation is due mainly to brain damage, whereas damage to head and trunk structures contributes to the acute hypotension and performance decrement observed after irradiation in the monkey.

* Unpublished: Turbyfill, C. L., Armed Forces Radiobiology Research Institute, Bethesda, Maryland 20014

REFERENCES

1. Chapman, P. H. Behavioral and circulatory responses to x-irradiation delivered at 200 rads per minute to whole body and trunk only. Brooks Air Force Base, Texas, U. S. Air Force School of Aerospace Medicine Report TR68-111, 1968.
2. Chien, S., Lukin, L., Holt, A. P., Cherry, S. H., Root, W. S. and Gregersen, M. I. The effect of total-body X-irradiation on the circulation of splenectomized dogs. *Radiation Res.* 7:277-287, 1957.
3. Cramer, M. B., Turbyfill, C. L. and Dewes, W. A. Serum chemistry values for the beagle. *Am. J. Vet. Res.* 30:1183-1186, 1969.
4. Fanger, H. and Lushbaugh, C. C. Radiation death from cardiovascular shock following a criticality accident. *Arch. Pathol.* 83:446-460, 1967.
5. Handford, S. W. The acute radiation syndrome in dogs after total-body exposure to a supralethal dose of ionizing radiation (Co^{60} LD₁₀₀/88 hours). *Radiation Res.* 13:712-725, 1960.
6. Kundel, H. L. The effect of gamma irradiation on the cardiovascular system of the rhesus monkey. *Radiation Res.* 27:406-418, 1966.
7. Liu, C. T. and Overman, R. R. Circulatory response to a supralethal exposure of whole-body x-irradiation in dogs. *Radiation Res.* 35:335-340, 1968.
8. Lukin, L. The effects of total-body X-irradiation on blood volume in splenectomized dogs. *Radiation Res.* 7:150-160, 1957.
9. Lukin, L. and Gregersen, M. I. Premortal blood volumes in splenectomized dogs after total-body X-irradiation. *Radiation Res.* 7:161-166, 1957.
10. Pitchford, T. L. Beagle incapacitation and survival time after pulsed mixed gamma-neutron irradiation. Bethesda, Maryland, Armed Forces Radiobiology Research Institute Scientific Report SR68-24, 1968.
11. Thorp, J. W. Head shielding protection for beagles exposed to supralethal doses of pulsed mixed gamma-neutron radiations. *Aerospace Medicine* 40:759-761, 1969.
12. Wood, G. A. and Levitt, S. H. Simultaneous red cell mass and plasma volume determinations using ^{51}Cr tagged red cells and ^{125}I labeled albumin. *J. Nucl. Med.* 6:433-440, 1965.

DISTRIBUTION LIST

AIR FORCE

The Surgeon General, U. S. Department of the Air Force, Washington, D. C. 20333 (1)
Executive Officer, Director of Professional Services, Office of the Surgeon General, Hq. USAF (AFMSPA) T-8,
Washington, D. C. 20333 (1)
Headquarters, U. S. Air Force (AFMSPAB), Washington, D. C. 20333 (1)
Chief, Weapons and Weapons Effects Division, Hq. RTD (RTTW), Bolling AFB, Washington, D. C. 20332 (1)
Office of the Command Surgeon (ADCSG), Hq. ADC, USAF, Ent AFB, Colorado 80912 (1)
Commander, 6571st Aeromedical Research Laboratory, Holloman AFB, New Mexico 88330 (2)
Air Force Weapons Laboratory, ATTN: WLIL (1), ATTN: WLRB-2 (1), Kirtland AFB, New Mexico 87117 (2)
Chief, Nuclear Medicine Department, P. O. Box 5088, USAF Hospital, Wright-Patterson AFB, Ohio 45433 (1)
USAFSAM (SMBR), ATTN: Chief, Radiobiology Branch, Brooks AFB, Texas 78235 (1)

ARMY

The Surgeon General, U. S. Department of the Army, Washington, D. C. 20315 (1)
Surgeon General, ATTN: MEDDH-N, U. S. Department of the Army, Washington, D. C. 20315 (1)
USACDC CSSG, Doctrine Division, Fort Lee, Virginia 23801 (1)
Commanding Officer, USACDC CBR Agency, Fort McClellan, Alabama 36201 (1)
Commanding Officer, U. S. Army Combat Developments Command, Institute of Nuclear Studies, Fort Bliss, Texas
79916 (1)
CG, USCONARC, ATTN: ATUTR-TNG (NBC), Fort Monroe, Virginia 23351 (1)
Nuclear Branch AMCRD-DN-RE, U. S. Army Materiel Command, Washington, D. C. 20315 (1)
Commanding Officer, U. S. Army Medical Research Laboratory, Fort Knox, Kentucky 40121 (1)
Commanding Officer, USA Nuclear Medical Research Detachment, Europe, APO New York, N. Y. 09180 (2)
Chief of Research and Development, ATTN: Nuclear, Chemical and Biological Division, U. S. Department of the
Army, Washington, D. C. 20310 (1)
Army Research Office, ATTN: Chief, Scientific Analysis Branch, Life Sciences Division, 3045 Columbia Pike,
Arlington, Virginia 22204 (1)
Division of Nuclear Medicine, Walter Reed Army Institute of Research, Walter Reed Army Medical Center,
Washington, D. C. 20012 (5)
Commanding Officer, U. S. Army Environmental Hygiene Agency, ATTN: USAEHA-RP, Edgewood Arsenal, Mary-
land 21010 (1)
Commandant, U. S. Army Medical Field Service School, ATTN: MEDEW-ZNW, Fort Sam Houston, Texas 78234 (1)

NAVY

Chief, Bureau of Medicine and Surgery, U. S. Navy Department, Washington, D. C. 20390 (1)
Chief, Bureau of Medicine and Surgery, ATTN: Code 71, U. S. Navy Department, Washington, D. C. 20390 (1)
Commanding Officer, Naval Aerospace Medical Institute, Naval Aviation Medical Center, ATTN: Director of
Research, Pensacola, Florida 32512 (3)
Commanding Officer, Nuclear Weapons Training Center, Atlantic, Nuclear Warfare Department, Norfolk, Virginia
23511 (1)
Commanding Officer, Nuclear Weapons Training Center, Pacific, U. S. Naval Air Station, North Island, San Diego,
California 92135 (1)
Director, Biological Sciences Division, Office of Naval Research, Washington, D. C. 20360 (1)
Commanding Officer, U. S. Naval Hospital, ATTN: Director, REEL, National Naval Medical Center, Bethesda,
Maryland 20014 (1)
Head, Animal Behavioral Sciences Branch, Naval Aerospace Medical Institute, Naval Aerospace Medical Center,
ATTN: Dr. John S. Thach, Jr., Pensacola, Florida 32512 (1)
Commanding Officer, Naval Submarine Medical Center, Naval Submarine Base, NL, ATTN: Medical Library,
Groton, Connecticut 06340 (1)
Commanding Officer, Naval Submarine Medical Center, Naval Submarine Base, NL, ATTN: Code 53, Nuclear Medi-
cine Training Division, Groton, Connecticut 06340 (1)

D. O. D.

Director, Defense Atomic Support Agency, Washington, D. C. 20305 (1)
Director, Defense Atomic Support Agency, ATTN: DDST, Washington, D. C. 20305 (1)
Director, Defense Atomic Support Agency, ATTN: Chief, Medical Directorate, Washington, D. C. 20305 (4)
Director, Defense Atomic Support Agency, ATTN: Chief, Radiation Directorate, Washington, D. C. 20305 (1)

D. O. D. (continued)

Director, Defense Atomic Support Agency, ATTN: Technical Library, Washington, D. C. 20305 (2)
Commanding Officer, Harry Diamond Laboratories, ATTN: Nuclear Vulnerability Branch, Washington, D. C. 20438 (1)
Commander, Field Command, Defense Atomic Support Agency, ATTN: FC Technical Library, Sandia Base, Albuquerque, New Mexico 87115 (1)
Commander, Headquarters Field Command, Defense Atomic Support Agency, ATTN: FCTG8, Sandia Base, Albuquerque, New Mexico 87115 (2)
Director, Armed Forces Institute of Pathology, Washington, D. C. 20305 (1)
Administrator, Defense Documentation Center, Cameron Station, Bldg. 5, Alexandria, Virginia 22314 (20)

OTHER GOVERNMENT

U. S. Atomic Energy Commission, Headquarters Library, Reports Section, Mail Station G-17, Washington, D. C. 20545 (1)
U. S. Atomic Energy Commission, Division of Biology and Medicine, Washington, D. C. 20545 (1)
U. S. Atomic Energy Commission, Bethesda Technical Library, 7920 Norfolk Avenue, Bethesda, Maryland 20014 (1)
National Aeronautics and Space Administration, ATTN: Lt. Col. Charles M. Barnes, USAF, DB-3, MSC, Houston, Texas 77058 (1)
National Aeronautics and Space Administration, Manned Spacecraft Center, ATTN: Dr. B. D. Newsom, Mail Code DA, Houston, Texas 77058 (1)
National Bureau of Standards, ATTN: Chief, Radiation Physics Division, Washington, D. C. 20234 (1)
U. S. Public Health Service, Bureau of Radiological Health, Division of Biological Effects, 12720 Twinbrook Parkway, Rockville, Maryland 20852 (1)
U. S. Public Health Service, Bureau of Radiological Health, Library, 12720 Twinbrook Parkway, Rockville, Maryland 20852 (1)
U. S. Public Health Service, Northeastern Radiological Health Laboratory, 109 Holton Street, Winchester, Massachusetts 01890 (1)
U. S. Public Health Service, Southeastern Radiological Health Laboratory, P. O. Box 61, Montgomery, Alabama 36101 (1)
U. S. Public Health Service, Southwestern Radiological Health Laboratory, P. O. Box 15027, Las Vegas, Nevada 89114 (1)

OTHER

Argonne National Laboratory, Library Services Department, Report Section Bldg. 203, RM-CE-125, 9700 South Cass Avenue, Argonne, Illinois 60440 (1)
Dr. Donald G. Baker, Radiobiology Department, Zellerbach Saroni Tumor Institute, 1600 Divisadero Street, San Francisco, California 94115 (1)
Dr. J. T. Brennan, Radiology Department, University of Pennsylvania, 3400 Spruce Street, Philadelphia, Pennsylvania 19104 (1)
Brookhaven National Laboratory, Information Division, ATTN: Research Library, Upton, Long Island, New York 11973 (2)
Dr. J. S. Burkle, Director of Nuclear Medicine, York Hospital, York, Pennsylvania 17403 (1)
S. C. Bushong, Department of Radiology, Baylor University College of Medicine, Houston, Texas 77024 (1)
University of California, Lawrence Radiation Laboratory, Library, Bldg. 50, Room 134, Berkeley, California 94720 (1)
Director, Radiobiology Laboratory, University of California, Davis, California 95616 (1)
University of California, Lawrence Radiation Laboratory, Technical Information Division Library L-3, P. O. Box 808, Livermore, California 94551 (2)
University of California, Laboratory of Nuclear Medicine and Radiation Biology, Library, 900 Veteran Avenue, Los Angeles, California 90024 (1)
Dr. C. Jelleff Carr, Director, Life Sciences Research Office, Federation of American Societies for Experimental Biology, 9650 Rockville Pike, Bethesda, Maryland 20014 (1)
Cdr. William H. Chapman, USN (Ret.), Bio-Medical Division L-523, Lawrence Radiation Laboratory, University of California, P. O. Box 808, Livermore, California 94551 (1)
Director, Collaborative Radiological Health Laboratory, Colorado State University, Fort Collins, Colorado 80521 (1)
Dr. L. W. Davis, Radiology Department, University of Pennsylvania, 3400 Spruce Street, Philadelphia, Pennsylvania 19104 (1)
Professor Merrill Eisenbud, New York University, Tuxedo, New York 10987 (1)
Dr. T. C. Evans, Radiation Research Laboratory, College of Medicine, University of Iowa, Iowa City, Iowa 52240 (1)

OTHER (continued)

- Dr. Arnold Feldman, Institute of Radiology, School of Medicine, Washington University, 510 South Kingshighway, St. Louis, Missouri 63110 (1)
- Mr. Orin Gelderloos, Division of Literature, University of Michigan, Dearborn Campus, Dearborn, Michigan 48124 (1)
- General Dynamics/Fort Worth, ATTN: Librarian, P. O. Box 748, Fort Worth, Texas 76101 (1)
- Gulf General Atomic Incorporated, ATTN: Library, P. O. Box 608, San Diego, California 92112 (1)
- Dr. James E. Huff, Department of Pharmacology and Toxicology, School of Medicine and Dentistry, University of Rochester, 260 Crittenden Blvd., Rochester, New York 14620 (1)
- IIT Research Institute, ATTN: Document Library, 10 West 35th Street, Chicago, Illinois 60616 (1)
- Johns Hopkins University, Applied Physics Laboratory, ATTN: Document Library, 8621 Georgia Avenue, Silver Spring, Maryland 20910 (1)
- Dr. R. F. Kallman, Department of Radiology, Stanford University, Palo Alto, California 94305 (1)
- Dr. L. S. Kelly, Donner Laboratory, University of California at Berkeley, Berkeley, California 94720 (1)
- Dr. Robert Landolt, Bionucleonics Department, Purdue University, Lafayette, Indiana 47907 (1)
- Los Alamos Scientific Laboratory, ATTN: Report Librarian, P. O. Box 1663, Los Alamos, New Mexico 87544 (1)
- Director, Nuclear Science Center, Louisiana State University, Baton Rouge, Louisiana 70803 (2)
- Lovelace Foundation for Medical Education and Research, Document Library, 5200 Gibson Blvd., S. E., Albuquerque, New Mexico 87108 (1)
- Dr. Ross A. McFarland, Guggenheim Professor of Aerospace Health and Safety, Harvard School of Public Health, 665 Huntington Avenue, Boston, Massachusetts 02115 (1)
- Dr. J. I. Marcum, Rand Corporation, 1700 Main Street, Santa Monica, California 90401 (1)
- Massachusetts Institute of Technology, M. I. T. Libraries, Technical Reports, Room 14 E-210, Cambridge, Massachusetts 02139 (1)
- Dr. Charles W. Mays, Physics Group Leader, Radiobiology Division, University of Utah, Salt Lake City, Utah 84112 (1)
- Ohio State University, Nuclear Reactor Laboratory, 1298 Kinnear Road, Columbus, Ohio 43212 (1)
- Dr. Harvey M. Patt, Laboratory of Radiobiology, University of California, San Francisco Medical Center, San Francisco, California 94122 (1)
- Purdue University, Nuclear Engineering Library, Lafayette, Indiana 47907 (1)
- Dr. S. M. Reichard, Director, Division of Radiobiology, Medical College of Georgia, Augusta, Georgia 30902 (1)
- Dr. H. H. Rossi, 630 West 168th Street, New York, N. Y. 10032 (1)
- Dr. Eugene L. Saenger, Director, Radioisotope Laboratory, Cincinnati General Hospital, Cincinnati, Ohio 45229 (1)
- Sandia Corporation Library, P. O. Box 5800, Albuquerque, New Mexico 87115 (1)
- Scientific Committee on the Effects of Atomic Radiation, ATTN: Library, United Nations Room 3267, United Nations Plaza, New York, N. Y. 10017 (1)
- Scope Publications, Franklin Station, P. O. Box 7407, Washington, D. C. 20004 (1)
- Dr. Arthur R. Tamplin, Biophysicist, Information Integration Group, University of California, Lawrence Radiation Laboratory, L-612, Livermore, California 94550 (1)
- Texas A and M University, Radiation Biology Laboratory, Texas Engineering Experiment Station, College Station, Texas 77840 (2)
- Texas Nuclear Corporation, ATTN: Director of Research, Box 9267 Allandale Station, Austin, Texas 78756 (1)
- University of Rochester, Atomic Energy Project Library, P. O. Box 287, Station 3, Rochester, New York 14620 (1)
- University of Southern California, Nuclear Physics Laboratory, University Park, Los Angeles, California 90007 (1)
- Western Reserve University, Department of Radiology, Division of Radiation Biology, Cleveland, Ohio 44106 (1)
- Mr. Lionel Zamore, 601 Brightwater Court, Brooklyn, New York 11235 (1)

FOREIGN

- International Atomic Energy Agency, Kärntnerring 11, Vienna I. 1010, Austria (1)
- European Atomic Energy Community, C. E. E. A., Library, 51 rue Belliard, Brussels 4, Belgium (1)
- Dr. L. G. Lajtha, Paterson Laboratories, Christie Hospital and Holt Radium Institute, Manchester, England (1)
- Dr. L. F. Lamerton, Biophysics Department, Institute of Cancer Research, Surrey Branch, Belmont, Sutton, Surrey, England (1)
- National Lending Library for Science and Technology, Boston Spa, Yorkshire, England (1)
- Directorate of Medical and Health Services, FAF (Federal Armed Forces), Bonn, Ermekeilstrasse 27, West Germany (1)
- Abteilung für Strahlenbiologie im Institut für Biophysik der Universität Bonn, 53 Bonn-Venusberg, Annaberger Weg 15, Federal Republic of Germany (2)
- Prof. Dr. H. Langendorff, Direktor des Radiologischen Instituts der Universität, 78 Freiburg im Breisgau, Albertstrasse 23, Germany (1)

FOREIGN (continued)

- Priv.-Doz. Dr. O. Messerschmidt, Radiologisches Institut der Universität, 78 Freiburg im Breisgau, Albertstrasse 23, Germany (1)
- Dr. Helmut Mitschrich, Akademie des Sanitäts- und Gesundheitswesens der Bundeswehr, Spezialstab ATV, 8 München, Schwere Reiterstrasse 4, Germany (2)
- Prof. Dr. F. Wachsmann, Gesellschaft für Strahlenforschung m.b.H., 8042 Neuherberg bei München, Institut für Strahlenschutz, Ingolstadter Landstrasse 1, München, Germany (1)
- Dr. M. Feldman, Section of Cell Biology, The Weizmann Institute of Science, Rehovoth, Israel (1)
- Dr. G. W. Barendsen, Radiobiological Institute TNO, Rijswijk, Netherlands (1)
- Dr. L. M. van Putten, Radiobiological Institute TNO, 151 Lance Kleiweg, Rijswijk 2 H, Netherlands (1)
- Puerto Rico Nuclear Center, ATTN: Reading Room, College Station, Mayaguez, Puerto Rico 00708 (2)
- Dr. H. Cottier, Pathological Institut der Universität, Bern, Switzerland (1)

DOCUMENT CONTROL DATA - R & D

(Security classification of title, body of abstract and indexing annotation must be entered when the overall report is classified)

1. ORIGINATING ACTIVITY (Corporate author) Armed Forces Radiobiology Research Institute Defense Atomic Support Agency Bethesda, Maryland 20014		2a. REPORT SECURITY CLASSIFICATION UNCLASSIFIED	
		2b. GROUP N/A	
3. REPORT TITLE CARDIOVASCULAR RESPONSE OF BEAGLES TO A SUPRALETHAL DOSE OF MIXED GAMMA-NEUTRON RADIATION			
4. DESCRIPTIVE NOTES (Type of report and inclusive dates)			
5. AUTHOR(S) (First name, middle initial, last name) C. L. Turbyfill, J. W. Thorp and D. Wise			
6. REPORT DATE May 1970		7a. TOTAL NO. OF PAGES 16	7b. NO. OF REFS 12
8a. CONTRACT OR GRANT NO.		9a. ORIGINATOR'S REPORT NUMBER(S) AFRRI SR70-4	
b. PROJECT NO. NWER XAXM			
c. Task and Subtask C 903			
d. Work Unit 04		9b. OTHER REPORT NO(S) (Any other numbers that may be assigned this report)	
10. DISTRIBUTION STATEMENT This document has been approved for public release and sale; its distribution is unlimited			
11. SUPPLEMENTARY NOTES		12. SPONSORING MILITARY ACTIVITY Director Defense Atomic Support Agency Washington, D. C. 20305	
13. ABSTRACT Unshielded, head-shielded or trunk-shielded beagles were irradiated with a 19,000-rad midline tissue dose of pulsed mixed gamma-neutron radiation. The cardiovascular response of the beagle and its alteration by shielding were evaluated. Arterial pressure, blood volume, heart rate, and some plasma chemistry values were determined before and for 1 hour following irradiation. Immediately after irradiation the blood pressure increased in all groups. This prompt hypertension gradually decreased until by 4 minutes postirradiation near normal values were reached; however, the arterial pressure of the head-shielded group declined further and remained lower than those of the unshielded and trunk-shielded animals. In general, this difference was statistically significant beyond 8 minutes postirradiation. No significant difference among the three groups was found in the blood volume, heart rate, hematocrit, or serum chemistry values studied.			