

AD-720 708

USAF

Technical Applications Center
ENVIRONMENTAL

ETAC

WORLDWIDE AIRFIELD CLIMATIC DATA

VOLUME X PART 3

Europe (Alps and S.W. Europe)

THIS DOCUMENT HAS BEEN APPROVED FOR
PUBLIC RELEASE AND SALE: ITS DISTRIBUTION
IS UNLIMITED.

April 1971

79 07 19 059

Published volumes of World-wide Airfield Summaries are available for the following areas:

<u>Volume</u>	<u>Name</u>	<u>NTIS Accession Number</u>
Volume I	Southeast Asia (Revised)	AD-706-355
Volume II (Parts 1 & 2)	Middle East AD-662-423 <i>A002162 A002163</i>	AD-662-423 & AD-662-424
Volume III	Far East	AD-662-426
Volume IV	Canada-Greenland-Iceland	AD-662-424
Volume V	Australia-Antarctica (including So. Pacific Is.)	AD-662-648
Volume VI (Parts 1 & 2)	South America	AD-664-828 & AD-664-829
Volume VII	Central America	AD-671-845
Volume VIII	United States of America	
Part 1	West Coast, Western Mtns. and Great Basin	AD-688-472
Part 2	Rocky Mtns. and Northwest Basin	AD-689-792
Part 3	Central Plains	AD-693-491
Part 4	Great Lakes	AD-696-971
Part 5	Mississippi Valley	AD-699-917
Part 6	Southeastern Region	AD-701-719
Part 7	East Coast and Appalachian Region	AD-703-606
Part 8	Alaska and Hawaii	AD-704-607
Volume IX	Africa	
Part 1	Northern Half	AD- 682-915 <i>680433</i>
Part 2	Southern Half	AD-682-915
Volume X	Europe	
Part 1	Scandinavia & Northern Europe	
Part 2	Low Countries & British Isles	
Part 3	Alps & Southwest Europe	
Part 4	Mediterranean	

WORLDWIDE AIRFIELD CLIMATIC DATA

FOREWORD

This is a part of a series of compilations which is worldwide in scope. It consists of climatological data for selected airfields and for the climatic areas in which they are located. When complete, the series will include data for several thousand stations.

These data were compiled and prepared by the USAF Environmental Technical Applications Center (ETAC), Building 159, Navy Yard Annex, Washington, D. C. 20333. This series is also being published by the U. S. Naval Weather Service, Navy Yard, Washington, D. C. 20390, under the title "U. S. Naval Weather Service World-Wide Airfield Summaries." Copies of this document are obtainable from the National Technical Information Service (NTIS), Springfield, Virginia 22151.

WORLD-WIDE AIRFIELD SUMMARIES - VOLUME X EUROPE

PART 3 (ALPS AND S. W. EUROPE)

INTRODUCTION

This volume provides climatological summaries for airfields and climatic areas in the Alps and S.W. Europe. Summaries are arranged according to numbered climatic areas, and by increasing WMO Station Index Numbers within the climatic areas. An arbitrary station number (indicated by "/") is used where WMO Index Numbers are not assigned. Maps are included to delineate areas and station locations.

Climatic areas have been selected as being nearly homogeneous climatologically, but considerable variation may exist between locations in an area at a specific time because of topography and other factors. Climatological summaries for these areas follow those for the included airfields.

The latitudes and longitudes of the approximate centers of the climatic areas are indicated in the summary headings. The climatic areas are delineated by straight line segments and the positions of the end points are listed.

Blank values in the tables indicate that no data are available, and "0" indicates record is unknown. Local Standard Time is that of the standard time zone, and no adjustment has been made where local deviations exist. Data sources are listed in detail by means of a number system described on the following pages.

The first page of each station summary provides data for the station, and the second page contains information for the airfield area. The values are in mean number of days. Where observations were not available, the information consists of climatological estimates based on data for surrounding stations. In some instances tables may be based on relatively few observations or on somewhat doubtful data, and these should be used with caution.

GLOSSARY OF GENERAL TERMS

AIRFIELD DATA AND AIRFIELD AREA DATA

Climatological data applicable only to a specified airfield. The data consists of statistical parameters based on actual weather observations made at the airfield. If actual weather observations are not available the data consist of estimates of the statistical parameters, prepared by a climatologist, based on actual meteorological data from surrounding weather stations.

CLIMATIC AREA DATA

Climatological data representative of a nearly homogeneous climatic area. The data are average (or representative) values based on a sample of climatological data available from weather stations within the area. The area data do not imply that the specific condition simultaneously exists at all locations within a country or large climatic area. In rolling and mountainous terrain there may be considerable variation in the data from one location to another within the climatic area.

LOCAL STANDARD TIME

Standard time applicable to a 15 deg. meridional zone. (Zones proceed east and west from the zone centered on the prime meridian and extending from 00730E to 00730W.) No consideration is given to local deviations from the 15 deg. zone boundaries.

AIRFIELD PARAMETERS

ABSOLUTE MAXIMUM (MINIMUM) TEMPERATURE-DEG. F.

The highest (lowest) temperature observed in the specified month during the whole period for which observations are available.

MEAN DAILY MAXIMUM (MINIMUM) TEMPERATURE-DEG. F.

The average of all the daily maximum (minimum) temperatures observed in the specified month.

MEAN NO. DAYS WITH MAXIMUM TEMPERATURE GREATER THAN 90 DEG. F.

The average of the number of days in the specified month on which the maximum temperature was observed to be equal to or greater than 90 deg. F.

MEAN NO. DAYS WITH MINIMUM TEMPERATURE LESS THAN 32 DEG. F (LESS THAN 0 DEG. F.).

The average of the number of days in the specified month on which the minimum temperature was observed to be equal to or less than 32 deg.F.(0 deg.F.).

MEAN DEW POINT TEMPERATURE-DEG. F.

The average of all hourly dew point temperatures observed in the specified month.

MEAN RELATIVE HUMIDITY-PERCENT

The average of all hourly relative humidity values observed in a specified month.

MEAN PRESSURE ALTITUDE-FEET

The average station pressure observed at the airfield in the specified month converted to an altitude by using the U. S. Standard Atmosphere.

MEAN MONTHLY PRECIPITATION-INCHES

The average of the monthly total amount of all forms of precipitation, reduced to its liquid equivalent, observed in the specified month.

MEAN MONTHLY SNOWFALL-INCHES

The average of the monthly total amount of snowfall observed in the specified month.

MEAN NO. DAYS WITH PRECIPITATION GREATER THAN 0.1 INCH (SNOWFALL GREATER THAN 1.5 INCHES)

The average of the number of days in the specified month on which the daily amount of precipitation (snowfall) was observed to be equal to or greater than 0.1 inch (1.5 inches).

MEAN NO. DAYS WITH AN OCCURRENCE OF VISIBILITY LESS THAN 0.5 MILE

The average of the number of days in the specified month on which there was at least one observation of visibility less than 0.5 mile.

MEAN NO. DAYS WITH THUNDERSTORMS

The average of the number of days in the specified month on which the weather observer heard thunder.

PERCENT FREQUENCY SURFACE WIND SPEED GREATER THAN 16 KNOTS (GREATER THAN 27 KNOTS)

The frequency, expressed as a percent of the total number of hourly weather observations considered, during the specified month, in which the surface wind speed was observed to be greater than 16 knots (27 knots).

PERCENT FREQUENCY CEILING LESS THAN 5,000 FEET OR VISIBILITY LESS THAN 5 MILES

The frequency, expressed as a percent of the total number of hourly weather observations considered, during the specified month, in which the ceiling was observed to be less than 5,000 feet and/or the visibility was observed to be less than 5 miles.

PERCENT FREQUENCY CEILING LESS THAN 1,500 FEET (LESS THAN 300 FEET) OR VISIBILITY LESS THAN 3 MILES (LESS THAN 1 MILE)

The frequency, expressed as a percent of all the hourly weather observations considered, in a specified three-hourly period during the day for a specified month in which the ceiling was observed to be less than 1,500 feet (300 feet) and/or the visibility was observed to be less than three miles (one mile).

PARAMETERS FOR AIRFIELD AREA AND CLIMATIC AREA

MEAN NO. DAYS WITH CEILING EQUAL TO OR GREATER THAN 1,000 FEET (EQUAL TO OR GREATER THAN 2,500 FEET, EQUAL TO OR GREATER THAN 6,000 FEET, EQUAL TO OR GREATER THAN 10,000 FEET) AND VISIBILITY EQUAL TO OR GREATER THAN 3 MILES

The average of the number of days when, at a specified hour during the day in the specified month, the ceiling was observed to be equal to or greater than 1,000 feet (2,500 feet, 6,000 feet, 10,000 feet) and the visibility was observed to be equal to or greater than three miles.

MEAN NO. DAYS WITH CEILING EQUAL TO OR GREATER THAN 2,000 FEET AND VISIBILITY EQUAL TO OR GREATER THAN 3 MILES AND SURFACE WIND LESS THAN 10 KNOTS

The average of the number of days when, at a specified hour during the day in the specified month, the ceiling was observed to be equal to or greater than 2,000 feet, the visibility was observed to be equal to or greater than three miles, and the surface wind speed less than ten knots.

MEAN NO. DAYS WITH SURFACE WIND EQUAL TO OR GREATER THAN 17 KNOTS AND NO PRECIPITATION

The average of the number of days when, at a specified hour during the day in the specified month, the surface wind speed was observed to be equal to or greater than 17 knots, and there was no precipitation.

MEAN NO. DAYS WITH SURFACE WIND 4-10 KNOTS AND TEMPERATURE 33-89 DEG. F AND NO PRECIPITATION

The average of the number of days when, at a specified hour during the day in the specified month, the surface wind speed was equal to or greater than four knots, but not greater than ten knots, the temperature was equal to or greater than 33 deg. F. but not greater than 89 deg. F. and there was no precipitation.

MEAN NO. DAYS WITH SKY COVER LESS THAN 0.3 AND VISIBILITY EQUAL TO OR GREATER THAN 3 MILES

The average of the number of days when, at a specified hour during the day in the specified month, the portion of the sky covered with clouds was observed to be less than 0.3 and the visibility was observed to be equal to or greater than three miles.

AREA PARAMETERS (CLIMATIC AREA ONLY)

MEAN DAILY TEMPERATURE RANGE-DEG. F.

Two temperatures for the specified month: (1) a representative mean daily maximum temperature observed in the area; (2) a representative mean daily minimum temperature observed in the area.

RANGE OF MEAN MONTHLY PRECIPITATION-INCHES

Two mean monthly precipitation amounts for the specified month: (1) the largest mean amount observed in the area; (2) the smallest mean amount observed in the area.

DATA SOURCES

The source from which values were taken can be determined from the column labeled "No. Obs."

- (1) If the number in that column is positive, the data for that line were computer-summarized, and the number given is the number of observations used in the summarization.
- (2) If the number is negative and of three digits or less, the data were hand-copied or estimated as indicated in the following source list.
- (3) If the number is less than minus 500, part of the data are derived from computer-summarized data, and part from the source list number plus 500. For example, if the number is "-528," the source is the extreme of the computer-summarized data compared to source "-28."
- (4) If the number is minus and a four or five digit number, the data were substituted from a representative station nearby and this number is the number of the source station.
- (5) Statistical methods or meteorological relationships were used whenever possible to provide data not available at the National Weather Records Center or in yearbooks and summaries.

SOURCE LIST

- 1 French Equatorial Africa Service Meteorologique - 1950 - 1959
- 2 Climatic Statistics for Selected Stations on Islands of Reunion and Mayotte
- 3 Angola Servico Meteorologico Elmento Meteorologicos - 1942 - 1952
- 4 Algiers, Universite, Institute de Meteorologie, le Climat de L'Algerie
- 5 Algeria Service Meteorologique Bulletin Climatologique Mensual - 1952 - 1960
- 6 World Climatic Data Africa
- 7 Pt. 1 - Algiers Universite Annuaire du Nord - 1945 - 1950
- 8 Climatological Summaries, West Central Africa
- 9 Algeria, Service Meteorologique Resume Mensuel du Temps - 1951 - 1960
- 10 Klimaat Van Suid-Afrika Parts 1 and 9
- 11 Portuguese East Africa Meteorological Data-Mozambique
- 12 Climatological Summaries-Northern Rhodesia - 1938 - 1948
- 13 Rhodesia Met. Service Climatological Studies - 1948 - 1960
- 14 Climatological Summaries, Central Africa
- 15 Climatological Normals for Egypt. Cairo - 1950
- 16 Egypt Meteorological Dept. Metro Report
- 17 So. Africa Meteorological Services. (Wx on the coasts of So. Africa-Vol.II)
- 18 Weather on the west coast of Africa 7 to 20 years
- 19 Sudan-Meteorological Service Annual Met Report - 1950 - 1957
- 20 Climatological Summaries. Mali and Mauritania, Africa
- 21 Republique Francaise du Maroc Arnales - 1945 - 1953
- 22 French West Africa Service Meteorologique Resume Mensuel des Observations - 1953 - 1954; 1955 - 1957
- 23 Climatological Summaries - Upper Volta Africa
- 24 World Distribution of Thunderstorm Days
- 25 WMD Model "A"
- 26 Climatological Summaries - French Somaliland and Somali Republic, Africa
- 27 Air France, Climatology of Africa

- | | | | |
|----|--|----|--|
| 28 | British Meteorological Tables | 44 | India Meteorological Department -
India Weather Review |
| 29 | Statistical Estimate | 45 | Batavia - Rainfall in Indonesia
(Verhandelingen No. 37) |
| 30 | Interpolation | 46 | Turkey-Yillik Meteoroloji Bulteni |
| 31 | Professional Subjective Estimate | 47 | Rainfall Statistics of the British Borneo
Territories |
| 32 | Climatic Norms (Climo) WMO | 48 | Ceylon Meteorological Report
December 1938 - 1949 |
| 33 | CB Climatological Briefs | 49 | Kuwait, Arabia - Climatological Data Annual |
| 34 | CDC WB Climatic Data Cards | 50 | Ace Data, computed, derived or substituted
from data available 1964 |
| 35 | N Summary | 51 | Promedios Climatologicos de Venezuela Perido
1951/1960 |
| 36 | Climatological Summaries, Niger, Africa | 52 | Chile Servicio Meteorologico, Anuario
Meteorologico, Publication No. 73 |
| 37 | Cape Verdi Islands Servicos de Estatistica
Meteorologia E. Climatologia | 53 | Climate of Ecuador |
| 38 | Climatic Data Tabulation Indonesia Aug 62 | 54 | Peru Direction General de Meteorologia
Boletin Anual Meteorologico |
| 39 | Climate. Agriculture and Agricultural
Zones of Burma. American Institute of Crop
Ecology. Wash, D. C. 1957 | 55 | Brazil Normals Climatologicas da Area da
Sudene |
| 40 | Climate of Thailand Aug. 1965
1st Weather Wg Special Study 105-10 | 56 | Climatologia de Caile, Fasciculo Valores
Normales de 36 Estaciones Seleceionadas,
period 1916 - 1945 |
| 41 | Afghanistan Meteorological Institute
Monthly Weather Bulletins | 57 | H.O. Pub No. 527 Weather Summary-Brazil |
| 42 | Lebanon - Service de Climatologie Bulletin
Climatologique Mensuel | | |
| 43 | Climatological Tables of Observations in
India (red book) | | |

- 58 H.O. Pub No. 529 Weather Summary-South America - - Southern Part
- 59 Datos Detallados de Climatologia de Venezuela
- 60 Paraguay File
- 61 H.O. Publication No. 530 Weather Summary
- 62 Climatological Summary, Valley of Mexico (Mexico City)
- 63 Argentine Republic Servicio Meteorologico
- 64 Climatological Studies-Weather and Climate of Central America and Mexico
- 65 Climatological Studies Weather and Climate of West Indies
- 66 H.O. Pub. No. 528 Weather Summary South America - - Northern Part
- 67 Climatological Studies-Weather and Climat South America
- 68 Professional Notes British Meteorological Office
- 69 Geografiska Annaler 37-38 - 1955 - 1956
- 70 H.O. Pub. No. 531 Weather Summary Central America - For use w/Naval Air Pilot Supplement '8' Northwest Africa
- 71 Meteorological Yearbook Iranian Met. Dept.
- 72 H.O. Pub. No. 532 Weather Summary Mexico
- 73 H.O. Pub. No. 264 Weather Summary-South Africa
- 74 H.O. Pub. No. 261 Weather Summary-Supplement 'C' West Central Africa
- 75 H.O. Pub. No. 263 Weather Summary-Supplement 'B' East Central Africa
- 76 H.O. Pub. No. 260 Weather Summary
- 77 Meteorological Data for certain Australian localities
- 78 New Zealand-Meteorological Service Climatological Table - 1951-1958
- 79 Ministerie Van Openbare Werken en Verkeer Meteorologische Dienst
- 80 Climate and Meteorology of Australia-1919 - 1951
- 82 Summaries of Climatological Observations at New Zealand Stations to 1960
- 83 Relative Humidity at 0900 LST only - reference is the same as 82 above.
- 84 Climatological Division Summary (CDC) for Canada, No. 1 thru 13 - 1962-1966
- 85 Climate of British Columbia and the Yukon Territory by W. G. Kendrew and D. Kerr - 1955
- 86 The Climate of Central Canada by W. G. Kendrew and B. W. Currie - 1955

- 87 The Climate of Newfoundland Circular 4019
Cli 30, April 1964
- 88 Servicio Meteorologico Nacional Estadisticas Climatologicas - 1901-1950 Pub. B No. 1 and 1941-1950 Pub. B No. 3
- 89 Anuario Meteorologico 1952, 53, 54
Ministerio de Agricultura Oct. 1955
- 90 Las Precipitaciones en El Uruguay, 1965
- 91 Revista Meteorologica, Sumario, Anos 1944 al 1956 Montevideo 1957
- 92 Climatological Data for Sonora, Northern Sinaloa, Baja, Calif., Univ. of Arizona, Tech. Report Nos. 14, 15, 1 Oct. 1964
- 93 Average Climatic Water Balance Data of the Continents, Part IV, Australia, New Zealand and Oceania, 1963
- 94 Book of Normals - No. 1, Rainfall, Melbourne, 1951
- 95 Climatological Studies, Wea. and Clim. Pacific Islands, Hqs. 2nd Wea Gp F-8
- 96 Climate of the Horow Henua Lowlands New Zealand Met. Service, Note 63. 1966
- 97 Weather Summaries, Pacific and Alaska, Hydrographic Office H.O. Nos. W-270, W-271, 272, 273, 275, 276, 526. Years 1943-1944
- 98 Climatic Table for Japan Area Parts I-II
- 99 The Climate of Japan Vol. IV No. 2, 1931
- 100 Climatic Tables of Japan, Parts 1-5 1931-60
- 101 Climatological Data for Antarctic Stations No. 1-8, 1962-66. (Mean monthly precip. ETAC computed from mean monthly snowfall with water equivalent basis of 10 in. of snow equal 1 in. of precip.).
- 102 Anare Data reports, Series D, Meteorology No. 81, XIII, XII, Melbourne, 1963-65.
- 103 Meteorological and Radiational Regimes of Antarctica, U.S. Dept of Commerce 1964
- 104 Data from Polar Meteorology Section W.B.
- 105 Climatic Summaries for Canada 1947-1954
- 106 Climatic Summaries for Canada, Vol. II, 1948
- 107 Climate of the Canadian Arctic Archipelago, 1951
- 108 Temperature Normals, Averages and Extremes in the Northwest Territories during the period 1931 to 1960
- 109 Averages and Extremes of Climatic Data during 1951-1960 for selected Canadian Arctic stations, 1963
- 110 Canada Met. Br., Temperature Extremes 1966
- 111 Avg. Climatic Water Balance Data of the Continents, Part VI No. America, 1964

- 112 Canada Met. Branch. Monthly Record 1955-1965
- 113 Climatic Summary of the United States Supplement for 1951-through 1960
- 114 Climat. Studies, Hdqs. 19th AF, Alaska G-4, 1960
- 115 Climatological Summary, WB, Alaska, Means and Extremes for period of record thru 1952
- 116 Local Climatological Data, Annual Summary w/ Comparative Data, ESSA, 1966
- 117 Uniform Summary of Surface Wea. Obs.
- 118 Macro and Micro Climatology of the Arctic Slope of Alaska. US Army Tech Report EP-139, Natick Labs, 1960
- 119 Temperatures of Northern America, Hdqs. Quartermaster, US Army. Research Report RER-9, Natick Labs, 1956
- 120 Supplement to Bulletin W, Climatic Summary of the U.S. for 1931 thru 1952
- 121 Hydrographic Institute of the Yugoslav Navy, Met Division, 1946
- 122 Average Climatic Water Balance Data of the Continents, Part V, Europe N.J., 1964
- 123 Meteorology of the Arctic, OPNAV PO3-3. March 1956
- 124 Temperatures in Slovenia, Slovenska Akademija. Ljubljana 1965
- 125 Precipitations en Yougoslovie. 1925-40. Belgrad, 1957
- 126 Prilozi Rosnavanju Klime Jugoslavije 1, Belgrad, 1957
- 127 Great Brit. Aviation Meteorological Report No. 19 (Yugoslavia). 1943
- 128 Ireland Met. Service. Monthly Wea. Report 1949-1952
- 129 Ireland Met. Service. Monthly Wea. Report 1958-1962
- 130 Climatological Summaries, Western Coastal Africa
- 131 Climatological Summaries, Tanganyika, Uganda and Kenya, Africa
- 132 Madagascar Meteorologique Service Publications Nos. 10,12,14,15,17,18,20-28.
- 133 O Clima de Portugal Fasciculo XIV. Lisboa 1965
- 134 Weather and Climate at Addis Ababa, Dire Dawa and Jimma, April 1965
- 135 Rhodesia and Nyasaland Climate Handbook Supplement 2
- 136 Rhodesia and Nyasaland Climate Information Sheets No. 1
- 137 Escuisse Climatographique de la Belgique, Brussels, 1947
- 138 Danmarks Kuima, 1933

- 139 General Climatic Data for Spain 2WW 1955
- 140 Memorial de la Meteorologie Nationale No. 50. Climatologie de la France Paris 1967
- 141 Klimakunde des Deutschen Reiches. Vol II Berlin, 1939
- 142 Statistiche Meteorologiche Relative Alle Principali Localita Italiane, Part 2 Roma, 1962
- 143 Climatological Summaries for Air Navigation in Norway, Vol. No. 6 Bardufoss Airport April 1960
- 144 Klimatabeller for Landbruget, Oslo 1955
- 145 Agricultural Climatology of Sweden and its Agro-Climatic Analogues in North America, No. 11 1950
- 146 Das Klima Der Schweiz, Mauer, Billwiller, Hess 1909
- 147 Averages of Humidity for the British Isles, Met. Office, London, M.O. #421 1938
- 148 Weather in the Home Waters and N.E. Atlantic, Met. Office, London M.O. #446 1943
- 149 Monographies de la Meteorologie Nationale, No. 55. Valeurs Normales des Hauteurs de Precipitations en France. (1931-1960 and 1901-1950). Paris, 1966
- 150 Monographies de la Meteorologies Nationale. No. 59. Elements Climatologiques Concernant Les Cotes de la France Metropolitaine, Paris 1967
- 151 Averages of Rainfall for Great Britain and Northern Ireland. 1916-1950 M.O. #635 1958
- 152 Averages of Temperature for Great Britain and Northern Ireland. 1931-1960 M.O. #735 1963
- 153 Etudes Sur le Climat de la France, Vol I Paris 1904
- 154 Monographies de la Meteorologie Nationale No.30. Valeurs Normales des Temperatures en en France (1921-1950) Paris 1962
- 155 Climate of Malaysia Oct 1964 1st Wea Wg Special Study 105-5
- 156 Climate of Republic of Vietnam April 1965 1st Wea Wg Special Study 105-9
- 157 Climate of Cambodia May 1968 1st Wea Wg Special Study 105-15
- 158 Computer Print-out of climatic data summaries for Laos 1st Wea Gp April 1969
- 159 Climate of North Vietnam June 1965 1st Wea Wg Special Study 105-4

INDEX

STATION INDEX

WORLD-WIDE AIRFIELD SUMMARIES - VOLUME X EUROPE

ALPS AND S. W. EUROPE - PART 3

STATION NO./NAME	PAGE NO.	STATION NO./NAME	PAGE NO.
<u>FRANCE</u>			
PLAINS (Climatic Area 1)			
07003	Le Touquet-Paris Plage	01	
07015	Lille-Lesquin	03	
07017	Cambrai-Epinoy	05	
07024	Cherbourg-Maupertus	07	
07027	Caen-Carpiquet	09	
07028	Le Havre	11	
07038	Evreux-Fauville	13	
07053	Pontoise-Cormeilles-En-Vexin	15	
07055	Beauvais/Tille	17	
07057	Creil-Senlis	19	
07070	Reims-Champagne	21	
07074	Suippes Gun RG	23	
07109	Ianveoc-Poulmic	25	
07110	Brest-Guipavas	27	
07121	Brehat	29	
07125	Dinard-Fleurbaey	31	
07130	Rennes-St Jacques	33	
07140	Chateaudun	35	
07141	Dreux AB	37	
07146	Toussus-Le-Noble	39	
07147	Villacoublay-Velizy	41	
07148	Bretigny-Sur-Orge	43	
07149	Paris/Orly	45	
07150	Paris/Le Bourget	47	
07153	Melun		49
07205	Lorient-Lann Bihoue		51
07207	Letalut		53
07217	St Nazaire-Montoir		55
07222	Nantes-Chateau Bougon		57
07240	Tours-St Symphorien		59
07249	Orleans-Bricy		61
07255	Bourges		63
07257	Avord		65
07335	Poitiers-Biard		67
07354	Chateauroux		69
07400	La Coubre		71
07412	Cognac-Chateaubernard		73
07502	Cazaux		75
07510	Bordeaux-Merignac		77
07602	Biarritz-Bayonne-Anglet		79
07603	Dax-Seyresse		81
07607	Mont-De-Marsan		83
07610	Pau-Pont Long Uzein		85
07630	Toulouse-Blagnac		87
07631	Toulouse-Franczal		89
07720	Pic Du Midi		91
07747	Perpignan-Llabanere		93
14544/	St. Andre-De-L'eure		95
14547/	Berck Plage		97
14548/	Cambrai/Niergnies		99


STATION NO./NAME	PAGE NO.	STATION NO./NAME	PAGE NO.
PLAINS (Climatic Area 1, cont.)		CENTRAL MISSIF (Climatic Area 3)	
14550/ Coulommiers-Voisins	101	07374 Vichy-Charmeil	161
14553/ Laon-Couvron	103	07460 Clermont Ferrand	163
14555/ Merville-Calonne	105	07558 Millau	165
14558/ Orleans-Saran	107		167
14559/ Rochefort	109		
14561/ Toulouse	111	RHONE VALLEY (Climatic Area 4)	
14562/ Tours	113	07280 Dijon	168
14564/ Valenciennes	115	07480 Lyon-Bron	170
14565/ Villaroche	117	07577 Montelimar	172
14566/ Vouziers-Sechault	119	07579 Orange-Caritat	174
	121	07641 Se'e	176
		07643 Montpellier Frejorgues	178
PLATEAU (Climatic Area 2)		07645 Nimes	180
07088 Etain-Rouvres	122	07646 Nimes-Garons	182
07090 Metz-Frescaty	124	07647 Istres-Le Tube	184
07169 St. Dizier-Robinson	126	07648 Salon	186
07170 Chaumont	128	07650 Marseille/Marignane	188
07179 Toul-Rosieres	130	14546/ Avignon	190
07180 Nancy-Essey	132	14563/ Valence-Chabeuil	192
07181 Nancy-Ochey	134		194
07186 Phalsbourg	136		
07190 Strasbourg-Entzheim	138	FRENCH ALPS (Climatic Area 5)	
07197 Colmar-Meyenheim	140	07491 Chambéry-Aix Les Bains	195
07292 Luxeuil-St. Sauveur	142		197
07299 Bale-Mulhouse	144		
07379 St. Yan	146	SOUTHEAST COAST (Climatic Area 6)	
14549/ Chambley	148	07667 Hyeres-Le Palyvestre	198
14552/ Gros Tenquin	150	07680 Frejus-St. Raphael	200
14554/ Lure-Malbouhans	152	07690 Nice-Cote D'Azur	202
14556/ Mirecourt	154	14545/ Antibes	204
14557/ Montmedy-Marville	156	14551/ Cuers-Pierrefeu	206
14560/ Rocroi-Regniowez	158		208
	160		

STATION NO./NAME	PAGE NO.	STATION NO./NAME	PAGE NO.
<u>SWITZERLAND</u>			
SWITZERLAND (Climatic Area 1)			
06610 Payerne	209	11150 Salzburg	255
06630 Bern/Belp	211	11157 Aigen	257
06660 Zurich	213	11165 Zeltweg	259
06680 Santis	215	11231 Klagenfurt	261
06700 Geneva/Cointrin	217	11240 Graz	263
06720 Sion	219		265
06770 Lugano	221		
06792 Samedan	223	<u>SPAIN</u>	
14220/ Emmen	225	NORTHERN COAST (Climatic Area 1)	
14221/ Lodrino	227	08001 La Coruna	266
14222/ Raron	229	08023 Santander	268
14223/ San Vittore	231	08025 Bilbao	270
14224/ Turtman	233	08029 San Sebastian	272
14225/ Zermatt	235		274
	237		
<u>AUSTRIA</u>			
DANUBE PLAINS (Climatic Area 1)			
11010 Linz	238	CENTRAL PLATEAU (Climatic Area 2)	
11030 Vienna-Tulln	240	08094 Monflorite	275
11035 Wien/Hohe/Warte	242	08140 Valladolid	277
11036 Vienna/Schwechat	244	08160 Zaragoza	279
14521/ Langenlebern	246	08202 Salamanca	281
	248	08221 Madrid/Barajas	283
		08222 Madrid/Torrejon De Ardoz	285
AUSTRIAN ALPS (Climatic Area 2)		08223 Madrid/Cuatro Vientos	287
11105 Feldkirch	249	08224 Madrid/Getafe	289
11120 Innsbruck West	251	08225 Alcala De Henares	291
11146 Sonnblick	253	08280 Albacete	293
		08330 Badajoz/Talavera La Real	295
		08348 Ciudad Real	297
		08420 Granada	299
		14203/ Badajoz	301
			303

STATION NO./NAME	PAGE NO.	STATION NO./NAME	PAGE NO.
<u>SPAIN</u>		<u>PORTUGAL</u>	
EASTERN COAST (Climatic Area 3)		MOUNTAINS (Climatic Area 1)	
08175 Reus	304	08557 Evora	342
08180 Barcelona	306	08566 Vila Real	344
08285 Valencia	308	08568 Penhas Douradas	346
08359 Alicante	310	08575 Braganca	348
08429 Murcia-Alcantarilla	312	Climat	350
08433 San Javier	314		
08482 Malaga	316		
14204/ Los Alcazares	318		
Climat	320		
SOUTHWEST COAST (Climatic Area 4)		PLAINS (Climatic Area 2)	
08390 Sevilla/Tablada	321	08530 Cabo Carvoeiro	351
08391 Sevilla/San Pablo	323	08536 Lisbon/Portela	353
08397 Moron De La Frontera	325	08538 Sagres-Cabo De Sao Vincente	355
08449 Rota	327	08543 Viana Do Castelo	357
08451 Jerez	329	08545 Porto	359
Climat	331	08549 Coimbra	361
		08554 Faro	363
		14282/ Ota	365
		14591/ Alverca	367
		14592/ Alveiro	369
		14593/ Monte Real	371
		14594/ Montijo	373
		14596/ Ovar	375
		14597/ Santarem	377
		14598/ Sintra	379
		14599/ Tancos	381
		Climat	383
<u>BALEARIC ISLANDS</u>			
BALEARIC ISLANDS (Climatic Area 1)			
08306 Palma/Son San Juan	332		
08314 Mahon-San Luis	334		
Climat	336		
<u>GIBRALTAR U.K.</u>			
GIBRALTAR (Climatic Area 1)			
08495 North Front	337		
14567/ Windmill Hill	339		
Climat	341		

**EUROPE
WORLD AIRFIELD
SUMMARIES**





FRANCE

LE TOUQUET-PARIS PLAGE, FRANCE

STA NO. 07003 (IN AREA NUMBER 01)

LATITUDE 5031N

LONGITUDE 00137E

ELEVATION(FT) 00033

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)														0	0
MEAN MAX TMP (F)	44	45	50	55	62	66	70	70	66	58	50	45	57	30	-154
MEAN MIN TMP (F)	35	34	37	41	46	51	55	56	53	46	40	36	44	30	-154
ABS MIN TMP (F)														0	0
MEAN NO DYS TMP = OR GTR 90(F)														30	-29
MEAN NO DYS TMP = OR LES 32(F)														0	0
MEAN NO DYS TMP = OR LES 0(F)														0	0
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)	-53	-28	13	11	-26	-48	-36	-21	-52	-29	11	15	-19	0	-50
MEAN PRECIP (IN)	2.76	2.36	1.77	1.97	2.17	1.97	2.56	3.54	3.15	3.54	3.74	3.15	32.7	30	-149
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = OR GTR 0.1 IN	8.0	7.2	5.5	5.9	6.2	5.5	6.7	8.2	7.6	8.1	8.3	8.7	85.9	30	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI	83.6	71.8	60.3	42.7	42.6	42.3	41.4	33.7	46.5	59.8	66.2	79.3	55.9	3	-14547
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	63.9	57.1	56.5	28.3	32.3	32.2	21.6	34.4	32.5	50.8	36.2	56.5	41.9	3	-14547
09-11 LST	59.7	55.4	43.3	18.3	19.7	20.3	21.5	16.5	23.2	47.4	45.8	52.5	35.3	3	-14547
12-14 LST	50.8	35.7	29.0	13.3	21.0	15.0	11.1	14.0	19.5	23.3	35.0	48.4	26.3	3	-14547
15-17 LST	58.2	34.0	33.9	17.9	17.3	17.6	13.9	11.8	13.9	28.3	33.3	40.3	26.7	3	-14547
18-20 LST	56.7	42.6	32.3	11.7	13.1	10.0	10.1	12.9	16.4	37.5	36.4	54.8	27.9	3	-14547
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	23.0	14.3	25.8	8.3	16.1	10.2	8.1	6.5	12.0	18.6	8.6	14.5	13.8	3	-14547
09-11 LST	29.0	12.5	18.3	6.7	6.6	3.4	2.5	0.0	7.3	10.5	11.9	18.0	10.6	3	-14547
12-14 LST	14.8	7.1	6.5	3.3	0.0	1.7	0.0	1.1	7.3	6.7	5.0	12.9	5.5	3	-14547
15-17 LST	20.0	19.1	8.5	5.1	3.8	0.0	3.8	1.1	2.5	6.7	6.7	9.7	7.3	3	-14547
18-20 LST	23.3	16.7	9.7	1.7	1.6	1.7	0.0	0.0	1.6	10.4	9.1	16.1	7.7	3	-14547
21-23 LST														0	0

LE TOUQUET-PARIS PLAGE, FRANCE

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PD ² (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	15.2	17.0	15.5	22.5	23.0	23.3	26.3	23.3	22.0	17.3	22.2	18.0	245.6	3	-14547
	12 LST	19.0	21.5	25.0	27.0	29.0	28.0	28.2	29.0	26.0	24.8	21.5	19.0	298.0	3	-14547
	18 LST	16.5	18.8	22.5	23.0	29.5	27.5	29.0	28.3	27.1	21.7	22.0	18.5	289.4	3	-14547
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	00 LST														0	0
	06 LST	4.0	4.5	10.5	13.5	16.5	17.2	20.5	14.6	16.2	11.0	11.3	7.0	146.8	3	-14547
	12 LST	5.0	9.0	15.0	11.5	9.5	20.5	17.2	16.0	16.2	11.8	10.5	7.0	149.2	3	-14547
	18 LST	8.5	8.6	17.0	15.0	14.0	22.0	21.5	18.3	19.7	12.4	9.5	6.0	171.5	3	-14547
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST														0	0
	06 LST	1.5	3.0	1.0	4.0	3.0	0.0	0.4	2.3	0.7	2.6	3.6	3.5	25.6	3	-14547
	12 LST	2.5	1.5	3.0	6.5	5.0	1.0	2.3	4.6	2.6	4.6	3.5	5.0	42.3	3	-14547
	18 LST	2.0	2.0	2.0	5.0	4.5	1.0	1.9	3.6	2.1	3.1	4.5	4.5	36.2	3	-14547
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST														0	0
	06 LST	3.1	6.3	13.0	13.0	10.0	12.4	11.9	10.5	14.1	14.4	7.2	6.0	121.9	3	-14547
	12 LST	9.0	7.8	19.0	7.0	9.0	13.0	18.7	12.5	11.8	17.0	7.0	9.0	140.8	3	-14547
	18 LST	6.7	11.0	13.0	10.0	12.0	17.0	18.7	15.0	11.8	17.0	8.2	6.0	146.4	3	-14547
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	4.5	1.0	4.5	7.0	5.0	9.6	6.2	4.0	5.0	3.6	1.5	5.5	56.4	3	-14547
	12 LST	2.5	3.0	7.0	10.0	5.5	13.0	8.6	6.6	7.5	6.7	2.5	4.5	77.4	3	-14547
	18 LST	4.0	1.0	9.5	6.5	8.5	15.0	11.3	10.0	10.1	6.2	3.5	3.5	89.1	3	-14547
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	7.1	7.0	11.0	20.0	18.0	16.7	20.5	15.6	16.9	12.6	15.5	9.0	169.9	3	-14547
	12 LST	10.5	14.0	19.0	23.0	19.5	22.5	23.9	24.0	20.9	22.7	16.0	12.0	227.5	3	-14547
	18 LST	9.0	12.2	19.5	23.0	22.5	25.5	23.9	25.0	22.7	17.0	15.5	9.5	225.3	3	-14547
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	7.1	7.0	10.5	19.5	16.5	15.7	17.5	14.0	14.8	11.5	15.0	9.0	158.1	3	-14547
	12 LST	10.0	13.0	19.0	21.5	19.5	21.5	22.7	23.3	19.8	20.6	14.0	11.5	216.4	3	-14547
	18 LST	8.0	11.2	18.5	21.5	21.0	24.5	22.3	24.3	22.0	16.0	14.5	9.0	212.8	3	-14547
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	7.1	7.0	10.5	19.5	16.5	15.7	17.5	14.0	14.8	11.5	15.0	9.0	158.1	3	-14547
	12 LST	10.0	13.0	19.0	21.5	19.5	21.5	22.7	23.3	19.8	20.6	14.0	11.5	216.4	3	-14547
	18 LST	8.0	11.2	18.5	21.5	21.0	24.5	22.3	24.3	22.0	16.0	14.5	9.0	212.8	3	-14547

LILLE-LESQUIN, FRANCE

STA NO. 07015 (IN AREA NUMBER 01)

LATITUDE 5033N LONGITUDE 00305E ELEVATION(FT) 00157

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	56	61	72	82	87	95	96	96	93	76	65	60	96	10	-28
MEAN MAX TMP (F)	42	45	51	58	66	72	75	75	69	59	48	43	59	40	-28
MEAN MIN TMP (F)	33	34	37	40	47	52	55	56	51	45	39	35	44	40	-28
ABS MIN TMP (F)	8	0	19	27	31	35	35	39	34	24	18	7	0	10	-28
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.5	1.8	1.0	0.7	0.0	0.0	0.0	4.0	6	-14564
MEAN NO DYS TMP = DR LES 32(F)	14.2	12.0	15.5	3.8	1.6	0.0	0.0	0.0	0.3	1.8	5.9	12.5	67.6	5	-14564
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	-50
MEAN DEW PT TMP (F)	35	37	37	41	45	54	56	57	53	47	41	36	45	7	-28
MEAN REL HUM (PCT)	88	84	81	77	75	79	79	78	80	84	88	90	82	0	-50
MEAN PRESS ALT (FT)	72	96	139	130	94	73	80	100	70	96	140	144	103	40	-28
MEAN PRECIP (IN)	2.50	1.90	2.50	2.00	2.40	2.20	2.80	2.30	2.60	3.00	3.00	3.20	30.4	10	-29
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0					40	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	7.5	6.1	6.6	6.0	6.5	6.0	7.1	6.2	6.7	7.4	7.4	8.8	82.3	10	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0					0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.3	1.0	1.0	1.0	2.0	3.0	3.0	3.0	2.0	1.0	0.3	0.3	17.9	10	-24
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI	84.0	83.3	69.4	64.6	54.5	54.8	41.7	59.0	70.2	70.2	86.7	91.1	69.1	4	-14564
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FDR 00-02 LST														0	0
03-05 LST														7	-14564
06-08 LST	73.8	57.4	56.7	39.8	43.7	35.5	38.7	53.3	44.2	44.6	61.1	67.0	51.3	0	0
09-11 LST														5	-14564
12-14 LST	48.7	39.4	16.8	21.4	16.2	13.0	13.8	17.9	13.6	18.8	47.1	46.8	26.1	0	0
15-17 LST														6	-14564
18-20 LST	50.8	41.4	20.8	14.0	11.8	4.9	10.8	6.5	15.9	29.3	64.3	60.0	27.5	0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FDR 00-02 LST														0	0
03-05 LST														7	-14564
06-08 LST	25.4	20.4	24.0	15.1	9.7	6.4	7.3	14.2	15.8	10.7	32.6	26.4	17.5	0	0
09-11 LST														5	-14564
12-14 LST	14.5	7.7	1.8	2.4	0.0	2.2	0.0	1.8	3.0	2.5	14.3	20.8	5.9	0	0
15-17 LST														6	-14564
18-20 LST	16.9	10.3	0.0	2.3	3.9	0.0	5.4	0.0	2.3	4.9	21.4	23.3	7.6	0	0
21-23 LST														0	0

LILLE-LESQUIN, FRANCE
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	9.5	13.2	14.3	19.0	18.6	20.4	20.5	15.2	17.2	17.9	12.6	11.2	189.6	7	-14564
	12 LST	18.0	18.5	27.7	26.0	27.6	28.6	28.3	27.1	27.2	26.7	18.0	17.7	291.4	5	-14564
	18 LST	16.6	17.7	25.1	27.5	29.1	29.5	28.4	30.0	25.9	22.6	11.7	14.4	278.5	6	-14564
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	00 LST														0	0
	06 LST	3.8	6.7	9.2	14.8	15.5	17.1	15.2	11.6	13.7	11.7	6.9	5.6	131.8	7	-14564
	12 LST	7.6	9.9	17.8	14.6	20.1	20.2	17.6	19.9	20.0	13.9	9.0	12.8	183.4	5	-14564
	18 LST	10.4	11.2	19.6	19.5	22.9	23.1	23.4	22.0	22.5	17.3	9.6	7.2	208.7	6	-14564
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST														0	0
	06 LST	2.2	2.4	1.6	0.6	0.2	1.0	1.0	0.7	1.2	2.3	0.9	2.1	16.2	7	-14564
	12 LST	3.9	3.8	3.0	3.5	1.6	0.6	3.6	2.1	2.2	3.8	2.5	2.3	32.9	5	-14564
	18 LST	2.3	2.2	1.9	2.3	0.0	0.5	2.5	4.0	0.6	0.7	0.0	2.0	19.0	6	-14564
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST														0	0
	06 LST	6.6	9.0	11.0	16.7	18.5	17.1	17.8	16.5	15.8	12.5	14.5	8.9	164.9	7	-14564
	12 LST	11.1	13.3	18.3	14.2	16.3	20.8	16.5	17.1	16.8	13.1	16.7	13.9	188.1	5	-14564
	18 LST	10.1	10.9	17.2	16.8	18.0	19.3	13.2	14.0	12.9	11.6	15.5	12.4	171.9	6	-14564
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	2.9	2.7	4.7	5.7	5.7	6.4	5.0	4.1	5.4	2.8	1.8	3.5	50.7	7	-14564
	12 LST	3.4	3.5	9.4	3.5	4.8	8.4	4.2	8.3	6.3	6.9	3.4	7.9	70.0	5	-14564
	18 LST	4.7	6.1	11.3	6.4	8.9	10.8	10.0	8.0	13.6	9.8	5.3	2.0	96.9	6	-14564
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	6.6	10.3	12.2	17.0	15.9	18.0	17.5	13.4	16.0	15.8	10.1	9.1	161.9	7	-14564
	12 LST	12.9	13.4	21.9	16.7	20.9	22.1	22.9	22.6	22.7	21.3	12.4	15.2	225.0	5	-14564
	18 LST	12.8	15.1	23.2	23.7	25.5	25.5	25.9	27.0	23.8	21.1	9.6	10.3	243.5	6	-14564
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	6.2	9.5	11.6	16.1	15.0	17.4	16.5	12.9	14.5	13.5	9.4	9.1	151.7	7	-14564
	12 LST	11.1	12.1	18.9	12.1	15.9	20.2	18.1	21.0	19.0	19.7	11.5	12.4	192.0	5	-14564
	18 LST	11.9	14.8	22.2	21.6	24.9	24.0	23.4	27.0	23.8	19.6	8.5	6.2	227.9	6	-14564
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	6.2	9.5	11.6	16.1	15.0	17.1	16.5	12.9	14.5	13.5	9.4	9.1	151.4	7	-14564
	12 LST	10.8	12.1	18.9	12.1	15.9	20.2	18.1	21.0	19.0	19.7	11.5	12.4	191.7	5	-14564
	18 LST	11.9	14.8	22.2	21.6	24.9	24.0	23.4	27.0	23.8	19.6	8.5	6.2	227.9	6	-14564

CAMBRAI-EPINOY, FRANCE

STA NO. 07017 (IN AREA NUMBER 01)

LATITUDE 5013N

LONGITUDE 00309E

ELEVATION(FT) 00256

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	57	63	75	79	82	95	96	96	93	72	65	55	76	6	-14564
MEAN MAX TMP (F)	42	44	51	57	64	69	73	73	67	58	48	41	57	30	-14564
MEAN MIN TMP (F)	32	32	36	40	46	51	55	55	51	44	38	33	43	30	-14564
ABS MIN TMP (F)	10	14	18	25	28	39	45	43	32	23	18	12	10	5	-14564
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.5	1.8	1.0	0.7	0.0	0.0	0.0	4.0	6	-14564
MEAN NO DYS TMP = DR LES 32(F)	14.2	12.0	15.5	3.8	1.6	0.0	0.0	0.0	0.3	1.8	5.9	12.5	67.6	5	-14564
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	-50
MEAN DEW PT TMP (F)	35	37	37	41	45	54	56	57	53	47	41	36	45	20	-29
MEAN REL HUM (PCT)	92	95	80	77	72	82	77	80	82	87	92	95	84	0	-50
MEAN PRESS ALT (FT)	165	192	236	228	193	171	178	196	167	192	235	237	199	40	-14564
MEAN PRECIP (IN)	1.81	1.58	2.09	1.85	1.77	2.80	2.87	2.60	2.17	2.76	2.44	2.56	27.3	5	-29
MEAN SNOW FALL (IN)						0.0	0.0	0.0	0.0					40	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	5.8	5.2	6.1	5.7	5.5	7.1	7.2	6.8	6.0	7.0	6.5	7.6	76.5	5	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN						0.0	0.0	0.0	0.0					0	0
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														10	-14564
MEAN NO DYS TSTMS	0.0	0.3	1.0	1.0	3.0	3.0	4.0	3.0	1.0	0.3	0.3	0.0	16.9	0	0
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI	84.0	83.3	69.4	64.6	54.5	54.8	41.7	59.0	70.2	70.2	86.7	91.1	69.1	4	-14564
P FREQ LES 1900 FT A/D LES 3 MI														0	0
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	73.8	57.4	56.7	39.8	43.7	35.5	38.7	53.3	44.2	44.6	61.1	67.0	51.3	7	-14564
09-11 LST														0	0
12-14 LST	48.7	39.4	16.8	21.4	16.2	13.0	13.8	17.9	13.6	18.8	47.1	46.8	26.1	5	-14564
15-17 LST														0	0
18-20 LST	50.8	41.4	20.8	14.0	11.8	4.9	10.8	6.5	15.9	29.3	64.3	60.0	27.5	6	-14564
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	25.4	20.4	24.0	15.1	9.7	6.4	7.3	14.2	15.8	10.7	32.6	28.4	17.5	7	-14564
09-11 LST														0	0
12-14 LST	14.5	7.7	1.8	2.4	0.0	2.2	0.0	1.8	3.0	2.5	14.3	20.8	5.9	5	-14564
15-17 LST														0	0
18-20 LST	16.9	10.3	0.0	2.3	3.9	0.0	5.4	0.0	2.3	4.9	21.4	23.3	7.6	6	-14564
21-23 LST														0	0

CAMBRAI-EPINOUY, FRANCE
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	9.5	13.2	14.3	19.0	18.6	20.4	20.5	15.2	17.2	17.9	12.6	11.2	189.6	7	-14564
	12 LST	18.0	18.5	27.7	26.0	27.6	28.6	28.3	27.1	27.2	26.7	18.0	17.7	291.4	5	-14564
	18 LST	16.6	17.7	25.1	27.5	29.1	29.5	28.4	30.0	25.9	22.6	11.7	14.4	278.5	6	-14564
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	00 LST														0	0
	06 LST	3.8	6.7	9.2	14.8	15.5	17.1	15.2	11.6	13.7	11.7	6.9	5.6	131.8	7	-14564
	12 LST	7.6	9.9	17.8	14.6	20.1	20.2	17.6	19.9	20.0	13.9	9.0	12.8	183.4	5	-14564
	18 LST	10.4	11.2	19.6	19.5	22.9	23.1	23.4	22.0	22.5	17.3	9.6	7.2	208.7	6	-14564
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST														0	0
	06 LST	2.2	2.4	1.6	0.6	0.2	1.0	1.0	0.7	1.2	2.3	0.9	2.1	16.2	7	-14564
	12 LST	3.9	3.8	3.0	3.5	1.6	0.6	3.6	2.1	2.2	3.8	2.5	2.3	32.9	5	-14564
	18 LST	2.3	2.2	1.9	2.3	0.0	0.5	2.5	4.0	0.6	0.7	0.0	2.0	19.0	6	-14564
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST														0	0
	06 LST	6.6	9.0	11.0	16.7	18.5	17.1	17.8	16.5	15.8	12.5	14.5	8.9	164.9	7	-14564
	12 LST	11.1	13.3	18.3	14.2	16.3	20.8	16.5	17.1	16.8	13.1	16.7	13.9	188.1	5	-14564
	18 LST	10.1	10.9	17.2	16.8	18.0	19.3	13.2	14.0	12.9	11.6	15.5	12.4	171.9	6	-14564
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	2.9	2.7	4.7	5.7	5.7	6.4	5.0	4.1	5.4	2.8	1.8	3.5	50.7	7	-14564
	12 LST	3.4	3.5	9.4	3.5	4.8	8.4	4.2	8.3	6.3	6.9	3.4	7.9	70.0	5	-14564
	18 LST	4.7	6.1	11.3	6.4	8.9	10.8	10.0	8.0	13.6	9.8	5.3	2.0	96.9	6	-14564
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	6.6	10.3	12.2	17.0	15.9	18.0	17.5	13.4	16.0	15.8	10.1	9.1	161.9	7	-14564
	12 LST	12.9	13.4	21.9	16.7	20.9	22.1	22.9	22.6	22.7	21.3	12.4	15.2	225.0	5	-14564
	18 LST	12.8	15.1	23.2	23.7	25.5	25.5	25.9	27.0	23.8	21.1	9.6	10.3	243.5	6	-14564
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	6.2	9.5	11.6	16.1	15.0	17.4	16.5	12.9	14.5	13.5	9.4	9.1	151.7	7	-14564
	12 LST	11.1	12.1	18.9	12.1	15.9	20.2	18.1	21.0	19.0	19.7	11.5	12.4	192.0	5	-14564
	18 LST	11.9	14.8	22.2	21.6	24.9	24.0	23.4	27.0	23.8	19.6	8.5	6.2	227.9	6	-14564
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	6.2	9.5	11.6	16.1	15.0	17.1	16.5	12.9	14.5	13.5	9.4	9.1	151.4	7	-14564
	12 LST	10.8	12.1	18.9	12.1	15.9	20.2	18.1	21.0	19.0	19.7	11.5	12.4	191.7	5	-14564
	18 LST	11.9	14.8	22.2	21.6	24.9	24.0	23.4	27.0	23.8	19.6	8.5	6.2	227.9	6	-14564

CHERBOURG-MAUPERTUS, FRANCE

STA NO. 07024 (IN AREA NUMBER 01)

LATITUDE 4939N

LONGITUDE 00128W

ELEVATION(FT) 00456

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO, OBS
ABS MAX TMP (F)	59	65	73	78	86	89	89	91	87	79	66	62	91	30	-140
MEAN MAX TMP (F)	47	48	50	54	60	64	67	68	65	59	53	49	57	47	-28
MEAN MIN TMP (F)	40	39	41	43	49	53	57	58	55	50	45	41	48	47	-28
ABS MIN TMP (F)	21	14	25	33	38	43	46	48	43	36	31	22	14	30	-140
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	47	-29
MEAN NO DYS TMP = DR LES 32(F)				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	30	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	-50
MEAN DEW PT (F)	37	36	36	50	50	50	53	54	51	46	40	37	45	10	-28
MEAN REL HUM (PCT)	83	82	79	79	79	80	80	81	81	79	81	82	81	0	-50
MEAN PRESS ALT (FT)	373	397	441	413	385	359	355	385	364	401	444	448	397	47	-28
MEAN PRECIP (IN)	3.30	2.90	2.70	2.00	1.90	1.80	1.90	3.00	2.90	4.60	5.10	5.20	37.3	30	-29
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	47	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	8.9	8.3	6.8	6.0	5.8	5.1	5.3	7.4	7.2	9.1	9.5	10.7	90.1	30	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.3	0.0	0.3	1.0	1.0	1.0	1.0	2.0	1.0	1.0	1.0	0.3	9.9	10	-24
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	36.4	26.8	31.2	35.9	22.9	17.5	26.3	32.4	23.9	17.9	26.4	27.4	27.1	3	823
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														1	109
18-20 LST	35.7	28.0	25.0	25.0										0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	2.6	4.2	7.8	6.3	4.2	1.6	5.3	7.4	4.5	1.3	1.4	0.0	3.9	3	823
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														1	109
18-20 LST	3.6	0.0	3.6	3.6										0	0
21-23 LST														0	0

CHERBOURG-MAUPERTUS, FRANCE

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	24.1	22.8	23.3	21.5	27.1	26.6	24.0	23.7	25.0	28.6	25.8	27.0	299.5	3	823
	12 LST														0	0
	18 LST	22.1	22.4	27.6	25.7										1	109
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	00 LST														0	0
	06 LST	8.4	7.4	12.8	10.7	18.7	20.4	15.9	15.9	16.5	14.3	13.7	7.5	162.2	3	823
	12 LST														0	0
	18 LST	8.8	7.8	11.4	11.7										1	108
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST														0	0
	06 LST	6.5	9.6	4.8	5.1	3.2	1.9	3.6	1.3	3.5	4.7	6.2	9.0	59.4	3	826
	12 LST														0	0
	18 LST	8.5	7.8	6.8	9.6										1	109
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST														0	0
	06 LST	6.9	8.8	10.4	8.9	13.5	12.7	11.3	14.3	9.8	11.0	12.6	7.6	127.8	3	818
	12 LST														0	0
	18 LST	7.4	11.2	16.0	10.7										1	109
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	3.5	4.3	2.4	3.7	3.2	6.6	3.2	6.2	6.2	2.3	3.3	4.0	48.9	3	825
	12 LST														0	0
	18 LST	3.2	6.7	2.2	6.4										1	110
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	14.4	16.1	18.1	15.0	19.3	22.8	19.1	17.3	20.1	21.8	17.5	15.0	216.5	3	823
	12 LST														0	0
	18 LST	17.7	16.8	17.7	18.2										1	109
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	13.2	13.8	15.7	12.1	16.7	20.9	17.1	16.4	19.2	19.0	16.2	12.5	192.8	3	823
	12 LST														0	0
	18 LST	13.2	15.6	16.6	16.0										1	109
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	13.2	13.8	15.7	11.7	16.7	20.9	16.7	16.4	19.2	19.0	16.2	12.5	192.0	3	823
	12 LST														0	0
	18 LST	13.2	15.6	16.6	14.0										1	109

CAEN-CARPIQUET, FRANCE

STA NO. 07027 (IN AREA NUMBER 01)

LATITUDE 4910N

LONGITUDE 00026W

ELEVATION(FT) 00269

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	58	63	72	74	87	87	95	98	99	85	68	59	99	10	-28
MEAN MAX TMP (F)	46	48	53	58	65	69	73	69	60	51	47	59	99	40	-28
MEAN MIN TMP (F)	35	34	36	40	46	50	53	53	49	42	38	36	43	40	-28
ABS MIN TMP (F)	8	6	17	25	28	35	37	39	32	25	16	19	6	10	-28
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0				0.0	0.0	0.0		40	-29
MEAN NO DYS TMP = DR LES 32(F)						0.0	0.0	0.0	0.0					10	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN DEW PT TMP (F)	37	36	38	42	49	54	57	54	47	41	38	46	30	30	-29
MEAN REL HUM (PCT)	87	83	80	78	80	82	81	82	84	87	87	87	83	10	-28
MEAN PRESS ALT (FT)	173	202	250	222	198	168	160	190	173	209	249	249	204	0	-50
MEAN PRECIP (IN)	2.10	1.70	2.00	2.00	2.10	2.10	2.20	2.20	2.00	3.00	2.80	2.80	27.0	40	-28
MEAN SNOW FALL (IN)						0.0	0.0	0.0	0.0					10	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	6.6	5.5	6.0	6.0	6.1	5.8	6.0	6.0	5.7	7.4	7.1	8.1	76.3	40	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN						0.0	0.0	0.0	0.0					10	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.3	0.3	0.4	1.0	1.0	3.0	3.0	3.0	2.0	2.0	1.0	0.3	19.3	10	-140
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

CAEN-CARPIQUET, FRANCE

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PUR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
	18 LST													0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
	18 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
	18 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
	18 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
	18 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
	18 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
	18 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
	18 LST													0	0

DATA NOT AVAILABLE

LE HAVRE, FRANCE

STA NO. 07028 (IN AREA NUMBER 01)

LATITUDE 4932N

LONGITUDE 00005E

ELEVATION(FT) 00312

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	59	64	76	80	89	92	96	96	97	85	67	63	97	28	-534
MEAN MAX TMP (F)	45	48	52	58	65	70	74	73	70	61	52	47	60	20	-34
MEAN MIN TMP (F)	36	37	39	43	48	53	56	56	52	47	41	39	46	20	-34
ABS MIN TMP (F)	13	10	16	25	34	34	44	47	37	31	21	13	10	28	-534
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.0	0.0	0.0	0.0	0.8	6	973
MEAN NO DYS TMP = DR LES 32(F)	6.0	5.5	5.2	0.4	0.0	0.0	0.0	0.0	0.0	0.4	1.9	8.3	27.7	6	1798
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	1798
MEAN DEW PT TMP (F)	37	38	40	43	49	54	57	57	55	49	42	40	47	21	-29
MEAN REL HUM (PCT)	88	85	81	77	77	79	78	79	82	84	86	89	82	22	-122
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	2.68	2.36	2.52	2.40	2.44	2.40	2.52	2.72	2.28	3.31	3.82	3.58	33.0	40	-122
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0	0.0				28	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	7.8	7.2	6.7	6.5	6.6	6.4	6.6	7.0	6.2	7.8	8.4	9.3	86.5	40	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0	0.0				28	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.4	0.2	0.6	0.7	2.5	1.9	2.3	2.2	1.4	0.9	0.7	0.4	14.2	33	-34
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI	68.6	69.0	63.8	53.9	47.9	37.2	38.7	44.9	30.3	58.7	73.8	75.1	56.8	8	6456
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	36.8	45.9	41.0	35.8	38.3	26.4	32.2	46.3	41.1	39.3	51.1	41.7	39.7	8	2602
09-11 LST														0	0
12-14 LST	41.3	29.9	27.0	16.9	16.4	7.7	11.9	13.9	14.6	18.2	40.3	43.5	23.5	8	2678
15-17 LST														0	0
18-20 LST	42.3	40.2	30.6	16.7	14.7	6.2	9.0	10.3	18.0	24.7	45.7	48.2	25.6	8	2594
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	8.2	15.5	22.1	14.2	12.2	8.2	7.9	17.5	18.6	14.7	24.3	16.1	15.0	8	2602
09-11 LST														0	0
12-14 LST	14.9	9.0	6.9	3.5	2.3	0.9	1.3	1.3	2.1	4.2	11.3	13.7	6.0	8	2678
15-17 LST														0	0
18-20 LST	13.8	8.9	7.7	3.8	3.1	0.9	1.8	3.1	3.6	3.9	13.1	14.1	6.5	8	2594
21-23 LST														0	0

LE HAVRE, FRANCE
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	23.6	16.9	19.6	21.3	21.2	23.8	23.0	18.9	19.8	21.0	16.8	21.4	247.3	8	2602
	12 LST	20.9	21.5	24.6	26.2	27.6	28.6	28.8	28.0	27.2	26.9	20.3	20.2	300.8	8	2678
	18 LST	20.3	18.6	22.8	26.3	27.5	28.9	28.9	28.7	26.6	25.4	19.4	18.2	291.6	8	2594
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	00 LST														0	0
	06 LST	5.9	5.3	11.2	11.9	13.4	15.4	14.5	10.0	10.1	8.8	6.0	7.5	120.0	8	2598
	12 LST	6.8	8.7	14.3	14.8	16.3	19.6	15.8	18.9	16.2	12.8	8.3	8.1	160.6	8	2672
	18 LST	6.7	8.1	15.5	15.4	19.9	20.3	19.4	18.7	18.1	12.7	7.6	8.4	170.8	8	2589
SFC WND = CTR 17 KTS AND NU PRECIP.	00 LST														0	0
	06 LST	6.1	5.3	3.5	4.0	2.1	3.4	4.1	3.7	3.3	5.4	4.6	4.7	50.2	8	2707
	12 LST	6.1	6.3	2.5	4.5	3.9	3.2	4.7	3.5	3.7	6.4	4.1	4.8	53.7	8	2771
	18 LST	5.2	4.2	2.2	3.7	2.5	3.8	5.5	4.7	3.3	5.4	3.5	3.2	47.2	8	2699
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST														0	0
	06 LST	6.6	5.9	9.4	9.1	11.1	12.2	8.4	9.6	9.0	7.8	8.3	6.5	103.9	8	2695
	12 LST	7.5	7.9	11.4	13.6	12.8	15.1	12.5	14.3	11.8	9.4	9.1	11.1	136.5	8	2754
	18 LST	6.4	9.8	12.2	9.9	14.7	13.3	11.1	10.7	9.7	8.9	7.6	9.7	124.0	8	2680
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	3.2	3.9	5.6	4.9	5.6	6.4	5.7	4.9	2.8	3.1	2.4	4.9	53.4	8	2702
	12 LST	3.7	4.7	6.7	5.6	8.4	10.2	8.7	10.0	5.5	5.0	3.4	5.5	77.4	8	2773
	18 LST	3.0	4.2	7.5	7.0	9.1	12.2	11.6	14.2	7.2	5.9	3.2	4.1	89.2	8	2702
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	12.7	11.0	14.3	14.7	16.0	18.9	17.1	13.2	13.7	14.8	10.8	13.3	170.5	8	2602
	12 LST	13.4	15.0	18.2	20.0	22.7	24.7	23.2	23.9	21.8	20.2	13.5	13.2	229.8	8	2678
	18 LST	12.8	12.6	18.0	21.3	23.6	25.8	25.7	26.2	20.9	18.6	10.5	11.8	227.8	8	2594
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	9.1	8.9	11.9	11.5	13.6	16.3	15.0	11.7	11.5	11.6	8.8	11.0	140.9	8	2602
	12 LST	11.2	12.0	14.9	15.9	20.1	21.5	20.3	22.3	18.6	16.1	11.1	11.4	195.4	8	2678
	18 LST	9.2	9.7	15.6	18.7	20.6	22.6	22.9	23.9	18.6	14.7	8.0	9.3	193.8	8	2594
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	9.1	8.7	11.9	11.2	15.4	16.3	14.8	11.7	11.5	11.4	8.8	10.8	139.6	8	2602
	12 LST	11.2	11.9	14.7	15.8	19.9	21.5	20.2	22.3	18.6	16.1	11.1	11.4	194.7	8	2678
	18 LST	9.2	9.7	15.6	18.4	20.6	22.5	22.9	23.9	18.6	14.6	8.0	9.3	193.3	8	2594

EVREUX-FAUVILLE, FRANCE

STA NO. 07038 (IN AREA NUMBER 01)

LATITUDE 4901N

LONGITUDE 00113E

ELEVATION(FT) 00461

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	57	68	73	81	80	93	96	96	90	78	66	60	96	12	3903
MEAN MAX TMP (F)	41	43	50	56	63	69	72	71	69	58	49	44	57	12	3903
MEAN MIN TMP (F)	32	32	36	40	45	50	54	53	50	44	38	34	42	12	3903
ABS MIN TMP (F)	7	6	20	26	30	35	40	41	37	28	16	13	6	12	3903
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.3	1.1	0.4	0.1	0.0	0.0	0.0	1.9	12	3903
MEAN NO DYS TMP = DR LES 32(F)	17.1	14.1	11.5	2.3	0.5	0.0	0.0	0.0	0.0	0.8	5.9	12.1	64.3	12	3903
MEAN NO DYS TMP = DR LES 0(F)	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	3903
MEAN DEW PT TMP (F)	33	33	36	41	46	51	54	54	52	46	40	36	44	12	93666
MEAN REL HUM (PCT)	78	84	79	77	75	76	75	77	78	85	88	88	81	12	93666
MEAN PRESS ALT (FT)	354	385	432	438	405	379	389	398	369	385	422	420	398	0	-50
MEAN PRECIP (IN)	1.97	2.12	1.48	1.59	1.71	1.85	1.76	1.77	1.37	1.88	1.99	1.79	21.3	11	3601
MEAN SNOW FALL (IN)	2.5	3.4	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.4	7.5	11	3602
MEAN NO DYS PRCP = DR GTR 0.1 IN	6.7	6.4	4.5	5.3	4.9	5.6	4.3	5.0	4.9	5.8	5.8	5.5	64.7	11	3601
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.7	0.8	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	11	3602
MEAN NO DYS W/DCUP VSBY LES 1/2 MI	7.6	6.8	3.6	2.4	2.0	2.0	2.7	2.3	5.0	7.5	6.9	7.6	56.4	12	3903
MEAN NO DYS TSTMS	0.2	0.0	0.4	0.7	3.1	2.3	2.9	2.5	1.5	0.7	0.1	0.1	14.5	12	3903
P FREQ WND SPD = DR GTR 17 KTS	5.8	4.5	3.8	3.5	2.6	0.8	1.0	1.8	1.2	1.8	3.4	6.0	3.0	12	93663
P FREQ WND SPD = DR GTR 28 KTS	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.1	12	93663
P FREQ LES 5000 FT A/U LES 5 MI	69.0	66.8	55.2	48.2	39.4	40.1	40.2	37.6	44.7	57.0	66.9	70.9	53.0	14	109592
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	42.9	39.3	20.3	18.4	10.0	12.1	10.6	8.5	17.8	34.6	39.6	37.9	24.3	14	13628
03-05 LST	42.6	41.7	31.5	29.6	21.8	27.8	23.6	19.0	30.0	42.1	44.8	39.9	33.0	14	13675
06-08 LST	45.8	48.7	41.5	35.7	23.5	24.4	27.4	22.1	36.7	46.8	50.6	44.3	37.3	14	13776
09-11 LST	47.3	46.3	30.8	20.4	9.9	9.2	13.5	11.9	22.6	35.2	47.0	43.3	28.1	14	13785
12-14 LST	39.0	33.5	13.9	9.4	4.2	4.1	4.9	3.6	10.0	18.5	31.5	39.1	17.6	14	13782
15-17 LST	36.2	26.6	11.1	6.3	2.8	3.5	1.8	1.8	5.9	16.1	28.5	38.1	14.9	14	13706
18-20 LST	38.2	27.3	11.8	8.1	3.3	4.3	2.4	2.4	7.1	19.4	30.3	36.2	15.9	14	13643
21-23 LST	39.4	29.5	15.5	10.4	5.7	7.4	4.6	4.7	10.0	24.2	33.5	34.9	18.3	14	13629
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	13.6	9.9	2.1	2.2	1.0	0.8	2.0	1.5	4.2	14.0	10.5	11.3	6.1	14	13628
03-05 LST	14.7	13.0	6.8	5.1	4.5	5.3	6.0	5.2	11.1	17.6	13.2	11.1	9.5	14	13675
06-08 LST	16.0	16.7	10.9	6.8	3.5	3.0	3.9	4.7	12.1	21.3	15.0	12.7	10.6	14	13776
09-11 LST	14.1	13.2	3.5	1.5	0.3	0.2	0.3	0.4	2.9	9.9	9.8	11.7	5.7	14	13785
12-14 LST	9.4	7.0	0.2	0.5	0.0	0.0	0.0	0.0	0.4	3.2	2.9	6.5	2.5	14	13782
15-17 LST	9.8	6.0	0.6	0.4	0.2	0.1	0.0	0.0	0.1	1.7	3.9	7.4	2.5	14	13706
18-20 LST	9.8	6.4	0.8	0.0	0.2	0.1	0.0	0.0	0.6	3.9	5.7	6.7	2.9	14	13643
21-23 LST	10.5	7.7	0.9	0.4	0.3	0.1	0.5	0.0	1.2	7.2	8.1	9.2	3.8	14	13629

EVREUX-FAUVILLE, FRANCE
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST	19.1	19.3	26.0	25.8	29.0	27.9	29.2	29.5	26.2	21.9	20.7	21.8	296.4	14	4543
	06 LST	19.6	17.9	20.3	20.1	25.0	22.8	23.8	24.7	19.3	16.8	17.7	20.1	248.1	14	4594
	12 LST	19.5	19.7	27.1	27.6	30.7	29.3	30.5	30.5	28.2	25.9	21.4	20.9	311.3	14	4596
	18 LST	20.3	21.4	28.1	28.3	30.5	29.2	30.5	30.8	28.3	25.8	.5	21.7	317.4	14	4559
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	00 LST	10.5	11.8	19.2	19.9	25.1	25.0	25.6	26.3	23.3	16.4	13.7	12.7	229.5	14	4543
	06 LST	11.1	9.8	13.3	13.9	19.4	18.3	18.2	20.8	15.0	11.9	11.3	10.9	173.9	14	4594
	12 LST	7.1	8.0	9.7	11.4	14.8	18.1	16.9	15.0	12.2	9.1	7.3	7.3	142.6	14	4596
	18 LST	11.8	13.3	18.2	16.3	19.2	20.0	19.8	20.8	24.5	21.0	15.5	11.7	212.1	14	4559
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST	0.8	0.5	0.3	0.1	0.1	0.0	0.0	0.0	0.1	0.2	0.1	1.2	3.4	14	4543
	06 LST	1.4	0.5	0.2	0.0	0.0	0.1	0.0	0.2	0.0	0.2	0.5	1.1	4.2	14	4594
	12 LST	1.5	2.3	2.2	1.7	1.3	0.4	0.4	0.8	1.0	0.8	1.1	1.9	15.4	14	4596
	18 LST	0.7	1.1	1.1	0.9	1.0	0.2	0.2	0.7	0.0	0.4	0.3	0.8	7.4	14	4559
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST	8.4	9.5	14.3	17.3	18.1	16.2	17.1	18.6	18.9	17.4	13.4	12.0	181.2	14	4543
	06 LST	8.8	7.9	12.8	18.2	17.3	17.3	17.3	18.9	15.9	16.3	13.1	10.2	173.9	14	4594
	12 LST	10.8	8.9	14.5	12.3	15.2	17.3	16.4	16.0	16.8	16.6	14.8	11.9	171.5	14	4596
	18 LST	12.5	12.4	17.3	15.4	18.1	19.5	21.4	19.9	18.7	17.0	15.5	11.2	198.9	14	4559
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST	5.7	6.9	10.5	9.8	12.6	12.5	12.5	13.0	12.8	8.5	5.2	5.2	115.2	14	4543
	06 LST	5.3	4.7	5.2	3.9	5.8	5.3	4.6	5.3	5.2	3.6	3.5	4.5	56.9	14	4594
	12 LST	2.6	2.7	4.5	2.8	2.6	2.9	2.8	2.7	4.4	4.0	1.8	2.3	36.1	14	4596
	18 LST	4.4	4.3	5.2	4.0	3.9	5.1	4.2	4.7	6.5	6.2	3.7	3.6	55.8	14	4559
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST	15.2	15.4	23.2	23.3	27.3	26.1	27.5	28.2	25.1	20.4	17.2	16.8	265.7	14	4543
	06 LST	15.5	13.7	16.7	15.9	21.7	19.6	20.8	22.7	17.1	15.2	14.1	15.4	208.4	14	4594
	12 LST	14.8	14.0	20.1	22.1	25.9	25.7	26.3	26.8	24.0	20.5	15.2	14.2	249.6	14	4596
	18 LST	17.2	18.4	25.8	26.5	28.8	27.9	29.6	29.4	26.8	23.4	18.5	16.3	288.6	14	4559
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST	11.6	11.9	18.6	19.3	23.7	23.6	24.3	24.4	21.4	15.9	12.3	11.0	218.0	14	4543
	06 LST	10.9	9.5	12.8	12.9	18.0	17.1	16.3	18.3	13.9	10.8	10.4	11.0	161.9	14	4594
	12 LST	11.1	9.5	12.3	12.2	13.4	13.8	12.6	13.3	14.3	13.2	9.8	8.6	144.1	14	4596
	18 LST	12.4	13.0	19.3	19.7	20.8	21.2	22.1	22.8	21.4	17.4	12.7	10.3	213.1	14	4559
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST	10.0	10.8	15.7	16.9	20.9	20.6	20.3	20.4	18.5	13.2	9.5	9.5	186.3	14	4543
	06 LST	9.2	8.2	10.9	10.2	15.1	14.3	12.5	14.5	11.5	7.6	7.8	9.5	131.3	14	4594
	12 LST	9.5	7.4	10.9	10.1	11.3	11.7	9.8	9.8	11.5	10.7	7.2	6.5	116.4	14	4596
	18 LST	10.2	10.4	16.0	15.0	16.4	16.7	15.7	17.0	17.3	14.2	10.0	8.8	167.7	14	4559

PONTOISE-CORMEILLES-EN-VEXIN, FRANCE

STA NO. 07033 (IN AREA NUMBER 01)

LATITUDE 4906N

LONGITUDE 00202E

ELEVATION(FT) 00322

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
ABS MAX TMP (F)	58	63	76	86	89	99	103	98	91	82	68	61	103	13	-7149
MEAN MAX TMP (F)	43	45	52	58	65	71	75	74	69	59	48	42	58	30	-154
MEAN MIN TMP (F)	33	34	37	41	46	51	55	55	51	45	38	34	43	30	-154
ABS MIN TMP (F)	9	5	23	29	32	39	46	45	38	25	21	9	5	7	-7149
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.8	2.4	1.1	0.3	0.0	0.0	0.0	4.6	13	-7149
MEAN NO DYS TMP = DR LES 32(F)	19.0	13.5	8.5	1.0	0.3	0.0	0.0	0.0	0.0	1.1	6.7	9.3	59.4	7	-7149
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	-7149
MEAN DEW PT TMP (F)	32	35	38	41	48	52	55	54	53	47	40	36	44	13	-7149
MEAN REL HUM (PCT)	86	82	76	72	72	74	72	75	76	81	86	88	78	10	-140
MEAN PRESS ALT (FT)	206	238	288	280	248	224	226	244	218	241	283	280	248	0	-50
MEAN PRECIP (IN)	1.97	1.98	1.34	1.46	1.97	1.77	1.97	2.17	1.97	1.81	1.89	1.89	21.8	30	-149
MEAN SNOW FALL (IN)	0.0	3.5	11.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14.5	1	-7149
MEAN NO DYS PRCP = DR GTR 0.1 IN	6.2	5.2	4.5	4.8	5.9	5.0	5.5	5.9	5.6	5.3	5.5	6.0	65.4	30	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	1.0	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	1	-7149
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	7.3	3.5	2.8	0.1	0.4	0.2	0.3	0.5	1.2	4.4	7.4	6.9	35.0	13	-7149
MEAN NO DYS TSTMS	0.1	0.3	1.0	1.0	4.0	4.0	3.0	3.0	2.0	1.0	0.1	0.0	19.5	10	-140
P FREQ WND SPD = DR GTR 17 KTS	7.3	13.9	5.4	7.7	4.2	2.3	2.5	3.7	3.5	4.5	5.3	5.7	5.5	13	-7149
P FREQ WND SPD = DR GTR 28 KTS	0.2	1.2	0.2	0.3	0.1	0.0	0.0	0.0	0.2	0.3	0.1	0.2	0.2	13	-7149
P FREQ LES 5000 FT A/D LES 5 MI	77.2	73.7	63.0	37.1	35.6	32.7	28.6	34.0	41.7	64.3	73.0	76.4	53.1	13	-7149
P FREQ LES 1500 FT A/D LES 3 MI															
FDR 00-02 LST	47.0	37.5	30.2	8.1	7.3	5.0	3.4	5.6	11.7	28.0	40.7	46.2	22.6	13	-7149
03-05 LST	48.0	41.1	32.9	12.1	15.8	12.1	9.9	11.7	19.8	36.0	45.9	47.0	27.7	13	-7149
06-08 LST	52.3	48.6	52.3	37.8	27.1	13.7	19.4	31.3	39.8	55.4	57.7	50.7	40.5	7	-7149
09-11 LST	68.3	57.9	53.4	28.5	17.4	12.7	13.9	19.2	30.4	54.4	64.1	66.7	40.6	13	-7149
12-14 LST	55.8	43.3	30.4	9.2	6.7	5.2	4.6	8.1	11.3	28.9	49.5	57.9	25.9	13	-7149
15-17 LST	48.2	36.3	22.6	5.4	4.7	4.2	2.2	4.0	4.2	18.6	39.1	49.8	19.9	13	-7149
18-20 LST	52.8	40.9	27.8	4.4	5.3	3.8	2.4	4.0	7.7	25.8	41.1	47.3	21.9	13	-7149
21-23 LST	50.0	34.8	27.6	5.2	5.9	3.5	2.4	3.4	6.3	23.8	39.9	48.1	20.9	13	-7149
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	15.7	5.9	3.4	0.0	0.6	0.2	0.0	0.4	2.1	5.4	16.1	16.7	5.5	13	-7149
03-05 LST	17.3	7.9	4.8	0.2	2.2	1.9	0.4	2.6	3.1	9.1	19.8	17.4	7.2	13	-7149
06-08 LST	23.2	11.3	10.6	1.3	2.3	0.7	0.6	2.6	7.4	15.9	24.2	19.7	10.0	7	-7149
09-11 LST	29.2	17.1	14.3	0.4	0.2	0.4	0.4	0.8	3.1	14.7	25.9	29.2	11.3	13	-7149
12-14 LST	19.0	6.3	5.2	0.0	0.2	0.2	0.0	0.0	0.2	3.2	12.8	14.5	5.1	13	-7149
15-17 LST	15.9	5.2	2.6	0.0	0.0	0.2	0.2	0.4	0.0	2.3	10.9	12.0	4.1	13	-7149
18-20 LST	17.5	5.2	3.2	0.6	0.6	0.4	0.2	0.4	0.2	2.0	10.7	12.4	4.5	13	-7149
21-23 LST	16.3	5.0	2.0	0.0	0.4	0.0	0.0	0.2	0.4	2.2	14.3	14.4	4.6	13	-7149

PONTOISE-CORMELLES-EN-VEXIN, FRANCE

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST	18.2	18.1	24.1	28.3	29.5	28.7	29.7	29.8	27.4	23.5	19.1	17.7	294.1	13	-7149
	06 LST	18.3	16.6	17.6	19.4	23.0	25.5	23.6	21.5	18.1	15.3	16.0	18.2	233.1	7	-7149
	12 LST	15.2	16.9	23.0	28.2	29.7	28.6	29.8	29.0	27.5	22.4	16.5	14.8	281.6	13	-7149
	18 LST	16.3	16.5	23.8	29.0	30.1	29.1	30.4	30.0	28.0	23.2	19.1	17.0	292.5	13	-7149
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	00 LST	8.5	9.3	14.7	19.3	22.6	22.9	24.8	24.2	21.1	17.0	10.3	9.0	203.7	13	-7149
	06 LST	10.0	8.7	10.8	13.5	16.0	19.1	18.5	17.3	14.7	11.1	9.7	9.2	158.6	7	-7149
	12 LST	3.8	3.8	7.9	9.5	14.3	13.1	15.5	15.0	13.1	9.9	4.0	3.3	113.2	13	-7149
	18 LST	7.0	6.6	12.6	14.0	15.3	16.0	15.5	19.2	20.5	17.5	10.3	7.6	162.1	13	-7149
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST	1.5	1.7	0.3	0.2	0.5	0.2	0.0	0.0	0.1	0.5	0.7	0.9	6.6	13	-7149
	06 LST	1.3	2.1	0.8	0.6	0.1	0.1	0.0	0.3	0.0	0.6	0.5	0.3	6.7	7	-7149
	12 LST	1.9	3.2	2.4	3.0	2.3	1.0	1.1	1.3	1.5	1.7	1.9	2.0	23.3	13	-7149
	18 LST	1.3	1.6	1.4	2.0	1.5	0.5	0.5	1.0	0.7	0.5	0.9	0.8	12.5	13	-7149
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST	8.8	8.4	16.0	17.7	18.1	19.0	20.0	19.3	16.8	16.0	13.7	10.7	184.5	13	-7149
	06 LST	7.8	7.7	12.1	16.8	16.6	17.5	18.1	17.5	16.2	15.3	13.4	11.2	170.2	7	-7149
	12 LST	9.6	8.6	12.5	12.2	15.8	15.0	15.6	15.2	15.2	16.2	11.2	10.2	157.3	13	-7149
	18 LST	9.9	10.5	15.5	15.1	15.1	15.4	16.7	17.1	17.4	18.4	15.1	12.8	179.0	13	-7149
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST	6.6	6.1	11.2	14.8	14.4	13.8	16.3	14.5	13.3	11.4	6.2	4.7	133.3	11	-7149
	06 LST	8.0	4.3	5.4	7.8	7.8	5.0	9.0	5.0	6.2	5.7	4.7	3.2	72.1	5	-7149
	12 LST	3.0	2.1	5.6	8.1	6.3	4.6	6.5	5.4	5.4	5.6	1.9	1.3	55.8	11	-7149
	18 LST	4.6	3.3	6.3	8.4	5.7	7.0	8.0	7.6	6.7	6.5	5.2	3.6	72.9	11	-7149
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST	14.4	14.9	21.0	26.4	28.4	27.3	29.0	28.1	25.3	20.5	16.0	13.5	264.8	13	-7149
	06 LST	15.1	13.0	14.6	16.2	20.1	22.6	21.8	18.1	15.4	12.6	11.8	13.2	194.5	7	-7149
	12 LST	10.9	11.5	17.5	24.3	25.5	24.5	26.6	24.9	22.6	17.3	12.1	10.3	228.0	13	-7149
	18 LST	12.4	12.9	20.8	27.5	28.4	27.5	29.0	28.9	26.5	20.7	15.3	13.0	262.9	13	-7149
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST	11.2	10.5	17.3	22.8	24.6	23.0	25.6	25.0	21.4	16.8	11.6	9.4	219.2	13	-7149
	06 LST	13.0	9.3	11.3	13.4	17.8	19.5	18.0	13.5	12.2	9.0	7.8	8.7	153.5	7	-7149
	12 LST	8.1	8.2	13.6	19.0	19.4	16.5	20.3	19.0	18.5	14.3	9.7	7.1	173.7	13	-7149
	18 LST	8.9	8.8	16.2	24.2	23.8	22.6	24.9	24.7	21.8	16.2	11.0	9.0	212.1	13	-7149
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST	10.8	10.1	16.7	21.9	23.4	21.6	24.7	24.5	20.8	16.1	11.0	8.9	210.5	13	-7149
	06 LST	12.5	9.0	11.1	13.2	16.5	17.8	17.5	12.1	11.7	8.1	7.2	7.5	144.2	7	-7149
	12 LST	7.5	8.1	13.3	18.6	18.9	16.0	19.9	18.2	17.9	13.9	9.5	6.1	167.9	13	-7149
	18 LST	8.7	8.6	15.6	23.4	22.5	21.2	23.6	24.1	21.1	15.5	10.6	8.4	203.3	13	-7149

BEAUVAIS/TILLE, FRANCE

STA NO. 07055 (IN AREA NUMBER 01)

LATITUDE 4927N

LONGITUDE 00206E

ELEVATION(FT) 00358

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	59	69	74	83	88	93	99	93	93	80	67	60	99	30	-640
MEAN MAX TMP (F)	42	44	52	58	65	70	75	73	68	59	49	43	58	30	-140
MEAN MIN TMP (F)	31	32	35	39	45	50	53	53	50	43	37	33	42	30	-140
ABS MIN TMP (F)	-3	2	14	24	28	33	38	40	31	20	12	4	-3	30	-140
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0					0.0	0.0	0.0		30	-29
MEAN NO DYS TMP = DR LES 32(F)	19.4	19.0	12.2	5.3		0.0	0.0	0.0	0.0	6.1	8.9	17.3		4	520
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0		4	520
MEAN DEW PT TMP (F)	35	34	37	41	46	51	54	54	52	46	40	38	44	0	-50
MEAN REL HUM (PCT)	89	87	81	76	76	77	77	80	82	87	90	91	83	10	-140
MEAN PRESS ALT (FT)	256	286	333	332	299	275	283	296	267	286	326	325	297	0	-50
MEAN PRECIP (IN)	2.01	1.73	1.85	1.89	1.97	2.24	2.40	2.24	2.05	2.60	2.24	2.72	25.9	40	-122
MEAN SNOW FALL (IN)						0.0	0.0	0.0	0.0					30	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	6.3	5.6	5.7	5.8	5.9	6.1	6.4	6.1	5.8	6.7	6.1	7.9	74.4	40	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN						0.0	0.0	0.0	0.0					30	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI		7.0	1.3	0.0	0.0	0.5	1.0	1.3	2.6	9.5	6.5	8.5		2	461
MEAN NO DYS TSTHS	0.1	0.2	1.0	1.0	3.0	4.0	3.0	4.0	2.0	1.0	0.1	0.0	19.4	10	-140
P FREQ WND SPD = DR GTR 17 KTS		21.7	22.5	37.7	20.2	5.8	4.4	6.5	6.0	13.9	19.6	13.7		2	3083
P FREQ WND SPD = DR GTR 28 KTS		4.3	0.8	8.2	0.0	0.0	0.0	0.3	0.0	1.4	4.7	1.1		2	3083
P FREQ LES 5000 FT A/D LES 5 MI	77.2	76.0	58.6	49.3	48.4	47.8	47.9	50.1	45.0	60.9	70.9	82.7	59.6	4	3572
P FREQ LES 1500 FT A/D LES 3 MI															
FDR 00-02 LST	71.4	45.8	25.0	20.0	28.6	25.0	18.8	23.7	12.7	40.4	45.0	50.8	33.9	2	448
03-05 LST	80.6	60.7	35.5	16.7	22.6	37.0	21.0	35.5	18.3	50.0	48.2	55.0	40.1	2	563
06-08 LST	44.3	50.5	50.5	34.6	42.9	21.3	31.4	45.6	34.0	49.5	54.0	51.4	42.5	6	1237
09-11 LST		40.0	39.1	33.3	30.0	25.9	18.2	29.1	39.7	54.8	58.3	59.6		2	492
12-14 LST	59.2	48.1	39.3	14.9	19.0	15.0	23.7	27.9	19.0	26.2	48.3	56.5	33.1	4	832
15-17 LST	58.6	39.3	29.0	20.0	12.9	9.4	12.9	17.7	10.0	14.5	41.7	50.8	26.4	2	569
18-20 LST	54.7	50.0	27.7	20.9	6.3	10.9	11.3	11.5	8.6	18.2	41.7	51.6	26.1	4	642
21-23 LST							41.2	6.7	6.7	29.0	44.8	54.8		1	168
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	28.6	20.8	10.0	0.0	0.0	3.6	2.1	1.7	0.0	19.2	15.0	15.3	9.7	2	448
03-05 LST	35.5	25.0	6.5	0.0	3.2	5.6	3.2	6.5	6.7	22.4	16.1	23.3	12.8	2	563
06-08 LST	15.1	20.4	20.4	8.7	10.2	5.3	6.7	13.6	12.0	23.8	27.0	21.7	15.4	6	1237
09-11 LST		5.0	0.0	0.0	6.7	3.7	3.6	1.8	5.2	17.7	18.3	28.1		2	492
12-14 LST	14.5	12.3	9.0	0.0	0.0	0.0	0.0	1.6	0.0	1.6	8.3	17.7	5.4	4	832
15-17 LST	27.6	10.7	0.0	0.0	0.0	1.9	1.6	0.0	0.0	1.6	5.0	13.1	5.1	2	569
18-20 LST	17.2	16.2	4.3	0.0	0.0	0.0	3.2	0.0	0.0	0.0	8.3	14.5	5.3	4	642
21-23 LST							11.8	0.0	0.0	9.7	6.9	19.4		1	168

BEAUVAIS/TILLE, FRANCE
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	DCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST	11.6	17.5	26.3	28.0	26.5	25.7	26.6	25.7	27.8	19.6	19.5	18.3	273.1	2	451
	06 LST	16.9	15.7	19.2	22.6	22.8	24.9	25.3	19.8	21.9	17.8	15.4	17.7	240.0	6	1540
	12 LST	14.6	17.0	21.5	27.2	28.9	27.5	27.0	27.0	26.0	25.5	19.5	17.0	278.7	4	849
	18 LST	15.7	16.0	24.5	26.6	30.0	27.8	28.0	28.5	29.0	27.0	21.0	19.5	293.6	4	698
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	00 LST	3.8	9.3	12.4	12.0	16.2	20.3	22.9	20.4	22.9	11.3	9.5	9.4	170.4	2	451
	06 LST	9.3	9.7	12.4	13.4	15.5	20.8	19.8	15.9	18.2	11.2	8.9	9.3	161.4	6	1538
	12 LST	5.7	6.4	11.1	8.6	11.1	17.4	16.0	14.0	16.0	10.5	7.0	5.5	129.3	4	849
	18 LST	7.0	9.4	16.1	9.0	11.0	18.0	21.5	17.5	23.0	17.5	10.5	8.0	168.5	4	698
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST	3.8	2.3	1.6	6.0	2.9	0.0	0.6	0.5	0.0	1.7	1.5	2.6	23.5	2	450
	06 LST	2.4	1.8	1.8	3.3	0.7	0.9	0.2	0.4	0.6	0.6	2.1	2.2	17.0	6	1541
	12 LST	4.4	4.4	3.4	10.0	5.0	2.4	1.0	1.0	2.5	5.0	5.0	3.5	47.6	4	849
	18 LST	4.1	2.4	2.5	6.1	5.0	1.6	0.5	3.0	1.0	3.5	2.0	1.0	32.7	4	699
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST	15.5	7.0	6.5	10.0	11.8	5.3	8.8	12.6	12.0	8.3	7.5	6.8	112.1	2	449
	06 LST	9.5	5.6	8.2	10.6	10.8	9.7	11.8	10.2	8.1	9.1	7.6	7.1	108.3	6	1534
	12 LST	6.5	5.4	13.5	6.2	8.1	12.5	11.5	15.0	12.5	9.0	13.0	6.0	119.2	4	849
	18 LST	5.3	10.2	12.9	7.7	9.0	12.0	15.0	15.0	16.5	15.0	14.5	9.0	142.1	4	699
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST	3.8	4.6	10.8	12.0	16.2	17.1	13.6	12.6	16.3	5.3	4.5	6.3	123.1	2	451
	06 LST	4.5	4.8	6.2	8.0	8.1	11.7	5.9	7.6	7.3	4.8	4.1	4.6	77.8	6	1540
	12 LST	2.4	2.0	3.8	5.8	4.0	6.9	3.0	2.0	10.0	6.0	1.5	3.5	50.9	4	849
	18 LST	4.5	3.7	5.8	6.6	6.0	9.8	8.5	8.0	9.5	5.0	5.5	3.5	76.4	4	699
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST	3.8	11.6	20.1	18.0	17.7	19.2	22.9	20.4	23.4	14.9	12.0	11.5	195.5	2	451
	06 LST	11.5	10.4	12.9	18.5	16.2	21.5	19.1	15.9	18.4	13.6	10.6	11.7	180.3	6	1540
	12 LST	10.1	11.2	13.9	21.7	16.2	21.2	17.5	15.0	20.5	20.0	11.0	10.0	188.3	4	849
	18 LST	11.1	11.1	20.0	21.5	23.0	24.5	26.0	24.0	24.5	21.5	13.5	9.5	230.2	4	698
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST	3.8	10.5	20.1	16.0	16.2	19.2	21.0	18.3	21.2	11.9	11.0	8.9	178.1	2	451
	06 LST	10.1	9.4	12.2	16.7	15.5	19.8	16.1	14.1	16.3	10.5	8.6	10.1	159.4	6	1540
	12 LST	8.5	9.5	11.8	18.2	12.1	19.1	14.5	13.0	18.0	19.5	10.5	9.0	163.7	4	849
	18 LST	10.3	9.4	18.7	19.8	20.0	23.4	24.5	22.5	23.5	19.5	13.0	8.0	212.6	4	698
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST	3.8	10.5	20.1	16.0	16.2	19.2	21.0	18.3	21.2	11.9	11.0	8.9	178.1	2	451
	06 LST	10.1	9.4	12.2	16.5	15.5	19.8	16.1	14.1	16.1	10.5	8.4	10.1	158.8	6	1540
	12 LST	8.5	9.5	11.8	17.9	12.1	19.1	14.5	13.0	18.0	19.5	10.5	9.0	163.4	4	849
	18 LST	10.3	9.0	18.7	19.8	20.0	23.4	24.5	22.5	23.5	19.5	13.0	8.0	212.2	4	698

CREIL-SENILIS, FRANCE

STA NO. 07057 (IN AREA NUMBER 01)

LATITUDE 4915N

LONGITUDE 00231E

ELEVATION(FT) 00285

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	59	69	74	83	88	93	99	93	93	80	67	60	99	30	-7055
MEAN MAX TMP (F)	42	44	52	58	65	71	74	73	69	59	48	42	58	30	-154
MEAN MIN TMP (F)	32	32	36	40	45	50	54	54	50	44	37	33	42	30	-154
ABS MIN TMP (F)	-3	2	14	24	28	33	38	40	31	20	12	4	-3	30	-7055
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0					0.0	0.0	0.0		30	-29
MEAN NO DYS TMP = DR LES 32(F)	19.4	19.0	12.2	5.3		0.0	0.0	0.0	0.0	6.1	8.9	17.3		4	-7055
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0		4	-7055
MEAN DEW PT TMP (F)	33	34	36	40	45	51	56	55	52	47	41	35	44	10	-7055
MEAN REL HUM (PCT)	89	87	81	76	76	77	77	80	82	87	90	91	83	0	-50
MEAN PRESS ALT (FT)	179	211	259	258	225	200	207	220	192	212	251	249	222	30	-149
MEAN PRECIP (IN)	2.24	1.81	1.58	1.69	2.17	2.36	2.32	2.64	2.21	2.13	2.28	2.28	25.7	30	-29
MEAN SNOW FALL (IN)						0.0	0.0	0.0	0.0					30	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	6.9	5.8	5.1	5.4	6.2	6.3	6.2	6.8	6.1	5.9	6.2	7.0	73.9	30	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN						0.0	0.0	0.0	0.0					30	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI		7.0	1.3	0.0	0.0	0.5	1.0	1.3	2.6	9.5	6.5	8.5		2	-7055
MEAN NO DYS TSTMS	0.1	0.2	1.0	1.0	3.0	4.0	3.0	4.0	2.0	1.0	0.1	0.0	19.4	10	-7055
P FREQ WND SPD = DR GTR 17 KTS		21.7	22.5	27.7	20.2	5.8	4.4	6.5	6.0	13.9	19.6	13.7		2	-7055
P FREQ WND SPD = DR GTR 28 KTS		4.3	0.8	8.2	0.0	0.0	0.0	0.3	0.0	1.4	4.7	1.1		2	-7055
P FREQ LES 5000 FT A/O LES 5 MI	89.7	83.6	66.5	64.9	55.0	60.6	48.6	59.3	67.8	66.9	74.7	83.1	68.4	1	1423
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST															
03-05 LST	90.3	75.0	38.7	21.4	23.3	43.3	28.6	45.9	50.8	61.7	51.7	67.2	49.8	2	528
06-08 LST	74.2	62.5	59.7	23.3	32.3	33.9	38.0	42.4	60.0	66.1	58.3	74.2	52.1	3	711
09-11 LST	71.0	57.1	38.7	33.3	29.6	30.0	24.5	30.6	36.7	62.9	61.7	72.6	45.7	2	532
12-14 LST					20.0	30.0	28.0	28.8	26.7	41.9	56.7	64.5		2	286
15-17 LST	67.7	53.6	35.5	23.3	22.6	23.3	16.1	25.8	13.3	22.6	40.0	54.8	33.2	1	365
18-20 LST	71.0	53.6	29.0	15.0	17.7	11.7	9.7	23.3	13.3	25.8	36.7	51.6	29.9	2	545
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST															
03-05 LST	25.8	25.0	9.7	0.0	6.7	13.3	4.1	8.2	23.7	30.0	18.3	21.3	15.5	2	528
06-08 LST	25.8	28.6	21.0	3.3	6.5	10.7	6.0	6.8	30.0	37.1	20.0	27.4	18.6	3	711
09-11 LST	35.5	21.4	3.2	0.0	3.7	3.3	2.0	1.6	6.7	21.0	11.7	33.9	12.0	2	532
12-14 LST					0.0	0.0	0.0	0.0	0.0	6.5	3.3	19.4		2	286
15-17 LST	12.9	3.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16.7	25.8	4.9	1	365
18-20 LST	14.5	16.1	4.8	0.0	1.6	0.0	0.0	0.0	0.0	0.0	10.0	22.6	5.8	2	545
21-23 LST														0	0

CREIL-SENLIS, FRANCE
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	9.5	13.0	15.0	25.5	22.5	20.8	2.0	21.3	14.5	12.5	16.0	11.0	202.6	3	713
	12 LST	13.0	15.0	21.0	25.0	25.8	25.0	27.9	27.5	21.5	19.5	15.5	13.5	250.2	2	536
	18 LST	11.5	16.5	25.5	28.5	29.0	28.5	31.0	27.0	27.0	26.0	22.0	19.0	291.5	2	546
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	00 LST														0	0
	06 LST	5.0	6.5	9.0	16.5	19.0	18.2	17.3	12.1	10.0	7.5	8.0	4.5	132.6	3	713
	12 LST	3.0	8.0	16.0	15.0	20.6	17.0	16.7	13.5	17.5	13.0	7.5	6.5	154.3	2	536
	18 LST	4.0	8.0	17.0	14.0	16.0	23.0	24.0	14.0	25.0	19.0	12.0	9.0	185.0	2	546
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST														0	0
	06 LST	1.5	0.0	0.5	2.0	0.5	0.0	0.0	0.5	0.0	0.0	1.5	1.0	7.5	3	713
	12 LST	1.0	1.0	0.0	4.0	0.0	0.0	0.0	1.0	0.5	0.5	1.0	1.5	10.5	2	536
	18 LST	1.0	1.0	1.0	5.0	2.5	0.0	0.0	2.0	0.0	2.0	1.0	3.0	18.5	2	546
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST														0	0
	06 LST	5.5	3.8	10.5	11.0	11.5	9.6	10.0	9.0	2.0	9.0	9.0	4.0	94.9	2	520
	12 LST	7.1	10.0	12.8	15.5	17.1	13.0	18.0	10.0	8.0	8.2	14.0	5.0	138.7	1	341
	18 LST	4.4	7.2	10.0	10.0	15.0	14.0	15.0	13.0	11.0	13.0	11.0	9.0	132.6	2	524
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	3.5	3.0	5.0	6.5	8.5	9.6	6.2	4.5	3.0	2.0	5.0	3.5	60.3	3	713
	12 LST	3.0	0.0	9.0	5.0	5.1	7.0	4.3	3.5	7.0	6.5	2.5	3.5	56.4	2	536
	18 LST	3.5	3.5	8.5	5.0	5.0	7.5	12.0	1.0	11.0	6.0	4.0	2.0	69.0	2	546
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	5.5	7.0	9.5	19.0	18.5	17.1	15.5	12.7	8.5	7.0	9.0	5.0	134.3	3	713
	12 LST	5.0	7.0	17.0	14.0	17.5	16.0	15.5	14.5	16.5	12.5	8.0	6.5	150.0	2	536
	18 LST	6.0	9.0	18.5	21.5	19.5	22.5	23.0	20.0	23.0	19.0	16.0	10.0	208.0	2	546
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	4.5	5.5	8.5	16.5	16.0	15.0	14.2	11.1	6.5	6.0	8.5	4.5	116.8	3	713
	12 LST	5.0	6.0	16.0	12.0	14.4	15.0	13.0	13.0	14.5	12.0	7.0	6.0	133.9	7	536
	18 LST	5.0	8.0	18.0	20.0	17.0	21.0	21.0	18.0	21.0	18.0	15.0	6.0	188.0	2	546
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	4.5	5.5	8.5	16.5	16.0	15.0	14.2	11.1	6.5	6.0	8.5	4.5	116.8	3	713
	12 LST	5.0	6.0	16.0	12.0	14.4	15.0	13.0	13.0	14.5	12.0	7.0	6.0	133.9	2	536
	18 LST	5.0	8.0	18.0	20.0	17.0	21.0	21.0	18.0	21.0	18.0	15.0	6.0	188.0	2	546

REIMS-CHAMPAGNE, FRANCE

STA NO. 07070 (IN AREA NUMBER 01)

LATITUDE 4919N

LONGITUDE 00403E

ELEVATION(FT) 00312

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
ABS MAX TMP (F)	59	71	75	85	90	101	100	97	91	81	68	62	101	30	-640
MEAN MAX TMP (F)	40	45	50	60	66	73	76	76	70	58	48	41	59	40	-28
MEAN MIN TMP (F)	30	31	33	40	46	52	56	54	49	43	36	31	42	40	-28
ABS MIN TMP (F)	-11	-4	13	18	20	31	38	39	28	17	17	0	-11	30	-140
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.4	1.3	1.8	0.0	0.0	0.0	0.0	3.5	6	958
MEAN NO DYS TMP = DR LES 32(F)	8.1	16.1	8.6	8.4		0.0	0.0	0.0	0.0	8.1	6.7	18.4		1	255
MEAN NO DYS TMP = DR LES 0(F)			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		30	-29
MEAN DEW PT TMP (F)	32	34	34	41	46	53	57	56	54	47	39	33	44	0	-50
MEAN REL HUM (PCT)	87	84	77	72	73	74	73	77	79	84	88	89	80	10	-140
MEAN PRESS ALT (F)	206	238	288	280	248	224	226	244	218	241	283	280	248	0	-50
MEAN PRECIP (IN)	1.80	1.50	1.90	1.90	2.10	2.10	2.60	2.30	1.70	2.60	2.30	2.30	25.1	40	-28
MEAN SNOW FALL (IN)						0.0	0.0	0.0						30	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	5.8	4.9	5.8	5.8	6.1	5.8	6.8	6.2	5.1	6.7	6.2	7.0	72.2	40	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN						0.0	0.0	0.0						30	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	5.0	8.0	1.0	0.0	2.0	3.0	0.0	4.0	13.0	7.1	7.1	7.6	57.8	2	442
MEAN NO DYS TSTMS	0.2	0.1	1.0	3.0	3.0	4.0	4.0	4.0	3.0	0.2	0.2	0.0	22.7	10	-140
P FREQ WND SPD = DR GTR 17 KTS	10.9	9.4	11.3	15.8	7.0	0.0	0.0	2.4	0.0	3.5	8.5	6.4	5.9	7	3294
P FREQ WND SPD = DR GTR 28 KTS	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.6	0.3	2	3294
P FREQ LES 5000 FT A/D LES 5 MI	87.6	81.5	67.5	60.2	51.3	54.2	46.1	60.3	54.9	74.9	79.5	86.7	67.1	4	4363
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	64.5	35.7	16.1	6.7	6.5	10.0	3.2	6.5	23.3	29.0	36.7	54.8	24.4	1	365
03-05 LST	71.0	46.4	29.0	10.0	25.8	26.7	9.7	19.4	43.3	57.4	45.5	60.0	37.0	2	444
06-08 LST	64.3	46.9	5.9	35.4	23.0	17.6	25.5	37.7	45.7	50.7	57.4	61.2	42.6	6	1552
09-11 LST	64.5	57.1	8.7	26.7	25.8	20.0	19.4	35.5	30.0	48.4	50.0	71.0	40.6	1	365
12-14 LST	55.1	40.3	25.6	16.1	13.6	8.1	9.2	15.4	12.6	22.8	45.5	54.3	26.6	9	2152
15-17 LST	58.1	46.4	29.0	16.7	12.9	16.7	12.9	23.4	15.0	19.4	35.0	59.0	28.7	2	502
18-20 LST	57.7	45.1	23.4	10.4	10.6	7.9	6.1	15.7	11.0	21.0	40.0	55.6	25.4	9	1650
21-23 LST	58.1	28.6	9.7	10.0	12.9	17.9	12.9	16.1	13.3	12.9	46.7	54.8	24.5	1	363
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	22.6	14.3	3.2	3.3	0.0	0.0	0.0	0.0	13.3	9.7	6.7	19.4	7.7	1	365
03-05 LST	25.3	21.4	6.5	0.0	3.2	6.7	0.0	3.2	30.0	21.3	10.9	27.3	13.0	2	444
06-08 LST	18.9	14.8	15.5	6.3	5.3	4.0	4.5	11.4	20.2	24.3	19.9	18.7	13.7	6	1552
09-11 LST	25.8	25.0	3.2	0.0	3.2	3.3	0.0	0.0	10.0	6.5	16.7	29.0	10.7	1	365
12-14 LST	12.1	9.9	1.0	0.3	0.6	0.6	0.0	0.0	0.0	1.0	11.6	14.5	4.3	9	2152
15-17 LST	16.1	10.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	19.7	4.2	2	502
18-20 LST	16.6	10.6	0.6	0.6	0.7	0.0	0.0	0.0	1.6	2.1	11.1	15.3	4.9	9	1650
21-23 LST	16.1	7.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.7	25.8	4.6	1	363

REIMS-CHAMPAGNE, FRANCE

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST	11.6	20.0	29.0	28.0	30.0	28.0	31.0	30.0	24.0	25.0	26.0	18.0	300.6	2	366
	06 LST	13.0	17.9	18.8	21.7	26.0	25.4	24.2	21.7	17.6	17.0	14.5	15.6	233.4	6	1552
	12 LST	16.5	18.8	25.5	27.9	29.3	28.8	30.3	29.3	28.0	26.9	19.3	16.3	296.9	9	2153
	18 LST	14.6	17.7	25.8	28.1	29.4	29.5	30.7	28.5	28.1	25.3	20.8	15.6	294.1	9	1659
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	00 LST	4.8	16.0	20.0	23.0	28.0	26.0	29.0	26.0	23.0	19.0	10.0	10.0	234.8	2	366
	06 LST	7.1	9.1	13.2	15.1	21.1	22.3	20.2	15.9	13.4	10.8	8.1	5.5	161.8	6	1550
	12 LST	8.7	10.3	17.1	15.3	21.6	23.3	23.2	20.9	21.5	17.1	11.1	10.5	200.6	9	2148
	18 LST	8.7	10.2	19.4	18.4	23.2	24.1	24.3	22.3	24.8	20.9	13.1	10.2	219.6	9	1654
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST	3.8	1.0	0.0	3.0	0.0	0.0	0.0	2.0	0.0	0.0	3.0	2.0	14.8	2	366
	06 LST	2.1	1.3	0.8	1.6	0.2	0.7	1.6	0.2	0.0	1.1	1.5	1.7	12.8	6	1559
	12 LST	2.3	2.6	2.1	3.3	1.0	0.5	0.5	1.2	1.6	2.0	2.1	2.3	22.0	9	2163
	18 LST	1.5	1.7	0.7	3.2	0.6	0.4	0.0	0.2	0.7	1.0	0.6	1.2	11.8	9	1660
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST	3.8	9.0	12.0	10.0	9.0	8.0	7.0	13.0	5.0	13.0	10.0	12.0	111.8	2	360
	06 LST	7.5	5.2	8.4	10.3	11.2	9.0	9.2	9.2	6.7	8.7	8.8	6.0	100.2	6	1532
	12 LST	8.9	9.6	15.3	13.0	16.0	17.0	19.0	15.5	16.2	14.6	12.6	10.3	168.0	9	2140
	18 LST	6.0	8.4	15.2	11.3	16.2	16.8	18.7	16.7	15.7	15.2	12.7	6.1	159.0	9	1638
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST	2.9	7.0	12.0	12.0	14.1	15.0	16.0	11.0	16.0	6.0	2.0	6.0	119.9	2	366
	06 LST	2.1	3.5	5.4	5.8	7.6	9.2	5.7	5.6	3.7	3.5	2.4	3.8	58.3	6	1552
	12 LST	3.2	4.6	7.9	3.8	4.8	6.2	5.5	5.1	5.4	4.3	2.8	5.1	58.7	9	2167
	18 LST	5.7	4.9	8.8	5.1	5.6	8.5	11.8	4.8	7.9	6.7	5.3	5.8	80.9	9	1657
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST	7.7	16.0	20.0	25.0	26.0	23.0	26.0	25.0	21.0	15.0	8.0	9.0	221.7	2	366
	06 LST	8.2	10.7	13.4	15.3	19.7	21.6	20.0	14.9	13.9	11.7	9.0	7.1	165.5	6	1552
	12 LST	10.1	12.9	19.0	18.4	20.3	22.1	22.8	20.1	22.1	18.4	12.2	10.7	209.1	9	2153
	18 LST	10.6	11.8	19.6	22.8	23.1	24.3	24.1	22.6	23.9	21.0	14.2	10.7	228.7	9	1659
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST	4.8	12.0	16.0	17.0	19.0	20.0	22.0	20.0	19.0	12.0	6.0	6.0	172.8	2	366
	06 LST	6.5	8.9	11.3	12.5	16.4	18.0	16.0	12.7	12.0	8.6	6.6	5.7	135.2	6	1552
	12 LST	8.2	11.7	16.9	13.9	15.9	16.8	18.7	15.9	18.8	14.6	10.3	9.1	171.8	9	2153
	18 LST	9.6	9.8	17.4	18.4	19.8	23.2	21.1	21.5	22.0	17.1	12.4	9.5	200.8	9	1659
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST	4.8	12.0	16.0	17.0	18.0	20.0	22.0	20.0	19.0	12.0	6.0	6.0	172.8	2	366
	06 LST	6.2	8.9	11.3	12.2	16.4	18.0	15.5	12.7	12.0	8.6	6.6	5.7	134.1	6	1552
	12 LST	8.1	11.7	16.9	13.8	16.9	16.8	19.7	15.9	18.6	14.6	10.3	9.1	171.4	9	2153
	18 LST	9.6	9.6	17.4	18.4	19.8	22.0	21.1	21.5	22.0	17.1	12.4	9.5	200.4	9	1659

SUIPPES GUN RG, FRANCE

STA NO. 07074 (IN AREA NUMBER 01)

LATITUDE 4909N

LONGITUDE 00438E

ELEVATION(FT) 00635

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)														0	0
MEAN MAX TMP (F)	41	44	52	59	67	73	76	75	69	59	48	41	59	30	-154
MEAN MIN TMP (F)	31	32	35	39	46	51	55	55	50	42	37	32	42	30	-154
ABS MIN TMP (F)														0	0
MEAN NO DYS TMP = DR GTR 90(F)														30	-29
MEAN NO DYS TMP = DR LES 32(F)														0	0
MEAN NO DYS TMP = DR LES 0(F)														0	0
MEAN DEW PT TMP (F)	25	27	33	43	44	50	52	53	52	48	36	32	41	3	-35
MEAN REL HUM (PCT)	81	80	76	71	75	69	67	70	73	84	87	85	77	3	-35
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	2.72	2.13	1.61	1.93	2.32	2.52	2.84	3.07	2.68	2.36	2.52	2.84	29.5	30	-149
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = DR GTR 0.1 IN	7.9	6.6	5.2	5.8	6.4	6.6	7.2	7.6	6.5	6.3	6.6	8.1	81.2	30	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	0.3	0.3	2.0	2.0	3.0	2.0	1.0	0.3	0.3	0.3	11.5	10	-24
P FREQ WND SPD = DR GTR 17 KTS	16.3	14.0	9.6	10.4	10.7	7.0	6.9	7.0	6.4	8.0	8.3	4.2	9.5	3	-31
P FREQ WND SPD = DR GTR 28 KTS	0.5	0.3	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.1	3	-31
P FREQ LES 5000 FT A/D LES 5 MI	67.2	68.1	71.0	63.9	45.2	49.6	47.6	46.9	57.4	61.3	66.8	72.7	59.8	8	10841
P FREQ LES 1900 FT A/D LES 3 MI															
FDR 00-02 LST														0	0
03-05 LST	64.2	51.9	53.8	37.3	27.1	26.7	34.3	31.6	60.2	50.0	64.5	51.0	46.1	8	1353
06-08 LST	65.9	56.1	53.0	41.0	21.8	27.3	27.8	28.2	47.8	52.6	69.0	59.2	45.8	8	4144
09-11 LST	53.8	46.9	39.8	30.5	12.5	17.8	17.2	17.2	32.9	41.1	57.2	53.3	35.0	8	4039
12-14 LST	32.6	27.2	24.1	15.0	3.7	9.7	8.1	3.4	14.7	18.2	33.0	29.7	18.3	8	3437
15-17 LST	11.9	13.7	14.0	6.0	0.0	2.9	3.3	2.9	8.2	5.5	15.6	21.1	8.8	8	1470
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST														0	0
03-05 LST	21.2	13.0	12.4	10.8	5.1	6.0	8.2	12.3	20.5	17.0	16.1	23.5	13.8	8	1353
06-08 LST	22.1	15.3	12.4	8.9	2.7	5.6	4.8	8.4	14.2	17.7	21.3	21.7	12.9	8	4144
09-11 LST	16.6	10.0	4.5	2.1	0.0	2.0	1.0	2.1	2.4	10.2	17.0	6.9	6.2	8	4039
12-14 LST	4.8	1.7	1.1	0.4	0.0	0.0	0.0	0.2	0.4	0.7	4.3	2.9	1.4	8	3437
15-17 LST	1.5	1.7	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.3	0.8	8	1470
18-20 LST														0	0
21-23 LST														0	0

SUIPPES GUN RG, FRANCE
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	12.7	14.6	15.0	19.1	24.0	23.3	22.1	21.8	14.7	15.8	12.2	16.7	212.0	8	1428
	12 LST	16.3	19.1	24.0	26.1	30.4	28.0	28.5	29.1	25.3	24.0	16.2	18.0	285.0	8	1353
	18 LST	31.0	24.0	27.8	29.4	31.0	29.5	30.5	31.0	29.1	27.9	24.4	15.5	331.1	8	419
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	00 LST														0	0
	06 LST	6.2	8.0	10.3	11.5	22.1	17.3	17.3	16.6	11.9	10.8	5.3	8.9	146.2	8	1428
	12 LST	7.1	5.6	9.8	8.7	14.9	16.3	15.7	16.3	13.4	13.2	5.2	6.8	133.0	8	1353
	18 LST	13.3	12.0	14.4	15.0	25.6	20.5	18.6	23.5	17.8	23.8	18.8	0.0	203.3	8	419
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST														0	0
	06 LST	1.4	1.0	0.0	0.3	0.0	0.3	0.0	0.2	0.0	0.0	0.6	0.3	4.1	8	1428
	12 LST	0.7	1.7	1.1	2.3	0.6	1.0	0.4	1.7	1.3	0.5	2.0	0.4	13.9	8	1353
	18 LST	0.0	0.0	0.5	0.6	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	1.6	8	419
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST														0	0
	06 LST	6.0	8.0	12.0	17.0	17.7	15.3	18.0	17.5	18.7	15.8	10.6	6.9	163.5	8	1428
	12 LST	9.2	10.3	15.3	13.2	17.4	15.0	16.8	17.8	15.3	17.3	12.7	12.6	172.9	8	1353
	18 LST	4.4	12.0	14.4	16.3	21.6	18.5	20.2	17.5	18.8	15.5	15.0	0.0	174.2	8	419
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	4.8	2.9	4.4	3.1	3.6	7.1	6.8	6.5	2.9	1.0	2.2	4.2	49.5	5	735
	12 LST	7.3	2.2	2.9	2.4	1.2	3.9	1.2	3.7	5.4	2.0	1.4	4.3	37.9	5	692
	18 LST	20.7	12.4	3.1	0.0	0.0	3.9	2.3	3.2	6.5	7.0	1.9	0.0	61.0	5	207
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	7.6	8.0	11.2	13.3	21.5	19.3	18.7	18.1	13.2	11.3	6.9	9.8	158.9	8	1428
	12 LST	13.0	13.6	14.8	15.8	25.2	21.4	23.1	24.4	20.0	18.6	9.8	12.3	212.0	8	1353
	18 LST	31.0	20.0	23.0	23.8	31.0	26.0	27.4	28.0	27.2	26.9	22.5	0.0	286.8	8	419
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	6.2	5.3	8.9	9.7	17.1	16.0	13.9	15.0	9.8	8.1	4.4	6.9	121.3	8	1428
	12 LST	10.4	10.3	10.9	10.3	12.9	14.7	13.9	15.7	15.6	15.9	7.2	9.4	147.2	8	1353
	18 LST	22.1	16.0	18.7	13.8	18.9	21.0	17.6	22.0	21.6	20.7	18.8	0.0	211.2	8	419
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	6.2	4.7	7.8	7.0	13.9	14.8	10.3	11.4	8.3	6.6	3.6	5.4	100.0	8	1428
	12 LST	8.8	9.3	9.8	8.1	11.6	13.0	10.8	12.3	13.8	12.1	5.2	8.3	123.1	8	1353
	18 LST	22.1	12.0	15.0	9.4	13.5	15.5	11.9	19.0	19.7	16.5	15.0	0.0	169.6	8	419

LANVEOC-POULMIC, FRANCE

STA NO. 07109 (IN AREA NUMBER 01)

LATITUDE 4817N

LONGITUDE 00427W

ELEVATION(FT) 00289

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	68	69	75	83	90	92	100	95	95	86	72	63	100	63	-7110
MEAN MAX TMP (F)	48	48	53	55	60	65	67	68	65	59	53	49	58	30	-7110
MEAN MIN TMP (F)	39	38	41	42	46	51	54	54	52	48	43	40	46	30	-7110
ABS MIN TMP (F)	12	12	23	27	30	34	43	41	38	30	18	19	12	63	-7110
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.2	9	-7110
MEAN NO DYS TMP = DR LES 32(F)	1.5	2.6	1.3	0.5	0.1	0.0	0.0	0.0	0.0	0.0	0.4	2.5	8.9	10	-7110
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-7110
MEAN DEW PT TMP (F)	41	39	42	43	48	53	56	56	55	50	45	42	48	30	-29
MEAN REL HUM (PCT)	90	87	85	82	83	85	85	85	88	88	89	89	86	30	-7110
MEAN PRESS ALT (FT)	182	215	266	253	223	199	197	219	194	220	263	260	224	0	-50
MEAN PRECIP (IN)	5.24	3.78	3.27	2.72	2.68	2.21	2.44	3.15	3.54	4.09	5.43	5.91	44.5	30	-7110
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0	0.0				63	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	10.7	9.5	7.2	6.9	6.8	6.0	6.5	7.7	8.1	8.7	9.6	10.9	98.6	30	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0	0.0				63	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	1.0	1.0	1.0	0.2	1.0	2.0	1.0	1.0	2.0	1.0	1.0	2.0	14.2	10	-7110
P FREQ WND SPD = DR GTR 17 KTS	24.9	23.5	27.1	27.4	25.0	17.0	20.5	16.5	18.0	15.4	19.2	21.8	21.4	10	-7110
P FREQ WND SPD = DR GTR 28 KTS	1.0	0.9	0.9	0.0	0.4	0.0	0.0	0.0	0.4	0.3	0.7	1.5	0.9	10	-7110
P FREQ LES 5000 FT A/D LES 5 MI	63.9	63.2	49.7	50.9	44.7	41.3	47.0	45.2	49.0	48.9	57.0	61.8	51.9	9	-7110
P FREQ LES 1900 FT A/D LES 3 MI															
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	32.7	29.4	29.5	25.9	25.9	24.5	29.9	32.4	34.7	25.4	31.8	29.7	29.3	11	-7110
09-11 LST														0	0
12-14 LST	33.2	26.8	21.9	19.3	19.2	16.8	22.6	19.3	17.4	20.7	25.1	31.9	22.9	9	-7110
15-17 LST														0	0
18-20 LST	35.8	25.2	24.2	19.8	15.4	14.5	17.8	14.9	19.2	22.4	30.1	29.6	22.4	11	-7110
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	3.2	3.4	5.8	4.5	4.5	7.9	12.8	14.0	12.0	5.2	4.7	3.2	6.8	11	-7110
09-11 LST														0	0
12-14 LST	4.5	4.6	4.2	0.8	3.3	4.5	7.8	7.6	5.5	3.0	3.1	3.4	4.4	9	-7110
15-17 LST														0	0
18-20 LST	3.2	3.5	5.1	3.8	3.8	3.4	6.7	6.3	5.9	5.4	5.6	5.0	4.8	11	-7110
21-23 LST														0	0

LANVEOC-POULMIC, FRANCE
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	24.4	23.1	25.4	25.1	25.3	24.8	23.8	22.9	21.8	25.6	24.0	25.0	291.2	11	-7110
	12 LST	24.6	23.4	26.9	26.4	27.2	27.1	25.9	26.8	26.5	26.5	25.6	25.0	311.9	9	-7110
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	00 LST														0	0
	06 LST	7.8	8.5	9.0	10.0	12.3	15.2	13.9	15.2	10.6	11.7	9.6	6.0	129.8	11	-7110
	12 LST	6.5	6.1	10.5	9.0	12.2	14.3	14.8	17.7	14.4	12.3	9.6	6.2	133.6	9	-7110
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST														0	0
	06 LST	9.3	7.8	9.7	7.7	6.0	3.3	3.6	2.5	3.0	7.0	8.0	9.8	77.7	11	-7110
	12 LST	12.7	10.5	10.3	9.5	7.6	6.2	5.1	2.7	5.6	8.0	7.7	12.0	97.9	9	-7110
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST														0	0
	06 LST	6.4	9.4	9.8	9.5	13.3	13.8	13.8	13.7	14.1	10.1	9.6	6.5	130.0	11	-7110
	12 LST	7.5	6.6	9.6	9.6	11.6	13.5	15.7	16.6	14.3	11.9	9.2	7.1	133.2	9	-7110
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	5.1	4.1	5.0	4.7	6.6	6.6	5.7	6.3	4.6	4.9	2.9	4.8	61.3	11	-7110
	12 LST	1.9	2.9	6.2	5.2	6.2	6.7	5.7	9.1	4.5	4.3	1.5	2.4	56.6	9	-7110
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	14.6	13.4	16.9	16.8	18.8	19.2	17.6	17.2	16.0	18.9	14.7	16.6	200.7	11	-7110
	12 LST	14.5	15.4	19.9	19.0	20.7	21.1	20.1	22.2	20.5	20.4	17.4	15.6	226.8	9	-7110
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	12.0	10.4	14.8	14.4	17.0	17.6	14.8	15.3	14.7	16.0	12.3	14.1	173.4	11	-7110
	12 LST	11.3	12.1	18.3	15.9	18.0	18.4	17.8	20.4	17.8	17.7	14.0	13.4	195.1	9	-7110
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	12.0	10.4	14.6	14.4	17.0	17.6	14.8	15.3	14.7	15.9	12.3	14.1	173.1	11	-7110
	12 LST	11.3	12.1	18.3	15.9	18.0	18.4	17.7	20.4	17.8	17.7	13.8	13.4	194.8	9	-7110
	18 LST	12.2	12.1	18.2	17.8	20.8	21.0	18.3	22.7	19.1	17.6	13.9	12.7	206.4	11	-7110

BREST-GUIPAVAS, FRANCE

STA NO. 07110 (IN AREA NUMBER 01)

LATITUDE 4827N

LONGITUDE 00425W

ELEVATION(FT) 00338

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	68	69	75	83	90	92	100	95	95	86	72	63	100	63	-534
MEAN MAX TMP (F)	48	48	53	55	60	65	67	68	65	59	53	49	58	30	-140
MEAN MIN TMP (F)	39	38	41	42	46	51	54	54	52	48	43	40	46	30	-140
ABS MIN TMP (F)	12	12	23	27	30	34	43	41	38	30	18	19	12	63	-534
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.2	9	2776
MEAN NO DYS TMP = DR LES 32(F)	1.5	2.6	1.3	0.5	0.1	0.0	0.0	0.0	0.0	0.0	0.4	2.5	8.9	10	2880
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	2880
MEAN DEW PT TMP (F)	40	38	42	43	47	53	55	56	55	51	45	42	47	0	-50
MEAN REL HUM (PCT)	90	87	85	82	83	85	85	85	88	88	89	89	86	30	-32
MEAN PRESS ALT (FT)	224	256	306	292	261	238	237	259	234	260	304	302	264	0	-50
MEAN PRECIP (IN)	5.24	3.78	3.27	2.72	2.68	2.21	2.44	3.15	3.54	4.09	5.43	5.91	44.5	30	-140
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0	0.0				63	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	10.7	9.5	7.2	6.9	6.8	6.0	6.5	7.7	8.1	8.7	9.6	10.9	98.6	30	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0	0.0				63	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	1.0	1.0	1.0	0.2	1.0	2.0	1.0	1.0	2.0	1.0	1.0	2.0	14.2	10	-140
P FREQ WND SPD = DR GTR 17 KTS	24.9	27.5	27.1	27.4	25.0	17.0	20.5	16.5	18.0	15.4	19.2	21.8	21.4	10	-31
P FREQ WND SPD = DR GTR 28 KTS	1.0	0.9	0.9	0.0	0.4	0.0	0.0	0.0	0.4	0.3	0.7	1.5	0.5	10	-31
P FREQ LES 5000 FT A/D LES 5 MI	63.9	63.2	49.7	50.9	44.7	41.3	47.0	45.2	49.0	48.9	57.0	61.8	51.9	9	7317
P FREQ LES 1500 FT A/D LES 3 MI															
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	32.7	29.4	29.5	25.9	25.9	24.5	29.9	32.4	34.7	25.4	31.8	29.7	29.3	11	3355
09-11 LST														0	0
12-14 LST	33.2	26.8	21.9	19.3	19.2	16.8	22.6	19.3	17.4	20.7	25.1	31.9	22.9	9	2884
15-17 LST														0	0
18-20 LST	35.8	25.2	24.2	19.8	15.4	14.5	17.8	14.9	19.2	22.4	30.1	29.6	22.4	11	3190
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	3.2	3.4	5.8	4.5	4.5	7.9	12.8	14.0	12.0	5.2	4.7	3.2	6.8	11	3355
09-11 LST														0	0
12-14 LST	4.5	4.6	4.2	0.8	3.3	4.5	7.8	7.6	5.5	3.0	3.1	3.4	4.4	9	2884
15-17 LST														0	0
18-20 LST	3.2	3.5	5.1	3.8	3.8	3.4	6.7	6.3	5.9	5.4	5.6	5.0	4.8	11	3190
21-23 LST														0	0

BREST-GUIPAVAS, FRANCE
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	24.4	23.1	25.4	25.1	25.3	24.8	23.8	22.9	21.8	25.6	24.0	25.0	291.2	11	3355
	12 LST	24.6	23.4	26.9	26.4	27.2	27.1	25.9	26.8	26.5	26.5	25.6	25.0	311.9	9	2884
	18 LST	23.2	23.3	26.2	25.9	28.0	26.9	27.5	27.1	26.1	25.9	23.9	25.2	309.2	11	3190
CIG = GTR 2000 FT AND VSBY = 3TR 3 MI W/SFC WND LES 10 KTS	00 LST														0	0
	06 LST	7.8	8.5	9.0	10.0	12.3	15.2	13.9	15.2	10.6	11.7	9.6	6.0	129.8	11	3328
	12 LST	6.5	6.1	10.5	9.0	12.2	14.3	14.8	17.7	14.4	12.3	9.6	6.2	133.6	9	2856
	18 LST	7.8	7.4	9.6	8.0	12.4	15.6	13.5	17.3	13.5	10.8	7.2	7.6	132.7	11	3166
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST														0	0
	06 LST	9.3	7.8	9.7	7.7	6.0	3.3	3.6	2.5	3.0	7.0	8.0	9.8	77.7	11	3384
	12 LST	12.7	10.5	10.3	9.5	7.6	6.2	5.1	2.7	5.6	8.0	7.7	12.0	97.9	9	2871
	18 LST	11.4	10.1	8.9	9.8	7.4	5.1	6.1	3.3	6.0	7.3	7.4	12.3	95.1	11	3250
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST														0	0
	06 LST	6.4	9.4	9.8	9.5	13.3	13.8	13.8	13.7	14.1	10.1	9.6	6.5	130.0	11	3363
	12 LST	7.5	6.6	9.6	9.6	11.6	13.5	15.7	16.6	14.3	11.9	9.2	7.1	133.2	9	2839
	18 LST	7.4	7.8	8.5	8.1	12.3	14.1	13.7	15.0	14.1	10.6	10.0	7.9	129.5	11	3209
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	5.1	4.1	5.0	4.7	6.6	6.6	5.7	6.3	4.6	4.9	2.9	4.8	61.3	11	3367
	12 LST	1.9	2.9	6.2	5.2	6.2	6.7	5.7	9.1	4.5	4.3	1.5	2.4	56.6	9	2377
	18 LST	3.0	4.3	6.1	6.1	8.5	8.1	7.2	10.2	8.2	5.6	3.7	3.4	72.4	11	3198
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	14.6	13.4	16.9	16.8	18.8	19.2	17.6	17.2	16.0	18.9	14.7	16.6	200.7	11	3355
	12 LST	14.5	15.4	19.9	19.0	20.7	21.1	20.1	22.2	20.5	20.4	17.4	15.6	226.8	9	2884
	18 LST	14.8	16.0	19.8	20.2	22.9	22.9	21.1	24.1	21.0	20.2	16.2	15.9	235.1	11	3190
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	12.0	10.4	14.8	14.4	17.0	17.6	14.8	15.3	14.7	16.0	12.3	14.1	173.4	11	3355
	12 LST	11.3	12.1	18.3	15.9	18.0	18.4	17.8	20.4	17.8	17.7	14.0	13.4	195.1	9	2884
	18 LST	12.2	12.1	18.3	17.8	20.8	21.0	18.3	22.7	19.1	17.6	14.0	12.7	206.8	11	3190
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	12.0	10.4	14.6	14.4	17.0	17.6	14.8	15.3	14.7	15.9	12.3	14.1	173.1	11	3355
	12 LST	11.3	12.1	18.3	15.9	18.0	18.4	17.7	20.4	17.8	17.7	13.8	13.4	194.8	9	2884
	18 LST	12.2	12.1	18.2	17.8	20.8	21.0	18.3	22.7	19.1	17.6	13.9	12.7	206.4	11	3190

BREHAT, FRANCE

STA NO. 07121 (IN AREA NUMBER 01)

LATITUDE 4851N

LONGITUDE 00300W

ELEVATION(FT) 00118

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	61	67	69	74	75	85	89	87	93	76	69	64	93	35	-33
MEAN MAX TMP (F)	48	48	51	54	59	64	67	68	66	60	54	50	57	30	-140
MEAN MIN TMP (F)	41	40	42	46	49	54	57	58	57	52	47	43	49	30	-140
ABS MIN TMP (F)	18	18	27	36	36	45	49	49	47	39	34	23	18	35	-33
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		0.0	0.0	0.0		30	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	4.6	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.0	1	203
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	35	-29
MEAN DEW PT TMP (F)	40	40	42	45	49	55	58	59	56	51	46	43	49	23	-29
MEAN REL HUM (PCT)	86	85	85	83	85	86	86	86	84	84	84	87	85	10	-140
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	2.87	2.17	1.89	1.58	1.69	1.42	1.73	2.01	2.28	2.64	3.15	2.91	26.3	30	-140
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			35	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	8.2	6.7	5.8	5.1	5.4	4.2	5.0	5.6	6.2	6.8	7.6	8.3	74.9	30	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			35	-29
MEAN NO DYS W/O CUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.2	0.0	0.2	0.3	1.0	1.0	1.0	1.0	2.0	1.0	1.0	1.0	9.7	10	-140
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	54.5	41.0	35.7	39.1	40.0	24.1	32.3	40.0	33.3	27.9	40.9	41.6	37.5	3	747
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	4.5	1.6	8.6	4.7	8.9	6.9	4.6	10.0	3.7	3.3	3.0	1.3	5.1	3	747
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

BREHAT, FRANCE
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS	
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST													0	0	
	06 LST	18.3	19.7	22.1	22.0	21.3	24.8	26.2	21.1	22.2	25.4	24.0	23.3	270.4	3	747
	12 LST													0	0	
	18 LST													0	0	
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	00 LST													0	0	
	06 LST	2.8	5.0	10.1	8.4	11.0	16.0	10.4	10.3	12.2	9.1	4.1	6.0	105.4	3	745
	12 LST													0	0	
	18 LST													0	0	
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST													0	0	
	06 LST	11.9	6.4	8.7	7.5	6.7	5.0	4.7	4.1	7.5	9.1	11.5	12.6	95.7	3	749
	12 LST													0	0	
	18 LST													0	0	
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST													0	0	
	06 LST	6.6	5.6	8.4	10.7	7.5	15.7	12.4	12.0	10.7	9.8	8.4	6.2	114.0	3	742
	12 LST													0	0	
	18 LST													0	0	
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST													0	0	
	06 LST	4.2	4.5	5.2	5.2	6.0	6.6	2.8	6.7	1.6	4.0	1.8	4.0	52.6	3	749
	12 LST													0	0	
	18 LST													0	0	
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST													0	0	
	06 LST	9.3	12.3	16.8	13.1	16.5	20.1	14.7	14.4	17.2	17.7	10.9	12.4	175.4	3	747
	12 LST													0	0	
	18 LST													0	0	
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST													0	0	
	06 LST	9.3	11.9	15.9	12.1	16.5	19.1	13.8	12.9	17.2	16.2	10.4	11.6	166.9	3	747
	12 LST													0	0	
	18 LST													0	0	
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST													0	0	
	06 LST	9.3	11.9	15.9	12.1	16.5	19.1	13.8	12.9	17.2	16.2	10.4	11.6	166.9	3	747
	12 LST													0	0	
	18 LST													0	0	

DINARD-PLEURTUIT, FRANCE

STA NO. 07125 (IN AREA NUMBER 01)

LATITUDE 4835N

LONGITUDE 00204W

ELEVATION(FT) 00213

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)														0	0
MEAN MAX TMP (F)	46	47	53	56	62	66	69	69	67	60	52	48	58	30	-140
MEAN MIN TMP (F)	37	37	39	42	47	52	55	55	53	48	42	39	46	30	-140
ABS MIN TMP (F)														0	0
MEAN NO DYS TMP = OR GTR 90(F)														30	-29
MEAN NO DYS TMP = OR LES 32(F)														0	0
MEAN NO DYS TMP = OR LES 0(F)														0	0
MEAN DEW PT TMP (F)	36	35	38	41	47	52	55	55	54	48	41	39	45	23	-29
MEAN REL HUM (PCT)	81	78	76	75	77	79	80	80	81	82	82	85	80	10	-140
MEAN PRESS ALT (FT)	107	140	191	170	144	116	110	136	116	146	107	184	146	0	-50
MEAN PRECIP (IN)	2.07	2.17	1.89	1.77	2.17	1.97	2.24	2.44	2.48	2.64	2.95	2.95	28.5	30	-149
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = OR GTR 0.1 IN	8.2	6.7	5.8	5.5	6.2	5.5	6.1	6.5	6.5	6.8	7.3	8.3	79.4	30	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	1.0	0.3	1.0	1.0	2.0	3.0	3.0	3.0	2.0	1.0	1.0	1.0	19.3	10	-140
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

DINARD-PLEURTUIT, FRANCE
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND														0	0
VSBY = GTR 3 MI														0	0
														0	0
														0	0
CIG =GTR 2000 FT AND VSBY =GTR														0	0
3 MI W/SFC WND LES 10 KTS														0	0
														0	0
														0	0
SFC WND = GTR 17 KTS AND														0	0
NO PRECIP.														0	0
														0	0
														0	0
SFC WND 4-10 KTS AND TMP 33-89														0	0
DEG F AND NO PRECIP.														0	0
														0	0
														0	0
SKY COVER LES 3/10 AND														0	0
VSBY = GTR 3 MI														0	0
														0	0
														0	0
CIG = GTR 2500 FT AND														0	0
VSBY = GTR 3 MI														0	0
														0	0
														0	0
CIG = GTR 6000 FT AND														0	0
VSBY = GTR 3 MI														0	0
														0	0
														0	0
CIG = GTR 10000 FT AND														0	0
VSBY = GTR 3 MI														0	0
														0	0
														0	0

DATA NOT AVAILABLE

RENNES-ST. JACQUES, FRANCE

STA NO. 07130 (IN AREA NUMBER 01)

LATITUDE 4804N

LONGITUDE 00143W

ELEVATION(FT) 00121

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	63	67	72	84	90	97	101	100	91	78	67	64	101	30	-640
MEAN MAX TMP (F)	46	49	54	59	66	71	76	75	70	61	52	47	61	44	-28
MEAN MIN TMP (F)	35	35	37	41	46	51	54	54	50	45	39	37	44	44	-28
ABS MIN TMP (F)	2	12	21	27	30	38	42	39	36	24	19	11	2	30	-140
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0					0.0	0.0	0.0		44	-29
MEAN NO DYS TMP = DR LES 32(F)					0.0	0.0	0.0	0.0	0.0					30	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	30	-29
MEAN DEW PT TMP (F)	37	36	38	42	48	54	57	57	53	46	41	38	46	0	-50
MEAN REL HUM (PCT)	87	83	79	75	76	76	76	78	82	86	88	89	81	10	-140
MEAN PRESS ALT (FT)	4	40	95	75	52	22	14	38	21	49	88	82	48	0	-50
MEAN PRECIP (IN)	2.30	1.90	2.00	2.00	2.00	1.90	2.00	1.90	2.00	3.00	2.60	3.10	26.7	44	-28
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0					30	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	7.0	6.1	6.0	6.0	6.0	5.3	5.6	5.3	5.7	7.4	6.7	8.6	75.7	44	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0					30	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.2	1.0	1.0	1.0	3.0	3.0	2.0	2.0	2.0	0.4	0.3	1.0	16.9	10	-140
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 3 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	54.8	50.0	64.0	36.8	29.0	26.5	28.0	57.1	46.9	53.1	70.0	58.3	47.9	3	391
09-11 LST														0	0
12-14 LST	43.1	35.8	24.8	26.3	18.3	17.0	17.1	18.5	19.5	21.2	44.7	50.0	28.0	6	1328
15-17 LST														0	0
18-20 LST	37.8	34.8	31.1	20.0	12.5	8.3	8.3	40.0	20.0	11.1	71.4	72.2	30.6	3	247
21-23 LST														0	0
P FREQ LFS 300 FT A/D LES 1 MI														0	0
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	16.7	16.7	12.0	15.8	19.4	4.1	6.0	26.5	21.9	12.5	30.0	27.8	17.3	3	391
09-11 LST														0	0
12-14 LST	12.2	6.6	1.8	0.0	1.2	1.1	1.6	0.8	0.8	0.7	7.0	18.4	4.2	6	1328
15-17 LST														0	0
18-20 LST	10.8	8.7	2.2	5.7	0.0	0.0	0.0	10.0	6.7	5.6	28.6	38.9	9.8	3	247
21-23 LST														0	0

RENNES-ST. JACQUES, FRANCE

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	15.5	18.6	13.6	18.9	23.0	22.6	24.1	13.9	18.7	15.5	10.5	13.7	208.6	3	391
	12 LST	20.4	21.6	26.1	25.5	27.2	27.2	28.3	28.2	27.3	27.6	19.7	17.0	296.1	6	1328
	18 LST	20.9	20.6	22.7	27.4	31.0	30.0	31.0	24.8	26.0	29.2	10.7	8.6	282.9	3	247
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	00 LST														0	0
	06 LST	8.8	9.3	6.4	18.9	17.0	19.5	19.8	13.2	13.1	11.6	7.5	6.8	151.9	3	390
	12 LST	10.8	7.4	13.6	11.0	17.0	17.7	19.7	18.0	19.0	16.2	10.5	8.2	169.1	6	1327
	18 LST	15.0	13.3	19.2	12.3	19.3	20.0	23.2	13.7	22.0	27.5	6.4	5.4	197.3	3	244
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST														0	0
	06 LST	2.9	0.0	0.0	0.0	0.0	0.6	0.6	0.0	0.9	1.9	1.5	2.5	10.9	3	392
	12 LST	3.0	5.3	4.8	4.7	3.4	3.1	0.4	1.7	0.4	3.4	0.5	2.8	33.5	6	1319
	18 LST	1.6	0.0	0.6	2.6	0.0	5.0	0.0	6.2	0.0	0.0	0.0	1.8	17.8	3	246
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST														0	0
	06 LST	8.3	16.8	11.6	18.9	13.0	15.3	13.3	8.8	8.4	17.4	6.0	8.3	146.1	3	390
	12 LST	11.0	10.4	11.1	8.5	13.2	13.7	13.7	13.8	16.1	12.0	14.4	8.1	146.0	6	1305
	18 LST	15.5	12.1	16.9	11.4	19.3	16.3	19.7	21.7	10.7	18.2	8.5	5.4	175.7	3	241
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	5.9	0.0	3.7	15.7	6.0	6.8	6.0	3.2	2.8	3.8	0.0	5.0	58.9	3	391
	12 LST	3.2	6.0	6.8	2.5	4.9	6.8	6.2	6.2	3.3	3.3	2.3	3.4	54.9	6	1330
	18 LST	4.8	4.8	7.5	9.4	7.7	12.5	2.5	3.1	8.0	6.8	2.1	5.4	74.6	3	247
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	11.8	4.6	7.4	18.9	20.0	20.2	20.4	12.6	13.1	12.5	9.0	12.0	162.5	3	391
	12 LST	13.1	12.1	18.7	15.1	20.7	20.1	18.9	20.2	19.2	18.5	11.8	12.9	201.3	6	1328
	18 LST	16.7	14.6	19.2	18.8	23.2	27.5	23.2	12.4	20.0	25.8	6.4	8.6	216.4	3	247
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	11.0	4.6	7.4	18.9	19.0	17.7	16.7	12.0	12.1	8.7	6.0	11.1	145.2	3	391
	12 LST	11.0	9.2	16.7	11.3	18.1	16.0	14.8	16.5	18.0	15.3	10.2	12.0	167.1	6	1328
	18 LST	16.7	12.1	18.6	17.1	19.3	25.0	20.6	12.4	18.0	22.3	6.4	6.8	195.3	3	247
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	11.0	4.6	7.4	18.9	19.0	17.7	16.7	12.0	12.1	8.7	6.0	11.1	145.2	3	391
	12 LST	11.0	9.2	16.7	11.3	18.1	16.0	14.8	16.5	18.0	15.3	10.2	11.7	168.8	6	1328
	18 LST	16.7	12.1	18.6	17.1	19.3	25.0	20.6	12.4	18.0	22.3	6.4	6.8	195.3	3	247

CHATEAUDUN, FRANCE

STA NO. 07140 (IN AREA NUMBER 01)

LATITUDE 4803N

LONGITUDE 00122E

ELEVATION(FT) 00440

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PGR	NO.
														(YRS)	OBS
ABS MAX TMP (F)	64	64	78	86	93	97	105	102	93	81	67	63	105	21	-14558
MEAN MAX TMP (F)	44	46	54	59	66	73	77	76	70	60	50	43	60	30	-154
MEAN MIN TMP (F)	33	33	35	41	46	51	55	55	51	44	38	33	43	30	-154
ABS MIN TMP (F)	4	7	18	24	31	34	40	40	33	22	15	4	4	21	-14558
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0						0.0	0.0	0.0		30	-29
MEAN NO DYS TMP = DR LES 32(F)					0.0	0.0	0.0	0.0	0.0					21	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21	-29
MEAN DEW PT TMP (F)	34	35	37	42	48	52	56	55	54	48	40	37	45	0	-50
MEAN REL HUM (PCT)	87	80	73	73	72	71	69	72	76	82	87	87	77	10	-14558
MEAN PRESS ALT (FT)	320	355	406	415	385	357	364	371	344	356	391	385	371	0	-50
MEAN PRECIP (IN)	2.17	1.73	1.46	1.77	2.28	2.17	1.97	2.36	1.97	2.09	2.21	2.17	24.3	30	-140
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-14558
MEAN NO DYS PRCP = DR GTR 0.1 IN	6.7	5.6	4.8	5.5	6.4	5.9	5.5	6.3	5.6	5.8	6.1	6.7	70.9	30	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-14558
MEAN NO DYS W/OCLR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.2	0.3	1.0	1.0	2.0	3.0	2.0	2.0	1.0	0.3	0.2	0.1	13.1	10	-140
P FREQ WND SPD = DR GTR 17 KTS	7.5	6.5	6.3	7.1	5.4	3.4	3.8	5.0	3.3	4.3	5.1	5.9	5.3	6	-14558
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	-14558
P FREQ LES 5000 FT A/D LES 5 MI	74.8	71.9	67.4	60.7	50.4	45.1	45.2	48.5	45.7	57.8	77.1	72.1	59.7	11	-14558
P FREQ LES 1500 FT A/D LES 3 MI															
FDR 00-02 LST	54.1	37.4	39.3	18.9	17.1	10.9	4.3	9.8	12.1	34.5	36.8	37.7	26.1	7	-14558
03-05 LST	50.1	39.3	34.1	24.6	22.9	16.7	13.6	16.0	24.6	33.5	43.1	40.5	29.9	10	-14558
06-08 LST	48.1	52.4	43.4	34.1	23.9	21.8	19.7	23.9	34.4	46.0	57.2	51.2	38.0	11	-14558
09-11 LST	54.8	45.3	33.2	22.3	13.8	14.5	12.5	15.2	26.2	31.9	52.8	47.8	30.9	11	-14558
12-14 LST	40.0	29.3	16.5	9.7	6.1	5.1	4.3	6.1	13.9	16.0	39.2	37.6	18.7	11	-14558
15-17 LST	32.7	19.7	10.6	7.8	3.4	3.4	2.1	4.8	8.1	10.0	33.6	34.7	14.2	11	-14558
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	19.7	4.6	4.3	3.1	0.8	0.0	1.2	0.0	1.1	8.9	3.5	7.3	4.5	7	-14558
03-05 LST	10.3	9.2	5.3	4.0	5.1	0.8	1.5	1.6	5.3	9.5	8.7	8.7	6.3	10	-14558
06-08 LST	13.4	17.2	7.1	4.0	1.3	0.4	0.6	3.3	8.4	14.3	13.7	11.7	8.0	11	-14558
09-11 LST	11.8	10.1	1.2	0.7	0.0	0.0	0.0	0.7	1.6	7.3	10.7	10.5	4.6	11	-14558
12-14 LST	3.5	3.4	0.3	0.4	0.0	0.0	0.0	0.0	0.1	1.3	4.2	5.8	1.6	11	-14558
15-17 LST	4.7	1.9	0.2	0.7	0.3	0.2	0.0	0.0	0.0	1.4	2.9	5.9	1.5	11	-14558
18-20 LST														0	0
21-23 LST														0	0

CHATEAUDUN, FRANCE
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO, OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST	15.7	19.7	20.1	25.7	26.6	27.4	29.4	27.8	26.3	22.3	22.1	19.9	283.0	7	-14558
	06 LST	18.9	16.7	20.5	21.4	24.2	24.7	26.8	24.8	20.9	18.7	16.7	18.1	252.4	11	-14558
	12 LST	20.5	19.9	27.8	27.6	30.2	29.3	30.2	29.7	26.8	26.8	20.5	20.2	309.5	11	-14558
	18 LST	21.3	23.4	28.2	28.8	30.0	29.5	31.0	30.3	28.5	28.3	22.5	19.6	321.4	10	-14558
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	00 LST	12.3	16.3	16.3	21.0	24.2	25.2	28.1	24.6	23.2	19.5	14.8	13.9	239.4	7	-14558
	06 LST	12.2	12.0	16.3	16.2	21.2	21.9	23.7	22.9	18.4	15.8	10.5	11.6	202.7	11	-14558
	12 LST	10.2	8.9	13.3	13.9	18.7	17.9	19.5	18.8	16.9	16.3	8.5	9.5	172.4	11	-14558
	18 LST	15.2	16.9	19.4	16.6	21.1	20.9	22.6	22.1	24.9	25.3	13.7	13.1	231.8	10	-14558
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.3	0.3	1.2	7	-14558
	06 LST	0.6	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.1	1.7	11	-14558
	12 LST	0.3	0.4	0.6	0.5	0.5	0.0	0.0	0.3	0.0	0.0	1.0	0.4	4.0	11	-14558
	18 LST	0.6	0.3	0.3	0.5	0.0	0.2	0.3	0.3	0.0	0.3	0.2	0.3	3.3	10	-14558
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST	9.3	10.2	14.7	17.1	11.7	14.8	15.2	11.2	12.7	11.8	10.7	11.1	150.5	7	-14558
	06 LST	7.9	9.3	12.1	13.8	16.8	16.5	15.7	15.1	13.7	11.9	12.0	9.9	154.7	11	-14558
	12 LST	13.5	14.8	18.2	17.5	19.1	19.2	20.2	19.5	19.3	18.4	14.8	12.6	207.1	11	-14558
	18 LST	11.0	16.4	17.4	17.8	21.0	19.9	20.0	17.3	17.8	14.3	13.5	10.9	197.3	10	-14558
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST	6.3	7.2	6.7	7.8	10.5	11.3	14.9	12.8	12.1	13.6	4.1	6.3	113.6	7	-14558
	06 LST	6.5	5.5	4.4	3.6	6.6	8.0	6.9	6.6	6.3	4.3	2.5	5.0	66.2	11	-14558
	12 LST	4.9	3.1	5.1	4.0	2.9	3.7	3.1	4.1	6.0	4.9	1.5	3.2	46.5	11	-14558
	18 LST	5.0	5.7	6.0	3.0	3.5	5.8	4.8	5.4	6.8	7.2	2.0	3.9	59.1	10	-14558
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST	13.0	16.3	17.2	22.2	24.2	25.5	27.8	26.8	23.8	19.5	16.2	18.1	250.6	7	-14558
	06 LST	14.9	13.6	17.1	17.7	22.3	23.2	23.7	23.6	19.5	16.7	11.0	13.8	217.1	11	-14558
	12 LST	16.4	14.3	19.0	21.2	24.7	24.3	24.9	25.8	22.3	20.8	12.9	14.1	240.7	11	-14558
	18 LST	18.3	21.2	25.5	26.6	27.0	28.2	29.6	28.3	26.5	27.0	16.1	16.2	290.5	10	-14558
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST	10.0	11.4	10.5	16.0	16.9	20.3	23.9	20.1	20.4	16.7	7.6	14.3	188.1	7	-14558
	06 LST	10.5	10.2	11.8	12.3	17.9	19.5	18.4	18.0	15.7	11.8	7.0	9.6	162.7	11	-14558
	12 LST	11.5	10.0	11.4	11.5	12.8	13.0	12.7	13.8	15.3	15.5	7.8	10.5	145.8	11	-14558
	18 LST	14.1	13.8	16.2	15.1	17.0	18.5	18.4	16.8	21.3	20.9	10.8	11.5	194.4	10	-14558
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST	9.3	9.8	9.2	14.4	14.9	18.1	22.0	18.9	18.6	16.4	6.6	11.1	169.3	7	-14558
	06 LST	9.1	8.9	10.1	10.9	14.7	17.1	13.8	14.6	12.4	8.6	5.1	8.8	134.1	11	-14558
	12 LST	10.2	8.2	10.1	10.4	11.2	12.3	10.1	12.3	13.1	13.7	6.6	8.5	126.7	11	-14558
	18 LST	12.8	12.1	14.4	12.4	14.2	17.1	14.0	14.2	18.2	18.2	9.3	9.6	166.5	10	-14558

DREUX AB, FRANCE

STA NO. 07141 (IN AREA NUMBER 01)

LATITUDE 4839N

LONGITUDE 00106E

ELEVATION(FT) 00611

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	56	67	70	75	80	90	94	86	85	79	69	60	94	8	2360
MEAN MAX TMP (F)	43	45	52	56	64	69	72	71	68	59	48	44	58	8	2360
MEAN MIN TMP (F)	33	32	36	39	45	49	53	53	49	44	38	36	42	8	2360
ABS MIN TMP (F)	4	6	17	27	31	33	36	42	37	28	17	16	4	8	2360
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.2	1.0	0.0	0.0	0.0	0.0	0.0	1.2	8	2360
MEAN NO DYS TMP = DR LES 32(F)	15.1	13.8	10.8	3.7	0.5	0.0	0.0	0.0	0.0	1.0	6.3	10.6	61.8	8	2360
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2360
MEAN DEW PT TMP (F)	35	34	37	39	46	51	54	54	51	46	40	37	44	8	57075
MEAN REL HUM (PCT)	88	84	81	76	74	75	76	77	79	85	88	89	81	8	57074
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	2.74	1.89	1.46	1.42	1.46	1.93	1.40	1.75	1.94	2.25	1.91	2.15	22.3	9	2448
MEAN SNOW FALL (IN)	2.1	1.6	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	6.5	9	2459
MEAN NO DYS PRCF = DR GTR 0.1 IN	6.9	5.3	4.0	4.0	4.2	4.8	4.8	5.0	4.7	4.4	5.3	7.3	61.3	9	2448
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.3	0.4	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	1.8	9	2459
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	5.1	6.5	4.2	3.3	2.0	2.0	2.7	2.0	4.5	6.7	7.8	7.7	54.5	8	2386
MEAN NO DYS TSTMS	0.4	0.1	0.6	0.7	3.2	3.8	3.3	3.2	1.3	1.0	0.3	0.0	17.9	8	2360
P FREQ WND SPD = DR GTR 17 KTS	7.8	7.1	3.1	4.8	2.7	1.7	2.3	4.0	2.5	3.6	4.2	8.4	4.4	8	57075
P FREQ WND SPD = DR GTR 28 KTS	0.4	0.5	0.0	0.0	0.0	0.0	0.2	0.1	0.0	0.1	0.0	0.3	0.1	8	57075
P FREQ LES 3000 FT A/D LES 5 MI	67.0	66.7	58.1	57.4	46.4	45.2	43.0	44.4	46.0	58.1	72.0	73.0	56.4	12	70294
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	42.0	33.7	22.3	22.3	14.5	14.1	11.1	12.4	18.8	35.5	45.1	45.0	26.4	9	7084
03-05 LST	39.4	40.4	34.0	34.0	25.1	24.6	23.6	20.7	28.9	41.1	49.8	49.1	34.2	10	7543
06-08 LST	46.6	52.8	44.8	39.3	27.0	24.5	28.5	25.9	35.5	46.8	54.6	49.1	39.6	12	10557
09-11 LST	49.4	50.2	34.9	24.5	12.1	11.5	13.3	13.4	22.4	37.0	52.7	49.2	30.9	12	10552
12-14 LST	41.0	38.5	20.1	14.8	6.7	6.0	5.6	5.9	9.4	19.9	37.2	46.9	21.0	12	10553
15-17 LST	36.5	34.5	14.5	10.8	5.7	5.6	3.6	5.2	6.5	16.4	31.6	44.7	18.0	12	9801
18-20 LST	36.3	30.1	17.1	11.3	4.8	5.9	2.7	5.1	7.1	20.6	36.3	41.2	18.2	8	7153
21-23 LST	38.9	31.1	19.3	14.4	6.8	8.3	4.7	8.1	8.8	26.0	39.2	38.7	20.4	8	7078
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	8.4	9.6	2.0	4.3	0.5	0.4	1.6	1.2	5.0	14.8	12.7	13.2	6.1	9	7084
03-05 LST	9.8	13.1	6.6	8.1	4.9	4.6	5.1	3.7	10.5	18.5	14.8	16.4	9.7	10	7543
06-08 LST	14.2	18.7	11.6	8.7	4.7	3.5	4.2	3.5	13.3	22.4	15.3	16.2	11.4	12	10557
09-11 LST	14.0	14.8	4.8	2.5	0.5	0.1	0.0	0.1	3.1	10.7	13.8	12.4	6.4	12	10552
12-14 LST	9.2	8.0	0.6	1.0	0.0	0.1	0.0	0.0	0.9	2.7	4.9	9.1	3.0	12	10553
15-17 LST	9.4	6.8	0.8	1.2	0.0	0.0	0.0	0.1	0.2	3.1	4.3	8.1	2.8	12	9801
18-20 LST	6.3	8.6	0.6	0.0	0.4	0.0	0.2	0.0	0.7	5.0	6.2	7.5	3.0	8	7153
21-23 LST	8.3	9.1	1.9	0.6	0.2	0.0	1.3	0.2	0.5	10.6	10.3	7.7	4.2	8	7078

DREUX AB, FRANCE
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST	18.7	19.9	25.5	25.6	29.0	27.3	29.2	28.8	26.5	22.6	17.6	18.9	209.6	9	2365
	06 LST	18.5	15.8	18.8	19.6	23.0	23.0	22.6	24.6	19.9	17.5	16.3	17.7	237.3	12	3519
	12 LST	19.3	17.7	25.5	26.6	29.8	29.2	29.9	30.5	27.7	25.1	19.9	18.8	300.0	12	3519
	18 LST	20.5	19.6	27.4	27.2	29.8	28.9	30.4	30.3	28.8	25.7	21.6	19.6	309.8	12	3517
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	00 LST	10.1	10.5	18.6	18.3	23.8	24.3	24.9	23.7	21.7	16.3	11.4	10.6	214.2	9	2365
	06 LST	10.0	9.0	12.9	13.1	17.9	18.7	17.5	18.5	15.7	11.9	7.8	9.2	162.2	12	3519
	12 LST	6.9	5.6	10.9	10.4	16.6	17.6	17.4	17.1	15.0	12.6	7.4	7.3	144.8	12	3519
	18 LST	11.3	10.1	17.4	14.3	19.2	20.0	21.7	21.5	23.1	20.2	12.6	11.4	202.8	12	3517
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST	0.9	0.8	0.1	0.2	0.2	0.3	0.3	0.4	0.2	0.1	0.6	1.3	5.4	9	2365
	06 LST	0.6	0.6	0.2	0.3	0.1	0.0	0.1	0.3	0.0	0.2	0.5	1.6	4.5	12	3519
	12 LST	1.7	2.1	1.3	2.0	0.7	0.8	0.4	1.2	1.0	0.5	1.4	2.0	15.1	12	3519
	18 LST	1.0	0.7	0.4	1.3	0.9	0.3	0.7	1.1	0.3	0.5	0.4	1.0	8.6	12	3517
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST	9.3	7.8	11.9	14.9	15.5	11.8	11.8	13.8	13.3	14.7	14.3	11.3	150.4	9	2365
	06 LST	9.1	7.1	11.4	13.3	14.0	15.0	14.3	11.8	12.3	13.6	11.0	8.2	141.1	12	3519
	12 LST	11.1	9.8	15.9	13.1	17.8	17.5	16.7	17.6	17.6	16.3	13.0	12.5	178.9	12	3519
	18 LST	10.8	10.5	15.3	15.4	19.3	16.2	21.4	18.0	18.4	15.3	15.0	11.5	187.1	12	3517
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST	7.4	8.8	12.1	10.9	12.8	14.5	12.4	12.5	13.6	10.5	5.3	5.1	125.9	9	2365
	06 LST	5.7	5.3	5.4	3.9	5.4	5.8	5.7	5.3	5.5	3.7	2.5	5.0	59.2	12	3519
	12 LST	4.2	3.2	4.3	2.7	3.6	3.2	2.5	2.7	5.0	4.3	1.6	2.5	39.8	12	3519
	18 LST	5.3	4.3	5.6	4.3	4.7	3.5	4.0	4.5	6.5	7.3	3.7	4.0	57.7	12	3511
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST	14.9	16.5	22.5	22.3	27.0	25.5	27.2	25.8	25.5	19.4	14.3	14.1	255.0	9	2365
	06 LST	14.5	12.7	15.0	15.1	20.1	19.9	19.8	20.9	17.5	14.8	11.7	14.1	196.1	12	3519
	12 LST	15.2	13.5	20.1	20.4	24.8	25.9	25.2	24.5	23.7	19.0	13.2	13.5	239.0	12	3519
	18 LST	16.5	16.5	24.4	24.5	28.2	27.6	28.9	28.4	27.3	22.9	17.0	15.5	277.7	12	3517
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST	11.1	13.4	18.5	18.6	23.5	23.2	23.9	22.6	22.9	15.6	9.9	10.3	213.5	9	2365
	06 LST	10.8	9.8	11.4	11.7	15.7	17.1	16.3	16.0	14.8	11.1	7.8	10.4	152.9	12	3519
	12 LST	11.4	9.4	12.2	10.1	12.3	12.5	13.0	12.6	15.2	12.7	8.6	10.2	140.2	12	3519
	18 LST	11.0	12.1	17.2	16.6	17.5	16.8	20.7	19.0	20.3	16.9	12.0	11.1	191.0	12	3517
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST	9.4	12.7	16.8	16.4	19.7	19.5	19.4	19.7	19.3	14.1	8.3	8.4	183.7	9	2365
	06 LST	9.6	8.4	9.4	9.5	12.7	13.2	12.2	12.9	11.6	8.6	5.9	8.8	122.8	12	3519
	12 LST	9.8	7.3	11.0	8.7	10.4	10.9	10.4	10.2	12.7	11.3	7.2	7.5	117.4	12	3519
	18 LST	10.0	10.3	14.7	13.3	14.3	14.2	15.0	14.2	16.8	14.5	9.5	9.6	156.4	12	3517

TOUSSUS-LE-NOBLE, FRANCE

STA NO. 07146 (IN AREA NUMBER 01)

LATITUDE 4845N

LONGITUDE 00207E

ELEVATION(FT) 00538

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	58	63	76	86	89	99	103	98	91	82	68	51	103	13	-7149
MEAN MAX TMP (F)	43	45	53	59	66	72	76	75	69	60	48	42	59	30	-7149
MEAN MIN TMP (F)	33	34	37	42	48	53	57	56	52	46	39	34	44	30	-7149
ABS MIN TMP (F)	9	5	23	29	32	39	46	45	38	25	21	9	5	7	-7149
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.8	2.4	1.1	0.3	0.0	0.0	4.6	13	-7149
MEAN NO DYS TMP = DR LES 32(F)	19.0	13.5	8.5	1.0	0.3	0.0	0.0	0.0	0.0	1.1	6.7	9.3	59.4	7	-7149
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	-7149
MEAN DEW PT TMP (F)	32	35	38	41	48	52	55	54	53	47	40	36	44	13	-7149
MEAN REL HUM (PCT)	88	84	76	68	71	71	67	71	78	83	87	88	78	13	-7149
MEAN PRESS ALT (FT)	426	459	509	511	480	454	461	471	444	460	498	494	472	0	-50
MEAN PRECIP (IN)	2.17	1.77	1.38	1.65	2.09	2.17	2.17	2.56	2.17	1.97	2.13	2.01	24.2	30	-7149
MEAN SNOW FALL (IN)	0.0	3.5	11.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14.5	1	-7149
MEAN NO DYS PRCP = DR GTR 0.1 IN	6.7	5.7	4.6	5.3	6.1	5.9	5.9	6.7	6.0	5.6	5.9	6.3	70.7	30	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	1.0	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	1	-7149
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	7.3	3.5	2.8	0.1	0.4	0.2	0.3	0.5	1.2	4.4	7.4	6.9	35.0	13	-7149
MEAN NO DYS TSTMS	0.0	0.2	0.7	1.1	3.3	3.1	3.7	3.2	1.7	0.2	0.2	0.0	17.4	13	-7149
P FREQ WND SPD = DR GTR 17 KTS	7.3	13.9	5.4	7.7	4.2	2.3	2.5	3.7	3.5	4.5	5.3	5.7	5.5	13	-7149
P FREQ WND SPD = DR GTR 28 KTS	0.2	1.2	0.2	0.3	0.1	0.0	0.0	0.0	0.2	0.3	0.1	0.2	0.2	13	-7149
P FREQ LES 5000 FT A/D LES 5 MI	77.2	73.7	63.0	37.1	35.6	32.7	28.6	34.0	41.7	64.3	73.0	76.4	53.1	13	-7149
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	47.0	37.5	30.2	8.1	7.3	5.0	3.4	5.6	11.7	28.0	40.7	46.2	22.6	13	-7149
03-05 LST	48.0	41.1	32.9	12.1	15.8	14.1	9.9	11.7	19.8	36.0	45.9	47.0	27.7	13	-7149
06-08 LST	52.3	48.6	52.3	37.8	27.1	13.7	19.4	31.3	39.8	55.4	57.7	50.7	40.5	7	-7149
09-11 LST	68.3	57.9	53.4	28.5	17.4	12.7	13.9	19.2	30.4	54.4	64.1	66.7	40.6	13	-7149
12-14 LST	55.8	43.3	30.4	9.2	6.7	5.2	4.6	8.1	11.3	28.9	49.5	57.9	25.9	13	-7149
15-17 LST	48.2	36.3	22.6	5.4	4.7	4.2	2.2	4.0	4.2	18.6	39.1	49.8	19.9	13	-7149
18-20 LST	52.8	40.9	27.8	4.4	5.3	3.8	2.4	4.0	7.7	25.8	41.1	47.3	21.9	13	-7149
21-23 LST	50.0	34.8	27.6	5.2	5.9	3.5	2.4	3.4	6.3	23.8	39.9	48.1	20.9	13	-7149
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	15.7	5.9	3.4	0.0	0.6	0.2	0.0	0.4	2.1	5.4	16.1	16.7	5.5	13	-7149
03-05 LST	17.3	7.9	4.8	0.2	2.2	1.9	0.4	2.6	3.1	9.1	19.8	17.4	7.2	13	-7149
06-08 LST	23.2	11.3	10.6	1.3	2.3	0.7	0.6	2.6	7.4	15.9	24.2	19.7	10.0	7	-7149
09-11 LST	29.2	17.1	14.3	0.4	0.2	0.4	0.4	0.8	3.1	14.7	25.9	29.2	11.3	13	-7149
12-14 LST	19.0	6.3	5.2	0.0	0.2	0.2	0.0	0.0	0.2	3.2	12.8	14.5	5.1	13	-7149
15-17 LST	15.9	5.2	2.6	0.0	0.0	0.2	0.2	0.4	0.0	2.3	10.9	12.0	4.1	13	-7149
18-20 LST	17.5	5.2	3.2	0.6	0.6	0.4	0.2	0.4	0.2	2.0	10.7	12.4	4.5	13	-7149
21-23 LST	16.3	5.0	2.0	0.0	0.4	0.0	0.0	0.2	0.4	2.2	14.3	14.4	4.6	13	-7149

TOUSSUS-LE-NOBLE, FRANCE

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST	18.2	18.1	24.1	28.3	29.5	28.7	29.7	29.8	27.4	23.5	19.1	17.7	294.1	13	-7149
	06 LST	18.3	16.6	17.6	19.4	23.0	25.5	23.6	21.5	18.1	15.3	16.0	18.2	233.1	7	-7149
	12 LST	15.2	16.9	23.0	28.2	29.7	28.6	29.8	29.0	27.5	22.4	16.5	14.8	281.6	13	-7149
	18 LST	16.3	16.5	23.8	29.0	30.1	29.1	30.4	30.0	28.0	23.2	19.1	17.0	292.5	13	-7149
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	00 LST	8.5	9.3	14.7	19.3	22.6	22.9	24.8	24.2	21.1	17.0	10.3	9.0	203.7	13	-7149
	06 LST	10.0	8.7	10.8	13.5	16.0	19.1	16.5	17.3	14.7	11.1	9.7	9.2	158.6	7	-7149
	12 LST	3.8	3.8	7.9	9.5	14.3	13.1	15.5	15.0	13.1	9.9	4.0	3.3	113.2	13	-7149
	18 LST	7.0	6.6	12.6	14.0	15.3	16.0	15.5	19.2	20.5	17.5	10.3	7.6	162.1	13	-7149
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST	1.5	1.7	0.3	0.2	0.5	0.2	0.0	0.0	0.1	0.5	0.7	0.9	6.6	13	-7149
	06 LST	1.3	2.1	0.8	0.6	0.1	0.1	0.0	0.3	0.0	0.6	0.5	0.3	6.7	7	-7149
	12 LST	1.9	3.2	2.4	3.0	2.3	1.0	1.1	1.3	1.5	1.7	1.9	2.0	23.3	13	-7149
	18 LST	1.3	1.6	1.4	2.0	1.5	0.5	0.5	1.0	0.7	0.5	0.7	0.8	12.5	13	-7149
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST	8.8	8.4	16.0	17.7	18.1	19.0	20.0	19.3	16.8	16.0	13.7	10.7	184.9	13	-7149
	06 LST	7.8	7.7	12.1	16.8	16.6	17.5	18.1	17.5	16.2	15.3	13.4	11.2	170.2	7	-7149
	12 LST	9.6	8.6	12.5	12.2	15.8	15.0	15.6	15.2	15.2	16.2	11.2	10.2	157.3	13	-7149
	18 LST	9.9	10.5	15.5	15.1	15.1	15.4	16.7	17.1	17.4	18.4	15.1	12.8	179.0	13	-7149
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST	6.6	6.1	11.2	14.8	14.4	13.8	16.3	14.5	13.3	11.4	6.2	4.7	133.3	11	-7149
	06 LST	8.0	4.3	5.4	7.8	7.8	5.0	9.0	5.0	6.2	5.7	4.7	3.2	72.1	5	-7149
	12 LST	3.0	2.1	5.6	8.1	6.3	4.6	6.5	5.4	5.4	5.6	1.9	1.3	55.8	11	-7149
	18 LST	4.6	3.3	6.3	8.4	5.7	7.0	8.0	7.6	6.7	6.5	5.2	3.6	72.9	11	-7149
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST	14.4	14.9	21.0	26.4	28.4	27.3	29.0	28.1	25.3	20.5	16.0	13.5	264.8	13	-7149
	06 LST	15.1	13.0	14.6	16.2	20.1	22.6	21.8	18.1	15.4	12.6	11.8	13.2	194.5	7	-7149
	12 LST	10.9	11.5	17.5	24.3	25.5	24.5	26.6	24.9	22.6	17.3	12.1	10.3	228.0	13	-7149
	18 LST	12.4	12.9	20.8	27.5	28.4	27.5	29.0	28.9	26.5	20.7	15.3	13.0	262.9	13	-7149
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST	11.2	10.5	17.3	22.8	24.6	23.0	25.6	25.0	21.4	16.8	11.6	9.4	219.2	13	-7149
	06 LST	13.0	9.3	11.3	13.4	17.8	19.5	18.0	13.5	12.2	9.0	7.8	8.7	153.5	7	-7149
	12 LST	8.1	8.2	13.6	19.0	19.4	16.5	20.3	19.0	18.5	14.3	9.7	7.1	173.7	13	-7149
	18 LST	8.9	8.8	16.2	24.2	23.8	22.6	24.9	24.7	21.8	16.2	11.0	9.0	212.1	13	-7149
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST	10.8	10.1	16.7	21.9	23.4	21.6	24.7	24.5	20.8	16.1	11.0	8.9	210.5	13	-7149
	06 LST	12.5	9.0	11.1	13.2	16.5	17.8	17.5	12.1	11.7	8.1	7.2	7.5	144.2	7	-7149
	12 LST	7.5	8.1	13.3	18.6	18.9	16.0	19.9	18.2	17.9	13.9	9.5	6.1	167.9	13	-7149
	18 LST	8.7	8.6	15.6	23.4	22.5	21.2	23.6	24.1	21.1	15.5	10.6	8.4	203.3	13	-7149

VILLACOUBLAY-VELIZY, FRANCE

STA NO. 07147 (IN AREA NUMBER 01)

LATITUDE 4846N

LONGITUDE 00212E

ELEVATION(FT) 00577

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	58	63	76	86	89	99	103	98	91	82	65	61	103	13	-7149
MEAN MAX TMP (F)	41	43	52	58	64	70	74	73	68	58	49	43	58	30	-140
MEAN MIN TMP (F)	33	33	37	41	47	52	56	55	52	46	39	34	44	30	-140
ABS MIN TMP (F)	9	5	23	29	32	39	46	45	38	25	21	9	5	7	-7149
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.8	2.4	1.1	0.3	0.0	0.0	0.0	4.6	13	-7149
MEAN NO DYS TMP = 7R LES 32(F)	19.0	13.5	8.5	1.0	0.3	0.0	0.0	0.0	0.0	1.1	6.7	9.3	59.4	7	-7149
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	-7149
MEAN DEN PT TMP (F)	34	31	35	41	44	48	55	51	51	43	41	36	43	0	-50
MEAN REL HUM (PCT)	88	85	78	72	74	76	75	78	81	86	90	91	81	10	-140
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	2.17	1.73	1.46	1.61	1.97	1.85	2.05	2.36	1.97	1.97	2.05	2.09	23.3	30	-149
MEAN SNOW FALL (IN)	0.0	3.5	11.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14.5	1	-7149
MEAN NO DYS PRCP = DR GTR 0.1 IN	6.7	5.6	4.8	5.2	5.9	5.2	5.7	6.3	5.6	5.6	5.8	6.5	68.9	30	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	1.0	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	1	-7149
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	7.3	3.5	2.8	0.1	0.4	0.2	0.3	0.5	1.2	4.4	7.4	6.9	35.0	13	-7149
MEAN NO DYS TSTMS	0.0	0.1	1.0	1.0	3.0	3.0	3.0	3.0	1.0	0.1	1.0	0.0	16.2	10	-140
P FRQ WND SPD = DR GTR 17 KTS	7.3	13.9	5.4	7.7	4.2	2.3	2.5	3.7	3.5	4.5	5.3	5.7	5.5	13	-7149
P FRQ WND SPD = DR GTR 28 KTS	0.2	1.2	0.2	0.3	0.1	0.0	0.0	0.0	0.2	0.3	0.1	0.2	0.2	13	-7149
P FRQ LES 5000 FT A/D LES 5 MI	78.9	80.5	61.7	42.7	42.2	33.4	37.8	52.2	51.1	58.3	80.1	70.0	57.4	5	9987
P FRQ LES 1500 FT A/D LES 3 MI															
FDR 00-02 LST	53.3	36.4	22.2	7.8	17.2	7.1	3.3	10.8	20.0	31.2	55.6	45.2	25.8	2	999
03-05 LST	54.8	44.0	25.0	24.4	34.4	10.7	16.1	35.5	37.8	38.7	62.2	46.2	35.8	2	1032
06-08 LST	57.6	54.6	46.0	27.3	29.0	16.7	22.7	32.9	37.5	31.2	64.2	64.5	42.1	5	1726
09-11 LST	64.5	60.7	41.7	27.8	22.6	9.5	12.9	22.6	31.1	36.6	60.0	57.0	37.3	2	1032
12-14 LST	53.2	56.7	32.8	15.3	14.4	7.6	10.4	15.5	16.7	17.9	60.8	53.2	29.5	5	1726
15-17 LST	56.1	55.2	25.0	14.4	8.7	2.4	4.3	7.5	12.2	18.3	62.2	38.7	25.4	2	965
18-20 LST	51.0	36.8	18.0	8.7	9.9	2.8	4.5	12.9	14.2	32.5	55.0	41.9	24.0	5	1610
21-23 LST	55.6		23.7	8.0	8.6	2.4	2.2	9.7	16.7	27.2	45.6	35.5		2	916
P FRQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	21.1	3.6	13.9	1.1	0.0	0.0	0.0	3.2	5.6	11.8	30.0	18.3	9.1	2	999
03-05 LST	24.7	6.0	11.1	2.2	6.5	2.4	0.0	14.0	17.8	14.0	41.1	21.5	13.4	2	1032
06-08 LST	29.3	17.7	22.7	3.3	6.0	3.5	5.2	8.4	15.8	32.5	43.3	32.3	18.3	5	1726
09-11 LST	23.7	13.1	5.6	0.0	0.0	0.0	0.0	2.2	5.6	7.5	35.6	23.7	9.8	2	1032
12-14 LST	21.0	10.6	6.3	1.3	0.0	0.0	1.3	0.6	3.3	8.1	26.7	17.7	8.1	5	1726
15-17 LST	22.0	6.9	8.3	2.2	0.0	0.0	0.0	2.2	1.1	4.3	31.1	12.9	7.6	2	965
18-20 LST	20.0	15.8	5.5	0.0	0.6	0.0	0.0	0.6	0.8	13.0	25.8	19.4	8.5	5	1610
21-23 LST	12.7		5.3	0.0	0.0	0.0	0.0	0.0	3.3	6.5	21.1	11.8		2	916

VILLACOUBLAY-VELIZY, FRANCE

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST	18.0	22.0	25.8	28.0	29.0	27.9	31.0	29.0	26.0	24.0	17.0	17.0	296.7	2	345
	06 LST	16.0	14.4	15.7	23.6	23.0	25.5	24.5	23.6	20.5	14.7	12.0	9.5	223.0	5	1047
	12 LST	15.5	14.4	22.3	27.0	29.1	29.6	27.9	27.0	25.0	23.8	12.5	14.0	268.1	5	1038
	18 LST	16.9	19.3	26.8	28.6	29.9	30.0	30.3	28.0	26.5	20.3	13.0	15.5	285.1	5	1003
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	00 LST	11.0	8.0	20.6	26.0	24.0	27.9	27.0	23.0	23.0	21.0	15.0	17.0	243.5	2	345
	06 LST	7.7	7.5	12.5	19.6	20.7	22.8	21.2	19.3	18.0	10.1	9.0	6.0	174.4	5	1040
	12 LST	7.5	4.6	14.9	13.3	15.8	18.0	18.5	18.3	15.0	14.2	5.5	6.0	151.6	5	1038
	18 LST	10.1	10.1	19.8	17.8	19.0	22.1	20.2	20.6	23.0	17.7	8.5	9.5	198.4	5	1001
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST	3.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.0	2	345
	06 LST	1.7	1.3	0.8	1.0	0.7	0.3	0.0	1.0	0.5	0.0	2.0	1.0	10.3	5	1040
	12 LST	2.7	3.6	2.0	4.6	2.3	1.3	2.3	2.6	1.5	2.0	3.5	2.0	30.4	5	1037
	18 LST	2.9	3.3	2.1	3.7	3.1	1.3	1.3	1.6	1.0	0.5	2.0	1.5	24.3	5	1002
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST	5.0	14.0	18.0	19.0	18.0	19.6	19.0	19.0	14.0	19.0	19.0	9.0	192.6	2	345
	06 LST	6.0	6.9	12.2	14.3	12.5	14.6	15.5	14.0	11.5	13.2	10.0	8.5	139.2	5	1040
	12 LST	7.8	7.2	15.2	11.3	12.3	16.7	17.1	17.0	15.0	19.3	11.0	9.6	159.5	5	1034
	18 LST	8.2	5.3	15.6	13.4	11.2	17.3	17.8	15.5	16.5	18.2	12.5	12.6	164.1	5	998
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST	10.0	5.0												1	59
	06 LST	5.7	5.6	4.7	5.0	8.9	12.5	9.1	10.0	4.0	3.1	3.0	1.0	72.6	4	755
	12 LST	3.0	2.3	7.0	5.0	7.0	8.5	6.6	4.5	5.0	2.0	1.0	2.0	53.9	4	753
	18 LST	5.0	1.9	8.7	3.5	8.4	8.0	7.1	4.5	6.0	2.0	2.0	1.0	58.1	4	718
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST	12.0	13.0	20.6	27.0	23.0	26.8	28.0	26.0	21.0	22.0	14.0	15.0	248.4	2	345
	06 LST	10.5	10.8	12.8	20.0	19.9	22.8	20.2	17.3	16.0	12.1	8.5	6.0	176.9	5	1040
	12 LST	11.2	8.2	17.8	20.6	20.0	21.1	22.2	20.6	18.0	17.7	7.0	10.0	194.4	5	1038
	18 LST	12.4	13.0	21.4	23.9	25.0	25.2	26.6	23.6	24.0	17.7	10.0	11.5	234.3	5	1003
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST	12.0	6.0	18.0	24.0	21.0	24.8	25.0	21.0	18.0	22.0	12.0	13.0	216.8	2	345
	06 LST	8.5	8.5	11.0	17.0	18.1	21.4	18.5	14.3	13.5	11.1	7.0	4.0	152.9	5	1040
	12 LST	10.2	6.2	16.0	18.0	16.6	18.4	18.1	17.6	14.0	13.2	5.5	7.5	161.3	5	1038
	18 LST	10.5	9.6	18.7	20.5	21.8	22.5	24.9	20.0	22.5	16.7	8.0	9.5	205.2	5	1003
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST	11.0	6.0	15.5	23.0	18.0	21.7	23.0	20.0	18.0	21.0	11.0	10.0	198.2	2	345
	06 LST	8.2	8.5	10.7	16.3	17.9	21.4	17.8	14.0	13.5	9.1	6.0	3.5	146.9	5	1040
	12 LST	9.5	6.2	16.0	17.6	16.4	17.7	17.5	17.3	12.0	12.1	4.0	6.0	152.3	5	1038
	18 LST	10.3	9.6	18.7	19.5	21.3	21.4	23.9	19.3	21.0	15.2	8.0	7.5	195.7	5	1003

BRETIGNY-SUR-ORGE, FRANCE

STA NO. 07148 (IN AREA NUMBER 01)

LATITUDE 4835N

LONGITUDE 00220E

ELEVATION(FT) 00262

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	ND. QBS
ABS MAX TMP (F)	58	63	76	86	89	99	103	98	91	82	68	61	103	13	-7149
MEAN MAX TMP (F)	43	46	53	60	66	72	76	75	70	60	49	42	59	30	-154
MEAN MIN TMP (F)	33	34	36	41	47	52	56	55	51	45	39	34	44	30	-154
ABS MIN TMP (F)	9	5	23	29	32	39	46	45	38	25	21	9	5	7	-7149
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.8	2.4	1.1	0.3	0.0	0.0	0.0	4.6	13	-7149
MEAN NO DYS TMP = DR LES 32(F)	19.0	13.5	8.5	1.0	0.3	0.0	0.0	0.0	0.0	1.1	6.7	9.3	59.4	7	-7149
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	-7149
MEAN DEW PT TMP (F)	33	34	36	40	45	51	56	55	52	47	49	35	44	0	-50
MEAN REL HUM (PCT)	86	81	75	70	72	73	71	73	75	81	86	88	78	10	-140
MEAN PRESS ALT (FT)	147	181	232	234	204	177	183	193	167	183	220	215	195	0	-50
MEAN PRECIP (IN)	1.77	1.38	1.18	1.58	1.97	1.97	1.58	2.17	2.17	1.81	1.97	1.77	21.3	30	-149
MEAN SNOW FALL (IN)	0.0	3.5	11.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14.3	1	-7149
MEAN NO DYS PRCP = DR GTR 0.1 IN	5.7	4.6	4.0	5.1	5.9	5.5	4.6	5.9	6.0	5.3	5.6	5.7	63.9	30	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	1.0	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	1	-7149
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	7.3	3.5	2.8	0.1	0.4	0.2	0.3	0.5	1.2	4.4	7.4	6.9	35.0	13	-7149
MEAN NO DYS TSTMS	0.2	0.1	1.0	1.0	3.0	3.0	3.0	3.0	1.0	0.3	0.4	0.0	16.0	10	-140
P FREQ WND SPD = DR GTR 17 KTS	7.3	13.9	5.4	7.7	4.2	2.3	2.5	3.7	3.5	4.5	5.3	5.7	5.5	13	-7149
P FREQ WND SPD = DR GTR 28 KTS	0.2	1.2	0.2	0.3	0.1	0.0	0.0	0.0	0.2	0.3	0.1	0.2	0.2	13	-7149
P FREQ LES 5000 FT A/D LES 5 MI	77.2	73.7	63.0	37.1	35.6	32.7	28.6	34.0	41.7	64.3	73.0	76.4	53.1	13	-7149
P FREQ LES 1800 FT A/D LES 3 MI															
FOR 00-02 LST	47.0	37.5	30.2	8.1	7.3	5.0	3.4	5.6	11.7	28.0	40.7	46.2	22.6	13	-7149
03-05 LST	48.0	41.1	32.9	12.1	15.8	12.1	9.9	11.7	19.8	36.0	45.9	47.0	27.7	13	-7149
06-08 LST	52.3	48.6	52.3	37.8	27.1	13.7	19.4	31.3	39.8	55.4	57.7	50.7	40.5	7	-7149
09-11 LST	68.3	57.9	53.4	28.5	17.4	12.7	13.9	19.2	30.4	54.4	64.1	66.7	40.6	13	-7149
12-14 LST	55.8	43.3	30.4	9.2	6.7	5.2	4.6	8.1	11.3	28.9	49.5	57.9	25.9	13	-7149
15-17 LST	48.2	36.3	22.6	5.4	4.7	4.2	2.2	4.0	4.2	18.6	39.1	49.8	19.9	13	-7149
18-20 LST	52.8	40.9	27.8	4.4	5.3	3.8	2.4	4.0	7.7	25.8	41.1	47.3	21.9	13	-7149
21-23 LST	50.0	34.8	27.6	5.2	5.9	3.5	2.4	3.4	6.3	23.8	39.9	48.1	20.9	13	-7149
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	15.7	5.9	3.4	0.0	0.6	0.2	0.0	0.4	2.1	5.4	16.1	16.7	5.5	13	-7149
03-05 LST	17.3	7.9	4.8	0.2	2.2	1.9	0.4	2.6	3.1	9.1	19.8	17.4	7.2	13	-7149
06-08 LST	23.2	11.3	10.6	1.3	2.3	0.7	0.6	2.6	7.4	15.9	24.2	19.7	10.0	7	-7149
09-11 LST	29.2	17.1	14.3	0.4	0.2	0.4	0.4	0.8	3.1	14.7	25.9	29.2	11.3	13	-7149
12-14 LST	19.0	6.3	5.2	0.0	0.2	0.2	0.0	0.0	0.2	3.2	12.8	14.5	5.1	13	-7149
15-17 LST	15.9	5.2	2.6	0.0	0.0	0.2	0.2	0.4	0.0	2.3	10.9	12.0	4.1	13	-7149
18-20 LST	17.5	5.2	3.2	0.6	0.6	0.4	0.2	0.4	0.2	2.0	10.7	12.4	4.5	13	-7149
21-23 LST	16.3	5.0	2.0	0.0	0.4	0.0	0.0	0.2	0.4	2.2	14.3	14.4	4.6	13	-7149

BRETIGNY-SUR-ORGE, FRANCE

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST	18.2	18.1	24.1	28.3	29.5	28.7	29.7	29.8	27.4	23.5	19.1	17.7	294.1	13	-7149
	06 LST	18.3	16.6	17.6	19.4	23.0	25.5	23.6	21.5	18.1	15.3	16.0	18.2	233.1	7	-7149
	12 LST	15.2	16.9	23.0	28.2	29.7	28.6	29.8	29.0	27.5	22.4	16.5	14.8	281.6	13	-7149
	18 LST	16.3	16.5	23.8	29.0	30.1	29.1	30.4	30.0	28.0	23.2	19.1	17.0	292.5	13	-7149
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	00 LST	8.5	9.3	14.7	19.3	22.6	22.9	24.8	24.2	21.1	17.0	10.3	9.0	203.7	13	-7149
	06 LST	10.0	8.7	10.8	13.5	16.0	19.1	18.5	17.3	14.7	11.1	9.7	9.2	158.6	7	-7149
	12 LST	3.8	3.8	7.9	9.5	14.3	13.1	15.5	15.0	13.1	9.9	4.0	3.3	113.2	13	-7149
	18 LST	7.0	6.6	12.6	14.0	15.3	16.0	15.5	19.2	20.5	17.5	10.3	7.6	162.1	13	-7149
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST	1.5	1.7	0.3	0.2	0.5	0.2	0.0	0.0	0.1	0.5	0.7	0.9	6.6	13	-7149
	06 LST	1.3	2.1	0.8	0.6	0.1	0.1	0.0	0.3	0.0	0.6	0.5	0.3	6.7	7	-7149
	12 LST	1.9	3.2	2.4	3.0	2.3	1.0	1.1	1.3	1.5	1.7	1.9	2.0	23.3	13	-7149
	18 LST	1.3	1.6	1.4	2.0	1.5	0.5	0.5	1.0	0.7	0.5	0.7	0.8	12.5	13	-7149
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST	8.8	8.4	16.0	17.7	18.1	19.0	20.0	19.3	16.8	16.0	13.7	10.7	184.5	13	-7149
	06 LST	7.8	7.7	12.1	16.8	16.6	17.5	18.1	17.5	16.2	15.3	13.4	11.2	170.2	7	-7149
	12 LST	9.6	8.6	12.5	12.2	15.8	15.0	15.6	15.2	15.2	16.2	11.2	10.2	157.3	13	-7149
	18 LST	9.9	10.5	15.5	15.1	15.1	15.4	16.7	17.1	17.4	18.4	15.1	12.8	179.0	13	-7149
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST	6.6	6.1	11.2	14.8	14.4	13.8	16.3	14.5	13.3	11.4	6.2	4.7	133.3	11	-7149
	06 LST	8.0	4.3	5.4	7.8	7.8	5.0	9.0	5.0	6.2	5.7	4.7	3.2	72.1	5	-7149
	12 LST	3.0	2.1	5.6	8.1	6.3	4.6	6.5	5.4	5.4	5.6	1.9	1.3	55.8	11	-7149
	18 LST	4.6	3.3	6.3	8.4	5.7	7.0	8.0	7.6	6.7	6.5	5.2	3.6	72.9	11	-7149
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST	14.4	14.9	21.0	26.4	28.4	27.3	29.0	28.1	25.3	20.5	16.0	13.5	264.8	13	-7149
	06 LST	15.1	13.0	14.6	16.2	20.1	22.6	21.8	18.1	15.4	12.6	11.8	13.2	194.5	7	-7149
	12 LST	10.9	11.5	17.5	24.3	25.5	24.5	26.6	24.9	22.6	17.3	12.1	10.3	228.0	13	-7149
	18 LST	12.4	12.9	20.8	27.5	28.4	27.5	29.0	28.9	26.5	20.7	15.3	13.0	262.9	13	-7149
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST	11.2	10.5	17.3	22.8	24.6	23.0	25.6	25.0	21.4	16.8	11.6	9.4	219.2	13	-7149
	06 LST	13.0	9.3	11.3	13.4	17.8	19.5	18.0	13.5	12.2	9.0	7.8	8.7	153.5	7	-7149
	12 LST	8.1	8.2	13.6	19.0	19.4	16.5	20.3	19.0	18.5	14.3	9.7	7.1	173.7	13	-7149
	18 LST	8.9	8.8	16.2	24.2	23.8	22.6	24.9	24.7	21.8	16.2	11.0	9.0	212.1	13	-7149
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST	10.8	10.1	16.7	21.9	23.4	21.6	24.7	24.5	20.8	16.1	11.0	8.9	210.5	13	-7149
	06 LST	12.5	9.0	11.1	13.2	16.5	17.8	17.5	12.1	11.7	8.1	7.2	7.5	144.2	7	-7149
	12 LST	7.5	8.1	13.3	18.6	18.9	16.0	19.9	18.2	17.9	13.9	9.5	6.1	167.9	13	-7149
	18 LST	8.7	8.6	15.6	23.4	22.5	21.2	23.6	24.1	21.1	15.5	10.6	8.4	203.3	13	-7149

PARIS/ORLY, FRANCE

STA NO. 07149 (IN AREA NUMBER 01)

LATITUDE 4843N

LONGITUDE 00224E

ELEVATION(FT) 00292

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PLR (YRS)	NO. OBS
ABS MAX TMP (F)	58	63	76	86	89	99	103	98	91	82	68	61	103	13	4374
MEAN MAX TMP (F)	43	45	53	59	66	72	76	75	69	60	48	42	59	30	-154
MEAN MIN TMP (F)	33	34	37	42	48	53	57	56	52	46	39	34	44	30	-154
ABS MIN TMP (F)	9	5	23	29	32	39	46	45	38	25	21	9	5	7	2190
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.3	2.4	1.1	0.3	0.0	0.0	0.0	4.6	13	4374
MEAN NO DYS TMP = DR LES 32(F)	19.0	13.5	8.5	1.0	0.3	0.0	0.0	0.0	0.0	1.1	6.7	9.3	59.4	7	2190
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	2190
MEAN DEW PT TMP (F)	32	35	38	41	48	52	55	54	53	47	40	36	44	13	45946
MEAN REL HUM PCT)	88	84	76	68	71	71	67	71	78	83	87	88	78	13	45939
MEAN PRESS ALT (FT)	179	212	263	264	233	207	213	224	197	214	252	248	226	0	-50
MEAN PRECIP (IN)	2.17	1.77	1.38	1.65	2.09	2.17	2.17	2.56	2.17	1.97	2.13	2.01	24.2	30	-149
MEAN SNOW FALL (IN)	0.0	3.5	11.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14.5	1	365
MEAN NO DYS PRCP = DR GTR 0.1 IN	6.7	5.7	4.6	5.3	6.1	5.9	5.9	6.7	6.0	5.6	5.9	6.3	70.7	30	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	1.0	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	1	365
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	7.3	3.5	2.8	0.1	0.4	0.2	0.3	0.5	1.2	4.4	7.4	6.9	35.0	13	4371
MEAN NO DYS TSTMS	0.0	0.2	0.7	1.1	3.3	3.1	3.7	3.2	1.7	0.2	0.2	0.0	17.4	13	4371
P FREQ WND SPD = DR GTR 17 KTS	7.3	13.9	5.4	7.7	4.2	2.3	2.5	3.7	3.5	4.5	5.3	5.7	5.5	13	45919
P FREQ WND SPD = DR GTR 28 KTS	0.2	1.2	0.2	0.3	0.1	0.0	0.0	0.0	0.2	0.3	0.1	0.2	0.2	13	45919
P FREQ LES 5000 FT A/D LES 5 MI	77.2	73.7	63.0	37.1	35.6	32.7	28.6	34.0	41.7	64.3	73.0	76.4	53.1	13	45933
P FREQ LES 1900 FT A/D LES 3 MI															
FDR 00-02 LST	47.0	37.5	30.2	8.1	7.3	5.0	3.4	5.0	11.7	28.0	40.7	46.2	22.6	13	6016
03-05 LST	48.0	41.1	32.9	12.1	15.8	12.1	9.9	11.7	19.8	36.0	43.9	47.0	27.7	13	6015
06-08 LST	52.3	48.6	52.3	37.8	27.1	13.7	19.4	31.3	39.8	55.4	57.7	50.7	40.5	7	3832
09-11 LST	68.3	57.9	53.4	28.5	17.4	12.7	13.9	19.2	30.4	54.4	64.1	65.7	40.6	13	6017
12-14 LST	55.8	43.3	30.4	9.2	6.7	5.2	4.6	8.1	11.3	28.9	49.5	57.9	25.9	13	6014
15-17 LST	48.2	36.3	22.6	5.4	4.7	4.2	2.2	4.0	4.2	18.6	39.1	49.8	19.9	13	6017
18-20 LST	52.8	40.9	27.8	4.4	5.3	3.8	2.4	4.0	7.7	25.8	41.1	47.3	21.9	13	6014
21-23 LST	50.0	34.8	27.6	5.2	5.9	3.5	2.4	3.4	6.3	23.8	39.9	48.1	20.9	13	6011
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	15.7	5.9	3.4	0.0	0.6	0.2	0.0	0.4	2.1	5.4	16.1	16.7	5.5	13	6016
03-05 LST	17.3	7.9	4.8	0.2	2.2	1.9	0.4	2.6	3.1	9.1	19.8	17.4	7.2	13	6015
06-08 LST	23.2	11.3	10.6	1.3	2.3	0.7	0.6	2.6	1.4	15.9	24.2	19.7	10.0	7	3832
09-11 LST	29.2	17.1	14.3	0.4	0.2	0.4	0.4	0.8	3.1	14.7	25.9	29.2	11.3	13	6017
12-14 LST	19.0	6.3	5.2	0.0	0.2	0.2	0.0	0.0	0.2	3.2	12.8	14.5	5.1	13	6014
15-17 LST	15.9	5.2	2.6	0.0	0.0	0.2	0.2	0.4	0.0	2.3	10.9	12.0	4.1	13	6017
18-20 LST	17.5	5.2	3.2	0.6	0.6	0.4	0.2	0.4	0.2	2.0	10.7	12.4	4.5	13	6014
21-23 LST	16.3	5.0	2.0	0.0	0.4	0.0	0.0	0.2	0.4	2.2	14.3	14.4	4.6	13	6011

PARIS ORLY, FRANCE

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST	18.2	18.1	24.1	28.3	29.5	28.7	29.7	29.8	27.4	23.5	19.1	17.7	294.1	13	4372
	06 LST	18.3	16.6	17.6	19.4	23.0	25.5	23.6	21.5	18.1	15.3	16.0	18.2	233.1	7	2188
	12 LST	15.2	16.9	23.0	28.2	29.7	28.6	29.8	29.0	27.5	22.4	16.5	14.8	281.6	13	4372
	18 LST	16.3	16.5	23.8	29.0	30.1	29.1	30.4	30.0	28.0	23.2	19.1	17.0	292.5	13	4373
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	00 LST	8.5	9.3	14.7	19.3	22.6	22.9	24.8	24.2	21.1	17.0	10.3	9.0	203.7	13	4372
	06 LST	10.0	8.7	10.8	13.5	16.0	19.1	18.5	17.3	14.7	11.1	9.7	9.2	158.6	7	2188
	12 LST	3.8	3.8	7.9	9.5	14.3	13.1	15.5	15.0	13.1	9.9	4.0	3.3	113.2	13	4372
	18 LST	7.0	6.6	12.6	14.0	15.3	16.0	15.5	19.2	20.5	17.5	10.3	7.6	162.1	13	4373
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST	1.5	1.7	0.3	0.2	0.5	0.2	0.0	0.0	0.1	0.5	0.7	0.9	6.6	13	4372
	06 LST	1.3	2.1	0.8	0.6	0.1	0.1	0.0	0.3	0.0	0.6	0.5	0.3	6.7	7	2189
	12 LST	1.9	3.2	2.4	3.0	2.3	1.0	1.1	1.3	1.5	1.7	1.9	2.0	23.3	13	4372
	18 LST	1.3	1.6	1.4	2.0	1.5	0.5	0.5	1.0	0.7	0.5	0.7	0.8	12.5	13	4373
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST	8.8	8.4	16.0	17.7	18.1	19.0	20.0	19.3	16.8	16.0	13.7	10.7	184.5	13	4372
	06 LST	7.8	7.7	12.1	16.8	16.6	17.5	18.1	17.5	16.2	15.3	13.4	11.2	170.2	7	2189
	12 LST	9.6	8.6	12.5	12.2	15.8	15.0	15.6	15.2	15.2	16.2	11.2	10.2	157.3	13	4372
	18 LST	9.9	10.5	15.5	15.1	15.1	15.4	16.7	17.1	17.4	18.4	15.1	12.8	179.0	13	4373
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST	6.6	6.1	11.2	14.8	14.4	13.8	16.3	14.5	13.3	11.4	6.2	4.7	133.3	11	3915
	06 LST	8.0	4.3	5.4	7.8	7.8	5.0	9.0	5.0	6.2	5.7	4.7	3.2	72.1	5	1731
	12 LST	3.0	2.1	5.6	8.1	6.3	4.6	6.5	5.4	5.4	5.6	1.9	1.3	55.8	11	3915
	18 LST	4.6	3.3	6.3	8.4	5.7	7.0	8.0	7.6	6.7	6.5	5.2	3.6	72.9	11	3916
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST	14.4	14.9	21.0	26.4	28.4	27.3	29.0	28.1	25.3	20.5	16.0	13.5	264.8	13	4372
	06 LST	15.1	13.0	14.6	16.2	20.1	22.6	21.8	18.1	15.4	12.6	11.8	13.2	194.5	7	2188
	12 LST	10.9	11.5	17.5	24.3	25.5	24.5	26.6	24.9	22.6	17.3	12.1	10.3	228.0	13	4372
	18 LST	12.4	12.9	20.8	27.5	28.4	27.5	29.0	28.9	26.5	20.7	15.3	13.0	262.9	13	4373
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST	11.2	10.5	17.3	22.8	24.6	23.0	25.6	25.0	21.4	16.8	11.6	9.4	219.2	13	4372
	06 LST	13.0	9.3	11.3	13.4	17.8	19.5	18.0	13.5	12.2	9.0	7.8	8.7	153.5	7	2188
	12 LST	8.1	8.2	13.6	19.0	19.4	16.5	20.3	19.0	18.5	14.3	9.7	7.1	173.7	13	4372
	18 LST	8.9	8.8	16.2	24.2	23.8	22.6	24.9	24.7	21.8	16.2	11.0	9.0	212.1	13	4373
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST	10.8	10.1	16.7	21.9	23.4	21.6	24.7	24.5	20.8	16.1	11.0	8.9	210.5	13	4372
	06 LST	12.5	9.0	11.1	13.2	16.5	17.8	17.5	12.1	11.7	8.1	7.2	7.5	144.2	7	2188
	12 LST	7.5	8.1	13.3	18.6	18.9	16.0	19.9	18.2	17.9	13.9	9.5	6.1	167.9	13	4372
	18 LST	8.7	8.6	15.6	23.4	22.5	21.2	23.6	24.1	21.1	15.5	10.6	8.4	203.3	13	4373

PARIS/LE BOURGET, FRANCE

STA NO. 07150 (IN AREA NUMBER 01)

LATITUDE 4858N

LONGITUDE 00226E

ELEVATION(FT) 00216

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	61	69	77	89	92	97	103	98	95	81	69	68	103	30	-640
MEAN MAX TMP (F)	44	46	53	60	67	73	76	75	70	60	49	43	60	30	-154
MEAN MIN TMP (F)	34	34	37	42	48	53	57	56	52	45	39	34	44	30	-154
ABS MIN TMP (F)	1	2	18	25	29	35	41	41	32	23	17	8	1	30	-640
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.8	1.1	2.3	0.6	0.0	0.0	0.0	4.8	12	3387
MEAN NO DYS TMP = DR LES 32(F)	8.7	10.8	8.9	2.2	0.2	0.0	0.0	0.0	0.2	1.6	3.7	11.5	47.9	12	3485
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	3485
MEAN DEW PT TMP (F)	33	34	36	40	45	51	56	55	52	47	41	35	44	0	-50
MEAN REL HUM (PCT)	89	84	75	69	69	69	70	72	78	84	89	89	78	30	-32
MEAN PRESS ALT (FT)	106	139	188	189	157	131	137	150	122	140	179	176	151	0	-50
MEAN PRECIP (IN)	2.13	1.69	1.26	1.50	2.05	1.97	2.17	2.44	2.01	1.93	1.97	1.93	23.0	30	-149
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0					30	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	6.6	5.5	4.2	4.9	6.0	5.5	5.9	6.5	5.7	5.5	5.6	6.1	68.0	30	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0					30	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.3	1.0	1.0	1.0	4.0	4.0	4.0	4.0	2.0	1.0	0.2	0.0	22.5	10	-140
P FREQ WND SPD = DR GTR 17 KTS	16.8	16.5	13.4	17.0	13.2	9.3	11.5	10.1	9.1	9.5	10.3	14.0	12.6	10	-31
P FREQ WND SPD = DR GTR 28 KTS	0.5	0.0	0.2	0.1	0.1	0.0	0.0	0.0	0.0	0.2	0.1	0.0	0.1	10	-31
P FREQ LES 5000 FT A/D LES 3 MI	80.5	71.9	62.8	54.5	44.6	36.5	39.8	38.4	51.1	64.7	79.2	80.0	58.7	9	7692
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	56.1	57.1	52.7	42.1	34.1	22.4	21.2	33.9	46.8	49.5	62.2	57.8	44.7	11	3427
09-11 LST														0	0
12-14 LST	43.1	33.2	20.5	9.5	6.8	2.9	5.8	7.8	10.3	19.1	41.2	50.2	20.9	9	2935
15-17 LST														0	0
18-20 LST	49.2	38.8	22.0	11.2	9.4	4.9	3.6	5.7	20.1	31.0	58.0	60.5	26.2	11	3339
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	20.9	24.6	18.0	12.6	4.0	4.8	3.5	7.9	18.2	20.1	32.5	23.5	15.9	11	3427
09-11 LST														0	0
12-14 LST	15.6	11.3	3.0	0.4	0.4	0.4	1.6	1.7	0.9	3.0	11.0	20.3	5.8	9	2935
15-17 LST														0	0
18-20 LST	20.2	14.4	3.8	0.0	0.7	1.5	0.7	0.7	4.4	8.7	19.9	25.1	8.3	11	3339
21-23 LST														0	0

PARIS/LE BOURGET, FRANCE
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	15.7	13.5	15.5	18.6	21.9	24.4	25.7	21.6	16.9	16.9	13.0	15.2	218.9	11	3427
	12 LST	20.2	20.6	26.5	28.9	29.8	29.8	30.5	29.5	27.8	26.9	19.6	17.6	307.7	9	2935
	18 LST	17.1	18.4	23.0	27.8	28.9	28.9	30.4	29.6	24.7	22.1	14.1	13.4	280.4	11	3339
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	00 LST														0	0
	06 LST	7.3	6.2	11.1	12.1	15.7	18.8	19.2	17.6	13.3	11.9	7.4	7.6	148.2	11	3412
	12 LST	7.2	7.0	14.1	14.6	19.0	18.0	18.6	21.4	17.8	12.7	10.3	7.1	167.8	9	2923
	18 LST	9.8	10.5	19.1	15.9	21.5	20.0	22.4	24.8	19.5	16.2	7.8	7.1	194.6	11	3315
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST														0	0
	06 LST	2.4	2.0	1.5	2.9	1.6	1.5	1.0	0.5	0.3	1.2	1.0	1.9	17.8	11	3450
	12 LST	5.1	6.2	3.9	5.7	2.4	3.8	3.2	3.2	3.4	5.9	3.5	4.2	50.3	9	2938
	18 LST	1.9	2.6	2.2	3.8	2.1	3.3	2.1	1.3	1.0	2.3	1.8	1.9	26.3	11	3355
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST														0	0
	06 LST	9.5	7.4	9.7	11.4	12.1	11.9	13.2	12.3	9.7	9.7	10.9	8.5	126.3	11	3432
	12 LST	9.2	8.4	13.1	11.7	13.6	13.9	13.6	15.1	14.0	12.5	12.3	9.0	146.4	9	2926
	18 LST	9.7	11.0	15.3	12.4	15.2	15.1	16.2	16.3	13.5	12.8	13.0	11.1	161.6	11	3341
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	2.4	4.2	5.5	6.0	8.0	8.9	7.0	8.0	5.5	4.3	3.0	2.6	65.4	11	3439
	12 LST	2.7	4.1	7.1	3.6	5.8	5.8	6.1	7.2	5.8	5.5	2.3	3.4	59.4	9	2944
	18 LST	5.5	6.3	9.8	6.6	8.3	7.5	7.6	10.0	7.4	7.7	4.2	4.6	85.5	11	3347
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	10.6	9.8	13.3	14.8	18.2	21.0	22.3	18.8	14.3	13.5	9.0	10.0	175.6	11	3427
	12 LST	13.2	14.3	20.4	21.7	24.0	26.0	24.6	25.3	23.3	20.8	13.6	12.4	239.6	9	2935
	18 LST	13.3	14.5	21.2	23.9	25.3	26.3	27.4	27.6	22.0	19.0	10.3	10.2	241.0	11	3339
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	8.3	8.3	12.4	13.0	16.7	19.0	20.1	16.9	12.1	11.6	7.3	8.0	153.7	11	3427
	12 LST	10.5	11.4	16.7	14.5	18.2	19.6	17.9	20.7	18.3	17.2	11.3	11.1	187.4	9	2935
	18 LST	10.8	13.2	18.6	19.1	22.0	23.3	22.6	25.0	19.0	15.4	8.5	8.4	205.9	11	3339
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	8.2	8.3	12.3	13.0	16.7	19.0	19.9	16.7	11.8	11.5	7.3	8.0	152.7	11	3427
	12 LST	10.5	11.3	16.7	14.5	18.1	19.6	17.9	20.7	18.2	17.1	11.3	11.0	186.9	9	2935
	18 LST	10.8	13.0	18.6	19.0	21.9	22.7	22.1	24.6	19.0	15.2	8.5	8.4	203.8	11	3339

MELUN, FRANCE

STA NO. 07153 (IN AREA NUMBER 01)

LATITUDE 4836N

LONGITUDE 00240E

ELEVATION(FT) 00315

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	58	63	76	86	89	99	103	98	91	82	68	61	103	13	-7147
MEAN MAX TMP (F)	43	45	54	59	67	73	77	76	70	60	49	42	60	30	-154
MEAN MIN TMP (F)	33	33	36	40	46	51	55	54	50	44	37	33	43	30	-154
ABS MIN TMP (F)	9	5	23	29	32	39	46	45	38	25	21	9	5	7	-7147
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.8	2.4	1.1	0.3	0.0	0.0	0.0	4.6	13	-7147
MEAN NO DYS TMP = DR LES 32(F)	19.0	13.5	8.5	1.0	0.3	0.0	0.0	0.0	0.0	1.1	6.7	9.3	59.4	7	-7147
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	-7147
MEAN DEW PT TMP (F)	34	31	35	41	44	48	55	51	51	43	41	36	43	0	-7147
MEAN REL HUM (PCT)	88	85	78	72	74	76	75	78	81	86	90	91	81	10	-7147
MEAN PRESS ALT (FT)	199	234	285	286	256	230	234	246	219	236	274	269	247	0	-50
MEAN PRECIP (IN)	2.09	1.69	1.38	1.50	2.17	2.09	2.17	2.40	2.28	1.97	2.21	2.09	24.0	30	-140
MEAN SNOW FALL (IN)	0.0	3.5	11.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14.5	1	-7147
MEAN NO DYS PRCP = DR GTR 0.1 IN	6.5	5.5	4.6	4.9	6.2	5.8	5.9	6.4	6.2	5.6	6.1	6.5	70.2	30	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	1.0	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	1	-7147
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	7.3	3.5	2.8	0.1	0.4	0.2	0.3	0.5	1.2	4.4	7.4	6.9	35.0	13	-7147
MEAN NO DYS TSTMS	0.0	0.1	1.0	1.0	3.0	3.0	3.0	3.0	1.0	0.1	1.0	0.0	16.2	10	-7147
P FREQ WND SPD = DR GTR 17 KTS	7.3	13.9	5.4	7.7	4.2	2.3	2.5	3.7	3.5	4.5	5.3	5.7	5.5	13	-7147
P FREQ WND SPD = DR GTR 28 KTS	0.2	1.2	0.2	0.3	0.1	0.0	0.0	0.0	0.2	0.3	0.1	0.2	0.2	13	-7147
P FREQ LES 5000 FT A/D LES 5 MI	78.9	80.5	61.7	42.7	42.2	33.4	37.8	52.2	51.1	58.3	80.1	70.0	57.4	5	-7147
P FREQ LES 1500 FT A/D LES 3 MI															
FDR 00-02 LST	53.3	36.4	22.2	7.8	17.2	7.1	3.3	10.8	20.0	31.2	55.6	45.2	25.8	2	-7147
03-05 LST	54.8	44.0	25.0	24.4	34.4	10.7	16.1	35.5	37.8	38.7	62.2	46.2	35.8	2	-7147
06-08 LST	57.6	54.6	46.9	27.3	29.0	16.7	22.7	32.9	37.5	51.2	64.2	64.5	42.1	5	-7147
09-11 LST	64.5	60.7	41.7	27.8	22.6	9.5	12.9	22.6	31.1	36.6	60.0	57.0	37.3	2	-7147
12-14 LST	53.2	56.7	32.8	15.3	14.4	7.6	10.4	15.5	16.7	17.9	60.8	53.2	29.5	5	-7147
15-17 LST	56.1	55.2	25.0	14.4	8.7	2.4	4.3	7.5	12.2	18.3	62.2	38.7	25.4	2	-7147
18-20 LST	51.0	36.8	18.0	8.7	9.9	2.8	4.5	12.9	14.2	32.5	55.0	41.9	24.0	5	-7147
21-23 LST	55.6		23.7	8.0	8.6	2.4	2.2	9.7	16.7	27.2	45.6	35.5		2	-7147
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	21.1	3.6	13.9	1.1	0.0	0.0	0.0	3.2	5.6	11.8	30.0	18.3	9.1	2	-7147
03-05 LST	24.7	6.0	11.1	2.2	6.5	2.4	0.0	14.0	17.8	14.0	41.1	21.5	13.4	2	-7147
06-08 LST	29.3	17.7	22.7	3.3	0.0	3.5	5.2	8.4	15.8	32.5	43.3	32.3	18.3	5	-7147
09-11 LST	23.7	13.1	5.6	0.0	0.0	0.0	0.0	2.2	5.6	7.5	35.6	23.7	9.8	2	-7147
12-14 LST	21.0	10.6	6.3	1.3	0.0	0.0	1.3	0.6	3.3	8.1	26.7	17.7	8.1	5	-7147
15-17 LST	22.0	6.9	8.3	2.2	0.0	0.0	0.0	2.2	1.1	4.3	31.1	12.9	7.6	2	-7147
18-20 LST	20.0	15.8	5.5	0.0	0.6	0.0	0.0	0.6	0.8	13.0	25.8	19.4	8.5	5	-7147
21-23 LST	12.7		5.3	0.0	0.0	0.0	0.0	0.0	3.3	6.5	21.1	11.8		2	-7147

MELUN, FRANCE
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST	18.0	22.0	25.8	28.0	29.0	27.9	31.0	29.0	26.0	24.0	17.0	19.0	296.7	2	-7147
	06 LST	16.0	14.4	15.7	23.6	23.0	25.5	24.5	23.6	20.5	14.7	12.0	9.5	223.0	5	-7147
	12 LST	15.5	14.4	22.3	27.0	29.1	29.6	27.9	27.0	25.0	23.8	12.5	14.0	268.1	5	-7147
	18 LST	16.9	19.3	26.8	28.6	29.9	30.0	30.3	28.0	26.5	20.3	13.0	15.5	285.1	5	-7147
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	00 LST	11.0	8.0	20.6	26.0	24.0	27.9	27.0	23.0	23.0	21.0	15.0	17.0	243.3	2	-7147
	06 LST	7.7	7.5	12.5	19.6	20.7	22.8	21.2	19.3	18.0	10.1	9.0	6.0	174.4	5	-7147
	12 LST	7.5	4.6	14.9	13.3	15.8	18.0	18.5	18.3	15.0	14.2	5.5	6.0	151.6	5	-7147
	18 LST	10.1	10.1	19.8	17.8	19.0	22.1	20.2	20.6	23.0	17.7	8.5	9.5	198.4	5	-7147
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST	3.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.0	2	-7147
	06 LST	1.7	1.3	0.8	1.0	0.7	0.3	0.0	1.0	0.5	0.0	2.0	1.0	10.3	5	-7147
	12 LST	2.7	3.6	2.0	4.6	2.3	1.3	2.3	2.5	1.5	2.0	3.5	2.0	30.4	5	-7147
	18 LST	2.9	3.3	2.1	3.7	3.1	1.3	1.3	1.6	1.0	0.5	2.0	1.5	24.3	5	-7147
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST	5.0	14.0	18.0	19.0	18.0	19.6	19.0	19.0	14.0	19.0	19.0	9.0	192.6	2	-7147
	06 LST	6.0	6.9	12.2	14.3	12.5	14.6	15.5	14.0	11.5	13.2	10.0	8.5	139.2	5	-7147
	12 LST	7.8	7.2	15.2	11.3	12.3	16.7	17.1	17.0	15.0	19.3	11.0	9.6	159.3	5	-7147
	18 LST	8.2	5.3	15.6	13.4	11.2	17.3	17.8	15.5	16.5	18.2	12.5	12.6	164.1	5	-7147
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST	10.0	5.0												1	-7147
	06 LST	5.7	5.6	4.7	5.0	8.9	12.5	9.1	10.0	4.0	3.1	3.0	1.0	72.6	4	-7147
	12 LST	3.0	2.3	7.0	5.0	7.0	8.5	6.6	4.5	5.0	2.0	1.0	2.0	53.9	4	-7147
	18 LST	5.0	1.9	8.7	3.5	8.4	8.0	7.1	4.5	6.0	2.0	2.0	1.0	58.1	4	-7147
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST	12.0	13.0	20.6	27.0	23.0	26.8	28.0	26.0	21.0	22.0	14.0	15.0	248.4	2	-7147
	06 LST	10.5	10.8	12.8	20.0	19.9	22.8	20.2	17.3	16.0	12.1	8.5	6.0	176.9	5	-7147
	12 LST	11.2	8.2	17.8	20.6	20.0	21.1	22.2	20.6	18.0	17.7	7.0	10.0	194.4	5	-7147
	18 LST	12.4	13.0	21.4	23.9	25.0	25.2	26.6	23.6	24.0	17.7	10.0	11.5	234.3	5	-7147
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST	12.0	6.0	18.0	24.0	21.0	24.8	25.0	21.0	18.0	22.0	12.0	13.0	216.8	2	-7147
	06 LST	8.5	8.5	11.0	17.0	18.1	21.4	18.5	14.3	13.5	11.1	7.0	4.0	152.9	5	-7147
	12 LST	10.2	6.2	16.0	18.0	16.6	18.4	18.1	17.6	14.0	13.2	5.5	7.5	161.3	5	-7147
	18 LST	10.5	9.6	18.7	20.5	21.8	22.5	24.9	20.0	22.5	16.7	8.0	9.5	205.2	5	-7147
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST	11.0	6.0	15.5	23.0	18.0	21.7	23.0	20.0	18.0	21.0	11.0	10.0	198.2	2	-7147
	06 LST	8.2	8.5	10.7	16.3	17.9	21.4	17.8	14.0	13.5	9.1	6.0	3.5	146.9	5	-7147
	12 LST	9.5	6.2	16.0	17.6	16.4	17.7	17.3	17.3	12.0	12.1	4.0	6.0	152.3	5	-7147
	18 LST	10.3	9.6	18.7	19.5	21.3	21.4	23.9	19.3	21.0	15.2	8.0	7.5	195.7	5	-7147

LORIENT-LANN BIHOUE, FRANCE

STA NO. 07205 (IN AREA NUMBER 01)

LATITUDE 4745N

LONGITUDE 00326W

ELEVATION(FT) 00171

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	66	68	70	72	75	88	91	84	82	76	61	59	91	7	-7207
MEAN MAX TMP (F)	48	49	54	58	64	68	71	71	68	61	54	49	60	30	-140
MEAN MIN TMP (F)	37	36	40	3	47	51	54	55	52	47	42	36	45	30	-140
ABS MIN TMP (F)	18	6	22	32	34	43	45	43	39	36	32	20	6	7	-7207
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.2	7	-7207
MEAN NO DYS TMP = DR LES 32(F)	2.3	3.1	1.6	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.4	4.2	12.0	7	-7207
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	-7207
MEAN DEW PT TMP (F)	41	40	41	44	48	53	56	58	54	48	44	42	47	0	-50
MEAN REL HUM (PCT)	93	90	81	80	78	81	81	85	82	82	86	93	84	20	-29
MEAN PRESS ALT (FT)	52	89	144	132	104	78	72	94	72	96	136	130	100	0	-50
MEAN PRECIP (IN)	3.54	3.15	2.76	2.56	2.56	1.97	2.17	2.95	3.35	3.54	4.53	4.72	37.8	30	-140
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			7	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	9.2	8.7	6.9	6.7	6.7	5.5	5.9	7.4	7.9	8.1	9.1	10.4	92.5	30	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			7	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.4	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	0.4	1.0	1.0	10.8	10	-140
P FREQ WND SPD = UR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI	60.0	50.3	48.2	46.2	51.4	50.0	36.8	20.4	35.1	40.0	58.3	51.5	45.7	5	-7207
P FREQ LES 1900 FT A/D LES 3 MI															
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	38.6	34.8	30.9	19.5	24.8	28.8	24.8	25.2	29.7	34.1	46.3	35.6	31.1	8	-7207
09-11 LST														0	0
12-14 LST	26.5	21.6	17.7	19.7	14.9	19.5	17.5	13.7	15.7	19.8	24.3	24.8	19.6	6	-7207
15-17 LST														0	0
18-20 LST	41.3	27.3	22.8	22.7	15.9	15.5	16.0	6.1	26.1	31.9	35.4	31.8	24.4	5	-7207
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	7.4	11.4	7.3	5.2	6.0	7.5	6.6	6.0	5.1	8.2	8.0	5.9	7.1	8	-7207
09-11 LST														0	0
12-14 LST	6.6	7.5	4.1	6.3	3.4	2.3	2.5	2.4	2.6	3.6	3.5	2.7	4.0	6	-7207
15-17 LST														0	0
18-20 LST	5.3	10.4	5.1	4.0	0.0	1.7	2.0	4.1	8.7	6.4	10.4	6.8	5.4	5	-7207
21-23 LST														0	0

LORIENT-LANN BIHOUE, FRANCE
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	21.4	19.7	23.3	25.3	24.7	22.8	25.5	24.6	22.5	22.2	18.1	22.5	272.6	8	-7207
	12 LST	24.8	23.1	26.7	26.2	28.1	25.5	27.6	27.7	27.1	27.6	25.0	24.6	314.0	6	-7207
	18 LST	21.4	21.4	24.7	24.0	27.4	26.8	28.5	29.7	24.1	23.0	21.8	23.2	296.0	5	-7207
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	00 LST														0	0
	06 LST	8.1	6.2	8.2	11.2	12.8	11.7	13.1	13.1	12.7	9.1	8.1	8.8	123.1	8	-7207
	12 LST	7.5	6.6	10.9	10.0	11.1	12.7	11.7	13.3	10.8	7.5	8.0	7.1	117.2	6	-7207
	18 LST	7.0	8.1	12.5	8.4	13.3	14.2	14.2	15.1	10.4	6.5	6.8	9.1	125.6	5	-7207
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST														0	0
	06 LST	9.5	9.0	8.9	8.1	6.9	4.7	4.2	5.3	5.9	7.5	8.6	7.7	86.3	8	-7207
	12 LST	11.5	12.7	9.8	9.2	9.8	7.5	8.0	7.5	10.5	16.0	11.7	12.6	126.8	6	-7207
	18 LST	8.4	7.7	8.6	13.0	7.0	8.2	7.1	7.4	9.7	12.2	10.4	7.5	107.2	5	-7207
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST														0	0
	06 LST	9.8	7.2	9.1	12.3	14.1	13.0	12.6	13.4	16.9	11.1	12.6	9.9	142.0	8	-7207
	12 LST	8.8	7.7	10.8	10.3	12.4	13.2	12.1	13.8	12.4	9.1	10.6	9.6	130.8	6	-7207
	18 LST	11.8	8.9	12.1	7.8	14.3	11.3	15.1	15.1	9.3	8.3	7.9	8.0	129.6	5	-7207
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	7.7	6.2	5.6	8.4	7.2	8.5	5.1	9.9	5.3	5.1	4.0	6.7	79.7	8	-7207
	12 LST	6.5	7.1	10.3	4.5	8.5	10.0	9.0	11.0	6.2	3.0	5.0	5.3	86.4	6	-7207
	18 LST	3.6	6.1	9.9	7.1	9.3	10.3	11.9	10.5	6.5	7.1	4.8	5.3	92.4	5	-7207
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	15.6	15.0	18.6	21.3	20.0	18.6	19.0	20.5	18.7	17.6	13.3	16.4	214.6	8	-7207
	12 LST	18.0	18.5	23.4	20.0	22.8	21.3	21.4	23.7	22.1	19.8	18.2	19.2	248.4	6	-7207
	18 LST	13.6	17.4	21.9	21.2	23.2	22.2	22.9	27.8	20.2	18.4	16.2	19.0	244.0	5	-7207
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	14.1	13.5	17.7	20.3	18.4	17.4	17.1	19.0	18.2	16.4	12.5	15.1	199.7	8	-7207
	12 LST	15.7	16.2	22.5	18.1	21.0	20.0	19.8	22.0	20.6	17.5	16.1	17.0	226.5	6	-7207
	18 LST	11.1	14.9	20.7	18.8	19.7	21.2	22.9	27.2	19.5	17.8	14.3	17.6	225.7	5	-7207
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	13.9	13.5	17.5	20.3	18.1	17.4	17.1	18.8	18.2	16.4	12.5	15.1	198.8	8	-7207
	12 LST	15.7	16.2	22.3	17.9	21.0	20.0	19.8	21.7	20.6	17.5	16.1	17.0	225.8	6	-7207
	18 LST	11.1	14.9	20.7	18.8	19.7	21.2	22.9	27.2	19.5	17.8	14.3	17.6	225.7	5	-7207

LLETALUT, FRANCE

STA NO. 07207 (IN AREA NUMBER 01)

LATITUDE 4718N

LONGITUDE 00316W

ELEVATION(FT) 00148

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	66	68	70	72	75	88	91	84	82	76	61	59	91	7	1553
MEAN MAX TMP (F)	48	48	52	56	62	67	69	70	67	61	54	50	59	30	-140
MEAN MIN TMP (F)	41	40	43	46	50	55	58	59	57	52	47	43	49	30	-140
ABS MIN TMP (F)	18	6	22	32	34	43	45	43	39	36	32	20	6	7	1948
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.2	7	1553
MEAN NO DYS TMP = OR LES 32(F)	2.3	3.1	1.6	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.4	4.2	12.0	7	1948
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)														40	-122
MEAN PRECIP (IN)	2.52	2.13	1.85	1.77	1.38	1.30	1.34	1.30	1.61	2.95	2.91	3.19	24.3	7	-29
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		40	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	7.5	6.6	5.7	5.5	4.6	3.8	4.0	3.8	4.9	7.3	7.2	8.7	69.6	7	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.1	0.1	0.1	0.0	0.3	0.7	0.3	0.4	0.6	0.4	0.4	0.3	3.7	10	-140
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI	60.0	50.3	48.2	46.2	51.4	50.0	36.8	20.4	35.1	40.0	58.3	51.5	45.7	5	1155
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	38.6	34.8	30.9	19.5	24.8	28.8	24.8	25.2	29.7	34.1	46.3	35.6	31.1	8	2000
09-11 LST														0	0
12-14 LST	26.5	21.6	17.7	19.7	14.9	19.5	17.5	13.7	15.7	19.8	24.3	24.8	19.6	6	1416
15-17 LST														0	0
18-20 LST	41.3	27.3	22.8	22.7	15.9	15.5	16.0	6.1	26.1	31.9	35.4	31.8	24.4	5	692
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	7.4	11.4	7.3	5.2	6.0	7.5	6.6	6.0	5.1	8.2	8.0	5.9	7.1	8	2000
09-11 LST														0	0
12-14 LST	6.6	7.5	4.1	6.3	3.4	2.3	2.5	2.4	2.6	3.6	3.5	2.7	4.0	6	1416
15-17 LST														0	0
18-20 LST	5.3	10.4	5.1	4.0	0.0	1.7	2.0	4.1	8.7	6.4	10.4	6.8	5.4	5	692
21-23 LST														0	0

LETALUT, FRANCE

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. DBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	21.4	19.7	23.3	25.3	24.7	22.8	25.5	24.6	22.5	22.2	18.1	22.5	272.6	8	2000
	12 LST	24.8	23.1	26.7	26.2	28.1	25.5	27.6	27.7	27.1	27.6	25.0	24.6	314.0	6	1416
	18 LST	21.4	21.4	24.7	24.0	27.4	26.8	28.5	29.7	24.1	23.0	21.8	23.2	296.0	5	692
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	00 LST														0	0
	06 LST	8.1	6.2	8.2	11.2	12.8	11.7	13.1	13.1	12.7	9.1	8.1	8.8	123.1	8	1993
	12 LST	7.5	6.6	10.9	10.0	11.1	12.7	11.7	13.3	10.8	7.5	8.0	7.1	117.2	6	1410
	18 LST	7.0	8.1	12.5	8.4	13.3	14.2	14.2	15.1	10.4	6.5	6.8	9.1	125.6	5	690
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST														0	0
	06 LST	9.5	9.0	8.9	8.1	6.9	4.7	4.2	5.3	5.9	7.5	8.6	7.7	86.3	8	2082
	12 LST	11.5	12.7	9.8	9.2	9.8	7.5	8.0	7.5	10.5	16.0	11.7	12.6	126.8	6	1414
	18 LST	8.4	7.7	8.6	13.0	7.0	8.2	7.1	7.4	9.7	12.2	10.4	7.5	107.2	5	707
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST														0	0
	06 LST	9.8	7.2	9.1	12.3	14.1	13.0	12.6	13.4	16.9	11.1	12.6	9.9	142.0	8	1981
	12 LST	8.8	7.7	10.8	10.3	12.4	13.2	12.1	13.8	12.4	9.1	10.6	9.6	130.8	6	1409
	18 LST	11.8	8.9	12.1	7.8	14.0	11.3	15.1	15.1	9.3	8.3	7.9	8.0	129.6	5	690
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	7.7	6.2	5.6	8.4	7.2	8.5	5.1	9.9	5.3	5.1	4.0	11.7	79.7	8	2011
	12 LST	6.5	7.1	10.3	4.5	8.5	10.0	9.0	11.0	6.2	3.0	5.0	5.3	86.4	6	1411
	18 LST	3.6	6.1	9.9	7.1	9.3	10.3	11.9	10.5	6.5	7.1	4.8	5.3	92.4	5	699
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	15.6	15.0	18.6	21.3	20.0	18.6	19.0	20.5	18.7	17.6	13.3	16.4	214.6	8	2000
	12 LST	18.0	18.5	23.4	20.0	22.8	21.3	21.4	23.7	22.1	19.8	18.2	19.2	248.4	6	1416
	18 LST	13.6	17.4	21.9	21.2	23.2	22.2	22.9	27.8	20.2	18.4	16.2	19.0	244.0	5	692
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	14.1	13.5	17.7	20.3	18.4	17.4	17.1	19.0	18.2	16.4	12.5	15.1	199.7	8	2000
	12 LST	15.7	16.2	22.5	18.1	21.0	20.0	19.8	22.0	20.6	17.5	16.1	17.0	226.5	6	1416
	18 LST	11.1	14.9	20.7	18.8	19.7	21.2	22.9	27.2	19.5	17.8	14.3	17.6	225.7	5	692
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	13.9	13.5	17.5	20.3	18.1	17.4	17.1	18.8	18.2	16.4	12.5	15.1	198.8	8	2000
	12 LST	15.7	16.2	22.3	17.9	21.0	20.0	19.8	21.7	20.6	17.5	16.1	17.0	225.8	6	1416
	18 LST	11.1	14.9	20.7	18.8	19.7	21.2	22.9	27.2	19.5	17.8	14.3	17.6	225.7	5	692

ST. NAZAIRE-MONTOIR, FRANCE

STA NO. 07217 (IN AREA NUMBER 01)

LATITUDE 4718N

LONGITUDE 00208W

ELEVATION(FT) 00010

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
ABS MAX TMP (F)														0	0
MEAN MAX TMP (F)	48	48	54	59	65	71	74	74	70	62	53	48	61	30	-154
MEAN MIN TMP (F)	37	37	39	43	48	53	56	56	52	47	41	37	46	30	-154
ABS MIN TMP (F)														0	0
MEAN NO DYS TMP = DR GTR 90(F)														30	-29
MEAN NO DYS TMP = DR LES 32(F)														0	0
MEAN NO DYS TMP = DR LES 0(F)														0	0
MEAN DEW PT TMP (F)	40	39	41	44	48	54	57	58	56	49	45	42	48	0	-50
MEAN REL HUM (PCT)	90	88	82	79	76	77	77	80	84	83	92	96	84	20	-29
MEAN PRESS ALT (F)	-121	-79	-20	-34	-56	-88	-97	-75	-93	-69	-32	-42	-66	0	-50
MEAN PRECIP (IN)	3.15	2.56	2.36	1.97	2.17	1.58	1.77	2.36	2.76	2.95	3.35	3.54	30.5	30	-149
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = DR GTR 0.1 IN	8.7	7.6	6.5	5.9	6.2	4.6	5.0	6.3	7.0	7.3	7.9	9.2	82.2	30	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN														0	0
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	33.3	21.9	12.5	0.0	5.6	5.9	16.7	17.6	29.4	12.5	20.0	36.7	17.7	4	377
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	10.4	3.1	0.0	0.0	0.0	0.0	5.6	0.0	17.6	0.0	5.7	18.4	5.1	4	377
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

ST. NAZAIRE-MONTOIR, FRANCE

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	21.0	23.2	27.1	27.7	27.5	29.1	25.8	25.5	22.9	21.3	21.4	17.7	290.2	4	329
	12 LST														0	0
	18 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	00 LST														0	0
	06 LST	5.0	15.7	24.5	25.4	22.4	26.5	25.8	23.7	19.4	21.3	17.1	12.6	239.4	4	329
	12 LST														0	0
	18 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST														0	0
	06 LST	2.3	1.3	0.0		0.0	0.8	0.0		0.0	0.0	0.8			4	341
	12 LST														0	0
	18 LST														0	0
SFC WND 4-10 KTS AND TMP 33-39 DEG F AND NO PRECIP.	00 LST														0	0
	06 LST	8.0	10.9	8.3	15.0	10.3	11.1	4.9	3.6	5.3	4.3	8.3	9.9	99.9	4	341
	12 LST														0	0
	18 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	0.0	5.7	13.1	11.3	10.3	12.0	8.6	3.6	7.1	7.8	2.5	2.2	84.2	4	352
	12 LST														0	0
	18 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	14.0	19.8	24.5	27.7	25.8	26.5	25.8	21.9	19.4	19.4	15.4	13.3	253.5	4	329
	12 LST														0	0
	18 LST														0	0
CIG = GTR 3000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	9.0	11.6	20.6	27.7	24.1	23.8	24.1	18.2	17.6	15.5	14.6	8.8	215.6	4	329
	12 LST														0	0
	18 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	7.0	9.5	20.6	27.7	24.1	23.8	24.1	18.2	17.6	15.5	14.6	6.9	209.6	4	329
	12 LST														0	0
	18 LST														0	0

NANTES-CHATEAU BOUGON, FRANCE

STA NO. 07222 (IN AREA NUMBER 01)

LATITUDE 4711N

LONGITUDE 00133W

ELEVATION(FT) 00097

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
ABS MAX TMP (F)	59	71	72	84	92	100	104	97	92	81	70	65	104	30	-140
MEAN MAX TMP (F)	45	49	54	61	67	73	77	77	72	62	52	46	61	50	-28
MEAN MIN TMP (F)	36	36	38	42	46	53	56	55	51	45	39	36	44	50	-28
ABS MIN TMP (F)	8	9	23	30	31	40	44	45	38	26	22	12	8	30	-140
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0						0.0	0.0	0.0		50	-29
MEAN NO DYS TMP = DR LES 32(F)				0.0	0.0	0.0	0.0	0.0	0.0				0.0	30	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	30	-29
MEAN DEW PT TMP (F)	37	37	40	44	48	54	58	55	54	50	42	37	46	0	-50
MEAN REL HUM (PCT)	86	82	79	76	75	76	75	73	78	84	87	87	80	12	-28
MEAN PRESS ALT (FT)	-44	-1	60	44	24	-8	-19	2	-13	9	46	34	11	0	-50
MEAN PRECIP (IN)	2.64	2.44	2.56	2.17	2.21	2.09	2.09	1.77	1.97	3.70	3.47	3.82	30.9	40	-122
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0					30	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	7.8	7.4	6.7	6.2	6.3	5.8	5.8	5.0	5.6	8.3	8.0	9.6	22.5	40	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0					30	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.4	1.0	1.0	1.0	2.0	2.0	2.0	2.0	2.0	1.0	1.0	1.0	15.4	10	-140
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

NANTES-CHATEAU BOUGON, FRANCE

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
	18 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
	18 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
	18 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
	18 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
	18 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
	18 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
	18 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
	18 LST													0	0

DATA NOT AVAILABLE

TOURS-ST. SYMPHORIEN, FRANCE

STA NO. 07240 (IN AREA NUMBER 01)

LATITUDE 4723N

LONGITUDE 00043E

ELEVATION(FT) 00354

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	60	69	80	85	91	99	107	98	91	82	73	66	107	30	-140
MEAN MAX TMP (F)	44	46	55	60	67	73	77	76	71	61	51	45	61	30	-140
MEAN MIN TMP (F)	33	34	38	42	48	54	57	56	53	46	40	35	45	30	-140
ABS MIN TMP (F)	6	8	21	28	27	37	45	44	36	24	16	0	0	30	-140
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.4	2.9	0.5	0.4	0.0	0.0	0.0	4.2	6	-14562
MEAN NO DYS TMP = DR LES 32(F)	10.4	13.4	8.9	3.2	0.0	0.4	0.0	0.0	0.0	2.8	4.4	12.3	55.8	4	-14562
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-14562
MEAN DEW PT TMP (F)	36	34	37	41	47	53	54	55	53	47	41	37	45	0	-50
MEAN REL HUM (PCT)	88	84	78	72	72	73	72	74	79	85	88	88	79	10	-140
MEAN PRESS ALT (FT)	229	264	316	330	302	272	280	283	256	265	297	289	282	0	-50
MEAN PRECIP (IN)	2.52	2.17	1.93	1.89	2.48	1.93	1.93	2.40	2.32	2.36	2.52	2.72	27.2	30	-140
MEAN SNOW FALL (IN)						0.0	0.0	0.0	0.0					30	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	7.5	6.7	5.8	5.8	6.6	5.4	5.4	6.4	6.3	6.3	6.6	7.9	76.7	30	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN						0.0	0.0	0.0	0.0					30	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.1	0.4	1.0	2.0	4.0	4.0	4.0	3.0	2.0	1.0	0.4	0.2	22.1	10	-140
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI	77.9	70.7	53.8	50.9	44.9	36.9	38.6	39.5	45.7	59.6	76.8	80.1	56.3	8	-14562
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	51.7	46.2	37.6	36.3	33.3	25.3	25.6	30.2	40.8	41.7	59.2	52.2	40.0	10	-14562
09-11 LST														0	0
12-14 LST	45.1	38.1	22.6	16.1	15.8	8.8	9.2	9.6	14.2	17.7	41.0	49.8	24.0	8	-14562
15-17 LST														0	0
18-20 LST	42.2	32.2	18.0	11.2	9.7	6.6	4.4	4.1	6.1	14.1	40.6	48.6	20.0	10	-14562
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	22.4	20.3	16.9	11.5	10.3	8.6	5.5	6.9	16.1	20.4	33.8	25.1	16.5	10	-14562
09-11 LST														0	0
12-14 LST	18.5	9.5	3.4	1.4	1.8	1.5	1.3	0.9	2.3	5.3	16.4	21.5	7.0	8	-14562
15-17 LST														0	0
18-20 LST	16.3	12.2	3.1	2.2	1.8	1.9	0.4	0.4	0.8	2.7	18.3	20.0	6.7	10	-14562
21-23 LST														0	0

TOURS-ST. SYMPHORIEN, FRANCE

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	16.6	16.2	20.3	20.1	21.8	23.4	24.1	22.0	18.3	18.7	13.1	16.0	230.6	10	-14562
	12 LST	19.0	19.4	26.0	27.7	28.6	28.3	29.3	29.5	27.6	26.8	19.5	17.3	299.0	8	-14562
	18 LST	19.1	20.0	26.1	27.9	28.7	28.8	30.2	30.1	28.2	27.0	18.7	17.2	302.0	10	-14562
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	00 LST														0	0
	06 LST	11.2	11.2	16.1	15.5	18.0	20.3	21.7	20.9	16.0	16.0	10.1	11.3	188.3	10	-14562
	12 LST	10.4	8.8	16.6	15.4	18.9	23.2	22.8	23.8	20.1	18.8	12.6	9.1	200.5	8	-14562
	18 LST	14.1	13.5	21.2	20.4	24.8	25.3	25.2	27.9	26.4	25.2	15.5	12.5	252.0	10	-14562
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST														0	0
	06 LST	0.7	1.4	1.0	0.7	0.6	0.4	0.0	0.1	0.3	0.8	0.5	1.8	8.3	10	-14562
	12 LST	2.4	5.3	2.4	3.3	1.8	0.7	1.6	0.9	2.0	3.1	1.9	2.7	28.1	8	-14562
	18 LST	0.7	1.6	1.3	1.7	0.9	0.5	1.0	0.1	0.1	0.4	0.4	1.3	10.0	10	-14562
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST														0	0
	06 LST	8.0	5.2	9.2	9.3	9.9	9.7	10.2	7.7	6.9	7.0	9.0	6.2	98.3	10	-14562
	12 LST	9.0	8.3	11.5	12.0	12.4	13.9	13.9	13.2	10.2	10.7	11.1	8.5	134.7	8	-14562
	18 LST	8.1	7.0	11.3	11.6	11.8	13.2	12.7	10.9	9.1	10.5	8.7	6.6	121.3	10	-14562
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	4.2	6.7	7.9	6.3	7.3	9.5	9.5	11.0	7.0	6.0	4.6	4.7	84.7	10	-14562
	12 LST	3.8	3.4	9.0	5.0	5.4	6.4	8.6	9.5	6.1	5.7	4.2	4.8	73.9	8	-14562
	18 LST	7.2	8.1	9.3	8.0	6.5	9.6	11.3	12.0	10.0	8.4	7.0	7.2	104.8	10	-14562
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	12.0	13.0	17.9	17.5	19.0	21.0	21.1	20.7	16.9	16.4	10.6	11.7	197.8	10	-14562
	12 LST	14.2	14.4	20.2	19.6	20.4	23.4	23.6	23.6	21.8	21.5	15.0	12.8	230.8	8	-14562
	18 LST	15.7	16.9	23.9	23.9	26.1	26.3	27.6	28.5	26.3	24.3	16.3	13.8	269.6	10	-14562
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	10.0	11.6	16.5	14.4	17.3	19.1	18.3	19.2	15.1	13.7	9.6	9.4	174.2	10	-14562
	12 LST	13.0	13.0	18.6	17.0	17.6	20.7	20.6	21.3	19.9	19.2	13.5	11.7	206.1	8	-14562
	18 LST	13.8	14.2	21.7	20.8	23.2	23.6	24.7	26.1	23.8	19.8	13.8	11.9	237.4	10	-14562
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	10.0	11.6	16.5	14.3	17.2	18.8	18.1	19.1	15.1	13.6	9.6	9.1	173.0	10	-14562
	12 LST	13.0	13.0	18.6	17.0	17.6	20.6	20.6	21.3	19.9	19.2	13.5	11.7	206.0	8	-14562
	18 LST	13.6	14.2	21.7	20.1	23.0	23.5	24.6	26.1	23.7	19.7	13.8	11.9	235.9	10	-14562

ORLEANS-BRICY, FRANCE

STA NO. 07249 (IN AREA NUMBER 01)

LATITUDE 4759N

LONGITUDE 00145E

ELEVATION(FT) 00413

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
ABS MAX TMP (F)	60	67	80	86	89	97	105	98	91	81	71	65	105	30	-140
MEAN MAX TMP (F)	42	45	54	60	66	72	76	75	70	60	50	43	59	30	-140
MEAN MIN TMP (F)	32	33	36	40	46	52	55	55	51	44	38	34	43	30	-140
ABS MIN TMP (F)	0	6	18	24	26	34	40	40	31	23	15	2	0	30	-140
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0					0.0	0.0	0.0		30	-29
MEAN NO DYS TMP = DR LES 32(F)						0.0	0.0	0.0	0.0					30	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	30	-29
MEAN DEW PT TMP (F)	33	34	37	39	46	52	55	55	52	47	40	36	44	23	-29
MEAN REL HUM (PCT)	87	83	76	70	71	73	71	73	76	83	87	89	78	10	-140
MEAN PRESS ALT (FT)	291	327	379	386	357	329	335	342	316	329	364	357	343	0	-50
MEAN PRECIP (IN)	2.01	1.73	1.54	1.73	2.09	1.89	1.93	2.32	1.93	2.21	2.09	2.17	23.6	30	-140
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-14558
MEAN NO DYS PRCP = DR GTR 0.1 IN	6.3	5.6	5.0	5.4	6.1	5.3	5.4	6.2	5.5	6.1	5.8	6.7	69.4	30	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-14558
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.2	0.3	1.0	1.0	3.0	3.0	2.0	3.0	1.0	1.0	0.2	0.0	15.7	10	-140
P FREQ WND SPD = DR GTR 17 KTS	7.5	6.5	6.3	7.1	5.4	3.4	3.8	5.0	3.3	4.3	5.1	5.9	5.3	6	-14558
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	-14558
P FREQ LES 5000 FT A/D LES 5 MI	74.8	71.9	67.4	60.7	50.4	45.1	45.2	48.5	45.7	57.8	77.1	72.1	59.7	11	-14558
P FREQ LES 1500 FT A/D LES 3 MI															
FDR 00-02 LST	54.1	37.4	39.3	18.9	17.1	10.9	4.3	9.8	12.1	34.5	36.8	37.7	26.1	7	-14558
03-05 LST	50.1	39.3	34.1	24.6	22.9	16.7	13.6	16.0	24.6	33.5	43.1	40.5	29.9	10	-14558
06-08 LST	48.1	52.4	43.4	34.1	23.9	21.8	19.7	23.9	34.4	46.0	57.2	51.2	38.0	11	-14558
09-11 LST	54.8	45.3	33.2	22.3	13.8	14.5	12.5	15.2	26.2	31.9	52.8	47.8	30.9	11	-14558
12-14 LST	40.0	29.3	16.5	9.7	6.1	5.1	4.3	6.1	13.9	16.0	39.2	37.6	18.7	11	-14558
15-17 LST	32.7	19.7	10.6	7.8	3.4	3.4	2.1	4.8	8.1	10.0	33.6	34.7	14.2	11	-14558
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	19.7	4.6	4.3	3.1	0.8	0.0	1.2	0.0	1.1	8.9	3.5	7.3	4.5	7	-14558
03-05 LST	16.3	9.2	5.3	4.0	5.1	0.8	1.5	1.6	5.3	9.5	8.7	8.7	6.3	10	-14558
06-08 LST	13.4	17.2	7.1	4.0	1.3	0.4	0.6	3.3	8.4	14.3	13.7	11.7	8.0	11	-14558
09-11 LST	11.8	10.1	1.2	0.7	0.0	0.0	0.0	0.7	1.6	7.3	10.7	10.5	4.6	11	-14558
12-14 LST	3.5	3.4	0.3	0.4	0.0	0.0	0.0	0.0	0.1	1.3	4.2	5.8	1.6	11	-14558
15-17 LST	4.7	1.9	0.2	0.7	0.3	0.2	0.0	0.0	0.0	1.4	2.9	5.9	1.5	11	-14558
18-20 LST														0	0
21-23 LST														0	0

ORLEANS-BRICY, FRANCE
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST	15.7	19.7	20.1	25.7	26.6	27.4	29.4	27.8	26.3	22.3	22.1	19.9	283.0	7	-14558
	06 LST	18.9	16.7	20.5	21.4	24.2	24.7	26.8	24.8	20.9	18.7	16.7	18.1	252.4	11	-14558
	12 LST	20.5	19.9	27.8	27.6	30.2	29.3	30.2	29.7	26.8	26.8	20.5	20.2	309.5	11	-14558
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	00 LST	12.3	16.3	16.3	21.0	24.2	25.2	28.1	24.6	23.2	19.5	14.8	13.9	239.4	7	-14558
	06 LST	12.2	12.0	16.3	16.2	21.2	21.9	23.7	22.9	18.4	15.8	10.5	11.6	202.7	11	-14558
	12 LST	10.2	8.9	13.3	13.9	18.7	17.9	19.5	18.8	16.9	16.3	8.5	9.5	172.4	11	-14558
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.3	0.3	1.2	7	-14558
	06 LST	0.6	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.1	1.7	11	-14558
	12 LST	0.3	0.4	0.6	0.5	0.5	0.0	0.0	0.3	0.0	0.0	1.0	0.4	4.0	11	-14558
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST	9.3	10.2	14.7	17.1	11.7	14.8	15.2	11.2	12.7	11.8	10.7	11.1	150.9	7	-14558
	06 LST	7.9	9.3	12.1	13.8	16.8	16.5	15.7	15.1	13.7	11.9	12.0	9.9	154.7	11	-14558
	12 LST	13.5	14.8	18.2	17.5	19.1	19.2	20.2	19.5	19.3	18.4	14.8	12.6	207.1	11	-14558
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST	6.3	7.2	6.7	7.8	10.5	11.3	14.9	12.8	12.1	13.6	4.1	6.3	113.6	7	-14558
	06 LST	6.5	5.5	4.4	3.6	6.6	8.0	6.9	6.6	6.3	4.3	2.5	5.0	66.2	11	-14558
	12 LST	4.9	3.1	5.1	4.0	2.9	3.7	3.1	4.1	6.0	4.9	1.5	3.2	46.5	11	-14558
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST	5.0	5.7	6.0	3.0	3.5	5.8	4.8	5.4	6.8	7.2	2.0	3.9	59.1	10	-14558
	00 LST	13.0	16.3	17.2	22.2	24.2	25.5	27.8	26.8	23.8	19.5	16.2	18.1	250.6	7	-14558
	06 LST	14.9	13.6	17.1	17.7	22.3	23.2	23.7	23.6	19.5	16.7	11.0	13.8	217.1	11	-14558
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	12 LST	16.4	14.3	19.0	21.2	24.7	24.3	24.9	25.8	22.3	20.8	12.9	14.1	240.7	11	-14558
	18 LST	18.3	21.2	25.5	26.6	27.0	28.2	29.6	28.3	26.5	27.0	16.1	16.2	290.5	10	-14558
	00 LST	10.0	11.4	10.5	16.0	16.9	20.3	23.9	20.1	20.4	16.7	7.6	14.3	188.1	7	-14558
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	06 LST	10.5	10.2	11.8	12.3	17.9	19.5	18.4	18.0	15.7	11.8	7.0	9.6	162.7	11	-14558
	12 LST	11.5	10.0	11.4	11.5	12.8	13.0	12.7	13.8	15.3	15.5	7.8	10.5	145.8	11	-14558
	18 LST	14.1	13.8	16.2	15.1	17.0	18.5	18.4	16.8	21.3	20.9	10.8	11.5	194.4	10	-14558
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST	9.3	9.8	9.2	14.4	14.9	18.1	22.0	18.9	18.6	16.4	6.6	11.1	169.3	7	-14558
	06 LST	9.1	8.9	10.1	10.9	14.7	17.1	13.8	14.6	12.4	8.6	5.1	8.8	134.1	11	-14558
	12 LST	10.2	8.2	10.1	10.4	11.2	12.3	10.1	12.3	13.1	13.7	6.6	8.5	126.7	11	-14558
	18 LST	12.8	12.1	14.4	12.4	14.2	17.1	14.0	14.2	18.2	18.2	9.3	9.6	166.5	10	-14558

BOURGES, FRANCE

STA NO. 07255 (IN AREA NUMBER 01)

LATITUDE 4703N

LONGITUDE 00222E

ELEVATION(FT) 00525

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	64	74	77	85	93	99	102	102	96	82	73	61	102	25	-153
MEAN MAX TMP (F)	43	46	55	60	67	73	77	77	71	61	51	44	60	30	-140
MEAN MIN TMP (F)	32	33	37	41	48	53	56	56	52	45	38	34	44	30	-140
ABS MIN TMP (F)	-2	5	6	25	32	38	45	43	34	23	12	-8	-8	25	-153
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.4	4.8	1.1	0.4	0.0	0.0	0.0	6.7	6	-7257
MEAN NO DYS TMP = DR LES 32(F)	14.1	15.5	12.5	5.5	1.4	0.0	0.0	0.2	0.6	3.7	7.2	13.6	74.2	6	-7257
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	-7257
MEAN DEW PT TMP (F)	34	32	35	40	47	52	53	54	50	47	40	37	43	0	-50
MEAN REL HUM (PCT)	88	85	75	69	71	71	68	69	76	82	88	89	78	30	-32
MEAN PRESS ALT (FT)	392	433	487	496	470	441	443	450	425	436	469	458	450	0	-50
MEAN PRECIP (IN)	1.93	1.77	1.89	2.05	2.44	2.36	2.24	2.36	2.09	2.24	2.60	2.24	26.2	50	-149
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0					25	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	6.1	5.7	5.8	6.0	6.6	6.3	6.1	6.3	5.8	6.1	6.7	6.9	74.4	50	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0						25	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.3	1.0	1.0	4.0	4.0	4.0	5.0	1.0	1.0	0.1	0.3	21.7	10	-140
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI	82.3	78.7	70.2	70.3	69.9	70.1	44.4	59.6	75.9	74.9	80.0	92.5	72.4	6	-7257
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	60.8	47.6	40.9	33.9	38.7	20.2	32.8	28.4	44.2	48.5	60.9	57.4	42.9	8	-7257
09-11 LST														0	0
12-14 LST	48.8	40.5	24.8	19.3	16.3	19.4	17.9	17.1	22.0	27.9	55.2	52.7	30.2	6	-7257
15-17 LST														0	0
18-20 LST	41.4	43.0	30.5	21.4	14.1	11.1	3.1	19.0	18.8	24.7	42.5	45.6	26.3	6	-7257
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	16.1	12.2	13.5	8.6	7.1	2.5	4.5	4.1	9.9	22.7	25.0	21.5	12.3	8	-7257
09-11 LST														0	0
12-14 LST	10.9	9.5	4.1	4.6	3.5	0.0	1.7	1.9	2.0	2.5	15.2	16.1	6.0	6	-7257
15-17 LST														0	0
18-20 LST	13.1	14.0	6.3	3.9	2.8	1.2	0.0	3.4	5.0	2.6	13.7	13.2	6.6	6	-7257
21-23 LST														0	0

BOURGES, FRANCE
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	15.5	16.7	20.3	22.0	20.6	26.3	23.1	23.4	17.9	17.0	13.6	15.4	231.8	8	-7257
	12 LST	18.7	18.3	24.8	26.4	28.4	26.1	26.0	28.0	26.1	24.9	15.8	17.1	282.6	6	-7257
	18 LST	20.0	17.2	22.5	25.3	27.5	28.1	30.5	27.2	25.5	24.1	18.4	19.1	285.4	6	-7257
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	00 LST														0	0
	06 LST	7.7	10.6	15.4	15.4	16.6	20.7	17.3	20.4	15.1	14.0	8.6	9.9	171.7	8	-7257
	12 LST	9.3	10.6	17.9	17.8	19.1	20.9	18.5	21.0	18.3	17.0	9.3	8.5	188.2	6	-7257
	18 LST	14.0	10.7	18.6	18.3	24.4	23.7	26.6	22.9	23.1	22.1	16.0	12.0	232.4	6	-7257
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST														0	0
	06 LST	1.6	1.0	0.9	1.4	0.1	0.1	0.6	0.3	0.0	0.4	0.6	0.8	7.8	8	-7257
	12 LST	2.6	3.1	1.7	1.9	1.3	1.6	0.5	1.1	0.5	1.7	1.2	1.9	19.1	6	-7257
	18 LST	1.5	1.6	0.3	2.3	0.4	1.0	0.9	1.0	0.7	0.3	0.0	2.3	12.3	6	-7257
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST														0	0
	06 LST	5.0	4.0	7.4	9.5	9.9	11.2	11.9	8.2	5.9	5.3	4.8	5.3	89.4	8	-7257
	12 LST	9.9	9.7	13.4	11.9	11.3	15.1	12.5	14.6	10.1	10.8	11.6	9.2	140.1	6	-7257
	18 LST	6.6	4.8	10.1	8.8	11.6	11.2	12.5	10.8	6.8	6.2	6.8	4.6	100.8	6	-7257
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	3.3	6.9	6.8	5.0	5.3	8.7	7.9	10.4	5.1	4.8	2.5	3.6	70.3	8	-7257
	12 LST	3.5	5.5	6.9	1.6	3.7	4.1	6.8	8.5	6.6	3.5	1.6	4.4	56.7	6	-7257
	18 LST	3.4	5.9	5.5	3.2	6.9	4.3	14.5	9.0	7.6	6.5	3.6	5.3	75.7	6	-7257
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	8.3	12.1	15.0	16.9	15.8	20.6	17.3	20.2	14.6	13.7	9.2	9.3	173.0	8	-7257
	12 LST	12.0	14.0	19.4	18.7	20.9	19.0	20.9	21.2	18.6	17.7	10.0	11.0	203.4	6	-7257
	18 LST	15.0	14.0	19.9	20.3	24.4	23.7	29.0	22.4	21.7	21.7	15.6	12.7	240.4	6	-7257
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	6.3	10.2	13.4	14.5	13.4	18.4	14.2	17.6	12.3	10.1	7.1	7.1	144.6	8	-7257
	12 LST	10.3	12.5	16.3	14.3	16.2	14.5	18.0	19.1	15.6	14.9	8.8	8.3	168.8	6	-7257
	18 LST	11.2	12.6	18.2	16.8	22.2	18.5	27.6	20.3	18.7	19.3	13.9	8.2	207.5	6	-7257
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	6.3	10.0	13.4	14.3	12.7	18.4	13.6	17.6	11.6	10.1	7.1	6.8	141.9	8	-7257
	12 LST	10.3	12.5	16.3	14.3	16.2	14.1	18.0	19.1	15.6	14.9	8.8	8.3	168.4	6	-7257
	18 LST	11.2	12.6	17.9	16.6	22.2	18.1	27.6	20.3	18.3	18.9	13.5	8.2	205.4	6	-7257

AVORD, FRANCE

STA NO. 07257 (IN AREA NUMBER 01)

LATITUDE 4703N LONGITUDE 00238E ELEVATION(FT) 00574

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	77	65	68	82	80	92	97	93	93	82	72	59	97	6	940
MEAN MAX TMP (F)	43	46	55	60	67	73	77	76	71	61	50	43	60	30	-154
MEAN MIN TMP (F)	32	33	36	40	47	52	56	55	51	45	38	33	43	30	-154
ABS MIN TMP (F)	12	7	9	23	24	39	40	32	28	23	19	10	7	5	1631
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.4	4.8	1.1	0.4	0.0	0.0	0.0	6.7	6	940
MEAN NO DYS TMP = DR LES 32(F)	14.1	15.5	12.5	5.5	1.4	0.0	0.0	0.2	0.6	3.7	7.2	13.6	74.3	6	1631
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	1631
MEAN DEW PT TMP (F)	34	32	35	40	47	52	53	54	50	47	40	37	43	0	-50
MEAN REL HUM (PCT)	86	79	73	70	70	69	65	68	69	82	85	88	75	10	-35
MEAN PRESS ALT (FT)	440	481	536	544	518	489	490	499	474	485	518	507	498	0	-50
MEAN PRECIP (IN)	2.44	2.05	1.81	2.04	2.76	2.60	2.32	2.64	2.52	2.52	2.52	2.56	28.8	30	-140
MEAN SNOW FALL (IN)						0.0	0.0	0.0						6	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	7.4	6.4	5.6	6.0	6.9	6.8	6.2	6.8	6.6	6.6	6.6	7.6	79.5	30	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN						0.0	0.0	0.0						6	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.2	1.0	1.0	4.0	5.0	3.0	4.0	1.0	1.0	1.0	0.3	21.5	10	-140
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI	82.3	78.7	70.2	70.3	69.9	70.1	44.4	59.6	75.9	74.9	80.0	92.5	72.4	6	2010
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	60.8	47.6	40.9	33.9	38.7	20.2	32.8	28.4	44.2	48.5	60.9	57.4	42.9	8	2196
09-11 LST														0	0
12-14 LST	48.8	40.5	24.8	19.3	16.3	19.4	17.9	17.1	22.0	27.9	55.2	52.7	30.2	6	1335
15-17 LST														0	0
18-20 LST	41.4	43.0	5	21.4	14.1	11.1	3.1	19.0	18.8	24.7	42.5	45.6	26.3	6	956
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	16.1	12.2	13.5	8.6	7.1	2.5	4.5	4.1	9.9	22.7	25.0	21.5	12.3	8	2196
09-11 LST														0	0
12-14 LST	10.9	9.5	4.1	4.6	3.5	0.0	1.7	1.9	2.0	2.5	15.2	16.1	6.0	6	1335
15-17 LST														0	0
18-20 LST	13.1	14.0	6.3	3.9	2.8	1.2	0.0	3.4	5.0	2.6	13.7	13.2	6.6	6	956
21-23 LST														0	0

AVORD, FRANCE
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	15.5	16.7	20.3	22.0	20.6	26.3	23.1	23.4	17.9	17.0	13.6	15.4	231.8	8	2196
	12 LST	18.7	18.3	24.8	26.4	28.4	26.1	28.0	28.0	26.1	24.9	15.8	17.1	282.6	6	1335
	18 LST	20.0	17.2	22.5	25.3	27.5	28.	30.5	27.2	25.5	24.1	18.4	19.1	285.4	6	956
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	00 LST														0	0
	06 LST	7.7	10.6	15.4	15.4	16.6	20.7	17.3	20.4	15.1	14.0	8.6	9.9	171.7	8	2190
	12 LST	9.3	10.6	17.9	17.8	19.1	20.9	18.5	21.0	18.3	17.0	9.3	8.5	188.2	6	1333
	18 LST	14.0	10.7	18.6	18.3	24.4	23.7	26.6	22.9	23.1	22.1	16.0	12.0	232.4	6	953
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST														0	0
	06 LST	1.6	1.0	0.9	1.4	0.1	0.1	0.6	0.3	0.0	0.4	0.6	0.8	7.8	8	2209
	12 LST	2.6	3.1	1.7	1.9	1.3	1.6	0.5	1.1	0.5	1.7	1.2	1.9	19.1	6	1345
	18 LST	1.5	1.6	0.3	2.3	0.4	1.0	0.9	1.0	0.7	0.3	0.0	2.3	12.3	6	959
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST														0	0
	06 LST	5.0	4.0	7.4	9.5	9.9	11.2	11.9	8.2	5.9	6.3	4.8	5.3	89.4	8	2201
	12 LST	9.9	9.7	13.4	11.9	11.3	15.1	12.5	14.6	10.1	10.8	11.6	9.2	140.1	6	1333
	18 LST	6.6	4.8	10.1	8.8	11.6	11.2	12.5	10.8	6.8	6.2	6.8	4.6	100.8	6	956
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	3.3	6.9	6.8	5.0	5.3	8.7	7.9	10.4	5.1	4.8	2.5	3.6	70.3	8	2206
	12 LST	3.5	5.5	6.9	1.6	3.7	4.1	6.8	8.5	6.6	3.5	1.6	4.4	56.7	6	1347
	18 LST	3.4	5.9	5.5	3.2	6.9	4.3	14.5	9.0	7.6	6.5	3.6	5.3	75.7	6	960
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	8.3	12.1	15.0	16.9	15.8	20.6	17.3	20.2	14.6	13.7	9.2	9.3	173.0	8	2196
	12 LST	12.0	14.0	19.4	18.7	20.9	19.0	20.9	21.2	18.6	17.7	10.0	11.0	203.4	6	1335
	18 LST	15.0	14.0	19.9	20.3	24.4	23.7	29.0	22.4	21.7	21.7	15.6	12.7	240.4	6	956
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	6.3	10.2	13.4	14.5	13.4	18.4	14.2	17.6	12.3	10.1	7.1	7.1	144.6	8	2196
	12 LST	10.3	12.5	16.3	14.3	16.2	14.5	18.0	19.1	15.6	14.9	8.8	8.3	168.8	6	1335
	18 LST	11.2	12.6	18.2	16.8	22.2	18.5	27.6	20.3	18.7	19.3	13.9	8.2	207.5	6	956
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	6.3	10.0	13.4	14.3	12.7	18.4	13.6	17.6	11.6	10.1	7.1	6.8	141.9	8	2196
	12 LST	10.3	12.5	16.3	14.3	16.2	14.1	18.0	19.1	15.6	14.9	8.8	8.3	168.4	6	1335
	18 LST	11.2	12.6	17.9	16.6	22.2	18.1	27.6	20.3	18.3	18.9	13.5	8.2	205.4	6	956

POITIERS-BIARD, FRANCE

STA NO. 07335 (IN AREA NUMBER 01)

LATITUDE 4635N

LONGITUDE 00018E

ELEVATION(FT) 00417

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	60	67	72	78	92	89	102	93	95	83	67	62	102	12	-28
MEAN MAX TMP (F)	45	49	55	61	67	73	76	77	72	62	51	47	61	40	-28
MEAN MIN TMP (F)	33	34	36	41	47	52	56	55	51	45	39	35	44	40	-28
ABS MIN TMP (F)	9	18	21	25	29	38	44	43	35	26	19	10	8	12	-28
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0		0.0				0.0	0.0	0.0		40	-29
MEAN NO DYS TMP = DR LES 32(F)					0.0	0.0	0.0	0.0	0.0					12	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-29
MEAN DEW PT TMP (F)	35	35	38	42	48	52	54	55	53	47	42	38	45	0	-50
MEAN REL HUM (PCT)	85	81	77	75	74	72	69	71	75	81	87	88	78	10	-28
MEAN PRESS ALT (FT)	268	315	379	362	348	311	295	320	308	331	363	345	329	0	-50
MEAN PRECIP (IN)	1.70	1.90	2.20	1.90	2.00	2.00	1.80	1.70	1.80	2.90	2.80	2.40	25.1	40	-28
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0					12	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	5.5	6.1	6.3	5.8	6.0	5.6	5.1	4.9	5.3	7.2	7.1	7.3	72.2	40	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0					12	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.1	0.4	1.0	1.0	3.0	4.0	4.0	3.0	1.0	1.0	1.0	0.2	19.7	10	-140
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	52.2	44.4	39.0	34.3	31.0	16.4	23.0	31.6	51.0	59.7	67.8	73.0	43.6	3	606
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	19.6	25.0	12.2	8.6	11.9	1.8	6.6	12.3	12.2	24.2	28.8	34.9	16.5	3	606
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

POITIERS-BIARD, FRANCE
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	17.5	17.8	19.6	21.4	22.8	26.7	26.4	21.7	15.3	12.5	10.6	9.3	221.6	3	606
	12 LST														0	0
	18 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	00 LST														0	0
	06 LST	10.7	12.8	16.6	18.0	20.6	24.0	21.3	20.1	14.6	11.1	8.6	5.9	184.3	3	604
	12 LST														0	0
	18 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST														0	0
	06 LST	0.6	0.8	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.5	1.9	4.8	3	611
	12 LST														0	0
	18 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST														0	0
	06 LST	9.2	9.6	9.0	15.8	15.5	12.7	13.4	13.0	10.3	7.0	9.8	7.2	132.5	3	606
	12 LST														0	0
	18 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	3.2	4.0	3.7	12.8	7.3	11.4	7.6	10.3	7.2	4.3	2.0	2.9	76.7	3	610
	12 LST														0	0
	18 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	11.4	12.4	16.6	18.0	19.9	22.9	19.3	19.0	14.0	12.0	9.1	6.8	181.4	3	606
	12 LST														0	0
	18 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	10.1	11.6	15.8	18.0	16.2	20.1	15.7	15.7	13.4	10.0	6.6	5.4	158.6	3	606
	12 LST														0	0
	18 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	10.1	10.8	15.8	18.0	16.2	20.1	15.7	15.7	13.4	10.0	6.6	5.4	157.8	3	606
	12 LST														0	0
	18 LST														0	0

CHATEAUXROUX, FRANCE

STA NO. C7354 (IN AREA NUMBER 01)

LATITUDE 4651N

LONGITUDE 00143E

ELEVATION(FT) 00527

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	59	72	82	88	87	98	101	96	94	82	74	69	101	12	4382
MEAN MAX TMP (F)	43	45	54	60	66	72	76	75	71	61	50	45	60	12	4382
MEAN MIN TMP (F)	32	32	37	42	47	53	56	55	52	45	38	35	44	12	4383
ABS MIN TMP (F)	0	1	22	28	33	38	45	45	34	27	19	9	1	12	4383
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.3	1.9	1.4	0.4	0.0	0.0	0.0	4.0	12	4382
MEAN NO DYS TMP = DR LES 22(F)	15.7	14.1	9.6	1.9	0.0	0.0	0.0	0.0	0.0	0.8	6.4	10.5	59.0	12	4383
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4383
MEAN DEW PT TMP (F)	34	33	38	41	47	53	55	55	53	47	40	37	44	12	105117
MEAN REL HUM (PCT)	88	84	79	73	72	73	71	73	77	83	88	88	79	12	105116
MEAN PRESS ALT (FT)	395	435	488	500	474	445	448	454	428	437	469	458	453	0	-50
MEAN PRECIP (IN)	2.90	2.24	2.39	1.89	2.58	2.50	2.06	2.33	2.25	2.48	2.64	2.25	28.5	12	4378
MEAN SNOW FALL (IN)	2.9	1.8	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.4	6.5	12	4383
MEAN NO DYS PRCP = DR GTR 0.1 IN	8.0	6.8	6.8	5.2	7.4	6.0	5.6	6.1	5.3	6.9	7.1	6.7	77.9	12	4378
MEAN NO DYS SNFL = DR GTR 1.5 IN	1.0	0.1	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	1.5	12	4383
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	6.3	5.5	2.4	1.4	1.3	0.9	0.8	1.0	3.9	6.4	7.4	6.3	43.6	12	4382
MEAN NO DYS TSTMS	0.1	0.1	0.2	1.1	3.1	3.2	3.3	3.2	0.9	0.7	2.5	0.1	16.5	12	4383
P FREQ WND SPD = DR GTR 17 KTS	6.6	6.2	3.4	2.5	1.3	1.0	1.5	1.6	1.2	1.8	3.3	4.7	2.9	12	105092
P FREQ WND SPD = DR GTR 28 KTS	0.2	0.3	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.2	0.0	0.1	0.1	12	105092
P FREQ LES 5000 FT A/D LES 5 MI	69.6	60.4	45.5	39.2	34.4	35.4	34.9	32.0	34.4	45.9	65.7	68.5	47.2	14	122327
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	41.2	28.4	14.9	11.4	8.8	8.3	7.5	7.7	12.5	21.3	40.2	37.2	20.0	14	15263
03-05 LST	45.5	37.4	20.9	20.7	18.2	17.4	15.7	13.4	20.7	29.7	46.7	41.2	27.3	14	15279
06-08 LST	46.6	42.2	31.7	28.6	21.5	23.2	22.6	21.3	26.1	37.4	51.1	45.4	33.1	14	15313
09-11 LST	46.3	39.6	26.1	18.4	14.8	14.3	11.2	11.8	16.5	24.3	46.3	44.4	26.3	14	15314
12-14 LST	37.1	26.3	13.5	7.1	5.6	4.8	3.8	2.5	7.2	14.1	31.9	33.4	15.6	14	15315
15-17 LST	33.5	16.3	8.5	4.7	2.8	2.1	2.3	2.0	4.8	8.9	27.3	29.7	11.9	14	15315
18-20 LST	34.3	18.0	8.4	5.6	3.4	1.9	2.2	1.8	4.8	10.4	26.3	30.7	12.3	14	15264
21-23 LST	35.9	22.9	10.1	6.5	4.5	3.9	3.2	2.8	5.8	15.8	34.0	35.0	15.0	14	15264
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	10.6	7.3	0.7	0.8	0.9	0.4	0.4	0.5	2.0	7.5	11.7	10.7	4.5	14	15263
03-05 LST	12.4	10.3	2.7	3.2	3.5	2.6	1.0	2.2	6.6	12.6	16.4	12.6	7.2	14	15279
06-08 LST	13.2	12.4	6.7	4.1	3.2	1.7	1.7	2.5	9.8	15.4	18.6	13.5	8.6	14	15313
09-11 LST	10.7	9.7	2.7	0.7	0.3	0.2	0.2	0.1	1.8	6.4	13.3	10.7	4.7	14	15314
12-14 LST	6.5	3.0	0.5	0.1	0.0	0.1	0.0	0.0	0.3	1.2	5.7	5.2	1.9	14	15315
15-17 LST	6.4	1.9	0.4	0.1	0.0	0.1	0.0	0.0	0.2	0.5	5.6	6.3	1.8	14	15315
18-20 LST	7.1	3.1	0.3	0.2	0.0	0.0	0.1	0.0	0.3	1.4	7.1	7.4	2.3	14	15264
21-23 LST	7.7	4.5	0.4	0.2	0.0	0.0	0.0	0.1	0.5	3.7	9.9	9.0	3.0	14	15264

CHATEAUROUX, FRANCE
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. QBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST	20.4	21.6	23.1	28.1	29.8	28.8	29.7	29.9	27.9	26.1	19.9	22.0	312.3	14	5089
	06 LST	18.5	18.2	23.5	23.0	25.9	24.5	25.4	26.4	22.7	20.7	16.9	19.3	265.0	14	5105
	12 LST	20.5	21.0	28.0	28.8	30.1	29.2	30.4	30.4	28.0	27.4	21.7	21.9	317.4	14	5105
	18 LST	21.5	23.6	29.0	29.2	30.5	29.6	30.6	30.6	28.8	28.9	24.0	23.6	329.9	14	5105
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	00 LST	12.4	14.9	22.4	21.8	25.8	25.9	26.6	26.1	25.1	22.9	13.9	13.0	250.8	14	5089
	06 LST	10.9	12.3	18.1	17.6	22.0	21.6	21.7	22.6	19.6	17.4	10.9	11.1	205.8	14	5105
	12 LST	8.8	9.0	12.7	13.5	17.4	19.5	18.1	18.2	16.4	14.8	10.3	8.7	167.4	14	5105
	18 LST	13.4	16.5	22.2	19.4	22.6	22.7	21.7	22.4	23.8	25.1	17.8	14.2	243.8	14	5105
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST	0.5	0.6	0.1	0.2	0.0	0.1	0.1	0.1	0.0	0.0	0.3	0.5	2.5	14	5089
	06 LST	0.6	0.4	0.2	0.2	0.0	0.1	0.0	0.1	0.1	0.1	0.2	0.7	2.7	14	5105
	12 LST	1.7	2.0	1.5	1.3	0.9	0.8	0.4	1.0	0.4	0.9	1.5	1.9	14.3	14	5105
	18 LST	0.6	0.6	0.6	0.4	0.1	0.1	0.4	0.4	0.3	0.1	0.4	0.7	4.7	14	5105
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST	7.6	8.9	15.1	17.1	16.9	14.0	14.5	17.0	15.8	14.9	13.1	11.1	166.0	14	5089
	06 LST	7.9	7.0	11.2	14.1	16.6	15.2	15.2	15.3	14.6	14.6	11.9	10.8	154.4	14	5105
	12 LST	10.5	10.6	14.1	14.7	16.6	18.1	18.6	18.1	16.7	15.4	14.1	12.5	180.0	14	5105
	18 LST	9.1	11.6	17.8	16.7	19.6	18.4	20.4	20.4	18.0	15.1	14.9	11.6	193.6	14	5105
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST	6.7	8.6	11.9	11.6	13.1	11.3	13.9	14.9	14.0	12.1	5.6	5.5	129.2	14	5089
	06 LST	6.1	5.6	7.5	6.4	7.7	7.2	7.9	6.9	6.6	5.3	4.1	4.4	75.7	14	5105
	12 LST	3.6	4.1	6.3	4.3	3.9	3.0	4.2	5.1	5.9	5.2	1.4	2.8	49.8	14	5105
	18 LST	5.0	5.0	6.9	4.6	4.6	4.8	6.1	6.4	7.7	6.8	3.7	4.2	65.8	14	5105
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST	16.6	18.7	25.1	25.9	27.6	27.1	28.1	27.9	25.9	24.6	16.1	16.3	279.9	14	5089
	06 LST	14.0	14.8	20.9	20.2	23.1	22.0	22.9	23.7	20.1	17.5	13.6	14.8	227.6	14	5105
	12 LST	15.3	16.4	21.5	22.6	25.1	24.6	27.1	26.4	24.5	21.8	16.1	16.1	257.5	14	5105
	18 LST	16.5	20.2	27.3	27.7	28.9	28.6	29.4	29.7	28.1	27.1	20.1	18.0	301.6	14	5105
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST	11.4	14.6	20.1	21.1	23.4	22.0	23.5	23.6	22.4	19.4	11.5	10.7	223.7	14	5089
	06 LST	9.9	11.3	15.3	15.4	18.9	17.9	17.9	19.1	16.3	12.5	8.9	9.8	173.2	14	5105
	12 LST	10.3	11.7	16.0	14.5	15.0	13.8	14.4	15.1	16.4	16.1	10.3	11.2	164.8	14	5105
	18 LST	11.1	14.5	19.9	20.0	22.1	21.1	22.2	23.4	22.1	20.4	12.8	11.6	221.2	14	5105
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST	10.6	12.8	17.9	18.0	19.5	18.9	21.2	21.1	19.9	16.7	9.4	9.6	195.6	14	5089
	06 LST	8.8	10.1	12.7	13.6	15.1	15.3	14.6	15.3	13.7	10.2	7.1	8.4	144.9	14	5105
	12 LST	8.8	9.9	13.7	13.0	13.2	11.6	12.3	12.9	14.4	13.6	8.1	8.9	140.4	14	5105
	18 LST	9.6	12.3	16.6	15.4	17.4	17.6	17.3	18.3	18.7	17.5	10.1	9.9	180.7	14	5105

LA COUBRE, FRANCE

STA NO. 07400 (IN AREA NUMBER 01)

LATITUDE 4541N

LONGITUDE 00114W

ELEVATION(FT) 00020

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	61	68	81	86	90	95	100	100	91	79	77	64	100	9	2621
MEAN MAX TMP (F)	49	50	56	61	66	72	75	76	73	64	55	49	62	30	-154
MEAN MIN TMP (F)	39	40	42	46	52	57	60	60	57	51	45	40	49	30	-154
ABS MIN TMP (F)	10	16	25	30	32	41	46	41	36	27	27	14	10	9	2668
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.1	0.9	1.6	2.1	0.2	0.0	0.0	0.0	4.9	9	2621
MEAN NO DYS TMP = DR LES 32(F)	8.2	10.5	5.1	0.9	0.5	0.0	0.0	0.0	0.0	1.1	3.8	10.2	40.3	9	2668
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	2668
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	2.87	2.32	1.81	1.09	1.89	1.69	1.69	2.01	2.40	3.11	3.62	3.74	28.8	30	-140
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0					9	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	8.2	7.1	5.6	5.4	5.8	4.9	4.9	5.6	6.4	7.5	8.2	9.5	79.1	30	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0					9	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.3	0.2	1.0	0.1	1.0	1.0	2.0	2.0	1.0	1.0	1.0	1.0	11.6	10	-140
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	28.6	28.6	19.5	23.3	20.0	13.6	27.6	17.1	23.0	23.1	31.7	41.7	24.8	3	635
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	10.7	9.5	2.4	4.7	2.9	2.3	5.2	2.9	6.6	6.2	8.3	20.0	6.8	3	635
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

LA COUBRE, FRANCE
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	24.3	22.0	27.9	24.4	26.5	27.9	25.6	27.4	26.5	25.7	22.5	20.1	300.8	3	635
	12 LST														0	0
	18 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	00 LST														0	0
	06 LST	11.6	9.3	15.1	15.3	16.8	20.4	16.5	22.0	18.0	16.6	9.5	9.3	180.4	3	633
	12 LST														0	0
	18 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST														0	0
	06 LST	5.5	4.0	2.2	2.7	1.7	0.6	2.6	1.3	3.0	2.8	7.0	5.1	38.5	3	634
	12 LST														0	0
	18 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST														0	0
	06 LST	9.9	8.6	11.9	16.0	12.4	14.3	13.3	19.4	15.0	17.2	10.5	8.7	153.2	3	632
	12 LST														0	0
	18 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	8.3	4.6	7.7	11.8	9.7	12.9	11.2	14.4	6.3	9.6	5.0	4.1	103.6	3	634
	12 LST														0	0
	18 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	19.9	17.3	21.9	20.9	23.0	23.1	19.2	23.4	20.1	21.4	18.5	15.5	244.2	2	635
	12 LST														0	0
	18 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	19.3	16.6	21.1	20.9	23.0	21.8	18.1	22.5	19.6	20.9	18.0	13.9	235.7	3	635
	12 LST														0	0
	18 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	19.3	16.6	21.1	20.9	23.0	21.8	18.1	22.5	19.6	20.9	18.0	13.9	235.7	3	635
	12 LST														0	0
	18 LST														0	0

COGNAC-CHATEAUBERNARD, FRANCE

STA NO. 07412 (IN AREA NUMBER 01)

LATITUDE 4539N

LONGITUDE 00018W

ELEVATION(FT) 00098

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)														0	0
MEAN MAX TMP (F)	47	50	58	62	68	75	78	78	73	64	54	48	63	30	-140
MEAN MIN TMP (F)	35	36	40	43	49	55	58	57	54	47	41	37	46	30	-140
ABS MIN TMP (F)														0	0
MEAN NO DYS TMP = OR GTR 90(F)														30	-29
MEAN NO DYS TMP = OR LES 32(F)														0	0
MEAN NO DYS TMP = OR LES 0(F)														0	0
MEAN DEW PT TMP (F)	39	36	39	41	50	55	58	58	54	47	41	39	46	0	-50
MEAN REL HUM (PCT)	87	82	77	71	71	72	71	73	77	82	86	88	78	10	-140
MEAN PRESS ALT (FT)	-61	-10	55	46	31	-3	-19	2	-9	7	35	14	7	0	-50
MEAN PRECIP (IN)	3.03	2.36	1.97	1.85	2.21	2.05	2.05	2.17	2.36	2.87	3.54	3.35	29.8	30	-140
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = OR GTR 0.1 IN	8.5	7.2	5.9	5.7	6.3	5.7	5.7	5.9	6.3	7.2	8.1	9.0	81.5	30	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN														0	0
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.4	1.0	1.0	1.0	4.0	5.0	5.0	4.0	2.0	0.4	1.0	1.0	25.8	10	-140
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

COGNAC-CHATEAUBERNARD, FRANCE

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND														0	0
VSBY = GTR 3 MI														0	0
														0	0
														0	0
CIG =GTR 2000 FT AND VSBY =GTR														0	0
3 MI W/SFC WND LES 10 KTS														0	0
														0	0
														0	0
SFC WND = GTR 17 KTS AND														0	0
NO PRECIP.														0	0
														0	0
														0	0
SFC WND 4-10 KTS AND TMP 33-89														0	0
DEG F AND NO PRECIP.														0	0
														0	0
														0	0
SKY COVER LES 3/10 AND														0	0
VSBY = GTR 3 MI														0	0
														0	0
														0	0
CIG = GTR 2500 FT AND														0	0
VSBY = GTR 3 MI														0	0
														0	0
														0	0
CIG = GTR 6000 FT AND														0	0
VSBY = GTR 3 MI														0	0
														0	0
														0	0
CIG = GTR 10000 FT AND														0	0
VSBY = GTR 3 MI														0	0
														0	0
														0	0

DATA NOT AVAILABLE

CAZAUX, FRANCE

STA NO. 07502 (IN AREA NUMBER 01)

LATITUDE 4431N

LONGITUDE 00108W

ELEVATION(FT: 00082

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PCR (YRS)	NO. OBS
ABS MAX TMP (F)	65	69	78	88	92	101	101	99	98	87	73	70	101	10	3606
MEAN MAX TMP (F)	50	52	59	63	67	73	77	78	74	66	56	51	64	30	-140
MEAN MIN TMP (F)	36	36	41	44	49	55	58	58	55	48	42	38	47	30	-140
ABS MIN TMP (F)	10	9	21	28	32	38	41	34	32	26	18	11	9	11	3734
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.7	1.2	3.7	2.4	0.6	0.0	0.0	0.0	8.6	10	3606
MEAN NO DYS TMP = DR LES 32(F)	14.0	9.0	5.6	1.2	0.1	0.0	0.0	0.0	0.2	0.7	5.9	9.2	45.9	11	3734
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	3734
MEAN DEW PT TMP (F)	36	38	42	45	50	56	57	58	56	51	45	40	48	10	29031
MEAN REL HUM (PCT)	88	84	77	75	75	76	72	76	81	85	89	90	81	10	28905
MEAN PRESS ALT (FT)	-87	-32	33	34	19	-13	-30	-10	-25	-13	10	-14	-10	0	-50
MEAN PRECIP (IN)	3.78	2.91	2.44	2.17	2.24	2.28	1.85	2.72	3.23	4.02	4.25	4.76	36.6	30	-140
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0					11	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	9.5	8.3	6.6	6.2	6.3	6.2	5.2	7.0	7.7	8.6	8.9	10.4	90.9	30	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0					11	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	6.2	4.2	2.8	1.5	1.9	1.3	1.6	1.6	4.0	6.8	8.0	6.6	46.5	10	3616
MEAN NO DYS TSTMS	0.6	1.4	0.6	2.6	5.6	5.6	3.8	6.6	3.9	1.4	1.4	2.2	3.7	10	3616
P FREQ WND SPD = DR GTR 17 KTS	3.7	5.2	4.2	4.9	3.5	1.7	1.5	2.2	1.1	2.0	4.2	4.1	3.3	10	28925
P FREQ WND SPD = DR GTR 28 KTS	0.3	0.2	0.1	0.2	0.0	0.0	0.1	0.0	0.3	0.1	0.2	0.2	0.1	10	28925
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1900 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	43.1	53.5	25.0	41.9	19.1	30.2	17.1	43.8	33.3	55.9	50.7	58.0	39.3	3	693
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	15.7	20.9	14.3	23.3	8.5	5.7	2.9	14.1	18.3	38.2	26.1	27.5	18.0	3	693
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

CAZAUX, FRANCE
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS	
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST													0	0	
	06 LST	19.4	14.9	24.9	19.5	27.0	23.2	27.0	19.8	21.5	15.5	16.0	14.8	243.5	3	693
	12 LST													0	0	
	18 LST													0	0	
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC AND LES 10 KTS	00 LST													0	0	
	06 LST	15.1	10.4	18.6	14.6	21.1	19.0	23.9	14.0	18.8	11.5	11.3	8.9	187.2	3	689
	12 LST													0	0	
	18 LST													0	0	
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST													0	0	
	06 LST	0.6	1.9	1.6	0.6	1.3	0.0	0.8	0.4	0.0	0.4	1.7	0.4	9.7	3	688
	12 LST													0	0	
	18 LST													0	0	
SFC WND 4-10 KTS AND TMP 33-89 DFG F AND NO PRECIP.	00 LST													0	0	
	06 LST	2.5	3.9	2.2	5.7	6.5	7.5	6.2	2.4	3.0	2.9	2.6	3.1	48.4	3	684
	12 LST													0	0	
	18 LST													0	0	
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST													0	0	
	06 LST	4.7	2.6	7.1	7.3	7.2	8.0	12.4	6.8	4.0	3.1	1.7	2.2	67.1	3	689
	12 LST													0	0	
	18 LST													0	0	
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST													0	0	
	06 LST	14.5	10.4	19.9	14.6	20.4	16.9	22.1	13.0	17.5	10.9	11.7	10.3	182.2	3	693
	12 LST													0	0	
	18 LST													0	0	
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST													0	0	
	06 LST	13.3	9.7	17.7	13.2	17.1	14.7	17.7	11.1	15.5	9.1	10.4	9.4	158.9	3	693
	12 LST													0	0	
	18 LST													0	0	
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST													0	0	
	06 LST	13.3	9.7	17.7	13.2	17.1	14.7	17.7	11.1	15.0	9.1	10.4	9.4	158.4	3	693
	12 LST													0	0	
	18 LST													0	0	

BORDEAUX-MERIGNAC, FRANCE

STA NO. 07510 (IN AREA NUMBER 01)

LATITUDE 4449N

LONGITUDE 00042W

ELEVATION(FT) 00161

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	66	79	84	88	95	101	101	102	100	88	77	70	102	41	-528
MEAN MAX TMP (F)	48	52	58	63	69	75	80	80	75	66	55	49	64	51	-28
MEAN MIN TMP (F)	35	36	40	44	49	54	58	57	54	47	41	37	46	51	-28
ABS MIN TMP (F)	10	9	21	22	32	37	41	33	29	22	18	9	9	41	-528
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.7	1.2	3.7	2.4	0.6	0.0	0.0	0.0	8.6	10	3606
MEAN NO DYS TMP = OR LES 32(F)	14.0	9.0	5.6	1.2	0.1	0.0	0.0	0.0	0.0	0.6	6.2	9.1	45.8	10	3609
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	3609
MEAN DEW PT TMP (F)	36	38	42	45	50	56	57	58	56	51	45	40	48	10	29031
MEAN REL HUM (PCT)	91	84	78	72	73	73	72	74	80	85	92	92	81	30	-32
MEAN PRESS ALT (FT)	-6	47	113	111	97	62	46	66	53	66	91	67	68	0	-50
MEAN PRECIP (IN)	2.70	2.80	2.90	2.60	2.50	2.30	2.00	1.90	2.20	3.00	3.90	3.90	32.7	47	-28
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0					41	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	7.9	8.1	7.0	6.7	6.6	6.2	5.6	5.3	6.0	7.4	8.5	9.7	85.0	47	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0					41	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	6.2	4.2	2.8	1.5	1.9	1.3	1.6	1.6	4.0	6.8	8.0	6.6	46.5	10	3616
MEAN NO DYS TSTMS	0.3	0.8	1.0	2.0	5.0	4.0	4.0	3.0	3.0	1.0	0.8	0.9	26.8	37	-148
P FREQ WND SPD = OR GTR 17 KTS	3.7	5.2	4.2	4.9	3.5	1.7	1.5	2.2	1.8	2.0	4.2	4.1	3.3	10	28925
P FREQ WND SPD = OR GTR 28 KTS	0.3	0.2	0.1	0.2	0.0	0.0	0.1	0.0	0.3	0.1	0.2	0.2	0.1	10	28925
P FREQ LES 5000 FT A/D LES 5 MI	62.1	54.7	37.1	28.5	30.0	28.3	25.9	25.6	30.3	43.1	57.1	61.2	40.3	10	28887
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	38.2	26.5	17.1	10.7	11.9	11.1	8.4	7.3	13.1	29.8	38.2	36.8	20.6	10	3614
03-05 LST	38.3	30.5	20.0	13.7	16.5	18.6	15.8	12.3	21.1	35.9	36.8	35.1	24.6	10	3609
06-08 LST	41.7	37.5	31.0	21.5	21.3	20.6	18.2	17.7	30.5	47.7	44.6	37.1	30.8	10	3614
09-11 LST	45.3	43.1	27.5	16.7	13.9	13.9	7.4	11.6	13.8	36.1	45.2	43.9	26.5	10	3619
12-14 LST	31.4	24.6	15.5	10.7	6.8	6.1	4.0	6.6	5.7	19.7	31.2	30.6	16.1	10	3618
15-17 LST	23.1	15.6	7.1	5.3	3.5	4.7	3.4	3.6	5.4	10.0	21.5	26.5	10.8	10	3616
18-20 LST	33.4	18.1	8.4	5.0	3.5	3.4	4.0	2.3	5.1	13.2	29.4	32.9	13.2	10	3619
21-23 LST	36.2	21.7	12.6	5.1	7.7	5.1	4.4	1.3	6.1	23.2	37.2	37.5	16.5	10	3613
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	12.6	7.5	3.9	3.0	2.9	2.7	1.0	0.7	5.0	11.0	17.9	12.6	6.7	10	3614
03-05 LST	12.3	11.5	5.5	5.0	5.2	7.1	6.4	4.7	8.7	18.1	19.6	13.3	9.8	10	3609
06-08 LST	12.9	13.9	11.3	8.1	6.1	5.7	5.7	8.7	16.8	26.3	24.2	15.5	12.9	10	3614
09-11 LST	19.7	12.8	5.2	1.3	0.6	1.4	0.0	0.3	1.3	12.3	23.7	21.0	8.3	10	3619
12-14 LST	8.7	4.6	0.6	0.3	0.0	0.0	0.3	0.0	0.0	3.5	11.4	10.6	3.3	10	3618
15-17 LST	5.9	2.5	0.3	0.0	0.0	0.3	0.0	0.0	0.3	0.0	6.4	7.4	1.9	10	3616
18-20 LST	6.2	3.5	0.3	0.7	0.0	0.3	1.0	0.0	0.0	1.0	8.7	7.4	2.4	10	3619
21-23 LST	8.1	5.0	1.0	0.3	0.6	0.0	1.0	0.0	1.0	5.2	12.8	12.3	3.9	10	3613

BORDEAUX-MERIGNAC, FRANCE

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST	20.0	21.5	26.3	27.5	27.9	27.5	28.9	29.0	26.4	21.9	19.2	20.4	296.5	10	3613
	06 LST	19.2	18.9	22.4	24.0	25.0	24.3	25.8	25.9	21.3	16.7	17.3	20.8	261.6	10	3614
	12 LST	22.5	22.3	27.8	28.4	30.3	29.3	30.5	29.9	29.1	26.0	21.7	22.9	320.7	10	3618
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	00 LST	14.3	15.5	20.8	20.8	24.3	24.6	27.2	26.5	23.7	19.5	13.8	13.7	244.7	10	3612
	06 LST	13.3	12.6	17.0	19.7	21.3	22.1	24.2	23.6	18.5	14.0	12.0	13.8	212.1	10	3614
	12 LST	11.7	10.7	10.3	12.5	13.7	18.2	16.1	18.4	16.7	16.1	9.7	10.4	166.3	10	3618
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST	0.3	0.5	0.3	0.1	0.1	0.0	0.1	0.1	0.0	0.3	0.1	0.2	2.1	10	3616
	06 LST	0.2	0.3	0.3	0.1	0.0	0.0	0.0	0.2	0.0	0.4	0.4	0.2	2.1	10	3619
	12 LST	1.4	1.3	2.5	2.2	2.2	0.8	0.7	1.0	0.9	1.1	0.8	0.9	15.8	10	3619
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST	8.1	7.8	11.5	11.1	10.2	8.7	8.2	8.6	8.6	9.6	9.8	9.3	111.5	10	3613
	06 LST	6.8	7.4	10.6	10.2	9.7	8.5	7.0	6.3	7.3	8.2	8.9	8.3	59.2	10	3614
	12 LST	12.3	11.0	11.8	12.3	13.8	16.7	15.8	15.6	15.5	16.8	12.7	12.5	166.8	10	3617
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST	7.8	8.3	13.5	14.1	12.6	13.7	18.2	16.4	14.6	11.8	6.9	6.2	144.1	10	3616
	06 LST	6.2	5.7	8.1	7.5	6.7	8.0	11.4	8.8	5.2	5.4	3.5	6.0	82.5	10	3610
	12 LST	5.6	5.0	8.1	8.3	5.1	6.4	9.3	7.9	6.4	7.7	4.4	4.5	78.7	10	3618
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST	16.1	17.1	23.9	24.9	26.1	25.1	26.9	27.4	24.8	21.1	16.3	17.4	267.1	10	3613
	06 LST	15.1	14.9	19.3	22.2	22.8	21.9	23.4	23.7	18.5	15.0	14.5	16.7	228.0	10	3614
	12 LST	17.8	17.9	23.0	22.5	23.5	23.4	25.8	25.0	24.5	22.8	18.4	18.3	262.9	10	3618
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST	12.3	13.0	21.3	22.0	21.8	21.9	24.4	24.5	22.1	18.4	13.0	13.5	228.2	10	3613
	06 LST	11.8	11.7	16.8	19.5	19.9	19.5	19.8	20.2	15.1	12.3	10.8	13.1	190.5	10	3614
	12 LST	14.9	14.4	20.1	19.2	18.3	19.4	20.4	20.8	20.6	21.3	15.8	14.9	220.1	10	3618
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST	14.4	15.7	23.0	25.1	25.4	24.8	25.6	26.4	24.9	23.5	15.8	14.8	259.4	10	3619
	06 LST	12.0	12.6	21.0	21.9	21.5	21.7	24.2	24.4	21.9	18.4	12.7	13.5	225.8	10	3613
	12 LST	11.8	11.6	16.4	19.4	19.3	19.0	19.7	19.9	15.1	12.1	10.5	13.0	187.8	10	3614
	18 LST	14.6	14.2	20.0	19.0	18.2	19.3	20.3	20.7	20.6	21.3	15.4	14.9	218.5	10	3618
	18 LST	14.3	15.3	23.0	24.9	25.0	24.5	25.3	26.3	24.7	23.0	15.7	14.5	256.5	10	3619

BIARRITZ-BAYONNE-ANGLET, FRANCE

STA NO. 07602 (IN AREA NUMBER 01)

LATITUDE 4328N

LONGITUDE 00131W

ELEVATION(FT) 00246

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	73	79	84	86	99	99	99	103	98	93	80	73	103	35	-534
MEAN MAX TMP (F)	52	53	59	60	65	71	74	75	72	66	58	53	62	30	-140
MEAN MIN TMP (F)	39	40	44	47	52	57	61	58	51	45	41	50	30	30	-140
ABS MIN TMP (F)	14	19	21	28	32	41	46	41	41	30	20	16	14	36	-534
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.1	0.3	0.9	0.7	0.8	0.2	0.0	0.0	3.0	9	2381
MEAN NO DYS TMP = DR LES 32(F)	4.2	3.0	1.0	0.8	0.1	0.0	0.0	0.0	0.0	0.2	0.2	5.7	15.2	9	2461
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	2461
MEAN DEW PT TMP (F)	39	41	43	47	54	59	65	66	65	56	46	43	52	0	-50
MEAN REL HUM (PCT)	82	81	79	82	81	81	81	80	80	82	81	83	81	5	-34
MEAN PRESS ALT (FT)	72	129	192	202	187	155	138	156	140	148	166	152	152	0	-50
MEAN PRECIP (IN)	4.06	3.82	4.21	3.98	3.43	3.15	2.56	3.22	4.29	6.38	5.67	4.10	49.4	40	-122
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0	0.0				36	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	9.8	9.6	7.5	7.5	7.3	7.7	6.7	7.8	8.9	9.7	9.7	10.3	102.5	40	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0	0.0				36	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	1.0	1.0	1.0	1.0	3.0	5.0	4.0	5.0	4.0	2.0	1.0	2.0	30.0	10	-140
P FREQ WND SPD = DR GTR 17 KTS	10.0	10.0	14.5	9.4	10.8	8.8	6.3	4.9	5.5	16.1	14.9	15.3	10.5	3	-31
P FREQ WND SPD = DR GTR 28 KTS	1.6	1.9	2.4	0.7	0.3	0.1	0.7	0.0	0.4	5.1	2.1	2.8	1.5	3	-31
P FREQ LES 5000 FT A/D LES 5 MI	43.3	45.3	33.0	30.9	38.7	31.5	31.1	34.0	29.3	36.6	44.0	50.4	37.3	9	6048
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	19.8	25.8	17.2	18.1	26.6	22.7	19.8	17.1	17.2	20.3	22.5	24.8	21.0	11	2839
09-11 LST														0	0
12-14 LST	17.4	22.1	15.0	10.0	15.1	14.6	10.1	12.7	9.8	18.2	15.9	25.2	15.5	9	2454
15-17 LST														0	0
18-20 LST	19.8	24.9	13.1	12.8	17.3	18.2	13.3	14.1	10.5	16.4	22.8	29.4	17.7	11	2697
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	5.3	3.6	2.0	2.2	3.3	3.4	1.6	2.9	1.8	4.1	5.5	3.9	3.3	11	2839
09-11 LST														0	0
12-14 LST	3.6	0.5	0.9	0.5	0.9	1.5	0.9	1.7	1.1	0.0	2.7	4.4	1.6	9	2454
15-17 LST														0	0
18-20 LST	2.7	1.4	1.3	1.3	1.8	2.7	0.9	3.7	0.0	2.9	2.7	4.3	2.1	11	2697
21-23 LST														0	0

BIARRITZ-BAYONNE-ANGLET, FRANCE

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	UCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	27.2	23.3	27.2	26.3	25.6	25.3	27.5	28.5	27.8	27.6	26.0	27.3	319.6	11	2839
	12 LST	27.8	23.8	28.0	28.8	28.0	27.4	29.5	28.6	28.5	27.9	27.0	25.8	331.1	9	2454
	18 LST	27.2	23.7	28.1	28.2	27.2	25.7	29.0	28.1	28.2	28.0	26.3	25.1	324.8	11	2697
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	00 LST														0	0
	06 LST	15.2	14.5	17.8	17.5	16.0	18.8	19.9	21.5	19.2	18.2	16.6	14.4	209.6	11	2814
	12 LST	14.4	14.0	18.3	17.5	17.8	18.8	21.6	21.6	20.6	18.8	15.3	14.5	213.2	9	2442
	18 LST	14.7	13.9	19.3	18.4	17.9	18.2	21.2	21.8	22.4	20.7	15.2	13.9	217.6	11	2669
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST														0	0
	06 LST	4.4	2.1	3.4	2.8	1.4	1.2	0.9	0.9	1.7	2.9	2.9	3.9	28.5	11	2851
	12 LST	4.5	2.9	4.3	3.5	3.8	2.3	1.9	2.0	2.2	2.2	3.5	3.9	37.0	9	2466
	18 LST	4.3	3.8	3.4	1.9	2.6	2.0	2.5	0.9	1.5	1.7	3.2	3.2	31.0	11	2709
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST														0	0
	06 LST	8.3	9.5	11.1	8.4	9.5	9.7	10.6	13.0	11.3	11.7	10.0	9.4	122.9	11	2823
	12 LST	7.4	9.5	14.2	11.7	13.2	14.2	15.0	15.4	14.5	11.8	8.7	9.4	145.0	9	2444
	18 LST	9.5	8.8	11.8	14.2	12.0	13.3	15.2	16.7	14.0	12.6	8.7	9.8	146.6	11	2684
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	6.8	4.9	5.9	5.0	4.1	4.3	8.2	8.1	6.2	6.5	3.3	4.4	67.7	11	2861
	12 LST	5.2	5.0	5.5	6.0	5.0	6.7	10.0	11.1	7.7	6.3	3.2	3.1	74.8	9	2456
	18 LST	6.2	4.9	4.8	6.5	5.6	7.0	11.2	10.9	8.1	5.8	5.4	5.0	81.4	11	2692
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	21.0	16.9	22.9	21.3	18.9	20.4	21.2	21.7	20.4	20.9	19.6	17.6	242.8	11	2839
	12 LST	22.0	19.0	23.8	24.5	23.5	23.3	25.5	24.1	24.4	22.1	21.7	19.7	273.6	9	2454
	18 LST	21.4	17.2	24.3	23.3	22.5	22.8	24.4	24.5	24.2	22.4	19.1	17.6	263.7	11	2697
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	18.2	15.1	21.8	19.3	17.5	19.2	20.1	19.5	18.5	19.5	18.0	15.0	221.7	11	2839
	12 LST	20.0	17.8	21.8	23.1	22.3	22.3	23.8	22.6	23.6	21.4	20.1	18.8	257.6	9	2454
	18 LST	19.4	15.7	23.0	22.3	21.6	22.0	23.8	23.5	22.8	21.1	17.5	15.3	248.0	11	2697
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	18.2	15.1	21.7	19.3	17.5	19.2	20.1	19.5	18.5	19.5	17.8	15.0	221.4	11	2839
	12 LST	20.0	17.8	21.8	23.1	22.3	22.3	23.8	22.6	23.4	21.4	20.1	18.8	257.4	9	2454
	18 LST	19.4	15.7	23.0	22.3	21.4	22.0	23.8	23.3	22.8	21.1	16.9	15.3	247.0	11	2697

DAX-SEYRESSE, FRANCE

STA NO. 07503 (IN AREA NUMBER 01)

LATITUDE 4341N

LONGITUDE 00104W

ELEVATION(FT) 00105

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. LBS
ABS MAX TMP (F)	73	79	84	86	99	99	99	103	98	93	80	73	103	35	-7602
MEAN MAX TMP (F)	51	54	60	64	68	75	79	79	75	67	58	51	65	30	-154
MEAN MIN TMP (F)	37	37	42	46	51	56	59	58	56	50	43	38	48	30	-154
ABS MIN TMP (F)	14	19	21	28	32	41	46	41	41	30	20	16	14	36	-7602
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.1	0.3	0.9	0.7	0.3	0.2	0.0	0.0	3.0	9	-7602
MEAN NO DYS TMP = DR LES 32(F)	4.2	3.0	1.0	0.8	0.1	0.0	0.0	0.0	0.0	0.2	0.2	5.7	15.2	9	-7602
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	-7602
MEAN DEW PT TMP (F)	38	39	43	46	54	59	65	65	62	54	43	38	51	0	-50
MEAN REL HUM (PCT)	82	81	79	82	81	81	81	81	80	82	81	83	81	5	-7602
MEAN PRESS ALT (FT)	-70	-13	51	58	44	11	-5	13	-1	6	27	0	16	0	-50
MEAN PRECIP (IN)	4.72	4.13	3.15	2.95	3.35	2.95	2.56	3.15	3.94	4.33	4.92	5.91	46.1	30	-149
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0	0.0				36	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	10.4	9.9	7.1	7.0	7.2	7.4	6.7	7.7	8.6	8.9	9.4	10.9	101.2	30	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0	0.0				36	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	1.0	1.0	1.0	1.0	3.0	5.0	4.0	5.0	4.0	2.0	1.0	2.0	30.0	10	-7602
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI	43.3	45.3	33.0	30.9	38.7	31.5	31.1	34.0	29.3	36.6	44.0	50.4	37.3	9	-7602
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	19.8	25.8	17.2	18.1	26.6	22.7	19.8	17.1	17.2	20.3	22.5	24.8	21.0	11	-7602
09-11 LST														0	0
12-14 LST	17.4	22.1	15.0	10.0	15.1	14.6	10.1	12.7	9.8	18.2	15.9	25.2	15.5	9	-7602
15-17 LST														0	0
18-20 LST	19.8	24.9	13.1	12.8	17.3	18.2	13.3	14.1	10.5	16.4	22.8	29.4	17.7	11	-7602
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	5.3	3.6	2.0	2.2	3.3	3.4	1.6	2.9	1.8	4.1	5.5	3.9	3.3	11	-7602
09-11 LST														0	0
12-14 LST	3.6	0.5	0.9	0.5	0.9	1.5	0.9	1.7	1.1	0.0	2.7	4.4	1.6	9	-7602
15-17 LST														0	0
18-20 LST	2.7	1.4	1.3	1.3	1.8	2.7	0.9	2.7	0.0	2.9	2.7	4.3	2.1	11	-7602
21-23 LST														0	0

DAX-SEYRESSE, FRANCE
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	27.2	23.3	27.2	26.3	25.6	25.3	27.5	28.5	27.8	27.6	26.0	27.3	319.6	11	-7602
	12 LST	27.8	23.8	28.0	28.8	28.0	27.4	29.5	28.6	28.5	27.9	27.0	25.8	331.1	9	-7602
	18 LST	27.2	23.7	28.1	28.7	27.2	25.7	29.0	28.1	28.2	28.0	26.3	25.1	324.8	11	-7602
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	00 LST														0	0
	06 LST	15.2	14.5	17.8	17.5	16.0	18.8	19.9	21.5	19.2	18.2	16.6	14.4	209.6	11	-7602
	12 LST	14.4	14.0	18.3	17.5	17.8	18.8	21.6	21.6	20.6	18.8	15.3	14.5	213.2	9	-7602
	18 LST	14.7	13.9	19.3	18.4	17.9	18.2	21.2	21.8	22.4	20.7	15.2	13.9	217.6	11	-7602
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST														0	0
	06 LST	4.4	2.1	3.4	2.8	1.4	1.2	0.9	0.9	1.7	2.9	2.9	3.9	28.5	11	-7602
	12 LST	4.5	2.9	4.3	3.5	3.8	2.3	1.9	2.0	2.2	2.2	3.5	3.9	37.0	9	-7602
	18 LST	4.3	3.8	3.4	1.9	2.6	2.0	2.5	0.9	1.5	1.7	3.2	3.2	31.0	11	-7602
SFC WND 4-10 KTS AND TMP 33-89 DEC F AND NO PRECIP.	00 LST														0	0
	06 LST	8.3	9.5	11.1	8.4	9.5	9.7	10.6	13.0	11.3	11.7	10.0	9.4	122.5	11	-7602
	12 LST	7.4	9.5	14.2	11.7	13.2	14.2	15.0	15.4	14.5	11.8	8.7	9.4	145.0	9	-7602
	18 LST	9.5	8.8	11.8	14.2	12.0	13.3	15.2	16.7	14.0	12.6	8.7	9.8	146.6	11	-7602
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	6.8	4.9	5.9	5.0	4.1	4.3	8.2	8.1	6.2	6.5	3.3	4.4	67.7	11	-7602
	12 LST	5.2	5.0	5.5	6.0	5.0	6.7	10.0	11.1	7.7	6.3	3.2	3.1	74.8	9	-7602
	18 LST	6.2	4.9	4.8	6.5	5.6	7.0	11.2	10.9	8.1	5.8	5.4	5.0	81.4	11	-7602
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	21.0	16.9	22.9	21.3	18.9	20.4	21.2	21.7	20.4	20.9	19.6	17.6	242.8	11	-7602
	12 LST	22.0	19.0	23.8	24.5	23.5	23.3	25.5	24.1	24.4	22.1	21.7	19.7	273.6	9	-7602
	18 LST	21.4	17.2	24.3	23.3	22.5	22.8	24.4	24.5	24.2	22.4	19.1	17.0	263.7	11	-7602
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	18.2	15.1	21.8	19.3	17.5	19.2	20.1	19.5	18.5	19.5	18.0	15.0	221.7	11	-7602
	12 LST	20.0	17.8	21.8	23.1	22.3	22.3	23.8	22.6	23.6	21.4	20.1	18.8	257.6	9	-7602
	18 LST	19.4	15.7	23.0	22.3	21.6	22.0	23.8	23.5	22.8	21.1	17.5	15.3	248.0	11	-7602
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	18.2	15.1	21.7	19.3	17.5	19.2	20.1	19.5	18.5	19.5	17.8	15.0	221.4	11	-7602
	12 LST	20.0	17.8	21.8	23.1	22.3	22.3	23.8	22.6	23.4	21.4	20.1	18.8	257.4	9	-7602
	18 LST	19.4	15.7	23.0	22.3	21.4	22.0	23.8	23.3	22.8	21.1	16.9	15.3	247.0	11	-7602

MONT-DE-MARSAN, FRANCE

STA NO. 07607 (IN AREA NUMBER 01)

LATITUDE 4354N

LONGITUDE 00030W

ELEVATION(FT) 00207

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	61	69	68	79	79	86	90	88	84	72	59	57	90	5	603
MEAN MAX TMP (F)	50	52	60	64	70	76	80	80	75	66	56	49	65	30	-140
MEAN MIN TMP (F)	33	34	38	42	48	55	57	53	45	39	35	45	30	30	-140
ABS MIN TMP (F)	14	16	23	30	32	37	41	32	29	25	21	14	14	5	1330
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.0	0.0	0.0	0.0	0.7	5	603
MEAN NO DYS TMP = DR LES 32(F)	15.3	14.7	8.6	2.8	0.5	0.0	0.0	0.2	0.2	1.4	8.4	13.5	65.6	5	1330
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	1330
MEAN DEW PT TMP (F)	38	39	43	46	54	59	65	65	62	54	43	38	51	0	-50
MEAN REL HUM (PCT)	88	82	77	73	75	76	75	76	81	86	88	90	81	10	-140
MEAN PRESS ALT (FT)	19	76	143	147	134	100	82	102	89	98	118	90	100	0	-50
MEAN PRECIP (IN)	3.11	2.84	3.43	3.31	2.95	2.84	2.40	2.28	2.68	3.35	3.58	3.86	36.6	40	-122
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0					5	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	8.6	8.1	7.3	7.2	7.0	7.2	6.4	6.2	6.9	7.9	8.1	9.6	90.5	40	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0					5	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	1.0	1.0	1.0	2.0	4.0	5.0	5.0	6.0	4.0	2.0	0.3	1.0	32.3	10	-140
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI	79.8	65.8	59.3	50.0	52.6	53.8	35.1	50.0	47.5	51.7	60.2	70.0	56.3	4	1050
P FREQ LES 1900 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	60.2	50.5	46.8	40.2	36.4	30.5	32.5	37.3	42.7	49.1	65.4	48.6	45.0	5	1310
09-11 LST														0	0
12-14 LST	46.1	34.7	27.3	20.6	21.6	17.3	12.9	20.3	19.7	22.7	34.1	38.0	26.3	4	853
15-17 LST														0	0
18-20 LST	47.3	31.9	18.8	7.7	10.1	8.2	11.1	11.1	12.0	21.7	33.3	34.8	20.7	5	600
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	16.5	16.1	18.3	11.6	11.0	9.5	6.1	12.7	18.8	18.5	28.8	22.9	15.9	5	1310
09-11 LST														0	0
12-14 LST	6.6	6.7	1.3	3.2	5.9	3.8	0.0	0.0	2.6	1.1	6.1	12.7	4.2	4	853
15-17 LST														0	0
18-20 LST	18.2	8.5	2.1	1.9	2.9	1.6	0.0	0.0	0.0	0.0	8.9	8.7	4.4	5	600
21-23 LST														0	0

MONT-DE-MARSAN, FRANCE

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	14.4	16.2	17.9	19.2	21.2	22.5	22.8	21.8	18.9	18.9	12.4	18.2	224.4	5	1310
	12 LST	19.9	20.9	24.1	27.6	27.9	26.5	30.5	28.0	27.2	27.8	22.3	21.1	303.8	4	853
	18 LST	19.1	21.4	27.1	28.8	29.2	29.0	28.9	30.1	27.6	27.6	22.6	21.5	312.9	5	600
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	00 LST														0	0
	06 LST	8.1	9.6	13.7	14.7	16.2	18.0	17.4	16.1	13.8	12.0	7.7	11.8	159.1	5	1306
	12 LST	11.8	11.9	14.8	16.1	15.8	16.7	19.0	19.8	18.1	15.8	15.3	14.5	189.6	4	853
	18 LST	10.1	14.2	17.4	21.3	21.1	21.0	18.6	22.3	22.8	18.1	16.6	14.1	217.6	5	599
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST														0	0
	06 LST	1.7	3.2	1.7	0.7	0.5	0.8	0.7	1.0	0.5	0.5	0.8	0.8	12.9	5	1342
	12 LST	1.6	2.9	4.0	1.4	3.0	1.1	1.3	0.9	2.3	2.4	0.7	1.1	22.7	4	857
	18 LST	2.0	1.6	3.1	1.6	2.6	3.0	4.1	1.7	0.5	0.6	0.0	1.2	22.0	5	614
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST														0	0
	06 LST	3.7	3.9	6.2	8.0	8.1	10.8	9.0	5.8	7.1	8.7	6.2	7.1	84.6	5	1338
	12 LST	8.4	10.8	10.8	10.6	10.3	10.9	12.8	12.3	11.1	11.9	14.4	6.2	130.5	4	853
	18 LST	6.0	8.9	10.7	10.5	12.5	12.2	9.1	13.2	12.3	9.4	8.0	7.2	120.0	5	610
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	3.4	6.3	6.2	3.1	4.6	7.3	8.5	6.0	4.2	4.5	2.8	4.5	61.4	5	1343
	12 LST	4.8	7.4	8.8	4.3	3.6	3.4	6.2	7.2	5.0	6.6	4.7	5.4	67.4	4	854
	18 LST	4.6	10.4	10.9	6.2	7.5	10.8	12.4	8.6	10.5	7.4	8.0	7.1	104.4	5	614
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	9.0	10.2	13.9	15.2	18.1	18.0	18.4	16.8	14.6	12.3	7.7	12.2	166.4	5	1310
	12 LST	12.2	14.1	17.3	17.1	17.0	17.8	20.3	19.8	18.5	19.7	16.4	16.4	206.6	4	853
	18 LST	11.2	16.0	23.2	25.9	25.1	24.0	26.1	23.2	24.6	19.5	17.3	16.1	252.2	5	600
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	7.2	8.1	13.3	11.5	16.2	15.4	17.6	14.7	13.8	11.4	6.6	10.8	146.6	5	1310
	12 LST	11.0	12.3	14.4	11.4	13.3	13.8	16.3	18.8	15.7	18.6	15.3	15.6	176.5	4	853
	18 LST	9.0	13.7	20.0	20.7	22.9	19.6	23.4	20.6	22.8	17.5	16.0	11.4	217.6	5	600
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	7.2	8.1	13.3	11.5	16.2	14.8	17.6	14.7	13.3	11.4	6.6	10.8	145.5	5	1310
	12 LST	11.0	12.3	14.4	11.4	13.3	13.8	16.3	18.8	15.7	18.6	15.0	15.6	176.2	4	853
	18 LST	9.0	13.7	20.0	20.1	22.9	19.6	23.4	20.6	22.8	16.8	16.0	11.4	215.3	5	600

PAU-PONT LONG UZEIN, FRANCE

STA NO. 07610 (IN AREA NUMBER 01)

LATITUDE 4322N

LONGITUDE 00024W

ELEVATION(FT) 00617

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	75	82	88	87	91	101	101	104	96	88	85	75	104	30	-140
MEAN MAX TMP (F)	50	52	60	63	68	74	77	77	74	65	57	51	64	30	-140
MEAN MIN TMP (F)	33	34	38	42	48	54	57	57	54	46	39	35	45	30	-140
ABS MIN TMP (F)	4	5	19	21	30	39	43	44	30	24	15	9	4	30	-140
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0						0.0	0.0	0.0		30	-29
MEAN NO DYS TMP = DR LES 32(F)					0.0	0.0	0.0	0.0	0.0					30	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	30	-29
MEAN DEW PT TMP (F)	37	37	40	44	49	56	59	58	56	50	44	39	47	0	-50
MEAN REL HUM (PCT)	84	78	75	76	78	80	80	80	83	86	85	85	81	10	-140
MEAN PRESS ALT (FT)	438	495	560	568	556	523	505	525	510	518	535	507	520	0	-50
MEAN PRECIP (IN)	3.62	3.47	3.50	4.09	4.21	3.50	2.44	2.60	3.23	3.90	4.09	4.25	42.9	40	-122
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0					30	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	9.3	9.1	7.3	7.5	7.5	8.2	6.5	6.8	7.7	8.5	8.7	10.0	97.1	40	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0					30	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.3	0.3	2.0	3.0	4.0	6.0	6.0	6.0	4.0	1.0	0.3	1.0	33.9	10	-140
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	28.3	32.5	18.0	28.6	22.9	26.6	19.4	36.1	33.8	23.4	31.5	45.9	28.9	3	728
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	11.3	10.0	6.0	7.1	0.0	4.7	4.5	15.3	20.6	11.7	20.5	25.7	11.5	3	728
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

PAU-PONT LONG UZEIN, FRANCE

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	23.9	20.3	27.2	23.5	25.8	23.9	26.8	21.0	20.7	24.9	21.7	17.5	277.2	3	728
	12 LST														0	0
	18 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	00 LST														0	0
	06 LST	19.3	18.2	22.9	20.0	21.3	20.1	22.6	18.9	18.8	22.9	18.9	15.9	239.8	3	727
	12 LST														0	0
	18 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST														0	0
	06 LST	1.1	0.0	0.0	0.0	0.6	0.4	0.4	0.0	0.0	0.0	0.8	0.0	3.3	3	729
	12 LST														0	0
	18 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST														0	0
	06 LST	0.5	1.4	1.9	2.1	1.2	2.3	1.3	0.4	1.3	0.8	1.2	1.6	16.0	3	719
	12 LST														0	0
	18 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST														0	0
	03 LST	7.7	7.7	7.5	10.0	9.0	7.9	14.1	10.9	6.8	8.9	8.2	3.7	102.4	3	723
	12 LST														0	0
	18 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	19.8	17.5	22.9	19.2	20.0	19.2	20.8	17.2	18.0	21.3	18.9	15.0	229.8	3	728
	12 LST														0	0
	18 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	16.9	15.4	19.2	18.5	18.0	15.9	17.5	13.3	15.4	16.1	16.0	12.1	194.3	3	728
	12 LST														0	0
	18 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	16.3	15.4	19.2	18.5	18.0	15.4	17.1	12.9	15.0	14.0	15.6	11.7	189.1	3	728
	12 LST														0	0
	18 LST														0	0

TOULOUSE-BLAGNAC, FRANCE

STA NO. 07630 (IN AREA NUMBER 01)

LATITUDE 4338N

LONGITUDE 00122E

ELEVATION(FT) 00499

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. DBS
ABS MAX TMP (F)	74	77	83	86	93	104	103	111	99	96	81	80	111	99	-14561
MEAN MAX TMP (F)	47	50	58	62	69	76	80	80	75	65	55	48	64	30	-140
MEAN MIN TMP (F)	23	34	39	43	49	55	59	59	55	47	40	36	46	30	-140
ABS MIN TMP (F)	1	12	20	24	33	42	45	44	32	26	12	3	1	99	-14561
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0							0.0	0.0		30	-29
MEAN NO DYS TMP = DR LES 32(F)	13.4	13.4	5.6	1.1	0.0	0.0	0.0	0.0	0.4	1.8	3.9	10.1	49.7	6	-14561
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	-14561
MEAN DEW P* TMP (F)	37	37	40	43	49	55	57	58	56	51	44	39	47	30	-29
MEAN REL HUM (PCT)	88	83	76	74	73	71	67	70	76	83	89	89	78	30	-32
MEAN PRESS ALT (FT)	312	369	441	441	433	397	378	400	390	398	413	383	396	0	-50
MEAN PRECIP (IN)	1.93	1.81	2.09	1.97	2.95	2.40	1.73	2.13	2.52	1.77	2.01	2.64	25.9	30	-140
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0					99	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	6.1	5.8	6.1	5.9	7.0	6.4	5.0	5.9	6.6	5.2	5.7	7.8	73.5	30	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0					99	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.2	1.0	1.0	1.0	3.0	4.0	4.0	5.0	2.0	1.0	0.1	0.2	22.5	10	-140
P FREQ WND SPD = DR GTR 17 KTS	13.2	14.5	18.1	17.1	11.9	9.8	8.4	9.0	7.5	8.9	10.9	15.3	12.1	10	-31
P FREQ WND SPD = DR GTR 28 KTS	0.2	0.4	1.0	0.5	0.1	0.1	0.0	0.1	0.0	0.0	0.2	0.2	0.2	10	-31
P FREQ LES 5000 FT A/D LES 5 MI	77.4	72.9	43.8	34.5	31.4	35.1	37.2	31.0	25.7	49.5	71.4	61.7	47.9	3	-14561
P FREQ LES 1900 FT A/D LES 3 MI															
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	35.1	37.0	23.7	14.1	25.2	20.3	15.8	21.0	18.2	34.6	38.4	46.9	27.5	8	-14561
09-11 LST														0	0
12-14 LST	31.6	21.2	8.1	5.4	6.3	4.8	1.6	5.0	5.7	8.1	25.2	27.6	12.6	5	-14561
15-17 LST														0	0
18-20 LST	34.3	27.0	5.4	3.3	2.5	4.1	0.0	2.1	6.5	5.6	52.2	37.9	15.1	3	-14561
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	20.7	14.5	3.7	0.5	1.8	0.6	1.1	2.8	4.2	10.1	18.3	21.5	8.3	8	-14561
09-11 LST														0	0
12-14 LST	6.8	4.4	1.5	0.9	0.0	0.0	0.0	1.7	0.0	0.7	5.9	9.5	2.6	5	-14561
15-17 LST														0	0
18-20 LST	11.4	5.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	26.1	6.9	4.2	3	-14561
21-23 LST														0	0

TOULOUSE-BLAGNAC, FRANCE

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NC, DBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	21.2	18.4	25.2	27.0	24.3	25.2	27.4	25.5	25.1	21.0	19.9	18.2	278.4	8	-14561
	12 LST	23.0	23.2	30.0	29.4	29.7	29.1	30.7	29.9	28.7	29.4	23.6	23.2	329.9	5	-14561
	18 LST	20.3	21.1	30.1	30.0	30.2	28.7	31.0	31.0	29.3	31.0	15.6	20.3	318.6	3	-14561
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	00 LST														0	0
	06 LST	16.1	14.7	16.1	22.2	18.4	20.3	23.4	22.6	22.3	17.6	14.8	11.9	220.4	8	-14561
	12 LST	13.0	13.6	16.5	16.8	19.3	20.0	26.2	23.7	23.6	22.3	15.6	15.2	225.8	4	-14561
	18 LST	16.9	15.8	21.7	21.0	22.4	21.8	27.6	27.1	23.3	27.5	11.7	16.0	252.8	3	-14561
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST														0	0
	06 LST	1.6	1.5	4.3	1.6	1.5	0.9	0.1	0.6	0.6	0.4	0.7	1.9	15.7	8	-14561
	12 LST	3.7	3.4	7.3	3.1	4.8	3.1	1.5	2.0	2.9	3.1	2.7	3.9	41.5	5	-14561
	18 LST	0.9	3.7	4.3	1.9	0.7	1.2	0.5	0.6	1.9	0.0	0.0	1.0	16.7	3	-14561
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST														0	0
	06 LST	5.1	4.9	6.8	7.4	8.6	9.6	7.6	5.6	6.5	5.5	6.0	5.3	78.9	8	-14561
	12 LST	8.6	9.3	6.7	9.0	11.3	9.8	13.8	15.2	9.6	12.4	8.2	6.0	119.9	5	-14561
	18 LST	8.7	6.2	6.8	9.0	11.1	6.3	14.0	10.1	7.8	7.7	5.0	7.4	100.1	3	-14561
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	3.7	5.1	8.1	8.9	8.1	9.1	11.3	11.9	9.8	5.8	3.2	4.0	89.0	8	-14561
	12 LST	4.9	7.0	7.4	6.9	7.1	6.9	12.3	11.4	10.8	7.4	3.2	5.2	90.5	5	-14561
	18 LST	6.5	8.3	5.8	7.7	8.5	9.7	16.0	15.1	10.8	10.3	3.7	4.2	106.6	3	-14561
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	17.3	15.7	21.3	23.3	21.3	22.2	24.1	22.7	23.2	18.4	16.0	14.1	239.6	8	-14561
	12 LST	17.0	19.5	24.3	24.6	25.8	24.5	28.2	27.6	27.0	25.5	19.4	19.5	282.9	5	-14561
	18 LST	19.4	18.1	28.4	27.0	29.4	27.5	30.4	29.7	26.7	26.6	13.0	17.1	293.3	3	-14561
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	12.5	12.5	18.7	20.4	19.7	17.8	18.2	18.8	19.8	14.0	12.2	11.7	196.3	8	-14561
	12 LST	13.9	16.3	20.8	19.8	20.6	18.8	23.8	24.5	24.3	20.9	16.3	16.3	236.3	5	-14561
	18 LST	16.8	15.8	25.9	22.0	27.9	23.8	26.0	25.1	25.4	23.2	9.1	13.8	254.8	3	-14561
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	12.5	12.5	18.7	20.4	19.7	17.8	18.1	18.8	19.8	14.0	12.2	11.7	196.2	8	-14561
	12 LST	13.9	16.3	20.8	19.8	20.6	18.8	23.8	24.5	24.0	20.9	16.3	16.3	236.0	5	-14561
	18 LST	16.8	15.8	25.9	22.0	27.9	23.8	25.4	25.1	25.4	23.2	9.1	13.8	254.2	3	-14561

TOULOUSE-FRANCAZAL, FRANCE

STA NO. 07631 (IN AREA NUMBER 01)

LATITUDE 4332N

LONGITUDE 00122E

ELEVATION(FT) 00538

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	69	70	80	85	93	103	100	104	92	69	74	68	104	30	-140
MEAN MAX TMP (F)	47	50	58	62	68	76	80	80	74	65	55	48	64	30	-140
MEAN MIN TMP (F)	35	35	41	44	50	56	59	60	56	48	41	37	47	30	-140
ABS MIN TMP (F)	1	2	22	28	32	42	46	45	32	27	18	13	1	30	-140
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0						0.0	0.0	0.0		30	-29
MEAN NO DYS TMP = OR LES 32(F)	13.4	13.4	5.6	1.1	0.0	0.0	0.0	0.0	0.4	1.8	3.9	10.1	49.7	6	-14561
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	-14561
MEAN DEW PT TMP (F)	35	35	41	43	48	54	56	56	55	49	42	38	46	24	-29
MEAN REL HUM (PCT)	82	78	75	72	71	69	65	65	72	78	82	84	74	11	-14561
MEAN PRESS ALT (FT)	351	407	479	480	473	437	418	440	429	437	452	421	435	0	-50
MEAN PRECIP (IN)	1.89	1.69	1.89	2.09	2.80	2.44	1.58	2.09	2.60	1.85	1.97	2.60	25.5	30	-140
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0					30	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	6.0	5.5	5.8	6.1	6.9	6.5	4.6	5.8	6.7	5.4	5.6	7.7	72.6	30	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0					30	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.1	1.0	1.0	2.0	3.0	4.0	4.0	5.0	3.0	1.0	0.1	0.2	24.4	10	-140
P FREQ WND SPD = OR GTR 17 KTS	13.2	14.5	18.1	17.1	11.9	9.8	8.4	9.0	7.5	8.9	10.9	15.3	12.1	10	-7630
P FREQ WND SPD = OR GTR 28 KTS	0.2	0.4	1.0	0.5	0.1	0.1	0.0	0.1	0.0	0.0	0.2	0.2	0.2	10	-7630
P FREQ LES 3000 FT A/D LES 5 MI	77.4	75.9	43.8	34.5	31.4	35.1	37.2	31.0	25.7	49.5	71.4	61.7	47.9	3	-14561
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	35.1	37.0	23.7	14.1	25.2	20.3	15.8	21.0	18.2	34.6	38.4	46.9	27.5	8	-14561
09-11 LST														0	0
12-14 LST	31.6	21.2	8.1	5.4	6.3	4.8	1.6	5.0	5.7	8.1	25.2	27.6	12.6	5	-14561
15-17 LST														0	0
18-20 LST	34.3	27.0	5.4	3.3	2.5	4.1	0.0	2.1	6.5	5.6	52.2	37.9	15.1	3	-14561
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	20.7	14.5	3.7	0.5	1.8	0.6	1.1	2.8	4.2	10.1	18.3	21.5	8.3	8	-14561
09-11 LST														0	0
12-14 LST	6.8	4.4	1.5	0.9	0.0	0.0	0.0	1.7	0.0	0.7	5.9	9.5	2.6	5	-14561
15-17 LST														0	0
18-20 LST	11.4	5.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	26.1	6.9	4.2	3	-14561
21-23 LST														0	0

TOULOUSE-FRANCAZAL, FRANCE

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POD (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	21.2	18.4	25.2	27.0	24.3	25.2	27.4	25.5	25.1	21.0	19.9	18.2	278.4	8	-14561
	12 LST	23.0	23.2	30.0	29.4	29.7	29.1	30.7	29.9	28.7	29.4	23.6	23.2	329.9	5	-14561
	18 LST	20.3	21.1	30.1	30.0	30.2	28.7	31.0	31.0	29.3	31.0	15.6	20.3	318.6	3	-14561
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LFS 10 KTS	00 LST														0	0
	06 LST	16.1	14.7	16.1	22.2	18.4	20.3	23.4	22.6	21.3	17.4	14.8	11.9	220.4	8	-14561
	12 LST	13.0	13.6	16.5	16.8	19.3	20.0	26.2	23.7	23.6	22.3	15.6	15.2	225.8	5	-14561
	18 LST	16.9	15.8	21.7	21.0	22.4	21.8	27.6	27.1	23.3	27.5	11.7	16.0	252.8	3	-14561
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST														0	0
	06 LST	1.6	1.5	4.3	1.6	1.5	0.9	0.1	0.6	0.6	0.4	0.7	1.9	15.7	8	-14561
	12 LST	3.7	3.4	7.3	3.1	4.8	3.1	1.5	2.0	2.9	3.1	2.7	3.9	41.5	5	-14561
	18 LST	0.9	3.7	4.3	1.9	0.7	1.2	0.5	0.6	1.9	0.0	0.0	1.0	16.7	3	-14561
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST														0	0
	06 LST	5.1	4.9	6.8	7.4	8.6	9.6	7.6	5.6	6.5	5.5	6.0	5.3	78.9	8	-14561
	12 LST	8.6	9.3	6.7	9.0	11.3	9.8	13.8	15.2	9.6	12.4	8.2	6.0	119.9	5	-14561
	18 LST	8.7	6.2	6.8	9.0	11.1	6.3	14.0	10.1	7.8	7.7	5.0	7.4	100.1	3	-14561
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	3.7	5.1	8.1	8.9	8.1	9.1	11.3	11.9	9.8	5.8	3.2	4.0	89.0	8	-14561
	12 LST	4.9	7.0	7.4	6.9	7.1	6.9	12.3	11.4	10.8	7.4	3.2	5.2	90.5	5	-14561
	18 LST	6.5	8.3	5.8	7.7	8.5	9.7	16.0	15.1	10.8	10.3	3.7	4.2	106.6	3	-14561
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	17.3	15.7	21.3	23.3	21.3	22.2	24.1	22.7	23.2	18.4	16.0	14.1	239.6	8	-14561
	12 LST	17.0	19.5	24.3	24.6	25.8	24.5	28.2	27.6	27.0	25.5	19.4	19.5	282.9	5	-14561
	18 LST	19.4	18.1	28.4	27.0	29.4	27.5	30.4	29.7	26.7	26.6	13.0	17.1	293.3	3	-14561
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	12.5	12.5	18.7	20.4	19.7	17.8	18.2	18.8	19.8	14.0	12.2	11.7	196.3	8	-14561
	12 LST	13.9	16.3	20.8	19.8	20.6	18.8	23.8	24.5	24.3	20.9	16.3	16.3	236.3	5	-14561
	18 LST	16.8	15.8	25.9	22.0	27.9	23.8	26.0	25.1	25.4	23.2	9.1	13.8	254.8	3	-14561
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	12.5	12.5	18.7	20.4	19.7	17.8	18.1	18.8	19.8	14.0	12.2	11.7	196.2	8	-14561
	12 LST	13.9	16.3	20.8	19.8	20.6	18.8	23.8	24.5	24.0	20.9	16.3	16.3	236.0	5	-14561
	18 LST	16.8	15.8	25.9	22.0	27.9	23.8	25.4	25.1	25.4	23.2	9.1	13.8	254.2	3	-14561

PIC DU MIDI, FRANCE

STA NO. 07720 (IN AREA NUMBER 01)

LATITUDE 4256N

LONGITUDE 00008E

ELEVATION(FT) 09378

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	50	50	55	52	57	72	68	70	62	62	49	45	72	30	-640
MEAN MAX TMP (F)	24	23	28	31	37	45	51	50	45	36	30	24	35	30	-140
MEAN MIN TMP (F)	14	13	17	19	25	33	39	38	34	27	20	15	25	30	-140
ABS MIN TMP (F)	-23	-27	-8	-5	0	10	16	18	7	-4	-7	-13	-27	30	-640
MEAN NO C.S TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	30	-29
MEAN NO DYS TMP = DR LES 32(F)	29.8	26.4	30.4	26.8	29.8	17.4	7.0	2.7	19.1	25.2	24.2	30.2	268.0	4	459
MEAN NO DYS TMP = DR LES 0(F)	2.9	1.5	2.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.0	10.6	4	459
MEAN DEW PT TMP (F)	10	9	14	17	25	34	35	35	31	23	15	10	22	23	-29
MEAN REL HUM (PCT)	70	70	72	75	79	82	72	73	75	74	69	70	73	10	-140
MEAN PRESS ALT (FT)															
MEAN PRECIP (IN)	7.05	17.78	5.93	2.81	1.77	1.69	0.15	0.26	6.53	6.85	5.45	14.22	74.5	0	0
MEAN SNOW FALL (IN)														4	249
MEAN NO DYS PRCP = DR GTR 0.1 IN	11.9	9.3	9.7	9.3	12.2	4.6	1.9	0.0	12.0	15.5	6.5	16.2	109.1	0	0
MEAN NO DYS SNFL = DR GTR 1.5 IN														4	249
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	0.0	1.0	2.0	5.0	5.0	5.0	4.0	1.0	0.0	0.0	23.0	0	0
P FREQ WND SPD = DR GTR 17 KTS														10	-24
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST															
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST															
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
1-17 LST														0	0
1-20 LST														0	0
1-23 LST														0	0

PIC DU MIDI, FRANCE
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	26.4	24.5	29.2	25.0	22.3	27.6	26.5	27.7	23.0	22.3	20.0	21.7	296.2	4	280
	12 LST														0	0
	18 LST	24.5	25.6	24.5	20.0	13.5	21.8	28.1	23.2	18.0	24.3	25.1	26.1	274.7	4	215
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	00 LST														0	0
	06 LST	12.6	20.1	23.2	21.0	18.9	25.3	19.9	26.1	16.1	20.6	12.2	15.5	231.5	4	280
	12 LST														0	0
	18 LST	10.3	15.1	19.2	20.0	12.4	21.0	19.7	19.3	15.0	17.7	21.0	14.6	205.3	4	212
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST														0	0
	06 LST	7.2	2.5	1.6	0.6	0.5	0.6	1.9	1.2	4.0	2.1	2.3	2.1	26.6	4	493
	12 LST														0	0
	18 LST	5.5	2.4	3.8	1.7	0.5	0.6	1.0	2.2	0.0	4.8	3.5	5.6	31.6	4	480
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST														0	0
	06 LST	0.7	1.0	0.0	0.0	0.6	11.3	11.6	11.6	4.2	2.1	2.3	0.0	45.4	4	478
	12 LST														0	0
	18 LST	0.6	1.2	0.0	1.2	2.4	12.0	15.5	11.0	8.0	3.0	0.7	0.0	55.6	4	466
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	7.2	9.8	11.6	11.0	9.9	9.1	14.4	20.2	10.0	9.6	9.2	7.5	129.5	4	478
	12 LST														0	0
	18 LST	10.5	10.3	12.6	7.0	4.9	5.1	10.6	11.0	2.0	10.3	11.2	9.1	104.6	4	476
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	25.2	22.7	28.4	25.0	22.3	27.6	26.5	24.4	20.7	22.3	18.8	21.7	285.6	4	280
	12 LST														0	0
	18 LST	24.5	25.6	24.5	18.3	13.5	19.0	25.3	23.2	15.0	24.3	25.1	26.1	264.4	4	215
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	25.2	21.8	28.4	25.0	22.3	26.5	26.5	19.5	18.4	18.9	18.8	20.1	271.0	4	280
	12 LST														0	0
	18 LST	24.5	25.6	24.5	16.6	13.5	19.0	22.5	23.2	15.0	24.3	25.1	22.8	256.6	4	215
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	24.1	21.0	27.5	25.0	22.3	26.5	26.5	19.5	16.1	17.2	18.8	18.6	263.1	4	280
	12 LST														0	0
	18 LST	24.5	25.6	24.5	16.6	13.5	19.0	22.5	23.2	15.0	22.1	25.1	21.2	252.1	4	215

PERPIGNAN-LLABANERE, FRANCE

STA NO. 07747 (IN AREA NUMBER 01)

LATITUDE 4244N

LONGITUDE 00252E

ELEVATION(FT) 00144

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	76	80	84	90	94	106	108	104	99	92	83	80	108	51	-328
MEAN MAX TMP (F)	53	56	60	65	71	78	83	83	77	69	60	55	68	47	-28
MEAN MIN TMP (F)	38	39	42	47	53	59	64	63	59	51	45	40	50	47	-28
ABS MIN TMP (F)	12	19	23	30	34	36	45	32	32	25	22	14	12	51	-328
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.1	1.4	5.1	4.8	0.8	0.0	0.0	0.0	12.2	9	2648
MEAN NO DYS TMP = DR LES 32(F)	4.2	4.5	1.0	0.4	0.0	0.0	0.0	0.1	0.1	0.1	0.7	5.4	16.5	9	2703
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	2703
MEAN DEW PT TMP (F)	35	34	38	42	49	53	58	57	56	51	43	37	46	0	-50
MEAN REL HUM (PCT)	64	62	65	60	59	58	55	58	64	67	69	68	62	11	-28
MEAN PRESS ALT (FT)	-4	48	91	120	97	69	61	74	47	52	72	51	65	0	-50
MEAN PRECIP (IN)	2.30	1.30	2.10	1.90	2.00	1.40	0.80	1.20	1.70	3.30	2.90	2.30	23.2	47	-28
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0					51	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	7.0	4.3	6.1	5.8	6.0	4.1	2.4	3.6	5.1	7.8	7.2	7.0	60.4	47	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0					51	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.3	0.3	1.0	1.0	3.0	4.0	4.0	4.0	4.0	1.0	0.3	0.3	23.2	10	-24
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 3 MI	22.1	21.2	20.0	20.6	14.9	11.7	10.8	16.8	21.0	25.8	29.1	28.1	20.2	9	6501
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	9.9	10.2	12.5	7.7	6.1	8.5	4.1	8.6	13.4	12.9	13.1	11.7	10.1	11	2951
09-11 LST														0	0
12-14 LST	6.8	7.1	8.5	6.5	5.2	3.5	1.3	3.9	5.9	8.7	7.3	10.5	6.3	9	2715
15-17 LST														0	0
18-20 LST	6.8	6.4	7.2	6.9	3.9	2.7	2.8	4.3	7.4	6.5	10.8	11.7	6.5	11	2860
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	2.7	3.6	4.2	2.6	1.6	1.3	0.4	2.7	4.9	2.4	0.8	2.2	2.5	11	2951
09-11 LST														0	0
12-14 LST	1.6	1.9	1.2	2.2	1.7	0.9	0.0	0.5	2.0	0.9	2.3	1.7	1.4	9	2715
15-17 LST														0	0
18-20 LST	1.9	1.8	2.3	0.8	0.0	0.4	1.2	0.4	0.0	2.4	2.2	0.4	1.2	11	2860
21-23 LST														0	0

PERPIGNAN-LLABANERE, FRANCE
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	28.2	25.6	27.7	28.0	29.1	27.9	29.9	29.1	26.4	28.1	26.9	28.2	335.1	11	2951
	12 LST	29.6	26.6	28.9	28.8	29.9	29.0	30.8	30.3	28.5	29.3	28.5	28.6	348.8	9	2715
	18 LST	29.3	26.3	29.3	28.2	30.0	29.5	30.3	29.9	28.3	29.7	27.4	28.3	346.5	11	2860
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	00 LST														0	0
	06 LST	17.1	14.4	15.3	17.2	17.2	18.5	20.0	19.8	19.9	18.0	18.4	15.8	211.6	11	2929
	12 LST	14.8	12.5	13.5	12.0	15.7	16.1	18.4	17.4	18.2	15.7	16.7	14.4	185.4	9	2699
	18 LST	16.8	15.0	16.3	14.4	16.5	19.8	17.9	18.3	21.6	18.7	18.4	17.2	210.9	11	2834
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST														0	0
	06 LST	8.6	7.5	8.3	7.2	7.0	6.1	5.9	5.1	3.1	5.7	4.8	7.9	77.2	11	2949
	12 LST	11.8	11.8	11.7	12.7	10.8	8.2	7.7	8.8	6.4	9.0	7.5	10.0	116.4	9	2720
	18 LST	9.1	9.1	9.4	10.7	8.6	6.3	8.0	6.9	4.0	7.2	5.5	7.8	92.6	11	2869
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST														0	0
	06 LST	4.0	3.0	3.1	5.0	4.5	5.6	7.1	5.8	3.4	4.8	5.1	3.6	55.0	11	2906
	12 LST	5.1	6.2	8.5	8.7	10.7	10.9	12.8	11.5	11.8	8.4	6.4	4.5	105.5	9	2687
	18 LST	4.8	4.5	6.2	6.3	6.9	8.6	8.3	7.8	6.7	6.3	5.2	4.6	76.2	11	2821
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	8.9	8.7	7.1	9.6	8.6	10.8	14.3	13.9	9.5	8.4	7.1	7.1	114.0	11	2945
	12 LST	8.9	9.4	8.1	7.5	8.3	9.6	14.0	14.5	10.6	6.6	6.6	7.5	111.6	9	2717
	18 LST	9.8	10.0	7.7	7.4	6.2	6.9	12.7	11.8	9.5	8.5	9.1	9.3	108.9	11	2853
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	25.9	24.1	25.2	26.5	27.2	26.7	29.1	26.5	24.7	25.3	23.7	25.4	310.3	11	2951
	12 LST	27.6	24.9	26.8	26.6	28.4	28.5	29.8	29.0	27.2	26.3	26.1	26.2	327.4	9	2715
	18 LST	27.7	25.3	27.4	26.8	29.2	28.2	29.5	29.2	26.1	27.0	25.7	25.6	327.7	11	2860
CIG = CTR 6000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	24.0	21.7	23.0	24.7	25.6	25.3	26.8	24.5	22.5	22.9	21.3	23.0	285.3	11	2951
	12 LST	25.7	23.7	25.2	23.2	26.3	26.2	27.3	26.1	24.2	23.6	24.6	25.0	301.1	9	2715
	18 LST	26.3	22.9	25.9	24.2	27.2	24.9	25.4	25.3	22.9	24.1	22.8	24.2	296.1	11	2860
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	24.0	21.6	22.7	24.5	25.4	25.0	26.8	24.3	22.4	22.6	21.2	23.0	283.5	11	2951
	12 LST	25.6	23.6	25.0	23.2	26.3	25.9	27.3	26.1	24.2	23.3	24.6	24.9	300.0	9	2715
	18 LST	26.3	22.9	25.9	24.1	27.1	24.5	25.4	25.1	22.7	24.0	22.8	24.2	295.0	11	2860

ST. ANDRE-DE-L'EURE, FRANCE

STA NO. 14544/ (IN AREA NUMBER 01)

LATITUDE 4853N

LONGITUDE 00115E

ELEVATION(FT) 00489

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	57	68	73	81	80	93	96	96	90	78	66	60	96	12	-7038
MEAN MAX TMP (F)	41	43	50	56	63	69	72	71	69	58	49	44	57	12	-7038
MEAN MIN TMP (F)	32	32	36	40	45	50	54	53	50	44	38	34	42	12	-7038
ABS MIN TMP (F)	7	6	20	26	30	35	40	41	37	28	16	13	6	12	-7038
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.3	1.1	0.4	0.1	0.0	0.0	0.0	1.9	12	-7038
MEAN NO DYS TMP = DR LES 32(F)	17.1	14.1	11.5	2.3	0.5	0.0	0.0	0.0	0.0	0.8	5.9	12.1	64.3	12	-7038
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-7038
MEAN DEW PT TMP (F)	33	33	36	41	46	51	54	54	52	46	40	36	44	12	-7038
MEAN REL HUM (PCT)	87	84	79	77	75	76	75	77	78	85	88	88	81	12	-7038
MEAN PRESS ALT (FT)	380	412	460	465	433	407	417	425	396	412	448	446	425	0	-50
MEAN PRECIP (IN)	1.97	2.12	1.48	1.59	1.71	1.85	1.76	1.77	1.37	1.88	1.99	1.79	21.3	11	-7038
MEAN SNOW FALL (IN)	2.5	3.4	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.4	7.5	11	-7038
MEAN NO DYS PRCP = DR GTR 0.1 IN	6.7	6.4	4.5	5.3	4.9	5.6	4.3	5.0	4.9	5.8	5.8	5.5	64.7	11	-7038
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.7	0.8	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	11	-7038
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	7.6	6.8	3.6	2.4	2.0	2.0	2.7	2.3	5.0	7.5	6.9	7.6	56.4	12	-7038
MEAN NO DYS TSTMS	0.2	0.0	0.4	0.7	3.1	2.3	2.9	2.5	1.5	0.7	0.1	0.1	14.5	12	-7038
P FREQ WND SPD = DR GTR 17 KTS	5.8	4.5	3.8	3.5	2.6	0.8	1.0	1.8	1.2	1.8	3.4	6.0	3.0	12	-7038
P FREQ WND SPD = DR GTR 28 KTS	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.1	12	-7038
P FREQ LES 5000 FT A/D LES 5 MI	69.0	66.8	55.2	48.2	39.4	40.1	40.2	37.6	44.7	57.0	66.9	70.9	53.0	14	-7038
P FREQ LES 1900 FT A/D LES 3 MI															
FDR 00-02 LST	42.9	39.3	20.3	18.4	10.0	12.1	10.6	8.5	17.8	34.6	39.6	37.9	24.3	14	-7038
03-05 LST	42.6	41.7	31.5	29.6	21.8	27.8	25.6	19.0	30.0	42.1	44.8	39.9	33.0	14	-7038
06-08 LST	45.8	48.7	41.5	35.7	23.5	24.4	27.4	22.1	36.7	46.8	50.6	44.3	37.3	14	-7038
09-11 LST	47.3	46.3	30.8	20.4	9.9	9.2	13.5	11.9	22.6	35.2	47.0	43.3	28.1	14	-7038
12-14 LST	39.0	33.5	13.9	9.4	4.2	4.1	4.9	3.6	10.0	18.5	31.5	39.1	17.6	14	-7038
15-17 LST	36.2	26.6	11.1	6.3	2.8	3.5	1.8	1.8	5.9	16.1	28.5	38.1	14.9	14	-7038
18-20 LST	38.2	27.3	11.8	8.1	3.3	4.3	2.4	2.4	7.1	19.4	30.3	36.2	15.9	14	-7038
21-23 LST	39.4	29.5	15.5	10.4	5.7	7.4	4.6	4.7	10.0	24.2	33.5	34.9	18.3	14	-7038
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	13.6	9.9	2.1	2.2	1.0	0.8	2.0	1.5	4.2	14.0	10.5	11.3	6.1	14	-7038
03-05 LST	14.7	13.0	6.8	5.1	4.5	5.3	6.0	5.2	11.1	17.6	13.2	11.1	9.5	14	-7038
06-08 LST	16.0	16.7	10.9	6.8	3.5	3.0	3.9	4.7	12.1	21.3	15.0	12.7	10.6	14	-7038
09-11 LST	14.1	13.2	3.5	1.5	0.3	0.2	0.3	0.4	2.9	9.9	9.8	11.7	5.7	14	-7038
12-14 LST	9.4	7.0	0.2	0.5	0.0	0.0	0.0	0.0	0.4	3.2	2.9	6.5	2.5	14	-7038
15-17 LST	9.8	6.0	0.6	0.4	0.2	0.1	0.0	0.0	0.1	1.7	3.9	7.4	2.5	14	-7038
18-20 LST	9.8	6.4	0.8	0.0	0.2	0.1	0.0	0.0	0.6	3.9	5.7	6.7	2.9	14	-7038
21-23 LST	10.5	7.7	0.9	0.4	0.3	0.1	0.5	0.0	1.2	7.2	8.1	9.2	3.8	14	-7038

ST. ANDRE-DE-L'EURE, FRANCE

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST	19.1	19.3	26.0	25.8	29.0	27.9	29.2	29.5	26.2	21.9	20.7	21.8	296.4	14	-7038
	06 LST	19.6	17.9	20.3	20.1	25.0	22.8	23.8	24.7	19.3	16.3	17.7	20.1	248.1	14	-7038
	12 LST	19.5	19.7	27.1	27.6	30.7	29.3	30.5	30.5	28.2	25.9	21.4	20.9	311.3	14	-7038
	18 LST	20.3	21.4	28.1	28.3	30.5	29.2	30.5	30.8	28.3	25.8	22.5	21.7	317.4	14	-7038
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	00 LST	10.5	11.8	19.2	19.9	25.1	25.0	25.6	26.3	23.3	16.4	13.7	12.7	229.5	14	-7038
	06 LST	11.1	9.8	13.3	13.9	19.4	18.3	18.2	20.8	15.0	11.9	11.3	10.9	173.9	14	-7038
	12 LST	7.1	6.0	9.7	11.4	14.8	18.1	16.9	15.0	15.0	12.2	9.1	7.3	142.6	14	-7038
	18 LST	11.8	13.3	18.2	16.3	19.2	20.0	19.8	20.8	24.5	21.0	15.5	11.7	212.1	14	-7038
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST	0.8	0.5	0.3	0.1	0.1	0.0	0.0	0.0	0.1	0.2	0.1	1.2	3.4	14	-7038
	06 LST	1.4	0.5	0.2	0.0	0.0	0.1	0.0	0.2	0.0	0.2	0.5	1.1	4.2	14	-7038
	12 LST	1.5	2.3	2.2	1.7	1.3	0.4	0.4	0.8	1.0	0.8	1.1	1.9	15.4	14	-7038
	18 LST	0.7	1.1	1.1	0.9	1.0	0.2	0.2	0.7	0.0	0.0	0.3	0.8	7.4	14	-7038
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST	8.4	9.5	14.3	17.3	18.1	16.2	17.1	18.6	18.9	17.4	13.4	12.0	181.2	14	-7038
	06 LST	8.8	7.8	12.8	18.2	17.3	17.3	17.3	18.9	15.9	16.3	13.1	10.2	173.9	14	-7038
	12 LST	10.8	8.9	14.5	12.3	15.2	17.3	16.4	16.0	16.8	16.6	14.8	11.9	171.5	14	-7038
	18 LST	12.5	12.4	17.3	15.4	18.1	19.5	21.4	19.9	18.7	17.0	15.5	11.2	198.9	14	-7038
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST	5.7	6.9	10.5	9.8	12.6	12.5	12.5	13.0	12.8	8.5	5.2	5.2	115.2	14	-7038
	06 LST	5.3	4.7	5.2	3.9	5.8	5.3	4.6	5.3	5.2	3.6	3.5	4.5	56.9	14	-7038
	12 LST	2.6	2.7	4.5	2.8	2.6	2.9	2.8	2.7	4.4	4.0	1.8	2.3	36.1	14	-7038
	18 LST	4.4	4.3	5.2	4.1	3.9	5.1	4.2	4.7	6.5	6.2	3.7	3.6	55.8	14	-7038
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST	15.2	15.4	23.2	23.3	27.3	26.1	27.5	28.2	25.1	20.4	17.2	16.8	265.7	14	-7038
	06 LST	15.5	13.7	16.7	15.9	21.7	19.6	20.8	22.7	17.1	15.2	14.1	15.4	208.4	14	-7038
	12 LST	14.8	14.0	20.1	22.1	25.9	25.7	26.3	26.8	24.0	20.5	15.2	14.2	249.6	14	-7038
	18 LST	17.2	18.4	25.8	26.5	28.8	27.9	29.6	29.4	26.8	23.4	18.5	16.3	288.6	14	-7038
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST	11.6	11.9	18.6	19.3	23.7	23.6	24.3	24.4	21.4	15.9	12.3	11.0	218.0	14	-7038
	06 LST	10.9	9.5	12.8	12.9	18.0	17.1	16.3	18.3	13.9	10.6	10.4	11.0	161.9	14	-7038
	12 LST	11.1	9.5	12.3	12.2	13.4	13.8	12.6	13.3	14.3	13.2	9.8	8.6	144.1	14	-7038
	18 LST	12.4	13.0	19.3	19.7	20.8	21.2	22.1	22.8	21.4	17.4	12.7	10.3	213.1	14	-7038
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST	10.0	10.8	15.7	16.9	20.9	20.6	20.3	20.4	18.5	13.2	9.5	9.5	186.3	14	-7038
	06 LST	9.2	8.2	10.9	10.2	15.1	14.3	12.5	14.5	11.5	7.6	7.8	9.5	131.3	14	-7038
	12 LST	9.5	7.4	10.9	10.1	11.3	11.7	9.8	9.8	11.5	10.7	7.2	6.5	116.4	14	-7038
	18 LST	10.2	10.4	16.0	15.0	16.4	16.7	15.7	17.0	17.3	14.2	10.0	8.8	167.7	14	-7038

BERCK PLAGE, FRANCE

STA NO. 14547/ (IN AREA NUMBER 01)

LATITUDE 5025N

LONGITUDE 00136E

ELEVATION(FT) 00023

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	48	55	61	61	61	88	88	77	75					2	225
MEAN MAX TMP (F)	35	44	51	52	54	66	68	67	71					0	3
MEAN MIN TMP (F)														0	0
ABS MIN TMP (F)														2	225
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0					0	0
MEAN NO DYS TMP = DR LES 32(F)														0	0
MEAN NO DYS TMP = DR LES 0(F)														0	0
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)														0	0
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = DR GTR 0.1 IN														0	0
MEAN NO DYS SNFL = DR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI	83.6	71.8	60.3	42.7	42.6	42.3	41.4	35.7	46.5	59.8	66.2	79.3	55.9	3	3815
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	63.9	57.1	56.5	28.3	32.3	32.2	21.6	34.4	32.5	50.8	36.2	56.5	41.9	3	789
09-11 LST	59.7	55.4	43.3	18.3	19.7	20.3	21.5	16.5	23.2	47.4	45.8	52.5	35.3	3	787
12-14 LST	50.8	35.7	29.0	13.3	21.0	15.0	11.1	14.0	19.5	23.3	35.0	48.4	26.3	3	790
15-17 LST	58.2	34.0	33.9	17.9	17.3	17.6	13.9	11.8	13.9	28.3	33.3	40.3	26.7	3	736
18-20 LST	56.7	42.6	32.3	11.7	13.1	10.0	10.1	12.9	16.4	37.5	36.4	54.8	27.9	3	755
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	23.0	14.3	25.8	8.3	16.1	10.2	8.1	6.5	12.0	18.6	8.6	14.5	13.8	3	789
09-11 LST	29.0	12.5	18.3	6.7	6.6	3.4	2.5	0.0	7.3	10.5	11.9	18.0	10.6	3	787
12-14 LST	14.8	7.1	6.5	3.3	0.0	1.7	0.0	1.1	7.3	6.7	5.0	12.9	5.5	3	790
15-17 LST	20.0	19.1	8.5	5.1	3.8	0.0	3.8	1.1	2.5	6.7	6.7	9.7	7.3	3	736
18-20 LST	23.3	16.7	9.7	1.7	1.6	1.7	0.0	0.0	1.6	10.4	9.1	16.1	7.7	3	755
21-23 LST														0	0

BERCK PLAGE, FRANCE
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	15.2	17.0	15.5	22.5	23.0	23.3	26.3	23.3	22.0	17.3	22.2	18.0	245.6	3	789
	12 LST	19.0	21.5	25.0	27.0	29.0	28.0	28.2	29.0	26.0	24.8	21.5	19.0	298.0	3	799
	18 LST	16.5	18.8	22.5	28.0	29.5	27.5	29.0	28.3	27.1	21.7	22.0	18.5	289.4	3	798
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	00 LST														0	0
	06 LST	4.0	4.5	10.5	13.5	16.5	17.2	20.5	14.6	16.2	11.0	11.3	7.0	146.8	3	789
	12 LST	5.0	9.0	15.0	11.5	9.5	20.5	17.2	16.0	16.2	11.8	10.5	7.0	149.2	3	799
	18 LST	8.5	8.6	17.0	15.0	14.0	22.0	21.5	18.3	18.7	12.4	9.5	6.0	171.5	3	798
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST														0	0
	06 LST	1.5	3.0	1.0	4.0	3.0	0.0	0.4	2.3	0.7	2.6	3.6	3.5	25.6	3	789
	12 LST	2.5	1.5	3.0	6.5	5.0	1.0	2.3	4.6	2.8	4.6	3.5	5.0	42.3	3	799
	18 LST	2.0	2.0	2.0	5.0	4.5	1.0	1.9	3.6	2.1	3.1	4.5	4.5	36.2	3	798
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST														0	0
	06 LST	3.1	6.3	13.0	13.0	10.0	12.4	11.9	10.5	14.1	14.4	7.2	6.0	121.9	3	412
	12 LST	9.0	7.8	19.0	7.0	9.0	13.0	18.7	12.5	11.8	17.0	7.0	9.0	140.8	3	420
	18 LST	6.7	11.0	13.0	10.0	12.0	17.0	18.7	15.0	11.8	17.0	8.2	6.0	146.4	3	416
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	4.5	1.0	4.5	7.0	5.0	8.6	6.2	4.0	5.0	3.6	1.5	5.5	56.4	3	789
	12 LST	2.5	3.0	7.0	10.0	5.5	13.0	8.6	6.6	7.5	6.7	2.5	4.5	77.4	3	799
	18 LST	4.0	1.0	9.5	6.5	8.5	15.0	11.3	10.0	10.1	6.2	3.5	3.5	89.1	3	798
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	7.1	7.0	11.0	20.0	18.0	16.7	20.5	15.6	16.9	12.6	15.5	9.0	169.9	3	789
	12 LST	10.5	14.0	19.0	23.0	19.5	22.5	23.9	24.0	20.9	22.2	16.0	12.0	227.5	3	799
	18 LST	9.0	12.2	19.5	23.0	22.5	25.5	23.9	25.0	22.7	17.0	15.5	9.5	225.3	3	798
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	7.1	7.0	10.5	19.5	16.5	15.7	17.5	14.0	14.8	11.5	15.0	9.0	158.1	3	789
	12 LST	10.0	13.0	19.0	21.5	19.5	21.5	22.7	23.3	19.8	20.6	14.0	11.5	216.4	3	799
	18 LST	8.0	11.2	18.5	21.5	21.0	24.5	22.3	24.3	22.0	16.0	14.5	9.0	212.8	3	798
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	7.1	7.0	10.5	19.5	16.5	15.7	17.5	14.0	14.8	11.5	15.0	9.0	158.1	3	789
	12 LST	10.0	13.0	19.0	21.5	19.5	21.5	22.7	23.3	19.8	20.6	14.0	11.5	216.4	3	799
	18 LST	8.0	11.2	18.5	21.5	21.0	24.5	22.3	24.3	22.0	16.0	14.5	9.0	212.8	3	798

CAMBRAI/NIERGNIES, FRANCE

STA NO. 14548/ (IN AREA NUMBER 01)

LATITUDE 5008N

LONGITUDE 00315E

ELEVATION(FT) 00361

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	57	63	75	79	82	95	96	96	93	72	65	55	96	6	-14564
MEAN MAX TMP (F)	42	44	51	57	64	69	73	73	67	58	48	41	57	30	-14564
MEAN MIN TMP (F)	32	32	36	40	46	51	55	55	51	44	38	33	43	30	-14564
ABS MIN TMP (F)	10	14	18	25	28	39	45	43	32	23	18	12	10	5	-14564
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.5	1.8	1.0	0.7	0.0	0.0	0.0	4.0	6	-14564
MEAN NO DYS TMP = DR LES 32(F)	14.2	12.0	15.5	3.8	1.6	0.0	0.0	0.0	0.3	1.8	5.9	12.5	67.6	5	-14564
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-14564
MEAN DEW FT TMP (F)	35	37	37	41	45	54	56	57	53	47	41	36	45	0	-50
MEAN REL HUM (PCT)	92	95	30	77	72	82	77	80	82	87	92	95	84	20	-29
MEAN PRESS ALT (FT)	269	296	341	333	298	276	281	301	272	297	340	341	304	0	-50
MEAN PRECIP (IN)	1.81	1.58	2.09	1.85	1.77	2.80	2.87	2.60	2.17	2.76	2.44	2.56	27.3	40	-14564
MEAN SNOW FALL (IN)						0.0	0.0	0.0	0.0					5	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	5.8	5.2	6.1	5.7	5.5	7.1	7.2	6.8	6.0	7.0	6.5	7.6	76.5	40	-29
MEAN NO DYS CNFL = DR GTR 1.5 IN						0.0	0.0	0.0	0.0					5	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.3	1.0	1.0	3.0	3.0	4.0	3.0	1.0	0.3	0.3	0.0	16.9	10	-14564
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI	84.0	83.3	69.4	64.6	54.5	54.8	41.7	59.0	70.2	70.2	86.7	91.1	69.1	4	-14564
P FREQ LES 1500 FT A/D LES 3 MI															
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	73.8	57.4	56.7	39.8	43.7	35.5	38.7	53.3	44.2	44.6	61.1	67.0	51.3	7	-14564
09-11 LST														0	0
12-14 LST	48.7	39.4	16.8	21.4	16.2	13.0	13.8	17.9	13.6	18.8	47.1	46.8	26.1	5	-14564
15-17 LST														0	0
18-20 LST	50.8	41.4	20.8	14.0	11.8	4.9	10.8	6.5	15.9	29.3	64.3	60.0	27.5	6	-14564
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	25.4	20.4	24.0	15.1	9.7	6.4	7.3	14.2	15.8	10.7	32.6	28.4	17.5	7	-14564
09-11 LST														0	0
12-14 LST	14.5	7.7	1.8	2.4	0.0	2.2	0.0	1.8	3.0	2.5	14.3	20.8	5.9	5	-14564
15-17 LST														0	0
18-20 LST	16.9	10.3	0.0	2.3	3.9	0.0	5.4	0.0	2.3	4.9	21.4	23.3	7.6	6	-14564
21-23 LST														0	0

CAMBRAI/NIERGNIES, FRANCE

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	9.5	13.2	14.3	19.0	18.6	20.4	20.5	15.2	17.2	17.9	12.6	11.2	189.6	7	-14564
	12 LST	18.0	18.5	27.7	26.0	27.6	28.6	28.3	27.1	27.2	26.7	18.0	17.7	291.4	5	-14564
	18 LST	16.6	17.7	25.1	27.5	29.1	29.5	28.4	30.0	25.9	22.6	11.7	14.4	278.5	6	-14564
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	00 LST														0	0
	06 LST	3.8	6.7	9.2	14.8	15.5	17.1	15.2	11.6	13.7	11.7	6.9	5.6	131.8	7	-14564
	12 LST	7.6	9.9	17.8	14.6	20.1	20.2	17.6	19.9	20.0	12.9	9.0	12.8	183.4	5	-14564
	18 LST	10.4	11.2	19.6	19.5	22.9	23.1	23.4	22.0	22.5	17.3	9.6	7.2	208.7	6	-14564
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST														0	0
	06 LST	2.2	2.4	1.6	0.6	0.2	1.0	1.0	0.7	1.2	2.3	0.9	2.1	16.2	7	-14564
	12 LST	3.9	3.8	3.0	3.5	1.6	0.6	3.6	2.1	2.2	3.8	2.5	2.3	32.9	5	-14564
	18 LST	2.3	2.2	1.9	2.3	0.0	0.5	2.5	4.0	0.6	0.7	0.0	2.0	19.0	6	-14564
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST														0	0
	06 LST	6.6	9.0	11.0	16.7	18.5	17.1	17.8	16.5	15.8	12.5	14.5	8.9	164.9	7	-14564
	12 LST	11.1	13.3	18.3	14.2	16.3	20.8	16.5	17.1	16.8	13.1	16.7	13.9	188.1	5	-14564
	18 LST	10.1	10.9	17.2	16.8	18.0	19.3	13.2	14.0	12.9	11.6	15.5	12.4	171.9	6	-14564
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	2.9	2.7	4.7	5.7	5.7	6.4	5.0	4.1	5.4	2.8	1.8	3.5	50.7	7	-14564
	12 LST	3.4	3.5	9.4	3.5	4.8	8.4	4.2	8.3	6.3	6.9	3.4	7.9	70.0	5	-14564
	18 LST	4.7	6.1	11.3	6.4	8.9	10.8	10.0	8.0	13.6	9.8	5.3	2.0	96.9	6	-14564
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	6.6	10.3	12.2	17.0	15.9	18.0	17.5	13.4	16.0	15.8	10.1	9.1	161.9	7	-14564
	12 LST	12.9	13.4	21.9	16.7	20.9	22.1	22.9	22.6	22.7	21.3	12.4	15.2	225.0	5	-14564
	18 LST	12.8	15.1	23.2	23.7	25.5	25.5	25.9	27.0	23.8	21.1	9.6	10.3	243.5	6	-14564
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	6.2	9.5	11.6	16.1	15.0	17.4	16.5	12.9	14.5	13.5	9.4	9.1	151.7	7	-14564
	12 LST	11.1	12.1	18.9	12.1	15.9	20.2	18.1	21.0	19.0	19.7	11.5	12.4	192.0	5	-14564
	18 LST	11.9	14.8	22.2	21.6	24.9	24.0	23.4	27.0	23.8	19.6	8.5	6.2	227.9	6	-14564
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	6.2	9.5	11.6	16.1	15.0	17.1	16.5	12.9	14.5	13.5	9.4	9.1	151.4	7	-14564
	12 LST	10.8	12.1	18.9	12.1	15.9	20.2	18.1	21.0	19.0	19.7	11.5	12.4	191.7	5	-14564
	18 LST	11.9	14.8	22.2	21.6	24.9	24.0	23.4	27.0	23.8	19.6	8.5	6.2	227.9	6	-14564

COULOMMIERS-VOISINS, FRANCE

STA NO. 14550/ (IN AREA NUMBER 01)

LATITUDE 4850N

LONGITUDE 00300E

ELEVATION(FT) 00466

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)														0	0
MEAN MAX TMP (F)	42	44	52	58	65	70	75	74	69	59	48	42	58	30	-154
MEAN MIN TMP (F)	32	33	36	40	46	52	55	55	51	45	38	33	43	30	-154
ABS MIN TMP (F)														0	0
MEAN NO DYS TMP = OR GTR 90(F)														30	-29
MEAN NO DYS TMP = OR LES 32(F)														0	0
MEAN NO DYS TMP = OR LES 0(F)														0	0
MEAN DEW PT TMP (F)	34	31	35	41	44	48	55	51	51	43	41	36	43	0	-50
MEAN REL HUM (PCT)	89	77	73	76	69	66	73	65	75	74	92	93	77	20	-29
MEAN PRESS ALT (FT)	353	387	438	437	406	380	384	397	371	390	428	424	400	0	-50
MEAN PRECIP (IN)	2.68	2.17	1.54	1.65	2.13	2.21	2.21	2.60	2.44	2.17	2.28	2.52	26.6	30	-140
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = OR GTR 0.1 IN	7.8	6.7	5.0	5.3	6.2	6.0	6.0	6.8	6.5	6.0	6.2	7.5	76.0	30	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN														0	0
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI	77.6	75.8	59.1	55.2	34.5	54.0	41.0	36.8	46.7	71.0	85.1	84.2	60.1	3	1596
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	67.7	54.4	64.5	46.7	26.2	25.9	32.3	30.0	30.0	67.7	76.7	67.7	49.2	3	544
09-11 LST														0	0
12-14 LST	50.0	42.1	19.4	20.0	6.6	19.0	9.8	20.0	16.7	38.7	69.0	63.9	31.3	3	541
15-17 LST														0	0
18-20 LST	47.5	43.6	19.4	6.9	3.4	12.1	3.2	10.3	13.3	38.7	58.6	64.5	26.8	3	535
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	32.3	26.3	29.0	13.3	11.5	6.9	11.3	3.3	16.7	48.4	56.7	33.9	24.1	3	544
09-11 LST														0	0
12-14 LST	24.2	17.5	6.5	0.0	0.0	3.4	0.0	0.0	3.3	25.8	31.0	23.0	11.2	3	541
15-17 LST														0	0
18-20 LST	27.9	18.2	3.2	0.0	1.7	1.7	0.0	3.4	3.3	22.6	27.6	30.6	11.7	3	535
21-23 LST														0	0

COULOMMIERS-VOISINS, FRANCE

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	11.5	14.2	11.0	18.0	23.3	24.3	22.0	23.7	22.0	11.0	8.0	11.0	200.0	3	544
	12 LST	17.5	17.1	26.0	27.0	29.9	25.8	28.9	26.8	27.0	21.0	11.3	12.7	271.0	3	541
	18 LST	17.2	17.3	27.0	30.0	30.4	28.4	30.5	28.8	27.0	20.0	14.4	12.5	283.5	3	535
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	00 LST														0	0
	06 LST	6.5	7.8	10.0	14.0	18.8	15.5	20.5	19.6	19.0	8.0	5.0	7.5	152.2	3	544
	12 LST	10.0	9.0	15.0	12.0	14.7	12.4	21.3	18.6	20.0	14.0	3.1	7.1	157.2	3	540
	18 LST	12.7	10.6	19.0	15.5	12.8	12.9	22.0	13.8	22.0	17.0	9.3	7.5	175.1	3	535
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST														0	0
	06 LST	2.0	0.9	1.0	0.0	1.0	1.0	0.0	0.0	0.0	0.0	2.0	0.5	8.4	3	544
	12 LST	3.0	4.5	6.0	8.0	5.5	3.1	0.0	1.0	3.0	1.0	7.0	0.0	42.1	3	541
	18 LST	2.0	2.0	3.0	6.2	4.8	7.2	2.0	3.2	1.0	0.0	2.0	0.5	33.9	3	536
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST														0	0
	06 LST	6.5	4.4	7.0	8.0	11.6	10.5	14.7	13.4	12.0	9.0	8.0	7.8	112.9	3	539
	12 LST	11.5	11.0	12.0	7.0	9.6	9.8	18.0	12.4	12.0	14.0	5.1	14.5	136.9	3	540
	18 LST	7.6	11.2	9.0	6.4	6.9	9.3	14.5	8.5	10.3	14.0	10.0	10.5	118.2	3	534
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	3.5	4.4	2.0	3.0	9.6	4.6	5.5	6.2	4.0	0.0	1.0	4.5	48.3	3	544
	12 LST	3.0	3.4	4.0	2.0	7.6	3.1	7.0	3.1	4.1	1.0	0.0	1.0	39.3	3	542
	18 LST	4.5	5.0	2.0	3.1	6.9	1.5	6.5	5.3	5.0	3.0	3.0	1.5	47.3	3	536
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	8.0	9.8	10.0	12.0	21.8	18.1	19.0	19.6	18.0	7.0	7.0	8.5	158.8	3	544
	12 LST	12.5	11.7	23.0	20.0	24.9	17.0	23.3	20.6	20.0	15.0	6.2	9.1	203.3	3	541
	18 LST	13.2	12.2	20.0	23.7	26.7	21.2	26.0	25.6	25.0	15.0	9.3	9.0	226.9	3	535
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	6.0	8.8	9.0	10.0	19.8	16.5	17.0	18.6	16.0	5.0	7.0	6.5	140.2	3	544
	12 LST	9.5	8.8	22.0	18.0	21.8	10.3	19.3	17.5	16.0	13.0	3.1	8.6	167.9	3	541
	18 LST	11.6	10.6	16.0	19.6	25.1	18.1	22.0	23.5	23.0	12.0	9.3	8.5	199.3	3	535
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	6.0	8.8	9.0	10.0	19.8	16.5	17.0	18.6	16.0	5.0	7.0	6.5	140.2	3	544
	12 LST	9.5	8.8	22.0	18.0	21.8	9.8	18.8	16.5	16.0	13.0	3.1	8.6	165.9	3	541
	18 LST	11.6	10.6	16.0	19.6	25.1	18.1	22.0	23.5	23.0	12.0	9.3	8.5	199.3	3	535

LAON-COUVRON, FRANCE

STA NO. 14553/ (IN AREA NUMBER 01)

LATITUDE 4938N

LONGITUDE 00333E

ELEVATION(FT) 00263

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	58	69	75	84	88	93	99	92	88	80	65	61	99	12	4007
MEAN MAX TMP (F)	40	42	52	58	64	70	73	72	68	59	47	44	57	12	4007
MEAN MIN TMP (F)	30	30	35	40	45	51	54	54	50	44	37	34	42	12	4007
ABS MIN TMP (F)	7	-2	18	25	31	33	41	39	32	28	20	12	-2	12	4007
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.4	1.2	0.2	0.0	0.0	0.0	0.0	1.8	12	4007
MEAN NO DYS TMP = DR LES 32(F)	17.8	15.4	13.2	3.7	0.5	0.0	0.0	0.0	0.1	0.8	7.0	11.7	70.2	12	4007
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	12	4007
MEAN DEW PT TMP (F)	32	32	37	41	47	52	55	55	52	47	39	37	44	12	96220
MEAN REL HUM (PCT)	87	85	81	77	75	76	76	79	81	87	91	90	82	12	96220
MEAN PRESS ALT (FT)	163	193	240	233	200	177	181	199	171	194	237	236	202	0	-50
MEAN PRECIP (IN)	1.85	2.00	1.16	1.53	1.62	1.52	2.36	2.29	2.08	2.00	1.76	2.34	22.5	12	4017
MEAN SNOW FALL (IN)	2.6	2.7	0.7	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.7	7.0	12	4017
MEAN NO DYS PRCP = DR GTR 0.1 IN	6.4	6.3	3.9	4.5	5.7	4.6	6.2	6.2	5.6	6.1	5.4	7.7	68.6	12	4017
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.9	0.6	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.2	2.0	12	4017
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	7.5	5.6	3.3	2.1	1.1	1.4	1.7	2.7	4.2	6.3	6.8	6.3	49.0	12	4016
MEAN NO DYS TSTMS	0.2	0.3	0.6	1.9	2.8	3.4	4.2	4.4	2.3	0.4	0.3	0.2	21.0	12	4007
P FREQ WND SPD = DR GTR 17 KTS	7.0	5.3	3.0	2.3	1.7	0.5	0.5	0.6	1.0	1.5	2.6	5.2	2.6	12	96295
P FREQ WND SPD = DR GTR 28 KTS	0.5	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.1	12	96295
P FREQ LES 5000 FT A/D LES 5 MI	71.3	68.3	55.0	46.7	37.0	39.1	38.5	38.1	42.5	55.0	67.9	72.1	52.6	15	126354
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	46.2	37.6	27.1	15.4	9.6	11.7	10.3	9.4	19.1	29.7	39.9	44.3	25.0	15	15671
03-05 LST	47.3	44.9	34.2	24.8	19.6	22.1	20.1	19.9	28.3	36.3	42.4	46.5	32.4	15	15753
06-08 LST	49.3	49.3	41.2	33.0	20.4	24.4	23.9	26.3	34.1	46.5	47.9	49.4	37.1	15	15890
09-11 LST	49.3	50.3	35.0	24.0	11.0	14.9	13.4	15.1	22.0	33.0	46.1	48.9	30.3	15	15891
12-14 LST	45.9	38.1	18.1	12.8	4.0	5.5	7.0	7.0	8.7	17.2	36.7	41.2	20.2	15	15888
15-17 LST	45.9	30.7	14.1	9.1	2.9	3.8	4.7	3.3	6.0	13.5	35.3	39.9	17.4	15	15850
18-20 LST	43.2	32.4	16.1	9.4	4.6	5.1	4.6	4.6	8.3	16.1	33.8	40.1	18.2	15	15745
21-23 LST	43.1	34.0	21.0	10.5	5.7	8.2	6.9	5.9	11.2	23.2	35.8	40.6	20.5	15	15666
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	14.0	9.6	4.6	2.4	0.4	1.2	0.9	0.9	3.9	11.1	10.6	10.8	5.9	15	15671
03-05 LST	13.7	12.5	6.3	4.4	2.6	4.4	4.5	5.7	10.0	14.1	12.3	11.9	8.5	15	15753
06-08 LST	13.1	13.8	10.2	7.5	1.7	2.2	3.9	6.7	10.6	15.6	13.4	12.3	9.3	15	15890
09-11 LST	12.7	11.1	4.3	0.5	0.1	0.4	0.2	0.3	2.1	6.9	10.8	10.9	5.0	15	15891
12-14 LST	7.5	6.8	0.7	0.0	0.0	0.0	0.1	0.0	0.1	1.2	4.9	6.2	2.3	15	15838
15-17 LST	9.1	5.9	0.5	0.0	0.1	0.0	0.2	0.0	0.1	0.9	5.4	6.0	2.4	15	15850
18-20 LST	10.1	7.8	0.8	0.1	0.0	0.0	0.2	0.4	0.5	2.6	5.4	6.2	2.8	15	15745
21-23 LST	11.0	8.1	1.7	0.4	0.1	0.3	0.4	0.2	0.9	6.6	8.2	8.4	3.9	15	15666

LAON-COUVRON, FRANCE
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST	18.8	18.7	24.2	26.2	29.7	27.7	28.6	29.6	25.8	23.3	20.1	20.1	292.8	15	5225
	06 LST	18.1	16.8	19.7	21.5	25.7	23.1	25.0	24.0	20.3	17.5	18.8	18.5	249.0	15	5297
	12 LST	17.5	18.6	25.9	27.0	30.4	28.9	29.5	29.9	28.0	25.7	20.7	20.0	302.1	15	5297
	18 LST	18.1	19.9	27.2	28.6	30.2	29.2	30.0	30.5	28.0	26.8	20.9	20.7	310.1	15	5297
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	00 LST	10.6	11.9	18.3	21.9	25.7	26.0	26.9	26.8	22.8	18.9	13.2	10.5	233.5	15	5225
	06 LST	9.4	9.8	13.6	16.6	20.3	19.5	20.9	19.5	17.1	13.3	10.6	9.9	180.5	15	5297
	12 LST	6.4	6.2	10.1	11.1	16.5	18.4	17.0	17.6	14.4	12.9	8.4	7.8	146.8	15	5297
	18 LST	9.5	13.1	20.0	17.6	21.0	22.5	24.1	25.3	24.9	22.7	14.0	10.7	225.4	15	5297
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST	1.2	0.6	0.2	0.1	0.2	0.0	0.0	0.0	0.1	0.1	0.4	0.8	3.7	15	5225
	06 LST	1.0	0.7	0.3	0.1	0.1	0.0	0.0	0.0	0.1	0.3	0.4	0.6	3.6	15	5297
	12 LST	1.4	1.9	1.6	1.5	1.0	0.1	0.3	0.4	0.4	0.5	1.0	1.4	11.5	15	5297
	18 LST	0.9	0.7	0.6	0.7	0.5	0.3	0.1	0.0	0.1	0.1	0.4	1.0	5.4	15	5297
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST	7.4	7.7	11.1	14.0	11.9	10.5	11.4	10.3	12.5	12.5	13.4	9.6	132.3	15	5225
	06 LST	7.1	6.9	9.0	13.8	14.5	13.8	15.3	11.1	11.9	12.5	11.3	9.1	136.3	15	5297
	12 LST	8.9	9.7	12.3	14.0	16.9	19.3	18.2	17.8	16.0	16.7	14.0	11.9	175.7	15	5297
	18 LST	8.2	10.0	16.8	16.1	17.7	18.7	19.9	18.1	15.6	13.7	13.2	9.3	177.3	15	5297
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST	5.6	6.0	10.1	10.7	11.6	11.9	12.4	12.7	12.9	10.0	4.4	5.3	113.6	15	5225
	06 LST	5.0	4.0	4.3	4.1	5.7	5.2	5.1	4.8	4.5	3.5	3.5	4.3	54.0	15	5297
	12 LST	2.9	3.0	4.4	3.2	3.1	2.9	2.1	2.3	4.9	4.3	1.8	2.2	37.1	15	5297
	18 LST	3.7	4.0	5.6	4.1	4.2	4.9	4.9	4.1	5.5	6.9	4.0	4.2	56.1	15	5297
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST	15.4	15.9	22.1	24.9	27.4	26.5	27.7	28.3	24.5	20.6	16.2	15.4	264.9	15	5225
	06 LST	14.1	13.3	16.7	18.0	22.4	20.7	22.1	21.0	18.1	14.4	14.3	13.6	208.7	15	5297
	12 LST	13.9	13.3	19.7	21.6	26.1	23.7	24.8	24.7	22.5	20.0	14.3	13.4	238.0	15	5297
	18 LST	14.6	17.0	24.6	26.4	28.9	27.6	28.7	29.3	26.7	24.3	16.8	15.5	280.4	15	5297
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST	10.6	11.9	18.0	20.3	24.1	22.8	24.0	23.9	21.4	16.5	11.7	10.7	215.9	15	5225
	06 LST	10.5	9.7	12.4	12.9	18.0	16.5	17.3	15.8	14.1	10.6	9.8	9.7	157.3	15	5297
	12 LST	9.8	9.0	12.2	12.3	15.6	13.4	12.1	13.3	15.6	13.8	10.0	9.4	146.5	15	5297
	18 LST	10.4	11.7	18.6	19.6	22.6	20.8	22.2	22.1	21.4	18.1	10.6	10.7	208.8	15	5297
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST	8.7	9.9	14.0	16.6	20.5	19.0	18.8	19.5	18.1	13.6	8.9	8.4	176.6	15	5225
	06 LST	8.6	7.9	9.9	10.0	14.4	12.5	11.9	12.0	10.6	7.7	6.8	7.2	119.5	15	5297
	12 LST	7.8	7.8	10.6	10.1	12.4	11.3	9.5	9.5	12.8	11.2	8.0	6.7	117.7	15	5297
	18 LST	8.3	9.4	15.1	15.4	17.0	16.3	15.0	15.9	17.1	15.5	8.5	8.9	162.4	15	5297

MERVILLE-CALONNE, FRANCE

STA NO. 14555/ (IN AREA NUMBER 01)

LATITUDE 5037N

LONGITUDE 00238E

ELEVATION(FT) 00056

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	57	63	75	79	82	95	96	96	93	72	65	55	96	6	-14564
MEAN MAX TMP (F)	42	44	51	57	64	69	73	73	67	58	48	41	57	30	-14564
MEAN MIN TMP (F)	32	32	36	40	46	51	55	55	51	44	38	33	43	30	-14564
ABS MIN TMP (F)	10	14	18	25	28	39	45	43	32	23	18	12	10	5	-14564
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.5	1.8	1.0	0.7	0.0	0.0	0.0	4.0	6	-14564
MEAN NO DYS TMP = DR LES 32(F)	14.2	12.0	15.5	3.8	1.6	0.0	0.0	0.0	0.3	1.8	5.9	12.5	67.6	5	-14564
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-14564
MEAN DEW PT TMP (F)	34	36	37	41	47	54	57	58	52	47	41	36	45	0	-50
MEAN REL HUM (PCT)	89	92	80	77	77	82	80	82	79	87	92	95	84	20	-29
MEAN PRESS ALT (FT)	-28	-3	38	30	-6	-26	-17	0	-30	-4	39	43	3	0	-50
MEAN PRECIP (IN)	1.81	1.58	2.09	1.85	1.77	2.80	2.87	2.60	2.17	2.76	2.44	2.56	27.3	40	-14564
MEAN SNOW FALL (IN)						0.0	0.0	0.0	0.0					5	-29
MEAN NO DYS PRCP = JR GTR 0.1 IN	5.8	5.2	6.1	5.7	5.5	7.1	7.2	6.8	6.0	7.0	6.5	7.6	76.5	40	-29
MEAN NO DYS SNFL = UR GTR 1.5 IN						0.0	0.0	0.0	0.0					5	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.3	1.0	1.0	3.0	3.0	4.0	3.0	1.0	0.3	0.3	0.0	16.9	10	-14564
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI	84.0	83.3	69.4	64.6	54.5	54.8	41.7	59.0	70.2	70.2	86.7	91.1	69.1	4	-14564
P FREQ LES 1900 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	73.8	57.4	56.7	39.8	43.7	35.5	38.7	53.3	44.2	44.6	61.1	67.0	51.3	7	-14564
09-11 LST														0	0
12-14 LST	48.7	39.4	16.8	21.4	16.2	13.0	13.8	17.9	13.6	18.8	47.1	46.8	26.1	5	-14564
15-17 LST														0	0
18-20 LST	50.8	41.4	20.8	14.0	11.8	4.9	10.8	6.5	15.9	29.3	64.3	60.0	27.5	6	-14564
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	25.4	20.4	24.0	15.1	9.7	6.4	7.3	14.2	15.8	10.7	32.6	28.4	17.5	7	-14564
09-11 LST														0	0
12-14 LST	14.5	7.7	1.8	2.4	0.0	2.2	0.0	1.8	3.0	2.5	14.3	20.8	5.9	5	-14564
15-17 LST														0	0
18-20 LST	16.9	10.3	0.0	2.3	3.9	0.0	5.4	0.0	2.3	4.9	21.4	23.3	7.6	6	-14564
21-23 LST														0	0

MERVILLE-CALONNE, FRANCE

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	9.5	13.2	14.3	19.0	18.6	20.4	20.5	15.2	17.2	17.9	12.6	11.2	189.6	7	-14564
	12 LST	18.0	18.5	27.7	26.0	27.6	28.6	28.3	27.1	27.2	26.7	18.0	17.7	291.4	5	-14564
	18 LST	15.6	17.7	25.1	27.5	29.1	29.5	28.4	30.0	25.9	22.6	11.7	14.4	278.5	6	-14564
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	00 LST														0	0
	06 LST	3.8	6.7	9.2	14.8	15.5	17.1	15.2	11.6	13.7	11.7	6.9	5.6	131.8	7	-14564
	12 LST	7.6	9.9	17.8	14.6	20.1	20.2	17.6	19.9	20.0	13.9	9.0	12.8	183.4	5	-14564
	18 LST	10.4	11.2	19.6	19.5	22.9	23.1	23.4	22.0	22.5	17.3	9.6	7.2	208.7	6	-14564
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST														0	0
	06 LST	2.2	2.4	1.6	0.6	0.2	1.0	1.0	0.7	1.2	2.3	0.9	2.1	16.2	7	-14564
	12 LST	3.9	3.8	3.0	3.5	1.6	0.6	3.6	2.1	2.2	3.8	2.5	2.3	32.9	5	-14564
	18 LST	2.3	2.2	1.9	2.3	0.0	0.5	2.5	4.0	0.6	0.7	0.0	2.0	19.0	6	-14564
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST														0	0
	06 LST	6.6	9.0	11.0	16.7	18.5	17.1	17.8	16.5	15.8	12.5	14.5	8.9	164.9	7	-14564
	12 LST	11.1	13.3	18.3	14.2	16.3	20.8	16.5	17.1	16.8	13.1	16.7	13.9	188.1	5	-14564
	18 LST	10.1	10.9	17.2	16.8	18.0	19.3	13.2	14.0	12.9	11.6	15.5	12.4	171.9	6	-14564
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	2.9	2.7	4.7	5.7	5.7	6.4	5.0	4.1	5.4	2.8	1.8	3.5	50.7	7	-14564
	12 LST	3.4	3.5	9.4	3.5	4.8	8.4	4.2	8.3	6.3	6.9	3.4	7.9	70.0	5	-14564
	18 LST	4.7	6.1	11.3	6.4	8.9	10.8	10.0	8.0	13.6	9.8	5.3	2.0	96.9	6	-14564
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	6.6	10.3	12.2	17.0	15.9	18.0	17.5	13.4	16.0	15.8	10.1	9.1	161.9	7	-14564
	12 LST	12.9	13.4	21.9	16.7	20.9	22.1	22.9	22.6	22.7	21.3	12.4	15.2	225.0	5	-14564
	18 LST	12.8	15.1	23.2	23.7	25.5	25.5	25.9	27.0	23.8	21.1	9.6	10.3	243.5	6	-14564
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	6.2	9.5	11.6	16.1	15.0	17.4	16.5	12.9	14.5	13.5	9.4	9.1	151.7	7	-14564
	12 LST	11.1	12.1	18.9	12.1	15.9	20.2	18.1	21.0	19.0	19.7	11.5	12.4	192.0	5	-14564
	18 LST	11.9	14.8	22.2	21.6	24.9	24.0	23.4	27.0	23.8	19.6	8.5	6.2	227.9	6	-14564
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	6.2	9.5	11.6	16.1	15.0	17.1	16.5	12.9	14.5	13.5	9.4	9.1	151.4	7	-14564
	12 LST	10.8	12.1	18.9	12.1	15.9	20.2	18.1	21.0	19.0	19.7	11.5	12.4	191.7	5	-14564
	18 LST	11.9	14.8	22.2	21.6	24.9	24.0	23.4	27.0	23.8	19.6	8.5	6.2	227.9	6	-14564

ORLEANS-SARAN, FRANCE

STA NO. 14558/ (IN AREA NUMBER 01)

LATITUDE 4756N

LONGITUDE 00153E

ELEVATION(FT) 00390

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
ABS MAX TMP (F)	64	64	78	86	93	97	105	102	93	81	67	63	105	21	-28
MEAN MAX TMP (F)	43	46	53	59	66	72	76	75	70	60	49	45	60	46	-28
MEAN MIN TMP (F)	33	33	36	40	47	52	55	55	51	44	37	34	43	45	-28
ABS MIN TMP (F)	4	7	18	24	31	34	40	40	33	22	15	4	4	21	-28
MEAN NO DYS TMP = DR GTR 90(F)	6.0	0.0	0.0	0.0						0.0	0.0	0.0		46	-29
MEAN NO DYS TMP = DR LES 32(F)					0.0	0.0	0.0	0.0	0.0					21	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21	-29
MEAN DEW PT TMP (F)	34	33	35	40	46	51	54	55	52	46	39	36	43	34	-29
MEAN REL HUM (PCT)	87	80	73	73	72	71	69	72	76	82	87	87	77	10	-28
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	1.80	1.70	1.90	2.00	2.20	2.20	2.20	2.00	1.80	2.70	2.50	2.30	25.3	46	-28
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	710
MEAN NO DYS PRCP = DR GTR 0.1 IN	5.8	5.5	5.8	6.0	6.3	6.0	6.0	5.6	5.3	6.9	6.6	7.0	72.8	46	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	710
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS	7.5	6.5	6.3	7.1	5.4	3.4	3.8	5.0	3.3	4.3	5.1	5.9	5.3	6	-31
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	-31
P FREQ LES 5000 FT A/D LES 5 MI	74.8	71.9	67.4	60.7	50.4	45.1	45.2	48.5	45.7	57.8	77.1	72.1	59.7	11	38160
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	54.1	37.4	39.3	18.9	17.1	10.9	4.3	9.8	12.1	34.5	36.8	37.7	26.1	7	1772
03-05 LST	50.1	39.3	34.1	24.6	22.9	16.7	13.6	16.0	24.6	33.5	43.1	40.5	29.9	10	4664
06-08 LST	48.1	52.4	43.4	34.1	23.9	21.8	19.7	23.9	34.4	46.0	57.2	51.2	38.0	11	8064
09-11 LST	54.8	45.3	33.2	22.3	13.8	14.5	12.5	15.2	26.2	31.9	52.8	47.8	30.9	11	8062
12-14 LST	40.0	29.3	16.5	9.7	6.1	5.1	4.3	6.1	13.9	16.0	39.2	37.6	18.7	11	7985
15-17 LST	32.7	19.7	10.6	7.8	3.4	3.4	2.1	4.8	8.1	10.0	33.6	34.7	14.2	11	7152
18-20 LST	41.4	6.9	6.5	3.7	5.5	1.4	7.0	9.1	3.0	9.6	13.3	22.2	10.8	5	742
21-23 LST				0.0					0.0					3	37
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	19.7	4.6	4.3	3.1	0.8	0.0	1.2	0.0	1.1	8.9	3.5	7.3	4.5	7	1772
03-05 LST	16.3	9.2	5.3	4.0	5.1	0.8	1.5	1.6	5.3	9.5	8.7	8.7	6.3	10	4664
06-08 LST	13.4	17.2	7.1	4.0	1.3	0.4	0.6	3.2	8.4	14.3	13.7	11.7	8.0	11	8064
09-11 LST	11.8	10.1	1.2	0.7	0.0	0.0	0.0	0.7	1.6	7.3	10.7	10.5	4.6	11	8062
12-14 LST	3.5	3.4	0.3	0.4	0.0	0.0	0.0	0.0	0.1	1.3	4.2	5.8	1.6	11	7985
15-17 LST	4.7	1.9	0.2	0.7	0.3	0.2	0.0	0.0	0.0	1.4	2.9	5.9	1.5	11	7152
18-20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	7.4	0.7	5	742
21-23 LST				0.0					0.0					3	37

ORLEANS-SARAN, FRANCE

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST	15.7	19.7	20.1	25.7	26.6	27.4	29.4	27.8	26.3	22.3	22.1	19.9	283.0	7	1054
	06 LST	18.9	16.7	20.5	21.4	24.2	24.7	26.8	24.8	20.9	18.7	16.7	18.1	252.4	11	2689
	12 LST	20.5	19.9	27.8	27.6	30.2	29.3	30.2	29.7	26.8	26.8	20.5	20.2	309.5	11	2689
	18 LST	21.3	23.4	28.2	28.8	30.0	29.5	31.0	30.3	28.5	28.3	22.5	19.6	321.4	10	2293
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	00 LST	12.3	16.3	16.3	21.0	24.2	25.2	28.1	24.6	23.2	19.5	14.8	13.9	239.4	7	1054
	06 LST	12.2	12.0	16.3	16.2	21.2	21.9	23.7	24.9	18.4	15.8	10.5	11.6	202.7	11	2689
	12 LST	10.2	8.9	13.3	13.9	18.7	17.9	19.7	18.8	16.9	16.3	8.5	9.5	172.4	11	2689
	18 LST	15.2	16.9	19.4	16.6	21.1	20.9	22.6	22.1	24.9	25.3	13.7	13.1	231.8	10	2293
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.3	0.3	1.2	7	1054
	06 LST	0.6	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.1	1.7	11	2689
	12 LST	0.3	0.4	0.6	0.5	0.5	0.0	0.7	0.3	0.0	0.0	1.0	0.4	4.0	11	2689
	18 LST	0.6	0.3	0.3	0.5	0.0	0.2	0.3	0.3	0.0	0.3	0.2	0.3	3.3	10	2293
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST	9.3	10.2	14.7	17.1	11.7	14.8	15.2	11.2	12.7	11.8	10.7	11.1	150.5	7	1054
	06 LST	7.9	9.3	12.1	13.8	16.8	16.5	15.7	15.1	13.7	11.9	12.0	9.9	154.7	11	2689
	12 LST	13.5	14.8	18.2	17.5	19.1	19.2	20.2	19.5	19.3	18.4	14.8	12.6	207.1	11	2689
	18 LST	11.0	16.4	17.4	17.8	21.0	19.9	20.0	17.3	17.8	14.3	13.5	10.9	197.3	10	2293
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST	6.3	7.2	6.7	7.8	10.5	11.3	14.9	12.8	12.1	13.6	4.1	6.3	113.6	7	1054
	06 LST	6.5	5.5	4.4	3.6	6.6	8.0	6.9	6.6	6.3	4.3	2.5	5.0	66.2	11	2689
	12 LST	4.9	3.1	5.1	4.0	2.9	3.7	3.1	4.1	6.0	4.9	1.5	3.2	46.5	11	2689
	18 LST	5.0	5.7	6.0	3.0	3.5	5.8	4.8	5.4	6.8	7.2	2.0	3.9	59.1	10	2293
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST	13.0	16.3	17.2	22.2	24.2	25.5	27.8	26.8	23.8	19.5	16.2	18.1	250.6	7	1054
	06 LST	14.9	13.6	17.1	17.7	22.3	23.2	23.7	23.6	19.5	16.7	11.0	13.8	217.1	11	2689
	12 LST	16.4	14.3	19.0	21.2	24.7	24.3	24.9	25.8	22.3	20.8	12.9	14.1	240.7	11	2689
	18 LST	18.3	21.2	25.5	26.6	27.0	28.2	29.6	28.3	26.5	27.0	16.1	16.2	290.5	10	2293
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST	10.0	11.4	10.5	16.0	16.9	20.3	23.9	20.1	20.4	16.7	7.6	14.3	188.1	7	1054
	06 LST	10.5	10.2	11.8	12.3	17.9	19.5	18.4	18.0	15.7	11.8	7.0	9.6	162.7	11	2689
	12 LST	11.5	10.0	11.4	11.5	12.8	13.0	12.7	13.8	15.3	15.5	7.8	10.5	145.8	11	2689
	18 LST	14.1	13.8	16.2	15.1	17.0	18.5	18.4	16.8	21.3	20.9	10.8	11.5	194.4	10	2293
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST	9.3	9.8	9.2	14.4	14.9	18.1	22.0	18.9	18.6	16.4	6.6	11.1	169.3	7	1054
	06 LST	9.1	8.9	10.1	10.9	14.7	17.1	13.8	14.6	12.4	8.6	5.1	8.8	134.1	11	2689
	12 LST	10.2	8.2	10.1	10.4	11.2	12.3	10.1	12.3	13.1	13.7	6.6	8.5	126.7	11	2689
	18 LST	12.8	12.1	14.4	12.4	14.2	17.1	14.0	14.2	18.2	18.2	9.3	9.6	166.5	10	2293

ROCHEFORT, FRANCE

STA NO. 14559/ (IN AREA NUMBER 01)

LATITUDE 4555N

LONGITUDE 00059W

ELEVATION(FT) 00013

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	63	69	81	86	90	95	100	102	95	87	77	68	102	33	-534
MEAN MAX TMP (F)	48	50	56	60	66	73	76	77	73	64	54	46	62	30	-194
MEAN MIN TMP (F)	37	37	40	44	49	55	58	58	54	48	42	37	47	30	-154
ABS MIN TMP (F)	10	16	23	25	32	41	46	41	35	27	18	12	10	33	-534
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.1	0.9	1.8	2.2	0.1	0.0	0.0	0.0	5.1	9	2683
MEAN NO DYS TMP = OR LES 32(F)	8.2	10.5	9.1	1.1	0.5	0.0	0.0	0.0	0.0	1.1	3.7	10.3	40.5	9	2670
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	2670
MEAN DEW PT TMP (F)	39	38	39	43	47	49	55	55	53	49	44	39	46	22	-29
MEAN REL HUM (PCT)	88	82	74	74	71	63	68	68	72	79	86	90	76	6	-34
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	2.48	2.32	2.52	2.24	2.13	1.97	1.73	1.93	2.05	3.54	3.82	3.66	30.4	40	-122
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0					33	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	7.4	7.1	6.7	6.3	6.2	5.5	5.0	5.4	5.8	8.1	8.4	9.4	81.3	40	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0					33	-79
MEAN NO DYS W/OCUR VS8Y LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.3	0.4	0.6	1.0	2.7	2.6	2.2	2.7	1.7	1.4	0.6	0.5	16.7	40	-34
P FREQ WND SPD = OR GTR 17 KTS	14.5	17.0	13.7	19.3	13.0	12.8	15.0	10.5	7.6	9.8	12.8	14.6	13.4	13	-31
P FREQ WND SPD = OR GTR 28 KTS	0.7	1.6	1.4	2.4	0.6	0.5	0.6	0.7	0.3	0.8	1.5	1.7	1.1	13	-31
P FREQ LES 5000 FT A/D LES 5 MI	70.6	63.7	49.4	41.8	42.3	34.7	35.1	35.3	47.1	58.6	68.1	75.4	51.8	9	6282
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	40.2	42.3	25.9	16.8	17.2	14.5	14.6	15.8	30.7	35.9	48.6	47.1	29.1	11	2994
09-11 LST														0	0
12-14 LST	27.9	24.3	14.0	10.3	11.4	6.6	8.2	8.1	9.8	12.6	28.2	41.0	16.9	9	2661
15-17 LST														0	0
18-20 LST	34.7	25.7	14.0	9.4	9.3	5.1	8.1	4.7	7.2	19.8	33.9	42.5	17.9	11	2889
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	12.9	13.2	8.7	5.3	4.5	3.2	2.4	3.8	10.0	12.9	16.1	16.7	9.3	11	2994
09-11 LST														0	0
12-14 LST	4.9	3.8	2.1	0.9	0.4	0.4	0.4	1.4	1.0	1.4	4.0	13.7	2.9	9	2661
15-17 LST														0	0
18-20 LST	6.5	3.2	2.4	1.2	0.8	0.4	0.8	0.4	0.5	2.1	8.5	16.7	3.6	11	2889
21-23 LST														0	0

ROCHEFORT, FRANCE
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	22.1	18.9	25.3	26.4	27.5	27.5	28.7	27.6	22.5	21.3	18.1	19.9	285.8	11	2994
	12 LST	25.4	24.5	29.1	28.7	29.4	29.2	29.6	29.8	28.6	29.4	25.2	22.2	331.1	9	2661
	18 LST	23.6	23.3	28.7	28.5	29.5	29.3	29.9	30.3	28.6	27.0	22.7	20.6	321.9	11	2889
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	00 LST														0	0
	06 LST	12.1	10.5	17.5	20.1	21.1	21.3	22.4	23.1	18.2	16.1	10.6	10.4	203.4	11	2966
	12 LST	11.9	11.4	14.9	15.6	19.3	18.8	17.5	20.2	19.1	18.6	13.4	10.3	191.0	9	2641
	18 LST	14.8	15.2	20.9	19.2	20.7	20.5	16.8	20.7	24.3	20.7	16.3	12.2	222.3	11	2867
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST														0	0
	06 LST	2.3	1.4	1.1	1.5	1.8	0.4	0.6	0.2	0.3	1.3	1.8	2.2	14.9	11	3027
	12 LST	5.2	4.2	3.9	3.9	2.9	2.6	4.3	1.7	3.0	2.8	2.3	3.6	40.4	9	2652
	18 LST	2.4	2.2	1.2	2.7	2.7	3.0	3.9	2.0	0.7	1.3	0.8	2.7	25.6	11	2976
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST														0	0
	06 LST	6.9	6.2	9.3	9.4	11.7	9.1	9.8	5.6	9.4	7.6	9.7	7.7	102.4	11	2990
	12 LST	8.8	11.1	12.4	12.8	15.5	14.1	14.7	16.4	15.1	14.3	13.2	9.9	158.3	9	2638
	18 LST	10.1	9.9	13.7	13.7	14.4	16.0	15.3	16.9	15.5	10.1	10.9	9.4	155.9	11	2937
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	5.8	6.2	7.9	8.5	7.7	7.9	9.6	11.9	6.5	5.0	3.0	4.0	84.0	11	2996
	12 LST	4.0	7.0	6.9	5.6	5.2	6.4	8.6	9.5	6.3	5.9	4.3	4.4	74.1	9	2666
	18 LST	5.8	7.5	8.4	9.6	9.2	10.1	11.0	14.8	10.9	8.7	5.3	4.6	105.9	11	2890
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	13.8	12.2	18.7	21.1	22.2	21.2	21.6	21.9	16.5	15.6	11.3	11.7	207.8	11	2994
	12 LST	16.3	16.1	21.7	20.8	21.5	23.5	24.0	24.1	21.6	21.2	16.4	13.2	240.4	9	2661
	18 LST	14.7	16.3	22.8	23.9	24.3	25.4	24.7	27.3	24.5	20.7	15.7	13.0	253.3	11	2889
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	11.9	11.1	16.3	17.8	18.2	18.0	18.2	19.5	12.6	12.2	9.1	9.1	174.0	11	2994
	12 LST	13.0	13.8	19.2	16.6	16.9	20.2	21.3	21.3	17.8	17.7	14.4	11.0	203.2	9	2661
	18 LST	12.2	13.7	20.0	21.3	22.1	23.1	22.4	26.1	21.8	17.7	13.7	10.4	224.5	11	2889
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	11.8	11.1	16.3	17.8	18.2	18.0	18.2	19.5	12.6	12.1	9.1	9.1	173.8	11	2994
	12 LST	13.0	13.8	19.1	16.4	16.8	20.2	21.2	21.3	17.8	17.3	14.2	11.0	202.1	9	2661
	18 LST	12.2	13.7	20.0	21.3	22.0	23.1	22.3	25.9	21.8	17.7	13.7	10.3	224.0	11	2889

TOULOUSE, FRANCE

STA NO. 14561/ (IN AREA NUMBER 01)

LATITUDE 4333N

LONGITUDE 00123E

ELEVATION(FT) 00538

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
ABS MAX TMP (F)	74	77	83	86	93	104	105	111	99	96	81	80	111	99	-528
MEAN MAX TMP (F)	47	52	57	62	69	77	82	82	76	66	55	49	65	47	-28
MEAN MIN TMP (F)	35	36	39	43	49	55	59	59	55	48	41	37	46	47	-28
ABS MIN TMP (F)	1	12	20	24	33	42	45	44	32	26	12	3	1	99	-528
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0			4.7	4.7			0.0	0.0		47	-29
MEAN NO DYS TMP = DR LES 32(F)	13.4	13.4	5.6	1.1	0.0	0.0	0.0	0.0	0.4	1.8	3.9	10.1	49.7	6	1556
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	1556
MEAN DEW PT TMP (F)	35	37	40	43	48	54	57	57	55	49	42	38	46	35	-29
MEAN REL HUM (PCT)	82	78	75	72	71	69	65	65	72	78	82	84	74	11	-28
MEAN PRESS ALT (FT)															
MEAN PRECIP (IN)	1.90	1.70	2.30	2.70	2.90	2.40	1.50	2.10	2.30	2.20	2.40	2.30	26.7	0	0
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0	0.0				47	-28
MEAN NO DYS PRCP = DR GTR 0.1 IN	6.1	5.5	6.4	6.8	7.0	6.4	4.4	5.8	6.2	6.0	6.4	7.0	74.0	99	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0					47	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														99	-29
MEAN NO DYS TSTMS	0.3	0.3	1.0	2.0	3.0	4.0	5.0	5.0	3.0	1.0	0.3	0.3	25.2	0	0
P FREQ WND SPD = DR GTR 17 KTS														10	-24
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI	77.4	75.9	43.8	34.5	31.4	35.1	37.2	31.0	25.7	49.5	71.4	61.7	47.9	0	0
P FREQ LES 1500 FT A/D LES 3 MI														3	1086
FOR 00-02 LST															
03-05 LST														0	0
06-08 LST	35.1	37.0	23.7	14.1	25.2	20.3	15.8	21.0	18.2	34.6	38.4	46.9	27.5	0	0
09-11 LST														8	2161
12-14 LST	31.6	21.2	8.1	5.4	6.3	4.8	1.6	5.0	5.7	8.1	25.2	27.6	12.6	0	0
15-17 LST														5	1433
18-20 LST	34.3	27.0	5.4	3.3	2.5	4.1	0.0	2.1	6.5	5.6	52.2	37.9	15.1	0	0
21-23 LST														3	466
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST															
03-05 LST														0	0
06-08 LST	20.7	14.5	3.7	0.5	1.8	0.6	1.1	2.8	4.2	10.1	18.3	21.5	8.3	0	0
09-11 LST														8	2161
12-14 LST	6.8	4.4	1.5	0.9	0.0	0.0	0.0	1.7	0.0	0.7	5.9	9.5	2.6	0	0
15-17 LST														5	1433
18-20 LST	11.4	5.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	26.1	6.9	4.2	0	0
21-23 LST														3	466
														0	0

TOULOUSE, FRANCE

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	21.2	18.4	25.2	27.0	24.3	25.2	27.4	25.5	25.1	21.0	19.9	18.2	278.4	8	2161
	12 LST	23.0	23.2	30.0	29.4	29.7	29.1	30.7	29.9	28.7	29.4	23.6	23.2	329.9	5	1433
	18 LST	20.3	21.1	30.1	30.0	30.2	28.7	31.0	31.0	29.3	31.0	15.6	20.3	310.6	3	466
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	00 LST														0	0
	06 LST	16.1	14.7	16.1	22.2	18.4	20.3	23.4	22.6	22.3	17.6	14.8	11.9	220.4	8	2159
	12 LST	13.0	13.6	16.5	16.8	19.3	20.0	26.2	23.7	23.6	22.3	15.6	15.2	225.8	5	1429
	18 LST	16.9	15.8	21.7	21.0	22.4	21.8	27.6	27.1	23.3	27.5	11.7	16.0	252.8	3	462
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST														0	0
	06 LST	1.6	1.5	4.3	1.6	1.5	0.9	0.1	0.6	0.6	0.4	0.7	1.9	15.7	8	2169
	12 LST	3.7	3.4	7.3	3.1	4.8	3.1	1.5	2.0	2.9	3.1	2.7	3.9	41.5	5	1437
	18 LST	0.9	3.7	4.3	1.9	0.7	1.2	0.5	0.6	1.9	0.0	0.0	1.0	16.7	3	464
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST														0	0
	06 LST	5.1	4.9	6.8	7.4	8.6	9.6	7.6	5.6	6.5	5.5	6.0	5.3	78.9	8	2153
	12 LST	8.6	9.3	6.7	9.0	11.3	9.8	13.8	15.2	9.6	12.4	8.2	6.0	119.9	5	1417
	18 LST	8.7	6.2	6.8	9.0	11.1	6.3	14.0	10.1	7.8	7.7	5.0	7.4	100.1	3	459
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	3.7	5.1	8.1	8.9	8.1	9.1	11.3	11.9	9.8	5.8	3.2	4.0	89.0	8	2164
	12 LST	4.9	7.0	7.4	6.9	7.1	6.9	12.3	11.4	10.8	7.4	3.2	5.2	90.5	5	1431
	18 LST	6.5	8.3	5.8	7.7	8.5	9.7	16.0	15.1	10.8	10.3	3.7	4.2	106.6	3	473
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	17.3	15.7	21.3	23.3	21.3	22.2	24.1	22.7	23.2	18.4	16.0	14.1	239.6	8	2161
	12 LST	17.0	19.5	24.3	24.6	25.8	24.5	28.2	27.6	27.0	25.5	19.4	19.5	282.9	5	1433
	18 LST	19.4	18.1	28.4	27.0	29.4	27.5	30.4	29.7	26.7	26.6	13.0	17.1	293.3	3	466
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	12.5	12.5	18.7	20.4	19.7	17.8	18.2	18.8	19.8	14.0	12.2	11.7	196.3	8	2161
	12 LST	13.9	16.3	20.8	19.8	20.6	18.8	23.8	24.5	24.3	20.9	16.3	16.3	236.3	5	1433
	18 LST	16.8	15.8	25.9	22.0	27.9	23.8	26.0	25.1	25.4	23.2	9.1	13.8	254.8	3	466
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	12.5	12.5	18.7	20.4	19.7	17.8	18.1	18.8	19.8	14.0	12.2	11.7	196.2	8	2161
	12 LST	13.9	16.3	20.8	19.8	20.6	18.8	23.8	24.5	24.0	20.9	16.3	16.3	236.0	5	1433
	18 LST	16.8	15.8	25.9	22.0	27.9	23.8	25.4	25.1	25.4	23.2	9.1	13.8	254.2	3	466

TOURS, FRANCE

STA NO. 14562/ (IN AREA NUMBER 01)

LATITUDE 4725N

LONGITUDE 00047E

ELEVATION(FT) 00367

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	60	72	72	79	82	91	97	95	93	75	63	59	97	6	885
MEAN MAX TMP (F)	43	46	54	60	66	73	76	75	70	60	50	45	60	30	-140
MEAN MIN TMP (F)	33	34	38	42	48	54	57	56	52	45	39	35	44	30	-140
ABS MIN TMP (F)	16	14	25	30	37	32	46	43	36	25	28	19	14	4	989
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.4	2.9	0.5	3.4	0.0	0.0	0.0	4.2	6	885
MEAN NO DYS TMP = DR LES 32(F)	10.4	13.4	8.9	3.2	0.0	0.4	0.0	0.0	0.0	2.8	4.4	12.3	55.8	4	989
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	989
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	2.36	2.17	1.89	1.81	2.36	1.89	1.89	2.36	2.28	2.36	2.44	2.56	26.4	30	-140
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0					4	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	7.2	6.7	5.8	5.6	6.5	5.3	5.3	6.3	6.2	6.3	6.5	7.6	75.3	30	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0					4	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI	77.9	70.7	53.8	50.9	44.9	36.9	38.6	39.5	45.7	59.6	76.8	80.1	56.3	8	6681
P FREQ LES 1500 FT A/D LES 3 MI															
FDR 00-02 LST														0	0
FDR 03-05 LST														0	0
FDR 06-08 LST	51.7	46.2	37.6	36.3	33.3	25.3	25.6	30.2	40.8	41.7	59.2	52.2	40.0	10	2825
FDR 09-11 LST														0	0
FDR 12-14 LST	45.1	38.1	22.6	16.1	15.8	8.8	9.2	9.6	14.2	17.7	41.0	49.8	24.0	8	2594
FDR 15-17 LST														0	0
FDR 18-20 LST	42.2	32.2	18.0	11.2	9.7	6.6	4.4	4.1	8.1	14.1	40.6	48.6	20.0	10	2746
FDR 21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST														0	0
FDR 03-05 LST														0	0
FDR 06-08 LST	22.4	20.3	16.9	11.5	10.3	8.6	5.5	6.9	16.1	20.4	33.8	25.1	16.5	10	2825
FDR 09-11 LST														0	0
FDR 12-14 LST	18.5	9.5	3.4	1.4	1.8	1.5	1.3	0.9	2.3	5.3	16.4	21.5	7.0	8	2594
FDR 15-17 LST														0	0
FDR 18-20 LST	16.3	12.2	3.1	2.2	1.8	1.9	0.4	0.4	0.8	2.7	18.3	20.0	6.7	10	2746
FDR 21-23 LST														0	0

TOURS, FRANCE
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APP	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	16.6	16.2	20.3	20.1	21.8	23.4	24.1	22.0	18.3	18.7	13.1	16.0	230.6	10	2825
	12 LST	19.0	19.4	26.0	27.7	28.6	28.3	29.3	29.5	27.6	26.8	19.5	17.3	299.0	8	2594
	18 LST	19.1	20.0	26.1	27.9	28.7	28.8	30.2	30.1	28.2	27.0	18.7	17.2	302.0	10	2746
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	00 LST														0	0
	06 LST	11.2	11.2	16.1	15.5	18.0	20.3	21.7	20.9	16.0	16.0	10.1	11.3	188.3	10	2814
	12 LST	10.4	8.8	16.6	15.4	18.9	23.2	22.8	23.8	20.1	18.8	12.6	9.1	200.5	8	2580
	18 LST	14.1	13.5	21.2	20.4	24.8	25.3	25.2	27.9	26.4	25.2	15.5	12.5	252.0	10	2733
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST														0	0
	06 LST	0.7	1.4	1.0	0.7	0.6	0.4	0.0	0.1	0.3	0.8	0.5	1.8	8.3	10	2826
	12 LST	2.4	5.3	2.4	3.3	1.8	0.7	1.6	0.9	2.0	3.1	1.9	2.7	28.1	8	2594
	18 LST	0.7	1.6	1.3	1.7	0.9	0.5	1.0	0.1	0.1	0.4	0.4	1.3	10.0	10	2755
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST														0	0
	06 LST	8.0	5.2	9.2	9.3	9.9	9.7	10.2	7.7	6.9	7.0	9.0	6.2	98.3	10	2801
	12 LST	9.0	8.3	11.5	12.0	12.4	13.9	13.9	13.2	10.2	10.7	11.1	8.5	134.7	8	2573
	18 LST	8.1	7.0	11.3	11.6	11.8	13.2	12.7	10.9	9.1	10.3	8.7	6.6	121.3	10	2731
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	4.2	6.7	7.9	6.3	7.3	9.5	9.5	11.0	7.0	6.0	4.6	4.7	84.7	10	2830
	12 LST	3.8	5.4	9.0	5.0	5.4	6.4	8.6	9.5	6.1	5.7	4.2	4.8	73.9	8	2596
	18 LST	7.2	8.1	9.3	8.0	6.5	9.6	11.5	12.0	10.0	8.4	7.0	7.2	104.8	10	2745
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	12.0	13.0	17.9	17.5	19.0	21.0	21.1	20.7	16.9	16.4	10.6	11.7	197.8	10	2825
	12 LST	14.2	14.4	20.2	19.6	20.4	23.4	23.6	23.6	21.8	21.8	15.0	12.8	230.8	8	2594
	18 LST	15.7	16.9	23.9	23.9	26.1	26.3	27.6	28.5	26.3	24.3	16.3	13.8	269.6	10	2746
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	10.0	11.6	16.5	14.4	17.3	19.1	18.3	19.2	15.1	13.7	9.6	9.4	174.2	10	2825
	12 LST	13.0	13.0	18.6	17.0	17.6	20.7	20.6	21.3	19.9	19.2	13.5	11.7	206.1	8	2594
	18 LST	13.8	14.2	21.7	20.8	23.2	23.6	24.7	26.1	23.8	19.8	13.8	11.9	237.4	10	2746
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	10.0	11.6	16.5	14.3	17.2	18.8	18.1	19.1	15.1	13.6	9.6	9.1	173.0	10	2825
	12 LST	13.0	13.0	18.6	17.0	17.6	20.6	20.6	21.3	19.9	19.2	13.5	11.7	206.0	8	2594
	18 LST	13.6	14.2	21.7	20.1	23.0	23.5	24.6	26.1	23.7	19.7	13.8	11.9	235.9	10	2746

VALENCIENNES, FRANCE

STA NO. 14564/ (IN AREA NUMBER 01)

LATITUDE 5021N

LONGITUDE 00332E

ELEVATION(FT) 00321

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PUR (YRS)	NO. OBS
ABS MAX TMP (F)	57	63	75	79	82	95	96	96	93	72	65	55	96	6	644
MEAN MAX TMP (F)	42	44	51	57	64	69	73	73	67	58	48	41	57	30	-154
MEAN MIN TMP (F)	32	32	36	40	46	51	55	55	51	44	38	33	43	30	-154
ABS MIN TMP (F)	10	24	18	25	28	39	45	43	32	23	18	12	10	5	1221
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.5	1.8	1.0	0.7	0.0	0.0	0.0	4.0	6	644
MEAN NO DYS TMP = DR LES 32(F)	14.2	12.0	15.5	3.8	1.6	0.0	0.0	0.0	0.3	1.8	5.9	12.5	67.6	5	221
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	1221
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	1.81	1.58	2.09	1.85	1.77	2.80	2.87	2.60	2.17	2.76	2.44	2.56	2.3	40	-122
MEAN SNOW FALL (IN)						0.0	0.0	0.0	0.0					5	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	5.8	5.2	6.1	5.7	5.5	7.1	7.2	6.8	6.0	7.0	6.5	7.6	76.5	40	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN						0.0	0.0	0.0	0.0					5	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.3	1.0	1.0	3.0	3.0	4.0	3.0	1.0	0.3	0.3	0.0	16.9	10	-24
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI	84.0	83.3	69.4	64.6	54.5	54.8	41.7	59.0	70.2	70.2	86.7	91.1	69.1	4	612
P FREQ LES 1900 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	73.8	57.4	56.7	39.8	43.7	35.5	38.7	53.3	44.2	44.6	61.1	67.0	51.3	7	1316
09-11 LST														0	0
12-14 LST	48.7	39.4	16.8	21.4	16.2	13.0	13.8	17.9	13.6	18.8	47.1	46.8	26.1	5	908
15-17 LST														0	0
18-20 LST	50.8	41.4	20.8	14.0	11.8	4.9	10.8	6.5	15.9	29.3	64.3	60.0	27.5	6	657
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	25.4	20.4	24.0	15.1	9.7	6.4	7.3	14.2	15.6	10.7	32.6	28.4	17.5	7	1316
09-11 LST														0	0
12-14 LST	14.5	7.7	1.8	2.4	0.0	2.2	0.0	1.8	3.0	2.5	14.3	20.8	5.9	5	908
15-17 LST														0	0
18-20 LST	16.9	10.3	0.0	2.3	3.9	0.0	5.4	0.0	2.3	4.9	21.4	23.3	7.6	6	657
21-23 LST														0	0

VALENCIENNES, FRANCE

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	9.5	13.2	14.3	19.0	18.6	20.4	20.5	15.2	17.2	17.9	12.6	11.2	189.6	7	1316
	12 LST	18.0	18.5	27.7	26.0	27.6	28.6	28.3	27.1	27.2	26.7	18.0	17.7	291.4	5	908
	18 LST	16.6	17.7	25.1	27.5	29.1	29.5	28.4	30.0	25.9	22.6	11.7	14.4	278.5	6	657
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	00 LST														0	0
	06 LST	3.8	6.7	9.2	14.8	15.5	17.1	15.2	11.6	13.7	11.7	6.9	5.6	131.8	7	1315
	12 LST	7.6	9.9	17.8	14.6	20.1	20.2	17.6	19.9	20.0	13.9	9.0	12.8	183.4	5	908
	18 LST	10.4	11.2	19.6	19.5	22.4	23.1	23.4	22.0	22.5	17.3	9.6	7.2	208.7	6	656
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST														0	0
	06 LST	2.2	2.4	1.6	0.6	0.2	1.0	1.0	0.7	1.2	2.3	0.9	2.1	16.2	7	1354
	12 LST	3.9	3.8	3.0	3.5	1.6	0.6	3.6	2.1	2.2	3.8	2.5	2.3	32.9	5	912
	18 LST	2.3	2.2	1.9	2.3	0.0	0.5	2.5	4.0	0.6	0.7	0.0	2.0	19.0	6	657
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST														0	0
	06 LST	6.6	9.0	11.0	16.7	18.5	17.1	17.8	16.5	15.8	12.5	14.5	8.9	164.9	7	1345
	12 LST	11.1	13.3	18.3	14.2	16.3	20.8	16.5	17.1	16.8	13.1	16.7	13.9	188.1	5	909
	18 LST	10.1	10.9	17.2	16.8	18.0	19.3	13.2	14.0	12.9	11.6	15.5	12.4	171.9	6	650
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	2.9	2.7	4.7	5.7	5.7	6.4	5.0	4.1	5.4	2.8	1.8	3.5	50.7	7	1351
	12 LST	3.4	3.5	9.4	3.5	4.8	8.4	4.2	8.3	6.3	6.9	3.4	7.9	70.0	5	911
	18 LST	4.7	6.1	11.3	6.4	8.9	10.8	10.0	8.0	13.6	9.8	5.3	2.0	96.9	6	659
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	6.6	10.3	12.2	17.0	15.9	18.0	17.5	13.4	16.0	15.8	10.1	9.1	161.9	7	1316
	12 LST	12.9	13.4	21.9	16.7	20.9	22.1	22.9	22.6	22.7	21.3	12.4	15.2	225.0	5	908
	18 LST	12.8	15.1	23.2	23.7	25.5	25.5	25.9	27.0	23.8	21.1	9.6	10.3	243.5	6	657
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	6.2	9.5	11.6	16.1	15.0	17.4	16.5	12.9	14.5	13.5	9.4	9.1	151.7	7	1316
	12 LST	11.1	12.1	18.9	12.1	15.9	20.2	18.1	21.0	19.0	19.7	11.5	12.4	192.0	5	908
	18 LST	11.9	14.8	22.2	21.6	24.9	24.0	23.4	27.0	23.8	19.6	8.5	6.2	227.9	6	657
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	6.2	9.5	11.6	16.1	15.0	17.1	16.5	12.9	14.5	13.5	9.4	9.1	151.4	7	1316
	12 LST	10.8	12.1	18.9	12.1	15.9	20.2	18.1	21.0	19.0	19.7	11.5	12.4	191.7	5	908
	18 LST	11.9	14.8	22.2	21.6	24.9	24.0	23.4	27.0	23.8	19.6	8.5	6.2	227.9	6	657

VILLAROCHE, FRANCE

STA NO. 14565/ (IN AREA NUMBER 01)

LATITUDE 4846N

LONGITUDE 00222E

ELEVATION(FT) 00581

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	58	63	76	86	89	99	103	98	91	82	68	61	103	13	4374
MEAN MAX TMP (F)	42	45	54	60	67	73	76	75	70	60	49	43	60	30	-140
MEAN MIN TMP (F)	32	32	36	40	46	51	55	54	51	44	38	33	43	30	-140
ABS MIN TMP (F)	9	5	23	29	32	39	46	45	38	25	21	9	5	7	2190
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.8	2.4	1.1	0.3	0.0	0.0	0.0	4.6	13	4374
MEAN NO DYS TMP = DR LES 32(F)	19.0	13.5	8.5	1.0	0.3	0.0	0.0	0.0	0.0	1.1	6.7	9.3	59.4	7	2190
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	2190
MEAN DEW PT TMP (F)	32	35	38	41	48	52	55	54	53	47	40	36	44	13	45946
MEAN REL HUM (PCT)	88	84	76	68	71	71	67	71	78	83	87	88	78	13	45939
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	1.97	1.58	1.38	1.38	1.97	1.97	2.17	2.36	2.17	1.97	1.97	1.97	22.9	30	-140
MEAN SNOW FALL (IN)	0.0	3.5	11.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14.5	1	365
MEAN NO DYS PRCP = DR GTR 0.1 IN	6.2	5.2	4.6	4.6	5.9	5.5	5.9	6.3	6.0	5.6	5.6	6.2	67.6	30	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	1.0	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	1	365
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	7.3	3.5	2.8	0.1	0.4	0.2	0.3	0.5	1.2	4.4	7.4	6.9	35.0	13	4371
MEAN NO DYS TSTMS	0.0	0.2	0.7	1.1	3.3	3.1	3.7	3.2	1.7	0.2	0.2	0.0	17.4	13	4371
P FREQ WND SPD = DR GTR 17 KTS	7.3	13.9	5.4	7.7	4.2	2.3	2.5	3.7	3.5	4.5	5.3	5.7	5.5	13	45919
P FREQ WND SPD = DR GTR 28 KTS	0.2	1.2	0.2	0.3	0.1	0.0	0.0	0.0	0.2	0.3	0.1	0.2	0.2	13	45919
P FREQ LES 5000 FT A/D LES 5 MI	78.9	80.5	61.7	42.7	42.2	33.4	37.8	52.2	51.1	58.3	80.1	70.0	57.4	5	-7147
P FREQ LES 1500 FT A/D LES 3 MI															
FDR 00-02 LST	53.3	36.4	22.2	7.8	17.2	7.1	3.3	10.8	20.0	31.2	55.6	45.2	25.8	2	-7147
03-05 LST	54.8	44.0	25.0	24.4	34.4	10.7	16.1	35.5	37.8	38.7	62.2	46.2	35.8	2	-7147
06-08 LST	57.6	54.6	46.9	27.3	29.0	16.7	22.7	32.9	37.5	51.2	64.2	64.5	42.1	5	-7147
09-11 LST	64.5	60.7	41.7	27.8	22.6	9.5	12.9	22.6	31.1	36.6	60.0	57.0	37.3	2	-7147
12-14 LST	53.2	56.7	32.8	15.3	14.4	7.6	10.4	15.5	16.7	17.9	60.8	53.2	29.5	5	-7147
15-17 LST	56.1	55.2	25.0	14.4	8.7	2.4	4.3	7.5	12.2	18.3	62.2	38.7	25.4	2	-7147
18-20 LST	51.0	36.8	18.0	8.7	9.9	2.8	4.5	12.9	14.2	32.5	55.0	41.9	24.0	5	-7147
21-23 LST	55.6		23.7	8.0	8.6	2.4	2.2	9.7	16.7	27.2	45.6	35.5		2	-7147
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	21.1	3.6	13.9	1.1	0.0	0.0	0.0	3.2	5.6	11.8	30.0	18.3	9.1	2	-7147
03-05 LST	24.7	6.0	11.1	2.2	6.5	2.4	0.0	14.0	17.8	14.0	41.1	21.5	13.4	2	-7147
06-08 LST	29.3	17.7	22.7	3.3	6.0	3.5	5.2	8.4	15.8	32.5	43.3	32.3	18.3	5	-7147
09-11 LST	23.7	13.1	5.6	0.0	0.0	0.0	0.0	2.2	5.6	7.5	35.6	23.7	9.8	2	-7147
12-14 LST	21.0	10.6	6.3	1.3	0.0	0.0	1.3	0.6	3.3	8.1	26.7	17.7	8.1	5	-7147
15-17 LST	22.0	6.9	8.3	2.2	0.0	0.0	0.0	2.2	1.1	4.3	31.1	12.9	7.6	2	-7147
18-20 LST	20.0	15.8	5.5	0.0	0.6	0.0	0.0	0.6	0.8	13.0	25.8	19.4	8.5	5	-7147
21-23 LST	12.7		5.3	0.0	0.0	0.0	0.0	0.0	3.3	6.5	21.1	11.8		2	-7147

VILLAROCHE, FRANCE

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST	18.0	22.0	25.8	28.0	29.0	27.9	31.0	29.0	26.0	24.0	17.0	19.0	296.7	2	-7147
	06 LST	16.0	14.4	15.7	23.6	23.0	25.5	24.5	23.6	20.5	14.7	12.0	9.5	223.0	5	-7147
	12 LST	15.5	14.4	22.3	27.0	29.1	29.6	27.9	27.0	25.0	23.8	12.5	14.0	268.1	5	-7147
	18 LST	16.9	19.3	26.8	28.6	29.9	30.0	30.3	28.0	26.5	20.3	13.0	15.5	285.1	5	-7147
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	00 LST	11.0	8.0	20.6	26.0	24.0	27.9	27.0	23.0	23.0	21.0	15.0	17.0	243.5	2	-7147
	06 LST	7.7	7.5	12.5	19.6	20.7	22.8	21.2	19.3	18.0	10.1	9.0	6.0	174.4	5	-7147
	12 LST	7.5	4.6	14.9	13.3	15.8	18.0	18.5	18.3	15.0	14.2	5.5	6.0	151.6	5	-7147
	18 LST	10.1	10.1	19.8	17.8	19.0	22.1	20.2	20.6	23.0	17.7	8.5	9.5	198.4	5	-7147
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST	3.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.0	2	-7147
	06 LST	1.7	1.3	0.8	1.0	0.7	0.3	0.0	1.0	0.5	0.0	2.0	1.0	10.3	5	-7147
	12 LST	2.7	3.6	2.0	4.6	2.3	1.3	2.3	2.6	1.5	2.0	3.5	2.0	30.4	5	-7147
	18 LST	2.9	3.3	2.1	3.7	3.1	1.3	1.3	1.6	1.0	0.5	2.0	1.5	24.3	5	-7147
SFC WND 4-10 KTS AND THP 33-89 DEG F AND NO PRECIP.	00 LST	5.0	14.0	18.0	19.0	18.0	19.6	19.0	19.0	14.0	19.0	19.0	9.0	192.6	2	-7147
	06 LST	6.0	6.9	12.2	14.3	12.5	14.6	15.5	14.0	11.5	13.2	10.0	8.5	139.2	5	-7147
	12 LST	7.8	7.2	15.2	11.3	12.3	16.7	17.1	17.0	15.0	19.3	11.0	9.6	159.5	5	-7147
	18 LST	8.2	5.3	15.6	13.4	11.2	17.3	17.8	15.5	16.5	18.2	12.5	12.6	164.1	5	-7147
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST	10.0	5.0												1	-7147
	06 LST	5.7	5.6	4.7	5.0	8.9	12.5	9.1	10.0	4.0	3.1	3.0	1.0	72.6	4	-7147
	12 LST	3.0	2.3	7.0	5.0	7.0	8.5	6.6	4.5	5.0	2.0	1.0	2.0	53.9	4	-7147
	18 LST	5.0	1.9	8.7	3.5	8.4	8.0	7.1	4.5	6.0	2.0	2.0	1.0	58.1	4	-7147
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST	12.0	13.0	20.6	27.0	23.0	26.8	28.0	26.0	21.0	22.0	14.0	15.0	248.4	2	-7147
	06 LST	10.5	10.8	12.8	20.0	19.9	22.8	20.2	17.3	16.0	12.1	8.5	6.0	176.9	5	-7147
	12 LST	11.2	8.2	17.8	20.6	20.0	21.1	22.2	20.6	18.0	17.7	7.0	10.0	194.4	5	-7147
	18 LST	12.4	13.0	21.4	23.9	25.0	25.2	26.6	23.6	24.0	17.7	10.0	11.5	234.3	5	-7147
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST	12.0	6.0	18.0	24.0	21.0	24.8	25.0	21.0	18.0	22.0	12.0	13.0	216.8	2	-7147
	06 LST	8.5	8.5	11.0	17.0	18.1	21.4	18.5	14.3	13.5	11.1	7.0	4.0	152.9	5	-7147
	12 LST	10.2	6.2	16.0	18.0	16.6	18.4	18.1	17.6	14.0	13.2	5.5	7.5	161.3	5	-7147
	18 LST	10.5	9.6	18.7	20.5	21.8	22.5	24.9	20.0	22.5	16.7	8.0	9.5	205.2	5	-7147
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST	11.0	6.0	15.5	23.0	18.0	21.7	23.0	20.0	18.0	21.0	11.0	10.0	198.2	2	-7147
	06 LST	8.2	8.5	10.7	16.3	17.9	21.4	17.8	14.0	13.5	9.1	6.0	3.5	146.9	5	-7147
	12 LST	9.5	6.2	16.0	17.6	16.4	17.7	17.5	17.3	12.0	12.1	4.0	6.0	152.3	5	-7147
	18 LST	10.3	9.6	18.7	19.5	21.3	21.4	23.9	19.3	21.0	15.2	8.0	7.5	195.7	5	-7147

VOUZIER-SCHULT, FRANCE

STA NO. 14566/ (IN AREA NUMBER 01)

LATITUDE 4916N

LONGITUDE 00445E

ELEVATION(FT) 00367

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)														0	0
MEAN MAX TMP (F)	41	44	52	59	67	73	76	75	69	59	48	41	59	30	-7074
MEAN MIN TMP (F)	31	32	35	39	46	51	55	55	50	42	37	32	42	30	-7074
ABS MIN TMP (F)														0	0
MEAN NO DYS TMP = DR GTR 90(F)														30	-29
MEAN NO DYS TMP = DR LES 32(F)														0	0
MEAN NO DYS TMP = DR LES 0(F)														0	0
MEAN DEW PT TMP (F)	25	27	33	43	44	50	52	53	52	48	36	32	41	3	-7074
MEAN REL HUM (PCT)	81	80	76	71	75	69	67	70	73	84	87	85	77	3	-7074
MEAN PRESS ALT (FT)	259	292	343	333	302	278	277	298	272	296	339	336	302	0	-50
MEAN PRECIP (IN)	2.76	2.05	1.65	1.81	2.21	2.36	2.64	2.80	2.56	2.44	2.32	2.68	28.3	30	-140
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = DR GTR 0.1 IN	8.0	6.4	5.3	5.6	6.3	6.3	6.8	7.1	6.7	6.5	6.3	7.8	79.1	30	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	0.3	0.3	2.0	2.0	3.0	2.0	1.0	0.3	0.3	0.3	11.5	10	-7074
P FREQ WND SPD = DR GTR 17 KTS	16.3	14.0	9.6	10.4	10.7	7.0	6.9	7.0	6.4	8.0	8.3	9.2	9.5	3	-7074
P FREQ WND SPD = DR GTR 28 KTS	0.5	0.3	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.1	3	-7074
P FREQ LES 5000 FT A/D LES 5 MI	67.2	68.1	71.0	63.9	45.2	49.6	47.6	46.9	57.4	61.3	66.8	72.7	59.8	8	-7074
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST	64.2	51.9	53.8	37.3	27.1	26.7	34.3	31.6	60.2	50.0	64.5	51.0	46.1	8	-7074
06-08 LST	65.9	56.1	53.0	41.0	21.8	27.3	27.8	28.2	47.8	52.6	69.0	59.2	45.8	8	-7074
09-11 LST	53.8	46.9	39.8	30.5	12.5	17.8	17.2	17.2	32.9	41.1	57.2	53.3	35.0	8	-7074
12-14 LST	32.6	27.2	24.1	15.0	3.7	9.7	8.1	3.4	14.7	18.2	33.0	29.7	18.3	8	-7074
15-17 LST	11.9	13.7	14.0	6.0	0.0	2.9	3.3	2.9	8.2	5.5	15.6	21.1	8.8	8	-7074
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST	21.2	13.0	12.4	10.8	5.1	6.0	8.2	12.3	20.5	17.0	16.1	23.5	13.8	8	-7074
06-08 LST	22.1	15.3	12.4	8.9	2.7	5.6	4.8	8.4	14.2	17.7	21.3	21.7	12.9	8	-7074
09-11 LST	16.6	10.0	4.5	2.1	0.0	2.0	1.0	2.1	2.4	10.2	17.0	6.9	6.2	8	-7074
12-14 LST	4.8	1.7	1.1	0.4	0.0	0.0	0.0	0.2	0.4	0.7	4.3	2.9	1.4	8	-7074
15-17 LST	1.5	1.7	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.3	0.8	8	-7074
18-20 LST														0	0
21-23 LST														0	0

VOUZIERS-SCHAU, FRANCE

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	12.7	14.6	15.0	19.1	24.0	23.3	22.1	21.8	14.7	15.8	12.2	16.7	212.0	8	-7074
	12 LST	16.3	19.1	24.0	26.1	30.4	28.0	28.5	29.1	25.3	24.0	16.2	18.0	285.0	8	-7074
	18 LST	31.0	24.0	27.8	29.4	31.0	29.5	30.5	31.0	29.1	27.9	24.4	15.5	331.1	8	-7074
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	00 LST														0	0
	06 LST	6.2	8.0	10.3	11.5	22.1	17.3	17.3	16.6	11.9	10.8	5.3	8.9	146.2	8	-7074
	12 LST	7.1	5.6	9.8	8.7	14.9	16.3	15.7	15.3	13.4	13.2	5.2	6.8	133.0	8	-7074
	18 LST	13.3	12.0	14.4	15.0	25.6	20.5	18.6	23.5	17.8	23.8	18.8	0.0	207.3	8	-7074
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST														0	0
	06 LST	1.4	1.0	0.0	0.3	0.0	0.3	0.0	0.2	0.0	0.0	0.6	0.3	4.1	8	-7074
	12 LST	0.7	1.9	1.1	2.3	0.6	1.0	0.4	1.7	1.3	0.5	2.0	0.4	13.9	8	-7074
	18 LST	0.0	0.0	0.5	0.6	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	1.6	8	-7074
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST														0	0
	06 LST	6.0	8.0	12.0	17.0	17.7	15.3	18.0	17.5	18.7	15.8	10.6	6.9	163.5	8	-7074
	12 LST	9.2	10.3	15.3	13.2	17.4	15.0	16.8	17.8	15.3	17.3	12.7	12.6	172.9	8	-7074
	18 LST	4.4	12.0	14.4	16.3	21.6	18.5	20.2	17.5	18.8	15.5	15.0	0.0	174.2	8	-7074
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	4.8	2.9	4.4	3.1	3.6	7.1	6.8	6.5	2.9	1.0	2.2	4.2	49.5	5	-7074
	12 LST	7.3	2.2	2.9	2.4	1.2	3.9	1.2	3.7	5.4	2.0	1.4	4.3	37.9	5	-7074
	18 LST	20.7	12.4	3.1	0.0	0.0	3.9	2.3	3.2	6.5	7.0	1.9	0.0	61.0	5	-7074
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	7.6	8.0	11.2	13.3	21.5	19.3	18.7	18.1	13.2	11.3	6.9	9.8	158.9	8	-7074
	12 LST	13.0	13.6	14.8	15.8	25.2	21.4	23.1	24.4	20.0	18.6	9.8	12.3	212.0	8	-7074
	18 LST	31.0	20.0	23.0	23.8	31.0	26.0	27.4	28.0	27.2	26.9	22.5	0.0	286.8	8	-7074
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	6.2	5.3	8.9	9.7	17.1	16.0	13.9	15.0	9.8	8.1	4.4	6.9	121.3	8	-7074
	12 LST	10.4	10.3	10.9	10.3	12.9	14.7	13.9	15.7	15.6	15.9	7.2	9.4	147.2	8	-7074
	18 LST	22.1	16.0	18.7	13.8	18.9	21.0	17.6	22.0	21.6	20.7	18.8	0.0	211.2	8	-7074
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	6.2	4.7	7.8	7.0	13.9	14.8	10.3	11.4	8.3	6.6	3.6	5.4	100.0	8	-7074
	12 LST	8.8	9.3	9.8	8.1	11.6	13.0	10.8	12.3	13.8	12.1	5.2	8.3	123.1	8	-7074
	18 LST	22.1	12.0	15.0	9.4	13.5	15.5	11.9	19.0	19.7	16.5	15.0	0.0	169.6	8	-7074

AREA NO. 01

FRANCE	PLAINS	BOUNDARIES												
		4956N 00425E	4900N 00500E	4900N 00500E	4536N 00125E	4536N 00125E	4316N 00325E							
		LATITUDE 4700N						LONGITUDE 00100E						
PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)		45	47	54	59	65	71	75	74	70	61	51	46	60
MEAN MIN TMP (F)		34	34	38	42	47	52	56	56	52	46	40	36	44
LARGEST MEAN PRECIP(IN)		7.05	17.78	5.92	4.09	5.77	3.50	2.87	3.54	6.53	6.85	5.67	14.22	83.8
SMALLEST MEAN PRECIP(IN)		1.70	1.30	1.16	1.38	1.38	1.30	0.15	0.26	1.37	1.77	1.76	1.77	15.3
MEAN NUMBER OF DAYS														
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST	17.2	19.8	25.5	27.1	28.7	27.7	29.3	28.9	26.4	23.0	20.1	19.6	293.3
	06 LST	18.7	18.1	20.9	22.4	24.0	24.6	24.9	23.1	20.8	19.3	17.3	18.2	252.3
	12 LST	20.0	20.2	25.9	27.3	29.0	28.1	29.2	28.8	27.1	26.0	20.3	19.5	301.4
	18 LST	20.3	20.6	26.3	27.6	28.9	28.5	29.8	29.0	27.2	25.8	20.3	19.3	303.6
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	00 LST	9.8	12.4	18.3	20.4	24.0	24.8	26.3	24.8	23.0	18.2	12.6	12.0	226.6
	06 LST	9.6	10.0	14.0	15.7	18.1	19.5	19.3	18.2	15.9	13.4	10.2	9.5	173.4
	12 LST	8.7	8.6	13.6	13.0	16.4	18.0	18.3	18.3	17.2	14.5	9.7	8.9	165.2
	18 LST	11.2	11.8	17.7	15.9	18.7	20.3	20.9	20.5	21.7	19.5	12.8	10.4	201.4
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST	1.6	0.9	0.3	1.0	0.4	0.1	0.1	0.3	0.1	0.3	0.7	1.0	6.8
	06 LST	3.1	2.4	2.1	2.0	1.4	1.1	1.1	1.1	1.2	1.8	2.4	2.8	22.5
	12 LST	3.7	4.1	3.7	4.4	3.2	2.1	2.0	2.1	2.4	3.3	3.1	3.4	37.5
	18 LST	2.9	2.7	2.6	3.6	2.3	2.0	1.9	2.2	1.3	2.0	1.8	2.5	27.8
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST	8.3	9.0	13.1	14.8	14.1	12.8	13.3	14.3	13.0	13.7	12.5	10.3	149.2
	06 LST	6.6	6.7	9.0	11.2	11.5	12.0	11.8	10.9	10.0	9.9	8.9	7.2	115.7
	12 LST	9.2	9.4	13.1	11.6	13.7	14.8	15.6	15.2	13.9	13.5	11.7	9.8	151.5
	18 LST	8.2	9.3	12.9	11.7	14.0	14.8	16.1	15.1	13.3	12.5	10.7	8.4	147.0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST	6.3	6.9	11.0	11.5	13.1	13.5	14.5	13.4	14.0	9.9	4.9	5.6	124.6
	06 LST	5.0	4.8	6.0	6.9	7.0	8.1	7.8	7.9	5.5	4.7	3.4	4.3	71.4
	12 LST	4.0	4.3	6.6	4.8	5.2	6.2	6.4	6.7	6.2	5.0	2.7	3.9	62.0
	18 LST	5.7	5.9	7.3	6.0	6.5	7.9	9.2	8.2	8.1	7.0	4.7	4.4	80.9
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST	12.9	15.5	21.6	24.0	25.5	25.2	27.1	26.4	24.0	19.8	14.6	14.7	251.3
	06 LST	13.4	13.0	16.8	18.3	20.2	20.9	20.6	19.0	17.2	15.5	12.7	12.8	200.4
	12 LST	14.2	14.5	20.1	20.5	22.5	22.5	23.4	23.1	21.9	20.1	14.2	14.0	231.0
	18 LST	15.8	16.3	22.5	23.6	25.3	25.4	26.6	25.9	24.2	22.1	15.7	14.0	257.4
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST	9.9	11.5	17.8	19.7	21.3	22.1	23.8	22.3	21.0	16.5	10.7	10.8	207.4
	06 LST	11.2	10.9	14.8	16.1	17.9	18.6	17.8	16.3	15.0	12.7	10.6	10.5	172.4
	12 LST	11.7	11.9	16.8	15.7	17.2	17.4	18.0	18.5	18.0	16.9	11.7	11.7	185.5
	18 LST	13.0	13.5	19.5	19.6	21.4	21.8	22.7	22.7	21.4	18.9	13.2	11.0	218.7
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST	9.0	10.7	16.4	18.2	19.3	20.0	21.7	20.7	19.5	15.3	9.4	9.4	189.6
	06 LST	10.9	10.6	14.3	15.7	17.3	18.0	16.9	15.6	14.4	12.1	10.2	10.0	166.0
	12 LST	11.3	11.5	16.5	15.2	16.8	16.9	17.3	17.8	17.4	16.2	11.2	11.2	179.3
	18 LST	12.7	12.9	18.9	18.6	20.4	20.8	21.4	21.6	20.6	18.0	12.6	10.6	209.1

ETAIN-ROUVRES, FRANCE

STA NO. 07088 (IN AREA NUMBER 02)

LATITUDE 4914N

LONGITUDE 00540E

ELEVATION(FT) 00766

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	56	64	69	81	86	92	99	89	89	76	68	58	99	11	2511
MEAN MAX TMP (F)	38	40	49	57	64	70	74	71	68	57	46	40	56	11	2511
MEAN MIN TMP (F)	28	26	34	39	44	51	55	53	49	41	36	31	41	11	2511
ABS MIN TMP (F)	5	-7	11	24	26	35	42	36	33	27	16	6	-7	11	2511
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.3	0.8	0.0	0.0	0.0	0.0	0.0	1.1	11	2511
MEAN NO DYS TMP = DR LES 32(F)	21.9	19.4	13.3	6.1	0.8	0.0	0.0	0.0	0.0	2.8	9.7	18.7	92.7	11	2511
MEAN NO DYS TMP = DR LES 0(F)	0.0	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	11	2511
MEAN DEW PT TMP (F)	30	29	34	39	45	51	55	54	52	44	37	32	42	11	61529
MEAN REL HUM (PCT)	88	84	78	73	73	73	74	78	81	87	87	88	80	11	61529
MEAN PRESS ALT (FT)	656	683	726	757	721	699	720	709	674	680	705	704	703	0	-50
MEAN PRECIP (IN)	2.02	1.60	1.46	1.76	2.29	2.14	1.65	2.40	1.39	1.72	1.49	1.74	21.7	8	2443
MEAN SNOW FALL (IN)	4.0	3.3	0.8	0.5	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.4	10.1	8	2444
MEAN NO DYS PRCP = DR GTR 0.1 IN	6.3	4.8	5.1	4.8	6.4	6.3	4.7	5.4	3.8	4.1	5.0	6.5	63.2	8	2443
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.8	0.5	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	1.8	8	2444
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	6.9	6.7	1.5	1.3	0.9	1.2	1.8	2.4	6.2	11.4	4.8	8.0	53.1	11	2604
MEAN NO DYS TSTMS	0.1	0.1	0.6	1.1	3.5	3.7	4.6	3.4	1.7	0.6	0.6	0.0	20.0	11	2512
P FREQ WND SPD = DR GTR 17 KTS	4.2	3.3	1.7	1.9	1.9	0.5	0.5	1.0	1.1	0.6	1.6	3.5	1.8	11	61597
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	61597
P FREQ LES 5000 FT A/D LES 5 MI	77.9	74.9	56.5	46.5	43.2	39.4	38.8	42.8	49.0	67.0	75.4	82.1	57.8	11	61603
P FREQ LES 1900 FT A/D LES 3 MI															
FDR 00-02 LST	52.5	48.5	16.1	13.8	9.5	9.2	10.0	13.2	24.9	47.5	43.8	56.8	28.8	11	7550
03-05 LST	54.2	54.1	28.6	25.7	25.3	24.8	26.1	29.8	41.0	58.0	47.0	58.5	39.4	11	8224
06-08 LST	60.2	61.4	49.0	37.8	26.6	26.3	25.1	33.7	52.5	64.7	54.6	62.6	16.2	12	9767
09-11 LST	62.4	56.1	36.2	22.9	13.6	14.4	10.8	16.2	28.5	50.3	50.1	61.5	35.3	12	9866
12-14 LST	56.9	46.3	19.1	12.7	5.2	8.5	4.9	6.3	14.5	28.7	38.5	56.9	24.9	12	9864
15-17 LST	53.3	38.5	14.1	8.4	3.2	5.3	3.3	5.5	7.9	21.8	39.2	52.8	21.1	12	9510
18-20 LST	49.5	43.4	14.4	9.3	2.8	4.0	2.5	5.7	10.3	25.9	38.3	52.8	21.6	11	7640
21-23 LST	47.8	45.6	13.0	10.6	3.7	5.1	4.6	6.8	12.2	31.9	37.6	55.1	22.8	11	7545
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	13.2	11.5	0.5	0.8	1.1	1.3	1.2	1.2	5.9	17.8	11.1	12.7	6.5	11	7550
03-05 LST	15.5	15.0	3.1	3.5	4.2	4.0	4.0	4.5	14.3	25.0	11.7	16.3	10.1	11	8224
06-08 LST	15.3	19.5	6.5	4.4	2.3	1.6	0.9	3.1	15.3	23.8	13.4	18.1	10.4	12	9767
09-11 LST	13.7	14.3	1.4	0.4	0.3	0.0	0.0	0.1	3.5	11.6	8.0	15.4	5.7	12	9866
12-14 LST	8.1	7.7	0.7	0.4	0.0	0.0	0.0	0.1	0.1	2.1	4.1	10.0	2.8	12	9864
15-17 LST	9.8	7.0	1.1	0.4	0.0	0.0	0.0	0.1	0.0	1.7	5.4	10.5	3.0	12	9510
18-20 LST	10.3	10.1	0.5	0.6	0.0	0.0	0.2	0.3	0.2	4.3	6.7	12.4	3.8	11	7640
21-23 LST	10.3	11.2	0.5	0.3	0.1	0.0	0.5	0.6	1.5	9.7	8.7	13.2	4.7	11	7545

ETAIN-ROUVRES, FRANCE

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO, OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST	17.5	15.6	26.8	27.2	29.6	27.8	29.4	28.7	25.3	19.3	19.4	16.6	243.2	11	2519
	06 LST	16.3	12.7	17.1	20.3	24.5	22.4	23.7	21.0	14.2	12.2	16.7	15.3	216.4	12	3288
	12 LST	16.0	15.9	25.5	27.5	29.7	28.3	30.0	29.7	26.0	23.7	20.0	15.7	288.0	12	3290
	18 LST	16.8	17.7	27.3	28.0	30.2	28.9	30.4	29.8	27.5	24.1	20.0	18.4	299.1	12	3286
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	00 LST	10.1	10.7	23.3	22.3	26.9	25.3	28.4	24.8	21.5	16.2	13.6	9.4	232.5	11	2519
	06 LST	9.0	7.7	12.9	14.9	18.3	18.5	20.0	17.5	10.8	8.3	9.8	8.4	156.1	12	3288
	12 LST	5.9	5.4	11.8	13.6	16.7	17.3	20.0	16.6	14.8	12.2	8.9	5.9	149.1	12	3290
	18 LST	10.1	12.0	20.1	20.6	22.1	23.3	24.9	25.5	23.6	19.7	12.8	10.9	225.6	12	3286
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST	0.9	0.2	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.7	2.0	11	2402
	06 LST	1.1	0.5	0.1	0.0	0.2	0.1	0.0	0.2	0.0	0.1	0.2	1.1	3.6	12	3109
	12 LST	2.0	1.4	0.7	1.5	1.2	0.1	0.7	0.9	0.6	0.6	0.9	1.2	11.8	12	3152
	18 LST	1.2	0.3	0.3	0.9	0.5	0.2	0.2	0.0	0.2	0.0	0.0	0.5	4.3	12	3096
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST	7.8	6.3	11.6	14.0	12.8	11.1	10.4	12.9	10.9	13.0	13.4	10.0	134.2	11	2402
	06 LST	7.9	6.9	9.4	13.9	15.2	13.7	15.3	12.2	12.7	13.5	13.1	10.5	144.3	12	3108
	12 LST	10.4	10.4	15.0	17.3	18.0	19.1	20.1	19.9	18.2	18.8	17.2	13.6	198.0	12	3152
	18 LST	10.1	10.9	17.9	18.7	19.7	21.0	20.9	19.2	17.2	16.9	17.3	11.7	201.5	12	3095
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST	5.0	6.4	11.4	14.1	12.6	11.5	14.3	13.4	12.7	7.3	5.3	4.7	118.7	11	2519
	06 LST	4.9	3.6	4.0	4.8	6.7	6.2	6.3	4.1	3.5	1.5	2.4	3.5	51.5	12	3288
	12 LST	2.4	2.5	4.7	3.3	2.5	2.4	3.4	3.3	4.5	3.4	1.9	2.8	37.1	12	3290
	18 LST	3.3	3.9	6.9	4.1	3.7	3.6	6.1	4.9	6.3	6.9	3.4	4.0	57.1	12	3286
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST	12.7	13.4	24.2	24.5	27.4	26.2	28.4	26.6	23.5	15.9	14.4	10.6	247.8	11	2519
	06 LST	11.5	8.8	14.6	16.2	20.2	19.3	20.8	17.5	11.1	8.2	10.2	9.8	168.0	12	3288
	12 LST	10.0	10.1	19.3	21.1	25.1	23.9	24.6	22.8	21.0	15.9	13.6	9.1	216.5	12	3290
	18 LST	11.9	14.3	24.6	25.6	28.8	27.9	29.0	27.8	25.4	20.0	13.7	12.1	261.1	12	3286
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST	8.7	10.2	20.0	22.2	24.4	23.0	23.6	22.7	20.7	13.6	9.6	8.0	206.7	11	2519
	06 LST	8.2	6.2	10.4	12.5	15.7	16.5	16.6	13.4	8.4	5.4	6.1	6.1	125.5	12	3288
	12 LST	7.7	7.0	14.4	13.0	13.6	13.9	15.0	14.0	15.0	12.1	8.3	5.8	139.8	12	3290
	18 LST	8.5	10.4	18.7	19.4	21.0	21.4	22.4	21.2	20.5	15.4	8.8	9.0	196.7	12	3286
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST	7.4	8.8	17.5	18.8	21.2	18.9	19.7	18.8	16.2	11.8	7.7	7.0	173.8	11	2519
	06 LST	7.5	5.2	8.6	9.6	12.6	13.3	11.7	10.0	7.0	4.0	4.4	4.8	98.7	12	3288
	12 LST	6.2	6.2	12.1	10.8	11.7	11.3	12.6	11.4	12.5	9.3	5.9	4.8	114.8	12	3290
	18 LST	7.6	9.2	16.2	15.8	16.3	15.7	17.5	16.2	15.9	12.7	6.5	7.8	157.4	12	3286

METZ-FRESCATY, FRANCE

STA NO. J7090 (IN AREA NUMBER 02)

LATITUDE 4904N

LONGITUDE 00608E

ELEVATION(FT) 00623

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	57	68	71	79	94	92	98	98	90	79	69	60	98	32	-534
MEAN MAX TMP (F)	39	42	52	59	67	72	76	75	69	59	48	40	58	30	-140
MEAN MIN TMP (F)	29	29	34	40	46	52	55	55	50	42	36	31	42	30	-140
ABS MIN TMP (F)	-7	-6	6	23	28	35	43	39	32	21	13	-3	-7	32	-534
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0					0.0	0.0	0.0	0.0		30	-29
MEAN NO DYS TMP = DR LES 32(F)	18.2	16.6	9.5	3.6	2.0	0.0	0.0	0.0	0.3	2.5	10.1	17.6	80.4	5	1330
MEAN NO DYS TMP = DR LES 0(F)	0.8	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	5	1330
MEAN DEW PT TMP (F)	26	29	36	39	44	51	55	54	51	46	37	32	42	4	8596
MEAN REL HUM (PCT)	88	85	78	73	72	76	76	80	82	87	89	90	81	10	-140
MEAN PRESS ALT (FT)	514	541	586	614	579	557	576	567	532	538	564	563	561	0	-50
MEAN PRECIP (IN)	1.97	1.61	1.93	1.81	2.01	2.28	2.68	2.52	2.21	2.56	2.44	2.48	26.5	40	-122
MEAN SNOW FALL (IN)						0.0	0.0	0.0	0.0					32	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	6.2	5.3	5.8	5.6	6.0	6.2	6.9	6.6	6.1	6.7	6.5	7.4	75.3	40	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN						0.0	0.0	0.0	0.0					32	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	9.8	8.8	8.2	2.0	3.0	3.4	4.1	4.0	7.9	10.6	9.7	10.8	82.3	4	1183
MEAN NO DYS TSMS	0.0	0.3	0.3	1.0	4.0	4.0	4.0	3.0	2.0	0.3	0.3	0.0	19.2	10	-24
P FREQ WND SPD = DR GTR 17 KTS	8.5	10.9	5.2	17.6	6.8	2.4	4.4	9.1	5.2	5.3	11.9	9.6	8.1	4	8778
P FREQ WND SPD = DR GTR 28 KTS	1.6	1.0	0.3	1.9	0.3	0.0	0.1	0.9	0.0	0.3	2.3	1.1	0.8	4	8778
P FREQ LES 5000 FT A/D LES 5 MI	85.9	82.6	70.3	48.6	48.3	50.5	50.3	46.5	56.0	77.6	83.2	82.3	65.2	4	8883
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	67.7	67.9	65.0	20.0	17.7	27.3	26.4	8.6	33.0	52.7	60.7	60.0	42.3	3	896
03-05 LST	71.1	70.2	63.4	28.1	28.0	43.2	39.6	28.0	46.5	65.0	61.9	67.2	51.0	4	1185
06-08 LST	66.5	65.1	52.4	27.2	26.4	26.5	32.5	35.8	49.7	64.8	61.7	75.1	48.6	7	2030
09-11 LST	63.4	63.1	50.0	15.6	19.6	20.2	19.8	21.5	38.2	58.0	59.8	62.6	41.0	4	1153
12-14 LST	53.3	52.4	23.7	10.0	5.4	13.6	13.2	7.6	11.0	32.3	42.9	57.7	26.9	4	1192
15-17 LST	47.8	40.7	16.1	6.7	7.9	8.0	7.9	6.6	9.7	26.2	38.8	45.9	21.9	4	1186
18-20 LST	57.1	41.0	15.6	11.2	4.3	9.0	7.8	6.5	7.8	29.8	43.6	53.3	23.9	4	1195
21-23 LST	67.7	58.9	50.8	8.3	9.7	10.3	10.1	8.6	13.5	44.4	59.8	53.8	33.0	3	900
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	30.6	35.8	25.0	5.0	4.8	1.8	4.4	2.2	13.6	28.0	32.6	26.7	17.5	3	896
03-05 LST	33.3	36.9	28.0	6.7	10.8	20.5	16.5	11.8	22.8	36.6	28.8	31.1	23.7	4	1185
06-08 LST	24.2	32.2	22.0	7.6	8.3	9.3	8.6	14.5	28.9	37.3	30.1	39.3	21.9	7	2030
09-11 LST	33.3	34.5	23.9	2.2	1.1	5.6	2.2	3.2	22.5	28.0	29.1	33.3	18.2	4	1153
12-14 LST	21.7	25.0	4.3	0.0	0.0	1.1	2.6	0.0	0.8	8.1	10.1	22.0	8.0	4	1192
15-17 LST	21.7	14.8	2.2	0.0	0.0	0.0	1.1	0.0	1.8	5.7	9.5	18.0	6.2	4	1186
18-20 LST	30.8	14.5	3.3	1.1	0.0	0.0	0.0	1.1	0.9	10.5	11.1	21.3	7.9	4	1195
21-23 LST	32.3	30.4	19.7	1.7	1.6	0.0	1.1	0.0	4.5	24.4	20.7	23.7	13.3	3	900

METZ-FRESCATY, FRANCE

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST	12.3	9.0	11.1	24.5	27.0	23.2	24.5	29.0	21.0	16.3	13.0	14.6	225.5	4	911
	06 LST	12.7	11.5	16.6	23.5	24.3	23.2	22.1	20.7	16.4	12.7	14.5	9.0	207.2	7	2041
	12 LST	17.3	16.0	25.6	29.3	31.0	27.9	28.9	30.3	28.2	23.2	20.5	15.5	293.7	4	1214
	18 LST	14.3	17.5	28.3	28.0	30.3	28.3	29.9	29.6	28.1	23.2	19.9	16.7	294.1	4	1208
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	00 LST	5.9	3.5	10.6	18.5	21.0	20.6	20.5	25.0	18.3	10.6	7.0	8.6	170.1	4	911
	06 LST	6.1	5.9	12.2	17.7	19.8	19.1	18.7	18.6	12.7	7.7	6.4	4.1	149.0	7	2041
	12 LST	8.6	7.3	16.3	13.0	21.0	22.5	19.0	19.0	19.0	13.7	10.5	7.7	177.6	4	1214
	18 LST	10.3	12.1	20.3	15.6	24.0	23.9	20.7	21.6	23.0	18.5	12.6	9.7	212.3	4	1208
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST	0.9	3.5	0.5	1.0	1.0	0.5	0.6	0.6	0.3	1.3	2.0	2.3	14.5	4	911
	06 LST	1.3	1.1	0.1	0.9	0.0	0.3	0.5	0.5	0.4	0.4	1.3	1.0	7.8	7	2044
	12 LST	1.3	2.0	1.6	4.3	1.3	1.0	0.6	4.3	2.2	2.2	1.5	1.5	23.8	4	1214
	18 LST	1.0	1.3	1.3	4.0	1.6	0.3	1.0	2.0	0.5	0.2	1.2	0.5	14.9	4	1208
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST	3.4	4.5	7.7	8.0	9.5	9.8	8.0	7.1	8.0	7.6	6.6	6.0	86.2	4	907
	06 LST	4.3	3.7	6.0	9.0	8.8	9.1	8.4	6.9	7.8	7.3	4.5	3.4	79.2	7	2010
	12 LST	2.0	5.3	12.6	8.0	12.3	13.8	12.2	12.6	14.8	9.7	12.3	5.0	120.6	4	1198
	18 LST	3.3	5.0	11.6	10.3	15.0	14.8	13.9	12.0	13.1	13.2	9.6	5.0	126.8	4	1194
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST	1.9	2.5	6.6	10.5	14.5	12.4	9.7	13.0	9.6	4.3	3.6	5.3	93.9	4	911
	06 LST	2.2	1.1	4.2	6.0	7.5	7.8	5.0	5.0	3.1	0.9	1.2	1.6	45.6	7	2042
	12 LST	3.3	2.3	9.3	6.0	6.3	8.0	5.7	5.3	7.2	3.5	2.0	2.5	61.4	4	1214
	18 LST	2.6	4.7	10.3	5.0	7.0	8.7	4.4	4.3	8.7	5.0	3.7	4.0	68.4	4	1208
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST	7.3	6.5	10.1	22.0	22.0	19.6	19.8	24.0	18.0	11.3	8.3	10.3	179.2	4	911
	06 LST	7.3	6.7	11.9	18.6	20.4	18.7	17.6	17.9	12.2	7.4	7.3	5.2	151.2	7	2041
	12 LST	10.6	8.6	20.3	21.0	23.3	20.5	21.8	22.3	21.7	15.5	11.7	9.2	206.5	4	1214
	18 LST	10.0	12.8	22.6	23.0	27.3	24.9	25.5	26.0	24.5	17.5	11.5	10.5	236.1	4	1208
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST	5.9	4.5	9.1	18.0	19.0	18.1	18.1	20.6	15.6	7.6	5.3	8.6	150.4	4	911
	06 LST	6.5	5.6	10.0	15.4	18.5	16.3	15.2	15.5	9.0	4.7	5.6	4.0	126.3	7	2041
	12 LST	8.3	7.0	18.0	16.3	18.6	17.5	18.0	17.0	18.2	13.0	9.0	7.7	168.6	4	1214
	18 LST	7.6	11.1	19.6	19.6	24.0	22.5	23.1	22.3	21.9	13.7	8.8	8.7	202.9	4	1208
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST	5.9	4.5	9.1	18.0	19.0	18.1	18.1	20.6	15.6	7.6	5.3	8.6	150.4	4	911
	06 LST	6.5	5.6	10.0	15.2	18.2	16.3	15.2	15.5	9.0	4.7	5.6	4.0	125.8	7	2041
	12 LST	8.3	7.0	18.0	16.3	18.6	17.5	18.0	17.0	18.2	13.0	8.7	7.7	168.3	4	1214
	18 LST	7.6	11.1	19.6	19.6	23.6	22.5	23.1	22.3	21.9	13.7	8.8	8.7	202.5	4	1208

ST. DIZIER-ROBINSON, FRANCE

STA NO. 07169 (IN AREA NUMBER 02)

LATITUDE 4838N LONGITUDE 00458E ELEVATION(FT) 00456

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	59	54	72	73	91	90	93	95	90	79	59	59	95	3	534
MEAN MAX TMP (F)	41	44	54	60	67	73	76	75	70	60	49	43	59	30	-140
MEAN MIN TMP (F)	30	31	35	39	46	52	55	54	51	42	37	33	42	30	-140
ABS MIN TMP (F)	3	9	21	27	30	43	48	45	43	37	25	16	3	3	533
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0		0.0			0.0	0.0	0.0	0.0		30	-29
MEAN NO DYS TMP = DR LES 32(F)	16.4	20.9	12.2	1.1	2.9	0.0	0.0	0.0	0.0	0.0	12.8	12.0	78.3	3	533
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	533
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)	336	374	428	420	391	366	363	382	357	379	420	414	386	0	-50
MEAN PRECIP (IN)	2.72	2.36	1.58	1.97	2.56	2.91	2.76	2.76	2.36	2.44	2.40	2.56	29.4	30	-140
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0	0.0				3	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	7.9	7.2	5.1	5.9	6.7	7.3	7.1	7.1	6.3	6.5	6.4	7.6	81.1	30	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0	0.0				3	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI	81.1	90.6	75.0	54.0	50.0	59.6	66.7	46.0	54.4	67.7	89.7	75.6	67.5	3	1665
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	62.4	71.9	75.4	35.0	38.6	41.4	50.0	31.0	46.7	51.6	93.1	64.5	55.1	3	566
09-11 LST														0	0
12-14 LST	54.9	59.6	37.7	20.0	18.0	15.0	33.3	10.3	10.0	35.5	50.0	43.3	32.3	3	570
15-17 LST														0	0
18-20 LST	58.0	54.4	26.2	12.1	9.7	6.8	29.0	3.4	13.3	35.5	66.7	64.5	31.6	3	567
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	33.3	35.1	31.1	18.3	17.5	10.3	23.3	10.3	20.0	22.6	55.2	38.7	26.3	3	566
09-11 LST														0	0
12-14 LST	22.0	35.1	6.6	3.3	1.6	1.7	3.3	0.0	0.0	9.7	26.7	16.7	10.6	3	570
15-17 LST														0	0
18-20 LST	20.5	28.1	4.9	0.0	0.0	0.0	12.9	0.0	0.0	6.5	36.7	29.0	11.6	3	567
21-23 LST														0	0

ST. DIZIER-ROBINSON, FRANCE

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PCR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	13.6	8.3	8.6	20.5	21.2	19.1	15.5	22.4	18.0	16.0	3.1	12.0	170.3	3	566
	12 LST	15.6	11.7	20.3	26.0	26.9	26.0	24.8	31.0	29.0	23.0	17.0	18.0	271.9	3	570
	18 LST	15.1	14.2	24.3	28.9	30.0	29.4	25.0	31.0	28.0	24.0	12.0	12.0	273.9	3	567
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	00 LST														0	0
	06 LST	7.6	6.8	7.1	17.5	15.7	16.5	14.4	21.3	14.0	13.0	1.0	8.0	142.9	3	566
	12 LST	9.8	9.8	16.7	14.5	17.7	19.5	11.3	21.3	19.0	15.0	11.0	12.4	178.0	3	570
	18 LST	9.5	10.3	18.8	15.0	18.2	23.3	15.0	21.3	21.0	14.0	9.0	8.0	183.4	3	566
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST														0	0
	06 LST	2.6	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	4.6	3	566
	12 LST	2.3	0.0	0.0	3.5	1.0	0.0	5.1	1.0	2.0	2.0	0.0	0.0	16.9	3	566
	18 LST	1.7	0.4	0.0	3.1	2.0	1.5	4.0	3.2	2.0	0.0	0.0	0.0	17.9	3	568
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST														0	0
	06 LST	4.6	2.9	4.2	7.5	5.9	7.2	7.2	5.3	9.0	8.0	3.2	6.0	71.0	3	563
	12 LST	8.8	6.8	15.5	10.8	14.2	14.2	6.2	11.7	16.0	7.0	15.0	13.4	139.6	3	564
	18 LST	7.5	7.8	12.0	9.4	14.9	17.0	13.0	11.7	17.0	13.0	11.0	10.0	144.3	3	563
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	2.3	1.4	2.0	6.0	6.5	5.6	2.0	6.4	4.0	1.0	0.0	1.0	38.2	3	566
	12 LST	1.0	1.4	5.5	6.0	5.5	7.0	2.0	8.5	7.0	1.0	2.0	2.0	48.9	3	570
	18 LST	3.1	1.9	6.0	5.6	6.0	7.6	6.0	7.4	6.0	4.0	5.0	2.0	60.6	3	567
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	8.6	5.4	6.0	16.5	15.7	13.4	12.4	18.1	13.0	11.0	1.0	8.0	129.1	3	566
	12 LST	10.2	7.3	15.7	20.0	21.3	21.0	12.4	20.3	23.0	15.0	12.0	14.4	192.6	3	570
	18 LST	9.5	7.8	17.7	21.7	23.0	23.8	18.0	26.7	22.0	14.0	8.0	9.0	201.2	3	567
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	6.3	3.9	4.5	14.0	12.5	10.3	10.3	14.9	10.0	8.0	0.0	5.0	99.7	3	566
	12 LST	7.4	4.9	13.2	16.0	18.8	16.0	9.3	18.1	21.0	12.0	10.0	11.3	158.0	3	570
	18 LST	8.1	5.4	15.2	18.6	20.5	20.3	16.0	25.6	19.0	12.0	7.0	9.0	176.7	3	567
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	6.3	3.9	4.5	14.0	12.5	10.3	10.3	14.9	10.0	8.0	0.0	5.0	99.7	3	566
	12 LST	7.4	4.9	13.2	16.0	18.8	16.0	9.3	18.1	20.0	12.0	10.0	11.3	157.0	3	570
	18 LST	8.1	5.4	15.2	18.6	20.5	20.3	16.0	25.6	19.0	12.0	7.0	9.0	176.7	3	567

CHAUMONT, FRANCE

STA NO. 07170 (IN AREA NUMBER 02)

LATITUDE 4604N

LONGITUDE 00503E

ELEVATION(FT) 01017

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	56	67	73	82	87	90	97	95	95	77	69	64	97	13	3909
MEAN MAX TMP (F)	38	41	51	58	65	69	74	75	68	59	47	42	57	13	3909
MEAN MIN TMP (F)	28	28	33	39	44	50	53	53	49	41	36	32	41	13	3909
ABS MIN TMP (F)	4	-5	6	23	27	37	38	38	34	20	16	6	-5	13	3909
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.3	1.3	0.6	0.4	0.0	0.0	0.0	2.6	13	3909
MEAN NO DYS TMP = OR LES 32(F)	20.9	17.6	15.4	5.3	1.3	0.0	0.0	0.0	0.0	3.2	10.9	14.1	88.7	13	3909
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	13	3909
MEAN DEW PT TMP (F)	30	30	34	39	45	52	54	54	51	45	37	34	42	13	94542
MEAN REL HUM (PCT)	87	84	76	72	72	76	74	76	79	85	87	88	80	13	94542
MEAN PRESS ALT (FT)	886	928	986	980	952	926	921	938	915	935	974	964	942	0	-50
MEAN PRECIP (IN)	2.94	2.48	1.71	1.80	2.45	3.34	1.72	3.47	2.30	2.17	2.28	2.68	29.3	13	3908
MEAN SNOW FALL (IN)	5.9	6.3	1.4	0.3	0.0	0.0	0.0	0.0	0.0	0.1	0.6	1.5	16.1	13	3909
MEAN NO DYS PRCP = OR GTR 0.1 IN	7.9	7.0	5.2	6.5	6.1	8.3	5.6	6.8	6.3	6.3	7.0	8.9	81.9	13	3908
MEAN NO DYS SNFL = OR GTR 1.5 IN	1.5	1.8	0.3	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.2	4.0	13	3909
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	7.6	5.9	3.6	2.3	1.9	2.6	2.3	2.3	4.2	8.9	6.9	7.5	56.0	13	3962
MEAN NO DYS TSTMS	0.2	0.2	0.3	1.6	3.9	5.9	4.5	3.9	2.7	0.1	0.4	0.0	23.7	13	3909
P FREQ WND SPD = OR GTR 17 KTS	6.3	7.2	2.5	2.9	2.5	1.1	1.6	1.1	1.2	1.5	3.1	5.0	3.0	13	94354
P FREQ WND SPD = OR GTR 28 KTS	0.1	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.4	0.1	13	94354
P FREQ LES 5000 FT A/O LES 5 MI	74.5	70.0	48.8	44.7	38.6	38.4	37.6	37.8	40.9	53.0	66.4	74.6	52.1	15	104198
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	48.9	39.5	16.7	13.3	9.0	12.6	10.8	10.7	16.4	35.6	37.1	49.1	25.0	15	11772
03-05 LST	52.2	47.4	26.3	22.3	20.7	22.7	22.3	21.3	27.0	46.1	43.9	51.1	33.6	15	12509
06-08 LST	55.9	52.1	38.7	27.7	23.5	23.3	23.2	24.3	34.4	51.2	49.4	53.7	38.1	15	14024
09-11 LST	57.8	50.2	27.5	17.7	12.4	13.1	12.5	12.4	19.0	32.7	47.1	54.5	29.7	15	14105
12-14 LST	44.6	34.0	13.7	11.1	5.8	8.7	4.5	4.3	8.9	16.3	31.9	42.2	18.8	15	14092
15-17 LST	41.6	26.7	9.5	7.1	3.8	4.9	1.8	3.4	4.9	11.4	27.3	39.8	15.2	15	13985
18-20 LST	42.4	30.6	9.2	6.9	3.5	5.4	3.3	4.5	7.0	15.8	30.1	42.3	16.8	15	12033
21-23 LST	44.9	31.4	11.2	9.3	4.2	7.6	4.0	6.0	9.6	21.4	32.4	45.8	19.0	15	11871
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	12.0	10.1	3.4	2.0	0.8	2.4	1.7	1.9	5.4	12.9	10.5	13.2	6.4	15	11772
03-05 LST	12.4	10.5	6.5	5.2	2.6	6.2	5.3	4.7	8.3	19.5	13.6	13.0	9.0	15	12509
06-08 LST	13.0	13.4	8.5	5.5	2.3	4.0	3.4	3.8	10.1	20.8	13.3	13.2	9.3	15	14024
09-11 LST	11.6	11.3	3.2	1.9	0.1	0.6	0.0	0.2	1.0	6.4	8.1	10.3	4.6	15	14105
12-14 LST	7.0	4.8	1.2	0.6	0.0	0.6	0.0	0.1	0.0	0.7	3.8	5.8	2.1	15	14092
15-17 LST	8.0	3.9	1.0	0.5	0.3	0.5	0.2	0.0	0.4	0.8	4.3	6.0	2.2	15	13985
18-20 LST	7.7	4.5	0.9	1.0	0.2	0.8	0.1	0.3	0.4	2.9	7.0	7.1	2.7	15	12033
21-23 LST	10.0	7.0	0.8	1.0	0.0	1.1	0.4	0.6	1.6	5.0	9.0	10.2	3.9	15	11871

CHAUMONT, FRANCE

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO, OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST	19.2	19.1	27.8	26.9	29.6	27.4	29.3	28.7	26.5	23.2	21.4	19.0	298.1	15	3963
	06 LST	17.4	16.3	20.7	23.0	25.6	23.4	24.2	24.4	20.7	16.9	18.6	18.5	249.7	15	4696
	12 LST	18.1	19.5	27.5	27.9	30.1	28.5	30.4	30.4	28.3	26.5	21.5	20.7	309.4	15	4723
	18 LST	20.3	21.3	28.9	28.6	30.5	29.0	30.7	30.5	29.2	27.1	22.8	22.1	321.0	15	4685
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	00 LST	10.8	12.5	22.4	22.8	26.0	24.8	26.8	26.0	23.0	18.7	13.7	10.9	238.4	15	3956
	06 LST	9.7	9.9	15.4	17.5	20.2	19.7	19.9	20.1	15.9	11.4	10.3	9.5	179.5	15	4694
	12 LST	8.4	7.0	13.4	13.2	17.2	17.9	17.7	17.0	15.4	14.5	9.7	9.1	162.5	15	4721
	18 LST	12.1	13.5	21.8	20.7	21.9	23.4	23.5	24.8	24.5	22.6	14.9	12.4	236.1	15	4682
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST	0.6	0.5	0.2	0.1	0.2	0.0	0.0	0.2	0.0	0.1	0.3	0.8	3.0	15	3956
	06 LST	0.8	0.6	0.2	0.1	0.2	0.0	0.2	0.0	0.1	0.4	0.2	1.1	3.9	15	4694
	12 LST	1.5	1.5	1.1	0.8	1.2	0.4	1.0	0.6	0.4	0.9	1.1	0.7	11.2	15	4721
	18 LST	0.6	0.7	0.4	0.2	0.5	0.1	0.3	0.1	0.0	0.2	0.6	0.9	4.6	15	4682
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST	4.8	5.7	8.7	12.3	11.9	9.7	11.5	11.9	11.1	11.6	8.6	8.1	115.9	15	3956
	06 LST	4.5	4.5	7.3	11.8	14.9	13.4	13.2	12.9	13.1	12.0	8.4	8.2	124.2	15	4694
	12 LST	8.5	7.7	13.5	13.2	16.2	17.9	16.8	17.1	14.9	14.5	13.1	11.4	164.9	15	4721
	18 LST	7.1	8.2	17.1	16.9	18.8	19.0	20.1	20.2	15.5	15.6	13.7	9.1	181.3	15	4682
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST	6.5	7.2	13.6	12.5	14.3	11.0	15.5	13.5	13.3	11.3	5.6	4.8	129.1	15	3963
	06 LST	5.6	3.9	5.6	5.2	6.8	5.9	7.1	6.4	5.4	3.1	3.2	4.7	62.9	15	4695
	12 LST	3.6	3.6	6.0	3.6	3.4	2.4	3.5	3.7	6.1	6.1	1.7	3.2	46.9	15	4721
	18 LST	5.0	5.1	7.4	4.1	4.6	4.2	6.4	5.9	7.4	8.4	4.9	3.9	67.3	15	4685
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST	13.9	15.4	25.6	24.7	28.1	25.9	27.7	26.9	24.6	20.8	16.8	13.5	263.9	15	3963
	06 LST	12.2	12.3	17.9	19.2	21.6	20.8	21.3	20.6	17.3	13.3	14.0	12.2	202.7	15	4696
	12 LST	12.8	13.9	22.6	22.4	25.7	24.8	24.7	25.0	22.8	21.3	15.2	13.2	244.4	15	4723
	18 LST	15.2	17.1	26.7	26.5	29.0	27.8	29.6	28.9	26.6	25.3	18.2	16.1	287.0	15	4685
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST	10.4	11.6	20.5	20.3	23.6	22.2	24.1	23.0	20.7	17.2	11.6	9.0	214.2	15	3963
	06 LST	9.0	8.4	13.3	15.0	17.8	17.6	16.9	16.6	13.8	9.2	10.0	8.1	155.7	15	4696
	12 LST	9.7	10.1	16.5	13.8	13.3	14.3	13.7	14.0	15.7	15.7	11.2	9.8	157.8	15	4723
	18 LST	11.6	12.5	20.2	19.1	21.7	22.2	22.4	22.8	21.8	19.9	13.5	11.5	219.2	15	4685
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST	9.4	10.5	18.6	17.6	19.9	17.5	21.5	19.8	17.6	14.6	9.2	7.1	183.3	15	3963
	06 LST	7.7	6.6	11.0	12.4	14.5	14.0	12.7	13.4	10.9	7.4	7.4	7.0	125.0	15	4696
	12 LST	8.5	8.6	14.9	11.6	11.4	10.7	11.0	12.1	13.6	13.9	8.5	7.6	132.4	15	4723
	18 LST	10.1	10.7	17.6	15.3	16.7	17.4	17.4	17.4	17.9	16.9	10.2	9.1	176.7	15	4685

TOUL-ROSIERES, FRANCE

STA NO. 07179 (IN AREA NUMBER 02)

LATITUDE 4847N

LONGITUDE 00559E

ELEVATION(FT) 00941

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	55	67	73	82	88	90	97	94	91	75	69	64	97	14	4541
MEAN MAX TMP (F)	37	40	50	57	65	70	73	72	68	57	46	40	56	14	4541
MEAN MIN TMP (F)	28	28	34	39	45	51	54	54	50	42	36	31	41	14	4541
ABS MIN TMP (F)	1	-2	13	23	27	37	38	38	33	24	17	2	-2	14	4541
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.1	0.9	0.5	0.1	0.0	0.0	0.0	1.6	14	4541
MEAN NO DYS TMP = DR LES 32(F)	21.6	18.7	13.4	4.1	0.8	0.0	0.0	0.0	0.0	1.8	9.0	16.7	86.1	14	4541
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	14	4541
MEAN DEW PT TMP (F)	29	29	34	39	45	51	54	54	52	44	38	33	42	13	104361
MEAN REL HUM (PCT)	87	83	76	73	72	74	73	76	79	85	88	89	80	13	104361
MEAN PRESS ALT (FT)	820	849	893	923	889	866	885	875	840	845	871	868	869	0	-50
MEAN PRECIP (IN)	2.09	2.04	1.86	1.50	2.66	3.11	2.57	2.97	1.87	1.98	1.96	2.19	26.8	13	4297
MEAN SNOW FALL (IN)	5.3	5.4	1.3	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.7	1.5	14.7	13	4296
MEAN NO DYS PRCP = DR GTR 0.1 IN	6.8	6.5	5.7	5.7	7.2	6.5	7.6	8.2	5.6	5.6	6.0	7.3	78.7	13	4297
MEAN NO DYS SNFL = DR GTR 1.5 IN	1.1	1.3	0.4	0.2	0.0	0.0	0.0	0.0	0.0	0.1	0.2	3.3		13	4296
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	7.8	6.8	2.0	1.9	2.1	2.1	1.8	3.2	6.8	10.0	8.7	9.2	62.4	13	4363
MEAN NO DYS TSTMS	0.1	0.3	0.3	1.3	3.9	5.2	6.0	4.7	1.9	0.4	0.1	0.1	24.3	14	4542
P FREQ WND SPD = DR GTR 17 KTS	7.1	5.0	3.5	2.4	1.3	0.7	0.5	0.1	0.9	1.0	2.4	3.8	2.4	13	104600
P FREQ WND SPD = DR GTR 28 KTS	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	104600
P FREQ LES 5000 FT A/D LES 5 MI	76.4	69.8	52.9	43.9	39.3	37.5	35.5	38.1	45.5	58.8	72.9	80.4	54.3	16	122180
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	51.8	37.8	19.1	13.8	9.1	9.5	8.4	12.0	21.0	36.2	46.6	52.2	26.5	15	14852
03-05 LST	54.7	45.0	29.4	24.7	26.8	25.3	21.9	27.6	37.3	49.6	53.1	57.3	37.7	16	15132
06-08 LST	59.8	54.7	48.3	34.6	27.5	25.6	23.3	33.9	46.7	62.8	60.4	61.0	44.9	16	15661
09-11 LST	61.1	52.7	35.9	20.4	10.9	12.9	9.9	13.4	24.7	46.1	57.6	63.3	34.1	16	15629
12-14 LST	52.3	38.0	17.2	8.5	4.3	7.0	4.8	4.8	10.4	19.4	41.1	52.9	21.7	16	15664
15-17 LST	47.6	31.0	1.4	7.1	2.3	5.2	3.3	3.2	6.4	13.5	35.2	47.0	17.8	16	15486
18-20 LST	45.6	30.8	12.4	7.3	2.8	5.6	3.8	3.8	7.2	14.9	34.0	44.3	17.7	16	14909
21-23 LST	47.4	33.8	14.1	8.7	3.6	5.5	5.9	5.5	10.9	23.5	38.3	47.9	20.3	16	14880
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	13.9	10.1	2.3	1.7	1.3	1.1	2.5	1.7	6.4	14.2	12.6	16.1	7.0	15	14852
03-05 LST	15.2	13.1	4.1	4.8	5.7	5.2	5.0	6.7	14.7	22.7	16.1	17.4	10.9	16	15132
06-08 LST	18.3	17.6	7.5	3.9	3.1	2.9	3.0	8.0	16.3	28.2	19.1	18.1	12.2	16	15661
09-11 LST	17.6	12.1	1.6	0.6	0.1	0.7	0.1	0.3	3.5	11.5	11.8	14.4	6.2	16	15629
12-14 LST	9.4	5.5	1.2	0.4	0.0	0.1	0.0	0.1	0.3	1.2	5.0	9.0	2.7	16	15664
15-17 LST	10.2	6.6	1.3	0.3	0.2	0.2	0.1	0.1	0.2	0.9	5.7	10.1	3.0	16	15486
18-20 LST	9.7	7.0	1.3	0.6	0.1	0.4	0.2	0.1	0.1	1.7	5.2	9.4	3.0	16	14909
21-23 LST	11.1	7.5	1.3	0.5	0.1	0.4	0.8	0.2	1.4	5.5	8.8	12.3	4.2	16	14880

TOUL-ROSIERES, FRANCE

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST	17.5	19.3	27.2	27.3	29.6	28.6	29.8	28.7	25.8	22.8	19.2	17.8	293.6	16	4967
	06 LST	16.5	16.4	18.6	20.7	21.7	22.5	24.0	20.7	16.9	13.3	16.1	16.5	223.9	16	5222
	12 LST	16.5	18.5	26.7	27.9	30.3	28.6	30.4	29.9	27.3	24.8	18.7	17.1	296.7	16	5223
	18 LST	18.4	20.3	28.2	28.5	30.5	29.3	30.1	30.4	28.8	27.1	22.2	19.7	313.5	16	5220
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	00 LST	9.1	13.4	20.9	22.7	26.5	25.1	27.3	26.1	22.1	18.1	12.2	9.1	232.6	16	4967
	06 LST	7.8	9.1	12.1	16.1	17.4	18.3	20.1	17.1	12.2	8.8	8.9	6.9	154.8	16	5222
	12 LST	6.1	7.2	11.7	14.9	17.9	19.9	19.7	18.7	15.4	12.8	7.0	4.6	155.9	16	5223
	18 LST	10.5	13.7	21.1	22.7	24.4	24.5	25.8	26.4	25.0	23.3	14.3	10.5	242.2	16	5220
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST	1.0	0.7	0.4	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.5	0.5	3.8	16	4967
	06 LST	0.9	1.0	0.4	0.3	0.4	0.1	0.0	0.0	0.1	0.1	0.4	0.8	4.5	16	5222
	12 LST	1.6	1.3	1.6	1.3	0.7	0.3	0.3	0.6	0.6	0.6	0.9	1.6	11.4	16	5223
	18 LST	1.1	0.9	0.6	0.3	0.3	0.1	0.1	0.0	0.1	0.1	0.1	0.6	4.3	16	5220
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST	5.0	6.9	9.4	12.6	12.1	9.9	11.0	10.1	12.0	13.4	10.9	7.6	120.9	16	4967
	06 LST	3.8	5.5	9.0	12.0	13.7	12.2	14.6	11.7	11.8	12.9	9.9	7.2	126.3	16	5217
	12 LST	7.1	8.9	14.2	14.9	17.0	17.6	17.9	17.6	15.9	16.7	12.9	10.8	171.5	16	5218
	18 LST	6.8	8.6	14.8	16.6	19.9	17.9	18.8	16.5	14.7	17.6	11.6	7.6	171.4	16	5215
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST	3.6	6.8	11.7	11.6	13.8	12.4	14.3	12.1	12.5	10.5	4.5	4.4	120.2	16	4967
	06 LST	4.9	3.8	4.0	4.1	5.1	5.4	5.5	3.3	3.9	1.8	2.4	3.4	47.6	16	5222
	12 LST	2.2	2.4	4.9	3.5	3.0	2.6	3.2	3.2	5.0	5.0	2.3	1.8	39.1	16	5223
	18 LST	4.7	4.5	6.3	4.1	4.5	4.5	6.3	4.6	6.8	8.8	4.3	3.9	63.3	16	5219
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST	12.5	16.0	24.1	25.3	27.6	27.2	28.1	26.9	24.2	20.0	14.0	12.0	257.9	16	4967
	06 LST	10.8	11.3	14.8	17.7	18.9	19.9	21.2	17.2	13.2	10.2	9.7	9.4	174.3	16	5222
	12 LST	11.0	12.6	20.2	22.7	26.0	25.1	26.4	25.6	22.5	19.4	11.9	9.4	232.8	16	5223
	18 LST	13.7	16.3	25.2	26.9	29.2	27.7	29.1	28.9	27.0	25.1	16.2	13.0	278.3	16	5220
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST	9.5	11.7	18.8	21.5	23.4	23.4	24.5	22.8	20.9	15.5	9.5	8.4	209.9	16	4967
	06 LST	7.9	7.0	11.2	13.1	15.1	16.4	16.4	13.1	9.8	6.7	5.9	6.4	129.0	16	5222
	12 LST	7.4	8.3	14.1	13.7	14.9	15.3	15.1	15.5	16.3	14.9	8.1	6.2	149.8	16	5223
	18 LST	10.3	11.8	18.9	20.5	22.4	22.1	22.9	23.9	21.5	19.4	11.3	9.0	214.0	16	5220
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST	8.4	9.7	16.4	18.3	20.1	20.0	20.8	18.1	18.1	14.0	7.9	7.1	178.9	16	4967
	06 LST	7.0	5.7	8.5	10.2	11.5	12.9	12.0	9.5	7.5	4.7	4.0	5.5	99.0	16	5222
	12 LST	6.1	7.0	12.7	11.1	12.5	12.0	12.2	12.2	13.4	12.8	6.2	4.7	122.9	16	5223
	18 LST	8.6	9.4	15.5	15.2	17.1	16.3	17.3	17.6	17.0	16.7	8.6	6.9	166.2	16	5220

NANCY-ESSEY, FRANCE

STA NO. 07180 (IN AREA NUMBER 02)

LATITUDE 4842N

LONGITUDE 00614E

ELEVATION(FT) 00774

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	57	68	74	85	91	97	97	94	93	78	70	64	97	30	-640
MEAN MAX TMP (F)	40	43	50	58	66	71	74	73	58	57	46	41	57	44	-28
MEAN MIN TMP (F)	29	29	34	39	46	51	55	54	49	42	35	25	41	44	-28
ABS MIN TMP (F)	-5	-13	8	20	24	35	39	39	30	18	15	-6	-13	30	-140
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.3	1.2	1.0	0.0	0.0	0.0	0.0	2.5	6	1047
MEAN NO DYS TMP = DR LES 32(F)				5.4	0.8	0.1	0.0	0.0	0.4	3.8	8.0	23.9		9	1942
MEAN NO DYS TMP = DR LES 0(F)				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		9	1942
MEAN DEW PT TMP (F)	32	30	32	38	45	50	54	55	51	43	37	30	41	0	-50
MEAN REL HUM (PCT)	87	84	78	74	75	78	77	80	82	87	89	90	82	10	-140
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	2.10	1.90	2.10	2.10	2.20	2.40	2.70	2.50	2.40	2.60	2.60	2.70	28.3	44	-28
MEAN SNOW FALL (IN)						0.0	0.0	0.0	0.0					30	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	6.6	6.1	6.1	6.1	6.3	6.4	7.0	6.6	6.4	6.7	6.7	7.9	78.9	44	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN						0.0	0.0	0.0	0.0					30	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.2	0.2	0.3	1.0	4.0	6.0	5.0	5.0	2.0	0.3	0.1	0.0	24.1	10	-140
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 3000 FT A/D LES 5 MI						50.0	44.7	52.1	48.4	66.7	74.6	84.0		8	2349
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST				30.4	26.5	24.0	24.2	31.7	46.4	51.1	61.8	70.6		11	2620
09-11 LST														0	0
12-14 LST	42.9	37.1	20.8	23.1	14.3	11.1	8.0	15.0	11.4	24.7	41.1	52.7	25.2	13	2512
15-17 LST														0	0
18-20 LST	42.2	33.2	15.3	15.7	9.9	7.3	5.3	9.8	12.2	26.1	39.4	51.4	22.3	8	2458
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST				5.8	7.1	3.3	3.4	10.4	21.5	25.6	26.5	40.5		11	2620
09-11 LST														0	0
12-14 LST	12.0	11.1	3.4	11.5	2.9	2.0	1.1	2.5	2.1	2.6	10.8	18.9	6.7	13	2512
15-17 LST														0	0
18-20 LST	11.2	6.6	2.0	3.0	1.6	2.1	0.0	2.6	1.1	4.5	13.6	14.8	5.3	8	2458
21-23 LST														0	0

NANCY-ESSEY, FRANCE
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST				22.7	24.3	24.4	25.1	22.4	17.0	17.0	13.8	10.8		11	2620
	12 LST	20.6	19.3	26.8	25.3	26.5	28.1	29.9	28.6	28.1	26.2	20.7	16.9	297.0	13	2512
	18 LST	19.7	20.0	27.2	27.0	29.2	28.4	29.8	29.0	27.4	24.3	20.3	16.8	299.1	8	2458
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	00 LST				15.3	17.7	18.8	19.3	18.4	13.1	10.8	6.6	5.5		0	0
	06 LST				15.3	17.7	18.8	19.3	18.4	13.1	10.8	6.6	5.5		11	2615
	12 LST	8.5	7.7	12.3	18.4	26.4	18.7	17.6	15.6	16.0	12.5	8.7	6.8	169.2	13	2508
	18 LST	10.7	11.8	17.0	15.5	20.6	21.7	20.7	23.3	22.6	18.5	11.9	9.3	203.6	8	2452
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST				1.8	1.1	1.2	1.0	0.4	1.2	1.7	2.3	1.6		0	0
	06 LST				1.8	1.1	1.2	1.0	0.4	1.2	1.7	2.3	1.6		11	2713
	12 LST	5.3	6.9	8.4	2.2	0.0	2.6	4.5	3.4	4.3	4.9	4.6	5.5	52.6	13	2626
	18 LST	3.1	3.5	4.5	3.7	2.2	1.7	2.1	0.6	1.5	1.2	2.0	2.6	28.7	8	2885
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST				8.9	9.7	8.8	9.9	6.4	6.7	6.8	5.6	0.5		0	0
	06 LST				8.9	9.7	8.8	9.9	6.4	6.7	6.8	5.6	0.5		11	2702
	12 LST	6.5	5.3	9.1	17.7	15.5	14.8	14.4	12.4	11.2	10.1	8.7	6.4	132.1	13	2604
	18 LST	5.4	5.1	11.5	10.9	12.0	14.4	13.2	12.8	10.2	11.9	8.3	4.1	119.8	8	2867
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST				6.4	8.3	8.3	8.9	7.6	5.8	2.9	1.6	2.9		0	0
	06 LST				6.4	8.3	8.3	8.9	7.6	5.8	2.9	1.6	2.9		11	2713
	12 LST	3.5	6.4	7.4	3.1	6.7	2.8	4.1	2.2	7.3	4.8	2.8	2.8	53.9	13	2659
	18 LST	5.3	7.4	9.8	6.0	8.5	9.1	8.4	9.0	8.5	7.6	6.1	5.0	90.7	8	2887
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST				18.1	19.8	20.4	20.6	18.9	14.8	12.4	7.8	6.6		0	0
	06 LST				18.1	19.8	20.4	20.6	18.9	14.8	12.4	7.8	6.6		11	2620
	12 LST	12.6	14.2	19.3	18.4	22.1	20.0	22.0	20.1	22.2	17.7	13.2	11.3	213.1	13	2512
	18 LST	14.9	15.9	23.7	21.5	25.1	26.2	27.5	25.8	24.4	19.9	15.0	11.5	251.4	8	2458
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST				16.2	17.8	18.8	18.9	17.4	12.8	10.0	6.0	6.2		0	0
	06 LST				16.2	17.8	18.8	18.9	17.4	12.8	10.0	6.0	6.2		11	2620
	12 LST	10.2	12.3	15.8	12.6	17.7	14.8	16.0	13.9	18.9	14.0	11.1	10.0	167.3	13	2512
	18 LST	12.2	13.8	20.7	17.2	21.9	24.6	25.2	23.8	22.6	16.3	13.6	9.7	221.6	8	2458
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST				16.2	17.7	18.7	18.8	17.4	12.8	10.0	6.0	6.2		0	0
	06 LST				16.2	17.7	18.7	18.8	17.4	12.8	10.0	6.0	6.2		11	2620
	12 LST	10.2	12.3	15.6	12.6	17.7	14.8	16.0	13.9	18.8	14.0	11.0	10.0	166.9	13	2512
	18 LST	12.2	13.7	20.5	17.1	21.7	24.5	25.1	23.6	22.6	16.0	13.6	9.7	220.3	8	2458

NANCY-OCHEY, FRANCE

STA NO. 07181 (IN AREA NUMBER 02)

LATITUDE 4834N

LONGITUDE 00556E

ELEVATION(FT) 01102

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	55	67	73	82	88	90	97	94	91	75	69	64	97	14	-7179
MEAN MAX TMP (F)	37	40	50	57	65	70	73	72	68	57	46	40	56	14	-7179
MEAN MIN TMP (F)	28	28	34	39	45	51	54	54	50	42	36	31	41	14	-7179
ABS MIN TMP (F)	1	-2	13	23	27	37	38	38	33	24	17	2	-2	14	-7179
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.1	0.9	0.5	0.1	0.0	0.0	0.0	1.6	14	-7179
MEAN NO DYS TMP = DR LES 32(F)	21.6	18.7	13.4	4.1	0.8	0.0	0.0	0.0	0.0	1.8	9.0	16.7	86.1	14	-7179
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	14	-7179
MEAN DEW PT TMP (F)	29	29	34	39	45	51	54	54	52	44	38	33	42	13	-7179
MEAN REL HUM (PCT)	87	83	76	73	72	74	73	76	79	85	88	89	80	13	-7179
MEAN PRESS ALT (FT)	988	1017	1062	1093	1059	1036	1054	1044	1009	1014	1039	1036	1038	0	-50
MEAN PRECIP (IN)	2.09	2.04	1.86	1.50	2.66	3.11	2.57	2.97	1.87	1.98	1.96	2.19	26.8	13	-7179
MEAN SNOW FALL (IN)	5.3	5.4	1.3	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.7	1.5	14.7	13	-7179
MEAN NO DYS PRCP = DR GTR 0.1 IN	6.8	6.5	5.7	5.7	7.2	6.5	7.6	8.2	5.6	5.6	6.0	7.3	78.7	13	-7179
MEAN NO DYS SNFL = DR GTR 1.5 IN	1.1	1.3	0.4	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.2	3.3	13	-7179
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	7.8	6.8	2.0	1.9	2.1	2.1	1.8	3.2	6.8	10.0	8.7	9.2	62.4	13	-7179
MEAN NO DYS TSTMS	0.1	0.3	0.3	1.3	3.9	5.2	6.0	4.7	1.9	0.4	0.1	0.1	24.3	14	-7179
P FREQ WND SPD = DR GTR 17 KTS	7.1	5.0	3.5	2.4	1.3	0.7	0.5	0.6	0.9	1.0	2.4	3.8	2.4	13	-7179
P FREQ WND SPD = DR LES 28 KTS	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	-7179
P FREQ LES 5000 FT A/O LES 5 MI	76.4	69.8	52.9	43.9	39.3	37.5	35.6	38.2	45.5	58.8	72.9	80.4	54.3	16	-7179
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	51.8	37.8	19.1	13.8	9.1	9.5	8.4	12.0	21.0	36.2	46.6	52.2	26.5	15	-7179
03-05 LST	54.7	45.0	29.4	24.7	26.6	25.3	21.9	27.6	37.3	49.6	53.1	57.3	37.7	16	-7179
06-08 LST	59.8	54.7	48.3	34.6	27.5	25.6	23.3	33.9	46.7	62.8	60.4	61.0	44.9	16	-7179
09-11 LST	61.1	52.7	35.9	20.4	10.9	12.9	9.9	13.4	24.7	46.1	57.6	63.3	34.1	16	-7179
12-14 LST	52.3	38.0	17.2	8.5	4.3	7.0	4.8	4.8	10.4	19.4	41.1	52.9	21.7	16	-7179
15-17 LST	47.6	31.0	11.4	7.1	2.3	5.2	3.3	3.2	6.4	13.5	35.2	47.0	17.8	16	-7179
18-20 LST	45.6	30.8	12.4	7.3	2.8	5.6	3.8	3.8	7.2	14.9	34.0	44.3	17.7	16	-7179
21-23 LST	47.4	33.8	14.1	8.7	3.6	5.5	4.9	5.5	10.9	23.5	38.3	47.9	20.3	16	-7179
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	13.9	10.1	2.3	1.7	1.3	1.1	2.5	1.7	6.4	14.2	12.6	16.1	7.0	15	-7179
03-05 LST	15.2	13.1	4.1	4.8	3.7	3.2	3.0	6.7	14.7	22.7	16.1	17.4	10.9	16	-7179
06-08 LST	18.3	17.6	7.5	3.9	3.1	2.9	3.0	8.0	16.3	28.2	19.1	18.1	12.2	16	-7179
09-11 LST	17.6	12.1	1.6	0.6	0.1	0.7	0.1	0.3	3.5	11.5	11.8	14.4	6.2	16	-7179
12-14 LST	9.4	5.5	1.2	0.4	0.0	0.1	0.0	0.1	0.3	1.2	5.0	9.0	2.7	16	-7179
15-17 LST	10.2	6.6	1.3	0.3	0.2	0.2	0.1	0.1	0.2	0.9	5.7	10.1	3.0	16	-7179
18-20 LST	9.7	7.0	1.3	0.6	0.1	0.4	0.2	0.1	0.1	1.7	5.2	9.4	3.0	16	-7179
21-23 LST	11.1	7.5	1.3	0.5	0.1	0.4	0.8	0.2	1.4	5.5	8.8	12.3	4.2	16	-7179

NANCY-OCHEY, FRANCE

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST	17.5	19.3	27.2	27.3	29.6	28.6	29.8	28.7	25.8	22.8	19.2	17.8	293.6	16	-7179
	06 LST	16.5	16.4	18.6	20.7	21.7	22.5	24.0	20.7	16.9	13.3	16.1	16.5	223.9	16	-7179
	12 LST	16.5	18.5	26.7	27.9	30.3	28.6	30.4	29.9	27.3	24.8	18.7	17.1	296.7	16	-7179
	18 LST	18.4	20.3	28.2	28.5	30.5	29.3	30.1	30.4	28.8	27.1	22.2	19.7	313.5	16	-7179
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	00 LST	9.1	13.4	20.9	22.7	26.5	25.1	27.3	26.1	22.1	18.1	12.2	9.1	232.6	16	-7179
	06 LST	7.8	9.1	12.1	16.1	17.4	18.3	20.1	17.1	12.2	8.8	8.9	6.9	154.8	16	-7179
	12 LST	6.1	7.2	11.7	14.9	17.9	19.9	19.7	18.7	15.4	12.8	7.0	4.6	155.9	16	-7179
	18 LST	10.5	13.7	21.1	22.7	24.4	24.5	25.8	26.4	25.0	23.3	14.3	10.5	242.2	16	-7179
SFC WND = GTR 17 KTS AND ND PRECIP.	00 LST	1.0	0.7	0.4	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.5	0.5	3.8	16	-7179
	06 LST	0.9	1.0	0.4	0.3	0.4	0.1	0.0	0.0	0.1	0.1	0.4	0.8	4.5	16	-7179
	12 LST	1.6	1.3	1.6	1.3	0.7	0.3	0.3	0.6	0.6	0.6	0.9	1.6	11.4	16	-7179
	18 LST	1.1	0.9	0.6	0.3	0.3	0.1	0.1	0.0	0.1	0.1	0.1	0.6	4.3	16	-7179
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND ND PRECIP.	00 LST	5.0	6.9	9.4	12.6	12.1	9.9	11.0	10.1	12.0	13.4	10.9	7.6	120.9	16	-7179
	06 LST	5.8	5.5	9.0	12.0	13.7	12.2	14.6	11.7	11.8	12.9	9.9	7.2	126.3	16	-7179
	12 LST	7.1	8.9	14.2	14.9	17.0	17.6	17.9	17.6	15.9	16.7	12.9	10.8	171.5	16	-7179
	18 LST	6.8	8.6	14.8	16.6	19.9	17.9	18.8	16.5	14.7	17.6	11.6	7.6	171.4	16	-7179
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST	5.6	6.8	11.7	11.6	13.8	12.4	14.3	12.1	12.5	10.5	4.5	4.4	120.2	16	-7179
	06 LST	4.9	3.8	4.0	4.1	5.1	5.4	5.5	3.3	3.9	1.8	2.4	3.4	47.6	16	-7179
	12 LST	2.2	2.4	4.9	3.5	3.0	2.6	3.2	3.2	5.0	5.0	2.3	1.8	39.1	16	-7179
	18 LST	4.7	4.5	6.3	4.1	4.5	4.5	6.3	4.6	6.8	8.8	4.3	3.9	63.3	16	-7179
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST	12.5	16.0	24.1	25.3	27.6	27.2	28.1	26.9	24.2	20.0	14.0	12.0	257.9	16	-7179
	06 LST	10.8	11.3	14.8	17.7	18.9	19.9	21.2	17.2	13.2	10.2	9.7	9.4	174.3	16	-7179
	12 LST	11.0	12.6	20.2	22.7	26.0	25.1	26.4	25.6	22.5	19.4	11.9	9.4	232.8	16	-7179
	18 LST	13.7	16.3	25.2	26.9	29.2	27.7	29.1	28.9	27.0	25.1	16.2	13.0	278.3	16	-7179
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST	9.5	11.7	18.8	21.5	23.4	23.4	24.5	22.8	20.9	15.5	9.5	8.4	209.9	16	-7179
	06 LST	7.9	7.0	11.2	13.1	15.1	16.4	16.4	13.1	9.8	6.7	5.9	6.4	129.0	16	-7179
	12 LST	7.4	8.3	14.1	13.7	14.9	15.3	15.1	15.5	16.3	14.9	8.1	6.2	149.8	16	-7179
	18 LST	10.3	11.8	18.9	20.5	22.4	22.1	22.9	23.9	21.5	19.4	11.3	9.0	214.0	16	-7179
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST	8.4	9.7	16.4	18.3	20.1	20.0	20.8	18.1	18.1	14.0	7.9	7.1	178.9	16	-7179
	06 LST	7.0	5.7	8.5	10.2	11.5	12.9	12.0	9.5	7.5	4.7	4.0	5.5	99.0	16	-7179
	12 LST	6.1	7.0	12.7	11.1	12.5	12.0	12.2	12.2	13.4	12.8	6.2	4.7	122.9	16	-7179
	18 LST	8.6	9.4	15.5	15.2	17.1	16.3	17.3	17.6	17.0	16.7	8.6	6.9	166.2	16	-7179

PHALSBOURG, FRANCE

STA NO. 07106 (IN AREA NUMBER 02)

LATITUDE 4846N

LONGITUDE 00712E

ELEVATION(FT) 01237

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	59	68	71	80	79	85	92	91	88	74	65	59	92	10	2437
MEAN MAX TMP (F)	35	39	46	56	64	70	73	71	66	56	46	38	55	10	2437
MEAN MIN TMP (F)	27	29	33	40	47	53	56	55	50	43	37	30	42	10	2436
ABS MIN TMP (F)	3	7	15	27	32	40	42	42	37	24	20	7	3	10	2436
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.1	0.0	0.0	0.0	0.0	0.4	10	2437
MEAN NO DYS TMP = OR LES 32(F)	22.4	19.8	14.3	3.8	0.2	0.0	0.0	0.0	0.0	1.6	7.0	17.8	86.9	10	2436
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	2436
MEAN DEW PT TMP (F)	28	30	33	40	47	52	55	56	52	45	38	31	42	11	59767
MEAN REL HUM (PCT)	89	86	79	75	74	74	75	78	81	85	89	89	81	11	59767
MEAN PRESS ALT (FT)	1124	1154	1200	1224	1191	1166	1183	1177	1144	1151	1179	1176	1172	0	-50
MEAN PRECIP (IN)	3.37	3.51	2.15	2.00	2.99	3.22	2.71	2.93	1.96	1.45	2.03	2.94	31.3	9	2393
MEAN SNOW FALL (IN)	9.9	15.2	4.2	1.6	0.0	0.0	0.0	0.0	0.0	0.0	1.0	2.2	34.1	9	2319
MEAN NO DYS PRCP = OR GTR 0.1 IN	8.6	7.4	6.0	5.5	9.1	7.5	7.0	8.6	6.3	4.7	4.9	8.0	83.6	9	2393
MEAN NO DYS SNFL = OR GTR 1.5 IN	2.7	3.5	0.7	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.4	7.8	9	2319
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	8.1	6.2	1.9	1.7	0.7	0.7	0.8	1.1	3.1	7.1	8.8	7.3	47.5	11	2354
MEAN NO DYS TSTMS	0.1	0.3	0.7	1.8	4.3	6.7	6.0	5.0	2.1	0.4	0.1	0.1	27.6	10	2438
P FREQ WND SPD = OR GTR 17 KTS	22.1	22.1	12.2	11.9	8.4	6.5	6.2	8.2	6.3	9.2	12.2	22.1	12.5	11	60085
P FREQ WND SPD = OR GTR 28 KTS	3.2	3.1	0.7	1.2	0.1	0.3	0.1	0.3	0.5	0.2	2.0	2.2	1.2	11	60085
P FREQ LES 5000 FT A/D LES 3 MI	77.6	73.1	54.5	44.5	40.2	34.8	34.0	36.2	43.8	57.1	72.7	78.5	53.9	13	73206
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	53.1	44.8	18.6	11.9	10.0	8.3	10.9	12.7	18.0	30.7	47.2	51.2	26.5	11	7324
03-05 LST	52.5	43.8	25.6	20.8	19.3	17.2	20.4	20.0	29.5	40.6	50.4	50.9	32.6	13	8138
06-08 LST	55.3	52.0	39.8	26.2	19.6	20.6	19.2	22.6	35.4	49.8	55.2	52.2	37.3	13	10658
09-11 LST	57.2	53.2	34.2	17.3	13.1	14.3	10.6	11.8	19.9	41.2	53.7	55.7	31.9	13	11019
12-14 LST	50.4	44.0	21.1	10.1	6.5	8.4	5.3	4.5	13.3	23.5	45.8	51.9	23.7	13	10910
15-17 LST	51.1	37.3	18.0	8.2	4.9	6.7	3.8	3.0	9.5	21.0	45.1	51.1	21.6	13	10562
18-20 LST	47.7	43.5	19.3	8.6	4.1	5.0	3.7	4.3	9.3	19.7	41.4	49.9	21.4	12	7577
21-23 LST	48.5	43.2	15.1	7.3	6.4	7.1	5.6	6.9	11.3	20.6	41.1	50.5	22.0	12	7344
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	16.7	9.7	1.8	3.0	2.0	1.5	1.5	1.5	4.7	9.6	12.2	14.5	6.6	11	7324
03-05 LST	15.0	12.3	2.6	5.2	4.2	2.9	3.7	3.5	7.8	17.9	18.4	13.0	8.9	13	8138
06-08 LST	16.7	14.6	5.4	3.9	1.4	1.1	0.6	1.8	8.5	19.4	19.4	15.5	9.0	13	10658
09-11 LST	15.6	11.3	3.1	1.9	0.1	0.0	0.2	0.4	2.8	8.3	12.6	12.9	5.8	13	11019
12-14 LST	11.8	7.2	2.2	0.8	0.2	0.1	0.1	0.2	0.2	2.8	7.0	9.5	3.5	13	10910
15-17 LST	11.8	8.1	2.4	0.6	0.0	0.1	0.1	0.1	0.5	3.0	9.8	11.5	4.0	13	10562
18-20 LST	15.9	11.9	2.2	0.7	0.2	0.2	0.0	0.2	1.4	4.2	10.3	11.1	4.9	12	7577
21-23 LST	16.8	10.8	1.3	0.4	0.7	0.0	0.5	0.0	1.7	4.9	10.6	10.8	4.9	12	7344

PHALSBOURG, FRANCE
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST	16.9	17.6	26.5	28.0	28.8	28.0	28.8	28.3	26.2	23.6	17.4	18.9	289.0	12	2450
	06 LST	17.0	17.0	21.1	23.7	25.3	25.2	25.7	25.2	19.8	16.3	15.3	17.6	249.2	13	3673
	12 LST	17.1	16.1	25.1	27.7	29.6	28.2	30.1	30.1	26.6	23.4	17.3	16.2	287.5	13	3677
	18 LST	17.3	18.4	25.6	28.0	30.6	28.5	30.3	30.4	27.0	24.3	17.3	17.8	295.5	13	3636
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	00 LST	5.1	7.2	14.7	19.8	21.7	20.9	21.2	20.7	18.0	15.4	7.8	5.3	177.8	12	2449
	06 LST	6.0	7.1	11.3	14.8	16.7	17.1	17.2	16.3	12.1	8.8	6.4	6.2	140.0	13	3673
	12 LST	4.6	5.2	8.3	12.3	13.1	13.4	12.9	13.2	10.6	9.8	6.1	3.6	113.1	13	3676
	18 LST	6.5	9.5	13.5	16.9	17.4	17.4	18.6	21.2	18.2	15.8	9.2	6.1	170.3	13	3636
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST	4.1	2.9	2.3	1.8	1.2	0.7	0.2	0.9	0.8	0.8	2.5	4.7	22.9	12	2449
	06 LST	3.6	3.0	1.7	1.1	1.1	0.6	0.4	0.9	0.8	1.4	2.5	3.0	20.1	13	3673
	12 LST	5.2	4.5	3.7	3.8	3.6	2.6	2.7	3.5	4.0	2.7	2.7	4.2	43.2	13	3676
	18 LST	3.6	2.4	2.1	1.4	1.2	1.7	0.5	0.9	0.9	0.8	2.3	3.7	21.5	13	3636
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST	3.7	4.6	8.5	13.8	16.2	15.5	16.0	13.9	13.6	14.8	10.7	4.6	135.9	12	2449
	06 LST	2.6	5.6	7.0	11.5	11.8	12.7	14.6	11.7	12.3	12.9	9.0	4.9	116.6	13	3673
	12 LST	4.6	7.0	8.7	12.2	12.4	12.1	12.6	11.6	12.2	12.5	11.2	6.0	123.1	13	3676
	18 LST	4.4	7.5	12.9	15.1	15.9	14.8	15.8	17.4	15.7	16.7	12.5	6.6	155.3	13	3636
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST	4.4	6.4	10.8	10.2	9.6	10.2	10.1	11.4	11.0	10.2	3.6	5.4	103.3	12	2450
	06 LST	5.0	2.8	5.7	4.6	5.3	7.1	6.5	5.3	6.1	3.7	2.3	3.5	57.9	13	3673
	12 LST	2.4	2.2	2.9	2.8	2.4	2.9	3.2	3.6	6.3	4.8	1.5	2.4	37.4	13	3677
	18 LST	3.7	3.2	5.1	3.0	2.9	4.0	4.7	5.9	6.9	6.0	2.9	3.0	51.3	13	3634
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST	13.7	13.6	24.2	25.7	26.9	27.2	26.6	26.6	23.8	21.8	13.7	12.4	236.2	12	2450
	06 LST	12.6	12.2	17.5	19.8	22.4	22.6	23.0	22.3	17.3	13.5	11.1	12.5	206.8	13	3673
	12 LST	11.9	10.8	19.3	23.1	24.5	25.7	26.2	25.5	22.6	19.4	12.2	10.5	231.7	13	3677
	18 LST	13.4	15.3	23.4	26.0	29.1	27.2	28.9	29.0	25.9	23.3	14.0	11.5	267.0	13	3636
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST	10.7	11.0	19.7	22.6	22.9	23.4	24.5	24.1	21.2	17.5	11.1	9.6	218.3	12	2450
	06 LST	9.3	8.2	12.8	15.1	17.0	20.0	19.4	18.4	15.3	10.3	7.7	8.6	162.1	13	3673
	12 LST	8.3	7.1	13.5	13.2	15.2	16.4	16.6	15.3	16.5	15.0	8.2	6.6	151.9	13	3677
	18 LST	10.1	10.5	15.9	19.0	20.7	20.8	22.0	22.9	21.7	18.3	10.0	8.1	200.0	13	3636
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST	7.5	9.0	15.3	18.3	19.2	17.8	19.5	17.7	16.8	13.7	7.0	7.9	169.7	12	2450
	06 LST	7.9	5.5	10.4	12.4	12.2	15.2	13.8	12.6	11.5	7.7	5.4	6.6	121.2	13	3673
	12 LST	6.3	5.6	11.6	10.3	12.3	12.7	12.8	11.5	13.8	12.3	6.1	5.1	120.4	13	3677
	18 LST	7.6	8.7	13.0	13.4	15.1	15.6	15.2	16.7	16.9	13.8	6.6	6.2	148.8	13	3636

STRASBOURG-ENTZHEIM, FRANCE

STA NO. 07190 (IN AREA NUMBER 02)

LATITUDE 4832N

LONGITUDE 00737E

ELEVATION(FT) 00502

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	62	69	74	86	97	99	102	99	92	81	70	64	102	30	-640
MEAN MAX TMP (F)	38	42	52	60	68	73	77	76	69	58	47	39	58	30	-140
MEAN MIN TMP (F)	28	29	34	40	47	53	56	55	51	42	34	30	42	30	-140
ABS MIN TMP (F)	-8	-8	3	14	25	34	42	41	33	18	14	-10	-10	30	-640
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.2	1.2	1.2	1.2	0.0	0.0	0.0	0.0	3.8	9	1769
MEAN NO DYS TMP = DR LES 32(F)	19.2	19.7	18.4	4.4	2.0	0.0	0.0	0.0	0.0	2.9	10.9	20.6	98.1	9	2644
MEAN NO DYS TMP = DR LES 0(F)	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.7	9	2644
MEAN DEW PT TMP (F)	24	29	36	40	46	53	57	55	52	46	37	30	42	4	7541
MEAN REL HUM (PCT)	88	86	76	71	73	74	74	77	81	86	89	90	80	30	-32
MEAN PRESS ALT (FT)	386	417	464	487	455	430	445	440	408	415	443	439	436	0	-50
MEAN PRECIP (IN)	1.54	1.30	1.18	1.54	2.36	3.03	3.03	3.15	2.28	1.65	1.61	1.22	23.9	30	-140
MEAN SNOW FALL (IN)						0.0	0.0	0.0	0.0					30	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	5.1	4.3	4.0	5.0	6.5	7.5	7.5	7.7	6.2	5.0	4.9	4.0	67.7	30	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN						0.0	0.0	0.0	0.0					30	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	7.6	6.1	4.4	1.5	1.1	2.0	1.1	2.0	6.0	9.5	6.5	11.0	58.8	4	1049
MEAN NO DYS TSMS	0.1	0.2	0.2	1.0	4.0	7.0	7.0	5.0	3.0	0.4	0.1	0.0	28.0	10	-140
P FREQ WND SPD = DR GTR 17 KTS	4.3	6.3	5.8	8.8	4.2	1.3	1.8	1.5	1.3	2.0	2.7	2.1	3.6	4	7774
P FREQ WND SPD = DR GTR 28 KTS	0.9	0.3	0.6	1.3	0.6	0.6	0.2	0.0	0.0	0.2	0.3	0.5	0.5	4	7774
P FREQ LES 5000 FT A/D LES 5 MI	83.7	75.4	59.0	47.9	43.2	44.2	40.7	43.4	52.7	72.2	80.7	82.0	60.4	12	11540
P FREQ LES 1500 FT A/D LES 3 MI															
FDR 00-02 LST	59.3	54.7	33.3	10.7	5.8	10.0	4.9	5.1	11.9	18.3	50.0	53.2	26.4	3	777
03-05 LST	63.6	47.0	33.7	12.1	11.5	19.3	11.3	12.1	17.4	39.6	52.2	57.7	31.5	4	1045
06-08 LST	49.2	41.9	35.0	23.3	12.8	17.4	11.3	17.6	36.6	42.8	57.5	56.7	33.5	12	3563
09-11 LST	62.4	51.2	40.0	23.3	9.2	15.6	14.9	8.6	27.3	49.5	50.6	60.2	34.4	4	1062
12-14 LST	39.5	29.9	15.4	7.8	6.3	6.3	4.0	6.3	8.9	21.8	40.1	45.7	19.3	12	3306
15-17 LST	55.6	31.7	18.7	10.0	4.6	6.9	10.5	6.5	6.7	31.5	32.2	50.5	22.1	4	1059
18-20 LST	45.8	32.3	13.4	8.0	4.9	6.2	5.0	3.7	10.6	27.4	43.1	49.2	20.8	12	2726
21-23 LST	65.0	50.0	28.8	7.1	6.0	5.7	3.3	5.0	10.9	27.1	48.3	48.7	25.5	3	772
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	33.3	22.6	8.3	1.8	0.0	0.0	0.0	1.7	3.4	6.7	21.7	29.1	10.7	3	777
03-05 LST	25.0	15.7	12.0	0.0	2.3	9.1	2.5	3.3	5.8	16.5	21.1	22.5	11.3	4	1045
06-08 LST	21.5	21.1	17.4	6.0	5.1	3.9	3.0	4.7	18.6	25.6	34.6	33.8	16.3	12	3563
09-11 LST	24.7	22.6	12.2	1.7	0.0	2.2	0.0	1.1	5.7	17.2	22.5	34.3	12.0	4	1062
12-14 LST	15.5	11.6	3.7	1.2	1.7	0.8	0.4	0.4	1.5	5.9	15.8	24.2	6.9	12	3306
15-17 LST	23.3	11.0	0.0	0.0	1.1	1.1	0.0	0.0	2.2	3.3	3.3	18.9	5.4	4	1059
18-20 LST	18.9	8.8	2.9	1.5	0.4	2.9	0.0	0.0	2.6	9.0	17.9	25.8	7.6	12	2726
21-23 LST	28.3	22.2	6.8	0.0	0.0	0.0	0.0	0.0	1.8	11.9	8.3	29.5	9.1	3	772

STRASBOURG-ENTZHEIM, FRANCE

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	13.2	13.0	20.5	26.8	30.3	27.6	30.0	30.0	27.4	26.4	16.0	14.7	275.9	4	803
	07 LST	17.4	17.4	20.6	23.9	27.7	25.4	28.1	25.9	19.6	18.9	13.6	14.3	252.8	12	3570
	13 LST	20.2	20.7	26.8	28.2	29.8	28.8	30.4	30.2	28.0	25.8	19.1	17.8	305.8	12	3312
	19 LST	17.7	19.8	27.6	28.5	30.0	28.6	30.3	30.7	27.5	23.6	17.8	17.0	299.1	12	2762
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	01 LST	10.6	11.0	19.5	23.7	27.2	26.6	27.5	28.5	24.9	22.3	13.0	12.7	247.5	4	803
	07 LST	10.9	12.4	16.8	18.7	24.2	23.0	26.3	24.6	18.5	14.4	10.1	10.6	210.3	12	3567
	13 LST	12.3	12.7	18.8	18.9	23.2	23.0	24.5	25.2	23.1	16.5	14.3	11.8	224.3	12	3308
	19 LST	13.1	15.1	22.1	22.4	25.5	25.0	26.4	27.4	24.5	20.0	15.3	13.4	250.2	12	2759
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	0.9	0.5	1.0	2.0	1.0	0.0	0.9	0.5	0.0	0.5	0.5	0.0	7.8	4	806
	07 LST	1.1	0.9	0.3	1.2	0.2	0.4	0.1	0.2	0.0	0.3	0.3	0.6	5.6	12	3589
	13 LST	1.9	2.6	2.5	3.0	2.0	1.4	1.0	0.5	0.6	1.9	1.1	1.1	19.6	12	3320
	19 LST	1.2	1.5	1.6	0.8	1.3	0.2	0.6	0.0	0.2	0.2	0.4	0.5	8.5	12	2773
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	1.9	3.5	6.0	5.1	5.1	3.3	7.0	4.5	5.0	6.0	6.0	1.9	55.3	4	805
	07 LST	4.3	3.4	3.2	7.4	5.7	6.5	8.0	7.3	6.7	6.2	4.9	3.4	67.0	12	3565
	13 LST	4.3	6.5	9.9	9.4	9.5	9.7	10.6	11.5	10.1	9.6	8.3	6.5	105.9	12	3290
	19 LST	3.4	4.2	8.8	11.7	11.1	9.1	10.0	9.2	8.3	8.7	6.3	5.7	96.5	12	2757
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	2.4	4.0	11.0	10.3	12.2	13.3	10.8	11.5	14.5	6.0	2.5	4.6	103.1	4	806
	07 LST	2.3	4.1	7.1	4.9	8.4	10.0	9.3	9.4	4.8	2.7	1.6	2.5	67.1	12	3571
	13 LST	2.7	5.7	9.4	2.8	6.4	8.1	6.5	8.7	7.8	3.7	2.6	4.1	68.5	12	3313
	19 LST	2.9	4.8	10.1	4.3	7.8	8.8	8.3	9.0	9.7	5.9	4.5	4.3	80.4	12	2766
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	11.1	12.5	18.9	23.7	25.8	25.3	26.5	27.0	23.8	19.8	11.0	12.4	237.4	4	803
	07 LST	11.4	12.7	17.6	20.4	24.5	22.9	24.8	23.8	16.4	13.7	9.4	10.1	207.7	12	3570
	13 LST	14.3	16.1	23.6	24.0	25.6	25.0	26.8	26.0	25.0	19.9	13.9	13.1	253.3	12	3312
	19 LST	13.8	15.8	24.7	24.5	26.5	26.0	27.1	27.3	25.0	18.9	13.9	12.8	256.3	12	2762
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	8.6	8.0	15.0	18.1	20.7	21.3	21.6	21.0	20.3	14.2	7.0	8.5	184.3	4	803
	07 LST	7.6	9.2	14.1	15.9	20.3	18.6	20.3	18.7	12.8	8.9	5.9	7.1	159.4	12	3570
	13 LST	9.7	11.9	19.3	17.7	19.5	19.2	20.8	21.2	21.2	13.4	9.6	9.5	193.0	12	3312
	19 LST	10.1	11.8	21.2	17.8	20.1	22.6	23.4	23.1	22.5	15.0	9.1	9.4	206.1	12	2762
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	8.6	8.0	15.0	18.1	20.7	21.3	21.6	21.0	20.3	14.2	7.0	8.5	184.3	4	803
	07 LST	7.5	9.2	13.9	15.7	20.1	18.4	20.0	18.4	12.7	8.8	5.9	7.1	157.7	12	3570
	13 LST	9.7	11.8	19.2	17.3	19.1	19.2	20.5	21.0	21.2	13.4	9.6	9.5	191.5	12	3312
	19 LST	10.1	11.7	21.2	17.5	19.8	22.6	23.3	22.9	22.4	14.9	9.1	9.2	204.7	12	2762

COLMAR-MEYENHEIM, FRANCE

STA NO. 07197 (IN AREA NUMBER 02)

LATITUDE 4755N

LONGITUDE 00723E

ELEVATION(FT) 00692

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	62	70	75	84	94	97	103	98	93	81	71	67	103	50	-10803
MEAN MAX TMP (F)	40	43	53	60	69	74	78	77	71	59	48	40	59	30	-154
MEAN MIN TMP (F)	28	29	33	40	46	51	55	55	50	43	36	29	41	30	-154
ABS MIN TMP (F)	-7	-7	9	22	29	37	43	41	30	23	8	-1	-7	50	-10803
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.1	0.6	2.7	1.8	0.7	0.0	0.0	0.0	5.9	10	-10803
MEAN NO DYS TMP = DR LES 32(F)	19.9	16.6	12.2	3.3	0.2	0.0	0.0	0.0	0.0	2.2	8.3	15.0	77.7	10	-10803
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	10	-10803
MEAN DEW PT TMP (F)	29	29	33	38	45	52	55	55	52	45	37	33	42	10	-10803
MEAN REL HUM (PCT)	80	74	68	63	63	64	63	64	70	77	80	81	71	48	-10803
MEAN PRESS ALT (FT)	570	603	651	677	647	620	634	628	596	601	628	621	623	0	-50
MEAN PRECIP (IN)	1.54	1.26	1.30	1.65	2.24	2.76	2.56	2.76	2.40	1.77	1.89	1.26	23.4	30	-140
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0					50	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	5.1	4.2	4.4	5.3	6.3	7.1	6.7	7.1	6.4	5.2	5.5	4.2	67.5	30	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0					50	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	6.0	4.5	1.8	1.3	0.5	0.3	0.6	0.1	1.5	5.5	5.8	7.3	35.2	10	-10803
MEAN NO DYS TSTMS	0.3	0.3	0.3	2.0	5.0	6.0	6.0	4.0	2.0	0.3	0.3	0.3	26.8	30	-10803
P FREQ WND SPD = DR GTR 17 KTS	1.9	2.1	1.7	1.2	0.4	0.5	0.3	0.6	0.5	0.8	1.6	2.2	1.2	10	-10803
P FREQ WND SPD = DR GTR 28 KTS	0.2	0.0	0.0	0.1	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.0	0.0	10	-10803
P FREQ LES 5000 FT A/D LES 5 MI	75.7	66.2	44.9	40.5	32.7	34.6	32.8	29.9	42.1	55.9	76.3	75.5	50.6	10	-10803
P FREQ LES 1900 FT A/D LES 3 MI															
FOR 00-02 LST	42.6	34.4	11.9	11.3	6.8	5.7	4.9	3.5	9.3	28.7	44.3	44.5	20.7	10	-10803
03-05 LST	44.5	33.8	14.2	14.3	10.4	7.3	6.8	2.6	12.4	30.3	43.7	42.2	21.9	10	-10803
06-08 LST	45.5	35.2	24.2	22.3	14.6	11.1	11.3	11.3	22.2	39.7	41.7	45.3	27.0	10	-10803
09-11 LST	56.1	44.8	28.5	17.1	10.4	8.3	7.8	10.0	20.3	45.2	53.3	52.6	29.5	10	-10803
12-14 LST	51.9	39.4	13.3	9.7	6.8	5.7	3.6	3.9	9.7	26.1	44.1	46.8	21.8	10	-10803
15-17 LST	41.6	27.1	10.7	8.4	4.5	4.3	3.2	2.3	6.3	20.0	38.7	45.5	17.7	10	-10803
18-20 LST	48.1	37.6	14.5	8.4	4.5	3.7	2.6	1.9	5.7	26.5	44.0	49.8	20.6	10	-10803
21-23 LST	46.8	34.8	11.9	9.0	4.5	4.7	3.9	2.6	8.0	24.8	44.3	47.9	20.3	10	-10803
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	18.4	11.3	2.9	1.0	1.0	0.7	0.3	1.0	2.7	10.6	14.3	17.4	6.8	10	-10803
03-05 LST	18.2	11.7	3.5	2.3	1.6	0.0	0.6	0.6	5.4	11.9	14.7	19.5	7.5	10	-10803
06-08 LST	18.1	15.3	6.1	7.3	4.2	2.3	2.9	1.0	7.7	22.3	16.7	20.1	10.3	10	-10803
09-11 LST	30.6	21.0	6.8	5.0	1.9	0.7	1.6	1.0	4.7	20.3	26.3	28.9	12.4	10	-10803
12-14 LST	20.0	11.0	2.6	2.3	0.6	0.3	0.0	0.3	1.7	6.5	12.0	24.0	6.8	10	-10803
15-17 LST	15.5	9.3	2.3	2.7	0.3	0.3	0.0	0.0	1.0	4.2	11.0	21.1	5.6	10	-10803
18-20 LST	17.7	9.9	2.3	2.0	0.3	0.0	0.3	0.6	1.3	7.4	15.0	22.0	6.6	10	-10803
21-23 LST	15.4	11.7	1.9	1.3	1.0	0.0	0.3	0.6	0.7	7.4	15.7	21.4	6.7	10	-10803

COLMAR-MEYENHEIM, FRANCE

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST	19.2	19.1	28.1	27.3	29.3	29.1	29.8	30.3	27.7	22.8	17.5	17.8	298.0	10	-10803
	06 LST	17.5	19.1	24.1	24.2	27.1	27.1	27.9	28.1	23.8	19.3	18.3	17.9	274.4	10	-10803
	12 LST	16.3	17.7	27.3	27.7	29.6	28.8	30.1	30.3	27.7	23.4	17.7	17.1	293.7	10	-10803
	18 LST	17.2	18.2	27.1	28.0	30.0	29.4	30.3	30.6	28.7	23.1	17.7	17.1	297.4	10	-10803
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	00 LST	12.5	12.8	23.1	22.5	25.5	23.6	26.4	26.2	23.9	19.2	13.1	11.8	240.6	10	-10803
	06 LST	12.5	13.3	21.0	19.7	24.7	24.6	25.7	25.5	20.1	15.6	14.2	11.4	228.3	10	-10803
	12 LST	9.2	11.8	22.1	21.8	25.4	25.2	26.5	26.2	22.5	19.5	12.9	11.5	234.6	10	-10803
	18 LST	11.7	13.5	22.8	24.9	27.3	26.8	28.0	28.6	26.0	20.3	12.9	10.3	253.1	10	-10803
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST	0.5	0.1	0.4	0.5	0.1	0.2	0.1	0.1	0.0	0.0	0.2	0.3	2.5	10	-10803
	06 LST	0.3	0.1	0.4	0.3	0.1	0.2	0.0	0.1	0.3	0.2	0.2	0.7	2.9	10	-10803
	12 LST	0.2	0.3	0.4	0.3	0.0	0.1	0.1	0.1	0.1	0.0	0.4	0.4	2.4	10	-10803
	18 LST	0.3	0.3	0.1	0.1	0.1	0.1	0.1	0.1	0.0	0.1	0.0	0.2	1.5	10	-10803
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST	4.4	3.7	6.3	8.3	7.2	6.9	8.2	6.4	7.7	6.2	4.3	5.5	75.1	10	-10803
	06 LST	3.2	3.7	3.9	3.9	4.1	2.7	5.1	5.3	6.1	2.9	4.0	4.2	49.1	10	-10803
	12 LST	4.7	4.7	11.3	13.1	15.2	12.9	13.4	12.9	13.1	9.2	6.9	6.3	123.7	10	-10803
	18 LST	4.9	5.4	8.1	9.8	10.9	8.6	11.2	9.5	7.1	7.8	5.4	5.7	94.4	10	-10803
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST	5.4	5.1	12.9	11.5	12.0	10.9	12.9	12.4	10.8	10.5	4.7	4.4	113.5	10	-10803
	06 LST	3.6	3.4	8.1	6.9	7.4	7.6	9.1	7.5	4.8	4.1	3.2	2.5	68.2	10	-10803
	12 LST	1.9	2.8	6.9	5.4	4.5	4.0	8.2	6.4	5.7	5.6	1.8	1.9	55.1	10	-10803
	18 LST	3.5	3.6	8.1	5.5	4.8	5.1	7.7	5.8	7.2	8.0	3.4	2.8	65.5	10	-10803
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST	13.7	15.2	24.3	24.2	26.5	25.2	27.2	27.4	24.3	20.0	13.5	13.3	254.8	10	-10803
	06 LST	12.7	14.1	21.0	21.0	24.4	24.2	25.4	25.6	20.9	16.3	13.8	12.4	231.8	10	-10803
	12 LST	11.1	13.6	24.6	24.2	26.2	26.1	27.7	28.0	24.8	20.3	13.6	13.2	253.4	10	-10803
	18 LST	11.8	14.6	24.2	25.8	27.9	26.8	28.5	29.0	25.6	20.3	12.8	11.7	259.0	10	-10803
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST	10.2	11.3	18.4	18.8	20.5	18.7	19.9	21.5	18.5	16.2	9.3	9.0	192.3	10	-10803
	06 LST	8.0	10.0	17.0	16.7	19.8	19.4	20.1	19.5	14.7	11.7	8.8	7.0	172.7	10	-10803
	12 LST	7.9	9.9	19.2	17.6	19.5	19.6	20.9	22.8	18.9	15.4	9.1	9.1	189.9	10	-10803
	18 LST	7.4	11.1	19.1	21.1	21.9	21.3	22.3	23.1	19.2	16.4	7.9	7.6	198.4	10	-10803
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST	10.1	11.3	18.3	18.8	20.5	18.7	19.8	21.5	18.5	16.2	9.3	9.0	192.0	10	-10803
	06 LST	7.9	10.0	17.0	16.7	19.8	19.4	20.0	19.5	14.7	11.6	8.8	7.0	172.4	10	-10803
	12 LST	7.8	9.9	19.2	17.6	19.5	19.6	20.8	22.8	18.8	15.4	9.1	9.1	189.6	10	-10803
	18 LST	7.4	11.1	19.1	21.0	21.9	21.3	22.2	23.1	19.0	16.4	7.9	7.6	198.0	10	-10803

LUXEUIL-ST. SAUVEUR, FRANCE

STA NO. 07292 (IN AREA NUMBER 02)

LATITUDE 4747N

LONGITUDE 00622E

ELEVATION(FT) 00912

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
ABS MAX TMP (F)	57	68	70	79	84	91	97	95	88	79	66	57	97	7	1143
MEAN MAX TMP (F)	38	43	53	59	67	72	76	75	69	59	48	41	58	30	-140
MEAN MIN TMP (F)	26	27	31	36	43	49	52	52	47	40	34	29	39	30	-140
ABS MIN TMP (F)	1	3	16	23	30	34	45	34	29	21	19	0	0	6	1613
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.3	3.7	3.1	0.0	0.0	0.0	0.0	7.1	7	1143
MEAN NO DYS TMP = DR LES 32(F)	19.7	19.5	15.3	3.3	0.5	0.0	0.0	0.0	0.6	3.6	8.8	19.1	90.4	6	1613
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	6	1613
MEAN DEW PT TMP (F)	32	33	35	39	48	55	58	57	54	47	38	34	44	0	-50
MEAN REL HUM (PCT)	84	80	70	70	69	73	73	72	77	80	83	86	76	10	-140
MEAN PRESS ALT (FT)	791	823	870	901	869	843	860	850	816	820	844	838	844	0	-50
MEAN PRECIP (IN)	3.15	2.56	2.36	2.17	2.36	3.74	3.15	3.54	3.35	2.76	3.35	2.95	35.4	30	-140
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0					6	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	8.7	7.6	6.5	6.2	6.5	8.4	7.7	8.2	7.9	7.0	7.9	8.3	90.9	30	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0					6	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.3	1.0	2.0	4.0	5.0	5.0	4.0	1.0	1.0	0.0	0.0	23.3	10	-140
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI	74.5	70.0	48.8	44.7	38.6	38.4	37.6	37.8	40.9	53.0	66.4	74.6	52.1	15	-7170
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	48.9	39.5	16.7	13.3	9.0	12.6	10.8	10.7	16.4	35.6	37.1	49.1	25.0	15	-7170
03-05 LST	52.2	47.4	26.3	22.3	20.7	22.7	22.3	21.3	27.0	46.1	43.9	51.1	33.6	15	-7170
06-08 LST	55.9	52.1	38.7	27.7	23.5	23.3	23.2	24.3	34.4	51.2	49.4	53.7	38.1	15	-7170
09-11 LST	57.8	50.2	27.5	17.7	12.4	13.1	12.5	12.4	19.0	32.7	47.1	54.5	29.7	15	-7170
12-14 LST	44.6	34.0	13.7	11.1	5.8	8.7	4.5	4.3	8.9	16.3	31.9	42.2	18.8	15	-7170
15-17 LST	41.6	26.7	9.5	7.1	3.8	4.9	1.8	3.4	4.9	11.4	27.3	39.8	15.2	15	-7170
18-20 LST	42.4	30.6	9.2	6.9	3.5	5.4	3.3	4.5	7.0	15.8	30.1	42.3	16.8	15	-7170
21-23 LST	44.9	31.4	11.2	9.3	4.2	7.6	4.0	6.0	9.6	21.4	32.4	45.8	19.0	15	-7170
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	12.0	10.1	3.4	2.0	0.8	2.4	1.7	1.9	5.4	12.9	10.5	13.2	6.4	15	-7170
03-05 LST	12.4	10.5	6.5	5.2	2.6	6.2	5.3	4.7	8.3	19.5	13.6	13.0	9.0	15	-7170
06-08 LST	13.0	13.4	8.5	5.5	2.3	4.0	3.4	3.8	10.1	20.8	13.3	13.2	9.3	15	-7170
09-11 LST	11.6	11.3	3.2	1.9	0.1	0.6	0.0	0.2	1.0	6.4	8.1	10.3	4.6	15	-7170
12-14 LST	7.0	4.8	1.2	0.6	0.0	0.6	0.0	0.1	0.0	0.7	3.8	5.8	2.1	15	-7170
15-17 LST	8.0	3.9	1.0	0.5	0.3	0.5	0.2	0.0	0.4	0.8	4.3	6.0	2.2	15	-7170
18-20 LST	7.7	4.5	0.9	1.0	0.2	0.8	0.1	0.3	0.4	2.9	7.0	7.1	2.7	15	-7170
21-23 LST	10.6	7.0	0.8	1.0	0.0	1.1	0.4	0.6	1.6	5.0	9.0	10.2	3.9	15	-7170

LUXEUIL-ST. SAUVEUR, FRANCE

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST	19.2	19.1	27.8	26.9	29.6	27.4	29.3	28.7	26.5	23.2	21.4	19.0	298.1	15	-7170
	06 LST	17.4	16.3	20.7	23.0	25.6	23.4	24.2	24.4	20.7	16.9	18.6	18.5	249.7	15	-7170
	12 LST	18.1	19.5	27.5	27.9	30.1	28.5	30.4	30.4	28.3	26.5	21.5	20.7	309.4	15	-7170
	18 LST	20.3	21.3	28.9	28.6	30.5	29.0	30.7	30.5	29.2	27.1	22.8	22.1	321.0	15	-7170
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	00 LST	10.8	12.5	22.4	22.8	26.0	24.8	26.8	26.0	23.0	18.7	13.7	10.9	238.4	15	-7170
	06 LST	9.7	9.9	15.4	17.5	20.2	19.7	19.9	20.1	15.9	11.4	10.3	9.5	179.5	15	-7170
	12 LST	8.4	9.0	13.4	13.2	17.2	17.9	17.7	17.0	15.4	14.5	9.7	9.1	162.5	15	-7170
	18 LST	12.1	13.5	21.8	20.7	21.9	23.4	23.5	24.8	24.5	22.6	14.9	12.4	236.1	15	-7170
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST	0.6	0.5	0.2	0.1	0.2	0.0	0.0	0.2	0.0	0.1	0.3	0.8	3.0	15	-7170
	06 LST	0.8	0.6	0.2	0.1	0.2	0.0	0.2	0.0	0.1	0.4	0.2	1.1	3.9	15	-7170
	12 LST	1.5	1.5	1.1	0.8	1.2	0.4	1.0	0.6	0.4	0.9	1.1	0.7	11.2	15	-7170
	18 LST	0.6	0.7	0.4	0.2	0.5	0.1	0.3	0.1	0.0	0.2	0.6	0.9	4.6	15	-7170
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST	4.8	5.7	8.7	12.3	11.9	9.7	11.5	11.9	11.1	11.6	8.6	8.1	115.9	15	-7170
	06 LST	4.5	4.5	7.3	11.8	14.9	13.4	13.2	12.9	13.1	12.0	8.4	8.2	124.2	15	-7170
	12 LST	8.5	7.7	13.5	13.2	16.2	17.9	16.8	17.1	14.9	14.6	13.1	11.4	164.9	15	-7170
	18 LST	7.1	8.2	17.1	16.9	18.8	19.0	20.1	20.2	15.5	15.6	13.7	9.1	181.3	15	-7170
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST	6.5	7.2	13.6	12.5	14.3	11.0	15.5	13.5	13.3	11.3	5.6	4.8	129.1	15	-7170
	06 LST	5.6	3.9	5.6	5.2	6.8	5.9	7.1	6.4	5.4	3.1	3.2	4.7	62.9	15	-7170
	12 LST	3.6	3.6	6.0	3.6	3.4	2.4	3.5	3.7	6.1	6.1	1.7	3.2	46.9	15	-7170
	18 LST	5.0	5.1	7.4	4.1	4.6	4.2	6.4	5.9	7.4	8.4	4.9	3.9	67.3	15	-7170
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST	13.9	15.4	25.6	24.7	28.1	25.9	27.7	26.9	24.6	20.8	16.8	13.5	263.9	15	-7170
	06 LST	12.2	12.3	17.9	19.2	21.6	20.8	21.3	20.6	17.3	13.3	14.0	12.2	202.7	15	-7170
	12 LST	12.8	13.9	22.6	22.4	25.7	24.8	24.7	25.0	22.8	21.3	15.2	13.2	244.4	15	-7170
	18 LST	15.2	17.1	26.7	26.5	29.0	27.8	29.6	28.9	26.6	25.3	18.2	16.1	287.0	15	-7170
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST	10.4	11.6	20.5	20.3	23.6	22.2	24.1	23.0	20.7	17.2	11.6	9.0	214.2	15	-7170
	06 LST	9.0	8.4	13.3	15.0	17.8	17.6	16.9	16.6	13.8	9.2	10.0	8.1	155.7	15	-7170
	12 LST	9.7	10.1	16.5	13.8	13.3	14.3	13.7	14.0	15.7	15.7	11.2	9.8	157.8	15	-7170
	18 LST	11.6	12.5	20.2	19.1	21.7	22.2	22.4	22.8	21.8	19.9	13.5	11.5	219.2	15	-7170
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST	9.4	10.5	18.6	17.6	19.9	17.5	21.5	19.8	17.6	14.6	9.2	7.1	183.3	15	-7170
	06 LST	7.7	6.6	11.0	12.4	14.5	14.0	12.7	13.4	10.9	7.4	7.4	7.0	125.0	15	-7170
	12 LST	8.5	8.6	14.9	11.6	11.4	10.7	11.0	12.1	13.6	13.9	8.5	7.6	132.4	15	-7170
	18 LST	10.1	10.7	17.6	15.3	16.7	17.4	17.4	17.4	17.9	16.9	10.2	9.1	176.7	15	-7170

BALE-MULHOUSE, FRANCE

STA NO. 07299 (IN AREA NUMBER 02)

LATITUDE 4735N

LONGITUDE 00731E

ELEVATION(FT) 00886

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	66	67	73	87	92	101	102	102	95	85	71	65	102	30	-28
MEAN MAX TMP (F)	39	43	52	60	68	74	78	77	70	59	47	39	59	30	-28
MEAN MIN TMP (F)	28	29	34	40	47	53	56	56	51	43	36	29	42	30	-28
ABS MIN TMP (F)	-11	-11	6	22	27	37	41	38	30	22	13	-6	-11	30	-28
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.1	0.6	2.7	1.8	0.7	0.0	0.0	0.0	5.9	10	-10803
MEAN NO DYS TMP = DR LES 32(F)	19.9	16.6	12.2	3.3	0.2	0.0	0.0	0.0	0.0	2.2	8.3	15.0	77.7	10	-10803
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	10	-10803
MEAN DEW PT TMP (F)	31	30	36	39	47	52	56	57	55	45	38	30	43	0	-50
MEAN REL HUM (PCT)	85	81	75	69	70	69	69	72	78	82	84	86	77	67	-28
MEAN PRESS ALT (FT)	763	796	845	871	841	814	827	822	790	795	821	814	817	0	-50
MEAN PRECIP (IN)	1.60	1.60	2.10	2.60	3.20	3.90	3.50	3.40	3.10	2.90	2.30	2.00	32.2	77	-28
MEAN SNOW FALL (IN)						0.0	0.0	0.0	0.0					30	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	5.2	5.2	6.1	6.7	7.2	8.6	8.2	8.0	7.5	7.2	6.2	6.3	82.4	77	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN						0.0	0.0	0.0	0.0					30	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	6.0	4.5	1.8	1.3	0.5	0.3	0.6	0.1	1.5	5.5	5.8	7.3	35.2	10	-10803
MEAN NO DYS TSTMS	0.3	0.3	0.3	1.0	3.0	4.0	4.0	3.0	2.0	0.3	0.3	0.0	18.5	50	-24
P FREQ WND SPD = DR GTR 17 KTS	1.9	2.1	1.7	1.2	0.4	0.5	0.3	0.6	0.5	0.8	1.6	2.2	1.2	10	-10803
P FREQ WND SPD = DR GTR 28 KTS	0.2	0.0	0.0	0.1	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.0	0.0	10	-10803
P FREQ LES 5000 FT A/D LES 5 MI	75.7	66.2	44.9	40.5	32.7	34.6	32.8	29.9	42.1	55.9	76.3	75.5	50.6	10	-10803
P FREQ LES 1500 FT A/D LES 3 MI															
FDR 00-02 LST	42.6	34.4	11.9	11.3	6.8	5.7	4.9	3.5	9.3	28.7	44.3	44.5	20.7	10	-10803
03-05 LST	44.5	33.8	14.2	14.3	10.4	7.3	6.8	2.6	12.4	30.3	43.7	42.2	21.9	10	-10803
06-08 LST	45.5	35.2	24.2	22.3	14.6	11.1	11.3	11.3	22.2	39.7	41.7	45.3	27.0	10	-10803
09-11 LST	56.1	44.8	28.5	17.1	10.4	8.3	7.8	10.0	20.3	45.2	53.3	52.6	29.5	10	-10803
12-14 LST	51.9	39.4	13.3	9.7	6.8	5.7	3.6	3.9	9.7	26.1	44.1	46.8	21.8	10	-10803
15-17 LST	41.6	27.1	10.7	8.4	4.5	4.3	3.2	2.3	6.3	20.0	38.7	45.5	17.7	10	-10803
18-20 LST	48.1	37.6	14.5	3.4	4.5	3.7	2.6	1.9	5.7	26.5	44.0	49.8	20.6	10	-10803
21-23 LST	46.8	34.8	11.9	9.0	4.5	4.7	3.9	2.6	8.0	24.8	44.3	47.9	20.3	10	-10803
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	18.4	11.3	2.9	1.0	1.0	0.7	0.3	1.0	2.7	10.6	14.3	17.4	6.8	10	-10803
03-05 LST	18.2	11.7	3.5	2.3	1.6	0.0	0.6	0.6	5.4	11.9	14.7	19.5	7.5	10	-10803
06-08 LST	18.1	15.3	6.1	7.3	4.2	2.3	2.9	1.0	7.7	22.3	16.7	20.1	10.3	10	-10803
09-11 LST	30.6	21.0	6.8	5.0	1.9	0.7	1.6	1.0	4.7	20.3	26.3	28.9	12.4	10	-10803
12-14 LST	20.0	11.0	2.6	2.3	0.6	0.3	0.0	0.3	1.7	6.5	12.0	24.0	6.8	10	-10803
15-17 LST	15.5	9.3	2.3	2.7	0.3	0.3	0.0	0.0	1.0	4.2	11.0	21.1	5.6	10	-10803
18-20 LST	17.7	9.9	2.3	2.0	0.3	0.0	0.3	0.6	1.3	7.4	15.0	22.0	6.6	10	-10803
21-23 LST	18.4	11.7	1.9	1.3	1.0	0.0	0.3	0.6	0.7	7.4	15.7	21.4	6.7	10	-10803

BALE-MULHOUSE, FRANCE

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	19.2	19.1	28.1	27.3	29.3	29.1	29.8	30.3	27.7	22.8	17.5	17.8	298.0	10	-10803
	07 LST	17.5	19.1	24.1	24.2	27.1	27.1	27.9	28.1	23.8	19.3	18.3	17.9	274.4	10	-10803
	13 LST	16.3	17.7	27.3	27.7	29.6	28.8	30.1	30.3	27.7	23.4	17.7	17.1	293.7	10	-10803
	19 LST	17.2	18.2	27.1	28.0	30.0	29.4	30.3	30.6	28.7	23.1	17.7	17.1	297.4	10	-10803
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	12.5	12.8	23.1	22.5	25.5	23.6	26.4	26.2	23.9	19.2	13.1	11.8	240.6	10	-10803
	07 LST	12.5	13.3	21.0	19.7	24.7	24.6	25.7	25.5	20.1	15.6	14.2	11.4	228.3	10	-10803
	13 LST	9.2	11.8	22.1	21.8	25.4	25.2	26.5	26.2	22.5	19.5	12.9	11.5	234.6	10	-10803
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	0.5	0.1	0.4	0.5	0.1	0.2	0.1	0.1	0.0	0.0	0.2	0.3	2.5	10	-10803
	07 LST	0.3	0.1	0.4	0.3	0.1	0.2	0.0	0.1	0.3	0.2	0.2	0.7	2.9	10	-10803
	13 LST	0.2	0.3	0.4	0.3	0.0	0.1	0.1	0.1	0.1	0.0	0.4	0.4	2.4	10	-10803
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	4.4	3.7	6.3	8.3	7.2	6.9	8.2	6.4	7.7	6.2	4.3	5.5	75.1	10	-10803
	07 LST	3.2	3.7	3.9	3.9	4.1	2.7	5.1	5.3	6.1	2.9	4.0	4.2	49.1	10	-10803
	13 LST	4.7	4.7	11.3	13.1	15.2	12.9	13.4	12.9	13.1	9.2	6.9	6.3	123.7	10	-10803
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	5.4	5.1	12.9	11.5	12.0	10.9	12.9	12.4	10.8	10.5	4.7	4.4	113.5	10	-10803
	07 LST	3.6	3.4	8.1	6.9	7.4	7.6	9.1	7.5	4.8	4.1	3.2	2.5	68.2	10	-10803
	13 LST	1.9	2.8	6.9	5.4	4.5	4.0	8.2	6.4	5.7	5.6	1.8	1.9	55.1	10	-10803
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	13.7	15.2	24.3	24.2	26.5	25.2	27.2	27.4	24.3	20.0	13.5	13.3	254.8	10	-10803
	07 LST	12.7	14.1	21.0	21.0	24.4	24.2	25.4	25.6	20.9	16.3	13.8	12.4	231.8	10	-10803
	13 LST	11.1	13.6	24.6	24.2	26.2	26.1	27.7	28.0	24.8	20.3	13.6	13.2	253.4	10	-10803
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	11.8	14.6	24.2	25.8	27.9	26.8	28.5	19.0	25.6	20.3	12.8	11.7	259.0	10	-10803
	01 LST	10.2	11.3	18.4	18.8	20.5	18.7	19.9	21.5	18.5	16.2	9.3	9.0	192.3	10	-10803
	07 LST	8.0	10.0	17.0	16.7	19.8	19.4	20.1	19.5	14.7	11.7	8.8	7.0	172.7	10	-10803
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	13 LST	7.9	9.9	19.2	17.6	19.5	19.6	20.9	22.8	18.9	15.4	9.7	9.1	189.9	10	-10803
	19 LST	7.4	11.1	19.1	21.1	21.9	21.3	22.3	23.1	19.2	16.4	7.9	7.6	198.4	10	-10803
	01 LST	10.1	11.3	18.3	18.8	20.5	18.7	19.8	21.5	18.5	16.2	9.3	9.0	192.0	10	-10803
	07 LST	7.9	10.0	17.0	16.7	19.8	19.4	20.0	19.5	14.7	11.6	8.8	7.0	172.4	10	-10803
	13 LST	7.8	9.9	19.2	17.6	19.5	19.6	20.8	22.8	18.8	15.4	9.1	9.1	189.6	10	-10803
	19 LST	7.4	11.1	19.1	21.0	21.9	21.3	22.2	23.1	19.0	16.4	7.9	7.6	198.0	10	-10803

ST. YAN, FRANCE

STA NO. 07379 (IN AREA NUMBER 02)

LATITUDE 4624N

LONGITUDE 00401E

ELEVATION(FT) 00794

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NJ.
														(YRS)	QBS
ABS MAX TMP (F)	43	46	55	60	66	73	77	76	71	61	50	42	60	30	-154
MEAN MAX TMP (F)	30	30	34	39	46	52	54	54	50	42	36	31	42	30	-154
MEAN MIN TMP (F)														0	0
ABS MIN TMP (F)														30	-29
MEAN NO DYS TMP = DR GTR 90(F)														0	0
MEAN NO DYS TMP = DR LES 32(F)														0	0
MEAN NO DYS TMP = DR LES 0(F)														0	-30
MEAN DEW PT TMP (F)	29	30	35	40	45	51	54	55	51	44	36	33	42	20	-29
MEAN REL HUM (PCT)	76	75	72	73	70	69	70	73	74	78	78	87	75	0	-50
MEAN PRESS ALT (FT)	650	696	753	761	736	708	702	715	692	704	735	720	714	30	-140
MEAN PRECIP (IN)	2.56	2.24	2.09	2.17	2.76	2.76	2.36	2.95	2.95	2.56	2.76	2.56	30.7	0	0
MEAN SNOW FALL (IN)														30	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	7.6	6.9	6.1	6.2	6.9	7.1	6.3	7.4	7.3	6.7	7.0	7.6	83.1	0	0
MEAN NO DYS SNFL = DR GTR 1.5 IN														0	0
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

ST. YAN, FRANCE
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO, OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST														0	0
	12 LST														0	0
	18 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	00 LST														0	0
	06 LST														0	0
	12 LST														0	0
	18 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST														0	0
	06 LST														0	0
	12 LST														0	0
	18 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST														0	0
	06 LST														0	0
	12 LST														0	0
	18 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST														0	0
	12 LST														0	0
	18 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST														0	0
	12 LST														0	0
	18 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST														0	0
	12 LST														0	0
	18 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST														0	0
	12 LST														0	0
	18 LST														0	0

DATA NOT AVAILABLE

CHAMBLEY, FRANCE

STA NO. 14549/ (IN AREA NUMBER 02)

LATITUDE 4901N

LONGITUDE 00552E

ELEVATION(FT) 00864

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	52	64	67	78	86	90	97	89	91	75	67	58	97	8	1490
MEAN MAX TMP (F)	36	41	49	57	62	70	73	69	68	58	46	38	56	8	1490
MEAN MIN TMP (F)	27	31	36	41	44	52	55	53	51	43	37	29	42	8	1490
ABS MIN TMP (F)	7	10	21	26	27	36	40	41	34	30	19	7	7	8	1490
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.2	1.0	0.0	0.4	0.0	0.0	0.0	1.6	8	1490
MEAN NO DYS TMP = DR LES 32(F)	21.5	15.9	12.0	3.0	1.0	0.0	0.0	0.0	0.0	1.0	7.2	18.7	80.3	8	1490
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	1490
MEAN DEW PT TMP (F)	27	30	34	39	44	51	55	53	53	46	37	29	42	9	39105
MEAN REL HUM (PCT)	82	79	74	71	71	71	74	75	80	86	86	82	78	9	39105
MEAN PRESS ALT (FT)	754	782	826	856	821	798	818	808	773	779	804	802	802	0	-50
MEAN PRECIP (IN)	1.50	1.88	1.40	1.46	2.16	2.04	2.03	2.24	1.77	1.49	1.62	0.92	20.5	6	1428
MEAN SNOW FALL (IN)	1.9	3.3	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.7	7.7	6	1556
MEAN NO DYS PRCP = DR GTR 0.1 IN	3.7	5.3	4.7	4.7	6.7	5.7	5.3	6.2	6.0	4.8	5.0	3.0	61.1	6	1428
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.8	6	1556
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	8.2	3.6	1.2	1.4	1.7	1.5	1.6	2.7	6.3	10.0	7.5	7.2	53.5	9	1722
MEAN NO DYS YSTMS	0.0	0.0	0.7	1.1	3.7	2.6	4.6	2.1	1.4	0.6	0.0	0.0	16.8	8	1492
P FREQ WND SPD = DR GTR 17 KTS	3.6	4.3	1.9	1.7	1.2	0.7	0.8	1.5	1.2	0.5	2.2	3.4	1.9	9	39213
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.2	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	9	39213
P FREQ LES 5000 FT A/O LES 5 MI	78.7	71.0	58.4	30.4	45.6	40.6	40.7	41.9	49.0	67.1	76.6	84.2	58.7	11	59527
P FREQ LES 1900 FT A/O LES 3 MI															
FOR 00-02 LST	51.6	34.1	21.5	17.4	16.9	11.9	8.0	14.1	29.0	43.4	41.3	56.7	28.8	9	5773
03-05 LST	57.1	43.1	34.5	29.4	30.1	27.2	26.1	33.5	36.2	55.7	47.2	59.0	39.9	11	6534
06-08 LST	61.7	57.4	49.9	36.2	27.4	24.6	26.9	35.3	44.9	63.2	56.0	62.2	45.5	11	8657
09-11 LST	62.8	55.7	36.9	23.9	11.7	16.1	13.6	16.7	29.1	49.6	54.4	61.3	36.0	11	9025
12-14 LST	54.7	39.9	20.1	12.3	4.2	9.8	6.6	6.2	15.7	24.9	36.6	55.8	23.9	11	9008
15-17 LST	55.4	34.2	12.7	7.0	2.6	4.8	5.3	4.5	8.6	20.2	35.8	53.3	20.4	11	8692
18-20 LST	49.9	32.7	12.5	6.7	3.0	4.7	6.4	6.0	10.9	25.4	37.8	51.6	20.6	10	6112
21-23 LST	49.7	29.9	12.9	11.4	7.7	6.0	7.0	6.4	15.3	32.7	38.8	53.4	22.6	9	5772
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	14.6	5.3	2.2	1.9	1.1	0.4	1.2	2.8	8.2	15.6	6.9	13.3	6.1	9	5773
03-05 LST	14.5	4.7	3.0	5.1	5.1	4.6	7.6	10.5	19.3	25.2	12.0	15.1	10.2	11	6534
06-08 LST	13.5	10.0	6.4	3.8	1.9	1.7	2.8	7.1	15.7	27.8	15.7	16.3	10.2	11	8657
09-11 LST	12.6	7.2	2.0	0.7	0.0	0.1	0.0	1.0	3.7	12.8	7.6	14.7	9.2	11	9025
12-14 LST	7.3	5.3	1.0	0.3	0.3	0.3	0.3	0.0	0.1	1.4	3.2	9.6	2.4	11	9008
15-17 LST	8.2	3.6	1.6	0.4	0.0	0.0	0.0	0.4	0.4	1.7	4.0	11.6	2.7	11	8692
18-20 LST	8.4	3.9	1.7	0.6	0.2	0.2	0.6	0.5	0.0	1.1	4.4	10.6	2.7	10	6112
21-23 LST	12.3	3.7	1.1	0.7	0.2	0.0	0.5	1.0	1.9	6.3	6.5	9.9	3.7	9	5772

CHAMBLEY, FRANCE

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	ND, UBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST	16.4	19.8	25.8	26.1	27.2	27.2	29.5	28.8	23.4	19.7	19.4	16.7	280.0	9	1927
	06 LST	15.6	14.6	17.7	20.9	22.8	23.4	23.2	21.3	17.0	12.0	16.1	15.3	219.9	11	3008
	12 LST	15.3	16.8	24.9	26.8	30.3	28.5	29.8	29.5	26.2	22.9	19.0	15.7	285.7	11	3009
	18 LST	15.9	19.5	27.6	28.2	30.8	28.9	29.9	29.8	27.5	23.8	19.8	17.1	298.8	11	2989
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	00 LST	9.4	12.4	20.3	22.6	24.6	24.1	27.6	25.2	18.9	16.1	11.2	8.7	221.1	9	1927
	06 LST	7.6	8.8	11.7	15.3	16.8	18.4	19.3	17.2	13.0	8.8	8.8	7.4	153.1	11	3008
	12 LST	5.9	7.2	11.7	14.6	17.1	18.0	17.7	17.6	16.1	13.0	8.1	4.9	151.9	11	3009
	18 LST	8.3	11.9	18.4	21.0	21.5	22.3	23.9	24.6	23.1	20.2	13.2	7.5	215.9	11	2989
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST	0.4	0.4	0.3	0.2	0.0	0.0	0.2	0.0	0.0	0.0	0.2	0.8	2.5	9	1927
	06 LST	0.7	0.3	0.2	0.0	0.8	0.0	0.2	0.1	0.0	0.0	0.2	0.7	3.2	11	3008
	12 LST	1.6	1.4	1.0	0.6	1.5	0.6	0.2	0.8	0.5	0.8	1.1	1.2	11.3	11	3009
	18 LST	0.5	0.4	0.4	0.0	0.8	0.0	0.1	0.0	0.0	0.1	0.3	0.4	3.0	11	2989
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST	5.0	10.7	9.0	12.0	9.7	9.4	12.8	10.9	12.6	13.1	11.0	7.0	123.2	9	1927
	06 LST	5.6	6.1	7.8	12.1	11.8	10.1	13.9	11.6	12.3	10.3	9.5	7.1	118.2	11	3007
	12 LST	8.2	8.7	12.8	14.8	14.7	15.0	17.7	17.4	15.2	15.3	12.8	9.1	161.7	11	3009
	18 LST	8.5	9.1	13.4	12.5	18.1	16.8	19.0	14.9	15.1	14.2	13.6	7.9	163.1	11	2988
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST	5.6	6.0	10.0	10.4	12.3	12.3	10.7	10.8	10.3	9.4	4.4	4.8	107.0	9	1927
	06 LST	4.7	3.5	4.1	4.4	5.3	5.1	4.7	3.4	3.0	2.0	2.5	3.1	45.8	11	3008
	12 LST	2.5	2.1	4.0	3.2	2.0	2.4	2.6	2.9	5.0	3.8	2.2	2.1	34.8	11	3009
	18 LST	3.3	3.5	6.2	4.1	3.3	3.5	5.0	5.0	5.5	6.1	3.2	2.9	51.6	11	2988
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST	14.4	16.7	23.8	25.0	25.0	25.3	28.4	26.7	21.2	17.7	15.2	11.5	250.9	9	1927
	06 LST	10.7	11.7	13.8	17.3	17.8	20.6	20.6	17.6	13.9	9.3	10.0	9.8	173.1	11	3008
	12 LST	10.7	12.9	20.5	21.9	25.4	23.3	25.7	25.3	21.5	18.2	13.5	9.3	228.2	11	3009
	18 LST	12.2	15.9	25.0	26.6	29.0	27.3	28.2	28.6	26.4	21.5	15.0	11.2	266.9	11	2989
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST	11.0	11.6	18.8	20.7	21.7	21.5	23.5	21.7	18.9	14.1	10.8	7.9	202.2	9	1927
	06 LST	7.5	7.8	11.0	13.1	14.0	16.1	15.9	13.7	11.1	6.1	6.3	6.0	128.6	11	3008
	12 LST	7.8	8.3	13.2	11.9	12.2	14.4	13.4	14.7	15.0	13.1	8.6	5.3	137.9	11	3009
	18 LST	8.9	11.2	18.6	19.4	21.5	21.3	21.2	21.7	21.2	16.6	9.3	6.4	197.3	11	2989
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST	8.2	9.6	16.8	15.9	17.9	18.2	17.2	18.2	14.8	11.8	8.0	6.8	163.4	9	1927
	06 LST	6.2	6.1	8.8	7.9	10.8	12.5	11.1	9.3	7.4	4.5	4.8	5.1	96.5	11	3008
	12 LST	6.1	6.7	11.5	9.8	10.5	11.3	10.8	11.7	12.6	10.7	6.0	3.8	111.5	11	3009
	18 LST	6.8	9.1	15.5	14.6	16.5	16.2	15.9	17.2	15.2	14.2	7.6	5.2	154.0	11	2989

GROS TENQUIN, FRANCE

STA NO. 14552/ (IN AREA NUMBER 02) LATITUDE 4901N LONGITUDE 00643E ELEVATION(FT) 00820

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	57	68	71	79	94	92	98	98	90	79	69	60	98	32	-7090
MEAN MAX TMP (F)	39	42	52	59	67	72	76	75	69	59	48	40	58	30	-7090
MEAN MIN TMP (F)	29	29	34	40	46	52	55	55	50	42	36	31	42	30	-7090
ABS MIN TMP (F)	-7	-6	6	23	28	35	43	39	32	21	13	-3	-7	32	-7090
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0					0.0	0.0	0.0	0.0		30	-29
MEAN NO DYS TMP = DR LES 32(F)	18.2	16.6	9.5	3.6	2.0	0.0	0.0	0.0	0.3	2.5	10.1	17.6	80.4	5	-7090
MEAN NO DYS TMP = DR LES 0(F)	0.8	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	5	-7090
MEAN DEW PT TMP (F)	26	29	36	39	44	51	55	54	51	46	37	32	42	4	-7090
MEAN REL HUM (PCT)	88	85	78	73	72	76	76	80	82	87	89	90	81	10	-7090
MEAN PRESS ALT (FT)	710	738	783	809	775	751	769	762	728	735	763	760	757	0	-50
MEAN PRECIP (IN)	1.97	1.61	1.93	1.81	2.01	2.28	2.68	2.52	2.21	2.56	2.44	2.48	26.5	40	-7090
MEAN SNOW FALL (IN)						0.0	0.0	0.0	0.0					32	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	6.2	5.3	5.8	5.6	6.0	6.2	6.9	6.6	6.1	6.7	6.5	7.4	75.3	40	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN						0.0	0.0	0.0	0.0					32	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	9.8	8.8	8.2	2.0	3.0	3.4	4.1	4.0	7.9	10.6	9.7	10.8	82.3	4	-7090
MEAN NO DYS TSTMS	0.0	0.3	0.3	1.0	4.0	4.0	4.0	3.0	2.0	0.3	0.3	0.0	19.2	10	-7090
P FREQ WND SPD = DR GTR 17 KTS	8.5	10.9	5.2	17.6	6.8	2.4	4.4	9.1	5.2	5.3	11.9	9.6	8.1	4	-7090
P FREQ WND SPD = DR GTR 28 KTS	1.6	1.0	0.3	1.9	0.3	0.0	0.1	0.9	0.0	0.3	2.3	1.1	0.8	4	-7090
P FREQ LES 5000 FT A/D LES 5 MI	85.9	82.6	70.3	48.6	48.3	50.5	50.3	46.5	56.0	77.6	83.2	82.3	65.2	4	-7090
P FREQ LES 1500 FT A/D LES 3 MI														3	-7090
FDR 00-02 LST	67.7	67.9	65.0	20.0	17.7	27.3	26.4	8.6	33.0	52.7	60.7	60.0	42.3	3	-7090
03-05 LST	71.1	70.2	63.4	28.1	28.0	43.2	39.6	28.0	46.5	65.0	61.9	67.2	51.0	4	-7090
06-08 LST	66.5	65.1	52.4	27.2	26.4	26.5	32.5	35.8	49.7	64.8	61.7	75.1	48.6	7	-7090
09-11 LST	63.4	63.1	50.0	15.6	19.6	20.2	19.8	21.5	38.2	58.0	59.8	62.6	41.0	4	-7090
12-14 LST	53.3	52.4	23.7	10.0	5.4	13.6	13.2	7.6	11.0	32.3	42.9	57.7	26.9	4	-7090
15-17 LST	47.8	40.7	16.1	6.7	7.9	8.0	7.9	6.6	9.7	26.2	38.8	45.9	21.9	4	-7090
18-20 LST	57.1	41.0	15.6	11.2	4.3	9.0	7.8	6.5	7.8	29.8	43.6	53.3	23.9	4	-7090
21-23 LST	67.7	58.9	50.8	8.3	9.7	10.3	10.1	8.6	13.5	44.4	59.8	53.8	33.0	3	-7090
P FREQ LES 300 FT A/D LES 1 MI														3	-7090
FDR 00-02 LST	30.6	35.8	25.0	5.0	4.8	1.8	4.4	2.2	13.6	28.0	32.6	26.7	17.5	3	-7090
03-05 LST	33.3	36.9	28.0	6.7	10.8	20.5	16.5	11.8	22.8	36.6	28.8	31.1	23.7	4	-7090
06-08 LST	24.2	32.2	22.0	7.6	8.3	9.3	8.6	14.5	28.9	37.3	30.1	39.3	21.9	7	-7090
09-11 LST	33.3	34.5	23.9	2.2	1.1	5.6	2.2	3.2	22.5	28.0	29.1	33.3	18.2	4	-7090
12-14 LST	21.7	25.0	4.3	0.0	0.0	1.1	2.6	0.0	0.8	8.1	10.1	22.0	8.0	4	-7090
15-17 LST	21.7	14.8	2.2	0.0	0.0	0.0	1.1	0.0	1.8	5.7	9.5	18.0	6.2	4	-7090
18-20 LST	30.8	14.5	3.3	1.1	0.0	0.0	0.0	1.1	0.9	10.5	11.1	21.3	7.9	4	-7090
21-23 LST	32.3	30.4	19.7	1.7	1.6	0.0	1.1	0.0	4.5	24.4	20.7	23.7	13.3	3	-7090

GROS TENQUIN, FRANCE
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST	12.3	9.0	11.1	24.5	27.0	23.2	24.5	29.0	21.0	16.3	13.0	14.6	223.5	4	-7090
	06 LST	12.7	11.5	16.6	23.5	24.3	23.2	22.1	20.7	16.4	12.7	14.5	9.0	207.2	7	-7090
	12 LST	17.3	16.0	25.6	29.3	31.0	27.9	26.9	30.3	28.2	23.2	20.5	15.5	293.7	4	-7090
	18 LST	14.3	17.5	28.3	28.0	30.3	28.3	29.9	29.6	28.1	23.2	19.9	16.7	294.1	4	-7090
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	00 LST	5.9	3.5	10.6	18.5	21.0	20.6	20.5	25.0	18.5	10.6	7.0	8.6	170.1	4	-7090
	06 LST	6.1	5.9	12.2	17.7	19.8	19.1	18.7	18.6	12.7	7.7	6.4	4.1	149.0	7	-7090
	12 LST	8.6	7.3	16.3	13.0	21.0	22.5	19.0	19.0	19.0	13.7	10.5	7.7	177.6	4	-7090
	18 LST	10.3	12.1	20.3	15.6	24.0	23.9	20.7	21.6	23.0	18.5	12.6	9.7	212.3	4	-7090
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST	0.9	3.5	0.5	1.0	1.0	0.5	0.6	0.6	0.3	1.3	2.0	2.3	14.5	4	-7090
	06 LST	1.3	1.1	0.1	0.9	0.0	0.3	0.5	0.5	0.4	0.4	1.3	1.0	7.8	7	-7090
	12 LST	1.3	2.0	1.6	4.3	1.3	1.0	0.6	4.3	2.2	2.2	1.5	1.5	23.8	4	-7090
	18 LST	1.0	1.3	1.3	4.0	1.6	0.3	1.0	2.0	0.5	0.2	1.2	0.5	14.9	4	-7090
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST	3.4	4.5	7.7	8.0	9.5	9.8	8.0	7.1	8.0	7.6	6.6	6.0	86.2	4	-7090
	06 LST	4.3	3.7	6.0	9.0	8.8	9.1	8.4	6.9	7.8	7.3	4.5	3.4	79.2	7	-7090
	12 LST	2.0	5.3	12.6	8.0	12.3	13.8	12.2	12.6	14.8	9.7	12.3	5.0	120.6	4	-7090
	18 LST	3.3	5.0	11.6	10.3	15.0	14.8	13.9	12.0	13.1	13.2	9.6	5.0	126.8	4	-7090
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST	1.9	2.5	6.6	10.5	14.5	12.4	9.7	13.0	9.6	4.3	3.6	5.3	93.9	4	-7090
	06 LST	2.2	1.1	4.2	6.0	7.5	7.8	5.0	5.0	3.1	0.9	1.2	1.6	45.6	7	-7090
	12 LST	3.3	2.3	9.3	6.0	6.3	8.0	5.7	5.3	7.2	3.5	2.0	2.5	61.4	4	-7090
	18 LST	2.6	4.7	10.3	5.0	7.0	8.7	4.4	4.3	8.7	5.0	3.7	4.0	68.4	4	-7090
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST	7.3	6.5	10.1	22.0	22.0	19.6	19.8	24.0	18.0	11.3	8.3	10.3	179.2	4	-7090
	06 LST	7.3	6.7	11.9	18.6	20.4	18.7	17.6	17.9	12.2	7.4	7.3	5.2	151.2	7	-7090
	12 LST	10.6	8.6	20.3	21.0	23.3	20.5	21.8	22.3	21.7	15.5	11.7	9.2	206.5	4	-7090
	18 LST	10.0	12.8	22.6	23.0	27.3	24.9	25.5	26.0	24.5	17.5	11.5	10.5	236.1	4	-7090
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST	5.9	4.5	9.1	18.0	19.0	18.1	18.1	20.6	15.6	7.6	5.3	8.6	150.4	4	-7090
	06 LST	6.5	5.6	10.0	15.4	18.5	16.3	15.2	15.5	9.0	4.7	5.6	4.0	126.3	7	-7090
	12 LST	8.3	7.0	18.0	16.3	18.6	17.5	18.0	17.0	18.2	13.0	9.0	7.7	168.6	4	-7090
	18 LST	7.6	11.1	19.6	19.6	24.0	22.5	23.1	22.3	21.9	13.7	8.8	8.7	202.9	4	-7090
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST	5.9	4.5	9.1	18.0	19.0	18.1	18.1	20.6	15.6	7.6	5.3	8.6	150.4	4	-7090
	06 LST	6.5	5.6	10.0	15.2	18.2	16.3	15.2	15.5	9.0	4.7	5.6	4.0	125.8	7	-7090
	12 LST	8.3	7.0	18.0	16.3	18.6	17.5	18.0	17.0	18.2	13.0	8.7	7.7	168.3	4	-7090
	18 LST	7.6	11.1	19.6	19.6	23.6	22.5	23.1	22.3	21.9	13.7	8.8	8.7	202.5	4	-7090

LURE-MALBOUHANS, FRANCE

STA NO. 14554/ (IN AREA NUMBER 02)

LATITUDE 4742N

LONGITUDE 00632E

ELEVATION(FT) 01041

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	56	67	73	82	87	90	97	95	95	77	69	64	97	13	-7170
MEAN MAX TMP (F)	38	41	51	58	65	69	74	73	68	59	47	42	57	13	-7170
MEAN MIN TMP (F)	28	28	33	39	44	50	53	53	49	41	36	32	41	13	-7170
ABS MIN TMP (F)	4	-5	6	23	27	37	38	38	34	20	16	6	-5	13	-7170
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.3	1.3	0.6	0.4	0.0	0.0	0.0	2.6	13	-7170
MEAN NO DYS TMP = DR LES 32(F)	20.9	17.6	15.4	5.3	1.3	0.0	0.0	0.0	0.0	3.2	10.9	14.1	88.7	13	-7170
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	13	-7170
MEAN DEW PT TMP (F)	32	33	35	39	48	55	58	57	54	47	38	34	44	0	-50
MEAN REL HUM (PCT)	87	84	76	72	72	76	74	76	79	65	67	88	80	13	-7170
MEAN PRESS ALT (FT)	920	952	999	1029	998	972	988	979	945	950	974	967	973	0	-50
MEAN PRECIP (IN)	2.94	2.48	1.71	1.80	2.45	3.34	1.72	3.47	2.30	2.17	2.28	2.68	29.3	13	-7170
MEAN SNOW FALL (IN)						0.0	0.0	0.0	0.0					13	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	8.7	7.6	6.5	6.2	6.5	8.4	7.7	8.2	7.9	7.0	7.9	8.3	90.9	30	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0					13	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.2	0.2	0.3	1.6	3.9	5.9	4.5	3.9	2.7	0.1	0.4	0.0	23.7	13	-7170
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT W/O LES 5 MI	74.5	70.0	48.8	44.7	38.6	38.4	37.6	37.8	40.9	53.0	66.4	74.6	52.1	15	-7170
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	48.9	39.5	16.7	13.3	9.0	12.6	10.8	10.7	16.4	35.6	37.1	49.1	25.0	15	-7170
03-05 LST	52.2	47.4	26.3	22.3	20.7	22.7	22.3	21.3	27.0	46.1	43.9	51.1	33.6	15	-7170
06-08 LST	55.9	52.1	38.7	27.7	23.5	23.3	23.2	24.3	34.4	51.2	49.4	53.7	38.1	15	-7170
09-11 LST	57.8	50.2	27.5	17.7	12.4	13.1	12.5	12.4	19.0	32.7	47.1	54.5	29.7	15	-7170
12-14 LST	44.6	34.0	13.7	11.1	5.8	8.7	4.5	4.3	8.9	16.3	31.9	42.2	18.8	15	-7170
15-17 LST	41.6	26.7	9.5	7.1	3.8	4.9	1.8	3.4	4.9	11.4	27.3	39.8	15.2	15	-7170
18-20 LST	42.4	30.6	9.2	6.9	3.5	5.4	3.3	4.5	7.0	15.8	30.1	42.3	16.8	15	-7170
21-23 LST	44.9	31.4	11.2	9.3	4.2	7.6	4.0	6.0	9.6	21.4	32.4	45.8	19.0	15	-7170
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	12.0	10.1	3.4	2.0	0.8	2.4	1.7	1.9	5.4	12.9	10.5	13.2	6.4	15	-7170
03-05 LST	12.4	10.5	6.5	5.2	2.6	6.2	5.3	4.7	8.3	19.5	13.6	13.0	9.0	15	-7170
06-08 LST	13.0	13.4	8.5	5.5	2.3	4.0	3.4	3.8	10.1	20.8	13.3	13.2	9.3	15	-7170
09-11 LST	11.6	11.3	3.2	1.9	0.1	0.6	0.0	0.2	1.0	6.4	8.1	10.3	4.6	15	-7170
12-14 LST	7.0	4.8	1.2	0.6	0.0	0.6	0.0	0.1	0.0	0.7	3.8	5.8	2.1	15	-7170
15-17 LST	8.0	3.9	1.0	0.5	0.3	0.5	0.2	0.0	0.4	0.8	4.3	6.0	2.2	15	-7170
18-20 LST	7.7	4.5	0.9	1.0	0.2	0.8	0.1	0.3	0.4	2.9	7.0	7.1	2.7	15	-7170
21-23 LST	10.0	7.0	0.8	1.0	0.0	1.1	0.4	0.6	1.6	5.0	9.0	10.2	3.9	15	-7170

LURE-MALBOUHANS, FRANCE

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST	19.2	19.1	27.8	26.9	29.6	27.4	29.3	28.7	26.5	23.2	21.4	19.0	298.1	15	-7170
	06 LST	17.4	16.3	20.7	23.0	25.6	23.4	24.2	24.4	20.7	16.9	18.6	18.5	249.7	15	-7170
	12 LST	18.1	19.5	27.5	27.9	30.1	28.5	30.4	30.4	28.3	26.5	21.5	20.7	309.4	15	-7170
	18 LST	20.3	21.3	28.9	28.6	30.5	29.0	30.7	30.5	29.2	27.1	22.8	22.1	321.0	15	-7170
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	00 LST	10.8	12.5	22.4	22.8	26.0	24.8	26.8	26.0	23.0	18.7	13.7	10.9	238.4	15	-7170
	06 LST	9.7	9.9	15.4	17.5	20.2	19.7	19.9	20.1	15.9	11.4	10.3	9.5	179.5	15	-7170
	12 LST	8.4	9.0	13.4	13.2	17.2	17.9	17.7	17.0	15.4	14.5	9.7	9.1	162.5	15	-7170
	18 LST	12.1	13.5	21.8	20.7	21.9	23.4	23.5	24.8	24.5	22.6	14.9	12.4	236.1	15	-7170
SFC WND = GTR 17 KTS AND ND PRECIP.	00 LST	0.6	0.5	0.2	0.1	0.2	0.0	0.0	0.2	0.0	0.1	0.3	0.8	3.0	15	-7170
	06 LST	0.8	0.6	0.2	0.1	0.2	0.0	0.2	0.0	0.1	0.4	0.2	1.1	3.9	15	-7170
	12 LST	1.5	1.5	1.1	0.8	1.2	0.4	1.0	0.6	0.4	0.9	1.1	0.7	11.2	15	-7170
	18 LST	0.6	0.7	0.4	0.2	0.5	0.1	0.3	0.1	0.0	0.2	0.6	0.9	4.6	15	-7170
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND ND PRECIP.	00 LST	4.8	5.7	8.7	12.3	11.9	9.7	11.5	11.9	11.1	11.6	8.6	8.1	115.9	15	-7170
	06 LST	4.5	4.5	7.3	11.8	14.9	13.4	13.2	12.9	13.1	12.0	8.4	8.2	124.2	15	-7170
	12 LST	8.5	7.7	13.5	13.2	16.2	17.9	16.8	17.1	14.9	14.6	13.1	11.4	164.9	15	-7170
	18 LST	7.1	8.2	17.1	16.9	18.8	19.0	20.1	20.2	15.5	15.6	13.7	9.1	181.3	15	-7170
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST	6.5	7.2	13.6	12.5	14.3	11.0	15.5	13.5	13.3	11.3	5.6	4.8	129.1	15	-7170
	06 LST	5.6	3.9	5.6	5.2	6.8	5.9	7.1	6.4	5.4	3.1	3.2	4.7	62.9	15	-7170
	12 LST	3.6	3.6	6.0	3.6	3.4	2.4	3.5	3.7	6.1	6.1	1.7	3.2	46.9	15	-7170
	18 LST	5.0	5.1	7.4	4.1	4.6	4.2	6.4	5.9	7.4	8.4	4.9	3.9	67.3	15	-7170
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST	13.9	15.4	25.6	24.7	28.1	25.9	27.7	26.9	24.6	20.8	16.8	13.5	263.9	15	-7170
	06 LST	12.2	12.3	17.9	19.2	21.6	20.8	21.3	20.6	17.3	13.3	14.0	12.2	202.7	15	-7170
	12 LST	12.8	13.9	22.6	22.4	25.7	24.8	24.7	25.0	22.8	21.3	15.2	13.2	244.4	15	-7170
	18 LST	15.2	17.1	26.7	26.5	29.0	27.8	29.6	28.9	26.6	25.3	18.2	16.1	287.0	15	-7170
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST	10.4	11.6	20.5	20.3	23.6	22.2	24.1	23.0	20.7	17.2	11.6	9.0	214.2	15	-7170
	06 LST	9.0	8.4	13.3	15.0	17.8	17.6	16.9	16.6	13.8	9.2	10.0	8.1	155.7	15	-7170
	12 LST	9.7	10.1	16.5	13.8	13.3	14.3	13.7	14.0	15.7	15.7	11.2	9.6	157.8	15	-7170
	18 LST	11.6	12.5	20.2	19.1	21.7	22.2	22.4	22.8	21.8	19.9	13.5	11.5	219.2	15	-7170
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST	9.4	10.5	18.6	17.6	19.9	17.5	21.5	19.8	17.6	14.6	9.2	7.1	183.3	15	-7170
	06 LST	7.7	6.6	11.0	12.4	14.5	14.0	12.7	13.4	10.9	7.4	7.4	7.0	125.0	15	-7170
	12 LST	8.5	8.6	14.9	11.6	11.4	10.7	11.0	12.1	13.6	13.9	8.5	7.6	132.4	15	-7170
	18 LST	10.1	10.7	17.6	15.3	16.7	17.4	17.4	17.4	17.9	16.9	10.2	9.1	176.7	15	-7170

MIRECOURT, FRANCE

STA NO. 14556/ (IN AREA NUMBER 02)

LATITUDE 4819N

LONGITUDE 00604E

ELEVATION(FT) 01083

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	55	67	73	82	88	90	97	94	91	75	69	64	97	14	-7179
MEAN MAX TMP (F)	37	40	50	57	65	70	73	72	68	57	46	40	56	14	-7179
MEAN MIN TMP (F)	28	28	34	39	45	51	54	54	50	42	36	31	41	14	-7179
ABS MIN TMP (F)	1	-2	13	23	27	37	38	38	33	24	17	2	-2	14	-7179
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.1	0.9	0.5	0.1	0.0	0.0	0.0	1.6	14	-7179
MEAN NO DYS TMP = DR LES 32(F)	21.6	18.7	13.4	4.1	0.8	0.0	0.0	0.0	0.0	1.8	9.0	16.7	86.1	14	-7179
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	14	-7179
MEAN DEW PT TMP (F)	29	29	34	39	45	51	54	54	52	44	38	33	42	13	-7179
MEAN REL HUM (PCT)	87	83	76	73	72	74	73	76	79	85	88	89	80	13	-7179
MEAN PRESS ALT (FT)	967	996	1043	1073	1040	1016	1034	1024	989	994	1018	1014	1017	0	-50
MEAN PRECIP (IN)	2.99	2.64	1.85	2.05	2.48	3.62	2.76	3.27	2.76	2.40	2.91	2.84	32.6	30	-140
MEAN SNOW FALL (IN)	5.3	5.4	1.3	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.7	1.5	14.7	13	-7179
MEAN NO DYS PRCP = DR GTR 0.1 IN	8.4	7.8	5.7	6.0	6.6	8.3	7.1	7.8	7.0	6.4	7.2	8.1	86.4	30	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	1.1	1.3	0.4	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.2	3.3	13	-7179
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	7.8	6.8	2.0	1.9	2.1	2.1	1.8	3.2	6.8	10.0	8.7	9.2	62.4	13	-7179
MEAN NO DYS TSTMS	0.1	0.3	0.3	1.3	3.9	5.2	6.0	4.7	1.9	0.4	0.1	0.1	24.3	14	-7179
P FREQ WND SPD = DR GTR 17 KTS	7.1	5.0	3.5	2.4	1.3	0.7	0.5	0.6	0.9	1.0	2.4	3.8	2.4	13	-7179
P FREQ WND SPD = DR GTR 28 KTS	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	-7179
P FREQ LES 5000 FT A/D LES 5 MI	76.4	69.8	52.9	43.9	39.3	37.5	35.6	38.2	45.5	58.8	72.9	80.4	54.3	16	-7179
P FREQ LES 1500 FT A/D LES 3 MI															
FDR 00-02 LST	51.8	37.8	19.1	13.8	9.1	9.5	8.4	12.0	21.0	36.2	46.6	52.2	26.5	15	-7179
03-05 LST	54.7	45.0	29.4	24.7	26.8	25.3	21.9	27.6	37.3	49.6	53.1	57.3	37.7	16	-7179
06-08 LST	59.8	54.7	48.3	34.6	27.5	25.6	23.3	33.9	46.7	62.8	60.4	61.0	44.9	16	-7179
09-11 LST	61.1	52.7	35.9	20.4	10.9	12.9	9.9	13.4	24.7	46.1	57.6	63.3	34.1	16	-7179
12-14 LST	52.3	38.0	17.2	8.5	4.3	7.0	4.8	4.8	10.4	19.4	41.1	52.9	21.7	16	-7179
15-17 LST	47.6	31.0	11.4	7.1	2.3	5.2	3.3	3.2	6.4	13.5	35.2	47.0	17.8	16	-7179
18-20 LST	45.6	30.8	12.4	7.3	2.8	5.6	3.8	3.8	7.2	14.9	34.0	44.3	17.7	16	-7179
21-23 LST	47.4	33.8	14.1	8.7	3.6	5.5	4.9	5.5	10.9	23.5	38.3	47.9	20.3	16	-7179
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	13.9	10.1	2.3	1.7	1.3	1.1	2.5	1.7	6.4	14.2	12.6	16.1	7.0	15	-7179
03-05 LST	15.2	13.1	4.1	4.8	5.7	5.2	5.0	6.7	14.7	22.7	16.1	17.4	10.9	16	-7179
06-08 LST	18.3	17.6	7.5	3.9	3.1	2.9	3.0	8.0	16.3	28.2	19.1	18.1	12.2	16	-7179
09-11 LST	17.6	12.1	1.6	0.6	0.1	0.7	0.1	0.3	3.5	11.5	11.8	14.4	6.2	16	-7179
12-14 LST	9.4	5.5	1.2	0.4	0.0	0.1	0.0	0.1	0.3	1.2	5.0	9.0	2.7	16	-7179
15-17 LST	10.2	6.6	1.3	0.3	0.2	0.2	0.1	0.1	0.2	0.9	5.7	10.1	3.0	16	-7179
18-20 LST	9.7	7.0	1.3	0.6	0.1	0.4	0.2	0.1	0.1	1.7	5.2	9.4	3.0	16	-7179
21-23 LST	11.1	7.5	1.3	0.5	0.1	0.4	0.8	0.2	1.4	5.5	8.8	12.3	4.2	16	-7179

MIRECOURT, FRANCE

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST	17.5	19.3	27.2	27.3	29.6	28.6	29.8	28.7	25.8	22.8	19.2	17.8	293.6	16	-7179
	06 LST	16.5	16.4	18.6	20.7	21.7	22.5	24.0	20.7	16.9	13.3	16.1	16.5	223.9	16	-7179
	12 LST	16.5	18.5	26.7	27.9	30.3	28.6	30.4	29.9	27.3	24.8	18.7	17.1	296.7	16	-7179
	18 LST	18.4	20.3	28.2	28.5	30.5	29.3	30.1	30.4	28.8	27.1	22.2	19.7	313.5	16	-7179
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	00 LST	9.1	13.4	20.9	22.7	26.5	25.1	27.3	26.1	22.1	18.1	12.2	9.1	232.6	16	-7179
	06 LST	7.8	9.1	12.1	16.1	17.4	18.3	20.1	17.1	12.2	8.8	8.9	6.9	154.8	16	-7179
	12 LST	6.1	7.2	11.7	14.9	17.9	19.9	19.7	18.7	15.4	12.8	7.0	4.6	155.9	16	-7179
	18 LST	10.5	13.7	21.1	22.7	24.4	24.5	25.8	26.4	25.0	23.3	14.3	10.5	242.2	16	-7179
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST	1.0	0.7	0.4	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.5	0.5	3.8	16	-7179
	06 LST	0.9	1.0	0.4	0.3	0.4	0.1	0.0	0.0	0.1	0.1	0.4	0.8	4.5	16	-7179
	12 LST	1.6	1.3	1.6	1.3	0.7	0.3	0.3	0.6	0.6	0.6	0.9	1.6	11.4	16	-7179
	18 LST	1.1	0.9	0.6	0.3	0.3	0.1	0.1	0.0	0.1	0.1	0.1	0.6	4.3	16	-7179
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST	5.0	6.9	9.4	12.6	12.1	9.9	11.0	10.1	12.0	13.4	10.9	7.6	120.9	16	-7179
	06 LST	5.8	5.5	9.0	12.0	13.7	12.2	14.6	11.7	11.8	12.9	9.9	7.2	126.3	16	-7179
	12 LST	7.1	8.9	14.2	14.9	17.0	17.6	17.9	17.6	15.9	16.7	12.9	10.8	171.5	16	-7179
	18 LST	6.8	8.6	14.8	16.6	19.9	17.9	18.8	16.5	14.7	17.6	11.6	7.6	171.4	16	-7179
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST	5.6	6.8	11.7	11.6	13.8	12.4	14.3	12.1	12.5	10.5	4.5	4.4	120.2	16	-7179
	06 LST	4.9	3.8	4.0	4.1	5.1	5.4	5.5	3.3	3.9	1.8	2.4	3.4	47.6	16	-7179
	12 LST	2.2	2.4	4.9	3.5	3.0	2.6	3.2	3.2	5.0	5.0	2.3	1.8	39.1	16	-7179
	18 LST	4.7	4.5	6.3	4.1	4.5	4.5	6.3	4.6	6.8	8.8	4.3	3.9	63.3	16	-7179
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST	12.5	16.0	24.1	25.3	27.6	27.2	28.1	26.9	24.2	20.0	14.0	12.0	257.9	16	-7179
	06 LST	10.8	11.3	14.8	17.7	18.9	19.9	21.2	17.2	13.2	10.2	9.7	9.4	174.3	16	-7179
	12 LST	11.0	12.6	20.2	22.7	26.0	25.1	26.4	25.6	22.5	19.4	11.9	9.4	232.8	16	-7179
	18 LST	13.7	16.3	25.2	26.9	29.2	27.7	29.1	28.9	27.0	25.1	16.2	13.0	278.3	16	-7179
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST	9.5	11.7	18.8	21.5	23.4	23.4	24.5	22.8	20.9	15.5	9.5	8.4	209.9	16	-7179
	06 LST	7.9	7.0	11.2	13.1	15.1	16.4	16.4	13.1	9.8	6.7	5.9	6.4	129.0	16	-7179
	12 LST	7.4	8.3	14.1	13.7	14.9	15.3	15.1	15.5	16.3	14.9	8.1	6.2	149.8	16	-7179
	18 LST	10.3	11.8	18.9	20.5	22.4	22.1	22.9	23.9	21.5	19.4	11.3	9.0	214.0	16	-7179
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST	8.4	9.7	16.4	18.3	20.1	20.0	20.8	18.1	18.1	14.0	7.9	7.1	178.9	16	-7179
	06 LST	7.0	5.7	8.5	10.2	11.5	12.9	12.0	9.5	7.5	4.7	4.0	5.5	99.0	16	-7179
	12 LST	6.1	7.0	12.7	11.1	12.5	12.0	12.2	12.2	13.4	12.8	6.2	4.7	122.9	16	-7179
	18 LST	8.6	9.4	15.5	15.2	17.1	16.3	17.3	17.6	17.0	16.7	8.6	6.9	166.2	16	-7179

MONTMEDY-MARVILLE, FRANCE

STA NO. 14537/ (IN AREA NUMBER 02)

LATITUDE 4927N

LONGITUDE 00525E

ELEVATION(FT) 00906

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR	NU.
														(YRS)	OBS
ABS MAX TMP (F)	56	64	69	81	86	92	99	89	89	76	68	58	99	11	-7088
MEAN MAX TMP (F)	38	40	49	57	64	70	74	71	68	57	46	40	56	11	-7088
MEAN MIN TMP (F)	28	26	34	39	44	51	55	53	49	41	36	31	41	11	-7088
ABS MIN TMP (F)	5	-7	11	24	26	35	42	36	33	27	16	6	-7	11	-7088
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.3	0.8	0.0	0.0	0.0	0.0	0.0	1.1	11	-7088
MEAN NO DYS TMP = OR LES 32(F)	21.9	19.4	13.3	6.1	0.8	0.0	0.0	0.0	0.0	2.8	9.7	18.7	92.7	11	-7088
MEAN NO DYS TMP = OR LES 0(F)	0.0	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	11	-7088
MEAN DEW PT TMP (F)	30	29	34	39	45	51	55	54	52	44	37	32	42	11	-7088
MEAN REL HUM (PCT)	88	84	78	73	73	73	74	78	81	87	87	88	80	11	-7088
MEAN PRESS ALT (FT)	800	826	869	900	863	843	864	853	816	823	848	848	846	0	-50
MEAN PRECIP (IN)	3.23	2.72	1.85	2.24	2.09	2.76	2.80	3.58	2.76	2.76	2.80	2.91	32.5	30	-140
MEAN SNOW FALL (IN)	4.0	3.3	0.8	0.5	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.4	10.1	8	-7088
MEAN NO DYS PRCP = OR GTR 0.1 IN	8.8	7.9	5.7	6.3	6.1	7.1	7.1	8.3	7.0	7.0	7.1	8.3	86.7	30	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.8	0.5	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	1.8	8	-7088
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	6.9	6.7	1.5	1.3	0.9	1.2	1.8	2.4	6.2	11.4	4.8	8.0	53.1	11	-7088
MEAN NO DYS TSTMS	0.1	0.1	0.6	1.1	3.5	3.7	4.6	3.4	1.7	0.6	0.6	0.0	20.0	11	-7088
P FREQ WND SPD = OR GTR 17 KTS	4.2	3.3	1.7	1.9	1.9	0.5	0.5	1.0	1.1	0.6	1.6	3.5	1.8	11	-7088
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	-7088
P FREQ LES 5000 FT A/D LES 5 MI	77.9	74.9	56.5	46.5	43.2	39.4	38.8	42.8	49.0	67.0	75.4	82.1	57.8	11	-7088
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	52.5	48.5	16.1	13.8	9.5	9.2	10.0	13.2	24.9	47.5	43.8	56.8	28.8	11	-7088
03-05 LST	54.2	54.1	28.6	25.7	25.3	24.8	26.1	29.8	41.0	58.0	47.0	58.5	39.4	11	-7088
06-08 LST	60.2	61.4	49.0	37.8	26.6	26.3	25.1	33.7	52.5	64.7	54.6	62.6	46.2	12	-7088
09-11 LST	62.4	56.1	36.7	22.9	13.6	14.4	10.8	16.2	28.5	50.3	50.1	61.5	35.3	12	-7088
12-14 LST	56.9	46.3	19.1	12.7	5.2	8.5	4.9	6.3	14.5	28.7	38.5	56.9	24.9	12	-7088
15-17 LST	53.3	38.5	14.1	8.4	3.2	5.3	3.3	5.5	7.9	21.8	39.2	52.8	21.1	12	-7088
18-20 LST	49.5	43.4	14.4	9.3	2.8	4.0	2.5	5.7	10.3	25.9	38.3	52.8	21.6	11	-7088
21-23 LST	47.8	45.6	13.0	10.6	3.7	5.1	4.6	6.8	12.2	31.9	37.6	55.1	22.8	11	-7088
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	13.2	11.5	0.5	0.8	1.1	1.3	1.2	1.2	5.9	17.8	11.1	12.7	6.5	11	-7088
03-05 LST	15.5	15.0	3.1	3.5	4.2	4.0	4.0	4.5	14.3	25.0	11.7	16.3	10.1	11	-7088
06-08 LST	15.3	19.5	6.5	4.4	2.3	1.6	0.9	3.8	15.3	23.8	13.4	18.1	10.4	12	-7088
09-11 LST	13.7	14.3	1.4	0.4	0.3	0.0	0.0	0.1	3.5	11.6	8.0	15.4	5.7	12	-7088
12-14 LST	8.1	7.7	0.7	0.4	0.0	0.0	0.0	0.1	0.1	2.1	4.1	10.0	2.8	12	-7088
15-17 LST	9.8	7.0	1.1	0.4	0.0	0.0	0.0	0.1	0.0	1.7	5.4	10.3	3.0	12	-7088
18-20 LST	10.3	10.1	0.5	0.6	0.0	0.0	0.2	0.3	0.2	4.3	6.7	12.4	3.8	11	-7088
21-23 LST	10.3	11.2	0.5	0.3	0.1	0.0	0.5	0.6	1.5	9.7	8.7	13.2	4.7	11	-7088

MONTMEDY-MARVILLE, FRANCE

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST	17.5	15.6	26.8	27.2	29.6	27.8	29.4	28.7	25.3	19.3	19.4	16.6	283.2	11	-7088
	06 LST	16.3	12.7	17.1	20.3	24.5	22.4	23.7	21.0	14.2	12.2	16.7	15.3	216.4	17	-7088
	12 LST	16.0	15.9	25.5	27.5	29.7	28.3	30.0	29.7	26.0	23.7	20.0	15.7	288.0	12	-7088
	18 LST	16.8	17.7	27.3	28.0	30.2	28.9	30.4	29.8	27.5	24.1	20.0	18.4	299.1	12	-7088
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	00 LST	10.1	10.7	23.3	22.3	26.9	25.3	28.4	24.8	21.5	16.2	13.6	9.4	232.5	11	-7088
	06 LST	9.0	7.7	12.9	14.9	18.3	18.5	20.0	17.5	10.8	8.3	9.8	8.4	156.1	12	-7088
	12 LST	5.9	5.4	11.8	13.6	16.7	17.3	20.0	16.6	14.8	12.2	8.9	5.9	149.1	12	-7088
	18 LST	10.1	12.0	20.1	20.6	22.1	23.3	24.9	25.5	23.6	19.7	12.8	10.9	225.6	12	-7088
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST	0.9	0.2	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.7	2.0	11	-7088
	06 LST	1.1	0.5	0.1	0.0	0.2	0.1	0.0	0.2	0.0	0.1	0.2	1.1	3.6	12	-7088
	12 LST	2.0	1.4	0.7	1.5	1.2	0.1	0.7	0.9	0.6	0.6	0.9	1.2	11.8	12	-7088
	18 LST	1.2	0.3	0.3	0.9	0.5	0.2	0.2	0.0	0.2	0.0	0.0	0.5	4.3	12	-7088
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST	7.8	6.3	11.6	14.0	12.8	11.1	10.4	12.9	10.9	13.0	13.4	10.0	134.2	11	-7088
	06 LST	7.9	6.9	9.4	13.9	15.2	13.7	15.3	12.2	12.7	13.5	13.1	10.5	144.3	12	-7088
	12 LST	10.4	10.4	15.0	17.3	18.0	19.1	20.1	19.9	18.2	18.8	17.2	13.6	198.0	12	-7088
	18 LST	10.1	10.9	17.9	18.7	19.7	21.0	20.9	19.2	17.2	16.9	17.3	11.7	201.5	12	-7088
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST	5.0	6.4	11.4	14.1	12.6	11.5	14.3	13.4	12.7	7.3	5.3	4.7	118.7	11	-7088
	06 LST	4.9	3.6	4.0	4.8	6.7	6.2	6.3	4.1	3.5	1.5	2.4	3.5	51.5	12	-7088
	12 LST	2.4	2.5	4.7	3.3	2.5	2.4	3.4	3.3	4.5	3.4	1.9	2.8	37.1	12	-7088
	18 LST	3.3	3.9	6.9	4.1	3.7	3.6	6.1	4.9	6.3	6.9	3.4	4.0	57.1	12	-7088
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST	12.7	13.4	24.2	24.5	27.4	26.2	28.4	26.6	23.5	15.9	14.4	10.6	247.8	11	-7088
	06 LST	11.3	8.8	14.6	16.2	20.2	19.3	20.8	17.5	11.1	8.2	10.2	9.8	168.0	12	-7088
	12 LST	10.0	10.1	19.3	21.1	25.1	23.9	24.6	22.8	21.0	15.9	13.6	9.1	216.5	12	-7088
	18 LST	11.9	14.3	24.6	25.6	28.8	27.9	29.0	27.8	25.4	20.0	13.7	12.1	261.1	12	-7088
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST	8.7	10.2	20.0	22.2	24.4	23.0	23.6	22.7	20.7	13.6	9.6	8.0	206.7	11	-7088
	06 LST	8.2	6.2	10.4	12.5	15.7	16.5	16.6	13.4	8.4	5.4	6.1	6.1	125.5	12	-7088
	12 LST	7.7	7.0	14.4	13.0	13.6	13.9	15.0	14.0	15.0	12.1	8.3	5.8	139.8	12	-7088
	18 LST	8.5	10.4	18.7	19.4	21.0	21.4	22.4	21.2	20.5	15.4	8.8	9.0	196.7	12	-7088
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST	7.4	8.8	17.5	18.8	21.2	18.9	19.7	18.8	16.2	11.8	7.7	7.0	173.8	11	-7088
	06 LST	7.5	5.2	8.6	9.6	12.6	13.3	11.7	10.0	7.0	4.0	4.4	4.8	98.7	12	-7088
	12 LST	6.2	6.2	12.1	10.8	11.7	11.3	12.6	11.4	12.5	9.3	5.9	4.8	114.8	12	-7088
	18 LST	7.6	9.2	16.2	15.8	16.3	15.7	17.5	16.2	15.9	12.7	6.5	7.8	157.4	12	-7088

ROCROI-REGNIOWEZ, FRANCE

STA NO. 14560/ (IN AREA NUMBER 02)

LATITUDE 4954N

LONGITUDE 00425E

ELEVATION(FT) 01158

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	59	61	70	82	86	86	93	86	88	72	66	61	93	7	-6456
MEAN MAX TMP (F)	38	38	47	54	61	66	70	69	64	56	45	40	54	7	-6456
MEAN MIN TMP (F)	31	29	34	39	45	50	54	54	51	44	37	34	42	7	-6456
ABS MIN TMP (F)	7	0	10	23	30	36	43	43	36	23	19	7	0	7	-6456
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.4	8	-6456
MEAN NO DYS TMP = DR LES 32(F)	19.8	16.4	13.9	6.3	0.7	0.0	0.0	0.0	0.0	2.7	7.6	14.4	81.8	8	-6456
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	8	-6456
MEAN DEW PT TMP (F)	27	27	28	35	40	46	50	50	47	36	34	27	37	0	-50
MEAN REL HUM (PCT)	89	87	77	73	73	77	78	79	81	83	87	90	81	7	-6456
MEAN PRESS ALT (FT)	1061	1091	1138	1126	1093	1070	1072	1094	1066	1093	1137	1137	1098	0	-50
MEAN PRECIP (IN)	4.72	3.62	2.56	2.87	2.84	3.43	3.50	3.90	3.70	3.54	4.45	4.53	43.7	30	-140
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0					7	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	10.4	9.3	6.7	7.0	6.9	8.1	8.2	8.6	8.3	8.1	9.0	10.3	100.9	30	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0					7	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.3	0.3	1.0	1.0	2.0	3.0	2.0	2.0	2.0	1.0	0.3	0.3	15.2	14	-6456
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI	87.9	85.4	71.5	59.6	54.2	61.8	62.5	55.9	65.4	76.3	81.8	89.1	71.0	8	-6456
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	68.8	70.8	63.3	56.3	48.5	51.7	51.2	47.7	60.5	69.0	71.9	77.4	61.4	8	-6456
09-11 LST														0	0
12-14 LST	64.5	58.4	39.0	25.0	18.8	20.8	20.3	20.3	25.2	37.0	51.4	68.2	37.4	8	-6456
15-17 LST														0	0
18-20 LST	64.9	58.4	40.3	16.7	14.7	16.3	16.1	12.5	20.5	38.6	52.6	72.8	35.4	8	-6456
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	28.7	25.2	25.8	21.7	15.9	18.8	18.4	20.8	21.4	28.6	24.8	29.0	23.3	8	-6456
09-11 LST														0	0
12-14 LST	22.2	11.9	9.3	3.3	1.7	2.9	1.8	2.8	1.4	9.5	9.0	19.8	8.0	8	-6456
15-17 LST														0	0
18-20 LST	23.8	17.3	10.5	0.8	0.8	3.3	1.4	0.5	3.8	10.5	12.4	22.1	8.9	8	-6456
21-23 LST														0	0

ROCROI-REGNIOWEZ, FRANCE

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	10.4	9.4	12.2	13.7	16.8	15.2	16.2	17.0	13.2	10.9	9.7	7.7	152.4	8	-6456
	12 LST	12.3	13.8	21.1	24.7	27.1	26.5	27.0	26.8	26.5	22.7	16.5	12.0	257.0	8	-6456
	18 LST	12.0	13.1	19.2	26.1	27.6	26.3	27.4	27.6	25.1	20.2	15.5	9.5	249.6	8	-6456
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	00 LST														0	0
	06 LST	3.7	4.2	5.7	9.7	12.1	11.6	10.7	13.6	6.8	5.0	3.5	2.2	19.0	8	-6456
	12 LST	4.2	4.3	7.3	8.7	10.3	11.8	11.1	13.2	9.2	8.9	5.7	3.1	97.8	8	-6456
	18 LST	4.0	7.1	11.3	12.1	14.1	14.7	15.8	20.3	18.2	14.0	5.7	2.8	140.1	8	-6456
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST														0	0
	06 LST	2.1	1.9	1.1	1.0	0.2	0.3	0.1	0.1	0.7	0.7	1.5	2.0	11.7	8	-6456
	12 LST	2.3	2.4	3.3	3.0	2.8	1.1	1.5	0.8	2.5	2.2	1.8	2.5	26.2	8	-6456
	18 LST	2.5	1.8	1.6	1.7	2.6	0.8	1.0	0.4	0.4	1.1	1.1	1.5	16.5	8	-6456
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST														0	0
	06 LST	2.7	4.2	6.8	12.6	14.9	14.3	14.8	15.5	15.5	14.4	9.1	5.4	130.2	8	-6456
	12 LST	7.8	5.2	11.8	10.6	12.4	13.6	12.8	15.8	13.4	14.3	11.2	8.2	137.1	8	-6456
	18 LST	5.3	7.1	12.3	12.7	13.6	12.5	14.8	15.5	16.8	16.5	10.3	8.1	145.5	8	-6456
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	4.2	2.9	3.3	4.5	4.0	4.7	3.7	2.8	3.2	2.0	1.2	2.1	38.6	8	-6456
	12 LST	3.3	3.0	5.4	6.1	4.7	3.3	3.4	1.5	3.2	4.4	2.0	1.2	41.5	8	-6456
	18 LST	3.7	2.8	4.1	6.1	5.3	5.7	6.5	4.4	5.7	5.6	2.7	2.2	56.8	8	-6456
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	7.5	6.0	9.8	12.0	14.3	13.1	13.0	14.4	9.8	7.6	6.4	5.2	119.1	8	-6456
	12 LST	9.0	8.3	14.6	17.0	19.2	15.5	16.2	17.8	14.8	14.5	11.7	7.5	166.1	8	-6456
	18 LST	8.6	9.2	16.6	22.1	23.0	21.6	22.5	24.9	20.7	16.2	11.9	6.7	204.0	8	-6456
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	6.2	4.9	8.0	10.3	12.5	11.5	11.4	12.1	8.1	6.2	5.4	3.7	100.3	8	-6456
	12 LST	8.3	6.9	12.2	13.6	14.7	10.3	10.8	13.7	11.4	12.4	10.5	7.0	131.8	8	-6456
	18 LST	7.2	7.9	14.0	19.3	19.9	17.6	19.1	21.8	17.1	13.7	9.3	5.8	172.7	3	-6456
CIG = CTR 10000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	6.2	4.9	7.7	10.3	12.3	11.2	11.2	12.1	8.0	6.0	5.4	3.7	99.0	8	-6456
	12 LST	8.3	6.9	12.2	13.5	14.7	10.2	10.8	13.7	11.4	12.4	10.5	7.0	131.6	8	-6456
	18 LST	7.1	7.8	13.8	19.2	19.7	17.6	19.1	21.8	17.1	13.5	9.0	5.5	171.2	8	-6456

AREA NO. 02

FRANCE	PLATEAU BOUNDARIES	LATITUDE 4800N LONGITUDE 00600E																	
		4956N 00425E			4900N 00500E			4900N 00500E			4640N 00230E			4640N 00230E			4546N 00425E		
		4546N 00425E			4800N 00500E			4800N 00500E			4600N 00530E			4600N 00530E			4730N 00700E		
PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN						
MEAN MAX TMP (F)		39	42	51	59	66	72	75	74	69	58	47	40	58					
MEAN MIN TMP (F)		28	29	34	39	45	52	55	54	50	42	36	30	41					
LARGEST MEAN PRECIP(IN)		4.72	3.62	2.56	2.87	3.20	3.90	3.50	3.90	3.70	3.54	4.45	4.53	44.5					
SMALLEST MEAN PRECIP(IN)		1.50	1.26	1.18	1.46	2.01	2.04	1.65	2.24	1.39	1.45	1.49	0.92	18.6					
		MEAN NUMBER OF DAYS																	
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST	16.1	16.2	23.7	26.7	28.9	27.1	28.8	28.9	25.1	21.6	18.0	16.9	278.0					
	06 LST	15.8	14.3	17.6	22.1	24.2	23.2	23.5	22.7	17.7	15.0	14.2	14.4	224.7					
	12 LST	17.4	17.2	25.5	27.4	29.4	28.3	29.4	30.0	27.5	24.4	19.3	17.1	292.9					
	18 LST	17.3	18.7	27.2	28.2	30.2	28.8	29.6	30.1	27.9	24.6	19.1	17.5	299.2					
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	00 LST	8.7	10.1	18.8	21.8	24.8	23.9	25.6	25.2	21.0	16.8	11.2	9.2	217.1					
	06 LST	8.1	8.5	12.4	16.4	18.5	18.8	19.5	19.0	13.6	10.2	7.6	7.4	160.0					
	12 LST	7.8	7.9	13.4	14.8	18.9	18.9	17.8	18.2	16.6	13.3	9.4	7.4	164.4					
	18 LST	10.1	12.2	19.2	18.9	21.7	22.8	22.2	24.0	22.8	19.2	12.6	9.8	215.5					
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST	1.3	1.2	0.7	0.8	0.5	0.2	0.3	0.3	0.2	0.4	0.9	1.4	8.2					
	06 LST	1.5	0.9	0.4	0.7	0.4	0.3	0.3	0.3	0.5	0.8	1.2	7.6						
	12 LST	2.5	2.4	2.3	2.3	1.4	1.0	1.8	1.7	1.7	1.8	1.9	22.3						
	18 LST	1.6	1.3	1.2	1.6	1.2	0.6	1.0	0.8	0.6	0.3	0.8	1.1	12.1					
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST	4.5	6.0	8.7	11.1	11.0	9.8	11.0	10.2	10.5	11.4	9.6	6.5	110.3					
	06 LST	5.0	4.8	6.7	10.5	10.8	10.4	11.7	9.6	10.3	10.0	7.6	5.7	103.1					
	12 LST	6.7	7.4	12.4	13.1	14.4	14.9	14.3	14.6	14.3	12.7	12.4	9.1	146.3					
	18 LST	6.3	7.4	13.3	13.6	16.2	16.1	16.1	14.9	14.1	14.2	11.5	7.5	151.2					
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST	4.5	5.6	10.7	11.4	12.8	11.9	12.2	12.2	12.0	8.4	4.2	4.9	110.8					
	06 LST	4.0	3.0	4.6	5.2	6.7	6.8	6.1	5.7	4.4	2.2	1.9	2.9	53.5					
	12 LST	2.6	3.2	6.0	3.8	4.2	4.3	3.8	4.6	6.2	4.0	2.1	2.6	47.4					
	18 LST	3.8	4.3	7.6	4.5	5.4	6.0	6.2	6.2	7.3	6.5	4.2	3.7	65.7					
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST	12.2	13.4	21.5	24.4	26.1	23.2	26.5	26.4	22.7	18.2	13.3	11.8	241.7					
	06 LST	10.6	10.1	14.3	18.2	20.1	19.8	20.3	19.3	14.4	11.0	8.9	9.3	176.3					
	12 LST	11.6	11.8	20.1	21.6	24.3	23.3	23.4	23.7	22.5	18.0	15.0	11.1	224.4					
	18 LST	12.7	14.6	23.7	24.7	27.4	26.5	27.0	27.7	25.2	20.6	13.9	12.0	256.0					
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST	9.3	9.8	17.4	20.5	22.2	21.8	22.8	22.3	19.8	14.2	9.3	8.6	198.0					
	06 LST	7.8	7.0	10.9	14.5	16.5	16.7	16.7	15.7	11.4	7.7	5.9	6.4	137.2					
	12 LST	8.5	8.5	15.3	14.2	16.0	15.8	15.3	16.0	17.5	13.7	9.3	8.0	158.1					
	18 LST	9.7	10.9	18.8	19.0	21.5	22.0	22.1	23.0	21.4	16.3	10.2	9.0	203.9					
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST	7.9	8.6	15.5	17.9	19.7	18.8	19.8	19.2	17.1	12.5	7.4	7.6	172.0					
	06 LST	7.1	6.0	9.5	12.8	14.5	14.6	14.0	13.4	9.9	6.6	4.8	5.7	118.9					
	12 LST	7.6	7.8	14.3	12.9	14.7	13.9	13.7	14.3	16.0	12.4	8.0	7.2	142.8					
	18 LST	8.7	9.9	17.1	16.3	18.6	19.0	19.0	19.9	18.8	14.5	8.7	8.0	178.5					

VICHY-C'ARMEIL, FRANCE

STA NO. 07374 (IN AREA NUMBER 03)

LATITUDE 4610N

LONGITUDE 00324E

ELEVATION(FT) 00817

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
ABS MAX TMP (F)	66	73	81	89	90	100	99	100	97	82	70	63	100	12	-34
MEAN MAX TMP (F)	44	47	56	61	68	74	79	78	73	62	52	45	62	30	-140
MEAN MIN TMP (F)	30	30	35	39	45	52	55	55	51	43	37	32	42	30	-140
ABS MIN TMP (F)	7	-13	9	23	28	36	45	41	31	25	24	-3	-13	12	-34
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.4	4.6	2.0	0.9	0.0	0.0	0.0	7.9	5	-7460
MEAN NO DYS TMP = DR LES 32(F)	3.4	8.5	7.8	6.2		0.0	0.0	0.0	2.5	12.0	13.6	20.6		1	-7460
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0		1	-7460
MEAN DEW PT TMP (F)	30	30	34	38	46	53	54	54	50	44	33	29	41	0	-50
MEAN REL HUM (PCT)	84	79	73	70	71	74	71	74	79	82	84	84	77	10	-140
MEAN PRESS ALT (FT)	673	720	776	786	762	732	729	739	715	726	756	741	738	0	-50
MEAN PRECIP (IN)	1.89	1.65	1.77	2.13	2.80	3.50	2.60	3.31	3.19	2.56	2.48	1.69	29.6	30	-140
MEAN SNOW FALL (IN)						0.0	0.0	0.0	0.0					12	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	6.0	5.4	5.5	6.2	6.9	8.2	6.8	7.9	7.6	6.7	6.5	5.5	79.2	30	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN						0.0	0.0	0.0	0.0					12	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.3	1.0	2.0	4.0	4.0	4.0	4.0	2.0	1.0	0.3	0.3	22.9	10	-24
P FREQ WND SPD = DR GTR 17 KTS	13.0	14.5	12.8	10.1	6.1	3.9	4.4	5.0	4.9	6.8	11.4	12.9	8.8	10	-7460
P FREQ WND SPD = DR GTR 26 KTS	0.6	0.5	0.6	0.1	0.0	0.0	0.0	0.0	0.1	0.0	0.8	0.3	0.3	10	-7460
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1900 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	11.8	7.9	10.0	6.3	9.5	6.8	8.0	14.9	14.1	22.7	23.9	27.6	13.6	3	-7460
09-11 LST														0	0
12-14 LST	3.7	12.5	7.1	13.3										1	-7460
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	4.4	1.6	5.0	0.0	0.0	1.7	2.7	4.5	4.7	10.6	15.5	9.2	5.0	3	-7460
09-11 LST														0	0
12-14 LST	0.0	4.2	0.0	0.0										1	-7460
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

VICHY-CHARMEIL, FRANCE
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	29.1	26.6	28.6	28.5	28.7	28.9	29.7	27.2	27.1	24.8	24.0	24.4	327.6	3	-7460
	12 LST	31.0	25.6	29.8	27.0										1	-7460
	18 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	00 LST														0	0
	06 LST	16.8	21.3	23.6	26.6	24.3	26.4	26.4	24.5	22.9	22.5	19.8	17.1	272.2	3	-7460
	12 LST	16.0	17.5	22.1	24.0										1	-7460
	18 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST														0	0
	06 LST	4.1	0.4	1.5	0.0	1.4	0.5	0.8	0.9	0.9	0.9	0.8	1.2	13.4	3	-7460
	12 LST	8.0	4.4	4.4	0.0										1	-7460
	18 LST														0	0
SFC WND 4-10 KTS AND THP 33-89 DEG F AND NO PRECIP.	00 LST														0	0
	06 LST	5.9	6.6	6.5	6.5	2.9	6.1	4.1	2.7	4.3	4.2	6.8	8.6	65.2	3	-7460
	12 LST	9.1	7.8	9.5	10.3										1	-7460
	18 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	5.9	7.0	9.3	10.1	11.8	6.7	8.2	14.3	8.9	7.5	3.8	2.4	95.9	3	-7460
	12 LST	2.2	4.6	3.3	0.0										1	-7460
	18 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	22.7	20.4	25.5	26.2	25.0	25.4	24.3	23.5	22.5	21.6	19.0	16.7	272.8	3	-7460
	12 LST	24.1	19.8	27.6	22.0										1	-7460
	18 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	19.1	16.0	21.7	20.1	18.4	21.8	20.2	20.8	18.2	16.9	14.7	11.8	219.7	3	-7460
	12 LST	18.3	15.1	18.8	13.0										1	-7460
	18 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	18.6	16.0	21.7	20.1	17.7	21.8	20.2	20.8	18.2	16.9	14.7	11.8	218.5	3	-7460
	12 LST	18.3	15.1	17.7	13.0										1	-7460
	18 LST														0	0

CLERMONT FERRAND, FRANCE

STA NO. 07460 (IN AREA NUMBER 03)

LATITUDE 454°N

LONGITUDE 00309E

ELEVATION(FT) 01089

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	66	71	78	88	97	101	106	107	95	95	74	70	107	40	-528
MEAN MAX TMP (F)	44	48	54	60	68	74	78	78	73	63	52	46	62	51	-28
MEAN MIN TMP (F)	30	31	35	39	45	51	54	53	49	42	36	33	42	51	-20
ABS MIN TMP (F)	-4	-10	8	24	29	36	39	39	28	23	10	-1	-10	40	-28
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.4	4.6	2.0	0.9	0.0	0.0	0.0	7.9	5	746
MEAN NO DYS TMP = OR LES 32(F)	3.4	8.5	7.8	6.2		0.0	0.0	0.0	2.5	12.0	13.6	20.6		1	231
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0		1	231
MEAN DEW PT TMP (F)	29	29	33	37	45	51	53	53	51	44	36	32	41	41	-29
MEAN REL HUM (PCT)	75	70	68	66	68	70	66	67	72	75	77	77	71	20	-28
MEAN PRESS ALT (FT)	944	991	1046	1059	1035	1006	1003	1012	987	997	1026	1009	1010	0	-50
MEAN PRECIP (IN)	1.00	1.10	1.50	2.10	2.90	3.10	2.30	2.70	2.40	2.20	1.80	1.40	24.5	40	-28
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0						40	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	3.3	3.6	4.9	6.1	7.0	7.6	6.2	7.0	6.4	6.0	5.3	4.6	68.0	40	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN					0.0	0.0	0.0	0.0						40	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.3	0.0	0.3	0.3	3.0	3.0	3.0	3.0	2.0	0.3	0.3	0.3	15.8	10	-24
P FREQ WND SPD = OR GTR 17 KTS	13.0	14.5	12.8	10.1	6.1	3.9	4.4	5.0	4.9	6.8	11.0	12.9	8.8	10	-31
P FREQ WND SPD = OR GTR 28 KTS	0.6	0.5	0.6	0.1	0.0	0.0	0.0	0.0	0.1	0.0	0.8	0.3	0.3	10	-31
P FREQ LES 3000 FT A/D LES 3 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	11.8	7.9	10.0	6.3	9.5	6.8	8.0	14.9	14.1	22.7	23.9	27.6	13.6	3	795
09-11 LST														0	0
12-14 LST	3.7	12.5	7.1	13.3										1	109
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	4.4	1.6	5.0	0.0	0.0	1.7	2.7	4.5	4.7	10.6	15.5	9.2	5.0	3	795
09-11 LST														0	0
12-14 LST	0.0	4.2	0.0	0.0										1	109
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

CIERMONT FERRAND, FRANCE

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	29.1	26.6	28.6	28.5	28.7	28.9	29.7	27.2	27.1	24.3	24.0	24.4	327.6	3	795
	12 LST	31.0	25.6	29.8	27.0										1	109
	18 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	00 LST														0	0
	06 LST	16.8	21.3	23.6	26.6	24.3	26.4	26.4	24.5	22.9	22.5	19.8	17.1	272.2	3	794
	12 LST	16.0	17.5	22.1	24.0										1	109
	18 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST														0	0
	06 LST	4.1	0.4	1.5	0.0	1.4	0.5	0.8	0.9	0.9	0.9	0.8	1.2	13.4	3	794
	12 LST	8.0	4.4	4.4	0.0										1	110
	18 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST														0	0
	06 LST	5.9	6.6	6.5	6.5	2.9	6.1	4.1	2.7	4.3	4.2	6.8	8.6	65.2	3	791
	12 LST	9.1	7.8	9.5	10.3										1	107
	18 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	5.9	7.0	9.3	10.1	11.8	6.7	8.2	14.3	8.9	7.5	3.8	2.4	95.9	3	796
	12 LST	2.2	4.6	3.3	0.0										1	109
	18 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	22.7	20.4	25.5	26.2	25.0	25.4	24.3	23.5	22.5	21.6	19.0	16.7	272.8	3	795
	12 LST	24.1	19.8	27.6	22.0										1	109
	18 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	19.1	16.0	21.7	20.1	18.4	21.8	20.2	20.8	18.2	16.9	14.7	11.8	219.7	3	795
	12 LST	18.3	15.1	18.8	13.0										1	109
	18 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	18.6	16.0	21.7	20.1	17.7	21.8	20.2	20.8	18.2	16.9	14.7	11.8	218.5	3	795
	12 LST	15.3	15.1	17.7	13.0										1	109
	18 LST														0	0

MILLAU, FRANCE

STA NO. 07558 (IN AREA NUMBER 03)

LATITUDE 4359N

LONGITUDE 00311E

ELEVATION(FT) 02608

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)														0	0
MEAN MAX TMP (F)	45	48	56	61	67	75	80	80	73	63	53	46	62	30	-140
MEAN MIN TMP (F)	31	32	37	41	47	53	56	56	52	45	38	33	43	30	-140
ABS MIN TMP (F)														0	0
MEAN NO DYS TMP = DR GTR 90(F)														30	-29
MEAN NO DYS TMP = DR LES 32(F)														0	0
MEAN NO DYS TMP = DR LES 0(F)														0	0
MEAN DEW PT TMP (F)	33	32	36	38	43	51	54	55	52	46	39	34	43	23	-29
MEAN REL HUM (PCT)	82	75	70	65	64	67	64	66	72	76	79	82	72	10	-140
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	2.17	1.77	2.36	2.21	2.72	2.36	1.73	2.68	2.91	2.44	2.13	3.27	28.8	30	-140
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = DR GTR 0.1 IN	6.7	5.7	6.5	6.3	6.9	6.3	5.0	6.9	7.2	6.5	5.9	8.9	78.8	30	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.1	1.0	1.0	1.0	4.0	6.0	5.0	6.0	4.0	1.0	0.2	1.0	30.3	10	-140
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 20 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	57.7	61.1	57.4	26.8	18.6	11.8	22.2	16.1	44.0	34.8	50.8	62.1	38.6	3	629
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	26.9	22.2	21.3	2.4	7.0	0.0	11.1	1.6	8.0	6.1	14.8	25.8	12.3	3	629
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

MILLAU, FRANCE
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	13.7	11.6	13.8	21.9	25.9	27.0	25.2	28.0	19.8	22.0	15.2	12.6	237.3	3	629
	12 LST														0	0
	18 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC W/D LES 10 KTS	00 LST														0	0
	06 LST	11.9	7.7	11.2	19.2	19.4	21.1	20.0	22.0	12.6	15.5	13.7	8.9	183.2	3	627
	12 LST														0	0
	18 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST														0	0
	06 LST	2.9	5.4	3.2	3.8	4.3	3.5	2.3	0.5	1.8	0.9	3.3	3.8	35.7	3	627
	12 LST														0	0
	18 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST														0	0
	06 LST	5.9	3.8	8.3	15.0	7.3	14.0	17.5	14.4	12.0	9.5	10.1	5.3	123.1	3	619
	12 LST														0	0
	18 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	7.1	4.6	7.2	13.1	14.4	14.1	11.1	15.5	5.2	8.4	5.3	5.1	111.1	3	630
	12 LST														0	0
	18 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	11.9	10.1	12.5	21.9	23.7	24.7	21.8	23.5	13.8	18.3	13.2	10.3	205.7	3	629
	12 LST														0	0
	18 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	11.9	8.5	12.5	21.9	22.3	21.7	19.5	23.0	13.8	18.3	12.7	10.3	196.4	3	629
	12 LST														0	0
	18 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	11.9	8.5	12.5	21.9	22.3	21.7	19.5	23.0	13.8	18.3	12.7	9.8	195.9	3	629
	12 LST														0	0
	18 LST														0	0

AREA NO. 03

FRANCE	CENTRAL MASSIF		LATITUDE 4500N					LONGITUDE 00300E						
	BOUNDARIES	4640N 00230E	4536N 00125E	4536N 00125E	4316N 00325E	4316N 00325E	4400N 00405E	4546N 00425E	4534N 00425E	4640N 00230E				
PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)		44	48	55	61	68	74	79	79	73	63	52	46	62
MEAN MIN TMP (F)		30	31	36	40	46	52	55	55	51	43	37	33	42
LARGEST MEAN PRECIP(IN)		2.17	1.77	2.36	2.21	2.90	3.50	2.60	3.31	3.19	2.56	2.48	3.27	32.3
SMALLEST MEAN PRECIP(IN)		1.00	1.10	1.50	2.10	2.72	2.36	1.73	2.68	2.40	2.20	1.80	1.40	23.0
		MEAN NUMBER OF DAYS												
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST													
	06 LST	21.4	19.1	21.2	25.2	27.3	28.3	27.5	27.6	23.5	23.4	19.6	18.5	202.6
	12 LST	31.0	25.6	29.8	27.0									
	18 LST													
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	00 LST													
	06 LST	14.4	14.5	17.4	22.9	21.9	23.8	23.2	23.3	17.8	19.0	16.8	13.0	228.0
	12 LST	16.0	17.5	22.1	24.0									
	18 LST													
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST													
	06 LST	3.5	2.9	2.4	1.9	2.9	2.0	1.6	0.7	1.4	0.9	2.1	2.5	24.8
	12 LST	8.0	4.4	4.4	0.0									
	18 LST													
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST													
	06 LST	5.9	5.2	7.4	10.8	5.1	10.1	10.8	8.6	8.2	6.9	8.5	7.0	94.5
	12 LST	9.1	7.8	9.5	10.3									
	18 LST													
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST													
	06 LST	6.5	5.8	8.3	11.6	13.1	10.4	9.7	14.9	7.1	8.0	4.6	3.8	103.8
	12 LST	2.2	4.6	3.3	0.0									
	18 LST													
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST													
	06 LST	17.3	15.3	19.0	24.1	24.4	25.1	23.1	23.5	18.2	20.0	16.1	13.5	239.6
	12 LST	24.1	19.8	27.6	22.0									
	18 LST													
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST													
	06 LST	15.5	12.3	17.1	21.0	20.4	21.8	19.9	21.9	16.0	17.6	13.7	11.1	208.3
	12 LST	18.3	15.1	18.8	13.0									
	18 LST													
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST													
	06 LST	15.3	12.3	17.1	21.0	20.0	21.8	19.9	21.9	16.0	17.6	13.7	10.8	207.4
	12 LST	18.3	15.1	17.7	13.0									
	18 LST													

DIJON, FRANCE

STA NO. 07280 (IN AREA NUMBER 04)

LATITUDE 4716N

LONGITUDE 00505E

ELEVATION(FT) 00728

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	62	68	74	84	94	97	107	100	92	83	69	62	107	20	-528
MEAN MAX TMP (F)	41	42	53	61	68	74	78	77	71	60	49	42	60	50	-28
MEAN MIN TMP (F)	29	31	36	41	48	53	57	56	51	43	36	32	43	50	-28
ABS MIN TMP (F)	1	-8	11	15	30	33	37	34	29	21	13	7	-8	20	-528
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.3	3.7	3.1	0.0	0.0	0.0	0.0	7.1	6	1024
MEAN NO DYS TMP = DR LES 32(F)	19.7	19.5	15.3	3.3	0.5	0.0	0.0	0.0	0.2	2.4	7.8	18.9	87.6	5	1496
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	1496
MEAN DEW PT TMP (F)	31	30	34	40	46	52	57	56	50	44	39	33	43	0	-50
MEAN REL HUM (PCT)	85	79	70	68	68	68	66	65	71	80	84	86	74	10	-28
MEAN PRESS ALT (FT)	587	633	692	691	665	637	631	646	625	642	677	664	649	0	-50
MEAN PRECIP (IN)	1.90	1.60	1.90	2.00	2.30	2.70	2.50	2.50	2.10	2.90	2.80	2.30	27.5	50	-28
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0					20	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	6.1	5.2	5.8	6.0	6.4	7.0	6.6	6.6	5.9	7.2	7.1	7.0	76.9	50	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0					20	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.3	0.3	2.0	4.0	5.0	6.0	4.0	3.0	1.0	0.3	0.0	25.9	10	-24
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI	86.9	69.3	51.1	53.2	43.0	47.5	27.0	35.3	43.3	67.7	72.0	85.9	56.9	5	2058
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	58.1	59.8	42.6	32.4	25.0	20.6	15.1	22.1	41.1	37.0	55.3	64.2	39.4	5	1515
09-11 LST														0	0
12-14 LST	48.9	35.5	22.8	13.8	7.8	7.5	3.1	8.2	11.0	14.9	36.6	47.1	21.4	5	1448
15-17 LST														0	0
18-20 LST	40.6	35.4	18.1	9.5	8.8	9.2	1.3	4.2	4.3	15.8	39.0	42.9	19.1	6	1045
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	25.7	16.8	13.0	5.7	1.5	3.2	3.2	8.1	18.5	12.3	31.8	31.3	14.3	5	1515
09-11 LST														0	0
12-14 LST	19.5	7.4	4.7	0.9	0.0	0.0	0.0	0.0	0.8	0.0	11.4	17.6	5.2	5	1448
15-17 LST														0	0
18-20 LST	15.1	11.1	4.3	0.0	2.5	2.3	0.0	0.0	1.4	3.9	13.0	10.0	5.3	6	1045
21-23 LST														0	0

DIJON, FRANCE
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	15.2	12.2	18.6	21.7	24.1	24.7	27.0	24.8	19.1	21.7	15.6	13.6	238.3	5	1515
	12 LST	18.6	20.8	25.1	28.4	29.4	28.8	30.7	29.7	28.4	28.6	21.4	17.9	307.8	5	1448
	18 LST	20.4	19.2	25.9	28.4	29.0	28.2	31.0	30.1	28.6	28.1	20.2	20.8	309.9	6	1045
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	00 LST														0	0
	06 LST	7.7	6.8	15.9	17.4	21.1	22.1	24.6	22.5	15.7	15.5	10.6	9.3	186.2	5	1512
	12 LST	10.0	9.9	15.6	19.3	24.6	23.4	25.3	24.6	20.0	18.9	15.1	12.6	219.3	5	1447
	18 LST	15.2	13.8	21.6	23.4	24.4	25.1	29.3	27.9	28.2	22.7	15.9	12.8	260.3	6	1043
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST														0	0
	06 LST	0.6	1.5	0.7	1.4	0.2	0.2	0.2	0.4	0.0	0.6	0.2	0.0	6.0	5	1530
	12 LST	2.5	3.9	3.8	3.0	0.9	0.8	0.4	0.7	0.7	1.3	0.7	1.3	20.0	5	1460
	18 LST	0.8	1.4	1.3	1.0	0.3	0.0	0.3	0.0	0.0	0.8	0.7	0.4	7.0	6	1050
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST														0	0
	06 LST	2.5	3.1	7.1	9.1	11.4	10.8	9.6	8.7	7.3	7.3	7.4	5.8	90.1	5	1510
	12 LST	8.4	8.6	11.1	14.7	16.9	15.1	17.8	14.3	15.5	15.6	13.8	10.2	162.5	5	1444
	18 LST	8.6	7.0	14.6	14.0	11.4	16.1	15.1	13.9	10.7	9.9	7.1	8.4	136.8	6	1040
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	3.9	6.8	7.9	4.8	6.5	8.9	10.8	8.4	5.0	5.0	3.8	3.4	75.2	5	1525
	12 LST	4.8	8.4	7.9	2.2	4.5	4.2	7.3	6.3	6.8	3.7	4.3	4.9	65.3	5	1456
	18 LST	4.4	7.8	7.4	3.1	5.7	6.0	12.7	8.7	7.5	8.2	5.0	4.4	80.9	6	1050
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	9.1	9.4	16.1	17.1	20.0	21.4	23.8	22.7	15.2	15.7	10.4	7.1	188.0	5	1515
	12 LST	11.1	13.6	21.4	20.6	23.4	23.2	26.8	25.1	22.6	20.8	14.8	13.2	236.6	5	1448
	18 LST	14.0	15.5	24.0	23.0	25.9	24.1	29.3	27.5	26.9	21.2	15.9	12.8	260.1	6	1045
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	6.8	8.8	15.3	14.8	17.5	18.3	20.4	21.1	13.3	12.8	9.7	8.0	164.8	5	1515
	12 LST	8.6	12.0	19.2	15.0	17.0	16.4	21.9	20.3	19.8	17.5	11.9	11.4	191.0	5	1448
	18 LST	10.2	13.8	21.3	18.8	23.2	20.0	25.7	23.4	23.9	17.1	14.4	10.6	224.4	6	1045
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	6.8	8.8	15.3	14.8	17.5	18.0	20.4	20.9	13.3	12.5	9.7	6.0	164.0	5	1515
	12 LST	8.6	12.0	19.2	15.0	17.0	16.4	21.7	20.3	19.8	17.5	11.9	11.4	190.8	5	1448
	18 LST	10.2	13.8	21.3	18.8	23.2	20.0	25.3	23.4	23.9	17.1	14.4	10.6	224.0	6	1045

LYON-BRON, FRANCE

STA NC. 07480 (IN AREA NUMBER 04)

LATITUDE 4544N

LONGITUDE 00455E

ELEVATION(FT) 00649

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	66	71	79	85	94	102	105	105	98	90	73	65	105	70	-528
MEAN MAX TMP (F)	41	46	54	61	69	76	80	80	72	61	49	42	61	70	-28
MEAN MIN TMP (F)	30	31	37	42	49	55	58	57	53	45	39	32	44	70	-28
ABS MIN TMP (F)	-13	-9	8	24	25	26	42	40	32	20	15	-12	-13	70	-528
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.1	1.7	3.2	3.4	0.2	0.2	0.0	0.0	8.8	8	2516
MEAN NO DYS TMP = DR LES 32(F)	16.2	15.1	9.9	3.5	0.3	0.4	0.0	0.0	0.0	1.9	7.5	15.6	70.4	8	2583
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	8	2583
MEAN DEW PT TMP (F)	29	30	35	40	45	51	54	55	51	44	36	33	42	0	-50
MEAN REL HUM (PCT)	80	76	71	68	66	64	63	67	71	76	81	83	72	11	-28
MEAN PRESS ALT (FT)	505	556	615	623	601	572	562	576	555	566	595	576	575	0	-50
MEAN PRECIP (IN)	1.40	1.40	1.80	2.10	2.80	2.90	2.80	2.90	3.10	3.10	2.60	1.90	28.8	70	-28
MEAN SNOW FALL (IN)							0.0	0.0	0.0					70	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	4.6	4.6	5.6	6.1	6.9	7.3	7.1	7.3	7.5	7.5	6.7	6.1	77.3	70	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN							0.0	0.0	0.0					70	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.3	1.0	2.0	6.0	7.0	7.0	7.0	4.0	2.0	0.3	0.3	36.9	10	-24
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI	70.8	67.2	46.4	44.0	36.8	28.7	25.4	33.3	39.3	59.4	72.0	80.6	50.3	8	6645
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	42.5	45.2	28.3	21.8	14.5	13.3	8.6	20.3	32.4	43.3	54.2	52.0	31.4	8	2623
09-11 LST														0	0
12-14 LST	29.0	20.6	8.8	7.7	7.5	3.8	2.2	3.0	6.4	10.3	30.8	36.7	13.9	8	2603
15-17 LST														0	0
18-20 LST	33.0	25.7	11.6	7.4	4.0	4.1	2.7	3.7	5.4	14.1	35.6	41.1	15.7	8	2573
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	25.0	23.6	10.4	4.5	4.4	1.8	2.6	6.0	11.4	19.4	24.9	26.8	13.4	8	2523
09-11 LST														0	0
12-14 LST	7.4	5.6	1.3	0.0	0.5	1.0	0.0	0.4	0.5	1.0	4.5	14.0	3.0	8	2803
15-17 LST														0	0
18-20 LST	14.8	6.7	3.0	0.9	0.0	0.5	0.5	1.9	1.0	1.5	10.8	18.7	5.0	8	2573
21-23 LST														0	0

LYON-BRON, FRANCE

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	19.4	16.4	23.0	24.5	27.1	27.2	28.4	25.2	21.2	18.5	15.3	16.2	262.4	8	2623
	12 LST	24.0	23.8	29.3	29.0	30.1	29.5	30.8	30.4	29.1	29.0	22.7	21.4	329.1	8	2603
	18 LST	21.7	21.6	28.0	28.6	30.5	29.8	30.5	30.2	29.1	27.8	20.8	19.1	317.7	8	2573
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	00 LST														0	0
	06 LST	10.4	11.3	17.6	18.6	23.4	22.9	25.9	22.6	18.7	13.4	11.5	10.2	206.5	8	2615
	12 LST	12.7	13.3	16.3	13.9	17.0	19.0	19.9	22.2	17.8	18.0	12.9	12.5	195.5	8	2584
	18 LST	14.2	14.8	20.8	19.0	22.7	22.5	23.0	25.7	23.1	21.3	15.4	12.3	234.8	8	2556
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST														0	0
	06 LST	3.3	2.3	2.4	2.0	1.4	1.3	0.5	0.3	0.5	2.1	0.6	1.6	18.3	8	2638
	12 LST	5.3	4.8	7.5	7.3	5.2	4.7	5.5	2.4	5.7	5.5	4.1	3.2	61.2	8	2600
	18 LST	4.1	3.5	3.3	3.8	2.5	2.3	2.1	1.7	1.7	1.4	1.5	3.2	31.2	8	2562
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST														0	0
	06 LST	3.1	2.6	4.7	7.2	9.4	10.6	9.8	5.9	6.5	5.7	4.6	3.1	73.2	8	2613
	12 LST	6.3	7.0	8.6	8.4	8.7	11.0	11.5	13.0	9.5	10.4	7.9	5.8	108.1	8	2570
	18 LST	5.7	5.1	8.4	9.1	10.8	13.6	14.9	13.2	8.7	7.5	6.3	4.1	107.4	8	2527
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	2.7	3.4	6.4	7.1	8.3	9.9	10.9	10.3	6.5	2.6	1.6	2.3	72.0	8	2627
	12 LST	4.0	7.0	8.4	6.5	6.6	6.8	11.3	10.5	7.9	6.9	3.4	3.1	82.4	8	2600
	18 LST	7.5	7.6	10.0	6.7	7.6	8.1	12.4	12.1	7.9	8.1	6.6	5.4	100.0	8	2560
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	13.3	12.5	20.2	20.3	23.9	23.8	26.4	22.9	18.2	14.6	10.2	11.5	217.8	8	2623
	12 LST	17.8	18.0	24.4	23.7	24.5	25.9	27.9	27.2	25.0	23.5	16.9	15.5	270.3	8	2603
	18 LST	17.9	17.8	25.1	24.8	26.8	26.5	28.3	27.6	26.6	22.8	16.3	14.9	275.4	8	2573
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	8.5	8.6	15.6	15.1	20.3	21.3	21.9	19.3	15.2	11.4	7.1	7.2	171.5	8	2623
	12 LST	13.6	14.2	20.1	18.4	20.6	21.7	24.6	23.1	21.0	19.7	13.6	10.9	221.5	8	2603
	18 LST	13.4	13.3	20.9	19.2	22.6	23.2	24.8	24.5	21.2	18.0	12.8	9.7	223.6	8	2573
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	8.4	8.6	15.3	15.0	20.3	21.2	21.9	19.2	15.2	11.4	7.1	7.0	170.6	8	2623
	12 LST	13.6	14.2	19.9	18.4	20.6	21.7	24.6	23.1	21.0	19.7	13.6	10.9	221.3	8	2603
	18 LST	13.4	13.3	20.9	18.9	22.4	23.2	24.8	24.3	20.9	18.0	12.8	9.6	222.5	8	2573

MONTE LIMAR, FRANCE

STA NO. 07577 (IN AREA NUMBER 04)

LATITUDE 4435N

LONGITUDE 00443E

ELEVATION(FT) 00246

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	63	75	74	85	92	100	103	104	96	84	72	68	104	30	-640
MEAN MAX TMP (F)	45	49	58	64	71	78	84	82	75	64	54	46	64	30	-140
MEAN MIN TMP (F)	33	35	40	42	50	56	61	60	56	48	41	36	47	30	-140
ABS MIN TMP (F)	10	-6	21	27	29	36	37	45	34	28	23	3	-6	30	-640
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	1.1	10.2	4.2	0.0	0.0	0.0	0.0	19.5	5	800
MEAN NO DYS TMP = DR LES 32(F)	11.9	13.9	3.0	1.8	0.0	0.0	0.0	0.0	0.0	0.6	2.7	10.0	49.9	6	1713
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	6	1713
MEAN DEW PT TMP (F)	32	33	38	39	47	53	56	57	55	48	41	35	45	23	-29
MEAN REL HUM (PCT)	77	73	69	64	65	65	60	65	72	77	79	80	71	10	-140
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	2.01	2.13	2.87	2.80	3.54	1.97	1.65	4.06	4.41	5.16	4.80	2.24	37.6	40	-122
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0					30	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	6.3	6.6	7.0	6.9	7.3	5.5	4.8	8.8	9.0	9.5	9.3	6.9	87.9	40	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0					30	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.3	1.0	1.0	2.0	4.0	6.0	5.0	6.0	3.0	2.0	1.0	1.0	32.3	10	-140
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI	62.2	56.1	28.7	21.5	11.8	15.3	3.9	15.6	12.9	38.7	60.8	69.8	33.1	5	1773
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	12.8	16.7	12.0	8.9	7.6	1.7	1.5	6.7	7.9	14.7	24.4	24.1	11.6	8	2309
09-11 LST														0	0
12-14 LST	18.2	6.9	8.6	0.0	4.4	3.3	0.8	1.7	2.5	0.8	10.5	18.9	6.4	5	1274
15-17 LST														0	0
18-20 LST	25.3	10.5	6.7	2.7	4.1	1.2	0.0	1.6	6.0	4.1	16.2	30.6	9.1	5	816
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	4.8	8.3	6.8	2.1	3.2	0.6	0.0	2.9	5.8	7.1	11.5	12.1	5.4	8	2309
09-11 LST														0	0
12-14 LST	7.1	0.0	4.3	0.0	1.1	3.3	0.0	0.8	0.8	0.0	2.4	4.7	2.0	5	1274
15-17 LST														0	0
18-20 LST	4.0	0.0	0.0	1.4	1.4	0.0	0.0	1.6	3.0	1.4	2.7	1.6	1.4	5	816
21-23 LST														0	0

MONTELMAR, FRANCE

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	27.5	23.8	27.9	27.8	29.2	29.6	30.5	29.0	27.9	26.7	23.3	24.3	327.5	8	2309
	12 LST	25.9	26.0	28.6	30.0	29.9	29.0	31.0	30.7	29.2	30.7	27.3	26.0	344.3	5	1274
	18 LST	23.9	25.5	29.6	29.5	30.1	30.0	31.0	30.4	28.6	30.1	25.5	22.0	336.2	5	816
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	00 LST														0	0
	06 LST	13.4	9.8	15.9	17.4	15.7	19.0	18.2	18.2	17.9	16.6	13.6	11.6	187.3	8	2303
	12 LST	5.9	4.5	10.3	9.4	9.7	11.4	10.5	13.0	12.5	14.0	11.3	11.1	123.6	5	1272
	18 LST	7.4	7.3	17.6	14.7	12.7	15.1	14.4	19.6	20.1	18.0	16.2	11.5	174.6	5	813
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST														0	0
	06 LST	10.9	10.6	7.7	7.7	8.6	6.6	6.7	5.2	6.0	6.9	6.1	9.2	92.2	8	2319
	12 LST	18.4	20.9	15.1	13.6	13.0	11.0	14.7	11.1	9.8	11.7	11.4	12.7	163.4	5	1280
	18 LST	15.9	17.8	8.2	8.6	10.3	9.3	11.0	7.2	3.1	9.6	5.2	11.8	118.0	5	820
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST														0	0
	06 LST	4.1	3.5	6.9	8.1	8.4	8.0	10.9	9.0	8.5	10.0	7.3	4.0	88.7	8	2307
	12 LST	4.1	3.2	5.6	5.6	6.6	8.1	6.1	8.7	9.0	7.4	6.7	5.2	76.3	5	1272
	18 LST	4.8	5.3	12.4	11.9	7.8	10.6	7.4	12.9	12.7	8.6	8.9	5.9	109.2	5	814
SKY COVER LES 3/10 AND VSPY = GTR 3 MI	00 LST														0	0
	06 LST	6.9	7.6	8.9	9.8	10.7	15.0	16.7	16.6	10.0	7.0	4.6	5.0	118.8	8	2309
	12 LST	8.0	10.7	9.7	6.9	7.7	10.1	17.1	15.8	12.7	9.0	6.5	6.0	120.2	5	1281
	18 LST	8.7	12.0	14.4	8.2	8.4	11.2	16.3	14.2	11.5	8.0	7.2	6.8	126.9	5	820
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	22.9	21.8	25.3	26.3	27.0	29.1	30.2	28.1	26.2	25.6	19.8	20.4	302.9	8	2309
	12 LST	22.8	25.4	26.3	29.0	26.9	28.3	30.4	29.9	29.0	29.0	25.1	23.3	327.4	5	1274
	18 LST	21.4	24.5	28.2	28.7	29.7	29.2	30.5	30.4	27.7	28.4	21.8	19.5	320.0	5	816
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	14.5	16.5	19.8	21.0	24.3	26.5	28.0	25.4	21.9	19.9	13.7	13.0	244.5	8	2309
	12 LST	18.7	21.8	20.0	21.1	24.4	22.1	26.4	26.8	26.3	22.2	18.1	18.1	268.0	5	1274
	18 LST	15.7	19.6	26.1	23.8	23.7	26.7	28.8	25.9	25.9	22.2	15.8	15.5	269.7	5	816
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	14.3	16.1	19.4	20.7	23.9	26.3	27.7	25.3	21.9	19.8	13.7	12.8	241.9	8	2309
	12 LST	17.5	21.8	19.3	20.5	24.4	21.8	28.2	26.3	26.0	21.7	17.1	17.2	261.8	5	1274
	18 LST	15.7	19.6	26.1	23.8	23.3	25.6	28.8	25.4	25.9	22.2	15.8	15.5	267.7	5	816

ORANGE-CARITAT, FRANCE

STA NO. 07579 (IN AREA NUMBER 04)

LATITUDE 4408N

LONGITUDE 00452E

ELEVATION(FT) 00197

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	58	72	78	85	97	97	104	105	96	82	79	66	105	20	-34
MEAN MAX TMP (F)	48	51	59	64	71	79	84	83	76	66	56	49	66	30	-140
MEAN MIN TMP (F)	34	35	40	45	51	57	62	61	56	49	41	36	47	30	-140
ABS MIN TMP (F)	18	6	23	27	37	39	47	47	37	27	17	14	6	20	-34
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0			6.8	5.7		0.0	0.0	0.0		30	-29
MEAN NO DYS TMP = OR LES 32(F)	13.4	11.1	2.8	0.2	0.0	0.0	0.0	0.0	0.0	0.3	4.3	9.2	41.3	20	-34
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		20	-29
MEAN DEW PT TMP (F)	35	35	40	44	53	58	60	61	57	51	42	36	48	0	-50
MEAN REL HUM (PCT)	80	74	71	69	73	70	69	72	76	83	80	82	75	12	-34
MEAN PRESS ALT (FT)	33	89	145	163	143	114	101	115	94	100	123	99	110	0	-50
MEAN PRECIP (IN)	1.50	1.73	2.52	2.44	2.87	2.28	1.54	3.07	3.47	4.72	3.50	2.32	32.0	40	-122
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0					20	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	4.9	5.6	6.7	6.6	7.0	6.2	4.5	7.6	8.0	9.2	8.0	7.1	81.4	40	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN					0.0	0.0	0.0	0.0						20	-29
MEAN NO DYS W/3CUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.2	0.6	0.8	2.4	2.7	2.4	1.9	1.4	1.2	0.6	0.5	14.7	19	-34
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	10.3	16.7	15.6	6.5	13.6	5.8	1.6	3.7	15.5	11.7	11.3	18.0	10.9	3	-14546
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	2.6	13.3	9.4	3.2	6.8	3.8	0.0	1.9	10.3	10.0	9.9	11.5	6.9	3	-14546
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

ORANGE-CANTAT, FRANCE

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	29.4	24.2	27.1	29.0	27.4	28.2	31.0	29.8	26.3	27.3	25.6	25.9	332.2	3	-14546
	12 LST														0	0
	18 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	00 LST														0	0
	06 LST	17.4	18.6	19.3	16.4	18.3	17.3	16.0	16.0	20.1	15.5	18.5	14.2	207.6	3	-14546
	12 LST														0	0
	18 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST														0	0
	06 LST	7.7	4.6	4.8	9.3	4.2	7.5	8.0	8.0	3.6	8.7	6.9	8.5	81.8	3	-14546
	12 LST														0	0
	18 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST														0	0
	06 LST	4.6	7.4	6.7	13.1	6.3	4.6	7.1	6.5	5.2	5.7	5.7	4.5	77.4	3	-14546
	12 LST														0	0
	18 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	9.3	6.5	6.7	14.0	11.9	16.1	20.3	21.2	9.3	11.8	9.8	9.5	146.4	3	-14546
	12 LST														0	0
	18 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	25.4	21.4	23.2	28.0	26.0	27.1	30.5	29.8	24.3	26.8	24.9	24.3	311.7	3	-14546
	12 LST														0	0
	18 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	21.4	16.8	19.3	26.1	23.9	26.5	29.5	29.8	21.7	23.2	22.3	21.3	281.8	3	-14546
	12 LST														0	0
	18 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	21.4	16.8	18.4	26.1	23.9	26.5	29.5	29.8	21.7	23.2	22.3	21.3	280.9	3	-14546
	12 LST														0	0
	18 LST														0	0

SETE, FRANCE

STA NO. 07641 (IN AREA NUMBER 04)

LATITUDE 4324N

LONGITUDE 00341E

ELEVATION(FT) 00312

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	60	65	70	84	89	98	96	95	92	82	70	61	98	3	661
MEAN MAX TMP (F)	51	54	58	64	69	77	82	81	75	68	59	52	66	30	-154
MEAN MIN TMP (F)	40	42	45	50	55	62	66	66	61	55	47	41	53	30	-154
ABS MIN TMP (F)	14	26	30	39	35	52	57	48	45	34	32	22	14	4	807
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0		4.7	3.8		0.0	0.0	0.0		30	-29
MEAN NO DYS TMP = DR LES 32(F)	11.7	3.8	2.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	4.9	23.3	4	807
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	807
MEAN DEW PT TMP (F)	33	36	42	46	52	55	53	59	58	51	42	36	47	3	15664
MEAN REL HUM (PCT)	76	75	77	73	74	71	67	73	76	76	77	78	74	10	-140
MEAN PRESS ALT (FT)														0	0
MEAN PRESS ALT (FT)														50	-149
MEAN PRECIP (IN)	2.13	1.61	2.68	2.32	2.01	1.10	0.67	1.38	2.95	3.90	3.19	3.35	27.3	2	358
MEAN SNOW FALL (IN)	5.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		50	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	6.6	5.3	6.8	6.4	6.0	3.3	2.0	4.1	7.3	8.5	7.6	9.0	72.9	2	358
MEAN NO DYS SNFL = DR GTR 1.5 IN	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			3	667
MEAN NO DYS W/O CUR VSBY LES 1/2 MI	2.5	0.5	1.1	1.5	2.0	0.0	1.0	0.5	1.5	2.0	1.5	1.0	15.1	10	-140
MEAN NO DYS TSTMS	0.4	0.1	1.0	1.0	2.0	2.0	2.0	3.0	2.0	1.0	0.3	1.0	15.8	3	15689
V FREQ WND SPD = DR GTR 17 KTS	14.8	36.2	22.9	19.1	11.9	17.0	26.3	15.7	17.7	17.4	9.1	35.5	20.3	3	15689
P FREQ WND SPD = DR GTR 28 KTS	3.5	14.4	4.5	5.0	0.8	4.3	4.4	2.2	4.9	4.2	1.9	12.8	5.2	0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	15.3	22.2	20.0	12.8	26.1	22.6	9.9	11.8	38.3	20.0	26.3	17.8	20.3	3	740
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	5.1	4.4	4.0	4.3	6.5	8.1	5.6	6.6	13.3	2.7	6.6	1.4	5.7	3	740
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

SETE, FRANCE

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	26.7	21.7	24.8	27.4	22.9	23.7	28.3	27.3	19.5	26.4	23.6	26.3	298.6	3	740
	12 LST														0	0
	18 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	00 LST														0	0
	06 LST	16.2	11.8	19.8	18.5	16.1	15.9	18.3	22.0	13.0	14.8	13.0	16.7	196.1	3	739
	12 LST														0	0
	18 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST														0	0
	06 LST	6.8	9.3	3.5	5.0	5.9	4.3	6.0	2.0	3.5	7.1	5.5	5.5	64.4	3	743
	12 LST														0	0
	18 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST														0	0
	06 LST	12.6	9.9	14.9	15.9	10.3	13.0	12.9	17.5	12.5	13.1	13.4	12.2	158.2	3	736
	12 LST														0	0
	18 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	13.6	9.9	10.7	16.2	13.8	14.2	18.0	19.1	8.3	11.5	9.8	13.1	158.2	3	745
	12 LST														0	0
	18 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	25.7	21.7	24.8	24.2	22.9	22.7	27.0	27.3	17.5	23.1	20.5	24.6	282.0	3	740
	12 LST														0	0
	18 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	25.7	21.7	24.8	23.6	22.9	22.7	27.0	27.3	17.5	22.7	20.1	24.6	280.6	3	740
	12 LST														0	0
	18 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	25.7	21.7	24.8	23.6	22.9	22.2	27.0	27.3	17.5	22.7	20.1	24.6	280.1	3	740
	12 LST														0	0
	18 LST														0	0

MONTPELLIER FREJORGUES, FRANCE

STA NO. 07643 (IN AREA NUMBER 04)

LATITUDE 4335N

LONGITUDE 0035E

ELEVATION(FT) 00016

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	76	76	80	90	93	107	103	107	96	86	76	68	107	30	-140
MEAN MAX TMP (F)	51	54	59	64	70	78	83	82	76	68	59	52	66	30	-140
MEAN MIN TMP (F)	34	35	41	46	51	57	61	61	57	49	42	36	48	30	-140
ABS MIN TMP (F)	12	5	21	32	36	45	50	49	39	32	24	14	5	30	-140
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0			5.7	4.7		0.0	0.0	0.0		30	-29
MEAN NO DYS TMP = OR LES 32(F)	11.7	3.8	2.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	4.9	23.3	4	-7641
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	30	-29
MEAN DEW PT TMP (F)	34	35	40	43	48	54	55	58	56	49	42	37	46	23	-29
MEAN REL HUM (PCT)	74	71	72	67	67	65	59	66	71	74	75	78	70	10	-140
MEAN PRESS ALT (FT)	-141	-86	-36	-13	-33	-53	-73	-59	-84	-78	-57	-79	-66	0	-50
MEAN PRECIP (IN)	2.21	1.18	2.84	2.21	1.85	1.30	0.79	1.58	3.94	3.74	2.76	3.54	27.9	30	-140
MEAN SNOW FALL (IN)	5.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			2	-7641
MEAN NO DYS PRCP = OR GTR 0.1 IN	6.8	3.9	6.9	6.3	5.7	3.8	2.3	4.6	8.6	8.3	7.0	9.2	73.4	30	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			2	-7641
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	2.5	0.5	1.1	1.5	2.0	0.0	1.0	0.5	1.5	2.0	1.5	1.0	15.1	3	-7641
MEAN NO DYS TSTMS	0.3	0.2	1.0	1.0	2.0	3.0	4.0	5.0	4.0	2.0	1.0	1.0	24.5	10	-140
P FREQ WND SPD = OR GTR 17 KTS	14.8	36.2	22.9	19.1	11.9	17.0	26.3	15.7	17.7	17.4	9.1	35.5	20.3	3	-7641
P FREQ WND SPD = OR GTR 28 KTS	3.5	14.4	4.5	5.0	0.8	4.3	4.4	2.2	4.9	4.2	1.9	12.8	5.2	3	-7641
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	15.3	22.2	20.0	12.8	26.1	22.6	9.9	11.8	38.3	20.0	26.3	17.8	20.3	3	-7641
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	5.1	4.4	4.0	4.3	6.5	8.1	5.6	6.6	13.3	2.7	6.6	1.4	5.7	3	-7641
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

MONTPELLIER FREJORGUES, FRANCE

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	26.7	21.7	24.8	27.4	22.9	23.7	28.3	27.3	19.5	26.4	23.6	26.3	298.6	3	-7641
	12 LST														0	0
	18 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	00 LST														0	0
	06 LST	16.2	11.8	19.8	18.5	16.1	15.9	18.3	22.0	13.0	14.8	13.0	16.7	196.1	3	-7641
	12 LST														0	0
	18 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST														0	0
	06 LST	6.8	9.3	3.5	5.0	5.9	4.3	6.0	2.0	3.5	7.1	5.5	5.5	64.4	3	-7641
	12 LST														0	0
	18 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST														0	0
	06 LST	12.6	9.9	14.9	15.9	10.3	13.0	12.9	17.5	12.5	13.1	13.4	12.2	158.2	3	-7641
	12 LST														0	0
	18 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	13.6	9.9	10.7	16.2	13.8	14.2	18.0	19.1	8.3	11.5	9.8	13.1	158.2	3	-7641
	12 LST														0	0
	18 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	25.7	21.7	24.8	24.2	22.9	22.7	27.0	27.3	17.5	23.1	20.5	24.6	282.0	3	-7641
	12 LST														0	0
	18 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	25.7	21.7	24.8	23.6	22.9	22.7	27.0	27.3	17.5	22.7	20.1	24.6	280.6	3	-7641
	12 LST														0	0
	18 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	25.7	21.7	24.8	23.6	22.9	22.2	27.0	27.3	17.5	22.7	20.1	24.6	280.1	3	-7641
	12 LST														0	0
	18 LST														0	0

NIMES, FRANCE

STA NO. 07645 (IN AREA NUMBER 04)

LATITUDE 4351N

LONGITUDE 00424E

ELEVATION(FT) 00200

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	67	75	77	82	93	107	99	107	94	84	77	68	107	16	-34
MEAN MAX TMP (F)	51	53	59	64	72	80	86	85	78	68	58	51	67	16	-34
MEAN MIN TMP (F)	36	37	41	46	52	58	63	63	58	50	43	38	49	16	-34
ABS MIN TMP (F)	19	9	21	28	36	42	51	49	43	30	23	19	9	16	-34
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0			5.4	8.1		0.0	0.0	0.0		16	-29
MEAN NO DYS TMP = DR LES 32(F)					0.0	0.0	0.0	0.0	0.0	0.0				16	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16	-29
MEAN DEW PT TMP (F)	36	37	41	44	51	58	61	61	58	52	44	38	48	17	-29
MEAN REL HUM (PCT)	76	75	73	70	71	70	66	67	72	80	79	79	73	18	-34
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	1.50	1.54	2.44	2.17	2.72	1.93	0.98	2.17	2.56	4.17	2.99	2.05	27.2	40	-122
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0	0.0				16	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	4.9	5.1	6.6	6.2	6.9	5.4	2.9	5.9	6.7	8.8	7.4	6.4	73.2	40	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0	0.0				16	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.1	0.1	0.8	2.1	3.4	3.6	3.4	3.9	3.4	1.5	1.7	0.5	24.5	16	-34
P FREQ WND SPD = DR GTR 17 KTS	8.1	8.0	8.9	11.7	6.5	6.7	2.4	2.4	0.0	11.3	3.3	5.6	6.2	1	1460
P FREQ WND SPD = DR GTR 28 KTS	0.8	0.9	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	1	1460
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	16.3	19.0	10.9	7.7	12.8	6.6	4.6	8.8	20.0	17.1	24.7	8.6	13.1	3	692
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	2.0	2.4	0.0	5.1	4.3	1.6	1.5	1.5	8.6	1.4	2.6	1.7	2.7	3	692
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

NIMES, FRANCE

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	27.2	24.0	29.6	28.4	27.7	28.0	30.0	28.7	25.2	27.4	24.1	29.9	330.2	3	692
	12 LST														0	0
	18 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	00 LST														0	0
	06 LST	18.9	18.6	21.5	19.2	24.4	22.1	23.8	23.7	20.8	19.9	19.0	21.9	253.8	3	691
	12 LST														0	0
	18 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST														0	0
	06 LST	3.7	2.6	4.7	6.5	1.3	2.9	2.3	1.3	0.8	2.1	1.9	2.6	32.7	3	694
	12 LST														0	0
	18 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST														0	0
	06 LST	6.3	6.6	6.8	10.2	11.2	10.1	14.0	11.3	7.5	8.7	7.8	5.5	106.0	3	685
	12 LST														0	0
	18 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	10.1	7.3	8.2	13.0	12.5	12.7	18.7	19.6	10.2	12.0	9.7	9.6	143.6	3	694
	12 LST														0	0
	18 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	23.4	20.6	24.9	26.9	25.0	28.0	28.6	27.3	21.8	23.4	20.6	26.1	296.6	3	692
	12 LST														0	0
	18 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	20.2	15.3	22.2	23.8	21.7	27.0	26.2	26.4	19.2	19.9	16.7	21.3	259.9	3	692
	12 LST														0	0
	18 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	20.2	15.3	22.2	23.8	21.7	27.0	26.2	26.4	19.2	19.9	16.7	21.3	259.9	3	692
	12 LST														0	0
	18 LST														0	0

NIMES-GARONS, FRANCE

STA NO. 07646 (IN AREA NUMBER 04)

LATITUDE 4346N

LONGITUDE 00425E

ELEVATION(FT) 00308

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	67	75	77	82	93	107	99	107	94	84	77	68	107	16	-7645
MEAN MAX TMP (F)	51	53	59	64	72	80	83	85	78	68	58	51	67	16	-7645
MEAN MIN TMP (F)	36	37	41	46	52	58	63	63	58	50	43	38	49	16	-7645
ABS MIN TMP (F)	19	9	21	28	36	42	51	49	43	30	23	19	9	16	-7645
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0			9.4	8.1		0.0	0.0	0.0		16	-29
MEAN NO DYS TMP = DR LES 32(F)					0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16	-29
MEAN DEW PT TMP (F)	30	32	36	39	45	50	50	52	53	47	41	34	42	0	-90
MEAN REL HUM (PCT)	78	75	73	70	71	70	66	67	72	80	79	79	73	18	-7645
MEAN PRESS ALT (FT)	148	203	255	276	256	227	215	230	206	212	234	211	223	0	-90
MEAN PRECIP (IN)	1.50	1.54	2.44	2.17	2.72	1.93	0.98	2.17	2.56	4.17	2.99	2.05	27.2	40	-7645
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0	0.0	0.0			16	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	4.9	5.1	6.6	6.2	6.9	5.4	2.9	5.9	6.7	8.8	7.4	6.4	73.2	40	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0	0.0				16	-29
MEAN NO DYS W/O CUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.1	0.1	0.8	2.1	3.4	3.6	3.4	3.9	3.4	1.5	1.7	0.5	24.5	16	-7645
P FREQ WND SPD = DR GTR 17 KTS	8.1	8.0	8.9	11.7	6.5	6.7	2.4	2.4	0.0	11.3	3.3	5.6	6.2	1	-7645
P FREQ WND SPD = DR GTR 28 KTS	0.8	0.9	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	1	-7645
P FREQ LES 5000 FT A/Q LES 5 MI														0	0
P FREQ LES 1500 FT A/Q LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	16.3	19.0	10.9	7.7	12.8	6.6	4.6	8.8	20.0	17.1	24.7	8.6	13.1	3	-7645
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/Q LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	2.0	2.4	0.0	5.1	4.3	1.6	1.5	1.5	8.6	1.4	2.6	1.7	2.7	3	-7645
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

NIMES-GARONS, FRANCE

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. DRS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	27.2	24.0	29.6	28.4	27.7	28.0	30.0	28.7	25.2	27.4	24.1	29.9	330.2	3	-7645
	12 LST														0	0
	18 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	00 LST														0	0
	06 LST	18.9	18.6	21.5	19.2	24.4	22.1	23.8	23.7	20.8	19.9	19.0	21.9	253.8	3	-7645
	12 LST														0	0
	18 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST														0	0
	06 LST	3.7	2.6	4.7	6.5	1.3	2.9	2.3	1.3	0.8	2.1	1.9	2.6	32.7	3	-7645
	12 LST														0	0
	18 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST														0	0
	06 LST	6.3	6.6	6.8	10.2	11.2	10.1	14.0	11.3	7.5	8.7	7.8	5.5	106.0	3	-7645
	12 LST														0	0
	18 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	10.1	7.3	8.2	13.0	12.5	12.7	18.7	19.6	10.2	12.0	9.7	9.6	143.6	3	-7645
	12 LST														0	0
	18 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	23.4	20.6	24.9	26.9	25.0	28.0	28.6	27.3	21.8	23.4	20.6	26.1	296.6	3	-7645
	12 LST														0	0
	18 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	20.2	15.3	22.2	23.8	21.7	27.0	26.2	26.4	19.2	19.9	16.7	21.3	259.9	3	-7645
	12 LST														0	0
	18 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	20.2	15.3	22.2	23.8	21.7	27.0	26.2	26.4	19.2	19.9	16.7	21.3	259.9	3	-7645
	12 LST														0	0
	18 LST														0	0

ISTRES-LE TUBE, FRANCE

STA NU. 07647 (IN AREA NUMBER 04)

LATITUDE 4331N

LONGITUDE 00455E

ELEVATION(FT) 00076

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	66	70	75	84	90	104	97	103	93	82	70	67	104	15	-534
MEAN MAX TMP (F)	50	52	58	63	71	78	83	82	77	67	58	51	66	15	-34
MEAN MIN TMP (F)	19	37	42	48	53	59	64	63	60	51	44	39	50	15	-34
ABS MIN TMP (F)	14	9	26	30	35	44	46	50	42	24	19	19	9	15	-534
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0		5.7	4.7		0.0	0.0	0.0		15	-29
MEAN NO DYS TMP = DR LES 32(F)	11.7	3.8	2.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.0	25.1	3	661
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	661
MEAN DEN PT TMP (F)	33	36	42	46	52	55	58	59	58	51	42	36	47	3	15664
MEAN REL HUM (PCT)	70	66	66	63	64	63	60	60	66	69	72	73	66	10	-140
MEAN PRESS ALT (FT)	-86	-30	21	43	24	-4	-18	-2	-25	-19	1	-23	-9	0	-50
MEAN PRECIP (IN)	1.22	1.34	1.77	1.61	1.58	1.06	0.75	1.18	2.01	3.15	2.48	1.73	19.9	40	-122
MEAN SNOW FALL (IN)	5.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			2	358
MEAN NO DYS PRCP = DR GTR 0.1 IN	4.0	4.4	5.5	5.2	5.1	3.2	2.2	3.5	5.7	7.6	6.5	5.6	58.5	40	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			2	358
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	2.5	0.5	1.1	1.5	2.0	0.0	1.0	0.5	1.5	2.0	1.5	1.0	15.1	3	667
MEAN NO DYS TSTMS	1.0	1.0	1.0	1.0	2.0	2.0	1.0	3.0	3.0	2.0	1.0	1.0	19.0	10	-140
P FREQ WND SPD = DR GTR 17 KTS	14.8	36.2	22.4	19.1	11.9	17.0	26.3	15.7	17.7	17.4	9.1	35.5	20.3	3	15649
P FREQ WND SPD = DR GTR 28 KTS	3.5	14.4	4.5	5.0	0.8	4.3	4.4	2.2	4.9	4.2	1.9	12.8	5.2	3	15689
P FREQ LES 5000 FT A/D LES 5 MI	27.6	23.9	31.2	18.4	17.2	4.4	3.4	12.2	10.5	25.3	28.9	20.1	18.6	3	16394
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	7.1	1.8	4.0	5.3	1.6	0.6	1.6	2.2	8.3	9.1	2.8	2.2	3.9	3	1988
03-05 LST	5.5	1.2	3.5	19.3	6.8	0.0	3.2	2.8	8.9	7.0	3.9	2.2	5.0	3	2080
06-08 LST	6.0	4.2	13.1	11.0	2.6	0.4	0.5	0.5	3.4	8.1	9.1	5.4	5.4	3	2157
09-11 LST	6.0	4.2	10.4	2.8	2.6	0.6	1.1	1.1	1.7	4.8	4.6	3.2	3.6	3	2159
12-14 LST	5.5	5.5	5.5	1.6	3.6	0.0	1.1	1.1	0.6	6.0	2.9	0.0	2.8	3	2153
15-17 LST	8.2	3.7	2.8	1.9	1.6	0.0	1.6	0.0	0.6	3.2	1.7	5.4	2.6	3	2109
18-20 LST	8.7	0.6	0.8	1.0	2.2	0.0	1.6	0.5	0.0	2.7	2.8	4.3	2.1	3	1935
21-23 LST	11.0	0.6	6.5	0.0	0.0	0.0	0.5	1.7	0.6	5.9	2.2	6.5	3.0	3	1891
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.9	1.1	0.0	0.0	1.6	1.1	4.3	1.7	1.1	1.0	3	1988
03-05 LST	1.6	0.0	0.0	3.3	2.1	0.0	2.7	0.6	3.9	2.7	1.7	0.0	1.6	3	2080
06-08 LST	2.7	1.2	1.1	0.4	0.0	0.0	0.0	0.0	0.6	2.7	2.9	0.0	1.0	3	2157
09-11 LST	1.6	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.6	1.1	0.0	0.0	0.3	3	2159
12-14 LST	2.2	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.2	3	2153
15-17 LST	3.3	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	3	2109
18-20 LST	3.3	0.0	0.0	0.0	1.6	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.5	3	1935
21-23 LST	3.8	0.0	1.9	0.0	0.0	0.0	0.0	1.7	0.0	1.1	1.7	0.0	0.9	3	1891

ISTRES-LE TUBE, FRANCE

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST	29.0	28.0	31.0	27.9	31.0	30.0	30.5	30.5	28.5	28.5	29.0	31.0	354.9	3	673
	06 LST	30.0	27.5	28.0	25.4	30.5	30.0	30.5	30.5	29.0	29.5	27.5	30.0	348.4	3	723
	12 LST	30.0	27.5	30.0	29.3	30.5	30.0	30.5	30.0	29.5	30.5	30.0	31.0	358.8	3	721
	18 LST	29.0	27.5	30.5	30.0	30.5	30.0	30.5	30.5	30.0	30.5	30.0	30.0	359.0	3	708
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	00 LST	18.2	9.5	13.4	20.7	23.3	18.0	19.5	17.3	18.0	16.5	21.6	11.0	207.0	3	673
	06 LST	15.2	8.1	14.7	19.4	20.5	19.0	18.0	19.5	18.0	14.5	18.5	12.0	197.4	3	711
	12 LST	12.7	3.6	9.7	8.8	7.3	7.0	6.1	8.0	11.0	10.0	15.8	9.0	109.0	3	718
	18 LST	17.8	7.6	17.1	10.3	13.8	9.0	7.1	10.0	17.5	16.5	18.0	10.0	154.7	3	705
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST	3.0	8.0	4.9	3.6	1.0	3.5	4.5	3.0	3.5	2.5	1.5	7.0	46.0	3	673
	06 LST	4.1	7.1	3.6	2.2	1.9	5.0	8.0	3.5	2.5	4.0	1.5	8.0	51.4	3	721
	12 LST	4.6	13.2	12.2	7.7	6.3	7.0	11.2	7.0	9.5	7.0	6.5	17.0	109.2	3	719
	18 LST	3.6	11.2	5.7	7.7	2.5	4.5	11.2	4.0	5.5	5.0	2.0	12.0	74.9	3	705
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST	16.7	9.5	11.5	15.0	16.5	13.5	14.0	10.2	13.0	15.5	16.7	9.0	161.1	3	673
	06 LST	13.7	7.1	11.7	14.3	14.3	14.5	12.0	17.5	17.0	16.0	18.5	9.0	167.6	3	721
	12 LST	11.2	6.6	12.7	11.0	6.3	5.5	4.6	8.0	12.5	13.5	13.5	6.0	111.4	3	719
	18 LST	15.2	6.1	15.5	12.9	14.8	11.5	10.2	12.5	17.5	14.5	14.0	11.0	155.7	3	705
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST	16.2	16.0	12.2	25.0	16.0	20.0	25.0	16.0	21.0	18.0	15.5			2	417
	06 LST	13.7	13.8	4.1	9.0	5.5	9.0	20.0	16.0	13.0	8.0	10.0			2	454
	12 LST	9.1	8.7	2.0	11.5	1.8	9.0	19.0	13.0	14.0	9.0	7.0			2	454
	18 LST	11.2	10.2	3.6	11.5	2.8	9.0	14.0	10.0	11.0	13.0	7.0			2	452
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST	28.0	24.0	27.4	27.9	30.0	29.5	30.5	30.0	27.5	27.0	28.5	30.0	341.3	3	673
	06 LST	26.9	27.0	23.9	23.9	29.1	30.0	29.0	30.0	28.5	26.0	26.5	30.0	330.8	3	723
	12 LST	30.0	24.4	26.4	27.9	28.6	29.0	30.5	30.0	29.0	29.0	27.5	31.0	343.3	3	721
	18 LST	26.9	24.9	27.4	29.2	30.0	30.0	30.5	30.5	30.0	28.0	29.0	29.0	345.4	3	708
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST	23.1	20.0	21.3	25.0	25.7	29.0	30.0	25.4	27.5	24.5	22.1	22.0	295.6	3	673
	06 LST	22.4	21.4	17.3	20.4	24.8	28.5	28.0	26.5	26.5	22.5	19.0	25.0	282.3	3	723
	12 LST	24.9	21.4	20.8	25.4	24.3	26.5	30.0	27.0	27.5	21.0	22.9	26.0	297.7	3	721
	18 LST	20.8	21.4	21.7	25.4	24.7	29.0	30.0	27.0	29.5	23.5	21.5	26.0	300.5	3	708
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST	20.7	20.0	18.2	24.3	23.3	28.5	28.5	24.4	27.0	24.0	20.7	20.0	279.6	3	673
	06 LST	19.8	20.9	13.2	19.3	21.0	26.5	27.5	26.0	25.5	20.5	17.5	21.0	258.7	3	723
	12 LST	20.8	20.4	15.8	23.9	19.6	25.0	29.0	25.5	26.0	20.5	18.8	25.0	270.3	3	721
	18 LST	17.8	18.8	18.6	24.6	19.9	27.5	29.5	23.0	29.0	21.5	19.5	23.0	272.7	3	708

SALON, FRANCE

STA NO. 07648 (IN AREA NUMBER 04) LATITUDE 4336N LONGITUDE 00506E ELEVATION(FT) 00114

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	66	70	75	84	90	104	97	103	93	82	70	67	104	15	-7647
MEAN MAX TMP (F)	50	53	59	64	71	78	83	82	77	67	58	51	66	30	-140
MEAN MIN TMP (F)	34	35	40	44	51	58	62	62	57	49	42	37	48	30	-140
ABS MIN TMP (F)	14	9	26	30	35	44	48	50	42	24	19	19	9	15	-7647
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0		5.7	4.7		0.0	0.0	0.0		30	-29
MEAN NO DYS TMP = DR LES 32(F)	11.7	3.8	2.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.0	25.1	3	-7647
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	-7647
MEAN DEW PT TMP (F)	31	33	39	42	51	53	53	58	59	51	44	37	46	0	-50
MEAN REL HUM (PCT)	74	69	67	65	65	64	61	64	69	72	74	76	68	10	-140
MEAN PRESS ALT (FT)	30	86	139	160	141	112	97	114	92	98	118	94	107	0	-50
MEAN PRECIP (IN)	1.69	1.38	1.81	1.69	2.01	1.22	0.63	1.50	2.76	3.07	3.03	2.68	23.5	30	-149
MEAN SNOW FALL (IN)	5.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			2	-7647
MEAN NO DYS PRCP = DR GTR 0.1 IN	4.5	4.6	5.6	5.4	6.0	3.6	1.8	4.4	7.0	7.5	7.4	7.8	66.6	30	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			2	-7647
MEAN NO DYS W/O CUR VSBY LES 1/2 MI	2.5	0.5	1.1	1.5	2.0	0.0	1.0	0.5	1.5	2.0	1.5	1.0	15.1	3	-7647
MEAN NO DYS TSTMS	0.2	1.0	1.0	1.0	2.0	2.0	1.0	3.0	3.0	2.0	0.4	1.0	17.6	10	-140
P FREQ WND SPD = DR GTR 17 KTS	14.8	36.2	22.9	19.1	11.9	17.0	26.3	15.7	17.7	17.4	9.1	35.5	20.3	3	-7647
P FREQ WND SPD = DR GTR 20 KTS	3.5	14.4	4.5	5.0	0.8	4.3	4.4	2.2	4.9	4.2	1.9	12.8	5.2	3	-7647
P FREQ LES 5000 FT A/D LES 5 MI	27.6	23.9	31.2	18.4	17.2	4.4	3.4	12.2	10.5	25.3	28.9	20.1	18.6	3	-7647
P FREQ LES 1500 FT A/D LES 3 MI															
FDR 00-02 LST	7.1	1.8	4.0	5.3	1.6	0.6	1.6	2.2	8.3	9.1	2.8	2.2	3.9	3	-7647
03-05 LST	5.5	1.2	3.5	15.3	6.8	0.0	3.2	2.8	8.9	7.0	3.9	2.2	5.0	3	-7647
06-08 LST	6.0	4.2	13.1	11.0	2.6	0.6	0.5	0.5	3.4	8.1	9.1	5.4	5.4	3	-7647
09-11 LST	6.0	4.2	10.4	2.8	2.6	0.6	1.1	1.1	1.7	4.8	4.6	3.2	3.6	3	-7647
12-14 LST	5.5	5.5	5.5	1.6	3.6	0.0	1.1	1.1	0.6	6.0	2.9	0.0	2.8	3	-7647
15-17 LST	8.2	3.7	2.8	1.9	1.6	0.0	1.6	0.0	0.6	3.2	1.7	5.4	2.6	3	-7647
18-20 LST	8.7	0.6	0.8	1.0	2.2	0.0	1.6	0.5	0.0	2.7	2.8	4.3	2.1	3	-7647
21-23 LST	11.0	0.6	6.5	0.0	0.0	0.0	0.5	1.7	0.6	5.9	2.2	6.5	3.0	3	-7647
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	0.0	0.0	0.0	0.9	1.1	0.0	0.0	1.6	1.1	4.3	1.7	1.1	1.0	3	-7647
03-05 LST	1.6	0.0	0.0	3.3	2.1	0.0	2.7	0.6	3.9	2.7	1.7	0.0	1.6	3	-7647
06-08 LST	2.7	1.2	1.1	0.4	0.0	0.0	0.0	0.0	0.6	2.7	2.9	0.0	1.0	3	-7647
09-11 LST	1.6	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.6	1.1	0.0	0.0	0.3	3	-7647
12-14 LST	2.2	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.2	3	-7647
15-17 LST	3.3	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	3	-7647
18-20 LST	3.3	0.0	0.0	0.0	1.6	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.5	3	-7647
21-23 LST	3.8	0.0	1.9	0.0	0.0	0.0	0.0	1.7	0.0	1.1	1.7	0.0	0.9	3	-7647

SALON, FRANCE
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST	29.0	28.0	31.0	27.9	31.0	30.0	30.5	30.5	28.5	28.5	29.0	31.0	354.9	3	-7647
	06 LST	30.0	27.5	28.0	25.4	30.5	30.0	30.5	30.5	29.0	29.5	27.5	30.0	348.4	3	-7647
	12 LST	30.0	27.5	30.0	29.3	30.5	30.0	30.5	30.0	29.5	30.5	30.0	31.0	358.8	3	-7647
	18 LST	29.0	27.5	30.5	30.0	30.5	30.0	30.5	30.5	30.0	30.5	30.0	30.0	359.0	3	-7647
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	00 LST	16.2	9.5	13.4	20.7	23.3	18.0	19.5	17.3	18.0	16.5	21.6	11.0	207.0	3	-7647
	06 LST	15.2	8.1	14.7	19.4	20.5	19.0	18.0	19.5	18.0	14.5	18.5	12.0	197.4	3	-7647
	12 LST	12.7	3.6	9.7	8.8	7.3	7.0	6.1	8.0	11.0	10.0	15.8	9.0	109.0	3	-7647
	18 LST	17.8	7.6	17.1	10.3	13.8	9.0	7.1	10.0	17.5	16.5	18.0	10.0	154.7	3	-7647
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST	3.0	8.0	4.9	3.6	1.0	3.5	4.5	3.0	3.5	2.5	1.5	7.0	46.0	3	-7647
	06 LST	4.1	7.1	3.6	2.2	1.9	5.0	8.0	3.5	2.5	4.0	1.5	8.0	51.4	3	-7647
	12 LST	4.6	13.2	12.2	7.7	6.3	7.0	11.2	7.0	9.5	7.0	6.5	17.0	109.2	3	-7647
	18 LST	3.6	11.2	5.7	7.7	2.5	4.5	11.2	4.0	5.5	5.0	2.0	12.0	74.9	3	-7647
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST	16.7	9.5	11.5	15.0	16.5	13.5	14.0	10.2	13.0	15.5	16.7	9.0	161.1	3	-7647
	06 LST	13.7	7.1	11.7	14.3	14.3	14.5	12.0	17.5	17.0	18.0	18.5	9.0	167.6	3	-7647
	12 LST	11.2	6.6	12.7	11.0	6.3	5.5	4.6	8.0	12.5	13.5	13.5	6.0	111.4	3	-7647
	18 LST	15.2	6.1	15.5	12.9	14.8	11.5	10.2	12.5	17.5	14.5	14.0	11.0	155.7	3	-7647
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST	16.2	16.0	12.2	25.0	16.0	20.0	25.0	16.0	21.0	18.0	15.5			2	-7647
	06 LST	13.7	15.8	4.1	9.0	5.5	9.0	20.0	16.0	13.0	8.0	10.0			2	-7647
	12 LST	9.1	8.7	2.0	11.5	1.8	9.0	19.0	13.0	14.0	9.0	7.0			2	-7647
	18 LST	11.2	10.2	3.6	11.5	2.8	9.0	14.0	10.0	11.0	13.0	7.0			2	-7647
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST	28.0	24.0	27.4	27.9	30.0	29.5	30.5	30.0	28.5	27.0	29.5	30.0	341.3	3	-7647
	06 LST	26.9	27.0	23.9	23.9	29.1	30.0	29.0	30.0	28.5	26.0	26.5	30.0	330.8	3	-7647
	12 LST	30.0	24.4	26.4	27.9	28.6	29.0	30.5	30.0	29.0	29.0	27.5	31.0	343.3	3	-7647
	18 LST	26.9	24.9	27.4	29.2	30.0	30.0	30.5	30.5	30.0	28.0	29.0	29.0	345.4	3	-7647
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST	23.1	20.0	21.3	25.0	25.7	29.0	30.0	25.4	27.5	24.5	22.1	22.0	295.6	3	-7647
	06 LST	22.4	21.4	17.3	20.4	24.8	28.5	28.0	26.5	26.5	27.5	19.0	25.0	282.3	3	-7647
	12 LST	24.9	21.4	20.8	25.4	24.3	26.5	30.0	27.0	27.5	21.0	22.9	26.0	297.7	3	-7647
	18 LST	20.8	21.4	21.7	25.4	24.7	29.0	30.0	27.0	29.5	23.5	21.5	26.0	300.5	3	-7647
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST	20.7	20.0	18.2	24.3	23.3	28.5	28.5	24.4	27.0	24.0	20.7	20.0	279.6	3	-7647
	06 LST	19.8	20.9	13.2	19.3	21.0	26.5	27.5	26.0	25.5	20.5	17.5	21.0	258.7	3	-7647
	12 LST	20.8	20.4	15.8	23.9	19.6	25.0	29.0	25.5	26.0	20.5	18.8	25.0	270.3	3	-7647
	18 LST	17.8	18.8	18.6	24.6	19.9	27.5	29.5	23.0	29.0	21.5	19.5	23.0	272.7	3	-7647

MARSEILLE/MARIGNANE, FRANCE

STA NO. 07650 (IN AREA NUMBER 04)

LATITUDE 4326N

LONGITUDE 00513E

ELEVATION(FT) 00039

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	68	71	75	83	91	99	102	98	94	86	73	68	102	30	-140
MEAN MAX TMP (F)	50	53	59	64	71	79	84	83	77	68	58	52	67	30	-140
MEAN MIN TMP (F)	35	36	41	46	52	58	63	63	58	51	43	37	49	30	-140
ABS MIN TMP (F)	13	2	14	28	32	42	46	47	34	28	22	9	2	30	-140
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0			6.8	5.7		0.0	0.0	0.0		30	-29
MEAN NO DYS TMP = DR LES 32(F)	23.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.0	31.0	2	343
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	30	-29
MEAN DEW PT TMP (F)	32	36	40	44	49	55	58	58	56	49	42	37	46	12	22384
MEAN REL HUM (PCT)	74	74	69	66	64	63	58	63	68	73	75	76	69	12	22386
MEAN PRESS ALT (FT)	-98	-42	10	32	14	-14	-30	-13	-35	-29	-9	-34	-20	30	-50
MEAN PRECIP (IN)	1.69	1.26	1.69	1.65	1.81	0.95	0.43	1.34	2.36	2.99	2.72	2.60	21.5	30	-140
MEAN SNOW FAL (IN)					0.0	0.0	0.0	0.0	0.0					30	-29
MEAN NO DYS FRCP = DR GTR 0.1 IN	5.5	4.2	5.4	5.3	5.6	2.8	1.2	4.0	6.3	7.4	6.9	7.7	62.3	30	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0						30	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	1.2	1.2	0.4	0.1	0.1	0.0	0.1	0.1	0.2	0.4	1.1	1.0	6.1	12	3966
MEAN NO DYS TSTMS	0.4	0.6	0.4	0.7	1.4	1.8	1.1	2.3	2.1	1.9	0.7	1.3	14.7	12	3963
P FREQ WND SPD = DR GTR 17 KTS	12.4	12.7	18.1	17.7	14.7	16.0	13.4	10.7	11.9	7.9	12.7	11.8	13.3	12	22806
P FREQ WND SPD = DR GTR 28 KTS	1.8	2.5	2.7	4.2	2.0	1.0	1.0	0.5	0.5	0.9	1.3	1.4	1.7	12	22806
P FREQ LES 5000 FT A/D LES 5 MI	36.6	45.0	21.0	22.9	17.5		2.2	6.9	6.8	22.7	14.9	35.8		2	8287
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	0.0	8.3	0.0	11.1	0.0		0.0	0.0	2.2	3.0	2.2	3.2		2	1040
03-05 LST	5.4	14.3	7.5	14.4	7.4		1.3	1.1	3.3	4.2	2.2	2.2		2	1040
06-08 LST	18.3	44.0	16.1	15.6	4.5		1.3	1.1	3.3	10.7	2.2	12.9		2	1038
09-11 LST	10.8	32.1	4.3	3.3	2.9		0.0	0.0	0.0	6.6	2.2	6.5		2	1038
12-14 LST	4.3	1.2	2.2	0.0	2.9		0.0	1.1	0.0	6.7	1.1	8.6		2	1038
15-17 LST	3.2	0.0	3.2	1.1	5.8		1.3	2.2	0.0	6.1	3.3	4.3		2	1037
18-20 LST	3.2	0.0	2.2	7.8	1.4		0.0	1.1	0.0	4.8	2.2	2.2		2	1036
21-23 LST	2.2	0.0	2.2	10.0	4.3		0.0	0.0	1.1	3.0	1.1	2.2		2	1037
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.0	6.0	0.0	3.3	0.0		0.0	0.0	0.0	0.0	0.0	0.0		2	1040
03-05 LST	0.0	3.6	0.0	4.4	1.5		0.0	0.0	3.3	0.0	0.0	0.0		2	1040
06-08 LST	4.3	17.9	0.0	1.1	0.0		0.0	0.0	3.3	0.6	0.0	0.0		2	1038
09-11 LST	1.1	1.2	0.0	0.0	0.0		0.0	0.0	0.0	0.6	0.0	0.0		2	1038
12-14 LST	0.0	0.0	0.0	0.0	0.0		0.0	0.0	0.0	0.0	0.0	0.0		2	1038
15-17 LST	0.0	0.0	0.0	0.0	0.0		0.0	0.0	0.0	0.0	0.0	0.0		2	1037
18-20 LST	0.0	0.0	0.0	0.0	0.0		0.0	0.0	0.0	0.6	1.1	0.0		2	1036
21-23 LST	0.0	0.0	0.0	0.0	0.0		0.0	0.0	0.0	0.0	1.1	0.0		2	1037

MARSEILLE/MARIGNANE, FRANCE

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST	31.0	27.0	31.0	28.0	31.0	30.0	31.0	31.0	30.0	31.0	30.0	30.0	361.0	2	348
	06 LST	25.0	15.0	26.0	25.0	31.0		29.8	31.0	29.0	28.7	30.0	27.0		2	347
	12 LST	30.0	27.0	31.0	30.0	31.0		31.0	31.0	30.0	30.4	30.0	30.0		2	347
	18 LST	31.0	28.0	31.0	28.0	31.0		31.0	31.0	30.0	30.4	30.0	31.0		2	346
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	00 LST	23.0	26.0	22.0	20.0	26.9	30.0	28.6	26.0	24.0	27.1	24.0	27.0	304.6	2	348
	06 LST	17.0	13.0	15.0	18.0	21.5		26.2	24.0	21.0	22.6	20.0	20.0		2	347
	12 LST	17.0	19.0	11.0	14.0	6.7		4.7	6.0	10.0	18.2	15.0	17.0		2	347
	18 LST	21.0	24.0	20.0	20.0	16.8		21.4	22.0	20.0	23.1	22.0	25.0		2	346
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST	1.0	0.0	4.0	1.0	1.3	0.0	0.0	2.0	2.0	0.0	1.0	0.0	12.3	2	348
	06 LST	2.0	0.0	6.0	3.0	1.3		0.0	1.0	1.0	0.0	2.0	0.0		2	347
	12 LST	3.0	2.0	7.0	6.0	2.6		3.5	4.0	4.0	1.6	3.0	2.0		2	347
	18 LST	0.0	0.0	6.0	4.0	0.0		1.1	1.0	3.0	1.1	1.0	1.0		2	346
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST	4.0	7.0	11.0	8.0	8.0	0.0	6.2	14.0	10.0	11.0	12.0	8.0	99.2	2	347
	06 LST	4.0	5.0	11.0	9.0	6.7		11.9	8.0	8.0	7.7	9.0	6.0		2	347
	12 LST	10.0	14.0	10.0	13.4	13.4		3.5	13.0	14.0	18.8	18.0	16.0		2	346
	18 LST	11.0	6.0	12.0	18.0	17.5		21.0	19.0	7.0	9.5	12.0	8.0		2	345
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST														0	0
	12 LST														0	0
	18 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST	28.0	26.0	27.0	24.0	31.0	30.0	31.0	31.0	28.0	28.7	27.0	27.0	338.7	2	348
	06 LST	21.0	14.0	21.0	23.0	26.9		29.8	30.0	29.0	24.9	23.0	22.0		2	347
	12 LST	26.0	26.0	30.0	29.0	28.3		31.0	30.0	30.0	25.5	29.0	27.0		2	347
	18 LST	28.0	26.0	29.0	27.0	29.6		31.0	31.0	30.0	27.6	29.0	25.0		2	346
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST	24.0	21.0	22.0	22.0	25.6	30.0	31.0	27.0	26.0	26.0	24.0	24.0	302.6	2	348
	06 LST	16.0	13.0	19.0	22.0	24.2		29.8	29.0	26.0	20.4	23.0	18.0		2	347
	12 LST	19.0	22.0	27.0	26.0	22.9		31.0	28.0	28.0	23.2	26.0	24.0		2	347
	18 LST	23.0	22.0	27.0	22.0	26.9		29.8	28.0	30.0	24.2	26.0	18.0		2	346
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST	23.0	21.0	17.0	21.0	25.6	30.0	29.8	26.0	26.0	26.0	22.0	22.0	289.4	2	348
	06 LST	13.0	10.0	15.0	17.0	24.2		28.6	26.0	26.0	19.3	20.0	17.0		2	347
	12 LST	16.0	20.0	25.0	24.0	22.9		31.0	28.0	27.0	21.5	25.0	23.0		2	347
	18 LST	22.0	20.0	24.0	20.0	24.2		28.6	28.0	29.0	23.1	23.0	18.0		2	346

AVIGNON, FRANCE

STA NO. 14546/ (IN AREA NUMBER 04)

LATITUDE 4400N

LONGITUDE 00445E

ELEVATION(FT) 00187

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	67	73	76	86	98	99	102	104	102	90	77	68	104	17	-34
MEAN MAX TMP (F)	49	53	59	67	74	82	87	87	78	68	56	50	68	16	-34
MEAN MIN TMP (F)	34	36	41	45	51	58	61	60	57	49	41	37	48	17	-34
ABS MIN TMP (F)	18	7	23	27	36	41	47	47	41	32	18	3	3	17	-34
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0		4.5	10.9	10.9		0.0	0.0	0.0		16	-29
MEAN NO DYS TMP = DR LES 32(F)					0.0	0.0	0.0	0.0	0.0	0.0				17	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	-29
MEAN DEW PT TMP (F)	35	36	40	45	51	58	60	62	57	53	42	38	48	18	-29
MEAN REL HUM (PCT)	79	75	71	70	70	69	66	70	73	82	81	81	74	20	-34
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.91	1.26	1.89	2.13	2.48	1.65	1.30	1.77	2.56	3.27	2.95	2.09	24.3	40	-122
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0	0.0				17	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	3.0	4.2	5.8	6.2	6.6	4.8	3.8	5.0	6.7	7.7	7.3	6.5	67.6	40	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0	0.0				17	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.1	0.3	0.3	0.8	1.4	1.3	1.5	1.6	1.7	1.1	0.6	0.2	10.9	18	-34
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	10.3	16.7	15.6	6.5	13.6	5.8	1.6	3.7	15.5	11.7	11.3	18.0	10.9	3	594
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	2.6	13.3	9.4	3.2	6.8	3.8	0.0	1.9	10.3	10.0	9.9	11.5	6.9	3	594
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

AVIGNON, FRANCE
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	29.4	24.2	27.1	29.0	27.4	28.2	31.0	29.8	26.3	27.3	26.6	25.7	332.2	3	594
	12 LST														0	0
	18 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	00 LST														0	0
	06 LST	17.4	18.6	19.3	16.4	12.3	17.3	16.0	16.0	20.1	15.5	18.5	14.2	207.6	3	594
	12 LST														0	0
	18 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST														0	0
	06 LST	7.7	4.6	4.8	9.3	4.2	7.5	8.0	8.0	5.6	8.7	6.9	8.5	81.0	3	599
	12 LST														0	0
	18 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST														0	0
	06 LST	4.6	7.4	6.7	13.1	6.3	4.6	7.1	6.5	5.2	5.7	5.7	4.5	77.4	3	593
	12 LST														0	0
	18 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	9.3	6.5	6.7	14.0	11.9	16.1	20.3	21.2	9.3	11.8	9.8	9.5	146.4	3	598
	12 LST														0	0
	18 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	25.4	21.4	23.2	28.0	26.0	27.1	30.5	29.8	24.3	26.8	24.9	24.3	311.7	3	594
	12 LST														0	0
	18 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	21.4	16.8	19.3	26.1	23.9	26.5	29.5	29.8	21.7	23.2	22.3	21.3	281.8	3	594
	12 LST														0	0
	18 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	21.4	16.8	18.4	26.1	23.9	26.5	29.5	29.8	21.7	23.2	22.3	21.3	280.9	3	594
	12 LST														0	0
	18 LST														0	0

VALENCE-CHAEUIL. FRANCE

STA NO. 14563/ (IN AREA NUMBER 04)

LATITUDE 4455N

LONGITUDE 00458E

ELEVATION(FT) 00548

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	63	75	74	85	92	100	103	104	96	84	72	68	104	30	-7577
MEAN MAX TMP (F)	45	49	58	64	71	78	84	82	75	64	54	46	64	30	-7577
MEAN MIN TMP (F)	33	35	40	42	50	56	61	60	56	48	41	36	47	30	-7577
ABS MIN TMP (F)	10	-6	21	27	29	36	37	45	34	28	23	3	-6	30	-7577
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	1.1	10.2	4.2	0.0	0.0	0.0	0.0	15.5	5	-7577
MEAN NO DYS TMP = OR LES 32(F)	11.9	13.9	5.0	1.8	0.0	0.0	0.0	0.0	0.0	0.6	2.7	10.0	43.9	6	-7577
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	6	-7577
MEAN DEW PT TMP (F)	31	33	37	40	49	53	56	57	54	47	38	33	44	0	-50
MEAN REL HUM (PCT)	77	73	69	64	65	65	60	65	72	77	79	80	71	10	-7577
MEAN PRESS ALT (FT)	386	441	499	513	492	462	450	464	443	452	478	455	461	0	-50
MEAN PRECIP (IN)	2.05	1.65	2.48	2.32	2.87	2.36	1.73	2.43	3.08	3.86	3.94	2.44	33.3	30	-140
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0					30	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	6.4	5.4	6.6	6.4	7.0	6.3	5.0	6.6	9.4	8.5	8.6	7.4	83.6	30	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0					30	-29
MEAN NO DYS W/O CUR VSJY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.3	1.0	1.0	2.0	4.0	6.0	5.0	6.0	3.0	2.0	1.0	1.0	32.3	10	-7577
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI	62.2	56.1	28.7	21.5	11.8	15.3	3.9	15.6	12.9	38.7	60.8	69.8	33.1	5	-7577
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	12.8	16.7	12.0	8.9	7.6	1.7	1.5	6.7	7.9	14.7	24.4	24.1	11.6	8	-7577
09-11 LST														0	0
12-14 LST	18.2	6.9	8.6	0.0	4.4	3.3	0.8	1.7	2.5	0.8	10.5	18.9	6.4	5	-7577
15-17 LST														0	0
18-20 LST	25.3	10.5	6.7	2.7	4.1	1.2	0.0	1.6	6.0	4.1	16.2	30.6	9.1	5	-7577
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	4.8	8.3	6.8	2.1	3.2	0.6	0.0	2.9	5.8	7.1	11.5	12.1	5.4	8	-7577
09-11 LST														0	0
12-14 LST	7.1	0.0	4.3	0.0	1.1	3.3	0.0	0.8	0.8	0.0	2.4	4.7	2.0	5	-7577
15-17 LST														0	0
18-20 LST	4.0	0.0	0.0	1.4	1.4	0.0	0.0	1.6	3.0	1.4	2.7	1.6	1.4	5	-7577
21-23 LST														0	0

VALENCE-CHABEUIL, FRANCE


MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	27.5	23.8	27.9	27.8	29.2	29.6	30.5	29.0	27.9	26.7	23.3	24.3	327.5	8	-7577
	12 LST	25.9	26.0	28.6	30.0	29.9	29.0	31.0	30.7	29.2	30.7	27.3	26.0	344.3	5	-7577
	18 LST	23.9	25.5	29.6	29.5	30.1	30.0	31.0	30.4	28.6	30.1	25.5	22.0	336.2	5	-7577
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	00 LST														0	0
	06 LST	13.4	9.8	15.9	17.4	15.7	19.0	18.2	18.2	17.9	16.6	13.6	11.6	187.3	8	-7577
	12 LST	5.9	4.5	10.3	9.4	9.7	11.4	10.5	13.0	12.5	14.0	11.3	11.1	123.6	5	-7577
	18 LST	7.4	7.3	17.6	14.7	12.7	15.1	14.4	19.6	20.1	18.0	16.2	11.5	174.6	5	-7577
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST														0	0
	06 LST	10.9	10.6	7.7	7.7	8.6	6.6	6.7	5.2	6.0	6.9	6.1	9.2	92.2	8	-7577
	12 LST	18.4	20.9	17.1	13.6	13.0	11.0	14.7	11.1	9.8	11.7	11.4	12.7	163.4	5	-7577
	18 LST	15.9	17.8	8.2	8.6	10.3	9.3	11.0	7.2	3.1	9.6	5.2	11.8	118.0	5	-7577
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST														0	0
	06 LST	4.1	3.5	6.9	8.1	8.4	8.0	10.9	9.0	8.5	10.0	7.3	4.0	88.7	8	-7577
	12 LST	4.1	3.2	5.6	5.6	6.6	8.1	6.1	8.7	9.0	7.4	6.7	5.2	76.3	5	-7577
	18 LST	4.8	5.3	12.4	11.9	7.8	10.6	7.4	12.9	12.7	8.6	8.9	5.9	109.2	5	-7577
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	6.9	7.6	8.9	9.8	10.7	15.0	14.7	16.6	10.0	7.0	4.6	5.0	118.8	8	-7577
	12 LST	8.0	10.7	9.7	6.9	7.7	10.1	17.1	15.8	12.7	9.0	6.5	6.0	120.2	5	-7577
	18 LST	8.7	12.0	14.4	8.2	8.4	11.2	16.3	14.2	11.5	9.0	7.2	6.8	126.9	5	-7577
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	22.9	21.8	25.3	26.3	27.2	29.1	30.2	28.1	26.2	25.6	19.8	20.4	302.9	8	-7577
	12 LST	22.8	25.4	26.3	29.0	28.9	28.3	30.4	29.9	29.0	29.0	25.1	23.3	327.4	5	-7577
	18 LST	21.4	24.5	28.2	28.7	29.7	29.2	30.5	30.4	27.7	28.4	21.8	19.5	320.0	5	-7577
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	14.5	16.5	19.8	21.0	24.3	26.5	28.0	25.4	21.9	19.9	13.7	13.0	244.5	8	-7577
	12 LST	18.7	21.8	20.0	21.1	24.4	22.1	28.4	26.3	26.3	22.2	18.1	18.1	268.0	5	-7577
	18 LST	15.7	19.6	26.1	23.8	23.7	26.7	28.8	25.9	25.9	22.2	15.8	15.5	269.7	5	-7577
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	14.3	16.1	19.4	20.7	23.9	26.3	27.7	25.3	21.9	19.8	13.7	12.8	241.9	8	-7577
	12 LST	17.5	21.8	19.3	20.5	24.4	21.8	28.2	26.3	26.0	21.7	17.1	17.2	261.8	5	-7577
	18 LST	15.7	19.6	26.1	23.8	23.3	25.6	28.8	25.4	25.9	22.2	15.8	15.5	267.7	5	-7577

AREA NO. 04

FRANCE	RHONE VALLEY													
	BOUNDARIES													
	LATITUDE 4600N LONGITUDE 00500E													
	4316N 00325E	4400N 00405E	4400N 00405E	4800N 00500E	4800N 00500E	4600N 00330E	4600N 00530E	4500N 00500E	4500N 00500E	4412N 00500E	4412N 00500E	4304N 00554E		
PARAMETER DESCRIPTION	JUN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	
MEAN MAX TMP (F)	48	51	58	64	71	78	83	82	76	66	56	49	65	
MEAN MIN TMP (F)	34	35	40	45	51	57	62	61	57	49	42	36	47	
LARGEST MEAN PRECIP(IN)	2.21	2.13	2.87	2.80	3.34	2.90	2.80	4.06	5.08	5.16	4.80	3.54	41.9	
SMALLEST MEAN PRECIP(IN)	0.91	1.18	1.69	1.61	1.58	0.95	0.43	1.18	2.01	2.90	2.48	1.73	18.6	
	MEAN NUMBER OF DAYS													
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST	30.0	27.5	31.0	28.0	31.0	30.0	30.8	30.8	29.3	29.8	29.5	30.5	358.2
	06 LST	25.1	20.6	25.6	26.2	27.5	27.3	29.4	28.3	24.7	25.8	23.3	24.2	308.0
	12 LST	25.7	25.0	28.8	25.3	30.2	29.3	30.8	30.4	29.2	29.8	26.3	25.3	340.1
	18 LST	25.2	24.4	29.0	28.9	30.2	29.5	30.8	30.4	29.3	29.4	25.3	24.6	337.0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	00 LST	20.6	17.8	17.7	20.4	25.1	24.0	24.1	21.7	21.0	21.8	22.8	19.0	256.0
	06 LST	14.5	12.3	17.5	18.1	20.1	19.8	21.4	21.1	18.2	16.6	15.6	14.4	209.6
	12 LST	11.7	10.4	12.6	13.1	13.1	15.2	13.3	14.8	14.3	15.8	14.0	12.4	160.4
	18 LST	15.1	13.5	19.4	17.5	18.5	17.9	19.0	21.0	21.8	20.3	17.5	14.3	215.8
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST	2.0	4.0	4.5	2.3	1.2	1.8	2.3	2.5	2.8	1.3	1.3	3.5	29.5
	06 LST	4.9	4.8	4.2	4.6	3.1	4.0	4.0	2.7	2.2	3.9	3.1	4.4	45.9
	12 LST	6.8	9.0	9.1	7.5	3.6	5.9	7.1	5.0	5.9	5.4	5.1	7.2	79.6
	18 LST	4.9	6.8	4.9	5.0	3.1	4.0	5.1	2.8	2.7	3.6	2.1	5.7	50.7
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST	10.4	8.3	11.3	11.5	12.3	6.8	10.1	12.1	11.5	13.3	14.7	8.5	130.5
	06 LST	6.4	5.7	8.7	10.9	9.8	10.2	11.0	10.6	9.1	9.5	9.2	6.3	107.4
	12 LST	8.0	7.9	9.7	10.6	10.4	9.9	8.7	11.4	12.1	13.1	12.0	8.8	122.4
	18 LST	9.1	5.9	12.6	13.2	12.5	13.0	13.7	14.3	11.3	10.0	9.7	7.5	132.8
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST	16.2	16.0	12.2	25.0	16.0	20.0	25.0	21.0	18.0	15.5			
	06 LST	8.6	8.2	7.6	10.6	9.9	12.3	16.5	15.9	8.9	8.3	7.0	7.2	121.0
	12 LST	6.5	8.7	7.0	6.8	5.2	7.5	13.7	11.4	10.4	7.2	5.3	4.7	94.4
	18 LST	8.0	9.4	8.9	7.4	6.1	8.6	13.9	11.3	9.5	9.3	6.5	5.5	104.4
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST	28.0	25.0	27.2	26.0	30.5	29.8	30.8	30.5	28.3	27.9	27.8	28.5	340.3
	06 LST	21.0	18.6	22.4	23.7	25.1	26.0	28.2	27.3	22.6	22.5	20.1	20.8	278.3
	12 LST	21.5	21.5	25.7	26.0	26.7	26.6	29.3	28.4	27.1	25.8	22.7	22.0	303.3
	18 LST	21.6	21.7	26.7	26.5	28.4	27.5	29.9	29.4	28.2	25.6	22.4	20.2	308.1
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST	23.6	20.5	21.7	23.5	25.7	29.5	30.5	26.2	26.8	25.3	23.1	23.0	299.4
	06 LST	16.9	15.3	19.2	20.9	22.5	24.4	26.4	25.6	20.2	19.1	16.5	17.1	244.1
	12 LST	17.0	18.3	21.4	21.2	21.8	21.7	27.2	25.0	24.5	20.7	18.5	18.1	255.4
	18 LST	16.6	18.0	23.4	21.8	24.2	24.7	27.8	26.2	26.1	21.0	18.1	16.0	263.9
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST	21.9	20.5	17.6	22.7	24.5	29.3	29.2	25.2	26.5	25.0	21.4	21.0	284.8
	06 LST	16.2	14.8	18.0	20.0	21.9	24.0	26.1	25.1	20.0	18.7	15.9	16.4	237.1
	12 LST	15.3	17.7	19.8	20.4	20.9	21.2	26.9	24.6	24.0	20.2	17.3	17.5	245.8
	18 LST	15.8	17.1	22.2	21.2	22.6	24.1	27.4	25.2	25.7	20.4	17.1	15.3	254.1

ALPS



CHAMBERY-AIX LES BAINS, FRANCE

STA NO. 07491 (IN AREA NUMBER 05)

LATITUDE 4539N

LONGITUDE 0053E

ELEVATION(FT) 00774

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)														0	0
MEAN MAX TMP (F)	42	47	55	62	71	77	81	80	74	64	52	45	63	0	-50
MEAN MIN TMP (F)														0	0
ABS MIN TMP (F)														0	0
MEAN NO DYS TMP = DR GTR 90(F)														0	0
MEAN NO DYS TMP = DR LES 32(F)														0	0
MEAN NO DYS TMP = DR LES 0(F)														0	0
MEAN DEW PT TMP (F)	32	32	37	41	51	58	60	62	58	51	36	34	46	0	-50
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)	650	654	729	769	738	710	726	715	679	682	699	691	706	0	-50
MEAN PRECIP (IN)	4.13	3.74	3.35	3.15	3.94	4.72	3.74	4.92	4.92	3.94	4.13	3.74	48.4	30	-140
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = DR GTR 0.1 IN	9.9	9.5	7.2	7.1	7.4	9.3	8.4	9.4	9.4	8.6	8.7	9.5	104.4	30	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN														0	0
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

CHAMBERY-AIX LES BAINS, FRANCE

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	26.5	23.7	27.7	28.1	28.2	27.5	26.9	27.4	28.2	28.0	28.3	27.9	328.4	9	2281
	12 LST	29.7	26.8	30.0	29.1	30.3	29.5	31.0	30.4	29.2	30.2	28.9	29.0	354.1	9	1818
	18 LST	29.4	26.1	29.8	29.6	30.6	29.4	30.2	29.7	29.6	29.6	28.6	28.4	351.0	9	2133
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	00 LST														0	0
	06 LST	23.9	20.1	24.0	25.1	25.3	24.3	22.3	24.1	24.4	24.7	25.2	25.6	289.0	9	2281
	12 LST	27.3	24.1	25.0	24.2	25.8	26.3	27.9	29.3	27.8	27.8	25.1	25.4	316.0	9	1801
	18 LST	27.7	23.7	26.8	25.9	26.6	26.1	25.6	26.6	27.7	26.9	26.2	27.6	317.4	9	2120
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST														0	0
	06 LST	0.3	0.1	0.3		0.0	0.3	0.0		0.0	0.0	0.2			9	2284
	12 LST	0.7	0.9	1.8	2.0	1.7	1.0	0.5	0.5	0.3	0.2	1.1	1.4	12.3	9	1820
	18 LST	0.3	0.8	0.8	1.3	0.5	0.9	1.0	0.2	0.2	0.3	0.3	0.0	6.6	9	2145
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST														0	0
	06 LST	5.4	4.6	5.1	4.0	4.2	3.9	3.7	4.4	3.4	6.5	6.8	4.8	56.8	9	2272
	12 LST	7.9	8.5	15.1	17.8	13.5	15.2	14.5	18.8	19.3	16.6	14.0	11.0	172.2	9	1756
	18 LST	4.9	7.6	13.2	17.7	16.9	16.9	12.0	12.0	12.1	11.2	8.7	8.2	141.4	9	2206
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	15.3	11.3	12.1	11.1	12.5	13.1	14.8	16.6	12.4	11.8	11.2	14.9	157.1	9	2282
	12 LST	15.6	10.2	10.8	13.8	16.7	18.1	24.8	26.2	18.6	15.9	9.7	11.7	192.1	9	1822
	18 LST	15.9	12.3	10.3	13.4	16.9	17.9	15.0	20.1	18.5	13.8	10.7	14.4	183.2	9	2140
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	23.0	19.6	23.3	23.2	22.8	21.9	20.8	23.3	23.0	23.5	23.4	24.9	272.7	9	2281
	12 LST	26.4	24.5	26.4	26.1	28.2	27.5	29.5	30.2	28.3	28.9	23.4	26.0	327.4	9	1818
	18 LST	27.6	24.2	27.2	26.9	28.5	27.3	27.1	28.0	27.7	27.7	25.5	26.6	324.3	9	2133
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	21.2	17.3	21.5	19.6	20.2	18.7	19.7	22.2	20.8	22.4	20.8	22.3	246.7	9	2281
	12 LST	24.6	22.5	24.5	22.8	26.5	25.0	29.2	30.2	27.2	27.7	23.7	23.9	307.8	9	1818
	18 LST	25.9	21.8	25.1	23.6	26.4	26.6	26.3	27.0	27.1	26.9	23.8	24.6	305.1	9	2133
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	21.2	17.2	21.3	19.6	20.2	18.7	19.7	21.9	20.8	22.4	20.8	22.3	246.1	9	2281
	12 LST	24.1	22.5	24.4	22.4	26.5	25.0	29.2	30.2	27.2	27.2	23.5	23.8	306.0	9	1818
	18 LST	25.9	21.6	25.0	23.4	26.3	26.3	26.1	27.0	26.9	26.9	23.8	24.6	303.8	9	2133

AREA NO. 05

FRANCE	FRENCH ALPS												
	BOUNDARIES												
	4730N 00700E	4600N 00530E	4600N 00530E	4500N 00500E	4500N 00500E	4412N 00500E	4412N 00500E	4334N 00530E	4334N 00530E	4340N 00700E	4340N 00700E	4356N 00730E	4356N 00730E
PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)	42	47	55	62	71	77	81	80	74	64	52	45	63
MEAN MIN TMP (F)													
LARGEST MEAN PRECIP(IN)	4.13	3.74	3.35	3.15	3.94	4.72	3.74	4.92	4.92	3.94	4.13	3.74	48.4
SMALLEST MEAN PRECIP(IN)	4.13	3.74	3.35	3.15	3.94	4.72	3.74	4.92	4.92	3.94	4.13	3.74	48.4
	MEAN NUMBER OF DAYS												
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST												
	06 LST	26.5	23.7	27.7	28.1	28.2	27.5	26.9	27.4	28.2	28.0	28.3	27.9 328.4
	12 LST	29.7	26.8	30.0	29.1	30.3	29.5	31.0	30.4	29.2	30.2	28.9	29.0 354.1
	18 LST	29.4	26.1	29.8	29.6	30.6	29.4	30.2	29.7	29.6	29.6	28.6	28.4 351.0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	00 LST												
	06 LST	23.9	20.1	24.0	25.1	25.3	24.3	22.3	24.1	24.4	24.7	25.2	25.6 289.0
	12 LST	27.3	24.1	25.0	24.2	25.8	26.3	27.9	29.3	27.8	27.8	25.1	25.4 316.0
	18 LST	27.7	23.7	26.8	25.9	26.6	26.1	25.6	26.6	27.7	26.9	26.2	27.6 317.4
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST												
	06 LST	0.3	0.1	0.3		0.0	0.3	0.0		0.0	0.0	0.2	
	12 LST	0.7	0.9	1.8	2.0	1.9	1.0	0.5	0.5	0.3	0.2	1.1	1.4 12.3
	18 LST	0.3	0.8	0.8	1.3	0.5	0.9	1.0	0.2	0.2	0.3	0.3	0.0 6.6
SFC WND 4-10 KTS AND THP 33-89 DEG F AND NO PRECIP.	00 LST												
	06 LST	5.4	4.6	5.1	4.0	4.2	3.9	3.7	4.4	3.4	6.5	6.8	4.8 56.8
	12 LST	7.9	8.5	15.1	17.8	13.5	15.2	14.5	18.8	19.3	16.6	14.0	11.0 172.2
	18 LST	4.9	7.6	13.2	17.7	16.9	16.9	12.0	12.0	12.1	11.2	8.7	8.2 141.4
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST												
	06 LST	15.3	11.3	12.1	11.1	12.5	13.1	14.8	16.6	12.4	11.8	11.2	14.9 157.1
	12 LST	15.6	10.2	10.8	13.8	16.7	18.1	24.8	26.2	18.6	15.9	9.7	11.7 192.1
	18 LST	15.9	12.3	10.3	13.4	16.9	17.9	19.0	20.1	18.5	13.8	10.7	14.4 183.2
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST												
	06 LST	23.0	19.6	23.3	23.2	22.8	21.9	20.8	23.3	23.0	23.5	23.4	24.9 272.7
	12 LST	26.4	24.5	26.4	26.1	28.2	27.5	29.5	30.2	28.3	28.9	25.4	26.0 327.4
	18 LST	27.6	24.2	27.2	26.9	28.5	27.3	27.1	28.0	27.7	27.7	25.5	26.6 324.3
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST												
	06 LST	21.2	17.3	21.5	19.6	20.2	18.7	19.7	22.2	20.8	22.4	20.8	22.3 246.7
	12 LST	24.6	22.5	24.5	22.8	26.5	25.0	29.2	30.2	27.2	27.7	23.7	23.9 307.8
	18 LST	25.9	21.8	25.1	23.6	26.4	26.6	26.3	27.0	27.1	26.9	23.8	24.6 303.1
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST												
	06 LST	21.2	17.2	21.3	19.6	20.2	18.7	19.7	21.9	20.8	22.4	20.8	22.3 246.1
	12 LST	24.1	22.5	24.4	22.4	26.5	25.0	29.2	30.2	27.2	27.2	23.5	23.8 306.0
	18 LST	25.9	21.6	25.0	23.4	26.3	26.3	26.1	27.0	26.9	26.9	23.8	24.6 303.8

HYERES-LE PALYVESTRE, FRANCE

STA NO. 07667 (IN AREA NUMBER 06)

LATITUDE 4305N

LONGITUDE 00609E

ELEVATION(FT) 00010

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR NO.	
														(YRS)	Q85
ABS MAX TMP (F)	72	69	71	81	83	90	94	97	91	87	77	73	97	14	-14545
MEAN MAX TMP (F)	55	56	58	62	69	76	81	82	77	69	62	56	67	30	-14545
MEAN MIN TMP (F)	42	42	46	50	56	62	67	67	63	56	49	43	54	30	-14545
ABS MIN TMP (F)	28	17	31	37	41	48	52	52	45	39	30	26	17	14	-14545
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	2.1	2.0	0.0	0.0	0.0	0.0	4.1	6	-14545
MEAN NO DYS TMP = DR LES 32(F)	1.9	3.1	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.9	6.3	6	-14545
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	-14545
MEAN DEW PT TMP (F)	38	37	39	43	50	55	63	58	56	52	44	39	48	0	-50
MEAN REL HUM (PCT)	67	71	70	69	67	68	64	66	72	76	72	69	69	2	-14545
MEAN PRESS ALT (FT)	-111	-69	-35	8	-24	-53	-44	-43	-79	-77	-60	-68	-54	0	-50
MEAN PRECIP (IN)	2.64	2.72	3.31	1.97	1.89	1.18	0.71	0.79	2.48	5.59	4.69	3.47	31.4	40	-14545
MEAN SNOW FALL (IN)			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			14	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	7.8	7.9	7.2	5.9	5.8	3.5	2.1	2.3	6.5	9.6	9.2	9.1	76.9	40	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			14	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	1.0	0.3	1.0	2.0	2.0	3.0	3.0	3.0	4.0	2.0	3.0	1.0	25.3	10	-14545
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI	5.8	41.0	18.8	10.7	14.7	11.1	17.6	9.7	9.3	20.0	4.0	22.8	15.5	5	-14545
P FREQ LES 1900 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	6.6	7.3	10.7	11.0	3.6	4.8	7.1	5.3	4.4	4.4	5.9	7.5	6.6	8	-14545
09-11 LST														0	0
12-14 LST	5.4	4.6	2.6	6.9	0.0	0.0	2.8	0.0	0.0	3.1	6.0	2.1	2.8	6	-14545
15-17 LST														0	0
18-20 LST	6.5	9.1	9.5	3.6	4.5	2.3	3.3	6.4	6.5	6.5	4.7	6.5	5.8	6	-14545
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	2.2	0.8	3.8	1.6	0.0	0.0	2.7	1.3	0.7	0.0	2.0	1.4	1.4	8	-14545
09-11 LST														0	0
12-14 LST	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	6	-14545
15-17 LST														0	0
18-20 LST	2.2	0.0	0.0	0.0	0.0	2.3	3.3	0.0	3.2	2.2	2.3	0.0	1.3	6	-14545
21-23 LST														0	0

HYERES-LE PLYVESTRE, FRANCE

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	29.6	27.0	28.6	28.5	30.1	29.0	29.9	29.7	29.1	29.8	29.0	29.5	349.8	8	-14545
	12 LST	30.1	27.5	30.1	28.9	31.0	30.0	31.0	31.0	30.0	30.5	28.8	31.0	359.9	6	-14545
	18 LST	30.3	28.0	29.5	29.4	30.2	29.3	29.9	30.3	29.0	30.3	29.3	29.6	355.1	6	-14545
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	00 LST														0	0
	06 LST	26.4	22.0	23.9	22.4	25.9	26.3	26.8	27.2	26.0	26.8	24.8	24.4	302.9	8	-14545
	12 LST	23.4	19.3	18.9	18.6	21.7	26.3	26.5	19.6	25.1	25.6	17.4	24.4	266.8	6	-14545
	18 LST	25.4	19.5	22.1	22.2	23.9	23.7	26.4	22.4	27.0	21.3	24.2	23.5	281.6	6	-14545
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST														0	0
	06 LST	1.7	1.8	0.9	1.6	3.2	0.7	0.2	1.0	1.5	1.1	0.9	2.3	16.9	8	-14545
	12 LST	3.7	3.8	8.8	5.9	5.5	0.8	2.6	5.1	3.2	2.8	5.1	3.9	51.2	6	-14545
	18 LST	1.4	2.5	3.8	3.8	3.5	3.4	3.0	2.5	0.9	2.0	2.7	4.7	34.2	6	-14545
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST														0	0
	06 LST	5.7	2.4	4.6	4.3	4.7	2.8	4.0	6.9	6.5	6.5	8.8	4.1	61.3	8	-14545
	12 LST	5.7	4.3	9.2	11.5	7.9	7.9	11.5	11.1	10.5	10.9	5.5	5.3	101.3	6	-14545
	18 LST	4.9	7.0	8.2	10.3	7.0	9.5	10.5	9.0	2.9	4.8	3.4	6.8	84.3	6	-14545
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	13.2	10.8	9.7	10.6	12.7	13.8	19.8	19.8	14.7	13.0	11.4	10.4	159.9	8	-14545
	12 LST	13.8	10.7	10.8	11.8	15.5	19.0	23.2	19.3	21.3	17.9	11.1	13.8	188.2	6	-14545
	18 LST	19.9	9.3	8.3	8.5	10.5	17.7	20.5	15.1	16.8	15.5	13.9	15.1	171.1	6	-14545
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	27.8	23.4	26.0	24.8	29.3	27.8	27.7	28.7	26.9	28.8	26.2	26.1	323.5	8	-14545
	12 LST	27.6	24.5	29.3	26.8	30.2	30.0	29.2	30.4	30.0	29.0	28.2	29.0	344.2	6	-14545
	18 LST	26.9	22.9	26.5	28.3	28.8	29.3	28.9	27.0	27.0	27.6	26.5	26.9	326.6	6	-14545
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	23.5	20.9	24.6	22.2	27.9	27.6	27.4	28.1	24.9	26.2	23.9	22.5	299.7	8	-14545
	12 LST	24.2	21.9	26.9	26.3	29.4	30.0	29.2	30.4	30.0	26.1	27.0	25.0	326.4	6	-14545
	18 LST	26.2	20.3	24.1	25.6	28.8	27.9	27.9	26.3	25.1	26.2	23.7	23.5	305.6	6	-14545
CIG = GTR 10000 FT AND VSBY = GTR 3 MI.	00 LST														0	0
	06 LST	23.5	20.9	24.6	22.2	27.9	27.6	27.4	27.9	24.7	26.2	23.9	22.3	299.1	8	-14545
	12 LST	24.2	21.9	26.9	26.3	29.4	30.0	29.2	30.4	29.2	26.1	27.0	25.0	325.6	6	-14545
	18 LST	26.2	20.3	24.1	25.6	28.8	27.9	27.9	26.3	25.1	26.2	23.7	23.5	305.6	6	-14545

FREJUS-ST. RAPHAEL, FRANCE

STA NO. 07680 (IN AREA NUMBER 05)

LATITUDE 4325N

LONGITUDE 00644E

ELEVATION(FT) 00007

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO, OBS
ABS MAX TMP (F)	71	71	77	81	90	94	100	107	95	84	76	68	107	30	-140
MEAN MAX TMP (F)	54	56	59	63	69	76	81	81	77	69	62	56	67	30	-140
MEAN MIN TMP (F)	38	38	40	47	53	59	63	62	59	52	45	40	50	30	-140
ABS MIN TMP (F)	20	10	28	29	34	45	47	49	40	33	29	21	10	30	-140
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0		3.8	3.8		0.0	0.0	0.0		30	-29
MEAN NO DYS TMP = OR LES 32(F)				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	30	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	30	-29
MEAN DEW PT TMP (F)	35	36	37	44	51	55	60	60	61	50	41	37	47	0	-50
MEAN REL HUM (PCT)	71	70	73	74	74	74	72	71	74	75	76	75	73	10	-140
MEAN PRESS ALT (FT)	-118	-73	-39	2	-28	-58	-49	-48	-84	-81	-64	-74	-59	0	-50
MEAN PRECIP (IN)	2.91	2.36	2.68	2.24	2.48	1.30	0.47	1.02	3.31	4.06	4.91	4.37	32.1	30	-140
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			30	-29
MEAN NO DYS PRCI = OR GTR 0.1 IN	8.3	7.2	6.8	6.3	6.6	3.8	1.3	3.1	7.8	8.7	9.4	10.1	79.4	30	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			30	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	1.0	1.0	1.0	2.0	2.0	2.0	3.0	2.0	3.0	2.0	2.0	1.0	22.0	10	-140
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI	5.8	41.0	18.8	10.7	14.7	11.1	17.6	9.7	9.3	20.0	4.0	22.8	15.5	5	-14545
P FREQ LES 1900 FT A/D LES 3 MI														0	0
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	6.6	7.3	10.7	11.0	3.6	4.8	7.1	5.3	4.4	4.4	5.9	7.5	6.6	8	-14545
09-11 LST														0	0
12-14 LST	5.4	4.6	2.6	6.9	0.0	0.0	2.8	0.0	0.0	3.1	6.0	2.1	2.8	6	-14545
15-17 LST														0	0
18-20 LST	6.5	9.1	9.5	3.6	4.5	2.3	3.3	6.4	6.5	6.5	4.7	6.5	5.8	6	-14545
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	2.2	0.8	3.8	1.6	0.0	0.0	2.7	1.3	0.7	0.0	2.0	1.4	1.4	8	-14545
09-11 LST														0	0
12-14 LST	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	6	-14545
15-17 LST														0	0
18-20 LST	2.2	0.0	0.0	0.0	0.0	2.3	3.3	0.0	3.2	2.2	2.3	0.0	1.3	6	-14545
21-23 LST														0	0

FREJUS-ST. RAPHAEL, FRANCE

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	ID. QBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	29.6	27.0	28.6	28.5	30.1	29.0	29.9	29.7	29.1	29.8	29.0	29.5	349.8	8	-14545
	12 LST	30.1	27.5	30.1	28.9	31.0	30.0	31.0	31.0	30.0	30.5	28.8	31.0	359.9	6	-14545
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	00 LST														0	0
	06 LST	26.4	22.0	23.9	22.4	25.9	26.3	26.8	27.2	26.0	26.8	24.8	24.4	302.9	8	-14545
	12 LST	23.4	19.3	18.9	18.6	21.7	26.3	26.5	19.6	25.1	25.6	17.4	24.4	266.8	6	-14545
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST														0	0
	06 LST	1.7	1.8	0.9	1.6	3.2	0.7	0.2	1.0	1.5	1.1	0.9	2.3	16.9	8	-14545
	12 LST	3.7	3.8	8.8	5.9	5.5	0.8	2.6	5.1	3.2	2.8	5.1	4.9	51.2	6	-14545
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST														0	0
	06 LST	5.7	2.4	4.5	4.3	4.7	2.8	4.0	6.9	6.5	6.5	8.8	4.1	61.3	8	-14545
	12 LST	5.7	4.3	9.2	11.5	7.9	7.9	11.5	11.1	10.5	10.9	5.5	5.3	101.3	6	-14545
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	13.2	10.8	9.7	10.6	12.7	13.8	19.8	19.8	14.7	13.0	11.4	10.4	159.9	8	-14545
	12 LST	13.8	10.7	10.8	11.8	15.5	19.0	23.2	19.3	21.3	17.9	11.1	13.8	188.2	6	-14545
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	27.8	23.4	26.0	24.8	29.3	27.8	27.7	28.7	26.9	28.8	26.2	26.1	323.5	8	-14545
	12 LST	27.6	24.5	29.3	26.8	30.2	30.0	29.2	30.4	30.0	29.0	28.2	29.0	344.2	6	-14545
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	23.5	20.9	24.6	22.2	27.9	27.6	27.4	28.1	24.9	26.2	23.9	22.5	299.7	8	-14545
	12 LST	24.2	21.9	26.9	26.3	29.4	30.0	29.2	30.4	30.0	26.1	27.0	25.0	326.4	6	-14545
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	23.5	20.9	24.6	22.2	27.9	27.6	27.4	27.9	24.7	26.2	23.9	22.3	299.1	8	-14545
	12 LST	24.2	21.9	26.9	26.3	29.4	30.0	29.2	30.4	29.2	26.1	27.0	25.0	325.6	6	-14545
	18 LST	26.2	20.3	24.1	25.6	28.8	27.9	27.9	26.3	25.1	26.2	23.7	23.5	305.6	6	-14545

NICE-COTE D'AZUR, FRANCE

STA NO. 07690 (IN AREA NUMBER 06)

LATITUDE 4339N

LONGITUDE 00712E

ELEVATION(FT) 00013

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	70	72	72	81	87	92	100	97	92	82	77	68	100	44	-334
MEAN MAX TMP (F)	55	56	59	63	69	75	80	80	77	69	62	56	67	30	-140
MEAN MIN TMP (F)	40	40	44	48	71	61	65	64	61	54	46	41	53	30	-140
ABS MIN TMP (F)	18	20	23	29	36	35	49	50	40	34	28	18	18	44	-334
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	2.1	2.0	0.0	0.0	0.0	0.0	4.1	7	561
MEAN NO DYS TMP = DR LES 32(F)	1.9	3.1	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.9	6.5	7	1058
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	1058
MEAN DEW PT TMP (F)	31	34	41	44	51	56	60	60	58	50	42	37	47	0	-50
MEAN REL HUM (PCT)	63	65	67	68	68	70	65	67	69	73	70	66	68	15	-34
MEAN PRESS ALT (FT)	-115	-72	-33	6	-23	-23	-45	-45	-79	-76	-58	-70	-54	0	-50
MEAN PRECIP (IN)	2.52	2.24	2.68	2.24	2.44	1.61	0.59	0.94	2.36	5.83	4.37	3.07	30.9	45	-34
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0	0.0				44	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	7.5	6.9	6.8	6.3	6.6	4.7	1.7	2.8	6.3	9.7	9.0	8.5	76.8	45	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0	0.0				44	-29
MEAN NO DYS W/DCUR VSBSY LE. 1/2 MI														0	0
MEAN NO DYS TSTMS	0.6	0.6	1.3	1.7	3.0	5.4	3.8	3.6	4.0	3.1	1.7	0.8	29.6	42	-34
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI	33.4	24.1	18.8	10.7	14.7	11.1	17.6	9.7	9.3	30.4	29.3	41.7	20.9	7	2596
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST										0.0				1	60
03-05 LST	0.0									5.7		7.7		2	86
06-08 LST	4.8	6.6	10.7	11.0	3.6	4.8	7.1	5.3	4.4	5.2	4.5	7.5	6.3	10	2023
09-11 LST	4.3	4.4								6.5	5.6	9.7		2	413
12-14 LST	9.6	5.6	2.6	6.9	0.0	0.0	2.8	0.0	0.0	5.7	5.1	5.7	3.7	8	1045
15-17 LST	12.6	8.3								7.5	12.3	16.9		2	319
18-20 LST	6.5	9.1	9.5	3.6	4.5	2.3	3.3	6.4	6.5	2.9	4.7	6.5	5.5	7	615
21-23 LST										0.0				1	57
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST										0.0				1	60
03-05 LST	0.0									1.4		0.0		2	86
06-08 LST	1.3	0.6	3.8	1.0	0.0	0.0	2.7	1.3	0.7	0.4	1.6	1.7	1.3	10	2023
09-11 LST	0.0	0.0								2.2	3.3	1.1		2	413
12-14 LST	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	2.1	0.4	8	1045
15-17 LST	1.1	5.6								0.0	3.5	10.2		2	319
18-20 LST	2.2	0.0	0.0	0.0	0.0	2.3	3.3	0.0	3.2	1.0	2.3	0.0	1.2	7	615
21-23 LST										0.0				1	57

NICE-COTE D'AZUR, FRANCE

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST										31.0				1	20
	06 LST	29.7	27.1	28.6	29.5	30.1	29.0	29.9	29.7	29.1	29.6	29.0	29.4	349.7	10	1749
	12 LST	30.1	27.3	30.1	28.9	31.0	30.0	31.0	31.0	30.0	30.3	28.8	30.2	358.7	8	774
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	00 LST										29.4				1	20
	06 LST	26.5	22.1	23.9	22.4	25.9	26.3	26.8	27.2	26.0	26.5	25.3	24.9	303.8	10	1746
	12 LST	23.9	20.3	18.9	18.6	21.7	26.3	26.5	19.6	25.1	24.4	20.6	24.6	270.5	8	770
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST										1.5				1	20
	06 LST	1.6	1.6	0.9	1.6	3.2	0.7	0.2	1.0	1.5	1.1	0.8	1.9	16.1	10	1763
	12 LST	3.2	3.5	8.6	5.9	5.5	0.8	2.6	5.1	3.2	2.2	4.0	2.3	47.1	8	780
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST										4.6				1	20
	06 LST	6.2	2.8	4.6	4.3	4.7	2.8	4.0	6.9	6.5	7.1	9.3	5.5	64.7	10	1752
	12 LST	8.7	4.9	9.2	11.5	7.9	7.9	11.5	11.1	10.5	13.7	8.3	8.0	113.2	8	772
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST										7.9	4.2	8.0	92.1	8	685
	06 LST	12.4	10.6	9.7	10.6	12.7	13.8	19.8	19.8	14.7	13.0	11.4	10.4	158.9	9	1660
	12 LST	12.1	10.8	10.8	11.8	15.5	19.0	23.2	19.3	21.3	17.9	11.1	13.8	186.6	7	685
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST										29.4				1	20
	06 LST	27.4	23.5	26.0	24.8	29.3	27.6	27.7	28.7	26.9	28.0	26.0	26.1	322.2	10	1749
	12 LST	27.4	24.8	29.3	26.8	30.2	30.0	29.2	30.4	30.0	28.0	27.7	27.4	341.2	8	774
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST										29.4				1	20
	06 LST	22.8	21.1	24.6	22.2	27.9	27.6	27.4	28.1	24.9	25.5	23.4	22.9	298.4	10	1749
	12 LST	23.9	22.7	26.9	26.3	29.4	30.0	29.2	30.4	30.0	25.7	26.2	24.2	324.9	8	774
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST										29.4				1	20
	06 LST	22.5	21.1	24.6	22.2	27.9	27.6	27.4	27.9	24.7	25.5	23.4	22.6	297.4	10	1749
	12 LST	23.0	22.7	26.9	26.3	29.4	30.0	29.2	30.4	29.2	25.7	26.2	23.8	322.8	8	774
	18 LST	24.0	21.4	24.1	25.6	28.8	27.9	27.9	26.3	25.1	23.6	22.7	22.6	299.6	8	687

ANTIBES, FRANCE

STA NO. 14545/ (IN AREA NUMBER 06)

LATITUDE 4334N

LONGITUDE 00707E

ELEVATION(FT) 00026

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	72	69	71	81	83	90	94	97	91	87	77	73	97	11	-334
MEAN MAX TMP (F)	55	56	58	62	69	76	81	82	77	69	62	56	67	30	-154
MEAN MIN TMP (F)	42	42	46	50	56	62	67	67	63	56	49	43	54	30	-154
ABS MIN TMP (F)	28	17	31	37	41	48	52	52	45	39	30	26	17	14	-334
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	2.1	2.0	0.0	0.0	0.0	0.0	4.1	6	543
MEAN NO DYS TMP = DR LES 32(F)	1.9	3.1	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.9	6.5	6	1040
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	1040
MEAN DEW PT TMP (F)	37	39	41	45	50	57	59	61	59	54	46	38	49	21	-29
MEAN REL HUM (PCT)	67	71	70	69	67	68	64	66	72	76	72	69	69	2	-34
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	2.64	2.72	3.31	1.97	1.89	1.18	0.71	0.79	2.48	5.59	4.69	3.47	31.4	40	-122
MEAN SNOW FALL (IN)			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			14	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	7.8	7.9	7.2	5.9	5.8	3.5	2.1	2.3	6.5	9.6	9.2	9.1	76.9	40	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			14	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	1.0	0.3	1.0	2.0	2.0	3.0	3.0	3.0	4.0	2.0	3.0	1.0	25.3	10	-24
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI	5.8	41.0	18.8	10.7	14.7	11.1	17.6	9.7	9.3	20.0	4.0	22.8	15.5	5	789
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	6.6	7.3	10.7	11.0	3.6	4.8	7.1	5.3	4.4	4.4	5.9	7.5	6.6	8	1611
09-11 LST														0	0
12-14 LST	5.4	4.6	2.6	6.9	0.0	0.0	2.8	0.0	0.0	3.1	6.0	2.1	2.8	6	636
15-17 LST														0	0
18-20 LST	6.5	9.1	9.5	3.6	4.5	2.3	3.3	6.4	6.5	6.5	4.7	6.5	5.8	6	558
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	2.2	0.8	3.8	1.6	0.0	0.0	2.7	1.3	0.7	0.0	2.0	1.4	1.4	8	1611
09-11 LST														0	0
12-14 LST	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	6	636
15-17 LST														0	0
18-20 LST	2.2	0.0	0.0	0.0	0.0	2.3	3.3	0.0	3.2	2.2	2.3	0.0	1.3	6	558
21-23 LST														0	0

ANTIBES, FRANCE
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PUR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	29.6	27.0	28.6	28.5	30.1	29.0	29.9	29.7	29.1	29.8	29.0	29.5	349.8	8	1611
	12 LST	30.1	27.5	30.1	28.9	31	30.0	31.0	31.0	30.0	30.5	28.8	31.0	359.9	6	636
	18 LST	30.3	28.0	29.5	29.4	30.2	29.3	29.9	30.3	29.0	30.3	29.3	29.6	355.1	6	558
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	00 LST														0	0
	06 LST	26.4	22.0	23.9	22.4	25.9	26.3	26.8	27.2	26.0	26.8	24.8	24.4	302.9	8	1608
	12 LST	23.4	19.3	18.9	18.6	21.7	26.3	26.5	19.6	25.1	25.6	17.4	24.4	266.8	6	632
	18 LST	25.4	19.5	22.1	22.2	23.9	23.7	26.4	22.4	27.0	21.3	24.2	23.5	281.6	6	554
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST														0	0
	06 LST	1.7	1.8	0.9	1.6	3.2	0.7	0.2	1.0	1.5	1.1	0.9	2.3	16.9	8	1625
	12 LST	3.7	3.8	8.8	5.9	5.5	0.8	2.6	5.1	3.2	2.8	5.1	3.9	51.2	6	642
	18 LST	1.4	2.5	3.8	3.8	3.5	3.4	3.0	2.5	0.9	2.0	2.7	4.7	34.2	6	560
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST														0	0
	06 LST	5.7	2.4	4.6	4.3	4.7	2.8	4.0	6.9	6.5	6.5	8.8	4.1	61.2	8	1615
	12 LST	5.7	4.3	9.2	11.5	7.9	7.9	11.5	11.1	10.5	10.9	5.5	5.3	101.2	6	635
	18 LST	4.9	7.0	8.2	10.3	7.0	9.5	10.5	9.0	2.9	4.8	3.4	6.8	84.2	6	557
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	13.2	10.8	9.7	10.6	12.7	13.8	19.8	19.3	14.7	13.0	11.4	10.4	159.9	8	1614
	12 LST	13.8	10.7	10.8	11.8	15.5	19.0	23.2	19.3	21.3	17.9	11.1	13.8	188.2	6	639
	18 LST	19.9	9.3	8.3	8.5	10.5	17.7	20.5	15.1	16.8	15.5	13.9	15.1	171.1	6	560
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	27.8	23.4	26.0	24.8	29.3	27.8	27.7	28.7	26.9	28.8	26.2	26.1	323.5	8	1611
	12 LST	27.6	24.5	29.3	26.8	30.2	30.0	29.2	30.4	30.0	29.0	28.2	29.0	344.2	6	636
	18 LST	26.9	22.9	26.5	28.3	28.8	29.3	28.9	27.0	27.0	27.6	26.5	26.9	326.6	6	558
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	23.5	20.9	24.6	22.2	27.9	27.6	27.4	28.1	24.9	26.2	23.9	22.5	299.7	8	1611
	12 LST	24.2	21.9	26.9	26.3	29.4	30.0	29.2	30.4	30.0	26.1	27.0	25.0	326.4	6	636
	18 LST	26.2	20.3	24.1	25.6	28.8	27.9	27.9	26.3	25.1	26.2	23.7	23.5	305.6	6	558
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	23.5	20.9	24.6	22.2	27.9	27.6	27.4	27.9	24.7	26.2	23.9	22.3	299.1	8	1611
	12 LST	24.2	21.9	26.9	26.3	29.4	30.0	29.2	30.4	29.2	26.1	27.0	25.0	325.6	6	636
	18 LST	26.2	20.3	24.1	25.6	28.8	27.9	27.9	26.3	25.1	26.2	23.7	23.5	305.6	6	558

CUERS-PIERREFEU, FRANCE

STA NO. 14551/ (IN AREA NUMBER 06)

LATITUDE 4314N

LONGITUDE 00607E

ELEVATION(FT) 00262

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)														0	0
MEAN MAX TMP (F)	55	57	60	66	73	81	87	86	80	71	63	55	70	30	-154
MEAN MIN TMP (F)	34	36	40	45	50	56	60	59	56	49	42	36	47	30	-154
ABS MIN TMP (F)														0	0
MEAN NO DYS TMP = DR GTR 90(F)						3.6	10.9	9.4						30	-29
MEAN NO DYS TMP = DR LES 32(F)														0	0
MEAN NO DYS TMP = DR LES 0(F)														0	0
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)	139	181	216	260	228	198	208	208	172	173	190	182	196	0	-50
MEAN PRECIP (IN)	3.35	2.56	3.35	2.76	2.95	1.58	0.59	1.38	3.54	4.92	5.12	4.33	36.4	30	-149
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = DR GTR 0.1 IN	9.0	7.6	7.2	6.9	7.0	4.6	1.7	4.1	8.1	9.4	9.5	10.1	85.2	30	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN														0	0
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.3	0.3	1.0	1.0	3.0	2.0	2.0	2.0	4.0	2.0	2.0	1.0	20.6	10	-24
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

CUERS-PIERREFEU, FRANCE

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND														0	0
VSBY = GTR 3 MI														0	0
														0	0
														0	0
CIG =GTR 2000 FT AND VSBY =GTR														0	0
3 MI W/SFC WND LES 10 KTS														0	0
														0	0
														0	0
SFC WND = GTR 17 KTS AND														0	0
NO PRECIP.														0	0
														0	0
														0	0
SFC WND 4-10 KTS AND TMP 33-89														0	0
DEG F AND NO PRECIP.														0	0
														0	0
														0	0
SKY COVER LES 3/10 AND														0	0
VSBY = GTR 3 MI														0	0
														0	0
														0	0
CIG = GTR 2500 FT AND														0	0
VSBY = GTR 3 MI														0	0
														0	0
														0	0
CIG = GTR 6000 FT AND														0	0
VSBY = GTR 3 MI														0	0
														0	0
														0	0
CIG = GTR 10000 FT AND														0	0
VSBY = GTR 3 MI														0	0
														0	0
														0	0

DATA NOT AVAILABLE

AREA NO. 06

FRANCE

SOUTHEAST COAST
 BOUNDARIES 4304N 00534E 4334N 00530E 4334N 00530E 4340N 00700E 4340N 00700E 4356N 00730E

LATITUDE 4322N LONGITUDE 00615E

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	
MEAN MAX TMP (F)	55	56	59	64	70	77	82	82	78	70	62	56	68	
MEAN MIN TMP (F)	39	39	43	48	58	60	64	63	60	53	46	40	51	
LARGEST MEAN PRECIP(IN)	3.35	2.72	3.35	2.76	2.95	1.61	0.71	1.38	3.54	5.83	5.12	4.37	37.7	
SMALLEST MEAN PRECIP(IN)	2.52	2.24	2.68	1.97	1.89	1.18	0.47	0.79	2.36	4.06	4.37	3.07	27.6	
	MEAN NUMBER OF DAYS													
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST	31.0												
	06 LST	29.7	27.1	28.6	28.5	30.1	29.0	29.9	29.7	29.1	29.7	29.0	29.5	349.9
	12 LST	30.1	27.4	30.1	28.9	31.0	30.0	31.0	31.0	30.0	30.4	28.8	30.6	359.3
	18 LST	29.8	27.7	29.5	29.4	30.2	29.3	29.9	30.3	29.0	30.2	28.8	28.8	352.9
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	00 LST	29.4												
	06 LST	26.5	22.1	23.9	22.4	25.9	26.3	26.8	27.2	26.0	26.7	25.1	24.7	303.6
	12 LST	23.7	19.8	18.9	18.6	21.7	26.3	26.5	19.6	25.1	25.0	19.0	24.5	268.7
	18 LST	24.9	20.2	22.1	22.2	23.9	23.7	26.4	22.4	27.0	21.8	23.8	23.5	281.9
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST	1.5												
	06 LST	1.7	1.7	0.9	1.6	3.2	0.7	0.2	1.0	1.5	1.1	0.9	2.1	16.6
	12 LST	3.5	3.7	8.8	5.9	5.5	0.8	2.6	5.1	3.2	2.5	4.6	3.1	49.3
	18 LST	1.3	2.1	3.8	3.8	3.5	3.4	3.0	2.5	0.9	2.2	2.6	3.8	32.9
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST	4.6												
	06 LST	6.0	2.6	4.6	4.3	4.7	2.8	4.0	6.9	6.5	6.8	9.1	4.8	63.1
	12 LST	7.2	4.6	9.2	11.5	7.9	7.9	11.5	11.1	10.5	12.3	6.9	6.7	107.3
	18 LST	5.8	7.5	8.2	10.3	7.0	9.5	10.5	9.0	2.9	6.4	3.8	7.4	88.3
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST	159.4												
	06 LST	12.8	10.7	9.7	10.6	12.7	13.8	19.8	19.8	14.7	13.0	11.4	10.4	159.4
	12 LST	13.0	10.8	10.8	11.8	15.5	19.0	23.2	19.3	21.3	17.9	11.1	13.8	187.5
	18 LST	17.6	8.5	8.3	8.5	10.5	17.7	20.5	15.1	16.8	15.5	13.9	15.1	168.0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST	29.4												
	06 LST	27.6	23.5	26.0	24.8	29.3	27.8	27.7	28.7	26.9	23.4	26.1	26.1	322.9
	12 LST	27.5	24.7	29.3	26.8	30.2	30.0	29.2	30.4	30.0	28.5	28.0	28.2	342.8
	18 LST	26.5	23.1	26.5	28.3	28.8	29.3	28.9	27.0	27.0	26.6	25.9	26.0	323.9
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST	29.4												
	06 LST	23.2	21.0	24.6	22.2	27.9	27.6	27.4	28.1	24.9	25.9	23.7	22.7	299.2
	12 LST	24.1	22.3	26.9	26.3	29.4	30.0	29.3	30.4	30.0	25.9	26.6	24.6	325.7
	18 LST	25.5	20.9	24.1	25.6	28.8	27.9	27.9	26.3	25.1	24.9	23.2	23.1	303.3
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST	29.4												
	06 LST	23.0	21.0	24.6	22.2	27.9	27.6	27.4	27.9	24.7	25.9	23.7	22.5	298.4
	12 LST	23.6	22.3	26.9	26.3	29.4	30.0	29.2	30.4	29.2	25.9	26.6	24.4	324.2
	18 LST	25.1	20.9	24.1	25.6	28.8	27.9	27.9	26.3	25.1	24.7	23.2	23.1	302.7

PAYERNE, SWITZERLAND

STA NO. 06610 (IN AREA NUMBER 01)

LATITUDE 4650N

LONGITUDE 00655E

ELEVATION(FT) 01463

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	59	59	69	79	85	93	96	97	87	75	68	56	97	30	-6630
MEAN MAX TMP (F)	35	40	48	56	64	70	74	73	66	55	44	36	55	30	-6630
MEAN MIN TMP (F)	26	27	33	39	46	52	56	55	50	42	34	27	41	30	-6630
ABS MIN TMP (F)	-3	-9	7	21	28	38	38	40	30	25	15	3	-9	30	-6630
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.1	0.8	0.9	0.0	0.0	0.0	0.0	1.8	16	-6630
MEAN NO DYS TMP = CR LES 32(F)	24.2	20.4	15.0	2.8	0.7	0.0	0.0	0.0	0.2	2.3	11.3	24.1	101.0	16	-6630
MEAN NO DYS TMP = DR LES 0(F)	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	16	-6630
MEAN DEW PT TMP (F)	29	28	33	37	47	51	54	54	50	43	36	31	41	0	-50
MEAN REL HUM (PCT)	84	80	76	71	70	69	70	73	77	81	85	86	77	67	-6630
MEAN PRESS ALT (FT)	1339	1373	1420	1451	1421	1394	1408	1401	1367	1371	1394	1386	1394	0	-50
MEAN PRECIP (IN)	1.90	2.00	2.60	3.00	3.70	4.40	4.40	4.30	3.50	3.50	2.70	2.50	38.5	77	-6630
MEAN SNOW FALL (IN)						0.0	0.0	0.0	0.0					30	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	6.1	6.3	6.7	7.1	7.4	9.1	9.1	9.0	8.0	8.0	6.9	7.5	91.2	77	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN						0.0	0.0	0.0	0.0					30	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.1	0.2	1.1	3.1	4.8	5.8	4.2	1.8	0.4	0.0	0.0	21.5	37	-6630
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI	75.4	49.0	42.7	34.1	30.1	27.9	25.1	33.8	34.0	51.3	69.2	74.4	45.6	6	-6630
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	31.4	21.1	30.5	9.9	8.0	3.5	5.6	17.4	23.0	23.9	45.3	45.0	22.1	6	-6630
09-11 LST														0	0
12-14 LST	18.6	3.8	6.3	2.4	0.0	2.3	3.4	4.6	2.9	2.2	21.4	29.2	8.1	6	-6630
15-17 LST														0	0
18-20 LST	36.6	14.2	13.9	3.5	2.1	2.1	2.0	6.0	4.0	15.9	40.9	51.8	16.1	6	-6630
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	20.1	16.1	20.9	5.2	1.1	2.3	1.1	9.0	13.8	18.9	37.2	33.3	1.9	6	-6630
09-11 LST														0	0
12-14 LST	11.0	3.1	2.9	1.8	0.0	0.6	1.1	1.1	0.0	1.1	12.1	19.3	4.5	6	-6630
15-17 LST														0	0
18-20 LST	22.5	7.1	8.6	0.7	0.0	0.0	1.4	2.0	2.7	10.6	25.5	34.8	9.7	6	-6630
21-23 LST														0	0

PAYERNE, SWITZERLAND
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	21.4	22.2	21.7	27.2	28.7	28.9	29.4	26.2	23.1	23.5	16.3	17.0	285.6	6	-6630
	12 LST	25.4	26.9	29.0	29.2	31.0	29.4	30.1	30.1	29.2	30.3	23.5	21.9	336.0	6	-6630
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	00 LST														0	0
	06 LST	19.0	19.0	20.4	24.9	28.1	28.2	28.5	24.3	22.1	21.2	15.3	14.6	265.6	6	-6630
	12 LST	20.5	20.3	26.3	24.0	26.7	25.7	26.7	26.5	24.5	25.6	21.2	18.3	286.3	6	-6630
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST														0	0
	06 LST	0.9	1.2	0.1	0.6	0.0	0.1	0.0	0.0	0.3	0.7	0.3	1.7	4.9	6	-6630
	12 LST	2.1	3.4	1.2	2.1	1.0	1.2	0.7	0.3	1.4	0.8	1.5	1.4	17.1	6	-6630
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST														0	0
	06 LST	0.5	0.5	1.5	2.5	2.2	2.9	3.1	3.1	2.0	2.6	1.8	1.2	23.9	6	-6630
	12 LST	3.0	3.1	9.0	9.8	10.6	11.8	14.6	12.9	7.0	6.6	4.2	2.0	94.6	6	-6630
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	4.2	8.2	7.8	7.7	11.1	12.6	12.4	11.4	7.4	4.8	3.7	3.8	95.1	6	-6630
	12 LST	5.5	10.0	11.2	8.6	9.1	9.2	12.0	11.8	10.8	8.5	5.7	5.6	108.0	6	-6630
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	16.8	19.1	19.7	25.1	26.9	27.2	28.5	24.0	21.7	21.3	13.9	13.9	258.1	6	-6630
	12 LST	21.4	25.3	27.6	28.5	30.1	28.4	29.5	28.3	28.5	28.7	22.1	19.2	317.6	6	-6630
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	6.9	11.3	14.0	14.4	19.5	16.7	20.0	17.4	13.7	12.4	6.1	6.8	159.2	6	-6630
	12 LST	10.6	17.6	19.1	16.0	19.0	20.4	20.4	22.1	18.8	14.9	11.7	10.6	201.2	6	-6630
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	6.9	11.1	14.0	14.3	19.5	16.7	20.0	17.4	13.7	12.4	6.1	6.8	158.9	6	-6630
	12 LST	10.4	17.6	19.1	16.0	18.8	20.4	20.2	21.9	18.8	14.9	11.7	10.6	200.4	6	-6630
	18 LST	7.2	12.9	17.8	16.7	20.3	16.9	22.3	21.8	20.0	13.5	9.8	6.3	183.5	6	-6630

BERN/BELP, SWITZERLAND

STA NO. 06630 (IN AREA NUMBER 01)

LATITUDE 4657N

LONGITUDE 00729E

ELEVATION(FT) 01876

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	59	59	69	79	85	93	96	97	87	75	68	56	97	30	-528
MEAN MAX TMP (F)	35	40	48	56	64	70	74	73	66	55	44	36	55	30	-28
MEAN MIN TMP (F)	26	27	33	39	46	52	56	55	50	42	34	27	41	30	-28
ABS MIN TMP (F)	-3	-9	7	21	28	38	38	40	30	25	15	3	-9	30	-528
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.1	0.8	0.9	0.0	0.0	0.0	0.0	1.8	16	5351
MEAN NO DYS TMP = DR LES 32(F)	24.2	20.4	15.0	2.8	0.7	0.0	0.0	0.0	0.2	2.3	11.3	24.1	101.0	16	5659
MEAN NO DYS TMP = DR LES 0(F)	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	16	5659
MEAN DEW PT TMP (F)	26	27	33	37	44	49	54	54	50	42	35	28	40	42	-29
MEAN REL HUM (PCT)	84	80	76	71	70	69	70	73	77	81	85	86	77	67	-28
MEAN PRESS ALT (FT)	1548	1583	1631	1659	1630	1602	1615	1609	1577	1581	1605	1597	1603	0	-50
MEAN PRECIP (IN)	1.90	2.00	2.60	3.00	3.70	4.40	4.40	4.30	3.50	3.50	2.70	2.50	38.5	77	-28
MEAN SNOW FALL (IN)						0.0	0.0	0.0	0.0					30	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	6.1	6.3	6.7	7.1	7.4	9.1	9.1	9.0	8.0	8.0	6.9	7.5	91.2	77	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN						0.0	0.0	0.0	0.0					30	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.1	0.2	1.1	3.1	4.8	5.8	4.2	1.8	0.4	0.0	0.0	21.5	37	-146
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI	75.4	49.0	42.7	34.1	30.1	27.9	25.1	33.8	34.0	51.3	69.2	74.4	45.6	6	4935
P FREQ LES 1900 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	31.4	21.1	30.5	9.9	8.0	3.5	5.6	17.4	23.0	23.9	45.3	45.0	22.1	6	2081
09-11 LST														0	0
12-14 LST	18.6	3.8	6.3	2.4	0.0	2.3	3.4	4.6	2.9	2.2	21.4	29.2	8.1	6	2066
15-17 LST														0	0
18-20 LST	36.6	14.2	13.9	3.5	2.1	2.1	2.0	6.0	4.0	15.9	40.9	51.8	16.1	6	1755
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	20.1	16.1	20.9	5.2	1.1	2.3	1.1	9.0	13.8	18.9	37.2	33.3	14.9	6	2081
09-11 LST														0	0
12-14 LST	11.0	3.1	2.9	1.8	0.0	0.6	1.1	1.1	0.0	1.1	12.1	19.3	4.5	6	2066
15-17 LST														0	0
18-20 LST	22.5	7.1	8.6	0.7	0.0	0.0	1.4	2.0	2.7	10.6	25.5	34.8	9.7	6	1755
21-23 LST														0	0

BERN/BELP, SWITZERLAND

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	21.4	22.2	21.7	27.2	28.7	28.9	29.4	26.2	23.1	23.5	16.3	17.0	285.6	6	2081
	12 LST	25.4	26.9	29.0	29.2	31.0	29.4	30.1	30.1	29.2	30.3	23.5	21.9	336.0	6	2066
	18 LST	19.6	24.0	26.6	29.1	30.3	29.3	30.5	29.7	29.0	26.0	17.9	14.9	306.9	6	1755
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	00 LST														0	0
	06 LST	19.0	19.0	20.4	24.9	28.1	28.2	28.5	24.3	22.1	21.2	15.3	14.6	265.6	6	2071
	12 LST	20.5	20.3	26.3	24.0	26.7	25.7	26.7	26.5	24.5	25.6	21.2	18.3	286.3	6	2054
	18 LST	17.9	20.2	24.9	27.0	28.8	27.9	29.5	26.6	27.1	25.6	16.9	12.9	285.3	6	1745
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST														0	0
	06 LST	0.9	1.2	0.1	0.6	0.0	0.1	0.0	0.0	0.3	0.7	0.3	0.7	4.9	6	2082
	12 LST	2.1	3.4	1.2	2.1	1.0	1.2	0.7	0.3	1.4	0.8	1.5	1.4	17.1	6	2062
	18 LST	0.6	1.4	0.6	0.2	0.4	0.4	0.4	0.2	0.0	0.1	1.2	0.0	5.5	6	1763
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST														0	0
	06 LST	0.5	0.5	1.5	2.5	2.2	2.9	3.1	3.1	2.0	2.6	1.8	1.2	23.9	6	2078
	12 LST	3.0	3.1	9.0	9.8	10.6	11.8	14.6	12.9	7.0	6.6	4.2	2.0	94.6	6	2054
	18 LST	1.3	2.4	6.2	9.0	9.9	6.5	12.1	10.2	5.8	4.1	4.2	1.9	73.6	6	1759
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	4.2	8.2	7.8	7.7	11.1	12.6	12.4	11.4	7.5	4.8	3.7	3.8	95.1	6	2077
	12 LST	5.5	10.0	11.2	8.6	9.1	9.2	12.0	11.8	10.8	8.5	5.7	5.6	108.0	6	2067
	18 LST	6.6	11.3	11.7	6.9	9.9	8.8	12.7	11.3	12.3	10.2	5.8	5.0	112.5	6	1756
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	16.8	19.1	19.7	25.1	26.9	27.2	28.5	24.0	21.7	21.3	13.9	13.9	258.1	6	2081
	12 LST	21.4	25.3	27.6	28.5	30.1	28.4	29.5	28.3	28.5	28.7	22.1	19.2	317.6	6	2066
	18 LST	16.5	21.0	25.4	26.1	29.0	28.3	29.5	27.4	28.0	24.2	16.5	13.1	287.0	6	1755
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	6.9	11.3	14.0	14.4	19.5	16.7	20.0	17.4	13.7	12.4	6.1	6.8	159.2	6	2081
	12 LST	10.6	17.6	19.1	16.0	19.0	20.4	20.4	22.1	18.8	14.9	11.7	10.6	201.2	6	2066
	18 LST	7.2	13.3	17.8	17.2	20.5	17.1	22.3	22.2	20.0	13.5	9.8	6.3	187.2	6	1755
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	6.9	11.1	14.0	14.3	19.5	16.7	20.0	17.4	13.7	12.4	6.1	6.8	158.9	6	2081
	12 LST	10.4	17.6	19.1	16.0	18.8	20.4	20.2	21.9	18.8	14.9	11.7	10.6	200.4	6	2066
	18 LST	7.2	12.9	17.8	16.7	20.3	16.9	22.3	21.8	20.0	13.5	9.8	6.3	185.5	6	1755

ZURICH, SWITZERLAND

STA NO. 06660 (IN AREA NUMBER 01)

LATITUDE 4723N

LONGITUDE 00833E

ELEVATION(FT) 01617

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	62	66	70	84	87	97	100	97	89	82	67	60	100	17	5721
MEAN MAX TMP (F)	36	41	52	60	67	73	77	76	70	57	46	36	58	17	5721
MEAN MIN TMP (F)	26	29	34	41	47	53	56	56	52	43	36	29	42	17	5992
ABS MIN TMP (F)	2	4	12	25	29	39	41	41	34	29	21	9	2	17	5992
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	1.1	1.8	2.3	0.0	0.0	0.0	0.0	5.2	17	5721
MEAN NO DYS TMP = DR LES 32(F)	23.9	18.5	11.9	2.6	0.4	0.0	0.0	0.0	0.0	1.6	8.9	22.4	90.2	17	5992
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	5992
MEAN DEW PT TMP (F)	28	28	33	37	45	49	54	54	50	43	35	30	41	0	-50
MEAN REL HUM (PCT)	84	79	72	70	71	70	72	73	79	83	86	86	77	10	-146
MEAN PRESS ALT (FT)	1289	1324	1374	1396	1367	1339	1349	1347	1317	1323	1351	1343	1343	0	-50
MEAN PRECIP (IN)	1.93	2.24	2.95	3.78	4.49	5.28	5.16	5.24	4.33	4.06	2.80	2.91	45.2	37	-146
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0	0.0				17	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	6.1	6.9	7.0	7.4	7.6	9.6	9.6	9.6	8.9	8.7	7.1	8.3	96.8	37	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0	0.0				17	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.3	0.0	0.3	1.0	3.0	4.0	5.0	4.0	2.0	0.3	0.0	0.3	20.2	50	-24
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI	82.1	64.7	45.9	34.8	33.2	26.2	22.7	28.1	32.1	58.7	80.8	89.5	49.9	8	6177
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	68.8	51.4	47.1	27.9	29.1	16.9	16.7	28.9	41.1	52.4	63.6	76.2	43.3	8	2548
09-11 LST														0	0
12-14 LST	37.9	21.8	14.5	9.6	8.7	8.0	7.6	5.9	8.2	15.4	34.5	52.5	18.7	8	2504
15-17 LST														0	0
18-20 LST	92.1	37.1	11.4	9.3	11.5	6.9	8.5	6.3	6.6	42.6	96.6	98.8	35.6	8	2261
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	43.2	31.5	29.3	12.2	9.3	4.8	4.6	11.8	29.2	31.6	47.6	50.5	25.5	8	2548
09-11 LST														0	0
12-14 LST	18.0	9.6	3.9	1.7	1.3	0.9	1.3	0.5	0.5	1.4	18.0	31.8	7.4	8	2504
15-17 LST														0	0
18-20 LST	30.9	17.6	3.8	2.4	3.8	2.0	2.4	2.1	2.8	9.0	43.1	50.9	14.2	8	2261
21-23 LST														0	0

ZURICH, SWITZERLAND

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR .000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	11.4	15.7	18.1	23.7	24.3	27.1	27.1	23.4	19.1	17.1	13.2	9.1	229.3	8	2548
	13 LST	22.2	23.5	28.9	29.0	29.9	28.8	29.4	30.6	29.3	28.7	22.2	18.7	321.2	8	2504
	19 LST	2.6	17.9	29.1	28.8	29.2	28.5	29.2	29.5	28.5	18.7	1.2	0.3	243.5	8	2261
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/3FC WND LES 10 KTS	01 LST														0	0
	07 LST	5.9	9.6	13.8	18.8	19.0	22.1	23.8	20.4	14.8	11.1	8.0	5.1	172.4	8	2538
	13 LST	13.4	16.6	21.7	20.5	23.7	23.4	23.8	24.4	23.3	19.0	16.2	9.7	235.7	8	2496
	19 LST	2.1	15.4	24.7	24.0	24.4	24.5	25.1	27.6	26.5	14.3	0.6	0.3	209.5	8	2254
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST														0	0
	07 LST	0.7	0.7	0.4	0.3	0.0	0.2	0.3	0.1	0.2	0.7	0.1	0.1	3.8	8	2601
	13 LST	1.0	1.0	1.1	1.1	0.4	1.0	1.1	1.1	0.6	1.3	0.3	0.6	10.6	8	2530
	19 LST	1.2	0.3	0.5	0.5	0.1	0.1	0.8	0.1	0.4	1.4	1.3	0.5	7.2	8	2326
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST														0	0
	07 LST	2.8	1.7	3.4	5.5	5.1	6.1	6.1	4.1	4.7	5.5	3.7	3.1	51.8	8	2593
	13 LST	6.5	8.0	12.7	14.2	15.7	13.9	15.4	15.2	15.2	12.6	10.0	3.4	142.8	8	2504
	19 LST	5.0	4.2	8.6	12.9	12.5	12.4	14.0	11.1	10.4	7.0	6.8	1.4	106.3	8	2312
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	1.1	2.0	5.2	6.6	8.3	9.9	11.2	8.3	4.5	1.1	1.8	0.4	60.4	8	2606
	13 LST	2.6	5.4	10.4	6.0	7.5	9.3	10.6	11.4	10.1	7.3	4.5	2.9	88.0	8	2529
	19 LST	0.8	5.2	9.5	6.2	6.6	7.7	9.9	10.6	10.1	5.3	0.6	0.0	72.5	8	2323
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	7.4	10.6	14.0	19.5	19.4	22.7	24.4	20.5	16.1	12.1	8.3	5.1	180.1	8	2548
	13 LST	15.8	18.4	23.3	23.8	25.7	25.8	27.1	27.0	25.5	23.2	16.7	10.1	262.4	8	2504
	19 LST	2.0	16.1	24.9	25.3	25.4	26.8	27.1	28.2	27.5	16.1	0.6	0.1	220.1	8	2261
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	6.7	9.1	12.8	17.9	18.4	22.0	24.0	19.9	15.7	10.8	7.2	4.5	169.0	8	2548
	13 LST	14.5	16.2	21.5	21.4	23.0	24.4	25.7	25.7	24.8	21.6	15.9	9.2	243.9	8	2504
	19 LST	1.9	13.5	22.9	23.1	22.6	25.2	25.1	26.8	26.3	14.1	0.6	0.0	202.1	8	2261
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	6.7	9.1	12.8	17.9	18.4	21.9	24.0	19.9	15.5	10.8	7.2	4.5	168.7	8	2548
	13 LST	14.5	16.2	21.5	21.4	22.8	24.4	25.7	25.7	24.8	21.6	15.9	9.2	243.7	8	2504
	19 LST	1.9	13.3	22.9	22.9	22.6	25.0	24.9	26.3	26.3	13.8	0.6	0.0	200.5	8	2261

SANTIS, SWITZERLAND

STA NO. 06680 (IN AREA NUMBER 01)

LATITUDE 4715N

LONGITUDE 00920E

ELEVATION(FT) 08203

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	38	40	40	53	64	63	65	66	60	55	51	42	66	30	-28
MEAN MAX TMP (F)	20	20	24	29	37	42	47	47	42	35	27	21	33	30	-28
MEAN MIN TMP (F)	12	12	16	20	28	33	37	38	34	27	20	14	24	30	-28
ABS MIN TMP (F)	-15	-23	-11	-4	7	15	22	22	9	2	-6	-22	-23	30	-28
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	30	-29
MEAN NO DYS TMP = DR LES 32(F)														0	0
MEAN NO DYS TMP = DR LES 0(F)					0.0	0.0	0.0	0.0	0.0	0.0				30	-29
MEAN DEW PT TMP (F)	9	9	14	20	28	33	37	37	32	24	17	11	23	43	-29
MEAN REL HUM (PCT)	77	77	80	84	83	84	83	82	80	78	77	78	80	68	-28
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	8.80	7.30	7.40	9.30	8.40	10.90	12.00	11.20	8.60	7.40	7.70	9.00	108.0	63	-28
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = DR GTR 0.1 IN	11.6	11.2										11.7		63	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN														0	0
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	0.3	1.0	3.0	3.0	4.0	3.0	1.0	0.3	0.0	0.0	15.6	50	-24
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI	41.1	44.1	41.4	59.8	69.1	59.1	65.1	65.0	51.9	43.1	31.2	36.2	50.6	5	4212
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	45.4	45.3	37.4	53.9	42.5	39.4	45.5	37.0	39.9	41.4	30.9	32.9	41.0	5	1728
09-11 LST														0	0
12-14 LST	40.7	42.8	41.5	61.5	70.9	63.4	70.4	75.5	57.4	45.3	28.5	33.1	52.6	5	1530
15-17 LST														0	0
18-20 LST	42.5	43.6	44.1	64.1	72.9	66.7	63.3	66.0	51.2	44.2	30.8	43.0	52.7	5	1563
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	44.7	43.9	37.4	53.2	42.5	39.4	44.8	34.1	39.9	41.4	30.9	32.2	40.4	5	1728
09-11 LST														0	0
12-14 LST	40.7	42.0	41.5	61.5	70.0	63.4	70.4	75.5	57.4	45.3	28.5	33.1	52.4	5	1530
15-17 LST														0	0
18-20 LST	41.8	43.6	44.1	62.5	72.0	65.7	63.3	63.0	51.2	44.2	30.1	43.0	52.0	5	1563
21-23 LST														0	0

SANTIS, SWITZERLAND
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	16.9	15.3	19.4	13.8	17.8	18.1	16.9	19.5	18.0	18.1	20.7	20.8	215.3	5	1728
	13 LST	18.3	16.0	18.1	11.5	9.0	10.9	9.1	7.5	12.7	16.9	21.4	20.7	172.1	5	1530
	19 LST	17.8	15.8	17.3	10.7	8.4	10.3	11.3	10.5	14.6	17.3	20.7	17.6	172.3	5	1563
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST														0	0
	07 LST	4.0	4.8	10.3	6.5	10.8	11.1	7.8	12.6	8.8	6.1	7.6	9.3	99.7	5	1727
	13 LST	4.5	5.4	8.9	3.4	5.3	4.1	6.3	4.5	5.4	7.0	8.7	7.3	70.8	5	1530
	19 LST	3.3	6.7	7.4	3.4	3.9	3.9	5.9	6.2	6.7	6.2	6.1	6.4	66.1	5	1563
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST														0	0
	07 LST	11.4	9.6	5.9	7.2	4.4	5.7	8.8	3.3	5.8	8.8	10.2	9.4	90.3	5	1796
	13 LST	12.6	7.1	4.4	8.4	2.6	5.3	5.5	2.8	5.0	8.8	10.2	8.7	81.4	5	1802
	19 LST	13.5	8.9	6.9	6.1	4.2	4.4	7.5	3.3	5.4	9.6	10.2	8.3	88.3	5	1785
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST														0	0
	07 LST	0.0	0.0	0.2	1.0	2.4	8.4	5.7	10.0	6.6	2.0	1.0	0.0	37.3	5	1796
	13 LST	0.2	0.5	0.8	0.4	7.0	9.8	11.0	13.6	9.6	4.4	2.6	0.4	60.3	5	1802
	19 LST	0.2	0.3	0.0	1.4	4.0	6.5	9.0	9.2	4.8	2.6	1.0	0.0	39.0	5	1785
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	6.2	9.2	10.3	6.0	10.0	12.0	10.7	12.1	10.0	8.0	10.2	10.6	115.3	5	1796
	13 LST	6.6	9.3	9.5	4.0	2.6	5.3	5.9	3.9	7.0	9.8	11.8	11.0	85.7	5	1800
	19 LST	10.1	9.1	9.9	3.8	4.2	6.5	6.9	6.5	8.9	9.2	13.0	12.5	100.6	5	1784
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	16.9	15.3	19.4	13.8	17.8	18.1	16.9	19.5	18.0	18.1	20.7	20.8	215.3	5	1728
	13 LST	18.3	16.0	18.1	11.5	9.0	10.9	9.1	7.5	12.7	16.9	21.4	20.7	172.1	5	1530
	19 LST	17.8	15.8	17.3	10.7	8.4	10.0	11.3	10.5	14.6	17.3	20.7	17.6	172.0	5	1563
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	16.9	15.3	19.4	13.8	17.8	18.1	16.9	19.5	18.0	18.1	20.7	20.8	215.3	5	1728
	13 LST	18.3	16.0	18.1	11.5	9.0	10.9	9.1	7.5	12.7	16.9	21.4	20.7	172.1	5	1530
	19 LST	17.8	15.8	17.3	10.7	8.4	10.0	11.3	10.5	14.6	17.3	20.7	17.6	172.0	5	1563
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	16.9	15.3	19.4	13.8	17.8	18.1	16.9	19.5	18.0	18.1	20.7	20.8	215.3	5	1728
	13 LST	18.3	16.0	18.1	11.5	9.0	10.9	9.1	7.5	12.7	16.9	21.4	20.7	172.1	5	1530
	19 LST	17.8	15.8	17.3	10.7	8.4	10.0	11.3	10.5	14.6	17.3	20.7	17.6	172.0	5	1563

GENEVA/COINTRIN, SWITZERLAND

STA NO. 06700 (IN AREA NUMBER 01)

LATITUDE 4614N

LONGITUDE 00605E

ELEVATION(FT) 01388

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	62	68	76	81	89	96	101	97	91	79	74	64	101	67	-528
MEAN MAX TMP (F)	39	43	51	58	66	73	77	76	69	58	47	40	58	30	-28
MEAN MIN TMP (F)	29	30	35	41	48	55	58	57	52	44	37	31	43	30	-28
ABS MIN TMP (F)	3	-1	10	23	29	36	42	41	32	20	17	5	-1	67	-528
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.2	1.6	0.9	0.0	0.0	0.0	0.0	2.7	14	4762
MEAN NO DYS TMP = DR LES 32(F)	20.4	17.2	10.2	1.7	0.3	0.0	0.0	0.0	0.0	0.9	7.0	20.4	78.1	14	4985
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14	4985
MEAN DEW PT TMP (F)	29	30	34	38	45	51	54	55	52	44	37	30	42	42	-29
MEAN REL HUM (PCT)	84	80	73	67	68	66	66	69	76	79	83	83	75	67	-28
MEAN PRESS ALT (FT)	1287	1321	1367	1404	1373	1345	1361	1351	1316	1319	1338	1330	1343	0	-50
MEAN PRECIP (IN)	1.90	1.80	2.20	2.50	3.00	3.10	2.90	3.60	3.60	3.80	3.10	2.40	33.9	99	-28
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0					67	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	6.1	5.8	6.3	6.6	7.1	7.6	7.3	8.3	8.2	8.4	7.5	7.3	86.5	99	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0					67	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSHTS	0.1	0.1	0.1	0.9	2.8	4.9	5.0	4.8	2.5	0.8	0.2	0.3	22.5	37	-146
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 3 MI	75.2	71.8	44.4	55.7	59.9	38.0	28.8	39.9	55.1	66.9	79.2	86.4	58.4	5	3771
P FREQ LES 1900 FT A/D LES 3 MI															
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	19.3	22.0	12.5	10.5	8.7	2.5	4.1	5.8	15.0	20.3	39.7	41.2	16.8	5	1704
09-11 LST														0	0
12-14 LST	19.5	17.1	8.9	1.7	2.5	0.8	0.8	2.0	2.0	10.5	30.2	39.2	11.3	5	1598
15-17 LST														0	0
18-20 LST	19.5	16.2	8.1	5.2	5.7	3.0	3.8	2.3	2.4	11.8	32.8	44.4	12.9	5	1434
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	12.0	11.4	5.6	1.4	0.7	0.0	1.6	0.0	4.8	6.8	19.2	23.0	7.2	5	1704
09-11 LST														0	0
12-14 LST	7.3	9.0	5.6	0.8	0.0	0.0	0.0	0.0	0.0	2.0	10.1	21.6	4.7	5	1598
15-17 LST														0	0
18-20 LST	10.6	6.8	1.6	0.0	1.6	0.0	1.7	0.0	0.8	2.4	11.2	25.0	5.2	5	1434
21-23 LST														0	0

GENEVA/COINTRIN, SWITZERLAND
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	26.4	23.9	28.2	28.7	30.5	30.0	30.2	30.7	27.7	27.6	20.3	20.7	324.9	5	1704
	12 LST	27.4	24.4	28.7	29.7	31.0	30.0	31.0	30.7	30.0	29.9	23.9	21.6	338.3	5	1598
	18 LST	26.4	24.6	28.9	30.0	29.9	29.4	30.1	30.7	29.7	29.2	22.5	19.7	331.1	5	1434
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	00 LST														0	0
	06 LST	23.7	19.3	25.4	23.7	25.8	28.5	29.4	27.7	23.0	21.5	15.4	14.4	277.8	5	1704
	12 LST	21.4	21.1	25.0	26.9	27.4	29.4	30.2	29.7	28.4	24.5	17.7	15.1	296.8	5	1598
	18 LST	23.1	20.3	25.2	24.5	26.6	28.8	29.5	29.7	28.5	24.4	17.7	14.2	292.5	5	1433
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST														0	0
	06 LST	0.2	0.4	0.4	0.6	0.0	0.0	0.0	0.0	0.6	0.2	0.0	0.6	3.0	5	1704
	12 LST	0.0	0.5	0.2	1.0	0.2	0.0	0.0	0.0	0.0	0.2	0.2	0.2	2.5	5	1598
	18 LST	0.0	0.9	0.7	0.5	0.2	0.0	0.0	0.2	0.2	0.4	0.4	0.2	3.7	5	1433
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST														0	0
	06 LST	1.4	1.0	1.5	1.8	2.4	2.2	1.7	0.8	1.6	1.6	0.8	1.8	18.6	5	1703
	12 LST	3.2	4.5	9.2	13.1	11.4	10.8	10.7	10.8	5.4	7.2	4.2	3.0	93.5	5	1598
	18 LST	3.5	2.1	5.7	5.9	9.6	8.4	10.3	9.7	2.9	5.4	4.0	2.2	69.7	5	1429
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	5.3	5.5	12.0	10.2	11.5	16.7	18.2	13.4	7.7	6.2	4.9	3.7	115.3	5	1704
	12 LST	5.5	7.5	14.7	12.3	10.9	15.8	17.5	16.6	13.6	9.5	5.8	4.6	134.3	5	1598
	18 LST	7.5	7.8	16.3	6.9	7.1	11.7	15.9	15.7	10.6	9.5	5.7	4.0	118.7	5	1434
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	18.8	16.7	23.0	22.4	22.1	25.7	27.6	24.3	19.7	17.5	12.1	11.3	241.2	5	1704
	12 LST	17.3	18.6	24.2	26.4	26.1	27.7	29.0	27.7	25.8	21.4	14.4	11.9	270.5	5	1598
	18 LST	18.1	17.4	24.9	23.2	24.9	27.6	28.3	28.0	26.3	20.7	14.4	10.7	264.5	5	1434
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	5.7	7.2	13.3	12.1	13.8	19.2	20.8	14.8	9.7	7.9	6.3	4.6	135.4	5	1704
	12 LST	7.0	8.8	16.5	15.6	14.9	19.1	22.5	19.9	16.6	11.9	8.0	5.6	166.4	5	1598
	18 LST	10.0	9.0	18.1	11.3	10.9	15.9	20.3	19.8	15.2	10.9	6.2	4.7	152.3	5	1434
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	5.7	7.2	13.3	12.1	13.8	19.2	20.8	14.6	9.7	7.9	6.3	4.6	135.2	5	1704
	12 LST	7.0	8.8	16.5	15.6	14.9	19.1	22.5	19.9	16.6	11.9	8.0	5.6	166.4	5	1598
	18 LST	10.0	9.0	18.1	11.3	10.9	15.9	20.3	19.8	15.2	10.9	6.2	4.7	152.3	5	1434

SION, SWITZERLAND

STA NO. 06720 (IN AREA NUMBER 01)

LATITUDE 4613N

LONGITUDE 00719E

ELEVATION(FT) 01581

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	55	66	70	80	88	88	92	94	86	77	66	56	94	37	-146
MEAN MAX TMP (F)	34	39	47	55	63	69	73	72	65	54	43	35	54	0	-50
MEAN MIN TMP (F)														0	0
ABS MIN TMP (F)	2	8	13	28	37	45	49	45	34	24	15	1	1	37	-146
MEAN NO DYS TMP = DR GTR 90(F)														0	0
MEAN NO DYS TMP = DR LES 32(F)					0.0	0.0	0.0	0.0	0.0					37	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	37	-29
MEAN DEW PT TMP (F)	26	26	32	37	44	49	53	53	49	41	34	27	39	0	-50
MEAN REL HUM (PCT)	87	81	72	63	66	68	69	70	76	79	80	86	75	37	-146
MEAN PRESS ALT (FT)	1454	1490	1537	1569	1540	1511	1524	1518	1484	1499	1511	1501	1511	0	-50
MEAN PRECIP (IN)	1.73	1.81	1.89	1.50	1.73	1.77	2.40	2.95	2.09	2.60	2.32	2.32	25.1	37	-146
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0					37	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	5.6	5.8	5.8	4.9	5.4	5.0	6.4	7.4	5.8	6.7	6.3	7.1	72.2	37	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0					37	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.1	0.0	0.1	0.3	1.1	2.5	1.9	0.7	0.1	0.0	0.0	6.8	37	-146
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

SION, SWITZERLAND
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND														0	0
VSBY = GTR 3 MI														0	0
														0	0
														0	0
CIG =GTR 2000 FT AND VSBY =GTR														0	0
3 MI W/SFC WND LES 10 KTS														0	0
														0	0
														0	0
SFC WND = GTR 17 KTS AND														0	0
NO PRECIP.														0	0
														0	0
														0	0
SFC WND 4-10 KTS AND TMP 33-89														0	0
DEG F AND NO PRECIP.														0	0
														0	0
														0	0
SKY COVER LES 3/10 AND														0	0
VSBY = GTR 3 MI														0	0
														0	0
														0	0
CIG = GTR 2500 FT AND														0	0
VSBY = GTR 3 MI														0	0
														0	0
														0	0
CIG = GTR 6000 FT AND														0	0
VSBY = GTR 3 MI														0	0
														0	0
														0	0
CIG = GTR 10000 FT AND														0	0
VSBY = GTR 3 MI														0	0
														0	0
														0	0

DATA NOT AVAILABLE

LUGANO, SWITZERLAND

STA NO. 06770 (IN AREA NUMBER 01)

LATITUDE 4600N

LONGITUDE 00857E

ELEVATION(FT) 00906

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PGR (YRS)	NO. OBS
ABS MAX TMP (F)	76	77	81	89	90	98	100	98	93	83	72	72	100	30	-528
MEAN MAX TMP (F)	43	48	56	63	70	78	83	82	75	63	52	45	63	30	-28
MEAN MIN TMP (F)	29	30	36	43	50	56	60	59	54	46	38	31	44	30	-28
ABS MIN TMP (F)	7	7	20	28	30	40	46	44	36	28	23	10	7	30	-528
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.2	1.4	2.5	1.3	0.0	0.0	0.0	0.0	5.4	16	5325
MEAN NO DYS TMP = DR LES 32(F)	26.6	18.8	7.6	0.8	0.1	0.0	0.0	0.0	0.0	0.4	6.4	20.3	81.0	16	5239
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16	5239
MEAN DEW PT TMP (F)	27	28	33	39	48	53	57	58	54	46	37	29	42	42	-29
MEAN REL HUM (PCT)	72	67	65	64	67	65	64	67	72	75	75	73	69	67	-28
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	2.40	2.40	4.50	6.40	7.60	7.30	6.90	7.40	6.90	7.80	5.40	3.10	68.1	77	-28
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0					30	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	7.3	7.3	7.6	10.0			9.9		9.5		9.6	8.6		77	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0						30	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	0.3	1.0	2.5	4.7	5.4	4.9	2.6	0.8	0.1	0.0	22.3	37	-146
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI	47.8	38.5	18.9	17.5	29.6	13.1	10.9	12.5	25.4	43.4	50.1	50.8	29.9	7	4818
P FREQ LES 1500 FT A/D LES 3 MI															
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	22.7	15.4	4.6	9.5	12.0	4.1	4.0	8.1	14.0	15.3	25.9	28.7	13.8	7	1810
09-11 LST														0	0
12-14 LST	15.1	9.3	2.2	6.8	3.4	1.4	4.0	3.3	4.7	7.9	8.2	11.0	6.4	7	1918
15-17 LST														0	0
18-20 LST	78.1	73.8	23.1	21.0	16.6	7.2	7.6	6.2	22.9	70.4	82.3	79.1	40.7	7	1799
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	11.7	4.4	2.0	2.0	2.2	0.0	1.3	2.7	4.1	5.3	8.2	16.0	5.0	7	1810
09-11 LST														0	0
12-14 LST	6.5	1.2	0.6	1.7	1.1	0.7	1.3	0.7	0.7	0.7	0.7	6.2	1.8	7	1918
15-17 LST														0	0
18-20 LST	73.5	53.1	9.5	9.0	3.6	1.4	4.2	4.1	10.7	60.6	73.8	69.1	31.1	7	1799
21-23 LST														0	0

LUGANO, SWITZERLAND
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	23.9	23.8	29.7	27.7	27.9	28.9	29.9	28.4	25.7	26.2	22.4	22.3	316.8	7	1810
	13 LST	26.6	25.7	30.4	28.2	30.2	29.7	29.9	29.9	28.7	28.7	27.9	28.0	343.9	7	1918
	19 LST	6.8	7.3	23.8	23.8	26.0	28.0	28.8	29.0	23.1	9.3	5.3	6.4	217.6	7	1799
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST														0	0
	07 LST	22.3	21.8	27.5	25.7	26.0	27.9	29.3	27.8	24.9	25.0	21.6	21.0	300.8	7	1807
	13 LST	23.9	21.7	26.3	25.0	26.0	28.1	28.3	29.1	27.1	26.5	26.7	25.0	315.7	7	1916
	19 LST	6.6	6.4	21.6	21.0	24.4	26.3	27.1	28.0	22.8	9.1	5.1	5.5	203.9	7	1794
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST														0	0
	07 LST	0.6	0.6	0.6	0.2	0.0	0.2	0.2	0.4	0.4	0.4	0.4	0.4	4.4	7	1810
	13 LST	0.8	1.5	1.1	1.1	0.5	0.4	0.4	0.2	0.4	1.0	0.4	1.0	8.8	7	1924
	19 LST	0.1	1.0	0.3	0.5	0.3	0.6	0.4	0.4	0.0	0.4	0.0	0.6	4.6	7	1826
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST														0	0
	07 LST	1.6	3.7	2.2	1.6	0.6	1.0	3.1	2.5	4.8	4.5	4.8	4.6	35.0	7	1804
	13 LST	2.6	2.5	5.9	5.9	3.6	2.6	4.5	4.7	3.6	3.6	2.0	1.9	43.4	7	1917
	19 LST	4.8	2.8	6.4	5.5	2.9	1.5	3.3	2.9	3.2	2.3	2.6	1.6	39.8	7	1842
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	16.9	13.0	14.1	13.3	9.0	15.3	18.5	13.6	11.9	11.7	12.7	13.9	163.9	7	1811
	13 LST	13.8	15.0	15.0	11.7	8.9	15.4	19.2	14.9	13.4	13.4	13.5	15.1	169.3	7	1918
	19 LST	5.0	5.6	15.5	14.4	9.7	15.1	17.1	16.6	13.4	6.1	2.5	5.7	126.7	7	1805
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	23.7	23.2	28.5	26.3	25.9	28.3	29.1	28.2	25.1	25.2	21.4	21.4	306.3	7	1810
	13 LST	25.3	24.5	28.9	26.7	28.1	28.9	29.3	29.5	27.5	26.9	25.8	26.5	327.9	7	1918
	19 LST	6.6	7.3	23.8	23.5	24.9	27.1	28.2	28.8	22.7	9.1	4.8	6.2	213.0	7	1799
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	22.9	21.8	26.8	24.1	19.7	25.8	26.8	25.7	22.5	21.7	18.7	19.8	276.3	7	1810
	13 LST	23.6	22.6	27.0	23.3	21.6	25.6	27.9	26.0	23.7	22.2	22.6	22.7	288.8	7	1918
	19 LST	5.4	7.1	23.1	22.9	21.2	26.0	26.9	26.7	20.7	8.5	3.9	6.2	198.6	7	1799
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	22.1	21.2	25.2	22.5	19.3	24.8	26.2	24.9	22.5	21.7	18.7	19.8	268.9	7	1810
	13 LST	22.9	22.2	25.4	22.5	21.1	24.6	27.2	25.8	23.7	22.2	22.6	22.7	282.9	7	1918
	19 LST	5.2	6.8	22.1	22.0	21.2	25.2	26.4	26.1	20.5	8.5	3.6	6.2	193.8	7	1799

SAMEDAN, SWITZERLAND

STA NO. 06792 (IN AREA NUMBER 01)

LATITUDE 4631N

LONGITUDE 00952E

ELEVATION(FT) 05611

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	51	52	60	75	82	95	96	91	83	74	60	51	96	30	-528
MEAN MAX TMP (F)	27	31	39	47	57	65	69	67	60	50	37	27	48	30	-28
MEAN MIN TMP (F)	4	6	15	25	33	38	41	40	36	28	18	8	24	30	-28
ABS MIN TMP (F)	-25	-25	-22	-3	5	22	26	22	19	3	-10	-22	-25	30	-528
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.2	0.1	0.1	0.0	0.0	0.0	0.0	0.4	10	3557
MEAN NO DYS TMP = DR LES 32(F)	30.9	28.0	30.9	25.8	13.1	4.4	1.4	2.2	8.9	21.5	29.1	31.0	227.2	10	3571
MEAN NO DYS TMP = DR LES 0(F)	11.9	7.2	2.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	10.0	32.0	10	3571
MEAN DEW PT TMP (F)	12	14	19	27	35	40	42	45	40	32	20	13	28	0	-50
MEAN REL HUM (PCT)	78	74	72	69	66	64	65	69	72	74	77	79	72	67	-28
MEAN PRESS ALT (FT)	5478	5519	5570	5589	5563	5533	5539	5541	5512	5519	5548	5535	5537	0	-50
MEAN PRECIP (IN)	1.50	1.40	2.00	2.20	2.80	3.40	4.10	4.30	3.50	3.20	2.60	2.00	33.0	87	-28
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = DR GTR 0.1 IN	4.9	4.6	6.0	6.3	6.9	8.0	8.8	9.0	8.0	7.7	6.7	6.3	83.2	87	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	0.3	1.0	2.0	2.0	0.3	0.3	0.0	0.0	5.9	50	-24
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

SAMEDAN, SWITZERLAND
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0

DATA NOT AVAILABLE

EMMEN, SWITZERLAND

STA NO. 14220/ (IN AREA NUMBER 01)

LATITUDE 4705N

LONGITUDE 00818E

ELEVATION(FT) 01550

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	FDR (YRS)	NO. OBS
ABS MAX TMP (F)	62	66	70	84	87	97	100	97	89	82	67	60	100	17	-6660
MEAN MAX TMP (F)	36	41	52	60	67	73	77	76	70	57	46	36	58	17	-6660
MEAN MIN TMP (F)	26	27	34	41	47	53	56	56	52	43	36	29	42	17	-6660
ABS MIN TMP (F)	2	4	12	25	29	39	41	41	34	29	21	9	2	17	-6660
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	1.1	1.6	2.3	0.0	0.0	0.0	0.0	5.2	17	-6660
MEAN NO DYS TMP = DR LES 32(F)	23.9	18.5	11.9	2.6	0.4	0.0	0.0	0.0	0.0	1.6	8.9	22.4	90.2	17	-6660
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	-6660
MEAN DEN PT TMP (F)	27	29	34	41	46	52	56	57	55	45	37	29	42	18	-29
MEAN REL HUM (PCT)	85	80	74	72	70	70	72	75	81	84	86	86	78	20	-146
MEAN PRESS ALT (FT)	1323	1360	1409	1433	1404	1376	1387	1384	1353	1354	1385	1376	1379	0	-50
MEAN PRECIP (IN)	2.17	1.97	2.76	3.54	4.65	6.18	6.14	5.51	4.25	3.27	2.40	2.44	45.3	40	-122
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0	0.0				17	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	6.7	6.2	6.9	7.3	7.7	9.9	9.8	9.7	8.9	7.7	6.4	7.4	94.6	40	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0	0.0				17	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.1	0.1	0.1	2.6	4.8	6.1	4.5	2.4	0.3	0.0	0.2	21.2	20	-146
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI	82.1	64.7	45.9	34.8	33.2	26.2	22.7	28.1	32.1	58.7	80.8	89.5	49.9	8	-6660
P FREQ LES 1900 FT A/D LES 3 MI														0	0
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	68.8	51.4	47.1	27.9	29.1	16.9	16.7	28.9	41.1	52.4	63.6	76.2	43.3	8	-6660
09-11 LST														0	0
12-14 LST	37.9	21.8	14.5	9.6	8.7	8.0	7.6	5.9	8.2	15.4	34.5	52.5	18.7	8	-6660
15-17 LST														0	0
18-20 LST	92.1	37.1	11.4	9.3	11.5	6.9	8.5	6.3	6.6	42.6	96.6	98.8	35.6	8	-6660
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	43.2	31.5	29.3	12.2	9.3	4.8	4.6	11.8	29.2	31.6	47.6	50.5	25.3	8	-6660
09-11 LST														0	0
12-14 LST	18.0	9.6	3.9	1.7	1.3	0.9	1.3	0.5	0.5	1.4	18.0	31.8	7.4	8	-6660
15-17 LST														0	0
18-20 LST	30.9	17.6	3.8	2.4	3.8	2.0	2.4	2.1	2.8	9.0	43.1	50.9	14.2	8	-6660
21-23 LST														0	0

EMMEN, SWITZERLAND
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	11.4	15.7	18.1	23.7	24.3	27.1	27.1	23.4	19.1	17.1	13.2	9.1	229.3	8	-6660
	13 LST	22.2	23.5	28.9	29.0	29.9	28.8	29.4	30.6	29.3	28.7	22.2	18.7	321.2	8	-6660
	19 LST	2.6	17.9	29.1	28.8	29.2	28.5	29.2	29.5	28.5	18.7	1.2	0.3	243.5	8	-6660
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST														0	0
	07 LST	5.9	9.6	13.8	18.8	19.0	22.1	23.8	20.4	14.8	11.1	8.0	5.1	172.4	8	-6660
	13 LST	13.4	16.6	21.7	20.5	23.7	23.4	23.8	24.4	23.3	19.0	16.2	9.7	235.7	8	-6660
	19 LST	2.1	15.4	24.7	24.0	24.4	24.5	25.1	27.6	26.5	14.3	0.6	0.3	209.5	8	-6660
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST														0	0
	07 LST	0.7	0.7	0.4	0.3	0.0	0.2	0.3	0.1	0.2	0.7	0.1	0.1	3.8	8	-6660
	13 LST	1.0	1.0	1.1	1.1	0.4	1.0	1.1	1.1	0.6	1.3	0.3	0.6	10.6	8	-6660
	19 LST	1.2	0.3	0.5	0.5	0.1	0.1	0.8	0.1	0.4	1.4	1.3	0.5	7.2	8	-6660
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST														0	0
	07 LST	2.8	1.7	3.4	5.5	5.1	6.1	6.1	4.1	4.7	5.5	3.7	3.1	51.8	8	-6660
	13 LST	6.5	8.0	12.7	14.2	15.7	13.9	15.4	15.2	15.2	12.6	10.0	3.4	142.8	8	-6660
	19 LST	1.0	4.2	8.6	12.9	12.5	12.4	14.0	11.1	10.4	7.0	6.8	1.4	106.3	8	-6660
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	1.1	2.0	5.2	6.6	8.3	9.9	11.2	8.3	4.5	1.1	1.8	0.4	60.4	8	-6660
	13 LST	2.6	5.4	10.4	6.0	7.5	9.3	10.6	11.4	10.1	7.3	4.5	2.9	88.0	8	-6660
	19 LST	0.8	3.2	9.5	6.2	6.6	7.7	9.9	10.6	10.1	5.3	0.6	0.0	72.5	8	-6660
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	7.4	10.6	14.0	19.5	19.4	22.7	24.4	20.5	16.1	12.1	8.3	5.1	180.1	8	-6660
	13 LST	15.8	18.4	23.3	23.8	25.7	25.8	27.1	27.0	25.5	23.2	16.7	10.1	262.4	8	-6660
	19 LST	2.0	16.1	24.9	25.3	25.4	26.8	27.1	28.2	27.5	16.1	0.6	0.1	220.1	8	-6660
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	6.7	9.1	12.8	17.9	18.4	22.0	24.0	19.9	15.7	10.8	7.2	4.5	169.0	8	-6660
	13 LST	14.5	16.2	21.5	21.4	23.0	24.4	25.7	25.7	24.8	21.6	15.9	9.2	243.9	8	-6660
	19 LST	1.9	13.5	22.9	23.1	22.6	25.2	25.1	26.8	26.3	14.1	0.6	0.0	202.1	8	-6660
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	6.7	9.1	12.8	17.9	18.4	21.9	24.0	19.9	15.5	10.8	7.2	4.5	168.7	8	-6660
	13 LST	14.5	16.2	21.5	21.4	22.8	24.4	25.7	25.7	24.8	21.6	15.9	9.2	243.7	8	-6660
	19 LST	1.9	13.3	22.9	22.9	22.6	25.0	24.9	26.3	26.3	13.8	0.6	0.0	200.5	8	-6660

LODRINO, SWITZERLAND

STA NO. 14221/ (IN AREA NUMBER 01)

LATITUDE 4617N

LONGITUDE 00859E

ELEVATION(FT) 00850

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	76	77	81	89	90	98	100	98	93	83	72	72	100	30	-6770
MEAN MAX TMP (F)	43	48	56	63	70	78	83	82	75	63	52	45	63	30	-6770
MEAN MIN TMP (F)	29	30	36	43	50	56	60	59	54	46	38	31	44	30	-6770
ABS MIN TMP (F)	7	7	20	28	30	40	46	44	36	28	23	10	7	30	-6770
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.2	1.4	2.5	1.3	0.0	0.0	0.0	0.0	5.4	16	-6770
MEAN NO DYS TMP = DR LES 32(F)	26.6	18.8	7.6	0.6	0.1	0.0	0.0	0.0	0.0	0.4	6.4	20.3	81.0	16	-6770
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16	-6770
MEAN DEW PT TMP (F)	27	26	32	38	47	51	55	55	51	44	35	28	41	0	-50
MEAN REL HUM (PCT)	72	67	65	64	67	65	64	67	72	75	75	73	69	67	-6770
MEAN PRESS ALT (FT)	718	758	807	831	804	775	783	782	752	758	784	771	777	0	-50
MEAN PRECIP (IN)	2.40	2.40	4.50	6.40	7.60	7.30	6.90	7.40	6.90	7.80	5.40	3.10	68.1	77	-6770
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0					30	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	7.3	7.3	7.6	10.0			9.9		9.5		9.6	8.6		77	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0					30	-29
MEAN NO DYS W/OCCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTHS	0.0	0.0	0.3	1.0	2.5	4.7	5.4	4.9	2.6	0.8	0.1	0.0	22.3	37	-6770
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI	47.8	38.5	18.9	17.5	29.6	13.1	10.9	12.5	25.4	43.4	50.1	50.8	29.9	7	-6770
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	22.7	15.4	4.6	9.5	12.0	4.1	4.0	8.1	14.9	15.3	25.9	28.7	13.8	7	-6770
09-11 LST														0	0
12-14 LST	15.1	9.3	2.2	6.8	3.4	1.4	4.0	3.3	4.7	7.9	8.2	11.0	6.4	7	-6770
15-17 LST														0	0
18-20 LST	78.1	73.8	23.1	21.0	16.6	7.2	7.6	6.2	22.9	70.4	82.3	79.1	40.7	7	-6770
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	11.7	4.4	2.0	2.0	2.2	0.0	1.3	2.7	4.1	5.3	8.2	16.0	5.0	7	-6770
09-11 LST														0	0
12-14 LST	6.5	1.2	0.6	1.7	1.1	0.7	1.3	0.7	0.7	0.7	0.7	6.2	1.8	7	-6770
15-17 LST														0	0
18-20 LST	73.5	53.1	9.5	9.0	3.6	1.4	4.2	4.1	10.7	60.6	73.8	69.1	31.1	7	-6770
21-23 LST														0	0

LODRINO, SWITZERLAND

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	23.9	23.8	29.7	27.7	27.9	28.9	29.9	28.4	25.7	26.2	22.4	22.3	316.8	7	-6770
	13 LST	26.6	25.7	30.4	28.2	30.2	29.7	29.9	29.9	28.7	28.7	27.9	28.0	343.9	7	-6770
	19 LST	6.8	7.3	23.8	23.8	26.0	28.0	28.8	29.0	23.1	9.3	5.3	6.4	217.6	7	-6770
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST														0	0
	07 LST	22.3	21.8	27.5	25.7	26.0	27.9	29.3	27.8	24.9	25.0	21.6	21.0	300.8	7	-6770
	13 LST	23.9	21.7	26.3	25.0	28.0	28.1	28.3	29.1	27.1	26.5	26.7	25.0	315.7	7	-6770
	19 LST	6.6	6.4	21.6	21.0	24.4	26.3	27.1	28.0	22.8	9.1	5.1	5.5	203.9	7	-6770
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST														0	0
	07 LST	0.6	0.6	0.6	0.2	0.0	0.2	0.2	0.4	0.4	0.4	0.4	0.4	4.4	7	-6770
	13 LST	0.8	1.5	1.1	1.1	0.5	0.4	0.4	0.2	0.4	1.0	0.4	1.0	8.8	7	-6770
	19 LST	0.1	1.0	0.3	0.5	0.3	0.6	0.4	0.4	0.0	0.4	0.0	0.6	4.6	7	-6770
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST														0	0
	07 LST	1.6	3.7	2.2	1.6	0.6	1.0	3.1	2.5	4.8	4.5	4.8	4.6	35.0	7	-6770
	13 LST	2.6	2.5	5.9	5.9	3.6	2.6	4.5	4.7	3.6	3.6	2.0	1.9	43.4	7	-6770
	19 LST	4.8	2.8	6.4	5.5	2.9	1.5	3.3	2.9	3.2	2.3	2.6	1.6	39.8	7	-6770
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	16.9	13.0	14.1	13.3	9.0	15.3	18.5	13.6	11.9	11.7	12.7	13.9	163.9	7	-6770
	13 LST	13.8	15.0	15.0	11.7	8.9	15.4	19.2	14.1	13.4	13.4	13.5	15.1	169.3	7	-6770
	19 LST	5.0	5.6	15.5	14.4	9.7	13.1	17.1	16.6	13.4	6.1	2.5	5.7	126.7	7	-6770
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	23.7	23.2	28.5	26.3	25.9	28.3	29.1	28.2	25.1	25.2	21.4	21.4	306.3	7	-6770
	13 LST	25.3	24.5	28.9	26.7	28.1	28.9	29.3	29.5	27.5	26.9	25.8	26.5	327.9	7	-6770
	19 LST	6.6	7.3	23.8	23.5	24.9	27.1	28.2	28.8	22.7	9.1	4.8	6.2	213.0	7	-6770
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	22.9	21.8	26.8	24.1	19.7	25.8	26.8	25.7	22.5	21.7	18.7	19.8	276.3	7	-6770
	13 LST	22.6	22.6	27.0	23.3	21.6	25.6	27.9	26.0	23.7	22.2	22.6	22.7	288.8	7	-6770
	19 LST	5.4	7.1	23.1	22.9	21.2	26.0	26.9	26.7	20.7	8.5	3.9	6.2	198.6	7	-6770
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	22.1	21.2	25.2	22.5	19.3	24.8	26.2	24.9	22.5	21.7	18.7	19.8	268.9	7	-6770
	13 LST	22.9	22.2	25.4	22.5	21.1	24.6	27.2	25.8	23.7	22.2	22.6	22.7	282.9	7	-6770
	19 LST	5.2	6.8	22.1	22.0	21.2	25.2	26.4	26.1	20.5	8.5	3.6	6.2	193.8	7	-6770

RAFON, SWITZERLAND

STA NO. 14222/ (IN AREA NUMBER 01)

LATITUDE 4618N

LONGITUDE 00749E

ELEVATION(FT) 02110

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	55	66	70	80	88	88	92	94	86	77	66	56	94	37	-6720
MEAN MAX TMP (F)	34	39	47	55	63	69	73	72	65	54	43	35	54	0	-50
MEAN MIN TMP (F)														0	0
ABS MIN TMP (F)	2	8	13	28	37	45	49	45	34	24	15	1	1	37	-6720
MEAN NO DYS TMP = DR GTR 90(F)														0	0
MEAN NO DYS TMP = DR LES 32(F)					0.0	0.0	0.0	0.0	0.0					37	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	37	-29
MEAN DEW PT TMP (F)	26	26	32	37	44	49	53	53	49	41	34	27	39	0	-50
MEAN REL HUM (PCT)	87	81	72	63	66	68	69	70	76	79	80	86	75	37	-6720
MEAN PRESS ALT (FT)	1981	2019	2067	2096	2067	2039	2050	2046	2013	2018	2041	2031	2039	0	-50
MEAN PRECIP (IN)	1.73	1.81	1.89	1.50	1.73	1.77	2.40	2.95	2.09	2.60	2.32	2.32	25.1	37	-6720
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0					37	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	5.6	5.8	5.8	4.9	5.4	5.0	6.4	7.4	5.8	6.7	6.3	7.1	72.2	37	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0					37	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.1	0.0	0.1	0.3	1.1	2.5	1.9	0.7	0.1	0.0	0.0	6.8	37	-6720
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

RARON, SWITZERLAND
 MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SFC WND 4-10 KTS AND THP 33-89 DEG F AND NO PRECIP.	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0

DATA NOT AVAILABLE

SAN VITTORE, SWITZERLAND

STA NO. 14223/ (IN AREA NUMBER 01)

LATITUDE 4614N

LONGITUDE 00906E

ELEVATION(FT) 00800

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. DBS
ABS MAX TMP (F)	76	77	81	89	90	98	100	98	93	83	72	72	100	30	-6770
MEAN MAX TMP (F)	43	48	56	63	70	78	83	82	75	63	52	45	63	30	-6770
MEAN MIN TMP (F)	29	30	36	43	50	56	60	59	54	46	38	31	44	30	-6770
ABS MIN TMP (F)	7	7	20	28	30	40	46	44	36	28	23	10	7	30	-6770
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.2	1.4	2.5	1.3	0.0	0.0	0.0	0.0	5.4	16	-6770
MEAN NO DYS TMP = OR LES 32(F)	26.6	18.8	7.6	0.8	0.1	0.0	0.0	0.0	0.0	0.4	6.4	20.3	81.0	16	-6770
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16	-6770
MEAN DEW PT TMP (F)	27	26	32	38	47	51	55	55	51	44	35	28	41	0	-50
MEAN REL HUM (PCT)	83	77	70	69	69	70	70	74	80	83	83	86	76	20	-146
MEAN PRESS ALT (FT)	667	708	757	781	754	725	732	732	702	708	734	721	727	0	-50
MEAN PRECIP (IN)	1.93	1.93	3.35	5.67	6.10	6.42	6.06	5.75	6.50	5.95	4.80	3.23	57.7	20	-146
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0					30	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	6.1	6.1	7.2	8.6	9.3	9.9	9.8	9.8	9.6	9.7	9.3	8.8	104.2	20	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0					30	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	0.2	0.4	1.4	2.2	4.2	2.7	1.4	0.7	0.1	0.0	13.3	20	-146
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI	47.8	38.5	18.9	17.5	29.6	13.1	10.9	12.5	25.4	43.4	50.1	50.8	29.9	7	-6770
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	22.7	15.4	4.6	9.5	12.0	4.1	4.0	8.1	14.9	15.3	25.9	28.7	13.8	7	-6770
09-11 LST														0	0
12-14 LST	15.1	9.3	2.2	6.8	3.4	1.4	4.0	3.3	4.7	7.9	8.2	11.0	6.4	7	-6770
15-17 LST														0	0
18-20 LST	78.1	73.8	23.1	21.0	16.6	7.2	7.6	6.2	22.9	70.4	82.3	79.1	40.7	7	-6770
21-23 LST														0	0
P FREQ LES 370 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	11.7	4.4	2.0	2.0	2.2	0.0	1.3	2.7	4.1	5.3	8.2	16.0	5.0	7	-6770
09-11 LST														0	0
12-14 LST	6.5	1.2	0.6	1.7	1.1	0.7	1.3	0.7	0.7	0.7	0.7	6.2	1.8	7	-6770
15-17 LST														0	0
18-20 LST	73.5	53.1	9.5	9.0	3.6	1.4	4.2	4.1	12.7	60.6	73.8	69.1	31.1	7	-6770
21-23 LST														0	0

SAN VITTORE, SWITZERLAND
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	23.9	23.8	29.7	27.7	27.9	28.9	29.9	28.4	25.7	26.2	22.4	22.3	316.8	7	-6770
	13 LST	26.6	25.7	30.4	28.2	30.2	29.7	29.9	29.9	28.7	25.7	27.9	28.0	343.9	7	-6770
	19 LST	6.8	7.3	23.8	23.8	26.0	28.0	28.8	29.0	23.1	9.3	5.3	6.4	217.6	7	-6770
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST														0	0
	07 LST	22.3	21.8	27.5	25.7	26.0	27.9	29.3	27.8	24.9	25.0	21.6	21.0	300.8	7	-6770
	13 LST	23.9	21.7	26.3	25.0	28.0	28.1	28.3	29.1	27.1	26.5	26.7	25.0	315.7	7	-6770
	19 LST	6.6	6.4	21.6	21.0	24.4	26.3	27.1	28.0	22.8	9.1	5.1	5.5	203.9	7	-6770
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST														0	0
	07 LST	0.6	0.6	0.6	0.2	0.0	0.2	0.2	0.4	0.4	0.4	0.4	0.4	4.4	7	-6770
	13 LST	0.8	1.5	1.1	1.1	0.5	0.4	0.4	0.2	0.4	1.0	0.4	1.0	8.8	7	-6770
	19 LST	0.1	1.0	0.3	0.5	0.3	0.6	0.4	0.4	0.0	0.4	0.0	0.6	4.6	7	-6770
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST														0	0
	07 LST	1.6	3.7	2.2	1.6	0.6	1.0	3.1	2.5	4.8	4.5	4.8	4.6	35.0	7	-6770
	13 LST	2.6	2.5	5.9	5.9	3.6	2.6	4.5	4.7	3.6	3.6	2.0	1.9	43.4	7	-6770
	19 LST	4.8	2.8	6.4	5.5	2.9	1.5	3.3	2.9	3.2	2.3	2.6	1.6	39.8	7	-6770
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	16.9	13.0	14.1	13.3	9.0	15.3	18.5	13.6	11.9	11.7	12.7	13.9	163.9	7	-6770
	13 LST	13.8	15.0	15.0	11.7	8.9	15.4	19.2	14.9	13.4	12.4	13.5	15.1	169.3	7	-6770
	19 LST	5.0	5.6	15.5	14.4	9.7	15.1	17.1	16.6	13.4	6.1	2.5	5.7	126.7	7	-6770
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	23.7	23.2	28.5	26.3	25.9	28.3	29.1	28.2	25.1	25.2	21.4	21.4	306.3	7	-6770
	13 LST	25.3	24.5	28.9	26.7	28.1	28.9	29.3	29.5	27.5	26.9	25.8	26.5	327.9	7	-6770
	19 LST	6.6	7.3	23.8	23.5	24.9	27.1	28.2	28.8	22.7	9.1	4.8	6.2	213.0	7	-6770
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	22.9	21.8	26.8	24.1	19.7	25.8	26.8	25.7	22.5	21.7	18.7	19.8	276.3	7	-6770
	13 LST	23.6	22.6	27.0	23.3	21.6	25.6	27.9	23.0	23.7	22.2	22.6	22.7	288.8	7	-6770
	19 LST	5.4	7.1	23.1	22.9	21.2	26.0	26.9	26.7	20.7	8.5	3.9	6.2	198.6	7	-6770
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	22.1	21.2	25.2	22.5	19.3	24.8	26.2	24.9	22.5	21.7	18.7	19.8	268.9	7	-6770
	13 LST	22.9	22.2	23.4	22.5	21.1	24.6	27.2	25.8	23.7	22.2	22.6	22.7	282.9	7	-6770
	19 LST	5.2	6.8	22.1	22.0	21.2	25.2	26.4	26.1	20.5	8.5	3.6	6.2	193.8	7	-6770

TURTMAN, SWITZERLAND

STA NO. 14224/ (IN AREA NUMBER 01)

LATITUDE 4618N LONGITUDE 00742E ELEVATION(FT) 02070

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	55	66	70	80	88	88	92	94	86	77	66	56	94	37	-6720
MEAN MAX TMP (F)	34	39	47	55	63	69	73	72	65	54	43	35	54	0	-50
MEAN MIN TMP (F)														0	0
ABS MIN TMP (F)	2	8	13	28	37	45	49	45	34	24	15	1	1	37	-6720
MEAN NO DYS TMP = DR GTR 90(F)					0.0	0.0	0.0	0.0	0.0					0	0
MEAN NO DYS TMP = DR LES 32(F)					0.0	0.0	0.0	0.0	0.0					37	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	37	-29
MEAN DEW PT TMP (F)	26	26	32	37	44	49	53	53	49	41	34	27	39	0	-50
MEAN REL HUM (PCT)	87	81	72	63	66	68	69	70	76	79	80	86	75	37	-6720
MEAN PRESS ALT (FT)	1942	1979	2027	2056	2028	1999	2011	2006	1973	1978	2001	1991	1999	0	-50
MEAN PRECIP (IN)	1.73	1.81	1.89	1.50	1.73	1.77	2.40	2.95	2.09	2.60	2.32	2.32	25.1	37	-6720
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0					37	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	5.6	5.8	5.8	4.9	5.4	5.0	6.4	7.4	5.8	6.7	6.3	7.1	72.2	37	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0					37	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI					0.0	0.0	0.0	0.0	0.0					37	-29
MEAN NO DYS TSTMS	0.0	0.1	0.0	0.1	0.3	1.1	2.5	1.9	0.7	0.1	0.0	0.0	6.8	0	0
P FREQ WND SPD = DR GTR 17 KTS														37	-6720
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 3 MI														0	0
P FREQ LES 1900 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

TURTMAN, SWITZERLAND

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG =GTR 2000 FT AND VSEL/ =GTR 3 MI W/SFC WND LES 10 KTS	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0

DATA NOT AVAILABLE

ZERMATT, SWITZERLAND

STA NO. 14225/ (IN AREA NUMBER 01)

LATITUDE 4601N

LONGITUDE 00745E

ELEVATION(FT) 05202

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	50	51	58	68	70	85	84	84	77	73	63	51	85	30	-28
MEAN MAX TMP (F)	29	34	40	47	55	62	66	65	60	51	40	31	48	40	-28
MEAN MIN TMP (F)	17	19	24	32	41	48	51	47	42	35	27	20	34	40	-28
ABS MIN TMP (F)	-10	-10	-3	14	19	31	34	34	26	13	5	-6	-10	30	-28
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	40	-29
MEAN NO DYS TMP = OR LES 32(F)						0.0	0.0	0.0						30	-29
MEAN NO DYS TMP = OR LES 0(F)			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			30	-29
MEAN DEW PT TMP (F)	8	10	15	22	30	37	41	40	37	29	19	11	25	37	-9
MEAN REL HUM (PCT)	58	55	55	55	55	54	56	60	62	61	59	59	57	30	-28
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	1.60	1.70	2.10	2.10	2.70	2.30	2.20	2.70	2.30	2.50	1.90	1.90	26.0	48	-28
MEAN SNOW FALL (IN)						0.0	0.0	0.0						30	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.2	5.5	6.1	6.1	6.8	6.2	5.0	7.0	6.2	6.6	5.5	6.1	73.3	48	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN						0.0	0.0	0.0						30	-29
MEAN NO DYS W/OCLR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	0.3	0.3	1.0	1.0	0.3	0.3	0.0	0.0	3.2	50	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

ZERMATT, SWITZERLAND
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0

DATA NOT AVAILABLE

AREA NO. 01

SWITZERLAND

SWITZERLAND
BOUNDARIES

LATITUDE 4700N

LONGITUDE 00830E

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)		33	37	45	53	61	67	71	70	64	53	42	34	53
MEAN MIN TMP (F)		20	22	28	34	42	48	51	50	46	38	30	23	36
LARGEST MEAN PRECIP(IN)		8.80	7.30	7.40	9.30	8.40	10.90	12.00	11.20	8.60	7.80	7.70	9.00	108.4
SMALLEST MEAN PRECIP(IN)		1.50	1.40	1.89	1.50	1.73	1.77	2.20	2.70	2.09	2.50	1.90	1.90	23.1
		MEAN NUMBER OF DAYS												
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST													
	07 LST	20.0	20.2	23.4	24.2	25.8	26.6	26.7	25.6	22.7	22.5	18.6	18.0	274.3
	13 LST	24.0	23.3	27.0	25.3	26.2	25.8	25.9	25.8	26.0	26.9	23.8	22.2	302.4
	19 LST	14.6	17.9	25.1	24.5	24.8	25.1	26.0	25.9	25.0	20.1	13.5	11.8	254.3
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST													
	07 LST	15.0	14.9	19.5	19.9	21.9	23.6	23.8	22.6	18.7	17.0	13.6	12.9	223.4
	13 LST	16.7	17.0	21.6	20.0	22.2	22.1	23.1	22.8	21.7	20	18.1	15.1	240.9
	19 LST	10.6	13.7	20.8	20.1	21.6	22.3	23.4	23.6	22.3	15.9	9.3	7.9	211.5
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST													
	07 LST	2.8	2.5	1.5	1.8	0.9	1.2	1.9	0.8	1.5	2.2	2.2	2.2	21.5
	13 LST	3.3	2.7	1.6	2.7	0.9	1.6	1.5	0.9	1.5	2.4	2.5	2.4	24.0
	19 LST	3.1	2.5	1.8	1.6	1.0	1.1	1.8	0.8	1.2	2.4	2.6	1.9	21.8
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST													
	07 LST	1.3	1.4	1.8	2.5	2.5	4.1	3.9	4.1	3.9	3.2	2.4	2.1	33.2
	13 LST	3.1	3.7	7.5	8.7	9.7	9.8	11.2	11.4	8.2	6.9	4.6	2.1	86.9
	19 LST	3.0	2.4	5.4	6.3	7.8	7.1	9.7	8.6	5.4	4.3	3.7	1.4	65.7
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST													
	07 LST	6.7	7.6	9.9	8.8	10.0	13.3	14.2	11.8	8.3	6.4	6.7	6.5	110.2
	13 LST	6.8	9.4	12.2	8.5	7.8	11.0	13.0	11.7	11.0	9.5	8.3	7.8	117.0
	19 LST	6.0	7.8	12.6	7.6	7.5	10.0	12.5	12.1	11.1	8.1	5.5	5.4	106.2
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST													
	07 LST	16.7	17.0	20.9	21.4	22.4	24.4	25.3	23.3	20.1	18.8	15.3	14.5	240.1
	13 LST	19.6	20.6	24.4	23.4	23.8	24.3	24.8	24.0	24.0	23.4	20.1	17.7	270.1
	19 LST	12.2	15.5	23.3	22.2	22.5	24.0	24.9	24.6	23.8	17.5	11.4	9.5	231.4
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST													
	07 LST	11.8	12.9	17.3	16.5	17.8	20.4	21.7	19.5	15.9	14.2	11.8	11.3	191.1
	13 LST	14.8	16.2	20.4	17.6	17.5	20.1	21.1	20.2	19.3	17.5	15.9	13.8	214.4
	19 LST	8.5	11.7	19.8	17.0	16.7	18.8	21.2	21.2	19.4	12.9	8.2	7.0	182.4
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST													
	07 LST	11.7	12.8	16.9	16.1	17.8	20.1	21.6	19.3	15.9	14.2	11.8	11.3	189.5
	13 LST	14.6	16.2	20.1	17.4	17.3	19.9	20.9	20.2	19.3	17.5	15.9	13.8	213.1
	19 LST	8.4	11.6	19.6	16.7	16.7	18.6	21.0	20.9	19.3	12.8	8.2	7.0	180.8

LINZ, AUSTRIA

STA NO. 11010 (IN AREA NUMBER 01)

LATITUDE 4814N

LONGITUDE 01411E

ELEVATION(FT) 00974

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO.
ABS MAX TMP (F)	60	53	72	81	85	94	94	95	92	79	66	60	95	12	2844
MEAN MAX TMP (F)	34	38	48	56	67	71	75	73	67	55	44	36	55	16	-28
MEAN MIN TMP (F)	26	17	33	40	49	54	57	56	50	42	35	27	41	16	-28
ABS MIN TMP (F)	-8	-8	5	25	28	36	45	42	30	20	7	-17	-17	12	2951
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.5	0.8	1.1	0.6	0.0	0.0	0.0	3.0	12	2844
MEAN NO DYS TMP = OR LES 32(F)	27.1	24.0	17.6	4.2	0.7	0.0	0.0	0.0	0.1	4.3	14.3	24.9	117.2	12	2951
MEAN NO DYS TMP = OR LES 0(F)	2.1	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	3.7	12	2951
MEAN DEW PT TMP (F)	26	24	33	40	48	51	57	55	52	40	36	28	41	8	23416
MEAN REL HUM (PCT)	80	76	70	69	65	65	66	69	71	75	79	81	72	14	-28
MEAN PRESS ALT (FT)	857	886	931	969	934	913	932	918	880	882	904	900	909	0	-50
MEAN PRECIP (IN)	2.40	2.09	2.09	2.91	3.23	4.09	4.88	4.06	2.84	2.32	2.44	2.44	35.8	50	-122
MEAN SNOW FALL (IN)	5.3	10.2	4.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	5.5	25.6	4	931
MEAN NO DYS PRCP = OR GTR 0.1 IN	7.3	6.5	6.1	7.0	7.2	8.8	9.4	8.8	7.1	6.3	6.5	7.4	88.4	50	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	1.3	2.9	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	6.5	4	931
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	10.3	3.6	2.4	2.3	0.6	1.5	1.3	4.7	5.6	7.2	8.6	10.4	58.5	8	1337
MEAN NO DYS TSTMS	0.3	0.3	0.3	1.0	3.0	4.0	6.0	4.0	2.0	0.3	0.3	0.3	21.8	50	-24
P FREQ WND SPD = OR GTR 17 KTS	6.6	10.4	5.3	5.7	2.1	3.1	2.4	2.5	2.1	3.4	4.2	7.0	4.6	8	23710
P FREQ WND SPD = OR GTR 28 KTS	0.7	0.5	0.1	0.4	0.0	0.2	0.0	0.1	0.0	0.2	0.1	0.5	0.2	8	23710
P FREQ LES 5000 FT A/D LES 5 MI	83.8	73.6	54.0	33.8	24.5	41.0	43.0	32.9	31.7	54.5	77.3	83.9	52.8	8	24261
P FREQ LES 1900 FT A/D LES 3 MI															
FDR 00-02 LST	50.8	44.8	32.7	2.9	3.2	11.4	9.7	5.5	8.7	23.4	50.6	67.5	25.9	8	3395
03-05 LST	51.3	39.8	34.2	7.9	4.3	17.4	15.5	14.3	20.0	28.3	50.6	65.9	29.1	4	2786
06-08 LST	57.1	47.1	34.9	15.6	9.8	19.2	14.5	20.2	27.8	39.2	56.9	64.5	33.9	8	3773
09-11 LST	62.7	43.9	28.0	8.5	3.8	11.6	9.0	6.5	8.1	21.1	53.9	61.3	26.5	4	2792
12-14 LST	50.0	39.9	17.4	4.5	1.8	9.2	4.7	3.7	3.2	13.2	40.6	54.3	20.2	9	3815
15-17 LST	47.7	28.1	11.3	1.7	2.2	7.4	6.1	3.6	0.0	9.3	38.9	56.5	17.7	4	2792
18-20 LST	51.2	43.7	15.2	3.6	1.4	6.7	4.8	4.5	0.9	14.4	43.6	58.4	20.7	8	3672
21-23 LST	54.5	44.7	21.6	1.7	1.6	10.4	7.8	4.8	2.6	14.6	47.7	63.9	23.0	4	2664
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	27.5	13.9	6.0	0.4	1.2	2.6	0.7	2.8	5.2	9.4	21.8	35.2	10.6	8	3395
03-05 LST	27.6	8.8	8.7	3.4	1.1	3.6	2.5	10.4	11.1	12.2	23.8	33.0	12.2	4	2786
06-08 LST	28.8	19.5	12.3	6.9	2.4	3.9	2.4	10.1	18.6	22.2	30.2	29.8	15.6	8	3773
09-11 LST	24.4	15.8	4.8	1.1	0.0	0.0	0.4	0.0	1.1	7.5	29.4	26.2	9.2	4	2792
12-14 LST	21.2	8.6	3.3	0.4	0.4	0.5	0.0	0.0	0.3	1.1	13.1	20.9	5.8	9	3815
15-17 LST	23.7	2.9	0.5	0.0	0.5	0.0	0.4	0.0	0.0	0.0	15.2	22.7	5.5	4	2792
18-20 LST	26.5	13.9	4.2	0.7	0.0	0.0	0.0	0.0	0.3	2.3	15.5	30.5	7.8	8	3672
21-23 LST	24.7	9.4	3.2	0.6	0.0	0.0	0.0	0.4	1.9	2.4	20.8	32.9	8.0	4	2664

LINZ, AUSTRIA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. QBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	17.4	15.1	21.5	29.0	29.9	26.4	28.9	29.6	27.2	22.3	17.1	11.1	275.5	8	1561
	07 LST	15.3	13.5	20.2	25.3	27.9	24.0	26.8	23.4	21.4	17.1	14.7	12.7	242.3	8	1916
	13 LST	17.7	16.7	26.3	29.3	30.8	29.0	30.4	30.6	29.2	26.7	20.2	16.1	303.0	9	1960
	19 LST	16.5	14.8	27.0	28.6	30.6	29.1	29.8	30.2	29.6	27.1	19.6	15.0	297.9	8	1837
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	10.2	8.4	15.8	26.3	26.2	23.7	23.8	27.6	23.0	17.9	9.3	5.8	218.0	8	1559
	07 LST	8.4	7.2	13.4	20.0	21.8	19.0	21.7	20.5	17.6	13.0	7.2	7.8	177.6	8	1913
	13 LST	9.9	8.9	16.4	16.9	18.5	18.2	20.1	20.7	18.3	15.6	9.9	8.1	181.5	9	1955
	19 LST	10.0	10.5	20.5	20.3	24.0	23.2	24.6	26.0	24.9	22.3	11.5	7.8	225.6	8	1830
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	1.0	0.4	1.4	0.2	0.0	0.0	0.2	0.0	0.0	0.4	1.9	2.0	7.5	8	1568
	07 LST	1.6	1.3	1.7	0.3	0.0	0.4	0.1	0.1	0.3	0.3	0.7	0.7	7.5	8	1925
	13 LST	1.5	1.8	3.4	3.6	0.9	0.4	0.6	1.3	1.8	1.6	1.9	1.3	20.1	9	1971
	19 LST	0.8	0.7	1.5	1.1	0.0	0.0	0.3	0.0	0.0	0.1	0.1	1.0	5.6	8	1838
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	2.1	0.9	6.1	9.0	13.3	9.1	10.1	8.4	10.6	9.5	6.1	2.7	87.9	8	1562
	07 LST	2.7	1.1	4.7	7.1	11.0	9.2	10.4	8.4	6.4	5.9	5.1	2.8	74.8	8	1919
	13 LST	4.0	2.7	9.0	11.2	11.6	12.9	13.4	12.8	11.6	10.7	9.7	5.2	114.8	9	1967
	19 LST	3.9	2.9	9.8	12.5	11.4	10.5	11.7	12.1	14.3	14.0	7.9	2.8	113.8	8	1831
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	5.8	3.2	9.3	10.9	13.0	9.2	12.4	13.1	14.1	9.4	3.2	3.3	106.9	8	1567
	07 LST	2.3	2.5	7.1	6.3	9.8	4.9	8.4	7.7	6.3	3.5	1.0	2.6	62.4	8	1924
	13 LST	3.3	3.4	8.2	6.6	5.6	5.9	9.7	9.0	11.9	7.0	1.0	2.7	74.3	9	1972
	19 LST	5.3	4.2	7.7	9.3	7.9	5.5	9.2	9.7	15.9	11.6	4.2	4.2	94.7	8	1846
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	12.6	12.1	18.3	25.8	28.4	24.0	23.8	26.9	25.3	19.2	11.5	7.1	235.2	8	1561
	07 LST	9.4	10.3	17.2	23.6	25.4	21.4	23.3	21.9	18.9	13.0	9.4	8.1	201.9	8	1916
	13 LST	13.7	13.0	23.9	25.1	28.2	24.3	26.4	27.8	27.1	22.4	13.6	11.2	256.7	9	1960
	19 LST	12.1	11.4	24.1	26.1	29.6	26.1	25.8	27.6	28.2	23.5	14.3	10.8	259.6	8	1837
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	9.1	8.8	16.1	19.5	23.6	18.1	18.7	22.3	21.3	14.0	7.1	5.2	183.8	8	1561
	07 LST	6.5	7.0	12.5	19.3	21.1	17.7	19.5	18.4	14.5	8.5	5.8	4.9	155.7	8	1916
	13 LST	11.4	9.4	19.6	19.8	24.2	19.9	22.2	22.9	23.6	18.8	10.2	8.4	210.4	9	1960
	19 LST	8.4	7.8	19.0	19.8	24.4	21.0	20.7	23.1	24.5	18.3	9.6	8.0	204.6	8	1837
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	8.9	7.5	15.6	18.7	21.9	16.6	17.3	20.0	19.7	12.5	6.5	5.2	170.4	8	1561
	07 LST	5.9	5.6	11.4	18.0	19.7	16.8	17.7	17.2	12.6	7.6	5.2	4.7	142.4	8	1916
	13 LST	10.7	8.9	18.4	19.2	23.2	18.9	20.7	21.6	22.5	16.8	8.6	7.8	197.3	9	1960
	19 LST	7.8	7.1	17.9	19.0	22.9	20.3	19.2	21.0	23.4	16.8	8.4	7.2	191.0	8	1837

VIENNA-TULLN, AUSTRIA

STA NO. 11030 (IN AREA NUMBER 01)

LATITUDE 4819N

LONGITUDE 01608E

ELEVATION(FT) 00577

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	61	61	75	83	90	98	99	100	92	79	68	91	100	13	4057
MEAN MAX TMP (F)	32	37	49	60	68	74	77	77	71	57	45	37	57	13	4057
MEAN MIN TMP (F)	22	25	31	39	47	53	56	55	50	40	34	28	40	13	4137
ABS MIN TMP (F)	-22	-4	8	24	27	36	43	41	32	18	12	0	-22	12	4137
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.1	0.5	1.3	1.7	0.5	0.0	0.0	0.1	4.3	13	4057
MEAN NO DYS TMP = DR LES 32(F)	26.0	22.4	18.2	5.4	0.7	0.0	0.0	0.0	0.1	5.6	10.3	21.9	110.6	13	4137
MEAN NO DYS TMP = DR LES 0(F)	1.	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	2.3	13	4137
MEAN DEW PT TMP (F)	26	27	32	40	49	54	57	57	53	42	36	29	42	9	71980
MEAN REL HUM (PCT)	85	82	75	70	73	72	73	75	77	82	87	88	78	9	71977
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	2.95	1.03	1.08	1.36	2.95	3.32	5.77	3.12	1.81	1.23	1.65	0.92	27.2	13	4037
MEAN SNOW FALL (IN)	13.3	9.6	1.9	0.1	0.0	0.0	0.0	0.0	0.0	0.5	0.2	4.1	29.7	9	3059
MEAN NO DYS PRCP = DR GTR 0.1 IN	4.9	3.2	2.6	3.9	5.5	6.8	7.5	5.7	4.3	2.9	4.1	2.6	54.0	13	4037
MEAN NO DYS SNFL = DR GTR 1.5 IN	3.0	2.4	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.6	6.8	9	3059
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	4.9	3.7	2.5	0.9	1.4	0.4	0.5	1.4	2.4	6.2	5.6	5.4	35.3	9	3059
MEAN NO DYS TSTMS	0.0	0.3	0.3	1.0	3.0	5.0	6.0	4.0	1.0	0.3	0.3	0.0	21.2	50	-24
P FREQ WND SPD = DR GTR 17 KTS	10.0	11.6	8.6	8.0	5.4	4.8	4.2	4.4	6.1	4.1	7.4	6.2	6.7	9	73098
P FREQ WND SPD = DR GTR 20 KTS	0.3	0.4	0.4	0.4	0.1	0.2	0.1	0.2	0.1	0.1	0.5	0.3	0.3	9	73098
P FREQ LES 5000 FT A/D LES 5 MI	62.5	57.6	38.1	26.1	29.5	27.9	25.8	20.7	23.7	45.7	61.1	71.5	40.9	13	76621
P FREQ LES 1900 FT A/D LES 3 MI															
FOR 00-02 LST	26.7	25.4	12.5	3.2	4.1	2.5	2.6	3.2	5.9	21.9	25.1	40.6	14.5	9	9177
03-05 LST	27.2	27.3	15.2	4.9	10.0	4.4	3.5	7.2	12.8	28.2	30.0	42.4	17.8	9	9177
06-08 LST	33.2	32.4	16.7	6.7	10.4	5.2	4.5	6.6	14.0	32.7	35.6	42.4	20.0	13	10564
09-11 LST	28.5	27.1	11.5	2.5	3.9	2.6	1.9	3.1	5.7	20.3	29.9	41.3	14.9	9	9180
12-14 LST	28.1	21.9	7.8	2.9	3.9	1.9	1.5	2.0	2.5	12.8	22.6	35.5	12.0	13	10530
15-17 LST	26.2	18.9	7.1	1.0	3.5	1.2	1.6	1.8	2.3	11.8	21.8	36.1	11.1	9	9175
18-20 LST	29.5	23.4	10.5	2.1	3.9	1.9	1.8	1.6	2.9	13.6	24.1	36.8	12.7	13	10283
21-23 LST	25.8	22.6	10.9	1.3	2.9	1.7	1.6	1.3	2.3	14.8	24.0	38.3	12.3	9	9175
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	7.9	8.3	2.7	0.6	0.7	0.1	0.4	0.8	1.8	10.5	10.0	9.5	4.4	9	9177
03-05 LST	10.2	9.4	5.5	1.7	4.3	1.5	1.2	3.0	5.4	14.2	11.9	11.4	6.6	9	9177
06-08 LST	12.8	11.2	6.7	2.0	2.1	0.5	1.5	2.4	6.6	17.2	15.1	13.7	7.7	13	10564
09-11 LST	9.5	5.9	3.0	0.0	0.0	0.2	0.0	0.0	0.1	4.0	6.9	10.0	3.3	9	9180
12-14 LST	7.0	5.0	0.8	0.0	0.1	0.2	0.1	0.1	0.1	1.3	3.9	7.4	2.2	13	10530
15-17 LST	7.0	4.7	1.2	0.0	0.0	0.0	0.0	0.1	0.3	0.7	4.9	6.1	2.1	9	9175
18-20 LST	8.8	6.2	1.8	0.4	0.1	0.3	0.2	0.0	0.3	2.1	7.9	6.4	2.9	13	10283
21-23 LST	6.6	6.6	1.9	0.0	0.1	0.0	0.1	0.0	0.4	4.3	9.5	7.5	3.1	9	9175

WIENNA-TULLN, AUSTRIA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	23.7	21.6	27.6	29.6	30.3	29.6	30.3	30.0	28.7	24.5	23.5	20.0	319.4	9	3064
	07 LST	19.8	18.3	25.6	27.4	27.9	28.4	29.3	28.7	25.6	20.7	20.1	19.4	291.2	13	4444
	13 LST	22.0	22.1	28.4	29.2	29.8	29.6	30.6	30.6	29.4	27.5	24.4	21.2	324.8	13	4411
	19 LST	21.8	21.6	28.2	29.0	29.9	29.6	30.6	30.7	29.4	27.1	23.0	21.7	320.6	13	4172
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	12.5	13.5	21.0	23.1	25.5	24.6	25.4	25.7	24.2	18.9	15.3	11.6	241.3	9	3059
	07 LST	11.9	10.8	18.1	19.8	19.4	20.8	22.1	22.5	19.6	14.8	11.2	11.0	202.0	13	4443
	13 LST	10.9	9.9	13.6	14.6	17.3	18.4	18.8	17.8	17.4	15.9	11.6	9.9	176.1	13	4411
	19 LST	12.7	13.3	18.8	20.8	21.8	24.0	24.2	23.2	24.0	21.0	14.6	12.2	230.6	13	4170
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	2.2	1.9	0.8	0.8	0.3	0.4	0.4	0.6	0.5	0.5	2.0	1.6	12.0	9	3059
	07 LST	3.1	2.1	1.8	1.6	2.0	1.3	1.6	1.1	1.1	0.6	1.8	2.2	20.3	13	4443
	13 LST	3.3	4.6	5.8	4.0	3.4	2.3	2.9	3.9	4.1	3.1	4.2	3.9	45.5	13	4409
	19 LST	2.1	2.5	2.6	2.2	1.9	0.9	1.8	2.0	1.4	1.6	1.5	2.3	22.8	13	4171
SFC WND 4-10 KTS AND THP 33-89 DEG F AND NO PRECIP.	01 LST	3.5	3.4	6.7	8.2	9.7	9.5	8.0	5.7	9.1	7.1	7.0	5.1	83.0	9	3059
	07 LST	2.1	3.3	6.3	8.1	10.3	10.9	10.9	8.0	8.1	8.0	7.1	3.8	86.9	13	4438
	13 LST	4.1	4.9	11.3	10.3	13.8	14.5	11.7	12.1	11.0	12.2	9.0	6.3	121.2	13	4405
	19 LST	3.2	5.1	10.0	10.7	12.5	11.7	12.3	11.0	11.2	9.5	8.0	5.0	110.2	13	4170
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	6.7	6.0	14.0	15.6	14.4	14.5	16.4	18.7	16.6	12.8	7.2	5.2	148.1	9	3064
	07 LST	3.5	3.2	8.6	8.4	8.1	9.0	11.1	12.1	8.0	5.5	2.7	3.2	83.4	13	4443
	13 LST	2.9	4.8	7.4	5.5	5.0	4.9	8.9	10.5	10.2	8.0	3.0	3.2	74.3	13	4409
	19 LST	5.5	7.2	11.6	9.8	7.1	7.6	10.9	11.3	13.6	13.1	6.6	5.2	109.5	13	4167
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	19.2	10.3	25.7	27.1	28.1	27.4	28.3	28.7	27.1	22.2	19.1	15.1	286.3	9	3064
	07 LST	15.2	15.2	23.2	25.4	24.8	26.1	27.1	26.9	23.8	17.9	15.1	14.4	255.1	13	4444
	13 LST	17.4	18.0	24.9	25.8	27.0	26.7	28.0	28.1	27.9	23.8	19.2	16.1	282.9	13	4411
	19 LST	17.3	18.9	25.6	26.7	27.0	27.6	28.4	28.9	27.4	24.1	18.1	15.9	285.9	13	4172
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	11.7	11.3	19.8	21.5	21.3	21.7	22.6	24.4	22.6	16.8	12.3	10.2	216.2	9	3064
	07 LST	9.0	10.2	17.2	20.3	19.0	20.8	22.0	22.2	18.9	13.4	9.5	9.1	191.6	13	4444
	13 LST	11.1	12.4	17.7	18.0	19.8	18.5	21.0	22.0	22.0	18.6	12.2	11.8	205.1	13	4411
	19 LST	10.9	13.2	19.9	20.3	21.1	22.0	22.4	24.3	22.8	19.9	11.6	10.8	219.2	13	4172
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	9.5	8.6	17.3	18.6	19.6	19.6	20.6	22.7	19.9	15.0	9.0	8.1	189.3	9	3064
	07 LST	6.9	8.1	15.8	17.1	17.2	18.6	19.5	20.9	16.4	11.9	7.3	7.8	167.5	13	4444
	13 LST	8.6	11.3	16.2	16.7	18.9	17.0	19.5	20.8	20.5	16.9	10.6	9.6	186.6	13	4411
	19 LST	9.5	11.2	18.0	18.3	19.5	20.0	20.7	22.3	21.3	18.5	10.3	9.0	198.6	13	4172

WIEN/HOHE/WARTE, AUSTRIA

STA NO. 11035 (IN AREA NUMBER 01)

LATITUDE 4815N

LONGITUDE 01622E

ELEVATION(FT) 00666

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	62	67	77	83	92	97	98	97	90	82	71	66	98	99	-528
MEAN MAX TMP (F)	34	38	47	57	66	71	75	73	66	55	44	37	55	50	-28
MEAN MIN TMP (F)	26	28	34	41	50	56	59	58	52	44	36	30	43	50	-28
ABS MIN TMP (F)	-8	-14	3	18	27	39	45	42	31	16	6	-4	-14	99	-528
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	1.3	1.8	0.2	0.0	0.0	0.0	3.3	5	1526
MEAN NO DYS TMP = DR LES 32(F)	23.4	22.0	18.3	2.7	0.0	0.0	0.0	0.0	0.0	1.9	10.1	14.6	93.0	5	1570
MEAN NO DYS TMP = DR LES 0(F)	0.3	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	5	1570
MEAN DEW PT TMP (F)	24	22	29	37	45	53	56	55	50	44	32	30	40	5	5252
MEAN REL HUM (PCT)	78	75	68	65	68	67	68	69	71	77	80	81	72	40	-28
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	1.50	1.40	1.80	2.10	2.80	2.70	3.00	2.70	2.00	2.00	1.90	1.80	25.6	99	-28
MEAN SNOW FALL (IN)						0.0	0.0	0.0	0.0					99	-28
MEAN NO DYS PRCP = DR GTR 0.1 IN	4.9	4.6	5.6	6.0	6.9	7.0	7.4	7.0	5.7	5.7	5.5	5.8	72.1	99	-29
MEAN NO DYS SNFL = DR GTP 1.5 IN						0.0	0.0	0.0	0.0					99	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	4.5	2.9	3.5	1.5	0.7	0.5	0.2	0.0	0.8	4.2	4.5	7.0	30.3	5	1312
MEAN NO DYS TSTMS	0.0	0.3	0.3	1.0	5.0	6.0	7.0	6.0	2.0	0.3	0.3	0.3	28.5	50	-24
P FREQ WND SPD = DR GTR 17 KTS	13.6	12.9	7.4	8.0	6.7	7.1	7.0	4.7	6.0	5.6	11.3	12.3	8.6	5	5292
P FREQ WND SPD = DR GTR 28 KTS	2.4	2.6	0.5	0.2	0.6	0.4	0.0	0.4	0.6	0.5	1.5	2.5	1.0	5	5292
P FREQ LES 5000 FT A/D LES 3 MI	76.9	75.5	66.2	48.8	37.8	31.9	29.6	23.8	33.0	58.3	76.2	78.8	53.1	5	5570
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	42.0	39.7	26.6	9.6	8.5	2.8	2.8	3.6	6.7	20.1	34.1	45.1	20.1	5	1629
03-05 LST														0	0
06-08 LST	45.3	53.0	53.4	30.5	18.6	21.7	12.9	17.2	25.5	58.6	57.1	47.1	36.7	5	1670
09-11 LST														0	0
12-14 LST	59.7	53.5	36.2	12.9	5.3	4.1	2.1	2.1	2.9	26.2	46.8	63.6	26.3	5	1709
15-17 LST														0	0
18-20 LST	44.4	40.0	28.1	11.9	5.4	1.4	2.0	1.4	1.4	20.0	38.1	45.9	20.0	5	1651
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	9.9	10.7	5.8	1.5	0.0	1.4	0.0	0.0	1.5	4.3	9.3	14.3	4.9	5	1629
03-05 LST														0	0
06-08 LST	11.7	14.4	15.8	7.1	2.1	2.1	0.7	0.7	2.1	19.3	14.3	16.7	8.9	5	1670
09-11 LST														0	0
12-14 LST	19.4	12.6	10.1	0.0	0.0	0.0	0.0	0.0	0.0	7.8	14.9	22.9	7.3	5	1709
15-17 LST														0	0
18-20 LST	17.0	9.6	4.3	0.0	0.7	0.0	0.0	0.0	0.0	2.2	6.3	12.8	4.4	5	1651
21-23 LST														0	0

WIEN/HOHE/WARTE, AUSTRIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	19.5	17.3	23.6	27.5	29.0	29.3	30.3	30.3	27.9	25.2	20.6	17.9	298.4	5	1628
	07 LST	18.4	14.0	14.9	21.4	26.0	24.1	27.4	26.2	22.5	13.5	14.1	17.2	239.7	5	1670
	13 LST	12.9	13.4	20.3	27.5	29.7	28.9	30.5	30.3	29.3	23.7	16.8	12.1	275.4	5	1709
	19 LST	17.9	17.2	22.9	27.6	30.1	29.7	30.5	30.5	29.7	25.2	19.7	17.9	298.9	5	1651
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	10.2	8.6	15.2	20.0	19.9	20.8	22.3	24.1	22.3	17.9	11.4	7.9	200.6	5	1621
	07 LST	7.0	6.3	8.6	15.5	18.6	17.9	18.7	20.3	16.1	7.8	6.2	8.7	151.7	5	1665
	13 LST	5.1	5.1	10.1	17.2	18.8	20.5	20.9	22.6	18.8	15.6	8.9	4.6	169.2	5	1707
	19 LST	9.7	9.9	15.5	19.7	22.7	23.2	22.3	24.6	25.0	18.0	11.9	6.7	209.2	5	1644
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	2.7	2.3	1.3	1.3	1.3	1.2	2.5	1.3	0.9	1.1	2.8	2.3	21.0	5	1625
	07 LST	2.1	2.1	1.6	1.0	0.8	1.8	1.0	0.8	1.4	0.6	2.7	2.2	18.1	5	1676
	13 LST	3.3	3.7	3.7	3.1	1.8	1.8	2.1	2.5	3.2	2.6	2.3	3.4	33.5	5	1719
	19 LST	2.1	2.6	2.2	0.6	1.2	1.0	0.8	0.0	0.8	0.2	2.3	4.3	18.1	5	1657
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	2.5	1.8	4.2	7.3	9.3	7.7	9.6	8.8	10.2	7.9	7.3	4.1	80.7	5	1612
	07 LST	1.4	1.5	2.3	8.5	10.5	10.5	9.8	7.2	8.4	7.8	6.5	4.4	78.8	5	1657
	13 LST	2.8	4.4	7.9	11.2	15.7	12.4	12.9	14.5	11.3	11.1	9.0	6.0	119.2	5	1705
	19 LST	3.3	3.8	9.8	12.9	11.6	12.6	12.1	13.8	15.2	12.1	9.1	5.2	121.5	5	1642
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	6.9	4.6	11.8	11.9	13.9	10.4	16.3	17.2	17.1	8.4	4.1	3.0	126.1	5	1627
	07 LST	3.6	1.4	3.7	6.0	7.4	4.3	6.8	8.9	6.2	1.7	2.3	2.2	54.3	5	1674
	13 LST	2.2	1.9	6.0	4.5	4.8	3.9	6.4	6.8	10.5	4.6	2.9	0.4	54.9	5	1705
	19 LST	6.2	4.5	6.9	5.6	6.7	4.8	9.0	7.8	11.7	9.9	2.5	3.9	79.5	5	1658
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	15.9	15.0	20.5	24.7	25.7	27.8	29.0	29.2	26.1	22.3	16.2	13.7	266.1	5	1628
	07 LST	13.3	10.3	13.0	18.0	23.0	21.3	25.6	23.9	20.6	11.9	9.8	13.0	203.7	5	1670
	13 LST	11.8	11.0	17.4	21.8	26.3	25.4	27.7	29.5	27.5	20.4	12.9	8.8	240.7	5	1709
	19 LST	15.3	14.3	19.1	23.9	26.7	27.6	28.6	29.5	27.8	22.5	15.0	13.5	263.8	5	1651
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	12.4	10.4	18.0	20.5	21.1	24.0	24.9	27.2	23.2	17.6	10.9	8.3	218.5	5	1628
	07 LST	9.2	6.3	9.7	15.1	18.2	17.2	21.9	21.5	18.4	10.1	6.2	8.9	162.6	5	1670
	13 LST	9.1	8.8	13.9	16.3	20.3	20.5	22.0	25.8	23.4	16.7	10.0	6.6	193.4	5	1709
	19 LST	11.2	10.4	15.6	20.3	22.3	23.4	25.9	26.1	24.2	18.6	9.2	9.5	216.7	5	1651
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	12.4	10.1	17.8	20.2	21.1	24.0	24.7	27.2	23.2	17.6	10.9	8.3	217.7	5	1628
	07 LST	9.2	6.3	9.7	14.6	18.1	17.2	21.9	21.5	18.4	9.9	6.2	8.7	161.7	5	1670
	13 LST	9.1	8.8	13.9	16.3	20.3	20.5	22.0	25.8	23.4	16.7	9.7	6.6	193.1	5	1709
	19 LST	11.2	10.2	15.6	20.3	22.3	23.4	25.9	26.1	24.2	18.6	9.2	9.5	216.5	5	1651

VIENNA/SCHWECHAT, AUSTRIA

STA NO. 11036 (IN AREA NUMBER 01)

LATITUDE 4807N

LONGITUDE 01634E

ELEVATION(FT) 00617

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	54	54	63	81	86	84	95	99	88	77	57	59	99	5	635
MEAN MAX TMP (F)	36	34	46	64	66	74	81	79	69	59	43	38	57	5	635
MEAN MIN TMP (F)	29	26	29	42	47	54	59	57	51	43	33	30	42	5	647
ABS MIN TMP (F)	10	-8	10	25	32	39	46	46	34	25	14	12	-8	5	647
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	3.6	4.1	0.0	0.0	0.0	0.0	7.7	5	635
MEAN NO DYS TMP = DR LES 32(F)	23.7	19.9	22.2	2.4	0.5	0.0	0.0	0.0	0.0	3.1	11.5	21.5	104.8	5	647
MEAN NO DYS TMP = DR LES 0(F)	0.0	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	5	647
MEAN DEW PT TMP (F)	27	28	26	39	48	55	57	54	48	44	33	29	41	5	1300
MEAN REL HUM (PCT)	80	79	73	64	72	73	64	67	71	79	79	85	74	5	1264
MEAN PRESS ALT (FT)	462	502	542	604	566	572	585	569	504	487	501	504	333	0	-50
MEAN PRECIP (IN)	1.96	0.86	0.92	1.56	1.75	2.91	2.01	1.31	1.29	1.00	1.63	0.59	17.8	5	440
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0					5	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	5.3	2.0	4.1	2.9	8.7	7.3	5.3	2.4	3.5	3.3	1.4	2.0	48.2	5	440
MEAN NO DYS SNFL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0					5	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	2.9	0.0	2.4	0.0	0.0	0.0	0.0	0.0	0.0	5.6	0.8	8.4	20.1	5	325
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	2.7	6.2	2.6	1.9	1.0	0.0	0.0	0.0	14.4	5	332
P FREQ WND SPD = DR GTR 17 KTS	13.6	17.9	16.1	9.3	10.9	3.5	6.1	5.1	14.2	5.4	17.1	12.5	11.0	5	1340
P FREQ WND SPD = DR GTR 28 KTS	2.3	0.0	0.0	0.0	0.0	0.0	0.0	0.7	2.5	0.0	0.7	0.0	0.5	5	1340
P FREQ LES 5000 FT A/D LES 5 MI	58.1	50.0	24.7	18.2	25.9	10.6	6.4	10.1	19.1	37.1	54.7	74.6	32.5	5	1584
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	30.9	22.0	12.0	4.9	3.2	1.4	1.2	0.0	5.3	20.0	22.8	47.1	14.2	5	833
03-05 LST														0	0
06-08 LST	26.5	25.0	14.8	8.2	1.5	1.8	0.0	0.0	11.1	24.2	25.0	48.2	15.5	5	719
09-11 LST														0	0
12-14 LST	23.9	18.8	5.3	2.3	2.5	2.9	1.1	1.1	2.6	10.9	18.1	44.2	11.1	5	1008
15-17 LST														0	0
18-20 LST	32.1	24.0	12.0	3.0	1.7	0.0	0.0	1.7	0.0	8.5	19.4	39.7	11.8	5	713
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	14.5	5.1	0.0	1.6	0.0	0.0	0.0	0.0	1.3	8.6	8.9	20.7	5.1	5	833
03-05 LST														0	0
06-08 LST	12.2	5.9	3.3	1.4	0.0	1.8	0.0	0.0	0.0	12.9	7.7	19.6	5.4	5	719
09-11 LST														0	0
12-14 LST	6.8	2.5	2.7	0.0	0.0	0.0	0.0	0.0	0.0	3.3	2.1	12.8	2.5	5	1008
15-17 LST														0	0
18-20 LST	10.7	12.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	4.5	15.9	3.7	5	713
21-23 LST														0	0

VIENNA/SCHWECHAT, AUSTRIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	22.3	22.2	27.6	28.5	29.9	30.0	31.0	31.0	28.7	25.5	24.1	17.5	318.3	5	796
	07 LST	24.0	21.4	27.4	27.5	30.5	29.4	31.0	31.0	27.2	24.0	23.6	17.7	314.7	5	719
	13 LST	25.0	23.1	30.1	29.6	30.6	29.5	31.0	30.6	29.6	27.9	25.8	18.7	331.5	5	1008
	19 LST	21.5	21.6	27.9	29.5	30.4	30.0	31.0	31.0	30.0	28.8	25.0	20.1	326.8	5	713
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	12.6	11.1	15.1	20.1	23.1	20.1	22.9	22.0	17.7	17.0	12.6	7.4	201.7	5	792
	07 LST	9.4	9.8	16.7	18.4	20.0	20.5	20.4	19.5	17.2	14.5	10.9	9.4	186.7	5	718
	13 LST	9.1	5.6	11.1	11.5	11.7	14.7	14.0	14.5	13.8	13.1	10.6	6.8	136.5	5	1006
	19 LST	11.6	10.8	15.8	18.8	19.4	21.9	21.0	22.4	19.8	18.3	15.9	8.8	204.5	5	711
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	4.0	3.7	1.3	0.9	0.5	0.0	1.2	0.4	1.7	0.0	3.5	4.4	21.6	5	797
	07 LST	2.5	2.4	2.5	2.0	0.0	0.5	1.0	1.0	2.2	1.4	4.6	3.8	23.9	5	720
	13 LST	3.1	6.1	5.7	3.8	4.3	1.6	3.2	3.8	6.5	4.8	5.4	5.1	54.4	5	1024
	19 LST	3.2	2.9	1.9	0.0	1.0	0.5	1.1	1.0	1.2	0.5	3.1	3.4	19.8	5	717
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	2.2	2.8	6.2	9.5	14.4	12.3	8.6	11.3	10.7	7.3	6.3	3.4	95.0	5	790
	07 LST	3.8	2.0	5.1	8.6	12.1	9.8	10.1	8.0	12.7	5.8	2.8	3.9	84.7	5	712
	13 LST	4.2	2.4	9.0	11.6	11.7	9.5	12.3	12.5	11.6	9.4	6.4	4.1	104.7	5	1015
	19 LST	3.8	4.1	9.0	11.9	11.0	9.8	10.9	13.8	14.4	12.8	8.9	4.4	114.8	5	711
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	5.1	3.7	13.4	14.7	16.0	9.7	14.3	15.5	16.0	11.0	5.9	3.7	129.0	5	796
	07 LST	2.5	2.8	10.3	9.8	7.6	8.2	15.7	12.1	8.8	5.8	4.6	1.6	89.8	5	719
	13 LST	4.9	7.1	9.0	7.3	7.0	6.9	10.1	11.0	11.9	7.7	4.4	2.5	89.8	5	1012
	19 LST	7.1	4.1	8.6	8.8	6.7	8.9	14.6	10.6	7.8	7.8	5.2	4.9	95.1	5	719
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	20.6	20.2	25.6	26.5	29.4	29.1	30.2	31.0	27.4	23.5	1.4	14.5	299.4	5	796
	07 LST	20.8	19.3	24.9	26.3	29.5	28.9	31.0	31.0	26.6	22.0	19.6	13.8	293.7	5	719
	13 LST	20.7	19.9	27.2	27.2	29.0	26.9	29.5	30.3	28.4	25.6	21.3	15.1	301.1	5	1008
	19 LST	19.9	19.4	26.0	27.7	27.8	30.0	30.4	29.9	29.4	27.3	21.4	16.7	305.9	5	713
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	15.5	13.0	20.8	20.6	25.7	24.6	27.0	28.4	25.7	19.0	15.1	8.2	243.6	5	796
	07 LST	13.2	11.9	19.3	22.1	20.9	23.6	26.8	27.0	21.6	18.5	12.1	9.9	226.9	5	719
	13 LST	14.7	14.0	22.7	21.6	22.3	20.0	24.6	27.3	23.7	22.5	16.9	10.8	241.1	5	1008
	19 LST	15.5	11.9	19.8	22.3	21.5	25.7	28.6	26.7	22.8	22.0	15.6	12.3	244.7	5	713
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	14.3	12.5	20.8	20.6	25.7	24.2	26.6	28.0	25.7	19.0	15.1	8.2	240.7	5	796
	07 LST	13.2	11.5	19.3	21.7	20.0	23.6	26.3	27.0	21.6	18.0	12.1	9.9	224.2	5	719
	13 LST	14.0	14.0	22.7	21.6	22.3	19.5	24.6	27.3	23.3	22.5	16.5	10.8	239.1	5	1008
	19 LST	14.9	11.9	19.8	22.3	21.5	25.1	28.6	26.7	22.8	22.0	15.2	11.8	242.6	5	713

LANGENLEBARN, AUSTRIA

STA NO. 14521/ (IN AREA NUMBER 01)

LATITUDE 4819N

LONGITUDE 01606E

ELEVATION(FT) 00576

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	61	61	75	83	90	98	99	100	92	79	68	91	100	13	-11030
MEAN MAX TMP (F)	32	37	49	60	68	74	77	77	71	57	45	37	57	13	-11030
MEAN MIN TMP (F)	22	25	31	39	47	53	56	55	50	40	34	28	40	13	-11030
ABS MIN TMP (F)	-22	-4	8	24	27	38	43	41	32	18	12	0	-22	13	-11030
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.1	0.5	1.3	1.7	0.6	0.0	0.0	0.1	4.3	13	-11030
MEAN NO DYS TMP = DR LES 32(F)	26.0	22.4	18.2	5.4	0.7	0.0	0.0	0.0	0.1	5.6	10.3	21.9	110.6	13	-11030
MEAN NO DYS TMP = DR LES 3(F)	1.7	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	2.3	13	-11030
MEAN D'W PT TMP (F)	26	27	32	40	49	54	57	57	53	42	36	29	42	9	-11030
MEAN REL HUM (PCT)	85	82	75	70	73	72	73	75	77	82	87	88	78	9	-11030
MEAN PRESS ALT (FT)	437	478	516	580	542	550	563	547	480	462	476	479	509	0	-50
MEAN PRECIP (IN)	2.95	1.03	1.08	1.36	2.95	3.32	5.77	3.12	1.81	1.23	1.65	0.92	27.2	13	-11030
MEAN SNOW FALL (IN)	13.3	9.6	1.9	0.1	0.0	0.0	0.0	0.0	0.0	0.5	0.2	4.1	29.7	9	-11030
MEAN NO DYS PRCP = DR GTR 0.1 IN	4.9	3.2	2.6	3.9	5.5	6.8	7.5	5.7	4.3	2.9	4.1	2.6	54.0	13	-11030
MEAN NO DYS SNFL = DR GTR 1.5 IN	3.0	2.4	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.6	6.8	9	-11030
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	4.9	3.7	2.5	0.9	1.4	0.4	0.5	1.4	2.4	6.2	5.6	5.4	35.3	9	-11030
MEAN NO DYS TSTMS	0.0	0.3	0.3	1.0	3.0	5.0	6.0	4.0	1.0	0.3	0.3	0.0	21.2	50	-11030
P FREQ WND SPD = DR GTR 17 KTS	10.0	11.6	8.6	8.0	5.4	4.8	4.2	4.4	6.1	4.1	7.4	6.2	6.7	9	-11030
P FREQ WND SPD = DR GTR 28 KTS	0.3	0.4	0.4	0.4	0.1	0.2	0.1	0.2	0.1	0.1	0.5	0.3	0.3	9	-11030
P FREQ LES 5000 FT A/D LES 5 MI	62.5	57.6	38.1	26.1	29.5	27.9	25.8	20.7	23.7	45.7	61.1	71.5	40.9	13	-11030
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	26.7	25.4	12.5	3.2	4.1	2.5	2.6	3.2	5.9	21.9	25.1	40.6	14.5	9	-11030
03-05 LST	27.2	27.3	15.2	4.9	10.0	4.4	3.5	7.2	12.8	28.2	30.0	42.4	17.8	9	-11030
06-08 LST	33.2	32.4	16.7	6.7	10.4	5.2	4.5	6.6	14.0	32.7	35.6	42.4	20.0	13	-11030
09-11 LST	28.5	27.1	11.5	2.5	3.9	2.6	1.9	3.1	5.7	20.3	29.9	41.3	14.9	9	-11030
12-14 LST	28.1	21.9	7.8	2.9	3.9	1.9	1.5	2.0	2.5	12.8	22.6	35.5	12.0	13	-11030
15-17 LST	26.2	18.9	7.1	1.0	3.5	1.2	1.6	1.8	2.3	11.8	21.8	36.1	11.1	9	-11030
18-20 LST	29.5	23.4	10.5	2.1	3.9	1.9	1.8	1.6	2.9	13.6	24.1	36.8	12.7	13	-11030
21-23 LST	25.8	22.6	10.9	1.3	2.9	1.7	1.6	1.3	2.3	14.8	24.0	38.3	12.3	9	-11030
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	7.9	8.3	2.7	0.6	0.7	0.1	0.4	0.8	1.8	10.5	10.0	9.5	4.4	9	-11030
03-05 LST	10.2	9.4	5.5	1.7	4.3	1.5	1.2	3.0	5.4	14.2	11.9	11.4	6.6	9	-11030
06-08 LST	12.8	11.2	6.7	2.0	2.1	0.5	1.5	2.4	6.6	17.2	15.1	13.7	7.7	13	-11030
09-11 LST	9.5	5.9	3.0	0.0	0.0	0.2	0.0	0.0	0.1	4.0	6.9	10.0	3.3	9	-11030
12-14 LST	7.0	5.0	0.8	0.0	0.1	0.2	0.1	0.1	0.1	1.3	3.9	7.4	2.2	13	-11030
15-17 LST	7.0	4.7	1.2	0.0	0.0	0.0	0.0	0.1	0.3	0.7	4.9	6.1	2.1	9	-11030
18-20 LST	8.8	6.2	1.8	0.4	0.1	0.3	0.2	0.0	0.3	2.1	7.9	6.4	2.9	13	-11030
21-23 LST	6.6	6.6	1.9	0.0	0.1	0.0	0.1	0.0	0.4	4.3	9.5	7.5	3.1	9	-11030

LANGENLEBARN, AUSTRIA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. DBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	23.7	21.6	27.6	29.6	30.3	29.6	30.3	30.0	28.7	24.5	23.5	20.0	319.4	9	-11030
	07 LST	19.8	18.3	25.6	27.4	27.9	28.4	29.3	28.7	25.6	20.7	20.1	19.4	291.2	13	-11030
	13 LST	22.0	22.1	28.4	29.2	29.8	29.6	30.6	30.6	29.4	27.5	24.4	21.7	324.8	13	-11030
	19 LST	21.8	21.6	28.2	29.0	29.9	29.6	30.6	30.7	29.4	27.1	23.0	21.7	322.6	13	-11030
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	12.5	13.5	21.0	23.1	25.5	24.6	25.4	25.7	24.2	18.9	15.3	11.6	241.3	9	-11030
	07 LST	11.9	10.8	18.1	19.8	19.4	20.8	22.1	22.5	19.6	14.8	11.2	11.0	202.0	13	-11030
	13 LST	10.9	9.9	13.6	14.6	17.3	18.4	18.8	17.8	17.4	15.9	11.6	9.9	176.1	13	-11030
	19 LST	12.7	13.3	18.8	20.8	21.8	24.0	24.2	23.2	24.0	21.0	14.6	12.2	230.6	13	-11030
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	2.2	1.9	0.8	0.8	0.3	0.4	0.4	0.6	0.5	0.5	2.0	1.6	12.0	9	-11030
	07 LST	3.1	2.1	1.8	1.6	2.0	1.3	1.6	1.1	1.1	0.6	1.8	2.2	20.3	13	-11030
	13 LST	3.3	4.6	5.8	4.0	3.4	2.3	2.9	3.9	4.1	3.1	4.2	3.9	45.5	13	-11030
	19 LST	2.1	2.5	2.6	2.2	1.9	0.9	1.8	2.0	1.4	1.6	1.5	2.3	22.8	13	-11030
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	3.5	3.4	6.7	8.2	9.7	9.5	8.0	5.7	9.1	7.1	7.0	5.1	83.0	9	-11030
	07 LST	2.1	3.3	6.3	8.1	10.3	10.9	10.9	8.0	8.1	8.0	7.1	3.8	86.9	13	-11030
	13 LST	4.1	4.9	11.3	10.3	13.8	14.5	11.7	12.1	11.0	12.2	9.0	6.3	121.2	13	-11030
	19 LST	3.2	5.1	10.0	10.7	12.5	11.7	12.3	11.0	11.2	9.5	8.0	5.0	110.2	13	-11030
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	6.7	6.0	14.0	15.6	14.4	14.5	16.4	18.7	16.6	12.8	7.2	5.2	148.1	9	-11030
	07 LST	3.5	3.2	8.6	8.4	8.1	9.0	11.1	12.1	8.0	5.5	2.7	3.2	83.4	13	-11030
	13 LST	2.9	4.8	7.4	5.5	5.0	4.9	8.9	10.5	10.2	8.0	3.0	3.2	74.3	13	-11030
	19 LST	5.5	7.2	11.6	9.8	7.1	7.6	10.9	11.3	13.6	13.1	6.6	5.2	109.5	13	-11030
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	19.2	18.3	25.7	27.1	28.1	27.4	28.3	28.7	27.1	22.2	19.1	15.1	286.3	9	-11030
	07 LST	15.2	15.2	23.2	25.4	24.8	26.1	27.1	26.9	23.8	17.9	15.1	14.4	255.1	13	-11030
	13 LST	17.4	18.0	24.9	25.8	27.0	26.7	28.0	28.1	27.9	23.8	19.2	16.1	282.9	13	-11030
	19 LST	17.3	18.9	25.6	26.7	27.0	27.6	28.4	28.9	27.4	24.1	18.1	15.9	285.9	13	-11030
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	11.7	11.3	19.8	21.5	21.3	21.7	22.6	24.4	22.6	16.8	12.3	10.2	216.2	9	-11030
	07 LST	9.0	10.2	17.2	20.3	19.0	20.8	22.0	22.2	18.9	13.4	9.5	9.1	191.6	13	-11030
	13 LST	11.1	12.4	17.7	18.0	19.8	18.5	21.0	22.0	22.0	18.6	12.2	11.8	205.1	13	-11030
	19 LST	10.9	13.2	19.9	20.3	21.1	22.0	22.4	24.3	22.8	19.9	11.6	10.8	219.2	13	-11030
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	9.5	8.6	17.3	18.6	19.6	19.6	20.6	22.7	19.9	15.0	9.8	8.1	189.3	9	-11030
	07 LST	6.9	8.1	15.8	17.1	17.2	18.6	19.5	20.9	16.4	11.9	7.3	7.8	167.5	13	-11030
	13 LST	8.6	11.3	16.2	16.7	18.9	17.0	19.5	20.8	20.5	16.9	10.6	9.6	186.6	13	-11030
	19 LST	9.5	11.2	18.0	18.3	19.5	20.0	20.7	22.3	21.3	18.5	10.3	9.0	198.6	13	-11030

AREA NO. 01

AUSTRIA	DANUBE PLAINS		LATITUDE 4830N				LONGITUDE 01530E				DEC	ANN						
	BOUNDARIES	4800N 01250E	4800N 01600E	4800N 01600E	4800N 01600E	4724N 01628E	JAN	FEB	MAR	APR			MAY	JUN	JUL	AUG	SEP	OCT
PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN				
MEAN MAX TMP (F)		34	37	48	59	67	73	77	76	68	57	44	37	56				
MEAN MIN TMP (F)		26	27	32	41	48	54	58	57	51	42	35	29	42				
LARGEST MEAN PRECIP(IN)		2.95	2.09	2.09	2.91	3.23	4.09	5.17	4.06	2.84	2.32	2.44	2.44	37.2				
SMALLEST MEAN PRECIP(IN)		1.50	0.86	0.92	1.36	1.75	2.70	2.01	1.31	1.29	1.00	1.63	0.59	16.9				
		MEAN NUMBER OF DAYS																
CIG = GTR 1000 FT AND	01 LST	20.7	19.1	25.1	28.7	29.8	28.8	30.1	30.2	28.1	24.4	21.3	16.6	302.9				
VSBY = GTR 3 MI	07 LST	19.4	16.8	22.0	25.4	28.1	26.5	28.6	27.3	24.2	18.8	18.1	16.8	272.0				
	13 LST	19.4	18.8	26.3	28.9	30.2	29.3	30.6	30.5	29.4	26.5	21.8	17.0	308.7				
	19 LST	19.4	18.8	26.5	28.7	30.3	29.6	30.5	30.6	29.7	27.1	21.8	18.7	311.7				
CIG = GTR 2000 FT AND VSBY = GTR	01 LST	11.4	10.4	16.9	22.4	23.7	22.3	23.6	24.9	21.8	17.9	12.2	8.2	215.6				
3 MI W/SFC WND LES 10 KTS	07 LST	9.2	8.5	14.2	18.4	20.0	19.6	20.7	20.7	17.6	12.5	8.9	9.2	179.5				
	13 LST	8.8	7.5	12.8	15.1	16.6	18.0	18.5	18.9	17.1	15.1	10.3	7.4	166.2				
	19 LST	11.0	11.1	17.7	19.9	22.0	23.1	23.0	24.1	23.4	19.9	13.5	8.9	217.6				
SFC WND = GTR 17 KTS AND	01 LST	2.5	2.1	1.2	0.8	0.5	0.4	1.1	0.6	0.8	0.5	2.6	2.6	15.7				
NO PRECIP.	07 LST	2.3	2.0	1.9	1.2	0.7	1.0	0.9	0.8	1.3	0.7	2.5	2.2	17.5				
	13 LST	2.8	4.1	4.7	3.6	2.6	1.5	2.5	2.9	3.9	3.0	3.5	3.4	38.5				
	19 LST	2.1	2.2	2.1	1.0	1.0	0.6	1.0	0.8	0.9	0.6	1.8	2.8	16.9				
SFC WND 4-10 KTS AND TMP 33-89	01 LST	2.6	2.2	5.8	8.5	11.7	9.7	9.1	8.6	10.2	8.0	6.7	3.8	86.9				
DEG F AND NO PRECIP.	07 LST	2.5	2.0	4.6	8.1	11.0	10.1	10.3	7.9	8.9	6.9	5.4	3.7	81.4				
	13 LST	3.8	3.6	9.3	11.1	13.2	12.3	12.6	13.0	11.4	10.9	8.5	5.4	115.1				
	19 LST	3.6	4.0	9.7	12.0	11.6	11.2	11.8	12.7	13.8	12.1	8.5	4.4	115.4				
SKY COVER LES 3/10 AND	01 LST	6.1	4.4	12.1	13.3	14.3	11.0	14.9	16.1	16.0	10.5	5.1	3.8	127.6				
VSBY = GTR 3 MI	07 LST	3.0	2.5	7.4	7.6	8.2	5.6	10.5	10.2	7.3	4.1	2.7	2.4	72.5				
	13 LST	3.3	4.3	7.7	6.0	5.6	5.4	8.8	9.3	11.1	6.8	2.8	2.2	73.3				
	19 LST	6.0	5.0	8.7	8.4	7.1	6.7	10.9	9.9	12.3	10.6	4.6	4.6	94.8				
CIG = GTR 2500 FT AND	01 LST	17.1	16.4	22.5	26.0	27.9	27.1	27.8	29.0	26.5	21.8	17.1	12.6	271.8				
VSBY = GTR 3 MI	07 LST	14.7	13.8	19.6	23.3	25.7	24.4	25.8	25.9	22.5	16.2	13.5	12.3	238.7				
	13 LST	15.9	15.5	23.4	25.0	27.7	25.8	27.9	28.9	27.7	23.1	16.8	12.8	270.5				
	19 LST	16.2	16.0	23.7	26.1	27.8	27.8	28.3	29.0	28.2	24.4	17.2	14.2	278.9				
CIG = GTR 6000 FT AND	01 LST	12.2	10.9	18.7	20.5	22.9	22.1	23.3	25.6	23.2	16.9	11.4	8.0	215.7				
VSBY = GTR 3 MI	07 LST	9.5	8.9	14.7	15.2	19.8	19.8	22.6	22.3	18.4	12.6	8.4	8.2	184.4				
	13 LST	11.6	11.2	18.5	18.9	21.7	19.7	22.5	24.5	23.2	19.2	12.3	9.4	212.7				
	19 LST	11.5	10.8	18.6	20.7	22.3	23.0	24.4	25.1	23.6	19.7	11.5	10.2	221.4				
CIG = GTR 10000 FT AND	01 LST	11.3	9.7	17.9	19.5	22.1	21.1	22.4	24.5	22.1	16.0	10.6	7.5	204.7				
VSBY = GTR 3 MI	07 LST	8.8	7.9	14.1	17.9	18.8	19.1	21.4	21.7	17.3	11.9	7.7	7.8	174.4				
	13 LST	10.6	10.8	17.8	18.5	21.2	19.0	21.7	23.9	22.4	18.2	11.4	8.7	204.2				
	19 LST	10.9	10.1	17.8	20.0	21.6	22.2	23.6	24.0	22.9	19.0	10.8	9.4	212.3				

FELDKIRCH, AUSTRIA

STA NO. 11105 (IN AREA NUMBER 02)

LATITUDE 4715N

LONGITUDE 00935E

ELEVATION(FT) 01761

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	68	68	76	83	89	97	99	95	88	81	72	66	99	27	-28
MEAN MAX TMP (F)	36	39	49	58	65	72	75	73	66	56	45	36	56	32	-28
MEAN MIN TMP (F)	24	25	32	39	46	52	55	55	50	41	34	26	40	32	-28
ABS MIN TMP (F)	-8	-13	5	18	26	37	41	37	32	22	2	-15	-15	34	-28
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0				0.0	0.0	0.0	0.0		32	-29
MEAN NO DYS TMP = OR LES 32(F)						0.0	0.0	0.0	0.0					34	-29
MEAN NO DYS TMP = OR LES 0(F)			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0				34	-29
MEAN DEW PT TMP (F)	24	24	29	37	43	50	53	54	49	41	33	26	39	30	-29
MEAN REL HUM (PCT)	80	76	68	67	67	69	69	72	75	78	79	82	74	25	-28
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	2.68	2.05	2.56	3.27	4.25	5.39	6.38	6.06	4.41	3.15	2.76	2.68	45.6	50	-122
MEAN SNOW FALL (IN)						0.0	0.0	0.0	0.0					34	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	7.8	6.4	6.7	7.2	7.5	9.7	9.9	9.8	9.0	7.6	7.0	7.8	96.4	50	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN						0.0	0.0	0.0	0.0					34	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.3	0.3	1.0	3.0	5.0	6.0	5.0	1.0	0.3	0.3	0.0	22.2	50	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1900 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

FELDKIRCH, AUSTRIA
 MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SFC WND 4-10 KTS AND THP 33-89 DEG F AND NO PRECIP.	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0

DATA NOT AVAILABLE

INNSBRUCK WEST, AUSTRIA

STA NO. 11120 (IN AREA NUMBER 02)

LATITUDE 4715N

LONGITUDE 01120E

ELEVATION(FT) 01906

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	61	60	77	83	91	97	97	95	87	76	73	66	97	21	-328
MEAN MAX TMP (F)	34	40	51	60	69	75	78	74	69	58	46	36	58	34	-28
MEAN MIN TMP (F)	20	24	31	39	46	52	55	54	49	40	32	24	39	34	-28
ABS MIN TMP (F)	-15	-22	2	19	18	31	-11	38	30	18	-4	-13	-22	34	-528
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.1	0.7	1.5	0.7	0.0	0.0	0.0	0.0	3.0	13	3281
MEAN NO DYS TMP = DR LES 32(F)	27.7	24.8	18.0	6.0	1.0	0.2	0.1	0.0	0.1	6.7	18.7	25.7	129.0	13	012
MEAN NO DYS TMP = DR LES 0(F)	0.5	2.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.2	0.3	3.1	13	4012
MEAN DEW PT TMP (F)	20	20	28	36	43	51	55	54	49	41	29	27	38	5	5968
MEAN REL HUM (PCT)	78	73	65	63	63	67	71	73	74	75	79	79	72	30	-32
MEAN PRESS ALT (FT)	1780	1813	1858	1909	1873	1857	1876	1858	1811	1806	1823	1821	1840	0	-50
MEAN PRECIP (IN)	2.09	1.98	1.65	2.24	2.95	4.09	4.76	4.57	3.03	2.40	2.24	2.09	33.7	50	-122
MEAN SNOW FALL (IN)						0.0		0.0						34	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	6.5	5.2	5.3	6.3	7.0	8.8	9.3	9.2	7.4	6.4	6.1	6.5	84.0	50	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN						0.0		0.0						34	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	7.3	9.0	1.7	0.7	0.2	0.5	0.2	1.6	2.9	6.2	5.9	8.9	45.1	5	1492
MEAN NO DYS TSTMS	0.3	0.0	0.3	0.3	3.0	5.0	7.0	5.0	2.0	0.3	0.3	0.0	23.5	50	-24
P FREQ WND SPD = DR GTR 17 KTS	1.4	1.4	3.8	2.1	2.2	2.4	0.2	1.1	2.2	1.3	0.4	1.1	1.6	5	6044
P FREQ WND SPD = DR GTR 20 KTS	0.2	0.0	0.2	0.4	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.1	5	6044
P FREQ LES 5000 FT A/D LES 5 MI	70.2	74.3	41.1	41.5	33.1	37.3	36.1	35.6	34.3	49.1	63.3	70.1	48.8	9	8089
P FREQ LES 1500 FT A/D LES 3 MI	60.7	73.2	26.2	22.6	16.7	18.6	20.9	15.6	19.1	36.2	48.2	60.7	34.8	5	1694
FOR 00-02 LST														0	0
03-05 LST														14	4173
06-08 LST	56.2	58.6	38.4	42.5	37.5	35.8	36.2	39.6	38.6	51.9	54.7	51.8	45.2	0	0
09-11 LST														9	2355
12-14 LST	43.9	47.2	14.7	8.8	7.1	6.7	3.1	6.3	3.9	13.3	25.8	47.2	19.0	0	0
15-17 LST														14	3494
18-20 LST	54.8	38.6	14.3	9.4	7.5	5.3	6.7	4.6	6.7	16.0	31.9	51.1	20.6	0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI	19.3	21.4	5.5	2.2	1.4	0.0	0.0	2.7	2.1	8.5	15.8	22.8	8.5	5	1694
FOR 00-02 LST														0	0
03-05 LST														14	4173
06-08 LST	31.3	29.6	16.0	10.1	10.1	7.5	4.5	14.7	18.3	24.3	32.2	26.9	18.8	0	0
09-11 LST														9	2355
12-14 LST	10.7	9.1	3.9	1.3	0.0	1.0	0.4	1.0	1.5	1.4	5.7	10.7	3.9	0	0
15-17 LST														14	3494
18-20 LST	21.6	10.5	5.7	1.9	1.1	0.4	0.7	0.4	1.8	2.6	8.4	18.6	6.1	0	0
21-23 LST														0	0

INNSBRUCK WEST, AUSTRIA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	12.6	7.7	23.6	23.8	26.8	24.6	25.3	26.7	24.4	20.2	15.7	12.4	243.8	5	1692
	07 LST	13.9	12.1	19.7	18.4	20.4	20.1	20.5	19.1	19.2	15.7	14.0	15.3	208.4	14	4173
	13 LST	17.5	15.0	26.9	28.0	29.3	28.1	30.1	29.4	28.9	27.1	22.5	16.8	299.6	9	2555
	19 LST	14.4	17.3	26.8	27.5	29.0	28.9	29.3	29.8	28.2	26.5	20.6	15.6	293.9	14	3494
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	10.2	5.9	19.8	21.2	23.6	23.5	23.8	25.0	22.5	17.5	13.3	10.2	216.5	5	1692
	07 LST	12.2	10.2	17.2	15.7	17.9	18.1	18.9	18.0	16.7	13.0	12.0	13.3	183.2	14	4168
	13 LST	14.9	12.2	20.4	22.5	23.8	24.0	27.1	26.4	25.1	23.9	19.8	13.6	253.7	9	2549
	19 LST	12.7	15.7	23.2	22.0	23.1	24.6	25.8	27.5	25.2	24.3	18.8	13.5	256.4	14	3477
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	0.0	0.0	0.2	0.2	0.2	0.2	0.0	0.0	0.0	0.2	0.0	0.4	1.4	5	1700
	07 LST	0.2	0.2	0.1	0.1	0.1	0.0	0.0	0.0	0.1	0.0	0.1	0.1	1.0	14	4371
	13 LST	0.5	0.9	1.8	1.0	0.8	0.9	0.5	0.4	0.5	0.4	0.2	0.4	8.3	9	2585
	19 LST	0.1	0.3	0.7	0.7	0.9	1.0	0.4	0.3	0.8	0.1	0.3	0.0	5.6	14	3499
SFC WND 4-10 KTS AHC THP 33-89 DEG F AND NO PRECIP.	01 LST	0.6	1.3	4.9	4.7	3.0	2.8	2.1	3.3	4.6	3.0	1.2	1.6	33.1	5	1693
	07 LST	0.7	1.1	3.3	4.3	4.3	3.8	2.6	1.9	3.5	2.9	2.7	2.2	33.5	14	4345
	13 LST	4.1	3.1	5.6	7.2	10.3	11.3	12.0	10.0	9.0	7.7	5.3	5.6	91.8	9	2566
	19 LST	3.0	1.7	8.1	10.4	11.6	10.1	8.1	5.6	4.6	3.8	3.2	1.9	72.1	14	3449
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	5.1	2.2	9.7	7.8	5.1	6.4	8.1	8.2	10.2	5.7	6.9	4.8	83.2	5	1694
	07 LST	6.5	5.4	7.9	3.4	6.9	7.6	8.0	7.2	5.9	4.0	4.9	6.1	73.8	14	4354
	13 LST	5.3	4.7	8.7	5.2	6.1	4.5	6.2	5.8	7.7	8.7	9.2	5.0	77.1	9	2579
	19 LST	5.1	8.0	8.9	5.3	3.2	3.0	5.2	5.9	8.6	9.9	9.2	5.8	78.1	14	3502
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	11.7	7.0	21.7	20.8	23.8	22.2	23.4	24.6	23.5	18.9	14.4	11.7	223.8	5	1692
	07 LST	12.8	10.3	17.8	15.0	17.7	17.8	18.3	17.7	16.9	13.0	12.8	13.7	183.8	14	4173
	13 LST	17.0	14.2	25.3	25.8	27.9	27.5	29.6	27.9	28.2	25.5	21.8	15.9	286.6	9	2555
	19 LST	13.6	16.6	25.4	26.3	27.6	27.1	28.2	29.0	27.3	25.0	20.1	14.5	280.7	14	3494
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	12.4	5.6	19.8	16.6	17.7	16.2	19.4	19.1	20.6	14.0	12.3	10.0	181.7	5	1692
	07 LST	11.3	9.0	15.5	12.0	15.1	15.3	16.1	14.6	14.1	10.5	10.1	11.6	155.2	14	4173
	13 LST	15.0	13.2	23.3	21.2	22.5	23.6	27.2	24.2	25.6	22.6	20.5	15.2	254.1	9	2555
	19 LST	12.1	14.9	22.7	21.8	22.0	20.8	24.0	23.3	24.5	21.6	18.4	12.9	239.0	14	3494
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	10.4	5.4	19.1	16.2	16.9	15.8	18.7	18.5	20.4	13.6	12.3	9.8	177.1	5	1692
	07 LST	11.2	8.6	15.0	11.6	14.9	15.0	15.7	14.0	13.6	10.3	9.5	11.5	150.9	14	4173
	13 LST	14.9	13.2	23.2	20.9	21.3	22.1	26.3	23.7	24.8	22.3	20.2	15.2	248.1	9	2555
	19 LST	12.1	14.9	22.5	21.5	21.3	19.3	22.7	21.5	23.6	21.4	18.3	12.7	231.8	14	3494

SONNBLICK, AUSTRIA

STA NO. 11146 (IN AREA NUMBER 02)

LATITUDE 4703N

LONGITUDE 01297E

ELEVATION(FT) 10190

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	34	38	38	39	49	55	57	54	50	47	42	34	57	64	-528
MEAN MAX TMP (F)	13	13	16	21	28	34	38	38	34	27	20	15	25	48	-28
MEAN MIN TMP (F)	4	4	7	12	21	26	30	30	27	21	13	7	17	48	-28
ABS MIN TMP (F)	-35	-35	-30	-16	-4	4	12	14	3	-5	-19	-27	-35	64	-528
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	3028
MEAN NO DYS TMP = OR LES 32(F)	31.0	27.9	31.0	30.0	29.9	26.0	18.2	19.8	22.1	29.3	30.0	30.9	326.1	10	3053
MEAN NO DYS TMP = OR LES 0(F)	10.4	11.5	7.5	1.6	0.2	0.0	0.0	0.0	0.0	0.6	3.4	5.7	40.9	10	3053
MEAN DEN PT TMP (F)	2	2	7	13	22	28	31	31	27	19	11	5	17	52	-29
MEAN REL HUM (PCT)	77	78	83	87	90	90	90	89	86	83	80	79	84	60	-28
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	4.30	4.40	5.20	6.00	5.90	4.90	5.40	4.80	4.10	4.60	4.20	4.70	58.5	62	-28
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = OR GTR 0.1 IN	10.1	10.1	8.1	9.2	9.0	9.4	9.7	9.4	8.7	9.1	8.8	10.4	112.0	62	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN														0	0
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS 15TMS	0.0	0.0	0.0	0.3	2.0	4.0	7.0	6.0	2.0	0.3	0.3	0.0	21.9	50	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI	52.3	53.2	60.9	67.9	72.6	72.9	70.4	66.5	54.2	55.6	47.0	48.1	60.1	10	7509
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	48.1	49.0	57.8	59.2	63.3	60.9	54.0	49.8	43.5	47.8	43.4	45.6	51.9	10	3091
09-11 LST														0	0
12-14 LST	47.7	51.0	58.9	66.7	72.6	75.2	72.1	69.2	53.1	53.9	41.8	44.0	58.9	10	3096
15-17 LST														0	0
18-20 LST	51.7	54.4	62.3	70.3	77.5	79.3	77.9	76.7	64.8	60.1	46.1	45.2	63.9	10	3028
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	46.6	45.5	54.1	57.4	60.4	58.6	49.0	45.9	40.7	45.0	40.6	43.7	49.0	10	3091
09-11 LST														0	0
12-14 LST	44.5	49.4	57.1	65.2	71.9	72.9	66.9	64.3	49.3	52.3	39.5	41.8	56.3	10	3096
15-17 LST														0	0
18-20 LST	48.7	52.5	59.8	68.5	76.1	76.8	73.2	72.6	61.0	56.5	45.7	43.1	61.2	10	3028
21-23 LST														0	0

SONNBLICK, AUSTRIA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	16.1	14.6	13.4	12.4	11.7	11.9	14.7	15.8	17.5	16.4	17.2	16.8	178.5	10	3091
	13 LST	16.3	13.8	12.8	10.2	8.5	7.4	8.6	9.8	14.3	14.5	17.5	17.6	151.3	10	3096
	19 LST	15.0	12.9	11.9	8.9	7.0	6.2	7.2	7.6	10.7	12.7	16.2	17.2	133.5	10	3028
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST														0	0
	07 LST	4.6	6.2	5.5	6.1	5.1	6.4	5.5	7.9	7.7	7.6	6.6	5.8	75.0	10	3078
	13 LST	5.3	5.0	6.0	4.9	4.6	4.7	5.8	6.1	7.4	5.7	5.6	6.8	67.9	10	3079
	19 LST	5.1	5.0	4.8	5.3	4.6	4.1	5.0	4.6	5.4	5.3	5.0	6.1	60.3	10	3020
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST														0	0
	07 LST	14.0	9.5	11.7	6.4	5.9	6.7	7.4	6.9	8.9	8.7	10.5	11.5	108.1	10	3182
	13 LST	12.2	9.7	8.8	6.6	5.3	6.0	5.0	6.9	7.8	9.8	12.1	11.5	101.7	10	3301
	19 LST	12.3	10.0	9.8	5.8	4.7	6.0	4.4	5.4	7.7	9.0	12.2	11.5	98.8	10	3162
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST														0	0
	07 LST	0.0	0.0	0.0	0.0	0.6	3.2	4.4	5.8	3.7	0.9	0.2	0.0	18.8	10	3160
	13 LST	0.0	0.2	0.0	0.0	0.7	4.3	6.8	7.3	5.1	1.0	0.3	0.1	25.8	10	3278
	19 LST	0.0	0.2	0.0	0.2	0.8	4.4	7.9	7.0	4.0	1.7	0.1	0.0	26.3	10	3152
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	9.1	8.4	7.7	6.3	6.1	7.1	7.8	9.2	10.2	9.0	10.3	11.5	102.7	10	3180
	13 LST	8.5	7.2	7.2	5.0	2.9	3.7	3.9	3.7	7.7	7.1	8.4	10.2	75.5	10	3305
	19 LST	8.7	7.0	6.5	3.3	2.3	2.7	2.4	2.6	5.3	6.8	9.5	11.2	68.3	10	3157
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	15.8	13.7	12.6	11.9	10.9	11.3	13.6	15.3	16.5	15.8	16.6	14.7	170.7	10	3091
	13 LST	15.8	13.5	12.6	9.7	8.2	7.3	8.5	9.2	13.7	14.0	17.2	16.9	146.6	10	3096
	19 LST	14.7	12.4	11.2	8.8	6.7	6.0	6.3	6.6	10.4	12.0	15.7	16.6	127.4	10	3028
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	15.3	13.3	12.4	11.8	10.7	11.2	13.4	15.1	15.9	15.4	16.1	16.5	167.1	10	3091
	13 LST	15.6	13.4	12.5	9.5	8.2	7.3	8.3	9.2	13.6	13.7	16.8	16.8	144.9	10	3096
	19 LST	14.3	12.1	11.1	8.6	6.7	6.0	6.3	6.6	10.4	11.8	15.5	15.9	125.3	10	3028
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	15.3	13.3	12.4	11.8	10.7	11.2	13.3	15.1	15.9	15.4	16.1	16.5	167.0	10	3091
	13 LST	15.6	13.4	12.5	9.5	8.2	7.3	8.3	9.2	13.6	13.7	16.8	16.8	144.9	10	3096
	19 LST	14.3	12.1	11.1	8.6	6.7	6.0	6.1	6.6	10.4	11.8	15.5	15.9	125.1	10	3028

SALZBURG, AUSTRIA

STA NO. 11150 (IN AREA NUMBER 02)

LATITUDE 4747N

LONGITUDE 01300E

ELEVATION(FT) 01410

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	64	66	76	86	91	97	97	97	91	82	74	61	97	29	-528
MEAN MAX TMP (F)	36	38	49	56	66	71	74	73	68	57	45	36	56	27	-28
MEAN MIN TMP (F)	24	25	32	39	47	51	55	55	50	41	33	26	40	27	-28
ABS MIN TMP (F)	-24	-24	0	18	26	36	41	36	27	17	2	-18	-24	29	-528
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.1	1.2	0.5	0.0	0.0	0.0	0.0	1.8	11	3262
MEAN NO DYS TMP = DR LES 32(F)	27.2	25.5	19.6	6.5	1.0	0.0	0.0	0.0	0.4	5.4	16.4	24.1	126.1	11	3289
MEAN NO DYS TMP = DR LES 0(F)	3.1	2.3	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	7.1	11	3289
MEAN DEW PT TMP (F)	23	18	29	39	48	52	56	55	51	49	32	24	39	6	10713
MEAN REL HUM (PCT)	81	79	75	73	73	74	75	77	79	82	84	84	78	30	-32
MEAN PRESS ALT (FT)	1288	1319	1364	1407	1373	1353	1372	1357	1315	1314	1333	1330	1344	0	-50
MEAN PRECIP (IN)	2.76	2.48	2.56	3.70	5.12	6.77	7.91	6.89	5.16	3.54	2.91	2.80	52.6	50	-122
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0				14.6		1	169
MEAN NO DYS PRCP = DR GTR 0.1 IN	8.0	7.4	6.7	7.4	8.0	9.9		9.9	9.5	8.1	7.2	8.1		50	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0				1.0		1	169
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	4.7	3.6	2.4	0.9	0.4	0.2	0.2	1.4	3.4	5.7	5.6	11.3	39.8	6	1504
MEAN NO DYS TSTMS	0.3	0.3	0.3	1.0	4.0	5.0	6.0	4.0	2.0	0.3	0.3	0.3	23.8	50	-24
P FREQ WND SPD = DR GTR 17 KTS	2.2	0.9	1.9	1.3	0.3	0.7	0.5	0.1	0.4	0.1	1.0	0.6	0.8	6	10729
P FREQ WND SPD = DR GTR 28 KTS	0.3	0.3	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.1	0.1	6	10729
P FREQ LES 5000 FT A/D LES 5 MI	72.0	70.4	45.8	32.3	33.6	37.4	31.7	26.5	34.5	57.6	60.7	78.2	48.4	11	15932
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	46.4	67.3	19.7	8.5	8.2	8.2	11.0	3.4	15.5	33.0	45.6	57.0	27.0	6	2249
03-05 LST				6.8	15.1	3.3	10.8	6.5	22.2	39.8		74.2		1	704
06-08 LST	52.3	52.9	29.0	18.6	12.9	12.8	9.9	12.3	24.3	37.1	36.3	50.1	29.0	11	3875
09-11 LST		61.1	25.8	7.8	9.7	8.9	17.2	6.5	8.9	33.3		67.7		1	846
12-14 LST	44.6	37.5	13.5	9.6	7.0	4.9	8.2	3.0	4.1	14.3	28.9	47.0	18.6	11	3987
15-17 LST		11.1	6.5	3.3	3.2	7.8	11.8	5.4	2.2	9.7		59.1		1	846
18-20 LST	48.1	44.9	13.1	9.8	5.0	7.1	6.1	2.8	4.7	18.3	32.8	57.1	20.8	11	3863
21-23 LST				0.0	5.4	5.6	11.0	3.2	3.4	11.3		82.6		1	702
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	13.6	18.3	3.1	0.0	1.7	0.0	2.1	0.8	6.4	11.9	12.8	33.5	8.7	6	2249
03-05 LST				1.7	3.2	0.0	6.5	1.1	15.6	17.2		43.0		1	704
06-08 LST	19.6	22.7	10.2	6.0	0.6	0.5	2.2	2.0	12.6	19.5	17.5	24.6	11.5	11	3875
09-11 LST		22.2	4.3	0.0	0.0	0.0	9.7	0.0	4.4	14.0		39.8		1	846
12-14 LST	14.7	10.2	2.5	1.4	0.3	0.3	1.6	0.0	0.3	1.4	7.1	18.6	4.9	11	3987
15-17 LST		0.0	0.0	0.0	2.2	0.0	3.2	0.0	0.0	1.1		28.0		1	846
18-20 LST	18.1	14.1	3.1	1.8	1.1	1.6	2.2	0.3	0.3	2.0	9.5	30.7	7.0	11	3863
21-23 LST				0.0	3.2	0.0	7.7	0.0	0.0	3.2		47.8		1	702

SALZBURG, AUSTRIA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	17.1	9.7	23.1	27.9	28.6	27.5	27.9	30.1	25.6	21.8	17.0	15.5	273.8	7	1777
	07 LST	15.5	13.8	23.0	25.0	28.3	27.0	29.0	27.4	23.5	20.9	20.1	18.2	271.7	11	3359
	13 LST	18.1	18.0	27.7	28.4	30.0	29.3	29.9	30.4	29.1	27.9	22.2	18.9	309.9	11	3423
	19 LST	16.8	15.9	27.6	27.9	30.2	28.7	29.8	30.3	29.2	26.1	20.9	15.4	298.8	11	3345
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	12.1	7.6	19.6	23.4	26.6	26.2	25.4	27.4	23.1	18.6	12.7	11.3	234.0	7	1769
	07 LST	10.5	9.7	17.0	19.5	23.6	23.7	26.0	23.9	20.1	16.9	15.1	11.4	217.4	11	3346
	13 LST	14.1	14.9	21.8	20.7	23.7	26.0	25.6	28.3	25.9	24.1	17.6	13.9	256.8	11	3409
	19 LST	13.1	14.1	22.7	23.4	26.2	25.7	27.6	27.7	26.5	22.6	17.0	11.5	258.1	11	3339
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	0.2	0.0	0.9	0.2	0.1	0.0	0.0	0.1	0.0	0.1	0.0	0.0	1.6	7	1789
	07 LST	0.5	0.2	0.3	0.2	0.3	0.0	0.1	0.0	0.1	0.0	0.2	0.2	2.1	11	3361
	13 LST	0.2	0.6	1.1	0.5	0.6	0.0	0.0	0.1	0.2	0.0	0.1	0.3	3.7	11	3423
	19 LST	0.2	0.3	0.5	0.2	0.5	0.3	0.2	0.2	0.1	0.0	0.2	0.4	3.1	11	3363
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	3.1	0.7	5.3	8.6	9.3	6.6	9.1	10.5	7.2	7.0	3.3	3.9	74.6	7	1780
	07 LST	1.7	2.0	5.3	8.0	8.7	9.1	9.8	9.6	8.5	6.1	4.8	2.4	76.0	11	3353
	13 LST	3.3	2.9	9.8	9.7	11.2	11.5	10.0	12.1	9.5	8.7	5.1	4.0	97.8	11	3410
	19 LST	1.7	1.6	6.5	7.8	8.6	9.8	7.2	6.9	5.6	5.8	3.8	2.8	68.1	11	3358
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	4.5	2.6	8.7	9.4	11.9	6.6	9.6	11.9	10.7	8.0	4.4	2.9	91.2	7	1785
	07 LST	3.4	2.9	5.6	6.7	7.0	7.3	8.2	7.8	6.3	4.6	4.6	3.9	68.3	11	3366
	13 LST	3.9	4.4	8.3	6.0	4.9	7.0	8.4	8.0	10.5	7.2	6.8	4.1	79.5	11	3427
	19 LST	4.4	5.4	7.9	5.8	6.0	6.4	7.8	7.6	10.4	8.6	7.1	4.5	81.9	11	3356
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	14.0	7.0	22.9	23.9	26.1	25.0	26.5	28.6	23.5	18.6	14.4	12.5	243.0	7	1777
	07 LST	12.6	11.1	19.9	21.9	24.2	23.6	25.9	24.8	20.3	16.9	16.2	13.1	230.5	11	3359
	13 LST	15.1	15.4	24.6	23.4	25.2	25.5	26.3	28.0	26.4	23.2	19.0	15.0	267.1	11	3423
	19 LST	13.4	13.7	23.8	23.8	26.4	26.5	27.9	28.5	25.9	21.7	17.5	12.0	261.1	11	3345
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	9.5	4.8	16.8	17.2	18.8	17.0	17.4	22.4	17.3	12.3	8.6	8.8	170.9	7	1777
	07 LST	9.2	8.1	15.7	17.8	19.4	18.3	21.1	20.6	16.1	12.2	11.9	9.4	179.8	11	3359
	13 LST	11.9	12.6	20.9	19.2	19.2	19.9	20.8	23.1	22.7	18.1	15.8	9.7	213.9	11	3423
	19 LST	9.6	11.0	19.2	18.5	19.6	20.0	21.5	22.9	20.9	15.7	13.4	9.0	201.3	11	3345
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	9.0	4.6	16.5	16.6	17.9	16.1	16.9	21.9	15.8	12.1	8.4	8.6	164.4	7	1777
	07 LST	8.9	7.9	15.3	17.3	19.0	17.4	20.2	19.3	15.5	11.9	11.8	9.2	173.9	11	3359
	13 LST	11.8	12.5	20.4	19.1	18.9	19.8	20.7	22.6	22.3	18.0	15.6	9.5	211.2	11	3423
	19 LST	9.5	10.5	18.9	18.2	18.8	19.3	20.9	22.3	20.5	15.7	13.3	8.7	197.6	11	3345

AIGEN, AUSTRIA

STA NO. 11157 (IN AREA NUMBER 02)

LATITUDE 4732N

LONGITUDE 01408E

ELEVATION(FT) 02077

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	43	59	72	77	86	88	93	95	84	77	72	59	95	7	1951
MEAN MAX TMP (F)	25	36	47	59	63	70	74	74	68	58	43	33	54	7	1961
MEAN MIN TMP (F)	13	19	29	35	41	48	51	49	46	39	28	19	35	7	2136
ABS MIN TMP (F)	-17	-15	3	23	28	34	39	37	27	19	0	-27	-27	7	2136
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.7	1.4	0.0	0.0	0.0	0.0	2.1	7	1961
MEAN NO DYS TMP = OR LES 32(F)	30.2	25.4	22.8	11.3	2.4	0.0	0.0	0.0	0.9	6.6	22.2	28.2	150.0	7	2136
MEAN NO DYS TMP = OR LES 0(F)	5.4	2.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	3.9	12.0	7	2136
MEAN DEW PT TMP (F)	15	27	29	36	42	49	52	53	52	43	28	26	38	2	3422
MEAN REL HUM (PCT)	86	79	67	76	76	78	75	76	81	81	85	88	79	2	3422
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	1.68	0.99	1.94	1.44	3.71	7.40	4.40	4.49	3.82	3.47	4.12	1.30	38.8	7	1761
MEAN SNOW FALL (IN)						0.0	0.0	0.0						7	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	3.3	2.9	5.0	6.4	9.9	10.5	10.8	10.4	8.6	5.7	5.6	4.1	83.2	7	1761
MEAN NO DYS SNFL = OR GTR 1.5 IN						0.0	0.0	0.0						7	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	23.5	4.8	3.6	7.0	3.3	3.1	6.6	11.7	15.3	19.6	17.0	18.6	134.1	2	504
MEAN NO DYS TSTMS	0.0	0.0	0.0	2.0	3.3	3.1	8.8	3.7	5.1	0.0	0.0	0.0	26.0	2	504
P FREQ WND SPD = OR GTR 17 KTS	6.5	10.8	14.1	21.4	15.1	6.8	7.8	4.2	1.9	7.9	5.8	5.8	9.0	2	3445
P FREQ WND SPD = OR GTR 28 KTS	0.5	2.5	2.7	1.9	1.1	0.0	0.3	0.3	0.5	0.3	0.7	0.3	0.9	2	3445
P FREQ LES 5000 FT A/D LES 5 MI	76.1	55.3	46.0	50.6	49.3	49.3	46.3	43.2	44.7	49.5	66.2	69.7	53.9	9	11257
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST			15.4	30.0	25.8	13.8	22.6	22.6	50.0	67.7	75.9	52.0		1	280
03-05 LST	80.0	30.4	23.1	30.8	39.3	34.5	66.0	62.7	64.2	70.6	70.2	63.9	53.0	2	490
06-08 LST	57.8	47.3	32.2	30.1	18.7	19.2	25.8	39.2	49.3	49.8	47.2	59.1	39.6	9	2737
09-11 LST	59.5	34.6	15.5	15.0	4.0	3.5	4.6	3.8	12.0	21.5	36.7	47.0	21.5	6	2058
12-14 LST	29.0	18.2	14.4	10.5	4.3	3.6	3.7	0.5	1.0	4.5	12.9	24.9	10.6	9	2357
15-17 LST	32.5	14.3	10.1	15.4	2.5	1.8	4.3	1.2	1.7	4.1	19.5	37.3	12.1	6	1877
18-20 LST	54.8	25.3	16.4	8.2	3.9	4.1	4.7	2.7	2.4	10.8	25.9	36.9	16.3	9	2333
21-23 LST	89.7	17.9	9.7	23.3	12.9	6.9	6.5	9.7	20.0	51.6	73.3	73.3	32.9	1	361
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST			0.0	20.0	9.7	6.9	9.7	12.9	23.3	61.3	69.0	44.0		1	280
03-05 LST	63.3	8.7	15.4	15.4	17.9	17.2	34.0	44.1	49.1	60.8	57.9	49.2	36.1	2	490
06-08 LST	38.9	29.1	16.3	10.5	4.5	4.5	7.5	20.1	29.2	36.8	35.8	33.3	22.2	9	2737
09-11 LST	34.2	11.9	4.6	3.5	0.0	0.0	0.0	0.5	2.3	8.7	18.1	22.0	8.8	6	2058
12-14 LST	12.1	4.8	7.0	2.6	0.5	0.5	0.5	0.5	0.0	0.5	5.4	7.3	3.5	9	2357
15-17 LST	12.3	6.8	4.2	4.2	0.6	0.0	0.6	0.0	0.0	1.2	10.1	20.3	5.0	6	1877
18-20 LST	26.1	12.1	6.8	1.8	1.1	1.0	0.9	0.5	0.5	5.5	15.4	18.0	7.1	9	2333
21-23 LST	75.9	10.7	0.0	13.3	0.0	0.0	0.0	3.2	6.7	29.0	60.0	56.7	21.3	1	361

AIGEN, AUSTRIA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	3.2	22.0	28.0	21.0	24.0	27.0	24.0	24.0	15.0	11.0	7.0	12.0	218.2	2	363
	07 LST	13.6	15.1	22.2	22.4	26.2	24.9	23.9	19.5	16.3	16.6	16.5	12.9	230.1	9	2751
	13 LST	21.9	23.1	27.1	27.7	30.6	29.7	30.5	30.7	29.8	29.8	26.6	23.2	330.7	9	2763
	19 LST	14.3	21.5	27.3	27.0	30.3	29.2	29.8	30.3	29.5	28.0	22.7	19.7	309.6	9	2658
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	1.0	21.0	24.0	18.0	19.0	24.0	22.0	23.0	14.0	8.0	7.0	11.0	192.0	2	363
	07 LST	10.7	12.4	16.7	17.8	21.5	22.2	20.4	17.0	13.6	12.2	13.4	10.0	187.9	9	2750
	13 LST	17.8	18.7	16.3	17.6	20.6	22.1	24.6	25.5	24.9	21.8	22.1	19.0	251.0	9	2761
	19 LST	12.1	18.6	17.3	18.5	20.2	19.9	21.0	23.7	25.5	23.5	18.4	15.1	234.0	9	2652
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	0.0	0.0	4.0	0.0	1.0	0.0	1.0	0.0	0.0	1.0	1.0	0.0	8.0	2	363
	07 LST	0.7	0.5	0.9	0.0	0.7	0.6	0.0	0.1	0.0	0.5	0.5	0.4	4.9	9	2769
	13 LST	1.4	0.7	2.6	1.5	1.7	2.0	0.7	1.2	1.0	2.2	1.1	0.1	16.2	9	2770
	19 LST	1.5	0.8	2.8	1.6	1.9	2.4	1.5	1.2	0.9	3.1	1.3	1.0	19.0	9	2677
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	0.0	2.0	7.0	1.0	6.0	7.0	5.0	3.0	8.0	4.0	3.0	3.0	47.0	2	361
	07 LST	0.6	0.4	1.0	3.4	4.3	4.1	3.6	2.6	3.9	3.6	1.8	0.3	29.6	8	2418
	13 LST	1.1	2.3	5.8	9.3	11.4	11.7	12.4	13.6	11.6	9.1	4.8	1.5	94.6	8	2457
	19 LST	1.4	2.0	6.5	9.1	11.4	11.4	11.2	11.4	12.9	9.2	3.5	1.1	91.1	9	2417
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	1.0	13.0	18.0	13.0	6.0	5.0	12.0	13.0	4.0	6.0	1.0	3.0	95.0	2	363
	07 LST	2.2	3.9	5.2	4.5	4.1	6.0	6.2	5.2	3.1	2.0	3.2	3.0	48.6	9	2768
	13 LST	5.9	8.4	6.7	5.6	3.7	6.1	7.5	9.4	8.5	7.6	7.7	7.4	84.5	9	2769
	19 LST	4.3	8.2	7.9	6.7	4.9	5.4	7.7	7.9	11.0	9.0	8.4	8.3	90.0	9	2668
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	3.2	21.0	28.0	18.0	22.0	21.0	23.0	23.0	12.0	9.0	5.0	7.0	192.2	2	363
	07 LST	9.9	12.7	17.6	17.3	20.4	20.9	18.9	16.3	12.3	12.5	12.4	10.6	181.8	9	2751
	13 LST	19.8	20.5	23.1	23.2	25.5	25.2	27.0	27.9	27.1	27.1	22.8	19.8	289.0	9	2763
	19 LST	12.8	19.6	24.0	22.8	26.4	26.4	27.1	28.1	27.3	25.8	19.7	16.7	276.7	9	2658
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	3.2	17.0	26.0	14.0	16.0	11.0	18.0	17.0	10.0	7.0	4.0	4.0	147.2	2	363
	07 LST	6.4	9.1	14.6	11.2	13.1	13.9	13.4	11.7	7.9	7.7	8.7	7.8	125.5	9	2751
	13 LST	16.2	17.3	18.1	16.6	16.5	16.4	19.2	22.5	21.0	23.2	18.6	16.3	221.9	9	2763
	19 LST	10.4	16.2	18.1	15.6	16.3	16.8	19.0	20.8	21.2	20.8	15.0	13.9	205.1	9	2658
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	3.2	17.0	26.0	14.0	16.0	11.0	18.0	17.0	10.0	7.0	4.0	4.0	147.2	2	363
	07 LST	6.0	9.0	14.5	11.0	15.1	13.5	13.1	11.6	7.8	7.7	8.7	7.8	123.8	9	2751
	13 LST	16.2	17.2	18.0	16.3	15.9	15.7	18.6	22.5	20.9	23.2	18.6	16.3	219.4	9	2763
	19 LST	10.4	16.0	17.9	16.5	15.7	16.3	18.6	20.4	20.9	20.5	14.7	13.8	201.7	9	2658

ZELTWEG, AUSTRIA

STA NO. 11165 (IN AREA NUMBER 02)

LATITUDE 4712N

LONGITUDE 01444E

ELEVATION(FT) 02220

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
ABS MAX TMP (F)	50	63	68	75	81	82	88	91	86	84	64	61	91	6	1758
MEAN MAX TMP (F)	26	39	48	56	62	71	73	73	68	57	42	34	54	6	1758
MEAN MIN TMP (F)	8	17	27	34	40	46	48	48	44	38	27	18	33	6	1645
ABS MIN TMP (F)	-20	-15	9	19	25	34	34	32	21	16	-4	-18	-20	6	1645
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.0	0.0	0.0	0.0	6	1758
MEAN NO DYS TMP = OR LES 32(F)	30.0	27.2	26.0	13.7	4.3	0.0	0.0	0.3	2.0	8.7	24.5	29.5	166.2	6	1645
MEAN NO DYS TMP = OR LES 0(F)	8.5	2.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	3.0	14.6	6	1645
MEAN DEW PT TMP (F)		27	30	35	43	49	54	53	47	41	34	26		0	-50
MEAN REL HUM (PCT)		94	77	71	76	73	81	78	74	80	96	97		4	-29
MEAN PRESS ALT (FT)	2074	2117	2159	2224	2190	2198	2210	2192	2123	2102	2111	2114	2151	0	-50
MEAN PRECIP (IN)	4.86	1.08	1.09	2.41	4.47	2.49	4.26	4.32	2.91	6.21	1.84	1.33	37.3	6	1528
MEAN SNOW FALL (IN)						0.0	0.0	0.0						6	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	2.2	2.2	3.8	5.4	9.4	5.8	9.2	9.3	6.4	7.2	4.0	3.4	68.3	6	1528
MEAN NO DYS SNFL = OR GTR 1.5 IN						0.0	0.0	0.0						6	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI	87.9	68.7	35.0	39.5	39.4	25.3	32.4	31.4	35.7	52.3	66.3	68.6	48.5	5	3162
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	67.3	57.4	26.7	18.9	20.8	1.4	14.9	32.8	53.3	47.2	54.6	47.6	37.7	5	1275
09-11 LST														0	0
12-14 LST	52.1	30.7	5.8	4.5	1.7	2.2	0.8	0.8	2.4	8.6	28.6	32.0	14.2	5	1318
15-17 LST														0	0
18-20 LST	53.3	28.3	7.4	6.7	2.4	0.8	4.3	3.2	6.7	12.7	33.3	28.9	15.7	5	1303
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	39.4	36.1	10.0	6.3	6.7	3.8	0.0	15.6	30.0	28.5	39.8	28.6	20.4	5	1275
09-11 LST														0	0
12-14 LST	14.9	4.5	1.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	8.4	16.5	3.9	5	1318
15-17 LST														0	0
18-20 LST	17.8	8.5	6.6	1.7	0.0	0.0	1.1	0.0	3.2	2.5	12.0	8.9	5.2	5	1303
21-23 LST														0	0

ZELTWEG, AUSTRIA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POB (YRS)	NO. QBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	10.7	12.1	23.2	24.5	25.0	26.8	27.0	21.7	14.5	17.3	14.7	16.5	234.0	5	1275
	13 LST	15.8	19.7	29.7	29.1	30.7	29.5	30.7	31.0	29.2	29.3	22.1	21.6	318.4	5	1318
	19 LST	14.8	20.3	28.6	29.0	30.5	29.7	29.6	30.0	28.2	27.8	20.5	22.7	311.7	5	1303
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST														0	0
	07 LST	8.9	11.9	20.1	23.7	22.7	26.5	25.6	19.8	13.2	15.3	11.3	15.3	214.3	5	1275
	13 LST	13.8	18.7	21.0	18.7	21.6	22.6	26.0	27.2	26.0	24.8	17.8	19.8	258.0	5	1318
	19 LST	13.0	18.4	24.3	21.7	23.5	24.5	26.3	27.6	26.5	24.9	17.2	19.9	267.8	5	1303
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST														0	0
	07 LST	0.8	0.0	1.0	0.2	0.5	0.0	0.0	0.0	0.2	0.0	0.5	0.5	3.7	5	1285
	13 LST	0.3	0.3	3.9	3.1	2.0	1.9	0.7	0.7	1.0	1.0	1.2	0.3	16.4	5	1321
	19 LST	0.5	0.0	1.7	1.7	2.0	0.7	1.0	0.3	0.2	0.0	1.6	0.6	10.4	5	1306
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST														0	0
	07 LST	1.2	0.2	1.8	1.5	1.5	0.0	0.0	0.0	1.0	1.5	1.1	0.0	9.8	5	1206
	13 LST	0.0	1.8	7.5	8.9	8.4	9.5	7.3	6.4	8.8	8.0	3.3	1.2	71.1	5	1214
	19 LST	0.3	2.6	10.0	10.8	9.5	11.3	12.0	10.1	8.6	5.7	1.6	1.0	83.5	5	1270
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	0.8	3.5	5.1	7.6	4.3	11.0	11.4	4.7	3.0	2.7	2.2	4.4	60.7	5	1286
	13 LST	3.9	7.2	6.0	3.7	1.5	6.5	4.7	5.2	10.7	6.9	6.8	7.8	70.9	5	1321
	19 LST	5.4	3.3	8.4	4.5	2.5	7.5	7.6	7.3	13.0	7.5	7.5	9.9	89.4	5	1306
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	8.9	11.4	20.9	22.7	23.7	26.0	24.9	20.3	13.2	13.8	11.6	15.9	213.3	5	1275
	13 LST	12.8	19.0	28.2	27.5	28.6	28.9	29.6	30.2	28.9	26.4	20.4	19.8	300.3	5	1318
	19 LST	13.7	19.2	28.1	26.0	28.0	29.2	29.0	29.0	27.2	23.9	19.1	20.6	293.0	5	1303
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	7.4	10.3	19.3	18.9	20.1	22.5	19.5	15.9	9.7	11.0	8.3	12.9	175.8	5	1275
	13 LST	11.5	17.5	23.4	19.0	19.7	21.9	21.2	23.0	24.6	22.4	17.1	17.7	239.0	5	1318
	19 LST	11.0	16.9	22.5	18.2	18.5	23.0	22.6	23.0	22.2	17.0	14.1	17.2	226.2	5	1303
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	7.4	10.1	19.1	18.9	19.6	22.0	19.5	15.9	9.7	11.0	8.0	12.6	173.8	5	1275
	13 LST	11.5	17.1	22.8	19.0	19.5	21.5	20.4	23.0	24.6	22.1	17.1	17.7	236.3	5	1318
	19 LST	11.0	16.6	22.5	18.2	18.2	22.7	22.6	22.6	22.2	16.8	14.1	17.2	224.7	5	1303

KLAGENFURT, AUSTRIA

STA NO. 11231 (IN AREA NUMBER 02)

LATITUDE 4638N

LONGITUDE 01420E

ELEVATION(FT) 01470

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
ABS MAX TMP (F)	55	66	70	82	87	97	99	94	90	81	63	53	99	17	-528
MEAN MAX TMP (F)	29	37	48	59	67	74	77	75	68	56	42	33	55	31	-28
MEAN MIN TMP (F)	17	21	29	38	46	53	56	55	50	40	32	24	38	31	-28
ABS MIN TMP (F)	-17	-15	-3	19	24	35	32	37	30	18	11	-9	-17	17	-528
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.1	1.1	0.6	0.0	0.0	0.0	0.0	1.8	14	3273
MEAN NO DYS TMP = DR LES 32(F)	29.7	26.1	22.5	6.3	1.2	0.0	0.1	0.0	0.4	3.9	14.5	26.6	131.3	14	3753
MEAN NO DYS TMP = DR LES 0(F)	1.0	2.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	3.8	14	3753
MEAN DEW PT TMP (F)	19	17	27	37	45	53	56	56	51	43	30	27	38	5	5596
MEAN REL HUM (PCT)	87	80	72	71	74	74	76	81	83	87	90	92	81	30	-32
MEAN PRESS ALT (FT)	1348	1380	1425	1465	1493	1408	1426	1413	1375	1377	1395	1389	1403	0	-50
MEAN PRECIP (IN)	1.61	1.65	2.13	3.11	3.54	4.61	4.53	4.53	4.06	3.90	3.43	2.32	39.4	50	-122
MEAN SNOW FALL (IN)						0.0	0.0	0.0	0.0					17	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	5.3	5.4	6.2	7.1	7.3	9.2	9.2	9.2	8.7	8.5	8.0	7.1	91.2	50	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN						0.0	0.0	0.0	0.0					17	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	6.2	4.6	2.2	0.5	1.2	0.5	0.4	1.8	5.7	7.5	7.1	9.5	47.2	5	1382
MEAN NO D'S TSTMS	0.0	0.0	0.3	1.0	4.0	7.0	8.0	6.0	3.0	1.0	0.3	0.3	30.9	50	-2
P FREQ WND SPD = DR GTR 17 KTS	0.0	0.8	0.9	1.8	1.1	0.6	0.4	0.2	0.4	0.4	0.0	0.0	0.6	5	5616
P FREQ HND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.2	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	5	5616
P FREQ LES 5000 FT A/D LES 5 MI	78.0	63.3	36.9	26.2	26.0	25.6	23.8	26.5	39.7	52.0	74.0	88.9	46.7	11	8321
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	65.6	60.2	24.3	15.6	14.0	10.9	15.0	11.3	24.6	40.4	59.4	79.1	35.9	5	1619
03-05 LST														0	0
06-08 LST	64.1	47.8	31.7	22.6	20.2	17.6	16.4	26.5	49.3	56.8	62.5	69.0	40.4	14	3897
09-11 LST														0	0
12-14 LST	51.9	43.3	13.2	5.5	6.4	6.3	2.5	5.2	8.8	17.5	47.9	66.8	22.9	11	2060
15-17 LST														0	0
18-20 LST	70.5	36.2	13.2	5.7	4.2	3.1	1.8	2.4	5.6	19.6	54.2	78.0	24.5	14	3465
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	22.1	12.4	2.2	3.7	1.4	3.6	2.0	3.5	6.5	22.9	20.3	34.3	11.2	5	1619
03-05 LST														0	0
06-08 LST	35.0	25.8	15.6	8.3	6.5	2.1	3.7	10.3	26.5	38.3	39.3	41.9	21.1	14	3897
09-11 LST														0	0
12-14 LST	18.6	7.7	1.9	0.8	0.8	0.8	1.4	0.4	1.6	3.7	15.7	27.1	6.7	11	3060
15-17 LST														0	0
18-20 LST	33.4	10.7	3.6	1.5	0.7	0.4	0.7	1.6	0.7	4.7	22.7	43.0	10.3	14	3465
21-23 LST														0	0

KLAGENFURT, AUSTRIA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	11.1	11.3	23.9	25.7	27.3	27.1	26.9	27.4	23.0	16.0	13.0	7.1	239.8	5	1619
	07 LST	11.8	14.9	21.5	24.0	25.8	25.3	26.2	23.7	16.0	13.8	12.0	10.9	225.9	14	3897
	13 LST	15.5	16.3	27.2	28.7	29.5	28.4	30.3	29.8	27.9	26.4	16.4	11.1	287.5	11	3060
	19 LST	9.5	18.1	27.4	28.7	30.0	29.4	30.4	30.3	22.6	25.5	14.5	7.2	279.6	14	3465
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	9.9	11.1	22.5	24.4	24.7	25.8	25.6	27.4	21.9	14.5	11.0	5.7	224.5	5	1616
	07 LST	10.2	14.0	20.1	22.0	23.5	24.0	25.4	21.9	14.3	12.7	10.3	8.1	206.5	14	3887
	13 LST	13.5	14.5	23.4	21.8	21.9	23.9	26.6	26.6	24.4	22.9	14.2	9.1	242.8	11	3045
	19 LST	8.1	16.0	21.6	21.7	25.8	26.1	26.3	28.6	24.0	23.8	12.4	6.1	242.5	14	3453
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	5	1644
	07 LST	0.1	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.7	14	3945
	13 LST	0.2	0.4	0.9	0.9	0.9	0.4	0.3	0.4	0.3	0.6	0.1	0.0	5.4	11	3081
	19 LST	0.1	0.4	0.8	0.6	0.4	0.4	0.2	0.3	0.4	0.1	0.0	0.0	3.7	14	3487
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	0.4	0.2	3.5	5.5	4.9	3.0	4.0	4.2	5.1	3.1	1.1	0.2	35.2	5	1631
	07 LST	0.5	0.4	1.1	2.2	3.8	3.1	2.9	4.2	2.9	2.4	1.2	0.8	25.5	14	3923
	13 LST	1.1	3.0	8.0	10.5	11.9	14.1	13.2	13.4	13.9	9.7	4.5	2.2	105.5	11	3053
	19 LST	0.5	2.1	8.9	11.2	11.5	11.2	11.7	9.0	6.7	4.8	2.2	0.8	10.6	14	3444
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	4.1	7.4	10.7	10.4	9.8	10.0	12.0	15.9	13.0	5.7	6.6	2.5	148.1	5	1628
	07 LST	3.3	7.1	8.3	7.0	10.0	8.2	11.4	7.6	3.9	2.5	2.2	1.6	73.1	14	3928
	13 LST	4.0	4.9	7.3	5.4	5.0	6.2	9.9	10.1	12.3	7.4	3.7	1.7	77.9	11	3060
	19 LST	4.7	9.4	9.2	5.5	6.4	6.1	9.4	8.8	13.2	10.4	7.5	2.9	93.5	14	3481
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	9.9	10.9	22.5	24.6	24.9	25.6	24.4	27.0	20.8	13.7	11.0	5.3	220.6	5	1619
	07 LST	9.3	13.6	19.9	21.1	22.8	23.2	24.7	21.5	13.6	11.7	3.7	7.1	197.2	14	3897
	13 LST	13.4	14.9	25.8	27.0	28.0	27.2	29.5	28.2	26.0	23.9	14.0	8.7	266.6	11	3060
	19 LST	8.5	17.1	25.7	27.3	28.7	28.2	30.0	29.8	27.0	23.5	12.3	5.9	264.0	14	3465
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	7.5	10.1	17.7	19.3	17.3	19.2	18.5	21.7	16.3	8.9	9.6	4.1	170.2	5	1619
	07 LST	6.9	12.3	17.4	16.7	18.4	18.7	20.9	17.4	9.8	7.3	5.3	4.0	159.1	14	3897
	13 LST	10.9	13.8	21.9	21.4	22.9	22.4	26.3	25.4	23.0	18.7	11.2	6.5	224.4	11	3060
	19 LST	7.4	15.7	22.0	22.9	24.0	24.5	25.6	25.5	24.1	19.2	10.7	5.0	224.6	14	3465
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	7.5	9.9	17.7	19.3	17.3	18.8	18.5	21.7	16.3	8.9	9.6	4.1	169.6	5	1619
	07 LST	6.8	12.1	17.2	16.2	17.9	18.5	20.3	16.4	9.5	7.1	5.2	3.8	151.0	14	3897
	13 LST	10.9	13.5	21.4	21.1	22.2	21.7	26.0	25.1	23.0	18.3	10.9	6.0	220.2	11	3060
	19 LST	7.4	15.6	21.5	22.6	23.1	23.6	25.0	25.3	23.7	19.1	10.6	5.0	222.5	14	3465

GRAZ, AUSTRIA

STA NO. 11240 (IN AREA NUMBER 02)

LATITUDE 4659N

LONGITUDE 01526E

ELEVATION(FT) 01109

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (RS)	NO. OBS
ABS MAX TMP (F)	57	66	75	81	86	97	99	96	91	79	68	61	99	26	-528
MEAN MAX TMP (F)	33	38	48	58	66	73	77	75	68	57	45	36	56	32	-28
MEAN MIN TMP (F)	23	25	32	41	49	55	58	56	51	42	35	27	41	32	-28
ABS MIN TMP (F)	-20	-17	-6	19	23	34	41	39	25	19	7	-18	-20	32	-28
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.1	0.6	0.5	0.2	0.0	0.0	0.0	1.4	12	3850
MEAN NO DYS TMP = DR LES 32(F)	30.1	27.5	23.4	9.0	1.7	0.0	0.0	0.0	1.4	6.5	17.2	27.6	144.5	12	3753
MEAN NO DYS TMP = DR LES 0(F)	4.5	2.7	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	8.9	12	3753
MEAN DEW PT TMP (F)	21	19	28	37	45	53	56	56	50	43	32	27	39	5	4756
MEAN REL HUM (PCT)	84	79	74	70	72	72	72	76	79	82	86	87	78	30	-32
MEAN PRESS ALT (FT)	967	1007	1050	1113	1079	1083	1097	1078	1012	994	1003	1006	1041	0	-50
MEAN PRECIP (IN)	1.22	1.22	1.42	2.40	3.39	4.61	5.16	4.29	3.66	3.11	2.13	1.77	34.4	50	-127
MEAN SNOW FALL (IN)						0.0	0.0	0.0						32	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	4.0	4.0	4.7	6.5	7.3	9.2	9.6	9.0	8.2	7.5	5.9	5.7	81.6	50	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN						0.0	0.0	0.0						32	-29
MEAN NO DYS W/O CUR VSBY LES 1/2 MI	11.5	7.5	7.8	2.3	3.2	0.5	1.5	4.3	7.6	12.8	7.7	17.1	83.8	5	1183
MEAN NO DYS TSTMS	0.0	0.3	0.3	2.0	6.0	7.0	8.0	6.0	3.0	1.0	0.3	0.0	33.9	50	-24
P FREQ WND SPD = DR GTR 17 KTS	1.1	0.3	1.6	5.1	2.0	1.1	1.4	0.2	0.0	1.1	0.3	0.9	1.3	5	4828
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.4	0.0	0.2	0.0	0.0	0.0	0.0	0.3	0.0	0.1	5	4828
P FREQ LES 5000 FT A/D LES 5 MI	82.7	72.5	53.4	42.9	44.1	36.0	31.6	35.1	45.3	60.3	76.2	86.9	55.6	15	13833
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	75.2	72.7	47.2	25.8	20.3	22.6	24.4	40.8	57.0	63.2	72.4	86.6	50.7	5	1462
03-05 LST														0	0
06-08 LST	78.7	73.6	45.2	28.9	20.9	16.2	18.3	30.2	51.4	61.8	72.5	82.0	48.6	15	4895
09-11 LST														0	0
12-14 LST	59.8	37.3	17.0	8.1	6.4	4.9	2.1	3.9	7.1	17.5	37.7	63.0	22.1	15	4974
15-17 LST														0	0
18-20 LST	70.2	45.0	18.7	7.1	5.0	2.8	1.6	1.7	9.5	24.3	56.5	74.6	26.4	15	4968
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	35.7	31.8	18.9	3.9	9.0	4.0	4.4	13.3	29.0	27.4	29.1	58.2	22.1	5	1462
03-05 LST														0	0
06-08 LST	56.1	51.1	24.3	9.0	5.6	4.4	4.8	13.3	32.7	44.8	44.9	57.1	29.0	15	4895
09-11 LST														0	0
12-14 LST	24.9	12.3	2.9	0.7	0.5	0.2	0.2	0.5	0.8	2.8	9.4	32.2	7.3	15	4974
15-17 LST														0	0
18-20 LST	45.7	19.4	4.9	0.9	0.7	0.3	0.3	0.2	1.2	7.9	27.6	52.0	13.4	15	4968
21-23 LST														0	0

GRAZ, AUSTRIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	8.1	7.8	16.8	22.5	23.1	23.4	23.4	18.3	13.2	12.4	8.5	4.3	183.8	5	1461
	07 LST	6.8	7.5	17.3	21.6	24.9	25.5	25.5	21.7	14.8	11.0	8.7	5.8	191.1	15	4895
	13 LST	12.6	17.8	26.4	28.4	29.7	29.1	30.5	30.0	28.3	26.3	19.6	11.9	290.6	15	4974
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	7.2	6.4	15.1	21.0	22.7	22.2	22.5	18.0	12.9	10.4	7.3	3.2	169.3	5	1460
	07 LST	5.7	6.6	16.0	19.8	22.8	24.3	24.8	21.4	14.2	10.0	7.3	4.9	177.8	15	4893
	13 LST	11.3	15.5	21.4	20.0	23.2	24.0	26.9	27.4	25.2	23.2	16.2	9.8	244.1	15	4972
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	0.2	0.0	0.4	0.4	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	1.4	5	1481
	07 LST	0.0	0.5	0.2	0.2	0.4	0.0	0.0	0.0	0.0	0.1	0.1	0.2	1.7	15	4921
	13 LST	0.1	0.6	1.4	2.5	1.3	1.1	0.8	0.1	0.4	0.5	0.6	0.6	10.0	15	4976
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	0.2	0.2	1.9	4.6	3.4	4.5	4.1	3.1	1.5	2.5	1.9	1.3	29.2	5	1472
	07 LST	0.7	0.1	1.1	2.4	2.6	1.9	2.1	1.0	1.1	1.2	0.5	15.7	15	4881	
	13 LST	2.4	2.4	9.9	9.1	10.8	13.0	12.3	11.4	9.4	7.6	3.6	2.1	95.0	15	4953
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	0.5	1.8	6.7	9.8	8.1	8.9	9.6	7.0	4.6	3.2	2.4	1.7	64.3	15	5042
	07 LST	2.6	3.5	8.5	8.6	10.9	10.2	10.3	6.6	6.0	4.4	3.8	1.8	77.2	5	1472
	13 LST	1.4	2.2	4.6	5.6	7.0	8.3	9.5	6.7	3.6	1.4	1.7	0.7	52.7	15	4908
CIG = GTR 2000 FT AND VSBY = GTR 3 MI	01 LST	4.3	6.6	9.4	5.7	5.9	5.8	8.3	8.6	10.2	7.1	5.0	3.3	80.2	15	4964
	07 LST	6.9	7.1	14.6	21.0	22.6	21.7	22.9	17.3	11.4	9.4	7.3	4.1	166.3	5	1461
	13 LST	5.9	7.0	15.0	19.7	22.9	24.0	24.5	21.0	13.6	9.1	6.9	4.9	175.3	15	4895
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	11.3	16.7	23.7	25.5	26.5	27.1	29.0	28.4	26.8	23.7	16.6	10.5	265.8	15	4974
	07 LST	8.7	14.6	23.5	26.0	27.8	27.6	29.7	25.5	26.0	21.8	11.6	6.8	253.6	15	4968
	13 LST	5.5	5.8	11.7	14.5	16.3	16.2	15.6	10.3	9.3	6.8	5.9	3.0	120.9	5	1461
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	4.1	5.2	12.4	15.6	17.3	18.3	19.1	14.9	9.3	5.7	4.1	3.1	129.1	15	4895
	07 LST	9.4	14.7	17.8	17.2	15.2	19.4	22.1	22.4	21.8	19.4	13.2	8.2	200.8	15	4974
	13 LST	6.9	12.1	18.0	18.7	19.8	20.7	23.9	23.5	20.1	16.6	8.9	4.8	194.0	15	4968
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	5.5	5.8	11.7	14.5	16.3	15.9	15.6	10.3	9.3	6.5	5.9	2.7	120.0	5	1461
	07 LST	4.0	5.0	12.1	15.2	17.1	18.0	18.7	14.4	9.1	5.5	4.1	2.9	126.1	15	4895
	13 LST	9.1	14.5	17.8	16.8	15.1	19.4	21.6	22.1	21.4	19.1	12.9	8.2	198.0	15	4974
	19 LST	6.7	11.3	18.0	18.4	19.6	20.3	23.5	22.8	19.5	16.2	8.9	4.8	190.5	15	4968

AREA NO. 02

PARAMETER DESCRIPTION	AUSTRIA												ANN				
	AUSTRIAN ALPS BOUNDARIES				LATITUDE 4730N LONGITUDE 01400E												
	4900N 01250E	4800N 01600E	4800N 01600E	4724N 01628E	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
MEAN MAX TMP (F)	29	35	45	53	61	68	71	70	64	53	41	32	52				
MEAN MIN TMP (F)	17	20	27	35	42	48	51	50	46	38	29	21	35				
LARGEST MEAN PRECIP (IN)	4.86	4.40	5.20	6.00	5.90	7.40	7.91	6.89	5.16	6.21	4.20	4.70	68.8				
SMALLEST MEAN PRECIP (IN)	1.22	0.99	1.09	1.44	2.95	2.49	4.26	4.29	2.91	2.40	1.84	1.30	27.2				
MEAN NUMBER OF DAYS																	
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	10.4	11.7	23.5	24.2	26.4	25.9	25.5	25.3	20.2	16.3	12.2	10.3	231.9			
	07 LST	12.6	12.9	20.0	21.2	23.2	23.1	23.8	21.3	17.4	16.0	14.7	13.8	220.0			
	13 LST	16.8	17.7	25.4	25.8	26.9	25.9	27.2	27.3	26.8	25.9	21.0	17.3	284.0			
	19 LST	13.4	17.4	25.0	25.3	26.7	25.9	26.7	27.0	26.0	24.3	18.4	15.1	271.2			
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	8.1	10.5	20.2	21.6	23.3	24.3	23.9	24.2	18.9	13.8	10.3	8.3	207.4			
	07 LST	9.0	10.1	16.1	17.8	19.6	20.7	20.9	18.6	14.3	12.5	10.9	9.8	180.3			
	13 LST	13.0	14.2	18.6	18.1	19.9	21.0	23.2	23.9	22.7	20.9	16.2	13.1	224.8			
	19 LST	10.4	14.6	19.5	19.4	21.2	21.7	22.9	24.1	23.0	20.9	14.3	11.2	223.2			
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	0.1	0.0	1.1	0.2	0.3	0.1	0.2	0.0	0.0	0.3	0.2	0.1	2.6			
	07 LST	2.3	1.6	2.1	1.0	1.1	1.0	1.1	1.0	1.3	1.4	1.7	1.8	17.4			
	13 LST	2.1	1.9	2.9	2.3	1.8	1.8	1.1	1.4	1.6	2.1	2.2	1.9	23.1			
	19 LST	2.1	1.8	2.4	1.7	1.6	1.6	1.2	1.1	1.5	1.6	2.3	2.0	20.9			
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	0.9	0.9	4.5	4.9	5.3	4.8	4.9	4.8	5.3	3.9	2.1	2.0	44.3			
	07 LST	0.8	0.6	1.9	3.1	3.7	3.6	3.6	3.6	3.5	2.6	1.9	0.9	29.8			
	13 LST	1.7	2.4	6.7	7.8	9.2	10.8	10.7	10.6	9.6	7.4	3.8	2.4	83.1			
	19 LST	1.1	1.7	6.7	8.5	8.8	9.6	9.7	8.1	6.7	4.9	2.4	1.3	69.5			
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	3.5	5.7	11.1	9.8	9.3	7.6	10.4	11.1	8.8	6.0	4.5	3.0	90.8			
	07 LST	3.8	4.8	6.3	5.9	6.5	7.9	8.9	6.9	5.1	3.7	4.2	4.5	68.3			
	13 LST	5.1	6.2	7.3	5.0	4.0	5.5	6.3	7.2	9.5	7.4	6.8	5.5	76.3			
	19 LST	5.3	7.6	8.3	5.3	4.5	5.3	6.9	7.0	10.2	8.5	7.7	6.6	83.2			
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	9.1	10.6	21.9	21.7	23.9	23.1	24.0	24.1	18.3	13.9	10.4	8.1	209.1			
	07 LST	10.7	11.4	17.8	18.5	20.4	21.0	21.5	19.6	15.2	13.3	12.2	11.7	193.3			
	13 LST	15.0	16.3	23.3	23.7	24.3	24.1	25.6	25.7	25.3	23.4	18.8	15.2	260.2			
	19 LST	12.2	16.2	23.1	23.0	24.5	24.4	25.5	25.8	24.4	22.0	16.6	13.3	251.0			
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	7.2	8.7	18.4	15.3	17.2	15.9	17.8	18.1	14.7	9.8	8.1	6.0	158.2			
	07 LST	8.7	9.6	15.3	14.9	16.3	16.9	17.6	15.7	11.8	10.0	9.2	9.3	155.3			
	13 LST	12.9	14.4	19.7	17.7	17.7	18.7	20.7	21.4	21.8	19.7	16.2	12.9	214.0			
	19 LST	10.2	14.1	19.1	17.9	18.1	18.8	20.4	20.8	20.5	17.5	13.7	11.2	202.3			
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	7.1	8.5	18.2	16.1	16.9	15.5	17.5	17.9	14.4	9.6	8.0	5.8	155.5			
	07 LST	8.5	9.4	15.1	14.6	16.0	16.5	17.3	15.2	11.6	9.8	9.1	9.2	152.3			
	13 LST	12.9	14.5	19.4	17.5	17.3	18.2	20.3	21.2	21.5	19.5	16.0	12.8	211.1			
	19 LST	10.2	14.0	18.9	17.7	17.6	18.2	19.9	20.2	20.1	17.4	13.6	11.2	199.0			

LA CORUNA, SPAIN

STA NO. 08001 (IN AREA NUMBER 01)

LATITUDE 4323N

LONGITUDE 00822W

ELEVATION(FT) 00187

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	69	75	80	85	86	87	95	93	94	88	77	69	95	30	-528
MEAN MAX TMP (F)	55	55	58	59	63	68	71	72	70	65	59	56	63	30	-28
MEAN MIN TMP (F)	44	44	46	48	52	56	58	59	57	53	48	45	51	30	-28
ABS MIN TMP (F)	28	28	30	35	40	46	40	48	43	39	34	30	28	30	-528
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.1	0.0	0.0	0.0	0.0	0.3	12	3883
MEAN NO DYS TMP = DR LES 32(F)	0.3	0.6	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	12	4285
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4285
MEAN DEW PT TMP (F)	43	43	46	46	51	56	58	59	57	54	50	46	51	5	14233
MEAN REL HUM (PCT)	77	77	76	76	77	78	79	79	80	80	78	79	78	22	-28
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	4.40	3.30	3.90	3.20	2.20	1.50	1.30	1.70	2.80	3.90	4.50	5.20	37.9	30	-28
MEAN SNOW FALL (IN)			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		30	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	10.1	8.9	7.4	7.2	6.3	4.4	3.8	4.9	7.1	8.5	9.1	10.7	88.4	30	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		30	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	1.8	2.0	1.2	0.2	1.4	5.2	4.6	2.2	2.2	2.0	1.0	0.8	24.6	5	1813
MEAN NO DYS TSTMS	0.2	0.8	0.8	0.6	1.6	1.4	0.2	0.6	0.4	0.2	0.8	0.6	8.2	5	1813
P FREQ WND SPD = DR GTR 17 KTS	20.6	26.8	20.7	18.0	22.0	11.7	9.3	11.5	9.5	11.7	23.7	18.9	17.0	5	14487
P FREQ WND SPD = DR GTR 28 KTS	6.0	8.0	2.6	1.6	2.5	0.9	0.5	0.8	0.6	0.8	5.4	3.9	2.8	5	14487
P FREQ LES 5000 FT A/D LES 5 MI	69.9	73.5	62.5	59.0	58.9	61.9	54.2	52.7	53.8	62.8	70.3	77.6	63.3	12	17441
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	23.4	27.5	24.3	12.8	18.1	24.8	26.1	27.5	21.1	33.1	30.7	33.3	25.2	5	1806
03-05 LST	20.8	24.3	20.3	16.1	20.6	25.5	28.6	24.0	18.1	36.6	30.9	30.7	24.7	5	1812
06-08 LST	38.1	40.7	40.1	28.6	40.8	39.2	40.4	40.4	44.4	46.4	43.8	47.2	40.8	12	3428
09-11 LST	20.3	17.1	9.1	7.5	9.7	14.3	14.4	8.4	11.3	17.4	20.8	24.2	14.5	5	1811
12-14 LST	23.2	18.8	20.8	21.3	18.7	25.2	15.9	12.7	13.3	15.3	22.7	27.1	19.6	12	3498
15-17 LST	19.3	18.1	20.8	12.4	17.9	19.1	15.4	12.9	13.8	21.9	26.1	31.0	19.1	12	3381
18-20 LST	25.7	15.9	16.1	8.3	11.0	15.1	19.6	16.9	18.0	29.4	32.2	34.9	20.3	5	1801
21-23 LST	23.2	24.5	24.7	14.2	18.1	19.5	23.5	21.4	18.0	31.8	34.2	31.0	23.7	6	1815
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	3.9	3.6	3.3	1.4	3.2	13.4	7.8	2.6	1.4	8.4	4.7	6.5	5.0	5	1806
03-05 LST	3.2	2.1	2.0	2.7	4.5	11.4	12.3	5.2	2.0	6.5	4.7	7.2	5.3	5	1812
06-08 LST	14.1	14.6	12.5	6.6	12.2	15.5	24.8	20.8	19.3	15.8	9.4	13.8	15.0	12	3428
09-11 LST	5.9	2.9	0.6	1.4	1.3	4.1	7.2	1.9	2.0	3.2	2.7	3.3	3.0	5	1811
12-14 LST	6.7	2.2	4.8	4.3	4.4	8.6	6.3	4.9	4.1	3.6	3.5	5.5	4.9	12	3498
15-17 LST	6.1	3.6	4.2	3.1	5.4	7.9	4.7	3.5	3.8	5.6	5.2	6.4	5.0	12	3381
18-20 LST	7.2	1.4	3.2	0.7	2.6	8.2	8.5	3.2	2.0	6.5	7.4	11.2	5.2	5	1801
21-23 LST	5.8	2.2	3.2	0.7	1.9	8.1	7.2	1.9	1.3	5.8	4.0	8.4	4.2	6	1815



SPAIN

LA CORUNA, SPAIN

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	23 LST	24.6	21.9	23.5	26.3	26.4	24.5	24.3	24.7	24.8	21.7	20.9	22.2	285.8	5	1815
	05 LST	20.7	18.2	20.3	23.3	19.6	18.1	17.9	18.7	17.7	16.2	17.2	17.9	225.8	12	3439
	11 LST	24.9	24.1	25.8	24.8	27.0	22.7	26.3	27.7	26.1	26.2	24.4	23.9	303.9	12	3498
	17 LST	26.8	24.6	25.7	27.4	27.0	25.0	27.0	27.3	26.2	25.8	23.8	23.1	309.7	12	3381
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	23 LST	15.4	10.8	15.9	17.4	18.2	20.9	18.8	18.7	19.8	14.8	11.4	12.4	194.5	5	1815
	05 LST	10.7	8.9	11.2	14.6	11.7	12.1	12.8	13.3	14.3	11.7	8.8	7.2	137.3	12	3419
	11 LST	12.6	11.0	12.9	11.5	10.6	11.7	16.1	15.9	16.0	14.5	10.9	11.7	155.4	12	3487
	17 LST	14.0	10.5	11.8	12.6	10.6	12.0	12.3	13.3	15.6	13.9	11.7	11.9	150.2	12	3355
SFC WND = GTR 17 KTS AND NO PRECIP.	23 LST	2.4	3.6	3.0	2.8	2.8	1.2	1.2	1.0	1.6	1.8	3.6	2.0	27.0	5	1820
	05 LST	5.0	4.5	3.6	3.0	2.4	1.3	0.8	1.1	0.3	1.9	3.3	3.5	30.7	12	3477
	11 LST	5.3	5.9	6.4	6.0	8.4	5.5	3.9	3.9	3.6	3.9	3.8	4.3	60.9	12	3514
	17 LST	5.3	5.1	6.8	8.7	7.8	6.4	5.8	5.5	3.2	3.1	4.8	4.4	66.9	12	3404
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	23 LST	8.0	5.0	8.0	7.6	9.6	10.6	8.0	10.2	8.2	7.4	7.0	7.0	96.6	5	1820
	05 LST	7.8	7.7	8.9	8.9	9.9	7.3	8.4	9.1	9.7	9.5	8.0	7.8	103.0	12	3465
	11 LST	7.2	6.7	7.5	10.0	10.2	11.7	15.0	13.4	11.9	8.9	7.0	7.1	116.6	12	3494
	17 LST	8.0	7.1	7.9	8.4	9.4	11.5	10.4	11.7	9.9	10.1	7.7	7.9	110.0	12	3389
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	23 LST	8.0	5.6	9.0	9.8	10.2	8.6	10.0	9.6	10.6	8.2	5.4	4.0	99.0	5	1818
	05 LST	6.1	4.0	5.3	4.6	3.8	3.3	5.1	3.6	3.9	3.9	3.9	2.7	50.2	12	3469
	11 LST	4.8	4.7	5.9	5.3	6.2	4.3	11.1	7.5	7.4	3.9	3.8	2.8	67.7	12	3426
	17 LST	5.8	5.6	4.5	7.0	6.3	5.4	11.4	8.0	7.0	5.6	4.1	3.8	74.5	12	3404
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	23 LST	18.6	14.9	18.9	20.0	21.0	18.9	18.6	20.1	20.0	16.9	14.8	14.0	216.7	5	1815
	05 LST	13.9	11.0	12.8	14.7	12.6	12.0	12.9	13.6	13.0	12.4	10.3	9.3	148.5	12	3439
	11 LST	16.1	14.3	18.4	18.5	19.5	16.8	22.3	22.7	20.4	19.2	15.1	14.4	217.7	12	3498
	17 LST	17.8	15.8	18.2	20.8	19.4	19.3	22.5	23.0	21.4	19.2	15.5	14.4	227.5	12	3381
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	23 LST	14.0	10.4	15.5	16.2	18.2	15.5	15.1	15.5	16.8	13.4	11.6	9.4	171.6	5	1815
	05 LST	10.0	8.2	9.8	11.2	9.4	8.8	10.0	9.9	9.7	10.1	7.3	6.5	110.9	12	3439
	11 LST	12.0	10.4	14.6	14.6	15.6	12.5	19.6	18.2	16.9	14.9	11.8	10.9	172.0	12	3498
	17 LST	13.9	11.5	13.7	17.2	15.8	15.9	20.2	19.6	17.6	16.4	11.5	10.8	184.1	12	3381
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	23 LST	14.0	10.4	15.5	16.2	18.0	15.5	15.1	15.5	16.8	13.4	11.6	9.4	171.4	5	1815
	05 LST	10.0	8.2	9.8	11.2	9.4	8.8	10.0	9.9	9.7	10.0	7.3	6.5	110.8	12	3439
	11 LST	12.0	10.4	14.6	14.6	15.5	12.5	19.5	18.2	16.9	14.9	11.8	10.9	171.8	12	3498
	17 LST	13.8	11.3	13.7	17.2	15.8	15.8	20.2	19.6	17.6	16.4	11.4	10.8	183.6	12	3381

SANTANDER, SPAIN

STA NO. 08023 (IN AREA NUMBER 01)

LATITUDE 4328N

LONGITUDE 00347W

ELEVATION(FT) 00217

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POP. (YRS)	NO. OBS
ABS MAX TMP (F)	73	79	86	85	88	93	94	104	95	85	76	72	104	18	-528
MEAN MAX TMP (F)	53	53	58	60	63	67	72	73	71	66	58	54	62	19	-28
MEAN MIN TMP (F)	44	43	47	49	52	58	61	62	59	55	49	45	52	19	-28
ABS MIN TMP (F)	27	18	27	36	39	46	50	50	46	41	32	30	18	18	-528
MEAN NO DYS TMP = DR CTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.1	0.2	0.0	0.0	0.0	0.5	10	3445
MEAN NO DYS TMP = DR LES 32(F)	0.8	1.3	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	2.7	12	4179
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4179
MEAN DEW PT TMP (F)	40	39	42	45	48	58	61	60	58	53	46	42	49	3	5029
MEAN REL HUM (PCT)	77	79	76	77	80	81	82	81	81	80	79	78	79	18	-28
MEAN PRESS ALT (FT)	-171	-122	-47	-59	-59	-107	-124	-96	-102	-86	-74	-107	-95	0	-50
MEAN PRECIP (IN)	4.33	3.35	3.98	3.98	3.19	2.21	2.28	2.44	4.13	5.79	5.95	5.28	46.9	30	-122
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	10.1	9.0	7.5	7.5	7.2	6.0	6.2	6.5	8.7	9.7	9.7	10.7	96.8	30	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	4.5	1.5	3.6	2.0	2.5	2.5	7.0	2.0	5.0	7.5	2.5	5.5	46.1	3	748
MEAN NO DYS TSTMS	5.0	5.0	2.0	3.0	2.0	4.0	4.0	3.0	3.0	4.0	2.0	5.0	42.0	7	-24
P FREQ WND SPD = DR GTR 17 KTS	16.2	25.5	11.9	6.4	14.3	4.0	4.6	4.6	6.9	8.3	31.9	19.4	12.8	3	5240
P FREQ WND SPD = DR GTR 28 KTS	6.2	11.2	2.4	1.2	4.1	1.0	0.2	0.7	1.2	2.5	13.3	7.9	4.3	3	5240
P FREQ LES 5000 FT A/D LES 5 MI	69.9	73.5	62.5	59.0	58.9	61.9	54.2	52.7	55.8	62.8	70.3	77.6	63.3	12	-8001
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	23.4	27.5	24.3	12.8	18.1	24.8	26.1	27.5	21.1	33.1	30.7	33.3	25.2	5	-8001
03-05 LST	20.8	24.3	20.3	16.1	20.6	25.5	28.6	24.0	18.1	36.6	30.9	30.7	24.7	5	-8001
06-08 LST	38.1	40.7	40.1	28.6	40.8	39.2	40.4	40.4	44.4	46.4	43.8	47.2	40.8	12	-8001
09-11 LST	20.3	17.1	9.1	7.5	9.7	14.3	14.4	8.4	11.3	17.4	20.8	24.2	14.5	5	-8001
12-14 LST	23.2	18.8	20.8	21.3	18.7	25.2	15.9	12.7	13.3	15.3	22.7	27.1	19.6	12	-8001
15-17 LST	19.3	18.1	20.8	12.4	17.9	19.1	15.4	12.9	13.8	21.9	26.1	31.0	19.1	12	-8001
18-20 LST	25.7	15.9	16.1	8.3	11.0	15.1	19.6	16.9	18.0	29.4	32.2	34.9	20.3	5	-8001
21-23 LST	23.2	24.5	24.7	14.2	18.1	19.5	23.5	21.4	18.0	31.8	34.2	31.0	23.7	6	-8001
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	3.9	3.6	3.3	1.4	3.2	13.4	7.8	2.6	1.4	8.4	4.7	6.5	5.0	5	-8001
03-05 LST	3.2	2.1	2.0	2.7	4.5	11.4	12.3	5.2	2.0	6.5	4.7	7.2	5.3	5	-8001
06-08 LST	14.1	14.6	12.5	6.6	12.2	15.5	24.8	20.8	19.3	15.8	9.4	13.8	15.0	12	-8001
09-11 LST	5.9	2.9	0.6	1.4	1.3	4.1	7.2	1.9	2.0	3.2	2.7	3.3	3.0	5	-8001
12-14 LST	6.7	2.2	4.8	4.3	4.4	8.6	6.3	4.9	4.1	3.6	3.5	5.5	4.9	12	-8001
15-17 LST	6.1	3.6	4.2	3.1	5.4	7.9	4.7	3.5	3.8	5.6	5.2	6.4	5.0	12	-8001
18-20 LST	7.2	1.4	3.2	0.7	2.6	8.2	8.3	3.2	2.0	6.5	7.4	11.2	5.2	5	-8001
21-23 LST	5.8	2.2	3.2	0.7	1.9	8.1	7.2	1.9	1.3	5.8	4.0	8.4	4.2	6	-8001

SANTANDER, SPAIN
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST	24.6	21.9	23.5	26.3	26.4	24.5	24.3	24.7	24.8	21.7	20.9	22.2	285.8	5	-8001
	06 LST	20.7	18.2	20.3	23.3	19.6	18.1	17.9	18.7	17.7	16.2	17.2	17.9	225.8	12	-8001
	12 LST	24.5	24.1	25.8	24.8	27.0	22.7	26.3	27.7	26.1	26.2	24.4	23.9	303.9	12	-8001
	18 LST	26.8	24.6	25.7	27.4	27.0	25.0	27.0	27.3	26.2	25.8	23.8	23.1	309.7	12	-8001
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	00 LST	15.4	10.8	15.9	17.4	18.2	20.9	18.8	18.7	19.8	14.8	11.4	12.4	194.5	5	-8001
	06 LST	10.7	8.9	11.2	14.6	11.7	12.1	12.8	13.3	14.3	11.7	8.8	7.2	137.3	12	-8001
	12 LST	12.6	11.0	12.9	11.5	10.6	11.7	16.1	15.9	16.0	14.5	10.9	11.7	155.4	12	-8001
	18 LST	14.0	10.5	11.2	12.6	10.6	12.0	12.3	13.3	15.6	13.9	11.7	11.9	150.2	12	-8001
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST	2.4	3.6	3.0	2.8	2.8	1.2	1.2	1.0	1.6	1.8	3.6	2.0	27.0	5	-8001
	06 LST	5.0	4.5	3.6	3.0	2.4	1.3	0.8	1.1	0.3	1.9	3.3	3.5	30.7	12	-8001
	12 LST	5.3	5.9	6.4	6.0	8.4	5.5	3.9	3.9	3.6	3.9	3.8	4.3	60.9	12	-8001
	18 LST	5.3	5.1	6.8	8.7	7.8	6.4	5.8	5.5	3.2	3.1	4.8	4.4	66.9	12	-8001
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST	8.0	5.0	8.0	7.6	9.6	10.6	8.0	10.2	8.2	7.4	7.0	7.0	96.6	5	-8001
	06 LST	7.8	7.7	8.9	8.9	9.9	7.3	8.4	9.1	9.7	9.5	8.0	7.8	103.0	12	-8001
	12 LST	7.2	6.7	7.5	10.0	10.2	11.7	15.0	13.4	11.9	8.9	7.0	7.1	116.6	12	-8001
	18 LST	8.0	7.1	7.9	8.4	9.4	11.5	10.4	11.7	9.9	10.1	7.7	7.9	110.0	12	-8001
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST	8.0	5.6	9.0	9.8	10.2	8.6	10.0	9.6	10.6	8.2	5.4	4.0	99.0	5	-8001
	06 LST	6.1	4.0	5.3	4.6	3.8	3.3	5.1	3.6	3.9	3.9	3.9	2.7	50.2	12	-8001
	12 LST	4.8	4.7	5.9	5.3	6.2	4.3	11.1	7.5	7.4	3.9	3.8	2.8	67.7	12	-8001
	18 LST	5.8	5.6	4.5	7.0	6.3	5.4	11.4	8.0	7.0	5.6	4.1	3.8	74.5	12	-8001
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST	18.6	14.9	18.9	20.0	21.0	18.9	18.6	20.1	20.0	16.9	14.8	14.0	216.7	5	-8001
	06 LST	13.9	11.0	12.8	14.7	12.6	12.0	12.9	13.6	13.0	12.4	10.3	9.3	148.5	12	-8001
	12 LST	16.1	14.3	18.4	18.5	19.5	16.8	22.3	22.7	20.4	19.2	15.1	14.4	217.7	12	-8001
	18 LST	17.8	15.8	18.2	20.8	19.4	19.3	22.5	23.0	21.4	19.2	15.5	14.4	227.3	12	-8001
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST	14.0	10.4	15.5	16.2	18.2	15.5	15.1	15.5	16.8	13.4	11.6	9.4	171.6	5	-8001
	06 LST	10.0	8.2	9.8	11.2	9.4	8.8	10.0	9.9	9.7	10.1	7.3	6.5	110.9	12	-8001
	12 LST	12.0	10.4	14.6	14.6	15.6	12.5	19.6	18.2	16.9	14.9	11.8	10.9	172.0	12	-8001
	18 LST	13.9	11.5	13.7	17.2	15.8	15.9	20.2	19.6	17.6	16.4	11.5	10.8	184.1	12	-8001
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST	14.0	10.4	15.5	16.2	18.0	15.5	15.1	15.5	16.8	13.4	11.6	9.4	171.4	5	-8001
	06 LST	10.0	8.2	9.8	11.2	9.4	8.8	10.0	9.9	9.7	10.0	7.3	6.5	110.8	12	-8001
	12 LST	12.0	10.4	14.6	14.6	15.5	12.5	19.5	18.2	16.9	14.9	11.8	10.9	171.8	12	-8001
	18 LST	13.8	11.3	13.7	17.2	15.8	15.8	20.2	19.6	17.6	16.4	11.4	10.8	183.6	12	-8001

BILBAO, SPAIN

STA NO. 08025 (IN AREA NUMBER 01)

LATITUDE 4318N

LONGITUDE 00235W

ELEVATION(FT) 00125

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	70	73	72	82	93	91	93	97	91	81	70	63	97	4	-35
MEAN MAX TMP (F)	51	55	58	59	66	72	78	76	72	66	56	52	63	4	-35
MEAN MIN TMP (F)	40	40	44	45	51	56	61	61	57	53	44	39	49	4	-35
ABS MIN TMP (F)	27	27	32	32	36	43	48	50	46	36	30	27	27	4	-35
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.1	0.0	0.0	0.0	0.0	0.3	12	-8001
MEAN NO DYS TMP = DR LES 32(F)	0.3	0.6	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	12	-8001
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-8001
MEAN DEW PT TMP (F)	43	43	46	46	51	56	58	59	57	54	50	46	51	5	-8001
MEAN REL HUM (PCT)	77	77	76	76	77	78	79	79	80	80	78	79	78	22	-8001
MEAN PRESS ALT (FT)	-66	-18	57	45	47	-1	-17	11	5	21	29	-4	9	0	-50
MEAN PRECIP (IN)	4.21	3.98	4.21	4.25	3.58	2.99	2.01	1.65	3.78	4.72	4.37	5.24	44.9	30	-122
MEAN SNOW FALL (IN)			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			4	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	10.0	9.8	7.5	7.5	7.3	7.4	5.6	4.8	8.4	9.2	8.9	10.7	97.1	30	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			4	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	1.8	2.0	1.2	0.2	1.4	5.2	4.6	2.2	2.2	2.0	1.0	0.8	24.6	3	-8001
MEAN NO DYS TSTMS	2.0	3.0	3.0	3.0	3.0	2.0	4.0	3.0	2.0	1.0	1.0	3.0	30.0	7	-24
P FREQ WND SPD = DR GTR 17 KTS	20.6	26.8	20.7	18.0	22.0	11.7	9.3	11.5	9.5	11.7	23.7	18.9	17.0	5	-8001
P FREQ WND SPD = DR GTR 28 KTS	6.0	8.0	2.6	1.6	2.5	0.9	0.5	0.8	0.6	0.8	5.4	3.9	2.8	5	-8001
P FREQ LES 5000 FT A/D LES 5 MI	69.9	73.5	62.5	59.0	58.9	61.9	54.2	52.7	55.8	62.8	70.3	77.6	63.3	12	-8001
P FREQ LES 1900 FT A/D LES 3 MI															
FOR 00-02 LST	23.4	27.5	24.3	12.8	16.1	24.8	26.1	27.5	21.1	33.1	30.7	33.3	25.2	5	-8001
03-05 LST	20.8	24.3	20.3	16.1	20.6	25.5	28.6	24.0	18.1	36.6	30.9	30.7	24.7	5	-8001
06-08 LST	38.1	40.7	40.1	28.6	40.8	39.2	40.4	40.4	44.4	46.4	43.8	47.2	40.8	12	-8001
09-11 LST	20.3	17.1	9.1	7.5	9.7	14.3	14.4	8.4	11.3	17.4	20.8	24.2	14.5	5	-8001
12-14 LST	23.2	18.8	20.8	21.3	18.7	25.2	15.9	12.7	13.3	15.3	22.7	27.1	19.6	12	-8001
15-17 LST	19.3	18.1	20.8	12.4	17.9	19.1	15.4	12.9	13.8	21.9	26.1	31.0	19.1	12	-8001
18-20 LST	25.7	15.9	16.1	8.3	11.0	15.1	19.6	16.9	18.0	29.4	32.2	34.9	20.3	5	-8001
21-23 LST	23.2	24.5	24.7	14.2	18.1	19.5	23.5	21.4	18.0	31.8	34.2	31.0	23.7	6	-8001
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	3.9	3.6	3.3	1.4	3.2	13.4	7.8	2.6	1.4	8.4	4.7	5.5	5.0	5	-8001
03-05 LST	3.2	2.7	2.0	2.7	4.5	11.4	12.3	5.2	2.0	6.5	4.7	7.2	5.3	5	-8001
06-08 LST	14.1	14.6	12.5	6.6	12.2	15.5	24.8	20.8	19.3	15.8	9.4	13.8	15.0	12	-8001
09-11 LST	5.9	2.9	0.6	1.4	1.3	4.1	7.2	1.9	2.0	3.2	2.7	3.3	3.0	5	-8001
12-14 LST	6.7	2.2	4.8	4.3	4.4	8.6	6.3	4.9	4.1	3.6	3.5	5.5	4.9	12	-8001
15-17 LST	6.1	3.6	4.2	3.1	5.4	7.9	4.7	3.5	3.8	5.6	5.2	6.4	5.0	12	-8001
18-20 LST	7.2	1.4	3.2	0.7	2.6	8.2	8.5	3.2	2.0	6.5	7.4	11.2	5.2	5	-8001
21-23 LST	5.8	2.2	3.2	0.7	1.9	8.1	7.2	1.9	1.3	5.8	4.0	8.4	4.2	6	-8001

BILBAO, SPAIN
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST	24.6	21.9	23.5	26.3	26.4	24.5	24.3	24.7	24.8	21.7	20.9	22.2	285.8	5	-8001
	06 LST	20.7	18.2	20.3	23.3	19.6	18.1	17.9	18.7	17.7	16.2	17.2	17.9	225.8	12	-8001
	12 LST	24.9	24.1	25.8	24.8	27.0	22.7	26.3	27.7	26.1	26.2	24.4	23.9	303.9	12	-8001
	18 LST	26.8	24.6	25.7	27.4	27.0	25.0	27.0	27.3	26.2	25.8	23.8	23.1	309.7	12	-8001
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	00 LST	15.4	10.8	15.9	17.4	18.2	20.9	18.8	18.7	19.8	14.8	11.4	12.4	194.5	5	-8001
	06 LST	10.7	8.9	11.2	14.6	11.7	12.1	12.8	13.3	14.3	11.7	8.8	7.2	137.3	12	-8001
	12 LST	12.6	11.0	12.9	11.5	10.6	11.7	16.1	15.9	16.0	14.5	10.9	11.7	155.4	12	-8001
	18 LST	14.0	10.5	11.8	12.6	10.6	12.0	12.3	13.3	15.6	13.9	11.7	11.9	150.2	12	-8001
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST	2.4	3.6	3.0	2.8	2.8	1.2	1.2	1.0	1.6	1.3	3.6	2.0	27.0	5	-8001
	06 LST	5.0	4.5	3.6	3.0	2.4	1.3	0.8	1.1	0.3	1.9	3.3	3.5	30.7	12	-8001
	12 LST	5.3	5.9	6.4	6.0	8.4	5.5	3.9	3.9	3.6	3.9	3.8	4.3	60.9	12	-8001
	18 LST	5.3	5.1	6.8	8.7	7.8	6.4	5.8	5.5	3.2	3.1	4.8	4.4	66.9	12	-8001
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST	8.0	5.0	8.0	7.6	9.6	10.6	8.0	10.2	8.2	7.4	7.0	7.0	96.6	5	-8001
	06 LST	7.8	7.7	8.9	8.9	9.9	7.3	8.4	9.1	9.7	9.5	8.0	7.8	103.0	12	-8001
	12 LST	7.2	6.7	7.5	10.0	10.2	11.7	15.0	13.4	11.9	8.9	7.0	7.1	116.6	12	-8001
	18 LST	8.0	7.1	7.9	8.4	9.4	11.5	10.4	11.7	9.9	10.1	7.7	7.9	110.0	12	-8001
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST	8.0	5.6	9.0	9.8	10.2	8.6	10.0	9.6	10.6	6.2	5.4	4.0	99.0	5	-8001
	06 LST	6.1	4.0	5.3	4.6	3.8	3.3	5.1	3.6	3.9	3.9	3.9	2.7	50.2	12	-8001
	12 LST	4.8	4.7	5.9	5.3	6.2	4.3	11.1	7.5	7.4	3.9	3.8	2.8	67.7	12	-8001
	18 LST	5.8	5.6	4.5	7.0	6.3	5.4	11.4	8.0	7.0	5.6	4.1	3.8	74.5	12	-8001
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST	18.6	14.9	18.9	20.0	21.0	18.9	18.6	20.1	20.0	16.9	14.8	14.0	216.7	5	-8001
	06 LST	13.9	11.0	12.8	14.7	12.6	12.0	12.9	13.6	13.0	12.4	10.3	9.3	148.5	12	-8001
	12 LST	16.1	14.3	18.4	18.5	19.5	16.8	22.3	22.7	20.4	19.2	15.1	14.4	217.7	12	-8001
	18 LST	17.8	15.8	18.2	20.8	19.4	19.3	22.5	23.0	21.4	19.2	15.5	14.4	227.3	12	-8001
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST	14.0	10.4	15.5	16.2	18.2	15.5	15.1	15.5	16.8	13.4	11.6	9.4	171.6	5	-8001
	06 LST	10.0	8.2	9.8	11.2	9.4	8.8	10.0	9.9	9.7	10.1	7.3	6.5	110.9	12	-8001
	12 LST	12.0	10.4	14.6	14.6	15.6	12.5	19.6	18.2	16.9	14.9	11.8	10.9	172.0	12	-8001
	18 LST	13.9	11.5	13.7	17.2	15.8	15.9	20.2	19.6	17.6	16.4	11.5	10.8	184.1	12	-8001
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST	14.0	10.4	15.5	16.2	18.0	15.5	15.1	15.5	16.8	13.4	11.6	9.4	171.4	5	-8001
	06 LST	10.0	8.2	9.8	11.2	9.4	8.8	10.0	9.9	9.7	10.0	7.3	6.5	110.8	12	-8001
	12 LST	12.0	10.4	14.6	14.6	15.5	12.5	19.5	18.2	16.9	14.9	11.8	10.9	171.8	12	-8001
	18 LST	13.8	11.3	13.7	17.2	15.8	15.8	20.2	19.6	17.6	16.4	11.4	10.8	183.6	12	-8001

SAN SEBASTIAN, SPAIN

STA NO. 08029 (IN AREA NUMBER 01)

LATITUDE 4322N

LONGITUDE 00148W

ELEVATION(FT) 00002

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	75	77	85	88	98	100	102	105	100	91	82	75	105	46	-34
MEAN MAX TMP (F)	53	55	57	59	66	69	73	75	73	67	59	56	64	20	-34
MEAN MIN TMP (F)	40	42	43	46	52	56	59	60	57	52	46	44	50	20	-34
ABS MIN TMP (F)	15	21	24	30	36	44	46	48	42	30	21	19	15	46	-34
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.1	0.3	0.9	0.7	0.8	0.2	0.0	0.0	3.0	9	-7602
MEAN NO DYS TMP = DR LES 32(F)	4.2	3.0	1.0	0.8	0.1	0.0	0.0	0.0	0.0	0.2	0.2	5.7	15.2	9	-7602
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	46	-29
MEAN DEW PT TMP (F)	38	39	39	42	48	54	56	58	55	49	43	41	47	19	-29
MEAN REL HUM (PCT)	74	72	70	71	71	75	74	75	73	72	74	75	73	18	-34
MEAN PRESS ALT (FT)	-170	-113	-52	-40	-55	-86	-104	-85	-103	-95	-75	-101	-89	0	-50
MEAN PRECIP (IN)	4.69	3.82	4.65	4.53	4.09	3.15	2.80	2.48	4.61	5.87	5.98	5.87	52.5	30	-122
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0	0.0				46	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	10.4	9.6	7.7	7.6	7.5	7.7	7.1	6.6	9.2	9.7	9.7	10.9	103.7	30	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0	0.0				46	-29
MEAN NO DYS W/O CUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	2.0	2.0	2.0	3.0	4.0	4.0	4.0	4.0	5.0	2.0	2.0	3.0	37.0	7	-24
P FREQ WND SPD = DR GTR 17 KTS	10.0	10.0	14.5	9.4	10.8	8.8	6.3	4.9	5.5	16.1	14.9	15.3	10.5	3	-7602
P FREQ WND SPD = DR GTR 28 KTS	1.6	1.9	2.4	0.7	0.3	0.1	0.7	0.0	0.4	5.1	2.1	2.8	1.5	3	-7602
P FREQ LES 5000 FT A/D LES 5 MI	43.3	45.3	33.0	30.9	38.7	31.5	31.1	34.0	29.3	36.6	44.0	50.4	37.3	9	-7602
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	19.8	25.8	17.2	18.1	26.6	22.7	19.8	17.1	17.2	20.3	22.5	24.8	21.0	11	-7602
09-11 LST														0	0
12-14 LST	17.4	22.1	15.0	10.0	15.1	14.6	10.1	12.7	9.8	18.2	15.9	25.2	15.5	9	-7602
15-17 LST														0	0
18-20 LST	19.8	24.9	13.1	12.8	17.3	18.2	13.3	14.1	10.5	16.4	22.8	29.4	17.7	11	-7602
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	5.3	3.6	2.0	2.2	3.3	3.4	1.6	2.9	1.8	4.1	5.5	3.9	3.3	11	-7602
09-11 LST														0	0
12-14 LST	3.6	0.5	0.9	0.5	0.9	1.5	0.9	1.7	1.1	0.0	2.7	4.4	1.6	9	-7602
15-17 LST														0	0
18-20 LST	2.7	1.4	1.3	1.3	1.8	2.7	0.9	2.7	0.0	2.9	2.7	4.3	2.1	11	-7602
21-23 LST														0	0

SAN SEBASTIAN, SPAIN
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	ND. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	27.2	23.3	27.2	26.3	25.6	25.3	27.5	28.5	27.8	27.6	26.0	27.3	319.6	11	-7602
	12 LST	27.8	23.8	28.0	28.8	28.0	27.4	29.5	28.6	28.5	27.9	27.0	25.8	331.1	9	-7602
	18 LST	27.2	23.7	28.1	28.2	27.2	25.7	29.0	28.1	28.2	28.0	26.3	25.1	324.8	11	-7602
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	00 LST														0	0
	06 LST	15.2	14.5	17.8	17.5	16.0	18.8	19.9	21.5	19.2	18.2	16.6	14.4	209.6	11	-7602
	12 LST	14.4	14.0	18.3	17.5	17.8	18.8	21.6	21.6	20.6	18.8	15.3	14.5	213.2	9	-7602
	18 LST	14.7	13.9	19.3	18.4	17.9	18.2	21.2	21.8	22.4	20.7	15.2	13.9	217.6	11	-7602
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST														0	0
	06 LST	4.4	2.1	3.4	2.8	1.4	1.2	0.9	0.9	1.7	2.9	2.9	3.9	28.5	11	-7602
	12 LST	4.5	2.9	4.3	3.5	3.8	2.3	1.9	2.0	2.2	2.2	3.5	3.9	37.0	9	-7602
	18 LST	4.3	3.8	3.4	1.9	2.6	2.0	2.5	0.9	1.5	1.7	3.2	3.2	31.0	11	-7602
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST														0	0
	06 LST	8.3	9.5	11.1	8.4	9.5	9.7	10.6	13.0	11.3	11.7	10.0	9.4	122.5	11	-7602
	12 LST	7.4	9.5	14.2	11.7	13.2	14.2	15.0	15.4	14.5	11.8	8.7	9.4	145.0	9	-7602
	18 LST	9.5	8.8	11.8	14.2	12.0	13.3	15.2	16.7	14.0	12.6	8.7	9.8	146.6	11	-7602
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	6.8	4.9	5.9	5.0	4.1	4.3	8.2	6.1	6.2	6.5	3.3	4.4	67.7	11	-7602
	12 LST	5.2	5.0	5.5	6.0	5.0	6.7	10.0	11.1	7.7	6.3	3.2	3.1	74.8	9	-7602
	18 LST	6.2	4.9	4.8	6.5	5.6	7.0	11.2	10.9	8.1	5.8	5.4	5.0	81.4	11	-7602
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	21.0	16.9	22.9	21.3	18.9	20.4	21.2	21.7	20.4	20.9	19.6	17.6	242.8	11	-7602
	12 LST	22.0	19.0	23.8	24.5	23.5	23.3	25.5	24.1	24.4	22.1	21.7	19.7	273.6	9	-7602
	18 LST	21.4	17.2	24.3	23.3	22.5	22.8	24.4	24.5	24.2	22.4	19.1	17.6	263.7	11	-7602
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	18.2	15.1	21.8	19.3	17.5	19.2	20.1	19.5	18.5	19.5	18.0	15.0	221.7	11	-7602
	12 LST	20.0	17.8	21.8	23.1	22.3	22.3	23.8	22.6	23.6	21.4	20.1	18.8	257.6	9	-7602
	18 LST	19.4	15.7	23.0	22.3	21.6	22.0	23.8	23.5	22.8	21.1	17.5	15.3	248.0	11	-7602
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	18.2	15.1	21.7	19.3	17.5	19.2	20.1	19.5	18.5	19.5	17.8	15.0	221.4	11	-7602
	12 LST	20.0	17.8	21.8	23.1	22.3	22.3	23.8	22.6	23.4	21.4	20.1	18.8	257.4	9	-7602
	18 LST	19.4	15.7	23.0	22.3	21.4	22.0	23.8	23.3	22.8	21.1	16.9	15.3	247.0	11	-7602

AREA NO. 01

SPAIN		NORTHERN COAST				LATITUDE 4320N				LONGITUDE 00600W				
BOUNDARIES		4206N 00820W	4312N 00820W	4312N 00820W	4312N 00820W	4312N 00820W	4312N 00820W	4312N 00820W	4312N 00820W	4312N 00820W	4312N 00820W	4312N 00820W	4312N 00820W	
PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)		53	55	58	59	65	69	74	74	72	66	58	55	63
MEAN MIN TMP (F)		42	42	45	47	52	57	60	61	58	53	47	43	51
LARGEST MEAN PRECIP(IN)		4.69	3.98	4.65	4.53	4.09	3.15	2.80	2.48	4.61	5.87	5.98	5.87	52.7
SMALLEST MEAN PRECIP(IN)		4.21	3.30	3.90	3.20	2.20	1.50	1.30	1.65	2.80	3.90	4.33	5.20	37.5
		MEAN NUMBER OF DAYS												
CIG = GTR 1000 FT AND	00 LST	24.6	21.9	23.5	26.3	26.4	24.5	24.3	24.7	24.8	21.7	20.9	22.2	285.8
VSBY = GTR 3 MI	06 LST	20.7	18.2	20.3	23.3	19.6	18.1	17.9	18.7	17.7	16.2	17.2	17.9	225.8
	12 LST	24.9	24.1	25.8	24.8	27.0	22.7	26.3	27.7	26.1	26.2	24.4	23.9	303.9
	18 LST	26.8	24.6	25.7	27.4	27.0	25.0	27.0	27.3	26.2	25.8	23.8	23.1	309.7
CIG =GTR 2000 FT AND VSBY =GTR	00 LST	15.4	10.8	15.9	17.4	18.2	20.9	18.8	18.7	19.8	14.8	11.4	12.4	194.5
3 MI W/SFC WND LES 10 KTS	06 LST	10.7	8.9	11.2	14.6	11.7	12.1	12.8	13.3	14.3	11.7	8.8	7.2	137.3
	12 LST	12.6	11.0	12.9	11.5	10.6	11.7	16.1	15.9	16.0	14.5	10.9	11.7	155.4
	18 LST	14.0	10.5	11.8	12.6	10.6	12.0	12.3	13.3	15.6	13.9	11.7	11.9	150.2
SFC WND = GTR 17 KTS AND	00 LST	2.4	3.6	3.0	2.8	2.8	1.2	1.2	1.0	1.6	1.8	3.6	2.0	27.0
NO PRECIP.	06 LST	3.0	4.5	3.6	3.0	2.4	1.3	0.8	1.1	0.3	1.9	3.3	3.5	30.7
	12 LST	5.3	5.9	6.4	6.0	8.4	5.5	3.9	3.9	3.6	3.9	3.8	4.3	60.9
	18 LST	5.3	5.1	6.8	8.7	7.8	6.4	5.8	5.5	3.2	3.1	4.8	4.4	66.9
SFC WND 4-10 KTS AND TMP 33-89	00 LST	8.0	5.0	8.0	7.6	9.6	10.6	8.0	10.2	8.2	7.4	7.0	7.0	96.6
DEG F AND NO PRECIP.	06 LST	7.8	7.7	8.9	8.9	9.9	7.3	8.4	9.1	9.7	9.5	8.0	7.8	103.0
	12 LST	7.2	6.7	7.5	10.0	10.2	11.7	15.0	13.4	11.9	8.9	7.0	7.1	116.6
	18 LST	8.0	7.1	7.9	8.4	9.4	11.5	10.4	11.7	9.9	10.1	7.7	7.9	110.0
SKY COVER LES 3/10 AND	00 LST	8.0	5.6	9.0	9.8	10.2	8.6	10.0	9.6	10.6	8.2	5.4	4.0	99.0
VSBY = GTR 3 MI	06 LST	6.1	4.0	5.3	4.6	3.8	3.3	5.1	3.6	3.9	3.9	3.9	2.7	50.2
	12 LST	4.8	4.7	5.9	5.3	6.2	4.3	11.1	7.5	7.4	3.9	3.8	2.8	67.7
	18 LST	5.8	5.6	4.5	7.0	6.3	5.4	11.4	8.0	7.0	5.6	4.1	3.8	74.5
CIG = GTR 2500 FT AND	00 LST	18.6	14.9	18.9	20.0	21.0	18.9	18.6	20.1	20.0	16.9	14.8	14.0	216.7
VSBY = GTR 3 MI	06 LST	13.9	11.0	12.8	14.7	12.6	12.0	12.9	13.6	13.0	12.4	10.3	9.3	148.5
	12 LST	16.1	14.3	18.4	18.5	19.5	16.8	22.3	22.7	20.4	19.2	15.1	14.4	217.7
	18 LST	17.8	15.8	18.2	20.8	19.4	19.3	22.5	23.0	21.4	19.2	15.5	14.4	227.3
CIG = GTR 6000 FT AND	00 LST	14.0	10.4	15.5	16.2	18.2	15.5	15.1	15.5	16.8	13.4	11.6	9.4	171.6
VSBY = GTR 3 MI	06 LST	10.0	8.2	9.8	11.2	9.4	8.8	10.0	9.9	9.7	10.1	7.3	6.5	110.9
	12 LST	12.0	10.4	14.6	14.6	15.6	12.5	19.6	18.2	16.9	14.9	11.8	10.9	172.0
	18 LST	13.9	11.5	13.7	17.2	15.8	15.9	20.2	19.6	17.6	16.4	11.5	10.8	184.1
CIG = GTR 10000 FT AND	00 LST	14.0	10.4	15.5	16.2	18.0	15.5	15.1	15.5	16.8	13.4	11.6	9.4	171.4
VSBY = GTR 3 MI	06 LST	10.0	8.2	9.8	11.2	9.4	8.8	10.0	9.9	9.7	10.0	7.3	6.5	110.8
	12 LST	12.0	10.4	14.6	14.6	15.5	12.5	19.5	18.2	16.9	14.9	11.8	10.9	171.8
	18 LST	13.8	11.3	13.7	17.2	15.8	15.8	20.2	19.6	17.6	16.4	11.4	10.8	183.6

MONFLORITE, SPAIN

STA NO. 08094 (IN AREA NUMBER 02)

LATITUDE 4205N

LONGITUDE 00019W

ELEVATION(FT) 01772

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
ASS MAX TMP (F)	64	66	77	77	86	100	100	95	91	82	75	64	100	4	1380
MEAN MAX TMP (F)	46	31	39	64	70	81	88	83	77	69	58	49	56	4	1380
MEAN MIN TMP (F)	31	33	39	41	48	57	59	58	53	48	41	34	43	4	1410
ABS MIN TMP (F)	18	10	23	28	34	45	45	46	41	34	27	19	10	4	1410
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	4.8	13.2	5.1	1.0	0.0	0.0	0.0	24.1	4	1380
MEAN NO DYS TMP = OR LES 32(F)	21.3	12.0	4.3	3.0	0.0	0.0	0.0	0.0	0.0	0.0	3.5	12.4	56.5	4	1410
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	1410
MEAN DEW PT TMP (F)	33	33	37	27	45	52	53	52	50	47	41	36	43	4	-29
MEAN REL HUM (PCT)	82	72	66	60	64	58	53	57	63	69	76	82	67	4	-35
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	1.09	0.90	2.45	2.53	3.24	1.65	1.10	1.65	1.19	0.75	1.36	1.86	19.8	4	1364
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0	0.0				4	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	3.3	2.4	5.4	4.5	7.0	3.5	3.2	3.3	3.8	2.0	3.6	4.2	46.2	4	1364
MEAN NO DYS SNFL = OR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0	0.0				4	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS	21.7	23.4	23.4	21.7	12.0	9.9	16.6	21.9	11.0	13.3	20.8	19.3	17.9	4	-35
P FREQ WND SPD = OR GTR 28 KTS	6.9	10.9	4.9	5.6	3.3	0.6	3.7	3.0	3.4	3.8	7.2	5.9	4.9	4	-35
P FREQ LES 5000 FT A/D LES 5 MI	19.0	19.2	19.9	15.6	19.8	10.3	6.6	8.5	6.2	10.8	15.6	24.9	14.7	4	4125
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	16.1	5.6	7.4	6.7	4.1	3.4	0.8	0.0	0.8	3.2	2.5	18.0	5.7	4	1412
09-11 LST														0	0
12-14 LST	11.8	3.8	4.1	4.2	6.6	2.5	1.7	1.6	0.0	2.4	1.7	15.6	4.7	4	1412
15-17 LST														0	0
18-20 LST	9.7	3.7	4.8	2.5	2.4	1.1	0.9	0.8	0.8	0.0	1.7	10.7	3.3	4	1387
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	16.1	2.8	3.3	3.3	0.8	0.8	0.0	0.0	0.0	2.4	0.8	14.8	3.8	4	1412
09-11 LST														0	0
12-14 LST	9.7	1.9	0.8	0.8	1.6	0.0	0.0	0.0	0.0	0.8	0.8	12.3	2.4	4	1412
15-17 LST														0	0
18-20 LST	9.7	0.0	2.4	0.0	0.0	0.0	0.0	0.0	0.8	0.0	1.7	9.8	2.0	4	1387
21-23 LST														0	0

MONFLORITE, SPAIN
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	26.0	26.9	29.2	28.5	30.4	29.2	31.0	31.0	30.0	30.2	29.5	25.9	347.8	4	1412
	12 LST	28.0	27.2	30.7	29.7	30.2	29.7	30.7	30.5	30.0	30.5	29.7	26.4	353.3	4	1412
	18 LST	28.0	27.7	30.2	30.0	31.0	30.0	30.7	31.0	29.7	31.0	29.5	27.9	356.7	4	1387
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	00 LST														0	0
	06 LST	15.3	17.2	19.5	21.2	22.6	22.6	24.3	22.6	24.4	24.2	19.5	16.7	250.1	4	1412
	12 LST	12.8	11.0	12.7	14.0	16.7	17.1	19.6	14.7	18.5	17.3	15.2	13.8	183.4	4	1409
	18 LST	14.0	15.1	13.5	11.0	14.4	14.2	12.1	11.8	17.4	21.0	18.0	16.7	172.2	4	1384
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST														0	0
	06 LST	5.1	3.4	2.5	1.5	1.0	0.2	1.0	2.7	0.5	2.0	4.2	3.5	27.6	4	1412
	12 LST	8.7	8.7	8.8	6.7	4.0	2.7	5.1	6.7	4.0	5.7	8.0	8.3	77.4	4	1410
	18 LST	6.3	7.0	8.7	9.7	5.3	6.3	9.0	10.5	4.3	4.5	5.5	4.0	81.1	4	1384
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST														0	0
	06 LST	4.4	8.8	12.4	9.5	13.7	12.6	12.8	15.0	9.0	10.7	9.5	8.8	127.2	4	1412
	12 LST	9.4	8.1	10.1	10.5	15.2	15.3	11.3	12.0	12.0	10.0	8.5	7.6	130.5	4	1410
	18 LST	7.6	7.8	10.5	8.2	11.1	10.8	6.3	9.0	10.9	11.1	9.5	11.4	114.2	4	1382
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	14.0	12.8	11.9	12.2	9.6	13.1	19.9	15.7	14.3	12.2	9.5	10.6	155.8	4	1413
	12 LST	10.0	8.1	9.4	9.5	7.1	10.3	19.0	15.0	15.0	11.0	8.5	8.0	130.9	4	1411
	18 LST	13.6	9.1	9.7	11.0	6.5	11.6	17.6	14.7	13.7	12.7	10.0	12.1	142.3	4	1386
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	25.3	24.5	26.4	26.7	27.6	27.7	30.2	29.7	28.7	29.0	26.5	23.8	326.1	4	1412
	12 LST	26.6	24.3	26.9	26.0	25.1	26.7	29.1	29.5	29.5	28.7	28.5	24.1	325.0	4	1412
	18 LST	26.3	24.3	26.7	27.2	27.2	29.0	30.2	30.4	28.7	29.2	27.0	20.1	332.3	4	1387
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	24.6	23.5	24.9	26.0	26.4	26.9	29.7	28.2	27.9	28.5	24.2	22.8	313.6	4	1412
	12 LST	26.3	22.4	25.1	24.2	23.1	25.2	28.4	28.2	29.0	27.2	27.5	22.6	309.2	4	1412
	18 LST	25.3	22.7	25.2	26.0	25.4	28.1	28.8	29.9	28.2	27.7	25.0	25.1	317.4	4	1387
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	24.6	23.5	24.9	26.0	26.4	26.9	29.7	28.2	27.9	28.5	24.2	22.8	313.6	4	1412
	12 LST	26.3	22.4	25.1	24.2	23.1	25.2	28.4	28.2	29.0	27.2	27.5	22.3	308.9	4	1412
	18 LST	25.3	22.7	25.2	26.0	25.4	28.1	28.8	29.9	28.2	27.7	25.0	25.1	317.4	4	1387

VALLADOLID, SPAIN

STA NO. 08140 (IN AREA NUMBER 02)

LATITUDE 4143N

LONGITUDE 00451W

ELEVATION(FT) 02772

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	64	77	79	88	92	103	102	101	97	87	77	63	103	27	-528
MEAN MAX TMP (F)	45	51	57	62	70	78	85	85	77	66	53	46	65	27	-28
MEAN MIN TMP (F)	31	32	37	40	46	52	56	56	51	44	36	32	43	27	-28
ABS MIN TMP (F)	9	16	16	24	30	37	43	41	35	24	19	15	9	27	-528
MEAN NO DYS TMP = DR GTR 50(F)	0.0	0.0	0.0	0.0	0.2	2.8	7.4	5.5	1.6	0.0	0.0	0.0	17.5	12	4240
MEAN NO DYS TMP = DR LES 32(F)	16.6	13.6	6.0	2.6	0.2	0.0	0.0	0.0	0.0	0.5	7.8	13.5	60.8	12	4246
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4246
MEAN DEW PT TMP (F)	32	33	36	35	41	46	46	47	46	43	41	36	40	5	11381
MEAN REL HUM (PCT)	84	78	71	65	62	57	48	54	62	70	79	85	68	14	-28
MEAN PRESS ALT (FT)	2576	2629	2703	2706	2704	2665	2648	2673	2662	2667	2674	2640	2662	0	-50
MEAN PRECIP (IN)	0.91	1.54	1.38	1.30	1.77	1.61	0.67	0.39	1.49	1.77	1.89	1.69	16.4	30	-122
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0					27	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	3.0	5.1	4.6	4.4	5.5	4.7	2.0	1.0	4.6	5.2	5.5	5.5	51.1	30	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0						27	-29
MEAN NO DYS W/QCUR VSBY LES 1/2 MI	11.3	2.5	1.0	0.2	0.0	0.9	0.0	6.0	0.2	3.5	6.3	12.1	38.0	5	1466
MEAN NO DYS TSTMS	0.0	0.3	0.0	1.5	1.9	2.9	2.4	2.3	2.0	0.7	0.8	0.2	15.0	5	1466
P FREQ WND SPD = DR GTR 17 KTS	6.1	8.4	7.9	9.1	4.6	3.6	3.2	3.8	3.1	2.3	6.6	6.7	5.5	5	11646
P FREQ WND SPD = DR GTR 28 KTS	1.1	0.7	1.9	0.9	0.3	0.4	0.2	0.1	0.1	0.0	0.9	0.6	0.6	5	11646
P FREQ LES 5000 FT A/D LES 5 MI	56.1	41.3	33.3	29.9	30.3	25.9	13.1	13.9	19.2	33.8	43.1	55.7	33.0	12	19959
P FREQ LES 1500 FT A/D LES 3 MI															
FDR 00-02 LST	29.2	8.3	1.6	2.5	2.0	1.4	0.0	0.0	0.3	8.1	18.5	30.8	8.6	5	1480
03-05 LST	36.7	12.7	1.6	1.7	2.0	1.4	0.0	2.5	1.7	11.3	21.8	38.3	11.0	5	1481
06-08 LST	39.8	23.9	18.5	18.4	17.2	25.4	12.9	12.1	15.5	22.8	32.7	45.8	23.8	12	4247
09-11 LST	71.1	49.1	27.9	29.2	8.7	7.4	5.0	8.3	12.6	36.3	61.2	74.4	32.6	5	1478
12-14 LST	41.1	17.8	9.2	5.0	7.0	3.6	1.1	3.3	4.5	10.0	27.7	46.5	14.7	12	4362
15-17 LST	22.3	13.5	4.1	3.4	1.4	4.4	0.0	1.6	0.8	0.8	9.2	15.6	6.4	5	1480
18-20 LST	24.2	10.2	4.7	3.4	3.1	3.5	2.7	1.5	2.2	6.9	17.6	35.0	9.6	12	4243
21-23 LST	33.6	9.1	5.7	4.2	2.7	2.3	0.8	0.8	0.8	10.6	14.3	28.5	9.5	5	1478
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	16.7	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.8	3.3	8.4	17.5	4.0	5	1480
03-05 LST	20.0	1.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.6	7.6	25.0	5.0	5	1481
06-08 LST	24.2	8.7	4.1	4.5	3.3	7.5	2.1	0.8	1.7	10.0	17.0	27.8	9.3	12	4247
09-11 LST	47.9	18.2	10.7	10.0	4.7	2.2	0.0	0.8	5.0	20.2	36.2	52.1	17.3	5	1478
12-14 LST	21.4	4.4	1.1	0.0	0.3	0.3	0.3	0.0	0.0	4.9	8.9	25.3	5.6	12	4362
15-17 LST	9.1	0.9	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.0	3.4	7.4	1.8	5	1480
18-20 LST	10.3	1.2	0.3	0.0	0.3	0.0	0.3	0.0	0.3	1.4	5.1	18.7	3.2	12	4243
21-23 LST	20.5	0.0	0.0	0.8	0.0	0.8	0.0	0.0	0.0	6.5	7.6	14.6	4.2	5	1478

VALLADOLID, SPAIN

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST	22.4	26.7	30.7	29.4	30.3	29.7	31.0	31.0	29.7	28.7	24.7	21.7	336.0	5	1479
	06 LST	19.3	21.6	25.7	24.5	26.0	22.7	27.0	27.3	25.6	24.2	20.7	17.7	282.3	12	4247
	12 LST	18.6	23.7	28.6	28.9	29.7	29.4	30.7	30.0	29.0	28.4	22.3	17.7	317.0	12	4362
	18 LST	29.7	25.8	29.9	29.4	30.4	29.3	30.4	30.6	29.5	29.3	25.0	20.6	334.1	12	4243
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	00 LST	17.5	19.5	25.1	24.7	25.4	24.8	23.3	25.8	25.7	26.7	21.4	18.0	777.9	5	1479
	06 LST	13.7	16.2	21.5	22.5	23.3	20.1	24.4	25.1	23.9	21.6	15.9	11.7	239.9	12	4246
	12 LST	9.6	12.9	17.8	18.7	18.7	22.3	24.0	22.3	23.1	19.8	12.0	8.0	209.2	12	4358
	18 LST	17.6	17.2	20.8	17.2	17.7	20.4	20.6	20.6	23.1	23.2	18.6	13.2	230.2	12	4240
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST	0.2	0.5	0.7	0.5	0.8	0.8	1.3	0.2	0.0	0.0	0.5	0.7	6.2	5	1482
	06 LST	0.9	0.9	0.4	0.4	0.0	0.0	0.2	0.0	0.0	0.1	0.6	0.8	4.3	12	4270
	12 LST	1.8	2.6	1.6	2.5	1.3	0.2	0.5	0.8	0.9	1.3	1.5	1.9	16.9	12	4363
	18 LST	1.1	1.5	1.5	2.4	1.1	1.0	1.3	1.8	1.4	0.5	1.0	1.1	15.7	12	4258
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST	6.2	8.4	12.8	10.8	14.4	12.0	15.5	17.8	11.0	12.0	12.3	13.1	146.3	5	1480
	06 LST	5.9	6.2	9.2	10.5	11.7	11.1	14.0	13.7	10.0	10.1	8.1	8.3	118.8	12	4264
	12 LST	8.2	9.6	13.4	15.0	15.1	17.0	19.3	16.2	16.2	12.6	11.5	8.9	163.2	12	4359
	18 LST	11.9	12.2	13.3	12.6	12.4	14.1	14.5	14.0	12.4	12.5	12.0	11.5	153.4	12	4253
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST	11.3	11.8	14.8	16.6	15.5	15.2	25.2	24.4	20.5	18.3	11.5	9.5	194.6	5	1478
	06 LST	6.7	9.1	7.8	8.0	8.5	8.5	18.2	15.4	10.8	7.8	7.2	5.8	113.8	12	4253
	12 LST	2.9	4.7	6.6	6.1	6.6	9.0	18.1	14.9	9.5	5.5	4.7	2.2	90.8	12	4360
	18 LST	6.6	7.4	6.9	6.9	6.4	8.1	17.3	14.6	10.0	8.7	8.7	4.9	106.5	12	4245
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST	20.1	23.6	29.2	28.2	28.5	28.7	30.7	31.0	29.2	27.2	23.1	20.6	320.1	5	1479
	06 LST	16.6	19.4	22.7	23.8	24.1	21.1	26.3	26.7	24.0	22.1	18.5	15.2	260.5	12	4247
	12 LST	15.2	18.8	22.4	22.8	23.2	24.8	29.3	28.3	25.8	23.5	18.4	13.0	265.5	12	4362
	18 LST	20.6	22.3	27.7	26.5	26.7	26.1	29.1	29.2	27.9	26.4	22.7	18.3	303.5	12	4243
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST	18.6	21.8	27.4	26.7	26.4	28.0	30.4	30.7	28.5	25.2	21.9	20.1	305.7	5	1479
	06 LST	15.1	18.0	20.3	22.4	22.3	20.1	25.8	26.0	22.8	20.4	17.6	14.5	245.3	12	4247
	12 LST	12.4	15.3	17.7	18.3	19.3	21.7	27.9	26.6	24.0	20.3	16.0	10.8	230.3	12	4362
	18 LST	18.3	20.2	26.2	24.3	23.7	23.4	27.9	27.5	26.7	24.1	21.1	16.5	279.9	12	4243
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST	18.6	21.8	27.4	26.7	26.4	28.0	30.4	30.7	28.5	25.2	21.9	20.1	305.7	5	1479
	06 LST	15.1	18.0	20.3	22.4	22.3	20.1	25.7	26.0	22.8	20.4	17.6	14.5	245.2	12	4247
	12 LST	12.4	15.3	17.7	18.2	19.2	21.7	27.9	26.6	24.0	20.3	16.0	10.8	230.1	12	4362
	18 LST	18.3	20.2	26.2	24.3	23.7	23.4	27.9	27.5	26.7	24.1	21.1	16.5	279.9	12	4243

ZARAGOZA, SPAIN

STA NO. 08160 (IN AREA NUMBER 02)

LATITUDE 4140N

LONGITUDE 00102W

ELEVATION(FT) 00844

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	69	72	79	89	96	105	104	104	96	88	75	66	105	26	-528
MEAN MAX TMP (F)	49	54	60	66	73	81	87	86	79	69	57	50	68	26	-28
MEAN MIN TMP (F)	35	37	41	46	52	58	62	62	58	50	42	37	48	26	-28
ABS MIN TMP (F)	5	16	23	30	36	46	46	49	40	30	22	16	5	26	-528
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	1.6	5.5	11.8	9.5	4.0	0.0	0.0	0.0	32.4	8	2527
MEAN NO DYS TMP = DR LES 32(F)	8.8	5.3	1.4	0.1	0.0	0.0	0.0	0.0	0.0	0.0	1.6	7.2	24.4	8	2527
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2527
MEAN DEW PT TMP (F)	35	35	38	41	47	50	53	54	55	48	41	36	44	8	60696
MEAN REL HUM (PCT)	79	73	68	65	63	61	59	61	67	71	75	79	68	20	-28
MEAN PRESS ALT (FT)	692	748	804	826	814	785	766	788	767	770	782	753	775	0	-50
MEAN PRECIP (IN)	0.59	0.79	0.87	1.0	1.58	1.10	0.75	0.55	1.14	1.42	1.22	0.91	12.0	30	-122
MEAN SNOW FALL (IN)	0.2	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	1.9	9	2892
MEAN NO DYS PRCP = DR GTR 0.1 IN	1.7	2.5	2.9	3.7	5.1	3.3	2.2	1.6	3.9	4.5	4.0	3.0	38.4	30	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.1	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.5	9	2892
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	7.4	3.0	0.7	0.0	0.6	0.0	0.0	0.1	0.7	2.7	4.3	7.0	26.5	8	2531
MEAN NO DYS TSTMS	0.1	0.0	0.4	1.3	3.8	4.6	4.9	4.1	5.3	0.8	0.1	0.3	25.7	8	2529
P FREQ WND SPD = DR GTR 17 KTS	8.5	9.0	11.4	23.1	14.0	8.8	9.5	8.1	3.2	7.3	6.1	12.2	10.1	8	60726
P FREQ WND SPD = DR GTR 28 KTS	0.1	0.2	0.1	4.2	1.5	0.6	0.4	0.2	0.1	0.0	0.2	0.1	0.6	8	60726
P FREQ LES 3000 FT A/D LES 5 MI	36.4	24.5	14.9	7.4	6.3	3.9	1.9	3.5	10.7	18.4	24.8	33.8	15.5	11	70841
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	19.8	7.4	3.7	0.5	1.2	0.7	0.0	0.0	1.3	4.0	8.6	17.0	5.4	10	7594
03-05 LST	21.5	9.1	6.0	1.0	2.0	0.6	0.2	1.1	2.5	10.0	13.1	18.4	7.1	10	7601
06-08 LST	27.2	18.5	8.4	4.8	1.9	0.8	0.6	0.8	8.9	18.3	16.7	20.8	10.9	11	9623
09-11 LST	31.6	20.8	7.3	2.0	1.4	0.9	0.0	0.2	4.1	15.7	16.1	24.2	10.4	11	10586
12-14 LST	23.4	11.8	2.8	0.7	0.5	0.0	0.0	0.2	1.0	5.6	10.6	20.1	6.4	11	10585
15-17 LST	15.0	7.0	1.6	0.7	0.3	0.0	0.0	0.4	1.5	2.5	8.2	15.9	4.4	11	9625
18-20 LST	14.9	6.9	3.1	0.8	0.2	0.3	0.0	0.3	1.0	2.9	6.3	13.6	4.2	10	7634
21-23 LST	16.7	6.7	1.8	0.5	0.5	0.2	0.0	0.2	1.3	3.4	8.1	14.0	4.5	10	7597
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	10.0	2.5	0.0	0.0	0.3	0.0	0.0	0.0	0.0	2.0	3.7	9.9	2.4	10	7594
03-05 LST	11.8	2.7	0.6	0.5	0.2	0.0	0.0	0.0	0.6	4.0	6.3	10.6	3.1	10	7601
06-08 LST	15.9	7.5	1.1	0.4	0.5	0.0	0.0	0.0	1.5	5.9	8.0	13.1	4.5	11	9623
09-11 LST	18.1	6.2	0.6	0.0	0.0	0.0	0.0	0.0	0.0	3.9	6.3	14.6	4.1	11	10586
12-14 LST	8.1	2.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.3	2.4	8.0	1.8	11	10585
15-17 LST	6.5	1.7	0.4	0.0	0.0	0.0	0.0	0.1	0.0	0.2	2.4	6.5	1.5	11	9625
18-20 LST	6.8	1.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.6	2.8	6.5	1.5	10	7634
21-23 LST	7.2	1.2	0.2	0.0	0.5	0.0	0.0	0.0	0.0	1.4	4.4	7.7	1.9	10	7597

ZARAGOZA, SPAIN
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST	25.9	26.6	30.1	29.9	30.7	30.0	31.0	31.0	30.0	30.1	27.9	26.3	349.5	10	2537
	06 LST	23.7	23.8	29.2	29.1	30.7	30.0	30.9	31.0	28.2	26.2	26.5	24.8	334.1	11	3528
	12 LST	23.5	24.7	30.1	29.9	30.9	30.0	31.0	30.9	29.8	28.8	26.2	25.1	340.9	11	3529
	18 LST	26.5	26.7	30.7	29.9	31.0	30.0	31.0	30.9	29.7	30.2	28.4	26.7	351.7	11	3528
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	00 LST	15.1	17.2	18.3	13.7	15.0	16.2	14.7	17.1	21.3	21.6	19.4	13.1	202.7	10	2537
	06 LST	13.7	14.7	18.1	15.3	17.1	18.2	17.1	20.2	22.3	18.1	17.9	12.9	205.6	11	3528
	12 LST	9.0	9.8	10.9	12.2	14.8	17.1	17.3	17.7	18.6	15.7	13.0	9.2	165.3	11	3529
	18 LST	15.7	15.4	15.2	11.9	14.2	14.6	12.6	16.0	20.2	20.9	19.0	13.4	189.1	11	3528
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST	1.7	1.8	1.4	5.7	3.0	1.6	2.2	1.9	0.6	1.6	1.1	3.1	29.7	10	2537
	06 LST	2.2	2.1	1.8	4.0	2.6	1.2	1.0	1.4	0.3	1.6	1.0	3.3	22.5	11	3528
	12 LST	5.1	5.1	6.0	8.6	4.4	2.1	2.7	2.8	1.8	4.5	2.9	6.5	52.5	11	3529
	18 LST	2.0	3.2	5.1	9.1	6.0	4.1	5.0	3.5	1.4	3.1	1.1	4.2	47.8	11	3528
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST	11.0	10.7	13.7	10.1	14.0	12.9	16.5	15.6	14.9	13.4	12.9	10.2	155.9	10	2536
	06 LST	10.6	10.1	12.6	10.5	12.1	15.2	17.0	16.6	12.9	12.1	12.7	9.6	152.0	11	3528
	12 LST	11.0	11.2	10.5	10.8	15.4	15.6	15.9	16.1	15.6	12.7	12.8	9.0	156.6	11	3529
	18 LST	12.4	13.1	10.6	8.8	9.8	11.9	5.9	10.5	13.0	13.4	14.9	11.1	135.4	11	3527
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST	11.9	14.9	14.0	13.4	14.7	14.1	21.8	21.4	15.4	14.7	11.9	10.8	179.6	10	2537
	06 LST	9.6	11.4	10.7	9.4	11.2	12.2	17.9	16.0	10.1	9.8	9.1	8.4	135.8	11	3528
	12 LST	6.4	7.5	8.8	7.6	10.0	10.8	19.7	18.3	10.7	8.1	6.7	6.1	120.7	11	3529
	18 LST	7.6	9.1	9.3	8.7	10.0	9.7	17.7	16.0	10.1	9.5	7.2	7.0	121.9	11	3525
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST	24.1	25.5	29.4	29.9	30.3	29.7	30.9	30.9	29.6	29.6	27.6	25.1	342.6	10	2537
	06 LST	22.6	22.8	28.2	28.5	30.1	29.6	30.7	30.2	26.4	24.9	25.2	23.5	322.7	11	3528
	12 LST	22.0	23.7	29.9	29.7	30.8	29.8	31.0	30.9	29.5	27.9	25.8	24.4	335.4	11	3529
	18 LST	25.6	26.0	30.1	29.8	31.0	30.0	30.9	30.9	29.7	30.0	27.8	25.9	347.7	11	3528
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST	20.2	22.9	25.4	28.4	29.1	28.4	30.1	29.9	27.9	27.0	25.6	20.9	315.8	10	2537
	06 LST	18.7	20.1	25.1	25.8	28.4	28.2	29.1	28.9	23.0	22.3	21.5	20.0	291.1	11	3528
	12 LST	19.2	21.2	26.4	26.6	28.9	28.3	30.5	29.5	27.4	24.8	21.8	20.5	305.1	11	3529
	18 LST	21.3	21.9	25.5	26.8	28.7	27.7	29.5	29.8	26.5	27.0	23.6	21.0	309.3	11	3528
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST	18.4	20.7	21.9	25.1	25.3	23.7	29.6	28.6	25.7	22.0	21.4	18.7	281.1	10	2537
	06 LST	16.2	18.1	21.9	22.6	25.7	25.3	27.8	27.1	20.7	17.9	18.7	17.0	259.0	11	3528
	12 LST	17.1	18.9	23.3	24.8	26.8	26.4	29.5	28.8	26.0	21.4	18.7	17.2	278.9	11	3529
	18 LST	18.7	19.9	22.0	24.1	26.4	25.3	28.4	28.3	24.1	23.0	18.9	18.1	277.2	11	3528

SALAMANCA, SPAIN

STA NO. 08202 (IN AREA NUMBER 02)

LATITUDE 4056N

LONGITUDE 00527W

ELEVATION(FT) 02595

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	67	77	82	87	94	102	104	105	97	87	75	66	105	29	-528
MEAN MAX TMP (F)	47	51	57	62	70	79	85	85	77	66	54	48	65	30	-28
MEAN MIN TMP (F)	40	31	35	38	45	51	55	55	50	43	35	31	42	29	-28
AB. MIN TMP (F)	1	11	18	23	28	33	37	39	28	23	16	10	1	29	-528
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.8	6.0	12.9	10.3	3.4	0.0	0.0	0.0	33.4	5	1768
MEAN NO DYS TMP = OR LES 32(F)	21.7	16.7	10.1	7.5	0.8	0.0	0.0	0.0	0.0	1.2	6.0	15.3	79.3	5	1764
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	1764
MEAN DEW PT TMP (F)	32	34	39	41	48	54	55	53	51	46	41	27	44	5	11339
MEAN REL HUM (PCT)	83	79	74	69	65	58	53	55	62	71	79	84	69	20	-28
MEAN PRESS ALT (FT)	2407	2462	2533	2543	2539	2504	2487	2511	2496	2499	2503	2470	2496	0	-50
MEAN PRECIP (IN)	1.14	1.54	1.46	1.26	1.42	1.38	0.55	0.43	1.22	1.69	2.05	1.46	15.6	30	-122
MEAN SNOW FALL (IN)						0.0	0.0	0.0						29	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	3.8	5.1	4.8	4.2	4.7	4.1	1.6	1.2	4.0	5.1	5.8	4.8	49.2	30	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN						0.0	0.0	0.0						29	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	6.6	2.3	2.0	0.8	1.0	0.8	0.0	0.0	0.5	0.5	4.3	9.6	28.4	5	1424
MEAN NO DYS TSTMS	0.0	0.3	0.2	0.5	2.2	3.8	4.0	1.2	2.3	0.5	0.8	0.3	16.1	5	1424
P FREQ WND SPD = OR GTR 17 KTS	15.0	22.7	18.8	14.7	14.8	7.4	6.6	11.1	10.0	8.0	15.9	7.7	12.7	5	11331
P FREQ WND SPD = OR GTR 28 KTS	2.6	3.9	3.6	1.3	1.3	0.3	0.2	0.6	0.4	0.3	2.3	0.8	1.5	5	11331
P FREQ LES 5000 FT A/D LES 5 MI	39.4	36.8	28.3	25.0	28.3	17.1	6.8	10.2	9.9	22.8	34.1	35.4	24.5	5	12975
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	18.6	9.7	6.5	4.2	2.4	1.7	1.6	0.8	0.0	1.6	5.8	14.7	5.6	5	1427
03-05 LST	18.3	13.5	10.7	5.9	6.5	2.5	0.8	0.8	0.8	4.0	8.3	17.8	7.5	5	1423
06-08 LST	22.8	21.6	17.9	5.4	8.4	4.1	2.6	1.9	2.7	10.5	16.2	24.3	11.5	5	1771
09-11 LST	31.4	23.2	15.8	5.4	4.6	5.4	1.3	1.9	4.0	11.9	25.0	31.1	13.8	5	1743
12-14 LST	23.6	23.2	11.6	4.7	4.5	3.4	1.3	0.6	2.7	6.5	9.4	17.4	9.1	5	1760
15-17 LST	23.1	23.5	9.2	4.8	7.1	1.3	1.3	1.3	1.4	3.2	11.4	16.3	8.7	5	1747
18-20 LST	21.8	18.2	8.4	3.4	4.5	1.3	0.6	0.7	1.3	1.9	8.1	17.2	7.3	5	1769
21-23 LST	17.5	9.8	4.9	4.2	4.8	1.7	1.6	0.0	0.8	2.4	5.8	14.9	5.7	5	1428
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	7.6	1.8	0.8	0.0	0.0	0.8	0.0	0.0	0.0	0.0	1.7	12.7	2.1	5	1427
03-05 LST	7.5	2.7	0.0	0.8	0.0	1.7	0.0	0.0	0.0	0.8	4.2	15.8	2.8	5	1423
06-08 LST	11.4	4.3	4.6	1.4	2.6	1.4	0.7	0.6	1.4	4.6	8.8	15.8	4.8	5	1771
09-11 LST	18.2	5.1	3.3	0.7	0.7	0.0	0.0	0.0	1.3	2.6	10.1	18.2	5.0	5	1743
12-14 LST	13.0	2.2	0.0	0.0	0.0	1.3	0.0	0.0	1.3	0.0	2.0	7.6	2.3	5	1760
15-17 LST	6.6	1.5	1.3	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.7	6.2	1.4	5	1747
18-20 LST	6.5	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	6.9	1.3	5	1769
21-23 LST	7.5	1.8	0.0	0.0	0.0	0.8	0.8	0.0	0.0	0.8	0.8	12.9	2.1	5	1428

SALAMANCA, SPAIN

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST	27.0	27.2	30.2	29.7	31.0	29.5	30.7	31.0	30.0	31.0	29.0	27.0	353.3	5	1427
	06 LST	24.9	24.1	27.5	29.3	29.8	29.1	30.3	30.8	29.3	28.7	26.1	24.8	335.7	5	1771
	12 LST	24.9	23.9	30.2	29.5	31.0	29.3	30.7	31.0	29.4	30.1	28.5	27.2	345.7	5	1760
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	00 LST	17.0	15.6	19.4	18.3	21.7	22.2	22.8	22.9	23.1	24.6	18.8	20.2	246.6	5	1422
	06 LST	14.8	13.8	19.2	23.3	23.6	25.2	27.3	26.2	26.5	22.0	17.2	14.6	253.7	5	1771
	12 LST	12.0	9.9	11.6	10.7	12.6	15.3	18.5	15.7	16.4	15.3	11.6	14.6	164.2	5	1758
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST	2.6	3.7	3.2	1.5	1.5	0.2	1.2	0.7	1.0	0.5	1.2	1.5	18.8	5	1423
	06 LST	3.0	3.5	2.2	1.0	0.8	0.4	0.0	0.4	0.0	0.4	2.4	3.6	17.7	5	1775
	12 LST	6.0	7.5	7.6	5.2	5.0	1.8	2.6	3.6	4.2	3.4	7.8	5.1	59.8	5	1760
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST	3.1	4.7	8.8	11.6	16.0	17.2	18.5	15.3	15.5	14.1	10.9	9.2	144.9	5	1422
	06 LST	4.0	4.1	8.8	9.9	9.8	11.5	13.9	13.2	13.3	12.1	11.0	7.5	119.1	5	1773
	12 LST	8.3	7.1	11.0	11.1	12.2	15.9	14.4	14.2	14.0	13.0	8.0	9.9	139.1	5	1758
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST	15.3	12.6	15.1	14.7	14.2	16.6	23.4	25.5	21.1	13.6	12.8	10.7	195.6	5	1425
	06 LST	11.3	9.7	11.8	10.6	9.6	13.9	20.8	18.8	15.0	9.3	6.0	8.5	145.3	5	1771
	12 LST	7.5	5.6	7.8	7.2	7.2	8.6	20.5	17.3	12.4	6.6	5.6	6.2	112.5	5	1761
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST	23.1	22.5	26.7	26.6	28.0	28.7	29.9	30.2	29.7	29.2	26.0	24.6	375.2	5	1427
	06 LST	20.9	18.5	22.9	25.9	26.0	26.9	29.9	29.4	27.9	25.5	22.0	20.3	296.1	5	1771
	12 LST	19.9	17.4	22.2	23.5	24.3	26.1	30.3	29.1	27.8	25.5	22.9	21.6	290.6	5	1760
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST	22.5	21.5	25.2	25.6	26.5	28.2	29.2	29.2	29.2	27.2	23.5	23.4	311.2	5	1427
	06 LST	19.1	17.7	22.3	24.3	23.4	25.2	29.3	28.6	26.3	22.2	18.0	18.9	275.3	5	1771
	12 LST	16.8	15.6	20.2	19.0	19.3	21.9	29.3	25.9	25.4	22.1	19.5	19.2	254.2	5	1760
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST	19.7	19.0	22.9	23.9	22.6	25.3	28.5	28.9	26.7	25.7	21.4	20.3	284.9	5	1769
	06 LST	22.5	21.5	25.2	25.6	26.5	28.2	29.2	29.2	29.2	27.2	23.5	23.4	311.2	5	1427
	12 LST	19.1	17.7	22.3	24.3	23.4	25.2	29.3	28.6	26.3	22.2	18.0	18.9	275.3	5	1771
	12 LST	16.8	15.4	20.2	19.0	19.3	21.9	29.3	25.9	25.4	21.9	19.5	19.2	253.8	5	1760
	18 LST	19.7	19.0	22.9	23.9	22.6	25.3	28.5	28.9	26.7	25.5	21.4	20.3	284.7	5	1769

MADRID/BARAJAS, SPAIN

STA NO. 08221 (IN AREA NUMBER 02)

LATITUDE 4028N

LONGITUDE 00334W

ELEVATION(FT) 01972

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	66	77	82	82	95	104	104	104	99	84	75	70	104	12	4291
MEAN MAX TMP (F)	49	54	62	66	74	82	91	89	82	68	58	51	69	12	4291
MEAN MIN TMP (F)	34	35	40	43	50	57	63	62	57	49	41	36	47	12	4287
ABS MIN TMP (F)	14	14	25	30	32	37	48	48	43	30	27	19	14	12	4287
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.6	7.5	20.6	17.2	6.7	0.0	0.0	0.0	52.6	12	4291
MEAN NO DYS TMP = DR LES 32(F)	13.9	10.6	4.4	1.3	0.1	0.0	0.0	0.0	0.0	0.2	3.4	10.5	44.4	12	4287
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4287
MEAN DEW PT TMP (F)	32	34	38	42	48	52	53	53	53	49	43	38	45	5	14212
MEAN REL HUM (PCT)	81	75	69	67	65	55	45	49	60	73	81	83	67	5	14200
MEAN PRESS ALT (FT)	1786	1839	1913	1927	1927	1890	1876	1903	1889	1885	1882	1842	1880	0	-50
MEAN PRECIP (IN)	1.73	1.66	2.02	1.55	2.01	1.12	0.47	0.66	1.20	2.59	2.13	2.45	19.6	12	4265
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0	0.0				12	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	5.0	4.2	5.2	4.7	5.1	2.9	1.5	1.6	2.5	5.9	4.3	5.2	48.1	12	4265
MEAN NO DYS SNFL = DR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0	0.0				12	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	3.3	1.4	0.6	0.4	0.0	0.0	0.0	0.2	0.2	0.4	0.8	2.6	9.9	5	1794
MEAN NO DYS TSTMS	0.0	0.0	0.4	1.2	1.8	1.8	3.4	1.2	1.0	0.4	0.6	0.0	11.8	5	1794
P FREQ WND SPD = DR GTR 17 KTS	10.2	12.7	8.1	8.8	6.4	3.4	2.7	3.2	2.6	1.5	5.9	6.7	6.0	5	14252
P FREQ WND SPD = DR GTR 28 KTS	0.7	0.9	0.7	0.2	0.2	0.1	0.0	0.0	0.1	0.0	0.0	0.5	0.3	5	14252
P FREQ LES 5000 FT A/D LES 5 MI	36.0	27.7	29.9	23.1	24.7	14.2	6.5	5.6	12.8	22.8	30.5	35.4	22.4	19	24492
P FREQ LES 1500 FT A/D LES 3 MI															
FDR 00-02 LST	11.5	7.9	8.4	4.7	5.2	0.7	0.7	0.7	1.4	3.9	9.8	10.1	5.4	5	1762
03-05 LST	11.6	7.2	7.9	2.7	3.3	0.0	0.6	0.0	2.0	5.8	13.3	15.3	5.8	5	1768
06-08 LST	29.5	15.4	14.4	7.4	6.3	2.0	1.5	0.9	1.4	8.3	20.5	31.4	11.6	19	6088
09-11 LST	14.8	17.9	14.4	6.1	6.5	2.0	0.0	1.3	4.0	8.6	17.4	18.1	9.3	5	1782
12-14 LST	24.1	16.4	12.8	5.2	4.0	1.3	0.2	0.6	1.6	6.5	15.6	22.5	9.2	19	5892
15-17 LST	11.6	12.8	9.7	4.0	2.6	0.7	0.6	0.6	1.3	3.9	9.4	9.7	5.6	5	1786
18-20 LST	20.6	10.7	11.3	5.9	6.1	1.8	1.0	0.6	1.7	5.6	12.8	19.3	8.1	19	5961
21-23 LST	7.5	7.1	7.8	2.0	3.3	0.7	0.7	0.6	0.7	3.9	7.5	8.7	4.2	5	1771
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	4.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	4.1	0.8	5	1762
03-05 LST	5.8	0.7	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.6	2.1	6.7	1.4	5	1768
06-08 LST	12.2	4.0	4.4	1.8	1.0	0.4	0.8	0.0	0.0	2.0	7.1	13.8	4.0	19	6088
09-11 LST	8.2	5.0	1.3	0.7	0.0	0.0	0.0	0.6	0.7	1.3	2.7	6.5	2.3	5	1782
12-14 LST	7.1	1.5	0.2	0.4	0.2	0.2	0.0	0.2	0.4	0.6	3.6	10.6	2.1	19	5892
15-17 LST	1.7	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	2.6	0.5	5	1786
18-20 LST	5.7	1.5	0.4	0.2	0.2	0.2	0.0	0.4	0.8	0.4	2.2	4.5	1.4	19	5961
21-23 LST	2.5	2.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	2.7	0.7	5	1771

MADRID/BARAJAS, SPAIN
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST	27.9	26.7	29.4	29.1	30.4	30.0	31.0	31.0	30.0	31.0	28.3	28.4	353.2	5	1761
	06 LST	22.9	24.6	27.6	28.5	29.7	29.6	30.5	30.7	29.8	29.2	25.0	22.5	330.6	19	6088
	12 LST	24.6	24.4	28.4	29.1	30.5	29.8	31.0	30.9	29.7	30.0	26.5	25.2	340.1	19	5892
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	00 LST	26.2	25.9	28.7	29.2	30.0	29.6	30.9	30.8	29.6	30.1	27.1	26.5	344.6	19	5961
	06 LST	21.3	17.9	23.0	22.8	24.0	25.7	27.1	26.5	25.6	26.5	23.4	22.2	286.0	5	1761
	12 LST	18.0	19.1	22.6	24.1	26.8	27.9	28.9	28.9	28.0	25.7	20.4	17.0	287.4	19	6063
SFC WND = GTR 17 KTS AND NO PRECIP.	06 LST	15.8	14.8	17.9	19.0	21.5	22.8	25.4	24.3	23.7	21.9	18.9	15.9	241.9	19	5880
	12 LST	18.2	17.5	19.4	18.1	18.7	20.4	21.6	21.6	23.4	24.1	21.7	19.0	243.7	19	5943
	18 LST	3.3	3.0	0.6	1.6	0.2	0.8	1.2	1.2	0.6	0.4	0.8	1.4	15.1	5	1776
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	06 LST	1.1	1.2	1.0	0.9	0.2	0.2	0.5	0.4	0.3	0.6	0.4	1.1	7.9	19	6097
	12 LST	3.7	4.2	3.2	3.3	1.2	1.0	1.0	1.6	1.1	1.3	2.6	3.9	28.1	19	5920
	18 LST	1.9	2.5	1.5	2.1	1.4	1.4	1.3	1.6	0.8	0.3	0.7	1.4	16.9	19	5986
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST	3.8	5.2	8.4	7.3	9.6	9.4	10.5	9.9	9.5	7.3	6.4	6.2	93.5	5	1775
	06 LST	4.4	4.8	6.3	7.1	7.0	7.7	7.4	7.3	7.5	6.1	5.4	5.2	76.2	19	6078
	12 LST	6.1	5.4	8.5	11.5	13.9	14.0	12.7	12.4	12.2	10.3	6.8	6.3	120.1	19	5910
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	6.9	8.0	9.5	9.3	10.1	12.2	9.0	9.5	12.5	8.2	6.9	8.4	110.5	19	5960
	00 LST	19.9	15.9	17.4	17.3	16.4	19.9	25.3	26.7	21.2	16.0	15.3	16.9	228.2	5	1774
	06 LST	13.8	15.0	11.7	12.2	11.6	15.1	23.2	20.6	15.6	13.2	11.1	12.0	173.1	19	6100
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	12 LST	9.1	8.8	7.5	8.1	8.4	10.3	20.3	15.1	12.4	9.7	8.2	8.8	130.7	19	5914
	18 LST	10.5	9.1	7.5	7.5	7.9	8.8	17.4	17.4	12.0	9.6	9.7	10.7	128.1	19	5979
	00 LST	26.6	24.3	26.0	26.5	27.6	29.1	30.5	30.5	28.5	27.5	24.1	25.9	327.1	5	1761
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	06 LST	20.0	21.9	23.8	25.8	27.0	28.5	30.2	30.2	28.0	26.2	21.4	19.1	302.1	19	6088
	12 LST	21.0	20.7	22.5	25.4	26.2	27.3	30.7	30.3	27.5	25.8	22.7	21.5	301.6	19	5892
	18 LST	21.5	22.4	24.1	25.0	25.6	27.9	29.9	30.3	27.8	26.4	23.4	21.6	305.9	19	5961
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST	25.6	23.3	25.0	24.4	27.0	28.7	29.7	30.1	27.7	26.5	22.8	24.9	315.7	5	1761
	06 LST	19.0	20.7	21.9	24.2	25.0	27.1	29.7	29.6	26.1	24.4	19.6	17.9	285.2	19	6088
	12 LST	19.1	18.6	18.7	21.3	20.7	23.6	29.8	29.1	24.6	23.1	20.1	19.2	267.9	19	5892
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	19.8	20.5	21.5	22.0	21.8	24.4	27.9	29.0	25.1	22.9	20.4	19.5	274.8	19	5961
	00 LST	25.6	23.3	25.0	24.4	27.0	28.7	29.7	30.1	27.7	26.5	22.8	24.9	315.7	5	1761
	06 LST	19.0	20.6	21.9	24.2	25.0	27.0	29.6	29.6	26.1	24.4	19.6	17.9	284.9	19	6088
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	12 LST	18.9	18.5	18.6	21.0	20.4	23.3	29.8	29.1	24.6	22.8	20.0	18.9	265.9	19	5892
	18 LST	19.8	20.5	21.2	22.0	21.7	24.2	27.9	28.8	24.9	22.9	20.4	19.5	273.8	19	5961

MADRID/TORREJON DE ARDOZ, SPAIN

STA NO. 08222 (IN AREA NUMBER 02)

LATITUDE 4029N

LONGITUDE 00327W

ELEVATION(FT) 01991

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	66	74	79	82	92	99	101	99	94	83	69	64	101	9	2020
MEAN MAX TMP (F)	49	54	59	64	74	81	89	87	80	67	56	49	67	9	2020
MEAN MIN TMP (F)	34	35	40	43	50	57	62	61	57	47	39	35	47	9	2020
ABS MIN TMP (F)	22	13	23	29	34	39	48	48	47	29	22	11	11	9	2020
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.5	5.6	15.4	12.4	4.1	0.0	0.0	0.0	38.0	9	2020
MEAN NO DYS TMP = DR LES 32(F)	13.0	9.0	4.0	0.6	0.0	0.0	0.0	0.0	0.0	0.5	4.6	11.4	43.1	9	2020
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	2020
MEAN DEW PT TMP (F)	35	35	38	39	45	48	48	47	50	46	40	35	42	9	66434
MEAN REL HUM (PCT)	80	73	68	61	57	52	41	42	55	69	77	81	63	9	66453
MEAN PRESS ALT (FT)	1781	1834	1909	1923	1923	1886	1872	1898	1884	1881	1877	1838	1876	0	-50
MEAN PRECIP (IN)	1.34	1.59	1.29	1.24	1.26	1.03	0.44	0.37	1.40	1.65	2.19	2.34	16.1	9	2779
MEAN SNOW FALL (IN)	0.3	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	2.1	9	2828
MEAN NO DYS PRCP = DR GTR 0.1 IN	4.4	5.0	4.8	3.3	3.8	2.8	1.1	1.0	3.6	4.6	5.1	6.0	45.5	9	2779
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.1	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.6	9	2828
MEAN NO DYS W/OCCUR VSBY LES 1/2 MI	4.2	1.5	0.2	0.5	0.0	0.0	0.0	0.0	0.1	0.2	0.8	3.0	10.5	9	2830
MEAN NO DYS TSTMS	0.1	0.1	0.5	1.7	4.0	5.9	4.1	2.9	6.1	1.1	0.1	0.1	26.7	9	2830
P FREQ WND SPD = DR GTR 17 KTS	3.8	3.9	4.9	4.3	1.1	1.1	0.6	0.3	0.2	2.1	2.2	3.2	2.3	9	57916
P FREQ WND SPD = DR GTR 28 KTS	0.2	0.4	0.3	0.2	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.1	9	67916
P FREQ LES 5000 FT A/D LES 5 MI	39.7	28.5	24.2	16.1	10.2	7.1	1.3	1.2	7.7	20.0	30.2	34.8	18.4	11	89852
P FREQ LES 1300 FT A/D LES 3 MI															
FDR 00-02 LST	18.7	7.4	5.5	3.3	1.0	0.7	0.0	0.0	0.4	2.5	8.4	16.5	5.4	11	11232
03-05 LST	22.5	11.3	7.6	4.0	0.4	0.9	0.0	0.3	2.0	4.6	11.7	19.2	7.0	11	11232
06-08 LST	25.3	16.0	11.0	6.8	1.4	1.3	0.3	0.2	2.3	7.7	16.0	21.3	9.1	11	11231
09-11 LST	27.5	16.7	9.1	4.0	1.8	1.0	0.0	0.0	1.6	6.2	14.9	21.6	8.7	11	11230
12-14 LST	20.2	9.2	3.0	1.2	0.9	0.1	0.0	0.1	0.2	2.3	9.6	16.0	5.2	11	11232
15-17 LST	13.9	4.5	1.6	0.3	0.8	0.3	0.0	0.0	0.6	2.3	4.2	10.8	3.3	11	11231
18-20 LST	13.3	4.7	2.9	1.2	0.2	0.0	0.1	0.0	0.1	2.2	4.2	11.0	3.3	11	11232
21-23 LST	13.7	5.0	2.8	1.2	0.1	0.0	0.2	0.0	0.0	2.3	5.1	13.5	3.7	11	11232
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	6.3	1.4	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	4.2	1.1	11	11232
03-05 LST	7.6	1.8	0.5	0.3	0.0	0.0	0.0	0.0	0.4	0.2	1.9	6.6	1.6	11	11232
06-08 LST	9.5	4.1	0.9	0.9	0.0	0.1	0.0	0.0	0.1	0.8	3.7	7.1	2.3	11	11231
09-11 LST	7.3	1.8	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.3	1.6	6.8	1.5	11	11230
12-14 LST	1.1	0.6	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	2.0	0.4	11	11232
15-17 LST	1.3	0.1	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9	0.3	11	11231
18-20 LST	2.2	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	0.4	11	11232
21-23 LST	3.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	3.2	0.5	11	11232

MADRID/TORREJON DE ARDOZ, SPAIN

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST	26.7	26.7	30.4	29.7	30.2	30.0	31.0	31.0	30.0	30.3	28.2	27.4	352.2	11	3745
	06 LST	25.0	25.0	28.8	28.8	30.9	29.8	30.9	30.9	29.8	29.5	27.1	25.5	342.0	11	3744
	12 LST	26.0	26.0	30.3	29.8	30.8	30.0	31.0	31.0	30.0	30.5	27.9	26.6	349.9	11	3744
	18 LST	27.3	27.1	30.4	29.9	31.0	30.0	30.9	31.0	30.0	30.5	29.2	28.7	356.0	11	3744
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	00 LST	21.0	22.1	23.8	23.9	27.4	27.7	26.4	28.8	28.1	27.3	23.7	20.9	301.1	11	3745
	06 LST	19.1	20.9	23.5	24.2	28.5	28.2	29.6	29.9	28.3	25.7	21.5	19.7	299.1	11	3744
	12 LST	15.6	16.4	17.4	18.8	24.0	24.0	25.7	25.7	24.9	21.4	18.7	15.9	248.5	11	3744
	18 LST	20.7	20.4	20.3	17.2	23.1	22.7	21.6	22.8	23.8	24.7	23.5	20.5	263.4	11	3744
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST	0.6	0.4	0.5	0.4	0.2	0.1	0.1	0.0	0.1	0.2	0.1	0.9	3.6	11	3745
	06 LST	0.2	0.5	0.3	0.2	0.1	0.0	0.0	0.0	0.0	0.3	0.5	0.8	2.9	11	3744
	12 LST	1.9	1.9	2.9	1.6	0.6	0.3	0.0	0.1	0.2	0.8	1.5	1.7	13.5	11	3744
	18 LST	0.7	0.7	1.2	2.4	0.9	0.4	0.3	0.3	0.0	0.6	0.5	1.3	9.3	11	3744
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST	6.6	10.2	12.0	13.7	13.7	13.3	14.5	13.8	10.8	10.4	11.4	8.3	138.7	11	3743
	06 LST	6.3	7.4	8.8	10.9	8.9	8.0	8.2	8.7	6.8	8.3	9.4	7.5	99.8	11	3738
	12 LST	9.6	8.6	12.1	15.2	17.8	18.1	17.9	17.1	16.1	11.7	10.2	8.7	163.1	11	3742
	18 LST	11.4	12.1	14.0	14.0	18.0	16.2	13.0	13.0	17.1	12.8	12.9	11.4	165.9	11	3742
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST	11.3	12.5	13.7	11.9	14.7	15.5	26.2	24.5	18.7	15.3	12.4	13.6	190.3	11	3745
	06 LST	10.8	11.4	11.0	9.1	12.2	13.1	23.4	21.0	14.2	12.7	11.2	12.8	162.9	11	3744
	12 LST	7.6	8.6	7.8	7.2	10.6	10.6	22.1	20.8	11.5	8.5	7.1	8.1	130.5	11	3744
	18 LST	6.8	8.9	7.9	6.0	8.4	9.4	18.8	18.6	10.0	10.3	7.2	9.9	122.2	11	3744
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST	23.5	24.5	28.2	28.8	30.6	29.8	31.0	31.0	29.6	29.0	26.3	24.4	336.7	11	3745
	06 LST	21.2	22.3	26.0	27.7	30.1	29.5	30.8	30.8	28.8	26.8	23.8	22.8	320.6	11	3744
	12 LST	21.8	21.6	27.1	28.5	30.2	29.5	31.0	30.9	29.5	28.1	24.3	23.8	326.3	11	3744
	18 LST	24.4	25.4	29.1	29.2	31.0	29.9	30.9	31.0	29.7	25.6	26.5	25.7	342.4	11	3744
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST	19.4	20.9	25.0	25.6	28.0	28.7	30.7	30.5	27.9	24.9	22.2	21.1	304.9	11	3745
	06 LST	17.3	19.1	22.8	24.8	27.6	27.3	30.4	30.3	26.7	22.5	19.7	20.0	288.5	11	3744
	12 LST	18.1	18.2	20.6	21.5	24.5	25.4	30.5	30.3	25.0	22.6	19.5	20.2	276.4	11	3744
	18 LST	19.4	21.0	23.2	24.6	27.2	26.7	30.3	30.5	26.9	24.3	20.5	21.1	295.7	11	3744
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST	17.9	19.5	22.6	22.3	25.3	25.9	29.8	29.9	26.2	21.8	19.5	19.7	280.4	11	3745
	06 LST	16.4	17.7	19.9	22.6	24.5	25.2	29.7	29.5	24.5	19.7	17.5	18.2	265.4	11	3744
	12 LST	15.9	16.8	18.8	20.2	23.1	24.0	30.3	29.9	23.5	20.5	17.4	18.0	258.4	11	3744
	18 LST	17.3	18.5	19.6	20.2	23.5	24.4	29.9	30.1	24.7	20.7	17.5	19.0	265.4	11	3744

MADRID/CUATRO VIENTOS, SPAIN

STA NO. 08223 (IN AREA NUMBER 02)

LATITUDE 4022N

LONGITUDE 00347W

ELEVATION(FT) 02264

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
AJS MAX TMP (F)	64	66	79	81	86	104	104	101	96	87	73	65	104	6	-139
MEAN MAX TMP (F)	49	54	59	64	74	81	89	87	80	67	56	49	67	9	-8222
MEAN MIN TMP (F)	34	35	40	43	50	57	62	61	57	47	39	35	47	9	-8222
ABS MIN TMP (F)	16	18	26	29	32	35	41	39	36	33	28	19	16	6	-139
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.5	5.6	15.4	12.4	4.1	0.0	0.0	0.0	38.0	9	-8222
MEAN NO DYS TMP = DR LES 32(F)	13.0	9.0	4.0	0.6	0.0	0.0	0.0	0.0	0.0	0.5	4.6	11.4	43.1	9	-8222
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	-8222
MEAN DEW PT TMP (F)	35	35	38	39	45	48	48	47	50	46	40	35	42	9	-8222
MEAN REL HUM (PCT)	80	73	68	61	57	52	41	42	55	69	77	81	63	9	-8222
MEAN PRESS ALT (FT)	2056	2109	2183	2196	2197	2161	2147	2173	2158	2155	2152	2113	2150	0	-50
MEAN PRECIP (IN)	0.70	0.50	1.30	1.50	1.30	1.00	0.30	0.30	1.30	0.50	2.30	1.20	12.2	6	-139
MEAN SNOW FALL (IN)	0.3	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	2.1	9	-8222
MEAN NO DYS PRCP = DR GTR 0.1 IN	2.2	1.4	4.4	4.9	4.4	3.0	0.7	0.7	4.2	2.3	6.2	4.0	38.4	6	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.1	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.6	9	-8222
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	4.2	1.5	0.2	0.5	0.0	0.0	0.0	0.0	0.1	0.2	0.8	3.0	10.5	9	-8222
MEAN NO DYS TSTMS	0.3	0.0	0.5	1.5	1.2	0.5	3.3	0.7	1.8	0.2	0.2	0.0	10.2	6	-139
P FREQ WND SPD = DR GTR 17 KTS	3.8	3.9	4.9	4.3	1.1	1.1	0.6	0.3	0.2	2.1	2.2	3.2	2.3	9	-8222
P FREQ WND SPD = DR GTR 28 KTS	0.2	0.4	0.3	0.2	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.1	9	-8222
P FREQ LES 5000 FT A/D LES 5 MI	39.7	28.5	24.2	16.1	10.2	7.1	1.3	1.2	7.7	20.0	30.2	34.8	18.4	11	-8222
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	18.7	7.4	5.5	3.3	1.0	0.7	0.0	0.0	0.4	2.5	8.4	16.5	5.4	11	-8222
03-05 LST	22.5	11.3	7.6	4.0	0.4	0.9	0.0	0.3	2.0	4.6	11.7	19.2	7.0	11	-8222
06-08 LST	25.3	16.0	11.0	6.8	1.4	1.3	0.3	0.2	2.3	7.7	16.0	21.3	9.1	11	-8222
09-11 LST	27.5	16.7	9.1	4.0	1.8	1.0	0.0	0.0	1.6	6.2	14.9	21.6	8.7	11	-8222
12-14 LST	20.2	9.2	3.0	1.2	0.9	0.1	0.0	0.1	0.2	2.3	9.6	16.0	5.2	11	-8222
15-17 LST	13.9	4.5	1.6	0.3	0.8	0.3	0.0	0.0	0.6	2.3	4.2	10.8	3.3	11	-8222
18-20 LST	13.3	4.7	2.9	1.2	0.2	0.0	0.1	0.0	0.1	2.2	4.2	11.0	3.3	11	-8222
21-23 LST	13.7	5.0	2.8	1.2	0.1	0.0	0.2	0.0	0.0	2.3	5.1	13.5	3.7	11	-8222
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	6.3	1.4	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	4.2	1.1	11	-8222
03-05 LST	7.6	1.8	0.5	0.3	0.0	0.0	0.0	0.0	0.4	0.2	1.9	6.6	1.6	11	-8222
06-08 LST	9.5	4.1	0.9	0.9	0.0	0.1	0.0	0.0	0.1	0.8	3.7	7.1	2.3	11	-8222
09-11 LST	7.3	1.8	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.3	1.6	6.8	1.3	11	-8222
12-14 LST	1.1	0.6	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	2.0	0.4	11	-8222
15-17 LST	1.3	0.1	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9	0.3	11	-8222
18-20 LST	2.2	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	0.4	11	-8222
21-23 LST	3.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	3.2	0.5	11	-8222

MADRID/CUATRO VIENTOS, SPAIN

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST	26.7	26.7	30.4	29.7	30.8	30.0	31.0	31.0	30.0	30.3	28.2	27.4	352.2	11	-8222
	06 LST	25.0	25.0	28.8	28.8	30.9	29.8	30.9	30.9	29.8	29.5	27.1	25.5	342.0	11	-8222
	12 LST	26.0	26.0	30.3	29.8	30.8	30.0	31.0	31.0	30.0	30.5	27.9	26.6	349.9	11	-8222
	18 LST	27.3	27.1	30.4	29.9	31.0	30.0	30.9	31.0	30.0	30.5	29.2	28.7	356.0	11	-8222
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	00 LST	21.0	22.1	23.8	23.9	27.4	27.7	26.4	28.8	28.1	27.3	23.7	20.9	301.1	11	-8222
	06 LST	19.1	20.9	23.5	24.2	28.5	28.2	29.6	29.9	28.3	25.7	21.5	19.7	299.1	11	-8222
	12 LST	15.6	16.4	17.4	18.8	24.0	24.0	25.7	25.7	24.9	21.4	18.7	15.9	248.5	11	-8222
	18 LST	20.7	20.4	20.3	17.3	23.1	22.7	21.6	22.8	25.8	24.7	23.5	20.5	263.4	11	-8222
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST	0.6	0.4	0.5	0.4	0.2	0.1	0.1	0.0	0.1	0.2	0.1	0.9	3.6	11	-8222
	06 LST	0.2	0.5	0.3	0.2	0.1	0.0	0.0	0.0	0.0	0.3	0.5	0.8	2.9	11	-8222
	12 LST	1.9	1.9	2.9	1.6	0.6	0.3	0.0	0.1	0.2	0.8	1.5	1.7	13.5	11	-8222
	18 LST	0.7	0.7	1.2	2.4	0.9	0.4	0.3	0.3	0.0	0.6	0.5	1.3	9.3	11	-8222
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST	6.6	10.2	12.0	13.7	13.7	13.3	14.5	13.8	10.8	10.4	11.4	8.3	136.7	11	-8222
	06 LST	6.3	7.4	8.8	10.9	8.9	8.6	8.2	8.7	6.8	8.3	9.4	7.5	99.8	11	-8222
	12 LST	9.6	8.6	12.1	15.2	17.8	18.1	17.9	17.1	16.1	11.7	10.2	8.7	163.1	11	-8222
	18 LST	11.4	12.1	14.0	14.0	18.0	16.2	13.0	13.0	17.1	12.8	12.9	11.4	165.9	11	-8222
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST	11.3	12.5	13.7	11.9	14.7	15.5	26.2	24.5	18.7	15.3	12.4	13.6	190.3	11	-8222
	06 LST	10.8	11.4	11.0	9.1	12.2	13.1	23.4	21.0	14.2	12.7	11.2	12.8	162.9	11	-8222
	12 LST	7.6	8.6	7.8	7.2	10.6	10.6	22.1	20.8	11.5	8.5	7.1	8.1	130.5	11	-8222
	18 LST	6.8	8.9	7.9	6.0	8.4	9.4	18.8	18.6	10.0	10.3	7.2	9.9	122.2	11	-8222
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST	23.5	24.5	28.2	25.8	30.6	29.8	31.0	31.0	29.6	29.0	26.3	24.4	336.7	11	-8222
	06 LST	21.2	22.3	26.0	27.7	30.1	29.5	30.8	30.8	28.8	26.8	23.8	22.8	320.6	11	-8222
	12 LST	21.8	21.6	27.1	28.5	30.2	29.5	31.0	30.9	29.5	28.1	24.3	23.8	326.3	11	-8222
	18 LST	24.4	25.4	29.1	29.2	31.0	29.9	30.9	31.0	29.7	29.6	26.5	25.7	342.4	11	-8222
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST	19.4	20.9	25.0	25.6	28.0	28.7	30.7	30.5	27.9	24.9	22.2	21.1	304.9	11	-8222
	06 LST	17.3	19.1	22.8	24.8	27.6	27.3	30.4	30.3	26.7	22.5	19.7	20.0	288.5	11	-8222
	12 LST	18.1	18.2	20.6	21.5	24.5	25.4	30.5	30.3	25.0	22.6	19.5	20.2	276.4	11	-8222
	18 LST	19.4	21.0	23.2	24.6	27.2	26.7	30.3	30.5	26.9	24.3	20.5	21.1	295.7	11	-8222
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST	17.9	19.5	22.6	22.3	25.3	25.9	29.8	29.9	26.2	21.8	19.5	19.7	280.4	11	-8222
	06 LST	16.4	17.7	19.9	22.6	24.5	25.2	29.7	29.5	24.5	19.7	17.5	18.2	265.4	11	-8222
	12 LST	15.9	16.8	18.8	20.2	23.1	24.0	30.3	29.9	23.5	20.5	17.4	18.0	258.4	11	-8222
	18 LST	17.3	18.5	19.6	20.2	23.5	24.4	29.9	30.1	24.7	20.7	17.5	19.0	265.4	11	-8222

MADRID/GETAFE, SPAIN

STA NO. 08224 (IN AREA NUMBER 02)

LATITUDE 4018N

LONGITUDE 00343W

ELEVATION(FT) 02030

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR	NO.
														(YRS)	085
ABS MAX TMP (F)	67	71	84	82	95	104	104	101	95	82	76	65	104	6	-139
MEAN MAX TMP (F)	49	54	59	64	74	81	89	87	80	67	56	49	67	9	-8222
MEAN MIN TMP (F)	34	35	40	43	50	57	62	61	57	47	39	35	47	9	-8222
ABS MIN TMP (F)	16	21	27	30	30	44	53	49	49	34	31	22	16	6	-139
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.5	5.6	15.4	12.4	4.1	0.0	0.0	0.0	38.0	9	-8222
MEAN NO DYS TMP = DR LES 32(F)	13.0	9.0	4.0	0.6	0.0	0.0	0.0	0.0	0.0	0.5	4.5	11.4	43.1	9	-8222
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	-8222
MEAN DEW PT TMP (F)	35	35	38	39	45	48	48	47	50	40	40	35	42	9	-8222
MEAN REL HUM (PCT)	80	73	68	61	57	52	41	42	55	69	77	81	63	9	-8222
MEAN PRESS ALT (FT)	1822	1875	1948	1964	1963	1928	1914	1940	1925	1921	1917	1878	1916	0	-50
MEAN PRECIP (IN)	0.80	1.00	1.30	1.20	1.40	0.70	0.60	0.20	1.30	0.70	2.00	1.50	12.7	5	-139
MEAN SNOW FALL (IN)	0.3	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	2.1	9	-8222
MEAN NO DYS PRCP = DR GTR 0.1 IN	2.6	3.3	4.4	4.1	4.6	2.1	1.7	0.3	4.2	2.8	5.7	4.9	40.7	5	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.1	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.6	9	-8222
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	4.2	1.5	0.2	0.5	0.0	0.0	0.0	0.0	0.1	0.2	0.8	3.0	10.5	9	-8222
MEAN NO DYS TSTMS	0.0	0.0	0.3	1.3	2.2	2.3	3.7	0.8	1.7	0.2	0.2	0.0	12.7	6	-139
P FREQ WND SPD = DR GTR 17 KTS	3.8	3.9	4.9	4.3	1.1	1.1	0.6	0.3	0.2	2.1	2.2	3.2	2.3	9	-8222
P FREQ WND SPD = DR GTR 28 KTS	0.2	0.4	0.3	0.2	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.1	9	-8222
P FREQ LES 5000 FT A/O LES 5 MI	39.7	28.5	24.2	16.1	10.2	7.1	1.3	1.2	7.7	20.0	30.2	34.8	18.4	11	-8222
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	18.7	7.4	5.5	3.3	1.0	0.7	0.0	0.0	0.4	2.5	8.4	16.5	5.4	11	-8222
03-05 LST	22.5	11.3	7.6	4.0	0.4	0.9	0.0	0.3	2.0	4.6	11.7	19.2	7.0	11	-8222
06-08 LST	25.3	16.0	11.0	6.6	1.4	1.3	0.3	0.2	2.3	7.7	16.0	21.3	9.1	11	-8222
09-11 LST	27.5	16.7	9.1	4.0	1.8	1.0	0.0	0.0	1.6	6.2	14.9	21.6	8.7	11	-8222
12-14 LST	20.2	9.2	3.0	1.2	0.9	0.1	0.0	0.1	0.2	2.3	9.6	16.0	5.2	11	-8222
15-17 LST	13.9	4.5	1.6	0.3	0.8	0.3	0.0	0.0	0.6	2.3	4.2	10.8	3.3	11	-8222
18-20 LST	13.3	4.7	2.0	1.2	0.2	0.0	0.1	0.0	0.1	2.2	4.2	11.0	3.3	11	-8222
21-23 LST	13.7	5.0	2.0	1.2	0.1	0.0	0.2	0.0	0.0	2.3	5.1	13.5	3.7	11	-8222
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	6.3	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	4.2	1.1	11	-8222
03-05 LST	7.6	1.8	0.5	0.3	0.0	0.0	0.0	0.0	0.4	0.2	1.9	6.6	1.6	11	-8222
06-08 LST	9.5	4.1	0.9	0.9	0.0	0.1	0.0	0.0	0.1	0.8	3.7	7.1	2.3	11	-8222
09-11 LST	7.3	1.8	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.3	1.6	6.8	1.5	11	-8222
12-14 LST	1.1	0.6	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	2.0	0.4	11	-8222
15-17 LST	1.3	0.1	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9	0.3	11	-8222
18-20 LST	2.2	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	0.4	11	-8222
21-23 LST	3.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	3.2	0.5	11	-8222

MADRID/GETAFE, SPAIN

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST	26.7	26.7	30.4	29.7	30.8	30.0	31.0	31.0	30.0	30.3	28.2	27.4	352.2	11	-8222
	06 LST	25.0	25.0	28.8	28.8	30.9	29.8	30.9	30.9	29.8	29.5	27.1	25.5	342.0	11	-8222
	12 LST	26.0	26.0	30.3	29.8	30.8	30.0	31.0	31.0	30.0	30.5	27.9	26.6	349.9	11	-8222
	18 LST	27.3	27.1	30.4	29.9	31.0	30.0	30.9	31.0	30.0	30.5	29.2	28.7	356.0	11	-8222
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	00 LST	21.0	22.1	23.8	23.9	27.4	27.7	26.4	28.8	28.1	27.3	23.7	20.9	301.1	11	-8222
	06 LST	19.1	20.9	23.5	24.2	28.5	28.2	29.6	29.9	28.3	25.7	21.5	19.7	299.1	11	-8222
	12 LST	15.6	16.4	17.4	18.8	24.0	24.0	25.7	25.7	24.9	21.4	18.7	15.9	248.5	11	-8222
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST	0.6	0.4	0.5	0.4	0.2	0.1	0.1	0.0	0.1	0.2	0.1	0.9	3.6	11	-8222
	06 LST	0.2	0.5	0.3	0.2	0.1	0.0	0.0	0.0	0.0	0.3	0.5	0.8	2.9	11	-8222
	12 LST	1.9	1.9	2.9	1.6	0.6	0.3	0.0	0.1	0.7	0.8	1.5	1.7	13.5	11	-8222
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST	6.6	10.2	12.0	13.7	13.7	13.3	14.5	13.8	10.8	10.4	11.4	8.3	138.7	11	-8222
	06 LST	6.3	7.4	8.8	10.9	8.9	8.6	8.2	8.7	6.8	8.3	9.4	7.5	99.8	11	-8222
	12 LST	9.6	8.6	12.1	15.2	17.8	18.1	17.9	17.1	16.1	11.7	10.2	8.7	163.1	11	-8222
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST	11.4	12.1	14.0	14.0	18.0	16.2	13.0	13.0	17.1	12.8	12.9	11.4	165.9	11	-8222
	06 LST	11.3	12.5	13.7	11.9	14.7	15.5	26.2	24.5	18.7	15.3	12.4	13.6	190.3	11	-8222
	12 LST	7.6	8.6	7.8	7.2	10.6	10.6	22.1	20.8	11.5	8.5	7.1	8.1	130.5	11	-8222
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST	23.5	24.5	28.2	28.8	30.6	29.8	31.0	31.0	29.6	29.0	26.3	24.4	336.7	11	-8222
	06 LST	21.2	22.3	26.0	27.7	30.1	29.5	30.8	30.8	28.8	26.8	23.8	22.8	320.6	11	-8222
	12 LST	21.8	21.6	27.1	28.5	30.2	29.5	31.0	30.9	29.5	28.1	24.3	23.8	326.3	11	-8222
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST	19.4	20.9	25.0	23.6	28.0	28.7	30.7	30.5	27.9	24.9	22.2	21.1	304.9	11	-8222
	06 LST	17.3	19.1	22.8	24.8	27.6	27.3	30.4	30.3	26.7	22.5	19.7	20.0	288.5	11	-8222
	12 LST	18.1	18.2	20.6	21.5	24.5	25.4	30.5	30.3	25.0	22.6	19.5	20.2	276.4	11	-8222
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST	17.9	19.5	22.6	22.3	25.3	25.9	29.8	29.9	26.2	21.8	19.5	19.7	280.4	11	-8222
	06 LST	16.4	17.7	19.9	22.6	24.5	25.2	29.7	29.5	24.5	19.7	17.5	18.2	265.4	11	-8222
	12 LST	15.9	16.8	18.8	20.2	23.1	24.0	30.3	29.9	23.5	20.5	17.4	18.0	258.4	11	-8222
	18 LST	17.3	18.5	19.6	20.2	23.5	24.4	29.9	30.1	24.7	20.7	17.5	19.0	265.4	11	-8222

ALCALA DE HENARES, SPAIN

STA NO. 08225 (IN AREA NUMBER 02)

LATITUDE 4031N

LONGITUDE 00320W

ELEVATION(FT) 01995

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
ABS MAX TMP (F)	63	70	79	83	97	105	102	100	96	84	76	65	105	6	-139
MEAN MAX TMP (F)	49	54	59	64	74	81	89	87	80	67	56	49	67	9	-8222
MEAN MIN TMP (F)	34	35	40	43	50	57	62	61	57	47	39	35	47	9	-8222
ABS MIN TMP (F)	13	14	23	23	32	34	47	39	41	29	23	23	13	6	-139
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.5	5.6	15.4	12.4	4.1	0.0	0.0	0.0	38.0	9	-8222
MEAN NO DYS TMP = DR LES 32(F)	13.0	9.0	4.0	0.6	0.0	0.0	0.0	0.0	0.0	0.5	4.6	11.4	43.1	9	-8222
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	-8222
MEAN DEW PT TMP (F)	35	35	38	39	45	48	48	47	50	46	40	35	42	9	-8222
MEAN REL HUM (PCT)	80	73	69	61	57	52	41	42	55	69	77	81	63	9	-8222
MEAN PRESS ALT (FT)	1785	1837	1913	1926	1926	1889	1875	1902	1888	1885	1881	1841	1879	0	-50
MEAN PRECIP (IN)	0.70	0.90	1.10	1.50	1.70	0.70	0.50	0.40	1.50	1.20	1.70	1.50	13.4	5	-139
MEAN SNOW FALL (IN)	0.3	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	2.1	9	-8222
MEAN NO DYS PRCP = DR GTR 0.1 IN	2.2	2.9	3.7	4.9	5.4	2.1	1.4	1.1	4.7	4.0	5.1	4.9	42.4	5	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.1	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.6	9	-8222
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	4.2	1.5	0.2	0.5	0.0	0.0	0.0	0.0	0.1	0.2	0.8	3.0	10.5	9	-8222
MEAN NO DYS TSTMS	0.0	0.0	0.6	1.0	0.8	1.4	4.0	1.2	1.8	0.2	0.2	0.2	11.4	5	-139
P FREQ WND SPD = DR GTR 17 KTS	3.8	3.9	4.9	4.3	1.1	1.1	0.6	0.3	0.2	2.1	2.2	3.2	2.3	9	-8222
P FREQ WND SPD = DR GTR 28 KTS	0.2	0.4	0.3	0.2	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.1	9	-8222
P FREQ LES 5000 FT A/D LES 5 MI	39.7	28.5	24.2	16.1	10.2	7.1	1.3	1.2	7.7	20.0	30.2	34.8	18.4	11	-8222
P FREQ LES 1900 FT A/D LES 3 MI	18.7	7.4	5.3	3.3	1.0	0.7	0.0	0.0	0.4	2.5	8.4	16.5	5.4	11	-8222
FOR 00-02 LST	22.5	11.3	7.6	4.0	0.4	0.9	0.0	0.3	2.0	4.6	11.7	19.2	7.0	11	-8222
03-05 LST	25.3	16.0	11.0	6.8	1.4	1.3	0.3	0.2	2.3	7.7	16.0	21.3	9.1	11	-8222
06-08 LST	27.5	16.7	9.1	4.0	1.8	1.0	0.0	0.0	1.6	6.2	14.9	21.6	8.7	11	-8222
09-11 LST	20.2	9.2	3.0	1.2	0.9	0.1	0.0	0.1	0.2	2.3	9.6	16.0	5.2	11	-8222
12-14 LST	13.9	4.5	1.6	0.3	0.8	0.3	0.0	0.0	0.6	2.3	4.2	10.8	3.3	11	-8222
15-17 LST	13.3	4.7	2.9	1.2	0.2	0.0	0.1	0.0	0.1	2.2	4.2	11.0	3.3	11	-8222
18-20 LST	13.7	5.0	2.8	1.2	0.1	0.0	0.2	0.0	0.0	2.3	5.1	13.5	3.7	11	-8222
21-23 LST	6.3	1.4	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	4.2	1.1	11	-8222
P FREQ LES 300 FT A/D LES 1 MI	7.6	1.8	0.5	0.3	0.0	0.0	0.0	0.0	0.4	0.2	1.9	6.6	1.6	11	-8222
FOR 00-02 LST	9.5	4.1	0.9	0.9	0.0	0.1	0.0	0.0	0.1	0.8	3.7	7.1	2.3	11	-8222
03-05 LST	7.3	1.8	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.3	1.6	6.8	1.5	11	-8222
06-08 LST	1.1	0.6	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	2.0	0.4	11	-8222
09-11 LST	1.3	0.1	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9	0.3	11	-8222
12-14 LST	2.2	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	0.4	11	-8222
15-17 LST	3.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	3.2	0.5	11	-8222
18-20 LST															
21-23 LST															

ALCALA DE HENARES, SPAIN
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST	26.7	26.7	30.4	29.7	30.8	30.0	31.0	31.0	30.0	30.3	28.2	27.4	352.2	11	-8222
	06 LST	25.0	25.0	28.8	28.8	30.9	29.8	30.9	30.9	29.8	29.5	27.1	25.5	342.0	11	-8222
	12 LST	26.0	26.0	30.3	29.8	30.8	30.0	31.0	31.0	30.0	30.5	27.9	26.6	349.9	11	-8222
	18 LST	27.3	27.1	30.4	29.9	31.0	30.0	30.9	31.0	30.0	30.5	29.2	28.7	356.0	11	-8222
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	00 LST	21.0	22.1	23.8	23.9	27.4	27.7	26.4	28.8	28.1	27.3	23.7	20.9	301.1	11	-8222
	06 LST	19.1	20.9	23.5	24.2	28.5	28.2	29.6	29.9	28.3	25.7	21.5	19.7	299.1	11	-8222
	12 LST	15.6	16.4	17.4	18.8	24.0	24.0	25.7	25.7	24.9	21.4	18.7	15.9	248.5	11	-8222
	18 LST	20.7	20.4	20.3	17.3	23.1	22.7	21.6	22.8	25.8	24.7	23.5	20.5	263.4	11	-8222
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST	0.6	0.4	0.5	0.4	0.2	0.1	0.1	0.0	0.1	0.2	0.1	0.9	3.6	11	-8222
	06 LST	0.2	0.5	0.3	0.2	0.1	0.0	0.0	0.0	0.3	0.5	0.8	2.9		11	-8222
	12 LST	1.9	1.9	2.9	1.6	0.6	0.3	0.0	0.1	0.2	0.8	1.5	1.7	13.5	11	-8222
	18 LST	0.7	0.7	1.2	2.4	0.9	0.4	0.3	0.3	0.0	0.6	0.5	1.3	9.3	11	-8222
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST	6.6	10.2	12.0	13.7	13.7	13.3	14.5	13.8	10.8	10.4	11.4	8.3	138.7	11	-8222
	06 LST	6.3	7.4	8.8	10.9	8.9	8.6	8.2	8.7	6.8	8.3	9.4	7.5	99.8	11	-8222
	12 LST	9.6	8.6	12.1	15.2	17.8	18.1	17.9	17.1	16.1	11.7	10.2	8.7	163.1	11	-8222
	18 LST	11.4	12.1	14.0	14.0	18.0	16.2	13.0	13.0	17.1	12.8	12.9	11.4	165.9	11	-8222
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST	11.3	12.5	13.7	11.9	14.7	15.5	24.2	24.5	18.7	15.3	12.4	13.6	190.3	11	-8222
	06 LST	10.8	11.4	11.0	9.1	12.2	13.1	23.4	21.0	14.2	12.7	11.2	12.8	152.9	11	-8222
	12 LST	7.6	8.6	7.8	7.2	10.6	10.6	22.1	20.8	11.5	8.5	7.1	8.1	130.5	11	-8222
	18 LST	6.8	8.9	7.9	6.0	8.4	9.4	18.8	18.6	10.0	10.3	7.2	9.9	122.2	11	-8222
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST	23.5	24.5	28.2	28.8	30.6	29.8	31.0	31.0	29.6	29.0	26.3	24.4	336.7	11	-8222
	06 LST	21.2	22.3	26.0	27.7	30.1	29.5	30.8	30.8	28.8	26.8	23.8	22.8	320.6	11	-8222
	12 LST	21.8	21.6	27.1	28.5	30.2	29.5	31.0	30.9	29.5	28.1	24.3	23.8	326.3	11	-8222
	18 LST	24.4	25.4	29.1	29.2	31.0	29.9	30.9	31.0	29.7	29.6	26.5	25.7	342.4	11	-8222
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST	19.4	20.9	25.0	25.6	28.0	28.7	30.7	30.5	27.9	24.9	22.2	21.1	304.9	11	-8222
	06 LST	17.3	19.1	22.8	24.8	27.6	27.3	30.4	30.3	26.7	22.5	19.7	20.0	288.5	11	-8222
	12 LST	16.1	18.2	20.6	21.5	24.5	25.4	30.5	30.3	25.0	22.6	19.5	20.2	276.4	11	-8222
	18 LST	19.4	21.0	23.2	24.6	27.2	26.7	30.3	30.5	26.9	24.3	20.5	21.1	295.7	11	-8222
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST	17.9	19.5	22.6	22.3	25.3	25.9	29.8	29.9	26.2	21.8	19.5	19.7	280.4	11	-8222
	06 LST	16.4	17.7	19.9	22.6	24.5	25.2	29.7	29.5	24.5	19.7	17.5	18.2	265.4	11	-8222
	12 LST	15.9	16.8	18.8	20.2	23.1	24.0	30.3	29.9	23.5	20.5	17.4	18.0	258.4	11	-8222
	18 LST	17.3	18.5	19.6	20.2	23.5	24.4	29.9	30.1	24.7	20.7	17.5	19.0	265.4	11	-8222

ALBACETE, SPAIN

STA NO. 08280 (IN AREA NUMBER 02)

LATITUDE 3900N

LONGITUDE 00151W

ELEVATION(FT) 02231

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	67	79	81	91	98	102	104	105	100	99	79	70	105	24	-528
MEAN MAX TMP (F)	-8	53	58	64	72	82	89	90	80	68	56	49	67	24	-28
MEAN MIN TMP (F)	31	32	37	42	48	55	61	61	55	47	38	33	45	25	-28
ABS MIN TMP (F)	4	-9	18	25	32	37	46	41	36	21	18	-2	-9	25	-528
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.8	6.7	22.6	19.5	5.0	0.0	0.0	0.0	54.6	5	1751
MEAN NO DYS TMP = DR LES 32(F)	26.1	16.7	12.1	4.4	0.2	0.0	0.0	0.0	0.0	2.2	5.0	15.1	61.8	5	1751
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	1751
MEAN DEN PT TMP (F)	32	36	39	42	48	55	60	59	56	49	43	38	46	5	13660
MEAN REL HUM (PCT)	79	72	68	59	54	49	43	47	59	68	78	80	63	15	-28
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.71	0.91	1.30	1.58	1.69	1.34	0.59	0.24	1.46	1.26	1.38	0.79	13.3	30	-122
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0					25	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	2.2	3.0	4.4	5.1	5.4	4.0	1.7	0.5	4.6	4.1	4.4	2.5	41.9	30	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0					25	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	4.8	1.6	1.2	0.6	0.2	0.2	0.0	0.0	0.6	2.2	3.6	3.5	18.5	5	1744
MEAN NO DYS TSTMS	1.0	1.0	2.0	2.0	3.0	3.0	4.0	2.0	2.0	2.0	1.0	0.3	23.3	7	-24
P FREQ WND SPD = DR GTR 17 KTS	16.3	13.8	16.5	11.5	13.8	18.5	14.0	14.8	10.4	7.1	12.4	13.2	13.5	5	13715
P FREQ WND SPD = DR GTR 28 KTS	3.7	3.6	4.4	2.5	1.7	2.1	1.2	0.9	1.4	1.1	2.8	3.1	2.4	5	13715
P FREQ LES 5000 FT A/D LES 5 MI	30.4	35.0	32.8	33.2	26.7	17.9	8.1	11.3	15.3	28.5	31.8	37.3	25.7	5	13939
P FREQ LES 1900 FT A/D LES 3 MI															
FOR 00-02 LST	6.2	8.5	4.6	7.4	3.4	2.1	1.3	2.6	2.7	1.9	5.4	5.3	4.3	5	1744
03-05 LST	7.3	9.4	4.0	7.4	3.4	1.4	1.3	1.3	3.3	2.6	6.0	8.7	4.7	5	1744
06-08 LST	11.6	10.6	10.7	9.3	5.2	2.0	0.6	1.3	7.4	11.0	14.8	12.8	8.1	5	1749
09-11 LST	19.8	13.6	10.7	6.0	6.7	2.7	0.0	1.9	4.0	11.7	16.1	15.9	9.1	5	1737
12-14 LST	15.5	11.3	6.6	8.0	5.2	2.7	1.3	1.3	4.0	6.5	8.7	9.5	6.7	5	1752
15-17 LST	11.2	10.6	6.0	10.7	8.7	4.1	2.6	3.2	5.3	4.5	4.7	8.7	6.7	5	1749
18-20 LST	12.2	9.9	5.9	8.1	6.5	4.8	1.9	3.2	6.7	4.5	5.4	6.7	6.3	5	1752
21-23 LST	7.2	8.6	5.3	6.8	3.4	0.7	1.9	2.6	2.7	3.2	3.4	5.4	4.3	5	1739
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	3.1	3.5	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.7	0.7	5	1744
03-05 LST	4.2	3.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	4.0	1.2	5	1744
06-08 LST	5.3	3.5	3.3	2.7	0.6	0.7	0.0	0.0	2.7	7.7	9.4	8.1	3.7	5	1749
09-11 LST	12.5	4.3	1.3	0.0	0.7	0.0	0.0	0.0	0.0	5.2	10.1	9.0	3.6	5	1737
12-14 LST	5.2	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	2.7	2.7	1.1	5	1752
15-17 LST	5.1	0.7	0.0	0.0	0.0	0.7	0.0	0.0	0.0	0.6	0.7	1.3	0.8	5	1749
18-20 LST	6.1	0.7	0.7	0.0	0.6	0.7	0.0	0.0	0.0	0.6	2.0	0.7	1.0	5	1752
21-23 LST	3.1	4.3	0.0	0.0	0.7	0.0	0.0	0.0	0.0	0.6	0.7	1.4	0.9	5	1739

ALBACETE, SPAIN

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST	30.0	26.6	30.5	29.5	30.7	30.0	31.0	31.0	30.0	31.0	29.5	30.7	360.5	5	1744
	06 LST	28.3	26.6	23.7	28.6	30.6	29.7	31.0	31.0	28.9	28.4	26.7	28.2	346.7	5	1749
	12 LST	27.8	26.4	30.5	29.4	30.7	30.0	31.0	31.0	30.0	30.4	28.8	29.7	355.7	5	1752
	18 LST	28.7	27.0	30.1	29.1	30.5	29.7	31.0	31.0	29.8	30.8	29.3	30.5	357.5	5	1752
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	00 LST	19.7	17.4	20.9	20.1	21.1	16.3	18.2	17.7	20.8	23.4	20.6	20.8	237.0	5	1722
	06 LST	18.1	19.4	23.0	22.4	24.2	23.2	25.6	24.2	22.8	24.0	19.7	20.3	266.9	5	1726
	12 LST	11.6	12.5	16.4	16.8	13.8	14.0	17.4	16.6	18.2	17.6	12.8	15.6	183.3	5	1731
	18 LST	14.9	14.4	14.8	13.3	9.8	7.1	8.6	10.8	13.6	20.3	17.5	18.3	163.4	5	1731
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST	2.4	1.5	2.8	1.6	2.5	4.5	2.4	3.0	2.4	2.2	2.0	2.7	30.0	5	1724
	06 LST	2.0	2.6	2.8	1.0	1.2	2.4	1.6	1.4	0.6	0.4	1.0	3.1	20.1	5	1729
	12 LST	8.0	5.9	7.1	4.0	6.2	4.8	3.8	4.8	4.4	3.0	5.8	6.1	63.9	5	1732
	18 LST	5.4	4.4	6.9	6.0	9.4	12.0	10.0	10.0	5.8	2.0	4.4	3.9	80.2	5	1731
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST	5.2	6.3	9.8	10.8	10.0	12.3	12.2	15.5	12.2	11.8	11.5	10.8	128.4	5	1724
	06 LST	2.8	5.6	4.7	10.0	9.0	12.2	11.6	15.4	10.9	11.8	9.4	8.5	111.9	5	1725
	12 LST	6.8	8.1	13.0	11.6	13.4	12.8	9.2	12.6	13.8	11.2	10.6	10.6	133.7	5	1731
	18 LST	8.2	10.4	12.7	11.5	11.4	6.9	4.2	7.8	13.2	14.0	11.2	11.0	122.5	5	1730
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST	16.2	15.6	19.0	14.2	15.8	16.1	22.8	23.3	20.9	17.0	14.7	14.2	209.8	5	1743
	06 LST	14.3	12.1	12.7	11.4	11.0	13.8	21.6	20.2	15.2	10.6	9.2	10.6	162.7	5	1750
	12 LST	10.5	8.5	7.9	8.2	7.8	11.4	20.0	18.6	13.6	8.2	6.6	8.0	129.3	5	1753
	18 LST	10.1	9.7	7.9	8.1	6.8	8.5	16.0	16.3	12.0	9.0	9.6	9.3	123.3	5	1752
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST	25.2	22.6	25.6	23.1	26.8	27.3	29.6	28.7	28.0	26.8	24.5	25.2	313.4	5	1744
	06 LST	23.4	20.2	23.1	22.6	25.6	26.7	29.8	29.4	25.9	22.8	20.5	21.4	291.4	5	1749
	12 LST	22.3	18.6	22.5	22.4	24.7	25.9	29.6	29.0	26.8	24.4	21.6	21.7	289.5	5	1752
	18 LST	23.4	20.8	22.8	21.8	23.7	25.3	28.6	27.7	24.8	25.4	23.3	22.4	290.0	5	1752
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST	22.6	20.8	23.6	21.3	24.9	26.4	29.2	28.1	27.4	24.4	22.7	22.9	294.3	5	1744
	06 LST	21.5	17.6	20.4	20.0	23.4	25.3	28.8	28.0	25.1	20.0	17.3	17.8	265.2	5	1749
	12 LST	20.7	15.4	18.6	19.2	22.1	23.6	28.8	27.4	25.6	21.6	18.2	17.9	259.1	5	1752
	18 LST	21.5	18.8	19.1	18.6	20.7	23.6	27.6	26.5	23.2	22.6	20.3	18.9	261.4	5	1752
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST	22.6	20.8	23.6	21.3	24.9	26.4	29.2	28.1	27.4	24.2	22.7	22.9	294.1	5	1744
	06 LST	21.5	17.6	20.4	20.0	23.4	25.3	28.8	28.0	25.1	20.0	17.3	17.8	265.2	5	1749
	12 LST	20.1	15.4	18.6	19.2	22.1	23.6	28.8	27.2	25.4	21.6	18.2	17.7	257.9	5	1752
	18 LST	21.1	18.8	19.1	18.6	20.7	23.6	27.6	26.3	23.2	22.4	20.3	18.7	260.4	5	1752

BADAJOS/TALAVERA LA REAL, SPAIN

STA NO. 08330 (IN AREA NUMBER 02)

LATITUDE 3853N

LONGITUDE 00649W

ELEVATION(FT) 00607

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	68	74	81	93	102	108	113	110	104	96	79	70	113	30	-14203
MEAN MAX TMP (F)	55	58	63	69	76	86	92	93	84	74	62	56	72	30	-14203
MEAN MIN TMP (F)	39	40	45	48	53	60	63	64	61	54	45	40	51	30	-14203
ABS MIN TMP (F)	23	21	25	32	34	45	50	50	37	37	27	23	21	30	-14203
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	2.4	13.1	26.3	22.2	13.9	0.6	0.0	0.0	78.5	5	-14203
MEAN NO DYS TMP = DR LES 32(F)	10.7	5.7	2.4	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.8	5.0	25.4	5	-14203
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-14203
MEAN DEW PT TMP (F)	41	41	44	46	48	53	54	54	54	50	45	42	48	27	-29
MEAN REL HUM (PCT)	81	76	72	57	60	54	49	48	56	65	76	82	66	22	-14203
MEAN PRESS ALT (FT)														0	(
MEAN PRECIP (IN)	2.00	2.00	2.40	1.60	1.10	1.00	0.10	0.20	1.00	1.80	2.30	1.90	17.4	30	-14203
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0	0.0				30	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	6.3	6.3	6.5	5.2	3.7	3.0	0.0	0.3	3.5	5.3	6.2	6.1	52.4	30	-29
MEAN NO DYS SNFL = DR LES 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0	0.0				30	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.3	0.3	1.0	2.0	1.0	1.0	3.0	2.0	1.0	0.3	0.3	0.3	12.5	7	-14203
P FREQ WHJ SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI	31.2	34.9	32.5	25.2	30.1	17.0	6.5	6.5	9.0	22.1	34.2	38.2	24.0	5	-14203
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	18.1	13.8	13.2	8.8	8.5	2.7	0.7	1.3	0.7	7.9	16.0	18.4	9.2	5	-14203
09-11 LST	22.8	20.1	11.8	6.0	3.3	2.1	0.7	1.3	0.7	11.3	16.0	24.7	10.1	5	-14203
12-14 LST	11.9	5.0	3.9	4.1	2.6	1.4	0.0	0.7	0.0	2.0	8.7	13.1	4.5	5	-14203
15-17 LST	6.7	2.2	5.2	1.3	1.3	1.4	0.7	0.7	0.0	0.7	3.3	6.7	2.5	5	-14203
18-20 LST	6.0	2.2	3.3	1.4	1.3	1.4	0.0	0.0	0.7	0.0	2.7	4.6	2.0	5	-14203
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	13.4	10.9	7.9	5.4	4.6	0.0	0.7	0.0	0.0	5.9	12.5	14.5	6.3	5	-14203
09-11 LST	12.1	17.3	7.8	1.3	0.0	0.0	0.0	0.0	0.0	6.0	6.9	20.1	6.0	5	-14203
12-14 LST	7.3	2.1	0.7	0.7	0.0	0.7	0.6	0.0	0.0	0.7	1.3	9.2	1.9	5	-14203
15-17 LST	1.3	0.0	1.3	0.0	0.0	0.7	0.0	0.0	0.0	0.0	0.0	4.0	0.6	5	-14203
18-20 LST	2.0	0.0	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	0.5	5	-14203
21-23 LST														0	0

BADAJOS/TALAVERA LA REAL, SPAIN

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	26.4	24.7	27.9	27.9	28.7	29.3	30.7	31.0	30.0	29.1	25.8	25.6	337.1	5	-14203
	12 LST	27.9	27.2	30.5	29.3	30.7	29.7	31.0	31.0	30.0	30.5	29.4	27.3	353.5	5	-14203
	18 LST	29.7	27.5	30.5	30.0	30.7	29.7	31.0	31.0	29.7	31.0	29.4	29.7	359.9	5	-14203
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	00 LST														0	0
	06 LST	19.1	17.4	20.7	24.6	26.3	27.3	30.3	29.7	29.1	27.3	20.4	18.5	290.7	5	-14203
	12 LST	17.0	13.4	18.0	19.7	23.9	24.8	27.5	25.9	24.8	24.7	16.2	16.8	252.7	5	-14203
	18 LST	20.9	17.8	19.9	20.3	20.0	19.0	19.8	17.0	21.0	26.4	23.0	22.9	248.0	5	-14203
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST														0	0
	06 LST	0.8	1.0	0.0	0.6	0.0	0.4	0.0	0.0	0.4	0.0	0.6	2.2	6.0	5	-14203
	12 LST	3.2	4.4	3.4	1.2	1.4	0.4	0.0	0.6	0.4	1.2	2.2	2.6	21.0	5	-14203
	18 LST	1.4	2.0	1.4	1.2	1.8	2.8	2.4	3.0	1.0	1.0	1.2	0.8	20.0	5	-14203
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST														0	0
	06 LST	8.6	11.5	12.9	9.3	12.3	11.8	14.2	14.9	10.3	11.2	10.4	10.1	137.5	5	-14203
	12 LST	12.7	10.8	12.1	16.3	17.3	14.0	12.4	14.3	12.2	14.7	11.4	13.3	161.5	5	-14203
	18 LST	12.8	14.2	17.6	15.8	18.4	9.5	3.6	7.9	10.7	14.5	14.2	14.7	153.9	5	-14203
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	14.6	11.9	10.2	13.6	11.5	18.1	23.6	24.7	21.4	15.0	10.2	12.4	187.2	5	-14203
	12 LST	11.2	9.4	9.3	10.5	9.9	13.9	25.2	23.9	18.5	11.7	8.6	9.9	162.0	5	-14203
	18 LST	12.9	8.1	10.0	8.4	7.6	13.3	22.6	24.3	17.5	10.0	9.2	9.8	153.7	5	-14203
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	22.2	21.5	23.8	25.5	26.3	26.9	29.7	29.3	28.5	25.5	22.2	22.2	303.7	5	-14203
	12 LST	25.0	22.6	25.1	24.5	25.3	26.9	29.9	29.9	28.3	28.1	23.8	23.0	312.4	5	-14203
	18 LST	27.0	24.1	27.3	26.9	26.7	28.3	30.1	30.5	27.7	27.9	26.0	26.0	324.5	5	-14203
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	21.0	19.8	21.3	23.2	23.9	25.5	28.9	28.5	27.7	23.5	20.0	20.3	283.7	5	-14203
	12 LST	22.9	19.4	20.2	20.6	21.1	23.6	29.1	29.1	27.1	25.5	20.8	19.8	279.2	5	-14203
	18 LST	24.4	20.8	24.2	24.6	22.6	27.1	29.5	29.9	26.5	25.0	22.0	22.1	298.7	5	-14203
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	21.0	19.8	21.3	23.0	23.5	25.5	28.9	28.5	27.5	23.6	20.0	20.3	282.9	5	-14203
	12 LST	22.9	19.0	20.2	20.4	20.9	23.6	29.1	29.1	27.1	25.5	20.8	19.8	278.6	5	-14203
	18 LST	24.4	20.8	24.2	24.4	22.6	27.1	29.5	29.9	26.5	25.0	22.0	22.1	298.5	5	-14203

CUIDAD REAL, SPAIN

STA NO. 08348 (IN AREA NUMBER 02)

LATITUDE 3859N

LONGITUDE 00356W

ELEVATION(FT) 02060

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	68	77	86	93	99	106	116	108	104	90	83	68	116	29	-528
MEAN MAX TMP (F)	51	55	60	66	74	84	92	92	82	71	58	51	70	29	-28
MEAN MIN TMP (F)	34	34	39	43	49	56	62	62	55	47	39	34	46	30	-28
ABS MIN TMP (F)	10	15	23	31	34	41	43	46	39	30	23	17	10	30	-528
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.8	9.5	27.1	22.9	7.7	0.0	0.0	68.0	5	1742
MEAN NO DYS TMP = DR LES 32(F)	19.8	8.5	3.4	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.5	5	1741
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	1741
MEAN DEN PT TMP (F)	35	36	39	42	48	54	60	60	54	48	39	35	46	26	-29
MEAN REL HUM (PCT)	76	75	70	67	65	61	59	60	64	69	73	76	68	20	-28
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	1.10	1.80	2.00	1.80	1.30	0.90	0.10	0.10	1.00	1.60	1.90	1.30	14.9	30	-28
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	30	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	3.6	5.8	6.0	5.6	4.4	2.7	0.0	0.0	3.5	4.9	5.5	4.3	46.3	30	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	30	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	0.0	2.0	1.9	1.8	0.9	0.7	0.7	1.0	0.3	0.0	9.3	4	-139
P FREQ WND SPD = DR GTR 17 KTS	1.8	2.1	2.5	1.8	2.1	1.5	1.2	2.3	0.7	0.7	2.3	0.8	1.7	4	-35
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.1	0.3	0.0	0.6	0.5	0.2	4	-35
P FREQ LES 5000 FT A/D LES 5 MI	59.3	78.0	60.7	45.5	25.3	14.8	14.8	33.3	47.1	75.3	74.2			1	1664
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	35.7	64.5	83.3	93.5	40.0	6.5	9.7	43.3	77.4	86.7	77.4			1	334
09-11 LST	46.4	80.6	46.7	19.4	13.3	0.0	3.2	0.0	38.7	86.7	90.3			1	334
12-14 LST	35.7	45.2	16.7	3.2	6.7	0.0	0.0	0.0	3.2	33.3	51.6			1	334
15-17 LST	35.7	33.3	13.3	0.0	0.0	0.0	0.0	0.0	0.0	10.0	25.8			1	332
18-20 LST	42.9	46.7	23.3	6.5	0.0	0.0	0.0	0.0	6.5	70.0	51.6			1	333
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	32.1	45.2	43.3	48.4	10.0	0.0	0.0	0.0	45.2	63.3	48.4			1	334
09-11 LST	39.3	41.9	16.7	3.2	6.7	0.0	3.2	0.0	3.2	43.3	64.5			1	334
12-14 LST	21.4	9.7	6.7	3.2	6.7	0.0	0.0	0.0	3.2	10.0	35.5			1	334
15-17 LST	21.4	16.7	10.0	0.0	0.0	0.0	0.0	0.0	0.0	6.7	22.6			1	332
18-20 LST	17.9	26.7	13.3	3.2	0.0	0.0	0.0	0.0	0.0	16.7	32.3			1	333
21-23 LST														0	0

CUIDAD REAL, SPAIN
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST		18.0	11.0	5.0	2.0	18.0	29.0	28.0	17.0	7.0	4.0	7.0		1	334
	12 LST		18.0	17.0	25.0	30.0	28.0	31.0	31.0	30.0	30.0	20.0	15.0		1	334
	18 LST		16.0	16.5	23.0	29.0	30.0	31.0	31.0	30.0	29.0	9.0	15.0		1	333
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	00 LST														0	0
	06 LST		17.0	11.0	5.0	2.0	18.0	29.0	27.0	17.0	7.0	4.0	7.0		1	334
	12 LST		16.0	15.0	21.0	25.0	24.0	29.0	24.0	29.0	26.0	14.0	14.0		1	334
	18 LST		14.0	13.4	18.0	22.0	22.0	24.0	23.0	30.0	27.0	9.0	15.0		1	333
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST														0	0
	06 LST	0.0	0.0	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.4	3.0	5	1005
	12 LST	0.2	0.6	0.6	0.4	0.8	0.4	0.0	0.6	0.2	0.2	0.7	0.2	4.9	5	1705
	18 LST	0.4	0.4	0.2	0.6	0.8	0.4	1.2	1.0	0.6	0.0	0.5	0.0	6.1	5	1741
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST														0	0
	06 LST		7.0	13.0	22.0	24.0	20.0	21.0	17.0	16.0	9.0	5.0	6.0		1	334
	12 LST		12.0	17.0	22.0	20.0	14.0	16.0	11.0	16.0	5.0	11.0	11.0		1	334
	18 LST		13.0	11.3	21.0	21.0	11.0	7.0	10.0	22.0	13.0	11.0	9.0		1	333
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	20.0	17.0	6.0	5.0	14.6	21.7	27.7	28.3	23.1	5.4	7.3	9.8	185.9	5	1006
	12 LST	13.7	11.7	14.7	16.0	15.3	21.3	27.9	26.3	22.1	16.9	8.8	8.5	204.2	5	1705
	18 LST	14.9	13.6	13.8	13.6	10.4	15.9	22.0	22.5	18.3	12.3	11.0	9.3	177.6	5	1712
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST		18.0	10.0	5.0	2.0	18.0	29.0	28.0	17.0	7.0	4.0	7.0		1	334
	12 LST		17.0	16.0	24.0	28.0	28.0	31.0	31.0	30.0	30.0	18.0	14.0		1	334
	18 LST		16.0	15.5	22.0	29.0	30.0	31.0	31.0	30.0	29.0	9.0	15.0		1	333
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST		18.0	10.0	5.0	2.0	18.0	29.0	28.0	17.0	7.0	4.0	7.0		1	334
	12 LST		14.0	11.0	20.0	24.0	27.0	31.0	31.0	30.0	28.0	16.0	14.0		1	334
	18 LST		11.0	15.5	21.0	28.0	28.0	29.0	31.0	30.0	28.0	9.0	15.0		1	333
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST		18.0	10.0	5.0	2.0	18.0	29.0	28.0	17.0	7.0	4.0	7.0		1	334
	12 LST		14.0	11.0	20.0	24.0	27.0	31.0	31.0	30.0	28.0	16.0	14.0		1	334
	18 LST		11.0	15.5	21.0	28.0	28.0	29.0	31.0	30.0	28.0	9.0	15.0		1	333

GRANADA, SPAIN

STA NO. 08420 (IN AREA NUMBER 02)

LATITUDE 3709N

LONGITUDE 00335W

ELEVATION(FT) 02261

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	73	82	82	86	99	101	104	104	100	93	81	75	104	22	-528
MEAN MAX TMP (F)	53	56	59	64	73	81	90	91	81	72	59	54	69	22	-28
MEAN MIN TMP (F)	36	37	41	45	52	58	64	64	58	51	42	37	49	22	-28
ABS MIN TMP (F)	18	12	23	32	36	42	50	49	43	34	28	21	12	22	-528
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	2.0	8.6	26.8	23.7	9.5	0.2	0.0	0.0	70.8	10	3214
MEAN NO DYS TMP = DR LES 32(F)	11.3	9.3	3.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.6	8.0	32.4	10	3220
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	3220
MEAN DEW PT TMP (F)	27	36	41	44	49	53	54	53	54	49	42	39	46	0	-50
MEAN REL HUM (PCT)	85	78	83	78	73	67	59	57	70	77	85	85	75	14	-28
MEAN PRESS ALT (FT)	2140	2195	2259	2298	2299	2280	2274	2295	2269	2255	2237	2190	2249	0	-50
MEAN PRECIP (IN)	1.34	1.69	2.40	2.01	1.65	0.79	0.16	0.08	1.10	1.85	2.28	1.93	17.3	30	-172
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0	0.0				22	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	4.4	5.5	6.5	6.0	5.3	2.3	0.2	0.0	3.8	5.4	6.2	6.1	51.7	30	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0	0.0				22	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.3	1.0	1.0	5.0	1.0	3.0	3.0	2.0	3.0	3.0	1.0	0.0	23.3	7	-24
P FREQ WND SPD = DR GTR 17 KTS	3.9	6.2	9.6	7.6	7.9	13.2	13.4	13.1	8.1	3.9	3.4	3.7	7.8	9	-35
P FREQ WND SPD = DR GTR 28 KTS	0.5	1.2	1.5	0.3	0.6	0.3	0.2	1.1	1.0	0.3	0.8	0.4	0.7	9	-35
P FREQ LES 5000 FT A/D LES 5 MI	38.1	28.7	32.9	28.4	18.7	13.6	6.4	5.5	11.0	23.0	30.7	41.8	23.2	10	9411
P FREQ LES 1500 FT A/D LES 3 MI															
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	15.4	9.7	13.6	16.7	11.7	5.0	4.0	2.3	4.5	10.7	11.7	11.9	9.8	10	3283
09-11 LST														0	0
12-14 LST	21.1	14.6	9.3	5.2	4.3	1.1	0.4	0.0	1.7	7.7	12.0	24.4	8.5	10	3436
15-17 LST														0	0
18-20 LST	10.3	7.8	7.2	5.4	5.4	2.4	0.7	0.4	1.4	3.5	7.0	17.2	5.7	10	3232
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	6.2	3.4	3.8	2.7	3.0	1.2	0.4	0.7	1.0	3.8	6.6	5.8	3.2	10	3283
09-11 LST														0	0
12-14 LST	7.2	2.8	2.5	0.4	1.4	0.0	0.4	0.0	0.0	1.3	5.0	6.2	2.3	10	3436
15-17 LST														0	0
18-20 LST	2.0	1.2	1.9	0.8	1.9	0.4	0.0	0.0	0.0	0.0	2.1	3.4	1.1	10	3232
21-23 LST														0	0

GRANADA, SPAIN
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	27.5	25.7	28.0	26.1	27.9	28.7	29.8	30.4	28.9	28.1	27.2	27.9	336.2	10	3283
	12 LST	25.2	24.9	29.2	29.3	30.3	30.0	30.8	31.	29.6	29.4	27.1	24.4	341.2	10	3436
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	00 LST														0	0
	06 LST	22.8	22.5	23.9	22.6	25.8	28.0	29.4	29.8	27.3	25.7	23.8	23.7	305.3	10	3274
	12 LST	20.1	18.8	20.5	18.4	18.7	16.7	17.8	18.8	21.3	23.4	22.4	19.5	236.4	10	3436
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST														0	0
	06 LST	0.2	0.7	0.3	0.3	0.0	0.0	0.1	0.2	0.2	0.4	0.4	0.8	3.6	10	3298
	12 LST	1.1	1.8	2.2	1.6	2.8	3.2	3.0	3.6	3.3	1.3	1.5	0.8	26.2	10	3437
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST														0	0
	06 LST	5.0	6.1	7.7	8.2	5.8	4.4	5.4	4.7	4.8	4.3	5.8	6.0	68.2	10	3260
	12 LST	5.4	6.4	10.2	14.6	15.0	15.1	11.4	11.6	13.8	9.6	6.7	6.4	126.2	10	3435
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	14.4	13.7	10.8	11.0	14.6	18.6	25.8	24.3	18.4	14.3	13.7	15.0	194.6	10	3296
	12 LST	10.8	10.2	9.5	9.2	12.7	15.8	25.7	23.7	15.0	11.5	9.9	9.9	163.9	10	3437
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	23.3	23.7	23.9	23.1	26.3	28.0	29.7	30.0	28.0	26.1	24.3	24.7	311.1	10	3283
	12 LST	23.0	22.2	24.7	25.6	27.2	28.1	30.7	30.8	28.7	27.1	24.6	20.7	313.4	10	3436
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	21.3	22.2	21.8	21.9	25.5	27.6	29.4	29.8	27.3	24.7	22.3	23.2	297.0	10	3283
	12 LST	21.6	20.8	22.7	23.2	25.4	26.4	30.5	30.5	27.5	25.8	23.3	18.8	296.5	10	3436
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	21.3	22.2	21.8	21.9	25.5	27.6	29.4	29.8	27.2	24.5	22.3	23.1	296.6	10	3283
	12 LST	21.6	20.8	22.7	23.2	25.4	26.3	30.5	30.5	27.5	25.8	23.3	18.8	296.4	10	3436
	18 LST	22.3	21.4	21.8	23.1	27.0	27.8	30.5	30.4	27.1	25.3	21.7	19.9	298.4	10	3232

BADAJOS, SPAIN

STA NO. 14203/ (IN AREA NUMBER 02)

LATITUDE 3854N

LONGITUDE 00658W

ELEVATION(FT) 00640

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	68	74	81	93	102	108	113	110	104	96	79	70	113	30	-528
MEAN MAX TMP (F)	55	58	63	69	76	86	92	93	84	74	62	56	72	30	-28
MEAN MIN TMP (F)	39	40	45	48	53	60	63	64	61	54	45	40	51	30	-28
ABS MIN TMP (F)	23	21	25	32	34	45	50	50	37	37	27	23	21	30	-528
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	2.4	13.1	26.3	22.2	13.9	0.6	0.0	0.0	78.5	5	1782
MEAN NO DYS TMP = DR LES 32(F)	10.7	5.7	2.4	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.8	5.0	25.4	5	1778
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	1778
MEAN DEW PT TMP (F)	41	41	44	46	48	53	54	54	54	50	45	42	48	27	-29
MEAN REL HUM (PCT)	81	76	72	67	60	54	49	48	56	65	76	82	66	22	-28
MEAN PRESS ALT (FT)														22	-28
MEAN PRECIP (IN)	2.00	2.00	2.40	1.60	1.10	1.00	0.10	0.20	1.00	1.80	2.30	1.90	17.4	0	0
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0	0.0				30	-28
MEAN NO DYS PRCP = DR GTR 0.1 IN	6.3	6.3	6.5	5.2	3.7	3.0	0.0	0.3	3.5	5.3	6.2	6.1	52.4	30	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0	0.0				30	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														30	-29
MEAN NO DYS TSTMS	0.3	0.3	1.0	2.0	1.0	1.0	3.0	2.0	1.0	0.3	0.3	0.3	12.5	0	0
P FREQ WND SPD = DR GTR 17 KTS														7	-24
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI	31.2	34.9	32.5	25.2	30.1	17.0	6.5	6.5	9.0	22.1	34.2	38.2	24.0	0	0
P FREQ LES 1500 FT A/D LES 3 MI														5	8850
FOR 00-02 LST															
03-05 LST														0	0
06-08 LST	18.1	13.8	13.2	8.8	8.5	2.7	0.7	1.3	0.7	7.9	16.0	18.4	9.2	0	0
09-11 LST	22.8	20.1	11.8	6.0	3.3	2.1	0.7	1.3	0.7	11.3	16.0	24.7	10.1	5	1787
12-14 LST	11.9	5.0	3.9	4.1	2.6	1.4	0.0	0.7	0.0	2.0	8.7	13.1	4.5	5	1791
15-17 LST	6.7	2.2	5.2	1.3	1.3	1.4	0.7	0.7	0.0	0.7	3.3	6.7	2.5	5	1800
18-20 LST	6.0	2.2	3.3	1.4	1.3	1.4	0.0	0.0	0.7	0.0	2.7	4.6	2.0	5	1793
21-23 LST														5	1796
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST															
03-05 LST														0	0
06-08 LST	13.4	10.9	7.9	5.4	4.6	0.0	0.7	0.0	0.0	5.9	12.5	14.5	6.3	0	0
09-11 LST	12.1	17.3	7.8	1.3	0.0	0.0	0.0	0.0	0.0	6.0	6.9	20.1	6.0	5	1787
12-14 LST	7.3	2.1	0.7	0.7	0.0	0.7	0.0	0.0	0.0	0.7	1.3	9.2	1.9	5	1791
15-17 LST	1.3	0.0	1.3	0.0	0.0	0.7	0.0	0.0	0.0	0.0	0.0	4.0	0.6	5	1800
18-20 LST	2.0	0.0	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	1793
21-23 LST														5	1796
														0	0

BADAJOZ, SPAIN
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	26.4	24.7	27.9	27.9	28.7	29.3	30.7	31.0	30.0	29.1	25.8	25.6	337.1	5	1787
	12 LST	27.9	27.2	30.5	29.3	30.7	29.7	31.0	31.0	30.0	30.5	28.4	27.3	353.5	5	1800
	18 LST	29.7	27.5	30.5	30.0	30.7	29.7	31.0	31.0	29.7	31.0	29.4	29.7	359.9	5	1796
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	00 LST														0	0
	06 LST	19.1	17.4	20.7	24.6	26.3	27.3	30.3	29.7	29.1	27.3	20.4	18.5	290.7	5	1787
	12 LST	17.7	13.4	18.0	19.7	23.9	24.8	27.5	25.9	24.8	24.7	16.2	16.8	252.7	5	1798
	18 LST	20.9	17.8	19.9	20.3	20.0	19.0	19.8	17.0	21.0	26.4	23.0	22.9	248.0	5	1793
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST														0	0
	06 LST	0.8	1.0	0.0	0.6	0.0	0.4	0.0	0.0	0.4	0.0	0.6	2.2	6.0	5	1789
	12 LST	3.2	4.4	3.4	1.2	1.4	0.4	0.0	0.6	0.4	1.2	2.2	2.6	21.0	5	1799
	18 LST	1.4	2.0	1.4	1.2	1.8	2.8	2.4	3.0	1.0	1.0	1.2	0.8	20.0	5	1792
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST														0	0
	06 LST	8.6	11.5	12.9	9.3	12.3	11.8	14.2	14.9	10.3	11.2	10.4	10.1	137.5	5	1789
	12 LST	12.7	10.8	12.1	16.3	17.3	14.0	12.4	14.3	12.2	14.7	11.4	13.3	161.5	5	1799
	18 LST	12.8	14.2	17.6	15.8	18.4	9.5	3.6	7.9	10.7	14.5	14.2	14.7	153.9	5	1792
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	14.6	11.9	10.2	13.6	11.5	18.1	23.6	24.7	21.4	15.0	10.2	12.4	187.2	5	1789
	12 LST	11.2	9.4	9.3	10.5	9.9	13.9	25.2	23.9	18.5	11.7	8.6	9.9	162.0	5	1801
	18 LST	12.9	8.1	10.0	8.4	7.6	13.3	22.6	24.3	17.5	10.0	9.2	9.8	153.7	5	1794
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	22.2	21.5	23.8	25.5	26.3	26.9	29.7	29.3	28.5	25.6	22.2	22.2	303.7	5	1787
	12 LST	25.0	22.6	25.1	24.5	25.3	26.9	29.9	29.9	28.3	28.1	23.8	23.0	312.4	5	1800
	18 LST	27.0	24.1	27.3	26.9	26.7	28.3	30.1	30.5	27.7	27.9	26.0	26.0	328.5	5	1796
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	21.0	19.8	21.3	23.2	23.9	25.5	28.9	28.5	27.7	23.6	20.0	20.3	283.7	5	1787
	12 LST	22.9	19.4	20.2	20.6	21.1	23.6	29.1	29.1	27.1	25.5	20.8	19.8	279.2	5	1800
	18 LST	24.4	20.8	24.2	24.6	22.6	27.1	29.5	29.9	26.5	25.0	22.0	22.1	298.7	5	1796
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	21.0	19.8	21.3	23.0	23.5	25.5	28.9	28.5	27.5	23.6	20.0	20.3	282.9	5	1787
	12 LST	22.9	19.2	20.2	20.4	20.9	23.6	29.1	29.1	27.1	25.5	20.8	19.8	278.6	5	1800
	18 LST	24.4	20.8	24.2	24.4	22.6	27.1	29.5	29.9	26.5	25.0	22.0	22.1	298.5	5	1796

AREA NO. 02

SPAIN		CENTRAL PLATEAU				LATITUDE 4000N		LONGITUDE 00300W							
BOUNDARIES		4206N 00820W	4312N 00820W	4312N 00820W	4312N 00820W	4312N 00125W	4226N 00310E	4100N 00005E	3716N 00200W	3640N 00540W	3640N 00540W	3758N 00430W	3758N 00430W		
PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	
MEAN MAX TMP (F)		49	54	59	65	73	82	89	88	80	69	57	50	68	
MEAN MIN TMP (F)		35	35	39	43	49	56	61	61	56	48	40	35	47	
LARGEST MEAN PRECIP(IN)		2.00	2.00	2.45	2.53	3.24	1.65	1.10	1.65	1.50	2.59	2.30	2.45	25.5	
SMALLEST MEAN PRECIP(IN)		0.59	0.50	0.87	1.10	1.10	0.70	0.10	0.08	1.00	0.50	1.22	0.79	8.5	
		MEAN NUMBER OF DAYS													
CIG = GTR 1000 FT AND VSBY = GTR 3 MI		00 LST	26.7	26.8	30.2	29.6	30.7	29.9	31.0	31.0	30.0	30.4	27.9	26.9	351.1
		06 LST	24.9	24.1	26.4	25.6	26.7	27.6	30.1	30.2	27.8	26.1	23.9	23.0	316.4
		12 LST	25.2	24.6	28.6	29.0	30.5	29.6	30.9	30.8	29.8	29.9	26.5	24.5	339.9
		18 LST	27.3	25.5	28.6	28.9	30.4	29.7	30.9	30.9	29.8	30.3	26.4	26.0	344.7
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS		00 LST	18.6	18.3	21.8	20.6	22.4	22.2	22.1	23.1	24.1	25.0	21.2	19.2	258.6
		06 LST	17.2	17.8	20.3	20.5	22.0	23.9	26.6	26.4	25.0	22.1	18.0	16.2	256.0
		12 LST	13.7	13.6	15.8	16.9	19.0	19.8	22.2	20.6	21.9	20.3	15.5	14.3	213.6
		18 LST	17.6	15.9	16.3	15.0	16.0	15.7	16.1	16.3	20.0	22.8	19.0	17.6	208.3
SFC WND = GTR 17 KTS AND NO PRECIP.		00 LST	1.8	1.8	1.5	1.9	1.4	1.3	1.4	1.2	0.8	0.8	1.0	1.7	16.8
		06 LST	1.6	1.6	1.3	1.0	0.6	0.5	0.4	0.7	0.2	0.6	1.2	2.0	11.7
		12 LST	4.0	4.3	4.3	3.5	2.8	1.7	1.9	2.5	2.1	2.3	3.5	3.7	36.6
		18 LST	2.4	2.8	3.6	4.5	3.5	4.0	4.4	4.8	2.4	1.5	1.8	2.0	37.7
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.		00 LST	6.0	7.6	10.9	10.7	13.0	12.9	14.6	14.7	12.3	11.5	10.9	9.6	134.7
		06 LST	5.8	7.2	9.6	10.8	11.4	11.5	12.6	12.7	10.2	9.6	8.7	7.8	117.9
		12 LST	8.6	8.8	11.8	13.9	15.5	15.2	14.1	13.8	14.2	11.1	9.8	9.2	146.0
		18 LST	10.5	11.0	12.3	12.0	13.3	11.1	7.8	9.9	13.8	13.1	11.7	10.8	137.3
SKY COVER LES 3/10 AND VSBY = GTR 3 MI		00 LST	14.3	13.9	15.7	14.7	15.2	16.3	24.1	24.3	19.6	15.8	13.1	12.6	199.5
		06 LST	13.0	12.2	10.5	10.3	11.4	14.8	22.2	20.5	15.8	11.0	9.5	10.6	161.8
		12 LST	9.0	8.3	8.9	9.0	9.7	12.2	21.9	19.8	14.1	9.8	7.5	7.6	137.8
		18 LST	10.4	9.1	9.0	8.5	8.0	10.8	19.2	18.4	13.0	10.2	8.9	9.0	134.5
CIG = GTR 2500 FT AND VSBY = GTR 3 MI		00 LST	23.8	23.8	27.5	27.2	28.6	28.9	30.4	30.4	29.1	28.2	25.3	24.3	327.5
		06 LST	21.7	21.3	23.1	23.5	24.5	26.3	29.6	29.4	26.3	23.6	20.8	20.0	290.1
		12 LST	21.9	20.7	23.9	25.2	26.5	27.3	30.3	30.0	28.3	26.9	23.1	20.8	304.7
		18 LST	23.9	22.5	25.4	26.0	27.5	28.3	30.2	30.2	28.4	28.1	23.5	22.6	316.6
CIG = GTR 6000 FT AND VSBY = GTR 3 MI		00 LST	21.5	21.9	25.3	25.3	27.0	28.1	29.9	29.8	28.1	25.9	23.1	22.2	308.1
		06 LST	19.7	19.7	21.1	21.8	22.8	25.1	29.0	28.6	25.0	21.6	18.4	18.2	271.0
		12 LST	19.7	18.1	20.1	21.4	22.8	24.7	29.6	28.8	26.6	24.1	20.3	18.3	274.5
		18 LST	21.3	19.7	22.5	23.5	24.8	26.2	29.0	29.3	26.7	23.3	20.5	19.9	288.7
CIG = GTR 10000 FT AND VSBY = GTR 3 MI		00 LST	20.9	21.3	24.3	24.2	25.9	26.8	29.7	29.4	27.5	24.5	22.0	21.6	298.1
		06 LST	19.4	19.3	20.5	21.2	22.2	24.6	28.8	28.3	24.5	20.8	17.9	17.8	265.3
		12 LST	19.1	17.7	19.6	21.0	22.4	24.3	29.5	28.6	26.3	23.5	19.7	17.7	269.4
		18 LST	20.8	19.3	21.8	22.8	24.2	25.7	28.8	29.1	26.2	24.5	19.7	19.4	282.3

REUS, SPAIN

STA NO. 08175 (IN AREA NUMBER 03)

LATITUDE 4108N

LONGITUDE 00109E

ELEVATION(PT) 00249

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
ABS MAX TMP (F)	71	77	79	82	90	95	96	98	91	82	80	73	90	30	-8180
MEAN MAX TMP (F)	56	57	61	64	71	77	81	82	78	71	62	57	68	30	-8180
MEAN MIN TMP (F)	42	44	47	51	57	63	69	69	65	58	50	44	55	30	-8180
ABS MIN TMP (F)	24	21	32	30	32	49	54	56	49	39	31	25	21	30	-8180
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.2	2.5	0.7	0.1	0.0	0.0	0.0	3.5	12	-8180
MEAN NO DYS TMP = DR LES 32(F)	0.6	1.8	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.3	3.1	12	-8180
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-8180
MEAN DEW PT TMP (F)	42	43	42	45	49	51	54	55	57	52	45	42	48	0	-50
MEAN REL HUM (PCT)	67	66	68	67	66	64	65	68	69	72	69	67	67	22	-8180
MEAN PRESS ALT (FT)	58	113	177	199	192	162	143	167	147	148	150	118	148	0	-50
MEAN PRECIP (IN)	1.20	2.10	1.90	1.80	1.80	1.30	1.20	1.70	2.60	3.40	2.70	1.80	23.5	30	-8180
MEAN SNOW FALL (IN)			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	30	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	4.0	6.6	5.8	5.6	5.6	3.8	3.6	4.9	6.7	7.9	6.9	5.8	67.2	30	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			30	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	2.0	0.3	2.0	1.0	3.0	3.7	2.0	5.0	4.0	4.0	1.0	2.0	29.3	7	-8180
P FREQ WND SPD = DR GTR 17 KTS	2.6	3.2	2.3	1.5	1.1	0.4	0.2	0.4	0.6	0.7	1.0	2.9	1.4	12	-8180
P FREQ WND SPD = DR GTR 28 KTS	0.1	0.4	0.3	0.1	0.1	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.1	12	-8180
P FREQ LES 5000 FT A/D LES 5 MI	60.1	63.5	66.6	54.5	58.0	50.9	44.7	48.6	56.6	54.9	62.1	65.0	57.1	12	-8180
P FREQ LES 1500 FT A/D LES 3 MI:															
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	19.3	27.1	32.9	20.7	29.6	30.8	20.4	21.3	23.3	22.8	21.8	20.7	24.2	12	-8180
09-11 LST	29.3	42.2	45.2	29.3	30.7	17.3	18.9	22.1	14.9	16.0	29.6	45.5	28.5	5	-8180
12-14 LST	23.0	32.8	23.1	11.7	13.0	11.1	3.9	7.1	12.0	8.7	19.0	28.6	16.2	12	-8180
15-17 LST	5.6	23.8	29.6	19.4	12.5	4.5	3.7	6.8	1.3	2.1	3.8	18.6	11.0	5	-8180
18-20 LST	28.9	29.2	23.7	11.7	13.9	6.2	5.3	7.8	10.8	17.0	25.1	29.3	17.4	12	-8180
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	4.3	6.4	7.1	4.3	7.3	4.5	3.5	3.3	2.9	3.9	4.3	2.5	4.5	12	-8180
09-11 LST	13.6	11.1	11.9	5.4	4.0	3.6	0.8	2.7	2.0	3.8	7.0	15.2	6.8	5	-8180
12-14 LST	7.6	8.3	6.5	1.7	1.8	0.6	0.6	0.0	1.4	0.8	3.4	8.1	3.4	12	-8180
15-17 LST	1.4	1.6	1.2	1.5	0.0	0.0	0.9	0.0	0.0	0.0	1.3	5.1	1.1	5	-8180
18-20 LST	8.1	4.9	6.3	1.7	2.2	0.4	0.4	1.1	0.8	0.9	3.7	7.9	3.2	12	-8180
21-23 LST														0	0

REUS, SPAIN
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	25.2	20.5	20.9	23.8	22.0	20.8	24.8	24.6	23.0	24.0	23.6	25.0	278.2	12	-8180
	12 LST	23.8	18.8	23.9	26.5	26.9	26.8	29.8	28.8	26.7	28.4	24.3	22.1	306.8	12	-8180
	18 LST	22.2	19.8	23.8	26.6	26.9	28.1	29.4	28.8	27.0	25.8	22.5	21.9	302.8	12	-8180
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	00 LST														0	0
	06 LST	21.4	17.2	18.8	22.0	20.7	20.0	23.8	23.6	21.9	22.5	22.0	21.6	255.5	12	-8180
	12 LST	20.5	15.2	20.0	22.7	24.1	21.4	26.4	23.9	23.4	25.2	21.9	18.4	251.1	12	-8180
	18 LST	19.0	16.2	19.0	22.3	23.0	24.2	25.9	25.2	24.8	22.6	20.4	7.2	259.6	12	-8180
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST														0	0
	06 LST	0.6	1.0	0.6	0.5	0.2	0.0	0.0	0.0	0.2	0.0	0.3	0.7	4.1	12	-8180
	12 LST	0.7	1.0	0.8	0.2	0.1	0.1	0.0	0.0	0.0	0.1	0.0	0.6	3.9	12	-8180
	18 LST	1.0	0.5	0.6	0.5	0.5	0.1	0.0	0.2	0.0	0.3	0.1	0.9	4.7	12	-8180
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST														0	0
	06 LST	13.3	11.0	9.0	9.3	7.0	8.0	7.8	8.3	10.0	11.9	11.4	11.5	118.5	12	-8180
	12 LST	16.4	15.5	19.0	20.7	23.3	21.2	23.2	24.6	21.6	18.8	17.6	15.1	237.0	12	-8180
	18 LST	12.7	14.6	16.9	20.4	20.8	22.7	23.1	20.6	16.1	13.6	11.1	12.4	205.0	12	-8180
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	12.8	9.5	9.4	9.4	7.7	9.4	12.9	10.3	7.3	8.3	7.9	12.0	116.9	12	-8180
	12 LST	11.2	7.7	9.0	11.4	10.3	11.0	15.7	11.7	7.7	8.4	8.8	8.1	121.0	12	-8180
	18 LST	11.1	7.8	9.0	8.7	7.9	10.1	14.0	11.4	9.2	9.5	10.6	9.8	119.1	12	-8180
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	23.3	19.6	19.4	22.1	20.3	19.6	23.4	22.3	21.1	21.8	21.3	22.2	256.4	12	-8180
	12 LST	22.8	17.6	21.3	24.6	24.8	24.8	28.2	27.1	23.8	25.8	22.1	20.4	283.3	12	-8180
	18 LST	21.2	18.8	22.1	25.5	25.3	26.6	28.1	26.7	23.7	23.7	21.3	21.6	284.6	12	-8180
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	20.1	17.7	15.3	18.7	17.3	17.6	20.6	19.1	16.9	17.0	17.7	19.4	217.4	12	-8180
	12 LST	20.1	15.3	17.6	21.2	21.7	21.3	23.2	22.1	19.0	20.1	17.9	17.7	237.2	12	-8180
	18 LST	19.4	15.9	18.6	21.0	20.7	23.2	24.6	22.4	18.5	18.9	17.7	19.2	240.1	12	-8180
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	20.0	17.7	15.3	18.7	17.3	17.6	20.6	19.1	16.9	16.9	17.6	19.4	217.1	12	-8180
	12 LST	20.1	15.3	17.6	21.2	21.7	21.3	23.2	22.1	19.0	20.1	17.9	17.7	237.2	12	-8180
	18 LST	19.4	15.9	18.6	21.0	20.7	23.2	24.6	22.4	18.4	18.9	17.7	19.2	240.0	12	-8180

BARCELONA, SPAIN

STA NO. 08180 (IN AREA NUMBER 03)

LATITUDE 4117N

LONGITUDE 00205E

ELEVATION(FT) 00013

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	71	77	79	82	90	95	96	98	91	82	80	73	98	30	-528
MEAN MAX TMP (F)	56	57	61	64	71	77	81	82	78	71	62	57	68	30	-28
MEAN MIN TMP (F)	42	44	47	51	57	63	69	69	65	58	50	44	55	30	-28
ABS MIN TMP (F)	24	21	32	30	32	49	54	56	49	39	31	25	21	30	-528
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.2	2.5	0.7	0.1	0.0	0.0	0.0	3.5	12	3000
MEAN NO DYS TMP = DR LES 32(F)	0.5	1.8	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.3	3.1	12	3928
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	3928
MEAN DEW PT TMP (F)	37	38	42	45	51	56	61	63	59	54	45	38	49	27	-29
MEAN REL HUM (PCT)	67	66	68	67	66	64	65	68	69	72	69	67	67	22	-28
MEAN PRESS ALT (FT)	-126	-71	-41	-3	-29	-57	-65	-49	-78	-73	-54	-74	-59	0	-50
MEAN PRECIP (IN)	1.20	2.10	1.90	1.80	1.80	1.30	1.20	1.70	2.60	3.40	2.70	1.80	23.5	30	-28
MEAN SNOW FALL (IN)			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		30	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	4.0	6.6	5.8	5.6	5.6	3.8	3.6	4.9	6.7	7.9	6.9	5.8	67.2	30	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		30	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	2.0	0.3	2.0	1.0	3.0	3.0	2.0	5.0	4.0	4.0	1.0	2.0	29.3	7	-24
P FREQ WND SPD = DR GTR 17 KTS	2.6	3.2	2.3	1.5	1.1	0.4	0.2	0.4	0.6	0.7	1.0	2.9	1.4	12	-35
P FREQ WND SPD = DR GTR 28 KTS	0.1	0.4	0.3	0.1	0.1	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.1	12	-35
P FREQ LES 5000 FT A/D LES 5 MI	60.1	63.5	66.6	54.5	58.0	50.9	44.7	46.6	56.6	54.9	62.1	65.0	57.1	12	11821
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	19.3	27.1	32.9	20.7	29.6	30.8	20.4	21.3	23.3	22.8	21.8	20.7	24.2	12	4231
09-11 LST	29.3	42.2	46.2	29.3	30.7	17.3	16.9	22.1	14.9	16.0	29.6	45.5	28.5	5	1988
12-14 LST	23.0	32.8	23.1	11.7	13.0	11.1	3.9	7.1	12.0	8.7	19.0	28.6	16.2	12	4286
15-17 LST	5.6	23.8	29.6	19.4	12.5	4.5	3.7	6.8	1.3	2.1	3.8	18.6	11.0	5	983
18-20 LST	28.9	29.2	23.7	11.7	13.9	6.2	5.3	7.8	10.8	17.0	25.1	29.3	17.4	12	3046
21-23 LST														c	0
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	4.3	6.4	7.1	4.3	7.3	4.5	3.5	3.3	2.9	3.9	4.3	2.5	4.5	12	4231
09-11 LST	13.6	11.1	11.9	5.4	4.0	3.6	0.8	2.7	2.0	3.8	7.0	15.2	6.8	5	1988
12-14 LST	7.6	8.3	6.5	1.7	1.8	0.6	0.6	0.0	1.4	0.8	3.4	8.1	3.4	12	4286
15-17 LST	1.4	1.6	1.2	1.5	0.0	0.0	0.9	0.0	0.0	0.0	1.3	5.1	1.1	5	983
18-20 LST	8.1	4.9	6.3	1.7	2.2	0.4	0.4	1.1	0.8	0.9	3.7	7.9	3.2	12	3046
21-23 LST														0	0

BARCELONA, SPAIN
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	25.2	20.5	20.9	23.8	22.0	20.8	24.8	24.6	23.0	24.0	23.6	25.0	278.2	12	4231
	12 LST	23.8	18.8	23.9	26.5	26.9	26.8	29.8	28.8	26.7	28.4	24.3	22.1	306.8	12	4286
	18 LST	22.2	19.8	23.8	26.6	26.9	28.1	29.4	28.8	27.0	25.8	22.5	21.9	302.8	12	3046
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	00 LST														0	0
	06 LST	21.4	17.2	18.8	22.0	20.7	20.0	23.8	23.6	21.9	22.5	22.0	21.6	255.5	12	4214
	12 LST	20.5	13.2	20.0	22.7	24.1	21.4	26.4	23.9	23.4	25.2	21.9	18.4	261.1	12	4258
	18 LST	19.0	16.2	19.0	22.3	23.0	24.2	25.9	25.2	24.8	22.6	20.4	17.2	259.8	12	3040
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST														0	0
	06 LST	0.6	1.0	0.6	0.5	0.2	0.0	0.0	0.0	0.2	0.0	0.3	0.7	4.1	12	4247
	12 LST	0.7	1.0	0.8	0.2	0.1	0.1	0.0	0.0	0.3	0.1	0.0	0.6	3.9	12	4267
	18 LST	1.0	0.5	0.6	0.5	0.5	0.1	0.0	0.2	0.0	0.3	0.1	0.9	4.7	12	3059
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST														0	0
	06 LST	13.3	11.0	9.0	9.3	7.0	8.0	7.8	8.3	10.0	11.9	11.4	11.5	118.5	12	4230
	12 LST	16.4	12.5	19.0	20.7	23.3	21.2	23.2	24.6	21.6	18.8	17.6	15.1	237.0	12	4265
	18 LST	12.7	14.6	16.9	20.4	20.8	22.7	23.1	20.6	18.1	13.6	11.1	12.4	205.0	12	3050
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	12.8	9.5	9.4	9.4	7.7	9.4	12.9	10.3	7.3	8.3	7.9	12.0	116.9	12	4248
	12 LST	11.2	7.7	9.0	11.4	10.3	11.0	15.7	11.7	7.7	8.4	8.8	8.1	121.0	12	4288
	18 LST	11.1	7.8	9.0	8.7	7.9	10.1	14.0	11.4	9.2	9.5	10.6	9.8	119.1	12	3054
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	23.3	19.6	19.4	22.1	20.3	19.6	23.4	22.3	21.1	21.8	21.3	22.2	256.4	12	4231
	12 LST	22.8	17.6	21.3	24.6	24.8	24.8	28.2	27.1	23.8	25.8	22.1	20.4	283.3	12	4286
	18 LST	21.2	18.8	22.1	25.5	25.3	26.6	28.1	26.7	23.7	23.7	21.3	21.6	264.6	12	3046
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	20.1	17.7	15.3	18.7	17.3	17.6	20.6	19.1	16.9	17.0	17.7	19.4	217.4	12	4231
	12 LST	20.1	15.3	17.6	21.2	21.7	21.3	23.2	22.1	19.0	20.1	17.9	17.7	237.2	12	4286
	18 LST	19.4	15.9	18.6	21.0	20.7	23.2	24.6	22.4	18.5	18.9	17.7	19.2	240.1	12	3046
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	20.0	17.7	15.3	18.7	17.3	17.6	20.6	19.1	16.9	16.9	17.6	19.4	217.1	12	4231
	12 LST	20.1	15.3	17.6	21.2	21.7	21.3	23.2	22.1	19.0	20.1	17.9	17.7	237.2	12	4286
	18 LST	19.4	15.9	18.6	21.0	20.7	23.2	24.6	22.4	18.4	18.9	17.7	19.2	240.0	12	3046

VALENCIA, SPAIN

STA NO. 08285 (IN AREA NUMBER 03)

LATITUDE 3929N

LONGITUDE 00028W

ELEVATION(FT) 00213

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	82	82	87	95	95	97	107	102	97	92	85	77	107	26	-528
MEAN MAX TMP (F)	58	60	63	67	73	78	83	83	80	73	65	51	70	26	-28
MEAN MIN TMP (F)	41	43	47	51	56	63	68	69	64	57	48	42	54	27	-28
ABS MIN TMP (F)	20	19	29	38	41	46	51	55	45	38	31	28	19	27	-528
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.2	1.0	2.0	3.4	1.4	0.0	0.0	0.0	8.0	12	4262
MEAN NO DYS TMP = DR LES 32(F)	0.2	1.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	2.0	12	4274
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	4274
MEAN DEW PT TMP (F)	37	39	45	48	54	62	68	67	63	57	50	44	53	5	13823
MEAN REL HUM (PCT)	68	64	62	65	64	64	65	68	70	69	68	67	66	15	-28
MEAN PRESS ALT (FT)	32	88	141	174	166	142	126	147	121	119	119	86	122	0	-50
MEAN PRECIP (IN)	0.95	1.58	1.06	1.18	1.30	1.14	0.43	0.32	2.80	1.77	2.84	1.02	16.4	30	-122
MEAN SNOW FALL (IN)			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			27	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	3.1	5.2	3.6	4.0	4.4	3.4	1.2	0.7	7.1	5.2	7.1	3.4	48.5	30	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			27	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	0.1	1.0	1.0	0.4	0.6	0.2	0.0	0.0	0.8	0.2	0.4	0.4	5.2	5	1786
MEAN NO DYS TSTMS	0.0	0.6	0.2	1.2	1.6	1.6	1.2	1.8	1.4	2.5	0.4	0.4	12.9	5	1786
P FREQ WND SPD = DR GTR 17 KTS	7.0	8.4	6.8	6.3	3.0	3.5	0.6	1.4	1.3	1.6	4.4	5.2	4.1	5	14176
P FREQ WND SPD = DR GTR 28 KTS	1.5	0.6	1.0	1.4	0.1	0.4	0.0	0.1	0.0	0.0	0.5	0.5	0.5	5	14176
P FREQ LES 5000 FT A/D LES 5 MI	29.6	26.0	34.0	30.9	29.2	25.6	30.5	27.0	25.7	27.8	26.5	29.4	28.5	12	21020
P FREQ LES 1900 FT A/D LES 3 MI															
FOR 00-02 LST	2.0	2.9	3.9	6.0	2.6	1.4	1.3	1.3	2.0	0.7	0.7	2.1	2.2	5	1779
03-05 LST	2.6	0.7	4.5	5.4	3.3	3.4	1.9	2.0	1.4	1.3	2.1	2.6	2.6	5	1799
06-08 LST	6.9	12.2	13.5	9.3	14.0	11.2	11.5	6.6	11.9	12.1	8.9	6.0	10.3	12	4277
09-11 LST	13.6	12.2	11.7	9.4	5.2	4.7	2.6	1.3	2.0	7.9	6.9	9.3	7.2	5	1801
12-14 LST	7.6	7.1	7.8	3.6	3.5	1.8	2.2	2.4	2.7	5.0	4.6	3.6	4.3	12	4174
15-17 LST	3.4	3.5	3.9	6.0	2.6	2.1	1.3	0.7	0.0	2.0	2.7	2.6	2.6	5	1795
18-20 LST	5.9	6.6	5.6	3.4	3.9	2.3	1.1	2.2	2.3	6.1	7.5	6.9	4.5	12	4266
21-23 LST	5.3	6.5	5.2	4.7	3.9	3.4	1.3	1.3	2.0	2.6	1.4	1.9	3.3	5	1806
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.0	2.1	1.3	2.0	0.0	0.7	0.0	0.6	0.7	0.0	0.0	1.4	0.7	5	1779
03-05 LST	0.0	0.7	1.9	1.4	0.7	0.7	0.0	0.7	0.7	0.0	0.0	1.3	0.7	5	1799
06-08 LST	3.1	5.7	7.5	3.7	6.7	2.8	3.6	2.5	6.5	5.4	2.3	1.9	4.3	12	4277
09-11 LST	6.5	4.3	4.5	2.0	1.3	0.0	0.0	0.0	0.7	1.3	4.1	2.7	2.3	5	1801
12-14 LST	2.4	2.3	1.4	0.6	0.3	0.0	0.8	0.0	0.6	0.6	0.6	0.9	0.9	12	4174
15-17 LST	2.0	0.7	1.7	0.7	0.0	0.0	0.7	0.0	0.0	0.7	0.7	1.3	0.7	5	1795
18-20 LST	2.0	1.8	1.7	1.1	0.0	0.6	0.0	0.0	0.6	1.9	2.6	1.7	1.2	12	4266
21-23 LST	0.7	4.3	1.3	1.3	0.7	0.0	0.0	0.6	0.7	0.0	1.4	0.6	1.0	5	1806

VALENCIA, SPAIN
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST	30.3	27.2	30.1	28.8	30.5	29.7	30.8	30.5	29.5	30.7	29.7	30.3	358.1	5	1779
	06 LST	28.9	24.7	26.9	27.4	27.0	26.8	27.6	29.0	26.5	27.3	27.5	29.2	328.8	12	4277
	12 LST	28.9	26.1	28.7	29.1	30.1	29.6	30.4	30.3	29.2	29.5	29.7	30.0	350.6	12	4174
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	00 LST	26.4	21.8	27.3	25.2	28.3	27.5	30.0	30.5	27.5	29.7	25.4	25.7	325.3	5	1779
	06 LST	23.4	19.6	23.5	25.4	24.8	25.5	26.9	28.1	25.0	24.9	23.2	23.7	294.0	12	4273
	12 LST	21.4	17.5	20.9	22.2	22.9	22.9	25.3	23.9	24.6	23.9	22.1	23.0	270.6	12	4173
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST	1.2	2.0	0.4	0.8	0.2	0.4	0.2	0.0	0.0	0.0	1.5	0.8	7.5	5	1781
	06 LST	1.8	1.4	0.6	0.2	0.2	0.0	0.0	0.0	0.1	0.5	0.8	1.6	7.2	12	4292
	12 LST	2.5	3.1	2.0	1.9	0.8	1.4	0.5	1.0	0.6	0.9	1.9	1.8	18.4	12	4175
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST	12.2	11.4	8.6	7.6	9.9	9.1	5.6	7.2	5.8	9.9	10.9	12.3	110.5	5	1779
	06 LST	12.9	10.8	11.2	8.9	7.3	7.3	6.0	6.0	6.8	10.5	12.5	14.9	115.1	12	4284
	12 LST	11.8	11.5	14.3	17.9	19.8	19.8	22.8	18.6	17.2	14.9	12.5	13.1	194.2	12	4171
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST	19.2	17.7	17.5	15.4	16.7	17.7	20.8	21.9	19.7	17.9	14.8	17.1	216.4	5	1779
	06 LST	16.2	13.4	9.0	11.4	10.0	12.6	13.5	11.7	10.1	10.8	10.2	16.4	145.3	12	4283
	12 LST	10.8	9.5	9.0	10.2	9.4	11.9	17.1	14.9	12.9	8.8	8.3	11.5	134.3	12	4170
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST	28.9	25.8	27.9	25.4	28.7	28.3	29.6	28.7	27.7	28.9	27.8	27.4	335.1	5	1779
	06 LST	26.5	22.3	23.9	24.5	24.1	24.7	24.3	25.3	23.2	24.5	24.0	26.1	293.6	12	4277
	12 LST	26.6	24.0	26.1	26.2	27.3	27.9	28.7	28.2	27.4	27.3	25.4	27.3	322.4	12	4174
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST	27.3	24.8	26.3	24.0	27.5	27.5	28.0	27.1	25.9	26.9	26.4	24.8	316.5	5	1779
	06 LST	24.7	21.1	21.8	22.5	22.4	23.1	21.7	22.1	20.8	21.8	21.4	24.0	267.4	12	4277
	12 LST	24.8	22.1	24.2	24.0	25.6	26.7	27.5	26.6	25.8	25.3	22.6	25.2	300.4	12	4174
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST	27.3	24.8	26.3	24.0	27.5	27.5	28.0	27.1	25.9	26.9	26.4	24.8	316.5	5	1779
	06 LST	24.7	21.1	21.6	22.5	22.4	23.1	21.7	22.1	20.6	21.7	21.4	24.0	266.9	12	4277
	12 LST	24.8	22.1	24.2	24.0	25.6	26.7	27.5	26.6	25.8	25.3	22.6	25.2	300.4	12	4174
	18 LST	24.5	22.9	24.5	24.2	25.4	25.4	26.8	25.0	25.3	22.9	21.9	24.1	292.9	12	4266

ALICANTE, SPAIN

STA NO. 08359 (IN AREA NUMBER 03)

LATITUDE 3823N

LONGITUDE 00031W

ELEVATION(FT) 00308

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	77	78	84	90	95	97	106	102	98	97	87	76	106	22	-28
MEAN MAX TMP (F)	60	62	66	70	75	81	86	87	83	77	67	62	73	22	-28
MEAN MIN TMP (F)	41	43	46	50	55	61	66	67	64	57	45	44	53	22	-28
ABS MIN TMP (F)	27	29	33	39	41	51	58	58	50	39	35	29	27	22	-28
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.4	0.8	4.1	7.0	0.8	0.4	0.0	0.0	13.5	5	-8433
MEAN NO DYS TMP = DR LES 32(F)	4.7	3.1	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	9.4	5	-8433
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-8433
MEAN DEW PT TMP (F)	38	39	42	45	49	55	59	62	60	53	42	40	49	0	-50
MEAN REL HUM (PCT)	66	62	66	63	61	62	61	65	67	67	66	66	64	19	-28
MEAN PRESS ALT (FT)	126	183	233	271	266	244	230	250	222	218	213	177	219	0	-50
MEAN PRECIP (IN)	0.79	0.71	1.18	1.46	0.98	0.63	0.24	0.20	2.13	1.58	2.21	1.10	13.2	30	-122
MEAN SNOW FALL (IN)		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		22	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	2.5	2.2	4.0	4.8	3.3	1.8	0.5	0.3	5.9	4.8	6.1	3.6	39.8	30	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		22	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0	0.4	4.0	6.7	3.9	0.6	0.0	0.0	1.1	0.7	0.7	0.7	18.8	5	-8433
MEAN NO DYS TSTMS	0.3	2.0	3.0	7.0	3.0	4.0	1.0	6.0	3.0	2.0	1.0	1.0	33.3	7	-24
P FREQ WND SPD = DR GTR 17 KTS	16.3	14.1	16.4	14.3	11.6	10.2	8.3	5.8	9.2	11.5	10.9	17.4	12.5	5	-8433
P FREQ WND SPD = DR GTR 28 KTS	4.7	1.5	1.9	2.3	1.1	0.5	0.4	1.4	2.1	0.5	1.8	2.9	1.8	5	-8433
P FREQ LES 5000 FT A/D LES 5 MI	21.8	19.2	23.1	25.8	20.2	16.9	17.9	13.7	18.1	17.1	17.8	25.0	19.7	5	-8433
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	10.5	4.3	30.3	28.0	26.1	18.4	10.1	5.2	21.8	20.7	8.7	9.8	16.2	5	-8433
03-05 LST	10.5	7.1	29.3	26.1	26.4	17.6	7.2	3.3	22.0	20.9	8.7	8.9	15.7	5	-8433
06-08 LST	3.3	2.9	7.5	5.5	4.6	4.7	5.2	0.6	2.7	2.6	3.4	2.6	3.8	5	-8433
09-11 LST	2.6	2.9	6.9	5.4	5.9	0.7	2.0	1.3	2.0	3.3	4.7	5.2	3.6	5	-8433
12-14 LST	1.9	2.1	7.8	6.0	3.9	1.4	2.0	1.3	0.0	1.3	4.1	3.9	3.0	5	-8433
15-17 LST	1.3	0.7	6.0	4.1	3.5	1.3	1.3	1.9	0.0	2.0	4.1	3.9	2.5	5	-8433
18-20 LST	1.9	1.4	6.0	4.1	2.6	1.4	0.7	3.2	0.0	1.9	2.0	3.9	2.4	5	-8433
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	1.3	0.0	13.4	22.9	17.6	10.9	5.4	0.0	4.2	4.4	4.0	1.6	7.1	5	-8433
03-05 LST	2.6	1.4	7.3	21.7	13.2	6.1	0.7	0.0	5.0	4.5	4.8	0.8	5.7	5	-8433
06-08 LST	0.7	0.7	2.6	2.1	0.7	1.3	0.6	0.0	1.4	0.6	0.7	0.7	1.0	5	-8433
09-11 LST	0.0	0.0	0.7	0.7	0.0	0.0	0.0	0.0	0.7	1.3	1.4	2.0	0.6	5	-8433
12-14 LST	0.0	0.0	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	1.3	0.3	5	-8433
15-17 LST	0.0	0.0	0.7	0.7	0.0	0.0	0.0	0.6	0.0	0.0	0.7	1.3	0.3	5	-8433
18-20 LST	0.6	0.7	0.0	0.0	0.0	0.0	0.0	0.6	0.0	1.3	0.0	1.3	0.4	5	-8433
21-23 LST														0	0

ALICANTE, SPAIN
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST	27.9	26.7	21.8	21.6	23.3	24.6	28.0	29.6	23.4	24.8	27.6	27.9	307.2	5	-8433
	06 LST	29.9	27.3	28.9	28.7	29.5	29.2	29.9	31.0	29.3	30.6	29.3	30.3	354.3	5	-8433
	12 LST	31.0	27.6	28.9	28.3	30.4	29.7	30.5	31.0	30.0	30.7	28.9	29.9	356.9	5	-8433
	18 LST	30.7	27.5	29.5	29.1	30.5	29.7	31.0	30.4	30.0	30.4	29.5	29.9	358.2	5	-8433
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	00 LST	19.2	19.4	16.1	16.7	19.4	21.8	24.3	24.6	20.7	19.5	20.4	15.5	237.6	5	-8433
	06 LST	20.6	19.5	20.3	22.1	25.2	23.8	23.9	26.7	25.9	23.6	22.5	19.4	273.5	5	-8433
	12 LST	15.9	13.6	17.2	14.6	13.4	13.9	13.9	16.5	16.5	19.1	16.8	14.0	184.4	5	-8433
	18 LST	20.9	14.5	15.6	12.5	16.0	16.2	17.4	17.4	18.5	20.4	20.7	18.7	208.8	5	-8433
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST	2.6	2.2	2.3	1.2	1.3	1.4	1.0	1.2	1.6	2.5	2.3	4.8	24.4	5	-8433
	06 LST	4.6	1.6	1.4	1.6	1.0	1.0	1.4	2.6	1.2	0.6	1.2	4.0	22.2	5	-8433
	12 LST	6.6	5.7	6.2	4.0	4.6	4.4	3.6	3.2	2.2	4.4	4.8	6.5	58.2	5	-8433
	18 LST	4.4	4.6	5.2	4.5	4.4	4.0	3.4	3.8	1.4	2.8	2.4	4.0	44.9	5	-8433
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST	14.2	12.2	12.2	15.3	15.5	12.8	12.5	12.0	10.8	15.6	15.7	13.0	161.8	5	-8433
	06 LST	13.7	11.4	13.5	14.0	15.3	14.6	14.4	15.5	15.8	16.4	16.8	17.2	178.6	5	-8433
	12 LST	11.2	10.5	12.6	12.4	13.8	15.3	14.3	16.3	18.3	15.2	14.3	11.0	165.2	5	-8433
	18 LST	11.7	10.9	13.7	12.9	14.9	14.5	14.9	15.2	17.1	16.8	14.8	14.7	172.1	5	-8433
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST	18.3	16.4	14.0	11.9	13.5	14.6	19.9	21.0	14.7	14.0	13.5	17.0	188.8	5	-8433
	06 LST	16.6	12.9	11.0	9.8	10.0	12.4	15.5	15.9	10.7	11.2	11.1	14.3	151.4	5	-8433
	12 LST	13.2	10.7	9.1	8.6	9.8	14.7	16.8	17.3	11.4	7.2	7.2	8.7	134.7	5	-8433
	18 LST	14.6	10.7	9.3	9.2	10.1	14.1	21.4	17.2	13.2	10.2	4	11.0	150.4	5	-8433
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST	25.9	26.1	21.1	21.1	22.2	24.2	27.6	28.4	23.2	23.8	26.9	26.1	296.6	5	-8433
	06 LST	28.3	25.9	27.9	26.5	28.5	27.0	27.1	29.5	28.1	28.6	28.1	28.5	334.0	5	-8433
	12 LST	27.7	26.8	27.9	26.5	28.4	28.7	29.1	29.3	29.1	29.1	27.7	28.1	338.4	5	-8433
	18 LST	27.7	26.7	28.5	26.7	29.1	28.5	29.5	29.0	28.9	29.4	28.7	27.9	340.6	5	-8433
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST	24.2	25.1	21.1	20.3	21.3	24.0	27.2	27.6	23.0	23.4	26.9	25.1	289.2	5	-8433
	06 LST	26.7	24.7	27.3	25.4	27.9	25.8	25.9	28.5	27.1	27.4	27.3	27.3	371.3	5	-8433
	12 LST	25.1	26.0	27.3	25.1	27.6	28.1	28.3	28.5	28.3	27.7	27.1	26.7	325.8	5	-8433
	18 LST	25.9	25.7	27.4	25.0	28.5	28.1	28.5	28.6	27.7	28.2	28.3	25.1	327.0	5	-8433
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST	24.0	25.1	21.1	20.3	21.3	24.0	27.2	27.6	23.0	23.4	26.9	25.1	289.0	5	-8433
	06 LST	26.7	24.7	27.3	25.4	27.9	25.8	25.9	28.5	27.1	27.4	27.3	27.1	321.1	5	-8433
	12 LST	25.1	26.0	27.1	25.1	27.6	28.1	28.3	28.5	28.1	27.7	27.1	26.5	325.2	5	-8433
	18 LST	25.9	25.7	27.4	25.0	28.5	28.1	28.5	28.6	27.7	28.2	28.3	25.1	327.0	5	-8433

MURCIA-ALCANTARILLA, SPAIN

STA NO. 08429 (IN AREA NUMBER 03)

LATITUDE 3756N

LONGITUDE 00114W

ELEVATION(FT) 00246

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	76	82	88	99	98	104	112	107	102	99	87	77	112	25	-28
MEAN MAX TMP (F)	60	63	67	72	79	85	91	91	85	77	68	61	75	25	-28
MEAN MIN TMP (F)	40	42	45	49	55	61	66	67	62	55	47	41	53	25	-28
ABS MIN TMP (F)	25	14	30	36	42	47	52	54	46	36	31	26	14	25	-28
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0			7.8	18.4	18.4	7.8		0.0	0.0		25	-29
MEAN NO DYS TMP = DR LES 32(F)			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			25	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	25	-29
MEAN DEW PT TMP (F)	38	39	42	45	49	55	59	62	60	53	42	40	49	0	-50
MEAN REL HUM (PCT)	83	82	83	79	78	79	78	79	82	82	82	83	81	5	-28
MEAN PRESS ALT (FT)	69	126	173	213	207	185	172	191	161	159	154	118	161	0	-50
MEAN PRECIP (IN)	0.50	0.90	0.90	1.40	1.10	0.50	0.10	0.20	1.30	1.30	2.00	1.00	11.2	27	-28
MEAN SNOW FALL (IN)			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			25	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	1.4	2.9	3.0	4.6	3.7	1.4	0.0	0.3	4.2	4.2	5.7	3.3	34.7	27	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			25	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0	0.4	4.0	6.7	3.9	0.6	0.0	0.0	1.1	0.7	0.7	0.7	18.8	5	-8433
MEAN NO DYS TSTMS	0.3	3.0	3.0	4.0	3.0	3.0	2.0	2.0	2.0	1.0	2.0	2.0	27.3	7	-24
P FREQ WND SPD = DR GTR 17 KTS	16.3	14.1	16.4	14.3	11.6	10.2	8.3	9.8	9.2	11.5	10.9	17.4	12.5	5	-8433
P FREQ WND SPD = DR GTR 28 KTS	4.7	1.5	1.9	2.3	1.1	0.5	0.4	1.4	2.1	0.5	1.8	2.9	1.8	5	-8433
P FREQ LES 5000 FT A/D LES 5 MI	21.8	19.2	23.1	25.8	20.2	16.9	17.9	13.7	18.1	17.1	17.8	25.0	19.7	5	-8433
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	10.5	4.3	30.3	28.0	26.1	18.4	10.1	5.2	21.8	20.7	8.7	9.8	16.2	5	-8433
03-05 LST	10.5	7.1	29.3	26.1	26.4	17.6	7.2	3.3	22.0	20.9	8.7	8.9	15.7	5	-8433
06-08 LST	3.3	2.9	7.9	5.5	4.6	4.7	5.2	0.6	2.7	2.6	3.4	2.6	3.6	5	-8433
09-11 LST	2.6	2.9	6.9	5.4	5.9	0.7	2.0	1.3	2.0	3.3	4.7	5.2	3.6	5	-8433
12-14 LST	1.9	2.1	7.8	6.0	3.9	1.4	2.0	1.3	0.0	1.3	4.1	3.9	3.0	5	-8433
15-17 LST	1.3	0.7	6.0	4.1	3.9	1.3	1.3	1.9	0.0	2.0	4.1	3.9	2.5	5	-8433
18-20 LST	1.9	1.4	6.0	4.1	2.6	1.4	0.7	3.2	0.0	1.9	2.0	3.9	2.4	5	-8433
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	1.3	0.0	13.4	22.9	17.6	10.9	5.4	0.0	4.2	4.4	4.0	1.6	7.1	5	-8433
03-05 LST	2.6	1.4	7.3	21.7	13.2	6.1	0.7	0.0	5.0	4.5	4.8	0.8	5.7	5	-8433
06-08 LST	0.7	0.7	2.6	2.1	0.7	1.3	0.0	0.0	1.4	0.6	0.7	0.7	1.0	5	-8433
09-11 LST	0.0	0.0	0.7	0.7	0.0	0.0	0.0	0.0	0.7	1.3	1.4	2.0	0.6	5	-8433
12-14 LST	0.0	0.0	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	1.3	0.3	5	-8433
15-17 LST	0.0	0.0	0.7	0.7	0.0	0.0	0.0	0.6	0.0	0.0	0.7	1.3	0.3	5	-8433
18-20 LST	0.6	0.7	0.0	0.0	0.0	0.0	0.0	0.6	0.0	1.3	0.0	1.3	0.4	5	-8433
21-23 LST														0	0

MURCIA-ALCANTARILLA, SPAIN

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST	27.9	26.7	21.8	21.6	23.3	24.6	28.0	29.6	23.4	24.8	27.6	27.9	307.2	5	-8433
	06 LST	29.9	27.3	28.9	28.7	29.9	29.2	29.9	31.0	29.3	30.6	29.3	30.3	354.3	5	-8433
	12 LST	31.0	27.6	28.9	28.3	30.4	29.7	30.5	31.0	30.0	30.7	28.9	29.9	356.9	5	-8433
	18 LST	30.7	27.5	29.5	29.1	30.5	29.7	31.0	30.4	30.0	30.4	29.5	29.9	358.2	5	-8433
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	00 LST	19.2	19.4	16.1	16.7	19.4	21.8	24.3	24.6	20.7	19.5	20.4	15.5	237.6	5	-8433
	06 LST	20.6	19.5	20.3	22.1	25.2	23.8	23.9	26.7	25.9	23.6	22.5	19.4	273.5	5	-8433
	12 LST	15.9	13.6	16.2	14.6	13.4	13.9	13.9	16.5	16.5	19.1	16.8	14.0	184.4	5	-8433
	18 LST	20.9	14.5	15.6	12.5	16.0	16.2	17.4	17.4	18.5	20.4	20.7	18.7	208.8	5	-8433
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST	2.6	2.2	2.3	1.2	1.3	1.4	1.0	1.2	1.6	2.5	2.3	4.8	24.4	5	-8433
	06 LST	4.6	1.6	1.4	1.6	1.0	1.0	1.4	2.6	1.2	0.6	1.2	4.0	22.2	5	-8433
	12 LST	6.6	5.7	6.2	4.0	4.6	4.4	3.6	3.2	4.2	4.4	4.8	6.5	58.2	5	-8433
	18 LST	4.4	4.6	5.2	4.5	4.4	4.0	3.4	3.8	1.4	2.8	2.4	4.0	44.9	5	-8433
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST	14.2	12.2	12.2	15.3	15.5	12.8	12.5	12.0	10.8	15.6	15.7	13.0	161.8	5	-8433
	06 LST	13.7	11.4	13.5	14.0	15.3	14.6	14.4	15.5	15.8	16.4	16.8	17.2	178.6	5	-8433
	12 LST	11.2	10.5	12.6	12.4	13.8	15.3	14.3	16.3	18.3	15.2	14.3	11.0	165.2	5	-8433
	18 LST	11.7	10.9	13.7	12.9	14.9	14.5	14.9	15.2	17.1	16.8	14.8	14.7	172.1	5	-8433
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST	18.3	16.4	14.0	11.9	13.5	14.6	19.9	21.0	14.7	14.0	13.5	17.0	186.8	5	-8433
	06 LST	16.6	12.9	11.0	9.8	10.0	12.4	15.5	15.9	10.7	11.2	11.1	14.3	151.4	5	-8433
	12 LST	13.2	10.7	9.1	8.6	9.8	14.7	16.8	17.3	11.4	7.2	7.2	8.7	134.7	5	-8433
	18 LST	14.6	10.7	9.3	9.2	10.1	14.1	21.4	17.2	13.2	10.2	9.4	11.0	150.4	5	-8433
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST	25.9	26.1	21.1	21.1	22.2	24.2	27.6	28.4	23.2	23.8	26.9	26.1	296.6	5	-8433
	06 LST	28.3	25.9	27.9	26.5	28.5	27.0	27.1	29.5	28.1	28.6	28.1	28.5	334.0	5	-8433
	12 LST	27.7	26.8	27.9	26.5	28.4	28.7	29.1	29.3	29.1	29.1	27.7	28.1	338.4	5	-8433
	18 LST	27.7	26.7	28.5	26.7	29.1	28.5	29.5	29.0	28.9	29.4	28.7	27.9	340.6	5	-8433
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST	24.2	25.1	21.1	20.3	21.3	24.0	27.2	27.6	23.0	23.4	26.9	25.1	289.2	5	-8433
	06 LST	26.7	24.7	27.3	25.4	27.9	25.8	25.9	28.5	27.1	27.4	27.3	27.3	321.3	5	-8433
	12 LST	25.1	26.0	27.3	25.1	27.6	28.1	28.3	28.5	28.3	27.7	27.1	26.7	325.8	5	-8433
	18 LST	25.9	25.7	27.4	25.0	28.5	28.1	28.5	28.6	27.7	28.2	28.3	25.1	327.0	5	-8433
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST	24.0	25.1	21.1	20.3	21.3	24.0	27.2	27.6	23.0	23.4	26.9	25.1	289.0	5	-8433
	06 LST	26.7	24.7	27.3	25.4	27.9	25.8	25.9	28.5	27.1	27.4	27.3	27.1	321.1	5	-8433
	12 LST	25.1	26.0	27.1	25.1	27.6	28.1	28.3	28.5	28.1	27.7	27.1	26.5	325.2	5	-8433
	18 LST	25.9	25.7	27.4	25.0	28.5	28.1	28.5	28.6	27.7	28.2	28.3	25.1	327.0	5	-8433

SAN JAVIER, SPAIN

STA NO. 06433 (IN AREA NUMBER 03)

LATITUDE 3747N

LONGITUDE 00048W

ELEVATION(FT) 00052

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR	NO.
														(YRS)	OBS
ABS MAX TMP (F)	77	75	88	81	93	93	100	99	91	93	82	77	100	5	1782
MEAN MAX TMP (F)	59	62	66	67	73	80	85	86	82	75	69	63	72	5	1782
MEAN MIN TMP (F)	40	41	47	49	55	63	68	69	65	58	51	46	54	5	1775
ABS MIN TMP (F)	25	27	32	36	41	52	59	57	54	39	34	25	25	5	1775
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.4	0.8	4.1	7.0	0.8	0.4	0.0	0.0	13.5	5	1782
MEAN NO DYS TMP = OR LES 32(F)	4.7	3.1	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	9.4	5	1775
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	11098
MEAN DEW PT TMP (F)	40	42	47	50	55	63	68	69	66	59	53	46	55	5	11067
MEAN REL HUM (PCT)	73	74	74	74	72	74	76	76	77	79	78	76	75	0	-50
MEAN PRESS ALT (FT)	-163	-107	-58	-17	-22	-43	-56	-37	-66	-70	-78	-115	-68	5	1727
MEAN PRECIP (IN)	1.09	0.92	2.19	3.12	0.55	1.10	0.00	0.17	1.85	2.26	1.16	1.16	15.6	5	-29
MEAN SNOW FALL (IN)			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			5	1727
MEAN NO DYS PRCP = OR GTR 0.1 IN	2.1	3.0	3.6	4.3	1.9	1.3	0.0	0.4	2.1	2.6	2.1	2.1	25.5	5	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			5	1642
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0	0.4	4.0	6.7	3.9	0.6	0.0	0.0	1.1	0.7	0.7	0.7	18.8	5	1642
MEAN NO DYS TSTMS	0.0	0.4	0.0	0.5	1.3	0.2	0.0	0.4	2.1	2.5	0.5	0.5	8.4	5	11379
P FREQ WND SPD = OR GTR 17 KTS	16.3	14.1	16.4	14.3	11.6	10.2	8.3	9.8	9.2	11.5	10.9	17.4	12.5	5	11379
P FREQ WND SPD = OR GTR 28 KTS	4.7	1.5	1.9	2.3	1.1	0.5	0.4	1.4	2.1	0.5	1.8	2.9	1.8	5	12254
P FREQ LES 5000 FT A/D LES 5 MI	21.8	19.2	23.1	25.8	20.2	16.9	17.9	13.7	18.1	17.1	17.8	25.0	19.7		
P FREQ LES 1900 FT A/D LES 3 MI														5	1645
FOR 00-02 LST	10.5	4.3	30.3	28.0	26.1	18.4	10.1	5.2	21.8	20.7	8.7	9.8	16.2	5	1652
03-05 LST	10.5	7.1	29.3	26.1	26.4	17.6	7.2	3.3	22.0	20.9	8.7	8.9	15.7	5	1800
06-08 LST	3.3	2.9	7.9	5.5	4.6	4.7	5.2	0.6	2.7	2.6	3.4	2.6	3.8	5	1794
09-11 LST	2.6	2.9	6.9	5.4	5.9	0.7	2.0	1.3	2.0	3.3	4.7	5.2	3.6	5	1807
12-14 LST	1.9	2.1	7.8	6.0	3.9	1.4	2.0	1.3	0.0	1.3	4.1	3.9	3.0	5	1602
15-17 LST	1.3	0.7	6.0	4.1	3.9	1.3	1.3	1.9	0.0	2.0	4.1	3.9	2.5	5	1804
18-20 LST	1.9	1.4	6.0	4.1	2.6	1.4	0.7	3.2	0.0	1.9	2.0	3.9	2.4	5	1804
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														5	1645
FOR 00-02 LST	1.3	0.0	13.4	22.9	17.6	10.9	5.4	0.0	4.2	4.4	4.0	1.6	7.1	5	1652
03-05 LST	2.6	1.4	7.3	21.7	13.2	6.1	0.7	0.0	5.0	4.5	4.8	0.8	5.7	5	1800
06-08 LST	0.7	0.7	2.6	2.1	0.7	1.3	0.6	0.0	1.4	0.6	0.7	0.7	1.0	5	1794
09-11 LST	0.0	0.0	0.7	0.7	0.0	0.0	0.0	0.0	0.7	1.3	1.4	2.0	0.6	5	1807
12-14 LST	0.0	0.0	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	1.3	0.3	5	1802
15-17 LST	0.0	0.0	0.7	0.7	0.0	0.0	0.0	0.6	0.0	0.0	0.7	1.3	0.3	5	1804
18-20 LST	0.6	0.7	0.0	0.0	0.0	0.0	0.0	0.6	0.0	1.3	0.0	1.3	0.4	5	1804
21-23 LST														0	0

SAN JAVIER, SPAIN
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST	27.9	26.7	21.8	21.6	23.3	24.6	28.0	29.6	23.4	24.8	27.6	27.9	307.2	5	1645
	06 LST	29.9	27.3	28.9	28.7	29.9	29.2	29.9	31.0	29.3	30.6	29.3	30.3	354.3	5	1800
	12 LST	31.0	27.6	28.9	28.3	30.4	29.7	30.5	31.0	30.0	30.7	28.9	29.9	356.9	5	1807
	18 LST	30.7	27.5	29.5	29.1	30.5	29.7	31.0	30.4	30.0	30.4	29.5	29.9	358.2	5	1804
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	00 LST	19.2	19.4	16.1	16.7	19.4	21.8	24.3	24.6	20.7	19.5	20.4	15.5	237.6	5	1643
	06 LST	20.6	19.5	20.3	22.1	25.2	23.8	23.9	26.7	25.9	23.6	22.5	19.4	273.5	5	1799
	12 LST	15.9	13.6	16.2	14.6	13.4	13.9	13.9	16.5	16.5	19.1	16.8	14.0	184.4	5	1807
	18 LST	20.9	14.5	15.6	12.5	16.0	16.2	17.4	17.4	18.5	20.4	20.7	18.7	206.8	5	1804
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST	2.6	2.2	2.3	1.2	1.3	1.4	1.0	1.2	1.6	2.5	2.3	4.8	24.4	5	1642
	06 LST	4.6	1.6	1.4	1.6	1.0	1.0	1.4	2.6	1.2	0.6	1.2	4.0	22.2	5	1801
	12 LST	6.6	5.7	6.2	4.0	4.6	4.4	3.6	3.2	4.2	4.4	4.8	6.5	58.2	5	1808
	18 LST	4.4	4.6	5.2	4.5	4.4	4.0	3.4	3.8	1.4	2.8	2.4	4.0	44.9	5	1803
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST	14.2	12.2	12.2	15.3	15.5	12.8	12.5	12.0	10.8	15.6	15.7	13.0	161.8	5	1638
	06 LST	13.7	11.4	13.5	14.0	15.3	14.6	14.4	15.5	15.8	16.4	16.8	17.2	178.6	5	1799
	12 LST	11.2	10.5	12.6	12.4	13.8	15.3	14.3	16.3	18.3	15.2	14.3	11.0	165.2	5	1806
	18 LST	11.7	10.9	13.7	12.9	14.9	14.5	14.9	15.2	17.1	16.8	14.8	14.7	172.1	5	1801
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST	18.3	16.4	14.0	11.9	13.5	14.6	19.9	21.0	14.7	14.0	13.5	17.0	188.8	5	1645
	06 LST	16.6	12.9	11.0	9.8	10.0	12.4	15.5	15.9	10.7	11.2	11.1	14.3	151.4	5	1801
	12 LST	13.2	10.7	9.1	8.6	9.8	14.7	16.8	17.3	11.4	7.2	7.2	8.7	134.7	5	1809
	18 LST	14.6	10.7	9.3	9.2	10.1	14.1	14.1	17.2	13.2	10.2	9.4	11.0	150.4	5	1803
CIG = GTR 2500 FT AND VSEY = GTR 3 MI	00 LST	25.9	26.1	21.1	21.1	22.2	24.2	27.6	28.4	23.2	23.8	26.9	26.1	296.6	5	1645
	06 LST	28.3	25.9	27.9	26.5	28.5	27.0	27.1	29.5	28.1	28.6	28.1	28.5	334.0	5	1800
	12 LST	27.7	26.8	27.9	26.5	28.4	28.7	29.1	29.3	29.1	29.1	27.7	28.1	338.4	5	1807
	18 LST	27.7	26.7	28.5	26.7	29.1	28.5	29.5	29.0	28.9	29.4	28.7	27.9	340.6	5	1804
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST	24.2	25.1	21.1	20.3	21.3	24.0	27.2	27.6	23.0	23.4	26.9	25.1	289.2	5	1645
	06 LST	26.7	24.7	27.3	25.4	27.9	25.8	25.9	28.5	27.1	27.4	27.3	27.3	321.3	5	1800
	12 LST	25.1	26.0	27.3	25.1	27.6	28.1	28.3	28.5	28.3	27.7	27.1	26.7	325.8	5	1807
	18 LST	25.9	25.7	27.4	25.0	28.5	28.1	28.5	28.6	27.7	28.2	28.3	25.1	327.0	5	1804
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST	24.0	25.1	21.1	20.3	21.3	24.0	27.2	27.6	23.0	23.4	26.9	25.1	289.0	5	1645
	06 LST	26.7	24.7	27.3	25.4	27.9	25.8	25.9	28.5	27.1	27.4	27.3	27.1	321.1	5	1800
	12 LST	25.1	26.0	27.1	25.1	27.6	28.1	28.3	28.5	28.1	27.7	27.1	26.5	325.2	5	1807
	18 LST	25.9	25.7	27.4	25.0	28.5	28.1	28.5	28.6	27.7	28.2	28.3	25.1	327.0	5	1804

MALAGA, SPAIN

STA NO. 08482 (IN AREA NUMBER 03)

LATITUDE 3639N

LONGITUDE 00429W

ELEVATION(FT) 00051

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	73	78	81	89	91	100	105	105	97	87	83	75	105	23	-28
MEAN MAX TMP (F)	61	62	64	69	74	80	84	85	81	74	67	62	72	24	-28
MEAN MIN TMP (F)	47	48	51	55	60	66	70	72	68	61	53	48	58	26	-28
ABS MIN TMP (F)	32	35	38	43	46	52	55	62	52	40	40	35	32	20	-28
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0			6.8	8.1	3.6	0.0	0.0	0.0		24	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20	-29
MEAN DEW PT TMP (F)	44	44	47	50	53	58	62	62	61	57	49	45	53	22	-29
MEAN REL HUM (PCT)	71	70	72	68	64	64	63	61	67	72	70	72	68	17	-28
MEAN PRESS ALT (FT)	-155	-100	-38	2	4	-12	-19	-0	-28	-41	-61	-107	-45	0	-30
MEAN PRECIP (IN)	1.89	2.09	2.99	1.50	0.79	0.39	0.04	0.00	1.18	2.87	3.78	2.52	20.0	30	-122
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	6.0	6.5	7.1	4.9	2.6	1.0	0.0	0.0	4.0	7.2	8.4	7.5	55.2	30	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	2.0	1.0	1.0	3.0	2.0	1.0	0.3	1.0	3.0	2.0	1.0	1.0	18.3	7	-24
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

MALAGA, SPAIN
 MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
	18 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
	18 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
	18 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
	18 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
	18 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
	18 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
	18 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
	18 LST													0	0

DATA NOT AVAILABLE

LOS ALCAZARES, SPAIN

STA NO. 14204/ (IN AREA NUMBER 03)

LATITUDE 3744N

LONGITUDE 00051W

ELEVATION(FT) 00006

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	.7	75	88	81	93	93	100	99	91	93	82	77	100	5	-8433
MEAN MAX TMP (F)	59	62	66	67	73	80	85	86	82	75	69	63	72	5	-8433
MEAN MIN TMP (F)	40	41	47	49	55	63	68	69	65	58	51	46	54	5	-8433
ABS MIN TMP (F)	25	27	32	36	41	52	59	57	54	39	34	25	25	5	-8433
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.4	0.6	4.1	7.0	0.8	0.4	0.0	0.0	13.5	5	-8433
MEAN NO DYS TMP = DR LES 32(F)	4.7	3.1	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	9.4	5	-8433
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-8433
MEAN DEW PT TMP (F)	40	42	47	50	55	63	68	69	66	59	53	46	55	5	-8433
MEAN REL HUM (PCT)	73	74	74	74	72	74	76	76	77	79	78	76	75	5	-8433
MEAN PRESS ALT (FT)	-173	-116	-68	-27	-31	-53	-65	-47	-76	-80	-88	-124	-78	0	-50
MEAN PRECIP (IN)	1.09	0.92	2.19	3.12	0.55	1.10	0.00	0.17	1.85	2.26	1.16	1.16	15.6	5	-8433
MEAN SNOW FALL (IN)			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			5	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	7.1	3.0	3.6	4.3	1.9	1.3	0.0	0.4	2.1	2.6	2.1	2.1	25.5	5	-8433
MEAN NO DYS SNFL = DR GTR 1.5 IN			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			5	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0	0.4	4.0	6.7	3.9	0.6	0.0	0.0	1.1	0.7	0.7	0.7	18.8	5	-8433
MEAN NO DYS TSTMS	0.0	0.4	0.0	0.5	1.3	0.2	0.0	0.4	2.1	2.5	0.5	0.5	8.4	5	-8433
P FREQ WND SPD = DR GTR 17 KTS	16.3	14.1	16.4	14.3	11.6	10.2	8.3	9.8	9.2	11.5	10.9	17.4	12.5	5	-8433
P FREQ WND SPD = DR GTR 28 KTS	4.7	1.5	1.9	2.3	1.1	0.5	0.4	1.4	2.1	0.5	1.8	2.9	1.6	5	-8433
P FREQ LES 5000 FT A/D LES 5 MI	21.8	19.2	23.1	23.8	20.2	16.9	17.9	13.7	18.1	17.1	17.8	25.0	19.7	5	-8433
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	10.5	4.3	30.3	28.0	26.1	18.4	10.1	5.2	21.8	20.7	8.7	9.8	16.2	5	-8433
03-05 LST	10.5	7.1	29.3	26.1	26.4	17.6	7.2	3.3	22.0	20.9	8.7	8.9	15.7	5	-8433
06-08 LST	3.3	2.9	7.9	5.5	4.6	4.7	5.2	0.6	2.7	2.6	3.4	2.6	3.8	5	-8433
09-11 LST	2.6	2.9	6.9	5.4	5.9	0.7	2.0	1.3	2.0	3.3	4.7	5.2	3.6	5	-8433
12-14 LST	1.9	2.1	7.8	6.0	3.9	1.4	2.0	1.3	0.0	1.3	4.1	3.9	0	5	-8433
15-17 LST	1.3	0.7	6.0	4.1	3.9	1.3	1.3	1.9	0.0	2.0	4.1	3.9	2.5	5	-8433
18-20 LST	1.9	1.4	6.0	4.1	2.6	1.4	0.7	3.2	0.0	1.9	2.0	3.9	2.4	5	-8433
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	1.3	0.0	13.4	22.9	17.6	10.9	5.4	0.0	4.2	4.4	4.0	1.6	7.1	5	-8433
03-05 LST	2.6	1.4	7.3	21.7	13.2	6.1	0.7	0.0	5.0	4.5	4.8	0.8	5.7	5	-8433
06-08 LST	0.7	0.7	2.6	2.1	0.7	1.3	0.6	0.0	1.4	0.6	0.7	0.7	1.0	5	-3433
09-11 LST	0.0	0.0	0.7	0.7	0.0	0.0	0.0	0.0	0.7	1.3	1.4	2.0	0.6	5	-8433
12-14 LST	0.0	0.0	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	1.3	0.3	5	-8433
15-17 LST	0.0	0.0	0.7	0.7	0.0	0.0	0.0	0.6	0.0	0.0	0.7	1.3	0.3	5	-8433
18-20 LST	0.6	0.7	0.0	0.0	0.0	0.0	0.0	0.6	0.0	1.3	0.0	1.3	0.4	5	-8433
21-23 LST														0	0

LOS ALCAZARES, SPAIN
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST	27.9	26.7	21.8	21.6	23.3	24.6	28.0	29.6	23.4	24.8	27.6	27.9	307.2	5	-8433
	06 LST	29.9	27.3	28.9	28.7	29.9	29.2	29.9	31.0	29.3	30.6	29.3	30.3	354.3	5	-8433
	12 LST	31.0	27.6	28.9	28.3	30.4	29.7	30.5	31.0	30.0	30.7	28.9	29.9	356.9	5	-8433
	18 LST	30.7	27.5	29.5	29.1	30.5	29.7	31.0	30.4	30.0	30.4	29.5	29.5	358.2	5	-8433
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	00 LST	19.2	19.4	16.1	16.7	19.4	21.8	24.3	24.6	20.7	19.5	20.4	15.5	237.6	5	-8433
	06 LST	20.6	19.5	20.3	22.1	25.2	23.8	23.9	26.7	25.9	23.6	22.5	19.4	273.5	5	-8433
	12 LST	15.9	13.6	16.2	14.6	13.4	13.9	13.9	16.5	16.5	19.1	16.8	14.0	184.4	5	-8433
	18 LST	20.9	14.5	15.6	12.5	16.0	16.2	17.4	17.4	18.5	20.4	20.7	18.7	208.6	5	-8433
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST	2.6	2.2	2.3	1.2	1.3	1.4	1.0	1.2	1.6	2.5	2.3	4.8	24.4	5	-8433
	06 LST	4.6	1.6	1.4	1.6	1.0	1.0	1.4	2.6	1.2	0.6	1.2	4.0	22.2	5	-8433
	12 LST	5.6	5.7	6.2	4.0	4.6	4.4	3.6	3.2	4.2	4.4	4.8	6.5	58.2	5	-8433
	18 LST	4.4	4.6	5.2	4.5	4.4	4.0	3.4	3.8	1.4	2.8	2.4	4.0	44.9	5	-8433
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST	14.2	12.2	12.2	15.3	15.5	12.8	12.5	12.0	10.8	15.6	15.7	13.0	161.8	5	-8433
	06 LST	13.7	11.4	13.5	14.0	15.3	14.6	14.4	15.5	15.8	16.4	16.8	17.2	178.6	5	-8433
	12 LST	11.2	10.5	12.6	12.4	13.8	15.3	14.3	16.3	18.3	15.2	14.3	11.0	165.2	5	-8433
	18 LST	11.7	10.9	13.7	12.9	14.9	14.5	14.9	15.2	17.1	16.8	14.8	14.7	172.1	5	-8433
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST	18.3	16.4	14.0	11.9	13.5	14.6	19.9	21.0	14.7	14.0	13.5	17.0	188.8	5	-8433
	06 LST	16.6	12.9	11.0	9.8	10.0	12.4	15.5	15.9	10.7	11.2	11.1	14.3	151.4	5	-8433
	12 LST	13.2	10.7	9.1	8.6	9.8	14.7	16.8	17.3	11.4	7.2	7.2	8.7	134.7	5	-8433
	18 LST	14.6	10.7	9.3	9.2	10.1	14.1	21.4	17.2	13.2	10.2	9.4	11.0	150.4	5	-8433
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST	25.9	26.1	21.1	21.1	22.2	24.2	27.6	28.4	23.2	23.8	26.9	26.1	296.6	5	-8433
	06 LST	28.3	25.9	27.9	26.5	28.5	27.0	27.1	29.5	28.1	28.6	28.1	28.5	334.0	5	-8433
	12 LST	27.7	26.8	27.9	26.5	28.4	28.7	29.1	29.3	29.1	29.1	27.7	28.1	338.4	5	-8433
	18 LST	27.7	26.7	28.5	26.7	29.1	28.5	29.5	29.0	28.9	29.4	28.7	27.9	340.6	5	-8433
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST	24.2	25.1	21.1	20.3	21.3	24.0	27.2	27.6	23.0	23.4	26.9	25.1	289.2	5	-8433
	06 LST	26.7	24.7	27.3	25.4	27.9	25.8	25.9	28.5	27.1	27.4	27.3	27.3	321.3	5	-8433
	12 LST	25.1	26.0	27.3	25.1	27.6	28.1	28.3	28.5	28.3	27.7	27.1	26.7	325.6	5	-8433
	18 LST	25.9	25.7	27.4	25.0	28.5	28.1	28.5	28.6	27.7	28.2	28.3	25.1	327.0	5	-8433
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST	24.0	25.1	21.1	20.3	21.3	24.0	27.2	27.6	23.0	23.4	26.9	25.1	289.0	5	-8433
	06 LST	26.7	24.7	27.3	25.4	27.9	25.8	25.9	28.5	27.1	27.4	27.3	27.1	321.1	5	-8433
	12 LST	25.1	26.0	27.1	25.1	27.6	28.1	28.3	28.5	28.1	27.7	27.1	26.5	325.2	5	-8433
	18 LST	25.9	25.7	27.4	25.0	28.5	28.1	28.5	28.6	27.7	28.2	28.3	25.1	327.0	5	-8433

AREA NO. 03

SPAIN	EASTERN COAST		LATITUDE 3910N					LONGITUDE 00030W						
	BOUNDARIES	4226N 00310E 3640N 00540W	4100N 00005E 3622N 00515W	4100N 00005E	3716N 00200W	3716N 00200W	3640N 00540W							
PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)		59	61	65	68	74	80	85	86	82	75	66	59	72
MEAN MIN TMP (F)		42	44	47	51	56	63	68	69	65	58	49	44	55
LARGEST MEAN PRECIP(IN)		1.89	2.10	2.99	3.12	1.80	1.30	1.20	1.70	2.80	3.40	3.78	2.52	28.6
SMALLEST MEAN PRECIP(IN)		0.50	0.71	0.90	1.18	0.55	0.39	0.00	0.00	1.18	1.30	1.16	1.00	8.9
		MEAN NUMBER OF DAYS												
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST	29.1	27.0	26.0	25.2	26.9	27.2	29.4	30.1	26.5	27.8	28.7	29.1	333.0
	06 LST	28.0	24.2	25.6	26.6	26.3	25.6	27.4	28.2	26.3	27.3	26.8	28.2	320.5
	12 LST	27.9	24.2	27.2	28.0	29.1	28.7	30.2	30.0	28.6	29.5	27.3	27.3	338.0
	18 LST	27.4	24.6	27.7	28.3	29.2	29.1	30.4	29.9	28.8	28.4	26.7	27.0	337.5
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	00 LST	22.8	20.6	21.7	21.0	23.9	24.7	27.2	27.6	24.1	24.6	22.9	20.6	281.7
	06 LST	21.8	18.8	20.9	23.2	23.6	23.1	24.9	26.1	24.3	23.7	22.6	21.6	274.6
	12 LST	19.3	14.8	19.0	19.8	20.1	19.4	21.9	21.4	21.5	22.7	20.3	18.5	238.7
	18 LST	21.1	16.7	19.6	19.3	21.0	21.3	22.9	22.9	23.2	23.2	21.6	19.6	252.4
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST	1.9	2.1	1.4	1.0	0.8	0.9	0.6	0.6	0.8	1.3	1.9	2.8	16.1
	06 LST	2.3	1.3	0.9	0.8	0.5	0.3	0.5	0.9	0.5	0.4	0.8	2.1	11.3
	12 LST	3.3	3.3	3.0	2.0	1.8	2.0	1.4	1.4	1.7	1.8	2.2	3.0	26.9
	18 LST	2.4	2.3	2.3	2.0	1.8	1.7	1.3	1.5	0.5	1.2	1.0	2.0	20.0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST	13.2	11.8	10.4	11.5	12.7	11.0	9.1	9.6	8.3	12.8	13.3	12.7	136.4
	06 LST	13.3	11.1	11.2	10.7	9.9	10.0	9.4	9.9	10.9	12.9	13.6	14.5	137.4
	12 LST	13.1	12.5	15.3	17.0	19.0	18.8	20.1	19.8	19.0	16.3	14.8	13.1	198.8
	18 LST	12.1	12.3	15.4	16.5	17.7	18.4	19.7	18.6	15.3	13.7	12.1	13.5	185.4
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST	18.8	17.1	15.8	13.7	15.1	16.2	20.4	21.5	17.2	16.0	14.2	17.1	203.1
	06 LST	15.2	11.9	9.6	10.2	9.2	11.5	14.0	12.6	9.4	10.1	9.7	14.2	137.8
	12 LST	11.7	9.3	9.0	10.1	9.8	12.5	16.5	14.6	10.7	8.1	8.1	9.4	129.8
	18 LST	12.5	9.4	9.1	8.7	8.9	11.8	17.2	14.0	10.9	9.4	9.8	10.9	132.6
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST	27.4	26.0	24.5	23.3	25.5	26.3	28.6	28.6	25.5	26.4	27.4	26.8	316.3
	06 LST	26.0	22.7	23.7	24.4	24.1	23.8	24.9	25.7	24.1	25.0	24.5	25.6	294.7
	12 LST	25.7	22.8	25.1	25.8	26.8	27.1	28.7	28.2	26.8	27.4	25.1	25.3	314.8
	18 LST	25.2	23.3	25.7	26.2	27.2	27.5	28.7	27.7	26.7	26.2	24.9	25.2	314.5
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST	25.8	25.0	23.7	22.2	24.4	25.8	27.6	27.4	24.5	25.2	26.7	25.0	303.3
	06 LST	23.8	21.2	21.5	22.2	22.5	22.2	22.7	23.2	21.6	22.1	23.1	23.6	268.7
	12 LST	23.3	21.1	23.0	23.4	25.0	25.4	26.3	25.7	24.4	24.4	22.5	23.2	287.7
	18 LST	23.3	21.5	23.5	23.4	24.9	25.6	26.6	25.3	23.9	23.4	22.5	22.8	286.8
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST	25.7	25.0	23.7	22.2	24.4	25.8	27.6	27.4	24.5	25.2	26.7	25.0	303.2
	06 LST	23.8	21.2	21.4	22.2	22.5	22.2	22.7	23.2	21.5	22.0	22.1	23.5	268.3
	12 LST	23.3	21.1	23.0	23.4	25.0	25.4	26.3	25.7	24.3	24.4	22.5	23.1	287.5
	18 LST	23.3	21.5	23.5	23.4	24.9	25.6	26.6	25.3	23.8	23.3	22.6	22.8	286.6

SEVILLA/TABLADA, SPAIN

STA NO. 00390 (IN AREA NUMBER 04)

LATITUDE 3721N

LONGITUDE 00601W

ELEVATION(FT) 00026

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	81	82	84	89	98	108	110	109	103	92	83	72	110	8	-8397
MEAN MAX TMP (F)	59	62	65	71	80	86	93	94	88	77	66	59	75	8	-8397
MEAN MIN TMP (F)	44	43	47	49	56	62	65	66	64	56	48	44	54	8	-8397
ABS MIN TMP (F)	27	27	33	36	46	50	52	55	50	37	32	23	23	8	-8397
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	5.5	11.0	23.6	23.4	14.0	1.7	0.0	0.0	79.2	8	-8397
MEAN NO DYS TMP = DR LES 32(F)	2.4	2.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	1.3	6.0	8	-8397
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-8397
MEAN DEW PT TMP (F)	44	44	47	48	51	55	56	56	56	51	48	45	50	8	-8397
MEAN REL HUM (PCT)	80	75	74	68	61	58	50	49	55	63	77	81	66	8	-8397
MEAN PRESS ALT (FT)	-207	-157	-88	-60	-59	-88	-88	-61	-73	-87	-99	-157	-101	0	-50
MEAN PRECIP (IN)	2.57	2.84	2.99	1.56	1.82	0.43	0.10	0.03	0.33	2.91	3.62	5.02	24.2	8	-8397
MEAN SNOW FALL (IN)			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			8	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	5.6	7.6	6.9	5.9	4.7	3.2	0.0	0.0	3.7	7.0	8.5	9.4	62.5	30	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			8	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	3.3	1.1	1.7	0.0	0.1	0.1	0.0	0.3	0.1	0.8	2.1	3.3	12.9	8	-8397
MEAN NO DYS TSTMS	1.4	1.1	1.7	1.7	2.2	1.7	0.6	0.0	2.1	1.4	1.3	2.5	17.7	8	-8397
P FREQ WND SPD = DR GTR 17 KTS	5.3	5.6	5.9	4.8	3.5	3.9	2.3	2.6	2.2	4.8	4.7	8.0	4.5	8	-8397
P FREQ WND SPD = DR GTR 28 KTS	0.3	0.5	0.3	0.0	0.1	0.0	0.0	0.0	0.0	0.1	0.5	2.0	0.3	8	-8397
P FREQ LES 5000 FT A/O LES 5 MI	26.0	22.2	22.6	15.3	11.1	7.8	2.5	2.2	6.6	13.6	18.0	27.5	14.6	10	-8397
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	10.6	8.0	4.8	3.3	1.8	0.6	0.9	0.2	1.3	3.7	3.3	9.4	4.0	10	-8397
03-05 LST	11.1	8.2	7.8	5.1	3.3	1.4	2.7	0.5	1.6	5.2	6.2	11.4	5.4	10	-8397
06-08 LST	12.0	9.2	10.5	4.9	3.8	2.6	2.7	1.2	2.6	5.3	8.4	13.8	6.4	10	-8397
09-11 LST	11.4	8.7	8.1	4.9	1.7	1.9	0.8	0.4	1.6	3.9	6.7	10.4	5.0	10	-8397
12-14 LST	9.8	6.7	5.2	2.2	1.3	0.9	0.0	0.0	0.3	1.3	3.2	8.3	3.2	10	-8397
15-17 LST	6.9	4.1	2.5	1.6	0.8	0.1	0.0	0.0	0.1	1.3	3.8	6.5	2.3	10	-8397
18-20 LST	7.6	3.5	2.6	1.2	0.5	0.2	0.0	0.0	0.2	2.2	3.7	8.1	2.5	10	-8397
21-23 LST	7.4	4.2	3.5	1.7	0.9	0.1	0.1	0.2	0.3	2.9	3.3	8.0	2.7	10	-8397
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	3.3	1.7	0.5	0.0	0.4	0.0	0.0	0.0	0.0	0.5	0.6	2.7	0.8	10	-8397
03-05 LST	3.6	2.7	1.9	0.0	0.3	0.0	0.0	0.1	0.0	0.8	2.9	3.8	1.3	10	-8397
06-08 LST	5.4	3.1	3.1	0.4	0.5	0.1	0.0	0.6	0.1	0.5	3.6	5.7	1.9	10	-8397
09-11 LST	4.4	1.2	0.6	0.2	0.0	0.0	0.0	0.0	0.0	0.4	2.0	3.4	1.0	10	-8397
12-14 LST	0.9	0.1	0.2	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.2	0.1	0.1	10	-8397
15-17 LST	0.5	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	10	-8397
18-20 LST	1.3	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.2	0.1	10	-8397
21-23 LST	1.4	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	1.7	0.4	10	-8397

SEVILLA/TABLADA, SPAIN
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST	29.0	26.7	30.0	29.7	30.6	30.0	31.0	31.0	30.0	30.6	29.5	28.7	356.8	10	-8397
	06 LST	27.5	26.0	29.1	28.9	30.5	29.7	30.8	30.9	29.9	30.3	28.4	27.8	349.8	10	-8397
	12 LST	28.5	26.9	30.1	29.7	30.8	29.9	31.0	31.0	29.8	31.0	29.3	29.9	357.9	10	-8397
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	00 LST	29.1	27.3	30.4	29.8	30.8	30.0	31.0	30.0	30.6	29.1	29.4	358.5	10	-8397	
	06 LST	23.3	20.8	23.4	25.0	26.0	24.2	25.4	24.9	24.3	25.8	25.0	22.6	290.7	10	-8397
	12 LST	22.2	20.8	22.2	26.1	26.6	27.0	28.1	29.2	27.4	26.6	24.3	22.0	302.5	10	-8397
SFC WND = GTR 17 KTS AND NO PRECIP.	06 LST	17.6	17.4	16.7	18.5	21.4	21.1	24.2	25.4	22.8	21.1	18.6	16.7	241.5	10	-8397
	12 LST	22.9	19.3	17.6	16.1	13.9	10.6	9.8	13.7	12.1	19.4	22.4	22.9	200.7	10	-8397
	18 LST	0.3	0.7	0.2	0.4	0.0	0.5	0.0	0.0	0.1	0.3	0.2	0.4	3.1	10	-8397
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	06 LST	0.8	0.3	0.3	0.1	0.2	0.0	0.0	0.1	0.3	0.0	0.3	0.6	3.0	10	-8397
	12 LST	1.1	1.7	1.9	1.5	1.1	0.5	0.1	0.5	0.9	1.9	1.4	2.6	15.2	10	-8397
	18 LST	0.9	1.2	1.2	2.0	2.6	3.2	2.1	2.4	1.4	0.6	0.3	0.8	18.7	10	-8397
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST	13.7	12.0	16.4	17.0	17.6	17.7	22.0	20.1	17.4	15.6	13.7	13.5	196.7	10	-8397
	06 LST	11.6	11.7	12.1	11.6	11.2	12.1	11.8	12.4	11.8	13.3	13.0	11.1	143.7	10	-8397
	12 LST	12.7	12.0	12.1	16.1	17.2	16.0	12.9	11.7	14.5	15.4	15.6	12.8	169.0	10	-8397
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	18 LST	13.3	12.6	17.1	14.7	14.4	9.4	4.7	3.8	8.9	15.5	14.0	13.5	141.9	10	-8397
	00 LST	12.4	13.4	13.9	14.1	19.5	21.1	28.6	27.5	20.5	18.0	14.7	14.7	218.4	10	-8397
	06 LST	12.4	12.7	11.4	10.8	15.8	16.1	26.2	24.9	16.3	15.4	12.4	14.5	188.9	10	-8397
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	12 LST	8.1	9.0	8.2	8.0	12.8	14.1	26.1	24.0	13.7	12.1	7.7	9.8	153.6	10	-8397
	18 LST	8.3	8.8	7.9	9.8	12.7	15.9	27.4	24.8	15.1	11.2	8.2	9.8	159.9	10	-8397
	00 LST	26.9	24.9	28.4	28.4	29.8	29.8	30.6	30.6	29.2	29.4	28.7	27.5	344.2	10	-8397
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	06 LST	26.1	24.1	26.7	27.4	29.3	28.5	29.4	30.3	27.8	28.8	27.2	26.0	331.6	10	-8397
	12 LST	26.2	24.1	26.9	27.9	28.9	29.2	30.8	30.6	29.3	29.4	27.3	25.9	336.5	10	-8397
	18 LST	27.6	26.1	28.9	29.1	30.1	29.9	31.0	31.0	29.8	30.1	27.4	27.4	348.4	10	-8397
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST	24.0	22.0	24.4	27.1	28.4	28.8	30.6	30.5	28.6	27.3	24.8	22.9	319.4	10	-8397
	06 LST	21.5	20.6	23.1	24.5	27.1	26.2	29.3	30.0	27.0	26.5	23.7	22.1	301.6	10	-8397
	12 LST	22.5	20.6	21.2	22.5	24.8	25.7	30.2	30.0	26.5	25.8	23.9	21.7	295.4	10	-8397
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	23.0	21.7	25.1	26.5	28.8	28.7	30.9	31.0	28.8	26.2	23.2	21.4	315.3	10	-8397
	00 LST	22.0	20.5	22.7	25.6	27.4	28.0	30.4	30.2	27.6	24.9	23.0	20.4	302.7	10	-8397
	06 LST	19.6	18.3	20.8	23.0	25.6	25.3	29.1	29.9	25.2	24.4	21.7	20.4	282.8	10	-8397
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	12 LST	20.2	18.4	18.9	21.1	23.7	24.1	30.1	29.9	25.5	23.2	20.5	19.4	275.0	10	-8397
	18 LST	20.0	19.2	22.4	24.2	27.6	27.3	30.8	30.8	27.4	23.1	19.7	19.4	291.9	10	-8397

SEVILLA/SAN PABLO, SPAIN

STA NO. 08391 (IN AREA NUMBER 04)

LATITUDE 3725N

LONGITUDE 00533W

ELEVATION(FT) 00089

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	73	82	90	91	102	113	114	117	109	102	82	75	117	26	-528
MEAN MAX TMP (F)	59	62	67	73	80	89	96	97	89	78	67	60	76	26	-28
MEAN MIN TMP (F)	41	44	48	51	57	63	67	68	64	57	49	44	54	26	-28
ABS MIN TMP (F)	27	25	32	37	37	41	52	52	48	37	32	27	25	26	-528
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.1	0.1	6.1	14.3	25.6	27.6	17.4	2.4	0.0	0.0	94.6	12	3967
MEAN NO DYS TMP = DR LES 32(F)	3.4	2.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.8	6.8	12	3984
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	3984
MEAN DEW PT TMP (F)	40	42	47	48	53	57	59	59	56	53	50	45	51	5	11726
MEAN REL HUM (PCT)	77	77	74	68	66	61	56	54	58	67	76	82	68	5	11678
MEAN PRESS ALT (FT)	-135	-86	-16	10	11	-17	-17	9	-2	-16	-27	-85	-30	0	-50
MEAN PRECIP (IN)	1.73	2.36	2.76	1.97	1.42	1.06	0.08	0.08	1.06	2.76	3.90	3.64	23.0	30	-122
MEAN SNOW FALL (IN)	.	.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	26	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	5.6	7.6	6.9	5.9	4.7	3.2	0.0	0.0	3.7	7.0	8.5	9.4	62.5	30	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	.	.	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	26	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	2.9	4.2	3.5	0.5	0.5	0.2	0.5	0.7	0.5	2.9	1.2	1.4	19.0	5	1479
MEAN NO DYS TSMS	0.2	0.5	1.0	2.6	2.5	1.8	0.5	0.2	0.5	1.0	0.0	0.4	11.2	5	1477
P FREQ WND SPD = DR GTR 17 KTS	4.9	5.8	11.3	8.9	7.2	9.2	5.7	5.7	6.0	2.3	7.6	3.7	6.5	5	11741
P FREQ WND SPD = DR GTR 28 KTS	1.1	0.5	3.2	0.9	0.2	1.0	0.0	0.3	0.1	0.2	1.0	0.1	0.7	5	11741
P FREQ LES 5000 FT A/D LES 5 MI	26.0	22.2	22.6	15.3	11.1	7.8	2.5	2.2	6.6	13.6	18.0	27.5	14.6	10	-8397
P FREQ LES 1500 FT A/D LES 3 MI															
FDR 00-02 LST	10.6	8.0	4.8	3.3	1.8	0.6	0.9	0.2	1.3	3.7	3.3	9.4	4.0	10	-8397
03-05 LST	11.1	8.2	7.8	5.1	3.3	1.4	2.7	0.5	1.6	5.2	6.2	11.4	5.4	10	-8397
06-08 LST	12.0	9.2	10.5	4.9	3.6	2.6	2.7	1.2	2.6	5.3	8.4	13.8	6.4	10	-8397
09-11 LST	11.4	8.7	8.1	4.9	1.7	1.9	0.8	0.4	1.6	3.9	6.7	10.4	5.0	10	-8397
12-14 LST	9.8	6.7	5.2	2.2	1.3	0.9	0.0	0.0	0.3	1.3	3.2	8.3	3.3	10	-8397
15-17 LST	6.9	4.1	2.5	1.6	0.8	0.1	0.0	0.0	0.1	1.3	3.8	6.5	2.3	10	-8397
18-20 LST	7.6	3.5	2.6	1.2	0.5	0.2	0.0	0.0	0.2	2.2	3.7	8.1	2.5	10	-8397
21-23 LST	7.4	4.2	3.5	1.7	0.9	0.1	0.1	0.2	0.3	2.9	3.3	8.0	2.7	10	-8397
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	3.3	1.7	0.5	0.0	0.4	0.0	0.0	0.0	0.0	0.5	0.6	2.7	0.8	10	-8397
03-05 LST	3.6	2.7	1.9	0.0	0.3	0.0	0.0	0.1	0.0	0.8	2.9	3.8	1.3	10	-8397
06-08 LST	5.4	3.1	3.1	0.4	0.5	0.1	0.0	0.6	0.1	0.5	3.6	5.7	1.9	10	-8397
09-11 LST	4.4	1.2	0.6	0.2	0.0	0.0	0.0	0.0	0.0	0.4	2.0	3.4	1.0	10	-8397
12-14 LST	0.9	0.1	0.2	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.2	0.1	0.1	10	-8397
15-17 LST	0.5	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	10	-8397
18-20 LST	1.3	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.2	0.1	10	-8397
21-23 LST	1.4	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	1.7	0.4	10	-8397

SEVILLA/SAN PABLO, SPAIN

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST	29.0	26.7	30.0	29.7	30.6	30.0	31.0	31.0	30.0	30.6	29.5	28.7	356.8	10	-8397
	06 LST	27.5	26.0	29.1	28.9	30.5	29.7	30.8	30.9	29.9	30.3	28.4	27.8	349.8	10	-8397
	12 LST	28.5	26.9	30.1	29.7	30.8	29.9	31.0	31.0	29.8	31.0	29.3	29.9	357.9	10	-8397
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	00 LST	23.3	20.8	23.4	25.0	26.0	24.2	25.4	24.9	24.3	25.8	25.0	22.6	290.7	10	-8397
	06 LST	22.2	20.8	22.2	26.1	26.6	27.0	28.1	29.2	27.4	26.6	24.3	22.0	302.5	10	-8397
	12 LST	17.6	17.4	16.7	18.5	21.4	21.1	24.2	25.4	22.8	21.1	18.6	16.7	241.5	10	-8397
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST	22.9	19.3	17.6	16.1	13.9	10.6	9.8	13.7	12.1	19.4	22.4	22.9	200.7	10	-8397
	06 LST	0.3	0.7	0.2	0.4	0.0	0.5	0.0	0.0	0.1	0.3	0.2	0.4	3.1	10	-8397
	12 LST	0.8	0.3	0.3	0.1	0.2	0.0	0.0	0.1	0.3	0.0	0.3	0.6	3.0	10	-8397
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	18 LST	1.1	1.7	1.9	1.5	1.1	0.5	0.1	0.5	0.9	1.9	1.4	2.6	19.2	10	-8397
	00 LST	0.9	1.2	1.2	2.0	2.6	3.2	2.1	2.4	1.4	0.6	0.3	0.8	18.7	10	-8397
	06 LST	13.7	12.0	16.4	17.0	17.6	17.7	22.0	20.1	17.4	15.6	13.7	13.5	196.7	10	-8397
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	12 LST	11.6	11.7	12.1	11.6	11.2	12.1	11.8	12.4	11.8	13.3	13.0	11.1	143.7	10	-8397
	18 LST	12.7	12.0	12.1	16.1	17.2	16.0	12.9	11.7	14.5	15.4	15.6	12.8	169.0	10	-8397
	00 LST	13.3	12.6	17.1	14.7	14.4	9.4	4.7	3.8	8.9	15.5	14.0	13.5	141.9	10	-8397
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	06 LST	12.4	13.4	13.9	14.1	19.5	21.1	28.6	27.5	20.5	18.0	14.7	14.7	218.4	10	-8397
	12 LST	12.4	12.7	11.4	10.8	15.8	16.1	26.2	24.9	16.3	15.4	12.4	14.5	188.9	10	-8397
	18 LST	8.1	9.0	8.2	8.0	12.8	14.1	26.1	24.0	13.7	12.1	7.7	9.8	153.6	10	-8397
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST	8.3	8.8	7.9	9.8	12.7	15.9	27.4	24.8	15.1	11.2	8.2	9.8	159.9	10	-8397
	06 LST	26.9	24.9	28.4	28.4	29.8	29.8	30.6	30.6	29.2	29.4	28.7	27.5	344.2	10	-8397
	12 LST	26.1	24.1	26.7	27.4	29.3	28.5	29.4	30.3	27.8	28.8	27.2	26.0	331.6	10	-8397
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	27.6	26.1	28.9	29.1	30.1	29.9	31.0	31.0	29.8	30.1	27.4	27.4	348.4	10	-8397
	00 LST	24.0	22.0	24.4	27.1	28.4	28.8	30.6	30.5	28.6	27.3	24.8	22.9	319.4	10	-8397
	06 LST	21.5	20.6	23.1	24.5	27.1	26.2	29.3	30.0	27.0	26.5	23.7	22.1	301.6	10	-8397
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	12 LST	22.5	20.6	21.2	22.5	24.8	25.7	30.2	30.0	26.5	25.8	23.9	21.7	295.4	10	-8397
	18 LST	23.0	21.7	25.1	26.5	28.8	28.7	30.9	31.0	28.8	26.2	23.2	21.4	315.3	10	-8397
	00 LST	22.0	20.5	22.7	25.6	27.4	28.0	30.4	30.2	27.6	24.9	23.0	20.4	302.7	10	-8397
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	06 LST	19.6	18.3	20.8	23.0	25.6	25.3	29.1	29.9	25.2	24.4	21.2	20.4	282.8	10	-8397
	12 LST	20.2	18.4	18.9	21.1	23.7	24.1	30.1	29.9	25.5	23.2	20.5	19.4	275.0	10	-8397
	18 LST	20.0	19.2	22.4	24.2	27.6	27.3	30.8	30.8	27.4	23.1	19.7	19.4	291.9	10	-8397

MORON DE LA FRONTERA, SPAIN

STA NO. 08397 (IN AREA NUMBER 04)

LATITUDE 3711N

LONGITUDE 00536W

ELEVATION(FT) 00272

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	81	82	84	89	98	108	110	109	103	92	83	72	110	8	2676
MEAN MAX TMP (F)	59	62	65	71	80	86	93	94	88	77	66	59	75	8	2676
MEAN MIN TMP (F)	44	43	47	49	56	62	65	66	64	56	48	44	54	8	2676
ABS MIN TMP (F)	27	27	33	36	46	50	52	55	50	37	32	23	23	8	2676
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	5.5	11.0	23.6	23.4	14.0	1.7	0.0	0.0	79.2	8	2676
MEAN NO DYS TMP = DR LES 32(F)	2.4	2.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	1.3	6.0	8	2676
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2676
MEAN DEW PT TMP (F)	44	44	47	48	51	55	56	56	56	51	48	45	50	8	64211
MEAN REL HUM (PCT)	80	75	74	68	61	58	50	49	55	63	77	81	66	8	64211
MEAN PRESS ALT (FT)	51	101	169	199	199	172	173	200	188	172	161	100	157	0	-50
MEAN PRECIP (IN)	2.57	2.84	2.99	1.56	1.82	0.43	0.0	0.03	0.33	2.91	3.62	5.02	24.2	8	2647
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2647
MEAN NO DYS PRCP = DR GTR 0.1 IN	6.1	6.5	6.5	3.4	2.6	0.8	0.1	0.1	1.0	4.8	6.4	8.8	47.1	8	2647
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2647
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	3.3	1.1	1.7	0.0	0.1	0.1	0.0	0.0	0.1	0.8	2.1	3.3	12.9	8	2676
MEAN NO DYS TSTMS	1.4	1.1	1.7	1.7	2.2	1.7	0.6	0.0	2.1	1.4	1.3	2.5	17.7	8	2676
P FREQ WND SPD = DR GTR 17 KTS	5.3	5.6	5.9	4.8	3.5	3.9	2.3	2.6	2.2	4.8	4.7	8.0	4.5	8	64223
P FREQ WND SPD = DR GTR 28 KTS	0.3	0.5	0.3	0.0	0.1	0.0	0.0	0.0	0.0	0.1	0.5	2.0	0.3	8	64223
P FREQ LES 5000 FT A/D LES 5 MI	26.0	22.2	22.6	15.3	11.1	7.8	2.5	2.2	6.6	13.6	18.0	27.5	14.6	10	86508
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	10.6	8.0	4.8	3.3	1.8	0.6	0.9	0.2	1.3	3.7	3.3	9.4	4.0	10	10773
03-05 LST	11.1	8.2	7.8	5.1	3.3	1.4	2.7	0.5	1.6	5.2	6.2	11.4	5.4	10	10775
06-08 LST	12.0	9.2	10.5	4.9	3.8	2.6	2.7	1.2	2.6	5.3	8.4	13.8	6.4	10	10819
09-11 LST	11.4	8.7	8.1	4.9	1.7	1.9	0.8	0.4	1.6	3.9	6.7	10.4	5.0	10	10899
12-14 LST	9.8	6.7	5.2	2.2	1.3	0.9	0.0	0.0	0.3	1.3	3.2	8.3	3.3	10	10898
15-17 LST	6.9	4.1	2.5	1.6	0.8	0.1	0.0	0.0	0.1	1.3	3.8	6.5	2.3	10	10814
18-20 LST	7.6	3.5	2.6	1.2	0.5	0.2	0.0	0.0	0.2	2.2	3.7	8.1	2.5	10	10772
21-23 LST	7.4	4.2	3.5	1.7	0.9	0.1	0.1	0.2	0.3	2.9	3.3	8.0	2.7	10	10769
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	3.3	1.7	0.5	0.0	0.4	0.0	0.0	0.0	0.0	0.5	0.6	2.7	0.8	10	10773
03-05 LST	3.6	2.7	1.9	0.0	0.3	0.0	0.0	0.1	0.0	0.8	2.9	3.8	1.3	10	10775
06-08 LST	5.4	3.1	3.1	0.4	0.5	0.1	0.0	0.6	0.1	0.5	3.6	5.7	1.9	10	10819
09-11 LST	4.4	1.2	0.6	0.2	0.0	0.0	0.0	0.0	0.0	0.4	2.0	3.4	1.0	10	10899
12-14 LST	0.9	0.1	0.2	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.2	0.1	0.1	10	10898
15-17 LST	0.5	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	10	10814
18-20 LST	1.3	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.2	0.1	10	10772
21-23 LST	1.4	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	1.7	0.4	10	10769

MORON DE LA FRONTERA, SPAIN
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST	29.0	26.7	30.0	29.7	30.6	30.0	31.0	31.0	30.0	30.6	29.5	28.7	356.8	10	3592
	06 LST	27.5	26.0	29.1	28.9	30.5	29.7	30.8	30.9	29.9	30.3	28.4	27.8	349.8	10	3632
	12 LST	28.5	26.9	30.1	29.7	30.8	29.9	31.0	31.0	29.8	31.0	29.3	29.9	357.9	10	3633
	18 LST	29.1	27.3	30.4	29.8	30.8	30.0	31.0	31.0	30.0	30.6	29.1	29.4	358.5	10	3591
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	00 LST	23.3	20.8	23.4	25.0	26.0	24.2	25.4	24.9	24.3	25.8	25.0	22.6	290.7	10	3592
	06 LST	22.2	20.8	22.2	26.1	26.6	27.0	28.1	29.2	27.4	26.6	24.3	22.0	302.5	10	3632
	12 LST	17.6	17.4	16.7	18.5	21.4	21.1	24.2	25.4	22.8	21.1	18.6	16.7	241.5	10	3633
	18 LST	22.9	19.3	17.6	16.1	13.9	10.6	9.8	13.7	12.1	19.4	22.4	22.9	200.7	10	3591
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST	0.3	0.7	0.2	0.4	0.0	0.5	0.0	0.0	0.1	0.3	0.2	0.4	3.1	10	3592
	06 LST	0.8	0.3	0.3	0.1	0.2	0.0	0.0	0.1	0.3	0.0	0.3	0.6	3.0	10	3632
	12 LST	1.1	1.7	1.9	1.5	1.1	0.5	0.1	0.5	0.9	1.9	1.4	2.6	15.2	10	3633
	18 LST	0.9	1.2	1.2	2.0	2.6	3.2	2.1	2.4	1.4	0.6	0.3	0.8	18.7	10	3591
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST	13.7	12.0	16.4	17.0	17.6	17.7	22.0	20.1	17.4	15.6	13.7	13.5	196.7	10	3592
	06 LST	11.6	11.7	12.1	11.6	11.2	12.1	11.8	12.4	11.8	13.3	13.0	11.1	143.7	10	3632
	12 LST	12.7	12.0	12.1	16.1	17.2	16.0	12.9	11.7	14.5	15.4	15.6	12.8	169.0	10	3633
	18 LST	13.3	12.6	17.1	14.7	14.4	9.4	4.7	3.8	8.9	15.5	14.0	13.5	141.9	10	3591
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST	12.4	13.4	13.9	14.1	19.5	21.1	28.6	27.5	20.5	18.0	14.7	14.7	218.4	10	3592
	06 LST	12.4	12.7	11.4	10.8	15.8	16.1	26.2	24.9	16.3	15.4	12.4	14.5	188.9	10	3631
	12 LST	8.1	9.0	8.2	8.0	12.8	14.1	26.1	24.0	13.7	12.1	7.7	9.8	153.6	10	3633
	18 LST	8.3	8.8	7.9	9.8	12.7	15.9	27.4	24.8	15.1	11.2	8.2	9.8	159.9	10	3591
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST	26.9	24.9	28.4	28.4	29.8	29.8	30.6	30.6	29.2	29.4	28.7	27.5	344.2	10	3592
	06 LST	26.1	24.1	26.7	27.4	29.3	28.5	29.4	30.3	27.8	28.8	27.2	26.0	331.6	10	3632
	12 LST	26.2	24.1	26.9	27.9	28.9	29.2	30.8	30.6	29.3	29.4	27.3	25.9	336.5	10	3633
	18 LST	27.6	26.1	28.9	29.1	30.1	29.9	31.0	31.0	29.8	30.1	27.4	27.4	348.4	10	3591
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST	24.0	22.0	24.4	27.1	28.4	28.8	30.6	30.5	28.6	27.3	24.8	22.9	319.4	10	3592
	06 LST	21.5	20.6	23.1	24.5	27.1	26.2	29.3	30.0	27.0	26.5	23.7	22.1	301.6	10	3632
	12 LST	22.5	20.6	21.2	22.5	24.8	25.7	30.2	30.0	26.5	25.8	23.9	21.7	295.4	10	3633
	18 LST	23.0	21.7	25.1	26.5	28.8	28.7	30.9	31.0	28.8	26.2	23.2	21.4	315.3	10	3591
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST	22.0	20.5	22.7	25.6	27.4	28.0	30.4	30.2	27.6	24.9	23.0	20.4	302.7	10	3592
	06 LST	19.6	18.3	20.8	23.0	25.6	25.3	29.1	29.9	25.2	24.4	21.2	20.4	282.8	10	3632
	12 LST	20.2	18.4	18.9	21.1	23.7	24.1	30.1	29.9	25.5	23.2	20.5	19.4	275.0	10	3633
	18 LST	20.0	19.2	22.4	24.2	27.6	27.3	30.8	30.8	27.4	23.1	19.7	19.4	291.9	10	3591

ROTA, SPAIN

STA NO. 08449 (IN AREA NUMBER 04)

LATITUDE 3639N

LONGITUDE 00621W

ELEVATION(FT) 00C88

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	72	77	79	88	96	101	104	106	106	91	79	73	106	11	3928
MEAN MAX TMP (F)	61	62	65	69	76	79	84	85	81	75	65	60	72	11	3968
MEAN MIN TMP (F)	46	47	50	53	57	62	66	66	63	58	51	46	55	11	3968
ABS MIN TMP (F)	31	33	37	42	47	52	51	51	46	41	38	31	31	11	3928
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	1.3	2.7	6.1	8.4	3.5	0.1	0.0	0.0	22.1	11	3968
MEAN NO DYS TMP = DR LES 32(F)	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	11	3968
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	3968
MEAN DEW PT TMP (F)	47	48	49	51	54	59	62	62	61	57	52	47	54	10	90565
MEAN REL HUM (PCT)	82	80	75	72	66	67	67	66	71	74	81	83	74	11	96343
MEAN PRESS ALT (FT)	-146	-95	-27	5	6	-17	-16	9	-6	-23	-38	-97	-36	0	-50
MEAN PRECIP (IN)	2.60	3.43	2.95	1.23	1.43	0.57	0.00	0.05	0.86	3.34	4.39	4.19	25.0	11	3928
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	3928
MEAN NO DYS PRCP = DR GTR 0.1 IN	5.9	8.0	5.9	3.6	3.1	1.3	0.0	0.2	1.7	4.6	5.1	6.9	47.3	11	3928
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	3928
MEAN NO DYS W/OCCUR VSBY LES 1/2 MI	0.6	0.4	0.2	0.2	0.1	0.0	0.0	0.0	0.0	0.2	0.3	0.3	2.3	11	96342
MEAN NO DYS TSTMS	1.2	2.2	1.7	1.5	0.9	1.0	0.1	0.2	1.1	2.2	2.5	2.4	17.0	11	3963
P FREQ WND SPD = DR GTR 17 KTS	3.1	3.8	4.9	1.7	1.7	1.6	1.3	2.1	1.6	2.9	2.8	4.0	2.6	10	87110
P FREQ WND SPD = DR GTR 28 KTS	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	10	87110
P FREQ LES 5000 FT A/D LES 5 MI	29.2	27.0	29.2	18.0	18.8	14.5	9.8	5.1	12.8	16.0	25.1	33.9	20.0	8	58330
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	8.3	6.9	7.1	3.5	5.1	3.3	2.2	1.1	3.1	5.4	7.7	8.3	5.2	8	7294
03-05 LST	11.4	8.4	11.2	5.2	6.5	4.1	4.7	0.7	5.6	6.6	9.6	8.8	6.9	8	7296
06-08 LST	10.6	10.4	11.8	6.3	11.7	9.6	9.3	2.3	8.3	7.9	7.5	12.3	9.0	8	7290
09-11 LST	13.4	11.3	10.9	5.1	8.1	6.3	3.6	3.2	4.8	6.5	9.5	13.7	8.0	8	7290
12-14 LST	11.4	9.6	10.3	2.7	5.1	2.0	2.0	0.9	2.8	4.2	7.1	10.2	5.7	8	7293
15-17 LST	9.7	8.1	8.0	3.0	3.5	0.6	0.2	0.2	1.5	4.0	6.0	9.4	4.5	8	7293
18-20 LST	9.2	8.2	7.1	1.7	2.2	0.9	0.9	0.2	0.6	3.7	8.1	11.9	4.6	8	7299
21-23 LST	7.4	6.1	5.2	1.7	4.5	1.9	1.4	0.9	1.1	3.8	5.6	8.0	4.0	8	7299
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	2.0	2.2	1.2	0.0	0.6	0.0	0.2	0.0	0.0	1.2	1.0	0.9	0.8	8	7294
03-05 LST	3.8	4.0	2.6	0.5	0.9	0.0	0.2	0.0	0.7	1.1	3.2	2.0	1.6	8	7296
06-08 LST	5.1	4.5	3.4	1.3	1.7	2.2	2.3	0.0	1.3	2.5	2.6	2.9	2.5	8	7290
09-11 LST	5.1	3.4	1.8	0.3	0.8	0.2	0.4	0.2	0.7	0.9	2.1	2.9	1.6	8	7290
12-14 LST	1.8	1.7	0.6	0.0	0.2	0.0	0.0	0.0	0.0	0.2	0.2	0.9	0.5	8	7293
15-17 LST	1.5	0.5	0.5	0.0	0.2	0.0	0.0	0.0	0.0	0.2	0.5	0.5	0.3	8	7293
18-20 LST	2.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	1.2	0.4	8	7299
21-23 LST	1.7	1.3	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.2	0.6	0.9	0.4	8	7299

ROTA, SPAIN
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST	29.6	26.9	30.1	29.7	30.4	29.7	30.7	31.0	29.7	30.1	28.9	29.5	356.4	8	2436
	06 LST	28.6	26.0	28.9	29.0	29.3	28.8	28.7	30.7	28.5	29.7	28.4	28.3	344.9	8	2434
	12 LST	28.3	25.9	28.9	29.7	30.4	29.8	30.8	31.0	29.7	30.6	29.0	28.6	352.7	8	2434
	18 LST	28.7	26.0	29.6	29.7	30.9	29.7	31.0	30.8	30.0	30.4	28.1	28.7	353.6	8	2435
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	00 LST	22.3	21.5	20.4	24.8	24.5	24.1	26.6	26.0	25.5	23.6	23.7	22.4	285.4	8	2420
	06 LST	21.5	19.8	21.5	24.3	24.6	24.0	25.6	27.3	25.8	23.8	22.9	19.3	220.4	8	2421
	12 LST	16.6	16.1	15.2	19.7	18.9	18.6	22.2	22.1	18.7	18.7	18.3	16.4	221.5	8	2429
	18 LST	19.9	16.5	12.9	16.1	14.6	13.0	15.8	11.8	16.8	17.7	21.7	19.7	196.5	8	2431
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST	0.6	0.1	1.1	0.0	0.1	0.5	0.2	0.8	0.3	0.7	0.3	0.7	5.4	8	2420
	06 LST	0.9	0.4	1.3	0.0	0.0	0.0	0.2	0.5	0.2	0.3	0.1	0.9	4.8	8	2418
	12 LST	1.4	1.0	1.9	0.9	1.0	0.7	0.5	1.5	1.3	0.7	0.7	2.4	16.0	8	2429
	18 LST	0.6	0.7	1.4	0.6	1.0	2.0	1.2	2.3	0.5	1.6	0.7	1.4	14.0	8	2431
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST	17.5	15.4	14.4	16.0	15.8	15.0	16.4	16.4	16.0	16.3	15.2	16.1	188.5	8	2399
	06 LST	17.6	14.9	15.9	16.0	17.0	17.5	18.3	18.1	16.9	17.7	16.5	15.9	202.3	8	2395
	12 LST	15.6	14.4	14.3	18.5	19.1	17.9	19.8	20.2	17.4	16.6	15.9	16.0	205.7	8	2423
	18 LST	16.7	14.7	14.4	16.4	15.2	12.6	14.3	11.2	16.0	17.1	18.0	16.0	182.6	8	2425
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST	13.1	14.7	11.2	14.3	18.7	20.4	26.6	27.8	17.4	19.5	15.4	15.1	214.4	8	2252
	06 LST	12.1	12.6	10.7	12.8	15.9	13.5	23.1	24.6	18.1	18.3	14.1	14.2	190.0	8	2242
	12 LST	9.6	12.2	7.7	10.3	14.0	14.1	24.2	24.3	12.1	15.1	8.7	10.8	163.1	8	2190
	18 LST	9.7	10.3	7.6	12.5	14.8	19.4	26.3	24.8	15.2	14.0	10.3	9.5	174.4	8	2220
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST	27.0	24.3	27.4	28.4	28.0	28.8	30.0	30.2	28.5	28.3	27.1	26.4	334.4	8	2436
	06 LST	26.3	23.1	25.9	26.7	24.6	24.5	26.7	29.2	27.0	27.3	26.4	25.3	313.0	8	2434
	12 LST	26.6	23.3	24.7	27.3	26.7	26.3	29.2	30.0	27.0	27.8	25.3	25.0	319.2	8	2434
	18 LST	26.9	24.0	26.3	27.7	28.4	28.8	30.3	30.7	28.2	28.7	26.3	24.3	330.6	8	2435
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST	23.8	21.5	24.1	26.0	26.4	27.5	29.8	29.7	27.2	26.6	24.1	22.5	309.2	8	2436
	06 LST	20.6	19.4	21.6	22.0	22.6	23.0	26.5	29.0	25.8	24.3	23.0	20.4	278.2	8	2434
	12 LST	22.1	20.5	21.3	23.4	24.1	24.7	29.0	29.3	25.5	25.3	21.6	20.7	287.5	8	2434
	18 LST	21.1	20.4	22.7	25.4	26.9	28.0	30.0	30.7	27.5	26.7	21.7	19.3	300.4	8	2435
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST	20.5	19.7	21.9	25.0	25.5	26.7	29.7	29.5	26.2	24.9	22.4	19.8	291.8	8	2436
	06 LST	18.1	17.5	19.3	21.1	21.9	21.8	25.8	28.5	25.0	23.4	21.1	17.9	261.4	8	2434
	12 LST	18.3	18.1	18.4	22.1	23.1	21.8	28.3	29.0	23.7	23.5	18.3	17.1	261.7	8	2434
	18 LST	18.3	17.4	20.1	24.1	25.3	27.5	29.8	30.3	26.3	24.4	18.9	16.7	279.1	8	2435

JEREZ, SPAIN

STA NO. 08451 (IN AREA NUMBER 04)

LATITUDE 3645N

LONGITUDE 00602W

ELEVATION(FT) 00089

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. GBS
ABS MAX TMP (F)	72	77	79	88	96	101	104	106	106	91	79	73	106	11	-8449
MEAN MAX TMP (F)	61	62	65	69	76	79	84	85	81	75	65	60	72	11	-8449
MEAN MIN TMP (F)	46	47	50	53	57	62	66	66	63	58	51	46	55	11	-8449
ABS MIN TMP (F)	31	33	37	42	47	52	51	51	46	41	38	31	31	11	-8449
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	1.3	2.7	6.1	8.4	3.5	0.1	0.0	0.0	22.1	11	-8449
MEAN NO DYS TMP = DR LES 32(F)	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.5	11	-8449
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	-8449
MEAN DEW PT TMP (F)	47	48	49	51	54	59	62	62	61	57	52	47	54	10	-8449
MEAN REL HUM (PCT)	82	80	75	72	66	67	67	66	71	74	81	83	74	11	-8449
MEAN PRESS ALT (FT)	-149	-98	-30	2	3	-21	-20	5	-9	-26	-40	-99	-39	0	-50
MEAN PRECIP (IN)	2.60	3.43	2.95	1.23	1.43	0.57	0.00	0.05	0.85	3.34	4.39	4.19	25.0	11	-8449
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	-8449
MEAN NO DYS PRCP = DR GTR 0.1 IN	5.9	8.0	5.9	3.6	3.1	1.3	0.0	0.2	1.7	4.6	6.1	6.9	47.3	11	-8449
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	-8449
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.6	0.4	0.2	0.2	0.1	0.0	0.0	0.0	0.0	0.2	0.3	0.3	2.3	11	-8449
MEAN NO DYS TSTMS	1.2	2.2	1.7	1.5	0.9	1.0	0.1	0.2	1.1	2.2	2.5	2.4	17.0	11	-8449
P FREQ WND SPD = DR GTR 17 KTS	3.1	3.8	4.9	1.7	1.7	1.6	1.3	2.1	1.6	2.9	2.8	4.0	2.6	10	-8449
P FREQ WND SPD = DR GTR 28 KTS	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	10	-8449
P FREQ LES 5000 FT A/D LES 5 MI	29.2	27.0	29.2	18.0	18.8	14.5	9.8	5.1	12.8	16.0	25.1	33.4	20.0	8	-8449
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	8.3	6.9	7.1	3.5	5.1	3.3	2.2	1.1	3.1	5.4	7.7	8.3	5.2	8	-8449
03-05 LST	11.4	8.4	11.2	5.2	6.5	4.1	4.7	0.7	5.6	6.6	9.6	8.8	5.9	8	-8449
06-08 LST	10.6	10.4	11.8	6.3	11.7	9.6	9.3	2.3	8.3	7.9	7.5	12.3	9.0	8	-8449
09-11 LST	13.4	11.3	10.9	5.1	8.1	6.3	3.6	3.2	4.8	6.5	9.5	13.7	8.0	8	-8449
12-14 LST	11.4	9.6	10.3	2.7	5.1	2.0	2.0	0.9	2.8	4.2	7.1	10.2	5.7	8	-8449
15-17 LST	9.7	8.1	8.0	3.0	3.5	0.6	0.2	0.2	1.5	4.0	6.0	9.4	4.5	8	-8449
18-20 LST	9.2	8.2	7.1	1.7	2.2	0.9	0.9	0.2	0.6	3.7	8.1	11.9	4.6	8	-8449
21-23 LST	7.4	6.1	5.2	1.7	4.5	1.9	1.4	0.9	1.1	3.8	5.6	8.0	4.0	8	-8449
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	2.0	2.2	1.2	0.0	0.6	0.0	0.2	0.0	0.0	1.2	1.0	0.9	0.8	8	-8449
03-05 LST	3.8	4.0	2.6	0.5	0.9	0.0	0.2	0.0	0.7	1.1	3.2	2.0	1.6	8	-8449
06-08 LST	5.1	4.5	3.4	1.3	1.7	2.2	2.3	0.0	1.3	2.5	2.6	2.9	2.5	8	-8449
09-11 LST	5.1	3.4	1.8	0.3	0.8	0.2	0.4	0.2	0.7	0.9	2.1	2.9	1.6	8	-8449
12-14 LST	1.8	1.7	0.6	0.0	0.2	0.0	0.0	0.0	0.0	0.2	0.2	0.9	0.5	8	-8449
15-17 LST	1.5	0.5	0.5	0.0	0.2	0.0	0.0	0.0	0.0	0.2	0.5	0.5	0.3	8	-8449
18-20 LST	2.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	1.2	0.4	8	-8449
21-23 LST	1.7	1.3	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.2	0.6	0.9	0.4	8	-8449

JEREZ, SPAIN
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST	29.6	26.9	30.1	29.7	30.4	29.7	30.7	31.0	29.7	30.1	28.9	29.6	356.4	8	-8449
	06 LST	28.6	26.0	28.9	29.0	29.3	28.8	28.7	30.7	28.5	29.7	28.4	28.3	344.9	8	-8449
	12 LST	28.3	25.9	28.9	29.7	30.4	29.8	10.8	31.0	29.7	30.6	29.0	28.6	352.7	8	-8449
	18 LST	28.7	26.0	29.6	29.7	30.9	29.7	31.0	30.8	30.0	30.4	28.1	28.7	353.6	8	-8449
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	00 LST	22.3	21.5	20.4	24.8	24.5	24.1	26.6	26.0	25.5	23.6	23.7	22.4	285.4	8	-8449
	06 LST	21.5	19.8	21.5	24.3	24.6	24.0	25.6	27.3	25.8	23.8	22.9	19.3	180.4	8	-8449
	12 LST	16.6	16.1	15.2	19.7	18.9	18.6	22.2	22.1	18.7	18.7	18.3	16.4	221.5	8	-8449
	18 LST	19.9	16.5	12.9	16.1	14.6	13.0	15.8	11.8	16.8	17.7	21.7	19.7	196.5	8	-8449
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST	0.6	0.1	1.1	0.0	0.1	0.5	0.2	0.8	0.3	0.7	0.3	0.7	5.4	8	-8449
	06 LST	0.9	0.4	1.3	0.0	0.0	0.0	0.2	0.5	0.2	0.3	0.1	0.9	4.8	8	-8449
	12 LST	1.4	1.0	1.9	0.9	1.0	0.7	0.5	1.5	1.3	0.7	0.7	2.4	14.0	8	-8449
	18 LST	0.6	0.7	1.4	0.6	1.0	2.0	1.2	2.3	0.5	1.6	0.7	1.4	14.0	8	-8449
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	15.5	15.4	14.4	16.0	15.8	15.0	16.4	16.4	16.0	16.3	15.2	16.1	188.5	8	-8449
	06 LST	17.6	14.9	15.9	16.0	17.0	17.5	18.3	18.1	16.9	17.7	16.5	15.9	202.3	8	-8449
	12 LST	15.6	14.4	14.3	18.5	19.1	17.9	19.8	20.2	17.4	16.6	15.9	16.0	205.7	8	-8449
	18 LST	16.7	14.7	14.4	16.4	15.2	12.6	14.3	11.2	16.0	17.1	18.0	16.0	182.6	8	-8449
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST	13.1	14.9	11.2	14.3	18.7	20.4	26.6	27.8	17.4	19.5	15.4	15.1	214.4	8	-8449
	06 LST	12.1	12.6	10.7	12.8	15.9	13.5	23.1	24.6	18.1	18.3	14.1	14.2	190.0	8	-8449
	12 LST	9.6	12.2	7.7	10.3	14.0	14.1	24.2	24.3	12.1	15.1	8.7	10.8	163.1	8	-8449
	18 LST	9.7	10.3	7.6	12.5	14.8	19.4	26.3	24.8	15.2	14.0	10.3	9.5	174.4	8	-8449
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST	27.0	24.3	27.4	28.4	28.0	28.8	30.0	30.2	28.5	28.3	27.1	26.4	334.4	8	-8449
	06 LST	26.3	23.1	25.9	26.7	24.6	24.5	26.7	29.2	27.0	27.3	26.4	25.3	313.0	8	-8449
	12 LST	26.6	23.3	24.7	27.3	26.7	26.3	29.2	30.0	27.0	27.8	25.3	25.0	319.2	8	-8449
	18 LST	26.9	24.0	26.3	27.7	28.4	28.8	30.3	30.7	28.2	28.7	26.3	24.3	330.6	8	-8449
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST	23.8	21.5	24.1	26.0	26.4	27.5	29.8	29.7	27.2	26.6	24.1	22.5	309.2	8	-8449
	06 LST	20.6	19.4	21.6	22.0	22.6	23.0	26.5	29.0	25.8	24.3	23.0	20.4	278.2	8	-8449
	12 LST	22.1	20.5	21.3	23.4	24.1	24.7	29.0	29.3	25.5	25.3	21.6	20.7	287.5	8	-8449
	18 LST	21.1	20.4	22.7	25.4	26.9	28.0	30.0	30.7	27.5	26.7	21.7	19.3	300.4	8	-8449
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST	20.5	19.7	21.9	25.0	25.5	26.7	29.7	29.5	26.2	24.9	22.4	19.8	291.8	8	-8449
	06 LST	16.1	17.5	19.3	21.1	21.9	21.8	25.8	28.5	25.0	23.4	21.1	17.9	261.4	8	-8449
	12 LST	18.3	18.1	18.4	22.1	23.1	21.8	28.3	29.0	23.7	23.5	18.3	17.1	261.7	8	-8449
	18 LST	18.3	17.4	20.1	24.1	25.3	27.5	29.8	30.3	26.3	24.4	18.9	16.7	279.1	8	-8449

AREA NO. 04

SPAIN	SOUTHWEST COAST			LATITUDE 3700N				LONGITUDE 00600W						
BOUNDARIES	3742N 00725W	3758N 00430W	3758N 00430W	3640N 00540W	3640N 00540W	3622N 00515W								
PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	
MEAN MAX TMP (F)	60	62	66	71	79	85	91	92	86	77	66	60	75	
MEAN MIN TMP (F)	44	45	48	51	57	62	66	67	64	57	49	45	55	
LARGEST MEAN PRECIP(IN)	2.60	3.43	2.99	1.97	1.82	1.06	0.10	0.08	1.06	3.34	4.39	5.02	27.9	
SMALLEST MEAN PRECIP(IN)	1.73	2.96	2.76	1.23	1.42	0.43	0.00	0.03	0.33	2.76	3.62	3.64	20.5	
	MEAN NUMBER OF DAYS													
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST	29.3	26.8	30.1	29.7	30.5	29.9	30.9	31.0	29.9	30.4	29.2	29.2	356.9
	06 LST	28.1	26.0	29.0	29.0	29.9	29.3	29.8	30.8	29.2	30.0	28.4	28.1	347.6
	12 LST	28.4	26.4	29.5	29.7	30.6	29.9	30.9	31.0	29.8	30.8	29.2	29.3	355.5
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	00 LST	22.8	21.2	21.9	24.9	25.3	24.2	26.0	25.5	24.9	24.7	24.4	22.5	288.3
	06 LST	21.9	20.3	21.9	25.2	25.6	25.5	26.9	28.3	26.6	25.2	23.6	20.7	291.7
	12 LST	17.1	16.8	16.0	19.1	20.2	19.9	23.2	23.8	20.8	19.9	18.5	16.6	231.9
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST	0.5	0.4	0.7	0.2	0.1	0.5	0.1	0.4	0.2	0.5	0.3	0.6	4.5
	06 LST	0.9	0.4	0.8	0.1	0.1	0.0	0.1	0.3	0.3	0.2	0.2	0.8	4.2
	12 LST	1.3	1.4	1.9	1.2	1.1	0.6	0.3	1.0	1.1	1.3	1.1	2.5	14.8
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST	14.6	13.7	15.4	16.5	16.7	16.4	19.2	18.3	16.7	16.0	14.5	14.8	192.8
	06 LST	14.6	13.3	14.0	13.8	14.1	14.8	15.1	15.3	14.4	15.5	14.8	13.5	173.2
	12 LST	14.2	13.2	13.2	17.3	18.2	17.0	16.4	16.0	16.0	16.0	15.8	14.4	187.7
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST	12.8	14.2	12.6	14.2	19.1	20.8	27.6	27.7	19.0	18.8	15.1	14.9	216.8
	06 LST	12.3	12.7	11.1	11.8	15.9	14.8	24.7	24.8	17.2	16.9	13.3	14.4	184.9
	12 LST	8.9	10.6	8.0	9.2	13.4	14.1	25.2	24.2	12.9	13.6	8.2	10.3	158.6
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST	27.0	24.6	27.9	28.4	28.9	29.3	30.3	30.4	28.9	28.9	27.9	27.0	339.5
	06 LST	26.2	23.6	26.3	27.1	27.0	26.5	28.1	29.8	27.4	28.1	26.8	25.7	322.6
	12 LST	26.4	23.7	25.8	27.6	27.8	27.8	30.0	30.3	28.2	28.6	26.3	25.5	328.0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST	27.3	25.1	27.6	28.4	29.3	29.4	30.7	30.9	29.0	29.4	26.9	25.9	339.9
	06 LST	23.9	21.8	24.3	26.6	27.4	28.2	30.2	30.1	27.9	27.0	24.5	22.7	314.6
	12 LST	21.1	20.0	22.4	23.3	24.9	24.6	27.9	29.5	26.4	25.4	23.4	21.3	290.2
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST	22.3	20.6	21.3	23.0	24.5	25.2	29.6	29.7	26.0	25.6	22.8	21.2	291.8
	06 LST	22.1	21.1	23.9	26.0	27.9	28.4	30.5	30.9	28.2	26.5	22.5	20.4	308.4
	12 LST	21.3	20.1	22.3	25.3	26.5	27.4	30.1	29.9	26.9	24.9	22.7	20.1	297.5
	06 LST	18.9	17.9	20.1	22.1	23.8	23.6	27.5	29.2	25.1	23.9	21.2	19.2	272.5
	12 LST	19.3	18.3	18.7	21.6	23.4	23.0	29.2	29.5	24.6	23.4	19.4	18.3	268.7
	18 LST	19.2	18.3	21.3	24.2	26.5	27.4	30.3	30.6	26.9	23.8	19.3	18.1	265.9

PALMA/SON SAN JUAN, BALEARIC ISLANDS

STA NO. 08306 (IN AREA NUMBER 01)

LATITUDE 3933N

LONGITUDE 00243E

ELEVATION(FT) 00013

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
ABS MAX TMP (F)	75	77	79	84	91	100	101	102	94	89	78	73	102	29	-28
MEAN MAX TMP (F)	57	59	62	66	73	80	84	86	81	74	65	59	71	29	-28
MEAN MIN TMP (F)	42	43	45	49	55	61	66	67	64	57	50	44	54	29	-28
ABS MIN TMP (F)	28	28	30	33	41	48	54	56	48	35	33	27	27	29	-28
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0			6.8	9.4	3.6	0.0	0.0	0.0		29	-29
MEAN NO DYS TMP = OR LES 32(F)			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			29	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	29	-29
MEAN DEW PT TMP (F)	43	43	45	49	54	60	62	66	65	58	51	44	53	0	-50
MEAN REL HUM (PCT)	83	76	76	73	73	69	69	75	74	77	78	77	73	30	-32
MEAN PRESS ALT (FT)	-132	-77	-46	-4	-23	-52	-61	-43	-72	-70	-59	-84	-59	0	-50
MEAN PRFCIP (IN)	1.40	1.60	1.50	1.30	1.30	1.00	0.20	0.80	2.50	2.80	2.80	2.20	19.4	30	-28
MEAN SNOW FALL (IN)			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			29	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	4.6	5.2	4.9	4.4	4.4	3.0	0.3	2.4	6.6	7.1	7.1	6.8	56.8	30	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			29	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	3.3	1.8	0.7	0.8	2.0	2.4	1.5	1.8	2.0	4.2	0.8	1.7	23.0	6	-139
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

PALMA/SON SAN JUAN, BALEARIC ISLANDS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND														0	0
VSBY = GTR 3 MI														0	0
														0	0
														0	0
CIG =GTR 2000 FT AND VSBY =GTR														0	0
3 MI W/SFC WND LES 10 KTS														0	0
														0	0
														0	0
SFC WND = GTR 17 KTS AND														0	0
NO PRECIP.														0	0
														0	0
														0	0
SFC WND 4-10 KTS AND TMP 33-89														0	0
DEG F AND NO PRECIP.														0	0
														0	0
														0	0
SKY COVER LES 3/10 AND														0	0
VSBY = GTR 3 MI														0	0
														0	0
														0	0
CIG = GTR 2500 FT AND														0	0
VSBY = GTR 3 MI														0	0
														0	0
														0	0
CIG = GTR 6000 FT AND														0	0
VSBY = GTR 3 MI														0	0
														0	0
														0	0
CIG = GTR 10000 FT AND														0	0
VSBY = GTR 3 MI														0	0
														0	0
														0	0

DATA NOT AVAILABLE

MAHON-SAN LUIS, BALEARIC ISLANDS

STA NO. 08314 (IN AREA NUMBER 01)

LATITUDE 3952N

LONGITUDE 00415E

ELEVATION(FT) 00197

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	71	73	77	81	86	95	97	101	94	86	77	70	101	29	-528
MEAN MAX TMP (F)	56	56	60	64	70	76	81	82	78	71	63	56	68	29	-28
MEAN MIN TMP (F)	45	46	49	52	57	63	68	70	66	60	53	48	56	30	-28
ABS MIN TMP (F)	32	27	35	36	42	50	52	57	52	44	36	31	27	29	-528
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.1	2.5	2.3	0.0	0.0	0.0	0.0	4.9	10	3195
MEAN NO DYS TMP = OR LES 32(F)	0.1	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	10	3230
MEAN NO DYS TMP = OR LES 3(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	3230
MEAN DEW PT TMP (F)	43	43	47	49	54	60	61	64	61	57	50	45	53	0	-50
MEAN REL HUM (PCT)	76	75	75	73	71	67	65	68	73	75	75	77	73	30	-32
MEAN PRESS ALT (FT)	39	95	133	172	157	130	118	137	109	110	117	89	117	0	-50
MEAN PRECIP (IN)	2.36	1.73	1.89	1.34	1.18	0.83	0.16	0.87	2.84	5.24	3.62	3.03	25.1	30	-32
MEAN SNOW FALL (IN)	0.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		29	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	7.2	5.6	5.8	4.5	4.0	2.5	0.2	2.6	7.1	9.5	8.7	8.5	65.7	30	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		29	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	2.2	2.0	1.2	1.5	1.0	1.8	1.5	2.7	2.3	6.2	1.5	1.9	25.8	6	-139
P FREQ WND SPD = OR GTR 17 KTS	11.6	10.4	10.2	11.6	8.4	3.9	4.0	3.5	3.8	8.4	12.6	13.4	8.5	9	-35
P FREQ WND SPD = OR GTR 28 KTS	2.1	1.4	0.7	1.0	0.6	0.0	0.0	0.1	0.1	0.2	1.4	1.7	0.8	9	-35
P FREQ LES 5000 FT A/D LES 3 MI	32.8	34.7	29.2	25.2	21.0	14.8	11.5	12.9	20.1	27.6	32.4	29.5	24.3	17	12276
P FREQ LES 1500 FT A/D LES 3 MI															
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	14.2	15.0	15.5	12.9	12.3	7.3	4.7	5.2	7.2	14.5	15.3	9.8	11.2	17	5023
09-11 LST														0	0
12-14 LST	12.4	16.5	13.9	10.4	7.0	6.1	4.3	4.4	7.6	13.7	15.6	13.6	10.5	17	5073
15-17 LST														0	0
18-20 LST	15.5	16.3	13.0	11.3	7.1	4.9	1.8	4.6	7.3	10.9	16.9	16.3	10.5	17	4780
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	2.1	2.4	4.0	1.7	3.8	1.0	0.5	0.5	0.5	0.7	1.0	0.7	1.6	17	5023
09-11 LST														0	0
12-14 LST	0.7	1.8	0.0	0.9	0.2	0.0	0.2	0.0	0.7	0.9	0.5	0.4	0.5	17	5073
15-17 LST														0	0
18-20 LST	0.7	2.2	1.4	1.3	1.0	0.3	0.0	0.5	0.0	0.7	1.4	1.0	0.9	17	4780
21-23 LST														0	0

MAHON-JAN LUIS, BALEARIC ISLANDS

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	28.7	25.5	27.5	27.6	28.0	28.6	30.2	30.3	29.1	23.6	27.4	29.6	341.1	17	5023
	12 LST	29.4	25.6	28.4	28.3	30.1	29.6	30.7	30.7	29.5	29.3	27.3	29.2	348.1	17	5073
	18 LST	28.7	25.7	28.0	28.2	29.7	29.3	30.8	30.3	29.3	29.6	26.7	28.2	344.5	17	4780
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	00 LST														0	0
	06 LST	19.8	16.6	18.9	19.5	21.3	22.5	23.1	23.4	23.0	20.3	18.6	19.2	246.2	17	5017
	12 LST	14.0	10.6	12.8	11.1	14.6	15.3	15.0	17.2	16.2	13.9	13.5	12.8	167.0	17	5052
	18 LST	18.4	16.5	19.7	18.2	21.7	22.5	23.4	23.6	22.9	20.8	18.3	17.9	243.9	17	4749
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST														0	0
	06 LST	3.6	2.5	1.9	2.9	1.7	0.9	1.6	1.3	1.3	1.6	2.6	3.2	25.1	17	5046
	12 LST	5.4	5.3	5.3	5.7	5.0	2.1	3.1	2.6	2.1	4.3	4.1	5.3	50.3	17	5076
	18 LST	3.3	2.8	1.9	2.1	1.4	1.0	0.9	0.6	0.9	1.3	2.3	2.2	20.7	17	4791
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST														0	0
	06 LST	8.9	7.0	8.7	9.9	11.5	11.4	10.4	10.1	8.1	8.1	7.4	8.4	109.9	17	5029
	12 LST	11.8	13.0	13.2	13.0	17.2	18.9	17.3	20.1	17.5	14.3	12.6	12.7	181.6	17	5055
	18 LST	10.2	9.0	13.6	14.6	17.7	19.5	20.2	21.1	16.7	10.2	8.1	8.8	169.7	17	4756
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	7.9	7.2	8.4	8.7	11.0	12.4	20.4	16.5	10.0	5.0	4.3	7.6	119.4	17	5028
	12 LST	4.6	4.8	6.8	7.4	10.9	11.8	18.6	15.2	7.7	3.5	3.0	3.5	97.8	17	5065
	18 LST	9.0	7.9	9.1	9.4	13.2	13.7	22.0	18.3	10.4	7.7	8.4	9.3	138.4	17	4785
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	23.3	21.1	24.2	24.2	25.4	26.5	28.4	27.9	25.9	23.8	22.4	24.9	298.0	17	5023
	12 LST	23.5	20.0	24.1	24.7	27.1	26.5	28.2	27.7	25.1	23.1	21.9	22.9	294.8	17	5073
	18 LST	23.0	20.5	23.4	24.7	27.5	27.6	29.8	28.4	26.0	25.0	22.6	22.9	303.4	17	4780
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	21.2	19.4	22.8	23.1	24.6	25.9	27.9	27.2	25.3	22.8	20.8	22.9	283.9	17	5023
	12 LST	21.8	18.3	22.4	23.6	26.4	25.9	27.5	27.0	24.0	21.8	20.3	21.3	280.3	17	5073
	18 LST	22.1	19.7	24.7	24.3	26.9	27.2	29.5	28.0	25.4	24.1	22.0	22.3	296.2	17	4780
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST	21.1	19.4	22.6	22.9	24.3	25.7	27.7	27.2	25.1	22.7	20.5	22.9	282.1	17	5023
	12 LST	21.8	18.3	22.4	23.4	26.4	25.9	27.5	26.9	24.0	21.8	20.2	21.3	279.9	17	5073
	18 LST	22.0	19.7	24.7	24.3	26.9	27.2	29.5	27.9	25.4	24.1	21.9	22.3	295.9	17	4780

AREA NO. 01

BALEARIC ISLANDS

BALEARIC ISLANDS
BOUNDARIES

LATITUDE 4000N

LONGITUDE 00330E

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)	57	58	61	65	72	78	83	84	80	73	64	59	70
MEAN MIN TMP (F)	44	45	47	51	56	62	67	69	65	59	52	46	55
LARGEST MEAN PRECIP(IN)	2.36	1.73	1.89	1.34	1.30	1.00	0.20	0.87	2.84	3.24	3.62	3.03	25.4
SMALLEST MEAN PRECIP(IN)	1.40	1.60	1.50	1.30	1.18	0.83	0.16	0.80	2.50	2.80	2.80	2.20	19.1
	MEAN NUMBER OF DAYS												
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST												
	06 LST	28.7	25.5	27.5	27.6	28.0	28.6	30.2	30.3	29.1	28.6	27.4	27.6 341.1
	12 LST	29.4	25.6	28.4	28.3	30.1	29.6	30.7	30.7	29.5	29.3	27.3	29.2 348.1
	18 LST	28.7	25.7	28.0	28.2	29.7	29.3	30.8	30.3	29.3	29.6	26.7	28.2 344.5
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	00 LST												
	06 LST	19.8	16.6	18.9	19.5	21.3	22.5	23.1	23.4	23.0	20.3	18.6	19.2 246.2
	12 LST	14.0	10.6	12.8	11.1	14.6	15.3	15.0	17.2	16.2	13.9	13.5	12.8 167.0
	18 LST	18.4	16.5	19.7	18.2	21.7	22.5	23.4	23.6	22.9	20.8	18.3	17.9 243.9
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST												
	06 LST	3.6	2.5	1.9	2.9	1.7	0.9	1.6	1.3	1.3	1.6	2.6	3.2 25.1
	12 LST	5.4	5.3	5.3	5.7	5.0	2.1	3.1	2.6	2.1	4.3	4.1	5.3 50.3
	18 LST	3.3	2.8	1.9	2.1	1.4	1.0	0.9	0.6	0.9	1.3	2.3	2.2 20.7
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST												
	06 LST	8.9	7.0	8.7	9.9	11.5	11.4	10.4	10.1	8.1	8.1	7.4	8.4 109.9
	12 LST	11.8	13.0	13.2	12.0	17.2	18.9	17.3	20.1	17.5	14.3	12.6	12.7 181.6
	18 LST	10.2	9.0	13.6	14.6	17.7	19.5	20.2	21.1	16.7	10.2	8.1	8.8 169.7
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST												
	06 LST	7.9	7.2	8.4	8.7	11.0	12.4	20.4	16.5	10.0	5.0	4.3	7.6 119.4
	12 LST	4.6	4.8	6.8	7.4	10.9	11.8	18.6	15.2	7.7	3.5	3.0	3.5 97.8
	18 LST	9.0	7.9	9.1	9.4	13.2	13.7	22.0	18.3	10.4	7.7	8.4	9.3 138.4
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST												
	06 LST	23.3	21.1	24.2	24.2	25.4	26.5	28.4	27.9	25.9	23.8	22.4	24.9 298.0
	12 LST	23.5	20.0	24.1	24.7	27.1	26.5	28.2	27.7	25.1	23.1	21.9	22.9 294.8
	18 LST	23.0	20.5	25.4	24.7	27.5	27.6	29.8	28.4	26.0	25.0	22.6	22.9 303.4
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST												
	06 LST	21.2	19.4	22.8	23.1	24.6	25.9	27.9	27.2	25.3	22.8	20.8	22.9 283.9
	12 LST	21.8	18.3	22.4	23.6	26.4	25.9	27.5	27.0	24.0	21.8	20.3	21.3 280.3
	18 LST	22.1	19.7	24.7	24.3	26.9	27.2	29.5	28.0	25.4	24.1	22.0	22.3 296.2
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST												
	06 LST	21.1	19.4	22.6	22.9	24.3	25.7	27.7	27.2	25.1	22.7	20.5	22.9 282.1
	12 LST	21.8	18.3	22.4	23.4	26.4	25.9	27.5	27.9	24.0	21.8	20.2	21.3 279.9
	18 LST	22.0	19.7	24.7	24.3	26.9	27.2	29.5	27.9	25.4	24.1	21.9	22.3 295.9

NORTH FRONT, GIBRALTAR U. K.

STA NO. 08495 (IN AREA NUMBER 01)

LATITUDE 3609N

LONGITUDE 00521W

ELEVATION(FT) 00008

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	74	75	81	82	87	91	101	99	92	92	84	75	101	11	-528
MEAN MAX TMP (F)	60	62	65	69	73	79	83	84	80	74	67	62	72	11	-28
MEAN MIN TMP (F)	50	51	54	56	60	65	68	70	66	63	57	53	59	11	-28
ABS MIN TMP (F)	36	33	38	45	47	57	58	57	57	50	46	36	33	11	-528
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.5	1.2	0.2	0.5	0.0	0.0	0.0	2.4	5	1581
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	1581
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	1581
MEAN DEW PT TMP (F)	48	49	50	52	56	60	63	65	63	57	53	49	55	5	37799
MEAN REL HUM (PCT)	76	74	77	71	70	70	68	69	72	75	78	77	73	10	-32
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	6.06	3.98	4.69	2.44	1.06	0.20	0.04	0.12	0.39	2.52	5.67	4.92	32.1	10	-32
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	11.0	9.8	7.7	6.6	3.6	0.3	0.0	0.1	2.1	6.6	9.7	10.5	68.0	10	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	-29
MEAN NO DYS W/O CUR VSBY LES 1/2 MI	0.2	1.2	0.4	0.4	0.5	1.7	5.1	4.7	2.5	0.2	1.2	0.7	18.8	5	1576
MEAN NO DYS TSTMS	2.0	1.0	1.0	1.0	1.0	1.0	0.3	1.0	1.0	1.0	1.0	1.0	12.3	20	-24
P FREQ WND SPD = OR GTR 17 KTS	13.1	21.8	18.0	8.4	5.8	2.9	2.9	3.4	1.3	10.9	7.3	17.5	9.4	5	37823
P FREQ WND SPD = OR GTR 28 KTS	0.1	4.5	0.7	0.2	0.0	0.0	0.0	0.0	0.0	0.1	0.5	1.4	0.6	5	37823
P FREQ LES 5000 FT A/D LES 5 MI	14.9	17.4	16.5	9.6	9.4	9.0	12.8	16.2	12.1	11.1	14.5	20.0	13.6	5	31975
P FREQ LES 1500 FT A/D LES 3 MI															
FDR 00-02 LST	6.5	7.1	6.0	3.1	2.9	7.0	10.7	17.1	11.3	8.1	5.3	8.5	7.8	5	3998
03-05 LST	6.2	8.7	7.2	5.6	6.1	5.3	15.4	17.8	9.3	6.1	4.7	7.2	8.3	5	3997
06-08 LST	5.5	8.4	6.2	6.4	6.8	6.3	16.4	17.1	10.0	5.5	8.0	8.1	8.7	5	3998
09-11 LST	4.5	7.7	6.7	6.4	6.1	4.7	8.1	8.1	6.7	3.9	8.0	8.5	6.6	5	3997
12-14 LST	4.0	5.4	5.7	2.6	3.9	1.0	2.7	3.5	3.0	2.9	6.0	9.4	4.2	5	3996
15-17 LST	4.2	4.6	5.5	2.1	3.9	4.3	1.0	2.3	1.7	2.3	5.0	7.5	3.7	5	3996
18-20 LST	5.0	6.0	5.5	2.3	3.2	5.0	3.4	5.9	2.7	1.9	4.7	4.9	4.4	5	3998
21-23 LST	6.7	6.5	6.0	1.5	3.2	5.0	10.4	12.9	5.3	5.2	6.0	7.2	6.3	5	3995
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	0.7	1.4	0.0	0.5	0.0	1.3	6.0	3.1	1.0	0.3	1.3	1.0	1.8	5	3998
03-05 LST	0.2	0.5	0.2	0.5	0.6	1.0	6.7	8.7	0.7	0.6	0.0	0.0	1.6	5	3997
06-08 LST	0.2	0.8	0.0	1.0	0.6	2.3	7.0	4.2	2.3	0.3	0.3	0.7	1.6	5	3998
09-11 LST	0.0	1.1	0.0	1.5	0.6	0.3	3.0	2.3	0.3	0.3	0.3	1.0	0.9	5	3997
12-14 LST	0.0	0.8	0.2	0.5	0.0	0.0	1.7	1.6	1.0	0.0	0.3	0.3	0.5	5	3996
15-17 LST	0.2	1.1	0.2	0.3	0.0	1.0	0.0	0.0	0.0	0.3	0.7	0.3	0.3	5	3996
18-20 LST	0.5	1.4	0.0	0.3	0.3	1.3	0.7	2.3	1.0	0.3	0.3	0.0	0.7	5	3998
21-23 LST	0.5	2.2	0.0	0.0	0.0	1.0	2.7	5.2	0.7	0.0	1.3	0.0	1.1	5	3995

NORTH FRONT, GIBRALTAR U. K.

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST	30.2	27.4	30.2	29.4	30.7	29.2	28.1	28.0	28.0	30.0	29.0	30.5	350.7	5	1579
	06 LST	30.4	27.4	30.8	28.8	30.2	28.7	26.0	26.7	28.2	30.7	29.5	29.9	347.3	5	1576
	12 LST	30.8	27.4	30.4	29.0	30.2	30.0	30.2	30.0	28.7	30.5	29.7	29.9	356.8	5	1576
	18 LST	30.2	27.6	30.4	29.2	30.2	29.2	30.4	30.2	29.5	30.5	29.0	30.7	357.1	5	1576
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	00 LST	16.4	13.7	12.4	18.2	20.3	17.7	18.9	15.7	18.2	18.0	19.2	14.2	202.9	5	1579
	06 LST	15.8	13.5	13.0	17.4	18.0	17.5	18.8	15.7	19.7	20.2	18.2	14.3	202.1	5	1576
	12 LST	12.0	11.7	8.2	13.6	14.2	11.5	13.4	14.7	16.5	17.5	13.7	9.5	156.5	5	1576
	18 LST	13.4	11.7	10.4	14.4	16.2	13.5	19.1	16.0	18.2	18.2	17.5	13.6	182.2	5	1576
SFC WND = GTR 17 KTS AND NO PRFCIP.	00 LST	2.2	4.7	2.4	2.0	0.7	0.7	1.0	1.2	0.2	2.5	1.5	2.0	21.1	5	1579
	06 LST	1.4	4.3	3.2	2.8	2.0	0.2	0.7	0.7	0.2	3.0	1.2	2.5	22.2	5	1576
	12 LST	3.4	5.1	5.2	3.4	3.0	1.2	1.5	2.0	1.0	3.5	1.7	4.5	35.5	5	1576
	18 LST	2.8	5.1	4.0	3.0	0.5	0.2	0.7	0.0	0.2	1.7	1.5	1.0	20.7	5	1576
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST	14.2	10.1	9.8	14.4	14.6	14.0	15.6	15.0	13.2	12.5	12.0	11.7	157.1	5	1579
	06 LST	12.6	9.7	12.0	12.8	12.5	14.0	17.1	16.2	14.7	14.0	11.2	10.8	157.6	5	1575
	12 LST	9.0	8.9	5.6	13.8	14.2	12.2	13.8	15.7	16.7	14.0	8.5	8.0	140.4	5	1575
	18 LST	10.8	10.7	9.2	12.6	14.2	14.7	15.3	15.7	16.0	15.2	12.5	8.3	155.2	5	1575
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST	13.8	11.1	11.6	18.2	17.6	21.0	23.5	20.7	18.0	16.0	14.0	11.5	197.0	5	1579
	06 LST	14.2	10.1	9.0	9.8	12.2	15.0	17.0	13.5	14.7	11.5	13.0	12.6	152.6	5	1576
	12 LST	9.2	7.5	6.4	9.8	12.2	16.0	22.4	17.7	14.0	11.7	5.7	8.5	141.1	5	1576
	18 LST	9.2	7.9	7.6	12.6	14.5	17.5	27.3	23.5	18.7	14.0	10.2	8.5	171.5	5	1576
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST	26.0	24.8	27.8	28.4	29.0	26.7	27.9	25.5	26.0	26.0	26.5	23.7	318.3	5	1579
	06 LST	27.0	22.6	26.4	25.6	28.0	26.0	24.5	22.2	24.7	29.0	25.5	24.9	306.4	5	1576
	12 LST	27.4	24.8	26.8	27.0	28.2	29.2	29.9	28.5	27.2	28.7	26.5	24.4	328.6	5	1576
	18 LST	27.2	25.0	28.2	29.0	29.0	28.2	30.2	30.0	29.2	29.0	26.2	24.6	335.8	5	1576
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST	24.8	23.6	26.8	27.8	28.2	26.5	27.6	25.5	25.5	24.7	25.7	22.0	308.7	5	1579
	06 LST	26.0	21.2	25.2	24.8	27.5	25.5	24.2	22.0	24.0	28.5	25.5	22.6	297.0	5	1576
	12 LST	26.4	23.6	26.0	26.2	28.0	29.2	29.9	28.0	27.0	28.2	26.0	23.4	321.9	5	1576
	18 LST	26.2	24.2	27.6	28.4	29.0	28.2	30.2	30.0	29.2	28.7	25.7	23.1	330.5	5	1576
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST	24.8	23.6	26.8	27.8	28.2	26.5	27.6	25.5	25.5	24.7	25.7	22.0	308.7	5	1579
	06 LST	26.0	21.2	25.2	24.8	27.5	25.5	24.2	22.0	24.0	28.5	25.5	22.6	297.0	5	1576
	12 LST	26.4	23.6	26.0	26.2	28.0	29.2	29.9	28.0	27.0	28.2	26.0	23.4	321.9	5	1576
	18 LST	26.2	24.2	27.6	28.4	29.0	28.2	30.2	30.0	29.2	28.7	25.7	23.1	330.5	5	1576

WINDMILL HILL, GIBRALTAR U. K.

STA NO. 14567/ (IN AREA NUMBER, 01)

LATITUDE 3606N

LONGITUDE 00521W

ELEVATION(FT) 00400

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NU. OBS
ABS MAX TMP (F)	68	70	75	85	83	89	97	96	94	81	76	68	97	12	-28
MEAN MAX TMP (F)	58	59	61	64	68	73	77	78	76	70	64	59	67	12	-28
MEAN MIN TMP (F)	50	51	53	55	58	63	66	68	66	61	56	51	58	12	-28
ABS MIN TMP (F)	35	38	41	46	47	52	61	61	57	51	41	36	35	12	-28
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0				0.0	0.0	0.0		12	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-24
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-29
MEAN DEW PT TMP (F)	46	47	50	52	52	58	62	65	62	58	52	47	54	11	-29
MEAN REL HUM (PCT)	77	76	79	77	71	72	74	78	76	78	78	77	76	9	-28
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	4.60	3.40	3.70	2.50	1.40	0.20	0.03	0.10	0.80	3.50	4.10	5.40	29.7	12	-28
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	10.3	9.0	7.4	6.6	4.6	0.3	0.0	0.0	3.1	8.0	8.7	10.8	68.8	12	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

WINDMILL HILL, GIBRALTAR U. K.
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
	18 LST													0	0
CIG =CTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
	18 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
	18 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
	18 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
	18 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
	18 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
	18 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST													0	0
	06 LST													0	0
	12 LST													0	0
	18 LST													0	0

DATA NOT AVAILABLE

AREA NO. 01

GIBRALTAR U.K.		GIBRALTER BOUNDARIES		LATITUDE 3607N LONGITUDE 00521W											
PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	
MEAN MAX TMP (F)		59	61	63	67	71	76	80	81	78	72	66	61	70	
MEAN MIN TMP (F)		50	51	54	56	59	64	67	69	66	62	57	52	59	
LARGEST MEAN PRECIP(IN)		6.06	3.98	4.69	2.50	1.40	0.20	0.04	0.12	0.80	3.50	5.67	5.40	34.4	
SMALLEST MEAN PRECIP(IN)		4.60	3.40	3.70	2.44	1.06	0.20	0.03	0.10	0.39	2.52	4.10	4.92	27.5	
MEAN NUMBER OF DAYS															
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST	30.2	27.4	30.2	29.4	30.7	29.2	28.1	28.0	28.0	30.0	29.0	30.5	350.7	
	06 LST	30.4	27.4	30.8	28.8	30.2	28.7	26.0	26.7	28.2	30.7	29.5	29.9	347.3	
	12 LST	30.8	27.4	30.4	29.0	30.2	30.0	30.2	30.0	28.7	30.5	29.7	29.9	356.8	
	18 LST	30.2	27.6	30.4	29.2	30.2	29.2	30.4	30.2	29.5	30.5	29.0	30.7	357.1	
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	00 LST	16.4	13.7	12.4	18.2	20.3	17.7	18.9	15.7	18.2	18.0	19.2	14.2	202.9	
	06 LST	15.8	13.5	13.0	17.4	18.0	17.5	18.8	15.7	19.7	20.2	18.2	14.3	202.1	
	12 LST	12.0	11.7	8.2	13.5	14.2	11.5	13.4	14.7	16.5	17.5	13.7	9.5	156.5	
	18 LST	13.4	11.7	10.4	14.4	16.2	13.5	19.1	16.0	18.2	18.2	17.5	13.6	182.2	
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST	2.2	4.7	2.4	2.0	0.7	0.7	1.0	1.2	0.2	2.5	1.5	2.0	21.1	
	06 LST	1.4	4.3	3.2	2.8	2.0	0.2	0.7	0.7	0.2	3.0	1.2	2.5	22.2	
	12 LST	3.4	5.1	5.2	3.4	3.0	1.2	1.5	2.0	1.0	3.5	1.7	4.5	35.5	
	18 LST	2.8	5.1	4.0	3.0	0.5	0.2	0.7	0.0	0.2	1.7	1.5	1.0	20.7	
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST	14.2	10.1	9.0	14.4	14.6	14.0	15.6	15.0	13.2	12.5	12.0	11.7	157.1	
	06 LST	12.6	9.7	12.0	12.8	12.5	14.0	17.1	16.2	14.7	14.0	11.2	10.8	157.6	
	12 LST	9.0	8.9	5.6	13.8	14.2	12.2	13.8	15.7	16.7	14.0	8.5	8.0	140.4	
	18 LST	10.8	10.7	9.2	12.6	14.2	14.7	15.3	15.7	16.0	15.2	12.5	8.3	155.2	
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST	13.8	11.1	11.6	18.2	17.6	21.0	23.5	20.7	18.0	16.0	14.0	11.5	197.0	
	06 LST	14.2	10.1	9.0	9.8	12.2	15.0	17.0	13.5	14.7	11.5	13.0	12.6	152.6	
	12 LST	9.2	7.5	6.4	9.8	12.2	16.0	22.4	17.7	14.0	11.7	5.7	8.5	141.1	
	18 LST	9.2	7.9	7.6	12.6	14.5	17.5	27.3	23.5	18.7	14.0	10.2	8.5	171.5	
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST	26.0	24.8	27.8	28.4	29.0	26.7	27.9	25.5	26.0	26.0	26.5	23.7	318.3	
	06 LST	27.0	22.6	26.4	25.6	28.0	26.0	24.5	22.2	24.7	29.0	25.5	24.9	306.4	
	12 LST	27.4	24.8	26.8	27.0	28.2	29.2	29.9	28.5	27.2	28.7	26.5	24.4	328.6	
	18 LST	27.2	25.0	28.2	29.0	29.0	28.2	30.2	30.0	29.2	29.0	26.2	24.6	335.8	
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST	24.8	23.6	26.8	27.8	28.2	26.5	27.6	25.5	25.5	24.7	25.7	22.0	308.7	
	06 LST	26.0	21.2	25.2	24.8	27.5	25.5	24.2	22.0	24.0	28.5	25.5	22.6	297.0	
	12 LST	26.4	23.6	26.0	26.2	28.0	29.2	29.9	28.0	27.0	28.2	26.0	23.4	321.9	
	18 LST	26.2	24.2	27.6	28.4	29.0	28.2	30.2	30.0	29.2	28.7	25.7	23.1	330.5	
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST	24.8	23.6	26.8	27.8	28.2	26.5	27.6	25.5	25.5	24.7	25.7	22.0	308.7	
	06 LST	26.0	21.2	25.2	24.8	27.5	25.5	24.2	22.0	24.0	28.5	25.5	22.6	297.0	
	12 LST	26.4	23.6	26.0	26.2	28.0	29.2	29.9	28.0	27.0	28.2	26.0	23.4	321.9	
	18 LST	26.2	24.2	27.6	28.4	29.0	28.2	30.2	30.0	29.2	28.7	25.7	23.1	330.5	

EVORA, PORTUGAL

STA NO. 08557 (IN AREA NUMBER 01)

LATITUDE 3834N

LONGITUDE 00754W

ELEVATION(FT) 01053

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YKS)	NO. OBS
ABS MAX TMP (F)	69	75	80	87	92	101	108	104	101	92	79	79	108	30	-633
MEAN MAX TMP (F)	54	56	60	65	70	80	86	87	80	71	61	55	69	30	-133
MEAN MIN TMP (F)	42	43	46	49	51	57	61	62	59	55	48	43	51	30	-133
ABS MIN TMP (F)	24	25	31	36	36	44	50	50	46	39	33	28	24	30	-633
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	1.2	4.1	11.7	13.0	4.3	0.3	0.0	0.0	34.6	9	2595
MEAN NO DYS TMP = DR LES 32(F)	1.2	1.6	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	9	2425
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	2425
MEAN DEW PT TMP (F)	41	39	42	43	45	48	49	49	50	49	46	42	45	30	-29
MEAN REL HUM (PCT)	78	71	70	64	61	53	46	46	54	64	75	78	63	30	-133
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	3.78	2.75	3.50	2.29	1.78	0.90	0.24	0.14	1.28	2.45	2.91	3.24	24.8	30	-133
MEAN SNOW FALL (IN)			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			30	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	6.9	8.0	7.3	6.4	5.5	2.7	0.5	0.1	4.2	6.5	7.2	8.8	66.1	30	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			30	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.2	0.3	0.7	0.8	1.4	1.1	0.7	0.4	1.0	0.7	0.3	0.2	7.8	30	-133
P FREQ WND SPD = DR GTR 17 KTS	7.9	6.6	7.5	6.4	5.8	7.8	8.2	6.0	4.3	6.7	7.1	12.0	7.2	13	-35
P FREQ WND SPD = DR GTR 28 KTS	1.0	0.4	0.4	0.0	0.3	0.0	0.0	0.0	0.0	1.0	0.6	0.6	0.4	13	-35
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

EVORA, PORTUGAL
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	23 LST														0	0
	05 LST														0	0
	11 LST														0	0
	17 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	23 LST														0	0
	05 LST														0	0
	11 LST														0	0
	17 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	23 LST	3.1	1.2	0.2	1.4	1.0	3.7	6.2	3.6	6.0	4.6	1.6	2.6	35.2	6	1295
	05 LST	0.8	0.8	0.9	0.9	1.4	2.5	2.7	1.6	1.0	0.4	1.0	2.3	16.3	9	2419
	11 LST	3.7	1.1	1.8	2.5	1.2	0.4	0.6	2.0	1.2	3.2	1.8	3.9	23.5	6	1701
	17 LST	0.8	0.9	1.4	1.6	1.1	1.7	1.7	1.3	0.8	0.8	1.1	1.4	14.6	9	2601
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	23 LST	13.6	15.0	20.1	15.6	17.5	11.4	11.1	10.3	10.0	14.6	14.8	15.0	169.0	6	1286
	05 LST	15.9	12.9	18.3	18.5	16.1	14.6	12.3	17.5	17.2	19.0	17.5	17.5	197.3	9	2413
	11 LST	11.8	11.9	13.9	14.6	16.5	18.4	16.2	14.7	15.4	13.4	15.1	14.5	176.4	6	1696
	17 LST	16.7	12.5	13.7	14.1	14.2	12.3	9.8	10.7	16.9	16.9	15.1	16.8	169.7	9	2582
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	23 LST	16.4	16.1	17.7	19.3	15.5	19.2	26.8	26.6	27.6	18.6	14.8	13.6	232.2	6	1085
	05 LST	14.1	11.9	10.5	12.6	12.6	13.9	24.1	19.5	17.1	16.7	14.2	15.5	182.7	9	2404
	11 LST	11.5	8.6	12.4	7.8	5.3	11.9	21.1	22.3	14.8	11.5	8.7	8.1	144.0	6	1564
	17 LST	10.8	9.5	5.0	8.9	11.7	15.6	26.0	22.8	14.3	10.9	11.5	11.1	158.1	9	2574
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	23 LST														0	0
	05 LST														0	0
	11 LST														0	0
	17 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	23 LST														0	0
	05 LST														0	0
	11 LST														0	0
	17 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	23 LST														0	0
	05 LST														0	0
	11 LST														0	0
	17 LST														0	0

VILA REAL, PORTUGAL

STA NO. 08566 (IN AREA NUMBER 01)

LATITUDE 41.9N

LONGITUDE 00744W

ELEVATION(FT) 01572

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	64	74	83	82	92	98	102	102	97	92	75	70	102	30	-535
MEAN MAX TMP (F)	50	54	59	64	68	77	83	85	79	65	57	51	66	30	-35
MEAN MIN TMP (F)	35	36	41	43	47	53	56	57	53	46	40	36	45	30	-35
ABS MIN TMP (F)	19	21	28	32	35	39	44	43	37	29	23	20	19	30	-535
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.1	2.9	8.0	7.7	2.3	0.0	0.0	0.0	21.0	8	2211
MEAN NO DYS TMP = DR LES 32(F)	4.4	4.0	0.7	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.5	3.8	13.6	8	2540
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2540
MEAN DEW PT TMP (F)	36	36	39	39	42	47	49	48	49	46	41	37	42	30	-29
MEAN REL HUM (PCT)	80	73	70	62	61	57	52	49	59	68	77	80	66	30	-35
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	7.10	4.60	5.90	4.00	2.00	1.40	0.70	0.60	1.70	3.20	5.00	6.30	42.5	30	-35
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0	0.0				30	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	11.2	10.3	9.0	7.5	6.0	4.1	2.1	1.7	5.1	7.7	9.4	11.0	85.1	30	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0	0.0				30	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS YSTMS	1.0	0.3	1.0	1.0	3.0	3.0	2.0	1.0	1.0	1.0	0.3	1.0	15.6	30	-35
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

VILA REAL, PORTUGAL

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	23 LST														0	0
	05 LST														0	0
	11 LST														0	0
	17 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	23 LST														0	0
	05 LST														0	0
	11 LST														0	0
	17 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	23 LST													1.0	8	2518
	05 LST	0.7	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.1	0.0	0.0		0	0
	11 LST													2.3	8	2193
	17 LST	0.3	0.1	0.1	0.3	0.4	0.1	0.1	0.3	0.5	0.0	0.0	0.1		0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	23 LST													59.3	8	2311
	05 LST	5.2	3.9	5.8	5.4	5.3	5.1	5.2	5.2	2.5	5.0	4.5	6.2		0	0
	11 LST													156.3	8	2185
	17 LST	7.7	8.7	11.4	14.3	15.8	19.3	18.2	19.0	14.8	10.8	9.3	7.0		0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	23 LST													147.4	8	2512
	05 LST	7.2	9.9	9.1	13.4	12.6	14.6	20.8	17.2	12.3	13.5	10.2	6.6		0	0
	11 LST													128.0	8	2193
	17 LST	6.6	8.2	6.4	8.3	9.0	12.9	19.7	16.9	12.2	10.0	11.3	6.5		0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	23 LST														0	0
	05 LST														0	0
	11 LST														0	0
	17 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	23 LST														0	0
	05 LST														0	0
	11 LST														0	0
	17 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	23 LST														0	0
	05 LST														0	0
	11 LST														0	0
	17 LST														0	0

PENHAS DOURADAS, PORTUGAL

STA NO. 08568 (IN AREA NUMBER 01)

LATITUDE 4025N

LONGITUDE 00733W

ELEVATION(FT) 04547

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	62	64	68	74	82	84	97	95	86	77	70	63	97	30	-033
MEAN MAX TMP (F)	42	43	45	49	54	64	70	71	64	55	46	43	54	30	-133
MEAN MIN TMP (F)	32	32	35	37	42	50	55	56	51	45	37	33	42	30	-133
ABS MIN TMP (F)	12	9	15	18	26	30	37	36	33	26	21	15	9	30	-033
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.1	0.0	0.0	0.0	0.0	0.3	9	2587
MEAN NO DYS TMP = DR LES 32(F)	16.8	11.9	8.5	6.3	0.8	0.1	0.0	0.0	0.0	0.6	5.7	12.8	63.5	9	2819
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	2819
MEAN DEW PT TMP (F)	32	31	33	34	38	44	44	44	44	41	36	32	38	30	-29
MEAN REL HUM (PCT)	82	78	78	74	71	65	56	53	65	75	81	81	72	30	-133
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	10.63	8.15	10.29	6.60	6.22	2.86	1.68	1.26	3.65	7.11	13.07	14.07	85.6	30	-133
MEAN SNOW FALL (IN)						0.0	0.0	0.0	0.0					30	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN		11.4		10.6	9.6	7.2	4.8	3.7	8.2					30	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN						0.0	0.0	0.0	0.0					30	-29
MEAN NO DYS W/OCUR VS8Y LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.3	0.3	0.7	1.4	2.8	3.2	1.4	1.2	1.9	1.1	0.3	0.2	15.0	30	-133
P FREQ WND SPD = DR GTR 17 KTS	32.2	27.9	31.8	22.1	21.1	18.7	23.2	21.0	19.1	19.8	29.7	37.0	75.3	30	-35
P FREQ WND SPD = DR GTR 28 KTS	11.9	10.6	9.9	5.5	5.1	2.1	3.1	3.1	3.2	4.9	10.4	19.7	7.5	30	-35
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

PENHAS DOURADAS, PORTUGAL

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	23 LST														0	0
	05 LST														0	0
	11 LST														0	0
	17 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	23 LST														0	0
	05 LST														0	0
	11 LST														0	0
	17 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	23 LST	8.5	5.5	6.5	6.6	6.5	4.3	7.6	6.6	6.2	6.1	7.6	8.1	80.1	6	1239
	05 LST	6.0	5.0	6.3	4.6	3.8	4.0	6.4	3.3	4.1	3.8	5.4	5.8	58.5	9	2814
	11 LST	7.8	5.3	5.8	3.9	5.0	2.3	2.3	4.7	3.6	5.4	7.0	8.9	62.0	6	1389
	17 LST	6.1	4.5	4.7	5.8	5.0	6.5	8.8	8.4	5.0	3.3	3.0	7.9	69.0	9	2590
SFC WND 4-10 KTS AND TMP 33-89 DFG F AND NO PRFCIP.	23 LST	6.1	6.0	9.2	11.1	9.3	8.8	11.9	9.0	9.3	10.8	6.2	5.6	103.3	6	1226
	05 LST	2.9	5.2	6.4	10.1	12.6	11.9	12.4	10.6	10.5	10.5	7.6	5.0	105.7	9	2805
	11 LST	8.4	7.3	12.6	15.0	13.3	15.6	17.5	15.3	17.0	12.0	9.7	10.6	154.3	6	1377
	17 LST	4.8	7.6	8.0	10.9	12.8	10.5	10.3	9.6	11.4	12.9	10.8	4.8	114.4	9	2565
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	23 LST	14.5	12.5	14.3	16.0	11.5	19.8	26.2	25.8	20.1	15.2	9.3	8.7	193.9	7	1103
	05 LST	9.3	10.4	9.4	9.9	12.0	13.2	20.4	16.9	14.6	14.7	11.9	11.8	154.2	9	2790
	11 LST	12.3	8.7	11.9	8.8	6.0	8.6	17.0	19.8	11.8	9.9	7.6	6.3	128.7	6	1285
	17 LST	6.4	7.5	6.2	8.1	9.4	11.0	17.1	14.9	11.7	9.6	8.8	8.3	119.0	9	2536
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	23 LST														0	0
	05 LST														0	0
	11 LST														0	0
	17 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	23 LST														0	0
	05 LST														0	0
	11 LST														0	0
	17 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	23 LST														0	0
	05 LST														0	0
	11 LST														0	0
	17 LST														0	0

BRAGANCA, PORTUGAL

STA NO. 08575 (IN AREA NUMBER 01)

LATITUDE 4149N

LONGITUDE 00640W

ELEVATION(FT) 02356

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	66	66	77	83	88	96	103	99	95	82	72	63	103	11	-528
MEAN MAX TMP (F)	46	50	53	59	65	74	80	81	74	62	52	46	62	11	-28
MEAN MIN TMP (F)	31	31	37	39	44	50	54	54	49	42	36	31	42	11	-28
ABS MIN TMP (F)	10	16	23	27	28	37	37	33	33	26	22	16	10	11	-528
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	1.5	4.6	6.4	1.6	0.0	0.0	0.0	14.1	9	2527
MEAN NO DYS TMP = OR LES 32(F)	11.8	9.3	2.7	2.5	0.1	0.0	0.0	0.0	0.0	0.2	4.8	11.3	42.7	9	2823
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	2823
MEAN DEW PT TMP (F)	35	34	37	38	41	47	49	48	52	43	38	33	41	9	-29
MEAN REL HUM (PCT)	86	79	75	68	65	62	56	54	73	74	81	82	71	5	-28
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	11.90	6.90	7.70	3.70	3.00	1.60	0.50	0.60	1.50	3.00	6.30	7.10	53.8	11	-28
MEAN SNOW FALL (IN)						0.0	0.0	0.0	0.0					11	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN		11.1		7.4	7.1	4.6	1.4	1.7	4.7	7.4	9.7	11.2		11	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN						0.0	0.0	0.0	0.0					11	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS	8.3	8.8	7.4	4.8	3.6	3.6	3.3	5.2	2.6	2.3	5.5	10.4	5.5	13	-35
P FREQ WND SPD = OR GTR 28 KTS	0.6	1.9	0.3	0.3	0.0	0.3	0.1	0.3	0.0	0.1	0.4	0.3	0.4	13	-35
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

BRAGANCA, PORTUGAL
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST														0	0
	12 LST														0	0
	18 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	00 LST														0	0
	06 LST														0	0
	12 LST														0	0
	18 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST	1.2	1.2	0.7	1.2	0.2	0.5	0.9	0.5	0.6	0.3	1.0	1.7	10.0	6	1487
	06 LST	0.9	1.2	0.8	0.0	0.1	0.0	0.3	0.2	0.0	0.0	0.2	1.1	4.8	9	2816
	12 LST	1.4	1.4	2.6	2.2	1.1	0.4	1.0	3.1	1.4	1.7	0.4	2.1	18.8	6	1695
	18 LST	1.1	0.5	0.7	0.5	1.2	2.0	1.6	2.0	0.4	0.1	0.7	0.9	11.7	9	2523
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	00 LST	5.2	4.3	7.2	11.0	14.6	12.1	12.8	12.9	10.1	5.8	5.3	6.5	107.8	6	1471
	06 LST	5.1	5.7	8.3	7.8	7.8	10.4	11.0	9.7	7.6	5.9	4.7	5.5	89.5	9	2808
	12 LST	5.7	7.4	9.4	13.6	11.6	15.6	13.5	13.9	9.0	7.8	7.4	7.9	122.8	6	1681
	18 LST	9.2	8.3	13.2	11.0	9.3	10.3	8.4	9.6	13.4	11.1	10.1	6.2	120.6	9	2512
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST	11.5	10.2	10.9	11.7	7.2	11.8	17.4	13.6	16.8	13.8	11.7	12.4	149.0	6	1331
	06 LST	7.6	10.3	8.5	10.9	12.8	13.8	21.5	19.3	13.0	13.3	10.6	8.1	149.7	9	2784
	12 LST	10.5	9.3	11.2	8.6	5.6	10.4	17.1	15.1	13.2	9.4	6.3	6.7	123.4	6	1634
	18 LST	7.0	8.4	7.0	8.3	9.2	11.3	19.3	18.3	11.7	11.9	12.5	6.8	131.7	9	2501
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST														0	0
	12 LST														0	0
	18 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST														0	0
	12 LST														0	0
	18 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST														0	0
	06 LST														0	0
	12 LST														0	0
	18 LST														0	0

AREA NO. 01

PARAMETER DESCRIPTION	MOUNTAINS													
	BOUNDARIES				LATITUDE 4100N LONGITUDE 00730W									
	4204N 00830W	3940N 00820W	3940N 00820W	3930N 00745W	3930N 00745W	3848N 00745W	3848N 00745W	3832N 00825W	3832N 00825W	3828N 00720W				
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	
MEAN MAX TMP (F)	48	51	54	59	64	74	80	81	74	64	54	49	63	
MEAN MIN TMP (F)	35	36	40	42	46	53	57	57	53	47	40	36	45	
LARGEST MEAN PRECIP(IN)	11.90	8.15	10.29	6.60	6.22	2.86	1.68	1.26	3.65	7.11	13.07	14.07	86.9	
SMALLEST MEAN PRECIP(IN)	3.28	2.75	3.50	2.29	1.78	0.90	0.24	0.14	1.28	2.45	2.91	3.24	24.8	
	MEAN NUMBER OF DAYS													
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	00 LST													
	06 LST													
	12 LST													
	18 LST													
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	00 LST													
	06 LST													
	12 LST													
	18 LST													
SFC WND = GTR 17 KTS AND NO PRECIP.	00 LST	4.3	2.6	2.5	3.1	2.6	2.8	4.9	3.6	4.3	3.7	3.4	4.1	41.9
	06 LST	2.1	1.8	2.0	1.4	1.4	1.6	2.4	1.3	1.3	1.1	1.7	2.3	20.4
	12 LST	4.3	2.6	3.4	2.9	2.4	1.0	1.3	3.3	2.1	3.4	3.1	5.0	34.8
	18 LST	2.1	1.5	1.7	2.1	1.9	2.6	3.1	3.0	1.7	1.1	1.2	2.6	24.6
SFC WND 4-10 KTS AND THP 33-89 DEG F AND NU PRECIP.	00 LST	8.3	8.4	12.2	12.6	13.8	10.8	11.9	10.7	9.8	10.4	8.8	9.0	126.7
	06 LST	7.3	6.9	9.7	10.5	10.5	10.5	10.2	10.6	9.5	10.1	8.6	8.6	113.2
	12 LST	8.6	8.9	12.0	14.4	13.8	16.5	15.7	14.6	13.8	11.1	10.7	11.0	151.1
	18 LST	9.6	9.4	11.6	12.6	13.0	13.1	11.7	12.2	14.1	12.9	11.3	8.7	140.2
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	00 LST	14.1	12.9	14.3	15.7	11.4	16.9	23.5	22.0	21.5	15.9	11.9	11.6	191.7
	06 LST	9.6	10.6	9.4	11.7	12.5	13.9	21.7	18.2	14.3	14.6	11.7	10.5	198.7
	12 LST	11.4	8.9	11.8	8.4	5.6	10.3	18.4	19.1	13.3	10.3	7.5	7.0	132.0
	18 LST	7.7	8.4	6.2	8.4	9.8	12.7	20.5	18.2	12.5	10.6	11.0	8.2	134.2
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST													
	06 LST													
	12 LST													
	18 LST													
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	00 LST													
	06 LST													
	12 LST													
	18 LST													
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST													
	06 LST													
	12 LST													
	18 LST													

CABO CARVOEIRO, PORTUGAL

STA NO. 08530 (IN AREA NUMBER 02)

LATITUDE 3921N

LONGITUDE 00924W

ELEVATION(FT) 00112

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	64	70	77	75	86	82	88	100	86	82	70	72	100	9	2143
MEAN MAX TMP (F)	57	58	60	62	65	67	69	70	69	67	61	58	64	9	2143
MEAN MIN TMP (F)	48	50	53	53	56	59	61	61	61	58	52	49	55	9	1720
ABS MIN TMP (F)	30	27	45	45	41	54	50	50	52	48	36	39	27	9	1720
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.0	0.0	0.0	0.0	0.9	9	2143
MEAN NO DYS TMP = DR LES 32(F)	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	9	1720
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	1720
MEAN DEW PT TMP (F)	47	49	50	51	55	57	60	61	61	58	51	48	54	8	-29
MEAN REL HUM (PCT)	83	83	81	80	83	83	84	86	87	85	83	83	83	6	-35
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	3.55	2.42	4.05	3.24	2.05	0.31	0.18	0.66	1.27	1.91	2.69	3.78	26.1	7	1376
MEAN SNOW FALL (IN)	0.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		9	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	6.7	5.2	9.1	5.4	4.8	1.1	0.7	1.1	3.6	6.5	5.4	9.4	59.0	7	1376
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		9	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS	26.4	22.9	21.0	22.9	18.6	17.6	16.1	12.6	13.6	15.8	24.2	30.3	20.2	12	-35
P FREQ WND SPD = DR GTR 28 KTS	6.7	4.5	2.7	3.7	1.8	3.4	1.4	1.2	2.3	2.9	5.0	8.2	3.7	12	-35
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

CABO CARVOEIRO, PORTUGAL
 MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS	
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	23 LST													0	0	
	05 LST													0	0	
	11 LST													0	0	
	17 LST													0	0	
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KIS	23 LST													0	0	
	05 LST													0	0	
	11 LST													0	0	
	17 LST													0	0	
SFC WND = GTR 17 KTS AND NO PRECIP.	23 LST													0	0	
	05 LST	3.8	4.2	3.5	5.2	1.9	1.3	2.2	1.7	1.9	3.0	3.7	4.7	37.1	9	1722
	11 LST	10.7	5.9	5.5	5.5	5.9	4.4	3.9	4.4	4.8	5.3	8.0	9.9	74.2	5	1418
	17 LST	4.4	5.6	5.6	7.2	7.1	6.7	6.5	4.2	4.3	4.5	6.0	6.0	68.1	9	2159
SFC WND 4-10 KTS AND THP 33-89 DEG F AND NO PRECIP.	23 LST													0	0	
	05 LST	11.6	11.4	16.4	10.9	15.0	13.4	12.5	15.6	15.3	14.8	9.7	10.4	157.0	9	1720
	11 LST	5.7	3.8	7.4	9.3	8.6	8.7	6.5	5.3	6.2	7.0	6.7	7.6	82.8	5	1411
	17 LST	10.4	11.2	12.6	10.5	12.5	12.5	11.6	14.7	12.7	13.9	11.3	9.0	142.9	9	2144
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	23 LST													0	0	
	05 LST	12.3	10.2	7.5	6.7	6.0	7.1	11.3	10.7	6.2	12.4	13.4	10.8	114.6	9	1714
	11 LST	8.4	7.4	10.8	10.0	5.4	8.1	10.3	13.1	13.5	7.6	6.0	5.9	106.5	5	1325
	17 LST	7.0	7.9	5.5	8.8	9.3	12.9	18.9	16.2	12.6	11.3	11.2	8.1	129.7	9	2136
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	23 LST													0	0	
	05 LST													0	0	
	11 LST													0	0	
	17 LST													0	0	
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	23 LST													0	0	
	05 LST													0	0	
	11 LST													0	0	
	17 LST													0	0	
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	23 LST													0	0	
	05 LST													0	0	
	11 LST													0	0	
	17 LST													0	0	

LISBON/PORTELA, PORTUGAL

STA NO. 08536 (IN AREA NUMBR 02)

LATITUDE 3846N

LONGITUDE 00908W

ELEVATION(FT) 00361

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NC. OBS
ABS MAX TMP (F)	68	77	83	87	94	99	103	102	99	93	77	66	103	75	-528
MEAN MAX TMP (F)	56	58	61	64	69	75	79	80	76	69	61	57	67	75	-28
MEAN MIN TMP (F)	46	47	49	52	56	60	63	64	62	57	52	47	55	75	-28
ABS MIN TMP (F)	30	28	34	37	42	49	52	52	51	43	34	31	28	75	-528
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	1.4	1.9	6.0	6.2	3.2	0.2	0.0	0.0	18.9	9	3028
MEAN NO DYS TMP = DR LES 32(F)	0.4	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	9	3010
MEAN NO DYS TMP = DR LES 3(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	3010
MEAN DEW PT TMP (F)	43	44	45	47	50	53	55	56	55	52	49	44	49	0	-50
MEAN REL HUM (PCT)	79	74	72	68	67	64	60	59	65	70	76	79	69	30	-133
MEAN PRESS ALT (FT)	141	193	270	284	287	248	239	266	254	248	241	195	239	0	-50
MEAN PRECIP (IN)	3.50	3.20	3.10	2.40	1.70	0.70	0.20	0.20	1.40	3.10	4.20	3.60	27.1	75	-28
MEAN SNOW FALL (IN)	0.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		75	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	8.9	8.8	7.1	6.5	5.4	2.1	0.3	0.3	4.4	7.5	8.8	9.3	69.4	75	-29
MEAN NO DYS SNFL = DR GTP 1.5 IN	0.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		75	-29
MEAN NO DYS W/O CUR VS BY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.4	0.6	0.9	0.9	0.9	0.5	0.3	0.2	0.9	0.5	0.6	0.6	7.3	30	-133
P FREQ WND SPD = DR GTR 17 KTS	10.3	8.3	9.2	9.3	14.7	17.1	25.5	19.8	10.8	5.5	9.5	10.5	12.5	13	-35
P FREQ WND SPD = DR GTR 28 KTS	1.0	1.0	0.7	0.2	0.8	0.9	1.0	0.6	0.7	0.3	0.9	1.5	0.8	13	-35
P FREQ LES 3000 FT A/O LES 3 MI														0	0
P FREQ LES 1900 FT A/O LES 3 MI														0	0
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

LISBON/PORTELA, PORTUGAL

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	23 LST														0	0
	05 LST														0	0
	11 LST														0	0
	17 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	23 LST														0	0
	05 LST														0	0
	11 LST														0	0
	17 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	23 LST	1.2	0.1	0.3	1.3	2.0	1.6	3.1	2.3	1.5	0.6	1.0	0.4	15.4	6	1816
	05 LST	1.1	1.6	0.6	0.9	1.8	1.6	4.2	2.7	0.8	0.5	1.0	1.2	18.0	9	3015
	11 LST	2.5	1.0	2.0	2.1	2.3	1.2	1.8	2.4	1.2	1.2	1.8	2.7	22.2	6	1858
	17 LST	2.8	3.5	3.7	4.5	7.8	12.1	17.5	13.5	7.4	3.0	3.1	2.8	81.7	9	3031
SFC WND 4-10 KTS AND TMP 33-89 DFG F AND NO PRECIP.	23 LST	18.9	15.8	18.9	17.6	18.0	18.8	16.7	17.2	16.9	16.2	16.6	16.8	208.4	6	1814
	05 LST	16.4	15.6	15.1	16.8	16.9	17.1	16.8	15.9	17.3	18.2	18.7	15.7	200.5	9	3014
	11 LST	16.7	13.6	18.6	15.1	14.9	15.8	16.4	16.5	17.1	17.1	15.1	15.1	192.0	6	1858
	17 LST	14.6	12.8	10.1	9.1	4.9	3.3	1.3	3.1	4.3	14.8	14.6	14.0	106.9	9	3023
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	23 LST	14.6	13.7	16.3	15.9	14.7	20.1	23.2	23.9	18.6	20.2	13.2	15.1	210.0	6	1512
	05 LST	12.9	13.0	10.7	12.4	12.5	14.0	21.6	20.3	16.8	17.8	15.0	14.5	181.5	9	2976
	11 LST	9.7	7.1	10.7	8.0	5.3	10.6	18.4	18.6	14.3	9.3	6.6	6.8	125.4	6	1724
	17 LST	8.3	9.2	6.1	10.6	13.3	16.0	26.1	22.1	14.9	13.0	10.9	10.4	160.9	9	3000
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	23 LST														0	0
	05 LST														0	0
	11 LST														0	0
	17 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	23 LST														0	0
	05 LST														0	0
	11 LST														0	0
	17 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	23 LST														0	0
	05 LST														0	0
	11 LST														0	0
	17 LST														0	0

SAGRES-CABO DE SAO VINCENTE, PORTUGAL

STA NO. 08538 (IN AREA NUMBER 02)

LATITUDE 3659N

LONGITUDE 00857W

ELEVATION(FT) 00157

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. DBS
ABS MAX TMP (F)	72	76	75	81	88	88	95	95	90	87	81	82	95	30	-633
MEAN MAX TMP (F)	58	59	61	64	65	69	70	71	71	69	64	60	65	30	-133
MEAN MIN TMP (F)	51	51	52	54	56	59	60	61	62	60	55	51	56	30	-133
ABS MIN TMP (F)	33	33	33	37	41	42	47	49	47	43	33	34	33	30	-633
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.1	0.1	0.0	0.0	0.0	0.5	9	2852
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	2869
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	2869
MEAN DEW PT TMP (F)	47	47	49	51	53	58	59	61	61	58	53	48	54	30	-29
MEAN REL HUM (PCT)	77	77	77	77	79	81	82	84	83	80	80	77	80	30	-133
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	2.36	2.16	1.93	1.50	0.79	0.24	0.06	0.02	0.66	1.78	2.17	2.05	15.7	30	-133
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	30	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	7.2	6.7	5.8	4.9	2.6	0.5	0.0	0.0	2.7	5.2	6.0	6.4	48.0	30	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	30	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.2	0.3	0.3	0.1	0.4	0.1	0.1	0.1	0.6	0.4	0.1	0.4	3.1	30	-133
P FREQ WND SPD = DR GTR 17 KTS	16.0	12.8	15.5	13.3	13.6	16.6	19.2	21.4	14.1	9.2	14.6	17.3	15.3	13	-35
P FREQ WND SPD = DR GTR 28 KTS	3.5	0.9	1.8	2.0	1.5	1.9	0.5	1.2	0.6	0.6	0.4	3.0	1.5	13	-35
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1900 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

SAGRES-CABO DE SAO VINCENTE, PORTUGAL

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	23 LST														0	0
	05 LST														0	0
	11 LST														0	0
	17 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	23 LST														0	0
	05 LST														0	0
	11 LST														0	0
	17 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	23 LST	6.8	3.8	3.8	5.0	8.0	9.0	11.6	15.9	7.8	5.4	7.5	5.8	90.4	6	1313
	05 LST	2.4	2.4	2.9	1.7	1.5	1.7	2.4	2.4	1.5	0.9	1.6	4.3	25.7	9	2858
	11 LST	7.1	4.8	6.8	7.3	7.1	9.3	9.3	9.1	5.5	3.5	6.2	7.3	83.3	6	1440
	17 LST	3.1	2.9	3.8	3.9	3.7	4.7	5.8	5.6	4.0	3.0	2.7	2.9	46.1	9	2877
SFC WND 4-10 KTS AND THP 33-89 DEG F AND NO PRECIP.	23 LST	15.3	16.4	16.2	12.4	13.1	11.1	9.0	6.3	11.3	15.2	12.8	12.9	152.0	6	1304
	05 LST	15.6	14.5	14.0	16.9	17.8	15.7	17.6	16.2	16.1	18.8	16.9	14.6	194.7	9	2854
	11 LST	12.0	11.4	12.8	9.0	12.9	7.8	11.9	9.9	14.7	12.6	13.3	12.9	141.2	6	1432
	17 LST	14.4	15.4	14.6	15.4	15.8	13.7	11.1	13.7	17.0	16.1	16.0	15.1	178.3	9	2864
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	23 LST	6.4	5.7	5.8	6.5	5.4	7.1	7.4	8.0	6.7	7.7	6.1	6.1	78.9	6	1092
	05 LST	12.8	11.3	11.2	13.4	15.0	15.6	20.6	20.3	17.9	15.1	14.2	14.1	181.5	9	2907
	11 LST	8.9	9.7	11.5	12.5	8.8	15.1	18.8	24.5	16.4	15.6	8.8	10.5	161.1	6	1341
	17 LST	9.6	9.1	8.1	12.1	16.3	19.2	25.8	24.7	18.7	13.9	10.7	11.5	179.7	9	2916
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	23 LST														0	0
	05 LST														0	0
	11 LST														0	0
	17 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	23 LST														0	0
	05 LST														0	0
	11 LST														0	0
	17 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	23 LST														0	0
	05 LST														0	0
	11 LST														0	0
	17 LST														0	0

VIANA DO CASTELO, PORTUGAL

STA NO. 08543 (IN AREA NUMBER 02)

LATITUDE 41-1N

LONGITUDE 00850W

ELEVATION(FT) 00033

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
ABS MAX TMP (F)	64	73	79	81	93	90	91	95	95	84	79	72	95	9	2528
MEAN MAX TMP (F)	53	54	58	62	66	69	73	72	70	66	60	55	63	9	2528
MEAN MIN TMP (F)	44	44	48	50	54	57	59	58	57	53	47	44	51	9	2719
ABS MIN TMP (F)	28	28	34	34	39	43	48	45	46	41	34	28	28	9	2719
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.1	0.3	0.4	0.7	0.3	0.0	0.0	0.0	1.8	9	2528
MEAN NO DYS TMP = OR LES 32(F)	1.5	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	4.1	9	2719
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	2719
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	7.22	5.03	7.07	4.21	4.19	1.53	0.48	1.03	3.82	5.23	6.74	8.51	56.7	9	2278
MEAN SNOW FALL (IN)			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			9	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	12.1	9.7	13.3	7.9	7.5	3.9	1.9	4.6	6.8	8.2	10.6	15.0	101.5	9	2278
MEAN NO DYS SNFL = OR GTR 1.5 IN			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			9	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS	4.0	5.8	3.1	5.6	3.0	3.3	2.7	0.1	0.5	0.7	1.5	0.8	2.7	12	-35
P FREQ WND SPD = OR GTR 28 KTS	2.6	1.6	0.7	0.3	0.5	0.7	1.0	0.0	0.0	0.1	0.2	0.0	0.6	12	-35
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

VIANA DO CASTELO, PORTUGAL

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
	17 LST													0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
	17 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	23 LST	2.3	2.5	0.6	2.0	0.5	0.5	0.8	0.0	0.0	0.6	0.0	9.8	6	1398
	05 LST	0.1	0.1	0.0	0.5	0.0	0.0	0.0	0.1	0.0	0.1	0.0	0.9	9	2708
	11 LST	2.4	2.8	2.5	4.6	3.1	4.1	3.6	0.0	0.0	0.0	0.2	23.3	6	1624
	17 LST	0.1	0.1	0.0	0.1	0.0	0.4	0.4	0.1	0.0	0.3	0.0	1.5	9	2533
SFC WND 4-10 KTS AND TMP DEG F AND NO PRECIP.	23 LST	11.0	9.2	11.0	8.2	11.0	5.5	7.6	8.2	7.5	7.3	10.0	11.1	6	1380
	05 LST	16.3	12.9	15.1	12.4	10.9	8.8	6.9	7.2	7.0	14.3	16.3	15.1	9	1704
	11 LST	12.1	7.5	10.6	11.6	14.3	17.8	16.0	20.9	12.2	11.9	9.4	11.3	6	1610
	17 LST	10.1	16.5	18.5	18.5	22.7	18.0	21.5	20.6	17.5	16.4	9.6	9.6	9	199.6
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	23 LST	6.9	4.1	5.7	5.7	4.5	6.9	8.5	6.8	11.5	4.6	3.1	4.5	6	1288
	05 LST	10.4	9.8	7.7	12.5	10.3	12.8	17.5	15.1	11.9	13.8	14.1	10.2	9	2709
	11 LST	10.8	8.5	12.1	7.7	7.6	11.0	17.0	13.4	11.5	10.3	7.4	7.8	6	1603
	17 LST	9.5	9.8	9.6	11.2	13.5	14.4	20.5	19.3	15.5	12.6	12.6	8.8	9	2516
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
	17 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
	17 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
	17 LST													0	0

PORTO, PORTUGAL

STA NO. 08545 (IN AREA NUMBER 02)

LATITUDE 4114N

LONGITUDE 00841W

ELEVATION(FT) 00259

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	71	78	83	89	92	98	104	103	99	92	78	73	104	30	-633
MEAN MAX TMP (F)	56	58	61	64	66	73	76	77	75	69	61	56	66	30	-133
MEAN MIN TMP (F)	40	41	45	48	51	56	58	58	56	51	46	41	49	30	-133
ABS MIN TMP (F)	25	23	29	33	38	41	46	46	41	35	30	25	23	30	-633
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.3	0.3	1.3	1.6	0.2	0.0	0.0	0.0	3.7	9	2962
MEAN NO DYS TMP = DR LES 32(F)	3.3	2.7	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	2.2	9.2	9	2867
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	2867
MEAN DEW PT TMP (F)	42	40	45	45	49	53	54	55	55	49	49	42	48	0	-50
MEAN REL HUM (PCT)	79	77	77	73	75	74	73	71	75	79	82	81	76	30	-133
MEAN PRESS ALT (FT)	46	92	167	158	162	111	100	131	126	137	142	101	123	0	-50
MEAN PRECIP (IN)	6.03	4.62	5.45	4.06	3.28	1.67	0.85	0.74	2.12	4.28	5.91	6.54	45.5	30	-133
MEAN SNOW FALL (IN)			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			30	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	11.0	5.3	8.3	7.5	7.2	4.8	2.5	2.2	5.9	8.9	9.7	11.1	89.4	30	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			30	-29
MEAN NO DYS W/OCCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	1.4	2.1	2.3	2.5	2.5	2.4	0.7	1.3	1.0	2.2	1.9	1.6	22.7	13	-133
P FREQ WND SPD = DR GTR 17 KTS	10.5	10.0	9.7	9.5	5.9	5.6	5.0	7.2	4.9	8.1	10.7	11.2	8.2	13	-35
P FREQ WND SPD = DR GTR 28 KTS	1.5	1.0	1.4	1.0	0.4	0.9	0.4	0.3	0.2	0.2	2.5	3.0	1.1	13	-35
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1900 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

PORTO, PORTUGAL

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	23 LST														0	0
	05 LST														0	0
	11 LST														0	0
	17 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	23 LST														0	0
	05 LST														0	0
	11 LST														0	0
	17 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	23 LST	0.0	0.8	0.2	0.0	0.5	0.0	0.0	0.0	0.0	0.6	0.8	1.6	4.5	6	1602
	05 LST	0.3	1.5	0.7	0.2	0.0	0.1	0.0	0.0	0.2	0.0	0.7	0.8	4.5	9	2927
	11 LST	0.6	1.2	0.6	1.0	0.7	1.0	0.2	0.9	0.6	0.4	0.8	1.0	9.0	6	1653
	17 LST	0.5	0.7	1.1	1.6	1.5	2.2	2.1	1.3	1.1	0.2	1.0	0.8	14.1	9	2986
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	23 LST	9.7	9.7	13.8	12.8	9.6	6.5	10.5	8.7	10.4	7.5	8.3	9.4	116.9	6	1596
	05 LST	13.0	11.0	11.2	10.7	11.8	9.4	8.4	10.4	11.0	11.5	14.2	12.8	135.4	5	2920
	11 LST	14.7	12.7	16.4	17.7	16.0	15.2	17.9	19.4	14.4	16.7	12.2	13.6	186.9	6	1649
	17 LST	9.1	12.3	12.7	13.4	13.9	13.5	11.8	15.0	13.9	12.7	9.6	9.6	147.5	9	2976
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	23 LST	15.1	11.0	11.7	13.3	12.0	11.8	17.6	16.8	13.6	12.6	9.6	11.4	156.5	6	1355
	05 LST	11.8	11.4	8.4	11.5	7.7	8.1	12.0	9.4	8.1	13.0	13.8	12.3	127.5	9	2932
	11 LST	11.3	8.1	9.3	9.3	6.7	8.4	12.8	12.1	7.6	7.9	6.6	6.4	106.5	6	1552
	17 LST	8.1	9.0	6.7	10.8	9.2	12.6	18.9	16.0	12.3	10.7	10.9	8.6	133.8	9	2964
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	23 LST														0	0
	05 LST														0	0
	11 LST														0	0
	17 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	23 LST														0	0
	05 LST														0	0
	11 LST														0	0
	17 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	23 LST														0	0
	05 LST														0	0
	11 LST														0	0
	17 LST														0	0

COIMBRA, PORTUGAL

STA NO. 08549 (IN AREA NUMBER 02)

LATITUDE 4012N

LONGITUDE 00825W

ELEVATION(FT) 00459

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. DBS
ABS MAX TMP (F)	73	79	87	96	99	105	114	111	104	98	83	72	114	30	-633
MEAN MAX TMP (F)	57	60	64	68	72	79	83	85	81	73	63	58	70	30	-133
MEAN MIN TMP (F)	42	43	47	49	52	57	59	59	58	54	47	43	51	30	-133
ABS MIN TMP (F)	26	23	28	34	40	44	48	48	42	36	30	27	25	30	-633
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	2.1	3.0	7.3	7.2	4.5	1.2	0.0	0.0	25.3	9	2749
MEAN NO DYS TMP = DR LES 32(F)	3.1	3.1	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	8.7	7	1087
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	1087
MEAN DEW PT TMP (F)	42	43	46	47	51	55	57	56	53	53	47	44	50	30	-29
MEAN REL HUM (PCT)	78	74	72	70	70	67	64	62	60	71	77	79	70	30	-133
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	4.96	3.91	4.73	3.5	2.81	1.43	0.60	0.62	1.89	3.50	4.41	5.18	37.5	30	-133
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			30	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	10.5	9.7	7.7	7.3	6.9	4.2	1.7	1.8	5.5	8.0	9.0	10.7	83.0	30	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			30	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	1.1	1.2	2.2	2.7	3.3	3.0	0.9	1.3	2.7	1.9	1.2	1.2	22.2	30	-133
P FREQ WND SPD = DR GTR 17 KTS	4.0	3.1	3.1	2.8	2.3	0.4	0.4	0.6	0.7	2.2	6.3	5.0	2.6	13	-35
P FREQ WND SPD = DR GTR 23 KTS	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.4	0.0	0.0	0.2	1.5	0.2	13	-35
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

COIMBRA, PORTUGAL
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO, OBS	
CIG = GTR 1000 FT AND VSBY = GTR 3 MI														0	0	
	23 LST													0	0	
	05 LST													0	0	
	11 LST													0	0	
	17 LST													0	0	
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS														0	0	
	23 LST													0	0	
	05 LST													0	0	
	11 LST													0	0	
	17 LST													0	0	
SFC WND = GTR 17 KTS AND NO PRECIP.														0	0	
	23 LST													0	0	
	05 LST	1.0	0.3	0.3	1.7	0.3	0.0	0.0	0.0	0.6	1.8	2.2	8.2	8	1080	
	11 LST	1.7	0.8	0.8	0.0	0.4	0.0	0.0	0.2	0.0	0.4	2.0	7.3	6	1729	
	17 LST	0.5	0.5	0.5	0.7	0.6	0.2	0.2	0.4	0.5	0.9	1.2	6.4	9	2777	
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.														0	0	
	23 LST													0	0	
	05 LST	11.2	9.4	8.9	8.3	8.1	4.3	7.9	4.7	6.1	7.9	12.5	11.4	100.7	8	1075
	11 LST	10.8	11.0	14.4	16.9	14.6	16.8	18.1	19.8	13.4	11.2	10.4	11.2	168.6	6	1720
	17 LST	12.5	16.6	18.0	19.8	21.2	20.6	18.7	19.7	21.5	22.3	16.8	14.2	221.9	9	2758
SKY COVER LES 3/10 AND VSBY = GTR 3 MI														0	0	
	23 LST													0	0	
	05 LST	8.3	6.2	3.9	5.8	4.3	4.0	5.3	5.0	6.4	7.2	12.8	10.0	79.2	8	1081
	11 LST	9.9	6.2	9.5	7.6	5.7	7.0	12.9	12.6	8.8	7.2	5.6	4.1	97.4	6	1592
	17 LST	7.7	7.4	4.7	7.9	7.8	10.4	18.5	17.4	11.6	9.5	8.7	7.1	118.7	9	2739
CIG = GTR 2500 FT AND VSBY = GTR 3 MI														0	0	
	23 LST													0	0	
	05 LST													0	0	
	11 LST													0	0	
	17 LST													0	0	
CIG = GTR 6000 FT AND VSBY = GTR 3 MI														0	0	
	23 LST													0	0	
	05 LST													0	0	
	11 LST													0	0	
	17 LST													0	0	
CIG = GTR 10000 FT AND VSBY = GTR 3 MI														0	0	
	23 LST													0	0	
	05 LST													0	0	
	11 LST													0	0	
	17 LST													0	0	

FARO, PORTUGAL

STA NO. 08554 (IN AREA NUMBER 02)

LATITUDE 3701N

LONGITUDE 00755W

ELEVATION(FT) 00121

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	75	84	81	89	91	97	102	100	98	99	83	75	102	30	-633
MEAN MAX TMP (F)	60	62	64	68	72	78	83	83	78	73	66	61	71	30	-133
MEAN MIN TMP (F)	47	48	51	53	56	62	66	67	64	59	53	48	56	30	-133
ABS MIN TMP (F)	31	30	36	39	41	46	52	46	47	41	36	34	30	30	-633
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.5	1.7	6.6	4.1	1.3	0.1	0.0	0.0	14.3	9	2939
MEAN NO DYS TMP = DR LES 32(F)	0.1	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	9	2921
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	2921
MEAN DEW PT TMP (F)	45	46	48	50	53	61	61	61	59	56	51	46	53	30	-29
MEAN REL HUM (PCT)	76	75	73	71	71	76	66	66	70	72	75	75	72	30	-133
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	2.30	1.97	2.30	1.33	0.73	0.29	0.02	0.02	0.86	1.84	2.70	2.31	16.7	30	-133
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	30	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	7.0	6.2	6.4	4.5	2.4	0.7	0.0	0.0	3.2	5.4	6.9	7.1	49.8	30	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	30	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.3	0.5	0.9	0.7	0.6	0.4	0.2	0.2	0.9	0.5	0.6	0.5	6.3	30	-133
P FREQ WND SPD = DR GTR 17 KTS	0.7	1.1	0.2	0.2	0.2	0.2	0.5	0.3	0.3	0.1	1.2	1.3	0.5	13	-35
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.3	0.0	0.0	0.0	0.1	0.1	0.1	0.0	0.0	0.0	0.1	0.1	13	-35
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

FARO, PORTUGAL
 EAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
	17 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	17 LST													0	0
	23 LST	0.2	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.6	6	1748
	05 LST	0.0	0.4	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.2	0.2	0.9	9	2904
	11 LST	0.5	0.3	0.1	0.1	0.2	0.2	0.0	0.4	0.0	0.4	0.6	2.8	6	1860
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	17 LST	0.2	0.2	0.0	0.1	0.1	0.1	0.3	0.1	0.1	0.1	0.2	1.6	9	2936
	23 LST	4.3	4.7	5.4	6.8	6.3	8.5	9.5	10.7	7.6	4.7	3.7	3.9	6	1732
	05 LST	9.6	8.7	9.4	8.6	8.8	7.2	7.3	6.9	6.0	8.1	8.4	9.2	9	2894
	11 LST	12.4	14.5	19.0	19.8	22.6	20.2	20.5	21.2	17.9	15.0	14.8	12.1	6	1851
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	17 LST	14.1	14.0	18.5	20.8	25.6	23.8	20.2	22.8	21.6	15.5	11.5	12.2	9	2927
	23 LST	15.5	13.6	14.9	16.2	16.1	20.3	23.3	26.4	19.8	21.6	15.5	13.8	6	1405
	05 LST	19.1	17.5	18.6	18.1	17.1	19.3	25.3	24.0	23.4	21.0	20.5	20.7	9	2900
	11 LST	11.9	11.3	11.7	12.1	9.2	15.8	19.2	25.6	15.9	13.9	9.7	9.6	7	1673
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	17 LST	9.1	10.4	6.9	9.5	13.3	18.8	25.8	23.2	16.7	12.7	10.3	12.7	9	2920
	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	17 LST													0	0
	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	17 LST													0	0
	23 LST													0	0
	05 LST													0	0
	11 LST													0	0

OTA, PORTUGAL

STA NO. 14282/ (IN AREA NUMBER 02)

LATITUDE 3905N

LONGITUDE 00857W

ELEVATION(FT) 00139

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. DRS
ABS MAX TMP (F)	68	77	83	87	94	99	103	102	99	93	77	66	103	75	-8536
MEAN MAX TMP (F)	56	58	61	64	69	75	79	80	76	69	62	57	67	75	-8536
MEAN MIN TMP (F)	40	47	49	52	56	60	63	64	62	57	52	47	55	75	-8536
ABS MIN TMP (F)	30	28	34	37	42	49	52	52	51	43	34	31	28	75	-8536
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	1.4	1.9	6.0	6.2	3.2	0.2	0.0	0.0	18.9	9	-8536
MEAN NO DYS TMP = DR LES 32(F)	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	9	-8536
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	-8536
MEAN DEW PT TMP (F)	45	46	51	52	54	59	61	62	62	57	53	46	54	0	-50
MEAN REL HUM (PCT)	79	74	72	68	67	64	60	59	65	70	76	79	69	30	-8536
MEAN PRESS ALT (FT)	-80	-29	48	60	62	22	12	40	30	24	19	-26	15	0	-50
MEAN PRECIP (IN)	3.30	3.20	3.10	2.40	1.70	0.70	0.20	0.20	1.40	3.10	4.20	3.60	27.1	75	-8536
MEAN SNOW FALL (IN)	0.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		75	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	8.9	8.8	7.1	6.5	5.4	2.1	0.3	0.3	4.4	7.5	8.8	9.3	69.4	75	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		75	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.4	0.6	0.9	0.9	0.9	0.5	0.3	0.2	0.9	0.5	0.6	0.6	7.3	30	-8536
P FREQ WND SPD = DR GTR 17 KTS	10.3	8.3	9.2	9.3	14.2	17.1	25.5	19.8	10.8	5.5	9.5	10.5	12.5	13	-8536
P FREQ WND SPD = DR GTR 28 KTS	1.0	1.0	0.7	0.2	0.8	0.9	1.0	0.6	0.7	0.3	0.9	1.5	0.8	13	-8536
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

OTA, PORTUGAL

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
	17 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
	17 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	23 LST	1.2	0.1	0.3	1.3	2.0	1.6	3.1	2.3	1.5	0.6	1.0	0.4	15.4	6 -8536
	05 LST	1.1	1.6	0.6	0.9	1.8	1.6	4.2	2.7	0.8	0.5	1.0	1.2	18.0	9 -8536
	11 LST	2.5	1.0	2.0	2.1	2.3	1.2	1.8	2.4	1.2	1.2	1.8	2.7	22.2	6 -8536
	17 LST	2.8	3.5	3.7	4.5	7.8	12.1	17.5	13.5	7.4	3.0	2.1	2.9	81.7	9 -8536
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	23 LST	18.9	15.8	18.9	17.6	18.0	18.8	16.7	17.2	16.9	16.2	16.6	16.8	208.4	6 -8536
	05 LST	16.4	15.6	15.1	16.8	16.9	17.1	16.8	15.9	17.3	18.2	18.7	15.7	200.5	9 -8536
	11 LST	16.7	13.6	16.6	15.1	14.9	15.8	16.4	16.5	17.1	17.1	15.1	15.1	192.0	6 -8536
	17 LST	14.6	12.8	10.1	7.1	4.9	3.3	1.3	3.1	4.3	14.8	14.6	14.0	106.9	9 -8536
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	23 LST	14.6	13.7	16.8	15.9	14.7	20.1	23.2	23.9	18.6	20.2	13.2	15.1	210.0	6 -8536
	05 LST	12.9	13.0	10.7	12.4	12.5	14.0	21.6	20.3	16.8	17.8	15.0	14.5	181.5	9 -8536
	11 LST	9.7	7.1	10.7	8.0	5.3	10.6	18.4	18.6	14.3	9.3	6.6	6.8	125.4	6 -8536
	17 LST	8.3	9.2	6.1	10.6	13.3	16.0	25.1	22.1	14.9	13.0	10.9	10.4	160.9	9 -8536
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
	17 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
	17 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
	17 LST													0	0

ALVERCA, PORTUGAL

STA NO. 14591/ (IN AREA NUMBER 02)

LATITUDE 3853N

LONGITUDE 00931W

ELEVATION(FT) 00009

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	68	77	83	87	94	99	103	102	99	93	77	66	103	75	-8536
MEAN MAX TMP (F)	56	58	61	64	69	75	79	80	76	69	62	57	67	75	-8536
MEAN MIN TMP (F)	46	47	49	52	56	60	63	64	62	57	52	47	55	75	-8536
ABS MIN TMP (F)	30	28	34	37	42	49	52	52	51	43	34	31	28	75	-8536
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	1.4	1.9	6.0	6.2	3.2	0.2	0.0	0.0	18.9	9	-8536
MEAN NO DYS TMP = DR LES 32(F)	0.4	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	9	-8536
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	-8536
MEAN DEW PT TMP (F)	43	45	45	47	50	51	55	55	55	52	50	44	49	0	-50
MEAN REL HUM (PCT)	79	74	72	68	67	64	60	59	65	70	76	79	69	30	-8536
MEAN PRESS ALT (FT)	-210	-158	-81	-68	-65	-105	-114	-87	-95	-104	-110	-156	-112	0	-50
MEAN PRECIP (IN)	3.30	3.20	3.10	2.40	1.70	0.70	0.20	0.20	1.40	3.10	4.20	3.60	27.1	75	-8536
MEAN SNOW FALL (IN)	0.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		75	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	8.9	8.8	7.1	6.5	5.4	2.1	0.3	0.3	4.4	7.5	8.8	9.3	69.4	75	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		75	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.4	0.6	0.9	0.9	0.9	0.5	0.3	0.2	0.9	0.5	0.6	0.6	7.3	30	-8536
P FREQ WND SPD = DR GTR 17 KTS	10.3	8.3	9.2	9.3	14.2	17.1	25.5	19.8	10.8	5.5	9.5	10.5	12.5	13	-8536
P FREQ WND SPD = DR GTR 28 KTS	1.0	1.0	0.7	0.2	0.8	0.9	1.0	0.6	0.7	0.3	0.9	1.5	0.8	13	-8536
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

ALVERCA, PORTUGAL
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	23 LST														0	0
	05 LST														0	0
	11 LST														0	0
	17 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	23 LST														0	0
	05 LST														0	0
	11 LST														0	0
	17 LST														0	0
SFC WND = GTR 17 KTS AND NO PREC.P.	23 LST	1.2	0.1	0.3	1.3	2.0	1.6	3.1	2.3	1.5	0.6	1.0	0.4	15.4	6	-8536
	05 LST	1.1	1.6	0.6	0.9	1.8	1.6	4.2	2.7	0.8	0.5	1.0	1.2	18.0	9	-8536
	11 LST	2.5	1.0	2.0	2.1	2.3	1.2	1.8	2.4	1.2	1.2	1.8	2.7	22.2	6	-8536
	17 LST	2.8	3.5	3.7	4.5	7.0	12.1	17.5	13.5	7.4	3.0	3.1	2.8	81.7	9	-8536
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	23 LST	18.9	15.8	18.9	17.6	18.0	18.8	16.7	17.2	16.9	16.2	16.6	16.8	208.4	6	-8536
	05 LST	16.4	15.6	15.1	16.8	16.9	17.1	16.8	15.9	17.3	18.2	18.7	15.7	200.5	9	-8536
	11 LST	16.7	13.6	18.6	15.1	14.9	15.8	16.4	16.5	17.1	17.1	15.1	15.1	192.0	6	-8536
	17 LST	14.6	12.8	10.1	9.1	4.9	3.3	1.3	3.1	4.3	14.8	14.6	14.0	106.9	9	-8536
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	23 LST	14.6	13.7	16.8	15.9	14.7	20.1	23.2	23.9	18.6	20.2	13.2	15.1	210.0	6	-8536
	05 LST	12.9	13.0	10.7	12.4	12.5	14.0	21.6	20.3	16.8	17.8	15.0	14.5	181.5	9	-8536
	11 LST	9.7	7.1	10.7	8.0	5.3	10.6	18.4	18.6	14.3	9.3	6.6	6.8	128.4	6	-8536
	17 LST	8.3	9.2	6.1	10.6	13.3	16.0	26.1	22.1	14.9	13.0	10.9	10.4	160.9	9	-8536
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	23 LST														0	0
	05 LST														0	0
	11 LST														0	0
	17 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	23 LST														0	0
	05 LST														0	0
	11 LST														0	0
	17 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	23 LST														0	0
	05 LST														0	0
	11 LST														0	0
	17 LST														0	0

ALVEIRO, PORTUGAL

STA NO. 14592/ (IN AREA NUMBER 02)

LATITUDE 4038N

LONGITUDE 00844W

ELEVATION(FT) 00029

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO OBS
ABS MAX TMP (F)	71	78	83	89	92	98	104	103	99	92	78	73	104	30	-8545
MEAN MAX TMP (F)	56	58	61	64	66	73	76	77	75	69	61	56	66	30	-8545
MEAN MIN TMP (F)	40	41	45	48	51	56	58	58	56	51	46	41	49	30	-8545
ABS MIN TMP (F)	25	23	29	33	38	41	46	46	41	35	30	25	23	30	-8545
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.3	0.3	1.3	1.6	0.2	0.0	0.0	0.0	3.7	9	-8545
MEAN NO DYS TMP = OR LES 32(F)	3.3	2.7	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	2.2	9.2	9	-8545
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	-8545
MEAN DEW PT TMP (F)	42	40	45	45	49	53	54	55	55	49	46	42	48	0	-50
MEAN REL HUM (PCT)	79	77	77	73	75	74	73	71	75	79	82	81	76	30	-8545
MEAN PRESS ALT (FT)	-178	-131	-55	-58	-54	-102	-113	-83	-89	-83	-81	-123	-95	0	-50
MEAN PRECIP (IN)	5.24	3.23	4.57	3.54	2.56	1.02	0.47	0.35	1.69	2.72	5.39	4.57	33.3	11	-122
MEAN SNOW FALL (IN)			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			30	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	10.7	8.8	7.7	7.3	6.7	3.1	1.3	0.9	5.1	6.9	9.6	10.3	78.4	11	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			30	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	1.4	2.1	2.3	2.5	2.5	2.4	0.7	1.3	1.8	2.2	1.9	1.6	22.7	13	-8545
P FREQ WND SPD = OR GTR 17 KTS	10.5	10.0	9.7	9.5	5.9	5.6	5.0	7.2	4.9	8.1	10.7	11.2	8.2	13	-8545
P FREQ WND SPD = OR GTR 28 KTS	1.5	1.0	1.4	1.0	0.4	0.9	0.4	0.3	0.2	0.2	2.6	3.0	1.1	13	-8545
P FREQ LES 5000 FT A/D LES 3 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

ALVEIRO, PORTUGAL
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	23 LST														0	0
	05 LST														0	0
	11 LST														0	0
	17 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	23 LST														0	0
	05 LST														0	0
	11 LST														0	0
	17 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	23 LST	0.0	0.8	0.2	0.0	0.5	0.0	0.0	0.0	0.0	0.6	0.8	1.6	4.5	6	-8545
	05 LST	0.3	1.5	0.7	0.2	0.0	0.1	0.0	0.0	0.2	0.0	0.7	0.8	4.5	9	-8545
	11 LST	0.6	1.2	0.6	1.0	0.7	1.0	0.2	0.9	0.6	0.4	0.8	1.0	9.0	6	-8545
	17 LST	0.5	0.7	1.1	1.6	1.5	2.2	2.1	1.3	1.1	0.2	1.0	0.8	14.1	9	-8545
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	23 LST	9.7	9.7	13.8	12.8	9.6	6.5	10.5	8.7	10.4	7.5	8.3	9.4	116.9	6	-8545
	05 LST	13.0	11.0	11.2	10.7	11.8	9.4	8.4	10.4	11.0	11.5	14.2	12.8	135.4	9	-8545
	11 LST	14.7	12.7	16.4	17.7	16.0	15.2	17.9	19.4	14.4	16.7	12.2	13.6	186.9	6	-8545
	17 LST	9.1	12.3	12.7	13.4	13.9	13.5	11.8	15.0	13.9	12.7	9.6	9.6	147.5	9	-8545
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	23 LST	15.1	11.0	11.7	13.3	12.0	11.8	17.6	16.8	13.6	12.6	9.6	11.4	156.5	6	-8545
	05 LST	11.8	11.4	8.4	11.5	7.7	8.1	12.0	9.4	8.1	13.0	13.8	12.3	127.5	9	-8545
	11 LST	11.3	8.1	9.3	9.3	6.7	8.4	12.8	12.1	7.6	7.9	6.6	6.4	106.5	6	-8545
	17 LST	8.1	7.0	6.7	10.8	9.2	12.6	18.9	16.0	12.3	10.7	10.9	8.6	133.8	9	-8545
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	23 LST														0	0
	05 LST														0	0
	11 LST														0	0
	17 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	23 LST														0	0
	05 LST														0	0
	11 LST														0	0
	17 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	23 LST														0	0
	05 LST														0	0
	11 LST														0	0
	17 LST														0	0

MONTE REAL, PORTUGAL

STA NO. 14593/ (IN AREA NUMBER 02)

LATITUDE 3950N

LONGITUDE 00853W

ELEVATION(FT) 00187

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	64	70	77	75	86	82	88	100	86	82	70	72	100	9	-8530
MEAN MAX TMP (F)	57	58	60	62	65	67	69	70	69	67	61	58	64	9	-8530
MEAN MIN TMP (F)	48	50	53	53	56	59	61	61	61	56	52	49	55	9	-8530
ABS MIN TMP (F)	30	27	45	45	41	54	50	50	52	48	36	39	27	9	-8530
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.0	0.0	0.0	0.0	0.9	9	-8530
MEAN NO DYS TMP = DR LES 32(F)	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	9	-8530
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	-8530
MEAN DEW PT TMP (F)	41	43	45	48	53	57	60	63	58	53	47	43	51	0	-50
MEAN REL HUM (PCT)	83	83	81	80	83	83	84	86	87	85	83	83	83	6	-8530
MEAN PRESS ALT (FT)	-27	21	99	104	107	62	52	80	73	73	71	27	62	0	-50
MEAN PRECIP (IN)	3.55	2.42	4.05	3.24	2.05	0.31	0.18	0.66	1.27	1.91	2.69	3.78	26.1	7	-8530
MEAN SNOW FALL (IN)	0.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		9	-24
MEAN NO DYS PRCP = DR GTR 0.1 IN	6.7	5.2	9.1	5.4	4.8	1.1	0.7	1.1	3.6	6.5	5.4	9.4	59.0	7	-8530
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		9	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS	26.4	22.9	21.0	22.9	18.6	17.6	16.1	12.6	13.6	15.8	24.2	30.3	20.2	12	-8530
P FREQ WND SPD = DR GTR 28 KTS	6.7	4.5	2.7	3.7	1.8	3.4	1.4	1.2	2.3	2.9	5.0	8.2	3.7	12	-8530
P FREQ LES 5000 FT A/D LES 3 MI														0	0
P FREQ LES 1900 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

MONTE REAL, PORTUGAL
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	23 LST														0	0
	05 LST														0	0
	11 LST														0	0
	17 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	23 LST														0	0
	05 LST														0	0
	11 LST														0	0
	17 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	23 LST														0	0
	05 LST	3.8	4.2	3.5	5.2	1.9	1.3	2.2	1.7	1.9	3.0	3.7	4.7	37.1	9	-8530
	11 LST	10.7	5.9	5.5	5.5	5.9	4.4	3.9	4.4	4.8	5.3	8.0	9.9	74.2	5	-8530
	17 LST	4.4	5.6	5.6	7.2	7.1	6.7	6.5	4.2	4.3	4.5	6.0	6.0	68.1	9	-8530
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	23 LST														0	0
	05 LST	11.6	11.4	16.4	10.9	15.0	13.4	12.5	15.6	15.3	14.8	9.7	10.4	157.0	9	-8530
	11 LST	5.7	3.8	7.4	9.3	8.6	8.7	6.5	5.3	6.2	7.0	6.7	7.6	82.8	5	-8530
	17 LST	10.4	11.2	12.6	10.5	12.5	12.5	11.6	14.7	12.7	13.9	11.3	9.0	142.9	9	-8530
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	23 LST														0	0
	05 LST	12.3	11.2	7.5	6.7	6.0	7.1	11.3	10.7	6.2	12.4	13.4	10.8	114.6	9	-8530
	11 LST	8.4	7.4	10.8	10.0	5.4	8.1	10.3	13.1	13.5	7.6	6.0	5.9	106.5	5	-8530
	17 LST	7.0	7.9	5.5	8.8	9.3	12.9	18.7	16.2	12.6	11.3	11.2	8.1	129.7	9	-8530
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	23 LST														0	0
	05 LST														0	0
	11 LST														0	0
	17 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	23 LST														0	0
	05 LST														0	0
	11 LST														0	0
	17 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	23 LST														0	0
	05 LST														0	0
	11 LST														0	0
	17 LST														0	0

MONTIJO, PORTUGAL

STA NO. 14594/ (IN AREA NUMBER 02)

LATITUDE 3842N

LONGITUDE 00901W

ELEVATION(FT) 00035

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	68	77	83	87	94	99	103	102	99	93	77	66	103	75	-8536
MEAN MAX TMP (F)	56	58	61	64	69	75	79	80	76	69	62	57	67	75	-8536
MEAN MIN TMP (F)	46	47	49	52	56	60	63	64	62	57	52	47	55	75	-8536
ABS MIN TMP (F)	30	28	34	37	42	49	52	52	51	43	34	31	28	75	-8536
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	1.4	1.9	6.0	6.2	3.2	0.2	0.0	0.0	18.9	9	-8536
MEAN NO DYS TMP = DR LES 32(F)	0.4	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	9	-8536
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	-8536
MEAN DEW PT TMP (F)	43	44	45	47	50	53	55	56	55	52	45	44	49	0	-50
MEAN REL HUM (PCT)	79	74	72	68	67	64	60	59	65	70	76	79	69	30	-8536
MEAN PRESS ALT (FT)	-184	-132	-56	-41	-38	-77	-86	-56	-70	-77	-84	-130	-85	0	-50
MEAN PRECIP (IN)	3.30	3.20	3.10	2.40	1.70	0.70	0.20	0.20	1.40	3.10	4.20	3.60	27.1	75	-8536
MEAN SNOW FALL (IN)	0.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		75	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	8.9	8.8	7.1	6.5	5.4	2.1	0.3	0.3	4.4	7.5	8.8	9.3	69.4	75	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		75	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.4	0.6	0.9	0.9	0.9	0.5	0.3	0.2	0.9	0.5	0.6	0.6	7.3	30	-8536
P FREQ WND SPD = DR GTR 17 KTS	10.3	8.3	9.2	9.3	14.2	17.1	25.5	19.8	10.8	5.5	9.5	10.5	12.5	13	-8536
P FREQ WND SPD = DR GTR 28 KTS	1.0	1.0	0.7	0.2	0.8	0.9	1.0	0.6	0.7	0.3	0.9	1.5	0.8	13	-8536
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

MONTIJO, PORTUGAL

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
	17 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
	17 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	23 LST	1.2	0.1	0.3	1.3	2.0	1.6	3.1	2.3	1.5	0.6	1.0	0.4	15.4	6 -8536
	05 LST	1.1	1.6	0.6	0.9	1.8	1.6	4.2	2.7	0.8	0.5	1.0	1.2	16.0	9 -8536
	11 LST	2.5	1.0	2.0	2.1	2.3	1.2	1.8	2.4	1.2	1.8	2.7	22.2	6 -8536	
	17 LST	2.8	3.5	3.7	4.5	7.8	12.1	17.5	13.5	7.4	3.0	2.1	2.8	81.7	9 -8536
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	23 LST	18.9	15.8	18.9	17.6	18.0	18.8	16.7	17.2	16.9	16.2	16.6	16.8	208.4	6 -8536
	05 LST	16.4	15.6	15.1	16.8	16.9	17.1	16.8	15.9	17.3	18.2	18.7	15.7	200.5	9 -8536
	11 LST	16.7	13.6	18.6	15.	14.9	15.8	16.4	16.5	17.1	17.1	15.1	15.1	192.0	6 -8536
	17 LST	14.6	12.8	10.1	9.1	4.9	3.3	1.3	3.1	4.3	14.8	14.6	14.0	106.9	9 -8536
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	23 LST	14.6	13.7	16.8	15.9	14.7	20.1	23.2	23.9	18.6	20.2	13.2	15.1	210.0	6 -8536
	05 LST	12.9	13.0	10.7	12.4	12.5	14.0	21.6	20.3	16.8	17.8	15.0	14.5	181.5	9 -8536
	11 LST	9.7	7.1	10.7	8.0	5.3	10.6	18.4	18.6	14.3	9.3	6.6	6.8	125.4	6 -8536
	17 LST	8.3	9.2	6.1	10.6	13.3	16.0	26.1	22.1	14.9	13.0	10.9	10.4	160.9	9 -8536
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
	17 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
	17 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
	17 LST													0	0

OVAR, PORTUGAL

STA NO. 14596/ (IN AREA NUMBER 02)

LATITUDE 4056N

LONGITUDE 00838W

ELEVATION(FT) 00099

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	71	78	83	89	92	98	104	103	99	92	78	73	104	30	-8545
MEAN MAX TMP (F)	56	58	61	64	66	73	76	77	75	69	61	56	66	30	-8545
MEAN MIN TMP (F)	40	41	45	48	51	56	58	58	56	51	46	41	49	30	-8545
ABS MIN TMP (F)	25	23	29	33	38	41	46	46	41	35	30	25	23	30	-8545
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.3	0.3	1.3	1.8	0.2	0.0	0.0	0.0	3.7	9	-8545
MEAN NO DYS TMP = DR LES 32(F)	3.3	2.7	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	2.2	9.2	9	-8545
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	-8545
MEAN DEW PT TMP (F)	42	40	45	45	49	53	54	55	55	49	46	42	48	0	-50
MEAN REL HUM (PCT)	79	77	77	73	75	74	73	71	75	79	82	81	76	30	-8545
MEAN PRESS ALT (FT)	-106	-59	15	9	13	-35	-46	-16	-21	-13	-9	-51	-26	0	-50
MEAN PRECIP (IN)	6.03	4.62	5.45	4.06	3.28	1.67	0.85	0.74	2.12	4.28	5.91	6.54	45.5	30	-8545
MEAN SNOW FALL (IN)			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			30	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	11.0	10.3	8.3	7.5	7.2	4.8	2.5	2.2	5.9	8.9	9.7	11.1	89.4	30	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			30	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	1.4	2.1	2.3	2.5	2.5	2.4	0.7	1.3	1.8	2.2	1.9	1.6	22.7	13	-8545
P FREQ WND SPD = DR GTR 17 KTS	10.5	10.0	9.7	9.5	5.9	5.6	5.0	7.2	4.9	8.1	10.7	11.2	8.2	13	-8545
P FREQ WND SPD = DR GTR 28 KTS	1.5	1.0	1.4	1.0	0.4	0.9	0.4	0.3	0.2	0.2	2.6	3.0	1.1	13	-8545
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

OVAR, PORTUGAL

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	23 LST														0	0
	05 LST														0	0
	11 LST														0	0
	17 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	23 LST														0	0
	05 LST														0	0
	11 LST														0	0
	17 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	23 LST	0.0	0.8	0.2	0.0	0.5	0.0	0.0	0.0	0.0	0.6	0.8	1.6	4.5	6	-8545
	05 LST	0.3	1.5	0.7	0.2	0.0	0.1	0.0	0.0	0.2	0.0	0.7	0.8	4.5	9	-8545
	11 LST	0.6	1.2	0.6	1.0	0.7	1.0	0.2	0.9	0.6	0.4	0.8	1.0	9.0	6	-8545
	17 LST	0.5	0.7	1.1	1.6	1.5	2.2	2.1	1.3	1.1	0.2	1.0	0.8	14.1	9	-8545
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	23 LST	9.7	9.7	13.8	12.8	9.6	6.5	10.5	8.7	10.4	7.5	8.3	9.4	116.9	6	-8545
	05 LST	13.0	11.0	11.2	10.7	11.8	9.4	8.4	10.4	11.0	11.5	14.2	12.8	132.4	9	-8545
	11 LST	14.7	12.7	16.4	17.7	16.0	15.2	17.9	19.4	14.4	16.7	12.2	13.6	186.9	6	-8545
	17 LST	9.1	12.3	12.7	13.4	13.9	13.5	11.8	15.0	13.9	12.7	9.6	9.6	147.5	9	-8545
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	23 LST	15.1	11.0	11.7	13.3	12.0	11.8	17.6	16.8	13.6	12.6	9.6	11.4	156.5	6	-8545
	05 LST	11.8	11.4	8.4	11.5	7.7	8.1	12.0	9.4	8.1	13.0	13.8	12.3	127.5	9	-8545
	11 LST	11.3	8.1	9.3	9.3	6.7	8.4	12.8	12.1	7.6	7.9	6.6	6.4	106.5	6	-8545
	17 LST	8.1	9.0	6.7	10.8	9.2	12.6	18.9	16.0	12.3	10.7	10.9	8.6	133.8	9	-8545
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	23 LST														0	0
	05 LST														0	0
	11 LST														0	0
	17 LST														0	0
CIG = GTR 4000 FT AND VSBY = GTR 3 MI	23 LST														0	0
	05 LST														0	0
	11 LST														0	0
	17 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	23 LST														0	0
	05 LST														0	0
	11 LST														0	0
	17 LST														0	0

SANTAREM. PORTUGAL

STA NO. 14597/ (14 AREA NUMBER 02)

LATITUDE 3915N

LONGITUDE 00842W

ELEVATION(FT) 00194

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PER (YRS)	NO. OBS
ABS MAX TMP (F)	69	76	85	91	100	106	114	112	103	97	82	71	114	26	-133
MEAN MAX TMP (F)	58	61	65	69	73	82	87	84	83	75	65	59	72	26	-133
MEAN MIN TMP (F)	41	42	47	49	51	57	60	60	58	54	47	42	51	26	-133
ABS MIN TMP (F)	24	25	32	36	39	42	49	47	46	37	30	26	24	26	-133
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0			4.5	10.9	14.4	5.5		0.0	0.0		26	-29
MEAN NO DYS TMP = OR LES 32(F)	2.6	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	1.2	6.1	26	-133
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	26	-29
MEAN DEW PT TMP (F)	46	47	51	51	54	58	60	62	60	58	52	46	54	26	-29
MEAN REL HUM (PCT)	87	85	83	77	76	71	67	68	73	80	87	85	78	26	-133
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	3.21	2.73	3.56	2.34	1.59	1.12	0.26	0.14	1.47	2.41	3.20	3.61	25.7	26	-133
MEAN SNOW FALL (IN)			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			26	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	8.8	7.9	7.3	6.5	5.1	3.3	0.6	0.1	4.6	6.4	7.7	9.3	67.6	26	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			26	-29
MEAN NO DYS W/O CUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.1	0.1	0.5	1.1	0.9	0.7	0.4	0.3	1.0	0.6	0.2	0.3	6.2	26	-133
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

SANTAREM, PORTUGAL
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND	23	LST												0	0
VSBY = GTR 3 MI	05	LST												0	0
	11	LST												0	0
	17	LST												0	0
CIG = GTR 2000 FT AND VSBY = GTR	23	LST												0	0
3 MI W/SFC WND LES 10 KTS	05	LST												0	0
	11	LST												0	0
	17	LST												0	0
SFC WND = GTR 17 KTS AND	23	LST												0	0
NO PRECIP.	05	LST												0	0
	11	LST												0	0
	17	LST												0	0
SFC WND 4-.0 KTS AND TMP 33-89	23	LST												0	0
DEG F AND NO PRECIP.	05	LST												0	0
	11	LST												0	0
	17	LST												0	0
SKY COVER LES 3/10 AND	23	LST												0	0
VSBY = GTR 3 MI	05	LST												0	0
	11	LST												0	0
	17	LST												0	0
CIG = GTR 2500 FT AND	23	LST												0	0
VSBY = GTR 3 MI	05	LST												0	0
	11	LST												0	0
	17	LST												0	0
CIG = GTR 6000 FT AND	23	LST												0	0
VSBY = GTR 3 MI	05	LST												0	0
	11	LST												0	0
	17	LST												0	0
CIG = GTR 10000 FT AND	23	LST												0	0
VSBY = GTR 3 MI	05	LST												0	0
	11	LST												0	0
	17	LST												0	0

DATA NOT AVAILABLE

SINTRA, PORTUGAL

STA NO. 14598/ (IN AREA NUMBER 02)

LATITUDE 3850N

LONGITUDE 00920W

ELEVATION(FT) 00440

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)														0	0
MEAN MAX TMP (F)	56	58	61	64	69	75	79	80	76	69	62	57	67	0	-50
MEAN MIN TMP (F)														0	0
ABS MIN TMP (F)														0	0
MEAN NO DYS TMP = OR GTR 90(F)														0	0
MEAN NO DYS TMP = OR LES 32(F)														0	0
MEAN NO DYS TMP = OR LES 0(F)														0	0
MEAN DEW PT TMP (F)	43	44	45	47	50	53	55	56	55	52	49	44	49	0	-50
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)	221	273	351	364	367	328	318	345	333	327	320	275	319	0	-50
MEAN PRECIP (IN)	5.10	3.90	4.60	2.80	1.40	0.80	0.40	0.10	1.40	3.10	4.80	4.10	32.5	16	-35
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = OR GTR 0.1 IN	10.6	9.7	7.7	6.9	4.6	2.4	1.1	0.0	4.4	7.5	9.3	9.9	74.1	16	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN								0.0						0	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

SINTRA, PORTUGAL
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND	23	LST												0	0
VSBY = GTR 3 MI	05	LST												0	0
	11	LST												0	0
	17	LST												0	0
CIG =GTR 2000 FT AND VSBY =GTR	23	LST												0	0
3 MI W/SFC WND LES 10 KTS	05	LST												0	0
	11	LST												0	0
	17	LST												0	0
SFC WND = GTR 17 KTS AND	23	LST												0	0
NO PRECIP.	05	LST												0	0
	11	LST												0	0
	17	LST												0	0
SFC WND 4-10 KTS AND TMP 37-89	23	LST												0	0
DEG F AND NO PRECIP.	05	LST												0	0
	11	LST												0	0
	17	LST												0	0
SKY COVER LES 3/10 AND	23	LST												0	0
VSBY = GTR 3 MI	05	LST												0	0
	11	LST												0	0
	17	LST												0	0
CIG = GTR 2500 FT AND	23	LST												0	0
VSBY = GTR 3 MI	05	LST												0	0
	11	LST												0	0
	17	LST												0	0
CIG = GTR 6000 FT AND	23	LST												0	0
VSBY = GTR 3 MI	05	LST												0	0
	11	LST												0	0
	17	LST												0	0
CIG = GTR 10000 FT AND	23	LST												0	0
VSBY = GTR 3 MI	05	LST												0	0
	11	LST												0	0
	17	LST												0	0

DATA NOT AVAILABLE

TANCOS, PORTUGAL

STA NO. 14599/ (IN AREA NUMBER 02)

LATITUDE 3928N

LONGITUDE 00822W

ELEVATION(FT) 00266

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	69	76	85	91	100	106	114	112	103	97	82	71	114	26	-14597
MEAN MAX TMP (F)	58	61	65	69	73	82	87	89	83	75	65	59	72	26	-14597
MEAN MIN TMP (F)	41	42	47	49	51	57	60	60	58	54	47	42	51	26	-14597
ABS MIN TMP (F)	24	25	32	36	39	42	49	47	46	37	30	26	24	26	-14597
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0			4.5	10.9	14.4	5.5		0.0	0.0		26	-29
MEAN NO DYS TMP = DR LES 32(F)	2.6	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	1.2	6.1	26	-14597
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	25	-29
MEAN DEW PT TMP (F)	45	46	51	52	54	59	61	62	62	57	53	46	54	0	-50
MEAN REL HUM (PCT)	87	85	83	77	76	71	67	68	73	80	87	85	78	26	-14597
MEAN PRESS ALT (FT)	45	95	173	181	184	141	132	160	152	149	145	99	138	0	-50
MEAN PRECIP (IN)	3.24	2.73	3.56	2.34	1.59	1.12	0.26	0.14	1.47	2.41	3.20	3.61	25.7	26	-14597
MEAN SNOW FALL (IN)			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			26	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	8.8	7.9	7.3	6.5	5.1	3.3	0.6	0.1	4.6	6.4	7.7	9.3	67.6	26	-29
MEAN NO DYS SNFI = DR GTR 1.5 IN			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			26	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.1	0.1	0.5	1.1	0.9	0.7	0.4	0.3	1.0	0.6	0.2	0.3	6.2	26	-14597
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1900 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

TANCOS, PORTUGAL

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
	17 LST													0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
	17 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
	17 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
	17 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
	17 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
	17 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
	17 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	23 LST													0	0
	05 LST													0	0
	11 LST													0	0
	17 LST													0	0

DATA NOT AVAILABLE

AREA NO. 02

PARAMETER DESCRIPTION	PORTUGAL PLAINS BOUNDARIES												ANN	
	4204N 00830W	3940N 00820W	3940N 00820W	3930N 00745W	3930N 00745W	3848N 00745W	3848N 00745W	3832N 00825W	3832N 00625W	3828N 00720W	3828N 00720W	3848N 00745W		
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	
MEAN MAX TMP (F)	57	59	62	65	69	74	78	79	75	70	63	58	67	
MEAN MIN TMP (F)	45	46	49	51	54	58	61	61	60	56	50	46	53	
LARGEST MEAN PRECIP(IN)	7.22	5.03	7.87	4.21	4.19	1.67	0.85	1.83	3.82	5.23	6.74	8.51	57.2	
SMALLEST MEAN PRECIP(IN)	2.30	1.97	1.93	1.33	0.73	0.24	0.02	0.02	0.66	1.78	2.17	2.05	15.2	
	MEAN NUMBER OF DAYS													
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	23 LST													
	05 LST													
	11 LST													
	17 LST													
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	23 LST													
	05 LST													
	11 LST													
	17 LST													
SFC WND = GTR 17 KTS AND NO PRECIP.	23 LST	2.1	1.5	1.0	1.7	2.2	2.2	3.1	3.6	1.9	1.3	2.0	1.6	24.2
	05 LST	1.2	1.5	1.1	1.5	0.8	0.7	1.3	1.0	0.6	0.7	1.3	1.9	13.6
	11 LST	3.6	2.4	2.6	2.9	2.8	2.9	2.7	2.5	1.7	1.5	2.7	3.2	31.5
	17 LST	1.7	1.9	2.1	2.6	3.0	3.8	4.7	3.6	2.5	1.7	2.0	2.0	31.6
SFC WND 4-10 KTS AND TMP DEG F AND NO PRECIP.	23 LST	11.8	11.2	13.1	11.6	11.6	10.1	10.7	10.2	10.7	10.2	10.3	10.8	125.3
	05 LST	13.4	11.9	12.9	12.1	12.8	10.8	11.1	11.0	11.3	13.4	13.8	12.7	147.2
	11 LST	12.1	10.6	14.2	14.2	14.8	14.6	15.3	16.1	13.7	13.1	11.7	12.0	162.4
	17 LST	12.2	14.1	15.0	15.4	16.7	15.1	13.7	15.7	15.5	16.0	12.8	12.0	174.2
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	23 LST	11.7	9.6	11.0	11.5	10.5	13.2	16.0	16.4	14.0	13.3	9.5	10.2	146.9
	05 LST	12.5	11.3	9.7	11.5	10.4	11.6	16.2	15.0	13.0	14.3	14.9	13.2	153.5
	11 LST	10.1	8.3	10.8	9.6	7.0	10.9	15.6	17.1	12.6	10.3	7.2	7.3	126.8
	17 LST	8.5	9.0	6.8	10.1	11.8	14.9	22.1	19.8	14.6	12.0	10.8	9.6	150.0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	23 LST													
	05 LST													
	11 LST													
	17 LST													
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	23 LST													
	05 LST													
	11 LST													
	17 LST													
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	23 LST													
	05 LST													
	11 LST													
	17 LST													

USCOMH-NOAA-ASHEVILLE, N. C. --200