

USAF

Technical Applications Center
ENVIRONMENTAL

ETAC

WORLDWIDE AIRFIELD CLIMATIC DATA

VOLUME X PART 4

Europe (Mediterranean)

THIS DOCUMENT HAS BEEN APPROVED FOR
PUBLIC RELEASE AND SALE: ITS DISTRIBUTION
IS UNLIMITED.

79 07 19 064

April 1971

AD-721160

Published volumes of World-wide Airfield Summaries are available for the following areas:

<u>Volume</u>	<u>Name</u>	<u>NTIS Accession Number</u>
Volume I	Southeast Asia (Revised)	AD-706-355
Volume II (Parts 1 & 2)	Middle East AD-662-105 AD-662-162 + AD-662-163	AD-662-105 AD-662-427
Volume III	Far East	AD-662-426
Volume IV	Canada-Greenland-Iceland	AD-662-424
Volume V	Australia-Antarctica (including So. Pacific Is.)	AD-662-648
Volume VI (Parts 1 & 2)	South America	AD-664-828 & AD-664-829
Volume VII	Central America	AD-671-845
Volume VIII	United States of America	
Part 1	West Coast, Western Mtns. and Great Basin	AD-688-472
Part 2	Rocky Mtns. and Northwest Basin	AD-689-792
Part 3	Central Plains	AD-693-491
Part 4	Great Lakes	AD-696-971
Part 5	Mississippi Valley	AD-699-917
Part 6	Southeastern Region	AD-701-719
Part 7	East Coast and Appalachian Region	AD-703-606
Part 8	Alaska and Hawaii	AD-704-607
Volume IX	Africa	
Part 1	Northern Half	AD-682-915 680 420
Part 2	Southern Half	AD-682-915
Volume X	Europe	
Part 1	Scandinavia & Northern Europe	
Part 2	Low Countries & British Isles	
Part 3	Alps & Southwest Europe	
Part 4	Mediterranean	

WORLDWIDE AIRFIELD CLIMATIC DATA

FOREWORD

This is a part of a series of compilations which is worldwide in scope. It consists of climatological data for selected airfields and for the climatic areas in which they are located. When complete, the series will include data for several thousand stations.

These data were compiled and prepared by the USAF Environmental Technical Applications Center (ETAC), Building 159, Navy Yard Annex, Washington, D. C. 20333. This series is also being published by the U. S. Naval Weather Service, Navy Yard, Washington, D. C. 20390, under the title "U. S. Naval Weather Service World-Wide Airfield Summaries." Copies of this document are obtainable from the National Technical Information Service (NTIS), Springfield, Virginia 22151.

79 07 19 064

WORLD-WIDE AIRFIELD SUMMARIES - VOLUME X EUROPE

PART 4 (MEDITERRANEAN)

INTRODUCTION

This volume provides climatological summaries for airfields and climatic areas in the Mediterranean. Summaries are arranged according to numbered climatic areas, and by increasing WMO Station Index Numbers within the climatic areas. An arbitrary station number (indicated by "/") is used where WMO Index Numbers are not assigned. Maps are included to delineate areas and station locations.

Climatic areas have been selected as being nearly homogeneous climatologically, but considerable variation may exist between locations in an area at a specific time because of topography and other factors. Climatological summaries for these areas follow those for the included airfields.

The latitudes and longitudes of the approximate centers of the climatic areas are indicated in the summary headings. The climatic areas are delineated by straight line segments and the positions of the end points are listed.

Blank values in the tables indicate that no data are available, and "0" indicates record is unknown. Local Standard Time is that of the standard time zone, and no adjustment has been made where local deviations exist. Data sources are listed in detail by means of a number system described on the following pages.

The first page of each station summary provides data for the station, and the second page contains information for the airfield area. The values are in mean number of days. Where observations were not available, the information consists of climatological estimates based on data for surrounding stations. In some instances tables may be based on relatively few observations or on somewhat doubtful data, and these should be used with caution.

GLOSSARY OF GENERAL TERMS

AIRFIELD DATA AND AIRFIELD AREA DATA

Climatological data applicable only to a specified airfield. The data consists of statistical parameters based on actual weather observations made at the airfield. If actual weather observations are not available the data consist of estimates of the statistical parameters, prepared by a climatologist, based on actual meteorological data from surrounding weather stations.

CLIMATIC AREA DATA

Climatological data representative of a nearly homogeneous climatic area. The data are average (or representative) values based on a sample of climatological data available from weather stations within the area. The area data do not imply that the specific condition simultaneously exists at all locations within a country or large climatic area. In rolling and mountainous terrain there may be considerable variation in the data from one location to another within the climatic area.

LOCAL STANDARD TIME

Standard time applicable to a 15 deg. meridional zone. (Zones proceed east and west from the zone centered on the prime meridian and extending from 00730E to 00730W.) No consideration is given to local deviations from the 15 deg. zone boundaries.

AIRFIELD PARAMETERS

ABSOLUTE MAXIMUM (MINIMUM) TEMPERATURE-DEG. F.

The highest (lowest) temperature observed in the specified month during the whole period for which observations are available.

MEAN DAILY MAXIMUM (MINIMUM) TEMPERATURE-DEG. F.

The average of all the daily maximum (minimum) temperatures observed in the specified month.

MEAN NO. DAYS WITH MAXIMUM TEMPERATURE GREATER THAN 90 DEG. F.

The average of the number of days in the specified month on which the maximum temperature was observed to be equal to or greater than 90 deg. F.

MEAN NO. DAYS WITH MINIMUM TEMPERATURE LESS THAN 32 DEG. F (LESS THAN 0 DEG. F.).

The average of the number of days in the specified month on which the minimum temperature was observed to be equal to or less than 32 deg.F.(0 deg.F.).

MEAN DEW POINT TEMPERATURE-DEG. F.

The average of all hourly dew point temperatures observed in the specified month.

MEAN RELATIVE HUMIDITY-PERCENT

The average of all hourly relative humidity values observed in a specified month.

MEAN PRESSURE ALTITUDE-FEET

The average station pressure observed at the airfield in the specified month converted to an altitude by using the U. S. Standard Atmosphere.

MEAN MONTHLY PRECIPITATION-INCHES

The average of the monthly total amount of all forms of precipitation, reduced to its liquid equivalent, observed in the specified month.

MEAN MONTHLY SNOWFALL-INCHES

The average of the monthly total amount of snowfall observed in the specified month.

MEAN NO. DAYS WITH PRECIPITATION GREATER THAN 0.1 INCH (SNOWFALL GREATER THAN 1.5 INCHES)

The average of the number of days in the specified month on which the daily amount of precipitation (snowfall) was observed to be equal to or greater than 0.1 inch (1.5 inches).

MEAN NO. DAYS WITH AN OCCURRENCE OF VISIBILITY LESS THAN 0.5 MILE

The average of the number of days in the specified month on which there was at least one observation of visibility less than 0.5 mile.

MEAN NO. DAYS WITH THUNDERSTORMS

The average of the number of days in the specified month on which the weather observer heard thunder.

PERCENT FREQUENCY SURFACE WIND SPEED GREATER THAN 16 KNOTS (GREATER THAN 27 KNOTS)

The frequency, expressed as a percent of the total number of hourly weather observations considered, during the specified month, in which the surface wind speed was observed to be greater than 16 knots (27 knots).

PERCENT FREQUENCY CEILING LESS THAN 5,000 FEET OR VISIBILITY LESS THAN 5 MILES

The frequency, expressed as a percent of the total number of hourly weather observations considered, during the specified month, in which the ceiling was observed to be less than 5,000 feet and/or the visibility was observed to be less than 5 miles.

PERCENT FREQUENCY CEILING LESS THAN 1,500 FEET (LESS THAN 300 FEET) OR VISIBILITY LESS THAN 3 MILES (LESS THAN 1 MILE)

The frequency, expressed as a percent of all the hourly weather observations considered, in a specified three-hourly period during the day for a specified month in which the ceiling was observed to be less than 1,500 feet (300 feet) and/or the visibility was observed to be less than three miles (one mile).

PARAMETERS FOR AIRFIELD AREA AND CLIMATIC AREA

MEAN NO. DAYS WITH CEILING EQUAL TO OR GREATER THAN 1,000 FEET (EQUAL TO OR GREATER THAN 2,500 FEET, EQUAL TO OR GREATER THAN 6,000 FEET, EQUAL TO OR GREATER THAN 10,000 FEET) AND VISIBILITY EQUAL TO OR GREATER THAN 3 MILES

The average of the number of days when, at a specified hour during the day in the specified month, the ceiling was observed to be equal to or greater than 1,000 feet (2,500 feet, 6,000 feet, 10,000 feet) and the visibility was observed to be equal to or greater than three miles.

MEAN NO. DAYS WITH CEILING EQUAL TO OR GREATER THAN 2,000 FEET AND VISIBILITY EQUAL TO OR GREATER THAN 3 MILES AND SURFACE WIND LESS THAN 10 KNOTS

The average of the number of days when, at a specified hour during the day in the specified month, the ceiling was observed to be equal to or greater than 2,000 feet, the visibility was observed to be equal to or greater than three miles, and the surface wind speed less than ten knots.

MEAN NO. DAYS WITH SURFACE WIND EQUAL TO OR GREATER THAN 17 KNOTS AND NO PRECIPITATION

The average of the number of days when, at a specified hour during the day in the specified month, the surface wind speed was observed to be equal to or greater than 17 knots, and there was no precipitation.

MEAN NO. DAYS WITH SURFACE WIND 4-10 KNOTS AND TEMPERATURE 33-89 DEG. F AND NO PRECIPITATION

The average of the number of days when, at a specified hour during the day in the specified month, the surface wind speed was equal to or greater than four knots, but not greater than ten knots, the temperature was equal to or greater than 33 deg. F. but not greater than 89 deg. F. and there was no precipitation.

MEAN NO. DAYS WITH SKY COVER LESS THAN 0.3 AND VISIBILITY EQUAL TO OR GREATER THAN 3 MILES

The average of the number of days when, at a specified hour during the day in the specified month, the portion of the sky covered with clouds was observed to be less than 0.3 and the visibility was observed to be equal to or greater than three miles.

AREA PARAMETERS (CLIMATIC AREA ONLY)

MEAN DAILY TEMPERATURE RANGE-DEG. F.

Two temperatures for the specified month: (1) a representative mean daily maximum temperature observed in the area; (2) a representative mean daily minimum temperature observed in the area.

RANGE OF MEAN MONTHLY PRECIPITATION-INCHES

Two mean monthly precipitation amounts for the specified month: (1) the largest mean amount observed in the area; (2) the smallest mean amount observed in the area.

DATA SOURCES

The source from which values were taken can be determined from the column labeled "No. Obs."

(1) If the number in that column is positive, the data for that line were computer-summarized, and the number given is the number of observations used in the summarization.

(2) If the number is negative and of three digits or less, the data were hand-copied or estimated as indicated in the following source list.

(3) If the number is less than minus 500, part of the data are derived from computer-summarized data, and part from the source list number plus 500. For example, if the number is "-528," the source is the extreme of the computer-summarized data compared to source "-28."

(4) If the number is minus and a four or five digit number, the data were substituted from a representative station nearby and this number is the number of the source station.

(5) Statistical methods or meteorological relationships were used whenever possible to provide data not available at the National Weather Records Center or in yearbooks and summaries.

SOURCE LIST

- 1 French Equatorial Africa Service Meteorologique - 1950 - 1959
- 2 Climatic Statistics for Selected Stations on Islands of Reunion and Mayotte
- 3 Angola Servico Meteorologico Elemento Meteorologicos - 1942 - 1952
- 4 Algiers, Universite, Institute de Meteorologie, le Climat de L'Algerie
- 5 Algeria Service Meteorologique Bulletin Climatologique Mensual - 1952 - 1960
- 6 World Climatic Data Africa
- 7 Pt. 1 - Algiers Universite Annuaire du Nord - 1945 - 1950
- 8 Climatological Summaries, West Central Africa
- 9 Algeria, Service Meteorologique Resume Mensuel du Temps - 1951 - 1960
- 10 Klimaat Van Suid-Afrika Parts 1 and 9
- 11 Portuguese East Africa Meteorological Data-Mozambique
- 12 Climatological Summaries-Northern Rhodesia - 1938 - 1948
- 13 Rhodesia Met. Service Climatological Studies - 1948 - 1960
- 14 Climatological Summaries, Central Africa
- 15 Climatological Normals for Egypt. Cairo - 1950
- 16 Egypt Meteorological Dept. Metro Report
- 17 So. Africa Meteorological Services. (Wx on the coasts of So. Africa-Vol.II)
- 18 Weather on the west coast of Africa 7 to 20 years
- 19 Sudan-Meteorological Service Annual Met Report - 1950 - 1957
- 20 Climatological Summaries. Mali and Mauritania, Africa
- 21 Republique Francaise du Maroc Annales - 1945 - 1953
- 22 French West Africa Service Meteorologique Resume Mensuel des Observations - 1953 - 1954; 1955 - 1957
- 23 Climatological Summaries - Upper Volta Africa
- 24 World Distribution of Thunderstorm Days
- 25 WMO Model "A"
- 26 Climatological Summaries - French Somaliland and Somali Republic, Africa
- 27 Air France, Climatology of Africa

- | | | | |
|----|--|----|---|
| 28 | British Meteorological Tables | 44 | India Meteorological Department -
India Weather Review |
| 29 | Statistical Estimate | 45 | Batavia - Rainfall in Indonesia
(Verhandelingen No. 37) |
| 30 | Interpolation | 46 | Turkey-Yillik Meteoroloji Bulteni |
| 31 | Professional Subjective Estimate | 47 | Rainfall Statistics of the British Borneo
Territories |
| 32 | Climatic Norms (Clino) WMO | 48 | Ceylon Meteorological Report
December 1938 - 1949 |
| 33 | CB Climatological Briefs | 49 | Kuwait, Arabia - Climatological Data Annual |
| 34 | CDC WB Climatic Data Cards | 50 | Ace Data, computed, derived or substituted
from data available 1964 |
| 35 | N Summary | 51 | Promedios Climatologicos de Venezuela Perido
1951/1960 |
| 36 | Climatological Summaries, Niger, Africa | 52 | Chile Servicio Meteorologico, Anuario
Meteorologico, Publication No. 73 |
| 37 | Cape Verdi Islands Servicios de Estadistica
Meteorologia E. Climatologia | 53 | Climate of Ecuador |
| 38 | Climatic Data Tabulation Indonesia Aug 62 | 54 | Peru Direction General de Meteorologia
Boletin Anual Meteorologico |
| 39 | Climate. Agriculture and Agricultural
Zones of Burma. American Institute of Crop
Ecology. Wash, D. C. 1957 | 55 | Brazil Normals Climatologicas da Area da
Sudene |
| 40 | Climate of Thailand Aug. 1965
1st Weather Wg Special Study 105-10 | 56 | Climatologia de Caille, Fasciculo Valores
Normales de 36 Estaciones Seleceionadas,
period 1916 - 1945 |
| 41 | Afghanistan Meteorological Institute
Monthly Weather Bulletins | 57 | H.O. Pub No. 527 Weather Summary-Brazil |
| 42 | Lebanon - Service de Climatologie Bulletin
Climatologique Mensuel | | |
| 43 | Climatological Tables of Observations in
India (red book) | | |

- 58 H.O. Pub No. 529 Weather Summary-South America - - Southern Part
- 59 Datos Detallados de Climatologia de Venezuela
- 60 Paraguay File
- 61 H.O. Publication No. 530 Weather Summary
- 62 Climatological Summary, Valley of Mexico (Mexico City)
- 63 Argentine Republic Servicio Meteorologico
- 64 Climatological Studies-Weather and Climate of Central America and Mexico
- 65 Climatological Studies Weather and Climate of West Indies
- 66 H.O. Pub. No. 528 Weather Summary South America - - Northern Part
- 67 Climatological Studies-Weather and Climate South America
- 68 Professional Notes British Meteorological Office
- 69 Geografiska Annaler 37-38 - 1955 - 1956
- 70 H.O. Pub. No. 531 Weather Summary Central America - For use w/Naval Air Pilot Supplement '8' Northwest Africa
- 71 Meteorological Yearbook Iranian Met. Dept.
- 72 H.O. Pub. No. 532 Weather Summary-Mexico
- 73 H.O. Pub. No. 264 Weather Summary-South Africa
- 74 H.O. Pub. No. 261 weather Summary-Supplement 'C' West Central Africa
- 75 H.O. Pub. No. 263 Weather Summary-Supplement 'B' East Central Africa
- 76 H.O. Pub. No. 260 Weather Summary
- 77 Meteorological Data for certain Australian localities
- 78 New Zealand-Meteorological Service Climatological Table - 1951-1958
- 79 Ministerie Van Openbare Werken en Verkeer Meteorologische Dienst
- 80 Climate and Meteorology of Australia-1919 - 1951
- 82 Summaries of Climatological Observations at New Zealand Stations to 1960
- 83 Relative Humidity at 0900 LST only - reference is the same as 82 above.
- 84 Climatological Division Summary (CDC) for Canada, No. 1 thru 13 - 1962-1966
- 85 Climate of British Columbia and the Yukon Territory by W. G. Kendrew and D. Kerr - 1955
- 86 The Climate of Central Canada by W. G. Kendrew and B. W. Currie - 1955

- 87 The Climate of Newfoundland Circular 4019
Cli 30, April 1964
- 88 Servicio Meteorologico Nacional Estadisticas Climatologicas - 1901-1950 Pub. B No. 1 and 1941-1950 Pub. B No. 3
- 89 Anuario Meteorologico 1952, 53, 54
Ministerio de Agricultura Oct. 1955
- 90 Las Precipitaciones en El Uruguay, 1965
- 91 Revista Meteorologica, Sumario, Anos 1944 al 1956 Montevideo 1957
- 92 Climatological Data for Sonora, Northern Sinaloa, Baja, Calif., Univ. of Arizona, Tech. Report Nos. 14, 15, 1 Oct. 1964
- 93 Average Climatic Water Balance Data of the Continents, Part IV, Australia, New Zealand and Oceania, 1963
- 94 Book of Normals - No. 1, Rainfall, Melbourne, 1951
- 95 Climatological Studies, Wea. and Clim. Pacific Islands, Hqs. 2nd Wea Gp F-8
- 96 Climate of the Horow Henua Lowlands New Zealand Met. Service, Note 63. 1966
- 97 Weather Summaries, Pacific and Alaska, Hydrographic Office H.O. Nos. W-270, W-271, 272, 273, 275, 276, 526. Years 1943-1944
- 98 Climatic Table for Japan Area Parts I-II
- 99 The Climate of Japan Vol. IV No. 2, 1931
- 100 Climatic Tables of Japan, Parts 1-5 1931-60
- 101 Climatological Data for Antarctic Stations No. 1-8, 1962-66. (Mean monthly precip. ETAC computed from mean monthly snowfall with water equivalent basis of 10 in. of snow equal 1 in. of precip.).
- 102 Anare Data reports, Series D, Meteorology No. 81, XIII, XII, Melbourne, 1963-65.
- 103 Meteorological and Radiational Regimes of Antarctica, U.S. Dept of Commerce 1964
- 104 Data from Polar Meteorology Section W.B.
- 105 Climatic Summaries for Canada 1947-1954
- 106 Climatic Summaries for Canada, Vol. II, 1948
- 107 Climate of the Canadian Arctic Archipelago, 1951
- 108 Temperature Normals, Averages and Extremes in the Northwest Territories during the period 1931 to 1960
- 109 Averages and Extremes of Climatic Data during 1951-1960 for selected Canadian Arctic stations, 1963
- 110 Canada Met. Br., Temperature Extremes 1966
- 111 Avg. Climatic Water Balance Data of the Continents, Part VI No. America, 1964

- 112 Canada Met. Branch, Monthly Record 1955-1965
- 113 Climatic Summary of the United States Supplement for 1951-through 1960
- 114 Climat. Studies, Hdqs. 19th AF, Alaska G-4, 1960
- 115 Climatological Summary, WB, Alaska, Means and Extremes for period of record thru 1952
- 116 Local Climatological Data, Annual Summary w/ Comparative Data, ESSA, 1966
- 117 Uniform Summary of Surface Wea. Obs.
- 118 Macro and Micro Climatology of the Arctic Slope of Alaska. US Army Tech Report EP-139, Natick Labs, 1960
- 119 Temperatures of Northern America, Hdqs. Quartermaster, US Army, Research Report RER-9, Natick Labs, 1956
- 120 Supplement to Bulletin W, Climatic Summary of the U.S. for 1931 thru 1952
- 121 Hydrographic Institute of the Yugoslav Navy, Met Division, 1946
- 122 Average Climatic Water Balance Data of the Continents, Part V, Europe N.J., 1964
- 123 Meteorology of the Arctic, OPNAV P03-3. March 1956
- 124 Temperatures in Slovenia, Slovenska Akademija. Ljubljana 1965
- 125 Precipitations en Yougoslovie. 1925-40. Belgrad, 1957
- 126 Prilozi Rosnavanju Klime Jugoslavije 1, Belgrad, 1957
- 127 Great Brit. Aviation Meteorological Report No. 19 (Yugoslavia). 1943
- 128 Ireland Met. Service. Monthly Wea. Report 1949-1952
- 129 Ireland Met. Service. Monthly Wea. Report 1958-1962
- 130 Climatological Summaries, Western Coastal Africa
- 131 Climatological Summaries, Tanganyika, Uganda and Kenya, Africa
- 132 Madagascar Meteorologique Service Publications Nos. 10,12,14,15,17,18,20-28.
- 133 O Clima de Portugal Fasciculo XIV. Lisboa 1965
- 134 Weather and Climate at Addis Ababa, Dire Dawa and Jimma, April 1965
- 135 Rhodesia and Nyasaland Climate Handbook Supplement 2
- 136 Rhodesia and Nyasaland Climate Information Sheets No. 1
- 137 Escuisse Climatographique de la Belgique, Brussels, 1947
- 138 Danmarks Kuima, 1933

- 139 General Climatic Data for Spain 2WW 1955
- 140 Memorial de la Meteorologie Nationale No. 50. Climatologie de la France Paris 1967
- 141 Klimakunde des Deutschen Reiches. Vol II Berlin, 1939
- 142 Statistiche Meteorologiche Relative Alle Principali Localita Italiane, Part 2 Roma, 1962
- 143 Climatological Summaries for Air Navigation in Norway, Vol. No. 6 Bardufoss Airport April 1960
- 144 Klimatabeller for Landbruget, Oslo 1955
- 145 Agricultural Climatology of Sweden and its Agro-Climatic Analogues in North America, No. 11 1950
- 146 Das Klima Der Schweiz, Maver, Billwiller, Hess 1909
- 147 Averages of Humidity for the British Isles, Met. Office, London, M.O. #421 1938
- 148 Weather in the Home Waters and N.E. Atlantic, Met. Office, London M.O. #446 1943
- 149 Monographies de la Meteorologie Nationale, No. 55. Valeurs Normales des Hauteurs de Precipitations en France. (1931-1960 and 1901-1950). Paris, 1966
- 150 Monographies de la Meteorologies Nationale. No. 59. Elements Climatologiques Concernant Les Cotes de la France Metropolitaine, Paris 1967
- 151 Averages of Rainfall for Great Britain and Northern Ireland. 1916-1950 M.O. #635 1958
- 152 Averages of Temperature for Great Britain and Northern Ireland. 1931-1960 M.O. #735 1963
- 153 Etudes Sur le Climat de la France, Vol I Paris 1904
- 154 Monographies de la Meteorologie Nationale No.30. Valeurs Normales des Temperatures en en France (1921-1950) Paris 1962
- 155 Climate of Malaysia Oct 1964 1st Wea Wg Special Study 105-5
- 156 Climate of Republic of Vietnam April 1965 1st Wea Wg Special Study 105-9
- 157 Climate of Cambodia May 1968 1st Wea Wg Special Study 105-15
- 158 Computer Print-out of climatic data summaries for Laos 1st Wea Gp April 1969
- 159 Climate of North Vietnam June 1965 1st Wea Wg Special Study 105-4

INDEX

STATION INDEX
 WORLD-WIDE AIRFIELD SUMMARIES - VOLUME X EUROPE
 MEDITERRANEAN - PART 4

STATION NO./NAME	PAGE NO.	STATION NO./NAME	PAGE NO.
<u>CORSICA (FRANCE)</u>		<u>EASTERN COAST (Climatic Area 3)</u>	
CORSICA (Climatic Area 1)		16506	Guardiavecchia 30
07761	Ajaccio/Campo Del Oro 01	16530	Olbia 32
07765	Solenzara 03	16550	Capo Bellavista 34
07768	La Chiappa 05	16564	Capo Carbonara 36
07790	Bastia/Poretta 07		Climat 38
14529/	Ajaccio 09		
	Climat 11		
<u>SARDINIA (ITALY)</u>		<u>ITALY</u>	
WESTERN COAST (Climatic Area 1)		DOLOMITES (Climatic Area 1)	
14202/	Sassari 12	16020	Bolzano 39
16520	Alghero 14		Climat 41
16539	Oristano 16	<u>PO VALLEY (Climatic Area 2)</u>	
16546	Decimomannu 18	14576/	Montichiari 42
16560	Cagliari/Elmas 20	14578/	Venegono 44
	Climat 22	16036	Aviano 46
INTERIOR MOUNTAINS (Climatic Area 2)		16044	Udine-Campoformido 48
14201/	Nuoro 23	16045	Rivolto 50
16524	Macomer 25	16051	Torino Caselle 52
16538	Fonni 27	16064	Cameri 54
	Climat 29	16066	Milano/Malpensa 56
		16076	Bergamo-Oric Al Serio 58
		16080	Milano/Linate 60
		16084	Piacenza 62

STATION NO./NAME

PAGE NO.

STATION NO./NAME

PAGE NO.

ITALY

PO VALLEY (Climatic Area 2, cont.)

16088	Ghedi	64
16089	Verona-Boscomantico	66
16090	Villafranca-Ganfardine	68
16094	Vicenza	70
16098	Istrana	72
16099	Treviso City	74
16100	Venezia	76
16105	Venezia-Tessera	78
16106	Gorizia	80
16108	Ronchi Del Legionari	82
16140	Bologna	84
16149	Rimini	86
	Climat	88

WESTERN COAST (Climatic Area 4)

14575/	Genova	90
14577/	Napoli/Pomiglian	92
16120	Genova/Sestre	94
16122	Villanova D'Albenga	96
16158	Pisa/San Giusto	98
16170	Florence	100
16206	Grosseto	102
16234	Roma/Guidonia	104
16235	Roma/Urbe	106
16238	Centocelle	108
16239	Roma/Ciampino	110
16242	Roma/Fiumicino	112
16243	Latina	114
16245	Pratica Di Mare	116
16253	Capua-Grassanise	118
16289	Napoli/Capodichino	120
	Climat	122

APENNINES (Climatic Area 5)

16180	Perugia	123
16350	Crotone	125
	Climat	127

EASTERN COAST (Climatic Area 6)

14573/	Foggia-Orta Nova	128
14574/	Foggia	130
16191	Ancona-Falconara	132
16230	Pescara	134
16261	Amendola	136
16270	Bari	138
16320	Brindisi/Campo Casale	140
16324	Grottaglie	142
16330	Taranto	144
16332	Lecce/San Donato	146
	Climat	148

SICILY


SICILY (Climatic Area 1)

16405	Palermo/Punta Raisi	149
16410	Palermo	151
16420	Messina	153
16429	Trapani-Birgi	155
16436	Sciacca	157
16450	Enna	159
16459	Catania-Sigonella	161
16460	Catania	163
16464	Siracusa	165
16470	Pantelleria	167
16480	Cosso Spadaro	169
	Climat	171

STATION NO./NAME	PAGE NO.	STATION NO./NAME	PAGE NO.
<u>MALTA</u>			
MALTA (Climatic Area 1)		DINARIC ALPS (Climatic Area 2)	
14200/ Hal Far	172	13017 Ljubljana	220
14583/ Ta Kali	174	13018 Ljubljana/Intl	222
16597 Juqa	176	13027 Maribor	224
Climat	178	13223 Gospic	226
		13228 Bihac	228
		13352 Sarajevo-Rajlovac	230
		13353 Sarajevo-Butmir	232
		13464 Kolasin	234
		13472 Pec	236
		13483 Skopje	238
		13488 Vranje	240
		13582 Bitola	242
		13584 Prilep	244
		13590 Stip	246
		13592 Demir Kapija	248
		14050/ Ajdovscina	250
		14051/ Babno Polje	252
		14054/ Celje	254
		14056/ Golnik	256
		14057/ Jezersko	258
		14058/ Kocevje	260
		14059/ Kosovska Mitrovica	262
		14067/ Petrovac	264
		14068/ Postojna	266
		14070/ Ratece-Planina	268
		14071/ Ravna Gora	270
		14075/ Sent Jost na Kosjaku	272
		Climat	274
<u>YUGOSLAVIA</u>			
ADRIATIC COAST (Climatic Area 1)			
13107 Koper	179		
13113 Rijeka	181		
13208 Pula	183		
13219 Senj	185		
13222 Zadar	187		
13224 Zemunik	189		
13333 Split-Marjan	191		
13335 Hvar	193		
13349 Mostar City	195		
13451 Dubrovnik	197		
13457 Hercegnovi	199		
13462 Titograd/Intl	201		
13562 Ulcinj	203		
14062/ Mostar-Kosor	205		
14063/ Mostar	207		
14066/ Omisalj	209		
14069/ Rab	211		
14073/ Sipan	213		
14074/ Split Lazarica	215		
14076/ Titograd	217		
Climat	219		

STATION NO./NAME	PAGE NO.	STATION NO./NAME	PAGE NO.
<u>YUGOSLAVIA</u>			
INTERIOR PLAINS (Climatic Area 3)		GREECE (Climatic Area 1)	
13122	Novo Mesto	275	
13127	Zagreb-Gric	277	
13128	Zagreb/Pleso	279	
13150	Slavonski Brod	281	
13156	Osijek	283	
13183	Vrsac	285	
13242	Banja Luka	287	
13257	Tuzla	289	
13261	Loznica	291	
13266	Sremska Mitrovica	293	
13274	Belgrade/Intl	295	
13275	Belgrade	297	
13285	Veliko Gradiste	299	
13377	Kraljevo	301	
13383	Krusevac	303	
13388	Nis	305	
14052/	Batajnica	307	
14053/	Beograd-Zemun	309	
14055/	Cerklje	311	
14060/	Kragujevac	313	
14061/	Lipik	315	
14064/	Murska Sobota	317	
14065/	Novi Sad	319	
14072/	Senta	321	
	Climat	323	
<u>GREECE</u>			
GREECE (Climatic Area 1)			
14568/	Agrinion New	324	
14569/	Preveza	326	
16622	Thessaloniki	328	
16625	Kavalla	330	
16627	Alexandroupolis	332	
16632	Kozani	334	
16641	Kerkira	336	
16642	Ioannina	338	
16648	Larisa	340	
16661	Volos	342	
16665	Nea Ankhialos	344	
16669	Levkas	346	
16672	Agrinion	348	
16682	Andravida	350	
16687	Araxos	352	
16701	Athinai-Filadelfia	354	
16716	Athinai	356	
16718	Elefsis	358	
	Climat	360	
<u>CRETE (GREECE)</u>			
CRETE (Climatic Area 1)			
16746	Soudha Bay	361	
16747	Khania	363	
16754	Kriti/Iraklion	365	
	Climat	367	

EUROPE WORLD AIRFIELD SUMMARIES





AT 91

AJACCIO/CAMPO DEL ORO, CORSICA

STA NO. 07701 (IN ARFA NUMBER 01)

LATITUDE 4159N

LONGITUDE 00848E

ELEVATION(FT) 00020

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
ABS MAX TMP (F)	72	72	82	88	99	97	101	103	97	88	82	73	103	51	-14929
MEAN MAX TMP (F)	56	58	62	66	72	79	85	85	81	72	64	59	70	46	-14929
MEAN MIN TMP (F)	40	42	44	48	53	60	64	64	61	55	49	44	52	46	-14929
ABS MIN TMP (F)	25	23	28	36	38	45	47	50	45	39	31	26	23	51	-14929
MEAN NO OYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0			8.1	8.1	3.6	0.0	0.0	0.0		46	-29
MEAN NO OYS TMP = DR LES 32(F)				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			51	-29
MEAN NO OYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	51	-29
MEAN DEW PT TMP (F)	42	44	46	50	56	61	65	65	63	56	51	46	54	41	-29
MEAN REL HUM (PCT)	82	81	80	79	80	77	74	75	77	78	82	83	79	30	-32
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	2.99	2.96	2.09	1.89	1.97	0.83	0.39	0.63	1.97	3.47	3.82	3.86	26.5	30	-32
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			51	-29
MEAN NO OYS PRCP = DR GTR 0.1 IN	8.4	7.6	6.1	5.8	5.9	2.5	1.0	1.8	5.6	8.0	8.4	9.6	70.7	30	-29
MEAN NO OYS SNPL = DR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			51	-29
MEAN NO OYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO OYS TSTMS	1.0	1.0	0.3	2.0	1.0	2.0	1.0	1.0	2.0	2.0	3.0	1.0	17.3	10	-14929
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 3000 FT A/D LES 5 MI								6.2	13.1	33.8				1	-14929
P FREQ LES 1900 FT A/D LES 3 MI															
FDR 00-02 LST								2.2	3.3	1.7				1	-14929
03-05 LST								2.2	1.1	0.0				1	-14929
06-08 LST	3.9	7.0	2.0	4.9	3.6	3.5	2.7	0.6	1.3	3.0	4.0	2.9	3.3	4	-14929
09-11 LST								0.0	0.0	3.3				1	-14929
12-14 LST								1.1	0.0	1.8				1	-14929
15-17 LST								0.0	4.4	1.8				1	-14929
18-20 LST								1.1	2.2	1.8				1	-14929
21-23 LST								2.2	1.1	1.8				1	-14929
P FREQ LES 300 FT A/D LES 1 MI															
PQR 00-02 LST								0.0	0.0	0.0				1	-14929
03-05 LST								1.1	0.0	0.0				1	-14929
06-08 LST	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	0.6	0.7	1.3	0.0	0.3	4	-14929
09-11 LST								0.0	0.0	0.0				1	-14929
12-14 LST								0.0	0.0	0.0				1	-14929
15-17 LST								0.0	0.0	0.0				1	-14929
18-20 LST								0.0	0.0	0.0				1	-14929
21-23 LST								0.0	0.0	0.0				1	-14929

AJACCIO/CAMPO DEL ORO, CORSICA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	31.0	28.0	31.0	30.0	29.8	29.4	30.5	30.7	29.6	30.0	29.2	30.5	339.7	4	-14929
	13 LST														0	0
	19 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST														0	0
	07 LST	26.7	21.4	27.8	26.3	28.7	28.4	30.1	30.7	28.7	27.7	28.4	29.6	334.5	4	-14929
	13 LST														0	0
	19 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST														0	0
	07 LST	0.6	1.3	0.6	0.7	0.5	0.0	0.0	0.0	0.0	0.3	0.0	0.0	4.0	4	-14929
	13 LST														0	0
	19 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST														0	0
	07 LST	3.1	1.9	3.1	0.7	1.1	3.6	2.5	2.0	2.8	3.7	0.8	3.5	28.8	4	-14929
	13 LST														0	0
	19 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	9.1	9.7	8.5	14.6	10.7	17.8	23.1	23.0	19.2	10.3	11.6	7.5	161.1	3	-14929
	13 LST														0	0
	19 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	26.1	21.4	27.2	26.3	27.6	27.3	29.7	30.4	28.7	27.0	26.4	26.5	324.6	4	-14929
	13 LST														0	0
	19 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	18.2	18.8	20.4	24.8	23.8	24.7	28.9	29.8	26.5	23.7	21.6	16.8	278.0	4	-14929
	13 LST														0	0
	19 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	18.2	18.8	20.4	24.8	23.8	24.7	28.9	29.8	26.5	23.7	21.6	16.8	278.0	4	-14929
	13 LST														0	0
	19 LST														0	0

SOLENZARA, CORSICA

STA NO. 07765 (IN AREA NUMBER 01)

LATITUDE 4159N

LONGITUDE 00923E

ELEVATION(FT) 00026

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. UBS
ABS MAX TMP (F)	60	58	69	75	78	90	92	93	88	78	74	68	93	3	-7790
MEAN MAX TMP (F)	52	49	58	65	71	79	82	84	73	68	63	55	67	3	-7790
MEAN MIN TMP (F)	42	42	45	52	57	63	66	67	67	52	49	46	54	3	-7790
ABS MIN TMP (F)	31	34	35	46	49	51	54	56	61	46	41	34	31	3	-7790
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.5	2.5	1.0	0.0	0.0	0.0	0.0	4.0	3	-7790
MEAN NO DYS TMP = DR LES 32(F)	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	3	-7790
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	-7790
MEAN DEW PT TMP (F)	36	31	39	49	53	57	61	62	61	50	45	43	49	3	-7790
MEAN REL HUM (PCT)	69	59	66	73	70	64	65	65	70	72	70	77	68	3	-7790
MEAN PRESS ALT (FT)	-109	-56	-25	12	-15	-43	-48	-34	-65	-60	-41	-58	-44	0	-50
MEAN PRECIP (IN)	2.75	2.56	2.36	2.56	1.97	0.79	0.39	0.98	2.56	4.33	3.74	3.74	28.9	30	-7790
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	8.3	7.6	6.5	6.7	5.9	2.3	1.0	2.9	6.7	8.9	8.3	9.5	74.6	30	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0	1.0	0.0	2.0	0.0	0.0	0.5	0.0	0.0	0.7	0.0	0.0	4.2	3	-7790
MEAN NO DYS TSYS	1.5	2.9	1.0	0.5	0.7	1.0	1.5	2.0	1.3	2.8	1.6	1.6	18.4	3	-7790
P FREQ WND SPD = DR GTR 17 KTS	2.2	4.7	2.6	1.8	2.5	2.7	4.7	2.3	2.2	1.6	3.7	1.0	2.7	3	-7790
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.4	0.1	0.0	0.0	0.1	1.2	0.0	0.2	0.1	0.3	0.1	0.2	3	-7790
P FREQ LES 3000 FT A/D LES 5 MI	32.1	49.6	20.1	35.7	19.1	9.5	7.5	9.4	22.7	23.0	21.1	42.2	24.3	3	-7790
P FREQ LES 1900 FT A/D LES 3 MI															
FOR 00-02 LST	0.0	1.1	3.8	12.2	5.3	1.1	0.0	0.5	0.0	0.0	0.0	2.9	2.2	3	-7790
03-05 LST	0.0	2.3	3.8	12.2	3.8	1.1	0.5	0.0	0.0	3.0	0.0	5.7	2.7	3	-7790
06-08 LST	4.3	1.1	4.8	10.0	3.8	0.6	0.0	0.0	0.0	5.2	0.0	12.1	3.5	3	-7790
09-11 LST	3.2	2.3	7.5	10.0	6.1	0.0	0.0	0.5	0.0	8.1	0.0	12.6	4.2	3	-7790
12-14 LST	0.5	1.1	5.9	11.1	6.1	0.0	0.0	0.5	0.0	2.2	0.0	12.6	3.3	3	-7790
15-17 LST	0.0	1.1	5.9	11.1	5.3	0.0	0.5	1.1	1.4	3.7	0.8	9.2	3.3	3	-7790
18-20 LST	0.0	1.1	7.0	9.4	9.0	0.6	1.6	2.7	0.0	2.7	0.0	11.9	3.0	3	-7790
21-23 LST	0.0	1.1	5.9	8.9	10.4	1.7	2.2	2.2	2.9	5.5	0.0	4.0	3.7	3	-7790
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.0	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	3	-7790
03-05 LST	0.0	0.0	0.0	1.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.2	3	-7790
06-08 LST	0.0	0.0	1.1	2.2	0.0	0.0	0.0	0.0	0.0	1.5	0.0	0.0	0.4	3	-7790
09-11 LST	0.0	0.0	0.0	4.4	0.8	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.3	3	-7790
12-14 LST	0.0	0.0	0.0	2.8	0.8	0.0	0.0	0.0	0.0	0.7	0.0	0.0	0.4	3	-7790
15-17 LST	0.0	1.1	0.0	3.9	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	3	-7790
18-20 LST	0.0	0.0	0.0	4.4	1.5	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.3	3	-7790
21-23 LST	0.0	0.0	0.0	1.7	0.7	0.0	0.5	0.5	0.0	1.4	0.0	0.0	0.4	3	-7790

SOLENZARA, CORSICA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. DBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	31.0	28.0	30.5	28.5	29.6	30.0	31.0	31.0	30.0	31.0	30.0	30.4	361.0	3	-7790
	07 LST	30.5	28.0	29.0	28.5	31.0	30.0	31.0	31.0	30.0	29.6	30.0	29.4	358.0	3	-7790
	13 LST	31.0	28.0	30.0	27.5	30.3	30.0	31.0	30.5	30.0	30.3	30.0	27.8	356.4	3	-7790
	19 LST	31.0	27.0	30.0	27.5	30.3	30.0	31.0	30.5	30.0	31.0	30.0	28.9	357.2	3	-7790
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SPC WND LES 10 KTS	01 LST	25.5	21.2	25.5	21.0	27.5	28.5	27.5	30.5	28.7	28.9	27.1	25.6	317.5	3	-7790
	07 LST	24.5	22.2	24.5	23.0	26.2	26.0	28.5	28.5	27.4	26.8	25.0	22.4	307.0	3	-7790
	13 LST	25.0	21.2	25.0	20.5	23.9	24.0	26.5	22.0	26.1	22.7	24.0	22.4	283.3	3	-7790
	19 LST	27.0	15.4	25.5	24.0	24.1	26.0	26.0	29.5	28.7	28.9	25.5	23.1	303.7	3	-7790
SPC WND = GTR 17 KTS AND NO PRECIP.	01 LST	0.5	1.0	1.0	0.5	0.0	1.0	1.5	0.0	0.0	0.0	0.8	0.0	6.3	3	-7790
	07 LST	1.0	1.0	0.0	1.0	0.0	0.5	1.5	0.5	1.4	0.7	1.0	0.6	9.2	3	-7790
	13 LST	0.5	2.0	1.5	0.5	2.1	1.0	2.5	1.5	1.4	0.7	0.5	0.6	14.8	3	-7790
	19 LST	1.0	1.0	1.5	0.5	0.7	0.5	1.0	0.5	0.0	0.0	0.8	0.0	7.5	3	-7790
SPC WND, 4-10 KTS AND TMF 33-89 DEG F AND NO PRECIP.	01 LST	14.7	15.4	6.5	10.1	9.6	10.0	7.5	8.5	8.7	18.0	12.8	13.8	135.6	3	-7790
	07 LST	9.6	15.4	10.9	11.2	17.6	9.0	10.0	9.5	13.6	18.9	16.0	7.1	148.8	3	-7790
	13 LST	12.7	13.0	17.0	19.5	19.0	20.0	20.0	19.0	17.7	21.1	18.8	15.2	213.0	3	-7790
	19 LST	13.0	15.0	10.5	6.6	9.6	5.5	10.5	5.0	4.1	14.4	12.0	16.1	122.3	3	-7790
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	28.5	21.2	28.0	23.0	27.5	29.5	29.0	30.0	27.5	28.2	30.0	25.1	327.5	3	-7790
	07 LST	26.5	26.1	27.0	24.0	28.2	28.5	30.0	31.0	30.0	26.2	26.0	24.6	328.1	3	-7790
	13 LST	27.5	25.1	28.0	20.0	26.0	28.5	30.5	30.0	28.7	28.2	28.5	22.4	323.4	3	-7790
	19 LST	29.0	23.2	29.0	24.0	26.2	28.5	29.5	30.0	27.4	28.2	30.0	24.1	329.1	3	-7790
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	20.0	16.4	25.5	19.5	25.5	29.5	29.0	29.0	27.5	26.2	25.4	20.3	291.8	3	-7790
	07 LST	19.5	17.4	23.5	19.0	26.0	27.0	29.5	29.0	23.5	23.4	21.5	17.1	276.4	3	-7790
	13 LST	20.0	15.4	23.5	16.0	23.9	25.0	29.0	23.5	22.2	22.7	20.0	16.0	259.2	3	-7790
	19 LST	24.0	8.7	27.0	21.5	25.5	27.0	27.5	28.5	23.5	25.5	27.0	18.4	284.1	3	-7790
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	18.5	16.4	24.0	19.0	25.5	29.5	29.0	28.5	26.3	24.8	23.4	17.1	262.0	3	-7790
	07 LST	17.0	13.5	22.5	16.0	23.3	25.5	28.5	29.0	19.6	22.0	20.0	13.9	250.8	3	-7790
	13 LST	15.5	14.5	21.0	14.5	23.9	23.5	28.5	24.0	20.9	20.0	19.5	13.9	239.7	3	-7790
	19 LST	23.0	7.7	26.0	21.0	25.5	26.5	27.5	28.5	20.9	25.5	27.0	17.3	276.4	3	-7790

LA CHIAPPA, CORSICA

STA NO. 07768 (IN AREA NUMBER 01)

LATITUDE 4135N

LONGITUDE 00921E

ELEVATION(FT) 00210

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	64	64	65	65						65	72	67		2	168
MEAN MAX TMP (F)	50	57	60	64						62	61	54		2	168
MEAN MIN TMP (F)	34	38	39	45		64	68	67	64	50	46	42		3	269
ABS MIN TMP (F)	26	31	31	43		45	47	50	48	40	30	29		3	269
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0						0.0	0.0	0.0		2	168
MEAN NO DYS TMP = DR LES 32(P)	13.0	3.0	2.0	0.0		0.0	0.0	0.0	0.0	0.0	0.6	1.3		3	269
MEAN NO DYS TMP = DR LES 0(P)	0.0	0.0	0.0	0.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0		3	269
MEAN DEW PT TMP (F)	33	40	43	49						48	43	40		2	4029
MEAN REL HUM (PCT)	73	76	79	83						83	74	77		2	4024
MEAN PRESS ALT (PT)														0	0
MEAN PRECIP (IN)	8.00	0.09	0.74	0.00						20.97	1.40	4.97		2	168
MEAN SNOW FALL (IN)		0.0	0.0	0.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0		3	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	11.7	0.0	2.0	0.0						11.3	6.0	8.0		2	168
MEAN NO DYS SNPL = DR GTR 1.3 IN		0.0	0.0	0.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0		3	-29
MEAN NO DYS W/O CUR VSBY LES 1/2 MI	0.0	0.0	0.0	0.0						0.0	0.0	0.0		2	168
MEAN NO DYS TSTMS	2.0	0.0	0.0	0.0						2.8	2.0	0.0		2	168
P FREQ WND SPD = DR GTR 17 KTS	1.1	0.0	0.3	0.0						0.0	1.0	0.1		2	4027
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0						0.0	0.0	0.0		2	4027
P FREQ LES 5000 FT A/D LES 3 MI														0	0
P FREQ LES 1900 FT A/D LES 3 MI														0	0
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	7.4	17.4	6.3	10.7	21.4	2.3	4.3	0.0	2.6	4.3	8.7	11.6	8.1	3	438
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	4.3	0.0	0.0	3.6	0.0	2.1	0.0	0.0	2.2	0.0	0.0	1.0	3	438
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

LA CHIAPPA, CORSICA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	31.0	25.5	31.0	27.8	27.6	30.0	30.3	31.0	30.0	30.3	29.3	29.5	353.3	3	438
	13 LST														0	0
	19 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST														0	0
	07 LST	19.5	15.8	19.3	20.3	19.3	25.9	24.2	27.4	24.4	22.2	17.6	20.9	253.0	3	434
	13 LST														0	0
	19 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST														0	0
	07 LST	6.8	7.3	5.8	5.3	3.4	0.6	2.6	1.6	1.3	5.1	6.2	1.4	47.6	3	442
	13 LST														0	0
	19 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST														0	0
	07 LST	13.6	14.0	17.0	10.7	5.7	5.5	13.1	9.2	10.0	10.9	10.8	11.5	132.0	3	434
	13 LST														0	0
	19 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	12.6	10.9	11.6	16.0	8.8	19.0	23.8	20.9	18.1	14.3	10.0	13.3	179.5	3	444
	13 LST														0	0
	19 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	26.4	21.9	27.1	26.7	21.0	28.6	29.0	31.0	28.4	27.6	24.1	24.5	316.3	3	438
	13 LST														0	0
	19 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	26.4	21.9	27.1	26.7	21.0	27.9	28.3	31.0	27.6	25.6	23.4	23.0	309.9	3	438
	13 LST														0	0
	19 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	26.4	21.9	27.1	26.7	21.0	27.9	28.3	31.0	27.6	25.6	23.4	23.0	309.9	3	438
	13 LST														0	0
	19 LST														0	0

BASTIA/PORETTA, CORSICA

STA NO. 07790 (IN AREA NUMBER 01)

LATITUDE 4233N

LONGITUDE 00929E

ELEVATION(FT) 00026

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	60	58	69	75	78	90	92	93	88	78	74	68	93	3	604
MEAN MAX TMP (F)	52	49	58	65	71	79	82	84	78	68	63	55	67	3	604
MEAN MIN TMP (F)	42	42	45	52	57	63	66	67	67	52	49	46	54	3	604
ABS MIN TMP (F)	31	34	35	46	49	51	54	56	61	46	41	34	31	3	604
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.5	2.5	1.0	0.0	0.0	0.0	0.0	4.0	3	604
MEAN NO DYS TMP = DR LES 32(F)	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	3	604
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	604
MEAN DEW PT TMP (F)	36	31	39	49	53	57	61	62	61	50	45	43	49	3	14295
MEAN REL HUM (PCT)	69	59	66	73	70	64	65	65	70	72	70	77	68	3	14292
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	2.95	2.56	2.36	2.56	1.97	0.79	0.39	0.98	2.56	4.33	3.74	3.74	28.9	30	-140
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	8.3	7.6	6.5	6.7	5.9	2.3	1.0	2.9	6.7	8.9	8.3	9.5	74.6	30	-29
MEAN NO DYS SNPL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0	1.0	0.0	2.0	0.0	0.0	0.3	0.0	0.0	0.7	0.0	0.0	4.2	3	607
MEAN NO DYS TSTMS	1.5	2.9	1.0	0.5	0.7	1.0	1.5	2.0	1.3	2.8	1.6	1.6	18.4	3	603
P FREQ WND SPD = DR GTR 17 KTS	2.2	4.7	2.6	1.8	2.5	2.7	4.7	2.3	2.2	1.6	3.7	1.0	2.7	3	14346
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.4	0.1	0.0	0.0	0.1	1.2	0.0	0.2	0.1	0.3	0.1	0.2	3	14346
P FREQ LES 5000 FT A/D LES 5 MI	32.1	49.6	20.1	35.7	19.1	9.5	7.5	9.4	22.7	23.0	21.1	42.2	24.3	3	14347
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	0.0	1.1	3.8	12.2	5.3	1.1	0.0	0.5	0.0	0.0	0.0	2.9	2.2	3	1733
03-05 LST	0.0	2.3	3.8	12.2	3.8	1.1	0.5	0.0	0.0	3.0	0.0	5.7	2.7	3	1841
06-08 LST	4.3	1.1	4.8	10.0	3.8	0.6	0.0	0.0	0.0	3.2	0.0	12.1	3.5	3	1879
09-11 LST	3.2	2.3	7.5	10.0	6.1	0.0	0.0	0.5	0.0	8.1	0.0	12.6	4.2	3	1878
12-14 LST	0.5	1.1	5.9	11.1	6.1	0.0	0.0	0.5	0.0	2.2	0.0	12.6	3.3	3	1857
15-17 LST	0.0	1.1	5.9	11.1	5.3	0.0	0.3	1.1	1.4	3.7	0.8	9.2	3.3	3	1821
18-20 LST	0.0	1.1	7.0	9.4	9.0	0.6	1.6	2.7	0.0	2.7	0.0	11.9	3.8	3	1791
21-23 LST	0.0	1.1	5.9	8.9	10.4	1.7	2.2	2.2	2.9	5.3	0.0	4.0	3.7	3	1741
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.0	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	3	1733
03-05 LST	0.0	0.0	0.0	1.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.2	3	1841
06-08 LST	0.0	0.0	1.1	2.2	0.0	0.0	0.0	0.0	0.0	1.3	0.0	0.0	0.4	3	1879
09-11 LST	0.0	0.0	0.0	4.4	0.8	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.5	3	1878
12-14 LST	0.0	0.0	0.0	2.8	0.8	0.0	0.0	0.0	0.0	0.7	0.0	0.0	0.4	3	1857
15-17 LST	0.0	1.1	0.0	3.3	1.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	3	1821
18-20 LST	0.0	0.0	0.0	4.4	1.5	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.5	3	1791
21-23 LST	0.0	0.0	0.0	1.7	0.7	0.0	0.5	0.5	0.0	1.4	0.0	0.0	0.4	3	1741

BASTIA/PORETTA, CORSIKA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	31.0	29.0	30.5	28.5	29.6	30.0	31.0	31.0	30.0	31.0	30.0	30.4	361.0	3	610
	07 LST	30.5	28.0	29.0	28.5	31.0	30.0	31.0	31.0	30.0	29.6	30.0	29.4	358.0	3	627
	13 LST	31.0	28.0	30.0	27.5	30.3	30.0	31.0	30.5	30.0	30.3	30.0	27.8	356.4	3	627
	19 LST	31.0	27.0	30.0	27.5	30.3	30.0	31.0	30.5	30.0	31.0	30.0	28.9	357.2	3	609
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	25.5	21.2	25.5	21.0	27.5	28.5	27.5	30.5	28.7	28.9	27.1	25.6	317.5	3	610
	07 LST	24.5	22.2	24.5	23.0	28.2	26.0	28.5	28.5	27.4	26.8	25.0	22.4	307.0	3	627
	13 LST	25.0	21.2	25.0	20.5	23.9	24.0	26.5	22.0	26.1	22.7	24.0	22.4	283.3	3	627
	19 LST	27.0	15.4	25.5	24.0	24.1	26.0	26.0	29.5	28.7	28.9	25.5	23.1	303.7	3	609
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	0.5	1.0	1.0	0.5	0.0	1.0	1.5	0.0	0.0	0.0	0.8	0.0	6.3	3	601
	07 LST	1.0	1.0	0.0	1.0	0.0	0.5	1.5	0.5	1.4	0.7	1.0	0.6	9.2	3	612
	13 LST	0.5	2.0	1.5	0.5	2.1	1.0	2.5	1.5	1.4	0.7	0.5	0.6	14.8	3	615
	19 LST	1.0	1.0	1.5	0.5	0.7	0.5	1.0	0.5	0.0	0.0	0.8	0.0	7.5	3	599
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	14.7	15.4	6.5	10.1	9.6	10.0	7.5	8.5	8.7	18.0	12.8	13.8	135.6	3	601
	07 LST	9.6	15.4	10.9	11.2	17.6	9.0	10.0	9.5	13.6	18.9	16.0	7.1	148.8	3	612
	13 LST	12.7	13.0	17.0	19.5	19.0	20.0	20.0	19.0	17.7	21.1	18.8	15.2	213.0	3	615
	19 LST	13.0	15.0	10.5	6.6	9.6	5.5	10.5	5.0	4.1	14.4	12.0	16.1	122.3	3	599
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	28.5	21.2	28.0	23.0	27.5	29.5	29.0	30.0	27.5	28.2	30.0	25.1	327.5	3	610
	07 LST	26.5	26.1	27.0	24.0	28.2	28.5	30.0	31.0	30.0	26.2	26.0	24.6	328.1	3	627
	13 LST	27.5	25.1	28.0	20.0	26.0	28.5	30.5	30.0	28.7	28.2	28.5	22.4	323.4	3	627
	19 LST	29.0	23.2	29.0	24.0	26.2	28.5	29.5	30.0	27.4	28.2	30.0	24.1	329.1	3	609
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	20.0	16.4	25.5	19.5	25.5	29.5	29.0	29.0	27.5	26.2	23.4	20.3	291.8	3	610
	07 LST	19.5	17.4	23.5	19.0	26.0	27.0	29.5	29.0	23.5	23.4	21.5	17.1	276.4	3	627
	13 LST	20.0	15.4	23.5	16.0	23.9	25.0	29.0	25.5	22.2	22.7	20.0	16.0	259.2	3	627
	19 LST	24.0	8.7	27.0	21.5	25.5	27.0	27.5	28.5	23.5	25.5	27.0	18.4	284.1	3	609
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	18.5	16.4	24.0	19.0	25.5	29.5	29.0	28.5	26.3	24.8	23.4	17.1	282.0	3	610
	07 LST	17.0	13.5	22.5	16.0	23.3	25.5	28.5	29.0	19.6	22.0	20.0	13.9	250.8	3	627
	13 LST	15.5	14.5	21.0	14.5	23.9	23.5	28.5	24.0	20.9	20.0	19.5	13.9	239.7	3	627
	19 LST	23.0	7.7	26.0	21.0	25.5	26.5	27.5	28.5	20.9	25.5	27.0	17.3	276.4	3	609

AJACCIO, CORSICA

STA NO. 14529/ (IN AREA NUMBER 01)

LATITUDE 4155N

LONGITUDE 00845E

ELEVATION(PT) 00026

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	72	72	82	88	99	97	101	103	97	88	82	73	103	91	-28
MEAN MAX TMP (F)	56	58	62	66	72	79	85	85	81	72	64	59	70	46	-28
MEAN MIN TMP (F)	40	42	44	48	53	60	64	64	61	55	49	44	52	46	-28
ABS MIN TMP (F)	25	23	28	36	38	45	47	50	45	39	31	26	27	51	-28
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0			8.1	8.1	3.6	0.0	0.0	0.0		46	-29
MEAN NO DYS TMP = DR LES 32(F)				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			51	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	91	-29
MEAN DEW PT TMP (F)	39	40	42	46	51	55	58	58	57	52	48	43	49	34	-29
MEAN REL HUM (PCT)	74	72	70	69	69	63	60	61	65	69	75	75	69	11	-28
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	3.00	2.30	2.00	2.20	1.00	0.90	2.80	0.70	1.70	3.80	4.40	3.10	29.1	86	-28
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			51	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	8.4	7.0	6.7	6.3	5.2	2.7	7.1	2.1	9.1	8.4	9.0	8.6	76.6	86	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			51	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	1.0	1.0	0.3	2.0	1.0	2.0	1.0	1.0	2.0	2.0	3.0	1.0	17.3	10	-24
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI								6.2	13.1	33.8				1	1918
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST								2.2	3.3	1.7				1	243
03-05 LST								2.2	1.1	0.0				1	243
06-08 LST	3.9	7.0	2.0	4.9	3.6	3.5	2.7	0.6	1.3	3.0	4.0	2.9	3.3	4	975
09-11 LST								0.0	0.0	3.3				1	238
12-14 LST								1.1	0.0	1.8				1	240
15-17 LST								0.0	4.4	1.8				1	240
18-20 LST								1.1	2.2	1.8				1	240
21-23 LST								2.2	1.1	1.8				1	240
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST								0.0	0.0	0.0				1	243
03-05 LST								1.1	0.0	0.0				1	243
06-08 LST	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	0.6	0.7	1.3	0.0	0.3	4	975
09-11 LST								0.0	0.0	0.0				1	238
12-14 LST								0.0	0.0	0.0				1	240
15-17 LST								0.0	0.0	0.0				1	240
18-20 LST								0.0	0.0	0.0				1	240
21-23 LST								0.0	0.0	0.0				1	240

AJACCIO, CORSICA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST								31.0	30.0	31.0				1	81
	07 LST	31.0	28.0	31.0	30.0	29.8	29.4	30.5	30.7	29.6	30.0	29.2	30.5	339.7	4	813
	13 LST								31.0	30.0	31.0				1	80
	19 LST								31.0	29.0	31.0				1	80
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST								30.0	28.0	26.3				1	81
	07 LST	26.7	21.4	27.8	26.3	28.7	28.4	30.1	30.7	28.7	27.7	28.4	29.6	334.5	4	811
	13 LST								16.0	19.0	21.2				1	80
	19 LST								30.0	28.0	27.7				1	80
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST								0.0	0.0	0.0				1	81
	07 LST	0.6	1.3	0.6	0.7	0.5	0.0	0.0	0.0	0.0	0.3	0.0	0.0	4.0	4	814
	13 LST								0.0	0.0	0.0				1	80
	19 LST								0.0	0.0	0.0				1	80
SFC WND 4-10 KTS AND TMP 33-89 DFG F AND NO PRECIP.	01 LST								21.0	21.0	19.5				1	81
	07 LST	3.1	1.9	3.1	0.7	1.1	3.6	2.5	2.0	2.8	3.7	0.8	3.5	28.8	4	804
	13 LST								22.0	19.0	19.5				1	80
	19 LST								9.0	16.0	13.0				1	80
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	9.1	9.7	8.5	14.6	10.7	17.8	23.1	23.0	15.2	10.3	11.6	7.5	161.1	3	734
	13 LST														0	0
	19 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST								29.0	27.0	26.3				1	81
	07 LST	26.1	21.4	27.2	26.3	27.6	27.3	29.7	30.4	28.7	27.0	26.4	26.5	324.6	4	813
	13 LST								30.0	29.0	24.4				1	80
	19 LST								30.0	27.0	27.7				1	80
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST								29.0	22.0	20.1				1	81
	07 LST	18.2	18.8	20.4	24.8	23.8	24.7	28.9	29.8	26.5	23.7	21.6	16.8	278.0	4	813
	13 LST								29.0	24.0	17.9				1	80
	19 LST								29.0	24.0	17.9				1	80
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST								29.0	22.0	20.1				1	81
	07 LST	18.2	18.8	20.4	24.8	23.8	24.7	28.9	29.8	26.5	23.7	21.6	16.8	278.0	4	813
	13 LST								29.0	23.0	17.9				1	80
	19 LST								29.0	24.0	17.9				1	80

AREA NO. 01

CORSICA, FRANCE

CORSICA
BOUNDARIES

LATITUDE 4210N LONGITUDE 00910E

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)		53	55	60	65	72	79	84	85	80	67	63	56	68
MEAN MIN TMP (F)		39	41	43	48	55	62	66	66	64	52	48	44	52
LARGEST MEAN PRECIP(IN)		8.00	2.56	2.60	2.56	1.97	0.90	2.80	0.98	2.56	20.97	4.40	4.97	55.3
SMALLEST MEAN PRECIP(IN)		2.95	0.09	0.74	0.00	1.60	0.79	0.39	0.63	1.70	3.47	1.40	3.10	16.9
		MEAN NUMBER OF DAYS												
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	31.0	28.0	30.5	28.5	29.6	30.0	31.0	31.0	30.0	31.0	30.0	30.4	361.0
	07 LST	30.8	27.2	30.3	26.8	29.5	29.8	30.6	30.9	29.9	30.0	29.5	29.8	357.1
	13 LST	31.0	28.0	30.0	27.5	30.3	30.0	31.0	30.8	30.0	30.7	30.0	27.8	357.1
	19 LST	31.0	27.0	30.0	27.5	30.3	30.0	31.0	30.8	29.5	31.0	30.0	28.9	357.0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SPC WND LES 10 KTS	01 LST	25.5	21.2	25.5	21.0	27.5	28.5	27.5	30.3	28.4	27.6	27.1	25.6	315.7
	07 LST	23.6	19.8	23.9	23.2	24.1	26.8	27.6	28.9	26.8	25.6	23.7	24.3	298.3
	13 LST	25.0	21.2	25.0	20.5	23.9	24.0	26.5	19.0	22.6	22.0	24.0	22.4	276.1
	19 LST	27.0	15.4	25.5	24.0	24.1	26.0	26.0	29.8	28.4	28.3	25.5	23.1	303.1
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	0.5	1.0	1.0	0.5	0.0	1.0	1.5	0.0	0.0	0.0	0.8	0.0	6.3
	07 LST	2.8	3.2	2.1	2.3	1.3	0.4	1.4	0.7	1.0	2.0	2.4	0.7	20.3
	13 LST	0.5	2.0	1.5	0.5	2.1	1.0	2.5	0.8	0.7	0.4	0.5	0.6	13.1
	19 LST	1.0	1.0	1.5	0.5	0.7	0.5	1.0	0.3	0.0	0.0	0.8	0.0	7.3
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	14.7	15.4	6.5	10.1	9.6	10.0	7.5	14.8	14.9	16.8	12.8	13.8	146.9
	07 LST	8.8	10.4	10.3	7.5	8.1	6.0	8.5	6.9	8.8	11.2	9.2	7.4	103.1
	13 LST	12.7	13.0	17.0	19.5	19.0	20.0	20.0	20.5	18.4	20.3	18.8	15.2	214.4
	19 LST	13.0	15.0	10.5	6.6	9.6	5.5	10.5	7.0	10.1	13.7	12.0	16.1	129.6
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST													
	07 LST	10.9	10.3	10.1	15.3	9.8	16.4	23.5	22.0	16.7	12.4	10.8	10.4	170.6
	13 LST													
	19 LST													
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	28.5	21.2	28.0	23.0	27.5	29.5	29.0	29.5	27.3	27.3	30.0	25.1	325.9
	07 LST	26.3	23.1	27.1	25.7	25.6	28.1	29.6	30.8	29.0	26.9	25.5	25.2	322.9
	13 LST	27.5	25.1	28.0	20.0	26.0	28.5	30.5	30.0	28.9	26.3	28.5	22.4	321.7
	19 LST	29.0	23.2	29.0	24.0	26.2	28.5	29.5	30.0	27.2	28.0	30.0	24.1	328.7
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	20.0	16.4	25.5	19.5	25.5	29.5	29.0	29.0	24.8	23.2	23.4	20.3	286.1
	07 LST	21.4	19.4	23.7	23.5	23.6	26.5	28.9	29.9	25.9	24.2	22.2	19.0	288.2
	13 LST	20.0	15.4	23.5	16.0	23.9	25.0	24.0	27.3	23.1	20.3	20.0	16.0	259.5
	19 LST	24.0	8.7	27.0	21.5	25.5	27.0	27.5	28.8	23.8	21.7	27.0	18.4	280.9
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	18.5	16.4	24.0	19.0	25.5	29.5	29.0	28.8	24.2	22.5	23.4	17.1	277.9
	07 LST	20.5	18.1	23.3	22.5	22.7	26.0	28.6	29.9	24.6	23.8	21.7	17.9	279.6
	13 LST	15.5	14.5	21.0	14.5	23.9	23.5	28.5	26.5	22.0	19.0	19.5	13.9	242.3
	19 LST	23.0	7.7	26.0	21.0	25.5	26.5	27.5	28.8	22.5	21.7	27.0	17.3	274.5

SASSARI, SARDINIA

STA NO. 14202/ (IN AREA NUMBER 01)

LATITUDE 4043N

LONGITUDE 00833E

ELEVATION(FT) 00623

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	64	70	81	86	91	94	100	103	99	83	76	72	103	10	-28
MEAN MAX TMP (F)	54	53	60	65	70	79	83	84	79	71	62	56	68	10	-28
MEAN MIN TMP (F)	44	43	46	50	56	62	66	67	64	58	51	46	54	10	-28
ABS MIN TMP (F)	32	24	32	38	43	53	53	54	54	42	40	36	24	10	-28
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0			5.7	6.8		0.0	0.0	0.0		10	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		10	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN DEW PT TMP (F)	43	40	43	47	51	55	57	58	57	53	47	43	50	10	-29
MEAN REL HUM (PCT)	80	77	72	70	69	61	58	59	64	70	73	76	69	10	-28
MEAN PRESS ALT (PT)														0	0
MEAN PRECIP (IN)	2.36	1.97	2.24	2.17	1.69	0.95	0.35	0.39	1.50	3.31	3.74	2.91	23.6	32	-122
MEAN SNOW FALL (IN)	0.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		10	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	7.2	6.2	6.3	6.2	5.4	2.8	0.9	1.0	4.7	7.8	8.3	8.3	65.1	32	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		10	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

SASSARI, SARDINIA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SPC WND LES 10 KTS	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
SPC WND = GTR 17 KTS AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
SPC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0

DATA NOT AVAILABLE

ALGERO, SARDINIA

STA NO. 16920 (IN AREA NUMBER 01)

LATITUDE 4038N

LONGITUDE 00817E

ELEVATION(FT) 00131

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	65	72	83	89	88	95	100	103	99	85	82	72	103	10	-142
MEAN MAX TMP (F)	55	57	60	65	71	79	83	85	80	72	64	58	69	10	-142
MEAN MIN TMP (F)	43	44	45	43	54	60	64	65	63	56	50	45	53	10	-142
ABS MIN TMP (F)	30	26	29	37	43	47	50	55	52	42	34	30	26	10	-142
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0		5.7	8.1		0.0	0.0	0.0		10	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		10	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN DEW PT TMP (F)	38	38	37	41	41	41	53	37	54	48	41	41	44	0	-50
MEAN REL HUM (PCT)	80	79	79	77	79	72	71	70	72	74	79	79	76	10	-142
MEAN PRESS ALT (PT)	-53	-1	24	68	40	11	8	23	-7	-6	10	-5	9	0	-50
MEAN PRECIP (IN)	3.04	2.93	1.78	1.19	1.01	1.32	0.23	0.62	2.90	2.65	2.09	2.49	22.4	10	-142
MEAN SNOW FALL (IN)	0.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		10	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	8.5	8.3	5.5	4.0	3.4	4.4	0.5	1.8	7.2	6.8	5.8	7.5	63.7	10	-29
MEAN NO DYS SNPL = DR GTR 1.5 IN	0.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		10	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSINS														0	0
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 3 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
PDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
PDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

ALGHERO, SARDINIA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
SPC WND = GTR 17 KTS AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
SPC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0

DATA NOT AVAILABLE

ORISTANO, SARDINIA

STA NO. 16539 (IN AREA NUMBER 01)

LATITUDE 3945N

LONGITUDE 00828E

ELEVATION(FT) 00299

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	69	71	78	86	91	96	100	102	102	88	82	73	102	10	-142
MEAN MAX TMP (F)	56	57	62	65	71	80	85	85	82	73	65	59	70	10	-142
MEAN MIN TMP (F)	42	43	44	48	55	60	64	66	64	56	49	45	53	10	-142
ABS MIN TMP (F)	27	25	27	33	43	49	50	55	51	41	35	32	25	10	-142
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0			8.1	8.1	4.5	0.0	0.0	0.0		10	-29
MEAN NO DYS TMP = OR LES 32(F)				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		10	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN DEW PT TMP (F)	42	42	44	46	53	57	60	60	58	55	48	44	51	10	-29
MEAN REL HUM (PCT)	78	76	75	72	73	66	64	62	63	73	75	76	71	10	-142
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	3.05	2.40	1.76	0.86	1.30	0.88	0.10	0.57	1.98	2.70	1.87	2.60	20.1	10	-142
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		10	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	8.5	7.3	5.5	2.9	4.4	2.6	0.0	1.6	5.6	6.9	5.4	7.7	58.4	10	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		10	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
PDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
PDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

ORISTANO, SARDINIA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SPC WND LES 10 KTS	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
SPC WND = GTR 17 KTS AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
SPC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0

DATA NOT AVAILABLE

DECIMOMANNU, SARDINIA

STA NO. 16546 (IN AREA NUMBER 01)

LATITUDE 3921N

LONGITUDE 00858E

ELEVATION(FT) 00102

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	68	69	81	82	85	100	100	101	102	88	77	71	102	10	-16560
MEAN MAX TMP (F)	57	58	62	65	72	80	86	85	80	74	66	62	71	10	-16560
MEAN MIN TMP (F)	42	43	45	49	55	56	56	67	64	57	50	45	52	10	-16560
ABS MIN TMP (F)	26	26	28	33	44	47	55	54	51	43	33	32	26	10	-16560
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	1.7	5.8	4.7	0.4	0.0	0.0	0.0	12.6	8	-16560
MEAN NO DYS TMP = DR LES 32(F)	2.7	2.1	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	5.7	8	-16560
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-16560
MEAN DEW PT TMP (F)	43	40	45	49	54	59	62	65	63	56	49	48	53	8	-16560
MEAN REL HUM (PCT)	80	78	77	76	75	70	70	72	74	77	77	80	76	10	-16560
MEAN PRESS ALT (FT)	-34	19	44	90	68	39	33	50	20	20	33	10	33	0	-50
MEAN PRECIP (IN)	1.65	1.42	2.05	1.61	0.98	0.91	0.08	0.24	1.14	2.01	3.98	2.72	18.8	26	-16560
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	5.4	4.7	6.0	5.2	3.3	2.7	0.0	0.5	3.9	3.7	8.6	7.9	53.9	26	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	1.0	1.0	2.1	1.0	1.6	0.8	1.1	0.3	1.0	1.0	1.0	1.7	13.6	6	-16560
MEAN NO DYS TSMS	0.8	1.8	1.0	1.8	1.8	1.5	1.0	1.5	3.4	1.8	1.9	0.7	19.0	8	-16560
P FREQ WND SPD = DR GTR 17 KTS	3.9	11.9	8.0	8.0	6.5	8.6	8.8	8.4	4.7	3.1	6.7	6.4	7.3	8	-16560
P FREQ WND SPD = DR GTR 28 KTS	0.3	0.9	0.5	0.2	0.0	0.3	0.3	0.2	0.0	0.0	0.5	0.6	0.3	8	-16560
P FREQ LES 5000 FT A/D LES 5 MI	36.5	43.7	40.3	31.2	20.4	18.3	12.1	12.8	25.2	20.7	24.0	34.8	26.7	6	-16560
P FREQ LES 1500 FT A/D LES 3 MI															
PDR 00-02 LST	3.3	4.9	5.2	4.0	3.9	3.3	0.6	0.6	2.7	2.6	2.7	3.9	3.1	6	-16560
03-05 LST	3.2	6.3	7.1	4.7	7.1	4.0	3.2	1.3	3.3	3.9	3.4	4.5	4.5	6	-16560
06-08 LST	3.9	13.4	20.6	14.1	12.3	7.3	9.7	7.7	9.3	8.4	8.1	3.9	9.9	6	-16560
09-11 LST	18.7	15.5	18.1	10.1	5.2	4.7	2.6	4.5	6.0	7.1	12.8	22.1	10.6	6	-16560
12-14 LST	8.3	6.3	8.4	4.0	3.2	2.0	0.6	0.0	1.3	2.6	2.7	8.4	4.0	6	-16560
15-17 LST	1.9	7.0	7.1	5.4	2.6	0.7	0.0	0.6	2.0	1.9	3.4	4.6	3.1	6	-16560
18-20 LST	3.2	7.0	7.7	4.0	3.2	2.7	0.0	0.0	4.0	3.2	2.7	4.6	3.5	6	-16560
21-23 LST	3.9	4.2	5.2	3.4	2.6	3.3	0.0	0.0	4.0	4.5	1.4	2.6	2.9	6	-16560
P FREQ LES 300 FT A/D LES 1 MI															
PDR 00-02 LST	0.0	0.7	1.9	1.3	0.6	0.7	0.0	0.0	0.7	0.0	0.0	1.3	0.6	6	-16560
03-05 LST	1.9	1.4	1.9	1.3	2.6	0.7	1.3	0.0	1.3	0.0	1.4	1.3	1.3	6	-16560
06-08 LST	1.9	2.1	5.8	2.7	4.5	1.3	2.6	2.6	1.3	1.9	1.4	1.9	2.5	6	-16560
09-11 LST	3.9	2.1	0.0	2.0	0.6	0.7	0.0	0.6	0.0	0.6	1.4	3.9	1.3	6	-16560
12-14 LST	0.7	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.2	6	-16560
15-17 LST	0.6	0.7	0.6	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.7	0.7	0.3	6	-16560
18-20 LST	0.0	0.0	1.3	0.0	1.3	0.0	0.0	0.0	0.7	0.0	0.0	0.7	0.3	6	-16560
21-23 LST	0.6	0.0	0.0	0.0	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	6	-16560

DECIMOMANNU, SARDINIA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	30.5	27.4	30.0	29.3	30.2	29.2	31.0	31.0	29.4	30.3	29.3	30.3	357.9	6	-16360
	07 LST	30.2	24.8	25.4	26.3	27.4	28.0	28.2	28.6	27.4	28.6	27.7	29.9	332.5	6	-16360
	13 LST	29.3	27.2	29.6	29.3	30.4	29.6	30.8	31.0	29.8	30.4	29.5	28.9	355.8	6	-16360
	19 LST	30.6	27.2	29.8	29.1	30.2	29.4	31.0	31.0	29.2	30.4	29.5	29.9	357.3	6	-16360
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	24.9	18.5	22.8	21.3	23.0	23.2	23.0	25.4	25.2	26.1	22.2	21.7	277.3	6	-16360
	07 LST	25.0	17.7	20.4	19.9	21.8	21.4	22.4	23.6	23.0	25.0	23.1	22.9	266.2	6	-16360
	13 LST	17.0	12.0	14.0	12.6	11.8	7.6	8.6	8.0	11.6	17.2	16.2	15.0	151.6	6	-16360
	19 LST	21.0	13.8	15.0	12.6	15.4	11.8	10.4	11.6	12.2	20.6	20.8	19.2	184.4	6	-16360
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	0.4	1.7	0.4	0.4	0.4	0.4	0.2	0.2	0.0	0.3	1.6	1.0	7.0	6	-16360
	07 LST	0.8	1.1	0.8	1.8	0.6	0.2	0.4	0.2	0.2	0.2	0.6	1.8	8.7	6	-16360
	13 LST	2.8	4.7	2.8	3.4	2.6	3.8	2.8	3.2	3.2	1.8	2.8	2.4	36.3	6	-16360
	19 LST	0.8	1.7	1.4	2.0	2.8	3.2	2.8	2.8	1.2	0.8	1.2	1.4	22.1	6	-16360
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	14.1	10.2	16.0	15.1	20.0	18.8	18.8	19.8	19.4	16.1	14.1	14.2	196.6	6	-16360
	07 LST	14.4	13.0	14.4	15.1	19.0	18.8	20.0	19.8	17.0	16.6	17.5	15.9	201.5	6	-16360
	13 LST	10.4	8.6	14.0	12.8	13.2	10.2	12.2	11.4	12.2	16.2	9.6	10.0	140.8	6	-16360
	19 LST	15.2	13.6	15.0	14.6	17.0	12.8	11.8	13.2	15.0	19.6	16.5	12.9	177.2	6	-16360
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	9.8	7.8	10.4	13.4	15.2	17.4	25.6	25.2	15.8	12.5	13.6	10.6	177.3	6	-16360
	07 LST	6.8	3.9	4.6	6.0	11.6	12.8	20.8	19.4	11.0	7.4	7.6	9.0	120.9	6	-16360
	13 LST	4.4	4.3	5.0	5.0	8.0	10.0	22.2	18.4	9.4	5.8	5.8	5.4	103.7	6	-16360
	19 LST	4.4	4.3	5.8	6.4	8.4	13.0	24.2	18.6	9.6	5.8	8.8	8.2	117.5	6	-16360
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	25.7	22.6	25.4	26.5	28.6	28.4	30.6	30.4	27.6	28.7	26.7	25.1	326.1	6	-16360
	07 LST	25.0	19.5	21.2	23.5	26.2	27.0	27.8	28.4	26.0	26.4	24.9	26.7	302.6	6	-16360
	13 LST	23.5	20.5	24.2	24.7	28.0	28.4	30.4	30.6	27.4	28.6	26.9	24.3	317.5	6	-16360
	19 LST	25.4	21.0	23.6	27.1	29.0	28.2	31.0	30.8	27.6	27.2	26.9	25.1	322.9	6	-16360
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	23.3	20.3	22.6	25.1	27.8	27.6	30.4	30.0	26.6	27.5	24.7	21.7	307.6	6	-16360
	07 LST	21.6	15.9	19.0	21.9	25.6	26.6	27.6	28.2	25.0	24.8	23.1	23.9	283.2	6	-16360
	13 LST	20.2	16.9	21.8	22.1	26.2	27.2	30.2	30.2	25.6	27.4	24.7	20.9	293.4	6	-16360
	19 LST	22.2	17.9	21.0	26.1	28.4	27.6	31.0	30.2	26.6	25.0	25.3	21.6	302.9	6	-16360
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	23.3	20.3	22.6	25.1	27.8	27.6	30.4	30.0	26.6	27.5	24.7	21.7	307.6	6	-16360
	07 LST	21.6	15.9	19.0	21.9	25.6	26.6	27.6	28.2	25.0	24.8	23.1	23.9	283.2	6	-16360
	13 LST	20.2	16.9	21.8	22.1	26.2	27.0	30.2	30.2	25.6	27.4	24.7	20.7	293.0	6	-16360
	19 LST	22.2	17.9	21.0	26.1	28.4	27.6	31.0	30.2	26.6	25.0	25.3	21.6	302.9	6	-16360

CAGLIARI/ELMAS, SARDINIA

STA NO. 16960 (IN AREA NUMBER 01)

LATITUDE 3914N

LONGITUDE 00903E

ELEVATION(PT) 00012

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	68	69	81	82	85	100	100	101	102	88	77	71	102	10	-528
MEAN MAX TMP (F)	57	58	62	65	72	80	86	85	80	74	66	62	71	10	-28
MEAN MIN TMP (F)	42	43	45	49	55	56	56	67	64	57	50	45	52	10	-28
ABS MIN TMP (F)	26	26	28	35	44	47	55	54	51	43	33	32	26	10	-28
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	1.7	5.8	4.7	0.4	0.0	0.0	0.0	12.6	8	2128
MEAN NO DYS TMP = OR LES 32(P)	2.7	2.1	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	5.7	8	2127
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2127
MEAN DEW PT TMP (F)	43	40	45	49	54	59	62	65	63	56	49	48	53	8	40008
MEAN REL HUM (PCT)	80	78	77	76	75	70	70	72	74	77	77	80	76	10	-28
MEAN PRESS ALT (FT)	-124	-71	-46	0	-21	-50	-56	-39	-69	-69	-57	-80	-56	0	-50
MEAN PRESS ALT (FT)	-124	-71	-46	0	-21	-50	-56	-39	-69	-69	-57	-80	-56	0	-50
MEAN PRECIP (IN)	1.65	1.42	2.02	1.61	0.98	0.91	0.08	0.24	1.14	2.01	3.98	2.72	18.8	26	-122
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	3.4	4.7	6.0	3.2	3.3	2.7	0.0	0.5	3.9	5.7	8.6	7.9	53.9	26	-29
MEAN NO DYS SNPL = OR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS W/OCUR VSPY LES 1/2 MI	1.0	1.0	2.1	1.0	1.6	0.8	1.1	0.3	1.0	1.0	1.0	1.7	13.6	8	2127
MEAN NO DYS TSTMS	0.8	1.8	1.0	1.8	1.8	1.5	1.0	1.5	3.4	1.8	1.9	0.7	19.0	8	2124
P FREQ WND SPD = OR GTR 17 KTS	3.9	11.9	8.0	8.0	6.5	8.6	8.8	8.4	4.7	3.1	6.7	6.4	7.3	8	50968
P FREQ WND SPD = OR GTR 28 KTS	0.3	0.9	0.5	0.2	0.0	0.3	0.3	0.2	0.0	0.0	0.5	0.6	0.3	8	50968
P FREQ LES 5000 FT A/D LES 3 MI	36.5	43.7	40.3	31.2	20.4	18.3	12.1	12.8	23.2	20.7	24.0	34.6	26.7	6	14558
P FREQ LES 1900 FT A/D LES 3 MI															
FOR 00-02 LST	3.3	4.9	5.2	4.0	3.9	3.3	0.6	0.6	2.7	2.6	2.7	3.9	3.1	6	1820
03-05 LST	3.2	6.3	7.1	4.7	7.1	4.0	3.2	1.3	3.3	3.9	3.4	4.5	4.5	6	1823
06-08 LST	3.9	13.4	20.6	14.1	12.3	7.3	9.7	7.7	9.3	8.4	8.1	3.9	9.9	6	1823
09-11 LST	18.7	15.5	18.1	10.1	5.2	4.7	2.6	4.5	6.0	7.1	12.8	22.1	10.6	6	1822
12-14 LST	8.5	6.3	8.4	4.0	3.2	2.0	0.6	0.0	1.3	2.6	2.7	8.4	4.0	6	1821
15-17 LST	1.9	7.0	7.1	5.4	2.6	0.7	0.0	0.6	2.0	1.9	3.4	4.6	3.1	6	1819
18-20 LST	3.2	7.0	7.7	4.0	3.2	2.7	0.0	0.0	4.0	3.2	2.7	4.6	3.5	6	1822
21-23 LST	3.9	4.2	5.2	3.4	2.6	3.3	0.0	0.0	4.0	4.5	1.4	2.6	2.9	6	1819
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.0	0.7	1.9	1.3	0.6	0.7	0.0	0.0	0.7	0.0	0.0	1.3	0.6	6	1820
03-05 LST	1.9	1.4	1.9	1.3	2.6	0.7	1.3	0.0	1.3	0.0	1.4	1.3	1.3	6	1823
06-08 LST	1.9	2.1	5.8	2.7	4.5	1.3	2.6	2.6	1.3	1.9	1.4	1.9	2.5	6	1823
09-11 LST	3.9	2.1	0.0	2.0	0.0	0.7	0.0	0.6	0.0	0.6	1.4	3.9	1.3	6	1822
12-14 LST	0.7	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.2	6	1821
15-17 LST	0.6	0.7	0.6	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.7	0.7	0.3	6	1819
18-20 LST	0.0	0.0	1.3	0.0	1.3	0.0	0.0	0.0	0.7	0.0	0.0	0.7	0.3	6	1822
21-23 LST	0.6	0.0	0.0	0.0	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	6	1819

CAGLIARI/ELMAS, SARDINIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PER (YRS)	NO.
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	30.3	27.4	30.0	29.3	30.2	29.2	31.0	31.0	29.4	30.3	29.3	30.3	357.9	6	1820
	07 LST	30.2	24.8	25.4	26.3	27.4	28.0	28.2	28.6	27.4	28.6	27.7	29.9	332.5	6	1823
	13 LST	29.3	27.2	29.6	29.3	30.4	29.6	30.8	31.0	29.8	30.4	29.3	28.9	353.8	6	1821
	19 LST	30.6	27.2	29.8	29.1	30.2	29.4	31.0	31.0	29.2	30.4	29.5	29.9	357.3	6	1822
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SPC WNO LES 10 KTS	01 LST	24.9	18.5	22.8	21.3	23.0	23.2	23.0	25.4	25.2	26.1	22.2	21.7	277.3	6	1820
	07 LST	25.0	17.7	20.4	19.9	21.8	21.4	22.4	23.6	23.0	23.0	23.1	22.9	266.2	6	1823
	13 LST	17.0	12.0	14.0	12.6	11.0	7.6	8.6	8.0	11.6	17.2	16.2	15.0	151.6	6	1821
SPC WNO = GTR 17 KTS AND NO PRECIP.	19 LST	21.0	13.8	15.0	12.6	13.4	11.8	10.4	11.6	12.2	20.6	20.8	19.2	184.4	6	1822
	01 LST	0.4	1.7	0.4	0.4	0.4	0.4	0.2	0.2	0.0	0.3	1.6	1.0	7.0	6	1828
	07 LST	0.8	1.1	0.8	1.8	0.6	0.2	0.4	0.2	0.2	0.2	0.6	1.8	8.7	6	1824
SPC WND 4-10 KTS AND TMP 33-89 DEC F AND NO PRECIP.	13 LST	2.8	4.9	2.8	3.4	2.6	3.8	2.8	3.2	3.2	1.8	2.8	2.4	36.5	6	1824
	19 LST	0.8	1.7	1.4	2.0	2.8	3.2	2.8	2.8	1.2	0.8	1.2	1.4	22.1	6	1827
	01 LST	14.1	10.2	16.0	15.1	20.0	18.8	18.8	19.8	19.4	16.1	14.1	14.2	196.6	6	1820
	07 LST	14.4	13.0	14.4	15.1	19.0	18.8	20.0	19.8	17.0	16.6	17.5	15.9	201.5	6	1824
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	13 LST	10.4	8.6	14.0	12.8	13.2	10.2	12.2	11.4	12.2	16.2	9.6	10.0	140.8	6	1824
	19 LST	15.2	13.6	15.0	14.6	17.0	12.8	11.8	13.2	15.0	19.6	16.5	12.9	177.2	6	1823
	01 LST	9.8	7.8	10.4	13.4	15.2	17.4	25.6	23.2	15.8	12.5	13.6	10.6	177.3	6	1828
	07 LST	6.8	3.9	4.6	6.0	11.6	12.8	20.8	19.4	11.0	7.4	7.6	9.0	120.9	6	1824
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	13 LST	4.4	4.3	5.0	5.0	8.0	10.0	22.2	18.4	9.4	5.8	5.8	5.4	103.7	6	1824
	19 LST	4.4	4.3	5.8	6.4	8.4	13.0	24.2	18.6	9.6	5.8	8.8	8.2	117.5	6	1827
	01 LST	25.7	22.6	25.4	26.5	28.6	28.4	30.6	30.4	27.6	28.5	26.7	25.1	326.1	6	1820
	07 LST	25.0	19.5	21.2	23.5	26.2	27.0	27.8	28.4	26.0	26.4	24.9	26.7	302.6	6	1823
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	13 LST	23.3	20.5	24.2	24.7	28.0	28.4	30.4	30.4	27.4	28.6	26.9	24.3	317.5	6	1821
	19 LST	25.4	21.0	23.6	27.1	29.0	28.2	31.0	30.8	27.6	27.2	26.9	25.1	322.9	6	1822
	01 LST	23.3	20.3	22.6	25.1	27.8	27.6	30.4	30.0	26.6	27.5	24.7	21.7	307.6	6	1820
	07 LST	21.6	15.9	19.0	21.9	25.6	26.6	27.6	28.2	25.0	24.8	23.1	23.9	283.2	6	1823
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	13 LST	20.2	16.9	21.8	22.1	26.2	27.2	30.2	30.2	25.6	27.4	24.7	20.9	293.4	6	1821
	19 LST	22.2	17.9	21.0	26.1	28.4	27.6	31.0	30.2	26.6	25.0	23.3	21.6	302.9	6	1822
	01 LST	23.3	20.3	22.6	25.1	27.8	27.6	30.4	30.0	26.6	27.5	24.7	21.7	307.6	6	1820
	07 LST	21.6	15.9	19.0	21.9	25.6	26.6	27.6	28.2	25.0	24.8	23.1	23.9	283.2	6	1823
	13 LST	20.2	16.9	21.8	22.1	26.2	27.0	30.2	30.2	25.6	27.4	24.7	20.7	293.0	6	1821
	19 LST	22.2	17.9	21.0	26.1	28.4	27.6	31.0	30.2	26.6	25.0	23.3	21.6	302.9	6	1822

AREA NO. 01

PARAMETER DESCRIPTION	BOUNDARIES	WESTERN COAST													
		4108N 00905E	4104N 00905E	4104N 00905E	4038N 00830E	4038N 00830E	3912N 00910E								
		LATITUDE 4000N						LONGITUDE 00835E							
		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	
MEAN MAX TMP (F)		56	56	61	65	71	80	84	85	80	73	64	59	70	
MEAN MIN TMP (F)		43	43	45	48	55	60	63	66	64	57	50	45	53	
LARGEST MEAN PRECIP(IN)		3.05	2.93	2.24	2.17	1.69	1.52	0.35	0.62	2.90	3.31	3.98	2.91	27.7	
SMALLEST MEAN PRECIP(IN)		1.65	1.42	1.76	0.86	0.98	0.88	0.08	0.24	1.14	2.01	1.87	2.49	15.4	
		MEAN NUMBER OF DAYS													
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	30.5	27.4	30.0	29.3	30.2	29.2	31.0	31.0	29.4	30.3	29.3	30.3	357.9	
	07 LST	30.2	24.8	25.4	26.3	27.4	28.0	28.2	28.6	27.4	28.6	27.7	29.9	332.5	
	13 LST	29.3	27.2	29.6	29.3	30.4	29.6	30.8	31.0	29.8	30.4	29.5	28.9	355.8	
	19 LST	30.6	27.2	29.8	29.1	30.2	29.4	31.0	31.0	29.2	30.4	29.5	29.9	357.3	
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	24.9	18.5	22.8	21.3	23.0	23.2	23.0	25.4	23.2	26.1	22.2	21.7	277.3	
	07 LST	25.0	17.7	20.4	19.9	21.8	21.4	22.4	23.6	23.0	25.0	23.1	22.9	266.2	
	13 LST	17.0	12.0	14.0	12.6	11.8	7.6	8.6	8.0	1.6	17.2	16.2	15.0	151.6	
	19 LST	21.0	13.8	15.0	12.6	15.4	11.8	10.4	11.6	12.2	20.6	20.8	19.2	184.4	
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	0.4	1.7	0.4	0.4	0.4	0.4	0.2	0.2	0.0	0.3	1.6	1.0	7.0	
	07 LST	0.8	1.1	0.8	1.8	0.6	0.2	0.4	0.2	0.2	0.2	0.6	1.8	8.7	
	13 LST	2.8	4.9	2.8	3.4	2.6	3.8	2.8	3.2	3.2	1.8	2.8	2.4	36.5	
	19 LST	0.8	1.7	1.4	2.0	2.8	3.2	2.8	2.8	1.2	0.8	1.2	1.4	22.1	
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	14.1	10.2	16.0	15.1	20.0	18.8	18.8	19.8	19.4	16.1	14.1	14.2	196.6	
	07 LST	14.4	13.0	14.4	15.1	19.0	18.8	20.0	19.8	17.0	16.6	17.5	15.9	201.5	
	13 LST	10.4	8.6	14.0	12.8	13.2	10.2	12.2	11.4	12.2	16.2	9.6	10.0	140.8	
	19 LST	15.2	13.6	15.0	14.6	17.0	12.8	11.8	13.2	15.0	19.6	16.5	12.9	177.2	
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	9.8	7.8	10.4	13.4	15.2	17.4	25.6	25.2	15.8	12.5	13.6	10.6	177.3	
	07 LST	6.8	3.9	4.6	6.0	11.6	12.8	20.8	19.4	11.0	7.4	7.6	9.0	120.9	
	13 LST	4.4	4.3	5.0	5.0	8.0	10.0	22.2	18.4	9.4	5.8	5.8	5.4	103.7	
	19 LST	4.4	4.3	5.8	6.4	8.4	13.0	24.2	18.6	9.6	5.8	8.8	8.2	117.5	
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	25.7	22.6	25.4	26.5	28.6	28.4	30.6	30.4	27.6	28.5	26.7	25.1	326.1	
	07 LST	25.0	19.5	21.2	23.5	26.2	27.0	27.8	28.4	26.0	26.4	24.9	26.7	302.6	
	13 LST	23.5	20.5	24.2	24.7	28.0	28.4	30.4	30.6	27.4	28.6	26.9	24.3	317.5	
	19 LST	25.4	21.0	23.6	27.1	29.0	28.2	31.0	30.8	27.6	27.2	26.9	25.1	322.9	
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	23.3	20.3	22.6	25.1	27.8	27.6	30.4	30.0	26.6	27.5	24.7	21.7	307.6	
	07 LST	21.6	15.9	19.0	21.9	25.6	26.6	27.6	28.2	25.0	24.8	23.1	23.9	283.2	
	13 LST	20.2	16.9	21.8	22.1	26.2	27.2	30.2	30.2	25.6	27.4	24.7	20.9	293.4	
	19 LST	22.2	17.9	21.0	26.1	28.4	27.6	31.0	30.2	26.6	25.0	25.3	21.6	302.9	
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	23.3	20.3	22.6	25.1	27.8	27.6	30.4	30.0	26.6	27.5	24.7	21.7	307.6	
	07 LST	21.6	15.9	19.0	21.9	25.6	26.6	27.6	28.2	25.0	24.8	23.1	23.9	283.2	
	13 LST	20.2	16.9	21.8	22.1	26.2	27.0	30.2	30.2	25.6	27.4	24.7	20.7	293.0	
	19 LST	22.2	17.9	21.0	26.1	28.4	27.6	31.0	30.2	26.6	25.0	25.3	21.6	302.9	

NUORO, SARDINIA

STA NO. 14201/ (IN AREA NUMBER 02)

LATITUDE 4019N

LONGITUDE 00920E

ELEVATION(FT) 01903

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	67	66	76	77	85	98	101	99	95	86	72	67	101	10	-28
MEAN MAX TMP (F)	49	50	56	61	69	80	86	86	79	68	59	52	66	10	-28
MEAN MIN TMP (F)	37	37	40	44	49	57	62	62	60	52	45	41	49	10	-28
ABS MIN TMP (F)	23	18	21	33	33	40	46	46	47	37	33	24	18	10	-28
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	9.4	9.4	0.0	0.0	0.0	0.0		10	-29
MEAN NO DYS TMP = DR LES 32(F)				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS TMP = DR LES 0(P)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN DEW PT TMP (F)	37	37	39	43	47	51	53	53	56	52	44	40	46	10	-28
MEAN REL HUM (PCT)	81	79	74	72	68	57	52	52	65	76	77	79	69	0	0
MEAN PRESS ALT (FT)													21.7	10	-28
MEAN PRECIP (IN)	3.20	2.10	2.00	1.40	2.10	0.80	0.50	0.60	1.90	2.80	1.70	3.00	21.7	10	-29
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			10	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	8.8	6.6	6.0	4.6	6.1	2.4	1.4	1.7	4.7	7.1	5.1	8.4	62.9	10	-29
MEAN NO DYS SNPL = DR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1900 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

NUORO, SARDINIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0

DATA NOT AVAILABLE

MACOMER, SARDINIA

STA NO. 16524 (IN AREA NUMBER 02)

LATITUDE 4016N

LONGITUDE 00847E

ELEVATION(FT) 01850

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	64	64	78	81	85	96	100	101	98	83	76	71	101	10	-142
MEAN MAX TMP (F)	49	51	56	62	69	79	84	85	79	68	59	52	66	10	-142
MEAN MIN TMP (F)	37	38	40	44	51	56	61	63	58	52	45	39	49	10	-142
ABS MIN TMP (F)	24	20	20	32	37	46	48	51	47	34	29	27	20	10	-142
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0		6.8	8.1		0.0	0.0	0.0		10	-29
MEAN NO DYS TMP = OR LES 32(F)				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			10	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN DEW PT TMP (F)	39	39	40	43	50	51	52	55	55	52	45	40	47	10	-29
MEAN REL HUM (PCT)	85	82	76	72	72	60	53	55	65	76	79	82	71	10	-142
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	2.90	3.73	2.67	1.96	1.98	1.04	0.91	0.65	1.95	3.10	3.37	3.80	27.5	10	-142
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			10	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	8.3	9.5	6.8	5.9	5.9	3.1	0.7	1.9	5.6	7.5	7.9	9.6	72.7	10	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			10	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTM5														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

MACOMER, SARDINIA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SPC WND LES 10 KTS	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SPC WND = GTR 17 KTS AND NO PRECIP.	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SPC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0

DATA NOT AVAILABLE

FONNI, SARDINIA

STA NO. 16530 (IN AREA NUMBER 02)

LATITUDE 4007N

LONGITUDE 00915E

ELEVATION(FT) 03235

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	63	62	76	76	84	90	96	97	90	80	74	69	97	10	-142
MEAN MAX TMP (F)	43	44	51	57	64	74	80	80	73	63	54	47	61	10	-142
MEAN MIN TMP (F)	34	33	37	42	48	56	61	61	56	48	42	37	46	10	-142
ABS MIN TMP (F)	18	17	23	28	35	41	45	47	45	32	28	24	17	10	-142
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0			0.0	0.0	0.0	0.0		10	-29
MEAN NO DYS TMP = OR LES 32(F)					0.0	0.0	0.0	0.0	0.0	0.0				10	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN DEW PT TMP (F)	31	31	33	37	43	45	46	47	49	46	40	35	40	10	-29
MEAN REL HUM (PCT)	77	76	69	65	65	53	47	48	62	73	75	78	66	0	0
MEAN PRESS ALT (FT)														10	-142
MEAN PRECIP (IN)	3.21	3.54	1.98	2.23	2.20	1.20	0.53	0.39	1.62	2.88	3.88	4.74	28.4	10	-142
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0	0.0				10	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	8.8	9.2	5.9	6.3	6.3	3.6	1.5	1.0	4.9	7.2	8.5	10.4	73.6	10	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0	0.0				10	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 3000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

FONNI, SARDINIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SPC WND LES 10 KTS	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SPC WND = GTR 17 KTS AND NO PRECIP.	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SPC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0

DATA NOT AVAILABLE

AREA NO. 02

PARAMETER DESCRIPTION	SARDINIA		INTERIOR MTNS				LATITUDE 4020N		LONGITUDE 00910E				
	BOUNDARIES		4104N 00905E	4038N 00830E	4038N 00830E	3920N 00905E	3920N 00905E	3920N 00930E	4048N 00930E	4104N 00905E	3920N 00930E	3920N 00930E	3920N 00930E
			3920N 00930E	4048N 00930E	4048N 00930E	4104N 00905E							
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX THP (F)	47	48	54	60	67	78	83	84	77	66	57	50	64
MEAN MIN THP (F)	36	36	39	43	49	56	61	62	58	51	44	39	48
LARGEST MEAN PRECIP(IN)	3.21	3.73	2.67	2.23	2.20	1.20	0.53	0.65	1.95	3.10	3.88	4.74	30.1
SMALLEST MEAN PRECIP(IN)	2.90	2.10	1.98	1.40	1.98	0.80	0.31	0.39	1.50	2.80	1.70	3.00	20.9
	MEAN NUMBER OF DAYS												

- CIG = GTR 1000 FT AND VSBY = GTR 3 MI
 - 01 LST
 - 07 LST
 - 13 LST
 - 19 LST
- CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS
 - 01 LST
 - 07 LST
 - 13 LST
 - 19 LST
- SPC WND = GTR 17 KTS AND NO PRECIP.
 - 01 LST
 - 07 LST
 - 13 LST
 - 19 LST
- SPC WND 4-10 KTS AND THP 33-89 DEG F AND NO PRECIP.
 - 01 LST
 - 07 LST
 - 13 LST
 - 19 LST
- SKY COVER LES 3/10 AND VSBY = GTR 3 MI
 - 01 LST
 - 07 LST
 - 13 LST
 - 19 LST
- CIG = GTR 2500 FT AND VSBY = GTR 3 MI
 - 01 LST
 - 07 LST
 - 13 LST
 - 19 LST
- CIG = GTR 6000 FT AND VSBY = GTR 3 MI
 - 01 LST
 - 07 LST
 - 13 LST
 - 19 LST
- CIG = GTR 10000 FT AND VSBY = GTR 3 MI
 - 01 LST
 - 07 LST
 - 13 LST
 - 19 LST

GUARDIAVECCHIA, SARDINIA

LATITUDE 4113N

LONGITUDE 00924E

ELEVATION(FT) 00522

STA NO. 16506 (IN AREA NUMBER 03)

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. ORS
ABS MAX TMP (F)	64	70	71	72	81	89	94	99	90	83	73	67	99	10	-142
MEAN MAX TMP (F)	53	53	56	61	67	75	80	80	76	68	61	56	66	10	-142
MEAN MIN TMP (F)	46	46	48	52	58	64	68	68	66	60	52	49	56	10	-142
ABS MIN TMP (F)	33	30	32	41	47	52	57	60	52	47	43	37	30	10	-29
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	3.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN DEW PT TMP (F)	42	41	44	49	54	60	63	63	61	55	49	45	52	10	-142
MEAN REL HUM (PCT)	78	74	77	77	76	74	71	71	73	76	78	77	75	0	0
MEAN PRESS ALT (FT)	2.02	1.91	1.58	1.04	1.11	0.99	0.24	0.20	1.37	2.26	2.38	2.25	17.3	10	-142
MEAN PRECIP (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	6.4	6.1	5.1	3.5	3.8	3.0	0.5	0.3	4.4	6.1	6.4	6.9	52.5	10	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1900 FT A/D LES 3 MI														0	0
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

GUARDIAVECCHIA, SARDINIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO, OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
SPC WND = GTR 17 KTS AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
SPC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0

DATA NOT AVAILABLE

OLBIA, SARDINIA

STA NO. 16930 (IN AREA NUMBER 03)

LATITUDE 4056N

LONGITUDE 00930E

ELEVATION(FT) 00007

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	68	73	86	82	86	96	101	101	95	85	77	72	101	10	-142
MEAN MAX TMP (F)	56	58	60	65	71	79	84	84	80	72	64	59	69	10	-142
MEAN MIN TMP (F)	41	42	43	48	55	61	65	66	62	55	49	44	53	10	-142
ABS MIN TMP (F)	27	26	24	32	36	48	55	51	45	40	28	28	24	10	-142
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0		6.8	6.8		0.0	0.0	0.0		10	-29
MEAN NO DYS TMP = DR LES 32(F)				0.0	0.0	0.0	0.0	0.0	0.0	0.0				10	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN DEW PT TMP (F)	42	41	44	48	54	59	62	64	62	55	48	44	52	10	-29
MEAN REL HUM (PCT)	79	79	77	76	75	71	68	72	75	77	75	77	75	10	-142
MEAN PRESS ALT (FT)														0	0
MEAN PRESS ALT (FT)	2.58	2.18	1.56	1.55	1.80	0.41	0.24	0.37	1.40	3.78	2.42	2.64	20.9	10	-142
MEAN PRECIP (IN)				0.0	0.0	0.0	0.0	0.0	0.0	0.0				10	-29
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0	0.0				10	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	7.6	6.8	5.1	5.0	5.6	1.1	0.5	1.0	4.4	8.4	6.4	7.8	59.7	10	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0	0.0				10	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSMS														0	0
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI	42.9	41.6	43.6	40.8	39.2	15.4	9.8	10.9	26.7	37.1	43.3	59.0	34.2	7	3357
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	10.5	9.8	11.7	8.0	5.5	2.9	1.7	2.2	2.7	7.5	11.9	13.2	7.5	7	1993
09-11 LST														0	0
12-14 LST	6.4	4.0	8.7	6.0	5.0	3.1	2.3	0.0	2.3	2.5	6.6	5.8	4.8	7	1677
15-17 LST														0	0
18-20 LST	6.9	10.0	9.8	4.0	3.4	0.6	0.6	1.7	2.7	5.0	6.3	7.5	4.9	7	1878
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	3.9	3.3	4.3	4.6	1.6	0.0	0.6	1.1	0.0	3.5	4.2	6.6	2.8	7	1993
09-11 LST														0	0
12-14 LST	1.4	2.3	2.5	2.7	1.4	0.0	1.5	0.0	0.0	0.6	1.5	1.4	1.3	7	1677
15-17 LST														0	0
18-20 LST	0.0	1.5	2.9	1.1	0.6	0.0	0.6	1.7	0.7	1.2	1.6	0.7	1.1	7	1878
21-23 LST														0	0

OLBIA, SARDINIA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	28.7	25.9	28.6	27.9	30.1	29.6	30.6	30.4	29.6	29.0	27.2	27.5	349.1	7	1993
	13 LST	29.6	26.5	29.2	28.7	29.8	29.5	30.5	31.0	29.7	30.6	28.6	29.6	353.3	7	1677
	19 LST	29.9	25.8	29.0	29.4	30.4	29.8	30.8	30.4	29.5	30.4	28.8	29.6	353.8	7	1878
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SPC WND LES 10 KTS	01 LST														0	0
	07 LST	22.7	17.6	21.2	22.5	23.8	23.3	26.4	26.9	26.1	24.9	23.0	22.3	280.7	7	1971
	13 LST	17.5	14.6	16.0	14.4	13.3	14.8	14.6	15.5	16.5	17.5	19.7	22.3	196.9	7	1646
	19 LST	19.9	16.3	22.1	19.8	21.5	19.9	22.1	20.6	21.2	24.1	23.1	23.7	256.3	7	1854
SPC WND = GTR 17 KTS AND NO PRECIP.	01 LST														0	0
	07 LST	2.4	5.1	2.2	2.7	2.2	2.2	2.1	2.0	1.4	1.5	1.2	1.8	26.8	7	1994
	13 LST	5.1	7.7	6.3	8.0	7.3	7.3	8.4	9.5	5.2	6.7	3.7	3.6	79.2	7	1682
	19 LST	4.9	3.8	2.5	4.8	5.2	5.5	4.7	3.8	4.0	3.0	3.5	1.8	47.5	7	1866
SPC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST														0	0
	07 LST	8.9	5.7	5.8	6.5	7.0	7.2	6.5	7.2	6.1	7.1	5.3	5.6	78.9	7	1958
	13 LST	11.7	11.4	13.9	11.8	10.9	12.7	12.6	12.9	14.8	13.4	11.5	12.6	150.2	7	1640
	19 LST	7.6	7.1	12.5	12.3	13.1	15.2	17.3	15.4	12.2	10.4	7.8	5.5	136.4	7	1836
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	6.1	6.1	7.8	8.4	10.3	16.0	24.3	21.8	13.3	8.4	5.8	3.1	131.4	7	1982
	13 LST	3.9	5.1	6.5	5.4	7.1	12.3	22.2	20.9	10.0	5.0	3.9	2.7	103.0	7	1677
	19 LST	7.5	7.9	7.8	7.7	8.5	15.6	23.9	20.0	13.2	11.9	9.6	5.3	138.9	7	1865
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	22.8	20.6	23.2	23.9	26.5	27.3	30.1	29.4	27.2	24.9	22.6	22.1	300.6	7	1993
	13 LST	23.9	21.6	24.2	23.7	25.6	27.8	29.8	30.5	26.9	26.7	24.4	24.2	309.3	7	1677
	19 LST	24.9	22.4	24.0	25.2	27.1	29.4	30.4	30.0	27.3	26.7	24.8	23.1	315.3	7	1878
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	17.3	14.8	17.1	18.6	22.1	23.1	28.6	27.7	22.6	18.2	15.7	14.5	240.3	7	1993
	13 LST	15.2	15.5	16.3	16.5	18.5	24.5	28.6	28.9	22.5	19.3	16.5	13.9	236.2	7	1677
	19 LST	17.4	18.9	17.9	20.2	22.3	26.4	28.6	28.2	23.3	21.5	18.8	15.2	258.7	7	1878
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	17.3	14.8	17.1	18.6	22.1	23.1	28.6	27.7	22.6	18.0	15.7	14.5	240.1	7	1993
	13 LST	15.0	15.5	16.1	16.3	18.5	24.5	28.6	28.9	22.5	19.3	16.5	13.9	235.6	7	1677
	19 LST	17.0	18.9	17.9	20.2	22.3	26.4	28.6	28.1	23.3	21.5	18.8	15.0	258.0	7	1878

CAPO BELLAVISTA, SARDINIA

STA NO. 16590 (IN AREA NUMBER 03)

LATITUDE 3956N

LONGITUDE 00943E

ELEVATION(FT) 00512

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	75	82	86	81	84	93	100	98	92	85	77	75	100	10	-142
MEAN MAX TMP (F)	57	58	60	65	71	78	84	84	81	73	65	60	70	10	-142
MEAN MIN TMP (F)	46	47	48	52	58	65	70	71	67	61	55	49	57	10	-142
ABS MIN TMP (F)	32	31	31	43	50	56	60	61	56	49	41	37	31	10	-142
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0		6.8	6.8	3.6	0.0	0.0	0.0		10	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN DEW PT TMP (F)	42	42	44	50	55	60	65	66	63	57	49	45	53	10	-29
MEAN REL HUM (PCT)	73	70	71	75	74	71	69	70	72	74	71	72	72	10	-142
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	1.71	1.22	3.33	0.87	1.69	0.90	0.23	0.34	2.35	4.03	1.83	1.12	19.2	10	-142
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	5.5	4.0	7.2	2.9	5.4	1.4	0.5	0.9	6.3	8.7	5.3	3.7	51.8	10	-29
MEAN NO DYS SNPL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 3 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

CAPO BELLAVISTA, SARDINIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST													0	0	
	07 LST													0	0	
	13 LST													0	0	
	19 LST													0	0	
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SPC WND LES 10 KTS	01 LST													0	0	
	07 LST													0	0	
	13 LST													0	0	
	19 LST													0	0	
SPC WND = GTR 17 KTS AND NO PRECIP.	01 LST													0	0	
	07 LST													0	0	
	13 LST													0	0	
	19 LST													0	0	
SPC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST													0	0	
	07 LST													0	0	
	13 LST													0	0	
	19 LST													0	0	
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST													0	0	
	07 LST													0	0	
	13 LST													0	0	
	19 LST													0	0	
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST													0	0	
	07 LST													0	0	
	13 LST													0	0	
	19 LST													0	0	
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST													0	0	
	07 LST													0	0	
	13 LST													0	0	
	19 LST													0	0	
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST													0	0	
	07 LST													0	0	
	13 LST													0	0	
	19 LST													0	0	

DATA NOT AVAILABLE

CAPO CARBONARA, SARDINIA

STA NO. 16564 (IN AREA NUMBER 03)

LATITUDE 3906N

LONGITUDE 00931E

ELEVATION(FT) 00387

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	68	70	73	82	83	94	99	100	99	85	78	71	100	10	-142
MEAN MAX TMP (F)	57	57	61	64	71	80	85	85	82	74	66	60	70	10	-142
MEAN MIN TMP (F)	47	47	49	53	58	65	70	71	69	62	54	51	58	10	-142
ABS MIN TMP (F)	37	25	34	39	48	55	60	62	52	48	44	36	25	10	-142
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0		0.1	0.1	4.5	0.0	0.0	0.0		10	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		10	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN DEW PT TMP (F)	44	44	47	51	56	62	65	66	65	58	50	47	55	10	-29
MEAN REL HUM (PCT)	76	76	77	78	77	72	69	70	72	74	73	75	74	10	-142
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.82	0.77	1.10	0.59	0.79	0.16	0.00	0.14	0.75	2.84	0.61	0.59	9.1	10	-142
MEAN SNOW FALL (IN)	0.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		10	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	2.6	2.4	3.7	1.6	2.6	0.2	0.0	0.1	3.0	7.1	2.6	1.7	27.6	10	-29
MEAN NO DYS SNPL = DR GTR 1.5 IN	0.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		10	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

CAPO CARBONARA, SARDINIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SPC WND LES 10 KTS	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SPC WND = GTR 17 KTS AND NO PRECIP.	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SPC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0

DATA NOT AVAILABLE

AREA NO. 03

PARAMETER DESCRIPTION	EASTERN COAST		LATITUDE 4000N					LONGITUDE 00935E					
	BOUNDARIES		4108N 00905E	4104N 00905E	4104N 00905E	4048N 00930E	4048N 00930E	3920N 00930E	3920N 00930E	3912N 00910E	3912N 00910E	3920N 00930E	ANN
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)	56	57	59	64	70	78	83	83	80	72	64	59	69
MEAN MIN TMP (F)	45	46	47	51	57	64	68	69	66	60	53	48	56
LARGEST MEAN PRECIP(IN)	2.58	2.18	3.33	1.55	1.80	0.99	0.24	0.37	2.35	4.03	2.42	2.64	24.5
SMALLEST MEAN PRECIP(IN)	0.82	0.77	1.10	0.55	0.79	0.16	0.00	0.14	0.75	2.26	0.61	0.59	8.5
	MEAN NUMBER OF DAYS												
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST												
	07 LST	28.7	25.9	28.6	27.9	30.1	29.6	30.6	30.4	29.6	29.0	27.2	27.5 349.1
	13 LST	29.6	26.5	29.2	28.7	29.8	29.5	30.5	31.0	29.7	30.6	28.6	29.6 353.3
	19 LST	29.9	25.8	29.0	29.4	30.4	29.8	30.8	30.4	29.5	30.4	28.8	29.6 353.8
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST												
	07 LST	22.7	17.6	21.2	22.5	23.8	23.3	26.4	26.9	26.1	24.9	23.0	22.3 280.7
	13 LST	17.5	14.6	16.0	14.4	13.3	14.8	14.6	15.5	16.5	17.5	19.7	22.3 196.9
	19 LST	19.9	18.3	22.1	19.8	21.5	19.9	22.1	20.6	21.2	24.1	23.1	23.7 256.3
SFC WND = GIR 17 KTS AND NO PRECIP.	01 LST												
	07 LST	2.4	5.1	2.2	2.7	2.2	2.2	2.1	2.0	1.4	1.5	1.2	1.8 26.8
	13 LST	5.1	7.7	6.5	8.0	7.3	7.3	8.4	9.5	5.2	6.7	3.7	3.6 79.2
	19 LST	4.9	3.8	2.5	4.8	5.2	5.5	4.7	3.8	4.0	3.0	3.5	1.8 47.5
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST												
	07 LST	8.9	5.7	5.8	6.5	7.0	7.2	6.5	7.2	6.1	7.1	5.3	5.6 78.9
	13 LST	11.7	11.4	13.9	11.8	10.9	12.7	12.6	12.9	14.8	13.4	11.5	12.6 150.2
	19 LST	7.6	7.1	12.5	12.3	13.1	15.2	17.3	15.4	12.2	10.4	7.8	5.5 136.4
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST												
	07 LST	6.1	6.1	7.8	8.4	10.3	16.0	24.3	21.8	13.3	8.4	5.8	3.1 131.4
	13 LST	3.9	5.1	6.5	5.4	7.1	12.3	22.2	20.9	10.0	3.0	3.9	2.7 103.0
	19 LST	7.5	7.9	7.8	7.7	8.5	15.6	23.9	20.0	13.2	11.9	9.6	5.3 138.9
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST												
	07 LST	22.8	20.6	23.2	23.9	26.3	27.3	30.1	29.4	27.2	24.9	22.6	22.1 300.6
	13 LST	23.9	21.6	24.2	23.7	25.6	27.8	29.8	30.3	26.9	26.7	24.4	24.2 309.3
	19 LST	24.9	22.4	24.0	25.2	27.1	29.4	30.4	30.0	27.3	26.7	24.8	23.1 315.3
CIG = GTR 8000 FT AND VSBY = GTR 3 MI	01 LST												
	07 LST	17.3	14.8	17.1	18.6	22.1	23.1	28.6	27.7	22.6	18.2	15.7	14.5 240.3
	13 LST	15.2	15.5	16.3	16.5	18.5	24.5	28.6	28.9	22.5	19.3	16.5	13.9 236.2
	19 LST	17.4	18.9	17.9	20.2	22.3	26.4	28.6	28.2	23.3	21.5	18.8	15.2 258.7
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST												
	07 LST	17.3	14.8	17.1	18.6	22.1	23.1	28.6	27.7	22.6	18.0	15.7	14.5 240.1
	13 LST	15.0	15.5	16.1	16.3	18.5	24.5	28.6	28.9	22.5	19.3	16.5	13.9 235.6
	19 LST	17.0	18.9	17.9	20.2	22.3	26.4	28.6	28.1	23.3	21.5	18.8	15.0 258.0

BOLZANO, ITALY

STA NO. 10020 (IN AREA NUMBER 01)

LATITUDE 4628N

LONGITUDE 01119E

ELEVATION(FT) 00778

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	60	71	78	90	95	94	100	98	92	81	70	62	100	10	-28
MEAN MAX TMP (F)	41	48	59	69	74	80	84	83	79	66	53	44	65	10	-28
MEAN MIN TMP (F)	23	27	35	43	49	55	58	57	52	42	29	25	41	10	-28
ABS MIN TMP (F)	5	10	15	25	28	33	43	42	34	24	14	6	5	10	-28
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0			6.8	5.7		0.0	0.0	0.0		10	-29
MEAN NO DYS TMP = OR LES 32(F)						0.0	0.0	0.0	0.0					10	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN DEW PT TMP (F)	24	28	35	44	49	55	59	55	55	45	32	28	43	10	-28
MEAN REL HUM (PCT)	74	71	66	67	67	68	68	71	72	74	74	79	71	0	0
MEAN PRESS ALT (FT)														10	-28
MEAN PRECIP (IN)	0.90	1.40	1.40	1.70	2.30	3.50	3.10	3.50	2.40	2.00	2.50	1.20	25.9	10	-29
MEAN SNOW FALL (IN)						0.0	0.0	0.0	0.0					10	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	2.9	4.6	4.6	5.4	6.4	8.2	7.6	8.2	6.4	5.7	6.6	4.0	70.6	10	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN						0.0	0.0	0.0	0.0					0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

BOLZANO, ITALY

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0

DATA NOT AVAILABLE

AREA NO. 01

PARAMETER DESCRIPTION	DOLOMITES												
	BOUNDARIES				LATITUDE 4600N				LONGITUDE 01130E				
	4612N 01340E	4612N 01240E	4612N 01240E	4528N 01100E	4528N 01100E	4550N 00900E							
MEAN MAX TMP (F)	41	48	59	69	74	80	84	83	79	66	53	44	65
MEAN MIN TMP (F)	23	27	35	43	49	55	58	57	52	42	29	25	41
LARGEST MEAN PRECIP(IN)	0.90	1.40	1.40	1.70	2.30	3.50	3.10	3.50	2.40	2.00	2.50	1.20	23.9
SMALLEST MEAN PRECIP(IN)	0.90	1.40	1.40	1.70	2.30	3.50	3.10	3.50	2.40	2.00	2.50	1.20	23.9
	MEAN NUMBER OF DAYS												
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST												
	07 LST												
	13 LST												
	19 LST												
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SPC WND LES 10 KTS	01 LST												
	07 LST												
	13 LST												
	19 LST												
SPC WND = GTR 17 KTS AND NO PRECIP.	01 LST												
	07 LST												
	13 LST												
	19 LST												
SPC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST												
	07 LST												
	13 LST												
	19 LST												
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST												
	07 LST												
	13 LST												
	19 LST												
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST												
	07 LST												
	13 LST												
	19 LST												
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST												
	07 LST												
	13 LST												
	19 LST												
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST												
	07 LST												
	13 LST												
	19 LST												

MONTICHIARI, ITALY

STA NO. 14576/ (IN AREA NUMBER 02)

LATITUDE 4525N

LONGITUDE 01019E

ELEVATION(FT) 00338

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	58	68	70	82	89	94	98	95	93	79	65	58	98	16	-16089
MEAN MAX TMP (F)	41	46	55	63	73	80	84	84	75	63	51	44	63	16	-16089
MEAN MIN TMP (F)	30	33	40	49	55	62	65	65	59	50	40	35	49	16	-16089
ABS MIN TMP (F)	14	18	27	33	36	47	53	53	45	28	18	19	14	16	-16089
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0		6.8	6.8		0.0	0.0	0.0		16	-29
MEAN NO DYS TMP = DR LES 32(F)				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-16089
MEAN DEW PT TMP (F)	28	29	35	45	50	58	60	59	56	48	42	31	45	16	-16089
MEAN REL HUM (PCT)	79	72	64	58	57	54	53	55	61	72	78	82	65	0	-50
MEAN PRESS ALT (PT)	211	246	291	345	312	291	312	292	243	238	248	247	273	16	-16089
MEAN PRECIP (IN)	1.29	1.63	2.00	2.77	3.48	3.28	3.62	2.87	2.90	3.90	2.97	2.53	33.9	16	-29
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0					16	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	4.6	5.3	6.7	6.9	7.3	7.9	8.3	7.2	7.2	8.5	7.3	7.5	84.7	16	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0					16	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	12.2	6.2	2.5	0.5	0.0	0.0	0.0	0.0	0.3	2.1	8.6	11.5	43.9	5	-16089
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS	0.6	0.4	0.7	1.2	0.1	0.1	0.1	0.1	0.0	0.0	0.6	0.1	0.3	5	-16089
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-16089
P FREQ LES 5000 FT A/D LES 5 MI	73.2	56.0	51.2	37.4	28.7	22.5	15.3	16.6	33.1	43.2	65.1	66.1	42.4	8	-16089
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FDR 00-02 LST														6	-16089
03-05 LST	40.9	30.9	25.5	8.3	9.8	4.6	1.6	1.3	6.4	15.6	38.5	40.7	18.7	8	-16089
06-08 LST	48.7	38.8	30.6	12.8	6.4	3.3	2.6	2.7	19.0	23.5	38.4	39.7	22.2	8	-16089
09-11 LST	59.6	45.9	33.8	9.3	3.2	0.9	1.8	1.8	16.0	21.4	41.7	44.7	23.3	8	-16089
12-14 LST	60.4	41.5	21.8	3.8	1.4	1.2	0.0	0.7	7.2	17.4	39.0	46.0	20.0	8	-16089
15-17 LST	59.7	37.8	14.2	1.6	0.7	0.6	0.0	0.2	5.2	16.5	39.7	51.7	19.0	8	-16089
18-20 LST	59.3	43.6	18.4	0.7	0.0	0.0	0.0	0.0	3.7	9.4	39.7	60.5	19.6	6	-16089
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FDR 00-02 LST														6	-16089
03-05 LST	27.6	14.7	8.1	1.3	1.5	0.8	0.0	0.0	0.8	3.1	20.5	24.4	8.6	8	-16089
06-08 LST	30.8	20.8	12.3	1.3	0.3	0.2	0.0	0.6	3.1	11.0	22.7	22.2	10.5	8	-16089
09-11 LST	38.4	24.4	11.8	0.0	0.3	0.0	0.0	0.0	0.8	7.3	22.5	25.8	10.9	8	-16089
12-14 LST	34.0	16.0	3.2	0.0	0.0	0.0	0.0	0.0	0.0	1.3	12.0	25.8	7.7	8	-16089
15-17 LST	29.7	12.3	2.2	0.0	0.0	0.0	0.0	0.0	0.0	2.6	12.3	27.8	7.3	8	-16089
18-20 LST	31.4	13.8	4.8	0.0	0.0	0.0	0.0	0.0	0.0	2.8	15.4	29.6	8.2	8	-16089
21-23 LST														0	0

MONTICHIARI, ITALY

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	16.0	16.7	21.3	26.3	29.0	28.6	30.3	30.2	23.9	23.1	18.8	19.6	283.8	8	-16089
	13 LST	12.9	16.5	24.9	29.2	30.7	29.7	31.0	30.9	27.9	26.2	18.0	16.8	294.7	8	-16089
	19 LST	11.3	15.7	25.7	29.8	31.0	30.0	31.0	31.0	28.0	25.9	16.8	13.4	289.6	8	-16089
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST														0	0
	07 LST	19.0	15.7	20.1	24.6	28.4	28.4	30.3	29.9	23.0	22.1	16.8	19.1	273.4	8	-16089
	13 LST	12.0	13.8	19.3	23.8	25.9	27.8	28.7	29.1	25.3	23.6	17.1	15.9	262.5	8	-16089
	19 LST	10.1	14.2	22.9	25.0	29.2	28.1	30.5	30.2	27.2	25.2	15.3	12.7	270.6	8	-16089
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST														0	0
	07 LST	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.4	8	-16089
	13 LST	0.2	0.0	0.5	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.9	8	-16089
	19 LST	0.0	0.4	0.7	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	8	-16089
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST														0	0
	07 LST	1.4	3.5	4.2	3.6	3.1	2.7	1.9	3.0	2.7	2.7	2.4	1.5	32.7	8	-16089
	13 LST	9.4	9.9	15.6	17.8	19.9	14.9	17.0	16.7	16.8	13.4	7.5	7.6	162.5	8	-16089
	19 LST	1.4	6.3	10.7	12.7	19.0	12.3	15.0	12.0	5.9	4.5	1.9	3.6	105.3	8	-16089
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	7.4	8.9	7.8	6.3	7.1	9.1	13.0	13.2	9.7	7.5	3.7	8.2	101.9	8	-16089
	13 LST	4.8	7.7	6.8	4.5	3.6	5.0	10.0	11.4	9.7	7.9	3.0	7.0	81.4	8	-16089
	19 LST	3.8	6.7	9.3	6.4	5.4	7.7	12.3	15.2	11.4	9.6	3.1	5.1	96.0	8	-16089
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	15.5	16.6	20.7	23.7	28.6	28.6	30.3	29.9	23.7	22.1	18.0	19.1	278.8	8	-16089
	13 LST	12.3	16.0	23.7	28.1	29.9	29.6	30.9	30.9	27.6	25.2	17.9	16.2	288.3	8	-16089
	19 LST	10.9	14.9	24.1	29.1	30.6	30.0	31.0	31.0	27.8	25.4	16.1	13.0	283.9	8	-16089
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	12.4	14.3	16.2	19.1	22.8	24.4	25.0	26.0	19.1	16.9	10.8	14.2	221.2	8	-16089
	13 LST	9.8	13.9	18.1	20.6	21.3	24.1	27.2	27.3	24.2	19.8	12.7	12.2	231.2	8	-16089
	19 LST	7.7	12.9	18.9	21.8	23.0	23.8	27.0	28.8	24.3	20.3	12.2	9.3	232.0	8	-16089
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	11.2	13.0	14.0	15.7	18.2	20.7	20.8	21.5	15.9	12.5	7.5	11.7	182.7	8	-16089
	13 LST	8.4	12.6	15.9	16.8	17.9	21.4	23.0	24.7	20.9	16.7	10.3	10.5	201.1	8	-16089
	19 LST	6.5	11.9	16.7	17.9	21.4	21.7	26.0	26.9	22.2	17.8	7.6	7.8	204.4	8	-16089

VENEGONO, ITALY

STA NO. 14578/ (IN AREA NUMBER 02)

LATITUDE 4544N

LONGITUDE 00853E

ELEVATION(FT) 01050

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	64	69	76	86	89	94	96	96	88	80	69	60	96	10	-16080
MEAN MAX TMP (F)	40	47	56	66	72	80	84	82	76	64	51	42	63	10	-16080
MEAN MIN TMP (F)	29	33	38	46	54	61	64	63	58	49	39	33	47	10	-16080
ABS MIN TMP (F)	5	4	19	28	40	42	51	49	42	31	23	8	4	10	-16080
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.4	2.4	1.0	0.0	0.0	0.0	0.0	3.8	7	-16080
MEAN NO DYS TMP = DR LES 32(F)	21.9	19.2	6.7	0.5	0.0	0.0	0.0	0.0	0.0	0.0	6.0	13.4	67.7	7	-16080
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	-16080
MEAN QDM PT TMP (F)	31	29	37	44	52	58	62	62	57	50	40	36	47	6	-16080
MEAN REL HUM (PCT)	86	80	77	72	73	70	73	74	77	84	86	92	79	10	-16080
MEAN PRESS ALT (FT)	916	958	1006	1032	1006	976	984	983	952	957	981	968	977	0	-50
MEAN PRECIP (IN)	7.40	2.32	2.84	3.43	3.86	3.19	2.72	3.11	3.35	4.65	4.29	3.03	39.2	99	-16080
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0	0.0				10	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	7.3	7.1	6.9	7.3	7.4	7.7	7.0	7.6	7.9	9.2	8.9	8.5	92.8	99	-29
MEAN NO DYS SNPL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0	0.0				10	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	23.2	16.9	10.0	1.6	1.4	0.8	1.2	2.2	5.8	16.4	22.2	26.8	130.5	6	-16080
MEAN NO DYS TSTMS	0.2	0.4	0.6	2.4	4.0	8.0	9.7	5.2	4.0	1.4	0.2	0.2	36.3	6	-16080
P FREQ WND SPD = DR GTR 17 KTS	0.1	0.1	0.4	0.8	0.1	0.1	0.4	0.1	0.0	0.1	0.3	0.1	0.2	6	-16080
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	-16080
P FREQ LES 5000 FT A/D LES 5 MI	98.2	98.2	90.7	81.6	61.3	61.4	60.4	64.2	81.5	90.5	94.0	98.2	81.7	6	-16080
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	89.4	83.8	91.7	24.8	7.1	9.7	3.4	8.5	39.3	73.2	83.2	44.2	47.5	6	-16080
03-05 LST	88.9	83.3	96.5	29.8	15.5	12.8	11.2	20.8	49.3	77.6	84.7	93.4	52.0	6	-16080
06-08 LST	92.2	86.1	81.3	35.7	35.5	31.9	30.6	47.0	74.6	84.9	86.3	94.2	66.7	6	-16080
09-11 LST	97.4	91.8	75.0	43.1	22.7	12.6	11.2	24.5	39.2	74.8	92.9	98.0	58.6	6	-16080
12-14 LST	90.6	85.8	46.4	18.9	7.1	3.4	3.3	6.5	17.9	84.4	78.5	95.5	42.4	6	-16080
15-17 LST	86.4	78.3	27.3	12.6	6.3	2.0	3.4	3.2	6.3	38.2	72.4	94.1	33.9	6	-16080
18-20 LST	92.9	85.8	36.7	11.2	5.2	4.7	4.1	5.2	13.6	37.6	81.6	96.1	41.2	6	-16080
21-23 LST	90.8	82.7	43.8	16.1	5.2	4.8	2.8	4.6	21.4	65.1	86.2	95.4	43.2	6	-16080
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	66.9	42.6	9.9	2.1	0.6	0.0	0.0	0.7	2.8	23.5	31.0	69.3	22.6	6	-16080
03-05 LST	66.7	49.3	18.2	1.4	1.9	0.7	0.0	0.0	10.1	31.5	54.7	72.4	23.6	6	-16080
06-08 LST	68.2	56.2	33.1	12.9	3.9	4.4	3.3	8.1	31.2	46.8	38.3	70.8	33.1	6	-16080
09-11 LST	82.1	70.1	33.1	8.3	2.6	0.0	0.0	0.7	11.3	38.1	67.4	86.2	33.3	6	-16080
12-14 LST	72.3	50.0	13.1	0.7	1.9	0.0	0.0	0.0	2.1	18.1	56.9	81.8	24.8	6	-16080
15-17 LST	77.6	33.3	9.2	0.7	0.0	0.7	0.7	0.6	0.0	7.9	44.2	73.7	19.7	6	-16080
18-20 LST	64.3	38.8	12.7	0.7	0.0	0.7	0.0	0.0	1.4	13.9	39.5	69.5	20.1	6	-16080
21-23 LST	64.5	36.1	9.2	0.7	0.0	0.7	1.4	0.0	2.8	20.8	48.3	73.0	21.6	6	-16080

VENEGONO, ITALY

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	2.4	4.0	5.7	13.2	20.1	20.8	21.7	16.4	7.8	4.6	4.3	1.8	122.8	6	-16080
	13 LST	2.9	4.1	16.8	25.3	29.2	29.5	30.1	29.1	24.8	14.3	6.4	1.6	214.1	6	-16080
	19 LST	2.2	3.9	20.0	27.2	29.6	28.8	30.1	29.6	26.1	13.3	5.7	1.2	217.7	6	-16080
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	01 LST														0	0
	07 LST	2.2	3.2	5.7	12.4	19.3	20.2	20.4	16.2	7.3	4.4	3.8	1.4	116.3	6	-16080
	13 LST	2.0	3.1	14.4	21.8	27.6	27.5	28.7	28.5	24.0	13.3	5.6	1.0	197.3	6	-16080
	19 LST	2.0	3.5	17.3	23.9	27.0	27.0	28.6	29.0	25.5	12.7	4.2	1.2	201.9	6	-16080
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST														0	0
	07 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.4	6	-16080
	13 LST	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.2	0.8	6	-16080
	19 LST	0.0	0.0	0.2	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	6	-16080
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST														0	0
	07 LST	3.0	1.8	8.2	6.8	7.0	6.7	5.8	4.4	2.8	3.6	4.6	4.2	58.9	6	-16080
	13 LST	8.5	8.2	15.0	15.6	19.5	20.2	19.4	16.6	12.8	12.8	10.8	9.2	168.6	6	-16080
	19 LST	7.6	4.7	10.0	9.3	14.0	14.6	12.7	8.0	5.8	4.2	5.4	8.0	104.3	6	-16080
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	1.4	2.5	2.6	4.2	5.6	4.8	7.0	6.2	3.0	0.6	2.2	1.2	41.3	6	-16080
	13 LST	1.2	2.1	7.6	9.4	9.8	5.8	12.9	11.2	10.0	5.4	4.0	1.2	80.6	6	-16080
	19 LST	1.0	1.5	10.4	8.0	10.0	8.0	13.0	13.2	13.2	8.2	3.6	0.8	90.9	6	-16080
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	2.4	3.4	5.3	12.2	18.9	18.8	19.8	15.3	6.5	4.4	3.6	1.6	112.2	6	-16080
	13 LST	2.7	3.7	15.8	21.1	26.0	25.2	27.2	26.7	22.7	13.7	6.0	1.4	192.2	6	-16080
	19 LST	2.2	3.7	18.8	24.3	27.6	26.0	27.8	28.4	24.4	12.7	5.1	1.2	202.2	6	-16080
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	2.2	3.2	3.4	7.2	12.8	12.4	15.9	12.2	4.3	2.4	3.0	1.6	80.6	6	-16080
	13 LST	2.0	2.7	12.9	16.9	21.4	19.7	22.3	22.2	18.6	11.6	5.6	1.4	157.3	6	-16080
	19 LST	1.6	2.0	16.1	20.7	22.4	21.2	24.3	24.6	21.2	11.0	4.8	0.8	170.9	6	-16080
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	2.2	3.2	3.4	7.2	12.8	12.4	15.9	12.2	4.3	2.4	3.0	1.6	80.6	6	-16080
	13 LST	2.0	2.7	12.9	16.9	21.4	19.7	22.3	22.2	18.6	11.4	5.6	1.4	157.3	6	-16080
	19 LST	1.6	2.0	16.1	20.7	22.4	21.2	24.3	24.6	21.2	11.0	4.8	0.8	170.9	6	-16080

AVIANO, ITALY

STA NO. 16036 (IN AREA NUMBER 02)

LATITUDE 4601N

LONGITUDE 01235E

ELEVATION(FT) 00419

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	59	69	72	80	86	91	98	94	92	82	68	61	98	11	3468
MEAN MAX TMP (F)	44	46	53	61	70	76	81	80	75	65	55	46	63	11	3468
MEAN MIN TMP (F)	29	29	37	45	53	59	62	62	57	47	41	32	46	11	3468
ABS MIN TMP (F)	8	13	15	30	34	44	49	49	40	36	25	10	8	11	3468
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.3	2.4	0.8	0.1	0.0	0.0	0.0	3.6	11	3468
MEAN NO DYS TMP = DR LES 32(F)	21.7	19.2	9.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	3.0	18.2	71.2	11	3468
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	3468
MEAN DEW PT TMP (F)	28	29	36	44	51	58	60	60	55	47	41	32	43	11	82768
MEAN REL HUM (PCT)	74	73	73	74	71	73	69	69	70	74	79	77	73	11	82768
MEAN PRESS ALT (FT)	294	328	373	420	387	364	383	367	324	323	337	333	353	0	-50
MEAN PRECIP (IN)	2.89	2.67	4.41	6.29	4.16	3.69	4.40	3.56	4.09	6.18	8.33	6.54	59.2	10	3196
MEAN SNOW FALL (IN)	0.8	1.7	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	4.4	10	3373
MEAN NO DYS PRCP = DR GTR 0.1 IN	3.6	4.2	6.0	8.7	7.7	8.6	7.2	6.2	3.0	6.9	9.0	7.3	82.4	10	3196
MEAN NO DYS SNPL = DR GTR 1.5 IN	0.2	0.3	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.9	10	3373
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	4.1	4.9	2.4	0.6	0.1	0.2	0.3	0.3	0.4	1.0	2.6	3.8	20.7	11	3468
MEAN NO DYS TSTMS	0.0	0.2	1.1	3.3	9.8	13.6	11.1	9.0	4.2	3.1	1.9	0.7	60.2	11	3468
P FREQ WND SPD = DR GTR 17 KTS	0.5	1.1	0.5	0.8	0.1	0.3	0.2	0.1	0.1	0.2	0.5	0.2	0.4	11	83222
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	83222
P FREQ LES 5000 FT A/D LES 3 MI	30.6	36.3	32.8	30.0	18.7	17.6	10.6	13.1	21.6	23.3	34.8	32.0	23.3	13	105495
P FREQ LES 1900 FT A/O LES 3 MI															
FOR 00-02 LST	10.6	16.0	12.4	6.7	1.0	1.1	0.4	1.3	5.8	7.3	11.2	10.5	7.0	13	13146
03-05 LST	11.1	13.4	10.8	7.7	1.8	1.4	0.8	1.3	7.2	7.5	11.3	9.4	7.1	13	13149
06-08 LST	10.4	16.2	12.6	8.0	1.3	1.8	0.7	2.8	10.0	10.4	10.4	8.6	7.8	13	13188
09-11 LST	12.1	16.7	12.5	7.2	1.2	1.1	0.4	0.4	7.2	8.6	11.2	11.0	7.5	13	13261
12-14 LST	11.0	17.2	10.7	5.0	0.8	0.3	0.2	0.0	4.0	7.0	12.3	9.9	6.5	13	13254
15-17 LST	12.3	15.8	9.9	3.6	1.2	0.8	0.6	0.5	3.9	7.2	13.7	14.6	7.0	13	13238
18-20 LST	14.3	19.1	8.7	5.1	1.0	1.1	0.4	0.6	6.9	9.3	13.9	14.4	7.9	13	13146
21-23 LST	12.4	17.3	9.8	3.5	1.3	0.7	0.4	0.8	3.7	8.2	11.3	11.2	7.1	13	13147
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	3.4	7.2	2.2	0.6	0.1	0.0	0.1	0.1	0.6	1.8	3.1	4.3	2.1	13	13146
03-05 LST	3.0	8.0	1.3	1.4	0.1	0.0	0.2	0.3	0.1	2.3	4.0	3.6	2.3	13	13149
06-08 LST	3.2	8.6	3.2	0.8	0.1	0.1	0.1	0.3	2.6	3.4	4.6	3.8	2.7	13	13188
09-11 LST	3.0	6.5	2.2	0.4	0.1	0.0	0.1	0.0	0.7	1.1	3.3	3.7	1.9	13	13261
12-14 LST	3.9	3.6	1.3	0.1	0.0	0.0	0.1	0.0	0.2	0.8	2.1	2.4	1.2	13	13254
15-17 LST	4.3	4.4	1.3	0.1	0.0	0.2	0.2	0.2	0.1	0.9	2.5	4.1	1.3	13	13238
18-20 LST	6.0	7.4	1.3	0.1	0.0	0.1	0.2	0.0	0.4	2.2	3.4	4.8	2.2	13	13146
21-23 LST	4.7	7.0	2.2	0.7	0.0	0.0	0.0	0.0	0.4	1.6	3.5	4.6	2.1	13	13147

AVIANO, ITALY

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	28.0	23.5	27.7	28.3	30.8	29.8	30.9	30.6	28.3	29.0	26.9	28.2	342.0	13	4386
	07 LST	28.0	23.8	27.3	28.5	30.6	29.8	30.9	30.2	27.4	28.0	27.5	28.9	340.9	13	4421
	13 LST	27.9	23.9	28.2	29.4	30.9	29.9	31.0	31.0	29.0	29.3	26.6	28.6	345.7	13	4408
	19 LST	26.8	23.0	28.2	28.8	30.8	29.7	30.8	30.8	27.9	28.3	26.1	26.7	337.9	13	4386
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	26.3	22.1	25.5	25.8	30.2	28.7	30.1	29.8	27.8	27.8	24.8	26.5	325.4	13	4421
	07 LST	26.6	22.5	25.3	25.7	29.6	28.8	30.2	29.9	26.6	26.6	25.3	27.2	324.3	13	4421
	13 LST	26.6	20.8	24.4	24.4	27.8	28.1	30.0	29.3	27.3	27.5	24.5	26.2	316.9	13	4421
	19 LST	25.0	21.1	25.6	25.9	29.1	28.3	29.8	29.8	26.4	27.0	23.6	25.5	317.1	13	4408
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	0.0	0.1	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.3	13	4386
	07 LST	0.1	0.1	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.2	0.0	0.5	13	4421
	13 LST	0.2	0.5	0.2	0.3	0.0	0.0	0.0	0.0	0.1	0.0	0.2	0.1	1.6	13	4421
	19 LST	0.3	0.2	0.0	0.0	0.1	0.0	0.2	0.0	0.0	0.1	0.1	0.0	1.0	13	4408
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	4.3	6.4	14.1	13.0	14.3	11.3	11.0	12.8	12.3	13.0	9.0	6.0	127.5	13	4386
	07 LST	3.0	5.0	11.8	8.3	8.1	6.7	7.3	7.8	11.0	12.2	9.7	6.5	97.4	13	4421
	13 LST	7.5	9.3	14.4	14.9	15.6	13.6	16.8	16.1	13.9	10.4	8.0	6.5	147.0	13	4408
	19 LST	5.4	9.6	10.6	9.1	9.3	8.3	10.2	8.2	8.5	13.2	9.1	8.7	110.2	13	4408
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	13.5	11.7	11.2	8.8	8.9	9.5	12.7	12.3	13.2	14.4	8.3	12.4	136.9	13	4386
	07 LST	11.7	9.1	7.0	5.2	7.3	8.1	11.3	9.4	10.0	11.1	5.9	9.1	105.2	13	4421
	13 LST	8.7	7.5	6.1	4.2	3.1	4.7	7.8	7.9	8.7	9.3	5.0	7.2	80.2	13	4421
	19 LST	10.4	8.3	7.2	3.8	3.3	3.8	6.7	7.7	8.1	10.5	6.4	10.7	86.9	13	4408
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	26.4	22.3	26.2	26.8	30.0	29.3	30.6	30.1	27.9	27.8	24.5	26.7	328.6	13	4386
	07 LST	26.6	21.8	25.3	26.5	30.0	29.3	30.7	30.0	26.7	26.7	25.3	26.7	325.6	13	4421
	13 LST	26.4	21.6	26.4	26.5	29.8	29.1	31.0	30.4	28.3	28.5	25.0	26.4	329.4	13	4421
	19 LST	23.2	21.5	26.7	27.2	30.3	29.0	30.8	30.5	26.9	27.4	23.7	25.6	324.8	13	4408
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	21.3	18.7	20.8	20.3	24.2	24.4	27.3	27.1	24.7	23.3	18.7	21.0	271.8	13	4386
	07 LST	21.8	18.7	21.5	20.3	25.8	26.3	28.3	27.0	23.4	23.3	18.5	21.1	276.0	13	4421
	13 LST	22.0	18.6	21.1	19.7	23.1	21.7	27.4	27.3	24.4	24.5	19.2	21.4	270.4	13	4421
	19 LST	21.1	18.1	20.3	19.3	23.6	22.8	26.8	26.7	22.7	22.3	17.8	20.3	261.8	13	4408
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	18.6	16.5	16.8	15.3	18.6	18.3	21.2	21.6	20.5	19.8	13.7	17.9	218.8	13	4386
	07 LST	19.1	16.4	16.3	15.4	18.5	19.0	21.6	20.0	18.6	19.0	13.7	17.0	214.6	13	4421
	13 LST	18.7	16.4	17.2	15.1	17.2	16.4	22.8	22.3	19.9	20.5	15.0	16.5	218.0	13	4421
	19 LST	17.6	16.2	15.8	14.3	17.2	16.7	20.8	20.8	17.3	19.8	14.3	16.6	207.4	13	4408

UDINE-CAMPOFORMIDO, ITALY

STA NO. 16044 (IN AREA NUMBER 02)

LATITUDE 4601N

LONGITUDE 01311E

ELEVATION(PT) 00905

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	64	77	74	84	92	92	99	98	96	82	72	65	99	10	-28
MEAN MAX TMP (F)	45	48	56	66	73	79	83	83	78	66	58	48	65	10	-28
MEAN MIN TMP (F)	31	32	38	46	53	59	63	62	58	48	40	35	47	10	-28
ABS MIN TMP (F)	0	15	18	27	32	44	49	48	42	28	22	19	0	10	-28
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.3	2.4	0.8	0.1	0.0	0.0	0.0	3.6	11	-16036
MEAN NO DYS TMP = DR LES 32(F)	21.7	19.2	9.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	3.0	18.2	71.2	11	-16036
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	-16036
MEAN DEW PT TMP (F)	28	29	36	43	51	56	58	58	56	46	40	32	44	10	-29
MEAN REL HUM (PCT)	70	69	68	65	69	66	64	65	68	70	73	73	68	10	-28
MEAN PRESS ALT (FT)	181	214	259	304	272	247	266	291	210	210	225	220	238	0	-50
MEAN PRECIP (IN)	2.64	3.15	4.65	5.35	5.91	6.93	4.80	4.92	6.46	7.01	4.80	3.66	60.3	25	-122
MEAN SNOW FALL (IN)	0.8	1.7	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	4.4	10	-16036
MEAN NO DYS PRCP = DR GTR 0.1 IN	7.8	8.7	7.7	8.2	9.0	9.9	9.4	9.4	9.7		9.3	9.4		25	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.2	0.3	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.9	10	-16036
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	4.1	4.9	2.4	0.6	0.1	0.2	0.3	0.3	0.4	1.0	2.6	3.8	20.7	11	-16036
MEAN NO DYS TSMS	0.0	0.2	1.1	5.5	9.8	13.6	11.1	9.0	4.2	3.1	1.9	0.7	60.2	11	-16036
P FREQ WND SPD = DR GTR 17 KTS	0.5	1.1	0.5	0.8	0.1	0.3	0.2	0.1	0.1	0.7	0.5	0.2	0.4	11	-16036
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	-16036
P FREQ LES 5000 FT A/D LES 5 MI	30.6	36.3	32.8	30.0	18.7	17.6	10.6	13.1	21.6	25.3	34.8	32.0	25.3	13	-16036
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	10.6	16.0	12.4	6.7	1.0	1.1	0.4	1.3	5.8	7.3	11.2	10.5	7.0	13	-16036
03-05 LST	11.1	15.4	10.8	7.7	1.8	1.4	0.8	1.3	7.2	7.5	11.3	9.4	7.1	13	-16036
06-08 LST	10.4	16.2	12.6	8.0	1.5	1.8	0.7	2.8	10.0	10.4	10.4	8.6	7.8	13	-16036
09-11 LST	12.1	16.7	12.5	7.2	1.2	1.1	0.4	0.4	7.2	8.6	11.2	11.0	7.5	13	-16036
12-14 LST	11.0	17.2	10.7	5.0	0.8	0.3	0.2	0.0	4.0	7.0	12.3	9.9	6.5	13	-16036
15-17 LST	12.3	15.8	9.9	3.6	1.2	0.8	0.6	0.5	3.9	7.2	13.7	14.6	7.0	13	-16036
18-20 LST	14.3	19.1	8.7	3.1	1.0	1.1	0.4	0.6	6.9	9.3	13.9	14.4	7.9	13	-16036
21-23 LST	12.4	17.3	9.8	5.5	1.3	0.7	0.4	0.8	5.7	8.2	11.3	11.2	7.1	13	-16036
P FREQ LES 500 FT A/D LES 1 MI															
FOR 00-02 LST	5.4	7.2	2.2	0.4	0.1	0.0	0.1	0.1	0.6	1.8	3.1	4.3	2.1	13	-16036
03-05 LST	6.0	8.0	1.3	1.4	0.1	0.0	0.2	0.3	0.1	2.3	4.0	3.6	2.3	13	-16036
06-08 LST	5.2	8.6	3.2	0.8	0.1	0.1	0.1	0.3	2.6	3.4	4.6	3.8	2.7	13	-16036
09-11 LST	5.0	6.5	2.2	0.4	0.1	0.0	0.1	0.0	0.7	1.1	3.3	3.7	1.9	13	-16036
12-14 LST	3.9	3.6	1.3	0.1	0.0	0.0	0.1	0.0	0.2	0.8	2.1	2.4	1.2	13	-16036
15-17 LST	4.5	4.4	1.3	0.1	0.0	0.2	0.2	0.2	0.1	0.9	2.5	4.1	1.5	13	-16036
18-20 LST	6.0	7.4	1.3	0.1	0.0	0.1	0.2	0.0	0.4	2.2	3.4	4.8	2.2	13	-16036
21-23 LST	4.7	7.0	2.2	0.7	0.0	0.0	0.0	0.0	0.4	1.6	3.5	4.6	2.1	13	-16036

UDINE-CAMPOFORMIDO, ITALY

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	28.0	23.5	27.7	28.3	30.8	29.8	30.9	30.6	28.3	29.0	26.9	28.2	342.0	13	-16036
	07 LST	28.0	23.8	27.3	28.5	30.6	29.8	30.9	30.2	27.4	28.0	27.5	28.9	340.9	13	-16036
	13 LST	27.9	23.9	28.2	29.4	30.9	29.9	31.0	31.0	29.0	29.3	26.6	28.6	345.7	13	-16036
	19 LST	26.8	23.0	28.2	28.8	30.8	29.7	30.8	30.8	27.9	28.3	26.1	26.7	337.9	13	-16036
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	01 LST	26.3	22.1	25.5	25.8	30.2	28.7	30.1	29.8	27.8	27.8	24.8	26.3	325.4	13	-16036
	07 LST	26.6	22.5	25.3	25.7	29.6	28.8	30.2	29.9	26.6	26.6	25.3	27.2	324.3	13	-16036
	13 LST	26.6	20.8	24.4	24.4	27.8	28.1	30.0	29.3	27.3	27.5	24.5	26.2	316.9	13	-16036
	19 LST	25.0	21.1	25.6	25.9	29.1	28.3	29.8	29.8	26.4	27.0	23.6	25.5	317.1	13	-16036
SPC WND = GTR 17 KTS AND NO PRECIP.	01 LST	0.0	0.1	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.3	13	-16036
	07 LST	0.1	0.1	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.2	0.0	0.5	13	-16036
	13 LST	0.2	0.5	0.2	0.3	0.0	0.0	0.0	0.0	0.1	0.0	0.2	0.1	1.6	13	-16036
	19 LST	0.3	0.2	0.0	0.0	0.1	0.0	0.2	0.0	0.0	0.1	0.1	0.0	1.0	13	-16036
SPC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	4.3	6.4	14.1	13.0	14.3	11.3	11.0	12.8	12.3	13.0	9.0	6.0	127.5	13	-16036
	07 LST	3.0	5.0	11.8	8.3	8.1	6.7	7.3	7.8	11.0	12.2	9.7	6.5	97.4	13	-16036
	13 LST	7.5	9.3	14.4	14.9	15.6	13.6	16.8	16.1	13.9	10.4	8.0	6.5	147.0	13	-16036
	19 LST	3.4	9.6	10.6	9.1	9.3	8.3	10.2	8.2	8.5	13.2	9.1	8.7	110.2	13	-16036
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	13.5	11.7	11.2	8.8	8.9	9.5	12.7	12.3	13.2	14.4	8.3	12.4	136.9	13	-16036
	07 LST	11.7	9.1	7.0	5.2	7.3	8.1	11.5	9.4	10.0	11.1	5.9	9.1	105.2	13	-16036
	13 LST	8.7	7.5	6.1	4.2	3.1	4.7	7.8	7.9	8.7	9.3	5.0	7.2	80.2	13	-16036
	19 LST	10.4	8.3	7.2	3.8	3.3	3.8	6.7	7.7	8.1	10.5	6.4	10.7	86.9	13	-16036
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	26.4	22.3	26.2	26.8	30.0	29.3	30.6	30.1	27.9	27.8	24.5	26.7	328.6	13	-16036
	07 LST	26.6	21.8	25.3	26.5	30.0	29.3	30.7	30.0	26.7	26.7	25.3	26.7	325.6	13	-16036
	13 LST	26.4	21.6	26.4	26.5	29.8	29.1	31.0	30.4	28.3	28.5	25.0	26.4	329.4	13	-16036
	19 LST	25.2	21.5	26.7	27.2	30.3	29.0	30.8	30.5	26.9	27.4	23.7	25.6	324.8	13	-16036
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	21.3	18.7	20.8	20.3	24.2	24.4	27.3	27.1	24.7	23.3	19.7	21.0	271.8	13	-16036
	07 LST	21.8	18.7	21.5	20.3	25.6	26.3	28.3	27.0	23.4	23.3	18.5	21.1	276.0	13	-16036
	13 LST	22.0	18.6	21.1	19.7	23.1	21.7	27.4	27.3	24.4	24.5	19.2	21.4	270.4	13	-16036
	19 LST	21.1	18.1	20.3	19.3	23.6	22.8	26.8	26.7	22.7	22.3	17.8	20.3	261.8	13	-16036
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	18.6	16.5	16.8	15.3	18.6	18.3	21.2	21.6	20.5	19.8	13.7	17.9	218.8	13	-16036
	07 LST	19.1	16.4	16.3	15.4	18.5	19.0	21.6	20.0	18.6	19.0	13.7	17.0	214.6	13	-16036
	13 LST	18.7	16.4	17.2	15.1	17.2	16.4	22.8	22.3	19.9	20.5	15.0	16.5	218.0	13	-16036
	19 LST	17.6	16.2	15.8	14.3	17.2	16.7	20.8	20.8	17.3	19.8	14.3	16.6	207.4	13	-16036

RIVOLTO, ITALY

STA NO. 16045 (IN AREA NUMBER 02)

LATITUDE 4558N

LONGITUDE 01303E

ELEVATION(FT) 00167

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	59	69	72	80	86	91	98	94	92	82	68	61	98	11	-16036
MEAN MAX TMP (F)	44	46	53	61	70	76	81	80	75	65	55	46	63	11	-16036
MEAN MIN TMP (F)	29	29	37	45	53	59	62	62	57	47	41	32	46	11	-16036
ABS MIN TMP (F)	8	13	15	30	34	44	49	49	40	36	25	10	8	11	-16036
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.3	2.4	0.8	0.1	0.0	0.0	0.0	3.6	11	-16036
MEAN NO DYS TMP = DR LES 32(F)	21.7	19.2	9.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	3.0	18.2	71.2	11	-16036
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	-16036
MEAN DEW PT TMP (F)	28	29	36	44	51	58	60	60	55	47	41	32	45	11	-16036
MEAN REL HUM (PCT)	74	73	73	74	71	73	69	69	70	74	79	77	73	11	-16036
MEAN PRESS ALT (FT)	43	76	121	167	134	110	128	113	72	72	87	82	100	0	-50
MEAN PRECIP (IN)	2.89	2.67	4.41	6.29	4.16	5.69	4.40	3.56	4.09	6.18	8.33	6.54	59.2	10	-16036
MEAN SNOW FALL (IN)	0.8	1.7	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.4	10	-16036
MEAN NO DYS PRCP = DR GTR 0.1 IN	5.6	4.2	6.0	8.7	7.7	8.6	7.2	6.2	5.0	6.9	9.0	7.3	82.4	10	-16036
MEAN NO DYS SNPL = DR GTR 1.5 IN	0.2	0.3	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.9	10	-16036
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	4.1	4.9	2.4	0.6	0.1	0.2	0.3	0.3	0.4	1.0	2.6	3.8	20.7	11	-16036
MEAN NO DYS TSMS	0.0	0.2	1.1	5.5	9.8	13.6	11.1	9.0	4.2	3.1	1.9	0.7	60.2	11	-16036
P FREQ WND SPD = DR GTR 17 KTS	0.5	1.1	0.5	0.8	0.1	0.3	0.2	0.1	0.1	0.2	0.5	0.2	0.4	11	-16036
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	-16036
P FREQ LES 5000 FT A/D LES 5 MI	30.6	36.3	32.8	30.0	18.7	17.6	10.6	13.1	21.6	25.3	34.8	32.0	25.3	13	-16036
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	10.6	16.0	12.4	6.7	1.0	1.1	0.4	1.3	5.8	7.3	11.2	10.5	7.0	13	-16036
03-05 LST	11.1	15.4	10.8	7.7	1.8	1.4	0.8	1.3	7.2	7.5	11.3	9.4	7.1	13	-16036
06-08 LST	10.4	16.2	12.6	8.0	1.5	1.8	0.7	2.8	10.0	10.4	10.4	8.6	7.8	13	-16036
09-11 LST	12.1	16.7	12.5	7.2	1.2	1.1	0.4	0.4	7.2	8.6	11.2	11.0	7.5	13	-16036
12-14 LST	11.0	17.2	10.7	5.0	0.8	0.3	0.2	0.0	4.0	7.0	12.3	9.9	6.5	13	-16036
15-17 LST	12.3	15.8	9.9	3.6	1.2	0.8	0.6	0.5	3.9	7.2	13.7	14.6	7.0	13	-16036
18-20 LST	14.3	19.1	8.7	5.1	1.0	1.1	0.4	0.6	6.9	9.3	13.9	14.4	7.9	13	-16036
21-23 LST	12.4	17.3	9.8	5.5	1.3	0.7	0.4	0.8	5.7	8.2	11.3	11.2	7.1	13	-16036
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	5.4	7.2	2.2	0.6	0.1	0.0	0.1	0.1	0.6	1.8	3.1	4.3	2.1	13	-16036
03-05 LST	6.0	8.0	1.3	1.4	0.1	0.0	0.2	0.3	0.1	2.3	4.0	3.6	2.3	13	-16036
06-08 LST	5.2	8.6	3.2	0.8	0.1	0.1	0.1	0.3	2.6	3.4	4.6	3.8	2.7	13	-16036
09-11 LST	5.0	6.5	2.2	0.4	0.1	0.0	0.1	0.0	0.7	1.1	3.3	3.7	1.9	13	-16036
12-14 LST	3.9	3.6	1.3	0.1	0.0	0.0	0.1	0.0	0.2	0.8	2.1	2.4	1.2	13	-16036
15-17 LST	4.5	4.4	1.3	0.1	0.0	0.2	0.2	0.2	0.1	0.9	2.5	4.1	1.5	13	-16036
18-20 LST	6.0	7.4	1.3	0.1	0.0	0.1	0.2	0.0	0.4	2.2	3.4	4.8	2.2	13	-16036
21-23 LST	4.7	7.0	2.2	0.7	0.0	0.0	0.0	0.0	0.4	1.6	3.5	4.6	2.1	13	-16036

RIVOLTO, ITALY
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	28.0	23.5	27.7	28.3	30.8	29.8	30.9	30.6	28.3	29.0	26.9	28.2	342.0	13	-16036
	07 LST	28.0	23.8	27.3	28.5	30.6	29.8	30.9	30.2	27.4	28.0	27.5	28.9	340.9	13	-16036
	13 LST	27.9	23.9	23.2	29.4	30.9	29.9	31.0	31.0	29.0	29.3	26.6	28.6	345.7	13	-16036
	19 LST	26.8	23.0	28.2	28.8	30.8	29.7	30.8	30.8	27.9	28.3	26.1	26.7	337.9	13	-16036
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	26.3	22.1	25.5	25.8	30.2	28.7	30.1	29.8	27.8	27.8	24.8	26.5	325.4	13	-16036
	07 LST	26.6	22.3	25.3	25.7	29.6	28.8	30.2	29.9	26.6	26.6	25.3	27.2	324.3	13	-16036
	13 LST	26.6	20.8	24.4	24.4	27.8	28.1	30.0	29.3	27.3	27.3	24.5	26.2	316.9	13	-16036
	19 LST	25.0	21.1	25.6	25.9	29.1	28.3	29.8	29.8	26.4	27.0	23.6	25.5	317.1	13	-16036
SPC WND = GTR 17 KTS AND NO PRECIP.	01 LST	0.0	0.1	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.3	13	-16036
	07 LST	0.1	0.1	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.2	0.0	0.5	13	-16036
	13 LST	0.2	0.5	0.2	0.3	0.0	0.0	0.0	0.0	0.1	0.0	0.2	0.1	1.6	13	-16036
	19 LST	0.3	0.2	0.0	0.0	0.1	0.0	0.2	0.0	0.0	0.1	0.1	0.0	1.0	13	-16036
SPC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	4.3	6.4	14.1	13.0	14.3	11.3	11.0	12.8	12.3	13.0	9.0	6.0	127.3	13	-16036
	07 LST	3.0	5.0	11.8	8.3	8.1	6.7	7.3	7.8	11.0	12.2	9.7	6.5	97.4	13	-16036
	13 LST	7.3	9.3	14.4	14.9	15.6	13.6	16.8	16.1	13.9	10.4	8.0	6.5	147.0	13	-16036
	19 LST	5.4	9.6	10.6	9.1	9.3	8.3	10.2	8.2	8.5	13.2	9.1	8.7	116.2	13	-16036
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	13.5	11.7	11.2	8.8	8.9	9.5	12.7	12.3	13.2	14.4	8.3	12.4	136.9	13	-16036
	07 LST	11.7	9.1	7.0	5.2	7.3	8.1	11.3	9.4	10.0	11.1	5.9	9.1	105.2	13	-16036
	13 LST	8.7	7.5	6.1	4.2	3.1	4.7	7.8	7.9	8.7	9.3	5.0	7.2	80.2	13	-16036
	19 LST	10.4	6.3	7.2	3.8	3.3	3.8	6.7	7.7	8.1	10.5	6.4	10.7	86.9	13	-16036
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	26.4	22.3	26.2	26.8	30.0	29.3	30.6	30.1	27.9	27.8	24.5	26.7	328.6	13	-16036
	07 LST	26.6	21.8	25.3	26.5	30.0	29.3	30.7	30.0	26.7	26.7	25.3	26.7	325.6	13	-16036
	13 LST	26.4	21.6	26.4	26.5	29.8	29.1	31.0	30.4	28.3	28.5	25.0	26.4	329.4	13	-16036
	19 LST	25.2	21.3	26.7	27.2	30.3	29.0	30.8	30.5	26.9	27.4	23.7	25.6	324.8	13	-16036
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	21.3	18.7	20.8	20.3	24.2	24.4	27.3	27.1	24.7	23.3	18.7	21.0	271.8	13	-16036
	07 LST	21.8	18.7	21.5	20.3	25.8	26.3	28.3	27.0	23.4	23.3	18.5	21.1	276.0	13	-16036
	13 LST	22.0	18.6	21.1	19.7	23.1	21.7	27.4	27.3	24.4	24.5	19.2	21.4	270.4	13	-16036
	19 LST	21.1	18.1	20.3	19.3	23.6	22.8	26.8	26.7	22.7	22.3	17.8	20.3	261.8	13	-16036
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	18.6	16.5	16.8	15.3	18.6	18.3	21.2	21.6	20.5	19.8	13.7	17.9	218.8	13	-16036
	07 LST	19.1	16.4	16.3	15.4	18.5	19.0	21.6	20.0	18.6	19.0	13.7	17.0	214.6	13	-16036
	13 LST	18.7	16.4	17.2	15.1	17.2	16.4	22.8	22.3	19.9	20.5	15.0	16.5	218.0	13	-16036
	19 LST	17.6	16.2	15.8	14.3	17.2	16.7	20.8	20.8	17.3	19.8	14.3	16.6	207.4	13	-16036

TORINO CASELLE, ITALY

STA NO. 16061 (IN AREA NUMBER 02)

LATITUDE 4511N

LONGITUDE 00739E

ELEVATION(FT) 00986

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	60	72	76	86	84	95	98	98	95	81	68	57	98	10	-142
MEAN MAX TMP (F)	39	47	57	65	69	80	85	82	76	64	52	41	63	10	-142
MEAN MIN TMP (F)	26	30	39	46	53	59	64	63	57	49	37	28	46	10	-142
ABS MIN TMP (F)	-1	11	20	30	37	44	53	52	45	30	26	7	-1	10	-142
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0		8.1	4.7		0.0	0.0	0.0		10	-29
MEAN NO DYS TMP = DR LES 32(F)				0.0	0.0	0.0	0.0	0.0	0.0	0.0				10	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN DEW PT TMP (F)	30	32	36	42	50	56	60	60	56	46	37	31	45	0	-50
MEAN REL HUM (PCT)	88	76	73	71	79	68	65	68	75	84	85	86	77	10	-142
MEAN PRESS ALT (FT)	854	894	941	974	946	917	927	923	889	893	913	900	914	0	-50
MEAN PRECIP (IN)	1.21	0.89	1.89	3.33	6.31	1.57	1.36	1.97	2.19	2.07	1.02	1.30	25.1	10	-142
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0	0.0				10	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	4.0	2.9	5.8	7.2	9.8	4.6	4.0	5.5	6.0	5.8	3.6	4.3	63.5	10	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0	0.0				10	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

TORINO CASELLE, ITALY
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR	NO.
															(YRS)	UBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0

DATA NOT AVAILABLE

CAMERI, ITALY

STA NO. 16004 (IN AREA NUMBER 02)

LATITUDE 4531N LONGITUDE 00839E ELEVATION(FT) 00590

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	64	69	76	86	89	94	96	96	88	80	69	60	96	10	-16080
MEAN MAX TMP (F)	40	47	56	66	72	80	84	82	76	64	51	42	63	10	-16080
MEAN MIN TMP (F)	29	33	38	46	54	61	64	63	58	49	39	33	47	10	-16080
ABS MIN TMP (F)	5	4	19	28	40	42	51	49	42	31	23	8	4	10	-16080
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.4	2.4	1.0	0.0	0.0	0.0	0.0	3.8	7	-16080
MEAN NO DYS TMP = DR LES 32(F)	21.9	13.2	6.7	0.5	0.0	0.0	0.0	0.0	0.0	0.0	6.0	13.4	67.7	7	-16080
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	-16080
MEAN DEN PT TMP (F)	31	29	37	44	52	58	62	62	57	50	40	36	47	6	-16080
MEAN REL HUM (PCT)	86	80	77	72	73	70	73	74	77	84	86	92	79	10	-16080
MEAN PRESS ALT (FT)	456	498	546	574	547	517	525	524	492	497	520	506	517	0	-50
MEAN PRECIP (IN)	2.40	2.32	2.84	3.43	3.86	3.19	2.72	3.11	3.35	4.65	4.29	3.03	39.2	99	-16080
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0	0.0				10	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	7.3	7.1	6.9	7.3	7.4	7.7	7.0	7.6	7.9	9.2	8.9	8.5	92.8	99	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0	0.0				10	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	25.2	16.9	10.0	1.6	1.4	0.8	1.2	2.2	5.8	16.4	22.2	26.8	130.5	6	-16080
MEAN NO DYS TSMS	0.2	0.4	0.6	2.4	4.0	8.0	9.7	5.2	4.0	1.4	0.2	0.2	36.3	6	-16080
P FREQ WND SPD = DR GTR 17 KTS	0.1	0.1	0.4	0.8	0.1	0.1	0.4	0.1	0.0	0.1	0.3	0.1	0.2	6	-16080
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	-16080
P FREQ LES 5000 FT A/D LES 5 MI	98.2	98.2	90.7	81.6	61.3	61.4	60.4	64.2	81.5	90.3	94.0	98.2	81.7	6	-16080
P FREQ LES 1900 FT A/D LES 3 MI															
FDR 00-02 LST	89.4	83.8	51.7	24.8	7.1	9.7	3.4	8.5	39.3	75.2	83.2	94.2	47.3	6	-16080
03-05 LST	88.9	83.3	56.5	29.8	15.3	12.8	11.2	20.8	49.3	77.6	84.7	93.4	52.0	6	-16080
06-08 LST	92.2	86.1	81.5	55.7	35.5	31.9	30.6	47.0	74.6	84.9	86.3	94.2	66.7	6	-16080
09-11 LST	97.4	91.8	75.0	43.1	22.7	12.6	11.2	24.5	59.2	74.8	92.9	98.0	58.6	6	-16080
12-14 LST	90.6	85.8	46.4	18.9	7.1	3.4	3.3	6.3	17.9	54.4	78.5	95.5	42.4	6	-16080
15-17 LST	86.4	78.5	27.5	12.6	6.5	2.0	3.4	3.2	6.3	38.2	72.4	94.1	35.9	6	-16080
18-20 LST	92.9	85.8	36.7	11.2	5.2	4.7	4.1	5.2	13.6	57.6	81.6	96.1	41.2	6	-16080
21-23 LST	90.8	82.7	43.8	16.1	5.2	4.8	2.8	4.6	21.4	65.1	86.2	95.4	43.2	6	-16080
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	66.9	42.6	9.9	2.1	0.6	0.0	0.0	0.7	2.8	25.5	51.0	69.5	22.6	6	-16080
03-05 LST	66.7	49.3	18.2	1.4	1.9	0.7	0.0	0.0	10.1	31.5	54.7	72.4	25.6	6	-16080
06-08 LST	68.2	56.2	33.1	12.9	3.9	4.4	3.5	8.1	31.2	46.8	58.3	70.8	33.1	6	-16080
09-11 LST	82.1	70.1	33.1	8.3	2.6	0.0	0.0	0.7	11.3	38.1	67.4	86.2	33.3	6	-16080
12-14 LST	72.5	50.0	13.1	0.7	1.9	0.0	0.0	0.0	2.1	18.1	56.9	81.8	24.8	6	-16080
15-17 LST	63.6	33.3	9.2	0.7	0.0	0.7	0.7	0.6	0.0	7.9	46.2	73.2	19.7	6	-16080
18-20 LST	64.3	38.8	12.7	0.7	0.0	0.7	0.0	0.0	1.4	13.9	39.5	69.5	20.1	6	-16080
21-23 LST	64.5	36.1	9.2	0.7	0.0	0.7	1.4	0.0	2.8	20.8	48.3	75.0	21.6	6	-16080

CAMERI, ITALY

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	3.2	5.1	15.6	23.1	28.9	27.5	29.9	28.5	18.6	7.6	5.0	2.0	199.0	6	-16080
	07 LST	2.4	4.0	5.7	13.2	20.1	20.8	21.7	16.4	7.8	4.6	4.3	1.8	122.8	6	-16080
	13 LST	2.9	4.1	16.8	25.3	29.2	29.5	30.1	29.1	24.8	14.3	6.4	1.6	214.1	6	-16080
	19 LST	2.2	3.9	20.0	27.2	29.6	28.8	30.1	29.6	26.1	13.3	5.7	1.2	217.7	6	-16080
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	01 LST	2.6	3.9	13.9	21.3	28.1	26.4	29.3	28.3	18.0	7.6	4.0	1.8	185.2	6	-16080
	07 LST	2.2	3.2	5.7	12.4	19.3	20.2	20.4	16.2	7.3	4.4	3.8	1.4	116.5	6	-16080
	13 LST	2.0	3.1	14.4	21.8	27.6	27.5	28.7	28.5	24.0	13.3	5.6	1.0	197.5	6	-16080
	19 LST	2.0	3.5	17.3	23.9	27.0	27.0	28.6	29.0	25.5	12.7	4.2	1.2	201.9	6	-16080
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	-16080
	07 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.4	6	-16080
	13 LST	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.2	0.8	6	-16080
	19 LST	0.0	0.0	0.2	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	6	-16080
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	3.2	4.8	10.4	10.1	12.6	11.4	13.9	6.8	6.7	5.2	4.2	7.2	98.5	6	-16080
	07 LST	3.0	1.8	8.2	6.8	7.0	6.7	5.8	4.4	2.8	3.6	4.6	4.2	58.9	6	-16080
	13 LST	8.5	8.2	15.0	15.6	19.5	20.2	19.4	16.6	12.8	12.8	10.8	9.2	188.6	6	-16080
	19 LST	7.6	4.7	10.0	9.3	14.0	14.6	12.7	8.0	5.8	4.2	5.4	8.0	104.3	6	-16080
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	2.0	2.9	8.8	12.6	14.8	11.8	17.4	16.6	10.0	3.7	3.4	1.0	105.0	6	-16080
	07 LST	1.4	2.5	2.6	4.2	5.6	4.8	7.0	6.2	3.0	0.6	2.2	1.2	41.3	6	-16080
	13 LST	1.2	2.1	7.6	9.4	9.8	5.8	12.9	11.2	10.0	5.4	4.0	1.2	80.6	6	-16080
	19 LST	1.0	1.5	10.4	8.0	10.0	8.0	13.0	13.2	13.2	8.2	3.6	0.8	90.9	6	-16080
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	3.2	4.1	13.9	20.8	26.5	25.0	28.2	26.5	16.9	7.6	4.4	1.8	178.9	6	-16080
	07 LST	2.4	3.4	3.3	12.2	18.9	18.8	19.8	15.3	6.5	4.4	3.6	1.6	112.2	6	-16080
	13 LST	2.7	3.7	15.8	21.1	26.0	25.2	27.2	26.7	22.7	13.7	6.0	1.4	192.2	6	-16080
	19 LST	2.2	3.7	18.8	24.3	27.6	26.0	27.8	28.4	24.4	12.7	5.1	1.2	202.2	6	-16080
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	2.8	3.7	11.4	17.7	20.5	19.4	23.9	22.4	13.2	5.6	4.0	1.4	146.0	6	-16080
	07 LST	2.2	3.2	3.4	7.2	12.8	12.4	15.9	12.2	4.3	2.4	3.0	1.6	80.6	6	-16080
	13 LST	2.0	2.7	12.9	16.9	21.4	19.7	22.5	22.2	18.6	11.6	5.6	1.4	157.3	6	-16080
	19 LST	1.6	2.0	16.1	20.7	22.4	21.2	24.5	24.6	21.2	11.0	4.8	0.8	170.9	6	-16080
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	2.8	3.7	11.4	17.7	20.5	19.4	23.9	22.4	13.2	5.6	4.0	1.4	146.0	6	-16080
	07 LST	2.2	3.2	3.4	7.2	12.8	12.4	15.9	12.2	4.3	2.4	3.0	1.6	80.6	6	-16080
	13 LST	2.0	2.7	12.9	16.9	21.4	19.7	22.5	22.2	18.6	11.4	5.6	1.4	157.3	6	-16080
	19 LST	1.6	2.0	16.1	20.7	22.4	21.2	24.5	24.6	21.2	11.0	4.8	0.8	170.9	6	-16080

MILANO/MALPENSA, ITALY

STA NO. 16086 (IN AREA NUMBER 02)

LATITUDE 4537N

LONGITUDE 00843E

ELEVATION(FT) 00767

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	64	69	76	86	89	94	96	96	88	80	69	60	96	10	-16080
MEAN MAX TMP (F)	40	47	56	66	72	80	84	82	76	64	51	42	53	10	-16080
MEAN MIN TMP (F)	29	33	38	46	54	61	64	63	58	49	39	33	47	10	-16080
ABS MIN TMP (F)	5	4	19	28	40	42	51	49	42	31	23	8	4	10	-16080
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.4	2.4	1.0	0.0	0.0	0.0	0.0	3.8	7	-16080
MEAN NO DYS TMP = DR LES 32(F)	21.9	19.2	6.7	0.5	0.0	0.0	0.0	0.0	0.0	0.0	6.0	13.4	67.7	7	-16080
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	-16080
MEAN DEW PT TMP (F)	31	29	37	44	52	58	62	62	57	50	40	36	47	6	-16080
MEAN REL HUM (PCT)	86	80	77	72	73	70	73	74	77	84	86	92	79	10	-16080
MEAN PRESS ALT (FT)	633	673	723	750	723	694	702	700	669	674	698	684	694	0	-50
MEAN PRECIP (IN)	2.40	2.32	2.84	3.43	3.86	3.19	2.72	3.11	3.35	4.65	4.29	3.03	39.2	99	-16080
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	7.3	7.1	6.9	7.3	7.4	7.7	7.0	7.6	7.9	9.2	8.9	8.5	92.8	99	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	29.2	16.9	10.0	1.6	1.4	0.8	1.2	2.2	3.8	16.4	22.2	26.8	130.5	6	-16080
MEAN NO DYS TSTMS	0.2	0.4	0.6	2.4	4.0	8.0	9.7	3.2	4.0	1.4	0.2	0.2	36.3	6	-16080
P FREQ WND SPD = DR GTR 17 KTS	0.1	0.1	0.4	0.8	0.1	0.1	0.4	0.1	0.0	0.1	0.3	0.1	0.2	6	-16080
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	-16080
P FREQ LES 5000 FT A/D LES 3 MI	98.2	98.2	90.7	81.6	61.3	61.4	60.4	64.2	81.3	90.5	94.0	98.2	81.7	6	-16080
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	89.4	83.8	51.7	24.8	7.1	9.7	3.4	8.5	39.3	73.2	83.2	94.2	47.5	6	-16080
03-05 LST	88.9	83.3	56.5	29.8	15.5	12.8	11.2	20.8	49.3	77.6	84.7	93.4	52.0	6	-16080
06-08 LST	92.2	86.1	81.5	55.7	35.5	31.9	30.6	47.0	74.6	84.9	86.3	94.2	66.7	6	-16080
09-11 LST	97.4	91.8	75.0	43.1	22.7	12.6	11.2	24.3	39.2	74.8	92.9	98.0	38.6	6	-16080
12-14 LST	90.6	85.8	46.4	18.9	7.1	3.4	3.3	6.3	17.9	54.4	78.5	95.5	42.4	6	-16080
15-17 LST	86.4	78.5	27.5	12.6	6.5	2.0	3.4	3.2	6.3	38.2	72.4	94.1	35.9	6	-16080
18-20 LST	92.9	85.8	36.7	11.2	5.2	4.7	4.1	5.2	13.6	37.6	81.6	96.1	41.2	6	-16080
21-23 LST	90.8	82.7	43.8	16.1	5.2	4.8	2.8	4.6	21.4	65.1	86.2	95.4	43.2	6	-16080
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	66.9	42.6	9.9	2.1	0.6	0.0	0.0	0.7	2.8	25.3	51.0	69.5	22.6	6	-16080
03-05 LST	66.7	49.3	18.2	1.4	1.9	0.7	0.0	0.0	10.1	31.3	54.7	72.4	25.6	6	-16080
06-08 LST	68.2	56.2	33.1	12.9	3.9	4.4	3.5	8.1	31.2	46.8	58.3	70.8	33.1	6	-16080
09-11 LST	82.1	70.1	33.1	8.3	2.6	0.0	0.0	0.7	11.3	38.1	67.4	86.2	33.3	6	-16080
12-14 LST	72.3	50.0	13.1	0.7	1.9	0.0	0.0	0.0	2.1	18.1	36.9	81.8	24.8	6	-16080
15-17 LST	63.6	33.3	9.2	0.7	0.0	0.7	0.7	0.6	0.0	7.9	46.2	73.2	19.7	6	-16080
18-20 LST	64.3	38.8	12.7	0.7	0.0	0.7	0.0	0.0	1.4	13.9	39.3	69.3	20.1	6	-16080
21-23 LST	64.3	36.1	9.2	0.7	0.0	0.7	1.4	0.0	2.8	20.8	48.3	75.0	21.6	6	-16080

MILANO/MALPENSA, ITALY
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	3.2	5.1	15.6	23.1	28.9	27.5	29.9	28.5	18.6	7.6	5.0	2.0	195.0	6	-16080
	07 LST	2.4	4.0	5.7	13.2	20.1	20.8	21.7	16.4	7.8	4.6	4.3	1.8	122.8	6	-16080
	13 LST	2.9	4.1	16.8	25.3	29.2	29.5	30.1	29.1	24.8	14.3	6.4	1.6	214.1	6	-16080
	19 LST	2.2	3.9	20.0	27.2	29.6	28.8	30.1	29.6	26.1	13.3	5.7	1.2	217.7	6	-16080
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	2.6	3.9	13.9	21.3	28.1	26.4	29.3	28.3	18.0	7.6	4.0	1.8	185.2	6	-16080
	07 LST	2.2	3.2	5.7	12.4	19.3	20.2	20.4	16.2	7.3	4.4	3.8	1.4	116.5	6	-16080
	13 LST	2.0	3.1	14.4	21.8	27.6	27.5	28.7	28.5	24.0	13.3	5.6	1.0	197.5	6	-16080
	19 LST	2.0	3.5	17.3	23.9	27.0	27.0	28.6	29.0	25.5	12.7	4.2	1.2	201.9	6	-16080
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	-16080
	07 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.4	6	-16080
	13 LST	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.2	0.8	6	-16080
	19 LST	0.0	0.0	0.2	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	6	-16080
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	5.2	4.8	10.4	10.1	12.6	11.4	13.9	6.8	6.7	5.2	4.2	7.2	98.5	6	-16080
	07 LST	3.0	1.8	8.2	6.8	7.0	6.7	5.8	4.4	2.8	3.6	4.6	4.2	58.9	6	-16080
	13 LST	8.5	8.2	15.0	15.6	19.5	20.2	19.4	16.6	12.8	12.8	10.8	9.2	168.6	6	-16080
	19 LST	7.6	4.7	10.0	9.3	14.0	14.6	12.7	8.0	5.8	4.2	5.4	8.0	104.3	6	-16080
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	2.0	2.9	8.8	12.6	14.8	11.8	17.4	16.6	10.0	3.7	3.4	1.0	105.0	6	-16080
	07 LST	1.4	2.5	2.6	4.2	5.6	4.8	7.0	6.2	3.0	0.6	2.2	1.2	41.3	6	-16080
	13 LST	1.2	2.1	7.6	9.4	9.8	5.8	12.9	11.2	10.0	3.4	4.0	1.2	80.6	6	-16080
	19 LST	1.0	1.5	10.4	8.0	10.0	8.0	13.0	13.2	13.2	8.2	3.6	0.8	90.9	6	-16080
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	3.2	4.1	13.9	20.8	26.5	25.0	28.2	26.5	16.9	7.6	4.4	1.8	178.9	6	-16080
	07 LST	2.4	3.4	5.3	12.2	18.9	18.8	19.8	15.3	6.5	4.4	3.6	1.6	112.2	6	-16080
	13 LST	2.7	3.7	15.8	21.1	26.0	25.2	27.2	26.7	22.7	13.7	6.0	1.4	192.2	6	-16080
	19 LST	2.2	3.7	18.8	24.3	27.6	26.0	27.8	28.4	24.4	12.7	5.1	1.2	202.2	6	-16080
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	2.8	3.7	11.4	17.7	20.5	19.4	23.9	22.4	13.2	5.6	4.0	1.4	146.0	6	-16080
	07 LST	2.2	3.2	3.4	7.2	12.8	12.4	15.9	12.2	4.3	2.4	3.0	1.6	80.6	6	-16080
	13 LST	2.0	2.7	12.9	16.9	21.4	19.7	22.5	22.2	18.6	11.6	5.6	1.4	157.5	6	-16080
	19 LST	1.6	2.0	16.1	20.7	22.4	21.2	24.5	24.6	21.2	11.0	4.8	0.8	170.9	4	-16080
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	2.8	3.7	11.4	17.7	20.5	19.4	23.9	22.4	13.2	5.6	4.0	1.4	146.0	6	-16080
	07 LST	2.2	3.2	3.4	7.2	12.8	12.4	15.9	12.2	4.3	2.4	3.0	1.6	80.6	6	-16080
	13 LST	2.0	2.7	12.9	16.9	21.4	19.7	22.5	22.2	18.6	11.4	5.6	1.4	157.3	6	-16080
	19 LST	1.6	2.0	16.1	20.7	22.4	21.2	24.5	24.6	21.2	11.0	4.8	0.8	170.9	6	-16080

BERGAMO-ORIO AL SERIO, ITALY

STA NO. 16076 (IN AREA NUMBER 02)

LATITUDE 4540N

LONGITUDE 00942E

ELEVATION(FT) 00781

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	58	71	74	82	88	91	99	97	89	79	68	61	99	10	-142
MEAN MAX TMP (F)	42	47	58	64	71	78	83	81	75	63	52	44	63	10	-142
MEAN MIN TMP (F)	29	32	38	46	53	59	63	62	58	49	39	32	47	10	-142
ABS MIN TMP (F)	11	15	19	31	39	43	48	47	41	29	24	12	11	10	-142
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.4	2.4	1.0	0.0	0.0	0.0	0.0	3.8	7	-16080
MEAN NO DYS TMP = DR LES 32(F)	21.9	19.2	6.7	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13.4	67.7	7	-16080
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	-16080
MEAN DEW PT TMP (F)	28	30	37	44	52	56	60	60	57	49	39	32	45	10	-29
MEAN REL HUM (PCT)	77	72	70	70	72	68	68	70	73	78	79	80	73	10	-142
MEAN PRESS ALT (FT)	644	688	727	760	735	705	710	712	682	688	714	698	706	0	-50
MEAN PRECIP (IN)	2.38	2.08	2.20	3.41	4.12	3.77	3.34	3.51	4.78	3.88	4.06	2.97	40.5	10	-142
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0	0.0				10	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	7.2	6.5	6.3	7.3	7.8	8.5	7.9	8.2	9.3	8.5	8.7	8.4	94.3	10	-29
MEAN NO DYS SNPL = DR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0	0.0				10	-29
MEAN NO DYS W/DCUR VSUY LES 1/2 MI	25.2	16.9	10.0	1.6	1.4	0.8	1.2	2.2	5.8	16.4	22.2	26.8	130.5	6	-16080
MEAN NO DYS TSTMS	0.2	0.4	0.6	2.4	4.0	8.0	9.7	5.2	4.0	1.4	0.2	0.2	36.3	6	-16080
P FREQ WND SPD = DR GTR 17 KTS	0.1	0.1	0.4	0.8	0.1	0.1	0.4	0.1	0.0	0.1	0.3	0.1	0.2	6	-16080
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	-16080
P FREQ LES 5000 FT A/D LES 5 MI	98.2	98.2	90.7	81.6	61.3	61.4	60.4	64.2	81.5	90.5	94.0	98.2	81.7	6	-16080
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	89.4	82.8	51.7	24.8	7.1	9.7	3.4	8.5	39.3	75.2	83.2	94.2	47.5	6	-16080
03-05 LST	88.9	83.3	56.5	29.8	15.5	12.8	11.2	20.8	49.3	77.6	84.7	93.4	52.0	6	-16080
06-08 LST	92.2	86.1	81.5	55.7	35.5	31.9	30.6	47.0	74.6	84.9	86.3	94.2	66.7	6	-16080
09-11 LST	97.4	91.8	75.0	43.1	22.7	12.6	11.2	24.5	59.2	74.8	92.9	98.0	58.6	6	-16080
12-14 LST	90.6	85.8	46.4	18.9	7.1	3.4	3.3	6.5	17.9	54.4	78.5	95.5	42.4	6	-16080
15-17 LST	86.4	78.5	27.5	12.6	6.5	2.0	3.4	3.2	6.3	38.2	72.4	94.1	33.9	6	-16080
18-20 LST	92.9	85.8	36.7	11.2	5.2	4.7	4.1	5.2	13.6	57.6	81.6	96.1	41.2	6	-16080
21-23 LST	90.8	82.7	43.8	16.1	5.2	4.8	2.8	4.6	21.4	65.1	86.2	95.4	43.2	6	-16080
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	66.9	42.6	9.9	2.1	0.6	0.0	0.0	0.7	2.8	25.5	51.0	69.5	22.6	6	-16080
03-05 LST	66.7	49.3	18.2	1.4	1.9	0.7	0.0	0.0	10.1	31.5	54.7	72.4	25.6	6	-16080
06-08 LST	68.2	56.2	33.1	12.9	3.9	4.4	3.5	8.1	31.2	46.8	58.3	70.8	33.1	6	-16080
09-11 LST	82.1	70.1	33.1	8.3	2.6	0.0	0.0	0.7	11.3	38.1	67.4	86.2	33.3	6	-16080
12-14 LST	72.5	50.0	13.1	0.7	1.9	0.0	0.0	0.0	2.1	18.1	56.9	81.8	24.8	6	-16080
15-17 LST	63.6	33.3	9.2	0.7	0.0	0.7	0.6	0.0	7.9	46.2	73.2	19.7	6	-16080	
18-20 LST	64.3	38.8	12.7	0.7	0.0	0.7	0.0	0.0	1.4	13.9	39.5	69.5	20.1	6	-16080
21-23 LST	64.5	36.1	9.2	0.7	0.0	0.7	1.4	0.0	2.8	20.8	48.3	75.0	21.6	6	-16080

BERGAMO-ORIO AL SERIO, ITALY

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	3.2	5.1	15.6	23.1	28.9	27.5	29.9	28.5	18.6	7.6	5.0	2.0	199.0	6	-16080
	07 LST	2.4	4.0	5.7	13.2	20.1	20.8	21.7	16.4	7.8	4.6	4.3	1.8	122.8	6	-16080
	13 LST	2.9	4.1	16.8	25.3	29.2	29.5	30.1	29.1	24.8	14.3	6.4	1.6	214.1	6	-16080
	19 LST	2.2	3.9	20.0	27.2	29.6	28.8	30.1	29.6	26.1	13.3	5.7	1.2	217.7	6	-16080
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	2.6	3.9	13.9	21.3	28.1	26.4	29.3	28.3	18.0	7.6	4.0	1.8	185.2	6	-16080
	07 LST	2.2	3.2	5.7	12.4	19.3	20.2	20.4	16.2	7.3	4.4	3.8	1.4	116.5	6	-16080
	13 LST	2.0	3.1	14.4	21.8	27.6	27.5	28.7	28.5	24.0	13.3	5.6	1.0	197.5	6	-16080
	19 LST	2.0	3.5	17.3	23.9	27.0	27.0	28.6	29.0	25.5	12.7	4.2	1.2	201.9	6	-16080
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	-16080
	07 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.4	6	-16080
	13 LST	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.2	0.8	6	-16080
	19 LST	0.0	0.0	0.2	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	6	-16080
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	5.2	4.8	10.4	10.1	12.6	11.4	13.9	6.8	6.7	5.2	4.2	7.2	98.5	6	-16080
	07 LST	3.0	1.8	8.2	6.8	7.0	6.7	5.8	4.4	2.8	3.6	4.6	4.2	58.9	6	-16080
	13 LST	8.5	8.2	15.0	15.6	19.5	20.2	19.4	16.6	12.8	12.8	10.8	9.2	168.6	6	-16080
	19 LST	7.6	4.7	10.0	9.3	14.0	14.6	12.7	8.0	5.8	4.2	5.4	8.0	104.3	6	-16080
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	2.0	2.9	8.8	12.6	14.8	11.8	17.4	16.6	10.0	3.7	3.4	1.0	105.0	6	-16080
	07 LST	1.4	2.5	2.6	4.2	5.6	4.8	7.0	6.2	3.0	0.6	2.2	1.2	41.3	6	-16080
	13 LST	1.2	2.1	7.6	9.4	9.8	5.8	12.9	11.2	10.0	5.4	4.0	1.2	80.6	6	-16080
	19 LST	1.0	1.5	10.4	8.0	10.0	8.0	13.0	13.2	13.2	8.2	3.6	0.8	90.9	6	-16080
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	3.2	4.1	13.9	20.8	26.5	25.0	28.2	26.5	16.9	7.6	4.4	1.8	178.9	6	-16080
	07 LST	2.4	3.4	5.3	12.2	18.9	18.8	19.8	15.3	6.5	4.4	3.6	1.6	112.2	6	-16080
	13 LST	2.7	3.7	15.8	21.1	26.0	25.2	27.2	26.7	22.7	13.7	6.0	1.4	192.2	6	-16080
	19 LST	2.2	3.7	18.8	24.3	27.6	26.0	27.8	28.4	24.4	12.7	5.1	1.2	202.2	6	-16080
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	2.8	3.7	11.4	17.7	20.5	19.4	23.9	22.4	13.2	5.6	4.0	1.4	146.0	6	-16080
	07 LST	2.2	3.2	3.4	7.2	12.8	12.4	15.9	12.4	4.3	2.4	3.0	1.6	80.6	6	-16080
	13 LST	2.0	2.7	12.9	16.9	21.4	19.7	22.5	22.2	18.6	11.6	5.6	1.4	157.5	6	-16080
	19 LST	1.6	2.0	16.1	20.7	23.4	21.2	24.5	24.6	21.2	11.0	4.8	0.8	170.9	6	-16080
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	2.8	3.7	11.4	17.7	20.5	19.4	23.9	22.4	13.2	5.6	4.0	1.4	146.0	6	-16080
	07 LST	2.2	3.2	3.4	7.2	12.8	12.4	15.9	12.2	4.3	2.4	3.0	1.6	80.6	6	-16080
	13 LST	2.0	2.7	12.9	16.9	21.4	19.7	22.5	22.2	18.6	11.4	5.6	1.4	157.5	6	-16080
	19 LST	1.6	2.0	16.1	20.7	22.4	21.2	24.5	24.6	21.2	11.0	4.8	0.8	170.9	6	-16080

MILANO/LINATE, ITALY

STA NO. 16080 (IN AREA NUMBER 02)

LATITUDE 4927N LONGITUDE 00916E ELEVATION(FT) 00352

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	64	69	76	86	89	94	96	96	88	80	69	60	96	10	-528
MEAN MAX TMP (F)	40	47	56	66	72	80	84	82	76	64	51	42	63	10	-28
MEAN MIN TMP (F)	29	33	38	46	54	61	64	63	58	49	39	33	47	10	-28
ABS MIN TMP (F)	5	4	19	28	40	42	51	49	42	31	23	8	4	10	-528
MEAN NO OYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.4	2.4	1.0	0.0	0.0	0.0	0.0	3.8	7	1904
MEAN NO OYS TMP = OR LES 32(F)	21.9	19.2	6.7	0.5	0.0	0.0	0.0	0.0	0.0	0.0	6.0	13.4	67.7	7	1890
MEAN NO OYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	1890
MEAN OEW PT TMP (F)	31	29	37	44	52	58	62	62	57	50	40	36	47	6	14388
MEAN REL HUM (PCT)	86	80	77	72	73	70	73	74	77	84	86	92	79	10	-28
MEAN PRESS ALT (FT)	215	259	308	333	307	277	284	284	253	259	283	268	278	0	-50
MEAN PRECIP (IN)	2.40	2.32	2.84	3.43	3.86	3.19	2.72	3.11	3.35	4.65	4.29	3.03	39.2	99	-122
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0	0.0				10	-29
MEAN NO OYS PRCP = OR GTR 0.1 IN	7.3	7.1	6.9	7.3	7.4	7.7	7.0	7.6	7.9	9.2	8.9	8.3	92.8	99	-29
MEAN NO OYS SNFL = OR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0	0.0				10	-29
MEAN NO OYS W/DCUR VSBY LES 1/2 MI	23.2	16.9	10.0	1.6	1.4	0.8	1.2	2.2	5.8	16.4	22.2	26.8	130.3	6	1824
MEAN NO OYS TSTMS	0.2	0.4	0.6	2.4	4.0	8.0	9.7	5.2	4.0	1.4	0.2	0.2	36.3	6	1824
P FREQ WND SPD = OR GTR 17 KTS	0.1	0.1	0.4	0.8	0.1	0.1	0.4	0.1	0.0	0.1	0.3	0.1	0.2	6	43456
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	43456
P FREQ LES 5000 FT A/D LES 5 MI	98.2	98.2	90.7	81.6	61.3	61.4	60.4	64.2	81.5	90.5	94.0	98.2	81.7	6	13782
P FREQ LES 1900 FT A/D LES 3 MI															
FOR 00-02 LST	89.4	83.8	51.7	24.8	7.1	9.7	3.4	8.5	39.3	75.2	83.2	94.2	47.5	6	1772
03-05 LST	88.9	83.3	56.5	29.8	15.5	12.8	11.2	20.8	49.3	77.6	84.7	93.4	52.0	6	1759
06-08 LST	92.2	86.1	81.5	33.7	33.5	31.9	30.6	47.0	74.6	84.9	86.3	94.2	66.7	6	1732
09-11 LST	97.4	91.8	75.0	43.1	22.7	12.6	11.2	24.5	59.2	74.8	92.9	98.0	58.6	6	1738
12-14 LST	90.6	85.8	46.4	18.9	7.1	3.4	3.3	6.5	17.9	54.4	78.5	95.5	42.4	6	1775
15-17 LST	86.4	78.5	27.5	12.6	6.5	2.0	3.4	3.2	6.3	38.2	72.4	94.1	35.9	6	1783
18-20 LST	92.9	85.8	35.7	11.2	5.2	4.7	4.1	5.2	13.6	57.6	81.6	96.1	41.2	6	1788
21-23 LST	90.8	82.7	43.8	16.1	5.2	4.8	2.8	4.6	21.4	65.1	86.2	95.4	43.2	6	1763
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	66.9	42.6	9.9	2.1	0.6	0.0	0.0	0.7	2.8	25.5	51.0	69.5	22.6	6	1772
03-05 LST	66.7	49.3	18.2	1.4	1.9	0.7	0.0	0.0	10.1	31.5	54.7	72.4	25.6	6	1759
06-08 LST	68.2	56.2	33.1	12.9	3.9	4.4	3.5	8.1	31.2	46.8	58.3	70.8	33.1	6	1732
09-11 LST	82.1	70.1	33.1	8.3	2.6	0.0	0.0	0.7	11.3	38.1	67.4	86.2	33.3	6	1738
12-14 LST	72.5	50.0	13.1	6.7	1.9	0.0	0.0	0.0	2.1	18.1	56.9	81.8	24.8	6	1775
15-17 LST	63.6	33.3	9.2	0.7	0.0	0.7	0.7	0.6	0.0	7.9	46.2	73.2	19.7	6	1783
18-20 LST	64.3	38.8	12.7	0.7	0.0	0.7	0.0	0.0	1.4	13.9	39.5	69.5	20.1	6	1788
21-23 LST	64.5	36.1	9.2	0.7	0.0	0.7	1.4	0.0	2.8	20.8	48.3	75.0	21.6	6	1763

MILANO/LINATE, ITALY

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	3.2	5.1	15.6	23.1	28.9	27.5	29.9	28.5	18.6	7.6	5.0	2.0	195.0	6	1771
	07 LST	2.4	4.0	5.7	13.2	20.1	20.8	21.7	16.4	7.8	4.6	4.3	1.8	122.8	6	1732
	13 LST	2.9	4.1	16.8	25.3	29.2	29.5	30.1	29.1	24.8	14.3	6.4	1.6	214.1	6	1775
	19 LST	2.2	3.9	20.0	27.2	29.6	28.8	30.1	29.6	26.1	13.3	5.7	1.2	217.7	6	1788
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	01 LST	2.6	3.9	13.9	21.3	28.1	26.4	29.3	28.3	18.0	7.6	4.0	1.6	185.2	6	1771
	07 LST	2.2	3.2	5.7	12.4	19.3	20.2	20.4	16.2	7.3	4.4	3.8	1.4	116.3	6	1731
	13 LST	2.0	3.1	14.4	21.8	27.6	27.5	28.7	28.5	24.0	13.3	5.6	1.0	197.5	6	1773
	19 LST	2.0	3.5	17.3	23.9	27.0	27.0	28.6	29.0	25.5	12.7	4.2	1.2	201.9	6	1787
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	1828
	07 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.4	6	1825
	13 LST	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.2	0.8	6	1824
	19 LST	0.0	0.0	0.2	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	6	1827
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	5.2	4.8	10.4	10.1	12.6	11.4	13.9	6.8	6.7	5.2	4.2	7.2	98.5	6	1801
	07 LST	3.0	1.8	8.2	6.8	7.0	6.7	5.8	4.4	2.8	3.6	4.6	4.2	58.9	6	1800
	13 LST	8.5	8.2	15.0	15.6	19.3	20.2	19.4	16.6	12.8	12.8	10.8	9.2	168.6	6	1798
	19 LST	7.6	4.7	10.0	9.3	14.0	14.6	12.7	8.0	5.8	4.2	5.4	8.0	104.5	6	1806
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	2.0	2.9	8.8	12.6	14.8	11.8	17.4	16.6	10.0	3.7	3.4	1.0	105.0	6	1828
	07 LST	1.4	2.5	2.6	4.2	5.6	4.8	7.0	6.2	3.0	0.6	2.2	1.2	41.3	6	1825
	13 LST	1.2	2.1	7.6	9.4	9.8	5.8	12.9	11.2	10.0	5.4	4.0	1.2	80.6	6	1823
	19 LST	1.0	1.3	10.4	8.0	10.0	8.0	13.0	13.2	13.2	8.2	3.6	0.8	90.9	6	1827
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	3.2	4.1	13.9	20.8	26.5	25.0	28.2	26.5	16.9	7.6	4.4	1.8	178.9	6	1771
	07 LST	2.4	3.4	5.3	12.2	18.9	18.8	19.8	15.3	6.5	4.4	3.6	1.6	112.2	6	1732
	13 LST	2.7	3.7	15.8	21.1	26.0	25.2	27.2	26.7	22.7	13.7	6.0	1.4	192.2	6	1775
	19 LST	2.2	3.7	18.8	24.3	27.6	26.0	27.8	28.4	24.4	12.7	5.1	1.2	202.2	6	1788
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	2.8	3.7	11.4	17.7	20.3	19.4	23.9	22.4	13.2	5.6	4.0	1.4	146.0	6	1771
	07 LST	2.2	3.2	5.4	7.2	12.8	12.4	15.9	12.2	4.3	2.4	3.0	1.6	80.6	6	1732
	13 LST	2.0	2.7	12.9	16.9	21.4	19.7	22.3	22.2	18.6	11.6	5.6	1.4	157.3	6	1775
	19 LST	1.6	2.0	16.1	20.7	22.4	21.2	24.3	24.6	21.2	11.0	4.8	0.8	170.9	6	1788
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	2.8	3.7	11.4	17.7	20.3	19.4	23.9	22.4	13.2	5.6	4.0	1.4	146.0	6	1771
	07 LST	2.2	3.2	5.4	7.2	12.8	12.4	15.9	12.2	4.3	2.4	3.0	1.6	80.6	6	1732
	13 LST	2.0	2.7	12.9	16.9	21.4	19.7	22.3	22.2	18.6	11.4	5.6	1.4	157.3	6	1775
	19 LST	1.6	2.0	16.1	20.7	22.4	21.2	24.3	24.6	21.2	11.0	4.8	0.8	170.9	6	1788

PIACENZA, ITALY

STA NO. 16084 (IN REF NUMBER 02)

LATITUDE 4454N

LONGITUDE 00943E

ELEVATION(FT) 00440

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	60	68	77	85	89	94	99	99	90	79	68	60	99	10	-142
MEAN MAX TMP (F)	39	45	56	66	73	82	86	84	77	62	52	41	64	10	-142
MEAN MIN TMP (F)	28	31	38	45	53	60	64	63	58	48	39	31	47	10	-142
ABS MIN TMP (F)	4	8	18	33	40	43	49	50	42	30	24	6	4	10	-142
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.4	2.4	1.0	0.0	0.0	0.0	0.0	3.8	7	-16080
MEAN NO DYS TMP = DR LES 32(F)	21.9	19.2	6.7	0.5	0.0	0.0	0.0	0.0	0.0	0.0	6.0	13.4	67.7	7	-16080
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	-16080
MEAN DEW PT TMP (F)	30	33	39	46	49	56	58	57	57	50	41	32	46	0	-50
MEAN REL HUM (PCT)	87	81	75	70	73	67	68	71	76	84	88	91	78	10	-142
MEAN PRESS ALT (FT)	298	346	394	420	395	365	369	371	340	346	370	352	364	0	-90
MEAN PRECIP (IN)	1.93	2.13	2.72	2.91	3.03	2.68	1.46	1.89	3.27	3.98	3.90	2.76	32.7	25	-122
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0	0.0				10	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	6.1	6.6	6.9	7.0	7.1	6.9	4.3	5.3	7.7	8.6	8.5	8.0	83.0	25	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0	0.0				10	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	23.2	16.9	10.0	1.6	1.4	0.8	1.2	2.2	5.8	16.4	22.2	26.8	130.5	6	-16080
MEAN NO DYS TSTMS	0.2	0.4	0.6	2.4	4.0	8.0	9.7	5.2	4.0	1.4	0.2	0.2	36.3	6	-16080
P FREQ WND SPD = DR GTR 17 KTS	0.1	0.1	0.4	0.8	0.1	0.1	0.4	0.1	0.0	0.1	0.3	0.1	0.2	6	-16080
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	-16080
P FREQ LES 3000 FT A/D LES 3 MI	98.2	98.2	90.7	81.6	61.3	61.4	60.4	64.2	81.5	90.5	94.0	98.2	81.7	6	-16080
POR 00-02 LST	89.4	83.8	51.7	24.8	7.1	9.7	3.4	8.5	39.3	75.2	83.2	94.2	47.5	6	-16080
03-05 LST	88.9	83.3	56.5	29.8	15.5	12.8	11.2	20.8	49.3	77.6	84.7	93.4	52.0	6	-16080
06-08 LST	92.2	86.1	81.5	55.7	35.5	31.9	30.6	47.0	74.6	84.9	86.3	94.2	66.7	6	-16080
09-11 LST	97.4	91.8	75.0	43.1	22.7	12.6	11.2	24.5	59.2	74.8	92.9	98.0	58.6	6	-16080
12-14 LST	90.6	85.8	46.4	18.9	7.1	3.4	3.3	6.5	17.9	54.4	78.5	95.5	42.4	6	-16080
15-17 LST	86.4	78.5	27.5	12.6	6.5	2.0	3.4	3.2	6.3	38.2	72.4	94.1	35.9	6	-16080
18-20 LST	92.9	85.8	36.7	11.2	5.2	4.7	4.1	5.2	13.6	37.6	81.6	96.1	41.2	6	-16080
21-23 LST	90.8	82.7	43.8	16.1	3.2	4.8	2.8	4.6	21.4	65.1	86.2	95.4	43.2	6	-16080
P FREQ LES 300 FT A/D LES 1 MI															
POR 00-02 LST	66.9	42.6	9.9	2.1	0.6	0.0	0.0	0.7	2.8	25.5	31.0	69.5	22.6	6	-16080
03-05 LST	66.7	49.3	18.2	1.4	1.9	0.7	0.0	0.0	10.1	31.5	54.7	72.4	25.6	6	-16080
06-08 LST	68.2	56.2	33.1	12.9	3.9	4.4	3.5	8.1	31.2	46.8	58.3	70.8	33.1	6	-16080
09-11 LST	82.1	70.1	33.1	8.3	2.6	0.0	0.0	0.7	11.3	38.1	67.4	86.2	33.3	6	-16080
12-14 LST	72.5	50.0	13.1	0.7	1.9	0.0	0.0	0.0	2.1	18.1	56.9	81.8	24.8	6	-16080
15-17 LST	63.6	33.3	9.2	0.7	0.0	0.7	0.7	0.6	0.0	7.9	46.2	73.2	19.7	6	-16080
18-20 LST	64.3	38.8	12.7	0.7	0.0	0.7	0.0	0.0	1.4	13.9	39.5	69.5	20.1	6	-16080
21-23 LST	64.5	36.1	9.2	0.7	0.0	0.7	1.4	0.0	2.8	20.8	48.3	75.0	21.6	6	-16080

PIACENZA, ITALY
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	3.2	5.1	15.6	23.1	28.9	27.5	29.9	28.5	18.6	7.6	5.0	2.0	195.0	6	-16080
	07 LST	2.4	4.0	5.7	13.2	20.1	20.8	21.7	16.4	7.8	4.6	4.3	1.8	122.8	6	-16080
	13 LST	2.9	4.1	16.8	25.3	29.2	29.5	30.1	29.1	24.8	14.3	6.4	1.6	214.1	6	-16080
	19 LST	2.2	3.9	20.0	27.2	29.6	28.8	30.1	29.6	26.1	13.3	5.7	1.2	217.7	6	-16080
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	2.6	3.9	13.9	21.3	28.1	26.4	29.3	28.3	18.0	7.6	4.0	1.8	165.2	6	-16080
	07 LST	2.2	3.2	5.7	12.4	19.3	20.2	20.4	16.2	7.3	4.4	3.8	1.4	116.5	6	-16080
	13 LST	2.0	3.1	14.4	21.8	27.6	27.5	28.7	28.5	24.0	13.3	5.6	1.0	197.5	6	-16080
	19 LST	2.0	3.5	17.3	23.9	27.0	27.0	28.6	29.0	25.5	12.7	4.2	1.2	201.9	6	-16080
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	-16080
	07 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.4	6	-16080
	13 LST	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.2	0.8	6	-16080
	19 LST	0.0	0.0	0.2	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	6	-16080
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	5.2	4.8	10.4	10.1	12.6	11.4	13.9	6.8	6.7	5.2	4.2	7.2	98.5	6	-16080
	07 LST	3.0	1.8	8.2	6.8	7.0	6.7	5.8	4.4	2.8	3.6	4.6	4.2	58.9	6	-16080
	13 LST	8.5	8.2	15.0	15.6	19.5	20.2	19.4	16.6	12.8	12.8	10.8	9.2	168.6	6	-16080
	19 LST	7.6	4.7	10.0	9.3	14.0	14.6	12.7	8.0	5.8	4.2	5.4	8.0	104.3	6	-16080
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	2.0	2.9	8.8	12.6	14.8	11.8	17.4	16.6	10.0	3.7	3.4	1.0	103.0	6	-16080
	07 LST	1.4	2.5	2.6	4.2	5.6	4.8	7.0	6.2	3.0	0.6	2.2	1.2	41.3	6	-16080
	13 LST	1.2	2.1	7.6	9.4	9.8	5.8	17.9	11.2	10.0	5.4	4.0	1.2	80.6	6	-16080
	19 LST	1.0	1.5	10.4	8.0	10.0	8.0	13.0	13.2	13.2	8.2	3.6	0.8	90.9	6	-16080
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	3.2	4.1	13.9	20.8	26.5	25.0	28.2	26.5	16.9	7.6	4.4	1.8	178.9	6	-16080
	07 LST	2.4	3.4	5.3	12.2	18.9	18.8	19.8	15.3	6.5	4.4	3.6	1.6	112.2	6	-16080
	13 LST	2.7	3.7	15.8	21.1	26.0	25.2	27.2	26.7	22.7	13.7	6.0	1.4	192.2	6	-16080
	19 LST	2.2	3.7	18.8	24.3	27.6	26.0	27.8	28.4	24.4	12.7	5.1	1.2	202.2	6	-16080
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	2.8	3.7	11.4	17.7	20.5	19.4	23.9	22.4	13.2	5.6	4.0	1.4	146.0	6	-16080
	07 LST	2.2	3.2	3.4	7.2	12.8	12.4	15.9	12.2	4.3	2.4	3.0	1.6	80.6	6	-16080
	13 LST	2.0	2.7	12.9	16.9	21.4	19.7	22.5	22.2	18.6	11.6	5.6	1.4	157.5	6	-16080
	19 LST	1.6	2.0	16.1	20.7	22.4	21.2	24.5	24.6	21.2	11.0	4.8	0.8	170.9	6	-16080
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	2.8	3.7	11.4	17.7	20.5	19.4	23.9	22.4	13.2	5.6	4.0	1.4	146.0	6	-16080
	07 LST	2.2	3.2	3.4	7.2	12.8	12.4	15.9	12.2	4.3	2.4	3.0	1.6	80.6	6	-16080
	13 LST	2.0	2.7	12.9	16.9	21.4	19.7	22.5	22.2	18.6	11.4	5.6	1.4	157.5	6	-16080
	19 LST	1.6	2.0	16.1	20.7	22.4	21.2	24.5	24.6	21.2	11.0	4.8	0.8	170.9	6	-16080

GHEDI, ITALY

STA NO. 16088 (IN AREA NUMBER 02)

LATITUDE 4926N

LONGITUDE 01016E

ELEVATION(FT) 00334

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	58	68	70	82	89	94	98	95	93	79	65	58	98	16	-16089
MEAN MAX TMP (F)	41	46	55	63	73	80	84	84	79	63	51	44	63	16	-16089
MEAN MIN TMP (F)	30	33	40	49	55	62	65	65	59	50	40	35	49	16	-16089
ABS MIN TMP (F)	14	18	27	33	36	47	53	53	45	28	18	19	14	16	-16089
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0		6.8	6.8		0.0	0.0	0.0		16	-29
MEAN NO DYS TMP = OR LES 32(F)				0.0	0.0	0.0	0.0	0.0	0.0				0.0	16	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16	-29
MEAN DEW PT TMP (F)	28	29	35	45	50	58	60	59	56	48	42	31	45	5	-16089
MEAN REL HUM (PCT)	79	72	64	58	57	54	53	55	61	72	78	82	65	16	-16089
MEAN PRESS ALT (FT)	207	241	287	341	308	288	309	288	239	234	244	243	269	0	-50
MEAN PRECIP (IN)	1.39	1.63	2.60	2.77	3.48	3.28	3.62	2.87	2.90	3.90	2.97	2.53	33.9	16	-16089
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0					16	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	4.6	5.3	6.7	6.9	7.3	7.9	8.3	7.2	7.2	8.5	7.3	7.5	84.7	16	-29
MEAN NO DYS SNPL = OR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0					16	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	12.2	6.2	2.5	0.5	0.0	0.0	0.0	0.0	0.3	2.1	8.6	11.5	43.9	5	-16089
MEAN NO DYS TSHS														0	0
P FREQ WND SPD = OR GTR 17 KTS	0.6	0.4	0.7	1.2	0.1	0.1	0.1	0.1	0.0	0.0	0.6	0.1	0.3	5	-16089
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-16089
P FREQ LES 5000 FT A/O LES 3 MI	73.2	96.0	91.2	37.4	28.7	22.5	15.3	16.6	33.1	43.2	65.1	66.1	42.4	8	-16089
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST															
03-05 LST	40.9	30.9	25.9	8.3	9.8	4.6	1.6	1.5	6.4	15.6	38.5	40.7	18.7	6	-16089
06-08 LST	48.7	38.8	30.6	12.8	6.4	3.3	2.6	2.7	19.0	23.3	38.4	39.7	22.2	8	-16089
09-11 LST	59.6	45.9	33.8	9.3	3.2	0.9	1.6	1.8	16.0	21.4	41.7	44.7	23.3	8	-16089
12-14 LST	60.4	41.5	21.8	3.8	1.4	1.2	0.0	0.7	7.2	17.4	39.0	46.0	20.0	8	-16089
15-17 LST	59.7	37.8	14.2	1.6	0.7	0.6	0.0	0.2	5.2	16.3	34.7	51.7	19.0	8	-16089
18-20 LST	59.3	43.6	18.4	0.7	0.0	0.0	0.0	0.0	3.7	9.4	39.7	60.5	19.6	5	-16089
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST															
03-05 LST	27.6	14.7	8.1	1.3	1.3	0.8	0.0	0.0	0.8	3.1	20.5	24.4	8.6	6	-16089
06-08 LST	30.8	20.8	12.5	1.5	0.3	0.2	0.0	0.6	3.1	11.0	22.7	22.2	10.5	8	-16089
09-11 LST	38.4	24.4	11.8	0.0	0.3	0.0	0.0	0.0	0.8	7.3	22.5	25.8	10.9	8	-16089
12-14 LST	34.0	16.0	3.2	0.0	0.0	0.0	0.0	0.0	0.0	1.3	12.0	25.8	7.7	8	-16089
15-17 LST	29.7	12.5	2.2	0.0	0.0	0.0	0.0	0.0	0.0	2.6	12.3	27.8	7.3	8	-16089
18-20 LST	31.4	13.8	4.8	0.0	0.0	0.0	0.0	0.0	0.0	2.8	15.4	29.6	8.2	6	-16089
21-23 LST														0	0

GHEDI, ITALY

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	16.0	16.7	21.3	26.3	29.0	28.6	30.3	30.2	23.9	23.1	18.8	19.6	203.8	8	-16089
	13 LST	12.9	16.3	24.9	29.2	30.7	29.7	31.0	30.9	27.9	26.2	18.0	16.8	294.7	8	-16089
	19 LST	11.3	15.7	25.7	29.8	31.0	30.0	31.0	31.0	28.0	25.9	16.8	13.4	289.6	8	-16089
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	01 LST														0	0
	07 LST	15.0	15.7	20.1	24.6	28.4	28.4	30.3	29.9	23.0	22.1	16.8	19.1	273.4	8	-16089
	13 LST	12.0	13.8	19.3	23.8	25.9	27.8	28.7	29.1	25.5	23.6	17.1	15.9	262.5	8	-16089
	19 LST	10.1	14.2	22.9	25.0	29.2	28.1	30.5	30.2	27.2	25.2	15.3	12.7	270.6	8	-16089
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST														0	0
	07 LST	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.4	8	-16089
	13 LST	0.2	0.0	0.3	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.9	8	-16089
	19 LST	0.0	0.4	0.7	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	8	-16089
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST														0	0
	07 LST	1.4	3.5	4.2	3.6	3.1	2.7	1.9	3.0	2.7	2.7	2.4	1.5	32.7	8	-16089
	13 LST	3.4	9.9	13.6	17.8	19.9	14.9	17.0	16.7	16.8	13.4	7.5	7.6	162.5	8	-16089
	19 LST	1.4	6.3	10.7	12.7	19.0	12.3	15.0	12.0	3.9	4.5	1.9	3.6	105.3	8	-16089
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	7.4	8.9	7.8	6.3	7.1	9.1	13.0	13.2	9.7	7.5	3.7	8.2	101.9	8	-16089
	13 LST	4.8	7.7	6.8	4.5	3.6	5.0	10.0	11.4	9.7	7.9	3.0	7.0	81.4	8	-16089
	19 LST	3.8	6.7	9.3	6.4	5.4	7.7	12.3	13.2	11.4	9.6	3.1	3.1	96.0	8	-16089
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	15.5	16.6	20.7	25.7	28.6	28.6	30.3	29.9	23.7	22.1	18.0	19.1	278.8	8	-16089
	13 LST	12.3	16.0	23.7	28.1	29.9	29.6	30.9	30.9	27.6	23.2	17.9	16.2	288.3	8	-16089
	19 LST	10.9	14.9	24.1	29.1	30.6	30.0	31.0	31.0	27.8	25.4	16.1	13.0	283.9	8	-16089
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	12.4	14.3	16.2	19.1	22.8	24.4	25.0	26.0	19.1	16.9	10.8	14.2	221.2	8	-16089
	13 LST	9.8	13.9	18.1	20.6	21.3	24.1	27.2	27.3	24.2	19.8	12.7	12.2	231.2	8	-16089
	19 LST	7.7	12.9	18.9	21.8	25.0	23.8	27.0	28.8	24.3	20.3	12.2	9.3	232.0	8	-16089
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	11.2	13.0	14.0	13.7	18.2	20.7	20.8	21.3	15.9	12.3	7.5	11.7	182.7	8	-16089
	13 LST	8.4	12.6	15.9	16.8	17.9	21.4	25.0	24.7	20.9	16.7	10.3	10.5	201.1	8	-16089
	19 LST	6.5	11.9	16.7	17.9	21.4	21.7	26.0	26.9	22.2	17.8	7.6	7.8	204.4	8	-16089

VERONA-BOSCOMANTICO, ITALY

STA NO. 16089 (IN AREA NUMBER 02)

LATITUDE 4528N

LONGITUDE 01055E

ELEVATION(FT) 00298

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	58	68	70	82	89	94	98	95	93	79	65	58	98	16	-34
MEAN MAX TMP (F)	41	46	55	63	73	80	84	84	75	63	51	44	63	16	-34
MEAN MIN TMP (F)	30	33	40	49	53	62	63	65	59	50	40	35	49	16	-34
ABS MIN TMP (F)	14	18	27	33	36	47	53	53	45	28	18	19	14	16	-34
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0		6.8	6.8		0.0	0.0	0.0		16	-29
MEAN NO DYS TMP = DR LES 32(F)	2.3	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	1.1	3.7	16	-34
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16	-29
MEAN DEW PT TMP (F)	28	29	35	43	50	58	60	59	56	48	42	31	45	5	15922
MEAN REL HUM (PCT)	79	72	64	58	57	54	53	55	61	72	78	82	65	16	-34
MEAN PRESS ALT (FT)	171	206	231	304	271	249	270	250	203	199	210	208	233	0	-50
MEAN PRECIP (IN)	1.39	1.63	2.60	2.77	3.48	3.28	3.62	2.87	2.90	3.90	2.97	2.53	33.9	16	-34
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0					16	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	4.6	5.3	6.7	6.9	7.3	7.9	8.3	7.2	7.2	8.5	7.3	7.5	84.7	16	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0					16	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	12.2	6.2	2.3	0.3	0.0	0.0	0.0	0.0	0.3	2.1	8.6	11.3	43.9	5	1138
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS	0.6	0.4	0.7	1.2	0.1	0.1	0.1	0.1	0.0	0.0	0.6	0.1	0.3	5	15938
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	15938
P FREQ LES 3000 FT A/D LES 3 MI	73.2	56.0	51.2	37.4	28.7	22.5	15.5	16.6	33.1	43.2	65.1	66.1	42.4	8	29221
P FREQ LES 1900 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST	40.9	30.9	25.5	8.3	9.8	4.6	1.6	1.5	6.4	15.6	38.5	40.7	18.7	6	1596
06-08 LST	48.7	38.8	30.6	12.8	6.4	3.3	2.6	2.7	19.0	23.5	38.4	39.7	22.2	8	7143
09-11 LST	59.6	45.9	33.8	9.3	3.2	0.9	1.6	1.8	16.0	21.4	41.7	44.7	23.3	8	7674
12-14 LST	60.4	41.5	21.8	3.8	1.4	1.2	0.0	0.7	7.2	17.4	39.0	46.0	20.0	8	7527
15-17 LST	59.7	37.8	14.2	1.6	0.7	0.6	0.0	0.2	5.2	16.5	39.7	51.7	19.0	8	6339
18-20 LST	59.3	43.6	18.4	0.7	0.0	0.0	0.0	0.0	3.7	9.4	39.7	60.5	19.6	6	1309
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST	27.6	14.7	8.1	1.3	1.5	0.8	0.0	0.0	0.8	3.1	20.3	24.4	8.6	6	1596
06-08 LST	30.8	20.8	12.5	1.5	0.3	0.2	0.0	0.6	3.1	11.0	22.7	22.2	10.5	8	7143
09-11 LST	38.4	24.4	11.8	0.0	0.3	0.0	0.0	0.0	0.8	7.3	22.3	25.8	10.9	8	7674
12-14 LST	34.0	16.0	3.2	0.0	0.0	0.0	0.0	0.0	0.0	1.3	12.0	25.8	7.7	8	7527
15-17 LST	29.7	12.5	2.2	0.0	0.0	0.0	0.0	0.0	0.0	2.6	12.3	27.8	7.3	8	6339
18-20 LST	31.4	13.8	4.8	0.0	0.0	0.0	0.0	0.0	0.0	2.8	15.4	29.6	8.2	6	1309
21-23 LST														0	0

VERONA-BOSCOMANTICO, ITALY

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	16.0	16.7	21.3	26.3	29.0	28.6	30.3	30.2	23.9	23.1	18.8	19.6	203.8	8	2559
	13 LST	12.9	16.3	24.9	29.2	30.7	29.7	31.0	30.9	27.9	26.2	18.0	16.8	294.7	8	2558
	19 LST	11.3	15.7	25.7	29.8	31.0	30.0	31.0	31.0	28.0	25.9	16.8	13.4	289.6	8	1834
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	01 LST														0	0
	07 LST	13.0	15.7	20.1	24.6	28.4	28.4	30.3	29.9	23.0	22.1	16.8	19.1	273.4	8	2559
	13 LST	12.0	13.8	19.3	23.8	25.9	27.8	28.7	29.1	25.5	23.6	17.1	15.9	262.5	8	2558
	19 LST	10.1	14.2	22.9	25.0	29.2	28.1	30.5	30.2	27.2	25.2	15.3	12.7	270.6	8	1834
SPC WND = GTR 17 KTS AND NO PRECIP.	01 LST														0	0
	07 LST	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.4	8	2559
	13 LST	0.2	0.0	0.5	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.9	8	2558
	19 LST	0.0	0.4	0.7	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	8	1834
SPC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST														0	0
	07 LST	1.4	3.5	4.2	3.6	3.1	2.7	1.9	3.0	2.7	2.7	2.4	1.3	32.7	8	2559
	13 LST	3.4	9.9	15.6	17.8	19.9	14.9	17.0	16.7	16.8	13.4	7.3	7.6	162.3	8	2558
	19 LST	1.4	6.3	10.7	12.7	19.0	12.3	15.0	12.0	5.9	4.3	1.9	3.6	105.3	8	1834
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	7.4	8.9	7.8	6.3	7.1	9.1	13.0	13.2	9.7	7.3	3.7	8.2	101.9	8	2559
	13 LST	4.8	7.7	6.8	4.5	3.6	5.0	10.0	11.4	9.7	7.9	3.0	7.0	81.4	8	2558
	19 LST	3.8	6.7	9.3	6.4	5.4	7.7	12.3	13.2	11.4	9.6	3.1	5.1	96.0	8	1834
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	13.3	16.6	20.7	23.7	28.6	28.6	30.3	29.9	23.7	22.1	18.0	19.1	278.8	8	2559
	13 LST	12.3	16.0	23.7	28.1	29.9	29.6	30.9	30.9	27.6	23.2	17.9	16.2	288.3	8	2558
	19 LST	10.9	14.9	24.1	29.1	30.6	30.0	31.0	31.0	27.8	23.4	16.1	13.0	283.9	8	1834
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	12.4	14.3	16.2	19.1	22.8	24.4	25.0	26.0	19.1	16.9	10.8	14.2	221.2	8	2559
	13 LST	9.8	13.9	18.1	20.6	21.3	24.1	27.2	27.3	24.2	19.8	12.7	12.2	231.2	8	2558
	19 LST	7.7	12.9	18.9	21.8	25.0	23.8	27.0	28.8	24.3	20.3	12.2	9.3	232.0	8	1834
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	11.2	13.0	14.0	15.7	18.2	20.7	20.8	21.3	13.9	12.5	7.5	11.7	182.7	8	2559
	13 LST	8.4	12.6	15.9	16.8	17.9	21.4	25.0	24.7	20.9	16.7	10.3	10.5	201.1	8	2558
	19 LST	6.5	11.9	16.7	17.9	21.4	21.7	26.0	26.9	22.2	17.8	7.6	7.8	204.4	8	1834

VILLAFRANCA-GANFARDINE, ITALY

STA NO. 16090 (IN AREA NUMBER 02)

LATITUDE 4523N

LONGITUDE 01053E

ELEVATION(FT) 00236

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	61	71	74	83	89	95	100	97	90	84	68	56	100	10	-28
MEAN MAX TMP (F)	43	48	57	67	73	81	85	84	78	66	53	44	63	10	-28
MEAN MIN TMP (F)	30	30	38	44	52	58	63	61	56	47	38	31	46	10	-28
ABS MIN TMP (F)	5	0	13	21	40	39	45	49	43	24	20	4	0	10	-28
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	3.6	8.1	6.8	0.0	0.0	0.0	0.0	18.9	10	-29
MEAN NO DYS TMP = DR LES 32(F)					0.0	0.0	0.0	0.0	0.0					10	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	-50
MEAN DEW PT TMP (F)	33	37	41	45	52	56	60	60	56	52	39	32	47	10	-28
MEAN REL HUM (PCT)	83	79	74	71	72	66	65	69	73	78	83	87	75	10	-28
MEAN PRESS ALT (FT)	109	144	189	242	209	187	208	188	141	137	148	146	171	0	-50
MEAN PRECIP (IN)	1.50	1.70	1.60	2.00	2.50	1.80	3.10	2.30	2.80	2.70	2.90	2.40	27.3	10	-28
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0					10	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	4.9	5.5	5.2	6.0	6.6	5.1	7.6	6.2	7.1	6.9	7.2	7.3	79.6	10	-29
MEAN NO DYS SNPL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0					10	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	12.2	6.2	2.5	0.5	0.0	0.0	0.0	0.0	0.3	2.1	8.6	11.5	43.9	5	-16089
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS	0.6	0.4	0.7	1.2	0.1	0.1	0.1	0.1	0.0	0.0	0.6	0.1	0.3	5	-16089
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-16089
P FREQ LES 5000 FT A/D LES 3 MI	73.2	56.0	51.2	37.4	28.7	22.5	15.5	16.6	33.1	43.2	65.1	66.1	42.4	8	-16089
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST															
03-05 LST	40.9	30.9	29.5	8.3	9.8	4.6	1.6	1.5	6.4	15.6	38.5	40.7	18.7	6	-16089
06-08 LST	48.7	38.8	30.6	12.8	6.4	3.3	2.6	2.7	19.0	23.5	38.4	39.7	22.2	8	-16089
09-11 LST	59.6	45.9	33.8	9.3	3.2	0.9	1.6	1.8	16.0	81.4	41.7	44.7	23.3	8	-16089
12-14 LST	60.4	41.5	21.8	3.8	1.4	1.2	0.0	0.7	7.2	17.4	39.0	46.0	20.0	8	-16089
15-17 LST	59.7	37.8	14.2	1.6	0.7	0.6	0.0	0.2	5.2	16.5	39.7	51.7	19.0	8	-16089
18-20 LST	59.3	43.6	18.4	0.7	0.0	0.0	0.0	0.0	3.7	9.4	39.7	60.5	19.6	6	-16089
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST															
03-05 LST	27.6	14.7	8.1	1.3	1.3	0.8	0.0	0.0	0.8	3.1	20.5	24.4	8.6	6	-16089
06-08 LST	30.8	20.8	12.5	1.5	0.3	0.2	0.0	0.6	3.1	11.0	22.7	22.2	10.9	8	-16089
09-11 LST	38.4	24.4	11.8	0.0	0.3	0.0	0.0	0.0	0.8	7.3	22.5	25.8	10.9	8	-16089
12-14 LST	34.0	16.0	3.2	0.0	0.0	0.0	0.0	0.0	0.0	1.3	12.0	25.8	7.7	8	-16089
15-17 LST	29.7	12.3	2.2	0.0	0.0	0.0	0.0	0.0	0.0	2.6	12.3	27.8	7.3	8	-16089
18-20 LST	31.4	13.8	4.8	0.0	0.0	0.0	0.0	0.0	0.0	2.8	15.4	29.6	8.2	6	-16089
21-23 LST														0	0

VILLAFRANCA-GANFARDINE, ITALY

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	16.0	16.7	21.3	26.3	29.0	28.6	30.3	30.2	29.9	29.1	16.8	19.6	289.8	8	-16089
	13 LST	12.9	16.5	24.9	29.2	30.7	29.7	31.0	30.9	27.9	26.2	18.0	16.8	294.7	8	-16089
	19 LST	11.3	15.7	25.7	29.8	31.0	30.0	31.0	31.0	28.0	29.9	16.8	19.4	289.6	8	-16089
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST														0	0
	07 LST	15.0	15.7	20.1	24.6	28.4	28.4	30.3	29.9	29.0	22.1	16.8	19.1	279.4	8	-16089
	13 LST	12.0	13.8	19.3	23.8	29.9	27.8	28.7	29.1	29.5	29.6	17.1	19.9	262.5	8	-16089
	19 LST	10.1	14.2	22.9	29.0	29.2	28.1	30.5	30.2	27.2	29.2	19.3	12.7	270.6	8	-16089
SPC WND = GTR 17 KTS AND NO PRECIP.	01 LST														0	0
	07 LST	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.4	8	-16089
	13 LST	0.2	0.0	0.5	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.9	8	-16089
	19 LST	0.0	0.4	0.7	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	8	-16089
SPC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST														0	0
	07 LST	1.4	3.5	4.2	3.6	3.1	2.7	1.9	3.0	2.7	2.7	2.4	1.5	32.7	8	-16089
	13 LST	5.4	9.9	15.6	17.8	19.9	14.9	17.0	16.7	16.8	19.4	7.5	7.6	162.3	8	-16089
	19 LST	1.4	6.3	10.7	12.7	19.0	12.3	15.0	12.0	9.9	4.5	1.9	3.6	105.3	8	-16089
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	7.4	8.9	7.8	6.3	7.1	9.1	13.0	13.2	9.7	7.5	3.7	8.2	101.9	8	-16089
	13 LST	4.8	7.7	6.8	4.5	3.6	3.0	10.0	11.4	9.7	7.9	3.0	7.0	81.4	8	-16089
	19 LST	3.8	6.7	9.3	6.4	5.4	7.7	12.3	15.2	11.4	9.6	3.1	5.1	96.0	8	-16089
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	19.5	16.6	20.7	25.7	28.6	28.6	30.3	29.9	29.7	22.1	18.0	19.1	278.8	8	-16089
	13 LST	12.3	16.0	23.7	28.1	29.9	29.6	30.9	30.9	27.6	25.2	17.9	16.2	288.3	8	-16089
	19 LST	10.9	14.9	24.1	29.1	30.6	30.0	31.0	31.0	27.8	29.4	16.1	19.0	283.9	8	-16089
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	12.4	14.3	16.2	19.1	22.8	24.4	25.0	26.0	19.1	16.9	10.8	14.2	221.2	8	-16089
	13 LST	9.8	13.9	18.1	20.6	21.3	24.1	27.2	27.3	24.2	19.8	12.7	12.2	231.2	8	-16089
	19 LST	7.7	12.9	18.9	21.8	25.0	23.6	27.0	28.8	24.3	20.3	12.2	9.3	232.0	8	-16089
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	11.2	13.0	14.0	15.7	18.2	20.7	20.8	21.5	19.9	12.5	7.5	11.7	162.7	8	-16089
	13 LST	8.4	12.6	15.9	16.8	17.9	21.4	25.0	24.7	20.9	16.7	10.3	10.5	201.1	8	-16089
	19 LST	6.5	11.9	16.7	17.9	21.4	21.7	26.0	26.9	22.2	17.8	7.6	7.8	204.4	8	-16089

VICENZA, ITALY

STA NO. 16094 (IN AREA NUMBER 02)

LATITUDE 4534N

LONGITUDE 01131E

ELEVATION(FT) 00125

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	58	68	70	82	89	94	98	95	93	79	65	58	98	16	-16089
MEAN MAX TMP (F)	41	46	55	63	73	80	84	84	75	63	51	44	63	16	-16089
MEAN MIN TMP (F)	30	33	40	49	55	62	65	65	59	50	40	35	49	16	-16089
ABS MIN TMP (F)	14	18	27	33	36	47	53	53	45	28	18	19	14	16	-16089
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	6.8	6.8	0.0	0.0	0.0	0.0	0.0	16	-29
MEAN NO DYS TMP = DR LES 32(F)	2.3	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	1.1	3.7	16	-16089
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16	-29
MEAN DEW PT TMP (F)	28	29	35	45	50	58	60	59	56	48	42	31	45	5	-16089
MEAN REL HUM (PCT)	79	72	64	58	57	54	53	53	61	72	78	82	65	16	-16089
MEAN PRESS ALT (FT)	-0	33	78	129	96	74	94	76	30	27	39	36	59	0	-30
MEAN PRECIP (IN)	2.84	3.15	4.21	4.72	5.47	4.69	2.95	3.47	4.92	5.75	4.37	3.39	49.9	25	-122
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0	0.0				16	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	8.1	8.7	7.5	7.7	8.3	9.3	7.4	8.1	9.4	9.7	9.0	9.0	102.2	25	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0	0.0				16	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	12.2	6.2	2.5	0.5	0.0	0.0	0.0	0.0	0.3	2.1	8.6	11.5	43.9	5	-16089
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS	0.6	0.4	0.7	1.2	0.1	0.1	0.1	0.1	0.0	0.0	0.6	0.1	0.3	5	-16089
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-16089
P FREQ LES 5000 FT A/U LES 3 MI	73.2	56.0	51.2	37.4	28.7	22.5	15.5	16.6	23.1	43.2	65.1	66.1	42.4	8	-16089
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST														0	0
03-05 LST	40.9	30.9	25.5	8.3	9.8	4.6	1.6	1.5	6.4	15.6	38.5	40.7	18.7	6	-16089
06-08 LST	48.7	38.8	30.6	12.8	6.4	3.3	2.6	2.7	19.0	23.5	38.4	39.7	22.2	8	-16089
09-11 LST	59.6	49.9	33.8	9.3	3.2	0.9	1.6	1.8	16.0	21.4	41.7	44.7	23.3	8	-16089
12-14 LST	60.4	41.5	21.8	3.8	1.4	1.2	0.0	0.7	7.2	17.4	39.0	46.0	20.0	8	-16089
15-17 LST	59.7	37.8	14.2	1.6	0.7	0.6	0.0	0.2	5.2	16.5	39.7	51.7	19.0	8	-16089
18-20 LST	59.3	43.6	18.4	0.7	0.0	0.0	0.0	0.0	3.7	9.4	39.7	60.5	19.6	6	-16089
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST														0	0
03-05 LST	27.6	14.7	8.1	1.3	1.5	0.8	0.0	0.0	0.8	3.1	20.5	24.4	8.6	6	-16089
06-08 LST	30.8	20.8	12.5	1.5	0.3	0.2	0.0	0.6	3.1	11.0	22.7	22.2	10.5	8	-16089
09-11 LST	38.4	24.4	11.8	0.0	0.3	0.0	0.0	0.0	0.8	7.3	22.3	23.8	10.9	8	-16089
12-14 LST	34.0	16.0	3.2	0.0	0.0	0.0	0.0	0.0	0.0	1.3	12.0	25.8	7.7	8	-16089
15-17 LST	29.7	12.5	2.2	0.0	0.0	0.0	0.0	0.0	0.0	2.6	12.3	27.8	7.3	8	-16089
18-20 LST	31.4	13.8	4.8	0.0	0.0	0.0	0.0	0.0	0.0	2.8	15.4	29.6	8.2	6	-16089
21-23 LST														0	0

VICENZA, ITALY

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	16.0	16.7	21.3	26.3	29.0	28.6	30.3	30.2	23.9	23.1	18.8	19.6	283.8	8	-16089
	13 LST	12.9	16.5	24.9	29.2	30.7	29.7	31.0	30.9	27.9	26.2	18.0	16.8	294.7	8	-16089
	19 LST	11.3	15.7	23.7	29.8	31.0	30.0	31.0	31.0	28.0	25.9	16.8	13.4	289.6	8	-16089
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SPC WND LES 10 KTS	01 LST														0	0
	07 LST	15.0	15.7	20.1	24.6	28.4	28.4	30.3	29.9	23.0	22.1	16.8	19.1	273.4	8	-16089
	13 LST	12.0	13.8	19.3	23.8	25.9	27.8	28.7	29.1	25.5	23.6	17.1	15.9	262.5	8	-16089
	19 LST	10.1	14.2	22.9	23.0	29.2	28.1	30.5	30.2	27.2	25.2	15.3	12.7	270.6	8	-16089
SPC WND = GTR 17 KTS AND NO PRECIP.	01 LST														0	0
	07 LST	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.4	8	-16089
	13 LST	0.2	0.0	0.5	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.9	8	-16089
	19 LST	0.0	0.4	0.7	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	8	-16089
SPC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST														0	0
	07 LST	1.4	3.5	4.2	3.6	3.1	2.7	1.9	3.0	2.7	2.7	2.4	1.5	32.7	8	-16089
	13 LST	5.4	9.9	15.6	17.8	19.9	14.9	17.0	16.7	16.8	13.4	7.5	7.6	162.5	8	-16089
	19 LST	1.4	6.3	10.7	12.7	19.0	12.3	15.0	12.0	5.9	4.5	1.9	3.6	105.3	8	-16089
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	7.4	8.9	7.8	6.3	7.1	9.1	13.0	13.2	9.7	7.5	3.7	8.2	101.9	8	-16089
	13 LST	4.8	7.7	6.8	4.5	3.6	5.0	10.0	11.4	9.7	7.9	3.0	7.0	81.4	8	-16089
	19 LST	3.8	6.7	9.3	6.4	5.4	7.7	12.3	13.2	11.4	9.6	3.1	5.1	96.0	8	-16089
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	15.5	16.6	20.7	25.7	28.6	28.6	30.3	29.9	23.7	22.1	18.0	19.1	278.8	8	-16089
	13 LST	12.3	16.0	23.7	28.1	29.9	29.6	30.9	30.9	27.6	25.2	17.9	16.2	288.3	8	-16089
	19 LST	10.9	14.9	24.1	29.1	30.6	30.0	31.0	31.0	27.8	25.4	16.1	13.0	283.9	8	-16089
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	12.4	14.3	16.2	19.1	22.8	24.4	25.0	26.0	19.1	16.9	10.8	14.2	221.2	8	-16089
	13 LST	9.8	13.9	14.1	20.6	21.3	24.1	27.2	27.3	24.2	19.8	12.7	12.2	231.2	8	-16089
	19 LST	7.7	12.9	18.9	21.8	25.0	23.8	27.0	28.8	24.3	20.3	12.2	9.3	232.0	8	-16089
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	11.2	13.0	14.0	15.7	18.2	20.7	20.8	21.5	15.9	12.5	7.5	11.7	182.7	8	-16089
	13 LST	8.4	12.6	15.9	16.8	17.9	21.4	25.0	24.7	20.9	16.7	10.3	10.5	201.1	8	-16089
	19 LST	6.5	11.9	16.7	17.9	21.4	21.7	26.0	26.9	22.2	17.8	7.6	7.8	204.4	8	-16089

ISTRANA, ITALY

STA NO. 16098 (IN AREA NUMBER 02)

LATITUDE 4541N

LONGITUDE 01205E

ELEVATION(FT) 00138

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
														(YRS)	DBS
ABS MAX TMP (F)	58	65	70	80	90	89	96	93	91	77	67	62	96	10	-16100
MEAN MAX TMP (F)	43	46	54	63	71	78	82	82	78	65	54	46	64	10	-16100
MEAN MIN TMP (F)	33	35	41	49	57	64	67	67	62	52	43	37	51	10	-16100
ABS MIN TMP (F)	18	12	27	35	44	48	52	55	48	30	28	24	12	10	-16100
MEAN NO OYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.2	0.0	1.6	0.4	0.0	0.0	0.0	0.0	2.2	6	-16100
MEAN NO OYS TMP = DR LES 32(F)	13.7	13.1	3.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	3.2	37.1	6	-16100
MEAN NO OYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	-16100
MEAN DEW PT TMP (F)	32	30	38	46	54	61	65	64	60	51	42	38	48	6	-16100
MEAN REL HUM (PCT)	81	78	77	73	77	74	73	74	76	78	82	84	77	10	-16100
MEAN PRESS ALT (PT)	12	47	92	140	108	85	104	87	43	41	54	51	72	0	-50
MEAN PRCP (IN)	1.61	1.61	2.01	2.36	2.91	2.99	2.28	2.52	2.76	3.58	2.72	1.89	29.2	85	-16100
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0	0.0				10	-29
MEAN NO OYS PRCP = DR GTR 0.1 IN	5.3	5.3	6.0	6.5	7.0	7.4	6.2	6.6	7.0	8.1	6.9	6.0	78.3	85	-29
MEAN NO OYS SNFL = DR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0					10	-29
MEAN NO OYS W/OCUR VSBY LES 1/2 MI	8.5	7.0	7.1	2.9	1.7	0.6	0.2	0.4	3.1	3.6	6.8	13.3	55.2	6	-16100
MEAN NO OYS TSTMS	0.0	0.2	0.4	3.3	7.5	9.1	9.6	7.8	4.1	2.2	0.4	0.0	44.6	6	-16100
P FREQ WND SPD = DR GTR 17 KTS	8.1	13.9	13.9	9.6	4.9	3.1	2.2	3.3	3.9	8.3	5.1	5.4	6.8	6	-16100
P FREQ WND SPD = DR GTR 28 KTS	1.1	4.3	2.6	1.1	0.1	0.2	0.1	0.1	0.3	0.8	0.4	1.0	1.0	6	-16100
P FREQ LES 5000 FT A/D LES 3 MI	67.1	66.2	52.0	39.7	27.2	20.8	19.1	20.1	31.3	48.3	62.9	78.9	44.5	6	-16100
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	46.3	38.6	26.2	13.2	2.7	2.2	1.3	1.3	7.6	25.5	44.3	52.6	21.7	6	-16100
03-05 LST	39.6	37.9	30.2	17.4	7.4	5.8	6.3	3.9	11.7	21.4	36.9	34.9	22.8	6	-16100
06-08 LST	39.6	45.0	43.0	28.3	19.6	10.9	11.0	18.8	20.7	31.6	42.3	53.9	30.4	6	-16100
09-11 LST	50.3	49.3	34.9	17.4	8.8	8.7	5.2	9.1	14.5	26.5	42.3	60.4	27.3	6	-16100
12-14 LST	45.0	38.8	26.2	10.4	7.4	2.2	4.3	3.2	7.6	20.0	41.6	34.3	21.8	6	-16100
15-17 LST	45.0	34.3	22.8	11.1	4.7	2.2	1.3	0.6	8.3	19.4	41.6	37.1	20.7	6	-16100
18-20 LST	48.3	35.3	27.5	13.2	5.4	2.2	1.3	0.6	6.9	18.7	40.3	36.5	21.4	6	-16100
21-23 LST	49.0	32.4	24.8	11.8	3.4	0.7	1.3	1.9	5.5	20.0	43.6	35.8	20.9	6	-16100
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	12.8	12.9	10.1	1.4	0.0	0.0	0.0	0.0	0.0	3.9	12.1	21.4	6.2	6	-16100
03-05 LST	16.8	16.4	12.1	1.4	0.0	1.4	0.0	0.0	2.8	3.9	13.4	23.5	7.6	6	-16100
06-08 LST	16.1	19.3	16.1	7.6	4.1	0.7	0.6	1.9	4.8	9.0	18.8	26.6	10.3	6	-16100
09-11 LST	24.2	22.1	14.8	2.1	1.4	0.0	0.0	0.6	3.4	9.7	26.8	35.7	11.7	6	-16100
12-14 LST	16.8	13.7	4.0	3.5	0.0	0.0	0.0	0.0	0.7	3.9	13.4	29.9	7.2	6	-16100
15-17 LST	12.8	11.3	4.0	2.1	0.0	0.0	0.0	0.0	0.7	1.3	14.8	26.6	6.2	6	-16100
18-20 LST	14.1	12.2	9.4	2.8	0.0	0.0	0.0	0.0	0.7	1.3	10.1	20.1	5.9	6	-16100
21-23 LST	11.4	12.2	6.7	0.7	0.0	0.0	0.6	0.0	0.0	2.6	9.4	19.3	5.3	6	-16100

ISTRANA, ITALY

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	17.2	17.8	24.1	27.5	30.3	29.5	30.7	30.5	27.9	24.3	17.9	15.9	293.6	6	-16100
	07 LST	19.1	15.8	17.8	22.0	25.3	26.9	27.7	25.5	24.0	21.6	18.1	14.8	258.6	6	-16100
	13 LST	17.2	17.5	23.3	27.2	29.3	29.3	29.9	30.1	27.9	25.2	17.7	14.2	288.8	6	-16100
	19 LST	16.4	18.5	22.8	26.6	29.5	29.5	30.7	31.0	28.5	25.8	18.5	14.2	292.0	6	-16100
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	9.7	9.6	13.9	19.5	24.0	24.1	25.9	25.3	21.7	15.3	10.8	9.8	209.6	6	-16100
	07 LST	14.1	9.4	11.4	13.6	20.1	21.7	22.9	19.9	19.0	15.0	12.4	10.4	191.9	6	-16100
	13 LST	11.4	9.6	14.9	16.6	18.4	21.3	24.3	23.7	22.3	15.8	13.6	10.0	201.9	6	-16100
	19 LST	11.0	11.2	15.3	15.6	21.1	21.7	22.7	23.1	22.1	17.6	13.8	9.6	206.8	6	-16100
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	2.8	3.1	3.2	2.4	1.2	0.8	0.4	1.0	1.4	2.1	0.6	1.2	20.2	6	-16100
	07 LST	1.0	2.6	2.4	1.0	0.4	0.6	0.4	1.0	1.0	0.6	0.8	1.0	12.8	6	-16100
	13 LST	1.0	2.4	3.9	2.7	0.8	1.5	0.4	0.8	0.8	3.8	0.6	1.2	19.9	6	-16100
	19 LST	1.6	2.9	1.6	3.6	1.0	0.6	0.0	1.0	0.8	1.8	0.6	1.0	16.5	6	-16100
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	9.3	5.2	10.8	11.6	11.1	14.1	13.6	12.3	12.6	12.6	11.6	9.8	134.6	6	-16100
	07 LST	8.5	5.8	11.4	12.9	14.6	14.5	17.1	17.3	15.5	14.6	13.6	12.0	157.8	6	-16100
	13 LST	11.8	11.8	16.0	17.5	20.3	21.9	25.3	23.7	19.6	11.8	13.4	12.4	205.3	6	-16100
	19 LST	9.9	7.0	14.1	13.3	17.8	18.0	18.7	18.3	16.5	12.0	11.0	11.9	168.3	6	-16100
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	8.2	8.8	12.2	10.8	14.4	13.2	17.8	20.6	17.4	10.9	9.2	5.0	148.3	6	-16100
	07 LST	8.1	6.6	6.8	6.8	8.5	9.2	14.6	12.2	10.8	7.6	7.6	5.0	103.8	6	-16100
	13 LST	7.2	6.0	11.0	9.5	11.9	11.2	16.5	13.7	13.7	9.8	8.4	4.4	123.3	6	-16100
	19 LST	8.4	7.2	12.6	8.4	8.6	9.0	16.2	14.4	14.8	13.2	10.0	4.4	127.2	6	-16100
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	13.1	13.2	21.2	23.7	28.4	27.1	29.7	29.3	26.4	21.6	14.6	12.2	264.3	6	-16100
	07 LST	17.2	13.8	16.4	19.5	24.0	26.3	26.7	24.3	22.3	20.0	16.3	12.2	239.2	6	-16100
	13 LST	16.0	13.7	22.0	23.4	27.8	28.9	28.3	29.5	26.8	23.8	17.1	12.8	274.1	6	-16100
	19 LST	14.9	16.3	21.2	23.9	28.4	27.8	29.3	30.1	26.8	23.0	16.5	11.0	269.2	6	-16100
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	12.0	12.6	17.4	19.1	22.9	23.4	27.9	26.9	24.0	17.8	12.6	9.0	223.6	6	-16100
	07 LST	13.7	11.4	13.9	15.6	21.9	23.4	25.3	22.9	21.1	17.0	13.4	8.0	207.6	6	-16100
	13 LST	12.6	14.1	20.1	23.1	26.6	28.4	27.5	27.1	25.4	21.0	14.8	8.8	249.5	6	-16100
	19 LST	13.1	12.2	18.1	21.2	23.7	24.7	28.1	26.7	23.0	19.8	13.4	7.8	237.8	6	-16100
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	11.8	12.4	17.2	18.7	22.9	23.4	27.9	26.9	24.0	17.6	12.6	9.0	224.4	6	-16100
	07 LST	13.5	11.4	13.7	15.6	21.7	23.2	24.9	22.9	20.6	16.8	13.4	8.0	205.7	6	-16100
	13 LST	12.4	13.2	19.7	23.1	26.3	28.4	27.3	26.9	23.4	20.6	14.4	8.6	246.3	6	-16100
	19 LST	13.1	12.0	17.6	20.4	23.3	24.3	27.5	28.5	23.0	19.8	13.4	7.8	234.3	6	-16100

TREVISO CITY, ITALY

STA NO. 16099 (IN AREA NUMBER 02)

LATITUDE 4539N

LONGITUDE 01212E

ELEVATION(FT) 00039

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR ND,	
														(YRS)	DBS
ABS MAX TMP (F)	58	65	70	80	90	89	96	93	91	77	67	62	96	10	-16100
MEAN MAX TMP (F)	43	46	54	63	71	78	82	82	78	65	54	46	64	10	-16100
MEAN MIN TMP (F)	33	35	41	49	57	64	67	67	62	52	43	37	51	10	-16100
ABS MIN TMP (F)	18	12	27	35	44	48	52	55	48	30	28	24	12	10	-16100
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.2	0.0	1.6	0.4	0.0	0.0	0.0	0.0	2.2	6	-16100
MEAN NO DYS TMP = DR LES 32(F)	13.7	13.1	3.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	5.2	37.1	6	-16100
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	-16100
MEAN DEW PT TMP (F)	32	30	38	46	54	61	65	64	60	51	42	38	48	10	-16100
MEAN REL HUM (PCT)	81	78	77	73	77	74	73	74	76	78	82	84	77	10	-16100
MEAN PRESS ALT (FT)	-65	-31	13	61	29	5	24	8	-35	-37	-24	-27	-6	0	-50
MEAN PRECIP (IN)	2.36	1.46	3.19	3.50	4.72	3.62	3.03	2.76	2.84	2.93	3.27	2.68	36.4	10	-122
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0	0.0				10	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	7.2	4.8	7.2	7.3	7.7	8.3	7.5	7.1	7.1	7.3	7.7	7.8	87.0	10	-29
MEAN NO DYS SNFL = DR GTR 1.9 IN				0.0	0.0	0.0	0.0	0.0	0.0	0.0				10	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	8.3	7.0	7.1	2.9	1.7	0.6	0.2	0.4	3.1	3.6	6.8	13.3	55.2	6	-16100
MEAN NO DYS TSTMS	0.0	0.2	0.4	3.3	7.5	9.1	9.6	7.8	4.1	2.2	0.4	0.0	44.6	6	-16100
P FREQ WND SPD = DR GTR 17 KTS	8.1	13.9	13.9	9.6	4.9	3.1	2.2	3.3	3.9	8.3	5.1	5.4	6.8	6	-16100
P FREQ WND SPD = DR GTR 28 KTS	1.1	4.3	2.6	1.1	0.1	0.2	0.1	0.1	0.3	0.8	0.4	1.0	1.0	6	-16100
P FREQ LES 5000 FT A/D LES 3 MI	67.1	66.2	52.0	39.7	27.2	20.8	19.1	20.1	31.5	48.3	62.9	78.9	44.3	6	-16100
P FREQ LES 1500 FT A/D LES 3 MI														6	-16100
FOR 00-02 LST	46.3	38.6	26.2	13.2	2.7	2.2	1.3	1.3	7.6	23.3	44.3	52.6	21.7	6	-16100
03-05 LST	39.6	37.9	30.2	17.4	7.4	5.8	6.5	3.9	11.7	21.4	36.9	34.9	22.8	6	-16100
06-08 LST	39.6	45.0	43.0	28.5	19.6	10.9	11.0	18.6	20.7	31.6	42.3	33.9	30.4	6	-16100
09-11 LST	50.3	49.3	34.9	17.4	8.8	8.7	3.2	9.1	14.3	26.3	42.3	60.4	27.3	6	-16100
12-14 LST	45.0	38.8	26.2	10.4	7.4	2.2	4.3	3.2	7.6	20.0	41.6	34.3	21.8	6	-16100
15-17 LST	45.0	34.3	22.8	11.1	4.7	2.2	1.3	0.6	8.3	19.4	41.6	37.1	20.7	6	-16100
18-20 LST	48.3	35.3	27.3	13.2	3.4	2.2	1.3	0.6	6.9	18.7	40.3	36.3	21.4	6	-16100
21-23 LST	49.0	32.4	24.8	11.8	3.4	0.7	1.3	1.9	5.5	20.0	43.6	33.8	20.9	6	-16100
P FREQ LES 300 FT A/D LES 1 MI														6	-16100
FOR 00-02 LST	12.8	12.9	10.1	1.4	0.0	0.0	0.0	0.0	0.0	3.9	12.1	21.4	6.2	6	-16100
03-05 LST	16.8	16.4	12.1	1.4	0.0	1.4	0.0	0.0	2.8	3.9	13.4	23.3	7.6	6	-16100
06-08 LST	16.1	19.3	16.1	7.6	4.1	0.7	0.6	1.9	4.8	9.0	18.8	26.6	10.3	6	-16100
09-11 LST	24.2	22.1	14.8	2.1	1.4	0.0	0.0	0.6	3.4	9.7	26.8	35.7	11.7	6	-16100
12-14 LST	16.8	13.7	4.0	3.3	0.0	0.0	0.0	0.0	0.7	3.9	13.4	29.9	7.2	6	-16100
15-17 LST	12.8	11.3	4.0	2.1	0.0	0.0	0.0	0.0	0.7	1.3	14.8	26.6	6.2	6	-16100
18-20 LST	14.1	12.2	9.4	2.8	0.0	0.0	0.0	0.0	0.7	1.3	10.1	20.1	3.9	6	-16100
21-23 LST	11.4	12.2	6.7	0.7	0.0	0.0	0.6	0.0	0.0	2.6	9.4	19.3	3.3	6	-16100

TREVISIO CITY, ITALY
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	17.2	17.8	24.1	27.5	30.3	29.5	30.7	30.5	27.9	24.3	17.9	15.9	293.6	6	-16100
	07 LST	19.1	15.8	17.8	22.0	25.3	26.9	27.7	25.3	24.0	21.6	18.1	14.8	258.6	6	-16100
	13 LST	17.2	17.5	23.3	27.2	29.3	29.3	29.9	30.1	27.9	25.2	17.7	14.2	288.8	6	-16100
	19 LST	16.4	18.5	22.8	26.6	27.5	29.5	30.7	31.0	28.5	25.8	18.5	14.2	292.0	6	-16100
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	9.7	9.6	13.9	19.3	24.0	24.1	23.9	23.3	21.7	15.3	10.8	9.8	209.6	6	-16100
	07 LST	14.1	9.4	11.4	15.6	20.1	21.7	22.9	19.9	19.0	15.0	12.4	10.4	191.9	6	-16100
	13 LST	11.4	9.6	14.9	16.6	18.4	21.3	24.3	23.7	22.3	15.8	13.6	10.0	201.9	6	-16100
	19 LST	11.0	11.2	15.3	15.6	21.1	21.7	22.7	23.1	22.1	17.6	13.8	9.6	206.8	6	-16100
SPC WND = GTR 17 KTS AND NO PRECIP.	01 LST	2.8	3.1	3.2	2.4	1.2	0.8	0.4	1.0	1.4	2.1	0.6	1.2	20.2	6	-16100
	07 LST	1.0	2.6	2.4	1.0	0.4	0.6	0.4	1.0	1.0	0.6	0.8	1.0	12.8	6	-16100
	13 LST	1.0	2.4	3.9	2.7	0.8	1.3	0.4	0.8	0.8	3.8	0.6	1.2	19.9	6	-16100
	19 LST	1.6	2.9	1.6	3.6	1.0	0.6	0.0	1.0	0.8	1.8	0.6	1.0	16.5	6	-16100
SPC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	9.3	5.2	10.8	11.6	11.1	14.1	13.6	12.3	12.6	12.6	11.6	9.6	134.6	6	-16100
	07 LST	8.3	5.8	11.4	12.9	14.6	14.5	17.1	17.3	13.3	14.6	13.6	12.0	157.8	6	-16100
	13 LST	11.8	11.8	16.0	17.5	20.3	21.9	23.3	23.7	19.6	11.8	13.4	12.4	205.5	6	-16100
	19 LST	9.9	7.0	14.1	13.3	17.8	18.0	18.7	18.3	16.5	12.0	11.0	11.9	168.3	6	-16100
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	8.2	8.8	12.2	10.8	14.4	13.2	17.8	20.6	17.4	10.9	9.2	5.0	148.3	6	-16100
	07 LST	8.1	6.6	6.8	6.8	8.5	9.2	14.6	12.2	10.8	7.6	7.6	5.0	103.8	6	-16100
	13 LST	7.2	9.0	11.0	9.5	11.9	11.2	16.5	13.7	13.7	9.8	8.4	4.4	125.3	6	-16100
	19 LST	8.4	7.2	12.6	8.4	8.6	9.0	16.2	14.4	14.8	13.2	10.0	4.4	127.2	6	-16100
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	15.1	15.2	21.2	23.7	28.4	27.1	29.7	29.3	26.4	21.6	14.6	12.2	264.5	6	-16100
	07 LST	17.2	13.8	16.4	19.5	24.0	26.3	26.7	24.3	22.5	20.0	16.3	12.2	239.2	6	-16100
	13 LST	16.0	15.7	22.0	25.4	27.8	28.9	28.3	29.3	26.8	23.8	17.1	12.8	274.1	6	-16100
	19 LST	14.9	16.3	21.2	23.9	28.4	27.8	29.3	30.1	26.8	23.0	16.5	11.0	269.2	6	-16100
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	12.0	12.6	17.4	19.1	22.9	23.4	27.9	26.9	24.0	17.8	12.6	9.0	225.6	6	-16100
	07 LST	13.7	11.4	13.9	15.6	21.9	23.4	23.3	22.9	21.1	17.0	13.4	8.0	207.6	6	-16100
	13 LST	12.6	14.1	20.1	23.1	26.6	28.4	27.3	27.1	23.4	21.0	14.8	8.8	249.3	6	-16100
	19 LST	13.1	12.2	18.1	21.2	25.7	24.7	28.1	28.7	23.0	19.8	13.4	7.8	237.8	6	-16100
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	11.8	12.4	17.2	18.7	22.9	23.4	27.9	26.9	24.0	17.6	12.6	9.0	224.4	6	-16100
	07 LST	13.5	11.4	13.7	15.6	21.7	23.2	24.9	22.9	20.6	16.8	13.4	8.0	203.7	6	-16100
	13 LST	12.4	13.2	19.7	23.1	26.3	28.4	27.3	26.9	23.4	20.6	14.4	8.6	246.3	6	-16100
	19 LST	13.1	12.0	17.6	20.4	25.3	24.3	27.3	28.5	23.0	19.8	13.2	7.8	234.3	6	-16100

VENEZIA, ITALY

STA NU. 16100 (IN AREA NUMBER 02)

LATITUDE 4526N

LONGITUDE 01223E

ELEVATION(PT) 00036

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	58	65	70	80	90	89	96	93	91	77	67	62	96	10	-528
MEAN MAX TMP (F)	43	46	54	63	71	78	82	82	78	65	54	46	64	10	-28
MEAN MIN TMP (F)	33	35	41	49	57	64	67	67	62	52	43	37	51	10	-28
ABS MIN TMP (F)	18	12	27	35	44	48	52	55	48	30	28	24	12	10	-528
MEAN NO DYS TM' = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.2	0.0	1.6	0.4	0.0	0.0	0.0	0.0	2.2	6	1778
MEAN NO DYS TMP = DR LES 32(F)	13.7	13.1	3.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	5.2	37.1	6	1778
MEAN NO DYS TNP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	1778
MEAN DEW PT TMP (F)	32	30	38	46	54	61	65	64	60	51	42	38	48	6	14221
MEAN REL HUM (PCT)	81	78	77	73	77	74	73	74	76	78	82	84	77	10	-28
MEAN PRESS ALT (PT)														0	0
MEAN PRECIP (IN)	1.61	1.61	2.01	2.36	2.91	2.99	2.28	2.82	2.76	3.58	2.72	1.89	29.2	85	-122
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0	0.0				10	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	5.3	5.3	6.0	6.5	7.0	7.4	6.2	6.6	7.0	8.1	6.9	6.0	78.3	85	-29
MEAN NO DYS SNPL = DR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0	0.0				10	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	8.5	7.0	7.1	2.9	1.7	0.6	0.2	0.4	3.1	3.6	6.8	13.3	55.2	6	1780
MEAN NO DYS TSTMS	0.0	0.2	0.4	3.3	7.5	9.1	9.6	7.8	4.1	2.2	0.4	0.0	44.6	6	1780
P FREQ WND SPD = DR GTR 17 KTS	8.1	13.9	13.9	9.6	4.9	3.1	2.2	3.5	3.9	8.3	5.1	5.4	6.8	6	42604
P FREQ WND SPD = DR GTR 28 KTS	1.1	4.3	2.6	1.1	0.1	0.2	0.1	0.1	0.3	0.8	0.4	1.0	1.0	6	42604
P FREQ LES 5000 FT A/D LES 3 MI	67.1	66.2	52.0	39.7	27.2	20.8	19.1	20.1	31.5	48.3	62.9	78.9	44.5	6	14219
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	46.3	38.6	26.2	13.2	2.7	2.2	1.3	1.3	7.6	23.3	44.3	52.6	21.7	6	1776
03-05 LST	39.6	37.9	30.2	17.4	7.4	5.8	6.5	3.9	11.7	21.4	36.9	54.9	22.8	6	1777
06-08 LST	39.6	45.0	43.0	28.5	19.6	10.9	11.0	18.8	20.7	31.6	42.3	53.9	30.4	6	1779
09-11 LST	50.3	49.3	34.9	17.4	8.8	8.7	5.2	9.1	14.5	26.5	42.3	60.4	27.3	6	1779
12-14 LST	45.0	38.8	28.2	10.4	7.4	2.2	4.5	3.2	7.6	20.0	41.6	54.5	21.8	6	1778
15-17 LST	49.0	34.5	22.8	11.1	4.7	2.2	1.3	0.6	8.3	19.4	41.6	57.1	20.7	6	1778
18-20 LST	48.3	35.3	27.5	13.2	5.4	2.2	1.3	0.6	6.9	18.7	40.3	56.5	21.4	6	1778
21-23 LST	49.0	32.4	24.8	11.8	3.4	0.7	1.3	1.9	5.5	20.0	43.6	55.8	20.9	6	1778
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	12.8	12.9	10.1	1.4	0.0	0.0	0.0	0.0	0.0	3.9	12.1	21.4	6.2	6	1776
03-05 LST	16.8	16.4	12.1	1.4	0.0	1.4	0.0	0.0	2.8	3.9	13.4	23.5	7.6	6	1777
06-08 LST	16.1	19.3	16.1	7.6	4.1	0.7	0.6	1.9	4.8	9.0	18.8	26.6	10.3	6	1779
09-11 LST	24.2	22.1	14.8	2.1	1.4	0.0	0.0	0.6	3.4	9.7	26.8	35.7	11.7	6	1779
12-14 LST	16.8	13.7	4.0	3.3	0.0	0.0	0.0	0.0	0.7	3.9	13.4	29.9	7.2	6	1778
15-17 LST	12.8	11.3	4.0	2.1	0.0	0.0	0.0	0.0	0.7	1.3	14.8	26.6	6.2	6	1778
18-20 LST	14.1	12.2	9.4	2.8	0.0	0.0	0.0	0.0	0.7	1.3	10.1	20.1	5.9	6	1778
21-23 LST	11.4	12.2	6.7	0.7	0.0	0.0	0.0	0.0	0.0	2.6	9.4	19.5	5.3	6	1778

VENEZIA, ITALY

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	17.2	17.8	24.1	27.5	30.3	29.5	30.7	30.5	27.9	24.3	17.9	15.9	293.6	6	1776
	07 LST	19.1	15.8	17.8	22.0	25.3	26.9	27.7	25.3	24.0	21.6	18.1	14.8	258.6	6	1779
	13 LST	17.2	17.5	23.3	27.2	29.3	29.3	29.9	30.1	27.9	25.2	17.7	14.2	288.8	6	1778
	19 LST	16.4	18.5	22.8	26.6	29.5	29.5	30.7	31.0	28.5	25.8	18.5	14.2	292.0	6	1778
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	9.7	9.6	13.9	19.5	24.0	24.1	25.9	25.3	21.7	15.3	10.8	9.8	209.6	6	1776
	07 LST	14.1	9.4	11.4	15.6	20.1	21.7	22.9	19.9	19.0	15.0	12.4	10.4	191.9	6	1779
	13 LST	11.4	9.6	14.9	16.6	18.4	21.3	24.3	23.7	22.3	15.8	13.6	10.0	201.9	6	1778
	19 LST	11.0	11.2	15.3	15.6	21.1	21.7	22.7	25.1	22.1	17.6	13.8	9.6	206.8	6	1778
SFC WND = GT. 17 KTS AND NO PRECIP.	01 LST	2.8	3.1	3.2	2.4	1.2	0.8	0.4	1.0	1.4	2.1	0.6	1.2	20.2	6	1828
	07 LST	1.0	2.6	2.4	1.0	0.4	0.6	0.4	1.0	1.0	0.6	0.8	1.0	12.8	6	1781
	13 LST	1.0	2.4	3.9	2.7	0.9	1.5	0.4	0.8	0.8	3.8	0.6	1.2	19.9	6	1781
	19 LST	1.6	2.9	1.6	3.8	1.0	0.6	0.0	1.0	0.8	1.8	0.6	1.0	16.5	6	1827
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	9.3	5.2	10.8	11.6	11.1	14.1	13.6	12.3	12.6	12.6	11.6	9.8	134.6	6	1776
	07 LST	8.5	5.8	11.4	12.9	14.6	14.5	17.1	17.3	15.3	14.6	13.6	12.0	157.8	6	1779
	13 LST	11.8	11.8	16.0	17.5	20.3	21.9	25.3	23.7	19.6	11.8	13.4	12.4	205.5	6	1779
	19 LST	9.9	7.0	14.1	13.3	17.8	18.0	18.7	18.3	16.5	12.0	11.0	11.9	168.5	6	1777
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	8.2	8.8	12.2	10.8	14.4	13.2	17.8	20.6	17.4	10.9	9.2	5.0	148.9	6	1828
	07 LST	8.1	6.6	6.8	6.8	8.5	9.2	14.6	12.2	10.8	7.6	7.6	5.0	103.8	6	1781
	13 LST	7.2	6.0	11.0	9.5	11.9	11.2	16.5	19.7	13.7	9.8	8.4	4.4	125.3	6	1780
	19 LST	8.4	7.2	12.6	8.4	8.6	9.0	16.2	14.4	14.8	13.2	10.0	4.4	127.2	6	1827
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	15.1	15.2	21.2	23.7	28.4	27.1	29.7	29.3	26.4	21.6	14.6	12.2	264.5	6	1776
	07 LST	17.2	13.8	16.4	19.5	24.0	26.3	26.7	24.3	22.5	20.0	16.3	12.2	239.2	6	1779
	13 LST	16.0	15.7	22.0	25.4	27.8	28.9	28.3	29.3	26.8	23.8	17.1	12.8	274.1	6	1778
	19 LST	14.9	16.3	21.2	23.9	28.4	27.8	29.3	30.1	26.8	23.0	16.5	11.0	269.2	6	1778
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	12.0	12.6	17.4	19.1	22.9	23.4	27.9	26.9	24.0	17.8	12.6	9.0	225.6	6	1776
	07 LST	13.7	11.4	13.9	15.6	21.9	23.4	25.3	22.9	21.1	17.0	13.4	8.0	207.6	6	1779
	13 LST	12.6	14.1	20.1	23.1	26.6	28.4	27.5	27.1	25.4	21.0	14.8	8.8	249.5	6	1778
	19 LST	13.1	12.2	18.1	21.2	25.7	24.7	28.1	28.7	25.0	19.8	13.4	7.8	237.8	6	1778
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	11.8	12.4	17.2	18.7	22.9	23.4	27.9	26.9	24.0	17.6	12.6	9.0	224.4	6	1776
	07 LST	13.3	11.4	13.7	15.6	21.7	23.2	24.9	22.9	20.6	16.8	13.4	8.0	205.7	6	1779
	13 LST	12.4	13.2	19.7	23.1	26.3	28.4	27.3	26.9	25.4	20.6	14.4	8.6	246.3	6	1778
	19 LST	13.1	12.0	17.6	20.4	25.3	24.3	27.5	28.5	25.0	19.8	13.2	7.8	234.5	6	1778

VENEZIA-TESSERA, ITALY

STA NO. 16109 (IN AREA NUMBER 02)

LATITUDE 4530N

LONGITUDE 01221E

ELEVATION(FT) 00007

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	58	65	70	80	90	89	96	93	91	77	67	62	96	10	-16100
MEAN MAX TMP (F)	43	46	54	63	71	78	82	82	78	65	54	46	64	10	-16100
MEAN MIN TMP (F)	33	35	41	46	57	64	67	67	62	52	43	37	51	10	-16100
ABS MIN TMP (F)	18	12	27	35	44	48	52	55	48	30	28	24	12	10	-16100
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.2	0.0	1.6	0.4	0.0	0.0	0.0	0.0	2.2	6	-16100
MEAN NO DYS TMP = DR LES 32(F)	13.7	13.1	3.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	5.2	37.1	6	-16100
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	-16100
MEAN DEW PT TMP (F)	32	30	38	46	54	61	65	64	60	51	42	38	48	6	-16100
MEAN REL HUM (PCT)	81	78	77	73	77	74	73	74	76	78	82	84	77	10	-16100
MEAN PRESS ALT (FT)	-117	-83	-38	9	-22	-46	-27	-44	-87	-88	-75	-79	-57	0	-50
MEAN PRECIP (IN)	1.61	1.61	2.01	2.36	2.91	2.99	2.28	2.52	2.76	3.58	2.72	1.89	29.2	85	-16100
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0	0.0				10	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	5.3	5.3	6.0	6.5	7.0	7.4	6.2	6.6	7.0	8.1	6.9	6.0	78.3	85	-29
MEAN NO DYS SNPL = DR GTR 1.5 IN				0.0	0.1	0.0	0.0	0.0	0.0	0.0				10	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	8.5	7.0	7.1	2.9	1.7	0.6	0.2	0.4	3.1	3.6	6.8	13.3	55.2	6	-16100
MEAN NO DYS TSTMS	0.0	0.2	0.4	3.3	7.5	9.1	9.6	7.8	4.1	2.2	0.4	0.0	44.6	6	-16100
P FREQ WND SPD = DR GTR 17 KTS	8.1	13.9	13.9	9.6	4.9	3.1	2.2	3.5	3.9	8.3	5.1	5.4	6.8	6	-16100
P FREQ WND SPD = DR GTR 28 KTS	1.1	4.3	2.6	1.1	0.1	0.2	0.1	0.1	0.3	0.8	0.4	1.0	1.0	6	-16100
P FREQ LES 3000 FT A/D LES 5 MI	67.1	66.2	52.0	39.7	27.2	20.8	19.1	20.1	31.5	48.3	62.9	78.9	44.3	6	-16100
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	46.3	38.6	26.2	13.2	2.7	2.2	1.3	1.3	7.6	23.5	44.3	52.6	21.7	6	-16100
03-05 LST	39.6	37.9	30.2	17.4	7.4	5.8	6.5	3.9	11.7	21.4	36.9	54.9	22.8	6	-16100
06-08 LST	39.6	45.0	43.0	28.5	19.6	10.9	11.0	18.8	20.7	31.6	42.3	53.9	30.4	6	-16100
09-11 LST	50.3	49.3	34.9	17.4	8.8	8.7	3.2	9.1	14.5	26.5	42.3	60.4	27.3	6	-16100
12-14 LST	45.0	38.8	26.2	10.4	7.4	2.2	4.5	3.2	7.6	20.0	41.6	54.5	21.8	6	-16100
15-17 LST	45.0	34.5	22.8	11.1	4.7	2.2	1.3	0.6	8.3	19.4	41.6	57.1	20.7	6	-16100
18-20 LST	48.3	35.3	27.5	13.2	5.4	2.2	1.3	0.6	6.9	18.7	40.3	56.5	21.4	6	-16100
21-23 LST	49.0	32.4	24.8	11.8	3.4	0.7	1.3	1.9	5.5	20.0	43.6	55.8	20.9	6	-16100
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	12.8	12.9	10.1	1.4	0.0	0.0	0.0	0.0	0.0	3.9	12.1	21.4	6.2	6	-16100
03-05 LST	16.8	16.4	12.1	1.4	0.0	1.4	0.0	0.0	2.8	3.9	13.4	23.5	7.6	6	-16100
06-08 LST	16.1	19.3	16.1	7.6	4.1	0.7	0.6	1.9	4.8	9.0	18.8	26.6	10.3	6	-16100
09-11 LST	24.2	22.1	14.8	2.1	1.4	0.0	0.0	0.6	3.4	9.7	26.8	35.7	11.7	6	-16100
12-14 LST	16.8	13.7	4.0	3.3	0.0	0.0	0.0	0.0	0.7	3.9	13.4	29.9	7.2	6	-16100
15-17 LST	12.8	11.5	4.0	2.1	0.0	0.0	0.0	0.0	0.7	1.3	14.8	26.6	6.2	6	-16100
18-20 LST	14.1	12.2	9.4	2.8	0.0	0.0	0.0	0.0	0.7	1.3	10.1	20.1	5.9	6	-16100
21-23 LST	11.4	12.2	6.7	0.7	0.0	0.0	0.0	0.0	0.0	2.6	9.4	19.5	5.3	6	-16100

VENEZIA-TESSERA, ITALY

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	17.2	17.8	24.1	27.3	30.3	29.3	30.7	30.5	27.9	24.3	17.9	15.9	293.6	6	-16100
	07 LST	19.1	15.8	17.8	22.0	25.3	26.9	27.7	25.3	24.0	21.6	18.1	14.8	258.6	6	-16100
	13 LST	17.2	17.3	23.3	27.2	29.3	29.3	29.9	30.1	27.9	25.2	17.7	14.2	288.8	6	-16100
	19 LST	16.4	18.3	22.8	26.6	29.3	29.5	30.7	31.0	28.5	25.8	18.5	14.2	292.0	6	-16100
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	9.7	9.6	13.9	19.3	24.0	24.1	25.9	25.3	21.7	15.3	10.8	9.8	209.6	5	-16100
	07 LST	14.1	9.4	11.4	15.6	20.1	21.7	22.9	19.9	19.0	15.0	12.4	10.4	191.9	6	-16100
	13 LST	11.4	9.6	14.9	16.6	18.4	21.3	24.3	23.7	22.3	15.8	13.6	10.0	201.9	6	-16100
	19 LST	11.0	11.2	15.3	15.6	21.1	21.7	22.7	25.1	22.1	17.6	13.8	9.6	206.8	6	-16100
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	2.8	3.1	3.2	2.4	1.2	0.8	0.4	1.0	1.4	2.1	0.6	1.2	20.2	6	-16100
	07 LST	1.0	2.6	2.4	1.0	0.4	0.6	0.4	1.0	1.0	0.6	0.8	1.0	12.8	6	-16100
	13 LST	1.0	2.4	3.9	2.7	0.8	1.5	0.4	0.8	0.8	3.8	0.6	1.2	19.9	6	-16100
	19 LST	1.6	2.9	1.6	3.6	1.0	0.6	0.0	1.0	0.8	1.8	0.6	1.0	16.3	6	-16100
SFC WND 4-10 KTS AND TMP 33-89 DEC F AND NO PRECIP.	01 LST	9.3	5.2	10.8	11.6	11.1	14.1	13.6	12.3	12.6	12.6	11.6	9.8	134.6	6	-16100
	07 LST	8.3	5.8	11.4	12.9	14.6	14.5	17.1	17.3	13.3	14.6	13.6	12.0	157.8	6	-16100
	13 LST	11.8	11.8	16.0	17.5	20.3	21.9	25.3	23.7	19.6	11.8	13.4	12.4	209.3	6	-16100
	19 LST	9.9	7.0	14.1	13.3	17.8	18.0	18.7	18.3	16.5	12.0	11.0	11.9	168.3	6	-16100
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	8.2	8.8	12.2	10.8	14.4	13.2	17.8	20.6	17.4	10.9	9.2	5.0	148.3	6	-16100
	07 LST	8.1	6.6	6.8	6.8	8.3	9.2	14.6	12.2	10.8	7.6	7.6	5.0	103.8	6	-16100
	13 LST	7.2	6.0	11.0	9.3	11.9	11.2	16.5	13.7	13.7	9.8	8.4	4.4	123.3	6	-16100
	19 LST	8.4	7.2	12.6	8.4	8.6	9.0	16.2	14.4	14.8	13.2	10.0	4.4	127.2	6	-16100
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	15.1	15.2	21.2	23.7	28.4	27.1	29.7	29.3	26.4	21.6	14.6	12.2	264.3	6	-16100
	07 LST	17.2	13.8	16.4	19.3	24.0	26.3	26.7	24.3	22.5	20.0	16.3	12.2	239.2	6	-16100
	13 LST	16.0	15.7	22.0	25.4	27.8	28.9	28.3	29.5	26.8	23.8	17.1	12.8	274.1	6	-16100
	19 LST	14.9	16.3	21.2	23.9	28.4	27.8	29.3	30.1	26.8	23.0	16.3	11.0	269.2	6	-16100
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	12.0	12.6	17.4	19.1	22.9	23.4	27.9	26.9	24.0	17.8	12.6	9.0	225.6	6	-16100
	07 LST	13.7	11.4	13.9	15.6	21.9	23.4	25.3	22.9	21.1	17.0	13.4	8.0	207.6	6	-16100
	13 LST	12.6	14.1	20.1	23.1	26.6	28.4	27.3	27.1	23.4	21.0	14.8	8.8	249.3	6	-16100
	19 LST	13.1	12.2	18.1	21.2	25.7	24.7	28.1	28.7	25.0	19.8	13.4	7.8	237.8	6	-16100
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	11.8	12.4	17.2	18.7	22.9	23.4	27.9	26.9	24.0	17.6	12.6	9.0	224.4	6	-16100
	07 LST	13.3	11.4	13.7	15.6	21.7	23.2	24.9	22.9	20.6	16.8	13.4	8.0	203.7	6	-16100
	13 LST	12.4	13.2	19.7	23.1	26.3	28.4	27.3	26.9	23.4	20.6	14.4	8.6	246.3	6	-16100
	19 LST	13.1	12.0	17.6	20.4	25.3	24.3	27.3	28.5	25.0	19.8	13.2	7.8	234.3	6	-16100

GORIZIA, ITALY

STA NO. 16106 (IN AREA NUMBER 02)

LATITUDE 4555N

LONGITUDE 01397E

ELEVATION(FT) 00207

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	66	73	78	83	89	97	99	99	96	85	72	65	99	10	-142
MEAN MAX TMP (F)	46	49	55	65	72	79	86	83	77	64	55	48	65	10	-142
MEAN MIN TMP (F)	34	33	37	45	53	57	62	59	55	46	38	33	46	10	-142
ABS MIN TMP (F)	10	14	13	27	34	43	42	46	39	24	18	15	10	10	-142
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	9.4	5.7		0.0	0.0	0.0	/	10	-29
MEAN NO DYS TMP = DR LES 32(F)					0.0	0.0	0.0	0.0	0.0					10	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN DEW PT TMP (F)	29	32	34	43	51	56	61	59	56	45	39	34	43	10	-29
MEAN REL HUM (PCT)	69	72	67	68	70	68	67	68	72	72	76	79	71	10	-142
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	2.80	2.05	4.88	5.79	4.69	5.83	3.66	4.29	7.13	3.28	6.93	3.47	56.8	10	-122
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0					10	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	0.1	6.4	7.8	8.8	7.7	9.8	8.3	9.0		9.5	9.5	9.1		10	-29
MEAN NO DYS SNFL = DR GTR 1.9 IN					0.0	0.0	0.0	0.0						10	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 300 FT A/D LES 3 MI														0	0
P FREQ LES 1900 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

GORIZIA, ITALY

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 EG F AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0

DATA NOT AVAILABLE

RONCHI DEL LEGIONARI, ITALY

STA NO. 16108 (IN AREA NUMBER 02)

LATITUDE 4550N

LONGITUDE 01329E

ELEVATION(FT) 00035

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	66	73	78	85	89	97	99	99	96	85	72	65	99	10	-16106
MEAN MAX TMP (F)	46	49	55	65	72	79	86	83	77	64	55	48	65	10	-16106
MEAN MIN TMP (F)	34	33	37	45	53	57	62	59	55	46	38	33	46	10	-16106
ABS MIN TMP (F)	10	14	13	27	34	43	42	46	39	24	18	15	10	10	-16106
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0		9.4	5.7		0.0	0.0	0.0		10	-29
MEAN NO DYS TMP = OR LES 32(F)					0.0	0.0	0.0	0.0	0.0					10	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN DEW PT TMP (F)	37	42	46	48	57	60	65	64	58	54	47	43	52	0	-50
MEAN REL HUM (PCT)	69	72	67	68	70	68	67	68	72	72	76	79	71	10	-16106
MEAN PRESS ALT (PT)	-88	-94	-10	34	2	-23	-5	-19	-59	-58	-43	-49	-30	0	-50
MEAN PRECIP (IN)	2.80	2.05	4.88	5.79	4.69	5.83	3.66	4.29	7.13	5.28	6.93	3.47	56.8	10	-16106
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0					10	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	8.1	6.4	7.8	8.8	7.7	9.8	8.3	9.0		9.5	9.5	9.1		10	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN					0.0	0.0	0.0	0.0						10	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

RONCHI DEL LEGIONARI, ITALY

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR	NO.
															(YRS)	OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0

DATA NOT AVAILABLE

BOLOGNA, ITALY

STA NO. 16140 (IN AREA NUMBER 02)

LATITUDE 4431N

LONGITUDE 01117E

ELEVATION(FT) 00131

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	64	72	79	85	87	97	101	103	95	82	71	65	103	10	-142
MEAN MAX TMP (F)	41	48	58	68	82	82	87	86	80	65	53	44	66	10	-142
MEAN MIN TMP (F)	29	31	39	46	54	60	64	64	60	50	41	33	48	10	-142
ABS MIN TMP (F)	10	9	22	32	41	45	51	49	44	29	26	12	9	10	-142
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	4.5	10.9	9.4		0.0	0.0	0.0		10	-29
MEAN NO DYS TMP = DR LES 32(F)				0.0	0.0	0.0	0.0	0.0	0.0	0.0				10	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		10	-29
MEAN DEW PT TMP (F)	31	33	40	47	58	57	61	62	60	53	43	36	48	10	-29
MEAN REL HUM (PCT)	85	80	74	72	72	65	65	67	73	85	87	90	76	10	-142
MEAN PRESS ALT (FT)	6	41	85	137	104	80	100	82	37	34	44	42	66	0	-50
MEAN PRECIP (IN)	2.09	1.61	2.36	3.15	2.91	2.44	1.69	1.65	2.48	4.33	3.11	1.93	29.8	25	-122
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0	0.0				10	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	6.5	5.3	6.5	7.1	7.0	6.5	4.9	4.8	6.5	8.9	7.5	6.1	77.6	25	-29
MEAN NO DYS SNPL = DR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0	0.0				10	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1900 FT A/D LES 5 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

BOLOGNA, ITALY

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SPC WND LES 10 KTS	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SPC WND = GTR 17 KTS AND NO PRECIP.	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SPC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0

DATA NOT AVAILABLE

RIMINI, ITALY

STA NO. 16149 (IN AREA NUMBR 02)

LATITUDE 4401N

LONGITUDE 01236E

ELEVATION(FT) 00039

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	65	67	74	86	87	93	100	103	89	81	74	65	103	10	-142
MEAN MAX TMP (F)	45	48	54	63	69	77	82	81	76	65	55	47	64	10	-142
MEAN MIN TMP (F)	32	34	39	45	53	59	64	63	59	51	43	36	48	10	-142
ABS MIN TMP (F)	13	14	20	22	39	42	49	49	42	37	23	18	13	10	-142
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0		4.7	3.8	0.0	0.0	0.0	0.0		10	-29
MEAN NO DYS TMP = DR LES 32(F)					0.0	0.0	0.0	0.0	0.0	0.0				10	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN DEW PT TMP (F)	29	32	38	44	52	55	60	59	58	51	41	35	46	0	-90
MEAN REL HUM (PCT)	85	82	76	76	77	71	72	70	75	82	84	86	78	10	-142
MEAN PRESS ALT (PT)	-83	-46	-6	42	9	-17	-0	-11	-52	-53	-41	-45	-24	0	-90
MEAN PRECIP (IN)	2.26	2.24	1.64	1.38	1.73	1.50	1.87	1.50	3.58	4.16	3.35	1.87	27.1	10	-142
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0	0.0				10	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	7.0	6.9	5.2	4.6	5.4	4.4	5.3	4.4	8.1	8.8	7.9	6.0	74.0	10	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0	0.0				10	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

RIMINI, ITALY

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
SFC WND 4-10 KTS AND THP 33-89 DEG F AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0

DATA NOT AVAILABLE

AREA NO. 02

PARAMETER DESCRIPTION	PD VALLEY		LATITUDE 4500N					LONGITUDE 01030E								
	BOUNDARIES	4612N 01340E	4612N 01240E	4612N 01240E	4528N 01100E	4528N 01100E	4550N 00900E	4550N 00900E	4510N 00722E	4510N 00722E	4442N 00722E	4442N 00722E	4500N 00900E			
		4500N 00900E	4348N 01310E	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)		42	47	56	65	72	79	84	83	77	64	53	45	64		
MEAN MIN TMP (F)		30	32	39	46	54	60	64	63	58	49	40	33	47		
LARGEST MEAN PRECIP(IN)		2.89	3.15	4.08	6.29	6.31	6.93	4.80	4.92	7.13	7.01	8.33	6.54	69.2		
SMALLEST MEAN PRECIP(IN)		1.21	0.89	1.60	1.38	1.73	1.50	1.36	1.50	2.19	2.07	1.02	1.30	17.8		
		MEAN NUMBER OF DAYS														
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	16.1	15.5	22.5	26.3	30.0	28.9	30.5	29.9	24.9	20.3	16.6	15.4	276.9		
	07 LST	16.4	15.1	18.0	22.3	26.3	26.5	27.7	25.6	20.8	19.3	17.2	16.3	251.7		
	13 LST	15.2	15.5	23.3	27.8	30.0	29.6	30.5	30.3	27.4	23.8	17.2	15.3	285.9		
	19 LST	14.2	15.3	24.2	28.1	30.2	29.3	30.7	30.6	27.6	23.3	16.8	13.9	284.4		
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	12.9	11.9	17.8	22.2	27.4	26.4	28.4	27.8	22.5	16.9	13.2	12.7	240.1		
	07 LST	14.5	12.7	15.6	19.6	24.4	24.8	26.0	24.0	19.0	17.0	14.6	14.5	226.7		
	13 LST	13.0	11.8	18.3	21.7	24.9	26.2	27.9	27.7	24.8	20.1	15.2	13.3	244.9		
	19 LST	12.0	12.5	20.3	22.6	26.6	26.3	27.9	28.5	25.3	20.6	14.2	12.3	249.1		
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	0.9	1.1	1.1	0.8	0.4	0.3	0.1	0.3	0.5	0.7	0.2	0.4	6.8		
	07 LST	0.3	0.7	0.6	0.3	0.1	0.2	0.2	0.3	0.3	0.2	0.3	0.3	3.8		
	13 LST	0.4	0.7	1.2	0.9	0.2	0.4	0.1	0.2	0.2	1.0	0.2	0.4	5.9		
	19 LST	0.5	0.9	0.6	1.0	0.3	0.2	0.1	0.3	0.2	0.5	0.2	0.3	5.1		
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	6.3	5.5	11.8	11.6	12.7	12.4	12.8	10.6	10.5	10.3	8.3	7.7	120.4		
	07 LST	4.0	4.0	8.9	7.9	8.2	7.7	8.0	8.1	8.0	8.3	7.6	6.1	86.8		
	13 LST	8.3	9.8	15.3	16.5	18.8	17.7	19.6	18.3	15.8	12.1	9.9	8.9	171.0		
	19 LST	6.1	6.9	11.4	11.1	15.0	13.3	14.2	11.6	9.2	8.5	6.9	8.1	122.3		
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	7.9	7.8	10.7	10.7	12.7	11.5	16.0	16.3	13.5	9.7	7.0	6.1	130.1		
	07 LST	7.2	6.8	6.1	5.6	7.1	7.8	11.5	10.3	8.4	6.7	4.9	5.9	84.3		
	13 LST	5.5	5.8	7.9	5.9	7.1	6.7	11.8	11.6	10.5	8.1	5.1	5.0	92.0		
	19 LST	5.9	5.9	9.9	6.7	6.8	7.1	12.1	12.6	11.9	10.4	5.8	5.3	100.4		
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	14.9	13.9	20.4	23.8	28.3	27.1	29.5	28.6	23.7	19.0	14.5	13.6	257.3		
	07 LST	15.4	13.9	16.9	21.0	23.4	23.8	26.9	24.9	19.9	18.3	15.8	14.9	239.1		
	13 LST	14.4	14.3	22.0	25.5	28.4	28.2	29.4	29.4	26.4	22.8	16.5	14.2	271.3		
	19 LST	13.3	14.1	22.7	26.1	29.2	28.2	29.7	30.0	26.5	22.1	15.4	12.7	270.0		
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	12.0	11.7	16.5	19.0	22.5	27.4	26.4	25.5	20.6	15.6	11.8	10.5	214.5		
	07 LST	12.3	11.9	13.8	15.6	20.8	21.6	23.6	22.0	17.0	14.9	11.4	11.2	196.3		
	13 LST	11.6	12.3	18.1	20.1	23.1	23.5	26.2	26.0	23.2	19.2	13.1	11.0	227.4		
	19 LST	10.9	11.3	18.4	20.8	24.2	23.1	26.6	27.2	23.3	18.4	12.1	9.6	225.9		
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	11.1	10.9	15.1	17.2	20.7	20.4	24.3	23.6	19.2	14.3	10.1	9.4	196.3		
	07 LST	11.5	11.0	11.9	13.5	17.8	18.8	20.8	19.2	14.9	12.7	9.4	9.6	171.1		
	13 LST	10.4	11.2	16.4	18.0	20.7	21.5	24.4	24.0	21.2	17.3	11.3	9.3	205.7		
	19 LST	9.7	10.5	16.6	18.3	21.6	21.0	24.7	25.2	21.4	17.1	10.0	8.3	204.4		

GENOVA, ITALY

STA NO. 14575/ (IN AREA NUMBER 04)

LATITUDE 4424N

LONGITUDE 00854E

ELEVATION(FT) 00121

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	66	72	72	81	92	91	100	91	97	82	74	68	100	10	-528
MEAN MAX TMP (F)	50	54	58	65	70	78	82	82	78	73	60	53	67	10	-28
MEAN MIN TMP (F)	41	43	47	53	57	65	70	70	66	58	51	44	55	10	-28
ABS MIN TMP (F)	21	24	33	38	46	52	57	58	52	39	35	30	21	10	-928
MEAN NO OYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0			4.7	4.7		0.0	0.0	0.0		10	-29
MEAN NO OYS TMP = DR LES 32(F)	2.7	2.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	4	1181
MEAN NO OYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	1181
MEAN DEW PT TMP (F)	32	33	41	47	54	61	62	63	59	50	43	39	49	4	9447
MEAN REL HUM (PCT)	66	65	67	68	71	69	66	65	67	68	65	65	67	10	-28
MEAN PRESS ALT (PT)														0	0
MEAN PRECIP (IN)	4.09	4.29	4.21	3.90	3.39	2.80	1.69	2.40	4.88	7.91	7.09	5.00	51.6	50	-122
MEAN SNOW FALL (IN)			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		10	-29
MEAN NO OYS PPCP = DR GTR 0.1 IN	9.9	10.1	7.5	7.4	7.3	7.1	4.9	6.4	9.3			10.6		50	-29
MEAN NO OYS SNFL = DR GTR 1.5 IN			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		10	-29
MEAN NO OYS W/OCUR VSBY LES 1/2 MI	0.3	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	4	1181
MEAN NO OYS TSTMS	0.0	0.3	1.0	0.3	3.0	2.3	4.0	4.0	2.6	1.2	0.8	1.3	20.8	4	1181
P FREQ WND SPD = DR GTR 17 KTS	17.1	15.8	7.1	5.5	2.7	0.4	1.6	0.8	3.4	9.2	14.5	15.3	7.8	4	21232
P FREQ WND SPD = DR GTR 28 KTS	0.2	0.7	0.0	0.4	0.0	0.0	0.1	0.0	0.0	0.0	0.3	0.7	0.2	4	21232
P FREQ LES 5000 FT A/D LES 5 MI	36.7	33.7	39.8	40.3	36.3	39.0	26.8	22.3	41.1	40.0	46.0	45.5	37.3	4	9444
P FREQ LES 1900 FT A/D LES 3 MI															
FOR 00-02 LST	3.2	5.9	12.9	8.9	5.4	3.3	1.1	3.2	3.3	5.7	13.4	7.6	6.2	4	1180
03-05 LST	2.2	8.2	11.8	10.0	5.4	2.2	1.1	2.2	1.1	5.6	10.1	8.4	5.7	4	1180
06-08 LST	3.2	4.7	5.4	10.0	6.5	2.2	1.1	1.1	2.2	5.6	7.6	5.9	4.6	4	1180
09-11 LST	9.7	8.2	6.5	7.8	9.8	3.3	2.2	1.1	5.6	4.8	9.2	6.7	6.2	4	1181
12-14 LST	4.3	3.5	6.5	7.8	7.6	3.3	3.2	2.2	3.3	5.6	8.4	6.7	5.2	4	1181
15-17 LST	6.5	3.5	6.5	5.6	5.4	3.3	2.2	1.1	2.2	6.5	10.1	5.0	4.8	4	1181
18-20 LST	4.3	5.9	4.3	6.7	4.3	2.2	2.2	3.2	2.2	8.1	10.9	5.0	4.9	4	1181
21-23 LST	6.5	9.4	10.8	5.6	4.4	2.2	2.2	2.2	2.2	8.1	15.1	3.4	6.0	4	1180
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	1180
03-05 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	1180
06-08 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	1180
09-11 LST	0.0	0.0	0.0	0.0	1.1	0.0	0.0	0.0	0.0	0.8	0.0	0.0	0.2	4	1181
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.0	0.1	4	1181
15-17 LST	2.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	0.8	0.0	0.4	4	1181
18-20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.8	0.0	0.1	4	1181
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.8	0.0	0.1	4	1180

0090

PRECEDING PAGE NOT FILMED
BLANK

GENOVA, ITALY

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	30.0	26.6	27.6	28.6	30.6	30.0	31.0	31.0	30.0	29.4	27.2	29.4	351.4	4	1180
	07 LST	30.3	27.0	30.0	28.0	30.6	30.0	31.0	31.0	30.0	30.0	28.4	29.6	355.9	4	1180
	13 LST	29.6	27.0	29.6	29.3	29.9	30.0	30.6	30.6	29.6	30.0	28.2	29.6	354.0	4	1181
	19 LST	30.0	26.6	30.0	29.0	30.6	30.0	30.6	30.6	30.0	29.0	27.7	30.2	354.3	4	1181
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	01 LST	14.0	11.5	18.3	19.3	21.9	24.0	25.0	26.3	20.6	14.8	11.3	13.0	220.0	4	1180
	07 LST	12.0	10.8	19.0	17.3	19.8	23.3	22.9	25.6	21.3	13.5	11.3	12.2	209.0	4	1180
	13 LST	10.3	8.2	17.3	17.0	19.8	16.6	20.0	20.6	14.6	13.7	10.3	12.7	181.1	4	1181
	19 LST	11.6	10.8	20.6	20.6	25.2	22.0	24.0	23.0	20.0	15.0	11.8	11.9	216.5	4	1181
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	4.3	4.6	1.3	1.0	0.6	0.0	0.0	0.6	1.3	2.2	2.2	3.3	21.4	4	1180
	07 LST	4.0	3.6	2.3	1.0	1.0	0.0	0.6	0.0	0.6	2.0	3.0	3.3	21.4	4	1184
	13 LST	5.6	3.6	2.3	1.0	0.6	0.0	1.3	0.3	0.6	3.2	3.2	4.6	26.3	4	1184
	19 LST	5.0	2.3	0.6	0.6	0.3	0.0	0.0	0.0	0.3	2.0	1.5	3.8	16.4	4	1184
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	10.6	8.8	10.3	8.3	10.1	11.0	16.0	13.3	10.6	9.8	8.5	9.1	126.4	4	1180
	07 LST	10.0	7.9	11.3	6.6	10.7	13.6	14.6	13.6	8.6	10.7	7.8	10.4	125.8	4	1181
	13 LST	8.3	9.8	17.0	16.6	20.5	18.0	20.6	20.6	16.6	12.2	10.0	10.4	180.6	4	1181
	19 LST	12.0	8.5	11.6	9.3	18.5	15.0	15.6	12.3	12.6	11.7	9.3	10.9	147.3	4	1181
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	13.3	13.8	12.0	9.0	13.4	8.6	18.0	17.0	13.6	12.6	12.8	10.9	157.0	4	1180
	07 LST	14.3	12.1	9.0	8.0	8.4	3.6	15.3	16.0	9.3	9.5	11.7	10.7	127.9	4	1184
	13 LST	11.0	9.2	11.3	7.6	5.7	5.3	11.6	15.6	7.0	8.0	8.7	7.9	108.9	4	1184
	19 LST	14.0	11.2	10.6	3.6	6.4	6.3	13.6	15.0	7.6	12.0	11.7	10.5	122.5	4	1184
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	26.0	24.0	24.0	21.6	24.5	24.3	27.0	26.6	23.6	24.6	21.4	23.4	291.0	4	1180
	07 LST	26.0	24.3	24.6	22.6	23.9	22.3	27.2	28.0	24.6	23.7	22.6	24.4	294.2	4	1180
	13 LST	27.0	24.0	25.3	23.6	23.9	24.0	26.0	28.0	24.3	24.7	23.4	24.7	298.9	4	1181
	19 LST	25.0	23.7	26.0	24.6	26.6	25.6	26.6	27.3	25.3	23.5	21.9	23.7	299.8	4	1181
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	20.0	21.7	21.0	17.6	20.8	20.6	24.3	23.6	18.6	19.1	17.3	17.7	242.3	4	1180
	07 LST	19.6	20.4	19.3	18.6	18.3	15.3	23.9	24.6	18.6	18.5	16.8	17.7	231.8	4	1180
	13 LST	21.0	19.1	22.0	20.6	20.8	20.0	23.0	25.3	20.0	19.0	17.1	17.7	245.6	4	1181
	19 LST	20.0	20.0	22.6	22.0	24.5	22.3	24.0	25.3	21.3	18.5	17.3	17.7	255.5	4	1181
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	20.0	21.0	21.0	17.6	20.2	20.6	24.3	23.6	18.6	19.1	17.3	17.4	240.7	4	1180
	07 LST	19.3	19.7	19.3	18.3	18.5	15.3	23.9	24.6	18.6	18.2	16.6	17.7	230.0	4	1180
	13 LST	21.0	18.4	22.0	20.6	20.8	20.0	23.0	25.3	20.0	18.7	16.6	17.4	243.8	4	1181
	19 LST	20.0	20.0	22.3	22.0	24.5	22.3	24.0	25.3	21.3	17.7	16.8	17.7	253.9	4	1181

NAPOLI/POMIGLIAN ITALY

STA NO. 14977/ (IN AREA NUMBER 04)

LATITUDE 4059N

LONGITUDE 01423E

ELEVATION(PT) 00085

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
														(YRS)	DBS
ABS MAX TMP (P)	65	70	76	81	91	95	101	102	103	87	77	68	103	10	-16289
MEAN MAX TMP (P)	53	54	59	67	74	81	86	86	81	71	62	57	69	10	-16289
MEAN MIN TMP (P)	41	41	44	50	56	62	67	67	63	55	49	45	53	10	-16289
ABS MIN TMP (P)	26	24	27	34	42	51	53	58	49	44	33	30	24	10	-16289
MEAN NO DYS TMP = DR GTR 90(P)	0.0	0.0	0.0	0.0	0.2	2.5	7.8	8.0	1.9	0.0	0.0	0.0	20.4	10	-16289
MEAN NO DYS TMP = DR LES 32(P)	2.9	2.2	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	5.9	10	-16289
MEAN NO DYS TMP = DR LES 0(P)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-16289
MEAN DEW PT TMP (P)	37	41	41	47	54	59	63	63	60	53	47	42	51	10	-16289
MEAN REL HUM (PCT)	74	76	70	68	69	66	65	64	69	73	76	75	70	0	-50
MEAN PRESS ALT (PT)	-29	9	35	92	60	51	72	55	8	-12	-5	5	28	60	-16289
MEAN PRECIP (IN)	3.70	2.80	2.91	2.91	2.01	1.50	0.71	0.91	2.91	3.32	4.49	4.69	34.9	2	-16289
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	60	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	9.4	8.1	7.0	7.0	6.0	4.4	2.1	2.7	7.2	9.6	9.1	10.4	83.0	2	-16289
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-16289
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	1.5	1.7	1.2	1.9	2.1	0.9	0.9	0.7	0.6	0.4	0.8	0.7	13.4	10	-16289
MEAN NO DYS TSTMS	2.6	3.8	1.8	2.1	2.0	1.6	1.9	2.9	3.6	3.6	2.4	2.3	30.8	10	-16289
P FREQ WND SPD = DR GTR 17 KYS	2.8	3.7	3.0	1.1	0.5	0.3	0.1	0.2	0.5	1.3	2.5	2.5	1.5	10	-16289
P FREQ WND SPD = DR GTR 28 KYS	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	10	-16289
P FREQ LES 5000 FT A/D LES 5 MI	45.7	51.3	40.2	38.8	38.4	24.4	23.8	21.1	22.2	29.1	39.8	39.2	34.3	10	-16289
P FREQ LES 1500 FT A/D LES 3 MI														10	-16289
FOR 00-02 LST	5.6	8.1	5.4	9.3	13.1	3.3	1.6	1.4	3.3	1.2	5.0	5.1	5.2	10	-16289
03-05 LST	5.1	8.1	9.3	17.1	18.0	7.9	5.3	4.6	3.3	4.2	3.8	4.2	7.6	10	-16289
06-08 LST	7.6	12.9	14.8	23.8	24.2	11.7	13.7	10.8	6.9	5.8	6.9	4.2	11.9	10	-16289
09-11 LST	17.5	21.3	14.4	20.0	19.4	10.7	10.4	8.5	7.6	6.5	6.2	10.4	12.7	10	-16289
12-14 LST	11.5	15.8	8.4	11.0	8.8	4.5	3.7	3.0	3.1	3.2	6.4	10.9	7.5	10	-16289
15-17 LST	11.8	11.0	3.0	6.2	3.0	1.7	0.9	0.3	1.9	3.2	6.0	10.2	3.0	10	-16289
18-20 LST	10.4	12.0	3.2	8.4	2.3	1.4	0.7	0.9	2.6	2.6	6.0	7.9	4.9	10	-16289
21-23 LST	8.5	8.7	3.5	10.0	2.8	1.9	1.4	0.7	2.6	2.3	4.8	4.4	4.6	10	-16289
P FREQ LES 300 FT A/D LES 1 MI														10	-16289
FOR 00-02 LST	0.2	0.3	0.5	2.1	1.8	0.3	0.3	0.0	0.0	0.0	0.7	0.0	0.6	10	-16289
03-05 LST	0.7	1.0	1.2	3.5	3.1	2.1	1.2	0.2	0.5	0.2	0.2	0.0	1.5	10	-16289
06-08 LST	1.2	4.2	1.9	6.7	4.4	1.0	1.2	0.7	1.2	0.7	0.7	0.2	2.0	10	-16289
09-11 LST	2.3	4.8	0.9	0.5	0.5	0.0	0.0	0.2	0.0	0.0	0.0	0.9	0.8	10	-16289
12-14 LST	1.4	1.3	0.0	0.0	0.0	0.0	0.2	0.0	0.2	0.0	0.7	1.4	0.4	10	-16289
15-17 LST	0.7	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.2	10	-16289
18-20 LST	0.7	1.0	0.0	0.5	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.2	10	-16289
21-23 LST	0.3	0.3	0.0	1.4	0.9	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.3	10	-16289

NAPOLI/POMIGLIAN, ITALY

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	30.1	26.7	30.1	28.2	27.8	29.2	30.3	30.8	29.0	31.0	28.4	29.9	351.5	10	-16289
	07 LST	29.6	25.8	27.4	24.7	24.3	25.7	27.4	27.7	27.2	29.6	28.9	30.6	328.9	10	-16289
	13 LST	28.7	24.1	28.4	27.3	29.0	28.6	29.7	30.1	29.6	30.6	28.8	27.6	342.7	10	-16289
	19 LST	28.7	26.0	30.3	28.0	30.2	29.7	30.7	30.8	29.6	30.8	28.6	29.2	352.6	10	-16289
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	22.0	19.8	24.6	26.1	25.1	27.7	29.7	30.6	27.3	27.4	24.2	23.5	308.0	10	-16289
	07 LST	23.8	18.9	21.7	22.5	21.1	24.7	26.4	27.0	25.2	26.5	24.2	25.0	287.0	10	-16289
	13 LST	17.1	14.0	17.0	16.2	19.3	21.6	22.6	24.2	23.6	22.3	20.2	19.4	237.5	10	-16289
	19 LST	21.7	17.6	23.6	24.1	27.5	27.3	29.2	29.6	26.8	25.9	24.3	21.8	299.4	10	-16289
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	0.7	0.2	0.6	0.0	0.2	0.0	0.0	0.0	0.0	0.2	0.7	0.5	3.1	10	-16289
	07 LST	0.5	0.8	0.6	0.1	0.1	0.1	0.0	0.0	0.0	0.1	0.1	0.2	2.6	10	-16289
	13 LST	1.2	1.4	1.5	0.6	0.3	0.1	0.0	0.2	0.6	0.5	1.0	0.8	8.2	10	-16289
	19 LST	0.3	0.5	0.7	0.3	0.1	0.1	0.1	0.0	0.2	0.3	0.6	0.1	3.3	10	-16289
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	11.1	10.5	9.5	8.6	8.3	9.1	4.1	5.6	6.0	10.6	11.7	10.7	101.8	10	-16289
	07 LST	12.7	9.7	10.2	9.6	8.5	6.6	6.8	6.3	6.8	12.4	13.8	13.2	116.6	10	-16289
	13 LST	12.6	11.8	16.4	17.5	19.5	21.3	22.9	22.1	20.6	16.5	13.3	13.5	208.0	10	-16289
	19 LST	11.2	11.5	15.4	13.2	14.3	16.1	16.6	13.8	10.8	11.2	11.9	11.5	157.5	10	-16289
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	9.1	6.3	12.4	10.3	11.0	14.6	22.4	22.8	17.3	12.3	11.1	12.7	162.3	8	-16289
	07 LST	7.4	4.6	7.2	6.5	6.0	9.3	17.8	18.8	13.5	7.5	9.0	10.8	118.4	8	-16289
	13 LST	5.1	3.7	5.3	4.6	3.0	7.5	13.4	13.6	10.8	4.8	6.5	8.0	86.3	8	-16289
	19 LST	8.5	5.4	8.8	6.3	4.8	10.5	19.0	17.1	13.1	11.0	12.3	12.0	128.8	8	-16289
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	23.0	20.1	26.3	24.8	25.0	26.8	29.4	29.7	26.6	27.3	24.2	24.0	307.2	10	-16289
	07 LST	23.7	19.7	23.4	22.1	20.6	24.2	25.8	26.8	24.7	26.3	23.9	24.8	286.0	10	-16289
	13 LST	22.8	18.9	24.8	23.1	24.6	26.2	28.1	28.3	26.3	26.5	24.2	23.5	297.3	10	-16289
	19 LST	24.2	19.7	26.6	26.1	29.0	27.8	29.9	30.0	27.3	27.0	25.1	24.3	317.2	10	-16289
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	16.7	14.7	20.9	21.2	22.2	25.3	28.5	28.5	24.7	22.9	19.0	18.9	263.5	10	-16289
	07 LST	16.7	13.7	18.6	18.2	17.8	22.8	24.4	26.1	22.2	21.6	16.8	18.0	236.9	10	-16289
	13 LST	16.2	13.7	18.6	18.6	20.7	24.3	26.5	26.1	23.3	21.2	18.3	19.2	246.7	10	-16289
	19 LST	18.6	15.4	21.8	22.8	26.8	26.0	29.2	17.2	25.5	22.5	20.3	19.4	277.5	10	-16289
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	16.0	13.6	20.2	20.1	21.6	25.2	28.5	28.1	24.3	22.2	18.9	18.3	257.0	10	-16289
	07 LST	15.2	12.8	17.7	17.3	17.0	22.8	24.3	26.0	22.0	20.5	16.1	17.3	229.0	10	-16289
	13 LST	15.1	12.5	18.0	17.6	20.6	24.0	26.5	25.8	22.8	20.4	17.4	18.0	238.7	10	-16289
	19 LST	17.6	14.2	21.2	21.7	26.0	25.8	28.4	28.6	24.8	21.4	19.5	18.6	267.8	10	-16289

GENOVA/BESTI-F, ITALY

STA NO. 16120 (IN AREA NUMBER 04)

LATITUDE 4424N

LONGITUDE 00851E

ELEVATION(PT) 00010

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	62	60	62	74	77	78	86	90	82	78	68	61	90	2	638
MEAN MAX TMP (F)	51	45	52	59	67	71	77	78	75	67	57	55	63	2	638
MEAN MIN TMP (F)	42	36	44	50	58	62	68	68	64	56	49	45	54	2	638
ABS MIN TMP (F)	30	21	31	39	50	54	60	60	57	43	38	38	21	2	638
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.5	2	638
MEAN NO DYS TMP = DR LES 32(F)	2.5	10.8	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14.3	2	638
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	638
MEAN DEW PT TMP (F)	36	28	38	43	51	57	61	61	58	46	39	40	47	2	5103
MEAN REL HUM (PCT)	68	63	70	69	69	74	70	69	70	60	62	67	68	2	5107
MEAN PRESS ALT (FT)	-127	-81	-36	-5	-31	-61	-56	-55	-87	-82	-61	-77	-62	0	-50
MEAN PRECIP (IN)	5.56	3.45	6.92	4.22	0.94	1.27	0.44	0.99	3.76	3.44	3.69	1.84	36.5	4	720
MEAN SNOW FALL (IN)	0.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		2	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	8.3	6.8	5.0	4.0	2.8	3.5	1.0	2.0	4.4	4.2	5.1	5.4	52.5	4	720
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		2	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	1.0	0.5	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	2	638
MEAN NO DYS TSTMS	0.0	1.5	0.0	0.0	2.0	2.5	2.5	4.0	2.5	1.0	3.0	0.0	19.0	2	638
P FREQ WND SPD = DR GTR 17 KTS	24.4	20.5	15.6	6.8	7.4	4.3	4.3	5.4	6.2	16.0	10.7	14.2	11.3	2	11495
P FREQ WND SPD = DR GTR 28 KTS	1.3	0.6	0.2	0.2	0.0	0.0	0.0	0.0	0.1	0.7	0.0	0.4	0.3	2	11495
P FREQ LES 5000 FT A/D LES 5 MI	36.7	33.7	39.8	40.3	36.3	39.0	26.8	22.3	41.1	40.0	46.0	45.5	37.3	4	-14575
P FREQ LES 1900 FT A/D LES 3 MI															
FOR 00-02 LST	3.7	5.9	12.9	8.9	5.4	3.3	1.1	3.2	3.3	5.7	13.4	7.6	6.2	4	-14575
03-05 LST	2.2	8.2	11.8	10.0	5.4	2.2	1.1	2.2	1.1	5.6	10.1	8.4	5.7	4	-14575
06-08 LST	3.2	4.7	5.4	10.0	6.5	2.2	1.1	1.1	2.2	5.6	7.6	5.9	4.6	4	-14575
09-11 LST	9.7	8.2	6.5	7.8	9.8	3.3	2.2	1.1	5.6	4.8	9.2	6.7	6.2	4	-14575
12-14 LST	4.3	3.5	6.5	7.8	7.6	3.3	2.2	2.2	3.3	5.6	1.4	6.7	5.2	4	-14575
15-17 LST	6.5	3.5	6.5	5.6	5.4	3.3	2.2	1.1	2.2	6.5	10.1	5.0	4.8	4	-14575
18-20 LST	4.3	5.9	4.3	6.7	4.3	2.2	2.2	3.2	2.2	8.1	10.9	5.0	4.9	4	-14575
21-23 LST	6.5	9.4	10.8	5.6	4.4	2.2	2.2	2.2	2.2	8.1	15.1	3.4	6.0	4	-14575
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-14575
03-05 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-14575
06-08 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-14575
09-11 LST	0.0	0.0	0.0	0.0	1.1	0.0	0.0	0.0	0.0	0.8	0.0	0.0	0.2	4	-14575
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.0	0.1	4	-14575
15-17 LST	2.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	0.8	0.0	0.4	4	-14575
18-20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.8	0.0	0.1	4	-14575
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.8	0.0	0.1	4	-14575

GENOVA/SESTRE, ITALY

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	30.0	26.6	27.6	28.6	30.6	30.0	31.0	31.0	30.0	29.4	27.2	29.4	331.4	4	-14575
	07 LST	30.3	27.0	30.0	28.0	30.6	30.0	31.0	31.0	30.0	30.0	28.4	29.6	355.9	4	-14575
	13 LST	29.6	27.0	29.6	29.3	29.9	30.0	30.6	30.6	29.6	30.0	28.2	29.6	354.0	4	-14575
	19 LST	30.0	26.6	30.0	29.0	30.6	30.0	30.6	30.6	30.0	29.0	27.7	30.2	354.3	4	-14575
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	14.0	11.5	18.3	19.3	21.9	24.0	25.0	26.3	20.6	14.8	11.3	13.0	220.0	4	-14575
	07 LST	12.0	10.8	19.0	17.3	19.8	23.3	22.9	25.6	21.3	13.5	11.3	12.2	209.0	4	-14575
	13 LST	10.3	8.2	17.3	17.0	19.8	16.6	20.0	20.6	14.6	13.7	10.3	12.7	181.1	4	-14575
	19 LST	11.6	10.8	20.6	20.6	25.2	22.0	24.0	23.0	20.0	19.0	11.8	11.9	216.3	4	-14575
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	4.3	4.6	1.3	1.0	0.6	0.0	0.0	0.6	1.3	2.2	2.2	3.3	21.4	4	-14575
	07 LST	4.0	3.6	2.3	1.0	1.0	0.0	0.6	0.0	0.6	2.0	3.0	3.3	21.4	4	-14575
	13 LST	5.6	3.6	2.3	1.0	0.6	0.0	1.3	0.3	0.6	3.2	3.2	4.6	26.3	4	-14575
	19 LST	5.0	2.3	0.6	0.6	0.3	0.0	0.0	0.0	0.3	2.0	1.5	3.8	16.4	4	-14575
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	10.6	8.8	10.3	8.3	10.1	11.0	16.0	13.3	10.6	9.8	8.5	9.1	126.4	4	-14575
	07 LST	10.0	7.9	11.3	6.6	10.7	13.6	14.6	13.6	8.6	10.7	7.8	10.4	123.8	4	-14575
	13 LST	8.3	9.8	17.0	16.6	20.5	18.0	20.6	20.6	16.6	12.2	10.0	10.4	180.6	4	-14575
	19 LST	12.0	8.5	11.6	9.3	18.5	15.0	15.6	12.3	12.6	11.7	9.3	10.9	147.3	4	-14575
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	15.3	13.8	12.0	9.0	13.4	8.6	18.0	17.0	13.6	12.6	12.8	10.9	197.0	4	-14575
	07 LST	14.3	12.1	9.0	8.0	8.4	3.6	13.3	16.0	9.3	9.5	11.7	10.7	127.9	4	-14575
	13 LST	11.0	9.2	11.3	7.6	5.7	5.3	11.6	15.6	7.0	8.0	8.7	7.9	108.9	4	-14575
	19 LST	14.0	11.2	10.6	3.6	6.4	6.3	13.6	15.0	7.6	12.0	11.7	10.5	122.8	4	-14575
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	26.0	24.0	24.0	21.6	24.5	24.3	27.0	26.6	23.6	24.6	21.4	23.4	291.0	4	-14575
	07 LST	26.0	24.3	24.6	22.6	23.9	22.3	27.2	28.0	24.6	23.7	22.6	24.4	294.2	4	-14575
	13 LST	27.0	24.0	25.3	23.6	23.9	24.0	26.0	28.0	24.3	24.7	23.4	24.7	298.9	4	-14575
	19 LST	25.0	23.7	26.0	24.6	26.6	25.6	26.6	27.3	25.3	23.5	21.9	23.7	299.8	4	-14575
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	20.0	21.7	21.0	17.6	20.8	20.6	24.3	23.6	18.6	19.1	17.3	17.7	242.3	4	-14575
	07 LST	19.6	20.4	19.3	18.6	18.5	19.3	23.9	24.6	18.6	18.5	16.8	17.7	231.8	4	-14575
	13 LST	21.0	19.1	22.0	20.6	20.8	20.0	23.0	23.3	20.0	19.0	17.1	17.7	245.6	4	-14575
	19 LST	20.0	20.0	22.6	22.0	24.5	22.3	24.0	25.3	21.3	18.5	17.3	17.7	255.5	4	-14575
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	20.0	21.0	21.0	17.6	20.2	20.6	24.3	23.6	18.6	19.1	17.3	17.4	240.7	4	-14575
	07 LST	19.3	19.7	19.3	18.3	18.5	19.3	23.9	24.6	18.6	18.2	16.6	17.7	230.0	4	-14575
	13 LST	21.0	18.4	22.0	20.6	20.8	20.0	23.0	23.3	20.0	18.7	16.6	17.4	243.8	4	-14575
	19 LST	20.0	20.0	22.3	22.0	24.3	22.3	24.0	23.3	21.3	17.7	16.8	17.7	233.9	4	-14575

VILLANOVA D'ALBENGA, ITALY

STA NO. 16122 (IN AREA NUMBER 04)

LATITUDE 4403N

LONGITUDE 00807E

ELEVATION(FT) 00198

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	66	72	72	81	92	91	100	91	97	82	74	68	100	10	-14575
MEAN MAX TMP (F)	50	54	58	65	70	78	82	82	78	73	60	53	67	10	-14575
MEAN MIN TMP (F)	41	43	47	53	57	65	70	70	66	58	51	44	55	10	-14575
ABS MIN TMP (F)	21	24	33	38	46	52	57	58	52	39	35	30	21	10	-14575
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0			4.7	4.7		0.0	0.0	0.0		10	-14575
MEAN NO DYS TMP = DR LES 32(F)	2.7	2.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.3	4	-14575
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-14575
MEAN DEW PT TMP (F)	32	33	41	47	54	61	62	63	59	50	43	39	49	4	-14575
MEAN REL HUM (PCT)	66	65	67	68	71	69	66	65	67	68	65	65	67	10	-14575
MEAN PRESS ALT (FT)	24	69	111	146	118	89	95	96	62	66	86	72	86	0	-50
MEAN PRECIP (IN)	4.09	4.29	4.21	3.90	3.39	2.80	1.69	2.40	4.88	7.91	7.09	5.00	51.6	50	-14575
MEAN SNOW FALL (IN)			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		10	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	9.9	10.1	7.5	7.4	7.3	7.1	4.9	6.4	9.3			10.6		50	-29
MEAN NO DYS SNPL = DR GTR 1.5 IN			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		10	-29
MEAN NO DYS W/DCUR VSBY LES 1, 2 MI	0.3	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	4	-14575
MEAN NO DYS TSTMS	0.0	0.3	1.0	0.3	3.0	2.3	4.0	4.0	2.6	1.2	0.8	1.3	20.8	4	-14575
P FREQ WND SPD = DR GTR 17 KTS	17.1	15.8	7.1	5.5	2.7	0.4	1.6	0.8	3.4	9.2	14.5	15.3	7.8	4	-14575
P FREQ WND SPD = DR GTR 28 KTS	0.2	0.7	0.0	0.4	0.0	0.0	0.1	0.0	0.0	0.0	0.3	0.7	0.2	4	-14575
P FREQ LES 5000 FT A/D LES 5 MI	36.7	33.7	39.8	40.3	36.3	39.0	26.8	22.3	41.1	60.0	46.0	45.5	37.3	4	-14575
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	3.2	5.9	12.9	8.9	5.4	3.3	1.1	3.2	3.3	5.7	13.4	7.6	6.2	4	-14575
03-05 LST	2.2	8.2	11.8	10.0	5.4	2.2	1.1	2.2	1.1	5.6	10.1	8.4	5.7	4	-14575
06-08 LST	3.2	4.7	5.4	10.0	6.5	2.2	1.1	1.1	2.2	3.6	7.6	5.9	4.6	4	-14575
09-11 LST	9.7	8.2	6.5	7.8	9.8	3.3	2.2	1.1	5.6	4.8	9.2	6.7	6.2	4	-14575
12-14 LST	4.3	3.5	6.5	7.8	7.6	3.3	3.2	2.2	3.3	5.6	8.4	6.7	5.2	4	-14575
15-17 LST	6.5	3.5	6.5	5.6	5.4	3.3	2.2	1.1	2.2	6.5	10.1	5.0	4.8	4	-14575
18-20 LST	4.3	5.9	4.3	6.7	4.3	2.2	2.2	3.2	2.2	8.1	10.9	5.0	4.9	4	-14575
21-23 LST	6.5	9.4	10.8	5.6	4.4	2.2	2.2	2.2	2.2	8.1	15.1	3.4	6.0	4	-14575
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-14575
03-05 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-14575
06-08 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-14575
09-11 LST	0.0	0.0	0.0	0.0	1.1	0.0	0.0	0.0	0.0	0.8	0.0	0.0	0.2	4	-14575
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.0	0.1	4	-14575
15-17 LST	2.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	0.8	0.0	0.4	4	-14575
18-20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.8	0.0	0.1	4	-14575
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.8	0.0	0.1	4	-14575

VILLANOVA D'ALBENGA, ITALY

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	30.0	26.6	27.6	28.6	30.6	30.0	31.0	31.0	30.0	29.4	27.2	29.4	351.4	4	-14575
	07 LST	30.3	27.0	30.0	28.0	30.6	30.0	31.0	31.0	30.0	30.0	28.4	29.6	355.9	4	-14575
	13 LST	29.6	27.0	29.6	29.3	29.9	30.0	30.6	30.6	29.6	30.0	28.2	29.6	354.0	4	-14575
	19 LST	30.0	26.6	30.0	29.0	30.6	30.0	30.6	30.6	30.0	29.0	27.7	30.2	354.3	4	-14575
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	14.0	11.5	18.3	19.3	21.9	24.0	25.0	26.3	20.6	14.8	11.3	13.0	220.0	4	-14575
	07 LST	12.0	10.8	17.0	17.3	19.8	23.3	22.9	23.6	21.3	13.5	11.3	12.2	209.0	4	-14575
	13 LST	10.3	8.2	17.3	17.0	19.8	16.6	20.0	20.6	14.6	13.7	10.3	12.7	181.1	4	-14575
	19 LST	11.6	10.8	20.6	20.6	25.2	22.0	24.0	23.0	20.0	15.0	11.8	11.9	216.5	4	-14575
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	4.3	4.6	1.3	1.0	0.6	0.0	0.0	0.6	1.3	2.2	2.2	3.3	21.4	4	-14575
	07 LST	4.0	3.6	2.3	1.0	1.0	0.0	0.6	0.0	0.6	2.0	3.0	3.3	21.4	4	-14575
	13 LST	5.6	3.6	2.3	1.0	0.6	0.0	1.3	0.3	0.6	3.2	3.2	4.6	26.3	4	-14575
	19 LST	5.0	2.3	0.6	0.6	0.3	0.0	0.0	0.0	0.3	2.0	1.5	3.8	16.4	4	-14575
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	10.6	8.8	10.3	8.3	10.1	11.0	16.0	13.3	10.6	9.8	8.5	9.1	126.4	4	-14575
	07 LST	10.0	7.9	11.3	6.6	10.7	13.6	14.6	13.6	8.6	10.7	7.8	10.4	125.8	4	-14575
	13 LST	8.3	9.8	17.0	16.6	20.3	18.0	20.6	20.6	16.6	12.2	10.0	10.4	180.6	4	-14575
	19 LST	12.0	8.5	11.6	9.3	18.5	15.0	15.6	12.3	12.6	11.7	9.3	10.9	147.3	4	-14575
SKY COVER LES 5/10 AND VSBY = GTR 3 MI	01 LST	15.3	13.8	12.0	9.0	13.4	8.6	18.0	17.0	13.6	12.6	12.8	10.9	157.0	4	-14575
	07 LST	14.3	12.1	9.0	8.0	8.4	3.6	13.3	16.0	9.3	9.5	11.7	10.7	127.9	4	-14575
	13 LST	11.0	9.2	11.3	7.6	5.7	5.3	11.6	15.6	7.0	8.0	8.7	7.9	108.9	4	-14575
	19 LST	14.0	11.2	10.6	3.6	6.4	6.3	13.6	15.0	7.6	12.0	11.7	10.5	122.3	4	-14575
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	26.0	24.0	24.0	21.6	24.3	24.3	27.0	26.6	23.6	24.6	21.4	23.4	291.0	4	-14575
	07 LST	26.0	24.3	24.6	22.6	23.9	22.3	27.2	28.0	24.6	23.7	22.6	24.4	294.2	4	-14575
	13 LST	27.0	24.0	23.3	23.6	23.9	24.0	26.0	26.0	24.3	24.7	23.4	24.7	298.9	4	-14575
	19 LST	25.0	23.7	26.0	24.6	26.6	25.6	26.6	27.3	25.3	23.5	21.9	23.7	299.8	4	-14575
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	20.0	21.7	21.0	17.6	20.8	20.6	24.3	23.6	18.6	19.1	17.3	17.7	242.3	4	-14575
	07 LST	19.6	20.4	19.3	18.6	18.3	15.3	23.9	24.6	18.6	18.5	16.8	17.7	231.8	4	-14575
	13 LST	21.0	19.1	22.0	20.6	20.8	20.0	23.0	25.3	20.0	19.0	17.1	17.7	245.6	4	-14575
	19 LST	20.0	20.0	22.6	22.0	24.3	22.3	24.0	25.3	21.3	18.5	17.3	17.7	255.5	4	-14575
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	20.0	21.0	21.0	17.6	20.2	20.6	24.3	23.6	18.6	19.1	17.3	17.4	240.7	4	-14575
	07 LST	19.3	19.7	19.3	18.3	18.3	15.3	23.9	24.6	18.6	18.2	16.6	17.7	230.0	4	-14575
	13 LST	21.0	18.4	22.0	20.6	20.8	20.0	23.0	25.3	20.0	18.7	16.6	17.4	243.8	4	-14575
	19 LST	20.0	20.0	22.3	22.0	24.3	22.3	24.0	25.3	21.3	17.7	16.8	17.7	253.9	4	-14575

PISA/SAN GIUSTO, ITALY

STA NO. 16158 (IN AREA NUMBER 04)

LATITUDE 4341N

LONGITUDE 01023E

ELEVATION(FT) 00008

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	57	64	69	76	87	95	96	98	92	84	69	61	98	4	948
MEAN MAX TMP (F)	45	55	61	67	73	81	86	84	81	69	58	51	68	4	948
MEAN MIN TMP (F)	30	39	43	46	53	59	64	64	58	50	42	37	49	4	947
ABS MIN TMP (F)	20	24	29	37	37	48	55	53	44	34	28	28	20	4	947
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	2.3	8.3	6.0	1.0	0.0	0.0	0.0	17.6	4	948
MEAN NO DYS TMP = DR LES 32(F)	23.3	5.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	10.0	40.1	4	947
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	947
MEAN OEW PT TMP (F)	32	40	45	48	55	60	63	63	60	51	46	39	50	4	21615
MEAN REL HUM (PCT)	80	82	78	77	77	73	73	70	75	78	85	81	77	4	21610
MEAN PRESS ALT (FT)	-112	-75	-37	17	-18	-40	-21	-36	-80	-87	-76	-75	-52	0	-50
MEAN PRCP (IN)	4.33	3.78	3.82	3.74	2.72	1.65	0.98	0.98	2.95	4.72	5.1	3.62	38.4	10	-122
MEAN SNOW FALL (IN)	4.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.9	2	629
MEAN NO DYS PRCP = DR GTR 0.1 IN	10.1	9.5	7.4	7.4	6.9	4.8	2.9	2.9	7.3	9.2	9.5	9.3	87.2	10	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	2	629
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	3.1	3.0	4.4	3.1	1.3	1.7	0.7	2.3	1.3	1.6	2.3	1.0	25.8	4	921
MEAN NO DYS TSTMS	0.0	0.3	0.0	1.0	2.4	1.3	1.5	2.7	2.6	3.7	2.6	0.0	18.2	4	906
P FREQ WND SPD = DR GTR 17 KTS	6.8	3.7	3.7	4.0	3.2	1.6	0.6	4.2	1.2	1.4	2.1	7.9	3.4	4	21825
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.1	0.0	0.1	0.0	0.0	0.3	0.3	0.0	0.3	0.9	0.2	4	21825
P FREQ LES 5000 FT A/D LES 5 MI	39.2	56.1	53.8	37.3	27.9	14.5	9.1	18.2	16.1	29.5	42.3	41.0	32.1	4	23112
P FREQ LES 1900 FT A/D LES 3 MI															
FOR 00-02 LST	8.5	14.3	23.2	19.4	6.2	1.9	1.4	2.5	3.7	6.8	6.7	7.2	8.5	4	2697
03-05 LST	7.1	13.7	18.5	17.4	9.1	5.9	4.3	7.9	1.9	3.6	13.1	10.2	9.4	4	2750
06-08 LST	7.8	17.4	23.7	17.4	9.4	5.2	3.6	4.3	3.3	3.9	9.1	16.2	10.1	4	2974
09-11 LST	9.0	19.0	19.2	10.1	7.2	0.4	0.0	1.1	0.0	2.5	6.6	11.9	6.8	4	3055
12-14 LST	3.0	8.7	7.0	0.8	1.1	0.4	0.7	1.1	0.0	1.4	3.5	5.8	2.8	4	3053
15-17 LST	5.5	7.9	5.4	1.5	0.7	0.0	0.4	0.4	1.1	2.2	3.0	6.7	2.9	4	3055
18-20 LST	8.2	8.0	2.6	2.2	1.1	0.0	0.4	0.0	1.1	4.0	3.3	12.9	3.7	4	2915
21-23 LST	9.3	13.1	9.5	8.6	1.8	0.4	0.0	0.4	0.7	3.9	4.3	3.0	4.6	4	2637
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	2.8	5.4	6.5	3.8	3.3	1.1	0.4	1.4	3.0	2.9	3.4	2.4	3.0	4	2697
03-05 LST	2.7	3.0	3.6	4.9	2.9	2.6	1.1	3.9	1.5	1.1	2.5	2.7	2.7	4	2750
06-08 LST	2.2	4.0	7.0	9.4	2.5	2.2	0.7	1.4	1.1	0.7	1.5	2.6	2.9	4	2974
09-11 LST	1.3	0.8	0.4	1.9	0.0	0.0	0.0	0.0	0.0	0.7	0.5	1.3	0.6	4	3055
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.4	0.5	0.9	0.2	4	3053
15-17 LST	1.0	0.0	0.4	0.8	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.2	4	3055
18-20 LST	2.9	0.0	0.0	0.7	0.0	0.0	0.0	0.0	0.4	0.4	0.0	1.0	0.4	4	2915
21-23 LST	3.7	1.8	4.2	1.5	0.4	0.4	0.0	0.0	0.7	1.4	3.5	0.0	1.5	4	2637

PISA/SAN GIUSTO, ITALY

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	29.3	24.5	24.5	24.7	29.3	29.7	31.0	30.7	28.7	28.7	28.2	28.5	337.8	4	918
	07 LST	29.1	23.0	23.8	24.6	28.6	29.0	30.0	29.3	29.0	29.3	26.4	26.1	328.2	4	1019
	13 LST	30.5	26.0	29.9	30.0	30.7	30.0	31.0	30.7	30.0	30.7	29.1	28.9	357.3	4	1019
	19 LST	28.7	26.3	30.3	29.3	30.7	30.0	31.0	31.0	29.7	29.7	28.7	26.0	351.4	4	1019
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	19.8	20.3	19.6	18.3	27.3	28.7	30.3	28.0	27.0	25.4	24.5	22.4	291.8	4	918
	07 LST	19.0	16.7	17.7	20.6	23.6	26.0	28.3	24.3	27.7	24.7	20.0	20.4	269.0	4	1019
	13 LST	15.3	17.7	15.9	17.9	16.8	13.3	12.3	15.7	23.3	21.0	19.3	16.9	205.4	4	1019
	19 LST	18.3	20.0	24.5	25.3	27.3	25.7	27.0	24.7	28.0	24.3	24.6	17.8	287.7	4	1019
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	1.7	0.5	0.5	1.3	0.0	0.3	0.0	0.7	0.3	0.0	0.5	1.0	6.8	4	918
	07 LST	0.5	0.7	1.4	0.3	0.3	0.0	0.0	1.3	0.3	0.0	0.0	0.8	5.6	4	1019
	13 LST	2.3	1.3	1.8	2.7	2.7	0.7	0.3	2.3	0.3	0.3	0.0	1.7	16.4	4	1019
	19 LST	2.3	1.3	1.1	1.3	0.3	0.7	0.3	1.0	0.7	0.3	0.4	2.1	11.8	4	1019
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	8.6	11.5	10.9	10.7	11.8	11.0	7.3	9.3	6.3	11.4	14.1	11.2	124.6	4	918
	07 LST	6.9	11.7	15.1	12.5	11.8	13.7	12.8	13.3	11.3	15.3	16.8	12.6	153.8	4	1018
	13 LST	10.6	13.0	13.3	18.9	18.2	15.3	15.5	17.0	18.7	15.0	10.3	16.1	181.9	4	1018
	19 LST	11.1	15.3	13.1	19.2	19.9	23.3	25.3	22.7	10.0	11.0	13.4	14.9	201.2	4	1019
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	12.0	7.0	4.8	12.5	11.7	19.5	23.0	21.0	20.5	15.3	11.0	19.0	177.3	2	574
	07 LST	10.5	3.0	2.8	4.6	4.6	11.5	18.0	11.5	11.0	7.0	4.0	8.0	96.3	2	660
	13 LST	11.0	4.0	3.4	9.2	4.6	8.5	16.5	12.0	13.5	10.5	9.0	10.0	108.2	2	660
	19 LST	11.0	6.5	5.1	11.2	4.1	13.5	16.0	10.5	18.0	12.0	11.0	12.0	130.9	2	660
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	28.4	23.0	20.7	21.7	29.0	29.7	31.0	29.3	27.3	27.4	27.7	26.9	322.1	4	918
	07 LST	27.8	20.3	22.3	22.9	27.0	27.7	28.7	27.0	27.7	28.0	25.0	24.9	309.3	4	1019
	13 LST	28.7	23.3	26.7	27.6	29.3	28.7	30.7	29.7	30.0	29.7	26.4	27.7	338.5	4	1019
	19 LST	27.8	23.7	27.8	29.0	30.7	29.7	30.3	30.3	29.3	29.7	27.8	24.4	339.5	4	1019
CIG = STA 6000 FT AND VSBY = GTR 3 MI	01 LST	20.7	14.0	12.0	17.3	23.9	27.3	30.3	27.3	23.3	22.4	16.8	20.8	258.1	4	918
	07 LST	19.4	11.0	10.5	16.3	20.9	25.0	26.0	22.7	23.3	19.7	15.0	16.3	227.3	4	1019
	13 LST	20.4	13.0	16.2	22.9	22.6	26.0	29.0	25.7	25.7	23.0	19.7	19.4	263.6	4	1019
	19 LST	18.5	17.7	20.9	26.0	26.3	27.7	30.0	28.3	27.3	24.3	18.8	19.4	285.2	4	1019
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	17.2	12.0	9.8	17.3	20.9	26.0	30.0	27.0	24.7	21.1	15.5	17.8	239.3	4	918
	07 LST	16.7	9.3	10.1	14.5	16.5	23.3	24.7	21.3	22.3	17.0	13.2	12.2	201.1	4	1019
	13 LST	15.7	11.0	14.4	21.2	19.2	24.7	28.3	23.3	24.0	20.3	16.6	13.3	234.0	4	1019
	19 LST	16.2	13.3	19.1	24.6	21.6	25.7	28.7	26.7	26.3	21.0	17.0	14.9	257.1	4	1019

FLORENCE, ITALY

STA NO. 16170 (IN AREA NUMBER 04)

LATITUDE 4348N

LONGITUDE 01112E

ELEVATION(FT) 00144

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	64	71	76	87	91	99	104	103	98	87	72	65	103	10	-28
MEAN MAX TMP (F)	49	53	60	68	75	84	89	88	81	69	58	50	69	10	-28
MEAN MIN TMP (F)	35	36	40	46	53	58	63	62	58	51	42	37	48	10	-28
ABS MIN TMP (F)	18	18	11	28	37	44	46	50	42	31	22	19	11	10	-28
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0		6.5	14.4	12.6	3.6	0.0	0.0	0.0		10	-29
MEAN NO DYS TMP = DR LES 32(F)					0.0	0.0	0.0	0.0	0.0	0.0				10	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN DEW PT TMP (F)	34	36	40	47	54	60	61	61	58	52	44	38	49	10	-29
MEAN REL HUM (PCT)	76	79	72	72	72	71	64	66	71	76	81	81	73	10	-28
MEAN PRESS ALT (F)														0	0
MEAN PRECIP (IN)	1.93	2.13	2.72	2.91	3.03	2.68	1.48	1.89	3.27	4.02	3.90	2.76	32.7	25	-122
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0	0.0				10	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	6.1	6.6	6.9	7.0	7.1	6.9	4.3	3.3	7.7	8.6	8.5	8.0	83.0	25	-29
MEAN NO DYS SNPL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0	0.0				10	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	7.1		5.0	1.0	1.0	0.0	0.0	0.0	1.6	6.0	3.0			2	277
MEAN NO DYS TSTMS	2.4		0.0	1.0	0.0	1.0	1.0	2.0	0.0	5.0	4.0			2	276
P FREQ WND SPD = DR GTR 17 KTS	1.6		0.3	1.1	0.3	1.4	0.3	3.9	0.2	0.0	0.6			2	6639
P FREQ WND SPD = DR GTR 28 KTS	0.0		0.0	0.1	0.0	0.1	0.9	0.0	0.0	0.0	0.0			2	6639
P FREQ LES 5000 FT A/D LES 5 MI	63.7	62.2	65.1	59.5	64.0	39.7	31.7	31.3	49.6	65.8	67.8	85.4	58.8	8	2754
P FREQ LES 1900 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	43.2	34.7	24.0	31.0	28.0	23.4	14.9	23.0	37.4	48.3	45.1	37.2	34.4	8	2023
09-11 LST														0	0
12-14 LST	31.7	23.2	12.7	3.5	6.7	4.8	2.3	4.8	3.4	10.8	19.4	30.7	13.0	8	1767
15-17 LST														0	0
18-20 LST	30.6	19.7	9.4	5.9	5.4	3.3	1.7	2.4	6.3	12.0	22.1	44.5	13.6	8	1845
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	33.9	24.1	12.0	12.9	11.3	6.0	3.1	4.8	12.9	28.5	34.7	47.6	19.3	8	2023
09-11 LST														0	0
12-14 LST	17.1	12.2	3.1	1.2	2.0	0.7	0.0	1.4	0.7	3.4	8.2	33.8	7.2	8	1767
15-17 LST														0	0
18-20 LST	16.4	6.6	1.3	1.8	1.8	1.1	0.6	0.6	0.6	2.3	9.0	31.8	6.2	8	1845
21-23 LST														0	0

FLORENCE, ITALY

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	18.2	19.1	24.6	21.2	22.8	23.6	26.5	24.2	19.1	16.5	17.0	14.1	246.9	8	2023
	13 LST	22.1	21.9	27.8	29.0	29.3	29.1	30.4	29.9	28.9	28.2	24.6	16.3	317.3	8	1767
	19 LST	22.4	23.2	29.4	28.5	30.2	29.5	30.6	30.4	28.3	28.0	24.5	18.3	323.3	8	1845
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SPC WND LES 10 KTS	01 LST														0	0
	07 LST	14.3	13.9	20.9	19.2	21.6	21.9	23.8	23.2	17.3	14.8	14.3	10.6	220.2	8	2012
	13 LST	13.7	13.4	21.3	23.8	26.0	23.6	28.1	27.2	23.9	24.0	20.3	10.7	264.0	8	1749
	19 LST	18.1	19.7	23.5	25.1	27.4	28.1	28.1	28.5	26.5	23.6	20.4	13.9	284.9	8	1823
SPC WND = GTR 17 KTS AND NO PRECIP.	01 LST														0	0
	07 LST	0.8	0.6	1.2	0.1	0.0	0.1	0.3	0.0	0.0	0.1	0.6	1.0	4.8	8	2044
	13 LST	2.2	1.9	2.5	2.5	0.8	0.7	1.2	0.8	0.7	1.8	1.3	1.2	17.6	8	1789
	19 LST	0.9	1.0	1.3	1.4	0.3	0.3	0.3	0.1	0.7	0.3	0.4	1.6	9.0	8	1839
SPC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST														0	0
	07 LST	5.5	4.5	3.5	3.4	1.7	2.4	2.1	1.4	2.0	3.5	4.4	3.7	38.1	8	2016
	13 LST	8.0	5.8	6.8	8.7	8.9	10.8	10.2	7.3	10.0	3.8	5.3	4.9	92.7	8	1757
	19 LST	6.2	7.8	6.6	7.0	8.2	9.7	12.1	9.2	7.8	5.4	4.7	4.3	89.0	8	1806
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	5.3	7.0	6.0	3.5	6.6	9.4	13.1	10.5	6.7	4.3	3.7	3.3	79.4	8	2031
	13 LST	5.8	7.9	4.4	1.8	4.3	7.9	9.5	7.2	6.9	4.6	3.3	3.0	68.8	8	1763
	19 LST	6.9	7.3	4.8	4.4	5.1	8.4	14.8	10.0	7.8	7.1	5.9	3.0	85.7	8	1836
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	13.6	14.4	19.4	17.3	19.0	20.3	24.2	22.1	16.7	12.2	12.3	9.8	201.3	8	2023
	13 LST	18.5	16.7	22.7	23.9	24.3	26.3	28.7	27.6	24.1	22.6	20.1	12.2	267.9	8	1767
	19 LST	17.8	17.9	22.6	24.3	25.0	26.3	29.3	28.0	23.8	22.9	18.4	12.4	271.1	8	1845
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	9.2	10.3	11.3	9.6	12.6	13.0	21.0	17.4	12.1	7.7	8.3	5.7	140.4	8	2023
	13 LST	14.9	11.6	12.4	12.6	13.3	19.1	23.6	17.6	18.1	13.6	13.6	3.4	173.8	8	1767
	19 LST	13.8	13.2	12.8	13.7	15.8	20.4	26.4	20.3	19.6	13.9	11.3	6.4	189.6	8	1845
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	9.2	10.3	11.3	9.6	12.6	13.0	21.0	17.2	12.1	7.3	8.3	5.7	140.0	8	2023
	13 LST	14.9	11.6	12.4	12.6	13.3	18.9	23.6	17.4	18.1	13.6	13.6	3.2	173.2	8	1767
	19 LST	13.6	13.2	12.8	13.7	15.8	20.4	26.4	20.3	19.6	13.9	11.3	6.4	189.4	8	1845

GROSSETO, ITALY

STA NO. 16206 (IN AREA NUMBER 04)

LATITUDE 4246N

LONGITUDE 01104E

ELEVATION(FT) 00019

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR	NO.
														(YRS)	OBS
ABS MAX TMP (F)														0	0
MEAN MAX TMP (F)														0	0
MEAN MIN TMP (F)														0	0
ABS MIN TMP (F)														0	0
MEAN NO DYS TMP = DR GTR 90(F)														0	0
MEAN NO DYS TMP = DR LES 32(F)														0	0
MEAN NO DYS TMP = DR LES 0(P)														0	0
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	-30
MEAN PRESS ALT (FT)	-96	-58	-26	27	-11	-33	-17	-25	-65	-72	-59	-58	-40	0	0
MEAN PRECIP (IN)														0	0
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = DR GTR 0.1 IN														0	0
MEAN NO DYS SNFL = DR GTR 1.5 IN														0	0
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

GROSSETO, ITALY
 MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0

DATA NOT AVAILABLE

ROMA/GUIDONIA, ITALY

STA NO. 16234 (IN AREA NUMBER 04)

LATITUDE 4159N

LONGITUDE 01244E

ELEVATION(FT) 00282

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	65	67	77	79	92	99	103	105	103	87	74	67	105	10	-16239
MEAN MAX TMP (F)	52	54	61	67	75	82	88	87	82	72	62	56	70	10	-16239
MEAN MIN TMP (F)	37	38	43	48	55	61	65	65	61	53	45	41	51	10	-16239
ABS MIN TMP (F)	23	20	23	28	42	49	54	55	46	36	28	29	20	10	-16239
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.2	3.6	14.0	9.1	2.9	0.0	0.0	0.0	29.8	10	-16239
MEAN NO DYS TMP = DR LES 32(F)	9.2	6.2	1.7	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.6	2.1	20.0	10	-16239
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-16239
MEAN DEW PT TMP (F)	36	39	43	48	53	57	60	59	57	51	46	40	49	10	-16239
MEAN REL HUM (PCT)	77	77	75	74	68	62	57	59	63	72	78	79	70	10	-16239
MEAN PRESS ALT (FT)	167	209	236	286	248	222	232	235	198	195	212	210	221	0	-50
MEAN PRECIP (IN)	3.23	2.68	2.87	2.60	2.17	1.58	0.67	1.02	2.56	5.04	4.41	3.86	32.7	99	-16239
MEAN SNOW FALL (IN)	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	2	-16239
MEAN NO DYS PRCP = DR GTR 0.1 IN	8.8	7.8	7.0	6.7	6.2	4.6	2.0	3.1	6.7	9.4	9.0	9.6	80.9	99	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	-16239
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	1.5	1.5	1.9	3.2	0.9	0.3	0.3	0.4	0.6	1.6	0.7	1.3	14.8	10	-16239
MEAN NO DYS TSTMS	1.0	1.4	0.9	2.1	2.4	1.4	2.6	2.1	2.9	3.8	3.0	1.3	24.9	10	-16239
P FREQ WND SPD = DR GTR 17 KTS	7.3	10.8	9.4	4.9	3.8	3.4	1.9	2.3	3.6	5.3	6.6	6.9	5.5	10	-16239
P FREQ WND SPD = DR GTR 28 KTS	0.3	0.3	0.8	0.3	0.1	0.1	0.0	0.2	0.1	0.3	0.9	0.4	0.4	10	-16239
P FREQ LES 3000 FT A/D LES 5 MI	32.2	37.3	25.2	21.0	17.4	9.0	6.2	7.0	10.0	18.7	26.4	27.3	19.8	10	-16239
P FREQ LES 1500 FT A/D LES 3 MI															
PDR 00-02 LST	3.0	5.8	2.8	3.3	1.9	2.1	1.2	0.6	1.8	2.1	4.0	4.4	2.9	10	-16239
03-05 LST	4.7	8.4	4.4	8.6	2.8	2.6	2.3	1.8	2.1	5.6	3.3	4.4	4.3	10	-16239
06-08 LST	6.2	11.6	6.9	12.4	2.8	1.9	1.8	1.2	4.0	5.3	5.8	6.7	3.6	10	-16239
09-11 LST	8.8	11.0	5.1	4.8	0.7	1.2	0.9	2.3	1.3	2.9	4.3	4.4	4.0	10	-16239
12-14 LST	4.6	5.5	1.8	1.2	0.7	1.4	0.2	0.9	1.3	1.8	3.3	2.6	2.1	10	-16239
15-17 LST	4.1	4.5	2.1	1.2	0.9	1.4	0.0	0.0	0.9	1.5	3.0	2.1	1.8	10	-16239
18-20 LST	3.0	5.2	4.6	2.1	1.6	0.5	0.2	0.3	0.6	2.1	3.0	2.1	2.1	10	-16239
21-23 LST	2.8	4.2	2.5	1.9	1.8	0.7	0.2	0.3	0.0	1.5	2.1	2.8	1.7	10	-16239
P FREQ LES 300 FT A/D LES 1 MI															
PDR 00-02 LST	0.7	1.0	0.3	2.6	0.3	0.2	0.0	0.0	0.0	0.3	0.9	0.8	0.6	10	-16239
03-05 LST	1.4	2.3	1.8	3.3	0.9	0.2	0.7	0.0	0.3	2.1	0.9	1.3	1.4	10	-16239
06-08 LST	1.2	2.9	1.4	6.0	1.2	0.0	0.3	0.6	0.9	1.2	1.2	2.1	1.6	10	-16239
09-11 LST	0.9	2.6	1.2	0.7	0.2	0.0	0.2	0.0	0.3	0.3	0.6	0.8	0.7	10	-16239
12-14 LST	0.0	0.6	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.3	0.1	10	-16239
15-17 LST	0.0	1.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.1	10	-16239
18-20 LST	0.0	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.1	10	-16239
21-23 LST	0.0	0.3	0.3	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.3	0.1	0.1	10	-16239

ROMA/GUIDONIA, ITALY
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	30.4	26.5	30.1	28.3	30.5	29.1	30.8	30.8	29.4	30.5	29.1	29.5	355.0	10	-16239
	07 LST	29.6	24.8	28.3	26.1	29.8	29.2	30.5	30.7	28.8	28.7	28.0	28.2	342.7	10	-16239
	13 LST	29.7	26.7	30.7	29.8	31.0	29.6	30.8	30.8	29.7	30.7	29.2	30.2	358.9	10	-16239
	19 LST	30.3	27.2	30.0	29.6	30.6	30.0	31.0	31.0	29.8	30.8	29.4	30.6	360.3	10	-16239
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	19.9	17.1	23.0	24.1	27.8	27.1	28.6	28.5	26.7	25.1	21.1	20.9	289.9	10	-16239
	07 LST	20.8	15.9	21.1	21.6	26.6	26.6	27.5	28.2	25.2	24.5	20.0	20.0	278.0	10	-16239
	13 LST	17.0	14.7	18.1	17.0	15.2	11.8	15.0	14.9	18.1	20.6	18.5	18.7	199.6	10	-16239
	19 LST	20.0	18.5	21.1	24.1	23.8	21.0	24.1	23.0	24.4	24.2	22.4	23.4	272.0	10	-16239
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	1.3	1.2	1.7	0.5	0.3	0.2	0.2	0.4	0.2	0.5	1.2	1.2	8.9	10	-16239
	07 LST	1.0	1.8	1.8	0.8	0.8	0.1	0.1	0.4	0.1	0.7	1.2	1.0	9.8	10	-16239
	13 LST	3.0	3.1	4.0	2.7	1.7	2.3	1.1	1.8	2.0	2.2	2.5	1.9	28.3	10	-16239
	19 LST	1.0	0.5	2.1	1.1	1.3	0.8	0.6	0.5	0.7	0.7	1.5	0.7	11.5	10	-16239
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	13.1	10.1	14.8	13.1	13.1	14.4	13.2	16.6	17.1	18.0	16.5	14.2	174.2	10	-16239
	07 LST	13.1	11.4	15.3	11.6	11.8	11.0	12.1	12.4	12.2	17.7	15.5	15.4	159.5	10	-16239
	13 LST	13.0	11.4	15.0	15.7	15.5	13.6	11.8	10.5	15.4	12.6	11.2	13.4	159.1	10	-16239
	19 LST	14.2	10.8	13.3	15.6	19.0	21.5	25.0	22.8	17.0	14.6	14.5	15.6	205.9	10	-16239
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	14.5	9.1	13.5	14.4	16.5	20.7	23.8	27.5	20.0	15.5	13.0	13.5	206.0	8	-16239
	07 LST	9.0	5.9	9.4	8.8	10.4	15.0	24.5	23.8	15.1	9.1	8.5	8.3	147.8	8	-16239
	13 LST	7.2	4.9	7.0	7.2	6.4	10.1	18.8	18.3	10.3	6.5	8.8	8.3	113.8	8	-16239
	19 LST	11.4	8.0	10.1	10.1	8.2	14.0	22.5	21.0	17.8	12.3	13.1	13.8	162.3	8	-16239
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	26.4	23.1	28.0	27.0	29.5	28.1	29.6	30.2	28.5	29.5	27.1	26.4	333.4	10	-16239
	07 LST	25.8	21.0	25.8	24.7	28.7	28.3	29.6	30.4	28.1	27.4	24.7	24.3	318.8	10	-16239
	13 LST	26.7	22.4	26.8	27.0	27.8	27.6	30.0	29.4	27.4	27.5	26.4	27.0	326.0	10	-16239
	19 LST	27.6	23.0	26.3	27.5	29.0	29.1	30.8	30.8	29.1	28.8	27.1	27.8	336.9	10	-16239
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	21.7	18.2	24.2	24.0	27.1	27.2	28.8	30.0	27.8	26.6	22.7	21.9	300.2	10	-16239
	07 LST	19.0	16.8	22.5	21.8	26.5	27.4	29.2	29.0	26.8	23.3	20.7	18.7	281.9	10	-16239
	13 LST	20.2	17.1	21.7	22.6	22.2	24.7	28.1	26.6	23.0	21.7	21.8	22.2	271.9	10	-16239
	19 LST	21.6	18.2	22.8	23.0	26.1	27.1	30.1	30.1	27.7	26.0	23.4	23.2	299.3	10	-16239
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	21.0	18.2	24.1	23.6	26.5	27.1	28.8	30.0	27.8	26.5	22.2	20.4	296.2	10	-16239
	07 LST	18.1	16.1	21.1	21.0	26.1	27.2	29.1	28.7	26.5	23.0	20.2	17.6	274.7	10	-16239
	13 LST	19.3	16.8	21.1	22.1	21.8	24.5	28.1	26.4	22.8	21.5	21.5	20.8	266.7	10	-16239
	19 LST	20.8	17.9	22.3	22.5	26.1	26.6	30.1	30.0	27.5	25.8	22.4	22.4	294.4	10	-16239

ROMA/URBE, ITALY

STA NO. 16235 (IN AREA NUMBER 04)

LATITUDE 4157N

LONGITUDE 01229E

ELEVATION(FT) 00059

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	65	67	77	79	92	99	103	105	103	87	74	67	105	10	-16239
MEAN MAX TMP (F)	52	54	61	67	75	82	88	87	82	72	62	56	70	10	-16239
MEAN MIN TMP (F)	37	38	43	48	55	61	55	65	61	53	45	41	51	10	-16239
ABS MIN TMP (F)	23	20	23	28	42	49	54	55	46	36	28	29	20	10	-16239
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.2	3.6	14.0	9.1	2.9	0.0	0.0	0.0	29.8	10	-16239
MEAN NO DYS TMP = DR LES 32(F)	9.2	6.2	1.7	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.6	2.1	20.0	10	-16239
MEAN NO DYS TMP = DR LES D(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-16239
MEAN DEW PT TMP (F)	36	39	43	48	53	57	60	59	57	51	46	40	49	10	-16239
MEAN REL HUM (PCT)	77	77	75	74	68	62	57	59	63	72	78	79	70	10	-16239
MEAN PRESS ALT (FT)	-55	-12	13	64	26	0	11	13	-23	-27	-11	-12	-0	0	-50
MEAN PRECIP (IN)	3.23	2.68	2.87	2.60	2.17	1.58	0.67	1.02	2.36	3.04	4.41	3.86	32.7	99	-16239
MEAN SNOW FALL (IN)	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	2	-16239
MEAN NO DYS PRCP = DR GTR 0.1 IN	8.8	7.8	7.0	6.7	6.2	4.6	2.0	3.1	6.7	9.4	9.0	9.6	80.9	99	-29
MEAN NO DYS SNPL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	-16239
MEAN NO DYS W/DCUR VSOB LES 1/2 MI	1.5	1.5	1.9	3.2	0.9	0.5	0.5	0.4	0.6	1.6	0.7	1.5	14.8	10	-16239
MEAN NO DYS TSTMS	1.0	1.4	0.9	2.1	2.4	1.4	2.6	2.1	2.9	3.8	3.0	1.3	24.9	10	-16239
P FREQ WND SPD = DR GTR 17 KTS	7.3	10.8	9.4	4.9	3.8	3.4	1.9	2.5	3.6	3.3	6.6	6.9	3.5	10	-16239
P FREQ WND SPD = DR GTR 28 KTS	0.5	0.5	0.8	0.5	0.1	0.1	0.0	0.2	0.1	0.5	0.9	0.4	0.4	10	-16239
P FREQ LES 5000 FT A/D LES 5 MI	32.2	37.3	23.2	21.0	17.4	9.0	6.2	7.0	10.0	18.7	26.4	27.3	19.8	10	-16239
P FREQ LES 1500 FT A/D LES 3 MI															
FDR 00-02 LST	3.0	5.8	2.8	5.5	1.9	2.1	1.2	0.6	1.8	2.1	4.0	4.4	2.9	10	-16239
03-05 LST	4.7	8.4	4.4	8.6	2.8	2.6	2.3	1.8	2.1	3.6	3.3	4.4	4.3	10	-16239
06-08 LST	6.2	11.6	6.9	12.4	2.8	1.9	1.8	1.2	4.0	3.3	3.8	6.7	3.6	10	-16239
09-11 LST	8.8	11.0	5.1	4.8	0.7	1.2	0.9	2.3	1.5	2.9	4.5	4.4	4.0	10	-16239
12-14 LST	4.6	5.5	1.8	1.2	0.7	1.4	0.2	0.9	1.3	1.8	3.3	2.6	2.1	10	-16239
15-17 LST	4.1	4.5	2.1	1.2	0.9	1.4	0.0	0.0	0.9	1.3	3.0	2.1	1.8	10	-16239
18-20 LST	3.0	3.2	4.6	2.1	1.6	0.5	0.2	0.3	0.6	2.1	3.0	2.1	2.1	10	-16239
21-23 LST	2.8	4.2	2.5	1.9	1.8	0.7	0.2	0.3	0.0	1.5	2.1	2.8	1.7	10	-16239
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	0.7	1.0	0.5	2.6	0.5	0.2	0.0	0.0	0.0	0.3	0.9	0.8	0.6	10	-16239
03-05 LST	1.4	2.3	1.8	3.3	0.9	0.2	0.7	0.0	0.3	2.1	0.9	1.3	1.4	10	-16239
06-08 LST	1.2	2.9	1.4	6.0	1.2	0.0	0.5	0.6	0.9	1.2	1.2	2.1	1.6	10	-16239
09-11 LST	0.9	2.6	1.2	0.7	0.2	0.0	0.2	0.0	0.3	0.3	0.6	0.8	0.7	10	-16239
12-14 LST	0.0	0.6	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.3	0.1	10	-16239
15-17 LST	0.0	1.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.1	10	-16239
18-20 LST	0.0	0.3	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.1	10	-16239
21-23 LST	0.0	0.3	0.5	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.1	10	-16239

ROMA/URBE, ITALY

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. UBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	30.4	26.5	30.1	28.3	30.5	29.1	30.8	30.8	29.4	30.5	29.1	29.5	355.0	10	-16239
	07 LST	29.6	24.8	28.3	26.1	29.8	29.2	30.5	30.7	28.8	28.7	28.0	28.2	342.7	10	-16239
	13 LST	29.7	26.7	30.7	29.8	31.0	29.6	30.8	30.8	29.7	30.7	29.2	30.2	358.9	10	-16239
	19 LST	30.3	27.2	30.0	29.6	30.6	30.0	31.0	31.0	29.8	30.8	29.4	30.6	360.3	10	-16239
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SPC WND LES 10 KTS	01 LST	19.9	17.1	23.0	24.1	27.8	27.1	28.6	28.5	26.7	25.1	21.1	20.9	289.9	10	-16239
	07 LST	20.8	15.9	21.1	21.6	26.6	26.6	27.5	28.2	25.2	24.5	20.0	20.0	278.0	10	-16239
	13 LST	17.0	14.7	18.1	17.0	15.2	11.8	15.0	14.9	18.1	20.6	18.5	18.7	199.6	10	-16239
	19 LST	20.0	18.5	21.1	24.1	23.8	21.0	24.1	25.0	24.4	24.2	22.4	23.4	272.0	10	-16239
SPC WND = GTR 17 KTS AND NO PRECIP.	01 LST	1.3	1.2	1.7	0.5	0.3	0.2	0.2	0.4	0.2	0.5	1.2	1.2	8.9	10	-16239
	07 LST	1.0	1.8	1.8	0.8	0.8	0.1	0.1	0.4	0.1	0.7	1.2	1.0	9.8	10	-16239
	13 LST	3.0	3.1	4.0	2.7	1.7	2.3	1.1	1.8	2.0	2.2	2.5	1.9	28.3	10	-16239
	19 LST	1.0	0.5	2.1	1.1	1.3	0.8	0.6	0.5	0.7	0.7	1.5	0.7	11.5	10	-16239
SPC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	13.1	10.1	14.8	13.1	13.1	14.4	13.2	16.6	17.1	18.0	16.5	14.2	174.2	10	-16239
	07 LST	13.1	11.4	15.3	11.6	11.8	11.0	12.1	12.4	12.2	17.7	15.5	15.4	159.5	10	-16239
	13 LST	13.0	11.4	15.0	15.7	15.5	13.6	11.8	10.5	15.4	12.6	11.2	13.4	159.1	10	-16239
	19 LST	14.2	10.8	15.3	15.6	19.0	21.5	25.0	22.8	17.0	14.6	14.5	15.6	205.9	10	-16239
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	14.5	9.1	15.5	14.4	16.5	20.7	25.8	27.5	20.0	15.5	13.0	13.5	206.0	8	-16239
	07 LST	9.0	5.9	9.4	8.8	10.4	15.0	24.5	23.8	15.1	9.1	8.5	8.3	147.8	8	-16239
	13 LST	7.2	4.9	7.0	7.2	6.4	10.1	18.8	18.3	10.3	6.5	8.8	8.3	113.8	8	-16239
	19 LST	11.4	8.0	10.1	10.1	8.2	14.0	22.5	21.0	17.8	12.3	13.1	13.8	162.3	8	-16239
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	26.4	23.1	28.0	27.0	29.5	28.1	29.6	30.2	28.5	29.5	27.1	26.4	333.4	10	-16239
	07 LST	25.8	21.0	25.8	24.7	28.7	28.3	29.6	30.4	28.1	27.4	24.7	24.3	318.8	10	-16239
	13 LST	26.7	22.4	26.8	27.0	27.8	27.6	30.0	29.4	27.4	27.5	26.4	27.0	326.0	10	-16239
	19 LST	27.6	23.0	26.3	27.5	29.0	29.1	30.8	30.8	29.1	28.8	27.1	27.8	336.4	10	-16239
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	21.7	18.2	24.2	24.0	27.1	27.2	28.8	30.0	27.8	26.6	22.7	21.9	300.2	10	-16239
	07 LST	19.0	16.8	22.5	21.8	26.5	27.4	29.2	29.0	26.8	23.5	20.7	18.7	281.9	10	-16239
	13 LST	20.2	17.1	21.7	22.6	22.2	24.7	28.1	26.6	23.0	21.7	21.8	22.2	271.9	10	-16239
	19 LST	21.6	18.2	22.8	23.0	26.1	27.1	30.1	30.1	27.7	26.0	23.4	23.2	299.3	10	-16239
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	21.0	18.2	24.1	23.6	26.5	27.1	28.8	30.0	27.8	26.5	22.2	20.4	296.2	10	-16239
	07 LST	18.1	16.1	21.1	21.0	26.1	27.2	29.1	28.7	26.5	23.0	20.2	17.6	274.7	10	-16239
	13 LST	19.3	16.8	21.1	22.1	21.8	24.5	28.1	26.4	22.8	21.5	21.5	20.8	266.7	10	-16239
	19 LST	20.8	17.9	22.3	22.5	26.1	26.6	30.1	30.0	27.5	25.8	22.4	22.4	294.4	10	-16239

CENTOCELLE, ITALY

STA NO. 16238 (IN AREA NUMBER 04)

LATITUDE 4152N

LONGITUDE 01233E

ELEVATION(FT) 00157

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	65	67	77	79	92	99	103	105	103	87	74	67	105	10	-16239
MEAN MAX TMP (F)	52	54	61	67	75	82	88	87	82	72	62	56	70	10	-16239
MEAN MIN TMP (F)	37	38	43	48	55	61	65	65	61	53	45	41	51	10	-16239
ABS MIN TMP (F)	23	20	23	28	42	49	54	55	46	36	28	29	20	10	-16239
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.2	3.6	14.0	9.1	2.9	0.0	0.0	0.0	29.8	10	-16239
MEAN NO DYS TMP = DR LES 32(F)	9.2	6.2	1.7	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.6	2.1	20.0	10	-16239
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-16239
MEAN DEW PT TMP (F)	36	39	43	48	53	57	60	59	57	51	46	40	49	10	-16239
MEAN REL HUM (PCT)	77	77	75	74	68	62	57	59	63	72	78	79	70	10	-16239
MEAN PRESS ALT (FT)	43	85	111	161	123	98	108	111	74	70	87	85	96	0	-50
MEAN PRECIP (IN)	3.23	2.68	2.87	2.60	2.17	1.58	0.67	1.02	2.56	5.04	4.41	3.86	32.7	99	-16239
MEAN SNOW FALL (IN)	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	2	-16239
MEAN NO DYS PRCP = DR GTR 0.1 IN	8.8	7.8	7.0	6.7	6.2	4.6	2.0	3.1	6.7	9.4	9.0	9.6	80.9	99	-29
MEAN NO DYS SNFL = DR GTR 1.8 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	-16239
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	1.5	1.5	1.9	3.2	0.9	0.5	0.5	0.4	0.6	1.6	0.7	1.5	14.8	10	-16239
MEAN NO DYS TSTMS	1.0	1.4	0.9	2.1	2.4	1.4	2.6	2.1	2.9	3.8	3.0	1.3	24.9	10	-16239
P FREQ WND SPD = DR GTR 17 KTS	7.3	10.8	9.4	4.9	3.8	3.4	1.9	2.3	3.6	5.3	6.6	6.9	9.3	10	-16239
P FREQ WND SPD = DR GTR 28 KTS	0.5	0.5	0.8	0.5	0.1	0.1	0.0	0.2	0.1	0.5	0.9	0.4	0.4	10	-16239
P FREQ LES 5000 FT A/D LES 5 MI	53.9	55.8	54.6	47.2	42.5	31.2	19.8	29.4	37.4	44.1	58.3	60.6	44.6	9	3549
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	21.0	25.6	26.9	22.9	15.0	9.9	12.8	19.9	23.3	22.6	16.4	24.3	20.2	11	2547
09-11 LST														0	0
12-14 LST	10.5	12.1	8.1	8.4	4.9	2.9	1.6	5.3	1.8	5.9	12.8	14.3	7.4	11	2303
15-17 LST														0	0
18-20 LST	17.3	15.4	8.4	8.9	5.2	3.8	1.2	2.5	2.7	7.5	8.2	19.9	8.4	9	1919
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	7.5	13.1	11.8	7.5	3.1	1.7	3.1	3.0	6.1	10.1	7.8	7.1	6.8	11	2547
09-11 LST														0	0
12-14 LST	1.2	1.8	2.7	1.1	0.6	1.1	0.5	1.1	1.2	0.0	3.8	2.9	1.5	11	2303
15-17 LST														0	0
18-20 LST	2.5	4.6	0.6	2.4	0.0	0.6	0.6	0.0	0.0	0.0	1.3	7.2	1.7	9	1919
21-23 LST														0	0

CENTOCELLE, ITALY
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	25.1	21.1	23.2	23.9	26.7	27.3	27.3	25.0	23.4	24.4	25.1	24.2	296.9	11	2547
	13 LST	28.4	25.3	28.8	27.9	29.6	29.3	30.6	29.5	29.6	29.6	26.8	26.7	342.1	11	2303
	19 LST	26.2	24.1	29.5	27.5	29.7	29.0	30.8	30.4	29.3	29.2	28.2	25.2	339.1	9	1919
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST														0	0
	07 LST	14.5	14.2	13.9	16.8	22.0	23.5	22.6	21.6	18.6	17.0	16.9	15.2	216.8	11	2539
	13 LST	19.1	16.1	16.5	15.4	19.7	17.6	19.1	19.8	19.9	19.9	19.0	18.4	220.5	11	2290
	19 LST	14.7	15.2	14.5	17.9	21.0	22.3	23.2	24.9	23.2	20.2	21.2	18.0	236.3	9	1910
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST														0	0
	07 LST	5.5	3.3	4.5	4.0	1.8	1.7	1.8	1.4	2.1	4.6	3.6	5.0	39.3	11	2875
	13 LST	5.0	4.8	7.2	6.8	3.5	3.5	4.4	4.1	3.8	4.9	4.7	5.1	57.8	11	2317
	19 LST	7.6	5.2	9.2	5.0	3.8	2.6	3.0	2.6	2.6	4.5	3.7	5.7	55.5	9	1936
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST														0	0
	07 LST	9.8	11.7	14.7	12.0	15.6	14.4	13.1	15.3	15.1	17.5	17.2	12.0	168.4	11	2543
	13 LST	14.2	11.7	14.2	13.0	17.7	14.4	16.3	14.9	15.5	14.7	12.0	12.3	170.9	11	2289
	19 LST	11.4	11.5	12.4	14.9	14.3	16.2	16.7	16.5	14.6	15.3	13.8	12.9	170.5	9	1915
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	8.0	6.3	5.5	7.0	9.0	14.7	17.9	14.9	10.2	7.7	6.3	9.7	113.2	11	2565
	13 LST	8.7	7.4	6.9	8.0	6.6	13.8	19.3	16.6	10.9	9.6	8.0	7.1	122.9	11	2323
	19 LST	13.1	9.4	8.0	8.3	7.4	15.0	22.0	16.9	12.7	12.0	12.6	9.8	147.2	9	1933
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	21.5	18.2	19.4	19.9	22.9	25.1	26.0	23.6	20.9	21.5	21.2	20.0	260.2	11	2547
	13 LST	24.7	21.8	25.6	24.4	26.6	27.4	29.8	29.1	27.8	26.7	22.6	23.3	309.8	11	2303
	19 LST	23.3	21.5	24.8	25.9	27.0	27.8	30.2	28.9	28.3	26.1	24.8	22.4	311.0	9	1919
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	17.6	13.4	13.3	14.6	18.1	22.7	24.7	21.6	19.1	17.5	15.3	13.8	211.7	11	2547
	13 LST	19.7	16.8	19.1	20.1	21.1	23.8	27.5	26.5	22.8	22.1	16.4	15.9	251.8	11	2303
	19 LST	19.5	16.5	19.7	20.9	22.1	25.4	29.1	27.3	25.7	22.2	20.6	16.2	265.2	9	1919
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	17.3	13.4	13.3	14.6	18.1	22.7	24.7	21.6	19.1	17.5	15.3	13.7	211.3	11	2547
	13 LST	19.5	16.8	19.1	20.1	21.1	23.8	27.5	26.5	22.8	22.1	16.4	15.9	251.6	11	2303
	19 LST	19.5	16.5	19.7	20.9	21.8	25.2	29.1	27.3	25.7	22.2	20.6	16.2	264.7	9	1919

ROMA/CIAMPINO, ITALY

STA NO. 16239 (IN AREA NUMBER 04)

LATITUDE 4148N

LONGITUDE 01236E

ELEVATION(FT) 00430

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	HD. UBS
ABS MAX TMP (F)	65	67	77	79	92	99	103	105	103	87	74	67	105	10	2757
MEAN MAX TMP (F)	52	54	61	67	75	82	88	87	82	72	62	56	70	10	2757
MEAN MIN TMP (F)	37	38	43	48	55	61	65	65	61	53	45	41	51	10	2757
ABS MIN TMP (F)	23	20	23	28	42	49	54	55	46	36	28	29	20	10	2757
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.2	3.6	14.0	9.1	2.9	0.0	0.0	0.0	29.8	10	2757
MEAN NO DYS TMP = DR LES 32(F)	9.2	6.2	1.7	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.6	2.1	20.0	10	2757
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	2757
MEAN DEN PT TMP (F)	36	39	43	48	53	57	60	59	57	51	46	40	49	10	36875
MEAN REL HUM (PCT)	77	77	75	74	68	62	57	59	63	72	78	79	70	10	36861
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	3.23	2.68	2.87	2.60	2.17	1.98	0.67	1.02	2.36	5.04	4.41	3.86	32.7	99	-122
MEAN SNOW FALL (IN)	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	2	548
MEAN NO DYS PRCP = DR GTR 0.1 IN	8.8	7.8	7.0	6.7	6.2	4.6	2.0	3.1	6.7	9.4	9.0	9.6	80.9	99	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	548
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	1.5	1.5	1.9	3.2	0.9	0.5	0.5	0.4	0.6	1.6	0.7	1.5	14.8	10	2756
MEAN NO DYS TSTMS	1.0	1.4	0.9	2.1	2.4	1.4	2.6	2.1	2.9	3.8	3.0	1.3	24.9	10	2756
P FREQ WND SPD = DR GTR 17 KTS	7.3	10.8	9.4	4.9	3.8	3.4	1.9	2.5	3.6	5.3	6.6	6.9	5.5	10	66042
P FREQ WND SPD = DR GTR 28 KTS	0.5	0.5	0.8	0.5	0.1	0.1	0.0	0.2	0.1	0.5	0.9	0.4	0.4	10	66042
P FREQ LES 5000 FT A/O LES 5 MI	32.2	37.3	25.2	21.0	17.4	9.0	6.2	7.0	10.0	18.7	26.4	27.3	19.8	10	36874
P FREQ LES 1900 FT A/O LES 3 MI															
FOR 00-02 LST	3.0	5.8	2.8	5.5	1.9	2.1	1.2	0.6	1.8	2.1	4.0	4.4	2.9	10	4596
03-05 LST	4.7	8.4	4.4	8.6	2.8	2.6	2.3	1.8	2.1	5.6	3.3	4.4	4.3	10	4601
06-08 LST	6.2	11.6	6.9	12.4	2.8	1.9	1.8	1.2	4.0	3.3	5.8	6.7	3.6	10	4610
09-11 LST	8.8	11.0	5.1	4.8	0.7	1.2	0.9	2.3	1.5	2.9	4.5	4.4	4.0	10	4615
12-14 LST	4.6	5.5	1.8	1.2	0.7	1.4	0.2	0.9	1.5	1.8	3.3	2.6	2.1	10	4615
15-17 LST	4.1	4.5	2.1	1.2	0.9	1.4	0.0	0.0	0.9	1.5	3.0	2.1	1.8	10	4614
18-20 LST	3.0	5.2	4.6	2.1	1.6	0.5	0.2	0.3	0.6	2.1	3.0	2.1	2.1	10	4615
21-23 LST	2.8	4.2	2.5	1.9	1.8	0.7	0.2	0.3	0.0	1.5	2.1	2.8	1.7	10	4613
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.7	1.0	0.5	2.6	0.5	0.7	0.0	0.0	0.0	0.3	0.9	0.8	0.6	10	4596
03-05 LST	1.4	2.3	1.8	5.3	0.9	0.2	0.7	0.0	0.3	2.1	0.9	1.3	1.4	10	4601
06-08 LST	1.2	2.9	1.4	6.0	1.2	0.0	0.5	0.6	0.9	1.2	1.2	2.1	1.6	10	4610
09-11 LST	0.9	2.6	1.2	0.7	0.2	0.0	0.2	0.0	0.3	0.3	0.6	0.8	0.7	10	4615
12-14 LST	0.0	0.6	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.3	0.1	10	4615
15-17 LST	0.0	1.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.1	0.1	10	4614
18-20 LST	0.0	0.3	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.1	0.1	10	4615
21-23 LST	0.0	0.3	0.5	0.0	0.2	0.0	0.0	0.0	0.0	0.3	0.1	0.1	0.1	10	4613

ROMA/CIAMPINO, ITALY
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	30.4	26.5	30.1	28.3	30.3	29.1	30.8	30.8	29.4	30.5	29.1	29.5	355.0	10	2754
	07 LST	29.6	24.8	28.3	26.1	29.8	29.2	30.3	30.7	28.8	28.7	28.0	28.2	342.7	10	2756
	13 LST	29.7	26.7	30.7	29.8	31.0	29.6	30.8	30.8	29.7	30.7	29.2	30.2	358.9	10	2756
	19 LST	30.3	27.2	30.0	29.6	30.6	30.0	31.0	31.0	29.8	30.8	29.4	30.6	360.3	10	2757
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SPC WND LES 10 KTS	01 LST	19.9	17.1	23.0	24.1	27.8	27.1	28.6	28.5	26.7	25.1	21.1	20.9	289.9	10	2754
	07 LST	20.8	15.9	21.1	17.0	26.6	26.6	27.5	28.2	25.2	24.5	20.0	20.0	278.0	10	2755
	13 LST	17.0	14.7	18.1	17.0	15.2	11.8	15.0	14.9	18.1	20.6	18.5	18.7	199.6	10	2755
	19 LST	20.0	18.5	21.1	24.1	23.8	21.0	24.1	25.0	24.4	24.2	22.4	23.4	272.0	10	2756
SPC WND = GTR 17 KTS AND NO PRECIP.	01 LST	1.3	1.2	1.7	0.5	0.3	0.2	0.2	0.4	0.2	0.5	1.2	1.2	8.9	10	2759
	07 LST	1.0	1.8	1.8	0.8	0.8	0.1	0.1	0.4	0.1	0.7	1.2	1.0	9.8	10	2756
	13 LST	3.0	3.1	4.0	2.7	1.7	2.3	1.1	1.8	2.0	2.2	2.5	1.9	28.3	10	2756
	19 LST	1.0	0.5	2.1	1.1	1.3	0.8	0.6	0.5	0.7	0.7	1.5	0.7	11.5	10	2756
SPC WND 4-10 KTS AND THP 33-89 DEG F AND NO PRECIP.	01 LST	13.1	10.1	14.8	13.1	13.1	14.4	13.2	16.6	17.1	18.0	16.5	14.2	174.2	10	2754
	07 LST	13.1	11.4	15.3	11.6	11.8	11.0	12.1	12.4	12.2	17.7	15.5	15.4	159.5	10	2755
	13 LST	13.0	11.4	15.0	13.7	15.5	13.6	11.8	10.5	15.4	12.6	11.2	13.4	159.1	10	2756
	19 LST	14.2	10.8	15.3	15.6	19.0	21.5	25.0	22.8	17.0	14.6	14.5	15.6	205.9	10	2756
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	14.5	9.1	15.5	14.4	16.5	20.7	25.8	27.5	20.0	15.5	13.0	13.5	206.0	8	2379
	07 LST	9.0	5.9	9.4	8.8	10.4	15.0	24.5	23.8	15.1	9.1	8.5	8.3	147.8	8	2376
	13 LST	7.2	4.9	7.0	7.2	6.4	10.1	18.8	18.3	10.3	6.5	8.8	8.3	113.8	8	2376
	19 LST	11.4	8.0	10.1	10.1	8.2	14.0	22.5	21.0	17.8	12.3	13.1	13.8	164.3	8	2376
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	26.4	23.1	28.0	27.0	29.5	28.1	29.6	30.2	28.5	29.5	27.1	26.4	333.4	10	2754
	07 LST	25.8	21.0	25.8	24.7	28.7	28.3	29.6	30.4	28.1	27.4	24.7	24.3	318.8	10	2756
	13 LST	26.7	22.4	26.8	27.0	27.8	27.6	30.0	29.4	27.4	27.5	26.4	27.0	326.0	10	2756
	19 LST	27.6	23.0	26.3	27.5	29.0	29.1	30.8	30.8	29.1	29.8	27.1	27.8	336.9	10	2757
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	21.7	18.2	24.2	24.0	27.1	27.2	28.8	30.0	27.8	26.6	22.7	21.9	300.2	10	2754
	07 LST	19.0	16.8	22.5	21.8	26.5	27.4	29.2	29.0	26.8	23.5	20.7	18.7	281.9	10	2756
	13 LST	20.2	17.1	21.7	22.6	22.2	24.7	26.1	26.6	23.0	21.7	21.8	22.2	271.9	10	2756
	19 LST	21.6	18.2	22.8	23.0	26.1	27.1	30.1	30.1	27.7	26.0	23.4	23.2	299.3	10	2757
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	21.0	18.2	24.1	23.6	26.5	27.1	28.8	30.0	27.8	26.5	22.2	20.4	296.2	10	2754
	07 LST	18.1	16.1	21.1	21.0	26.1	27.2	29.1	28.7	26.5	23.0	20.2	17.6	274.7	10	2756
	13 LST	19.3	16.8	21.1	22.1	21.8	24.5	28.1	26.4	22.8	21.5	21.5	20.8	266.7	10	2756
	19 LST	20.8	17.9	22.3	22.5	26.1	26.6	30.1	30.0	27.5	25.8	22.4	22.4	294.4	10	2757

ROMA/FIUMICINO, ITALY

STA NO. 16242 (IN AREA NUMBER 04)

LATITUDE 4147N

LONGITUDE 01214E

ELEVATION(FT) 00007

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	65	67	77	79	92	99	103	105	103	87	74	67	105	10	-16239
MEAN MAX TMP (F)	52	54	61	67	75	82	88	87	82	72	62	56	70	10	-16239
MEAN MIN TMP (F)	37	38	43	48	55	61	65	65	61	53	45	41	51	10	-16239
ABS MIN TMP (F)	23	20	23	28	42	49	54	55	46	36	28	29	20	10	-16239
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.2	3.6	14.0	9.1	2.9	0.0	0.0	0.0	29.8	10	-16239
MEAN NO DYS TMP = DR LES 32(F)	9.2	6.2	1.7	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.6	2.1	20.0	10	-16239
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-16239
MEAN DEW PT TMP (F)	36	39	43	48	53	57	60	59	57	51	46	40	49	10	-16239
MEAN REL HUM (PCT)	77	77	75	74	68	62	57	59	63	72	78	79	70	10	-16239
MEAN PRESS ALT (PT)	-105	-63	-38	12	-23	-30	-40	-37	-74	-79	-63	-63	-51	0	-50
MEAN PRECIP (IN)	3.23	2.68	2.87	2.60	2.17	1.58	0.67	1.02	2.56	5.04	4.41	3.86	32.7	99	-16239
MEAN SNOW FALL (IN)	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	2	-16239
MEAN NO DYS PRCP = DR GTR 0.1 IN	8.8	7.8	7.0	6.7	6.2	4.6	2.0	3.1	6.7	9.4	9.0	9.6	80.9	99	-29
MEAN NO DYS SNPL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	-16239
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	1.5	1.3	1.9	3.2	0.9	0.9	0.5	0.4	0.6	1.6	0.7	1.5	14.8	10	-16239
MEAN NO DYS TSTMS	1.0	1.4	0.9	2.1	2.4	1.4	2.6	2.1	2.9	3.8	3.0	1.3	24.9	10	-16239
P FREQ WND SPD = DR GTR 17 KTS	7.3	10.8	9.4	4.9	3.8	3.4	1.9	2.5	3.6	3.3	6.6	6.9	5.5	10	-16239
P FREQ WND SPD = DR GTR 28 KTS	0.5	0.5	0.8	0.5	0.1	0.1	0.0	0.2	0.1	0.5	0.9	0.4	0.4	10	-16239
P FREQ LES 5000 FT A/D LES 5 MI	32.2	37.3	23.2	21.0	17.4	9.0	6.2	7.0	10.0	18.7	26.4	27.3	19.8	10	-16239
P FREQ LES 1500 FT A/D LES 3 MI															
FDR 00-02 LST	3.0	5.8	2.8	3.5	1.9	2.1	1.2	0.6	1.8	2.1	4.0	4.4	2.9	10	-16239
03-05 LST	4.7	8.4	4.4	8.6	2.8	2.6	2.3	1.8	2.1	3.6	3.3	4.4	4.3	10	-16239
06-08 LST	6.2	11.6	6.9	12.4	2.8	1.9	1.8	1.2	4.0	3.3	3.8	6.7	5.6	10	-16239
09-11 LST	8.8	11.0	3.1	4.8	0.7	1.2	0.9	2.3	1.3	2.9	4.5	4.4	4.0	10	-16239
12-14 LST	4.6	3.3	1.8	1.2	0.7	1.4	0.2	0.9	1.3	1.8	3.3	2.6	2.1	10	-16239
15-17 LST	4.1	4.5	2.1	1.2	0.9	1.4	0.0	0.0	0.9	1.5	3.0	2.1	1.8	10	-16239
18-20 LST	3.0	3.2	4.6	2.1	1.6	0.3	0.2	0.3	0.6	2.1	3.0	2.1	2.1	10	-16239
21-23 LST	2.8	4.2	2.3	1.9	1.8	0.7	0.2	0.3	0.0	1.3	2.1	2.8	1.7	10	-16239
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	0.7	1.0	0.3	2.6	0.3	0.2	0.0	0.0	0.0	0.3	0.9	0.8	0.6	10	-16239
03-05 LST	1.4	2.3	1.8	3.3	0.9	0.2	0.7	0.0	0.3	2.1	0.9	1.3	1.4	10	-16239
06-08 LST	1.2	2.9	1.4	6.0	1.2	0.0	0.3	0.6	0.9	1.2	1.2	2.1	1.6	10	-16239
09-11 LST	0.9	2.6	1.2	0.7	0.2	0.0	0.2	0.0	0.3	0.3	0.6	0.8	0.7	10	-16239
12-14 LST	0.0	0.6	0.2	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.3	0.1	0.1	10	-16239
15-17 LST	0.0	1.0	0.0	0.2	0.0	0.5	0.0	0.0	0.0	0.0	0.3	0.0	0.1	10	-16239
18-20 LST	0.0	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.1	10	-16239
21-23 LST	0.0	0.3	0.3	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.3	0.1	0.1	10	-16239

ROMA/FIUMICINO, ITALY

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	30.4	26.5	30.1	28.3	30.5	29.1	30.8	30.8	29.4	30.5	29.1	29.5	355.0	10	-16239
	07 LST	29.6	24.8	28.3	26.1	29.8	29.2	30.5	30.7	28.8	28.7	28.0	28.2	342.7	10	-16239
	13 LST	29.7	26.7	30.7	29.8	31.0	29.6	30.8	30.8	29.7	30.7	29.2	30.2	358.9	10	-16239
	19 LST	30.3	27.2	30.0	29.6	30.6	30.0	31.0	31.0	29.8	30.8	29.4	30.6	360.3	10	-16239
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	19.9	17.1	23.0	24.1	27.8	27.1	28.4	28.5	26.7	25.1	21.1	20.9	289.9	10	-16239
	07 LST	20.8	15.9	21.1	21.6	26.6	26.6	27.5	28.2	25.2	24.5	20.0	20.0	278.0	10	-16239
	13 LST	17.0	14.7	18.1	17.0	15.2	11.8	13.0	14.9	18.1	20.6	18.5	18.7	199.6	10	-16239
	19 LST	20.0	18.5	21.1	24.1	23.8	21.0	24.1	25.0	24.4	24.2	22.4	23.4	272.0	10	-16239
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	1.3	1.2	1.7	0.5	0.3	0.2	0.2	0.4	0.2	0.5	1.2	1.2	8.9	10	-16239
	07 LST	1.0	1.8	1.8	0.8	0.8	0.1	0.1	0.4	0.1	0.7	1.2	1.0	9.8	10	-16239
	13 LST	3.0	3.1	4.0	2.7	1.7	2.3	1.1	1.8	2.0	2.2	2.5	1.9	28.3	10	-16239
	19 LST	1.0	0.5	2.1	1.1	1.3	0.8	0.6	0.5	0.7	0.7	1.5	0.7	11.5	10	-16239
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	13.1	10.1	14.8	13.1	13.1	14.4	13.2	16.6	17.1	18.0	16.5	14.2	174.2	10	-16239
	07 LST	13.1	11.4	15.3	11.6	11.8	11.0	12.1	12.4	12.2	17.7	15.5	15.4	159.5	10	-16239
	13 LST	13.0	11.4	15.0	15.7	15.5	13.6	11.8	10.5	15.4	12.6	11.2	13.4	159.1	10	-16239
	19 LST	14.2	10.8	15.3	15.6	19.0	21.3	25.0	22.8	17.0	14.6	14.5	15.6	205.9	10	-16239
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	14.5	9.1	15.5	14.4	16.5	20.7	25.8	27.5	20.0	15.5	13.0	13.5	206.0	8	-16239
	07 LST	9.0	5.9	9.4	8.8	10.4	15.0	24.5	23.8	15.1	9.1	8.5	8.3	147.8	8	-16239
	13 LST	7.2	4.9	7.0	7.2	6.4	10.1	18.8	18.3	10.3	6.5	8.8	8.3	113.8	8	-16239
	19 LST	11.4	8.0	10.1	10.1	8.2	14.0	22.5	21.0	17.8	12.3	13.1	13.8	162.3	8	-16239
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	26.4	23.1	28.0	27.0	29.5	28.1	29.6	30.2	28.5	29.5	27.1	26.4	333.4	10	-16239
	07 LST	25.8	21.0	25.8	24.7	28.7	28.3	29.6	30.4	28.1	27.4	24.7	24.3	318.8	10	-16239
	13 LST	26.7	22.4	26.8	27.0	27.8	27.6	30.0	29.4	27.4	27.5	26.4	27.0	326.0	10	-16239
	19 LST	27.6	23.0	26.3	27.5	29.0	29.1	30.8	30.8	29.1	28.8	27.1	27.8	336.9	10	-16239
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	21.7	18.2	24.2	24.0	27.1	27.2	28.8	30.0	27.8	26.6	22.7	21.9	300.2	10	-16239
	07 LST	19.0	16.8	22.5	21.8	26.5	27.4	29.2	29.0	26.8	23.5	20.7	18.7	281.9	10	-16239
	13 LST	20.2	17.1	21.7	22.6	22.2	24.7	28.1	26.6	23.0	21.7	21.8	22.2	271.9	10	-16239
	19 LST	21.6	18.2	22.8	23.0	26.1	27.1	30.1	30.1	27.7	26.0	23.4	23.2	299.3	10	-16239
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	21.0	18.2	24.1	23.6	26.5	27.1	28.8	30.0	27.8	26.5	22.2	20.4	296.2	10	-16239
	07 LST	18.1	16.1	21.1	21.0	26.1	27.2	29.1	28.7	26.5	23.0	20.2	17.6	274.7	10	-16239
	13 LST	19.3	16.8	21.1	22.1	21.8	24.5	28.1	26.4	22.8	21.5	21.5	20.8	266.7	10	-16239
	19 LST	20.8	17.9	22.3	22.5	26.1	26.6	30.1	30.0	27.5	25.8	22.4	22.4	294.4	10	-16239

LATINA, ITALY

STA NO. 16243 (IN AREA NUMBER 04)

LATITUDE 4132N

LONGITUDE 01294E

ELEVATION(FT) 00070

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	63	67	77	79	92	99	103	105	103	87	74	67	105	10	-16239
MEAN MAX TMP (F)	52	54	61	67	75	82	88	87	82	72	62	56	70	10	-16239
MEAN MIN TMP (F)	37	38	43	48	55	61	65	65	61	53	45	41	51	10	-16239
ABS MIN TMP (F)	23	20	23	28	42	49	54	55	46	36	28	29	20	10	-16239
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.2	3.6	14.0	9.1	2.9	0.0	0.0	0.0	29.8	10	-16239
MEAN NO DYS TMP = DR LES 32(F)	9.2	6.2	1.7	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.6	2.1	20.0	10	-16239
MEAN NO DYS TMP = DR LES D(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-16239
MEAN DEW PT TMP (F)	36	39	43	48	53	57	60	59	57	51	46	40	49	10	-16239
MEAN REL HUM (PCT)	77	77	75	74	68	62	57	59	63	72	78	79	70	10	-16239
MEAN PRESS ALT (PT)	-43	0	24	73	36	9	18	24	-11	-14	2	-0	10	0	-50
MEAN PRECIP (IN)	3.23	2.68	2.87	2.60	2.17	1.58	0.67	1.02	2.56	5.04	4.41	3.86	32.7	99	-16239
MEAN SNOW FALL (IN)	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	2	-16239
MEAN NO DYS PRCP = DR GTR 0.1 IN	8.8	7.8	7.0	6.7	6.2	4.6	2.0	3.1	6.7	9.4	9.0	9.6	80.9	99	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	-16239
MEAN NO DYS W/O CUR VSBY LES 1/2 MI	1.5	1.5	1.9	3.2	0.9	0.5	0.5	0.4	0.6	1.6	0.7	1.5	14.8	10	-16239
MEAN NO DYS TSTMS	1.0	1.4	0.9	2.1	2.4	1.4	2.6	2.1	2.9	3.8	3.0	1.3	24.9	10	-16239
P FREQ WND SPD = DR GTR 17 KTS	7.3	10.8	9.4	4.9	3.8	3.4	1.9	2.5	3.6	5.3	6.6	6.9	5.5	10	-16239
P FREQ WND SPD = DR GTR 28 KTS	0.5	0.5	0.8	0.5	0.1	0.1	0.0	0.2	0.1	0.5	0.9	0.4	0.4	10	-16239
P FREQ LES 5000 FT A/D LES 5 MI	32.2	37.3	29.2	21.0	17.4	9.0	6.2	7.0	10.0	18.7	25.4	27.3	19.8	10	-16239
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	3.0	5.8	2.8	5.5	1.9	2.1	1.2	0.6	1.8	2.1	4.0	4.4	2.9	10	-16239
03-05 LST	4.7	8.4	4.4	8.6	2.8	2.6	2.3	1.8	2.1	5.6	3.3	4.4	4.3	10	-16239
06-08 LST	6.2	11.6	6.9	12.4	2.8	1.9	1.8	1.2	4.0	5.3	5.8	6.7	5.6	10	-16239
09-11 LST	8.8	11.0	5.1	4.8	0.7	1.2	0.9	2.3	1.5	2.9	4.5	4.4	4.0	10	-16239
12-14 LST	4.6	5.5	1.8	1.2	0.7	1.4	0.2	0.9	1.5	1.8	3.3	2.6	2.1	10	-16239
15-17 LST	4.1	4.5	2.1	1.2	0.9	1.4	0.0	0.0	0.9	1.5	3.0	2.1	1.8	10	-16239
18-20 LST	3.0	5.2	4.6	2.1	1.6	0.5	0.2	0.3	0.6	2.1	3.0	2.1	2.1	10	-16239
21-23 LST	2.8	4.2	2.5	1.9	1.8	0.7	0.2	0.3	0.0	1.5	2.1	2.8	1.7	10	-16239
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.7	1.0	0.5	2.6	0.5	0.2	0.0	0.0	0.0	0.3	0.9	0.8	0.6	10	-16239
03-05 LST	1.4	2.3	1.8	5.3	0.9	0.2	0.7	0.0	0.3	2.1	0.9	1.3	1.4	10	-16239
06-08 LST	1.2	2.9	1.4	6.0	1.2	0.0	0.5	0.6	0.9	1.2	1.2	2.1	1.6	10	-16239
09-11 LST	0.9	2.6	1.2	0.7	0.2	0.0	0.2	0.0	0.3	0.3	0.6	0.8	0.7	10	-16239
12-14 LST	0.0	0.6	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.3	0.1	10	-16239
15-17 LST	0.0	1.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.1	10	-16239
18-20 LST	0.0	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.1	10	-16239
21-23 LST	0.0	0.5	0.5	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.3	0.1	0.1	10	-16239

LATINA, ITALY
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
															(YRS)	OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	30.4	26.5	30.1	28.3	30.5	29.1	30.8	30.8	29.4	30.5	29.1	29.5	355.0	10	-16239
	07 LST	29.6	24.8	28.3	26.1	29.8	29.2	30.5	30.7	28.8	28.7	28.0	28.2	342.7	10	-16239
	13 LST	29.7	26.7	30.7	29.8	31.0	29.6	30.8	30.8	29.7	30.7	29.2	30.2	358.9	10	-16239
	19 LST	30.3	27.2	30.0	29.6	30.6	30.0	31.0	31.0	29.8	30.8	29.4	30.6	360.3	10	-16239
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	19.9	17.1	23.0	24.1	27.8	27.1	26.6	28.5	26.7	25.1	21.1	20.9	289.9	10	-16239
	07 LST	20.8	15.9	21.1	21.6	26.6	26.6	27.5	28.2	25.2	24.5	20.0	20.0	278.0	10	-16239
	13 LST	17.0	14.7	18.1	17.0	15.2	11.8	15.0	14.9	18.1	20.6	18.5	18.7	199.6	10	-16239
	19 LST	20.0	18.9	21.1	24.1	23.8	21.0	24.1	23.0	24.4	24.2	22.4	23.4	272.0	10	-16239
SFC WND = GTR 17 KTS AND ND PRECIP.	01 LST	1.3	1.2	1.7	0.3	0.3	0.2	0.2	0.4	0.2	0.5	1.2	1.2	8.9	10	-16239
	07 LST	1.0	1.8	1.8	0.8	0.8	0.1	0.1	0.4	0.1	0.7	1.2	1.0	9.8	10	-16239
	13 LST	3.0	3.1	4.0	2.7	1.7	2.3	1.1	1.8	2.0	2.2	2.5	1.9	28.3	10	-16239
	19 LST	1.0	0.5	2.1	1.1	1.3	0.8	0.6	0.5	0.7	0.7	1.5	0.7	11.5	10	-16239
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND ND PRECIP.	01 LST	13.1	10.1	14.8	13.1	13.1	14.4	13.2	16.6	17.1	18.0	16.5	14.2	174.2	10	-16239
	07 LST	13.1	11.4	15.3	11.6	11.8	11.0	12.1	12.4	12.2	17.7	15.5	15.4	159.5	10	-16239
	13 LST	13.0	11.4	15.0	15.7	15.5	13.6	11.8	10.5	13.4	12.6	11.2	13.4	139.1	10	-16239
	19 LST	14.2	10.8	15.3	15.6	19.0	21.5	25.0	22.8	17.0	14.6	14.5	15.6	205.9	10	-16239
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	14.5	9.1	15.5	14.4	16.5	20.7	25.8	27.5	20.0	15.5	13.0	13.5	206.0	8	-16239
	07 LST	9.0	5.9	9.4	8.8	10.4	15.0	24.5	23.8	15.1	9.1	8.5	8.3	147.8	8	-16239
	13 LST	7.2	4.9	7.0	7.2	6.4	10.1	18.8	18.3	10.3	6.5	8.8	8.3	113.8	8	-16239
	19 LST	11.4	8.0	10.1	10.1	8.2	14.0	22.5	21.0	17.8	12.3	13.1	13.8	162.3	8	-16239
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	26.4	23.1	28.0	27.0	29.5	28.1	29.6	30.2	28.5	29.5	27.1	26.4	333.4	10	-16239
	07 LST	25.8	21.0	25.8	24.7	28.7	28.3	29.6	30.4	28.1	27.4	24.7	24.5	318.8	10	-16239
	13 LST	26.7	22.4	26.8	27.0	27.8	27.6	30.0	29.4	27.4	27.5	26.4	27.0	326.0	10	-16239
	19 LST	27.6	23.0	26.3	27.5	29.0	29.1	30.8	30.8	29.1	28.8	27.1	27.8	336.9	10	-16239
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	21.7	18.2	24.2	24.0	27.1	27.2	28.8	30.0	27.8	28.6	22.7	21.9	300.2	10	-16239
	07 LST	19.0	16.8	22.5	21.8	26.5	27.4	29.2	29.0	26.8	23.5	20.7	18.7	281.9	10	-16239
	13 LST	20.2	17.1	21.7	22.6	22.2	24.7	28.1	26.6	23.0	21.7	21.8	22.2	271.9	10	-16239
	19 LST	21.6	18.2	22.8	23.0	26.1	27.1	30.1	30.1	27.7	26.0	23.4	23.2	299.3	10	-16239
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	21.0	18.2	24.1	23.6	26.5	27.1	28.8	30.0	27.8	26.5	22.2	20.4	296.2	10	-16239
	07 LST	18.1	16.1	21.1	21.0	26.1	27.2	29.1	28.7	26.5	23.0	20.2	17.6	274.7	10	-16239
	13 LST	19.3	16.8	21.1	22.1	21.8	24.5	28.1	26.4	22.8	21.5	21.5	20.8	266.7	10	-16239
	19 LST	20.8	17.9	22.3	22.5	26.1	26.6	30.1	30.0	27.5	25.8	22.4	22.4	294.4	10	-16239

PRATICA DI MARE, ITALY

STA NO. 16249 (IN AREA NUMBER 04)

LATITUDE 4139N

LONGITUDE 01226E

ELEVATION(FT) 00020

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	65	67	77	79	92	99	103	105	103	87	74	67	105	10	-16239
MEAN MAX TMP (F)	52	54	61	67	75	82	88	87	82	72	62	56	70	10	-16239
MEAN MIN TMP (F)	37	38	43	48	55	61	65	65	61	53	45	41	51	10	-16239
ABS MIN TMP (F)	23	20	23	28	42	49	54	55	46	36	28	29	20	10	-16239
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.2	3.6	14.0	9.1	2.9	0.0	0.0	0.0	29.8	10	-16239
MEAN NO DYS TMP = OR LES 32(F)	9.2	6.2	1.7	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.6	2.1	20.0	10	-16239
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-16239
MEAN DEW PT TMP (F)	36	39	43	48	53	57	60	59	57	51	46	40	49	10	-16239
MEAN REL HUM (PCT)	77	77	75	74	68	62	57	59	63	72	78	79	70	10	-16239
MEAN PRESS ALT (PT)	-92	-49	-25	25	-13	-38	-28	-24	-61	-63	-48	-49	-38	0	-50
MEAN PRECIP (IN)	3.23	2.68	2.87	2.60	2.17	1.58	0.67	1.02	2.56	5.04	4.41	3.86	32.7	99	-16239
MEAN SNOW F'LL (IN)	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	2	-16239
MEAN NO DYS PRCP = OR GTR 0.1 IN	8.8	7.8	7.0	6.7	6.2	4.6	2.0	3.1	6.7	9.4	9.0	9.6	80.9	99	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	-16239
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	1.5	1.5	1.9	3.2	0.9	0.5	0.5	0.4	0.6	1.6	0.7	1.5	14.6	10	-16239
MEAN NO DYS TSTMS	1.0	1.4	0.9	2.1	2.4	1.4	2.6	2.1	2.9	3.8	3.0	1.3	24.9	10	-16239
P FREQ WND SPD = OR GTR 17 KTS	7.3	10.8	9.4	4.9	3.8	3.4	1.9	2.5	3.6	5.3	6.6	6.9	5.5	10	-16239
P FREQ WND SPD = OR GTR 28 KTS	0.5	0.5	0.8	0.5	0.1	0.1	0.0	0.2	0.1	0.5	0.9	0.4	0.4	10	-16239
P FREQ LES 5000 FT A/D LES 3 MI	32.2	37.3	25.2	21.0	17.4	9.0	6.2	7.0	10.0	18.7	26.4	27.3	19.8	10	-16239
P FREQ LES 1900 FT A/D LES 3 MI															
FDR 00-02 LST	3.0	5.8	2.8	5.5	1.9	2.1	1.2	0.6	1.8	2.1	4.0	4.4	2.9	10	-16239
03-05 LST	4.7	8.4	4.4	8.6	2.8	2.6	2.3	1.8	2.1	5.6	3.3	4.4	4.3	10	-16239
06-08 LST	6.2	11.6	6.9	12.4	2.8	1.9	1.8	1.2	4.0	5.3	5.8	6.7	5.6	10	-16239
09-11 LST	8.8	11.0	5.1	4.8	0.7	1.2	0.9	2.3	1.5	2.9	4.5	4.4	4.0	10	-16239
12-14 LST	4.6	5.5	1.8	1.2	0.7	1.4	0.2	0.9	1.5	1.8	3.3	2.6	2.1	10	-16239
15-17 LST	4.1	4.5	2.1	1.2	0.9	1.4	0.0	0.0	0.9	1.5	3.0	2.1	1.8	10	-16239
18-20 LST	3.0	5.2	4.6	2.1	1.6	0.5	0.2	0.3	0.6	2.1	3.0	2.1	2.1	10	-16239
21-23 LST	2.8	4.2	2.5	1.9	1.8	0.7	0.2	0.3	0.0	1.5	2.1	2.8	1.7	10	-16239
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	0.7	1.0	0.5	2.6	0.5	0.2	0.0	0.0	0.0	0.3	0.9	0.8	0.6	10	-16239
03-05 LST	1.4	2.3	1.8	5.3	0.9	0.2	0.7	0.0	0.3	2.1	0.9	1.3	1.4	10	-16239
06-08 LST	1.2	2.9	1.4	6.0	1.2	0.0	0.5	0.6	0.9	1.2	1.2	2.1	1.6	10	-16239
09-11 LST	0.9	2.6	1.2	0.7	0.2	0.0	0.2	0.0	0.3	0.3	0.6	0.8	0.7	10	-16239
12-14 LST	0.0	0.6	0.2	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.3	0.1	0.1	10	-16239
15-17 LST	0.0	1.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.1	0.1	10	-16239
18-20 LST	0.0	0.3	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.1	0.1	10	-16239
21-23 LST	0.0	0.3	0.5	0.0	0.2	0.6	0.0	0.0	0.0	0.0	0.3	0.1	0.1	10	-16239

PRATICA DI MARE, ITALY

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	30.4	26.5	30.1	28.3	30.5	29.1	30.8	30.8	29.4	30.5	29.1	29.5	335.0	10	-16239
	07 LST	29.6	24.8	28.3	26.1	29.8	29.2	30.5	30.7	28.8	28.7	28.0	28.2	342.7	10	-16239
	13 LST	29.7	26.7	30.7	29.8	31.0	29.5	30.8	30.8	29.7	30.7	29.2	30.2	338.9	10	-16239
	19 LST	30.3	27.2	30.0	29.6	30.6	30.0	31.0	31.0	29.8	30.8	29.4	30.6	360.3	10	-16239
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SPC WND LES 10 KTS	01 LST	19.9	17.1	23.0	24.1	27.8	27.1	28.6	28.5	26.7	25.1	21.1	20.9	289.9	10	-16239
	07 LST	20.8	15.9	21.1	21.6	26.6	26.6	27.5	28.2	25.2	24.5	20.0	20.0	278.0	10	-16239
	13 LST	17.6	14.7	18.1	17.0	19.2	11.8	19.0	14.9	18.1	20.6	18.5	18.7	199.6	10	-16239
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	1.3	1.2	1.7	0.5	0.3	0.2	0.2	0.4	0.2	0.5	1.2	1.2	8.9	10	-16239
	07 LST	1.0	1.8	1.8	0.8	0.8	0.1	0.1	0.4	0.1	0.7	1.2	1.0	9.8	10	-16239
	13 LST	3.0	3.1	4.0	2.7	1.7	2.3	1.1	1.8	2.0	2.2	2.5	1.9	28.3	10	-16239
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	13.1	10.1	14.8	13.1	13.1	14.4	13.2	16.6	17.1	16.0	16.5	14.2	174.2	10	-16239
	07 LST	13.1	11.4	15.3	11.6	11.8	11.0	12.1	12.4	12.2	17.7	15.5	15.4	159.8	10	-16239
	13 LST	13.0	11.4	15.0	15.7	15.5	13.6	11.8	10.5	15.4	12.6	11.2	13.4	159.1	10	-16239
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	14.3	9.1	13.3	14.4	16.5	20.7	23.8	27.5	20.0	15.5	13.0	13.5	206.0	8	-16239
	07 LST	9.0	5.9	9.4	8.8	10.4	15.0	24.5	23.8	15.1	9.1	8.5	8.3	147.8	8	-16239
	13 LST	7.2	4.9	7.0	7.2	6.4	10.1	18.8	18.3	10.3	6.5	8.8	8.3	113.8	8	-16239
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	11.4	8.0	10.1	10.1	8.2	14.0	22.5	21.0	17.8	12.3	13.1	13.8	162.3	8	-16239
	07 LST	26.4	23.1	28.0	27.0	29.5	28.1	29.6	30.2	28.5	29.5	27.1	26.4	333.4	10	-16239
	13 LST	29.8	21.0	25.8	24.7	28.7	28.3	29.6	30.4	28.1	27.4	24.7	24.3	318.8	10	-16239
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	26.7	22.4	26.8	27.0	27.8	27.6	30.0	29.4	27.4	27.5	26.4	27.0	326.0	10	-16239
	07 LST	27.6	23.0	26.3	27.5	29.0	29.1	30.8	30.8	29.1	28.8	27.1	27.8	336.9	10	-16239
	13 LST	21.7	18.2	24.2	24.0	27.1	27.2	28.8	30.0	27.8	26.6	22.7	21.9	300.2	10	-16239
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	19.0	16.8	22.8	21.8	26.5	27.4	29.2	29.0	26.8	23.5	20.7	18.7	281.9	10	-16239
	07 LST	20.2	17.1	21.7	22.6	22.2	24.7	28.1	26.6	23.0	21.7	21.8	22.2	271.9	10	-16239
	13 LST	21.6	18.2	22.8	23.0	26.1	27.1	30.1	30.1	27.7	26.0	23.4	23.2	299.3	10	-16239
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	21.0	18.2	24.1	23.6	26.5	27.1	28.8	30.0	27.8	26.5	22.2	20.4	296.2	10	-16239
	07 LST	18.1	16.1	21.1	21.0	26.1	27.2	29.1	28.7	26.5	23.0	20.2	17.6	274.7	10	-16239
	13 LST	19.3	16.8	21.1	22.1	21.8	24.5	28.1	26.4	22.8	21.5	21.5	20.8	266.7	10	-16239
	19 LST	20.8	17.9	22.3	22.5	26.1	26.6	30.1	30.0	27.5	25.8	22.4	22.4	294.4	10	-16239

CAPUA-GRAZZANISE, ITALY

STA NO. 16253 (IN AREA NUMBER 04)

LATITUDE 4103N

LONGITUDE 01404E

ELEVATION(PT) 00040

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	65	70	76	81	91	95	101	102	103	87	77	68	103	10	-16289
MEAN MAX TMP (F)	53	54	59	67	74	81	86	86	81	71	62	57	69	10	-16289
MEAN MIN TMP (F)	41	41	44	50	56	62	67	67	63	55	49	45	53	10	-16289
ABS MIN TMP (F)	26	24	27	34	42	51	53	58	49	44	33	30	24	10	-16289
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.2	2.3	7.8	8.0	1.9	0.0	0.0	0.0	20.4	10	-16289
MEAN NO DYS TMP = DR LES 32(F)	2.9	2.2	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	3.9	10	-16289
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-16289
MEAN DEW PT TMP (F)	37	41	41	47	54	59	63	63	60	53	47	42	51	10	-16289
MEAN REL HUM (PCT)	74	76	70	68	69	66	65	64	69	73	76	75	70	10	-16289
MEAN PRESS ALT (FT)	-75	-36	-9	47	16	7	29	11	-36	-58	-32	-40	-15	0	-50
MEAN PRECIP (IN)	3.70	2.80	2.91	2.91	2.01	1.50	0.71	0.91	2.91	3.32	4.49	4.69	34.9	60	-16289
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	-16289
MEAN NO DYS PRCP = DR GTR 0.1 IN	9.4	8.1	7.0	7.0	6.0	4.4	2.1	2.7	7.2	9.6	9.1	10.4	83.0	60	-29
MEAN NO DYS SNPL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	-16289
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	1.9	1.7	1.2	1.9	2.1	0.9	0.9	0.7	0.6	0.4	0.8	0.7	13.4	10	-16289
MEAN NO DYS TSTMS	2.6	3.8	1.8	2.1	2.0	1.6	1.9	2.9	3.6	3.6	2.4	2.5	30.8	10	-16289
P FREQ WND SPD = DR GTR 17 KTS	2.8	3.7	3.0	1.1	0.3	0.3	0.1	0.2	0.3	1.3	2.5	2.5	1.3	10	-16289
P FREQ WND SPD = DR GTR 28 KTS	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	10	-16289
P FREQ LES 5000 FT A/D LES 5 MI	45.7	51.3	40.2	38.8	38.4	24.4	23.8	21.1	22.2	29.1	39.8	39.2	34.5	10	-16289
P FREQ LES 1500 FT A/D LES 3 MI															
POR 00-02 LST	5.6	8.1	5.4	9.3	13.1	3.3	1.6	1.4	3.3	1.2	3.0	3.1	3.2	10	-16289
03-05 LST	3.1	8.1	9.3	17.1	18.0	7.9	3.3	4.6	3.3	4.2	3.8	4.2	7.6	10	-16289
06-08 LST	7.6	12.9	14.8	23.8	24.2	11.7	13.7	10.8	6.9	3.8	6.9	4.2	11.9	10	-16289
09-11 LST	17.5	21.3	14.4	20.0	19.4	10.7	10.4	8.3	7.6	6.3	6.2	10.4	12.7	10	-16289
12-14 LST	11.5	15.8	8.4	11.0	8.8	4.3	3.7	3.0	3.1	3.2	6.4	10.9	7.3	10	-16289
15-17 LST	11.8	11.0	3.0	6.2	3.0	1.7	0.9	0.3	1.9	3.2	6.0	10.2	3.0	10	-16289
18-20 LST	10.4	12.0	3.2	8.4	2.3	1.4	0.7	0.9	2.6	2.6	6.0	7.9	4.9	10	-16289
21-23 LST	8.5	8.7	3.5	10.0	3.8	1.9	1.4	0.7	2.6	2.3	4.8	4.4	4.6	10	-16289
P FREQ LES 300 FT A/D LES 1 MI															
POR 00-02 LST	0.2	0.3	0.3	2.1	1.8	0.3	0.3	0.0	0.0	0.0	0.7	0.0	0.6	10	-16289
03-05 LST	0.7	1.0	1.2	3.3	3.1	2.1	1.2	0.2	0.3	0.2	0.2	0.0	1.3	10	-16289
06-08 LST	1.2	4.2	1.9	6.7	4.4	1.0	1.2	0.7	1.2	0.7	0.7	0.2	2.0	10	-16289
09-11 LST	2.3	4.8	0.9	0.3	0.3	0.0	0.0	0.2	0.0	0.0	0.0	0.9	0.8	10	-16289
12-14 LST	1.4	1.3	0.0	0.0	0.0	0.0	0.2	0.0	0.2	0.0	0.7	1.4	0.4	10	-16289
15-17 LST	0.7	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	1.0	0.9	0.3	10	-16289
18-20 LST	0.7	1.0	0.0	0.3	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.2	10	-16289
21-23 LST	0.3	0.3	0.0	1.4	0.9	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.3	10	-16289

CAPUA-GRAZZANISE, ITALY
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	30.1	26.7	30.1	28.2	27.8	29.2	30.3	30.8	29.0	31.0	28.4	29.9	351.5	10	-16289
	07 LST	29.6	25.8	27.4	24.7	24.3	25.7	27.4	27.7	27.2	29.6	28.9	30.6	328.9	10	-16289
	13 LST	28.7	24.1	28.4	27.5	29.0	28.6	29.7	30.1	29.6	30.6	28.8	27.6	342.7	10	-16289
	19 LST	28.7	26.0	30.3	28.0	30.2	29.7	30.7	30.8	29.6	30.8	28.6	29.2	352.6	10	-16289
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SPC WND LES 10 KTS	01 LST	22.0	19.8	24.6	26.1	25.1	27.7	29.7	30.6	27.3	27.4	24.2	23.5	308.0	10	-16289
	07 LST	23.8	18.9	21.7	22.5	21.1	24.7	26.4	27.0	25.2	26.5	24.2	25.0	287.0	10	-16289
	13 LST	17.1	14.0	17.0	16.2	19.3	21.6	22.6	24.2	23.6	22.3	20.2	19.4	237.5	10	-16289
	19 LST	21.7	17.6	23.6	24.1	27.5	27.3	29.2	29.6	26.8	25.9	24.3	21.8	299.4	10	-16289
SPC WND = GTR 17 KTS AND NO PRECIP.	01 LST	0.7	0.2	0.6	0.0	0.2	0.0	0.0	0.0	0.0	0.2	0.7	0.5	3.1	10	-16289
	07 LST	0.5	0.8	0.6	0.1	0.1	0.1	0.0	0.0	0.0	0.1	0.1	0.2	2.6	10	-16289
	13 LST	1.2	1.4	1.5	0.6	0.3	0.1	0.0	0.2	0.6	0.5	1.0	0.8	8.2	10	-16289
	19 LST	0.3	0.5	0.7	0.3	0.1	0.1	0.1	0.0	0.2	0.3	0.6	0.1	3.3	10	-16289
SPC WND 4-10 KTS AND THP 33-89 DEG F AND NO PRECIP.	01 LST	11.1	10.5	9.5	8.6	8.3	5.1	4.1	5.6	6.0	10.6	11.7	10.7	101.8	10	-16289
	07 LST	12.7	9.7	10.2	9.6	8.5	6.6	6.8	6.3	6.8	12.4	13.8	13.2	116.6	10	-16289
	13 LST	12.6	11.8	16.4	17.5	19.5	21.3	22.9	22.1	20.6	16.5	13.3	13.5	208.0	10	-16289
	19 LST	11.2	11.5	15.4	13.2	14.3	16.1	16.6	13.8	10.8	11.2	11.9	11.5	157.5	10	-16289
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	9.1	6.3	12.4	10.3	11.0	14.6	22.4	22.8	17.3	12.3	11.1	12.7	162.3	8	-16289
	07 LST	7.4	4.6	7.2	6.5	6.0	9.3	17.8	18.8	13.5	7.5	9.0	10.8	118.4	8	-16289
	13 LST	5.1	3.7	5.3	4.6	3.0	7.5	13.4	13.6	10.8	4.8	6.5	8.0	86.3	8	-16289
	19 LST	8.5	5.4	8.8	6.3	4.8	10.5	19.0	17.1	13.1	11.0	12.3	12.0	128.8	8	-16289
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	23.0	20.1	26.3	24.8	25.0	26.8	29.4	29.7	26.6	27.3	24.2	24.0	307.2	10	-16289
	07 LST	23.7	19.7	23.4	22.1	20.6	24.2	25.8	26.8	24.7	26.3	23.9	24.8	286.0	10	-16289
	13 LST	22.8	18.9	24.8	23.1	24.6	26.2	28.1	28.3	26.3	26.5	24.2	23.5	297.3	10	-16289
	19 LST	24.2	19.7	26.6	26.1	29.0	27.8	29.9	30.0	27.5	27.0	25.1	24.3	317.2	10	-16289
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	16.7	14.7	20.9	21.2	22.2	25.3	28.5	28.5	24.7	22.9	19.0	18.9	263.5	10	-16289
	07 LST	16.7	13.7	18.6	18.2	17.8	22.8	24.4	26.1	22.2	21.6	16.8	18.0	236.9	10	-16289
	13 LST	16.2	13.7	18.6	18.6	20.7	24.3	26.5	26.1	23.3	21.2	18.3	19.2	246.7	10	-16289
	19 LST	18.6	15.4	21.8	22.8	26.8	26.0	29.2	29.2	25.5	22.5	20.3	19.4	277.5	10	-16289
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	16.0	13.6	20.2	20.1	21.6	25.2	28.5	28.1	24.3	22.2	18.9	18.3	257.0	10	-16289
	07 LST	15.2	12.8	17.7	17.3	17.0	22.8	24.3	26.0	22.0	20.5	16.1	17.3	229.0	10	-16289
	13 LST	15.1	12.5	18.0	17.6	20.6	24.0	26.5	25.8	22.8	20.4	17.4	18.0	238.7	10	-16289
	19 LST	17.6	14.2	21.2	21.7	26.0	23.8	28.4	28.6	24.8	21.4	19.5	18.6	267.8	10	-16289

NAPOLI/CAPODICHINO, ITALY

STA NO. 16289 (IN AREA NUMBER 04)

LATITUDE 4053N

LONGITUDE 01417E

ELEVATION(FT) 00289

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (P)	65	70	76	81	91	95	101	102	103	87	77	68	103	10	2885
MEAN MAX TMP (P)	53	54	59	67	74	81	86	86	81	71	62	57	69	10	2885
MEAN MIN TMP (F)	41	41	44	50	56	62	67	67	63	55	49	45	53	10	2885
ABS MIN TMP (F)	26	24	27	34	42	51	53	58	49	44	33	30	24	10	2885
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.2	2.5	7.8	8.0	1.9	0.0	0.0	0.0	20.4	10	2885
MEAN NO DYS TMP = DR LES 32(F)	2.9	2.2	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	5.9	10	2885
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	2885
MEAN DEW PT TMP (F)	37	41	41	47	54	59	63	63	60	53	47	42	51	10	40114
MEAN REL HUM (PCT)	74	76	70	68	69	66	65	64	69	73	76	75	70	10	40097
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	3.70	2.80	2.91	2.91	2.01	1.30	0.71	0.91	2.91	5.32	4.49	4.69	34.9	60	-122
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	396
MEAN NO DYS PRCP = DR GTR 0.1 IN	9.4	8.1	7.0	7.0	6.0	4.4	2.1	2.7	7.2	9.6	9.1	10.4	83.0	60	-29
MEAN NO DYS SNPL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	396
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	1.5	1.7	1.2	1.9	2.1	0.9	0.9	0.7	0.6	0.4	0.8	0.7	13.4	10	2886
MEAN NO DYS TSTMS	2.6	3.8	1.8	2.1	2.0	1.6	1.9	2.9	3.6	3.6	2.4	2.5	30.8	10	2886
P FREQ WND SPD = DR GTR 17 KTS	2.8	3.7	3.0	1.1	0.5	0.3	0.1	0.2	0.3	1.3	2.5	2.5	1.5	10	67182
P FREQ WND SPD = DR GTR 28 KTS	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	10	67182
P FREQ LES 5000 FT A/D LES 5 MI	45.7	51.3	40.2	38.8	38.4	24.4	23.8	21.1	22.2	29.1	39.8	39.2	34.5	10	40098
P FREQ LES 1900 FT A/D LES 3 MI															
PDR 00-02 LST	5.6	8.1	5.4	9.3	13.1	3.3	1.6	1.4	3.3	1.2	5.0	5.1	5.2	10	9001
03-05 LST	5.1	8.1	9.3	17.1	18.0	7.9	5.3	4.6	3.3	4.2	3.8	4.2	7.6	10	9013
06-08 LST	7.6	12.9	14.8	23.8	24.2	11.7	13.7	10.8	6.9	5.8	6.9	4.2	11.9	10	9013
09-11 LST	17.5	21.3	14.4	20.0	19.4	10.7	10.4	8.5	7.6	6.5	6.2	10.4	12.7	10	9012
12-14 LST	11.5	15.8	8.4	11.0	8.8	4.5	3.7	3.0	3.1	3.2	6.4	10.9	7.5	10	9018
15-17 LST	11.8	11.0	3.0	6.2	3.0	1.7	0.9	0.3	1.9	3.2	6.0	10.2	5.0	10	9013
18-20 LST	10.4	12.0	3.2	8.4	2.5	1.4	0.7	0.9	2.6	2.6	6.0	7.9	4.9	10	9014
21-23 LST	8.5	8.7	3.5	10.0	5.8	1.9	1.4	0.7	2.6	2.3	4.8	4.4	4.6	10	5017
P FREQ LES 300 FT A/D LES 1 MI															
PDR 00-02 LST	0.2	0.3	0.5	2.1	1.8	0.5	0.5	0.0	0.0	0.0	0.7	0.0	0.6	10	9001
03-05 LST	0.7	1.0	1.2	5.5	5.1	2.1	1.2	0.2	0.5	0.2	0.2	0.0	1.5	10	9013
06-08 LST	1.2	4.2	1.9	6.7	4.4	1.0	1.2	0.7	1.2	0.7	0.7	0.2	2.0	10	9013
09-11 LST	2.3	4.8	0.9	0.5	0.5	0.0	0.0	0.2	0.0	0.0	0.0	0.9	0.8	10	9012
12-14 LST	1.4	1.3	0.0	0.0	0.0	0.0	0.2	0.0	0.2	0.0	0.7	1.4	0.4	10	9018
15-17 LST	0.7	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	1.0	0.9	0.3	10	9013
18-20 LST	0.7	1.0	0.0	0.5	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.2	10	9014
21-23 LST	0.5	0.3	0.0	1.4	0.9	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.3	10	9017

NAPOLI/CAPODICHINO, ITALY

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	30.1	26.7	30.1	28.2	27.8	29.2	30.3	30.8	29.0	31.0	28.4	29.9	351.3	10	2004
	07 LST	29.6	25.8	27.4	24.7	24.3	25.7	27.4	27.7	27.2	29.6	28.9	30.6	328.9	10	2004
	13 LST	28.7	24.1	28.4	27.3	24.0	28.6	29.7	30.1	29.6	30.6	28.8	27.6	342.7	10	2005
	19 LST	28.7	26.0	30.3	28.0	30.2	29.7	30.7	30.8	29.6	30.8	28.6	29.2	352.6	10	2004
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	22.0	19.8	24.6	26.1	25.1	27.7	29.7	30.6	27.3	27.4	24.2	23.5	308.0	10	2004
	07 LST	23.8	18.9	21.7	22.3	21.1	24.7	26.4	27.0	23.2	26.3	24.2	23.0	287.0	10	2004
	13 LST	17.1	14.0	17.0	16.2	19.3	21.6	22.6	24.2	23.6	22.3	20.2	19.4	237.3	10	2005
	19 LST	21.7	17.6	23.6	24.1	27.3	27.3	29.2	29.6	26.8	25.9	24.3	21.8	299.4	10	2004
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	0.7	0.2	0.6	0.0	0.2	0.0	0.0	0.0	0.0	0.2	0.7	0.3	3.1	10	2091
	07 LST	0.3	0.8	0.6	0.1	0.1	0.1	0.0	0.0	0.0	0.1	0.1	0.2	2.6	10	2007
	13 LST	1.2	1.4	1.3	0.6	0.3	0.1	0.8	0.2	0.6	0.3	1.0	0.8	8.2	10	2007
	19 LST	0.3	0.3	0.7	0.3	0.1	0.1	0.1	0.0	0.2	0.3	0.6	0.1	3.3	10	2090
SFC WND 4-10 KTS AND THP 33-89 DEG F AND NO PRECIP.	01 LST	11.1	10.3	9.5	8.6	8.3	9.1	4.1	3.6	6.0	10.6	11.7	10.7	101.6	10	2004
	07 LST	12.7	9.7	10.2	9.6	8.3	6.6	6.8	6.3	6.8	12.4	13.8	13.3	116.6	10	2004
	13 LST	12.6	11.8	16.4	17.3	19.3	21.3	22.9	22.1	20.6	16.3	13.3	13.3	208.0	10	2005
	19 LST	11.2	11.3	13.4	13.2	14.3	16.1	16.6	13.8	10.8	11.2	11.9	11.3	137.3	10	2004
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	9.1	6.3	12.4	10.3	11.0	14.6	22.4	22.8	17.3	12.3	11.1	12.7	162.3	8	2220
	07 LST	7.4	4.6	7.2	6.3	6.0	9.3	17.8	18.8	13.3	7.3	9.0	10.8	118.4	8	2216
	13 LST	3.1	3.7	3.3	4.6	3.0	7.3	13.4	13.6	10.8	4.8	6.3	8.0	86.3	8	2216
	19 LST	8.3	3.4	8.8	6.3	4.8	10.3	19.0	17.1	13.1	11.0	12.3	12.0	128.8	8	2219
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	23.0	20.1	26.3	24.8	23.0	26.8	29.4	29.7	26.6	27.3	24.2	24.0	307.2	10	2004
	07 LST	23.7	19.7	23.4	22.1	20.6	24.2	23.8	26.8	24.7	26.3	23.9	24.8	286.0	10	2004
	13 LST	22.8	18.9	24.8	23.1	24.6	26.2	28.1	28.3	26.3	26.3	24.2	23.3	297.3	10	2005
	19 LST	24.2	19.7	26.6	26.1	29.0	27.8	29.9	30.0	27.3	27.0	23.1	24.3	317.2	10	2004
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	16.7	14.7	20.9	21.2	22.2	23.3	28.3	28.3	24.7	22.9	19.0	18.9	263.3	10	2004
	07 LST	16.7	13.7	18.6	18.2	17.8	22.8	24.4	26.1	22.2	21.6	16.8	18.0	236.9	10	2004
	13 LST	16.2	13.7	18.6	18.6	20.7	24.3	26.3	26.1	23.3	21.2	18.3	19.2	246.7	10	2005
	19 LST	18.6	13.4	21.8	22.8	26.8	26.0	29.2	29.2	23.3	22.3	20.3	19.4	277.3	10	2004
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	16.0	13.6	20.2	20.1	21.6	23.2	28.3	28.1	24.3	22.2	18.9	18.3	237.0	10	2004
	07 LST	13.2	12.8	17.7	17.3	17.0	22.8	24.3	26.0	22.0	20.3	16.1	17.3	229.0	10	2004
	13 LST	13.1	12.3	18.0	17.6	20.6	24.0	26.3	23.8	22.8	20.4	17.4	18.0	238.7	10	2005
	19 LST	17.6	14.2	21.2	21.7	26.0	23.8	28.4	28.6	24.8	21.4	19.3	18.6	267.8	10	2004

AREA NO. 04

ITALY	WESTERN COAST		LATITUDE 4300N					LONGITUDE 01100E						
	BOUNDARIES	4356N 00730E 4314N 01130E	4438N 00900E 3956N 01545E	4438N 00900E	4438N 00900E	4438N 00900E	4334N 01130E	4334N 01130E	4334N 01130E	4334N 01130E	4334N 01130E	4314N 01130E		
PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)		50	53	59	66	72	80	85	84	80	70	60	54	68
MEAN MIN TMP (F)		38	39	44	49	55	61	66	66	62	54	46	42	52
LARGEST MEAN PRECIP(IN)		5.56	4.29	6.92	4.22	3.39	2.80	1.69	2.40	4.88	7.91	7.09	9.00	96.1
SMALLEST MEAN PRECIP(IN)		1.93	2.13	2.72	2.60	0.94	1.27	0.44	0.91	2.56	3.44	3.69	1.84	24.5
		MEAN NUMBER OF DAYS												
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	30.0	26.1	28.1	27.3	29.6	29.5	30.8	30.8	29.3	29.9	28.2	29.3	349.1
	07 LST	27.0	23.5	26.2	24.8	27.1	27.5	28.8	28.0	26.3	26.4	25.6	25.5	316.7
	13 LST	28.2	25.2	29.2	28.9	29.9	29.4	30.5	30.3	29.6	30.0	27.8	26.6	349.6
	19 LST	27.7	25.6	29.9	28.7	30.3	29.7	30.8	30.7	29.5	29.6	27.9	26.6	347.0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	01 LST	18.9	17.2	21.4	22.0	25.5	26.9	28.4	28.4	25.4	23.2	20.3	20.0	277.6
	07 LST	17.4	15.4	19.1	19.7	22.5	24.3	25.6	25.0	22.6	20.2	17.8	17.2	246.8
	13 LST	19.8	14.4	17.7	17.9	19.3	17.8	19.3	20.4	20.9	20.3	17.9	16.1	218.2
	19 LST	17.4	17.0	21.3	22.9	25.4	24.4	25.9	26.0	24.8	22.5	20.8	17.8	266.2
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	2.0	1.6	1.0	0.7	0.3	0.1	0.1	0.4	0.5	0.7	1.2	1.5	10.1
	07 LST	2.1	1.8	2.0	1.1	0.7	0.2	0.3	0.3	0.3	1.3	1.4	1.9	14.1
	13 LST	3.2	2.7	3.2	2.7	1.6	1.2	1.4	1.6	1.3	2.2	2.1	2.6	25.8
	19 LST	2.9	1.8	2.5	1.6	1.1	0.8	0.7	0.7	0.9	1.4	1.4	2.3	18.1
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	10.9	10.2	11.4	10.2	10.8	10.4	10.2	11.2	10.0	12.6	12.7	11.3	131.9
	07 LST	9.7	9.5	11.7	9.3	10.0	10.3	10.3	10.4	9.3	12.9	12.6	11.2	127.2
	13 LST	11.1	10.6	13.8	15.1	16.7	15.6	16.2	15.4	16.1	12.8	10.4	11.8	169.6
	19 LST	11.0	10.9	12.7	13.2	15.7	17.0	18.6	16.2	12.1	11.3	11.3	11.7	161.9
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	12.7	9.1	11.2	11.6	13.2	13.9	22.3	22.1	17.9	13.9	12.0	14.0	175.9
	07 LST	9.1	6.5	6.7	6.4	7.5	10.6	17.8	15.9	11.0	7.3	7.2	7.8	114.0
	13 LST	8.1	6.2	6.4	6.4	5.1	8.9	14.9	13.9	9.9	7.3	7.1	7.4	101.6
	19 LST	10.8	8.0	7.9	7.3	6.0	11.3	18.0	15.1	12.8	11.1	11.1	10.2	129.6
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	26.0	22.6	24.8	23.8	27.0	27.2	29.3	29.0	26.5	27.2	25.1	25.2	313.7
	07 LST	23.1	19.7	22.5	21.6	23.7	24.7	26.9	26.3	23.8	23.2	21.7	21.4	278.6
	13 LST	24.7	21.2	23.3	24.9	26.1	26.7	28.9	28.7	26.7	26.3	23.9	23.1	306.5
	19 LST	24.3	21.6	23.7	26.2	27.9	27.8	29.6	29.2	27.6	26.2	24.2	22.3	312.8
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	19.8	17.2	19.3	20.0	23.5	23.1	28.0	27.4	24.1	22.8	19.0	19.8	266.2
	07 LST	16.9	14.3	16.1	16.6	19.1	21.4	24.9	23.6	20.4	18.1	15.5	15.0	221.9
	13 LST	18.7	15.2	18.3	19.6	20.1	23.0	26.3	24.6	22.2	20.1	17.8	16.6	242.5
	19 LST	18.7	16.8	20.1	21.7	23.6	24.8	28.1	26.8	24.5	21.2	18.6	17.1	262.0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	18.6	16.2	18.8	19.7	22.3	24.7	27.9	27.2	23.9	22.2	18.5	18.5	238.5
	07 LST	16.0	13.6	15.5	15.9	18.1	21.1	24.6	23.2	20.1	17.3	15.0	14.0	214.4
	13 LST	17.6	14.5	17.8	19.0	19.3	22.7	26.2	24.1	21.8	19.4	17.0	15.4	235.0
	19 LST	18.0	16.2	19.6	21.2	22.6	24.3	27.8	26.4	24.2	20.3	17.9	16.0	254.5

PERUGIA, ITALY

STA NO. 16180 (IN AREA NUMBER 09)

LATITUDE 4307N

LONGITUDE 01223E

ELEVATION(PT) 01677

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	62	68	70	82	85	93	100	98	95	82	68	65	100	10	-28
MEAN MAX TMP (F)	45	48	54	62	69	77	83	83	76	65	54	47	64	10	-28
MEAN MIN TMP (F)	36	37	41	47	53	59	64	64	60	52	44	38	50	10	-28
ABS MIN TMP (F)	17	19	22	33	36	46	49	52	48	39	29	24	17	10	-28
MEAN NO DYS TMP = DR GTR 90(F)	0.0	1.0	0.0	0.0	0.0		5.7	5.7		0.0	0.0	0.0		10	-29
MEAN NO DYS TMP = DR LES 32(F)				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			10	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN DEW PT TMP (F)	33	33	36	42	49	53	57	56	55	49	42	35	43	10	-29
MEAN REL HUM (PCT)	77	73	67	67	68	63	61	59	67	74	79	76	69	10	-28
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	2.01	2.13	3.23	3.62	3.15	3.43	1.42	1.89	2.84	5.16	4.25	2.72	35.8	25	-122
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			10	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	6.3	6.6	7.2	7.3	7.1	8.1	4.2	5.3	7.1	9.5	8.9	7.9	85.3	25	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			10	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 3000 FT A/O LES 3 MI														0	0
P FREQ LES 1900 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

PERUGIA, ITALY
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0

DATA NOT AVAILABLE

CROTONE, ITALY

STA NO. 16350 (IN AREA NUMBER 05)

LATITUDE 3859N

LONGITUDE 01704E

ELEVATION(PT) 00558

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	69	69	77	81	85	99	101	100	97	84	77	74	101	10	-142
MEAN MAX TMP (F)	55	56	59	65	72	82	88	87	81	71	64	58	70	10	-142
MEAN MIN TMP (F)	45	45	47	50	57	64	69	70	66	59	52	47	56	10	-142
ABS MIN TMP (F)	27	29	31	37	43	50	53	59	55	46	36	36	27	10	-142
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	4.5	12.6	10.9	3.6	0.0	0.0	0.0	31.6	10	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN DEW PT TMP (F)	43	42	44	48	54	56	60	63	61	57	51	46	52	10	-29
MEAN REL HUM (PCT)	78	76	75	74	72	60	57	62	68	77	79	79	71	10	-142
MEAN PRESS AL7 (PT)	447	491	507	502	529	510	523	522	486	471	486	484	502	0	-50
MEAN PRECIP (IN)	4.02	2.84	3.35	0.98	0.95	0.43	0.08	0.55	1.46	4.45	4.09	4.53	27.7	10	-122
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	9.8	8.1	7.2	3.3	3.2	1.2	0.0	1.6	4.6	9.0	8.7	10.3	67.0	10	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS W/OCUR VS0Y LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

CROTONE, ITALY
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0

DATA NOT AVAILABLE

AREA NO. 05

ITALY

APENNINES

LATITUDE 4300N LONGITUDE 01300E

BOUNDARIES 4016N 01647E 4312N 01310E 4312N 01310E 4346N 01310E 4346N 01310E 4300N 00900E
 4500N 00900E 4438N 00900E 4438N 00900E 4334N 01130E 4334N 01130E 4314N 01130E
 4314N 01130E 3956N 01545E

PARAMETER DESCRIPTION
 MEAN MAX TMP (F)
 MEAN MIN TMP (F)
 LARGEST MEAN PRECIP(IN)
 SMALLEST MEAN PRECIP(IN)

JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
50	52	57	64	71	80	86	85	79	68	59	53	67
41	41	44	49	55	62	67	67	63	56	48	43	53
4.02	2.84	3.35	3.62	3.15	3.43	1.42	1.89	2.84	3.16	4.25	4.53	40.5
2.01	2.13	3.23	0.98	0.95	0.43	0.08	0.53	1.46	4.45	4.09	2.72	23.1

MEAN NUMBER OF DAYS

CIG = GTR 1000 FT AND VSBY = GTR 3 MI 01 LST
 07 LST
 13 LST
 19 LST
 CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SPC WND LES 10 KTS 01 LST
 07 LST
 13 LST
 19 LST
 SPC WND = GTR 17 KTS AND NO PRECIP. 01 LST
 07 LST
 13 LST
 19 LST
 SPC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP. 01 LST
 07 LST
 13 LST
 19 LST
 SKY COVER LES 3/10 AND VSBY = GTR 3 MI 01 LST
 07 LST
 13 LST
 19 LST
 CIG = GTR 2500 FT AND VSBY = GTR 3 MI 01 LST
 07 LST
 13 LST
 19 LST
 CIG = GTR 6000 FT AND VSBY = GTR 3 MI 01 LST
 07 LST
 13 LST
 19 LST
 CIG = GTR 10000 FT AND VSBY = GTR 3 MI 01 LST
 07 LST
 13 LST
 19 LST

FOGGIA-ORTA NOVA, ITALY

STA NO. 14973/ (IN AREA NUMBER 06)

LATITUDE 4124N

LONGITUDE 01543E

ELEVATION(PT) 00243

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	72	73	81	88	99	103	109	112	114	91	80	71	114	10	-14974
MEAN MAX TMP (F)	53	55	64	70	78	87	92	93	85	72	63	56	72	10	-14974
MEAN MIN TMP (F)	37	38	40	45	53	60	65	65	60	52	43	39	50	10	-14974
ABS MIN TMP (F)	14	24	22	28	36	45	49	50	44	36	26	26	14	10	-14974
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0		10.5	20.6	23.0	7.8		6.0	6.0		10	-14974
MEAN NO DYS TMP = OR LES 32(F)	7.7	4.6	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.3	14.0	4	-14974
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-14974
MEAN DEW PT TMP (F)	37	38	40	46	52	59	56	56	55	53	46	42	48	4	-14974
MEAN REL HUM (PCT)	80	75	72	68	66	53	53	54	64	76	78	80	68	10	-14974
MEAN PRESS ALT (FT)	130	168	195	253	216	203	223	209	165	147	156	166	186	0	-50
MEAN PRECIP (IN)	1.93	1.26	1.34	1.63	1.73	1.22	0.79	1.18	1.38	2.13	2.24	1.05	18.3	25	-14974
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	-14974
MEAN NO DYS PRCP = OR GTR 0.1 IN	6.1	4.2	4.5	5.3	5.4	3.6	1.7	3.5	4.4	5.9	6.1	5.4	56.1	25	-29
MEAN NO DYS SNFL = OR GTR 1.9 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	-14974
MEAN NO DYS W/OCUR VSOBY LES 1/2 MI	1.3	1.6	1.6	0.3	0.3	0.0	0.0	0.0	1.3	0.7	0.3	1.5	8.9	4	-14974
MEAN NO DYS TSTMS	0.3	0.0	0.7	0.3	1.7	1.0	2.0	1.5	2.6	2.4	0.3	0.0	12.8	4	-14974
P FREQ WND SPD = OR GTR 17 KTS	8.3	7.2	3.9	4.6	4.4	9.6	15.2	16.6	17.2	8.7	7.4	8.0	9.3	4	-14974
P FREQ WND SPD = OR GTR 28 KTS	0.6	0.8	0.0	0.0	0.6	1.7	1.6	2.8	1.2	0.4	0.5	0.5	0.9	4	-14974
P FREQ LES 5000 FT A/O LES 5 MI	42.7	31.7	21.8	17.6	7.7	4.2	4.3	5.2	12.9	14.9	25.8	41.9	19.2	4	-14974
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	7.9	2.8	0.4	0.4	0.4	0.4	0.0	0.0	0.5	0.5	1.7	9.5	2.0	4	-14974
03-05 LST	9.7	2.7	4.0	4.4	0.7	0.0	0.0	0.0	0.5	0.5	2.2	5.6	2.5	4	-14974
06-08 LST	12.2	7.5	5.1	8.9	0.4	0.0	0.0	0.5	3.3	2.2	5.0	8.0	4.4	4	-14974
09-11 LST	16.8	4.7	2.9	2.6	0.0	0.4	0.7	1.1	2.4	2.2	8.3	6.4	4.0	4	-14974
12-14 LST	13.3	2.7	2.2	2.2	0.7	0.0	1.4	1.6	1.0	2.7	9.6	3.6	3.4	4	-14974
15-17 LST	12.2	4.7	1.1	2.6	1.1	0.0	0.4	0.5	0.5	0.0	11.7	4.7	3.3	4	-14974
18-20 LST	9.7	2.8	0.7	1.5	0.7	0.0	0.0	1.1	1.4	1.3	10.0	4.8	2.8	4	-14974
21-23 LST	8.6	3.1	0.7	1.5	0.4	0.0	0.0	0.0	0.5	3.1	6.7	5.6	2.7	4	-14974
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.4	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	1.6	0.5	4	-14974
03-05 LST	0.4	0.8	2.9	0.7	0.0	0.0	0.0	0.0	0.5	0.0	0.0	2.4	0.6	4	-14974
06-08 LST	2.5	2.7	2.5	1.5	0.0	0.0	0.0	0.0	1.0	1.6	0.0	0.8	1.1	4	-14974
09-11 LST	1.8	2.4	0.4	0.0	0.0	0.0	0.4	0.0	1.4	1.1	0.0	0.4	0.7	4	-14974
12-14 LST	1.1	0.0	0.0	0.0	0.0	0.0	0.7	0.5	0.5	0.0	1.7	0.0	0.4	4	-14974
15-17 LST	0.4	0.0	0.0	0.0	0.7	0.0	0.0	0.0	0.0	0.0	1.7	1.2	0.3	4	-14974
18-20 LST	0.0	0.8	0.4	0.0	0.7	0.0	0.0	1.1	0.0	0.0	1.7	1.2	0.3	4	-14974
21-23 LST	0.4	2.0	0.7	0.4	0.4	0.0	0.0	0.0	0.0	1.4	0.6	1.2	0.6	4	-14974

FOGGIA-ORTA NOVA, ITALY

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	28.7	27.3	31.0	30.0	31.0	30.0	31.0	31.0	30.0	31.0	29.5	29.2	359.7	4	-14574
	07 LST	29.0	25.7	29.3	27.3	31.0	30.0	31.0	31.0	29.1	30.0	29.0	29.2	351.6	4	-14574
	13 LST	28.3	27.3	31.0	29.7	30.7	30.0	30.3	30.5	30.0	31.0	27.5	30.3	356.6	4	-14574
	19 LST	28.7	27.7	31.0	29.3	30.7	30.0	31.0	31.0	29.6	31.0	28.0	29.9	357.9	4	-14574
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SPC WND LES 10 KTS	01 LST	21.3	19.4	26.3	26.0	27.3	21.0	14.2	18.3	14.6	16.3	18.0	22.9	246.0	4	-14574
	07 LST	20.3	20.1	23.0	20.0	23.9	21.7	15.7	19.3	16.7	17.0	21.0	22.1	243.0	4	-14574
	13 LST	14.0	11.2	19.7	18.0	19.1	14.7	12.7	15.3	14.1	14.3	13.0	18.6	187.1	4	-14574
	19 LST	19.3	16.8	26.7	23.0	24.9	13.0	12.0	7.3	13.2	17.0	18.0	21.4	216.8	4	-14574
SPC WND = GTR 17 KTS AND NO PRECIP.	01 LST	2.0	2.0	1.0	0.0	0.3	2.0	3.6	3.5	4.2	2.0	2.0	1.1	23.7	4	-14574
	07 LST	1.7	1.6	0.3	1.0	1.0	1.3	2.7	2.0	3.0	1.0	1.3	1.8	18.9	4	-14574
	13 LST	3.0	4.3	1.7	3.0	2.7	4.0	3.7	7.3	6.9	3.0	3.3	4.7	32.0	4	-14574
	19 LST	2.3	1.6	0.3	1.0	1.4	3.0	3.3	7.3	3.5	3.5	2.0	1.8	33.2	4	-14574
SPC WND 4-10 KTS AND TMP 33-89 DEB P AND NO PRECIP.	01 LST	12.0	13.8	14.3	13.7	14.8	14.0	14.8	14.3	14.2	13.3	14.0	13.9	171.3	4	-14574
	07 LST	10.3	13.8	13.7	12.7	12.6	13.3	12.3	13.0	12.4	14.3	14.0	17.0	169.6	4	-14574
	13 LST	10.7	11.9	12.7	14.7	13.3	10.3	3.3	3.0	8.1	14.0	14.0	14.6	134.6	4	-14574
	19 LST	13.7	13.8	15.7	17.0	16.0	18.7	11.3	6.0	13.3	13.0	17.3	11.1	169.3	4	-14574
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	12.0	17.0	16.0	13.0	13.0	21.0	27.0	28.0	30.0					1	-14574
	07 LST	7.0	10.0	13.0	12.0	9.0	19.0	23.0	23.0	26.0					1	-14574
	13 LST	3.0	4.0	7.0	8.0	1.0	9.0	17.0	19.0	10.0					1	-14574
	19 LST	8.0	13.0	13.0	12.0	3.0	14.0	16.0	18.0	18.0					1	-14574
CIG = GTR 2300 FT AND VSBY = GTR 3 MI	01 LST	27.0	26.0	31.0	30.0	30.7	29.7	31.0	31.0	30.0	30.0	27.3	26.2	330.1	4	-14574
	07 LST	23.7	24.7	28.7	27.3	31.0	29.7	31.0	31.0	29.1	30.0	28.0	26.6	342.8	4	-14574
	13 LST	24.0	26.0	29.0	28.0	30.3	30.0	30.3	30.3	30.0	30.0	26.0	26.3	340.4	4	-14574
	19 LST	23.3	26.4	29.7	28.3	30.7	30.0	31.0	31.0	29.6	30.3	26.0	27.7	346.2	4	-14574
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	19.0	19.4	27.0	23.3	29.0	29.7	31.0	30.3	27.3	26.3	23.0	16.6	304.3	4	-14574
	07 LST	17.0	18.4	23.3	24.0	30.0	29.0	30.3	30.3	24.4	27.0	22.0	16.6	292.3	4	-14574
	13 LST	17.3	17.1	21.3	24.3	26.2	27.0	27.0	26.3	23.6	24.0	19.0	16.4	269.7	4	-14574
	19 LST	20.0	19.4	24.3	23.7	28.3	28.3	29.3	30.0	26.6	24.0	21.3	17.7	293.1	4	-14574
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	16.3	17.8	23.3	24.7	27.0	29.7	31.0	30.3	26.3	23.0	19.0	14.4	283.0	4	-14574
	07 LST	14.3	13.3	19.3	22.0	28.3	29.0	29.7	29.3	22.7	23.3	18.3	12.2	264.3	4	-14574
	13 LST	14.7	13.8	19.3	22.0	24.9	26.0	26.7	26.3	22.3	21.3	16.3	12.4	246.6	4	-14574
	19 LST	17.7	17.8	23.0	22.0	26.2	28.0	29.0	30.0	23.7	23.3	19.3	13.7	274.1	4	-14574

FOGGIA, ITALY

STA NO. 14574/ (IN AREA NUMBER 06)

LATITUDE 4125N

LONGITUDE 01532E

ELEVATION(FT) 00308

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	72	73	81	88	99	103	109	112	114	91	80	71	114	10	-528
MEAN MAX TMP (F)	53	55	64	70	78	87	92	93	85	72	63	56	72	10	-28
MEAN MIN TMP (F)	37	38	40	45	53	60	65	65	60	52	45	39	50	10	-28
ABS MIN TMP (F)	14	24	22	28	36	45	49	50	44	36	26	26	14	10	-528
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0		10.5	20.6	23.0	7.8		0.0	0.0		10	-29
MEAN NO DYS TMP = DR LES 32(F)	7.7	4.6	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.7	14.0	4	1035
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	1035
MEAN DEW PT TMP (F)	37	38	40	46	52	53	56	56	55	53	46	42	48	4	24610
MEAN REL HUM (PCT)	80	75	72	68	66	53	53	54	64	76	78	80	68	10	-28
MEAN PRESS ALT (PT)	194	232	260	317	281	269	289	275	230	212	220	231	251	0	-50
MEAN PRECIP (IN)	1.93	1.26	1.34	1.65	1.73	1.22	0.59	1.18	1.38	2.13	2.24	1.65	18.3	25	-122
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	258
MEAN NO DYS PRCP = DR GTR 0.1 IN	6.1	4.2	4.5	5.3	5.4	3.6	1.7	3.5	4.4	5.9	6.1	5.4	56.1	25	-29
MEAN NO DYS SNPL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	258
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	1.3	1.6	1.6	0.3	0.3	0.0	0.0	0.0	1.3	0.7	0.3	1.5	8.9	4	1033
MEAN NO DYS TSTMS	0.3	0.0	0.7	0.3	1.7	1.0	2.0	1.5	2.6	2.4	0.3	0.0	12.8	4	1014
P FREQ WND SPD = DR GTR 17 KTS	8.3	7.2	3.9	4.6	4.4	9.6	13.2	16.6	17.2	8.7	7.4	8.0	9.3	4	24660
P FREQ WND SPD = DR GTR 28 KTS	0.6	0.8	0.0	0.0	0.6	1.7	1.6	2.8	1.2	0.4	0.5	0.5	0.9	4	24660
P FREQ LES 5000 FT A/D LES 5 MI	42.7	31.7	21.8	17.6	7.7	4.2	4.3	5.2	12.9	14.9	25.8	41.9	19.2	4	23213
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	7.9	2.8	0.4	0.4	0.4	0.4	0.0	0.0	0.5	0.5	1.7	9.5	2.0	4	2910
03-05 LST	9.7	2.7	4.0	4.4	0.7	0.0	0.0	0.0	0.5	0.5	2.2	5.6	2.5	4	2914
06-08 LST	12.2	7.5	5.1	8.9	0.4	0.0	0.0	0.5	3.3	2.2	5.0	8.0	4.4	4	2912
09-11 LST	16.8	4.7	2.9	2.6	0.0	0.4	0.7	1.1	2.4	2.2	8.3	6.4	4.0	4	2914
12-14 LST	13.3	2.7	2.2	2.2	0.7	0.0	1.4	1.6	1.0	2.7	9.6	3.6	3.4	4	2914
15-17 LST	12.2	4.7	1.1	2.6	1.1	0.0	0.4	0.5	0.5	0.0	11.7	4.7	3.3	4	2920
18-20 LST	9.7	2.8	0.7	1.5	0.7	0.0	0.0	1.1	1.4	1.3	10.0	4.8	2.8	4	2885
21-23 LST	8.6	3.1	0.7	1.5	0.4	0.0	0.0	0.0	0.5	5.1	6.7	5.6	2.7	4	2866
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.4	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	1.6	0.3	4	2910
03-05 LST	0.4	0.8	2.9	0.7	0.0	0.0	0.0	0.0	0.5	0.0	0.0	2.4	0.6	4	2914
06-08 LST	2.5	2.7	2.5	1.5	0.0	0.0	0.0	0.0	1.0	1.6	0.0	0.8	1.1	4	2912
09-11 LST	1.8	2.4	0.4	0.0	0.0	0.0	0.4	0.0	1.4	1.1	0.0	0.4	0.7	4	2914
12-14 LST	1.1	0.0	0.0	0.0	0.0	0.0	0.7	0.5	0.5	0.0	1.7	0.0	0.4	4	2914
15-17 LST	0.4	0.0	0.0	0.0	0.7	0.0	0.0	0.0	0.0	0.0	1.7	1.2	0.3	4	2920
18-20 LST	0.0	0.8	0.4	0.0	0.7	0.0	0.0	1.1	0.0	0.0	1.7	1.2	0.3	4	2885
21-23 LST	0.4	2.0	0.7	0.4	0.4	0.0	0.0	0.0	0.0	1.4	0.6	1.2	0.6	4	2866

FOGGIA, ITALY
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. DBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	28.7	27.3	31.0	30.0	31.0	30.0	31.0	31.0	30.0	31.0	29.5	29.2	359.7	4	977
	07 LST	29.0	25.7	29.3	27.3	31.0	30.0	31.0	31.0	29.1	30.0	29.0	29.2	351.6	4	973
	13 LST	28.3	27.3	31.0	29.7	30.7	30.0	30.3	30.5	30.0	31.0	27.5	30.3	356.6	4	974
	19 LST	28.7	27.7	31.0	29.3	30.7	30.0	31.0	31.0	29.6	31.0	28.0	29.9	357.9	4	974
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SPC WND LES 10 KTS	01 LST	21.3	19.4	26.3	26.0	27.3	21.0	14.2	18.3	14.6	16.5	18.0	22.9	246.0	4	977
	07 LST	20.3	20.1	23.0	20.0	25.9	21.7	15.7	19.5	16.7	17.0	21.0	22.1	243.0	4	973
	13 LST	14.0	11.2	19.7	18.0	19.1	14.7	12.7	15.5	14.1	14.5	15.0	18.6	187.1	4	974
	19 LST	19.3	16.8	26.7	23.0	24.9	15.0	12.0	7.5	15.2	17.0	18.0	21.4	216.8	4	974
SPC WND = GTR 17 KTS AND ND PRECIP.	01 LST	2.0	2.0	1.0	0.0	0.3	2.0	3.6	3.5	4.2	2.0	2.0	1.1	23.7	4	977
	07 LST	1.7	1.6	0.3	1.0	1.0	1.3	2.7	2.0	3.0	1.0	1.3	1.8	18.9	4	973
	13 LST	3.0	4.3	1.7	3.0	2.7	4.0	5.7	7.5	6.9	5.0	3.5	4.7	52.0	4	974
	19 LST	2.3	1.6	0.3	1.0	1.4	3.0	5.3	7.5	5.5	3.5	2.0	1.8	35.2	4	974
SPC WND 4-10 KTS AND TMP 33-89 DEG F AND ND PRECIP.	01 LST	12.0	13.8	14.3	15.7	14.8	14.0	14.8	14.5	14.2	13.3	14.0	15.9	171.5	4	977
	07 LST	10.3	15.8	13.7	12.7	12.6	15.3	12.3	15.0	12.4	14.5	14.0	17.0	163.6	4	973
	13 LST	10.7	11.9	12.7	14.7	15.3	10.3	3.3	5.0	8.1	14.0	14.0	14.6	134.6	4	974
	19 LST	13.7	13.8	15.7	17.0	16.0	18.7	11.3	6.0	13.5	15.0	17.5	11.1	169.3	4	974
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	12.0	17.0	16.0	13.0	13.0	21.0	27.0	28.0	30.0					1	299
	07 LST	7.0	10.0	13.0	12.0	9.0	19.0	23.0	25.0	26.0					1	258
	13 LST	5.0	4.0	7.0	8.0	1.0	9.0	17.0	19.0	10.0					1	258
	19 LST	8.0	15.0	13.0	12.0	3.0	14.0	16.0	18.0	18.0					1	258
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	27.0	26.0	31.0	30.0	30.7	29.7	31.0	31.0	30.0	30.0	27.5	26.2	350.1	4	977
	07 LST	25.7	24.7	28.7	27.3	31.0	29.7	31.0	31.0	29.1	30.0	28.0	26.6	342.8	4	973
	13 LST	24.0	26.0	29.0	28.0	30.3	30.0	30.3	30.5	30.0	30.0	26.0	26.3	340.4	4	974
	19 LST	25.3	26.4	29.7	28.3	30.7	30.0	31.0	31.0	29.6	30.5	26.0	27.7	346.2	4	974
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	19.0	19.4	27.0	25.3	29.0	29.7	31.0	30.5	27.5	26.5	23.0	16.6	304.3	4	977
	07 LST	17.0	18.4	23.3	24.0	30.0	29.0	30.3	30.5	24.4	27.0	22.0	16.6	292.5	4	973
	13 LST	17.3	17.1	21.3	24.3	26.2	27.0	27.0	26.5	23.6	24.0	19.0	16.4	269.7	4	974
	19 LST	20.0	19.4	24.3	23.7	28.3	28.3	29.3	30.0	26.6	24.0	21.5	17.7	293.1	4	974
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	16.3	17.8	23.3	24.7	27.0	29.7	31.0	30.5	26.3	25.0	19.0	14.4	285.0	4	977
	07 LST	14.3	15.5	19.3	22.0	28.3	29.0	29.7	29.5	22.7	23.5	18.5	12.2	264.5	4	973
	13 LST	14.7	13.8	19.3	22.0	24.9	26.0	26.7	26.5	22.3	21.5	16.5	12.4	246.6	4	974
	19 LST	17.7	17.8	23.0	22.0	26.2	28.0	29.0	30.0	23.7	23.3	19.5	13.7	274.1	4	974

ANCONA-FALCONARA, ITALY

STA NO. 16191 (IN AREA NUMBER 06)

LATITUDE 4337N

LONGITUDE 01322E

ELEVATION(PT) 00039

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	65	67	74	81	82	90	95	98	94	79	74	67	98	10	-28
MEAN MAX TMP (F)	48	50	54	62	68	77	82	82	76	66	57	50	64	10	-28
MEAN MIN TMP (F)	38	40	44	52	58	65	71	70	65	56	48	42	54	10	-28
ABS MIN TMP (F)	20	26	29	38	44	51	56	58	54	42	35	29	20	10	-28
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	4.7	4.7		0.0	0.0	0.0		10	-29
MEAN NO DYS TMP = DR LES 32(F)			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		10	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN DEW PT TMP (F)	35	35	39	46	53	57	62	62	59	53	45	39	49	10	-29
MEAN REL HUM (PCT)	75	72	71	70	73	65	64	65	71	76	77	79	72	10	-28
MEAN PRESS ALT (PT)	-82	-43	-6	40	7	-20	-6	-12	-51	-51	-37	-42	-24	0	-50
MEAN PRECIP (IN)	2.52	1.81	2.01	2.21	1.89	1.89	1.30	1.61	2.80	3.90	2.99	2.40	27.3	40	-122
MEAN SNOW FALL (IN)			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		10	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	7.5	5.8	6.0	6.3	5.8	5.3	3.8	4.7	7.1	8.5	7.4	7.3	75.5	40	-29
MEAN NO DYS SNPL = DR GTR 1.9 IN			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		10	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

ANCONA-FALCONARA, ITALY

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
SFC WND 4-10 KTS AND THP 33-89 DEG F AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0

DATA NOT AVAILABLE

PESCARA, ITALY

STA NO. 16230 (IN AREA NUMBER 06)

LATITUDE 4226N LONGITUDE 01411E ELEVATION(FT) 00030

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	73	73	80	83	89	95	105	104	94	84	77	73	105	10	-28
MEAN MAX TMP (F)	51	53	59	62	71	78	83	83	78	68	60	54	67	10	-28
MEAN MIN TMP (F)	37	39	40	46	53	60	64	64	60	52	45	39	50	10	-28
ABS MIN TMP (F)	24	22	22	33	36	41	50	49	45	38	28	21	21	10	-28
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0		5.7	5.7		0.0	0.0	0.0		10	-29
MEAN NO DYS TMP = DR LES 32(F)				0.0	0.0	0.0	0.0	0.0	0.0	0.0				10	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN DEW PT TMP (F)	36	37	40	42	44	52	55	53	54	51	45	37	46	0	-30
MEAN REL HUM (PCT)	78	74	74	75	78	73	70	74	74	78	76	79	75	10	-28
MEAN PRESS ALT (FT)	-93	-34	-19	38	7	-0	20	-0	-32	-73	-68	-58	-28	0	-30
MEAN PRECIP (IN)	2.50	1.50	1.60	1.50	2.00	1.20	1.10	1.20	2.10	4.70	2.30	2.40	24.3	10	-28
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0	0.0				10	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	7.5	4.9	5.2	4.9	6.0	3.6	3.3	3.6	5.9	9.2	6.6	7.3	68.0	10	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0	0.0				10	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 3 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

PESCARA, ITALY
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SPC WND LES 10 KTS	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
SPC WND = GTR 17 KTS AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
SPC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0

DATA NOT AVAILABLE

AMENDOLA, ITALY

STA NO. 16261 (IN AREA NUMBER 06)

LATITUDE 4132N

LONGITUDE 01342E

ELEVATION(PT) 00182

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	61	67	72	79	95	102	102	101	103	80	72	63	103	2	505
MEAN MAX TMP (F)	51	52	58	69	80	87	91	92	83	70	60	54	71	2	505
MEAN MIN TMP (F)	35	36	37	45	52	58	62	65	60	51	42	40	49	2	505
ABS MIN TMP (F)	21	28	28	28	38	51	53	55	49	44	33	30	21	2	505
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	6.6	8.0	21.0	20.0	6.0	0.0	0.0	0.0	61.6	2	505
MEAN NO DYS TMP = DR LES 32(F)	10.0	6.4	6.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	25.4	2	505
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	12100
MEAN DEW PT TMP (F)	38	38	39	47	50	55	58	63	58	54	44	43	49	2	12085
MEAN REL HUM (PCT)	87	81	77	71	61	59	57	64	68	81	80	86	73	0	-50
MEAN PRESS ALT (FT)	68	106	134	192	155	142	162	148	103	86	94	105	125	2	498
MEAN PRECIP (IN)	1.00	0.86	1.80	1.34	0.06	0.48	0.82	1.49	2.10	4.09	1.39	1.70	18.1	2	-29
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	498
MEAN NO DYS PRCP = DR GTR 0.1 IN	6.2	2.9	4.0	2.0	0.0	2.0	2.0	4.0	7.0	11.0	5.0	6.0	52.1	2	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	505
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	1.0	2.9	2.5	3.5	0.5	1.0	0.0	0.0	2.0	2.0	1.2	2.0	18.6	2	505
MEAN NO DYS TSTMS	0.0	0.0	0.5	0.0	0.5	3.0	1.0	6.0	0.0	1.0	0.0	0.0	12.0	2	505
P FREQ WND SPD = DR GTR 17 KTS	4.5	6.6	5.4	2.0	2.3	0.3	2.8	0.3	3.0	3.8	4.2	3.8	3.4	2	12099
P FREQ WND SPD = DR GTR 28 KTS	0.2	0.5	0.5	0.2	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.1	0.2	2	12099
P FREQ LES 5000 FT A/D LES 3 MI	31.9	30.2	22.0	13.4	3.1	7.8	2.2	3.5	6.6	17.7	20.9	43.9	16.9	2	11346
P FREQ LES 1500 FT A/D LES 3 MI														2	1417
FOR 00-02 LST	0.0	7.2	6.5	2.8	0.0	0.0	0.0	0.0	0.0	4.3	0.0	3.2	2.0	2	1417
03-05 LST	1.1	9.0	7.5	9.4	1.2	0.0	0.0	0.0	0.0	2.2	4.2	4.3	3.2	2	1421
06-08 LST	2.2	6.5	4.3	4.4	0.0	0.0	0.0	0.0	2.2	3.2	0.0	2.2	2.1	2	1422
09-11 LST	5.4	3.5	1.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	1.0	2	1420
12-14 LST	11.8	1.8	0.0	0.0	0.0	0.0	1.1	0.0	1.1	1.1	2.8	6.5	2.2	2	1420
15-17 LST	7.5	0.6	1.1	0.0	0.0	0.0	0.0	2.2	0.0	2.2	0.0	9.8	2.0	2	1418
18-20 LST	3.4	0.6	1.6	0.0	0.0	2.2	0.0	0.0	0.0	2.2	0.0	12.9	2.1	2	1418
21-23 LST	3.3	3.6	2.7	1.1	0.0	0.0	0.0	0.0	0.0	1.1	2.8	6.5	1.8	2	1415
P FREQ LES 300 FT A/D LES 1 MI														2	1417
FOR 00-02 LST	0.0	4.8	3.4	2.8	0.0	0.0	0.0	0.0	0.0	2.2	0.0	3.2	1.3	2	1417
03-05 LST	0.0	6.0	4.3	7.2	1.2	0.0	0.0	0.0	0.0	1.1	4.2	2.2	2.2	2	1421
06-08 LST	0.0	1.8	2.7	1.1	0.0	0.0	0.0	0.0	2.2	3.2	0.0	1.1	1.0	2	1422
09-11 LST	1.1	1.2	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	2	1420
12-14 LST	2.2	0.0	0.0	0.0	0.0	0.0	1.1	0.0	1.1	0.0	0.0	0.0	0.4	2	1420
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	1420
18-20 LST	0.0	0.6	1.6	0.0	0.0	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.3	2	1418
21-23 LST	0.0	2.4	2.2	1.1	0.0	0.0	0.0	0.0	0.0	1.1	0.0	1.1	0.7	2	1415

AMENDOLA, ITALY
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	31.0	26.0	29.0	29.5	31.0	30.0	31.0	31.0	30.0	30.0	30.0	30.0	30.0	2	475
	07 LST	30.0	25.5	30.0	29.0	31.0	30.0	31.0	31.0	29.0	30.0	30.0	31.0	357.5	2	474
	13 LST	29.0	28.0	31.0	30.0	31.0	30.0	31.0	31.0	30.0	31.0	30.0	29.0	361.0	2	474
	19 LST	30.0	28.0	30.5	30.0	31.0	29.0	31.0	31.0	30.0	31.0	30.0	31.0	362.5	2	474
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SPC WND LES 10 KTS	01 LST	25.0	19.5	24.5	25.5	29.4	28.0	31.0	29.0	29.0	28.0	24.0	24.0	316.9	2	475
	07 LST	22.0	19.6	25.5	23.5	30.4	28.0	25.0	30.0	24.0	27.0	28.8	27.0	310.8	2	474
	13 LST	18.0	14.7	21.0	20.5	21.8	17.0	15.0	22.0	24.0	22.5	24.0	24.0	242.3	2	474
	19 LST	24.0	21.6	27.0	27.0	27.7	26.0	26.0	29.0	24.0	28.0	22.5	24.0	306.8	2	474
SPC WND = GTR 17 KTS AND NO PRECIP.	01 LST	2.0	0.5	0.5	0.0	0.5	0.0	0.0	0.0	1.0	0.0	0.0	0.0	4.5	2	476
	07 LST	1.0	0.5	1.0	0.5	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	2	474
	13 LST	0.0	3.4	3.0	1.5	1.1	0.0	1.0	0.0	3.0	1.0	2.5	1.0	17.5	2	474
	19 LST	1.0	1.0	0.0	0.0	1.7	0.0	2.0	0.0	0.0	1.0	1.3	2.0	10.0	2	474
SPC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	6.0	11.8	5.5	8.5	13.6	8.0	8.0	11.0	14.0	11.0	6.0	9.0	112.4	2	476
	07 LST	8.0	8.8	12.0	12.0	14.9	14.0	17.0	15.0	10.0	3.0	6.3	9.0	130.0	2	474
	13 LST	14.0	9.8	14.0	16.5	18.3	18.0	11.0	13.0	8.0	6.0	13.8	14.0	156.4	2	474
	19 LST	11.0	10.8	11.5	13.0	9.4	8.0	16.0	13.0	12.0	5.0	10.0	10.0	129.7	2	474
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	31.0	25.5	28.5	29.5	31.0	30.0	31.0	31.0	30.0	30.0	28.8	25.0	351.3	2	475
	07 LST	27.0	25.5	28.5	28.0	31.0	30.0	31.0	31.0	29.0	30.0	30.0	27.0	348.0	2	474
	13 LST	27.0	27.5	29.0	29.5	31.0	30.0	31.0	31.0	30.0	30.0	27.5	27.0	350.3	2	474
	19 LST	27.0	27.5	30.0	30.0	31.0	29.0	31.0	31.0	30.0	30.0	28.8	22.0	347.3	2	474
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	22.0	18.5	25.0	25.0	29.4	30.0	31.0	31.0	29.0	24.0	25.2	17.0	307.1	2	475
	07 LST	17.0	19.2	22.5	26.0	31.0	30.0	29.0	31.0	27.0	24.0	25.0	17.0	298.7	2	474
	13 LST	19.0	18.2	21.5	25.0	29.3	21.0	28.0	24.0	26.0	23.0	21.3	18.0	274.3	2	474
	19 LST	22.0	17.7	25.5	26.5	30.4	26.0	30.0	30.0	28.0	24.0	25.0	14.0	299.1	2	474
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	18.0	15.0	19.5	23.0	27.7	30.0	30.0	30.0	25.0	20.0	21.6	13.0	272.8	2	475
	07 LST	12.0	16.7	20.5	25.5	26.6	29.0	29.0	30.0	24.0	22.0	20.0	14.0	269.3	2	474
	13 LST	16.0	14.2	20.0	25.0	26.6	21.0	28.0	24.0	25.0	20.0	20.0	16.0	255.8	2	474
	19 LST	20.0	19.7	21.5	25.0	27.1	26.0	28.0	27.0	25.0	18.0	21.3	14.0	266.6	2	474

BARI, ITALY

LATITUDE 4108N

LONGITUDE 01647E

ELEVATION(FT) 00059

STA NO. 16270 (IN AREA NUMBER 06)

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	FOR (YRS)	NO. OBS
ABS MAX TMP (F)	69	73	77	85	100	101	110	109	102	87	79	72	110	10	-642
MEAN MAX TMP (F)	54	56	60	66	73	81	85	85	80	71	63	57	69	10	-142
MEAN MIN TMP (F)	41	41	43	48	55	62	66	66	63	56	50	44	53	10	-142
ABS MIN TMP (F)	18	28	22	34	42	35	53	54	49	42	34	27	18	10	-642
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0		3.6	8.1	8.1		0.0	0.0	0.0		10	-29
MEAN NO DYS TMP = OR LES 32(F)	3.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	4.6	3	649
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	649
MEAN DEW PT TMP (F)	37	38	39	46	52	57	60	62	59	55	46	43	50	3	15197
MEAN REL HUM (PCT)	75	70	68	66	65	60	60	60	67	73	74	75	68	10	-142
MEAN PRESS ALT (FT)	-51	-13	12	69	30	14	32	22	-18	-33	-21	-14	2	0	-50
MEAN PRECIP (IN)	2.56	2.17	1.58	1.89	1.85	1.02	0.67	1.22	2.05	2.64	2.68	2.68	23.0	25	-122
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			10	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	7.6	6.7	5.1	5.8	5.7	3.1	2.0	3.6	5.8	6.8	6.9	7.8	66.9	25	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			10	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	1.0	0.5	0.5	2.0	0.0	0.0	0.5	0.0	0.6	1.0	1.0	0.0	7.1	3	648
MEAN NO DYS TSTMS	0.0	1.5	1.0	0.5	0.0	1.5	2.0	4.0	3.8	1.0	1.0	0.6	16.9	3	647
P FREQ WND SPD = OR GTR 17 KTS	13.9	12.2	11.1	7.1	3.5	2.0	3.3	3.6	7.4	3.2	4.5	8.2	6.8	3	15509
P FREQ WND SPD = OR GTR 28 KTS	3.4	3.6	0.8	0.6	0.0	0.0	0.1	0.1	0.1	0.0	0.0	3.0	1.0	3	15509
P FREQ LES 5000 FT A/D LES 5 MI	33.6	40.2	31.6	15.9	4.5	2.8	1.8	2.8	10.6	12.7	14.7	38.3	17.5	3	15317
P FREQ LES 1500 FT A/D LES 3 MI														3	1943
PDR 00-02 LST	10.8	1.8	2.2	6.1	0.0	0.0	0.0	0.0	2.1	1.1	0.0	6.1	2.5	3	1946
03-05 LST	5.4	2.3	4.4	9.4	0.0	0.0	0.0	0.0	0.0	3.2	1.1	5.5	2.6	3	1946
06-08 LST	3.4	4.1	9.7	6.1	0.5	0.6	0.0	0.5	0.0	6.5	2.2	3.6	3.3	3	1944
09-11 LST	5.9	0.6	10.3	2.2	0.0	0.6	0.6	1.1	0.7	4.3	1.1	4.2	2.6	3	1944
12-14 LST	6.5	1.2	5.5	1.7	0.0	0.0	0.5	0.5	0.0	1.1	0.0	6.7	2.0	3	1945
15-17 LST	8.6	2.9	3.8	2.2	0.0	0.0	1.1	0.5	0.7	1.1	1.1	6.1	2.3	3	1942
18-20 LST	9.1	5.8	2.7	2.2	0.0	0.0	0.5	0.0	2.1	0.0	3.4	8.5	2.9	3	1938
21-23 LST	11.9	2.3	2.7	3.9	0.0	0.0	1.1	0.0	3.0	0.0	1.1	8.0	3.0	3	1939
P FREQ LES 300 FT A/D LES 1 MI														3	1943
PDR 00-02 LST	0.0	0.6	1.6	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.3	3	1946
03-05 LST	0.0	0.0	1.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.3	3	1946
06-08 LST	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	1.1	0.0	0.4	3	1944
09-11 LST	1.6	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.2	3	1944
12-14 LST	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	1945
15-17 LST	2.2	0.0	0.0	0.0	0.0	0.0	0.5	0.5	0.0	0.0	0.0	0.0	0.3	3	1942
18-20 LST	0.5	0.6	0.0	1.7	0.0	0.0	2.0	0.0	0.0	0.0	0.0	1.2	0.3	3	1938
21-23 LST	0.5	0.0	1.1	1.1	0.0	0.0	0.0	0.0	0.7	0.0	0.0	0.6	0.3	3	1939

BARI, ITALY
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	28.0	27.5	30.0	28.5	31.0	30.0	31.0	31.0	30.0	31.0	30.0	29.9	337.9	3	650
	07 LST	30.5	27.5	30.5	29.0	31.0	30.0	31.0	31.0	30.0	30.0	30.0	30.4	360.9	3	651
	13 LST	30.0	28.0	30.0	29.5	31.0	30.0	31.0	31.0	30.0	31.0	30.0	29.3	360.8	3	650
	19 LST	30.5	26.5	30.0	29.5	31.0	30.0	31.0	31.0	30.0	31.0	29.0	29.3	358.8	3	649
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	15.5	13.9	19.8	19.5	28.0	26.5	27.5	23.0	21.3	23.0	17.0	20.3	255.2	3	650
	07 LST	19.0	14.2	20.0	20.0	25.3	24.0	23.0	24.5	21.3	22.0	15.0	20.9	249.4	3	651
	13 LST	12.0	11.3	12.7	10.0	13.0	11.0	8.0	8.5	8.8	16.0	16.0	16.3	143.6	3	650
	19 LST	18.0	14.2	21.3	20.5	24.0	23.0	24.0	24.0	18.5	21.0	19.0	21.4	248.9	3	649
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	3.0	2.5	1.5	1.5	0.5	0.0	0.5	0.5	0.6	1.0	1.0	1.7	14.3	3	650
	07 LST	4.5	2.9	2.0	1.0	2.0	0.0	0.5	1.0	0.6	1.0	0.0	1.7	17.2	3	651
	13 LST	5.0	3.4	3.6	3.5	2.0	2.0	4.0	2.5	5.6	2.0	1.0	2.3	36.9	3	650
	19 LST	3.5	4.9	3.6	1.5	0.5	0.5	0.0	1.0	3.8	1.0	1.0	2.8	24.1	3	649
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	13.5	13.8	17.3	17.0	19.0	25.5	23.0	21.0	23.1	21.0	20.0	19.2	235.4	3	650
	07 LST	18.5	19.2	15.0	16.5	16.0	22.5	19.0	20.5	23.1	24.0	20.0	16.9	231.2	3	651
	13 LST	12.5	10.8	14.7	13.7	19.5	17.0	11.0	13.0	11.3	15.0	19.0	16.3	173.8	3	649
	19 LST	19.0	16.2	12.2	17.0	17.5	14.5	12.5	16.5	11.5	17.0	23.0	20.3	197.2	3	649
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	25.0	24.6	25.9	27.0	31.0	30.0	31.0	30.5	29.4	29.0	29.0	25.4	337.8	3	650
	07 LST	27.0	24.1	27.5	25.5	31.0	30.0	31.0	31.0	29.4	29.0	28.0	27.1	340.6	3	651
	13 LST	27.0	24.6	26.9	28.5	31.0	30.0	31.0	31.0	29.4	29.0	30.0	25.4	343.8	3	650
	19 LST	27.0	22.1	27.4	27.5	31.0	30.0	31.0	30.5	28.1	31.0	28.0	24.8	338.4	3	649
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	21.0	16.2	21.9	25.5	28.5	30.0	31.0	30.5	26.9	28.0	24.0	16.3	299.8	3	650
	07 LST	19.5	19.2	22.0	24.5	29.5	30.0	30.0	30.0	25.6	26.0	23.0	19.7	299.0	3	651
	13 LST	19.5	16.7	21.9	26.0	30.0	27.5	30.5	30.5	26.3	24.0	27.0	18.6	298.5	3	650
	19 LST	22.0	15.7	22.9	26.0	29.5	27.5	29.5	28.5	26.8	28.0	25.0	19.2	300.6	3	649
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	18.5	14.2	19.3	24.0	27.0	29.5	31.0	30.0	26.3	24.0	21.0	15.8	280.6	3	650
	07 LST	17.0	13.2	17.0	23.5	27.5	29.5	30.0	29.5	24.4	23.0	22.0	15.2	273.8	3	651
	13 LST	17.0	13.8	19.8	24.5	28.5	27.5	30.0	30.0	23.8	22.0	23.0	15.8	275.7	3	650
	19 LST	19.5	15.7	21.3	24.5	28.5	29.0	27.5	28.0	25.5	23.0	22.0	16.9	279.4	3	649

BRINDISI/CAMPO CASALE, ITALY

STA NO. 16320 (IN AREA NUMBER 06)

LATITUDE 4039N

LONGITUDE 01757E

ELEVATION(PT) 00069

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	68	73	80	83	95	99	100	103	103	84	78	73	103	10	-328
MEAN MAX TMP (F)	55	57	60	65	73	80	84	84	80	70	64	58	69	10	-28
MEAN MIN TMP (F)	43	43	45	50	57	64	68	69	65	58	52	46	55	10	-28
ABS MIN TMP (F)	26	29	24	36	44	50	54	55	51	45	37	33	24	10	-528
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.2	0.8	3.6	3.3	0.0	0.0	0.0	0.0	8.1	6	1797
MEAN NO DYS TMP = DR LES 32(F)	0.8	1.2	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8	6	1797
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	1797
MEAN DFW PT TMP (F)	42	41	44	49	55	62	65	65	62	57	50	47	53	6	14354
MEAN REL HUM (PCT)	78	75	75	74	74	70	70	69	73	77	78	79	74	10	-28
MEAN PRESS ALT (PT)	-63	-23	-1	55	14	-5	10	5	-31	-43	-29	-25	-10	0	-50
MEAN PRECIP (IN)	3.40	1.70	1.60	1.00	1.30	0.30	0.80	1.10	1.60	3.30	3.10	3.30	22.7	10	-28
MEAN SNOW FALL (IN)		0.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		10	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	9.0	5.5	5.2	3.4	4.4	0.7	2.4	3.3	4.9	8.0	7.5	8.9	63.2	10	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN		0.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		10	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	2.8	1.2	2.2	1.6	1.0	0.6	0.8	0.2	2.2	2.0	2.1	2.0	18.7	6	1809
MEAN NO DYS TSTMS	2.0	2.2	0.8	2.2	2.6	2.4	3.0	1.8	2.8	3.7	1.4	1.4	26.3	6	1809
P FREQ WND SPD = DR GTR 17 KTS	12.1	19.7	13.9	11.7	12.6	9.2	11.8	12.6	6.9	10.3	13.5	14.8	12.4	6	43078
P FREQ WND SPD = DR GTR 28 KTS	0.3	0.9	0.3	0.4	0.0	0.1	0.1	0.1	0.1	0.6	0.8	0.4	0.3	6	43078
P FREQ LES 5000 FT A/D LES 5 MI	48.5	53.2	38.6	25.9	21.7	11.7	6.1	4.3	16.2	32.3	44.9	40.4	28.7	6	14358
P FREQ LES 1500 FT A/D LES 3 MI															
POR 00-02 LST	13.7	16.9	9.2	6.7	5.2	2.7	1.3	0.7	7.1	12.0	12.5	16.8	8.7	6	1793
03-05 LST	12.9	15.5	13.1	10.7	6.5	7.4	2.6	2.7	9.9	14.0	16.0	12.9	10.4	6	1796
06-08 LST	16.1	17.6	13.7	9.3	4.5	4.7	4.6	1.3	10.6	16.7	16.7	16.8	11.1	6	1796
09-11 LST	16.1	19.0	7.9	4.0	3.2	2.7	1.3	3.3	4.3	9.3	12.5	15.6	8.3	6	1794
12-14 LST	11.6	12.0	7.2	2.7	2.6	0.7	0.7	0.0	2.8	9.3	9.7	9.0	5.7	6	1797
15-17 LST	8.4	14.8	8.5	4.0	4.5	1.3	0.0	0.0	3.3	7.3	9.7	10.3	6.0	6	1797
18-20 LST	10.3	14.8	7.8	4.0	3.9	0.7	0.7	0.7	1.4	6.7	12.5	11.0	6.2	6	1794
21-23 LST	12.9	16.2	10.5	5.3	5.8	3.4	1.3	0.0	2.9	8.0	14.6	14.2	7.9	6	1796
P FREQ LES 300 FT A/D LES 1 MI															
POR 00-02 LST	2.6	3.5	0.0	0.7	0.6	0.0	0.0	0.0	0.0	1.3	2.1	1.9	1.1	6	1793
03-05 LST	2.6	1.4	3.3	3.3	1.3	2.0	1.3	0.7	4.3	2.0	4.2	0.6	2.3	6	1796
06-08 LST	3.9	1.4	3.3	1.3	1.3	0.7	0.0	0.7	4.3	4.7	3.5	3.2	2.4	6	1796
09-11 LST	3.2	2.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	2.8	1.3	0.9	6	1794
12-14 LST	0.0	0.0	0.7	0.0	0.0	0.0	0.0	0.0	0.7	0.7	0.7	0.0	0.2	6	1797
15-17 LST	0.0	0.0	1.3	0.0	0.6	0.0	0.0	0.0	0.7	0.0	0.7	0.6	0.3	6	1797
18-20 LST	0.6	0.7	0.0	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.7	1.9	0.4	6	1794
21-23 LST	1.9	1.4	0.0	2.0	0.0	0.0	0.0	0.0	0.0	1.3	2.8	1.3	0.9	6	1796

BRINDISI/CAMPO CASALE, ITALY

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. DBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	29.1	24.8	29.5	29.1	30.2	29.3	30.7	31.0	28.2	28.7	28.1	27.4	346.1	6	1793
	07 LST	28.0	24.8	27.7	28.0	30.2	29.1	29.7	30.7	27.2	27.6	26.4	27.4	336.8	6	1796
	13 LST	29.6	26.4	29.9	30.0	30.8	30.0	31.0	31.0	29.5	29.9	29.1	29.8	337.0	6	1797
	19 LST	29.4	25.0	29.7	29.2	30.4	30.0	31.0	31.0	30.0	30.3	28.3	29.6	333.9	6	1794
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SPC WND LES 10 KTS	01 LST	12.5	9.4	16.8	16.5	17.8	22.7	19.0	20.5	20.8	17.1	12.9	13.4	199.4	6	1793
	07 LST	12.6	10.4	16.2	14.4	15.6	16.3	13.9	15.3	18.9	14.6	12.9	13.0	174.1	6	1796
	13 LST	10.6	5.3	8.7	7.8	8.0	10.8	6.2	7.8	10.2	11.3	7.0	10.6	104.3	6	1797
	19 LST	14.4	9.4	15.3	16.0	14.0	16.7	16.2	17.3	18.7	18.5	14.1	14.8	183.4	6	1794
SPC WND = GTR 17 KTS AND NO PRECIP.	01 LST	2.8	2.7	2.6	2.6	2.0	1.0	2.2	2.2	0.4	2.3	2.6	3.4	26.8	6	1828
	07 LST	3.0	2.5	1.4	2.6	3.8	3.8	3.8	4.2	2.0	3.0	3.1	3.8	37.0	6	1809
	13 LST	4.4	6.7	5.4	4.6	5.4	4.6	6.2	5.9	3.4	4.9	5.1	6.0	62.6	6	1814
	19 LST	3.0	3.7	2.2	2.2	2.8	2.4	3.0	3.2	1.6	1.6	2.4	4.6	32.7	6	1827
SPC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	10.9	10.5	12.9	14.0	13.8	14.0	17.4	14.3	15.7	13.6	13.1	12.4	162.6	6	1793
	07 LST	13.4	9.6	14.7	13.0	13.0	8.4	10.5	12.2	14.6	15.7	13.9	13.4	152.4	6	1796
	13 LST	10.2	8.0	11.1	12.2	12.4	13.4	12.1	12.1	13.1	15.5	8.5	9.4	138.0	6	1797
	19 LST	12.0	7.8	14.3	11.0	11.2	14.2	15.3	14.2	12.5	14.4	12.2	11.0	150.3	6	1797
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	8.0	4.7	13.4	13.8	13.8	21.2	25.4	27.2	19.4	8.9	9.0	10.0	174.8	6	1828
	07 LST	3.6	3.9	7.4	9.0	9.8	14.6	20.5	21.8	12.6	4.7	2.9	5.6	116.4	6	1809
	13 LST	2.6	2.7	6.0	8.4	9.0	13.8	22.7	21.6	11.8	4.6	3.4	4.0	110.9	6	1814
	19 LST	6.2	4.7	7.4	9.6	9.2	13.4	21.2	21.8	15.0	8.6	7.4	10.4	134.9	6	1827
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	20.8	18.3	24.7	24.9	27.2	28.5	30.3	30.5	27.0	24.3	22.2	22.2	306.9	6	1793
	07 LST	19.8	17.5	23.3	25.6	28.0	27.7	29.3	30.1	25.9	23.1	21.0	22.6	293.9	6	1796
	13 LST	22.0	20.3	24.5	26.2	28.6	29.1	30.3	30.7	27.8	23.9	21.4	24.4	309.2	6	1797
	19 LST	23.0	18.5	24.9	26.8	29.0	29.5	30.3	30.5	27.6	26.0	20.4	24.4	310.9	6	1794
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	15.8	14.9	21.4	22.7	25.2	27.5	30.3	29.9	25.9	21.9	18.7	18.8	273.0	6	1793
	07 LST	15.8	12.8	19.0	23.8	25.6	26.9	29.1	29.7	25.1	21.4	16.6	19.4	265.2	6	1796
	13 LST	18.6	15.9	20.4	23.8	26.8	28.3	29.9	30.5	27.0	21.9	16.8	21.8	281.7	6	1797
	19 LST	18.0	12.8	20.4	24.2	27.6	28.5	29.5	30.1	26.3	23.9	15.8	22.2	279.3	6	1794
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	15.8	14.7	21.0	22.3	25.0	27.5	30.3	29.7	25.9	21.4	18.7	18.6	270.9	6	1793
	07 LST	15.8	12.8	19.0	23.8	25.6	26.9	29.1	29.7	25.1	21.2	16.6	19.2	264.8	6	1796
	13 LST	18.6	15.5	20.0	23.8	26.6	28.3	29.9	30.5	27.0	21.9	16.6	21.6	280.3	6	1797
	19 LST	17.8	12.6	20.2	24.2	27.6	28.5	29.5	30.1	26.1	23.9	15.6	22.2	278.3	6	1794

GROTTAGLIE, ITALY

LATITUDE 4031N

LONGITUDE 01724E

ELEVATION(FT) 00197

STA NO. 10324 (IN AREA NUMBER 06)

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	67	70	75	84	99	105	107	103	108	86	75	69	108	10	-16330
MEAN MAX TMP (F)	55	57	60	59	76	84	89	89	83	73	63	58	71	10	-16330
MEAN MIN TMP (F)	43	43	45	50	58	66	70	70	65	58	51	45	55	10	-16330
ABS MIN TMP (F)	26	27	29	39	46	53	59	56	55	45	37	28	26	10	-16330
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0		6.5	14.4	14.4	5.5	0.0	0.0	0.0		10	-29
MEAN NO DYS TMP = DR LES 32(F)			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN DEW PT TMP (F)	41	41	42	45	53	57	60	61	59	56	49	44	51	10	-16330
MEAN REL HUM (PCT)	77	73	70	73	65	58	56	57	64	73	76	77	68	0	-50
MEAN PRESS ALT (FT)	87	127	149	206	167	148	164	159	121	107	121	124	140	26	-16330
MEAN PRECIP (IN)	2.40	1.50	1.50	1.81	1.61	0.79	0.12	0.79	1.81	3.50	2.80	2.60	21.2	10	-29
MEAN SNOW FALL (IN)			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			26	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	7.3	4.9	4.9	5.6	5.2	2.3	0.1	2.3	5.3	9.0	7.1	7.7	60.7	10	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														9	-16330
P FREQ LES 5000 FT A/D LES 5 MI	50.2	54.7	52.2	44.8	35.2	14.8	9.1	14.4	24.0	30.3	43.4	69.4	36.9		
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														9	-16330
06-08 LST	16.6	10.8	13.5	16.8	10.4	4.9	1.5	2.0	4.9	6.9	9.9	15.1	9.4	0	0
09-11 LST														9	-16330
12-14 LST	9.1	12.0	12.0	5.8	5.3	2.1	2.9	1.8	5.1	6.3	11.3	14.4	7.3	0	0
15-17 LST														9	-16330
18-20 LST	11.4	12.8	9.5	8.0	10.3	2.2	2.3	2.7	4.7	3.7	7.9	10.7	7.2	0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														9	-16330
06-08 LST	6.0	3.4	1.6	6.5	2.1	2.7	1.0	1.3	1.4	3.1	3.3	3.0	3.0	0	0
09-11 LST														9	-16330
12-14 LST	1.7	4.2	1.1	0.6	0.7	0.7	2.9	0.9	1.7	2.1	3.8	2.7	1.9	0	0
15-17 LST														9	-16330
18-20 LST	3.0	0.8	0.6	0.6	1.7	0.5	0.6	0.0	0.7	0.0	0.8	0.8	0.0	0	0
21-23 LST														0	0

GROTTAGLIE, ITALY

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	26.7	25.7	27.3	25.6	28.7	29.0	30.5	30.3	28.9	29.4	27.8	27.4	337.3	9	-16330
	13 LST	29.2	25.8	28.5	28.9	30.1	29.5	30.1	30.7	28.9	29.2	27.7	27.1	345.7	9	-16330
	19 LST	20.6	25.2	28.2	28.4	28.3	29.6	30.4	30.3	29.1	30.3	27.8	28.1	344.3	9	-16330
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SPC WND LES 10 KTS	01 LST														0	0
	07 LST	20.5	19.0	19.5	21.2	23.0	24.8	24.3	25.5	24.0	24.7	22.0	20.4	268.9	9	-16330
	13 LST	17.1	12.6	13.6	17.1	15.3	17.0	16.1	15.7	18.5	18.0	17.3	18.3	196.6	9	-16330
	19 LST	18.8	16.1	18.2	19.6	20.5	22.0	21.7	20.8	23.4	21.9	21.2	19.5	243.7	9	-16330
SPC WND = GTR 17 KTS AND NO PRECIP.	01 LST														0	0
	07 LST	2.9	2.9	4.8	1.4	2.3	1.9	3.1	1.8	0.8	2.1	2.4	3.6	30.0	9	-16330
	13 LST	4.7	6.7	9.4	6.0	5.4	5.2	5.6	7.1	3.8	5.0	5.2	5.1	69.2	9	-16330
	19 LST	3.4	5.3	5.6	3.6	3.0	3.4	4.1	3.0	3.6	3.4	2.8	3.2	44.4	9	-16330
SPC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST														0	0
	07 LST	16.3	13.3	12.4	12.5	13.4	15.3	13.9	12.9	12.5	13.9	15.1	15.0	166.5	9	-16330
	13 LST	11.0	9.4	11.3	13.8	12.2	14.7	12.8	14.1	17.8	14.3	14.7	12.3	158.4	9	-16330
	19 LST	12.0	10.5	13.6	14.4	14.2	14.7	13.2	15.7	17.0	13.8	17.0	12.7	168.8	9	-16330
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	6.9	7.3	8.5	10.2	10.4	19.2	26.0	24.5	16.6	13.9	8.5	6.6	158.6	9	-16330
	13 LST	6.5	5.2	5.3	7.2	7.6	16.6	21.6	18.7	11.5	8.6	6.5	3.6	118.9	9	-16330
	19 LST	9.3	8.0	8.8	10.4	9.5	14.6	23.1	22.0	13.1	12.0	11.9	8.0	150.7	9	-16330
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	22.8	22.2	23.1	22.7	26.1	27.5	30.3	29.5	27.4	26.9	23.0	22.4	303.9	9	-16330
	13 LST	24.8	20.0	21.9	25.2	27.0	28.1	30.1	30.1	26.9	27.2	22.5	23.1	306.9	9	-16330
	19 LST	24.1	20.4	24.5	23.9	26.1	28.0	29.9	29.7	26.7	26.8	25.0	24.0	309.1	9	-16330
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	17.7	14.9	16.5	19.2	21.9	25.5	29.5	28.5	25.5	21.8	16.7	13.4	251.1	9	-16330
	13 LST	17.2	12.4	15.4	18.9	21.5	26.0	28.7	26.7	23.0	21.1	15.7	13.3	239.9	9	-16330
	19 LST	17.1	14.9	17.8	18.7	21.3	26.2	28.2	28.0	24.3	23.1	19.2	14.6	233.4	9	-16330
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	17.7	14.7	16.4	19.2	21.9	25.5	29.5	28.5	25.5	21.8	16.5	13.4	250.6	9	-16330
	13 LST	17.2	12.4	15.4	18.9	21.5	26.0	28.7	26.7	23.0	20.9	15.7	13.3	239.7	9	-16330
	19 LST	17.1	14.9	17.8	18.7	21.3	26.2	28.2	28.0	24.3	23.1	19.2	14.6	233.4	9	-16330

TARANTO, ITALY

STA NO. 16330 (IN AREA NUMBER 06)

LATITUDE 4028N

LONGITUDE 01714E

ELEVATION(FT) 00072

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	67	70	75	84	99	105	107	103	108	86	75	69	108	10	-28
MEAN MAX TMP (F)	55	57	60	59	76	84	89	89	83	73	63	58	71	10	-28
MEAN MIN TMP (F)	43	43	45	50	58	66	70	70	65	58	51	45	55	10	-28
ABS MIN TMP (F)	26	27	29	39	46	53	59	56	55	45	37	28	26	10	-28
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0		6.5	14.4	14.4	5.5	0.0	0.0	0.0		10	-29
MEAN NO DYS TMP = DR LES 32(F)			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			10	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN DEW PT TMP (F)	41	41	42	45	53	57	60	61	59	56	49	44	51	10	-29
MEAN REL HUM (PCT)	77	73	70	73	65	58	56	57	64	73	76	77	68	10	-28
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	2.40	1.50	1.50	1.81	1.61	0.79	0.12	0.79	1.81	3.50	2.80	2.60	21.2	26	-122
MEAN SNOW FALL (IN)			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			10	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	7.3	4.9	4.9	5.6	5.2	2.3	0.1	2.3	5.3	8.0	7.1	7.7	60.7	26	-29
MEAN NO DYS SNPL = DR GTR 1.5 IN			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			10	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS YSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI	50.2	54.7	52.2	44.8	35.2	14.8	9.1	14.4	24.0	30.3	43.4	69.4	36.9	9	2709
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	16.6	10.8	13.5	16.8	10.4	4.9	1.5	2.0	4.9	6.9	9.9	15.1	9.4	9	2089
09-11 LST														0	0
12-14 LST	9.1	12.0	12.0	5.8	5.3	2.1	2.9	1.8	5.1	6.3	11.3	14.4	7.3	9	1771
15-17 LST														0	0
18-20 LST	11.4	12.8	9.5	8.0	10.3	2.2	2.3	2.7	4.7	3.7	7.9	10.7	7.2	9	1814
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	6.0	3.4	1.6	6.5	2.1	2.7	1.0	1.3	1.4	3.1	3.3	3.0	3.0	9	2089
09-11 LST														0	0
12-14 LST	1.7	4.2	1.1	0.6	0.7	0.7	2.9	0.9	1.7	2.1	3.8	2.7	1.9	9	1771
15-17 LST														0	0
18-20 LST	3.0	0.8	0.6	0.6	1.7	0.5	0.6	0.0	0.7	0.0	0.8	0.8	0.8	9	1814
21-23 LST														0	0

TARANTO, ITALY

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	26.7	25.7	27.3	25.6	28.7	29.0	30.5	30.3	28.9	29.4	27.8	27.4	337.3	9	2089
	13 LST	29.2	25.8	28.3	28.9	30.1	29.5	30.1	30.7	28.9	29.2	27.7	27.1	345.7	9	1771
	19 LST	28.6	25.2	28.2	28.4	28.3	29.6	30.4	30.3	29.1	30.3	27.8	28.1	344.3	9	1814
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SPC WND LES 10 KTS	01 LST														0	0
	07 LST	20.5	19.0	19.5	21.2	23.0	24.8	24.3	25.5	24.0	24.7	22.0	20.4	268.9	9	2068
	13 LST	17.1	12.6	13.6	17.1	19.3	17.0	16.1	15.7	18.5	18.0	17.3	18.3	196.6	9	1735
	19 LST	18.8	16.1	18.2	19.6	20.5	22.0	21.7	20.8	23.4	21.9	21.2	19.3	243.7	9	1783
SPC WND = GTR 17 KTS AND NO PRECIP.	01 LST														0	0
	07 LST	2.9	2.9	4.8	1.4	2.3	1.9	3.1	1.8	0.8	2.1	2.4	3.6	30.0	9	2104
	13 LST	4.7	6.7	9.4	6.0	5.4	5.2	5.6	7.1	3.8	3.0	3.2	3.1	69.2	9	1776
	19 LST	3.4	5.3	5.6	3.6	3.0	3.4	4.1	3.0	3.6	3.4	2.8	3.2	44.4	9	1819
SPC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST														0	0
	07 LST	16.3	13.3	12.4	12.5	13.4	15.3	13.9	12.9	12.5	13.9	13.1	15.0	166.3	9	2065
	13 LST	11.0	9.4	11.3	13.8	12.2	14.7	12.8	14.1	17.8	14.3	14.7	12.3	158.4	9	1730
	19 LST	12.0	10.3	13.6	14.4	14.2	14.7	13.2	13.7	17.0	13.8	17.0	12.7	168.8	9	1780
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	6.9	7.3	8.5	10.2	10.4	19.2	26.0	24.5	16.6	13.9	8.5	6.6	158.6	9	2082
	13 LST	6.3	5.2	5.3	7.2	7.6	16.6	21.6	18.7	11.5	8.8	6.5	3.6	118.9	9	1751
	19 LST	9.3	8.0	8.8	10.4	9.5	14.6	23.1	22.0	13.1	12.0	11.9	8.0	150.7	9	1799
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	22.8	22.2	23.1	22.7	26.1	27.5	30.3	29.5	27.4	26.9	23.0	22.4	303.9	9	2089
	13 LST	24.8	20.0	21.9	25.2	27.0	28.1	30.1	30.1	26.9	27.2	22.5	23.1	306.9	9	1771
	19 LST	24.1	20.4	24.5	23.9	26.1	28.0	29.9	29.7	26.7	26.8	23.0	24.0	309.1	9	1814
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	17.7	14.9	16.5	19.2	21.9	23.5	29.5	28.5	23.5	21.8	16.7	13.4	251.1	9	2089
	13 LST	17.2	12.4	15.4	18.9	21.5	26.0	28.7	26.7	23.0	21.1	15.7	13.3	239.9	9	1771
	19 LST	17.1	14.9	17.8	18.7	21.3	26.2	28.2	28.0	24.3	23.1	19.2	14.6	253.4	9	1814
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	17.7	14.7	16.4	19.2	21.9	23.5	29.5	28.5	23.5	21.8	16.5	13.4	250.6	9	2089
	13 LST	17.2	12.4	15.4	18.9	21.5	26.0	28.7	26.7	23.0	20.9	15.7	13.3	239.7	9	1771
	19 LST	17.1	14.9	17.8	18.7	21.3	26.2	28.2	28.0	24.3	23.1	19.2	14.6	253.4	9	1814

LECCE/SAN DONATO, ITALY

STA NO. 16332 (IN AREA NUMBER 06)

LATITUDE 4014N

LONGITUDE 01800E

ELEVATION(FT) 00171

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	66	72	77	85	95	102	105	105	105	85	74	68	105	10	-642
MEAN MAX TMP (F)	54	56	60	68	76	84	88	89	82	71	64	59	71	10	-142
MEAN MIN TMP (F)	42	42	44	49	56	63	67	67	64	56	51	45	54	10	-142
ABS MIN TMP (F)	23	26	29	32	40	50	52	53	53	39	29	28	23	10	-642
MEAN NO OYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0		6.5	12.6	14.4	4.5	0.0	0.0	0.0		10	-29
MEAN NO OYS TMP = OR LES 32(F)	4.0	3.8	2.2	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	14.0	2	423
MEAN NO OYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	423
MEAN DEW PT TMP (F)	40	40	41	49	51	56	60	65	61	58	49	45	51	2	8640
MEAN REL HUM (PCT)	81	78	78	74	70	62	62	65	74	80	83	83	74	10	-142
MEAN PRESS ALT (FT)	52	89	113	167	155	161	188	163	96	62	62	73	115	0	-50
MEAN PRECIP (IN)	2.91	2.28	2.24	1.46	1.10	1.18	0.28	0.75	1.67	2.72	3.86	3.90	24.3	10	-142
MEAN SNOW FALL (IN)			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			10	-29
MEAN NO OYS PRCP = OR GTR 0.1 IN	8.3	7.0	6.3	4.8	3.7	3.5	0.6	2.2	5.0	6.9	8.5	9.7	66.8	10	-29
MEAN NO OYS SNFL = OR GTR 1.5 IN			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			10	-29
MEAN NO OYS W/OCUR VSBY LES 1/2 MI	2.0	2.9	3.3	1.0	2.0	1.0	0.0	2.0	0.0	0.0	1.0	1.0	16.2	2	422
MEAN NO OYS TSTMS	2.0	0.0	0.0			0.0	0.0	5.0	1.0	7.0	0.0	1.0		2	334
P FREQ WND SPD = OR GTR 17 KTS	9.4	7.6	8.4	14.2	11.3	9.7	9.4	2.7	4.9	11.4	12.7	5.6	8.9	2	8657
P FREQ WND SPD = OR GTR 28 KTS	1.0	0.9	0.3	0.8	0.0	0.2	0.3	0.0	0.0	0.8	1.3	0.9	0.6	2	8657
P FREQ LES 5000 FT A/D LES 5 MI	28.5	48.4	28.6	24.7	9.7	4.7	6.0	10.6	9.2	18.8	22.0	32.7	20.3	2	8689
P FREQ LES 1900 FT A/D LES 3 MI															
FOR 00-02 LST	7.0	11.5	6.6	6.7	0.0	1.3	0.0	2.2	0.0	2.2	2.2	8.6	4.0	2	1084
03-05 LST	4.8	6.9	14.6	13.3	6.5	2.5	3.4	3.2	0.0	0.0	3.3	5.4	5.5	2	1089
06-08 LST	9.7	6.9	18.0	10.0	0.0	0.0	1.1	7.5	0.0	4.3	4.9	8.6	3.9	2	1087
09-11 LST	4.3	14.9	4.1	0.0	0.0	0.0	0.0	0.0	0.0	2.2	4.4	9.7	3.3	2	1085
12-14 LST	4.9	11.5	1.7	3.3	0.0	0.0	0.0	1.1	2.2	2.2	3.3	6.5	3.1	2	1084
15-17 LST	3.2	13.8	3.3	3.3	0.0	0.0	0.0	0.0	1.1	2.2	0.0	6.5	2.8	2	1087
18-20 LST	2.2	14.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.3	0.0	10.8	3.0	2	1087
21-23 LST	5.9	10.3	0.8	6.0	0.0	0.0	1.1	0.0	0.0	3.2	0.0	11.8	2.8	2	1086
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	4.9	8.0	3.3	0.0	0.0	1.3	0.0	2.2	0.0	0.0	0.0	0.0	1.6	2	1084
03-05 LST	0.5	6.9	10.6	3.3	6.5	1.3	0.0	3.2	0.0	0.0	0.0	0.0	2.7	2	1089
06-08 LST	3.2	6.9	6.6	3.3	0.0	0.0	0.0	1.1	0.0	0.0	2.2	3.2	2.2	2	1087
09-11 LST	0.5	2.3	1.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	0.6	2	1085
12-14 LST	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.0	0.1	2	1084
15-17 LST	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.0	0.2	2	1087
18-20 LST	0.3	3.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	0.0	0.0	0.6	2	1087
21-23 LST	2.7	6.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	2	1086

LECCE/SAN DONATO, ITALY
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	29.0	26.1	29.4	28.0	31.0	29.0	31.0	30.0	30.0	31.0	29.0	29.0	352.5	2	426
	07 LST	28.5	26.1	27.2	28.0	31.0	30.0	31.0	29.0	30.0	29.0	29.0	30.0	348.8	2	423
	13 LST	30.5	27.0	31.0	30.0	31.0	30.0	31.0	30.0	29.0	29.0	30.0	30.0	358.5	2	423
	19 LST	30.5	27.0	31.0	30.0	31.0	30.0	31.0	31.0	30.0	29.0	30.0	30.0	360.5	2	423
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SPC WND LES 10 KTS	01 LST	21.7	15.4	21.0	22.0	25.0	24.0	28.0	27.0	25.0	20.0	20.0	22.0	271.1	2	426
	07 LST	20.0	13.5	19.6	16.0	16.0	17.0	15.0	25.0	23.0	19.0	20.0	20.0	221.1	2	423
	13 LST	16.5	15.4	8.9	8.0	6.0	8.0	7.0	17.0	7.0	7.0	10.0	17.0	127.8	2	422
	19 LST	22.0	18.3	22.3	16.0	16.0	19.0	21.0	23.0	19.0	22.0	19.0	23.0	240.6	2	423
SPC WND = GTR 17 KTS AND NO PRECIP.	01 LST	0.5	1.0	1.1	0.0	1.0	0.0	0.0	0.0	0.0	0.0	3.0	1.0	7.6	2	426
	07 LST	1.5	1.9	1.1	4.0	1.0	4.0	1.0	0.0	1.0	0.0	2.0	1.0	18.5	2	423
	13 LST	4.5	1.0	6.6	8.0	9.0	6.0	4.0	1.0	4.0	6.0	7.0	1.0	58.1	2	422
	19 LST	1.5	0.0	1.1	3.0	3.0	0.0	3.0	0.0	0.0	2.0	0.0	3.0	16.6	2	423
SPC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	12.3	10.6	16.8	18.0	14.0	12.0	17.0	13.0	18.0	15.0	15.0	14.0	175.7	2	426
	07 LST	10.0	10.6	13.6	13.0	12.0	16.0	12.0	17.0	12.0	15.0	18.0	14.0	163.2	2	423
	13 LST	14.0	12.6	7.8	9.0	10.0	8.0	2.0	8.0	10.0	7.0	11.0	14.0	113.4	2	422
	19 LST	13.0	12.6	16.9	16.0	18.0	18.0	18.0	20.0	16.0	18.0	12.0	9.0	187.5	2	423
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	27.1	21.2	28.4	26.0	30.0	29.0	31.0	30.0	30.0	28.0	27.0	25.0	332.7	2	426
	07 LST	26.0	20.3	21.8	26.0	30.0	30.0	30.0	27.0	30.0	27.0	25.0	23.0	316.1	2	423
	13 LST	27.0	21.2	26.6	27.0	31.0	30.0	31.0	30.0	28.0	28.0	24.0	28.0	331.8	2	423
	19 LST	29.0	21.2	27.2	29.0	31.0	30.0	31.0	31.0	29.0	26.0	29.0	26.0	339.4	2	423
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	21.2	15.4	22.1	24.0	28.0	29.0	31.0	29.0	30.0	25.0	24.0	21.0	299.7	2	426
	07 LST	19.0	18.3	17.9	23.0	27.0	30.0	29.0	27.0	28.0	24.0	19.0	19.0	281.2	2	423
	13 LST	18.5	10.6	17.4	19.0	29.0	28.0	28.0	23.0	23.0	27.0	22.0	23.0	268.5	2	423
	19 LST	22.5	16.4	23.9	27.0	28.0	29.0	29.0	30.0	28.0	22.0	27.0	22.0	304.8	2	423
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	17.2	14.5	21.5	22.0	26.0	28.0	30.0	28.0	29.0	19.0	20.0	17.0	272.2	2	426
	07 LST	16.0	15.4	15.8	21.0	25.0	30.0	29.0	24.0	26.0	22.0	18.0	12.0	254.2	2	423
	13 LST	16.0	8.7	14.7	16.0	27.0	27.0	28.0	23.0	22.0	22.0	20.0	15.0	239.4	2	423
	19 LST	20.0	14.5	21.8	26.0	28.0	28.0	29.0	30.0	28.0	19.0	23.0	17.0	284.3	2	423

AREA NO. 06

PARAMETER DESCRIPTION	BOUNDARIES	EASTERN COAST				LATITUDE 4140N				LONGITUDE 01530E				ANN			
		4016N 01647E	4312N 01310E	4312N 01310E	4346N 01310E	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG		SEP	OCT	NOV
MEAN MAX TMP (F)		53	55	59	65	74	82	87	87	81	70	62	56	69			
MEAN MIN TMP (F)		40	40	42	48	55	62	67	67	63	55	48	43	53			
LARGEST MEAN PRECIP(IN)		3.40	2.28	2.24	2.21	2.00	1.89	1.30	1.61	2.80	4.70	3.86	3.90	32.2			
SMALLEST MEAN PRECIP(IN)		1.00	0.86	1.34	1.00	0.06	0.30	0.12	0.75	1.38	2.13	1.59	1.65	13.0			
		MEAN NUMBER OF DAYS															
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	29.2	26.3	29.8	29.0	30.8	29.7	30.9	30.8	29.6	30.3	29.3	29.1	354.8			
	07 LST	28.8	25.9	28.7	27.8	30.5	29.7	30.7	30.5	29.0	29.3	28.7	29.2	348.8			
	13 LST	29.4	27.1	30.2	29.7	30.8	29.9	30.7	30.7	29.6	30.2	29.1	29.3	356.7			
	19 LST	29.6	26.6	30.1	29.4	30.4	29.8	30.9	30.9	29.8	30.4	28.9	29.7	356.5			
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LBS 10 KTS	01 LST	19.2	15.3	21.7	21.9	25.5	24.4	23.9	23.6	22.1	20.9	18.4	20.5	257.6			
	07 LST	19.1	16.1	20.6	19.2	22.7	22.0	19.0	23.3	21.3	20.7	20.0	20.6	244.6			
	13 LST	14.7	11.8	14.1	13.6	13.8	13.1	10.8	14.4	13.4	13.1	14.6	17.5	166.9			
	19 LST	19.4	16.1	21.8	20.4	21.2	20.3	20.2	20.3	19.8	21.4	19.0	20.7	240.6			
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	2.1	1.7	1.3	0.8	0.9	0.6	1.3	1.2	1.2	1.1	1.7	1.4	15.3			
	07 LST	2.4	2.1	1.8	1.8	1.8	1.8	1.9	1.5	1.2	1.2	1.5	2.0	21.0			
	13 LST	3.6	4.3	5.0	4.4	4.3	3.6	4.4	4.0	4.5	4.0	4.1	3.4	49.6			
	19 LST	2.5	2.8	2.1	1.9	2.1	1.6	2.9	2.5	2.4	2.1	1.6	2.9	27.4			
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	11.3	12.1	13.4	14.6	15.0	14.7	16.0	14.8	17.0	14.8	13.6	14.1	171.4			
	07 LST	12.8	12.9	13.6	13.3	13.7	13.3	14.1	15.4	14.1	14.4	14.6	14.2	168.4			
	13 LST	12.1	10.4	11.9	13.3	14.6	13.6	8.7	10.9	11.4	12.0	13.5	13.4	143.8			
	19 LST	13.3	12.0	14.1	14.7	14.4	14.7	14.4	14.2	13.8	13.9	13.3	12.4	167.4			
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	10.0	10.9	14.7	13.4	13.4	21.1	26.2	27.6	24.7	8.9	9.0	10.0	189.9			
	07 LST	5.8	7.1	9.6	10.4	9.7	17.6	23.2	23.8	18.4	9.3	5.7	6.1	146.7			
	13 LST	4.7	4.0	6.1	7.9	5.9	13.1	20.4	19.8	11.1	6.8	5.0	3.8	108.6			
	19 LST	7.8	9.2	9.7	10.7	7.2	14.0	20.1	20.6	15.4	10.3	9.7	9.2	143.9			
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	26.2	23.1	27.7	27.5	30.0	29.4	30.9	30.6	29.3	28.3	26.9	24.8	334.7			
	07 LST	24.7	22.4	25.5	25.9	29.5	29.2	30.4	29.9	28.5	27.7	25.8	24.8	324.3			
	13 LST	23.3	23.3	26.3	27.4	29.8	29.5	30.6	30.6	28.7	28.0	25.2	25.7	330.4			
	19 LST	25.9	22.7	27.3	27.6	29.8	29.4	30.7	30.6	28.5	28.4	26.2	24.8	331.9			
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	19.8	16.9	23.5	24.3	28.0	29.2	30.9	30.2	27.9	25.1	23.0	17.9	296.9			
	07 LST	17.7	17.1	20.2	23.4	27.5	28.6	29.5	29.5	25.9	24.0	20.4	17.5	281.3			
	13 LST	18.4	15.2	19.7	22.8	27.1	26.3	28.7	26.9	24.8	23.5	20.3	18.5	272.2			
	19 LST	20.3	16.2	22.5	24.4	27.5	27.6	29.3	29.4	26.7	24.2	22.3	18.3	288.7			
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	17.2	15.2	20.9	23.2	26.5	28.9	30.5	29.6	26.5	21.9	20.1	15.8	276.3			
	07 LST	15.5	15.1	18.0	22.5	25.8	28.3	29.4	28.5	24.6	22.3	18.6	14.3	262.9			
	13 LST	16.6	13.1	18.2	21.7	25.9	26.0	28.6	26.8	23.9	21.4	18.6	15.7	256.5			
	19 LST	18.7	15.2	20.9	23.4	26.5	27.0	28.5	28.9	25.4	22.1	20.1	16.4	273.1			

PALERMO/PUNTA RAISI, SICILY

STA NO. 16405 (IN AREA NUMBER 01)

LATITUDE 3810N

LONGITUDE 01306E

ELEVATION(FT) 00095

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)														0	0
MEAN MAX TMP (F)	60	61	65	69	75	82	88	89	85	77	70	62	74	0	-90
MEAN MIN TMP (F)														0	0
ABS MIN TMP (F)														0	0
MEAN NO OYS TMP = DR GTR 90(F)														0	0
MEAN NO OYS TMP = DR LES 32(F)														0	0
MEAN NO OYS TMP = DR LES 0(F)														0	0
MEAN DEW PT TMP (F)	43	43	45	48	52	57	62	64	63	57	51	45	53	0	-90
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)	-67	-16	0	52	25	-1	0	11	-18	-24	-9	-26	-5	0	-90
MEAN PRECIP (IN)														0	0
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = DR GTR 0.1 IN														0	0
MEAN NO DYS SNPL = DR GTR 1.5 IN														0	0
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

PALERMO/PUNTA RAISI, SICILY

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	FOR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
SPC WND = GTR 17 KTS AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
SPC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0

DATA NOT AVAILABLE

PALERMO, SICILY

STA NO. 16410 (IN AREA NUMBER 01)

LATITUDE 3806N

LONGITUDE 01310E

ELEVATION(PT) 00345

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (P)	71	78	91	86	98	104	108	113	106	90	84	79	113	10	-528
MEAN MAX TMP (P)	58	60	62	67	83	82	86	87	83	75	67	61	73	10	-28
MEAN MIN TMP (P)	47	47	49	53	59	66	71	72	69	62	55	50	58	10	-28
ABS MIN TMP (P)	34	32	31	42	48	52	59	61	51	48	41	37	31	10	-528
MEAN NO DYS TMP = DR GTR 90(P)	0.0	0.0		0.0	5.7	4.5	9.4	10.9	5.5	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS TMP = DR LES 32(P)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	873
MEAN NO DYS TMP = DR LES 0(P)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	873
MEAN DEW PT TMP (P)	39	41	40	49	52	57	58	63	60	54	49	46	51	3	19152
MEAN REL HUM (PCT)	72	68	66	65	65	61	58	58	60	67	69	70	65	10	-28
MEAN PRESS ALT (FT)	221	272	290	342	315	288	290	301	271	266	280	262	283	0	-50
MEAN PRECIP (IN)	4.41	3.82	2.80	2.09	1.42	0.59	0.32	0.59	1.81	3.70	4.21	5.20	30.8	50	-122
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	10.2	9.6	6.7	6.1	4.7	1.7	0.8	1.7	5.3	8.3	8.8	10.7	74.6	50	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.8	3	813
MEAN NO DYS TSTMS	2.5	3.4	1.0	0.0	1.0	0.0	0.0	0.8	1.4	2.7	1.4	2.5	16.7	3	804
P FREQ WND SPD = DR GTR 17 KTS	21.3	13.3	9.0	4.8	5.0	1.5	2.0	1.7	2.8	4.5	8.3	3.5	6.5	3	19178
P FREQ WND SPD = DR GTR 28 KTS	1.8	1.8	0.6	0.8	0.6	0.0	0.1	0.2	0.3	0.3	0.9	0.4	0.7	3	19178
P FREQ LES 5000 FT A/D LES 3 MI	55.0	50.6	40.1	26.0	8.5	6.1	4.4	5.3	15.1	24.7	37.8	47.6	26.8	4	20162
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	1.1	1.8	0.0	1.7	0.5	0.0	0.0	0.0	0.0	0.7	1.5	2.8	0.8	3	2357
03-05 LST	1.1	1.2	0.5	4.5	0.5	0.0	0.0	0.0	0.0	0.0	0.5	1.7	0.8	3	2402
06-08 LST	2.2	3.2	1.1	3.3	0.0	0.0	0.0	0.4	0.4	0.7	1.2	2.5	1.3	4	2386
09-11 LST	2.2	4.2	1.1	1.7	0.5	0.0	0.0	0.0	0.4	0.4	2.7	3.3	1.4	4	2726
12-14 LST	3.0	5.1	1.6	1.1	1.6	0.0	0.0	0.0	0.8	0.0	0.8	2.9	1.6	4	2726
15-17 LST	2.4	3.0	4.8	3.3	1.1	0.0	0.0	0.4	0.8	0.4	1.7	4.1	1.8	4	2619
18-20 LST	0.0	4.1	4.3	3.9	1.1	0.0	0.0	0.0	1.2	0.4	0.5	3.9	1.6	3	2404
21-23 LST	2.2	1.8	2.2	2.8	1.6	0.0	0.0	0.0	1.2	0.0	0.0	5.6	1.5	3	2387
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.1	3	2357
03-05 LST	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	2402
06-08 LST	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.1	4	2386
09-11 LST	0.0	1.4	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.2	4	2726
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.4	0.1	4	2726
15-17 LST	0.8	0.0	0.5	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.4	0.2	4	2619
18-20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	2404
21-23 LST	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	2387

PALERMO, SICILY

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	30.5	27.5	31.0	29.5	31.0	30.0	31.0	31.0	30.0	30.7	29.6	30.5	302.3	3	817
	07 LST	30.0	27.2	30.5	30.0	31.0	30.0	31.0	31.0	30.0	30.7	29.7	31.0	302.1	4	917
	13 LST	30.0	26.8	30.5	30.0	31.0	30.0	31.0	31.0	30.0	31.0	29.7	30.3	301.3	4	917
	19 LST	31.0	27.0	30.5	29.5	31.0	30.0	31.0	31.0	29.6	31.0	30.0	30.5	302.1	3	818
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	16.0	17.7	23.5	26.0	27.0	28.0	28.5	28.9	26.4	23.3	20.1	24.5	289.9	3	817
	07 LST	19.3	19.1	21.5	25.0	26.5	28.0	28.5	30.3	26.1	24.0	22.3	21.6	292.2	4	917
	13 LST	17.3	14.8	15.0	15.5	16.0	18.5	22.5	22.3	17.6	18.3	19.3	19.9	217.0	4	917
	19 LST	18.7	19.2	23.0	23.0	28.0	29.0	28.5	28.5	25.1	26.0	22.7	23.4	295.1	3	818
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	4.0	3.4	0.5	2.0	1.0	1.0	0.0	0.4	0.4	1.7	1.8	0.0	16.2	3	817
	07 LST	3.7	1.9	2.0	1.0	1.5	0.5	1.0	0.0	0.4	0.7	1.7	1.0	15.4	4	917
	13 LST	3.3	4.3	4.0	2.5	1.0	1.0	2.0	0.7	1.8	2.7	2.7	2.0	28.0	4	917
	19 LST	3.0	2.0	3.0	0.5	0.5	0.0	0.5	0.0	1.1	0.3	0.5	0.5	11.9	3	818
SFC WND 4-10 KTS AND TMP 33-89 DEC F AND NO PRECIP.	01 LST	15.0	11.8	20.5	16.5	19.5	16.5	15.0	9.6	19.5	16.7	14.8	18.0	193.4	3	817
	07 LST	12.0	13.9	16.0	8.5	7.0	10.0	9.5	7.9	13.8	15.3	14.3	17.5	147.7	4	917
	13 LST	13.3	12.1	15.0	18.5	19.5	24.0	21.0	19.1	19.1	18.3	14.3	12.8	207.0	4	917
	19 LST	13.7	10.3	13.5	9.5	14.5	13.5	14.0	12.8	13.4	19.0	13.6	15.8	165.6	3	818
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	2.0	11.2												1	46
	13 LST	0.0	9.3												1	46
	19 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	28.0	27.5	29.5	27.3	31.0	29.5	31.0	31.0	30.0	30.0	29.6	29.5	334.1	3	817
	07 LST	28.7	26.4	30.0	27.0	30.0	30.0	31.0	31.0	30.0	30.7	28.0	29.0	331.8	4	917
	13 LST	28.0	25.7	29.5	29.5	29.5	30.0	31.0	30.6	30.0	30.7	28.7	27.6	330.8	4	917
	19 LST	30.5	25.5	29.0	25.5	29.5	29.0	31.0	31.0	29.3	30.3	28.6	29.3	348.7	3	818
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	14.0	15.2	20.5	24.0	30.0	28.5	30.0	30.6	27.8	25.3	17.5	17.0	280.4	3	817
	07 LST	11.0	14.8	18.0	23.0	29.0	28.5	29.5	29.9	25.8	24.0	15.7	14.5	263.7	4	917
	13 LST	10.0	12.1	15.5	23.5	27.5	28.5	29.5	29.2	23.3	22.3	17.7	13.1	252.2	4	917
	19 LST	16.2	16.2	20.0	21.5	28.5	26.5	29.5	27.4	24.4	22.3	19.5	18.3	270.3	3	818
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	12.5	14.2	18.5	22.5	29.0	27.0	30.0	29.2	26.4	23.0	16.1	13.5	261.9	3	817
	07 LST	8.7	13.6	15.5	18.5	28.0	27.0	29.0	28.8	25.1	20.0	14.3	12.5	241.0	4	917
	13 LST	9.0	11.7	14.5	19.5	27.0	28.0	28.5	29.2	22.6	21.0	16.3	9.4	236.7	4	917
	19 LST	14.3	13.8	17.0	19.0	26.0	26.0	29.5	26.4	23.6	21.3	16.8	16.8	250.5	3	818

MESSINA SICILY

STA NO. 16420 (IN AREA NUMBER 01)

LATITUDE 3812N

LONGITUDE 0153E

ELEVATION(FT) 00167

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	66	73	80	80	91	98	95	99	99	87	75	69	99	10	-28
MEAN MAX TMP (F)	57	59	62	66	73	81	86	86	82	74	68	60	71	10	-28
MEAN MIN TMP (F)	49	48	50	54	59	64	72	73	69	62	56	51	59	10	-28
ABS MIN TMP (F)	34	37	34	44	45	56	64	61	57	52	41	38	34	10	-28
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0		3.6	9.4	9.4	4.5	0.0	0.0	0.0		10	-29
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN DEW PT TMP (F)	43	43	45	48	53	57	64	65	63	58	51	45	53	10	-29
MEAN REL HUM (PCT)	71	71	69	68	67	62	63	64	68	73	71	70	68	10	-28
MEAN PRESS ALT (PT)														0	0
MEAN PRECIP (IN)	3.70	3.31	2.91	2.60	1.50	0.91	0.51	0.98	2.01	3.90	4.80	4.29	31.4	41	-122
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	9.4	8.9	7.0	6.7	4.9	2.7	1.4	2.9	5.7	8.5	9.3	10.1	77.5	41	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 3 MI	62.7	56.1	46.8	50.2	35.3	29.5	20.3	22.1	43.1	47.2	46.7	58.9	43.2	8	2592
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	7.4	10.4	10.0	5.6	6.7	4.3	1.0	3.3	4.1	7.3	10.2	14.3	7.1	8	2392
09-11 LST														0	0
12-14 LST	12.2	12.0	7.2	7.6	4.5	1.7	2.6	0.7	4.5	6.3	10.3	11.2	6.7	8	1840
15-17 LST														0	0
18-20 LST	9.9	6.5	4.7	9.3	4.5	5.5	1.4	3.0	4.9	5.4	7.4	10.3	6.1	8	1453
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.9	2.7	1.4	1.4	2.4	1.4	0.0	0.0	1.0	1.9	2.8	6.3	1.9	8	2392
09-11 LST														0	0
12-14 LST	2.6	2.4	0.6	0.6	1.8	0.0	0.0	0.0	0.8	1.1	3.9	5.6	1.6	8	1840
15-17 LST														0	0
18-20 LST	2.7	1.1	0.0	2.1	0.0	1.8	0.7	1.5	0.0	0.0	1.9	2.9	1.2	8	1453
21-23 LST														0	0

MESSINA, SICILY

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	29.8	26.3	29.0	26.8	29.5	29.1	30.8	30.1	29.0	29.4	27.9	27.4	347.1	8	2392
	13 LST	28.8	26.1	29.6	28.9	29.8	29.7	30.3	31.0	29.5	29.9	27.4	28.1	349.1	8	1840
	19 LST	29.3	27.3	30.7	28.9	30.5	28.6	30.7	30.5	29.2	30.5	28.6	28.9	353.7	8	1453
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST														0	0
	07 LST	24.1	18.9	18.6	19.9	20.9	23.0	25.9	27.0	25.4	24.6	21.3	21.0	270.6	8	2383
	13 LST	17.7	15.1	14.4	12.2	11.2	14.7	14.5	18.2	15.5	18.4	15.8	17.5	189.2	8	1827
	19 LST	20.2	19.4	19.8	19.2	20.4	23.3	25.2	25.5	22.3	24.0	21.6	21.0	261.9	8	1443
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST														0	0
	07 LST	2.4	3.1	4.2	4.8	4.4	2.0	1.3	0.9	1.5	3.0	3.3	3.3	34.2	8	2401
	13 LST	5.0	4.3	7.8	9.2	11.8	7.3	5.5	3.9	7.2	5.8	5.6	4.7	78.1	8	1843
	19 LST	3.0	4.2	6.2	4.6	4.5	3.0	1.7	1.1	2.6	2.8	1.6	4.1	39.4	8	1461
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST														0	0
	07 LST	9.8	8.1	9.4	10.8	14.8	14.4	18.1	19.0	13.4	10.6	6.6	8.3	143.3	8	2353
	13 LST	11.1	8.9	10.2	11.0	8.7	11.6	11.9	14.4	11.9	12.7	11.0	9.3	132.7	8	1807
	19 LST	11.8	9.9	9.6	13.1	13.8	17.7	19.3	18.9	15.2	14.0	8.6	9.4	161.3	8	1439
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	4.5	3.9	4.7	6.8	9.5	15.0	21.4	18.4	13.3	8.2	5.7	5.1	116.5	8	2393
	13 LST	2.1	2.6	3.0	8.0	9.6	14.6	20.5	18.0	10.5	6.3	3.6	2.5	103.3	8	1849
	19 LST	3.5	4.0	4.8	5.9	10.1	11.6	20.6	16.0	9.9	9.0	7.0	5.5	107.9	8	1459
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	22.3	19.8	23.0	24.0	26.2	26.8	29.4	28.8	26.1	25.4	23.2	22.1	297.1	8	2392
	13 LST	20.8	18.8	24.8	23.3	26.2	28.1	28.5	29.1	26.1	25.5	22.8	23.1	297.1	8	1840
	19 LST	19.5	19.7	24.2	22.0	26.3	26.4	29.6	28.1	25.1	24.2	23.6	21.5	290.2	8	1453
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	15.9	15.6	17.4	18.7	23.1	24.6	27.6	26.9	22.3	19.9	18.3	14.5	244.8	8	2392
	13 LST	13.9	12.6	19.4	18.7	21.9	26.1	26.9	26.4	22.5	19.4	16.8	15.3	239.9	8	1840
	19 LST	13.9	13.3	18.4	17.1	23.3	24.0	27.9	25.5	21.7	18.0	16.6	13.2	232.9	8	1453
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	15.9	15.6	17.4	18.7	23.1	24.6	27.6	26.9	22.3	19.9	18.3	14.5	244.8	8	2392
	13 LST	13.9	12.6	19.4	18.7	21.9	26.1	26.9	26.4	22.5	19.4	16.8	15.1	239.7	8	1840
	19 LST	13.9	13.3	18.4	17.1	23.3	24.0	27.9	25.5	21.7	18.0	16.6	13.2	232.9	8	1453

TRAPANI-BIRGI, SICILY

STA NO. 16429 (IN AREA NUMBER 01)

LATITUDE 3754N

LONGITUDE 01229E

ELEVATION(FT) 00049

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
ABS MAX TMP (F)	66	72	82	82	91	100	104	102	102	88	79	70	104	10	-142
MEAN MAX TMP (F)	58	59	62	67	74	82	87	87	83	74	66	60	72	10	-142
MEAN MIN TMP (F)	46	46	46	50	55	63	67	67	66	59	54	48	56	10	-142
ABS MIN TMP (F)	33	36	28	36	43	53	54	54	53	48	39	33	28	10	-142
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0		4.3	10.9	10.9	3.5	0.0	0.0	0.0		10	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		10	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN DEW PT TMP (F)	47	48	47	51	60	61	63	67	66	60	54	48	56	0	-50
MEAN REL HUM (PCT)	82	82	79	74	71	65	65	67	71	76	79	81	74	10	-142
MEAN PRESS ALT (FT)	-109	-59	-41	10	-14	-41	-37	-29	-59	-67	-53	-69	-46	0	-50
MEAN PRECIP (IN)	2.36	2.40	1.46	1.02	0.67	0.43	0.20	0.16	1.54	1.97	2.56	3.19	18.0	10	-122
MEAN SNOW FALL (IN)	0.0	0.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		10	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	7.2	7.3	4.8	3.5	2.1	1.2	0.3	0.2	4.7	5.6	6.7	8.7	52.3	10	-29
MEAN NO DYS SNPL = DR GTR 1.5 IN	0.0	0.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		10	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

TRAPANI-BIRGI, SICILY

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0

DATA NOT AVAILABLE

SCIACCA, SICILY

STA NO. 16436 (IN AREA NUMBER 01)

LATITUDE 3731N

LONGITUDE 01305E

ELEVATION(PT) 00410

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
ABS MAX TMP (F)	72	71	87	83	96	95	104	109	94	85	79	71	109	10	-142
MEAN MAX TMP (F)	58	59	62	67	73	83	87	86	81	74	66	63	72	10	-142
MEAN MIN TMP (F)	47	48	49	53	59	67	71	71	69	63	55	51	59	10	-142
ABS MIN TMP (F)	33	38	29	42	46	56	61	53	58	51	38	40	29	10	-142
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0		5.5	10.9	9.4	3.6	0.0	0.0	0.0		10	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN DEW PT TMP (F)	43	44	44	48	52	57	60	63	63	58	51	48	53	10	-29
MEAN REL HUM (PCT)	74	72	69	67	65	58	56	62	69	72	73	74	68	10	-142
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	3.23	3.23	2.52	1.58	0.67	0.08	0.08	0.12	1.50	2.72	3.19	4.33	23.3	10	-122
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	8.8	8.8	6.7	3.1	2.1	0.0	0.0	0.1	4.7	6.9	7.6	10.1	60.9	10	-29
MEAN NO DYS SNPL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

SCIACCA, SICILY
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SPC WND LES 10 KTS	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SPC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0

DATA NOT AVAILABLE

ENNA, SICILY

STA NO. 16490 (IN AREA NUMBER 01)

LATITUDE 3734N

LONGITUDE 01417E

ELEVATION(FT) 03163

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	58	66	76	76	82	93	94	99	99	83	67	67	99	10	-142
MEAN MAX TMP (F)	45	47	51	58	65	77	82	81	75	63	54	48	62	10	-142
MEAN MIN TMP (F)	36	37	39	45	51	60	64	65	60	52	44	39	49	10	-142
ABS MIN TMP (F)	24	24	19	32	35	46	49	53	50	40	30	25	19	10	-142
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0		4.7	3.8		0.0	0.0	0.0		10	-29
MEAN NO DYS TMP = DR LES 32(F)				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			10	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN DEW PT TMP (F)	36	35	35	39	43	46	49	50	51	46	43	37	43	10	-29
MEAN REL HUM (PCT)	85	79	71	66	61	49	47	49	60	68	80	79	66	10	-142
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	2.86	1.05	1.28	0.61	0.60	0.33	0.39	0.52	1.74	4.52	2.19	2.06	18.1	10	-142
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			10	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	8.2	3.5	4.3	1.9	1.8	0.8	1.0	1.5	5.2	9.1	6.0	6.5	49.8	10	-29
MEAN NO DYS SNPL = DR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			10	-29
MEAN NO DYS W/OCUR VSOY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

ENNA, SICILY
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0

DATA NOT AVAILABLE

CATANIA-SIGONELLA, SICILY

STA NO. 16459 (IN AREA NUMBER 01)

LATITUDE 3724N

LONGITUDE 01455E

ELEVATION(FT) 00077

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	73	78	80	86	96	98	116	108	104	93	88	74	116	8	2800
MEAN MAX TMP (F)	59	60	64	69	78	85	92	92	86	78	70	62	75	8	2851
MEAN MIN TMP (F)	41	39	42	45	51	58	65	66	62	56	49	43	51	8	2851
ABS MIN TMP (F)	23	22	30	32	41	47	55	56	53	40	30	28	22	8	2800
MEAN NO OYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	1.5	7.7	21.1	22.3	6.4	0.6	0.0	0.0	59.6	8	2851
MEAN NO OYS TMP = DR LES 32(F)	3.2	3.4	1.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.5	8.7	8	2094
MEAN NO OYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2800
MEAN DEW PT TMP (F)	43	43	46	49	53	58	61	62	60	57	51	46	52	8	59701
MEAN REL HUM (PCT)	82	79	77	78	70	65	59	59	66	73	78	81	72	8	59705
MEAN PRESS ALT (PT)	-38	5	17	74	54	37	54	47	7	-14	-1	-8	20	0	-50
MEAN PRECIP (IN)	2.97	2.02	1.68	2.30	1.27	0.58	0.26	0.74	1.04	6.40	1.46	2.87	23.6	8	2831
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2831
MEAN NO OYS PRCP = DR GTR 0.1 IN	5.7	3.8	4.0	3.7	2.5	1.4	0.9	1.6	1.6	5.3	2.8	5.3	38.8	8	2831
MEAN NO OYS SNPL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2831
MEAN NO OYS W/DCUR VSBY LES 1/2 MI	0.7	0.3	0.6	0.7	0.5	0.0	0.0	0.0	0.0	0.8	0.3	0.5	4.4	8	2092
MEAN NO OYS TSTMS	1.0	0.7	1.5	3.4	4.4	3.2	3.8	3.6	3.7	3.7	2.0	1.9	34.9	8	2729
P FREQ WND SPD = DR GTR 17 KTS	8.5	12.3	11.3	10.4	8.7	7.5	8.7	6.9	5.3	4.4	5.8	8.4	8.2	8	59646
P FREQ WND SPD = DR GTR 28 KTS	0.4	0.7	0.7	0.5	0.1	0.0	0.2	0.0	0.1	0.1	0.1	0.5	0.3	8	59646
P FREQ LES 3000 FT A/D LES 3 MI	21.3	19.3	21.8	16.9	8.1	4.3	2.2	2.4	5.4	12.4	16.2	24.1	12.9	8	47308
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	3.0	1.5	3.4	2.3	1.8	0.2	0.4	0.2	0.4	4.0	1.7	3.0	1.8	8	5913
03-05 LST	2.0	1.1	1.4	1.9	2.4	0.2	0.0	0.0	0.0	4.2	2.0	2.7	1.3	8	5914
06-08 LST	3.2	1.3	3.4	3.4	2.8	0.4	0.0	0.0	0.0	1.7	2.2	4.5	2.1	8	5919
09-11 LST	3.8	1.3	3.4	1.3	1.2	0.0	0.0	0.4	0.0	1.7	1.5	5.4	1.7	8	5918
12-14 LST	2.0	0.7	2.7	1.7	0.8	0.0	0.0	0.4	0.0	0.4	2.0	5.6	1.4	8	5915
15-17 LST	2.8	1.3	4.3	1.5	0.6	0.2	0.2	0.4	0.0	0.6	1.9	7.2	1.8	8	5915
18-20 LST	2.4	0.9	5.7	2.7	0.8	0.3	0.0	0.4	0.0	1.3	1.9	5.4	1.8	8	5917
21-23 LST	2.0	1.3	3.8	1.7	2.2	0.0	0.0	0.2	0.0	2.9	3.7	3.8	1.8	8	5915
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	1.0	0.4	0.4	1.3	0.8	0.2	0.0	0.0	0.0	1.1	0.0	0.7	0.5	8	5913
03-05 LST	1.0	0.2	0.7	0.6	0.4	0.0	0.0	0.0	0.0	1.7	0.0	0.2	0.4	8	5914
06-08 LST	0.6	0.0	1.1	0.2	0.0	0.0	0.0	0.0	0.0	0.2	1.1	0.2	0.3	8	5919
09-11 LST	0.4	0.0	0.7	0.2	0.2	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.2	8	5918
12-14 LST	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.2	0.1	8	5915
15-17 LST	0.0	0.2	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.1	8	5915
18-20 LST	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.1	8	5917
21-23 LST	0.0	0.4	0.3	0.0	0.2	0.0	0.0	0.0	0.0	0.6	0.7	0.2	0.2	8	5915

CATANIA-SIGONELLA, SICILY

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	30.3	27.7	30.4	29.3	30.3	29.8	31.0	31.0	30.0	30.2	29.6	30.3	300.1	8	2093
	07 LST	30.7	27.5	29.9	28.8	30.3	30.0	31.0	31.0	30.0	30.6	29.5	29.6	358.9	8	2093
	13 LST	30.7	28.0	30.5	29.5	31.0	30.0	31.0	31.0	30.0	31.0	29.6	30.0	362.3	8	2093
	19 LST	30.7	28.0	29.3	29.6	30.8	30.0	31.0	31.0	30.0	30.8	29.8	29.8	360.8	8	2093
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SPC WND LES 10 KTS	01 LST	22.5	17.9	19.5	22.0	25.6	27.3	27.0	26.6	26.4	25.1	22.3	22.0	284.2	8	2092
	07 LST	21.9	20.1	22.3	21.8	25.8	27.8	27.2	28.8	26.6	26.7	21.8	22.3	293.1	8	2092
	13 LST	17.2	12.2	11.5	8.3	3.2	2.5	1.6	4.0	8.4	11.9	15.7	17.6	114.1	8	2092
	19 LST	20.6	16.9	17.8	17.8	17.8	15.8	11.8	14.4	18.6	22.0	20.6	21.6	215.7	8	2092
SPC WND = GTR 17 KTS AND NO PRECIP.	01 LST	1.6	3.2	1.6	1.4	0.3	0.2	0.6	0.2	0.2	0.6	0.7	2.7	13.3	8	2060
	07 LST	1.2	1.8	1.2	1.4	0.2	0.3	0.4	0.4	0.2	0.6	0.7	2.0	10.4	8	2063
	13 LST	4.1	6.5	5.9	7.3	8.1	9.2	9.6	8.0	5.8	5.3	3.7	5.0	78.5	8	2062
	19 LST	1.7	2.3	2.1	3.0	1.5	0.7	1.6	1.8	1.0	0.6	0.5	2.4	19.2	8	2067
SPC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	18.8	16.0	16.6	16.6	19.8	17.4	19.0	19.4	21.2	20.9	18.1	15.9	219.7	8	2060
	07 LST	16.5	14.1	17.5	14.6	14.3	14.2	16.2	16.8	18.4	20.1	18.6	15.7	197.2	8	2063
	13 LST	11.7	9.5	12.3	9.7	5.5	3.7	1.2	3.2	9.7	12.9	12.7	12.2	104.3	8	2062
	19 LST	15.8	15.7	16.3	18.3	19.0	18.9	16.2	18.8	20.0	21.0	15.6	14.8	210.4	8	2067
SKY COVER LES 3/16 AND VSBY = GTR 3 MI	01 LST	11.6	12.7	13.9	17.0	19.0	20.9	28.0	27.2	24.2	17.2	14.6	10.0	216.3	6	1937
	07 LST	7.4	9.3	10.0	13.0	16.0	18.9	27.0	25.8	20.4	12.2	10.0	7.2	177.2	6	1937
	13 LST	3.4	5.5	8.1	7.3	11.5	13.9	23.4	22.8	14.0	7.2	6.2	4.6	127.9	6	1937
	19 LST	9.2	8.7	10.2	7.8	12.5	14.7	21.2	23.4	15.6	13.8	13.8	11.4	162.3	6	1937
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	28.3	26.3	28.0	28.8	30.3	29.8	30.8	30.8	29.6	29.0	27.7	28.0	347.6	8	2093
	07 LST	28.1	26.2	29.2	27.7	30.2	29.8	31.0	31.0	29.6	29.6	27.5	27.2	347.1	8	2093
	13 LST	28.8	27.0	29.0	28.7	30.0	30.0	31.0	30.8	29.4	29.4	28.5	26.7	349.3	8	2093
	19 LST	28.6	26.7	27.4	27.3	30.3	30.0	31.0	30.6	29.8	29.6	28.5	28.5	348.3	8	2093
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	23.3	22.5	23.0	27.2	28.8	29.2	30.8	30.4	28.8	26.3	25.3	25.0	322.6	8	2093
	07 LST	22.7	23.0	25.7	25.7	29.8	29.0	30.8	30.8	29.0	27.9	24.3	22.8	321.5	8	2093
	13 LST	23.8	21.9	22.0	23.8	27.3	28.3	29.2	30.4	27.0	26.3	25.0	22.3	307.3	8	2093
	19 LST	24.6	22.9	22.0	24.3	28.5	28.8	30.2	29.6	27.0	28.2	25.5	24.8	316.4	8	2093
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	20.5	18.6	22.0	25.1	26.8	28.1	30.6	29.4	28.2	23.3	23.5	22.0	300.1	8	2093
	07 LST	19.0	20.1	21.2	23.8	28.6	27.6	30.8	30.0	28.0	25.9	22.0	18.3	293.3	8	2093
	13 LST	19.5	18.6	19.2	21.8	26.5	27.5	28.8	29.6	26.4	24.4	22.8	18.2	283.3	8	2093
	19 LST	21.0	19.4	19.9	22.1	27.5	28.5	29.0	28.6	26.2	24.7	23.3	21.5	291.7	8	2093

CATANIA, SICILY

STA NO. 16460 (IN AREA NUMBER 01)

LATITUDE 3728N

LONGITUDE 01504E

ELEVATION(FT) 06052

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	74	77	87	82	100	107	109	108	103	91	82	77	109	10	-642
MEAN MAX TMP (F)	59	62	64	68	75	83	87	89	85	76	69	62	73	10	-142
MEAN MIN TMP (F)	42	42	44	46	54	61	66	66	64	57	50	44	53	10	-142
ABS MIN TMP (F)	28	22	27	28	41	50	56	55	53	42	27	29	22	10	-642
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.4	3.0	11.6	10.0	7.0	0.2	0.0	0.0	32.2	6	1827
MEAN NO DYS TMP = DR LES 32(F)	2.4	1.8	1.8	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.8	8.0	6	1827
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	1827
MEAN DEW PT TMP (F)	44	42	46	49	55	61	65	65	62	57	50	46	54	6	14604
MEAN REL HUM (PCT)	79	73	74	74	71	64	66	66	69	76	76	78	72	10	-142
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	3.62	2.36	1.97	1.54	0.75	0.24	0.16	0.59	1.69	3.23	4.53	3.90	24.6	32	-122
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0	0.0		0.0		10	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	9.3	7.2	5.9	5.0	2.5	0.5	0.2	1.7	3.1	7.7	9.1	9.7	63.9	32	-29
MEAN NO DYS SNFL = DR GTR 1.3 IN					0.0	0.0	0.0	0.0	0.0	0.0		0.0		10	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	0.4	0.4	1.0	1.2	0.4	0.0	0.2	0.2	0.0	1.0	0.6	0.8	6.2	6	1827
MEAN NO DYS TSTMS	0.6	0.8	1.0	0.4	0.4	0.2	0.4	1.8	2.2	3.6	1.2	0.2	12.8	6	1827
P FREQ WND SPD = DR GTR 17 KTS	8.3	13.4	7.0	7.6	3.7	3.5	2.4	2.6	3.9	3.8	4.9	4.4	3.5	6	43822
P FREQ WND SPD = DR GTR 28 KTS	0.3	1.6	0.8	0.9	0.3	0.6	0.2	0.1	0.1	0.2	0.6	0.3	0.5	6	43822
P FREQ LES 5000 FT A/O LES 3 MI	32.5	33.5	34.1	21.5	14.6	5.8	1.3	2.9	11.3	22.0	21.8	23.4	18.7	6	14605
P FREQ LES 1900 FT A/O LES 3 MI															
PDR 00-02 LST	7.2	7.7	9.0	7.3	2.6	0.0	0.0	0.0	1.3	5.8	2.7	3.9	4.0	6	1824
03-05 LST	7.7	8.3	11.0	9.3	2.6	0.7	0.0	0.6	0.7	6.3	3.3	2.6	4.5	6	1826
06-08 LST	5.2	3.6	11.6	11.3	4.5	0.7	0.0	0.6	1.3	5.8	5.3	3.2	4.6	6	1826
09-11 LST	7.1	11.0	11.0	3.3	3.9	0.7	0.6	0.0	2.0	5.8	5.3	9.0	3.0	6	1827
12-14 LST	7.1	9.2	9.7	4.0	2.6	0.7	0.0	0.0	1.3	8.4	7.3	5.2	4.6	6	1827
15-17 LST	9.0	3.6	12.9	4.0	1.3	0.7	0.0	0.6	1.3	7.7	4.7	4.5	4.4	6	1827
18-20 LST	9.7	9.2	12.9	6.0	2.8	0.0	0.0	0.6	2.0	5.8	4.0	3.2	4.7	4	1826
21-23 LST	7.1	8.3	9.7	4.7	2.6	0.0	0.0	0.6	1.3	5.8	4.0	3.9	4.0	6	1827
P FREQ LES 300 FT A/O LES 1 MI															
PDR 00-02 LST	0.0	0.7	1.3	1.3	0.0	0.0	0.0	0.0	0.0	1.3	0.7	1.3	0.6	6	1824
03-05 LST	0.0	0.7	0.6	2.7	0.6	0.0	0.0	0.6	0.0	1.9	0.0	0.0	0.6	6	1826
06-08 LST	1.3	0.7	1.3	3.3	0.0	0.0	0.0	0.0	0.0	1.9	0.7	0.6	0.8	6	1826
09-11 LST	0.0	0.0	0.0	0.7	1.3	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.2	6	1827
12-14 LST	0.0	0.7	1.3	1.3	0.6	0.0	0.0	0.0	0.0	1.9	0.7	0.6	1.6	6	1827
15-17 LST	1.3	0.7	1.9	0.7	0.0	0.7	0.0	0.6	0.0	2.6	0.7	0.0	0.8	6	1827
18-20 LST	0.6	2.1	1.9	2.7	0.6	0.0	0.0	0.0	0.7	1.9	0.0	0.0	0.9	6	1826
21-23 LST	0.0	0.7	1.9	0.7	0.6	0.0	0.0	0.0	0.0	0.6	0.7	0.0	0.4	6	1827

CATANIA, SICILY

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	29.1	26.4	29.2	28.0	30.4	30.0	31.0	31.0	29.8	29.4	29.4	30.3	334.0	6	1824
	07 LST	30.0	26.8	28.2	26.8	30.0	29.8	31.0	30.8	29.6	29.4	28.6	30.1	331.1	6	1826
	13 LST	29.6	25.8	28.6	29.0	30.4	30.0	31.0	31.0	30.0	29.0	28.4	29.6	332.4	6	1827
	19 LST	28.4	25.8	27.6	28.4	30.2	30.0	31.0	31.0	29.6	29.4	29.2	30.4	331.0	6	1826
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SPC WND LES 10 KTS	01 LST	20.4	19.5	22.8	23.0	26.4	26.6	29.2	28.4	25.8	25.4	23.4	25.1	292.0	6	1824
	07 LST	21.6	19.1	21.8	20.8	25.2	27.8	28.6	29.8	26.8	26.0	23.0	25.3	291.8	6	1826
	13 LST	16.0	11.0	16.6	12.4	14.2	10.6	11.4	14.4	10.2	17.2	17.0	19.6	170.6	6	1827
	19 LST	20.0	19.9	21.6	21.2	21.8	23.2	22.3	25.8	24.2	25.0	23.2	24.0	268.2	6	1826
SPC WND = GTR 17 KTS AND NO PRECIP.	01 LST	2.0	2.3	0.8	1.0	0.4	0.4	0.0	0.4	1.0	0.3	2.0	1.4	12.0	6	1828
	07 LST	1.6	2.3	1.2	1.6	0.4	0.6	0.2	0.4	0.6	0.0	0.8	0.6	10.3	6	1827
	13 LST	4.2	5.3	3.4	3.2	2.2	2.0	0.8	1.6	2.4	1.4	3.0	2.8	32.3	6	1827
	19 LST	2.0	1.9	1.0	1.6	1.2	1.0	1.2	1.2	0.4	0.6	1.2	0.2	19.5	6	1827
SPC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	10.7	9.2	8.4	10.6	8.4	9.4	8.8	8.0	8.4	9.0	8.8	9.4	109.1	6	1823
	07 LST	12.2	8.6	8.6	8.6	9.4	8.4	7.4	6.4	6.8	11.8	8.0	12.0	108.2	6	1826
	13 LST	11.4	10.2	16.0	15.8	19.2	16.8	16.8	15.8	15.8	16.4	14.2	11.6	180.0	6	1827
	19 LST	9.8	10.2	10.4	10.4	14.2	18.6	19.8	18.4	14.0	9.8	9.0	9.0	133.6	6	1827
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	10.4	10.6	14.4	13.0	18.6	23.8	29.2	26.6	19.8	14.7	11.2	13.2	207.3	6	1828
	07 LST	10.2	9.8	11.0	13.0	12.2	18.2	26.4	25.0	16.6	9.8	10.2	11.8	174.2	6	1827
	13 LST	5.8	5.3	6.4	6.2	6.6	15.0	24.4	21.6	13.8	7.0	6.2	8.8	127.1	6	1827
	19 LST	8.4	5.9	8.4	8.4	8.2	15.6	23.6	20.2	10.6	7.8	10.0	10.6	137.7	6	1827
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	26.3	24.4	25.2	26.8	29.2	29.8	30.8	30.6	28.8	28.0	27.6	27.5	333.0	6	1824
	07 LST	27.2	24.4	25.6	26.0	29.0	29.6	31.0	30.8	28.8	28.6	27.0	28.9	336.9	6	1826
	13 LST	26.0	23.6	26.0	26.8	29.4	29.4	31.0	30.8	28.6	26.4	25.6	27.8	331.4	6	1827
	19 LST	25.4	23.8	24.6	26.8	29.2	29.6	31.0	30.8	29.0	27.4	28.0	29.0	334.6	6	1826
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	19.8	19.7	21.6	24.0	26.6	29.2	30.4	29.6	26.4	24.4	22.2	22.3	296.2	6	1824
	07 LST	22.6	21.0	23.4	24.6	28.2	28.6	30.8	30.6	27.8	26.4	23.6	23.7	311.3	6	1826
	13 LST	22.2	17.3	21.6	23.4	25.8	27.8	30.4	29.8	26.0	23.8	22.2	24.6	294.9	6	1827
	19 LST	21.2	17.9	19.2	23.4	25.8	27.8	29.7	30.4	25.8	22.8	24.2	24.8	293.0	6	1826
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	19.8	19.7	21.6	24.0	26.6	29.2	30.4	29.6	26.4	24.4	22.2	22.3	296.2	6	1824
	07 LST	22.6	20.9	23.4	24.6	28.2	28.6	30.8	30.6	27.8	26.4	23.6	23.7	311.2	6	1826
	13 LST	22.2	17.3	21.6	23.4	25.8	27.8	30.4	29.8	26.0	23.8	22.2	24.6	294.7	6	1827
	19 LST	21.2	17.9	19.2	23.4	25.8	27.8	29.7	30.4	25.8	22.8	24.2	24.8	293.0	6	1826

SIRACUSA, SICILY

STA NO. 16464 (IN AREA NUMBER 01)

LATITUDE 3704N

LONGITUDE 01517E

ELEVATION(FT) 00049

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	69	75	79	94	91	98	104	105	104	95	80	77	105	30	-28
MEAN MAX TMP (F)	58	60	63	68	74	82	88	89	83	76	67	62	73	30	-28
MEAN MIN TMP (F)	44	45	47	51	57	63	68	69	66	60	53	47	56	30	-28
ABS MIN TMP (F)	32	32	34	37	45	52	57	58	53	47	35	32	32	30	-28
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0			4.5	12.6	14.4	5.5		0.0	0.0		30	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	30	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	30	-29
MEAN DEW PT TMP (F)	41	41	44	49	52	55	59	63	62	58	50	44	52	23	-29
MEAN REL HUM (PCT)	71	69	69	72	65	58	56	62	69	74	73	71	67	10	-142
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	3.60	2.50	1.70	1.50	0.70	0.20	0.70	0.40	2.20	3.80	3.60	3.70	26.6	30	-28
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	30	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	9.3	7.5	5.4	4.9	2.2	0.3	2.1	1.1	6.0	8.4	9.6	9.4	66.2	30	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	30	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1900 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

SIRACUSA, SICILY
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SPC WND LES 10 KTS	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SFC WND 4-10 KTS AND THP 33-09 DEG P AND NO PRECIP.	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0

DATA NOT AVAILABLE

PANTELLERIA, SICILY

STA NO. 16470 (IN AREA NUMBER 01)

LATITUDE 3648N

LONGITUDE 01197E

ELEVATION(FT) 00833

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	66	74	88	85	87	106	98	104	95	88	79	69	106	10	-28
MEAN MAX TMP (F)	54	55	58	62	66	78	81	82	77	71	63	58	67	10	-28
MEAN MIN TMP (F)	47	47	49	53	56	64	68	69	68	62	55	50	57	10	-28
ABS MIN TMP (F)	32	37	39	42	47	50	51	62	55	49	38	38	32	10	-28
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0		3.8	4.7		0.0	0.0	0.0		10	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN DEW PT TMP (F)	45	44	48	50	52	60	65	67	65	59	52	49	55	0	-50
MEAN REL HUM (PCT)	81	79	78	76	73	69	72	74	77	77	79	81	76	10	-28
MEAN PRESS ALT (PT)	497	549	568	621	604	577	581	586	556	545	556	534	565	0	-50
MEAN PRESS ALT (PT)	1.90	1.20	0.80	1.00	0.90	0.10	0.05	0.10	0.20	2.20	1.90	1.50	10.6	10	-28
MEAN PRECIP (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	6.1	4.0	2.7	3.4	0.4	0.0	0.0	0.0	1.6	6.0	4.2	4.9	33.3	10	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

PANTELLERIA, SICILY
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SPC WND LES 10 KTS	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
SPC WND = GTR 17 KTS AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
SPC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0

DATA NOT AVAILABLE

COZZO SPADARO, SICILY

STA NO. 10480 (IN AREA NUMBER 01)

LATITUDE 3641N

LONGITUDE 01508E

ELEVATION(FT) 00191

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	68	70	78	75	86	98	97	99	100	84	76	68	100	10	-142
MEAN MAX TMP (F)	58	59	61	65	72	80	85	86	82	74	67	61	71	10	-142
MEAN MIN TMP (F)	48	48	50	54	60	67	71	72	70	63	57	51	59	10	-142
ABS MIN TMP (F)	33	33	32	45	46	54	62	63	61	52	44	40	32	10	-142
MEAN NO OYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0		8.1	9.4	4.5	0.0	0.0	0.0		10	-29
MEAN NO OYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO OYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN DEW PT TMP (F)	45	44	46	51	56	60	65	66	65	59	53	48	55	10	-29
MEAN REL HUM (PCT)	77	74	74	75	73	66	67	67	71	75	75	76	73	10	-142
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	3.94	1.30	1.71	0.95	0.31	0.12	0.01	0.48	1.07	4.71	2.04	2.94	19.2	10	-142
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO OYS PRCP = DR GTR 0.1 IN	9.2	4.3	5.4	3.2	0.4	0.1	0.0	1.3	3.7	9.2	5.7	8.2	50.8	10	-29
MEAN NO OYS SNPL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSHS														0	0
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 3 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

COZZO SPADARO, SICILY
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEC F AND NO PRECIP.	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0

DATA NOT AVAILABLE

AREA NO. 01

SICILY		SICILY BOUNDARIES		LATITUDE 3730N LONGITUDE 01400E											
PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	
MEAN MAX TMP (F)		57	58	61	66	73	81	86	87	82	74	66	60	71	
MEAN MIN TMP (F)		45	45	47	50	56	63	68	69	66	60	53	47	56	
LARGEST MEAN PRECIP(IN)		4.41	3.82	2.91	2.60	1.50	0.91	0.70	0.98	2.20	6.40	5.60	5.20	37.2	
SMALLEST MEAN PRECIP(IN)		1.90	1.05	0.80	0.61	0.30	0.08	0.01	0.10	0.20	1.97	1.30	1.50	9.8	
		MEAN NUMBER OF DAYS													
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	30.0	27.2	30.2	28.9	30.6	29.9	31.0	31.0	29.9	30.1	29.5	30.4	358.7	
	07 LST	30.1	27.0	29.4	28.6	30.2	29.7	31.0	30.7	29.7	30.0	28.9	29.5	354.8	
	13 LST	29.8	26.7	29.8	29.4	30.6	29.9	30.8	31.0	29.9	30.2	28.8	29.5	356.4	
	19 LST	29.9	27.0	29.5	29.1	30.6	29.7	30.9	30.9	29.6	30.4	29.4	29.9	356.9	
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	01 LST	19.6	17.0	21.9	23.7	26.3	27.3	28.2	28.0	26.2	24.6	21.9	23.9	288.6	
	07 LST	21.7	18.3	21.1	21.9	24.6	26.7	27.6	29.0	26.2	25.3	22.1	22.6	287.1	
	13 LST	17.1	13.3	14.4	12.1	11.2	11.6	12.5	14.7	12.9	16.5	17.0	18.7	172.0	
	19 LST	19.9	17.9	20.6	20.3	22.0	22.8	22.0	23.6	22.6	24.3	22.0	22.5	260.5	
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	2.5	3.0	1.0	1.5	0.6	0.5	0.2	0.3	0.5	0.9	1.5	1.4	13.9	
	07 LST	2.2	2.3	2.2	2.2	1.6	0.9	0.7	0.4	0.7	1.1	1.6	1.7	17.6	
	13 LST	4.2	3.1	3.3	3.6	3.8	4.9	4.3	3.6	4.3	3.8	3.8	3.6	34.5	
	19 LST	2.4	2.6	3.1	2.4	1.9	1.2	1.3	1.0	1.3	1.1	1.0	1.8	21.1	
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	14.8	12.3	15.2	14.6	15.9	14.4	14.3	12.3	16.4	15.5	13.9	14.4	174.0	
	07 LST	12.6	11.7	12.9	10.6	11.4	11.8	12.8	12.5	13.1	14.5	11.9	13.4	149.2	
	13 LST	11.9	10.2	13.4	13.8	13.2	14.0	12.7	13.1	14.1	15.1	13.1	11.5	156.1	
	19 LST	13.3	11.5	12.5	12.8	15.4	17.2	17.3	17.2	15.7	16.0	11.7	12.3	172.9	
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	11.0	11.7	14.2	16.0	18.8	22.4	28.6	26.9	22.0	16.0	12.9	11.6	212.1	
	07 LST	6.0	8.6	8.6	10.9	12.6	17.4	24.9	23.1	16.8	10.1	8.6	8.0	155.6	
	13 LST	2.8	5.7	6.5	7.2	9.2	14.5	22.8	20.8	12.8	6.8	5.3	5.3	119.7	
	19 LST	7.0	6.2	7.8	7.4	10.3	14.0	21.8	19.9	12.0	10.2	10.3	9.2	136.1	
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	27.5	26.1	27.6	27.7	30.2	29.7	30.9	30.8	29.5	29.0	28.3	28.3	345.6	
	07 LST	26.6	24.2	27.0	26.2	28.9	29.1	30.6	30.4	28.6	28.6	26.4	26.8	333.4	
	13 LST	25.9	23.8	27.3	27.1	28.8	29.4	30.4	30.3	28.5	28.0	26.4	26.3	332.2	
	19 LST	26.0	23.9	26.3	25.4	28.8	28.8	30.7	30.1	28.3	27.9	27.2	27.1	330.5	
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	19.0	19.1	22.4	23.1	28.5	29.0	30.4	30.2	27.7	25.3	21.7	21.4	299.8	
	07 LST	18.1	18.6	21.1	23.0	27.5	27.7	29.7	29.6	26.2	24.6	20.5	18.9	285.5	
	13 LST	17.5	16.0	19.6	22.4	25.6	27.7	29.0	29.0	24.7	23.0	20.4	18.8	273.7	
	19 LST	19.0	17.6	19.9	21.6	26.5	26.8	29.3	28.2	24.7	22.8	21.5	20.3	278.2	
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	17.6	17.5	20.7	23.9	27.5	28.1	30.3	29.4	27.0	24.2	20.6	19.3	286.1	
	07 LST	16.6	17.6	19.4	21.4	27.0	27.0	29.6	29.1	25.8	23.1	19.6	17.3	273.5	
	13 LST	16.2	15.1	18.7	20.9	25.3	27.4	28.7	28.8	24.4	22.2	19.5	16.8	264.0	
	19 LST	17.6	16.1	18.6	20.4	25.7	26.6	29.0	27.7	24.3	21.7	20.2	19.1	267.0	

HAL FAR, MALTA

STA NO. 14200/ (IN AREA NUMBER 01)

LATITUDE 3548N

LONGITUDE 01431E

ELEVATION(PT) 00230

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	76	76	83	93	92	99	104	105	100	94	82	75	105	90	-16597
MEAN MAX TMP (F)	59	59	62	66	71	79	84	84	81	76	68	62	71	90	-16597
MEAN MIN TMP (F)	31	31	32	36	41	47	52	53	51	46	39	34	41	90	-16597
ABS MIN TMP (F)	39	34	37	44	49	57	62	62	57	45	42	39	34	90	-16597
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0				6.8	8.1	3.6		0.0	0.0		90	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	90	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	90	-29
MEAN DEW PT TMP (F)	46	47	49	53	57	62	67	70	67	62	55	49	57	0	-50
MEAN REL HUM (PCT)	72	72	72	71	70	67	65	69	70	71	73	73	70	17	-16597
MEAN PRESS ALT (FT)	107	104	102	219	211	192	207	202	162	135	131	134	170	0	-50
MEAN PRECIP (IN)	3.30	2.30	1.50	0.80	0.40	0.10	0.05	0.20	1.30	2.70	3.60	3.90	20.1	90	-16597
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	90	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	8.9	7.0	4.9	2.7	0.9	0.0	0.0	0.3	4.2	6.9	8.2	9.7	53.7	90	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	90	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSNS	2.0	1.0	2.0	1.0	1.0	1.0	0.3	1.0	2.0	6.0	3.0	4.0	24.3	20	-16597
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 3000 FT A/D LES 3 MI	34.5	22.9	28.1	12.2	13.9	0.0	2.1	4.3	5.6	15.8	15.5	19.8	14.6	3	-16597
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	8.4	7.3	6.8	9.1	4.4	4.9	1.7	1.3	3.8	5.7	5.2	7.0	5.5	9	-16597
09-11 LST														0	0
12-14 LST	8.1	9.2	8.6	5.1	3.0	1.4	0.5	0.0	3.2	5.6	3.2	5.6	4.6	9	-16597
15-17 LST														0	0
18-20 LST	4.3	2.2	11.8	3.6	3.6	0.0	0.0	0.0	0.0	4.7	1.6	3.9	3.3	3	-16597
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	1.6	0.6	1.0	1.9	0.4	1.0	0.4	0.0	0.9	1.3	0.9	1.8	1.0	9	-16597
09-11 LST														0	0
12-14 LST	0.5	3.4	1.3	1.1	1.2	1.4	0.0	0.0	2.1	2.0	0.5	1.7	1.3	9	-16597
15-17 LST														0	0
18-20 LST	2.1	0.0	0.0	1.4	0.0	0.0	0.0	0.0	0.0	3.1	0.0	1.3	0.7	3	-16597
21-23 LST														0	0

HAL FAR, MALTA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	29.8	27.1	29.8	28.1	30.0	28.9	30.7	30.7	29.2	24.7	29.0	29.7	352.7	9	-16597
	13 LST	29.8	26.5	29.5	28.8	30.4	29.5	30.8	31.0	29.2	29.9	29.7	30.2	355.3	9	-16597
	19 LST	30.3	28.0	29.3	28.7	30.4	30.0	31.0	31.0	30.0	29.5	30.0	30.0	358.2	3	-16597
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SPC WND LES 10 KTS	01 LST														0	0
	07 LST	18.6	14.0	15.0	15.0	17.3	21.9	26.5	26.9	21.0	22.3	19.0	18.4	235.9	9	-16597
	13 LST	13.1	9.3	11.7	13.3	15.3	22.0	24.4	23.7	18.1	16.9	14.1	12.6	194.5	9	-16597
	19 LST	15.8	11.8	13.8	17.7	13.8	30.0	24.8	24.8	23.5	21.3	18.5	20.0	235.8	3	-16597
SPC WND = GTR 17 KTS AND NO PRECIP.	01 LST														0	0
	07 LST	2.7	4.7	5.4	4.4	5.1	1.5	0.8	0.6	1.9	1.8	2.6	3.5	35.0	9	-16597
	13 LST	3.9	7.8	8.0	7.4	5.6	3.3	1.6	1.4	3.4	3.6	4.5	5.9	56.4	9	-16597
	19 LST	3.9	7.4	5.7	2.9	4.9	0.0	0.6	0.7	2.5	4.9	3.3	3.1	39.9	3	-16597
SPC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST														0	0
	07 LST	10.4	10.3	10.6	13.5	14.3	16.2	16.9	16.0	13.3	14.2	12.3	12.6	160.6	9	-16597
	13 LST	7.5	8.1	10.4	12.1	14.4	18.4	20.4	19.4	15.3	13.7	10.5	8.7	158.9	9	-16597
	19 LST	9.4	9.3	11.5	13.6	13.2	24.0	14.8	19.3	16.7	17.0	12.8	13.5	177.3	3	-16597
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	8.1	8.5	12.0	12.2	14.2	20.6	27.2	24.6	18.0	10.2	8.7	6.8	171.1	9	-16597
	13 LST	6.4	8.8	8.8	11.6	17.1	23.0	29.3	26.5	18.0	10.5	8.5	7.0	173.5	9	-16597
	19 LST	10.7	15.3	11.4	14.5	16.0	22.5	28.6	29.4	22.7	18.4	11.8	13.5	217.0	3	-16597
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	25.6	23.5	26.8	26.2	28.6	28.0	30.0	30.3	28.4	27.7	27.1	27.0	329.4	9	-16597
	13 LST	25.8	23.4	26.1	27.6	29.4	29.3	30.8	30.8	28.2	28.0	26.4	26.6	332.4	9	-16597
	19 LST	26.3	26.7	24.0	27.9	28.7	30.0	31.0	31.0	29.5	28.5	28.0	26.8	338.4	3	-16597
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	23.0	21.3	25.6	25.9	27.9	27.9	29.7	30.3	27.7	26.4	25.4	24.7	316.0	9	-16597
	13 LST	22.6	20.4	24.7	26.7	28.9	29.3	30.6	30.5	27.6	27.2	25.3	24.7	318.7	9	-16597
	19 LST	21.7	24.2	22.4	27.9	28.7	30.0	31.0	31.0	28.7	27.1	27.1	25.5	323.3	3	-16597
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	23.0	21.3	25.6	25.9	27.9	27.9	29.7	30.3	27.3	26.2	25.4	24.6	315.5	9	-16597
	13 LST	22.6	20.4	24.7	26.7	28.9	29.3	30.6	30.3	27.6	27.2	25.3	24.7	318.7	9	-16597
	19 LST	21.7	24.2	22.4	27.9	28.7	30.0	31.0	31.0	28.7	27.1	26.6	25.5	324.8	3	-16597

TA KALI, MALTA

STA NO. 14583/ (IN AREA NUMBER 01)

LATITUDE 3553N

LONGITUDE 01425E

ELEVATION(FT) 00340

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	FOR (YRS)	NO. OBS
ABS MAX TMP (F)	76	76	83	93	92	99	104	105	100	94	82	73	109	90	-16597
MEAN MAX TMP (F)	59	59	62	66	71	79	84	85	81	76	68	62	71	90	-16597
MEAN MIN TMP (F)	51	51	52	56	61	67	72	73	71	66	59	54	61	90	-16597
ABS MIN TMP (F)	39	34	37	44	49	37	62	62	57	43	42	39	34	90	-16597
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0				6.8	8.1	3.6		0.0	0.0		90	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	90	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	90	-29
MEAN DEW PT TMP (F)	46	46	48	52	56	62	66	68	66	61	55	49	56	0	-50
MEAN REL HUM (PCT)	72	72	72	71	70	67	65	69	70	71	73	73	70	17	-16597
MEAN PRESS ALT (FT)	217	264	272	329	321	303	318	313	272	245	260	244	280	0	-30
MEAN PRECIP (IN)	3.30	2.30	1.30	0.80	0.40	0.10	0.03	0.20	1.30	2.70	3.60	3.90	20.1	90	-16597
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	90	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	8.9	7.0	4.9	2.7	0.9	0.0	0.0	0.3	4.2	6.9	8.2	9.7	33.7	90	-29
MEAN NO DYS SMPL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	90	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	2.0	1.0	2.0	1.0	1.0	1.0	0.3	1.0	2.0	6.0	3.0	4.0	24.3	20	-16597
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 26 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI	34.5	22.9	28.1	12.2	13.9	0.0	2.1	4.3	3.6	15.8	15.5	19.8	14.6	3	-16597
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	8.4	7.3	6.8	9.1	4.4	4.9	1.7	1.3	3.8	3.7	3.2	7.0	3.5	9	-16597
09-11 LST														0	0
12-14 LST	8.1	9.2	8.6	3.1	3.0	1.4	0.3	0.0	3.2	3.6	3.2	3.6	4.6	9	-16597
15-17 LST														0	0
18-20 LST	4.3	2.2	11.8	3.6	3.6	0.0	0.0	0.0	0.0	4.7	1.6	3.9	3.3	3	-16597
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	1.6	0.6	1.0	1.9	0.4	1.0	0.4	0.0	0.9	1.3	0.9	1.8	1.0	9	-16597
09-11 LST														0	0
12-14 LST	0.3	3.4	1.3	1.1	1.2	1.4	0.0	0.0	2.1	2.0	0.3	1.7	1.3	9	-16597
15-17 LST														0	0
18-20 LST	2.1	0.0	0.0	1.4	0.0	0.0	0.0	0.0	0.0	3.1	0.0	1.3	0.7	3	-16597
21-23 LST														0	0

TA KALI, MALTA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	29.8	27.1	29.8	28.1	30.0	28.9	30.7	30.7	29.2	29.7	29.0	29.7	332.7	9	-16597
	13 LST	29.8	26.5	29.3	28.8	30.4	29.3	30.8	31.0	29.2	29.9	29.7	30.2	353.3	9	-16597
	19 LST	30.3	28.0	29.3	28.7	30.4	30.0	31.0	31.0	30.0	29.5	30.0	30.0	358.2	3	-16597
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST														0	0
	07 LST	18.6	14.0	15.0	15.0	17.3	21.9	26.5	26.9	21.0	22.3	19.0	18.4	235.9	9	-16597
	13 LST	13.1	9.3	11.7	13.3	15.3	22.0	24.4	23.7	18.1	16.9	14.1	12.6	194.5	9	-16597
	19 LST	15.8	11.8	13.8	17.7	13.8	30.0	24.8	24.8	23.5	21.3	18.5	20.0	235.8	3	-16597
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST														0	0
	07 LST	2.7	4.7	5.4	4.4	5.1	1.3	0.8	0.6	1.9	1.8	2.6	3.5	35.0	9	-16597
	13 LST	3.9	7.8	8.0	7.4	5.6	3.3	1.6	1.4	3.4	3.6	4.5	5.9	56.4	9	-16597
	19 LST	3.9	7.4	5.7	2.9	4.9	0.0	0.6	0.7	2.3	4.9	3.3	3.1	39.9	3	-16597
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST														0	0
	07 LST	10.4	10.3	10.6	13.5	14.3	16.2	16.9	16.0	13.3	14.2	12.3	12.6	160.6	9	-16597
	13 LST	7.5	8.1	10.4	12.1	14.4	18.4	20.4	19.4	15.3	13.7	10.3	8.7	158.9	9	-16597
	19 LST	9.4	9.5	11.5	13.6	13.2	24.0	14.8	19.3	16.7	17.0	12.8	15.5	177.3	3	-16597
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	8.1	8.5	12.0	12.2	14.2	20.6	27.2	24.6	18.0	10.2	8.7	6.8	171.1	9	-16597
	13 LST	6.4	8.8	8.8	11.6	17.1	23.0	29.3	26.5	18.0	10.3	8.5	7.0	175.5	9	-16597
	19 LST	10.7	15.5	11.4	14.5	16.0	22.5	28.6	29.4	22.7	18.4	11.8	15.5	217.0	3	-16597
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	25.6	23.3	26.8	26.2	28.6	28.0	30.0	30.5	28.4	27.7	27.1	27.0	329.4	9	-16597
	13 LST	25.8	23.4	26.1	27.6	29.4	29.3	30.8	30.8	28.2	28.0	26.4	26.6	332.4	9	-16597
	19 LST	26.3	26.7	24.0	27.9	28.7	30.0	31.0	31.0	29.5	28.3	28.0	26.8	338.4	3	-16597
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	23.0	21.3	25.6	25.9	27.9	27.9	29.7	30.5	27.7	26.4	25.4	24.7	316.0	9	-16597
	13 LST	22.6	20.4	26.7	26.7	28.9	29.3	30.8	30.5	27.6	27.2	25.3	24.7	318.7	9	-16597
	19 LST	21.7	24.2	22.4	27.9	28.7	30.0	31.0	31.0	28.7	27.1	27.1	25.5	323.3	3	-16597
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	23.0	21.3	25.6	25.9	27.9	27.9	29.7	30.5	27.5	26.2	25.4	24.6	315.3	9	-16597
	13 LST	22.6	20.4	24.7	26.7	28.9	29.3	30.8	30.5	27.6	27.2	25.3	24.7	318.7	9	-16597
	19 LST	21.7	24.2	22.4	27.9	28.7	30.0	31.0	31.0	28.7	27.1	26.6	25.5	324.8	3	-16597

LUQA, MALTA

STA NO. 16597 (IN AREA NUMBER 01)

LATITUDE 3551N

LONGITUDE 01428E

ELEVATION(FT) 0297

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	76	76	83	93	92	99	104	105	100	94	82	75	105	90	-28
MEAN MAX TMP (F)	59	59	62	66	71	79	84	85	81	76	68	62	71	90	-28
MEAN MIN TMP (F)	51	51	52	56	61	67	72	73	71	66	59	54	61	90	-28
ABS MIN TMP (F)	39	34	37	44	49	57	62	62	57	45	42	39	34	90	-28
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0				6.8	8.1	3.6		0.0	0.0		90	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	90	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	90	-29
MEAN DEW PT TMP (F)	46	46	49	51	56	62	66	69	66	62	55	49	56	0	-50
MEAN REL HUM (PCT)	72	72	72	71	70	67	65	69	70	71	73	73	70	17	-28
MEAN PRESS ALT (FT)	174	221	229	286	278	259	274	269	229	202	218	201	237	0	-50
MEAN PRECIP (IN)	3.30	2.30	1.90	0.80	0.40	0.10	0.05	0.20	1.30	2.70	3.60	3.90	20.1	90	-28
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	90	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	8.9	7.0	4.9	2.7	0.9	0.0	0.0	0.5	4.2	6.9	8.2	9.7	53.7	90	-29
MEAN NO DYS SNPL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	90	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	2.0	1.0	2.0	1.0	1.0	1.0	0.3	1.0	2.0	6.0	3.0	4.0	24.3	20	-24
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WNC SPD = DR GTR 28 KTS														0	0
P FREQ LES 500 FT A/D LES 5 MI	34.5	22.9	28.1	12.2	13.9	0.0	2.1	4.3	5.6	15.8	15.5	19.8	14.6	3	1326
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	8.4	7.5	6.8	9.1	4.4	4.9	1.7	1.3	3.8	5.7	5.2	7.0	5.5	9	2340
09-11 LST														0	0
12-14 LST	8.1	9.2	8.6	5.1	3.0	1.4	0.5	0.0	3.2	3.6	3.2	5.6	4.6	9	2244
15-17 LST														0	0
18-20 LST	4.3	2.2	11.8	5.6	3.6	0.0	0.0	0.0	0.0	4.7	1.6	3.9	3.3	3	672
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	1.6	0.6	1.0	1.9	0.4	1.0	0.4	0.0	0.9	1.3	0.9	1.8	1.0	9	2340
09-11 LST														0	0
12-14 LST	0.5	3.4	1.3	1.1	1.2	1.4	0.0	0.0	2.1	2.0	0.5	1.7	1.3	9	2244
15-17 LST														0	0
18-20 LST	2.1	0.0	0.0	1.4	0.0	0.0	0.0	0.0	0.0	3.1	0.0	1.5	0.7	3	672
21-23 LST														0	0

LUQA, MALTA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	29.8	27.1	29.8	28.1	30.0	28.9	30.7	30.7	29.2	29.7	29.0	29.7	352.7	9	2540
	13 LST	29.8	26.5	29.5	28.8	30.4	29.5	30.8	31.0	29.2	29.9	29.7	30.2	355.3	9	2244
	19 LST	30.3	28.0	29.3	28.7	30.4	30.0	31.0	31.0	30.0	29.5	30.0	30.0	358.2	3	672
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST														0	0
	07 LST	18.6	14.0	15.0	15.0	17.3	21.9	26.5	26.9	21.0	22.3	19.0	18.4	235.9	9	2538
	13 LST	13.1	9.3	11.7	13.3	15.3	22.0	24.4	23.7	18.1	16.9	14.1	12.6	194.5	9	2236
	19 LST	13.8	11.8	13.8	17.7	13.8	30.0	24.8	24.8	23.5	21.3	18.5	20.0	235.8	3	670
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST														0	0
	07 LST	2.7	4.7	5.4	4.4	3.1	1.3	0.8	0.6	1.9	1.8	2.6	3.5	33.0	9	2376
	13 LST	3.9	7.8	8.0	7.4	5.6	3.3	1.6	1.4	3.4	3.6	4.3	5.9	36.4	9	2274
	19 LST	3.9	7.4	5.7	2.9	4.9	0.0	0.6	0.7	2.5	4.9	3.3	3.1	39.9	3	673
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST														0	0
	07 LST	10.4	10.3	10.6	13.5	14.3	16.2	16.9	16.0	13.3	14.2	12.3	12.6	160.6	9	2372
	13 LST	7.5	8.1	10.4	12.1	14.4	18.4	20.4	19.4	15.3	13.7	10.5	8.7	158.9	9	2251
	19 LST	9.4	9.5	11.5	13.6	13.2	24.0	14.8	19.3	16.7	17.0	12.8	15.5	177.3	3	658
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	8.1	8.5	12.0	12.2	14.2	20.6	27.2	24.6	18.0	10.2	8.7	6.8	171.1	9	2545
	13 LST	6.4	8.8	8.8	11.6	17.1	23.0	29.3	26.5	18.0	10.5	8.5	7.0	175.5	9	2274
	19 LST	10.7	13.5	11.4	14.5	16.0	22.5	28.6	29.4	22.7	18.4	11.8	15.5	217.0	3	668
CIG = GTR 2300 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	25.6	23.5	26.8	26.2	28.6	28.0	31.0	30.5	28.4	27.7	27.1	27.0	329.4	9	2540
	13 LST	25.8	23.4	26.1	27.6	29.4	29.3	30.8	30.8	28.2	28.0	26.4	26.6	332.4	9	2244
	19 LST	26.3	26.7	24.0	27.7	28.7	30.0	31.0	31.0	29.5	28.5	28.0	26.8	338.4	3	672
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	23.0	21.3	25.6	25.9	27.9	27.9	29.7	30.5	27.7	26.4	25.4	24.7	316.0	9	2540
	13 LST	22.6	20.4	24.7	26.7	28.9	29.3	30.8	30.5	27.6	27.2	25.3	24.7	318.7	9	2244
	19 LST	21.7	24.2	22.4	27.9	28.7	30.0	31.0	31.0	28.7	27.1	27.1	25.5	325.3	3	672
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	23.0	21.3	25.6	25.9	27.9	27.9	29.7	30.5	27.5	26.2	25.4	24.6	315.5	9	2540
	13 LST	22.6	20.4	24.7	26.7	28.9	29.3	30.8	30.5	27.6	27.2	25.3	24.7	318.7	9	2244
	19 LST	21.7	24.2	22.4	27.9	28.7	30.0	31.0	31.0	28.7	27.1	26.6	25.5	324.8	3	672


AREA NO. 01

MALTA

MALTA
BOUNDARIES

LATITUDE 3552N LONGITUDE 01427E

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)		59	59	62	66	71	79	84	85	81	76	68	62	71
MEAN MIN TMP (F)		51	51	52	56	61	67	72	73	71	66	59	54	61
LARGEST MEAN PRECIP(IN)		3.30	2.30	1.50	0.80	0.40	0.10	0.05	0.20	1.30	2.70	3.60	3.90	20.1
SMALLEST MEAN PRECIP(IN)		3.30	2.30	1.50	0.80	0.40	0.10	0.05	0.20	1.30	2.70	3.60	3.90	20.1
		MEAN NUMBER OF DAYS												
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST													
	07 LST	29.8	27.1	29.8	28.1	30.0	28.9	30.7	30.7	29.2	29.7	29.0	29.7	332.7
	13 LST	29.8	26.5	29.5	28.8	30.4	29.5	30.8	31.0	29.2	29.9	29.7	30.2	335.3
	19 LST	30.3	28.0	29.3	28.7	30.4	30.0	31.0	31.0	30.0	29.5	30.0	30.0	350.2
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST													
	07 LST	18.6	14.0	15.0	15.0	17.3	21.9	26.5	26.9	21.0	22.3	19.0	18.4	235.9
	13 LST	13.1	9.3	11.7	13.3	15.3	22.0	24.4	23.7	18.1	16.9	14.1	12.6	194.5
	19 LST	13.8	11.8	13.8	17.7	13.8	30.0	24.8	24.8	23.5	21.3	18.5	20.0	235.8
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST													
	07 LST	2.7	4.7	5.4	4.4	5.1	1.5	0.8	0.6	1.9	1.8	2.6	3.5	35.0
	13 LST	3.9	7.8	8.0	7.4	5.6	3.3	1.6	1.4	3.4	3.6	4.5	5.9	56.4
	19 LST	3.9	7.4	9.7	5.9	4.9	0.0	0.6	0.7	2.5	4.9	3.3	3.1	39.9
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST													
	07 LST	10.4	10.3	10.6	13.5	14.3	16.2	16.9	16.0	13.3	14.2	12.3	12.6	160.6
	13 LST	7.5	8.1	10.4	12.1	14.4	18.4	20.4	19.4	15.3	13.7	10.5	8.7	158.9
	19 LST	9.4	9.5	11.5	13.6	13.2	24.0	14.8	19.3	16.7	17.0	12.8	15.5	177.3
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST													
	07 LST	8.1	8.5	12.0	12.2	14.2	20.6	27.2	24.6	18.0	10.2	8.7	6.8	171.1
	13 LST	6.4	8.8	8.8	11.6	17.1	23.0	29.3	26.5	18.0	10.5	8.5	7.0	175.5
	19 LST	10.7	13.5	11.4	14.5	16.0	22.5	28.6	29.4	22.7	18.4	11.8	15.5	217.0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST													
	07 LST	25.6	23.5	26.8	26.2	28.6	28.0	30.0	30.5	28.4	27.7	27.1	27.0	329.4
	13 LST	25.8	23.4	26.1	27.6	29.4	29.3	30.8	30.8	28.2	28.0	26.4	26.6	332.4
	19 LST	26.3	26.7	24.0	27.9	28.7	30.0	31.0	31.0	29.5	28.5	28.0	26.8	338.4
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST													
	07 LST	23.0	21.3	25.6	25.9	27.9	27.9	29.7	30.5	27.7	26.4	25.4	24.7	316.0
	13 LST	22.6	20.4	24.7	26.7	28.9	29.3	30.8	30.5	27.6	27.2	25.3	24.7	318.7
	19 LST	21.7	24.2	22.4	27.9	28.7	30.0	31.0	31.0	28.7	27.1	27.1	25.5	325.3
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST													
	07 LST	23.0	21.3	25.6	25.9	27.9	27.9	29.7	30.5	27.5	26.2	25.4	24.6	315.5
	13 LST	22.6	20.4	24.7	26.7	28.9	29.3	30.8	30.5	27.6	27.2	25.3	24.7	318.7
	19 LST	21.7	24.2	22.4	27.9	28.7	30.0	31.0	31.0	28.7	27.1	26.6	25.5	324.8



KOPER, YUGOSLAVIA

STA NO. 13107 (IN AREA NUMBER 01)

LATITUDE 4533N

LONGITUDE 01343E

ELEVATION(FT) 00092

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	62	66	71	80	88	90	98	96	88	79	69	64	98	12	-124
MEAN MAX TMP (F)	45	47	54	62	70	77	83	82	76	64	56	47	64	6	-124
MEAN MIN TMP (F)	34	36	41	48	56	62	65	64	61	52	46	38	50	6	-124
ABS MIN TMP (F)	14	9	22	31	34	42	49	48	37	35	20	25	9	12	-124
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	5.7	4.7	0.0	0.0	0.0	0.0	10.4	6	-29
MEAN NO DYS TMP = DR LES 32(F)				0.0	0.0	0.0	0.0	0.0	0.0	3.0				12	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-29
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	2.56	1.65	3.35	2.72	4.49	3.19	2.84	2.87	4.17	6.92	4.96	2.76	40.5	16	-125
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0	0.0				12	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	7.6	5.4	7.2	6.9	7.6	7.7	7.2	7.2	8.8	9.4	9.4	8.0	92.4	16	-29
MEAN NO DYS SNPL = DR GTR 1.9 IN				0.0	0.0	0.0	0.0	0.0	0.0	0.0				12	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 3 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

KOPER, YUGOSLAVIA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SPC WND LES 10 KTS	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SPC WND = GTR 17 KTS AND NO PRECIP.	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SPC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0

DATA NOT AVAILABLE

RIJEKA, YUGOSLAVIA

STA NO. 19113 (IN AREA NUMBER 01)

LATITUDE 4519N

LONGITUDE 01427E

ELEVATION(FT) 00016

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	68	66	94	80	91	92	99	99	96	83	73	70	99	39	-33
MEAN MAX TMP (F)	47	50	55	62	71	77	83	82	75	65	56	51	63	36	-33
MEAN MIN TMP (F)	35	36	40	47	54	60	64	63	58	51	43	38	49	36	-33
ABS #IN TMP (F)	12	17	20	33	39	46	50	47	49	31	23	13	12	39	-33
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0		0.0			5.7	4.7		0.0	0.0	0.0		36	-29
MEAN NO DYS TMP = OR LES 32(F)				0.0	0.0	0.0	0.0	0.0	0.0	0.0				39	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	39	-29
MEAN DEW PT TMP (F)	26	30	34	40	49	55	58	57	53	47	38	34	43	27	-29
MEAN REL HUM (PCT)	60	63	63	63	66	65	62	62	66	71	69	70	63	10	-33
MEAN PRESS ALT (PT)														0	0
MEAN PRCP (IN)	3.90	3.70	4.90	4.60	4.60	4.90	3.00	4.10	6.90	8.50	7.00	5.80	61.9	36	-33
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0	0.0				39	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	9.7	9.4	7.8	7.7	7.7	9.4	7.4	8.8	9.5		9.5	10.9		38	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0	0.0				39	-29
MEAN NO DYS M/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.3	0.6	1.0	2.0	3.0	4.0	6.0	3.0	4.0	2.0	2.0	1.0	31.1	23	-33
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR STR 20 KTS														0	0
P FREQ LES 5000 FT A/D LES 3 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
PDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
PDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

RIJEKA, YUGOSLAVIA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR	NO.
															(YRS)	OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
SFC WND = GTR 17 KTS AND =0 PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
SKY COVER LES 9/10 AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0

DATA NOT AVAILABLE

PULA, YUGOSLAVIA

STA NO. 13208 (IN AREA NUMBER 01)

LATITUDE 4459N

LONGITUDE 01359E

ELEVATION(FT) 00249

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POB (YRS)	NO. OBS
ABS MAX TMP (F)	61	61	71	81	88	93	97	95	91	81	70	65	97	40	-534
MEAN MAX TMP (F)	46	49	53	57	65	71	78	76	71	64	57	51	62	44	-34
MEAN MIN TMP (F)	34	36	41	50	54	63	67	68	59	51	46	37	51	44	-34
ABS MIN TMP (F)	16	12	23	28	34	47	52	50	39	33	25	20	12	40	-534
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.3	1.9	1.9	0.1	0.0	0.0	0.0	4.2	11	3608
MEAN NO DYS TMP = OR LES 32(F)	9.4	8.7	4.5	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.5	3.2	26.5	11	3534
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	3534
MEAN DEW PT TMP (F)	34	34	37	45	51	58	60	60	55	50	44	38	47	11	16511
MEAN REL HUM (PCT)	75	74	72	72	70	68	65	65	68	73	77	76	71	11	16335
MEAN PRESS ALT (FT)	124	159	203	248	217	189	206	193	154	156	169	162	182	0	-50
MEAN PRECIP (IN)	1.97	1.69	2.17	1.54	2.13	1.58	1.85	1.46	3.50	3.15	4.17	2.28	27.5	15	-122
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0	0.0				40	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	6.2	5.5	6.2	5.0	6.2	4.6	5.2	4.3	8.0	7.6	8.8	7.0	74.6	15	-29
MEAN NO DYS SNPL = OR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0	0.0				40	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	2.0	3.9	1.8	0.2	0.1	0.1	0.0	0.0	0.4	0.6	1.1	1.7	11.9	11	2948
MEAN NO DYS TSNS	1.0	1.0	2.0	1.0	5.0	6.0	9.0	6.0	6.0	4.0	2.0	2.0	45.0	40	-24
P FREQ WND SPD = OR GTR 17 KTS	11.2	9.0	10.8	10.5	3.8	3.4	3.3	3.9	6.6	9.2	8.9	12.4	7.7	11	16582
P FREQ WND SPD = OR GTR 28 KTS	1.4	2.4	2.5	3.5	0.5	0.2	0.2	0.6	0.3	0.9	1.3	2.2	1.3	11	16382
P FREQ LES 5000 FT A/D LES 5 MI	45.4	44.9	37.9	28.1	21.4	17.1	12.7	10.6	21.2	31.5	48.2	54.8	31.2	11	17354
P FREQ LES 1500 FT A/D LES 5 MI														11	3444
FOR 00-02 LST	15.2	17.3	15.8	7.4	3.0	2.8	1.7	1.7	5.2	5.6	13.1	18.4	8.9	4	1313
03-05 LST	22.9	15.6	18.2	10.3	4.3	2.9	1.8	1.8	9.1	8.7	24.5	24.6	12.1	11	3619
06-08 LST	16.3	19.5	12.5	7.2	1.6	2.3	0.3	0.7	5.7	7.5	14.8	16.5	8.7	4	1311
09-11 LST	26.6	20.2	10.0	5.5	1.7	1.9	1.0	0.9	3.7	4.5	19.8	22.1	9.8	11	3502
12-14 LST	12.4	9.2	4.8	3.5	2.4	2.5	1.5	0.7	2.1	3.7	11.1	12.9	5.6	4	1353
15-17 LST	10.4	14.0	10.3	4.6	1.7	3.6	2.9	0.9	1.8	5.1	13.5	14.3	6.9	11	3703
18-20 LST	14.7	13.8	9.2	3.6	1.6	1.6	0.6	1.0	2.9	5.0	14.3	17.6	7.2	4	1309
21-23 LST	18.9	16.5	12.6	5.7	2.6	1.9	4.1	0.0	3.6	5.2	20.4	21.9	9.5		
P FREQ LES 300 FT A/D LES 1 MI														11	3444
FOR 00-02 LST	4.1	8.5	4.5	1.1	0.7	0.4	0.0	0.0	0.4	0.7	1.1	4.3	2.2	4	1313
03-05 LST	4.6	4.2	4.5	0.0	0.0	0.0	0.0	0.0	1.8	0.0	3.6	4.4	1.9	11	3619
06-08 LST	5.3	11.0	5.8	1.6	0.0	0.0	0.0	0.0	2.0	2.2	5.4	4.4	3.1	4	1311
09-11 LST	11.9	11.5	2.7	0.0	0.0	0.0	0.0	0.9	0.0	0.0	4.5	6.2	3.1	11	3502
12-14 LST	4.0	4.2	1.0	0.4	0.0	0.0	0.4	0.0	0.0	0.0	0.7	2.5	1.1	4	1353
15-17 LST	1.7	7.3	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8	2.5	1.2	11	3703
18-20 LST	3.3	4.8	2.6	1.0	0.3	0.0	0.0	0.0	0.3	0.3	1.9	3.5	1.5	4	1309
21-23 LST	2.7	9.3	2.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	3.5	1.6		

PULA, YUGOSLAVIA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	27.6	23.7	27.2	28.9	30.4	29.7	30.8	30.6	28.7	30.3	27.5	26.9	342.3	11	3432
	07 LST	27.1	23.2	28.0	28.8	30.7	29.8	31.0	30.8	28.4	29.6	26.1	26.7	341.0	11	3619
	13 LST	27.9	26.1	30.3	29.5	30.7	29.6	30.6	30.8	29.6	30.7	27.3	26.1	351.2	11	3502
	19 LST	27.4	24.5	29.2	29.4	30.7	29.7	30.8	30.7	29.5	30.4	27.0	26.6	343.9	11	3702
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SPC WND LES 10 KTS	01 LST	21.1	17.9	20.7	23.3	27.3	27.0	28.2	28.2	24.5	23.9	20.6	19.5	282.2	11	3419
	07 LST	20.9	18.5	22.5	23.3	27.8	26.3	28.7	28.4	25.0	24.0	20.0	20.6	286.0	11	3594
	13 LST	20.2	19.0	22.1	20.9	24.5	24.1	26.7	27.0	23.5	22.3	19.8	20.5	270.6	11	3484
	19 LST	21.6	19.9	22.6	24.9	28.2	28.0	28.3	29.8	27.0	25.0	21.5	19.9	296.9	11	3689
SPC WND = GTR 17 KTS AND NO PRECIP.	01 LST	1.8	1.8	1.7	2.0	1.1	0.4	1.1	0.9	1.8	1.9	1.9	3.2	19.6	11	3431
	07 LST	2.7	1.5	2.0	1.1	0.7	0.4	0.7	0.8	1.3	1.2	1.9	2.3	16.8	11	3614
	13 LST	2.5	2.7	3.0	2.7	1.4	1.2	1.1	1.1	2.5	2.9	2.1	2.2	25.4	11	3507
	19 LST	1.8	1.6	1.3	1.1	0.4	0.6	0.8	0.2	0.3	1.3	1.7	1.7	12.8	11	3713
SPC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	6.6	5.2	7.7	7.1	7.6	7.8	7.0	8.3	7.2	8.3	7.8	6.8	87.6	11	3419
	07 LST	6.7	5.5	8.2	7.3	9.4	9.9	8.6	7.4	7.8	9.0	6.8	5.9	92.5	11	3589
	13 LST	12.1	13.1	14.5	16.2	18.9	20.1	18.8	19.6	17.1	15.2	10.6	10.1	186.3	11	3485
	19 LST	8.4	6.8	8.7	7.5	9.3	10.2	10.3	8.1	8.4	7.2	6.9	6.1	97.9	11	3695
SKY COVER LES 5/10 AND VSBY = GTR 3 MI	01 LST	11.3	10.6	13.5	13.0	17.1	13.5	22.3	23.7	20.1	16.8	11.2	10.4	185.9	11	3434
	07 LST	8.8	8.3	10.1	9.3	10.8	12.2	19.0	18.6	15.4	11.8	7.0	6.3	137.6	11	3627
	13 LST	9.6	9.6	10.7	9.7	10.5	11.8	18.2	17.8	15.0	11.4	6.6	7.0	137.9	11	3516
	19 LST	11.9	11.0	11.5	10.7	10.2	11.9	17.3	17.7	17.0	16.6	10.9	9.0	155.7	11	3718
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	22.3	19.9	22.7	24.4	28.2	27.2	29.4	29.5	27.2	26.3	22.1	20.8	300.2	11	3432
	07 LST	22.3	19.1	24.2	25.0	28.0	27.8	29.7	29.6	26.3	23.3	20.9	20.9	299.3	11	3619
	13 LST	24.1	21.6	26.1	26.0	28.5	27.9	29.7	29.8	27.8	26.6	23.8	21.9	313.8	11	3502
	19 LST	23.2	21.0	24.3	26.8	28.8	28.3	29.8	30.3	28.1	26.4	21.7	21.4	310.3	11	3702
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	17.7	15.5	18.7	20.1	23.5	24.1	27.3	27.8	24.8	22.5	17.7	14.8	234.3	11	3432
	07 LST	16.9	13.5	19.1	20.0	22.2	23.4	27.0	26.9	23.3	20.7	13.7	13.7	242.4	11	3619
	13 LST	18.9	17.4	21.3	22.1	24.8	24.8	27.4	28.2	24.7	21.2	17.9	15.5	264.0	11	3502
	19 LST	17.8	15.9	20.0	22.6	25.7	25.0	27.7	28.4	25.0	22.3	16.7	15.2	262.3	11	3702
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	17.7	15.5	18.7	20.0	23.5	24.0	27.3	27.8	24.8	22.4	17.6	14.8	234.1	11	3432
	07 LST	16.9	13.5	19.0	20.0	22.1	23.4	27.0	26.9	23.2	20.7	13.7	13.7	242.1	11	3619
	13 LST	18.9	17.3	21.1	22.1	24.8	24.8	27.4	28.2	24.7	21.1	17.8	15.3	261.5	11	3502
	19 LST	17.7	15.9	19.9	22.6	25.7	25.0	27.7	28.2	24.9	22.3	16.5	15.2	261.6	11	3702

SENJ, YUGOSLAVIA

STA NO. 13219 (IN AREA NUMBER 01)

LATITUDE 4459N

LONGITUDE 01454E

ELEVATION(FT) 00110

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANH	POR (YRS)	NO. OBS
ABS MAX TMP (F)	64	66	73	78	89	99	97	98	93	83	73	69	99	12	-28
MEAN MAX TMP (F)	46	48	55	62	71	79	84	84	76	66	58	47	65	16	-28
MEAN MIN TMP (F)	37	37	43	49	56	64	63	67	62	54	48	38	52	16	-28
ABS MIN TMP (F)	9	-1	19	32	40	50	52	49	42	38	32	13	-1	12	-28
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0		6.8	6.8		0.0	0.0	0.0		16	-29
MEAN NO DYS TMP = DR LES 32(F)				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			12	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	-29
MEAN DEW PT TMP (F)	32	33	38	46	54	59	60	61	57	49	44	33	47	13	-29
MEAN REL HUM (PCT)	73	72	70	72	74	68	61	65	68	71	73	73	70	6	-28
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	3.15	2.84	3.74	4.09	4.06	3.90	2.64	3.31	3.51	7.89	6.77	5.47	33.3	62	-121
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			12	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	8.7	8.1	7.4	7.5	7.5	8.6	6.8	7.9	9.6		9.6	10.8		62	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			12	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1900 FT A/O LES 3 MI														0	0
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

SENJ, YUGOSLAVIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	DCT	NOV	DEL	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0

DATA NOT AVAILABLE

ZADAR, YUGOSLAVIA

STA NO. 13222 (IN AREA NUMBER 01)

LATITUDE 4407N

LONGITUDE 01514E

ELEVATION(FT) 00013

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	66	63	70	81	88	93	95	97	88	84	70	68	97	11	3552
MEAN MAX TMP (F)	51	51	56	63	70	77	82	82	76	68	59	54	66	11	3552
MEAN MIN TMP (F)	38	38	42	49	55	63	66	66	61	55	47	43	52	11	3491
ABS MIN TMP (F)	18	18	27	32	37	46	55	52	46	41	32	21	18	11	3491
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.6	2.4	2.5	0.0	0.0	0.0	0.0	5.5	11	3552
MEAN NO DYS TMP = OR LES 32(F)	7.0	6.2	3.3	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.5	2.8	19.9	11	3491
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	3491
MEAN DEW PT TMP (F)	35	35	41	46	53	59	62	63	58	52	45	41	49	11	14543
MEAN REL HUM (PCT)	72	71	73	72	71	69	66	69	71	73	77	76	72	11	14291
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	3.15	2.28	2.32	2.19	2.44	1.58	1.31	1.13	1.96	4.07	4.91	4.43	31.8	11	3169
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		11	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	6.7	6.1	5.4	4.9	5.3	4.5	3.1	3.0	4.0	6.4	8.0	9.2	66.6	11	3169
MEAN NO DYS SNFL = OR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		11	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	0.6	1.0	0.8	0.0	0.1	0.0	0.1	0.0	0.6	0.9	0.3	0.3	4.7	11	2740
MEAN NO DYS TSTMS	1.2	0.5	0.8	1.1	1.2	2.9	1.8	2.1	2.2	2.9	3.1	1.4	21.2	11	2738
P FREQ WND SPD = OR GTR 17 KTS	1.1	1.8	2.0	2.0	0.6	0.4	0.4	0.5	0.2	1.4	1.8	2.9	1.3	11	14684
P FREQ WND SPD = OR GTR 20 KTS	0.0	0.0	0.1	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.1	0.1	0.0	11	14684
P FREQ LES 5000 FT A/D LES 5 MI	33.0	26.2	31.7	22.8	18.9	15.7	10.1	8.5	16.4	23.5	35.6	40.2	23.6	11	14923
P FREQ LES 1900 FT A/D LES 3 MI															
FOR 00-02 LST	1.8	4.1	1.5	0.4	0.3	0.0	0.0	0.8	0.4	2.0	1.7	2.1	1.3	11	2954
03-05 LST	1.4	0.0	2.3	0.0	1.9	0.0	0.0	0.0	0.0	0.9	0.0	1.3	0.7	4	1097
06-08 LST	1.7	4.9	4.4	0.3	1.3	0.3	0.3	1.3	2.7	4.9	3.7	1.9	2.3	11	3586
09-11 LST	1.8	0.0	1.8	0.0	0.0	0.0	0.0	0.9	0.9	1.8	0.9	0.9	0.8	4	1306
12-14 LST	2.0	2.1	1.6	0.3	0.7	0.0	0.3	0.3	1.3	0.3	1.7	1.9	1.0	11	3599
15-17 LST	0.9	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	4	1340
18-20 LST	1.4	2.1	0.7	0.0	0.3	0.3	0.0	0.0	0.6	0.6	1.3	0.6	0.7	11	3676
21-23 LST	1.4	0.0	0.0	1.3	1.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.4	4	1052
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.0	2.9	0.8	0.7	0.0	0.0	0.0	0.4	0.4	1.2	0.4	1.3	0.6	11	2964
03-05 LST	0.0	0.0	2.3	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.0	0.0	0.3	4	1097
06-08 LST	1.3	3.7	2.4	0.0	0.3	0.3	0.3	0.3	1.3	2.0	1.7	0.9	1.2	11	3586
09-11 LST	1.8	0.0	0.9	0.0	0.0	0.0	0.0	0.0	0.9	0.9	0.0	0.0	0.4	4	1306
12-14 LST	1.0	1.4	0.9	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.4	11	3599
15-17 LST	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	4	1340
18-20 LST	0.3	0.7	0.7	0.0	0.0	0.0	0.0	0.0	0.6	0.3	0.3	0.0	0.2	11	3676
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	1052

ZADAR, YUGOSLAVIA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	30.5	26.9	30.6	30.0	30.8	30.0	31.0	30.7	29.8	30.3	29.6	30.4	360.6	11	2959
	07 LST	30.4	26.6	29.7	29.3	30.6	29.9	30.8	30.6	29.1	29.5	28.8	30.5	356.3	11	3586
	13 LST	30.4	27.4	30.6	29.8	30.7	30.0	30.8	30.9	29.7	30.8	29.5	30.5	361.1	11	3599
	19 LST	30.5	27.5	30.7	30.0	30.9	29.9	31.0	31.0	29.8	30.8	29.7	30.8	362.6	11	3676
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SPC WND LES 10 KTS	01 LST	27.6	23.8	27.9	27.8	30.3	29.6	30.5	30.4	29.2	28.3	27.8	27.4	340.6	11	2954
	07 LST	27.9	24.4	28.0	28.1	30.0	28.9	30.5	30.3	28.4	28.0	27.7	28.0	340.2	11	3575
	13 LST	25.1	22.2	24.9	23.8	27.1	26.5	26.8	26.4	26.6	25.6	24.2	25.3	306.2	11	3578
	19 LST	28.0	23.7	27.1	26.9	29.4	28.6	29.7	29.5	27.8	28.4	26.7	27.4	333.2	11	3665
SPC WND = GTR 17 KTS AND NO PRECIP.	01 LST	0.2	0.3	0.4	0.3	0.0	0.0	0.1	0.1	0.0	0.0	0.2	1.0	2.8	11	2969
	07 LST	0.3	0.1	0.3	0.6	0.1	0.1	0.0	0.0	0.0	0.1	0.0	0.3	2.1	11	3601
	13 LST	0.4	0.3	0.7	1.3	0.3	0.1	0.3	0.3	0.0	0.6	0.4	0.6	3.3	11	3618
	19 LST	0.3	0.5	0.3	0.3	0.0	0.2	0.0	0.0	0.1	0.4	0.3	0.2	2.8	11	3691
SPC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	9.8	7.3	6.1	5.3	4.2	3.5	3.4	3.2	3.3	6.7	7.3	7.6	67.9	11	2957
	07 LST	8.3	7.0	7.8	6.9	9.0	8.1	6.7	4.8	6.9	8.7	10.1	8.6	93.1	11	3574
	13 LST	13.9	13.6	17.2	18.9	19.9	21.3	21.5	20.0	20.3	17.8	13.1	11.2	208.7	11	3579
	19 LST	8.9	7.9	10.3	11.2	13.5	13.6	13.9	13.9	9.3	7.3	7.6	8.6	130.2	11	3667
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	13.3	12.5	17.2	13.7	19.2	19.6	24.4	24.3	21.3	19.7	13.0	12.7	213.3	11	2972
	07 LST	10.0	10.3	10.5	10.4	13.0	13.5	21.0	19.3	16.8	13.7	8.4	8.2	157.3	11	3603
	13 LST	9.4	9.5	11.4	11.5	12.9	15.0	21.3	21.4	18.8	12.4	8.0	7.3	158.9	11	3628
	19 LST	13.8	13.2	13.4	12.6	10.9	14.8	20.1	21.0	19.2	18.4	12.3	10.8	180.7	11	3698
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	28.7	25.8	29.5	28.9	30.3	29.7	30.4	30.2	29.2	30.0	27.9	28.2	348.8	11	2959
	07 LST	29.0	25.3	28.7	29.1	29.9	29.5	30.4	30.3	28.6	28.4	27.0	27.7	343.9	11	3586
	13 LST	28.3	26.4	29.3	29.0	30.1	29.7	30.6	30.9	29.2	29.3	27.3	29.1	349.8	11	3599
	19 LST	29.0	26.2	29.9	28.9	30.3	29.4	30.7	30.7	29.3	29.7	27.9	29.0	351.0	11	3676
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	20.5	20.2	22.6	22.1	23.8	23.5	26.2	27.7	25.3	24.1	19.0	17.8	272.8	11	2959
	07 LST	18.1	17.6	20.4	22.2	23.4	24.2	27.6	26.7	23.6	21.8	17.9	15.6	259.1	11	3586
	13 LST	20.4	20.1	22.4	23.1	25.1	25.8	27.6	28.3	25.8	23.3	18.9	17.7	278.3	11	3599
	19 LST	22.3	20.5	21.4	22.2	24.9	25.3	28.0	28.8	24.7	24.4	20.0	19.2	281.9	11	3676
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	20.3	20.1	22.3	22.1	23.8	23.5	26.2	27.7	25.3	24.1	19.0	17.8	272.6	11	2959
	07 LST	18.1	17.6	20.4	22.2	23.4	24.1	27.6	26.7	23.6	21.8	17.9	15.3	258.9	11	3586
	13 LST	20.2	20.0	22.4	23.1	25.0	25.7	27.6	28.3	25.7	23.1	18.9	17.6	277.6	11	3599
	19 LST	22.3	20.3	21.4	22.2	24.8	25.3	28.0	28.8	24.3	24.4	20.0	19.1	281.3	11	3676

ZEMUNIK, YUGOSLAVIA

STA NO. 13224 (IN AREA NUMBER 01)

LATITUDE 4406N

LONGITUDE 01520E

ELEVATION(FT) 00275

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	66	63	70	81	88	93	95	97	88	84	70	68	97	11	-13222
MEAN MAX TMP (F)	51	51	56	63	70	77	82	82	76	68	59	54	66	11	-13222
MEAN MIN TMP (F)	38	38	42	49	55	63	66	66	61	55	47	43	52	11	-13222
ABS MIN TMP (F)	18	18	27	32	37	46	55	52	46	41	32	21	18	11	-13222
MEAN NO OYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.6	2.4	2.5	0.0	0.0	0.0	0.0	3.3	11	-13222
MEAN NO OYS TMP = DR LES 32(F)	7.0	6.2	3.3	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.5	2.8	19.9	11	-13222
MEAN NO OYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	-13222
MEAN DEW PT TMP (F)	35	35	41	46	53	59	62	63	58	52	45	41	49	11	-13222
MEAN REL HUM (PCT)	72	71	73	72	71	69	66	69	71	73	77	76	72	11	-13222
MEAN PRESS ALT (FT)	141	178	223	282	252	243	263	239	183	166	171	174	210	0	-90
MEAN PRECIP (IN)	3.15	2.28	2.32	2.19	2.44	1.58	1.31	1.13	1.96	4.07	4.91	4.43	31.8	11	-13222
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		11	-29
MEAN NO OYS PRCP = DR GTR 0.1 IN	6.7	6.1	5.4	4.9	5.3	4.5	3.1	3.0	4.0	6.4	8.0	9.2	66.6	11	-13222
MEAN NO OYS SNFL = DR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		11	-29
MEAN NO OYS W/OCUR VSBY LES 1/2 MI	0.6	1.0	0.8	0.0	0.1	0.0	0.1	0.0	0.6	0.9	0.3	0.3	4.7	11	-13222
MEAN NO OYS TSTMS	1.2	0.5	0.8	1.1	1.2	2.9	1.8	2.1	2.2	2.9	3.1	1.4	21.2	11	-13222
P FREQ WND SPD = DR GTR 17 KTS	1.1	1.8	2.0	2.0	0.6	0.4	0.4	0.5	0.2	1.4	1.8	2.9	1.3	11	-13222
P FREQ WND SPD = DR GTR 20 KTS	0.0	0.0	0.1	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.1	0.1	0.0	11	-13222
P FREQ LES 5000 FT A/D LES 3 MI	33.0	26.2	31.7	22.8	18.9	15.7	10.1	8.5	16.4	23.5	35.6	40.2	23.6	11	-13222
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	1.8	4.1	1.5	0.4	0.3	0.0	0.0	0.8	0.4	2.0	1.7	2.1	1.3	11	-13222
03-05 LST	1.4	0.0	2.3	0.0	1.9	0.0	0.0	0.0	0.0	0.9	0.0	1.3	0.7	4	-13222
06-08 LST	1.7	4.9	4.4	0.3	1.3	0.3	0.3	1.3	2.7	4.9	3.7	1.9	2.3	11	-13222
09-11 LST	1.8	0.0	1.8	3.0	0.0	0.0	0.0	0.9	0.9	1.8	0.9	0.9	0.8	4	-13222
12-14 LST	2.0	2.1	1.6	0.3	0.7	0.0	0.3	0.3	1.3	0.3	1.7	1.9	1.0	11	-13222
15-17 LST	0.9	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	4	-13222
18-20 LST	1.4	2.1	0.7	0.0	0.3	0.3	0.0	0.0	0.6	3.6	1.3	0.6	0.7	11	-13222
21-23 LST	1.4	0.0	0.0	1.3	1.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.4	4	-13222
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.0	2.9	0.8	0.0	0.0	0.0	0.0	0.4	0.4	1.2	0.4	1.3	0.6	11	-13222
03-05 LST	0.0	0.0	2.3	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.0	0.0	0.3	4	-13222
06-08 LST	1.3	3.7	2.4	0.0	0.3	0.3	0.3	1.3	2.0	1.7	0.9	1.2	1.2	11	-13222
09-11 LST	1.8	0.0	0.9	0.0	0.0	0.0	0.0	0.9	0.9	0.9	0.0	0.0	0.4	4	-13222
12-14 LST	1.0	1.4	0.9	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.4	11	-13222
15-17 LST	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	4	-13222
18-20 LST	0.3	0.7	0.7	0.0	0.0	0.0	0.0	0.0	0.6	0.3	0.3	0.0	0.2	11	-13222
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	-13222

ZEMUNIK, YUGOSLAVIA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PGR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	30.5	26.9	30.6	30.0	30.8	30.0	31.0	30.7	29.8	30.3	29.6	30.4	300.6	11	-19222
	07 LST	30.4	26.6	29.7	29.8	30.6	29.9	30.8	30.6	29.1	29.5	28.8	30.5	356.3	11	-19222
	13 LST	30.4	27.4	30.6	29.8	30.7	30.0	30.8	30.9	29.7	30.8	29.5	30.3	361.1	11	-19222
	19 LST	30.5	27.5	30.7	30.0	30.9	29.9	31.0	31.0	29.8	30.8	29.7	30.8	362.6	11	-19222
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	27.6	23.8	27.9	27.8	30.3	29.6	30.5	30.4	29.2	28.3	27.8	27.4	340.6	11	-19222
	07 LST	27.9	24.4	28.0	28.1	30.0	28.9	30.5	30.3	28.4	28.0	27.7	28.0	340.2	11	-19222
	13 LST	25.1	22.2	24.9	23.5	27.1	26.5	26.8	26.4	26.6	25.6	26.2	25.3	306.2	11	-19222
	19 LST	28.0	23.7	27.1	26.9	29.4	28.6	29.7	29.5	27.8	28.4	26.7	27.4	333.2	11	-19222
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	0.2	0.5	0.4	0.3	0.0	0.0	0.1	0.1	0.0	0.0	0.2	1.0	2.8	11	-19222
	07 LST	0.3	0.1	0.3	0.6	0.1	0.1	0.0	0.0	0.0	0.1	0.0	0.5	2.1	11	-19222
	13 LST	0.4	0.3	0.7	1.3	0.5	0.1	0.3	0.3	0.0	0.6	0.4	0.6	5.5	11	-19222
	19 LST	0.3	0.5	0.5	0.3	0.0	0.2	0.0	0.0	0.1	0.4	0.3	0.2	2.8	11	-19222
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	9.8	7.3	6.1	5.3	4.2	3.5	3.4	3.2	3.3	6.7	7.5	7.6	67.9	11	-19222
	07 LST	8.5	7.0	7.8	6.9	9.0	8.1	6.7	4.8	6.9	8.7	10.1	8.6	95.1	11	-19222
	13 LST	13.9	13.6	17.2	18.9	19.9	21.3	21.5	20.0	20.3	17.8	13.1	11.2	208.7	11	-19222
	19 LST	8.9	7.9	10.3	11.2	13.5	15.6	15.9	13.9	9.3	7.3	7.6	8.6	130.2	11	-19222
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	13.5	12.5	17.2	15.7	19.2	19.6	24.4	24.5	21.5	19.7	13.0	12.7	213.5	11	-19222
	07 LST	10.0	10.3	10.5	10.4	13.0	13.5	21.0	19.5	16.8	13.7	8.4	8.2	157.3	11	-19222
	13 LST	9.4	9.5	11.4	11.5	12.9	15.0	21.3	21.4	18.8	12.4	8.0	7.3	158.9	11	-19222
	19 LST	13.8	13.2	13.4	12.6	10.9	14.8	20.1	21.0	19.2	18.4	12.5	10.8	180.7	11	-19222
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	28.7	25.8	29.5	28.9	30.3	29.7	30.4	30.2	29.2	30.0	27.9	28.2	348.8	11	-19222
	07 LST	29.0	25.3	28.7	29.1	29.9	29.5	30.4	30.3	28.6	28.4	27.0	27.7	343.9	11	-19222
	13 LST	28.5	26.4	29.5	29.0	30.1	29.7	30.6	30.9	29.2	29.5	27.3	29.1	349.8	11	-19222
	19 LST	29.0	26.2	29.9	28.9	30.3	29.4	30.7	30.7	29.3	29.7	27.9	29.0	351.0	11	-19222
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	20.5	20.2	22.6	22.1	23.8	23.5	26.2	27.7	25.3	24.1	19.0	17.8	272.8	11	-19222
	07 LST	18.1	17.6	20.4	22.2	23.4	24.2	27.6	26.7	23.6	21.8	17.9	15.6	259.1	11	-19222
	13 LST	20.4	20.1	22.4	23.1	25.1	25.8	27.6	28.3	25.8	23.3	18.9	17.7	278.5	11	-19222
	19 LST	22.5	20.5	21.4	22.2	24.9	25.3	28.0	28.8	24.7	24.4	20.0	19.2	281.9	11	-19222
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	20.5	20.1	22.5	22.1	23.8	23.5	26.2	27.7	25.3	24.1	19.0	17.8	272.6	11	-19222
	07 LST	18.1	17.6	20.4	22.2	23.4	24.1	27.6	26.7	23.6	21.8	17.9	15.5	258.9	11	-19222
	13 LST	20.2	20.0	22.4	23.1	25.0	25.7	27.6	28.3	25.7	23.1	18.9	17.6	277.6	11	-19222
	19 LST	22.5	20.5	21.4	22.2	24.8	25.3	28.0	28.8	24.5	24.4	20.0	19.1	281.5	11	-19222

SPLIT-MARJAN, YUGOSLAVIA

STA NO. 13333 (IN AREA NUMBER 01)

LATITUDE 4331N

LONGITUDE 01626E

ELEVATION(PT) 00420

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	(YRS)	POR	NO.
ABS MAX TMP (F)	64	68	72	79	91	97	101	99	95	87	73	65	101	21	-33	
MEAN MAX TMP (F)	51	53	58	63	72	80	87	87	80	69	59	52	68	14	-28	
MEAN MIN TMP (F)	39	39	44	50	56	63	68	67	64	55	49	41	53	14	-28	
ABS MIN TMP (F)	17	19	27	33	42	50	50	52	45	37	26	21	17	21	-33	
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0			10.9	10.9		0.0	0.0	0.0		14	-29	
MEAN NO DYS TMP = DR LES 32(F)				0.0	0.0	0.0	0.0	0.0	0.0	0.0			0.0	21	-29	
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21	-29	
MEAN DEW PT TMP (F)	31	32	37	42	48	53	56	54	54	41	41	35	44	19	-29	
MEAN REL HUM (PCT)	62	63	63	60	60	57	52	50	58	63	66	67	60	30	-32	
MEAN PRESS ALT (FT)														0	0	
MEAN PRECIP (IN)	3.10	2.50	3.20	3.00	2.50	2.10	1.20	1.60	2.90	4.40	4.20	4.40	35.1	51	-28	
MEAN SNOW PALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0	0.0				21	-29	
MEAN NO DYS PRCP = UR GTR 0.1 IN	8.6	7.5	7.2	7.1	6.6	5.8	3.6	4.6	7.2	9.0	8.8	10.1	86.1	51	-29	
MEAN NO DYS SNFL = DR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0	0.0				21	-29	
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0	
MEAN NO DYS TSTMS	2.0	2.0	1.0	2.0	3.0	4.0	4.0	4.0	3.0	3.0	4.0	3.0	39.0	11	-127	
P FREQ WND SPD = DR GTR 17 KTS														0	0	
P FREQ WND SPD = DR GTR 28 KTS														0	0	
P FREQ LES 3000 FT A/D LES 3 MI	26.2	14.7	32.6	21.7	13.7	14.4	6.9	4.8	9.2	18.1	34.6	27.0	18.8	2	5372	
P FREQ LES 1500 FT A/D LES 3 MI														2	676	
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9	0.0	3.6	0.0	0.3	2	676	
03-05 LST	0.0	1.9	0.0	1.9	0.0	1.7	0.0	1.7	3.3	1.7	0.0	1.8	1.2	2	683	
06-08 LST	1.8	0.0	3.5	3.2	0.0	0.0	1.6	1.8	1.7	1.7	1.7	0.0	1.6	2	695	
09-11 LST	3.6	0.0	7.5	0.0	0.0	0.0	0.0	0.0	1.8	1.6	0.0	3.4	1.3	2	681	
12-14 LST	1.8	0.0	8.8	0.0	0.0	0.0	0.0	0.0	0.0	3.3	3.3	0.0	1.3	2	688	
15-17 LST	0.0	0.0	3.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	1.7	0.9	2	696	
18-20 LST	0.0	1.8	3.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	0.0	0.6	2	697	
21-23 LST	0.0	0.0	1.7	0.0	0.0	0.0	1.9	0.0	0.0	0.0	0.0	0.0	0.3	2	698	
P FREQ LES 300 FT A/D LES 1 MI														2	676	
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8	0.0	0.2	2	676	
03-05 LST	0.0	0.0	0.0	1.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	2	683	
06-08 LST	1.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	2	695	
09-11 LST	0.0	0.0	1.9	0.0	0.0	0.0	0.0	0.0	0.0	1.6	0.0	0.0	0.3	2	681	
12-14 LST	1.8	0.0	1.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	2	688	
15-17 LST	0.0	0.0	1.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	2	696	
18-20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	697	
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	0.0	0.0	0.0	0.0	0.0	2	698	

SPLIT-MARJAN, YUGOSLAVIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	31.0	28.0	31.0	30.0	31.0	30.0	31.0	31.0	29.4	31.0	28.9	31.0	303.3	2	676
	07 LST	30.4	28.0	29.9	28.4	31.0	30.0	31.0	30.4	29.4	31.0	29.4	31.0	359.9	2	693
	13 LST	30.4	28.0	28.2	30.0	31.0	30.0	31.0	31.0	30.0	30.4	28.9	31.0	359.9	2	688
	19 LST	31.0	27.3	29.9	30.0	31.0	30.0	31.0	31.0	30.0	31.0	29.4	31.0	362.8	2	696
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SPC WND LES 10 KTS	01 LST	17.7	15.6	16.5	21.8	24.2	23.1	21.3	21.4	22.0	21.4	12.3	16.3	233.6	2	676
	07 LST	15.2	15.0	15.2	20.6	22.3	24.0	21.8	25.0	21.8	19.6	13.4	12.3	226.4	2	693
	13 LST	17.4	17.0	15.2	21.8	18.5	21.7	25.0	28.4	24.1	21.7	15.7	14.9	241.4	2	688
	19 LST	18.7	15.5	16.0	20.3	22.7	22.6	26.4	27.3	23.7	19.3	13.7	11.9	238.1	2	696
SPC WND = GTR 17 KTS AND NO PRECIP.	01 LST	8.3	6.3	5.8	4.0	3.1	4.7	1.3	1.7	3.3	3.3	5.8	7.6	55.4	2	677
	07 LST	6.3	5.8	5.3	3.6	4.0	3.0	2.0	1.0	2.5	2.5	5.0	9.2	50.2	2	698
	13 LST	5.0	3.6	4.3	2.7	2.0	2.0	1.5	0.0	2.6	2.6	5.7	8.5	40.3	2	691
	19 LST	5.1	6.5	5.3	2.1	1.0	2.1	1.0	0.3	2.5	4.0	4.0	7.6	41.7	2	698
SPC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	11.0	8.9	10.3	10.1	13.4	8.9	7.1	8.9	9.0	12.9	12.5	11.9	124.9	2	675
	07 LST	13.2	11.6	8.5	9.3	8.0	7.0	11.1	10.3	9.6	14.9	11.1	9.7	124.3	2	698
	13 LST	4.5	5.2	11.4	14.1	16.7	16.0	18.5	18.6	19.8	15.3	5.7	6.9	152.9	2	690
	19 LST	11.4	9.0	13.3	8.5	13.4	11.5	14.0	10.8	7.7	8.1	11.6	9.7	129.0	2	698
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	12.1	19.5	14.1	13.9	20.1	21.5	24.9	27.4	24.9	18.0	12.3	13.5	222.2	2	675
	07 LST	11.2	14.7	13.8	11.8	16.0	19.0	20.3	27.1	20.8	17.3	7.1	15.7	194.8	2	698
	13 LST	19.5	14.5	13.0	11.6	13.5	16.0	21.5	27.3	23.0	16.3	6.4	8.5	185.1	2	687
	19 LST	12.6	16.5	14.4	10.7	14.4	16.6	19.3	26.8	22.2	19.1	10.1	9.7	192.6	2	696
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	30.4	26.9	28.3	29.4	30.4	29.4	29.9	31.0	29.4	30.4	27.3	30.4	353.2	2	676
	07 LST	29.3	27.4	27.1	27.4	30.4	29.5	30.4	30.4	29.4	29.9	25.8	28.8	345.8	2	693
	13 LST	28.1	27.4	27.1	29.4	31.0	29.4	31.0	31.0	29.4	28.8	26.3	28.3	347.2	2	688
	19 LST	28.6	27.0	28.8	28.9	31.0	30.0	30.4	31.0	30.0	29.9	26.4	28.8	350.8	2	696
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	23.2	23.6	21.9	23.8	26.8	27.3	29.4	31.0	27.1	24.8	20.3	23.9	303.1	2	676
	07 LST	20.2	22.6	21.7	23.7	26.4	25.5	28.9	30.4	27.4	25.3	17.0	22.2	291.3	2	693
	13 LST	21.9	25.2	21.2	22.3	26.0	25.8	27.5	29.9	28.3	24.4	17.8	22.4	292.7	2	688
	19 LST	21.0	23.0	22.9	21.4	28.4	27.3	27.9	31.0	28.9	24.9	15.7	21.7	294.1	2	696
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	22.6	23.6	21.3	23.8	26.8	27.3	29.4	31.0	27.1	24.2	20.3	23.9	301.3	2	676
	07 LST	20.2	22.6	21.7	23.7	26.4	25.0	28.9	30.4	27.4	25.3	17.0	22.2	290.8	2	693
	13 LST	21.4	25.2	21.2	22.3	25.5	25.3	27.0	29.9	27.8	24.4	17.3	22.4	289.7	2	688
	19 LST	21.0	23.0	22.9	21.4	27.9	27.3	27.9	31.0	28.9	24.9	15.7	21.7	293.6	2	696

HVAR, YUGOSLAVIA

STA NO. 13335 (IN AREA NUMBER 01)

LATITUDE 4310N

LONGITUDE 01626E

ELEVATION(FT) 00066

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	63	68	73	78	92	93	97	99	94	86	74	67	99	60	-28
MEAN MAX TMP (F)	52	53	57	63	71	78	83	83	76	69	60	55	67	27	-28
MEAN MIN TMP (F)	42	43	47	51	58	64	69	69	65	58	51	46	59	27	-28
ABS MIN TMP (F)	19	25	26	36	43	51	59	58	49	37	27	27	19	60	-28
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0			5.7	5.7		0.0	0.0	0.0		27	-29
MEAN NO DYS TMP = DR LES 32(F)				0.0	0.0	0.0	0.0	0.0	0.0	0.0				60	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	60	-29
MEAN DEW PT TMP (F)	35	35	39	44	51	56	59	60	57	52	44	39	48	38	-29
MEAN REL HUM (PCT)	66	65	65	66	65	63	60	61	63	70	68	59	63	60	-28
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	3.00	2.50	2.80	2.30	1.60	1.50	0.80	1.50	2.50	3.80	4.40	4.10	30.8	60	-28
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0	0.0				60	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	8.4	7.5	6.9	6.4	3.2	4.4	2.6	4.4	6.6	8.4	9.0	9.9	79.5	60	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0	0.0				60	-29
MEAN NO DYS W/DCUR VSSY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	1.0	1.0	0.3	1.0	1.0	3.0	3.0	3.0	2.0	3.0	1.0	2.0	21.3	40	-24
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 3000 FT A/D LES 3 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														6	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

HVAR, YUGOSLAVIA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0

DATA NOT AVAILABLE

MOSTAR CITY, YUGOSLAVIA

STA NO. 13349 (IN AREA NUMBER 01)

LATITUDE 4320N

LONGITUDE 01749E

ELEVATION(FT) 00394

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	64	75	79	88	96	104	111	109	109	93	82	66	111	33	-33
MEAN MAX TMP (F)	48	51	59	67	75	85	92	91	82	71	60	49	69	15	-126
MEAN MIN TMP (F)	37	36	43	48	55	62	66	66	61	54	48	39	51	15	-126
ABS MIN TMP (F)	16	12	22	30	32	46	46	46	39	32	23	19	12	33	-33
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0		7.8	20.6	18.4	4.3		0.0	0.0		15	-29
MEAN NO DYS TMP = OR LES 32(F)				0.0	0.0	0.0	0.0	0.0	0.0	0.0				33	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	33	-29
MEAN DEW PT TMP (F)	29	30	36	42	49	56	58	58	53	50	40	32	45	16	-29
MEAN REL HUM (PCT)	63	63	60	61	61	59	53	53	60	68	64	67	61	18	-34
MEAN PRESS ALT (PT)														0	0
MEAN PRECIP (IN)	5.00	4.70	5.20	5.20	5.10	3.30	1.90	1.70	4.00	6.30	7.30	7.20	59.1	20	-127
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0	0.0				33	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	10.6	10.4	8.1	8.1	7.1	7.9	5.3	4.9	8.6	9.6		11.2		20	-29
MEAN NO DYS SNPL = OR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0	0.0				33	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	1.0	1.0	1.0	2.0	3.0	3.0	4.0	3.0	3.0	4.0	2.0	2.0	29.0	40	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/N LES 5 MI														0	0
P FREQ LES 1500 FT A/L LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

MOSTAR CITY, YUGOSLAVIA
 MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SPC WND = GTR 17 KTS AND NO PRECIP.	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SPC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0

DATA NOT AVAILABLE

DUBROVNIK, YUGOSLAVIA

STA NO. 13491 (IN AREA NUMBER 01)

LATITUDE 4233N

LONGITUDE 01614E

ELEVATION(FT) 00524

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	66	69	78	82	88	90	99	93	94	84	76	65	99	37	-534
MEAN MAX TMP (F)	53	55	58	64	70	78	84	82	77	69	62	56	67	27	-34
MEAN MIN TMP (F)	42	42	46	51	57	65	69	69	64	57	50	45	55	27	-34
ABS MIN TMP (F)	20	24	29	39	44	53	58	52	49	38	32	27	20	37	-534
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	6.8	4.7		0.0	0.0	0.0		27	-29
MEAN NO DYS TMP = DR LES 32(F)	4.4	0.0	3.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	9.9	4	145
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	145
MEAN DEW PT TMP (F)	33	34	41	47	54	60	62	59	54	45	38	49		0	-50
MEAN REL HUM (PCT)	61	61	64	66	66	65	63	62	66	68	66	65	64	19	-127
MEAN PRESS ALT (FT)	411	448	482	538	499	480	498	486	443	434	445	448	468	0	-50
MEAN PRECIP (IN)	7.50	4.10	4.90	5.10	5.10	2.80	1.80	1.90	4.60	7.40	6.10	7.10	56.6	19	-127
MEAN SNOW PALL (IN)			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			37	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	11.2	9.9	7.8	8.0	7.1	7.1	5.1	5.3	9.1		9.7	11.2		19	-29
MEAN NO DYS SNPL = DR GTR 1.5 IN			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			37	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTM	1.0	0.8	1.0	1.0	1.0	3.0	1.0	1.0	2.0	3.0	0.8	1.0	16.6	17	-127
P FREQ WND SPD = DR GTR 17 KTS	19.7	19.6	15.2	10.4	12.5	2.6	3.9	10.9	10.8	18.4	19.0	27.7	13.3	3	-33
P FREQ WND SPD = DR GTR 28 KTS	1.3	1.3	1.2	1.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	1.0	0.6	3	-35
P FREQ LES 3000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

DUBROVNIK, YUGOSLAVIA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. DAYS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
SPC WND = GTR 17 KTS AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
SPC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0

DATA NOT AVAILABLE

HERCEGNOVI, YUGOSLAVIA

STA NO. 13457 (IN AREA NUMBER 01)

LATITUDE 4220N

LONGITUDE 01831E

ELEVATION(PT) 00023

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	66	73	74	83	89	96	95	94	86	83	78	66	96	8	-121
MEAN MAX TMP (F)	54	55	59	65	72	79	85	83	78	70	63	55	68	8	-121
MEAN MIN TMP (F)	43	43	46	52	58	65	70	69	63	57	51	45	55	8	-121
ABS MIN TMP (F)	39	26	30	39	42	53	57	60	53	45	39	26	26	8	-121
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0		8.1	5.7	0.0	0.0	0.0	0.0		8	-29
MEAN NO DYS TMP = DR LES 32(F)	0.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			8	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-29
MEAN OEV PT TMP (F)	39	37	40	48	56	50	63	62	60	55	49	41	51	8	-29
MEAN REL HUM (PCT)	72	67	67	71	74	70	65	66	72	76	76	73	71	8	-121
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	8.92	7.33	6.65	4.30	3.89	2.23	1.03	3.78	6.15	11.59	9.30	12.68	77.8	8	-121
MEAN SNOW FALL (IN)	0.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			8	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	11.6	11.2	10.7	7.6	7.4	6.1	3.1	8.5	9.7					8	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			8	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	2.0	1.0	1.0	1.0	2.0	1.0	1.0	2.0	2.0	3.0	1.0	1.0	18.0	8	-121
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1900 FT A/D LES 3 MI														0	0
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

HERCEGNOVI, YUGOSLAVIA
 MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SKY COVER : ES 3/10 AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0

DATA NOT AVAILABLE

TITOGRAD/INTL, YUGOSLAVIA

STA NO. 13462 (IN AREA NUMBER 01)

LATITUDE 4221N

LONGITUDE 01915E

ELEVATION(FT) 00121

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	A IN	PQR NO. (YRS)	NO. UBS
ABS MAX TMP (F)	61	68	79	88	90	99	104	106	102	88	72	64	136	11	-14076
MEAN MAX TMP (F)	48	49	58	69	74	85	90	93	82	71	60	52	69	11	-14076
MEAN MIN TMP (F)	37	36	43	50	55	65	69	71	63	55	46	39	52	11	-14076
ABS MIN TMP (F)	14	19	25	36	41	52	57	52	52	41	23	19	14	11	-14076
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.6	9.2	19.6	24.6	6.6	0.0	0.0	0.0	60.6	11	-14076
MEAN NO DYS TMP = DR LES 32(F)	7.8	9.1	3.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8	6.4	29.0	11	-14076
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	-14076
MEAN DEW PT TMP (F)	33	30	38	45	50	56	56	56	53	50	46	37	46	0	-90
MEAN REL HUM (PCT)	73	74	66	63	63	56	48	48	58	68	77	75	64	30	-32
MEAN PRESS ALT (FT)	-10	28	64	119	103	109	132	106	37	5	4	15	59	0	-50
MEAN PRECIP (IN)	7.05	7.68	5.32	3.86	4.13	2.36	1.58	2.48	4.45	7.95	8.39	9.02	64.3	30	-32
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0	0.0				11	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	11.2	11.3	8.2	7.4	7.5	6.3	4.6	6.6	9.0			11.7		30	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0	0.0				11	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	0.6	2.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	1.6	3.2	11	-14076
MEAN NO DYS TSTMS	2.0	2.0	2.0	2.0	4.0	5.0	3.0	2.0	3.0	4.0	3.0	2.0	34.0	16	-14076
P FREQ WND SPD = DR GTR 17 KTS	17.3	12.4	18.7	3.2	3.9	9.7	8.2	10.9	12.2	7.0	6.3	14.0	10.7	11	-14076
P FREQ WND SPD = DR GTR 28 KTS	6.7	1.4	7.0	0.4	0.7	1.6	0.9	1.0	1.7	0.4	1.3	3.3	2.4	11	-14076
P FREQ LES 5000 FT A/D LES 3 MI	28.1	27.1	31.9	17.8	15.0	8.5	6.0	2.3	9.4	17.2	41.4	37.4	20.2	11	-14076
P FREQ LES 1900 FT A/D LES 3 MI															
FOR 00-02 LST	10.7	10.8	6.0	2.7	0.6	0.0	1.0	0.5	0.6	2.3	4.5	8.9	4.1	11	-14076
03-05 LST	0.0	2.1	4.7	3.5	2.3	0.0	0.0	0.0	0.0	1.3	7.7	2.5	2.0	4	-14076
06-08 LST	12.2	16.2	7.5	2.7	2.0	0.3	1.1	0.0	1.2	3.5	7.8	10.6	3.4	11	-14076
09-11 LST	9.8	10.7	16.9	3.5	2.4	0.0	0.0	2.1	4.4	2.2	7.7	10.5	3.7	4	-14076
12-14 LST	13.5	17.1	8.0	3.6	2.0	1.1	0.3	0.3	1.2	3.2	7.5	11.2	6.0	11	-14076
15-17 LST	8.9	5.2	16.5	4.9	1.2	0.0	0.0	0.0	3.6	2.4	12.3	9.3	3.4	4	-14076
18-20 LST	10.5	10.1	4.3	3.5	2.3	0.0	0.0	0.0	1.3	1.3	8.8	12.9	4.6	11	-14076
21-23 LST	3.4	5.5	8.5	2.3	2.3	0.0	0.0	0.0	1.1	1.1	6.5	5.2	3.0	4	-14076
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	2.8	3.4	0.5	0.0	0.0	0.0	0.0	0.5	0.0	0.6	0.0	2.4	1.0	11	-14076
03-05 LST	0.0	2.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	1.3	0.4	4	-14076
06-08 LST	3.2	8.4	3.5	0.0	0.0	0.0	0.0	0.0	0.0	1.0	2.1	2.2	1.9	11	-14076
09-11 LST	1.6	1.8	2.4	0.0	0.0	0.0	0.0	1.1	0.0	0.0	0.0	2.3	0.8	4	-14076
12-14 LST	2.2	7.6	0.9	0.0	0.0	0.0	0.0	0.3	0.0	0.0	1.0	2.1	1.2	11	-14076
15-17 LST	1.8	1.7	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	0.7	4	-14076
18-20 LST	1.6	2.8	0.4	0.5	0.5	0.0	0.0	0.0	0.0	0.0	1.0	3.6	0.9	11	-14076
21-23 LST	0.0	1.8	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	1.3	2.6	0.6	4	-14076

TITOGRAD/INTL, YUGOSLAVIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	UCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	28.8	25.5	29.8	29.8	30.8	30.0	30.6	30.8	30.0	30.8	29.2	28.7	334.8	11	-14076
	07 LST	27.9	23.9	29.3	29.3	30.6	29.8	30.6	31.0	29.8	30.5	28.5	28.5	349.9	11	-14076
	13 LST	27.4	23.8	29.3	29.6	30.6	29.8	30.8	30.8	29.8	30.1	28.4	28.6	349.0	11	-14076
	19 LST	28.4	25.6	30.2	29.1	30.3	30.0	31.0	31.0	29.5	30.8	28.2	27.9	352.2	11	-14076
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	18.7	19.3	21.5	24.3	26.7	24.6	23.7	24.0	21.9	23.9	24.4	21.3	274.3	11	-14076
	07 LST	19.8	16.8	21.8	25.3	25.9	26.7	25.4	24.5	23.1	24.2	23.8	20.3	277.6	11	-14076
	13 LST	19.7	16.0	19.8	22.0	22.3	21.9	19.8	23.4	22.4	23.4	22.2	19.1	232.0	11	-14076
	19 LST	19.3	17.3	21.6	24.3	24.3	23.4	23.3	23.7	22.8	24.9	23.3	20.0	268.4	11	-14076
SPC WND = GTR 17 KTS AND NO PRECIP.	01 LST	4.8	2.4	4.2	2.7	1.0	1.3	2.5	3.1	4.3	2.7	1.1	2.8	32.9	11	-14076
	07 LST	4.1	2.4	3.6	0.9	1.0	1.7	1.3	2.5	2.9	1.5	0.9	3.4	26.4	11	-14076
	13 LST	4.1	2.4	3.7	1.0	1.4	2.8	2.0	2.0	2.6	1.8	1.2	4.1	29.1	11	-14076
	19 LST	3.2	4.4	4.3	2.2	0.9	2.6	2.1	1.6	3.3	3.1	0.9	3.6	34.2	11	-14076
SPC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	4.1	3.8	4.9	4.9	8.7	8.3	11.0	11.3	7.4	7.3	3.0	3.3	78.2	11	-14076
	07 LST	4.4	3.3	3.0	6.0	8.3	10.0	14.4	13.3	10.2	8.7	4.3	3.3	93.6	11	-14076
	13 LST	3.0	3.8	10.2	18.0	18.7	13.3	11.3	6.9	13.0	9.4	7.0	3.1	123.7	11	-14076
	19 LST	3.0	2.3	3.4	10.9	13.3	13.3	13.7	14.9	8.9	4.7	2.8	2.8	96.4	11	-14076
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	11.3	11.1	13.8	14.2	13.3	19.4	23.2	27.7	21.8	16.3	10.3	11.1	193.9	11	-14076
	07 LST	8.1	8.4	9.2	11.2	10.3	13.3	21.3	24.4	18.6	12.3	6.3	8.3	134.3	11	-14076
	13 LST	7.7	7.9	11.6	8.0	6.1	9.6	16.9	22.3	13.3	10.2	6.7	7.4	130.1	11	-14076
	19 LST	11.7	9.8	11.7	9.1	6.7	9.3	15.7	20.8	18.3	13.1	10.8	11.3	130.3	11	-14076
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	24.7	23.0	26.4	27.4	29.0	24.3	30.1	30.8	29.6	29.0	25.4	23.3	330.0	11	-14076
	07 LST	23.0	21.4	26.9	27.4	28.8	29.3	30.4	30.6	28.7	28.4	24.3	24.2	323.8	11	-14076
	13 LST	24.4	21.4	26.1	26.3	28.9	29.0	30.4	30.8	29.0	27.1	23.9	24.3	321.8	11	-14076
	19 LST	23.1	23.3	27.3	27.6	28.8	29.8	31.0	30.8	28.6	29.3	24.4	23.7	330.1	11	-14076
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	18.3	18.6	21.1	23.2	22.7	23.7	27.8	29.3	26.3	23.0	17.3	19.3	271.0	11	-14076
	07 LST	16.9	16.3	20.8	22.9	24.1	23.9	28.1	28.3	23.2	23.1	13.9	16.7	264.6	11	-14076
	13 LST	18.7	17.2	21.6	21.0	21.7	23.4	26.7	30.0	23.8	21.6	16.4	17.7	261.8	11	-14076
	19 LST	18.3	17.9	20.2	21.6	21.2	24.2	27.4	28.8	26.3	23.4	17.7	18.3	263.3	11	-14076
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	18.3	18.1	20.6	22.7	22.1	23.7	27.3	29.3	26.3	22.3	17.1	18.7	266.9	11	-14076
	07 LST	16.9	16.2	20.8	22.9	24.1	23.8	27.7	28.3	24.6	23.0	13.4	16.7	262.6	11	-14076
	13 LST	18.7	16.6	21.4	21.0	21.1	23.4	26.6	29.6	23.6	21.6	13.8	17.2	238.6	11	-14076
	19 LST	18.3	17.1	20.0	21.3	20.8	24.2	26.8	23.7	23.2	17.3	17.9	261.4	11	-14076	

ULCINJ, YUGOSLAVIA

STA NO. 13562 (IN AREA NUMBER 01)

LATITUDE 4155N

LONGITUDE 01913E

ELEVATION(FT) 00328

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	63	68	79	79	86	97	97	99	91	86	72	66	99	9	2574
MEAN MAX TMP (F)	51	52	57	64	71	79	84	84	78	70	60	55	67	9	2574
MEAN MIN TMP (F)	40	41	45	51	58	65	69	69	64	56	49	45	54	9	2590
ABS MIN TMP (F)	18	19	28	34	43	50	52	54	48	43	32	25	18	9	2590
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	1.4	4.5	6.2	0.4	0.0	0.0	0.0	12.5	9	2574
MEAN NO DYS TMP = DR LES 32(F)	3.9	4.6	2.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	1.0	12.0	9	2590
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	2590
MEAN DEW PT TMP (F)	35	37	41	48	56	61	64	63	57	50	44	41	50	9	8559
MEAN REL HUM (PCT)	70	71	71	73	77	71	66	66	68	68	72	73	71	9	8309
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	6.08	4.54	4.26	2.87	4.69	1.75	0.76	1.38	2.27	4.33	6.82	6.42	46.2	9	2219
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		9	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	10.5	8.4	8.3	5.4	5.5	2.6	2.6	3.2	3.0	6.0	10.5	9.9	76.1	9	2219
MEAN NO DYS SNPL = DR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		9	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.2	0.2	0.7	0.4	0.9	0.0	0.2	0.0	1.2	0.0	0.0	0.0	3.8	9	1904
MEAN NO DYS TSTMS	2.0	3.1	2.1	1.8	3.2	2.9	3.3	2.2	1.6	3.4	4.5	2.3	32.4	9	1899
P FREQ WND SPD = DR GTR 17 KTS	3.6	7.4	4.8	3.1	1.2	1.0	0.4	0.9	0.7	0.9	3.9	3.5	2.6	9	8688
P FREQ WND SPD = DR GTR 28 KTS	0.3	0.0	0.2	0.9	0.0	0.0	0.2	0.3	0.0	0.1	0.0	0.5	0.2	9	8688
P FREQ LES 5000 FT A/D LES 5 MI	32.9	35.0	28.8	18.0	17.5	9.4	5.3	4.9	12.0	18.9	31.4	34.8	20.7	9	9820
P FREQ LES 1500 FT A/D LES 3 MI															
PDR 00-02 LST	1.3	3.1	1.7	0.0	1.9	0.0	1.0	0.0	3.3	0.6	4.6	1.5	1.6	9	2397
03-05 LST	2.1	4.8	9.1	0.0	4.7	0.0	0.0	6.3	4.8	4.0	0.0	0.0	3.0	2	371
06-08 LST	1.6	2.3	2.5	1.3	3.3	0.5	1.5	2.8	3.8	0.9	1.4	0.4	1.9	9	2687
09-11 LST	1.8	4.4	1.9	0.0	2.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	2	399
12-14 LST	1.7	0.5	0.8	1.3	0.0	0.0	0.5	0.0	0.5	0.0	1.4	0.9	0.6	9	2633
15-17 LST	1.8	0.0	1.7	0.0	0.0	0.0	0.0	0.0	0.0	3.7	0.0	3.6	0.9	3	414
18-20 LST	1.7	0.3	1.7	0.0	0.0	0.0	0.5	0.5	0.5	0.4	0.5	2.6	0.7	9	2734
21-23 LST	0.0	2.6	2.0	0.0	2.1	0.0	0.0	0.0	4.0	0.0	0.0	0.0	0.9	2	380
P FREQ LES 300 FT A/D LES 1 MI															
PDR 00-02 LST	0.0	0.5	0.9	0.0	0.5	0.0	0.5	0.0	2.7	0.0	0.6	0.5	0.5	9	2397
03-05 LST	0.0	0.0	7.3	0.0	0.0	0.0	0.0	6.3	0.0	0.0	0.0	0.0	1.1	2	371
06-08 LST	1.2	0.9	2.1	0.8	2.1	0.0	1.0	0.0	2.3	0.0	0.5	0.0	0.9	9	2687
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	399
12-14 LST	0.4	0.0	0.0	0.4	0.0	0.0	0.5	0.0	0.5	0.0	0.0	0.0	0.2	9	2633
15-17 LST	1.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	3	414
18-20 LST	0.0	0.3	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.1	9	2734
21-23 LST	0.0	0.0	2.0	0.0	2.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	2	380

ULCINI, YUGOSLAVIA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	30.7	27.1	30.4	30.0	30.5	30.0	30.6	31.0	29.0	31.0	28.6	30.6	359.3	9	2307
	07 LST	30.6	27.3	30.3	29.6	29.9	29.8	30.5	30.1	28.8	30.7	29.5	31.0	358.1	9	2686
	13 LST	30.6	27.8	30.8	29.6	31.0	30.0	30.8	31.0	29.8	31.0	29.7	30.7	362.8	9	2633
	19 LST	30.4	27.8	30.4	30.0	31.0	30.0	30.8	30.8	29.8	30.8	29.8	30.3	361.9	9	2734
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	01 LST	25.1	21.2	25.8	27.1	28.3	28.4	30.0	29.5	27.6	28.7	23.2	24.2	319.3	9	2379
	07 LST	24.7	22.3	25.3	27.2	28.9	29.1	30.0	29.6	26.8	26.6	24.4	22.9	317.8	9	2664
	13 LST	25.2	21.7	25.3	26.0	27.2	26.5	27.7	28.2	28.1	28.6	25.3	24.5	314.3	9	2613
19 LST	25.3	21.9	25.8	26.6	28.8	28.1	28.4	27.9	27.2	28.8	26.5	23.1	320.4	9	2719	
SPC WND = GTR 17 KTS AND ND PRECIP.	01 LST	0.9	1.1	0.9	0.8	0.1	0.3	0.0	0.1	0.0	0.0	0.6	0.9	3.4	9	2393
	07 LST	0.7	0.8	0.6	0.3	0.2	0.1	0.0	0.0	0.1	0.2	0.1	1.2	4.3	9	2682
	13 LST	1.0	1.4	1.5	0.3	0.1	0.2	0.1	0.3	0.2	0.4	1.0	0.4	7.1	9	2641
19 LST	1.0	1.1	0.7	0.8	0.3	0.1	0.3	0.3	0.3	0.1	0.4	0.4	6.4	9	2732	
SPC WND 4-10 KTS AND TMP 33-89 DEG F AND ND PRECIP.	01 LST	15.3	11.2	12.7	10.0	8.7	7.2	6.7	8.9	10.3	17.0	13.9	16.9	140.3	9	2373
	07 LST	15.1	11.5	13.9	10.5	7.5	6.7	6.1	8.7	11.5	18.0	16.9	18.7	143.1	9	2635
	13 LST	14.1	9.4	11.3	13.8	14.0	13.2	16.4	13.2	11.1	11.7	13.7	12.9	133.0	9	2619
	19 LST	11.7	7.9	10.3	12.1	11.1	10.0	11.9	13.4	8.4	9.6	13.6	11.9	131.9	9	2711
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	11.9	10.0	14.3	14.8	16.0	22.2	25.8	26.9	21.3	19.4	12.3	12.9	207.8	9	2403
	07 LST	8.9	7.3	9.0	9.7	12.2	15.4	23.2	22.2	16.8	13.2	7.9	10.0	136.0	9	2702
	13 LST	9.0	7.2	11.7	12.8	11.9	13.6	23.2	23.4	16.6	13.8	8.4	9.3	163.1	9	2633
	19 LST	11.7	9.9	12.7	12.6	10.0	14.3	23.1	22.3	18.6	18.4	12.0	12.9	178.7	9	2750
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	29.0	25.0	28.9	29.1	30.1	29.6	30.3	30.8	28.6	29.9	26.8	28.4	346.7	9	2387
	07 LST	28.8	25.3	29.0	28.7	28.9	29.7	30.3	29.9	28.4	30.0	27.9	28.9	343.8	9	2686
	13 LST	28.1	26.3	28.8	28.9	30.4	29.7	30.6	31.0	29.7	30.2	28.4	29.2	351.3	9	2633
19 LST	28.2	26.2	29.1	29.6	30.6	29.8	30.7	30.8	29.7	29.9	28.3	28.0	350.9	9	2734	
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	17.7	13.7	17.6	18.4	20.3	24.0	27.9	28.7	24.3	22.3	13.6	16.0	247.1	9	2387
	07 LST	15.6	12.7	16.3	18.4	18.1	23.1	26.3	26.6	22.1	20.1	14.3	14.6	228.4	9	2686
	13 LST	16.3	13.7	19.1	19.4	22.3	23.3	27.3	28.8	24.6	22.1	16.0	16.3	231.8	9	2633
	19 LST	16.7	14.0	18.6	20.3	22.3	23.4	28.6	29.0	24.0	22.6	17.1	16.9	239.7	9	2734
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	17.7	13.7	17.6	18.2	20.3	24.0	27.9	28.7	24.3	22.3	13.4	16.0	246.3	9	2387
	07 LST	15.6	12.4	16.3	18.4	18.1	23.1	26.3	26.3	22.1	20.1	14.4	14.6	227.9	9	2686
	13 LST	16.3	13.7	19.1	19.4	22.3	23.3	27.3	28.7	24.4	22.1	13.9	16.3	231.4	9	2633
	19 LST	16.4	13.9	18.5	20.3	22.2	23.4	28.3	29.0	24.0	22.6	16.9	16.9	234.8	9	2734

MOSTAR-KOBOR, YUGOSLAVIA

STA NO. 14002/ (IN AREA NUMBER 01)

LATITUDE 4317N

LONGITUDE 01750"

ELEVATION(FT) 00175

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	64	75	79	88	96	104	111	109	109	93	82	66	111	33	-13349
MEAN MAX TMP (F)	48	51	59	67	75	85	92	91	82	71	60	49	69	15	-13349
MEAN MIN TMP (F)	37	36	43	48	55	62	66	66	61	54	48	39	51	15	-13349
ABS MIN TMP (F)	16	12	22	30	32	46	46	46	39	32	23	19	12	33	-13349
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0		7.8	20.6	18.4	4.5		0.0	0.0		15	-29
MEAN NO DYS TMP = DR LES 32(F)				0.0	0.0	0.0	0.0	0.0	0.0	0.0				33	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	33	-29
MEAN DEW PT TMP (F)	28	30	35	42	50	55	58	58	54	49	37	34	44	0	-50
MEAN REL HUM (PCT)	63	63	60	61	61	59	53	53	60	68	64	67	61	18	-13349
MEAN PRESS ALT (FT)	52	89	128	184	149	130	150	133	86	76	86	88	113	0	-50
MEAN PRECIP (IN)	3.00	4.70	5.20	5.20	3.10	3.30	1.90	1.70	4.00	6.30	7.30	7.20	55.1	20	-13349
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0	0.0				33	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	10.6	10.4	8.1	8.1	7.1	7.9	5.3	4.9	8.6	9.6		11.2		20	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0	0.0				33	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	1.0	1.0	1.0	2.0	3.0	3.0	4.0	3.0	3.0	4.0	2.0	2.0	29.0	40	-13349
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 3 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

MOSTAR-KOSOR, YUGOSLAVIA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
															(YRS)	OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
SPC WND = GTR 17 KTS AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
SPC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0

DATA NOT AVAILABLE

MOSTAR, YUGOSLAVIA

STA NO. 14063/ (IN AREA NUMBER 01)

LATITUDE 4318N

LONGITUDE 01740E

ELEVATION(FT) 00165

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	64	75	79	88	96	104	111	109	109	93	82	66	111	33	-13349
MEAN MAX TMP (F)	48	51	59	67	75	85	92	91	82	71	60	49	69	15	-13349
MEAN MIN TMP (F)	37	36	43	48	55	62	66	66	61	54	48	39	51	15	-13349
ABS MIN TMP (F)	16	12	22	30	32	46	46	46	39	32	23	19	12	33	-13349
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0		7.8	20.6	18.4	4.5		0.0	0.0		15	-29
MEAN NO DYS TMP = DR LES 32(F)				0.0	0.0	0.0	0.0	0.0	0.0	0.0				33	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	33	-29
MEAN DEW PT TMP (F)	29	30	36	42	49	56	58	58	55	50	40	32	45	16	-29
MEAN REL HUM (PCT)	63	63	60	61	61	59	53	53	60	68	64	67	61	18	-13349
MEAN PRESS ALT (FT)	42	79	118	174	139	121	141	123	76	66	75	78	103	0	-50
MEAN PRECIP (IN)	5.00	4.70	5.20	5.20	3.10	3.30	1.90	1.70	4.00	6.50	7.30	7.20	55.1	20	-13349
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0	0.0				33	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	10.6	10.4	8.1	8.1	7.1	7.9	5.3	4.9	8.6	9.6		11.2		20	-29
MEAN NO DYS SNPL = DR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0	0.0				33	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	1.0	1.0	1.0	2.0	3.0	3.0	4.0	3.0	3.0	4.0	2.0	2.0	29.0	40	-13349
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1900 FT A/D LES 3 MI														0	0
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

MOSTAR, YUGOSLAVIA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	FOR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
SPC WND = GTR 17 KTS AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
SPC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0

DATA NOT AVAILABLE

OMIBALJ, YUGOSLAVIA

STA NO. 140(b/ (IN AREA NUMBER 01)

LATITUDE 4913N

LONGITUDE 01433E

ELEVATION(FT) 00299

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	60	67	73	80	86	96	94	96	93	81	72	61	96	8	-171
MEAN MAX TMP (F)	47	50	55	62	70	78	83	82	75	66	59	49	65	8	-121
MEAN MIN TMP (F)	38	40	44	50	57	64	69	67	62	54	48	39	53	8	-121
ABS MIN TMP (F)	15	16	28	37	40	53	57	52	42	39	36	17	15	8	-121
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	8.1	4.7		0.0	0.0	0.0		8	-29
MEAN NO DYS TMP = DR LES 32(F)				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			8	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-29
MEAN DEW PT TMP (F)	32	34	37	44	52	58	61	59	56	51	45	34	47	8	-29
MEAN REL HUM (PCT)	70	68	66	68	70	66	61	63	68	74	75	72	68	8	-121
MEAN PRESS ALT (FT)														0	0
MEAN PRESS ALT (FT)	2.82	2.51	3.42	3.06	4.72	3.73	1.64	2.94	3.74	6.65	4.53	5.10	46.9	8	-121
MEAN PRECIP (IN)				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			8	-29
MEAN SNOW FALL (IN)														8	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	8.1	7.5	7.3	7.1	7.7	8.4	4.7	7.4	9.7	9.6	9.1	10.6	97.2	8	-29
MEAN NO DYS SNPL = DR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			8	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	1.0	1.0	1.0	3.0	4.0	3.0	4.0	2.0	3.0	2.0	1.0	25.0	8	-121
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

OMBALJ, YUGOSLAVIA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
SPC WND = GTR 17 KTS AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
SPC WND 4-10 KTS AND TMP 33-89 DEB P AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0

DATA NOT AVAILABLE

RAB, YUGOSLAVIA

STA NO. 14069/ (IN AREA NUMBER 01)

LATITUDE 4445N

LONGITUDE 01447E

ELEVATION(PT) 00020

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	58	64	65	76	83	93	91	91	86	75	71	58	93	8	-121
MEAN MAX TMP (F)	46	48	52	59	66	74	80	78	71	62	57	47	62	8	-121
MEAN MIN TMP (F)	36	37	41	47	54	62	66	64	60	52	46	39	50	8	-121
ABS MIN TMP (F)	14	14	23	30	39	52	53	48	41	36	33	14	14	8	-121
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0				0.0	0.0	0.0	0.0		8	-29
MEAN NO DYS TMP = OR LES 32(F)				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			8	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-29
MEAN DEW PT TMP (F)	33	33	36	43	51	56	57	56	54	49	44	35	46	8	-121
MEAN REL HUM (PCT)	76	73	70	72	74	68	61	63	69	77	77	75	71	0	0
MEAN PRESS ALT (PT)	3.03	2.05	3.07	3.03	3.98	3.39	1.85	1.81	4.80	5.59	5.12	4.17	41.9	16	-122
MEAN PRECIP (IN)				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			8	-29
MEAN SNOW FALL (IN)														16	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	8.5	6.4	7.1	7.1	7.5	8.0	5.2	5.1	9.3	9.6	9.3	9.9	93.2	8	-29
MEAN NO DYS SNPL = OR GTR 1.9 IN				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														8	-121
MEAN NO DYS TSTMS	1.0	0.0	1.0	1.0	2.0	2.0	3.0	3.0	3.0	3.0	2.0	1.0	22.0	0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 3000 FT A/D LES 3 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

RAB, YUGOSLAVIA
 MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SPC WND LES 10 KTS	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SPC WND = GTR 17 KTS AND NO PRECIP.	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SPC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0

DATA NOT AVAILABLE

SIPAN, YUGOSLAVIA

STA NO. 14073/ (IN AREA NUMBER 01)

LATITUDE 4244N

LONGITUDE 01792E

ELEVATION(FT) 00791

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	61	67	70	79	84	97	98	98	86	80	71	63	98	8	-121
MEAN MAX TMP (F)	51	53	57	63	69	79	85	84	77	68	61	52	67	8	-121
MEAN MIN TMP (F)	41	41	44	50	56	62	68	68	62	55	50	41	53	8	-121
ABS MIN TMP (F)	21	20	28	33	37	50	65	50	50	37	34	23	20	8	-121
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0		8.1	6.8	0.0	0.0	0.0	0.0		8	-29
MEAN NO DYS TMP = DR LES 32(F)				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			8	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-29
MEAN OBN PT TMP (F)	36	35	39	45	53	57	60	60	57	52	46	37	48	8	-121
MEAN REL HUM (PCT)	71	67	69	69	73	66	61	62	67	73	72	73	69	0	0
MEAN PRESS ALT (PT)														8	-121
MEAN PRECIP (IN)	3.93	2.74	3.12	2.01	3.29	1.70	0.71	1.43	2.82	3.71	4.88	6.72	39.1	8	-29
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			8	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	9.7	8.0	7.1	6.0	7.2	4.9	2.1	4.2	7.1	9.7	9.3	11.1	86.4	8	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														8	-121
MEAN NO DYS TSTMS	1.0	1.0	1.0	1.0	3.0	2.0	2.0	3.0	3.0	3.0	1.0	2.0	23.0	0	0
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 3000 FT A/O LES 3 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

SIPAN, YUGOSLAVIA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI M/SPC WND LES 10 KTS	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SPC WND = GTR 17 KTS AND NO PRECIP.	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SPC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0

DATA NOT AVAILABLE

SPLIT LAZARICA, YUGOSLAVIA

STA NO. 14074/ (IN AREA NUMBER 01)

LATITUDE 4330N

LONGITUDE 01627E

ELEVATION(FT) 00161

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	63	70	70	81	91	93	99	97	90	81	72	66	99	9	2945
MEAN MAX TMP (F)	51	51	56	64	72	80	86	85	78	69	59	54	67	9	2945
MEAN MIN TMP (F)	42	41	46	52	59	66	71	71	65	58	50	47	56	9	2884
ABS MIN TMP (F)	18	18	27	36	43	54	55	57	50	46	36	23	18	9	2884
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.1	1.6	8.1	7.1	0.7	0.0	0.0	0.0	17.6	9	2945
MEAN NO DYS TMP = DR LES 32(F)	2.9	3.8	1.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	8.9	9	2884
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	2884
MEAN OBW PT TMP (F)	32	33	39	43	50	57	58	58	54	50	44	40	47	9	13216
MEAN REL HUM (PCT)	61	63	66	61	61	60	54	54	59	65	68	68	62	9	12912
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	2.65	2.55	2.35	2.39	1.99	1.63	1.07	0.90	1.93	2.92	4.29	4.95	29.6	9	2597
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		9	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	6.5	6.9	6.6	3.2	3.0	3.8	2.6	2.5	3.0	6.1	9.0	9.1	68.3	9	2597
MEAN NO DYS SNFL = DR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		9	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	0.4	0.4	0.7	0.1	0.0	0.0	0.0	0.2	0.2	0.2	0.2	0.2	2.6	9	2701
MEAN NO DYS TSTMS	1.6	0.9	1.5	2.4	3.0	3.5	3.4	2.6	3.0	3.5	3.3	2.3	35.0	9	2730
P FREQ WND SPD = DR GTR 17 KTS	23.6	19.2	19.7	18.5	10.5	7.9	6.0	6.0	10.7	17.8	16.5	21.5	14.8	9	13255
P FREQ WND SPD = DR GTR 28 KTS	3.7	6.6	1.2	4.8	0.9	1.0	0.1	0.2	0.9	2.5	2.2	3.5	3.0	9	13255
P FREQ LES 5000 FT A/D LES 3 MI	24.7	17.0	27.1	18.8	14.9	12.8	7.8	7.8	13.8	19.6	29.8	37.6	20.1	9	13327
P FREQ LES 1900 FT A/D LES 3 MI															
FDR 00-02 LST	0.4	1.3	2.7	0.4	0.4	0.8	0.0	0.8	0.0	0.4	0.4	2.3	0.8	9	3065
03-05 LST	0.0	0.0	1.7	0.0	3.6	1.9	5.5	0.0	0.0	1.8	1.9	0.0	1.4	2	648
06-08 LST	1.2	3.4	2.1	2.6	1.2	2.0	0.8	1.1	2.0	3.0	2.4	2.2	2.1	9	3019
09-11 LST	1.8	0.0	1.8	0.0	1.8	1.9	2.1	1.9	0.0	1.8	3.8	1.8	1.6	2	640
12-14 LST	1.6	2.5	2.3	1.2	1.2	0.8	0.4	0.0	1.2	1.2	0.8	3.4	1.4	9	3068
15-17 LST	7.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	1.7	1.1	2	659
18-20 LST	1.3	2.5	1.1	0.4	1.3	0.4	0.4	0.4	0.0	1.1	2.3	2.2	1.2	9	3108
21-23 LST	1.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9	0.3		7	641
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	0.4	0.4	1.1	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.4	0.2	9	3065
03-05 LST	0.0	0.0	1.7	0.0	0.0	0.0	1.8	0.0	0.0	0.0	1.9	0.0	0.5	2	648
06-08 LST	0.4	1.3	1.2	0.9	0.0	0.4	0.4	0.4	1.2	1.1	0.8	0.4	0.7	9	3019
09-11 LST	1.8	0.0	0.0	0.0	0.0	0.0	2.1	1.9	0.0	0.0	0.0	0.0	0.5	2	640
12-14 LST	0.4	1.3	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.2	9	3068
15-17 LST	3.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	2	659
18-20 LST	0.8	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.8	0.0	0.2	9	3108
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	641

SPLIT LAZARICA, YUGOSLAVIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	30.8	27.6	30.4	30.0	30.8	29.7	31.0	30.7	30.0	31.0	29.8	30.7	302.5	9	3062
	07 LST	30.8	27.2	30.2	29.2	30.7	29.5	30.8	30.6	29.4	30.5	29.6	30.6	359.1	9	3019
	13 LST	30.6	27.4	30.5	29.7	30.8	30.0	30.8	31.0	29.7	30.8	29.8	30.4	361.5	9	3068
	19 LST	30.6	27.4	30.7	29.8	30.5	29.8	30.8	31.0	30.0	30.6	29.4	30.5	361.1	9	3007
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SPC WND LES 10 KTS	01 LST	17.1	13.2	19.3	18.4	21.8	23.7	25.1	24.4	21.2	19.3	17.1	16.3	236.9	9	3050
	07 LST	16.8	14.7	18.5	18.0	21.5	22.1	24.5	24.5	20.0	18.2	16.1	16.7	231.6	9	3007
	13 LST	16.6	15.6	18.4	18.6	21.9	21.1	22.5	24.3	20.5	19.9	18.8	16.7	234.9	9	3048
	19 LST	16.2	14.7	18.1	18.9	23.1	23.2	24.3	25.2	20.2	19.3	19.0	17.4	239.6	9	3100
SPC WND = GTR 17 KTS AND NO PRECIP.	01 LST	6.2	5.1	5.4	5.4	3.2	2.3	1.5	1.8	2.7	5.1	4.7	4.9	48.3	9	3066
	07 LST	5.3	4.6	4.8	5.3	3.3	1.5	1.1	2.3	3.0	4.3	3.7	4.8	44.0	9	3050
	13 LST	5.6	3.7	4.1	4.0	2.6	2.6	1.9	1.9	3.0	5.1	4.1	5.6	44.2	9	3100
	19 LST	5.3	5.0	4.3	5.0	2.2	2.0	1.7	1.4	3.8	4.6	4.1	4.4	43.8	9	3112
SPC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	13.4	9.9	10.4	10.0	10.1	11.2	12.9	12.1	9.6	13.3	14.1	13.6	140.6	9	3042
	07 LST	12.4	11.6	10.6	8.8	9.4	8.6	11.7	10.8	11.3	13.9	14.2	13.5	136.8	9	3033
	13 LST	9.0	8.9	12.4	14.8	18.1	17.6	17.3	17.4	14.7	11.9	9.1	6.6	157.8	9	3070
	19 LST	11.0	7.9	8.6	9.5	11.5	10.6	13.0	14.0	9.1	9.5	11.6	11.5	127.8	9	3100
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	13.8	12.3	14.9	16.1	17.5	18.0	24.5	25.2	21.3	18.6	12.5	12.9	207.6	9	3069
	07 LST	9.4	8.4	10.3	10.5	11.7	13.1	21.1	21.2	16.6	13.7	9.2	9.3	154.5	9	3026
	13 LST	10.1	8.5	11.7	10.0	9.7	13.5	21.3	21.4	16.8	12.5	8.2	8.1	151.8	9	3106
	19 LST	13.7	11.0	13.9	12.1	10.9	14.0	20.5	20.1	18.4	17.1	12.5	10.7	174.9	9	3117
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	29.5	26.6	29.1	29.0	30.4	29.2	30.8	30.6	29.7	30.2	28.8	28.3	352.2	9	3062
	07 LST	29.3	25.7	28.5	28.3	30.4	29.0	30.6	30.5	29.1	28.7	27.2	27.7	345.0	9	3019
	13 LST	28.8	25.8	28.6	28.6	30.1	29.4	30.6	30.8	29.4	29.2	27.2	27.7	346.2	9	3068
	19 LST	28.9	26.5	29.4	29.1	29.9	29.4	30.7	30.6	29.3	29.7	27.6	28.8	350.1	9	3107
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	23.7	19.9	22.6	23.8	25.0	25.6	28.6	29.0	25.9	24.8	20.7	18.6	288.2	9	3062
	07 LST	20.5	17.7	21.1	22.8	25.6	24.4	27.4	28.7	25.2	23.1	19.3	17.9	273.7	9	3019
	13 LST	21.3	18.8	22.3	23.4	24.0	25.4	27.8	28.1	26.5	22.8	19.5	18.0	277.9	9	3068
	19 LST	23.3	18.9	23.1	23.8	24.9	26.3	26.6	28.9	25.2	25.2	20.6	19.5	288.3	9	3107
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	23.4	19.7	22.5	23.4	24.7	25.3	28.5	28.8	25.8	24.5	20.6	18.5	285.7	9	3062
	07 LST	20.5	17.5	20.3	22.7	25.0	24.0	27.1	28.7	24.9	22.7	18.8	17.6	269.8	9	3019
	13 LST	21.0	18.4	22.1	23.4	23.5	25.2	27.8	28.0	26.3	22.7	18.6	17.7	274.7	9	3068
	19 LST	23.0	18.7	23.0	23.3	24.6	26.2	28.4	28.8	24.8	25.0	20.0	19.2	289.0	9	3107

TITOGRAD, YUGOSLAVIA

STA NO. 14076/ (IN AREA NUMBER 01)

LATITUDE 4226N

LONGITUDE 01917E

ELEVATION(FT) 00174

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	61	68	79	88	90	99	104	106	102	88	72	64	106	11	1799
MEAN MAX TMP (F)	48	49	58	69	74	85	90	93	82	71	60	52	69	11	1799
MEAN MIN TMP (F)	37	36	43	50	55	65	69	71	63	55	46	39	52	11	1791
ABS MIN TMP (F)	14	19	25	36	41	52	57	52	52	41	23	19	14	11	1791
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.6	9.2	19.6	24.6	6.6	0.0	0.0	0.0	60.6	11	1799
MEAN NO DYS TMP = DR LES 32(F)	7.8	9.1	3.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8	6.4	29.0	11	1791
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	1791
MEAN DEW PT TMP (F)	32	29	36	45	50	55	56	55	51	49	45	36	45	11	8950
MEAN REL HUM (PCT)	69	63	64	63	61	54	48	43	52	63	78	74	61	11	8742
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	3.31	5.80	4.41	4.56	3.36	1.59	1.81	1.73	3.30	5.26	8.19	7.19	50.5	10	1478
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0	0.0				11	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	7.6	6.1	8.3	5.9	6.9	3.7	4.3	1.0	4.5	7.7	12.5	10.3	78.8	10	1478
MEAN NO DYS SNPL = DR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0	0.0				11	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.6	2.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	1.6	5.2	11	1462
MEAN NO DYS TSTMS	2.0	2.0	2.0	2.0	4.0	5.0	3.0	2.0	3.0	4.0	3.0	2.0	34.0	16	-24
P FREQ WND SPD = DR GTR 17 KTS	17.3	12.4	18.7	5.2	5.9	9.7	8.2	10.9	12.2	7.0	6.3	14.0	10.7	11	8995
P FREQ WND SPD = DR GTR 28 KTS	6.7	1.4	7.0	0.4	0.7	1.6	0.9	1.0	1.7	0.4	1.3	5.5	2.4	11	8995
P FREQ LES 5000 FT A/D LES 5 MI	28.1	27.1	31.9	17.8	15.0	8.5	6.0	2.3	9.4	17.2	41.4	37.4	20.2	11	9741
P FREQ LES 1900 FT A/D LES 3 MI															
FOR 00-02 LST	10.7	10.8	6.0	2.7	0.6	0.0	1.0	0.5	0.6	2.3	4.5	3.9	4.1	11	2162
03-05 LST	0.0	2.1	4.7	3.5	2.3	0.0	0.0	0.0	0.0	1.3	7.7	2.5	2.0	4	920
06-08 LST	12.2	16.2	7.3	2.7	2.0	0.5	1.1	0.0	1.2	2.5	7.8	10.6	5.4	11	2257
09-11 LST	9.8	10.7	16.9	3.5	2.4	0.0	0.0	2.1	2.2	2.2	7.7	10.5	5.7	4	972
12-14 LST	13.5	17.1	8.0	3.6	2.0	1.1	0.5	0.5	1.2	5.2	7.5	11.2	6.0	11	2258
15-17 LST	8.9	5.2	16.3	4.9	1.2	0.0	0.0	0.0	3.6	2.4	12.5	9.3	5.4	4	965
18-20 LST	10.5	10.1	4.3	3.5	2.3	0.0	0.0	0.0	1.3	1.5	8.8	12.9	4.6	11	2412
21-23 LST	3.4	5.5	8.5	2.3	2.3	0.0	0.0	0.0	1.1	1.1	6.5	9.2	3.0	4	966
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	2.8	3.4	0.5	0.0	0.0	0.0	0.0	0.5	0.0	0.6	0.0	2.4	1.0	11	2162
03-05 LST	0.0	2.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	1.3	0.4	4	920
06-08 LST	5.2	8.4	3.3	0.0	0.0	0.0	0.0	0.0	0.0	1.0	2.1	2.2	1.9	11	2257
09-11 LST	1.6	1.8	2.4	0.0	0.0	0.0	0.0	1.1	0.0	0.0	0.0	2.3	0.8	4	972
12-14 LST	2.2	7.6	0.9	0.0	0.0	0.0	0.0	0.5	0.0	0.0	1.0	2.1	1.2	11	2258
15-17 LST	1.8	1.7	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.5	0.7	4	965
18-20 LST	1.6	2.8	0.4	0.5	0.5	0.0	0.0	0.0	0.0	0.0	1.0	3.6	0.9	11	2412
21-23 LST	0.0	1.8	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	1.3	2.6	0.6	4	966

TITOGRAD, YUGOSLAVIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	28.8	25.5	29.8	29.8	30.8	30.0	30.6	30.8	30.0	30.8	29.2	28.7	354.8	11	2107
	07 LST	27.9	23.9	29.3	29.5	30.6	29.8	30.6	31.0	29.8	30.5	28.5	28.5	349.9	11	2257
	13 LST	27.4	23.8	29.3	29.6	30.6	29.8	30.8	30.8	29.8	30.1	28.4	28.6	349.0	11	2258
	19 LST	28.4	25.6	30.2	29.1	30.5	30.0	31.0	31.0	29.5	30.8	28.2	27.9	352.2	11	2411
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SPC WND LES 10 KTS	01 LST	18.7	19.3	21.5	24.3	26.7	24.6	23.7	24.0	21.9	23.9	24.4	21.5	274.5	11	2096
	07 LST	19.8	16.8	21.8	25.3	25.9	26.7	25.4	24.5	23.1	24.2	23.8	20.3	277.6	11	2246
	13 LST	19.7	16.0	19.8	22.0	22.3	21.9	19.8	23.4	22.4	23.4	22.2	19.1	252.0	11	2243
	19 LST	19.3	17.3	21.6	24.3	24.3	23.4	23.3	23.7	22.8	24.9	23.5	20.0	268.4	11	2402
SPC WND = GTR 17 KTS AND NO PRECIP.	01 LST	4.8	2.4	4.2	2.7	1.0	1.3	2.5	3.1	4.3	2.7	1.1	2.8	32.9	11	2113
	07 LST	4.1	2.4	3.6	0.9	1.0	1.7	1.5	2.5	2.9	1.5	0.9	3.4	26.4	11	2277
	13 LST	4.1	2.4	3.7	1.0	1.4	2.8	2.0	2.0	2.6	1.8	1.2	4.1	29.1	11	2278
	19 LST	5.2	4.4	4.3	2.2	0.9	2.6	2.1	1.6	3.3	3.1	0.9	3.6	34.2	11	2436
SPC WND 4-10 KTS AND THP 33-89 DEG F AND NO PRECIP.	01 LST	4.1	3.8	4.9	4.9	8.7	8.3	11.0	11.3	7.4	7.5	3.0	3.3	78.2	11	2087
	07 LST	4.4	3.3	5.0	6.0	8.3	10.0	14.4	13.5	10.2	8.7	4.3	3.5	93.6	11	2244
	13 LST	5.0	5.8	10.2	18.0	18.7	15.3	11.3	6.9	13.0	9.4	7.0	3.1	123.7	11	2240
	19 LST	3.0	2.5	5.4	10.9	13.3	13.5	13.7	14.9	8.9	4.7	2.8	2.8	96.4	11	2413
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	11.5	11.1	13.8	14.2	13.3	19.4	23.2	27.7	21.8	16.5	10.3	11.1	193.9	11	2112
	07 LST	8.1	8.4	9.2	11.2	10.5	15.3	21.3	24.4	18.6	12.3	6.5	8.5	154.3	11	2279
	13 LST	7.7	7.9	11.6	8.0	6.1	9.6	16.9	22.5	15.5	10.2	6.7	7.4	130.1	11	2288
	19 LST	11.7	9.8	11.7	9.1	6.7	9.3	15.7	20.8	18.3	15.1	10.8	11.5	150.5	11	2431
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	24.7	23.0	26.4	27.4	29.0	29.3	30.1	30.8	29.6	29.0	29.4	25.3	330.0	11	2107
	07 LST	25.0	21.4	26.9	27.4	28.8	29.5	30.4	30.6	28.7	28.4	24.5	24.2	325.8	11	2257
	13 LST	24.4	21.4	26.1	26.5	28.9	29.0	30.4	30.8	29.0	27.1	23.9	24.3	321.8	11	2258
	19 LST	25.1	23.5	27.5	27.6	28.8	29.8	31.0	30.8	28.6	29.3	24.4	23.7	330.1	11	2411
CIG = GTR 8000 FT AND VSBY = GTR 3 MI	01 LST	18.3	18.6	21.1	23.2	22.7	23.7	27.8	29.5	26.3	23.0	17.5	19.3	271.0	11	2107
	07 LST	16.9	16.5	20.8	22.9	24.1	23.9	28.1	28.5	25.2	23.1	15.9	16.7	264.6	11	2257
	13 LST	18.7	17.2	21.6	21.0	21.7	23.4	26.7	30.0	25.8	21.6	16.4	17.7	261.8	11	2258
	19 LST	18.5	17.9	20.2	21.6	21.2	24.2	27.4	28.8	26.3	23.4	17.7	18.3	265.5	11	2411
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	18.3	18.1	20.6	22.7	22.1	23.7	27.5	29.5	26.3	22.3	17.1	18.7	266.9	11	2107
	07 LST	16.9	16.2	20.8	22.9	24.1	25.8	27.7	28.5	24.6	23.0	15.4	16.7	262.6	11	2257
	13 LST	18.7	16.6	21.4	21.0	21.1	23.4	26.6	29.6	25.6	21.6	15.8	17.2	258.6	11	2258
	19 LST	18.3	17.1	20.0	21.5	20.8	24.2	26.8	28.6	25.7	23.2	17.3	17.9	261.4	11	2411

AREA NO. 01

YUGOSLAVIA		ADRIATIC COAST				LATITUDE 4400N		LONGITUDE 01600E							
BOUNDARIES		4536N	01355E	4530N	01430E	4530N	01430E	4434N	01520E	4434N	01520E	4232N	01935E		
PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	
MEAN MAX TMP (F)		49	51	56	63	71	79	84	84	77	68	59	52	66	
MEAN MIN TMP (F)		38	39	44	50	56	63	68	67	62	55	48	41	53	
LARGEST MEAN PRECIP(IN)		8.92	7.68	6.65	5.20	4.72	4.90	3.00	4.10	6.90	11.59	9.30	12.68	83.6	
SMALLEST MEAN PRECIP(IN)		1.97	1.65	2.17	1.54	1.60	1.50	0.71	0.90	1.93	2.92	4.17	2.28	23.3	
		MEAN NUMBER OF DAYS													
CIG = GTR 1000 FT AND VSBY = GTR 3 MI		01 LST	29.9	26.3	29.9	29.8	30.7	29.9	30.8	30.8	29.5	30.7	28.9	29.7	357.1
		07 LST	29.5	26.0	29.6	29.2	30.6	29.8	30.8	30.6	29.2	30.3	28.8	29.7	354.1
		13 LST	29.6	26.8	30.0	29.7	30.8	29.9	30.8	30.9	29.8	30.6	28.9	29.9	357.7
		19 LST	29.7	26.7	30.2	29.7	30.8	29.9	30.9	30.9	29.8	30.7	28.9	29.5	357.7
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SPC WND LES 10 KTS		01 LST	21.2	18.5	22.0	23.8	26.3	26.1	26.5	26.3	24.4	24.3	20.9	20.9	281.4
		07 LST	20.9	18.6	21.9	23.8	26.1	26.2	26.8	27.1	24.2	23.4	20.9	20.2	280.1
		13 LST	20.7	18.6	21.0	22.1	23.6	23.6	24.8	26.3	24.2	23.6	21.3	20.2	270.0
		19 LST	21.5	18.8	21.9	23.7	26.1	25.7	26.8	27.2	24.8	24.3	21.8	20.3	282.9
SPC WND = GTR 17 KTS AND NO PRECIP.		01 LST	3.7	2.9	3.1	2.5	1.4	1.5	1.1	1.3	2.0	2.2	2.4	3.4	27.5
		07 LST	3.2	2.5	2.8	2.0	1.6	1.1	0.9	1.1	1.6	1.6	1.9	3.6	23.9
		13 LST	3.1	2.4	2.9	2.0	1.3	1.5	1.2	1.0	1.8	2.2	2.4	3.6	25.4
		19 LST	3.1	3.2	2.7	1.9	0.8	1.3	1.0	0.7	1.8	2.3	1.9	3.0	23.7
SPC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.		01 LST	10.1	7.7	8.7	7.9	8.7	7.8	8.0	8.8	7.8	11.0	10.1	10.0	106.6
		07 LST	10.1	8.4	9.0	8.1	8.6	8.4	9.8	9.6	9.6	12.2	10.6	10.0	114.4
		13 LST	9.8	9.3	12.9	16.0	17.7	17.3	17.3	16.0	16.0	13.6	9.9	8.3	164.3
		19 LST	9.1	7.0	9.5	10.0	12.0	11.9	13.1	12.5	8.6	7.7	9.0	8.4	118.8
SKY COVER LES 3/10 AND VSBY = GTR 3 MI		01 LST	12.4	12.7	14.6	14.6	17.2	19.4	24.2	25.9	21.8	18.2	11.9	12.3	205.2
		07 LST	9.4	9.6	10.5	10.5	12.4	15.1	21.0	22.2	17.3	13.7	7.7	9.7	159.3
		13 LST	9.9	9.5	11.7	10.6	10.8	13.6	20.4	22.3	17.6	12.8	7.4	8.0	154.6
		19 LST	12.6	11.9	12.9	11.3	10.5	13.5	19.4	21.5	19.0	17.5	11.5	10.0	172.4
CIG = GTR 2500 FT AND VSBY = GTR 3 MI		01 LST	27.5	24.5	27.5	28.0	29.7	29.1	30.2	30.3	29.0	29.3	26.4	26.0	338.6
		07 LST	27.3	24.0	27.4	27.7	29.4	29.2	30.3	30.2	28.5	28.5	25.6	26.4	334.5
		13 LST	27.0	24.9	27.7	28.1	29.8	29.2	30.5	30.7	29.1	28.6	26.2	26.8	338.6
		19 LST	27.2	25.1	28.2	28.5	29.9	29.5	30.6	30.7	29.2	29.2	26.1	26.6	340.8
CIG = GTR 6000 FT AND VSBY = GTR 3 MI		01 LST	20.2	18.6	20.8	21.9	23.7	24.7	27.9	29.0	25.7	23.6	18.5	18.4	273.0
		07 LST	18.0	16.8	19.9	21.7	23.3	24.4	27.6	28.0	24.5	22.4	16.7	16.8	260.1
		13 LST	19.6	18.7	21.3	21.9	24.0	25.1	27.4	28.9	26.0	22.6	17.8	17.9	271.2
		19 LST	20.0	18.4	21.0	22.0	24.6	25.6	28.0	28.2	25.7	23.8	18.0	18.5	274.8
CIG = GTR 10000 FT AND VSBY = GTR 3 MI		01 LST	20.0	18.5	20.5	21.7	23.6	24.6	27.8	28.9	25.6	23.3	18.3	18.3	271.1
		07 LST	18.0	16.6	19.8	21.7	23.2	24.2	27.4	28.0	24.3	22.3	16.5	16.7	258.7
		13 LST	19.4	18.3	21.2	21.9	23.7	25.0	27.3	28.8	25.8	22.5	17.4	17.8	269.3
		19 LST	19.8	18.2	21.0	21.9	24.3	25.6	27.9	29.1	25.5	23.7	17.7	18.3	273.0

LJUBLJANA, YUGOSLAVIA

STA NO. 13017 (IN AREA NUMBER 02)

LATITUDE 4603N

LONGITUDE 01433E

ELEVATION(FT) 00951

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	57	66	74	81	90	100	102	93	91	80	69	60	102	36	-624
MEAN MAX TMP (F)	38	41	50	59	68	75	80	78	71	59	46	38	58	30	-124
MEAN MIN TMP (F)	24	25	32	40	48	54	57	56	51	42	36	28	41	30	-124
ABS MIN TMP (F)	-14	-14	-2	19	25	34	41	38	31	20	4	-4	-14	36	-624
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.1	0.2	1.7	1.2	0.0	0.0	0.0	0.0	3.2	11	3576
MEAN NO DYS TMP = OR LES 32(F)	26.8	23.2	19.9	9.7	1.3	0.0	0.0	0.0	0.3	3.7	10.5	21.2	112.6	11	3599
MEAN NO DYS TMP = OR LES 0(F)	0.7	0.9	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	11	3599
MEAN DEW PT TMP (F)	27	27	33	41	48	55	58	59	53	46	38	31	43	11	18443
MEAN REL HUM (PCT)	91	86	81	78	78	78	80	82	86	89	92	92	84	11	18230
MEAN PRESS ALT (FT)	829	862	906	946	915	888	905	893	856	859	876	869	884	0	-30
MEAN PRECIP (IN)	3.47	2.76	4.41	4.72	5.83	5.67	4.53	6.02	7.36	7.76	6.38	4.61	63.7	16	-123
MEAN SNOW FALL (IN)						0.0	0.0	0.0	0.0					36	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	9.1	8.0	7.6	7.7	8.9	9.7	9.2	9.8			9.7	10.3		16	-29
MEAN NO DYS SNPL = OR GTR 1.5 IN						0.0	0.0	0.0	0.0					36	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	19.1	12.4	10.4	6.6	8.1	6.9	11.8	16.1	19.8	16.4	11.8	15.8	150.1	11	3401
MEAN NO DYS TSTMS	0.3	0.3	1.0	3.0	6.0	8.0	9.0	7.0	3.0	3.0	1.0	0.3	41.9	16	-24
P FREQ WND SPD = OR GTR 17 KTS	1.3	3.3	3.4	3.3	2.1	1.2	1.1	0.8	1.1	1.2	0.9	2.0	1.8	11	18607
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.6	0.1	0.1	0.1	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.1	11	18607
P FREQ LES 5000 FT A/D LES 3 MI	82.1	73.9	87.6	47.4	44.0	41.6	40.4	42.2	57.7	67.0	83.0	87.0	60.3	11	18655
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	65.8	55.3	34.9	21.7	21.6	16.4	18.6	35.1	34.3	53.2	37.9	63.4	41.3	11	3690
03-05 LST	67.0	51.0	38.2	28.2	34.2	45.9	58.5	61.0	68.2	59.0	67.3	66.4	53.7	4	1335
06-08 LST	66.3	67.3	51.4	36.4	39.7	41.2	34.7	63.0	77.3	68.4	63.3	64.2	37.9	11	3741
09-11 LST	69.4	63.1	49.1	17.0	4.8	3.4	13.3	9.3	42.3	37.8	73.3	65.3	39.2	4	1337
12-14 LST	53.7	45.3	15.8	6.9	2.8	2.0	2.8	1.3	7.8	16.0	38.5	54.3	20.6	11	3741
15-17 LST	52.7	27.1	13.2	8.3	1.8	4.3	1.7	1.8	9.1	9.8	38.2	34.3	18.3	4	1342
18-20 LST	57.7	42.9	17.1	4.6	3.1	1.7	1.3	0.3	6.7	20.2	46.3	58.3	21.7	11	3738
21-23 LST	60.2	32.3	20.4	7.9	4.4	1.7	3.7	1.7	18.1	31.3	59.8	64.0	25.3	4	1304
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	46.1	36.6	15.6	3.8	11.1	4.3	8.8	19.6	38.3	33.7	28.4	43.7	24.3	11	3690
03-05 LST	45.5	33.3	27.3	16.5	26.1	31.5	43.2	31.7	59.1	46.2	31.8	38.9	37.6	4	1335
06-08 LST	44.1	47.2	37.5	23.3	23.2	20.3	35.0	34.3	64.9	35.0	42.3	40.1	41.0	11	3741
09-11 LST	45.9	37.9	23.3	7.1	1.8	0.0	1.8	0.0	19.8	37.6	41.0	46.2	21.9	4	1337
12-14 LST	32.1	22.9	4.3	0.0	0.3	0.0	0.6	0.0	0.0	4.4	16.4	33.6	9.6	11	3741
15-17 LST	29.9	13.1	2.6	0.0	0.0	0.0	0.0	0.0	0.9	1.8	14.5	33.6	7.7	4	1342
18-20 LST	33.1	20.6	4.7	0.7	0.3	0.0	0.3	0.0	0.0	3.6	17.9	34.8	9.8	11	3738
21-23 LST	47.2	14.6	8.8	2.0	2.7	0.0	0.9	0.9	4.8	14.4	29.9	40.5	13.9	4	1304

LJUBLJANA, YUGOSLAVIA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	11.1	12.8	20.4	24.1	24.5	25.4	25.2	20.2	14.1	14.8	13.1	12.1	217.8	11	3683
	07 LST	11.1	9.5	15.3	19.6	19.3	18.2	14.3	11.1	7.3	10.2	11.5	11.9	159.3	11	3741
	13 LST	14.6	15.6	26.6	28.7	30.6	29.6	30.3	30.9	28.1	26.6	19.0	14.8	293.4	11	3741
	19 LST	13.4	16.1	25.8	28.7	30.5	29.9	30.7	31.0	28.4	25.1	16.6	13.3	289.7	11	3737
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	9.3	11.0	19.2	21.8	23.4	24.6	23.0	19.9	12.9	14.0	11.4	9.6	202.1	11	3680
	07 LST	9.3	8.3	13.5	17.7	17.9	17.0	13.6	10.4	6.1	8.7	10.0	9.2	141.7	11	3732
	13 LST	12.3	11.3	20.3	20.2	23.8	24.4	26.6	27.5	23.8	22.0	13.8	11.0	239.4	11	3725
	19 LST	11.3	14.3	21.5	24.3	26.0	27.1	29.1	30.3	27.2	23.2	14.7	11.2	260.2	11	3729
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	0.1	0.7	0.2	0.0	0.1	0.0	0.0	0.0	0.1	0.0	0.1	0.3	1.6	12	3706
	07 LST	0.3	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.4	1.0	11	3765
	13 LST	0.6	1.4	2.2	2.3	1.4	1.2	0.6	0.7	1.1	0.9	0.6	0.9	13.9	11	3779
	19 LST	0.2	1.0	1.6	1.4	0.6	0.2	0.2	0.0	0.0	0.0	0.2	0.3	5.9	11	3776
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	1.3	1.3	3.1	3.3	2.7	2.2	0.8	1.2	1.0	1.9	2.0	1.3	22.3	12	3682
	07 LST	0.3	0.8	0.8	2.0	1.5	0.3	0.6	0.3	0.4	1.1	1.3	1.3	11.1	11	3756
	13 LST	1.7	2.2	6.3	7.9	11.1	9.8	9.8	8.5	7.1	5.1	3.4	2.0	75.1	11	3731
	19 LST	2.0	3.4	6.3	10.3	10.7	10.1	10.7	8.5	7.3	5.6	3.6	1.9	80.6	11	3737
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	2.3	4.7	9.3	9.7	10.9	10.3	13.9	10.9	5.3	2.8	1.7	2.3	84.3	11	3707
	07 LST	2.0	1.2	3.4	3.6	3.6	3.9	3.9	1.2	1.0	0.3	0.4	1.0	23.5	11	3736
	13 LST	3.0	2.7	7.8	4.5	3.7	4.6	9.9	11.2	10.3	6.2	2.0	1.5	67.4	11	3787
	19 LST	4.8	7.1	9.2	6.1	6.4	6.0	10.1	11.3	13.3	11.7	4.1	3.6	93.6	11	3775
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	7.7	10.3	17.5	20.4	21.8	21.9	23.9	18.8	11.9	11.8	9.5	8.3	183.8	11	3683
	07 LST	7.8	7.1	13.2	16.5	16.7	15.6	12.8	9.1	5.5	7.5	7.6	8.1	127.5	11	3741
	13 LST	11.7	12.7	23.1	24.9	28.1	27.4	28.6	29.6	25.7	23.4	14.4	10.9	260.3	11	3741
	19 LST	10.9	14.3	22.9	26.0	28.3	28.2	29.3	30.0	25.6	22.6	12.8	10.7	261.8	11	3737
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	4.3	6.9	13.7	14.4	15.9	15.8	18.3	15.1	7.8	5.9	3.7	3.4	125.4	11	3693
	07 LST	3.8	4.3	8.9	11.2	11.6	12.2	9.3	6.0	2.3	3.3	2.6	2.7	78.6	11	3741
	13 LST	7.6	8.8	17.8	17.6	18.8	20.1	23.8	23.4	20.6	17.3	7.3	6.1	191.4	11	3741
	19 LST	7.1	11.1	17.5	19.9	22.7	23.9	24.7	26.0	22.0	16.8	7.2	5.8	204.7	11	3737
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	4.4	6.9	13.7	14.4	15.9	15.7	18.3	15.1	7.8	5.9	3.7	3.2	125.0	11	3683
	07 LST	3.8	4.3	8.9	11.2	11.5	12.2	9.3	6.0	2.3	3.3	2.5	2.7	78.2	11	3741
	13 LST	7.6	8.8	17.7	17.6	18.8	20.1	23.8	23.4	20.6	17.2	7.3	6.1	191.2	11	3741
	19 LST	7.1	11.0	17.5	19.9	22.3	23.8	24.7	26.0	22.0	16.7	7.2	5.7	203.9	11	3737

LJUBLJANA/INTL, YUGOSLAVIA

STA NO. 1301d (IN AREA NUMBER 02)

LATITUDE 4613N

LONGITUDE 01427E

ELEVATION(FT) 01269

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	57	66	74	81	90	100	102	95	91	80	69	60	102	36	-13017
MEAN MAX TMP (F)	35	41	50	59	68	75	80	78	71	59	46	38	58	30	-13017
MEAN MIN TMP (F)	24	25	32	40	48	54	57	56	51	42	36	28	41	30	-13017
ABS MIN TMP (F)	-14	-14	-2	19	25	34	41	39	31	20	4	-4	-14	36	-13017
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.1	0.2	1.7	1.2	0.0	0.0	0.0	0.0	3.2	11	-13017
MEAN NO DYS TMP = DR LES 32(F)	26.8	23.2	19.9	9.7	1.3	0.0	0.0	0.0	0.3	3.7	10.5	21.2	112.6	11	-13017
MEAN NO DYS TMP = DR LES 0(F)	0.7	0.9	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	11	-13017
MEAN DEW PT TMP (F)	27	27	33	41	48	55	58	59	53	46	38	31	43	11	-13017
MEAN REL HUM (PCT)	91	86	81	78	78	78	80	82	86	89	92	92	84	11	-13017
MEAN PRESS ALT (FT)	1143	1175	1220	1260	1229	1202	1220	1207	1170	1173	1190	1186	1198	0	-90
MEAN PRECIP (IN)	9.47	2.76	4.41	4.72	5.83	5.67	4.53	6.02	7.56	7.76	6.38	4.61	63.7	16	-13017
MEAN SNOW FALL (IN)						0.0	0.0	0.0						36	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	9.1	8.0	7.6	7.7	8.9	9.7	9.2	9.6			9.7	10.3		16	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN						0.0	0.0	0.0	0.0					36	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	15.1	12.4	10.4	6.6	8.1	6.9	11.8	16.1	19.3	16.4	11.8	15.5	150.1	11	-13017
MEAN NO DYS TSTMS	0.3	0.3	1.0	3.0	6.0	8.0	9.0	7.0	3.0	3.0	1.0	0.3	41.9	16	-13017
P FREQ WND SPD = DR GTR 17 KTS	1.3	3.3	3.4	3.5	2.1	1.2	1.1	0.8	1.1	1.2	0.9	2.0	1.8	11	-13017
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.6	0.1	0.1	0.1	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.1	11	-13017
P FREQ LES 5000 FT A/D LES 3 MI	82.1	73.9	57.6	47.4	44.0	41.6	40.4	42.2	37.7	67.0	83.0	87.0	60.3	11	-13017
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	65.8	55.3	34.9	21.7	21.6	16.4	18.6	35.1	54.3	33.2	37.9	63.4	41.3	11	-13017
03-05 LST	67.0	51.0	38.2	28.2	34.2	49.9	58.3	61.0	68.2	59.0	67.3	66.4	53.7	4	-13017
06-08 LST	66.3	67.3	51.4	36.4	39.7	41.2	34.7	65.0	77.3	68.4	63.3	64.2	37.9	11	-13017
09-11 LST	69.4	63.1	49.1	17.0	4.3	5.4	15.3	9.5	42.3	37.8	73.3	65.3	39.2	4	-13017
12-14 LST	53.7	45.5	19.8	6.9	2.8	2.0	2.8	1.3	7.8	16.0	38.5	54.3	20.6	11	-13017
15-17 LST	52.7	27.1	13.2	8.5	1.8	4.3	1.7	1.8	9.1	9.8	38.2	54.3	18.3	4	-13017
18-20 LST	37.7	42.9	17.1	4.6	3.1	1.7	1.3	0.3	6.7	20.2	46.3	58.5	21.7	11	-13017
21-23 LST	60.2	32.3	20.4	7.9	4.4	1.7	3.7	1.7	18.1	31.3	39.8	64.0	25.3	4	-13017
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	46.1	36.6	19.6	5.8	11.1	4.3	8.8	19.6	38.3	33.7	28.4	43.7	24.3	11	-13017
03-05 LST	45.5	33.3	27.3	16.5	26.1	31.3	43.2	31.7	39.1	46.2	31.8	38.9	37.6	4	-13017
06-08 LST	44.1	47.2	37.3	23.3	25.2	20.3	35.0	34.3	64.9	33.0	42.5	40.1	41.0	11	-13017
09-11 LST	45.9	37.9	23.3	7.1	1.8	0.0	1.8	0.0	19.8	37.6	41.0	46.2	21.9	4	-13017
12-14 LST	32.1	22.9	4.3	0.0	0.3	0.0	0.6	0.0	0.0	4.4	16.4	33.6	9.6	11	-13017
15-17 LST	25.9	13.1	2.6	0.0	0.0	0.0	0.0	0.0	0.9	1.8	14.3	33.6	7.7	4	-13017
18-20 LST	33.1	20.6	4.7	0.7	0.3	0.0	0.3	0.0	0.0	3.6	17.9	34.8	9.8	11	-13017
21-23 LST	47.2	14.6	8.8	2.0	2.7	0.0	0.9	0.9	4.8	14.4	29.9	40.5	13.9	4	-13017

LJUBLJANA/INTL, YUGOSLAVIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	11.1	12.8	20.4	24.1	24.5	25.4	25.2	20.2	14.1	14.8	13.1	12.1	217.8	11	-13017
	07 LST	11.1	9.5	15.3	19.6	19.3	18.2	14.3	11.1	7.3	10.2	11.5	11.9	159.3	11	-13017
	13 LST	14.6	15.6	26.6	28.7	30.6	29.6	30.3	30.9	28.1	26.6	19.0	14.8	295.4	11	-13017
	19 LST	13.4	16.1	25.8	28.9	30.5	29.9	30.7	31.0	28.4	25.1	16.6	13.3	289.7	11	-13017
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SPC WND LES 10 KTS	01 LST	9.3	11.0	19.2	21.8	23.4	24.6	25.0	19.9	12.9	14.0	11.4	9.6	202.1	11	-13017
	07 LST	9.3	8.3	13.5	17.7	17.9	17.0	13.6	10.4	6.1	8.7	10.0	9.2	141.7	11	-13017
	13 LST	12.3	11.5	20.5	20.2	23.8	24.4	26.6	27.5	23.8	22.0	15.8	11.0	239.4	11	-13017
	19 LST	11.3	14.3	21.3	24.3	26.0	27.1	29.1	30.3	27.2	23.2	14.7	11.2	260.2	11	-13017
SPC WND = GTR 17 KTS AND NO PRECIP.	01 LST	0.1	0.7	0.2	0.0	0.1	0.0	0.0	0.0	0.1	0.0	0.1	0.3	1.6	12	-13017
	07 LST	0.3	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.4	1.0	11	-13017
	13 LST	0.6	1.4	2.2	2.3	1.4	1.2	0.6	0.7	1.1	0.9	0.6	0.9	13.9	11	-13017
	19 LST	0.2	1.0	1.6	1.4	0.6	0.2	0.2	0.0	0.0	0.0	0.2	0.3	5.9	11	-13017
SPC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	1.5	1.3	3.1	3.3	2.7	2.2	0.8	1.2	1.0	1.9	2.0	1.3	22.3	12	-13017
	07 LST	0.5	0.8	0.8	2.0	1.3	0.3	0.6	0.3	0.4	1.1	1.3	1.3	11.1	11	-13017
	13 LST	1.7	2.2	6.5	7.9	11.1	9.8	9.8	8.3	7.1	3.1	3.4	2.0	75.1	11	-13017
	19 LST	2.0	3.4	6.5	10.3	10.7	10.1	10.7	8.5	7.3	5.6	3.6	1.9	80.6	11	-13017
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	2.5	4.7	9.3	9.7	10.9	10.3	13.9	10.9	5.3	2.8	1.7	2.3	84.3	11	-13017
	07 LST	2.0	1.2	3.4	3.6	3.6	3.9	3.9	1.0	1.0	0.3	0.4	1.0	25.3	11	-13017
	13 LST	3.0	2.7	7.8	4.5	3.7	4.6	9.9	11.2	10.3	6.2	2.0	1.5	67.4	11	-13017
	19 LST	4.5	7.1	9.2	6.1	6.4	6.0	10.1	11.3	13.3	11.7	4.1	3.6	93.6	11	-13017
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	7.7	10.3	17.5	20.4	21.8	21.9	23.9	19.8	11.9	11.8	9.5	8.3	103.8	11	-13017
	07 LST	7.8	7.1	13.2	16.5	16.7	15.6	12.8	9.1	5.5	7.5	7.6	8.1	127.5	11	-13017
	13 LST	11.7	12.7	23.1	24.9	28.1	27.4	28.6	29.6	25.7	23.4	14.4	10.9	200.5	11	-13017
	19 LST	10.9	14.3	22.9	26.0	28.5	28.2	29.3	30.0	25.6	22.6	12.8	10.7	261.8	11	-13017
CIG = GTR 8000 FT AND VSBY = GTR 3 MI	01 LST	4.5	6.9	13.7	14.4	15.9	15.8	18.3	15.1	7.8	5.9	3.7	3.4	125.4	11	-13017
	07 LST	3.8	4.3	8.9	11.2	11.6	12.2	9.3	6.0	2.5	3.3	2.6	2.7	78.6	11	-13017
	13 LST	7.6	8.8	17.8	17.6	18.8	20.1	23.8	23.4	20.6	17.3	7.5	6.1	191.4	11	-13017
	19 LST	7.1	11.1	17.5	19.9	22.7	23.9	24.7	26.0	22.0	16.8	7.2	5.8	204.7	11	-13017
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	4.4	6.9	13.7	14.4	15.9	15.7	18.3	15.1	7.8	5.9	3.7	3.2	125.0	11	-13017
	07 LST	3.8	4.3	8.9	11.2	11.5	12.2	9.3	6.0	2.5	3.3	2.5	2.7	78.2	11	-13017
	13 LST	7.6	8.8	17.7	17.6	18.8	20.1	23.8	23.4	20.6	17.2	7.5	6.1	191.2	11	-13017
	19 LST	7.1	11.0	17.5	19.9	22.3	23.8	24.7	26.0	22.0	16.7	7.2	3.7	203.9	11	-13017

MARIBOR, YUGOSLAVIA

STA NO. 19027 (IN AREA NUMBER 02)

LATITUDE 4632N

LONGITUDE 01599E

ELEVATION(FT) 00909

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	58	68	74	77	88	95	103	97	90	80	69	61	103	19	-124
MEAN MAX TMP (F)	36	41	50	59	68	74	78	78	71	59	46	39	58	14	-124
MEAN MIN TMP (F)	20	23	31	39	47	53	56	55	49	40	33	26	39	14	-124
ABS MIN TMP (F)	-9	-19	-2	22	23	33	36	40	30	13	12	5	-19	19	-124
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0				0.0	0.0	0.0	0.0		14	-29
MEAN NO DYS TMP = DR LES 32(F)						0.0	0.0	0.0	0.0					19	-29
MEAN NO DYS TMP = DR LES 0(F)			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		19	-29
MEAN DBW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	1.69	1.65	2.36	2.95	4.53	4.61	3.82	4.76	4.53	4.76	3.39	2.48	41.5	16	-125
MEAN SNOW FALL (IN)						0.0	0.0	0.0	0.0					19	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	3.3	5.4	4.5	7.0	7.6	9.2	8.3	9.3	9.1	9.3	7.9	7.4	92.7	16	-29
MEAN NO DYS SMPL = DR GTR 1.5 IN						0.0	0.0	0.0	0.0					19	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	0.0	1.0	4.0	5.0	4.0	3.0	1.0	1.0	1.0	0.0	20.0	16	-24
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

MARIBOR, YUGOSLAVIA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SPC WND LES 10 KTS	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SPC WND = GTR 17 KTS AND NO PRECIP.	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SPC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0

DATA NOT AVAILABLE

GOSPIC, YUGOSLAVIA

STA NO. 13223 (IN AREA NUMBER 02)

LATITUDE 4432N

LONGITUDE 01523E

ELEVATION(FT) 01067

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	59	63	69	78	87	96	97	97	89	84	67	59	97	10	-126
MEAN MAX TMP (F)	37	40	48	58	66	74	80	79	71	61	51	38	59	10	-126
MEAN MIN TMP (F)	21	19	30	37	42	49	52	50	46	40	35	24	37	10	-126
ABS MIN TMP (F)	-10	-26	-7	19	24	38	38	32	26	23	15	-9	-26	10	-126
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0				0.0	0.0	0.0	0.0		10	-29
MEAN NO DYS TMP = DR LES 32(F)						0.0	0.0	0.0						10	-29
MEAN NO DYS TMP = DR LES 0(F)				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			10	-29
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)														0	0
MEAN PRESS ALT (FT)	4.45	3.86	5.47	4.06	4.92	3.62	2.44	2.87	4.17	8.43	7.72	5.91	37.9	10	-125
MEAN SNOW FALL (IN)						0.0	0.0	0.0						10	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	10.2	9.6	8.3	7.5	7.9	8.3	6.5	7.2	8.8			10.9		10	-29
MEAN NO DYS SNPL = DR GTR 1.5 IN						0.0	0.0	0.0						10	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	1.0	1.0	2.0	4.0	6.0	5.0	6.0	3.0	2.0	3.0	3.0	36.0	16	-24
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

GOSPIC, YUGOSLAVIA
 MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SPC WND LES 10 KTS	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SPC WND = GTR 17 KTS AND NO PRECIP.	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SPC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0

DATA NOT AVAILABLE

BIHAC, YUGOSLAVIA

STA NO. 13220 (IN AREA NUMBER 02)

LATITUDE 4449N

LONGITUDE 0153E

ELEVATION(FT) 00820

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	64	71	73	79	88	89	98	93	90	80	70	64	98	17	-33
MEAN MAX TMP (F)	37	51	57	53	68	75	79	77	58	57	44	46	59	10	-33
MEAN MIN TMP (F)	26	34	39	39	49	54	57	53	43	40	32	34	42	10	-33
ABS MIN TMP (F)	-6	-9	7	27	32	44	48	43	32	19	10	-7	-9	17	-33
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0			0.0	0.0	0.0	0.0		10	-29
MEAN NO DYS TMP = OR LES 32(F)					0.0	0.0	0.0	0.0	0.0					17	-29
MEAN NO DYS TMP = OR LES 0(F)			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			17	-29
MEAN DEW PT TMP (F)	25	35	38	35	47	53	57	54	44	42	32	33	41	12	-29
MEAN REL HUM (PCT)	78	77	72	68	69	70	71	71	78	79	80	79	74	17	-34
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	3.23	3.70	3.96	6.00	3.06	3.72	4.11	4.43	3.58	6.25	4.70	4.75	37.5	17	-34
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0					17	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	8.8	9.4	7.4	9.2	8.0	9.8	8.8	9.1	9.6	9.7	9.2	10.4	109.4	17	-29
MEAN NO DYS SNPL = OR GTR 1.3 IN					0.0	0.0	0.0	0.0	0.0					17	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.3	0.5	0.8	1.0	2.0	2.0	3.0	3.0	2.0	1.0	1.0	0.6	17.2	17	-127
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1900 FT A/D LES 3 MI														0	0
PDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
PDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

BIHAC, YUGOSLAVIA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR	NO.
															(YRS)	OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SPC WND LES 10 KTS	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
SPC WND = GTR 17 KTS AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
SPC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0

DATA NOT AVAILABLE

SARAJEVO-RAJLOVAC, YUGOSLAVIA

STA NO. 13352 (IN AREA NUMBER 02)

LATITUDE 4352N

LONGITUDE 01818E

ELEVATION(FT) 01620

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	64	68	79	84	90	93	97	100	95	82	70	66	100	11	-13353
MEAN MAX TMP (F)	36	41	49	60	68	75	80	82	73	62	48	40	60	11	-13353
MEAN MIN TMP (F)	23	22	30	39	45	51	54	53	46	42	36	29	39	11	-13353
ABS MIN TMP (F)	-13	-13	3	21	27	34	41	39	30	27	10	-9	-13	11	-13353
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.1	0.9	3.7	8.1	1.3	0.0	0.0	0.0	14.1	11	-13353
MEAN NO DYS TMP = DR LES 32(F)	25.7	22.9	18.2	4.8	0.9	0.0	0.0	0.0	0.4	3.2	10.6	21.2	109.9	11	-13353
MEAN NO DYS TMP = DR LES 0(F)	2.3	2.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	4.8	11	-13353
MEAN DEW PT TMP (F)	24	25	32	39	46	53	55	54	48	43	37	29	40	11	-13353
MEAN REL HUM (PCT)	84	80	75	70	72	74	71	69	72	78	83	84	76	11	-13353
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	2.04	3.06	1.93	2.43	3.48	3.00	2.55	2.08	2.82	3.17	4.28	3.79	34.7	11	-13353
MEAN SNOW FALL (IN)						0.0	0.0	0.0	0.0					11	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	5.9	6.2	6.3	6.3	8.4	7.3	5.6	4.6	4.9	7.0	8.6	8.6	79.9	11	-13353
MEAN NO DYS SNPL = DR GTR 1.5 IN						0.0	0.0	0.0	0.0					11	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	8.1	6.2	3.0	1.3	2.4	2.3	1.6	3.1	7.0	8.8	5.9	8.3	38.0	11	-13353
MEAN NO DYS TSTMS	0.0	0.1	0.2	0.8	2.4	4.3	4.7	3.9	1.2	1.0	1.4	0.2	20.2	11	-13353
P FREQ WND SPD = DR GTR 17 KTS	1.6	2.4	1.8	2.2	0.7	1.3	0.9	0.4	0.4	1.5	1.8	2.6	1.5	11	-13353
P FREQ WND SPD = DR GTR 28 KTS	0.3	0.4	0.3	0.3	0.1	0.3	0.0	0.0	0.1	0.1	0.4	0.5	0.2	11	-13353
P FREQ LES 3000 FT A/D LES 3 MI	74.3	63.3	46.0	39.0	38.7	33.8	28.6	26.2	30.1	48.2	68.1	77.4	48.0	11	-13353
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	45.9	37.9	16.2	8.3	7.4	4.8	4.6	3.3	5.7	13.4	30.2	44.1	18.3	11	-13353
03-05 LST	49.5	44.0	26.8	9.6	23.1	32.3	29.9	19.4	20.7	29.1	31.1	49.3	30.4	4	-13353
06-08 LST	53.8	49.6	28.9	17.2	23.2	23.3	21.1	24.3	34.0	44.9	44.2	54.8	33.3	11	-13353
09-11 LST	60.2	60.2	22.7	13.3	10.3	7.2	6.4	5.4	7.3	26.1	35.8	59.8	26.2	4	-13353
12-14 LST	42.0	31.3	11.3	4.3	6.9	2.9	0.4	3.0	2.0	8.7	26.8	44.4	15.4	11	-13353
15-17 LST	33.9	29.8	12.4	2.9	3.8	3.3	2.3	1.0	2.8	3.7	22.2	44.7	13.6	4	-13353
18-20 LST	36.0	23.1	14.4	4.3	5.0	1.8	0.4	1.3	3.0	8.7	24.2	42.4	13.7	11	-13353
21-23 LST	44.8	32.6	15.5	4.0	6.6	3.8	4.1	4.3	5.8	6.7	23.4	45.0	16.4	4	-13353
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	21.4	12.3	2.4	1.1	0.0	0.7	0.4	0.8	2.0	5.0	7.4	23.3	6.4	11	-13353
03-05 LST	21.0	11.0	6.3	4.8	7.7	8.4	4.6	2.0	7.2	20.0	10.4	19.8	10.3	4	-13353
06-08 LST	26.7	26.0	11.2	3.4	7.1	8.2	6.3	10.9	26.8	29.7	22.6	28.1	17.4	11	-13353
09-11 LST	26.3	20.4	3.3	1.9	0.0	0.0	1.3	0.0	0.0	9.9	14.2	23.9	8.6	4	-13353
12-14 LST	11.8	6.1	3.6	0.7	1.0	0.0	0.0	0.3	0.0	1.0	3.0	14.8	3.7	11	-13353
15-17 LST	9.2	4.8	3.3	0.0	1.0	0.0	0.0	0.0	0.0	0.0	1.9	10.3	2.6	4	-13353
18-20 LST	9.8	3.6	3.8	0.0	0.3	0.0	0.0	0.0	0.0	1.0	2.3	14.2	2.9	11	-13353
21-23 LST	14.3	5.3	0.9	0.0	0.0	0.0	0.0	1.1	1.0	0.0	4.7	13.8	3.4	4	-13353

SARAJEVO-RAJLOVAC, YUGOSLAVIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	18.0	18.6	27.2	28.4	29.7	29.3	30.2	30.4	28.8	27.5	22.9	18.6	309.6	11	-13353
	07 LST	15.8	15.0	23.1	25.8	24.6	23.3	25.3	24.2	20.2	18.0	18.6	15.1	249.2	11	-13353
	13 LST	19.1	20.4	28.3	29.4	29.4	29.6	31.0	30.1	29.5	29.1	23.3	18.4	317.6	11	-13353
	19 LST	21.4	22.4	27.3	29.2	30.0	29.8	31.0	30.7	29.4	28.9	24.6	19.2	323.9	11	-13353
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	14.3	14.6	23.3	24.8	26.4	26.7	28.1	29.2	27.0	24.8	17.0	13.4	269.6	11	-13353
	07 LST	11.4	11.7	19.1	22.0	21.2	20.3	23.1	22.5	19.2	14.9	13.4	9.8	208.6	11	-13353
	13 LST	13.8	15.2	22.7	23.3	24.3	26.4	29.1	27.7	27.5	25.1	18.4	13.0	266.5	11	-13353
	19 LST	16.3	18.0	23.3	23.3	27.6	27.7	29.9	29.3	27.9	26.1	19.0	13.8	284.4	11	-13353
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	0.3	0.3	0.3	0.1	0.2	0.4	0.2	0.1	0.0	0.2	0.3	0.6	3.2	11	-13353
	07 LST	0.3	0.5	0.3	0.3	0.0	0.3	0.0	0.1	0.0	0.4	0.1	0.5	3.0	11	-13353
	13 LST	0.7	0.8	1.3	1.0	0.9	0.4	0.2	0.4	0.3	0.0	0.3	0.6	6.9	11	-13353
	19 LST	0.2	0.3	0.6	0.9	0.0	0.2	0.2	0.0	0.0	0.1	0.1	0.3	3.1	11	-13353
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	1.6	2.6	4.1	5.0	5.3	4.7	6.5	5.8	3.8	3.1	2.3	1.9	46.7	11	-13353
	07 LST	0.8	1.4	2.2	2.3	1.6	1.9	2.0	1.0	1.2	2.5	3.3	1.6	21.8	11	-13353
	13 LST	1.9	2.0	3.9	11.0	8.6	10.3	10.3	8.0	7.6	6.3	3.0	3.6	78.3	11	-13353
	19 LST	2.8	3.5	8.0	11.1	9.9	6.9	10.4	10.7	10.6	10.0	5.8	3.2	92.9	11	-13353
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	3.8	3.4	10.6	13.1	14.0	14.7	19.3	21.2	18.7	12.2	5.0	4.3	142.3	11	-13353
	07 LST	1.3	1.8	6.3	8.5	7.5	8.4	13.1	12.4	8.4	2.3	2.1	1.3	73.8	11	-13353
	13 LST	3.2	3.6	8.0	3.0	4.1	4.4	9.9	13.8	12.6	9.5	3.8	2.9	82.8	11	-13353
	19 LST	5.7	7.7	9.5	8.2	6.7	6.7	13.2	16.8	16.7	13.5	7.7	6.0	118.4	11	-13353
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	13.6	14.7	23.4	23.1	26.0	26.0	28.0	28.4	26.6	24.1	16.9	14.6	267.4	11	-13353
	07 LST	11.1	11.6	19.4	22.5	20.1	19.8	22.1	20.9	18.4	14.3	13.1	11.3	204.8	11	-13353
	13 LST	15.5	17.3	24.6	26.3	26.7	27.5	29.5	29.3	28.1	26.1	18.0	15.1	284.0	11	-13353
	19 LST	16.7	19.1	24.7	26.3	27.1	27.5	29.9	29.2	27.9	26.4	19.1	15.4	289.3	11	-13353
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	7.9	9.7	16.2	18.5	19.2	19.5	22.3	23.9	21.7	15.6	8.3	7.3	190.3	11	-13353
	07 LST	5.1	6.7	13.4	17.3	16.0	16.2	18.2	16.7	14.0	7.8	6.1	4.4	141.9	11	-13353
	13 LST	10.0	12.3	16.8	19.9	17.0	19.3	21.1	24.0	22.2	18.4	10.3	8.2	195.5	11	-13353
	19 LST	11.0	13.1	16.4	17.0	18.2	19.3	22.0	24.1	22.3	19.5	11.9	9.7	204.3	11	-13353
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	7.9	9.7	16.2	18.5	19.2	19.5	22.3	23.9	21.7	15.6	8.3	7.3	190.3	11	-13353
	07 LST	5.1	6.7	13.4	17.3	16.0	16.1	18.2	16.7	14.0	7.8	6.1	4.4	141.8	11	-13353
	13 LST	9.9	12.3	16.8	19.9	16.8	19.2	21.0	23.9	22.2	18.4	10.3	8.2	194.9	11	-13353
	19 LST	11.0	13.0	16.4	17.0	18.1	19.3	22.0	24.1	22.3	19.5	11.9	9.7	204.3	11	-13353

SARAJEVO-BUTMIR, YUGOSLAVIA

STA NO. 13353 (IN AREA NUMBER 02)

LATITUDE 4350N

LONGITUDE 01821E

ELEVATION(FT) 01716

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	64	68	79	84	90	93	97	100	98	82	70	66	100	11	3365
MEAN MAX TMP (F)	36	41	49	60	68	75	80	82	79	62	48	40	60	11	3365
MEAN MIN TMP (F)	23	22	30	39	45	51	54	53	46	42	36	29	39	11	3350
ABS MIN TMP (F)	-13	-13	3	21	27	34	41	39	30	27	10	-9	-13	11	3350
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.1	0.9	3.7	8.1	1.3	0.0	0.0	0.0	14.1	11	3365
MEAN NO DYS TMP = OR LES 32(F)	29.7	22.9	18.2	4.8	0.9	0.0	0.0	0.0	0.4	3.2	10.6	21.2	109.9	11	3350
MEAN NO DYS TMP = OR LES 0(F)	2.3	2.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	4.5	11	3350
MEAN DEW PT TMP (F)	24	23	32	39	46	53	53	54	48	43	37	29	40	11	15899
MEAN REL HUM (PCT)	84	80	75	70	72	74	71	69	72	78	83	84	76	11	15630
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	2.04	3.06	1.93	2.45	3.48	3.00	2.55	2.08	2.82	3.17	4.28	3.79	34.7	11	2939
MEAN SNOW FALL (IN)						0.0	0.0	0.0	0.0					11	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	3.9	6.2	6.3	6.5	8.4	7.3	5.6	4.6	4.9	7.0	8.6	8.6	79.9	11	2939
MEAN NO DYS SNFL = OR GTR 1.5 IN						0.0	0.0	0.0	0.0					11	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	8.1	6.2	3.0	1.3	2.4	2.3	1.6	3.1	7.0	8.8	3.9	8.3	58.0	11	2888
MEAN NO DYS TSTMS	0.0	0.1	0.2	0.8	2.4	4.3	4.7	3.9	1.2	1.0	1.4	0.2	20.2	11	2921
P FREQ WND SPD = OR GTR 17 KTS	1.6	2.4	1.8	2.2	0.7	1.3	0.9	0.4	0.4	1.5	1.8	2.6	1.3	11	16092
P FREQ WND SPD = OR GTR 28 KTS	0.3	0.4	0.3	0.3	0.1	0.3	0.0	0.0	0.1	0.1	0.4	0.5	0.2	11	16092
P FREQ LES 3000 FT A/D LES 3 MI	74.5	63.5	46.0	39.0	38.7	33.8	28.6	26.2	30.1	48.2	68.1	77.4	48.0	11	16539
P FREQ LES 1900 FT A/D LES 3 MI															
FOR 00-02 LST	43.9	37.9	16.2	8.3	7.4	4.8	4.6	3.3	3.7	13.4	30.2	44.1	18.3	11	3346
03-05 LST	49.3	44.0	26.8	9.6	23.1	32.5	29.9	19.4	20.7	29.1	31.1	49.3	30.4	4	1231
06-08 LST	53.8	49.6	28.9	17.2	25.2	25.5	21.1	24.5	34.0	44.9	44.2	34.8	35.3	11	3479
09-11 LST	60.2	60.2	22.7	13.3	10.3	7.2	6.4	3.4	7.3	26.1	35.8	39.8	26.2	4	1236
12-14 LST	42.0	31.3	11.3	4.3	6.9	2.9	0.4	3.0	2.0	8.7	26.8	44.4	13.4	11	3337
15-17 LST	33.9	29.8	12.4	2.9	3.8	3.5	2.3	1.0	2.8	3.7	22.2	44.7	13.6	4	1239
18-20 LST	36.0	23.1	14.4	4.3	3.0	1.8	0.4	1.3	3.0	8.7	24.2	42.4	13.7	11	3320
21-23 LST	44.8	32.6	13.3	4.0	6.6	3.8	4.1	4.3	3.8	6.7	23.4	43.0	16.4	4	1184
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	21.4	12.3	3.4	1.1	0.0	0.7	0.4	0.8	2.0	3.0	7.4	23.3	6.4	11	3346
03-05 LST	21.0	11.0	6.3	4.8	7.7	8.4	4.6	2.0	7.2	20.0	10.4	19.8	10.3	4	1231
06-08 LST	26.7	26.0	11.2	3.4	7.1	8.2	6.3	10.9	26.8	29.7	22.6	28.1	17.4	11	3479
09-11 LST	26.3	20.4	3.3	1.9	0.0	0.0	1.3	0.0	0.0	9.9	14.2	23.9	8.6	4	1236
12-14 LST	11.8	6.1	3.6	0.7	1.0	0.0	0.0	0.3	0.0	1.0	3.0	14.8	3.7	11	3337
15-17 LST	9.2	4.8	3.3	0.0	1.0	0.0	0.0	0.0	0.0	0.0	1.9	10.5	2.6	4	1239
18-20 LST	9.8	3.6	3.8	0.0	0.3	0.0	0.0	0.0	0.0	1.0	2.3	14.2	2.9	11	3320
21-23 LST	14.3	3.3	0.9	0.0	0.0	0.0	0.0	1.1	1.0	0.0	4.7	13.8	3.4	4	1184

SARAJEVO-BUTMIR, YUGOSLAVIA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	18.0	18.6	27.2	28.4	29.7	29.3	30.2	30.4	28.8	27.5	22.9	18.6	309.6	11	3336
	07 LST	15.8	15.0	23.1	25.8	24.6	23.5	25.3	24.2	20.2	18.0	18.6	15.1	249.2	11	3479
	13 LST	19.1	20.4	28.3	29.4	29.4	29.6	31.0	30.1	29.5	29.1	23.3	18.4	317.6	11	3537
	19 LST	21.4	22.4	27.3	29.2	30.0	29.8	31.0	30.7	29.4	28.9	24.6	19.2	323.9	11	3520
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SPC WND LES 10 KTS	01 LST	14.3	14.6	23.3	24.8	26.4	26.7	28.1	29.2	27.0	24.8	17.0	13.4	269.6	11	3332
	07 LST	11.4	11.7	19.1	22.0	21.2	20.3	23.1	22.5	19.2	14.9	13.4	9.8	208.6	11	3475
	13 LST	13.8	15.2	22.7	23.3	24.3	26.4	29.1	27.7	27.5	25.1	18.4	13.0	266.5	11	3524
	19 LST	16.5	18.0	23.3	25.3	27.6	27.7	29.9	29.3	27.9	26.1	19.0	13.8	284.4	11	3513
SPC WND = GTR 17 KTS AND NO PRECIP.	01 LST	0.3	0.3	0.3	0.1	0.2	0.4	0.2	0.1	0.0	0.2	0.3	0.6	3.2	11	3358
	07 LST	0.3	0.3	0.3	0.3	0.0	0.3	0.0	0.1	0.0	0.4	0.1	0.5	3.0	11	3511
	13 LST	0.7	0.8	1.3	1.0	0.9	0.4	0.2	0.4	0.3	0.0	0.3	0.6	6.9	11	3580
	19 LST	0.2	0.3	0.6	0.9	0.0	0.2	0.2	0.0	0.0	0.1	0.1	0.3	3.1	11	3543
SPC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	1.6	2.6	4.1	5.0	5.3	4.7	6.5	5.8	3.8	3.1	2.3	1.9	46.7	11	3344
	07 LST	0.8	1.4	2.2	2.3	1.6	1.9	2.0	1.0	1.2	2.5	3.3	1.6	21.8	11	3492
	13 LST	1.9	2.0	5.9	11.0	8.6	10.3	10.3	8.0	7.6	6.3	3.0	3.6	78.3	11	3545
	19 LST	2.8	3.5	8.0	11.1	9.9	6.9	10.4	10.7	10.6	10.0	5.8	3.2	92.9	11	3521
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	3.8	5.4	10.6	13.1	14.0	14.7	19.3	21.2	18.7	12.2	5.0	4.3	142.3	11	3354
	07 LST	1.3	1.8	6.3	8.3	7.3	8.4	13.1	12.4	8.4	2.3	2.1	1.3	73.8	11	3503
	13 LST	3.2	5.6	8.0	5.0	4.1	4.4	9.9	13.8	12.6	9.5	3.8	2.9	82.8	11	3587
	19 LST	5.7	7.7	9.5	8.2	6.7	6.7	13.2	16.8	16.7	13.5	7.7	6.0	118.4	11	3531
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	13.6	14.7	23.4	25.1	26.0	26.0	28.0	28.4	26.6	24.1	16.9	14.6	267.4	11	3336
	07 LST	11.1	11.6	19.4	22.5	20.1	19.8	22.1	20.9	18.4	14.3	13.1	11.5	204.8	11	3479
	13 LST	15.5	17.3	24.6	26.3	26.7	27.5	29.5	29.3	28.1	26.1	18.0	15.1	284.0	11	3537
	19 LST	16.7	19.1	24.7	26.3	27.1	27.5	29.9	29.2	27.9	26.4	19.1	15.4	289.3	11	3520
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	7.9	9.7	16.2	18.5	19.2	19.5	22.5	23.9	21.7	15.6	8.3	7.3	190.3	11	3336
	07 LST	5.1	6.7	13.4	17.3	16.0	16.2	18.2	16.7	14.0	7.8	6.1	4.4	141.9	11	3479
	13 LST	10.0	12.3	16.8	15.9	17.0	19.3	21.1	24.0	22.2	18.4	10.3	8.2	193.5	11	3537
	19 LST	11.0	13.1	16.4	17.0	18.2	19.3	22.0	24.1	22.3	19.5	11.9	9.7	204.5	11	3520
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	7.9	9.7	16.2	18.5	19.2	19.5	22.5	23.9	21.7	15.6	8.3	7.3	190.3	11	3336
	07 LST	5.1	6.7	13.4	17.3	16.0	16.1	18.2	16.7	14.0	7.8	6.1	4.4	141.8	11	3479
	13 LST	9.9	12.3	16.8	15.9	16.8	19.2	21.0	23.9	22.2	18.4	10.3	8.2	194.9	11	3537
	19 LST	11.0	13.0	16.4	17.0	18.1	19.3	22.0	24.1	22.3	19.5	11.9	9.7	204.3	11	3520

KOLASIN, YUGOSLAVIA

STA NO. 13464 (IN AREA NUMBER 02)

LATITUDE 4250N

LONGITUDE 01932E

ELEVATION(FT) 03120

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)														0	0
MEAN MAX TMP (F)	37	40	45	55	62	69	77	76	66	60	50	37	56	12	-129
MEAN MIN TMP (F)	20	20	27	36	42	46	47	48	43	39	36	26	36	12	-126
ABS MIN TMP (F)														0	0
MEAN NO DYS TMP = DR GTR 90(F)														12	-29
MEAN NO DYS TMP = DR LES 32(F)														0	0
MEAN NO DYS TMP = DR LES 0(F)														0	0
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	4.69	5.67	8.11	7.84	8.62	4.21	2.21	1.97	3.70	15.95	11.50	10.20	84.7	7	-125
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = DR GTR 0.1 IN	10.4	10.9				8.9	6.0	5.5	8.3					7	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN														0	0
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

KOLASIN, YUGOSLAVIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG P AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0

DATA NOT AVAILABLE

PEC, YUGOSLAVIA

STA NO. 13472 (IN AREA NUMBER 02)

LATITUDE 4240N

LONGITUDE 02018E

ELEVATION(FT) 01644

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	59	63	79	85	87	95	103	103	93	87	73	64	103	10	-026
MEAN MAX TMP (F)	39	43	33	64	71	79	84	83	77	65	55	40	63	16	-126
MEAN MIN TMP (F)	25	25	33	41	49	55	60	58	53	45	37	26	42	16	-126
ABS MIN TMP (F)	-8	-3	3	20	31	42	41	44	32	23	12	-2	-8	10	-026
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	3.4	7.4	0.6	0.0	0.0	0.0	11.4	8	696
MEAN NO DYS TMP = DR LES 32(F)	25.7	25.5	14.0	1.2	0.0	0.0	0.0	0.0	0.0	2.5	11.9	20.5	101.3	10	711
MEAN NO DYS TMP = DR LES 0(F)	1.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	10	711
MEAN DEW PT TMP (F)	25	22	30	38	46	57	59	55	52	46	36	31	41	8	1960
MEAN REL HUM (PCT)	84	79	70	65	71	71	72	59	68	81	82	83	74	8	1875
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	2.28	2.60	2.32	2.91	3.54	3.70	1.81	1.73	2.21	4.49	3.58	4.57	33.9	15	-122
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0					10	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	7.0	7.7	6.7	7.0	7.3	8.4	5.1	5.0	6.1	9.1	8.1	10.3	87.8	15	-29
MEAN NO DYS SNPL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0					10	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	2.8	1.2	0.0	0.0	0.0	0.0	1.9	0.0	0.0	0.6	1.1	2.1	9.7	8	493
MEAN NO DYS TSTMS	0.3	0.3	0.3	0.3	1.0	3.0	4.0	2.0	2.0	1.0	0.3	0.3	14.8	16	-24
P FREQ WND SPD = DR GTR 17 KTS	0.0	2.7	1.4	0.7	1.4	0.0	0.0	0.3	0.0	2.0	2.6	1.6	1.1	8	1988
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.3	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.1	8	1988
P FREQ LES 3000 FT A/D LES 3 MI	67.4	53.0	41.3	50.0	52.6	32.3	35.6	25.6	20.4	43.6	36.8	70.2	43.9	8	2078
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	5.6	7.0	1.6	1.6	1.7	0.0	0.0	0.7	0.0	1.4	5.2	6.7	2.6	11	1499
03-05 LST														0	0
06-08 LST	12.0	13.6	3.9	0.0	1.2	1.7	0.0	1.2	1.1	3.1	6.9	16.9	3.3	11	971
09-11 LST														0	0
12-14 LST	9.6	9.2	2.1	0.9	0.9	1.8	0.9	0.7	0.0	0.0	4.3	8.6	3.3	10	1008
15-17 LST														0	0
18-20 LST	12.4	8.6	0.9	0.0	0.0	0.0	2.6	0.0	1.0	2.6	4.9	8.6	3.5	9	1277
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.8	1.6	1.6	0.8	0.0	0.0	0.0	0.0	0.0	0.7	2.2	2.5	0.9	11	1499
03-05 LST														0	0
06-08 LST	4.8	6.2	2.6	0.0	0.0	0.0	0.0	0.0	0.0	3.1	3.0	7.9	2.3	11	971
09-11 LST														0	0
12-14 LST	3.2	3.8	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	4.3	1.2	10	1008
15-17 LST														0	0
18-20 LST	3.3	4.3	0.0	0.0	0.0	0.0	1.3	0.0	0.0	0.0	1.6	3.9	1.2	9	1277
21-23 LST														0	0

PEC, YUGOSLAVIA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS	
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	29.7	26.0	30.4	29.7	30.7	30.0	31.0	31.0	30.0	30.7	29.3	29.4	338.1	11	1423	
	07 LST	28.0	24.3	30.1	30.0	31.0	29.3	31.0	30.6	29.6	29.4	28.2	26.8	348.7	11	970	
	13 LST	28.6	25.6	30.3	29.7	31.0	29.7	30.7	31.0	30.0	31.0	29.1	28.8	333.3	10	1608	
	19 LST	27.1	25.8	30.7	30.0	31.0	30.0	30.1	31.0	30.0	30.7	29.2	29.0	334.6	9	1277	
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SPC WND LES 10 KTS	01 LST	26.9	23.8	28.4	27.6	30.1	29.1	29.7	29.3	28.0	28.4	26.9	27.0	23.3	336.1	11	966
	07 LST	26.0	22.4	27.6	29.3	30.2	29.3	31.0	30.6	29.6	29.4	27.0	23.3	336.1	11	966	
	13 LST	26.8	24.7	29.0	27.9	28.3	28.6	29.3	30.1	28.8	29.9	26.9	26.3	337.0	10	1393	
	19 LST	25.7	24.6	29.8	26.8	29.1	29.3	29.3	30.2	29.4	29.6	27.0	27.3	338.1	9	1273	
SPC WND = GTR 17 KTS AND NO PRECIP.	01 LST	0.7	1.2	0.3	0.2	0.0	0.2	0.0	0.0	0.0	0.6	0.2	0.2	3.8	11	1437	
	07 LST	0.0	1.0	0.8	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.3	2.7	11	986	
	13 LST	0.3	0.0	0.8	0.3	0.7	0.2	0.2	0.4	0.2	0.6	1.0	0.3	3.4	10	1634	
	19 LST	0.2	0.2	0.0	0.3	0.3	0.3	0.0	0.0	0.0	0.2	0.4	0.0	2.1	9	1291	
SPC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	0.3	0.4	3.7	8.8	9.3	9.7	8.8	12.6	7.6	3.7	2.1	7.1	72.3	11	1416	
	07 LST	1.1	1.3	3.3	7.7	6.8	6.3	7.6	8.3	6.1	3.9	3.2	2.0	57.8	11	976	
	13 LST	4.9	4.4	10.4	13.8	12.8	10.2	11.4	10.6	9.3	7.3	6.8	4.3	106.6	10	1600	
	19 LST	0.3	4.1	6.4	11.2	9.1	7.2	3.3	6.6	10.2	7.6	3.7	3.9	73.8	9	1266	
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	9.1	9.3	13.2	11.6	12.6	17.3	23.3	22.0	17.3	13.6	8.0	9.2	166.9	11	1448	
	07 LST	4.7	3.8	8.0	8.3	9.1	11.1	18.3	21.6	13.0	9.7	6.1	6.2	124.1	11	992	
	13 LST	3.9	3.3	7.7	4.9	2.8	3.0	9.6	13.1	11.3	8.8	4.1	7.7	84.4	10	1662	
	19 LST	9.0	10.4	9.2	6.6	7.0	8.3	14.8	16.3	14.2	10.7	7.8	9.3	123.8	9	1293	
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	22.3	20.1	23.1	23.8	26.9	27.9	30.0	29.7	27.6	26.6	20.8	21.7	304.3	11	1423	
	07 LST	19.0	17.9	24.8	23.6	26.8	27.3	29.8	29.3	27.7	23.3	22.2	19.8	293.9	11	970	
	13 LST	21.3	19.2	26.6	26.4	26.1	27.1	28.6	28.8	27.6	26.0	21.9	22.0	301.6	10	1608	
	19 LST	20.8	19.3	24.6	26.2	28.3	28.6	29.7	29.6	28.3	26.1	22.1	23.0	307.2	9	1277	
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	13.2	13.1	17.4	17.2	17.4	20.6	23.9	23.6	21.4	19.2	11.0	11.1	211.1	11	1423	
	07 LST	8.2	9.3	16.3	13.6	17.3	22.0	23.2	23.8	21.1	18.6	11.1	8.7	197.4	11	970	
	13 LST	12.0	13.4	18.4	13.3	11.2	16.3	16.9	20.8	20.4	16.8	11.7	13.3	186.3	10	1608	
	19 LST	13.1	14.1	14.7	13.7	16.9	19.0	24.3	20.3	20.0	13.9	12.6	14.0	200.2	9	1277	
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	13.2	13.1	17.4	17.2	17.4	20.6	23.9	23.6	21.4	19.2	11.0	11.1	211.1	11	1423	
	07 LST	8.2	9.3	16.3	13.6	17.3	22.0	23.2	23.8	21.1	18.6	11.1	8.7	197.4	11	970	
	13 LST	11.8	13.4	18.4	13.3	11.2	16.3	16.9	20.8	20.4	16.8	11.3	13.3	186.1	10	1608	
	19 LST	13.1	14.1	14.7	13.7	16.9	19.0	24.3	20.3	20.0	13.9	12.6	14.0	200.2	9	1277	

SKOPJE, YUGOSLAVIA

STA NO. 13483 (IN AREA NUMBER 02)

LATITUDE 4159N

LONGITUDE 02128E

ELEVATION(FT) 00784

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO.
ABS MAX TMP (F)	66	75	94	86	97	102	106	106	103	94	78	70	106	42	-333
MEAN MAX TMP (F)	40	44	55	66	74	83	89	87	80	69	56	42	65	16	-126
MEAN MIN TMP (F)	26	27	34	42	50	56	60	58	52	45	38	29	43	16	-126
ABS MIN TMP (F)	-14	-11	-1	24	28	37	42	42	26	24	12	-7	-14	42	-333
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.1	0.0	0.5	5.3	13.7	14.7	4.3	0.1	0.0	0.0	38.7	11	3584
MEAN NO DYS TMP = DR LES 32(F)	22.7	21.8	13.4	1.7	0.4	0.0	0.0	0.0	0.0	3.7	8.1	17.9	89.7	11	3554
MEAN NO DYS TMP = DR LES 0(F)	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.5	11	3554
MEAN DEW PT TMP (F)	29	29	35	42	50	55	57	56	51	47	41	33	44	11	17831
MEAN REL HUM (PCT)	85	79	73	66	69	63	58	57	67	80	85	87	72	30	-32
MEAN PRESS ALT (FT)	657	695	731	789	762	759	781	757	700	676	678	688	723	0	-50
MEAN PRECIP (IN)	1.81	1.61	1.50	1.34	2.05	1.93	1.38	1.47	1.65	2.28	2.80	1.69	21.8	30	-32
MEAN SNOW FALL (IN)						0.0	0.0	0.0						42	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	5.8	5.3	4.9	4.5	6.0	5.4	4.1	4.3	5.0	6.2	7.1	5.5	64.1	30	-29
MEAN NO DYS SNPL = DR GTR 1.5 IN						0.0	0.0	0.0						42	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	11.4	8.6	3.7	0.6	0.4	0.5	0.3	0.2	0.7	9.8	9.6	14.7	60.5	11	3329
MEAN NO DYS TSTMS	0.0	0.0	0.3	0.3	4.0	5.0	4.0	4.0	2.0	1.0	0.3	0.3	21.2	16	-24
P FREQ WND SPD = DR GTR 17 KTS	0.6	1.7	2.0	3.0	1.8	1.3	1.2	1.2	0.5	0.3	0.8	0.3	1.2	11	18110
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.1	0.1	0.1	0.0	0.1	0.0	0.1	0.0	0.1	0.0	0.1	11	18110
P FREQ LES 5000 FT A/D LES 5 MI	77.6	58.9	52.3	31.3	26.5	17.2	10.1	9.2	20.7	46.7	72.5	80.3	42.0	11	18380
P FREQ LES 1500 FT A/D LES 3 MI															
POR 00-02 LST	37.5	23.0	7.7	1.7	1.3	0.7	0.3	0.9	1.6	22.3	27.3	38.7	13.6	11	3677
03-05 LST	44.1	30.7	6.9	3.6	6.3	7.3	1.7	3.5	9.1	33.9	45.9	47.8	20.1	4	1331
06-08 LST	48.5	45.5	32.3	10.2	2.2	2.9	1.3	2.2	9.8	43.3	46.2	57.7	25.2	11	3701
09-11 LST	63.5	50.0	25.2	3.7	0.9	0.0	0.0	0.9	2.7	26.6	55.2	64.5	24.4	4	1306
12-14 LST	36.6	25.8	7.7	1.9	0.3	0.3	1.0	0.3	0.6	5.0	19.5	39.1	11.5	11	3749
15-17 LST	31.9	22.9	5.3	0.9	1.8	0.9	0.0	0.8	0.0	7.8	20.4	46.6	11.6	4	1338
18-20 LST	29.0	18.2	5.9	2.7	0.6	1.0	0.7	0.0	0.7	5.4	17.3	34.8	9.7	11	3735
21-23 LST	41.9	27.7	7.2	2.0	0.9	0.9	1.9	0.9	0.0	12.6	36.5	43.9	14.7	5	1233
P FREQ LES 300 FT A/D LES 1 MI															
POR 00-02 LST	25.1	10.8	4.5	0.3	0.6	0.3	0.0	0.3	0.6	17.2	19.5	29.1	9.0	11	3677
03-05 LST	29.7	11.9	3.4	2.7	3.6	5.5	0.0	1.8	3.6	25.7	30.6	36.5	12.9	4	1331
06-08 LST	35.4	33.4	17.3	1.7	0.3	1.3	0.3	0.3	5.4	31.8	32.7	45.2	17.1	11	3701
09-11 LST	42.6	26.0	4.7	0.0	0.0	0.0	0.0	0.0	1.8	9.2	29.5	44.5	13.2	4	1306
12-14 LST	22.7	10.5	0.9	0.3	0.0	0.0	0.3	0.0	0.0	0.6	6.4	22.5	5.4	11	3749
15-17 LST	16.8	6.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	8.0	25.0	5.0	4	1338
18-20 LST	16.5	6.5	2.2	0.0	0.0	0.0	0.3	0.0	0.0	1.0	5.6	21.8	4.5	11	3735
21-23 LST	24.8	8.5	3.6	0.0	0.0	0.0	1.0	0.0	0.0	4.2	23.5	30.5	8.0	5	1233

SKOPJE, YUGOSLAVIA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	20.1	22.1	29.3	29.7	30.7	29.7	31.0	30.7	29.6	24.3	22.8	19.6	319.6	11	3674
	07 LST	16.9	19.6	21.8	27.5	30.7	29.3	30.3	30.4	27.1	18.0	17.3	13.7	278.8	11	3701
	13 LST	20.3	21.0	29.4	29.8	31.0	30.0	30.7	31.0	29.9	29.9	25.1	19.6	327.9	11	3749
	19 LST	22.6	23.4	29.8	29.6	30.9	29.8	30.8	31.0	29.9	29.8	25.8	20.9	334.3	11	3734
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SPC WND LES 10 KTS	01 LST	17.6	19.6	25.8	27.3	29.5	29.0	29.4	29.3	28.7	23.2	19.7	17.0	296.3	11	3670
	07 LST	14.3	13.3	18.5	25.3	28.9	28.2	29.8	29.7	26.6	16.4	13.7	11.9	256.6	11	3692
	13 LST	17.4	18.1	25.0	26.1	27.8	27.1	28.1	29.3	28.6	27.9	21.0	17.0	293.4	11	3732
	19 LST	19.9	20.6	26.5	24.4	29.0	26.4	28.3	29.0	28.6	28.1	22.6	18.3	301.7	11	3723
SPC WND = GTR 17 KTS AND NO PRECIP.	01 LST	0.2	0.2	0.0	0.4	0.0	0.0	0.1	0.1	0.0	0.0	0.1	0.0	1.1	11	3681
	07 LST	0.0	0.4	0.2	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.8	11	3721
	13 LST	0.1	0.6	0.8	0.5	0.7	0.3	0.3	0.4	0.3	0.0	0.2	0.0	4.4	11	3771
	19 LST	0.2	0.2	0.2	1.1	0.3	0.7	0.2	0.2	0.1	0.0	0.2	0.1	3.6	11	3747
SPC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	3.1	3.0	5.9	3.2	4.8	4.7	5.6	5.3	4.0	2.9	3.8	2.3	50.6	11	3667
	07 LST	2.3	2.1	4.3	4.3	3.9	4.1	5.5	3.7	3.2	2.6	2.7	2.6	41.7	11	3694
	13 LST	5.7	5.3	9.9	12.7	13.7	13.0	12.8	11.0	11.9	8.6	6.9	5.2	116.6	11	3733
	19 LST	4.4	5.7	9.2	10.9	10.3	9.6	7.3	8.6	7.8	6.2	5.2	4.1	90.3	11	3726
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	4.4	8.4	11.4	13.3	12.8	19.1	22.3	24.1	19.2	10.9	4.6	4.1	154.8	11	3687
	07 LST	2.0	2.6	5.0	8.1	9.3	15.1	20.5	21.3	14.6	3.8	1.6	1.4	103.5	11	3719
	13 LST	3.1	5.6	6.2	5.4	4.3	7.0	15.0	18.9	13.7	9.6	2.8	3.7	97.3	11	3785
	19 LST	5.9	10.8	10.4	8.4	5.8	7.2	15.1	19.1	18.3	14.9	6.6	5.7	128.2	11	3732
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	14.6	19.1	24.4	27.4	28.7	28.8	30.5	30.2	28.3	21.0	16.8	14.5	284.3	11	3674
	07 LST	12.4	12.8	17.6	24.7	28.2	28.4	30.0	29.8	26.0	14.7	11.3	10.4	246.3	11	3701
	13 LST	16.1	19.0	25.0	27.4	29.7	29.3	30.5	30.5	28.8	27.2	19.5	16.2	299.2	11	3749
	19 LST	18.2	20.8	26.2	27.6	29.5	28.9	30.5	30.8	29.0	27.2	20.6	17.2	306.3	11	3734
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	6.2	13.4	15.2	19.2	19.6	23.3	26.8	26.5	23.4	13.4	7.1	6.0	200.1	11	3674
	07 LST	4.8	6.4	10.6	18.1	21.2	23.5	26.5	26.8	21.4	7.7	4.4	4.3	175.7	11	3701
	13 LST	9.6	13.7	16.3	18.0	20.1	22.0	25.8	26.7	25.1	20.3	11.3	9.6	218.7	11	3749
	19 LST	8.5	13.3	16.1	18.1	19.4	21.2	25.3	26.5	23.2	20.7	11.8	8.8	214.9	11	3734
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	6.2	13.3	15.1	19.2	19.6	23.3	26.7	26.5	23.3	13.4	7.1	6.0	199.7	11	3674
	07 LST	4.8	6.4	10.6	18.0	21.2	23.5	26.5	26.8	21.4	7.7	4.4	4.3	175.6	11	3701
	13 LST	9.6	13.7	16.3	18.0	20.1	21.9	25.5	26.7	25.1	20.3	11.2	9.6	218.2	11	3749
	19 LST	8.5	13.3	16.1	18.1	19.3	21.2	25.3	26.5	23.1	20.6	11.7	8.8	214.5	11	3734

Vranje, YUGOSLAVIA

STA NO. 13468 (IN AREA NUMBER 02)

LATITUDE 4233N

LONGITUDE 02155E

ELEVATION(PT) 01916

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	58	61	75	84	89	101	102	101	95	90	79	68	102	17	-33
MEAN MAX TMP (F)	38	41	52	62	71	79	85	84	77	66	55	39	62	15	-126
MEAN MIN TMP (F)	24	25	33	41	49	55	58	57	51	44	38	28	42	15	-126
ABS MIN TMP (F)	-6	-4	10	23	21	38	38	42	26	24	19	-7	-7	17	-33
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0		8.1	6.8		0.0	0.0	0.0		15	-29
MEAN NO DYS TMP = DR LES 32(F)						0.0	0.0	0.0						17	-29
MEAN NO DYS TMP = DR LES 0(F)			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			17	-29
MEAN DEW PT TMP (F)	27	28	34	39	47	55	56	54	48	46	40	30	42	11	-29
MEAN REL HUM (PCT)	86	82	75	65	66	68	63	60	61	74	81	86	72	4	-33
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	1.54	1.18	1.98	2.01	2.80	2.40	1.30	1.54	1.54	2.95	1.93	2.36	23.1	15	-123
MEAN SNOW FALL (IN)						0.0	0.0	0.0						17	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	9.1	3.9	5.1	6.0	6.9	6.4	3.8	4.5	4.7	7.3	5.5	7.2	66.4	15	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN						0.0	0.0	0.0						17	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	0.3	0.3	4.0	5.0	3.0	3.0	2.0	0.3	0.3	0.0	18.2	16	-24
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 3 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

VLANJE, YUGOSLAVIA
 MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SPC WND LES 10 KTS	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
SPC WND = GTR 17 KTS AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
SPC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0

DATA NOT AVAILABLE

BITOLA, YUGOSLAVIA

STA NO. 13502 (IN AREA NUMBER 02)

LATITUDE 4103N

LONGITUDE 02122E

ELEVATION(FT) 01929

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	65	66	75	88	91	99	105	103	96	91	80	67	105	13	-626
MEAN MAX TMP (F)	42	44	54	64	72	81	87	86	80	69	57	43	65	13	-126
MEAN MIN TMP (F)	26	25	33	40	47	53	58	56	51	44	38	29	42	13	-126
ABS MIN TMP (F)	-5	-10	1	15	31	37	42	44	29	27	14	-10	-10	13	-626
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	7.5	0.0	22.1	1.9	0.0	0.0	0.0	31.5	5	76
MEAN NO DYS TMP = OR LES 32(F)	31.0	20.0	12.4	0.0	0.0	0.0	0.0	0.0	0.0	5.1	0.0	15.5	84.0	5	75
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	75
MEAN DEW PT TMP (F)	30	27	33	41	50	52	56	52	56	49	41	32	43	10	-29
MEAN REL HUM (PCT)	86	77	74	69	74	63	60	56	73	77	81	85	73	4	-35
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	1.65	2.09	2.13	2.36	2.36	2.13	1.38	1.61	2.13	2.80	3.19	3.50	27.3	13	-125
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0					13	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.4	6.5	6.2	6.5	6.5	5.9	4.1	4.7	5.9	7.1	7.6	9.2	75.6	13	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0					13	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS	1.7	7.0	4.7	3.7	0.0	2.7	1.1	2.0	0.0	1.1	1.0	3.0	2.5	4	-35
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.0	0.1	4	-35
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

BITOLA, YUGOSLAVIA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SPC WND LES 10 KTS	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
SPC WND = GTR 17 KTS AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
SPC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0

DATA NOT AVAILABLE

PRILEP, YUGOSLAVIA

STA NO. 13904 (IN AREA NUMBER 02)

LATITUDE 4120N

LONGITUDE 02194E

ELEVATION(PT) 02211

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	61	60	75	83	88	99	102	103	95	89	75	66	63	16	-126
MEAN MAX TMP (F)	40	42	51	62	70	78	84	85	77	66	55	41	63	16	-126
MEAN MIN TMP (F)	27	27	33	41	49	55	60	58	53	46	39	30	43	16	-126
ABS MIN TMP (F)	-4	-5	4	22	33	41	42	43	30	29	20	0	-5	16	-126
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	6.8	8.1	0.0	0.0	0.0	0.0		16	-29
MEAN NO DYS TMP = OR LES 32(F)					0.0	0.0	0.0	0.0	0.0	0.0				16	-29
MEAN NO DYS TMP = OR LES 0(F)			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		16	-29
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (PT)														0	0
MEAN PRECIP (IN)	1.34	0.98	1.42	2.13	2.40	2.17	1.06	1.10	1.34	2.56	1.97	2.44	21.1	16	-125
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0	0.0				16	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	4.4	3.2	4.7	6.2	6.5	5.9	3.2	3.3	4.7	6.7	5.6	7.4	61.8	16	-29
MEAN NO DYS SNPL = OR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0	0.0				16	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	0.3	0.0	7.0	7.0	4.0	4.0	2.0	1.0	0.3	0.3	25.9	16	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 3000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

PRELEP, YUGOSLAVIA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SPC WND LES 10 KTS	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
SPC WND = GTR 17 KTS AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
SPC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0

DATA NOT AVAILABLE

STIP, YUGOSLAVIA

STA NO. 13590 (IN AREA NUMBER 02)

LATITUDE 4149N

LONGITUDE 0221E

ELEVATION(FT) 00974

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	63	70	76	85	91	100	107	103	98	93	75	67	107	14	-126
MEAN MAX TMP (F)	41	45	55	66	74	83	89	88	80	69	57	43	66	16	-126
MEAN MIN TMP (F)	27	28	35	43	51	57	62	60	54	46	40	30	44	16	-126
ABS MIN TMP (F)	-12	-3	3	24	33	41	47	43	29	25	17	-10	-12	14	-126
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0		5.5	14.4	12.6			0.0	0.0		16	-29
MEAN NO DYS TMP = DR LES 32(F)					0.0	0.0	0.0	0.0	0.0					14	-29
MEAN NO DYS TMP = DR LES 0(F)		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0				14	-29
MEAN DEW PT TMP (F)	31	32	41	45	51	54	57	58	56	50	44	34	46	11	-29
MEAN REL HUM (PCT)	68	85	86	72	70	60	57	62	70	78	84	89	75	2	-35
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	1.98	1.10	1.38	2.05	2.72	2.05	0.87	1.46	1.26	2.32	1.85	2.56	21.2	13	-125
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0					14	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	5.2	3.6	4.6	6.0	6.9	5.7	2.6	4.3	4.1	6.3	3.4	7.6	62.3	15	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0					14	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

STIP, YUGOSLAVIA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SPC WND LES 10 KTS	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
SPC WND = GTR 17 KTS AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
SPC WND 4-10 KTS AND THP 33-89 DEG F AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0

DATA NOT AVAILABLE

DEMIR KAPIJA, YUGOSLAVIA

STA NO. 13592 (IN AREA NUMBER 02)

LATITUDE 4129N

LONGITUDE 02215E

ELEVATION(PT) 00413

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	61	68	75	84	89	99	109	103	94	91	79	67	109	7	-126
MEAN MAX TMP (F)	42	46	53	66	74	83	91	89	81	69	58	44	67	16	-126
MEAN MIN TMP (F)	30	31	39	45	54	60	65	64	58	50	42	32	48	13	-126
ABS MIN TMP (F)	-2	-3	17	25	35	47	47	48	42	30	22	-3	-3	7	-126
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	7.8	18.4	14.4	3.6		0.0	0.0		16	-29
MEAN NO DYS TMP = DR LES 32(F)					0.0	0.0	0.0	0.0	0.0	0.0				7	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		7	-29
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	2.80	1.73	1.89	1.85	1.93	1.69	1.02	0.91	0.71	2.68	2.09	3.38	22.7	8	-125
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0	0.0				7	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	8.1	5.6	5.8	5.7	5.8	4.9	3.1	2.7	2.9	6.9	5.8	9.0	66.3	8	-29
MEAN NO DYS SNPL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0	0.0				7	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTNS	0.0	0.0	0.3	0.0	4.0	6.0	3.0	3.0	1.0	1.0	0.3	0.0	18.6	16	-24
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 3000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
PDR 00-02 LST														0	0
02-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
PDR 00-02 LST														0	0
02-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

DEMIR KAPIJA, YUGOSLAVIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SPC WND LES 10 KTS	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SPC WND = GTR 17 KTS AND NO PRECIP.	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SPC WND 4-10 KTS AND THP 33-89 DEG F AND NO PRECIP.	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0

DATA NOT AVAILABLE

AJDOVSCINA, YUGOSLAVIA

STA NO. 14050/ (IN AREA NUMBER 02)

LATITUDE 4553N

LONGITUDE 01334E

ELEVATION(PT) 00348

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	65	73	75	82	87	90	100	97	92	84	70	65	100	13	-124
MEAN MAX TMP (F)	44	47	55	62	70	76	82	80	74	64	54	46	67	13	-124
MEAN MIN TMP (F)	30	32	38	44	51	57	59	58	56	47	40	33	45	13	-124
ABS MIN TMP (F)	4	4	16	25	28	40	42	44	36	24	17	15	4	13	-124
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	4.7			0.0	0.0	0.0		13	-29
MEAN NO DYS TMP = DR LES 32(F)						0.0	0.0	0.0	0.0					13	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	-29
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	4.33	3.15	4.98	4.69	5.67	5.55	3.70	4.88	7.56	7.32	7.84	4.69	65.4	16	-125
MEAN SNOW FALL (IN)						0.0	0.0	0.0	0.0					13	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	10.1	8.7	9.1	7.7	8.6	9.7	8.4	9.4				10.4		16	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN						0.0	0.0	0.0	0.0					13	-29
MEAN NO DYS W/OCLR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSMS														0	0
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 3 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
PDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
PDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

AJDOVSCINA, YUGOSLAVIA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR	NO.
															(YRS)	UBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SPC WND LES 10 KTS	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
SPC WND = GTR 17 KTS AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0

DATA NOT AVAILABLE

BABNO POLJE, YUGOSLAVIA

STA NO. 14051/ (IN AREA NUMBER 02)

LATITUDE 4539N

LONGITUDE 01493E

ELEVATION(FT) 02480

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	53	65	68	78	88	91	91	91	83	74	66	57	91	26	-124
MEAN MAX TMP (F)	34	37	44	53	62	68	73	72	66	55	44	38	54	14	-124
MEAN MIN TMP (F)	15	17	24	32	38	45	46	46	41	34	28	21	32	14	-124
ABS MIN TMP (F)	-28	-30	-23	8	10	25	30	32	19	9	-17	-16	-30	26	-124
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0				0.0	0.0	0.0	0.0		14	-29
MEAN NO DYS TMP = OR LES 32(F)							0.0	0.0						26	-29
MEAN NO DYS TMP = OR LES 0(F)				0.0	0.0	0.0	0.0	0.0	0.0	0.0				26	-29
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	3.66	2.72	3.24	4.76	5.87	4.45	3.15	4.21	5.95	8.98	7.13	4.69	60.8	14	-125
MEAN SNOW FALL (IN)							0.0	0.0						26	-29
MEAN NO DYS PACP = OR GTR 0.1 IN	9.4	7.9	8.1	7.8	8.9	9.1	7.7	8.9	9.7			10.4		14	-29
MEAN NO DYS SNPL = OR GTR 1.5 IN							0.0	0.0						26	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 3 MI														0	0
P FREQ LES 1900 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

BABNO POLJE, YUGOSLAVIA
 MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SPC WND LES 10 KTS	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SPC WND = GTR 17 KTS AND NO PRECIP.	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SPC WND 4-10 KTS AND TMP 33-80 DEG F AND NO PRECIP.	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0

DATA NOT AVAILABLE

CELJE, YUGOSLAVIA

STA NO. 14054/ (IN AREA NUMBER 02)

LATITUDE 4614N

LONGITUDE 01514E

ELEVATION(FT) 00794

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	58	67	76	82	89	97	103	97	90	80	69	61	103	28	-124
MEAN MAX TMP (F)	36	42	51	60	69	75	79	78	72	60	48	39	59	13	-124
MEAN MIN TMP (F)	20	22	30	37	43	51	54	53	47	40	33	26	38	13	-124
ABS MIN TMP (F)	-21	-24	-9	15	23	33	40	37	30	11	10	-10	-24	28	-124
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0				0.0	0.0	0.0	0.0		13	-29
MEAN NO DYS TMP = OR LES 32(F)						0.0	0.0	0.0	0.0					28	-29
MEAN NO DYS TMP = OR LES 0(F)				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			28	-29
MEAN DEN PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	2.13	1.73	2.32	3.13	4.96	4.33	4.41	4.63	5.04	3.32	3.98	2.84	45.3	16	-125
MEAN SNOW FALL (IN)						0.0	0.0	0.0	0.0					28	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	6.6	5.6	6.7	7.1	7.9	9.2	9.1	9.3	9.4	9.6	8.6	8.1	97.2	16	-29
MEAN NO DYS SNPL = OR GTR 1.5 IN						0.0	0.0	0.0	0.0					28	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	0.0	2.0	6.0	6.0	7.0	6.0	3.0	2.0	0.3	0.3	32.6	16	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 3000 FT A/D LES 3 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

CELJE, YUGOSLAVIA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR	NO.
															(YRS)	OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SPC WND LES 10 KTS	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
SPC WND = GTR 17 KTS AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
SPC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0

DATA NOT AVAILABLE

GOLNIK, YUGOSLAVIA

STA NO. 14056/ (IN AREA NUMBER 02)

LATITUDE 4620N

LONGITUDE 01420E

ELEVATION(FT) 01640

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	56	67	70	77	86	94	95	94	90	76	66	57	93	20	-124
MEAN MAX TMP (F)	35	39	47	55	64	72	76	74	66	55	46	35	55	16	-126
MEAN MIN TMP (F)	26	27	33	40	48	54	56	55	31	43	37	27	41	16	-126
ABS MIN TMP (F)	-4	-5	9	24	28	36	41	43	33	24	97	2	-3	20	-124
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0				0.0	0.0	0.0	0.0		16	-29
MEAN NO DYS TMP = DR LES 32(F)						0.0	0.0	0.0	0.0		0.0			20	-29
MEAN NO DYS TMP = DR LES 0(F)			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		20	-27
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	3.19	2.68	4.29	4.68	5.59	5.75	4.17	5.08	6.93	7.64	7.21	3.66	60.8	15	-123
MEAN SNOW FALL (IN)						0.0	0.0	0.0	0.0		0.0			20	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	8.7	7.8	7.6	7.7	8.5	9.8	8.9	9.5	9.5			9.4		15	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN						0.0	0.0	0.0	0.0			0.0		20	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

COLNIK, YUGOSLAVIA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
															(YRS)	OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SPC WND LES 10 KTS	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
SPC WND = GTR 17 KTS AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
SPC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0

DATA NOT AVAILABLE

JEZERSKO, YUGOSLAVIA

STA NO. 14057/ (IN AREA NUMBER 02)

LATITUDE 4626N

LONGITUDE 01431E

ELEVATION(FT) 02972

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PCR (YRS)	NO. OBS
ABS MAX TMP (F)	54	65	68	79	84	96	93	94	86	74	65	55	96	29	-124
MEAN MAX TMP (F)	33	36	44	51	60	67	71	70	64	53	42	36	52	10	-124
MEAN MIN TMP (F)	18	19	27	33	40	46	48	48	43	36	31	23	34	10	-124
ABS MIN TMP (F)	-14	-12	-3	6	21	30	31	33	28	1	1	-10	-14	29	-124
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0				0.0	0.0	0.0	0.0		10	-29
MEAN NO DYS TMP = DR LES 32(F)						0.0	0.0	0.0						29	-29
MEAN NO DYS TMP = DR LES 0(F)			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			29	-29
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	3.19	3.27	3.71	6.06	7.44	6.61	6.10	6.93	7.56	9.76	9.17	4.29	76.1	16	-125
MEAN SNOW FALL (IN)						0.0	0.0	0.0						29	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	8.7	8.9	8.7	9.3		9.9	9.8	9.9				10.1		16	-29
MEAN NO DYS SNPL = DR GTR 1.5 IN						0.0	0.0	0.0						29	-29
MEAN NO DYS W/DCUR VS0Y LES 1/2 MI														C	0
MEAN NO DYS TSTMS	0.0	0.0	0.0	1.0	4.0	4.0	5.0	6.0	2.0	1.0	1.0	0.3	24.3	16	-24
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

JEZERSKO, YUGOSLAVIA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SPC WND LES 10 KTS	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
SPC WND = GTR 17 KTS AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
SPC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0

DATA NOT AVAILABLE

KOCEVJE, YUGOSLAVIA

STA NO. 14058/ (IN AREA NUMBER 02)

LATITUDE 4538N

LONGITUDE 01452E

ELEVATION(FT) 01513

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	59	65	72	82	89	97	101	97	90	79	67	60	101	25	-124
MEAN MAX TMP (F)	34	40	47	56	65	72	77	76	70	58	45	38	57	9	-124
MEAN MIN TMP (F)	20	21	28	36	45	50	52	51	47	39	33	25	37	9	-124
ABS MIN TMP (F)	-25	-24	-4	15	24	31	39	36	27	20	-4	-12	-25	25	-124
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0				0.0	0.0	0.0	0.0		9	-29
MEAN NO DYS TMP = OR LES 32(F)						0.0	0.0	0.0						25	-29
MEAN NO DYS TMP = OR LES 0(F)				0.0	0.0	0.0	0.0	0.0	0.0	0.0				25	-29
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (PT)														0	0
MEAN PRECIP (IN)	3.27	2.95	3.86	4.25	6.06	5.08	3.54	5.63	6.61	7.84	6.26	4.41	59.8	16	-125
MEAN SNOW FALL (IN)						0.0	0.0	0.0						25	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	8.9	8.3	7.4	7.5	9.3	9.5	8.2	9.7	9.6		9.7	10.2		16	-29
MEAN NO DYS SNPL = OR GTR 1.5 IN						0.0	0.0	0.0						25	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTNS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 3 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

KOCEVJE, YUGOSLAVIA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR	NO.
															(YRS)	OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0

DATA NOT AVAILABLE

KOBOVSKA MITROVICA, YUGOSLAVIA

STA NO. 14059/ (IN ARFA NUMBER 02)

LATITUDE 4259N

LONGITUDE 02052E

ELEVATION(FT) 01709

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PJR (YRS)	NO. OBS
ABS MAX TMP (F)	64	61	77	84	88	94	103	101	91	88	77	62	103	15	-126
MEAN MAX TMP (F)	38	41	51	61	69	77	83	82	75	65	54	39	61	15	-126
MEAN MIN TMP (F)	24	24	31	39	47	53	56	55	49	42	37	27	40	15	-126
ABS MIN TMP (F)	-19	-9	-5	17	27	38	36	39	27	25	19	-9	-15	15	-126
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0		5.7	4.7		0.0	0.0	0.0		15	-29
MEAN NO DYS TMP = DR LES 32(F)						0.0	0.0	0.0						15	-29
MEAN NO DYS TMP = DR LES 0(F)				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			15	-29
MEAN DEN PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	1.22	1.18	1.18	1.61	2.56	2.17	1.89	1.73	1.42	0.87	1.63	2.21	21.9	18	-128
MEAN SNOW PALL (IN)						0.0	0.0	0.0						15	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	4.0	3.9	4.0	5.2	6.7	5.9	5.3	5.0	4.5	7.5	5.0	6.8	63.8	15	-29
MEAN NO DYS SNPL = DR GTR 1.5 IN						0.0	0.0	0.0						15	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1900 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

KOSOVSKA MITROVICA, YUGOSLAVIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SPC WND = GTR 17 KTS AND NO PRECIP.	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SPC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0

DATA NOT AVAILABLE

PETROVAC, YUGOSLAVIA

STA NO. 14067/ (IN AREA NUMBER 02)

LATITUDE 4157N

LONGITUDE 02137E

ELEVATION(FT) 00755

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	FOR (YRS)	NO. OBS
ABS MAX TMP (F)	68	75	94	86	97	102	106	106	103	94	78	70	106	42	-13483
MEAN MAX TMP (F)	40	44	53	66	74	83	89	87	80	69	56	42	65	16	-13483
MEAN MIN TMP (F)	26	27	34	42	50	56	60	58	52	45	38	29	43	16	-13483
ABS MIN TMP (F)	-14	-11	-1	24	28	37	42	42	26	24	12	-7	-14	42	-13483
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.1	0.0	0.3	3.3	13.7	14.7	4.3	0.1	0.0	0.0	38.7	11	-13483
MEAN NO DYS TMP = DR LES 32(F)	22.7	21.8	13.4	1.7	0.4	0.0	0.0	0.0	0.0	3.7	8.1	17.9	89.7	11	-13483
MEAN NO DYS TMP = DR LES 0(F)	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.5	11	-13483
MEAN DEW PT TMP (F)	29	29	35	42	50	55	57	56	51	47	41	33	44	11	-13483
MEAN REL HUM (PCT)	83	79	73	66	69	63	58	57	67	80	85	87	72	30	-13483
MEAN PRESS ALT (FT)	628	666	703	760	733	729	751	728	671	647	650	660	694	0	-30
MEAN PRECIP (IN)	1.81	1.61	1.30	1.34	2.05	1.93	1.38	1.47	1.67	2.28	2.80	1.69	21.5	30	-13483
MEAN SNOW FALL (IN)						0.0	0.0	0.0						42	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	5.8	5.3	4.9	4.3	6.0	3.4	4.1	4.3	3.0	6.2	7.1	3.5	64.1	30	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN						0.0	0.0	0.0						42	-29
MEAN NO DYS W/DCUR VSOBY LES 1/2 MI	11.4	8.6	3.7	0.6	0.4	0.3	0.3	0.2	0.7	9.8	9.6	14.7	60.5	11	-13483
MEAN NO DYS TSTMS	0.0	0.0	0.3	0.3	4.0	3.0	4.0	4.0	2.0	1.0	0.3	0.3	21.2	16	-13483
P FREQ WND SPD = DR GTR 17 KTS	0.6	1.7	2.0	3.0	1.8	1.3	1.2	1.2	0.3	0.3	0.8	0.3	1.2	11	-13483
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.1	0.1	0.1	0.0	0.1	0.0	0.1	0.0	0.1	0.0	0.1	11	-13483
P FREQ LES 5000 FT A/D LES 3 MI	77.6	58.9	52.5	31.3	26.5	17.2	10.1	9.2	20.7	46.7	72.5	80.3	42.0	11	-13483
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	37.3	23.0	7.7	1.7	1.3	0.7	0.3	0.9	1.6	22.3	27.3	38.7	13.6	11	-13483
03-05 LST	44.1	30.7	6.9	3.6	6.3	7.3	1.7	3.3	9.1	33.9	43.9	47.8	20.1	4	-13483
06-08 LST	48.5	43.5	32.3	10.2	2.2	2.9	1.3	2.2	9.8	43.3	46.2	37.7	23.2	11	-13483
09-11 LST	63.3	50.0	25.2	3.7	0.9	0.0	0.0	0.9	2.7	26.6	33.2	64.5	24.4	4	-13483
12-14 LST	36.6	23.8	7.7	1.9	0.3	0.3	1.0	0.3	0.6	3.0	19.3	39.1	11.3	11	-13483
15-17 LST	31.9	22.9	3.3	0.9	1.8	0.9	0.0	0.8	0.0	7.8	20.4	46.6	11.6	4	-13483
18-20 LST	29.0	18.2	3.9	2.7	0.6	1.0	0.7	0.0	0.7	3.4	17.3	34.8	9.7	11	-13483
21-23 LST	41.9	27.7	7.2	2.0	0.9	0.9	1.9	0.9	0.0	12.6	36.3	43.9	14.7	3	-13483
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	23.1	10.8	4.5	0.3	0.6	0.3	0.0	0.3	0.6	17.2	19.3	29.1	9.0	11	-13483
03-05 LST	29.7	11.9	3.4	2.7	3.6	3.3	0.0	1.8	3.6	23.7	30.6	36.3	12.9	4	-13483
06-08 LST	33.4	33.4	17.3	1.7	0.3	1.3	0.3	0.3	3.4	31.8	32.7	43.2	17.1	11	-13483
09-11 LST	42.6	26.0	4.7	0.0	0.0	0.0	0.0	0.0	1.8	9.2	29.3	44.3	13.2	4	-13483
12-14 LST	22.7	10.3	0.9	0.3	0.0	0.0	0.3	0.0	0.0	0.6	6.4	22.3	3.4	11	-13483
15-17 LST	16.8	6.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	8.0	23.0	3.0	4	-13483
18-20 LST	16.3	6.3	2.2	0.0	0.0	0.0	0.3	0.0	0.0	1.0	3.6	21.8	4.3	11	-13483
21-23 LST	24.8	8.3	3.6	0.0	0.0	0.0	1.0	0.0	0.0	4.2	23.3	30.3	8.0	3	-13483

PETROVAC, YUGOSLAVIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	20.1	22.1	29.3	29.7	30.7	29.7	31.0	30.7	29.6	24.3	22.0	19.6	319.6	11	-13403
	07 LST	16.9	15.6	21.8	27.5	30.7	29.3	30.5	30.4	27.1	18.0	17.3	13.7	270.0	11	-13403
	13 LST	20.5	21.0	29.4	29.8	31.0	30.0	30.7	31.0	29.9	29.9	25.1	19.6	327.9	11	-13403
	19 LST	22.6	23.4	29.8	29.6	30.9	29.8	30.8	31.0	29.9	29.8	25.8	20.9	334.3	11	-13403
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SPC WMO LBS 10 KTS	01 LST	17.6	19.6	25.8	27.5	29.5	29.0	29.4	29.3	28.7	23.2	19.7	17.0	296.3	11	-13403
	07 LST	14.3	13.3	18.3	23.3	28.9	28.2	29.8	29.7	26.6	16.4	13.7	11.9	256.6	11	-13403
	13 LST	17.4	18.1	25.0	26.1	27.8	27.1	28.1	29.3	28.6	27.9	21.0	17.0	293.4	11	-13403
	19 LST	19.9	20.6	26.5	24.4	29.0	26.4	28.3	29.0	28.6	28.1	22.6	18.3	301.7	11	-13403
SPC WND = GTR 17 KTS AND NO PRECIP.	01 LST	0.2	0.2	0.0	0.4	0.0	0.0	0.1	0.1	0.0	0.0	0.1	0.0	1.1	11	-13403
	07 LST	0.0	0.4	0.2	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	-13403
	13 LST	0.1	0.6	0.8	0.5	0.7	0.3	0.3	0.4	0.3	0.0	0.2	0.0	4.4	11	-13403
	19 LST	0.2	0.2	0.2	1.1	0.3	0.7	0.2	0.3	0.1	0.0	0.2	0.1	3.6	11	-13403
SPC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	3.1	3.0	5.9	5.2	4.8	4.7	5.6	5.3	4.0	2.9	3.8	2.3	50.6	11	-13403
	07 LST	2.3	2.1	4.5	4.5	3.9	4.1	5.5	3.7	3.2	2.6	2.7	2.6	41.7	11	-13403
	13 LST	3.7	3.5	9.9	12.7	13.7	13.0	12.5	11.0	11.0	8.6	6.9	5.2	116.6	11	-13403
	19 LST	4.4	3.7	9.2	10.9	10.3	8.6	9.3	8.6	7.8	6.4	5.2	4.7	90.3	11	-13403
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	4.4	8.4	11.4	13.5	12.8	19.1	22.3	24.1	19.2	10.9	4.6	4.1	134.8	11	-13403
	07 LST	2.0	2.6	5.0	8.1	9.5	13.1	20.5	21.3	14.6	3.8	1.6	1.4	105.5	11	-13403
	13 LST	3.1	5.6	6.2	5.4	4.3	7.0	15.0	18.9	15.7	9.6	2.8	3.7	97.3	11	-13403
	19 LST	5.9	10.8	10.4	8.4	5.8	7.2	15.1	19.1	18.3	14.9	6.6	5.7	128.2	11	-13403
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	14.6	19.1	24.4	27.4	28.7	28.8	30.5	30.2	28.3	21.0	16.8	14.5	284.3	11	-13403
	07 LST	12.4	12.8	17.6	24.7	28.2	28.4	30.0	29.8	26.0	14.7	11.3	10.4	246.3	11	-13403
	13 LST	16.1	19.0	25.0	27.6	29.7	29.3	30.5	30.5	28.8	27.2	19.3	16.2	299.2	11	-13403
	19 LST	18.2	20.8	26.2	27.6	29.5	28.9	30.5	30.8	29.0	27.2	20.6	17.2	306.5	11	-13403
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	6.2	13.4	15.2	17.2	19.6	23.3	26.8	26.3	23.4	13.4	7.1	6.0	200.1	11	-13403
	07 LST	4.8	6.4	10.6	18.1	21.2	23.5	26.5	26.8	21.4	7.7	4.4	4.3	175.7	11	-13403
	13 LST	9.6	13.7	16.3	18.0	20.1	22.0	25.8	26.7	25.1	20.3	11.3	9.6	218.7	11	-13403
	19 LST	8.5	15.3	16.1	18.1	19.4	21.2	25.3	26.5	23.2	20.7	11.8	8.8	214.9	11	-13403
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	6.2	13.3	15.1	19.2	19.6	23.3	26.7	26.5	25.3	13.4	7.1	6.0	199.7	11	-13403
	07 LST	4.8	6.4	10.6	18.0	21.2	23.5	26.5	26.8	21.4	7.7	4.4	4.3	175.6	11	-13403
	13 LST	9.6	13.7	16.3	18.0	20.1	21.9	25.5	26.7	25.1	20.3	11.2	9.6	218.2	11	-13403
	19 LST	8.5	15.3	16.1	18.1	19.3	21.2	25.3	26.5	23.1	20.6	11.7	8.8	214.5	11	-13403

POSTOJNA, YUGOSLAVIA

STA NO. 14068/ (IN AREA NUMBER 02)

LATITUDE 4547N

LONGITUDE 01414E

ELEVATION(PT) 01749

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	55	68	73	72	82	86	97	89	84	75	60	59	97	27	-124
MEAN MAX TMP (F)	36	40	47	55	64	71	76	79	68	57	45	39	56	11	-124
MEAN MIN TMP (F)	23	25	30	37	44	50	52	52	47	40	34	28	39	11	-124
ABS MIN TMP (F)	-8	-23	-12	15	22	32	36	37	26	23	11	8	-23	27	-124
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0		0.0	0.0	0.0	0.0	0.0		11	-29
MEAN NO DYS TMP = DR LES 32(F)						0.0	0.0	0.0						27	-29
MEAN NO DYS TMP = DR LES 0(F)				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		27	-29
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (PT)														8	0
MEAN PRECIP (IN)	4.17	3.39	5.51	5.32	7.68	6.10	5.04	6.10	7.44	8.19	8.19	5.00	72.1	16	-125
MEAN SNOW FALL (IN)						0.0	0.0	0.0						27	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	9.9	9.0	8.4	8.2		9.8	9.5	9.8				10.6		16	-29
MEAN NO DYS SNPL = DR GTR 1.5 IN						0.0	0.0	0.0						27	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 3000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

POSTOJNA, YUGOSLAVIA
 MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. D4S
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SFC WND = GTR 17 KTS AND ND PRECIP.	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND ND PRECIP.	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0

DATA NOT AVAILABLE

RATECE-PLANINA, YUGOSLAVIA

STA NO. 14070/ (IN AREA NUMBER 02)

LATITUDE 4630N

LONGITUDE 01343E

ELEVATION(FT) 02835

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	54	60	65	74	81	87	93	92	85	76	61	54	93	14	-124
MEAN MAX TMP (F)	32	38	46	54	62	69	73	72	66	54	42	34	54	14	-124
MEAN MIN TMP (F)	15	18	26	32	40	46	49	49	44	35	29	20	34	14	-124
ABS MIN TMP (F)	-21	-12	-2	15	17	28	30	31	29	16	8	-2	-21	14	-124
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0			0.0	0.0	0.0	0.0		14	-29
MEAN NO DYS TMP = DR LES 32(F)							0.0	0.0	0.0					14	-29
MEAN NO DYS TMP = DR LES 0(F)			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		14	-29
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	2.64	3.43	5.12	5.47	6.46	6.18	5.67	6.93	6.58	9.09	7.03	4.09	68.7	14	-125
MEAN SNOW FALL (IN)							0.0	0.0	0.0					14	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	7.8	9.1	8.0	8.3	10.2	9.9	9.7	9.9	9.6			9.9		14	-29
MEAN NO DYS SNPL = DR GTR 1.5 IN							0.0	0.0	0.0					14	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/O LES 5 MI														0	0
P FREQ LES 1500 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-07 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

RATECE-PLANINA, YUGOSLAVIA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SPC WND LES 10 KTS	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
SPC WND = GTR 17 KTS AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
SPC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0

DATA NOT AVAILABLE

RAVNA GORA, YUGOSLAVIA

STA NO. 14071/ (IN AREA NUMBER 02)

LATITUDE 4523N

LONGITUDE 01457E

ELEVATION(FT) 02602

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	53	62	67	75	81	94	90	90	82	76	70	59	94	14	-126
MEAN MAX TMP (F)	34	36	42	52	60	68	73	71	64	54	46	34	53	14	-126
MEAN MIN TMP (F)	20	19	30	35	43	48	50	49	45	39	33	22	36	14	-126
ABS MIN TMP (F)	-14	-26	-5	10	21	28	34	33	24	8	3	-14	-26	14	-126
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0		0.0	0.0	0.0	0.0	0.0	0.0		14	-29
MEAN NO DYS TMP = DR LES 32(F)							0.0	0.0						14	-29
MEAN NO DYS TMP = DR LES 0(F)				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			14	-29
MEAN DEN PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (PT)														0	0
MEAN PRECIP (IN)	5.83	4.69	7.05	5.79	8.27	5.79	4.17	5.04	7.95	11.14	8.58	6.65	81.1	14	-125
MEAN SNOW FALL (IN)							0.0	0.0						14	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	10.9	10.4		8.8		9.8	8.9	9.5				11.7		14	-29
MEAN NO DYS SNPL = DR GTR 1.5 IN							0.0	0.0						0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

RAVNA GORA, YUGOSLAVIA
 MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0

DATA NOT AVAILABLE

SENT JOST NA KOZJAKU, YUGOSLAVIA

STA NO. 14075/ (IN AREA NUMBER 02)

LATITUDE 4629N

LONGITUDE 01512E

ELEVATION(FT) 03488

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO.
ABS MAX TMP (F)	47	51	74	75	81	88	80	86	83	76	57	49	88	16	-126
MEAN MAX TMP (F)	30	31	38	47	56	65	69	65	59	48	41	30	48	16	-126
MEAN MIN TMP (F)	21	22	27	34	41	48	52	50	46	37	32	22	36	16	-126
ABS MIN TMP (F)	-2	-13	3	13	25	32	32	34	29	21	12	-4	-13	16	-126
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16	-29
MEAN NO DYS TMP = DR LES 32(F)						0.0	0.0	0.0	0.0					16	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0				16	-29
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	1.58	1.73	2.44	3.27	5.43	5.12	4.92	5.59	5.95	5.35	3.82	2.28	47.5	16	-125
MEAN SNOW FALL (IN)						0.0	0.0	0.0	0.0					16	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	5.2	5.6	6.6	7.2	8.3	9.5	9.4	9.7	9.7	9.6	8.4	7.0	96.2	16	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN						0.0	0.0	0.0	0.0					16	-29
MEAN NO DYS W/DCUR VSOV LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

SENT JOST NA KOZJAKU, YUGOSLAVIA
 MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SPC WND = GTR 17 KTS AND NO PRECIP.	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SPC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0

DATA NOT AVAILABLE

AREA NO. 02

PARAMETER DESCRIPTION	DINARIC ALPS		LATITUDE 4400N				LONGITUDE 01730E				ANN			
	BOUNDARIES	4536N 01355E	4536N 01430E	4530N 01430E	4506N 01540E	4536N 01500E	4434N 01520E	4434N 01520E	4232N 01935E					
	4242N 02227E	4506N 01540E	4506N 01540E	4556N 01500E	4556N 01500E	4600N 01600E	4642N 01543E							
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC		
MEAN MAX TMP (F)	37	41	49	58	67	75	80	79	71	61	49	39	59	
MEAN MIN TMP (F)	23	24	31	38	46	52	55	54	49	41	35	27	40	
LARGEST MEAN PRECIP(IN)	5.83	5.67	8.11	7.84	8.62	6.61	6.10	6.93	7.95	18.95	11.50	10.20	101.3	
SMALLEST MEAN PRECIP(IN)	1.22	0.98	1.18	1.34	1.93	1.69	0.87	0.91	0.71	2.28	1.65	1.69	16.4	
	MEAN NUMBER OF DAYS													
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	19.7	19.9	26.8	28.0	28.9	28.6	29.4	28.1	25.6	24.3	22.1	19.9	301.3
	07 LST	18.0	16.2	22.6	25.7	26.4	25.1	25.3	24.1	21.1	18.9	18.9	16.9	259.2
	13 LST	20.7	20.7	28.7	29.4	30.5	29.7	30.7	30.8	29.4	29.2	24.1	20.4	324.3
	19 LST	21.1	21.9	28.4	29.4	30.6	29.9	30.7	30.9	29.4	28.6	24.1	20.6	325.6
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SPC WND LES 10 KTS	01 LST	17.0	17.3	24.2	25.4	27.4	28.1	27.0	24.2	22.6	18.8	16.9	276.3	
	07 LST	15.3	13.9	19.7	23.6	24.6	23.8	24.4	23.3	20.4	17.4	16.0	13.6	236.0
	13 LST	17.6	17.4	24.3	24.4	26.1	26.6	28.3	27.2	26.2	20.5	16.8	284.1	
	19 LST	18.4	19.4	25.3	25.2	27.9	27.6	29.2	29.7	28.3	26.8	20.8	17.7	296.3
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	0.4	0.6	0.3	0.2	0.1	0.2	0.1	0.1	0.0	0.2	0.2	0.3	2.7
	07 LST	0.2	0.5	0.4	0.3	0.0	0.1	0.0	0.0	0.1	0.1	0.1	0.3	2.0
	13 LST	0.9	0.7	1.3	1.1	0.9	0.5	0.4	0.5	0.5	0.4	0.5	0.5	7.8
	19 LST	0.2	0.4	0.6	0.9	0.4	0.4	0.2	0.1	0.0	0.1	0.2	0.3	3.8
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	1.7	1.8	4.7	5.6	5.6	5.3	5.4	6.2	4.1	2.9	2.6	2.2	48.1
	07 LST	1.2	1.4	2.7	4.1	3.5	3.2	3.9	3.3	2.7	2.8	2.7	1.9	33.1
	13 LST	3.6	3.5	8.2	11.4	11.6	10.8	11.0	9.5	9.0	6.8	5.6	3.8	94.2
	19 LST	2.4	4.2	7.5	10.9	10.0	8.2	8.9	8.6	9.0	7.4	4.6	3.3	85.0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	5.0	7.0	11.1	12.0	12.6	15.4	19.8	19.6	15.2	9.9	4.8	5.0	137.4
	07 LST	2.5	3.9	5.7	7.2	7.4	9.6	14.0	14.1	9.8	4.0	2.6	2.5	82.3
	13 LST	3.8	4.9	7.4	5.0	3.7	4.8	11.1	14.3	12.5	8.5	3.2	4.0	83.2
	19 LST	6.3	9.0	9.6	7.3	6.5	7.1	13.3	15.9	15.7	12.7	6.6	6.2	116.2
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	14.6	16.1	21.6	24.7	25.9	26.2	28.1	26.8	23.6	20.9	16.0	14.8	260.3
	07 LST	12.6	12.4	14.8	22.3	23.0	22.8	23.7	22.3	19.4	15.5	13.6	12.5	218.9
	13 LST	16.2	17.1	24.8	26.3	27.7	27.8	29.3	29.6	27.6	25.7	18.5	16.1	286.7
	19 LST	16.7	18.4	24.6	26.5	28.4	28.3	29.9	29.9	27.8	25.6	18.7	16.6	291.4
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	8.0	10.8	15.6	17.3	18.0	19.8	23.4	22.3	18.6	13.5	7.5	7.0	181.8
	07 LST	5.5	6.7	12.3	15.6	16.6	18.5	19.3	18.8	14.8	9.4	6.1	5.0	148.6
	13 LST	9.8	12.1	17.4	16.7	16.8	19.4	21.9	24.2	22.1	18.2	10.2	9.3	198.1
	19 LST	9.9	13.4	16.2	17.7	19.3	20.9	24.1	24.2	21.9	18.2	10.7	9.5	206.1
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	7.9	10.8	15.6	17.3	18.0	19.8	23.4	22.3	18.6	13.5	7.5	6.9	181.6
	07 LST	5.5	6.7	12.3	15.3	16.6	18.5	19.3	18.8	14.8	9.4	6.0	5.0	148.4
	13 LST	9.7	12.1	17.4	16.7	16.7	19.4	21.8	24.2	22.1	18.2	10.1	9.3	197.7
	19 LST	9.9	13.4	16.2	17.7	19.2	20.8	24.1	24.2	21.9	18.2	10.7	9.6	205.9

NOVO MESTO, YUGOSLAVIA

STA NO. 13122 (IN AREA NUMBER 03)

LATITUDE 4548N

LONGITUDE 01511E

ELEVATION(FT) 00676

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	N. OBS
ABS MAX TMP (F)	61	70	76	82	90	97	101	98	94	83	73	64	101	30	-124
MEAN MAX TMP (F)	37	41	51	60	68	75	79	78	72	59	48	39	59	12	-124
MEAN MIN TMP (F)	22	23	31	38	47	53	56	54	49	41	35	28	40	12	-124
ABS MIN TMP (F)	-18	-23	3	19	24	34	38	40	30	18	13	-7	-23	30	-124
MEAN NO DYS TMP = DR GTR 93(F)	0.0	0.0	0.0	0.0	0.0					0.0	0.0	0.0		12	-29
MEAN NO DYS TMP = DR LES 32(F)						0.0	0.0	0.0	0.0					30	-29
MEAN NO DYS TMP = DR LES 0(F)			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			30	-29
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	2.64	2.32	2.99	3.58	3.87	4.53	3.82	4.92	5.51	6.85	4.53	3.58	51.1	.4	-123
MEAN SNOW FALL (IN)						0.0	0.0	0.0	0.0					30	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	7.8	7.1	7.1	7.3	8.9	9.2	8.3	9.4	9.6	9.3	9.1	9.3	102.8	16	-29
MEAN NO DYS SNPL = DR GTR 1.5 IN						0.0	0.0	0.0	0.0					30	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 3 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

NOVO MESTO, YUGOSLAVIA
 MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SPC WND LES 10 KTS	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SPC WND = GTR 17 KTS AMJ NO PRECIP.	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SPC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0

DATA NOT AVAILABLE

ZAGREB-GRIC, YUGOSLAVIA

STA NO. 13127 (IN AREA NUMBER 03)

LATITUDE 4549N

LONGITUDE 01550E

ELEVATION(FT) 00535

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	63	66	74	81	87	99	100	99	88	81	73	62	100	22	-33
MEAN MAX TMP (F)	37	42	51	62	70	77	82	79	71	60	50	38	60	16	-33
MEAN MIN TMP (F)	28	30	37	46	53	59	62	61	55	47	41	31	46	16	-33
ABS MIN TMP (F)	1	-7	11	29	34	40	48	43	37	26	15	-2	-7	22	-33
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0		4.7		0.0	0.0	0.0	0.0		16	-29
MEAN NO DYS TMP = OR LES 32(F)				0.0	0.0	0.0	0.0	0.0	0.0					22	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		22	-29
MEAN DEW PT TMP (F)	26	28	32	40	49	55	58	57	52	46	40	30	43	21	-29
MEAN REL HUM (PCT)	80	75	67	64	67	67	66	67	71	78	82	83	72	20	-32
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	1.80	1.90	2.20	2.80	3.10	3.90	3.20	3.20	3.40	3.90	3.10	2.40	34.9	64	-28
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0					22	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.8	6.1	6.3	6.9	7.1	8.6	7.7	7.7	7.9	8.3	7.3	7.3	87.4	64	-29
MEAN NO DYS SNPL = OR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0					22	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	1.0	2.0	7.0	8.0	7.0	6.0	3.0	2.0	1.0	0.3	37.3	40	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 3000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

ZAGREB-GRIC, YUGOSLAVIA
 MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND	01 LST													0	0
VSBY = GTR 3 MI	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR	01 LST													0	0
3 MI W/SPC WND LES 10 KTS	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SPC WND = GTR 17 KTS AND	01 LST													0	0
NO PRECIP.	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SPC WND 4-10 KTS AND TMP 33-89	01 LST													0	0
DEG F AND, NO PRECIP.	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SKY COVER LES 3/10 AND	01 LST													0	0
VSBY = GTR 3 MI	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 2500 FT AND	01 LST													0	0
VSBY = GTR 3 MI	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 6000 FT AND	01 LST													0	0
VSBY = GTR 3 MI	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 10000 FT AND	01 LST													0	0
VSBY = GTR 3 MI	07 LST													0	0
	13 LST													0	0
	19 LST													0	0

DATA NOT AVAILABLE

ZAGREB/PLESSO, YUGOSLAVIA

STA NO. 13128 (IN AREA NUMBER 03)

LATITUDE 45444

LONGITUDE 01004E

ELEVATION(FT) 00351

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	61	70	73	82	90	91	97	100	93	84	73	64	100	11	3640
MEAN MAX TMP (F)	37	40	50	62	69	76	80	80	72	62	47	40	60	11	3640
MEAN MIN TMP (F)	25	26	33	42	48	56	58	57	51	44	37	30	42	11	3596
ABS MIN TMP (F)	-6	-11	7	25	30	36	43	43	36	28	7	1	-11	11	1396
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.1	0.9	3.5	3.8	6.3	0.0	0.0	0.0	8.6	11	3640
MEAN NO DYS TMP = DR LES 32(F)	24.2	21.3	15.9	3.2	1.0	0.0	0.0	0.0	0.0	2.0	9.2	19.2	96.0	11	3596
MEAN NO DYS TMP = DR LES 0(F)	0.8	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	11	3596
MEAN DEW PT TMP (F)	27	27	34	42	49	56	58	59	53	46	38	31	43	11	18680
MEAN REL HUM (PCT)	87	81	77	73	73	73	74	75	79	84	89	88	79	11	18427
MEAN PRESS ALT (FT)	213	251	297	337	325	319	337	315	255	240	248	249	284	0	-50
MEAN PRECIP (IN)	2.36	2.00	1.88	3.16	3.79	4.09	2.90	4.15	3.37	2.88	3.96	3.23	37.8	11	3270
MEAN SNOW PALL (IN)					0.0	0.0	0.0	0.0	0.0					11	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	5.7	5.2	4.3	7.4	7.2	6.7	6.3	5.2	5.1	6.0	8.0	6.8	74.1	11	3270
MEAN NO DYS SNPL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0					11	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	10.9	5.5	2.2	0.8	1.0	0.7	1.1	0.9	3.5	7.9	8.1	10.8	53.4	11	3466
MEAN NO DYS TSTMS	0.2	0.1	0.3	2.3	3.3	6.8	6.7	4.2	2.1	0.8	0.3	0.5	27.8	11	3470
P FREQ WND SPD = DR GTR 17 KTS	1.8	2.1	2.4	2.1	1.5	0.7	0.6	0.5	0.7	1.0	0.9	1.5	1.3	11	18847
P FREQ WND SPD = DR GTR 18 KTS	0.2	0.1	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.2	0.1	0.0	0.1	11	18847
P FREQ LES 5000 FT A/D LES 5 MI	70.9	62.1	44.8	34.8	31.3	29.4	25.8	23.1	31.6	49.2	73.8	72.5	48.8	11	19022
P FREQ LES 1900 FT A/D LES 3 MI															
FOR 00-02 LST	45.0	36.8	12.0	4.2	5.9	4.6	1.5	2.2	6.9	19.8	37.4	45.8	18.5	11	3683
03-05 LST	52.8	39.8	16.1	5.5	11.2	16.4	15.0	10.3	16.5	35.3	53.8	48.7	27.0	4	1347
06-08 LST	47.4	44.9	20.6	11.4	8.4	7.3	10.0	13.8	24.9	39.3	47.2	46.9	26.8	11	3741
09-11 LST	55.7	43.9	26.7	5.6	3.4	3.6	3.6	4.2	9.1	22.8	47.7	48.7	22.9	4	1338
12-14 LST	43.8	31.7	11.9	4.3	3.7	1.3	1.6	1.8	4.4	10.8	29.7	40.3	13.4	11	3758
15-17 LST	38.7	19.1	9.5	2.7	3.3	1.8	3.4	0.9	3.6	3.6	29.2	41.5	13.1	4	1350
18-20 LST	41.7	28.3	13.1	3.1	5.7	1.6	1.5	0.9	4.8	10.0	34.3	47.6	16.1	11	3793
21-23 LST	31.3	36.8	13.3	3.9	6.3	0.0	0.9	0.8	8.2	15.5	47.0	48.7	19.6	4	1304
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	25.0	14.1	4.2	1.3	1.9	1.3	0.3	1.6	2.0	9.7	16.2	25.0	8.6	11	3683
03-05 LST	32.1	9.7	4.3	3.6	5.2	6.1	2.3	4.3	7.8	23.3	31.1	23.9	12.8	4	1347
06-08 LST	24.7	23.2	8.7	2.0	2.5	1.9	2.9	4.4	11.8	26.2	25.2	26.5	13.3	11	3741
09-11 LST	26.4	15.0	6.0	0.9	0.0	0.0	0.0	0.0	0.0	7.9	20.6	27.8	8.7	4	1338
12-14 LST	15.0	9.7	2.8	0.0	0.3	0.0	0.0	0.0	0.0	2.2	7.3	16.9	4.3	11	3758
15-17 LST	16.0	1.8	0.0	0.0	0.0	0.0	0.8	0.0	0.9	0.9	6.8	14.4	3.5	4	1350
18-20 LST	18.5	8.8	2.9	0.6	0.0	0.3	0.0	0.0	0.6	2.2	11.1	24.1	3.8	11	3793
21-23 LST	26.2	5.3	3.6	1.0	0.0	0.0	0.9	0.0	1.8	4.3	25.0	25.2	7.8	4	1304

ZAGREB/PLESO, YUGOSLAVIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	17.4	18.2	27.4	29.1	29.6	28.8	30.6	30.4	28.1	25.2	19.7	17.6	302.1	11	3679
	07 LST	16.6	16.0	24.9	27.1	28.8	28.2	28.2	27.0	22.7	19.2	16.9	17.2	272.8	11	3741
	13 LST	18.0	19.4	27.9	29.4	30.2	29.8	30.7	30.6	29.1	28.1	23.0	19.1	315.3	11	3758
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	14.7	15.3	24.8	26.2	26.9	27.6	29.6	29.2	27.3	23.4	16.9	13.5	275.4	11	3667
	07 LST	14.5	13.4	22.7	24.5	26.6	26.3	26.8	25.6	21.9	17.4	14.4	13.6	247.7	11	3731
	13 LST	14.3	15.2	21.2	20.8	24.0	25.4	28.2	26.7	24.8	23.7	17.5	14.9	256.7	11	3749
SPC WND = GTR 17 KTS AND NO PRECIP.	01 LST	0.2	0.1	0.2	0.4	0.1	0.0	0.1	0.1	0.0	0.1	0.1	0.1	1.5	11	3687
	07 LST	0.4	0.2	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.2	0.1	0.0	1.0	11	3758
	13 LST	0.5	0.9	0.9	1.2	1.2	0.2	0.2	0.3	0.7	0.4	0.1	0.4	7.0	11	3787
SPC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	2.9	4.3	8.8	10.9	11.8	9.4	12.8	11.8	10.8	10.1	5.4	6.6	105.8	11	3671
	07 LST	3.5	3.8	8.5	11.2	12.6	11.9	13.6	13.2	10.7	7.8	5.6	5.5	107.9	11	3740
	13 LST	6.6	7.2	13.9	14.9	17.0	17.8	18.3	16.5	16.7	13.9	10.8	8.3	161.9	11	3756
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	5.1	6.6	13.2	13.6	15.2	14.3	19.3	20.3	17.6	11.1	5.3	5.2	146.8	11	3689
	07 LST	3.4	3.4	7.2	7.4	10.0	10.0	11.9	14.1	9.3	3.9	2.4	2.0	85.0	11	3765
	13 LST	4.3	3.9	7.4	6.4	6.3	7.2	12.0	13.8	12.0	7.9	3.5	2.9	87.8	11	3789
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	14.4	15.6	24.3	27.2	27.6	26.8	29.3	29.3	26.6	22.8	14.6	13.7	272.2	11	3679
	07 LST	14.3	13.8	22.3	24.3	26.4	26.3	26.6	25.3	21.1	16.8	12.3	13.6	243.6	11	3741
	13 LST	15.3	17.6	24.4	26.2	27.8	27.9	29.2	29.5	27.2	25.7	16.6	16.4	283.8	11	3758
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	15.8	18.1	25.0	26.8	28.5	28.4	29.3	30.1	27.4	25.8	16.0	13.6	284.8	11	3792
	07 LST	9.8	11.1	18.9	20.9	21.2	20.4	23.8	24.8	22.5	16.7	8.9	8.8	207.8	11	3679
	13 LST	8.2	8.6	16.7	17.9	20.5	20.1	20.2	20.7	15.8	10.7	6.8	6.7	172.9	11	3741
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	10.6	12.9	18.0	17.7	19.5	20.2	23.8	25.4	22.0	19.7	10.7	9.9	210.4	11	3758
	07 LST	10.8	12.3	18.3	20.2	22.1	22.8	24.7	25.7	23.1	19.1	10.1	9.6	218.8	11	3792
	13 LST	9.8	10.9	18.9	20.9	21.2	20.2	23.8	24.8	22.4	16.6	8.9	8.8	207.2	11	3679
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	8.2	8.6	16.6	17.9	20.4	20.1	20.0	20.7	15.6	10.7	6.8	6.7	172.3	11	3741
	13 LST	10.3	12.9	18.0	17.7	19.4	20.2	23.7	25.4	21.8	19.7	10.7	9.9	209.9	11	3758
	19 LST	10.7	12.3	18.3	20.2	22.1	22.7	24.7	25.7	23.0	19.1	10.0	9.5	218.3	11	3792

SLAVONSKI BROD, YUGOSLAVIA

STA NO. 13150 (IN AREA NUMBER 03)

LATITUDE 4509N

LONGITUDE 01801E

ELEVATION(FT) 00315

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	67	69	81	85	89	99	103	102	93	90	77	64	103	15	-528
MEAN MAX TMP (F)	36	42	52	63	71	78	83	81	74	63	52	38	61	16	-28
MEAN MIN TMP (F)	26	26	35	43	51	57	60	58	52	44	39	29	43	16	-28
ABS MIN TMP (F)	-4	-13	3	22	27	37	46	45	32	25	14	-9	-13	15	-528
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	3.2	10.7	11.5	0.9	0.0	0.0	0.0	26.3	10	913
MEAN NO DYS TMP = DR LES 32(F)	27.2	24.5	15.1	3.7	0.7	0.0	0.0	0.0	0.0	1.3	12.2	20.4	105.1	11	920
MEAN NO DYS TMP = DR LES 0(F)	0.0	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	11	920
MEAN DEW PT TMP (F)	27	23	34	42	50	59	60	58	53	47	37	32	44	10	3462
MEAN REL HUM (PCT)	87	84	76	70	74	77	69	70	78	83	86	87	78	10	3276
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	1.77	1.38	1.89	2.17	3.27	3.39	2.32	2.64	2.72	3.70	2.91	2.24	30.6	16	-125
MEAN SNOW FALL (IN)						0.0	0.0	0.0	0.0					15	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	5.7	4.6	5.8	6.2	7.2	8.0	6.2	7.2	6.9	8.3	7.2	6.9	80.2	16	-29
MEAN NO DYS SNPL = DR GTR 1.5 IN						0.0	0.0	0.0	0.0					15	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	4.2	6.1	1.3	0.7	0.0	0.4	0.0	1.4	3.0	5.3	4.9	8.3	35.6	10	887
MEAN NO DYS TSTMS	0.0	0.0	1.0	2.0	7.0	7.0	6.0	5.0	2.0	1.0	0.3	0.0	31.3	16	-24
P FREQ WND SPD = DR GTR 17 KTS	0.9	0.6	0.7	0.3	0.3	0.4	2.9	0.4	0.4	0.0	1.1	0.0	0.6	10	3607
P FREQ WND SPD = DR GTR 28 KTS	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	3607
P FREQ LES 5000 FT A/D LES 5 MI	55.4	52.4	29.2	25.2	20.2	25.6	9.1	14.4	21.7	34.0	34.5	66.9	34.1	10	4009
P FREQ LES 1900 FT A/D LES 3 MI															
FDR 00-02 LST	26.1	23.5	7.1	2.4	3.0	2.4	2.4	1.8	7.8	13.1	23.0	38.6	12.0	11	2032
03-05 LST														0	0
06-08 LST	33.6	40.1	14.3	11.5	3.6	7.9	5.4	11.9	18.8	29.6	40.4	45.8	21.9	11	1568
09-11 LST														0	0
12-14 LST	26.0	18.4	5.7	1.6	2.2	1.2	0.6	1.6	2.3	4.2	16.1	29.9	9.2	10	2140
15-17 LST														0	0
18-20 LST	23.2	19.1	5.3	2.6	1.7	2.5	1.9	1.3	2.0	5.3	18.5	28.6	9.3	11	1904
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	14.1	9.6	1.2	0.6	0.6	1.2	0.6	0.0	3.0	6.9	9.5	19.9	5.6	11	2032
03-05 LST														0	0
06-08 LST	16.8	23.4	6.3	2.3	0.7	0.8	1.8	5.6	8.5	23.4	19.9	24.6	11.2	11	1568
09-11 LST														0	0
12-14 LST	7.4	2.5	1.6	0.0	0.0	0.0	0.0	0.5	0.6	0.0	1.7	11.9	2.2	10	2140
15-17 LST														0	0
18-20 LST	7.2	5.9	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.3	13.0	2.6	11	1904
21-23 LST														0	0

SLAVONSKI BROD, YUGOSLAVIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	23.7	21.7	29.5	29.6	30.6	29.6	30.2	30.8	27.7	27.1	24.0	19.5	324.0	11	1972
	07 LST	20.8	16.9	27.3	27.0	30.3	28.0	29.3	27.5	24.3	22.2	18.3	17.4	289.3	11	1968
	13 LST	23.5	23.1	29.7	30.0	30.6	29.8	30.8	30.6	29.4	30.2	26.0	22.0	335.7	10	2140
	19 LST	24.1	22.6	29.7	30.0	31.0	29.4	30.3	31.0	29.5	29.7	24.8	22.7	334.8	11	1904
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	22.3	20.8	27.4	28.3	29.2	28.8	29.6	29.8	26.9	26.5	20.5	18.7	308.8	11	1962
	07 LST	20.3	16.2	25.2	26.2	29.1	26.6	29.3	27.5	24.3	21.4	17.2	16.1	279.4	11	1556
	13 LST	21.3	22.2	25.8	25.3	28.5	27.6	30.2	29.6	28.2	28.4	23.6	20.8	311.5	10	2124
	19 LST	23.4	22.2	27.6	27.4	29.6	28.6	29.7	29.8	29.1	28.7	23.1	21.1	320.3	11	1896
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	0.0	0.0	0.1	0.1	0.0	0.1	0.3	0.3	0.1	0.0	0.0	0.0	1.0	11	1998
	07 LST	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.6	11	1585
	13 LST	0.0	0.0	0.3	0.1	0.1	0.1	0.1	0.3	0.1	0.1	0.3	0.0	1.3	10	2173
	19 LST	0.0	0.0	0.4	0.1	0.1	0.0	0.4	0.0	0.0	0.0	0.1	0.1	1.2	11	1905
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	0.5	1.6	4.0	5.2	3.7	2.3	2.1	2.0	1.5	3.6	2.3	2.0	30.8	11	1974
	07 LST	1.1	1.0	3.5	3.5	4.7	4.5	4.3	1.2	1.7	2.3	3.3	3.0	34.1	11	1555
	13 LST	3.9	5.4	13.0	15.4	16.0	12.9	11.2	12.8	12.1	11.8	9.0	4.4	127.9	10	2137
	19 LST	1.3	1.4	5.0	4.9	5.0	5.1	3.0	1.6	1.8	2.8	4.0	2.2	38.1	11	1878
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	5.9	6.5	11.8	12.5	13.8	14.5	18.4	22.1	18.0	12.4	5.6	6.4	147.9	11	2000
	07 LST	3.5	3.4	8.7	8.0	10.6	10.8	17.0	14.5	8.7	4.8	3.2	2.5	95.7	11	1584
	13 LST	4.7	6.5	8.0	7.4	6.0	6.7	12.2	11.7	10.2	7.8	4.0	4.6	89.8	10	2176
	19 LST	6.8	8.1	9.6	7.9	8.0	6.3	15.0	15.8	15.4	11.4	7.1	6.1	117.5	11	1912
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	20.6	19.4	25.4	25.9	26.4	26.6	28.6	29.3	25.8	24.3	17.0	14.8	284.1	11	1972
	07 LST	17.8	14.7	23.8	24.7	27.6	25.4	28.7	26.0	23.5	19.4	15.0	13.0	259.6	11	1568
	13 LST	19.1	21.4	27.1	27.3	27.5	28.2	29.8	28.6	28.1	27.1	20.5	18.3	303.0	10	2140
	19 LST	20.8	21.2	26.6	26.6	28.3	27.8	29.5	29.4	28.7	27.5	20.3	18.2	304.9	11	1904
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	13.6	13.9	20.2	21.6	21.9	22.8	24.7	26.5	23.7	20.3	10.3	9.5	229.0	11	1972
	07 LST	10.1	10.2	18.2	19.9	23.3	20.7	27.9	23.6	20.2	15.2	9.4	6.7	205.4	11	1568
	13 LST	13.3	16.8	22.3	18.8	19.8	20.2	23.1	24.1	23.9	23.0	14.1	12.3	231.7	10	2140
	19 LST	13.8	16.0	20.3	20.4	23.6	23.1	26.7	27.4	25.1	22.4	13.3	12.3	244.4	11	1904
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	13.2	13.9	20.2	21.6	21.7	22.8	24.7	26.3	23.7	20.3	10.3	9.5	228.2	11	1972
	07 LST	10.1	10.0	14.2	19.9	23.3	20.7	27.3	23.3	19.7	15.0	9.4	6.7	203.6	11	1568
	13 LST	13.2	16.8	21.8	18.6	19.8	20.2	23.1	24.0	23.7	22.6	14.1	12.3	230.2	10	2140
	19 LST	13.8	15.8	20.1	20.0	23.5	22.9	26.5	27.2	24.9	22.4	13.3	12.3	242.7	11	1904

OSIJEK, YUGOSLAVIA

STA NO. 13136 (IN AREA NUMBER G3)

LATITUDE 4532N

LONGITUDE 01844E

ELEVATION(FT) 00302

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	63	68	79	85	93	100	103	102	93	87	79	64	103	16	-626
MEAN MAX TMP (F)	36	41	52	63	72	79	84	82	75	62	52	38	61	16	-126
MEAN MIN TMP (F)	26	26	34	43	51	57	60	59	52	45	39	28	43	16	-126
ABS MIN TMP (F)	-10	-15	4	23	27	34	41	43	32	28	10	-8	-13	16	-626
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.6	2.0	4.0	6.1	1.0	0.0	0.0	0.0	13.7	11	3527
MEAN NO DYS TMP = DR LES 32(F)	25.1	21.8	16.2	9.1	0.4	0.0	0.0	0.0	0.0	2.0	9.2	19.3	97.1	11	3460
MEAN NO DYS TMP = DR LES 0(F)	0.7	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	11	3460
MEAN DEW PT TMP (F)	26	27	35	43	51	58	60	59	52	46	39	33	44	11	14125
MEAN REL HUM (PCT)	88	84	78	72	74	73	72	72	74	79	88	89	79	11	13876
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	1.69	1.90	1.97	2.05	3.31	3.27	2.21	2.52	2.44	3.54	2.32	1.97	28.8	16	-125
MEAN SNOW FALL (IN)						0.0	0.0	0.0	0.0					16	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	5.5	4.9	5.9	6.0	7.2	7.8	6.0	6.6	6.5	8.1	6.3	6.2	77.0	16	-29
MEAN NO DYS SNPL = DR GTR 1.5 IN						0.0	0.0	0.0	0.0					16	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	4.8	2.7	2.0	0.6	0.3	0.4	0.1	0.1	0.5	3.0	5.1	5.0	24.6	11	2875
MEAN NO DYS TSYMS	0.0	0.0	1.0	2.0	5.0	7.0	3.0	5.0	2.0	1.0	0.3	0.0	26.3	40	-24
P FREQ WND SPD = DR GTR 17 KTS	0.2	0.5	1.1	1.3	0.3	0.3	0.3	0.3	0.0	0.6	0.5	0.2	0.5	11	14295
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	11	14295
P FREQ LES 5000 FT A/D LES 5 MI	51.7	49.0	42.1	38.8	37.6	32.3	28.4	21.0	27.3	34.1	63.2	60.3	40.5	11	15388
P FREQ LES 1900 FT A/D LES 3 MI														10	2971
FDR 00-02 LST	7.7	8.4	4.6	2.0	1.9	0.5	0.5	0.9	3.3	4.9	9.8	10.5	4.6	4	1278
03-05 LST	13.8	5.2	2.8	2.0	3.5	2.8	1.7	0.0	0.0	2.8	13.6	8.5	4.7	11	3561
06-08 LST	13.6	10.7	8.0	3.4	1.6	1.7	1.4	1.7	4.8	15.2	17.1	14.7	7.8	4	1334
09-11 LST	16.5	1.9	6.1	0.0	0.0	0.0	0.0	0.8	0.0	0.0	13.8	16.8	4.7	11	3628
12-14 LST	9.1	5.9	2.5	0.7	1.0	0.7	1.0	0.7	0.7	2.2	5.2	10.6	3.4	4	1521
15-17 LST	11.3	1.9	0.9	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.9	8.6	2.1	11	3582
18-20 LST	8.5	8.0	2.3	0.7	1.6	1.4	0.0	0.0	0.7	1.0	5.0	9.2	3.2	2	345
21-23 LST	7.1	0.0	3.4	0.0	0.0	3.6	0.0	3.7	0.0	0.0	9.1	7.7	2.9		
P FREQ LES 300 FT A/D LES 1 MI														10	2971
FDR 00-02 LST	6.5	4.0	2.3	0.5	0.5	0.5	0.0	0.5	1.4	4.0	4.9	6.8	2.7	4	1278
03-05 LST	11.0	5.2	2.8	2.0	2.6	2.8	0.9	0.0	0.0	2.8	12.6	7.5	4.2	11	3561
06-08 LST	10.3	5.7	3.3	1.7	0.0	0.3	0.0	1.0	2.4	9.8	13.4	10.1	4.8	4	1334
09-11 LST	13.7	1.9	4.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11.9	12.4	3.9	11	3628
12-14 LST	6.5	1.7	0.9	0.0	0.3	0.0	0.3	0.0	0.0	0.6	1.6	8.1	1.7	4	1321
15-17 LST	9.6	0.0	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.8	1.5	11	3582
18-20 LST	6.6	2.2	0.3	0.0	0.0	0.3	0.0	0.0	0.3	0.0	2.6	7.2	1.6	2	345
21-23 LST	5.4	0.0	3.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.5	7.7	1.8		

OSIJEK, YUGOSLAVIA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	28.7	25.9	29.5	29.7	30.5	29.8	30.8	30.7	29.1	29.6	27.3	27.9	349.3	10	2561
	07 LST	26.9	25.0	28.7	28.9	30.7	29.5	30.6	30.4	28.5	26.6	25.1	26.7	337.6	11	3561
	13 LST	28.2	26.4	30.4	29.8	30.7	29.8	30.7	30.8	29.8	30.6	28.7	27.9	353.8	11	3628
	19 LST	28.5	25.8	30.4	29.8	30.6	29.5	31.0	31.0	29.7	30.7	28.7	28.4	334.1	11	3581
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SPC WND LES 10 KTS	01 LST	28.0	24.7	27.7	28.0	29.6	29.2	29.8	30.1	28.7	28.6	25.7	26.8	336.9	10	2553
	07 LST	25.9	24.0	27.7	28.4	29.4	29.0	30.3	29.9	28.0	25.9	23.6	26.0	328.1	11	3552
	13 LST	27.0	24.6	27.7	28.0	28.4	28.3	29.7	29.3	28.8	29.3	26.9	26.9	334.9	11	3621
	19 LST	27.8	24.9	28.8	28.9	29.3	29.0	30.3	30.5	29.3	30.0	27.5	27.7	344.2	11	3570
SPC WND = GTR 17 KTS AND NO PRECIP.	01 LST	0.0	0.0	0.2	0.0	0.1	0.3	0.4	0.0	0.0	0.0	0.0	0.0	1.0	10	2370
	07 LST	0.2	0.0	0.0	0.1	0.0	0.2	0.0	0.1	0.0	0.0	0.0	0.0	0.6	11	3370
	13 LST	0.1	0.1	0.3	0.6	0.2	0.0	0.1	0.3	0.0	0.2	0.2	0.0	2.3	11	3660
	19 LST	0.0	0.2	0.4	0.0	0.1	0.1	0.2	0.2	0.1	0.1	0.0	0.0	1.4	11	3599
SPC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	4.2	4.0	8.0	12.0	12.3	9.7	10.6	8.6	9.0	8.8	7.1	4.4	98.7	10	2554
	07 LST	2.6	2.9	6.1	10.2	10.8	8.7	9.9	8.0	6.8	5.1	3.7	3.2	78.0	11	3552
	13 LST	7.2	7.4	13.7	15.1	12.8	12.6	12.4	10.0	12.0	12.4	9.8	6.6	132.0	11	3625
	19 LST	3.7	4.1	10.0	10.2	8.6	8.6	8.3	5.2	7.0	6.8	7.0	4.1	83.6	11	3582
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	8.8	10.3	15.7	14.4	16.8	16.1	21.8	22.7	21.2	19.7	7.7	7.6	179.0	10	2370
	07 LST	5.0	5.8	8.8	9.0	11.0	12.9	13.7	18.1	13.9	8.7	4.0	4.6	117.3	11	3371
	13 LST	5.5	6.7	9.0	7.5	7.3	6.9	14.6	16.0	14.2	11.4	4.6	4.4	108.3	11	3655
	19 LST	9.7	9.1	11.1	9.5	9.2	8.3	15.3	17.6	18.0	15.0	8.2	7.6	139.0	11	3597
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	23.3	22.5	27.3	27.5	27.9	27.6	29.6	29.8	28.2	27.5	21.3	23.6	318.1	10	2361
	07 LST	21.7	21.0	25.0	26.0	27.5	27.6	28.6	29.1	26.8	24.3	19.3	21.5	298.4	11	3561
	13 LST	23.4	22.1	26.5	27.3	27.8	27.6	29.3	29.5	28.4	28.6	22.1	23.5	316.1	11	3628
	19 LST	23.6	21.9	26.5	26.9	28.1	27.3	29.7	29.9	28.2	29.0	22.8	23.1	317.0	11	3581
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	17.9	18.1	21.7	21.2	21.4	22.0	23.3	26.0	24.7	21.0	12.3	14.2	246.2	10	2361
	07 LST	11.7	12.8	17.5	17.9	20.5	21.0	21.6	23.0	20.5	16.3	8.8	10.4	202.0	11	3561
	13 LST	16.0	14.3	18.1	16.9	18.2	18.6	22.1	23.1	22.4	20.9	11.1	13.1	214.8	11	3628
	19 LST	15.8	14.7	19.1	18.8	20.4	21.5	24.2	24.7	22.4	21.2	12.6	13.3	228.7	11	3581
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	17.9	18.1	21.7	21.2	21.4	22.0	23.3	26.0	24.7	21.0	12.3	14.2	246.2	10	2361
	07 LST	11.7	12.8	17.4	17.9	20.4	20.9	21.6	23.0	20.5	16.3	8.7	10.4	201.6	11	3561
	13 LST	15.9	14.3	18.1	16.9	18.1	18.6	22.1	23.1	22.4	20.8	11.1	13.1	214.3	11	3628
	19 LST	15.8	14.7	19.1	18.8	20.3	21.4	24.2	24.6	22.4	21.2	12.6	13.3	228.4	11	3581

VRBAC, YUGOSLAVIA

STA NO. 19103 (IN AREA NUMBER 03)

LATITUDE 4909N

LONGITUDE 02119E

ELEVATION(FT) 00279

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	63	64	78	90	93	101	103	102	96	95	83	64	103	16	-126
MEAN MAX TMP (F)	38	41	52	64	73	79	85	83	76	65	54	39	62	16	-126
MEAN MIN TMP (F)	26	27	36	44	54	59	62	61	55	48	41	30	48	16	-126
ABS MIN TMP (F)	-13	-19	3	20	28	41	47	44	34	28	22	-13	-19	16	-126
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0			8.1	5.7			0.0	0.0		16	-29
MEAN NO DYS TMP = OR LES 32(F)						0.0	0.0	0.0	0.0					16	-29
MEAN NO DYS TMP = OR LES 0(F)			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0				16	-29
MEAN DEW PT TMP (F)	29	29	38	43	53	57	60	58	51	48	39	31	43	11	-29
MEAN REL HUM (PCT)	88	83	80	70	71	69	66	66	64	76	76	87	75	2	-35
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	1.77	1.34	1.69	1.89	3.58	3.27	2.32	2.56	2.24	2.36	1.69	2.28	27.0	16	-125
MEAN SNOW FALL (IN)						0.0	0.0	0.0	0.0					16	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.7	4.4	5.4	5.8	7.3	7.8	6.2	6.7	6.1	6.3	5.1	7.0	73.8	16	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN						0.0	0.0	0.0	0.0					16	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	0.3	2.0	7.0	6.0	5.0	4.0	3.0	0.3	0.0	0.0	27.6	16	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

VRBAC, YUGOSLAVIA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SPC WND LES 10 KTS	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
SPC WND = GTR 17 KTS AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
SPC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0

DATA NOT AVAILABLE

BANJA LUKA, YUGOSLAVIA

STA NO. 13242 (IN AREA NUMBER 03)

LATITUDE 4447N

LONGITUDE 01713E

ELEVATION(FT) 00512

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	68	72	81	84	91	97	100	106	95	88	77	68	106	11	3578
MEAN MAX TMP (F)	39	42	31	62	70	77	81	83	75	64	49	43	61	11	3578
MEAN MIN TMP (F)	25	26	32	41	48	55	57	56	49	44	37	31	42	11	3512
ABS MIN TMP (F)	-8	-15	3	23	30	34	45	43	34	28	14	-4	-15	11	3512
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.6	2.3	6.3	6.9	1.6	0.0	0.0	0.0	17.7	11	3578
MEAN NO DYS TMP = DR LES 32(F)	24.9	20.7	16.2	3.2	0.7	0.0	0.0	0.0	0.0	2.8	9.1	19.7	97.3	11	3512
MEAN NO DYS TMP = DR LES 0(F)	1.1	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	2.2	11	3512
MEAN DEW PT TMP (F)	28	28	35	43	50	57	59	58	52	47	39	32	44	11	16165
MEAN REL HUM (PCT)	87	82	79	74	76	76	75	73	77	82	88	86	80	11	15929
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	2.44	2.73	2.77	3.33	4.84	4.52	3.57	2.52	2.15	3.04	5.75	3.91	39.8	11	3150
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0					11	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	6.9	6.5	6.7	8.6	9.2	8.8	7.5	4.8	4.3	6.5	8.2	9.1	87.1	11	3150
MEAN NO DYS SNPL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0						11	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	8.0	5.7	4.8	2.0	1.2	0.4	0.2	0.5	1.9	6.4	7.4	8.8	47.3	11	2951
MEAN NO DYS TSTMS	0.1	0.1	0.3	2.1	3.1	8.7	6.5	3.6	1.9	1.0	0.5	0.3	30.2	11	2956
P FREQ WND SPD = DR GTR 17 KTS	0.8	2.0	2.1	1.5	0.3	0.3	0.3	0.2	0.6	0.4	0.6	1.3	0.9	11	16318
P FREQ WND SPD = DR GTR 28 KTS	0.3	0.4	0.3	0.2	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.3	0.2	11	16318
P FREQ LES 5000 FT A/D LES 3 MI	64.3	59.7	33.9	39.9	37.8	32.4	34.3	20.1	31.6	30.8	73.8	74.9	47.8	4	9997
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	36.8	26.2	18.4	11.5	2.6	6.1	3.4	4.3	7.2	24.1	39.6	50.5	19.2	4	1326
03-05 LST	32.4	24.2	22.8	17.1	7.8	13.3	6.8	2.6	13.1	30.6	44.2	45.9	21.7	4	1298
06-08 LST	47.7	37.5	33.3	19.2	14.0	9.7	8.7	4.4	18.4	38.7	32.3	49.3	27.3	4	1315
09-11 LST	43.0	33.3	25.2	9.1	11.4	1.9	2.0	1.8	7.4	18.0	47.2	49.6	20.8	4	1286
12-14 LST	22.4	19.2	14.2	3.8	6.3	2.8	3.1	2.7	4.0	7.7	25.0	33.9	12.4	4	1315
15-17 LST	19.8	12.6	14.7	4.0	3.3	2.8	3.6	1.7	0.0	6.3	22.0	36.8	10.8	4	1315
18-20 LST	25.2	17.9	16.4	3.9	2.7	1.8	3.4	1.7	3.6	10.5	30.0	43.2	13.4	4	1338
21-23 LST	31.1	18.9	15.2	6.4	6.3	4.3	2.9	1.9	6.8	19.2	41.6	50.0	17.1	4	1219
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	17.5	7.8	7.0	1.9	0.9	2.0	0.9	0.9	1.8	12.9	19.8	19.3	7.7	4	1326
03-05 LST	14.8	7.7	6.1	9.5	1.7	8.6	3.4	0.9	3.7	22.2	20.2	13.8	9.4	4	1298
06-08 LST	25.2	14.4	14.9	6.1	1.8	2.8	2.6	0.9	9.6	28.8	36.4	28.8	14.4	4	1315
09-11 LST	21.1	13.5	8.4	1.0	3.8	0.0	0.0	0.0	0.0	9.0	25.5	27.4	9.1	4	1286
12-14 LST	9.5	4.8	1.7	0.0	0.9	0.9	1.0	0.0	0.0	1.7	7.1	19.6	3.9	4	1315
15-17 LST	6.6	3.9	1.7	0.0	1.8	0.0	0.0	0.8	0.0	1.8	6.4	12.3	2.9	4	1315
18-20 LST	10.8	4.7	1.7	0.0	0.0	0.0	0.9	0.0	0.0	1.8	10.0	15.3	3.8	4	1338
21-23 LST	14.2	3.3	3.0	0.0	0.9	0.0	0.0	0.0	1.0	10.6	17.8	14.6	3.6	4	1219

BANJA LUKA, YUGOSLAVIA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	20.9	22.0	26.6	27.6	30.4	28.4	30.1	30.4	28.3	24.0	18.9	17.3	304.9	4	1325
	07 LST	17.0	19.6	21.7	25.1	28.0	28.5	29.1	29.9	25.0	19.8	13.4	17.3	276.4	4	1315
	13 LST	24.8	23.9	27.6	28.8	29.6	29.7	30.3	30.1	29.1	29.1	23.5	22.1	328.6	4	1315
	19 LST	24.0	24.8	27.2	29.7	30.4	29.7	30.1	30.7	29.7	28.8	22.3	18.9	326.3	4	1338
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SPC WND LES 10 KTS	01 LST	16.8	18.7	22.8	23.8	29.9	27.8	29.3	28.5	27.2	22.7	17.0	12.5	277.0	4	1324
	07 LST	15.0	15.0	18.5	22.1	24.9	27.7	27.4	29.6	23.9	17.4	13.0	12.5	247.0	4	1309
	13 LST	22.1	19.3	21.7	24.1	26.5	25.7	26.2	26.2	24.9	26.4	20.8	17.9	281.8	4	1310
	19 LST	20.6	20.2	23.7	25.8	29.3	28.9	29.6	30.1	28.1	26.1	19.6	15.0	297.0	4	1336
SPC WND = GTR 17 KTS AND NO PRECIP.	01 LST	0.2	0.2	0.2	0.2	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	1.0	4	1330
	07 LST	0.0	0.0	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.0	0.8	4	1323
	13 LST	0.2	0.8	1.0	0.2	0.2	0.0	0.3	0.0	0.2	0.2	0.5	0.2	3.8	4	1320
	19 LST	0.5	0.2	0.5	0.2	0.0	0.0	0.0	0.0	0.2	0.0	0.2	0.5	2.3	4	1339
SPC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	2.7	1.9	1.9	1.7	1.9	0.8	0.8	0.2	0.2	1.3	1.0	0.8	15.2	4	1325
	07 LST	1.7	0.2	1.1	2.0	3.3	1.9	2.9	0.8	0.2	1.4	0.2	2.2	18.1	4	1319
	13 LST	6.0	4.8	12.5	13.3	16.1	13.3	14.8	15.7	14.2	11.7	5.8	3.8	132.0	4	1319
	19 LST	2.4	0.8	3.4	3.8	3.3	4.2	4.0	3.2	1.6	1.9	2.7	2.5	33.8	4	1337
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	7.0	8.1	9.5	12.8	12.6	14.8	17.3	23.1	17.8	12.2	3.4	3.1	141.7	4	1322
	07 LST	4.0	3.7	3.5	7.9	7.0	12.6	13.6	18.2	15.1	5.5	1.9	1.9	94.9	4	1326
	13 LST	5.2	4.3	5.1	6.2	4.3	6.7	10.4	16.7	13.2	9.2	3.2	1.6	86.1	4	1325
	19 LST	7.1	8.1	6.1	8.4	5.7	7.3	13.6	17.2	16.3	14.9	5.1	3.8	113.8	4	1339
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	16.5	17.1	21.4	23.5	28.0	25.7	27.7	28.5	25.9	22.1	14.3	11.9	262.6	4	1325
	07 LST	13.6	14.8	17.4	21.8	23.6	27.4	26.4	29.0	23.6	17.0	11.4	12.2	238.2	4	1315
	13 LST	20.8	20.1	23.7	26.2	27.9	26.6	27.8	29.8	26.7	26.2	19.8	17.7	293.3	4	1315
	19 LST	19.8	19.2	22.9	27.0	29.0	28.4	28.5	29.9	27.2	25.2	17.1	13.9	288.1	4	1338
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	11.1	10.3	13.8	18.0	19.0	19.3	21.1	24.8	20.5	14.9	6.7	5.6	185.1	4	1325
	07 LST	8.4	10.2	11.6	17.8	16.8	20.3	19.9	24.6	20.5	11.4	7.0	7.8	176.3	4	1315
	13 LST	13.7	12.6	16.5	17.5	17.3	17.1	18.1	25.1	19.6	18.0	12.5	12.4	202.4	4	1315
	19 LST	11.4	13.4	14.9	20.6	20.7	21.7	21.9	24.5	22.9	17.9	10.0	8.6	208.5	4	1338
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	11.1	10.3	13.8	18.0	19.0	19.3	21.1	24.8	20.5	14.9	6.7	5.6	185.1	4	1325
	07 LST	8.4	10.2	11.6	17.8	16.8	20.3	19.9	24.6	20.5	11.4	6.7	7.5	175.7	4	1315
	13 LST	13.7	12.6	16.5	17.5	17.0	17.1	18.1	25.1	19.6	17.7	12.5	12.4	201.8	4	1315
	19 LST	11.4	13.4	14.9	20.6	20.7	21.7	21.9	24.5	22.9	17.6	10.0	8.6	208.2	4	1338

TUZLA, YUGOSLAVIA

STA NO. 13257 (IN AREA NUMBER 03)

LATITUDE 4427N

LONGITUDE 01843E

ELEVATION(FT) 00985

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	61	72	78	86	89	97	94	92	91	83	73	56	97	3	-33
MEAN MAX TMP (F)	38	48	61	60	69	76	77	77	67	64	51	45	61	3	-33
MEAN MIN TMP (F)	22	23	34	36	45	52	53	51	46	38	32	27	38	3	-33
ABS MIN TMP (F)	1	5	12	22	34	34	43	39	34	26	18	16	1	3	-33
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0					0.0	0.0	0.0		3	-29
MEAN NO DYS TMP = OR LES 32(F)					0.0	0.0	0.0	0.0	0.0				0.0	3	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	-29
MEAN DEN PT TMP (F)	23	31	37	44	51	57	59	59	53	48	38	31	44	0	-50
MEAN REL HUM (PCT)	82	78	72	73	79	79	79	81	86	82	81	84	80	3	-33
MEAN PRESS ALT (FT)	857	893	939	993	961	940	961	940	890	884	893	893	720	0	-50
MEAN PRECIP (IN)	2.09	1.93	2.76	3.30	4.33	3.94	3.78	4.09	3.38	4.33	3.11	3.15	40.6	16	-33
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0					3	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	6.5	6.1	6.9	7.3	7.6	8.7	8.5	8.8	8.1	8.9	7.3	8.7	93.6	16	-29
MEAN NO DYS SNPL = OR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0					3	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	0.3	2.0	7.0	9.0	6.0	4.0	2.0	1.0	1.0	0.0	28.3	16	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 3000 FT A/O LES 5 MI														0	0
P FREQ LES 1900 FT A/O LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

TUZLA, YUGOSLAVIA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SPC WND LES 10 KTS	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SPC WND = GTR 17 KTS AND NO PRECIP.	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SPC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0

DATA NOT AVAILABLE

LOZNICA, YUGOSLAVIA

STA NO. 13261 (IN AREA NUMBER 03)

LATITUDE 4439N

LONGITUDE 01914E

ELEVATION(FT) 00400

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
ABS MAX TMP (F)	63	63	77	86	86	95	97	102	93	84	77	70	102	8	1389
MEAN MAX TMP (F)	40	43	51	69	69	77	82	83	76	67	52	42	63	8	1389
MEAN MIN TMP (F)	29	30	33	45	49	57	58	58	51	46	38	30	44	8	1406
ABS MIN TMP (F)	3	7	10	32	32	39	46	46	36	32	18	0	0	8	1406
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	3.2	7.3	10.0	3.5	0.0	0.0	0.0	24.0	8	1389
MEAN NO DYS TMP = OR LES 32(F)	24.3	19.3	15.9	1.4	0.3	0.0	0.0	0.0	0.0	0.2	8.2	20.6	90.4	8	1406
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	8	1406
MEAN DEW PT TMP (F)	30	30	33	45	50	57	58	58	52	46	41	32	45	7	7406
MEAN REL HUM (PCT)	87	81	74	69	76	74	71	69	72	80	87	86	77	7	7396
MEAN PRESS ALT (PT)														0	0
MEAN PRECIP (IN)	1.73	1.81	2.44	2.84	4.17	3.82	2.84	3.19	2.87	3.94	2.60	2.56	34.8	16	-123
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0	0.0				8	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.6	5.8	6.6	6.9	7.3	8.5	7.2	7.7	7.2	8.6	6.7	7.6	83.9	16	-29
MEAN NO DYS SNPL = OR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0	0.0				8	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	5.3	4.6	2.2	0.3	0.3	0.3	0.6	0.3	0.6	4.2	5.6	4.1	28.4	7	1185
MEAN NO DYS TSTMS	0.0	0.0	0.0	3.4	9.8	10.1	7.8	3.1	2.8	1.0	1.0	0.2	39.2	7	1183
P FREQ WND SPD = OR GTR 17 KTS	0.9	3.3	5.3	3.7	2.7	2.3	0.3	1.5	0.3	0.4	1.3	1.0	2.0	7	7439
P FREQ WND SPD = OR GTR 28 KTS	0.2	0.4	0.0	0.7	0.3	0.2	0.0	0.0	0.0	0.0	0.0	0.1	0.2	7	7439
P FREQ LES 3000 FT A/O LES 3 MI	33.5	35.3	43.7	25.0	34.5	34.1	26.9	12.7	24.5	33.4	33.4	37.9	37.9	8	7668
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	21.2	14.0	10.6	1.7	3.4	1.8	0.8	1.6	1.7	4.1	11.0	21.2	7.8	8	1519
03-05 LST	27.8	15.4	19.6	1.6	3.3	1.8	6.9	0.0	1.9	6.0	15.9	22.0	10.2	4	759
06-08 LST	23.4	23.5	15.3	2.6	5.7	5.3	4.0	3.2	7.2	23.0	23.2	26.8	13.6	8	1347
09-11 LST	23.9	30.0	26.0	1.8	3.6	0.0	1.7	1.6	1.7	4.5	18.1	23.3	11.2	4	771
12-14 LST	24.8	18.0	7.8	0.9	4.8	1.8	0.9	2.3	0.8	3.9	12.1	23.0	8.6	8	1327
15-17 LST	21.3	17.3	11.3	3.3	5.4	0.0	1.7	0.0	1.8	3.7	12.7	24.1	8.8	4	772
18-20 LST	19.7	13.0	10.1	2.6	3.0	0.9	2.3	1.6	2.5	4.7	13.0	23.3	8.2	8	1350
21-23 LST	22.4	7.5	14.1	1.6	1.7	0.0	1.8	0.0	1.8	3.4	15.4	26.6	8.0	4	768
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	3.3	4.1	4.9	0.0	0.8	0.0	0.0	0.0	0.0	1.4	4.1	9.6	2.5	8	1519
03-05 LST	11.1	5.8	8.9	0.0	0.0	0.0	1.7	0.0	0.0	4.8	9.8	7.3	4.1	4	759
06-08 LST	7.2	11.8	7.8	1.8	0.0	0.9	0.0	0.8	4.0	14.9	14.2	11.0	6.2	8	1347
09-11 LST	13.8	18.0	7.3	0.0	0.0	0.0	0.0	0.0	0.0	1.1	8.4	6.9	4.6	4	771
12-14 LST	8.3	8.1	2.3	0.0	0.8	0.0	0.0	0.0	0.0	0.7	1.3	8.6	2.3	8	1327
15-17 LST	9.8	3.8	6.6	0.0	0.0	0.0	0.0	0.0	0.0	1.1	3.8	9.2	2.9	4	772
18-20 LST	4.9	4.4	4.2	0.0	0.0	0.0	0.8	0.0	0.8	0.7	3.4	7.4	2.2	8	1350
21-23 LST	13.8	1.9	4.7	0.0	0.0	0.0	0.0	0.0	0.0	1.1	6.4	10.1	3.2	4	768

LOZNICA, YUGOSLAVIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	25.7	22.4	20.4	29.7	30.4	29.7	31.0	30.5	30.0	30.3	27.5	25.6	343.2	8	1502
	07 LST	24.8	22.3	26.9	29.4	29.9	29.1	30.5	30.5	28.0	24.6	24.0	24.1	324.1	8	1547
	13 LST	24.7	23.9	29.0	30.0	30.0	29.7	31.0	30.5	30.0	29.7	27.5	24.8	340.8	8	1527
	19 LST	26.4	24.5	28.3	29.4	30.5	29.7	30.5	30.7	29.7	29.9	27.5	25.2	342.3	8	1549
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	21.7	21.1	25.3	26.2	26.0	28.9	30.7	30.2	28.9	28.0	24.9	21.4	317.3	8	1494
	07 LST	21.9	17.9	23.7	27.6	25.8	26.7	28.0	28.2	27.6	22.5	21.6	19.4	290.9	8	1540
	13 LST	19.9	18.4	21.3	20.6	22.5	23.0	25.1	24.8	25.3	25.6	23.6	22.0	272.1	8	1511
	19 LST	22.6	22.5	24.7	27.6	26.2	28.3	29.7	30.2	28.2	28.6	23.4	20.2	314.2	8	1540
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	0.2	0.4	0.7	0.2	0.2	0.0	0.0	0.2	0.0	0.4	0.2	0.2	2.7	8	1504
	07 LST	0.2	0.4	0.0	0.2	1.0	0.5	0.0	0.2	0.0	0.1	0.0	0.3	2.9	8	1552
	13 LST	1.0	2.0	1.9	2.5	1.7	2.0	0.2	0.9	1.2	0.3	0.6	0.2	14.5	8	1533
	19 LST	0.2	0.2	1.3	0.2	0.4	0.2	0.0	0.0	0.0	0.2	0.2	0.3	3.4	8	1557
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	6.4	6.8	10.9	9.3	12.2	12.1	11.9	12.0	9.3	10.8	9.4	6.2	117.3	8	1496
	07 LST	4.7	6.0	11.6	17.8	19.9	19.6	21.7	21.1	18.3	13.7	11.1	5.7	173.2	8	1540
	13 LST	13.7	14.0	17.3	16.4	19.0	19.0	19.2	16.9	19.1	21.0	16.6	13.8	206.0	8	1518
	19 LST	8.1	8.5	10.8	12.6	13.7	12.0	11.5	11.3	11.0	10.3	10.2	5.7	125.7	8	1547
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	7.4	8.5	13.6	15.5	14.5	15.8	22.1	24.3	19.7	13.1	8.6	9.1	174.2	8	1512
	07 LST	7.4	3.9	10.3	13.3	10.7	10.8	16.9	18.9	16.0	6.9	4.0	5.6	124.7	8	1561
	13 LST	5.7	6.0	9.6	9.3	7.6	9.2	13.9	19.0	12.5	8.6	5.4	6.8	113.6	8	1548
	19 LST	8.2	9.0	11.6	11.8	5.9	7.4	15.7	18.9	17.0	13.7	7.7	8.0	136.9	8	1563
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	21.3	20.9	25.3	28.2	27.5	28.6	30.0	30.2	28.2	28.0	23.9	20.6	312.7	8	1502
	07 LST	19.5	18.1	24.3	27.8	26.6	26.4	28.0	29.2	26.8	21.9	20.5	19.4	288.5	8	1547
	13 LST	20.1	19.9	25.4	28.2	27.5	28.4	30.2	29.5	28.5	27.5	23.5	19.9	308.6	8	1527
	19 LST	21.0	20.3	26.3	27.9	27.9	29.2	29.7	30.2	27.7	28.0	22.1	20.0	310.3	8	1549
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	15.7	15.0	19.8	22.8	21.3	22.1	26.4	27.0	24.3	19.9	14.7	15.2	244.2	8	1502
	07 LST	14.8	12.2	20.0	23.1	23.1	20.7	24.0	26.7	23.5	15.5	13.5	13.6	230.7	8	1547
	13 LST	15.9	14.6	17.9	20.0	19.4	19.6	24.1	25.9	22.1	20.3	17.1	14.6	231.5	8	1527
	19 LST	14.9	14.3	18.7	22.3	19.8	20.4	22.8	26.3	22.2	22.4	13.3	13.7	231.5	8	1549
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	15.7	15.0	19.8	22.8	21.3	22.1	26.4	27.0	24.3	19.9	14.7	15.2	244.2	8	1502
	07 LST	14.8	12.2	19.7	23.1	23.1	20.7	24.0	26.7	23.5	15.5	13.5	13.4	230.2	8	1547
	13 LST	15.9	14.6	17.9	20.0	19.4	19.6	24.1	25.9	22.1	20.1	17.1	14.6	231.5	8	1527
	19 LST	14.9	14.3	18.7	22.3	19.8	20.4	22.8	26.3	22.0	22.6	13.3	13.7	231.5	8	1549

SREMSKA MITROVICA, YUGOSLAVIA

STA NO. 13266 (IM AREA NUMBER 33)

LATITUDE 4450N

LONGITUDE 01930E

ELEVATION(FT) 00266

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	MJ. DBS
ABS MAX TMP (F)	64	73	82	88	93	101	103	103	96	93	84	62	103	15	-126
MEAN MAX TMP (F)	37	42	53	65	73	80	86	83	76	66	54	39	63	15	-126
MEAN MIN TMP (F)	23	24	32	41	49	55	57	56	50	43	38	26	41	15	-126
ABS MIN TMP (F)	-19	-21	0	18	26	38	39	43	33	25	19	-13	-21	15	-126
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0			9.4	9.7			0.0	0.0		15	-29
MEAN NO DYS TMP = DR LES 32(F)						0.0	0.0	0.0	0.0	0.0	0.0			15	-29
MEAN NO DYS TMP = DR LES 0(F)			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0				0	0
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)														15	-125
MEAN PRECIP (IN)	1.22	1.18	1.18	1.61	2.36	2.17	1.50	1.73	1.42	3.07	1.65	2.21	21.5	15	-29
MEAN SNOW FALL (IN)						0.0	0.0	0.0	0.0					15	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	4.0	3.9	4.0	5.2	6.7	5.9	4.4	5.0	4.3	7.3	5.0	6.8	62.9	15	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN						0.0	0.0	0.0	0.0					0	0
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

BREMSKA MITROVICA, YUGOSLAVIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
															(YRS)	OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0

DATA NOT AVAILABLE

BELGRADE/INTL, YUGOSLAVIA

STA NO. 13274 (IN AREA NUMBER 03)

LATITUDE 4449N

LONGITUDE 02018E

ELEVATION(FT) 00331

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	66	70	86	88	91	100	99	104	93	86	73	70	104	13	-14053
MEAN MAX TMP (F)	39	41	50	63	70	78	82	83	76	65	51	42	62	13	-14053
MEAN MIN TMP (F)	27	27	34	45	52	59	61	60	54	47	39	32	49	13	-14053
ABS MIN TMP (F)	-4	-9	10	28	34	36	48	48	37	30	14	-6	-9	13	-14053
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.3	1.7	6.2	7.5	1.3	0.0	0.0	0.0	17.0	13	-14053
MEAN NO DYS TMP = DR LES 32(F)	23.4	19.1	13.5	1.2	0.0	0.0	0.0	0.0	0.0	0.8	6.9	16.3	81.2	13	-14053
MEAN NO DYS TMP = DR LES 0(F)	0.3	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	1.0	13	-14053
MEAN QEW PT TMP (F)	28	28	33	42	51	57	59	58	51	46	39	32	44	11	-14053
MEAN REL HUM (PCT)	85	82	73	67	72	71	68	66	68	73	83	85	74	11	-14053
MEAN PRESS ALT (FT)	180	223	269	327	309	320	335	310	237	204	204	211	261	0	-50
MEAN PRECIP (IN)	1.45	2.47	1.90	1.80	3.55	3.95	1.49	1.57	1.43	1.60	2.27	2.39	23.5	13	-29
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0	0.0				13	-14053
MEAN NO DYS PRCP = DR GTR 0.1 IN	4.8	4.5	5.6	5.3	8.5	6.5	4.2	3.7	3.8	3.7	5.5	6.6	62.7	13	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0	0.0				13	-14053
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	6.8	6.2	2.0	0.6	0.3	0.3	0.3	0.4	0.6	2.7	4.5	6.6	31.5	11	-14053
MEAN NO DYS TSTMS	0.2	0.1	0.4	1.9	6.2	9.2	6.9	4.4	1.5	0.7	0.4	0.0	31.9	11	-14053
P FREQ WND SPD = DR GTR 17 KTS	2.7	3.9	7.7	3.7	1.4	0.8	0.6	0.8	2.0	3.3	5.6	5.3	3.2	11	-14053
P FREQ WND SPD = DR GTR 28 KTS	0.9	0.9	1.3	0.4	0.1	0.1	0.1	0.0	0.1	0.3	0.9	0.9	0.5	11	-14053
P FREQ LES 5000 FT A/D LES 5 MI	66.8	62.6	39.6	29.3	29.3	22.3	21.8	17.3	20.0	30.4	53.1	62.9	38.0	11	-14053
P FREQ LES 1500 FT A/D LES 3 MI														11	-14053
PDR 00-02 LST	35.8	28.6	13.0	5.4	6.1	2.2	2.4	2.4	2.3	10.1	25.4	33.7	14.0	4	-14053
03-05 LST	42.5	36.0	20.9	6.7	11.6	10.9	17.8	11.9	10.6	9.1	30.4	33.3	20.1	4	-14053
06-08 LST	53.9	55.1	31.9	16.0	12.3	7.3	9.6	12.3	19.2	32.3	43.7	53.8	29.0	11	-14053
09-11 LST	63.6	49.0	22.1	8.7	9.3	4.3	9.1	4.2	0.9	8.5	39.8	51.8	22.6	4	-14053
12-14 LST	42.3	30.2	14.2	6.8	7.2	1.3	2.4	3.0	0.9	6.1	22.7	42.0	14.9	11	-14053
15-17 LST	41.1	24.1	13.9	2.9	3.6	1.8	2.6	1.7	0.9	1.8	26.8	41.3	13.3	4	-14053
18-20 LST	37.6	30.2	11.5	5.5	5.5	1.6	0.9	2.7	1.9	8.6	25.8	39.0	14.2	11	-14053
21-23 LST	41.1	29.9	14.0	4.0	3.4	1.7	1.9	1.7	2.8	4.3	29.7	38.3	14.4	4	-14053
P FREQ LES 300 FT A/D LES 1 MI														11	-14053
PDR 00-02 LST	17.3	10.4	4.3	0.3	1.2	0.3	0.3	0.9	0.0	3.4	8.0	16.3	5.2	4	-14053
03-05 LST	20.4	12.0	8.7	1.9	4.5	2.7	4.2	2.5	2.7	4.1	10.4	13.2	7.3	4	-14053
06-08 LST	25.4	29.7	9.7	2.6	0.9	0.9	1.0	0.9	4.2	11.6	20.9	24.5	11.0	11	-14053
09-11 LST	35.6	17.3	2.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.7	18.4	7.1	4	-14053
12-14 LST	18.6	9.2	3.1	0.3	0.0	0.0	0.0	0.0	0.0	0.9	3.4	14.2	4.1	11	-14053
15-17 LST	9.8	1.9	4.3	0.0	0.9	0.0	0.0	0.0	0.0	0.0	2.7	14.9	2.9	4	-14053
18-20 LST	12.7	6.0	3.4	0.6	0.9	0.0	0.0	0.3	0.0	2.2	4.4	13.9	3.9	11	-14053
21-23 LST	16.1	7.2	4.4	1.0	0.9	0.0	0.0	0.0	0.9	0.0	7.2	13.9	4.3	4	-14053

BELGRADE/INTL, YUGOSLAVIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	21.5	20.5	27.4	29.0	29.6	29.7	30.6	30.4	29.8	28.3	23.5	21.7	322.0	11	-14053
	07 LST	15.0	12.8	21.7	25.9	27.9	28.2	28.4	27.3	24.5	21.3	17.4	15.1	265.5	11	-14053
	13 LST	18.8	19.9	27.0	28.7	29.6	29.8	30.5	30.4	29.8	29.4	24.1	18.9	316.9	11	-14053
	19 LST	20.7	20.0	28.0	29.1	29.9	29.7	30.8	30.5	29.7	28.6	23.3	19.9	320.2	11	-14053
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SPC WND LES 10 KTS	01 LST	13.7	14.8	17.9	21.4	25.8	26.7	27.8	28.6	26.5	22.7	14.1	12.8	252.8	11	-14053
	07 LST	10.1	8.1	13.1	18.2	21.6	23.7	25.4	24.9	21.5	16.4	10.6	7.9	201.5	11	-14053
	13 LST	10.8	12.3	13.7	14.7	17.7	21.9	23.2	23.1	21.0	19.7	12.4	9.6	200.1	11	-14053
	19 LST	13.2	13.7	19.0	19.3	24.2	24.5	27.8	27.0	25.4	22.6	13.8	11.2	241.7	11	-14053
SPC WND = GTR 17 KTS AND NO PRECIP.	01 LST	1.1	0.9	2.4	0.6	0.1	0.0	0.1	0.0	0.2	1.1	1.8	1.6	9.9	11	-14053
	07 LST	1.1	0.9	2.2	0.9	0.6	0.0	0.2	0.1	0.4	1.0	1.4	1.8	10.6	11	-14053
	13 LST	1.1	1.3	3.0	1.2	0.8	0.5	0.3	0.2	1.0	1.0	1.9	1.8	14.1	11	-14053
	19 LST	0.9	0.9	2.3	1.2	0.4	0.3	0.1	0.5	0.3	0.8	1.5	1.3	10.5	11	-14053
SPC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	4.9	5.4	7.9	11.2	12.2	9.5	8.6	12.7	9.3	11.0	8.0	7.0	107.7	11	-14053
	07 LST	2.9	4.9	8.4	13.1	14.7	14.7	15.2	13.5	11.3	11.3	8.9	6.7	125.6	11	-14053
	13 LST	8.5	10.3	13.0	14.1	18.4	17.8	17.7	17.5	18.0	17.3	12.0	11.1	175.7	11	-14053
	19 LST	6.1	6.6	8.4	12.8	12.9	14.4	13.7	13.3	10.7	12.1	9.1	7.7	128.0	11	-14053
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	6.5	5.2	10.5	13.8	13.3	15.6	19.2	22.0	19.1	14.6	6.0	6.8	152.6	11	-14053
	07 LST	2.8	2.1	3.6	8.6	10.2	11.0	15.3	16.6	13.2	7.2	2.4	2.8	97.8	11	-14053
	13 LST	3.8	4.7	7.8	7.3	5.6	8.1	13.8	16.1	15.0	11.2	4.3	4.2	101.9	11	-14053
	19 LST	6.3	7.0	10.6	8.3	7.5	8.4	15.1	17.6	17.0	15.2	7.1	6.6	126.7	11	-14053
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	17.0	17.7	23.2	26.7	26.9	27.7	28.9	29.3	28.1	26.2	19.6	17.6	290.9	11	-14053
	07 LST	12.2	11.3	19.6	23.8	25.6	26.4	26.8	26.3	23.6	19.9	14.8	12.2	242.9	11	-14053
	13 LST	19.8	18.2	24.5	25.3	25.3	27.7	27.9	28.3	28.9	27.2	20.9	16.2	286.2	11	-14053
	19 LST	16.6	17.6	23.3	26.7	27.3	28.4	29.9	29.2	28.5	27.0	19.8	16.2	292.5	11	-14053
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	12.3	12.5	20.1	21.9	21.2	23.5	25.3	27.1	24.5	21.4	14.5	12.2	236.5	11	-14053
	07 LST	8.2	8.0	14.8	19.7	22.3	23.0	23.4	24.0	20.0	15.6	10.0	7.9	196.9	11	-14053
	13 LST	12.8	14.5	20.3	18.9	19.9	22.6	23.4	25.9	24.9	23.6	16.5	13.3	236.6	11	-14053
	19 LST	12.0	13.0	20.3	21.0	22.5	23.5	25.8	25.7	24.6	23.3	14.8	12.3	238.8	11	-14053
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	11.8	12.1	19.7	21.8	21.1	23.3	25.0	26.9	24.3	21.1	13.6	11.7	232.4	11	-14053
	07 LST	7.8	7.8	14.6	19.1	22.3	22.9	23.1	23.9	19.7	15.5	9.7	7.9	194.3	11	-14053
	13 LST	12.4	14.5	19.7	18.8	19.9	22.6	23.4	25.9	24.7	23.5	16.4	13.0	234.8	11	-14053
	19 LST	11.7	13.0	20.2	20.9	22.4	23.2	25.4	25.6	24.4	22.8	14.1	12.1	235.8	11	-14053

BELGRADE, YUGOSLAVIA

STA NO. 19275 (IM AREA NUMBER 03)

LATITUDE 4448N

LONGITUDE 02028E

ELEVATION(FT) 00439

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	62	68	80	88	92	98	103	107	96	94	85	69	107	16	-28
MEAN MAX TMP (F)	37	41	53	64	74	79	84	83	76	65	52	40	62	16	-28
MEAN MIN TMP (F)	27	27	35	45	53	58	61	60	55	47	39	30	45	16	-28
ABS MIN TMP (F)	-2	-14	6	21	29	41	49	45	35	9	12	-3	-14	16	-28
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0			6.8	3.7			0.0	0.0		16	-29
MEAN NO DYS TMP = DR LES 32(F)					0.0	0.0	0.0	0.0	0.0					16	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		16	-29
MEAN DEW PT TMP (F)	26	27	33	40	50	55	57	56	51	46	39	30	43	21	-29
MEAN REL HUM (PCT)	81	77	68	62	65	65	62	62	64	72	80	82	70	30	-32
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	1.39	1.81	1.81	2.13	2.95	3.78	2.36	2.17	1.97	2.17	2.40	2.17	27.6	30	-32
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0					16	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	6.0	5.8	5.6	6.2	7.0	8.5	6.3	5.9	5.6	6.0	6.4	6.7	76.0	30	-29
MEAN NO DYS SNPL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0					16	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	0.3	3.0	6.0	7.0	7.0	4.0	3.0	1.0	0.3	0.0	31.6	40	-24
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

BELGRADE, YUGOSLAVIA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND														0	0
VSBY = GTR 3 MI														0	0
														0	0
														0	0
														0	0
CIG = GTR 2000 FT AND VSBY = GTR														0	0
3 MI W/SFC WND LES 10 KTS														0	0
														0	0
														0	0
														0	0
SFC WND = GTR 17 KTS AND														0	0
NO PRECIP.														0	0
														0	0
														0	0
SFC WND 4-10 KTS AND TMP 33-89														0	0
DEG F AND NO PRECIP.														0	0
														0	0
														0	0
														0	0
SKY COVER LES 3/10 AND														0	0
VSBY = GTR 3 MI														0	0
														0	0
														0	0
CIG = GTR 2500 FT AND														0	0
VSBY = GTR 3 MI														0	0
														0	0
														0	0
														0	0
CIG = GTR 6000 FT AND														0	0
VSBY = GTR 3 MI														0	0
														0	0
														0	0
														0	0
CIG = GTR 10000 FT AND														0	0
VSBY = GTR 3 MI														0	0
														0	0
														0	0

DATA NOT AVAILABLE

VELIKO GRADISTE, YUGOSLAVIA

STA NO. 13285 (IN AREA NUMBER 03)

LATITUDE 4446N

LONGITUDE 02131E

ELEVATION(FT) 00262

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	64	62	79	87	90	98	103	102	96	96	86	64	103	15	-126
MEAN MAX TMP (F)	37	41	52	63	72	79	84	82	76	64	54	39	62	15	-126
MEAN MIN TMP (F)	24	25	33	42	52	57	60	58	52	45	39	28	43	15	-126
ABS MIN TMP (F)	-16	-23	2	22	30	40	44	42	30	28	21	-11	-23	15	-126
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0		6.8	4.7			0.0	0.0		15	-29
MEAN NO DYS TMP = DR LES 32(F)					0.0	0.0	0.0	0.0	0.0					15	-29
MEAN NO DYS TMP = DR LES 9(F)			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			15	-29
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	1.65	1.42	1.73	1.89	3.54	2.95	2.44	2.48	1.65	2.52	1.42	1.77	25.5	15	-129
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0					15	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	5.4	4.7	5.4	5.8	7.3	7.4	6.5	6.6	3.0	6.6	4.5	5.7	70.9	15	-29
MEAN NO DYS SNPL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0					15	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	0.3	1.0	6.0	6.0	3.0	4.0	2.0	1.0	0.3	0.0	23.6	16	-24
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 3000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

VELIKO GRADISTE, YUGOSLAVIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SPC WND LES 10 KTS	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SPC WND = GTR 17 KTS AND NO PRECIP.	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SPC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0

DATA NOT AVAILABLE

KRALJEVO, YUGOSLAVIA

STA NO. 13377 (IN AREA NUMBER 03)

LATITUDE 4344N

LONGITUDE 02041E

ELEVATION(FT) 00725

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	64	73	79	86	90	100	99	104	97	88	81	72	104	11	3617
MEAN MAX TMP (F)	38	42	50	63	70	78	81	83	76	64	51	42	62	11	3617
MEAN MIN TMP (F)	25	27	33	43	50	57	59	58	51	44	38	31	43	11	3612
ABS MIN TMP (F)	-11	-17	3	27	30	43	48	41	36	25	5	-2	-17	11	3612
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.2	1.7	5.3	8.6	2.5	0.0	0.0	0.0	18.3	11	3617
MEAN NO DYS TMP = DR LES 32(F)	26.0	19.7	15.5	2.3	0.2	0.0	0.0	0.0	0.0	3.1	8.6	18.8	94.2	11	3612
MEAN NO DYS TMP = DR LES 5(F)	0.3	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	1.5	11	3612
MEAN DEW PT TMP (F)	27	28	34	42	50	57	59	58	51	46	39	31	44	11	17602
MEAN REL HUM (PCT)	86	81	75	69	74	74	73	68	71	78	84	85	77	11	17436
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	2.11	1.71	2.00	2.29	4.40	3.17	3.11	2.33	2.07	2.24	2.63	2.47	30.5	11	3254
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0					11	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	6.4	5.6	5.3	6.1	8.6	7.7	6.4	4.3	4.0	5.0	7.1	6.7	73.2	11	3254
MEAN NO DYS SNFL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0					11	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	7.0	3.6	1.6	1.7	0.6	0.9	1.1	0.7	1.6	6.4	3.9	6.3	35.4	11	3217
MEAN NO DYS TSTMS	0.0	0.3	0.9	1.8	7.4	10.3	8.7	6.2	1.2	0.5	0.5	0.1	37.9	11	3219
P FREQ WND SPD = DR GTR 17 KTS	2.7	4.7	14.5	6.4	2.1	1.0	0.8	0.6	2.8	3.7	10.7	6.2	4.7	11	17800
P FREQ WND SPD = DR GTR 20 KTS	0.7	0.5	2.4	0.4	0.1	0.1	0.1	0.1	0.1	0.1	0.6	1.8	0.6	11	17800
P FREQ LES 5000 FT A/D LES 5 MI	56.9	55.7	36.5	29.6	32.8	29.7	29.4	16.3	21.0	30.8	43.1	60.4	37.0	4	10586
P FREQ LES 1900 FT A/D LES 3 MI															
FDR 00-02 LST	23.5	9.6	5.9	0.9	1.7	0.9	3.4	0.8	2.7	3.4	13.2	24.1	7.5	4	1374
03-05 LST	28.9	11.2	8.6	8.3	6.8	7.5	9.2	3.5	4.5	13.8	13.2	25.2	11.7	4	1351
06-08 LST	31.9	23.4	14.2	6.5	6.8	1.8	3.2	3.5	6.8	25.0	26.5	35.8	15.7	4	1391
09-11 LST	32.7	11.4	9.0	1.9	0.9	0.9	0.9	0.8	0.0	4.3	15.9	33.0	9.3	4	1332
12-14 LST	17.9	3.8	5.7	0.9	0.8	0.0	0.9	0.0	0.9	0.9	5.3	20.3	4.8	4	1362
15-17 LST	10.5	7.5	2.7	1.9	1.8	0.0	0.0	0.0	0.0	0.9	8.1	22.7	4.7	4	1336
18-20 LST	18.8	9.3	2.5	0.0	1.7	0.0	0.0	0.0	0.9	0.9	11.3	21.7	5.6	4	1375
21-23 LST	18.9	5.0	5.4	2.0	1.7	0.9	0.0	0.9	0.0	1.8	11.9	23.0	6.0	4	1308
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	16.0	2.9	0.8	0.0	0.0	0.9	2.6	0.8	0.9	2.5	4.4	11.2	3.6	4	1374
03-05 LST	14.9	4.1	2.6	7.3	2.5	5.6	7.5	3.5	4.5	7.8	7.9	14.8	6.9	4	1351
06-08 LST	20.2	11.7	7.5	5.6	2.5	0.0	2.6	2.7	3.1	19.5	14.2	18.3	9.2	4	1391
09-11 LST	20.0	5.7	4.5	0.0	0.0	0.0	0.0	0.8	0.0	0.9	6.5	13.9	4.4	4	1332
12-14 LST	10.3	1.0	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.8	1.6	4	1362
15-17 LST	5.3	2.8	0.9	1.0	0.0	0.0	0.0	0.0	0.0	0.9	0.0	9.2	1.7	4	1336
18-20 LST	8.5	1.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	2.6	9.6	2.0	4	1375
21-23 LST	8.1	1.0	0.9	0.0	0.0	0.0	0.0	0.9	0.0	0.9	3.7	10.6	2.2	4	1308

KRALJEVO, YUGOSLAVIA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	23.9	25.8	29.4	30.0	31.0	29.7	30.1	30.7	29.4	29.9	26.5	24.0	340.4	4	1372
	07 LST	21.3	21.9	26.8	28.0	29.4	29.7	29.6	30.1	27.9	22.9	23.0	20.9	311.5	4	1391
	13 LST	25.9	27.1	29.4	30.0	31.0	30.0	31.0	31.0	30.0	30.7	28.8	24.9	349.8	4	1362
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SPC WND LES 10 KTS	01 LST	21.6	22.6	22.6	26.1	29.3	29.7	29.6	30.7	27.8	26.8	21.0	18.9	306.7	4	1375
	07 LST	20.3	19.9	20.4	23.8	26.7	29.2	29.1	29.6	26.4	20.1	16.9	15.5	279.9	4	1390
	13 LST	24.3	23.4	20.3	21.3	26.7	26.6	27.1	27.9	25.7	25.6	21.6	20.7	291.2	4	1359
SPC WND = GTR 17 KTS AND NO PRECIP.	01 LST	0.7	1.0	4.6	1.1	0.0	0.0	0.0	0.0	0.8	1.3	2.8	1.8	14.1	4	1374
	07 LST	0.2	0.2	3.8	1.1	0.5	0.7	0.0	0.0	0.5	0.5	2.3	2.0	11.1	4	1392
	13 LST	0.2	1.3	4.0	3.0	1.5	0.7	0.2	0.0	1.0	2.4	3.7	1.5	21.5	4	1365
SPC WND 4-10 KTS AND TMP 33-89 OEG P AND NO PRECIP.	01 LST	2.6	4.5	5.9	6.6	6.7	6.7	5.9	6.7	7.5	9.3	7.6	4.5	76.5	4	1381
	07 LST	1.8	4.7	7.7	9.4	9.4	10.6	11.0	12.0	10.7	9.0	9.0	3.6	94.9	4	1390
	13 LST	7.4	8.5	13.8	15.0	18.1	20.1	22.4	21.5	20.6	20.2	13.0	7.6	188.2	4	1361
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	5.5	3.8	7.3	10.5	9.7	10.6	10.5	14.7	10.4	9.7	5.7	6.2	104.6	4	1380
	07 LST	4.1	3.2	6.2	10.7	9.3	11.4	13.6	21.1	14.7	6.9	2.6	3.1	106.9	4	1388
	13 LST	6.8	6.9	6.8	9.1	7.0	8.0	12.2	17.6	16.3	11.9	4.8	3.6	111.0	4	1365
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	20.8	21.0	27.3	28.0	28.5	29.1	28.3	30.2	28.3	29.4	23.9	19.2	314.0	4	1372
	07 LST	17.9	18.4	24.5	27.2	26.7	28.4	27.7	29.3	26.6	22.4	19.9	16.5	285.5	4	1391
	13 LST	23.8	23.9	27.6	28.6	29.9	29.4	30.1	30.7	28.9	29.6	26.4	21.8	330.7	4	1362
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	22.2	23.5	27.3	28.9	29.9	29.7	29.6	30.4	28.9	30.1	25.3	20.7	326.5	4	1375
	07 LST	15.3	12.3	19.7	22.2	20.2	21.8	21.2	25.3	22.9	22.1	16.3	12.2	231.5	4	1372
	13 LST	11.9	9.8	18.8	23.6	22.5	22.0	21.3	26.8	22.3	17.3	13.2	8.7	218.2	4	1391
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	17.4	16.1	20.5	20.5	21.5	19.3	22.8	26.0	23.3	22.6	19.2	14.7	243.9	4	1362
	07 LST	16.6	14.5	18.7	20.8	21.3	21.8	22.9	25.9	22.2	23.6	17.4	14.8	240.5	4	1375
	13 LST	15.3	12.1	19.7	22.2	20.2	21.8	21.2	25.0	22.9	22.1	16.3	12.2	231.0	4	1372
	07 LST	11.9	9.8	18.8	23.3	22.5	22.0	21.3	26.8	22.3	17.3	13.2	8.7	217.9	4	1391
	13 LST	16.9	16.1	20.3	20.5	21.5	19.3	22.8	26.0	23.3	22.6	19.2	14.4	242.9	4	1362
	19 LST	16.6	14.5	18.7	20.8	21.3	21.8	22.9	25.9	22.2	23.3	17.4	14.8	240.2	4	1375

KRUSEVAC, YUGOSLAVIA

STA NO. 13303 (IN AREA NUMBER 03)

LATITUDE 4334N

LONGITUDE 02121E

ELEVATION(PT) 00545

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	FOR (YRS)	NO. OBS
ABS MAX TMP (F)	67	66	81	90	91	97	108	109	95	95	76	68	109	11	-126
MEAN MAX TMP (F)	38	42	53	63	71	79	84	83	77	66	55	39	63	16	-126
MEAN MIN TMP (F)	23	23	32	41	49	55	58	56	50	43	38	27	41	16	-126
ABS MIN TMP (F)	-19	-14	-4	19	31	39	41	42	29	23	21	-8	-19	11	-126
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0			6.8	5.7			0.0	0.0		16	-29
MEAN NO DYS TMP = DR LES 32(F)					0.0	0.0	0.0	0.0	0.0					11	-29
MEAN NO DYS TMP = DR LES 0(F)				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			11	-29
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (PT)														0	0
MEAN PRECIP (IN)	1.91	1.46	1.89	2.17	3.15	3.19	2.56	1.85	1.73	2.60	1.65	2.09	26.1	10	-125
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0					11	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	9.8	4.8	5.8	6.2	7.1	7.7	6.7	5.2	5.1	6.7	5.0	6.5	72.6	10	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0					11	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 20 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1900 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

KMUSEVAC, YUGOSLAVIA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0

DATA NOT AVAILABLE

NIS, YUGOSLAVIA

STA NO. 13388 (IN AREA NUMBER 03)

LATITUDE 4320N

LONGITUDE 02192E

ELEVATION(FT) 00620

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	65	73	92	88	96	103	107	108	103	95	84	71	108	30	-33
MEAN MAX TMP (F)	39	43	53	64	73	80	85	85	78	67	54	42	64	25	-28
MEAN MIN TMP (F)	26	27	34	42	51	56	60	58	53	45	39	29	43	25	-28
ABS MIN TMP (F)	-9	-7	6	19	31	36	40	41	24	25	5	-3	-9	30	-33
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0		0.0			8.1	8.1			0.0	0.0		25	-29
MEAN NO DYS TMP = DR LES 32(F)					0.0	0.0	0.0	0.0						30	-29
MEAN NO DYS TMP = DR LES 0(F)			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		30	-29
MEAN DEW PT TMP (F)	73	75	82	88	96	103	107	108	103	95	84	71	108	0	-50
MEAN REL HUM (PCT)	83	77	71	66	67	65	64	62	66	73	79	82	71	25	-28
MEAN PRESS ALT (FT)	481	520	565	623	599	598	617	591	529	505	507	512	554	0	-50
MEAN PRECIP (IN)	1.50	1.20	1.30	1.90	2.80	2.80	1.50	1.70	1.30	2.40	2.00	1.00	22.4	75	-28
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0						30	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	4.9	4.3	4.4	5.8	6.9	7.1	4.4	4.9	4.2	6.4	5.7	6.1	65.1	25	-29
MEAN NO DYS SNPL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0						0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	0.3	1.0	6.0	7.0	6.0	4.0	1.0	1.0	0.3	0.0	26.6	16	-24
P FREQ WND SPD = DR GTR 17 KTS	1.2	0.6	7.4	2.4	0.5	1.1	3.1	1.5	3.6	1.3	8.5	1.2	2.7	5	-35
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	1.1	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.1	5	-35
P FREQ LES 3000 FT A/D LES 3 MI	47.9	34.3	28.3	31.4	20.0	16.7	16.7	21.1	10.9	28.3	36.7	59.6	31.0	5	636
P FREQ LES 1500 FT A/D LES 3 MI	13.2	9.4	5.0	1.9	1.7	2.0	0.0	1.8	1.9	3.1	8.5	19.0	9.3	6	700
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	14.6	31.8	17.1	3.6	2.3	3.8	2.9	2.7	0.0	10.4	15.7	23.6	10.7	6	482
09-11 LST														0	0
12-14 LST	8.7	10.3	2.0	4.9	5.1	2.3	0.0	3.6	2.2	2.0	6.9	24.5	6.0	5	563
15-17 LST														0	0
18-20 LST	9.1	13.9	4.4	2.4	3.1	0.0	0.0	0.0	0.0	3.3	8.5	14.0	4.9	6	640
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FDR 00-02 LST	2.6	3.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	1.7	5.0	1.2	6	700
03-05 LST														0	0
06-08 LST	4.9	9.1	2.9	0.0	0.0	0.0	0.0	2.7	0.0	4.2	5.9	5.5	2.9	6	482
09-11 LST														0	0
12-14 LST	2.2	2.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.7	0.9	5	563
15-17 LST														0	0
18-20 LST	1.5	5.6	2.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.5	1.1	6	640
21-23 LST														0	0

NIS, YUGOSLAVIA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	28.3	26.2	30.4	30.0	31.0	29.3	31.0	31.0	30.0	30.5	28.8	28.1	354.6	6	652
	07 LST	28.7	21.6	27.4	28.9	31.0	30.0	31.0	30.1	30.0	29.0	26.4	24.8	338.9	6	482
	13 LST	30.3	26.5	31.0	29.2	31.2	30.0	31.0	29.8	30.0	31.0	29.4	24.5	352.9	5	563
	19 LST	29.5	24.8	29.6	30.0	31.0	30.0	31.0	31.0	30.0	30.4	27.9	27.7	352.9	6	640
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SPC WND LES 10 KTS	01 LST	22.9	23.4	22.3	26.6	29.9	29.3	30.4	29.8	29.4	28.0	20.7	24.6	317.3	6	647
	07 LST	22.6	17.1	19.1	26.6	27.3	28.8	25.5	28.4	26.1	25.1	18.8	20.8	286.2	6	479
	13 LST	21.5	17.9	21.3	21.7	23.8	22.3	22.5	27.0	23.4	26.4	20.3	21.6	269.7	5	357
	19 LST	24.4	20.2	25.4	26.2	29.0	27.7	29.7	27.9	28.3	27.3	21.8	23.3	311.2	6	637
SPC WND = GTR 17 KTS AND NO PRECIP.	01 LST	0.4	0.0	1.1	0.0	0.0	0.0	0.5	0.0	0.0	0.4	1.1	0.5	4.0	6	660
	07 LST	0.0	0.0	0.8	1.0	0.0	0.0	0.8	0.8	1.3	0.6	2.7	0.5	8.5	6	500
	13 LST	0.0	0.0	1.9	0.7	0.7	0.0	1.3	0.0	1.3	0.0	2.1	0.0	8.0	5	566
	19 LST	0.0	0.0	1.3	0.7	0.0	1.1	0.6	0.6	0.5	0.5	2.4	0.5	8.2	6	646
SPC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	1.3	1.7	3.3	8.2	4.7	3.7	4.3	1.7	1.7	5.0	6.7	4.8	47.3	6	654
	07 LST	0.0	2.1	4.3	8.2	6.4	6.4	9.7	4.3	1.3	4.3	9.4	3.2	39.6	6	491
	13 LST	5.2	8.6	12.2	14.6	14.3	12.9	12.4	11.2	13.6	14.2	7.6	5.3	132.1	5	359
	19 LST	2.7	3.8	9.4	10.5	5.7	5.0	12.7	6.6	3.2	4.6	5.5	3.2	72.9	6	643
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	9.8	12.0	10.3	11.6	9.6	13.0	18.9	20.2	19.8	19.1	6.5	6.7	139.5	6	670
	07 LST	6.8	5.0	5.8	9.3	11.0	13.9	18.7	18.9	17.4	11.6	4.4	7.0	129.6	6	493
	13 LST	4.6	6.3	9.3	4.2	9.5	10.2	15.1	17.4	19.6	12.6	5.5	4.6	114.9	5	373
	19 LST	8.6	13.2	8.7	8.7	8.1	7.6	17.8	18.2	20.1	15.7	8.8	7.4	142.9	6	649
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	22.4	22.2	27.0	27.4	27.1	26.8	30.4	29.8	28.2	28.0	23.2	20.6	313.1	6	652
	07 LST	22.6	15.2	23.9	26.7	27.3	26.5	29.1	29.3	29.2	25.9	22.3	21.4	299.3	6	482
	13 LST	23.5	21.5	25.9	25.6	27.8	27.9	30.3	29.3	28.0	28.4	24.3	19.8	312.3	5	563
	19 LST	23.4	21.7	26.8	27.8	28.5	28.8	30.4	30.3	27.8	28.9	25.4	23.3	323.1	6	640
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	15.7	17.7	21.9	21.0	20.1	21.2	25.6	25.8	25.3	23.5	13.5	12.6	243.9	6	652
	07 LST	15.8	11.4	20.3	20.3	20.9	21.9	26.4	25.9	27.0	21.3	18.2	17.4	246.8	6	482
	13 LST	16.8	17.2	20.8	18.2	22.2	23.0	23.4	25.9	24.1	24.6	17.5	14.0	247.7	5	563
	19 LST	18.7	17.8	20.6	21.9	22.7	23.3	26.2	27.3	25.6	22.2	19.3	17.4	263.0	6	640
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	15.7	17.7	21.9	21.0	20.1	21.2	25.6	25.8	25.3	23.5	13.5	12.6	243.9	6	652
	07 LST	15.8	11.4	20.3	20.3	20.9	21.9	26.4	25.9	27.0	21.3	18.2	17.4	246.8	6	482
	13 LST	16.8	17.2	20.8	18.2	22.2	23.0	23.4	25.9	24.1	24.6	17.5	14.0	247.7	5	563
	19 LST	18.7	17.8	20.6	21.9	22.7	23.3	26.2	27.3	25.6	22.2	19.3	17.4	263.0	6	640

BATAJNICA, YUGOSLAVIA

LATITUDE 4456N

LONGITUDE 02015E

ELEVATION(FT) 00265

STA NO. 14052/ (IN AREA NUMBER 03)

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	66	70	86	88	91	100	99	104	93	86	73	70	104	13	-14053
MEAN MAX TMP (F)	39	41	50	63	70	78	82	83	76	65	51	42	62	13	-14053
MEAN MIN TMP (F)	27	27	34	45	52	59	61	60	54	47	39	32	45	13	-14053
ABS MIN TMP (F)	-4	-9	10	28	34	36	48	48	37	30	14	-6	-9	13	-14053
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.3	1.7	6.2	7.5	1.3	0.0	0.0	0.0	17.0	13	-14053
MEAN NO DYS TMP = DR LES 32(F)	23.4	19.1	13.5	1.2	0.0	0.0	0.0	0.0	0.0	0.8	6.9	16.3	81.2	13	-14053
MEAN NO DYS TMP = DR LES 0(F)	0.3	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	1.0	11	-14053
MEAN DEW PT TMP (F)	28	28	33	42	51	57	59	58	51	46	39	32	44	11	-14053
MEAN REL HUM (PCT)	85	82	73	67	72	71	68	66	68	73	83	85	74	0	-50
MEAN PRESS ALT (FT)	114	157	203	260	243	255	269	245	171	138	138	144	195	13	-14053
MEAN PRECIP (IN)	1.45	2.47	1.50	1.80	3.35	3.95	1.49	1.57	1.43	1.60	2.27	2.39	23.5	13	-29
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0	0.0				13	-14053
MEAN NO DYS PRCP = DR GTR 0.1 IN	4.8	4.5	5.6	5.3	8.5	6.5	4.2	3.7	3.8	3.7	5.5	6.6	62.7	13	-29
MEAN NO DYS SNPL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0	0.0				13	-14053
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	6.8	6.2	2.0	0.6	0.5	0.3	0.3	0.4	0.6	2.7	4.5	6.6	31.5	11	-14053
MEAN NO DYS TSTMS	0.2	0.1	0.4	1.9	6.2	9.2	6.9	4.4	1.5	0.7	0.4	0.0	31.9	11	-14053
P FREQ WND SPD = DR GTR 17 KTS	2.7	3.9	7.7	3.7	1.4	0.8	0.6	0.8	2.0	3.3	5.6	3.3	3.2	11	-14053
P FREQ WND SPD = DR GTR 28 KTS	0.9	0.9	1.5	0.4	0.1	0.1	0.1	0.0	0.1	0.3	0.9	0.9	0.5	11	-14053
P FREQ LES 5000 FT A/D LES 5 MI	66.8	62.6	39.6	29.3	29.3	22.3	21.8	17.3	20.0	30.4	53.1	62.9	38.0	11	-14053
P FREQ LES 1500 FT A/D LES 3 MI	35.8	28.6	13.0	5.4	6.1	2.2	2.4	2.4	2.3	10.1	25.4	33.7	14.0	11	-14053
FDR 00-02 LST	42.5	36.0	20.9	6.7	11.6	10.9	17.8	11.9	10.6	9.1	30.4	33.3	20.1	4	-14053
03-05 LST	33.9	33.1	21.9	16.0	12.3	7.3	9.6	12.3	19.2	32.3	43.7	53.8	29.0	11	-14053
06-08 LST	63.6	49.0	22.1	8.7	9.3	4.3	9.1	4.2	0.9	8.5	39.8	51.8	22.6	4	-14053
09-11 LST	42.3	30.2	14.2	6.8	7.2	1.3	2.4	3.0	0.9	6.1	22.7	42.0	14.9	11	-14053
12-14 LST	41.1	24.1	13.9	2.9	3.6	1.8	2.6	1.7	0.9	1.8	26.8	41.3	13.5	4	-14053
15-17 LST	37.6	30.2	11.5	5.5	5.5	1.6	0.9	2.7	1.9	8.6	23.8	39.0	14.2	11	-14053
18-20 LST	41.1	29.9	14.0	4.0	3.4	1.7	1.9	1.7	2.8	4.3	29.7	38.3	14.4	4	-14053
21-23 LST															
P FREQ LES 300 FT A/D LES 1 MI	17.3	10.4	4.3	0.3	1.2	0.3	0.3	0.9	0.0	3.4	8.0	16.3	5.2	11	-14053
FDR 00-02 LST	20.4	12.0	8.7	1.9	4.3	2.7	4.2	2.5	2.7	4.1	10.4	13.2	7.3	4	-14053
03-05 LST	23.4	29.7	9.7	2.6	0.9	0.9	1.0	0.9	4.2	11.6	20.9	24.3	11.0	11	-14053
06-08 LST	35.6	17.3	2.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.7	18.4	7.1	4	-14053
09-11 LST	18.6	9.2	3.1	0.3	0.0	0.0	0.0	0.0	0.0	0.9	3.4	14.2	4.1	11	-14053
12-14 LST	9.8	1.9	4.3	0.0	0.9	0.0	0.0	0.0	0.0	0.0	2.7	14.9	2.9	4	-14053
15-17 LST	12.7	6.0	3.4	0.6	0.9	0.0	0.0	0.3	0.0	2.2	4.4	15.9	3.9	11	-14053
18-20 LST	16.1	7.2	4.4	1.0	0.9	0.0	0.0	0.0	0.9	0.0	7.2	13.9	4.3	4	-14053
21-23 LST															

BATAJNICA, YUGOSLAVIA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	21.5	20.5	27.4	29.0	29.6	29.7	30.6	30.4	29.8	28.3	23.5	21.7	322.0	11	-14053
	07 LST	19.0	12.8	21.7	25.9	27.9	28.2	28.4	27.3	24.5	21.3	17.4	15.1	265.5	11	-14053
	13 LST	18.8	19.9	27.0	28.7	29.6	29.8	30.5	30.4	29.8	29.4	24.1	18.9	316.9	11	-14053
	19 LST	20.7	20.0	28.0	29.1	29.9	29.7	30.8	30.5	29.7	28.6	23.3	19.9	320.2	11	-14053
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SPC WND LES 10 KTS	01 LST	13.7	14.8	17.9	21.4	25.8	26.7	27.8	28.6	26.5	22.7	14.1	12.8	252.8	11	-14053
	07 LST	10.1	8.1	13.1	18.2	21.6	23.7	25.4	24.0	21.5	16.4	10.6	7.9	201.5	11	-14053
	13 LST	10.8	12.3	13.7	14.7	17.7	21.9	23.2	23.1	21.0	19.7	12.4	9.6	200.1	11	-14053
	19 LST	13.2	13.7	19.0	19.3	24.2	24.5	27.8	27.0	25.4	22.6	13.8	11.2	241.7	11	-14053
SPC WND = GTR 17 KTS AND NO PRECIP.	01 LST	1.1	0.9	2.4	0.6	0.1	0.0	0.1	0.0	0.2	1.1	1.8	1.6	9.9	11	-14053
	07 LST	1.1	0.9	2.2	0.9	0.6	0.0	0.2	0.1	0.4	1.0	1.4	1.8	10.6	11	-14053
	13 LST	1.1	1.3	3.0	1.2	0.6	0.5	0.3	0.2	1.0	1.0	1.9	1.8	14.1	11	-14053
	19 LST	0.9	0.9	2.3	1.2	0.4	0.3	0.1	0.5	0.3	0.8	1.5	1.3	10.5	11	-14053
SPC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	4.9	5.4	7.9	11.2	12.2	9.5	8.6	12.7	9.3	11.0	8.0	7.0	107.7	11	-14053
	07 LST	2.9	4.9	8.4	13.1	14.7	14.7	15.2	13.5	11.3	11.3	8.9	6.7	125.6	11	-14053
	13 LST	8.5	10.3	13.0	14.1	18.4	17.8	17.7	17.5	18.0	17.3	12.0	11.1	173.7	11	-14053
	19 LST	6.1	6.6	8.4	12.8	12.9	14.4	13.7	13.5	10.7	12.1	9.1	7.7	128.0	11	-14053
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	6.5	5.2	10.5	13.8	13.3	15.6	19.2	22.0	19.1	14.6	6.0	6.8	132.6	11	-14053
	07 LST	2.8	2.1	5.6	8.6	10.2	11.0	13.3	16.6	13.2	7.2	3.0	2.8	97.8	11	-14053
	13 LST	3.8	4.7	7.8	7.3	5.6	8.1	13.8	16.1	15.0	11.2	4.3	4.2	101.9	11	-14053
	19 LST	6.3	7.0	10.6	8.3	7.5	8.4	15.1	17.6	17.0	15.2	7.1	6.6	126.7	11	-14053
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	17.0	17.7	25.2	26.7	26.9	27.7	28.9	29.3	28.1	26.2	19.6	17.6	290.9	11	-14053
	07 LST	12.2	11.5	19.6	23.8	25.6	26.4	26.8	26.5	23.6	19.9	14.8	12.2	242.9	11	-14053
	13 LST	15.8	18.2	24.5	25.3	25.3	27.7	27.9	28.3	28.9	27.2	20.9	16.2	286.2	11	-14053
	19 LST	16.6	17.6	25.3	26.7	27.3	28.4	29.9	29.2	28.5	27.0	19.8	16.2	292.5	11	-14053
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	12.3	12.5	20.1	21.9	21.2	23.5	25.3	27.1	24.5	21.4	14.5	12.2	236.5	11	-14053
	07 LST	8.2	8.0	14.8	19.7	22.3	23.0	23.4	24.0	20.0	15.6	10.0	7.9	196.9	11	-14053
	13 LST	12.8	14.5	20.3	18.9	19.9	22.6	23.4	25.9	24.9	23.6	16.5	13.3	236.6	11	-14053
	19 LST	12.0	13.0	20.3	21.0	22.3	23.5	25.8	25.7	24.6	23.3	14.8	12.3	238.8	11	-14053
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	11.8	12.1	19.7	21.8	21.1	23.3	25.0	26.9	24.3	21.1	13.6	11.7	232.4	11	-14053
	07 LST	7.8	7.8	14.6	19.1	22.3	22.9	23.1	23.9	19.7	15.3	9.7	7.9	194.3	11	-14053
	13 LST	12.4	14.5	19.7	18.8	19.9	22.6	23.4	23.9	24.7	23.5	16.4	13.0	234.8	11	-14053
	19 LST	11.7	13.0	20.2	20.9	22.4	23.2	25.4	25.6	24.4	22.8	14.1	12.1	235.8	11	-14053

BEOGRAD-ZEMUN, YUGOSLAVIA

STA NO. 14093/ (IN AREA NUMBER 03)

LATITUDE 4448N

LONGITUDE 02024E

ELL EATION(FT) 00243

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	JAN	POR (YRS)	NO.
ABS MAX TMP (F)	66	70	86	88	91	100	99	104	93	86	73	70	104	19	3900
MEAN MAX TMP (F)	39	41	50	63	70	78	82	83	76	65	51	42	62	19	3900
MEAN MIN TMP (F)	27	27	34	45	52	59	61	60	54	47	39	32	49	19	3877
ABS MIN TMP (F)	-4	-9	10	28	34	36	48	48	37	30	14	-6	-9	19	3877
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.3	1.7	6.2	7.5	1.3	0.0	0.0	0.0	17.0	19	3900
MEAN NO DYS TMP = DR LES 32(F)	23.4	19.1	13.5	1.2	0.0	0.0	0.0	0.0	0.0	0.8	6.9	16.3	81.2	19	3877
MEAN NO DYS TMP = DR LES 0(F)	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	1.0	19	3877
MEAN DEW PT TMP (F)	28	28	33	42	51	57	59	58	51	46	39	32	44	11	19464
MEAN REL HUM (PCT)	85	82	73	67	72	71	68	66	68	73	83	85	74	11	19238
MEAN PRESS ALT (FT)	93	136	181	239	221	232	247	222	149	117	117	123	173	0	-50
MEAN PRECIP (IN)	1.45	2.47	1.50	1.80	3.55	3.95	1.49	1.57	1.43	1.60	2.27	2.39	25.5	19	3523
MEAN SNOW PALL (IN)					0.0	0.0	0.0	0.0	0.0	0.0				19	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	4.8	4.5	5.6	5.3	8.5	6.5	4.2	3.7	3.8	3.7	5.5	6.6	62.7	19	3523
MEAN NO DYS SNFL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0	0.0				19	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	6.8	6.2	2.0	0.6	0.5	0.3	0.3	0.4	0.6	2.7	4.5	6.6	31.5	11	3599
MEAN NO DYS TSTMS	0.2	0.1	0.4	1.9	6.2	9.2	6.9	4.4	1.5	0.7	0.4	0.0	31.9	11	3609
P FREQ WND SPD = DR GTR 17 KTS	2.7	3.9	7.7	3.7	1.4	0.8	0.6	0.8	2.0	3.3	5.6	5.3	3.2	11	19519
P FREQ WND SPD = DR GTR 28 KTS	0.9	0.9	1.3	0.4	0.1	0.1	0.1	0.0	0.1	0.3	0.9	0.9	0.5	11	19519
P FREQ LES 5000 FT A/D LES 5 MI	66.8	62.6	39.6	29.3	29.3	22.3	21.8	17.3	20.0	30.4	53.1	62.9	38.0	11	19603
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	35.8	28.6	13.0	5.4	6.1	2.2	2.4	2.4	2.3	10.1	25.4	33.7	14.0	11	3826
03-05 LST	42.5	36.0	20.9	6.7	11.6	10.9	17.8	11.9	10.6	9.1	30.4	33.3	20.1	4	1353
06-08 LST	53.9	35.1	31.9	16.0	12.3	7.3	9.6	12.3	19.2	32.3	43.7	53.8	29.0	11	3797
09-11 LST	63.6	49.0	22.1	8.7	9.3	4.3	9.1	4.2	0.9	8.5	39.8	51.8	22.6	4	1348
12-14 LST	42.3	30.2	14.2	6.8	7.2	1.3	2.4	3.0	0.9	6.1	22.7	42.0	14.9	11	3848
15-17 LST	41.1	24.1	13.9	2.9	3.6	1.8	2.6	1.7	0.9	1.8	26.8	41.3	13.5	4	1355
18-20 LST	37.6	30.2	11.5	3.5	5.3	1.6	0.9	2.7	1.9	8.6	25.8	39.0	14.2	11	3848
21-23 LST	41.1	29.9	14.0	4.0	3.4	1.7	1.9	1.7	2.8	4.3	29.7	38.3	14.4	4	1328
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	17.3	10.4	4.3	0.3	1.2	0.3	0.3	0.9	0.0	3.4	8.0	16.3	5.2	11	3826
03-05 LST	20.4	12.0	8.7	1.9	4.5	2.7	4.2	2.3	2.7	4.1	10.4	13.2	7.3	4	1353
06-08 LST	25.4	29.7	9.7	2.6	0.9	0.9	1.0	0.9	4.2	11.6	20.9	24.5	11.0	11	3797
09-11 LST	35.6	17.3	2.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.7	18.4	7.1	4	1348
12-14 LST	18.6	9.2	3.1	0.3	0.0	0.0	0.0	0.0	0.0	0.9	3.4	14.2	4.1	11	3848
15-17 LST	9.8	1.9	4.3	0.0	0.9	0.0	0.0	0.0	0.0	0.0	2.7	14.9	2.9	4	1355
18-20 LST	12.7	6.0	3.4	0.6	0.9	0.0	0.0	0.3	0.0	2.2	4.4	15.9	3.9	11	3848
21-23 LST	16.1	7.2	4.4	1.0	0.9	0.0	0.0	0.0	0.9	0.0	7.2	13.9	4.3	4	1328

BEOGRAD-ZEMUN, YUGOSLAVIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	21.5	20.5	27.4	29.0	29.6	29.7	30.6	30.4	29.8	28.3	23.5	21.7	322.0	11	3825
	07 LST	15.0	12.8	21.7	25.9	27.9	28.2	28.4	27.3	24.5	21.3	17.4	15.1	265.5	11	3797
	13 LST	18.8	19.9	27.0	28.7	29.6	29.8	30.5	30.4	29.8	29.4	24.1	18.9	316.9	11	3848
	19 LST	20.7	20.0	28.0	29.1	29.9	29.7	30.8	30.5	29.7	28.6	23.3	19.9	320.2	11	3847
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	13.7	14.8	17.9	21.4	25.8	26.7	27.8	28.6	26.5	22.7	14.1	12.8	252.8	11	3813
	07 LST	10.1	8.1	13.1	18.2	21.6	23.7	23.4	24.9	21.5	16.4	10.6	7.9	201.5	11	3784
	13 LST	10.8	12.3	13.7	14.7	17.7	21.9	23.2	23.1	21.0	19.7	12.4	9.6	200.1	11	3828
	19 LST	13.2	13.7	19.0	19.3	24.2	24.5	27.8	27.0	25.4	22.6	13.8	11.2	241.7	11	3837
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	1.1	0.9	2.4	0.6	0.1	0.0	0.1	0.0	0.2	1.1	1.8	1.6	9.9	11	3824
	07 LST	1.1	0.9	2.2	0.9	0.6	0.0	0.2	0.1	0.4	1.0	1.4	1.8	10.6	11	3814
	13 LST	1.1	1.3	3.0	1.2	0.8	0.5	0.3	0.2	1.0	1.0	1.9	1.8	14.1	11	3863
	19 LST	0.9	0.9	2.3	1.2	0.4	0.3	0.1	0.5	0.3	0.8	1.3	1.3	10.5	11	3861
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	4.9	5.4	7.9	11.2	12.2	9.5	8.6	12.7	9.3	11.0	8.0	7.0	107.7	11	3810
	07 LST	2.9	4.9	8.4	13.1	14.7	14.7	15.2	13.5	11.3	11.3	8.9	6.7	125.6	11	3804
	13 LST	8.5	10.3	13.0	14.1	18.4	17.8	17.7	17.5	18.0	17.3	12.0	11.1	175.7	11	3833
	19 LST	6.1	6.6	8.4	12.8	12.9	14.4	13.7	13.5	10.7	12.1	9.1	7.7	128.0	11	3850
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	6.5	5.2	10.5	13.8	13.3	15.6	19.2	22.0	19.1	14.6	6.0	6.8	152.6	11	3829
	07 LST	2.8	2.1	5.6	8.6	10.2	11.0	15.3	16.6	13.2	7.2	2.4	2.8	97.8	11	3814
	13 LST	3.8	4.7	7.8	7.3	5.6	8.1	13.8	16.1	15.0	11.2	4.3	4.2	101.9	11	3874
	19 LST	6.3	7.0	10.6	8.3	7.5	8.4	15.1	17.6	17.0	15.2	7.1	6.6	126.7	11	3858
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	17.0	17.7	23.2	26.7	26.9	27.7	28.9	29.3	28.1	26.2	19.6	17.6	290.9	11	3823
	07 LST	12.2	11.5	19.6	23.8	25.6	26.4	26.8	26.5	23.6	19.9	14.8	12.2	242.9	11	3797
	13 LST	15.8	18.2	24.5	25.3	25.3	27.7	27.9	28.3	28.9	27.2	20.9	16.2	286.2	11	3848
	19 LST	16.6	17.6	23.3	26.7	27.3	28.4	29.4	29.2	28.5	27.0	19.8	16.2	292.5	11	3847
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	12.3	12.5	20.1	21.9	21.2	23.5	25.3	27.1	24.5	21.4	14.5	12.2	236.5	11	3825
	07 LST	8.2	8.0	14.8	19.7	22.3	23.0	23.4	24.0	20.0	15.6	10.0	7.9	196.9	11	3797
	13 LST	12.8	14.5	20.3	18.9	19.9	22.6	23.4	25.9	24.9	23.6	16.5	13.3	236.6	11	3848
	19 LST	12.0	13.0	20.3	21.0	22.5	23.5	25.8	25.7	24.6	23.3	14.8	12.3	238.8	11	3847
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	11.8	12.1	19.7	21.8	21.1	23.3	25.0	26.9	24.3	21.1	13.6	11.7	232.4	11	3825
	07 LST	7.8	7.8	14.6	19.1	22.3	22.9	23.1	23.9	19.7	15.3	9.7	7.9	194.3	11	3797
	13 LST	12.4	14.5	19.7	18.8	19.9	22.6	23.4	25.9	24.7	23.5	16.4	13.0	234.8	11	3848
	19 LST	11.7	13.0	20.2	20.9	22.4	23.2	25.4	25.6	24.4	22.8	14.1	12.1	235.8	11	3847

CERKLJE, YUGOSLAVIA

STA NO. 14055/ (IN AREA NUMBER 03)

LATITUDE 4553N

LONGITUDE 01592E

ELEVATION(FT) 00510

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
														(YRS)	OBS
ABS MAX TMP (F)	61	70	76	82	90	97	101	98	94	83	73	64	101	30	-13122
MEAN MAX TMP (F)	37	41	51	60	68	73	79	78	72	59	48	39	59	12	-13122
MEAN MIN TMP (F)	22	23	31	38	47	53	56	54	49	41	35	28	40	12	-13122
ABS MIN TMP (F)	-18	-23	3	19	24	34	38	40	30	18	13	-7	-23	30	-13122
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0					0.0	0.0	0.0		12	-29
MEAN NO DYS TMP = DR LES 32(F)						0.0	0.0	0.0	0.0					30	-29
MEAN NO DYS TMP = DR LES 0(F)			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			30	-29
MEAN DEW PT TMP (F)	27	27	34	42	49	56	58	59	53	46	38	31	43	11	-13128
MEAN REL HUM (PCT)	87	81	77	73	73	73	74	75	79	84	89	88	79	11	-13128
MEAN PRESS ALT (FT)	370	409	455	515	484	481	498	476	414	397	404	406	442	0	-50
MEAN PRECIP (IN)	2.64	2.32	2.99	3.58	3.87	4.53	3.82	4.92	5.31	6.85	4.53	3.58	51.1	16	-13122
MEAN SNOW FALL (IN)						0.0	0.0	0.0	0.0					30	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	7.8	7.1	7.1	7.3	8.9	9.2	8.5	9.4	9.6	9.5	9.1	9.3	102.8	16	-29
MEAN NO DYS SNPL = DR GTR 1.5 IN						0.0	0.0	0.0	0.0					30	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	10.9	5.5	2.2	0.8	1.0	0.7	1.1	0.9	3.5	7.9	8.1	10.8	53.4	11	-13128
MEAN NO DYS TSMS	0.2	0.1	0.3	2.3	3.5	6.8	6.7	4.2	2.1	0.8	0.3	0.5	27.8	11	-13128
P FREQ WND SPD = DR GTR 17 KTS	1.8	2.1	2.4	2.1	1.3	0.7	0.6	0.5	0.7	1.0	0.9	1.3	1.3	11	-13128
P FREQ WND SPD = DR GTR 28 KTS	0.2	0.1	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.2	0.1	0.0	0.1	11	-13128
P FREQ LES 3000 FT A/D LES 5 MI	70.9	62.1	44.8	34.8	31.5	29.4	25.8	23.1	31.6	49.2	73.8	72.5	49.8	11	-13128
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	45.0	36.8	12.0	4.2	5.9	4.6	1.5	2.2	6.9	19.8	37.4	45.8	18.5	11	-13128
03-05 LST	32.8	39.8	15.1	5.5	11.2	18.4	15.0	10.3	16.5	35.3	53.8	48.7	27.0	4	-13128
06-08 LST	47.4	44.9	20.6	11.4	8.4	7.3	10.0	13.8	24.9	39.3	47.2	46.9	26.8	11	-13128
09-11 LST	55.7	43.9	26.7	5.6	3.4	3.6	3.6	4.2	9.1	22.8	47.7	48.7	22.9	4	-13128
12-14 LST	43.8	31.7	11.9	4.3	3.7	1.3	1.6	1.8	4.4	10.8	29.7	40.3	15.4	11	-13128
15-17 LST	38.7	19.1	9.5	2.7	3.5	1.8	3.4	0.9	3.6	3.6	29.2	41.5	13.1	4	-13128
18-20 LST	41.7	28.3	13.1	3.1	3.7	1.6	1.5	0.9	4.8	10.0	34.3	47.6	16.1	11	-13128
21-23 LST	51.5	30.8	15.3	3.9	6.3	0.0	0.9	0.8	8.2	15.3	47.0	48.7	19.6	4	-13128
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	25.0	14.1	4.2	1.3	1.9	1.3	0.3	1.6	2.0	9.7	16.2	25.0	8.6	11	-13128
03-05 LST	32.1	9.7	4.5	3.6	5.2	6.1	2.5	4.3	7.8	23.2	31.1	23.9	12.8	4	-13128
06-08 LST	24.7	23.2	8.7	2.0	2.5	1.9	2.9	4.4	11.8	26.2	25.2	28.5	13.3	11	-13128
09-11 LST	26.4	15.0	6.0	0.9	0.0	0.0	0.0	0.0	0.0	7.9	20.6	27.8	8.7	4	-13128
12-14 LST	15.0	9.7	2.8	0.0	0.5	0.0	0.0	0.0	0.0	2.2	7.3	16.9	4.5	11	-13128
15-17 LST	16.0	1.8	0.0	0.0	0.0	0.0	0.8	0.0	0.9	0.9	6.6	14.4	3.5	4	-13128
18-20 LST	18.5	8.8	2.9	0.6	0.0	0.3	0.0	0.0	0.6	2.2	11.1	24.1	5.8	11	-13128
21-23 LST	26.2	5.3	3.6	1.0	0.0	0.0	0.9	0.0	1.8	4.3	23.0	23.2	7.8	4	-13128

CERKLJE, YUGOSLAVIA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	17.4	18.2	27.4	29.1	29.6	28.8	30.6	30.4	28.1	29.2	19.7	17.6	302.1	11	-13120
	07 LST	16.6	16.0	24.9	27.1	28.8	28.2	28.2	27.0	22.7	19.2	16.9	17.2	272.8	11	-13120
	13 LST	18.0	19.4	27.9	29.4	30.2	29.8	30.7	30.6	29.1	28.1	23.0	19.1	315.3	11	-13120
	19 LST	18.5	20.6	27.2	28.8	30.1	29.6	30.7	30.9	28.9	28.2	21.1	17.0	311.6	11	-13120
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	14.7	15.3	24.8	26.2	26.9	27.6	29.6	29.2	27.3	23.4	16.9	13.5	275.4	11	-13120
	07 LST	14.5	13.4	22.7	24.5	26.6	26.3	26.8	25.6	21.9	17.4	14.4	13.6	247.7	11	-13120
	13 LST	14.3	15.2	21.2	20.8	24.0	25.4	28.2	26.7	24.8	23.7	17.3	14.9	256.7	11	-13120
	19 LST	16.1	17.2	22.6	24.5	26.6	26.4	28.6	29.7	27.3	26.3	17.5	13.2	276.0	11	-13120
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	0.2	0.1	0.2	0.4	0.1	0.0	0.1	0.1	0.0	0.1	0.1	0.1	1.5	11	-13120
	07 LST	0.4	0.2	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.2	0.1	0.0	1.0	11	-13120
	13 LST	0.5	0.9	0.9	1.2	1.2	0.2	0.2	0.3	0.7	0.4	0.1	0.4	7.0	11	-13120
	19 LST	0.1	0.0	0.3	0.6	0.3	0.1	0.1	0.0	0.0	0.0	0.0	0.2	1.7	11	-13120
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	2.9	4.5	8.8	10.9	11.8	9.4	12.8	11.8	10.8	10.1	9.4	6.6	105.8	11	-13120
	07 LST	3.5	3.8	8.5	11.2	12.6	11.9	13.6	13.2	10.7	7.8	5.6	5.5	107.9	11	-13120
	13 LST	6.6	7.2	13.9	14.9	17.0	17.8	18.3	16.5	16.7	13.9	10.8	8.3	161.9	11	-13120
	19 LST	5.8	6.0	11.4	13.9	14.2	12.7	11.2	10.5	9.4	7.6	6.6	5.6	114.9	11	-13120
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	5.1	6.6	13.2	13.6	15.2	14.3	19.3	20.3	17.6	11.1	5.3	5.2	146.8	11	-13120
	07 LST	3.4	3.4	7.2	7.4	10.0	10.0	11.9	14.1	9.3	3.9	2.4	2.0	85.0	11	-13120
	13 LST	4.3	3.9	7.4	6.4	6.5	7.2	12.0	13.8	12.0	7.9	3.5	2.9	87.8	11	-13120
	19 LST	5.7	5.8	10.5	8.6	7.7	8.6	13.2	14.4	16.2	12.6	5.6	5.9	114.8	11	-13120
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	14.4	15.6	24.3	27.1	27.6	26.8	29.3	29.3	26.6	22.8	14.6	13.7	272.2	11	-13120
	07 LST	14.5	13.5	22.3	24.5	26.4	26.5	26.6	25.5	21.1	16.8	12.3	13.6	243.6	11	-13120
	13 LST	15.3	17.6	24.4	26.2	27.8	27.9	29.2	29.5	27.2	25.7	16.6	16.4	283.8	11	-13120
	19 LST	15.8	18.1	25.0	26.8	28.5	28.4	29.3	30.1	27.4	25.8	16.0	13.6	284.8	11	-13120
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	9.8	11.1	18.9	20.9	21.2	20.4	23.8	24.3	22.5	16.7	8.9	8.8	207.8	11	-13120
	07 LST	8.2	8.6	16.7	17.9	20.5	20.1	20.2	20.7	15.8	10.7	6.8	6.7	172.9	11	-13120
	13 LST	10.6	12.9	18.0	17.7	19.5	20.2	23.8	25.4	22.0	19.7	10.7	9.9	210.4	11	-13120
	19 LST	10.8	12.3	18.3	20.2	22.1	22.8	24.7	25.7	23.1	19.1	10.1	9.6	218.8	11	-13120
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	9.8	10.9	18.9	20.9	21.2	20.2	23.8	24.8	22.4	16.6	8.9	8.8	207.2	11	-13120
	07 LST	8.2	8.6	16.6	17.9	20.4	20.1	20.0	20.7	15.6	10.7	6.8	6.7	172.3	11	-13120
	13 LST	10.5	12.9	18.0	17.7	19.4	20.2	23.7	25.4	21.8	19.7	10.7	9.9	209.9	11	-13120
	19 LST	10.7	12.3	18.3	20.2	22.1	22.7	24.7	25.7	23.0	19.1	10.0	9.5	218.3	11	-13120

KRAGUJEVAC, YUGOSLAVIA

STA NO. 14000/ (IN AREA NUMBER 09)

LATITUDE 4402N

LONGITUDE 0205E

ELEVATION(FT) 00600

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	69	72	82	88	93	97	107	104	99	94	84	69	107	22	-33
MEAN MAX TMP (F)	38	42	52	64	72	78	85	83	76	65	54	40	62	16	-126
MEAN MIN TMP (F)	25	26	34	42	51	57	60	58	53	46	40	29	43	16	-126
ABS MIN TMP (F)	-13	-23	-16	20	30	40	45	38	27	25	10	-13	-23	21	-33
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0			8.1	5.7			0.0	0.0		16	-29
MEAN NO DYS TMP = DR LES 32(F)					0.0	0.0	0.0	0.0						21	-29
MEAN NO DYS TMP = DR LES 0(F)				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			21	-29
MEAN DEW PT TMP (F)	24	25	33	40	50	58	58	56	50	46	39	28	42	12	-29
MEAN REL HUM (PCT)	77	73	70	66	69	74	65	63	63	74	75	79	71	5	-33
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	1.69	1.30	2.17	2.32	3.62	3.35	2.09	2.13	1.58	2.40	1.85	2.17	26.7	16	-129
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0						21	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	5.5	4.3	6.2	6.4	7.3	8.0	5.8	5.9	4.8	6.4	5.4	6.7	72.7	16	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0						21	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.3	0.7	2.8	5.3	6.3	5.5	3.6	2.2	0.3	0.3	0.0	27.5	4	-33
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1900 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

KRAGUJEVAC, YUGOSLAVIA
 MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0

DATA NOT AVAILABLE

STA NO. 14061/ (IN AREA NUMBER 03)

LIPIK, YUGOSLAVIA

LATITUDE 4925N

LONGITUDE 01710E

ELEVATION(FT) 00505

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	64	66	79	85	88	98	100	101	91	86	75	63	101	15	-126
MEAN MAX TMP (F)	38	42	52	63	71	78	83	81	73	62	52	39	61	15	-126
MEAN MIN TMP (F)	24	24	32	40	48	53	56	54	49	42	37	27	41	15	-126
ABS MIN TMP (F)	-12	-22	-4	21	25	34	42	41	26	26	24	-17	-22	15	-126
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0		5.7	3.8		0.0	0.0	0.0		15	-29
MEAN NO DYS TMP = DR LES 32(F)						0.0	0.0	0.0						15	-29
MEAN NO DYS TMP = DR LES 0(F)						0.0	0.0	0.0						15	-29
MEAN DEW PT TMP (F)				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			15	-29
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	2.01	2.09	2.48	2.64	3.38	3.15	2.91	3.31	3.31	4.37	3.31	2.64	35.8	0	0
MEAN SNOW FALL (IN)						0.0	0.0	0.0						15	-125
MEAN NO DYS PRCP = DR GTR 0.1 IN	6.3	6.5	6.6	6.8	7.3	7.7	7.3	7.9	7.8	9.0	7.8	7.8	88.8	15	-29
MEAN NO DYS SNPL = DR GTR 1.5 IN						0.0	0.0	0.0						15	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI						0.0	0.0	0.0						15	-29
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 3000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

LIPIK, YUGOSLAVIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	AMN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SPC WND LES 10 KTS	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
SPC WND = GTR 17 KTS AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
SPC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0

DATA NOT AVAILABLE

MURSKA SOBOTA, YUGOSLAVIA

STA NO. 14004/ (IN AREA NUMBER 03)

LATITUDE 4639N

LONGITUDE 01612E

ELEVATION(FT) 00620

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	59	66	77	76	93	102	104	99	101	82	74	61	104	15	-124
MEAN MAX TMP (F)	34	40	50	60	69	75	79	78	72	60	46	38	58	14	-124
MEAN MIN TMP (F)	19	22	31	39	47	52	56	54	48	40	34	26	39	14	-124
ABS MIN TMP (F)	-17	-21	-8	19	28	36	42	39	30	24	-3	-8	-21	15	-124
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0						0.0	0.0	0.0		14	-29
MEAN NO DYS TMP = OR LES 32(F)						0.0	0.0	0.0	0.0					15	-29
MEAN NO DYS TMP = OR LES 0(F)				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			15	-29
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	1.46	1.30	1.77	2.21	3.35	3.98	3.70	4.41	3.58	3.58	2.72	2.09	34.1	16	-125
MEAN SNOW FALL (IN)						0.0	0.0	0.0	0.0					15	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	4.8	4.3	5.5	6.3	7.2	8.7	8.4	9.1	8.1	8.1	6.9	6.5	83.9	16	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN						0.0	0.0	0.0	0.0					15	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	0.0	0.0	0.0	1.0	4.0	4.0	4.0	3.0	1.0	0.3	0.3	0.0	17.6	16	-24
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1900 FT A/D LES 3 MI														0	0
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

MURSKA SOBOTA, YUGOSLAVIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POP (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SPC WND LES 10 KTS	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SPC WND = GTR 17 KTS AND NO PRECIP.	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SPC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0

DATA NOT AVAILABLE

NOVI SAD, YUGOSLAVIA

STA NO. 14069/ (IN AREA NUMBER 03)

LATITUDE 4519N

LONGITUDE 01952E

ELEVATION(PT) 00203

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	66	69	77	85	90	99	102	100	94	92	82	68	102	16	-126
MEAN MAX TMP (F)	37	42	51	63	72	78	84	82	75	64	53	39	62	16	-126
MEAN MIN TMP (F)	26	27	35	45	53	59	63	61	55	47	39	28	45	16	-126
ABS MIN TMP (F)	-16	-15	3	22	32	39	51	46	37	27	15	-10	-16	16	-126
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0		6.8	4.7			0.0	0.0		16	-29
MEAN NO DYS TMP = DR LES 32(F)					0.0	0.0	0.0	0.0	0.0					16	-29
MEAN NO DYS TMP = DR LES 0(F)			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			16	-29
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	1.30	1.18	1.93	1.97	2.68	2.36	1.85	2.44	1.89	2.84	1.89	1.73	24.1	16	-125
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0					16	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	4.6	3.9	5.8	5.9	6.8	6.3	5.2	6.5	5.5	7.1	5.5	5.6	48.7	16	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0					16	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS YSTMS	0.0	0.0	0.3	2.0	5.0	6.0	5.0	4.0	2.0	1.0	0.0	0.0	25.3	16	-24
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 20 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

NOVI SAD, YUGOSLAVIA
 MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SFC WND 4-10 KTS AND TMP 32-89 DEG F AND NO PRECIP.	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0

DATA NOT AVAILABLE

SENTA, YUGOSLAVIA

STA NO. 14072/ (IN AREA NUMBER 03)

LATITUDE 4557N

LONGITUDE 02095E

ELEVATION(FT) 00263

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	62	66	80	88	89	102	104	100	96	92	82	60	104	16	-126
MEAN MAX TMP (P)	36	40	51	63	73	80	84	83	76	64	52	37	62	16	-126
MEAN MIN TMP (P)	23	24	32	41	50	56	59	57	51	43	37	26	42	16	-126
ABS MIN TMP (P)	-11	-24	-5	21	24	34	46	46	29	26	11	-13	-24	16	-126
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0		6.8	3.7			0.0	0.0		16	-29
MEAN NO DYS TMP = DR LES 32(P)						0.0	0.0	0.0	0.0					16	-29
MEAN NO DYS TMP = DR LES 0(P)				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			16	-29
MEAN DEW PT TMP (P)	28	26	36	45	55	59	61	61	53	49	41	29	45	11	-29
MEAN REL HUM (PCT)	94	81	81	79	80	75	73	76	72	86	87	90	81	2	-35
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	1.22	1.10	1.58	1.58	2.68	2.40	1.93	2.01	2.17	2.32	1.77	1.65	22.4	16	-125
MEAN SNOW FALL (IN)						0.0	0.0	0.0	0.0					16	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	4.0	3.6	5.1	5.1	6.8	6.4	5.4	5.6	6.0	6.3	5.2	5.4	64.9	16	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN						0.0	0.0	0.0	0.0					16	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

SENTA, YUGOSLAVIA
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST													0	0
	07 LST													0	0
	13 LST													0	0
	19 LST													0	0

DATA NOT AVAILABLE

AREA NO. 03

PARAMETER DESCRIPTION	BOUNDARIES	INTERIOR PLAINS				LATITUDE 4500N		LONGITUDE 01900E				ANN		
		4642N 01543E	4600N 01600E	4600N 01600E	4556N 01500E	4556N 01500E	4506N 01540E							
		4506N 01540E	4242N 02227E											
		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
MEAN MAX TMP (F)		37	42	52	63	71	78	83	82	75	64	52	40	62
MEAN MIN TMP (F)		25	26	33	42	50	56	59	57	51	44	38	29	43
LARGEST MEAN PRECIP(IN)		2.64	2.73	2.99	3.58	3.87	4.53	3.82	4.92	5.51	6.85	4.53	3.91	51.9
SMALLEST MEAN PRECIP(IN)		1.22	1.10	1.18	1.58	2.56	2.17	1.49	1.37	1.30	1.60	1.42	1.65	18.8
		MEAN NUMBER OF DAYS												
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	23.8	23.1	28.6	29.3	30.4	29.4	30.6	30.6	29.1	28.1	24.5	22.7	330.2
	07 LST	21.4	19.5	25.7	27.5	29.5	28.9	29.6	29.1	26.4	23.2	20.8	20.4	302.0
	13 LST	24.3	23.8	29.0	29.5	30.2	29.8	30.8	30.5	29.7	29.9	26.4	23.0	336.9
	19 LST	24.7	23.6	28.9	29.6	30.5	29.7	30.7	30.9	29.6	29.6	25.3	23.1	336.2
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	20.2	20.2	23.9	26.1	28.6	28.5	29.6	29.6	27.8	25.8	20.1	18.7	299.1
	07 LST	18.8	16.5	21.3	24.9	26.4	27.3	27.7	28.0	25.0	20.8	17.0	16.5	270.2
	13 LST	20.2	19.2	21.6	22.1	24.8	25.1	26.5	26.8	25.3	25.6	20.8	19.3	277.3
	19 LST	21.5	20.5	24.3	25.8	28.3	27.9	29.5	29.5	27.9	27.0	21.0	19.0	302.2
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	0.4	0.3	1.2	0.3	0.1	0.1	0.2	0.1	0.1	0.4	0.8	0.5	4.5
	07 LST	0.3	0.2	0.9	0.4	0.3	0.1	0.1	0.2	0.3	0.3	0.9	0.6	4.6
	13 LST	0.4	0.8	1.7	1.4	0.8	0.4	0.3	0.3	0.7	0.6	1.2	0.5	9.1
	19 LST	0.2	0.3	1.3	0.5	0.2	0.3	0.2	0.2	0.3	0.4	0.8	0.6	5.3
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	3.2	3.8	6.3	8.1	8.2	6.8	7.2	7.0	6.2	7.5	5.9	4.5	74.7
	07 LST	2.3	3.2	6.4	9.4	10.3	9.8	11.0	9.3	7.6	7.1	5.9	4.1	86.4
	13 LST	7.3	8.3	13.7	14.9	16.5	15.8	16.1	15.3	15.8	15.3	10.6	7.6	157.2
	19 LST	4.5	4.4	8.2	9.9	9.1	9.4	8.3	6.9	7.0	6.4	4.7	4.7	87.9
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	7.4	8.1	11.9	13.7	13.5	15.3	19.2	22.1	19.1	14.6	6.3	6.5	137.7
	07 LST	4.6	3.8	7.0	9.3	10.0	11.7	15.3	17.6	13.5	6.9	3.1	3.7	106.5
	13 LST	5.1	5.7	7.9	7.2	6.8	7.9	13.0	16.0	13.6	10.1	4.4	4.1	101.8
	19 LST	7.7	8.7	9.8	9.3	7.4	7.9	14.9	17.4	17.3	14.5	7.4	6.8	129.1
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	19.8	19.6	25.4	26.8	27.5	27.4	29.1	29.6	27.4	26.0	19.7	17.8	296.1
	07 LST	17.5	15.9	22.6	25.3	26.4	26.8	27.7	28.0	25.2	20.9	16.9	16.2	269.4
	13 LST	20.2	20.6	25.6	26.8	27.7	28.0	29.3	29.4	28.1	27.5	21.8	19.2	304.2
	19 LST	20.4	20.4	25.8	27.3	28.4	28.5	29.6	29.9	28.1	27.7	21.1	18.6	305.8
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	13.9	13.9	19.5	21.2	20.8	21.6	24.2	25.9	23.6	20.0	12.2	11.3	228.1
	07 LST	11.1	10.4	17.2	20.0	21.2	21.2	23.1	24.4	21.2	15.4	10.9	9.9	206.0
	13 LST	14.8	14.9	19.3	18.6	19.7	20.1	22.6	25.2	22.8	21.6	14.8	13.0	227.4
	19 LST	14.3	14.5	18.9	20.8	21.6	22.3	24.4	25.9	23.5	21.5	13.9	12.8	234.4
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	13.8	13.8	19.5	21.2	20.8	21.6	24.2	25.8	23.5	19.9	12.1	11.2	227.4
	07 LST	11.1	10.4	17.2	19.9	21.2	21.2	23.0	24.4	21.1	15.4	10.8	9.8	205.5
	13 LST	14.7	14.9	19.1	18.5	19.7	20.1	22.6	25.2	22.7	21.5	14.8	13.0	226.8
	19 LST	14.2	14.5	18.8	20.7	21.6	22.2	24.3	25.9	23.4	21.4	13.8	12.7	233.5

AGRINION NEW, GREECE

STA NO. 14568/ (IN AREA NUMBER 01)

LATITUDE 3836N

LONGITUDE 02121E

ELEVATION(PT) 00075

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	68	72	88	90	99	102	111	109	100	97	77	70	111	10	-16672
MEAN MAX TMP (F)	55	58	62	71	78	87	94	94	87	76	65	58	74	10	-16672
MEAN MIN TMP (F)	39	40	43	49	56	61	66	66	61	55	47	42	52	8	-16672
ABS MIN TMP (F)	25	25	27	34	43	52	57	52	50	36	27	23	23	8	-16672
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.1	2.1	11.7	27.2	25.0	11.8	1.1	0.0	0.0	79.0	10	-16672
MEAN NO DYS TMP = DR LES 32(F)	5.4	2.5	2.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	3.8	14.1	8	-16672
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-16672
MEAN DEW PT TMP (F)	41	41	41	48	53	58	59	59	58	56	50	44	51	9	-29
MEAN REL HUM (PCT)	80	75	69	67	65	61	53	54	62	73	81	81	68	10	-16672
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	5.00	4.10	3.20	2.40	2.20	1.60	0.40	0.40	1.60	4.50	5.90	6.70	37.6	28	-16672
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0	0.0				8	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	10.6	9.9	7.2	6.5	6.3	4.6	1.1	1.1	4.9	9.1	9.6	11.1	82.0	28	-29
MEAN NO DYS SNPL = DR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0	0.0				8	-29
MEAN NO DYS 4/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 3000 FT A/D LES 3 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

AGRINION NEW, GREECE
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS	
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST													0	0	
	07 LST													0	0	
	13 LST													0	0	
	19 LST													0	0	
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SPC WND LES 10 KTS	01 LST													0	0	
	07 LST													0	0	
	13 LST													0	0	
	19 LST													0	0	
SPC WND = GTR 17 KTS AND NO PRECIP.	01 LST													0	0	
	07 LST	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	-16672	
	13 LST	0.0	0.0	0.0	1.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	10	-16672	
	19 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-16672	
SPC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST													0	0	
	07 LST	0.5	0.0	3.1	0.9	2.8	0.0	0.0	3.3	0.0	0.0	0.0	14.8	9	-16672	
	13 LST	0.0	0.0	1.7	0.0	2.0	0.0	0.0	0.0	0.0	0.0	1.0	4.7	10	-16672	
	19 LST	0.0	0.0	1.8	0.0	3.2	0.0	0.0	0.0	0.0	0.0	0.0	5.0	10	-16672	
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST													0	0	
	07 LST	6.8	6.6	10.3	13.5	14.9	21.9	28.3	26.7	21.7	11.0	6.8	4.6	173.1	10	-16672
	13 LST	7.4	7.6	9.6	9.5	8.1	14.9	20.9	21.3	14.8	11.7	8.3	6.5	140.6	10	-16672
	19 LST	11.7	11.4	14.8	14.2	12.5	17.9	26.6	25.3	21.9	17.3	12.4	7.3	193.3	10	-16672
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST													0	0	
	07 LST													0	0	
	13 LST													0	0	
	19 LST													0	0	
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST													0	0	
	07 LST													0	0	
	13 LST													0	0	
	19 LST													0	0	
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST													0	0	
	07 LST													0	0	
	13 LST													0	0	
	19 LST													0	0	

PREVEZA, GREECE

STA NO. 14969/ (IN AREA NUMBER 01)

LATITUDE 3855N

LONGITUDE 02046E

ELEVATION(FT) 00010

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR	NO.
														(YRS)	DBS
ABS MAX TMP (F)	68	72	77	75	86	95	97	104	99	86	75	73	104	11	-16009
MEAN MAX TMP (F)	57	60	61	66	75	82	87	88	81	73	64	59	71	11	-16009
MEAN MIN TMP (F)	43	44	46	51	59	65	70	70	65	58	51	46	56	11	-16009
ABS MIN TMP (F)	23	25	30	36	48	54	55	59	50	41	34	25	23	11	-16009
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	2.3	7.6	11.8	1.0	0.0	0.0	0.0	22.7	11	-16009
MEAN NO DYS TMP = DR LES 32(F)	2.9	1.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	5.7	11	-16009
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	-16009
MEAN DEW PT TMP (F)	44	46	47	52	60	64	68	69	65	59	52	48	56	10	-29
MEAN REL HUM (PCT)	82	82	80	80	80	75	73	74	78	82	84	84	80	8	-16009
MEAN PRESS ALT (FT)	-109	-64	-44	11	-11	-18	4	-12	-62	-88	-81	-74	-44	0	-50
MEAN PRECIP (IN)	6.20	4.80	3.60	2.50	1.60	0.80	0.20	0.80	1.80	5.70	6.20	8.40	42.6	25	-16009
MEAN SNOW FALL (IN)			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			11	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	11.0	10.4	7.3	6.6	5.2	2.4	0.3	2.4	5.3	9.7	9.7	11.4	81.7	25	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			11	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1900 FT A/D LES 3 MI														0	0
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	18.5	21.0	18.0	16.4	13.1	6.1	3.7	6.4	8.9	12.8	16.5	21.1	13.5	17	-16009
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST	0.8	0.0	0.4	0.0	0.4	0.0	0.0	0.0	0.7	1.0	1.2	0.4	0.4	11	-16009
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	8.8	9.8	9.2	2.5	2.8	1.5	1.5	1.9	2.9	3.4	8.4	12.6	5.1	17	-16009
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	-16009
21-23 LST														0	0

PREVEZA, GREECE

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	25.4	22.2	25.4	25.0	26.9	28.2	29.8	29.0	27.4	27.3	25.1	24.7	316.4	17	-16669
	13 LST														0	0
	19 LST	30.8	26.0	31.0	30.0	31.0	30.0	31.0	31.0	29.7	30.8	29.8	31.0	364.1	11	-16669
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	01 LST														0	0
	07 LST	21.4	18.5	22.1	22.8	25.0	26.9	28.7	28.1	26.2	24.9	21.8	21.5	287.9	17	-16669
	13 LST														0	0
	19 LST	26.2	23.7	26.4	25.7	27.5	25.3	27.7	27.7	28.0	28.2	25.2	27.0	318.6	11	-16669
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST														0	0
	07 LST	2.3	2.4	2.2	1.3	0.8	0.7	0.7	0.0	0.6	1.3	2.1	2.0	16.4	17	-16669
	13 LST														0	0
	19 LST	1.9	2.8	2.8	2.2	1.6	1.8	1.1	1.5	1.0	1.2	2.0	1.8	21.7	11	-16669
SFC WND 4-10 KTS AND TMP 23-89 DEG F AND NO PRECIP.	01 LST														0	0
	07 LST	6.7	4.9	6.3	7.8	6.9	8.0	6.0	5.0	4.2	4.2	4.4	5.0	69.4	17	-16669
	13 LST														0	0
	19 LST	8.8	7.7	10.8	14.9	16.4	16.0	16.2	16.7	11.6	7.4	8.6	11.0	148.1	11	-16669
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	9.5	9.2	9.7	11.1	15.5	21.3	26.9	25.9	19.0	12.7	8.6	8.4	177.8	17	-16669
	13 LST														0	0
	19 LST	11.9	14.1	14.0	14.0	14.4	20.2	26.4	25.7	19.7	18.3	11.6	14.4	204.7	11	-16669
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	24.6	21.5	24.9	24.9	26.7	27.9	29.7	28.8	27.1	26.3	24.0	23.2	309.6	17	-16669
	13 LST														0	0
	19 LST	29.8	27.3	30.5	29.6	30.4	30.0	30.8	30.8	29.6	29.8	28.4	29.7	356.7	11	-16669
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	19.6	16.9	21.1	23.1	24.0	27.1	29.5	28.6	26.0	23.5	19.2	19.2	277.8	17	-16669
	13 LST														0	0
	19 LST	23.4	22.2	26.5	25.2	26.8	28.9	30.4	30.1	27.8	26.3	23.1	25.0	315.7	11	-16669
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	19.6	16.9	21.0	23.1	24.0	27.1	29.5	28.5	25.9	23.5	19.2	19.2	277.5	17	-16669
	13 LST														0	0
	19 LST	23.3	22.0	26.5	25.2	26.7	28.9	30.4	30.1	27.8	26.3	23.1	25.0	315.3	11	-16669

THESSALONIKI, GREECE

STA NO. 10622 (IN AREA NUMBER 01)

LATITUDE 4031N

LONGITUDE 02258E

ELEVATION(FT) 00020

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	67	75	86	88	96	101	107	109	99	97	81	71	109	38	-535
MEAN MAX TMP (F)	49	52	58	67	77	85	91	90	81	72	60	52	70	30	-35
MEAN MIN TMP (F)	36	38	44	50	59	66	71	70	64	57	47	41	54	30	-35
ABS MIN TMP (F)	7	10	21	33	40	47	45	56	46	33	23	19	7	38	-535
MEAN NO OYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	2.0	11.0	21.3	20.4	5.9	0.0	0.0	0.0	60.6	11	3242
MEAN NO OYS TMP = DR LES 32(F)	11.9	9.2	5.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	6.9	35.0	11	3313
MEAN NO OYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	3313
MEAN OEW PT TMP (F)	33	37	40	45	55	58	54	53	55	54	45	40	47	0	-50
MEAN REL HUM (PCT)	78	71	69	67	66	56	51	52	60	69	76	78	66	30	-32
MEAN PRESS ALT (PT)	-31	8	35	79	85	101	137	107	22	-20	-31	-20	39	0	-50
MEAN PRECIP (IN)	1.34	1.26	1.50	1.65	2.09	1.38	0.98	0.95	1.30	2.28	2.52	1.85	19.1	36	-122
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0	0.0				38	-29
MEAN NO OYS PRCP = DR GTR 0.1 IN	4.4	4.2	4.9	5.3	6.1	4.1	2.9	2.8	4.2	6.2	6.6	5.9	97.6	36	-29
MEAN NO OYS SMFL = DR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0	0.0				38	-29
MEAN NO OYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO OYS TSTMS	0.3	0.3	0.3	1.0	4.0	6.0	3.0	2.0	2.0	1.0	1.0	0.3	21.2	30	-24
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 3000 FT A/D LES 5 MI	15.7	18.8	6.4	14.9	5.7	3.4	6.2	6.1	9.2	25.0	25.3	44.9	15.1	3	-16625
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	20.1	20.8	12.1	6.1	2.2	1.2	0.4	0.0	1.2	15.4	19.3	29.7	10.7	11	-16625
09-11 LST	7.1	6.3	4.0	3.3	1.6	0.0	1.9	0.0	3.1	12.3	8.7	16.7	3.4	3	-16625
12-14 LST														0	0
15-17 LST	4.3	0.0	0.0	2.7	5.1	0.0	2.8	0.0	2.1	5.4	2.4	18.6	3.6	3	-16625
18-20 LST	7.2	6.3	7.0	2.8	0.4	2.0	0.4	0.5	0.0	2.4	8.4	8.5	3.8	14	-16625
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	9.8	10.6	3.1	0.9	0.4	0.4	0.0	0.0	0.4	8.5	9.1	20.1	5.3	11	-16625
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	3.1	4.3	2.1	0.9	3	-16625
12-14 LST														0	0
15-17 LST	2.2	0.0	0.0	0.0	0.0	0.0	2.8	0.0	2.1	5.4	2.4	4.7	1.6	3	-16625
18-20 LST	1.0	2.6	0.0	0.0	0.0	0.4	0.4	0.0	0.0	1.2	0.5	2.0	0.7	14	-16625
21-23 LST														0	0

THESSALONIKI, GREECE
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	25.6	23.4	27.7	29.6	30.5	30.0	30.9	30.9	29.9	30.4	27.5	26.7	343.1	11	3336
	14 LST														0	0
	20 LST	29.2	27.2	30.3	29.7	30.8	29.9	30.3	30.8	29.9	30.8	29.2	29.5	358.2	11	3325
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST														0	0
	08 LST	19.7	19.1	23.6	26.1	29.0	26.8	28.4	28.1	27.4	26.3	21.5	21.7	297.7	11	3336
	14 LST														0	0
	20 LST	21.6	19.3	23.9	24.6	28.0	25.5	26.4	27.2	25.5	25.9	22.6	23.4	293.9	11	3325
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST														0	0
	08 LST	1.6	1.9	2.2		0.7		0.9		0.7		2.3			11	3345
	14 LST														0	0
	20 LST	2.8	3.3	2.5	0.9	0.7	1.1	1.1	1.0	1.3	1.3	2.7	2.7	21.8	11	3328
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST														0	0
	08 LST	4.9	6.3	6.2	5.2	6.0	6.6	6.0	6.0	5.6	5.3	7.7	6.0	71.8	11	3344
	14 LST														0	0
	20 LST	8.3	9.2	12.4	11.2	11.3	11.8	14.1	13.7	11.5	9.3	9.3	9.0	131.3	11	3323
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	6.7	9.4	8.4	11.6	12.1	18.5	22.7	23.5	16.9	10.6	6.1	8.7	135.2	11	3343
	14 LST														0	0
	20 LST	10.8	12.7	12.0	10.4	10.0	12.0	19.7	23.7	19.5	16.3	10.2	12.4	169.7	11	3326
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	23.7	22.5	25.8	28.2	30.1	29.6	30.9	30.7	29.7	29.4	25.2	25.0	330.8	11	3336
	14 LST														0	0
	20 LST	26.7	25.4	27.5	28.2	30.0	29.6	30.8	30.7	29.7	29.7	27.5	27.8	343.6	11	3325
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	20.0	20.3	20.1	25.7	27.9	28.4	30.6	30.0	28.4	25.1	19.5	21.0	297.0	11	3336
	14 LST														0	0
	20 LST	22.8	22.6	22.2	24.5	25.3	26.8	29.5	29.9	28.2	25.9	22.4	22.4	303.0	11	3325
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	19.9	20.3	20.0	25.6	27.9	28.4	30.6	29.9	28.4	24.9	19.5	20.8	296.2	11	3336
	14 LST														0	0
	20 LST	22.8	22.6	22.0	24.5	25.2	26.6	29.5	29.9	28.2	25.9	22.2	22.8	302.2	11	3325

KAVALLA, GREECE

STA NO. 16625 (IN AREA NUMBER 01)

LATITUDE 4058N

LONGITUDE 02420E

ELEVATION(FT) 00190

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	64	68	75	75	93	91	99	99	93	82	73	66	99	11	1596
MEAN MAX TMP (F)	47	51	55	61	73	80	86	85	79	69	58	52	66	11	1596
MEAN MIN TMP (F)	31	31	35	41	51	58	62	61	54	47	41	33	45	11	2779
ABS MIN TMP (F)	3	10	16	27	37	43	50	48	36	28	16	12	3	11	2779
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.5	1.6	8.4	5.8	0.8	0.0	0.0	0.0	17.1	11	1596
MEAN NO DYS TMP = DR LES 32(F)	18.6	16.5	12.3	2.6	0.0	0.0	0.0	0.0	0.0	0.8	5.5	15.9	72.2	11	2779
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	2779
MEAN DEW PT TMP (F)	37	41	44	52	61	66	69	69	63	56	48	45	54	0	-50
MEAN REL HUM (PCT)	85	82	77	75	73	66	60	59	68	77	84	86	74	6	-35
MEAN PRESS ALT (FT)	22	62	93	141	140	155	184	156	75	35	27	38	94	0	-50
MEAN PRECIP (IN)	2.41	1.28	3.09	1.83	2.02	2.32	1.50	0.51	0.57	3.32	4.47	1.86	25.2	11	1845
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0					11	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	6.0	3.3	5.2	3.8	4.2	3.5	2.5	0.9	1.6	5.5	6.8	4.3	47.6	11	1845
MEAN NO DYS SNFL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0					11	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI	15.7	18.8	6.4	14.9	5.7	3.4	6.2	6.1	9.2	25.0	25.3	44.9	15.1	3	1055
P FREQ LES 1900 FT A/C LES 3 MI														0	0
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	20.1	20.8	12.1	6.1	2.2	1.2	0.4	0.0	1.2	15.4	19.3	29.7	10.7	11	2895
09-11 LST	7.1	6.3	4.0	3.3	1.6	0.0	1.9	0.0	3.1	12.5	8.7	16.7	5.4	3	604
12-14 LST														0	0
15-17 LST	4.3	0.0	0.0	2.7	5.1	0.0	2.8	0.0	2.1	5.4	2.4	18.6	3.6	3	469
18-20 LST	7.2	6.3	7.0	2.8	0.4	2.0	0.4	0.5	0.0	2.4	8.4	8.5	3.8	14	2694
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	9.6	10.6	3.1	0.9	0.4	0.4	0.0	0.0	0.4	8.5	9.1	20.1	5.3	11	2895
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	3.1	4.3	2.1	0.9	3	604
12-14 LST														0	0
15-17 LST	2.2	0.0	0.0	0.0	0.0	0.0	2.8	0.0	2.1	5.4	2.4	4.7	1.6	3	469
18-20 LST	1.0	2.6	0.0	0.0	0.0	0.4	0.4	0.0	0.0	1.2	0.5	2.0	0.7	14	2694
21-23 LST														0	0

KAVALLA, GREECE
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	26.2	23.6	28.7	28.8	30.4	29.8	31.0	31.0	29.6	26.7	25.4	23.1	334.3	14	3499
	14 LST	30.3	28.0	31.0	30.0	29.4	30.0	30.1	31.0	29.3	29.3	29.2	25.2	352.8	3	469
	20 LST	29.6	26.3	29.9	29.8	31.0	29.5	30.8	30.8	30.0	30.3	28.1	28.9	355.2	14	2694
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST														0	0
	08 LST	22.1	19.8	23.1	23.9	28.3	27.8	29.4	29.8	28.2	24.2	21.5	20.7	300.8	14	3480
	14 LST	17.9	16.3	24.1	22.7	23.8	24.1	25.8	28.7	27.5	23.9	23.2	19.4	277.4	3	463
	20 LST	25.0	23.2	22.5	24.4	27.2	26.9	28.6	26.6	27.3	27.3	25.3	24.8	309.1	14	2883
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST														0	0
	08 LST	1.3	0.4	0.8	0.5	0.7	0.2	0.1	0.3	0.2	0.3	0.8	0.7	6.3	14	3680
	14 LST	4.6	4.0	2.2	3.8	2.2	0.8	1.4	0.5	0.0	1.4	1.6	1.9	24.4	3	624
	20 LST	0.8	0.5	0.6	0.8	0.6	0.5	0.4	1.0	0.5	0.8	0.7	0.6	7.8	14	2918
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST														0	0
	08 LST	3.4	4.4	7.1	7.6	5.1	6.0	4.0	4.3	4.2	3.2	4.0	5.5	58.8	14	3855
	14 LST	13.4	11.6	15.8	16.1	16.2	21.4	15.1	16.6	17.2	11.1	11.8	12.7	179.0	3	604
	20 LST	4.8	8.1	12.1	12.9	10.7	11.7	12.7	11.1	10.6	8.6	5.5	4.8	113.6	14	2893
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	7.2	9.2	10.5	11.0	14.0	20.0	24.8	24.0	19.5	10.3	6.6	5.7	162.8	14	3680
	14 LST	6.3	5.1	9.3	9.3	9.8	14.1	15.8	19.9	17.7	10.1	8.9	3.8	126.3	3	623
	20 LST	11.8	12.9	12.2	10.7	11.0	13.3	20.6	19.5	20.3	13.6	10.7	10.4	169.0	14	2910
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	23.1	21.0	25.7	27.2	30.0	29.3	30.8	30.8	29.1	25.5	23.3	21.0	316.8	14	3499
	14 LST	28.9	25.6	30.3	28.3	29.4	30.0	29.2	31.0	29.3	29.3	28.5	25.2	345.0	3	469
	20 LST	24.8	25.2	27.1	27.5	30.0	29.2	30.7	30.5	29.7	29.5	26.3	26.8	339.3	14	2694
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	19.4	18.9	22.6	25.9	28.2	28.5	30.6	30.4	27.7	22.7	18.9	17.3	291.1	14	3499
	14 LST	28.3	24.5	30.3	26.7	29.4	30.0	29.2	31.0	28.1	28.4	27.0	25.2	338.1	3	469
	20 LST	23.6	23.0	25.3	24.7	27.6	28.5	30.1	29.7	28.7	27.3	23.5	22.6	314.6	14	2694
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	19.4	18.9	22.5	25.8	28.0	28.5	30.6	30.4	27.5	22.5	18.7	17.1	289.9	14	3499
	14 LST	28.3	24.5	30.3	26.7	28.6	30.0	29.2	31.0	28.1	28.4	27.0	25.2	337.3	3	469
	20 LST	23.6	22.8	25.2	24.4	27.4	28.4	30.1	29.5	28.6	27.2	23.4	22.6	313.2	14	2694

ALEXANDROUPOLIS, GREECE

STA NO. 16627 (IN AREA NUMBER 01)

LATITUDE 4051N

LONGITUDE 02557E

ELEVATION(FT) 00020

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	64	66	73	75	90	93	102	100	93	82	77	64	102	11	3241
MEAN MAX TMP (F)	47	50	53	62	72	80	87	87	79	68	57	51	66	11	3241
MEAN MIN TMP (F)	35	37	38	45	53	60	65	65	59	51	44	38	49	11	3278
ABS MIN TMP (F)	9	12	21	30	37	45	50	50	41	34	16	7	7	11	3278
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.2	1.4	10.7	12.2	2.0	0.0	0.0	0.0	26.5	11	3241
MEAN NO DYS TMP = DR LES 32(F)	12.8	9.2	9.1	0.6	0.0	0.0	0.0	0.0	0.0	0.0	3.8	8.6	44.1	11	3278
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	3278
MEAN DEW PT TMP (F)	36	36	37	48	53	58	60	61	58	48	48	41	49	0	-50
MEAN REL HUM (PCT)	79	76	72	71	72	65	57	56	61	68	80	80	70	10	-35
MEAN PRESS ALT (FT)	-109	-69	-37	15	4	15	40	13	-60	-95	-99	-87	-38	0	-50
MEAN PRECIP (IN)	2.80	2.00	2.40	0.90	1.30	1.10	0.50	0.70	0.50	1.90	4.00	5.20	23.3	13	-35
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0	0.0				11	-29
MEAN NC DYS PRCP = DR GTR 0.1 IN	8.1	6.3	6.5	3.0	4.4	3.3	1.4	2.1	2.3	5.5	8.6	10.7	62.2	13	-29
MEAN NO DYS SNPL = DR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0	0.0				11	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	1.0	1.0	1.0	1.0	2.0	4.0	3.0	2.0	2.0	2.0	0.3	1.0	20.3	6	-35
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 3 MI	20.3	12.6	9.7	6.8	3.4	3.7	2.5	0.9	0.0	6.7	14.9	29.3	9.2	8	2169
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	11.3	7.6	3.5	0.5	1.8	0.7	0.0	0.2	0.5	1.9	3.7	5.5	3.1	20	4642
09-11 LST														0	0
12-14 LST	6.9	9.1	4.2	4.1	1.7	1.8	1.7	1.5	2.5	1.6	1.7	11.5	4.0	9	1294
15-17 LST														0	0
18-20 LST	8.1	4.4	2.9	1.2	0.6	1.2	0.8	0.0	0.0	2.1	3.2	8.0	2.7	19	4487
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	2.7	5.0	2.0	0.0	1.1	0.2	0.0	0.2	0.3	0.9	1.7	1.7	1.3	20	4642
09-11 LST														0	0
12-14 LST	3.8	3.6	1.7	2.4	0.8	0.9	0.0	1.5	1.3	0.8	0.0	5.4	1.9	9	1294
15-17 LST														0	0
18-20 LST	3.9	1.7	0.5	0.6	0.6	0.7	0.3	0.0	0.0	1.7	1.5	3.4	1.2	19	4487
21-23 LST														0	0

ALEXANDROUPOLIS, GREECE

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	28.0	26.0	30.1	29.8	30.5	29.7	31.0	30.9	29.9	30.6	29.0	29.6	355.1	20	4642
	14 LST	28.8	25.4	29.6	29.0	30.7	29.4	30.4	30.5	29.6	30.7	29.4	27.6	351.1	9	1294
	20 LST	28.8	26.9	30.1	29.6	30.8	29.7	30.7	31.0	30.0	30.3	29.2	28.9	356.0	19	4487
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST														0	0
	08 LST	18.5	20.1	19.8	22.7	25.1	22.7	21.6	21.0	21.3	21.1	22.0	20.7	256.6	20	4636
	14 LST	20.5	17.9	17.8	22.1	22.4	19.2	19.1	19.6	17.5	21.0	23.0	21.2	241.3	9	1289
	20 LST	19.3	20.2	21.6	24.7	27.8	26.0	26.1	25.2	25.2	23.1	20.6	19.9	279.7	19	4481
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST														0	0
	08 LST	3.4	2.6	3.9	3.0	2.2	2.0	3.6	3.9	3.9	3.6	2.9	3.6	38.6	20	5494
	14 LST	2.0	3.8	3.1	3.7	3.3	4.6	6.4	7.6	6.7	4.4	2.3	2.0	52.1	9	2350
	20 LST	3.6	3.5	3.7	1.6	1.1	0.5	0.9	1.6	1.7	3.0	3.1	3.4	27.7	20	5721
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST														0	0
	08 LST	6.2	6.0	7.3	8.8	9.2	10.1	10.2	9.6	8.1	7.2	7.9	7.1	97.7	20	5466
	14 LST	12.9	11.4	12.4	13.8	15.0	12.6	12.7	11.6	13.1	13.2	14.0	13.7	156.4	9	2528
	20 LST	6.8	6.5	9.1	9.2	8.8	9.9	11.0	9.8	9.3	9.9	8.9	7.7	106.9	20	5693
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	4.7	6.3	8.1	10.6	12.3	17.7	24.9	25.1	20.0	12.3	6.6	5.6	134.2	20	5494
	14 LST	6.1	7.0	11.2	9.5	11.3	15.5	16.8	19.7	18.7	12.8	6.6	5.9	143.1	9	2570
	20 LST	9.5	11.7	14.2	12.2	11.3	13.2	22.6	23.0	21.4	17.3	11.2	9.4	177.0	19	5344
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	25.0	24.3	28.5	29.0	30.1	29.4	30.9	30.8	29.3	29.3	27.4	27.2	341.2	20	4542
	14 LST	28.6	25.4	29.4	28.5	30.2	29.1	30.4	30.5	28.8	30.2	28.9	27.1	347.1	9	1294
	20 LST	26.1	25.8	28.7	28.7	30.4	29.1	30.6	30.7	29.9	29.7	27.6	26.8	344.1	19	4487
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	17.0	17.1	21.9	24.7	27.0	27.4	30.0	30.0	27.6	23.8	18.7	18.8	284.0	20	4642
	14 LST	27.6	24.1	28.9	28.0	29.9	28.3	29.4	30.5	28.8	29.7	24.8	24.8	356.8	9	1294
	20 LST	20.1	21.0	24.2	24.9	27.0	26.4	29.6	29.2	28.5	26.3	21.0	20.3	298.7	19	4487
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	16.3	16.9	21.7	24.2	26.5	27.4	30.0	29.9	27.4	23.2	18.0	18.5	280.0	20	4642
	14 LST	26.9	24.1	28.9	28.0	29.9	28.3	29.4	30.5	28.8	29.3	26.3	24.8	353.4	9	1294
	20 LST	19.7	21.0	24.2	24.7	26.9	26.3	29.4	29.1	28.4	26.3	20.2	19.9	296.1	19	4487

KOZANI, GREECE

STA NO. 16632 (IN AREA NUMBER 01)

LATITUDE 4017N

LONGITUDE 02150E

ELEVATION(PT) 02083

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	66	66	70	81	86	97	99	95	88	81	77	61	99	6	1102
MEAN MAX TMP (F)	43	48	53	63	69	78	85	82	77	66	56	43	64	6	1102
MEAN MIN TMP (F)	29	32	34	44	50	57	62	61	56	47	40	33	45	4	2339
ADS MIN TMP (F)	3	16	12	23	37	46	52	45	45	28	23	9	3	9	2339
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	1.8	4.4	3.8	0.0	0.0	0.0	0.0	17.0	6	1102
MEAN NO DYS TMP = OR LES 32(F)	21.3	14.4	12.4	1.2	0.0	0.0	0.0	0.0	0.0	0.3	2.1	11.9	64.6	9	2339
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	2339
MEAN DEW PT TMP (F)	30	30	30	39	45	50	52	49	48	46	41	31	41	7	-29
MEAN REL HUM (PCT)	80	71	64	61	62	57	52	50	56	71	78	77	65	7	-35
MEAN PRESS ALT (PT)	1967	2003	2033	2090	2099	2051	2073	2055	2006	1983	1989	2001	2026	0	-30
MEAN PRECIP (IN)	2.05	1.23	1.43	1.93	2.47	2.45	1.50	1.12	1.11	3.19	3.37	5.30	27.1	10	2322
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0					9	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.3	3.6	2.7	4.2	5.6	4.7	3.4	1.7	3.0	3.7	6.4	6.6	53.1	10	2322
MEAN NO DYS SNFL = OR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0					0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														30	-24
MEAN NO DYS TSMS	0.0	0.0	0.3	0.3	2.0	3.0	1.0	1.0	1.0	1.0	1.0	0.3	10.9	0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

KOZANI, GREECE
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST														0	0
	07 LST	1.0	2.0	3.4	2.4	0.0	3.3	8.8	0.0	0.0	3.5	2.0	0.0	26.4	10	272
	13 LST	1.1	5.0	0.0	0.0	0.0	6.4	0.0	0.0	7.5	1.5	0.0	1.0	22.5	10	202
	19 LST	1.4	0.0	2.3	0.0	0.0	0.0	0.0	0.0	0.0	2.3	0.0	0.0	6.0	10	129
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST														0	0
	07 LST	2.0	1.0	7.5	3.6	0.0	6.6	2.2	7.7	0.0	5.8	2.3	0.0	38.7	9	263
	13 LST	2.2	1.2	7.7	8.8	3.4	2.1	15.3	12.4	0.0	6.2	4.0	3.2	66.7	9	198
	19 LST	0.0	0.0	2.3	12.0	0.0	3.3	6.2	0.0	0.0	7.7	2.1	3.2	36.8	9	124
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	7.3	9.7	12.8	11.3	12.3	17.6	24.9	24.7	20.0	11.3	7.4	5.3	164.8	10	2430
	13 LST	6.6	6.9	9.0	6.8	4.0	7.5	12.4	13.1	12.6	10.5	7.9	4.8	102.1	10	2432
	19 LST	11.3	11.4	13.2	12.0	9.9	10.8	16.4	17.4	19.3	13.9	9.8	11.5	134.9	10	2065
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0

KERKIRA, GREECE

STA NO. 10641 (IN AREA NUMBER 01)

LATITUDE 3937N

LONGITUDE 01985E

ELEVATION(FT) 00007

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	68	73	76	83	94	97	101	106	100	87	82	70	106	36	-528
MEAN MAX TMP (F)	56	57	61	67	75	82	87	88	82	74	65	59	71	36	-28
MEAN MIN TMP (F)	44	44	47	51	58	64	68	69	65	59	53	47	56	36	-28
ABS MIN TMP (F)	25	23	27	37	44	50	46	34	41	39	27	27	23	36	-528
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.2	4.6	14.2	17.2	2.9	0.0	0.0	0.0	39.1	11	3088
MEAN NO DYS TMP = DR LES 32(F)	4.4	2.6	2.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	3.3	13.8	11	3166
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	3166
MEAN DEW PT TMP (F)	42	42	45	49	56	61	63	66	61	57	50	43	53	33	-29
MEAN REL HUM (PCT)	76	74	75	73	71	69	64	69	68	75	75	72	72	26	-28
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	6.30	5.50	3.70	3.10	1.90	1.00	0.30	0.70	2.50	6.90	6.30	7.90	46.1	36	-28
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0	0.0				36	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	11.0	10.8	7.4	7.1	5.8	3.0	0.7	2.1	6.6	9.5	9.7	11.3	85.0	36	-29
MEAN NO DYS SNPL = DR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0	0.0				36	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	1.0	1.0	1.0	1.0	1.0	1.0	1.0	1.0	2.0	3.0	2.0	2.0	17.0	30	-24
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 3000 FT A/D LES 3 MI	30.1	20.1	30.4	28.0	17.2	8.1	1.9	6.5	5.8	29.5	28.3	38.6	20.4	8	1728
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	11.8	8.8	9.2	5.9	4.8	0.9	0.7	1.3	3.2	6.3	11.6	12.4	6.4	20	4789
09-11 LST														0	0
12-14 LST	14.4	11.5	8.0	7.5	3.8	2.0	0.0	1.3	0.0	14.6	10.8	21.6	8.0	8	1154
15-17 LST														0	0
18-20 LST	4.5	3.6	2.6	2.8	3.4	0.2	0.3	0.7	1.2	3.2	4.6	5.0	2.7	20	4454
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	2.3	2.1	2.2	0.8	0.8	0.0	0.0	0.4	0.7	0.7	1.3	2.3	1.1	20	4789
09-11 LST														0	0
12-14 LST	2.9	2.7	0.0	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.9	0.9	8	1154
15-17 LST														0	0
18-20 LST	0.6	0.3	0.0	0.3	0.6	0.0	0.2	0.2	0.2	0.0	0.0	0.8	0.3	20	4454
21-23 LST														0	0

KERKIRA, GREECE

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	28.8	26.6	29.1	28.9	30.3	29.9	30.8	30.7	29.3	30.3	27.8	28.8	351.3	20	4789
	13 LST	28.0	26.5	30.7	28.5	30.7	29.6	31.0	31.0	30.0	29.3	29.6	27.3	352.2	5	1154
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SPC WND LES 10 KTS	01 LST														0	0
	07 LST	22.8	21.5	24.9	27.0	27.7	28.7	29.9	29.9	28.1	25.9	22.4	23.4	312.2	20	4787
	13 LST	20.8	18.5	20.5	23.8	25.3	27.5	27.2	28.1	27.0	20.0	19.8	18.2	276.7	8	1152
SPC WND = GTR 17 KTS AND NO PRECIP.	01 LST														0	0
	07 LST	0.9	1.1	0.5	0.0	0.1	0.2	0.2	0.1	0.1	0.2	0.6	0.8	4.8	20	5906
	13 LST	1.1	2.4	1.5	1.0	0.7	0.2	1.0	0.7	0.7	0.8	1.7	1.6	13.4	8	2601
SPC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST														0	0
	07 LST	5.7	5.9	4.9	5.3	3.5	4.3	2.7	2.3	3.6	4.4	5.2	5.6	53.6	20	5897
	13 LST	7.2	5.6	8.0	10.7	11.5	14.4	10.8	9.4	7.3	5.6	5.1	6.2	101.8	8	2593
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	8.8	9.3	10.6	12.3	15.8	21.0	27.3	25.6	18.6	13.7	8.1	8.5	179.6	20	5894
	13 LST	8.5	8.9	10.0	9.7	9.8	20.1	27.3	25.4	16.5	12.3	9.7	5.9	164.1	8	2603
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	24.6	23.0	26.0	27.1	28.3	29.0	30.6	30.3	28.4	27.0	24.0	23.6	321.9	20	4789
	13 LST	23.8	22.3	25.2	25.5	28.3	28.7	31.0	30.1	29.2	23.2	23.1	19.4	309.8	8	1154
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	22.0	21.2	23.3	26.3	27.4	28.1	30.5	29.9	27.9	25.0	22.1	21.0	304.7	20	4789
	13 LST	22.9	21.8	24.4	23.8	27.1	28.1	31.0	30.1	28.5	22.6	22.4	17.6	300.3	8	1154
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	22.0	21.2	23.1	26.2	27.4	28.1	30.5	29.7	27.9	25.0	22.1	21.0	304.2	20	4789
	13 LST	22.9	21.8	24.4	23.8	27.1	28.1	31.0	30.1	28.5	22.6	22.4	17.6	300.3	8	1154
	19 LST	25.8	24.2	26.9	26.7	27.7	29.2	30.3	30.5	28.8	27.0	25.1	25.6	327.8	20	4454

IOANNINA, GREECE

STA NO. 16642 (IN AREA NUMBER 01)

LATITUDE 3940N

LONGITUDE 02051E

ELEVATION(FT) 01588

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	63	68	80	89	96	99	105	106	102	91	79	67	106	24	-335
MEAN MAX TMP (F)	50	53	60	67	76	84	91	92	85	71	61	52	70	15	-35
MEAN MIN TMP (F)	35	36	41	46	54	60	64	63	59	51	44	49	50	15	-35
ABS MIN TMP (F)	14	15	21	32	37	41	50	48	41	30	18	16	14	24	-335
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	5.0	12.8	15.1	4.3	0.0	0.0	0.0	37.2	10	2685
MEAN NO DYS TMP = DR LES 32(F)	13.0	11.0	8.0	0.5	0.0	0.0	0.0	0.0	0.0	0.2	4.4	11.7	48.8	10	3006
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	3006
MEAN DEW PT TMP (F)	35	36	40	45	52	57	58	59	58	53	46	45	49	15	-29
MEAN REL HUM (PCT)	77	74	70	68	67	63	56	58	65	77	80	82	70	15	-35
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	4.80	5.00	4.10	3.80	4.20	3.10	1.10	0.60	2.30	3.20	6.10	6.80	47.1	36	-35
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0	0.0				24	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	10.4	10.6	7.5	7.4	7.5	7.6	3.3	1.7	6.2	9.5	9.7	11.1	92.5	36	-29
MEAN NO DYS SNPL = DR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0	0.0				24	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS	1.0	1.0	1.0	3.0	5.0	5.0	3.0	3.0	3.0	4.0	3.0	1.0	33.0	30	-24
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	28.6	23.6	23.6	20.5	17.1	8.9	7.0	8.7	17.6	21.0	26.5	27.1	19.2	20	4674
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST	15.2	16.5	15.3	13.7	12.4	4.9	9.0	9.8	8.8	2.8	3.6	6.8	9.9	11	3208
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	15.2	8.7	7.0	3.5	2.2	0.3	0.3	1.2	5.7	10.5	13.0	15.1	7.1	20	4674
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST	4.0	4.2	2.6	2.6	0.0	0.0	0.0	0.0	0.7	0.3	0.4	0.0	1.2	11	3208
21-23 LST														0	0

IOANNINA, GREECE

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	22.8	22.0	24.1	24.4	26.0	27.4	28.8	28.3	24.8	25.0	22.8	23.2	299.6	20	4674
	13 LST														0	0
	19 LST	26.3	23.5	26.3	26.0	27.2	28.5	28.3	27.9	27.3	30.1	29.0	29.0	329.4	11	3208
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SPC WND LES 10 KTS	01 LST														0	0
	07 LST	19.0	19.5	20.9	21.9	24.7	26.6	28.0	27.6	24.0	22.4	19.8	20.6	275.0	20	4668
	13 LST														0	0
	19 LST	23.4	21.1	23.3	23.3	25.7	26.1	24.6	25.3	25.1	26.8	26.3	26.2	297.2	11	3208
SPC WND = GTR 17 KTS AND NO PRECIP.	01 LST														0	0
	07 LST	1.2	0.9	1.4	0.4	0.3	0.5	0.4	0.4	0.4	0.9	0.5	0.5	7.8	20	5509
	13 LST														0	0
	19 LST	1.7	1.0	1.0	0.6	0.2	0.7	0.7	0.4	0.6	1.2	0.4	1.6	10.1	11	3216
SPC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST														0	0
	07 LST	3.4	3.8	4.0	5.3	4.1	4.2	3.9	2.7	2.1	3.0	3.2	3.7	43.4	20	5480
	13 LST														0	0
	19 LST	4.2	5.9	8.0	8.9	8.2	13.6	11.6	11.8	5.7	6.4	3.9	4.5	92.7	11	3216
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	6.6	7.0	7.7	7.1	10.4	17.8	24.4	24.6	15.4	9.6	4.8	7.3	142.7	20	5076
	13 LST														0	0
	19 LST	9.6	10.0	9.0	6.4	6.0	11.7	17.1	19.4	16.7	15.5	10.4	11.6	143.4	11	3213
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	18.8	18.6	22.0	21.7	24.2	26.8	28.7	28.2	24.3	23.0	18.9	20.3	275.3	20	4674
	13 LST														0	0
	19 LST	24.2	21.7	25.0	24.3	26.0	28.0	28.1	27.8	27.1	29.3	26.3	26.7	314.5	11	3208
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	11.4	13.2	17.0	16.9	20.9	25.0	27.4	27.4	22.2	17.4	10.8	12.6	222.2	20	4674
	13 LST														0	0
	19 LST	16.1	15.1	17.5	15.4	17.3	22.6	25.0	24.5	23.3	21.7	17.0	18.8	234.3	11	3208
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	11.3	13.2	16.9	16.8	20.8	24.9	27.4	27.4	22.2	17.3	10.6	12.4	221.2	20	4674
	13 LST														0	0
	19 LST	16.1	15.1	17.5	15.4	17.2	22.4	25.0	24.5	23.3	21.7	17.0	18.8	234.0	11	3208

LARISA, GREECE

LATITUDE 3938N

LONGITUDE 02227E

ELEVATION(FT) 00239

STA NO. 1664B (IN AREA NUMBER 01)

PARAMETER DESCRIPTION

	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	69	79	86	92	100	109	113	109	106	101	84	72	113	30	-28
MEAN MAX TMP (F)	50	54	62	71	80	86	93	93	85	73	60	53	72	30	-28
MEAN MIN TMP (F)	33	35	40	47	55	63	67	66	61	53	44	37	50	30	-28
ABS MIN TMP (F)	9	12	21	30	41	50	55	54	41	35	20	14	9	30	-28
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0			9.0	23.0	23.0	7.8		0.0	0.0		30	-29
MEAN NO DYS TMP = OR LES 32(F)				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	30	-29
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	-50
MEAN DEW PT TMP (F)	35	36	40	47	56	59	61	59	57	52	47	38	49	0	-28
MEAN REL HUM (PCT)	83	79	75	67	66	57	52	52	61	75	82	84	69	10	-28
MEAN PRESS ALT (FT)	120	158	182	227	233	250	288	260	176	130	120	130	190	0	-50
MEAN PRECIP (IN)	1.90	1.70	1.50	1.50	2.10	1.30	0.90	0.70	1.00	2.60	2.80	2.40	20.4	36	-28
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0	0.0				30	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	6.1	5.5	4.9	4.9	6.1	3.8	2.7	2.1	3.5	6.7	7.1	7.5	60.7	30	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0	0.0				0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0	0.3	0.3	0.3	1.0	1.0	1.0	1.0	0.3	0.3	0.3	0.3	6.1	30	-24
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 3000 FT A/D LES 3 MI	54.1	36.9	38.6	25.3	16.9	12.3	5.1	6.2	18.7	33.7	46.7	54.8	29.3	9	5332
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	30.1	15.5	13.3	5.3	2.8	1.0	1.0	0.6	3.1	10.7	13.0	30.3	10.7	20	5372
09-11 LST														0	0
12-14 LST	6.9	3.9	5.6	3.8	2.4	1.1	0.6	1.2	2.8	4.3	5.5	14.4	4.4	9	2327
15-17 LST														0	0
18-20 LST	24.0	16.0	15.4	11.3	6.9	2.3	0.4	1.1	7.4	16.6	17.4	22.5	11.8	20	5382
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	17.3	6.8	5.1	1.8	0.4	0.2	0.8	0.2	0.4	5.1	9.3	13.9	5.3	20	5372
09-11 LST														0	0
12-14 LST	4.6	1.0	1.9	2.3	0.3	0.0	0.6	0.6	1.1	0.5	0.9	3.8	1.5	9	2327
15-17 LST														0	0
18-20 LST	10.2	2.6	3.1	8.1	4.3	0.8	0.2	0.4	2.4	2.9	7.7	9.4	4.3	20	5382
21-23 LST														0	0

LARISA, GREECE

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	22.1	24.0	27.3	28.6	30.3	29.8	30.6	30.8	29.1	27.7	25.9	22.2	328.4	20	5572
	13 LST	29.2	27.4	29.7	29.2	30.7	29.8	30.8	30.6	29.4	30.0	29.0	27.4	353.2	9	2327
	19 LST	23.9	23.7	26.5	26.7	28.9	29.5	30.8	30.8	27.8	25.8	24.8	24.3	323.5	20	5382
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SPC WND LES 10 KTS	01 LST														0	0
	07 LST	19.3	21.4	24.7	27.0	29.1	28.5	29.4	29.4	28.0	25.8	23.0	19.6	305.2	20	5568
	13 LST	24.8	21.0	21.6	23.2	23.1	22.7	23.4	24.3	24.4	24.5	23.3	22.9	281.2	9	2326
	19 LST	20.4	20.6	21.9	22.8	24.9	24.0	23.2	22.8	22.7	21.9	22.6	22.4	270.2	20	5378
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST														0	0
	07 LST	0.5	1.1	0.7	0.5	0.1	0.2	0.4	0.4	0.1	0.3	0.3	0.6	3.2	20	5827
	13 LST	1.7	4.0	3.3	2.3	2.6	2.5	2.9	2.9	1.6	1.6	1.1	0.8	27.5	9	2643
	19 LST	1.2	0.7	1.3	0.8	1.0	1.3	2.0	1.3	0.8	1.1	0.7	0.4	12.8	20	5780
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST														0	0
	07 LST	4.0	3.3	5.2	4.6	4.2	5.6	5.4	5.6	4.1	3.9	2.4	3.1	51.4	20	5813
	13 LST	7.2	8.6	10.5	11.9	13.1	9.4	4.1	5.7	14.7	11.1	7.9	7.2	111.4	9	2627
	19 LST	5.6	8.2	11.2	12.6	12.7	15.7	15.3	15.9	15.4	11.2	5.6	4.9	134.3	20	5760
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	4.6	8.3	7.9	11.8	15.4	20.2	24.2	24.9	17.6	11.3	5.4	5.7	157.3	20	5796
	13 LST	9.1	9.8	8.2	9.3	8.1	16.6	21.6	20.9	16.9	13.9	7.4	6.4	148.2	9	2628
	19 LST	8.2	11.2	11.1	10.1	9.4	12.5	20.9	22.0	19.2	13.4	8.7	9.9	136.6	20	5735
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	19.0	22.1	23.9	27.2	29.4	29.3	30.4	30.8	28.6	26.0	23.2	19.6	309.5	20	5572
	13 LST	26.9	25.1	27.8	27.4	28.9	28.8	30.6	30.2	28.6	28.0	26.4	24.3	333.0	9	2327
	19 LST	20.9	22.2	23.9	25.3	28.2	28.4	30.7	30.5	27.3	24.5	22.8	21.7	306.4	20	5382
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	14.0	17.8	19.6	25.1	27.7	28.5	29.5	30.2	26.5	21.6	16.7	15.0	272.2	20	5572
	13 LST	21.2	19.8	22.2	23.8	26.2	27.0	29.6	29.4	26.4	24.8	19.2	16.7	286.3	9	2327
	19 LST	16.3	19.0	20.0	22.1	25.2	26.7	29.6	29.2	26.0	21.4	17.9	17.9	271.3	20	5382
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	13.2	17.6	19.4	23.1	27.7	28.4	29.5	30.1	26.4	21.3	16.2	14.6	269.5	20	5572
	13 LST	20.7	19.3	21.6	23.2	26.0	26.6	29.6	29.0	26.4	24.4	18.5	16.0	281.3	9	2327
	19 LST	16.2	18.9	20.0	22.1	25.1	26.6	29.6	29.2	25.9	21.2	17.7	17.9	270.4	20	5382

VOLOS, GREECE

STA NO. 16661 (IN AREA NUMBER 01)

LATITUDE 3922N

LONGITUDE 0225E

ELEVATION(FT) 00020

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	73	77	81	95	99	104	108	108	109	91	86	77	108	32	-35
MEAN MAX TMP (F)	54	56	61	68	76	84	89	88	82	75	64	57	71	32	-35
MEAN MIN TMP (F)	39	41	45	50	58	65	70	69	63	56	49	43	54	32	-35
ABS MIN TMP (F)	19	19	28	34	42	50	59	57	46	43	31	25	19	32	-35
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0			6.5	14.4	12.6	4.5		0.0	0.0		32	-29
MEAN NO DYS TMP = DR LES 32(F)				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			32	-29
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	32	-29
MEAN DEW PT TMP (F)	39	41	44	49	57	62	64	63	59	57	50	44	52	30	-29
MEAN REL HUM (PCT)	78	77	75	72	72	69	63	63	67	76	80	81	73	25	-35
MEAN PRESS ALT (FT)														0	0
MEAN PRESS ALT (FT)	2.30	2.30	1.80	1.40	1.70	1.30	0.60	0.70	1.10	2.40	2.90	2.50	21.0	46	-33
MEAN PRECIP (IN)				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			32	-29
MEAN SNOW FALL (IN)	7.0	7.0	5.6	4.6	5.4	3.8	1.7	2.1	3.8	4.4	7.2	7.5	62.1	46	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			32	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.3	0.3	0.3	0.3	2.0	3.0	2.0	1.0	1.0	1.0	1.0	0.3	12.5	30	-24
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

VOLOS, GREECE
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SPC WND LES 10 KTS	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
SPC WND = GTR 17 KTS AND NO PRECIP.	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
SPC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
CIG = GTR 4000 FT AND VSBY = GTR 3 MI	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0

DATA NOT AVAILABLE

NEA ANKHALOS, GREECE

STA NO. 16665 (IN AREA NUMBER 01)

LATITUDE 3912N

LONGITUDE 02240E

ELEVATION(FT) 03082

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	73	77	81	95	99	104	108	108	105	91	86	77	108	32	-16661
MEAN MAX TMP (F)	54	56	61	68	76	84	89	88	82	75	64	57	71	32	-15661
MEAN MIN TMP (F)	39	41	45	50	58	65	70	69	63	56	49	43	54	32	-16661
ABS MIN TMP (F)	19	19	28	34	42	50	59	57	46	43	31	25	19	32	-16661
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0			6.5	14.4	12.6	4.5		0.0	0.0		32	-29
MEAN NO DYS TMP = OR LES 32(F)				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	32	-29
MEAN NO DYS TMP = OR LES D(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	-50
MEAN DEW PT TMP (F)	39	40	44	49	55	63	64	64	59	57	50	43	52	0	-50
MEAN REL HUM (PCT)	78	77	75	72	72	69	63	63	67	76	80	81	73	29	-16661
MEAN PRESS ALT (FT)	-35	2	24	70	74	89	127	99	18	-25	-33	-24	32	0	-50
MEAN PRESS ALT (FT)	-35	2	24	70	74	89	127	99	18	-25	-33	-24	32	46	-16661
MEAN PRECIP (IN)	2.30	2.30	1.80	1.40	1.70	1.30	0.60	0.70	1.10	2.40	2.90	2.50	21.0	32	-29
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	32	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	7.0	7.0	5.6	4.6	5.4	3.8	1.7	2.1	3.8	6.4	7.2	7.5	62.1	46	-29
MEAN NO DYS SNPL = OR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														30	-16661
MEAN NO DYS TSTMS	0.3	0.3	0.3	0.3	2.0	3.0	2.0	1.0	1.0	1.0	1.0	0.3	12.5	0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

NEA ANKHALOS, GREECE
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SPC WND LES 10 KTS	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
SPC WND = GTR 17 KTS AND NO PRECIP.	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
SPC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST													0	0
	08 LST													0	0
	14 LST													0	0
	20 LST													0	0

DATA NOT AVAILABLE

LEVKAS, GREECE

LATITUDE 3850N

LONGITUDE 02043E

ELEVATION(FT) 00020

STA NO. 16669 (IN AREA NUMBER 01)

PARAMETER DESCRIPTION

	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	68	72	77	79	86	95	97	104	99	86	75	73	104	11	1764
MEAN MAX TMP (F)	57	60	61	66	75	82	87	88	81	73	64	59	71	11	2872
MEAN MIN TMP (F)	43	44	46	51	59	65	70	70	65	58	51	46	56	11	2872
ABS MIN TMP (F)	23	25	30	36	48	54	55	59	50	41	34	25	23	11	1764
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	2.3	7.6	11.8	1.0	0.0	0.0	0.0	22.7	11	2872
MEAN NO DYS TMP = DR LES 32(F)	2.9	1.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	5.7	11	2872
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN DEV PT TMP (F)	44	46	47	52	60	64	68	69	65	59	52	48	56	8	-35
MEAN REL HUM (PCT)	82	82	80	80	80	75	73	74	78	82	84	84	80	0	0
MEAN PRESS ALT (FT)													42.6	25	-35
MEAN PRECIP (IN)	6.20	4.80	3.60	2.50	1.60	0.80	0.20	0.80	1.80	5.70	6.20	8.40	42.6	11	-29
MEAN SNOW FALL (IN)			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			25	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	11.0	10.4	7.3	6.6	5.2	2.4	0.3	2.4	5.3	9.7	9.7	11.4	81.7	11	-29
MEAN NO DYS SNPL = DR GTR 1.5 IN			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
PDR 00-02 LST														0	0
03-05 LST	18.5	21.0	18.0	16.4	13.1	6.1	3.7	6.4	8.9	12.8	16.5	21.1	13.5	17	4555
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														11	3175
18-20 LST	0.8	0.0	0.4	0.0	0.4	0.0	0.0	0.0	0.7	1.0	1.2	0.4	0.4	0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
PDR 00-02 LST														0	0
03-05 LST	8.8	9.8	5.2	2.5	2.8	1.5	1.5	1.9	2.9	5.4	8.4	12.6	5.1	17	4555
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														11	3175
18-20 LST	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0
21-23 LST														0	0

LEVKAS, GREECE
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	25.4	22.2	25.4	25.0	26.9	28.2	29.8	29.0	27.4	27.3	25.1	24.7	316.4	17	4555
	13 LST														0	0
	19 LST	30.8	28.0	31.0	30.0	31.0	30.0	31.0	31.0	29.7	30.8	29.8	31.0	364.1	11	3175
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SPC WND LES 10 KTS	01 LST														0	0
	07 LST	21.4	18.5	22.1	22.8	25.0	26.9	28.7	28.1	26.2	24.9	21.8	21.5	267.9	17	4551
	13 LST														0	0
	19 LST	26.2	23.7	26.4	25.7	27.5	25.3	27.7	27.7	28.0	28.2	25.2	27.0	318.6	11	3175
SPC WND = GTR 17 KTS AND NO PRECIP.	01 LST														0	0
	07 LST	2.3	2.4	2.2	1.3	0.8	0.7	0.7	0.0	0.6	1.3	2.1	2.0	16.4	17	4860
	13 LST														0	0
	19 LST	1.9	2.8	2.8	2.2	1.6	1.8	1.1	1.5	1.0	1.2	2.0	1.8	21.7	11	3220
SPC WND 4-10 KTS AND THP 33-89 DEG F AND NO PRECIP.	01 LST														0	0
	07 LST	6.7	4.9	6.3	7.8	6.9	8.0	6.0	5.0	4.2	4.2	4.4	5.0	69.4	17	4845
	13 LST														0	0
	19 LST	8.8	7.7	10.8	14.9	16.4	16.0	16.2	16.7	11.6	7.4	8.6	11.0	146.1	11	3218
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	9.5	9.2	9.7	11.1	15.5	21.3	26.9	25.9	19.0	12.7	8.6	8.4	177.8	17	4627
	13 LST														0	0
	19 LST	11.9	14.1	14.0	14.0	14.4	20.2	26.4	25.7	19.7	18.3	11.6	14.4	204.7	11	3221
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	24.6	21.5	24.9	24.9	26.7	27.9	29.7	28.8	27.1	26.3	24.0	23.2	309.6	17	4555
	13 LST														0	0
	19 LST	29.8	27.3	30.5	29.6	30.4	30.0	30.8	30.8	29.6	29.8	28.4	29.7	356.7	11	3175
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	19.6	16.9	21.1	23.1	24.0	27.1	29.5	28.6	26.0	23.5	19.2	19.2	277.8	17	4555
	13 LST														0	0
	19 LST	23.4	22.2	26.5	25.2	26.8	28.9	30.4	30.1	27.8	26.3	23.1	25.0	315.7	11	3175
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	19.6	16.9	21.0	23.1	24.0	27.1	29.5	28.5	25.9	23.5	19.2	19.2	277.5	17	4555
	13 LST														0	0
	19 LST	23.3	22.0	26.5	25.2	26.7	28.9	30.4	30.1	27.8	26.3	23.1	25.0	315.3	11	3175

AGRINION, GREECE

STA NO. 16672 (IN AREA NUMBER 01)

LATITUDE 3837N LONGITUDE 02124E ELEVATION(FT) 00118

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	68	72	88	90	99	102	111	109	100	97	77	70	111	10	3593
MEAN MAX TMP (F)	55	58	62	71	78	87	94	94	87	76	63	58	74	10	3583
MEAN MIN TMP (F)	39	40	43	49	56	61	66	66	61	55	47	42	52	8	2895
ABS MIN TMP (F)	25	25	27	34	43	52	57	52	50	36	27	23	23	8	2895
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.1	2.1	11.7	27.2	25.0	11.8	1.1	0.0	0.0	79.0	10	3583
MEAN NO DYS TMP = OR LES 32(F)	5.4	2.5	2.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	3.8	14.1	8	2895
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2895
MEAN DEW PT TMP (F)	41	41	41	48	53	58	59	59	58	56	50	44	51	9	-29
MEAN REL HUM (PCT)	80	75	69	67	65	61	53	54	62	73	81	81	68	10	-35
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	3.00	4.10	3.20	2.40	2.20	1.60	0.40	0.40	1.60	4.50	5.50	6.70	37.6	28	-35
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0	0.0				8	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	10.6	9.9	7.2	6.5	6.3	4.6	1.1	1.1	4.9	9.1	9.6	11.1	82.0	28	-29
MEAN NO DYS SNPL = OR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0	0.0				8	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1900 FT A/D LES 3 MI														0	0
PCA 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
PDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

AGRINION, GREECE
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SPC WND LES 10 KTS	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
SPC WND = GTR 17 KTS AND NO PRECIP.	01 LST														0	0
	07 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	312
	13 LST	0.0	0.0	0.0	1.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	10	207
	19 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	212
SPC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST														0	0
	07 LST	0.5	0.0	5.1	0.9	2.8	0.0	0.0	5.5	0.0	0.0	0.0	0.0	14.8	9	312
	13 LST	0.0	0.0	1.7	0.0	2.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	4.7	10	205
	19 LST	0.0	0.0	1.8	0.0	3.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.0	10	212
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	6.8	6.6	10.3	13.5	14.9	21.9	28.3	26.7	21.7	11.0	6.8	4.6	173.1	10	3561
	13 LST	7.4	7.6	9.6	9.5	8.1	14.9	20.9	21.3	14.8	11.7	8.3	6.5	140.6	10	3570
	19 LST	11.7	11.4	14.8	14.2	12.5	17.9	26.6	25.5	21.9	17.3	12.4	7.3	193.5	10	3580
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0

ANDRAVIDHA, GREECE

STA NO. 16682 (IN AREA NUMBER 01)

LATITUDE 3755N

LONGITUDE 02117E

ELEVATION(FT) 0090

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	FOR (YAS)	NO. OBS
ABS MAX TMP (F)	68	73	84	77	90	99	99	106	99	84	77	73	106	7	-16687
MEAN MAX TMP (F)	57	58	60	64	75	84	88	89	82	73	65	59	71	7	-16687
MEAN MIN TMP (F)	45	45	46	50	56	63	66	67	64	58	53	47	55	7	-16687
ABS MIN TMP (F)	28	28	27	39	43	52	57	54	52	45	37	23	23	7	-16687
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.2	7.0	14.4	14.5	2.7	0.0	0.0	0.0	38.8	7	-16687
MEAN NO DYS TMP = DR LES 32(F)	0.8	0.3	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	2.4	7	-16687
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	-16687
MEAN DEW PT TMP (F)	42	41	44	48	53	58	62	62	60	58	51	46	52	0	-50
MEAN REL HUM (PCT)	78	77	78	78	79	69	66	66	72	73	78	76	74	6	-16687
MEAN PRESS ALT (FT)	-60	-20	-6	51	26	14	38	24	-20	-44	-34	-31	-4	0	-50
MEAN PRECIP (IN)	4.06	5.03	3.01	2.89	0.73	0.25	0.03	0.08	2.74	3.62	5.76	4.03	32.2	7	-16687
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			7	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	10.3	7.2	6.8	6.2	2.0	0.5	0.2	0.3	2.9	6.2	11.8	8.1	62.3	7	-16687
MEAN NO DYS SNPL = DR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			7	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 3 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	3.0	0.5	0.7	0.0	0.0	0.6	0.5	0.0	0.0	2.0	0.0	0.6	7	-16687
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST	0.0	1.2	0.5	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.6	0.2	7	-16687
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	2.4	0.5	0.0	0.0	0.0	0.6	0.5	0.0	0.0	0.7	0.0	0.4	7	-16687
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.1	7	-16687
21-23 LST														0	0

ANDRAVIDHA, GREECE
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	31.0	27.3	30.8	30.0	31.0	30.0	30.8	30.8	30.0	31.0	29.3	31.0	303.0	7	-16087
	13 LST														0	0
	19 LST	31.0	27.6	30.8	30.0	31.0	30.0	31.0	31.0	30.0	31.0	30.0	30.8	304.2	7	-16087
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST														0	0
	07 LST	22.2	19.0	20.8	21.9	28.1	26.3	29.4	27.8	26.2	24.4	22.1	22.0	290.2	7	-16087
	13 LST														0	0
	19 LST	20.3	19.6	17.9	20.6	26.9	24.5	24.1	21.7	23.7	23.3	20.4	20.4	263.4	7	-16087
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST														0	0
	07 LST	2.6	2.6	3.2	2.6	1.2	0.8	0.1	0.5	0.6	2.0	2.6	3.5	22.3	7	-16087
	13 LST														0	0
	19 LST	3.5	2.5	5.0	1.6	0.6	1.5	2.0	2.2	2.7	1.6	3.2	4.2	30.6	7	-16087
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST														0	0
	07 LST	9.2	4.8	6.9	7.8	5.6	8.1	7.4	6.7	6.3	10.1	8.4	8.1	89.4	7	-16087
	13 LST														0	0
	19 LST	9.6	8.5	8.9	12.8	10.5	13.2	13.6	11.9	9.3	11.2	8.4	9.3	127.2	7	-16087
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	6.8	5.7	6.6	9.8	13.8	20.4	27.2	28.4	17.9	13.3	5.0	8.2	163.1	7	-16087
	13 LST														0	0
	19 LST	8.9	10.3	9.6	8.9	15.3	19.3	26.5	27.4	20.1	15.3	8.0	11.0	180.6	7	-16087
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	29.8	25.5	29.4	28.9	30.3	29.6	30.8	30.6	29.8	30.3	28.3	30.1	333.4	7	-16087
	13 LST														0	0
	19 LST	30.6	26.1	29.6	29.3	30.5	29.8	31.0	31.0	29.4	30.6	28.6	30.4	356.9	7	-16087
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	28.9	24.5	28.6	28.5	29.9	29.1	30.8	30.4	29.8	29.9	26.9	29.4	346.7	7	-16087
	13 LST														0	0
	19 LST	29.9	25.1	28.6	28.9	30.3	29.4	31.0	31.0	29.3	30.1	27.8	30.1	351.5	7	-16087
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	28.9	24.5	28.6	28.5	29.9	29.1	30.8	30.4	29.8	29.8	26.9	29.4	346.6	7	-16087
	13 LST														0	0
	19 LST	29.9	25.1	28.6	28.9	30.3	29.4	31.0	31.0	29.3	30.1	27.8	30.1	351.5	7	-16087

ARAXOS, GREECE

STA NO. 16687 (IN AREA NUMBER 01)

LATITUDE 3809N

LONGITUDE 02125E

ELEVATION(FT) 00050

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	68	73	84	77	90	99	99	106	99	84	77	73	106	7	2037
MEAN MAX TMP (F)	57	58	60	64	75	84	88	89	82	73	65	59	71	7	2041
MEAN MIN TMP (F)	45	45	46	50	56	63	66	67	64	58	53	47	55	7	2041
ABS MIN TMP (F)	28	28	27	39	43	52	57	54	52	45	37	23	23	7	2037
MEAN ND DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.2	7.0	14.4	14.5	2.7	0.0	0.0	0.0	38.8	7	2041
MEAN ND DYS TMP = DR LES 32(F)	0.8	0.9	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	2.4	7	2041
MEAN ND DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	-50
MEAN DEW PT TMP (F)	40	42	45	50	55	60	63	63	61	57	49	45	53	6	-35
MEAN REL HUM (PCT)	78	77	78	78	79	69	66	66	72	73	78	76	74	0	-50
MEAN PRESS ALT (FT)	-64	-28	-10	34	43	62	105	77	-4	-53	-62	-56	4	7	2000
MEAN PRECIP (IN)	4.06	5.03	3.01	2.89	0.73	0.25	0.03	0.08	2.74	3.62	5.76	4.03	32.2	7	-29
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			7	2000
MEAN ND DYS PRCP = DR GTR 0.1 IN	10.3	7.2	6.8	6.2	2.0	0.5	0.2	0.3	2.9	6.2	11.8	8.1	62.5	7	-29
MEAN ND DYS SNFL = DR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			0	0
MEAN ND DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN ND DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 3000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 5 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	3.0	0.5	0.7	0.0	0.0	0.6	0.5	0.0	0.0	2.0	0.0	0.6	7	2063
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST	0.0	1.2	0.5	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.6	0.2	7	2057
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	2.4	0.5	0.0	0.0	0.0	0.6	0.5	0.0	0.0	0.7	0.0	0.4	7	2063
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.1	7	2057
21-23 LST														0	0

ARAXOS, GREECE

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	31.0	27.3	30.8	30.0	31.0	30.0	30.8	30.8	30.0	31.0	29.3	31.0	363.0	7	2063
	13 LST														0	0
	19 LST	31.0	27.6	30.8	30.0	31.0	30.0	31.0	31.0	30.0	31.0	30.0	30.8	364.2	7	2057
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SPC WND LES 10 KTS	01 LST														0	0
	07 LST	22.2	19.0	20.8	21.9	28.1	26.3	29.4	27.8	26.2	24.4	22.1	22.0	290.2	7	2062
	13 LST														0	0
	19 LST	20.3	19.6	17.9	20.6	26.9	24.5	24.1	21.7	23.7	23.3	20.4	20.4	263.4	7	2055
SPC WND = GTR 17 KTS AND NO PRECIP.	01 LST														0	0
	07 LST	2.6	2.6	3.2	2.6	1.2	0.8	0.1	0.5	0.6	2.0	2.6	3.5	22.3	7	2066
	13 LST														0	0
	19 LST	3.3	2.3	3.0	1.6	0.6	1.3	2.0	2.2	2.7	1.6	3.2	4.2	30.6	7	2057
SPC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST														0	0
	07 LST	9.2	4.8	6.9	7.8	3.6	8.1	7.4	6.7	6.3	10.1	8.4	8.1	89.4	7	2063
	13 LST														0	0
	19 LST	9.6	6.5	8.9	12.8	10.3	13.2	13.6	11.9	9.3	11.2	8.4	9.3	127.2	7	2057
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	6.8	5.7	6.6	9.8	13.8	20.4	27.2	28.4	17.9	13.3	3.0	8.2	163.1	7	2066
	13 LST														0	0
	19 LST	8.9	10.3	9.6	8.9	15.3	19.3	26.5	27.4	20.1	15.3	6.0	11.0	180.6	7	2059
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	29.8	25.5	29.4	28.9	30.3	29.6	30.8	30.6	29.8	30.3	28.3	30.1	333.4	7	2063
	13 LST														0	0
	19 LST	30.6	26.1	29.6	29.3	30.5	29.8	31.0	31.0	29.4	30.6	28.6	30.4	336.9	7	2057
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	28.9	24.5	28.6	28.5	29.9	29.1	30.8	30.4	29.8	29.9	26.9	29.4	346.7	7	2063
	13 LST														0	0
	19 LST	29.9	25.1	28.6	28.9	30.3	29.4	31.0	31.0	29.3	30.1	27.8	30.1	351.5	7	2057
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST	28.9	24.5	28.6	28.5	29.9	29.1	30.8	30.4	29.8	29.8	26.9	29.4	346.6	7	2063
	13 LST														0	0
	19 LST	29.9	25.1	28.6	28.9	30.3	29.4	31.0	31.0	29.3	30.1	27.8	30.1	351.5	7	2057

ATHINAI-FILADELFIA, GREECE

STA NO. 16701 (IN AREA NUMBER 01)

LATITUDE 3803N

LONGITUDE 02340E

ELEVATION(FT) 00338

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
ABS MAX TMP (F)	68	77	84	90	93	100	108	111	104	88	81	72	111	11	3307
MEAN MAX TMP (F)	56	59	59	68	78	86	91	92	84	73	65	59	73	11	3307
MEAN MIN TMP (F)	41	41	43	49	57	65	69	70	63	56	49	43	54	11	3303
ABS MIN TMP (F)	23	23	28	37	45	54	61	59	46	43	30	27	23	11	3303
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.1	2.0	10.6	23.1	22.5	7.1	0.0	0.0	0.0	65.4	11	3307
MEAN NO DYS TMP = DR LES 32(F)	3.5	1.7	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	1.7	8.3	11	3303
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	3303
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	2.48	1.04	1.49	1.19	1.01	0.38	0.20	0.20	0.79	2.46	2.28	1.88	15.4	11	3259
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			11	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	5.9	3.1	4.6	3.1	2.4	0.9	0.3	0.6	1.5	3.7	5.8	4.3	36.2	11	3259
MEAN NO DYS SNFL = DR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			11	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	1.1	1.8	0.8	0.0	0.0	0.0	0.3	0.0	0.0	0.6	0.7	0.7	0.5	11	3303
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST	0.4	0.5	0.0	0.4	0.0	0.0	0.0	0.0	0.3	0.3	0.7	0.4	0.3	11	3308
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FDR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	3303
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST	0.0	0.5	0.0	0.4	0.0	0.0	0.0	0.0	0.3	0.3	0.7	0.0	0.2	11	3308
21-23 LST														0	0

ATHINAI-FILADELPHIA, GREECE

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	31.0	27.6	31.0	30.0	31.0	30.0	30.8	31.0	30.0	31.0	29.8	31.0	304.2	11	3303
	14 LST														0	0
	20 LST	31.0	27.6	31.0	29.8	31.0	30.0	31.0	31.0	29.8	30.9	29.7	31.0	304.0	11	3308
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	02 LST														0	0
	08 LST	26.6	23.8	25.3	27.7	30.3	27.0	24.2	25.7	26.6	26.8	26.8	28.2	319.0	11	3303
	14 LST														0	0
	20 LST	27.3	24.1	25.9	27.2	29.6	28.4	27.5	27.4	27.1	26.0	25.3	27.3	323.1	11	3306
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST														0	0
	08 LST	1.0	0.7	1.5	0.2	0.0	0.5	1.5	1.0	0.4	0.6	0.6	0.3	8.3	11	3306
	14 LST														0	0
	20 LST	0.7	0.7	0.7	0.1	0.0	0.4	0.5	0.5	0.3	0.9	0.4	0.6	5.8	11	3309
SFC WND 4-10 KTS AND TMP 33-89 DEG P AND NO PRECIP.	02 LST														0	0
	08 LST	9.0	7.2	8.6	9.4	7.8	10.1	9.4	8.6	7.2	8.1	6.9	8.6	100.9	11	3305
	14 LST														0	0
	20 LST	8.1	8.5	9.1	10.5	8.4	13.1	15.5	13.8	10.8	9.2	8.2	5.8	121.0	11	3306
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	8.1	10.9	8.0	12.4	17.7	25.0	28.6	29.4	23.3	14.3	9.4	8.0	196.0	11	3305
	14 LST														0	0
	20 LST	12.4	14.3	15.6	15.6	16.4	21.6	28.4	29.0	24.1	19.6	14.0	14.5	223.5	11	3310
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	27.6	26.1	28.7	28.7	30.4	30.0	30.7	30.9	29.7	29.8	28.2	28.2	349.0	11	3303
	14 LST														0	0
	20 LST	29.2	27.2	29.8	29.3	30.2	29.8	31.0	31.0	29.6	30.4	28.9	29.5	353.9	11	3308
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	20.4	22.5	23.6	24.9	27.9	28.5	30.2	30.6	27.3	26.0	23.1	23.7	308.7	11	3303
	14 LST														0	0
	20 LST	24.2	23.5	25.2	25.6	27.4	28.1	29.7	30.2	27.5	28.0	24.3	23.2	319.1	11	3308
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	20.4	22.5	23.6	24.9	27.9	28.5	30.2	30.6	27.3	26.0	23.1	23.7	308.7	11	3303
	14 LST														0	0
	20 LST	24.2	23.5	25.2	25.6	27.4	28.1	29.9	30.2	27.5	28.0	24.3	23.2	319.1	11	3308

ATHINAI, GREECE

STA NO. 16716 (IN AREA NUMBER 01)

LATITUDE 3753N

LONGITUDE 02343E

ELEVATION(FT) 00090

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	72	73	83	91	104	109	106	111	103	95	87	72	111	72	-528
MEAN MAX TMP (F)	54	55	60	67	77	85	90	90	83	74	64	57	71	72	-28
MEAN MIN TMP (F)	42	43	46	52	60	67	72	72	66	60	52	46	57	72	-28
ABS MIN TMP (F)	20	21	20	35	42	54	58	59	48	44	30	24	20	72	-528
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	1.2	8.0	21.1	22.6	6.0	0.0	0.0	0.0	58.9	13	3500
MEAN NO DYS TMP = DR LES 32(F)	1.5	0.6	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.6	3.0	13	3581
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	3581
MEAN DEW PT TMP (F)	37	40	38	44	50	53	58	59	57	52	51	44	49	3	7617
MEAN REL HUM (PCT)	74	70	67	63	59	53	47	47	56	67	73	75	63	30	-32
MEAN PRESS ALT (FT)	-24	11	29	80	78	87	122	97	26	-15	-16	-9	39	0	-50
MEAN PRECIP (IN)	2.20	1.60	1.40	0.80	0.80	0.60	0.20	0.40	0.60	1.70	2.80	2.80	15.9	80	-28
MEAN SNOW FALL (IN)		0.0	0.0	0.0										1	89
MEAN NO DYS PRCP = DR GTR 0.1 IN	6.8	5.2	4.6	2.7	2.7	1.7	0.3	1.1	2.6	3.1	7.1	6.1	46.0	80	-29
MEAN NO DYS SNPL = DR GTR 1.5 IN		0.0	0.0	0.0										1	89
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	333
MEAN NO DYS TSTMS	1.0	1.0	1.0	1.0	2.0	2.0	1.0	1.0	1.0	2.0	2.0	1.0	16.0	30	-24
P FREQ WND SPD = DR GTR 1' KTS	6.9	14.2	3.6	3.3	4.0	4.6	8.2	10.9	4.2	0.7	1.6	6.4	3.9	3	7636
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.2	0.1	3	7636
P FREQ LES 5000 FT A/D LES 3 MI	25.2	23.5	22.1	12.3	11.2	6.6	3.4	3.2	7.9	11.6	17.3	27.4	14.3	9	60917
PDR 00-02 LST	1.5	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.9	0.3	8	7471
03-05 LST	0.8	0.4	0.3	0.0	0.0	0.0	0.0	0.0	0.7	0.8	1.4	0.7	0.4	9	7677
06-08 LST	1.3	1.0	1.0	1.0	1.3	0.8	0.2	0.1	0.3	0.3	1.1	0.5	0.8	20	11152
09-11 LST	2.3	0.9	2.2	0.8	2.3	0.7	0.2	0.8	0.2	0.3	0.9	2.5	1.2	9	7820
12-14 LST	0.9	1.2	0.8	0.7	0.8	0.0	0.0	0.0	0.0	1.0	0.9	3.2	0.8	9	7773
15-17 LST	0.6	0.9	0.6	0.4	0.6	0.0	0.0	0.0	0.3	0.2	1.0	1.1	0.3	9	7696
18-20 LST	0.8	1.0	0.7	0.3	0.3	0.1	0.0	0.0	0.2	0.3	0.7	0.3	0.4	20	10900
21-23 LST	1.1	0.6	0.4	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.5	0.6	0.3	9	7479
P FREQ LES 300 FT A/D LES 1 MI															
PDR 00-02 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.3	0.1	8	7471
03-05 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.1	9	7677
06-08 LST	0.1	0.0	0.0	0.0	0.3	0.1	0.0	0.0	0.0	0.0	0.4	0.2	0.1	20	11152
09-11 LST	0.8	0.2	0.3	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.2	9	7820
12-14 LST	0.3	0.2	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.2	0.0	0.3	0.1	9	7773
15-17 LST	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.2	0.1	0.0	9	7696
18-20 LST	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	20	10900
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	7479

ATHINAI, GREECE

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST	30.4	28.0	31.0	29.8	31.0	30.0	31.0	31.0	30.0	31.0	29.8	30.7	303.7	9	2568
	08 LST	30.3	27.7	30.7	29.6	30.4	29.6	30.9	30.9	29.9	30.8	29.6	30.8	361.2	20	5945
	14 LST	31.0	27.5	30.8	29.8	30.8	30.0	31.0	31.0	30.0	30.7	29.7	30.3	362.6	9	2635
	20 LST	30.8	27.7	30.9	29.8	31.0	30.0	31.0	31.0	29.9	30.9	29.8	30.8	363.6	20	5857
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SPC WND LES 10 KTS	02 LST	21.7	18.5	24.2	25.0	28.2	26.5	26.5	25.1	24.3	23.7	23.2	20.8	287.7	9	2567
	08 LST	21.1	19.6	23.4	24.1	26.8	24.0	22.1	22.9	24.5	23.4	22.9	21.7	276.5	20	5944
	14 LST	18.7	14.7	16.2	16.6	15.1	14.6	14.2	13.1	16.2	18.3	20.3	17.7	195.8	9	2634
	20 LST	20.0	17.7	19.5	21.3	24.9	21.4	18.4	17.7	21.1	21.0	20.8	20.0	243.8	20	5856
SPC WND = GTR 17 KTS AND NO PRECIP.	02 LST	1.1	1.3	1.0	0.4	0.5	0.2	0.7	0.5	0.8	1.1	1.2	2.6	11.4	9	2566
	08 LST	1.5	1.4	1.3	0.3	0.6	0.9	1.9	1.6	1.0	0.9	1.5	1.8	14.7	20	5943
	14 LST	3.5	3.0	2.8	2.0	1.8	2.4	3.7	4.1	2.5	1.2	1.5	2.0	30.5	9	2645
	20 LST	1.7	1.7	1.7	0.8	0.7	0.8	1.3	1.1	1.0	0.9	1.5	1.8	15.0	20	5862
SPC WND 4-10 KTS AND TMP 33-89 DEG P AND NO PRECIP.	02 LST	9.7	10.5	9.2	9.8	9.1	8.4	11.7	14.2	10.5	9.5	7.8	7.4	117.8	9	2563
	08 LST	11.0	10.4	10.0	8.7	8.1	8.9	10.5	12.0	10.6	9.0	9.5	10.8	119.5	20	5943
	14 LST	9.4	9.2	10.6	13.3	12.8	11.0	11.0	8.4	10.8	9.8	6.8	6.8	118.1	9	2643
	20 LST	13.5	11.1	13.4	14.4	14.4	15.2	16.8	15.1	16.0	13.0	12.0	12.4	167.3	20	5862
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	7.9	9.6	8.8	13.0	17.2	24.0	28.6	29.4	22.5	14.3	8.0	9.3	192.6	12	3387
	14 LST		9.0	11.0	16.0										1	89
	20 LST	11.8	12.8	12.7	12.7	14.7	20.6	28.4	28.8	21.9	17.4	12.0	13.0	206.8	12	3361
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST	29.4	27.2	29.8	29.5	30.4	30.0	31.0	31.0	29.8	30.4	28.8	29.3	356.6	9	2568
	08 LST	28.2	26.0	29.1	28.9	30.0	29.6	30.8	30.9	29.5	30.2	26.7	28.8	350.7	20	5945
	14 LST	29.4	25.7	29.3	29.3	30.1	29.8	31.0	31.0	29.7	30.1	28.3	27.6	351.3	9	2635
	20 LST	29.7	26.7	29.9	29.1	30.6	29.9	30.9	30.9	29.7	30.1	28.9	29.4	355.8	20	5857
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST	25.5	24.5	26.7	28.4	29.7	29.7	30.5	30.8	29.1	28.8	25.7	24.7	334.1	9	2568
	08 LST	21.9	21.2	23.7	27.1	29.2	28.8	30.7	30.7	28.7	27.9	24.2	24.0	318.1	20	5945
	14 LST	22.4	19.7	23.8	26.3	26.0	27.1	29.8	30.5	26.9	26.3	25.1	20.7	304.6	9	2635
	20 LST	25.7	22.5	25.5	26.8	28.5	28.9	30.5	30.4	28.7	28.2	26.8	25.0	327.5	20	5857
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST	22.4	21.7	24.7	27.1	29.4	28.9	30.5	30.8	28.8	27.4	22.9	20.9	315.5	9	2568
	08 LST	20.5	20.2	22.6	26.6	28.6	28.5	30.4	30.6	28.3	27.0	23.0	22.4	308.7	20	5945
	14 LST	19.4	17.4	21.8	24.7	25.5	26.8	29.5	30.2	26.2	25.2	23.7	17.7	288.1	9	2635
	20 LST	24.2	21.8	24.5	26.2	28.3	28.6	30.5	30.3	28.4	27.5	26.2	23.4	319.9	20	5857

ELEVSIS, GREECE

STA NO. 16718 (IN AREA NUMBER 01)

LATITUDE 3804N

LONGITUDE 02333E

ELEVATION(FT) 00070

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
														(YRS)	DBS
ABS MAX TMP (F)	72	73	83	91	104	109	106	111	103	95	87	72	111	72	-16716
MEAN MAX TMP (F)	54	55	60	67	77	85	90	90	83	74	64	57	71	72	-16716
MEAN MIN TMP (F)	42	43	46	52	60	67	72	72	66	60	52	46	57	72	-16716
ABS MIN TMP (F)	20	21	20	35	42	54	58	59	48	44	30	24	20	72	-16716
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	1.2	8.0	21.1	22.6	6.0	0.0	0.0	0.0	58.9	13	-16716
MEAN NO DYS TMP = DR LES 32(F)	1.5	0.6	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.6	3.0	13	-16716
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13	-16716
MEAN DEW PT TMP (F)	37	40	38	44	50	53	48	59	57	52	51	44	49	3	-16716
MEAN REL HUM (PCT)	74	70	67	63	59	53	47	47	56	67	73	75	63	30	-16716
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	2.20	1.60	1.40	0.80	0.80	0.60	0.20	0.40	0.60	1.70	2.80	2.80	15.9	80	-16716
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		72	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	6.8	5.2	4.6	2.7	2.7	1.7	0.3	1.1	2.6	5.1	7.1	8.1	48.0	80	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		72	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	-16716
MEAN NO DYS TSTMS	1.0	1.0	1.0	1.0	2.0	2.0	1.0	1.0	1.0	2.0	2.0	1.0	16.0	30	-16716
P FREQ WND SPD = DR GTR 17 KTS	6.9	14.2	3.6	5.5	4.0	4.6	8.2	10.9	4.2	0.7	1.6	6.4	5.9	3	-16716
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.2	0.1	3	-16716
P FREQ LES 5000 FT A/D LES 5 MI	25.2	23.5	22.1	12.3	11.2	6.6	3.4	3.2	7.9	11.6	17.3	27.4	14.3	9	-16716
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	1.5	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.9	0.3	8	-16716
03-05 LST	0.8	0.4	0.5	0.0	0.0	0.0	0.0	0.0	0.7	0.8	1.4	0.7	0.4	9	-16716
06-08 LST	1.5	1.0	1.0	1.0	1.5	0.8	0.2	0.1	0.5	0.3	1.1	0.5	0.8	20	-16716
09-11 LST	2.3	2.9	2.2	0.8	2.5	0.7	0.2	0.8	0.2	0.5	0.9	2.5	1.2	9	-16716
12-14 LST	0.9	1.2	0.8	0.7	0.8	0.0	0.0	0.0	0.0	1.0	0.9	3.2	0.8	9	-16716
15-17 LST	0.6	0.9	0.6	0.4	0.6	0.0	0.0	0.0	0.3	0.2	1.0	1.1	0.5	9	-16716
18-20 LST	0.8	1.0	0.7	0.3	0.3	0.1	0.0	0.0	0.2	0.2	0.7	0.5	0.4	20	-16716
21-23 LST	1.1	0.6	0.4	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.5	0.6	0.3	9	-16716
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.3	0.1	8	-16716
03-05 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.5	0.1	9	-16716
06-08 LST	0.1	0.0	0.0	0.0	0.3	0.1	0.0	0.0	0.0	0.0	0.4	0.2	0.1	20	-16716
09-11 LST	0.8	0.2	0.3	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.2	9	-16716
12-14 LST	0.3	0.2	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.2	0.0	0.3	0.1	9	-16716
15-17 LST	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.2	0.1	0.0	9	-16716
18-20 LST	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	20	-16716
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	-16716

ELEFSIS, GREECE

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST	30.4	28.0	31.0	29.8	31.0	30.0	31.0	31.0	30.0	31.0	29.8	30.7	303.7	9	-16716
	08 LST	30.3	27.7	30.7	29.6	30.4	29.6	30.9	30.9	29.9	30.8	29.4	30.8	301.2	20	-16716
	14 LST	31.0	27.5	30.8	29.8	30.8	30.0	31.0	31.0	30.0	30.7	29.7	30.3	302.6	9	-16716
	20 LST	30.8	27.7	30.9	29.8	31.0	30.0	31.0	31.0	29.9	30.9	29.8	30.8	303.6	20	-16716
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST	21.7	18.5	24.2	25.0	28.2	26.5	26.5	25.1	24.3	23.7	23.2	20.8	287.7	9	-16716
	08 LST	21.1	19.6	23.4	24.1	26.8	24.0	22.1	22.9	24.5	23.4	22.9	21.7	276.5	20	-16716
	14 LST	18.7	14.7	16.3	16.6	15.1	14.6	14.2	13.1	16.2	18.3	20.3	17.7	195.8	9	-16716
	20 LST	20.0	17.7	19.5	21.3	24.9	21.4	18.4	17.7	21.1	21.0	20.8	20.0	243.8	20	-16716
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST	1.1	1.3	1.0	0.4	0.5	0.2	0.7	0.5	0.8	1.1	1.2	2.6	11.4	9	-16716
	08 LST	1.3	1.4	1.3	0.3	0.6	0.9	1.9	1.6	1.0	0.9	1.3	1.8	14.7	20	-16716
	14 LST	3.5	3.0	2.8	2.0	1.8	2.4	3.7	4.1	2.5	1.2	1.5	2.0	30.5	9	-16716
	20 LST	1.7	1.7	1.7	0.8	0.7	0.8	1.3	1.1	1.0	0.9	1.5	1.8	15.0	20	-16716
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST	9.7	10.5	9.2	9.8	9.1	8.4	11.7	14.2	10.5	9.5	7.8	7.4	117.8	9	-16716
	08 LST	11.0	10.4	10.0	8.7	8.1	8.9	10.5	12.0	10.6	9.0	9.5	10.8	119.5	20	-16716
	14 LST	9.4	9.2	10.6	13.5	12.8	11.0	11.0	6.4	10.8	9.8	6.8	6.8	118.1	9	-16716
	20 LST	13.5	11.1	13.4	14.4	14.4	13.2	16.8	13.1	16.0	13.0	12.0	12.4	167.3	20	-16716
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	7.9	9.6	8.8	13.0	17.2	24.0	28.6	29.4	22.5	14.3	8.0	9.3	192.6	12	-16716
	14 LST		9.0	11.0	16.0										1	-16716
	20 LST	11.8	12.8	12.7	12.7	14.7	20.6	28.4	28.8	21.9	17.4	12.0	13.0	206.8	12	-16716
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST	29.0	27.2	29.8	29.5	30.4	30.0	31.0	31.0	29.8	30.4	28.8	29.3	336.6	9	-16716
	08 LST	28.2	26.0	29.1	26.9	30.0	29.6	30.8	30.9	29.5	30.2	28.7	28.8	330.7	20	-16716
	14 LST	29.4	25.7	29.3	29.3	30.1	29.8	31.0	31.0	29.7	30.1	28.3	27.6	351.3	9	-16716
	20 LST	29.7	26.7	29.9	29.1	30.6	29.9	30.9	30.9	29.7	30.1	28.9	29.4	335.8	20	-16716
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST	25.5	24.5	26.7	28.4	29.7	29.7	30.5	30.8	29.1	28.8	25.7	24.7	334.1	9	-16716
	08 LST	21.9	21.2	23.7	27.1	29.2	28.8	30.7	30.7	28.7	27.9	24.2	24.0	318.1	20	-16716
	14 LST	22.4	19.7	23.8	25.3	26.0	27.1	29.8	30.5	26.9	26.3	23.1	20.7	304.6	9	-16716
	20 LST	23.7	22.5	25.5	26.8	28.5	28.9	30.3	30.4	28.7	28.2	26.8	25.0	327.5	20	-16716
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST	22.4	21.7	24.7	27.1	29.4	28.9	30.5	30.8	28.8	27.4	22.9	20.9	315.5	9	-16716
	08 LST	20.5	20.2	22.6	26.6	28.6	28.5	30.4	30.6	28.3	27.0	23.0	22.4	308.7	20	-16716
	14 LST	19.4	17.4	21.8	24.7	23.5	26.8	29.5	30.2	26.2	23.2	23.7	17.7	288.1	9	-16716
	20 LST	24.2	21.8	24.5	26.2	28.3	28.6	30.5	30.3	28.4	27.5	26.2	23.4	319.9	20	-16716

AREA NO. 01

GREECE

GREECE
BOUNDARIES

LATITUDE 4000N LONGITUDE 02200E

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)		52	55	59	66	75	83	89	89	82	72	62	55	70
MEAN MIN TMP (F)		38	39	42	48	56	63	67	67	62	54	47	42	52
LARGEST MEAN PRECIP(IN)		6.30	5.50	4.10	3.80	4.20	3.10	1.50	1.12	2.74	6.90	6.30	8.40	54.0
SMALLEST MEAN PRECIP(IN)		1.34	1.04	1.40	0.80	0.73	0.25	0.03	0.08	0.30	1.70	2.28	1.85	12.0
MEAN NUMBER OF DAYS														
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	30.4	28.0	31.0	29.8	31.0	30.0	31.0	31.0	30.0	31.0	29.8	30.7	363.7
	07 LST	27.1	25.0	28.5	28.5	29.7	29.4	30.5	30.4	29.0	29.1	27.2	27.1	341.5
	13 LST	29.5	27.0	30.4	29.3	30.5	29.8	30.7	30.8	29.7	30.0	29.4	27.6	354.7
	19 LST	29.2	26.6	29.8	29.1	30.3	29.7	30.6	30.6	29.4	30.2	28.9	29.4	353.8
CIG = GTR 2000 FT AND VSEY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	21.7	18.5	24.2	23.0	28.2	26.5	26.5	25.1	24.3	23.7	23.2	20.8	287.7
	07 LST	21.3	20.2	22.9	24.7	27.4	26.5	27.1	27.0	26.1	24.5	22.4	22.0	292.1
	13 LST	20.5	17.7	20.1	21.7	21.9	21.6	21.9	22.8	22.5	21.5	22.3	19.9	294.4
	19 LST	22.9	21.3	23.0	24.2	27.1	25.7	25.6	25.1	25.4	25.1	23.4	23.7	292.5
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	1.1	1.3	1.0	0.4	0.5	0.2	0.7	0.5	0.8	1.1	1.2	2.6	11.4
	07 LST	1.5	1.4	1.8	1.0	0.6	0.8	1.6	0.7	0.7	1.2	1.4	1.3	14.0
	13 LST	2.0	3.2	2.1	2.1	1.5	2.4	2.2	2.3	2.7	1.6	1.2	1.3	24.6
	19 LST	1.7	1.5	1.9	0.8	0.6	0.7	0.9	0.9	0.9	1.3	1.3	1.5	14.0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	9.7	10.5	9.2	9.8	9.1	8.4	11.7	14.2	10.5	9.5	7.8	7.4	117.8
	07 LST	5.5	4.8	6.6	6.3	5.3	6.5	5.6	6.4	4.7	5.4	5.2	5.3	67.6
	13 LST	7.5	6.8	9.5	10.7	10.6	10.1	9.9	8.9	9.0	8.1	7.1	7.3	105.5
	19 LST	6.3	6.6	8.8	10.4	9.2	11.0	11.8	10.6	8.8	8.3	6.5	6.4	104.7
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST													
	07 LST	7.1	8.4	9.1	11.3	14.3	20.5	26.1	26.0	19.4	22.1	6.9	7.2	168.4
	13 LST	7.4	7.8	9.8	9.4	8.5	14.8	19.5	20.1	16.2	11.9	8.1	5.6	139.1
	19 LST	10.9	12.2	12.9	11.8	11.8	16.0	23.4	24.0	20.5	16.5	11.0	11.6	182.6
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	29.4	27.2	29.8	29.5	30.4	30.0	31.0	31.0	29.8	30.4	28.8	29.3	356.6
	07 LST	24.4	23.1	26.4	27.2	29.0	29.1	30.4	30.3	28.6	27.7	25.1	24.7	326.0
	13 LST	27.5	24.8	28.4	27.8	29.4	29.3	30.4	30.6	29.1	28.2	27.0	24.7	337.2
	19 LST	27.2	25.4	28.1	28.0	29.6	29.4	30.5	30.5	29.1	29.2	27.3	27.7	342.0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	25.5	24.5	26.7	28.4	29.7	29.7	30.5	30.8	29.1	28.8	25.7	24.7	334.1
	07 LST	19.5	19.4	22.2	24.8	27.0	27.9	30.0	29.8	27.2	24.3	20.0	20.2	292.3
	13 LST	24.5	22.0	25.9	25.7	27.7	28.1	29.8	30.3	27.7	26.4	24.1	21.0	313.2
	19 LST	22.8	21.8	24.2	24.5	26.3	27.6	29.6	29.5	27.7	26.3	22.9	23.3	306.5
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	22.4	21.7	24.7	27.1	29.4	28.9	30.5	30.8	28.8	27.4	22.9	20.9	315.5
	07 LST	19.2	19.2	21.9	24.7	26.9	27.9	30.0	29.8	27.1	24.1	19.7	19.9	290.4
	13 LST	23.6	21.4	25.4	25.3	27.4	28.0	29.7	30.2	27.6	26.0	23.6	20.3	308.5
	19 LST	22.6	21.7	24.1	24.4	26.2	27.5	29.6	29.4	27.6	26.1	22.7	23.1	305.0

BOUDHA BAY, CRETE

STA NO. 16746 (IN AREA NUMBER 01)

LATITUDE 3532N

LONGITUDE 02408E

ELEVATION(PT) 00480

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	72	84	95	97	99	97	106	104	95	91	84	79	106	10	-16747
MEAN MAX TMP (F)	60	62	62	69	76	83	86	87	82	75	69	62	73	10	-16747
MEAN MIN TMP (F)	48	48	49	54	60	67	71	71	67	61	56	50	59	11	-16747
ABS MIN TMP (F)	32	32	36	45	50	54	54	64	50	50	41	39	32	11	-16747
MEAN NO DYS TMP = DR GTR 90(P)	0.0	0.0	0.5	0.7	1.5	5.0	7.9	7.3	2.6	0.3	0.0	0.0	25.8	10	-16747
MEAN NO DYS TMP = DR LES 32(P)	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	11	-16747
MEAN NO DYS TMP = DR LES 0(P)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	-16747
MEAN DEW PT TMP (F)	46	46	48	46	55	60	64	64	61	57	53	49	54	0	-50
MEAN REL HUM (PCT)	77	72	73	70	66	59	58	60	68	73	76	77	69	9	-16747
MEAN PRESS ALT (FT)	365	403	412	466	463	467	498	481	417	376	384	381	426	0	-50
MEAN PRECIP (IN)	5.08	3.94	2.64	1.14	0.59	0.08	0.03	0.12	1.26	1.50	4.00	6.65	27.8	36	-16747
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	10.6	9.7	6.8	3.9	1.8	0.0	0.0	0.1	4.1	4.7	9.3	11.1	62.1	36	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	1.0	1.0	1.0	1.0	1.0	0.3	0.0	0.0	1.0	2.0	1.0	2.0	11.3	30	-16747
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 3 MI	37.8	37.7	30.8	17.7	7.6	4.4	0.5	1.3	7.6	14.6	30.4	34.5	18.9	9	-16747
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST	7.3	3.3	3.5	1.9	0.4	0.4	0.0	0.0	1.0	2.1	3.2	4.6	2.3	20	-16747
12-14 LST														0	0
15-17 LST	7.2	5.2	3.6	3.6	1.7	0.5	0.0	0.0	1.5	1.5	3.5	7.4	3.1	9	-16747
18-20 LST	9.6	6.4	2.3	4.2	1.5	0.5	0.0	0.5	2.2	1.0	4.9	3.5	3.3	9	-16747
21-23 LST	3.7	1.4	4.2	0.4	0.8	0.0	0.0	0.0	1.0	1.9	2.7	4.6	1.7	11	-16747
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST	0.6	0.5	0.2	0.2	0.2	0.0	0.0	0.0	0.2	0.4	0.0	0.4	0.2	20	-16747
12-14 LST														0	0
15-17 LST	0.5	0.5	0.5	0.0	0.9	0.0	0.0	0.0	1.0	0.0	1.5	0.8	0.5	9	-16747
18-20 LST	4.4	1.8	0.8	2.1	1.0	0.5	0.0	0.5	1.5	1.3	1.4	0.0	1.3	9	-16747
21-23 LST	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	-16747

SOUDHA BAY, CRETE

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	30.0	27.7	30.5	29.8	30.8	30.0	31.0	31.0	29.8	30.7	29.6	30.6	301.5	20	-16747
	14 LST	29.9	27.6	30.7	29.7	30.7	29.8	31.0	31.0	29.6	30.6	28.9	30.2	359.7	9	-16747
	20 LST	30.3	27.6	30.8	29.7	30.8	29.9	31.0	30.9	29.7	30.8	29.5	30.6	361.5	20	-16747
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST														0	0
	08 LST	22.4	22.2	22.6	24.2	27.2	26.0	27.9	28.2	26.0	27.0	24.6	24.4	302.7	20	-16747
	14 LST	21.0	18.2	18.9	21.7	21.3	23.2	24.9	22.9	18.1	22.7	22.0	21.2	156.1	9	-16747
	20 LST	23.0	21.5	22.0	24.6	26.0	26.4	28.6	28.6	26.1	26.7	24.5	23.4	301.4	20	-16747
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST														0	0
	08 LST	1.9	1.7	2.4	2.0	0.8	1.4	0.8	0.9	1.4	1.0	1.3	2.2	17.8	20	-16747
	14 LST	2.7	2.6	4.2	1.9	4.0	3.4	1.9	2.8	4.3	2.9	2.1	2.9	39.7	9	-16747
	20 LST	1.6	1.9	2.1	1.7	1.5	1.6	0.8	0.3	0.9	0.8	1.3	2.3	16.8	20	-16747
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST														0	0
	08 LST	7.9	8.0	8.2	7.1	9.6	7.4	6.7	6.6	8.2	7.7	8.3	8.9	94.6	20	-16747
	14 LST	12.1	11.6	13.0	14.2	12.6	13.9	12.6	13.1	13.6	15.6	12.3	10.9	155.5	9	-16747
	20 LST	8.0	8.4	9.5	10.7	11.0	9.3	7.5	7.4	8.7	8.9	8.6	6.8	104.8	20	-16747
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	5.7	6.1	8.2	9.8	16.1	23.5	28.4	28.0	20.3	12.2	5.7	5.8	169.8	20	-16747
	14 LST	4.9	5.4	8.9	10.9	13.7	24.0	29.5	29.2	20.0	14.8	5.3	4.1	170.7	9	-16747
	20 LST	8.7	11.1	12.0	13.0	17.3	23.7	29.1	29.6	23.9	16.0	10.3	9.8	204.5	20	-16747
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	23.0	22.9	24.9	26.8	29.8	29.1	30.8	30.6	27.7	26.4	24.3	23.9	320.2	20	-16747
	14 LST	24.4	22.8	25.3	27.0	29.6	29.5	30.8	30.8	28.9	29.0	25.5	24.1	327.7	9	-16747
	20 LST	23.9	22.8	25.2	27.3	29.7	29.7	30.9	30.9	28.7	26.9	24.4	23.9	324.3	20	-16747
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	17.7	17.7	19.8	24.4	28.5	28.7	30.5	30.0	25.9	23.3	19.3	18.6	284.6	20	-16747
	14 LST	18.1	17.8	21.0	24.2	28.3	28.8	30.6	30.8	27.5	26.4	19.6	17.7	291.0	9	-16747
	20 LST	19.8	18.8	21.6	25.4	28.5	29.3	30.9	30.9	28.0	24.2	20.2	20.1	297.7	20	-16747
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	17.5	17.6	19.8	24.3	28.5	28.6	30.4	30.0	25.9	23.1	19.2	18.5	283.4	20	-16747
	14 LST	17.8	17.4	21.0	24.2	28.0	28.8	30.6	30.8	27.5	26.4	19.8	17.5	289.8	9	-16747
	20 LST	19.8	18.8	21.6	25.4	28.5	29.2	30.9	30.9	28.0	24.0	20.1	20.1	297.3	20	-16747

KHANIA, CRETE

STA NO. 16747 (IN AREA NUMBER 01)

LATITUDE 3530N

LONGITUDE 02402E

ELEVATION(PT) 00207

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	72	84	95	97	99	97	106	104	95	91	84	79	106	10	2772
MEAN MAX TMP (F)	60	62	62	69	76	83	86	87	82	75	69	62	73	10	2772
MEAN MIN TMP (F)	45	48	49	54	60	67	71	71	67	61	56	50	59	11	3224
ABS MIN TMP (F)	32	32	36	45	50	54	54	64	50	50	41	39	32	11	3224
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.5	0.7	1.5	3.0	7.9	7.3	2.6	0.3	0.0	0.0	25.8	11	3224
MEAN NO DYS TMP = DR LES 32(F)	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	3224
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN WIND SPD (F)	46	45	46	50	55	58	60	62	62	58	54	48	54	9	-35
MEAN REL HUM (PCT)	77	72	73	70	66	59	58	60	68	73	76	77	69	0	0
MEAN PRESS ALT (PT)														36	-122
MEAN PRECIP (IN)	5.08	3.94	2.64	1.14	0.59	0.08	0.00	0.12	1.26	1.50	4.80	6.65	27.8	11	-29
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	36	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	10.6	9.7	6.8	3.9	1.8	0.0	0.0	0.1	4.1	4.7	9.3	11.1	62.1	11	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	1.0	1.0	1.0	1.0	1.0	0.3	0.0	0.0	1.0	2.0	1.0	2.0	11.3	30	-24
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI	37.8	37.7	30.8	19.7	7.4	4.4	0.5	1.3	7.6	14.6	30.4	34.5	18.9	9	6612
P FREQ LES 1900 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST	7.3	3.3	3.5	1.9	0.4	0.4	0.0	0.0	1.0	2.1	3.2	4.6	2.3	20	5780
12-14 LST														0	0
15-17 LST	7.2	5.2	3.6	3.6	1.7	0.5	0.0	0.0	1.5	1.5	5.5	7.4	3.1	9	2543
18-20 LST	9.6	6.4	2.3	4.2	1.5	0.5	0.0	0.5	2.2	1.9	4.9	5.5	3.3	9	1919
21-23 LST	3.7	1.4	1.2	0.4	0.3	0.0	0.0	0.0	1.0	1.9	2.7	4.6	1.7	11	3237
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST	0.6	0.3	0.2	0.2	0.2	0.0	0.0	0.0	0.2	0.4	0.0	0.4	0.2	20	5780
12-14 LST														0	0
15-17 LST	0.5	0.5	0.5	0.0	0.9	0.0	0.0	0.0	1.0	0.0	1.5	0.8	0.5	9	2543
18-20 LST	4.4	1.8	0.8	2.1	1.0	0.5	0.0	0.5	1.5	1.3	1.4	0.0	1.3	9	1919
21-23 LST	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	3237

KHANIA, CRETE
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	30.0	27.7	30.5	29.8	30.8	30.0	31.0	31.0	29.8	30.7	29.6	30.6	301.5	20	5780
	14 LST	29.9	27.6	30.7	29.7	30.7	29.8	31.0	31.0	29.6	30.6	28.9	30.2	359.7	9	2543
	20 LST	30.3	27.6	30.8	29.7	30.8	29.9	31.0	30.9	29.7	30.8	29.5	30.6	361.6	20	5156
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	02 LST														0	0
	08 LST	22.4	22.2	22.6	24.2	27.2	26.0	27.9	28.2	26.0	27.0	24.6	24.4	302.7	20	5772
	14 LST	21.0	18.2	18.9	21.7	21.3	23.2	24.9	22.9	18.1	22.7	22.0	21.2	256.1	9	2533
	20 LST	23.0	21.9	22.0	24.6	26.0	26.4	28.6	28.6	26.1	26.7	24.5	23.4	301.4	20	5143
SFC WND = GTR 7 KTS AND NO PRECIP.	02 LST														0	0
	08 LST	1.9	1.7	2.4	2.0	0.8	1.4	0.8	0.9	1.4	1.0	1.3	2.2	17.8	20	5864
	14 LST	2.7	2.6	4.2	1.9	4.0	3.4	1.9	2.8	4.3	2.9	2.1	2.9	35.7	9	2658
	20 LST	1.6	1.9	2.1	1.7	1.5	1.6	0.8	0.3	0.9	0.8	1.3	2.3	16.8	20	5885
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST														0	0
	08 LST	7.9	8.0	8.2	7.1	9.6	7.4	6.7	6.6	8.2	7.7	8.3	8.9	94.6	20	5848
	14 LST	12.1	11.6	13.0	14.2	12.6	13.9	12.6	13.1	13.6	13.6	12.3	10.9	155.5	9	2638
	20 LST	8.0	8.4	9.3	10.7	11.0	9.3	7.3	7.4	8.7	8.9	8.6	6.8	104.8	20	5861
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	5.7	6.1	8.2	9.8	16.1	23.5	28.4	28.0	20.3	12.2	5.7	5.8	169.8	20	5860
	14 LST	4.9	5.4	8.9	10.9	13.7	24.0	29.5	29.2	20.0	14.8	5.3	4.1	170.7	9	2659
	20 LST	8.7	11.1	12.0	13.0	17.3	23.7	29.1	29.6	23.9	16.0	10.3	9.8	204.3	20	5255
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	23.0	22.9	24.9	26.8	29.8	29.1	30.8	30.6	27.7	26.4	24.3	23.9	320.2	20	5780
	14 LST	24.4	27.8	25.3	27.0	29.6	29.5	30.8	30.8	28.9	29.0	25.5	24.1	327.7	9	2543
	20 LST	23.9	22.8	25.2	27.3	29.7	29.7	30.9	30.9	28.7	26.9	24.4	23.9	324.3	20	5156
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	17.7	17.7	19.8	24.4	28.5	28.7	30.3	30.0	25.9	23.3	19.5	18.6	284.6	20	5780
	14 LST	18.1	17.8	21.0	24.2	28.3	28.8	30.6	30.8	27.5	26.4	19.8	17.7	291.0	9	2543
	20 LST	19.8	18.3	21.6	25.4	28.5	29.3	30.9	30.9	28.0	24.2	20.2	20.1	297.7	20	5156
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	17.5	17.6	19.8	24.3	28.5	28.6	30.4	30.0	25.9	23.1	19.2	18.5	283.4	20	5780
	14 LST	17.8	17.4	21.0	24.2	28.0	28.8	30.6	30.8	27.5	26.4	19.8	17.5	285.8	9	2543
	20 LST	19.8	18.8	21.6	25.4	28.5	29.2	30.9	30.9	28.0	24.0	20.1	20.1	297.3	20	5156

KRITI/IRAKLION, CRETE

STA NO. 10794 (IN AREA NUMBER 01)

LATITUDE 2920N

LONGITUDE 02511E

ELEVATION(FT) 00115

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	FOR (YRS)	NO. OBS
ABS MAX TMP (F)	76	82	91	98	100	114	106	104	102	96	87	80	114	21	-528
MEAN MAX TMP (F)	60	60	64	70	76	82	85	85	82	77	71	64	73	21	-28
MEAN MIN TMP (F)	48	48	50	54	60	67	72	71	68	62	56	51	59	21	-28
ABS MIN TMP (F)	34	30	35	41	48	50	61	56	34	45	37	37	30	21	-528
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.2	0.6	0.9	2.0	2.6	3.9	0.8	0.3	0.0	0.0	11.3	11	3273
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	11	3283
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	3283
MEAN DEW PT TMP (F)	49	44	45	49	56	62	65	65	63	59	54	49	55	0	-90
MEAN REL HUM (PCT)	79	67	66	57	60	58	57	58	61	64	68	72	64	10	-28
MEAN PRESS ALT (FT)	5	36	55	102	118	148	204	177	91	31	9	7	82	0	-90
MEAN PRECIP (IN)	5.08	3.94	2.04	1.14	0.99	0.08	0.04	0.12	1.26	1.50	4.80	6.65	27.8	36	-122
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	10.6	9.7	6.8	3.9	1.8	0.0	0.0	0.1	4.1	4.7	9.3	11.1	62.1	36	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	1.0	1.0	1.0	0.3	1.0	0.3	0.0	0.0	0.3	1.0	1.0	1.0	7.9	30	-24
MEAN NO DYS TSMS														0	0
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI	26.7	29.8	19.6	15.8	10.3	7.4	2.2	2.5	9.3	7.7	24.7	24.1	14.5	9	6263
P FREQ LES 1900 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST	6.9	4.8	3.8	3.2	1.3	1.4	0.0	0.5	0.6	3.2	4.7	6.4	3.1	10	2471
12-14 LST														0	0
15-17 LST	5.3	4.4	1.8	2.2	1.4	0.9	0.6	0.6	1.7	2.1	4.0	4.3	2.4	9	2441
18-20 LST	3.7	5.5	1.9	2.8	1.8	1.0	0.5	0.0	1.9	0.0	4.7	2.6	2.2	9	2230
21-23 LST										6.3	0.0	10.3		1	90
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST	2.1	1.4	0.5	0.9	0.4	1.0	0.0	0.0	0.0	0.5	0.9	2.0	0.8	10	2471
12-14 LST														0	0
15-17 LST	1.0	2.3	0.5	0.0	0.5	0.0	0.6	0.0	0.6	1.6	1.8	2.1	0.9	9	2441
18-20 LST	0.0	1.6	0.0	0.9	1.3	0.0	0.5	0.0	0.6	0.0	0.5	0.5	0.5	9	2230
21-23 LST										0.0	0.0	0.0		1	90

KRITI/IRAKLION, CRETE
MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	30.0	26.9	30.4	29.3	30.7	29.7	31.0	30.8	30.0	30.4	29.0	29.7	357.9	10	2471
	14 LST	30.4	26.8	30.7	29.5	30.7	30.0	30.8	30.8	29.6	30.5	29.0	30.0	358.8	9	2441
	20 LST	30.2	27.2	30.8	29.2	30.4	29.8	30.8	31.0	29.6	31.0	29.0	30.4	359.4	10	2320
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST														0	0
	08 LST	23.0	21.1	23.4	24.4	27.8	25.5	22.7	24.2	22.3	26.4	23.3	23.1	287.2	10	2469
	14 LST	19.0	17.0	19.7	22.0	21.7	18.4	13.9	15.8	19.5	24.1	22.4	23.3	236.4	9	2437
	20 LST	21.8	19.0	23.9	26.4	28.6	27.6	27.3	28.0	23.7	26.7	23.1	23.9	300.0	10	2316
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST														0	0
	08 LST	3.1	2.1	2.8	1.7	0.6	1.2	1.5	0.9	2.7	0.9	1.5	1.6	20.6	10	2573
	14 LST	2.6	3.0	3.0	3.4	2.7	3.3	3.6	2.6	3.5	2.1	2.2	2.3	34.3	9	2557
	20 LST	2.5	2.0	1.6	1.2	0.4	1.0	0.3	0.1	2.0	0.8	2.0	2.0	15.9	10	2599
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST														0	0
	08 LST	7.8	5.8	8.9	7.5	9.7	12.1	15.3	14.0	8.4	7.7	10.0	8.9	116.1	10	2562
	14 LST	9.4	10.0	15.7	16.5	16.7	16.0	10.9	13.7	16.8	18.3	13.9	11.9	170.0	9	2546
	20 LST	5.7	6.1	8.7	7.3	10.1	11.6	20.0	15.7	11.6	8.4	9.2	7.9	122.5	10	2589
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	7.1	6.7	12.0	13.0	18.6	24.6	28.6	28.7	21.8	14.3	5.8	7.1	188.3	10	2671
	14 LST	4.3	7.0	11.8	14.0	15.7	25.3	29.7	29.2	22.3	14.6	5.1	6.1	185.1	9	2654
	20 LST	9.6	10.4	16.3	17.3	18.6	24.2	29.6	29.4	25.6	19.8	10.1	10.1	221.0	10	2660
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	26.2	24.2	27.4	28.2	30.0	29.2	31.0	30.6	29.3	29.1	26.0	26.1	337.3	10	2471
	14 LST	26.8	24.2	28.2	28.3	30.0	29.1	30.6	30.8	29.4	30.1	26.9	27.1	341.5	9	2441
	20 LST	27.5	23.7	28.4	28.1	30.1	29.5	30.8	30.8	25.2	29.5	26.8	27.3	341.7	10	2320
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	22.7	20.0	24.9	25.6	27.5	28.4	30.8	30.4	28.0	26.5	22.2	22.6	309.6	10	2471
	14 LST	21.7	20.1	25.5	26.3	27.3	28.2	30.4	30.8	28.4	28.7	23.5	23.1	314.0	9	2441
	20 LST	21.6	19.4	25.4	25.6	27.5	28.5	30.8	30.6	28.5	27.8	24.1	23.3	313.1	10	2320
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST														0	0
	08 LST	22.4	19.6	24.7	25.6	27.5	28.4	30.8	30.4	27.7	25.7	21.7	22.5	307.0	10	2471
	14 LST	21.4	19.8	25.5	26.3	27.3	28.2	30.4	30.8	28.3	28.5	23.4	23.0	312.9	9	2441
	20 LST	21.4	19.4	25.3	25.6	27.5	28.5	30.8	30.6	28.5	27.1	24.1	23.2	312.0	10	2320

AREA NO. 01

CREE G, GREECE

CRETE
BOUNDARIES

LATITUDE 3520N

LONGITUDE 02500E

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)		60	61	63	70	76	83	86	86	82	76	70	63	73
MEAN MIN TMP (F)		48	48	50	54	60	67	72	71	68	62	56	51	59
LARGEST MEAN PRECIP(IN)		5.08	3.94	2.64	1.14	0.99	0.08	0.04	0.12	1.26	1.50	4.80	6.65	27.8
SMALLEST MEAN PRECIP(IN)		5.08	3.94	2.64	1.14	0.99	0.08	0.00	0.12	1.26	1.50	4.80	6.65	27.8
		MEAN NUMBER OF DAYS												
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST													
	08 LST	30.0	27.3	30.5	29.6	30.8	29.9	31.0	30.9	29.9	30.6	29.3	30.2	360.0
	14 LST	30.2	27.2	30.7	29.6	30.7	29.9	30.9	30.9	29.6	30.6	29.0	30.1	359.4
	20 LST	30.3	27.4	30.8	29.5	30.6	29.9	30.9	31.0	29.7	30.9	29.3	30.5	360.8
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SPC WND LES 10 KTS	02 LST													
	08 LST	22.7	21.7	23.0	24.3	27.5	25.8	25.3	26.2	24.2	26.7	24.0	23.8	295.2
	14 LST	20.0	17.6	19.3	21.9	21.5	20.8	19.2	19.4	18.8	23.4	22.2	22.3	246.4
	20 LST	22.4	20.3	23.0	25.5	27.3	27.0	28.0	28.3	24.9	26.7	23.8	23.7	300.9
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST													
	08 LST	2.5	1.9	2.6	1.9	0.7	1.3	1.2	0.9	2.1	1.0	1.4	1.9	19.4
	14 LST	2.7	2.8	3.6	2.7	3.4	3.4	2.8	2.7	3.9	2.5	2.2	2.6	35.3
	20 LST	2.1	2.0	1.9	1.5	1.0	1.3	0.6	0.2	1.5	0.8	1.7	2.2	16.8
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST													
	08 LST	7.9	6.9	8.6	7.3	9.7	9.8	11.0	10.3	8.3	7.7	9.2	8.9	105.6
	14 LST	10.8	10.8	14.4	15.4	14.7	15.0	11.8	13.4	15.2	17.1	13.1	11.4	163.1
	20 LST	6.9	7.3	9.1	9.1	10.6	10.5	13.8	11.6	10.2	8.7	8.9	7.4	114.1
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST													
	08 LST	6.4	6.4	10.1	11.4	17.4	24.1	28.5	28.4	21.1	13.3	5.8	6.5	179.4
	14 LST	4.6	6.2	10.4	12.5	14.7	24.7	29.6	29.2	21.2	14.7	5.7	5.1	178.1
	20 LST	9.2	10.8	14.2	15.2	18.0	24.0	29.4	29.5	24.8	17.9	10.2	10.0	213.2
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST													
	08 LST	24.6	23.6	26.2	27.5	29.9	29.2	30.9	30.6	28.5	27.8	25.2	25.0	329.0
	14 LST	25.6	23.5	26.8	27.7	29.8	29.3	30.7	30.8	29.2	29.6	26.2	25.6	334.8
	20 LST	25.7	23.3	26.8	27.7	29.9	29.6	30.9	30.9	29.0	28.2	25.6	25.6	333.2
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST													
	08 LST	20.2	18.9	22.4	23.0	28.0	28.6	30.7	30.2	27.0	24.9	20.9	20.6	297.4
	14 LST	19.9	19.0	23.3	25.3	27.8	28.5	30.5	30.8	28.0	27.6	21.7	20.4	302.8
	20 LST	20.7	19.1	23.5	25.5	28.0	28.9	30.9	30.8	28.3	26.0	22.2	21.7	305.6
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST													
	08 LST	20.0	18.6	22.3	23.0	28.0	28.5	30.6	30.2	26.8	24.4	20.5	20.5	295.4
	14 LST	19.6	18.6	23.3	25.3	27.7	28.5	30.5	30.8	27.9	27.5	21.6	20.3	301.6
	20 LST	20.6	19.1	23.5	25.5	28.0	28.9	30.9	30.8	28.3	25.6	22.1	21.7	305.0