

NAVAL SHIP RESEARCH AND DEVELOPMENT CENTER

Washington, D.C. 20007



**AN ASSAY OF ENVIRONMENTAL DATA
COLLECTED OFF
PANAMA CITY, FLORIDA
FROM 1962 TO 1968**

by

Carl M. Bennett

F. C. W. Olson

Approved for public release;
distribution unlimited.

**NAVAL SHIP RESEARCH AND
DEVELOPMENT LABORATORY
PANAMA CITY, FLORIDA**

RESEARCH AND DEVELOPMENT REPORT

NATIONAL TECHNICAL
INFORMATION SERVICE

MARCH 1971

NSRDL/PC 3444

COPY NO.

✓

A

The Naval Ship Research and Development Center is a U.S. Navy center for laboratory effort directed at achieving improved sea and air vehicles. It was formed in March 1967 by merging the David Taylor Model Basin at Carderock, Maryland, and the Marine Engineering Laboratory (MEL) at Annapolis, Maryland. In November 1967 the Mine Defense Laboratory (MDL), Panama City, Florida, became a part of the Center. In November 1968 MEL was redesignated as the Naval Ship Research and Development Laboratory, Annapolis, Maryland 21402 and MDL was redesignated as the Naval Ship Research and Development Laboratory, Panama City, Florida 32401.

Naval Ship Research and Development Center
Washington, D.C. 20007

UNCLASSIFIED

~~Security Classification~~

DOCUMENT CONTROL DATA - R & D		
<i>(Security classification of title, body of abstract and indexing annotation must be entered when the overall report is classified)</i>		
1. ORIGINATING ACTIVITY (Corporate author)		2a. REPORT SECURITY CLASSIFICATION
Naval Ship Research and Development Laboratory Panama City, Florida 32401		Unclassified
		2b. GROUP
3. REPORT TITLE		
AN ASSAY OF ENVIRONMENTAL DATA COLLECTED OFF PANAMA CITY, FLORIDA, FROM 1962 TO 1968		
4. DESCRIPTIVE NOTES (Type of report and inclusive dates)		
Research and Development		
5. AUTHOR(S) (First name, middle initial, last name)		
Carl M. Bennett and F. C. W. Olson		
6. REPORT DATE	7a. TOTAL NO. OF PAGES	7b. NO. OF REFS
March 1971	314	28
8a. CONTRACT OR GRANT	8b. ORIGINATOR'S REPORT NUMBER(S)	
	NSRDL/PC 3444	
8c. PROJECT NO	8d. OTHER REPORT NO(S) (Any other numbers that may be assigned this report)	
Subject SR 104 03 01		
Task 0582-3		
8d.		
10. DISTRIBUTION STATEMENT		
11. SUPPLEMENTARY NOTES		12. SPONSORING MILITARY ACTIVITY
		Commander, Naval Ship Systems Command Department of the Navy Washington, D. C. 20360
13. ABSTRACT		
<p>An assay of some environmental data collected at two offshore stages in the Gulf of Mexico off Panama City, Florida, in a joint effort of the Texas A & M University, Office of Naval Research, and the Naval Ship Research and Development Laboratory, Panama City, is presented. The philosophy of the assay procedure used, necessary background details, and notes on the data collection are presented along with some observations and remarks about the data and its assay. The original data will be made available to the oceanographic community through The National Oceanographic Data Center in Washington, D. C.</p>		

DD FORM 1473
1 NOV 66UNCLASSIFIED
~~Security Classification~~

14 KEY WORDS	LINK A		LINK B		LINK C	
	ROLE	WT	ROLE	WT	ROLE	WT
Environmental surveys Oceanographic data Data acquisition Environmental tests Assaying Panama City						

**NAVAL SHIP RESEARCH AND
DEVELOPMENT LABORATORY
PANAMA CITY, FLORIDA**

**AN ASSAY OF ENVIRONMENTAL DATA
COLLECTED OFF
PANAMA CITY, FLORIDA
FROM 1962 TO 1968**

by
**Carl M. Bennett
F. C. W. Olson**

Approved for public release;
distribution unlimited.

RESEARCH AND DEVELOPMENT REPORT

MARCH 1971

NSRDL/PC 3444


ABSTRACT


An assay of some environmental data collected at two offshore stages in the Gulf of Mexico off Panama City, Florida, in a joint effort of the Texas A & M University, Office of Naval Research, and the Naval Ship Research and Development Laboratory, Panama City, is presented. The philosophy of the assay procedure used, necessary background details, and notes on the data collection are presented along with some observations and remarks about the data and its assay. The original data will be made available to the oceanographic community through The National Oceanographic Data Center in Washington, D. C.

ADMINISTRATIVE INFORMATION

Data collection was performed under ONR Contract Nonr 2119(4), Navy Department Project NR-083-036, NSRDL/PC subprojects: SR 104 03 01 Task 0582, ZF 011 01 01, Task 11275-33, and NSRDL/PC contract with Texas A & M, A & M Project 286-14. This report and the assay were sponsored by the Naval Ship Systems Command, Code 00V1K, as NSRDL/PC subproject SR 104 03 01, Task 0582-3.

APPROVED AND RELEASED 28 OCTOBER 1970


for N. H. Jasper, Dr. Eng.
Technical Director


L. O. G. Whaley, CAPT, USN
Commanding Officer




NAVAL SHIP RESEARCH AND DEVELOPMENT LABORATORY
PANAMA CITY, FLORIDA 32401

IN REPLY REFER TO.
Code P741

From: Commanding Officer
To: Distribution

Subj: NAVSHIPRANDLAB, Panama City, Unclassified Report NSRDL/PC 3444 of
March 1971; information concerning

1. The accompanying report presents the results of an assay of six years of oceanographic data taken at the two NSRDL offshore platforms (STAGES) off Panama City, Florida.
2. The data tapes have been turned over to the National Oceanographic Data Center together with other information pertinent to the data acquisition program.
3. This report was written to document the kinds of data available and its quality. Further inquiries should be directed to the National Oceanographic Data Center.


L. O. G. WHALEY

(Reverse page iv blank)

TABLE OF CONTENTS

	<u>Page No.</u>
INTRODUCTION.	1
DESCRIPTION OF THE DATA ACQUISITION SYSTEM.	2
THE DATA ASSAY.	4
Purpose.	4
The Data	5
Procedures	8
Format of Results.	9
REMARKS AND OBSERVATIONS.	10
BIBLIOGRAPHY.	12
APPENDIX A - GRAPHS OF MEASUREMENT INSTRUMENTS CALIBRATION TABLES	A-1
APPENDIX B - ASSAY LOGIC FLOW CHART	B-1
APPENDIX C - TIME PLOTS OF ASSAY RESULTS BY MONTH	C-1
APPENDIX D - HISTOGRAMS OF ASSAY RESULTS BY MONTH	D-1
APPENDIX E - LISTINGS OF ASSAY RESULTS BY MONTH	E-1

BLANK PAGE

INTRODUCTION

In June 1962 Texas A & M University began collection of oceanographic data at two Navy owned offshore platforms (stages) off Panama City, Florida. This work was done under an Office of Naval Research (ONR) supported contract and had as its objective the determination of the feasibility of telemetering oceanographic data at a high rate over distances up to 12 miles. The program was continued until June 1966 at which time Naval Ship Research and Development Laboratory, Panama City, (NSRDL) assumed responsibility for operating the system.

During the Texas A & M phase of operations, the primary purpose was not to obtain oceanographic data but to establish the feasibility of doing so by telemetry. When this Laboratory took over the operation of the system, the primary purpose was to obtain oceanographic data. Had the work been initiated by NSRDL, it is likely that the data acquisition schedule used (1 continuous hour of data every 4 hours) would have been different, but since data had been taken for 4 years, it was deemed preferable to maintain the same schedule so that all tapes would be compatible.

The data tapes were processed initially at the Data Processing Center of Texas A & M University. The Texas A & M program continued until April 1966 when this Laboratory acquired the data acquisition system from ONR. NSRDL continued to operate the system until June 1969. The Texas A & M University contracted with NSRDL to continue the data reduction, storage, and retrieval beginning in September 1966. This contract continued until May 1968 at which time the digital computer magnetic tape library of environmental data covering the entire period from 1962 through 1968 was sent to NSRDL.

In June 1969, when the system was turned off, the Laboratory had over 100 tapes of data, few of which had been examined. It was known that some of the data were good, there were long periods where no data were taken from one or both stages, sensors broke down in seemingly random fashion, and the data were not always in chronological order. In short, it was known that the tapes contained much data, but the questions of quantity, quality, time, and location could be answered only incompletely.

To answer these questions, arrange the data chronologically, and then provide some guidance as to the quality of the data, NSRDL Sub-project SR 104 03 01, Task 0582-3 was established and funded by Naval Ship Systems Command, Code 00V1K.

DESCRIPTION OF THE DATA ACQUISITION SYSTEM

The two offshore platforms identified as Stages I and II are 11 miles and 2 miles offshore at Panama City, respectively. Stage I is located at latitude 30°00'34" North, longitude 85°54'12" West, and Stage II at latitude 30°07'12" North, longitude 85°46'30" West. These locations, shown in Figure 1, are included in USCGS Chart 489 (Stage II) and in USCGS Chart 1263 (both stages). The nearshore structure stands in 63 feet of water and the offshore structure, Stage I, is in 103 feet of water. Stage I has a platform dimension of 105 feet by 105 feet with accommodations for about 30 people and ample facilities for research including an air conditioned dry laboratory, machine shop, and adequate electrical power. Stage II, 9 miles shoreward of Stage I on a line normal to the coast, has a platform dimension of 65 feet by 65 feet and similar research accommodations, although somewhat smaller in size. Both platforms have helicopter flight decks providing rapid access to the structures when necessary.

The following brief description of the data system was taken from a memorandum prepared by George B. Austin of NSRDL:

"These structures are instrumented to collect and process ocean data via two 50-channel commutator multiplexing and encoding systems. Data are transmitted via a radio telemetry link to the beach, where they are recorded digitally on magnetic tape.

"The integrated ocean data acquisition system mounted on two offshore platforms had as a goal or objective the provision of ocean data required to support several environment oriented tasks at this Laboratory. A continuing monitor of the ocean environment was also provided on a fairly routine basis. The electronic data acquisition system was assembled and proven by an oceanographic research team from Texas A & M University under an Office of Naval Research contract during 1963 through 1965. The system was turned over to this Laboratory in 1966 by Texas A & M and the Office of Naval Research for Laboratory use.

"This field data system was designed to collect data from a variety of sensors distributed in the air-water column near the two stages. Any transducer is acceptable to the system if its output is conditioned to give a 5-volt full-scale analog signal at an impedance of 10K ohms or

(Text Continued on Page 4)




FIGURE 1. LOCATION OF DATA ACQUISITION SYSTEM

less depending on the desired accuracy. Each of 50 data channels are sampled each second at each of the two stages. The commutator/encoder device samples and digitizes the analog voltages from as many as 49 sensors at each stage. Voltage levels are coded in a serial form of voltage pulses, pulse code modulation (PCM), where each data word consists of 8 binary digits plus a parity check and a word synchronization pulse giving a total of 10 bits per word. System accuracy of the 8-bit encoding is one part in 256 or about ± 20 millivolts (0.4 percent of full scale). This accuracy appears adequate for most oceanographic data. At some expense of available data channels at the sampling rate of a single parameter may be increased from once each second by multiple patching. For example, surface waves are sampled through 5 equally spaced channels of the commutator giving a sampling rate of 5 measurements per second for that parameter. Data are telemetered to the beach via an FM radio link at VHF frequencies 139.50 MHz from Stage I and 136.36 MHz from Stage II. Both signals are received, demodulated, and recorded on separate tracks of a Min Com C-100 magnetic tape recorder. Two recorders are used under a timer control to preserve data continuity (when required), by overlapping the "start" and "stop" times of the two machines. A tape speed of 1-7/8 inches per second on 14-inch diameter tape reels give 12 hours of uninterrupted recording per pass per recorder or 24 hours of continuous uninterrupted data recording of 98 possible oceanographic sensors sampled once each second.

"Data inputs at the platforms include many of the conventional ocean and near ocean parameters such as wind speed and direction, air temperature, water temperature, current speed and direction, and surface waves."

THE DATA ASSAY

PURPOSE

The following assay of environmental data consisting of wind speed and direction, air temperature, water (wave) level, current speed and direction, and water temperature is an attempt to provide entrance points into a unique set of data. The original tapes also contain data on barometric pressure, vertical wind speed, wave angle (differentiated), wave angle (slope), radiation (incoming), radiation (reflected), and bottom pressures from pentagonal arrays. The pressure data have been analyzed and reported in a Navy symposium paper (Bennett and Austin, 1968). The other data, taken at various times and usually for short intervals, are not suited for the systematic assay reported here. The assay is not an analysis of the data. Except for water level data, which was normally sampled 5 times per second, the sampling rate

of the data is once a second. Thus, normally 3600 data values per hour are available for each data type. Only the first second of each minute block of data is used in the assay. The basic assay result is an hourly average of each data type using the above-mentioned 60 data values per data type. In all some 10^9 data values are available in the data set. An index to the data can be found in three Texas A & M reports (Kirst and McMath May 1966, June 1966) and (McMath August 1968). The original data are in computer magnetic tape library form and will be available through The National Oceanographic Data Center (NODC) Washington, D. C. The results of this assay have not been edited. Each user should make his own judgment as to whether an assay average is valid, invalid, good, poor, etc. This then is an assay in the pure sense of the word; and is intended as a means of finding where, in a vast volume of available data, it should be most profitable to work. Where assay results are not given, either basic time data are not available or reliable, or data were not present. A great wealth of oceanographic knowledge is available from the data, This assay is presented to encourage the rendering of this knowledge. The digital tape library consisting of over 100 full 2400-foot tapes has been transferred to the National Oceanographic Data Center in Washington; desired blocks of data may now be obtained from the Center.

A bibliography of papers and reports related to both the collection and utilization of the data is included at the end of the report.

THE DATA

The data assayed here is a subset of the data that may be available during a given time period. A list of the data types that are available during some time period is given in Table 1, along with data type symbols as originally assigned by Texas A & M University. The depth in meters of a particular transducer varied from stage to stage and time to time, depending on the number of transducers operating for a given data type. As a result, the assay for current speed and direction is not given for a particular depth but for the qualitative indices of near the surface, mid-depth, and near the bottom. Near the surface is in general 1 to 6 meters, mid-depth is around 10 meters for Stage II and 15 meters for Stage I, and near the bottom approximately 1 meter above the bottom. A similar problem occurred for water temperature data and is discussed later in the report.

The field logs concerning the data collection (parameter check list shown in Figure 2) have been turned over to NODC and may be consulted when questions arise regarding the sensors, their make, range, calibration, and condition, at any particular time. Figure 2 is a reproduction of one of the pages from the field log. The data values recorded in the digital computer tape library of data are not in engineering units

(Text Continued on Page 8)

TABLE 1

INDEX TO POTENTIALITY AVAILABLE DATA TYPES

<u>Data Type Symbol</u>	<u>Data Type Description</u>
WD (*)	Wind direction
WS (*)	Wind speed
AT (*)	Air temperature
BP (*)	Barometric pressure
RI (*)	Incoming solar radiation
RR (*)	Reflected solar radiation
CD (**)	Current direction
CS (**)	Current speed
WT (**)	Water temperature
SL (**)	Salinity
REF	Reference voltage
HU	Time in hours (units)
MU	Time in minutes
HT	Time in hours (tens)
MT	Time in minutes (tens)
HRS	Time in hours
MIN	Time in minutes
VWS (*)	Vertical wind speed
WLD	Wave angle, differential
WLS	Wave angle, slope
WL (0)	Water level
WL (SA)	Water level at St. Andrew Pier
FFWM	Free floating wave meter
MDL or SWOC	Pressure data for NSRDL

(*) Height in meters of transducer above mean water level.

(**) Depth in meters of transducer below mean water level.

PARAMETER CHECK LIST 02 - Sec. I

Environmental Research Facility
of Texas A&M, Poston City, Fla.
M:E 7-12-64

Param. no.	REG. no.	Type Transducer	Ser. #	Range	Computer Channels	Calibration Check Obsvd. Volts	Maintenance etc.
REF	TAN	Battery			15-37	1.574	ok
WT(0)	Hydrol	WATER STAFF		0-100%	5-30	2.40% = 2.95	ok
ADL-1	Ambient				36-46	off	
ADL-2	"				37-45	off	
ADL-3	"				38-44	off	
ADL-4	"				39-43	off	
ADL-5	"				40-42	off	
ADL-6	"				41	off	
BT(27)	Hydrol	Thermistor	79	0-10°C	4	28.3°C	ok
BP(27)	Barom	0-250 mm Hg			3	2.00	ok
CS(6)	Hydrol	Son. Actor	CS-3	0-6.25 m/s	17	0.28	ok
CS(1)	"	"	CS-6	"	18	0.28	ok
CS(30)	"	"	CS-4	"	19	0.05	ok repaired
CD(6)	REF. POT			0-300 mV	21	ESE	ok repaired
CD(30)	"	"	CD-2	0-300 mV	23	ESE	ok
CD(30)	TAM	"	CD-1	0-300 mV	14	not checked	
WD(27)	BFW	1.550 m/s	14	0-300 m/s	17	W/W	ok
WD(27)	BFW	1.550 m/s	14	0-300 m/s	11	W/W	ok
HT	Dipole	D.C. 1/2 Clock		0-2 Hz	7	0.5	ok
HU	"	"		0-2 Hz	8	0.8	ok
AT	"	"		0-2 Hz	9	2.73	ok
AU	"	"		0-2 Hz	10	2.25	ok

FIGURE 2. AN EXAMPLE OF A PAGE FROM THE FIELD LOG

but in scaled values of 000g to 377g with 400g used as a space saver in time for a lost data value. Some 35 different data conversion tables are available for the entire data set. Graphs of the data conversion tables in the form of instrument calibration tables for the measurement instruments used in the collection of the environmental data assayed in this report can be found in Appendix A. A key to the data type and the corresponding calibration table is also given.

PROCEDURES

The assay of Stage I data begins with August 1964 and Stage II data with May 1965. Much of the data prior to August 1964 were collected at other than the normal once-a-second rate. Also, calibration tables for the clocks used at each of the stages prior to the above dates are not available. These facts dictated the above respective starting dates. The assay ended with April 1968, which is the last date that data in library tape form are available.

The assay consists of an hourly average and sample size for each available parameter considered. Data were normally collected at a rate of one point per second, for an hour, at 4-hour intervals. The hourly averages are based on the first second of data from each minute of an hour. Some limited editing of bad data is used, giving a possible sample size between zero and 60, depending on the quality and availability of data for the hour considered. The decision to base the assay on only 60 out of a possible 3600 data values for a given parameter is because a sample size of 60 is sufficient from a statistical point of view; and the cost of using all 3600 data values would have been excessive because there are, accumulatively, some 10^9 data values represented on the library tapes.

The average value given in the assay is the arithmetic average except for direction parameters; i.e., wind, current, and water level (waves). Since direction is recorded as a value modulo 360 degrees, the direction averages were obtained by histogramming each direction parameter into 36 intervals: (0,10) . . . (350,360). The average given is the central value: 5, . . . , 355, of the modal interval. If multiple modal intervals occur, the lowest central value is used. In the case of waves, the significant wave height (four times the standard deviation of water level) is reported as the average.

The actual assay results were obtained using a Burroughs B5500 computer. The logic of the assay, the flow chart for the ALGOL computer program, is given in Appendix B; details of the assay procedures are best seen by a study of this flow chart. The basic procedure is to read the first second of data for a given minute, convert the time data to hour and minute values, using a clock data table. The value of

a reference parameter is also obtained. If the reference value is greater than 000 and less than 256, and if the minute value is between zero and 59, and if the hour value corresponds to a desired hour, the second of data is accepted for processing. Each oceanographic parameter value of an accepted second is tested to determine if it is less than 256. Accepted parameter values are converted to the proper scientific units using the tables in Appendix A and rejected values are not used in computing the average. Accepted parameter values are accumulated for each of the hours of interest from the data of a given file on a library tape. The hourly averages and sample sizes for the selected hours and parameters present are then calculated. The results are accumulated on a history computer tape and punched into cards.

FORMAT OF RESULTS

Once the hourly averages in card form have been sorted by month, stage, date, and hour, each month-block of results is processed to form an unpurged monthly summary; one for each available month for each stage. The term unpurged refers to the fact that the results have not been purged of bad results from an oceanographic point of view, e.g., air temperature readings of 10°C in August (bad data have been purged from a data processing system error point of view; e.g., parity errors). Table 2 is a key to the data type code used in the assay and in Appendix E headings. For more details see Appendix A.

The assay results for a given month are presented in three ways: time plots, a histogram of results, and actual value listings. These are found in Appendices C, D, and E, respectively.

The listings of the assay results are complete. In some cases all of the data are not time plotted or accounted for in the histogram presentations; for example, water temperature where the interval 0 - 10°C is not presented. In the case of the histograms, the total number of hourly values available are shown on the ordinate axes above the 120 to 140 interval. If data out of the normal range of the histogram are present in the listings, the histogram interval sum will differ from the total number available by the number of values out of histogrammed range. The length of a histogram bar is the number to the right of the particular bar. The presence of no data is indicated by a zero. If the depth, say D3, for a water temperature, say WT3, changed in mid-month, only the first available depth is time plotted or histogrammed. This is a minor problem. In any case, all data are in the listings.

TABLE 2
KEY TO DATA TYPE CODE

WS - wind speed (knots)
WD - wind direction (compass bearing degrees)
AT - air temperature (°C)
WL - water level significant wave height (meters)
CSS - current speed near the surface (knots)
CDS - current direction near the surface (compass bearing degrees)
GSM - current speed at mid-depth (knots)
CDM - current direction at mid-depth (compass bearing degrees)
CSB - current speed near the bottom (knots)
CDB - current direction near the bottom (compass bearing degrees)
WT1, ..., WT6 - water temperature (°C)
D1, ..., D6 - depth of WT1, ..., WT6 values respectively (meters)
KEY - stage/month/year code group
N - sample size

REMARKS AND OBSERVATIONS

The following remarks and observations are presented in an attempt to give to the user the benefit of the experience gained in working with the data during the preparation of the assay.

1. There are a vast amount of good data available in excellent condition. This assay should help locate these data.

2. Clock times are usually reasonably accurate; in some instances however times may be off as much as an hour. Times are given as Central Standard Time.

3. Good data are usually very good, and conversely, poor data are practically unusable.

4. Be careful in rejecting an anomalous point too quickly. In one instance, a wind speed of 20 knots was recorded for several periods, then an apparently anomalous speed of 50 knots was recorded for one period and back to around 20 knots. A quick judgment would reject the 50-knot value as bad. In this case, a check of the weather for the period revealed that during the 8-hour period between 20-knot readings, a severe cold front passed through the area. Hence, it is wise not to purge a datum arbitrarily without further examination. The validity of data can often be verified by consulting the Parameter Check List on file at NODC. Many questions could be resolved by contacting the authors of this report.

5. Much good data exist in places where the time data were not usable or the clock time was off. The data and time of recording are available from data library tape file headers in the absence of a time data channel. This is particularly true for the data collected at Stage I prior to 1964 and prior to 1965 at Stage II, and were not assayed.

The reader is again reminded that this is only an assay, and only 1 out of 60 data points were used; it is not a complete analysis of the data.

BIBLIOGRAPHY

1. Barber, N. F., "Electronic & Radio Engineer," *Design of 'optimum' Arrays for Direction-Finding*, New Series 6, v. 36, pp. 222-232.
2. U. S. Navy Mine Defense Laboratory Technical Note TN-32, *The Directional Resolving Characteristics of Wave Detector Arrays*, by Carl M. Bennett, September 1963, Unclassified.
3. Bennett, C. M., Pittman, E. P., and Austin, G. B., "Proceedings of the First U.S. Navy Symposium on Military Oceanography," *A Data Processing System for Multiple Time Series Analysis of Ocean Wave Induced Bottom Pressure Fluctuations*, U.S. Naval Oceanographic Office, Washington, D. C., pp. 379-414, 1964.
4. Bennett, C. M., "Proceedings of the Fifth Annual Southeastern Regional Meeting of Association for Computing Machinery," *Digital Filtering of Ocean Wave Pressure Records to Records of Prescribed Power Spectral Content*, 1966.
5. U.S. Navy Mine Defense Laboratory Technical Note TN102, *Sea Bottom Pressure Data Collected off Panama City, Florida During May 1962 - May 1963*, by C. M. Bennett, June 1967, Unclassified.
6. Bennett, C. M., "Transactions, American Geophysical Union," *An Annual Distribution of the Power Spectra of Ocean Wave Induced Bottom Pressure Fluctuations in the Near Shore Gulf of Mexico (abstract)*, AGU Vol. 48, No. 1, p. 140, 1967.
7. U.S. Navy Mine Defense Laboratory Report 344, *Power Spectra of Bottom Pressure Fluctuations in the Nearshore Gulf of Mexico During 1962 and 1963*, by C. M. Bennett, November 1967, Unclassified.
8. U.S. Navy Mine Defense Laboratory Technical Note TN132, *Directional Single Wave Train Analysis of Ocean Bottom Pressure Data Collected During 1965*, by C. M. Bennett, November 1967, Unclassified.
9. Bennett, C. M., "Transactions: Ocean Sciences and Engineering of the Atlantic Shelf, *A Directional Analysis of Sea Waves from Bottom Pressure Measurements*, Marine Technology Society, Washington, D. C., pp. 71-87, 1968.
10. Breeding, J. Ernest, "Paper presented at Fall Meeting of American Geophysical Union, 15 - 18 December at San Francisco," *Group Velocity and Wave Refraction*, 1969.

BIBLIOGRAPHY (CONT'D)

11. National Engineering Science Company Report S-278-4, Contract N600(61331)64591, *Development of Techniques for the Determination of Pressure Response at the Bed in Shallow Water for Irregular and Random Waves*, by J. Ian Collins, June 1966, Unclassified.
12. Texas A & M University, Department of Oceanography and Meteorology, Ref. 62-IT, *Instrumentation and Data Handling System for Environmental Studies off Panama City, Florida*, by R. D. Gaul, (Unpublished), February 1962.
13. Texas A. & M University, Department of Oceanography and Meteorology, Ref 64-2T, *Status of Environmental Research off Panama City, Florida*, by R. D. Gaul, et al., (Unpublished), January 1963.
14. Texas A & M University, Department of Oceanography and Meteorology, Ref. 64-26T, *Northeast Gulf of Mexico Hydrographic Survey Data Collected in 1963*, by R. D. Gaul and R. E. Boykin (Unpublished), October 1964.
15. Texas A & M University, Department of Oceanography and Meteorology, Ref. 65-8T, *Northeast Gulf of Mexico Hydrographic Survey Data Collected in 1964*, (Unpublished), March 1965.
16. Texas A & M University, Department of Oceanography and Meteorology, Ref. 66-8T, *Northeast Gulf of Mexico Hydrographic Survey Data Collected in 1965*, by R. D. Gaul, R. E. Boykin and D. E. Letzring, (Unpublished), April 1966.
17. Gaul, R. D and Kirst, A., Jr., "Proceedings ONR-NSIA Symposium on Automatic Collection, Processing and Analysis of Oceanographic Data, *Automated Acquisition and Handling of Serial Oceanographic Data*, Published by Lockheed-California Company, Burbank, California, December 1965.
18. Gaul, R. D., Kirst, A., Jr., and McQuilken, J. I., "Proceedings of the International Telemetry Conference, London, England, Session IV, *A Data Acquisition and Handling System for Nearshore Oceanographic Research*, pp. 175-181, September 1963.
19. Hasselman, Klaus and Collins, J. Ian, "Journal of Marine Research," *Spectral Dissipation of Finite-Depth Gravity Waves Due to Turbulent Bottom Friction*, Vol. 26, No. 1, 15 January 1968, pp. 1-12.

BIBLIOGRAPHY (CONT'D)


20. Texas A & M University, Department of Oceanography and Meteorology, Ref. 65-2T, *Summary of Automated Environmental Data Collected off Panama City, Florida*, (Unpublished), by A. Kirst, Jr., and R. D. Gaul, December 1964.
21. Texas A & M University, Department of Oceanography, Ref. 66-9T, *Automated Environmental Data Collected off Panama City, Florida, June 1962 - December 1964*, (Unpublished), by A. Kirst, Jr. and C. W. McMath, Jr., May 1966.
22. Texas A & M University, Department of Oceanography, Ref 66-12T, *Automated Environmental Data Collected off Panama City, Florida, January 1965 - December 1966*, (Unpublished), by A. Kirst, Jr. and C. W. McMath, Jr., June 1966.
23. Naval Ship Research and Development Laboratory Technical Note TN212, *Computation and Plotting of Gravity Wave Refractions Using Group Velocity and Multiperiod Rays*, by K. C. Matson, April 1970, Unclassified.
24. Naval Ship Research and Development Laboratory Report 3132, *Gravity Wave Refractions Using Group Velocity*, by K. C. Matson, August 1970, Unclassified.
25. Texas A & M Research Foundation, A & M Project 286-14, *Automated Environmental Data Collected off Panama City, Florida May 1966 - May 1968*, by C. W. McMath, Jr., 1968.

APPENDIX A
GRAPHS OF MEASUREMENT INSTRUMENTS
CALIBRATION TABLES


KEY TO DATA TYPE AND CALIBRATION TABLES

<u>Data Type</u>	<u>Type Code</u>	<u>Table Code</u>	<u>Explanation</u>
Wind Speed	WS	WSBW	Wind speed 0-100 knots
Wind Direction	WD	DIR	Wind direction from 0-360° magnetic
Current Direction			
Near-surface	CDS	DIR	Current direction toward 0-360° magnetic
Mid-depth	CDM	DIR	Current direction toward 0-360° magnetic
Near-bottom	CDB	DIR	Current direction toward 0-360° magnetic
Air Temperature	AT	APTEMP	Air temperature 8-33°C
Water (wave) Level	WL	WL20	Arbitrary wave level in meters from a 20-foot wave staff
Current Speed			
Near-surface	CSS	CS	Current speed 0-6.8 knots
Mid-depth	CSM	CS	Current speed 0-6.8 knots
Near-bottom	CSB	CS	Current speed 0-6.8 knots
Water Temperature			
Upper level	WT1	GA or GULTEN or HTTEMP	One of three different water temperature systems: GA (0-33°C), GULTEN (0-30°C), HTTEMP (0-40°C)
Between levels	WT2-WT5	GA or GULTEN or HTTEMP	Same
Lower level	WT6	"	Same
Time	Hour	DYTIME or TAM	One of two different time systems based on 4 decimal digit data


Note: Water temperature recording depth for WT1-WT6 is given in meters below the surface as 01-06 in listings of Appendix F.




A-3




A-3




A-5







A-7




A-8




A-9



A-10




A-11



A-12

APPENDIX B
ASSAY LOGIC FLOW CHART



Note: Physical Tape Records and Logical Minute Blocks Are Not Compatible.

FIGURE B1. ASSAY LOGIC FLOW CHART (Sheet 1 of 3)




FIGURE B1. ASSAY LOGIC FLOW CHART (Sheet 2 of 3)





FIGURE B1. ASSAY LOGIC FLOW CHART (Sheet 3 of 3)


APPENDIX C

TIME PLOTS OF ASSAY RESULTS BY MONTH




AUG 19 64

069262 STAGE 1



AUG 19 64


069262 STAGE 1



AUG 19 64


069262 STAGE 1

101 51 24 METERS DEGS
 101 51 20 METERS DEGS
 101 51 15 METERS DEGS
 101 51 10 METERS DEGS
 101 51 5 METERS DEGS
 101 51 1 METERS DEGS




SEP 19 64

159252 STAGE 1




SEP 19 64

069262 STAGE 1




069262 STAGE 1

SEP 19 64







OCT 19 64

069262 STAGE 1




1000 1000




069262 STAGE 1

NOV 19 64




1961 APR 14

1000





MAR 19 65

069200 STAGE 1




STATION STAGE
 MAR 19 65






1000 1000




MAY 19 65

069281 STAGE 2






154-90 STAGE 1

JUN 19 1965





069200 STAGE 1


JUN 19 1965



61-0
 JAN 19 68









JUL 19 65

069280 STAGE 1




00000085



AUG 19 65


069280 STAGE 1



STP 1965


16000 5007

→ SURF GAUGE WIND




SEP 19 65

069200 STAGE 1




130413 041157
 SEP 19 65
 150000Z
 150000Z
 150000Z




U69281 STAGE 2

SEP 19 65




SEP 19 65



NOV 19 1965


069280 STAGE 1



069200 STAGE 1


NOV 19 65

35
 30
 25
 20
 15
 10
 5
 1
 01
 02
 03
 04
 05
 06
 07
 08
 09
 10
 11
 12
 13
 14
 15
 16
 17
 18
 19
 20
 21
 22
 23
 24
 25
 26
 27
 28
 29
 30
 31
 32
 33
 34
 35




069280 STAGE 1

NOV 19 65




DEC 19 1955




DEC 19 65

085280 STAGE 1




DEC 19 65


1 39015 082430



JAN 19 66


055303 ST006 :






FEB 19 66

069303 STAGE 1




FEB 19 1966

STATION 1




069303 STAGE 1

FEB 19 66



FEB 19 65

05930.4 ST AGE



MAR 19 66


069303 STAGE 1

C-42



MAR 19 66

100-105-1




069303 STAGE 1

MAR 19 66


MOON : 9.66

2 37015 10657







MAR 19 66

2 29415 E06890




01
02
03
04
05
06
07
08
09
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100






069303 STAGE 1


APR 19 1966






069303 STAGE 1

APR 19 66




069303 STAGE 2

APR 19 66




APR 19.66

STAGE 2




APR 19 66

STAGE 2




MAY 19 66

069303 STAGE 1



061801 STATION 1
MAY 19 86



MAY 19 66

01

S2

02

S1

01

S

1

01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100

01

S2

02

S1

01

S

1

01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100

01

S2

02

S1

01

S

1

01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100

01

S2

02

S1


01

S

1


01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100

01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79 80 81 82 83 84 85 86 87 88 89 90 91 92 93 94 95 96 97 98 99 100
AIR TEMP. (DEC. C)
WAVE HEIGHT (M)
SIGNIFICANT
WAVE HEIGHT (M)
WIND SPEED (M/S)
WIND DIRECTION
WIND DIRECTION




SEP 19 1966

070071 STAGE 2



070071 STAGE 2


OCT 19 66



OCT 19 66

070071 STAGE 2







NOV 19 66

070071 STAGE 2

NOV 19 66


070071 STAGE 2






DEC 19 66


070071 STRAGE 2





DEC 19 66


070071 STAGE 2



9-C


070071 STAGE 2

JAN 19 67




070071 STAGE 2

JAN 19 67




JAN 19 67

070071 STAGE 2



FEB 19 67

070071 STAGE 2



FEB 19 1967

070071 STAGE 2

01
1-1
51-1
D2R
S2T
DE5
SE

1
10
15
20
22
S2
30

1
5
10
15
20
22
S2
30

1
5
10
15
20
22
S2
30

1
5
10
15
20
22
S2
30

1
5
10
15
20
22
S2
30

1
5
10
15
20
22
S2
30

1
5
10
15
20
22
S2
30

1
5
10
15
20
22
S2
30

1
5
10
15
20
22
S2
30

1
5
10
15
20
22
S2
30

1
5
10
15
20
22
S2
30

1
5
10
15
20
22
S2
30


1
5
10
15
20
22
S2
30


1
5
10
15
20
22
S2
30

070071 STAGE 2

FEB 19 67

Chart 10110a






MAR 19 67

070071 STAGE 2


WATER TEMPERATURE (DEGREES C)
17 METERS
51 METERS
101 METERS
151 METERS
201 METERS
251 METERS
301 METERS
351 METERS
401 METERS
451 METERS
501 METERS
551 METERS
601 METERS
651 METERS
701 METERS
751 METERS
801 METERS
851 METERS
901 METERS
951 METERS
1001 METERS
1051 METERS
1101 METERS
1151 METERS
1201 METERS
1251 METERS
1301 METERS
1351 METERS
1401 METERS
1451 METERS
1501 METERS
1551 METERS
1601 METERS
1651 METERS
1701 METERS
1751 METERS
1801 METERS
1851 METERS
1901 METERS
1951 METERS
2001 METERS
2051 METERS
2101 METERS
2151 METERS
2201 METERS
2251 METERS
2301 METERS
2351 METERS
2401 METERS
2451 METERS
2501 METERS
2551 METERS
2601 METERS
2651 METERS
2701 METERS
2751 METERS
2801 METERS
2851 METERS
2901 METERS
2951 METERS
3001 METERS






APR 19 67

070071 STAGE 2




070071 STAGE 2
APR 19 67

17 METERS
 0.30
 0.25
 0.20
 0.15
 0.10
 0.05
 0.00
 -0.05
 -0.10
 -0.15
 -0.20
 -0.25
 -0.30
 -0.35




APR 19 67

100 5740 3




MAY 19 1967

070071 STAGE 1




MAY 19 1967

070071 STAGE 1




MAY 19 57

STAGE 2




070071 STAGE 2

MAY 19 67




070071 STAGE 2

MAY 19 67





STAGE 1



JUN 19 67

070071 STAGE :






JUN 19 67


070071 STAGE 2

35
30
25
20
15
10
5
0
35
30
25
20
15
10
5
0
35
30
25
20
15
10
5
0
35
30
25
20
15
10
5
0
35
30
25
20
15
10
5
0
35
30
25
20
15
10
5
0




070071 STAGE 2

JUN 1967




070071 STRGF 1

JUL 19 67




JUL 19 67

070071 STAGE 1




JUL 19 67

070071 STAGE 2




JUL 19 67

070071 STAGE 2




070071 STAGE 2

AUG 19 67




AUG 19 67

070071 STAGE 2




070071 STAGE 2

AUG 19 67




07007: STAGE 2

SEP 19 67




SEP 19 67

070071 STAGE 2



070071 STAGE 2


SEP 19 67



OCT 19 67


07007; STAGE 2

101-3




OCT 19 67

070071 STAGE 2




OCT 19 67

070071 STAGE 2




NOV 19 67


070071 STAGE 2



NOV 19 67


070071 STAGE 2





DEC 1967


070071 STAGE 2



070071 STAGE 2


DEC 19 67


01
 S1
 02
 S2
 03
 S3
 04
 S4
 05
 S5
 06
 S6
 07
 S7
 08
 S8
 09
 S9
 10
 S10
 11
 S11
 12
 S12
 13
 S13
 14
 S14
 15
 S15
 16
 S16
 17
 S17
 18
 S18
 19
 S19
 20
 S20
 21
 S21
 22
 S22
 23
 S23
 24
 S24
 25
 S25
 26
 S26
 27
 S27
 28
 S28
 29
 S29
 30
 S30




DEC 19 67

070071 STAGE 2








JAN 19 68

070071 STAGE 2


35
30
25
20
15
10
1
METERS
C
35
30
25
20
15
10
1
METERS
C
35
30
25
20
15
10
1
METERS
C
35
30
25
20
15
10
1
METERS
C



FEB 19 68


070071 STAGE 2

111-3



070071 STAGE 2


FEB 19 68



FEB 19 68


070071 STAGE 2

MINO
DIRECTION
M
100
90
80
70
60
50
40
30
20
10
0
1
2
3
4
5
6
7
8
9
10
11
12
13
14
15
16
17
18
19
20
21
22
23
24
25
26
27
28
29
30
31
32
33
34
35
36
37
38
39
40
41
42
43
44
45
46
47
48
49
50
51
52
53
54
55
56
57
58
59
60
61
62
63
64
65
66
67
68
69
70
71
72
73
74
75
76
77
78
79
80
81
82
83
84
85
86
87
88
89
90
91
92
93
94
95
96
97
98
99
100
101
102
103
104
105
106
107
108
109
110
111
112
113
114
115
116
117
118
119
120
121
122
123
124
125
126
127
128
129
130
131
132
133
134
135
136
137
138
139
140
141
142
143
144
145
146
147
148
149
150
151
152
153
154
155
156
157
158
159
160
161
162
163
164
165
166
167
168
169
170
171
172
173
174
175
176
177
178
179
180
181
182
183
184
185
186
187
188
189
190
191
192
193
194
195
196
197
198
199
200
201
202
203
204
205
206
207
208
209
210
211
212
213
214
215
216
217
218
219
220
221
222
223
224
225
226
227
228
229
230
231
232
233
234
235
236
237
238
239
240
241
242
243
244
245
246
247
248
249
250
251
252
253
254
255
256
257
258
259
260
261
262
263
264
265
266
267
268
269
270
271
272
273
274
275
276
277
278
279
280
281
282
283
284
285
286
287
288
289
290
291
292
293
294
295
296
297
298
299
300
301
302
303
304
305
306
307
308
309
310
311
312
313
314
315
316
317
318
319
320
321
322
323
324
325
326
327
328
329
330
331
332
333
334
335
336
337
338
339
340
341
342
343
344
345
346
347
348
349
350
351
352
353
354
355
356
357
358
359
360
361
362
363
364
365
366
367
368
369
370
371
372
373
374
375
376
377
378
379
380
381
382
383
384
385
386
387
388
389
390
391
392
393
394
395
396
397
398
399
400
401
402
403
404
405
406
407
408
409
410
411
412
413
414
415
416
417
418
419
420
421
422
423
424
425
426
427
428
429
430
431
432
433
434
435
436
437
438
439
440
441
442
443
444
445
446
447
448
449
450
451
452
453
454
455
456
457
458
459
460
461
462
463
464
465
466
467
468
469
470
471
472
473
474
475
476
477
478
479
480
481
482
483
484
485
486
487
488
489
490
491
492
493
494
495
496
497
498
499
500
501
502
503
504
505
506
507
508
509
510
511
512
513
514
515
516
517
518
519
520
521
522
523
524
525
526
527
528
529
530
531
532
533
534
535
536
537
538
539
540
541
542
543
544
545
546
547
548
549
550
551
552
553
554
555
556
557
558
559
560
561
562
563
564
565
566
567
568
569
570
571
572
573
574
575
576
577
578
579
580
581
582
583
584
585
586
587
588
589
590
591
592
593
594
595
596
597
598
599
600
601
602
603
604
605
606
607
608
609
610
611
612
613
614
615
616
617
618
619
620
621
622
623
624
625
626
627
628
629
630
631
632
633
634
635
636
637
638
639
640
641
642
643
644
645
646
647
648
649
650
651
652
653
654
655
656
657
658
659
660
661
662
663
664
665
666
667
668
669
670
671
672
673
674
675
676
677
678
679
680
681
682
683
684
685
686
687
688
689
690
691
692
693
694
695
696
697
698
699
700
701
702
703
704
705
706
707
708
709
710
711
712
713
714
715
716
717
718
719
720
721
722
723
724
725
726
727
728
729
730
731
732
733
734
735
736
737
738
739
740
741
742
743
744
745
746
747
748
749
750
751
752
753
754
755
756
757
758
759
760
761
762
763
764
765
766
767
768
769
770
771
772
773
774
775
776
777
778
779
780
781
782
783
784
785
786
787
788
789
790
791
792
793
794
795
796
797
798
799
800
801
802
803
804
805
806
807
808
809
810
811
812
813
814
815
816
817
818
819
820
821
822
823
824
825
826
827
828
829
830
831
832
833
834
835
836
837
838
839
840
841
842
843
844
845
846
847
848
849
850
851
852
853
854
855
856
857
858
859
860
861
862
863
864
865
866
867
868
869
870
871
872
873
874
875
876
877
878
879
880
881
882
883
884
885
886
887
888
889
890
891
892
893
894
895
896
897
898
899
900
901
902
903
904
905
906
907
908
909
910
911
912
913
914
915
916
917
918
919
920
921
922
923
924
925
926
927
928
929
930
931
932
933
934
935
936
937
938
939
940
941
942
943
944
945
946
947
948
949
950
951
952
953
954
955
956
957
958
959
960
961
962
963
964
965
966
967
968
969
970
971
972
973
974
975
976
977
978
979
980
981
982
983
984
985
986
987
988
989
990
991
992
993
994
995
996
997
998
999
1000




MAR 19 68

070071 STAGE 2



MAR 19 68



STATION STAGE 2



MAR 19 68



070071 STAGE 2

APPENDIX D
HISTOGRAMS OF ASSAY RESULTS BY MONTH





070009 STAGE 1

AUG 19 64






070009 STAGE 1

SEP 19 64






070009 STAGE 1

OCT 19 64






070009 STAGE 1

NOV 19 64




12009 STAGE 1

MAR 19 65





070009 STAGE 1

MAY 19 65






100120140

MAY 19 65






070009 STAGE 1

JUN 19 65




070009 STAGE 2



JUN 19 65



070009 STAGE 1




JUL 19 65







070009 STAGE 1

SEP 19 65





070009 STAGE 2

SEP 19 65






070009 STAGE 1

NOV 19 65






070009 STAGE 1




DEC 19 65



070009 STAGE 1



JAN 19 66








070009 STAGE 2

FEB 19 66





MAR 19 66






070009 STAGE 2

MAR 19 66





070009 STAGE 1

APR 19 66






070009 STAGE 2

APR 19 66




070009 STAGE 1

MAY 19 66






070071 STAGE 2

SEP 19 66






070071 STAGE 2

OCT 19 66






070071 STAGE 2

NOV 19 66




070071 STAGE 2

DEC 19 66





070071 STAGE 2

JAN 19 67





070071 STAGE 2

FEB 19 67



070071 STAGE 2




MAR 19 67



070071 STAGE 2


APR 19 67

D-32



070071 STAGE 1




MAY 19 67



070071 STAGE 2




MAY 19 67

D-34






070071 STAGE 1

JUN 19 67




070071 STAGE 2

JUN 19 67



070071 STAGE 1




JUL 19 67



070071 STAGE 2




JUL 19 67

D-38



070071 STAGE 2



AUG 19 67



070071 STAGE 2




SEP 19 67

D-40



070071 STAGE 2



OCT 19 67



070071 STAGE 2


NOV 19 67

D-42




070071 STAGE 2

DEC 19 67






070071 STAGE 2

JAN 19 68



070071 STAGE 2

FEB 19 68



070071 STAGE 2

MAR 19 68

APPENDIX E
LISTINGS OF ASSAY RESULTS BY MONTH

Year	1948	1949	1950	1951	1952	1953	1954	1955	1956	1957	1958	1959	1960	1961	1962	1963	1964	1965	1966	1967	1968	1969	1970
21	2800	7.9	275	0.36	0.4	285	0.3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0
22	300	9.4	315	0.33	0.1	265	0.2	0	0.1	125	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
23	800	2.2	15	0.24	0.1	285	0.3	0	0.0	125	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
24	1200	5.1	225	0.17	0.1	205	0.2	0	0.0	125	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
25	1400	10.2	265	0.24	0.3	215	0.3	0	0.0	125	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
26	1400	9.9	155	0.27	0.2	115	0.1	0	0.2	175	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
27	2000	14.9	25	0.55	0.3	215	0.3	0	0.1	175	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
28	2400	12.8	25	0.45	0.3	215	0.3	0	0.1	175	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
29	1200	19.4	55	0.54	0.1	155	0.1	0	0.1	125	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
30	1600	11.1	55	0.52	0.0	15	0.1	0	0.1	125	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
31	1700	11.1	145	0.54	0.2	135	0.1	0	0.2	175	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
32	2100	15.4	105	0.42	0.1	215	0.1	0	0.1	175	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
33	2500	14.2	115	0.49	0.2	155	0.1	0	0.1	175	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
34	800	16.4	115	0.77	0.2	205	0.1	0	0.1	175	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
35	1000	10.7	145	0.59	0.2	45	0.2	0	0.1	175	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
36	1400	13.9	155	0.77	0.2	215	0.2	0	0.1	175	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
37	1400	13.4	155	0.81	0.2	245	0.2	0	0.0	175	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
38	2000	4.9	145	0.62	0.2	245	0.2	0	0.1	175	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
39	2400	7.9	45	0.74	0.2	245	0.2	0	0.1	175	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
40	800	9.7	115	0.79	0.2	345	0.2	0	0.0	175	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
41	800	10.6	95	0.60	0.2	5	0.2	0	0.1	175	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
42	1200	14.9	145	0.61	0.2	245	0.2	0	0.1	175	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
43	1600	11.9	145	0.84	0.3	55	0.2	0	0.1	175	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
44	2000	6.4	105	0.94	0.3	245	0.2	0	0.1	185	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
45	2400	8.9	75	1.01	0.3	55	0.2	0	0.1	185	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
46	0	0.0	0	0.00	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

12
12
12
12
12
12
12
12
12
12

11044 17
0 0 0 0

0.0 0.0 0.0 0.0

0.0 0.0 0.0 0.0

0.0 0.0 0.0 0.0

0.0 0.0 0.0 0.0

0.0 0.0 0.0 0.0

0.0 0.0 0.0 0.0

0.0 0.0 0.0 0.0

0.0 0.0 0.0 0.0

0.0 0.0 0.0 0.0

0.0 0.0 0.0 0.0

0.0 0.0 0.0 0.0

0.0 0.0 0.0 0.0

070009 STAGE 1

NOV 1964

CUDE: 0000000000000000

DAY	MOUR	MS	WD	AT	WL	CSS	CDS	CSM	CDM	CSH	CDB	WT1	WT2	WT3	WT4	WT5	WT6	D1	D2	D3	D4	D5	D6	KEY	N
4	400	12.9	75	0	0.21	0.1	15	0.1	0	0.1	15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11164	60
4	400	12.4	65	0	0.25	0.2	15	0.2	0	0.1	45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11164	60
4	1200	8.5	85	0	0.19	0.2	15	0.1	0	0.1	35	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11164	60
4	1400	10.2	95	0	0.19	0.2	15	0.1	0	0.1	35	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11164	59
4	2000	8.1	75	0	0.17	0.1	15	0.1	0	0.1	85	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11164	60
4	2400	13.4	75	0	0.21	0.1	15	0.1	0	0.0	145	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11164	60
5	400	10.6	85	0	0.22	0.2	15	0.1	0	0.0	145	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11164	57
5	800	9.5	85	0	0.27	0.2	15	0.2	0	0.0	165	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11164	60
5	1200	1.4	275	0	0.14	0.2	15	0.2	0	0.1	165	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11164	60
5	1400	7.1	315	0	0.14	0.2	15	0.1	0	0.0	165	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11164	55
5	2000	8.4	25	0	0.11	0.1	15	0.1	0	0.0	165	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11164	60
5	2400	7.1	35	0	0.14	0.1	15	0.1	0	0.0	145	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11164	60
0	0	0.0	0	0	0.00	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0

STAGE 1		MAR 1945										CODE: 0000000000000000														
DAY	HOURL	MS	WD	AT	ML	CSS	CNS	CSM	CON	CSB	CNB	WT1	WT2	WT3	WT4	WT5	WT6	D1	D2	D3	D4	D5	D6	KEY	N	
7	1400	34.5	275	0	0.00	0.0	15	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	345	53
7	2000	33.4	335	0	0.00	0.0	15	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	345	50
7	2400	26.4	315	0	0.00	0.0	15	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	345	52
7	2900	25.0	345	0	0.00	0.0	15	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	345	54
7	3200	13.0	315	0	0.00	0.0	15	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	345	51
7	3500	14.4	275	0	0.00	0.0	15	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	345	48
8	2400	12.4	275	0	0.00	0.0	15	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	345	54
8	2900	15.3	245	0	0.00	0.0	15	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	345	53
8	3200	4.9	345	0	0.00	0.0	15	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	345	51
8	1400	16.5	205	0	0.00	0.0	15	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	345	46
8	2000	14.0	145	0	0.00	0.0	15	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	345	49
0	0	0.0	0	0	0.00	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0	0

CUDE: 0000000000000000

MAY 1945

070000 STAGE 1

DAY	WQIR	WS	WD	AT	WL	GSS	CDS	CJM	CNM	CSB	CDB	WT1	WT2	WT3	WT4	WTS	ATA	D1	D2	D3	D4	D5	D6	KEY	N	
14	1800	11.4	215	15	0.00	0.4	345	0.0	0	0.0	225	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	545	56
14	1900	11.3	215	15	0.00	0.4	5	0.0	0	0.0	215	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	545	53
14	2200	5.3	205	15	0.00	0.2	75	0.0	0	0.0	275	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	545	52
14	3000	6.6	145	14	0.00	0.2	355	0.0	0	0.0	315	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	545	55
14	3000	9.0	125	19	0.00	0.5	355	0.0	0	0.0	245	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	545	54
15	1700	16.0	155	16	0.00	0.5	355	0.0	0	0.0	235	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	545	54
15	1400	17.9	165	15	0.00	0.7	355	0.0	0	0.0	195	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	545	51
15	1900	11.4	145	15	0.00	0.5	355	0.0	0	0.1	225	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	545	57
15	2200	5.4	155	15	0.00	0.3	355	0.0	0	0.1	235	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	545	56
15	2400	9.5	135	15	0.00	0.4	355	0.0	0	0.0	305	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	545	52
15	3700	14.0	145	19	0.00	0.5	355	0.0	0	0.2	355	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	545	48
16	1600	13.3	195	15	0.00	0.6	355	0.0	0	0.0	185	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	545	55
16	2000	10.1	145	14	0.00	0.3	355	0.0	0	0.0	155	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	545	57
16	2400	5.5	235	14	0.00	0.3	355	0.0	0	0.0	115	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	545	58
16	2400	3.5	335	17	0.00	0.5	355	0.0	0	0.0	215	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	545	56
16	3200	7.1	135	19	0.00	0.6	355	0.0	0	0.0	155	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	545	55
16	4700	4.0	255	15	0.00	0.2	355	0.0	0	0.0	175	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	545	56
16	4800	7.4	245	15	0.00	0.2	355	0.0	0	0.0	125	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	545	58
16	4900	7.4	235	14	0.00	0.2	355	0.0	0	0.0	15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	545	56
16	5200	4.4	275	16	0.00	0.1	355	0.0	0	0.0	185	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	545	55
19	1200	4.3	225	15	0.00	0.2	355	0.0	0	0.1	165	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	545	57
19	1200	7.0	215	15	0.00	0.2	355	0.0	0	0.0	165	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	545	57
19	1600	9.9	255	15	0.00	0.2	5	0.0	0	0.0	95	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	545	55
19	2000	5.0	305	15	0.00	0.3	35	0.0	0	0.0	165	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	545	55
19	2400	6.4	305	16	0.00	0.2	45	0.0	0	0.0	95	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	545	56
19	2400	6.4	355	17	0.00	0.1	355	0.0	0	0.0	115	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	545	58
19	3200	2.0	55	17	0.00	0.2	355	0.0	0	0.0	45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	545	10
20	1200	2.4	195	14	0.00	0.2	355	0.0	0	0.0	145	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	545	57
20	1400	4.3	215	15	0.00	0.1	15	0.0	0	0.0	165	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	545	56
20	2000	5.2	235	15	0.00	0.1	335	0.0	0	0.0	165	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	545	56
20	2400	2.9	225	17	0.00	0.1	355	0.0	0	0.0	45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	545	57
20	2400	4.0	95	17	0.00	0.2	355	0.0	0	0.0	95	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	545	56
20	3100	6.2	125	14	0.00	0.2	355	0.0	0	0.0	145	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	545	56
21	1200	4.4	155	15	0.00	0.3	5	0.0	0	0.0	165	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	545	57
21	1500	13.6	175	15	0.00	0.1	35	0.0	0	0.0	155	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	545	57
21	2000	8.2	165	14	0.00	0.1	35	0.0	0	0.0	125	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	545	56
21	2400	9.5	145	14	0.00	0.1	15	0.0	0	0.0	175	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	545	57
21	2800	15.4	135	22	0.00	0.2	355	0.0	0	0.0	175	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	545	56
21	3100	10.7	145	21	0.00	0.2	355	0.0	0	0.0	175	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	545	56
22	1200	14.4	145	17	0.00	0.4	5	0.0	0	0.0	145	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	545	57
22	1500	17.1	145	17	0.00	0.3	5	0.0	0	0.0	145	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	545	56
22	2400	4.4	145	19	0.00	0.2	5	0.0	0	0.0	145	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	545	56
22	2400	4.1	115	20	0.00	0.1	355	0.0	0	0.0	155	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	545	57
22	2400	14.3	115	21	0.00	0.2	355	0.0	0	0.0	275	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	545	56

May 1965

22	3100	15.0	145	21	0.00	0.4	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 545	56
23	1200	13.2	175	16	0.00	0.6	5	0.0	0.1	265	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 545	57
23	1500	17.7	175	17	0.00	0.5	5	0.0	0.0	265	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 545	57
23	2000	6.2	165	18	0.00	0.8	5	0.0	0.1	185	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 545	56
23	2800	2.8	55	18	0.00	0.3	5	0.0	0.1	155	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 545	57
23	2800	9.0	125	19	0.00	0.8	355	0.0	0.1	35	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 545	56
23	3100	10.3	105	20	0.00	0.5	355	0.0	0.0	165	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 545	56
24	1200	12.5	185	17	0.00	0.4	5	0.0	0.0	95	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 545	57
24	1500	12.2	195	17	0.00	0.3	5	0.0	0.2	205	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 545	57
24	2000	3.1	235	17	0.00	0.1	5	0.0	0.0	165	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 545	56
24	2800	2.7	55	17	0.00	0.0	355	0.0	0.0	165	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 545	56
24	2800	10.1	85	21	0.00	0.2	355	0.0	0.1	35	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 545	56
24	3100	11.4	95	20	0.00	0.2	355	0.0	0.0	115	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 545	56
25	1200	11.4	195	18	0.00	0.3	355	0.0	0.1	175	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 545	56
25	1600	13.3	195	17	0.00	0.2	5	0.0	0.1	195	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 545	56
25	2000	5.1	205	18	0.00	0.2	5	0.0	0.0	215	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 545	56
25	2800	5.2	185	20	0.00	0.1	35	0.0	0.0	255	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 545	57
25	2800	4.3	165	20	0.00	0.2	5	0.0	0.0	265	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 545	56
25	3100	5.9	185	21	0.00	0.1	5	0.0	0.0	265	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 545	56
26	1400	0.1	115	0	0.00	0.2	5	0.0	0.0	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 545	56
26	1900	0.1	115	0	0.00	0.3	5	0.0	0.0	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 545	60
27	1000	0.1	115	0	0.00	0.3	355	0.0	0.2	155	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 545	57
27	1400	0.1	115	0	0.00	0.3	355	0.0	0.2	255	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 545	56
27	1000	0.1	115	0	0.00	0.3	355	0.0	0.2	155	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 545	57
27	1400	0.1	115	0	0.00	0.3	355	0.0	0.2	255	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 545	56
29	1600	10.4	255	26	0.00	0.1	235	0.0	0.1	35	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 545	56
29	2000	15.0	295	26	0.00	0.0	305	0.0	0.1	35	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 545	58
29	1200	1.7	75	25	0.00	0.2	15	0.0	0.0	135	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 545	38
0	0	0.0	0	0	0.00	0.0	0	0.0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0 0 0	0

CUDEL: 00000000000000000000

MAY 1965

070009 STAGE 2

DAY	HOUR	WS	WD	AT	WL	CSS	CDS	CSM	CDM	CSH	CNH	WT1	WT2	WT3	WT4	WT5	WT6	D1	D2	D3	D4	D5	D6	KEY	N	
24	1400	8.7	195	0	0.00	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0						2	545	58
26	1000	9.6	165	0	0.00	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0						2	545	60
29	1000	0.0	105	0	0.00	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0						2	545	15
29	1400	0.0	95	0	0.00	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0						2	545	58
29	1400	47.4	135	0	0.00	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0						0	0	0
0	0	0.0	0	0	0.00	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0						0	0	0

070009 STAGE 1

JUN 1965

CUDE1 0000000000000000

DAY	HOUR	MS	WD	AT	WL	CSS	CNS	CSM	CONM	CSH	CDR	WT1	WT2	WT3	WT4	WT5	WT6	D1	D2	D3	D4	D5	D6	KEY	M
1	1200	9.3	165	27	0.05	0.0	315	0.0	0	0.0	195	0.0	0.0	0.0	0.0	0.0	0.0							1 645	54
1	2400	1.8	255	24	0.05	0.0	315	0.0	0	0.1	255	0.0	0.0	0.0	0.0	0.0	0.0							1 645	52
1	2800	9.8	95	25	0.05	0.0	335	0.0	0	0.1	255	0.0	0.0	0.0	0.0	0.0	0.0							1 645	51
1	1400	13.7	185	24	0.05	0.0	325	0.0	0	0.0	195	0.0	0.0	0.0	0.0	0.0	0.0							1 645	46
1	2000	6.5	225	24	0.05	0.0	335	0.0	0	0.2	215	0.0	0.0	0.0	0.0	0.0	0.0							1 665	47
2	400	9.1	295	24	0.05	0.0	325	0.0	0	0.0	345	0.0	0.0	0.0	0.0	0.0	0.0							1 665	50
2	1200	10.3	285	24	0.05	0.0	335	0.0	0	0.0	195	0.0	0.0	0.0	0.0	0.0	0.0							1 645	51
2	2400	13.4	285	27	0.04	0.0	45	0.0	0	0.0	125	0.0	0.0	0.0	0.0	0.0	0.0							1 645	51
2	2800	15.4	305	24	0.04	0.0	335	0.0	0	0.0	115	0.0	0.0	0.0	0.0	0.0	0.0							1 645	53
2	1400	17.5	255	27	0.05	0.0	105	0.0	0	0.0	195	0.0	0.0	0.0	0.0	0.0	0.0							1 645	44
2	2000	15.8	295	27	0.04	0.0	115	0.0	0	0.0	145	0.0	0.0	0.0	0.0	0.0	0.0							1 645	46
3	1200	9.2	165	27	0.04	0.0	195	0.0	0	5.9	5	0.0	0.0	0.0	0.0	0.0	0.0							1 645	56
3	2000	6.6	225	24	0.05	0.2	215	0.0	0	4.2	5	0.0	0.0	0.0	0.0	0.0	0.0							1 645	50
3	2400	1.9	255	24	0.05	0.1	255	0.0	0	4.2	5	0.0	0.0	0.0	0.0	0.0	0.0							1 645	55
3	2800	9.8	95	25	0.04	0.1	255	0.0	0	4.3	5	0.0	0.0	0.0	0.0	0.0	0.0							1 645	54
3	1400	13.6	185	24	0.05	0.0	195	0.0	0	4.1	5	0.0	0.0	0.0	0.0	0.0	0.0							1 645	49
4	400	10.8	335	24	0.04	0.0	325	0.0	0	0.0	45	0.0	0.0	0.0	0.0	0.0	0.0							1 645	55
4	1200	14.5	275	27	0.05	0.0	325	0.0	0	0.0	95	0.0	0.0	0.0	0.0	0.0	0.0							1 665	54
4	1600	6.8	335	0	0.60	0.0	65	0.0	0	0.0	105	0.0	0.0	0.0	0.0	0.0	0.0							1 645	52
4	2000	6.3	55	0	0.65	0.0	75	0.0	0	0.1	55	0.0	0.0	0.0	0.0	0.0	0.0							1 645	54
4	2400	3.8	105	0	0.49	0.0	75	0.0	0	0.2	45	0.0	0.0	0.0	0.0	0.0	0.0							1 645	57
4	2800	17.0	115	0	0.54	0.0	75	0.0	0	0.1	45	0.0	0.0	0.0	0.0	0.0	0.0							1 645	57
5	400	13.0	125	0	0.56	0.0	75	0.0	0	0.0	115	0.0	0.0	0.0	0.0	0.0	0.0							1 665	55
5	1600	5.8	145	0	0.38	0.0	255	0.0	0	0.0	105	0.0	0.0	0.0	0.0	0.0	0.0							1 665	52
5	2000	6.0	65	0	0.26	0.0	45	0.0	0	0.0	165	0.0	0.0	0.0	0.0	0.0	0.0							1 645	54
5	2400	9.7	125	0	0.32	0.0	45	0.0	0	0.0	165	0.0	0.0	0.0	0.0	0.0	0.0							1 645	57
5	400	13.0	125	0	0.54	0.0	75	0.0	0	0.0	115	0.0	0.0	0.0	0.0	0.0	0.0							1 665	55
5	1600	5.8	145	0	0.38	0.0	255	0.0	0	0.0	105	0.0	0.0	0.0	0.0	0.0	0.0							1 645	52
5	2000	6.0	45	0	0.26	0.0	45	0.0	0	0.0	165	0.0	0.0	0.0	0.0	0.0	0.0							1 645	57
5	2400	9.7	125	0	0.32	0.0	45	0.0	0	0.0	165	0.0	0.0	0.0	0.0	0.0	0.0							1 645	57
6	1200	13.9	115	0	0.58	0.0	45	0.0	0	0.0	185	0.0	0.0	0.0	0.0	0.0	0.0							1 645	50
6	1200	18.3	125	0	0.71	0.0	65	0.0	0	0.0	165	0.0	0.0	0.0	0.0	0.0	0.0							1 645	60
6	1600	19.4	155	0	0.97	0.0	55	0.0	0	0.2	185	0.0	0.0	0.0	0.0	0.0	0.0							1 645	51
6	2000	4.8	175	0	0.82	0.0	55	0.0	0	0.0	255	0.0	0.0	0.0	0.0	0.0	0.0							1 645	54
6	2400	5.8	125	0	0.43	0.0	65	0.0	0	0.0	255	0.0	0.0	0.0	0.0	0.0	0.0							1 645	54
6	2800	12.6	135	0	0.62	0.0	65	0.0	0	0.0	255	0.0	0.0	0.0	0.0	0.0	0.0							1 645	57
6	1600	19.4	155	0	0.97	0.0	55	0.0	0	0.2	185	0.0	0.0	0.0	0.0	0.0	0.0							1 645	58
6	2000	4.8	175	0	0.82	0.0	55	0.0	0	0.0	255	0.0	0.0	0.0	0.0	0.0	0.0							1 645	51
6	2400	5.8	125	0	0.43	0.0	65	0.0	0	0.0	255	0.0	0.0	0.0	0.0	0.0	0.0							1 645	54
6	2800	12.6	135	0	0.62	0.0	65	0.0	0	0.0	255	0.0	0.0	0.0	0.0	0.0	0.0							1 645	57
7	1200	7.4	215	0	0.50	0.0	65	0.0	0	0.0	255	0.0	0.0	0.0	0.0	0.0	0.0							1 645	58
7	400	9.8	155	0	0.62	0.0	55	0.0	0	0.0	255	0.0	0.0	0.0	0.0	0.0	0.0							1 645	60
7	1600	6.3	245	0	0.64	0.0	55	0.0	0	0.1	205	0.0	0.0	0.0	0.0	0.0	0.0							1 645	54
7	2000	3.3	325	0	0.43	0.0	45	0.0	0	0.1	185	0.0	0.0	0.0	0.0	0.0	0.0							1 645	53
7	2400	3.3	325	0	0.43	0.0	45	0.0	0	0.1	185	0.0	0.0	0.0	0.0	0.0	0.0							1 645	54

	June 1965																				
11	1400	14.9	235	27	1.82	0.0	35	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 645	53
11	2000	14.1	225	24	1.54	0.0	35	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 645	55
11	2400	14.4	235	27	1.54	0.0	25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 645	59
11	2400	15.3	235	27	1.13	0.0	35	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 645	53
12	900	11.0	245	27	1.13	0.0	35	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 645	60
12	1200	13.4	235	27	1.05	0.0	15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 645	60
12	1400	16.0	245	27	1.03	0.0	55	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 645	53
12	2000	16.1	245	27	1.21	0.0	35	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 645	55
12	2400	21.4	245	27	1.37	0.0	195	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 645	59
12	2400	17.0	255	27	1.40	0.0	45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 645	49
14	1200	13.4	225	24	1.55	0.0	335	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 645	40
14	900	7.1	225	24	1.67	0.0	325	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 645	59
14	1600	3.5	255	25	1.14	0.0	325	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 645	53
14	2000	16.9	145	25	1.77	0.0	315	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 645	55
14	2400	19.0	165	23	1.94	0.0	55	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 645	57
14	2700	1.0	245	24	1.63	0.0	45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 645	59
15	1200	3.9	215	24	2.01	0.0	15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 645	60
15	900	4.0	315	24	1.85	0.0	355	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 645	56
15	1400	10.4	215	24	2.09	0.0	45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 645	54
15	2000	14.9	205	27	1.59	0.0	95	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 645	55
15	2400	20.7	225	24	1.92	0.0	55	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 645	59
15	2400	15.5	245	27	1.63	0.0	55	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 645	55
16	900	0.1	255	25	1.19	0.0	45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 645	53
16	1200	5.4	245	24	1.22	0.0	75	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 645	50
16	2000	9.1	245	24	1.12	0.0	355	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 645	51
16	2400	0.1	145	25	0.70	0.0	305	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 645	53
16	1400	13.4	245	27	1.02	0.0	35	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 645	41
16	2400	3.9	165	25	0.69	0.0	95	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 645	45
17	1000	5.1	245	24	0.73	0.0	275	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 645	50
17	1200	0.1	235	24	0.94	0.0	295	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 645	52
17	1400	9.5	265	25	0.73	0.0	275	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 645	50
18	900	9.1	55	23	0.42	0.0	95	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 645	57
18	2000	4.4	115	24	0.34	0.0	95	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 645	57
18	2400	7.3	45	24	0.32	0.0	95	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 645	57
18	3200	8.6	115	23	0.34	0.0	275	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 645	27
18	1200	4.0	45	25	0.34	0.0	95	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 645	47
18	1400	8.0	55	24	0.49	0.0	95	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 645	47
18	2400	5.6	95	25	0.24	0.0	95	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 645	43
19	1200	6.7	195	25	0.29	0.0	245	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 645	48
20	1200	7.0	145	24	0.29	0.0	265	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 645	54
20	1400	9.4	215	24	0.42	0.0	265	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 645	53
20	2400	3.4	175	24	0.37	0.0	275	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 645	57
20	1000	6.1	115	24	0.30	0.0	245	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 645	46
20	2000	7.7	195	24	0.44	0.0	265	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 645	49
20	2400	3.3	95	24	0.41	0.0	275	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 645	49
21	1200	7.3	145	24	0.39	0.0	275	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 645	50
21	1400	9.1	145	27	0.45	0.0	275	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 645	55

1 645 55
0 0 0 0

June 1965
30 1000 0 1.6 15 0 7 0.31 0.0 5 0 0 0.0 0 0.0 0 0.0 0.0 0.0 0.0 0.0 0.0
0 0 0.0 0 0 0.00 0.0 0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0 0.0

070009 STAGE 1

JUL 1965

CDNE: 0000000000000000

DAY	HTJK	MS	WD	AT	WL	CSS	CDS	CSM	CIM	CSB	CDH	MT1	MT2	MT3	MT4	MT5	MT6	D1	D2	D3	D4	D5	D6	KEY	N		
5	400	8.6	125	27	0.23	0.3	255	0.4	0	0.0	AS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	745	10	
5	1400	8.0	325	25	0.71	0.3	355	0.3	0	0.0	115	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	745	35
5	1200	11.0	125	13	0.50	0.3	355	0.1	0	0.0	105	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	745	49
5	1200	6.7	205	11	0.54	0.2	305	0.2	0	0.0	115	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	745	48
5	1500	8.9	145	24	0.63	0.2	15	0.2	0	0.0	145	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	765	49
5	4000	2.5	145	24	0.54	0.2	15	0.2	0	0.0	105	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	765	47
5	5400	9.5	145	9	0.53	0.2	205	0.2	0	0.0	65	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	765	57
7	2400	0.1	245	24	0.51	0.5	115	0.3	0	0.0	95	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	745	54
7	1200	0.2	335	24	0.55	0.6	125	0.3	0	0.0	155	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	745	54
7	1500	0.3	325	26	0.49	0.5	125	0.3	0	0.0	115	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	745	53
7	2100	0.2	255	24	0.49	0.4	115	0.3	0	0.0	105	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	765	10
7	2400	0.2	245	24	0.47	0.4	115	0.2	0	0.0	105	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	765	43
9	2100	0.1	195	24	0.31	0.4	175	0.3	0	0.0	335	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	765	54
9	2400	0.2	215	24	0.47	0.4	25	0.3	0	0.0	285	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	745	54
9	2400	0.2	255	24	0.44	0.5	55	0.2	0	0.0	245	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	745	54
9	3200	0.1	15	26	0.53	0.5	45	0.2	0	0.0	135	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	745	54
9	2000	0.1	145	24	0.27	0.3	75	0.4	0	0.0	125	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	765	24
9	1400	0.2	255	24	0.34	0.2	45	0.3	0	0.0	295	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	745	48
9	400	0.2	145	24	0.45	0.6	115	0.2	0	0.0	235	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	745	54
9	1200	0.1	235	25	0.47	0.4	115	0.2	0	0.0	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	745	52
10	1400	0.2	235	4	0.46	0.2	165	0.3	0	0.0	225	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	765	41
10	2200	0.2	245	0	0.57	0.1	175	0.3	0	0.0	155	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	765	41
10	1000	0.2	325	27	0.47	0.5	85	0.3	0	0.0	335	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	765	51
10	1400	0.1	245	27	0.43	0.3	145	0.3	0	0.0	285	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	765	53
12	1900	0.2	195	0	0.54	0.2	225	0.2	0	0.0	175	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	765	55
12	2400	0.1	145	0	0.54	0.4	5	0.2	0	0.0	225	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	745	51
12	2900	0.2	125	0	0.64	0.3	35	0.3	0	0.0	205	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	765	50
12	3400	0.1	145	17	0.60	0.3	155	0.2	0	0.0	175	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	765	55
12	1500	0.2	155	0	0.32	0.2	205	0.2	0	0.0	205	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	765	41
12	2200	0.2	145	0	0.44	0.2	5	0.2	0	0.0	235	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	765	40
12	300	0.2	225	27	0.53	0.2	15	0.2	0	0.0	295	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	765	47
13	1000	0.1	145	25	0.52	0.2	105	0.2	0	0.0	275	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	765	24
13	1000	10.1	5	25	0.72	0.2	165	0.2	0	0.0	45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	765	51
14	1200	16.4	245	27	0.77	0.3	145	0.3	0	0.0	135	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	765	60
14	1500	14.1	345	27	1.32	0.4	125	0.3	0	0.0	35	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	765	58
14	2400	11.3	325	27	0.79	0.4	145	0.3	0	0.0	25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	765	59
16	2400	11.4	325	24	0.69	0.4	155	0.3	0	0.0	125	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	765	59
14	1500	11.3	305	24	0.67	0.2	165	0.3	0	0.0	115	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	765	58
17	1600	14.0	295	29	0.75	0.2	95	0.2	0	0.0	115	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	765	57
17	2000	10.1	335	24	0.74	0.4	115	0.2	0	0.0	35	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	765	50
20	2200	7.4	145	29	0.24	0.4	95	0.2	0	0.0	205	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	765	50
20	1400	1.2	145	22	0.40	0.4	355	0.2	0	0.0	205	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	765	17
20	1400	2.1	105	10	0.24	0.4	45	0.2	0	0.0	115	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	745	49

July 1965

21	100	9.2	155	29	0.32	0.3	115	0.2	0	0.0	205	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 765	52
21	400	13.3	125	28	0.38	0.3	205	0.2	0	0.0	205	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 765	50
21	1100	9.4	165	29	0.37	0.4	355	0.2	0	0.0	195	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 765	53
21	1300	12.8	175	29	0.51	0.4	355	0.3	0	0.0	195	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 765	50
21	1400	8.7	215	29	0.47	0.5	25	0.4	0	0.0	195	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 765	53
21	1900	4.3	55	26	0.38	0.4	75	0.4	0	0.0	195	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 765	57
21	2000	6.5	105	29	0.50	0.4	95	0.4	0	0.1	205	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 765	56
21	2400	13.4	105	0	0.47	0.3	165	0.4	0	0.0	265	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 765	56
21	2800	13.0	125	0	0.44	0.3	205	0.5	0	0.0	265	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 765	51
21	3100	16.6	115	0	0.58	0.3	265	0.4	0	0.0	265	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 765	57
21	400	11.6	125	28	0.40	0.4	305	0.2	0	0.0	195	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 765	49
22	800	16.8	125	0	0.71	0.4	285	0.4	0	0.0	265	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 765	56
22	1200	5.6	155	28	0.50	0.5	345	0.3	0	0.0	265	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 765	55
22	1600	8.0	195	27	0.50	0.4	15	0.6	0	0.0	265	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 765	51
22	1900	4.9	205	27	0.51	0.4	75	0.5	0	0.0	265	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 765	57
23	1200	2.8	215	28	0.18	0.2	355	0.4	0	0.0	265	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 765	60
23	1900	4.3	75	27	0.17	0.2	285	0.4	0	0.0	265	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 765	51
23	1200	7.1	215	28	0.31	0.2	85	0.6	0	0.0	265	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 765	54
23	2000	7.8	225	27	0.38	0.2	115	0.6	0	0.0	265	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 765	56
23	2400	4.0	245	27	0.35	0.3	175	0.5	0	0.0	275	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 765	57
23	2800	1.8	345	27	0.29	0.5	225	0.8	0	0.0	275	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 765	51
23	3100	0.0	335	28	0.36	0.4	255	0.3	0	0.0	285	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 765	55
24	1500	5.4	235	28	0.21	0.3	15	0.5	0	0.0	265	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 765	48
24	1200	5.8	215	28	0.22	0.2	325	0.3	0	0.0	275	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 765	57
24	1600	5.0	235	27	0.26	0.1	355	0.5	0	0.0	265	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 765	57
24	3600	15.5	225	26	1.07	0.4	355	0.2	0	0.0	235	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 765	56
24	4000	12.8	215	27	0.91	0.3	35	0.3	0	0.0	225	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 765	51
24	2000	5.8	205	27	0.31	0.1	275	0.4	0	0.0	255	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 765	56
24	2400	8.8	185	27	0.47	0.2	215	0.4	0	0.0	245	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 765	50
24	2800	7.3	195	27	0.68	0.3	245	0.3	0	0.0	285	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 765	55
24	4400	14.7	215	26	0.98	0.2	185	0.5	0	0.0	235	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 765	51
24	4900	13.6	235	27	0.81	0.2	205	0.4	0	0.0	225	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 765	51
24	5200	9.1	245	26	0.74	0.3	215	0.3	0	0.0	225	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 765	56
24	400	1.5	45	28	0.29	0.3	265	0.3	0	0.0	285	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 765	42
24	3200	12.6	195	27	0.68	0.4	305	0.2	0	0.0	285	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 765	48
24	400	8.5	5	26	0.74	0.2	275	0.2	0	0.0	205	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 765	41
24	1200	9.7	235	26	0.60	0.2	255	0.2	0	0.0	195	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 765	49
24	3200	10.6	305	26	0.58	0.3	205	0.2	0	0.0	195	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 765	49
24	3600	4.3	195	27	0.53	0.2	215	0.2	0	0.0	185	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 765	44
24	1600	11.8	235	27	0.61	0.2	35	0.4	0	0.0	195	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 765	57
24	2000	3.5	235	27	0.55	0.3	85	0.4	0	0.0	195	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 765	56
24	2400	4.7	255	25	0.61	0.2	165	0.3	0	0.0	185	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 765	50
24	2800	7.5	205	26	0.54	0.3	195	0.2	0	0.0	185	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 765	54
24	4000	9.8	205	28	0.65	0.2	65	0.4	0	0.1	185	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 765	50
24	4000	9.2	235	28	0.60	0.3	125	0.2	0	0.0	185	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 765	52
24	4900	5.4	215	28	0.42	0.5	115	0.2	0	0.0	185	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 765	52
24	5200	7.9	215	27	0.49	0.4	175	0.2	0	0.0	185	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 765	54

July 1965																
2A	6700	6.6	185	24	0.44	0.4	245	0.2	0	0.0	175	0.0	0.0	0.0	1 745	54
2A	6800	7.4	185	24	0.44	0.4	275	0.2	0	0.0	175	0.0	0.0	0.0	1 745	50
2A	7400	8.6	275	27	0.85	0.3	225	0.3	0	0.0	165	0.0	0.0	0.0	1 745	57
2A	7200	8.0	235	27	0.63	0.3	215	0.3	0	0.0	165	0.0	0.0	0.0	1 745	49
2A	800	5.2	195	28	0.47	0.2	185	0.1	0	0.0	185	0.0	0.0	0.0	1 745	48
2A	1200	9.1	205	24	0.56	0.3	185	0.3	0	0.1	185	0.0	0.0	0.0	1 745	49
2A	1200	6.3	115	27	0.30	0.2	235	0.2	0	0.0	175	0.0	0.0	0.0	1 745	48
2A	1400	7.3	215	25	0.55	0.2	185	0.3	0	0.1	185	0.0	0.0	0.0	1 745	57
2A	2000	6.1	205	28	0.44	0.4	135	0.2	0	0.0	185	0.0	0.0	0.0	1 765	56
2A	2400	1.1	205	28	0.39	0.5	185	0.1	0	0.0	185	0.0	0.0	0.0	1 745	50
2A	2800	2.4	145	28	0.39	0.3	195	0.1	0	0.0	185	0.0	0.0	0.0	1 745	55
2A	3400	4.0	295	20	0.28	0.3	245	0.5	0	0.1	185	0.0	0.0	0.0	1 745	53
2A	4000	6.8	325	28	0.45	0.4	305	0.2	0	0.0	185	0.0	0.0	0.0	1 745	50
2A	4800	7.8	115	27	0.41	0.2	295	0.2	0	0.0	185	0.0	0.0	0.0	1 745	50
2A	4900	5.1	125	27	0.27	0.3	255	0.1	0	0.0	185	0.0	0.0	0.0	1 745	51
2A	5200	5.3	75	24	0.26	0.4	265	0.2	0	0.0	185	0.0	0.0	0.0	1 745	56
2A	5400	5.1	145	22	0.39	0.4	255	0.2	0	0.0	185	0.0	0.0	0.0	1 765	53
0	0	0.0	0	0	0.00	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0	0

070009 STATE 1

AVG 1965

CUDEI 000000000000000000

DAY	HR	MS	WD	AT	WL	CSS	CDS	CSM	CIM	CSH	CON	WT1	WT2	WT3	WT4	WT5	MTA	01	02	03	04	05	06	KEY	N
7	2000	5.4	245	4	0.88	0.4	135	0.3	0	0.0	105	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	845	60
7	2000	8.4	205	28	0.47	0.2	175	0.3	0	0.0	105	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	845	60
7	2800	8.0	235	26	0.47	0.2	225	0.2	0	0.0	165	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	845	60
7	4000	3.8	125	26	0.45	0.5	145	0.4	0	0.0	55	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	845	60
7	4300	4.7	245	24	0.44	0.3	195	0.3	0	0.0	25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	845	60
7	5200	12.1	265	28	0.44	0.2	255	0.3	0	0.0	115	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	845	60
7	1200	8.2	225	28	0.53	0.2	345	0.2	0	0.0	25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	845	59
7	1600	6.7	225	1	0.44	0.3	75	0.4	0	0.0	185	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	845	59
7	3200	6.8	235	10	0.53	0.1	355	0.3	0	0.0	195	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	845	58
7	3600	15.6	235	15	0.50	0.2	35	0.3	0	0.0	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	845	58
7	4000	8.2	215	0	0.50	0.5	95	0.3	0	0.0	95	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	845	50
9	4000	6.5	215	27	0.44	0.2	185	0.2	0	0.0	65	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	845	60
9	4800	11.6	175	27	0.45	0.2	205	0.3	0	0.0	105	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	845	60
9	2700	10.2	235	0	0.43	0.3	155	0.3	0	0.0	45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	845	60
9	2400	13.0	235	1	0.51	0.3	255	0.2	0	0.0	355	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	845	60
9	4800	9.7	145	27	0.37	0.2	245	0.2	0	0.0	105	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	845	60
9	4800	8.7	235	28	0.44	0.3	325	0.2	0	0.0	205	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	845	60
9	5200	4.6	325	28	0.37	0.2	355	0.1	0	0.0	265	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	845	60
9	6400	9.8	175	28	0.51	0.3	335	0.3	0	0.0	185	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	845	60
9	400	5.6	195	27	0.44	0.2	345	0.3	0	0.0	115	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	845	59
9	1200	13.7	245	24	0.44	0.4	65	0.4	0	0.0	125	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	845	55
9	1400	4.7	15	26	0.31	0.5	115	0.3	0	0.0	35	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	845	58
9	3200	4.2	345	29	0.38	0.3	355	0.2	0	0.0	65	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	845	55
9	3400	3.1	225	20	0.35	0.2	95	0.2	0	0.0	95	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	845	58
9	5600	9.2	95	26	0.38	0.2	275	0.1	0	0.0	105	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	845	59
9	6700	10.2	125	28	0.39	0.2	345	0.1	0	0.0	185	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	845	58
9	2900	3.3	25	25	0.54	0.3	355	0.2	0	0.1	295	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	845	55
13	5600	10.7	345	28	0.52	0.2	205	0.1	0	0.1	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	845	60
13	2700	3.7	145	20	0.41	0.3	335	0.3	0	0.1	275	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	845	60
13	2400	4.3	125	28	0.44	0.2	295	0.2	0	0.1	355	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	845	60
13	4000	7.7	325	20	0.44	0.1	285	0.1	0	0.0	135	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	845	60
13	4800	4.4	315	20	0.40	0.1	215	0.1	0	0.0	155	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	845	60
13	3200	5.1	105	27	0.45	0.3	285	0.2	0	0.0	175	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	845	55
13	3600	7.9	235	20	0.38	0.3	305	0.2	0	0.0	165	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	845	54
13	4700	4.8	275	30	0.37	0.2	315	0.2	0	0.1	95	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	845	59
13	6700	7.6	315	20	0.38	0.2	255	0.3	0	0.1	65	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	845	58
13	6700	9.7	295	30	0.50	0.2	105	0.2	0	0.1	125	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	845	59
15	2800	4.9	295	28	0.47	0.3	155	0.2	0	0.1	45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	845	60
15	3100	14.6	325	29	0.83	0.3	185	0.3	0	0.1	95	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	845	60
15	2700	4.1	245	30	0.49	0.3	115	0.3	0	0.0	115	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	845	55
15	2400	5.9	15	30	0.49	0.3	115	0.3	0	0.0	145	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	845	59
14	1400	4.3	285	27	0.93	0.2	285	0.3	0	0.1	145	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	845	60
14	1900	4.8	285	27	0.61	0.2	65	0.2	0	0.0	165	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	845	60
14	2400	5.8	185	27	0.43	0.3	125	0.2	0	0.1	45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	845	60

Aug. 1965

16	2900	7.4	205	29	0.44	0.3	195	0.2	0	0.1	115	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	865	60
16	3100	2.5	205	29	0.33	0.2	175	0.4	0	0.0	145	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	865	60
16	900	9.7	15	29	0.82	0.3	175	0.3	0	0.1	105	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	865	58
16	1200	6.3	235	29	0.33	0.2	205	0.4	0	0.1	95	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	865	55
16	2000	5.4	295	27	0.64	0.3	95	0.2	0	0.1	115	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	865	58
17	1400	10.7	235	29	0.52	0.2	15	0.2	0	0.1	145	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	865	60
17	2900	9.5	245	29	0.44	0.2	215	0.2	0	0.1	145	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	865	60
17	3100	6.6	235	29	0.45	0.2	235	0.2	0	0.1	265	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	865	60
17	900	3.3	205	29	0.35	0.2	235	0.3	0	0.0	165	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	865	59
17	1200	10.3	205	27	0.40	0.2	295	0.3	0	0.0	135	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	865	58
17	1900	8.9	235	29	0.42	0.3	45	0.2	0	0.1	175	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	865	59
17	2000	7.9	225	29	0.41	0.3	45	0.2	0	0.1	185	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	865	55
17	2400	10.5	185	29	0.43	0.2	135	0.2	0	0.1	125	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	865	59
18	2000	13.4	235	29	0.70	0.4	75	0.2	0	0.1	245	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	865	60
18	2400	13.1	255	27	0.76	0.4	125	0.3	0	0.1	275	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	865	60
18	2800	15.2	245	26	0.79	0.4	165	0.4	0	0.1	275	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	865	60
18	3100	10.4	235	27	0.79	0.3	195	0.4	0	0.2	275	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	865	60
18	400	5.4	125	27	0.34	0.2	245	0.3	0	0.1	275	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	865	55
18	1200	15.5	145	27	1.10	0.3	355	0.3	0	0.1	265	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	865	56
18	1600	11.9	215	27	0.72	0.3	35	0.3	0	0.1	255	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	865	57
18	1900	15.9	235	29	0.75	0.4	75	0.2	0	0.1	245	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	865	58
19	2100	4.7	275	27	0.60	0.4	115	0.2	0	0.2	305	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	865	60
19	2400	2.4	115	27	0.49	0.3	125	0.2	0	0.1	305	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	865	60
19	2800	2.1	255	27	0.40	0.2	175	0.3	0	0.1	305	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	865	60
19	3100	2.6	215	27	0.44	0.1	215	0.3	0	0.1	305	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	865	60
19	400	14.2	285	27	0.71	0.3	225	0.4	0	0.2	285	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	865	58
19	1200	13.5	265	27	0.62	0.2	55	0.4	0	0.2	305	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	865	54
19	1500	6.6	255	27	0.65	0.3	95	0.3	0	0.1	305	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	865	51
19	1900	6.6	285	27	0.54	0.4	115	0.2	0	0.1	305	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	865	55
20	2400	13.5	205	29	0.66	0.3	95	0.2	0	0.1	315	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	865	60
20	2900	14.4	225	29	0.65	0.2	155	0.2	0	0.0	315	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	865	60
20	1200	5.4	165	27	0.45	0.2	35	0.3	0	0.0	315	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	865	58
20	1600	13.0	185	29	0.63	0.2	45	0.2	0	0.1	315	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	865	58
20	1900	15.4	185	29	0.71	0.2	45	0.2	0	0.1	315	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	865	57
20	2000	15.3	195	29	0.76	0.2	75	0.2	0	0.0	315	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	865	59
20	3100	13.1	215	29	0.60	0.2	175	0.2	0	0.0	315	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	865	58
20	400	5.5	45	27	0.44	0.1	205	0.3	0	0.1	305	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	865	46
21	1400	12.9	205	29	0.83	0.2	75	0.2	0	0.0	315	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	865	60
21	2000	12.0	205	29	0.67	0.2	75	0.2	0	0.1	315	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	865	60
21	2400	9.2	205	29	0.50	0.2	75	0.1	0	0.0	315	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	865	60
21	2900	8.4	205	29	0.54	0.1	155	0.2	0	0.0	315	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	865	60
21	3100	8.5	205	29	0.50	0.1	145	0.2	0	0.0	315	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	865	60
21	1200	13.1	215	29	0.79	0.2	295	0.2	0	0.0	315	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	865	56
21	2000	12.0	205	29	0.65	0.2	55	0.2	0	0.0	315	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	865	28
21	400	13.3	225	29	0.74	0.2	165	0.2	0	0.0	315	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	865	43
22	800	7.3	205	30	0.53	0.2	195	0.2	0	0.1	315	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	865	60
22	1200	5.0	205	31	0.45	0.1	295	0.3	0	0.0	315	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1	865	60

Aug 1965

22	2000	8.1	235	24	0.32	0.1	25	0.1	25	0.1	0	0.0	315	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 865	60				
22	2400	4.9	255	24	0.24	0.1	75	0.1	75	0.1	0	0.0	315	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 865	60				
22	2400	3.8	305	27	0.25	0.1	195	0.1	195	0.1	0	0.0	315	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 865	60				
22	3100	2.9	25	29	0.24	0.2	195	0.2	195	0.2	0	0.0	315	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 865	59				
22	1400	7.7	245	30	0.39	0.2	355	0.2	355	0.2	0	0.0	315	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 865	56				
22	1900	8.6	245	28	0.39	0.1	25	0.1	25	0.1	0	0.0	315	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 865	60				
23	1600	9.4	255	29	0.32	0.2	355	0.2	355	0.2	0	0.0	315	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 865	60				
23	2000	9.6	245	24	0.34	0.3	75	0.3	75	0.3	0	0.0	345	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 865	60				
23	2400	6.0	275	24	0.34	0.2	75	0.2	75	0.2	0	0.0	345	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 865	60				
23	3100	5.4	305	24	0.36	0.1	155	0.1	155	0.1	0	0.0	345	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 865	60				
23	400	5.5	45	24	0.29	0.1	225	0.2	225	0.2	0	0.0	345	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 865	60				
23	900	4.4	55	24	0.29	0.1	225	0.2	225	0.2	0	0.0	315	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 865	58				
23	1200	3.4	265	30	0.25	0.1	335	0.3	335	0.3	0	0.0	315	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 865	56				
23	1900	10.7	265	29	0.43	0.3	55	0.3	55	0.3	0	0.0	345	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 865	49				
24	400	4.5	45	24	0.30	0.1	255	0.2	255	0.2	0	0.0	345	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 865	60				
24	1200	4.7	275	17	0.25	0.2	355	0.3	355	0.3	0	0.0	5	0.0	9.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.7	68	98	12	15	18	24
24	1600	10.8	255	29	0.27	0.3	15	0.3	15	0.3	0	0.0	45	19.1	25.7	25.3	25.1	17.3	22.8	68	98	12	15	18	24	1 865	59			
24	1900	9.2	265	24	0.39	0.4	55	0.3	55	0.3	0	0.0	5	19.8	25.4	22.2	25.4	18.3	22.9	68	98	12	15	18	24	1 865	58			
24	2000	8.0	275	24	0.44	0.4	55	0.2	55	0.2	0	0.0	125	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 865	50				
24	2400	6.5	255	24	0.41	0.3	95	0.2	95	0.2	0	0.0	35	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 865	52				
24	2400	6.3	295	24	0.39	0.2	205	0.2	205	0.2	0	0.0	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 865	55				
24	3100	5.5	45	29	0.29	0.3	205	0.3	205	0.3	0	0.0	55	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1 865	53				
25	1200	3.2	265	29	0.29	0.1	275	0.3	275	0.3	0	0.0	155	18.9	25.9	0.0	25.5	14.4	23.7	68	98	12	15	18	24	1 865	52			
25	1400	9.5	245	30	0.33	0.1	325	0.1	325	0.1	0	0.0	65	18.7	25.9	0.1	25.5	16.2	22.0	68	98	12	15	18	24	1 865	54			
25	1900	9.0	275	29	0.34	0.1	45	0.2	45	0.2	0	0.0	115	19.7	25.9	0.1	26.0	17.8	23.0	68	98	12	15	18	24	1 865	52			
25	2000	7.5	275	29	0.44	0.1	125	0.2	125	0.2	0	0.0	55	19.9	25.9	0.1	26.0	18.1	22.9	68	98	12	15	18	24	1 865	50			
25	2400	6.7	275	29	0.35	0.4	155	0.1	155	0.1	0	0.0	5	19.9	25.9	0.1	26.0	18.5	22.7	68	98	12	15	18	24	1 865	52			
25	3100	5.4	245	24	0.32	0.3	125	0.3	125	0.3	0	0.0	145	20.0	25.9	0.1	25.7	18.4	22.8	68	98	12	15	18	24	1 865	54			
25	400	4.9	55	24	0.29	0.2	225	0.2	225	0.2	0	0.0	145	19.6	25.7	0.0	25.2	16.2	22.4	68	98	12	15	18	24	1 865	49			
26	1200	4.4	255	30	0.34	0.1	155	0.3	155	0.3	0	0.0	345	25.7	25.9	14.4	25.4	16.0	22.3	68	98	12	15	18	24	1 865	60			
26	400	5.5	25	19	0.25	0.1	5	0.2	5	0.2	0	0.0	5	12.7	14.6	0.1	15.9	10.9	14.6	68	98	12	15	18	24	1 865	50			
26	1400	10.4	255	30	0.39	0.2	25	0.3	25	0.3	0	0.0	355	25.4	24.0	11.7	25.3	12.0	22.2	68	98	12	15	18	24	1 865	54			
26	1900	7.6	235	29	0.32	0.3	75	0.2	75	0.2	0	0.0	45	25.7	25.9	15.7	25.6	16.5	22.0	68	98	12	15	18	24	1 865	53			
26	2000	9.4	225	29	0.33	0.3	95	0.2	95	0.2	0	0.0	355	25.7	25.9	16.2	25.6	16.9	22.1	68	98	12	15	18	24	1 865	50			
26	2400	4.1	245	29	0.30	0.4	115	0.2	115	0.2	0	0.0	345	25.7	24.2	17.7	25.7	17.7	22.3	68	98	12	15	18	24	1 865	52			
26	3100	0.4	295	31	0.25	0.2	205	0.3	205	0.3	0	0.0	355	25.6	25.9	18.0	25.3	17.7	22.3	68	98	12	15	18	24	1 865	55			
26	400	0.4	295	31	0.25	0.2	205	0.3	205	0.3	0	0.0	5	25.6	25.9	17.8	26.0	18.1	22.2	68	98	12	15	18	24	1 865	53			
27	1200	6.3	235	31	1.45	0.1	275	0.4	275	0.4	0	0.0	355	26.1	24.1	10.1	25.6	15.2	21.4	68	98	12	15	18	24	1 865	60			
27	1400	11.4	235	30	0.31	0.2	355	0.4	355	0.4	0	0.0	355	26.5	24.1	13.2	26.1	15.9	21.4	68	98	12	15	18	24	1 865	54			
27	1900	4.4	235	29	0.41	0.4	45	0.3	45	0.3	0	0.0	345	26.4	24.1	16.2	26.3	17.5	21.4	68	98	12	15	18	24	1 865	53			
27	2000	9.5	235	29	0.41	0.4	75	0.2	75	0.2	0	0.0	345	26.1	24.3	14.9	26.4	17.9	21.4	68	98	12	15	18	24	1 865	50			
27	2400	3.4	245	29	0.42	0.4	115	0.2	115	0.2	0	0.0	355	25.8	24.1	17.6	25.7	17.8	21.9	68	98	12	15	18	24	1 865	52			
27	3100	8.3	245	24	0.42	0.3	195	0.2	195	0.2	0	0.0	355	25.7	24.1	18.4	26.0	18.5	21.4	68	98	12	15	18	24	1 865	55			
27	400	3.4	75	24	0.39	0.4	205	0.4	205	0.4	0	0.0	335	25.9	24.3	14.7	26.2	14.6	22.0	68	98	12	15	18	24	1 865	54			
27	400	0.9	15	30	0.24	0.2	225	0.3	225	0.3	0	0.0	5	25.6	25.9	17.3	26.0	17.7	22.1	68	98	12	15	18	24	1 865	40			
28	1200	3.0	225	31	0.41	0.1	355	0.5	355	0.5	0	0.0	305	26.1	24.3	16.1	25.3	16.4	21.7	68	98	12	15	18	24	1 865	55			

Aug 1965

28	1600	16.4	35	26	0.35	0.2	35	0.3	0	0.1	345	26.2	24.3	14.9	25.8	16.3	21.8	66	98	12	15	18	24	1	865	54
29	1900	3.2	115	26	0.28	0.4	55	0.2	0	0.1	345	25.9	24.3	17.7	25.2	17.4	21.8	66	98	12	15	18	24	1	865	54
29	2000	4.3	35	26	0.30	0.4	65	0.2	0	0.1	355	26.0	24.3	18.0	25.5	17.8	21.5	68	98	12	15	18	24	1	865	50
29	2400	3.2	15	26	0.30	0.4	105	0.1	0	0.0	5	25.9	24.4	18.6	26.0	18.6	20.6	68	98	12	15	18	24	1	865	52
29	2900	5.7	25	26	0.31	0.3	185	0.2	0	0.1	335	26.0	24.3	19.3	25.0	19.1	21.2	68	98	12	15	18	24	1	865	54
29	3100	7.9	65	26	0.31	0.2	225	0.2	0	0.0	295	26.0	24.3	19.1	24.8	17.6	20.7	68	98	12	15	18	24	1	865	54
29	400	5.5	75	28	0.39	0.4	195	0.4	0	0.1	335	26.1	24.4	18.3	26.2	18.2	22.1	68	98	12	15	18	24	1	865	42
29	2700	7.4	335	29	0.27	0.3	175	0.2	0	0.0	255	26.0	24.4	17.1	25.8	17.5	21.8	66	98	12	15	18	24	1	865	50
29	2400	10.4	25	29	0.38	0.3	75	0.1	0	0.0	5	26.0	24.5	18.4	26.1	18.5	22.1	68	98	12	15	18	24	1	865	51
29	2900	16.3	125	27	0.40	0.3	185	0.3	0	0.1	5	25.9	24.4	19.3	25.9	18.9	21.2	68	98	12	15	18	24	1	865	55
29	3100	14.5	105	26	0.50	0.4	265	0.3	0	0.0	355	26.2	24.5	19.7	28.3	17.4	21.3	68	98	12	15	18	24	1	865	54
30	1600	7.9	185	30	0.36	0.4	15	0.0	0	0.1	185	26.0	24.4	17.7	26.0	17.7	22.0	68	98	12	15	18	24	1	865	51
30	1900	5.8	175	29	0.35	0.5	45	0.0	0	0.1	205	26.1	24.5	18.6	26.1	18.3	21.4	68	98	12	15	18	24	1	865	51
30	2400	13.2	115	28	0.37	0.3	115	0.2	0	0.0	245	25.9	24.5	19.3	26.2	18.9	21.6	68	98	12	15	18	24	1	865	53
30	2900	16.4	115	26	0.52	0.3	245	0.2	0	0.1	205	25.7	24.3	21.8	26.4	20.3	21.2	68	98	12	15	18	24	1	865	54
30	3100	16.2	105	26	0.55	0.5	275	0.2	0	0.1	175	25.8	24.3	23.6	25.8	21.0	21.6	68	98	12	15	18	24	1	865	55
30	400	14.0	105	26	0.55	0.5	275	0.4	0	0.0	355	26.1	24.6	19.5	28.2	17.1	21.5	68	98	12	15	18	24	1	865	35
30	1200	6.3	125	29	0.34	0.6	335	0.4	0	0.1	205	26.1	24.6	18.9	26.0	18.4	21.6	68	98	12	15	18	24	1	865	40
30	2000	13.3	105	29	0.57	0.8	55	0.0	0	0.0	245	26.0	24.5	18.7	26.0	18.4	21.3	68	98	12	15	18	24	1	865	44
31	1600	9.7	155	29	0.61	0.5	355	0.4	0	0.1	195	25.9	24.5	19.7	25.8	18.6	21.9	68	98	12	15	18	24	1	865	51
31	400	14.7	105	25	0.54	0.6	285	0.2	0	0.1	165	25.8	24.4	23.4	25.6	20.9	21.3	68	98	12	15	18	24	1	865	33
31	1200	8.9	115	27	0.47	0.5	325	0.3	0	0.2	195	25.9	24.4	20.9	25.6	19.2	21.7	68	98	12	15	18	24	1	865	38
31	1900	8.3	145	28	0.42	0.3	25	0.5	0	0.1	205	25.9	24.5	19.8	25.7	18.5	21.6	66	98	12	15	18	24	1	865	39
0	0	0.0	0	0	0.00	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0	0

070009 STAGE 1

SEP 1965

CUDE: 0000000000000000

DAY	HOJR	MS	WD	AT	WL	CSS	CDS	CSM	CDM	CSB	CDB	WT1	WT2	WT3	WT4	WT5	WT6	D1	D2	D3	D4	D5	D6	KEY	N	
7	1600	16.0	65	29	0.53	0.2	95	0.3	0	0.1	85	25.3	25.7	18.1	25.5	25.7	22.6	68	98	12	15	21	24	1	945	60
2	2000	10.9	85	28	0.40	0.1	115	0.2	0	0.0	245	25.4	25.1	19.4	25.9	18.6	21.8	68	98	12	15	18	24	1	945	60
2	2400	10.5	115	25	0.54	0.3	355	0.2	0	0.0	245	25.2	25.8	20.8	26.1	19.8	21.5	68	98	12	15	18	24	1	945	60
2	1900	6.8	95	28	0.48	0.1	85	0.2	0	0.0	155	25.4	25.9	19.2	26.0	18.6	21.8	68	98	12	15	18	24	1	945	58
2	2400	18.0	115	27	0.71	0.2	295	0.2	0	0.1	335	25.3	25.8	20.0	26.1	19.3	21.6	68	98	12	15	18	24	1	945	58
2	3100	11.9	115	26	0.54	0.3	355	0.2	0	0.1	5	25.2	25.7	21.2	26.1	20.1	21.3	68	98	12	15	18	24	1	945	54
2	300	7.9	255	25	0.52	0.4	275	0.2	0	0.1	335	25.6	24.2	21.7	24.9	19.4	21.8	68	98	12	15	18	24	1	945	27
2	1500	5.4	125	28	0.49	0.2	55	0.3	0	0.1	5	25.4	24.1	19.5	26.0	18.7	21.8	68	98	12	15	18	24	1	945	37
2	1200	2.7	95	26	0.56	0.2	335	0.2	0	0.1	205	25.4	25.9	20.6	26.0	19.6	21.8	68	98	12	15	18	24	1	945	49
3	2000	17.0	115	27	0.67	0.2	355	0.3	0	0.0	295	25.5	24.0	20.0	25.9	19.0	21.8	68	98	12	15	18	24	1	945	60
3	2400	15.1	105	26	0.62	0.5	335	0.3	0	0.1	185	25.2	25.7	20.4	25.7	19.2	22.5	68	98	12	15	18	24	1	945	60
3	2400	18.8	115	26	0.95	0.5	315	0.2	0	0.0	195	25.2	25.8	21.7	25.7	19.9	21.2	68	98	12	15	18	24	1	945	60
3	3100	19.9	115	26	0.82	0.6	295	0.2	0	0.1	5	25.3	25.8	21.5	25.6	19.8	21.1	68	98	12	15	18	24	1	945	60
3	300	14.3	115	26	0.67	0.3	15	0.2	0	0.0	305	25.2	25.9	20.7	26.2	19.8	21.4	68	98	12	15	18	24	1	945	21
3	1200	13.4	125	29	0.54	0.3	355	0.2	0	0.0	355	25.5	24.2	20.1	26.1	19.2	21.5	68	98	12	15	18	24	1	945	29
3	1600	14.4	175	28	0.61	0.3	355	0.2	0	0.0	235	25.5	24.0	19.2	26.0	18.4	21.5	68	98	12	15	18	24	1	945	21
3	1900	14.4	175	27	0.90	0.2	25	0.2	0	0.1	205	25.5	24.0	19.6	25.9	18.7	21.4	68	98	12	15	18	24	1	945	32
4	300	18.9	115	26	0.90	0.6	295	0.2	0	0.0	25	25.3	25.8	21.1	25.7	19.6	21.1	68	98	12	15	18	24	1	945	60
4	1200	10.0	145	30	0.63	0.5	305	0.3	0	0.1	205	25.3	25.9	19.2	25.7	18.4	21.1	68	98	12	15	18	24	1	945	60
4	1500	12.7	175	28	0.71	0.4	305	0.4	0	0.2	155	25.3	25.8	18.1	25.9	18.0	21.4	68	98	12	15	18	24	1	945	60
4	1900	9.8	155	28	0.56	0.3	295	0.4	0	0.0	285	25.3	25.8	18.8	25.8	18.4	21.1	68	98	12	15	18	24	1	945	60
4	2000	12.0	115	28	0.60	0.3	285	0.4	0	0.0	275	25.3	25.8	18.9	25.8	18.3	21.3	68	98	12	15	18	24	1	945	60
4	2400	12.3	105	26	0.58	0.4	265	0.2	0	0.1	335	25.1	25.6	19.5	26.0	19.1	20.5	68	98	12	15	18	24	1	945	60
4	2400	16.5	125	28	0.57	0.4	275	0.3	0	0.1	295	25.3	25.8	19.1	26.0	18.8	20.9	68	98	12	15	18	24	1	945	59
4	3100	14.3	95	25	0.65	0.4	285	0.2	0	0.1	5	25.1	25.6	19.6	25.9	19.1	20.3	68	98	12	15	18	24	1	945	58
5	1200	8.7	65	30	0.41	0.3	265	0.2	0	0.1	5	25.2	25.7	17.9	25.8	17.9	19.3	68	98	12	15	18	24	1	945	60
5	1900	3.3	115	28	0.31	0.4	225	0.2	0	0.2	5	25.4	25.8	17.6	25.6	17.7	20.2	68	98	12	15	18	24	1	945	60
5	2000	12.7	175	29	0.36	0.4	215	0.2	0	0.1	5	25.3	25.7	17.6	25.6	17.7	21.3	68	98	12	15	18	24	1	945	60
5	2400	16.9	95	27	0.50	0.4	215	0.1	0	0.1	345	25.1	25.6	18.8	25.6	18.5	17.4	68	98	12	15	18	24	1	945	60
5	2400	13.1	95	25	0.41	0.4	235	0.3	0	0.2	355	25.0	25.5	19.2	25.7	19.0	17.1	68	98	12	15	18	24	1	945	60
5	3100	16.1	85	25	0.59	0.3	225	0.2	0	0.1	355	24.9	25.5	19.4	25.6	19.0	21.1	68	98	12	15	18	24	1	945	60
5	300	12.4	105	26	0.52	0.4	265	0.2	0	0.1	5	25.1	25.6	19.4	25.8	18.9	19.8	68	98	12	15	18	24	1	945	59
5	1600	10.0	95	30	0.37	0.3	215	0.1	0	0.2	345	25.3	25.7	16.6	25.8	17.3	16.0	68	98	12	15	18	24	1	945	59
5	1200	14.6	75	25	0.55	0.3	215	0.2	0	0.1	355	25.0	25.5	19.3	25.5	18.9	21.0	68	98	12	15	18	24	1	945	26
6	1600	13.2	65	31	0.48	0.3	235	0.1	0	0.1	345	25.4	25.9	16.9	25.4	17.3	21.6	68	98	12	15	18	24	1	945	60
6	1900	15.2	65	29	0.54	0.1	215	0.1	0	0.1	345	25.2	25.8	17.5	25.8	18.2	21.9	68	98	12	15	18	24	1	945	60
6	2000	16.9	65	29	0.44	0.1	205	0.1	0	0.1	335	25.2	25.8	17.7	25.8	18.4	22.1	68	98	12	15	18	24	1	945	60
6	2400	15.5	95	27	0.74	0.3	205	0.3	0	0.2	355	25.1	25.6	19.5	25.7	18.8	22.3	68	98	12	15	18	24	1	945	60
6	300	11.5	75	26	0.50	0.3	225	0.2	0	0.1	355	25.0	25.5	19.0	25.6	18.8	20.8	68	98	12	15	18	24	1	945	59
6	1200	14.0	55	29	0.53	0.4	215	0.2	0	0.2	355	25.1	25.6	17.8	25.6	18.1	21.4	68	98	12	15	18	24	1	945	58
6	2400	18.2	85	25	0.66	0.2	215	0.4	0	0.1	355	25.0	25.5	19.5	25.8	19.5	22.4	68	98	12	15	18	24	1	945	58
6	3100	15.5	85	28	0.81	0.3	235	0.4	0	0.0	15	24.9	25.5	19.7	25.7	19.5	22.3	68	98	12	15	18	24	1	945	54
7	300	13.8	75	25	0.54	0.2	265	0.5	0	0.0	55	25.0	25.6	19.5	25.7	19.3	22.3	68	98	12	15	18	24	1	945	60
7	1200	13.6	65	28	0.49	0.1	105	0.5	0	0.1	105	25.2	25.6	18.1	25.5	18.2	22.4	68	98	12	15	18	24	1	945	60

Set: 1965

7	1500	16.0	45	29	0.53	0.2	95	0.3	0	0.1	85	25.3	25.7	18.1	25.5	25.7	22.6	64	98	12	15	21	24	1	945	60
7	1900	17.0	65	28	0.52	0.3	95	0.5	0	0.1	65	25.1	25.6	18.8	25.4	25.7	22.5	64	98	12	15	21	24	1	945	60
7	2400	21.5	65	26	0.59	0.3	185	0.5	0	0.1	75	24.7	25.3	19.7	25.5	25.6	22.0	64	98	12	15	21	24	1	945	60
7	2900	20.6	85	23	0.72	0.2	125	0.5	0	0.1	75	24.6	25.1	20.5	25.2	25.4	21.0	64	98	12	15	21	24	1	945	60
7	3100	22.0	85	23	0.88	0.3	115	0.4	0	0.0	85	24.4	25.0	20.4	25.1	24.3	20.8	64	98	12	15	21	24	1	945	60
7	1400	12.1	55	24	1.86	0.1	45	0.8	0	0.1	95	25.3	25.7	17.8	25.2	21.5	24.1	64	98	12	15	21	24	1	945	42
8	1200	17.3	55	24	0.59	0.4	125	0.4	0	0.2	95	24.5	25.0	14.9	24.9	24.1	21.1	64	98	12	15	21	24	1	945	60
8	1600	19.4	75	30	0.62	0.3	155	0.5	0	0.2	95	24.7	25.2	17.9	25.0	24.9	20.9	64	98	12	15	21	24	1	945	60
8	2000	23.3	75	28	0.80	0.4	165	0.6	0	0.2	75	24.5	25.1	18.5	25.0	24.8	20.6	64	98	12	15	21	24	1	945	60
8	2400	27.9	85	26	0.92	0.4	155	0.6	0	0.3	65	24.4	24.9	19.4	24.9	25.1	20.7	64	98	12	15	21	24	1	945	60
8	2900	27.7	85	26	1.07	0.4	145	0.4	0	0.3	75	24.2	24.8	19.9	24.7	24.4	20.1	64	98	12	15	21	24	1	945	60
8	3100	28.4	95	27	1.73	0.3	195	0.3	0	0.3	65	24.2	24.7	19.7	24.6	23.7	19.4	64	98	12	15	21	24	1	945	60
8	1900	19.4	75	24	0.74	0.3	125	0.4	0	0.0	85	24.4	25.0	20.2	25.0	24.6	20.9	64	98	12	15	21	24	1	945	59
8	1900	20.9	75	29	0.64	0.4	155	0.5	0	0.2	85	24.6	25.1	18.3	25.0	25.1	20.6	64	98	12	15	21	24	1	945	59
9	1900	26.2	105	28	2.29	0.4	185	0.3	0	0.3	95	24.2	24.7	24.3	24.5	24.4	11.6	64	98	12	15	21	24	1	945	60
9	1200	35.5	135	29	3.78	0.5	285	0.5	0	0.4	5	24.2	24.6	23.6	24.5	24.3	19.7	64	98	12	15	21	24	1	945	60
9	2100	32.4	145	28	4.07	1.5	325	0.6	0	0.4	275	27.9	28.3	24.5	27.7	27.7	17.5	64	98	12	15	21	24	1	945	60
9	2400	31.9	155	28	6.51	1.1	335	0.6	0	0.5	205	27.8	28.2	25.0	28.1	28.2	9.7	64	98	12	15	21	24	1	945	60
9	2900	26.7	165	27	5.15	0.6	305	0.6	0	0.5	295	27.4	27.9	25.6	27.9	28.0	11.5	64	98	12	15	21	24	1	945	60
9	3100	25.0	165	28	3.35	0.4	335	0.4	0	0.4	235	27.4	27.9	25.3	27.7	27.9	12.1	64	98	12	15	21	24	1	945	60
9	1700	35.0	145	28	6.44	1.3	315	0.7	0	0.4	205	28.0	28.5	24.0	28.2	27.6	14.6	64	98	12	15	21	24	1	945	57
9	2000	35.1	145	28	7.41	1.4	325	0.6	0	0.4	305	28.0	28.5	24.5	28.0	27.7	10.6	64	98	12	15	21	24	1	945	39
10	900	22.6	165	28	3.54	0.3	305	0.4	0	0.3	225	27.3	27.8	24.2	27.7	27.9	11.1	64	98	12	15	21	24	1	945	57
10	1700	15.6	175	28	0.00	0.3	175	0.3	0	0.3	235	27.8	28.2	23.9	28.2	28.2	9.6	64	98	12	15	21	24	1	945	11
10	2000	18.0	165	27	0.00	0.4	235	0.3	0	0.2	235	27.7	28.1	25.3	27.7	27.7	11.0	64	98	12	15	21	24	1	945	34
11	900	9.2	175	29	0.00	0.4	265	0.6	0	0.3	175	27.7	28.1	25.3	27.8	27.8	11.0	64	98	12	15	21	24	1	945	60
11	1200	11.4	175	29	0.00	0.3	265	0.3	0	0.3	235	27.5	27.9	22.8	27.4	27.7	11.0	64	98	12	15	21	24	1	945	60
11	1900	8.2	195	27	0.00	0.3	55	0.2	0	0.1	195	27.7	27.9	23.4	27.4	27.4	11.0	64	98	12	15	21	24	1	945	60
11	2400	8.3	195	27	0.00	0.4	95	0.4	0	0.1	225	27.6	28.1	24.5	27.8	27.5	11.0	64	98	12	15	21	24	1	945	60
11	2900	4.5	215	26	0.00	0.3	105	0.3	0	0.2	225	27.6	28.0	24.5	27.6	27.6	11.0	64	98	12	15	21	24	1	945	60
11	1600	10.5	195	29	0.00	0.3	355	0.2	0	0.2	235	27.7	27.8	22.3	27.3	27.5	11.0	64	98	12	15	21	24	1	945	59
11	2000	9.4	185	27	0.00	0.3	55	0.2	0	0.1	195	27.7	28.0	23.9	27.5	27.4	11.0	64	98	12	15	21	24	1	945	59
11	3200	2.4	225	29	0.00	0.3	155	0.3	0	0.1	225	27.6	28.0	24.3	27.8	27.5	11.0	64	98	12	15	21	24	1	945	28
12	900	2.3	185	31	0.00	0.4	155	0.3	0	0.1	225	27.6	28.0	23.7	27.8	27.6	11.0	64	98	12	15	21	24	1	945	60
12	1200	3.4	205	30	0.04	0.4	155	0.4	0	0.1	285	27.6	28.0	22.7	27.8	27.6	11.0	64	98	12	15	21	24	1	945	57
12	1600	5.2	215	29	6.92	0.3	165	0.3	0	0.1	285	27.9	28.2	21.9	28.0	27.7	11.0	64	98	12	15	21	24	1	945	59
12	1900	6.8	215	27	0.42	0.4	155	0.2	0	0.1	285	27.7	28.1	22.5	28.1	27.7	11.0	64	98	12	15	21	24	1	945	60
12	2400	9.0	245	27	0.54	0.4	155	0.2	0	0.1	305	28.1	28.2	23.3	27.8	27.7	11.0	64	98	12	15	21	24	1	945	60
12	2800	7.7	275	27	0.48	0.5	165	0.2	0	0.1	305	28.0	28.1	23.7	27.8	27.7	11.0	64	98	12	15	21	24	1	945	60
12	3100	6.3	295	28	0.42	0.3	165	0.2	0	0.1	305	27.9	28.2	23.5	27.9	27.7	11.0	64	98	12	15	21	24	1	945	60
13	900	7.2	295	28	0.41	0.3	175	0.2	0	0.1	305	28.0	28.2	27.4	27.9	27.7	11.0	64	98	12	15	21	24	1	945	60
13	1500	12.2	255	28	0.38	0.2	195	0.2	0	0.1	305	28.2	28.5	27.4	27.9	27.8	11.0	64	98	12	15	21	24	1	945	60
13	1900	11.2	265	28	0.33	0.3	145	0.2	0	0.1	305	28.4	28.6	27.4	27.9	27.8	11.0	64	98	12	15	21	24	1	945	60
13	2000	9.2	275	28	0.44	0.4	145	0.2	0	0.1	305	28.3	28.7	27.4	27.9	27.8	11.0	64	98	12	15	21	24	1	945	60
13	2400	11.9	265	28	0.47	0.4	145	0.2	0	0.1	305	28.1	28.7	27.3	28.1	27.8	11.0	64	98	12	15	21	24	1	945	60
13	1200	7.4	245	29	0.40	0.3	195	0.2	0	0.1	305	28.1	28.4	27.4	27.8	27.8	11.0	64	98	12	15	21	24	1	945	59
13	2800	8.6	15	27	0.46	0.4	145	0.2	0	0.2	305	27.9	28.5	27.3	28.2	27.8	11.0	64	98	12	15	21	24	1	945	57

Sep 1965

13	3100	5.3	45	27	0.34	0.3	145	0.3	145	0.3	0	0.2	305	2A.0	2A.4	29.0	2A.0	2A.0	27.4	9.1	68	9R	30	15	21	24	1	965	58
14	1700	3.8	235	30	0.29	0.4	135	0.4	135	0.4	0	0.2	305	2A.2	2A.4	27.7	2A.1	27.7	9.1	68	9R	30	15	21	24	1	965	60	
14	1500	6.9	255	29	0.32	0.4	135	0.4	135	0.4	0	0.2	305	2A.2	2A.4	27.6	2A.1	27.7	9.1	68	9R	30	15	21	24	1	965	60	
14	1900	6.1	245	24	0.28	0.5	135	0.4	135	0.4	0	0.2	305	2A.3	2A.4	27.7	2A.0	27.5	9.1	68	9R	30	15	21	24	1	965	60	
14	2000	7.5	245	24	0.27	0.5	145	0.4	145	0.4	0	0.2	305	2A.2	2A.4	27.6	2A.0	27.4	9.1	68	9R	30	15	21	24	1	965	60	
14	2400	8.3	235	27	0.35	0.6	145	0.4	145	0.4	0	0.1	305	2A.2	2A.4	27.6	2A.0	27.5	9.1	68	9R	30	15	21	24	1	965	60	
14	2400	7.3	235	27	0.35	0.6	145	0.2	145	0.2	0	0.2	305	2A.0	2A.5	27.7	2A.1	27.6	9.1	68	9R	30	15	21	24	1	965	60	
14	3100	3.6	275	24	0.32	0.4	145	0.2	145	0.2	0	0.2	315	2A.0	2A.5	27.8	2A.3	28.0	9.1	68	9R	30	15	21	24	1	965	60	
14	400	3.8	45	27	0.28	0.3	145	0.4	145	0.4	0	0.2	305	2A.0	2A.4	27.9	2A.1	27.8	9.1	68	9R	30	15	21	24	1	965	56	
15	1200	7.1	175	30	0.24	0.2	145	0.4	145	0.4	0	0.1	315	2A.1	2A.5	28.0	2A.1	27.7	9.1	68	9R	30	15	21	24	1	965	60	
15	1400	10.2	195	20	0.44	0.1	195	0.3	195	0.3	0	0.1	315	2A.2	2A.5	24.1	2A.1	27.6	9.1	68	9R	30	15	21	24	1	965	60	
15	1900	4.9	195	27	0.30	0.2	25	0.2	25	0.2	0	0.0	315	2A.3	2A.4	2A.1	2A.2	28.0	9.1	68	9R	30	15	21	24	1	965	60	
15	2400	10.2	175	27	0.37	0.1	135	0.2	135	0.2	0	0.1	315	27.9	2A.3	2A.3	2A.1	27.5	9.1	68	9R	30	15	21	24	1	965	60	
15	2400	10.6	145	27	0.47	0.1	355	0.3	355	0.3	0	0.1	315	28.1	2A.4	2A.6	28.1	27.4	9.1	68	9R	30	15	21	24	1	965	60	
15	3100	7.3	175	27	0.40	0.2	265	0.2	265	0.2	0	0.1	305	2A.0	2A.5	28.3	2A.3	27.6	9.1	68	9R	30	15	21	24	1	965	60	
15	400	0.6	205	32	0.28	0.3	145	0.2	145	0.2	0	0.1	315	2A.1	2A.5	27.9	2A.3	27.7	9.1	68	9R	30	15	21	24	1	965	50	
15	2000	4.9	145	27	0.33	0.2	25	0.2	25	0.2	0	0.1	315	2A.2	2A.4	2A.1	2A.1	27.7	9.1	68	9R	30	15	21	24	1	965	52	
15	400	5.4	235	24	0.45	0.2	265	0.2	265	0.2	0	0.1	245	28.0	2A.5	2A.3	2A.2	27.7	9.1	68	9R	30	15	21	24	1	965	60	
16	1200	7.9	225	26	0.44	0.3	265	0.2	265	0.2	0	0.1	245	28.2	2A.6	2A.6	2A.3	27.5	9.1	68	9R	30	15	21	24	1	965	60	
16	1600	5.4	215	27	0.45	0.2	305	0.2	305	0.2	0	0.0	245	28.2	2A.6	2A.4	2A.4	27.4	9.1	68	9R	30	15	21	24	1	965	60	
16	1900	6.7	175	27	0.44	0.1	335	0.2	335	0.2	0	0.1	255	28.3	2A.7	2A.9	2A.4	27.4	9.1	68	9R	30	15	21	24	1	965	60	
16	2000	4.5	155	27	0.43	0.2	335	0.2	335	0.2	0	0.1	255	28.2	2A.7	2A.8	2A.4	27.4	9.1	68	9R	30	15	21	24	1	965	60	
16	2400	9.2	135	27	0.47	0.2	355	0.1	355	0.1	0	0.0	255	28.1	2A.5	2A.5	2A.2	27.6	9.1	68	9R	30	15	21	24	1	965	60	
16	2400	10.3	95	27	0.47	0.1	325	0.2	325	0.2	0	0.0	255	28.1	2A.5	2A.4	2A.2	27.4	9.1	68	9R	30	15	21	24	1	965	60	
16	3100	10.5	95	27	0.48	0.2	285	0.2	285	0.2	0	0.1	345	2A.0	2A.5	2A.3	2A.2	27.4	9.1	68	9R	30	15	21	24	1	965	60	
17	400	9.7	45	27	0.44	0.2	275	0.2	275	0.2	0	0.0	345	2A.0	2A.5	24.2	2A.3	27.5	9.1	68	9R	30	15	21	24	1	965	60	
17	1200	8.3	125	24	0.55	0.3	265	0.2	265	0.2	0	0.0	345	2A.0	2A.6	2A.8	2A.3	27.4	9.1	68	9R	30	15	21	24	1	965	60	
17	1600	7.4	95	24	0.60	0.2	5	0.2	5	0.2	0	0.0	345	2A.3	2A.6	29.1	28.2	27.6	9.1	68	9R	30	15	21	24	1	965	60	
17	1900	8.2	105	24	0.49	0.2	35	0.2	35	0.2	0	0.0	345	2A.1	2A.6	29.2	2A.1	27.9	9.1	68	9R	30	15	21	24	1	965	59	
18	400	16.1	115	24	0.84	0.2	355	0.2	355	0.2	0	0.0	345	2A.0	2A.6	33.0	2A.3	27.4	9.1	68	9R	30	15	21	24	1	965	60	
18	1200	13.5	95	27	0.69	0.3	25	0.2	25	0.2	0	0.1	345	2A.0	2A.6	33.0	2A.4	27.6	9.1	68	9R	30	15	21	24	1	965	60	
18	1600	12.0	135	29	0.79	0.3	45	0.2	45	0.2	0	0.1	335	2A.1	2A.6	33.0	2A.5	27.6	9.1	68	9R	30	15	21	24	1	965	60	
18	1900	11.0	115	29	0.90	0.3	45	0.2	45	0.2	0	0.1	5	2A.0	2A.6	33.0	2A.5	27.5	9.1	68	9R	30	15	21	24	1	965	60	
18	2400	16.5	105	27	0.72	0.2	105	0.2	105	0.2	0	0.1	295	2A.0	2A.6	33.0	2A.5	27.5	9.1	68	9R	30	15	21	24	1	965	60	
18	2400	14.4	45	24	0.84	0.2	115	0.2	115	0.2	0	0.1	335	27.9	2A.5	33.0	2A.4	27.5	9.1	68	9R	30	15	21	24	1	965	60	
18	3100	11.2	115	24	0.79	0.3	55	0.2	55	0.2	0	0.1	345	27.9	2A.6	33.0	2A.5	27.6	9.1	68	9R	30	15	21	24	1	965	59	
18	400	15.2	95	24	0.91	0.2	35	0.2	35	0.2	0	0.1	345	27.9	2A.5	33.0	2A.4	27.8	9.1	68	9R	30	15	21	24	1	965	59	
19	2400	10.9	55	27	0.77	0.3	145	0.2	145	0.2	0	0.1	245	2A.0	2A.5	33.0	2A.4	28.2	9.1	68	9R	30	15	21	24	1	965	60	
19	2400	14.4	95	27	0.74	0.2	145	0.2	145	0.2	0	0.1	335	27.9	2A.4	33.0	2A.3	28.2	9.1	68	9R	30	15	21	24	1	965	60	
19	3100	13.8	105	27	0.85	0.2	155	0.2	155	0.2	0	0.1	355	27.9	2A.4	33.0	2A.3	28.2	9.1	68	9R	30	15	21	24	1	965	60	
19	400	15.7	95	27	0.87	0.2	145	0.3	145	0.3	0	0.1	335	27.9	2A.5	33.0	2A.4	27.8	9.1	68	9R	30	15	21	24	1	965	55	
19	1600	14.8	115	24	1.00	0.3	15	0.2	15	0.2	0	0.1	15	28.1	2A.6	33.0	2A.5	28.1	9.1	68	9R	30	15	21	24	1	965	54	
19	2000	5.7	115	24	0.83	0.3	95	0.2	95	0.2	0	0.1	355	28.1	2A.6	33.0	2A.5	28.1	9.1	68	9R	30	15	21	24	1	965	59	
19	1700	13.8	135	24	0.90	0.2	45	0.2	45	0.2	0	0.1	355	28.1	2A.6	33.0	2A.4	27.7	9.1	68	9R	30	15	21	24	1	965	23	
20	400	13.8	115	27	0.89	0.2	155	0.2	155	0.2	0	0.1	355	27.9	2A.4	33.0	2A.3	28.1	9.1	68	9R	30	15	21	24	1	965	60	
20	1200	14.9	135	29	1.29	0.2	355	0.3	355	0.3	0	0.1	345	2A.1	2A.5	33.0	2A.3	27.6	9.1	68	9R	30	15	21	24	1	965	60	
20	1400	16.3	145	24	1.15	0.3	355	0.2	355	0.2	0	0.1	295	2A.1	2A.6	33.0	2A.4	27.7	9.1	68	9R	30	15	21	24	1	965	60	

Sep 1965

20	2400	7.2	95	27	0.92	0.2	145	0.2	145	0.2	0	0.1	295	28.0	21.5	1.1	21.4	21.6	1.1	64	98	30	15	21	24	1	1965	60
20	2400	15.1	115	27	1.17	0.2	175	0.2	175	0.2	0	0.1	285	21.0	21.5	1.1	21.3	21.3	1.1	64	98	30	15	21	24	1	1965	60
20	1100	12.3	115	27	1.17	0.2	55	0.2	55	0.2	0	0.1	335	21.0	21.5	1.1	21.4	21.4	1.1	64	98	30	15	21	24	1	1965	60
20	1900	10.9	125	21	1.37	0.2	25	0.2	25	0.2	0	0.1	315	28.0	21.5	1.1	21.4	21.4	1.1	64	98	30	15	21	24	1	1965	59
20	2000	11.0	125	27	0.91	0.2	95	0.2	95	0.2	0	0.1	15	28.1	21.5	1.1	21.4	21.4	1.1	64	98	30	15	21	24	1	1965	45
21	100	12.4	115	27	1.04	0.2	355	0.2	355	0.2	0	0.1	215	28.0	21.5	1.1	21.4	21.4	1.1	64	98	30	15	21	24	1	1965	60
21	1400	11.2	145	21	0.91	0.2	45	0.2	45	0.2	0	0.1	15	21.2	21.5	1.1	21.5	21.5	1.1	64	98	30	15	21	24	1	1965	60
21	2400	9.1	115	27	0.67	0.2	115	0.2	115	0.2	0	0.1	245	21.1	21.5	1.1	21.4	21.4	1.1	64	98	30	15	21	24	1	1965	60
21	2400	14.4	115	27	0.92	0.2	145	0.2	145	0.2	0	0.1	325	28.1	21.5	1.1	21.4	21.4	1.1	64	98	30	15	21	24	1	1965	60
21	1100	9.7	105	27	0.97	0.2	75	0.2	75	0.2	0	0.1	325	21.0	21.5	1.1	21.4	21.4	1.1	64	98	30	15	21	24	1	1965	60
21	1200	13.1	135	29	0.81	0.2	95	0.2	95	0.2	0	0.1	295	21.2	21.5	1.1	21.4	21.4	1.1	64	98	30	15	21	24	1	1965	59
21	1900	9.4	135	27	0.82	0.2	125	0.2	125	0.2	0	0.1	275	21.1	21.5	1.1	21.4	21.4	1.1	64	98	30	15	21	24	1	1965	59
21	2000	6.1	125	21	0.99	0.2	115	0.2	115	0.2	0	0.1	285	28.1	21.5	1.1	21.5	21.5	1.1	64	98	30	15	21	24	1	1965	58
22	1600	12.4	145	21	0.81	0.2	25	0.2	25	0.2	0	0.1	15	21.3	21.5	1.1	21.5	21.5	1.1	64	98	30	15	21	24	1	1965	60
22	1900	7.0	135	27	0.80	0.2	65	0.2	65	0.2	0	0.1	265	21.2	21.5	1.1	21.5	21.5	1.1	64	98	30	15	21	24	1	1965	60
22	2400	4.0	95	27	0.65	0.2	75	0.2	75	0.2	0	0.1	265	21.1	21.5	1.1	21.5	21.5	1.1	64	98	30	15	21	24	1	1965	60
22	2400	12.1	75	21	0.51	0.1	145	0.2	145	0.2	0	0.1	275	21.1	21.5	1.1	21.5	21.5	1.1	64	98	30	15	21	24	1	1965	60
22	1100	9.0	95	21	0.41	0.1	155	0.2	155	0.2	0	0.1	215	21.1	21.5	1.1	21.4	21.4	1.1	64	98	30	15	21	24	1	1965	60
22	100	10.4	115	27	1.06	0.2	135	0.2	135	0.2	0	0.1	275	21.0	21.5	1.1	21.4	21.4	1.1	64	98	30	15	21	24	1	1965	51
22	1200	10.4	135	29	1.00	0.2	355	0.2	355	0.2	0	0.1	305	28.2	21.5	1.1	21.4	21.4	1.1	64	98	30	15	21	24	1	1965	59
22	2000	6.3	125	27	0.69	0.2	145	0.2	145	0.2	0	0.1	275	28.2	21.5	1.1	21.5	21.5	1.1	64	98	30	15	21	24	1	1965	57
23	100	9.5	75	21	0.52	0.1	145	0.2	145	0.2	0	0.1	305	21.1	21.5	1.1	21.4	21.4	1.1	64	98	30	15	21	24	1	1965	60
23	1200	10.9	115	27	0.56	0.1	145	0.2	145	0.2	0	0.1	275	21.2	21.5	1.1	21.4	21.4	1.1	64	98	30	15	21	24	1	1965	60
23	1400	11.1	115	27	0.61	0.1	355	0.2	355	0.2	0	0.1	265	28.2	21.5	1.1	21.5	21.5	1.1	64	98	30	15	21	24	1	1965	60
24	1100	3.1	175	30	0.47	0.2	275	0.2	275	0.2	0	0.1	275	21.0	21.5	1.1	21.2	21.3	1.0	64	98	30	15	21	24	1	1965	52
24	1500	2.1	115	21	0.43	0.2	245	0.3	245	0.3	0	0.1	255	21.1	21.5	1.1	21.4	21.4	1.1	64	98	30	15	21	24	1	1965	52
24	1900	10.5	15	21	0.39	0.2	275	0.3	275	0.3	0	0.1	255	28.0	21.5	1.1	21.4	21.4	1.1	64	98	30	15	21	24	1	1965	51
24	2100	10.1	15	25	0.39	0.2	275	0.3	275	0.3	0	0.1	255	28.0	21.5	1.1	21.4	21.4	1.1	64	98	30	15	21	24	1	1965	55
25	100	14.4	35	21	0.69	0.2	245	0.3	245	0.3	0	0.1	265	27.1	21.5	1.1	21.2	21.3	1.1	64	98	30	15	21	24	1	1965	52
25	1200	4.4	15	25	0.32	0.2	275	0.2	275	0.2	0	0.1	285	27.1	21.5	1.1	21.3	21.3	1.1	64	98	30	15	21	24	1	1965	53
25	1600	5.5	315	27	0.24	0.3	315	0.2	315	0.2	0	0.1	255	27.1	21.5	1.1	21.2	21.2	1.1	64	98	30	15	21	24	1	1965	51
25	1900	13.2	25	21	0.41	0.2	345	0.2	345	0.2	0	0.1	255	21.0	21.5	1.1	21.2	21.2	1.1	64	98	30	15	21	24	1	1965	51
25	2000	11.1	45	21	0.41	0.2	315	0.2	315	0.2	0	0.1	255	27.9	21.5	1.1	21.1	21.1	1.1	64	98	30	15	21	24	1	1965	52
25	2400	14.1	55	25	0.49	0.1	5	0.2	5	0.2	0	0.1	355	27.6	21.5	1.1	21.0	21.0	1.1	64	98	30	15	21	24	1	1965	53
25	2400	12.7	45	21	0.62	0.2	305	0.2	305	0.2	0	0.1	265	27.5	21.5	1.1	21.0	21.0	1.1	64	98	30	15	21	24	1	1965	54
25	1100	12.1	45	21	0.47	0.2	305	0.2	305	0.2	0	0.2	275	27.5	21.5	1.1	21.0	21.0	1.1	64	98	30	15	21	24	1	1965	54
26	100	11.4	75	21	0.55	0.3	305	0.1	305	0.1	0	0.1	275	27.5	21.5	1.1	21.0	21.0	1.1	64	98	30	15	21	24	1	1965	46
26	1200	5.5	95	21	0.31	0.4	325	0.1	325	0.1	0	0.1	355	27.7	21.5	1.1	21.0	21.0	1.1	64	98	30	15	21	24	1	1965	50
26	1400	6.1	115	21	0.57	0.3	345	0.2	345	0.2	0	0.1	25	27.7	21.5	1.1	21.0	21.0	1.1	64	98	30	15	21	24	1	1965	54
26	1900	9.4	145	21	0.45	0.3	315	0.2	315	0.2	0	0.1	15	27.9	21.5	1.1	21.0	21.0	1.1	64	98	30	15	21	24	1	1965	53
7	0	0.0	0	0	0.00	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0	0

		Sep 1965																							
14	1900	6.4	255	0	0.34	0	0.0	0	0.0	0	0.0	0.0	155	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	945	60
14	2000	7.8	255	0	0.31	0	0.0	0	0.0	0	0.0	0.0	135	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	945	60
14	2800	9.2	245	0	0.41	0	0.0	0	0.0	0	0.0	0.0	155	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	945	60
14	2900	7.5	255	0	0.34	0	0.0	0	0.0	0	0.0	0.0	165	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	945	60
14	3100	3.5	295	0	0.35	0	0.0	0	0.0	0	0.0	0.0	175	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	945	60
15	900	2.1	185	0	0.35	0	0.0	0	0.0	0	0.0	0.0	175	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	945	48
15	1200	9.1	175	0	0.51	0	0.0	0	0.0	0	0.0	0.0	175	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	945	60
15	1400	7.4	145	0	0.46	0	0.0	0	0.0	0	0.0	0.0	185	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	945	60
15	1900	7.4	95	0	0.44	0	0.0	0	0.0	0	0.0	0.0	185	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	945	60
17	1700	7.6	135	0	1.80	0	0.0	0	0.0	0	0.0	0.0	165	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	945	59
17	1200	12.2	75	0	0.53	0	0.0	0	0.0	0	0.0	0.0	175	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	945	60
17	1600	7.3	145	0	0.44	0	0.0	0	0.0	0	0.0	0.0	185	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	945	60
17	1900	7.8	95	0	0.44	0	0.0	0	0.0	0	0.0	0.0	185	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	945	60
18	3100	13.4	95	0	1.05	0	0.0	0	0.0	0	0.0	0.0	185	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	945	54
18	900	12.3	75	0	0.80	0	0.0	0	0.0	0	0.0	0.0	175	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	945	60
18	1200	12.8	105	0	0.62	0	0.0	0	0.0	0	0.0	0.0	175	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	945	60
18	1500	11.6	145	0	0.85	0	0.0	0	0.0	0	0.0	0.0	175	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	945	60
18	1900	8.0	105	0	0.93	0	0.0	0	0.0	0	0.0	0.0	195	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	945	60
18	2000	7.7	95	0	0.87	0	0.0	0	0.0	0	0.0	0.0	195	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	945	60
18	2800	12.1	95	0	0.74	0	0.0	0	0.0	0	0.0	0.0	195	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	945	60
18	2900	12.7	75	0	0.95	0	0.0	0	0.0	0	0.0	0.0	185	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	945	60
19	900	15.0	105	0	0.97	0	0.0	0	0.0	0	0.0	0.0	175	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	945	57
19	1600	14.0	145	0	0.91	0	0.0	0	0.0	0	0.0	0.0	195	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	945	59
19	1900	8.0	105	0	0.87	0	0.0	0	0.0	0	0.0	0.0	195	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	945	60
19	2000	5.4	115	0	0.84	0	0.0	0	0.0	0	0.0	0.0	195	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	945	60
19	2900	5.1	95	0	0.74	0	0.0	0	0.0	0	0.0	0.0	205	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	945	60
19	2400	12.0	95	0	0.60	0	0.0	0	0.0	0	0.0	0.0	195	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	945	60
19	2900	11.3	95	0	0.74	0	0.0	0	0.0	0	0.0	0.0	195	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	945	60
19	3100	15.6	115	0	0.72	0	0.0	0	0.0	0	0.0	0.0	185	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	945	60
20	2000	7.3	105	0	0.83	0	0.0	0	0.0	0	0.0	0.0	295	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	945	60
20	3100	13.1	105	0	0.75	0	0.0	0	0.0	0	0.0	0.0	215	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	945	60
20	900	15.1	115	0	0.81	0	0.0	0	0.0	0	0.0	0.0	185	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	945	58
20	1200	14.4	155	0	0.99	0	0.0	0	0.0	0	0.0	0.0	205	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	945	60
20	1600	14.9	155	0	1.12	0	0.0	0	0.0	0	0.0	0.0	195	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	945	60
20	1900	9.9	125	0	1.07	0	0.0	0	0.0	0	0.0	0.0	225	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	945	60
20	2400	6.3	95	0	0.80	0	0.0	0	0.0	0	0.0	0.0	225	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	945	60
20	2900	15.3	105	0	0.64	0	0.0	0	0.0	0	0.0	0.0	205	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	945	60
21	900	13.1	115	0	0.90	0	0.0	0	0.0	0	0.0	0.0	215	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	945	59
21	1200	12.6	165	0	1.04	0	0.0	0	0.0	0	0.0	0.0	205	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	945	59
21	2000	8.1	115	0	1.01	0	0.0	0	0.0	0	0.0	0.0	55	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	945	59
21	1600	13.0	145	0	1.14	0	0.0	0	0.0	0	0.0	0.0	175	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	945	60
21	1900	9.8	125	0	0.95	0	0.0	0	0.0	0	0.0	0.0	215	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	945	60
21	2400	10.9	105	0	0.70	0	0.0	0	0.0	0	0.0	0.0	195	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	945	60
21	2900	12.8	105	0	0.64	0	0.0	0	0.0	0	0.0	0.0	195	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	945	60
21	3100	4.1	145	0	0.84	0	0.0	0	0.0	0	0.0	0.0	195	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	945	60
22	900	12.2	115	0	0.71	0	0.0	0	0.0	0	0.0	0.0	175	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	945	60
22	1200	11.4	155	0	0.92	0	0.0	0	0.0	0	0.0	0.0	165	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	945	54

070009 STAGE 1

NOV 1965

CUDE: 0000000000000000

DAY	HQ:IR	MS	WD	AT	ML	GSS	CDS	CSM	CDM	CSB	CDB	WT1	WT2	WT3	WT4	MTS	WT6	D1	D2	D3	D4	D5	D6	KEY	N
A	2000	0.0	345	22	0.23	0.4	35	0.2	5	0.1	335	22.5	22.6	22.9	22.8	23.0	29.1	38	68	98	15	21	30	11145	50
A	2400	0.4	25	20	0.33	0.3	35	0.2	5	0.2	355	22.2	22.3	22.5	22.7	22.9	27.6	38	68	98	15	21	30	11165	54
A	3200	0.0	65	20	0.27	0.3	35	0.2	5	0.2	15	22.1	22.2	22.6	22.6	22.8	24.7	38	68	98	15	21	30	11145	55
A	3400	0.0	125	1	0.21	0.3	35	0.2	5	0.1	155	22.3	22.3	22.7	22.7	22.9	24.4	38	68	98	15	21	30	11145	56
A	4000	0.0	145	0	0.40	0.1	35	0.2	5	0.1	355	22.3	22.3	22.7	22.7	22.9	24.4	38	68	98	15	21	30	11145	56
A	4400	0.0	135	0	0.47	0.2	35	0.2	5	0.1	305	22.2	22.3	22.7	22.7	22.9	24.3	38	68	98	15	21	30	11145	57
A	4800	0.0	125	0	0.50	0.2	35	0.2	5	0.1	305	22.2	22.3	22.7	22.7	22.9	27.6	38	68	98	15	21	30	11145	59
A	5200	10.5	115	0	0.39	0.1	35	0.2	5	0.0	235	22.2	22.3	22.7	22.7	22.9	24.9	38	68	98	15	21	30	11145	55
A	5600	13.6	85	0	0.74	0.2	45	0.2	5	0.0	225	22.2	22.3	22.7	22.7	22.9	24.6	38	68	98	15	21	30	11145	54
A	6000	9.9	75	0	0.84	0.2	35	0.3	5	0.0	225	22.2	22.3	22.7	22.7	22.9	24.6	38	68	98	15	21	30	11165	55
A	2400	0.0	25	21	0.21	0.4	35	0.2	5	0.2	345	22.3	22.3	22.7	22.8	22.9	29.1	38	68	98	15	21	30	11145	22
A	1400	0.1	245	22	0.27	0.2	35	0.2	5	0.1	325	22.5	22.5	22.8	22.8	23.0	29.2	38	68	98	15	21	30	11145	39
10	1400	5.9	105	0	0.71	0.2	35	0.2	5	0.1	215	22.3	22.3	22.7	22.7	22.9	24.1	38	68	98	15	21	30	11165	57
10	2000	8.3	75	0	0.59	0.2	35	0.2	5	0.1	195	22.2	22.3	22.7	22.7	22.9	25.6	38	68	98	15	21	30	11145	56
10	2400	11.3	55	0	0.47	0.2	35	0.2	5	0.1	185	22.1	22.2	22.6	22.6	22.8	25.9	38	68	98	15	21	30	11145	55
10	3200	10.8	55	0	0.40	0.1	35	0.2	5	0.1	175	22.1	22.2	22.6	22.6	22.8	25.7	38	68	98	15	21	30	11165	54
10	3600	2.9	75	0	0.24	0.1	35	0.1	5	0.1	185	22.4	22.4	22.7	22.7	22.9	25.7	38	68	98	15	21	30	11145	55
10	4000	7.7	55	0	0.35	0.2	35	0.2	5	0.1	185	22.4	22.4	22.8	22.8	22.9	25.7	38	68	98	15	21	30	11145	56
10	4400	16.8	95	0	0.64	0.2	35	0.2	5	0.0	205	22.3	22.4	22.8	22.8	22.9	25.6	38	68	98	15	21	30	11145	54
10	4800	14.9	105	0	0.64	0.2	35	0.2	5	0.0	205	22.2	22.3	22.6	22.7	22.9	25.4	38	68	98	15	21	30	11145	57
10	5200	17.6	95	0	0.64	0.3	35	0.2	5	0.1	175	22.1	22.2	22.6	22.6	22.8	25.2	38	68	98	15	21	30	11145	55
10	5600	19.4	115	0	0.89	0.3	45	0.3	5	0.1	165	22.0	22.0	22.4	22.5	22.7	25.1	38	68	98	15	21	30	11145	54
10	6000	23.9	135	0	1.10	0.4	45	0.3	5	0.2	185	21.9	22.0	22.4	22.4	22.6	24.7	38	68	98	15	21	30	11145	54
10	2400	9.4	45	0	0.54	0.1	35	0.2	5	0.0	205	22.2	22.3	22.7	22.7	22.9	26.0	38	68	98	15	21	30	11145	29
12	1500	8.3	235	0	0.73	0.3	45	0.3	5	0.2	185	22.0	22.0	22.4	22.5	22.7	24.1	38	68	98	15	21	30	11145	44
16	2000	12.1	245	22	0.59	0.1	35	0.1	5	0.1	335	20.5	22.0	22.3	22.3	22.5	24.1	38	68	98	15	21	30	11165	54
16	1700	9.3	225	22	0.33	0.1	35	0.0	5	0.1	305	20.6	22.0	22.4	22.3	22.5	24.1	38	68	98	15	21	30	11165	39
17	2400	17.7	25	12	0.64	0.2	35	0.3	5	0.3	325	21.4	21.4	21.8	22.0	22.7	24.1	38	68	98	15	21	30	11165	60
17	2000	23.8	15	16	0.89	0.4	35	0.4	5	0.2	305	21.3	21.3	21.9	22.3	22.5	24.1	38	68	98	15	21	30	11165	59
17	2800	17.4	35	9	0.70	0.2	35	0.2	5	0.3	325	21.2	21.2	21.6	21.7	22.2	24.1	38	68	98	15	21	30	11145	57
17	3200	10.2	55	8	0.59	0.2	35	0.2	5	0.2	335	21.1	21.1	21.6	21.7	22.2	24.1	38	68	98	15	21	30	11145	56
17	3600	1.2	125	13	0.22	0.1	35	0.1	5	0.0	335	21.2	21.2	21.6	21.8	22.4	24.1	38	68	98	15	21	30	11145	57
17	1600	19.1	15	21	1.92	0.5	35	0.4	5	0.2	315	21.3	21.5	21.9	22.0	22.1	24.1	38	68	98	15	21	30	11145	26
18	2400	4.1	325	16	0.11	0.0	35	0.0	5	0.0	225	21.2	21.2	21.6	21.7	22.4	24.1	38	68	98	15	21	30	11145	60
18	4800	3.4	215	18	0.27	0.1	35	0.1	5	0.0	195	21.2	21.2	21.6	21.6	22.2	24.1	38	68	98	15	21	30	11145	60
18	1600	2.7	285	14	0.18	0.1	35	0.1	5	0.0	285	21.3	21.3	21.7	21.7	22.4	24.1	38	68	98	15	21	30	11165	57
18	2000	2.8	305	16	0.18	0.1	35	0.1	5	0.0	225	21.3	21.2	21.6	21.9	22.4	24.1	38	68	98	15	21	30	11165	57
18	2400	3.1	15	16	0.25	0.1	35	0.1	5	0.0	235	21.2	21.2	21.6	21.6	22.2	24.1	38	68	98	15	21	30	11165	56
18	3200	5.0	5	16	0.23	0.1	35	0.1	5	0.0	235	21.2	21.2	21.6	21.6	22.1	24.1	38	68	98	15	21	30	11145	56
18	3600	2.8	335	18	0.15	0.2	35	0.0	5	0.0	265	21.2	21.2	21.6	21.6	22.2	24.1	38	68	98	15	21	30	11165	56
18	4000	2.2	245	18	0.13	0.2	35	0.0	5	0.0	225	21.2	21.3	21.7	21.7	22.2	24.1	38	68	98	15	21	30	11165	57
18	4400	5.2	205	19	0.14	0.2	35	0.0	5	0.0	215	21.2	21.1	21.6	21.7	22.2	24.1	38	68	98	15	21	30	11165	57
18	5200	6.0	245	22	0.38	0.2	35	0.0	5	0.0	205	21.2	21.1	21.6	21.6	22.1	24.1	38	68	98	15	21	30	11145	55
18	5400	2.2	145	20	0.41	0.2	35	0.1	5	0.0	235	21.1	21.1	21.5	21.6	22.2	24.1	38	68	98	15	21	30	11145	54

Nov 1965

20	1200	4.9	165	21	0.26	0.2	35	0.0	5	0.0	225	21.2	21.1	21.6	21.7	22.1	A.1	38	68	98	15	21	30	11165	57
20	1600	7.5	165	21	0.34	0.2	35	0.0	5	0.0	235	21.1	21.1	21.6	21.7	22.1	A.1	38	68	98	15	21	30	11165	56
20	2000	9.6	175	21	0.43	0.2	35	0.2	5	0.0	265	21.1	21.0	21.6	21.7	22.2	A.1	38	68	98	15	21	30	11165	56
20	2400	8.5	225	22	0.45	0.2	35	0.2	5	0.0	225	21.1	21.1	21.5	21.7	22.5	A.1	38	68	98	15	21	30	11165	59
20	2800	12.7	205	22	0.49	0.2	45	0.2	5	0.0	225	21.1	21.1	21.5	21.6	22.6	A.1	38	68	98	15	21	30	11165	54
20	3200	16.4	225	24	0.90	0.2	45	0.2	5	0.1	225	21.2	21.2	21.6	21.8	22.6	A.1	38	68	98	15	21	30	11165	54
20	3600	13.9	225	24	1.14	0.2	35	0.3	5	0.1	225	21.5	21.4	21.9	21.9	22.3	A.1	38	68	98	15	21	30	11165	58
20	4000	13.1	205	23	1.30	0.2	35	0.3	5	0.1	245	21.6	21.7	22.1	22.0	22.3	A.1	38	68	98	15	21	30	11165	56
20	4400	15.9	205	23	1.34	0.2	35	0.3	5	0.1	255	21.7	21.7	22.1	22.1	22.5	A.1	38	68	98	15	21	30	11165	56
20	4800	14.9	205	23	1.44	0.3	35	0.3	5	0.1	175	21.7	21.6	22.1	22.1	22.4	A.1	38	68	98	15	21	30	11165	58
20	5200	22.1	225	23	1.44	0.3	35	0.3	5	0.1	195	21.7	21.7	22.0	22.1	22.4	A.1	38	68	98	15	21	30	11165	53
20	5600	22.7	255	22	1.52	0.3	45	0.3	5	0.1	195	21.6	21.7	22.0	22.1	22.4	A.1	38	68	98	15	21	30	11165	55
30	1600	11.4	335	12	0.47	0.4	25	0.3	5	0.3	345	20.4	20.4	21.2	21.2	21.4	A.1	38	68	98	15	21	30	11165	56
30	2000	13.2	15	12	0.43	0.4	35	0.3	5	0.3	355	20.9	20.2	21.3	21.4	21.5	A.1	38	68	98	15	21	30	11165	57
30	2400	17.3	25	9	0.62	0.4	25	0.4	5	0.3	355	20.7	10.1	21.2	21.2	21.4	A.1	38	68	98	15	21	30	11165	58
0	0	0.0	0	0	0.00	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0

CUDEL: 0000000000000000

DEC 1965

070009 STAGE 1

DAY	HOUR	MS	WD	AT	WL	CSS	CDS	CSM	CON	CSB	CDB	WT1	WT2	WT3	WT4	WT5	MT6	D1	D2	D3	D4	D5	D6	KEY	N
1	400	16.2	45	7	0.71	0.4	25	0.3	5	0.3	355	20.7	19.8	21.1	21.1	21.4	A.1	38	68	98	15	21	30	11245	56
1	800	12.5	55	6	0.64	0.3	25	0.3	5	0.2	355	20.6	20.4	21.0	21.0	21.2	A.1	38	68	98	15	21	30	11245	55
1	1200	10.4	25	9	0.35	0.3	35	0.3	5	0.2	355	19.8	20.3	21.1	21.1	21.3	A.1	38	68	98	15	21	30	11245	56
1	1600	9.4	45	12	0.30	0.3	25	0.3	5	0.2	355	20.7	20.2	21.1	21.1	21.3	A.1	38	68	98	15	21	30	11245	56
1	2000	17.9	65	11	0.69	0.3	25	0.3	5	0.2	355	20.6	19.6	21.0	21.1	21.2	A.1	38	68	98	15	21	30	11245	56
1	2400	19.0	95	11	0.78	0.2	25	0.2	5	0.1	355	18.2	20.0	21.0	21.0	21.2	A.1	38	68	98	15	21	30	11245	58
2	400	17.4	45	11	0.65	0.2	35	0.2	5	0.1	355	20.5	20.0	20.8	20.9	21.1	A.1	38	68	98	15	21	30	11245	55
2	800	17.0	45	11	0.81	0.2	35	0.2	5	0.0	25	20.4	20.0	20.8	20.8	21.0	A.1	38	68	98	15	21	30	11245	54
2	1200	9.0	115	13	0.47	0.1	35	0.1	5	0.0	15	20.4	19.9	20.8	20.7	21.0	A.1	38	68	98	15	21	30	11245	56
2	1600	6.5	45	15	0.47	0.1	35	0.1	5	0.0	355	20.1	19.9	20.7	20.7	20.9	A.1	38	68	98	15	21	30	11245	57
2	2000	10.6	55	14	0.52	0.1	35	0.1	5	0.0	355	8.4	19.8	20.7	20.7	20.9	A.1	38	68	98	15	21	30	11245	55
2	2400	15.7	95	15	0.52	0.1	35	0.1	5	0.0	15	8.0	20.2	20.5	20.5	20.8	A.1	38	68	98	15	21	30	11245	59
2	2800	14.8	45	14	0.69	0.2	35	0.2	5	0.1	5	20.1	20.1	20.4	20.5	20.7	A.1	38	68	98	15	21	30	11245	57
2	3200	14.4	45	14	0.74	0.3	35	0.2	5	0.1	5	20.0	20.0	20.4	20.4	20.6	A.1	38	68	98	15	21	30	11245	57
2	3600	10.1	115	17	0.65	0.3	35	0.2	5	0.2	5	20.1	20.1	20.5	20.4	20.7	A.1	38	68	98	15	21	30	11245	54
2	4000	5.8	45	14	0.57	0.2	35	0.2	5	0.1	5	20.1	20.0	20.4	20.4	20.6	A.1	38	68	98	15	21	30	11245	57
2	4400	12.4	45	17	0.64	0.2	35	0.2	5	0.1	25	20.0	19.7	20.4	20.4	20.6	A.1	38	68	98	15	21	30	11245	55
2	4800	7.4	95	17	0.52	0.2	35	0.2	5	0.1	35	20.0	19.2	20.4	20.3	20.5	A.1	38	68	98	15	21	30	11245	57
2	5200	7.0	55	17	0.59	0.2	35	0.2	5	0.1	35	19.9	19.3	20.3	20.3	20.5	A.1	38	68	98	15	21	30	11245	56
2	5600	16.7	25	15	0.73	0.2	35	0.2	5	0.0	25	19.9	18.8	20.3	20.3	20.5	A.1	38	68	98	15	21	30	11245	54
4	1200	11.5	15	17	0.54	0.2	35	0.2	5	0.1	25	20.0	19.7	20.4	20.4	20.6	A.1	38	68	98	15	21	30	11245	57
4	1600	9.7	25	19	0.53	0.2	35	0.2	5	0.1	25	17.7	19.8	20.5	20.4	20.7	A.1	38	68	98	15	21	30	11245	57
4	2000	19.4	15	17	0.62	0.1	35	0.1	5	0.1	35	8.0	20.0	20.5	20.4	20.6	A.1	38	68	98	15	21	30	11245	55
4	2400	16.5	35	14	0.57	0.1	35	0.1	5	0.1	35	8.0	19.9	20.4	20.4	20.6	A.1	38	68	98	15	21	30	11245	54
4	2800	10.1	55	13	0.55	0.1	35	0.1	5	0.0	25	8.1	19.8	20.3	20.3	20.5	A.1	38	68	98	15	21	30	11245	57
4	3200	7.6	95	13	0.33	0.1	35	0.1	5	0.0	15	12.6	19.0	20.3	20.3	20.5	A.1	38	68	98	15	21	30	11245	52
4	3600	0.9	215	17	0.42	0.1	35	0.2	5	0.1	15	11.1	19.3	20.4	20.3	20.5	A.1	38	68	98	15	21	30	11245	52
4	4000	6.0	255	17	0.29	0.2	35	0.2	5	0.1	15	14.7	19.7	20.4	20.4	20.6	A.1	38	68	98	15	21	30	11245	53
4	4400	12.1	265	18	0.48	0.3	35	0.2	5	0.2	5	14.6	19.5	20.4	20.4	20.7	A.1	38	68	98	15	21	30	11245	55
4	4800	13.7	305	19	0.61	0.3	35	0.2	5	0.1	325	14.6	19.4	20.3	20.3	20.6	A.1	38	68	98	15	21	30	11245	57
4	5200	9.4	315	18	0.62	0.3	35	0.2	5	0.2	345	14.7	19.1	20.4	20.4	20.6	A.1	38	68	98	15	21	30	11245	54
4	5600	10.4	335	18	0.45	0.3	35	0.3	5	0.2	345	13.2	18.8	20.2	20.2	20.4	A.1	38	68	98	15	21	30	11245	56
6	1200	3.7	245	18	0.45	0.3	35	0.2	5	0.2	335	14.3	18.7	20.2	20.2	20.4	A.1	38	68	98	15	21	30	11245	57
6	1600	14.3	295	20	0.49	0.4	35	0.2	5	0.2	325	19.9	19.8	20.2	20.2	20.5	A.1	38	68	98	15	21	30	11245	53
6	2000	25.4	355	17	0.90	0.4	35	0.3	5	0.2	345	19.8	19.7	20.2	20.2	20.4	A.1	38	68	98	15	21	30	11245	54
6	2400	28.1	25	11	1.15	0.3	35	0.3	5	0.2	355	19.5	19.4	19.9	19.9	20.1	A.1	38	68	98	15	21	30	11245	56
6	2800	30.3	25	6	1.22	0.4	35	0.4	5	0.3	345	19.3	19.4	19.7	19.7	19.9	A.1	38	68	98	15	21	30	11245	54
6	3200	17.1	35	5	0.84	0.4	35	0.4	5	0.3	345	19.5	19.4	19.8	19.8	20.1	A.1	38	68	98	15	21	30	11245	56
6	3600	11.0	45	9	0.49	0.4	35	0.4	5	0.3	345	19.4	19.3	19.8	19.8	20.0	A.1	38	68	98	15	21	30	11245	55
6	4000	12.9	45	12	0.57	0.4	35	0.4	5	0.3	355	19.6	19.5	20.0	19.9	20.2	A.1	38	68	98	15	21	30	11245	54
6	4400	13.6	75	11	0.48	0.4	25	0.4	5	0.3	355	20.3	20.2	20.6	20.6	20.9	A.1	38	68	98	15	21	30	11245	54
6	4800	13.6	45	11	0.61	0.4	25	0.3	5	0.2	5	20.3	20.1	20.6	20.7	20.9	A.1	38	68	98	15	21	30	11245	55
6	5200	12.5	95	10	0.56	0.3	25	0.2	5	0.2	355	20.2	20.1	20.5	20.5	20.8	A.1	38	68	98	15	21	30	11245	53
6	5600	10.4	95	11	0.43	0.3	35	0.2	5	0.1	5	20.2	20.1	20.5	20.6	20.8	A.1	38	68	98	15	21	30	11245	53

Dec. 1965

1200	2.4	75	13	0.34	0.2	25	0.2	5	0.1	355	20.3	20.0	20.6	20.5	20.8	8.1	36	68	98	15	21	30	11245	55
1400	0.7	175	13	0.39	0.3	25	0.2	5	0.2	355	20.3	20.2	20.7	20.7	20.9	8.1	38	68	98	15	21	30	11245	53
2000	2.0	295	14	0.29	0.4	25	0.3	5	0.2	355	20.6	20.4	21.0	20.9	21.2	8.1	38	68	98	15	21	30	11245	53
2400	3.5	345	15	0.33	0.3	25	0.3	5	0.2	15	20.7	20.5	21.1	21.1	21.4	8.1	38	68	98	15	21	30	11245	55
2800	7.1	15	14	0.22	0.3	25	0.2	5	0.2	5	20.8	20.4	21.1	21.2	21.4	8.1	38	68	98	15	21	30	11245	55
3200	9.7	35	12	0.40	0.2	25	0.2	5	0.2	5	20.7	19.9	21.0	21.1	21.2	8.1	38	68	98	15	21	30	11245	55
3600	4.3	25	15	0.25	0.2	25	0.2	5	0.1	15	20.7	20.0	21.1	21.1	21.3	8.1	38	68	98	15	21	30	11245	55
4000	3.1	305	17	0.25	0.2	25	0.2	5	0.0	285	20.8	20.2	21.2	21.1	21.3	8.1	38	68	98	15	21	30	11245	53
4400	6.7	35	17	0.30	0.3	25	0.2	5	0.2	355	20.7	20.2	21.1	21.1	21.4	8.1	38	68	98	15	21	30	11245	53
4800	5.2	55	16	0.22	0.3	25	0.2	5	0.2	5	20.7	19.9	21.1	21.1	21.3	8.1	38	68	98	15	21	30	11245	55
5200	8.9	55	15	0.34	0.2	25	0.2	5	0.1	5	20.7	19.8	21.0	21.1	21.2	8.1	38	68	98	15	21	30	11245	54
5600	8.5	105	15	0.33	0.1	25	0.1	5	0.1	335	20.7	20.3	21.0	21.0	21.2	8.1	38	68	98	15	21	30	11245	54
10 1200	5.0	105	17	0.24	0.1	25	0.1	5	0.0	245	8.1	20.6	19.7	20.8	20.6	20.3	38	68	98	15	21	30	11245	56
10 1400	2.0	235	18	0.24	0.1	25	0.1	5	0.0	185	8.1	20.9	19.7	21.0	20.6	20.6	38	68	98	15	21	30	11245	57
10 2000	10.8	125	18	0.41	0.1	25	0.1	5	0.0	185	8.1	20.8	19.6	21.0	20.6	20.6	38	68	98	15	21	30	11245	57
10 2400	11.1	125	18	0.52	0.1	25	0.1	5	0.0	285	8.1	20.8	19.6	21.0	20.6	20.6	38	68	98	15	21	30	11245	59
10 2800	9.5	105	16	0.41	0.1	25	0.1	5	0.0	185	8.1	20.7	19.5	20.9	20.5	20.5	38	68	98	15	21	30	11245	58
10 3200	12.1	115	16	0.59	0.2	25	0.2	5	0.1	195	8.1	20.6	19.4	20.9	20.4	20.5	38	68	98	15	21	30	11245	58
10 3600	15.5	135	19	0.69	0.2	25	0.2	5	0.1	175	8.1	20.5	19.4	20.9	20.5	20.5	38	68	98	15	21	30	11245	58
10 4000	14.5	125	19	0.79	0.3	25	0.2	5	0.1	165	8.1	20.5	19.4	20.9	20.4	20.5	38	68	98	15	21	30	11245	56
10 4400	18.7	135	19	0.87	0.2	35	0.2	5	0.1	215	8.1	20.4	19.3	20.9	20.4	20.5	38	68	98	15	21	30	11245	57
10 4800	15.2	135	19	0.88	0.2	35	0.2	5	0.0	195	8.1	20.4	19.3	20.9	20.4	20.4	38	68	98	15	21	30	11245	59
10 5200	16.5	125	19	1.07	0.2	35	0.2	5	0.1	195	8.1	20.3	19.2	20.8	20.3	20.4	38	68	98	15	21	30	11245	59
10 5600	16.6	145	20	0.94	0.2	35	0.3	5	0.1	195	8.1	20.3	19.2	20.8	20.3	20.4	38	68	98	15	21	30	11245	57
12 1200	14.4	155	21	1.06	0.2	45	0.2	5	0.1	155	8.1	20.4	19.3	20.8	20.3	20.4	38	68	98	15	21	30	11245	57
12 1600	12.6	175	21	1.10	0.3	35	0.3	5	0.1	155	8.1	20.4	19.3	20.8	20.4	20.4	38	68	98	15	21	30	11245	56
12 2000	9.9	205	21	1.22	0.3	35	0.3	5	0.1	155	8.1	20.6	19.4	20.8	20.3	20.4	38	68	98	15	21	30	11245	57
12 2400	7.5	255	21	1.03	0.3	45	0.2	5	0.1	185	8.1	20.6	19.4	20.8	20.3	20.3	38	68	98	15	21	30	11245	59
12 2800	15.0	335	20	0.93	0.3	45	0.2	5	0.1	205	8.1	20.8	19.5	20.9	20.3	20.3	38	68	98	15	21	30	11245	55
12 3200	8.5	25	15	0.89	0.2	35	0.2	5	0.1	225	8.1	20.6	19.3	20.9	20.3	20.3	38	68	98	15	21	30	11245	54
12 3600	4.1	15	17	0.64	0.2	35	0.2	5	0.1	295	8.1	20.5	19.3	20.9	20.4	20.4	38	68	98	15	21	30	11245	56
12 4000	7.2	305	18	0.54	0.3	35	0.2	5	0.1	275	8.1	20.5	19.4	20.9	20.4	20.4	38	68	98	15	21	30	11245	56
12 4400	6.1	295	19	0.52	0.3	35	0.2	5	0.1	335	8.1	20.5	19.4	21.0	20.4	20.4	38	68	98	15	21	30	11245	56
12 4800	5.1	345	18	0.56	0.4	35	0.3	5	0.1	305	8.1	20.5	19.5	21.1	20.5	20.5	38	68	98	15	21	30	11245	57
12 5200	7.9	25	16	0.33	0.4	35	0.3	5	0.2	325	8.1	20.6	19.6	21.1	20.6	20.5	38	68	98	15	21	30	11245	57
12 5600	8.7	95	17	0.40	0.3	35	0.3	5	0.2	345	8.1	20.7	19.6	21.2	20.6	20.7	38	68	98	15	21	30	11245	55
14 1200	10.1	85	17	0.44	0.3	35	0.2	5	0.2	345	8.1	20.7	19.6	21.2	20.7	20.7	38	68	98	15	21	30	11245	57
14 1600	16.9	75	14	0.44	0.2	35	0.2	5	0.1	5	8.1	20.7	19.6	21.2	20.5	20.6	38	68	98	15	21	30	11245	56
14 2000	17.9	105	16	0.72	0.2	35	0.2	5	0.1	5	8.1	20.6	19.4	21.0	20.5	20.7	38	68	98	15	21	30	11245	55
14 2400	17.0	55	14	0.86	0.2	35	0.2	5	0.0	205	8.1	20.5	19.3	20.9	20.4	20.5	38	68	98	15	21	30	11245	57
14 2800	10.0	75	15	1.15	0.2	45	0.3	5	0.1	85	8.1	20.4	19.3	20.9	20.3	20.5	38	68	98	15	21	30	11245	54
14 3200	12.5	45	14	0.74	0.2	45	0.2	5	0.1	115	8.1	20.3	19.2	20.8	20.3	20.4	38	68	98	15	21	30	11245	53
14 3400	8.4	45	16	0.80	0.2	45	0.2	5	0.1	155	8.1	20.4	19.2	20.8	20.3	20.4	38	68	98	15	21	30	11245	56
14 4000	12.4	35	16	0.71	0.2	45	0.2	5	0.0	195	8.1	20.3	19.1	20.8	20.3	20.4	38	68	98	15	21	30	11245	55
14 4400	13.7	55	16	0.75	0.2	45	0.2	5	0.0	165	8.1	20.3	19.1	20.7	20.2	20.3	38	68	98	15	21	30	11245	55
14 4800	16.0	35	15	0.55	0.2	45	0.2	5	0.0	135	8.1	20.3	19.0	20.7	20.2	20.3	38	68	98	15	21	30	11245	57
14 5200	16.2	95	16	0.53	0.1	45	0.1	5	0.1	75	8.0	20.3	18.9	20.5	20.1	20.1	38	68	98	15	21	30	11245	53

Dec. 1965

14	5400	6.7	65	17	0.32	0.1	45	0.1	5	0.1	165	A.1	20.2	18.9	20.5	20.0	20.0	20.1	38	64	98	15	21	30	11245	53
14	1200	7.0	55	17	0.27	0.3	45	0.1	5	0.0	185	A.1	19.5	18.6	20.5	20.0	20.1	20.1	38	68	98	15	21	30	11245	52
16	1500	3.0	15	18	0.21	0.2	45	0.1	5	0.0	175	A.1	19.9	18.8	20.5	19.9	20.1	20.1	38	68	98	15	21	30	11245	54
16	2000	6.5	105	17	0.25	0.1	45	0.1	5	0.0	175	A.1	19.6	18.5	20.3	19.8	19.9	19.9	38	68	98	15	21	30	11245	55
16	2400	9.2	35	17	0.19	0.2	45	0.1	5	0.0	195	A.1	17.9	17.9	19.9	19.7	20.0	20.0	38	68	98	15	21	30	11245	56
16	2400	5.6	55	17	0.19	0.2	45	0.1	5	0.0	215	A.1	17.9	17.7	19.7	19.7	20.0	20.0	38	68	98	15	21	30	11245	53
16	3200	11.3	15	14	0.24	0.1	45	0.1	5	0.1	245	A.1	17.8	17.9	20.1	19.8	19.9	19.9	38	68	98	15	21	30	11245	56
16	3500	8.7	15	15	0.24	0.1	35	0.1	5	0.1	245	A.1	18.6	17.8	20.2	19.8	19.9	19.9	38	68	98	15	21	30	11245	51
16	5600	11.9	225	12	0.54	0.2	35	0.2	5	0.1	295	A.1	18.7	18.0	19.8	19.3	19.3	19.3	38	68	98	15	21	30	11245	55
16	4900	8.2	25	14	0.16	0.1	35	0.1	5	0.1	285	A.1	18.5	17.9	20.2	19.9	20.1	20.1	38	68	98	15	21	30	11245	39
16	5200	13.4	65	13	0.37	0.2	35	0.1	5	0.2	305	A.1	18.5	17.7	19.6	19.2	19.3	19.3	38	68	98	15	21	30	11245	33
16	4000	7.0	25	15	0.29	0.1	35	0.2	5	0.0	245	A.1	19.1	17.7	19.8	19.4	19.4	19.4	38	64	98	15	21	30	11245	48
16	4400	7.7	45	14	0.26	0.1	35	0.1	5	0.1	255	A.1	19.4	18.0	20.0	19.8	20.1	20.1	38	68	98	15	21	30	11245	43
18	0	23.7	95	10	1.07	0.4	45	0.3	5	0.1	235	A.0	9.8	17.4	19.3	18.9	19.1	19.1	38	64	98	15	21	30	11265	60
18	1200	17.0	125	13	0.54	0.2	35	0.1	5	0.1	295	A.1	18.8	17.9	19.7	19.2	19.3	19.3	38	68	98	15	21	30	11265	54
18	1600	19.5	105	14	0.94	0.2	45	0.2	5	0.1	285	A.1	18.7	17.9	19.7	19.2	19.3	19.3	38	68	98	15	21	30	11265	56
18	2000	21.4	75	11	1.05	0.3	35	0.3	5	0.0	235	A.0	9.4	17.6	19.5	19.0	19.2	19.2	38	68	98	15	21	30	11265	57
21	1000	3.0	15	13	0.86	0.4	45	0.5	5	0.3	345	A.0	17.6	16.4	18.4	17.9	18.1	18.1	38	68	98	15	21	30	11265	60
21	1200	1.7	335	15	0.68	0.4	35	0.4	5	0.3	355	A.0	18.1	16.9	18.8	18.3	18.4	18.4	38	68	98	15	21	30	11265	60
21	1600	8.2	245	9	0.70	0.1	5	0.1	215	0.1	25	A.0	10.9	11.7	12.6	17.1	11.9	11.9	38	68	98	15	21	30	11265	60
0	0	0.8	0	0	0.00	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0

070009 STAGE 1

JAN 1966

CODE: 0000000000000000

DAY	HOUR	MS	WD	AT	WL	GSS	CDS	CSM	CDM	CSH	CDB	WT1	WT2	WT3	WT4	WT5	WT6	D1	D2	D3	D4	D5	D6	KEY	N	
9	1400	14.4	125	0	0.00	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0						1	146	60
9	1400	8.2	145	0	0.00	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0						1	146	60
9	1400	14.2	125	0	0.72	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0						1	146	60
10	1000	8.4	125	27	0.82	0.0	5	0.0	0	0.0	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0						1	146	13
10	1200	4.6	155	27	0.75	0.0	5	0.0	0	0.0	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0						1	146	60
10	1300	3.6	335	17	0.83	0.3	305	0.0	0	0.4	245	0.0	0.0	0.0	0.0	0.0	0.0	0.0						1	146	36
10	1400	4.2	25	17	0.75	0.2	325	0.0	0	0.3	245	0.0	0.0	0.0	0.0	0.0	0.0	0.0						1	146	60
10	2000	5.0	45	17	0.74	0.2	335	0.0	0	0.3	245	0.0	0.0	0.0	0.0	0.0	0.0	0.0						1	146	50
10	2400	10.1	55	14	0.54	0.2	345	0.0	0	0.2	315	0.0	0.0	0.0	0.0	0.0	0.0	0.0						1	146	57
10	2800	13.2	55	15	0.55	0.2	325	0.0	0	0.2	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0						1	146	40
10	3200	19.5	55	11	0.71	0.2	355	0.0	0	0.3	315	0.0	0.0	0.0	0.0	0.0	0.0	0.0						1	146	56
10	3600	6.4	55	16	0.37	0.2	355	0.0	0	0.2	315	0.0	0.0	0.0	0.0	0.0	0.0	0.0						1	146	57
10	4000	9.0	35	14	0.30	0.1	5	0.0	0	0.2	325	0.0	0.0	0.0	0.0	0.0	0.0	0.0						1	146	51
10	4400	9.7	75	14	0.24	0.1	15	0.0	0	0.2	25	0.0	0.0	0.0	0.0	0.0	0.0	0.0						1	146	50
10	4800	14.2	95	14	0.43	0.1	65	0.0	0	0.2	105	0.0	0.0	0.0	0.0	0.0	0.0	0.0						1	146	53
10	5200	17.4	125	13	0.65	0.1	65	0.0	0	0.2	105	0.0	0.0	0.0	0.0	0.0	0.0	0.0						1	146	54
10	5600	17.0	115	12	0.69	0.1	25	0.0	0	0.2	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0						1	146	55
10	6000	6.1	135	15	0.51	0.1	355	0.0	0	0.2	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0						1	146	56
12	1400	2.4	125	16	0.40	0.1	5	0.0	0	0.2	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0						1	146	57
12	2000	4.5	95	14	0.33	0.1	15	0.0	0	0.2	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0						1	146	60
12	2400	20.4	125	14	0.60	0.1	355	0.0	0	0.2	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0						1	146	60
12	2800	20.4	125	14	1.01	0.2	325	0.0	0	0.3	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0						1	146	58
12	3200	21.5	145	17	1.19	0.3	325	0.0	0	0.5	285	0.0	0.0	0.0	0.0	0.0	0.0	0.0						1	146	54
12	3600	16.5	145	14	1.04	0.3	335	0.0	0	0.6	305	0.0	0.0	0.0	0.0	0.0	0.0	0.0						1	146	58
12	4000	12.4	135	14	1.02	0.3	345	0.0	0	0.5	295	0.0	0.0	0.0	0.0	0.0	0.0	0.0						1	146	57
12	4400	6.5	105	14	1.64	0.2	345	0.0	0	0.4	285	0.0	0.0	0.0	0.0	0.0	0.0	0.0						1	146	60
12	4800	12.6	175	14	1.10	0.2	325	0.0	0	0.3	305	0.0	0.0	0.0	0.0	0.0	0.0	0.0						1	146	59
12	5200	12.5	145	17	1.40	0.1	355	0.0	0	0.3	285	0.0	0.0	0.0	0.0	0.0	0.0	0.0						1	146	57
12	5600	13.9	145	17	1.12	0.1	335	0.0	0	0.2	335	0.0	0.0	0.0	0.0	0.0	0.0	0.0						1	146	54
12	6000	9.6	45	14	0.96	0.0	335	0.0	0	0.2	285	0.0	0.0	0.0	0.0	0.0	0.0	0.0						1	146	58
14	1400	14.0	55	14	0.91	0.0	355	0.0	0	0.2	285	0.0	0.0	0.0	0.0	0.0	0.0	0.0						1	146	55
14	2000	17.9	95	16	1.12	0.0	305	0.0	0	0.2	295	0.0	0.0	0.0	0.0	0.0	0.0	0.0						1	146	56
14	2400	21.1	145	17	1.27	0.0	325	0.0	0	0.2	305	0.0	0.0	0.0	0.0	0.0	0.0	0.0						1	146	60
14	2800	26.5	285	17	2.45	0.0	325	0.0	0	0.4	285	0.0	0.0	0.0	0.0	0.0	0.0	0.0						1	146	55
14	3200	24.5	305	15	2.11	0.0	335	0.0	0	0.3	315	0.0	0.0	0.0	0.0	0.0	0.0	0.0						1	146	53
14	3600	24.8	305	15	1.87	0.0	275	0.0	0	0.2	35	0.0	0.0	0.0	0.0	0.0	0.0	0.0						1	146	58
14	4000	19.5	325	13	1.73	0.0	95	0.0	0	0.2	45	0.0	0.0	0.0	0.0	0.0	0.0	0.0						1	146	56
14	4400	15.7	355	11	1.45	0.0	155	0.0	0	0.2	115	0.0	0.0	0.0	0.0	0.0	0.0	0.0						1	146	56
14	4800	15.4	15	10	1.34	0.0	115	0.0	0	0.2	125	0.0	0.0	0.0	0.0	0.0	0.0	0.0						1	146	59
14	5200	11.1	25	8	1.20	0.0	115	0.0	0	0.2	115	0.0	0.0	0.0	0.0	0.0	0.0	0.0						1	146	53
14	5600	7.0	55	8	0.95	0.0	115	0.0	0	0.2	115	0.0	0.0	0.0	0.0	0.0	0.0	0.0						1	146	53
14	6000	1.0	15	11	0.64	0.0	115	0.0	0	0.2	105	0.0	0.0	0.0	0.0	0.0	0.0	0.0						1	146	57
14	1400	6.0	25	11	0.53	0.0	115	0.0	0	0.2	115	0.0	0.0	0.0	0.0	0.0	0.0	0.0						1	146	59
14	2000	12.5	15	12	0.56	0.0	135	0.0	0	0.3	125	0.0	0.0	0.0	0.0	0.0	0.0	0.0						1	146	60

Jan 1966													
16	2400	18.7	25	10	0.78	0.0	125	0.0	0.3	125	1	166	57
16	2800	16.0	25	9	0.68	0.0	145	0.0	0.3	115	1	166	59
16	3200	14.6	35	6	0.63	0.0	135	0.0	0.3	125	1	166	54
16	3600	8.3	15	10	0.42	0.0	145	0.0	0.3	115	1	166	58
16	4000	9.2	45	13	0.31	0.0	145	0.0	0.3	125	1	166	60
16	4400	16.6	25	11	0.54	0.0	145	0.0	0.3	135	1	166	59
16	4800	14.5	25	9	0.64	0.0	145	0.0	0.3	115	1	166	58
16	5200	13.6	45	7	0.67	0.0	145	0.0	0.2	115	1	166	54
16	5600	8.6	45	7	0.44	0.0	145	0.0	0.2	105	1	166	58
16	6000	5.4	15	10	0.20	0.0	145	0.0	0.2	105	1	166	54
18	1600	8.7	15	12	0.24	0.0	145	0.0	0.2	105	1	166	59
18	2000	11.3	25	10	0.35	0.0	135	0.0	0.2	125	1	166	60
18	2400	15.8	25	8	0.52	0.0	155	0.0	0.2	145	1	166	59
18	2800	15.1	35	6	0.72	0.0	135	0.0	0.2	135	1	166	58
18	3200	16.8	55	4	0.61	0.0	155	0.0	0.1	145	1	166	55
18	3600	15.3	65	5	0.54	0.0	155	0.0	0.1	145	1	166	53
18	4000	12.0	75	6	0.49	0.0	115	0.0	0.1	115	1	166	58
18	4400	16.7	85	6	0.52	0.0	155	0.0	0.1	145	1	166	55
18	4800	19.3	105	6	0.87	0.0	235	0.0	0.1	225	1	166	58
18	5200	23.8	95	6	0.85	0.0	315	0.0	0.2	275	1	166	58
18	5600	23.3	85	5	1.17	0.0	305	0.0	0.2	305	1	166	55
22	1400	19.2	355	9	1.01	0.0	335	0.0	0.2	305	1	166	57
22	2000	19.3	345	8	1.24	0.0	305	0.0	0.1	355	1	166	58
22	2400	19.8	355	6	1.45	0.0	225	0.0	0.2	85	1	166	59
22	2800	19.5	15	3	1.59	0.0	95	0.0	0.2	105	1	166	57
22	3200	14.3	15	2	0.00	0.0	115	0.0	0.3	105	1	166	58
22	3400	12.1	15	3	0.00	0.0	135	0.0	0.3	105	1	166	56
22	4000	8.1	25	7	0.00	0.0	125	0.0	0.4	115	1	166	56
22	4400	9.5	35	6	0.00	0.0	155	0.0	0.3	105	1	166	57
22	4800	13.5	55	4	0.00	0.0	135	0.0	0.4	125	1	166	59
22	5200	12.2	65	3	0.00	0.0	145	0.0	0.2	115	1	166	57
22	5600	5.1	95	3	0.00	0.0	145	0.0	0.2	115	1	166	56
22	6000	2.0	115	4	0.00	0.0	135	0.0	0.1	105	1	166	55
24	1400	7.3	75	6	0.00	0.0	145	0.0	0.1	105	1	166	48
24	2000	10.8	95	6	0.00	0.0	145	0.0	0.1	115	1	166	58
24	2400	13.1	85	6	0.00	0.0	185	0.0	0.1	115	1	166	54
24	2800	14.6	85	6	0.00	0.0	245	0.0	0.1	215	1	166	55
0	0	0.0	0	0	0.00	0.0	0	0.0	0.0	0	0	0	0

070009 STAGE 1

FER 1966

CUDE: 0000000000000000

DAY	HOUR	MS	WD	AT	ML	CSS	CNS	CSM	CNM	CSB	CNB	WT1	WT2	WT3	WT4	WT5	WT6	D1	D2	D3	D4	D5	D6	KEY	N	
19	1200	6.2	95	0	0.38	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		12	15	21	24	1	266	30
19	1600	2.4	235	0	0.00	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0						1	266	31
19	2000	4.1	175	0	0.05	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0						1	266	30
22	1000	11.9	85	0	0.68	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0						1	266	30
22	1400	0.0	75	0	0.43	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0						1	266	30
22	1800	17.0	65	0	0.56	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0						1	266	30
22	2100	19.9	65	0	0.83	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0						1	266	28
23	1200	22.1	65	30	1.08	0.0	15	0.0	5	0.0	5	0.0	0.0	15.9	8.0	8.0	15.9	0.0		12	15	21	24	1	266	54
23	1600	21.4	65	30	1.06	0.0	15	0.0	5	0.0	5	0.0	0.0	15.9	8.0	8.0	15.9	0.0		12	15	21	24	1	266	58
23	2000	18.6	65	30	1.00	0.0	35	0.0	5	0.0	5	0.0	0.0	15.9	8.0	8.0	15.9	0.0		12	15	21	24	1	266	59
23	2400	13.7	75	30	0.63	0.0	45	0.0	5	0.0	5	0.0	0.0	15.9	8.0	8.0	15.9	0.0		12	15	21	24	1	266	58
23	3600	5.6	35	20	7.93	0.3	345	0.1	5	0.0	5	0.0	0.0	15.2	11.9	8.2	15.8	0.0		12	15	21	24	1	266	58
23	4000	8.4	35	13	0.28	0.1	315	0.1	15	0.1	15	0.0	0.0	15.2	15.6	8.0	8.0	0.0		12	15	21	24	1	266	56
23	4400	10.5	15	11	0.34	0.2	325	0.2	65	0.1	55	0.0	0.0	15.5	15.7	8.0	8.0	0.0		12	15	21	24	1	266	60
23	4800	15.5	15	10	0.58	0.3	275	0.3	85	0.2	65	0.0	0.0	15.9	15.7	8.0	8.0	0.0		12	15	21	24	1	266	60
23	6000	6.2	295	10	0.39	0.1	355	0.3	125	0.2	105	0.0	0.0	15.6	16.0	8.1	8.0	0.0		12	15	21	24	1	266	57
26	1600	9.3	295	12	0.53	0.2	35	0.5	165	0.1	145	0.0	0.0	15.5	15.6	8.1	8.1	0.0		12	15	21	24	1	266	56
26	2000	7.6	285	13	0.35	0.3	125	0.2	215	0.1	195	0.0	0.0	15.3	15.2	8.0	8.0	0.0		12	15	21	24	1	266	59
26	2400	4.4	315	13	0.31	0.2	145	0.2	275	0.1	215	0.0	0.0	15.2	15.3	8.0	8.0	0.0		12	15	21	24	1	266	59
26	2800	8.1	35	12	0.34	0.2	185	0.2	35	0.1	15	0.0	0.0	15.2	15.4	8.0	8.0	0.0		12	15	21	24	1	266	49
26	3200	7.3	75	12	0.32	0.1	245	0.2	85	0.1	75	0.0	0.0	15.3	15.7	8.0	8.0	0.0		12	15	21	24	1	266	53
26	3600	6.9	75	13	0.25	0.1	45	0.2	125	0.1	285	0.0	0.0	15.5	15.9	8.0	8.0	0.0		12	15	21	24	1	266	59
26	4000	10.5	95	14	0.30	0.3	15	0.2	155	0.1	245	0.0	0.0	15.5	15.6	8.0	8.0	0.0		12	15	21	24	1	266	60
26	4400	19.0	135	14	0.87	0.4	355	0.3	215	0.0	345	0.0	0.0	15.3	15.5	8.0	8.0	0.0		12	15	21	24	1	266	59
26	4800	23.3	125	14	1.10	0.4	355	0.3	215	0.1	265	0.0	0.0	15.5	15.4	8.0	8.0	0.0		12	15	21	24	1	266	59
26	5200	27.9	85	11	1.40	0.5	325	0.4	315	0.1	325	0.0	0.0	15.2	15.3	8.0	8.0	0.0		12	15	21	24	1	266	48
26	5600	41.9	135	13	2.40	0.8	325	0.4	295	0.1	195	0.0	0.0	15.0	15.4	8.0	8.0	0.0		12	15	21	24	1	266	56
26	6000	27.2	185	14	2.02	0.9	325	0.7	285	0.2	65	0.0	0.0	15.1	15.7	8.1	8.1	0.0		12	15	21	24	1	266	57
0	0	0	0	0	0.00	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0						0	0	0

070009 STAGE 2

FEH 1966

CODE: 0000000000000000

DAY	HOUR	WS	WD	AT	WL	CSS	CNS	CSM	CDM	CSH	CDH	WT1	WT2	WT3	WT4	WT5	WT6	D1	D2	D3	D4	D5	D6	KEY	N
23	1200	0.0	0	10	0.49	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2 266	53
23	1600	0.0	0	8	0.38	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2 266	57
23	2000	0.0	0	7	0.27	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2 266	58
23	2400	0.0	0	7	0.24	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2 266	57
23	3500	0.0	0	10	0.16	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2 266	58
23	4000	0.0	0	12	0.17	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2 266	56
23	4400	0.0	0	11	0.23	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2 266	59
23	4800	0.0	0	9	0.37	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2 266	59
23	6000	0.0	0	10	0.33	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2 266	57
25	1600	0.0	0	12	0.47	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2 266	55
25	2000	0.0	0	13	0.46	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2 266	56
25	2400	0.0	0	10	0.34	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2 266	58
25	2800	0.0	0	10	0.28	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2 266	49
25	3200	0.0	0	11	0.20	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2 266	53
25	3600	0.0	0	14	0.20	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2 266	59
25	4000	0.0	0	14	0.22	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2 266	60
25	4400	0.0	0	13	0.34	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2 266	57
25	4800	0.0	0	13	0.70	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2 266	58
25	5200	0.0	0	10	0.70	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2 266	51
25	5600	0.0	0	13	1.58	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2 266	56
25	6000	0.0	0	16	1.53	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2 266	57
0	0	0.0	0	0	0.00	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0 0 0	0

070009 STAGE 1

MAR 1966

CUMUL: 0000000000000000

DAY	HOUR	MS	WD	AT	WL	CSS	CNS	CSM	COM	CSH	CDB	WT1	WT2	WT3	MT4	MT5	MTA	DTA	DT	DT2	DT3	DT4	DT5	DT6	DT7	DT8	DT9	DT0
7	2000	11.0	335	12	0.42	0.4	145	0.3	125	0.2	255	0.0	0.0	14.9	15.5	15.0	14.8	12	15	21	24	1	340	34				
7	2100	11.2	55	9	0.74	0.4	145	0.3	115	0.2	255	0.0	0.0	14.8	15.4	15.0	14.7	12	15	21	24	1	340	30				
7	2200	10.9	75	7	0.65	0.3	145	0.3	115	0.3	255	0.0	0.0	15.2	15.7	15.7	14.9	12	15	21	24	1	340	29				
7	2300	10.8	85	4	0.84	0.3	145	0.3	115	0.2	255	0.0	0.0	15.2	15.7	15.0	17.0	12	15	21	24	1	340	31				
7	2400	8.6	45	9	0.41	0.3	145	0.2	125	0.2	245	0.0	0.0	15.2	15.7	15.0	17.0	12	15	21	24	1	340	33				
7	2500	8.6	55	13	0.37	0.1	205	0.2	135	0.1	215	0.0	0.0	15.1	15.4	15.0	14.9	12	15	21	24	1	340	34				
7	2600	16.4	75	11	0.40	0.2	145	0.2	145	0.1	235	0.0	0.0	15.2	15.7	14.8		12	15	21	24	1	340	33				
7	2700	18.4	95	10	0.50	0.2	215	0.2	175	0.2	255	0.0	0.0	15.0	15.5	15.7	14.7	12	15	21	24	1	340	30				
7	2800	20.4	105	4	0.40	0.2	275	0.3	225	0.0	255	0.0	0.0	15.1	15.6	15.7	14.9	12	15	21	24	1	340	29				
7	2900	16.4	105	4	0.64	0.2	305	0.1	235	0.1	15	0.0	0.0	15.1	15.4	15.7	14.7	12	15	21	24	1	340	30				
7	3000	3.7	55	12	0.85	0.4	345	0.2	325	0.0	15	0.0	0.0	15.1	15.4	15.4	14.7	12	15	21	24	1	340	32				
9	1400	2.3	305	15	0.23	0.4	355	0.2	305	0.1	15	0.0	0.0	15.1	15.4	15.0	14.7	12	15	21	24	1	340	57				
9	2000	12.4	85	14	0.37	0.3	355	0.2	325	0.1	15	0.0	0.0	14.9	15.5	15.0	14.7	12	15	21	24	1	340	51				
9	2400	16.9	95	12	0.59	0.3	355	0.3	335	0.1	15	0.0	0.0	15.1	15.4	15.0	14.7	12	15	21	24	1	340	55				
9	2800	17.1	115	11	0.74	0.3	355	0.3	325	0.2	15	0.0	0.0	15.0	15.5	15.0	14.7	12	15	21	24	1	340	55				
9	3200	17.1	115	11	0.44	0.3	355	0.3	305	0.2	15	0.0	0.0	14.9	15.5	15.0	14.7	12	15	21	24	1	340	53				
9	3400	4.3	125	15	0.40	0.3	345	0.2	335	0.1	15	0.0	0.0	15.0	15.4	15.7	14.8	12	15	21	24	1	340	52				
9	4000	4.3	195	14	0.42	0.4	345	0.2	315	0.1	15	0.0	0.0	15.1	15.4	16.0	14.9	12	15	21	24	1	340	50				
9	4400	4.2	145	15	0.35	0.4	355	0.3	285	0.1	45	0.0	0.0	15.1	15.4	15.7	14.9	12	15	21	24	1	340	52				
9	4800	12.0	95	15	0.45	0.3	355	0.3	305	0.1	45	0.0	0.0	14.9	15.5	15.5	14.7	12	15	21	24	1	340	55				
9	5200	10.4	125	14	0.71	0.3	345	0.3	305	0.1	35	0.0	0.0	14.9	15.4	15.5	14.4	12	15	21	24	1	344	53				
9	5400	10.4	125	14	0.42	0.4	345	0.3	305	0.2	35	0.0	0.0	14.9	15.4	15.5	14.4	12	15	21	24	1	340	53				
9	6000	11.1	155	14	0.60	0.4	325	0.3	315	0.1	35	0.0	0.0	14.9	15.4	15.0	14.4	12	15	21	24	1	340	52				
11	1400	10.9	125	17	1.04	0.4	355	0.3	195	0.2	125	0.0	0.0	15.2	15.7	15.0	14.8	12	15	21	24	1	340	53				
11	2000	20.2	125	14	1.32	0.4	355	0.3	235	0.1	125	0.0	0.0	15.1	15.7	15.0	14.8	12	15	21	24	1	340	52				
11	2400	14.1	135	17	1.37	0.4	345	0.3	315	0.2	105	0.0	0.0	15.2	15.7	15.7	14.9	12	15	21	24	1	340	51				
11	2800	15.9	125	17	1.40	0.5	355	0.4	315	0.1	105	0.0	0.0	15.4	15.9	15.9	17.0	12	15	21	24	1	340	47				
11	3200	8.4	145	17	0.41	0.4	345	0.4	315	0.2	25	0.0	0.0	15.4	15.9	15.9	17.0	12	15	21	24	1	340	46				
11	3400	5.0	215	19	0.70	0.5	355	0.3	345	0.2	15	0.0	0.0	15.4	14.1	14.0	17.3	12	15	21	24	1	340	47				
11	4000	5.4	305	14	0.54	0.4	345	0.2	325	0.1	15	0.0	0.0	15.7	14.2	14.4	17.4	12	15	21	24	1	340	51				
11	4400	4.4	245	17	0.44	0.3	345	0.2	325	0.1	155	0.0	0.0	15.7	14.2	14.3	17.5	12	15	21	24	1	340	52				
11	4800	5.7	275	17	0.51	0.3	345	0.2	345	0.1	115	0.0	0.0	15.7	14.2	14.5	17.5	12	15	21	24	1	349	50				
11	5200	7.1	345	17	0.57	0.4	345	0.2	345	0.1	245	0.0	0.0	15.7	14.2	14.5	17.5	12	15	21	24	1	340	47				
11	5400	4.1	315	15	0.44	0.3	245	0.2	345	0.1	245	0.0	0.0	15.7	15.9	15.9	17.0	12	15	21	24	1	340	45				
11	6000	7.3	345	14	0.54	0.4	245	0.2	345	0.1	25	0.0	0.0	15.4	15.4	14.0	17.0	12	15	21	24	1	340	46				
15	1400	10.0	205	17	0.54	0.3	45	0.2	75	0.0	15	0.0	0.0	15.4	15.4	14.2	17.1	12	15	21	24	1	340	48				
15	2000	12.4	305	17	0.64	0.3	75	0.3	105	0.0	15	0.0	0.0	15.7	15.9	14.0	17.2	12	15	21	24	1	340	50				
15	2400	8.3	315	17	0.77	0.3	55	0.3	115	0.1	115	0.0	0.0	15.7	14.1	14.2	17.4	12	15	21	24	1	340	49				
15	2800	6.4	55	15	0.50	0.3	35	0.3	95	0.1	275	0.0	0.0	15.4	15.9	14.1	17.3	12	15	21	24	1	340	46				
24	1700	12.0	355	14	0.72	0.3	245	0.3	145	0.1	245	0.0	0.0	14.2	17.0	14.0	14.1	12	15	21	24	1	340	54				
24	2000	20.7	25	14	0.48	0.3	145	0.3	145	0.1	245	0.0	0.0	14.9	17.2	17.0	14.5	12	15	21	24	1	340	40				
24	2300	25.4	25	11	0.90	0.5	175	0.3	95	0.2	245	0.0	0.0	14.5	17.3	17.4	14.2	12	15	21	24	1	340	53				
24	2600	20.7	25	10	1.11	0.6	175	0.3	75	0.3	245	0.0	0.0	14.3	17.3	17.4	14.2	12	15	21	24	1	340	47				
24	2900	19.7	35	4	0.40	0.5	215	0.5	45	0.3	245	0.0	0.0	17.1	17.0	14.9	17.0	12	15	21	24	1	340	40				

Mar 1966

25	400	17.7	55	7	0.76	0.3	245	0.7	115	0.2	255	0.0	0.0	16.7	17.1	16.9	17.8	12 15 21 24	1	346	59
25	1200	5.9	55	12	0.31	0.2	85	0.7	145	0.2	235	0.0	0.0	16.6	17.1	17.0	19.0	12 15 21 24	1	346	60
25	1600	10.6	245	13	0.31	0.4	85	0.4	185	0.2	215	0.0	0.0	16.7	17.0	17.3	19.0	12 15 21 24	1	346	60
25	2000	8.5	335	15	0.34	0.8	105	0.2	185	0.0	275	0.0	0.0	16.7	16.9	17.1	19.0	12 15 21 24	1	346	60
25	2300	8.3	335	15	0.24	0.8	135	0.2	345	0.1	295	0.0	0.0	16.7	17.0	16.9	17.8	12 15 21 24	1	346	49
26	0	9.9	325	15	0.20	0.7	145	0.3	355	0.2	285	0.0	0.0	16.6	17.0	16.9	17.9	12 15 21 24	1	346	48
26	400	12.7	335	14	0.58	0.4	175	0.5	55	0.2	245	0.0	0.0	16.6	17.1	16.9	17.9	12 15 21 24	1	346	60
26	800	10.9	55	12	0.50	0.3	165	0.5	95	0.2	265	0.0	0.0	16.6	17.0	17.0	17.9	12 15 21 24	1	346	60
26	1200	6.0	325	13	0.40	0.3	165	0.4	125	0.2	255	0.0	0.0	16.5	16.9	16.9	17.9	12 15 21 24	1	346	60
26	1600	12.5	245	14	0.44	0.4	135	0.3	175	0.2	245	0.0	0.0	16.5	17.0	16.9	17.9	12 15 21 24	1	346	60
26	2000	14.3	305	15	0.62	0.4	155	0.3	135	0.0	275	0.0	0.0	16.3	16.9	16.8	17.8	12 15 21 24	1	346	60
26	2300	12.9	305	15	0.89	0.5	155	0.4	135	0.1	295	0.0	0.0	16.3	16.9	16.9	17.8	12 15 21 24	1	346	52
27	0	12.7	315	15	0.78	0.5	155	0.4	125	0.1	285	0.0	0.0	16.3	16.9	16.9	17.8	12 15 21 24	1	346	46
27	400	8.4	335	15	0.53	0.5	155	0.3	125	0.1	285	0.0	0.0	16.3	16.9	16.9	17.8	12 15 21 24	1	346	44
27	800	16.8	245	17	0.65	0.5	165	0.3	145	0.1	215	0.0	0.0	16.6	17.1	17.2	19.0	12 15 21 24	1	346	52
27	1200	11.9	285	14	0.69	0.5	165	0.3	145	0.1	295	0.0	0.0	16.6	17.0	17.0	17.8	12 15 21 24	1	346	59
27	1600	11.2	315	17	0.75	0.6	155	0.3	145	0.1	255	0.0	0.0	16.6	17.0	17.0	17.8	12 15 21 24	1	346	59
28	1100	13.5	335	17	0.77	0.6	155	0.2	105	0.1	245	0.0	0.0	16.4	16.9	16.9	17.7	12 15 21 24	1	346	18
28	1200	12.5	335	16	0.84	0.6	175	0.3	105	0.1	265	0.0	0.0	16.3	16.8	16.7	17.5	12 15 21 24	1	346	17
29	1600	4.4	225	16	0.44	0.3	115	0.2	205	0.1	185	0.0	0.0	16.9	16.7	17.0	17.7	12 15 21 24	1	346	16
29	400	4.6	195	15	0.50	0.4	125	0.2	265	0.1	135	0.0	0.0	16.9	16.9	17.0	17.7	12 15 21 24	1	346	14
29	800	9.1	55	15	0.38	0.4	185	0.2	225	0.1	55	0.0	0.0	16.9	16.9	16.9	17.6	12 15 21 24	1	346	16
29	1200	12.1	55	13	0.45	0.3	215	0.2	155	0.1	45	0.0	0.0	16.4	16.6	16.7	17.4	12 15 21 24	1	346	16
29	1600	7.2	25	14	0.41	0.2	245	0.2	75	0.1	25	0.0	0.0	16.9	16.6	16.6	17.4	12 15 21 24	1	346	14
29	2000	11.9	285	14	0.42	0.2	105	0.2	145	0.1	225	0.0	0.0	16.9	16.7	16.9	17.5	12 15 21 24	1	346	14
30	1600	21.0	275	17	0.65	0.4	145	0.2	165	0.1	175	0.0	0.0	16.9	16.8	17.0	17.7	12 15 21 24	1	346	20
30	2000	19.9	295	17	1.34	0.6	155	0.3	165	0.1	65	0.0	0.0	16.9	16.8	16.8	17.6	12 15 21 24	1	346	19
30	2400	20.2	315	14	1.40	0.7	175	0.3	85	0.1	315	0.0	0.0	16.9	16.9	16.9	17.7	12 15 21 24	1	346	20
30	2800	16.2	305	14	1.14	0.4	155	0.4	95	0.2	265	0.0	0.0	16.8	16.8	16.8	17.5	12 15 21 24	1	346	22
30	3200	14.1	305	14	1.19	0.4	135	0.4	95	0.2	245	0.0	0.0	16.9	16.7	16.8	17.5	12 15 21 24	1	346	20
30	3600	17.6	275	14	0.91	0.5	175	0.3	155	0.2	245	0.0	0.0	16.9	16.8	17.1	17.5	12 15 21 24	1	346	20
30	4000	15.4	275	19	0.93	0.6	165	0.3	155	0.2	225	0.0	0.0	16.9	16.8	17.1	17.8	12 15 21 24	1	346	18
30	4400	14.6	275	14	0.84	0.6	145	0.3	125	0.1	245	0.0	0.0	16.7	16.9	17.1	17.7	12 15 21 24	1	346	19
30	4800	16.9	245	14	0.88	0.5	135	0.3	145	0.1	245	0.0	0.0	16.4	17.0	17.0	17.7	12 15 21 24	1	346	21
30	5200	21.4	245	19	1.60	0.4	175	0.3	105	0.1	305	0.0	0.0	16.3	17.0	17.0	17.7	12 15 21 24	1	346	21
30	5600	23.1	275	19	1.68	0.4	155	0.4	95	0.1	355	0.0	0.0	16.5	17.1	17.1	17.8	12 15 21 24	1	346	20
30	6000	25.9	275	19	2.04	0.5	185	0.4	125	0.1	275	0.0	0.0	16.8	17.4	17.5	19.1	12 15 21 24	1	346	20
0	0	0.0	0	0	0.00	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0 0 0	0	0	0

070009 STAGE 2

MAR 1966

CUDE: 0000000000000000

DAY	HOUR	MS	WD	AT	WL	CSS	CNS	C5M	CDM	CSR	CDB	WT1	WT2	WT3	WT4	WT5	WT6	D1	D2	D3	D4	D5	D6	KEY	N
7	2000	0.0	0	12	0.44	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2 366	21
7	2400	0.0	0	A	0.35	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2 366	26
7	2400	0.0	0	A	0.1A	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2 366	19
7	3200	0.0	0	A	0.21	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2 366	25
7	3600	0.0	0	10	0.14	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2 366	24
7	4000	0.0	0	10	0.15	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2 366	22
7	4400	0.0	0	10	0.19	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2 366	20
7	4800	0.0	0	A	0.19	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2 366	14
7	5200	0.0	0	A	0.24	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2 366	20
7	5600	0.0	0	7	0.27	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2 366	21
7	6000	0.0	0	12	0.22	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2 366	10
9	1400	0.0	0	15	0.21	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2 366	39
9	2000	0.0	0	12	0.16	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2 366	42
9	2400	0.0	0	10	0.25	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2 366	43
9	2800	0.0	0	A	0.31	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2 366	45
9	3200	0.0	0	10	0.44	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2 366	35
9	3600	0.0	0	14	0.33	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2 366	33
9	4000	0.0	0	16	0.30	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2 366	31
9	4400	0.0	0	14	0.40	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2 366	48
9	4800	0.0	0	14	0.33	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2 366	47
9	5200	0.0	0	12	0.52	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2 366	44
9	5600	0.0	0	14	0.60	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2 366	36
9	6000	0.0	0	17	0.49	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2 366	37
13	1400	0.0	0	17	0.69	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2 366	51
13	2000	0.0	0	16	0.95	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2 366	52
13	2400	0.0	0	17	0.85	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2 366	50
13	2800	0.0	0	17	0.95	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2 366	45
13	3200	0.0	0	17	0.72	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2 366	45
13	3600	0.0	0	17	0.55	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2 366	49
13	4000	0.0	0	17	0.59	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2 366	50
13	4400	0.0	0	17	0.49	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2 366	47
13	4800	0.0	0	17	0.54	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2 366	46
13	5200	0.0	0	14	0.52	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2 366	44
13	5600	0.0	0	14	0.53	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2 366	44
13	6000	0.0	0	15	0.65	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2 366	44
15	1400	0.0	0	17	0.49	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2 366	50
15	2000	0.0	0	17	0.63	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2 366	49
15	2400	0.0	0	14	0.91	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2 366	48
15	2800	0.0	0	15	0.74	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2 366	46
15	3200	0.0	0	15	0.5A	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2 366	43
15	3600	0.0	0	17	0.4R	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2 366	45
15	4000	0.0	0	17	0.41	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2 366	48
15	4400	0.0	0	17	0.49	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2 366	48
15	4800	0.0	0	15	0.33	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2 366	47

		Mar 1966																		
26	1100	5.9	325	12	0.3A	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	366	19	
26	1200	4.3	245	12	0.34	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	366	21	
26	1500	13.3	255	14	0.45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	366	22	
26	2000	14.4	275	14	0.55	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	366	23	
27	1200	9.8	245	14	0.40	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2	366	60	
27	1600	15.5	225	17	0.75	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	2	366	60
27	2000	9.6	255	17	0.87	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	2	366	60
28	0	9.8	325	15	0.75	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	2	366	60
28	400	13.5	5	13	0.84	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	2	366	60
28	800	14.1	35	13	0.32	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	2	366	60
28	1100	11.5	5	17	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	2	366	47
28	1200	8.7	5	18	0.17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	2	366	29
28	1600	12.5	5	19	0.29	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	2	366	32
28	2000	4.4	105	14	0.23	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	2	366	33
28	2400	8.6	35	14	0.24	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	2	366	35
28	2800	11.8	25	12	0.23	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	2	366	39
28	3200	14.2	55	12	0.37	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	2	366	34
30	1600	18.3	235	17	0.82	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	2	366	55
30	2000	16.9	255	17	1.31	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	2	366	55
30	2400	16.2	285	18	1.30	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	2	366	59
30	2800	15.2	275	17	1.36	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	2	366	60
30	3200	12.6	275	17	1.12	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	2	366	57
30	3600	14.2	245	18	1.12	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	2	366	54
30	4000	14.7	235	18	1.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	2	366	53
30	4400	14.1	235	18	1.13	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	2	366	55
30	4800	13.3	225	18	0.85	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	2	366	55
30	5200	19.2	55	18	1.19	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	2	366	59
30	5600	19.7	55	19	1.32	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	2	366	59
30	6000	19.8	15	19	2.04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	2	366	57
0	0	0.0	0	0	0.00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0	0	0

070009 STAGE 1

APR 1966

CUDE: 0000000000000000000

DAY	HOUR	MS	WD	AT	WL	CSS	COS	CSM	COM	CSR	GDH	WT1	WT2	WT3	WT4	WT5	WT6	D1	D2	D3	D4	D5	D6	KEY	N
1	1500	23.9	265	20	2.00	0.5	185	0.5	145	0.1	295	0.0	0.0	16.8	17.5	17.5	19.1	12	15	21	24	1	466	22	
1	2000	24.3	265	19	2.31	0.6	205	0.6	165	0.2	235	0.0	0.0	16.7	17.2	17.3	17.9	12	15	21	24	1	466	19	
1	2400	22.3	265	19	2.62	0.7	205	0.5	155	0.2	295	0.0	0.0	16.6	17.4	17.4	19.0	12	15	21	24	1	466	20	
1	2800	9.4	355	18	1.80	0.6	215	0.3	85	0.2	265	0.0	0.0	16.6	17.4	17.4	19.0	12	15	21	24	1	466	20	
1	3200	11.5	15	17	1.14	0.4	185	0.5	85	0.2	265	0.0	0.0	16.6	17.3	17.4	19.0	12	15	21	24	1	466	20	
1	3600	10.0	275	19	0.98	0.2	155	0.6	135	0.2	265	0.0	0.0	16.6	17.4	17.5	19.1	12	15	21	24	1	466	18	
1	4000	14.5	285	18	1.12	0.4	205	0.3	165	0.1	265	0.0	0.0	16.6	17.4	17.8	19.3	12	15	21	24	1	466	20	
1	4400	8.7	265	17	0.68	0.4	185	0.3	205	0.1	245	0.0	0.0	16.6	17.4	17.5	19.1	12	15	21	24	1	466	22	
1	4800	5.3	215	16	0.54	0.3	195	0.2	145	0.1	225	0.0	0.0	16.6	17.2	17.3	19.0	12	15	21	24	1	466	21	
1	5200	7.0	195	17	0.50	0.2	205	0.2	145	0.1	275	0.0	0.0	16.5	17.2	17.2	17.9	12	15	21	24	1	466	21	
1	5600	12.0	175	19	0.50	0.2	185	0.2	175	0.1	225	0.0	0.0	16.5	17.3	17.2	17.9	12	15	21	24	1	466	19	
1	6000	17.7	175	20	0.93	0.3	175	0.3	165	0.1	175	0.0	0.0	16.6	17.4	17.6	19.2	12	15	21	24	1	466	18	
3	1500	12.3	195	19	0.81	0.3	175	0.3	215	0.1	135	0.0	0.0	16.6	17.5	17.6	19.2	12	15	21	24	1	466	20	
3	2000	13.3	225	20	0.70	0.3	185	0.3	235	0.1	105	0.0	0.0	16.6	17.5	17.6	19.2	12	15	21	24	1	466	22	
3	2400	16.4	215	19	0.80	0.3	175	0.2	275	0.1	45	0.0	0.0	16.5	17.7	17.7	19.4	12	15	21	24	1	466	20	
3	2800	17.8	265	19	0.79	0.2	45	0.3	155	0.1	65	0.0	0.0	16.6	17.6	17.8	19.4	12	15	21	24	1	466	22	
3	3200	18.5	285	20	0.86	0.3	355	0.3	115	0.2	45	0.0	0.0	16.6	17.7	17.8	19.5	12	15	21	24	1	466	20	
3	3600	16.1	305	19	1.72	0.3	45	0.3	235	0.1	5	0.0	0.0	16.7	17.6	17.8	19.4	12	15	21	24	1	466	20	
3	4000	16.1	305	19	1.28	0.3	265	0.3	205	0.1	355	0.0	0.0	16.7	17.7	18.0	19.5	12	15	21	24	1	466	19	
3	4400	23.4	15	18	0.97	0.3	115	0.3	165	0.1	335	0.0	0.0	16.8	17.8	17.9	19.5	12	15	21	24	1	466	20	
3	4800	28.4	15	14	1.49	0.4	205	0.3	55	0.2	315	0.0	0.0	16.8	17.6	17.6	19.3	12	15	21	24	1	466	20	
3	5200	21.4	35	11	1.28	0.3	205	0.4	60	0.3	295	0.0	0.0	16.8	17.4	17.4	19.1	12	15	21	24	1	466	22	
3	5600	10.2	25	12	0.46	0.3	185	0.3	105	0.2	275	0.0	0.0	16.6	17.4	17.3	19.1	12	15	21	24	1	466	20	
3	6000	11.2	285	14	0.50	0.1	185	0.3	135	0.2	225	0.0	0.0	16.6	17.4	17.6	19.2	12	15	21	24	1	466	20	
5	1500	17.1	285	16	0.70	0.4	355	0.2	155	0.1	175	0.0	0.0	16.7	17.7	17.7	19.4	12	15	21	24	1	466	20	
5	2000	22.2	295	17	1.45	0.6	355	0.4	135	0.0	315	0.0	0.0	16.7	17.5	17.5	19.2	12	15	21	24	1	466	10	
7	1600	15.3	265	19	0.88	0.7	355	0.4	135	0.1	245	0.0	0.0	0.0	17.5	17.8	19.4	15	15	21	24	1	466	20	
7	2000	17.3	265	19	1.09	0.5	355	0.3	145	0.2	265	0.0	0.0	0.0	17.5	17.6	19.3	15	15	21	24	1	466	20	
7	2400	16.0	265	18	0.87	0.4	355	0.3	125	0.1	255	0.0	0.0	0.0	17.5	17.5	19.2	15	15	21	24	1	466	20	
7	2800	9.9	275	18	0.76	0.3	355	0.3	105	0.0	275	0.0	0.0	0.0	17.4	17.5	19.2	15	15	21	24	1	466	19	
7	3200	7.2	235	20	0.60	0.3	355	0.3	105	0.1	235	0.0	0.0	0.0	17.5	17.5	19.2	15	15	21	24	1	466	20	
7	3600	8.0	235	20	0.57	0.3	355	0.3	125	0.2	245	0.0	0.0	0.0	17.5	17.7	19.3	15	15	21	24	1	466	18	
7	4000	8.5	235	20	0.46	0.2	65	0.3	145	0.1	225	0.0	0.0	0.0	17.6	18.2	19.4	15	15	21	24	1	466	20	
7	4400	7.8	215	19	0.50	0.2	355	0.2	195	0.1	225	0.0	0.0	0.0	17.5	18.2	19.3	15	15	21	24	1	466	18	
7	4800	12.1	235	18	0.51	0.2	355	0.2	275	0.1	205	0.0	0.0	0.0	17.5	17.9	19.4	15	15	21	24	1	466	20	
7	5200	8.5	255	18	0.37	0.1	355	0.2	325	0.1	175	0.0	0.0	0.0	17.5	17.8	19.3	15	15	21	24	1	466	18	
7	5600	11.7	315	19	0.54	0.2	225	0.2	225	0.1	165	0.0	0.0	0.0	17.5	18.0	19.5	15	15	21	24	1	466	18	
7	6000	12.0	55	19	0.60	0.2	205	0.2	65	0.0	155	0.0	0.0	0.0	17.6	18.0	19.5	15	15	21	24	1	466	19	
9	1500	4.9	55	19	0.36	0.2	195	0.2	125	0.0	135	0.0	0.0	0.0	17.7	17.8	19.5	15	15	21	24	1	466	19	
9	2000	8.3	335	19	0.31	0.2	205	0.2	105	0.1	135	0.0	0.0	0.0	17.7	17.7	19.4	15	15	21	24	1	466	19	
9	2400	13.0	15	17	0.44	0.1	45	0.2	55	0.0	135	0.0	0.0	0.0	17.7	17.7	19.4	15	15	21	24	1	466	19	
9	2800	20.2	55	14	0.80	0.2	85	0.2	45	0.0	275	0.0	0.0	0.0	17.5	17.6	19.3	15	15	21	24	1	466	18	
9	3200	15.6	55	13	0.56	0.2	185	0.2	85	0.2	265	0.0	0.0	0.0	17.5	17.5	19.2	15	15	21	24	1	466	18	
9	3600	9.7	35	17	0.33	0.1	185	0.1	85	0.2	235	0.0	0.0	0.0	17.6	17.7	19.4	15	15	21	24	1	466	9	

11	1600	13.2	175	19	1.21	0.3	185	0.3	175	0.1	175	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17.9	18.0	18.6	15	21	24	1	466	20	
11	2000	12.1	175	18	0.69	0.3	355	0.3	195	0.2	115	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17.9	18.3	18.6	15	21	24	1	466	38	
13	2000	11.2	205	20	0.56	0.3	355	0.2	225	0.1	85	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17.9	18.6	18.7	15	21	24	1	466	20	
14	0	6.5	265	19	0.62	0.3	115	0.4	305	0.2	25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18.1	19.5	19.0	15	21	24	1	466	22	
14	400	23.8	265	19	0.74	0.6	165	0.4	115	0.1	335	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17.9	19.3	19.0	15	21	24	1	466	21	
14	900	3.6	25	21	0.60	0.3	195	0.4	25	0.1	275	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17.9	19.2	18.9	15	21	24	1	466	20	
14	1100	7.8	305	21	0.65	0.4	245	0.3	55	0.1	235	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18.0	19.1	18.8	15	21	24	1	466	5	
14	1400	10.3	325	21	0.74	0.2	215	0.3	125	0.1	235	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18.0	19.4	18.7	15	21	24	1	466	20	
14	2100	8.9	25	21	0.44	0.3	85	0.2	235	0.1	135	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18.1	19.5	19.1	15	21	24	1	466	22	
14	2400	13.8	15	19	0.51	0.4	135	0.1	315	0.1	355	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18.2	19.3	19.8	15	21	24	1	466	20	
14	2900	8.2	35	17	0.50	0.5	155	0.1	25	0.1	315	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18.1	19.2	19.4	15	21	24	1	466	22	
14	3100	8.6	35	16	0.33	0.4	205	0.1	35	0.1	295	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18.1	19.2	19.3	15	21	24	1	466	16	
14	3200	8.6	45	16	0.39	0.3	195	0.1	35	0.1	295	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18.0	19.1	19.0	15	21	24	1	466	22	
15	900	8.1	35	17	0.34	0.3	185	0.1	65	0.1	265	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18.0	19.1	18.9	15	21	24	1	466	21	
15	1200	7.2	355	18	0.34	0.1	155	0.2	65	0.0	295	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18.0	19.1	18.9	15	21	24	1	466	22	
15	1600	6.9	295	19	0.37	0.2	115	0.2	115	0.0	355	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18.0	19.1	18.9	15	21	24	1	466	22	
15	1900	5.1	355	19	0.31	0.3	115	0.2	155	0.1	265	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18.0	19.5	19.0	15	21	24	1	466	22	
15	2000	10.8	105	19	0.29	0.4	135	0.1	165	0.1	245	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18.1	19.6	19.3	15	21	24	1	466	20	
15	2400	5.7	95	17	0.29	0.5	175	0.1	185	0.0	295	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18.6	19.5	20.1	15	21	24	1	466	22	
15	2800	3.3	125	16	0.31	0.3	205	0.1	15	0.1	255	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18.5	19.5	20.0	15	21	24	1	466	21	
16	600	2.6	35	16	0.23	0.3	355	0.1	35	0.1	245	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18.9	19.4	20.1	15	21	24	1	466	21	
16	900	2.3	75	16	0.26	0.2	175	0.1	75	0.1	225	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18.3	19.4	20.1	15	21	24	1	466	20	
16	1100	3.2	285	17	0.11	0.1	155	0.2	115	0.0	205	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18.4	19.4	20.1	15	21	24	1	466	5	
16	1400	11.1	295	17	0.55	0.5	155	0.1	185	0.1	265	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18.3	19.8	20.1	15	21	24	1	466	21	
16	2000	8.6	265	20	0.40	0.6	155	0.1	165	0.1	255	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18.4	19.6	20.1	15	21	24	1	466	20	
16	2400	4.8	275	19	0.38	0.7	185	0.1	105	0.1	245	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18.9	19.6	20.3	15	21	24	1	466	21	
16	2800	4.5	75	19	0.27	0.3	205	0.2	75	0.1	245	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18.9	19.4	19.9	15	21	24	1	466	22	
17	600	4.3	355	20	0.23	0.2	205	0.2	85	0.0	245	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18.9	19.3	19.9	15	21	24	1	466	21	
17	900	5.3	65	20	0.20	0.1	135	0.2	115	0.0	245	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	19.1	19.4	20.0	15	21	24	1	466	20	
17	1200	9.6	205	22	0.19	0.3	115	0.2	125	0.0	265	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	19.2	19.6	20.2	15	21	24	1	466	21	
17	1400	7.6	175	19	0.44	0.2	135	0.1	215	0.0	245	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18.9	19.9	19.9	12	15	21	24	1	466	20
17	2000	5.4	145	19	0.34	0.4	135	0.2	215	0.0	245	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17.0	18.6	19.8	12	15	21	24	1	466	21
18	800	23.7	145	20	2.17	0.6	15	0.7	265	0.3	115	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16.9	19.5	19.7	12	15	21	24	1	466	20
19	800	24.9	155	20	1.94	0.8	335	0.4	255	0.3	115	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18.9	19.5	19.7	12	15	21	24	1	466	20
19	1200	17.4	145	20	1.58	0.6	355	0.4	245	0.2	65	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18.0	19.3	19.6	12	15	21	24	1	466	22
19	1400	15.0	145	20	1.88	0.5	355	0.4	275	0.5	65	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18.2	19.6	19.7	12	15	21	24	1	466	22
19	1400	13.7	145	19	1.83	0.3	15	0.4	285	0.5	65	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18.2	19.7	20.4	12	15	21	24	1	466	22
19	2000	17.7	175	20	1.69	0.3	355	0.4	285	0.5	65	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18.1	19.5	19.7	12	15	21	24	1	466	21
19	2400	8.3	145	20	1.34	0.3	5	0.3	295	0.2	45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18.1	19.1	20.3	12	15	21	24	1	466	21
20	1600	14.4	135	20	0.97	0.2	355	0.2	285	0.2	335	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18.1	19.1	20.0	12	15	21	24	1	466	22
21	800	8.6	15	20	1.13	0.4	355	0.2	265	0.2	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17.9	19.6	20.2	12	15	21	24	1	466	22
21	1200	6.8	205	24	1.00	0.3	335	0.2	255	0.2	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17.8	19.6	20.9	12	15	21	24	1	466	22
21	1400	8.8	185	23	0.71	0.3	355	0.2	245	0.1	25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17.7	19.6	20.4	12	15	21	24	1	466	22
21	1600	9.3	185	22	0.83	0.2	355	0.2	265	0.1	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17.6	20.0	20.6	12	15	21	24	1	466	22
21	2000	9.0	175	21	0.98	0.2	355	0.2	295	0.1	45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17.5	20.0	20.7	12	15	21	24	1	466	22
22	800	13.4	145	21	0.74	0.2	355	0.2	325	0.1	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17.7	19.9	20.7	12	15	21	24	1	466	21
22	1200	17.5	155	22	0.83	0.4	315																						

Apr 1966

22	2000	12.6	155	22	1.54	0.4	355	0.2	275	0.0	0.0	0.0	17.9	19.1	20.5	21.0	12 15 21 24	1 466 22
23	1400	8.4	155	20	1.19	0.3	335	0.1	335	0.0	0.0	0.0	18.5	19.9	20.0	20.6	12 15 21 24	1 466 21
23	1500	9.4	145	20	1.60	0.3	215	0.2	285	0.0	0.0	0.0	18.4	19.9	19.9	20.5	12 15 21 24	1 466 20
24	400	16.4	175	22	1.60	0.4	355	0.2	325	0.0	0.0	0.0	19.1	20.1	20.1	20.7	12 15 21 24	1 466 22
24	500	17.1	175	22	1.47	0.4	345	0.2	285	0.0	0.0	0.0	19.1	20.1	20.3	20.8	12 15 21 24	1 466 21
24	1400	14.8	195	21	1.49	0.3	355	0.2	275	0.0	0.0	0.0	19.1	20.1	20.1	20.7	12 15 21 24	1 466 22
24	1600	11.7	195	20	1.06	0.3	355	0.2	315	0.0	0.0	0.0	19.6	20.6	20.6	21.2	12 15 21 24	1 466 22
24	2000	12.1	185	20	1.11	0.3	355	0.2	305	0.0	0.0	0.0	19.6	20.5	20.5	21.2	12 15 21 24	1 466 20
25	400	7.7	195	23	2.75	0.3	345	0.2	305	0.0	0.0	0.0	19.5	20.5	20.5	21.2	12 15 21 24	1 466 20
25	1400	13.8	195	0	1.15	0.2	25	0.1	255	0.0	0.0	0.0	19.1	20.6	21.0	21.4	12 15 21 24	1 466 39
25	1500	13.3	195	0	1.24	0.2	15	0.1	275	0.0	0.0	0.0	19.3	20.7	21.2	21.7	12 15 21 24	1 466 60
25	2000	14.2	195	21	1.13	0.2	355	0.0	0	0.0	0.0	0.0	19.4	21.0	21.0	21.7	12 15 21 24	1 466 60
26	900	12.9	155	22	1.09	0.2	355	0.0	285	0.0	0.0	0.0	19.3	20.9	21.1	21.7	12 15 21 24	1 466 24
26	1200	18.7	165	21	1.16	0.3	355	0.0	125	0.0	0.0	0.0	19.2	21.0	21.1	21.8	12 15 21 24	1 466 21
26	1400	17.8	175	22	1.44	0.3	355	0.0	225	0.0	0.0	0.0	19.3	21.1	21.1	21.8	12 15 21 24	1 466 22
26	1600	16.5	175	22	1.20	0.3	355	0.1	15	0.0	0.0	0.0	19.3	21.1	21.2	21.8	12 15 21 24	1 466 21
26	2000	16.5	175	21	1.20	0.3	15	0.0	285	0.0	0.0	0.0	19.5	21.1	21.1	21.8	12 15 21 24	1 466 23
26	2400	17.3	175	21	1.58	0.3	35	0.1	25	0.0	0.0	0.0	19.6	21.1	21.1	21.8	12 15 21 24	1 466 22
27	200	16.7	185	21	1.23	0.2	15	0.0	335	0.0	0.0	0.0	19.5	21.0	21.0	21.7	12 15 21 24	1 466 21
27	400	14.3	195	21	1.15	0.2	25	0.0	345	0.0	0.0	0.0	19.5	21.0	21.0	21.7	12 15 21 24	1 466 21
27	800	13.6	185	23	1.16	0.2	15	0.0	255	0.0	0.0	0.0	19.4	21.0	21.1	21.8	12 15 21 24	1 466 21
27	1200	15.9	195	23	1.14	0.2	355	0.1	235	0.0	0.0	0.0	19.4	21.1	21.3	21.9	12 15 21 24	1 466 24
28	1600	6.9	185	24	0.89	0.2	35	0.0	0	0.0	0.0	0.0	19.7	21.5	22.0	22.2	12 15 21 24	1 466 21
28	2000	5.7	145	22	0.67	0.2	115	0.0	0	0.0	0.0	0.0	19.7	21.3	21.9	22.2	12 15 21 24	1 466 24
28	2400	5.6	125	22	0.73	0.2	175	0.0	0	0.0	0.0	0.0	19.8	21.3	21.8	22.2	12 15 21 24	1 466 21
29	1400	1.3	175	24	0.66	0.3	355	0.0	0	0.0	0.0	0.0	19.7	21.5	22.2	22.6	12 15 21 24	1 466 24
29	1600	2.0	185	24	0.77	0.3	55	0.0	0	0.0	0.0	0.0	19.8	21.7	22.3	22.7	12 15 21 24	1 466 21
29	2000	0.4	145	22	0.42	0.3	105	0.0	0	0.0	0.0	0.0	19.8	21.6	22.0	22.6	12 15 21 24	1 466 23
29	2200	0.4	145	21	0.79	0.3	145	0.0	0	0.0	0.0	0.0	19.8	21.6	22.0	22.5	12 15 21 24	1 466 24
29	2400	0.4	125	22	0.74	0.2	175	0.0	0	0.0	0.0	0.0	19.8	21.7	22.0	22.6	12 15 21 24	1 466 21
29	2800	0.3	115	22	0.64	0.2	235	0.0	0	0.0	0.0	0.0	19.9	21.8	22.0	22.6	12 15 21 24	1 466 24
29	3200	1.3	165	24	1.14	0.4	305	0.0	0	0.0	0.0	0.0	19.8	21.8	22.1	22.6	12 15 21 24	1 466 21
30	1000	0.6	155	24	0.75	0.4	345	0.0	0	0.0	0.0	0.0	19.8	21.9	22.2	22.7	12 15 21 24	1 466 24
30	1200	1.1	175	24	0.77	0.4	355	0.0	0	0.0	0.0	0.0	19.8	21.9	22.4	22.7	12 15 21 24	1 466 21
30	1600	10.9	175	23	1.07	0.3	35	0.0	0	0.0	0.0	0.0	19.9	21.9	22.4	22.8	12 15 21 24	1 466 24
30	2000	5.5	205	22	0.77	0.3	95	0.0	0	0.0	0.0	0.0	20.0	21.9	22.2	22.7	12 15 21 24	1 466 21
30	2200	2.8	255	22	0.69	0.3	145	0.0	0	0.0	0.0	0.0	20.0	21.9	22.2	22.7	12 15 21 24	1 466 23
30	2400	3.1	155	21	0.73	0.3	165	0.0	0	0.0	0.0	0.0	20.0	21.9	22.1	22.7	12 15 21 24	1 466 23
30	2800	3.2	125	21	0.69	0.3	235	0.0	0	0.0	0.0	0.0	20.0	21.8	22.1	22.7	12 15 21 24	1 466 22
30	3200	5.5	115	22	0.80	0.2	245	0.0	0	0.0	0.0	0.0	19.9	21.8	22.3	22.7	12 15 21 24	1 466 21
0	0	0.0	0	0	0.00	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0 0 0	0 0 0

CUDE: 0000000000000000

APR 1966

070009 STAGE 2

DAY	HOUR	WS	WD	AT	WL	GSS	CNS	CSM	CDM	CSH	CDB	WT1	WT2	WT3	WT4	WT5	WT6	D1	D2	D3	D4	D5	D6	KEY	N	
1	1400	21.0	5	19	2.21	0.0	0	0.0	0	0.0	145	0.0	0.0	0.0	0.0	0.0	15.5						17	2	466	58
1	2000	20.2	15	19	1.81	0.0	0	0.0	0	0.0	145	0.0	0.0	0.0	0.0	0.0	15.7						17	2	466	60
1	2400	6.2	45	17	0.55	0.0	0	0.0	0	0.0	175	0.0	0.0	0.0	0.0	0.0	14.0						17	2	466	30
1	2800	8.2	75	14	0.47	0.0	0	0.0	0	0.0	145	0.0	0.0	0.0	0.0	0.0	14.3						17	2	466	57
1	3200	11.9	55	18	0.63	0.0	0	0.0	0	0.0	175	0.0	0.0	0.0	0.0	0.0	14.2						17	2	466	52
5	1600	16.8	5	15	0.93	0.0	0	0.0	0	0.0	155	0.0	0.0	0.0	0.0	0.0	15.8						17	2	466	52
5	2000	20.2	5	17	1.25	0.0	0	0.0	0	0.0	155	0.0	0.0	0.0	0.0	0.0	15.6						17	2	466	57
5	2400	14.2	5	14	1.15	0.0	0	0.0	0	0.0	145	0.0	0.0	0.0	0.0	0.0	15.5						17	2	466	59
5	2800	1.6	5	15	0.66	0.0	0	0.0	0	0.0	145	0.0	0.0	0.0	0.0	0.0	15.5						17	2	466	58
5	3200	12.1	5	16	0.54	0.0	0	0.0	0	0.0	145	0.0	0.0	0.0	0.0	0.0	15.3						17	2	466	58
5	3600	14.6	5	17	0.60	0.0	0	0.0	0	0.0	145	0.0	0.0	0.0	0.0	0.0	15.3						17	2	466	58
5	4000	21.5	5	17	1.11	0.0	0	0.0	0	0.0	155	0.0	0.0	0.0	0.0	0.0	15.3						17	2	466	55
5	4400	19.1	35	18	1.65	0.0	0	0.0	0	0.0	155	0.0	0.0	0.0	0.0	0.0	15.4						17	2	466	57
5	4800	17.7	5	18	1.47	0.0	0	0.0	0	0.0	145	0.0	0.0	0.0	0.0	0.0	14.2						17	2	466	57
5	5200	15.9	5	18	1.55	0.0	0	0.0	0	0.0	145	0.0	0.0	0.0	0.0	0.0	12.3						17	2	466	58
5	5600	13.8	15	18	1.26	0.0	0	0.0	0	0.0	145	0.0	0.0	0.0	0.0	0.0	11.5						17	2	466	58
5	6000	13.3	15	19	0.94	0.0	0	0.0	0	0.0	155	0.0	0.0	0.0	0.0	0.0	11.8						17	2	466	57
7	1400	13.8	5	18	1.04	0.0	0	0.0	0	0.0	125	0.0	0.0	0.0	0.0	0.0	15.3						17	2	466	56
7	2000	15.1	5	18	1.21	0.0	0	0.0	0	0.0	115	0.0	0.0	0.0	0.0	0.0	15.3						17	2	466	55
7	2400	14.9	5	18	1.19	0.0	0	0.0	0	0.0	35	0.0	0.0	0.0	0.0	0.0	15.4						17	2	466	55
7	2800	11.1	5	18	0.84	0.0	0	0.0	0	0.0	145	0.0	0.0	0.0	0.0	0.0	15.3						17	2	466	55
7	3200	4.4	5	18	0.67	0.0	0	0.0	0	0.0	155	0.0	0.0	0.0	0.0	0.0	15.5						17	2	466	54
7	3600	7.4	5	19	0.60	0.0	0	0.0	0	0.0	145	0.0	0.0	0.0	0.0	0.0	15.6						17	2	466	51
7	4000	8.2	5	19	0.51	0.0	0	0.0	0	0.0	115	0.0	0.0	0.0	0.0	0.0	15.4						17	2	466	57
7	4400	8.7	5	19	0.44	0.0	0	0.0	0	0.0	155	0.0	0.0	0.0	0.0	0.0	15.4						17	2	466	55
13	1200	6.7	5	19	0.93	0.0	0	0.0	0	0.0	275	0.0	0.0	0.0	0.0	0.0	2.0						17	2	466	58
14	0	4.9	25	19	0.84	0.0	0	0.0	0	0.0	15	0.0	0.0	0.0	0.0	0.0	14.8						17	2	466	60
14	400	24.3	55	19	1.18	0.0	0	0.0	0	0.0	305	0.0	0.0	0.0	0.0	0.0	14.8						17	2	466	60
14	800	2.5	15	21	0.83	0.0	0	0.0	0	0.0	25	0.0	0.0	0.0	0.0	0.0	14.9						17	2	466	60
14	1100	8.5	25	21	0.72	0.0	0	0.0	0	0.0	35	0.0	0.0	0.0	0.0	0.0	14.9						17	2	466	60
14	1500	14.7	35	21	0.92	0.0	0	0.0	0	0.0	35	0.0	0.0	0.0	0.0	0.0	14.8						17	2	466	60
14	1900	8.1	25	22	0.67	0.0	0	0.0	0	1.2	355	0.0	0.0	0.0	0.0	0.0	16.7						17	2	466	60
14	2100	7.6	15	21	0.50	0.0	0	0.0	0	1.2	85	0.0	0.0	0.0	0.0	0.0	16.7						17	2	466	60
14	2300	10.1	25	19	0.47	0.0	0	0.0	0	1.2	105	0.0	0.0	0.0	0.0	0.0	16.7						17	2	466	60
14	2800	7.2	25	16	0.41	0.0	0	0.0	0	1.2	115	0.0	0.0	0.0	0.0	0.0	16.7						17	2	466	60
14	3100	8.5	25	16	0.39	0.0	0	0.0	0	1.2	65	0.0	0.0	0.0	0.0	0.0	14.7						17	2	466	60
14	3200	8.3	25	14	0.34	0.0	0	0.0	0	1.2	75	0.0	0.0	0.0	0.0	0.0	16.7						17	2	466	48
15	900	7.3	25	17	0.33	0.0	0	0.0	0	1.2	75	0.0	0.0	0.0	0.0	0.0	16.7						17	2	466	59
15	1200	9.2	15	18	0.81	0.0	0	0.0	0	1.2	85	0.0	0.0	0.0	0.0	0.0	16.8						17	2	466	60
15	1500	6.8	15	19	0.35	0.0	0	0.0	0	1.1	115	0.0	0.0	0.0	0.0	0.0	16.8						17	2	466	60
15	1900	8.4	15	19	0.30	0.0	0	0.0	0	1.1	125	0.0	0.0	0.0	0.0	0.0	16.7						17	2	466	60
15	2000	11.3	15	18	0.31	0.0	0	0.0	0	1.1	115	0.0	0.0	0.0	0.0	0.0	16.7						17	2	466	60
15	2400	6.3	15	15	0.25	0.0	0	0.0	0	1.2	145	0.0	0.0	0.0	0.0	0.0	16.6						17	2	466	60
15	2800	3.1	5	14	0.25	0.0	0	0.0	0	1.2	155	0.0	0.0	0.0	0.0	0.0	16.6						17	2	466	60

Apr 1966

16	600	3.5	5	13	0.22	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	2	466	60
16	900	1.8	5	14	0.20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	2	466	60	
16	1100	6.8	5	16	0.20	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	2	466	15	
16	1800	10.9	25	20	0.61	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	2	466	60	
16	1900	11.0	25	20	0.54	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	2	466	60	
16	2000	7.4	15	20	0.52	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	2	466	60	
16	2000	7.4	15	20	0.38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	2	466	60	
16	2400	5.8	5	19	0.38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	2	466	60	
16	2400	5.8	5	19	0.34	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	2	466	60	
16	2900	5.2	5	19	0.33	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	2	466	60	
16	2900	5.2	5	19	0.37	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	2	466	60	
17	900	4.3	5	19	0.29	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	2	466	60	
17	900	3.0	5	20	0.31	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	2	466	60	
17	1200	10.9	15	20	0.32	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	2	466	60	
17	1600	9.9	25	20	0.63	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	2	466	60	
17	1900	6.6	15	19	0.51	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	2	466	60	
17	2000	8.0	5	19	0.43	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	2	466	60	
17	2400	8.0	15	19	0.25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	2	466	60	
17	2900	16.1	45	20	0.76	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	2	466	60	
18	600	19.9	55	20	1.19	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	2	466	60	
18	800	21.4	55	20	1.35	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	2	466	58	
18	1200	22.4	55	21	1.94	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	2	466	60	
18	1600	20.1	55	21	1.79	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	2	466	60	
18	1900	20.7	55	21	1.77	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	2	466	59	
18	2000	9.5	45	21	1.77	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	2	466	59	
18	2400	10.1	15	19	1.44	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	2	466	60	
19	200	26.1	65	20	1.53	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	2	466	60	
19	400	23.9	75	20	1.94	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	2	466	60	
19	500	23.9	75	20	2.35	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	2	466	60	
19	1200	18.9	55	20	1.68	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	2	466	60	
19	1400	15.8	45	20	1.21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	2	466	60	
19	1600	17.3	55	20	1.49	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	2	466	57	
19	2000	17.7	55	20	1.27	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	2	466	60	
19	2400	14.4	35	20	1.40	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	2	466	60	
20	200	12.4	35	19	1.06	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	2	466	60	
20	400	11.2	35	19	1.06	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	2	466	60	
20	900	12.2	35	21	1.52	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	2	466	60	
20	1200	15.3	45	21	1.59	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	2	466	60	
20	1400	13.2	35	21	1.35	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	2	466	59	
20	1600	13.7	35	21	1.37	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	2	466	60	
20	2000	8.3	25	21	1.31	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	2	466	60	
20	2400	12.6	35	20	0.97	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	2	466	60	
21	200	9.6	35	20	1.05	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	2	466	60	
21	400	13.4	35	20	1.00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	2	466	60	
21	900	3.2	15	21	0.94	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	2	466	60	
21	1200	8.7	145	22	0.93	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	2	466	60	
21	1400	10.3	175	21	1.22	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	2	466	60	

		Apr 1966															
21	1600	9.5	175	21	0.87	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	17	2	466	60
21	2000	7.1	165	21	0.99	0.0	0.0	0.0	0.0	0.0	0.0	0.0	355	17	2	466	60
21	2000	8.9	135	21	0.79	0.0	0.0	0.0	0.0	0.0	0.0	0.0	225	17	2	466	45
22	1200	16.5	135	22	1.33	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	17	2	466	60
22	2000	1.3	175	22	1.42	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	17	2	466	43
22	2000	14.6	95	21	0.98	0.0	0.0	0.0	0.0	0.0	0.0	0.0	35	17	2	466	41
23	200	13.7	105	21	1.16	0.0	0.0	0.0	0.0	0.0	0.0	0.0	35	17	2	466	60
23	400	14.9	105	21	1.54	0.0	0.0	0.0	0.0	0.0	0.0	0.0	185	17	2	466	60
23	400	16.0	125	21	1.32	0.0	0.0	0.0	0.0	0.0	0.0	0.0	235	17	2	466	60
23	1200	16.4	145	21	1.29	0.0	0.0	0.0	0.0	0.0	0.0	0.0	25	17	2	466	59
23	1400	13.8	155	21	1.54	0.0	0.0	0.0	0.0	0.0	0.0	0.0	205	17	2	466	60
23	1600	15.4	155	21	1.74	0.0	0.0	0.0	0.0	0.0	0.0	0.0	25	17	2	466	60
23	2000	8.7	125	21	1.47	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	17	2	466	60
23	2000	7.8	105	20	1.00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	17	2	466	59
24	200	11.6	95	20	1.22	0.0	0.0	0.0	0.0	0.0	0.0	0.0	225	17	2	466	59
24	400	14.0	105	20	1.04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	17	2	466	60
24	800	14.2	145	21	1.00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	215	17	2	466	60
24	1200	14.3	155	21	1.34	0.0	0.0	0.0	0.0	0.0	0.0	0.0	25	17	2	466	60
24	1400	14.4	155	21	1.52	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	17	2	466	59
24	1600	13.2	155	21	1.48	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	17	2	466	58
24	2000	9.9	155	21	1.29	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	17	2	466	60
24	2000	11.6	155	21	1.27	0.0	0.0	0.0	0.0	0.0	0.0	0.0	35	17	2	466	60
25	200	10.2	165	21	1.08	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	17	2	466	60
25	400	8.1	145	21	1.02	0.0	0.0	0.0	0.0	0.0	0.0	0.0	45	17	2	466	60
25	800	8.0	155	21	1.15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	25	17	2	466	59
25	1200	13.2	165	21	1.04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	35	17	2	466	57
25	1400	1.8	165	22	0.98	0.0	0.0	0.0	0.0	0.0	0.0	0.0	75	17	2	466	43
25	1600	0.4	155	22	1.14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	45	17	2	466	59
25	2000	0.4	155	21	1.15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	25	17	2	466	59
26	400	0.4	125	21	1.14	0.0	0.0	0.0	0.0	0.0	0.0	0.0	25	17	2	466	29
26	1200	0.4	135	21	1.13	0.0	0.0	0.0	0.0	0.0	0.0	0.0	25	17	2	466	43
26	1400	0.4	135	21	1.32	0.0	0.0	0.0	0.0	0.0	0.0	0.0	25	17	2	466	58
26	1600	0.4	145	21	1.04	0.0	0.0	0.0	0.0	0.0	0.0	0.0	205	17	2	466	60
26	2000	0.4	135	21	1.38	0.0	0.0	0.0	0.0	0.0	0.0	0.0	35	17	2	466	60
26	2000	0.4	145	21	1.18	0.0	0.0	0.0	0.0	0.0	0.0	0.0	35	17	2	466	60
27	200	14.9	155	22	1.08	0.0	0.0	0.0	0.0	0.0	0.0	0.0	25	17	2	466	60
27	400	14.1	155	22	1.17	0.0	0.0	0.0	0.0	0.0	0.0	0.0	345	17	2	466	55
27	800	11.7	145	22	1.21	0.0	0.0	0.0	0.0	0.0	0.0	0.0	35	17	2	466	58
27	1200	14.2	155	22	1.23	0.0	0.0	0.0	0.0	0.0	0.0	0.0	235	17	2	466	60
28	2000	4.4	165	22	0.67	0.0	0.0	0.0	0.0	0.0	0.0	0.0	75	17	2	466	57
29	2000	13.5	165	23	0.93	0.0	0.0	0.0	0.0	0.0	0.0	0.0	225	17	2	466	60
29	2000	7.0	115	23	0.63	0.0	0.0	0.0	0.0	0.0	0.0	0.0	235	17	2	466	58
29	3200	6.6	145	22	0.58	0.0	0.0	0.0	0.0	0.0	0.0	0.0	245	17	2	466	60
0	0	0.0	0.0	0	0.00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	17	2	466	60
0	0	0.0	0.0	0	0.00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	17	2	466	0

070009 STAGE 1

MAY 1966

CUDE: 0000000000000000

DAY	HOUR	MS	WD	AT	WL	CSS	CDS	CSM	CDM	CSH	CDB	WT1	WT2	WT3	WT4	WT5	MT4	D1	D2	D3	D4	D5	D6	KEY	N
1	1700	2.7	105	24	0.75	0.2	345	0.0	0	0.0	245	0.0	0.0	19.9	22.0	22.4	22.A	12	15	21	24	1	546	22	
1	1200	9.0	195	25	0.69	0.2	355	0.0	0	0.0	215	0.0	0.0	19.9	22.0	22.4	22.A	12	15	21	24	1	546	24	
1	1600	8.5	205	24	0.52	0.2	55	0.0	0	0.0	315	0.0	0.0	19.9	22.0	22.7	22.A	12	15	21	24	1	546	21	
1	2000	3.2	195	22	0.59	0.3	115	0.0	0	0.0	305	0.0	0.0	20.0	22.2	22.7	23.0	12	15	21	24	1	546	22	
1	2200	3.7	205	22	0.60	0.4	145	0.0	0	0.0	305	0.0	0.0	20.0	22.2	22.7	23.0	12	15	21	24	1	566	24	
1	2400	2.A	245	22	0.51	0.3	145	0.0	0	0.0	295	0.0	0.0	20.0	22.1	22.7	22.9	12	15	21	24	1	546	21	
1	2800	3.7	55	22	0.40	0.2	245	0.0	0	0.0	285	0.0	0.0	20.0	22.0	22.7	22.9	12	15	21	24	1	546	24	
1	3200	6.9	145	24	0.60	0.2	305	0.0	0	0.0	245	0.0	0.0	20.0	22.0	22.6	23.1	12	15	21	24	1	546	21	
0	0	0.0	0	0	0.00	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0	0	0	0	0	0	0	

070071 STAGE 2

SEP 1966

COUE 0000000000000000

DAY	HR	MS	MD	AT	ML	CSS	CDS	CSM	CDM	CSM	CNB	MT1	MT2	MT3	MT4	MT5	MT6	D1	D2	D3	D4	D5	D6	KEY	M
24	1600	0.0	5	0	0.65	0.3	135	0.0	0	0.0	AS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2 946	8
24	2000	0.0	5	0	0.45	0.2	125	0.0	0	0.0	105	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2 946	10
24	2400	0.0	5	0	0.09	0.2	135	0.0	0	0.0	105	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2 946	6
24	3000	0.0	5	0	0.42	0.2	125	0.0	0	0.0	105	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2 946	6
24	3600	0.0	5	0	0.54	0.2	125	0.0	0	0.0	105	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2 946	4
24	4000	0.0	5	0	0.42	0.1	145	0.0	0	0.0	195	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2 946	7
24	4400	0.0	5	0	0.00	0.2	305	0.0	0	0.0	105	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2 946	1
24	4800	0.0	5	0	0.59	0.2	315	0.0	0	0.0	135	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2 946	12
24	5200	0.0	5	0	0.41	0.2	315	0.0	0	0.0	105	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2 946	7
24	1600	0.0	5	0	0.84	0.3	275	0.0	0	0.0	AS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2 946	6
25	2000	0.0	5	0	1.15	0.3	275	0.0	0	0.0	95	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2 966	2
25	2400	0.0	5	0	0.99	0.3	305	0.0	0	0.0	115	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2 966	11
25	2800	0.0	5	0	0.84	0.3	295	0.0	0	0.0	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2 966	8
25	3200	0.0	5	0	1.57	0.2	205	0.0	0	0.0	3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2 946	6
25	3600	0.0	5	0	2.39	0.3	195	0.0	0	0.0	125	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2 946	5
25	4000	0.0	5	0	1.31	0.4	245	0.0	0	0.0	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2 946	8
25	4400	0.0	5	0	0.00	0.4	295	0.0	0	0.0	15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2 946	1
25	4800	0.0	5	0	2.22	0.5	305	0.0	0	0.0	135	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2 946	13
25	5200	0.0	5	0	2.39	0.4	305	0.0	0	0.0	135	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2 946	8
26	1600	0.0	5	0	1.25	0.3	245	0.0	0	0.0	145	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2 946	8
26	2000	0.0	5	0	0.00	0.4	245	0.0	0	0.0	15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2 966	1
26	2400	7.6	215	20	1.82	0.3	155	0.0	0	0.0	125	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2 946	60
26	2800	10.3	215	26	1.05	0.2	145	0.0	0	0.0	AS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2 946	25
26	3200	14.8	205	24	0.84	0.2	145	0.0	0	0.0	115	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2 946	59
26	3600	15.3	145	27	0.94	0.2	115	0.0	0	0.0	175	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2 956	39
30	1600	12.9	195	27	1.21	0.2	115	0.0	0	0.0	225	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2 946	40
30	2000	15.3	205	27	1.02	0.2	145	0.0	0	0.0	215	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2 946	60
30	2400	16.1	225	27	1.19	0.2	175	0.0	0	0.0	215	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2 946	27
30	3200	12.4	225	24	0.95	0.2	155	0.0	0	0.0	AS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2 966	27
30	3600	17.3	245	25	1.04	0.2	95	0.0	0	0.0	155	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2 946	42
30	4000	14.5	345	20	0.94	0.3	145	0.0	0	0.0	AS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2 946	41
30	4400	14.7	15	15	0.91	0.3	155	0.0	0	0.0	115	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2 946	60
30	5200	14.4	15	13	0.24	0.3	145	0.0	0	0.0	95	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2 946	55
30	5600	12.5	15	15	0.24	0.2	125	0.0	0	0.0	155	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2 946	55
30	6000	9.5	345	21	0.30	0.2	115	0.0	0	0.0	175	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2 946	39
0	0	0	0	0	0.00	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0 0 0	0

CUDE: 000000000000000000

OCT 1966

070071 STAGE 2

DAY	HR	MS	WD	AT	WL	CSS	CNS	CSM	CDM	CSH	CDH	WT1	WT2	WT3	WT4	WT5	WT6	MT6	D1	D2	D3	D4	D5	D6	KEY	N
2	1400	12.7	35	22	0.24	0.1	145	0.0	0	0.1	225	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21066	37	
2	2000	11.6	45	20	0.00	0.2	135	0.0	0	0.1	315	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21066	1	
2	2400	15.0	45	19	0.42	0.1	145	0.0	0	0.1	305	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21066	60	
2	2800	14.7	35	18	0.42	0.1	55	0.0	0	0.2	155	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21066	48	
2	3200	12.6	15	20	0.24	0.2	115	0.0	0	0.2	145	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21066	53	
2	3500	12.4	345	24	0.24	0.2	115	0.0	0	0.2	155	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21066	36	
2	4000	8.3	15	26	0.21	0.2	145	0.0	0	0.1	195	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21066	35	
2	4400	12.0	65	24	0.69	0.2	145	0.0	0	0.2	115	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21066	2	
2	4800	10.6	5	22	0.27	0.3	145	0.0	0	0.2	135	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21066	60	
2	5200	10.6	15	20	0.24	0.4	145	0.0	0	0.2	125	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21066	43	
2	5600	8.6	45	20	0.21	0.3	125	0.0	0	0.3	145	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21066	46	
2	6000	0.4	15	26	0.20	0.4	125	0.0	0	0.2	155	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21066	7	
4	1600	0.4	15	28	0.24	0.4	125	0.0	0	0.2	135	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21066	41	
4	2000	0.4	15	25	0.14	0.4	35	0.0	0	0.2	115	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21066	2	
4	2400	0.4	5	24	0.21	0.5	35	0.0	0	0.3	125	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21066	60	
4	2800	0.4	5	22	0.23	0.5	355	0.0	0	0.3	135	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21066	54	
4	3200	11.6	35	25	0.19	0.4	355	0.0	0	0.0	135	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21066	57	
6	1600	12.9	75	24	0.78	0.3	5	0.0	0	0.0	15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21066	43	
6	2000	13.6	75	23	0.54	0.4	5	0.0	0	0.0	355	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21066	3	
6	2400	13.6	45	21	0.87	0.5	5	0.0	0	0.0	325	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21066	27	
6	2800	15.8	45	19	1.24	0.4	5	0.0	0	0.0	215	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21066	53	
6	3200	15.8	45	21	1.19	0.3	5	0.0	0	0.0	25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21066	48	
6	3600	11.2	95	25	1.11	0.3	5	0.0	0	0.0	15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21066	41	
6	4000	10.8	75	25	1.13	0.3	5	0.0	0	0.0	15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21066	40	
6	4400	14.5	115	22	0.94	0.3	5	0.0	0	0.0	235	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21066	29	
6	5200	12.6	95	20	1.11	0.3	5	0.0	0	0.0	355	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21066	47	
6	5600	17.3	115	21	1.03	0.5	5	0.0	0	0.0	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21066	53	
6	6000	8.9	95	26	0.97	0.5	5	0.0	0	0.0	215	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21066	39	
10	1600	8.8	295	25	1.03	0.0	5	0.0	0	0.0	225	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21066	36	
10	2000	10.6	315	25	0.00	0.0	5	0.0	0	0.0	345	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21066	1	
10	2400	11.4	315	24	1.20	0.0	5	0.0	0	0.0	265	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21066	26	
10	2800	16.9	35	19	0.87	0.0	5	0.0	0	0.0	225	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21066	49	
10	3200	15.4	55	19	0.72	0.0	5	0.0	0	0.0	115	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21066	55	
10	3600	11.7	25	23	0.73	0.0	5	0.0	0	0.0	105	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21066	43	
10	4000	10.7	15	24	0.83	0.0	5	0.0	0	0.0	115	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21066	41	
10	4400	5.5	25	21	0.00	0.0	5	0.0	0	0.0	165	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21066	1	
10	4800	5.5	55	19	0.61	0.0	5	0.0	0	0.0	185	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21066	30	
10	5200	5.8	55	18	0.54	0.0	5	0.0	0	0.0	175	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21066	48	
10	5600	7.7	105	20	0.34	0.0	5	0.0	0	0.0	115	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21066	57	
10	6000	6.5	205	24	0.32	0.0	5	0.0	0	0.0	155	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21066	40	
12	1600	3.3	205	23	0.36	0.0	5	0.0	0	0.0	135	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21066	37	
12	2000	4.3	125	23	0.11	0.0	5	0.0	0	0.0	155	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21066	3	
12	2400	5.7	115	22	0.31	0.0	5	0.0	0	0.0	115	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21066	60	
12	2800	6.2	55	21	0.24	0.0	5	0.0	0	0.0	125	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21066	51	

		Oct 1966																					
25	5400	12.7	65	15	1.74	0.0	125	0.0	0.3	125	0.1	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	10	17	21066	55
25	4000	10.7	65	20	0.20	0.0	125	0.0	0.2	125	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	17	21066	35
27	1600	11.2	45	21	0.22	0.0	125	0.0	0.2	115	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	17	21066	29
27	2000	7.6	95	14	0.14	0.0	135	0.0	0.2	115	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	17	21066	2
27	2400	7.2	75	17	0.22	0.0	145	0.0	0.2	115	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	17	21066	60
27	2800	8.2	85	15	0.14	0.0	125	0.0	0.2	115	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	17	21066	45
27	3200	6.2	125	14	0.20	0.0	125	0.0	0.2	135	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	17	21066	53
27	3600	5.9	75	22	0.23	0.0	135	0.0	0.2	155	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	17	21066	34
27	4000	5.6	25	22	0.14	0.0	125	0.0	0.1	155	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	17	21066	32
27	4400	3.4	85	19	0.04	0.0	125	0.0	0.1	135	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	17	21066	5
27	4800	4.9	35	14	2.61	0.0	135	0.0	0.2	155	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	10	17	21066	60
27	5200	10.2	45	14	0.24	0.0	115	0.0	0.2	125	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	17	21066	40
27	5600	10.0	55	19	0.22	0.0	195	0.0	0.3	155	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	17	21066	56
27	6000	8.2	15	22	0.20	0.0	205	0.0	0.2	155	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	17	21066	35
31	1600	8.5	235	22	0.29	0.0	265	0.0	0.1	275	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	17	21066	36
31	2000	10.6	215	22	0.23	0.0	15	0.0	0.0	355	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	17	21066	5
31	2400	9.3	235	21	0.45	0.0	215	0.0	0.1	215	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	17	21066	60
31	2800	7.0	275	22	0.34	0.0	315	0.0	0.1	155	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	17	21066	46
31	3200	5.6	125	19	0.35	0.0	295	0.0	0.1	245	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	17	21066	57
31	3600	9.1	205	23	0.29	0.0	255	0.0	0.0	285	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	17	21066	36
31	4000	15.6	205	22	0.63	0.0	345	0.0	0.2	305	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	17	21066	29
31	4400	18.4	35	17	0.29	0.0	335	0.0	0.3	335	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	17	21066	3
31	4800	17.8	5	14	0.94	0.0	325	0.0	0.2	335	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	17	21066	60
31	5200	26.1	295	4	1.23	0.0	175	0.0	0.2	115	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	17	21066	47
31	5600	23.5	295	7	1.73	0.0	115	0.0	0.3	135	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	17	21066	55
31	6000	24.0	305	7	1.69	0.0	135	0.0	0.4	145	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	17	21066	37
0	0	0.0	0	0	0.00	0.0	0	0.0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	17	0	0

CUDE: 0000000000000000000

NDV 1966

070071 STAGE 2

DAY	HOJUR	MS	WD	AT	WL	CSS	CDS	CSM	CDM	CSB	CDH	WT1	WT2	WT3	WT4	WT5	WT6	D1	D2	D3	D4	D5	D6	KEY	N
2	1400	22.4	5	6	1.51	0.0	145	0.0	0	0.5	125	0.0	0.0	0.0	0.0	0.0	0.0	0.0	38	10	17	21166	20		
2	2400	22.1	15	3	4.24	0.0	135	0.0	0	0.5	125	0.0	0.0	0.0	0.0	0.0	0.0	0.0	38	10	17	21166	60		
2	2800	21.1	15	2	1.14	0.0	135	0.0	0	0.4	155	0.0	0.0	0.0	0.0	0.0	0.0	0.0	38	10	17	21166	47		
2	1700	14.9	25	3	0.97	0.0	135	0.0	0	0.4	155	0.0	0.0	0.0	0.0	0.0	0.0	0.0	38	10	17	21166	58		
2	1600	10.8	285	6	1.03	0.0	135	0.0	0	0.4	175	0.0	0.0	0.0	0.0	0.0	0.0	0.0	38	10	17	21166	34		
2	4000	13.1	305	9	0.66	0.0	145	0.0	0	0.3	115	0.0	0.0	0.0	0.0	0.0	0.0	0.0	38	10	17	21166	20		
2	4800	15.5	35	8	0.47	0.0	125	0.0	0	0.3	115	0.0	0.0	0.0	0.0	0.0	0.0	0.0	38	10	17	21166	2		
2	5200	10.8	125	6	0.34	0.0	135	0.0	0	0.2	155	0.0	0.0	0.0	0.0	0.0	0.0	0.0	38	10	17	21166	46		
2	5600	12.7	115	5	0.34	0.0	135	0.0	0	0.2	165	0.0	0.0	0.0	0.0	0.0	0.0	0.0	38	10	17	21166	56		
4	1600	9.9	135	12	0.22	0.1	205	0.0	0	0.1	235	0.0	0.0	0.0	0.0	0.0	0.0	0.0	38	10	17	21166	17		
4	2000	12.2	125	10	0.27	0.1	235	0.0	0	0.1	225	0.0	0.0	0.0	0.0	0.0	0.0	0.0	38	10	17	21166	6		
4	2400	13.6	145	14	0.53	0.2	295	0.0	0	0.1	175	1.1	0.0	0.0	0.0	0.0	0.0	0.0	38	10	17	21166	32		
4	2800	3.0	295	19	0.29	0.3	295	0.0	0	0.2	215	0.0	0.0	0.0	0.0	0.0	0.0	0.0	38	10	17	21166	31		
4	1700	2.7	325	18	0.32	0.1	245	0.0	0	0.2	275	0.0	0.0	0.0	0.0	0.0	0.0	0.0	38	10	17	21166	19		
4	1600	5.7	105	16	0.17	0.1	325	0.0	0	0.2	265	0.0	0.0	0.0	0.0	0.0	0.0	0.0	38	10	17	21166	19		
4	4000	10.3	145	16	0.27	0.1	275	0.0	0	0.1	315	0.0	0.0	0.0	0.0	0.0	0.0	0.0	38	10	17	21166	19		
4	4800	12.2	165	15	0.07	0.1	145	0.0	0	0.1	215	0.0	0.0	0.0	0.0	0.0	0.0	0.0	38	10	17	21166	1		
4	4800	8.9	155	16	0.45	0.1	305	0.0	0	0.0	355	0.0	0.0	0.0	0.0	0.0	0.0	0.0	38	10	17	21166	36		
4	5200	3.5	295	22	0.24	0.1	325	0.0	0	0.1	175	0.0	0.0	0.0	0.0	0.0	0.0	0.0	38	10	17	21166	31		
4	5600	6.0	245	20	0.22	0.1	195	0.0	0	0.1	225	0.0	0.0	0.0	0.0	0.0	0.0	0.0	38	10	17	21166	18		
4	6000	4.6	115	19	0.38	0.1	225	0.0	0	0.0	265	0.0	0.0	0.0	0.0	0.0	0.0	0.0	38	10	17	21166	19		
10	1400	11.5	245	1	1.46	0.0	245	0.0	0	0.0	265	1.2	0.0	7.3	0.0	0.0	5.1	38	10	17	21166	29			
10	2400	10.9	255	1	1.01	0.0	245	0.0	0	0.0	335	1.2	0.0	8.2	0.0	0.0	6.7	38	10	17	21166	60			
10	2800	5.7	235	1	1.04	0.0	295	0.0	0	0.0	15	1.2	0.0	8.4	0.0	0.0	7.3	38	10	17	21166	43			
10	3200	10.6	205	1	0.86	0.0	305	0.0	0	0.0	255	1.2	0.0	9.0	0.0	0.0	7.8	38	10	17	21166	58			
10	3600	8.8	225	1	0.62	0.0	305	0.0	0	0.0	245	1.0	0.0	6.9	0.0	0.0	5.3	38	10	17	21166	37			
10	4000	6.7	255	1	0.77	0.0	295	0.0	0	0.0	155	1.1	0.0	7.1	0.0	0.0	5.0	38	10	17	21166	27			
10	4800	0.8	235	1	0.64	0.0	295	0.0	0	0.0	315	1.0	0.0	6.8	0.0	0.0	4.8	38	10	17	21166	6			
10	4800	6.6	135	1	0.82	0.0	265	0.0	0	0.0	55	1.1	0.0	7.0	0.0	0.0	5.3	38	10	17	21166	60			
10	5200	14.5	205	1	0.42	0.0	245	0.0	0	0.0	355	1.2	0.0	8.3	0.0	0.0	7.1	38	10	17	21166	43			
10	5600	1.4	245	1	0.73	0.0	305	0.0	0	0.0	265	1.1	0.0	8.6	0.0	0.0	7.5	38	10	17	21166	57			
10	6000	1.1	325	1	0.65	0.0	295	0.0	0	0.0	25	1.1	0.0	8.4	0.0	0.0	7.2	38	10	17	21166	38			
23	1400	8.9	115	19	0.23	0.3	135	0.0	0	0.3	125	20.1	0.0	20.2	0.0	0.0	20.1	38	10	17	21166	32			
23	2400	13.1	135	14	0.47	0.3	125	0.0	0	0.2	135	20.1	0.0	20.1	0.0	0.0	20.0	38	10	17	21166	60			
23	2800	13.2	135	11	0.47	0.2	115	0.0	0	0.2	255	20.0	0.0	15.9	0.0	0.0	19.9	38	10	17	21166	49			
23	3200	13.8	145	13	0.44	0.2	115	0.0	0	0.2	125	19.9	0.0	18.9	0.0	0.0	19.8	38	10	17	21166	53			
23	3600	5.1	95	18	0.34	0.2	115	0.0	0	0.2	165	19.5	0.0	19.0	0.0	0.0	19.8	38	10	17	21166	29			
23	4000	5.8	115	20	0.23	0.1	125	0.0	0	0.1	145	19.5	0.0	19.6	0.0	0.0	19.9	38	10	17	21166	40			
23	4400	6.8	135	15	0.49	0.2	135	0.0	0	0.2	245	19.5	0.0	18.5	0.0	0.0	20.0	38	10	17	21166	60			
23	5200	3.7	115	12	0.14	0.2	125	0.0	0	0.2	165	18.8	0.0	18.3	0.0	0.0	19.8	38	10	17	21166	49			
23	5600	3.4	135	15	0.20	0.2	125	0.0	0	0.1	145	19.4	0.0	15.4	0.0	0.0	19.8	38	10	17	21166	48			
23	6000	3.9	305	18	0.19	0.2	145	0.0	0	0.1	235	19.1	0.0	10.3	0.0	0.0	19.8	38	10	17	21166	38			
30	1400	13.6	305	14	1.32	0.4	115	0.0	0	0.1	15	18.4	0.0	18.6	0.0	0.0	18.4	38	10	17	21166	39			

Nov 1966

37	2400	9.6	305	13	0.60	0.3	135	0.0	0	0.2	15	18.3	0.0	18.5	0.0	0.0	19.3	38	10	17	21166	60
30	2800	8.5	105	10	0.33	0.2	125	0.0	0	0.1	25	18.3	0.0	18.5	0.0	0.0	19.3	38	10	17	21166	51
30	3200	7.7	145	11	0.20	0.1	105	0.0	0	0.0	35	18.3	0.0	18.5	0.0	0.0	19.4	38	10	17	21166	53
30	3600	1.9	285	15	0.14	0.1	115	0.0	0	0.2	125	17.3	0.0	18.7	0.0	0.0	19.3	38	10	17	21166	35
30	4000	5.1	305	15	0.25	0.0	25	0.0	0	0.0	275	17.8	0.0	18.4	0.0	0.0	17.5	38	10	17	21166	37
30	4800	1.5	135	14	0.25	0.0	25	0.0	0	0.0	265	17.7	0.0	18.0	0.0	0.0	17.7	38	10	17	21166	60
30	5200	1.2	125	11	0.14	0.0	25	0.0	0	0.0	355	17.3	0.0	17.6	0.0	0.0	17.2	38	10	17	21166	51
30	5600	1.2	165	13	0.11	0.0	15	0.0	0	0.2	345	17.0	0.0	17.5	0.0	0.0	17.2	38	10	17	21166	53
30	6000	1.2	225	17	0.14	0.0	25	0.0	0	0.2	295	17.3	0.0	17.6	0.0	0.0	17.2	38	10	17	21166	35
0	0	0.0	0	0	0.00	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	17	0	0

070071 STAGE 2

DEC 1966

CODE: 0000000000000000

DAY	HOJR	MS	WD	AT	ML	CSS	CDS	CSM	CDM	CSB	CDH	WT1	WT2	WT3	WT4	WT5	WT6	D1	D2	D3	D4	D5	U6	KEY	M
2	1600	3.4	295	17	0.23	0.0	25	0.0	0	0.0	295	17.4	0.0	18.0	0.0	0.0	17.5	38	10	10	17	21266	27	1	
2	2000	4.3	295	17	0.00	0.0	25	0.0	0	0.0	305	17.7	0.0	18.0	0.0	0.0	17.6	38	10	10	17	21266	60	1	
2	2400	3.2	295	17	0.15	0.0	25	0.0	0	0.0	325	17.5	0.0	18.0	0.0	0.0	17.7	38	10	10	17	21266	47	1	
2	2800	1.2	155	14	0.20	0.0	25	0.0	0	0.0	315	17.5	0.0	18.1	0.0	0.0	17.7	38	10	10	17	21266	58	1	
2	3200	1.2	145	16	0.11	1.4	25	0.0	0	0.0	125	17.2	0.0	17.8	0.0	0.0	17.7	38	10	10	17	21266	36	1	
2	3600	9.8	45	14	0.14	1.3	25	0.0	0	0.0	255	17.4	0.0	18.1	0.0	0.0	17.8	38	10	10	17	21266	28	1	
2	4000	9.9	45	15	0.17	1.3	25	0.0	0	0.0	295	17.5	0.0	17.9	0.0	0.0	17.8	38	10	10	17	21266	60	1	
2	4400	13.4	115	13	0.21	1.3	25	0.0	0	0.0	25	17.5	0.0	17.8	0.0	0.0	17.6	38	10	10	17	21266	45	1	
2	5200	16.3	115	9	0.31	1.3	25	0.0	0	0.0	315	17.4	0.0	17.7	0.0	0.0	17.4	38	10	10	17	21266	59	1	
2	5600	2.9	135	4	0.39	1.3	25	0.0	0	0.0	165	16.8	0.0	17.2	0.0	0.0	17.3	38	10	10	17	21266	37	1	
2	6000	1.2	115	13	0.34	1.3	25	0.0	0	0.0	255	16.8	0.0	17.6	0.0	0.0	17.3	38	10	10	17	21266	35	1	
4	1600	1.2	105	13	0.37	1.3	25	0.0	0	0.0	315	17.3	0.0	17.7	0.0	0.0	17.3	38	10	10	17	21266	2	1	
4	2000	1.2	135	9	0.00	1.3	25	0.0	0	0.0	35	17.0	0.0	17.3	0.0	0.0	17.3	38	10	10	17	21266	60	1	
4	2400	1.2	145	7	0.52	1.3	25	0.0	0	0.0	305	17.0	0.0	17.3	0.0	0.0	17.1	38	10	10	17	21266	52	1	
4	2800	1.2	145	7	0.44	1.4	25	0.0	0	0.0	295	16.9	0.0	17.2	0.0	0.0	16.9	38	10	10	17	21266	52	1	
4	3200	1.2	115	6	0.37	1.4	25	0.0	0	0.0	325	15.7	0.0	16.4	0.0	0.0	16.7	38	10	10	17	21266	34	1	
4	3600	1.2	135	12	0.34	1.3	25	0.0	0	0.0	215	15.8	0.0	17.0	0.0	0.0	16.7	38	10	10	17	21266	60	1	
4	4000	1.2	125	15	0.34	1.3	25	0.0	0	0.0	165	16.2	0.0	16.9	0.0	0.0	16.8	38	10	10	17	21266	51	1	
4	4400	1.2	155	13	0.55	1.3	25	0.0	0	0.0	295	16.3	0.0	16.6	0.0	0.0	16.6	38	10	10	17	21266	54	1	
4	5200	1.2	155	12	0.60	0.0	25	0.0	0	0.0	345	16.8	0.0	17.0	0.0	0.0	16.8	38	10	10	17	21266	9	1	
4	5600	1.3	175	13	0.85	0.0	25	0.0	0	0.0	215	16.6	0.0	16.9	0.0	0.0	16.6	38	10	10	17	21266	8	1	
6	2400	8.8	25	14	0.84	0.0	65	0.0	0	0.0	225	16.9	0.0	17.2	0.0	0.0	16.9	38	10	10	17	21266	15	1	
6	3200	15.0	55	14	0.69	0.0	125	0.0	0	0.0	205	15.9	0.0	16.5	0.0	0.0	16.7	38	10	10	17	21266	34	1	
6	3600	18.1	115	19	1.05	0.0	125	0.0	0	0.0	225	16.2	0.0	16.6	0.0	0.0	16.3	38	10	10	17	21266	27	1	
6	4000	3.4	255	17	0.14	0.0	25	0.0	0	0.0	295	17.4	0.0	18.0	0.0	0.0	17.5	38	10	10	17	21266	1	1	
6	4400	3.9	205	17	0.00	0.0	25	0.0	0	0.0	305	17.7	0.0	18.0	0.0	0.0	17.4	38	10	10	17	21266	60	1	
6	4800	3.1	255	17	0.17	0.0	25	0.0	0	0.0	325	17.5	0.0	18.0	0.0	0.0	17.7	38	10	10	17	21266	47	1	
6	5200	1.2	155	14	0.14	0.0	25	0.0	0	0.0	315	17.8	0.0	18.1	0.0	0.0	17.7	38	10	10	17	21266	58	1	
6	5600	1.2	145	14	0.13	1.4	25	0.0	0	0.0	125	17.2	0.0	17.7	0.0	0.0	17.8	38	10	10	17	21266	36	1	
6	6000	9.7	45	14	0.17	1.3	25	0.0	0	0.0	265	17.4	0.0	18.1	0.0	0.0	17.8	38	10	10	17	21266	29	1	
6	6400	9.1	45	15	0.14	1.3	25	0.0	0	0.0	295	17.5	0.0	17.9	0.0	0.0	17.8	38	10	10	17	21266	60	1	
6	6800	13.6	115	13	0.23	1.3	25	0.0	0	0.0	25	17.5	0.0	17.8	0.0	0.0	17.6	38	10	10	17	21266	45	1	
6	7200	15.2	125	9	0.27	1.3	25	0.0	0	0.0	325	17.4	0.0	17.7	0.0	0.0	17.8	38	10	10	17	21266	59	1	
6	7600	2.6	135	4	0.31	1.3	25	0.0	0	0.0	125	16.9	0.0	17.2	0.0	0.0	17.2	38	10	10	17	21266	36	1	
6	8000	1.2	125	13	0.24	1.3	25	0.0	0	0.0	245	16.8	0.0	17.6	0.0	0.0	17.3	38	10	10	17	21266	4	1	
10	2400	14.4	245	7	0.20	0.0	355	0.0	0	0.0	115	16.6	0.0	17.4	0.0	0.0	17.4	38	10	10	17	21266	9	1	
10	2800	13.9	205	7	0.40	0.0	355	0.0	0	0.0	115	16.9	0.0	17.6	0.0	0.0	17.7	38	10	10	17	21266	8	1	
10	3200	13.1	335	7	0.37	0.0	355	0.0	0	0.0	95	17.5	0.0	17.6	0.0	0.0	17.2	38	10	10	17	21266	7	1	
10	3600	8.1	125	4	0.14	0.0	355	0.0	0	0.0	125	17.0	0.0	17.1	0.0	0.0	17.0	38	10	10	17	21266	8	1	
10	4000	10.8	125	9	0.25	0.0	355	0.0	0	0.0	135	17.2	0.0	17.3	0.0	0.0	17.1	38	10	10	17	21266	7	1	
10	4400	9.1	305	9	0.25	0.0	355	0.0	0	0.0	125	16.9	0.0	17.0	0.0	0.0	16.9	38	10	10	17	21266	8	1	
10	4800	10.6	45	7	0.13	0.0	355	0.0	0	0.0	135	16.3	0.0	11.7	0.0	0.0	16.5	38	10	10	17	21266	8	1	
10	5200	5.6	315	13	0.05	0.0	355	0.0	0	0.0	125	14.5	0.0	16.4	0.0	0.0	16.5	38	10	10	17	21266	8	1	

Dec 1966

19	3200	5.9	55	13	0.15	0.0	355	0.0	17.0	0.0	0.0	15.5	36	10	17	21266	8
19	3400	7.8	325	12	0.25	0.0	355	0.0	16.3	0.0	0.0	15.7	36	10	17	21266	20
19	3600	7.1	5	10	0.07	0.0	355	0.0	16.2	0.0	0.0	15.8	36	10	17	21266	2
19	3800	12.5	75	11	0.39	0.0	355	0.0	16.0	0.0	0.0	15.9	36	10	17	21266	57
19	4000	16.5	85	14	0.42	0.0	355	0.0	15.8	0.0	0.0	15.7	36	10	17	21266	41
19	4200	17.0	25	15	0.51	0.0	355	0.0	16.1	0.0	0.0	15.8	36	10	17	21266	31
19	4400	14.3	5	12	0.52	0.0	355	0.0	16.2	0.0	0.0	16.0	36	10	17	21266	17
19	4600	15.0	45	12	0.34	0.0	355	0.0	16.2	0.0	0.0	16.4	36	10	17	21266	20
19	4800	17.7	25	11	0.53	0.0	355	0.0	16.1	0.0	0.0	16.3	36	10	17	21266	4
19	5000	14.9	25	12	0.44	0.0	355	0.0	16.1	0.0	0.0	16.1	36	10	17	21266	39
19	5200	16.6	255	15	0.42	0.0	355	0.0	16.1	0.0	0.0	16.0	36	10	17	21266	31
19	5400	6.9	125	17	0.31	0.0	355	0.0	16.1	0.0	0.0	16.2	36	10	17	21266	18
19	5600	9.9	85	15	0.34	0.0	355	0.0	16.1	0.0	0.0	16.2	36	10	17	21266	26
19	5800	10.1	85	14	0.33	0.0	355	0.0	16.0	0.0	0.0	16.5	36	10	17	21266	2
19	6000	14.1	85	11	0.34	0.0	355	0.0	15.9	0.0	0.0	16.5	36	10	17	21266	60
19	6200	14.2	245	12	0.45	0.0	355	0.0	16.2	0.0	0.0	16.2	36	10	17	21266	48
19	6400	6.7	285	14	0.00	0.0	5	0.0	16.0	0.0	0.0	16.2	36	10	17	21266	53
19	6600	17.0	245	15	0.00	0.0	5	0.0	16.3	0.0	0.0	16.3	36	10	17	21266	37
19	6800	14.2	245	15	0.00	0.0	5	0.0	16.3	0.0	0.0	15.4	36	10	17	21266	2
20	1400	10.1	275	10	0.64	0.0	5	0.0	18.9	0.0	0.0	15.4	36	10	17	21266	60
20	2000	11.0	265	8	0.41	0.0	5	0.0	18.3	0.0	0.0	15.3	36	10	17	21266	2
20	2400	11.5	305	7	0.42	0.0	5	0.0	4.7	0.0	0.0	15.4	36	10	17	21266	34
20	2800	11.2	325	6	0.30	0.0	5	0.0	0.0	0.0	0.0	15.4	36	10	17	21266	22
20	3200	12.3	25	6	0.21	0.0	5	0.0	0.0	0.0	0.0	15.0	36	10	17	21266	26
20	3600	14.0	105	14	0.59	0.0	5	0.0	1.4	0.0	0.0	15.0	36	10	17	21266	43
20	4000	13.7	235	14	1.34	0.0	5	0.0	16.3	0.0	0.0	16.3	36	10	17	21266	32
20	4400	25.6	255	9	1.94	0.0	5	0.0	16.2	0.0	0.0	16.3	36	10	17	21266	60
20	4800	28.1	255	1	1.80	0.0	5	0.0	18.8	0.0	0.0	16.1	36	10	17	21266	55
20	5200	23.5	255	1	1.30	0.0	5	0.0	34.6	0.0	0.0	15.9	36	10	17	21266	51
20	5600	14.2	245	5	1.03	0.0	5	0.0	40.0	0.0	0.0	16.0	36	10	17	21266	33
20	6000	14.4	245	7	1.00	0.0	5	0.0	40.0	0.0	0.0	15.7	36	10	17	21266	30
20	6400	13.4	265	5	0.31	0.0	5	0.0	40.0	0.0	0.0	15.5	36	10	17	21266	3
20	6800	15.5	275	2	0.84	0.0	5	0.0	40.0	0.0	0.0	15.5	36	10	17	21266	60
20	7200	17.1	285	1	0.52	0.0	5	0.0	40.0	0.0	0.0	15.5	36	10	17	21266	54
20	7600	10.3	335	1	0.24	0.0	5	0.0	40.0	0.0	0.0	15.5	36	10	17	21266	51
20	8000	3.6	165	6	0.31	0.0	5	0.0	40.0	0.0	0.0	15.4	36	10	17	21266	29
20	8400	15.6	85	15	0.42	0.0	5	0.0	11.9	0.0	0.0	15.2	36	10	17	21266	33
20	8800	15.3	25	14	0.62	0.0	5	0.0	15.0	0.0	0.0	15.1	36	10	17	21266	8
20	9200	14.0	15	14	0.65	0.0	5	0.0	9.9	0.0	0.0	15.0	36	10	17	21266	60
20	9600	14.9	35	14	0.70	0.0	5	0.0	0.0	0.0	0.0	14.8	36	10	17	21266	52
20	10000	14.8	55	15	0.94	0.0	5	0.0	6.0	0.0	0.0	14.9	36	10	17	21266	50
20	10400	15.7	75	14	1.22	0.0	5	0.0	0.0	0.0	0.0	14.9	36	10	17	21266	32
20	10800	17.9	95	14	1.11	0.0	5	0.0	0.0	0.0	0.0	15.2	36	10	17	21266	30
20	11200	23.0	145	19	0.20	0.0	5	0.0	10.1	0.0	0.0	15.5	36	10	17	21266	2
20	11600	19.6	235	13	1.54	0.0	5	0.0	3.6	0.0	0.0	15.5	36	10	17	21266	60
20	12000	14.4	235	9	0.84	0.0	5	0.0	28.7	0.0	0.0	15.4	36	10	17	21266	52
20	12400	16.2	255	6	0.94	0.0	5	0.0	26.6	0.0	0.0	15.3	36	10	17	21266	48

NOTE		Dec 1966																																			
TIMES	OVERLAP	27	28	29	30	31	1	2	3	4	5	6	7	8	9	10	11	12	13	14	15	16	17	18	19	20	21	22	23	24	25	26	27	28	29	30	31
27	6000	8.5	215	8	0.97	0.7	0.0	0	0.0	115	0.0	0.0	19.9	0.0	0.0	0.0	15.3	34	10	17	21246	29															
28	1500	24.3	295	12	1.93	0.4	0.0	0	0.5	15	19.2	0.0	19.0	0.0	0.0	0.0	19.2	34	10	17	21246	39															
29	2400	25.8	295	10	2.13	0.6	0.0	0	0.6	125	19.0	0.0	18.8	0.0	0.0	0.0	19.0	34	10	17	21246	60															
30	2800	24.8	295	9	1.71	0.5	0.0	0	0.4	115	18.8	0.0	18.7	0.0	0.0	0.0	19.8	34	10	17	21246	51															
31	3200	14.0	245	8	1.24	0.5	0.0	0	0.5	165	18.7	0.0	18.6	0.0	0.0	0.0	18.8	34	10	17	21246	54															
1	3600	20.7	245	10	1.64	0.4	0.0	0	0.4	125	18.7	0.0	18.2	0.0	0.0	0.0	19.7	34	10	17	21246	35															
2	4000	20.1	245	13	2.04	0.5	0.0	0	0.4	115	18.6	0.0	18.4	0.0	0.0	0.0	19.6	34	10	17	21246	40															
3	4400	21.6	275	14	2.93	0.5	0.0	0	0.4	165	18.5	0.0	18.5	0.0	0.0	0.0	19.5	34	10	17	21246	7															
4	4800	21.2	295	13	1.59	0.5	0.0	0	0.4	145	18.5	0.0	18.5	0.0	0.0	0.0	18.5	34	10	17	21246	60															
5	5200	1.7	325	9	0.95	0.4	0.0	0	0.3	135	18.5	0.0	18.7	0.0	0.0	0.0	18.5	34	10	17	21246	51															
6	5600	15.1	315	11	0.67	0.3	0.0	0	0.2	135	18.4	0.0	18.6	0.0	0.0	0.0	18.5	34	10	17	21246	52															
7	6000	13.0	245	15	0.99	0.3	0.0	0	0.2	25	18.5	0.0	18.6	0.0	0.0	0.0	18.3	34	10	17	21246	37															
8	0	0.0	0	0	0.00	0.0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	17	0	0	0														

070071 STAGE 2

JAN 1967

CODE: 0000000000000000

DAY	MO:JH	MS	WD	AT	HL	GSS	LNS	CSM	CDM	CSB	CDR	WT1	WT2	WT3	WT4	WT5	WT6	D1	D2	D3	D4	D5	D6	KEY	N
6	1400	13.2	5	14	1.14	0.0	5	0.0	0	0.0	45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	34	10	17	2	167	28	
6	2000	21.5	5	13	0.64	0.0	5	0.0	0	0.0	45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	34	10	17	2	167	7	
6	2400	15.9	5	13	1.04	0.0	5	0.0	0	0.0	15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	34	10	17	2	167	60	
6	2400	12.9	5	13	0.74	0.0	5	0.0	0	0.0	15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	34	10	17	2	167	49	
6	3200	19.6	5	15	1.27	0.0	5	0.0	0	0.0	25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	34	10	17	2	167	46	
6	3400	16.1	5	14	1.19	0.0	5	0.0	0	0.0	25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	34	10	17	2	167	27	
6	4000	17.2	5	14	1.34	0.0	5	0.0	0	0.0	25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	34	10	17	2	167	28	
6	4800	9.3	5	15	2.61	0.0	5	0.0	0	0.2	15	1.7	0.0	1.3	0.0	0.0	0.7	0.7	34	10	17	2	167	13	
6	5200	3.4	5	16	1.45	0.0	5	0.0	0	0.0	15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	34	10	17	2	167	12	
6	5600	5.4	5	14	0.95	0.0	5	0.0	0	0.0	15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	34	10	17	2	167	11	
6	2400	12.6	5	11	1.74	0.0	5	0.0	0	0.0	5	0.0	0.0	0.0	0.0	0.0	2.2	2.2	34	10	17	2	167	27	
6	2400	12.3	5	8	0.34	0.0	5	0.0	0	0.0	5	0.0	0.0	0.0	0.0	0.0	1.6	1.6	34	10	17	2	167	12	
6	3200	17.5	5	7	0.31	0.0	5	0.0	0	0.0	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	34	10	17	2	167	13	
6	3400	9.0	5	8	0.24	0.1	5	0.0	0	0.0	15	0.0	0.0	0.0	0.0	0.0	9.5	9.5	34	10	17	2	167	31	
6	1600	9.8	5	7	0.24	0.2	5	0.0	0	0.0	15	0.0	0.0	0.0	0.0	0.0	2.2	2.2	34	10	17	2	167	30	
6	2000	3.5	5	7	0.00	0.0	5	0.0	0	0.0	15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	34	10	17	2	167	1	
6	2400	9.2	5	6	0.52	0.2	5	0.0	0	0.0	15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	34	10	17	2	167	60	
6	2400	6.7	5	4	0.32	0.0	5	0.0	0	0.0	15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	34	10	17	2	167	48	
6	3200	9.0	5	4	0.32	0.0	5	0.0	0	0.0	15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	34	10	17	2	167	50	
12	2400	6.5	155	10	0.14	0.0	5	0.0	0	0.0	5	13.0	0.0	0.0	0.0	0.0	0.0	0.0	34	10	17	2	167	2	
12	2400	9.6	45	10	0.20	0.0	5	0.0	0	0.0	5	13.0	0.0	0.0	0.0	0.0	0.0	0.0	34	10	17	2	167	2	
12	3200	4.7	45	11	0.21	0.0	5	0.0	0	0.0	5	13.0	0.0	0.0	0.0	0.0	0.0	0.0	34	10	17	2	167	5	
12	4000	11.4	115	15	0.00	0.0	5	0.0	0	0.0	5	13.0	0.0	0.0	0.0	0.0	0.0	0.0	34	10	17	2	167	2	
12	4400	14.9	115	14	0.00	0.0	5	0.0	0	0.0	5	13.0	0.0	0.0	0.0	0.0	0.0	0.0	34	10	17	2	167	1	
12	5200	14.9	195	14	0.00	0.1	5	0.0	0	0.0	5	13.0	0.0	0.0	0.0	0.0	0.0	0.0	34	10	17	2	167	1	
12	5600	9.8	245	17	0.92	0.0	5	0.0	0	0.0	15	13.0	0.0	0.0	0.0	0.0	0.0	0.0	34	10	17	2	167	3	
14	1600	5.9	195	15	0.50	0.0	5	0.0	0	0.0	5	13.0	0.0	0.0	0.0	0.0	0.0	0.0	34	10	17	2	167	4	
14	2000	3.8	335	15	0.31	0.0	5	0.0	0	0.0	15	13.0	0.0	0.0	0.0	0.0	0.0	0.0	34	10	17	2	167	3	
14	2400	17.2	255	8	0.59	2.3	5	0.0	0	2.4	5	13.1	0.0	14.7	0.0	0.0	4.0	4.0	34	10	17	2	167	15	
14	2400	0.0	355	40	4.02	6.8	355	0.0	0	6.8	355	40.0	0.0	40.0	0.0	0.0	0.0	0.0	34	10	17	2	167	4	
17	1400	5.0	255	13	0.20	0.0	5	0.0	0	0.0	15	13.0	0.0	0.0	0.0	0.0	0.0	0.0	34	10	17	2	167	3	
19	1400	9.2	355	14	0.14	0.0	5	0.0	0	0.0	25	14.0	0.0	14.7	0.0	0.0	14.5	14.5	34	10	17	2	167	30	
19	2000	4.6	5	14	0.00	0.0	5	0.0	0	0.0	25	14.0	0.0	14.6	0.0	0.0	14.4	14.4	34	10	17	2	167	1	
19	2400	11.9	5	11	0.34	0.0	5	0.0	0	0.0	25	14.0	0.0	14.5	0.0	0.0	14.5	14.5	34	10	17	2	167	60	
19	2400	10.6	25	9	0.17	0.0	5	0.0	0	0.0	15	13.9	0.0	14.4	0.0	0.0	14.5	14.5	34	10	17	2	167	52	
19	3200	10.6	45	9	0.14	0.0	5	0.0	0	0.0	15	13.6	0.0	14.7	0.0	0.0	14.4	14.4	34	10	17	2	167	50	
19	4000	7.0	145	13	0.22	0.0	5	0.0	0	0.0	15	13.9	0.0	15.0	0.0	0.0	14.4	14.4	34	10	17	2	167	29	
19	4000	3.4	195	14	0.20	0.0	5	0.0	0	0.0	15	13.9	0.0	15.1	0.0	0.0	14.5	14.5	34	10	17	2	167	31	
19	4900	11.9	195	12	0.55	0.0	5	0.0	0	0.0	15	13.9	0.0	14.5	0.0	0.0	14.6	14.6	34	10	17	2	167	60	
19	5200	11.6	45	10	0.50	0.0	5	0.0	0	0.0	25	13.9	0.0	15.1	0.0	0.0	14.5	14.5	34	10	17	2	167	38	
19	5600	11.6	45	10	0.42	0.0	5	0.0	0	0.0	15	14.0	0.0	15.2	0.0	0.0	14.5	14.5	34	10	17	2	167	11	
19	6000	5.8	45	12	0.43	0.0	15	0.0	0	0.0	15	13.8	0.0	14.7	0.0	0.0	14.4	14.4	34	10	17	2	167	21	
21	1600	5.2	125	14	0.40	0.0	5	0.0	0	0.0	25	13.9	0.0	14.5	0.0	0.0	14.6	14.6	34	10	17	2	167	35	
21	2000	5.5	25	15	0.00	0.0	5	0.0	0	0.0	35	14.0	0.0	14.4	0.0	0.0	14.6	14.6	34	10	17	2	167	1	

Jan 1967

21	2400	7.7	85	14	0.63	0.0	0.0	0.0	0.0	0.0	15	14.0	0.0	0.0	0.0	0.0	0.0	0.0	14.4	0.0	0.0	14.5	36	17	2	167	60
21	2800	11.9	95	14	0.37	0.0	0.0	0.0	0.0	0.0	15	13.9	0.0	0.0	0.0	0.0	0.0	0.0	14.5	0.0	0.0	14.3	36	17	2	167	47
21	3200	9.5	85	15	0.50	0.0	0.0	0.0	0.0	0.0	15	13.9	0.0	0.0	0.0	0.0	0.0	0.0	14.7	0.0	0.0	14.3	36	17	2	167	48
21	3600	11.1	135	19	0.35	0.0	0.0	0.0	0.0	0.0	15	14.2	0.0	0.0	0.0	0.0	0.0	0.0	14.5	0.0	0.0	14.4	36	17	2	167	28
21	4000	12.2	145	14	0.44	0.0	0.0	0.0	0.0	0.0	15	14.6	0.0	0.0	0.0	0.0	0.0	0.0	14.6	0.0	0.0	14.4	36	17	2	167	33
21	4400	4.1	45	15	0.83	0.0	0.0	0.0	0.0	0.0	15	14.2	0.0	0.0	0.0	0.0	0.0	0.0	14.6	0.0	0.0	14.3	36	17	2	167	60
21	5200	9.5	85	15	0.37	0.0	0.0	0.0	0.0	0.0	15	14.0	0.0	0.0	0.0	0.0	0.0	0.0	14.7	0.0	0.0	14.2	36	17	2	167	47
21	5600	12.0	105	16	0.41	0.0	0.0	0.0	0.0	0.0	15	14.0	0.0	0.0	0.0	0.0	0.0	0.0	14.6	0.0	0.0	14.2	36	17	2	167	49
21	6000	9.1	155	19	0.52	0.0	0.0	0.0	0.0	0.0	5	14.5	0.0	0.0	0.0	0.0	0.0	0.0	14.6	0.0	0.0	14.2	36	17	2	167	32
23	1600	4.3	145	17	0.40	0.2	0.0	0.0	0.0	0.0	5	14.6	0.0	0.0	0.0	0.0	0.0	0.0	14.6	0.0	0.0	14.2	36	17	2	167	32
23	2400	2.5	45	14	0.45	0.3	0.0	0.0	0.0	0.0	5	14.6	0.0	0.0	0.0	0.0	0.0	0.0	14.6	0.0	0.0	14.2	36	17	2	167	15
23	2800	7.8	75	14	0.44	0.2	0.0	0.0	0.0	0.0	5	14.4	0.0	0.0	0.0	0.0	0.0	0.0	14.7	0.0	0.0	14.1	36	17	2	167	37
23	3200	9.8	85	15	0.37	0.2	0.0	0.0	0.0	0.0	5	14.5	0.0	0.0	0.0	0.0	0.0	0.0	14.6	0.0	0.0	14.1	36	17	2	167	57
23	3600	5.1	195	20	0.37	0.2	0.0	0.0	0.0	0.0	5	14.6	0.0	0.0	0.0	0.0	0.0	0.0	14.6	0.0	0.0	14.2	36	17	2	167	33
23	4000	3.8	265	14	0.37	0.2	0.0	0.0	0.0	0.0	5	14.6	0.0	0.0	0.0	0.0	0.0	0.0	14.6	0.0	0.0	14.1	36	17	2	167	30
23	4400	2.7	115	17	0.27	0.2	0.0	0.0	0.0	0.0	5	14.6	0.0	0.0	0.0	0.0	0.0	0.0	14.6	0.0	0.0	14.0	36	17	2	167	6
23	4800	5.3	25	16	0.64	0.2	0.0	0.0	0.0	0.0	5	14.6	0.0	0.0	0.0	0.0	0.0	0.0	14.6	0.0	0.0	14.1	36	17	2	167	60
23	5200	7.6	75	15	0.24	0.2	0.0	0.0	0.0	0.0	5	14.6	0.0	0.0	0.0	0.0	0.0	0.0	14.6	0.0	0.0	14.0	36	17	2	167	55
25	1600	3.8	235	16	0.30	0.2	295	0.0	0.0	0.0	5	15.1	0.0	0.0	0.0	0.0	0.0	0.0	14.8	0.0	0.0	14.2	36	17	2	167	34
25	2000	6.5	145	15	0.14	0.2	215	0.0	0.0	0.0	5	14.9	0.0	0.0	0.0	0.0	0.0	0.0	14.8	0.0	0.0	14.1	36	17	2	167	7
25	2400	4.9	115	15	0.49	0.2	105	0.0	0.0	0.0	5	15.0	0.0	0.0	0.0	0.0	0.0	0.0	14.8	0.0	0.0	14.2	36	17	2	167	60
25	2800	6.2	45	15	0.23	0.1	25	0.0	0.0	0.0	5	14.9	0.0	0.0	0.0	0.0	0.0	0.0	14.6	0.0	0.0	14.1	36	17	2	167	58
25	3200	14.3	115	14	0.21	0.3	305	0.0	0.0	0.0	5	15.2	0.0	0.0	0.0	0.0	0.0	0.0	14.7	0.0	0.0	14.2	36	17	2	167	58
25	3600	14.8	125	14	0.32	0.5	325	0.0	0.0	0.0	5	15.7	0.0	0.0	0.0	0.0	0.0	0.0	14.7	0.0	0.0	14.2	36	17	2	167	33
25	4000	16.8	135	17	0.53	0.6	325	0.0	0.0	0.0	5	15.8	0.0	0.0	0.0	0.0	0.0	0.0	14.7	0.0	0.0	14.3	36	17	2	167	17
25	4400	15.5	205	14	0.70	0.6	295	0.0	0.0	0.0	5	15.7	0.0	0.0	0.0	0.0	0.0	0.0	15.0	0.0	0.0	14.3	36	17	2	167	60
25	5200	21.9	245	15	1.11	1.1	305	0.0	0.0	0.0	5	15.6	0.0	0.0	0.0	0.0	0.0	0.0	15.8	0.0	0.0	14.3	36	17	2	167	57
27	1600	15.7	205	13	1.03	0.4	115	0.0	0.0	0.0	5	15.4	0.0	0.0	0.0	0.0	0.0	0.0	15.9	0.0	0.0	14.3	36	17	2	167	37
27	2400	21.9	345	4	1.24	0.5	135	0.0	0.0	0.0	5	15.4	0.0	0.0	0.0	0.0	0.0	0.0	15.7	0.0	0.0	14.4	36	17	2	167	9
29	1600	10.7	245	13	0.17	0.1	5	0.0	0.0	0.0	5	14.8	0.0	0.0	0.0	0.0	0.0	0.0	14.9	0.0	0.0	14.3	36	17	2	167	32
29	2800	8.7	255	14	0.34	0.1	5	0.0	0.0	0.0	5	14.6	0.0	0.0	0.0	0.0	0.0	0.0	15.2	0.0	0.0	14.3	36	17	2	167	60
29	2400	5.0	355	10	0.24	0.0	135	0.0	0.0	0.0	5	14.7	0.0	0.0	0.0	0.0	0.0	0.0	15.3	0.0	0.0	14.6	36	17	2	167	51
29	3200	7.0	355	12	0.24	0.0	125	0.0	0.0	0.0	5	14.6	0.0	0.0	0.0	0.0	0.0	0.0	15.3	0.0	0.0	14.7	36	17	2	167	53
29	3600	8.7	245	15	0.23	0.0	155	0.0	0.0	0.0	5	14.6	0.0	0.0	0.0	0.0	0.0	0.0	15.3	0.0	0.0	14.6	36	17	2	167	53
29	4000	7.9	235	15	0.29	0.0	175	0.0	0.0	0.0	5	14.6	0.0	0.0	0.0	0.0	0.0	0.0	15.3	0.0	0.0	14.7	36	17	2	167	31
29	4400	5.1	225	14	0.00	0.0	55	0.0	0.0	0.0	5	14.7	0.0	0.0	0.0	0.0	0.0	0.0	15.3	0.0	0.0	14.6	36	17	2	167	34
29	4800	7.1	175	14	0.30	0.0	145	0.0	0.0	0.0	5	14.7	0.0	0.0	0.0	0.0	0.0	0.0	15.3	0.0	0.0	14.6	36	17	2	167	1
29	5200	5.2	45	13	0.25	0.0	205	0.0	0.0	0.0	5	14.6	0.0	0.0	0.0	0.0	0.0	0.0	15.2	0.0	0.0	14.9	36	17	2	167	60
29	5600	9.4	45	14	0.24	0.0	145	0.0	0.0	0.0	5	14.6	0.0	0.0	0.0	0.0	0.0	0.0	15.4	0.0	0.0	15.0	36	17	2	167	51
29	6000	9.2	145	17	0.24	0.0	145	0.0	0.0	0.0	5	14.6	0.0	0.0	0.0	0.0	0.0	0.0	15.4	0.0	0.0	15.0	36	17	2	167	53
31	1600	9.8	155	14	0.34	0.1	235	0.0	0.0	0.0	5	14.6	0.0	0.0	0.0	0.0	0.0	0.0	15.2	0.0	0.0	15.0	36	17	2	167	31
31	2000	11.6	115	15	0.23	0.0	115	0.0	0.0	0.0	5	14.7	0.0	0.0	0.0	0.0	0.0	0.0	15.1	0.0	0.0	14.9	36	17	2	167	35
31	2400	9.9	125	15	0.35	0.1	245	0.0	0.0	0.0	5	14.7	0.0	0.0	0.0	0.0	0.0	0.0	14.7	0.0	0.0	14.7	36	17	2	167	7
31	2800	6.6	95	14	0.34	0.3	315	0.0	0.0	0.0	5	14.7	0.0	0.0	0.0	0.0	0.0	0.0	14.8	0.0	0.0	14.7	36	17	2	167	60
31	3200	6.7	105	15	0.44	0.2	315	0.0	0.0	0.0	5	14.6	0.0	0.0	0.0	0.0	0.0	0.0	14.8	0.0	0.0	14.7	36	17	2	167	49
31	3600	4.6	125	14	0.51	0.1	245	0.0	0.0	0.0	5	14.4	0.0	0.0	0.0	0.0	0.0	0.0	15.6	0.0	0.0	14.3	36	17	2	167	50
31	4000	11.4	155	14	0.41	0.2	245	0.0	0.0	0.0	5	14.7	0.0	0.0	0.0	0.0	0.0	0.0	15.4	0.0	0.0	14.4	36	17	2	167	35
											5	15.1	0.0	0.0	0.0	0.0	0.0	0.0	15.5	0.0	0.0	14.4	36	17	2	167	37

		Jan 1967																					
31	4900	4.6	125	15	0.53	0.2	295	0.0	0	0.1	5	15.1	0.0	15.6	0.0	0.0	14.4	36	10	17	2	167	60
31	5200	9.7	115	15	0.55	0.3	295	0.0	0	0.1	5	15.0	0.0	15.6	0.0	0.0	14.5	36	10	17	2	167	48
31	5600	12.1	115	16	0.64	0.3	305	0.0	0	0.1	5	14.8	0.0	15.5	0.0	0.0	14.4	36	10	17	2	167	38
31	6700	14.0	145	17	0.53	0.2	235	0.0	0	0.2	5	15.1	0.0	15.5	0.0	0.0	14.5	36	10	17	2	167	38
0	0	0.0	0	0	0.00	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0	0	0	0

070071 STAGE 2

FER 1967

CODE: 0000000000000000

DAY	HOUR	WS	WD	AT	WL	GSS	GDS	CSM	CDM	CSH	CDB	WT1	WT2	WT3	WT4	WT5	WT6	D1	D2	D3	D4	D5	D6	KEY	N
5	1600	11.4	165	13	0.33	0.0	105	0.0	0	0.2	5	15.0	0.0	15.5	0.0	0.0	0.0	14.7	38	10	17	2	267	35	
5	2400	8.5	145	14	0.72	0.0	175	0.0	0	0.1	5	14.8	0.0	15.5	0.0	0.0	0.0	14.8	38	10	17	2	267	60	
5	2800	9.3	155	15	0.44	0.0	155	0.0	0	0.2	5	14.7	0.0	15.5	0.0	0.0	0.0	14.8	38	10	17	2	267	47	
5	3200	15.5	105	15	0.44	0.0	165	0.0	0	0.1	5	14.7	0.0	15.4	0.0	0.0	0.0	14.7	38	10	17	2	267	47	
5	3600	16.5	155	18	0.53	0.1	285	0.0	0	0.1	5	15.0	0.0	15.3	0.0	0.0	0.0	14.7	38	10	17	2	267	36	
5	4000	20.7	195	19	1.04	0.3	225	0.0	0	0.3	5	15.1	0.0	15.6	0.0	0.0	0.0	14.6	38	10	17	2	267	36	
5	4400	12.9	285	16	0.45	0.3	165	0.0	0	0.3	5	15.1	0.0	15.7	0.0	0.0	0.0	15.1	38	10	17	2	267	5	
5	4800	19.2	325	11	1.60	0.4	295	0.0	0	0.3	5	15.1	0.0	15.7	0.0	0.0	0.0	15.1	38	10	17	2	267	60	
5	5200	19.8	325	4	1.24	0.4	245	0.0	0	0.3	5	15.1	0.0	15.7	0.0	0.0	0.0	15.1	38	10	17	2	267	51	
5	5600	0.0	295	40	4.31	6.8	355	0.0	0	6.8	355	33.7	0.0	15.5	0.0	0.0	0.0	15.0	38	10	17	2	267	4	
7	1600	8.2	15	8	3.02	0.4	115	0.0	0	1.6	5	14.6	0.0	15.2	0.0	0.0	0.0	14.5	38	10	17	2	267	60	
7	2000	6.7	75	9	0.00	0.4	135	0.0	0	0.3	5	14.6	0.0	15.1	0.0	0.0	0.0	14.4	38	10	17	2	267	1	
7	2400	12.8	345	8	0.57	0.3	125	0.0	0	0.1	5	14.5	0.0	15.1	0.0	0.0	0.0	14.3	38	10	17	2	267	60	
7	2800	10.5	5	5	0.34	0.2	125	0.0	0	0.2	5	14.4	0.0	14.8	0.0	0.0	0.0	14.1	38	10	17	2	267	51	
7	3200	24.3	185	13	0.37	2.0	125	0.0	0	2.9	5	14.3	0.0	14.7	0.0	0.0	0.0	14.0	38	10	17	2	267	22	
7	3600	8.6	335	0	0.47	0.2	125	0.0	0	0.0	5	14.2	0.0	14.7	0.0	0.0	0.0	14.0	38	10	17	2	267	35	
7	4000	11.8	5	7	0.34	0.3	115	0.0	0	0.0	5	14.4	0.0	14.7	0.0	0.0	0.0	14.1	38	10	17	2	267	27	
12	1600	27.0	25	9	0.59	0.4	315	0.0	0	0.3	305	14.1	0.0	14.6	0.0	0.0	0.0	13.9	38	10	17	2	267	38	
12	2000	23.8	35	10	0.34	0.4	285	0.0	0	0.2	295	14.0	0.0	14.4	0.0	0.0	0.0	13.9	38	10	17	2	267	3	
12	2400	24.2	15	8	0.56	0.1	285	0.0	0	0.1	25	14.0	0.0	14.5	0.0	0.0	0.0	13.9	38	10	17	2	267	60	
12	2800	19.7	345	6	0.55	1.0	145	0.0	0	1.5	155	13.9	0.0	14.4	0.0	0.0	0.0	13.7	38	10	17	2	267	44	
12	3200	15.3	5	7	0.43	0.4	115	0.0	0	0.3	85	13.9	0.0	14.4	0.0	0.0	0.0	13.7	38	10	17	2	267	51	
12	3600	16.6	15	14	0.41	0.4	125	0.0	0	0.3	85	14.0	0.0	14.5	0.0	0.0	0.0	13.8	38	10	17	2	267	38	
12	4000	11.5	5	15	0.30	0.3	135	0.0	0	0.3	45	14.2	0.0	14.7	0.0	0.0	0.0	13.9	38	10	17	2	267	37	
12	4400	5.1	5	12	0.09	0.4	145	0.0	0	0.3	35	14.1	0.0	14.6	0.0	0.0	0.0	13.9	38	10	17	2	267	4	
12	4800	5.7	115	12	0.24	0.3	135	0.0	0	0.3	35	14.2	0.0	14.7	0.0	0.0	0.0	14.0	38	10	17	2	267	60	
12	5200	4.7	95	10	0.20	0.3	125	0.0	0	0.3	35	14.3	0.0	14.8	0.0	0.0	0.0	14.0	38	10	17	2	267	51	
12	5600	8.3	105	11	0.24	0.2	115	0.0	0	0.2	35	14.3	0.0	14.7	0.0	0.0	0.0	14.0	38	10	17	2	267	52	
12	6000	9.8	145	14	0.24	0.2	115	0.0	0	0.2	35	14.4	0.0	14.8	0.0	0.0	0.0	14.0	38	10	17	2	267	38	
16	1600	7.0	155	18	0.60	0.4	315	0.0	0	0.2	195	14.5	0.0	14.8	0.0	0.0	0.0	14.1	38	10	17	2	267	36	
16	2000	12.4	135	16	0.66	0.6	335	0.0	0	0.2	195	14.4	0.0	14.7	0.0	0.0	0.0	14.2	38	10	17	2	267	7	
16	2400	10.5	155	16	0.70	0.6	325	0.0	0	0.1	165	14.3	0.0	14.6	0.0	0.0	0.0	14.2	38	10	17	2	267	60	
16	2800	13.9	155	16	0.95	0.5	315	0.0	0	0.2	165	14.5	0.0	14.6	0.0	0.0	0.0	14.1	38	10	17	2	267	49	
16	3200	11.6	165	18	0.94	0.4	245	0.0	0	0.2	155	14.6	0.0	14.9	0.0	0.0	0.0	14.0	38	10	17	2	267	50	
16	3600	6.0	325	18	0.93	0.4	305	0.0	0	0.2	135	14.7	0.0	15.4	0.0	0.0	0.0	14.1	38	10	17	2	267	35	
19	2800	14.5	105	15	0.57	0.2	305	0.0	0	0.1	225	15.2	0.0	15.2	0.0	0.0	0.0	14.5	38	10	17	2	267	60	
19	3200	17.3	125	16	0.44	0.2	305	0.0	0	0.0	235	15.1	0.0	15.1	0.0	0.0	0.0	14.5	38	10	17	2	267	48	
19	3600	13.6	185	19	0.54	0.3	315	0.0	0	0.1	225	15.1	0.0	15.2	0.0	0.0	0.0	14.4	38	10	17	2	267	49	
19	4000	13.3	235	20	0.70	0.4	335	0.0	0	0.1	215	15.3	0.0	15.8	0.0	0.0	0.0	14.4	38	10	17	2	267	35	
19	4400	10.9	245	19	0.37	0.5	305	0.0	0	0.1	55	15.5	0.0	15.9	0.0	0.0	0.0	14.4	36	10	17	2	267	37	
19	4800	12.7	295	16	0.72	0.5	285	0.0	0	0.2	5	15.4	0.0	15.9	0.0	0.0	0.0	14.5	38	10	17	2	267	4	
19	5200	23.3	345	11	0.60	0.2	205	0.0	0	0.2	25	15.2	0.0	15.8	0.0	0.0	0.0	14.4	38	10	17	2	267	60	
19	5600	18.0	5	8	0.59	0.3	145	0.0	0	0.2	75	15.2	0.0	15.5	0.0	0.0	0.0	14.6	38	10	17	2	267	47	

Feb 1967

19	6000	13.9	25	10	0.34	0.3	135	0.0	0	0.4	85	15.1	0.0	15.6	0.0	0.0	14.9	36	10	17	2 267	34
25	1600	17.0	345	5	0.34	0.5	125	0.0	0	0.4	125	14.6	0.0	15.1	0.0	0.0	14.4	38	10	17	2 267	37
0	0	0.0	0	0	0.00	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0	0 0 0	0

DAY	HOUR	WS	WD	AT	WL	CSS	CDS	CSM	CDM	CS9	CDB	WT1	WT2	WT3	WT4	WT5	MT6	D1	D2	D3	D4	D5	D6	KEY	N
1	1400	1.0	45	17	0.15	0.0	145	0.0	0	0.1	125	14.6	0.0	0.0	0.0	0.0	0.0	14.4	38	10	17	2	367	37	
1	2400	1.0	55	12	0.29	0.0	135	0.0	0	0.2	175	14.4	0.0	0.0	0.0	0.0	0.0	14.4	38	10	17	2	367	59	
1	2800	13.6	95	10	0.28	0.1	105	0.0	0	0.2	135	14.2	0.0	0.0	0.0	0.0	0.0	14.3	38	10	17	2	367	50	
1	3200	7.9	75	10	0.29	0.0	115	0.0	0	0.1	115	14.3	0.0	0.0	0.0	0.0	0.0	14.5	38	10	17	2	367	51	
1	3600	0.6	135	16	0.23	0.0	75	0.0	0	0.1	175	14.5	0.0	0.0	0.0	0.0	0.0	14.6	38	10	17	2	367	38	
1	4000	0.8	95	16	0.28	0.1	85	0.0	0	0.1	245	15.0	0.0	0.0	0.0	0.0	0.0	14.5	38	10	17	2	367	36	
1	4400	8.6	85	14	0.41	0.0	85	0.0	0	0.1	105	14.7	0.0	0.0	0.0	0.0	0.0	14.4	38	10	17	2	367	2	
1	4800	6.8	75	14	0.47	0.0	175	0.0	0	0.1	255	14.6	0.0	0.0	0.0	0.0	0.0	14.4	38	10	17	2	367	60	
1	5200	6.0	35	13	0.29	0.0	285	0.0	0	0.0	265	14.6	0.0	0.0	0.0	0.0	0.0	14.4	38	10	17	2	367	51	
1	5600	5.8	65	13	0.26	0.2	275	0.0	0	0.1	255	14.6	0.0	0.0	0.0	0.0	0.0	14.3	38	10	17	2	367	51	
1	6000	11.8	75	18	0.24	0.1	315	0.0	0	0.1	275	15.3	0.0	0.0	0.0	0.0	0.0	14.6	38	10	17	2	367	36	
3	1600	8.9	75	17	0.29	0.1	335	0.0	0	0.1	295	15.4	0.0	0.0	0.0	0.0	0.0	14.7	38	10	17	2	367	36	
3	2400	10.3	55	15	0.58	0.4	325	0.0	0	0.1	245	14.6	0.0	0.0	0.0	0.0	0.0	14.6	38	10	17	2	367	60	
3	2800	9.7	55	17	0.35	0.4	325	0.0	0	0.0	275	14.4	0.0	0.0	0.0	0.0	0.0	14.6	38	10	17	2	367	50	
3	3200	12.9	65	16	0.28	0.3	325	0.0	0	0.0	265	14.5	0.0	0.0	0.0	0.0	0.0	14.6	38	10	17	2	367	50	
3	3600	9.0	65	17	0.33	0.2	305	0.0	0	0.1	65	14.6	0.0	0.0	0.0	0.0	0.0	14.6	38	10	17	2	367	37	
3	4000	8.4	65	17	0.27	0.3	305	0.0	0	0.1	215	15.0	0.0	0.0	0.0	0.0	0.0	14.6	38	10	17	2	367	34	
3	4400	6.3	65	14	0.44	0.7	305	0.0	0	0.1	205	14.8	0.0	0.0	0.0	0.0	0.0	14.6	38	10	17	2	367	6	
3	4800	9.1	65	14	0.66	0.7	315	0.0	0	0.1	205	15.2	0.0	0.0	0.0	0.0	0.0	14.6	38	10	17	2	367	60	
3	5200	10.7	65	16	0.26	0.7	315	0.0	0	0.0	245	15.2	0.0	0.0	0.0	0.0	0.0	14.6	38	10	17	2	367	50	
3	5600	15.5	65	15	0.31	0.7	315	0.0	0	0.1	235	15.2	0.0	0.0	0.0	0.0	0.0	14.6	38	10	17	2	367	49	
3	6000	13.4	55	18	0.39	0.6	325	0.0	0	0.1	255	15.2	0.0	0.0	0.0	0.0	0.0	14.6	38	10	17	2	367	36	
5	2000	14.3	85	17	0.74	0.5	275	0.0	0	0.1	225	15.7	0.0	0.0	0.0	0.0	0.0	14.6	38	10	17	2	367	2	
5	2400	16.2	75	17	0.76	0.7	305	0.0	0	0.1	165	15.7	0.0	0.0	0.0	0.0	0.0	14.6	38	10	17	2	367	60	
5	2800	14.6	75	18	0.52	0.9	305	0.0	0	0.1	255	15.8	0.0	0.0	0.0	0.0	0.0	14.5	38	10	17	2	367	49	
5	3200	16.7	75	18	0.53	0.6	305	0.0	0	0.2	355	15.5	0.0	0.0	0.0	0.0	0.0	14.6	38	10	17	2	367	49	
5	3600	12.9	65	18	1.25	0.5	305	0.0	0	0.2	315	15.7	0.0	0.0	0.0	0.0	0.0	15.0	38	10	17	2	367	31	
5	4000	2.7	125	14	0.62	0.2	145	0.0	0	0.2	105	15.8	0.0	0.0	0.0	0.0	0.0	15.6	38	10	17	2	367	34	
5	7200	14.3	5	10	0.86	0.2	85	0.0	0	0.2	145	15.5	0.0	0.0	0.0	0.0	0.0	15.4	38	10	17	2	367	60	
5	7600	11.4	5	8	0.38	0.2	155	0.0	0	0.2	65	15.2	0.0	0.0	0.0	0.0	0.0	15.5	38	10	17	2	367	48	
5	8000	9.0	105	10	0.28	0.1	165	0.0	0	0.3	125	15.2	0.0	0.0	0.0	0.0	0.0	15.7	38	10	17	2	367	48	
5	8400	3.4	195	14	0.24	0.1	155	0.0	0	0.2	125	15.5	0.0	0.0	0.0	0.0	0.0	15.9	38	10	17	2	367	36	
9	1600	14.7	105	18	0.43	0.1	145	0.0	0	0.1	205	15.7	0.0	0.0	0.0	0.0	0.0	15.6	38	10	17	2	367	38	
9	2400	10.1	55	17	0.32	0.1	155	0.0	0	0.0	245	15.6	0.0	0.0	0.0	0.0	0.0	15.7	38	10	17	2	367	60	
9	2800	8.2	65	16	0.24	0.0	145	0.0	0	0.2	155	15.9	0.0	0.0	0.0	0.0	0.0	15.6	38	10	17	2	367	51	
9	3200	6.2	45	17	0.25	0.1	155	0.0	0	0.0	275	15.8	0.0	0.0	0.0	0.0	0.0	15.6	38	10	17	2	367	56	
9	3600	10.1	65	20	0.24	0.1	185	0.0	0	0.1	35	15.8	0.0	0.0	0.0	0.0	0.0	15.7	38	10	17	2	367	39	
9	4000	0.7	85	19	0.22	0.1	215	0.0	0	0.0	215	15.9	0.0	0.0	0.0	0.0	0.0	15.7	38	10	17	2	367	36	
9	4400	0.6	85	18	0.29	0.1	215	0.0	0	0.0	215	15.9	0.0	0.0	0.0	0.0	0.0	15.7	38	10	17	2	367	6	
9	4800	3.9	105	18	0.42	0.1	295	0.0	0	0.1	235	16.3	0.0	0.0	0.0	0.0	0.0	15.7	38	10	17	2	367	60	
9	5200	4.0	145	19	0.25	0.0	305	0.0	0	0.1	235	16.5	0.0	0.0	0.0	0.0	0.0	15.8	38	10	17	2	367	50	
9	5600	5.6	125	19	0.24	0.0	325	0.0	0	0.1	155	16.5	0.0	0.0	0.0	0.0	0.0	15.8	38	10	17	2	367	56	
9	6000	3.7	155	21	0.22	0.2	285	0.0	0	0.0	235	16.8	0.0	0.0	0.0	0.0	0.0	15.8	38	10	17	2	367	39	
11	1600	7.7	115	19	0.28	0.3	285	0.0	0	0.1	35	17.0	0.0	0.0	0.0	0.0	0.0	15.8	38	10	17	2	367	36	

Mar 1967

21	1400	0.7	5	18	0.59	0.3	205	2.0	0	0	0	0	0.2	195	17.2	7.0	17.0	0.0	0.0	0.0	19.2	18	17	2	347	20
21	2800	0.7	5	17	0.75	0.6	315	2.0	0	0	0	0	0.2	135	17.0	7.0	17.3	0.0	0.0	0.0	19.1	18	17	2	347	20
21	2800	2.2	5	17	0.83	0.6	295	2.0	0	0	0	0	0.2	25	17.0	7.0	17.3	0.0	0.0	0.0	19.2	18	17	2	347	20
21	3200	18.0	15	13	0.39	0.1	205	2.0	0	0	0	0	0.2	25	18.8	7.0	17.0	0.0	0.0	0.0	19.2	18	17	2	347	20
21	3500	2.6	15	20	0.39	0.1	245	2.0	0	0	0	0	0.2	45	17.0	7.0	17.4	0.0	0.0	0.0	19.3	18	17	2	347	20
21	4000	0.7	25	17	0.39	0.1	55	2.0	0	0	0	0	0.2	175	17.2	7.0	17.4	0.0	0.0	0.0	19.3	18	17	2	347	20
21	4800	0.7	155	17	0.28	0.1	45	2.0	0	0	0	0	0.1	185	17.0	7.0	17.2	0.0	0.0	0.0	19.3	18	17	2	347	20
21	4900	2.0	5	15	0.77	0.1	155	2.0	0	0	0	0	0.2	45	17.1	7.0	17.3	0.0	0.0	0.0	19.2	18	17	2	347	20
21	5200	0.7	15	17	0.21	0.1	145	2.0	0	0	0	0	0.2	45	16.7	7.0	17.1	0.0	0.0	0.0	19.2	18	17	2	347	20
21	5600	0.6	15	14	0.21	0.0	115	2.0	0	0	0	0	0.2	45	16.0	7.0	17.1	0.0	0.0	0.0	19.2	18	17	2	347	20
21	4700	0.6	15	21	0.27	0.0	105	2.0	0	0	0	0	0.2	105	16.0	7.0	17.1	0.0	0.0	0.0	19.2	18	17	2	347	20
21	1500	0.9	25	18	0.29	0.2	115	2.0	0	0	0	0	0.2	195	17.3	7.0	17.1	0.0	0.0	0.0	19.2	18	17	2	347	20
21	2000	0.5	175	14	0.15	0.2	115	2.0	0	0	0	0	0.1	175	17.2	7.0	17.3	0.0	0.0	0.0	19.2	18	17	2	347	20
21	2000	0.6	45	14	0.67	0.1	185	2.0	0	0	0	0	0.2	25	17.1	7.0	17.6	0.0	0.0	0.0	19.2	18	17	2	347	20
21	2800	0.8	45	18	0.14	0.0	95	2.0	0	0	0	0	0.2	105	17.0	7.0	17.0	0.0	0.0	0.0	19.2	18	17	2	347	20
21	3200	0.5	15	18	0.21	0.0	95	2.0	0	0	0	0	0.2	85	17.0	7.0	16.9	0.0	0.0	0.0	19.2	18	17	2	347	20
21	1600	0.6	45	18	0.21	0.0	105	2.0	0	0	0	0	0.2	105	17.0	7.0	17.1	0.0	0.0	0.0	19.2	18	17	2	347	20
21	4000	0.6	45	18	0.13	0.0	115	2.0	0	0	0	0	0.2	105	17.9	7.0	17.1	0.0	0.0	0.0	19.2	18	17	2	347	20
21	4900	0.5	15	15	0.57	0.0	185	2.0	0	0	0	0	0.2	45	17.0	7.0	17.2	0.0	0.0	0.0	19.2	18	17	2	347	20
21	5200	3.1	45	15	0.12	0.0	105	2.0	0	0	0	0	0.2	45	17.4	7.0	17.2	0.0	0.0	0.0	19.2	18	17	2	347	20
21	5600	0.6	5	17	0.19	0.0	115	2.0	0	0	0	0	0.1	115	17.2	7.0	17.1	0.0	0.0	0.0	19.2	18	17	2	347	20
21	4000	0.5	5	20	0.17	0.0	175	2.0	0	0	0	0	0.1	175	17.2	7.0	17.1	0.0	0.0	0.0	19.2	18	17	2	347	20
25	1400	1.5	5	19	0.81	0.0	215	2.0	0	0	0	0	0.2	175	18.1	7.0	17.9	0.0	0.0	0.0	19.3	18	17	2	347	20
25	2700	0.7	5	17	0.85	0.0	145	2.0	0	0	0	0	0.1	195	17.9	7.0	17.9	0.0	0.0	0.0	19.3	18	17	2	347	20
25	2800	0.7	5	17	0.87	0.0	125	2.0	0	0	0	0	0.1	255	17.9	7.0	17.9	0.0	0.0	0.0	19.3	18	17	2	347	20
25	2900	9.1	15	17	0.54	0.0	205	2.0	0	0	0	0	0.1	35	18.5	7.0	19.0	0.0	0.0	0.0	19.3	18	17	2	347	20
25	3200	10.7	15	18	0.57	0.0	325	2.0	0	0	0	0	0.2	155	18.0	7.0	19.4	0.0	0.0	0.0	19.3	18	17	2	347	20
25	3400	0.8	5	20	0.80	0.0	305	2.0	0	0	0	0	0.2	135	18.2	7.0	19.3	0.0	0.0	0.0	19.3	18	17	2	347	20
25	4700	0.7	5	19	0.85	0.0	205	2.0	0	0	0	0	0.2	205	18.0	7.0	19.3	0.0	0.0	0.0	19.3	18	17	2	347	20
25	4900	0.6	45	19	1.12	0.0	205	2.0	0	0	0	0	0.1	145	18.2	7.0	19.1	0.0	0.0	0.0	19.3	18	17	2	347	20
25	5200	0.8	45	19	1.20	0.0	315	2.0	0	0	0	0	0.2	305	17.9	7.0	19.4	0.0	0.0	0.0	19.3	18	17	2	347	20
25	5600	0.7	45	17	1.15	0.0	315	2.0	0	0	0	0	0.2	365	17.9	7.0	19.4	0.0	0.0	0.0	19.3	18	17	2	347	20
25	4700	0.6	25	17	0.78	0.0	305	2.0	0	0	0	0	0.2	325	18.2	7.0	19.4	0.0	0.0	0.0	19.3	18	17	2	347	20
27	1400	0.7	25	17	0.67	0.0	315	2.0	0	0	0	0	0.3	305	18.0	7.0	19.4	0.0	0.0	0.0	19.3	18	17	2	347	20
27	2700	0.9	15	17	0.25	0.0	305	2.0	0	0	0	0	0.2	305	18.3	7.0	19.4	0.0	0.0	0.0	19.3	18	17	2	347	20
27	2800	0.5	15	14	0.81	0.0	305	2.0	0	0	0	0	0.2	205	18.3	7.0	19.3	0.0	0.0	0.0	19.3	18	17	2	347	20
27	2900	0.6	15	15	0.54	0.0	325	2.0	0	0	0	0	0.2	225	18.0	7.0	19.3	0.0	0.0	0.0	19.3	18	17	2	347	20
27	1200	0.6	5	17	0.54	0.0	305	2.0	0	0	0	0	0.2	185	18.2	7.0	19.3	0.0	0.0	0.0	19.3	18	17	2	347	20
27	3400	0.7	5	20	0.51	0.0	315	2.0	0	0	0	0	0.2	265	18.1	7.0	19.3	0.0	0.0	0.0	19.3	18	17	2	347	20
27	4000	0.7	5	20	0.60	0.0	305	2.0	0	0	0	0	0.2	15	18.3	7.0	19.3	0.0	0.0	0.0	19.3	18	17	2	347	20
27	4900	0.7	5	19	0.84	0.0	325	2.0	0	0	0	0	0.1	205	18.3	7.0	19.3	0.0	0.0	0.0	19.3	18	17	2	347	20
27	5200	0.6	5	17	0.84	0.0	225	2.0	0	0	0	0	0.2	15	18.9	7.0	19.2	0.0	0.0	0.0	19.3	18	17	2	347	20
27	5400	0.6	25	19	0.84	0.0	205	2.0	0	0	0	0	0.2	145	19.0	7.0	19.1	0.0	0.0	0.0	19.3	18	17	2	347	20
27	6700	0.7	15	21	0.38	0.0	215	2.0	0	0	0	0	0.1	75	19.3	7.0	19.2	0.0	0.0	0.0	19.3	18	17	2	347	20
31	2900	0.6	25	21	0.38	0.0	305	2.0	0	0	0	0	0.1	25	19.6	7.0	20.0	0.0	0.0	0.0	19.3	18	17	2	347	20
31	2900	0.6	85	19	0.28	0.0	305	2.0	0	0	0	0	0.1	215	19.6	7.0	19.9	0.0	0.0	0.0	19.3	18	17	2	347	20
31	2100	0.5	5	19	0.55	0.0	305	2.0	0	0	0	0	0.1	45	19.6	7.0	19.9	0.0	0.0	0.0	19.3	18	17	2	347	20

Mar 1967

31	2800	0.4	5	16	0.39	0.0	325	0.0	0	0.1	45	19.4	0.0	19.6	0.0	0.0	18.5	38	10	17	2	367	50
31	3200	0.4	5	18	0.33	0.0	325	0.0	0	0.2	225	19.4	0.0	19.8	0.0	0.0	18.6	38	10	17	2	367	51
31	3600	0.6	25	22	0.28	0.0	335	0.0	0	0.2	215	19.6	0.0	19.9	0.0	0.0	18.6	38	10	17	2	367	37
31	4000	0.6	25	21	0.37	0.0	315	0.0	0	0.2	245	19.9	0.0	20.0	0.0	0.0	18.7	38	10	17	2	367	35
31	4400	0.6	15	20	0.32	0.0	305	0.0	0	0.2	45	20.0	0.0	20.0	0.0	0.0	18.7	38	10	17	2	367	6
31	4800	0.5	5	19	0.45	0.0	305	0.0	0	0.2	65	19.9	0.0	19.9	0.0	0.0	18.7	38	10	17	2	367	60
31	5200	0.4	5	16	0.26	0.0	345	0.0	0	0.1	135	19.6	0.0	19.9	0.0	0.0	18.5	38	10	17	2	367	49
31	5600	0.5	5	18	0.32	0.0	315	0.0	0	0.1	185	19.6	0.0	20.1	0.0	0.0	18.6	38	10	17	2	367	50
31	6000	0.6	35	21	0.34	0.0	325	0.0	0	0.1	215	20.0	0.0	20.0	0.0	0.0	18.7	38	10	17	2	367	37
0	0	0.0	0	0	0.00	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0	0	0	0

CUDE: 0000000000000000

APR 1967

070071 STAGE 2

DAY	HR	WS	WD	AT	WL	CSS	LOS	CSM	CDM	CSH	CDH	WT1	WT2	WT3	WT4	WT5	WT6	D1	D2	D3	D4	D5	D6	KEY	N
4	1400	0.6	25	22	0.32	0.0	285	0.0	0	0.1	205	20.7	0.0	20.1	0.0	0.0	18.8	36	10	17	2	467	35		
4	2000	0.7	5	21	0.25	0.0	265	0.0	0	0.1	15	20.5	0.0	20.0	0.0	0.0	18.7	38	10	17	2	467	4		
4	2400	0.6	5	20	0.61	0.0	295	0.0	0	0.1	85	20.5	0.0	20.0	0.0	0.0	18.7	38	10	17	2	467	60		
4	2800	0.7	15	19	0.23	0.0	115	0.0	0	0.1	15	20.3	0.0	19.4	0.0	0.0	18.6	38	10	17	2	467	48		
4	3200	0.7	5	21	0.27	0.0	205	0.0	0	0.1	75	19.9	0.0	19.7	0.0	0.0	18.5	38	10	17	2	467	49		
4	3600	0.7	25	22	0.26	0.0	245	0.0	0	0.0	245	20.4	0.0	20.0	0.0	0.0	18.7	38	10	17	2	467	37		
4	4000	0.8	15	22	0.17	0.0	305	0.0	0	0.0	235	20.5	0.0	20.4	0.0	0.0	18.8	38	10	17	2	467	35		
4	4400	0.5	5	20	0.37	0.0	305	0.0	0	0.0	285	20.5	0.0	20.3	0.0	0.0	18.7	36	10	17	2	467	4		
4	4800	0.7	5	20	0.55	0.0	325	0.0	0	0.0	265	20.7	0.0	20.5	0.0	0.0	18.6	38	10	17	2	467	60		
4	5200	0.7	5	20	0.20	0.0	355	0.0	0	0.0	305	20.7	0.0	20.4	0.0	0.0	18.7	38	10	17	2	467	48		
4	5600	0.7	95	19	0.22	0.0	335	0.0	0	0.0	225	20.6	0.0	20.5	0.0	0.0	19.0	38	10	17	2	467	48		
4	6000	0.7	35	22	0.31	0.0	295	0.0	0	0.0	205	20.8	0.0	20.5	0.0	0.0	18.9	38	10	17	2	467	35		
6	1600	0.7	45	22	0.26	0.0	325	0.0	0	0.0	205	20.9	0.0	21.3	0.0	0.0	19.1	36	10	17	2	467	31		
6	2000	0.7	5	20	0.48	0.0	295	0.0	0	0.0	255	21.1	0.0	21.2	0.0	0.0	19.2	38	10	17	2	467	60		
6	2400	0.7	5	21	0.31	0.0	245	0.0	0	0.0	155	21.1	0.0	20.6	0.0	0.0	19.0	38	10	17	2	467	54		
6	3200	0.7	5	21	0.48	0.0	275	0.0	0	0.0	255	21.1	0.0	20.4	0.0	0.0	19.4	38	10	17	2	467	51		
6	3600	0.7	35	22	0.49	0.0	315	0.0	0	0.0	205	21.7	0.0	20.6	0.0	0.0	19.5	38	10	17	2	467	30		
6	4000	0.6	5	22	0.43	0.0	295	0.0	0	0.0	205	22.2	0.0	20.6	0.0	0.0	19.5	38	10	17	2	467	35		
6	4400	0.6	5	21	0.00	0.0	305	0.0	0	0.0	245	21.8	0.0	20.4	0.0	0.0	19.5	38	10	17	2	467	1		
6	4800	0.7	5	21	0.68	0.0	335	0.0	0	0.0	265	21.7	0.0	20.2	0.0	0.0	19.4	38	10	17	2	467	60		
6	5200	0.7	5	21	0.45	0.0	175	0.0	0	0.0	35	21.1	0.0	20.4	0.0	0.0	19.4	38	10	17	2	467	54		
6	5600	0.7	5	23	0.32	0.0	75	0.0	0	0.0	85	21.0	0.0	20.3	0.0	0.0	19.4	38	10	17	2	467	52		
6	6000	0.7	115	25	0.22	0.0	55	0.0	0	0.0	205	20.7	0.0	20.3	0.0	0.0	19.5	38	10	17	2	467	35		
6	1600	0.7	65	24	0.30	0.0	285	0.0	0	0.0	235	22.1	0.0	20.3	0.0	0.0	19.5	38	10	17	2	467	36		
6	2000	0.6	5	20	0.31	0.0	225	0.0	0	0.0	255	22.1	0.0	20.5	0.0	0.0	19.5	36	10	17	2	467	5		
6	2400	0.7	5	20	0.43	0.0	235	0.0	0	0.0	235	21.9	0.0	20.4	0.0	0.0	19.4	38	10	17	2	467	60		
6	2800	0.7	5	19	0.38	0.0	325	0.0	0	0.0	235	21.8	0.0	20.1	0.0	0.0	19.4	38	10	17	2	467	49		
6	3200	0.7	5	20	0.46	0.0	325	0.0	0	0.0	255	21.3	0.0	20.9	0.0	0.0	19.4	38	10	17	2	467	53		
6	3600	0.7	5	22	0.47	0.0	325	0.0	0	0.0	225	21.7	0.0	22.1	0.0	0.0	20.0	38	10	17	2	467	38		
6	4000	0.7	5	21	0.55	0.0	315	0.0	0	0.0	155	21.7	0.0	22.2	0.0	0.0	20.0	38	10	17	2	467	35		
6	4800	0.7	5	20	0.31	0.0	295	0.0	0	0.0	215	21.7	0.0	22.1	0.0	0.0	20.0	38	10	17	2	467	60		
6	5200	0.6	5	19	0.24	0.0	305	0.0	0	0.0	125	21.7	0.0	21.5	0.0	0.0	20.2	38	10	17	2	467	51		
6	5600	0.7	5	20	0.40	0.0	325	0.0	0	0.0	125	21.8	0.0	21.9	0.0	0.0	20.2	38	10	17	2	467	52		
6	6000	0.6	35	22	0.38	0.0	325	0.0	0	0.0	205	22.1	0.0	22.5	0.0	0.0	20.6	38	10	17	2	467	36		
6	1600	0.7	25	22	0.42	0.0	315	0.0	0	0.2	205	22.5	0.0	22.9	0.0	0.0	20.7	38	10	17	2	467	36		
6	2000	0.7	5	21	0.39	0.0	325	0.0	0	0.2	225	22.2	0.0	22.7	0.0	0.0	20.5	38	10	17	2	467	4		
6	2400	0.7	15	21	0.46	0.0	295	0.0	0	0.2	265	22.1	0.0	22.7	0.0	0.0	21.2	38	10	17	2	467	60		
6	2800	0.7	25	21	0.40	0.0	295	0.0	0	0.2	355	22.1	0.0	22.7	0.0	0.0	20.5	38	10	17	2	467	54		
6	3200	0.7	25	22	0.47	0.0	265	0.0	0	0.2	345	22.2	0.0	22.3	0.0	0.0	19.8	38	10	17	2	467	53		
6	3600	0.7	65	23	0.41	0.0	205	0.0	0	0.2	345	22.5	0.0	21.6	0.0	0.0	19.9	38	10	17	2	467	34		
6	4000	0.7	35	23	0.24	0.0	175	0.0	0	0.1	255	22.7	0.0	22.5	0.0	0.0	19.9	38	10	17	2	467	31		
6	4400	0.5	5	22	0.40	0.0	135	0.0	0	0.1	75	22.6	0.0	22.5	0.0	0.0	19.9	38	10	17	2	467	4		
6	4800	0.7	5	22	0.37	0.0	155	0.0	0	0.1	315	22.5	0.0	21.6	0.0	0.0	19.9	38	10	17	2	467	60		
6	5200	0.6	5	21	0.29	0.0	115	0.0	0	0.1	295	22.2	0.0	21.2	0.0	0.0	19.8	38	10	17	2	467	55		

Apr 1967

10	5600	0.7	15	26	0.24	0.0	115	0.0	0.0	0.1	305	22.1	0.0	21.0	0.0	0.0	19.8	38	10	17	2	467	53
10	6000	3.6	215	26	1.06	0.0	195	0.0	0.0	0.1	275	22.2	0.0	20.9	0.0	0.0	19.8	38	10	17	2	467	30
12	1600	9.3	205	24	4.49	0.0	195	0.0	0.0	0.1	105	22.6	0.0	21.6	0.0	0.0	19.9	38	10	17	2	467	32
12	2400	10.0	95	21	1.42	0.0	125	0.0	0.0	0.1	255	23.0	0.0	21.3	0.0	0.0	19.8	38	10	17	2	467	60
12	2800	16.1	115	20	1.00	0.0	235	0.0	0.0	0.1	305	22.9	0.0	21.6	0.0	0.0	19.8	38	10	17	2	467	51
12	3200	21.3	125	22	0.82	0.2	325	0.0	0.0	0.2	225	22.3	0.0	22.7	0.0	0.0	20.0	38	10	17	2	467	51
12	3600	18.9	125	23	2.29	0.3	315	0.0	0.0	0.2	255	21.9	0.0	22.4	0.0	0.0	21.3	38	10	17	2	467	30
12	4000	17.9	135	23	6.05	0.7	295	0.0	0.0	0.2	345	23.3	0.0	23.3	0.0	0.0	21.3	38	10	17	2	467	33
12	4800	14.5	115	21	4.78	0.6	305	0.0	0.0	0.2	355	23.2	0.0	22.8	0.0	0.0	21.6	38	10	17	2	467	60
12	5200	20.7	135	22	4.70	0.6	305	0.0	0.0	0.2	205	22.7	0.0	22.9	0.0	0.0	21.6	38	10	17	2	467	52
12	5600	18.3	135	22	2.29	0.4	315	0.0	0.0	0.3	215	22.1	0.0	22.6	0.0	0.0	21.7	38	10	17	2	467	51
12	6000	14.0	135	23	4.93	0.6	275	0.0	0.0	0.3	355	22.5	0.0	22.9	0.0	0.0	21.4	38	10	17	2	467	34
14	1500	14.0	145	23	5.65	0.6	285	0.0	0.0	0.3	25	23.3	0.0	22.8	0.0	0.0	21.6	38	10	17	2	467	28
14	2400	9.3	155	21	3.85	0.3	325	0.0	0.0	0.2	205	22.8	0.0	22.7	0.0	0.0	21.4	38	10	17	2	467	60
14	2800	8.5	165	21	5.39	0.1	315	0.0	0.0	0.2	5	22.6	0.0	22.7	0.0	0.0	21.4	38	10	17	2	467	57
14	3200	8.5	165	22	3.55	0.1	325	0.0	0.0	0.2	205	22.4	0.0	22.9	0.0	0.0	22.0	38	10	17	2	467	57
14	3600	7.6	185	25	1.64	0.1	325	0.0	0.0	0.2	295	22.5	0.0	22.6	0.0	0.0	21.7	38	10	17	2	467	35
14	4000	7.5	195	23	4.89	0.2	305	0.0	0.0	0.1	115	23.2	0.0	23.4	0.0	0.0	21.8	38	10	17	2	467	34
14	4400	8.7	195	22	2.66	0.1	295	0.0	0.0	0.2	125	23.3	0.0	23.0	0.0	0.0	21.8	38	10	17	2	467	4
14	4800	9.0	215	22	2.59	0.1	325	0.0	0.0	0.2	215	23.1	0.0	23.1	0.0	0.0	21.7	38	10	17	2	467	60
14	5200	3.6	225	22	1.84	0.0	315	0.0	0.0	0.2	215	23.0	0.0	23.4	0.0	0.0	21.7	38	10	17	2	467	58
14	5600	3.9	225	23	2.21	0.0	325	0.0	0.0	0.2	255	23.0	0.0	23.4	0.0	0.0	22.4	38	10	17	2	467	57
14	6000	8.2	185	25	1.98	0.0	325	0.0	0.0	0.1	255	23.0	0.0	23.3	0.0	0.0	22.3	38	10	17	2	467	36
16	1600	7.6	195	25	2.19	0.0	305	0.0	0.0	0.1	245	24.0	0.0	23.3	0.0	0.0	22.2	38	10	17	2	467	31
16	2000	6.5	195	23	1.74	0.0	145	0.0	0.0	0.2	345	24.0	0.0	23.3	0.0	0.0	21.3	38	10	17	2	467	6
16	2400	9.1	205	22	4.78	0.0	115	0.0	0.0	0.2	345	24.0	0.0	23.3	0.0	0.0	21.2	38	10	17	2	467	60
16	2800	8.3	205	22	7.44	0.0	155	0.0	0.0	0.2	355	23.9	0.0	23.2	0.0	0.0	21.1	38	10	17	2	467	51
16	3200	4.9	235	23	4.10	0.0	175	0.0	0.0	0.1	355	23.7	0.0	23.0	0.0	0.0	21.1	38	10	17	2	467	53
16	3600	9.2	215	24	1.86	0.0	155	0.0	0.0	0.1	265	23.2	0.0	22.8	0.0	0.0	21.1	38	10	17	2	467	37
16	4000	13.6	205	24	2.59	0.0	175	0.0	0.0	0.1	245	24.2	0.0	22.5	0.0	0.0	21.2	38	10	17	2	467	36
16	4400	8.8	205	23	6.72	0.0	155	0.0	0.0	0.1	355	23.6	0.0	23.0	0.0	0.0	21.1	38	10	17	2	467	19
16	4800	10.8	215	23	2.86	0.0	135	0.0	0.0	0.1	175	23.8	0.0	23.7	0.0	0.0	21.2	38	10	17	2	467	41
16	5200	12.4	215	23	5.56	0.0	145	0.0	0.0	0.1	85	23.5	0.0	23.5	0.0	0.0	21.1	38	10	17	2	467	37
16	5600	10.2	215	23	2.71	0.1	155	0.0	0.0	0.1	75	23.3	0.0	22.7	0.0	0.0	21.1	38	10	17	2	467	39
16	6000	11.9	185	23	1.05	0.0	145	0.0	0.0	0.1	115	23.5	0.0	22.2	0.0	0.0	20.9	38	10	17	2	467	38
18	1600	13.8	185	24	1.02	0.1	145	0.0	0.0	0.1	115	23.4	0.0	22.1	0.0	0.0	20.7	38	10	17	2	467	38
18	2000	10.5	205	23	1.21	0.1	155	0.0	0.0	0.1	125	23.0	0.0	22.3	0.0	0.0	20.6	38	10	17	2	467	6
18	2400	11.9	245	23	1.41	0.1	145	0.0	0.0	0.1	115	22.8	0.0	22.1	0.0	0.0	20.4	38	10	17	2	467	60
18	2800	10.7	5	19	0.63	0.1	135	0.0	0.0	0.2	105	22.2	0.0	22.0	0.0	0.0	20.2	38	10	17	2	467	48
18	3200	6.7	15	22	0.94	0.0	135	0.0	0.0	0.2	115	21.8	0.0	22.1	0.0	0.0	20.0	38	10	17	2	467	47
18	3600	10.7	175	21	0.35	0.0	145	0.0	0.0	0.2	125	22.1	0.0	22.2	0.0	0.0	20.0	38	10	17	2	467	11
22	1600	8.4	125	25	0.54	0.0	345	0.0	0.0	0.2	215	24.1	0.0	23.6	0.0	0.0	22.4	38	10	17	2	467	22
22	2000	9.0	115	23	0.14	0.0	25	0.0	0.0	0.2	255	23.3	0.0	23.5	0.0	0.0	22.4	38	10	17	2	467	4
22	2400	8.6	105	23	0.60	0.0	335	0.0	0.0	0.1	225	23.6	0.0	23.3	0.0	0.0	22.4	38	10	17	2	467	29
22	2800	6.0	115	23	0.34	0.0	315	0.0	0.0	0.1	235	24.0	0.0	23.2	0.0	0.0	22.3	38	10	17	2	467	22
22	3200	6.5	115	26	0.43	0.0	295	0.0	0.0	0.2	295	23.8	0.0	23.2	0.0	0.0	22.3	38	10	17	2	467	23
22	3600	9.2	115	26	0.48	0.0	245	0.0	0.0	0.1	295	24.4	0.0	23.3	0.0	0.0	22.3	38	10	17	2	467	23

Apr 1967

22	4000	9.1	115	25	0.51	0.0	305	0.0	0	0	0.1	255	24.0	0.0	23.2	0.0	0.0	22.3	38	10	17	2	467	22
22	4400	13.9	105	24	0.40	0.0	215	0.0	0	0	0.1	255	24.8	0.0	23.2	0.0	0.0	22.3	38	10	17	2	467	12
22	4800	12.0	115	23	0.46	0.0	255	0.0	0	0	0.1	5	24.8	0.0	23.3	0.0	0.0	22.3	38	10	17	2	467	25
22	5200	11.2	135	24	0.71	0.0	205	0.0	0	0	0.1	315	25.0	0.0	23.3	0.0	0.0	22.2	38	10	17	2	467	22
22	5600	10.4	135	24	0.68	0.0	145	0.0	0	0	0.1	315	24.3	0.0	23.6	0.0	0.0	22.3	38	10	17	2	467	23
22	6000	11.0	125	24	0.74	0.0	125	0.0	0	0	0.1	125	23.8	0.0	23.7	0.0	0.0	22.3	38	10	17	2	467	24
29	2000	7.5	85	21	0.43	0.3	85	0.0	0	0	0.2	135	22.8	0.0	23.5	0.0	0.0	22.5	38	10	17	2	467	24
29	2400	7.5	95	19	0.16	0.6	335	0.0	0	0	0.4	135	22.6	0.0	23.2	0.0	0.0	22.4	38	10	17	2	467	4
29	2800	7.5	95	19	0.36	0.3	305	0.0	0	0	0.1	135	22.5	0.0	23.4	0.0	0.0	22.4	38	10	17	2	467	26
29	3200	8.9	85	22	0.40	0.3	275	0.0	0	0	0.1	135	22.4	0.0	23.4	0.0	0.0	22.3	38	10	17	2	467	24
29	3600	12.1	85	23	0.40	0.4	315	0.0	0	0	0.2	135	22.6	0.0	23.3	0.0	0.0	22.4	38	10	17	2	467	23
29	4000	12.2	85	23	0.52	0.3	305	0.0	0	0	0.2	135	22.7	0.0	23.4	0.0	0.0	22.4	38	10	17	2	467	24
29	4800	14.5	95	22	0.77	0.6	305	0.0	0	0	0.2	135	22.8	0.0	23.5	0.0	0.0	22.4	38	10	17	2	467	27
29	5200	13.1	105	21	0.77	0.5	305	0.0	0	0	0.4	145	22.5	0.0	23.2	0.0	0.0	22.3	38	10	17	2	467	29
29	5600	15.8	105	23	0.85	0.5	305	0.0	0	0	0.3	155	22.5	0.0	23.3	0.0	0.0	22.4	38	10	17	2	467	25
29	6000	17.9	95	24	0.71	0.6	315	0.0	0	0	0.3	155	22.6	0.0	23.5	0.0	0.0	22.4	38	10	17	2	467	23
0	0	0.0	0	0	0.00	0.0	0	0.0	0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	22.5	38	10	17	2	467	21
0	0	0.0	0	0	0.00	0.0	0	0.0	0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0	0	0

070071 STAGE 1

MAY 1967

CUDE: 0000000000000000

DAY	HOUR	MS	WD	AT	WL	CSS	CDS	CSM	CDM	CSH	CDB	WT1	WT2	WT3	WT4	WT5	WT6	D1	D2	D3	D4	D5	D6	KEY	N		
12	1600	11.6	215	23	1.27	0.0	245	0.0	0	0.2	125	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3&	10	10	10	10	17	1	567	13
12	2000	12.2	215	22	0.00	0.0	305	0.0	0	0.2	115	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3&	10	10	10	10	17	1	567	1
12	2400	10.0	205	22	0.79	0.0	355	0.0	0	0.2	105	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3&	10	10	10	10	17	1	567	25
12	2800	2.7	235	22	0.77	0.0	355	0.0	0	0.2	85	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3&	10	10	10	10	17	1	567	27
12	3200	6.9	205	22	0.86	0.0	85	0.0	0	0.2	75	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3&	10	10	10	10	17	1	567	23
12	3600	3.6	195	23	0.72	0.0	165	0.0	0	0.2	65	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3&	10	10	10	10	17	1	567	23
12	4000	4.6	215	23	0.67	0.0	225	0.0	0	0.2	75	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3&	10	10	10	10	17	1	567	15
12	4400	7.7	215	23	0.73	0.0	265	0.0	0	0.2	105	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3&	10	10	10	10	17	1	567	8
12	4800	10.3	205	23	0.66	0.0	355	0.0	0	0.2	75	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3&	10	10	10	10	17	1	567	26
12	5200	8.0	235	22	0.66	0.0	15	0.0	0	0.2	35	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3&	10	10	10	10	17	1	567	25
12	5600	1.9	185	22	0.52	0.0	55	0.0	0	0.2	45	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3&	10	10	10	10	17	1	567	25
12	6000	9.3	175	23	0.72	0.0	155	0.0	0	0.2	95	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3&	10	10	10	10	17	1	567	24
14	1600	10.5	195	23	0.75	0.0	195	0.0	0	0.2	35	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3&	10	10	10	10	17	1	567	21
14	2000	0.0	0	0	0.00	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3&	10	10	10	10	17	1	567	0
14	2400	11.2	205	23	0.69	0.0	355	0.0	0	0.2	25	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3&	10	10	10	10	17	1	567	27
14	2800	14.7	225	23	0.89	0.0	355	0.0	0	0.2	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3&	10	10	10	10	17	1	567	25
14	3200	17.0	225	23	0.98	0.0	355	0.0	0	0.2	345	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3&	10	10	10	10	17	1	567	25
14	3600	13.2	235	23	1.39	0.0	135	0.0	0	0.2	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3&	10	10	10	10	17	1	567	21
14	4000	16.3	245	23	1.12	0.0	165	0.0	0	0.2	5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3&	10	10	10	10	17	1	567	20
14	4400	21.4	355	21	0.65	0.0	115	0.0	0	0.2	15	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3&	10	10	10	10	17	1	567	4
14	4800	24.1	5	17	0.86	0.0	135	0.0	0	0.2	35	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3&	10	10	10	10	17	1	567	27
14	5200	21.0	25	16	0.84	0.0	145	0.0	0	0.2	85	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3&	10	10	10	10	17	1	567	25
14	5600	19.4	35	16	0.78	0.0	175	0.0	0	0.2	105	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3&	10	10	10	10	17	1	567	26
14	6000	13.2	15	19	0.51	0.1	265	0.0	0	0.2	145	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3&	10	10	10	10	17	1	567	25
16	1600	6.6	345	22	0.37	0.0	245	0.0	0	0.2	165	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3&	10	10	10	10	17	1	567	18
16	2000	13.4	5	22	0.59	0.0	145	0.0	0	0.2	195	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3&	10	10	10	10	17	1	567	4
16	2400	16.8	25	20	0.54	0.0	175	0.0	0	0.2	195	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3&	10	10	10	10	17	1	567	28
16	2800	16.9	45	18	0.53	0.0	225	0.0	0	0.2	75	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3&	10	10	10	10	17	1	567	25
16	3200	10.9	55	18	0.61	0.0	235	0.0	0	0.2	105	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3&	10	10	10	10	17	1	567	22
16	3600	2.9	205	22	0.18	0.0	235	0.0	0	0.2	155	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3&	10	10	10	10	17	1	567	23
16	4000	10.7	265	22	0.34	0.0	255	0.0	0	0.2	195	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3&	10	10	10	10	17	1	567	19
16	4400	11.9	295	22	0.42	0.0	15	0.0	0	0.1	195	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3&	10	10	10	10	17	1	567	4
16	4800	12.1	315	22	0.57	0.0	45	0.0	0	0.1	195	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3&	10	10	10	10	17	1	567	28
16	5200	8.9	5	21	0.53	0.0	55	0.0	0	0.2	75	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3&	10	10	10	10	17	1	567	26
16	5600	5.2	45	22	0.42	0.0	205	0.0	0	0.2	105	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3&	10	10	10	10	17	1	567	27
16	6000	6.6	195	23	0.31	0.0	195	0.0	0	0.2	115	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3&	10	10	10	10	17	1	567	20
18	1600	15.5	245	23	0.50	0.0	205	0.0	0	0.1	145	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3&	10	10	10	10	17	1	567	19
18	2000	12.7	245	23	0.28	0.0	35	0.0	0	0.1	115	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3&	10	10	10	10	17	1	567	3
18	2400	10.5	255	23	0.51	0.0	45	0.0	0	0.1	115	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3&	10	10	10	10	17	1	567	28
18	2800	9.4	315	22	0.48	0.0	65	0.0	0	0.2	95	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3&	10	10	10	10	17	1	567	23
18	3200	5.6	5	22	0.33	0.0	65	0.0	0	0.2	115	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3&	10	10	10	10	17	1	567	25
18	3600	11.1	195	23	0.47	0.0	65	0.0	0	0.1	115	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3&	10	10	10	10	17	1	567	25
18	4000	9.8	215	23	0.31	0.0	25	0.0	0	0.1	125	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3&	10	10	10	10	17	1	567	18
18	4400	10.2	215	23	0.00	0.0	115	0.0	0	0.1	125	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3&	10	10	10	10	17	1	567	1

077071 STAGE 2

MAY 1967

CUMUL: 0000000000000000

MAY HOUR	MS	WD	AT	WL	CSS	CMS	CSM	COM	CSH	CGB	WT1	WT2	WT3	WT4	WT5	WT6	D1	D2	D3	D4	D5	D6	KEY	N
1	1500	11.8	155	21	0.88	0.5	305	0.0	0.2	165	22.9	0.0	23.5	0.0	0.0	22.4	10	10	10	10	10	10	2 567	20
1	1600	10.9	175	22	0.78	0.5	305	0.0	0.1	175	22.9	0.0	23.5	0.0	0.0	22.3	10	10	10	10	10	10	2 567	27
1	1700	9.6	155	22	0.38	0.5	305	0.0	0.1	335	21.0	0.0	23.5	0.0	0.0	22.3	10	10	10	10	10	10	2 567	25
1	1800	8.6	175	21	0.84	0.5	325	0.0	0.1	195	22.9	0.0	23.6	0.0	0.0	22.3	10	10	10	10	10	10	2 567	23
1	1900	8.2	225	24	0.34	0.8	285	0.0	0.1	245	23.6	0.0	23.6	0.0	0.0	22.5	10	10	10	10	10	10	2 567	18
5	1500	5.2	215	25	0.89	0.8	295	0.0	0.1	205	23.6	0.0	23.6	0.0	0.0	22.7	10	10	10	10	10	10	2 567	19
5	1600	2.0	295	22	0.00	0.3	235	0.0	0.2	25	23.5	0.0	23.7	0.0	0.0	22.6	10	10	10	10	10	10	2 567	1
5	1700	6.0	115	22	0.57	0.3	215	0.0	0.1	15	23.4	0.0	23.6	0.0	0.0	22.5	10	10	10	10	10	10	2 567	32
5	1800	6.1	115	21	0.30	0.2	255	0.0	0.2	45	23.4	0.0	23.6	0.0	0.0	22.5	10	10	10	10	10	10	2 567	20
7	1700	17.9	255	24	1.07	0.5	155	0.0	0.2	45	24.0	0.0	24.0	0.0	0.0	22.6	10	10	10	10	10	10	2 567	25
7	1800	18.9	275	21	1.01	0.5	125	0.0	0.2	45	21.4	0.0	23.8	0.0	0.0	22.5	10	10	10	10	10	10	2 567	8
7	1900	15.1	245	21	1.01	0.5	125	0.0	0.2	115	23.4	0.0	23.4	0.0	0.0	22.6	10	10	10	10	10	10	2 567	2
7	2000	7.6	345	21	0.60	0.5	125	0.0	0.2	195	23.4	0.0	23.4	0.0	0.0	22.7	10	10	10	10	10	10	2 567	2
11	2000	16.5	245	23	0.61	0.7	115	0.0	0.1	195	23.4	0.0	24.2	0.0	0.0	22.6	10	10	10	10	10	10	2 567	3
11	2400	14.9	245	21	0.97	0.7	125	0.0	0.1	35	23.4	0.0	24.2	0.0	0.0	22.6	10	10	10	10	10	10	2 567	29
11	2800	13.1	195	21	1.07	0.5	125	0.0	0.1	55	23.4	0.0	23.4	0.0	0.0	22.6	10	10	10	10	10	10	2 567	10
11	3200	10.3	145	25	0.84	0.2	175	0.0	0.1	165	22.9	0.0	23.5	0.0	0.0	22.7	10	10	10	10	10	10	2 567	5
14	1500	8.8	195	27	0.75	0.3	245	0.0	0.1	245	25.6	0.0	23.9	0.0	0.0	23.0	10	10	10	10	10	10	2 567	25
14	1600	11.3	195	28	0.67	0.4	275	0.0	0.1	215	25.8	0.0	24.4	0.0	0.0	22.9	10	10	10	10	10	10	2 567	29
14	1700	11.9	225	28	0.47	0.3	245	0.0	0.1	275	26.0	0.0	25.4	0.0	0.0	22.9	10	10	10	10	10	10	2 567	22
14	1800	13.7	215	24	0.91	0.3	275	0.0	0.2	255	25.6	0.0	25.6	0.0	0.0	22.9	10	10	10	10	10	10	2 567	22
14	1900	12.3	215	24	0.74	0.3	295	0.0	0.1	245	25.3	0.0	24.4	0.0	0.0	23.1	10	10	10	10	10	10	2 567	14
14	2000	18.1	245	24	1.00	0.4	295	0.0	0.1	195	25.6	0.0	25.3	0.0	0.0	21.5	10	10	10	10	10	10	2 567	26
14	2400	20.3	295	21	0.64	0.3	255	0.0	0.1	125	25.5	0.0	25.3	0.0	0.0	21.4	10	10	10	10	10	10	2 567	4
14	2800	16.9	5	14	1.14	0.2	145	0.0	0.1	195	25.2	0.0	26.2	0.0	0.0	21.2	10	10	10	10	10	10	2 567	28
14	3200	15.8	5	14	0.81	0.2	145	0.0	0.2	115	25.2	0.0	23.9	0.0	0.0	23.0	10	10	10	10	10	10	2 567	24
14	3600	15.6	25	14	0.35	0.2	125	0.0	0.2	45	24.6	0.0	23.4	0.0	0.0	22.9	10	10	10	10	10	10	2 567	26
14	4000	12.5	25	22	0.81	0.3	115	0.0	0.2	45	24.5	0.0	23.4	0.0	0.0	22.9	10	10	10	10	10	10	2 567	21
14	4400	9.9	355	24	0.59	0.3	95	0.0	0.2	125	24.6	0.0	23.4	0.0	0.0	22.9	10	10	10	10	10	10	2 567	12
14	4800	9.5	205	21	0.24	0.3	125	0.0	0.1	115	24.4	0.0	23.7	0.0	0.0	22.9	10	10	10	10	10	10	2 567	3
14	5200	12.0	5	19	0.74	0.4	115	0.0	0.1	45	23.9	0.0	23.4	0.0	0.0	22.9	10	10	10	10	10	10	2 567	27
14	5600	12.0	15	14	0.24	0.3	115	0.0	0.2	45	21.2	0.0	23.9	0.0	0.0	22.4	10	10	10	10	10	10	2 567	21
14	6000	6.3	15	20	0.22	0.3	115	0.0	0.2	105	21.2	0.0	23.7	0.0	0.0	22.7	10	10	10	10	10	10	2 567	24
14	6400	8.8	245	24	0.54	0.3	115	0.0	0.1	125	21.5	0.0	23.4	0.0	0.0	22.4	10	10	10	10	10	10	2 567	22
14	6800	12.5	255	21	0.81	0.5	115	0.0	0.2	145	23.9	0.0	24.1	0.0	0.0	22.4	10	10	10	10	10	10	2 567	16
14	7200	9.0	315	22	0.71	0.5	115	0.0	0.1	75	23.6	0.0	24.2	0.0	0.0	22.9	10	10	10	10	10	10	2 567	29
14	7600	4.3	5	19	0.84	0.4	115	0.0	0.2	75	23.4	0.0	24.0	0.0	0.0	22.7	10	10	10	10	10	10	2 567	22
14	8000	8.2	45	21	0.27	0.3	115	0.0	0.2	115	21.2	0.0	23.7	0.0	0.0	22.6	10	10	10	10	10	10	2 567	9
14	8400	15.2	215	24	0.45	0.5	115	0.0	0.2	155	21.4	0.0	24.1	0.0	0.0	22.6	10	10	10	10	10	10	2 567	17
14	8800	9.6	245	21	0.67	0.5	125	0.0	0.1	75	21.9	0.0	24.1	0.0	0.0	22.7	10	10	10	10	10	10	2 567	28
14	9200	9.2	305	21	0.31	0.5	115	0.0	0.2	115	21.3	0.0	23.9	0.0	0.0	22.6	10	10	10	10	10	10	2 567	23
14	9600	3.9	345	21	0.11	0.4	115	0.0	0.2	45	21.2	0.0	23.5	0.0	0.0	22.6	10	10	10	10	10	10	2 567	24
14	10000	17.9	195	25	0.35	0.4	125	0.0	0.2	115	21.5	0.0	23.6	0.0	0.0	22.4	10	10	10	10	10	10	2 567	14
22		5.1	145	21	0.00	0.3	145	0.0	0.0	95	22.1	0.0	23.3	0.0	0.0	22.1	10	10	10	10	10	10	2 567	1

May 1967

22	2400	11.8	275	23	0.00	0.3	45	0.0	0	0.2	105	24.5	0.0	24.8	0.0	0.0	24.0	38	10	17	2	567	1
22	3200	17.1	35	14	0.42	0.2	255	0.0	0	0.0	35	23.9	0.0	24.6	0.0	0.0	23.1	38	10	17	2	567	7
22	3600	18.2	145	17	0.34	0.2	285	0.0	0	0.0	55	23.8	0.0	24.4	0.0	0.0	23.1	38	10	17	2	567	15
22	4000	18.2	5	17	0.35	0.2	255	0.0	0	0.0	75	23.6	0.0	24.2	0.0	0.0	22.8	38	10	17	2	567	3
22	4400	17.8	5	15	0.06	0.2	285	0.0	0	0.0	75	23.5	0.0	24.0	0.0	0.0	27.6	38	10	17	2	567	27
22	4800	14.9	5	15	0.90	0.3	255	0.0	0	0.0	85	23.1	0.0	23.7	0.0	0.0	22.5	38	10	17	2	567	27
22	5200	11.1	5	14	0.22	0.3	255	0.0	0	0.0	85	22.7	0.0	23.4	0.0	0.0	22.3	38	10	17	2	567	24
22	5600	10.9	5	15	0.23	0.4	245	0.0	0	0.0	105	22.7	0.0	23.2	0.0	0.0	22.2	38	10	17	2	567	24
22	6000	9.7	5	19	0.23	0.4	255	0.0	0	0.0	115	22.6	0.0	23.2	0.0	0.0	22.1	38	10	17	2	567	23
24	1600	18.0	5	17	0.25	0.2	255	0.0	0	0.0	65	23.6	0.0	24.2	0.0	0.0	22.8	38	10	17	2	567	25
24	2000	18.5	5	15	0.28	0.2	265	0.0	0	0.0	95	23.4	0.0	23.9	0.0	0.0	22.6	38	10	17	2	567	5
24	2400	14.4	5	15	0.82	0.3	255	0.0	0	0.0	95	23.1	0.0	23.8	0.0	0.0	22.5	38	10	17	2	567	27
24	2800	11.0	5	14	0.21	0.3	245	0.0	0	0.0	75	22.7	0.0	23.5	0.0	0.0	22.3	38	10	17	2	567	22
24	3200	10.5	5	15	0.17	0.4	245	0.0	0	0.0	95	22.7	0.0	23.2	0.0	0.0	22.3	38	10	17	2	567	22
24	3600	9.8	15	19	0.21	0.4	255	0.0	0	0.0	115	22.6	0.0	23.2	0.0	0.0	22.1	38	10	17	2	567	22
24	4000	8.6	5	24	0.23	0.4	255	0.0	0	0.0	115	22.9	0.0	25.3	0.0	0.0	22.1	38	10	17	2	567	3
24	4400	7.5	195	21	0.10	0.4	255	0.0	0	0.0	115	22.6	0.0	23.4	0.0	0.0	22.1	38	10	17	2	567	24
24	4800	3.3	5	20	0.24	0.3	255	0.0	0	0.0	115	22.6	0.0	23.4	0.0	0.0	22.0	38	10	17	2	567	20
24	5200	3.2	5	19	0.12	0.2	245	0.0	0	0.0	65	22.5	0.0	23.3	0.0	0.0	22.0	38	10	17	2	567	20
24	5600	1.3	145	23	0.20	0.2	245	0.0	0	0.0	165	22.6	0.0	23.3	0.0	0.0	22.2	38	10	17	2	567	23
24	6000	6.1	215	24	0.19	0.2	235	0.0	0	0.0	195	22.8	0.0	23.5	0.0	0.0	22.5	38	10	17	2	567	9
26	2000	7.8	115	23	0.20	0.4	155	0.0	0	0.0	245	23.4	0.0	23.8	0.0	0.0	22.3	38	10	17	2	567	6
26	2400	8.7	115	23	0.36	0.4	155	0.0	0	0.0	115	23.1	0.0	23.8	0.0	0.0	22.4	38	10	17	2	567	26
26	2800	9.2	125	23	0.27	0.1	155	0.0	0	0.0	175	23.2	0.0	23.5	0.0	0.0	22.3	38	10	17	2	567	26
26	3200	10.8	125	22	0.28	0.2	145	0.0	0	0.0	205	23.1	0.0	23.5	0.0	0.0	22.4	38	10	17	2	567	24
28	2400	8.0	125	24	0.32	0.2	135	0.0	0	0.0	155	23.7	0.0	23.6	0.0	0.0	21.7	38	10	17	2	567	7
28	2800	7.5	135	23	0.23	0.2	125	0.0	0	0.0	125	23.5	0.0	23.4	0.0	0.0	21.6	38	10	17	2	567	16
28	3200	8.0	125	23	0.24	0.0	135	0.0	0	0.0	175	23.5	0.0	23.2	0.0	0.0	21.4	38	10	17	2	567	17
28	4000	9.5	115	24	0.24	0.2	145	0.0	0	0.0	205	24.2	0.0	23.6	0.0	0.0	21.4	38	10	17	2	567	4
28	4800	8.7	105	23	0.32	0.2	155	0.0	0	0.0	215	23.9	0.0	24.0	0.0	0.0	21.3	38	10	17	2	567	24
28	5200	9.9	105	23	0.40	0.1	155	0.0	0	0.0	155	23.7	0.0	23.0	0.0	0.0	21.3	38	10	17	2	567	24
28	5600	6.3	95	25	0.57	0.1	115	0.0	0	0.0	195	23.5	0.0	23.2	0.0	0.0	21.2	38	10	17	2	567	25
28	6000	8.1	85	26	0.28	0.0	115	0.0	0	0.0	135	23.4	0.0	23.8	0.0	0.0	21.2	38	10	17	2	567	22
30	1600	11.1	85	25	0.31	0.1	195	0.0	0	0.0	205	23.7	0.0	23.4	0.0	0.0	21.2	38	10	17	2	567	19
30	2400	7.0	75	24	0.31	0.1	135	0.0	0	0.0	155	24.0	0.0	24.4	0.0	0.0	21.2	38	10	17	2	567	28
30	2800	5.9	75	23	0.45	0.1	295	0.0	0	0.0	235	23.9	0.0	23.9	0.0	0.0	21.2	38	10	17	2	567	3
30	3200	6.3	65	26	0.28	0.1	315	0.0	0	0.0	5	24.4	0.0	23.5	0.0	0.0	21.7	38	10	17	2	567	5
0	0	0	0	0	0.00	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	17	2	567	0
0	0	0	0	0	0.00	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	17	2	567	0

077071 STAGE 1

JUN 1967

CUNEL 000000000000000000000000000000000000

DAY	MOIR	AS	WD	AT	HL	CSS	COS	FSM	CUM	CSH	COB	WT1	WT2	WT3	WT4	WT5	WT6	U1	U2	U3	U4	U5	U6	LEV	B
1	1500	9.3	215	24	1.00	0.0	245	0.0	0	0.0	105	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1647	14
1	2000	0.0	0	0	0.00	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1647	0
1	2800	12.7	125	25	0.51	0.0	15	0.0	0	0.0	65	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1647	30
1	2800	13.1	125	28	0.71	0.0	45	0.0	0	0.0	75	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1647	23
1	3200	17.4	115	23	1.01	0.0	145	0.0	0	0.0	75	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1647	24
1	3400	9.5	95	25	0.91	0.0	275	0.0	0	0.0	75	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1647	23
1	4700	10.7	245	22	0.81	0.0	325	0.0	0	0.1	195	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1647	18
1	4800	11.0	85	22	0.00	0.0	35	0.0	0	0.1	205	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1647	1
1	4800	14.3	95	21	0.74	0.0	115	0.0	0	0.0	205	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1647	25
1	5200	14.0	95	21	0.84	0.0	185	0.0	0	0.0	205	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1647	23
1	5600	14.3	95	21	0.80	0.0	255	0.0	0	0.0	205	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1647	26
1	5800	9.6	125	24	0.60	0.0	275	0.0	0	0.0	205	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1647	24
3	1400	12.0	175	25	0.69	0.0	355	0.0	0	0.0	205	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1647	19
3	2000	0.0	0	0	0.00	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1647	0
3	2800	6.6	145	25	0.50	0.0	55	0.0	0	0.1	245	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1647	28
3	2800	8.0	105	21	0.34	0.0	85	0.0	0	0.0	245	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1647	22
3	3200	7.9	95	24	0.36	0.0	45	0.0	0	0.0	245	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1647	21
3	3600	3.7	145	25	0.44	0.0	355	0.0	0	0.1	245	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1647	24
3	4000	9.5	235	25	0.43	0.0	355	0.0	0	0.1	205	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1647	28
3	4800	4.7	305	25	0.27	0.0	15	0.0	0	0.1	225	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1647	10
3	5200	5.6	95	24	0.24	0.0	45	0.0	0	0.0	225	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1647	26
3	5600	8.1	65	23	0.44	0.0	145	0.0	0	0.0	225	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1647	22
3	6000	3.9	125	25	0.24	0.0	355	0.0	0	0.0	95	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1647	21
5	1600	9.3	95	24	0.37	0.0	355	0.0	0	0.0	145	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1647	25
5	2000	7.4	95	25	0.54	0.0	15	0.0	0	0.1	145	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1647	18
5	2400	11.6	85	24	0.52	0.0	35	0.0	0	0.0	105	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1647	5
5	2800	14.2	85	22	0.61	0.0	105	0.0	0	0.0	95	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1647	21
5	3200	14.3	85	22	0.74	0.0	225	0.0	0	0.0	145	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1647	24
5	3600	11.2	75	24	0.45	0.0	295	0.0	0	0.1	195	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1647	20
5	4000	6.9	305	24	0.31	0.0	355	0.0	0	0.0	195	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1647	18
5	4800	14.4	85	27	0.57	0.0	15	0.0	0	0.0	195	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1647	10
5	4800	13.2	75	25	0.45	0.0	45	0.0	0	0.0	215	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1647	25
5	5200	19.1	85	23	0.75	0.0	155	0.0	0	0.0	215	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1647	26
5	5600	17.6	85	22	0.54	0.0	245	0.0	0	0.0	215	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1647	18
5	6000	7.0	0	0	0.00	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1647	0
7	1500	10.4	175	25	0.55	0.0	355	0.0	0	0.2	205	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1647	21
7	2000	6.3	125	25	0.60	0.0	355	0.0	0	0.2	255	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1647	3
7	2400	5.2	45	25	0.82	0.0	35	0.0	0	0.0	255	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1647	27
7	2800	20.0	105	24	0.77	0.0	145	0.0	0	0.0	245	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1647	20
7	3200	15.2	195	23	0.63	0.0	215	0.0	0	0.0	245	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1647	21
7	3600	9.6	155	25	0.51	0.0	275	0.0	0	0.0	245	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1647	21
7	4000	10.0	185	25	0.73	0.0	335	0.0	0	0.2	245	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1647	17
7	4800	2.5	225	25	0.69	0.0	25	0.0	0	0.1	245	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1647	9

June 1967															
23	4700	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0	#3	1	667	0
23	4400	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0	#3	1	667	0
23	4900	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0	#3	1	667	0
23	5200	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0	#3	1	667	0
23	5600	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0	#3	1	667	0
23	6000	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0	#3	1	667	0
30	1600	2.9	255	0	0	0.0	0.0	0.0	0.0	0.0	0	#3	1	667	0
30	2000	6.3	255	27	0.49	0.7	55	0.0	0	0.2	115	27.7	0.0	0.0	56
30	2400	10.6	255	27	0.47	0.5	55	0.0	0	0.2	115	27.7	0.0	0.0	55
30	2800	14.0	255	27	0.44	0.6	55	0.0	0	0.1	125	27.7	0.0	0.0	57
30	3200	9.9	255	27	0.60	0.6	55	0.0	0	0.2	115	27.3	0.0	0.0	50
30	3600	12.0	255	27	0.67	0.6	75	0.0	0	0.2	125	27.6	0.0	0.0	53
0	0	0.0	0	0	0.00	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	52
0	0	0.0	0	0	0.00	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0

CUDEL: 00000000000000000000

JUN 1967

070071 STAGE 2

DAY	HOURL	WS	WD	AT	WL	CSS	CNS	CSM	CDM	CSH	COB	WT1	WT2	WT3	WT4	WT5	WT6	D1	D2	D3	D4	D5	D6	KEY	M
1	2800	10.8	55	23	0.20	0.0	235	0.0	0	0.0	75	25.5	0.0	25.4	0.0	0.0	22.1	34	10	17	2	667	3		
1	2800	10.8	35	21	0.07	0.0	85	0.0	0	0.0	205	25.5	0.0	25.2	0.0	0.0	22.3	34	10	17	2	667	2		
1	3200	11.5	35	20	0.30	0.0	315	0.0	0	0.0	285	25.0	0.0	25.8	0.0	0.0	22.2	34	10	17	2	667	4		
3	2800	6.3	25	22	0.14	0.0	15	0.0	0	0.0	5	25.0	0.0	26.2	0.0	0.0	23.6	34	10	17	2	667	2		
3	2800	6.9	35	21	0.15	0.0	45	0.0	0	0.0	195	25.6	0.0	25.3	0.0	0.0	23.2	34	10	17	2	667	3		
3	3200	6.0	35	22	0.14	0.0	115	0.0	0	0.0	215	25.4	0.0	25.9	0.0	0.0	23.3	34	10	17	2	667	5		
3	3600	3.9	45	27	0.15	0.0	75	0.0	0	0.0	215	25.8	0.0	25.8	0.0	0.0	24.4	34	10	17	2	667	26		
5	1400	6.0	45	23	0.17	0.0	125	0.0	0	0.0	205	25.9	0.0	26.3	0.0	0.0	24.7	34	10	17	2	667	17		
5	2000	7.3	25	23	0.00	0.0	385	0.0	0	0.0	295	25.8	0.0	26.3	0.0	0.0	24.7	34	10	17	2	667	2		
5	2400	9.5	35	22	0.25	0.0	25	0.0	0	0.0	325	25.8	0.0	26.4	0.0	0.0	24.8	34	10	17	2	667	29		
5	2800	14.6	25	20	0.25	0.0	55	0.0	0	0.0	175	25.8	0.0	25.8	0.0	0.0	23.8	34	10	17	2	667	26		
5	3200	14.0	25	22	0.27	0.0	85	0.0	0	0.0	295	25.5	0.0	25.7	0.0	0.0	23.6	34	10	17	2	667	28		
5	3600	8.2	25	24	0.20	0.0	55	0.0	0	0.0	235	25.4	0.0	26.0	0.0	0.0	23.6	34	10	17	2	667	23		
5	4000	11.6	5	28	0.16	0.0	115	0.0	0	0.0	205	25.8	0.0	26.1	0.0	0.0	24.7	34	10	17	2	667	15		
5	4800	9.6	25	23	0.14	0.0	75	0.0	0	0.0	285	25.6	0.0	26.3	0.0	0.0	24.7	34	10	17	2	667	27		
5	5200	13.2	25	21	0.21	0.0	45	0.0	0	0.0	75	25.4	0.0	26.3	0.0	0.0	23.9	34	10	17	2	667	25		
5	5600	12.7	35	22	0.24	0.0	25	0.0	0	0.0	75	25.6	0.0	26.2	0.0	0.0	23.9	34	10	17	2	667	26		
5	6000	11.6	35	25	0.26	0.0	295	0.0	0	0.0	165	25.6	0.0	26.0	0.0	0.0	23.8	34	10	17	2	667	22		
7	1400	9.1	75	26	0.13	0.0	295	0.0	0	0.0	195	25.8	0.0	25.9	0.0	0.0	24.4	34	10	17	2	667	17		
7	2000	3.1	55	24	0.25	0.0	205	0.0	0	0.0	245	25.8	0.0	26.3	0.0	0.0	24.0	34	10	17	2	667	4		
7	2400	4.7	5	24	0.27	0.0	275	0.0	0	0.0	255	25.4	0.0	26.3	0.0	0.0	24.6	34	10	17	2	667	23		
7	2800	14.7	35	22	0.21	0.0	355	0.0	0	0.0	155	25.4	0.0	26.3	0.0	0.0	24.5	34	10	17	2	667	19		
7	3200	11.7	35	22	0.29	0.0	15	0.0	0	0.0	215	25.3	0.0	26.0	0.0	0.0	24.6	34	10	17	2	667	24		
7	3600	7.9	75	26	0.14	0.0	25	0.0	0	0.0	135	25.8	0.0	26.1	0.0	0.0	24.4	34	10	17	2	667	22		
7	4000	9.6	45	26	0.34	0.0	185	0.0	0	0.0	135	26.1	0.0	26.5	0.0	0.0	25.5	34	10	17	2	667	18		
7	4800	7.4	5	23	0.28	0.0	75	0.0	0	0.0	205	26.0	0.0	26.6	0.0	0.0	24.4	34	10	17	2	667	29		
7	5200	13.5	45	23	0.23	0.0	75	0.0	0	0.0	295	25.8	0.0	26.4	0.0	0.0	25.2	34	10	17	2	667	23		
7	5600	9.0	75	23	0.34	0.0	85	0.0	0	0.0	215	25.9	0.0	26.5	0.0	0.0	25.6	34	10	17	2	667	27		
7	6000	7.2	145	27	0.14	0.0	95	0.0	0	0.0	215	26.0	0.0	26.5	0.0	0.0	25.7	34	10	17	2	667	22		
9	1600	7.5	135	27	0.23	0.0	135	0.0	0	0.0	205	26.6	0.0	27.1	0.0	0.0	26.2	34	10	17	2	667	19		
9	2000	5.3	205	25	0.23	0.0	115	0.0	0	0.0	205	26.2	0.0	26.8	0.0	0.0	25.5	34	10	17	2	667	4		
9	2400	4.4	45	24	0.37	0.0	45	0.0	0	0.0	265	26.3	0.0	27.0	0.0	0.0	25.6	34	10	17	2	667	28		
9	2800	8.5	45	23	0.15	0.0	95	0.0	0	0.0	285	26.3	0.0	27.1	0.0	0.0	26.1	34	10	17	2	667	23		
9	3200	8.4	55	24	0.21	0.0	85	0.0	0	0.0	285	26.2	0.0	26.9	0.0	0.0	26.0	34	10	17	2	667	27		
9	3600	5.9	145	24	0.13	0.0	95	0.0	0	0.0	205	26.7	0.0	27.1	0.0	0.0	26.1	34	10	17	2	667	23		
9	4000	6.0	45	25	0.10	0.0	125	0.0	0	0.0	225	26.8	0.0	27.3	0.0	0.0	26.1	34	10	17	2	667	20		
9	4800	5.4	55	24	0.62	0.0	115	0.0	0	0.0	235	26.6	0.0	27.1	0.0	0.0	26.2	34	10	17	2	667	27		
9	5200	7.9	55	23	0.14	0.0	105	0.0	0	0.0	245	26.4	0.0	27.2	0.0	0.0	26.2	34	10	17	2	667	24		
9	5600	9.7	45	23	0.21	0.0	125	0.0	0	0.0	225	26.3	0.0	26.9	0.0	0.0	26.1	34	10	17	2	667	24		
9	6000	7.6	135	24	0.14	0.0	135	0.0	0	0.0	205	26.9	0.0	27.2	0.0	0.0	26.2	34	10	17	2	667	22		
11	1600	9.3	125	27	0.21	0.0	115	0.0	0	0.0	215	27.0	0.0	27.6	0.0	0.0	26.8	34	10	17	2	667	10		
11	2000	5.5	45	25	0.00	0.0	115	0.0	0	0.0	25	27.0	0.0	27.6	0.0	0.0	26.7	34	10	17	2	667	1		
11	2400	6.7	55	24	0.34	0.0	95	0.0	0	0.0	245	27.0	0.0	27.6	0.0	0.0	26.7	34	10	17	2	667	21		
11	2800	8.3	45	22	0.27	0.0	45	0.0	0	0.0	225	27.0	0.0	27.6	0.0	0.0	26.6	34	10	17	2	667	12		

Jun 1967

11	3200	9.1	55	24	0.28	0.0	95	0.0	285	26.9	0.0	27.6	0.0	0.0	26.6	34	17	2	667	15
11	3600	5.1	135	29	0.34	0.0	115	0.0	205	26.5	0.0	27.4	0.0	0.0	26.4	34	17	2	667	18
11	4000	7.5	115	24	0.23	0.0	105	0.0	215	27.3	0.0	27.7	0.0	0.0	26.7	34	17	2	667	9
11	4400	2.0	145	24	0.23	0.0	105	0.0	295	27.2	0.0	27.8	0.0	0.0	27.0	34	17	2	667	9
11	4800	5.4	15	25	0.35	0.0	75	0.0	235	27.2	0.0	27.7	0.0	0.0	26.7	34	17	2	667	21
11	5200	12.3	55	23	0.28	0.0	75	0.0	235	27.2	0.0	27.8	0.0	0.0	26.6	34	17	2	667	11
11	5600	6.2	45	25	0.33	0.0	55	0.0	5	27.2	0.0	27.8	0.0	0.0	26.1	34	17	2	667	18
11	6000	3.7	15	40	0.33	0.0	75	0.0	295	26.3	0.0	27.9	0.0	0.0	25.9	34	17	2	667	10
13	1600	9.9	145	27	0.31	0.0	75	0.0	205	27.7	0.0	28.1	0.0	0.0	25.7	34	17	2	667	23
13	2000	3.5	165	27	0.00	0.0	45	0.0	115	27.6	0.0	28.2	0.0	0.0	25.7	34	17	2	667	1
13	2400	10.2	45	26	0.63	0.0	85	0.0	35	27.4	0.0	27.7	0.0	0.0	25.7	34	17	2	667	28
13	2800	10.2	45	23	0.19	0.0	45	0.0	65	27.2	0.0	27.7	0.0	0.0	25.7	34	17	2	667	25
13	3200	11.9	45	24	0.29	0.0	45	0.0	345	27.3	0.0	27.7	0.0	0.0	25.6	34	17	2	667	24
13	3600	7.5	65	24	0.25	0.0	55	0.0	235	27.3	0.0	27.9	0.0	0.0	25.6	34	17	2	667	20
13	4000	4.1	135	27	0.34	0.0	105	0.0	205	27.5	0.0	28.1	0.0	0.0	25.7	34	17	2	667	24
13	4400	4.9	175	26	0.17	0.0	85	0.0	205	27.7	0.0	28.1	0.0	0.0	25.7	34	17	2	667	4
13	4800	5.4	225	24	0.47	0.0	95	0.0	205	27.5	0.0	27.9	0.0	0.0	25.6	34	17	2	667	28
13	5200	9.0	35	22	0.21	0.0	35	0.0	205	27.4	0.0	27.8	0.0	0.0	25.6	34	17	2	667	23
13	5600	9.6	35	22	0.27	0.0	305	0.0	55	27.4	0.0	27.6	0.0	0.0	25.6	34	17	2	667	25
13	6000	12.6	5	24	0.14	0.0	275	0.0	65	27.5	0.0	27.2	0.0	0.0	25.8	34	17	2	667	21
15	1600	13.9	45	24	0.19	0.0	275	0.0	115	27.6	0.0	27.6	0.0	0.0	25.6	34	17	2	667	14
15	2000	11.8	35	24	0.09	0.0	275	0.0	155	27.6	0.0	26.7	0.0	0.0	25.4	34	17	2	667	4
15	2400	15.7	55	23	0.26	0.0	305	0.0	155	27.4	0.0	27.6	0.0	0.0	25.4	34	17	2	667	26
15	2800	15.3	55	22	0.32	0.0	295	0.0	155	27.3	0.0	27.4	0.0	0.0	25.3	34	17	2	667	21
15	3200	13.3	45	22	0.28	0.0	355	0.0	155	27.1	0.0	27.6	0.0	0.0	25.5	34	17	2	667	26
15	3600	5.1	45	27	0.39	0.0	15	0.0	155	27.5	0.0	27.8	0.0	0.0	25.6	34	17	2	667	22
15	4000	4.4	225	22	0.29	0.0	45	0.0	155	27.4	0.0	28.1	0.0	0.0	25.6	34	17	2	667	18
15	4400	4.1	5	23	0.34	0.0	15	0.0	155	27.2	0.0	27.9	0.0	0.0	25.5	34	17	2	667	13
15	4800	6.6	75	23	0.29	0.0	5	0.0	155	27.1	0.0	27.8	0.0	0.0	25.5	34	17	2	667	25
15	5200	6.2	45	23	0.21	0.0	355	0.0	155	27.1	0.0	27.7	0.0	0.0	25.3	34	17	2	667	19
15	5600	9.3	55	24	0.24	0.0	315	0.0	5	27.1	0.0	27.6	0.0	0.0	25.8	34	17	2	667	25
15	6000	5.1	15	40	0.33	0.0	255	0.0	285	27.3	0.0	27.9	0.0	0.0	25.5	34	17	2	667	25
17	1600	10.4	115	27	0.34	0.0	195	0.0	165	27.2	0.0	27.8	0.0	0.0	25.5	34	17	2	667	23
17	2000	7.6	105	26	0.64	0.0	145	0.0	215	27.1	0.0	27.9	0.0	0.0	25.6	34	17	2	667	2
17	2400	3.1	215	25	0.62	0.0	135	0.0	175	27.1	0.0	27.6	0.0	0.0	26.2	34	17	2	667	27
17	2800	4.8	5	24	0.42	0.0	145	0.0	215	26.8	0.0	27.6	0.0	0.0	25.9	34	17	2	667	21
17	3200	5.4	5	27	0.34	0.0	95	0.0	215	26.9	0.0	27.6	0.0	0.0	26.7	34	17	2	667	23
17	3600	8.6	145	27	0.59	0.0	75	0.0	195	27.2	0.0	27.7	0.0	0.0	26.8	34	17	2	667	24
17	4000	12.2	155	27	0.56	0.0	115	0.0	205	27.4	0.0	27.8	0.0	0.0	26.7	34	17	2	667	22
17	4400	8.3	145	24	0.37	0.0	315	0.0	205	27.2	0.0	27.8	0.0	0.0	26.8	34	17	2	667	9
17	4800	4.7	145	24	0.45	0.0	245	0.0	5	27.0	0.0	27.8	0.0	0.0	26.7	34	17	2	667	27
17	5200	10.5	145	26	0.40	0.0	335	0.0	265	27.1	0.0	27.8	0.0	0.0	26.7	34	17	2	667	23
17	5600	10.7	145	26	0.49	0.0	335	0.0	185	27.4	0.0	28.1	0.0	0.0	26.8	34	17	2	667	25
17	6000	12.2	165	27	0.44	0.0	305	0.0	185	27.6	0.0	28.1	0.0	0.0	26.8	34	17	2	667	22
19	1600	9.9	235	24	0.32	0.0	305	0.0	105	27.5	0.0	28.1	0.0	0.0	26.7	34	17	2	667	21
19	2000	8.0	305	27	0.30	0.0	245	0.0	125	27.5	0.0	27.8	0.0	0.0	26.3	34	17	2	667	7
19	2400	11.4	195	26	0.24	0.0	275	0.0	125	27.4	0.0	27.6	0.0	0.0	26.1	34	17	2	667	31

Jun 1967

19	2900	15.5	205	26	0.52	0.0	275	0.0	275	0.0	0.0	125	27.4	0.0	27.6	0.0	0.0	26.0	34	10	17	2	667	25
19	3200	9.2	215	26	0.44	0.0	275	0.0	275	0.0	0.0	125	27.2	0.0	27.8	0.0	0.0	25.6	36	10	17	2	667	24
19	3600	10.8	175	28	0.33	0.0	295	0.0	295	0.0	0.0	125	27.3	0.0	27.6	0.0	0.0	25.4	36	10	17	2	667	22
19	4000	15.2	205	27	0.46	0.0	285	0.0	285	0.0	0.0	125	27.3	0.0	27.4	0.0	0.0	25.5	36	10	17	2	667	24
19	4400	9.4	195	27	0.23	0.0	285	0.0	285	0.0	0.0	125	27.1	0.0	27.6	0.0	0.0	25.3	36	10	17	2	667	4
19	4800	8.1	205	27	0.37	0.0	275	0.0	275	0.0	0.0	125	26.9	0.0	27.0	0.0	0.0	25.2	36	10	17	2	667	28
19	5200	8.9	195	26	0.35	0.0	275	0.0	275	0.0	0.0	125	26.8	0.0	27.1	0.0	0.0	24.8	36	10	17	2	667	25
19	5600	9.2	185	27	0.41	0.0	275	0.0	275	0.0	0.0	125	26.6	0.0	26.8	0.0	0.0	24.2	36	10	17	2	667	21
19	6000	10.5	235	28	3.92	0.0	285	0.0	285	0.0	0.0	125	26.9	0.0	26.5	0.0	0.0	23.7	36	10	17	2	667	26
21	1400	13.6	235	27	0.49	0.0	275	0.0	275	0.0	0.0	125	27.0	0.0	26.7	0.0	0.0	23.7	36	10	17	2	667	23
21	2400	13.3	235	26	0.77	0.1	275	0.0	275	0.0	0.0	125	26.0	0.0	26.6	0.0	0.0	23.7	36	10	17	2	667	29
21	2800	12.2	235	26	0.49	0.0	275	0.0	275	0.0	0.0	125	26.4	0.0	25.9	0.0	0.0	23.4	36	10	17	2	667	26
21	3200	11.7	255	26	0.38	0.0	275	0.0	275	0.0	0.0	125	26.2	0.0	26.1	0.0	0.0	23.3	36	10	17	2	667	30
21	3600	15.4	245	25	0.44	0.0	265	0.0	265	0.0	0.0	125	26.2	0.0	26.2	0.0	0.0	23.0	36	10	17	2	667	25
21	4000	15.6	235	27	0.54	0.0	255	0.0	255	0.0	0.0	125	26.0	0.0	26.2	0.0	0.0	23.0	36	10	17	2	667	26
21	4800	12.7	245	26	0.57	0.0	245	0.0	245	0.0	0.0	125	25.9	0.0	26.2	0.0	0.0	22.8	36	10	17	2	667	26
21	5200	9.9	255	26	0.34	0.0	245	0.0	245	0.0	0.0	125	25.9	0.0	25.9	0.0	0.0	22.8	36	10	17	2	667	21
21	5600	9.4	255	26	0.53	0.0	245	0.0	245	0.0	0.0	125	25.4	0.0	25.7	0.0	0.0	22.4	36	10	17	2	667	27
21	6200	14.3	175	27	0.05	0.0	5	0.0	5	0.0	0.0	5	25.8	0.0	25.8	0.0	0.0	22.3	36	10	17	2	667	25
23	1400	16.1	165	27	0.04	0.0	5	0.0	5	0.0	0.0	5	25.6	0.0	25.7	0.0	0.0	22.3	36	10	17	2	667	20
23	2000	7.4	155	26	0.04	0.0	5	0.0	5	0.0	0.0	5	25.5	0.0	25.6	0.0	0.0	22.3	36	10	17	2	667	8
23	2400	8.8	165	26	0.04	0.0	5	0.0	5	0.0	0.0	5	25.5	0.0	25.2	0.0	0.0	22.2	36	10	17	2	667	31
23	2900	9.8	165	26	0.04	0.0	5	0.0	5	0.0	0.0	5	24.5	0.0	24.3	0.0	0.0	22.1	36	10	17	2	667	5
26	300	4.6	185	28	0.04	0.0	5	0.0	5	0.0	0.0	5	25.8	0.0	23.9	0.0	0.0	21.7	36	10	17	2	667	19
27	1400	2.4	145	38	0.31	0.0	5	0.0	5	0.0	0.0	5	26.3	0.0	23.3	0.0	0.0	21.8	36	10	17	2	667	22
27	2400	5.9	195	26	0.31	0.0	5	0.0	5	0.0	0.0	5	26.2	0.0	23.4	0.0	0.0	21.9	36	10	17	2	667	7
27	2800	6.9	195	26	0.44	0.0	5	0.0	5	0.0	0.0	5	26.5	0.0	23.5	0.0	0.0	21.8	36	10	17	2	667	29
27	3200	4.4	255	26	0.40	0.0	5	0.0	5	0.0	0.0	5	26.6	0.0	23.1	0.0	0.0	21.7	36	10	17	2	667	26
27	3600	5.8	205	29	0.35	0.0	5	0.0	5	0.0	0.0	265	27.1	0.0	23.5	0.0	0.0	21.9	36	10	17	2	667	18
27	4000	8.0	225	28	0.47	0.0	5	0.0	5	0.0	0.0	235	27.1	0.0	23.5	0.0	0.0	22.3	36	10	17	2	667	20
27	4800	8.3	105	25	0.50	0.0	5	0.0	5	0.0	0.0	15	26.7	0.0	23.2	0.0	0.0	21.9	36	10	17	2	667	30
27	5200	5.9	205	26	0.44	0.0	5	0.0	5	0.0	0.0	15	25.9	0.0	23.0	0.0	0.0	21.8	36	10	17	2	667	28
27	5600	8.1	215	28	0.44	0.0	5	0.0	5	0.0	0.0	265	26.8	0.0	23.5	0.0	0.0	22.2	36	10	17	2	667	28
29	1400	8.6	225	28	0.59	0.0	5	0.0	5	0.0	0.0	255	26.7	0.0	23.3	0.0	0.0	22.2	36	10	17	2	667	10
29	2200	7.0	215	27	0.32	0.0	5	0.0	5	0.0	0.0	245	26.4	0.0	23.3	0.0	0.0	22.1	36	10	17	2	667	5
29	2400	6.3	215	26	0.35	0.0	5	0.0	5	0.0	0.0	245	26.9	0.0	23.3	0.0	0.0	22.1	36	10	17	2	667	8
29	2900	6.7	215	26	0.70	0.0	5	0.0	5	0.0	0.0	245	26.8	0.0	23.3	0.0	0.0	22.0	36	10	17	2	667	7
29	3200	9.4	235	27	0.34	0.0	5	0.0	5	0.0	0.0	245	26.8	0.0	23.1	0.0	0.0	22.0	36	10	17	2	667	9
29	3600	7.2	245	25	1.90	0.2	185	0.0	185	0.0	0.1	115	26.7	0.0	23.3	0.0	0.0	21.4	36	10	17	2	667	15
29	4000	5.0	255	27	0.29	0.0	45	0.0	45	0.0	0.2	105	27.3	0.0	23.1	0.0	0.0	20.8	36	10	17	2	667	3
29	4800	5.4	175	26	0.40	0.0	95	0.0	95	0.0	0.3	135	25.7	0.0	22.9	0.0	0.0	20.3	36	10	17	2	667	6
29	5200	10.3	225	27	2.80	0.3	205	0.0	205	0.0	0.2	135	25.1	0.0	20.2	0.0	0.0	20.0	36	10	17	2	667	4
29	5600	6.7	215	27	0.69	0.4	155	0.0	155	0.0	0.1	135	25.0	0.0	22.9	0.0	0.0	19.9	36	10	17	2	667	10
0	0	0.0	0	0	0.00	0.0	0	0.0	0	0.0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0	0	0

077071 STAGE 1

JUL 1967

CODE: 0000000000000000

MAY HOUR	MS	WD	AT	WL	CS5	CNS	CSM	CDM	CSH	GDH	WT1	WT2	WT3	WT4	WT5	WT6	D1	D2	D3	U4	D5	D6	KEY	N	
1	1400	14.1	255	28	0.70	0.5	75	0.0	0	0.2	135	27.4	0.0	0.0	0.0	0.0	0.0	0.1				08	1	747	60
1	2000	9.2	255	29	0.69	0.4	75	0.0	0	0.2	145	27.5	0.0	0.0	0.0	0.0	0.0	0.1				03	1	747	54
1	2400	12.0	255	27	0.62	0.4	85	0.0	0	0.2	115	27.4	0.0	0.0	0.0	0.0	0.0	0.1				03	1	747	58
1	3200	8.0	255	27	0.72	0.5	75	0.0	0	0.2	115	27.5	0.0	0.0	0.0	0.0	0.0	0.1				03	1	747	50
1	3600	12.3	255	27	0.59	0.5	75	0.0	0	0.2	125	27.4	0.0	0.0	0.0	0.0	0.0	0.1				03	1	747	50
1	4000	9.0	255	27	0.70	0.4	75	0.0	0	0.1	145	27.6	0.0	0.0	0.0	0.0	0.0	0.1				03	1	747	53
1	4400	17.0	255	27	0.87	0.4	85	0.0	0	0.1	125	28.0	0.0	0.0	0.0	0.0	0.0	0.1				03	1	747	59
1	4800	5.9	245	25	0.79	0.4	75	0.0	0	0.2	105	27.5	0.0	0.0	0.0	0.0	0.0	0.1				03	1	747	57
1	4900	6.9	245	25	0.49	0.5	115	0.0	0	0.2	115	27.3	0.0	0.0	0.0	0.0	0.0	0.1				03	1	747	55
1	5200	13.2	245	27	0.57	0.3	355	0.0	0	0.2	155	27.4	0.0	0.0	0.0	0.0	0.0	0.1				03	1	747	56
1	5600	14.5	245	23	0.73	0.4	355	0.0	0	0.2	155	27.2	0.0	0.0	0.0	0.0	0.0	0.1				03	1	747	57
1	6000	8.5	245	25	0.82	0.7	85	0.0	0	0.1	125	27.0	0.0	0.0	0.0	0.0	0.0	0.1				03	1	747	59
3	1600	10.4	245	27	0.74	0.7	85	0.0	0	0.1	105	27.1	0.0	0.0	0.0	0.0	0.0	0.1				03	1	747	54
3	2000	4.4	245	27	0.62	0.4	125	0.0	0	0.2	115	27.1	0.0	0.0	0.0	0.0	0.0	0.1				03	1	747	54
3	2400	4.6	245	24	0.52	0.2	135	0.0	0	0.2	125	27.2	0.0	0.0	0.0	0.0	0.0	0.1				03	1	747	53
3	2800	9.1	245	25	0.54	0.4	85	0.0	0	0.2	145	27.0	0.0	0.0	0.0	0.0	0.0	0.1				03	1	747	51
3	3200	9.5	245	25	0.39	0.5	55	0.0	0	0.2	135	27.1	0.0	0.0	0.0	0.0	0.0	0.1				03	1	747	53
3	3600	2.2	245	27	0.32	0.7	55	0.0	0	0.2	135	14.6	0.0	0.0	0.0	0.0	0.0	0.1				03	1	747	53
3	4000	4.9	245	27	0.32	0.5	75	0.0	0	0.1	125	27.9	0.0	0.0	0.0	0.0	0.0	0.1				03	1	747	57
3	4400	4.7	245	27	0.27	0.4	85	0.0	0	0.1	115	27.4	0.0	0.0	0.0	0.0	0.0	0.1				03	1	747	56
3	4900	5.4	245	26	0.21	0.4	75	0.0	0	0.1	115	27.1	0.0	0.0	0.0	0.0	0.0	0.1				03	1	747	55
3	5200	6.7	245	25	0.34	0.2	85	0.0	0	0.2	115	24.9	0.0	0.0	0.0	0.0	0.0	0.1				03	1	747	53
3	5400	12.2	245	25	0.52	0.4	75	0.0	0	0.1	115	24.8	0.0	0.0	0.0	0.0	0.0	0.1				03	1	747	52
3	6000	10.1	245	27	0.48	0.4	75	0.0	0	0.1	145	24.7	0.0	0.0	0.0	0.0	0.0	0.1				03	1	747	54
5	1500	4.4	245	27	0.33	0.6	85	0.0	0	0.1	145	3.3	0.0	0.0	0.0	0.0	0.0	0.1				03	1	747	52
5	2000	5.6	245	27	0.37	0.4	85	0.0	0	0.1	105	4.7	0.0	0.0	0.0	0.0	0.0	0.1				03	1	747	36
5	2400	2.2	245	27	0.27	1.3	85	0.0	0	0.1	5	5.4	0.0	0.0	0.0	0.0	0.0	0.1				03	1	747	75
5	2900	4.0	245	24	0.30	0.4	85	0.0	0	0.1	95	7.4	0.0	0.0	0.0	0.0	0.0	0.1				03	1	747	47
5	3200	4.0	245	25	0.30	0.5	125	0.0	0	0.1	155	24.1	0.0	0.0	0.0	0.0	0.0	0.1				03	1	747	45
5	3400	6.7	245	27	0.57	0.3	95	0.0	0	0.2	205	24.3	0.0	0.0	0.0	0.0	0.0	0.1				03	1	747	43
5	4000	0.0	0	0	0.00	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.1				03	1	747	0
5	4400	0.0	0	0	0.00	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.1				03	1	747	0
5	4900	0.0	0	0	0.00	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.1				03	1	747	0
5	5200	0.0	0	0	0.00	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.1				03	1	747	0
5	5400	0.0	0	0	0.00	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.1				03	1	747	0
5	6000	0.0	0	0	0.00	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.1				03	1	747	0
7	1400	7.2	245	24	0.45	0.4	115	0.0	0	0.2	235	20.7	0.0	0.0	0.0	0.0	0.0	0.1				08	1	747	52
7	2000	4.1	245	24	0.44	0.7	115	0.0	0	0.1	245	20.5	0.0	0.0	0.0	0.0	0.0	0.1				08	1	747	51
7	2400	6.0	245	24	0.54	0.9	115	0.0	0	0.1	245	20.7	0.0	0.0	0.0	0.0	0.0	0.1				08	1	747	48
7	2900	6.0	245	24	0.42	0.7	125	0.0	0	0.1	265	20.1	0.0	0.0	0.0	0.0	0.0	0.1				04	1	747	47
7	3200	6.4	245	24	0.54	0.2	155	0.0	0	0.1	245	20.4	0.0	0.0	0.0	0.0	0.0	0.1				08	1	747	46
7	3400	6.2	245	27	0.34	0.1	145	0.0	0	0.1	255	20.4	0.0	0.0	0.0	0.0	0.0	0.1				08	1	747	51
7	4000	6.0	245	27	0.54	0.5	145	0.0	0	0.0	255	30.0	0.0	0.0	0.0	0.0	0.0	0.1				08	1	747	54
7	4400	9.7	245	27	0.60	0.7	145	0.0	0	0.1	255	20.7	0.0	0.0	0.0	0.0	0.0	0.1				08	1	747	49

Jul 1967

15	4400	6.0	245	25	0.33	6.5	15	0.0	0	0.0	105	27.1	0.0	0.0	0.0	0.0	0.0	21.8	#1	08	1	767	52
15	4800	1.7	245	24	0.35	5.8	75	0.0	0	0.0	85	27.0	0.0	0.0	0.0	0.0	0.0	22.1	#1	08	1	767	48
15	5200	3.2	245	25	0.32	2.3	135	0.0	0	0.0	135	27.2	0.0	0.0	0.0	0.0	0.0	21.9	#1	08	1	767	49
15	5600	9.1	245	23	0.41	2.4	225	0.0	0	0.0	125	27.3	0.0	0.0	0.0	0.0	0.0	22.4	#1	08	1	767	49
15	6000	14.2	245	24	0.51	1.8	305	0.0	0	0.0	115	26.9	0.0	0.0	0.0	0.0	0.0	22.3	#1	08	1	767	52
17	1600	7.5	245	24	0.43	1.8	355	0.0	0	0.0	95	26.6	0.0	0.0	0.0	0.0	0.0	0.0	#1	#3	1	767	45
17	2000	11.5	245	24	0.50	1.3	55	0.0	0	0.0	95	26.6	0.0	0.0	0.0	0.0	0.0	0.0	#1	#3	1	767	46
17	2400	5.9	245	24	0.59	1.4	125	0.0	0	0.0	85	26.7	0.0	0.0	0.0	0.0	0.0	0.0	#1	#3	1	767	44
17	2800	6.3	245	24	0.41	1.4	195	0.0	0	0.1	145	26.7	0.0	0.0	0.0	0.0	0.0	0.0	#1	#3	1	767	44
17	3200	9.3	245	23	0.43	1.3	335	0.0	0	0.0	165	26.3	0.0	0.0	0.0	0.0	0.0	0.0	#1	#3	1	767	42
17	3600	4.8	245	25	1.87	1.2	325	0.0	0	0.0	75	27.3	0.0	0.0	0.0	0.0	0.0	0.0	#1	#3	1	767	49
17	4000	11.7	245	25	0.51	1.3	25	0.0	0	0.0	95	27.3	0.0	0.0	0.0	0.0	0.0	0.0	#1	#3	1	767	51
17	4400	6.8	245	25	1.34	1.3	295	0.0	0	0.0	115	26.9	0.0	0.0	0.0	0.0	0.0	0.0	#1	#3	1	767	48
17	4800	4.7	245	25	0.62	1.3	215	0.0	0	0.1	175	26.7	0.0	0.0	0.0	0.0	0.0	0.0	#1	#3	1	767	46
17	5200	5.0	245	25	0.55	1.3	195	0.0	0	0.1	175	26.7	0.0	0.0	0.0	0.0	0.0	0.0	#1	#3	1	767	44
17	5600	0.0	0	0	0.00	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	#1	#3	1	767	0
17	6000	0.0	0	0	0.00	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	#1	#3	1	767	0
0	0	0.0	0	0	0.00	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	#1	0	0	0	0

CUDE: 00000000000000000000

JUL 1967

070071 STAGE 2

DAY	HOUR	MS	WD	AT	WL	CSS	CDS	CSW	CDM	CSB	COB	WT1	WT2	WT3	WT4	WTS	WT6	O1	O2	O3	O4	O5	O6	KEY	M
1	1600	11.4	225	28	1.07	0.3	225	0.0	0	0.4	125	26.7	0.0	23.2	0.0	0.0	19.7	34	10	17	2	767	23		
1	2000	4.9	235	27	0.40	0.2	145	0.0	0	0.3	125	25.3	0.0	23.0	0.0	0.0	19.5	34	10	17	2	767	23		
1	2400	4.6	245	24	0.56	0.2	145	0.0	0	0.1	125	26.5	0.0	22.5	0.0	0.0	19.2	34	10	17	2	767	26		
1	3200	10.7	195	24	0.70	0.3	135	0.0	0	0.1	135	26.6	0.0	22.5	0.0	0.0	19.2	34	10	17	2	767	26		
1	3600	10.6	245	27	0.84	0.3	145	0.0	0	0.5	145	24.6	0.0	22.8	0.0	0.0	19.2	34	10	17	2	767	21		
1	4400	7.1	65	23	0.45	0.5	145	0.0	0	0.6	95	23.2	0.0	25.5	0.0	0.0	19.1	34	10	17	2	767	3		
1	4800	8.9	145	24	0.67	0.5	115	0.0	0	0.2	145	21.0	0.0	22.2	0.0	0.0	19.1	34	10	17	2	767	20		
1	5200	10.0	195	25	0.69	0.3	145	0.0	0	0.1	145	21.6	0.0	21.8	0.0	0.0	19.0	34	10	17	2	767	24		
1	5600	11.9	225	24	0.60	0.4	155	0.0	0	0.1	95	22.1	0.0	21.0	0.0	0.0	19.0	34	10	17	2	767	25		
3	1600	6.6	275	25	0.90	0.3	175	0.0	0	0.2	105	27.2	0.0	22.1	0.0	0.0	19.0	34	10	17	2	767	24		
3	2000	5.8	185	25	0.60	0.3	125	0.0	0	0.4	145	22.2	0.0	22.1	0.0	0.0	19.0	34	10	17	2	767	12		
3	2400	5.1	245	24	0.64	0.4	125	0.0	0	0.5	115	21.2	0.0	20.4	0.0	0.0	19.0	34	10	17	2	767	27		
3	2800	6.9	5	24	0.51	0.4	135	0.0	0	0.2	135	21.0	0.0	19.7	0.0	0.0	19.0	34	10	17	2	767	22		
3	3200	6.3	55	26	0.41	0.3	135	0.0	0	0.2	135	21.1	0.0	19.4	0.0	0.0	18.9	34	10	17	2	767	24		
3	3600	3.5	35	35	0.39	0.2	155	0.0	0	0.2	135	21.6	0.0	19.6	0.0	0.0	19.0	34	10	17	2	767	23		
3	4000	10.7	275	27	0.37	0.2	105	0.0	0	0.1	145	23.1	0.0	20.8	0.0	0.0	19.0	34	10	17	2	767	23		
3	4400	9.0	275	27	0.18	0.2	65	0.0	0	0.1	135	22.6	0.0	24.7	0.0	0.0	19.1	34	10	17	2	767	4		
3	4800	4.6	45	25	0.32	0.2	85	0.0	0	0.1	135	21.3	0.0	20.0	0.0	0.0	19.0	34	10	17	2	767	26		
3	5200	8.3	55	24	0.29	0.3	115	0.0	0	0.1	145	19.3	0.0	19.4	0.0	0.0	19.0	34	10	17	2	767	20		
3	5600	11.0	75	25	0.37	0.4	125	0.0	0	0.0	145	19.6	0.0	21.5	0.0	0.0	19.1	34	10	17	2	767	24		
5	1600	4.5	175	24	0.30	0.6	55	0.0	0	0.4	155	22.3	0.0	21.4	0.0	0.0	19.1	34	10	17	2	767	25		
5	2000	4.5	165	25	0.57	0.3	85	0.0	0	0.2	135	21.6	0.0	20.7	0.0	0.0	19.1	34	10	17	2	767	16		
5	2400	9.1	105	24	0.25	0.4	105	0.0	0	0.0	135	20.7	0.0	19.8	0.0	0.0	19.1	34	10	17	2	767	25		
5	3200	3.9	95	25	0.29	0.4	135	0.0	0	0.1	135	20.8	0.0	20.1	0.0	0.0	19.1	34	10	17	2	767	23		
5	3600	5.9	165	24	0.32	0.3	5	0.0	0	0.1	135	21.4	0.0	19.9	0.0	0.0	19.2	34	10	17	2	767	22		
5	4000	5.3	175	29	0.27	0.4	5	0.0	0	0.2	135	22.7	0.0	19.9	0.0	0.0	19.2	34	10	17	2	767	23		
5	4400	4.3	195	26	0.00	0.2	5	0.0	0	0.1	125	22.4	0.0	20.4	0.0	0.0	19.5	34	10	17	2	767	1		
5	4800	5.4	135	25	0.35	0.4	5	0.0	0	0.4	125	22.4	0.0	23.9	0.0	0.0	19.2	34	10	17	2	767	27		
5	5200	6.0	115	25	0.24	0.2	5	0.0	0	0.1	125	21.7	0.0	24.5	0.0	0.0	19.3	34	10	17	2	767	25		
5	5600	6.7	105	25	0.29	0.3	5	0.0	0	0.1	125	22.7	0.0	22.1	0.0	0.0	19.5	34	10	17	2	767	26		
7	1600	6.0	145	29	0.34	1.3	5	0.0	0	0.5	125	24.2	0.0	24.4	0.0	0.0	19.4	34	10	17	2	767	24		
7	2000	6.7	145	26	0.44	0.5	5	0.0	0	0.4	125	23.4	0.0	25.2	0.0	0.0	19.5	34	10	17	2	767	23		
7	2400	6.4	145	26	0.37	0.4	5	0.0	0	0.5	155	23.7	0.0	25.1	0.0	0.0	20.0	34	10	17	2	767	21		
7	3200	4.9	145	25	0.32	0.7	5	0.0	0	0.6	155	22.6	0.0	25.4	0.0	0.0	20.0	34	10	17	2	767	19		
7	3600	6.7	155	29	0.24	0.4	5	0.0	0	0.9	155	23.4	0.0	26.1	0.0	0.0	20.6	34	10	17	2	767	18		
7	4000	12.2	135	25	0.52	0.2	5	0.0	0	0.0	155	23.9	0.0	26.1	0.0	0.0	22.1	34	10	17	2	767	21		
7	2000	3.4	35	25	0.24	0.0	5	0.0	0	0.0	105	23.5	0.0	25.4	0.0	0.0	22.0	34	10	17	2	767	23		
7	2400	3.1	55	26	0.24	0.1	5	0.0	0	0.0	265	23.4	0.0	24.4	0.0	0.0	22.0	34	10	17	2	767	9		
7	2800	1.9	5	25	0.16	0.1	5	0.0	0	0.0	255	23.2	0.0	26.0	0.0	0.0	22.3	34	10	17	2	767	23		
7	3200	4.5	5	25	0.31	0.2	5	0.0	0	0.0	205	23.2	0.0	27.2	0.0	0.0	22.2	34	10	17	2	767	22		
7	3600	3.0	15	24	0.19	0.2	5	0.0	0	0.0	305	23.9	0.0	26.9	0.0	0.0	22.5	34	10	17	2	767	21		
7	4000	6.8	155	29	0.44	1.1	5	0.0	0	0.6	115	24.3	0.0	27.4	0.0	0.0	21.9	34	10	17	2	767	20		

Jul 1967

7	4400	9.1	135	9.1	32	0.9	5	0.0	0	0.6	105	24.0	0.0	26.7	0.0	0.0	22.4	34	10	17	2	747	4
7	4800	4.6	145	26	0.37	0.9	5	0.0	0	1.0	105	24.1	0.0	27.4	0.0	0.0	22.0	34	10	17	2	767	22
7	5200	9.7	125	25	0.45	0.8	5	0.0	0	0.3	105	23.9	0.0	27.5	0.0	0.0	21.8	34	10	17	2	767	21
7	5600	8.3	65	23	0.52	0.9	5	0.0	0	0.9	105	23.4	0.0	26.6	0.0	0.0	24.9	34	10	17	2	747	20
9	1500	3.5	215	26	0.72	1.0	5	0.0	0	1.1	185	24.5	0.0	28.0	0.0	0.0	26.5	34	10	17	2	767	21
9	2400	7.6	145	26	0.71	0.6	5	0.0	0	0.5	75	24.1	0.0	27.8	0.0	0.0	25.1	34	10	17	2	767	21
9	2800	10.2	125	22	0.52	0.6	5	0.0	0	0.1	55	24.2	0.0	27.8	0.0	0.0	24.5	34	10	17	2	767	24
9	3200	7.0	125	27	0.44	0.5	5	0.0	0	0.1	55	23.9	0.0	27.5	0.0	0.0	26.7	34	10	17	2	747	2
9	3600	6.4	195	30	0.44	0.5	5	0.0	0	0.1	305	24.8	0.0	27.9	0.0	0.0	26.9	34	10	17	2	767	4
11	1600	8.6	195	29	0.74	0.4	5	0.0	0	0.2	305	25.7	0.0	28.0	0.0	0.0	27.1	34	10	17	2	767	12
11	2000	9.8	205	27	0.34	0.5	5	0.0	0	0.2	145	25.5	0.0	28.3	0.0	0.0	27.2	34	10	17	2	747	7
11	2400	9.9	215	27	0.44	0.5	5	0.0	0	0.5	225	24.9	0.0	28.2	0.0	0.0	27.0	34	10	17	2	767	27
11	2800	6.7	235	27	0.45	0.4	5	0.0	0	0.4	255	24.6	0.0	28.2	0.0	0.0	27.0	34	10	17	2	767	25
11	3200	6.6	255	27	0.49	0.3	5	0.0	0	0.0	265	24.6	0.0	28.3	0.0	0.0	27.3	34	10	17	2	747	25
11	3600	4.4	145	29	0.42	0.3	5	0.0	0	0.0	265	25.0	0.0	28.4	0.0	0.0	27.4	34	10	17	2	767	24
11	4000	11.8	205	29	0.63	0.2	5	0.0	0	0.2	175	25.2	0.0	28.3	0.0	0.0	26.2	34	10	17	2	767	22
11	4800	12.7	235	28	0.74	0.3	5	0.0	0	0.3	175	24.6	0.0	28.5	0.0	0.0	26.1	34	10	17	2	767	29
11	5200	13.7	225	27	0.64	0.3	5	0.0	0	0.0	115	24.3	0.0	28.6	0.0	0.0	25.5	34	10	17	2	767	22
11	5600	8.4	255	27	0.65	0.3	5	0.0	0	0.1	55	24.2	0.0	28.5	0.0	0.0	26.4	34	10	17	2	747	25
13	1600	15.8	225	28	0.69	0.3	125	0.0	0	0.4	95	25.0	0.0	28.8	0.0	0.0	24.0	34	10	17	2	767	19
13	2400	16.0	235	27	1.29	0.5	125	0.0	0	0.1	195	24.0	0.0	28.3	0.0	0.0	23.9	34	10	17	2	767	24
13	2800	14.6	265	26	1.11	0.5	125	0.0	0	0.2	35	23.9	0.0	28.2	0.0	0.0	23.6	34	10	17	2	767	21
13	3200	4.9	245	25	0.84	0.5	135	0.0	0	0.2	95	23.7	0.0	28.1	0.0	0.0	22.7	34	10	17	2	767	20
13	3600	9.0	25	21	0.75	0.3	115	0.0	0	0.1	75	23.6	0.0	26.3	0.0	0.0	21.1	34	10	17	2	767	21
13	4000	2.4	255	25	0.56	0.3	115	0.0	0	0.1	165	23.7	0.0	26.4	0.0	0.0	21.0	34	10	17	2	767	22
13	4400	10.5	305	24	0.92	0.4	105	0.0	0	0.1	145	23.9	0.0	27.2	0.0	0.0	21.2	34	10	17	2	767	22
13	4800	12.4	5	22	0.69	0.5	125	0.0	0	0.1	85	23.4	0.0	27.6	0.0	0.0	21.0	34	10	17	2	767	24
13	5200	15.2	15	20	0.43	0.5	135	0.0	0	0.2	95	22.9	0.0	27.4	0.0	0.0	20.5	34	10	17	2	747	22
13	5600	8.7	35	21	0.29	0.4	145	0.0	0	0.1	185	22.3	0.0	24.3	0.0	0.0	20.2	34	10	17	2	747	23
15	1600	9.6	215	25	0.24	0.3	145	0.0	0	0.1	175	23.4	0.0	25.9	0.0	0.0	20.3	34	10	17	2	747	22
15	2000	7.9	245	24	0.44	0.6	105	0.0	0	0.6	185	23.4	0.0	27.3	0.0	0.0	20.4	34	10	17	2	747	22
15	2400	7.6	265	24	0.07	0.6	115	0.0	0	0.6	185	23.4	0.0	27.3	0.0	0.0	20.3	34	10	17	2	747	4
15	2800	9.0	25	21	2.69	0.5	135	0.0	0	0.2	115	21.8	0.0	24.0	0.0	0.0	20.6	34	10	17	2	767	2
15	3200	5.6	35	23	0.14	0.3	125	0.0	0	0.1	145	21.7	0.0	22.8	0.0	0.0	20.2	34	10	17	2	767	24
15	3600	3.1	255	26	0.13	0.4	115	0.0	0	0.2	145	22.4	0.0	24.0	0.0	0.0	20.4	34	10	17	2	767	22
15	4000	4.6	215	27	0.14	0.4	95	0.0	0	0.2	145	23.7	0.0	25.9	0.0	0.0	20.4	34	10	17	2	747	22
15	4400	3.6	135	25	0.37	0.4	135	0.0	0	0.5	135	22.2	0.0	26.9	0.0	0.0	20.5	34	10	17	2	767	28
15	5200	6.7	25	23	0.21	0.3	135	0.0	0	0.0	135	21.7	0.0	21.5	0.0	0.0	20.5	34	10	17	2	767	20
15	5600	9.1	45	22	0.27	0.3	125	0.0	0	0.1	135	21.2	0.0	22.8	0.0	0.0	20.3	34	10	17	2	767	25
17	1400	5.3	55	24	0.57	0.3	145	0.0	0	0.0	145	20.8	0.0	22.8	0.0	0.0	20.5	34	10	17	2	767	22
17	2000	9.5	45	24	0.35	0.3	145	0.0	0	0.0	135	20.9	0.0	22.8	0.0	0.0	20.6	34	10	17	2	767	9
17	2400	6.1	55	23	0.52	0.3	145	0.0	0	0.1	125	21.0	0.0	26.4	0.0	0.0	20.4	34	10	17	2	747	23
17	2800	6.7	45	22	0.41	0.2	225	0.0	0	0.0	125	20.5	0.0	24.9	0.0	0.0	20.4	34	10	17	2	767	22
17	3200	8.0	25	24	0.33	0.2	225	0.0	0	0.2	125	20.7	0.0	24.7	0.0	0.0	20.4	34	10	17	2	767	18
17	3600	6.7	115	27	0.30	0.4	325	0.0	0	0.0	125	21.5	0.0	26.5	0.0	0.0	20.7	34	10	17	2	767	23
17	4000	12.2	145	26	0.47	1.0	325	0.0	0	0.1	125	22.2	0.0	26.7	0.0	0.0	20.9	34	10	17	2	767	23
17	4800	6.6	155	24	0.79	0.5	325	0.0	0	0.1	125	21.2	0.0	26.4	0.0	0.0	23.9	34	10	17	2	747	29

Jul 1967

17	5200	5.8	95	24	0.34	0.6	325	0.0	0.0	0.0	0.0	0.0	21.3	0.0	26.9	0.0	0.0	0.0	24.0	34	10	17	2	767	22
17	5600	5.4	115	25	0.35	0.8	305	0.0	0.0	0.0	0.0	0.0	21.3	0.0	27.0	0.0	0.0	0.0	24.8	34	10	17	2	767	23
17	6000	6.1	135	28	0.46	0.7	315	0.0	0.0	0.0	0.0	0.0	23.2	0.0	27.3	0.0	0.0	0.0	25.4	34	10	17	2	767	23
19	1600	5.0	195	28	0.36	0.9	315	0.0	0.0	0.0	0.0	0.0	23.0	0.0	27.3	0.0	0.0	0.0	25.8	34	10	17	2	767	24
19	2000	5.5	145	22	0.74	0.5	325	0.0	0.0	0.0	0.0	0.0	21.6	0.0	27.2	0.0	0.0	0.0	25.9	34	10	17	2	767	8
19	2400	8.5	35	23	0.54	0.5	305	0.0	0.0	0.0	0.0	0.0	21.1	0.0	27.0	0.0	0.0	0.0	25.7	34	10	17	2	767	29
19	2800	5.0	95	23	0.39	0.6	305	0.0	0.0	0.0	0.0	0.0	21.0	0.0	26.9	0.0	0.0	0.0	25.2	34	10	17	2	767	25
19	3200	9.0	95	23	0.39	0.6	315	0.0	0.0	0.0	0.0	0.0	21.1	0.0	26.9	0.0	0.0	0.0	25.7	34	10	17	2	767	30
19	3600	5.9	125	28	0.53	0.5	315	0.0	0.0	0.0	0.0	0.0	21.7	0.0	27.0	0.0	0.0	0.0	26.1	34	10	17	2	767	22
19	4000	14.0	265	24	1.63	0.7	325	0.0	0.0	0.0	0.0	0.0	21.4	0.0	27.1	0.0	0.0	0.0	26.0	34	10	17	2	767	24
19	4400	7.8	55	24	0.64	0.4	325	0.0	0.0	0.0	0.0	0.0	21.1	0.0	26.9	0.0	0.0	0.0	26.0	34	10	17	2	767	4
19	4800	8.9	75	23	0.56	0.3	245	0.0	0.0	0.0	0.0	0.0	20.9	0.0	27.0	0.0	0.0	0.0	25.9	34	10	17	2	767	30
19	5200	5.3	55	23	0.38	0.4	305	0.0	0.0	0.0	0.0	0.0	20.9	0.0	27.0	0.0	0.0	0.0	26.0	34	10	17	2	767	25
19	5600	6.8	35	24	0.36	0.4	305	0.0	0.0	0.0	0.0	0.0	20.6	0.0	27.0	0.0	0.0	0.0	26.1	34	10	17	2	767	29
19	6000	7.9	45	28	0.31	0.5	315	0.0	0.0	0.0	0.0	0.0	22.3	0.0	27.0	0.0	0.0	0.0	26.2	34	10	17	2	767	18
21	1600	11.7	225	28	0.53	0.6	5	0.0	0.0	0.0	0.0	0.0	24.5	0.0	27.6	0.0	0.0	0.0	25.0	34	10	17	2	767	27
21	2000	10.1	235	27	0.32	0.7	5	0.0	0.0	0.0	0.0	0.0	24.2	0.0	27.9	0.0	0.0	0.0	24.6	34	10	17	2	767	5
21	2400	9.5	235	26	0.69	0.7	5	0.0	0.0	0.0	0.0	0.0	23.8	0.0	27.7	0.0	0.0	0.0	23.5	34	10	17	2	767	26
21	2800	10.4	235	26	0.79	0.7	5	0.0	0.0	0.0	0.0	0.0	23.5	0.0	27.6	0.0	0.0	0.0	23.2	34	10	17	2	767	20
21	3200	7.8	245	26	0.40	0.6	5	0.0	0.0	0.0	0.0	0.0	23.5	0.0	27.6	0.0	0.0	0.0	23.1	34	10	17	2	767	23
21	3600	7.9	235	27	0.43	0.7	5	0.0	0.0	0.0	0.0	0.0	24.3	0.0	27.4	0.0	0.0	0.0	22.9	34	10	17	2	767	21
21	4000	10.4	225	27	0.40	0.7	5	0.0	0.0	0.0	0.0	0.0	24.3	0.0	26.8	0.0	0.0	0.0	23.1	34	10	17	2	767	22
21	4400	9.7	225	26	0.45	0.8	5	0.0	0.0	0.0	0.0	0.0	23.9	0.0	26.9	0.0	0.0	0.0	22.6	34	10	17	2	767	9
21	4800	9.6	215	26	0.34	0.8	5	0.0	0.0	0.0	0.0	0.0	23.8	0.0	27.2	0.0	0.0	0.0	22.5	34	10	17	2	767	2
21	5600	7.4	235	27	0.54	0.9	5	0.0	0.0	0.0	0.0	0.0	23.2	0.0	27.2	0.0	0.0	0.0	22.3	34	10	17	2	767	25
21	6000	6.0	225	29	0.51	0.6	5	0.0	0.0	0.0	0.0	0.0	24.0	0.0	26.9	0.0	0.0	0.0	22.0	34	10	17	2	767	22
23	1600	8.1	235	27	0.50	0.2	5	0.0	0.0	0.0	0.0	0.0	24.1	0.0	27.7	0.0	0.0	0.0	26.7	34	10	17	2	767	23
23	2000	10.3	245	26	0.62	0.2	5	0.0	0.0	0.0	0.0	0.0	23.9	0.0	27.9	0.0	0.0	0.0	26.6	34	10	17	2	767	8
23	2400	8.7	225	26	0.55	0.3	5	0.0	0.0	0.0	0.0	0.0	23.1	0.0	28.0	0.0	0.0	0.0	26.5	34	10	17	2	767	29
23	2800	11.2	235	26	0.41	0.3	5	0.0	0.0	0.0	0.0	0.0	23.0	0.0	27.9	0.0	0.0	0.0	26.5	34	10	17	2	767	27
23	3200	9.1	245	26	0.91	0.3	5	0.0	0.0	0.0	0.0	0.0	23.0	0.0	27.7	0.0	0.0	0.0	26.6	34	10	17	2	767	25
23	3600	8.9	205	26	0.47	0.3	5	0.0	0.0	0.0	0.0	0.0	23.4	0.0	27.9	0.0	0.0	0.0	26.7	34	10	17	2	767	19
23	4000	10.3	225	27	0.62	0.3	5	0.0	0.0	0.0	0.0	0.0	23.6	0.0	27.8	0.0	0.0	0.0	26.7	34	10	17	2	767	28
23	4400	12.0	235	26	0.14	0.4	5	0.0	0.0	0.0	0.0	0.0	23.7	0.0	27.8	0.0	0.0	0.0	26.2	34	10	17	2	767	4
23	4800	10.9	235	26	1.07	0.5	5	0.0	0.0	0.0	0.0	0.0	23.4	0.0	27.8	0.0	0.0	0.0	26.2	34	10	17	2	767	10
23	5200	11.2	235	26	0.81	0.5	5	0.0	0.0	0.0	0.0	0.0	23.1	0.0	27.6	0.0	0.0	0.0	26.0	34	10	17	2	767	25
23	5600	9.7	245	26	0.73	0.6	5	0.0	0.0	0.0	0.0	0.0	23.2	0.0	27.6	0.0	0.0	0.0	26.0	34	10	17	2	767	27
23	6000	9.0	235	26	0.65	0.5	5	0.0	0.0	0.0	0.0	0.0	24.0	0.0	27.6	0.0	0.0	0.0	26.0	34	10	17	2	767	24
29	1600	11.6	215	28	0.49	0.5	5	0.0	0.0	0.0	0.0	0.0	24.3	0.0	26.3	0.0	0.0	0.0	21.9	34	10	17	2	767	25
29	2000	11.2	215	27	1.03	0.8	5	0.0	0.0	0.0	0.0	0.0	24.0	0.0	27.6	0.0	0.0	0.0	21.9	34	10	17	2	767	4
29	2400	9.3	225	27	0.64	0.9	5	0.0	0.0	0.0	0.0	0.0	23.5	0.0	27.6	0.0	0.0	0.0	21.8	34	10	17	2	767	28
29	2800	11.5	95	21	0.41	0.7	5	0.0	0.0	0.0	0.0	0.0	22.8	0.0	27.6	0.0	0.0	0.0	21.7	34	10	17	2	767	27
29	3200	14.3	205	23	0.63	0.4	5	0.0	0.0	0.0	0.0	0.0	21.8	0.0	25.4	0.0	0.0	0.0	21.7	34	10	17	2	767	25
29	3600	13.4	205	26	0.84	0.5	5	0.0	0.0	0.0	0.0	0.0	22.4	0.0	27.0	0.0	0.0	0.0	21.7	34	10	17	2	767	24
29	4000	8.1	255	25	0.84	0.5	5	0.0	0.0	0.0	0.0	0.0	23.2	0.0	27.5	0.0	0.0	0.0	21.9	34	10	17	2	767	23
29	4800	11.6	225	25	1.10	0.3	5	0.0	0.0	0.0	0.0	0.0	22.7	0.0	26.7	0.0	0.0	0.0	21.8	34	10	17	2	767	27
29	5200	10.7	235	26	0.70	0.5	5	0.0	0.0	0.0	0.0	0.0	22.4	0.0	25.5	0.0	0.0	0.0	21.7	34	10	17	2	767	27

Jul 1967																							
29	5400	5.6	285	25	0.83	0.6	5	0.0	0	0.0	145	22.4	0.0	26.7	0.0	0.0	21.6	38	10	17	2	747	27
29	4200	11.4	205	24	0.48	0.4	5	0.0	0	0.0	145	22.4	0.0	23.4	0.0	0.0	21.7	38	10	17	2	747	8
31	1400	9.9	225	27	0.49	0.3	5	0.0	0	0.1	145	23.5	0.0	26.3	0.0	0.0	21.6	38	10	17	2	767	21
31	2400	11.4	225	26	0.87	0.4	5	0.0	0	0.0	145	22.9	0.0	23.2	0.0	0.0	21.6	38	10	17	2	767	27
31	2400	9.7	245	26	0.82	0.4	5	0.0	0	0.0	145	22.7	0.0	23.1	0.0	0.0	21.5	38	10	17	2	767	21
31	3200	10.6	225	26	0.75	0.7	5	0.0	0	0.0	145	22.3	0.0	22.6	0.0	0.0	21.5	38	10	17	2	767	18
31	3600	10.2	225	27	0.83	0.5	5	0.0	0	0.0	145	22.4	0.0	23.0	0.0	0.0	21.5	38	10	17	2	747	21
31	4000	9.0	275	26	0.83	0.7	5	0.0	0	0.1	145	22.6	0.0	26.1	0.0	0.0	21.5	38	10	17	2	767	24
31	4400	9.2	275	25	0.37	0.7	5	0.0	0	0.2	145	22.6	0.0	23.3	0.0	0.0	21.4	38	10	17	2	767	5
31	4900	2.7	245	24	0.54	0.4	5	0.0	0	0.1	145	21.3	0.0	22.5	0.0	0.0	21.4	38	10	17	2	747	28
31	5200	6.0	65	24	0.43	0.6	5	0.0	0	0.0	145	21.2	0.0	23.1	0.0	0.0	21.3	38	10	17	2	767	22
31	5400	5.6	105	25	0.39	0.6	5	0.0	0	0.0	145	22.0	0.0	24.1	0.0	0.0	21.3	38	10	17	2	767	21
31	6200	9.4	185	28	0.49	0.6	5	0.0	0	0.0	165	23.4	0.0	22.2	0.0	0.0	21.3	38	10	17	2	767	21
0	0	0.0	0	0	0.00	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	17	0	0	0

070071 STAGE 2

AUG 1967

CUDE: 000000000000000000

DAY	HOUR	WS	WD	AT	WL	CSS	CDS	CSM	CDM	CSB	CDB	WT1	WT2	WT3	WT4	WT5	WT6	D1	D2	D3	D4	D5	D6	KEY	M
2	1600	11.4	245	27	0.44	0.6	5	0.0	0	0.0	295	24.0	0.0	27.2	0.0	0.0	21.4	34	10	17	2	867	22	2	
2	2000	11.5	215	27	0.86	0.7	5	0.0	0	0.0	295	23.8	0.0	27.4	0.0	0.0	21.3	34	10	17	2	867	5	5	
2	2400	7.1	5	24	0.54	0.3	5	0.0	0	0.0	295	23.0	0.0	23.3	0.0	0.0	21.4	34	10	17	2	867	21	21	
2	2800	2.9	45	24	0.33	0.6	5	0.0	0	0.0	295	21.3	0.0	22.4	0.0	0.0	21.3	34	10	17	2	867	23	23	
2	3200	2.2	35	26	0.17	0.6	5	0.0	0	0.0	295	22.3	0.0	22.7	0.0	0.0	21.3	34	10	17	2	867	23	23	
2	3600	5.6	115	24	0.25	0.5	5	0.0	0	0.0	295	23.5	0.0	22.6	0.0	0.0	21.5	34	10	17	2	867	24	24	
2	4000	9.1	125	27	0.32	0.3	5	0.0	0	0.0	295	24.3	0.0	27.6	0.0	0.0	21.5	34	10	17	2	867	21	21	
2	4400	7.7	115	26	0.38	0.4	5	0.0	0	0.0	295	23.6	0.0	26.5	0.0	0.0	21.5	34	10	17	2	867	11	11	
2	4800	7.5	115	25	0.40	0.3	5	0.0	0	0.0	175	22.9	0.0	22.8	0.0	0.0	21.5	34	10	17	2	867	25	25	
2	5200	4.1	145	24	0.35	0.4	5	0.0	0	0.0	175	22.1	0.0	23.1	0.0	0.0	21.4	34	10	17	2	867	25	25	
2	5600	7.7	105	24	0.19	0.4	5	0.0	0	0.0	285	22.3	0.0	22.7	0.0	0.0	21.5	34	10	17	2	867	24	24	
4	900	4.3	5	25	0.20	0.4	5	0.0	0	0.0	295	22.4	0.0	22.8	0.0	0.0	21.5	34	10	17	2	867	24	24	
4	1200	5.5	165	27	0.27	0.4	5	0.0	0	0.0	295	23.0	0.0	22.7	0.0	0.0	21.5	34	10	17	2	867	25	25	
4	1600	10.7	165	27	0.49	0.2	5	0.0	0	0.0	295	23.7	0.0	26.2	0.0	0.0	21.6	34	10	17	2	867	24	24	
4	2000	12.1	145	26	0.52	0.2	5	0.0	0	0.0	295	23.2	0.0	26.5	0.0	0.0	21.6	34	10	17	2	867	13	13	
4	2400	8.8	135	25	0.45	0.2	5	0.0	0	0.0	285	22.7	0.0	22.7	0.0	0.0	21.6	34	10	17	2	867	26	26	
4	2800	6.8	115	24	0.34	0.2	5	0.0	0	0.0	295	22.4	0.0	22.5	0.0	0.0	21.6	34	10	17	2	867	26	26	
4	3200	5.5	145	23	0.23	0.3	5	0.0	0	0.0	285	22.1	0.0	22.5	0.0	0.0	21.6	34	10	17	2	867	12	12	
5	1600	10.4	105	27	0.45	0.2	5	0.0	0	0.0	265	23.4	0.0	27.5	0.0	0.0	21.7	34	10	17	2	867	21	21	
5	2000	8.1	145	27	0.73	0.2	5	0.0	0	0.0	255	23.3	0.0	27.6	0.0	0.0	21.6	34	10	17	2	867	5	5	
5	2400	11.1	45	26	0.45	0.2	5	0.0	0	0.0	195	22.8	0.0	27.5	0.0	0.0	21.6	34	10	17	2	867	31	31	
5	2800	6.1	25	25	0.52	0.2	5	0.0	0	0.0	195	22.5	0.0	27.0	0.0	0.0	21.7	34	10	17	2	867	25	25	
5	3200	1.9	5	29	0.50	0.1	5	0.0	0	0.0	175	22.7	0.0	24.6	0.0	0.0	21.6	34	10	17	2	867	26	26	
5	2400	7.6	115	27	0.38	0.3	5	0.0	0	0.0	175	23.6	0.0	28.1	0.0	0.0	21.9	34	10	17	2	867	25	25	
5	2800	8.5	65	27	0.63	0.2	5	0.0	0	0.0	175	23.4	0.0	25.5	0.0	0.0	21.9	34	10	17	2	867	20	20	
5	3200	6.0	5	27	0.34	0.2	5	0.0	0	0.0	175	23.4	0.0	26.2	0.0	0.0	21.9	34	10	17	2	867	44	44	
5	3600	6.4	65	29	0.31	0.2	5	0.0	0	0.0	175	23.5	0.0	24.2	0.0	0.0	21.7	34	10	17	2	867	23	23	
5	4000	10.9	45	29	0.43	0.2	5	0.0	0	0.0	175	24.2	0.0	27.7	0.0	0.0	21.8	34	10	17	2	867	21	21	
5	4400	7.9	65	27	0.69	0.2	5	0.0	0	0.0	175	23.8	0.0	27.8	0.0	0.0	21.9	34	10	17	2	867	4	4	
5	4800	8.5	55	27	0.37	0.2	5	0.0	0	0.0	175	23.5	0.0	27.8	0.0	0.0	21.8	34	10	17	2	867	28	28	
5	5200	5.9	35	26	0.33	0.1	5	0.0	0	0.0	175	23.1	0.0	26.0	0.0	0.0	21.8	34	10	17	2	867	29	29	
5	5600	7.7	115	24	0.24	0.2	5	0.0	0	0.0	175	23.0	0.0	25.3	0.0	0.0	21.8	34	10	17	2	867	27	27	
5	6000	8.4	65	27	0.47	0.2	5	0.0	0	0.0	185	24.0	0.0	27.0	0.0	0.0	21.9	34	10	17	2	867	2	2	
9	1600	7.3	5	24	0.39	0.4	5	0.0	0	0.0	185	24.3	0.0	27.5	0.0	0.0	22.7	34	10	17	2	867	21	21	
9	2000	7.5	5	27	0.16	0.4	5	0.0	0	0.0	185	24.3	0.0	27.6	0.0	0.0	22.7	34	10	17	2	867	4	4	
9	2400	8.7	15	24	0.39	0.4	5	0.0	0	0.0	225	23.8	0.0	26.4	0.0	0.0	22.2	34	10	17	2	867	29	29	
9	2800	7.5	35	25	0.53	0.4	5	0.0	0	0.0	245	23.3	0.0	26.6	0.0	0.0	22.3	34	10	17	2	867	7	7	
10	2400	5.8	15	25	0.19	0.3	5	0.0	0	0.0	225	23.5	0.0	27.5	0.0	0.0	22.7	34	10	17	2	867	3	3	
10	2700	6.4	5	27	0.15	0.4	5	0.0	0	0.0	255	23.6	0.0	27.6	0.0	0.0	23.0	34	10	17	2	867	3	3	
11	900	9.0	95	22	0.43	0.3	125	0.0	0	0.1	135	21.1	0.0	22.9	0.0	0.0	20.2	34	10	17	2	867	11	11	
11	1200	7.4	185	23	0.81	0.2	35	0.0	0	0.2	135	20.4	0.0	26.2	0.0	0.0	20.5	34	10	17	2	867	20	20	
11	1600	5.2	5	23	0.37	0.5	5	0.0	0	0.0	245	24.0	0.0	27.9	0.0	0.0	23.1	34	10	17	2	867	16	16	
11	2000	7.5	5	24	0.49	0.5	5	0.0	0	0.0	115	23.7	0.0	27.5	0.0	0.0	23.2	34	10	17	2	867	4	4	
11	2400	5.9	5	24	0.24	0.5	5	0.0	0	0.0	185	23.8	0.0	27.7	0.0	0.0	23.2	34	10	17	2	867	3	3	

11	2700	9.2	5	21	0.47	0.4	5	0.0	0.0	0.0	0.0	23.3	7.0	27.2	0.0	0.0	0.0	23.0	36	10	17	2	867	27
12	400	4.2	5	21	0.34	0.4	5	0.0	0.0	0.0	0.0	23.2	0.0	27.1	0.0	0.0	0.0	23.1	36	10	17	2	867	25
12	400	9.5	5	21	0.34	0.4	5	0.0	0.0	0.0	0.0	22.9	0.0	27.9	0.0	0.0	0.0	23.5	36	10	17	2	867	27
12	1200	4.6	5	26	0.39	0.4	5	0.0	0.0	0.0	0.0	23.4	0.0	27.8	0.0	0.0	0.0	24.5	36	10	17	2	867	24
12	1500	4.5	5	26	0.36	0.5	5	0.0	0.0	0.0	0.0	24.0	0.0	24.2	0.0	0.0	0.0	25.2	36	10	17	2	867	8
12	1500	13.1	5	26	0.40	0.5	5	0.0	0.0	0.0	0.0	24.3	0.0	26.0	0.0	0.0	0.0	25.0	36	10	17	2	867	22
12	2000	14.2	5	23	0.12	0.5	5	0.0	0.0	0.0	0.0	23.4	0.0	27.7	0.0	0.0	0.0	25.6	36	10	17	2	867	8
12	2400	12.7	5	21	0.43	0.6	5	0.0	0.0	0.0	0.0	23.2	0.0	27.9	0.0	0.0	0.0	25.2	36	10	17	2	867	26
12	2900	11.5	5	20	0.50	0.5	5	0.0	0.0	0.0	0.0	22.7	0.0	27.8	0.0	0.0	0.0	25.3	36	10	17	2	867	25
12	3200	10.4	5	21	0.49	0.5	5	0.0	0.0	0.0	0.0	22.3	0.0	27.8	0.0	0.0	0.0	26.2	36	10	17	2	867	25
12	3600	9.0	5	25	0.37	0.3	5	0.0	0.0	0.0	0.0	23.1	0.0	27.6	0.0	0.0	0.0	26.3	36	10	17	2	867	35
12	6400	3.2	5	29	0.29	0.1	5	0.0	0.0	0.0	0.0	23.4	0.0	27.6	0.0	0.0	0.0	26.7	36	10	17	2	867	23
12	7200	15.6	5	24	0.34	0.2	5	0.0	0.0	0.0	0.0	23.1	0.0	27.6	0.0	0.0	0.0	26.4	36	10	17	2	867	23
12	7500	13.7	5	23	0.54	0.2	5	0.0	0.0	0.0	0.0	22.5	0.0	27.6	0.0	0.0	0.0	26.3	36	10	17	2	867	21
12	9000	13.5	5	22	0.34	0.2	5	0.0	0.0	0.0	0.0	22.2	0.0	27.4	0.0	0.0	0.0	26.3	36	10	17	2	867	21
12	9400	12.6	75	27	0.42	0.3	315	0.0	0.0	0.0	0.0	22.3	0.0	27.4	0.0	0.0	0.0	26.7	36	10	17	2	867	19
15	1500	4.3	75	24	0.45	0.2	355	0.0	0.0	0.0	0.0	23.0	0.0	27.4	0.0	0.0	0.0	26.7	36	10	17	2	867	22
15	2000	10.4	15	26	0.44	0.3	355	0.0	0.0	0.0	0.0	22.7	0.0	27.5	0.0	0.0	0.0	26.7	36	10	17	2	867	8
15	2400	7.7	5	25	0.35	0.3	355	0.0	0.0	0.0	0.0	22.1	0.0	27.5	0.0	0.0	0.0	26.6	36	10	17	2	867	30
15	2900	15.2	5	23	0.40	0.3	355	0.0	0.0	0.0	0.0	21.7	0.0	27.3	0.0	0.0	0.0	26.6	36	10	17	2	867	24
15	3200	15.1	15	24	0.44	0.2	355	0.0	0.0	0.0	0.0	21.5	0.0	27.3	0.0	0.0	0.0	26.6	36	10	17	2	867	22
15	3600	9.2	15	26	0.51	0.4	355	0.0	0.0	0.0	0.0	21.7	0.0	27.3	0.0	0.0	0.0	26.6	36	10	17	2	867	23
15	4000	5.8	25	25	0.45	0.2	355	0.0	0.0	0.0	0.0	22.0	0.0	27.3	0.0	0.0	0.0	26.6	36	10	17	2	867	24
15	4900	10.9	5	24	0.64	0.3	355	0.0	0.0	0.0	0.0	21.8	0.0	27.5	0.0	0.0	0.0	26.7	36	10	17	2	867	25
15	5200	9.3	5	23	0.45	0.3	355	0.0	0.0	0.0	0.0	21.7	0.0	27.4	0.0	0.0	0.0	26.7	36	10	17	2	867	24
15	5600	12.5	15	25	0.24	0.4	355	0.0	0.0	0.0	0.0	21.9	0.0	27.4	0.0	0.0	0.0	26.8	36	10	17	2	867	25
15	6000	9.5	5	27	0.44	0.4	5	0.0	0.0	0.0	0.0	22.5	0.0	27.6	0.0	0.0	0.0	26.7	36	10	17	2	867	5
17	1500	13.2	155	25	3.14	0.0	5	0.0	0.0	0.0	0.0	24.2	0.0	24.5	0.0	0.0	0.0	27.6	36	10	17	2	867	26
17	2000	10.4	145	26	0.00	0.0	5	0.0	0.0	0.0	0.0	24.3	0.0	24.5	0.0	0.0	0.0	27.6	36	10	17	2	867	4
17	2400	8.9	205	26	0.04	0.0	5	0.0	0.0	0.0	0.0	24.4	0.0	24.5	0.0	0.0	0.0	27.7	36	10	17	2	867	30
17	2900	4.9	115	25	0.03	0.0	5	0.0	0.0	0.0	0.0	24.2	0.0	24.5	0.0	0.0	0.0	27.6	36	10	17	2	867	24
17	3200	3.5	115	26	3.05	0.0	5	0.0	0.0	0.0	0.0	24.2	0.0	24.4	0.0	0.0	0.0	27.5	36	10	17	2	867	23
17	3600	16.5	145	26	0.04	0.0	5	0.0	0.0	0.0	0.0	24.5	0.0	24.4	0.0	0.0	0.0	27.5	36	10	17	2	867	23
17	4000	10.4	145	26	0.03	0.0	5	0.0	0.0	0.0	0.0	24.7	0.0	24.4	0.0	0.0	0.0	27.5	36	10	17	2	867	24
17	4400	8.9	145	25	0.05	0.0	5	0.0	0.0	0.0	0.0	24.7	0.0	24.4	0.0	0.0	0.0	27.5	36	10	17	2	867	4
17	4900	9.9	175	26	0.04	0.0	5	0.0	0.0	0.0	0.0	24.5	0.0	24.4	0.0	0.0	0.0	27.6	36	10	17	2	867	28
17	5200	6.9	145	26	0.04	0.0	5	0.0	0.0	0.0	0.0	23.9	0.0	24.4	0.0	0.0	0.0	27.4	36	10	17	2	867	40
17	5600	5.6	115	25	0.04	0.0	5	0.0	0.0	0.0	0.0	23.9	0.0	24.4	0.0	0.0	0.0	27.4	36	10	17	2	867	23
17	6000	3.1	155	27	0.04	0.0	5	0.0	0.0	0.0	0.0	24.1	0.0	24.4	0.0	0.0	0.0	27.2	36	10	17	2	867	10
19	1500	3.1	195	27	0.04	0.4	5	0.0	0.0	0.0	0.0	24.3	0.0	24.6	0.0	0.0	0.0	27.2	36	10	17	2	867	14
19	2000	5.0	205	27	0.04	0.0	5	0.0	0.0	0.0	0.0	24.2	0.0	24.8	0.0	0.0	0.0	27.1	36	10	17	2	867	8
19	2400	5.4	195	27	0.04	0.0	5	0.0	0.0	0.0	0.0	23.9	0.0	24.8	0.0	0.0	0.0	27.0	36	10	17	2	867	15
19	2900	5.6	125	24	0.05	0.0	5	0.0	0.0	0.0	0.0	23.8	0.0	24.7	0.0	0.0	0.0	27.0	36	10	17	2	867	14
19	3200	9.2	95	25	0.03	0.0	5	0.0	0.0	0.0	0.0	23.3	0.0	24.7	0.0	0.0	0.0	27.6	36	10	17	2	867	13
19	3600	12.5	145	27	0.03	0.0	5	0.0	0.0	0.0	0.0	23.7	0.0	24.6	0.0	0.0	0.0	27.9	36	10	17	2	867	12
19	4000	11.8	235	23	0.04	0.0	5	0.0	0.0	0.0	0.0	23.7	0.0	24.6	0.0	0.0	0.0	27.9	36	10	17	2	867	12
19	4400	17.4	105	23	0.05	0.0	5	0.0	0.0	0.0	0.0	23.6	0.0	24.7	0.0	0.0	0.0	27.9	36	10	17	2	867	4

Aug 1967

19	4900	12.6	125	23	0.04	0.0	0.0	0.0	0.0	0.0	0.1	325	23.6	0.0	28.6	0.0	0.0	0.0	27.6	34	10	17	2	867	16
19	5200	10.0	95	24	0.04	0.0	0.0	0.0	0.0	0.0	0.2	275	23.7	0.0	28.6	0.0	0.0	0.0	27.6	34	10	17	2	867	12
19	5600	11.4	105	23	0.04	0.0	0.0	0.0	0.0	0.0	0.0	295	23.6	0.0	28.5	0.0	0.0	0.0	27.7	34	10	17	2	867	21
19	6000	10.4	135	25	0.04	0.0	0.0	0.0	0.0	0.0	0.2	315	24.0	0.0	28.5	0.0	0.0	0.0	27.7	34	10	17	2	867	23
23	1600	7.5	155	26	0.03	0.0	0.0	0.0	0.0	0.0	0.1	325	24.8	0.0	28.5	0.0	0.0	0.0	27.5	34	10	17	2	867	24
23	2400	9.6	155	26	0.03	0.0	0.0	0.0	0.0	0.0	0.0	225	24.5	0.0	28.3	0.0	0.0	0.0	27.5	34	10	17	2	867	29
23	2800	10.3	115	25	0.04	0.0	0.0	0.0	0.0	0.0	0.0	255	24.2	0.0	28.2	0.0	0.0	0.0	27.5	34	10	17	2	867	26
23	3200	6.3	95	25	0.03	0.0	0.0	0.0	0.0	0.0	0.0	325	24.4	0.0	28.2	0.0	0.0	0.0	27.4	34	10	17	2	867	27
23	3600	6.9	155	27	0.00	0.0	0.0	0.0	0.0	0.0	0.0	245	24.8	0.0	28.2	0.0	0.0	0.0	27.4	34	10	17	2	867	22
23	4000	4.0	165	27	0.03	0.0	0.0	0.0	0.0	0.0	0.0	225	25.2	0.0	28.2	0.0	0.0	0.0	27.5	34	10	17	2	867	23
23	4400	11.0	165	27	0.07	0.0	0.0	0.0	0.0	0.0	0.0	255	24.9	0.0	28.4	0.0	0.0	0.0	27.5	34	10	17	2	867	2
23	4800	6.6	105	26	0.04	0.0	0.0	0.0	0.0	0.0	0.0	255	24.6	0.0	28.3	0.0	0.0	0.0	27.5	34	10	17	2	867	30
23	5200	9.5	95	24	0.04	0.0	0.0	0.0	0.0	0.0	0.0	305	24.3	0.0	28.3	0.0	0.0	0.0	27.4	34	10	17	2	867	25
23	5600	13.0	115	26	0.05	0.0	0.0	0.0	0.0	0.0	0.0	215	24.4	0.0	28.2	0.0	0.0	0.0	27.4	34	10	17	2	867	25
23	6000	10.2	155	27	0.03	0.0	0.0	0.0	0.0	0.0	0.0	205	24.9	0.0	28.3	0.0	0.0	0.0	27.5	34	10	17	2	867	24
25	1600	3.1	145	27	0.03	0.0	0.0	0.0	0.0	0.0	0.0	165	25.1	0.0	28.4	0.0	0.0	0.0	27.6	34	10	17	2	867	22
25	2000	3.8	125	26	0.05	0.0	0.0	0.0	0.0	0.0	0.0	125	24.8	0.0	28.4	0.0	0.0	0.0	27.5	34	10	17	2	867	5
25	2400	5.3	105	26	0.05	0.0	0.0	0.0	0.0	0.0	0.0	115	24.6	0.0	28.3	0.0	0.0	0.0	27.5	34	10	17	2	867	25
25	2800	11.3	115	25	0.04	0.0	0.0	0.0	0.0	0.0	0.0	175	24.3	0.0	28.3	0.0	0.0	0.0	27.5	34	10	17	2	867	21
25	3200	4.4	115	25	0.04	0.0	0.0	0.0	0.0	0.0	0.0	135	24.4	0.0	28.3	0.0	0.0	0.0	27.5	34	10	17	2	867	22
25	3600	2.5	145	27	0.03	0.0	0.0	0.0	0.0	0.0	0.0	145	25.0	0.0	28.4	0.0	0.0	0.0	27.5	34	10	17	2	867	19
25	4000	2.8	235	27	0.04	1.1	0.0	0.0	0.0	0.0	0.0	195	25.2	0.0	28.4	0.0	0.0	0.0	27.6	34	10	17	2	867	22
25	4400	2.2	255	27	0.00	0.0	0.0	0.0	0.0	0.0	0.0	185	24.9	0.0	28.5	0.0	0.0	0.0	27.5	34	10	17	2	867	2
25	4800	5.8	345	25	0.04	0.0	0.0	0.0	0.0	0.0	0.0	115	24.5	0.0	28.4	0.0	0.0	0.0	27.5	34	10	17	2	867	24
25	5200	1.7	115	25	0.04	0.0	0.0	0.0	0.0	0.0	0.0	155	24.3	0.0	28.4	0.0	0.0	0.0	27.5	34	10	17	2	867	20
25	5600	6.7	145	26	0.04	0.0	0.0	0.0	0.0	0.0	0.0	115	24.3	0.0	28.4	0.0	0.0	0.0	27.6	34	10	17	2	867	19
25	6000	2.5	245	27	0.05	0.0	0.0	0.0	0.0	0.0	0.0	135	24.7	0.0	28.4	0.0	0.0	0.0	27.5	34	10	17	2	867	19
27	1600	2.4	255	27	0.03	0.0	0.0	0.0	0.0	0.0	0.0	125	25.1	0.0	28.5	0.0	0.0	0.0	27.6	34	10	17	2	867	23
27	2400	2.5	205	25	0.04	0.2	0.0	0.0	0.0	0.0	0.0	105	24.3	0.0	28.4	0.0	0.0	0.0	27.6	34	10	17	2	867	25
27	2800	5.5	75	24	0.05	0.1	0.0	0.0	0.0	0.0	0.0	105	24.0	0.0	28.4	0.0	0.0	0.0	27.6	34	10	17	2	867	19
27	3200	6.6	75	24	0.05	0.0	0.0	0.0	0.0	0.0	0.0	125	24.0	0.0	28.5	0.0	0.0	0.0	27.7	34	10	17	2	867	25
27	3600	3.4	325	26	0.04	0.0	0.0	0.0	0.0	0.0	0.0	155	24.2	0.0	28.6	0.0	0.0	0.0	27.7	34	10	17	2	867	23
27	4000	1.1	295	26	0.04	0.0	0.0	0.0	0.0	0.0	0.0	105	24.4	0.0	28.6	0.0	0.0	0.0	27.7	34	10	17	2	867	21
27	4400	2.7	325	26	0.04	0.0	0.0	0.0	0.0	0.0	0.0	75	24.4	0.0	28.6	0.0	0.0	0.0	27.8	34	10	17	2	867	18
27	4800	9.4	85	24	0.05	0.0	0.0	0.0	0.0	0.0	0.0	175	24.0	0.0	28.5	0.0	0.0	0.0	27.9	34	10	17	2	867	27
27	5200	7.0	85	24	0.04	0.1	0.0	0.0	0.0	0.0	0.0	145	23.8	0.0	28.5	0.0	0.0	0.0	27.8	34	10	17	2	867	24
27	5600	8.6	85	22	0.04	0.3	0.0	0.0	0.0	0.0	0.0	105	23.8	0.0	28.5	0.0	0.0	0.0	27.8	34	10	17	2	867	23
27	6000	2.9	15	25	0.05	0.2	0.0	0.0	0.0	0.0	0.0	155	23.8	0.0	28.7	0.0	0.0	0.0	27.9	34	10	17	2	867	22
29	1600	5.0	245	26	0.05	0.3	0.0	0.0	0.0	0.0	0.0	145	24.0	0.0	28.5	0.0	0.0	0.0	27.8	34	10	17	2	867	21
29	2400	4.5	5	25	0.04	0.4	0.0	0.0	0.0	0.0	0.0	105	23.8	0.0	28.6	0.0	0.0	0.0	27.8	34	10	17	2	867	27
29	2800	7.0	15	23	0.04	0.8	0.0	0.0	0.0	0.0	0.0	135	23.5	0.0	28.5	0.0	0.0	0.0	27.7	34	10	17	2	867	21
29	3200	8.0	35	25	0.05	1.1	0.0	0.0	0.0	0.0	0.0	105	23.5	0.0	28.5	0.0	0.0	0.0	27.6	34	10	17	2	867	20
29	3600	2.2	245	27	0.05	0.1	0.0	0.0	0.0	0.0	0.0	105	24.0	0.0	28.6	0.0	0.0	0.0	27.7	34	10	17	2	867	22
29	4000	2.9	255	27	0.03	4.3	0.0	0.0	0.0	0.0	0.0	105	24.7	0.0	28.6	0.0	0.0	0.0	27.7	34	10	17	2	867	21
29	4400	1.9	275	27	0.04	0.2	0.0	0.0	0.0	0.0	0.0	105	24.2	0.0	28.5	0.0	0.0	0.0	27.7	34	10	17	2	867	4
29	4800	7.4	355	24	0.04	0.3	0.0	0.0	0.0	0.0	0.0	105	23.8	0.0	28.5	0.0	0.0	0.0	27.7	34	10	17	2	867	24
29	5200	7.6	355	25	0.04	0.2	0.0	0.0	0.0	0.0	0.0	105	23.3	0.0	28.6	0.0	0.0	0.0	27.6	34	10	17	2	867	20

Aug 1967																							
29	5500	2.9	45	26	0.04	1.1	5	0.0	0	0.0	105	23.3	0.0	28.6	0.0	0.0	27.6	34	10	17	2	867	20
29	5700	3.3	285	27	0.04	0.1	5	0.0	0	0.0	105	24.2	0.0	28.7	0.0	0.0	27.6	34	10	17	2	867	18
31	1500	4.4	285	27	0.04	0.2	5	0.0	0	0.0	105	24.4	0.0	28.8	0.0	0.0	27.6	34	10	17	2	867	22
31	2700	3.9	305	28	0.04	0.0	5	0.0	0	0.0	115	24.0	0.0	28.8	0.0	0.0	27.5	34	10	17	2	867	6
31	2400	11.5	15	26	0.04	0.0	5	0.0	0	0.0	115	23.2	0.0	28.7	0.0	0.0	27.3	34	10	17	2	867	23
31	2900	12.4	15	23	0.05	0.0	5	0.0	0	0.0	105	22.5	0.0	28.4	0.0	0.0	26.9	34	10	17	2	867	20
31	3200	12.9	25	23	0.05	0.0	5	0.0	0	0.0	105	22.1	0.0	28.3	0.0	0.0	26.6	34	10	17	2	867	20
31	3600	8.3	305	25	0.17	1.4	5	0.0	0	0.0	105	22.2	0.0	28.0	0.0	0.0	26.4	34	10	17	2	867	22
0	0	0.0	0	0	0.00	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	17	0	0	0

077071 STAGE 2

SEP 1967

CODE: 00000000000000

DAY	HOUR	MS	WD	AT	WL	CSS	CDS	CSM	CDM	CSB	CDH	WT1	WT2	WT3	WT4	WT5	4T6	D1	D2	D3	D4	D5	D6	KEY	N
1	1600	4.5	305	27	0.3A	1.2	5	0.0	0	0.0	105	23.4	0.0	28.5	0.0	0.0	26.4	34	10	17	2	967	22		
1	2400	13.2	5	21	0.44	1.4	5	0.0	0	0.0	105	21.7	0.0	27.9	0.0	0.0	26.3	34	10	17	2	967	27		
1	2900	8.1	355	20	0.2A	1.5	5	0.0	0	0.0	105	21.2	0.0	27.8	0.0	0.0	25.9	34	10	17	2	967	24		
1	3200	8.1	85	22	0.14	1.5	5	0.0	0	0.0	105	21.0	0.0	27.6	0.0	0.0	26.0	34	10	17	2	967	23		
1	3600	6.5	175	25	0.22	1.5	5	0.0	0	0.0	105	21.7	0.0	27.6	0.0	0.0	26.1	34	10	17	2	967	22		
1	4000	15.7	75	23	0.44	1.5	5	0.0	0	0.0	105	21.7	0.0	27.6	0.0	0.0	26.1	34	10	17	2	967	22		
1	4400	15.2	65	22	0.41	1.5	5	0.0	0	0.0	115	21.7	0.0	27.5	0.0	0.0	26.1	34	10	17	2	967	20		
1	4800	15.0	85	22	0.47	1.5	5	0.0	0	0.0	125	21.5	0.0	27.4	0.0	0.0	26.0	34	10	17	2	967	25		
1	5200	16.1	95	21	0.77	1.5	5	0.0	0	0.0	115	21.1	0.0	27.4	0.0	0.0	26.0	34	10	17	2	967	22		
1	5600	17.3	95	21	0.54	1.5	5	0.0	0	0.0	155	21.0	0.0	27.2	0.0	0.0	26.4	34	10	17	2	967	23		
1	6000	17.0	115	23	0.71	1.5	5	0.0	0	0.0	305	21.4	0.0	27.3	0.0	0.0	26.1	34	10	17	2	967	22		
3	1400	15.0	115	25	0.54	1.4	5	0.0	0	0.0	165	22.1	0.0	27.4	0.0	0.0	26.4	34	10	17	2	967	22		
3	2000	19.1	115	24	0.47	1.4	5	0.0	0	0.0	175	22.4	0.0	27.5	0.0	0.0	26.4	34	10	17	2	967	22		
3	2400	15.1	105	22	0.57	1.5	5	0.0	0	0.0	185	22.1	0.0	27.6	0.0	0.0	26.5	34	10	17	2	967	33		
3	2800	15.0	85	21	0.50	1.5	5	0.0	0	0.0	185	22.1	0.0	27.6	0.0	0.0	26.5	34	10	17	2	967	26		
3	3200	16.6	95	21	0.61	1.5	5	0.0	0	0.0	305	22.1	0.0	27.4	0.0	0.0	26.6	34	10	17	2	967	25		
3	3600	11.5	95	24	0.37	1.4	5	0.0	0	0.0	305	22.6	0.0	27.5	0.0	0.0	26.7	34	10	17	2	967	25		
3	4000	8.3	105	25	0.19	1.4	5	0.0	0	0.0	295	22.5	0.0	27.5	0.0	0.0	26.7	34	10	17	2	967	25		
3	4600	17.6	95	23	0.42	1.4	5	0.0	0	0.0	245	22.8	0.0	27.7	0.0	0.0	26.6	34	10	17	2	967	29		
3	5200	16.0	85	23	0.47	1.4	5	0.0	0	0.0	255	22.6	0.0	27.6	0.0	0.0	26.7	34	10	17	2	967	28		
3	5600	16.5	75	21	0.54	1.5	5	0.0	0	0.0	325	22.2	0.0	27.6	0.0	0.0	26.7	34	10	17	2	967	27		
3	6000	12.1	85	24	0.46	1.4	5	0.0	0	0.0	335	22.6	0.0	27.6	0.0	0.0	26.7	34	10	17	2	967	22		
5	1600	5.4	75	24	0.2A	1.4	5	0.0	0	0.0	325	22.7	0.0	27.5	0.0	0.0	26.7	34	10	17	2	967	18		
5	2400	8.5	85	23	0.29	1.4	5	0.0	0	0.0	325	22.4	0.0	27.2	0.0	0.0	26.2	34	10	17	2	967	30		
5	2900	15.5	95	23	0.32	1.5	5	0.0	0	0.0	315	22.4	0.0	27.3	0.0	0.0	26.3	34	10	17	2	967	28		
5	3200	14.7	115	23	0.51	1.4	5	0.0	0	0.0	325	22.2	0.0	27.3	0.0	0.0	26.5	34	10	17	2	967	25		
5	3600	12.6	105	22	0.56	1.4	5	0.0	0	0.0	245	22.5	0.0	27.2	0.0	0.0	26.5	34	10	17	2	967	23		
5	4000	10.7	95	21	0.59	1.4	5	0.0	0	0.0	275	22.3	0.0	27.2	0.0	0.0	26.4	34	10	17	2	967	25		
5	4400	11.3	105	21	0.82	1.5	5	0.0	0	0.0	175	21.8	0.0	27.3	0.0	0.0	26.4	34	10	17	2	967	4		
5	4900	17.9	115	22	0.85	1.4	5	0.0	0	0.0	175	22.2	0.0	27.2	0.0	0.0	26.3	34	10	17	2	967	28		
5	5200	16.4	45	22	0.85	1.5	5	0.0	0	0.0	115	22.3	0.0	27.1	0.0	0.0	26.3	34	10	17	2	967	31		
5	5400	21.4	105	22	1.57	1.5	5	0.0	0	0.0	65	21.3	0.0	26.9	0.0	0.0	26.3	34	10	17	2	967	28		
5	6000	20.4	115	21	1.42	1.5	5	0.0	0	0.0	25	21.6	0.0	26.8	0.0	0.0	26.2	34	10	17	2	967	24		
7	1600	16.3	175	25	1.57	1.5	5	0.0	0	0.0	5	22.6	0.0	27.0	0.0	0.0	26.2	34	10	17	2	967	25		
7	2400	9.6	105	25	0.84	1.5	5	0.0	0	0.0	255	22.6	0.0	27.0	0.0	0.0	26.2	34	10	17	2	967	26		
7	2900	8.5	125	24	0.81	1.5	5	0.0	0	0.0	45	22.3	0.0	26.9	0.0	0.0	26.1	34	10	17	2	967	21		
7	3200	6.0	115	22	1.02	1.5	5	0.0	0	0.0	145	22.0	0.0	26.9	0.0	0.0	26.1	34	10	17	2	967	24		
7	3600	7.6	145	24	0.96	0.2	35	0.0	0	0.2	145	22.3	0.0	26.8	0.0	0.0	26.2	34	10	17	2	967	22		
7	4000	5.5	205	25	0.65	0.2	35	0.0	0	0.2	195	22.8	0.0	26.9	0.0	0.0	26.2	34	10	17	2	967	25		
7	4900	4.2	155	25	0.46	0.0	45	0.0	0	0.0	95	22.5	0.0	26.5	0.0	0.0	26.2	34	10	17	2	967	27		
7	5200	4.8	215	25	0.42	0.1	145	0.0	0	0.1	85	22.5	0.0	26.8	0.0	0.0	26.2	34	10	17	2	967	25		
7	5400	6.8	175	23	0.40	0.1	355	0.0	0	0.1	85	22.4	0.0	26.7	0.0	0.0	26.2	34	10	17	2	967	21		
7	6000	7.8	255	25	0.42	0.2	355	0.0	0	0.2	85	22.5	0.0	26.7	0.0	0.0	26.2	34	10	17	2	967	21		
9	1600	10.4	255	25	0.53	0.2	355	0.0	0	0.1	85	22.9	0.0	26.6	0.0	0.0	26.2	34	10	17	2	967	22		

SEP 1967

17	2400	7.5	5	22	1.24	0.3	245	0.0	0.1	65	26.0	0.0	27.0	0.0	0.0	24.1	34	10	17	2	947	30
17	2200	9.9	15	22	0.84	0.3	295	0.0	0.3	15	26.1	0.0	27.3	0.0	0.0	26.2	34	10	17	2	947	26
17	3400	8.1	15	24	0.97	0.3	245	0.0	0.3	175	26.6	0.0	27.3	0.0	0.0	26.4	34	10	17	2	947	27
17	4700	2.6	15	27	1.00	0.3	305	0.0	0.3	5	26.6	0.0	27.3	0.0	0.0	26.3	34	10	17	2	947	29
17	4800	2.5	15	27	1.07	0.3	305	0.0	0.3	195	24.5	0.0	27.1	0.0	0.0	24.6	34	10	17	2	947	29
17	4900	3.3	15	25	0.55	0.3	275	0.0	0.3	205	26.5	0.0	27.2	0.0	0.0	26.4	34	10	17	2	947	0
19	1400	7.6	15	24	0.90	0.2	275	0.0	0.2	35	27.0	0.0	27.6	0.0	0.0	24.5	34	10	17	2	947	30
19	2000	1.2	15	24	0.94	0.2	275	0.0	0.2	55	26.9	0.0	27.4	0.0	0.0	26.3	34	10	17	2	947	28
19	2400	2.3	55	24	1.31	0.3	295	0.0	0.3	25	26.7	0.0	27.4	0.0	0.0	26.3	34	10	17	2	947	27
19	2900	6.2	15	23	1.64	0.4	215	0.0	0.4	195	26.5	0.0	27.3	0.0	0.0	24.3	34	10	17	2	947	30
19	3200	6.6	15	24	1.74	0.4	95	0.0	0.5	195	24.5	0.0	27.3	0.0	0.0	24.3	34	10	17	2	947	26
19	3400	2.1	45	24	1.54	0.3	55	0.0	0.3	195	24.9	0.0	27.5	0.0	0.0	24.3	34	10	17	2	947	26
19	4000	3.1	45	27	1.20	0.3	235	0.0	0.3	35	27.5	0.0	27.5	0.0	0.0	24.4	34	10	17	2	947	29
19	4400	3.9	15	24	1.23	0.3	275	0.0	0.3	55	26.9	0.0	27.4	0.0	0.0	24.1	34	10	17	2	947	27
19	4900	5.7	25	25	1.27	0.3	295	0.0	0.3	45	27.0	0.0	27.5	0.0	0.0	24.0	34	10	17	2	947	27
19	5200	7.6	15	24	0.95	0.3	245	0.0	0.3	25	24.7	0.0	27.5	0.0	0.0	24.1	34	10	17	2	947	29
19	5400	7.4	15	24	0.94	0.3	145	0.0	0.3	35	24.6	0.0	27.4	0.0	0.0	24.2	34	10	17	2	947	28
19	4700	1.1	45	27	1.01	0.2	275	0.0	0.2	45	27.0	0.0	27.4	0.0	0.0	26.3	34	10	17	2	947	28
21	1400	1.8	45	24	0.60	0.2	205	0.0	0.2	205	27.3	0.0	27.3	0.0	0.0	26.4	34	10	17	2	947	31
21	2700	2.7	45	24	0.45	0.2	45	0.0	0.2	195	27.2	0.0	27.2	0.0	0.0	24.4	34	10	17	2	947	25
21	2400	4.5	75	24	0.75	0.2	145	0.0	0.2	35	24.9	0.0	27.1	0.0	0.0	26.4	34	10	17	2	947	23
21	2400	7.9	45	25	0.84	0.2	115	0.0	0.2	95	27.1	0.0	27.2	0.0	0.0	24.4	34	10	17	2	947	20
21	1200	10.3	45	25	0.45	0.2	115	0.0	0.2	75	26.8	0.0	27.1	0.0	0.0	24.4	34	10	17	2	947	19
21	1400	4.7	45	24	0.57	0.2	5	0.0	0.2	115	27.0	0.0	27.2	0.0	0.0	24.4	34	10	17	2	947	26
21	1700	12.2	45	27	0.42	0.0	5	0.0	0.2	45	27.2	0.0	27.3	0.0	0.0	24.5	34	10	17	2	947	29
21	4400	14.5	45	27	0.59	0.0	5	0.0	0.2	65	24.9	0.0	27.3	0.0	0.0	24.4	34	10	17	2	947	28
21	4900	13.3	5	28	0.51	0.0	5	0.0	0.3	115	26.5	0.0	27.3	0.0	0.0	24.4	34	10	17	2	947	25
21	5200	13.5	5	21	0.39	0.0	5	0.0	0.3	115	26.1	0.0	27.3	0.0	0.0	26.3	34	10	17	2	947	28
21	5400	12.4	5	27	0.38	0.0	5	0.0	0.3	115	25.7	0.0	27.2	0.0	0.0	24.3	34	10	17	2	947	27
21	4700	11.6	75	28	0.39	0.0	5	0.0	0.3	125	25.9	0.0	27.2	0.0	0.0	24.5	34	10	17	2	947	26
21	1400	11.0	5	24	0.34	0.0	5	0.0	0.3	185	26.4	0.0	27.2	0.0	0.0	24.5	34	10	17	2	947	28
21	2000	9.1	75	28	0.37	0.0	5	0.0	0.3	125	26.2	0.0	27.0	0.0	0.0	24.8	34	10	17	2	947	30
21	2400	11.5	5	27	0.41	0.0	5	0.0	0.3	115	25.9	0.0	27.1	0.0	0.0	24.5	34	10	17	2	947	27
21	2400	12.1	15	19	0.21	0.0	5	0.0	0.3	115	25.4	0.0	27.0	0.0	0.0	24.5	34	10	17	2	947	28
21	1200	10.3	15	20	4.07	0.0	5	0.0	0.3	135	25.2	0.0	27.1	0.0	0.0	24.5	34	10	17	2	947	29
21	1400	2.2	15	24	0.06	0.0	5	0.0	0.3	125	25.7	0.0	26.8	0.0	0.0	24.5	34	10	17	2	947	28
21	4700	2.7	45	24	0.04	0.0	5	0.0	0.3	125	24.3	0.0	27.2	0.0	0.0	24.4	34	10	17	2	947	27
21	4900	2.2	55	28	0.04	0.0	5	0.0	0.3	115	24.1	0.0	26.4	0.0	0.0	24.4	34	10	17	2	947	30
23	4900	4.1	5	27	0.08	0.0	5	0.0	0.3	125	25.7	0.0	24.7	0.0	0.0	24.4	34	10	17	2	947	26
23	5200	4.3	15	21	0.04	0.0	5	0.0	0.3	125	25.4	0.0	27.3	0.0	0.0	24.4	34	10	17	2	947	28
23	5400	4.4	15	21	0.04	0.0	5	0.0	0.3	125	25.2	0.0	27.2	0.0	0.0	24.4	34	10	17	2	947	28
23	6700	1.6	45	24	0.11	0.0	5	0.0	0.3	125	25.4	0.0	26.6	0.0	0.0	24.3	34	10	17	2	947	26
25	2700	2.1	45	27	0.23	0.0	5	0.0	0.0	115	25.9	0.0	26.9	0.0	0.0	24.5	34	10	17	2	947	28
25	2700	2.7	25	24	0.37	0.0	5	0.0	0.3	125	24.3	0.0	26.4	0.0	0.0	26.4	34	10	17	2	947	28
27	1400	10.9	45	24	0.72	1.0	305	0.0	1.0	205	24.2	0.0	27.0	0.0	0.0	24.2	34	10	17	2	947	29
27	2000	9.4	45	24	0.55	1.0	315	0.0	1.0	205	26.1	0.0	27.0	0.0	0.0	24.2	34	10	17	2	947	29
27	2400	7.6	45	24	0.74	0.4	315	0.0	0.4	245	24.0	0.0	26.9	0.0	0.0	24.1	34	10	17	2	947	29

27	2800	5.6	115	23	0.51	0.3	305	0.0	0	0.7	245	25.3	0.0	27.0	0.0	0.0	26.1	34	10	17	2	947	27
27	3200	10.1	115	20	0.74	0.5	295	0.0	0	0.3	2	25.7	0.0	26.7	0.0	0.0	25.9	34	10	17	2	947	26
27	3400	9.0	175	21	0.75	0.4	235	0.0	0	0.2	105	26.0	0.0	26.8	0.0	0.0	25.9	34	10	17	2	947	29
27	4000	20.1	115	19	0.91	0.3	205	0.0	0	0.2	125	26.1	0.0	26.9	0.0	0.0	26.1	34	10	17	2	947	28
27	4400	14.7	115	14	0.74	0.4	155	0.0	0	0.2	25	25.6	0.0	26.4	0.0	0.0	26.2	34	10	17	2	947	25
27	4800	17.3	115	13	0.72	0.4	155	0.0	0	0.2	55	25.4	0.0	26.7	0.0	0.0	26.1	34	10	17	2	947	30
27	5200	19.1	115	11	0.82	0.4	145	0.0	0	0.2	45	25.3	0.0	26.5	0.0	0.0	25.4	34	10	17	2	947	27
27	5600	16.0	115	11	0.60	0.4	155	0.0	0	0.2	65	25.2	0.0	26.5	0.0	0.0	26.0	34	10	17	2	947	27
27	6000	10.9	5	14	0.61	0.3	145	0.0	0	0.2	45	25.2	0.0	26.5	0.0	0.0	26.0	34	10	17	2	947	30
29	1400	4.9	105	19	0.33	0.3	95	0.0	0	0.2	75	25.5	0.0	26.5	0.0	0.0	26.3	34	10	17	2	947	27
29	2000	13.6	115	17	0.22	0.4	115	0.0	0	0.2	75	25.2	0.0	26.5	0.0	0.0	26.3	34	10	17	2	947	26
29	2400	10.0	5	14	0.34	0.4	135	0.0	0	0.3	75	24.9	0.0	26.3	0.0	0.0	26.0	34	10	17	2	947	23
29	2800	11.6	15	13	0.27	0.5	125	0.0	0	0.3	45	24.6	0.0	26.1	0.0	0.0	26.1	34	10	17	2	947	26
29	3200	12.2	15	14	0.27	0.5	135	0.0	0	0.3	75	24.4	0.0	26.0	0.0	0.0	25.9	34	10	17	2	947	24
29	3600	7.5	5	19	0.13	0.4	125	0.0	0	0.2	75	24.4	0.0	26.1	0.0	0.0	25.0	34	10	17	2	947	27
29	4000	7.6	5	22	0.17	0.3	115	0.0	0	0.2	75	25.2	0.0	26.5	0.0	0.0	25.1	34	10	17	2	947	27
29	4500	6.1	15	21	0.13	0.4	105	0.0	0	0.3	95	24.6	0.0	25.9	0.0	0.0	24.6	34	10	17	2	947	27
29	4900	5.9	15	19	0.24	0.3	125	0.0	0	0.1	95	24.1	0.0	25.9	0.0	0.0	24.7	34	10	17	2	947	27
29	5200	3.3	15	16	0.28	0.2	115	0.0	0	0.1	105	23.9	0.0	26.3	0.0	0.0	24.9	34	10	17	2	947	25
29	5600	10.9	25	17	0.24	0.3	125	0.0	0	0.2	105	23.2	0.0	25.6	0.0	0.0	25.0	34	10	17	2	947	23
29	6000	7.9	5	23	0.23	0.3	45	0.0	0	0.1	105	24.1	0.0	25.5	0.0	0.0	24.5	34	10	17	2	947	24
0	0	0.0	0	0	0.00	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0	0	0	0

CUDE: 0000000000000000

OCT 1967

070071 STAGE 2

DAY	HOURL	MS	WD	AT	HL	CSS	GDS	CSM	CDM	CSH	CDR	WT1	WT2	WT3	WT4	WT5	WT6	D1	D2	D3	D4	D5	D6	KEY	M
1	1400	8.4	15	27	0.2A	0.4	75	0.0	0	0.3	105	24.3	0.0	25.6	0.0	0.0	24.0	34	10	17	21067	31			
1	2000	9.2	55	23	0.37	0.4	115	0.0	0	0.2	105	24.2	0.0	25.7	0.0	0.0	22.7	34	10	17	21067	26			
1	2400	4.6	15	21	0.51	0.4	125	0.0	0	0.2	105	23.7	0.0	25.7	0.0	0.0	25.6	34	10	17	21067	27			
1	2800	11.4	25	14	0.4A	0.4	115	0.0	0	0.1	105	23.4	0.0	25.5	0.0	0.0	23.5	34	10	17	21067	30			
1	3200	11.5	25	14	0.34	0.3	125	0.0	0	0.2	105	23.2	0.0	24.9	0.0	0.0	24.1	34	10	17	21067	26			
1	3600	7.6	35	24	0.39	0.2	125	0.0	0	0.2	105	23.6	0.0	25.0	0.0	0.0	24.2	34	10	17	21067	27			
1	4000	8.7	45	24	0.5A	0.4	145	0.0	0	0.3	105	24.0	0.0	25.3	0.0	0.0	23.6	34	10	17	21067	30			
1	4400	2.5	45	23	0.55	0.1	55	0.0	0	0.1	105	23.8	0.0	25.3	0.0	0.0	24.8	34	10	17	21067	30			
1	4800	7.2	5	20	0.39	0.1	105	0.0	0	0.1	105	23.8	0.0	25.3	0.0	0.0	24.3	34	10	17	21067	29			
1	5200	9.1	25	19	0.2A	0.1	115	0.0	0	0.1	105	23.4	0.0	25.2	0.0	0.0	25.0	34	10	17	21067	29			
1	5600	12.9	35	20	0.32	0.2	155	0.0	0	0.1	105	23.1	0.0	25.2	0.0	0.0	23.3	34	10	17	21067	28			
1	6000	4.2	45	16	0.49	0.3	275	0.0	0	0.2	115	24.0	0.0	25.4	0.0	0.0	23.7	34	10	17	21067	26			
3	1600	2.2	85	25	0.43	0.3	325	0.0	0	0.3	105	25.0	0.0	26.0	0.0	0.0	23.2	34	10	17	21067	29			
3	2000	8.6	115	23	0.34	0.2	275	0.0	0	0.2	115	24.4	0.0	25.5	0.0	0.0	23.7	34	10	17	21067	27			
3	2400	8.7	115	20	0.41	0.4	195	0.0	0	0.3	115	23.8	0.0	25.7	0.0	0.0	23.9	34	10	17	21067	26			
3	2800	10.2	15	20	0.24	0.3	275	0.0	0	0.2	105	23.9	0.0	25.4	0.0	0.0	24.4	34	10	17	21067	24			
3	3200	7.3	15	19	0.25	0.3	235	0.0	0	0.1	105	23.6	0.0	25.7	0.0	0.0	23.6	34	10	17	21067	23			
3	3600	4.6	35	26	0.34	0.3	315	0.0	0	0.2	105	24.2	0.0	25.7	0.0	0.0	23.8	34	10	17	21067	24			
3	4000	2.4	55	26	0.34	0.2	155	0.0	0	0.3	105	24.3	0.0	25.5	0.0	0.0	21.0	34	10	17	21067	26			
3	4400	3.7	55	24	0.34	0.2	155	0.0	0	0.2	105	24.3	0.0	25.5	0.0	0.0	22.9	34	10	17	21067	22			
3	4800	6.0	65	23	0.35	0.3	225	0.0	0	0.2	115	24.4	0.0	25.6	0.0	0.0	22.9	34	10	17	21067	22			
3	5200	4.7	5	21	0.14	0.2	205	0.0	0	0.1	95	24.0	0.0	25.5	0.0	0.0	23.4	34	10	17	21067	21			
3	5600	5.4	15	21	0.24	0.2	215	0.0	0	0.2	95	23.8	0.0	25.5	0.0	0.0	23.3	34	10	17	21067	18			
10	1600	7.7	125	24	0.31	0.4	145	0.0	0	0.3	65	24.6	0.0	25.5	0.0	0.0	24.4	34	10	17	21067	20			
10	2000	3.3	145	22	0.25	0.4	135	0.0	0	0.2	65	24.5	0.0	25.8	0.0	0.0	23.2	34	10	17	21067	9			
10	2400	5.8	115	22	0.35	0.5	125	0.0	0	0.3	65	24.2	0.0	25.7	0.0	0.0	24.3	34	10	17	21067	25			
10	2800	11.3	145	14	0.32	0.4	125	0.0	0	0.3	65	24.1	0.0	25.7	0.0	0.0	24.8	34	10	17	21067	21			
10	3200	9.6	5	17	0.24	0.4	145	0.0	0	0.2	65	23.9	0.0	25.3	0.0	0.0	24.7	34	10	17	21067	25			
10	3600	5.5	145	22	0.15	0.4	155	0.0	0	0.3	65	24.2	0.0	25.7	0.0	0.0	24.7	34	10	17	21067	20			
10	4000	8.3	125	23	0.30	0.4	125	0.0	0	0.3	65	24.5	0.0	25.8	0.0	0.0	24.3	34	10	17	21067	23			
10	4400	9.9	5	20	0.17	0.5	125	0.0	0	0.3	65	24.2	0.0	26.0	0.0	0.0	24.1	34	10	17	21067	4			
10	4800	10.5	5	14	0.30	0.4	145	0.0	0	0.3	65	24.3	0.0	25.7	0.0	0.0	24.6	34	10	17	21067	28			
12	1400	4.9	5	22	0.10	0.3	125	0.0	0	0.2	65	24.2	0.0	25.6	0.0	0.0	20.6	34	10	17	21067	20			
12	2000	6.9	15	20	0.17	0.3	115	0.0	0	0.2	65	23.9	0.0	25.5	0.0	0.0	23.3	34	10	17	21067	8			
12	2400	5.3	15	19	0.21	0.3	115	0.0	0	0.1	65	23.7	0.0	25.4	0.0	0.0	23.2	34	10	17	21067	24			
12	2800	7.1	25	17	0.20	0.3	115	0.0	0	0.2	65	23.3	0.0	25.4	0.0	0.0	22.5	34	10	17	21067	23			
12	3200	9.6	25	18	0.22	0.3	135	0.0	0	0.1	55	23.9	0.0	25.0	0.0	0.0	23.7	34	10	17	21067	16			
12	3600	5.6	5	25	0.04	0.3	145	0.0	0	0.1	65	23.9	0.0	25.2	0.0	0.0	21.1	34	10	17	21067	21			
12	4000	9.6	115	24	0.24	0.4	115	0.0	0	0.2	65	24.0	0.0	25.1	0.0	0.0	24.0	34	10	17	21047	18			
12	4400	6.1	145	24	0.04	0.5	125	0.0	0	0.3	65	23.7	0.0	25.2	0.0	0.0	21.4	34	10	17	21047	3			
12	4800	7.7	5	20	0.17	0.4	125	0.0	0	0.3	55	23.7	0.0	25.2	0.0	0.0	22.7	34	10	17	21067	25			
12	5200	8.2	5	14	0.17	0.4	125	0.0	0	0.3	55	23.5	0.0	25.0	0.0	0.0	22.6	34	10	17	21067	23			
12	5600	6.7	15	19	0.24	0.4	125	0.0	0	0.2	55	22.8	0.0	25.0	0.0	0.0	23.1	34	10	17	21047	22			
12	6000	3.3	55	24	0.12	0.4	125	0.0	0	0.2	55	23.7	0.0	25.0	0.0	0.0	23.0	34	10	17	21047	20			

Oct 1967

14	1600	2.4	95	25	0.27	0.4	135	0.0	0.4	55	24.2	0.0	25.1	0.0	0.0	0.0	22.9	38	17	21067	22
14	2000	6.6	75	23	0.24	0.5	125	0.0	0.5	55	23.9	0.0	25.0	0.0	0.0	0.0	23.5	38	17	21067	8
14	2400	2.6	35	22	0.17	0.4	125	0.0	0.2	55	23.7	0.0	25.1	0.0	0.0	0.0	21.4	38	17	21067	26
14	2800	10.4	35	19	0.20	0.3	125	0.0	0.2	55	23.5	0.0	25.1	0.0	0.0	0.0	23.6	38	17	21067	23
14	3200	9.1	35	19	0.24	0.2	115	0.0	0.1	55	23.3	0.0	24.9	0.0	0.0	0.0	24.0	38	17	21067	22
14	3600	10.2	55	23	0.46	0.2	115	0.0	0.2	55	23.4	0.0	25.0	0.0	0.0	0.0	23.5	38	17	21067	21
14	4000	12.5	65	24	0.70	0.3	155	0.0	0.2	55	23.5	0.0	25.1	0.0	0.0	0.0	24.3	38	17	21067	27
14	4800	7.5	25	21	0.30	0.2	245	0.0	0.0	55	23.3	0.0	25.0	0.0	0.0	0.0	24.0	38	17	21067	24
14	5200	10.5	35	20	0.36	0.2	325	0.0	0.2	55	23.2	0.0	24.8	0.0	0.0	0.0	24.0	38	17	21067	21
14	5600	14.6	35	20	0.64	0.3	325	0.0	0.1	55	23.2	0.0	25.0	0.0	0.0	0.0	24.0	38	17	21067	20
14	6000	8.8	55	24	0.85	0.2	285	0.0	0.2	55	23.7	0.0	25.0	0.0	0.0	0.0	23.9	38	17	21067	18
14	1600	12.9	55	24	0.70	0.3	315	0.0	0.2	55	23.9	0.0	25.2	0.0	0.0	0.0	23.9	38	17	21067	6
14	2000	13.9	55	23	0.59	0.4	325	0.0	0.2	55	23.7	0.0	25.0	0.0	0.0	0.0	23.4	38	17	21067	22
14	2400	16.1	45	23	0.73	0.5	285	0.0	0.3	55	23.6	0.0	25.0	0.0	0.0	0.0	23.7	38	17	21067	21
14	2800	17.0	55	23	1.19	0.7	305	0.0	0.5	55	23.8	0.0	24.9	0.0	0.0	0.0	24.1	38	17	21067	20
14	3200	15.0	95	21	0.99	0.5	295	0.0	0.4	55	23.8	0.0	24.9	0.0	0.0	0.0	24.0	38	17	21067	20
14	3600	16.4	95	18	1.59	0.5	135	0.0	0.3	65	23.6	0.0	24.8	0.0	0.0	0.0	23.9	38	17	21067	20
14	4000	20.5	95	19	1.57	0.5	115	0.0	0.3	65	23.2	0.0	24.7	0.0	0.0	0.0	23.7	38	17	21067	15
14	4400	20.6	95	19	1.74	0.7	115	0.0	0.5	65	23.2	0.0	24.5	0.0	0.0	0.0	23.7	38	17	21067	4
14	4800	18.8	115	16	1.51	0.7	155	0.0	0.4	65	23.2	0.0	24.4	0.0	0.0	0.0	23.6	38	17	21067	22
14	5200	19.0	115	16	1.72	0.6	125	0.0	0.3	65	23.0	0.0	24.5	0.0	0.0	0.0	23.6	38	17	21067	20
14	5600	14.7	115	13	1.30	0.6	135	0.0	0.3	65	22.8	0.0	24.1	0.0	0.0	0.0	23.1	38	17	21067	20
14	6000	10.3	105	17	0.63	0.5	115	0.0	0.2	65	22.9	0.0	24.2	0.0	0.0	0.0	23.2	38	17	21067	19
14	1600	13.0	105	20	0.79	0.6	125	0.0	0.3	65	23.2	0.0	24.3	0.0	0.0	0.0	22.7	38	17	21067	19
14	2000	19.9	115	14	0.87	0.7	145	0.0	0.4	55	22.8	0.0	24.1	0.0	0.0	0.0	23.1	38	17	21067	8
14	2400	19.4	115	15	0.74	0.7	125	0.0	0.5	65	22.6	0.0	24.0	0.0	0.0	0.0	21.9	38	17	21067	23
14	2800	16.5	115	12	0.64	0.6	125	0.0	0.3	65	22.4	0.0	23.9	0.0	0.0	0.0	21.5	38	17	21067	20
14	3200	15.3	5	12	0.45	0.5	125	0.0	0.3	65	21.9	0.0	23.8	0.0	0.0	0.0	21.2	38	17	21067	24
14	3600	12.8	5	17	0.22	0.4	125	0.0	0.3	65	22.0	0.0	23.8	0.0	0.0	0.0	21.5	38	17	21067	20
14	4000	8.6	115	19	0.20	0.4	145	0.0	0.2	65	22.3	0.0	23.9	0.0	0.0	0.0	20.7	38	17	21067	19
14	4400	11.4	115	14	0.00	0.4	145	0.0	0.3	55	22.3	0.0	23.8	0.0	0.0	0.0	20.5	38	17	21067	1
14	4800	11.1	5	15	0.31	0.4	125	0.0	0.3	55	21.9	0.0	23.6	0.0	0.0	0.0	20.9	38	17	21067	27
14	5200	11.6	5	13	0.24	0.4	125	0.0	0.3	55	21.8	0.0	23.5	0.0	0.0	0.0	20.3	38	17	21067	22
14	5600	11.8	25	14	0.20	0.4	115	0.0	0.3	55	21.5	0.0	23.3	0.0	0.0	0.0	19.1	38	17	21067	19
14	6000	7.1	5	19	0.14	0.4	115	0.0	0.2	55	20.6	0.0	23.6	0.0	0.0	0.0	20.0	38	17	21067	21
20	1600	7.8	95	22	0.36	0.2	135	0.0	0.2	55	22.1	0.0	23.3	0.0	0.0	0.0	20.1	38	17	21067	16
20	2000	5.3	5	20	0.00	0.3	95	0.0	0.2	55	21.6	0.0	23.4	0.0	0.0	0.0	19.1	38	17	21067	2
20	2400	5.4	5	14	0.14	0.3	115	0.0	0.2	55	21.4	0.0	23.3	0.0	0.0	0.0	20.8	38	17	21067	23
20	2800	4.9	15	17	0.14	0.2	135	0.0	0.1	55	21.4	0.0	23.2	0.0	0.0	0.0	21.0	38	17	21067	18
20	3200	8.7	15	17	0.20	0.2	115	0.0	0.1	55	20.4	0.0	23.1	0.0	0.0	0.0	20.2	38	17	21067	15
22	1600	6.7	45	23	0.14	0.2	135	0.0	0.1	55	21.8	0.0	23.3	0.0	0.0	0.0	14.6	38	17	21067	18
22	2000	4.3	75	20	0.33	0.2	225	0.0	0.1	55	21.6	0.0	23.3	0.0	0.0	0.0	20.0	38	17	21067	9
22	2400	5.2	5	20	0.24	0.2	95	0.0	0.1	55	21.2	0.0	23.2	0.0	0.0	0.0	19.2	38	17	21067	22
22	2800	11.2	25	19	0.34	0.2	235	0.0	0.1	55	20.8	0.0	23.0	0.0	0.0	0.0	19.6	38	17	21067	19
22	3200	10.8	25	14	0.47	0.4	305	0.0	0.2	55	20.4	0.0	22.9	0.0	0.0	0.0	20.4	38	17	21067	19
22	3600	5.8	45	24	0.34	0.2	275	0.0	0.1	55	20.9	0.0	23.3	0.0	0.0	0.0	20.4	38	17	21067	18
22	4000	3.6	55	24	0.52	0.2	275	0.0	0.1	45	22.0	0.0	23.4	0.0	0.0	0.0	19.9	38	17	21067	18

Oct 1967																									
22	4400	3.5	5	21	0.00	0.3	335	0.0	0.2	55	21.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	19.3	38	10	17	21067	1
22	4500	14.6	25	20	0.45	0.2	325	0.0	0.1	55	21.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	19.8	38	10	17	21067	21
22	5200	13.2	25	19	0.59	0.2	325	0.0	0.1	55	21.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	19.6	38	10	17	21067	20
22	5600	12.3	25	19	0.54	0.4	305	0.0	0.2	45	20.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	19.1	38	10	17	21067	18
22	6000	9.0	45	24	0.00	0.3	325	0.0	0.1	55	21.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21.5	38	10	17	21067	1
24	2400	7.8	35	14	0.00	0.3	325	0.0	0.2	55	21.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	19.9	38	10	17	21067	1
26	1600	6.3	95	19	0.22	0.3	175	0.0	0.2	55	21.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14.8	38	10	17	21067	24
26	2400	7.5	95	18	0.33	0.2	95	0.0	0.1	55	20.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18.5	38	10	17	21067	28
26	2500	7.3	105	19	0.32	0.2	105	0.0	0.1	55	20.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	19.2	38	10	17	21067	24
26	3200	7.1	35	16	0.25	0.2	135	0.0	0.1	55	21.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	19.2	38	10	17	21067	25
26	3600	8.1	75	21	0.34	0.2	55	0.0	0.1	55	21.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	19.0	38	10	17	21067	21
26	4000	7.4	45	22	0.31	0.2	15	0.0	0.2	55	21.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	19.6	38	10	17	21067	22
26	4400	4.9	175	21	0.20	0.1	95	0.0	0.0	55	21.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	19.8	38	10	17	21067	2
26	4900	9.3	5	19	0.24	0.1	295	0.0	0.1	45	20.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	19.9	38	10	17	21067	28
26	5200	17.7	5	15	0.35	0.1	255	0.0	0.0	45	20.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	19.8	38	10	17	21067	25
26	5600	18.6	15	14	0.43	0.2	225	0.0	0.1	55	20.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	19.2	38	10	17	21067	23
26	6000	12.1	5	19	0.23	0.2	155	0.0	0.1	55	20.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	19.7	38	10	17	21067	22
28	1500	6.4	5	21	0.14	0.2	125	0.0	0.2	55	20.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	19.1	38	10	17	21067	18
28	2000	10.5	5	17	0.12	0.3	125	0.0	0.2	55	20.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	19.6	38	10	17	21067	8
28	2400	13.2	25	16	0.20	0.2	115	0.0	0.1	55	20.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	19.8	38	10	17	21067	21
28	2800	13.7	35	15	0.27	0.2	125	0.0	0.2	55	19.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	19.4	38	10	17	21067	23
28	3200	15.0	35	15	0.44	0.2	125	0.0	0.1	55	20.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	19.2	38	10	17	21067	17
28	3600	9.3	45	20	0.44	0.2	315	0.0	0.1	55	20.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	19.3	38	10	17	21067	18
28	4000	6.0	45	22	0.42	0.2	105	0.0	0.2	55	20.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	19.2	38	10	17	21067	19
28	4400	9.0	35	20	0.54	0.2	85	0.0	0.1	55	20.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	19.4	38	10	17	21067	2
28	4900	19.6	45	18	0.75	0.2	285	0.0	0.0	55	19.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17.6	38	10	17	21067	20
28	5200	16.9	15	17	1.04	0.3	285	0.0	0.2	55	20.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	19.1	38	10	17	21067	18
28	5600	21.7	25	18	1.01	0.4	305	0.0	0.3	55	20.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18.6	38	10	17	21067	19
28	6000	22.1	25	22	1.41	0.5	295	0.0	0.4	55	20.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18.6	38	10	17	21067	16
30	1500	24.4	25	22	1.12	0.5	325	0.0	0.4	45	20.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	19.9	38	10	17	21067	17
30	2400	23.0	55	21	1.05	0.5	315	0.0	0.3	35	20.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20.5	38	10	17	21067	24
30	2800	15.0	75	20	1.99	0.8	305	0.0	0.5	35	20.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20.7	38	10	17	21067	22
30	3200	17.2	25	19	1.52	0.0	315	0.0	0.4	35	19.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20.1	38	10	17	21067	21
30	3600	16.1	25	20	0.79	0.0	25	0.0	0.0	25	18.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20.3	38	10	17	21067	18
30	4000	13.1	45	19	1.63	0.0	25	0.0	0.0	25	19.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	18.2	38	10	17	21067	21
30	4400	16.6	45	16	1.39	0.0	25	0.0	0.0	25	20.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	19.6	38	10	17	21067	3
30	4800	12.1	75	13	1.54	0.0	45	0.0	0.0	25	20.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	19.1	38	10	17	21067	23
30	5200	18.0	75	11	1.87	0.0	85	0.0	0.0	25	20.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	19.7	38	10	17	21067	18
30	5600	12.8	5	11	0.99	0.0	355	0.0	0.0	15	19.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	20.7	38	10	17	21067	20
30	6000	10.9	25	12	0.87	0.0	355	0.0	0.0	15	19.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	19.3	38	10	17	21067	18
0	0	0.0	0	0	0.00	0.0	0	0.0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	0	0	0

070071 STAGE 2

NJV 1967

CUDE: 0000000000000000000

DAY	MOJK	MS	WD	AT	WL	CSS	CNS	CSM	CDM	CSF	CDR	WT1	WT2	WT3	WT4	WT5	WT6	D1	D2	D3	U4	U5	D6	KEY	N	
1	1400	6.2	45	14	0.87	0.0	355	0.0	0	0.0	15	19.8	0.0	21.5	0.0	0.0	19.4	38	10	17			17	21167	9	
1	1400	13.1	75	14	1.04	0.0	355	0.0	0	0.0	15	19.7	0.0	21.0	0.0	0.0	17.3	38	10	17			17	21167	20	
1	1400	15.6	125	14	1.05	0.0	355	0.0	0	0.0	15	19.1	0.0	21.0	0.0	0.0	16.5	38	10	17			17	21167	19	
1	1400	11.5	135	13	1.34	0.0	45	0.0	0	0.0	15	19.7	0.0	20.9	0.0	0.0	19.6	34	10	17			17	21167	17	
1	1400	6.3	105	16	1.35	0.0	355	0.0	0	0.0	15	19.8	0.0	21.0	0.0	0.0	17.5	38	10	17			17	21167	17	
1	1400	7.3	105	16	1.05	0.0	355	0.0	0	0.0	15	19.6	0.0	21.0	0.0	0.0	16.3	38	10	17			17	21167	22	
1	1400	9.8	105	17	0.00	0.0	355	0.0	0	0.0	15	19.8	0.0	20.9	0.0	0.0	11.5	38	10	17			17	21167	1	
1	1400	9.6	115	14	0.77	0.0	355	0.0	0	0.0	15	19.5	0.0	20.8	0.0	0.0	15.6	38	10	17			17	21167	28	
1	1400	8.4	5	12	0.50	0.0	355	0.0	0	0.0	15	19.6	0.0	20.7	0.0	0.0	15.0	38	10	17			17	21167	27	
1	1400	6.2	15	14	0.64	0.0	355	0.0	0	0.0	15	19.3	0.0	20.6	0.0	0.0	15.6	38	10	17			17	21167	25	
1	1400	6.9	45	17	0.59	0.0	5	0.0	0	0.0	15	20.0	0.0	20.7	0.0	0.0	15.2	38	10	17			17	21167	25	
3	1400	8.9	5	17	0.55	0.0	5	0.0	0	0.0	15	20.0	0.0	20.8	0.0	0.0	16.5	38	10	17			17	21167	23	
3	1400	7.1	5	14	0.49	0.0	5	0.0	0	0.0	5	19.7	0.0	20.9	0.0	0.0	16.7	38	10	17			17	21167	10	
3	1400	14.0	5	17	0.81	0.0	5	0.0	0	0.0	5	19.5	0.0	20.9	0.0	0.0	14.3	38	10	17			17	21167	27	
3	1400	13.6	5	13	0.74	0.0	5	0.0	0	0.0	5	19.9	0.0	21.0	0.0	0.0	15.7	38	10	17			17	21167	25	
3	1400	0.0	355	40	0.61	6.8	355	0.0	0	6.8	355	19.7	0.0	40.0	0.0	0.0	23.6	38	10	17			17	21167	7	
3	1400	11.4	5	14	0.30	0.0	5	0.0	0	0.0	5	19.4	0.0	21.0	0.0	0.0	17.8	38	10	17			17	21167	4	
3	1400	13.7	5	13	0.00	0.0	5	0.0	0	0.0	5	19.6	0.0	21.0	0.0	0.0	16.9	38	10	17			17	21167	1	
7	1400	12.1	15	13	0.20	0.0	5	0.0	0	0.0	15	18.1	0.0	19.5	0.0	0.0	9.2	38	10	17			17	21167	21	
7	1400	11.4	5	12	0.13	0.0	5	0.0	0	0.0	15	18.1	0.0	19.6	0.0	0.0	9.2	38	10	17			17	21167	6	
7	1400	7.1	45	10	0.19	0.0	5	0.0	0	0.0	15	17.7	0.0	19.3	0.0	0.0	7.2	38	10	17			17	21167	26	
7	1400	8.9	65	10	0.21	0.0	5	0.0	0	0.0	15	17.5	0.0	19.4	0.0	0.0	7.8	38	10	17			17	21167	26	
7	1400	11.8	65	14	0.95	0.0	5	0.0	0	0.0	5	17.8	0.0	19.4	0.0	0.0	0.8	38	10	17			17	21167	24	
7	1400	8.1	65	9	0.42	0.0	5	0.0	0	0.0	15	17.4	0.0	19.2	0.0	0.0	6.9	38	10	17			17	21167	28	
7	1400	9.2	65	11	0.17	0.0	5	0.0	0	0.0	5	17.2	0.0	19.0	0.0	0.0	4.9	38	10	17			17	21167	11	
7	1400	6.3	15	14	0.17	0.0	5	0.0	0	0.0	5	17.6	0.0	19.1	0.0	0.0	6.7	38	10	17			17	21167	4	
9	1400	5.7	45	11	0.25	0.0	5	0.0	0	0.0	15	17.1	0.0	19.0	0.0	0.0	1.5	38	10	17			17	21167	14	
9	1400	10.1	65	13	0.29	0.0	5	0.0	0	0.0	15	17.1	0.0	19.0	0.0	0.0	0.0	0.0	10	17			17	21167	11	
9	1400	9.9	145	14	0.24	0.0	5	0.0	0	0.0	15	17.6	0.0	19.1	0.0	0.0	0.8	38	10	17			17	21167	11	
9	1400	11.6	145	19	0.64	0.0	5	0.0	0	0.0	15	16.7	0.0	19.1	0.0	0.0	0.0	0.0	10	17			17	21167	13	
9	1400	6.4	45	16	0.46	0.0	5	0.0	0	0.0	15	17.1	0.0	19.0	0.0	0.0	11.0	38	10	17			17	21167	14	
9	1400	12.0	75	15	0.41	0.0	5	0.0	0	0.0	15	16.9	0.0	19.0	0.0	0.0	0.1	38	10	17			17	21167	9	
9	1400	11.8	85	14	0.44	0.0	5	0.0	0	0.0	5	16.6	0.0	18.9	0.0	0.0	3.5	38	10	17			17	21167	10	
9	1400	10.4	75	14	0.47	0.0	5	0.0	0	0.0	5	16.6	0.0	18.7	0.0	0.0	1.7	38	10	17			17	21167	10	
9	1400	6.7	155	20	0.44	0.0	5	0.0	0	0.0	5	17.2	0.0	18.9	0.0	0.0	1.2	38	10	17			17	21167	12	
11	1400	8.2	55	14	0.44	0.0	5	0.0	0	0.0	5	16.5	0.0	18.9	0.0	0.0	5.7	38	10	17			17	21167	11	
11	1400	8.5	25	15	0.29	0.0	5	0.0	0	0.0	5	16.5	0.0	18.9	0.0	0.0	0.0	8.8	38	10	17			17	21167	4
11	1400	6.2	5	21	0.19	0.0	5	0.0	0	0.0	5	17.2	0.0	19.0	0.0	0.0	9.1	38	10	17			17	21167	19	
11	1400	3.0	275	20	0.24	0.0	5	0.0	0	0.0	5	17.6	0.0	19.0	0.0	0.0	7.7	38	10	17			17	21167	14	
11	1400	4.8	285	19	0.22	0.0	5	0.0	0	0.0	5	17.5	0.0	18.7	0.0	0.0	9.6	38	10	17			17	21167	14	
11	1400	5.8	335	17	0.14	0.0	5	0.0	0	0.0	5	17.2	0.0	19.0	0.0	0.0	7.7	38	10	17			17	21167	12	
11	1400	9.4	5	15	0.22	0.0	5	0.0	0	0.0	5	17.1	0.0	19.0	0.0	0.0	3.7	38	10	17			17	21167	13	
11	1400	8.2	15	17	0.14	0.0	5	0.0	0	0.0	5	16.8	0.0	18.9	0.0	0.0	5.5	38	10	17			17	21167	6	

Nov 1967

11	4800	7.8	25	17	0.00	0.0	0.0	5	16.8	7.0	19.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	10	17	21167	1
13	1600	2.9	235	20	0.26	0.0	355	5	18.1	7.0	19.1	0.0	0.0	0.0	0.0	0.0	3.3	36	10	17	21167	25
13	2000	9.0	255	19	0.35	0.0	355	5	17.7	7.0	19.0	0.0	0.0	0.0	0.0	0.0	0.3	36	10	17	21167	5
13	2400	10.7	275	19	0.57	0.0	355	5	17.5	7.0	19.0	0.0	0.0	0.0	0.0	0.0	0.5	38	10	17	21167	27
13	2800	9.3	305	16	0.61	0.0	355	5	17.3	7.0	19.0	0.0	0.0	0.0	0.0	0.0	5.4	38	10	17	21167	25
13	3200	6.2	275	18	0.49	0.0	355	5	17.2	7.0	19.0	0.0	0.0	0.0	0.0	0.0	9.1	38	10	17	21167	26
13	3600	7.9	225	20	0.44	0.0	5	5	17.8	7.0	19.2	0.0	0.0	0.0	0.0	0.0	7.9	38	10	17	21167	24
13	4000	6.6	215	19	0.47	0.0	5	5	17.9	7.0	19.3	0.0	0.0	0.0	0.0	0.0	6.3	36	10	17	21167	25
13	4400	12.2	265	19	0.90	0.0	5	5	17.4	7.0	19.2	0.0	0.0	0.0	0.0	0.0	4.0	38	10	17	21167	20
13	5200	13.2	5	13	0.60	0.0	5	5	17.4	7.0	19.3	0.0	0.0	0.0	0.0	0.0	2.8	36	10	17	21167	27
13	5600	19.6	5	12	0.52	0.0	5	5	16.9	7.0	19.2	0.0	0.0	0.0	0.0	0.0	10.1	38	10	17	21167	20
13	6000	12.3	325	16	0.51	0.0	5	5	17.5	7.0	19.3	0.0	0.0	0.0	0.0	0.0	2.7	36	10	17	21167	25
15	1600	13.4	325	16	0.40	0.0	5	5	17.7	7.0	19.4	0.0	0.0	0.0	0.0	0.0	4.1	38	10	17	21167	22
15	2000	12.9	335	13	0.29	0.0	5	5	17.5	7.0	19.5	0.0	0.0	0.0	0.0	0.0	2.8	36	10	17	21167	6
15	2400	13.4	35	11	0.45	0.0	5	5	17.2	7.0	19.5	0.0	0.0	0.0	0.0	0.0	0.6	36	10	17	21167	31
15	2800	16.1	185	15	0.22	0.7	5	5	16.0	7.0	19.4	0.0	0.0	0.0	0.0	0.0	2.2	38	10	17	21167	10
15	3200	0.0	355	35	0.17	6.8	355	155	15.9	7.0	19.3	0.0	0.0	0.0	0.0	0.0	40.0	38	10	17	21167	6
15	3600	9.2	15	16	0.20	0.0	5	5	17.3	7.0	19.5	0.0	0.0	0.0	0.0	0.0	5.7	36	10	17	21167	26
15	4000	9.0	5	17	0.19	0.0	5	5	18.0	7.0	19.4	0.0	0.0	0.0	0.0	0.0	0.0	38	10	17	21167	23
15	4800	11.0	85	13	0.41	0.0	5	5	17.2	7.0	19.4	0.0	0.0	0.0	0.0	0.0	5.7	36	10	17	21167	30
15	5200	9.4	85	13	0.32	0.0	5	5	15.8	7.0	19.3	0.0	0.0	0.0	0.0	0.0	0.0	38	10	17	21167	30
15	5600	3.1	45	14	0.34	0.0	5	5	16.9	7.0	19.3	0.0	0.0	0.0	0.0	0.0	0.0	36	10	17	21167	25
15	6000	2.9	215	14	0.24	0.0	5	5	17.4	7.0	19.3	0.0	0.0	0.0	0.0	0.0	0.0	36	10	17	21167	7
17	1600	3.4	255	17	0.30	0.0	5	5	17.7	7.0	19.3	0.0	0.0	0.0	0.0	0.0	0.0	38	10	17	21167	23
17	2000	11.0	265	18	0.34	0.0	5	5	17.4	7.0	19.2	0.0	0.0	0.0	0.0	0.0	7.1	36	10	17	21167	5
17	2400	10.2	305	16	0.55	0.0	5	5	17.1	7.0	19.4	0.0	0.0	0.0	0.0	0.0	0.6	38	10	17	21167	26
17	2800	9.8	295	16	0.53	0.0	5	5	17.0	7.0	19.4	0.0	0.0	0.0	0.0	0.0	0.6	38	10	17	21167	24
17	3200	8.8	335	16	0.41	0.0	5	5	17.4	7.0	19.4	0.0	0.0	0.0	0.0	0.0	7.6	36	10	17	21167	23
17	3600	8.8	235	18	0.57	0.0	5	5	18.0	7.0	19.5	0.0	0.0	0.0	0.0	0.0	5.3	38	10	17	21167	21
17	4000	12.5	245	19	0.61	0.0	5	5	18.1	7.0	19.6	0.0	0.0	0.0	0.0	0.0	0.4	38	10	17	21167	24
17	4400	15.5	325	17	0.39	0.0	5	5	18.0	7.0	19.5	0.0	0.0	0.0	0.0	0.0	5.1	36	10	17	21167	4
17	4800	16.0	5	14	0.61	0.0	5	5	17.7	7.0	19.5	0.0	0.0	0.0	0.0	0.0	2.0	36	10	17	21167	27
17	5200	10.1	5	10	0.26	0.0	5	5	17.2	7.0	19.3	0.0	0.0	0.0	0.0	0.0	6.0	36	10	17	21167	21
17	5600	10.5	35	11	0.19	0.0	5	5	15.9	7.0	19.3	0.0	0.0	0.0	0.0	0.0	0.0	38	10	17	21167	26
17	6000	6.9	5	16	0.17	0.0	5	5	17.1	7.0	19.3	0.0	0.0	0.0	0.0	0.0	0.0	38	10	17	21167	23
21	1600	7.1	155	19	0.32	0.0	5	5	17.3	7.0	18.9	0.0	0.0	0.0	0.0	0.0	7.2	36	10	17	21167	22
21	2000	10.9	135	17	0.33	0.0	5	5	17.1	7.0	18.9	0.0	0.0	0.0	0.0	0.0	7.0	36	10	17	21167	5
21	2400	9.8	175	18	0.51	0.0	5	5	17.1	7.0	18.8	0.0	0.0	0.0	0.0	0.0	0.0	36	10	17	21167	29
21	2800	11.4	195	19	0.64	0.0	5	5	17.1	7.0	18.8	0.0	0.0	0.0	0.0	0.0	0.0	36	10	17	21167	25
21	3200	10.5	185	21	0.71	0.0	5	5	17.2	7.0	18.9	0.0	0.0	0.0	0.0	0.0	2.1	38	10	17	21167	25
21	3600	12.1	175	21	0.70	0.0	5	5	17.4	7.0	19.0	0.0	0.0	0.0	0.0	0.0	1.0	36	10	17	21167	23
21	4000	12.7	215	20	1.05	0.0	5	5	17.6	7.0	19.0	0.0	0.0	0.0	0.0	0.0	1.1	38	10	17	21167	21
21	4400	14.9	195	20	0.90	0.0	5	5	17.5	7.0	19.0	0.0	0.0	0.0	0.0	0.0	0.9	36	10	17	21167	4
21	4800	19.8	215	20	1.59	0.0	5	5	17.7	7.0	19.0	0.0	0.0	0.0	0.0	0.0	2.2	38	10	17	21167	29
21	5200	20.5	245	20	1.69	0.0	5	5	17.7	7.0	19.1	0.0	0.0	0.0	0.0	0.0	5.5	38	10	17	21167	26
21	5600	12.7	275	19	1.59	0.0	5	5	17.7	7.0	19.0	0.0	0.0	0.0	0.0	0.0	9.5	38	10	17	21167	25
21	6000	8.9	235	19	1.34	0.0	5	5	18.1	7.0	19.2	0.0	0.0	0.0	0.0	0.0	4.7	38	10	17	21167	5

Nov 1967

24	1500	17.2	145	21	1.37	0.0	5	0.0	0	0.0	5	18.7	0.0	19.6	0.0	0.0	0.0	10	17	21167	23
24	2000	19.3	205	21	0.74	0.0	5	0.0	0	0.0	5	18.6	0.0	19.5	0.0	0.0	0.0	10	17	21167	4
24	2400	15.9	205	21	1.72	0.0	5	0.0	0	0.0	5	18.6	0.0	19.6	0.0	0.0	0.0	10	17	21167	31
24	2900	11.4	245	21	0.00	0.0	5	0.0	0	0.0	5	18.7	0.0	19.6	0.0	0.0	0.0	10	17	21167	1
24	3200	5.6	45	19	2.14	0.0	5	0.0	0	0.0	5	18.7	0.0	19.6	0.0	0.0	0.0	10	17	21167	4
24	3600	9.6	145	22	0.00	0.0	5	0.0	0	0.0	5	19.0	0.0	19.6	0.0	0.0	0.0	10	17	21167	1
24	4000	3.1	215	21	1.22	0.0	5	0.0	0	0.0	5	18.9	0.0	19.6	0.0	0.0	0.0	10	17	21167	5
24	4400	9.3	205	20	0.64	0.0	5	0.0	0	0.0	5	18.6	0.0	19.6	0.0	0.0	0.0	10	17	21167	4
24	4900	7.6	145	20	0.64	0.0	5	0.0	0	0.0	5	18.4	0.0	19.6	0.0	0.0	0.0	10	17	21167	4
24	5200	8.2	205	20	1.83	0.0	5	0.0	0	0.0	5	19.0	0.0	19.4	0.0	0.0	0.0	10	17	21167	4
24	5600	6.7	175	21	0.41	0.0	5	0.0	0	0.0	5	19.0	0.0	19.3	0.0	0.0	0.0	10	17	21167	4
24	6000	10.2	165	22	0.72	0.0	5	0.0	0	0.0	5	19.0	0.0	19.4	0.0	0.0	0.0	10	17	21167	3
30	1500	3.5	225	21	0.94	0.2	115	0.0	5	0.0	15	19.1	0.0	0.0	0.0	0.0	0.0	10	17	21167	29
30	2000	8.9	255	21	0.84	0.2	135	0.0	5	0.0	15	18.4	0.0	0.0	0.0	0.0	0.0	10	17	21167	31
30	2400	12.1	25	14	0.59	0.2	155	0.0	5	0.0	15	18.7	0.0	0.0	0.0	0.0	0.0	10	17	21167	29
30	2900	12.4	55	15	0.35	0.2	145	0.0	5	0.0	15	18.5	0.0	0.0	0.0	0.0	0.0	10	17	21167	32
30	3200	12.0	75	15	0.34	0.2	125	0.0	5	0.1	15	18.3	0.0	0.0	0.0	0.0	0.0	10	17	21167	29
30	3600	5.3	105	19	0.40	0.2	105	0.0	5	0.0	15	18.6	0.0	0.0	0.0	0.0	0.0	10	17	21167	30
30	4000	8.0	145	14	0.63	0.2	125	0.0	5	0.0	25	18.8	0.0	0.0	0.0	0.0	0.0	10	17	21167	31
30	4400	8.3	105	14	0.54	0.2	115	0.0	5	0.0	15	18.4	0.0	0.0	0.0	0.0	0.0	10	17	21167	29
30	4900	12.3	45	16	0.53	0.2	145	0.0	5	0.0	15	18.2	0.0	0.0	0.0	0.0	0.0	10	17	21167	31
30	5200	15.5	105	15	0.61	0.2	115	0.0	5	0.0	15	18.0	0.0	0.0	0.0	0.0	0.0	10	17	21167	30
30	5600	16.7	105	16	0.84	0.2	165	0.0	5	0.0	15	18.0	0.0	0.0	0.0	0.0	0.0	10	17	21167	29
30	6000	16.9	125	19	0.81	0.2	245	0.0	5	0.0	25	18.3	0.0	0.0	0.0	0.0	0.0	10	17	21167	27
0	0	0.0	0	0	0.00	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0	0	0	0

070071 STAGE 2

DEC 1967

CODE: 000000000000000000

DAY	HOUR	MS	WD	AT	ML	CSS	CDS	CSM	CDM	CSB	CDB	MT1	MT2	MT3	MT4	MT5	MT6	D1	D2	D3	D4	D5	D6	KEY	N
2	1600	19.9	125	19	1.10	0.2	285	0.0	5	0.0	25	18.3	0.0	0.0	0.0	0.0	0.0	19.4	34	10	17	21267	19		
2	2000	16.1	155	20	1.14	0.2	335	0.0	5	0.0	25	18.4	0.0	0.0	0.0	0.0	0.0	19.4	34	10	17	21267	30		
2	2400	21.1	295	17	1.35	0.2	115	0.0	5	0.1	15	18.3	0.0	0.0	0.0	0.0	0.0	19.4	34	10	17	21267	30		
2	2900	20.7	325	12	1.94	0.2	155	0.0	5	0.0	5	18.1	0.0	0.0	0.0	0.0	0.0	19.3	34	10	17	21267	30		
2	3600	20.4	335	15	0.99	3.6	125	0.3	5	4.6	355	17.6	0.0	0.0	0.0	0.0	0.0	19.0	34	10	17	21267	6		
2	4000	19.3	335	12	0.85	0.4	115	0.0	5	0.1	5	17.7	0.0	0.0	0.0	0.0	0.0	19.0	34	10	17	21267	25		
7	1500	10.5	105	0	0.79	0.3	285	0.1	5	0.2	35	0.3	0.0	0.3	0.0	0.0	0.0	0.7	34	10	17	21267	31		
7	2000	10.7	115	0	0.47	0.2	325	0.1	5	0.1	35	0.3	0.0	0.3	0.0	0.0	0.0	0.7	34	10	17	21267	29		
7	2400	12.3	105	0	0.72	0.3	315	0.1	5	0.1	35	0.3	0.0	0.3	0.0	0.0	0.0	0.6	34	10	17	21267	28		
7	2900	14.0	105	0	1.01	0.3	305	0.1	5	0.3	35	0.3	0.0	0.3	0.0	0.0	0.0	0.5	34	10	17	21267	29		
7	3200	12.6	95	0	0.94	0.3	305	0.1	5	0.1	5	0.3	0.0	0.3	0.0	0.0	0.0	0.6	34	10	17	21267	29		
7	3600	17.8	145	0	1.32	0.3	315	0.1	5	0.1	35	0.3	0.0	0.3	0.0	0.0	0.0	0.6	34	10	17	21267	31		
7	4000	14.4	135	0	1.42	0.3	325	0.1	5	0.1	35	0.3	0.0	0.3	0.0	0.0	0.0	0.5	34	10	17	21267	25		
7	4400	8.8	85	0	0.83	0.3	315	0.1	5	0.1	5	0.3	0.0	0.3	0.0	0.0	0.0	0.9	34	10	17	21267	25		
7	4900	11.1	85	0	1.04	0.2	305	0.1	5	0.1	5	0.3	0.0	0.3	0.0	0.0	0.0	1.1	34	10	17	21267	31		
7	5200	10.9	95	0	0.95	0.2	315	0.1	5	0.1	25	0.3	0.0	0.3	0.0	0.0	0.0	1.2	34	10	17	21267	26		
7	5600	10.3	95	0	0.53	0.2	315	0.1	5	0.1	25	0.3	0.0	0.3	0.0	0.0	0.0	1.1	34	10	17	21267	31		
7	6000	10.1	125	0	0.69	0.2	295	0.1	5	0.1	5	0.3	0.0	0.3	0.0	0.0	0.0	0.6	34	10	17	21267	28		
9	1500	14.4	125	0	0.46	0.1	315	0.1	5	0.1	5	0.3	0.0	0.3	0.0	0.0	0.0	0.7	34	10	17	21267	19		
9	2000	15.4	105	0	0.59	0.1	305	0.1	5	0.1	5	0.3	0.0	0.3	0.0	0.0	0.0	1.1	34	10	17	21267	33		
9	2400	20.9	115	0	0.67	0.2	305	0.1	5	0.1	25	0.3	0.0	0.3	0.0	0.0	0.0	1.3	34	10	17	21267	32		
9	2900	17.8	145	0	1.47	0.1	315	0.1	5	0.1	35	0.3	0.0	0.3	0.0	0.0	0.0	1.4	34	10	17	21267	32		
9	3500	8.8	155	0	1.52	0.1	295	0.1	5	0.1	25	0.3	0.0	0.3	0.0	0.0	0.0	1.1	34	10	17	21267	25		
9	4000	13.4	145	0	1.97	0.1	305	0.1	5	0.1	15	0.3	0.0	0.3	0.0	0.0	0.0	1.1	34	10	17	21267	32		
9	4400	17.1	115	0	1.31	0.1	325	0.1	5	0.1	15	0.3	0.0	0.3	0.0	0.0	0.0	1.2	34	10	17	21267	33		
9	5200	17.4	125	0	1.64	0.1	295	0.1	5	0.1	25	0.3	0.0	0.3	0.0	0.0	0.0	1.4	34	10	17	21267	32		
9	5600	21.3	255	0	1.93	0.1	315	0.1	5	0.1	35	0.3	0.0	0.3	0.0	0.0	0.0	0.9	34	10	17	21267	32		
9	6000	18.1	255	0	2.15	0.1	325	0.1	5	0.1	15	0.3	0.0	0.3	0.0	0.0	0.0	0.7	34	10	17	21267	27		
11	1500	15.5	235	0	2.49	0.1	235	0.1	5	0.1	25	0.3	0.0	0.3	0.0	0.0	0.0	0.5	34	10	17	21267	16		
11	2000	15.6	255	0	2.41	0.1	175	0.1	5	0.1	25	0.3	0.0	0.3	0.0	0.0	0.0	0.5	34	10	17	21267	32		
11	2400	28.4	235	0	2.59	0.1	175	0.1	5	0.1	15	0.3	0.0	0.3	0.0	0.0	0.0	0.4	34	10	17	21267	32		
11	2900	22.9	255	0	3.14	0.1	125	0.1	5	0.1	15	0.3	0.0	0.3	0.0	0.0	0.0	0.4	34	10	17	21267	32		
11	3200	17.1	275	0	2.05	0.1	145	0.1	5	0.1	15	0.3	0.0	0.3	0.0	0.0	0.0	0.3	34	10	17	21267	34		
11	3500	7.6	275	0	1.44	0.1	145	0.1	5	0.1	15	0.3	0.0	0.3	0.0	0.0	0.0	0.5	34	10	17	21267	30		
11	4000	1.9	235	0	1.41	0.1	165	0.1	5	0.1	15	0.3	0.0	0.3	0.0	0.0	0.0	0.6	34	10	17	21267	31		
11	4400	7.0	155	0	1.13	0.1	175	0.1	5	0.1	25	0.3	0.0	0.3	0.0	0.0	0.0	0.5	34	10	17	21267	32		
11	4800	9.1	115	0	1.23	0.1	105	0.1	5	0.1	25	0.3	0.0	0.3	0.0	0.0	0.0	0.7	34	10	17	21267	31		
11	5200	10.7	175	0	0.80	0.1	135	0.1	5	0.1	25	0.3	0.0	0.3	0.0	0.0	0.0	0.9	34	10	17	21267	34		
11	5600	12.3	95	0	1.04	0.1	125	0.1	5	0.1	25	0.3	0.0	0.3	0.0	0.0	0.0	1.0	34	10	17	21267	32		
11	6000	7.6	105	0	0.55	0.1	85	0.1	5	0.1	25	0.3	0.0	0.3	0.0	0.0	0.0	0.9	34	10	17	21267	31		
13	1500	6.7	95	21	0.70	0.1	105	0.1	5	0.1	25	0.4	0.0	0.3	0.0	0.0	0.0	1.1	34	10	17	21267	30		
13	2000	12.1	55	19	0.64	0.1	175	0.1	5	0.1	25	0.3	0.0	0.3	0.0	0.0	0.0	0.7	34	10	17	21267	33		

Dec 1967

13	2400	15.9	75	18	0.49	0.1	185	0.1	5	0.1	15	0.3	0.0	0.0	0.0	0.0	0.6	34	10	17	21267	29
13	2500	16.8	105	18	0.42	0.1	285	0.1	5	0.1	15	0.3	0.0	0.0	0.0	0.0	0.5	34	10	17	21267	33
13	3200	12.0	115	18	0.43	0.1	175	0.1	5	0.1	15	0.3	0.0	0.0	0.0	0.0	1.0	34	10	17	21267	29
13	3600	14.6	155	19	0.43	0.1	295	0.1	5	0.1	15	0.3	0.0	0.0	0.0	0.0	0.9	34	10	17	21267	31
13	4000	8.5	125	19	0.54	0.1	335	0.1	5	0.1	15	0.3	0.0	0.0	0.0	0.0	1.1	34	10	17	21267	33
13	4400	7.8	105	19	0.37	0.1	295	0.1	5	0.1	15	0.3	0.0	0.0	0.0	0.0	1.3	34	10	17	21267	31
13	4800	5.9	155	20	0.35	0.1	345	0.1	5	0.1	15	0.3	0.0	0.0	0.0	0.0	1.3	34	10	17	21267	31
13	5200	4.6	95	20	0.47	0.1	195	0.1	5	0.1	15	0.3	0.0	0.0	0.0	0.0	1.2	34	10	17	21267	32
13	5600	5.6	115	20	0.34	0.1	135	0.1	5	0.1	15	0.3	0.0	0.0	0.0	0.0	1.3	34	10	17	21267	31
13	6000	5.4	155	23	0.37	0.1	285	0.1	5	0.1	15	0.3	0.0	0.0	0.0	0.0	1.1	34	10	17	21267	31
15	1500	6.4	245	21	0.49	0.1	245	0.1	5	0.1	15	0.4	0.0	0.0	0.0	0.0	1.1	34	10	17	21267	32
15	2000	11.7	215	21	0.44	0.1	195	0.1	5	0.1	15	0.3	0.0	0.0	0.0	0.0	1.3	34	10	17	21267	33
15	2400	9.8	255	19	0.44	0.1	285	0.1	5	0.1	15	0.3	0.0	0.0	0.0	0.0	1.3	34	10	17	21267	30
15	2900	12.7	15	19	0.53	0.1	305	0.1	5	0.1	15	0.3	0.0	0.0	0.0	0.0	1.2	34	10	17	21267	33
15	3200	11.8	15	16	0.45	0.1	265	0.1	5	0.1	15	0.3	0.0	0.0	0.0	0.0	1.1	34	10	17	21267	31
15	3600	12.2	25	16	0.54	0.1	145	0.1	5	0.1	15	0.3	0.0	0.0	0.0	0.0	0.7	34	10	17	21267	32
15	4000	5.0	5	17	0.40	0.1	235	0.1	5	0.1	15	0.3	0.0	0.0	0.0	0.0	0.6	34	10	17	21267	34
15	4400	3.0	105	17	0.24	0.1	145	0.1	5	0.1	15	0.3	0.0	0.0	0.0	0.0	0.7	34	10	17	21267	32
15	4900	7.5	95	16	0.24	0.1	105	0.1	5	0.1	15	0.3	0.0	0.0	0.0	0.0	1.1	34	10	17	21267	32
15	5200	7.7	95	17	0.27	0.1	325	0.1	5	0.1	15	0.3	0.0	0.0	0.0	0.0	1.3	34	10	17	21267	32
15	5600	9.6	95	18	0.51	0.1	225	0.1	5	0.1	15	0.3	0.0	0.0	0.0	0.0	1.3	34	10	17	21267	31
15	6000	16.2	125	20	0.57	0.1	305	0.1	5	0.1	15	0.3	0.0	0.0	0.0	0.0	1.2	34	10	17	21267	32
17	1500	16.1	125	19	0.54	0.1	305	0.1	5	0.1	15	0.3	0.0	0.0	0.0	0.0	1.2	34	10	17	21267	21
17	2000	16.2	125	19	0.82	0.1	325	0.1	5	0.1	25	0.3	0.0	0.0	0.0	0.0	1.5	34	10	17	21267	29
17	2400	16.0	145	20	0.80	0.1	315	0.1	5	0.1	25	0.3	0.0	0.0	0.0	0.0	1.4	34	10	17	21267	32
17	2900	14.6	145	20	1.13	0.1	315	0.1	5	0.1	25	0.3	0.0	0.0	0.0	0.0	1.3	34	10	17	21267	33
17	3200	17.0	135	21	0.74	0.1	305	0.1	5	0.1	15	0.3	0.0	0.0	0.0	0.0	1.4	34	10	17	21267	30
17	3600	14.1	145	20	1.27	0.1	315	0.1	5	0.1	25	0.3	0.0	0.0	0.0	0.0	1.3	34	10	17	21267	31
17	4000	13.8	135	20	1.40	0.1	315	0.1	5	0.1	25	0.3	0.0	0.0	0.0	0.0	1.4	34	10	17	21267	30
17	4400	15.1	135	20	1.31	0.1	375	0.1	5	0.1	25	0.3	0.0	0.0	0.0	0.0	1.4	34	10	17	21267	29
17	4900	12.1	145	20	1.10	0.1	335	0.1	5	0.1	25	0.3	0.0	0.0	0.0	0.0	1.4	34	10	17	21267	31
17	5200	10.7	145	21	0.99	0.1	305	0.1	5	0.1	15	0.3	0.0	0.0	0.0	0.0	1.6	34	10	17	21267	32
17	5600	8.9	115	20	0.94	0.1	275	0.1	5	0.1	25	0.3	0.0	0.0	0.0	0.0	1.5	34	10	17	21267	31
17	6000	6.1	125	21	1.09	0.1	315	0.1	5	0.1	25	0.3	0.0	0.0	0.0	0.0	1.4	34	10	17	21267	30
19	1500	7.3	125	21	0.91	0.1	265	0.1	5	0.1	25	0.3	0.0	0.0	0.0	0.0	1.4	34	10	17	21267	22
19	2000	10.9	135	19	0.77	0.1	305	0.1	5	0.1	25	0.3	0.0	0.0	0.0	0.0	1.4	34	10	17	21267	28
19	2400	8.2	155	19	0.91	0.1	295	0.1	5	0.1	25	0.3	0.0	0.0	0.0	0.0	1.4	34	10	17	21267	30
19	2900	4.5	95	19	0.55	0.1	295	0.1	5	0.1	15	0.3	0.0	0.0	0.0	0.0	1.3	34	10	17	21267	33
19	3200	9.3	115	19	0.71	0.1	255	0.1	5	0.1	15	0.3	0.0	0.0	0.0	0.0	1.3	34	10	17	21267	30
19	3600	6.1	155	20	0.59	0.1	205	0.1	5	0.1	25	0.3	0.0	0.0	0.0	0.0	1.3	34	10	17	21267	30
19	4000	7.2	155	19	0.65	0.1	215	0.1	5	0.1	15	0.3	0.0	0.0	0.0	0.0	1.4	34	10	17	21267	31
19	4400	6.7	125	18	0.57	0.1	285	0.1	5	0.1	15	0.3	0.0	0.0	0.0	0.0	1.4	34	10	17	21267	29
19	4900	5.6	115	17	0.44	0.1	255	0.1	5	0.1	15	0.3	0.0	0.0	0.0	0.0	1.4	34	10	17	21267	30
19	5200	8.3	105	18	0.44	0.1	275	0.1	5	0.1	15	0.3	0.0	0.0	0.0	0.0	1.2	34	10	17	21267	32
19	5600	7.3	105	18	0.41	0.1	165	0.1	5	0.1	15	0.3	0.0	0.0	0.0	0.0	1.4	34	10	17	21267	30
19	6000	14.1	135	21	0.62	0.1	155	0.1	5	0.1	15	0.3	0.0	0.0	0.0	0.0	1.3	34	10	17	21267	30
21	1500	15.0	125	20	0.97	0.1	295	0.1	5	0.1	15	0.3	0.0	0.0	0.0	0.0	1.4	34	10	17	21267	32

Dec 1967

21	2000	16.4	135	20	1.02	0.1	175	0.1	0.1	0.3	0.0	0.3	0.0	0.0	0.0	1.3	36	10	17	21267	28
24	500	6.8	5	11	0.37	0.1	135	0.1	0.1	0.3	0.0	0.3	0.0	0.0	0.0	0.2	36	10	17	21267	28
26	1200	4.4	275	15	0.40	0.1	175	0.1	0.1	0.3	0.0	0.3	0.0	0.0	0.0	0.5	36	10	17	21267	32
26	1600	7.6	265	15	0.22	0.1	255	0.1	0.1	0.3	0.0	0.3	0.0	0.0	0.0	0.6	36	10	17	21267	30
26	2000	9.4	5	13	0.30	0.1	335	0.1	0.1	0.3	0.0	0.3	0.0	0.0	0.0	0.4	36	10	17	21267	29
26	2400	12.9	45	10	0.24	0.1	295	0.1	0.1	0.3	0.0	0.3	0.0	0.0	0.0	0.2	36	10	17	21267	31
26	2800	14.4	55	8	0.27	0.1	325	0.1	0.1	0.3	0.0	0.3	0.0	0.0	0.0	0.2	36	10	17	21267	27
26	3200	15.8	65	10	0.36	0.1	305	0.1	0.1	0.3	0.0	0.3	0.0	0.0	0.0	0.1	36	10	17	21267	24
27	1600	15.9	85	14	0.97	0.1	295	0.1	0.1	0.3	0.0	0.3	0.0	0.0	0.0	0.5	36	10	17	21267	28
27	2000	21.0	95	14	1.19	0.1	305	0.1	0.1	0.3	0.0	0.3	0.0	0.0	0.0	1.1	36	10	17	21267	29
27	2400	15.5	155	19	1.69	0.1	325	0.1	0.1	0.3	0.0	0.3	0.0	0.0	0.0	2.4	36	10	17	21267	29
27	2800	25.2	185	19	2.08	0.1	295	0.1	0.1	0.3	0.0	0.3	0.0	0.0	0.0	1.4	36	10	17	21267	29
27	3200	26.2	285	10	2.32	0.1	145	0.1	0.1	0.3	0.0	0.3	0.0	0.0	0.0	0.5	36	10	17	21267	28
27	3600	16.9	285	10	1.74	0.1	125	0.1	0.1	0.3	0.0	0.3	0.0	0.0	0.0	0.4	36	10	17	21267	28
27	4000	15.0	325	9	2.14	0.1	175	0.1	0.1	0.3	0.0	0.3	0.0	0.0	0.0	0.2	36	10	17	21267	29
27	4400	13.6	325	7	1.60	0.1	175	0.1	0.1	0.3	0.0	0.3	0.0	0.0	0.0	0.2	36	10	17	21267	28
27	4800	10.5	315	6	1.12	0.1	115	0.1	0.1	0.3	0.0	0.3	0.0	0.0	0.0	0.1	36	10	17	21267	29
27	5200	14.7	325	3	1.00	0.1	165	0.1	0.1	0.3	0.0	0.3	0.0	0.0	0.0	0.1	36	10	17	21267	29
27	5600	14.1	335	4	0.64	0.1	145	0.1	0.1	0.3	0.0	0.3	0.0	0.0	0.0	0.1	36	10	17	21267	28
27	6000	6.4	5	7	0.41	0.1	115	0.1	0.1	0.3	0.0	0.3	0.0	0.0	0.0	0.1	36	10	17	21267	5
29	1600	8.6	15	10	0.39	0.1	125	0.1	0.1	0.3	0.0	0.3	0.0	0.0	0.0	0.2	36	10	17	21267	30
29	2000	15.0	5	6	0.49	0.1	135	0.1	0.1	0.3	0.0	0.3	0.0	0.0	0.0	0.1	36	10	17	21267	31
29	2400	14.6	25	4	0.39	0.1	145	0.1	0.1	0.3	0.0	0.3	0.0	0.0	0.0	0.1	36	10	17	21267	30
29	2800	12.5	35	3	0.24	0.1	115	0.1	0.1	0.3	0.0	0.3	0.0	0.0	0.0	0.2	36	10	17	21267	30
29	3200	10.2	65	5	0.29	0.1	115	0.1	0.1	0.3	0.0	0.3	0.0	0.0	0.0	0.2	36	10	17	21267	31
29	3600	3.1	155	12	0.23	0.1	155	0.1	0.1	0.3	0.0	0.3	0.0	0.0	0.0	0.2	36	10	17	21267	27
29	4000	3.6	225	12	0.25	0.1	165	0.1	0.1	0.3	0.0	0.3	0.0	0.0	0.0	0.5	36	10	17	21267	31
29	4400	9.0	125	13	0.22	0.1	175	0.1	0.1	0.3	0.0	0.3	0.0	0.0	0.0	0.3	36	10	17	21267	21
29	4800	8.8	65	12	0.36	0.1	145	0.1	0.1	0.3	0.0	0.3	0.0	0.0	0.0	0.3	36	10	17	21267	28
29	5200	10.5	45	11	0.25	0.1	95	0.1	0.1	0.3	0.0	0.3	0.0	0.0	0.0	0.2	36	10	17	21267	32
29	5600	17.4	135	15	0.86	0.1	275	0.1	0.1	0.3	0.0	0.3	0.0	0.0	0.0	1.4	36	10	17	21267	29
29	6000	19.4	145	16	1.22	0.1	285	0.1	0.1	0.3	0.0	0.3	0.0	0.0	0.0	1.6	36	10	17	21267	27
31	1600	8.1	145	17	0.73	0.1	315	0.1	0.1	0.3	0.0	0.3	0.0	0.0	0.0	1.4	36	10	17	21267	29
31	2000	9.5	135	17	0.71	0.1	315	0.1	0.1	0.3	0.0	0.3	0.0	0.0	0.0	1.4	36	10	17	21267	29
31	2400	5	65	17	0.45	0.1	305	0.1	0.1	0.3	0.0	0.3	0.0	0.0	0.0	1.4	36	10	17	21267	31
31	2800	13.4	25	14	0.61	0.1	325	0.1	0.1	0.3	0.0	0.3	0.0	0.0	0.0	1.0	36	10	17	21267	29
31	3200	15.7	15	13	0.49	0.1	295	0.1	0.1	0.3	0.0	0.3	0.0	0.0	0.0	0.9	36	10	17	21267	29
31	3600	10.4	55	15	0.64	0.1	245	0.1	0.1	0.3	0.0	0.3	0.0	0.0	0.0	1.0	36	10	17	21267	29
31	4000	18.6	35	12	0.61	0.1	285	0.1	0.1	0.3	0.0	0.3	0.0	0.0	0.0	1.1	36	10	17	21267	30
31	4400	14.0	65	12	0.46	0.1	285	0.1	0.1	0.3	0.0	0.3	0.0	0.0	0.0	0.9	36	10	17	21267	29
31	4800	10.6	65	12	0.32	0.1	295	0.1	0.1	0.3	0.0	0.3	0.0	0.0	0.0	1.0	36	10	17	21267	31
31	5200	8.5	75	13	0.33	0.1	315	0.1	0.1	0.3	0.0	0.3	0.0	0.0	0.0	1.1	36	10	17	21267	30
31	5600	4.2	105	15	0.36	0.1	325	0.1	0.1	0.3	0.0	0.3	0.0	0.0	0.0	1.1	36	10	17	21267	29
31	6000	7.3	125	14	0.45	0.1	345	0.1	0.1	0.3	0.0	0.3	0.0	0.0	0.0	1.2	36	10	17	21267	18
0	0	0.0	0	0	0.00	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	17	0	0

CUJDE: 00000000000000000000

JAN 1968

070071 STAGE 2

DAY	WDJR	MS	WD	AT	WL	CSS	CNS	CSM	CDM	CSJ	CDR	WT1	WT2	WT3	WT4	WT5	WT6	D1	D2	D3	D4	D5	D6	KEY	N
2	1600	13.4	155	20	0.37	0.1	315	0.1	5	0.1	25	0.3	0.0	0.3	0.0	0.0	1.4	36	10	17	2	168	29		
2	2000	9.2	135	17	0.51	0.1	305	0.1	5	0.1	25	0.3	0.0	0.3	0.0	0.0	1.2	36	10	17	2	168	30		
2	2400	7.4	125	17	0.44	0.1	325	0.1	5	0.1	25	0.3	0.0	0.3	0.0	0.0	1.3	36	10	17	2	168	30		
2	2800	7.6	105	14	0.44	0.1	315	0.1	5	0.1	15	0.3	0.0	0.3	0.0	0.0	1.1	36	10	17	2	168	30		
2	3200	12.8	115	17	0.34	0.1	295	0.1	5	0.1	15	0.3	0.0	0.3	0.0	0.0	1.1	36	10	17	2	168	29		
2	3600	10.7	145	19	0.53	0.1	245	0.1	5	0.1	25	0.3	0.0	0.3	0.0	0.0	1.3	36	10	17	2	168	29		
2	4000	13.7	135	14	0.54	0.1	325	0.1	5	0.1	15	0.3	0.0	0.3	0.0	0.0	1.1	36	10	17	2	168	30		
2	4400	13.5	135	14	0.57	0.1	325	0.1	5	0.1	15	0.3	0.0	0.3	0.0	0.0	1.3	36	10	17	2	168	29		
2	4800	13.8	145	19	0.44	0.1	315	0.1	5	0.1	25	0.3	0.0	0.3	0.0	0.0	1.3	36	10	17	2	168	31		
2	5200	14.5	205	20	0.60	0.1	325	0.1	5	0.1	25	0.3	0.0	0.3	0.0	0.0	1.2	36	10	17	2	168	29		
2	5600	10.5	205	20	0.75	0.1	315	0.1	5	0.1	15	0.3	0.0	0.3	0.0	0.0	1.4	36	10	17	2	168	29		
2	6000	17.4	245	14	0.74	0.1	295	0.1	5	0.1	25	0.3	0.0	0.3	0.0	0.0	1.3	36	10	17	2	168	22		
2	6400	10.0	135	17	0.64	0.1	165	0.1	5	0.1	15	0.3	0.0	0.3	0.0	0.0	1.3	36	10	17	2	168	28		
2	6800	10.3	145	17	0.63	0.1	195	0.1	5	0.1	25	0.3	0.0	0.3	0.0	0.0	1.2	36	10	17	2	168	28		
2	7200	12.2	205	19	0.51	0.1	185	0.1	5	0.1	25	0.3	0.0	0.3	0.0	0.0	1.5	36	10	17	2	168	29		
2	7600	19.3	315	13	0.42	0.1	315	0.1	5	0.1	25	0.3	0.0	0.3	0.0	0.0	0.9	36	10	17	2	168	29		
2	8000	21.1	5	9	0.54	0.1	165	0.1	5	0.1	15	0.3	0.0	0.3	0.0	0.0	0.5	36	10	17	2	168	28		
2	8400	22.0	5	10	0.34	0.1	135	0.1	5	0.1	15	0.3	0.0	0.3	0.0	0.0	0.1	36	10	17	2	168	18		
2	8800	18.7	5	9	0.24	0.1	115	0.1	5	0.1	15	0.3	0.0	0.3	0.0	0.0	0.1	36	10	17	2	168	10		
2	9200	21.1	15	6	0.44	0.1	135	0.1	5	0.1	15	0.3	0.0	0.3	0.0	0.0	0.1	36	10	17	2	168	9		
2	9600	11.3	45	13	0.47	0.1	145	0.1	5	0.1	15	0.3	0.0	0.3	0.0	0.0	0.3	36	10	17	2	168	26		
2	10000	16.3	75	11	0.34	0.1	155	0.1	5	0.1	15	0.3	0.0	0.3	0.0	0.0	0.2	36	10	17	2	168	20		
2	10400	11.7	45	10	0.53	0.1	165	0.1	5	0.1	15	0.3	0.0	0.3	0.0	0.0	0.2	36	10	17	2	168	24		
2	10800	11.7	45	10	0.57	0.1	175	0.1	5	0.0	15	0.3	0.0	0.3	0.0	0.0	0.6	36	10	17	2	168	19		
2	11200	10.1	45	11	0.74	0.1	185	0.1	5	0.1	15	0.3	0.0	0.3	0.0	0.0	0.7	36	10	17	2	168	18		
2	11600	13.4	45	17	0.99	0.1	245	0.1	5	0.1	15	0.3	0.0	0.3	0.0	0.0	0.9	36	10	17	2	168	27		
2	12000	19.3	105	14	1.07	0.1	315	0.1	5	0.1	15	0.3	0.0	0.3	0.0	0.0	1.1	36	10	17	2	168	27		
2	12400	20.3	115	14	1.34	0.1	295	0.1	5	0.1	25	0.3	0.0	0.3	0.0	0.0	1.3	36	10	17	2	168	17		
2	12800	18.3	115	14	1.50	0.1	315	0.1	5	0.1	15	0.3	0.0	0.3	0.0	0.0	1.1	36	10	17	2	168	24		
2	13200	14.1	145	17	0.47	0.1	325	0.1	5	0.1	25	0.3	0.0	0.3	0.0	0.0	1.2	36	10	17	2	168	27		
2	13600	10.3	155	14	1.43	0.1	345	0.1	5	0.1	25	0.3	0.0	0.3	0.0	0.0	1.1	36	10	17	2	168	29		
2	14000	10.1	255	14	1.01	0.1	325	0.1	5	0.1	25	0.3	0.0	0.3	0.0	0.0	1.2	36	10	17	2	168	28		
10	2000	15.0	245	14	1.25	0.1	295	0.1	5	0.1	25	0.3	0.0	0.3	0.0	0.0	0.6	36	10	17	2	168	28		
10	2400	12.6	245	10	1.25	0.1	245	0.1	5	0.1	25	0.3	0.0	0.3	0.0	0.0	0.6	36	10	17	2	168	28		
10	2800	10.5	305	9	0.84	0.1	225	0.1	5	0.1	15	0.3	0.0	0.3	0.0	0.0	0.5	36	10	17	2	168	28		
10	3200	11.0	5	9	0.91	0.1	215	0.1	5	0.1	15	0.3	0.0	0.3	0.0	0.0	0.7	36	10	17	2	168	27		
10	3600	10.1	35	11	0.54	0.1	115	0.1	5	0.1	15	0.3	0.0	0.3	0.0	0.0	0.6	36	10	17	2	168	28		
11	1400	13.5	45	9	0.60	0.1	195	0.1	5	0.1	15	0.3	0.0	0.3	0.0	0.0	0.3	36	10	17	2	168	25		
12	2400	9.5	45	5	0.34	0.1	5	0.3	5	0.1	15	1.3	0.0	0.5	0.0	0.0	0.5	36	10	17	2	168	28		
12	2800	6.8	335	5	0.21	0.1	5	0.1	5	0.1	15	0.3	0.0	0.3	0.0	0.0	0.6	36	10	17	2	168	28		
12	3200	17.4	305	4	0.44	0.1	5	0.1	5	0.1	15	0.3	0.0	0.3	0.0	0.0	0.4	36	10	17	2	168	29		
12	3600	19.5	245	7	1.77	0.1	5	0.1	5	0.1	15	0.3	0.0	0.3	0.0	0.0	0.1	36	10	17	2	168	27		
12	4000	22.7	245	4	1.42	0.1	5	0.1	5	0.1	15	0.3	0.0	0.3	0.0	0.0	0.1	36	10	17	2	168	30		
12	4400	19.7	315	4	1.70	0.1	5	0.1	5	0.1	15	0.3	0.0	0.3	0.0	0.0	0.0	36	10	17	2	168	27		

		Jan 1968																			
26	4400	7.0	335	13	0.30	0.1	5	0.1	15	14.1	0.0	14.8	0.0	0.0	14.4	36	10	17	2	168	30
26	4800	8.4	35	11	0.31	0.1	5	0.1	15	13.7	0.0	14.7	0.0	0.0	14.3	36	10	17	2	168	29
26	5200	8.1	45	10	0.22	0.1	5	0.1	15	13.2	0.0	14.6	0.0	0.0	14.4	36	10	17	2	168	31
26	5600	10.5	45	12	0.30	0.1	5	0.1	15	13.2	0.0	15.0	0.0	0.0	14.4	36	10	17	2	168	30
26	6000	6.9	155	14	0.39	0.1	5	0.1	25	13.7	0.0	14.6	0.0	0.0	14.4	36	10	17	2	168	31
28	1500	6.3	145	14	0.32	0.1	5	0.1	15	14.2	0.0	14.5	0.0	0.0	14.3	36	10	17	2	168	31
28	2000	4.1	155	15	0.34	0.1	5	0.1	15	14.3	0.0	14.5	0.0	0.0	14.1	36	10	17	2	168	32
28	2400	8.7	45	15	0.35	0.1	5	0.1	15	13.9	0.0	14.5	0.0	0.0	14.1	36	10	17	2	168	33
28	2800	8.2	55	13	0.24	0.1	5	0.1	15	13.4	0.0	14.6	0.0	0.0	14.2	36	10	17	2	168	32
28	3200	6.6	45	14	0.33	0.1	5	0.1	25	13.4	0.0	14.7	0.0	0.0	14.2	36	10	17	2	168	31
28	3600	9.1	135	19	0.43	0.1	5	0.1	25	13.6	0.0	14.5	0.0	0.0	14.3	36	10	17	2	168	31
28	4000	5.5	155	17	0.42	0.1	5	0.1	25	14.2	0.0	14.6	0.0	0.0	14.2	36	10	17	2	168	31
28	4400	4.7	45	14	0.50	0.1	5	0.1	25	14.5	0.0	14.8	0.0	0.0	14.2	36	10	17	2	168	31
28	4800	4.8	75	14	0.49	0.1	5	0.1	25	13.6	0.0	15.1	0.0	0.0	14.2	36	10	17	2	168	33
28	5200	6.0	95	14	0.47	0.1	5	0.1	25	13.6	0.0	14.7	0.0	0.0	14.2	36	10	17	2	168	31
28	5600	6.4	45	15	0.52	0.1	5	0.1	25	13.5	0.0	14.8	0.0	0.0	14.2	36	10	17	2	168	30
28	6000	4.9	155	20	0.51	0.1	5	0.1	25	14.0	0.0	15.0	0.0	0.0	14.3	36	10	17	2	168	30
30	1400	7.3	115	14	0.50	0.1	5	0.1	25	14.5	0.0	14.6	0.0	0.0	14.4	36	10	17	2	168	31
30	2000	8.3	135	15	0.52	0.1	5	0.1	25	14.4	0.0	14.8	0.0	0.0	14.4	36	10	17	2	168	32
30	2400	8.8	115	15	0.40	0.1	5	0.1	25	14.4	0.0	14.8	0.0	0.0	14.3	36	10	17	2	168	32
30	2800	8.8	75	13	0.45	0.1	5	0.1	25	14.1	0.0	14.8	0.0	0.0	14.4	36	10	17	2	168	32
30	3200	10.0	95	14	0.34	0.1	5	0.1	25	14.1	0.0	15.0	0.0	0.0	14.4	36	10	17	2	168	31
30	3600	9.2	155	14	0.40	0.1	5	0.1	25	14.7	0.0	14.9	0.0	0.0	14.5	36	10	17	2	168	27
0	0	0.0	0	0	0.00	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0	17	0	0	0

CUDE: 000000000000000000

FEB 1968

070071 STAGE 2

DAY	HOJR	MS	MD	AT	ML	CSS	CDS	CSM	CDM	CSH	CDH	MT1	MT2	MT3	MT4	MT5	MT6	D1	D2	D3	D4	D5	D6	KEY	N
1	1400	12.1	125	16	0.51	0.1	5	0.1	5	0.1	25	15.3	0.0	14.8	0.0	0.0	14.5	34	10	10	17	17	2	268	22
1	2000	13.8	115	16	0.53	0.1	5	0.1	5	0.1	25	15.2	0.0	14.8	0.0	0.0	14.5	34	10	10	17	17	2	268	23
1	2400	10.6	145	14	0.57	0.1	5	0.1	5	0.1	25	15.0	0.0	14.9	0.0	0.0	14.6	34	10	10	17	17	2	268	26
1	2800	14.4	155	14	0.73	0.1	5	0.1	5	0.1	25	15.0	0.0	15.1	0.0	0.0	14.6	34	10	10	17	17	2	268	28
1	3200	14.2	175	19	0.77	0.1	5	0.1	5	0.1	25	15.1	0.0	14.9	0.0	0.0	14.6	34	10	10	17	17	2	268	30
1	3600	9.2	235	16	0.81	0.1	5	0.1	5	0.1	25	15.1	0.0	15.0	0.0	0.0	14.5	34	10	10	17	17	2	268	22
1	4000	12.5	325	15	1.05	0.1	5	0.1	5	0.1	25	14.8	0.0	14.9	0.0	0.0	14.5	34	10	10	17	17	2	268	28
1	4400	14.8	325	13	0.45	0.1	5	0.1	5	0.1	25	14.8	0.0	14.9	0.0	0.0	14.5	34	10	10	17	17	2	268	29
1	4800	13.6	335	10	0.53	0.1	5	0.1	5	0.1	25	14.4	0.0	15.2	0.0	0.0	14.5	34	10	10	17	17	2	268	26
1	5200	12.8	5	4	0.45	0.1	5	0.1	5	0.1	25	14.0	0.0	15.3	0.0	0.0	14.7	34	10	10	17	17	2	268	30
1	5600	17.3	25	4	0.34	0.1	5	0.1	5	0.1	25	14.0	0.0	15.3	0.0	0.0	14.7	34	10	10	17	17	2	268	25
1	6000	14.7	25	13	0.24	0.1	5	0.1	5	0.1	25	14.5	0.0	15.3	0.0	0.0	14.7	34	10	10	17	17	2	268	31
3	1400	9.5	35	15	0.19	0.1	5	0.1	5	0.1	25	14.8	0.0	15.2	0.0	0.0	14.6	34	10	10	17	17	2	268	31
3	2000	6.9	15	11	0.23	0.1	5	0.1	5	0.1	25	14.5	0.0	15.1	0.0	0.0	14.5	34	10	10	17	17	2	268	32
3	2400	11.3	45	10	0.23	0.1	5	0.1	5	0.1	25	14.3	0.0	15.1	0.0	0.0	14.6	34	10	10	17	17	2	268	33
3	2800	8.5	45	9	0.22	0.1	5	0.1	5	0.1	25	14.2	0.0	15.1	0.0	0.0	14.6	34	10	10	17	17	2	268	31
5	1400	8.8	15	14	0.44	0.1	5	0.1	5	0.1	25	14.5	0.0	15.5	0.0	0.0	15.4	34	10	10	17	17	2	268	31
5	2000	13.8	35	13	0.37	0.1	5	0.1	5	0.1	25	14.3	0.0	15.5	0.0	0.0	15.4	34	10	10	17	17	2	268	32
5	2400	12.1	25	11	0.24	0.1	5	0.1	5	0.1	25	14.0	0.0	15.4	0.0	0.0	15.5	34	10	10	17	17	2	268	31
5	2800	13.8	15	10	0.22	0.1	5	0.1	5	0.1	25	14.0	0.0	15.4	0.0	0.0	15.4	34	10	10	17	17	2	268	32
5	3200	13.2	15	11	0.27	0.1	5	0.1	5	0.1	25	13.8	0.0	15.4	0.0	0.0	15.0	34	10	10	17	17	2	268	33
5	3600	8.5	35	15	0.23	0.1	5	0.1	5	0.1	25	14.3	0.0	15.5	0.0	0.0	15.4	34	10	10	17	17	2	268	30
5	4000	8.3	225	15	0.22	0.1	5	0.1	5	0.1	25	14.6	0.0	15.5	0.0	0.0	15.5	34	10	10	17	17	2	268	31
5	4400	10.8	335	14	0.24	0.1	5	0.1	5	0.1	25	14.2	0.0	15.6	0.0	0.0	15.4	34	10	10	17	17	2	268	32
5	4800	7.1	305	13	0.29	0.1	5	0.1	5	0.1	25	14.0	0.0	15.8	0.0	0.0	15.3	34	10	10	17	17	2	268	27
5	5200	13.8	305	10	0.49	0.1	5	0.1	5	0.1	25	14.6	0.0	15.7	0.0	0.0	15.2	34	10	10	17	17	2	268	32
5	5600	11.7	295	9	0.72	0.1	5	0.1	5	0.1	25	14.2	0.0	15.5	0.0	0.0	15.0	34	10	10	17	17	2	268	31
5	6000	16.6	255	12	0.84	0.1	5	0.1	5	0.1	25	14.7	0.0	15.7	0.0	0.0	15.2	34	10	10	17	17	2	268	23
7	1400	27.0	295	13	2.24	0.1	5	0.1	5	0.1	25	14.9	0.0	15.9	0.0	0.0	15.4	34	10	10	17	17	2	268	26
7	2000	19.9	325	7	1.51	0.1	5	0.1	5	0.1	25	14.4	0.0	15.8	0.0	0.0	15.3	34	10	10	17	17	2	266	25
7	2400	26.8	295	3	2.04	0.0	5	0.0	5	0.0	15	14.2	0.0	15.8	0.0	0.0	15.3	34	10	10	17	17	2	268	25
7	2800	27.4	305	0	2.03	0.0	5	0.0	5	0.0	15	13.8	0.0	15.7	0.0	0.0	15.2	34	10	10	17	17	2	268	30
7	3200	19.5	325	0	1.34	0.0	5	0.0	5	0.0	15	13.8	0.0	15.8	0.0	0.0	15.3	34	10	10	17	17	2	268	28
7	3600	9.3	275	7	0.60	0.0	5	0.1	5	0.1	15	14.2	0.0	15.9	0.0	0.0	15.4	34	10	10	17	17	2	268	29
7	4000	13.8	245	10	0.74	0.1	5	0.1	5	0.1	25	14.3	0.0	15.8	0.0	0.0	15.4	34	10	10	17	17	2	268	14
7	4400	15.7	315	9	0.81	0.1	5	0.1	5	0.1	25	13.9	0.0	15.7	0.0	0.0	15.2	34	10	10	17	17	2	268	28
7	4800	15.3	335	6	0.70	0.0	5	0.0	5	0.0	25	13.9	0.0	15.5	0.0	0.0	15.1	34	10	10	17	17	2	268	29
7	5200	11.8	335	1	0.70	0.0	5	0.0	5	0.0	25	13.6	0.0	15.4	0.0	0.0	14.9	34	10	10	17	17	2	268	23
7	5600	8.9	325	1	0.62	0.0	5	0.0	5	0.0	25	13.4	0.0	15.3	0.0	0.0	14.7	34	10	10	17	17	2	268	32
7	6000	10.0	255	5	0.44	0.1	5	0.1	5	0.1	25	13.6	0.0	15.3	0.0	0.0	14.7	34	10	10	17	17	2	268	23
9	1400	12.5	255	10	0.64	0.1	5	0.1	5	0.1	25	13.7	0.0	15.2	0.0	0.0	14.7	34	10	10	17	17	2	268	20
9	2000	16.4	265	12	1.14	0.1	5	0.1	5	0.1	25	13.6	0.0	15.1	0.0	0.0	14.6	34	10	10	17	17	2	268	24
9	2400	22.5	245	13	1.42	0.1	5	0.1	5	0.1	25	13.6	0.0	15.1	0.0	0.0	14.5	34	10	10	17	17	2	268	23
9	2800	13.1	315	9	1.17	0.1	5	0.1	5	0.1	25	13.4	0.0	14.9	0.0	0.0	14.4	34	10	10	17	17	2	268	27

Feb 1968

9	3700	7.6	245	11	0.75	0.1	5	0.1	25	13.3	0.0	14.8	0.0	0.0	14.3	34	10	17	2	268	19
9	3600	8.1	255	13	0.80	0.1	5	0.1	25	13.6	0.0	14.9	0.0	0.0	14.4	34	10	17	2	268	25
9	4700	16.1	235	14	0.83	0.1	5	0.1	25	13.8	0.0	15.1	0.0	0.0	14.6	34	10	17	2	268	26
9	4400	19.1	245	15	1.40	0.1	5	0.1	25	13.8	0.0	15.1	0.0	0.0	14.5	34	10	17	2	268	23
9	4900	19.0	255	16	2.16	0.1	5	0.1	25	13.8	0.0	15.1	0.0	0.0	14.6	34	10	17	2	268	25
9	5200	17.3	265	16	1.94	0.1	5	0.1	25	13.8	0.0	15.1	0.0	0.0	14.6	34	10	17	2	268	30
9	5600	14.5	265	16	1.59	0.1	5	0.1	25	13.7	0.0	15.1	0.0	0.0	14.5	34	10	17	2	268	26
9	6000	14.6	265	15	1.24	0.1	5	0.1	25	13.9	0.0	15.2	0.0	0.0	14.6	34	10	17	2	268	28
11	1500	16.7	265	15	1.57	0.1	5	0.1	25	13.8	0.0	15.1	0.0	0.0	14.5	34	10	17	2	268	28
11	2000	16.6	325	10	0.85	0.1	5	0.1	25	13.6	0.0	15.0	0.0	0.0	14.5	34	10	17	2	268	30
11	2400	17.1	5	4	0.74	0.0	5	0.0	25	13.2	0.0	14.8	0.0	0.0	14.4	34	10	17	2	268	32
11	2400	15.3	15	0	0.43	0.0	5	0.0	25	12.8	0.0	14.6	0.0	0.0	14.2	34	10	17	2	268	31
11	3600	7.3	25	8	0.14	0.0	5	0.1	25	12.9	0.0	14.7	0.0	0.0	14.2	34	10	17	2	268	29
11	4000	8.8	255	11	0.22	0.1	5	0.1	25	13.4	0.0	15.1	0.0	0.0	14.5	34	10	17	2	268	30
11	4400	10.2	325	10	0.27	0.1	5	0.1	25	13.4	0.0	15.1	0.0	0.0	14.6	34	10	17	2	268	31
11	4800	12.4	15	6	0.37	0.0	5	0.1	25	13.2	0.0	15.0	0.0	0.0	14.4	34	10	17	2	268	31
11	5200	18.3	5	4	0.37	0.0	5	0.0	25	12.8	0.0	14.7	0.0	0.0	14.2	34	10	17	2	268	30
11	5600	16.8	15	5	0.24	0.0	5	0.0	25	12.5	0.0	14.5	0.0	0.0	14.1	34	10	17	2	268	25
11	6700	13.2	5	10	0.27	0.1	5	0.1	25	12.9	0.0	14.6	0.0	0.0	14.2	34	10	17	2	268	20
13	1600	12.7	5	13	0.26	0.1	5	0.1	25	13.0	0.0	14.6	0.0	0.0	14.1	34	10	17	2	268	30
13	2000	12.9	335	10	0.33	0.1	5	0.1	25	13.0	0.0	14.6	0.0	0.0	14.2	34	10	17	2	268	31
13	2400	11.4	325	7	0.49	0.0	5	0.1	25	12.7	0.0	14.5	0.0	0.0	14.1	34	10	17	2	268	32
13	2900	11.3	5	4	0.30	0.0	5	0.0	25	12.5	0.0	14.5	0.0	0.0	14.1	34	10	17	2	268	29
13	3200	7.9	25	5	0.22	0.0	5	0.0	25	12.3	0.0	14.4	0.0	0.0	13.9	34	10	17	2	268	27
13	3500	7.9	235	10	0.21	0.1	5	0.1	25	12.5	0.0	14.3	0.0	0.0	13.8	34	10	17	2	268	30
13	4000	10.8	245	11	0.36	0.1	5	0.1	25	12.8	0.0	14.4	0.0	0.0	14.0	34	10	17	2	268	30
13	4400	12.1	275	13	0.44	0.1	5	0.1	25	12.7	0.0	14.4	0.0	0.0	14.0	34	10	17	2	268	31
13	4900	8.2	325	11	0.52	0.1	5	0.1	25	12.6	0.0	14.4	0.0	0.0	14.0	34	10	17	2	268	31
13	5200	8.9	15	9	0.21	0.1	5	0.1	25	12.5	0.0	14.3	0.0	0.0	13.8	34	10	17	2	268	29
13	5600	5.0	95	9	0.14	0.1	5	0.1	25	12.4	0.0	14.3	0.0	0.0	13.8	34	10	17	2	268	26
13	6000	9.2	25	12	0.21	0.1	5	0.1	25	12.6	0.0	14.3	0.0	0.0	13.9	34	10	17	2	268	23
15	1600	9.6	35	4	0.24	0.1	5	0.1	25	12.4	0.0	14.3	0.0	0.0	13.8	34	10	17	2	268	25
15	2000	8.3	5	9	0.34	0.1	5	0.1	25	12.4	0.0	14.3	0.0	0.0	13.8	34	10	17	2	268	28
15	2400	12.7	335	6	0.44	0.1	5	0.0	25	12.2	0.0	14.2	0.0	0.0	13.8	34	10	17	2	268	24
15	3200	9.8	25	5	0.43	0.0	5	0.0	25	11.9	0.0	14.1	0.0	0.0	13.7	34	10	17	2	268	27
15	3600	10.1	275	6	0.35	0.1	5	0.1	25	12.2	0.0	14.1	0.0	0.0	13.6	34	10	17	2	268	31
15	4000	12.7	265	7	0.46	0.1	5	0.1	25	12.2	0.0	14.1	0.0	0.0	13.6	34	10	17	2	268	30
15	4400	11.4	265	9	0.57	0.1	5	0.0	25	12.0	0.0	14.0	0.0	0.0	13.6	34	10	17	2	268	21
15	4800	12.9	305	6	0.52	0.0	5	0.0	25	12.0	0.0	14.0	0.0	0.0	13.6	34	10	17	2	268	26
15	5200	13.6	335	4	0.56	0.0	5	0.0	25	11.9	0.0	14.0	0.0	0.0	13.6	34	10	17	2	268	28
15	5600	14.7	335	3	0.74	0.0	5	0.0	25	11.9	0.0	14.0	0.0	0.0	13.6	34	10	17	2	268	30
15	6700	10.1	5	10	0.55	0.1	5	0.1	25	12.4	0.0	14.3	0.0	0.0	13.8	34	10	17	2	268	26
19	1600	12.0	325	14	0.34	0.1	5	0.1	25	12.9	0.0	14.5	0.0	0.0	14.0	34	10	17	2	268	29
19	2000	11.7	325	12	0.22	0.1	5	0.1	25	12.8	0.0	14.4	0.0	0.0	14.0	34	10	17	2	268	31
19	2400	13.7	335	10	0.24	0.1	5	0.1	25	12.6	0.0	14.3	0.0	0.0	13.9	34	10	17	2	268	31
19	2400	6.9	45	4	0.33	0.1	5	0.1	25	12.6	0.0	14.4	0.0	0.0	14.0	34	10	17	2	268	33

Feb 1968

19	3200	4.6	335	11	0.29	0.1	5	0.1	25	12.6	0.0	14.4	0.0	0.0	0.0	14.0	34	10	17	2 268	32
19	3400	15.1	255	13	0.59	0.1	5	0.1	25	13.1	0.0	14.5	0.0	0.0	0.0	14.0	34	10	17	2 268	30
19	4000	18.0	245	15	1.25	0.1	5	0.1	25	13.1	0.0	14.6	0.0	0.0	0.0	14.1	34	10	17	2 268	31
19	4400	20.0	255	15	1.44	0.1	5	0.1	25	12.9	0.0	14.5	0.0	0.0	0.0	14.1	34	10	17	2 268	32
19	4800	18.8	265	14	1.74	0.1	5	0.1	25	12.8	0.0	14.4	0.0	0.0	0.0	14.0	34	10	17	2 268	32
19	5200	15.1	275	14	1.67	0.1	5	0.1	25	12.8	0.0	14.4	0.0	0.0	0.0	14.0	34	10	17	2 268	33
19	5600	11.3	295	13	1.42	0.1	5	0.1	25	12.8	0.0	14.4	0.0	0.0	0.0	14.0	34	10	17	2 268	32
19	6000	9.2	175	15	0.71	0.1	5	0.1	25	13.4	0.0	14.5	0.0	0.0	0.0	14.0	34	10	17	2 268	27
21	1600	13.1	205	16	0.72	0.1	5	0.1	25	13.6	0.0	14.5	0.0	0.0	0.0	14.0	34	10	17	2 268	31
21	2000	17.2	5	14	0.64	0.1	5	0.1	25	13.3	0.0	14.6	0.0	0.0	0.0	13.9	34	10	17	2 268	31
21	2400	20.4	25	4	0.35	0.1	5	0.1	25	12.8	0.0	14.4	0.0	0.0	0.0	14.0	34	10	17	2 268	16
21	2800	17.5	25	4	0.39	0.0	5	0.0	25	12.5	0.0	14.3	0.0	0.0	0.0	13.9	34	10	17	2 268	14
21	3200	17.2	35	3	0.36	0.0	5	0.0	25	12.2	0.0	14.2	0.0	0.0	0.0	13.8	34	10	17	2 268	27
21	3600	13.8	45	7	0.32	0.0	5	0.0	25	12.2	0.0	14.1	0.0	0.0	0.0	13.8	34	10	17	2 268	31
21	4000	15.5	55	6	0.41	0.1	5	0.1	25	12.2	0.0	14.1	0.0	0.0	0.0	13.7	34	10	17	2 268	31
21	4400	17.5	45	6	0.44	0.0	5	0.0	25	12.1	0.0	14.1	0.0	0.0	0.0	13.7	34	10	17	2 268	31
21	4800	13.5	65	7	0.37	0.1	5	0.1	25	12.1	0.0	14.1	0.0	0.0	0.0	13.7	34	10	17	2 268	26
21	5200	14.9	45	6	0.24	0.0	5	0.0	25	12.1	0.0	14.0	0.0	0.0	0.0	13.6	34	10	17	2 268	17
21	5600	16.3	65	5	0.53	0.0	5	0.1	25	11.7	0.0	13.9	0.0	0.0	0.0	13.5	34	10	17	2 268	31
21	6000	19.0	35	4	0.69	0.1	5	0.0	25	11.8	0.0	13.9	0.0	0.0	0.0	13.5	34	10	17	2 268	27
23	1600	21.0	55	4	0.57	0.0	5	0.0	25	11.9	0.0	13.8	0.0	0.0	0.0	13.5	34	10	17	2 268	30
23	2000	14.4	5	4	0.49	0.0	5	0.0	25	11.8	0.0	13.8	0.0	0.0	0.0	13.4	34	10	17	2 268	27
23	2400	17.1	15	4	0.53	0.0	5	0.0	25	11.8	0.0	13.7	0.0	0.0	0.0	13.3	34	10	17	2 268	26
23	2800	18.6	325	3	0.44	0.0	5	0.0	15	11.7	0.0	13.6	0.0	0.0	0.0	13.3	34	10	17	2 268	32
23	3200	15.7	335	4	0.64	0.0	5	0.0	25	11.8	0.0	13.7	0.0	0.0	0.0	13.3	34	10	17	2 268	26
23	3600	12.2	265	9	0.64	0.1	5	0.1	25	12.5	0.0	13.9	0.0	0.0	0.0	13.5	34	10	17	2 268	21
23	4000	14.2	285	12	0.69	0.1	5	0.1	25	12.5	0.0	14.1	0.0	0.0	0.0	13.6	34	10	17	2 268	22
23	4400	18.2	305	9	1.20	0.1	5	0.1	25	12.6	0.0	14.2	0.0	0.0	0.0	13.8	34	10	17	2 268	25
23	4800	15.6	315	7	0.94	0.1	5	0.0	25	12.4	0.0	14.1	0.0	0.0	0.0	13.7	34	10	17	2 268	24
23	5200	12.8	315	7	0.70	0.0	5	0.0	25	12.2	0.0	14.1	0.0	0.0	0.0	13.7	34	10	17	2 268	27
23	5600	12.8	335	4	0.64	0.1	5	0.1	25	12.2	0.0	14.1	0.0	0.0	0.0	13.6	34	10	17	2 268	27
23	6000	6.9	255	11	0.54	0.1	5	0.1	25	12.9	0.0	14.3	0.0	0.0	0.0	13.8	34	10	17	2 268	24
25	1600	15.1	235	13	0.59	0.1	5	0.1	25	13.2	0.0	14.3	0.0	0.0	0.0	13.8	34	10	17	2 268	31
25	2000	17.6	265	13	0.89	0.1	5	0.1	25	12.8	0.0	14.3	0.0	0.0	0.0	13.8	34	10	17	2 268	31
25	2400	10.4	315	12	1.11	0.1	5	0.1	25	12.7	0.0	14.3	0.0	0.0	0.0	13.8	34	10	17	2 268	32
25	2800	7.2	45	4	0.75	0.1	5	0.1	25	12.5	0.0	14.3	0.0	0.0	0.0	13.8	34	10	17	2 268	30
25	3200	2.6	55	12	0.95	0.1	5	0.1	25	12.6	0.0	14.3	0.0	0.0	0.0	13.8	34	10	17	2 268	30
25	3600	8.2	245	14	0.89	0.1	5	0.1	25	13.7	0.0	14.4	0.0	0.0	0.0	14.0	34	10	17	2 268	31
25	4000	15.4	245	16	0.63	0.1	5	0.1	25	13.9	0.0	14.5	0.0	0.0	0.0	14.0	34	10	17	2 268	30
25	4400	11.7	315	14	0.94	0.1	5	0.1	25	13.3	0.0	14.5	0.0	0.0	0.0	14.0	34	10	17	2 268	31
25	4800	16.3	325	10	1.01	0.1	5	0.1	25	13.0	0.0	14.4	0.0	0.0	0.0	13.9	34	10	17	2 268	31
25	5200	16.6	305	4	0.77	0.1	5	0.1	25	12.7	0.0	14.3	0.0	0.0	0.0	13.9	34	10	17	2 268	30
25	5600	13.3	305	3	0.77	0.1	5	0.1	25	12.6	0.0	14.3	0.0	0.0	0.0	13.8	34	10	17	2 268	27
25	6000	14.5	265	11	0.79	0.1	5	0.1	25	13.3	0.0	14.5	0.0	0.0	0.0	14.0	34	10	17	2 268	24
27	1600	13.1	255	13	0.72	0.1	5	0.1	25	13.3	0.0	14.5	0.0	0.0	0.0	14.0	34	10	17	2 268	21
27	2000	10.1	245	14	0.72	0.1	5	0.1	25	13.0	0.0	14.4	0.0	0.0	0.0	14.0	34	10	17	2 268	23
27	2400	6.7	335	11	0.64	0.1	5	0.1	25	12.8	0.0	14.3	0.0	0.0	0.0	14.0	34	10	17	2 268	24

		Feb 1968																				
27	2400	8.6	105	10	0.45	0.1	5	0.1	5	0.1	25	12.7	0.0	14.2	0.0	0.0	13.8	34	17	2	268	25
27	3200	9.5	115	12	0.42	0.1	5	0.1	5	0.1	25	12.6	0.0	14.2	0.0	0.0	13.8	34	17	2	268	26
27	4000	13.8	175	16	0.57	0.1	5	0.1	5	0.1	5	13.1	0.0	14.3	0.0	0.0	13.8	34	17	2	268	27
27	4000	12.4	155	16	0.54	0.1	5	0.1	5	0.1	5	13.3	0.0	14.4	0.0	0.0	13.8	34	17	2	268	23
27	4000	15.6	155	16	1.23	0.1	5	0.1	5	0.1	5	13.2	0.0	14.6	0.0	0.0	13.9	34	17	2	268	27
27	4500	31.1	185	17	2.33	0.1	5	0.1	5	0.1	5	13.2	0.0	14.5	0.0	0.0	14.1	34	17	2	268	28
27	5200	25.4	295	9	2.89	0.1	5	0.1	5	0.1	5	12.9	0.0	14.4	0.0	0.0	13.9	34	17	2	268	25
27	5600	22.8	305	8	3.36	0.0	5	0.1	5	0.1	5	12.7	0.0	14.4	0.0	0.0	14.0	34	17	2	268	29
27	6000	22.4	265	10	5.19	0.1	5	0.1	5	0.1	5	12.7	0.0	14.3	0.0	0.0	13.8	34	17	2	268	27
29	1600	29.4	285	9	5.50	0.1	5	0.1	5	0.1	5	12.8	0.0	14.3	0.0	0.0	13.9	34	17	2	268	27
29	2000	26.0	305	4	3.06	0.0	5	0.0	5	0.0	5	12.4	0.0	14.3	0.0	0.0	13.9	34	17	2	268	27
29	2800	23.5	305	2	2.59	0.0	5	0.0	5	0.0	5	12.2	0.0	14.3	0.0	0.0	13.9	34	17	2	268	27
29	2800	23.6	305	1	4.61	0.0	5	0.0	5	0.0	5	12.1	0.0	14.2	0.0	0.0	13.9	34	17	2	268	23
29	3200	19.0	325	2	7.73	0.0	5	0.0	5	0.0	5	12.3	0.0	14.4	0.0	0.0	14.1	34	17	2	268	15
29	3400	14.4	255	7	7.80	0.1	5	0.1	5	0.1	5	12.8	0.0	14.6	0.0	0.0	14.3	34	17	2	268	27
0	0	0.0	0	0	0.00	0.0	0	0.0	0	0.0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	17	0	0	0

CUDE: 0000000000000000

MAR 1968

070071 STAGE 2

DAY	HOJR	WS	WD	AT	WL	CSS	CNS	CSM	CDM	CSH	CNB	WT1	WT2	WT3	WT4	WT5	WT6	D1	D2	D3	D4	D5	D6	KEY	M
4	1600	14.1	265	13	0.48	0.1	5	0.1	5	0.1	5	13.0	0.0	15.2	0.0	0.0	15.1	32	10	17	17	17	2	368	27
4	2000	11.2	295	13	0.44	0.1	5	0.1	5	0.1	5	13.7	0.0	15.0	0.0	0.0	15.0	32	10	17	17	17	2	368	31
4	2400	9.8	335	10	0.35	0.1	5	0.1	5	0.1	5	13.6	0.0	15.1	0.0	0.0	15.1	32	10	17	17	17	2	368	27
4	2800	10.4	5	9	0.28	0.0	5	0.1	5	0.1	5	13.5	0.0	15.0	0.0	0.0	14.8	32	10	17	17	17	2	368	14
4	3200	6.7	35	10	0.00	0.0	5	0.0	5	0.0	5	13.5	0.0	15.0	0.0	0.0	14.6	32	10	17	17	17	2	368	2
4	3600	12.0	235	13	0.24	0.1	5	0.1	5	0.1	5	14.2	0.0	15.3	0.0	0.0	14.6	32	10	17	17	17	2	368	25
4	4000	15.8	225	14	0.54	0.1	5	0.1	5	0.1	5	14.0	0.0	15.2	0.0	0.0	14.6	32	10	17	17	17	2	368	31
4	4400	15.3	245	15	0.69	0.1	5	0.1	5	0.1	5	14.0	0.0	15.2	0.0	0.0	15.0	32	10	17	17	17	2	368	31
4	4800	15.6	255	15	1.25	0.1	5	0.1	5	0.1	5	14.0	0.0	14.8	0.0	0.0	15.0	32	10	17	17	17	2	368	27
4	5200	13.6	265	12	1.00	0.1	5	0.1	5	0.1	5	13.8	0.0	15.2	0.0	0.0	14.9	32	10	17	17	17	2	368	33
4	5600	7.8	235	10	0.66	0.1	5	0.1	5	0.1	5	13.6	0.0	15.2	0.0	0.0	14.7	32	10	17	17	17	2	368	33
4	6000	5.0	235	13	0.40	0.1	5	0.1	5	0.1	5	13.7	0.0	15.2	0.0	0.0	14.7	32	10	17	17	17	2	368	30
6	1600	5.8	215	14	0.34	0.1	5	0.1	5	0.1	5	13.8	0.0	15.3	0.0	0.0	14.9	32	10	17	17	17	2	368	30
6	2000	7.8	235	14	0.35	0.1	5	0.1	5	0.1	5	13.7	0.0	15.3	0.0	0.0	14.8	32	10	17	17	17	2	368	32
6	2400	4.7	295	12	0.25	0.1	5	0.1	5	0.1	5	13.6	0.0	15.1	0.0	0.0	14.7	32	10	17	17	17	2	368	32
6	2800	15.3	45	9	0.24	0.1	5	0.1	5	0.1	5	12.8	0.0	15.1	0.0	0.0	14.6	32	10	17	17	17	2	368	31
6	3200	15.9	65	10	0.31	0.1	5	0.1	5	0.1	5	12.8	0.0	14.9	0.0	0.0	14.4	32	10	17	17	17	2	368	32
6	3600	5.7	185	17	0.21	0.1	5	0.1	5	0.1	5	13.6	0.0	15.1	0.0	0.0	14.5	32	10	17	17	17	2	368	32
6	4000	11.2	155	15	0.44	0.1	5	0.1	5	0.1	5	14.2	0.0	15.2	0.0	0.0	14.5	32	10	17	17	17	2	368	32
6	4400	5.2	155	14	0.64	0.1	5	0.1	5	0.1	5	14.1	0.0	15.4	0.0	0.0	14.5	32	10	17	17	17	2	368	32
6	4800	12.2	65	12	0.34	0.1	5	0.1	5	0.1	5	13.8	0.0	15.5	0.0	0.0	14.4	32	10	17	17	17	2	368	33
6	5200	12.7	95	11	0.60	0.1	5	0.1	5	0.1	5	13.7	0.0	15.2	0.0	0.0	14.5	32	10	17	17	17	2	368	31
6	5600	9.3	115	12	0.71	0.1	5	0.1	5	0.1	5	13.4	0.0	15.3	0.0	0.0	14.9	32	10	17	17	17	2	368	33
6	6000	12.8	155	17	0.47	0.1	5	0.1	5	0.1	5	14.3	0.0	15.4	0.0	0.0	14.8	32	10	17	17	17	2	368	32
8	1600	9.8	155	17	0.60	0.1	5	0.1	5	0.1	5	14.4	0.0	15.3	0.0	0.0	14.7	32	10	17	17	17	2	368	32
8	2000	10.4	115	16	0.63	0.1	5	0.1	5	0.1	5	14.2	0.0	15.5	0.0	0.0	14.7	32	10	17	17	17	2	368	31
8	2400	6.9	115	15	0.47	0.1	5	0.1	5	0.1	5	14.0	0.0	15.5	0.0	0.0	14.8	32	10	17	17	17	2	368	30
8	2800	8.0	115	14	0.44	0.1	5	0.1	5	0.1	5	14.1	0.0	15.4	0.0	0.0	14.8	32	10	17	17	17	2	368	14
8	3200	11.2	115	15	0.51	0.1	5	0.1	5	0.1	5	14.2	0.0	15.6	0.0	0.0	14.7	32	10	17	17	17	2	368	30
8	3600	11.0	145	14	0.71	0.1	5	0.1	5	0.1	5	14.9	0.0	15.7	0.0	0.0	15.0	32	10	17	17	17	2	368	21
8	4000	12.1	145	14	0.55	0.1	5	0.1	5	0.1	5	15.3	0.0	15.7	0.0	0.0	15.0	32	10	17	17	17	2	368	22
8	4400	13.4	135	17	0.57	0.1	5	0.1	5	0.1	5	15.0	0.0	15.7	0.0	0.0	15.2	32	10	17	17	17	2	368	26
8	4800	14.8	155	14	0.82	0.1	5	0.1	5	0.1	5	15.0	0.0	16.0	0.0	0.0	15.2	32	10	17	17	17	2	368	32
8	5200	17.9	155	14	0.94	0.1	5	0.1	5	0.1	5	15.1	0.0	16.0	0.0	0.0	15.5	32	10	17	17	17	2	368	30
8	5600	14.5	215	19	0.90	0.1	5	0.1	5	0.1	5	15.2	0.0	15.9	0.0	0.0	15.5	32	10	17	17	17	2	368	17
8	6000	10.3	255	17	1.16	0.1	5	0.1	5	0.1	5	15.5	0.0	16.2	0.0	0.0	15.6	32	10	17	17	17	2	368	31
10	2800	14.5	155	17	0.00	0.1	5	0.0	0	0.1	5	15.8	0.0	16.2	0.0	0.0	15.7	32	10	17	17	17	2	368	1
10	3200	11.2	115	14	0.73	0.1	5	0.0	0	0.1	5	15.6	0.0	16.2	0.0	0.0	15.6	32	10	17	17	17	2	368	3
10	4000	15.3	125	19	0.00	0.1	5	0.0	0	0.1	5	16.2	0.0	16.3	0.0	0.0	15.8	32	10	17	17	17	2	368	1
10	5200	16.1	125	14	0.00	0.1	5	0.0	0	0.1	5	16.2	0.0	16.3	0.0	0.0	15.7	32	10	17	17	17	2	368	1
10	6000	19.0	125	14	2.16	0.1	5	0.0	0	0.1	5	15.6	0.0	16.3	0.0	0.0	15.9	32	10	17	17	17	2	368	3
12	2800	30.6	245	14	0.00	0.0	5	0.0	0	0.0	5	15.4	0.0	16.2	0.0	0.0	15.5	32	10	17	17	17	2	368	1
12	3200	31.0	275	11	0.00	0.1	5	0.0	0	0.1	5	15.5	0.0	16.2	0.0	0.0	15.5	32	10	17	17	17	2	368	1
12	3600	27.8	285	10	0.00	0.1	5	0.0	0	0.1	5	15.4	0.0	16.2	0.0	0.0	15.5	32	10	17	17	17	2	368	1

INITIAL DISTRIBUTION LIST
REPORT NSRDL/PC 3444

Commander, Naval Ship Systems Command (SHIPS 00V1K) (B. K. Couper)	(Copies 1, 2, and 3)	Director, Woods Hole Oceanographic Institution (Copies 47 and 48)
Director of Defense Research and Engineering, Office of Secretary of Defense	(Copy 4)	Director, Narragansett Marine Laboratory, University of Rhode Island (Copy 49)
Office of Naval Research		Bingham Oceanographic Laboratories, Yale University (Copy 50)
Ocean Science and Technology Group	(Copies 5 and 6)	Gulf Coast Research Laboratory, Ocean Springs, Miss. (Copy 51)
Surface Branch	(Copy 7)	Chairman, Department of Meteorology and Oceanography, New York University (Copy 52)
Undersea Programs	(Copy 8)	Director, Lamont Geological Observatory, Columbia University (Copies 53 and 54)
Field Projects	(Copy 9)	Great Lakes Research Division, Institute of Science and Technology, University of Michigan (Copy 55)
Geography Branch (Code 463)	(Copy 10)	Director, Chesapeake Bay Institute, Johns Hopkins University (Copy 56)
(Cous 460T)	(Copy 11)	Director, Marine Laboratory, University of Miami (Copies 57 and 58)
Office of Naval Research, Branch Office, Boston, Mass.	(Copies 13 through 17)	Head, Department of Oceanography and Meteorology, Texas A&M University (Copies 59 and 60)
Director, Naval Research Laboratory (Copies 18, 19, and 20)		Director, Scripps Institution of Oceanography (Copies 61 and 62)
(Copies 21, 22, and 23 for further distribution to England and Canada)		Allan Hancock Foundation, University Park (Copy 63)
Oceanographer of the Navy (Copies 24 and 25)		Head, Department of Oceanography, Oregon State University (Copy 64)
Commanding Officer, Navy Weather Research Facility (Copy 26)		Commander, Naval Ship Research and Development Center (Code L41) (Copies 65 through 69)
Commander, Naval Air Development Center (Copy 27)		Commanding Officer, Naval Ship Research and Development Laboratory, Annapolis (Copy 70)
Commanding Officer, Naval Underwater Systems Center (Copies 28 and 29)		Institute of Marine Sciences (Dr. Walter Düing), University of Miami (Copy 71)
Army Research Office, Office of the Chief of Research and Development (Copy 30)		Ceatal Studies Institute (Dr. Wm J. Macintire, Director), Baton Rouge, La. (Copy 72)
U.S. Army Coastal Engineering Laboratory (Copy 31)		Advanced Research Projects Agency (Dr. R. W. Stocum) Washington, D.C. (Copy 73)
National Research Council, Committee on Undersea Warfare (Copy 32)		Mobile District Corps of Engineers (Mr. Walter H. Burdin) Mobile, Ala. (Copy 74)
Commanding Officer, Coast Guard Oceanographic Unit (Copy 33)		Department of Geology, University of Fla. (Dr. H. K. Brooks) (Copy 75)
Environmental Sciences Services Administration, U.S. Department of Commerce, Institute of Oceanography (Copy 34)		Virginia Fisheries Laboratory (Dr. Wm Margis, Director) Gloucester Point, Va. (Copy 76)
Director, U.S. Army Engineers Waterways Experiment Station (Copy 35)		Chief, Oceanographic Branch CERC (Dr. D. Lee Harris), Washington, D.C. (Copy 77)
Laboratory Director, Bureau of Commercial Fisheries, Galveston, Texas (Copy 36)		Environmental Sciences Center (Dr. Wm. S. Richardson) Nova University, Fort Lauderdale, Fla. (Copy 78)
Laboratory Director, Bureau of Commercial Fisheries, Brunswick, Ga. (Copy 37)		Florida Institute of Oceanography (Mr. Maurice Rinkel), St. Petersburg, Fla. (Copy 79)
Bureau of Sport Fisheries and Wildlife, U.S. Fish and Wildlife Service, Highlands, N.C. (Copy 38)		University of South Florida (Dr. Wm H. Taft), St. Petersburg, Fla. (Copy 80)
Laboratory Director, Bureau of Commercial Fisheries, Miami, Fla. (Copy 39)		Florida Atlantic University (Mr. Sheldon Dobkin), Boca Raton, Fla. (Copy 81)
Director, Bureau of Commercial Fisheries, U.S. Fish and Wildlife Service, Washington, D.C. (Copy 40)		University of West Florida (Dr. Al Chaet) Pensacola, Fla. (Copy 82)
Bureau of Commercial Fisheries, Biological Laboratory Oceanography (Copy 41)		Director, Defense Documentation Center (Copies 83 through 102)
Director, National Oceanographic Data Center, Washington, D.C. (Copies 42 and 43)		
Library, U.S. Weather Bureau, Washington, D.C. (Copy 44)		
Assistant Director, Oceanography Museum of Natural History, Smithsonian Institution (Copy 45)		
Chief, Marine Science Center, Coast and Geodetic Survey, U.S. Department of Commerce, Seattle, Washington (Copy 46)		

Carl M Bennett
AUTHOR

F W Olson
AUTHOR

23 MAR 1971
DATE

Dorothy B. Harless
WITNESS

J. Sonelle Luyser
WITNESS