

AD 739518

ARL 71-0264

DECEMBER 1971



Aerospace Research Laboratories

TABLES FOR THE EXTREME ROOTS OF THE WISHART MATRIX

D. S. CLEMM

P. R. KRISHNAIAH


APPLIED MATHEMATICS RESEARCH LABORATORY

V. B. WAIKAR

*APPLIED MATHEMATICS RESEARCH LABORATORY
AND MIAMI UNIVERSITY, OXFORD, OHIO*

PROJECT NO. 7071

Reproduced by
NATIONAL TECHNICAL
INFORMATION SERVICE
Springfield, Va. 22151




Approved for public release; distribution unlimited.

AIR FORCE SYSTEMS COMMAND

United States Air Force

24

DISCLAIMER NOTICE



THIS DOCUMENT IS BEST QUALITY AVAILABLE. THE COPY FURNISHED TO DTIC CONTAINED A SIGNIFICANT NUMBER OF PAGES WHICH DO NOT REPRODUCE LEGIBLY.

NOTICES

When Government drawings, specifications, or other data are used for any purpose other than in connection with a definitely related Government procurement operation, the United States Government thereby incurs no responsibility nor any obligation whatsoever; and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data, is not to be regarded by implication or otherwise as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

Agencies of the Department of Defense, qualified contractors and other government agencies may obtain copies from the

Defense Documentation Center
Cameron Station
Alexandria, Virginia 22314

This document has been released to the

CLEARINGHOUSE
U. S. Department of Commerce
Springfield, Virginia 22151

for sale to the public.

Copies of ARL Technical Documentary Reports should not be returned to Aerospace Research Laboratories unless return is required by security considerations, contractual obligations or notices on a specified document.

AIR FORCE: 21-1-72/700

A	DISTRIBUTION AVAILABILITY CODES DTIC AVAIL. AND SPECIAL	UNANNOUNCED NOTIFICATION	WRITE SECTION SURF SECTION	ACCESSION NO. DTIC DTIC
			☐	☐

Unclassified

Security Classification

DOCUMENT CONTROL DATA - R & D		
(Security classification of title, body of abstract and indexing annotation must be entered when the overall report is classified)		
1. ORIGINATING ACTIVITY (Corporate author)		2a. REPORT SECURITY CLASSIFICATION
Aerospace Research Laboratories Applied Mathematics Research Laboratory Wright-Patterson AFB, Ohio 45433		Unclassified
		2b. GROUP
		M-2
3. REPORT TITLE		
Tables for the Extreme Roots of the Wishart Matrix		
4. DESCRIPTIVE NOTES (Type of report and inclusive dates)		
Scientific. Final.		
5. AUTHOR(S) (First name, middle initial, last name)		
D. S. Clemm, P. R. Krishnaiah and V. B. Waikar		
6. REPORT DATE	7a. TOTAL NO. OF PAGES	7b. NO. OF REFS
December 1971	24	8
8a. FOUO SECRET In-House Research		9a. ORIGINATOR'S REPORT NUMBER(S)
b. PROJECT NO 7071-00-12		
c. DoD Element 61102 F		9b. OTHER REPORT NO(S) (Any other numbers that may be assigned this report)
d. DoD Subelement 681304		ARL 71- 0264
10. DISTRIBUTION STATEMENT		
Approved for public release; distribution unlimited		
11. SUPPLEMENTARY NOTES		12. SPONSORING MILITARY ACTIVITY
TECH OTHER		Aerospace Research Laboratories (LB) Wright-Patterson AFB, Ohio 45433
13. ABSTRACT		
Let ℓ_1 and ℓ_p be respectively the smallest and largest roots of the central $p \times n$ Wishart matrix with n degrees of freedom. In this report, the authors gave tables for the exact values of U for $p = 2(1)10(2)20$, $\alpha = 0.05, 0.025, 0.01, 0.005$ and different values of n where $P[U^{-1} < \ell_1 < \ell_p < U] = (1-2\alpha).$ Also, exact lower 1%, 2.5%, 5%, 10% points of the distribution of ℓ_p are given for $p = 2(1)10(2)20$ and for different values of n.		

DD FORM 1 NOV 65 1473

Unclassified

Security Classification

Unclassified

Security Classification

14	KEY WORDS	LINK A		LINK B		LINK C	
		ROLE	WT	ROLE	WT	ROLE	WT
	Percentage Points Extreme Roots Wishart Matrix						

Unclassified

Security Classification

ARL 71-0264

TABLES FOR THE EXTREME ROOTS OF THE WISHART MATRIX

D. S. CLEMM

P. R. KRISHNAIAH

APPLIED MATHEMATICS RESEARCH LABORATORY

V. B. WAIKAR

APPLIED MATHEMATICS RESEARCH LABORATORY

AND

MIAMI UNIVERSITY, OXFORD, OHIO

DECEMBER 1971

PROJECT NO. 7071

Approved for public release; distribution unlimited.

**AEROSPACE RESEARCH LABORATORIES
AIR FORCE SYSTEMS COMMAND
UNITED STATES AIR FORCE
WRIGHT-PATTERSON AIR FORCE BASE, OHIO**

FOREWORD

This report was prepared for Applied Mathematics Research Laboratory, Aerospace Research Laboratories by D. S. Clemm, P. R. Krishnaiah and V. B. Waikar under Project 7071, "Research in Applied Mathematics". The work of V. B. Waikar was performed at the Aerospace Research Laboratories while in the capacity of an Ohio State University Research Foundation Visiting Research Associate under Contract F 33615-67-C-1758. The present affiliation of V. B. Waikar is Miami University, Oxford, Ohio.

In this report, the authors gave tables for the exact percentage points of the joint distribution of the extreme roots as well as the tables for the exact lower percentage points of the largest root of the Wishart matrix.

The authors wish to thank Miss Eva Brandenburg for typing the manuscript.

ABSTRACT

Let λ_1 and λ_p be respectively the smallest and largest roots of the central $p \times p$ Wishart matrix with n degrees of freedom. In this report, the authors gave tables for the exact values of U for $p = 2(1)10(2)20$, $\alpha = 0.05$, 0.025 , 0.01 , 0.005 and different values of n where

$$P[U^{-1} \leq \lambda_1 \leq \lambda_p \leq U] = (1-2\alpha).$$

Also, exact lower 1%, 2.5%, 5%, 10% points of the distribution of λ_p are given for $p = 2(1)10(2)20$ and for different values of n .

TABLE OF CONTENTS

Section	Page
1. Introduction	1
2. Probability Integral of the Joint Density of the Extreme Roots	1
3. Applications	3
References	6
Tables	

I. INTRODUCTION

Krishnaiah and Chang [3] gave an expression for the probability integral associated with the joint density of the extreme roots of the Wishart matrix. For computational purposes, this expression is significantly better than other expressions given in the literature ([1], [6]). Using this expression, the authors constructed tables for the percentage points associated with the joint density of the extreme roots of the Wishart matrix by imposing the condition that the lower critical value is equal to the reciprocal of the upper critical value. These tables are useful in the application of Roy's test for testing the hypothesis that the covariance matrix of a multivariate normal population is equal to a specified value. Some computations are also made to check for the accuracy of the approximate tables constructed by Hanumara and Thompson [2] by putting a different restriction on the choice of the critical values. Also tables of the lower percentage points of the largest root of the Wishart matrix are constructed in this paper.

2. PROBABILITY INTEGRAL OF THE JOINT DENSITY OF THE EXTREME ROOTS

Let X be a $p \times n$ matrix whose columns are independently distributed as multivariate normal with zero mean vector and covariance matrix I_p , the identity matrix. Also let $S = XX'$ and let $\lambda_1 < \lambda_2 < \dots < \lambda_p$ be the latent roots of S . Then it is well known that S has Wishart distribution and the joint density of $\lambda_1, \dots, \lambda_p$ is given by

$$f_1(\ell_1, \dots, \ell_p) = k(p, n) \prod_{i=1}^p [\ell_i^r \exp(-\ell_i/2)] \prod_{i>j}^p (\ell_i - \ell_j) \quad (2.1)$$

$$0 < \ell_1 < \dots < \ell_p < \infty$$

where $r = (n-p-1)/2$ and

$$k(p, n) = \pi^{p/2} (1/2)^{np/2} \prod_{i=1}^p [\Gamma(n+1-i)/2] \Gamma((p+1-i)/2).$$

Krishnaiah and Chang [3] gave an exact expression for the probability integral of the joint density of ℓ_1 and ℓ_p which is given by

$$P[L \leq \ell_1 < \ell_p \leq U] = k(p, n) \rho(\psi; p, r, L, U) \quad (2.2)$$

where

$$\rho(\psi; p, r, L, U) = \begin{cases} \Delta(\psi; 2m, r, L, U) & \text{when } p = 2m \\ \sum_{i=0}^{2m} (-1)^i F_{r+i}(U) G_{i+1}(\psi; 2m+1, r, L, U) & \end{cases} \quad (2.3)$$

$$\text{when } p = 2m+1 \quad (2.4)$$

and

$$\Delta(\psi; 2m, r, L, U) = |(a_{ij})_{i,j=1,\dots,2m}|^{1/2},$$

$$G_t(\psi; 2m+1, r, L, U) = |(a_{ij})_{i,j=1,\dots,t-1,t+1,\dots,2m+1}|^{1/2} \text{ for } p > 1$$

$$a_{ij} = f_{i+r-1}^{j+r-1}, \quad f_s^t = F_s^t - F_t^s,$$

$$F_s^t = \int_L^U F_s(\theta) \theta^t \psi(\theta) d\theta, \quad F_s(\theta) = \int_L^\theta \psi(x) x^s dx,$$

$$\psi(x) = \exp(-x/2). \text{ Also, let } G_1(\psi; 1, r, L, U) \equiv 1.$$

In this paper, the authors give tables for the exact values of U for $\alpha = 0.05, 0.025, 0.01, 0.005$, $p = 2(1)10(2)20$, $n = (p+1)(1)20(2)30(5)50$ where

$$P[U^{-1} \leq \ell_1 \leq \ell_p \leq U] = (1-2\alpha). \quad (2.5)$$

The authors also gave lower 1%, 2.5%, 5% and 10% values of the distribution of ℓ_p for $p = 2(1)10(2)20$, $n = (p+1) (1)20(2)30(5)50$ by using the following known formula [3]:

$$P[\ell_p > U] = 1 - k(p, n) \rho(\psi; p, r, 0, U)$$

Hanumara and Thompson [2] constructed tables for L and U for $p = 2(1)10$ and various values of r and α satisfying

$$P[L \leq \ell_1 < \ell_p \leq U] = 1 - 2\alpha \quad (2.6)$$

and

$$P[\ell_1 \geq L] = 1 - \alpha. \quad (2.7)$$

For $p = 2$, Thompson [7] computed exact values of L and U. For $p \geq 3$, Hanumara and Thompson [2] state that exact values are very difficult to compute and so they computed approximate values L_1 and U_1 of L and U respectively where L_1 and U_1 satisfy

$$P[\ell_1 \geq L_1] = (1 - \alpha) \quad (2.8)$$

$$P[\ell_p \leq U_1] = (1 - \alpha).$$

For $p = 2$ and 3, they found empirically that L_1 and U_1 are close to L and U respectively. For higher values of $p (\leq 10)$ we computed L and U exactly for some typical values of n and α and found them to be close to L_1 and U_1 given in [2].

3. APPLICATIONS

Let $H_0: \Sigma = \Sigma_0$, $H_a: \Sigma \neq \Sigma_0$ where Σ is the covariance matrix of a p-variate normal distribution and Σ_0 is known. Further let S/n be the sample covariance matrix based on a sample of size $n+1$. According to the procedure of

Roy [5, p. 30] an acceptance region for testing H_0 against H_a is given by

$$L \leq \lambda_1 < \lambda_p \leq U \quad (3.1)$$

where $\lambda_1 < \lambda_2 < \dots < \lambda_p$ are the characteristic roots of $S\Sigma_0^{-1}$ and $L < U$ are constants such that

$$P[L \leq \lambda_1 < \lambda_p \leq U | H_0] = 1 - 2\alpha. \quad (3.2)$$

Note that under H_0 , $S\Sigma_0^{-1}$ has a Wishart distribution $W(I, n)$. Now, the optimum choice of L and U (in the sense of maximizing the power) is not known. Thus one simple way of choosing L and U is to put $L = 1/U$ and then use the tables given in this paper.

One can also construct simultaneous confidence intervals for the elements σ_{ij} of the covariance matrix Σ using the tables given here. Roy [5, p. 106] showed that

$$U^{-1} \underline{a}' S \underline{a} \leq \underline{a}' \Sigma \underline{a} \leq L^{-1} \underline{a}' S \underline{a} \quad (3.3)$$

is a set of simultaneous confidence bounds on $\underline{a}' \Sigma \underline{a}$ for all arbitrary nonnull vectors $\underline{a}$ with confidence coefficients $1 - 2\alpha$ provided L and U satisfy equation (2.6). By choosing $\underline{a}$ appropriately in (3.3) one can obtain simultaneous confidence intervals for σ_{ij} . Thompson [7] derived the following simultaneous confidence intervals for σ_{ij} using Roy's results:

$$U^{-1} s_{ii} \leq \sigma_{ii} \leq L^{-1} s_{ii} \quad i = 1, \dots, p \quad (3.4)$$

$$|\sigma_{ij} - \frac{1}{2} (U^{-1} + L^{-1}) s_{ij}| \leq \frac{1}{2} (L^{-1} - U^{-1}) (s_{ii} s_{jj})^{1/2} \quad i \neq j.$$

Thus (3.4) represents simultaneous confidence intervals for σ_{ij} , $i, j = 1, \dots, p$

with confidence coefficient $1 - 2\alpha$ where L and U satisfy (2.6) and $S = (s_{ij})$. Hence putting $L = 1/U$ and using Table I, one can construct exact simultaneous confidence intervals for σ_{ij} given by (3.4).

As a further application, we mention that these tables are useful in obtaining the simultaneous confidence intervals for the variance components of the two-way layout with unequal variances. Since this application is discussed in detail by Thompson [7,8] and Hanumara and Thompson [2], we omit its discussion here.

REFERENCES

- [1] Gnanadesikan, R. (1956). Contributions to multivariate analysis including univariate and multivariate component analysis and factor analysis. Mimeo. Series No. 158, Inst. Statist., Univ. N. Carolina, Chapel Hill, North Carolina.
- [2] Hanumara, R. C. and Thompson, W. A. (1968). Percentage points of the extreme roots of a Wishart matrix. Biometrika 55, 505-512.
- [3] Krishnaiah, P. R. and Chang, T. C. (1971). On the exact distribution of the extreme roots of the Wishart and MANOVA matrices. J. Multivariate Analysis 1, 108-117.
- [4] Pillai, K. C. S. and Chang, T. C. (1970). An approximation to the c. d.f. of the largest root of a covariance matrix. Ann. Inst. Statist. Math. Supplement 6, 115-124.
- [5] Roy, S. N. (1957). Some Aspects of Multivariate Analysis. John Wiley and Sons, Inc. New York.
- [6] Sugiyama, T. (1970). Joint distribution of the extreme roots of a covariance matrix. Ann. Math. Statist. 41, 655-657.
- [7] Thompson, W. A. (1962). Estimation of dispersion parameters. Journal of Research of the National Bureau of Standards 66B, 161-164.
- [8] Thompson, W. A. (1963). Precision of simultaneous measurement procedures. J. Amer. Statist. Assoc. 58, 474-479.

TABLE I*
PERCENTAGE POINTS OF THE JOINT DISTRIBUTION
OF THE EXTREME ROOTS

P= 2

n	α	.05	.025	.01	.005	n	α	.05	.025	.01	.005
3	12.49	19.98	49.50	99.50		4	17.70	29.74	74.25	149.25	
4	11.27	13.39	16.50	19.63		5	15.66	18.08	21.69	25.70	
5	12.58	14.57	17.10	18.99		6	16.99	19.19	21.94	23.99	
6	14.15	16.22	18.79	20.65		7	18.64	20.89	23.67	25.66	
7	15.72	17.87	20.55	22.45		8	20.31	22.62	25.48	27.52	
8	17.26	19.49	22.25	24.23		9	21.92	24.72	27.25	29.74	
9	18.75	21.07	23.91	25.95		10	23.59	25.97	28.97	31.12	
10	20.21	22.60	25.54	27.63							
11	21.66	24.12	27.13	29.27		11	25.06	27.58	30.67	32.85	
12	23.09	25.61	28.70	30.89		12	26.59	29.18	32.33	34.56	
13	24.49	27.08	30.24	32.47		13	28.09	30.73	33.96	36.25	
14	25.88	28.54	31.76	34.05		14	29.57	32.29	35.57	37.89	
15	27.25	29.96	33.25	35.59		15	31.04	33.80	37.14	39.51	
16	28.61	31.39	34.74	37.12		16	32.50	35.31	38.72	41.13	
17	29.96	32.80	36.20	38.63		17	33.93	36.80	40.25	42.71	
18	31.31	34.19	37.67	40.13		18	35.35	38.28	41.80	44.28	
19	32.64	35.57	39.10	41.61		19	36.77	39.74	43.30	45.83	
20	33.96	36.94	40.53	43.08		20	38.17	41.18	44.82	47.38	
22	36.57	39.66	43.36	45.98		22	40.94	44.04	47.78	50.42	
24	39.17	42.35	46.16	48.85		24	43.68	46.87	50.70	53.41	
26	41.74	45.00	48.92	51.69		26	46.39	49.67	53.59	56.35	
28	44.27	47.54	51.65	54.48		28	49.06	52.43	56.44	59.28	
30	46.80	50.24	54.35	57.25		30	51.72	55.15	59.26	62.15	
35	53.04	56.69	61.02	64.05		35	58.26	61.89	66.22	69.24	
40	59.19	63.02	67.57	70.75		40	64.71	68.50	73.02	76.18	
45	65.27	69.27	74.02	77.34		45	71.05	75.01	79.71	83.00	
50	71.29	75.46	80.40	83.84		50	77.33	81.44	86.33	89.73	

*The entries in the table give the values of U where

$$k(p,n) \int \dots \int_{U^{-1} \leq x_1 \leq \dots \leq x_p \leq U} \prod_{i=1}^p [x_i \exp(-x_i/2)]_i \prod_j (x_i - x_j) dx_1 \dots dx_p = 1 - 2\alpha.$$

TABLE I (Continued)

P= 4

n	.05	.025	.01	.005
5	22.75	39.01	99.00	199.00
6	19.94	22.61	26.65	31.63
7	21.27	23.63	26.60	28.79
8	22.98	25.39	28.33	30.43
9	24.70	27.16	30.17	32.32
10	25.36	28.90	31.98	34.18
11	28.01	30.60	33.76	36.00
12	29.63	32.28	35.50	37.77
13	31.21	33.92	37.19	39.52
14	32.77	35.54	38.88	41.25
15	34.32	37.13	40.53	42.94
16	35.85	38.71	42.16	44.60
17	37.35	40.27	43.78	46.26
18	38.84	41.81	45.36	47.89
19	40.33	43.33	46.95	49.51
20	41.79	44.84	48.51	51.10
22	44.68	47.83	51.59	54.26
24	47.55	50.77	54.63	57.36
26	50.36	53.67	57.62	60.41
28	53.16	56.54	60.57	63.42
30	55.92	59.36	63.49	66.40
35	62.72	66.34	70.67	73.71
40	69.39	73.18	77.69	80.86
45	75.95	79.90	84.60	87.88
50	82.43	86.53	91.40	94.79

TABLE I (Continued)

P= 5

n	.05	.025	.01	.005
6	27.70	48.74	123.75	248.75
7	24.17	27.05	31.49	37.49
8	25.49	28.01	31.14	33.45
9	27.23	29.76	32.87	35.08
10	28.98	31.58	34.74	35.98
11	30.70	33.36	36.58	38.85
12	32.39	35.10	38.38	40.70
13	34.05	36.80	40.15	42.52
14	35.67	38.50	41.90	44.31
15	37.29	40.15	43.61	46.06
16	38.89	41.79	45.29	47.78
17	40.44	43.41	46.97	49.49
18	42.00	45.00	48.62	51.18
19	43.54	46.59	50.24	52.83
20	45.06	48.15	51.87	54.47
22	48.07	51.24	55.05	57.73
24	51.02	54.28	58.18	60.93
26	53.95	57.27	61.25	64.07
28	56.83	60.23	64.30	67.18
30	59.68	63.16	67.31	70.24
35	66.70	70.34	74.69	77.75
40	73.57	77.37	81.91	85.07
45	80.37	84.28	88.98	92.25
50	86.99	91.09	95.95	99.34

TABLE I (Continued)

P= 6

n	α	.05	.025	.01	.005	n	α	.05	.025	.01	.005
7		32.59	58.49	148.49	298.50	8		37.40	68.24	173.24	348.25
8		28.36	31.43	36.24	43.37	9		32.54	35.77	40.92	49.29
9		29.67	32.32	35.61	38.04	10		33.82	36.60	40.02	42.56
10		31.44	34.09	37.33	39.62	11		35.61	38.38	41.74	44.12
11		33.21	35.92	39.21	41.54	12		37.40	40.23	43.64	46.04
12		34.97	37.74	41.07	43.44	13		39.19	42.05	45.52	47.96
13		36.69	39.51	42.91	45.32	14		40.94	43.85	47.36	49.84
14		38.38	41.25	44.71	47.15	15		42.65	45.62	49.18	51.70
15		40.05	42.96	46.47	48.96	16		44.36	47.36	50.98	53.53
16		41.70	44.66	48.21	50.73	17		46.03	49.08	52.75	55.33
17		43.31	46.33	49.94	52.50	18		47.68	50.78	54.48	57.11
18		44.92	47.97	51.63	54.23	19		49.32	52.45	56.21	58.85
19		46.52	49.51	53.31	55.94	20		50.94	54.11	57.92	60.60
20		48.08	51.22	54.98	57.64	22		54.13	57.38	61.27	64.02
22		51.19	54.41	58.25	60.97	24		57.26	60.60	64.57	67.38
24		54.24	57.54	61.47	64.25	26		60.36	63.76	67.82	70.58
26		57.25	60.52	64.64	67.48	28		63.40	66.82	71.02	73.92
28		60.22	63.56	67.76	70.66	30		66.42	69.95	74.17	77.13
30		63.16	66.57	70.85	73.79	35		73.81	77.49	81.90	84.98
35		70.37	74.03	78.41	81.48	40		81.02	84.87	89.44	92.64
40		77.43	81.24	85.79	88.98	45		88.11	92.09	96.82	100.13
45		84.35	88.31	93.03	96.33	50		95.08	99.19	104.08	107.49
50		91.17	95.27	100.15	103.55						

TABLE I (Continued)

P= 7

n	α	.05	.025	.01	.005
8		37.40	68.24	173.24	348.25
9		32.54	35.77	40.92	49.29
10		33.82	36.60	40.02	42.56
11		35.61	38.38	41.74	44.12
12		37.40	40.23	43.64	46.04
13		39.19	42.05	45.52	47.96
14		40.94	43.85	47.36	49.84
15		42.65	45.62	49.18	51.70
16		44.36	47.36	50.98	53.53
17		46.03	49.08	52.75	55.33
18		47.68	50.78	54.48	57.11
19		49.32	52.45	56.21	58.85
20		50.94	54.11	57.92	60.60
22		54.13	57.38	61.27	64.02
24		57.26	60.60	64.57	67.38
26		60.36	63.76	67.82	70.58
28		63.40	66.82	71.02	73.92
30		66.42	69.95	74.17	77.13
35		73.81	77.49	81.90	84.98
40		81.02	84.87	89.44	92.64
45		88.11	92.09	96.82	100.13
50		95.08	99.19	104.08	107.49

TABLE I (Continued)

TABLE I (Continued)

		P= 8					P= 9				
n	α	.05	.025	.01	.005	n	α	.05	.025	.01	.005
9		42.19	77.98	197.99	398.00	10		46.95	87.73	222.74	447.75
10		36.69	40.05	45.54	55.28						
11		37.96	40.84	44.39	47.04	11		40.83	44.34	50.12	51.35
12		39.75	42.63	46.09	48.56	12		42.08	45.06	48.74	51.48
13		41.57	44.49	48.01	50.49	13		43.88	46.85	50.43	52.97
14		43.38	46.34	49.91	52.43	14		45.72	48.73	52.34	54.90
15		45.14	48.15	51.77	54.33	15		47.54	50.59	54.25	56.84
16		46.89	49.94	53.60	56.20	16		49.32	52.42	56.13	58.75
17		48.61	51.71	55.41	58.04	17		51.09	54.23	57.99	60.64
18		50.30	53.45	57.20	59.85	18		52.83	56.01	59.82	62.50
19		51.99	55.16	58.97	61.66	19		54.55	57.77	61.61	64.34
20		53.65	56.87	60.71	63.43	20		56.26	59.51	63.40	66.15
22		56.92	60.21	64.15	66.92	22		59.60	62.93	66.91	69.72
24		60.14	63.51	67.52	70.36	24		62.90	66.29	70.35	73.21
26		63.31	66.74	70.84	73.73	26		66.13	69.60	73.73	76.65
28		66.42	69.93	74.11	77.04	28		69.32	72.85	77.07	80.02
30		69.51	73.07	77.32	80.31	30		72.47	76.06	80.34	83.36
35		77.06	80.78	85.21	88.32	35		80.17	83.92	88.38	91.51
40		84.43	88.29	92.89	96.11	40		87.69	91.57	96.20	99.44
45		91.66	95.66	100.42	103.74	45		95.05	99.07	103.84	107.18
50		98.76	102.89	107.80	111.22	50		102.28	106.42	111.35	114.79

TABLE I (Continued)

TABLE I (Continued)

		P=10					P=12				
n	α	.05	.025	.01	.005	n	α	.05	.025	.01	.005
11		51.68	97.48	247.49	497.50	13		61.07	116.97	296.99	595.99
12		44.96	48.50	54.66	67.50	14		57.19	57.07	63.66	79.99
13		46.19	49.26	53.05	55.87	15		54.38	57.63	61.63	64.62
14		48.00	51.05	54.74	57.35	16		56.20	59.43	63.29	66.03
15		49.85	52.94	56.66	59.29	17		58.07	61.33	65.22	67.97
16		51.68	54.82	58.57	61.24	18		59.93	63.21	67.15	69.93
17		53.48	56.66	60.47	63.16	19		61.76	65.08	69.07	71.87
18		55.27	58.49	62.33	65.05	20		63.57	66.93	70.95	73.79
19		57.03	60.28	64.17	66.92						
20		58.76	62.05	66.00	68.76						
22		62.19	65.56	69.57	72.41	22		67.13	70.56	74.65	77.55
24		65.55	68.98	73.08	75.96	24		70.61	74.11	78.28	81.22
26		68.85	72.34	76.52	79.46	26		74.04	77.60	81.85	84.84
28		72.10	75.67	79.91	82.90	28		77.41	81.03	85.35	88.39
30		75.31	78.94	83.26	86.29	30		80.73	84.41	88.80	91.88
35		83.16	86.93	91.43	94.58	35		88.95	92.67	97.23	100.42
40		90.81	94.72	99.38	102.63	40		96.75	100.71	105.42	108.71
45		98.30	102.34	107.15	110.50	45		104.48	108.56	113.42	116.81
50		105.66	109.82	114.77	118.21	50		112.05	116.25	121.25	124.73

TABLE I (Continued)

P=14

n	α	.05	.025	.01	.005
15	70.41	136.47	346.49	696.49	
16	61.40	65.49	72.59	92.65	
17	62.55	65.95	70.15	73.27	
18	64.37	67.75	71.79	74.65	
19	66.26	69.67	73.72	76.59	
20	68.13	71.57	75.67	78.56	
22	71.82	75.31	79.49	82.43	
24	75.42	78.98	83.24	86.22	
25	78.96	82.58	86.91	89.94	
28	82.44	86.12	90.51	93.60	
30	85.87	89.60	94.07	97.19	
35	94.23	98.11	102.72	105.96	
40	102.36	106.37	111.14	114.47	
45	110.31	114.43	119.34	122.76	
50	118.08	122.32	127.37	130.88	

TABLE I (Continued)

P=16

n	α	.05	.025	.01	.005
17	79.71	155.97	395.99	795.99	
18	69.58	73.87	81.42	105.38	
19	70.70	74.24	78.61	81.87	
20	72.53	76.04	80.23	83.20	
22	76.31	79.88	84.13	87.12	
24	80.03	83.66	87.98	91.01	
26	83.67	87.35	91.75	94.83	
28	87.25	90.99	95.46	98.58	
30	90.77	94.57	99.10	102.26	
35	99.37	103.30	107.98	111.24	
40	107.72	111.77	116.60	119.96	
45	115.86	120.03	124.99	128.44	
50	123.83	128.11	133.20	136.75	

TABLE I (Continued)

TABLE I (Continued)

P=18						P=20					
n	α	.05	.025	.01	.005	n	α	.05	.025	.01	.005
19	88.98		175.46	445.48	895.49						
20	77.75		82.22	90.20	118.15						
22	80.66		84.30	88.64	91.71	22		85.90	90.55	98.94	130.93
24	84.47		88.16	92.55	95.63	24		88.79	92.54	97.03	100.19
26	88.21		91.96	96.42	99.54	26		92.61	96.41	100.94	104.10
28	91.89		95.68	100.21	103.38	28		95.38	100.23	104.82	108.03
30	95.51		99.35	103.94	107.15	30		100.08	103.99	108.54	111.89
35	104.32		108.29	113.03	116.35	35		109.09	113.13	117.92	121.26
40	112.86		116.97	121.84	125.24	40		117.83	121.98	126.91	130.35
45	121.19		125.40	130.42	133.91	45		126.34	130.60	135.56	139.18
50	129.34		133.56	138.80	142.37	50		134.65	139.01	144.19	147.80

TABLE II**
LOWER PERCENTAGE POINTS OF THE
LARGEST ROOT

TABLE II (Continued)

P = 2

P = 3

n	a	.01	.025	.05	.10	n	a	.01	.025	.05	.10
3	.69			1.32	1.78	4	2.31		2.87	3.42	4.15
4	1.25	.99		2.08	2.68	5	3.18		3.84	4.48	5.22
5	1.86	1.66		2.89	3.59	6	4.07		4.83	5.54	6.47
6	2.52	2.36		3.72	4.51	7	4.98		5.81	6.60	7.61
7	3.21	3.00		4.57	5.45	8	5.90		6.80	7.65	8.73
8	3.93	4.69		5.43	6.39	9	6.82		7.79	8.70	9.85
9	4.67	5.50		6.30	7.34	10	7.75		8.79	9.75	10.95
10	5.42	6.31		7.18	8.29						
11	6.18	7.14	8.07		9.24	11	8.69		9.78	10.80	12.07
12	6.96	7.99	8.97		10.20	12	9.64		10.78	11.84	13.17
13	7.74	8.84	9.87		11.16	13	10.58		11.77	12.88	14.27
14	8.53	9.69	10.77		12.12	14	11.52		12.77	13.92	15.36
15	9.33	10.54	11.67		13.08	15	12.47		13.76	14.96	16.46
16	10.15	11.40	12.58		14.05	16	13.41		14.76	16.00	17.54
17	10.97	12.27	13.49		15.01	17	14.35		15.76	17.04	18.63
18	11.79	13.14	14.41		15.98	18	15.31		16.76	18.08	19.71
19	12.62	14.02	15.32		16.95	19	16.27		17.75	19.11	20.79
20	13.44	14.90	16.24		17.92	20	17.23		18.75	20.15	21.87
22	15.13	16.57	18.09		19.85	22	19.14		20.75	22.21	24.02
24	16.82	18.45	19.95		21.80	24	21.06		22.74	24.28	26.17
26	18.53	20.23	21.81		23.74	26	22.98		24.74	26.34	28.30
28	20.24	22.03	23.68		25.69	28	24.91		26.74	28.40	30.44
30	21.97	23.84	25.55		27.64	30	26.84		28.74	30.46	32.57
35	26.32	28.37	30.24		32.52	35	31.67		33.73	35.60	37.97
40	30.73	32.95	34.96		37.41	40	36.52		38.73	40.73	43.15
45	35.16	37.55	39.70		42.30	45	41.37		43.73	45.85	48.42
50	39.64	42.16	44.45		47.20	50	46.23		48.72	50.96	53.67

*The entries in the table are the values of U where

$$P\{e_p \geq U\} = 1 - k(p, n) \int \dots \int_{0 \leq e_1 < \dots < e_p} \prod_{i=1}^r [e_i^r \exp(-e_i/2)] \prod_{i>j} (e_i - e_j) de_1 \dots de_p = 1 - \alpha$$

TABLE II (Continued)

TABLE II (Continued)

		P = 4					P = 5				
n	α	.01	.025	.05	.10	n	α	.01	.025	.05	.10
5		4.47	5.23	5.98	6.93	6		6.98	7.91	8.80	9.91
6		5.56	6.40	7.21	8.24	7		8.19	9.19	10.14	11.33
7		6.64	7.56	8.43	9.53	8		9.39	10.47	11.47	12.73
8		7.71	8.70	9.63	10.81	9		10.58	11.72	12.78	14.09
9		8.78	9.83	10.82	12.06	10		11.76	12.96	14.06	15.43
10		9.85	10.96	12.00	13.29						
11		10.91	12.07	13.16	14.52	11		12.93	14.18	15.33	16.75
12		11.97	13.19	14.32	15.74	12		14.10	15.39	16.59	18.07
13		13.02	14.30	15.48	16.94	13		15.26	16.60	17.84	19.36
14		14.08	15.40	16.63	18.14	14		16.41	17.80	19.07	20.65
15		15.13	16.51	17.77	19.33	15		17.56	18.99	20.30	21.92
16		16.19	17.61	18.91	20.51	16		18.70	20.17	21.52	23.18
17		17.24	18.71	20.04	21.69	17		19.83	21.35	22.74	24.44
18		18.29	19.80	21.17	22.87	18		20.97	22.52	23.95	25.69
19		19.34	20.89	22.30	24.03	19		22.10	23.69	25.14	26.93
20		20.39	21.98	23.42	25.20	20		23.23	24.86	26.34	28.15
22		22.49	24.14	25.66	27.51	22		25.46	27.16	28.72	30.51
24		24.58	26.31	27.89	29.81	24		27.59	29.47	31.08	33.04
26		26.67	28.46	30.10	32.10	26		29.91	31.76	33.42	35.45
28		28.75	30.61	32.31	34.37	28		32.12	34.03	35.75	37.85
30		30.83	32.76	34.51	36.64	30		34.33	36.29	38.07	40.23
35		36.02	38.10	39.98	42.27	35		39.81	41.92	43.83	46.13
40		41.19	43.42	45.42	47.85	40		45.26	47.50	49.52	51.97
45		46.36	48.72	50.84	53.40	45		50.69	53.05	55.18	57.75
50		51.52	54.00	56.23	59.92	50		56.09	58.57	60.80	63.49

TABLE II (Continued)

P= 6

n	α	.01	.025	.05	.10	n	α	.01	.025	.05	.10
7	9.69	10.78	11.78	13.04	8	12.57	13.78	14.89	16.27		
8	11.00	12.15	13.21	14.54	9	13.36	15.22	16.38	17.83		
9	12.30	13.51	14.62	16.00	10	15.32	16.65	17.85	19.34		
10	13.58	14.85	16.00	17.44	11	16.67	18.04	19.29	20.84		
11	14.85	16.15	17.36	18.85	12	18.01	19.42	20.72	22.30		
12	16.10	17.46	18.71	20.24	13	19.34	20.79	22.11	23.75		
13	17.35	18.75	20.03	21.62	14	20.64	22.13	23.50	25.19		
14	18.59	20.02	21.35	22.98	15	21.93	23.47	24.87	26.59		
15	19.81	21.29	22.65	24.32	16	23.21	24.79	26.23	27.99		
16	21.03	22.55	23.95	25.65	17	24.49	26.10	27.57	29.37		
17	22.23	23.80	25.23	26.98	18	25.76	27.40	28.91	30.75		
18	23.43	25.04	26.50	28.29	19	27.01	28.70	30.23	32.11		
19	24.63	26.27	27.77	29.60	20	28.25	29.99	31.55	33.46		
20	25.82	27.50	29.03	30.90	22	30.75	32.54	34.16	36.13		
22	28.20	29.94	31.53	33.46	24	33.21	35.06	36.74	38.78		
24	30.55	32.36	34.00	36.01	26	35.55	37.56	39.29	41.40		
26	32.89	34.76	36.46	38.53	28	38.08	40.05	41.83	43.99		
28	35.21	37.14	38.90	41.03	30	40.48	42.51	44.34	46.55		
30	37.52	39.52	41.32	43.51	35	46.45	48.61	50.56	52.91		
35	43.26	45.39	47.31	49.65	40	52.34	54.63	56.58	59.16		
40	48.94	51.20	53.24	55.70	45	58.19	60.58	62.74	65.34		
45	54.59	56.97	59.11	61.69	50	63.98	66.48	68.74	71.45		
50	60.19	62.69	64.93	67.63							

TABLE II (Continued)

P= 7

n	α	.01	.025	.05	.10
8		12.57	13.78	14.89	16.27
9		13.36	15.22	16.38	17.83
10		15.32	16.65	17.85	19.34
11		16.67	18.04	19.29	20.84
12		18.01	19.42	20.72	22.30
13		19.34	20.79	22.11	23.75
14		20.64	22.13	23.50	25.19
15		21.93	23.47	24.87	26.59
16		23.21	24.79	26.23	27.99
17		24.49	26.10	27.57	29.37
18		25.76	27.40	28.91	30.75
19		27.01	28.70	30.23	32.11
20		28.25	29.99	31.55	33.46
22		30.75	32.54	34.16	36.13
24		33.21	35.06	36.74	38.78
26		35.55	37.56	39.29	41.40
28		38.08	40.05	41.83	43.99
30		40.48	42.51	44.34	46.55
35		46.45	48.61	50.56	52.91
40		52.34	54.63	56.58	59.16
45		58.19	60.58	62.74	65.34
50		63.98	66.48	68.74	71.45

TABLE II (Continued)

TABLE II (Continued)

P= 8

P= 9

n	α	.01	.025	.05	.10	n	α	.01	.025	.05	.10
9	15.56		16.88	18.09	19.59	10	18.64		20.06	21.36	22.95
10	17.01		18.38	19.64	21.18	11	20.15		21.61	22.95	24.59
11	18.44		19.86	21.15	22.75	12	21.62		23.12	24.50	26.19
12	19.85		21.30	22.64	24.28	13	23.07		24.62	26.03	27.75
13	21.23		22.74	24.11	25.79	14	24.51		26.09	27.54	29.31
14	22.60		24.15	25.56	27.28	15	25.92		27.55	29.03	30.84
15	23.96		25.55	26.99	28.76	16	27.32		28.99	30.50	32.34
16	25.31		26.93	28.40	30.21	17	28.71		30.41	31.96	33.84
17	26.64		28.30	29.81	31.65	18	30.09		31.82	33.39	35.31
18	27.97		29.66	31.20	33.08	19	31.46		33.22	34.83	36.78
19	29.28		31.01	32.58	34.49	20	32.81		34.61	36.24	38.23
20	30.58		32.34	33.95	35.89	22	35.49		37.35	39.04	41.59
22	33.17		35.00	36.66	38.67	24	38.14		40.07	41.81	43.92
24	35.73		37.62	39.33	41.41	26	40.77		42.75	44.54	46.71
26	38.27		40.21	41.98	44.11	28	43.36		45.40	47.24	49.46
28	40.79		42.79	44.60	46.79	30	45.94		48.03	49.92	52.20
30	43.28		45.34	47.19	49.45	35	52.31		54.52	56.51	58.92
35	49.45		51.64	53.61	55.99	40	58.57		50.90	52.99	55.52
40	55.54		57.84	59.92	62.42	45	64.75		67.19	69.38	72.02
45	61.56		63.97	66.14	68.77	50	70.87		73.41	75.69	78.43
50	67.52		70.04	72.30	75.03						

TABLE II (Continued)

P=10

n	α	.01	.025	.05	.10
11		21.81	23.31	24.70	26.38
12		23.34	24.90	26.31	28.04
13		24.86	26.45	27.90	29.67
14		26.34	27.98	29.46	31.27
15		27.82	29.49	31.00	32.85
16		29.27	30.98	32.52	34.41
17		30.72	32.45	34.03	35.95
18		32.14	33.91	35.52	37.47
19		33.55	35.36	36.99	38.98
20		34.96	36.79	38.45	40.48
22		37.73	39.63	41.34	43.43
24		40.46	42.42	44.19	46.33
26		43.17	45.18	47.00	49.20
28		45.85	47.91	49.78	52.03
30		48.50	50.62	52.52	54.84
35		55.03	57.27	59.29	61.73
40		61.46	63.82	65.93	68.48
45		67.80	70.26	72.46	75.12
50		74.06	76.62	78.92	81.68

TABLE II (Continued)

P=12

n	α	.01	.025	.05	.10
13		28.30	29.97	31.49	33.35
14		29.89	31.61	33.16	35.05
15		31.47	33.21	34.80	36.72
16		33.03	34.80	36.41	38.37
17		34.56	36.37	38.01	40.00
18		36.07	37.92	39.59	41.61
19		37.57	39.45	41.14	43.20
20		39.06	40.97	42.69	44.78
22		42.00	43.96	45.74	47.89
24		44.89	46.91	48.73	50.94
26		47.75	49.82	51.69	53.95
28		50.56	52.69	54.60	56.92
30		53.35	55.53	57.48	59.85
35		60.21	62.50	64.56	67.05
40		66.94	69.34	71.49	74.09
45		73.56	76.06	78.30	81.00
50		80.08	82.68	85.01	87.81

TABLE II (Continued)

TABLE II (Continued)

P=14

P=16

n	α	.01	.025	.05	.10	n	α	.01	.025	.05	.10
15		34.97	36.79	38.43	40.43	17		41.78	43.72	45.47	47.50
16		35.62	38.46	40.13	42.15	18		43.45	45.42	47.20	49.36
17		36.24	40.11	41.81	43.87	19		45.10	47.10	48.91	51.13
18		39.83	41.74	43.47	45.56	20		46.75	48.77	50.60	52.81
19		41.42	43.35	45.10	47.23						
20		42.98	44.95	46.72	48.88	22		49.97	52.04	53.92	56.19
22		46.06	48.08	49.91	52.12	24		53.13	55.26	57.18	59.53
24		49.09	51.17	53.05	55.31	26		56.24	58.42	60.39	62.75
26		52.08	54.21	56.13	58.45	28		59.31	61.54	63.54	65.87
28		55.03	57.21	59.17	61.54	30		62.33	64.61	66.66	69.13
30		57.95	60.17	62.17	64.59						
35		65.10	67.44	69.54	72.07	35		69.76	72.14	74.28	76.85
40		72.09	74.54	76.73	79.37	40		77.00	79.49	81.72	84.40
45		79.97	81.51	83.79	86.53	45		84.10	86.69	89.00	91.78
50		85.73	88.37	90.73	93.55	50		91.09	93.76	96.15	99.03

TABLE II (Continued)

P=18

n	.01	.025	.05	.10	n	.01	.025	.05	.10
19	48.69	50.75	52.60	54.84	22	57.41	59.60	61.56	63.94
20	50.39	52.47	54.35	56.62	24	60.80	63.04	65.05	67.48
22	53.74	55.88	57.80	60.12	26	64.14	66.42	68.47	70.95
24	57.02	59.21	61.17	63.55	28	67.42	69.75	71.84	74.36
25	60.25	62.48	64.49	66.92	30	70.66	73.03	75.15	77.72
28	63.43	65.71	67.76	70.23					
30	66.56	68.89	70.97	73.49	35	78.56	81.03	83.25	85.92
35	74.23	76.66	78.84	81.47	40	86.25	88.83	91.12	93.89
40	81.71	84.24	86.50	89.23	45	93.78	96.44	98.82	101.68
45	89.03	91.55	94.00	96.82	50	101.16	103.90	106.36	109.31
50	96.22	98.93	101.35	104.26					

TABLE II (Continued)

P=20

n	.01	.025	.05	.10
22	57.41	59.60	61.56	63.94
24	60.80	63.04	65.05	67.48
26	64.14	66.42	68.47	70.95
28	67.42	69.75	71.84	74.36
30	70.66	73.03	75.15	77.72
35	78.56	81.03	83.25	85.92
40	86.25	88.83	91.12	93.89
45	93.78	96.44	98.82	101.68
50	101.16	103.90	106.36	109.31