

AD

TECHNICAL REPORT

73-39-FL

DEVELOPMENT OF SAUCE, GRAVY & SEASONING MIXES FOR MILITARY FOOD SYSTEMS

by

Y. Masuoka

K. R. Johnson

I. T. Nii

A. R. Rahman

R. A. Kluter

Project Reference: 1J664713D548

Approved for public release;
distribution unlimited.

May 1973

UNITED STATES ARMY
NATICK LABORATORIES
Natick, Massachusetts 01760



Food Laboratory

FL-177

Approved for public release; distribution unlimited.

Citation of trade names in this report does not constitute an official indorsement or approval of the use of such items.

Destroy this report when no longer needed. Do not return it to the originator.

Approved for public release.
Distribution is unlimited.

AD _____

TECHNICAL REPORT

73-39-FL

**DEVELOPMENT OF SAUCE, GRAVY AND SEASONING MIXES
FOR MILITARY FOOD SYSTEMS**

by

**Y. Masuoka
K. R. Johnson
I. T. Nii
A. R. Rahman
R. A. Kluter**

May 1973

**Project reference:
1J664713D548**

Series: FL-177

**Food Laboratory
U. S. ARMY NATICK LABORATORIES
Natick, Massachusetts 01760**

FOREWORD

This report covers the development of dry sauce, gravy and seasoning mixes which were designed for ease and quickness of preparation and to meet the storage requirements of Armed Forces Food Service Systems.

These products offer increased shelf life, less shipping and storage space and above all, convenience of preparation.

These complete mixes require only the addition of milk or water and subsequent cooking as indicated in Limited Production Purchase Description LP/P DES 19-71. This development was undertaken under Project No. 1J664713D548, Military Subsistence System.

ACKNOWLEDGMENTS

The authors wish to acknowledge the assistance of Cpl Marc Taylor, Mrs. Judith S. Westerling, Acceptance Group, Pioneering Research Laboratories, Mr. Otto Stark and his staff, Food Chemistry Branch, NLABS, who conducted the sensory studies and the chemical analysis, respectively, for this project.

TABLE OF CONTENTS

	Page
List of Tables and Figures	v
Abstract	vi
Introduction	1
Experimental Procedures	2
Results and Discussion	3
Conclusion	5
References	6

LIST OF TABLES AND FIGURES

	Page
Table 1. Formulations of Gravy Mixes	7
Table 2. Formulations of Sauce Mixes	8
Table 3. Formulation of Taco Seasoning Mix	9
Table 4. The Effect of 37.7°C. Storage Temperature on Moisture, Free Fatty Acids, and Peroxide Value on Gravy and Sauce Mixes Stored for 6 Months With and Without a Desiccant.	10
Table 5. Mean Consumer Preference Ratings and Standard Deviation for Seven Gravy or Sauce Mixes, Initially and After 3 and 6 months Storage at 37.7°C.	11
Figure 1. Consumer Panel Preference Scores of Sauce and Gravy	12
Figure 2. % Free Fatty Acid Content of Gravy Mixes	12

ABSTRACT

A number of sauce, gravy and seasoning mixes, were developed for use as items of general issue for the Armed Forces. These mixes were packed in No. 2½ cans with 1 oz desiccant (CaO) bags. For comparison, similar mixes were packed in No. 2½ cans without desiccant. These products were packed in air with the exception of the spaghetti sauce mix which was packed in an atmosphere of nitrogen (less than 2.0% oxygen). The sauce and gravy mixes were stored at 37.7°C. and were evaluated and chemically analyzed initially and after 3 and 6 months storage. There was a corresponding increase in peroxide or free fatty acid content as moisture increased during storage at elevated (37.7°C.) temperatures. The product stability was directly affected by time and temperature of storage, and moisture contents.

INTRODUCTION

The Armed Forces Product Evaluation Committee requested Natick Laboratories to develop sauce, gravy and seasoning mixes which would have the attributes of convenience and stability for 6 months at 37.7°C or 2 years at 21°C.

Convenience foods have a broad definition depending upon the end-use for which they are intended. Generally, they are defined as foods which can be prepared quickly and easily with a minimum of labor.

Dry, free-flowing sauce, gravy and seasoning mixes developed by Natick Laboratories met the Armed Forces storage requirements as well as the requirement for ease of preparation. They require only the addition of milk or water and heating. A Limited Production Purchase Description, LP/P DES 19-71 was prepared based on the findings of this study.

EXPERIMENTAL PROCEDURES

The mixes were prepared according to formulas specified in Tables 1, 2 and 3, were air packed (except spaghetti sauce mix) in No. 2½ cans with and without desiccant bags. Since tomato powder is known to oxidize very rapidly under atmospheric conditions, it was decided to pack the spaghetti sauce mix in an atmosphere of nitrogen (less than 2.0% oxygen). The canned products were stored at 37.7°C., and were evaluated by a consumer panel and chemically analyzed initially and after 3 and 6 months.

The sensory method employed was a consumer type panel of thirty-two judges selected at random for each product and at withdrawal time from an untrained NLABS volunteer taste panel from the taste panel roster. Products were reconstituted with water or milk and heated as specified in LP/PD DES 19-71 (1). Subjects were instructed to indicate their opinions according to the 9-point Hedonic scale described by Peryam and Pilgrim (2). Each gravy or sauce was served over an appropriate food which was thought to represent a typical end-use in military food service. White sauce was served over mixed vegetables; cheese sauce over broccoli; mushroom, chicken, and brown gravies over mashed potatoes; and spaghetti sauce over spaghetti. Samples were presented one at a time. All tests were conducted in a laboratory area specifically designed for this purpose. Appropriate psychological controls, such as a balanced sample presentation order and taste booth partitions, were employed to avert bias and ensure independent judgements during the tests. Serving temperature for all products was at least 150°F. (65.6°C.).

For the analytical work, samples were tested for moisture content, and as applicable, % free fatty acids, and peroxide values. The following methods were employed: (a) free fatty acids were determined on chloroform extracted fat, as percent oleic acid in fat (b) peroxide value, milli-equivalents oxygen per kg. fat was determined by potassium iodide method and (c) moisture was determined by vacuum oven, 70°C., 8 hours.

RESULTS AND DISCUSSION

Table 4 and Figure 2 display the effects of storage time and temperature (37.7°C) on moisture content and % free fatty acids, initially and after 3 and 6 months storage with and without a desiccant. Table 4 and Figure 2 show that canned products packed without a desiccant produced a noticeable increase in % free fatty acid. The spaghetti, chicken gravy and barbecue without desiccant became very dark and caked by the third or sixth months, and as indicated in Table 5 were eliminated from consumer preference evaluation. Cans packed without desiccant developed noticeable distention of the ends. The distention was analyzed as being due to increased levels of CO₂.

Table 5 and Figure 1 give the consumer panel mean preference ratings, standard deviations and the least significant differences for sauce, gravy and seasoning mixes, as affected by various storage conditions. The results of the test show that the consumer preference for the products decreased when the products were stored without a desiccant. These changes in preference were dramatic in that some of the products, such as white sauce mix and barbecue sauce mix packed without a desiccant became unpalatable within 3 months storage at 37.7°C.

All products packed with desiccant, except the white sauce mix, showed no significant difference in acceptability after 3 or 6 months storage at 37.7°C. White sauce mix packed with a desiccant decreased in acceptability from a Hedonic rating of 6.7 initially to 5.2 after 6 months at 37.7°C. Without a desiccant, however, the preference ratings for the white sauce decreased from an initial 6.7 to 4.1 after storage at 37.7°C. for 6 months. As the product became less palatable it also developed a soapy taste. Initially, the commercially available white sauce mixes from the major processors rated in the range of 5.0 to 5.5 in Hedonic ratings.

The results of preference tests for Brown Gravy Mixes packed with or without a desiccant and subsequent storage at 37.7°C. for 6 months showed no significant difference in acceptability. It is possible that the brown gravy without desiccant was more stable than its counterpart in other Sauce and Gravy Mixes due to the presence of hydrolyzed vegetable protein (3) Bishov, *et al.*

The Taco Seasoning Mix was not placed in storage since it is similar to Chili Powder which had previously been found to be stable.

A split-plot analysis of variance of the Hedonic ratings of sauce and gravy mixes indicates that the length (months) of storage at 37.7°C. is significant for white sauce and the effect of packaging with a desiccant is significant for white sauce, cheese sauce and mushroom gravy. Although the analysis of variance did not show a significant effect for packaging with a desiccant for brown gravy, chicken gravy and spaghetti sauce mixes, actual observation of the latter two products packaged without a desiccant showed that they had darkened very markedly and were much poorer than the product packed with a desiccant.

CONCLUSION

The results of this study show that moisture, time and temperature are responsible for the deterioration of gravy, sauce and seasoning mixes. Stable, free flowing sauce, gravy and seasoning mixes capable of withstanding long term, elevated temperature (37.7°C) storage can be achieved by reducing the moisture content of these products to a low level (2.0 — 4.5%). This can be accomplished by in-package desiccation. The process involves packaging gravy, sauce and seasoning mixes in a hermetically sealed container with a desiccant.

The Limited Production Purchase Description LP/P DES 19/71 adopted the use of in-package desiccation as a means of extending the shelf life of these products. The document contains formulations of gravy, sauce and seasoning mixes which are easy to prepare and may be categorized as convenience foods. They are also designed for long shelf life.

Adoption of this Limited Production Purchase Description in the Armed Forces Food Service System will assure substantial savings through the use of products which are convenient, require less storage and shipping space and possess the capacity for extended shelf life.

REFERENCES

1. _____ Sauce, Gravy and Seasoning Mixes, Limited Production Purchase Description LP/P DES 19-71, 1971.
2. Peryam, D. R., and F. J. Pilgrim. 1957. Hedonic Scale Method of Measuring Food Preferences. Food Technol. 11, 9-14.
3. Bishov, S. J., Y. Masuoka and A. S. Henick. 1967. Fat Quality and Stability in Dehydrated Proteinaceous Food Mixes. Food Technol. 21, 148-150.

TABLE 1 — Formulations of Gravy Mixes

<u>Ingredients</u>	Class 1	Class 2	Class 3
	<u>Mushroom Gravy Mix</u> (% by weight)	<u>Chicken Gravy Mix</u> (% by weight)	<u>Brown Gravy Mix</u> (% by weight)
Wheat flour	16.0 — 18.0	10.0 — 11.0	49.0 — 51.0
Starch, modified	13.0 — 15.0	18.0 — 19.0	8.0 — 12.0
Onion powder	1.5	2.0	1.0
Pepper, white, ground	0.1	0.1	0.005
Buttermilk solids	—	3.0	—
Monosodium glutamate	3.6 — 3.8	3.0	8.0 — 10.0
Dextrin	—	7.0 — 8.0	—
Salt	3.4	3.0	2.5
Chicken Powder, dehydrated	—	6.5 — 7.5	—
Malic acid	—	0.1	—
Nonfat Dry Milk Solids	30.0 — 34.0	19.0 — 21.0	—
Chicken fat	—	18.0 — 20.0	—
Chicken flavor, imitation	—	as required	—
F&D Color #5	—	0.007	—
Celery powder	0.15	—	0.05
Shortening	4.5	—	10.0 — 12.0
Caramel color	as required	—	as required
Mushroom powder	7.0 — 9.0	—	—
Mushroom diced	4.0 — 6.0	—	—
Mushroom, flavor	as required	—	—
Sodium caseinate	2.0 — 3.0	—	—
Hydrolyzed vegetable protein	4.0 — 4.5	6.5 — 7.5	9.5 — 11.5
Sugar	—	—	4.0 — 5.0
Paprika, ground	—	—	0.4 — 0.6
Beef extract product	—	—	2.0 — 2.5
Disodium inosinate and disodium guanylate	—	—	0.03 — 0.05

TABLE 2 — Formulations of Sauce Mixes

Ingredients	Class 1	Class 2	Class 3	Class 4
	Cheese Sauce	Spaghetti Sauce	White Sauce	Barbecue Sauce
	Mix (% by weight)	Mix (% by weight)	Mix (% by weight)	Mix (% by weight)
Flour, wheat	—	—	14.0 — 15.0	—
Tomato powder	—	62.0 — 64.0	—	34.0 — 36.0
Cheese, powdered (with color)	25.0 — 27.0	—	—	—
Cheese, powdered (without color)	25.0 — 27.0	7.0 — 8.0	—	—
Brown sugar	—	—	—	9.0 — 11.0
Starch, modified	19.0 — 21.0	7.0 — 8.0	10.5 — 11.5	13.0 — 14.0
Salt	3.0 — 3.5	6.0 — 6.5	3.5 —	7.5 — 8.5
Dextrin	—	4.0 — 6.0	—	—
Hydrolyzed vegetable protein	—	1.5 — 3.0	—	—
Garlic powder	—	0.5	—	0.1
Red pepper powder	—	0.1	—	0.02
Sugar, Baker's Special	—	4.5	—	20.0 — 22.0
Monsodium glutamate	2.5	0.25	3.5 —	—
Oregano powder	—	0.1	—	—
Onion, dehydrated, minced	—	2.0	—	—
Citric acid	—	0.05	—	1.0
Coloring (Roxanthin Red No. 10)	—	as required	—	as required
Basil, ground	—	0.1	—	—
Thyme, ground	—	0.1	—	—
Rosemary, ground	—	0.1	—	—
Marjoram, ground	—	0.1	—	—
Sodium diacetate	—	—	—	1.0
Cloves, ground	—	—	—	0.05
Onion, dehydrated, powdered	—	—	—	5.9
Allspice, ground	—	—	—	0.03
Pepper, black, ground	—	—	— 0.5	0.50
Mustard, prepared	0.25	—	—	3.7
Vegetable shortening	—	—	16.0 — 18.0	0.5
Worcestershire powder	—	—	—	3.5 — 4.5
Whey powder	19.0 — 21.0	—	—	—
Flavor, cheese intensifier	as required	—	—	—
Pepper, white	—	—	0.1	—
Nonfat dry milk solids	—	—	45.0 — 47.0	—
Sodium caseinate	—	—	1.0 — 2.0	—
Flavor, butter, imitation	—	—	0.4	—
Mono & diglyceride	—	—	1.5	—
Dry-APO-caroten (10%)	as required	—	0.003	—

TABLE 3 – Formulation of Taco Seasoning Mix

<u>Ingredients</u>	<u>Taco Seasoning Mix</u> (% by weight)
Onion, toasted, chopped	19.0 – 21.0
Dextrin	17.0 – 19.0
Chili pepper, California	9.0 – 11.0
Paprika, ground	5.0 – 7.0
Monosodium glutamate	7.0 – 9.0
Salt	14.0 – 15.0
Starch, potato	4.5 – 5.5
Cayenne pepper, ground	1.25
Garlic powder	4.0 – 6.0
Oregano, ground	5.2 – 6.0
Cumin seed, ground	5.0 – 6.0
Citric acid	1.0
Flavor, tomato, imitation	as required
Turmeric, ground	as required
Sodium caseinate	as required

TABLE 4

The Effect of 37.7°C. Storage Temperature on Moisture, Free Fatty Acids, and Peroxide Value on Gravy and Sauce Mixes Stored for 6 Months With and Without a Desiccant

Product	Time/months	Desiccant	Moisture(%)	Free Fatty acids (%)	Peroxide Value
Mushroom Gravy Mix	0	W	5.4	4.7	—
	3	W	3.2	5.4	—
	3	W/O	5.8	15.5	—
	6	W	3.0	5.2	—
	6	W/O	5.8	16.5	—
	6	W/O	5.8	16.5	—
Chicken Gravy Mix	0	W	5.3	2.2	1.5
	3	W	4.1	4.2	1.9
	3	W/O	5.3	7.0	2.5
	6	W	4.1	5.8	0.9
	6	W/O	5.5	11.7	1.5
	6	W/O	5.5	11.7	1.5
Brown Gravy Mix	0	W	5.9	2.0	—
	3	W	4.9	3.4	—
	3	W/O	6.5	5.8	—
	6	W	5.6	3.9	—
	6	W/O	6.7	6.8	—
	6	W/O	6.7	6.8	—
Cheese Sauce Mix	0	W	3.7	1.4	—
	3	W	2.0	1.1	—
	3	W/O	3.8	1.6	—
	6	W	2.0	1.4	—
	6	W/O	3.8	2.1	—
	6	W/O	3.8	2.1	—
Spaghetti Sauce Mix	0	W	2.4	2.1	—
	3	W	2.6	1.9	—
	3	W/O	2.7	2.9	—
	6	W	2.1	2.1	—
	6	W/O	3.0	3.6	—
	6	W/O	3.0	3.6	—
White Sauce Mix	0	W	3.2	1.0	—
	3	W	3.0	0.6	—
	3	W/O	4.1	2.9	1.9
	6	W	2.3	1.3	2.2
	6	W/O	3.7	2.8	—
	6	W/O	3.7	2.8	—
Barbecue Sauce Mix	0	W	2.0	—	—
	3	W	2.2	— ¹	—
	3	W/O	4.0	—	—
	6	W	1.2	—	—
	6	W/O	2.9	—	—
	6	W/O	2.9	—	—

¹ Insufficient presence of fat in the mix to adequately perform the analysis on chloroform extraction.

TABLE 5

Mean Consumer Preference Ratings and Standard Deviations for
Seven Gravy or Sauce Mixes, Initially and After 3 and 6 months
Storage at 37.7°C.

Product	Time/Months	Desiccant	Mean Preference Rating ¹	Standard Deviation
Mushroom Gravy Mix	0 (Initial)	W	6.7	1.5
	3	W	6.6	1.5
	3	W/O	6.2 ²	1.9
	6	W	6.7	1.4
	6	W/O	5.3 ²	1.8
Chicken Gravy Mix	0 (Initial)	W	7.0	1.2
	6	W	6.6	1.3
	6	W/O	6.4 (Brownish Discoloration)	1.8
Brown Gravy Mix	0 (Initial)	W	6.8	1.3
	3	W	6.5	1.6
	3	W/O	6.1 ³	1.8
	6	W	6.6	1.8
	6	W/O	6.5	1.7
Cheese Sauce Mix	0 (Initial)	W	7.3	1.4
	3	W	7.3	1.1
	3	W/O	6.1 ⁴	2.0
	6	W	7.5	1.1
	6	W/O	6.1	2.0
Spaghetti Sauce Mix	0 (Initial)	W	6.5	1.4
	3	W	6.5	1.4
	3	W/O	Eliminated; caked	—
	6	W	6.4	1.6
	6	W/O	5.8 ⁵ (Brownish Discoloration)	1.8
White Sauce Mix	0 (Initial)	W	6.5	1.5
	3	W	5.9 ⁶	2.0
	3	W/O	5.0	2.1
	6	W	5.2	2.0
	6	W/O	4.1	2.2
Barbecue Sauce Mix	0 (Initial)	W	6.8	1.1
	3	W	7.2	1.2
	3	W/O	Eliminated; can damaged	—
	6	W	7.1	1.3
	6	W/O	Eliminated; caked; discolored	—

¹The 9— Category Hedonic Scale, scored from Dislike Extremely=1 to Neither Like Nor Dislike (Neutral)=5 to Like Extremely=9.

² Rated significantly lower than 4.4°C Control at times indicated.

³ Rated significantly lower than 4.4°C Control at 3 months only.

No significant preference for with vs without-desiccant samples at 3 or 6 months.

⁴ Significantly lower rated than both 4.4°C Control and 37.7°C w/desiccant samples at both 3 and 6 months.

⁵ Rated significantly lower than 4.4°C Control at six months.

⁶ With desiccant samples rated significantly higher than no desiccant samples but significantly lower than 4.4°C control at 3 and 6 months.




FIG. 1- CONSUMER PANEL PREFERENCE SCORES OF SAUCE AND GRAVY.




FIG. 2- % FREE FATTY ACID CONTENT OF GRAVY MIXES.

FIGURE 2

DISTRIBUTION LIST

Copies

- | | |
|--|---|
| 1 - Commander
U.S. Army Combat Development
Command
ATTN: CDCMS-O
Fort Belvoir, Virginia 22060 | 1 - Commander
U.S. Army Medical Research
& Development Command
ATTN: SGRD-MDI-N
Washington, D. C. 20314 |
| 1 - Commander
U.S. Army Materiel Command
ATTN: AMCRD-JI
5001 Eisenhower Avenue
Alexandria, Virginia 22304 | 2 - Commander
U.S. Army Medical Nutrition
Laboratory
Fitzsimons General Hospital
Denver, Colorado 80240 |
| 2 - Commander
U.S. Army Combat Development
Command
Supply Agency
ATTN: CDCSA-R
Fort Lee, Virginia 23801 | 1 - Commander
U.S. Air Force Service
Office (AFLC)
ATTN: Mrs. Germaine Gotshall
2800 South 20th Street
Philadelphia, Pa. 19101 |
| 1 - Commanding Officer
U.S. Navy Subsistence Office
ATTN: Mrs. Marjorie Kehoe
Washington, D. C. 20390 | 1 - Director
Division of Biology & Medicine
U.S. Atomic Energy Commission
Washington, D. C. 20545 |
| 2 - Commandant of the Marine Corps
Headquarters U.S. Marine Corps
ATTN: Code AX-44
Washington, D. C. 20380 | 2 - Commandant of the Marine Corps
Headquarters U.S. Marine Corps
ATTN: Code COB-2
Washington, D. C. 20380 |
| 1 - Commander
U.S. Army Foreign Science &
Technical Center
ATTN: AMXST-GE (Victoria Dibbern)
220 7th Street, N.E.
Charlottesville, Virginia 22901 | 1 - Director AF Hospital Food
Service
Headquarters USAF/SBG-1
6B153 James Forrestal Bldg.
Washington, D. C. 20314 |
| 2 - HQDA (DALO-TSS)
Washington, D. C. 20310 | 1 - HQDA (DARD-ARL)
Washington, D. C. 20310 |

DISTRIBUTION LIST (cont'd)

Copies

- | | |
|---|--|
| <p>2 - Headquarters 12th Support Brigade
ACofS Services
ATTN: Food Advisor
Fort Bragg, North Carolina 28307</p> | <p>2 - Chief, US Army Food Service Center
ATTN: Dir/Food Service Operations
Fort Lee, Virginia 23801</p> |
| <p>1 - Library
USDA, Southern Marketing &
Nutrition Research Division
P.O. Box 19687
New Orleans, Louisiana 70119</p> | <p>1 - Dr. C. H. Harry Neufeld, Director
Southeastern Marketing & Nutrition
Research Division
Agricultural Research Service
U.S. Department of Agriculture
P.O. Box 5677
Athens, Georgia 30604</p> |
| <p>5 - U.S. Department of Agriculture
Animal & Plant Health & Inspection
Service
ATTN: Director, Standards &
Services Division
Washington, D. C. 20250</p> | <p>1 - D. F. Davis
USDA ARS
P.O. Box 14565
Gainesville, Florida 32601</p> |
| <p>1 - USDA, National Agricultural Library
Current Serial Record
Beltsville, Maryland 20705</p> | <p>1 - Chief, U.S. Army Food Service
Center
ATTN: Dir/Commissary Operations
Fort Lee, Virginia 23801</p> |
| <p>1 - Administrator
Agricultural Research Service
U.S. Department of Agriculture
ATTN: Dr. Sam R. Hoover
Washington, D. C. 20250</p> | <p>2 - Dr. Frank R. Fisher
Executive Director, ABMPS
National Academy of Sciences
National Research Council
2101 Constitution Avenue
Washington, D. C. 20418</p> |
| <p>1 - Dr. I. A. Wolff, Director
Eastern Marketing & Nutrition
Research Division
Agricultural Research Service
U.S. Department of Agriculture
Wyndmoor, Pennsylvania 19118</p> | <p>1 - Dr. K. C. Emerson
Assistant for Research
Office of Assistant Secretary of
the Army (R&D)
Department of the Army
Washington, D. C. 20310</p> |
| <p>1 - Dr. C. H. Fisher, Director
Southern Marketing & Nutrition
Research Division
Agricultural Research Service
U.S. Department of Agriculture
1100 Robert E. Lee Blvd.
New Orleans, Louisiana 70119</p> | <p>1 - CDR Harold J. Janson, MSC, USN
Head, Food Service Branch
Bureau of Medicine & Surgery
Navy Department
Washington, D. C. 20390</p> |

DISTRIBUTION LIST (cont'd)

Copies

- | | |
|--|--|
| <p>3 - Office of the Coordinator of Research
University of Rhode Island
Kingston, Rhode Island 02881</p> | <p>1 - Commander
Edgewood Arsenal
ATTN: SMUEA-TS-L
Edgewood Arsenal, Maryland 21010</p> |
| <p>1 - Dr. Louis J. Ronsivalli
Fishery Products Technology Laboratory
U.S. Department of Commerce
National Oceanic & Atmospheric Administration
National Marine Fisheries Service
Northern Region
Emerson Avenue
Gloucester, Massachusetts 01930</p> | <p>1 - Technical Service Branch
Technical Operation Division
Directorate Subsistence
Defense Personnel Support Center
ATTN: Director of Subsistence
DPSC-STC
2800 South 20th Street
Philadelphia, Pennsylvania 19101</p> |
| <p>1 - Subsistence Management Policy Director
ATTN: OASD (I&L)
Pentagon 2B323
Washington, D. C. 20301</p> | <p>1 - Director
Biology Sciences Division
Office of Naval Research
Department of the Navy
Washington, D. C. 20360</p> |
| <p>3 - Exchange & Gift Division
Library of Congress
Washington, D. C. 20540</p> | <p>1 - Stimson Library
ATTN: Documents Librarian
U.S. Army Medical Field Service School
Brooke Army Medical Center
Fort Sam Houston, Texas 78234</p> |
| <p>1 - Headquarters, USAF (AF/RDPS)
DCS/Research & Development
Washington, D. C. 20330</p> | <p>1 - Headquarters, Defense Supply Agency
ATTN: Mr. Jobe DSAH-OP
Cameron Station
Alexandria, Virginia 22314</p> |
| <p>1 - Subsistence & Culinary Arts Department
U.S. Army QM School
Ft. Lee, Virginia 23801</p> | <p>1 - Arctic Medical Research Laboratory (USARIEM) Alaska
APO Seattle, Washington 98731</p> |
| <p>1 - Logistics Library
Bunker Hall
Fort Lee, Virginia 23801</p> | <p>1 - Col James L. Fowler, VC
Ch, Food Hygiene Division
U.S. Army Medical Research & Nutrition Laboratory
Fitzsimons General Hospital
Denver, Colorado 80240</p> |

DISTRIBUTION LIST (cont'd)

Copies

- 1 - Consumer Products Division, 730
Bureau of Domestic Commerce
U.S. Department of Commerce
Washington, D. C. 20230
- 1 - Air Force Services Office
DPKF
2800 South 20th Street
Philadelphia, Pa. 19101
- 1 - USAFSAM
SME: Attn: Dr. Vanderveen
Brooks Air Force Base, Texas 78235
- 1 - Headquarters
Air Force Systems Command (DLH)
Andrews Air Force Base, Md. 20331
- 1 - Government Documents Department
University of California Library
Davis, California 95616
- 1 - Food Service School
Service Support Schools
Marine Corps Base
Camp Lejeune, NC 28542
- 1 - Dr. J. E. Roberts
Manager, Analytical and
Technical Services
RJR Foods, Inc.
Department of Food Science
and Technology
P.O. Box 3037
Winston-Salem, NC 27102

INTERNAL DISTRIBUTION LIST

Copies

- 22 - Program Coordination Office, Food Laboratory, NLABS
(12 for transmittal to Defense Documentation Center)
- 2 - Technical Library, NLABS
- 7 - Division Chiefs, Food Laboratory, NLABS
- 2 - Marine Liaison Officer, NLABS
- 3 - Air Force Liaison Officer, NLABS
- 1 - Special Assistant for DOD Food Program, ATTN: D. E. E. Anderson, NLABS
- 1 - US Army Representative for DOD Food Program, NLABS
- 1 - US Air Force Representative for DOD Food Program, NLABS
- 1 - US Navy Representative for DOD Food Program, NLABS
- 2 - Chief, Quality Assurance and Engineering Office, ATTN:
Standardization Management and Quality Assurance Branch
(Mr. Richman), NLABS
- 3 - Director, General Equipment and Packaging Laboratory, NLABS
- 3 - Director, Pioneering Research Laboratory, NLABS
- 25 - Project Officer, Food Laboratory, NLABS
- 10 - Alternate Project Officer, Food Laboratory, NLABS

Unclassified

Security Classification

DOCUMENT CONTROL DATA - R & D

(Security classification of title, body of abstract and indexing annotation must be entered when the overall report is classified)

1. ORIGINATING ACTIVITY (Corporate author)		2a. REPORT SECURITY CLASSIFICATION	
US Army Natick Laboratories Natick, Massachusetts 01760		Unclassified	
		2b. GROUP	
3. REPORT TITLE			
Development of Sauce, Gravy and Seasoning Mixes for Military Food Systems.			
4. DESCRIPTIVE NOTES (Type of report and inclusive dates)			
5. AUTHOR(S) (First name, middle initial, last name)			
Y. Masuoka, K. R. Johnson, I. T. Nii, A. R. Rahman and R. A. Kluter			
6. REPORT DATE		7a. TOTAL NO. OF PAGES	7b. NO. OF REFS
May 1973		12	3
8a. CONTRACT OR GRANT NO.		9a. ORIGINATOR'S REPORT NUMBER(S)	
b. PROJECT NO.			
c.		9b. OTHER REPORT NO(S) (Any other numbers that may be assigned this report)	
d.		FL-177	
10. DISTRIBUTION STATEMENT			
This document has been approved for public release and sale; its distribution is unlimited.			
11. SUPPLEMENTARY NOTES		12. SPONSORING MILITARY ACTIVITY	
		US Army Natick Laboratories Natick, Massachusetts	
13. ABSTRACT			
A number of sauce, gravy and seasoning mixes, were developed for use as items of general issue for the Armed Forces. These mixes were packed in No. 2½ cans with 1 oz desiccant (CaO) bags. For comparison, similar mixes were packed in No. 2½ cans without desiccant. These products were packed in air with the exception of the spaghetti sauce mix which was packed in an atmosphere of nitrogen (less than 2.0% oxygen). The sauce and gravy mixes were stored at 37.7°C. and were evaluated and chemically analyzed initially and after 3 and 6 months storage. There was a corresponding increase in peroxide or free fatty acid content as moisture increased during storage at elevated (37.7°C) temperatures. The product stability was directly affected by time and temperature of storage, and moisture contents.			

DD FORM 1473

1 NOV 65

REPLACES DD FORM 1473, 1 JAN 64, WHICH IS OBSOLETE FOR ARMY USE.

Security Classification

Unclassified

Security Classification

14. KEY WORDS	LINK A		LINK B		LINK C	
	ROLE	WT	ROLE	WT	ROLE	WT
Development	8					
Meat Sauce	9		7			
Gravies	9		7			
Seasonings	9		7			
Mixtures	9		7			
Dry	0					
General Foods	4					
Convenience Foods	4					
Armed Forces	4					
Oxygen			6			
Nitrogen			6			
Temperature			6			
Storage			6			
Moisture Content			6			
Time			6			
Desiccants			6			
Acceptability			7			
Palatability			7			
Stability			7			

Unclassified

Security Classification