

AD-771 035

A FLOW VISUALIZATION STUDY OF FREE
ROLLING CRUCIFORM FINS IN CROSS FLOW

P. Daniels

Naval Weapons Laboratory
Dahlgren, Virginia

November 1973

DISTRIBUTED BY:

NTIS

National Technical Information Service
U. S. DEPARTMENT OF COMMERCE
5285 Port Royal Road, Springfield Va. 22151

UNCLASSIFIED

Security Classification

AD-771035

DOCUMENT CONTROL DATA - R & D

(Security classification of title, body of abstract and indexing annotation must be entered when the overall report is classified)

1. ORIGINATING ACTIVITY (Corporate author)		2a. REPORT SECURITY CLASSIFICATION	
Naval Weapons Laboratory Dahlgren, Virginia 22448		UNCLASSIFIED	
3. REPORT TITLE		2b. GROUP	
A FLOW VISUALIZATION STUDY OF FREE ROLLING CRUCIFORM FINS IN CROSS FLOW			
4. DESCRIPTIVE NOTES (Type of report and inclusive dates)			
5. AUTHOR(S) (First name, middle initial, last name)			
P. Daniels			
6. REPORT DATE		7a. TOTAL NO. OF PAGES	7b. NO. OF REFS
November 1973			
8a. CONTRACT OR GRANT NO.		9a. ORIGINATOR'S REPORT NUMBER(S)	
b. PROJECT NO.		NWL TR-3053	
c.		9b. OTHER REPORT NO(S) (Any other numbers that may be assigned this report)	
d.			
10. DISTRIBUTION STATEMENT			
Approved for public release; distribution unlimited.			
11. SUPPLEMENTARY NOTES		12. SPONSORING MILITARY ACTIVITY	
13. ABSTRACT			
<p>A smoke flow visualization study was conducted at subsonic speeds which showed that roll speed-up can be produced by vortices shed from fins alone. This vortex shedding is displayed at large and small roll rates.</p>			

Reproduced by
**NATIONAL TECHNICAL
INFORMATION SERVICE**
U.S. Department of Commerce
Springfield VA 22151

DD FORM 1473 (PAGE 1)
1 NOV 65
S/N 0102-014-6700


NWL Technical Report No. TR-3053

November 1973

**A FLOW VISUALIZATION STUDY OF
FREE ROLLING CRUCIFORM FINS IN CROSS FLOW**

by

P. Daniels
Warfare Analysis Department



Approved for public release; distribution unlimited.

ia

FOREWORD

This report describes work directed toward alleviating dynamic stability problems of finned missiles.

Acknowledgement is due Dr. T. A. Clare who conducted the experiment in accordance with NWL requirements while he was a graduate student at the University of Notre Dame.

This work was performed under AIRTASK A3200000/009B/3F32320000.

This report was reviewed by R. D. Cuddy, Head of the Aeroballistics Division.

Released by:

Ralph A. Niemann

RALPH A. NIEMANN

Head, Warfare Analysis Department

ABSTRACT

A smoke flow visualization study was conducted at subsonic speeds which showed that roll speed-up can be produced by vortices shed from fins alone. This vortex shedding is displayed at large and small roll rates.

CONTENTS

	Page
FOREWORD	i
ABSTRACT	ii
I. INTRODUCTION	1
II. EXPERIMENTAL EVIDENCE	2
III. COMMENT	5
IV. REFERENCES	6
Figure 1. Cruciform Fins Used in Flow Visualization Study	3
Figure 2. Flow Visualization of Cruciform Fins in Cross Flow	4
APPENDIX	
A. Distribution	

7. INTRODUCTION

Air launched weapons with solid cruciform fins are particularly difficult to stabilize because of the highly non-linear character of their rolling torques with angle of attack, roll angle, and roll rate.^{1,2} At high angles of attack, the cruciform finned missile will develop large roll rate in either the clockwise or counter-clockwise directions, even against the fin cant. This phenomenon is known as roll speed-up.

Roll speed-up is not well understood. However, it is known to be associated with vortices shed from the fins and it is the purpose of this paper to display these vortices.

II. EXPERIMENTAL EVIDENCE

There is considerable evidence^{3,4,5,6,7} to show that roll speed-up is associated with vortex shedding from the fins. The Naval Weapons Laboratory recently requested the Aerospace Department of the University of Notre Dame to conduct a flow visualization study of cruciform fins in cross flow in order to provide data for additional analysis.

The test specimen is presented in Figure 1. The fins had a span of approximately six inches and were free to roll. The configuration was mounted on the floor (90 degrees to the flow) of an induction type, low turbulence, subsonic wind tunnel. Smoke was emitted into the free stream while the model was held stationary at an initial roll orientation angle (γ) approximately equal to 45 degrees. The model was released and developed divergent roll oscillations which resulted in "break-out" and "speed-up." Motion pictures were taken with a high speed camera. Some results of the test are presented in Figure 2. It should be noted that the model could spin equally well in either direction. However, only clockwise spin (as viewed from above) is shown in Figure 2.

Figure 2A shows the first 90 degrees of rotation that the fins make during the first complete rotation (motion changes from oscillation to circulation). The average rolling velocity (γ) is three rev./sec. Figure 2B is the quasi-steady state roll which the fins eventually achieve. The average roll rate (γ) for this case is 11 rev./sec. In each case the shedding of a large vortex from the retreating fin is clearly shown. The streak lines in front of the model are drastically affected by large rolling velocity when the roll orientation angle (γ) is nearly zero degrees. However as γ approaches 45 degrees the flow fields appear to be more similar. The vortex develops at a smaller roll angle ($\gamma = 15$ degrees) at the low roll rate and the outer streak lines show much more velocity across the free stream at the high roll rate.





FIGURE 1

Coniform Fin Used in Flow
Visualization Study



A. FIRST 90 DEGREE
 ROTATION IN SPEED-UP.
 $\bar{\gamma} \approx 3$ REV/SEC.

B. SPEED-UP ; QUASI-
 STEADY STATE SPIN.
 $\bar{\gamma} \approx 11$ REV/SEC.

FIGURE 2

Flow Visualization of Cruciform
 Fins in Cross Flow. Free Steam
 Velocity ≈ 50 ft/sec

III. COMMENT

Many observers have conjectured that roll speed-up of finned missiles was produced by vortices shed from the body. It should be noted that the roll speed-up observed in this experiment was produced by flow over the tail alone, so that shed vortices from a body played no part whatsoever. (Roll speed-up for tail alone was first observed by Nicolaides.⁴) It should further be noted that the roll rate can be controlled by fin slots,⁸ and it would be desirable to conduct smoke flow studies to find the effect of slots on the flow field.

REFERENCES

1. Nicolaides, J. D., *Missile Flight and Astrodynamics*, TN 100-A, 1959-1961, Bureau of Naval Weapons, Washington, D. C.
2. Daniels, P., *A Study of the Nonlinear Rolling Motion of a Four Finned Missile*, Journal of Spacecraft and Rockets, Vol. 7, No. 4, April 1970
3. Nicolaides, J. D., *An Hypothesis for Catastrophic Yaw*, TN-18, September 1955, Bureau of Ordnance, U. S. Navy, Washington, D. C.
4. Nicolaides, J. D., *On the Rolling Motion of Missiles*, Ballistic Technical Note No. 33 of 7 March 1957, Bureau of Ordnance, Department of the Navy, Washington, D. C.
5. Greene, J. E., *An Investigation of the Rolling Motion of Cruciform-Fin Configuration*, NAVORD Report 6262, of July 1961, Naval Ordnance Laboratory, White Oak, Maryland.
6. Brown, F. N. M., *Summary Report on Cruciform-Fin Study NORD Contract 17702*, Department of Aeronautical Engineering, University of Notre Dame, 1958.
7. Vogel, S. L., *An Investigation of the One Degree of Freedom Rolling Motion of Cruciform Finned Configuration*, Dissertation, Department of Aero-Space Engineering, Notre Dame, Indiana, 1969.
8. Daniels, P. and Clare, T. A., *Aerodynamic Characteristics of the Slotted Fin*, Journal of Aircraft, Vol. 9, No. 8 of August 1972.