

UNITED STATES AIR FORCE  
AIR WEATHER SERVICE (MAC)  
6TH WEATHER WING

USAF ENVIRONMENTAL  
TECHNICAL APPLICATIONS CENTER

BUILDING 159  
NAVY YARD ANNEX  
WASHINGTON, D.C. 20333



# WORLDWIDE AIRFIELD CLIMATIC DATA

EASTERN EUROPE AND U.S.S.R.

AD-776 611

489  
302  
186

THIS DOCUMENT HAS BEEN APPROVED FOR  
PUBLIC RELEASE AND SALE: ITS DISTRIBUTION  
IS UNLIMITED.

APR. 73

79 07 19 058

Published volumes of World-wide Airfield Summaries are available for the following areas:

Volume	Name	NTIS Accession Number
Volume I	Southeast Asia (Revised)	AD-706-355
Volume II (Parts 1 & 2)	Middle East <b>AD-A002162+ A002163</b>	<del>AD-662-425 &amp; AD-662-427</del>
Volume III	Far East	AD-662-426
Volume IV	Canada-Greenland-Iceland	AD-662-424
Volume V	Australia-Antarctica (including South Pacific Is.)	AD-662-648
Volume VI (Parts 1 & 2)	South America	AD-664-828 & AD 664-829
Volume VII	Central America	AD-671-845
Volume VIII	United States of America	
Part 1	West Coast, Western Mtns. and Great Basin	AD-688-472
Part 2	Rocky Mtns. and Northwest Basin	AD-689-792
Part 3	Central Plains	AD-693-491
Part 4	Great Lakes	AD-696-971
Part 5	Mississippi Valley	AD-699-917
Part 6	Southeastern Region	AD-701-719
Part 7	East Coast and Appalachian Region	AD-703-606
Part 8	Alaska and Hawaii	AD-704-607
Volume IX	Africa	
Part 1	Northern Half	<del>AD-682-915</del> <b>680433</b>
Part 2	Southern Half	AD-682-915
Volume X	Europe	
Part 1	Scandinavia & Northern Europe	AD-719-907
Part 2	Low Countries & British Isles	AD-719-908
Part 3	Alps & Southwest Europe	AD-720-708
Part 4	Mediterranean	<del>AD-720-160</del> <b>721160</b>
Volume XI	Eastern Europe and USSR	
Part 1	Eastern Europe	<b>AD-776611</b>
Part 2	USSR	<b>AD-776612</b>

WORLDWIDE AIRFIELD CLIMATIC DATA

FOREWORD

This is a part of a series of compilations which is worldwide in scope. It consists of climatological data for selected airfields and for the climatic areas in which they are located. When complete, the series will include data for several thousand stations.

These data were compiled and prepared by the Air Weather Service's USAF Environmental Technical Applications Center, Building 159, Navy Yard Annex, Washington, D. C. 20333. Copies of this document are obtainable from the Federal Clearinghouse for Scientific and Technical Information (CFSTI), Springfield, Virginia 22151, at a cost of \$3.00 per copy.

\* Also published by the U.S. Naval Weather Service under the "U.S. Naval Weather Service World-Wide Airfield Summaries."

WORLD-WIDE AIRFIELD SUMMARIES - VOLUME XI EASTERN EUROPE & USSR

PART 1 (EASTERN EUROPE)

INTRODUCTION

This volume provides climatological summaries for airfields and climatic areas in Eastern Europe and USSR. Summaries are arranged according to numbered climatic areas, and by increasing WMO station index numbers within the climatic areas. An arbitrary station number (indicated by "/") is used where WMO index numbers are not assigned. Maps are included to delineate areas and station locations.

Climatic areas have been selected as being nearly homogeneous climatologically, but considerable variation may exist between locations in an area at a specific time because of topography and other factors. Climatological summaries for these areas follow those for the included airfields.

The latitudes and longitudes of the approximate centers of the climatic areas are indicated in the summary headings. The climatic areas are delineated by straight line segments and the positions of the end points are listed.

Blank values in the tables indicate that no data are available, and "0" indicates record is unknown. Local Standard Time is that of the standard time zone, and no adjustment has been made where local deviations exist. Data sources are listed in detail by means of a number system described on the following pages.

The first page of each station summary provides data for the station, and the second page contains information for the airfield area. The values are in mean number of days. Where observations were not available, the information consists of climatological estimates based on data for surrounding stations. In some instances tables may be based on relatively few observations or on somewhat doubtful data, and these should be used with caution.

## GLOSSARY OF GENERAL TERMS

### AIRFIELD DATA AND AIRFIELD AREA DATA

Climatological data applicable only to a specified airfield. The data consists of statistical parameters based on actual weather observations made at the airfield. If actual weather observations are not available the data consist of estimates of the statistical parameters, prepared by a climatologist, based on actual meteorological data from surrounding weather stations.

### CLIMATIC AREA DATA

Climatological data representative of a nearly homogeneous climatic area. The data are average (or representative) values based on a sample of climatological data available from weather stations within the area. The area data do not imply that the specific condition simultaneously exists at all locations within a country or large climatic area. In rolling and mountainous terrain there may be considerable variation in the data from one location to another within the climatic area.

### LOCAL STANDARD TIME

Standard time applicable to a 15 deg. meridional zone. (Zones proceed east and west from the zone centered on the prime meridian and extending from 00730E to 00730W.) No consideration is given to local deviations from the 15 deg. zone boundaries.

### AIRFIELD PARAMETERS

#### ABSOLUTE MAXIMUM (MINIMUM) TEMPERATURE-DEG. F.

The highest (lowest) temperature observed in the specified month during the whole period for which observations are available.

**MEAN DAILY MAXIMUM (MINIMUM) TEMPERATURE-DEG. F.**

The average of all the daily maximum (minimum) temperatures observed in the specified month.

**MEAN NO. DAYS WITH MAXIMUM TEMPERATURE GREATER THAN 90 DEG. F.**

The average of the number of days in the specified month on which the maximum temperature was observed to be equal to or greater than 90 deg. F.

**MEAN NO. DAYS WITH MINIMUM TEMPERATURE LESS THAN 32 DEG. F (LESS THAN 0 DEG. F.).**

The average of the number of days in the specified month on which the minimum temperature was observed to be equal to or less than 32 deg.F.(0 deg.F.).

**MEAN DEW POINT TEMPERATURE-DEG. F.**

The average of all hourly dew point temperatures observed in the specified month.

**MEAN RELATIVE HUMIDITY-PERCENT**

The average of all hourly relative humidity values observed in a specified month.

**MEAN PRESSURE ALTITUDE-FEET**

The average station pressure observed at the airfield in the specified month converted to an altitude by using the U. S. Standard Atmosphere.

**MEAN MONTHLY PRECIPITATION-INCHES**

The average of the monthly total amount of all forms of precipitation, reduced to its liquid equivalent, observed in the specified month.

**MEAN MONTHLY SNOWFALL-INCHES**

The average of the monthly total amount of snowfall observed in the specified month.

MEAN NO. DAYS WITH PRECIPITATION GREATER THAN 0.1 INCH (SNOWFALL GREATER THAN 1.5 INCHES)

The average of the number of days in the specified month on which the daily amount of precipitation (snowfall) was observed to be equal to or greater than 0.1 inch (1.5 inches).

MEAN NO. DAYS WITH AN OCCURRENCE OF VISIBILITY LESS THAN 0.5 MILE

The average of the number of days in the specified month on which there was at least one observation of visibility less than 0.5 mile.

MEAN NO. DAYS WITH THUNDERSTORMS

The average of the number of days in the specified month on which the weather observer heard thunder.

PERCENT FREQUENCY SURFACE WIND SPEED GREATER THAN 16 KNOTS (GREATER THAN 27 KNOTS)

The frequency, expressed as a percent of the total number of hourly weather observations considered, during the specified month, in which the surface wind speed was observed to be greater than 16 knots (27 knots).

PERCENT FREQUENCY CEILING LESS THAN 5,000 FEET OR VISIBILITY LESS THAN 5 MILES

The frequency, expressed as a percent of the total number of hourly weather observations considered, during the specified month, in which the ceiling was observed to be less than 5,000 feet and/or the visibility was observed to be less than 5 miles.

PERCENT FREQUENCY CEILING LESS THAN 1,500 FEET (LESS THAN 300 FEET) OR VISIBILITY LESS THAN 3 MILES (LESS THAN 1 MILE)

The frequency, expressed as a percent of all the hourly weather observations considered, in a specified three-hourly period during the day for a specified month in which the ceiling was observed to be less than 1,500 feet (300 feet) and/or the visibility was observed to be less than three miles (one mile).

PARAMETERS FOR AIRFIELD AREA AND CLIMATIC AREA

MEAN NO. DAYS WITH CEILING EQUAL TO OR GREATER THAN 1,000 FEET (EQUAL TO OR GREATER THAN 2,500 FEET, EQUAL TO OR GREATER THAN 6,000 FEET, EQUAL TO OR GREATER THAN 10,000 FEET) AND VISIBILITY EQUAL TO OR GREATER THAN 3 MILES

The average of the number of days when, at a specified hour during the day in the specified month, the ceiling was observed to be equal to or greater than 1,000 feet (2,500 feet, 6,000 feet, 10,000 feet) and the visibility was observed to be equal to or greater than three miles.

MEAN NO. DAYS WITH CEILING EQUAL TO OR GREATER THAN 2,000 FEET AND VISIBILITY EQUAL TO OR GREATER THAN 3 MILES AND SURFACE WIND LESS THAN 10 KNOTS

The average of the number of days when, at a specified hour during the day in the specified month, the ceiling was observed to be equal to or greater than 2,000 feet, the visibility was observed to be equal to or greater than three miles, and the surface wind speed less than ten knots.

MEAN NO. DAYS WITH SURFACE WIND EQUAL TO OR GREATER THAN 17 KNOTS AND NO PRECIPITATION

The average of the number of days when, at a specified hour during the day in the specified month, the surface wind speed was observed to be equal to or greater than 17 knots, and there was no precipitation.

MEAN NO. DAYS WITH SURFACE WIND 4-10 KNOTS AND TEMPERATURE 33-89 DEG. F AND NO PRECIPITATION

The average of the number of days when, at a specified hour during the day in the specified month, the surface wind speed was equal to or greater than four knots, but not greater than ten knots, the temperature was equal to or greater than 33 deg. F. but not greater than 89 deg. F. and there was no precipitation.

MEAN NO. DAYS WITH SKY COVER LESS THAN 0.3 AND VISIBILITY EQUAL TO OR GREATER THAN 3 MILES

The average of the number of days when, at a specified hour during the day in the specified month, the portion of the sky covered with clouds was observed to be less than 0.3 and the visibility was observed to be equal to or greater than three miles.

AREA PARAMETERS (CLIMATIC AREA ONLY)

MEAN DAILY TEMPERATURE RANGE-DEG. F.

Two temperatures for the specified month: (1) a representative mean daily maximum temperature observed in the area; (2) a representative mean daily minimum temperature observed in the area.

RANGE OF MEAN MONTHLY PRECIPITATION-INCHES

Two mean monthly precipitation amounts for the specified month: (1) the largest mean amount observed in the area; (2) the smallest mean amount observed in the area.

## DATA SOURCES

The source from which values were taken can be determined from the column labeled "No. Obs."

- (1) If the number in that column is positive, the data for that line were computer-summarized, and the number given is the number of observations used in the summarization.
- (2) If the number is negative and of three digits or less, the data were hand-copied or estimated as indicated in the following source list.
- (3) If the number is less than minus 500, part of the data are derived from computer-summarized data, and part from the source list number plus 500. For example, if the number is "-528," the source is the extreme of the computer-summarized data compared to source "-28."
- (4) If the number is minus and a four or five digit number, the data were substituted from a representative station nearby and this number is the number of the source station.
- (5) Statistical methods or meteorological relationships were used whenever possible to provide data not available at the National Weather Records Center or in yearbooks and summaries.

SOURCE LIST

- 1 French Equatorial Africa Service Meteorologique - 1950 - 1959
- 2 Climatic Statistics for Selected Stations on Islands of Reunion and Mayotte
- 3 Angola Servico Meteorologico Elmento Meteorologicos - 1942 - 1952
- 4 Algiers, Universite, Institute de Meteorologie, le Climat de L'Algerie
- 5 Algeria Service Meteorologique Bulletin Climatologique Mensual - 1952 - 1960
- 6 World Climatic Data Africa
- 7 Pt. 1 - Algiers Universite Annuaire du Nord - 1945 - 1950
- 8 Climatological Summaries, West Central Africa
- 9 Algeria, Service Meteorologique Resume Mensuel du Temps - 1951 - 1960
- 10 Klimaat Van Suid-Afrika Parts 1 and 9
- 11 Portuguese East Africa Meteorological Data-Mozambique
- 12 Climatological Summaries-Northern Rhodesia - 1938 - 1948
- 13 Rhodesia Met. Service Climatological Studies - 1948 - 1960
- 14 Climatological Summaries, Central Africa
- 15 Climatological Normals for Egypt. Cairo - 1950
- 16 Egypt Meteorological Dept. Metro Report
- 17 So. Africa Meteorological Services. (Wx on the coasts of So. Africa-Vol.II)
- 18 Weather on the west coast of Africa 7 to 20 years
- 19 Sudan-Meteorological Service Annual Met Report - 1950 - 1957
- 20 Climatological Summaries. Mali and Mauritania, Africa
- 21 Republique Francaise du Maroc Annales - 1945 - 1953
- 22 French West Africa Service Meteorologique Resume Mensuel des Observations - 1953 - 1954; 1955 - 1957
- 23 Climatological Summaries - Upper Volta Africa
- 24 World Distribution of Thunderstorm Days
- 25 WMO Model "A"
- 26 Climatological Summaries - French Somaliland and Somali Republic, Africa
- 27 Air France, Climatology of Africa

- |    |                                                                                                                  |    |                                                                                                             |
|----|------------------------------------------------------------------------------------------------------------------|----|-------------------------------------------------------------------------------------------------------------|
| 28 | British Meteorological Tables                                                                                    | 44 | India Meteorological Department -<br>India Weather Review                                                   |
| 29 | Statistical Estimate                                                                                             | 45 | Batavia - Rainfall in Indonesia<br>(Verhandelingen No. 37)                                                  |
| 30 | Interpolation                                                                                                    | 46 | Turkey-Yillik Meteoroloji Bulteni                                                                           |
| 31 | Professional Subjective Estimate                                                                                 | 47 | Rainfall Statistics of the British Borneo<br>Territories                                                    |
| 32 | Climatic Norms (Climo) WMO                                                                                       | 48 | Ceylon Meteorological Report<br>December 1938 - 1949                                                        |
| 33 | CB Climatological Briefs                                                                                         | 49 | Kuwait, Arabia - Climatological Data Annual                                                                 |
| 34 | CDC WB Climatic Data Cards                                                                                       | 50 | Ace Data, computed, derived or substituted<br>from data available 1964                                      |
| 35 | N Summary                                                                                                        | 51 | Promedios Climatologicos de Venezuela Perido<br>1951/1960                                                   |
| 36 | Climatological Summaries, Niger, Africa                                                                          | 52 | Chile Servicio Meteorologico, Anuario<br>Meteorologico, Publication No. 73                                  |
| 37 | Cape Verdi Islands Servicos de Estatistica<br>Meteorologia E. Climatologia                                       | 53 | Climate of Ecuador                                                                                          |
| 38 | Climatic Data Tabulation Indonesia Aug 62                                                                        | 54 | Peru Direction General de Meteorologia<br>Boletin Anual Meteorologico                                       |
| 39 | Climate. Agriculture and Agricultural<br>Zones of Burma. American Institute of Crop<br>Ecology. Wash, D. C. 1957 | 55 | Brazil Normals Climatologicas da Area da<br>Sudene                                                          |
| 40 | Climate of Thailand Aug. 1965<br>1st Weather Wg Special Study 105-10                                             | 56 | Climatologia de Caille, Fasciculo Valores<br>Normales de 36 Estaciones Seleceionadas,<br>period 1916 - 1945 |
| 41 | Afghanistan Meteorological Institute<br>Monthly Weather Bulletins                                                | 57 | H.O. Pub No. 527 Weather Summary-Brazil                                                                     |
| 42 | Lebanon - Service de Climatologie Bulletin<br>Climatologique Mensuel                                             |    |                                                                                                             |
| 43 | Climatological Tables of Observations in<br>India (red book)                                                     |    |                                                                                                             |

- 58 H.O. Pub No. 529 Weather Summary-South America - - Southern Part
- 59 Datos Detallados de Climatologia de Venezuela
- 60 Paraguay File
- 61 H.O. Publication No. 530 Weather Summary
- 62 Climatological Summary, Valley of Mexico (Mexico City)
- 63 Argentine Republic Servicio Meteorologico
- 64 Climatological Studies-Weather and Climate of Central America and Mexico
- 65 Climatological Studies Weather and Climate of West Indies
- 66 H.O. Pub. No. 528 Weather Summary South America - - Northern Part
- 67 Climatological Studies-Weather and Climat South America
- 68 Professional Notes British Meteorological Office
- 69 Geografiska Annaler 37-38 - 1955 - 1956
- 70 H.O. Pub. No. 531 Weather Summary Central America - For use w/Naval Air Pilot Supplement '8' Northwest Africa
- 71 Meteorological Yearbook Iranian Met. Dept.
- 72 H.O. Pub. No. 532 Weather Summary-Mexico
- 73 H.O. Pub. No. 264 Weather Summary-South Africa
- 74 H.O. Pub. No. 261 Weather Summary-Supplement 'C' West Central Africa
- 75 H.O. Pub. No. 263 Weather Summary-Supplement 'B' East Central Africa
- 76 H.O. Pub. No. 260 Weather Summary
- 77 Meteorological Data for certain Australian localities
- 78 New Zealand-Meteorological Service Climatological Table - 1951-1958
- 79 Ministerie Van Openbare Werken en Verkeer Meteorologische Dienst
- 80 Climate and Meteorology of Australia-1919 - 1951
- 82 Summaries of Climatological Observations at New Zealand Stations to 1960
- 83 Relative Humidity at 0900 LST only - reference is the same as 82 above.
- 84 Climatological Division Summary (CDC) for Canada, No. 1 thru 13 - 1962-1966
- 85 Climate of British Columbia and the Yukon Territory by W. G. Kendrew and D. Kerr - 1955
- 86 The Climate of Central Canada by W. G. Kendrew and B. W. Currie - 1955

- 87 The Climate of Newfoundland Circular 4019  
Cli 30, April 1964
- 88 Servicio Meteorologico Nacional Estadisticas Climatologicas - 1901-1950 Pub. B No. 1 and 1941-1950 Pub. B No. 3
- 89 Anuario Meteorologico 1952, 53, 54  
Ministerio de Agricultura Oct. 1955
- 90 Las Precipitaciones en El Uruguay, 1965
- 91 Revista Meteorologica, Sumario, Anos 1944 al 1956 Montevideo 1957
- 92 Climatological Data for Sonora, Northern Sinaloa, Baja, Calif., Univ. of Arizona, Tech. Report Nos. 14, 15, 1 Oct. 1964
- 93 Average Climatic Water Balance Data of the Continents, Part IV, Australia, New Zealand and Oceania, 1963
- 94 Book of Normals - No. 1, Rainfall, Melbourne, 1951
- 95 Climatological Studies, Wea. and Clim. Pacific Islands, Hqs. 2nd Wea Gp F-8
- 96 Climate of the Horow Henua Lowlands New Zealand Met. Service, Note 63. 1966
- 97 Weather Summaries, Pacific and Alaska, Hydrographic Office H.O. Nos. W-270, W-271, 272, 273, 275, 276, 526. Years 1943-1944
- 98 Climatic Table for Japan Area Parts I-II
- 99 The Climate of Japan Vol. IV No. 2, 1931
- 100 Climatic Tables of Japan, Parts 1-5 1931-60
- 101 Climatological Data for Antarctic Stations No. 1-8, 1962-66. (Mean monthly precip. ETAC computed from mean monthly snowfall with water equivalent basis of 10 in. of snow equal 1 in. of precip.).
- 102 Anare Data reports, Series D, Meteorology No. 81, XIII, XII, Melbourne, 1963-65.
- 103 Meteorological and Radiational Regimes of Antarctica, U.S. Dept of Commerce 1964
- 104 Data from Polar Meteorology Section W.B.
- 105 Climatic Summaries for Canada 1947-1954
- 106 Climatic Summaries for Canada, Vol. II, 1948
- 107 Climate of the Canadian Arctic Archipelago, 1951
- 108 Temperature Normals, Averages and Extremes in the Northwest Territories during the period 1931 to 1960
- 109 Averages and Extremes of Climatic Data during 1951-1960 for selected Canadian Arctic stations, 1963
- 110 Canada Met. Br., Temperature Extremes 1966
- 111 Avg. Climatic Water Balance Data of the Continents, Part VI No. America, 1964

- 112 Canada Met. Branch, Monthly Record 1955-1965
- 113 Climatic Summary of the United States Supplement for 1951-through 1960
- 114 Climat. Studies, Hdqs. 19th AF, Alaska G-4, 1960
- 115 Climatological Summary, WB, Alaska, Means and Extremes for period of record thru 1952
- 116 Local Climatological Data, Annual Summary w/ Comparative Data, ESSA, 1966
- 117 Uniform Summary of Surface Wea. Obs.
- 118 Macro and Micro Climatology of the Arctic Slope of Alaska. US Army Tech Report EP-139, Natick Labs, 1960
- 119 Temperatures of Northern America, Hdqs. Quartermaster, US Army, Research Report RER-9, Natick Labs, 1956
- 120 Supplement to Bulletin W, Climatic Summary of the U.S. for 1931 thru 1952
- 121 Hydrographic Institute of the Yugoslav Navy, Met Division, 1946
- 122 Average Climatic Water Balance Data of the Continents, Part V, Europe N.J., 1964
- 123 Meteorology of the Arctic, JPNV P03-3. March 1956
- 124 Temperaturas in Slovenia, Slovenska Akademija. Ljubljana 1965
- 125 Precipitations en Yougoslovie. 1925-40. Belgrad, 1957
- 126 Prilozi Rosnavanju Klime Jugoslavije 1, Belgrad, 1957
- 127 Great Brit. Aviation Meteorological Report No. 19 (Yugoslavia). 1943
- 128 Ireland Met. Service. Monthly Wea. Report 1949-1952
- 129 Ireland Met. Service. Monthly Wea. Report 1958-1962
- 130 Climatological Summaries, Western Coastal Africa
- 131 Climatological Summaries, Tanganyika, Uganda and Kenya, Africa
- 132 Madagascar Meteorologique Service Publications Nos. 10,12,14,15,17,18,20-28.
- 133 O Clima de Portugal Fasciculo XIV. Lisboa 1965
- 134 Weather and Climate at Addis Ababa, Dire Dawa and Jimma, April 1965
- 135 Rhodesia and Nyasaland Climate Handbook Supplement 2
- 136 Rhodesia and Nyasaland Climate Information Sheets No. 1
- 137 Escuisse Climatographique de la Belgique, Brussels, 1947
- 138 Danmarks Kuima, 1933

- 139 General Climatic Data for Spain 2WW 1955
- 140 Memorial de la Meteorologie Nationale No. 50. Climatologie de la France Paris 1967
- 141 Klimakunde des Deutschen Reiches. Vol II Berlin, 1939
- 142 Statistiche Meteorologiche Relative Alle Principali Localita Italiane, Part 2 Roma, 1962
- 143 Climatological Summaries for Air Navigation in Norway, Vol. No. 6 Bardufoss Airport April 1960
- 144 Klimatabeller for Landbruget, Oslo 1955
- 145 Agricultural Climatology of Sweden and its Agro-Climatic Analogues in North America, No. 11 1950
- 146 Das Klima Der Schweiz, Mauer, Billwiller, Hess 1909
- 147 Averages of Humidity for the British Isles, Met. Office, London, M.O. #421 1938
- 148 Weather in the Home Waters and N.E. Atlantic, Met. Office, London M.O. #446 1943
- 149 Monographies de la Meteorologie Nationale, No. 55. Valeurs Normales des Hauteurs de Precipitations en France. (1931-1960 and 1901-1950). Paris, 1966
- 150 Monographies de la Meteorologies Nationale. No. 59. Elements Climatologiques Concernant Les Cotes de la France Metropolitaine, Paris 1967
- 151 Averages of Rainfall for Great Britain and Northern Ireland. 1916-1950 M.O. #635 1958
- 152 Averages of Temperature for Great Britain and Northern Ireland. 1931-1960 M.O. #735 1963
- 153 Etudes Sur le Climat de la France, Vol I Paris 1904
- 154 Monographies de la Meteorologie Nationale No.30. Valeurs Normales des Temperatures en en France (1921-1950) Paris 1962
- 155 Climate of Malaysia Oct 1964 1st Wea Wg Special Study 105-5
- 156 Climate of Republic of Vietnam April 1965 1st Wea Wg Special Study 105-9
- 157 Climate of Cambodia May 1968 1st Wea Wg Special Study 105-15
- 158 Computer Print-out of climatic data summaries for Laos 1st Wea Gp April 1969
- 159 Climate of North Vietnam June 1965 1st Wea Wg Special Study 105-4
- 160 Manual on the Climate of the USSR, Volume I, Part II Hydrometeorological Publishing Office, Leningrad, 1965
- 161 Manual on the Climate of the USSR, Volume 4
- 162 Manual on the Climate of the USSR, Volume 5
- 163 Manual on the Climate of the USSR, Volume 12

- 164 Manual on the Climate of the USSR,  
Volume 13
- 165 Manual on the Climate of the USSR,  
Volume 15
- 166 Manual on the Climate of the USSR,  
Volume 17
- 167 Manual on the Climate of the USSR,  
Volume 18
- 168 Manual on the Climate of the USSR,  
Volume 19
- 169 Manual on the Climate of the USSR,  
Volume 22
- 170 Manual on the Climate of the USSR,  
Volume 23
- 171 Manual on the Climate of the USSR,  
Volume 25
- 172 Manual on the Climate of the USSR,  
Volume 26
- 173 Manual on the Climate of the USSR,  
Volume 27
- 174 Manual on the Climate of the USSR,  
Volume 28
- 175 Manual on the Climate of the USSR,  
Volume 29
- 176 Manual on the Climate of the USSR,  
Volume 33

- 176 Manual on the Climate of the USSR,  
Volume 33
- 177 Manual on the Climate of the USSR,  
Volume 34
- 178 Climatological Statistics for Czechoslovakia,  
Prague 1961
- 179 Clima Republich Populare Romine Vol II  
Bucharest, 1961
- 180 Weather and Climate of China, Report No.  
890. 1945
- 181 Climatological Data on Precipitation in China,  
Academia Sinica, Peking May 1954
- 182 Atlas of Chinese Climatology JPRS 16321,  
23 November 1962

HOW TO USE THIS INDEX

THE BARS TO THE RIGHT OF EACH COUNTRY'S NAME ON THE EDGE OF THIS COVER INDICATE THE POSITIONS OF SIMILAR MARKS PRINTED ON THE FIRST PAGE OF THE LISTING FOR EACH COUNTRY. THESE MARKS APPEAR WHEN THE PUBLICATION IS BENT SO AS TO SPREAD THE PAGES.

INDEX

ALBANIA

BULGARIA

CZECHOSLOVAKIA

EAST GERMANY

HUNGARY

POLAND

RUMANIA

USSR - CLIMATIC AREAS 1,2,3,4,5,6

USSR - CLIMATIC AREAS 7,8,9

USSR - CLIMATIC AREAS 10,11,12

STATION INDEX

WORLD-WIDE AIRFIELD SUMMARIES - VOLUME XI EASTERN EUROPE AND USSR

EASTERN EUROPE - PART 1


STATION NO./NAME	PAGE NO.	STATION NO./NAME	PAGE NO.
<u>ALBANIA</u>			
COASTAL (Climatic Area 1)		S. W. HIGHLANDS (Climatic Area 2)	
13600 Shkodra	01	15613 Cherni	28
13615 Tirana	03	15614 Sofia	30
Climat	05	15615 Mussala	32
		15622/ Ikhtiman	34
INTERIOR MOUNTAINS (Climatic Area 2)		15627 Botev Vrah	36
13625 Gjirokastra	06	15712 Sandanski	38
13629 Korca	08	15725 Smolyan/Raykovo	40
Climat	10	15730 Kurdjali	42
		Climat	44
<u>BULGARIA</u>			
LOWLANDS (Climatic Area 1)		W. HILLS PLAINS (Climatic Area 1)	
15511 Lom	11	11406 Cheb	45
15526 Pleven	13	11448 Plzen/Dobraney	47
15535 Rouse	15	11518 Prague/Praha/Ruz	49
15552 Varna	17	11541 Ceske/budejovice	51
15625 Plovdiv	19	11648 Hradek/Kralove	53
15635 Chirpan/Tchirpan	21	11659 Pribyslav	55
15640 Sliven	23	11735 Praded	57
15655 Bourgas	25	Climat	59
Climat	27		

STATION NO./NAME	PAGE NO.	STATION NO./NAME	PAGE NO.
EASTERN LOWLANDS (Climatic Area 2)		10499	Gorlitz 108
11723	Brno 60	10555/	Weimar 110
11782	Moravska/Ostrava 62		Climat 112
11816	Bratislava 64	S. HIGHLANDS (Climatic Area 2)	
11968	Kosice 66	10453	Brocken 113
	Climat 68	10546	Kaltenordheim 115
EASTERN MOUNTAINS (Climatic Area 3)		10549	Grosser Inselsberg 117
11903	Sliac 69	10558	Sonneberg 119
11930	Lomnicky/Stit 71	10569	Plauen 121
	Climat 73	10577	Karl-Marx-Stadt 123
		10578	Fichtelberg 125
			Climat 127
<u>EAST GERMANY</u>		<u>HUNGARY</u>	
NORTHERN PLAINS (Climatic Area 1)		HUNGARY (Climatic Area 1)	
10163	Wismar 74	12772	Miskolc 128
10170	Warnemunde 76	12812	Szombathely 130
10185	Griefswald/Wieck 78	12840	Budapest 132
10193	Ueckermunde 80	12860	Szolnok 134
10249	Boizenburg/Elbe 82	12882	Debrecen 136
10262	Wittenberge 84	12920	Keszthely 138
10279	Neustrelitz 86	12940	Fecs 140
10359	Gardelegen 88	12982	Szeged 142
10361	Magdeburg 90		Climat 144
10380	Potsdam 92	<u>POLAND</u>	
10385	Schonfeld/Berlin 94	BALTIC COASTAL (Climatic Area 1)	
10398	Frankfurt/Oder 96	12100	Kolobrzeg 145
10466	Halle/Krollwitz 98	12105	Koszalin 147
10470	Leipzig 100	12115	Ustka 149
10474	Wittenberg 102		
10488	Dresden 104		
10492	Cottbus 106		


STATION NO./NAME	PAGE NO.	STATION NO./NAME	PAGE NO.
BALTIC COASTAL (Climatic Area 1) (Cont.)			
12125	Lauenburg/Lebork	151	
12150	Danzig/Gdansk/Wrzeszcz	153	
12200	Swinoutscie	155	
12205	Szczecin	157	
	Climat	159	
CENTRAL PLAINS (Climatic Area 2)			
12185	Ketrzyn	160	
12195	Suwalki	162	
12225	Walcz	164	
12235	Chojnice	166	
12250	Torun	168	
12270	Mlawa	170	
12272	Olsztyn	172	
12295	Bialystok	174	
12300	Gorzow	176	
12310	Dam-Vorstadt/Stubicf	178	
12330	Poznan	180	
12345	Kolo	182	
12360	Plock	184	
12375	Warsaw/Okecie	186	
12400	Zielona Gora	188	
12425	Wroclaw	190	
12435	Kalisz	192	
12455	Wielun	194	
12465	Lodz	196	
12485	Radom	198	
12495	Lublin	200	
12550	Czestochowa	202	
12560	Katowice	204	
12566	Krakow	206	
12570	Kielce	208	
12575	Tarnow	210	
12580	Rzeszow	212	
12585	Sandomierz	214	
12595	Zamosc	216	
	Climat	218	
SOUTHERN MOUNTAINS (Climatic Area 3)			
12500	Jelenia Gora	219	
12510	Sniezka	221	
12520	Glatz/Klodzko	223	
12650	Kasprowy Wierch	225	
12695	Przemysl	227	
	Climat	229	
<u>RUMANIA</u>			
CENTRAL HIGHLANDS (Climatic Area 1)			
15040/	Cimpulung Moldov	230	
15120	Cluj	232	
15230	Deva	234	
15260	Sibiu	236	
15280	Omulurf	238	
	Climat	240	
LOWLANDS (Climatic Area 2)			
15010	Satu-Mare	241	
15080	Oradea	243	
15090	Iasi	245	
15150	Bacua	247	
15200	Arad	249	

STATION NO./NAME	PAGE NO.	STATION NO./NAME	PAGE NO.
LOWLANDS (Climatic Area 2) (Cont)		21647	Mys Shalaurova Climat 287 289
15247	Timisorara 251	WRANGEL ISLAND (Climatic Area 5)	
15310	Galati 253	21982	Ostrov Vrangelya 290 Climat 292
15360	Sulani 255	BARENTS COAST (Climatic Area 6)	
15410	Turnu-Severin 257	22113	Murmansk 293
15420	Bucharest/Bucuresti 259	22165	Kanin Nos 295
15480	Constanta 261	22217	Kandalaksha 297
15490	Turnu-Magurele 263 Climat 265 USSR	22235	Krasnoshchelye 299
FRANZ JOSEF LAND (Climatic Area 1)		22349	Pyalitsa 301
20034	Nagurskoye, Zemly Aleksandry 266	22471	Mezen' 303
20046	Ostrov Heysa 268 Climat 270	23022	Anderma 305
NOVAYA ZEMLYA (Climatic Area 2)		23032	Marresale 307
20353	Mys Zhelaniya 271	23205	Nar'yan-Mar 309
20357	Russkaya Gavan' 273	23219	Khosedo-Khard 311
20744	Malye Karmakuly 275	23405	Ust'Tsil'Ma 313 Climat 315
20946	Mys Menshikova 277 Climat 279	EUROPEAN PLAIN (Climatic Area 7)	
SEVERNAYA ZEMLYA (Climatic Area 3)		22550	Arkhangelsk/Arhangfl'sk 316
20069	Ostrov Vize 280	22602	Reboly 318
20087	Mys Golomjanniy 282 Climat 284	22676	Sura 320
NEW SIBERIAN ISLAND (Climatic Area 4)		22820	Petrozavodsk 322
21432	Ostrov Kotelnyy 285	22954	Vozhega 324
		23711	Troitsko-Pechorsk 326
		23804	Syktyvkar 328
		23914	Cherdyn 330
		26038	Tallin/Ulemiste 332
		26063	Leningrad/Town/ 334

STATION NO./NAME	PAGE NO.	STATION NO./NAME	PAGE NO.
EUROPEAN PLAIN (Climatic Area 7) (Cont)			
26258 Pskov	336	34172 Saratov	395
26393 Vyshniy Volochek	338	34300 Khar'koy	397
26422 Riga Latvia SSR	340	34336 Boguchar	399
26629 Kaunas Lithuania	342		401
26702 Kaliningrad	344	S. EUROPEAN PLAIN (Climatic Area 9)	
26781 Smolensk	346	33711 Kirovograd	402
26850 Minsk/South Field	348	33837 Odessa	404
27066 Nikol'sk	350	33887 Bolgrad	406
27113 Cherepovets	352	33946 Simferopol	408
27196 Kirov	354	34601 Zaporozh'ye	410
27355 Yur'yevets	356	34731 Rostov-na-donv	412
27595 Kazan	358	37061 Prikumsk	414
27612 Moskva/Moscow	360		416
27731 Ryazan/	362	CAUCASUS (Climatic Area 10)	
28225 Perm'/Molotov	364	34929 Krasnodar/Pashkov	417
	366	37228 Ordzhonikidze	419
C. EUROPEAN PLAIN (Climatic Area 8)			
26898 Bryansk/Ordzhoni	367	37575 Zakataly	421
27665 Lukoyanov	369	37985 Lenkoran	423
27962 Penza	371		425
28506 Elabuga	373	BLACK SEA COAST (Climatic Area 11)	
28722 Ufa	375	37018 Tuapse	426
28900 Kubyshev/Brezenchuk	377	37395 Ku'aisi	428
33008 Brest	379	37484 Batumi	430
33088 Sarny	381		432
33345 Kiyev/Kiev	383	ARMENIAN HIGHLAND (Climatic Area 12)	
33393 Lvov	385	37549 Tbilisi	433
33429 Khmel'nitskuy	387	37789 Yerevan	435
33631 Uzhgorod	389		437
34009 Kursk	391		
34122 Voronezh	393		







SHKODRA, ALBANIA

STA NO. 13600 (IN AREA NUMBER 01)

LATITUDE 4206N

LONGITUDE 01932E

ELEVATION(FT) 00140

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR	NN.
														(YRS)	DBS
ABS MAX TMP (F)	60	67	74	79	89	95	100	103	98	83	71	71	103	3	1096
MEAN MAX TMP (F)	48	49	54	63	73	81	88	90	80	69	57	51	67	3	1096
MEAN MIN TMP (F)	36	35	38	48	56	62	66	67	60	52	46	38	50	3	1095
ABS MIN TMP (F)	24	10	24	32	39	52	57	60	50	40	35	23	10	3	1095
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	2.3	9.0	16.3	2.0	0.0	0.0	0.0	29.6	3	1096
MEAN NO DYS TMP = DR LES 32(F)	10.7	9.6	5.7	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.0	36.3	3	1095
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	1095
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	11.85	9.66	7.54	8.25	6.02	2.14	1.49	1.94	4.90	9.73	11.95	11.03	86.5	3	1094
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			3	-25
MEAN NO DYS PRCP = DR GTR 0.1 IN	11.0	12.5	9.3	9.3	7.1	4.0	3.0	3.0	4.7	7.0	14.2	11.7	96.8	3	1094
MEAN NO DYS SNFL = DR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			3	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

SHKODRA, ALBANIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST														0	0
	07 LST	2.0	1.6	2.3	0.0	0.0	0.3	0.3	0.0	0.3	0.3	0.0	0.3	7.4	3	1089
	13 LST	2.0	2.6	3.7	1.0	0.7	1.0	1.0	0.0	1.7	0.3	0.0	0.3	14.3	3	1087
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	2.0	2.3	2.3	0.3	0.0	0.0	0.0	0.3	0.3	0.7	0.7	0.7	9.6	3	1084
	07 LST	3.3	2.0	1.7	4.7	2.7	6.7	6.7	7.3	4.3	4.3	4.3	2.0	50.0	3	1089
	13 LST	7.3	5.6	10.7	14.3	11.7	15.3	11.1	10.7	15.0	9.7	5.8	3.0	120.2	3	1087
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	5.3	3.3	4.7	5.7	6.1	9.3	9.9	7.6	7.0	6.3	5.7	4.0	74.9	3	1084
	07 LST														0	0
	13 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0

TIRANA, ALBANIA

STA NO. 13615 (IN AREA NUMBER 01)	LATITUDE 4120N LONGITUDE 01947E ELEVATION(FT) 00241												POR	NO.	
PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	(YRS)	DBS
ABS MAX TMP (F)	65	71	78	81	88	99	101	105	95	86	78	72	105	3	1096
MEAN MAX TMP (F)	53	55	57	65	73	82	88	90	82	73	62	56	70	3	1096
MEAN MIN TMP (F)	36	37	38	46	54	60	63	63	57	50	46	38	49	3	1096
ABS MIN TMP (F)	22	20	25	31	37	51	55	55	46	35	33	20	20	3	1096
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	3.3	11.0	15.3	1.7	0.0	0.0	0.0	31.3	3	1096
MEAN NO DYS TMP = DR LES 32(F)	10.3	6.6	7.3	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.0	34.9	3	1096
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	1096
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	5.08	5.81	4.20	5.84	5.74	3.06	1.51	0.45	1.64	4.93	5.97	5.34	49.6	3	1089
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			3	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	8.2	7.9	7.8	8.0	9.3	3.0	3.3	1.3	3.0	7.2	9.7	9.3	78.0	3	1089
MEAN NO DYS SNFL = DR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			3	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

TIRANA, ALBANIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
SFC WND = GTR 17 KT. ND ND PRECIP.	01 LST														0	0
	07 LST	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	3	1081
	13 LST	0.0	0.0	0.0	0.7	0.0	0.3	0.7	0.3	0.0	0.0	0.0	0.3	2.3	3	1088
	19 LST	0.3	0.0	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	3	1082
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND ND PRECIP.	01 LST														0	0
	07 LST	3.7	6.2	3.3	4.7	3.3	4.7	2.0	1.7	1.7	1.7	5.7	5.3	44.0	3	1081
	13 LST	10.3	11.7	13.3	16.3	19.0	16.3	18.0	14.0	20.3	12.8	8.4	12.3	172.7	3	1088
	19 LST	5.4	6.3	5.3	7.1	3.3	4.7	3.3	3.7	4.7	2.3	7.4	6.0	59.5	3	1082
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0

AREA 01

ALBANIA		COASTAL BOUNDARIES		LATITUDE 4120N		LONGITUDE 01940E								
		4223N 01928E	4057N 02007E	4057N 02007E	4026N 01930E									
PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)		51	52	56	64	73	82	88	90	81	71	60	54	69
MEAN MIN TMP (F)		36	36	38	47	55	61	65	65	59	51	46	38	50
LARGEST MEAN PRECIP(IN)		11.85	9.66	7.54	8.25	6.02	3.06	1.51	1.94	4.90	9.73	11.95	11.03	87.4
SMALLEST MEAN PRECIP(IN)		5.08	5.81	4.20	5.84	5.74	2.14	1.49	0.45	1.64	4.93	5.97	5.34	48.6
		MEAN NUMBER OF DAYS												
CIG = GTR 1000 FT AND	01 LST													
VSBY = GTR 3 MI	07 LST													
	13 LST													
	19 LST													
CIG = GTR 2000 FT AND VSBY = GTR	01 LST													
3 MI W/SFC WND LES 10 KTS	07 LST													
	13 LST													
	19 LST													
SFC WND = GTR 17 KTS AND	01 LST													
NO PRECIP.	07 LST	1.0	1.0	1.2	0.0	0.0	0.2	0.2	0.0	0.2	0.2	0.0	0.2	4.2
	13 LST	1.0	1.3	1.9	0.9	0.4	0.7	0.9	0.2	0.9	0.2	0.0	0.3	8.7
	19 LST	1.2	1.2	1.3	0.3	0.0	0.0	0.0	0.2	0.2	0.4	0.4	0.4	5.6
SFC WND 4-10 KTS AND TMP 33-89	01 LST													
DEG F AND NO PRECIP.	07 LST	3.5	4.1	2.5	4.7	3.0	5.7	4.4	4.5	3.0	3.0	5.0	3.7	47.1
	13 LST	8.8	8.7	12.0	15.3	15.4	15.8	14.6	12.4	17.7	11.3	7.1	7.7	146.8
	19 LST	5.4	4.8	5.0	6.4	4.7	7.0	6.6	5.7	5.9	4.3	6.6	5.0	67.4
SKY COVER LES 3/10 AND	01 LST													
VSBY = GTR 3 MI	07 LST													
	13 LST													
	19 LST													
CIG = GTR 2500 FT AND	01 LST													
VSBY = GTR 3 MI	07 LST													
	13 LST													
	19 LST													
CIG = GTR 6000 FT AND	01 LST													
VSBY = GTR 3 MI	07 LST													
	13 LST													
	19 LST													
CIG = GTR 10000 FT AND	01 LST													
VSBY = GTR 3 MI	07 LST													
	13 LST													
	19 LST													

GJIROKASTRA, ALBANIA

STA NO. 13625 (IN AREA NUMBER 02)

LATITUDE 4005N

LONGITUDE 02009E

ELEVATION(FT) 00633

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	60	69	78	80	90	102	100	108	100	84	74	66	108	3	1096
MEAN MAX TMP (F)	49	53	57	65	74	84	90	94	82	71	59	52	69	3	1096
MEAN MIN TMP (F)	34	35	37	44	50	56	59	59	54	47	42	36	46	3	1096
ABS MIN TMP (F)	21	20	25	29	33	47	51	48	40	33	30	20	20	3	1096
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.3	6.3	18.0	23.7	3.3	0.0	0.0	0.0	51.6	3	1096
MEAN NO DYS TMP = DR LES 32(F)	15.0	10.9	7.7	0.7	0.0	0.0	0.0	0.0	0.0	0.0	4.3	13.0	51.6	3	1096
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	1096
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	11.43	9.20	7.57	3.84	2.32	1.59	0.63	0.64	2.55	7.26	15.79	12.70	75.5	0	0
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			3	1091
MEAN NO DYS PRCP = DR GTR 0.1 IN	11.8	10.5	8.4	7.4	5.0	2.3	1.7	1.3	3.0	7.7	14.3	12.5	85.9	3	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			3	1091
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														3	-29
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 3000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

GJIROKASTRA, ALBANIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST														0	0
	07 LST	0.3	0.0	0.7	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.3	0.0	1.0	3	1091
	13 LST	1.0	0.7	0.3	2.7	1.7	2.7	4.4	1.3	0.0	0.3	0.3	0.7	16.1	3	1095
	19 LST	0.3	0.3	0.3	1.3	0.3	1.0	2.7	0.3	0.3	0.3	1.0	0.7	8.8	3	1094
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST														0	0
	07 LST	5.7	7.0	9.4	11.7	11.0	10.8	9.1	10.8	6.4	9.0	6.3	5.7	102.9	3	1090
	13 LST	9.7	11.5	15.3	12.0	13.3	9.3	4.7	3.7	13.3	15.7	6.0	12.7	127.2	3	1094
	19 LST	6.3	10.3	13.3	13.0	10.3	11.7	10.8	15.3	15.3	11.0	6.0	7.3	130.6	3	1094
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0

KORCA, ALBANIA

STA NO. 13629 (IN AREA NUMBER 02)

LATITUDE 4036N

LONGITUDE 02046E

ELEVATION(FT) 02948

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	55	62	72	73	83	93	94	98	90	77	65	61	98	3	1096
MEAN MAX TMP (F)	40	45	46	57	66	75	82	84	72	62	50	43	60	3	1096
MEAN MIN TMP (F)	27	29	30	39	48	53	57	59	51	44	38	31	42	3	1094
ABS MIN TMP (F)	5	1	15	13	32	42	50	50	40	31	29	8	1	3	1094
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.7	2.0	5.7	0.3	0.0	0.0	0.0	8.7	3	1096
MEAN NO DYS TMP = OR LES 32(F)	24.3	16.7	20.0	3.0	0.7	0.0	0.0	0.0	0.0	1.3	6.3	17.7	90.0	3	1094
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	1094
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	2.29	3.48	2.02	2.14	3.85	1.01	0.70	0.44	2.00	3.17	5.15	2.06	28.3	3	1095
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0	0.0	0.0			3	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	7.0	7.2	5.7	5.7	8.1	3.0	1.7	1.7	3.7	6.0	11.0	5.7	66.5	3	1095
MEAN NO DYS SNFL = OR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0	0.0	0.0			3	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST														0	0
03-05 LST														0	0
06-08 LST														0	0
09-11 LST														0	0
12-14 LST														0	0
15-17 LST														0	0
18-20 LST														0	0
21-23 LST														0	0

KORCA, ALBANIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST														0	0
	07 LST	0.7	2.3	0.3	0.7	0.0	0.3	0.0	0.0	0.0	0.0	1.7	0.7	6.7	3	1086
	13 LST	0.7	2.3	2.0	3.4	1.0	0.7	0.3	1.7	0.0	0.7	2.7	1.3	16.8	3	1091
	19 LST	1.0	1.6	1.0	2.0	0.0	0.0	0.0	0.0	0.0	0.7	1.0	1.3	8.6	3	1090
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST														0	0
	07 LST	1.7	4.6	3.4	4.7	4.4	4.0	3.3	3.4	3.7	3.3	2.7	3.0	42.2	3	1086
	13 LST	0.0	4.3	6.7	8.4	11.3	14.0	18.3	11.5	16.0	12.0	6.7	6.0	121.2	3	1091
	19 LST	4.0	2.6	6.4	8.8	3.7	4.8	5.3	7.4	8.3	5.3	2.7	3.0	64.3	3	1090
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST														0	0
	07 LST														0	0
	13 LST														0	0
	19 LST														0	0

AREA 02

ALBANIA	INTERIOR MTS		LATITUDE 4100N		LONGITUDE 02020E									
	BOUNDARIES	4223N 01928E	4057N 02007E	4057N 02007E	4026N 01930E									
PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	
MEAN MAX TMP (F)	45	49	52	61	70	80	86	89	77	67	55	48	65	
MEAN MIN TMP (F)	31	32	34	42	49	55	58	59	53	46	40	34	44	
LARGEST MEAN PRECIP(IN)	11.43	9.20	7.57	3.84	3.85	1.59	0.70	0.64	2.55	7.26	15.79	12.70	77.1	
SMALLEST MEAN PRECIP(IN)	2.29	3.48	2.02	2.14	2.32	1.01	0.63	0.44	2.00	3.17	5.15	2.06	26.7	
	MEAN NUMBER OF DAYS													
CIG = GTR 1000 FT AND	01 LST													
VSBY = GTR 3 MI	07 LST													
	13 LST													
	19 LST													
CIG =GTR 2000 FT AND VSBY =GTR	01 LST													
3 MI W/SFC WND LES 10 KTS	07 LST													
	13 LST													
	19 LST													
SFC WND = GTR 17 KTS AND	01 LST													
NO PRECIP.	07 LST	0.5	1.2	0.5	0.4	0.0	0.3	0.0	0.0	0.0	0.0	1.0	0.4	4.3
	13 LST	0.9	1.5	1.2	3.1	1.4	1.7	2.4	1.5	0.0	0.5	1.5	1.0	16.7
	19 LST	0.7	1.0	0.7	1.7	0.2	0.5	1.4	0.2	0.2	0.5	1.0	1.0	9.1
SFC WND 4-10 KTS AND TMP 33-89	01 LST													
DEG F AND NO PRECIP.	07 LST	3.7	5.8	6.4	8.2	7.7	7.4	6.2	7.1	5.1	6.2	4.5	4.4	72.7
	13 LST	7.9	7.9	11.0	10.2	12.3	11.7	11.5	7.6	14.7	13.9	6.4	9.4	124.5
	19 LST	5.2	6.5	9.9	10.9	8.0	8.3	8.1	11.4	11.8	8.2	4.4	5.2	97.9
SKY COVER LES 3/10 AND	01 LST													
VSBY = GTR 3 MI	07 LST													
	13 LST													
	19 LST													
CIG = GTR 2500 FT AND	01 LST													
VSBY = GTR 3 MI	07 LST													
	13 LST													
	19 LST													
CIG = GTR 6000 FT AND	01 LST													
VSBY = GTR 3 MI	07 LST													
	13 LST													
	19 LST													
CIG = GTR 10000 FT AND	01 LST													
VSBY = GTR 3 MI	07 LST													
	13 LST													
	19 LST													

LOM, BULGARIA

STA NO. 15511 (IN AREA NUMBER 01)

LATITUDE 4349N

LONGITUDE 02314E

ELEVATION(FT) 00108

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	59	68	79	82	91	95	99	100	99	90	75	64	100	16	4381
MEAN MAX TMP (F)	34	39	48	62	71	79	83	83	76	64	49	39	61	16	4381
MEAN MIN TMP (F)	24	27	33	44	53	60	63	62	54	46	38	30	45	16	4196
ABS MIN TMP (F)	-6	-13	5	30	30	45	52	48	39	30	16	3	-13	16	4196
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.2	1.7	5.2	6.5	1.2	0.1	0.0	0.0	14.9	16	4381
MEAN NO DYS TMP = DR LES 32(F)	26.9	21.2	15.3	0.8	0.2	0.0	0.0	0.0	0.0	0.3	7.2	19.3	91.2	16	4196
MEAN NO DYS TMP = DR LES 0(F)	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	16	4196
MEAN DEW PT TMP (F)	24	27	33	43	52	59	61	60	54	48	40	30	44	16	22042
MEAN REL HUM (PCT)	82	78	74	71	72	73	69	67	72	79	85	85	76	16	21974
MEAN PRESS ALT (FT)	-104	-43	-17	85	68	50	80	57	-40	-91	-73	-29	-4	16	22032
MEAN PRECIP (IN)	1.78	1.83	1.80	2.32	2.36	2.67	1.20	0.82	1.47	1.33	3.06	2.05	22.7	16	3360
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0	0.0				16	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	5.0	5.7	4.1	5.8	6.3	5.4	3.6	2.5	2.4	3.3	7.3	5.8	57.2	16	3360
MEAN NO DYS SNFL = DR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0	0.0				16	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	7.9	5.0	3.5	0.5	0.8	0.2	0.0	0.1	0.6	6.0	4.9	8.3	37.8	16	3523
MEAN NO DYS YSTMS	0.0	0.0	0.3	1.1	3.4	5.3	5.5	3.3	0.7	0.7	0.4	0.4	21.1	16	3529
P FREQ WND SPD = DR GTR 17 KTS	9.3	7.3	8.3	6.6	4.9	5.5	3.8	4.8	3.7	2.1	4.0	6.2	5.5	16	21892
P FREQ WND SPD = DR GTR 20 KTS	1.5	1.6	2.3	1.1	0.2	1.6	0.2	0.6	0.7	0.4	0.8	1.6	1.1	16	21892
P FREQ LES 5000 FT A/O LES 5 MI	58.4	50.6	44.1	35.6	27.4	22.1	13.0	11.5	19.9	36.6	57.4	64.2	36.7	16	23671
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	19.3	14.5	9.6	5.2	2.9	1.6	0.7	0.4	1.0	6.7	14.5	22.6	8.3	16	4318
03-05 LST	21.7	14.3	6.9	6.7	3.5	2.3	0.0	1.5	2.1	11.0	17.1	16.7	8.7	9	2754
06-08 LST	29.7	29.0	20.3	5.7	5.1	2.0	0.4	0.5	5.0	25.8	26.9	30.4	15.1	16	4530
09-11 LST	23.8	18.5	10.6	4.2	1.8	1.6	0.5	0.5	2.5	9.8	19.2	24.9	9.8	9	2485
12-14 LST	16.9	10.0	7.1	3.3	1.8	0.5	0.5	0.8	1.5	2.5	13.5	19.0	6.5	16	4719
15-17 LST	17.3	6.8	5.2	3.8	1.9	1.0	0.0	0.5	0.7	2.8	11.3	19.4	5.9	9	2496
18-20 LST	17.9	12.8	7.7	2.7	2.2	1.1	0.4	0.8	1.2	3.6	13.6	20.0	7.0	16	4850
21-23 LST	19.6	9.9	6.5	3.2	0.7	0.7	0.0	0.7	0.9	2.6	12.8	17.0	6.2	9	2701
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	9.4	6.7	2.5	0.8	0.0	0.0	0.0	0.0	0.3	4.4	6.6	14.7	3.8	16	4318
03-05 LST	13.2	7.3	2.6	1.5	0.9	0.5	0.0	0.4	0.8	7.5	7.7	9.0	4.3	9	2754
06-08 LST	22.2	16.0	10.7	2.4	2.5	0.3	0.3	0.3	2.9	19.4	16.3	18.2	9.3	16	4530
09-11 LST	17.5	10.4	4.3	0.5	0.0	0.0	0.0	0.0	0.0	2.7	7.4	16.8	5.0	9	2485
12-14 LST	8.9	3.4	1.2	0.0	0.5	0.0	0.0	0.0	0.3	0.0	3.9	11.8	2.5	16	4719
15-17 LST	9.9	3.2	1.0	0.0	0.5	0.5	0.0	0.0	0.0	0.4	1.4	12.2	2.4	9	2496
18-20 LST	8.7	5.2	2.7	0.0	0.2	0.0	0.0	0.0	0.0	0.9	4.5	10.5	2.7	16	4850
21-23 LST	11.6	3.9	2.3	0.0	0.0	0.0	0.0	0.0	0.0	1.2	3.6	9.4	2.8	9	2701

LOM, BULGARIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST	25.8	24.8	28.9	29.5	30.8	29.7	30.9	31.0	29.9	29.4	27.2	25.4	343.3	16	4318
	08 LST	22.6	20.9	26.0	29.1	30.1	29.7	30.9	30.9	28.8	23.7	23.3	22.8	318.8	16	4530
	14 LST	26.4	25.8	29.8	29.9	30.8	30.0	31.0	30.9	29.8	30.9	27.1	25.7	348.1	16	4719
	20 LST	26.3	25.3	29.3	29.9	30.9	29.9	31.0	30.9	29.9	30.4	27.7	25.9	347.4	16	4850
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST	20.2	18.2	22.8	22.9	24.9	24.8	26.5	26.6	25.6	25.8	20.3	19.3	277.9	16	4286
	08 LST	16.3	15.3	19.3	22.7	23.9	24.2	26.7	26.7	25.2	19.8	18.1	17.2	255.4	16	4502
	14 LST	18.0	16.6	19.5	20.4	21.9	22.6	23.0	21.7	22.3	24.2	20.2	20.0	250.4	16	4685
	20 LST	19.1	18.7	21.9	23.3	25.4	24.9	26.3	26.9	26.9	26.3	21.2	20.3	281.2	16	4820
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST	1.8	2.0	1.0	1.2	1.1	1.5	0.7	0.6	1.0	0.2	1.1	1.5	13.7	16	4302
	08 LST	1.3	1.4	1.3	1.2	1.0	1.6	0.8	1.3	0.7	0.6	0.4	1.1	12.7	16	4522
	14 LST	3.2	3.5	3.4	2.5	2.6	2.0	2.0	2.8	2.0	1.3	1.8	2.0	29.1	16	4703
	20 LST	2.1	1.5	1.9	1.7	0.9	0.7	0.8	0.9	0.5	0.7	0.8	1.3	13.8	16	4839
SFC WND 4-10 KTS AND THP 33-89 DEG F AND NO PRECIP.	02 LST	2.0	2.5	5.2	6.0	9.3	7.9	9.4	8.4	6.3	6.4	4.3	2.3	70.0	16	4294
	08 LST	1.3	2.4	4.5	8.1	7.4	6.5	8.0	6.8	6.5	5.4	4.9	2.6	64.4	16	4517
	14 LST	2.8	4.5	9.8	11.9	11.8	11.1	13.1	11.5	12.0	10.3	7.5	4.6	110.9	16	4689
	20 LST	2.5	3.5	6.2	6.9	8.7	7.4	7.8	7.3	5.5	5.5	6.1	3.9	71.3	16	4827
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST	10.3	10.4	13.5	16.0	17.6	19.1	24.6	25.4	22.4	19.0	9.7	7.4	195.4	16	4327
	08 LST	5.2	4.0	6.0	8.4	12.2	14.6	20.3	21.5	15.8	8.4	4.4	4.4	125.2	16	4547
	14 LST	7.3	6.8	8.4	7.7	9.2	12.3	17.6	20.6	17.7	12.3	5.7	5.5	131.1	16	4728
	20 LST	9.9	11.9	12.3	10.4	9.6	10.7	17.7	20.6	21.8	17.6	9.3	9.3	161.1	16	4857
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST	20.7	20.0	23.7	24.9	27.2	27.3	29.6	29.7	27.9	26.3	20.5	19.0	296.8	16	4318
	08 LST	17.2	15.9	20.3	24.8	26.1	27.4	29.6	29.9	26.5	19.9	17.4	16.9	271.9	16	4530
	14 LST	22.4	21.8	25.1	26.2	28.3	28.5	30.1	30.0	28.1	27.3	21.2	20.5	309.5	16	4719
	20 LST	21.5	21.0	24.8	25.8	27.1	27.7	30.0	29.8	28.3	26.8	20.5	20.3	303.6	16	4850
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST	13.8	14.2	17.2	19.7	22.6	22.8	27.4	27.5	24.6	21.7	13.1	11.6	236.2	16	4318
	08 LST	10.1	10.3	14.0	18.8	21.2	23.6	26.3	27.3	22.2	13.9	11.3	9.8	208.8	16	4530
	14 LST	16.2	16.1	19.2	21.1	23.4	24.0	27.7	27.9	25.5	21.4	13.6	12.8	248.9	16	4719
	20 LST	14.6	15.6	18.4	19.7	21.5	23.3	26.7	27.5	25.3	21.3	13.3	13.1	240.3	16	4850
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST	13.8	14.2	17.2	19.7	22.6	22.8	27.4	27.5	24.6	21.7	13.1	11.6	236.2	16	4318
	08 LST	10.1	10.3	14.0	18.8	21.2	23.6	26.3	27.3	22.2	13.9	11.3	9.8	208.8	16	4530
	14 LST	16.2	16.1	19.2	21.1	23.4	24.0	27.7	27.9	25.5	21.4	13.6	12.8	248.9	16	4719
	20 LST	14.6	15.6	18.4	19.7	21.5	23.3	26.7	27.4	25.3	21.3	13.3	13.1	240.2	16	4850

PLEVEN, BULGARIA

STA NO. 15526 (IN AREA NUMBER 01)

LATITUDE 4325N

LONGITUDE 02436E

ELEVATION(FT) 00404

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	55	68	82	86	93	100	102	106	99	99	81	66	106	14	3112
MEAN MAX TMP (F)	33	39	51	65	74	81	86	87	73	68	53	39	63	14	3112
MEAN MIN TMP (F)	20	24	32	42	50	57	60	59	52	44	37	27	42	14	3088
ABS MIN TMP (F)	-17	-8	-2	25	36	39	48	46	36	23	14	-2	-17	14	3088
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	1.1	5.1	13.8	13.6	3.2	0.4	0.0	0.0	37.2	14	3112
MEAN NO DYS TMP = DR LES 32(F)	28.7	23.4	17.5	1.8	0.0	0.0	0.0	0.0	0.0	3.6	10.1	23.7	108.8	14	3088
MEAN NO DYS TMP = DR LES 0(F)	2.3	0.7	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	3.8	14	3088
MEAN DEW PT TMP (F)	23	28	35	45	53	59	60	59	53	48	40	30	44	13	20481
MEAN REL HUM (PCT)	88	84	80	74	74	74	67	64	69	79	86	90	77	13	20463
MEAN PRESS ALT (FT)	207	259	299	405	383	360	392	380	279	226	257	288	311	13	20420
MEAN PRECIP (IN)	1.67	1.81	1.50	2.40	2.50	2.33	1.53	1.23	1.79	1.45	1.97	2.11	22.3	12	2475
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0					14	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	4.3	5.2	4.5	5.3	6.1	5.4	3.1	1.9	3.7	3.2	4.9	5.8	53.4	12	2475
MEAN NO DYS SNFL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0						14	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	10.8	5.7	1.9	0.4	0.3	0.7	0.0	0.1	0.1	3.9	7.3	10.4	41.6	13	2848
MEAN NO DYS TSTMS	0.0	0.1	0.3	2.6	6.6	8.0	5.6	3.5	1.1	1.2	0.6	0.1	29.7	13	2856
P FREQ WND SPD = DR GTR 17 KTS	5.2	8.1	7.4	6.7	4.1	2.6	1.9	2.3	1.8	1.6	3.2	3.3	4.0	13	20455
P FREQ WND SPD = DR GTR 28 KTS	1.2	2.7	2.0	1.7	1.0	0.4	0.4	1.0	0.5	0.4	1.2	0.7	1.1	13	20455
P FREQ LES 5000 FT A/O LES 5 MI	74.0	61.8	53.3	37.3	28.7	27.0	17.8	12.6	19.5	34.5	58.7	75.0	41.7	14	21072
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	50.1	38.0	18.6	7.6	2.7	2.9	0.9	1.1	2.5	11.7	36.8	50.9	18.7	14	3412
03-05 LST	55.0	36.1	21.6	12.0	12.2	13.8	6.0	3.6	3.3	12.9	39.6	52.6	22.4	9	2756
06-08 LST	62.1	50.1	46.1	22.4	9.5	10.4	4.7	7.7	17.6	37.0	54.1	61.5	31.9	14	3393
09-11 LST	69.9	48.5	37.5	15.8	6.7	2.3	0.5	2.0	6.3	24.0	50.8	66.6	27.6	9	2671
12-14 LST	55.9	37.9	21.1	10.5	3.6	2.5	0.8	0.9	1.1	8.9	30.5	53.8	19.0	14	3388
15-17 LST	54.7	29.9	16.5	6.8	3.9	2.0	0.7	2.3	1.8	7.5	29.8	51.5	17.3	9	2662
18-20 LST	46.5	31.6	15.6	5.1	4.8	2.0	0.2	1.0	0.5	7.7	32.5	52.2	16.6	14	3392
21-23 LST	52.7	34.6	17.9	4.3	1.8	1.3	0.4	0.9	1.3	6.7	33.6	54.2	17.5	9	2719
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	21.8	15.3	4.5	1.9	0.7	0.4	0.0	0.0	0.0	4.2	15.6	25.0	7.5	14	3412
03-05 LST	24.1	13.7	5.0	2.4	2.9	4.4	1.7	0.8	0.4	5.4	18.4	25.0	8.7	9	2756
06-08 LST	33.2	21.9	13.9	3.4	1.4	1.5	0.8	0.7	1.3	15.2	29.0	34.0	13.0	14	3393
09-11 LST	37.0	19.1	7.4	2.8	0.0	0.0	0.0	0.4	0.4	6.1	19.7	32.2	10.4	9	2671
12-14 LST	19.1	12.3	1.0	0.8	0.0	0.4	0.0	0.0	0.0	1.3	6.1	20.7	5.1	14	3388
15-17 LST	19.9	9.6	0.9	0.0	0.0	0.4	0.4	0.9	0.4	0.0	6.0	20.3	4.9	9	2662
18-20 LST	17.8	7.5	1.4	0.4	0.4	0.4	0.0	0.3	0.0	0.6	9.4	22.0	5.0	14	3392
21-23 LST	22.1	12.3	0.9	0.5	0.0	0.0	0.0	0.0	0.0	1.2	9.4	24.5	5.9	9	2719

PLEVEN, BULGARIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST	16.6	18.0	25.7	28.6	30.3	29.3	30.9	30.8	29.5	27.5	19.8	16.2	303.2	14	3412
	08 LST	12.6	14.5	17.0	24.0	28.6	27.3	29.8	28.7	24.9	20.1	14.2	12.7	234.4	14	3393
	14 LST	14.4	17.8	25.6	27.8	30.5	29.4	30.9	30.8	29.8	28.8	22.1	14.9	302.8	14	3388
	20 LST	17.7	19.9	26.9	28.8	30.2	29.5	31.0	30.8	29.9	28.9	21.3	15.6	310.5	14	3392
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST	10.4	11.4	19.6	22.4	26.7	26.4	27.9	27.7	26.6	25.0	15.1	11.9	231.1	14	3400
	08 LST	8.1	9.7	12.6	18.1	23.2	22.9	26.1	25.5	22.1	17.6	11.7	8.6	206.2	14	3386
	14 LST	8.1	8.7	12.7	15.3	18.8	22.7	22.8	21.0	21.3	21.9	14.5	9.1	196.9	14	3383
	20 LST	11.6	14.2	19.7	22.4	22.6	25.4	26.0	25.9	26.1	25.2	16.2	11.7	247.0	14	3384
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST	1.3	2.1	1.4	1.2	0.9	0.5	0.3	0.4	0.3	0.2	1.4	0.8	10.8	14	3416
	08 LST	1.0	1.3	0.9	1.0	0.9	1.0	0.2	0.5	0.4	0.2	0.8	0.5	8.7	14	3408
	14 LST	2.0	4.0	3.2	2.5	1.9	1.5	2.0	1.6	1.3	1.8	1.9	1.0	24.7	14	3412
	20 LST	1.8	1.8	2.2	1.4	1.1	0.7	0.9	0.9	0.7	0.5	1.0	0.9	13.9	14	3411
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST	2.2	3.5	7.4	8.3	9.3	9.0	8.7	8.3	6.7	6.2	5.1	3.0	77.7	14	3413
	08 LST	1.1	2.9	8.4	10.4	12.5	11.6	13.1	11.8	7.0	5.1	6.0	3.4	93.3	14	3404
	14 LST	6.0	7.4	15.3	14.5	17.3	14.4	14.1	14.1	14.8	14.8	11.8	7.0	151.5	14	3403
	20 LST	3.4	4.7	10.1	13.5	11.6	12.6	12.7	12.1	9.8	7.6	7.9	4.1	110.1	14	3409
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST	6.7	8.9	11.7	14.1	15.2	17.8	22.0	24.0	21.1	17.8	9.5	6.0	174.8	14	3422
	08 LST	2.5	4.0	3.5	7.0	9.3	13.1	17.8	19.1	14.2	6.3	3.4	3.6	103.8	14	3406
	14 LST	4.5	3.6	6.4	5.5	5.2	6.3	11.2	15.9	13.1	9.8	4.6	4.0	90.1	14	3411
	20 LST	7.7	9.4	10.5	9.5	6.6	9.1	14.8	18.7	18.8	16.7	8.9	6.1	136.8	14	3406
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST	13.4	16.3	23.6	26.3	29.4	28.3	30.4	30.5	28.8	26.7	17.6	13.6	284.9	14	3412
	08 LST	10.3	13.0	15.7	22.2	27.3	26.2	29.1	28.5	24.3	18.6	13.1	10.8	239.1	14	3393
	14 LST	12.5	16.7	22.3	24.7	28.2	28.0	30.1	30.5	29.2	27.2	18.7	13.3	281.4	14	3388
	20 LST	14.9	18.0	24.7	26.7	28.1	28.5	30.4	30.3	29.5	27.5	18.7	13.7	291.0	14	3392
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST	10.1	12.9	18.2	20.1	23.9	24.6	27.4	28.6	26.1	22.2	14.1	10.5	238.7	14	3412
	08 LST	7.4	9.8	11.9	18.2	22.1	22.1	25.5	26.9	21.2	14.1	9.9	8.4	197.3	14	3393
	14 LST	11.1	12.6	17.0	17.5	19.9	19.2	23.0	26.2	24.5	21.9	14.4	10.5	217.8	14	3388
	20 LST	12.4	14.5	19.1	21.1	20.9	23.0	25.7	27.2	26.1	23.6	15.4	10.6	239.6	14	3392
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST	10.1	12.8	17.5	19.9	22.9	24.1	27.2	28.6	25.7	21.8	14.1	10.3	235.0	14	3412
	08 LST	7.2	9.4	11.8	18.1	21.8	21.7	25.0	26.6	20.9	14.0	9.5	8.3	194.3	14	3393
	14 LST	11.0	12.6	16.9	17.4	19.9	19.2	23.0	25.9	24.5	21.7	14.4	10.5	217.0	14	3388
	20 LST	12.2	14.1	17.9	20.8	20.7	23.0	25.4	27.2	25.7	23.0	15.2	10.3	235.5	14	3392

ROUSSE, BULGARIA

STA NO. 15535 (IN AREA NUMBER 01)

LATITUDE 4352N

LONGITUDE 02558E

ELEVATION(FT) 00151

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. DBS
ABS MAX TMP (F)	63	72	82	86	93	100	102	104	99	90	82	73	104	15	4213
MEAN MAX TMP (F)	34	40	51	64	74	81	86	86	79	67	51	40	63	15	4213
MEAN MIN TMP (F)	25	27	35	46	55	61	65	64	57	49	40	31	46	15	4146
ABS MIN TMP (F)	-4	-11	9	32	41	45	52	54	36	32	16	-2	-11	15	4146
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	1.1	5.1	10.5	11.0	3.6	0.2	0.0	0.0	31.5	15	4213
MEAN NO DYS TMP = OR LES 32(F)	25.9	19.1	11.8	0.2	0.0	0.0	0.0	0.0	0.0	0.1	6.1	16.5	79.7	15	4146
MEAN NO DYS TMP = OR LES 0(F)	0.3	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.8	15	4146
MEAN DEW PT TMP (F)	25	29	34	43	52	58	61	60	53	48	41	31	45	15	23679
MEAN REL HUM (PCT)	87	82	73	66	68	68	64	63	65	74	83	87	73	15	23649
MEAN PRESS ALT (FT)	-29	-25	26	130	126	108	141	128	23	-34	-13	24	50	15	23616
MEAN PRECIP (IN)	2.47	1.43	1.66	2.23	2.93	3.66	2.60	1.80	1.39	0.99	1.74	2.09	25.0	15	3397
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0	0.0				15	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	6.8	4.4	4.2	5.1	6.6	6.6	4.9	3.4	2.9	2.7	4.8	5.8	58.2	15	3397
MEAN NO DYS SNFL = OR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0	0.0				15	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	8.7	5.6	2.8	0.6	0.2	0.0	0.2	0.0	0.1	2.9	5.9	9.0	36.0	15	3487
MEAN NO DYS TSTMS	0.0	0.1	0.2	1.1	4.6	6.6	6.1	5.3	1.1	0.4	0.2	0.0	25.7	15	3501
P FREQ WND SPD = OR GTR 17 KTS	15.2	14.4	14.6	16.1	11.9	10.0	7.5	5.3	5.3	6.4	8.4	12.5	11.0	15	23671
P FREQ WND SPD = OR GTR 28 KTS	6.0	5.6	3.6	5.4	3.3	2.1	1.6	2.2	1.0	1.3	2.0	3.6	3.1	15	23671
P FREQ LES 5000 FT A/D LES 5 MI	67.3	54.7	43.5	33.8	30.4	22.5	14.9	13.8	17.9	32.0	57.0	69.3	38.1	15	24272
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	30.8	24.1	9.4	3.5	1.3	0.4	0.8	0.7	1.2	4.9	19.2	28.0	10.4	15	4479
03-05 LST	30.4	22.8	7.1	4.2	1.0	1.1	0.6	2.0	1.9	7.1	20.7	30.5	10.8	9	2859
06-08 LST	41.3	37.5	24.3	4.8	1.7	1.0	0.7	1.1	2.9	20.6	35.4	38.9	17.5	15	4274
09-11 LST	39.7	25.5	15.2	2.7	0.4	0.5	0.4	0.2	1.5	10.1	33.0	40.9	14.2	9	2745
12-14 LST	30.3	17.7	6.8	1.1	1.6	0.9	0.9	0.6	1.5	3.0	17.0	29.3	9.2	15	4071
15-17 LST	30.4	16.5	7.0	1.7	0.9	1.1	0.6	0.0	0.2	1.1	22.6	34.8	9.7	9	2797
18-20 LST	33.5	16.5	8.0	2.8	1.6	1.0	0.4	0.1	1.2	4.8	19.2	31.0	10.0	15	4348
21-23 LST	30.4	18.8	5.8	3.3	0.6	1.1	0.8	0.7	0.7	4.2	18.9	32.8	9.8	9	2834
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	15.8	14.0	3.0	0.8	0.0	0.0	0.3	0.5	0.3	2.3	6.8	16.7	5.0	15	4479
03-05 LST	15.9	14.3	2.4	2.2	0.4	0.0	0.0	0.0	0.5	4.4	9.0	17.6	5.6	9	2859
06-08 LST	23.7	21.4	12.8	1.4	0.3	0.0	0.0	0.3	1.2	11.9	19.7	24.1	9.7	15	4274
09-11 LST	25.1	13.0	4.7	1.4	0.0	0.0	0.0	0.0	0.0	5.3	11.8	19.7	6.8	9	2745
12-14 LST	14.1	8.4	2.2	0.3	0.3	0.6	0.6	0.0	0.3	0.3	5.2	12.5	3.7	15	4071
15-17 LST	14.7	7.3	1.2	0.4	0.0	0.0	0.4	0.0	0.0	0.0	8.2	13.6	3.8	9	2797
18-20 LST	18.2	6.7	2.7	0.8	0.3	0.0	0.0	0.0	0.6	0.5	6.7	17.3	4.5	15	4348
21-23 LST	15.6	9.1	0.0	1.7	0.0	0.0	0.0	0.4	0.0	1.3	7.2	17.1	4.4	9	2834

ROUSSE, BULGARIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO.
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST	22.3	21.3	28.6	29.1	30.8	30.0	30.8	30.8	29.8	29.7	25.2	22.8	331.2	15	4479
	08 LST	18.6	17.9	24.0	28.8	30.8	29.9	30.9	30.7	29.3	25.0	20.1	19.5	305.5	15	4274
	14 LST	22.1	23.3	29.1	29.7	30.5	29.8	30.7	30.8	29.7	30.4	25.9	22.5	334.5	15	4071
	20 LST	21.4	23.6	28.9	29.3	30.6	29.7	31.0	31.0	29.7	29.8	25.2	22.0	332.2	15	4348
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST	14.3	14.3	19.4	19.4	22.9	23.0	23.6	23.6	24.7	24.9	17.2	15.7	243.0	15	4477
	08 LST	11.1	10.5	13.9	18.5	21.6	21.1	23.3	23.3	24.1	20.0	12.1	11.1	210.6	15	4273
	14 LST	11.9	12.3	14.3	15.9	15.5	18.7	21.3	20.1	20.4	21.5	14.3	12.4	198.6	15	4066
	20 LST	13.7	15.9	18.9	19.4	21.0	22.7	24.0	24.1	24.6	23.8	16.3	14.5	238.9	15	4346
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST	2.5	3.5	3.3	2.6	2.8	1.9	2.2	2.5	1.0	1.7	1.8	2.1	27.9	15	4488
	08 LST	2.3	2.4	1.8	2.6	2.6	2.3	1.7	2.2	0.7	1.5	2.0	2.1	24.2	15	4295
	14 LST	4.0	4.5	5.6	5.0	4.2	3.5	2.7	3.4	1.5	2.5	3.4	3.2	43.5	15	4097
	20 LST	2.8	2.6	2.9	3.1	2.6	1.8	1.4	1.9	0.8	1.2	2.5	2.1	26.1	15	4368
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST	2.8	3.6	6.7	10.4	8.1	9.4	8.1	7.0	6.6	6.0	7.0	4.1	79.8	15	4487
	08 LST	1.6	3.6	8.6	11.5	12.7	11.8	12.5	9.5	9.4	6.5	8.7	5.2	101.6	15	4292
	14 LST	5.4	7.3	13.9	13.8	17.0	13.6	11.3	11.8	14.9	14.8	12.4	7.4	143.6	15	4091
	20 LST	3.9	5.1	8.7	10.9	11.3	10.5	9.1	9.0	8.7	7.7	7.7	5.1	97.7	15	4363
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST	8.3	10.0	11.9	14.4	17.3	20.2	24.3	24.5	22.7	19.5	10.2	8.9	192.2	15	4487
	08 LST	4.3	4.3	5.8	9.6	11.5	15.0	19.4	19.8	17.0	10.2	4.1	3.6	124.6	15	4285
	14 LST	6.6	6.2	6.6	6.3	5.9	9.0	14.7	17.5	14.4	12.9	6.0	5.8	111.9	15	4092
	20 LST	8.9	11.5	13.9	10.1	9.2	10.8	16.1	18.4	20.7	18.4	10.2	8.4	158.6	15	4362
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST	17.3	18.5	24.6	26.0	28.2	28.1	29.6	29.7	28.3	27.3	20.4	18.5	296.5	15	4479
	08 LST	15.2	15.1	20.3	25.5	27.6	27.8	29.9	29.5	27.7	22.6	16.4	15.6	273.2	15	4274
	14 LST	18.8	20.4	25.8	27.0	27.7	27.9	29.6	29.8	28.0	28.1	21.2	18.7	303.0	15	4071
	20 LST	17.1	20.6	25.6	26.3	27.8	27.8	29.2	29.8	28.2	27.5	20.4	17.8	298.1	15	4348
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST	11.4	13.6	18.2	19.9	23.1	24.2	26.9	27.3	25.8	22.9	14.9	11.4	239.6	15	4479
	08 LST	9.5	11.1	14.5	19.8	22.2	24.0	27.7	26.7	24.6	18.0	11.2	9.4	218.7	15	4274
	14 LST	14.1	15.2	18.5	18.8	19.6	21.9	25.6	25.8	24.1	23.9	14.8	12.9	233.2	15	4071
	20 LST	11.5	15.7	20.0	20.0	22.0	23.8	26.2	27.4	25.0	23.3	13.8	11.4	240.1	15	4348
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST	11.4	13.6	18.2	19.9	23.1	24.2	26.9	27.3	25.8	22.9	14.9	11.4	239.6	15	4479
	08 LST	9.5	11.1	14.5	19.8	22.2	24.0	27.7	26.6	24.6	18.0	11.2	9.4	218.6	15	4274
	14 LST	14.0	15.2	18.5	18.7	19.5	21.9	25.6	25.8	24.0	23.9	14.8	12.9	234.8	15	4071
	20 LST	11.5	15.7	20.0	20.0	22.0	23.8	26.1	27.4	24.8	23.3	13.8	11.4	239.8	15	4348

VARNA, BULGARIA

STA NO. 15552 (IN AREA NUMBER 01)

LATITUDE 4312N

LONGITUDE 02759E

ELEVATION(FT) 00135

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	64	70	75	81	88	93	93	93	90	86	77	70	93	16	4337
MEAN MAX TMP (F)	41	44	47	56	67	75	80	81	74	65	55	46	61	16	4337
MEAN MIN TMP (F)	29	31	36	43	53	60	63	64	58	50	44	35	47	16	4217
ABS MIN TMP (F)	5	-2	16	27	34	45	50	50	34	34	16	9	-2	16	4217
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.6	1.0	1.5	0.1	0.0	0.0	0.0	3.2	16	4337
MEAN NO DYS TMP = DR LES 32(F)	19.7	15.2	9.9	1.0	0.0	0.0	0.0	0.0	0.0	0.0	4.0	12.1	61.9	16	4217
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	16	4217
MEAN DEW PT TMP (F)	28	30	35	43	52	58	61	61	55	49	44	35	46	16	23665
MEAN REL HUM (PCT)	79	78	79	79	78	74	71	70	72	76	80	81	76	16	23620
MEAN PRESS ALT (F)	-54	-11	18	80	86	72	107	87	-8	-72	-45	20	23	16	23624
MEAN PRECIP (IN)	1.36	1.50	1.29	1.78	2.25	1.67	1.28	0.69	1.03	0.99	1.90	2.25	18.0	16	3378
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0	0.0				16	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	4.2	4.6	3.9	4.0	5.9	4.2	2.6	1.5	2.6	2.0	4.6	6.1	46.2	16	3378
MEAN NO DYS SNFL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0	0.0				16	-29
MEAN NO DYS W/OCUR VSPY LES 1/2 MI	2.7	3.0	2.8	1.7	1.9	0.0	0.1	0.2	0.5	0.4	1.1	3.2	17.6	16	3690
MEAN NO DYS TSTMS	0.0	0.2	0.7	1.7	2.7	3.7	4.0	2.3	1.0	0.6	0.4	0.1	17.4	16	3699
P FREQ WND SPD = DR GTR 17 KTS	20.4	18.5	15.1	10.0	9.7	5.8	6.6	7.1	9.9	10.8	13.6	16.3	12.0	16	23651
P FREQ WND SPD = DR GTR 28 KTS	7.7	5.6	3.6	2.1	1.5	0.7	0.6	1.3	1.4	2.1	2.9	5.6	2.9	16	23651
P FREQ LES 5000 FT A/D LES 5 MI	53.9	48.7	51.2	47.0	33.4	22.8	16.9	15.7	22.6	34.6	48.6	53.1	37.4	16	24345
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	11.7	14.2	13.9	12.5	10.5	3.8	1.7	2.5	3.6	5.2	8.9	16.6	8.8	16	4638
03-05 LST	10.1	13.3	13.5	14.3	9.5	5.6	2.0	3.3	3.4	5.4	8.9	12.7	8.5	9	2696
06-08 LST	20.3	20.8	22.0	16.8	10.7	4.1	2.2	2.3	6.2	12.8	16.8	24.1	13.3	16	4427
09-11 LST	21.7	17.7	16.0	13.7	8.0	2.2	1.5	0.7	0.4	7.2	13.1	23.4	10.5	9	2601
12-14 LST	15.1	14.3	15.1	10.9	6.7	1.7	0.8	0.9	1.4	5.3	8.6	18.8	8.3	16	4646
15-17 LST	14.0	11.9	15.8	12.8	4.4	2.3	1.2	1.1	0.8	4.6	13.9	20.0	8.6	9	2618
18-20 LST	15.8	13.9	13.8	11.6	10.5	1.3	1.0	1.3	1.4	4.0	8.9	18.3	8.5	16	4576
21-23 LST	9.8	14.3	12.0	11.1	7.2	1.5	1.4	1.8	2.4	4.1	7.4	15.2	7.4	9	2669
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	2.4	6.7	4.2	3.3	3.1	0.8	0.0	0.7	0.7	0.7	1.3	6.3	2.5	16	4638
03-05 LST	3.3	5.6	4.7	3.3	1.6	0.9	0.9	0.4	0.8	0.4	1.3	4.1	2.3	9	2696
06-08 LST	5.5	5.6	6.6	5.5	3.0	0.3	0.5	0.3	2.0	4.6	3.6	5.4	3.6	16	4427
09-11 LST	7.1	3.6	3.7	3.0	0.5	0.5	0.5	0.0	0.0	0.4	2.5	4.2	2.2	9	2601
12-14 LST	4.5	4.8	3.5	2.7	1.8	0.3	0.3	0.0	0.5	0.5	1.6	4.7	2.1	16	4646
15-17 LST	3.0	2.6	2.9	2.4	0.5	0.0	0.0	0.4	0.8	0.0	1.3	3.4	1.4	9	2618
18-20 LST	5.0	3.7	3.7	2.7	4.0	0.3	0.3	0.0	0.3	0.5	1.3	7.4	2.4	16	4576
21-23 LST	3.7	4.5	1.3	3.3	0.9	0.0	0.0	0.4	0.8	0.0	2.2	5.8	1.9	9	2669

VARNA, BULGARIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	N <sub>D</sub> Q85
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST	28.6	25.2	28.3	28.2	28.7	29.4	30.8	30.4	29.2	30.5	28.7	27.4	345.4	16	4638
	08 LST	26.2	23.7	26.0	26.4	28.7	29.6	30.7	30.7	28.6	28.1	26.9	25.6	331.2	16	4427
	14 LST	27.9	25.1	28.0	28.4	29.7	29.8	30.8	30.8	29.7	29.9	28.6	27.0	345.7	16	4646
	20 LST	27.2	25.4	28.5	28.2	28.6	29.8	30.8	30.8	29.8	30.7	28.7	26.7	345.2	16	4576
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST	16.1	14.0	15.7	18.6	18.4	21.4	22.0	23.2	20.0	18.5	15.4	14.6	217.9	16	4633
	08 LST	14.9	12.0	13.6	16.9	18.7	19.2	22.1	20.8	18.1	17.2	13.6	14.7	201.8	16	4423
	14 LST	12.6	11.2	11.6	13.0	16.1	18.2	17.7	14.6	14.6	16.0	13.7	12.9	172.2	16	4642
	20 LST	15.8	14.8	17.4	19.0	22.7	24.9	26.2	24.9	20.3	20.7	17.1	16.8	240.6	16	4574
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST	4.4	3.6	3.9	1.8	3.3	1.5	3.0	2.2	3.0	3.6	4.1	4.2	38.6	16	4642
	08 LST	3.2	3.8	3.3	1.7	3.1	2.4	2.4	2.3	3.0	1.6	3.6	2.9	33.3	16	4445
	14 LST	5.9	5.9	4.9	3.4	3.2	2.4	2.5	2.9	3.2	2.7	3.3	3.8	44.1	16	4664
	20 LST	4.2	2.6	3.8	1.6	1.2	0.7	0.6	0.8	1.6	1.9	2.8	3.1	24.9	16	4590
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST	5.8	4.4	7.0	10.0	11.3	11.3	11.0	12.8	12.1	11.9	10.3	7.3	115.2	16	4634
	08 LST	4.8	6.6	8.4	11.0	13.0	12.4	14.8	14.1	13.5	12.8	10.1	9.2	130.7	16	4437
	14 LST	8.5	8.9	12.4	13.9	15.1	15.3	17.9	17.7	17.0	16.9	13.5	13.3	170.4	16	4655
	20 LST	6.5	6.6	9.1	12.8	12.0	11.1	12.9	13.8	12.7	11.2	10.2	9.1	128.0	16	4585
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST	10.7	9.4	11.3	12.0	15.5	19.7	24.6	24.7	21.1	16.8	12.1	8.8	186.7	16	4637
	08 LST	5.5	5.1	5.8	8.1	10.5	14.2	20.9	21.4	15.5	9.8	5.2	4.9	126.9	16	4437
	14 LST	8.1	5.1	5.0	6.5	6.1	10.3	16.2	17.0	14.0	11.0	5.2	6.4	110.9	16	4662
	20 LST	10.8	9.4	10.8	9.2	9.0	12.6	19.8	20.4	19.6	16.0	9.7	10.2	157.5	16	4589
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST	22.0	20.2	21.7	21.6	24.5	26.8	29.2	29.2	26.9	25.6	22.1	20.8	290.6	16	4638
	08 LST	19.8	18.2	19.7	21.3	23.1	26.7	28.8	29.0	26.2	23.6	20.1	18.9	277.4	16	4427
	14 LST	22.3	20.6	21.8	22.3	25.4	27.0	29.3	29.3	27.9	26.2	22.2	21.0	295.3	16	4646
	20 LST	21.7	20.2	22.2	21.8	24.8	27.8	29.6	29.5	27.7	26.0	21.7	20.6	293.6	16	4576
CIG = GTR 8000 FT AND VSBY = GTR 3 MI	02 LST	14.6	15.1	15.7	16.5	19.7	23.5	26.9	27.3	23.7	20.8	15.5	14.7	234.0	16	4638
	08 LST	12.8	13.8	14.7	16.6	21.8	24.1	26.6	26.9	23.1	19.1	14.2	14.1	227.8	16	4427
	14 LST	18.1	16.1	16.6	15.4	18.4	21.2	24.2	24.7	23.5	21.1	15.5	16.8	231.6	16	4646
	20 LST	15.3	15.3	16.0	16.0	20.7	24.9	26.9	27.0	25.0	21.2	14.5	15.1	237.9	16	4576
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST	14.6	15.1	15.7	16.4	19.7	23.5	26.9	27.3	23.7	20.8	15.5	14.7	233.9	16	4638
	08 LST	12.8	13.7	14.7	16.6	21.8	24.0	26.6	26.9	23.1	19.1	14.2	14.1	227.6	16	4427
	14 LST	18.0	16.1	16.5	15.4	18.4	21.2	24.2	24.6	23.5	21.1	15.5	16.8	231.3	16	4646
	20 LST	15.3	15.2	16.0	16.0	20.5	24.9	26.8	27.0	25.0	21.2	14.5	15.1	237.5	16	4576

PLOVDIV, BULGARIA

STA NO. 15625 (IN AREA NUMBER 01)

LATITUDE 4208N

LONGITUDE 02448E

ELEVATION(FT) 00525

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	67	73	82	87	96	101	106	103	98	95	81	72	106	30	-528
MEAN MAX TMP (F)	38	44	54	66	76	83	87	87	80	68	54	42	65	30	-28
MEAN MIN TMP (F)	25	28	34	43	52	58	62	60	54	45	38	29	44	30	-28
ABS MIN TMP (F)	-25	-20	1	25	31	43	47	42	34	22	16	-2	-25	30	-28
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0		6.1	17.7	12.7			0.0	0.0		30	-29
MEAN NO DYS TMP = DR LES 32(F)	24.2	16.4	9.4	0.4	0.0	0.0	0.0	0.0	0.0	4.3	8.4	17.9	81.0	3	1091
MEAN NO DYS TMP = DR LES 0(F)	0.9	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	1.4	3	1091
MEAN DEW PT TMP (F)	24	26	33	42	52	59	59	57	54	46	39	29	43	21	-29
MEAN REL HUM (PCT)	76	71	68	67	68	69	62	60	67	71	79	79	70	3	8425
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	1.60	1.30	1.40	1.50	2.30	2.30	1.80	1.40	1.70	1.50	1.80	1.50	20.1	24	-28
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0					30	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	5.2	4.2	4.5	4.7	6.5	5.8	4.6	3.5	4.9	4.5	5.1	4.8	58.3	24	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0						30	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	9.4	4.9	2.3	0.4	0.0	0.3	0.0	0.0	0.0	2.3	6.2	10.6	36.4	3	1108
MEAN NO DYS TSTMS	0.0	0.0	0.4	0.4	1.2	2.7	1.4	1.1	0.4	0.2	0.1	0.0	7.9	3	1109
P FREQ WND SPD = DR GTR 17 KTS	13.3	11.9	5.9	4.9	2.6	4.1	2.6	3.1	1.6	1.7	2.5	7.4	5.1	3	8413
P FREQ WND SPD = DR GTR 28 KTS	2.0	2.1	0.8	1.4	0.3	0.3	0.1	0.1	0.0	0.3	0.3	0.4	0.7	3	8413
P FREQ LES 5000 FT A/D LES 5 MI	69.7	57.6	56.4	40.8	31.3	27.7	18.9	20.1	26.6	49.0	75.4	75.1	45.9	3	8379
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	45.2	39.5	15.7	7.1	6.6	2.9	0.8	0.9	0.9	15.3	41.2	57.6	19.5	3	1253
03-05 LST	45.2	35.5	17.3	19.0	11.3	8.5	3.1	6.6	4.8	19.3	48.9	57.6	23.1	3	1044
06-08 LST	57.2	54.4	56.8	26.4	8.8	6.8	2.3	7.1	5.1	39.8	68.9	61.5	32.9	3	1104
09-11 LST	60.6	50.8	33.3	11.0	7.2	1.9	0.0	0.0	0.0	25.6	60.8	59.8	25.9	3	929
12-14 LST	47.9	23.3	13.6	4.6	2.5	1.7	0.0	1.1	0.0	7.1	37.8	52.6	16.0	3	1062
15-17 LST	38.9	14.8	9.9	4.9	1.3	0.0	1.1	1.2	0.6	3.1	38.1	54.7	14.1	3	970
18-20 LST	44.0	26.0	11.4	10.4	2.8	3.0	0.0	2.6	1.6	11.0	38.4	53.5	17.1	3	1105
21-23 LST	44.9	25.0	15.6	6.9	1.4	2.0	1.1	0.0	0.0	14.5	41.2	52.1	17.1	3	912
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	25.0	13.7	1.2	0.0	1.1	0.0	0.8	0.0	0.0	6.3	19.4	34.4	8.5	3	1253
03-05 LST	29.8	15.8	1.7	2.8	0.0	2.6	0.0	0.0	0.0	8.3	20.2	28.6	9.1	3	1044
06-08 LST	46.4	35.3	27.5	5.7	1.2	1.1	0.0	0.0	0.0	22.8	50.0	50.4	20.0	3	1104
09-11 LST	43.1	27.7	9.9	6.0	1.3	0.0	0.0	0.0	0.0	7.0	36.7	42.1	14.2	3	929
12-14 LST	26.4	8.2	2.6	1.3	0.0	0.0	0.0	0.0	0.0	4.1	11.6	27.4	6.8	3	1062
15-17 LST	23.6	4.2	3.7	2.8	0.0	0.0	1.1	1.2	0.0	1.0	15.5	29.4	6.9	3	970
18-20 LST	9.6	4.0	1.3	2.6	0.0	0.0	0.0	1.1	0.0	4.6	15.2	26.3	5.4	3	1105
21-23 LST	30.8	13.7	1.2	0.0	0.0	0.0	0.0	0.0	0.0	4.8	23.7	29.2	8.6	3	912

PLOVDIV, BULGARIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR	NO.
															(YRS)	OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST	17.3	17.1	26.7	28.5	29.0	29.1	30.8	30.7	29.7	26.3	18.6	13.4	297.2	3	1253
	08 LST	13.5	12.8	13.6	22.3	28.5	28.4	30.4	28.8	28.5	18.7	9.9	12.2	247.6	3	1104
	14 LST	16.4	21.9	27.0	29.2	30.2	29.7	31.0	30.7	30.0	29.1	18.9	14.8	308.9	3	1062
	20 LST	17.6	20.9	27.9	26.9	30.3	29.3	31.0	30.3	29.7	27.6	19.1	14.7	305.3	3	1105
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	02 LST	13.3	12.5	23.1	26.9	27.3	27.7	29.1	26.7	27.9	25.1	16.9	9.7	266.2	3	1249
	08 LST	8.5	6.6	10.5	19.7	25.2	23.1	26.7	24.4	27.0	17.2	7.6	6.9	203.4	3	1104
	14 LST	9.9	14.6	19.7	24.0	27.1	24.5	27.9	26.0	27.7	27.2	16.4	10.2	255.2	3	1061
	20 LST	10.8	14.9	23.2	24.2	28.2	27.9	29.6	27.4	29.0	26.2	17.3	10.3	269.0	3	1104
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST	2.2	2.1	0.4	0.3	0.0	0.6	1.0	1.1	0.8	0.0	0.6	1.7	10.8	3	1257
	08 LST	2.2	2.0	0.4	0.4	0.7	1.6	1.1	0.9	0.3	0.6	0.0	2.1	12.3	3	1110
	14 LST	4.3	4.2	2.8	3.6	2.0	2.4	1.1	1.7	0.7	1.3	1.3	2.4	27.8	3	1065
	20 LST	4.1	4.4	1.2	1.2	0.7	0.7	0.0	0.7	0.0	0.3	0.3	1.4	15.0	3	1108
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST	5.0	3.8	9.4	9.7	11.1	10.3	12.5	11.1	5.5	6.4	6.4	3.5	96.7	3	1257
	08 LST	1.8	5.7	4.3	7.7	8.9	10.1	13.1	15.0	9.5	6.0	3.7	2.9	88.7	3	1110
	14 LST	3.4	8.1	6.8	10.7	16.5	7.9	11.9	11.3	12.9	13.0	7.3	7.0	116.8	3	1065
	20 LST	3.7	5.2	11.6	14.4	15.0	11.8	12.9	11.7	8.5	7.4	7.1	3.8	113.1	3	1108
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST	8.4	9.6	10.8	13.6	17.2	17.5	23.3	23.9	21.4	17.0	8.5	7.1	178.3	3	1260
	08 LST	4.9	4.1	3.1	3.9	15.3	14.5	21.6	19.1	17.4	8.6	2.0	4.2	118.7	3	1111
	14 LST	5.6	6.9	8.5	4.7	8.2	11.4	17.1	21.9	19.3	16.8	7.6	6.7	134.7	3	1064
	20 LST	7.5	11.8	8.9	5.1	7.7	8.2	17.3	13.4	18.3	18.4	8.4	7.6	132.6	3	1107
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST	18.1	16.4	24.2	26.8	28.8	28.4	30.5	30.7	29.1	26.0	15.8	12.5	285.3	3	1253
	08 LST	12.4	12.2	12.8	21.0	27.6	27.2	30.0	28.8	28.0	17.9	8.5	10.7	237.1	3	1104
	14 LST	15.5	20.3	25.2	27.0	29.2	28.3	31.0	30.7	30.0	28.1	17.4	14.3	297.0	3	1062
	20 LST	15.9	19.8	25.9	26.3	29.6	28.6	30.7	30.0	29.2	27.3	17.3	13.6	294.2	3	1105
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST	12.6	12.1	16.6	22.7	25.2	22.8	26.9	27.6	25.0	21.5	11.7	9.2	233.2	3	1253
	08 LST	9.0	9.5	8.9	15.9	22.7	23.7	26.9	26.0	25.1	12.9	5.7	6.9	193.2	3	1104
	14 LST	12.9	16.5	16.1	20.9	23.2	22.1	26.7	28.0	29.0	25.0	12.6	12.6	245.6	3	1062
	20 LST	12.7	16.4	18.8	19.1	20.9	21.1	23.9	22.2	24.1	23.6	12.4	10.9	226.1	3	1105
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST	12.6	12.1	16.6	22.1	25.2	22.8	26.6	27.3	25.0	21.0	11.7	9.2	232.2	3	1253
	08 LST	9.0	9.5	8.9	15.9	22.4	23.4	26.9	26.0	25.1	12.6	5.7	6.9	192.3	3	1104
	14 LST	12.9	16.5	16.1	20.9	23.2	22.1	26.7	28.0	29.0	25.0	12.6	11.8	244.8	3	1062
	20 LST	12.7	16.4	18.8	19.1	20.9	21.1	23.9	22.2	24.1	23.3	12.4	10.9	225.8	3	1105

CHIRPAN/TCHIRPAN, BULGARIA

STA NO. 15635 (IN AREA NUMBER 01)

LATITUDE 4212N

LONGITUDE 02520E

ELEVATION(FT) 00586

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	55	68	79	81	90	93	95	99	93	82	72	63	99	7	424
MEAN MAX TMP (F)	35	39	51	63	73	80	86	87	82	67	51	42	63	7	424
MEAN MIN TMP (F)	20	22	31	40	50	59	60	60	54	46	36	26	42	7	372
ABS MIN TMP (F)	-9	-17	19	28	41	50	54	52	39	28	14	-4	-17	7	372
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	1.3	3.9	10.8	14.9	4.0	0.0	0.0	0.0	34.9	7	424
MEAN NO DYS TMP = DR LES 32(F)	28.0	24.6	17.7	4.4	0.0	0.0	0.0	0.0	0.0	1.3	12.0	23.8	111.8	7	372
MEAN NO DYS TMP = DR LES 0(F)	3.0	2.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	7.1	7	372
MEAN DEW PT TMP (F)	23	20	29	40	53	54	60	54	51	47	30	32	41	7	456
MEAN REL HUM (PCT)	88	85	69	68	67	58	62	55	64	77	77	85	71	7	444
MEAN PRESS ALT (FT)	313	188	507	626	560	470	624	516	573	375	373	503	469	6	308
MEAN PRECIP (IN)	1.26	0.97	2.89	3.17	1.81	1.84	2.72	2.03	0.30	2.28	2.03	0.46	21.8	7	176
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0					7	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	4.4	4.3	13.8	6.7	5.2	4.3	6.9	3.9	0.0	3.6	2.9	1.5	97.5	7	176
MEAN NO DYS SNFL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0					7	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	3.4	4.0	0.0	2.5	0.0	0.0	0.0	0.0	0.0	2.8	0.0	7.3	20.0	7	116
MEAN NO DYS TSTMS	0.0	0.0	0.0	2.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	7	117
P FREQ WND SPD = DR GTR 17 KTS	0.0	3.6	4.2	6.8	0.0	0.0	0.0	4.2	0.0	0.0	8.3	8.3	3.0	7	460
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	6.8	0.0	0.0	0.0	0.0	0.0	0.0	1.7	0.0	0.7	7	460
P FREQ LES 3000 FT A/D LES 5 MI	73.8	50.6	33.9	31.3	28.6	23.5	19.4	0.0	18.0	27.1	39.1	56.9	33.5	7	718
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	20.6	12.9	1.4	1.3	0.0	0.0	0.0	0.0	0.0	3.8	5.8	15.8	5.1	7	946
03-05 LST														0	0
06-08 LST	43.2	27.2	7.1	5.4	0.0	0.0	0.0	4.0	2.1	9.3	9.7	31.5	11.6	7	572
09-11 LST														0	0
12-14 LST	29.0	18.7	3.7	0.0	0.0	1.0	1.1	0.0	1.5	2.4	8.9	17.1	7.0	7	1122
15-17 LST														0	0
18-20 LST	23.5	21.7	1.7	0.0	5.3	0.6	0.0	0.0	0.0	1.7	6.6	14.6	6.3	7	886
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	15.3	6.5	1.4	1.3	0.0	0.0	0.0	0.0	0.0	1.3	3.4	10.9	3.3	7	946
03-05 LST														0	0
06-08 LST	22.7	15.8	2.4	5.4	0.0	0.0	0.0	0.0	0.0	7.4	5.3	22.2	6.8	7	572
09-11 LST														0	0
12-14 LST	13.0	9.9	1.2	0.0	0.0	0.0	0.0	0.0	1.5	1.9	6.2	10.2	3.7	7	1122
15-17 LST														0	0
18-20 LST	16.7	14.5	0.0	0.0	4.0	0.0	0.0	0.0	0.0	1.1	4.4	7.6	4.0	7	886
21-23 LST														0	0

CHIRPAN/TCHIRPAN, BULGARIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST	24.8	24.4	30.6	29.6	31.0	30.0	31.0	31.0	30.0	29.8	28.6	26.3	347.1	7	946
	08 LST	17.6	20.6	28.8	28.4	31.0	30.0	31.0	29.8	29.4	28.1	27.4	21.2	323.3	7	572
	14 LST	22.0	22.8	29.9	30.0	31.0	29.7	30.7	31.0	29.6	30.4	27.6	25.8	340.5	7	1122
	20 LST	24.0	21.9	30.5	30.0	29.3	30.0	31.0	31.0	30.0	30.6	28.0	26.7	343.0	7	886
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST	19.9	21.2	23.6	22.4	24.1	26.5	24.7	24.7	24.3	25.8	21.4	22.9	281.5	7	939
	08 LST	16.9	17.2	24.4	21.4	24.8	25.3	25.1	23.6	23.6	25.8	21.1	20.3	269.5	7	569
	14 LST	18.0	16.0	21.8	21.7	22.1	22.5	23.5	23.2	20.3	26.9	21.6	21.2	258.8	7	1117
	20 LST	20.7	19.4	22.1	24.4	21.5	26.3	25.6	23.1	22.6	26.8	22.0	22.9	277.4	7	879
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST	0.7	1.3	1.3	2.8	0.8	0.4	0.3	0.0	1.8	0.0	0.7	1.0	11.1	7	948
	08 LST	0.0	0.9	0.7	3.2	0.0	0.0	0.0	0.0	0.6	0.6	0.5	1.2	7.7	7	578
	14 LST	0.6	2.1	1.4	2.6	0.7	0.9	1.0	1.1	1.3	0.6	1.1	1.1	14.5	7	1135
	20 LST	0.0	1.2	2.0	1.1	1.6	0.0	0.8	0.5	0.5	0.0	1.3	0.4	9.4	7	894
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST	2.6	3.1	7.4	5.7	7.9	7.8	9.0	9.8	10.2	4.8	3.8	3.3	75.7	7	937
	08 LST	1.4	1.0	5.8	8.0	11.4	12.6	13.0	13.9	12.8	8.0	4.7	3.0	95.6	7	572
	14 LST	5.5	8.5	13.0	15.5	18.3	14.0	12.3	13.7	16.9	16.4	11.0	8.1	153.2	7	1123
	20 LST	3.1	2.1	9.8	11.6	10.3	12.2	10.3	13.1	10.6	8.9	3.0	3.2	98.2	7	888
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST	8.2	11.3	11.5	14.4	13.7	16.5	24.9	24.4	20.4	12.9	10.9	10.0	179.1	7	956
	08 LST	4.1	7.7	9.2	10.0	8.3	16.2	23.8	22.1	17.9	7.6	5.2	7.0	139.1	7	576
	14 LST	5.7	5.5	9.6	7.5	6.3	6.2	12.6	18.2	13.7	10.9	4.4	9.1	109.7	7	1135
	20 LST	11.4	13.2	8.6	10.5	7.6	6.7	19.0	20.1	21.2	13.7	9.6	14.7	156.3	7	894
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST	22.1	22.8	28.0	28.2	29.6	28.9	30.6	30.5	28.6	27.7	26.1	23.9	327.0	7	946
	08 LST	15.6	18.0	27.6	26.5	23.9	29.4	30.4	29.3	27.8	26.5	23.9	19.2	303.1	7	572
	14 LST	20.4	20.8	28.2	29.0	29.1	28.8	30.2	30.6	28.7	28.6	24.0	23.5	321.9	7	1122
	20 LST	21.4	19.8	27.1	28.4	28.2	29.0	30.8	30.8	29.8	28.6	25.8	24.9	324.6	7	886
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST	12.8	18.1	18.5	22.9	19.3	23.2	27.6	28.6	23.5	17.1	17.6	15.8	245.0	7	946
	08 LST	8.5	12.8	20.7	21.4	21.7	23.7	28.1	27.9	24.3	20.1	13.2	13.8	236.2	7	572
	14 LST	13.6	15.7	19.1	21.6	18.5	20.3	22.2	25.8	22.5	23.1	14.6	17.5	234.5	7	1122
	20 LST	15.0	16.6	17.9	19.8	19.8	20.4	26.0	27.6	26.4	21.5	16.5	18.1	245.6	7	886
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST	12.8	18.1	18.5	22.9	19.3	23.2	27.6	28.6	23.5	17.1	17.6	15.8	245.0	7	946
	08 LST	8.5	12.8	20.7	21.4	21.7	23.7	28.1	27.9	24.3	20.1	13.2	13.8	236.2	7	572
	14 LST	13.6	15.7	19.1	21.6	18.5	20.3	22.2	25.8	22.5	23.1	14.6	17.5	234.2	7	1122
	20 LST	15.0	16.6	17.9	19.8	19.4	20.4	26.0	27.6	26.4	21.5	16.5	18.1	245.2	7	886

SLIVEN, BULGARIA

STA NO. 15640 (IN AREA NUMBER 01)

LATITUDE 4241N

LONGITUDE 02016E

ELEVATION(FT) 00741

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	61	68	82	82	91	95	102	100	95	84	73	66	102	15	4086
MEAN MAX TMP (F)	40	43	51	62	71	79	84	84	77	67	54	45	63	15	4086
MEAN MIN TMP (F)	28	30	35	43	52	59	63	63	56	49	42	34	46	15	4050
ABS MIN TMP (F)	5	1	16	28	36	45	48	50	41	32	14	7	1	15	4056
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.1	2.2	7.2	8.5	1.1	0.0	0.0	0.0	19.1	15	4086
MEAN NO DYS TMP = DR LES 32(F)	22.1	15.6	11.8	1.3	0.0	0.0	0.0	0.0	0.0	0.3	4.7	13.6	69.4	15	4050
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	15	4036
MEAN DEW PT TMP (F)	26	28	33	40	48	54	56	54	49	46	42	33	42	15	20407
MEAN REL HUM (PCT)	77	74	69	66	66	63	57	55	60	69	79	79	68	15	20374
MEAN PRESS ALT (FT)	593	604	643	741	739	719	752	722	625	578	595	662	664	15	20193
MEAN PRECIP (IN)	1.74	1.77	1.33	2.38	2.85	2.38	2.01	1.16	1.19	2.42	2.61	2.50	24.3	15	3213
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0	0.0				15	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	4.1	4.8	3.7	6.0	6.8	5.9	4.4	2.5	2.3	4.1	6.5	5.5	56.6	15	3213
MEAN NO DYS SNFL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0	0.0				15	-29
MEAN NO DYS W/O CUR VSBY LES 1/2 MI	4.9	2.1	1.4	0.6	1.1	0.1	0.1	0.0	0.0	0.9	3.6	4.3	19.1	15	3124
MEAN NO DYS TSTMS	0.0	0.2	0.8	1.9	3.9	5.5	4.1	2.5	1.4	1.0	0.6	0.2	22.1	15	3126
P FREQ WND SPD = DR GTR 17 KTS	11.1	12.3	6.8	5.7	5.2	5.5	8.3	6.3	2.6	3.0	3.0	8.1	6.5	15	20424
P FREQ WND SPD = DR GTR 28 KTS	4.2	3.9	1.8	0.9	0.7	1.1	1.7	2.0	0.4	0.5	0.5	2.0	1.6	15	20424
P FREQ LES 5000 FT A/D LES 5 MI	57.4	53.2	46.5	38.5	38.0	27.6	16.4	13.3	15.7	32.2	50.1	53.3	36.9	15	21344
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	9.7	6.3	3.4	3.1	2.6	0.6	0.3	0.6	0.6	0.8	5.9	9.6	3.6	15	4178
03-05 LST	8.5	4.1	2.7	2.5	1.1	1.6	0.0	0.5	0.0	1.5	9.6	11.3	3.6	9	2600
06-08 LST	13.7	12.2	9.6	5.3	4.5	0.8	0.1	0.3	0.4	3.6	12.6	12.5	6.3	15	4163
09-11 LST	13.2	10.3	4.0	0.5	0.9	0.3	0.0	0.0	0.0	3.4	13.4	14.3	5.0	9	2396
12-14 LST	11.4	7.6	2.5	1.4	1.0	0.3	0.0	0.0	0.7	0.7	8.1	11.1	3.7	15	4007
15-17 LST	11.1	4.1	1.6	0.3	0.5	0.0	0.0	0.2	0.0	0.9	5.6	11.9	3.0	9	2446
18-20 LST	12.7	8.1	2.6	2.2	1.6	0.0	0.1	0.4	0.3	0.7	6.1	9.7	3.7	15	4185
21-23 LST	7.9	6.0	1.2	0.5	0.9	0.0	0.0	0.0	0.0	0.9	6.0	9.4	2.7	9	2334
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	6.1	4.2	1.2	1.2	1.1	0.0	0.3	0.3	0.0	0.6	3.8	5.8	2.1	15	4178
03-05 LST	6.0	2.5	1.3	1.5	0.4	0.5	0.0	0.5	0.0	0.8	8.5	8.8	2.6	9	2600
06-08 LST	10.0	8.2	5.6	2.3	1.9	0.6	0.0	0.0	0.3	2.9	7.5	10.3	4.1	15	4163
09-11 LST	10.2	7.4	1.4	0.0	0.5	0.0	0.0	0.0	0.0	1.9	7.2	9.5	3.2	9	2396
12-14 LST	6.4	3.6	0.3	0.9	0.0	0.3	0.0	0.0	0.7	0.0	2.7	7.5	1.9	15	4007
15-17 LST	6.1	1.5	0.5	0.0	0.5	0.0	0.0	0.0	0.0	0.0	2.9	6.4	1.5	9	2446
18-20 LST	9.0	3.2	0.6	0.3	0.3	0.0	0.0	0.0	0.0	0.3	2.9	6.1	1.9	15	4185
21-23 LST	4.3	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	5.0	5.5	1.4	9	2334

SLIVEN, BULGARIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST	28.1	26.5	30.1	29.2	30.3	29.8	30.9	30.8	29.8	30.7	28.3	28.3	352.8	15	4178
	08 LST	26.9	24.8	28.5	28.6	29.8	29.7	31.0	30.9	29.9	29.9	26.4	27.4	343.8	15	4163
	14 LST	27.8	26.1	30.3	29.6	30.7	29.9	31.0	31.0	29.8	30.8	28.0	27.9	352.9	15	4007
	20 LST	27.3	26.0	30.3	29.5	30.6	30.0	31.0	30.9	29.9	30.8	28.4	28.3	353.0	15	4185
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST	21.0	20.5	24.9	24.9	25.1	24.8	24.4	24.8	26.0	26.9	23.8	22.9	290.0	15	4171
	08 LST	20.5	18.6	23.1	24.3	25.0	24.5	25.1	24.9	26.0	25.9	21.9	21.4	281.2	15	4156
	14 LST	20.3	17.9	20.9	21.2	21.4	20.7	20.4	21.9	22.9	25.0	22.5	20.4	255.5	15	4000
	20 LST	20.8	19.8	23.7	24.8	25.1	24.5	23.2	23.5	25.0	26.7	24.0	23.3	284.4	15	4183
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST	3.0	2.8	1.7	0.9	1.6	2.0	2.4	2.4	1.2	1.0	0.7	2.0	21.7	15	4185
	08 LST	2.0	2.8	1.8	1.0	1.6	1.9	2.0	2.6	1.2	1.1	1.2	2.0	21.2	15	4173
	14 LST	2.4	3.0	2.6	2.0	1.6	1.4	2.2	2.1	0.8	1.1	0.6	1.9	21.7	15	4019
	20 LST	2.9	2.2	2.2	1.7	0.9	1.3	2.3	2.0	0.4	0.3	0.9	1.6	18.7	15	4204
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST	2.2	2.7	4.6	5.2	6.3	9.0	9.6	9.9	8.4	9.2	6.4	4.2	77.7	15	4175
	08 LST	2.9	2.0	4.6	5.3	7.2	7.7	8.1	7.2	7.7	6.1	4.8	4.4	68.0	15	4166
	14 LST	5.0	6.6	12.7	13.7	13.6	16.0	14.3	13.7	14.5	12.9	8.9	7.4	139.3	15	4014
	20 LST	2.8	5.4	7.8	9.0	8.1	9.5	11.4	12.2	11.0	8.6	6.6	4.6	97.0	15	4197
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST	10.2	10.1	12.9	12.0	15.6	19.0	25.0	24.6	22.1	17.9	10.4	9.5	189.3	15	4189
	08 LST	6.9	6.6	7.2	8.2	10.2	14.5	22.7	21.3	18.5	10.3	6.4	5.5	138.3	15	4174
	14 LST	6.7	4.7	5.8	4.4	4.6	7.1	13.4	15.2	14.2	12.1	5.0	5.8	99.0	15	4026
	20 LST	9.4	9.7	12.1	9.1	8.7	10.4	18.5	19.0	20.8	17.6	10.2	10.3	156.3	15	4197
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST	25.0	23.8	27.4	27.1	28.6	28.8	30.6	30.6	29.5	29.6	25.5	25.2	331.7	15	4178
	08 LST	23.8	22.3	25.0	26.4	28.2	29.0	30.5	30.7	29.5	28.5	23.8	24.1	321.8	15	4163
	14 LST	24.9	23.4	27.9	28.0	29.3	29.3	30.6	30.8	29.4	29.6	25.0	25.1	333.3	15	4007
	20 LST	24.6	23.1	27.9	27.3	29.1	29.2	30.5	30.5	29.4	29.4	25.4	25.0	331.4	15	4185
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST	13.3	13.2	16.6	17.5	19.5	22.8	26.8	27.4	25.2	21.7	13.9	13.4	231.3	15	4178
	08 LST	12.7	12.2	13.7	17.2	20.3	23.5	27.3	27.4	24.9	18.3	13.9	12.5	223.9	15	4163
	14 LST	15.1	12.8	16.1	15.9	15.8	16.5	23.3	24.3	23.0	20.7	13.5	15.5	212.5	15	4007
	20 LST	14.0	12.5	17.4	17.7	17.8	21.8	25.7	24.7	25.3	21.2	14.8	15.4	228.3	15	4185
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST	13.3	13.2	16.6	17.5	19.5	22.8	26.8	27.4	25.2	21.7	13.9	13.4	231.3	15	4178
	08 LST	12.7	12.2	13.7	17.2	20.2	23.4	27.3	27.4	24.9	18.3	13.9	12.5	223.7	15	4163
	14 LST	15.1	12.8	16.1	15.6	15.6	16.4	23.3	24.2	22.9	20.6	13.5	15.5	211.6	15	4007
	20 LST	14.0	12.5	17.4	17.7	17.6	21.8	25.7	24.7	25.3	21.2	14.8	15.4	228.1	15	4185

BOURGAS, BULGARIA

STA NO. 15655 (IN AREA NUMBER 01)

LATITUDE 4229N

LONGITUDE 02729E

ELEVATION(FT) 00092

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	64	73	77	81	91	95	97	97	95	82	73	75	97	12	3277
MEAN MAX TMP (F)	42	46	50	60	69	77	82	82	76	66	54	48	63	12	3277
MEAN MIN TMP (F)	31	33	36	45	54	60	64	64	58	50	43	37	48	12	3317
ABS MIN TMP (F)	0	5	21	30	39	46	52	52	41	34	16	14	0	12	3317
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.4	1.0	2.1	2.3	0.1	0.0	0.0	0.0	5.9	12	3277
MEAN NO DYS TMP = DR LES 32(F)	17.4	13.6	8.8	1.0	0.0	0.0	0.0	0.0	0.0	0.0	4.6	9.3	54.7	12	3317
MEAN NO DYS TMP = DR LES 0(F)	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	12	3317
MEAN DEW PT TMP (F)	30	32	36	44	53	60	64	63	57	51	44	37	48	12	16376
MEAN REL HUM (PCT)	80	79	78	77	79	78	75	73	75	79	83	84	78	12	16336
MEAN PRESS ALT (F)	-58	-74	-58	55	31	26	73	53	-46	-108	-112	-9	-18	12	16399
MEAN PRECIP (IN)	1.87	1.81	1.26	1.66	2.89	2.13	1.18	1.27	0.81	1.32	3.49	2.14	21.8	12	2610
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0	0.0				12	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	5.0	4.5	3.6	5.1	7.5	4.9	2.8	2.6	2.2	2.9	5.7	5.8	52.0	12	2610
MEAN NO DYS SNPL = DR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0	0.0				12	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	2.8	4.3	3.8	2.2	1.5	0.6	0.0	0.4	0.3	1.9	1.8	5.4	25.0	12	2660
MEAN NO DYS TSTMS	0.0	0.0	0.3	0.7	2.0	2.6	2.7	1.8	0.8	0.3	0.1	0.0	11.3	12	2670
P FREQ WND SPD = DR GTR 17 KTS	8.7	10.4	19.6	12.2	9.8	8.9	8.6	12.1	13.7	11.2	15.3	8.9	11.5	12	16429
P FREQ WND SPD = DR GTR 28 KTS	2.4	3.7	5.1	2.1	1.6	0.3	0.3	0.8	2.5	3.6	5.9	3.0	2.6	12	16429
P FREQ LES 5000 FT A/D LES 5 MI	51.0	44.7	46.1	40.2	28.8	18.6	10.4	10.7	18.6	28.4	51.4	55.9	33.7	12	16994
P FREQ LES 1500 FT A/D LES 3 MI															
FDR 00-02 LST	14.0	10.9	11.2	6.9	6.0	2.6	0.7	0.3	2.0	6.4	6.9	17.1	7.1	12	3466
03-05 LST	10.1	10.3	9.5	8.4	9.7	5.9	1.6	1.2	3.8	7.5	11.1	13.4	7.7	6	1779
06-08 LST	18.2	25.1	24.4	17.2	11.0	5.6	2.5	2.9	7.8	13.7	16.6	25.8	14.2	12	3388
09-11 LST	20.9	16.8	15.8	10.7	4.1	0.7	0.0	0.0	2.3	7.5	11.9	24.9	9.6	7	1700
12-14 LST	14.9	9.1	7.4	7.1	2.8	2.1	1.5	0.8	1.4	2.1	8.3	15.9	6.1	12	3393
15-17 LST	15.3	6.7	8.7	7.4	0.6	2.5	2.2	0.0	0.0	1.1	5.4	18.5	5.7	7	1737
18-20 LST	15.9	8.5	10.4	5.9	5.0	1.2	1.4	0.9	1.6	3.4	8.2	13.2	6.3	12	3379
21-23 LST	9.2	8.2	6.8	8.4	3.5	1.7	0.3	1.0	0.0	1.9	5.8	13.9	5.1	7	1752
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	7.8	6.0	6.0	3.5	2.0	0.7	0.0	0.3	0.4	2.5	1.7	9.2	3.3	12	3466
03-05 LST	7.1	7.5	6.3	3.5	3.6	2.0	0.0	0.6	0.8	6.4	6.1	7.6	4.3	6	1779
06-08 LST	9.4	12.5	10.1	8.6	3.7	0.7	0.7	1.0	1.5	8.5	6.8	10.3	6.2	12	3388
09-11 LST	11.0	6.8	5.2	5.3	0.0	0.0	0.0	0.0	0.8	3.6	4.1	9.1	3.8	7	1700
12-14 LST	4.1	4.3	1.7	2.5	0.4	0.0	0.0	0.7	0.0	0.0	2.6	4.4	1.7	12	3393
15-17 LST	4.0	3.7	1.3	3.5	0.6	0.0	0.0	0.0	0.0	0.0	1.5	7.9	1.9	7	1737
18-20 LST	6.5	3.8	3.0	3.1	1.4	0.0	0.0	0.0	0.4	1.4	1.5	4.8	2.2	12	3379
21-23 LST	7.2	5.7	4.1	1.3	0.0	0.6	0.0	0.0	0.0	0.7	3.1	7.5	2.5	7	1752

BOURGAS, BULGARIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST	26.8	25.3	28.4	28.2	29.6	29.5	30.8	30.9	29.5	29.4	28.5	26.1	343.0	12	3466
	08 LST	25.9	21.4	24.3	25.5	28.4	28.6	30.2	30.2	27.8	26.9	25.7	23.8	316.7	12	3388
	14 LST	27.0	25.8	29.5	28.2	30.4	29.6	30.6	30.8	29.6	30.7	28.1	26.7	347.0	12	3393
	20 LST	26.8	26.0	28.3	28.7	29.7	29.9	30.7	30.8	29.6	30.1	28.5	27.2	346.3	12	3379
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST	19.9	18.9	16.8	22.2	24.4	26.0	28.0	26.9	23.1	22.0	18.1	18.1	264.4	12	3463
	08 LST	17.6	15.3	14.4	19.2	21.9	25.0	27.0	25.5	20.7	20.1	17.3	17.9	241.9	12	3383
	14 LST	15.7	15.4	10.7	11.1	12.6	10.0	10.7	8.9	8.4	15.9	16.7	16.1	152.2	12	3390
	20 LST	16.9	17.7	12.8	13.8	17.8	19.7	20.1	16.9	15.8	20.4	17.0	18.9	207.8	12	3374
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST	2.2	2.3	4.9	1.7	1.4	0.3	0.5	1.0	2.1	2.7	4.1	2.7	25.9	12	3479
	08 LST	1.5	2.7	3.5	1.4	1.4	0.9	0.7	1.5	2.3	2.9	2.6	2.1	23.5	12	3402
	14 LST	4.9	4.3	7.7	6.0	5.6	6.6	6.6	9.8	7.7	4.4	4.6	3.0	71.2	12	3418
	20 LST	2.6	2.6	6.0	4.2	3.5	1.6	2.4	3.9	4.3	3.6	4.3	1.7	40.7	12	3388
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST	7.3	7.6	8.5	13.4	11.9	12.7	15.0	16.1	13.9	12.2	8.6	9.6	136.8	12	3473
	08 LST	6.5	6.5	9.4	12.9	14.1	14.0	13.1	15.6	14.9	14.1	10.0	11.6	142.7	12	3397
	14 LST	10.1	9.2	9.6	9.7	9.8	8.8	10.0	7.5	7.5	12.1	11.4	12.2	117.9	12	3413
	20 LST	9.4	10.6	11.3	10.0	11.2	13.4	15.2	13.4	11.5	13.9	9.4	12.2	141.5	12	3385
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST	9.5	10.0	10.3	12.7	15.6	19.5	25.2	25.9	21.4	16.1	8.9	9.4	184.5	12	3474
	08 LST	5.1	4.9	4.8	5.6	9.7	13.5	22.7	20.9	15.1	10.4	4.6	5.2	122.5	12	3393
	14 LST	5.8	5.3	6.1	6.2	8.0	11.1	17.9	19.4	14.9	13.1	6.3	5.1	119.2	12	3412
	20 LST	11.2	11.3	9.2	7.8	9.2	11.9	20.4	20.5	19.2	17.6	9.3	10.0	157.6	12	3386
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST	23.0	21.6	22.8	24.3	26.6	27.5	30.2	30.1	27.9	26.4	22.9	21.4	304.7	12	3466
	08 LST	20.7	18.0	19.0	21.1	25.1	26.9	29.4	29.4	26.2	24.4	20.4	19.2	279.8	12	3388
	14 LST	22.1	22.3	25.2	25.0	27.8	27.8	29.9	30.2	28.2	28.0	22.8	22.3	311.6	12	3393
	20 LST	22.5	22.3	23.8	24.7	26.9	28.2	29.7	30.0	28.2	28.0	22.7	22.8	309.8	12	3379
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST	15.9	15.5	15.8	18.1	22.2	24.9	28.8	28.4	25.4	21.3	14.4	14.8	245.5	12	3466
	08 LST	13.3	12.7	12.8	15.9	20.7	24.5	27.9	27.9	23.7	20.0	13.1	13.4	225.9	12	3388
	14 LST	15.9	16.6	19.6	19.1	22.3	23.1	26.7	27.7	24.8	22.8	14.8	16.2	249.6	12	3393
	20 LST	17.2	17.0	16.8	18.7	22.2	25.5	28.0	28.2	25.3	23.3	15.1	16.1	253.4	12	3379
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST	15.9	15.5	15.8	18.1	22.0	24.9	28.8	28.4	25.4	21.3	14.4	14.7	245.2	12	3466
	08 LST	13.3	12.7	12.8	15.9	20.7	24.5	27.8	27.9	23.7	19.9	13.1	13.4	225.7	12	3388
	14 LST	15.9	16.6	19.6	19.0	22.3	23.1	26.5	27.7	24.8	22.8	14.8	16.2	249.3	12	3393
	20 LST	17.2	17.0	16.6	18.7	22.2	25.5	27.9	28.0	25.3	23.3	15.1	16.1	252.9	12	3379

AREA 01

PARAMETER DESCRIPTION	BOUNDARIES	LOWLANDS																		
		LATITUDE 4330N						LONGITUDE 02700E												
		4351N 02223E 4256N 02719E	4309N 02343E 4228N 02535E	4309N 02343E 4228N 02535E	4314N 02627E 4216N 02407E	4314N 02627E 4216N 02407E	4256N 02719E 4130N 02611E	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)		35	40	47	59	68	75	81	81	74	64	50	40	60						
MEAN MIN TMP (F)		24	27	32	41	50	57	60	60	53	46	38	30	43						
LARGEST MEAN PRECIP(IN)		6.11	2.35	4.07	5.35	4.97	6.73	2.76	3.40	2.22	2.42	4.01	3.58	48.0						
SMALLEST MEAN PRECIP(IN)		1.26	0.97	1.26	1.50	1.81	1.67	1.18	0.69	0.30	0.99	1.74	0.46	13.8						
		MEAN NUMBER OF DAYS																		
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST	22.4	22.1	26.8	27.0	28.4	27.8	29.5	29.3	28.3	28.1	24.6	22.2	316.5						
	08 LST	19.8	19.1	22.3	25.2	27.8	27.3	29.4	28.8	27.2	24.7	21.2	20.0	292.8						
	14 LST	22.0	22.7	26.6	26.6	28.1	27.0	28.2	28.8	27.9	28.8	24.6	22.2	313.5						
	20 LST	22.5	22.7	26.7	26.5	28.0	27.3	28.9	29.1	28.4	28.7	24.9	22.3	316.0						
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	02 LST	15.5	15.2	18.8	20.5	22.1	23.1	24.0	23.7	23.4	23.3	17.5	15.5	242.6						
	08 LST	13.4	12.2	14.9	18.6	21.1	21.2	23.9	23.0	22.2	20.0	14.9	13.7	219.1						
	14 LST	13.4	13.1	14.9	16.2	17.7	18.1	19.2	18.5	18.6	21.4	16.5	14.1	201.7						
	20 LST	14.8	15.7	18.1	19.4	21.1	22.2	23.2	22.5	22.5	23.4	17.7	16.0	236.6						
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST	3.4	3.6	3.5	2.4	3.0	1.8	2.1	1.9	1.8	1.4	2.6	3.1	30.6						
	08 LST	3.2	3.5	2.9	2.2	2.7	2.4	1.8	2.1	1.5	1.5	2.2	3.1	29.1						
	14 LST	4.5	5.2	4.7	3.8	3.3	2.8	2.7	3.3	2.4	2.2	2.9	3.6	41.4						
	20 LST	3.7	3.8	3.6	2.4	2.7	1.7	1.8	2.0	1.3	1.6	2.7	2.8	30.1						
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST	3.3	3.5	6.2	7.7	9.0	9.6	10.6	10.5	9.1	8.1	6.1	4.2	87.9						
	08 LST	2.4	3.4	6.0	8.5	10.3	10.5	12.2	11.9	10.3	8.3	6.2	4.7	94.7						
	14 LST	5.2	6.8	10.4	11.7	14.2	12.5	13.4	13.4	14.3	14.0	10.0	7.5	133.4						
	20 LST	3.9	4.8	8.3	10.0	10.4	10.7	11.7	11.7	10.2	9.0	6.9	5.1	102.7						
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST	9.0	10.1	11.3	12.9	15.3	17.8	23.4	23.5	20.9	17.0	10.3	8.4	179.9						
	08 LST	5.1	5.2	5.6	7.4	10.7	13.7	20.6	19.8	16.1	9.5	4.9	5.0	123.6						
	14 LST	6.2	5.4	6.8	5.7	6.2	8.3	13.6	16.7	14.0	12.2	5.8	6.2	107.1						
	20 LST	9.6	10.8	10.3	8.3	7.9	9.3	16.7	17.9	19.3	16.9	9.6	9.6	146.2						
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST	19.1	19.6	23.3	24.1	26.5	26.4	28.8	28.7	27.2	26.1	20.8	18.7	289.3						
	08 LST	16.5	16.4	19.2	22.4	25.5	25.9	28.6	28.1	26.0	22.6	17.9	16.7	265.8						
	14 LST	19.3	20.2	23.4	24.0	26.3	25.9	28.1	28.6	27.4	26.9	21.0	19.2	290.3						
	20 LST	19.3	20.0	23.5	23.8	25.9	26.0	28.2	28.4	27.5	26.7	21.0	19.2	289.5						
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST	13.0	14.6	16.7	18.8	21.2	22.5	26.3	26.6	24.1	21.0	14.6	12.8	232.2						
	08 LST	10.8	11.9	13.8	17.4	20.7	22.4	26.3	26.1	23.0	17.5	12.2	11.5	213.6						
	14 LST	14.6	15.3	16.9	17.5	18.9	19.2	22.9	24.7	23.3	22.0	14.3	14.3	223.9						
	20 LST	14.1	15.4	17.1	17.7	19.7	21.2	24.6	25.2	24.4	22.0	14.7	13.8	229.9						
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST	13.0	14.6	16.6	18.7	21.0	22.5	26.3	26.6	24.0	20.9	14.6	12.7	231.5						
	08 LST	10.8	11.9	13.8	17.4	20.7	22.3	26.2	26.0	22.9	17.5	12.1	11.4	213.0						
	14 LST	14.6	15.3	16.9	17.4	18.9	19.2	22.8	24.6	23.2	22.0	14.3	14.2	223.4						
	20 LST	14.1	15.4	16.9	17.7	19.6	21.2	24.6	25.2	24.3	21.9	14.7	13.8	229.4						

CHERNI, BULGARIA

STA NO. 15613 (IN AREA NUMBER 02)

LATITUDE 4234N

LONGITUDE 02317E

ELEVATION(FT) 07530

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	43	45	52	48	61	68	68	75	66	55	48	46	75	10	1750
MEAN MAX TMP (F)	21	22	26	31	41	50	54	55	48	41	31	24	37	10	1750
MEAN MIN TMP (F)	15	15	18	24	33	40	44	45	38	33	25	18	29	10	1708
ABS MIN TMP (F)	-13	-13	0	5	16	30	32	34	16	14	-2	-9	-13	10	1708
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	1750
MEAN NO DYS TMP = DR LES 32(F)	31.0	27.8	30.2	28.2	13.6	4.4	0.5	0.0	6.8	12.7	25.5	30.8	211.5	10	1708
MEAN NO DYS TMP = DR LES 0(F)	1.7	2.4	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	1.1	6.9	10	1708
MEAN DEW PT TMP (F)	11	13	15	24	34	39	42	41	33	24	21	16	26	10	3748
MEAN REL HUM (PCT)	80	87	84	89	93	82	80	79	81	72	81	85	83	10	3752
MEAN PRESS ALT (FT)	8158	8258	8156	8172	7686	7733	7569	8002	8081	7941	8082	8160	8000	7	2990
MEAN PRECIP (IN)	3.30	4.07	2.98	4.89	4.93	3.88	2.52	2.73	1.85	2.18	3.42	3.63	40.4	10	1155
MEAN SNOW FALL (IN)						0.0	0.0	0.0						10	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	11.3	12.3	9.3	11.2	12.2	9.5	7.0	5.9	4.6	5.9	11.1	10.2	110.5	10	1155
MEAN NO DYS SNFL = DR GTR 1.5 IN						0.0	0.0	0.0						10	-29
MEAN NO DYS W/OCUR /SBY LES 1/2 MI	23.8	24.6	22.5	24.1	26.4	15.0	14.2	13.5	17.3	16.5	23.3	25.0	246.2	10	747
MEAN NO DYS TSTMS	0.0	0.0	0.0	1.2	0.9	5.1	1.7	3.0	0.9	0.0	0.3	0.0	13.1	10	753
P FREQ WND SPD = DR GTR 17 KTS	60.7	67.9	52.7	44.7	33.6	29.9	33.5	43.3	27.7	41.0	42.5	37.6	45.4	10	3811
P FREQ WND SPD = DR GTR 28 KTS	26.9	32.8	20.4	22.5	3.4	7.3	7.1	10.7	11.0	17.0	14.4	19.3	16.1	10	3811
P FREQ LES 5000 FT A/D LES 5 MI	61.9	68.9	58.0	67.4	69.9	53.4	43.2	40.5	46.0	41.9	54.5	61.1	55.6	10	4468
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	63.6	64.8	56.8	58.0	62.0	49.3	28.2	31.3	33.5	45.2	61.0	59.3	51.1	10	1657
03-05 LST	54.8	55.3	65.4	60.1	77.8	54.5	46.2	36.8	50.0	40.6	50.0	72.4	55.3	4	563
06-08 LST	58.8	63.6	53.9	58.5	56.3	41.6	40.5	29.0	38.0	42.5	54.4	57.2	49.5	10	1735
09-11 LST	47.1	67.6	50.0	53.3	63.6	75.0	93.3	48.1	66.7	40.4	42.0	73.3	60.0	4	375
12-14 LST	60.5	59.5	50.4	71.3	74.8	74.8	63.0	53.2	54.2	44.7	57.7	58.5	60.2	10	1648
15-17 LST	58.3	57.6	68.4	62.1	80.0		75.0	44.0	50.0	40.9	50.8	70.0	63.1	4	402
18-20 LST	62.8	63.3	53.2	69.7	67.7	55.3	47.1	40.3	38.6	40.0	60.3	56.4	54.6	10	1792
21-23 LST	52.2	76.2	64.0	63.2	63.3	51.5	23.1	46.3	40.4	42.3	58.7	63.5	53.7	4	572
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	62.9	63.0	53.0	56.3	57.9	47.8	27.4	29.3	32.3	43.8	60.1	59.3	49.4	10	1657
03-05 LST	53.8	55.3	63.5	57.5	74.1	54.5	42.3	34.2	45.6	40.6	43.8	69.0	52.9	4	563
06-08 LST	57.4	61.9	53.1	57.0	56.3	40.0	38.1	26.7	36.5	41.6	50.3	54.3	47.8	10	1735
09-11 LST	44.1	64.7	50.0	50.0	63.6	75.0	93.3	48.1	52.8	38.3	40.0	73.3	57.8	4	375
12-14 LST	58.7	58.8	44.7	58.9	62.0	64.8	51.0	34.9	43.7	40.7	57.7	55.0	52.6	10	1648
15-17 LST	58.3	54.5	63.2	41.4	80.0		75.0	36.0	45.0	39.4	49.2	70.0	59.3	4	402
18-20 LST	62.2	62.5	49.2	62.2	64.7	52.5	42.6	36.2	37.3	37.0	57.8	55.0	51.6	10	1792
21-23 LST	50.0	73.8	62.0	60.5	63.3	51.5	19.2	41.5	38.6	40.8	56.0	61.9	51.6	4	572

CHERNI, BULGARIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. UBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST	11.3	9.9	13.4	12.6	11.8	15.2	22.3	21.3	19.9	17.0	11.8	12.6	179.1	10	1657
	08 LST	12.8	10.2	14.3	12.4	13.6	17.5	18.5	22.0	18.7	17.9	13.9	13.3	185.1	10	1735
	14 LST	12.3	11.3	15.4	8.6	8.2	7.7	11.5	14.5	13.7	17.2	12.7	12.9	148.0	10	1648
	20 LST	11.5	10.3	14.5	9.2	10.2	13.5	16.5	18.5	18.4	18.7	11.9	13.6	166.8	10	1792
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST	4.2	1.3	3.8	4.6	4.1	5.1	9.3	11.2	10.4	7.7	4.8	3.4	69.9	10	1655
	08 LST	2.5	2.1	3.4	2.5	5.6	4.6	4.9	8.8	7.2	7.0	4.3	2.7	55.6	10	1732
	14 LST	0.9	1.3	2.5	1.9	1.6	1.2	3.8	4.7	5.1	6.6	4.6	3.3	37.5	10	1644
	20 LST	1.7	1.3	3.7	1.7	1.3	3.7	5.3	6.7	8.7	7.2	3.5	1.5	46.3	10	1790
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST	12.6	13.7	11.0	8.0	9.5	9.3	9.9	7.8	7.8	9.2	8.9	13.3	121.0	10	1660
	08 LST	12.8	11.2	14.0	10.4	10.3	8.9	11.2	10.3	10.3	12.0	11.3	13.8	136.5	10	1746
	14 LST	13.4	14.6	10.4	10.1	8.2	7.8	8.4	9.2	10.4	11.3	9.9	12.5	126.2	10	1661
	20 LST	13.3	10.0	10.6	8.7	11.0	11.9	10.4	9.7	8.4	8.6	9.3	11.4	123.3	10	1798
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST	0.0	0.3	0.7	2.1	6.4	10.4	9.9	12.5	9.7	7.7	1.8	0.0	61.5	10	1657
	08 LST	0.0	0.2	0.7	1.3	6.3	8.9	8.8	11.8	9.3	6.9	2.8	0.2	57.2	10	1738
	14 LST	0.4	0.4	1.3	4.4	9.0	9.7	11.4	12.9	12.9	9.0	2.7	0.4	74.5	10	1658
	20 LST	0.0	0.4	0.7	2.4	6.0	8.9	8.4	11.0	12.4	8.1	1.8	0.5	60.6	10	1794
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST	10.6	8.0	9.6	9.3	6.9	12.4	20.2	19.7	17.9	16.3	10.0	10.2	151.1	10	1663
	08 LST	6.2	4.5	5.3	5.3	5.7	11.3	14.4	17.9	12.9	11.2	7.5	7.4	110.8	10	1745
	14 LST	6.3	6.0	5.8	2.0	2.3	1.8	5.7	8.5	7.9	10.3	6.3	7.3	70.2	10	1666
	20 LST	8.1	6.5	7.1	3.5	4.0	5.9	11.0	13.6	14.3	14.8	9.3	10.4	108.5	10	1799
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST	11.3	9.9	13.4	12.6	11.8	15.2	22.3	21.3	19.9	17.0	11.6	12.6	178.9	10	1657
	08 LST	12.8	10.2	14.3	12.4	13.5	17.5	18.5	21.9	18.5	17.7	13.4	13.3	184.0	10	1735
	14 LST	12.3	11.3	15.4	8.6	7.4	7.4	11.3	14.5	13.7	17.2	12.7	12.9	144.7	10	1648
	20 LST	11.5	10.3	14.5	8.9	9.8	13.3	16.2	18.5	18.4	18.5	11.9	13.4	165.2	10	1792
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST	11.3	9.9	13.4	12.6	11.8	15.2	22.3	21.3	19.9	17.0	11.6	12.6	178.9	10	1657
	08 LST	12.8	10.2	14.3	12.2	13.3	17.5	18.5	21.8	18.5	17.7	13.4	13.1	183.3	10	1725
	14 LST	12.1	11.3	15.4	8.6	7.2	7.4	11.2	14.5	13.7	16.9	12.7	12.9	143.9	10	1648
	20 LST	11.5	10.1	14.5	8.7	9.6	13.3	15.5	18.3	18.4	18.5	11.9	13.4	163.7	10	1792
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST	11.3	9.9	13.4	12.6	11.8	15.2	22.3	21.3	19.9	17.0	11.6	12.6	178.9	10	1657
	08 LST	12.8	10.2	14.3	12.2	13.3	17.5	18.5	21.8	18.5	17.7	13.4	13.1	183.3	10	1735
	14 LST	12.1	11.3	15.4	8.6	7.2	7.4	11.2	14.5	13.7	16.9	12.7	12.9	143.9	10	1648
	20 LST	11.5	10.1	14.5	8.7	9.6	13.3	15.5	18.3	18.4	18.5	11.9	13.4	163.7	10	1792

SOFIA, BULGARIA

STA NO. 15614 (IN AREA NUMBER 02) LATITUDE 4249N LONGITUDE 02323E ELEVATION(FT) 01929

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	61	70	77	84	88	97	97	102	97	93	72	68	102	16	4843
MEAN MAX TMP (F)	34	40	48	60	68	75	80	81	74	63	50	39	59	16	4843
MEAN MIN TMP (F)	23	26	31	40	48	54	57	57	51	43	36	28	41	16	4790
ABS MIN TMP (F)	-11	-11	-4	25	32	36	41	43	34	25	7	3	-11	16	4790
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.7	2.4	5.4	0.7	0.1	0.0	0.0	9.3	16	4843
MEAN NO DYS TMP = DR LES 32(F)	27.9	22.0	19.8	4.4	0.3	0.0	0.0	0.0	0.0	3.5	10.0	23.1	111.0	16	4190
MEAN NO DYS TMP = DR LES 0(F)	0.6	0.3	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	16	4790
MEAN DEW PT TMP (F)	24	26	30	38	47	53	55	53	48	44	38	28	40	16	24900
MEAN REL HUM (PCT)	84	79	74	69	71	72	66	61	66	74	83	85	74	16	24768
MEAN PRESS ALT (FT)	1725	1747	1797	1889	1874	1869	1892	1873	1786	1725	1737	1759	1806	16	24843
MEAN PRECIP (IN)	1.55	1.15	1.67	2.28	2.91	3.23	2.23	1.18	1.16	1.59	2.03	1.73	22.7	16	3998
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0					16	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	4.9	4.4	4.9	6.7	7.9	7.0	5.5	2.8	2.9	4.2	6.1	5.3	62.6	16	3998
MEAN NO DYS SNFL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0					16	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	9.4	4.2	1.7	0.5	0.3	0.4	0.1	0.1	0.4	2.2	4.8	8.7	32.8	16	4267
MEAN NO DYS TSTMS	0.2	0.2	0.3	2.0	4.6	7.6	6.7	4.2	1.8	0.8	0.5	0.1	29.0	16	4296
P FREQ WND SPD = DR GTR 17 KTS	9.9	11.7	10.6	6.8	4.4	3.0	2.1	3.0	2.6	3.0	4.4	8.5	5.8	16	24975
P FREQ WND SPD = DR GTR 28 KTS	1.5	1.3	1.3	0.6	0.5	0.1	0.1	0.1	0.1	0.2	0.1	0.5	0.5	16	24975
P FREQ LES 3000 FT A/D LES 5 MI	67.0	53.2	46.5	37.4	33.5	27.6	21.0	14.9	19.3	33.9	55.2	66.4	39.7	16	25696
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	28.2	14.5	8.8	3.2	3.9	2.1	0.8	0.5	0.9	5.2	14.5	24.7	8.9	16	5020
03-05 LST	23.9	16.9	7.9	3.4	7.2	6.1	2.0	0.9	2.0	4.2	10.1	21.8	8.9	9	2590
06-08 LST	38.9	33.5	25.5	12.8	9.3	7.5	5.7	4.7	7.1	16.7	33.2	39.5	19.5	16	4964
09-11 LST	46.4	36.7	19.7	5.8	4.3	3.1	3.5	4.1	5.8	11.7	36.0	48.6	18.8	8	2282
12-14 LST	36.3	25.2	10.6	4.1	2.5	1.7	2.4	0.9	1.7	4.8	23.8	39.9	12.8	16	5055
15-17 LST	41.1	20.5	12.0	4.6	1.8	1.5	0.5	1.3	1.6	4.7	16.4	40.2	12.2	9	2374
18-20 LST	31.9	15.0	8.9	5.6	3.7	2.3	1.5	1.2	1.4	2.8	14.1	28.9	9.8	16	5031
21-23 LST	28.6	9.5	8.0	2.0	0.5	1.0	0.0	0.0	0.0	1.6	8.5	24.0	7.0	8	2280
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	16.0	5.3	1.2	0.0	0.7	0.5	0.0	0.0	0.0	2.1	7.0	16.0	4.1	16	5020
03-05 LST	14.8	8.4	0.9	0.5	1.3	1.4	0.4	0.5	0.5	1.3	5.6	12.8	4.0	9	2590
06-08 LST	25.7	15.7	9.6	2.9	2.6	1.4	0.7	0.5	2.0	8.9	14.4	21.8	8.9	16	4964
09-11 LST	25.0	14.9	3.8	0.5	0.0	0.9	0.5	0.5	0.6	1.1	11.8	23.6	6.9	8	2282
12-14 LST	19.9	9.0	1.7	0.5	0.0	0.2	0.7	0.0	0.2	0.9	6.8	19.1	4.9	16	5055
15-17 LST	19.5	8.5	2.4	0.0	0.0	0.5	0.0	0.5	0.0	0.0	3.7	19.9	4.6	9	2374
18-20 LST	17.8	6.2	1.4	0.7	0.0	0.7	0.2	0.0	0.3	0.5	5.6	16.7	4.2	16	5031
21-23 LST	18.4	5.7	0.5	0.0	0.0	0.5	0.0	0.0	0.0	2.2	14.5	3.5	8	2280	

SOFIA, BULGARIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST	23.6	24.9	29.8	29.9	30.4	29.5	30.9	30.9	29.9	29.9	26.7	24.8	341.2	16	5020
	08 LST	20.3	19.7	24.4	27.1	29.1	28.0	29.4	29.7	28.2	26.4	21.4	19.9	303.6	16	4964
	14 LST	20.8	22.2	28.8	29.6	30.8	29.7	30.4	30.8	29.7	29.9	24.1	19.7	326.5	16	5055
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST	22.6	24.8	29.8	29.2	30.6	29.6	30.8	30.6	29.7	30.6	26.7	23.4	338.4	16	5031
	02 LST	15.0	16.1	20.7	23.3	25.1	25.3	27.2	26.0	24.3	24.6	20.0	16.5	254.1	16	5013
	08 LST	13.0	12.1	16.6	21.2	22.2	23.3	25.2	25.1	24.0	22.1	15.5	13.0	233.3	16	4959
SFC WND = GTR 17 KTS AND NO PRECIP.	14 LST	11.6	11.1	14.3	16.8	18.0	20.5	22.1	22.9	22.0	21.5	15.7	12.5	209.0	16	5052
	20 LST	12.8	14.7	18.5	19.4	22.6	23.9	26.4	25.3	23.7	23.7	19.6	16.8	247.4	16	5029
	02 LST	2.3	2.3	1.9	0.9	0.8	0.4	0.2	0.7	0.5	0.8	1.2	1.6	13.7	16	5032
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	08 LST	1.7	1.9	1.9	0.9	0.9	0.7	0.6	0.7	0.5	0.4	0.9	1.3	12.4	16	4985
	14 LST	2.8	3.5	4.6	3.3	2.2	1.3	1.2	1.5	1.4	1.8	1.7	2.1	27.4	16	5097
	20 LST	2.1	2.8	2.5	1.3	1.0	0.6	0.6	0.7	0.7	0.6	1.3	1.6	15.8	16	5064
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST	1.2	3.2	6.6	8.6	10.1	9.4	11.6	13.2	12.3	9.8	6.1	3.6	95.7	16	5026
	08 LST	1.2	2.2	4.1	7.4	7.3	5.7	8.2	9.3	7.2	9.8	6.6	2.8	71.8	16	4971
	14 LST	3.5	4.7	8.7	11.7	12.1	12.5	14.7	14.9	14.1	11.2	7.9	5.6	121.6	16	5081
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST	2.2	4.4	8.5	11.7	10.5	11.0	12.6	13.9	13.8	14.5	8.4	4.0	115.5	16	5056
	02 LST	6.7	9.4	11.6	14.2	13.4	17.1	22.6	24.8	21.6	16.0	9.1	7.5	174.0	16	5019
	08 LST	3.4	3.4	5.4	7.0	8.3	13.5	19.4	21.1	16.6	10.4	3.1	3.1	114.7	16	4974
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	14 LST	3.7	4.8	5.8	3.5	3.7	4.9	10.5	15.3	13.3	9.7	3.2	3.5	81.9	16	5078
	20 LST	6.9	11.1	11.2	8.0	5.8	7.0	14.6	17.0	17.7	14.9	10.0	7.5	131.7	16	5052
	02 LST	19.4	21.5	25.1	27.0	28.4	28.7	30.4	30.6	29.4	28.3	23.1	20.5	312.4	16	5020
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST	15.9	16.3	20.3	24.0	26.1	27.0	28.6	29.2	27.3	24.0	17.8	16.4	272.9	16	4964
	14 LST	17.5	18.9	25.2	26.9	28.6	28.5	29.8	30.4	28.7	28.2	20.3	16.4	299.4	16	5051
	20 LST	19.7	21.5	25.5	26.2	28.0	28.4	30.0	30.3	29.0	28.9	23.6	19.7	309.8	16	5031
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST	11.3	14.2	17.1	18.8	19.8	22.3	25.1	27.0	24.6	20.1	13.6	11.6	225.5	16	5020
	08 LST	7.6	9.6	12.7	17.5	19.5	21.9	23.9	26.0	23.0	17.1	9.7	9.2	197.7	16	4964
	14 LST	10.7	13.7	16.5	16.0	15.1	17.7	20.8	24.3	23.4	20.8	12.2	11.1	202.3	16	5055
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST	11.4	15.9	17.5	17.0	16.3	19.4	23.3	24.4	23.1	20.7	14.8	11.9	215.7	16	5031
	02 LST	11.3	14.1	17.1	18.7	19.8	22.1	25.1	27.0	24.6	19.9	13.6	11.6	224.9	16	5020
	08 LST	7.6	9.6	12.7	17.5	19.3	21.9	23.9	25.9	23.0	17.1	9.4	9.1	197.0	16	4964
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	14 LST	10.6	13.7	16.4	15.8	14.8	17.4	20.5	24.1	23.3	20.7	12.2	11.0	200.5	16	5055
	20 LST	11.4	15.9	17.5	17.0	16.1	19.2	23.2	24.3	23.0	20.6	14.8	11.8	214.8	16	5031

MUSSALA, BULGARIA

STA NO. 19615 (IN AREA NUMBER 02)

LATITUDE 4210N

LONGITUDE 02335E

ELEVATION(FT) 09597

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	30	37	41	43	50	55	66	66	57	54	45	41	66	11	2210
MEAN MAX TMP (F)	15	17	20	27	34	41	48	49	44	37	27	20	32	11	2210
MEAN MIN TMP (F)	8	9	11	18	26	32	37	37	33	29	21	13	23	11	2207
ABS MIN TMP (F)	-22	-20	-9	-2	12	19	18	21	12	5	-4	-18	-22	11	2207
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11	2210
MEAN NO DYS TMP = DR LES 32(F)	31.0	28.0	30.8	29.8	26.9	16.4	6.1	7.2	12.9	23.0	29.9	31.0	273.0	11	2207
MEAN NO DYS TMP = DR LES 0(F)	6.1	6.3	2.4	0.7	0.0	0.0	0.0	0.0	0.0	0.0	1.2	3.2	19.9	11	2207
MEAN DEW PT TMP (F)	3	5	9	18	26	32	35	34	28	20	15	10	20	6	11545
MEAN REL HUM (PCT)	75	78	81	88	89	89	82	80	76	72	78	82	81	6	11544
MEAN PRESS ALT (FT)	10776	10772	10755	10759	10699	10656	10649	10414	10299	10410	10509	10616		6	11374
MEAN PRECIP (IN)	5.28	4.76	5.65	5.71	5.18	3.24	1.97	2.42	1.58	2.28	2.53	3.99	44.6	11	1872
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = DR GTR 0.1 IN	9.6	9.9	11.7	12.8	12.0	7.7	6.0	6.2	4.1	5.1	6.3	10.2	101.6	11	1872
MEAN NO DYS SNFL = DR GTR 1.5 IN														0	0
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	22.4	18.7	24.4	25.1	24.9	24.7	19.2	18.1	16.9	16.4	19.6	23.3	253.7	6	1809
MEAN NO DYS TSTMS	0.2	0.0	0.0	1.9	5.9	8.7	7.2	5.7	2.6	1.6	0.9	0.2	34.9	6	1810
P FREQ WND SPD = DR GTR 17 KTS	60.0	51.4	41.1	32.1	26.3	19.9	18.5	16.2	15.0	28.9	42.2	55.1	33.9	6	11549
P FREQ WND SPD = DR GTR 28 KTS	25.1	18.3	16.5	11.3	7.0	3.5	3.8	2.1	3.4	10.9	17.6	22.9	11.9	6	11549
P FREQ LES 5000 FT A/D LES 3 MI	51.5	48.6	56.9	68.2	63.9	71.8	52.6	47.6	37.8	35.1	42.6	52.0	52.4	11	9712
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	51.5	42.4	56.9	61.7	56.8	56.8	40.0	32.1	35.4	34.5	37.5	54.9	46.7	6	1769
03-05 LST	54.5	51.0	55.2	65.6	54.9	58.4	38.1	35.1	24.7	27.3	45.5	49.5	46.7	4	1179
06-08 LST	58.5	47.1	53.5	56.7	52.1	50.0	39.2	35.1	29.9	29.9	42.6	42.8	44.8	11	2176
09-11 LST	47.6	52.5	50.0	57.4	75.3	72.9	54.2	44.4	25.7	31.4	43.2	52.9	50.6	4	1030
12-14 LST	54.5	58.2	57.9	74.5	73.5	86.2	69.9	60.9	51.1	43.8	51.6	51.3	61.1	11	2294
15-17 LST	46.5	46.5	61.5	77.8	74.4	85.1	67.7	71.0	54.8	43.5	48.9	52.9	60.9	4	1008
18-20 LST	53.9	52.5	53.7	67.0	74.7	72.7	59.0	53.9	41.5	35.7	44.9	51.1	55.1	11	2239
21-23 LST	45.4	49.5	52.5	64.6	64.1	59.2	38.7	37.3	24.7	33.6	43.2	55.4	47.4	4	1232
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	51.5	42.4	56.9	61.7	56.8	56.0	39.4	32.1	32.3	34.5	37.5	54.9	46.3	6	1769
03-05 LST	54.5	51.0	55.2	65.6	54.9	58.4	38.1	35.1	24.7	27.3	44.6	49.5	46.6	4	1179
06-08 LST	57.4	45.3	51.9	55.0	50.9	50.0	36.5	35.1	29.3	28.6	41.6	41.8	43.6	11	2176
09-11 LST	47.6	52.5	50.0	57.4	75.3	72.2	54.2	44.4	25.7	31.4	42.1	52.9	50.5	4	1030
12-14 LST	53.0	57.7	57.2	68.8	71.1	85.5	63.6	57.4	47.5	41.9	51.6	50.0	58.8	11	2294
15-17 LST	46.5	46.5	60.6	77.8	73.3	85.1	66.1	69.4	53.2	43.5	48.9	52.9	60.3	4	1008
18-20 LST	51.7	52.0	53.2	66.5	74.2	72.0	58.4	50.9	40.4	34.8	43.0	49.8	53.9	11	2239
21-23 LST	45.4	49.5	52.5	63.6	64.1	59.2	37.7	37.3	24.7	33.6	43.2	55.4	47.2	4	1232

MUSSALA, BULGARIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST	15.0	16.1	13.4	11.5	13.4	13.0	18.6	21.0	19.4	20.3	18.8	14.0	194.5	6	1769
	08 LST	12.9	14.8	14.4	13.0	14.9	15.0	18.8	20.1	21.0	21.7	17.2	17.7	201.5	11	2176
	14 LST	14.1	11.7	13.1	7.7	8.2	4.1	9.3	12.2	14.7	17.4	14.5	15.1	142.1	11	2294
	20 LST	14.3	13.3	14.4	9.9	7.8	8.2	12.7	14.3	17.5	19.9	16.5	15.1	163.9	11	2239
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST	6.0	2.9	4.5	3.8	6.2	5.0	8.1	8.1	10.2	9.2	9.1	3.2	76.3	6	1769
	08 LST	3.4	3.5	6.1	5.3	7.5	7.4	9.6	10.7	12.0	8.3	4.8	2.9	81.5	11	2172
	14 LST	5.3	4.6	5.4	3.5	4.5	2.3	6.5	8.0	10.4	10.5	5.9	4.1	71.0	11	2283
	20 LST	4.3	4.1	5.6	5.4	4.7	3.8	6.9	8.7	11.2	10.1	5.9	3.6	74.3	11	2236
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST	12.7	12.5	11.2	9.3	8.2	7.8	8.1	6.7	7.7	9.9	10.5	13.1	117.7	6	1797
	08 LST	13.9	12.9	11.2	9.7	7.2	5.3	6.5	7.6	6.3	11.0	11.5	14.0	117.1	11	2272
	14 LST	11.7	10.7	8.6	5.6	5.7	3.1	4.1	2.9	2.5	7.0	9.9	13.1	84.9	11	2603
	20 LST	13.0	10.7	10.6	7.4	6.8	5.9	5.6	3.3	4.6	8.3	10.6	13.7	101.0	11	2379
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST	0.0	0.0	0.0	0.2	1.5	4.6	10.3	9.8	7.7	4.8	0.7	0.2	39.8	6	1796
	08 LST	0.0	0.0	0.0	0.2	1.7	8.1	12.6	12.6	8.9	4.4	0.4	0.0	48.9	11	2266
	14 LST	0.0	0.3	0.4	1.0	3.8	10.6	16.2	16.5	13.6	8.9	2.1	0.4	73.8	11	2584
	20 LST	0.0	0.0	0.0	0.3	2.8	7.5	14.5	15.9	10.0	6.3	0.4	0.1	57.8	11	2370
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST	13.0	14.8	9.5	6.9	9.0	10.6	17.7	18.4	16.6	19.1	15.1	9.5	160.2	6	1795
	08 LST	8.8	6.7	7.8	5.6	7.2	8.3	15.3	14.4	14.3	14.3	9.9	9.1	121.7	11	2275
	14 LST	8.0	6.1	5.3	1.7	2.2	1.7	4.9	5.7	6.8	9.3	6.9	7.8	66.4	11	2602
	20 LST	10.3	9.5	8.5	3.2	1.9	3.6	8.9	10.7	14.2	15.3	11.9	10.8	108.8	11	2380
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST	15.0	16.1	13.4	11.5	13.4	13.0	18.6	21.0	19.4	20.3	18.8	14.0	194.5	6	1769
	08 LST	12.9	14.8	14.4	13.0	14.9	15.0	18.8	20.1	21.0	21.7	17.2	17.7	201.5	11	2176
	14 LST	14.1	11.7	13.0	7.5	8.2	4.1	9.3	12.0	14.6	17.4	14.5	15.1	141.5	11	2294
	20 LST	14.3	13.3	14.4	9.9	7.8	8.2	12.7	14.3	17.5	19.9	16.5	15.1	163.9	11	2239
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST	15.0	16.1	13.4	11.5	13.4	13.0	18.6	21.0	19.2	20.3	18.8	14.0	194.3	6	1769
	08 LST	12.9	14.8	14.4	13.0	14.9	15.0	18.8	20.1	21.0	21.6	17.2	17.7	201.4	11	2176
	14 LST	14.1	11.7	13.0	7.4	8.2	4.1	9.1	12.0	14.6	17.4	14.5	15.1	141.2	11	2294
	20 LST	14.3	13.3	14.4	9.9	7.7	8.2	12.7	14.3	17.5	19.9	16.5	15.1	163.8	11	2239
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST	15.0	16.1	13.4	11.5	13.4	13.0	18.6	21.0	19.2	20.3	18.8	14.0	194.3	6	1769
	08 LST	12.9	14.8	14.4	13.0	14.9	15.0	18.8	20.1	21.0	21.6	17.2	17.7	201.4	11	2176
	14 LST	14.1	11.7	13.0	7.4	8.2	4.1	9.1	12.0	14.6	17.4	14.5	15.1	141.2	11	2294
	20 LST	14.3	13.3	14.4	9.9	7.7	8.2	12.7	14.3	17.5	19.9	16.5	15.1	163.8	11	2239

IKHTIMAN, BULGARIA

STA NO. 15622 (IN AREA NUMBER 02)

LATITUDE 4226N

LONGITUDE 02349E

ELEVATION(FT) 02090

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
ABS MAX TMP (F)	57	63	75	81	81	86	90	93	90	81	63	57	93	4	1064
MEAN MAX TMP (F)	37	34	41	58	67	74	78	79	74	61	43	39	57	4	1064
MEAN MIN TMP (F)	22	21	25	35	45	51	52	51	44	39	31	26	37	4	1047
ABS MIN TMP (F)	-18	-13	-18	23	30	39	41	39	27	25	1	-11	-18	4	1047
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	1.4	2.8	0.3	0.0	0.0	0.0	4.5	4	1064
MEAN NO DYS TMP = DR LES 32(F)	28.1	24.8	26.3	13.3	0.8	0.0	0.0	0.0	2.4	7.9	16.4	24.6	144.6	4	1047
MEAN NO DYS TMP = DR LES 0(F)	1.7	2.8	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	6.6	4	1047
MEAN DEW PT TMP (F)	28	25	28	36	47	54	56	53	47	43	33	30	40	4	1904
MEAN REL HUM (PCT)	91	88	82	75	73	76	75	65	70	80	88	87	79	4	1872
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	1.79	1.63	2.35	1.60	3.23	2.33	2.24	1.00	1.14	2.05	2.81	1.85	24.0	4	870
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0						4	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	7.1	5.9	5.7	5.0	10.2	5.9	6.6	3.5	2.9	5.5	8.1	5.5	71.9	4	870
MEAN NO DYS SNFL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0						4	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	9.7	8.0	2.8	1.7	0.9	0.7	0.9	0.0	0.0	8.8	6.8	4.3	44.6	4	487
MEAN NO DYS TSTMS	0.0	0.0	0.0	1.6	2.6	4.1	5.3	2.7	1.5	0.0	0.0	0.6	18.4	4	492
P FREQ WND SPD = DR GTR 17 KTS	0.0	5.4	0.6	0.7	1.4	0.6	0.0	0.8	2.5	0.5	1.7	2.5	1.4	4	1964
P FREQ WND SPD = DR GTR 28 KTS	0.0	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.1	4	1964
P FREQ LES 5000 FT A/D LES 5 MI	58.3	66.5	44.9	40.2	31.8	32.3	18.2	15.7	19.8	42.7	74.8	56.0	41.8	4	2549
P FREQ LES 1500 FT A/D LES 3 MI															
FDR 00-02 LST	34.0	35.1	24.1	11.2	10.6	8.2	1.9	1.4	1.6	14.6	42.0	28.6	17.8	4	846
03-05 LST														0	0
06-08 LST	43.4	48.9	33.9	17.9	13.4	4.8	4.0	4.2	7.0	32.6	42.1	30.9	23.6	4	1055
09-11 LST														0	0
12-14 LST	25.4	36.8	17.6	6.7	4.2	3.8	0.0	0.7	0.0	7.6	29.1	24.1	13.0	4	994
15-17 LST														0	0
18-20 LST	25.5	36.1	17.8	7.9	5.1	1.2	1.1	1.1	2.0	10.5	35.7	27.9	14.3	4	1075
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	19.4	10.7	6.2	0.0	2.6	1.3	0.0	0.0	0.0	5.5	18.1	6.3	5.8	4	846
03-05 LST														0	0
06-08 LST	29.7	24.6	17.5	10.0	6.3	0.0	1.1	2.1	4.0	19.6	16.3	12.3	12.0	4	1055
09-11 LST														0	0
12-14 LST	6.9	14.3	6.0	2.7	0.0	0.0	0.0	0.0	0.0	1.4	7.3	4.8	3.6	4	994
15-17 LST														0	0
18-20 LST	7.8	9.0	2.4	2.6	0.0	0.0	0.0	0.0	0.0	2.7	10.4	8.9	3.7	4	1075
21-23 LST														0	0

IKHTIMAN, BULGARIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST	21.5	20.5	25.8	27.6	29.4	28.1	30.6	31.0	30.0	28.5	20.0	24.3	317.3	4	846
	08 LST	18.9	16.6	21.7	25.3	28.7	29.3	30.3	30.0	28.8	23.5	19.3	23.4	295.8	4	1055
	14 LST	26.3	20.4	26.5	28.4	31.0	29.4	31.0	31.0	30.0	29.7	24.5	26.0	334.2	4	994
	20 LST	24.2	20.1	26.5	28.0	30.2	30.0	31.0	30.7	30.0	28.8	21.5	23.9	324.9	4	1075
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST	16.5	13.5	17.4	23.8	25.0	26.3	30.2	28.5	26.8	22.5	13.3	18.4	262.2	4	845
	08 LST	15.1	11.0	17.4	21.0	23.6	26.5	27.8	28.4	25.8	17.4	14.4	18.4	246.8	4	1055
	14 LST	17.2	12.4	19.0	19.6	20.9	23.6	25.5	25.0	25.3	23.5	15.4	17.1	244.5	4	993
	20 LST	20.1	15.5	20.4	24.1	24.4	27.9	29.7	29.6	26.5	26.0	15.6	19.6	279.4	4	1075
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST	0.5	1.5	0.0	0.5	0.4	0.4	0.0	0.4	0.5	0.0	0.4	0.4	5.0	4	850
	08 LST	0.0	0.4	0.4	0.0	1.1	0.0	0.0	0.0	0.0	0.3	0.0	0.9	3.1	4	1065
	14 LST	0.0	1.6	0.0	0.0	1.1	0.6	0.4	0.0	0.7	0.0	0.0	1.2	5.6	4	997
	20 LST	0.4	1.2	0.8	0.0	0.8	0.3	0.3	0.0	0.0	0.0	0.3	0.0	4.1	4	1084
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST	1.0	2.0	2.5	4.2	2.4	1.5	0.8	4.7	3.2	5.2	4.5	4.0	36.0	4	845
	08 LST	1.2	0.8	0.8	7.2	4.3	3.9	3.9	5.8	3.9	3.6	3.9	2.9	42.2	4	1056
	14 LST	3.0	2.0	9.1	15.4	15.7	14.7	12.7	20.5	16.5	16.3	9.1	5.8	140.8	4	991
	20 LST	2.0	1.2	3.4	5.5	7.8	4.1	4.9	5.1	4.1	4.7	5.1	4.0	51.9	4	1080
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST	9.8	9.0	9.4	15.0	12.2	15.4	23.4	23.8	25.4	13.8	5.8	9.0	172.0	4	849
	08 LST	3.7	3.6	6.6	7.2	13.0	15.5	19.4	19.8	17.4	7.8	2.4	7.2	123.6	4	1061
	14 LST	6.5	4.0	9.0	4.7	6.1	9.2	14.0	16.5	16.0	10.3	4.0	10.2	110.5	4	999
	20 LST	10.5	5.4	10.2	13.8	6.5	10.1	17.3	18.1	18.8	14.5	6.7	9.9	143.8	4	1080
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST	18.1	15.2	20.5	25.0	25.4	26.4	29.9	30.0	28.9	23.8	14.2	18.3	275.7	4	846
	08 LST	15.3	11.7	17.8	22.8	24.3	26.6	28.8	28.9	26.0	17.3	14.3	18.5	232.3	4	1055
	14 LST	19.7	14.4	23.9	26.2	27.3	27.8	30.4	30.1	29.5	26.5	16.1	20.5	292.4	4	994
	20 LST	21.2	15.0	23.1	26.8	28.1	28.2	29.8	30.4	28.2	26.4	16.1	20.4	293.7	4	1075
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST	13.0	11.5	15.3	21.4	19.3	20.6	26.8	26.8	27.2	17.8	8.3	11.0	219.0	4	846
	08 LST	9.2	7.7	12.8	17.6	20.2	21.5	25.7	24.3	22.6	12.7	5.2	11.4	190.9	4	1055
	14 LST	15.1	9.2	19.0	16.4	17.7	18.2	23.3	22.7	24.3	19.3	7.7	15.9	208.8	4	994
	20 LST	15.3	11.7	15.9	21.3	23.3	20.9	24.5	25.1	23.4	20.9	11.0	14.1	227.4	4	1075
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST	13.0	11.5	15.3	21.0	18.9	20.6	26.8	26.8	27.2	17.8	8.3	11.0	218.2	4	846
	08 LST	9.2	7.7	12.4	17.6	20.2	21.5	25.4	24.3	22.6	12.7	5.2	11.4	190.2	4	1055
	14 LST	15.1	9.2	18.7	16.0	16.6	17.2	22.6	21.9	24.0	19.3	7.7	15.6	203.9	4	994
	20 LST	15.3	11.7	15.9	21.3	23.3	20.9	23.8	25.1	23.4	20.9	11.0	14.1	226.7	4	1075

BOTEV VRAH, BULGARIA

STA NO. 15627 (IN AREA NUMBER 02)

LATITUDE 4243N

LONGITUDE 0245E

ELEVATION(FT) 0715

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. DBS
ABS MAX TMP (F)	34	45	37	48	57	59	68	72	66	55	46	41	72	4	1506
MEAN MAX TMP (F)	18	25	23	32	40	44	51	52	46	41	32	23	36	4	1506
MEAN MIN TMP (F)	11	18	16	23	32	37	42	42	37	33	25	17	28	4	1405
ABS MIN TMP (F)	-13	-9	-4	7	18	25	28	27	23	10	0	-13	-13	4	1405
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	1506
MEAN NO DYS TMP = DR LES 32(F)	31.0	28.0	31.0	28.6	18.4	8.7	1.2	2.0	6.7	13.0	26.1	30.6	225.3	4	1405
MEAN NO DYS TMP = DR LES 0(F)	4.9	2.9	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	2.5	11.4	4	1405
MEAN DEW PT TMP (F)	11	17	17	25	34	39	43	44	37	30	24	16	28	4	-29
MEAN REL HUM (PCT)	86	83	88	91	91	94	89	88	85	79	84	86	87	4	9232
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	6.11	2.35	4.07	5.35	4.97	6.73	2.76	3.40	2.22	2.14	4.01	3.58	47.7	3	1393
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = DR GTR 0.1 IN	14.0	7.4	10.6	12.6	12.2	11.7	6.8	7.9	5.8	5.7	8.8	10.5	114.0	3	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	10.1	8.8	11.4	9.5	11.4	11.9	8.5	10.2	8.1	8.0	8.1	10.3	116.3	3	1547
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.1	1.2	1.4	0.6	1.5	0.8	0.1	0.0	0.0	5.7	3	1529
P FREQ WND SPD = DR GTR 17 KTS	53.6	59.7	49.1	31.8	41.3	28.0	22.9	21.9	17.1	18.4	43.4	57.3	37.0	4	9161
P FREQ WND SPD = DR GTR 28 KTS	23.2	23.7	18.6	10.9	12.9	8.4	6.0	8.1	2.4	4.2	14.2	24.8	13.1	4	9161
P FREQ LES 5000 FT A/D LES 5 MI	59.1	47.6	64.1	67.4	60.7	69.4	51.7	54.6	46.1	39.4	45.8	57.0	55.2	3	8393
P FREQ LES 1500 FT A/D LES 3 MI															
FDR 00-02 LST	62.4	41.6	56.3	60.5	50.0	53.8	41.4	45.0	41.9	36.9	45.2	56.2	49.3	3	1255
03-05 LST	62.1	46.9	60.3	59.0	53.0	53.7	42.2	51.0	44.9	40.5	46.8	60.3	51.7	3	877
06-08 LST	55.3	46.5	58.7	56.7	54.7	59.1	35.2	42.1	41.3	31.0	42.6	51.7	47.9	4	1454
09-11 LST	56.4	54.0	63.6	68.1	69.2	91.7	71.4	62.1	40.9	40.3	47.4	57.3	60.2	3	644
12-14 LST	53.7	43.8	66.7	77.1	70.3	83.8	78.3	61.5	57.9	41.3	49.6	53.8	61.5	4	1317
15-17 LST	64.9	52.2	71.4	75.5	79.1	92.9	63.4	70.7	54.0	50.7	51.9	63.9	65.9	3	673
18-20 LST	53.1	46.0	69.7	76.5	62.2	75.0	59.7	51.0	43.4	37.4	43.6	55.1	56.1	4	1433
21-23 LST	67.3	48.9	57.9	59.2	52.0	51.1	36.7	59.3	37.7	39.5	40.2	62.0	51.0	3	730
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	62.4	40.3	56.3	59.3	48.6	52.6	39.8	45.0	41.0	35.7	43.7	55.5	48.4	3	1255
03-05 LST	62.1	46.9	57.4	59.0	53.0	52.2	38.9	48.4	44.9	39.2	45.5	60.3	50.7	3	877
06-08 LST	54.3	45.5	58.7	53.8	52.8	58.1	44.5	40.1	39.3	30.6	41.1	51.4	47.5	4	1454
09-11 LST	56.3	54.0	63.6	66.0	69.2	91.7	71.4	58.6	38.6	40.3	46.1	57.3	59.4	3	644
12-14 LST	53.6	43.8	66.7	76.0	69.2	82.2	73.5	58.2	55.0	39.7	46.9	52.4	59.8	4	1317
15-17 LST	63.2	52.2	71.4	75.5	76.7	92.9	63.4	67.2	54.0	47.9	51.9	63.9	65.0	3	673
18-20 LST	53.1	44.8	68.7	73.5	62.2	73.4	57.6	50.3	42.8	36.0	43.6	55.1	55.1	4	1433
21-23 LST	63.5	48.9	57.9	59.2	52.0	48.9	35.0	59.3	37.7	39.5	40.2	60.8	50.2	3	730

BOTEV VRAH, BULGARIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST	11.7	16.4	13.5	11.9	15.5	13.8	18.2	17.1	17.4	19.7	16.4	13.6	185.2	3	1255
	08 LST	13.9	15.0	12.8	13.3	14.0	12.3	20.1	18.2	17.6	21.5	17.2	15.1	191.0	4	1464
	14 LST	14.4	15.7	10.3	6.9	9.2	5.0	6.9	12.0	12.8	18.2	15.2	14.3	140.9	4	1317
	20 LST	14.5	15.1	9.4	7.0	11.7	7.7	12.5	15.2	17.0	19.4	16.9	13.9	160.3	4	1433
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST	4.4	5.8	3.6	5.2	5.5	7.3	9.9	9.4	12.7	15.7	9.4	4.6	93.5	3	1248
	08 LST	6.9	4.5	2.7	6.6	5.6	5.8	13.0	12.0	13.0	16.8	10.3	5.0	102.2	4	1457
	14 LST	6.3	5.3	2.7	3.4	3.4	2.7	5.2	9.3	9.6	13.6	8.3	4.3	74.1	4	1313
	20 LST	4.2	5.8	2.8	3.4	5.4	3.2	7.8	9.9	12.1	14.9	8.4	5.1	83.0	4	1427
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST	12.4	12.4	13.2	9.0	15.3	7.2	8.3	6.7	5.0	3.3	8.8	12.0	113.6	3	1278
	08 LST	15.0	14.1	12.0	7.6	12.8	9.7	7.7	7.2	4.7	4.4	9.0	14.0	118.2	4	1538
	14 LST	13.0	15.2	10.4	6.5	8.2	4.9	4.3	4.3	2.7	4.1	8.5	13.8	95.9	4	1517
	20 LST	12.8	15.1	10.3	5.6	11.8	7.5	6.8	6.1	3.2	6.2	10.5	12.4	108.3	4	1516
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST	0.0	0.4	0.0	0.4	5.7	8.7	12.3	11.2	12.2	10.0	3.0	0.2	64.1	3	1278
	08 LST	0.0	0.3	0.0	1.4	5.1	7.8	13.9	13.0	11.8	10.9	2.7	0.4	67.3	4	1538
	14 LST	0.0	0.9	0.0	1.7	8.2	11.7	16.1	19.2	18.6	14.6	6.3	0.4	97.7	4	1517
	20 LST	0.0	0.0	0.0	1.2	5.6	7.5	15.1	13.0	13.1	10.3	3.8	0.2	67.8	4	1516
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST	8.8	10.9	8.2	7.0	10.0	10.6	16.6	13.9	15.5	15.6	12.9	8.9	138.9	3	1284
	08 LST	7.5	5.7	5.4	5.4	8.9	7.5	16.2	13.2	13.1	14.0	9.1	6.6	112.6	4	1549
	14 LST	5.9	4.8	4.4	2.8	2.0	1.2	2.1	4.6	5.1	11.2	7.0	7.5	58.6	4	1526
	20 LST	9.5	8.9	6.5	2.6	3.8	3.1	7.0	10.1	13.1	16.2	10.5	10.1	101.4	4	1526
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST	12.7	16.4	13.4	11.9	15.5	13.8	18.1	17.1	17.4	19.4	16.4	13.6	185.7	3	1255
	08 LST	13.9	15.0	12.8	12.7	14.0	12.3	20.1	17.6	17.6	21.3	17.2	14.8	189.3	4	1464
	14 LST	14.5	15.1	9.4	7.1	11.7	7.4	12.5	15.2	17.0	19.1	16.9	13.9	159.8	4	1317
	20 LST	14.5	15.1	9.4	7.1	11.7	7.4	12.5	15.2	17.0	19.1	16.9	13.9	159.8	4	1433
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST	12.7	16.4	13.2	11.9	15.1	13.8	18.1	17.1	17.4	19.4	16.4	13.6	185.1	3	1255
	08 LST	13.9	15.0	12.8	12.7	14.0	12.3	20.1	17.5	17.6	21.3	17.2	14.8	189.2	4	1464
	14 LST	14.4	15.7	10.3	6.9	9.2	4.8	6.3	11.6	12.5	18.2	15.0	14.1	139.0	4	1317
	20 LST	14.5	15.1	9.4	7.1	11.7	7.4	12.5	15.2	17.0	19.0	16.9	13.9	159.7	4	1433
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST	12.7	16.4	13.2	11.9	15.1	13.1	18.1	17.1	17.4	19.4	16.4	13.6	185.1	3	1255
	08 LST	13.9	15.0	12.8	12.7	14.0	12.3	20.1	17.5	17.6	21.3	17.2	14.8	189.2	4	1464
	14 LST	14.4	15.7	10.3	6.9	9.2	4.8	6.3	11.3	12.5	18.2	15.0	14.1	138.7	4	1317
	20 LST	14.5	15.1	9.4	7.1	11.7	7.4	12.5	15.2	17.0	19.0	16.9	13.9	159.7	4	1433

SANDANSKI, BULGARIA

STA NO. 19712 (IN AREA NUMBER 02)

LATITUDE 4134N

LONGITUDE 02617E

ELEVATION(FT) 00627

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	64	70	86	82	93	100	102	106	97	90	72	68	106	16	4796
MEAN MAX TMP (F)	43	48	55	66	75	83	88	89	80	69	56	47	67	16	4796
MEAN MIN TMP (F)	30	32	38	46	54	60	64	64	58	49	43	35	48	16	4552
ABS MIN TMP (F)	-6	9	18	32	36	45	50	46	41	32	18	16	-6	16	4552
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.8	5.7	15.1	17.1	3.7	0.1	0.0	0.0	42.5	16	4796
MEAN NO DYS TMP = DR LES 32(F)	18.6	14.8	6.1	0.4	0.0	0.0	0.0	0.0	0.0	0.1	3.9	12.0	55.9	16	4552
MEAN NO DYS TMP = DR LES 0(F)	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	16	4552
MEAN DEW PT TMP (F)	29	30	35	43	51	56	58	57	52	48	43	35	45	15	24199
MEAN REL HUM (PCT)	77	72	67	65	66	63	57	53	59	69	79	81	67	15	24159
MEAN PRESS ALT (FT)	461	483	530	629	605	591	634	619	525	458	464	522	543	15	24025
MEAN PRECIP (IN)	1.63	1.35	1.85	1.58	2.45	1.85	1.41	0.77	1.09	2.09	2.67	2.22	21.0	13	3780
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0	0.0				16	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	4.4	3.3	4.3	3.6	5.5	4.9	3.3	1.7	2.5	5.4	6.8	5.6	51.3	16	3780
MEAN NO DYS SNFL = DR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0	0.0				16	-29
MEAN NO DYS W/OCCUR VSBY LES 1/2 MI	2.9	1.1	0.2	0.2	0.2	0.0	0.0	0.0	0.1	0.1	2.5	3.9	11.2	15	3831
MEAN NO DYS TSTMS	0.2	0.3	0.4	2.3	5.6	7.6	7.5	3.6	2.3	1.2	1.0	0.3	32.3	15	3830
P FREQ WND SPD = DR GTR 17 KTS	6.4	7.1	6.8	3.9	2.6	2.5	3.8	3.5	2.2	1.6	2.2	3.2	3.8	15	24271
P FREQ WND SPD = DR GTR 28 KTS	0.6	1.2	1.7	0.4	0.6	0.4	0.5	0.6	0.6	0.0	0.6	0.2	0.6	15	24271
P FREQ LES 5000 FT A/D LES 3 MI	23.3	20.7	20.4	11.6	10.3	5.8	2.6	1.6	5.5	11.7	25.9	30.9	14.2	16	25337
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	10.0	8.6	3.2	2.0	2.2	0.9	0.4	0.0	0.6	2.2	7.5	9.8	4.0	15	4665
03-05 LST	7.7	5.2	2.3	0.5	2.0	0.2	0.0	0.4	0.2	2.0	6.3	10.6	3.1	9	2823
06-08 LST	12.4	9.1	4.1	1.2	2.6	1.2	0.0	0.3	0.6	3.0	11.9	13.3	5.0	16	4673
09-11 LST	9.6	5.3	1.8	0.9	1.4	0.9	0.0	0.0	0.8	1.3	7.6	13.1	3.6	9	2679
12-14 LST	8.2	6.4	2.5	1.3	1.4	0.8	0.7	0.1	0.0	1.9	4.2	8.4	3.0	16	4829
15-17 LST	5.7	6.8	0.9	0.9	0.7	1.1	0.0	0.4	0.0	1.1	3.0	9.2	2.5	9	2678
18-20 LST	8.1	7.7	3.2	1.3	1.4	0.9	0.4	0.4	0.4	2.2	6.0	9.0	3.4	16	4945
21-23 LST	6.2	6.5	1.8	1.7	1.7	0.2	0.4	0.0	0.2	1.7	3.5	12.3	3.0	9	2822
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	4.9	2.8	0.5	0.0	0.5	0.8	0.0	0.0	0.3	0.2	3.4	6.8	1.7	15	4665
03-05 LST	3.8	1.4	0.4	0.0	0.4	0.0	0.0	0.4	0.0	0.4	4.6	8.0	1.6	9	2823
06-08 LST	6.4	3.0	0.8	0.0	0.0	0.3	0.0	0.0	0.0	0.2	6.3	7.9	2.1	16	4673
09-11 LST	4.0	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	9.0	1.5	9	2679
12-14 LST	2.0	1.3	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.5	3.8	0.7	16	4829
15-17 LST	2.3	2.4	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	5.9	0.9	9	2678
18-20 LST	2.9	1.3	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.2	1.9	4.3	1.0	16	4945
21-23 LST	3.4	2.8	0.0	0.8	0.4	0.0	0.0	0.0	0.0	0.0	1.7	8.7	1.5	9	2822

SANDANSKI, BULGARIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST	29.0	26.4	30.3	29.8	30.6	29.8	30.9	31.0	29.9	30.8	28.4	28.4	352.3	15	4665
	08 LST	28.8	26.3	30.4	30.0	30.6	29.8	31.0	31.0	30.0	30.5	27.4	27.7	353.2	16	4673
	14 LST	29.7	27.0	30.7	29.8	30.8	30.0	30.8	31.0	30.0	30.9	29.3	29.2	359.2	16	4829
	20 LST	29.6	27.0	30.6	29.9	31.0	30.0	31.0	31.0	30.0	30.8	28.8	28.9	358.6	16	4945
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST	22.4	20.1	25.7	25.9	27.4	27.4	27.5	27.8	27.4	28.9	25.0	24.1	309.6	15	4665
	08 LST	22.4	21.4	26.0	26.9	27.9	27.6	28.4	29.0	28.5	28.3	23.7	24.4	314.5	16	4668
	14 LST	22.2	18.4	22.8	21.6	23.8	24.4	26.1	26.9	26.5	27.0	25.4	23.6	288.7	16	4822
	20 LST	22.7	19.4	22.2	21.3	24.9	24.4	25.7	26.0	26.5	27.6	24.9	24.8	290.4	16	4940
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST	2.0	2.0	1.7	0.5	0.7	0.6	1.3	1.1	0.7	0.2	0.8	1.1	12.7	15	4675
	08 LST	1.3	1.0	1.2	0.4	0.6	0.5	0.7	0.8	0.7	0.3	0.3	0.8	8.6	16	4682
	14 LST	1.9	2.6	2.5	1.4	1.7	1.2	1.4	1.4	0.8	0.9	1.0	1.0	17.8	16	4847
	20 LST	2.2	2.0	2.7	1.1	0.9	0.8	0.6	0.8	1.0	0.6	0.6	0.6	13.9	16	4963
SFC WND 4-10 KTS AND THP 33-89 DEG F AND NO PRECIP.	02 LST	3.4	3.4	7.3	7.7	6.7	7.2	7.7	7.8	4.7	5.0	5.3	4.4	70.6	15	4670
	08 LST	3.1	3.4	6.2	5.1	6.0	5.0	6.3	6.1	3.8	4.0	4.7	3.7	57.4	16	4679
	14 LST	6.7	7.9	13.5	13.4	16.4	13.4	9.8	9.5	10.9	10.0	8.8	6.3	128.6	16	4836
	20 LST	4.9	5.1	12.0	13.7	13.3	10.9	11.9	11.5	10.1	7.0	5.9	4.0	110.3	16	4956
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST	13.0	13.7	12.8	14.3	17.3	20.7	25.7	27.0	22.8	18.1	12.6	12.3	210.3	15	4673
	08 LST	8.9	8.7	8.7	10.8	12.7	19.1	24.2	24.1	19.0	13.3	7.2	8.3	165.0	16	4685
	14 LST	8.8	9.1	8.2	7.1	8.0	12.8	19.7	21.6	16.6	13.6	7.3	7.8	140.6	16	4843
	20 LST	13.2	13.6	12.3	10.7	7.9	11.6	18.9	21.0	20.0	18.2	11.8	12.4	171.6	16	4959
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST	25.8	24.1	28.4	28.4	29.6	29.3	30.7	30.9	29.4	29.3	26.1	26.4	338.4	15	4665
	08 LST	24.5	23.8	28.2	28.9	29.3	29.3	30.9	30.8	29.4	28.8	24.5	24.6	332.0	16	4673
	14 LST	26.5	24.4	26.6	28.7	29.9	29.2	30.6	30.9	29.7	29.6	26.7	26.4	341.2	16	4829
	20 LST	26.5	24.2	28.2	28.6	29.5	29.3	30.7	30.7	29.5	29.3	26.4	26.2	339.1	16	4945
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST	20.9	20.5	21.5	24.3	25.8	26.2	28.5	29.4	26.6	24.4	20.2	20.1	288.4	15	4665
	08 LST	18.8	19.8	21.8	25.1	25.7	26.8	29.6	29.7	27.1	23.7	17.4	17.7	283.2	16	4673
	14 LST	21.8	20.6	22.3	23.1	24.4	25.4	28.0	29.0	27.1	25.9	19.6	20.7	287.9	16	4829
	20 LST	21.8	21.5	22.0	23.7	24.2	24.9	27.5	28.3	26.4	24.9	20.2	20.5	285.9	16	4945
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST	20.7	20.2	21.3	23.9	25.4	25.6	27.9	29.1	26.5	24.3	19.7	19.8	284.4	15	4665
	08 LST	18.7	19.5	21.3	24.8	25.1	26.4	29.3	29.5	26.7	23.0	17.2	17.5	279.0	16	4673
	14 LST	21.4	20.4	21.8	22.9	23.8	24.5	27.6	28.9	26.8	25.7	19.6	20.6	284.0	16	4829
	20 LST	21.4	21.5	21.9	22.9	23.2	23.7	26.8	27.8	26.1	24.6	20.0	20.3	280.2	16	4945

SMOLYAN/RAYKOVO, BULGARIA

STA NO. 15725 (IN AREA NUMBER 02)

LATITUDE 4130N

LONGITUDE 02440E

ELEVATION(FT) 03872

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
ABS MAX TMP (F)	61	61	66	77	77	81	86	93	88	81	70	61	93	13	1663
MEAN MAX TMP (F)	36	36	43	53	61	67	73	75	69	58	51	40	55	13	1663
MEAN MIN TMP (F)	23	22	29	38	45	51	54	55	48	43	37	28	39	13	1625
ABS MIN TMP (F)	-13	-8	9	25	32	32	45	41	32	25	7	1	-13	13	1625
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.3	13	1663
MEAN NO DYS TMP = DR LES 32(F)	23.3	24.4	18.3	7.7	0.7	0.3	0.0	0.0	0.5	1.8	7.1	18.0	102.1	13	1625
MEAN NO DYS TMP = DR LES 0(F)	0.7	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	13	1625
MEAN DEW PT TMP (F)	20	20	26	35	42	48	51	48	43	40	36	26	36	9	7683
MEAN REL HUM (PCT)	72	74	69	70	70	69	66	57	62	74	72	77	69	9	7671
MEAN PRESS ALT (FT)	3794	3797	3799	3782	3737	3620	3614	3566	3554	3579	3649	3792	3690	9	7711
MEAN PRECIP (IN)	3.34	3.10	3.79	3.83	8.22	3.95	3.17	1.27	0.75	3.82	7.48	8.27	51.0	13	1102
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0					13	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	8.1	6.6	6.2	6.8	10.6	8.7	6.9	2.7	1.5	6.9	6.5	9.8	81.3	13	1102
MEAN NO DYS SNFL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0					13	-29
MEAN NO DYS W/OCCUR VSBY LES 1/2 MI	4.9	8.2	5.2	3.0	2.9	0.7	0.0	0.0	1.0	4.2	5.0	6.8	41.9	9	1115
MEAN NO DYS TSTMS	0.7	0.8	0.0	1.6	9.4	12.7	11.0	2.6	3.0	1.2	1.8	1.4	46.2	9	1117
P FREQ WND SPD = DR GTR 17 KTS	3.4	3.7	3.9	1.6	0.7	0.5	1.5	1.6	0.8	1.0	1.2	2.8	1.9	9	7696
P FREQ WND SPD = DR GTR 28 KTS	0.5	0.9	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.8	0.2	9	7696
P FREQ LES 5000 FT A/D LES 5 MI	40.0	51.9	43.7	43.4	42.5	34.3	27.2	9.8	18.1	40.8	37.4	47.8	36.4	12	8100
P FREQ LES 1900 FT A/D LES 3 MI															
FOR 00-02 LST	17.1	13.8	11.6	6.8	5.0	0.0	1.3	0.0	3.1	11.1	13.1	14.4	8.1	12	1907
03-05 LST	16.8	19.0	9.2	8.6	9.2	3.4	2.6	1.5	3.5	10.9	12.0	12.5	9.1	7	1307
06-08 LST	17.8	21.8	17.8	8.5	7.6	3.2	1.8	2.3	4.5	15.0	17.9	17.8	11.3	13	1729
09-11 LST	16.8	15.8	10.3	8.0	6.7	3.5	0.0	0.0	2.2	13.8	14.8	19.8	9.3	7	1175
12-14 LST	18.3	24.2	12.2	7.0	8.3	3.2	1.0	0.0	3.1	9.0	14.9	16.4	9.8	13	1524
15-17 LST	22.2	19.3	7.5	7.8	11.7	4.4	4.5	1.3	3.1	8.5	11.6	21.5	10.3	7	1157
18-20 LST	15.9	23.3	12.3	9.8	10.9	6.3	1.2	1.6	2.5	14.2	18.1	19.2	11.3	13	1763
21-23 LST	15.1	15.3	10.8	6.9	5.2	4.8	0.9	0.0	2.5	8.0	10.7	18.0	8.2	7	1370
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	8.3	11.8	5.3	4.0	4.0	0.0	0.0	0.0	1.2	6.8	9.4	7.9	4.9	12	1907
03-05 LST	7.9	16.5	5.5	6.7	4.8	1.1	0.0	0.0	1.8	7.5	9.2	5.4	5.5	7	1307
06-08 LST	8.1	13.3	13.5	3.4	3.6	2.7	0.7	0.0	2.3	5.5	11.0	10.3	6.2	13	1729
09-11 LST	6.7	9.0	4.1	4.0	2.0	1.1	0.0	0.0	2.2	5.9	1.8	11.9	4.1	7	1175
12-14 LST	7.6	12.0	4.0	4.6	1.9	1.1	0.0	0.0	0.9	3.9	4.9	7.1	4.0	13	1524
15-17 LST	12.9	15.4	3.0	6.7	7.4	1.2	1.3	1.3	3.1	5.0	3.3	9.6	5.9	7	1157
18-20 LST	7.5	15.5	7.2	5.0	3.6	3.1	0.0	0.0	1.6	5.1	8.5	9.7	5.6	13	1763
21-23 LST	13.2	7.6	5.6	3.9	3.4	0.9	0.0	0.0	0.8	2.6	4.5	8.7	4.3	7	1370

SMOLYAN/RAYKOVO, BULGARIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PUR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST	26.3	24.4	28.4	28.4	29.6	30.0	31.0	31.0	29.5	28.3	26.7	27.7	341.3	12	1907
	08 LST	26.7	22.5	25.9	28.0	29.5	29.2	30.5	30.5	28.6	27.9	25.8	27.1	332.2	13	1729
	14 LST	26.5	22.3	27.8	28.6	29.8	29.4	31.0	31.0	29.5	29.1	27.1	27.7	339.8	13	1524
	20 LST	27.2	22.0	27.9	27.8	29.2	28.6	30.8	30.5	29.5	27.8	25.7	26.1	339.1	13	1763
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST	21.4	18.9	20.8	23.6	24.6	26.3	25.9	26.1	26.0	24.5	22.3	20.1	280.5	12	1904
	08 LST	20.7	19.3	20.4	24.0	24.1	25.9	26.9	28.6	26.2	23.7	21.2	20.3	281.3	13	1728
	14 LST	18.3	13.5	18.3	19.8	20.2	22.3	22.7	24.1	21.7	20.8	18.9	20.0	240.6	13	1521
	20 LST	21.2	16.8	21.3	22.7	22.8	24.7	28.9	27.4	26.4	22.9	20.7	20.4	276.2	13	1758
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST	0.7	1.1	0.7	0.4	0.2	0.6	0.6	0.4	0.4	0.2	0.4	1.8	7.5	12	1909
	08 LST	0.7	1.0	1.6	0.0	0.0	0.0	0.7	0.5	0.0	0.2	0.5	0.4	5.6	13	1736
	14 LST	1.6	0.8	1.0	0.8	0.6	0.0	0.6	0.6	0.5	0.3	0.3	0.7	7.8	13	1538
	20 LST	0.6	0.0	0.4	0.0	0.2	0.0	0.0	0.2	0.0	0.5	0.3	0.7	2.9	13	1763
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST	2.3	3.6	5.5	7.7	10.2	10.0	12.8	13.3	11.1	7.3	6.2	2.8	92.8	12	1904
	08 LST	2.1	2.9	1.8	3.2	6.3	4.6	5.2	3.1	3.2	3.1	4.9	3.9	44.3	13	1727
	14 LST	4.9	3.1	13.3	13.1	12.3	13.2	17.5	18.4	14.7	12.1	9.9	5.3	137.8	13	1533
	20 LST	3.0	1.5	5.8	8.4	8.7	4.9	10.5	10.0	11.0	7.6	4.8	3.9	80.1	13	1757
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST	13.5	12.8	14.6	18.1	17.0	21.2	24.7	27.4	22.7	17.5	12.9	10.9	213.3	12	1910
	08 LST	8.9	8.5	10.1	10.3	12.4	18.2	23.3	24.6	21.7	10.9	8.2	9.3	166.4	13	1733
	14 LST	8.4	6.7	6.8	6.8	3.0	6.1	12.7	17.4	15.3	8.4	7.3	8.5	107.4	13	1538
	20 LST	12.5	9.7	12.5	8.4	8.1	9.5	16.2	19.5	21.0	13.6	11.6	12.3	154.9	13	1766
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST	22.9	20.9	23.2	25.4	26.6	28.4	28.9	30.1	27.6	24.8	22.8	22.1	303.7	12	1907
	08 LST	21.8	18.5	22.2	24.2	26.0	27.4	29.1	29.3	27.7	22.6	21.6	21.2	291.6	13	1729
	14 LST	21.7	18.0	22.2	22.3	22.8	23.1	27.1	29.3	26.9	24.1	21.9	21.0	280.4	13	1524
	20 LST	22.3	17.7	23.1	22.3	23.0	24.2	28.2	28.5	27.2	22.7	21.3	21.4	281.9	13	1763
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST	19.5	16.5	17.7	21.7	21.6	25.1	26.4	28.3	25.3	20.9	17.7	16.4	257.1	12	1907
	08 LST	17.6	14.1	16.9	19.5	21.9	23.8	26.7	27.7	25.3	18.9	18.4	16.2	247.0	13	1729
	14 LST	16.4	14.0	14.0	13.5	10.7	10.5	17.2	22.5	19.7	15.8	17.0	15.1	186.4	13	1524
	20 LST	17.4	12.1	17.2	15.3	17.1	17.2	23.1	23.5	23.5	17.2	17.4	16.6	217.6	13	1763
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST	19.5	16.5	17.7	21.5	21.6	25.1	26.4	28.3	25.3	20.9	17.7	16.4	256.9	12	1907
	08 LST	17.6	14.1	16.9	19.5	21.7	23.8	26.7	27.7	25.3	18.9	18.4	16.2	246.8	13	1729
	14 LST	16.4	14.0	14.0	13.5	10.7	10.5	16.9	22.5	19.7	15.8	16.8	15.0	185.8	13	1524
	20 LST	17.4	12.1	17.2	15.1	17.1	17.2	23.1	23.5	23.5	17.2	17.3	16.6	217.3	13	1763

KURDJALI, BULGARIA

STA NO. 15730 (IN AREA NUMBER 02)

LATITUDE 4138N

LONGITUDE 02524E

ELEVATION(FT) 00791

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	59	72	73	81	90	91	102	106	93	84	75	64	106	5	1816
MEAN MAX TMP (F)	43	49	53	63	73	80	85	87	79	68	57	49	66	5	1816
MEAN MIN TMP (F)	30	31	36	44	51	58	61	61	55	47	41	35	46	5	1803
ABS MIN TMP (F)	0	3	23	30	37	45	46	46	41	28	19	7	0	5	1803
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.4	2.3	11.0	10.9	1.2	0.0	0.0	0.0	23.8	5	1816
MEAN NO DYS TMP = DR LES 32(F)	18.8	17.0	10.6	0.9	0.0	0.0	0.0	0.0	0.0	2.0	0.1	12.0	67.4	5	1803
MEAN NO DYS TMP = DR LES 0(F)	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	5	1803
MEAN DEW PT TMP (F)	31	33	36	43	51	56	56	57	54	49	43	36	45	5	-29
MEAN REL HUM (PCT)	81	78	75	70	70	67	59	59	67	75	81	82	72	5	11970
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	2.31	1.22	1.98	2.63	3.11	2.52	0.93	0.74	1.36	2.78	2.68	3.68	23.9	3	1645
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0					5	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	7.3	3.9	5.7	7.2	8.4	6.3	2.0	1.3	4.1	6.5	6.4	10.7	69.8	3	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0					5	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	2.1	1.6	0.9	0.0	0.0	0.3	0.0	0.2	0.0	1.9	3.1	2.0	12.1	5	1811
MEAN NO DYS TSTMS	0.2	0.3	0.2	0.3	0.9	1.9	1.1	1.1	0.5	0.3	0.4	0.3	7.5	5	1829
P FREQ WND SPD = DR GTR 17 KTS	2.2	6.2	5.0	5.3	4.8	2.8	1.6	1.3	0.2	1.7	3.2	2.9	3.1	5	11967
P FREQ WND SPD = DR GTR 28 KTS	0.0	1.0	0.3	1.3	0.4	0.1	0.4	0.2	0.1	0.0	1.0	0.7	0.5	5	11967
P FREQ LES 3000 FT A/D LES 5 MI	48.7	33.2	40.1	31.0	22.0	14.7	7.2	8.2	10.0	21.6	39.6	44.5	26.7	3	11929
P FREQ LES 1500 FT A/D LES 3 MI															
FDR 00-02 LST	8.7	3.2	1.9	1.5	1.1	0.0	0.0	0.0	0.0	1.8	4.5	5.4	2.3	5	1764
03-05 LST	3.5	5.5	1.0	0.0	0.0	3.0	0.0	0.0	0.0	4.5	3.3	2.5	1.9	3	1155
06-08 LST	13.5	8.5	4.7	1.4	0.0	0.7	0.0	0.6	0.0	9.5	18.3	13.0	5.9	5	1803
09-11 LST	14.9	11.2	2.3	0.0	0.5	0.0	0.0	0.0	0.0	0.9	5.8	15.8	4.3	4	1236
12-14 LST	9.9	2.0	2.2	0.8	0.0	0.0	0.0	0.0	0.0	0.6	0.6	7.7	2.0	6	1771
15-17 LST	5.8	2.1	0.4	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	3.8	1.1	4	1216
18-20 LST	9.3	3.2	2.6	1.2	0.0	0.7	0.3	0.0	0.0	2.3	1.8	5.6	2.3	5	1822
21-23 LST	2.5	1.1	0.5	1.0	0.4	0.0	0.0	0.0	1.8	0.0	0.0	3.1	0.9	3	1162
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	2.3	2.4	0.8	0.0	0.7	0.0	0.0	0.0	0.0	0.0	2.4	3.1	1.0	5	1764
03-05 LST	3.0	4.4	1.0	0.0	0.0	2.0	0.0	0.0	0.0	3.6	2.8	2.0	1.6	3	1155
06-08 LST	10.0	7.0	2.2	0.7	0.0	0.0	0.0	0.6	0.0	8.1	13.2	9.7	4.5	5	1803
09-11 LST	13.5	6.1	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.9	2.9	12.6	3.1	4	1236
12-14 LST	5.3	0.8	0.7	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.5	0.9	5	1771
15-17 LST	4.2	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.5	4	1216
18-20 LST	3.5	2.4	0.0	0.0	0.0	0.7	0.0	0.0	0.0	1.1	1.2	2.3	0.9	5	1822
21-23 LST	0.0	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	0.3	3	1162

KURDJALI, BULGARIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST	29.8	27.1	30.5	29.6	30.8	30.0	31.0	31.0	30.0	30.8	29.1	29.8	359.5	5	1764
	08 LST	27.2	25.6	29.9	29.6	31.0	29.8	31.0	30.8	30.0	28.5	24.7	27.8	345.9	5	1803
	14 LST	28.7	27.6	30.6	29.8	31.0	30.0	31.0	31.0	30.0	31.0	30.0	28.8	359.5	5	1771
	20 LST	29.0	27.1	30.8	29.8	31.0	29.8	31.0	31.0	30.0	30.7	29.6	29.6	359.4	5	1822
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST	27.2	25.1	29.1	28.0	29.9	29.0	30.6	30.3	29.5	29.7	27.7	27.7	343.8	5	1764
	08 LST	25.0	23.9	27.7	28.5	30.0	29.2	30.6	30.6	30.0	28.0	23.8	26.4	334.3	5	1803
	14 LST	25.4	20.9	23.8	23.3	25.3	25.1	26.3	26.5	27.5	28.6	26.5	23.2	302.4	5	1770
	20 LST	26.8	23.3	27.4	26.4	29.1	27.6	30.6	29.7	29.8	29.8	28.0	27.5	336.0	5	1821
SPC WND = GTR 17 KTS AND NO PRECIP.	02 LST	0.7	0.7	0.2	0.0	0.0	0.0	0.2	0.0	0.0	0.6	0.5	0.5	3.4	5	1765
	08 LST	0.2	0.4	0.4	0.6	0.0	0.0	0.2	0.0	0.2	0.2	0.5	0.7	3.2	5	1811
	14 LST	1.2	3.0	3.4	2.8	2.0	1.7	1.2	1.1	0.0	1.3	1.5	1.6	20.8	5	1776
	20 LST	1.1	1.6	1.4	1.4	0.6	1.1	0.0	0.2	0.2	0.3	0.9	0.5	9.3	5	1828
SPC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST	1.4	1.8	4.9	5.1	2.5	2.7	2.3	2.2	2.1	2.4	2.9	3.1	33.4	5	1765
	08 LST	2.1	3.0	4.4	5.6	4.3	4.4	4.5	4.3	2.6	3.2	3.8	3.5	45.7	5	1811
	14 LST	7.4	9.3	15.1	14.9	15.2	18.2	16.2	18.4	17.5	17.6	13.0	9.5	172.8	5	1776
	20 LST	4.8	3.6	8.5	8.8	8.6	11.3	11.9	8.7	5.5	6.8	5.5	4.8	88.8	5	1828
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST	12.1	15.6	13.5	15.5	18.9	20.9	26.9	25.1	22.2	19.4	12.3	11.5	214.9	5	1765
	08 LST	5.7	10.2	6.4	9.1	13.7	16.1	23.6	22.1	15.7	9.7	6.0	8.2	146.5	5	1810
	14 LST	7.2	8.5	5.8	5.3	6.8	7.1	16.4	16.9	13.8	13.4	8.0	6.2	115.4	5	1776
	20 LST	12.1	15.2	9.9	8.8	8.6	9.1	19.4	17.5	15.8	19.9	12.4	12.0	180.7	5	1829
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST	26.2	25.1	27.7	28.2	29.3	29.3	30.7	30.9	29.6	29.3	26.0	26.0	338.3	5	1764
	08 LST	24.7	24.6	26.5	29.1	30.1	29.2	30.7	30.7	29.7	26.2	22.4	25.2	329.1	5	1803
	14 LST	25.5	25.9	28.4	29.1	30.1	29.5	30.8	30.8	29.9	29.7	28.4	27.0	345.1	5	1771
	20 LST	25.8	25.3	27.3	28.5	30.3	29.4	30.7	30.8	28.9	29.1	27.1	26.7	339.9	5	1822
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST	16.6	19.1	18.6	21.0	23.7	25.3	29.2	28.6	25.3	23.3	16.7	17.1	264.5	5	1764
	08 LST	11.9	18.9	16.7	18.6	25.1	24.5	28.8	29.0	24.8	18.1	13.0	15.9	245.3	5	1803
	14 LST	16.4	19.9	17.5	17.0	17.1	19.9	24.0	24.3	24.8	25.4	19.6	19.5	245.4	5	1771
	20 LST	16.5	21.5	17.8	18.0	23.7	23.8	26.8	25.3	24.0	23.7	17.3	17.0	253.4	5	1822
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST	16.6	19.1	18.6	21.0	23.7	25.3	29.2	28.6	25.3	23.3	16.7	17.1	264.5	5	1764
	08 LST	11.9	18.9	16.7	18.6	25.1	24.5	28.8	29.0	24.8	18.1	13.0	15.9	245.3	5	1803
	14 LST	16.4	19.9	17.5	17.0	17.1	19.9	24.0	24.3	24.6	25.4	19.6	19.5	245.2	5	1771
	20 LST	16.5	21.5	17.6	18.0	23.7	23.8	26.8	25.3	24.0	23.7	17.3	16.8	253.0	5	1822

AREA 02

BULGARIA		S. W. HIGHLANDS					LATITUDE 4230N		LONGITUDE 02330E						
BOUNDARIES		4351N 02223E	4309N 02343E	4309N 02343E	4314N 02627E	4314N 02627E	4256N 02719E	4228N 02535E	4228N 02535E	4216N 02407E	4216N 02407E	4130N 02611E			
PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	
MEAN MAX TMP (F)		33	35	41	51	60	67	72	74	67	57	45	37	53	
MEAN MIN TMP (F)		22	22	27	35	43	49	53	53	47	40	33	26	38	
LARGEST MEAN PRECIP(IN)		5.28	4.76	5.65	5.71	8.22	3.95	3.17	2.73	1.85	3.82	7.48	8.27	60.9	
SMALLEST MEAN PRECIP(IN)		1.55	1.15	1.67	1.58	2.45	1.85	0.93	0.74	0.75	1.59	2.03	1.73	18.0	
MEAN NUMBER OF DAYS															
CIG = GTR 1000 FT AND VSBY = GTR 3 MI		02 LST	22.4	21.3	24.5	24.2	25.1	25.1	27.9	28.2	26.9	26.5	23.1	23.1	298.3
		08 LST	21.1	19.4	23.0	23.6	25.3	25.5	27.1	27.7	26.5	25.2	21.4	22.4	288.2
		14 LST	22.6	20.4	24.7	23.2	24.3	22.9	25.0	25.9	25.4	26.5	23.2	22.8	286.9
		20 LST	22.6	20.7	24.9	23.4	24.3	24.2	26.3	26.7	26.4	26.8	23.0	22.9	292.2
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS		02 LST	16.1	14.0	17.4	19.0	20.3	20.6	22.7	22.6	22.1	21.0	17.5	16.2	229.5
		08 LST	14.6	13.3	16.8	18.5	20.2	20.6	21.9	23.0	22.0	19.3	15.4	15.4	221.0
		14 LST	14.4	11.7	15.2	15.2	16.3	17.1	19.0	19.7	19.8	19.8	16.1	14.8	199.1
		20 LST	15.7	13.6	17.0	17.3	18.5	19.4	21.9	21.9	21.8	21.0	16.9	16.3	221.3
SFC WND = GTR 17 KTS AND NO PRECIP.		02 LST	4.5	4.8	3.8	2.8	2.8	2.7	2.9	2.4	2.5	3.0	3.2	4.5	39.9
		08 LST	4.4	4.1	4.4	3.1	2.9	2.2	2.8	2.8	2.5	3.5	3.6	4.6	40.9
		14 LST	4.7	5.3	4.4	3.4	3.1	2.2	2.5	2.4	2.3	3.2	3.5	4.6	41.6
		20 LST	4.7	4.0	4.1	2.8	3.0	2.9	2.5	2.1	2.1	2.8	3.3	4.1	38.4
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.		02 LST	1.3	2.0	3.9	5.1	5.7	6.5	7.9	9.1	7.3	6.0	3.9	2.6	61.3
		08 LST	1.4	1.8	2.6	4.3	5.2	5.8	7.1	7.6	5.6	5.0	3.9	2.4	52.7
		14 LST	3.8	4.0	8.8	10.8	12.1	13.2	14.1	15.9	14.3	12.2	7.6	4.8	121.6
		20 LST	2.4	2.3	5.6	7.3	8.2	8.4	10.7	10.9	9.6	7.9	4.6	3.0	80.9
SKY COVER LES 3/10 AND VSBY = GTR 3 MI		02 LST	11.2	11.9	11.6	13.5	13.5	16.9	23.0	23.7	21.3	17.2	11.1	10.1	185.0
		08 LST	6.5	6.5	7.2	7.9	10.6	14.6	19.9	20.6	16.8	11.1	6.3	7.5	135.5
		14 LST	7.0	6.5	6.7	4.4	4.6	6.2	12.0	14.6	12.8	10.7	6.1	7.3	98.9
		20 LST	10.5	10.1	10.2	8.1	6.4	8.1	15.2	16.8	17.4	15.9	10.5	10.8	140.0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI		02 LST	19.8	19.0	21.7	22.6	23.5	24.3	27.4	27.8	26.3	24.7	20.4	20.0	277.5
		08 LST	18.3	17.1	20.5	22.1	23.5	24.6	26.5	27.3	25.7	22.6	18.7	19.6	266.5
		14 LST	19.6	17.8	22.4	21.3	22.0	21.4	24.2	25.4	24.7	24.7	20.1	19.9	263.5
		20 LST	20.0	18.2	22.3	21.6	22.4	23.0	25.5	26.2	25.5	25.0	20.4	20.4	270.5
CIG = GTR 6000 FT AND VSBY = GTR 3 MI		02 LST	15.4	15.4	16.7	18.8	19.3	21.1	25.3	26.1	24.0	20.5	15.3	14.7	232.6
		08 LST	13.0	13.6	15.7	17.6	20.1	21.6	24.6	25.5	23.2	18.5	13.5	14.5	221.4
		14 LST	15.2	14.3	16.8	14.6	14.3	14.7	19.1	21.3	21.1	20.2	14.8	15.8	202.2
		20 LST	15.5	15.2	17.0	16.3	17.4	18.2	21.9	22.7	22.3	20.8	15.6	15.5	218.4
CIG = GTR 10000 FT AND VSBY = GTR 3 MI		02 LST	15.3	15.3	16.7	18.6	19.2	21.0	25.2	26.0	24.0	20.5	15.2	14.6	231.6
		08 LST	13.0	13.5	15.5	17.6	19.9	21.5	24.5	25.5	23.1	18.4	13.4	14.4	220.3
		14 LST	15.2	14.3	16.7	14.5	14.1	14.4	18.8	21.2	21.0	20.2	14.7	15.7	200.8
		20 LST	15.4	15.2	17.0	16.1	17.2	18.0	21.7	22.7	22.3	20.8	15.5	15.4	217.3



PRECEDING PAGE NOT FILMED  
BLANK



CHEB, CZECHOSLOVAKIA

STA NO. 11406 (IN AREA NUMBER 01)

LATITUDE 5005N

LONGITUDE 01224E

ELEVATION(FT) 01552

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	39	52	61	64	84	77	82	82	84	70	52	54	84	4	220
MEAN MAX TMP (F)	31	36	47	54	67	73	72	71	66	58	41	37	54	4	220
MEAN MIN TMP (F)	25	25	27	36	47	56	50	47	46	40	31	28	38	4	223
ABS MIN TMP (F)	14	16	19	27	30	41	39	39	36	25	12	12	12	4	223
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	220
MEAN NO DYS TMP = DR LES 32(F)	28.6	28.0	28.6	6.0	1.5	0.0	0.0	0.0	0.0	7.4	15.5	27.6	143.2	4	223
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	223
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	1.11	0.42	0.16	1.80	2.64	5.85	1.45	0.91	1.97	0.40	1.01	1.07	18.8	2	143
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0					4	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	4.4	0.0	0.0	7.5	6.6	15.0	6.9	4.1	7.5	2.2	2.1	2.6	58.9	2	143
MEAN NO DYS SNPL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0					4	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = DR GTR 17 KTS														0	0
P FREQ WND SPD = DR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FOR 00-02 LST	74.3	75.2	55.6	28.3	19.2	13.5	28.1	12.1	29.7	68.0	65.7	66.6	44.7	5	570
03-05 LST														0	0
06-08 LST	91.7		78.6	64.3	55.6	33.3	60.9	50.1	37.0	81.0	84.6	92.2	69.1	2	224
09-11 LST														0	0
12-14 LST	60.1	40.6	25.7	12.5	7.1	10.7	9.4	8.9	11.1	33.2	53.9	61.1	27.9	5	567
15-17 LST														0	0
18-20 LST	74.8	54.9	33.9	12.2	3.7	8.2	2.4	4.8	14.2	44.3	73.6	66.2	32.8	5	542
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														0	0
FOR 00-02 LST	18.0	20.6	14.9	4.1	1.5	0.0	3.4	3.0	13.8	19.4	17.9	12.2	10.7	5	570
03-05 LST														0	0
06-08 LST	0.0	62.5	35.7	35.7	10.5	16.7	7.1	21.7	26.1	52.4	21.9	21.1	26.0	2	224
09-11 LST														0	0
12-14 LST	2.2	12.2	6.4	0.0	0.0	0.0	0.0	0.0	3.1	2.6	9.3	7.9	3.6	5	567
15-17 LST														0	0
18-20 LST	15.4	9.4	5.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	4.3	9.1	3.8	5	542
21-23 LST														0	0

0045

PRECEDING PAGE NOT FILMED  
BLANK

CHEB, CZECHOSLOVAKIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	10.5	8.2	15.8	23.0	26.8	27.5	23.1	27.2	23.8	12.0	13.1	12.7	223.7	5	570
	07 LST	2.6	0.0	6.6	10.7	16.3	20.0	13.3	16.2	19.6	5.9	6.6	3.3	121.1	2	224
	13 LST	14.8	19.1	24.4	27.4	29.8	28.8	29.7	29.2	28.1	22.8	15.6	16.3	286.0	5	567
	19 LST	11.1	14.0	21.7	27.8	30.6	28.4	30.5	29.5	26.2	17.7	9.6	12.7	259.8	5	542
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	2.5	4.9	11.2	17.7	21.9	23.5	19.4	25.4	17.6	6.0	6.9	6.5	163.5	5	568
	07 LST	2.6	0.0	4.4	8.6	11.4	20.0	11.1	14.8	14.3	5.9	2.9	0.8	96.8	2	223
	13 LST	6.7	11.6	14.5	19.1	18.6	18.5	18.3	18.2	14.1	11.7	7.8	6.9	166.0	5	565
	19 LST	2.4	9.6	14.7	21.1	25.2	22.7	25.0	25.8	23.1	16.4	5.9	7.2	199.1	5	537
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	5	578
	07 LST	0.0	0.0	2.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.0	3.1	2	227
	13 LST	1.3	0.7	0.6	0.9	2.4	0.0	0.0	0.0	0.9	0.0	0.5	0.4	7.7	5	579
	19 LST	0.8	0.0	0.8	0.0	0.4	0.0	0.0	0.7	0.0	0.0	0.0	0.7	3.4	5	545
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	1.2	3.8	4.0	10.8	8.3	8.6	11.7	5.6	8.3	12.6	10.3	5.8	91.0	5	577
	07 LST	2.4	0.0	0.0	2.1	8.2	5.0	13.3	9.4	10.9	14.0	7.3	4.2	76.8	2	223
	13 LST	2.6	4.1	10.3	14.8	15.8	17.5	16.1	17.2	13.6	16.3	14.2	6.5	149.0	5	579
	19 LST	3.2	5.4	10.1	16.1	16.6	18.9	16.0	17.3	11.4	16.0	12.0	3.3	146.3	5	536
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	1.9	3.1	5.9	9.9	11.4	12.1	8.6	14.1	11.4	0.0	0.8	1.9	81.1	5	580
	07 LST	0.0	0.0	6.6	2.1	1.6	5.0	0.0	0.0	2.6	0.0	0.0	0.0	17.9	2	226
	13 LST	1.4	4.1	5.2	4.3	4.3	5.6	6.0	0.0	5.6	5.0	0.5	1.2	43.2	5	573
	19 LST	0.0	5.3	7.8	3.8	5.5	4.7	5.8	7.0	11.5	8.6	3.2	2.7	65.9	5	548
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	4.8	5.1	11.1	18.2	21.0	22.3	19.2	23.9	17.4	6.0	5.8	7.2	162.0	5	570
	07 LST	2.6	0.0	6.6	9.9	10.1	18.0	10.2	14.3	15.7	3.5	2.1	1.6	94.6	2	224
	13 LST	9.6	13.0	19.7	20.5	24.7	22.8	22.8	23.0	22.3	15.2	10.2	7.3	211.1	5	567
	19 LST	4.1	11.0	17.8	23.0	26.5	24.8	28.1	29.5	24.2	15.4	5.9	7.9	218.2	5	542
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	3.7	4.1	9.9	14.8	17.4	18.5	15.2	17.8	15.5	3.0	3.1	5.7	128.7	5	570
	07 LST	2.6	0.0	6.6	8.6	8.2	15.0	8.9	10.8	11.7	0.0	0.9	1.6	74.9	2	224
	13 LST	8.1	10.2	16.5	11.3	14.3	13.8	13.9	16.4	15.9	9.8	7.2	5.7	143.1	5	567
	19 LST	3.2	10.5	14.7	18.9	20.2	20.3	23.3	27.3	22.3	13.3	5.1	7.0	186.1	5	542
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	3.1	4.1	9.9	14.0	17.4	18.5	15.2	16.9	15.5	3.0	3.1	5.1	125.8	5	570
	07 LST	2.6	0.0	6.6	8.6	8.2	15.0	8.9	10.8	11.7	0.0	0.9	1.6	74.9	2	224
	13 LST	7.4	10.2	16.5	10.9	14.3	13.8	13.9	16.4	15.9	9.8	7.2	5.3	141.6	5	567
	19 LST	3.2	9.6	14.0	18.3	20.2	20.3	23.3	27.3	22.3	13.3	5.1	7.0	183.9	5	542

PLZEN/DOBRANEY, CZECHOSLOVAKIA

STA NO. 11448 (IN AREA NUMBER 01)

LATITUDE 4940N

LONGITUDE 01317E

ELEVATION(FT) 01194

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
														(YRS)	QBS
ABS MAX TMP (F)	48	59	66	81	81	90	95	91	90	75	61	63	95	4	1184
MEAN MAX TMP (F)	30	35	45	60	61	71	72	73	69	54	44	31	54	4	1184
MEAN MIN TMP (F)	21	24	30	40	43	50	52	53	48	40	35	22	38	4	1184
ABS MIN TMP (F)	-13	-13	-4	25	27	30	41	37	32	14	12	-8	-13	4	1184
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.3	1.0	1.7	0.3	0.0	0.0	0.0	3.3	4	1184
MEAN NO DYS TMP = DR LES 32(F)	26.7	21.5	18.0	5.7	2.0	0.3	0.0	0.0	1.3	6.6	10.0	25.8	117.9	4	1184
MEAN NO DYS TMP = DR LES 0(F)	2	1.4	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	8.1	4	1184
MEAN DEW PT TMP (F)	22	25	30	41	44	50	51	52	50	41	36	23	39	4	8973
MEAN REL HUM (PCT)	87	86	78	75	78	72	71	72	78	83	87	90	80	4	8973
MEAN PRESS ALT (FT)	971	999	1055	1178	1123	1079	1083	1106	1053	1057	1155	1051	1076	4	8947
MEAN PRECIP (IN)	0.62	1.09	1.20	0.94	2.18	2.47	2.14	1.93	1.73	1.81	1.58	1.49	19.2	4	1035
MEAN SNOW FALL (IN)						0.0	0.0	0.0	0.0					4	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	2.7	4.3	3.0	2.6	7.2	7.3	6.0	7.1	4.4	3.8	3.8	4.7	56.9	4	1035
MEAN NO DYS SNFL = DR GTR 1.5 IN						0.0	0.0	0.0	0.0					4	-29
MEAN NO DYS W/OCCUR VSBY LES 1/2 MI	8.0	8.5	5.7	3.3	3.0	5.4	3.3	2.7	11.0	15.5	9.5	11.9	87.8	4	1171
MEAN NO DYS TSTMS	0.0	0.0	0.0	3.3	3.0	8.1	4.3	3.7	1.7	0.5	0.0	0.0	24.6	4	1170
P FREQ WND SPD = DR GTR 17 KTS	3.7	5.0	3.7	4.1	1.5	1.6	2.0	3.3	5.7	2.1	5.4	4.8	3.6	4	8972
P FREQ WND SPD = DR GTR 28 KTS	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.4	0.1	0.0	0.1	0.5	0.2	4	8972
P FREQ LES 5000 FT A/D LES 5 MI	90.7	93.5	78.0	66.1	65.5	51.1	56.9	42.7	65.2	82.1	80.9	93.4	72.2	4	8915
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	77.1	78.8	50.1	32.3	29.6	35.5	35.6	14.1	53.5	67.3	65.7	82.5	51.8	4	1130
03-05 LST	73.0	77.0	52.5	47.2	56.7	52.6	48.9	29.9	61.6	73.6	65.9	81.9	60.1	4	1116
06-08 LST	70.0	75.5	56.5	55.8	52.7	38.6	39.4	30.4	73.6	72.2	69.8	82.7	59.8	4	1118
09-11 LST	71.6	75.8	43.7	38.5	23.7	14.3	14.9	23.4	51.2	69.8	60.4	77.7	47.1	4	1120
12-14 LST	63.3	70.6	31.4	20.2	6.3	4.7	6.4	8.9	23.2	40.2	44.1	74.1	32.8	4	1119
15-17 LST	57.4	56.1	15.3	11.2	6.6	6.4	4.6	3.4	9.1	24.4	39.5	65.8	25.0	4	1129
18-20 LST	70.3	65.4	30.7	5.9	5.7	9.7	3.4	1.7	16.3	41.7	47.5	74.5	31.1	4	1135
21-23 LST	74.8	76.0	36.2	24.0	18.0	18.8	13.8	7.5	32.0	57.5	56.7	79.9	41.3	4	1133
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	37.1	37.5	13.0	8.0	2.3	5.8	3.4	1.1	22.7	30.2	31.3	46.9	19.9	4	1130
03-05 LST	37.6	35.0	17.4	14.0	20.0	28.8	22.5	12.6	39.0	50.4	33.3	49.6	30.0	4	1116
06-08 LST	34.1	44.3	31.0	23.3	22.6	13.6	6.7	13.1	48.2	56.6	33.9	46.2	31.1	4	1118
09-11 LST	40.7	36.3	16.3	4.7	2.2	1.1	1.1	2.3	23.3	41.0	26.2	45.8	20.1	4	1120
12-14 LST	21.6	21.1	6.8	1.1	0.0	0.0	0.0	1.2	2.5	10.7	17.4	38.5	10.1	4	1119
15-17 LST	20.0	14.3	5.8	1.2	0.0	1.2	0.0	0.0	0.0	5.9	15.4	34.8	8.2	4	1129
18-20 LST	29.3	22.2	8.9	0.0	0.0	1.1	1.1	0.0	3.5	13.3	20.9	39.3	11.6	4	1135
21-23 LST	34.8	27.8	10.5	2.3	1.1	4.5	3.4	0.0	10.8	23.1	23.7	46.2	15.7	4	1133

PLZEN/DOBRANEY, CZECHOSLOVAKIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	8.0	6.3	16.5	21.4	22.2	19.9	20.0	26.8	14.3	10.7	11.0	6.9	184.0	4	1130
	07 LST	9.9	8.2	15.0	13.3	15.0	18.4	19.2	21.8	8.1	9.1	9.9	6.9	134.8	4	1118
	13 LST	13.0	9.9	22.5	24.8	30.0	29.3	29.6	28.8	23.6	19.7	18.0	9.5	258.7	4	1119
	19 LST	10.4	9.7	22.7	28.6	29.6	27.6	29.9	30.7	25.5	18.7	16.7	8.7	258.8	4	1135
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	3.1	2.5	11.5	18.3	21.1	18.1	18.5	25.4	10.6	7.2	7.0	2.5	145.8	4	1130
	07 LST	5.3	5.0	10.3	10.8	14.0	17.0	16.7	19.2	5.6	6.6	5.0	2.1	117.6	4	1118
	13 LST	5.6	2.6	14.1	16.6	19.9	21.6	20.3	16.8	13.5	10.8	7.8	3.7	153.3	4	1119
	19 LST	5.1	6.2	16.9	23.4	26.5	22.8	26.8	24.5	19.9	15.1	11.7	4.0	202.9	4	1135
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	1.0	1.4	1.3	0.3	0.0	0.3	0.4	0.0	0.7	0.3	1.6	1.4	8.7	4	1137
	07 LST	0.4	0.4	0.0	0.7	0.0	0.3	0.3	0.3	0.3	0.5	1.1	0.0	4.3	4	1129
	13 LST	1.1	0.4	1.8	2.4	0.3	0.7	1.8	2.9	3.3	1.0	1.0	1.1	17.8	4	1125
	19 LST	0.0	0.7	0.0	0.7	0.3	0.3	0.0	0.3	0.7	0.3	1.6	0.8	5.7	4	1141
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	2.1	3.5	5.1	8.3	5.6	5.6	2.8	6.5	4.8	6.6	7.2	1.1	59.2	4	1137
	07 LST	4.2	2.5	3.9	5.9	5.3	5.1	4.9	9.8	4.5	7.9	4.6	2.1	60.7	4	1129
	13 LST	3.9	3.3	12.0	12.8	14.1	16.0	16.2	13.5	12.3	10.8	8.6	4.2	127.7	4	1125
	19 LST	3.0	4.4	8.6	14.7	13.9	14.0	13.9	17.2	8.2	9.8	7.0	2.6	117.3	4	1141
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	2.8	1.1	5.4	6.6	8.0	7.0	9.2	13.2	6.8	3.4	2.3	0.3	66.1	4	1135
	07 LST	1.1	0.4	1.4	0.7	2.3	3.8	2.4	4.0	2.5	0.8	0.0	0.0	19.4	4	1123
	13 LST	0.7	1.1	3.9	3.8	0.7	3.5	2.5	4.7	5.9	4.6	1.0	0.5	32.9	4	1124
	19 LST	2.7	1.4	4.5	3.8	4.5	5.8	8.0	7.2	9.3	7.4	4.7	2.4	61.7	4	1139
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	5.7	4.8	13.4	17.8	20.1	18.8	19.4	25.8	13.4	8.8	9.1	3.8	160.9	4	1130
	07 LST	7.4	4.1	10.8	11.7	13.1	17.7	17.6	21.0	7.8	7.2	6.8	3.2	128.4	4	1118
	13 LST	8.6	5.2	18.5	21.3	25.1	26.0	26.9	26.3	21.8	16.2	14.4	5.6	215.9	4	1119
	19 LST	7.8	8.2	18.9	26.2	26.5	25.5	29.4	30.2	24.5	16.5	13.4	6.4	233.5	4	1135
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	3.1	3.2	8.1	13.4	13.4	13.3	15.0	18.5	10.2	4.5	6.3	1.9	110.9	4	1130
	07 LST	2.5	0.7	7.5	7.7	6.3	10.6	10.4	14.8	4.9	4.4	2.8	0.8	73.4	4	1118
	13 LST	5.3	2.9	12.7	14.5	8.0	16.4	13.9	17.1	14.6	11.8	9.4	3.4	130.0	4	1119
	19 LST	4.4	4.5	13.1	16.7	16.4	19.4	21.1	22.7	17.8	11.0	8.6	4.0	139.7	4	1135
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	3.1	2.8	8.1	13.4	13.0	13.3	14.3	18.1	9.9	4.5	6.3	1.9	108.7	4	1130
	07 LST	2.5	0.7	6.8	7.0	5.7	10.2	9.4	14.0	4.9	4.4	2.8	0.8	69.2	4	1118
	13 LST	5.3	2.6	12.7	14.5	7.7	16.4	13.9	17.1	14.6	11.8	9.4	3.4	129.4	4	1119
	19 LST	4.0	4.5	13.1	16.7	16.0	19.1	20.4	22.0	17.4	11.0	8.6	4.0	156.8	4	1135

PRAGUE/PRAHA/RUZ, CZECHOSLOVAKIA

STA NO. 11518 (IN AREA NUMBER 01)	LATITUDE 5006N LONGITUDE 01417E ELEVATION(FT) 01247												PDR	NO.	
PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	(YRS)	UBS
ABS MAX TMP (F)	52	64	68	82	84	88	93	95	86	77	63	64	95	12	4062
MEAN MAX TMP (F)	32	33	43	56	63	70	72	72	66	55	42	34	53	12	4062
MEAN MIN TMP (F)	23	23	30	39	45	52	55	54	49	41	34	27	39	12	4119
ARS MIN TMP (F)	-8	-18	3	16	25	34	41	41	32	25	14	0	-18	12	4119
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.9	0.0	0.0	0.0	0.0	1.9	12	4062
MEAN NO DYS TMP = DR LES 32(F)	26.9	22.8	20.3	8.5	1.2	0.0	0.0	0.0	0.1	4.1	12.5	23.1	119.5	12	4119
MEAN NO DYS TMP = DR LES 0(F)	0.8	1.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	2.5	12	4119
MEAN DEW PT TMP (F)	23	24	30	37	44	50	53	53	48	41	34	26	39	12	22393
MEAN REL HUM (PCT)	85	85	78	71	71	70	73	73	75	81	87	87	78	12	22288
MEAN PRESS ALT (FT)	1112	1097	1133	1203	1168	1160	1181	1191	1110	1095	1130	1153	1144	12	22425
MEAN PRECIP (IN)	0.76	0.90	1.05	1.43	2.29	2.93	3.47	2.27	1.48	1.30	1.00	1.05	19.9	12	3720
MEAN SNOW FALL (IN)						0.0	0.0	0.0	0.0					12	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	2.2	2.5	3.9	4.1	6.0	7.4	6.5	5.9	4.8	4.1	2.8	3.2	53.4	12	3720
MEAN NO DYS SNFL = DR GTR 1.5 IN						0.0	0.0	0.0	0.0					12	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	4.1	5.5	3.5	1.3	0.4	0.3	0.2	0.6	2.8	6.2	6.2	7.2	38.3	12	3869
MEAN NO DYS TSTMS	0.0	0.1	0.2	1.9	4.4	6.5	5.7	6.4	1.9	0.2	0.0	0.2	27.5	12	3901
P FREQ WND SPD = DR GTR 17 KTS	15.8	12.1	10.9	7.7	5.9	5.4	5.0	4.0	6.0	5.7	6.4	9.3	7.9	12	22513
P FREQ WND SPD = DR GTR 28 KTS	2.5	2.4	0.8	0.2	0.2	0.2	0.0	0.1	0.3	0.3	0.4	0.8	0.7	12	22513
P FREQ LES 5000 FT A/D LES 5 MI	70.6	78.2	64.9	44.1	38.5	32.6	35.5	27.5	40.7	63.2	75.1	75.9	53.9	12	22650
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	39.5	43.0	25.5	12.4	6.7	5.8	6.2	3.1	13.0	25.1	44.0	43.3	22.3	12	4104
03-05 LST	37.7	51.0	30.5	15.7	17.9	12.7	16.2	7.6	20.1	34.9	43.7	55.6	28.6	5	1770
06-08 LST	41.6	54.6	49.8	30.6	17.3	15.7	15.2	16.8	32.7	47.8	53.4	48.8	35.4	12	4170
09-11 LST	51.1	59.4	42.6	14.1	14.8	8.3	6.7	9.3	22.9	48.1	49.9	61.1	32.4	5	1771
12-14 LST	39.1	41.7	23.9	9.8	4.9	4.5	4.6	2.2	6.2	21.7	38.8	44.8	20.2	12	4194
15-17 LST	38.0	41.8	19.9	6.3	4.8	3.4	2.1	3.0	3.7	20.1	38.1	57.8	19.9	5	1775
18-20 LST	42.3	45.6	27.6	9.9	4.8	3.4	2.6	3.1	7.0	22.0	44.2	47.6	21.7	12	4173
21-23 LST	42.1	49.8	25.7	9.3	7.7	3.8	6.4	3.1	10.7	24.5	47.7	53.4	23.7	5	1772
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	10.7	11.4	7.0	1.8	0.6	0.8	1.4	0.3	2.2	7.6	15.7	19.2	6.6	12	4104
03-05 LST	13.1	20.7	13.9	4.3	5.4	0.7	0.0	1.3	8.2	12.5	21.2	23.1	10.4	5	1770
06-08 LST	12.7	19.9	13.2	7.3	1.9	1.7	1.5	1.9	13.1	23.1	19.6	20.9	11.4	12	4170
09-11 LST	15.3	17.8	10.1	0.0	0.7	0.7	0.0	0.0	2.7	12.6	23.1	24.7	9.0	5	1771
12-14 LST	9.3	11.3	6.1	0.6	0.6	0.6	0.6	0.0	0.9	4.3	10.1	14.6	4.9	12	4194
15-17 LST	12.2	7.3	5.8	0.7	0.0	0.0	0.0	0.0	1.4	4.6	17.2	21.3	5.9	5	1775
18-20 LST	10.4	11.0	8.2	1.1	0.3	0.3	0.0	0.0	0.6	5.4	13.7	17.0	5.7	12	4173
21-23 LST	10.7	10.4	8.7	1.4	0.7	0.0	0.7	0.7	1.3	7.2	17.9	21.7	6.6	5	1772

PRAGUE/PRAHA/RUZ, CZECHOSLOVAKIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	20.2	17.1	23.8	27.0	29.1	28.6	29.4	30.2	26.5	23.8	18.3	18.9	292.9	12	4104
	07 LST	19.8	13.7	16.1	21.1	25.9	25.6	26.7	26.0	20.2	16.5	15.2	17.3	244.1	12	4170
	13 LST	20.6	17.4	24.9	28.1	30.2	29.1	29.8	30.5	28.4	25.4	20.4	18.8	303.6	12	4194
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	7.1	6.3	13.7	17.1	20.6	20.7	19.5	21.4	17.1	15.5	8.6	7.9	175.5	12	4094
	07 LST	6.7	4.7	6.3	13.7	16.0	16.6	17.0	17.6	12.7	7.7	6.9	6.5	132.4	12	4165
	13 LST	5.6	5.5	10.2	12.4	14.3	15.8	14.9	16.1	16.4	12.0	7.3	6.9	137.4	12	4189
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	7.3	7.3	11.6	16.2	19.4	19.8	21.0	22.9	20.3	14.6	8.2	6.9	175.5	12	4166
	07 LST	3.7	2.6	1.7	0.9	1.0	0.6	0.6	0.6	1.7	0.9	1.7	1.7	17.7	12	4119
	13 LST	4.2	2.0	1.9	0.7	1.3	1.2	1.0	0.7	1.1	1.6	1.2	2.4	19.3	12	4188
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	13 LST	4.6	3.3	4.1	3.6	2.4	2.5	2.3	2.4	3.2	3.2	2.3	2.7	36.8	12	4224
	19 LST	2.9	2.0	1.7	0.8	0.5	1.0	0.5	0.4	1.3	1.4	1.2	2.7	16.4	12	4196
	01 LST	1.8	2.6	7.4	12.2	15.9	17.9	16.4	17.4	14.4	15.5	9.3	3.8	136.6	12	4111
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	1.5	2.0	4.3	9.6	13.9	11.5	13.6	13.7	11.5	11.9	7.6	3.1	104.2	12	4180
	13 LST	2.9	4.0	10.6	11.5	14.1	12.4	12.5	12.2	13.5	12.9	10.9	5.3	122.8	12	4213
	19 LST	2.2	2.8	9.5	14.2	15.1	15.6	15.3	15.9	16.3	14.1	10.3	4.4	135.7	12	4181
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	6.1	4.8	10.2	12.0	13.6	12.9	12.1	13.8	14.3	10.2	5.0	5.3	120.3	12	4120
	07 LST	4.2	1.9	3.7	5.9	8.5	8.2	8.5	7.3	7.8	4.1	1.7	2.5	64.3	12	4185
	13 LST	3.2	2.3	6.1	5.8	3.4	3.9	4.3	3.8	7.2	6.1	3.0	2.9	52.0	12	4218
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	5.1	4.4	8.3	6.8	7.1	7.0	7.6	7.7	10.2	10.7	4.4	3.6	82.9	12	4187
	01 LST	16.2	13.5	21.3	25.1	27.8	27.2	28.2	29.4	25.2	21.5	13.7	15.0	264.1	12	4104
	07 LST	15.1	10.7	14.0	19.6	24.7	24.3	25.2	25.2	19.6	15.2	11.4	13.1	218.1	12	4170
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	13 LST	16.2	13.9	20.7	23.9	26.5	26.8	27.4	29.1	26.6	21.8	14.9	14.6	262.4	12	4194
	19 LST	15.2	13.2	20.9	25.5	28.0	28.0	29.2	29.7	27.1	23.0	13.9	13.5	267.2	12	4173
	01 LST	12.3	9.5	17.3	21.0	23.1	23.5	23.1	26.2	22.5	16.5	9.3	10.5	214.8	12	4104
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	10.9	7.4	11.6	15.8	21.1	21.8	20.8	22.6	17.0	11.5	8.1	9.0	177.6	12	4170
	13 LST	12.9	10.4	15.8	17.1	18.5	20.6	19.4	23.3	22.2	17.5	11.3	11.9	200.9	12	4194
	19 LST	11.7	9.8	16.9	21.1	22.8	23.5	25.1	26.7	23.4	19.0	9.5	9.8	219.3	12	4173
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	12.2	9.3	17.3	20.8	22.8	23.1	22.9	26.0	22.4	16.3	9.3	10.4	212.8	12	4104
	07 LST	10.6	7.4	11.6	15.4	20.9	21.4	20.5	22.4	17.0	11.4	8.1	9.0	175.7	12	4170
	13 LST	12.7	10.4	15.8	17.1	18.5	20.5	19.3	23.3	22.2	17.5	11.3	11.8	200.4	12	4194
19 LST	11.6	9.8	16.8	21.0	22.8	23.4	24.8	26.6	23.4	18.9	9.5	9.7	218.3	12	4173	

CESKE/BUDEJOVICE, CZECHOSLOVAKIA

STA NO. 11541 (IN AREA NUMBER 01)

LATITUDE 4857N

LONGITUDE 01427E

ELEVATION(FT) 01417

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
ABS MAX TMP (F)	59	65	70	82	88	98	98	98	92	86	71	56	98	25	-178
MEAN MAX TMP (F)	33	37	47	56	65	71	75	74	68	55	44	35	55	25	-178
MEAN MIN TMP (F)	21	23	29	37	44	49	53	52	46	39	33	25	38	25	-178
ABS MIN TMP (F)	-24	-39	-17	-1	23	32	37	37	26	10	8	-22	-39	25	-178
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.1	1.0	1.9	0.2	0.0	0.0	0.0	3.2	11	3125
MEAN NO DYS TMP = OR LES 32(F)	26.4	22.8	21.2	9.9	2.3	0.1	0.0	0.0	0.9	7.6	13.4	23.6	128.2	11	3125
MEAN NO DYS TMP = OR LES 0(F)	1.8	2.3	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	5.5	11	3125
MEAN DEW PT TMP (F)	23	23	29	38	44	50	52	53	48	41	35	26	39	11	15159
MEAN REL HUM (PCT)	88	86	79	72	76	73	73	75	78	83	88	90	80	11	15083
MEAN PRESS ALT (FT)	1225	1271	1292	1359	1315	1300	1325	1336	1250	1243	1317	1292	1294	11	15145
MEAN PRECIP (IN)	0.98	1.10	1.14	1.81	2.64	3.35	4.02	2.87	2.13	1.81	1.30	1.26	24.4	50	-178
MEAN SNOW FALL (IN)						0.0	0.0	0.0						25	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	3.1	3.5	4.1	5.4	7.3	7.8	8.8	7.0	5.7	5.1	3.9	4.0	65.7	50	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN						0.0	0.0	0.0						25	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	4.5	6.8	2.1	2.5	1.3	1.5	1.5	1.7	7.1	8.8	5.2	5.1	48.1	11	2380
MEAN NO DYS TSTMS	0.2	0.3	0.0	2.8	4.7	7.1	7.3	6.3	2.2	0.2	0.0	0.0	31.1	11	2389
P FREQ WND SPD = OR GTR 17 KTS	2.0	3.7	4.8	1.8	0.7	0.8	1.2	0.8	0.9	1.6	2.4	3.1	2.0	11	15182
P FREQ WND SPD = OR GTR 28 KTS	0.1	0.6	0.3	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.1	11	15182
P FREQ LES 5000 FT A/D LES 5 MI	75.6	83.7	64.7	52.1	51.8	43.2	42.4	33.6	45.9	61.8	71.6	82.0	59.0	11	15571
P FREQ LES 1500 FT A/D LES 3 MI															
FDR 00-02 LST	46.5	56.3	33.3	18.8	16.1	12.2	13.1	9.3	23.7	36.6	54.0	55.5	31.3	11	3083
03-05 LST	56.3	62.8	36.5	19.5	27.5	22.7	19.7	15.3	37.4	53.4	49.0	64.5	38.7	5	1509
06-08 LST	51.6	60.0	45.3	42.5	31.6	23.4	27.0	26.7	52.7	55.8	57.0	56.1	44.1	11	2982
09-11 LST	56.3	64.6	46.2	29.0	16.0	11.2	9.6	13.6	36.0	50.7	46.4	64.8	37.0	5	1504
12-14 LST	41.9	50.4	29.8	14.1	6.9	6.8	7.1	4.6	7.6	29.3	45.5	51.2	24.6	11	2987
15-17 LST	44.2	42.1	19.6	4.3	4.7	3.1	0.8	3.2	5.0	17.6	36.9	60.2	20.1	5	1531
18-20 LST	43.4	50.3	24.9	13.1	5.8	4.6	4.8	3.1	7.7	21.7	45.7	53.7	23.2	11	3244
21-23 LST	51.2	50.5	29.3	9.9	9.0	7.4	6.4	2.2	15.7	27.8	44.9	63.6	26.5	5	1542
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	11.4	21.2	9.7	2.3	1.8	2.6	1.8	1.9	9.5	15.8	16.8	20.1	9.6	11	3083
03-05 LST	17.0	24.5	11.0	8.6	8.3	8.3	6.0	5.7	15.8	20.8	17.7	23.3	14.1	5	1509
06-08 LST	16.5	30.0	13.8	10.6	10.4	7.5	6.7	9.0	30.6	35.2	21.6	20.0	17.7	11	2982
09-11 LST	25.9	25.2	7.8	0.9	0.0	0.0	0.9	2.2	10.5	18.5	20.0	22.6	11.2	5	1504
12-14 LST	9.5	15.1	4.5	1.1	0.4	1.1	1.1	0.0	0.0	5.0	8.7	15.9	5.2	11	2987
15-17 LST	15.1	9.3	0.8	0.9	0.8	0.0	0.0	0.0	0.0	1.4	9.1	16.0	4.5	5	1531
18-20 LST	10.6	20.4	3.5	2.8	0.3	0.7	0.7	0.0	0.4	4.0	7.0	19.2	5.8	11	3244
21-23 LST	17.1	15.3	5.9	2.6	0.0	0.9	0.0	0.0	3.6	5.4	11.2	26.4	7.4	5	1542

CESKE/BUDEJOVICE, CZECHOSLOVAKIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	17.8	13.0	21.4	25.3	26.8	26.9	27.2	28.4	23.0	20.3	15.0	14.9	260.0	11	3083
	07 LST	16.4	12.0	18.1	18.7	22.0	23.3	23.2	23.0	14.3	14.0	14.1	14.5	213.6	11	2982
	13 LST	19.8	15.3	23.3	27.7	30.2	28.9	29.2	29.9	27.9	22.7	18.5	15.9	289.3	11	2987
	19 LST	18.7	14.5	24.4	27.2	29.6	29.4	29.8	30.2	28.0	24.8	17.7	15.3	289.6	11	3244
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	11.6	9.2	16.3	21.9	23.5	24.0	25.2	26.7	21.1	17.8	10.5	9.3	217.1	11	3079
	07 LST	10.0	7.4	12.1	14.5	19.0	21.3	20.3	21.0	12.4	11.5	10.0	8.8	168.3	11	2979
	13 LST	9.8	7.5	11.5	16.8	19.9	20.8	19.4	21.2	21.2	15.6	9.0	8.9	181.6	11	2985
	19 LST	12.1	10.4	17.1	21.8	24.7	24.3	26.2	27.6	24.5	21.6	12.4	9.9	232.6	11	3237
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	0.6	1.0	0.8	0.1	0.0	0.1	0.1	0.0	0.1	0.1	0.5	0.9	4.3	11	3096
	07 LST	0.2	0.6	1.1	0.1	0.0	0.1	0.3	0.3	0.0	0.1	0.7	1.4	4.9	11	2997
	13 LST	2.1	1.2	3.0	1.4	1.0	0.6	0.7	0.7	1.0	1.5	1.5	1.1	15.8	11	3011
	19 LST	0.9	0.7	1.2	0.3	0.2	0.0	0.3	0.1	0.0	0.1	0.2	0.7	4.7	11	3252
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	2.8	3.0	4.4	7.8	6.2	6.9	6.8	6.5	5.6	5.8	6.6	4.0	66.4	11	3094
	07 LST	3.1	2.7	3.9	5.4	5.3	6.8	6.9	4.9	4.9	5.7	6.1	3.0	98.7	11	2988
	13 LST	5.1	4.4	10.1	13.0	14.2	14.3	15.3	13.3	14.6	11.4	9.3	9.3	130.3	11	3005
	19 LST	3.9	4.1	8.2	12.4	10.0	11.7	12.5	10.5	10.0	9.1	8.0	4.9	105.3	11	3245
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	5.8	2.8	7.8	9.7	10.2	11.0	11.4	12.9	11.7	8.7	2.7	2.3	97.0	11	3100
	07 LST	3.0	0.4	2.7	3.0	4.3	3.4	4.4	5.1	2.7	2.0	1.4	2.2	36.6	11	2993
	13 LST	2.9	1.7	3.6	4.0	2.1	3.7	3.2	4.6	8.5	6.8	1.4	2.2	44.7	11	3011
	19 LST	3.3	2.3	4.0	4.6	4.1	4.5	7.0	6.7	10.2	9.5	4.4	2.9	63.5	11	3257
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	14.3	10.5	18.6	22.1	23.9	24.5	25.2	27.4	22.1	18.1	11.6	11.4	229.7	11	3083
	07 LST	12.6	8.8	14.2	15.0	19.1	21.2	21.3	21.8	13.6	12.3	10.6	11.3	181.8	11	2982
	13 LST	14.9	11.1	18.0	21.6	25.0	25.5	26.3	28.3	26.1	20.2	13.1	12.8	242.9	11	2987
	19 LST	13.3	11.4	20.0	23.4	27.5	27.0	28.0	29.0	27.1	23.1	13.6	11.8	257.2	11	3244
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	10.3	6.3	13.9	16.5	17.9	19.4	17.3	22.1	17.5	14.0	6.9	6.5	168.6	11	3083
	07 LST	7.9	4.9	11.1	10.2	13.6	16.8	15.8	18.2	9.5	7.6	6.1	6.3	128.0	11	2982
	13 LST	11.0	7.2	12.3	14.3	14.6	16.8	16.7	19.9	20.1	15.4	9.0	9.5	168.8	11	2987
	19 LST	10.2	7.0	14.3	16.3	19.1	20.9	21.2	21.9	21.9	18.4	9.0	8.1	188.3	11	3244
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	9.9	6.2	13.9	16.4	17.4	18.8	17.0	21.7	17.5	13.9	6.9	6.2	163.8	11	3083
	07 LST	7.6	4.8	11.1	10.0	13.4	16.5	15.4	17.9	9.3	7.6	6.1	6.2	125.9	11	2982
	13 LST	11.0	7.2	12.3	14.3	14.5	16.7	16.7	19.6	20.0	15.3	8.8	9.4	165.8	11	2987
	19 LST	10.1	7.0	14.0	16.1	19.0	20.6	20.9	21.8	21.7	17.7	9.0	7.7	183.6	11	3244

HRADK/KRALOVE, CZECHOSLOVAKIA

STA NO. 11648 (IN AREA NUMBER 01)

LATITUDE 5015N

LONGITUDE 01551E

ELEVATION(FT) 00804

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	48	46	64	82	77	91	91	93	88	77	61	63	93	6	1186
MEAN MAX TMP (F)	31	34	43	60	61	70	73	72	69	56	46	32	54	6	1186
MEAN MIN TMP (F)	21	25	25	41	44	51	53	54	49	41	38	24	39	6	1186
ABS MIN TMP (F)	-8	-8	-4	23	30	34	39	37	34	25	19	-9	-9	6	1186
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.3	1.3	2.0	0.0	0.0	0.0	0.0	3.6	6	1186
MEAN NO DYS TMP = DR LES 32(F)	25.7	22.0	22.0	4.3	1.6	0.0	0.0	0.0	0.0	4.5	8.1	24.5	112.7	6	1186
MEAN NO DYS TMP = DR LES 0(F)	2.3	1.7	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	6.5	6	1186
MEAN DEW PT TMP (F)	22	25	30	39	46	51	52	54	50	42	37	24	39	4	8835
MEAN REL HUM (PCT)	87	86	80	71	79	72	72	75	78	83	88	88	80	4	8835
MEAN PRESS ALT (FT)	603	661	704	802	769	724	726	745	673	670	774	671	710	4	8835
MEAN PRECIP (IN)	1.23	1.17	1.22	1.30	3.46	2.79	2.10	1.94	2.30	2.24	1.83	1.20	22.8	4	1027
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0					6	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	4.4	4.4	3.5	5.2	10.6	6.5	5.5	5.7	5.6	6.1	7.9	3.3	68.7	4	1027
MEAN NO DYS SNFL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0					6	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	1.4	5.7	4.0	1.7	5.1	2.0	1.3	3.1	3.1	6.0	6.3	6.4	46.1	4	1158
MEAN NO DYS TSTMS	0.0	0.4	0.0	3.7	6.7	8.1	6.7	5.8	2.7	0.0	0.0	0.3	34.4	4	1158
P FREQ WND SPD = DR GTR 17 KTS	0.6	4.0	3.5	3.2	1.0	0.6	0.3	0.3	1.2	1.1	3.0	1.2	1.7	4	8835
P FREQ WND SPD = DR GTR 28 KTS	0.0	1.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	4	8835
P FREQ LES 5000 FT A/D LES 5 MI	75.0	84.8	67.6	35.5	52.7	37.5	40.9	40.3	48.1	63.0	79.2	81.3	58.8	4	8829
P FREQ LES 1900 FT A/D LES 3 MI															
FOR 00-02 LST	38.8	53.7	28.3	3.8	13.8	5.9	13.2	11.1	14.8	37.5	47.4	48.5	26.4	7	1634
03-05 LST	36.6	51.3	35.3	9.0	39.9	34.4	33.7	28.1	27.8	42.5	50.1	54.5	36.9	4	1111
06-08 LST	45.5	67.4	57.9	20.1	39.2	19.3	35.1	29.0	45.9	55.2	55.8	57.3	44.0	4	1114
09-11 LST	44.9	70.5	46.1	10.6	14.0	10.8	7.2	11.5	27.6	38.9	52.9	53.2	32.4	4	1110
12-14 LST	41.2	52.9	21.3	4.3	7.7	4.5	5.6	6.6	4.2	22.1	38.0	47.7	21.3	7	1648
15-17 LST	33.4	46.2	21.7	1.8	8.3	3.5	1.7	4.0	7.6	17.0	41.1	51.4	19.8	4	1123
18-20 LST	43.3	52.0	32.4	4.1	4.3	3.4	6.6	2.6	14.2	25.4	39.9	50.5	23.2	7	1484
21-23 LST	43.3	54.3	32.6	3.4	9.3	6.8	12.2	11.8	12.1	28.3	41.8	54.0	25.8	5	1146
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	6.5	24.8	7.6	0.0	2.7	2.8	4.1	4.2	5.1	14.3	11.4	14.7	8.2	7	1634
03-05 LST	7.3	20.5	14.8	3.6	19.1	11.3	6.7	11.2	8.9	19.3	15.1	17.4	12.9	4	1111
06-08 LST	5.7	25.6	24.7	4.6	9.8	4.5	3.4	3.4	14.1	21.6	25.5	15.3	13.2	4	1114
09-11 LST	7.1	23.7	17.8	1.2	1.1	1.2	0.0	0.0	8.0	9.4	14.8	20.2	9.4	4	1110
12-14 LST	8.5	11.5	2.5	0.0	0.0	0.0	0.0	0.0	0.0	1.2	6.8	13.7	3.7	7	1648
15-17 LST	5.6	9.0	2.3	0.0	2.2	1.2	0.0	1.1	0.0	1.7	8.9	16.8	4.1	4	1123
18-20 LST	8.5	18.9	6.7	0.7	7.0	0.0	0.7	0.0	1.0	4.8	10.6	14.7	5.6	7	1484
21-23 LST	5.6	19.5	9.3	0.0	2.2	1.1	1.1	2.2	4.6	9.8	12.2	19.8	7.3	5	1146

HRADEK/KRALOVE, CZECHOSLOVAKIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	20.0	13.4	22.7	29.0	27.3	28.3	27.4	27.8	25.7	19.8	16.5	16.9	274.8	7	1634
	07 LST	17.5	10.1	13.2	24.1	19.2	24.2	20.3	22.2	16.2	14.2	14.2	14.2	209.6	4	1114
	13 LST	18.9	13.5	25.2	29.4	29.6	28.9	29.9	29.4	28.8	24.5	19.2	17.3	294.6	7	1648
	19 LST	18.1	14.0	21.6	29.1	30.1	29.0	29.2	30.2	25.9	23.1	18.5	16.3	285.1	7	1484
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	15.3	11.0	19.6	26.7	25.2	26.7	25.7	27.3	24.4	17.9	12.7	12.1	244.6	7	1634
	07 LST	13.9	6.1	11.1	21.0	16.5	21.8	18.9	20.4	15.9	11.8	8.2	8.9	174.5	4	1114
	13 LST	12.8	8.3	15.1	17.3	20.4	21.5	21.8	20.5	23.3	18.3	11.6	10.5	201.4	7	1647
	19 LST	12.6	9.5	18.2	23.1	26.4	26.2	27.4	29.1	24.4	21.2	14.1	11.1	243.3	7	1484
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	0.2	0.8	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.4	2.3	7	1635
	07 LST	0.0	0.7	0.3	0.0	0.3	0.0	0.4	0.0	0.0	0.0	0.3	0.3	2.3	4	1118
	13 LST	0.2	0.8	0.8	1.9	0.0	0.4	0.5	0.3	0.5	0.6	1.3	0.2	7.5	7	1659
	19 LST	0.0	0.5	0.3	0.0	0.0	0.0	0.0	0.0	0.6	0.2	0.2	0.0	1.8	7	1490
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	2.7	2.3	3.8	6.7	5.4	4.8	3.8	4.5	3.8	4.9	6.8	2.6	52.1	7	1635
	07 LST	3.5	1.8	3.1	6.9	4.4	6.5	5.0	5.6	3.5	4.8	6.5	2.8	54.4	4	1118
	13 LST	5.7	3.8	10.5	12.4	12.2	15.3	14.1	13.6	12.4	12.7	9.2	7.2	129.1	7	1659
	19 LST	3.9	1.8	7.5	9.3	11.8	12.5	8.1	8.1	5.5	6.9	7.6	3.5	86.5	7	1490
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	5.5	3.3	7.3	12.5	11.2	11.7	12.4	12.6	15.3	9.1	3.6	4.6	109.1	7	1636
	07 LST	5.3	1.4	1.4	5.9	2.7	6.1	5.0	5.3	6.3	2.4	0.8	2.8	45.4	4	1118
	13 LST	4.0	1.6	3.4	4.8	1.9	5.1	5.7	4.5	9.2	7.1	1.1	3.0	51.4	7	1655
	19 LST	6.8	4.0	4.4	5.5	3.4	6.1	9.1	7.8	8.7	8.6	3.9	4.8	73.1	7	1487
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	16.0	11.0	20.2	27.3	25.2	27.2	25.7	26.8	24.7	18.5	13.8	12.9	249.9	7	1634
	07 LST	15.4	7.4	12.5	23.4	17.5	23.9	19.7	21.8	16.0	13.1	10.6	11.4	192.7	4	1114
	13 LST	16.4	11.2	21.9	25.9	25.4	27.0	27.1	27.7	27.7	22.6	16.1	13.6	262.6	7	1648
	19 LST	15.9	11.9	19.4	27.1	27.4	28.4	28.2	29.7	24.8	22.1	15.8	13.1	263.8	7	1484
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	9.8	6.7	13.3	20.4	19.1	20.8	18.8	19.2	20.6	14.1	6.8	7.8	177.4	7	1634
	07 LST	11.0	3.2	9.4	18.6	12.8	20.8	13.5	17.3	10.2	7.2	3.7	6.7	134.4	4	1114
	13 LST	10.6	6.2	16.0	17.1	16.2	18.4	17.2	18.3	19.8	16.8	8.0	8.8	173.4	7	1648
	19 LST	9.2	8.2	12.5	18.9	21.5	24.7	21.3	22.8	19.4	16.2	9.3	8.7	192.7	7	1484
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	9.8	6.4	13.3	20.4	18.9	20.6	18.4	18.9	20.6	13.9	6.8	7.8	175.8	7	1634
	07 LST	11.0	3.2	9.4	18.6	12.5	20.8	13.5	17.3	10.2	7.2	3.7	6.7	134.1	4	1114
	13 LST	10.3	6.2	15.2	17.1	15.7	18.4	17.0	18.1	19.5	16.6	8.0	8.6	170.7	7	1648
	19 LST	8.9	8.2	12.5	18.4	21.5	24.7	21.3	22.8	18.8	16.0	9.0	8.7	190.8	7	1484

PRIBYSLAV, CZECHOSLOVAKIA

STA NO. 11659 (IN AREA NUMBER 01)

LATITUDE 4935N

LONGITUDE 01346E

ELEVATION(FT) 01739

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	50	52	68	81	79	86	88	88	84	75	63	61	88	10	2778
MEAN MAX TMP (F)	29	30	39	53	59	67	68	70	64	53	40	32	50	10	2778
MEAN MIN TMP (F)	22	21	28	38	43	50	52	53	47	40	33	26	38	10	2779
ABS MIN TMP (F)	-17	-26	-2	18	25	32	37	34	27	21	9	-4	-26	10	2779
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	2778
MEAN NO DYS TMP = OR LES 32(F)	28.5	24.2	22.8	11.2	3.3	0.3	0.0	0.0	1.0	7.1	13.6	24.3	136.3	10	2779
MEAN NO DYS TMP = OR LES 0(F)	0.9	3.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	4.8	10	2779
MEAN DEW PT TMP (F)	21	22	29	38	43	50	52	53	47	41	35	25	38	10	13561
MEAN REL HUM (PCT)	91	91	85	76	79	77	78	78	79	84	92	94	84	10	13537
MEAN PRESS ALT (FT)	1510	1573	1603	1672	1628	1607	1629	1643	1552	1548	1623	1584	1598	10	13510
MEAN PRECIP (IN)	1.42	1.82	1.47	1.70	3.52	4.31	3.21	4.76	1.83	2.00	1.73	1.73	29.5	10	2270
MEAN SNOW FALL (IN)						0.0	0.0	0.0						10	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.2	6.4	4.5	5.6	8.7	7.9	7.9	7.5	5.1	3.5	5.3	6.4	74.0	10	2270
MEAN NO DYS SNFL = OR GTR 1.5 IN						0.0	0.0	0.0						10	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	4.6	6.4	5.5	1.9	4.0	1.9	1.6	2.2	3.4	6.2	6.5	6.9	51.1	10	2003
MEAN NO DYS TSTMS	0.0	0.2	0.2	2.1	5.1	6.5	5.6	5.3	1.0	0.0	0.2	0.2	26.4	10	2006
P FREQ WND SPD = OR GTR 17 KTS	12.6	13.4	16.8	12.3	4.0	4.7	3.8	4.7	5.8	9.7	13.3	10.3	9.3	10	13544
P FREQ WND SPD = OR GTR 28 KTS	0.0	1.1	1.5	0.5	0.2	0.0	0.0	0.0	0.2	0.5	0.6	0.4	0.4	10	13544
P FREQ LES 5000 FT A/D LES 5 MI	76.0	76.1	67.7	49.4	56.3	46.9	43.6	40.8	41.3	57.8	80.2	81.6	60.0	10	13954
P FREQ LES 1500 FT A/D LES 3 MI															
FDR 00-02 LST	56.0	55.5	40.9	21.8	27.8	20.5	14.4	14.5	21.2	32.9	59.0	58.5	35.3	10	2425
03-05 LST	64.5	66.6	50.5	31.3	55.7	36.9	34.0	23.1	35.7	46.8	64.1	65.5	47.9	5	1485
06-08 LST	55.4	62.3	49.2	35.1	39.4	25.6	28.3	25.7	34.4	51.1	62.2	60.9	44.1	10	2590
09-11 LST	60.3	64.7	42.4	20.5	28.6	15.3	11.1	13.1	15.5	33.9	62.5	60.7	35.7	5	1496
12-14 LST	45.3	49.6	31.3	17.9	13.7	8.9	10.6	6.9	6.6	21.0	53.9	54.1	26.7	10	2465
15-17 LST	48.1	41.4	28.9	11.6	13.8	6.0	2.5	4.6	6.8	15.2	51.0	54.8	23.7	5	1536
18-20 LST	45.3	44.3	28.7	14.0	8.6	6.6	7.1	5.8	8.6	23.5	50.1	53.9	24.7	10	2628
21-23 LST	55.9	56.3	38.1	13.3	18.0	10.1	5.1	12.2	12.0	29.3	58.6	66.7	31.3	5	1521
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	13.9	16.1	12.0	2.1	7.0	3.6	3.8	3.8	6.4	7.8	19.5	16.8	9.4	10	2425
03-05 LST	20.0	19.6	17.1	3.5	21.2	8.2	5.4	10.1	8.6	12.8	21.5	25.0	14.4	5	1485
06-08 LST	16.4	24.3	14.0	7.7	10.6	5.5	5.8	8.3	12.2	21.3	25.2	20.2	14.3	10	2590
09-11 LST	17.8	26.2	13.3	2.6	3.4	2.7	0.0	3.8	3.4	9.7	25.4	25.9	11.2	5	1496
12-14 LST	10.0	16.8	5.8	2.0	1.8	0.5	0.5	0.5	0.5	2.3	13.3	16.0	5.0	10	2465
15-17 LST	14.8	10.2	7.7	0.8	3.4	0.8	0.8	0.0	0.7	2.1	11.8	20.3	6.1	5	1536
18-20 LST	12.4	13.5	6.9	3.0	1.0	0.0	0.5	0.9	0.0	5.8	11.6	15.1	5.9	10	2628
21-23 LST	16.4	16.2	11.2	1.8	5.0	1.8	0.8	2.2	1.4	4.0	15.9	22.6	8.3	5	1521

PRIBYSLAV, CZECHOSLOVAKIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	15.4	13.7	20.3	24.8	23.5	24.8	27.5	26.8	24.3	22.2	15.1	15.2	253.6	10	2425
	07 LST	15.6	11.9	18.4	21.2	20.7	23.5	23.5	23.5	20.6	16.9	13.2	14.3	223.3	10	2590
	13 LST	19.1	15.4	24.1	27.0	28.3	28.2	29.4	29.4	28.8	26.8	16.1	16.9	289.5	10	2465
	19 LST	18.2	17.0	24.0	26.6	29.2	28.5	29.5	29.4	27.9	25.0	17.5	16.7	289.5	10	2628
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	8.3	7.8	11.0	14.9	17.9	18.5	22.5	21.3	16.5	12.2	5.7	5.3	161.9	10	2422
	07 LST	7.6	6.3	8.1	11.5	12.9	14.6	17.8	16.8	13.5	9.2	6.1	5.6	130.0	10	2589
	13 LST	8.1	7.1	7.4	9.5	10.3	12.8	14.4	12.0	12.5	8.8	3.9	5.1	111.9	10	2462
	19 LST	9.6	10.2	12.0	17.1	20.6	19.9	22.9	24.1	20.3	17.5	7.8	6.8	188.8	10	2627
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	2.3	2.0	3.2	1.1	0.3	0.5	0.2	0.3	0.4	2.2	3.3	3.6	19.4	10	2435
	07 LST	3.2	1.6	4.0	1.5	0.3	0.5	0.4	0.3	0.7	1.6	3.1	2.4	19.6	10	2609
	13 LST	2.0	3.0	5.6	4.5	2.1	2.6	2.0	1.6	3.1	3.3	4.1	2.7	36.6	10	2482
	19 LST	2.2	1.8	2.3	1.8	0.6	0.4	0.3	0.4	0.8	1.4	2.9	2.0	16.9	10	2637
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	1.4	1.8	4.0	10.2	13.6	12.4	12.4	14.2	14.1	12.1	6.8	2.7	105.7	10	2433
	07 LST	1.0	0.7	3.4	7.3	11.4	10.7	11.7	12.3	11.7	8.6	5.3	1.2	85.3	10	2607
	13 LST	3.1	2.9	6.9	9.9	12.3	12.9	14.8	12.9	13.2	9.5	6.0	4.2	108.6	10	2479
	19 LST	1.5	2.4	7.1	13.6	16.7	14.9	18.1	15.7	18.0	14.7	8.1	2.3	139.1	10	2635
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	6.4	6.0	7.1	10.9	9.7	10.1	12.5	15.6	19.9	2.3	4.1	4.4	115.0	10	2434
	07 LST	4.1	3.3	4.0	6.9	6.7	7.4	6.2	7.5	8.9	6.0	2.4	3.0	66.4	10	2605
	13 LST	3.2	3.9	3.7	3.5	2.1	2.7	2.2	2.9	6.5	7.4	2.1	2.2	42.4	10	2482
	19 LST	6.2	4.9	5.7	7.0	5.7	7.1	7.1	7.9	12.1	12.5	5.9	4.0	86.1	10	2634
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	11.0	10.3	14.8	20.9	20.0	21.8	24.4	24.6	22.2	18.5	8.7	9.6	206.8	10	2425
	07 LST	10.8	8.5	12.5	17.1	16.5	20.0	19.8	21.2	17.9	13.1	8.4	8.8	174.6	10	2590
	13 LST	13.7	12.0	16.6	20.0	22.2	23.6	22.8	26.0	24.6	19.5	10.1	10.5	221.6	10	2465
	19 LST	14.2	12.9	19.0	23.7	26.2	26.4	26.8	27.9	26.2	21.4	11.4	10.9	247.0	10	2628
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	8.6	8.0	11.0	17.7	16.0	18.5	20.3	20.3	20.0	16.2	6.2	7.3	170.1	10	2425
	07 LST	7.3	6.8	10.6	15.5	13.8	16.9	16.0	18.2	15.2	11.4	6.4	6.2	144.3	10	2590
	13 LST	11.0	9.7	12.3	13.0	10.2	11.9	11.0	16.2	16.7	15.0	6.9	8.0	141.9	10	2465
	19 LST	10.7	9.4	16.7	19.4	20.3	21.1	23.3	23.0	22.9	18.2	8.8	8.6	202.4	10	2628
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	8.6	7.8	11.0	17.5	15.9	18.4	20.0	20.1	19.9	16.2	6.1	7.2	168.7	10	2425
	07 LST	7.3	6.6	10.6	15.1	13.5	16.4	15.5	18.1	14.9	11.0	6.4	6.1	141.5	10	2590
	13 LST	11.0	9.6	12.1	12.7	10.1	11.9	11.0	16.2	16.7	15.0	6.9	8.0	141.2	10	2465
	19 LST	10.4	9.4	16.4	19.3	19.9	20.9	23.2	23.0	22.9	18.2	8.8	8.6	201.0	10	2628

PRADED, CZECHOSLOVAKIA

STA NO. 11735 (IN AREA NUMBER 01: LATITUDE 5004N LONGITUDE 01714E ELEVATION(FT) 04895

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	43	43	57	59	64	66	75	72	68	64	50	48	75	9	1804
MEAN MAX TMP (F)	21	19	26	34	44	51	53	53	48	41	29	26	37	9	1804
MEAN MIN TMP (F)	16	11	19	26	34	42	45	45	39	33	24	22	30	9	1777
ABS MIN TMP (F)	-15	-27	-2	9	14	25	32	32	23	16	0	1	-27	9	1777
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	1804
MEAN NO DYS TMP = DR LES 32(F)	29.8	27.2	29.2	24.0	15.5	3.3	0.5	0.4	5.8	15.6	25.8	29.3	206.4	9	1777
MEAN NO DYS TMP = DR LES 0(F)	1.8	5.7	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	8.3	9	1777
MEAN DEW PT TMP (F)	16	10	22	26	34	43	45	45	38	30	24	22	30	9	4175
MEAN REL HUM (PCT)	91	89	92	87	86	87	91	89	89	82	91	95	89	9	4155
MEAN PRESS ALT (FT)									4844					1	205
MEAN PRECIP (IN)	2.34	2.05	3.31	3.19	3.48	5.43	8.05	6.21	2.35	2.14	2.28	2.58	43.4	9	1270
MEAN SNOW FALL (IN)							0.0	0.0						9	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	7.8	6.8	9.7	11.4	8.9	12.0	13.1	11.4	5.9	7.4	7.2	9.9	111.5	9	1270
MEAN NO DYS SNFL = DR GTR 1.5 IN							0.0	0.0						9	-29
MEAN NO DYS W/OCCUR VSBY LES 1/2 MI	27.1	20.5	26.8	24.4	22.1	20.8	24.5	20.0	19.6	20.8	17.5	27.4	281.5	9	771
MEAN NO DYS TSTMS	0.0	0.0	0.5	1.0	2.2	8.3	2.7	4.1	0.7	0.0	0.5	0.0	20.0	9	777
P FREQ WND SPD = DR GTR 17 KTS	55.7	53.2	65.3	34.1	44.7	37.3	53.9	43.5	45.5	47.0	57.0	66.3	50.3	9	4183
P FREQ WND SPD = DR GTR 28 KTS	14.0	17.3	38.8	4.9	6.2	6.7	17.8	9.6	15.2	14.3	28.2	27.8	16.7	9	4183
P FREQ LES 5000 FT A/D LES 5 MI	70.1	60.9	68.8	60.7	54.2	62.9	70.1	56.2	57.0	47.7	69.0	81.7	63.3	9	4663
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	69.8	68.5	65.7	59.4	45.3	47.3	55.4	50.0	50.5	55.7	70.2	81.9	60.0	9	1277
03-05 LST	68.0	60.0	66.7	54.5	48.0	52.4	83.3	53.7	63.6	52.2	80.0	88.0	64.2	2	319
06-08 LST	70.5	68.3	67.0	56.4	50.4	57.1	58.7	47.3	51.7	55.0	72.7	73.6	60.7	9	1637
09-11 LST	62.1	54.2	63.0	35.2	54.8	64.3	88.0	63.6	65.0	37.0	66.7	85.7	63.3	2	376
12-14 LST	74.2	56.0	54.0	69.1	65.5	73.2	74.6	58.3	61.8	56.2	69.2	75.0	65.6	9	1546
15-17 LST	72.4	48.3	61.5	55.2	67.9	72.4	69.0	56.3	56.2	38.5	58.6	88.5	62.1	2	385
18-20 LST	70.1	67.3	66.4	61.0	43.2	50.0	46.7	43.2	53.6	61.5	71.9	77.2	59.3	9	1644
21-23 LST	70.4	42.9	71.4	60.9	40.7	56.0	50.0	46.7	51.0	47.6	63.6	83.3	57.0	2	340
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	68.1	64.0	63.9	53.6	39.0	41.7	47.3	42.2	50.0	55.7	69.1	81.9	56.4	9	1277
03-05 LST	68.0	60.0	66.7	50.0	48.0	50.0	75.0	53.7	56.3	52.2	80.0	88.0	62.3	2	319
06-08 LST	70.1	65.8	64.6	53.7	45.1	50.0	56.3	43.4	49.0	53.3	71.4	72.2	57.9	9	1637
09-11 LST	62.1	54.2	63.0	51.7	41.9	60.7	88.0	52.3	55.0	37.0	62.5	85.7	59.5	2	376
12-14 LST	72.7	51.2	50.0	54.4	34.2	44.3	54.9	39.4	43.1	52.4	68.1	75.0	53.3	9	1546
15-17 LST	72.4	48.3	57.7	51.7	39.3	51.7	62.1	43.8	42.1	34.6	58.6	88.5	54.2	2	385
18-20 LST	70.1	66.4	65.8	52.7	39.5	44.4	36.4	36.1	44.8	59.8	71.1	75.7	55.2	9	1644
21-23 LST	70.4	42.9	71.4	52.2	33.3	52.0	50.0	40.0	49.0	47.6	63.6	83.3	54.6	2	340

PRADED, CZECHOSLOVAKIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	9.4	8.8	10.6	12.3	17.1	16.1	14.0	15.8	15.0	13.7	8.9	5.6	147.3	9	1277
	07 LST	9.3	8.9	10.3	13.2	15.5	12.9	12.8	10.5	14.5	14.2	8.3	8.2	144.6	9	1637
	13 LST	8.0	12.3	14.4	9.4	11.0	8.5	8.1	13.1	11.5	13.6	9.2	7.8	126.9	9	1546
	19 LST	9.3	9.2	10.4	11.8	18.2	15.1	16.9	17.7	14.0	11.9	8.4	7.1	150.0	9	1644
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	2.7	3.5	4.6	5.7	5.1	6.9	6.1	5.1	5.0	4.8	3.2	2.7	55.4	9	1269
	07 LST	3.2	3.3	4.7	5.6	7.5	6.2	6.4	8.8	5.4	5.2	3.8	2.8	62.9	9	1632
	13 LST	3.9	7.8	5.9	3.9	3.4	2.6	1.8	6.8	4.9	5.9	4.0	3.6	54.5	9	1539
	19 LST	2.5	4.7	3.6	4.2	6.3	7.2	5.2	7.4	4.3	4.9	4.0	3.4	57.7	9	1638
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	13.1	10.8	14.5	9.8	10.8	8.0	13.1	13.2	13.1	12.7	14.7	13.7	147.5	9	1287
	07 LST	12.5	11.3	12.1	5.7	9.2	8.5	8.8	10.2	12.0	11.4	11.8	12.3	125.8	9	1682
	13 LST	10.3	7.2	11.8	6.5	5.9	7.2	9.1	8.8	9.0	9.3	9.3	10.8	105.2	9	1582
	19 LST	11.7	10.3	10.9	6.5	7.9	6.1	9.3	7.5	10.6	11.7	12.7	12.4	117.6	9	1682
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	0.3	0.3	0.9	1.9	4.2	8.5	5.7	6.8	4.1	3.4	1.3	0.0	37.4	9	1281
	07 LST	0.7	0.0	0.8	1.3	5.4	9.0	9.0	8.5	6.2	3.5	1.3	0.4	46.1	9	1671
	13 LST	0.7	0.9	1.9	6.6	7.1	8.2	8.1	10.8	8.0	6.0	2.5	0.2	61.0	9	1573
	19 LST	0.4	0.3	0.2	2.6	6.4	8.9	10.6	8.4	6.3	3.9	1.2	0.7	49.9	9	1665
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	7.7	7.7	7.7	8.5	10.5	9.3	10.7	11.1	11.5	11.2	7.3	4.5	107.7	9	1291
	07 LST	5.4	5.8	3.9	5.9	7.9	4.9	6.2	7.0	8.7	8.5	5.3	5.1	74.6	9	1676
	13 LST	3.9	6.8	6.6	3.6	0.8	1.6	1.5	1.6	3.5	7.8	4.0	4.3	46.0	9	1583
	19 LST	6.5	5.9	5.5	4.5	5.5	4.9	4.3	6.4	7.3	9.7	7.4	5.8	73.7	9	1681
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	9.4	8.8	10.6	11.9	16.7	15.6	13.7	15.2	14.7	17.7	8.9	5.6	144.8	9	1277
	07 LST	9.1	8.8	10.1	12.9	15.3	12.9	12.8	16.2	14.5	13.6	8.1	8.2	142.5	9	1637
	13 LST	7.9	12.3	14.1	9.1	10.2	7.6	7.6	12.8	11.5	13.5	9.2	7.8	123.7	9	1546
	19 LST	9.2	9.2	10.4	11.6	17.0	14.8	16.1	17.4	13.8	11.9	8.4	7.1	146.9	9	1644
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	9.1	8.5	10.3	10.7	14.8	14.6	13.3	14.4	13.6	13.1	7.7	5.3	135.4	9	1277
	07 LST	8.1	8.4	9.5	11.9	14.6	12.5	12.3	15.4	13.2	13.2	7.6	7.8	134.5	9	1637
	13 LST	7.3	12.3	13.4	9.0	9.8	7.0	7.6	12.8	11.5	13.6	8.9	7.8	121.0	9	1546
	19 LST	8.4	8.4	10.0	11.4	16.5	14.3	15.9	16.9	13.2	11.9	8.4	6.8	142.1	9	1644
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	9.1	8.5	10.3	10.7	14.8	14.6	13.3	14.2	13.6	13.1	7.7	5.3	135.2	9	1277
	07 LST	8.1	8.4	9.1	11.6	14.4	12.3	12.3	15.4	13.2	12.9	7.6	7.8	133.1	9	1637
	13 LST	7.3	12.1	13.4	8.8	9.8	7.0	7.6	12.8	11.5	13.3	8.9	7.8	120.3	9	1546
	19 LST	8.4	8.4	10.0	11.4	16.3	14.3	15.9	16.9	13.2	11.7	8.4	6.8	141.7	9	1644

AREA 01

CZECHOSLOVAKIA		W. HILLS PLAINS				LATITUDE 5000N		LONGITUDE 01500E							
BOUNDARIES		4958N	01754E	4932N	01736E	4932N	01736E	4917N	01627E	4917N	01627E	4848N	01557E		
PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	
MEAN MAX TMP (F)		30	32	41	53	60	68	69	69	64	53	41	32	51	
MEAN MIN TMP (F)		21	22	27	37	43	50	51	51	46	39	33	25	37	
LARGEST MEAN PRECIP(IN)		2.34	2.05	3.31	3.19	3.52	5.85	8.05	6.21	2.35	2.24	2.28	2.58	44.0	
SMALLEST MEAN PRECIP(IN)		0.62	0.42	0.16	0.94	2.18	2.47	1.45	0.91	1.48	0.40	1.00	1.05	13.1	
MEAN NUMBER OF DAYS															
CIG = GTR 1000 FT AND		01 LST	14.5	11.5	18.7	23.3	24.7	24.6	24.1	26.1	21.8	17.5	14.0	13.0	233.8
VSBY = GTR 3 MI		07 LST	13.0	9.3	14.0	17.5	19.2	21.1	19.9	21.3	16.2	13.0	11.6	11.2	187.3
		13 LST	16.3	14.7	22.7	24.8	27.0	26.0	26.5	27.2	25.3	22.2	16.7	14.6	264.0
		19 LST	15.0	13.5	21.1	25.5	28.2	26.7	28.0	28.3	25.1	20.8	15.2	13.5	260.9
CIG = GTR 2000 FT AND VSBY = GTR		01 LST	7.2	6.5	12.6	17.5	19.3	19.8	19.6	21.8	16.0	11.6	7.8	6.6	166.3
3 MI W/SFC WND LES 10 KTS		07 LST	7.0	4.7	8.1	12.2	13.9	16.8	15.5	16.9	11.4	8.3	6.1	5.1	126.0
		13 LST	7.5	7.2	11.2	13.7	15.3	16.2	15.8	15.9	15.1	11.9	7.3	6.5	143.6
		19 LST	7.4	8.3	13.4	18.1	21.3	20.4	22.1	23.1	19.5	15.9	9.2	7.0	185.7
SFC WND = GTR 17 KTS AND		01 LST	3.1	2.7	3.1	1.7	1.7	1.4	2.1	2.0	2.3	2.3	3.2	3.1	28.7
NO PRECIP.		07 LST	2.9	2.4	3.1	1.2	1.6	1.5	1.6	1.7	2.0	2.2	2.7	2.7	25.6
		13 LST	3.1	2.4	4.0	3.0	2.0	2.0	2.3	2.4	3.0	2.7	2.9	2.7	32.5
		19 LST	2.6	2.3	2.5	1.4	1.4	1.1	1.5	1.3	2.0	2.2	2.7	2.8	23.8
SFC WND 4-10 KTS AND TMP 33-89		01 LST	1.8	2.5	4.2	8.3	8.5	9.2	8.5	8.8	7.9	8.7	6.9	2.9	78.2
DEG F AND NO PRECIP.		07 LST	2.3	1.4	2.8	5.5	7.7	7.8	9.2	9.2	7.6	8.1	5.5	2.4	69.5
		13 LST	3.4	3.3	8.9	11.6	12.8	13.8	13.9	13.4	12.5	11.4	8.7	4.7	118.4
		19 LST	2.6	3.0	7.3	11.8	12.9	13.8	13.5	13.3	10.8	10.6	7.7	3.1	110.4
SKY COVER LES 3/10 AND		01 LST	5.2	4.1	7.3	10.0	10.7	10.6	11.0	13.3	12.4	7.8	3.7	3.3	99.4
VSBY = GTR 3 MI		07 LST	3.3	1.9	3.4	4.3	4.9	5.8	4.7	5.2	5.6	3.4	1.7	2.2	46.4
		13 LST	2.8	3.1	4.6	4.3	2.2	3.7	3.6	3.2	6.6	6.4	1.9	2.3	44.7
		19 LST	4.4	4.0	5.7	5.1	5.1	5.7	7.0	7.2	9.9	9.6	4.8	3.7	72.2
CIG = GTR 2500 FT AND		01 LST	11.1	9.1	15.7	20.5	22.1	22.5	22.3	24.7	20.0	15.0	10.2	9.4	202.6
VSBY = GTR 3 MI		07 LST	10.4	6.9	11.5	15.7	16.6	19.7	18.1	20.2	15.0	11.1	8.3	8.2	161.7
		13 LST	12.5	11.2	18.5	20.3	22.7	22.8	23.0	24.7	22.9	18.4	12.6	10.3	219.9
		19 LST	11.7	11.1	18.1	22.9	25.6	25.0	26.5	27.1	24.0	19.1	11.8	10.1	233.5
CIG = GTR 6000 FT AND		01 LST	8.1	6.6	12.0	16.4	17.4	18.4	17.6	19.8	17.1	11.6	6.6	6.4	158.0
VSBY = GTR 3 MI		07 LST	7.2	4.5	9.5	12.6	12.9	16.3	14.0	15.8	11.7	7.9	5.1	5.5	124.0
		13 LST	9.5	8.4	14.1	13.8	13.1	15.0	14.2	17.7	17.3	14.3	8.7	7.9	154.0
		19 LST	8.3	8.3	14.0	17.5	19.5	20.6	21.6	23.0	20.1	15.4	8.4	7.6	184.3
CIG = GTR 10000 FT AND		01 LST	8.0	6.4	12.0	16.2	17.2	18.2	17.3	19.4	17.1	11.6	6.6	6.3	156.3
VSBY = GTR 3 MI		07 LST	7.1	4.4	9.3	12.3	12.7	16.1	13.6	16.6	11.6	7.8	5.1	5.5	122.1
		13 LST	9.3	8.3	14.0	13.6	12.9	15.0	14.2	17.6	17.2	14.2	8.6	7.8	152.7
		19 LST	8.1	8.1	13.8	17.3	19.4	20.5	21.4	22.9	20.0	15.3	8.3	7.5	182.6

BRNO, CZECHOSLOVAKIA

STA NO. 11723 (IN AREA NUMBER 02)

LATITUDE 4909N

LONGITUDE 01642E

ELEVATION(FT) 00781

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	58	58	71	81	89	96	97	96	90	82	68	57	97	25	-178
MEAN MAX TMP (F)	32	37	47	59	68	74	78	77	70	57	45	36	57	25	-178
MEAN MIN TMP (F)	22	24	31	39	47	53	56	55	49	40	35	27	40	25	-178
ABS MIN TMP (F)	-7	-23	-4	18	27	33	42	41	27	19	16	-9	-23	25	-178
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	1.3	1.2	0.0	0.0	0.0	0.0	2.5	6	2079
MEAN NO DYS TMP = DR LES 32(F)	27.6	23.0	16.6	4.4	0.7	0.0	0.0	0.0	0.0	4.0	7.8	22.6	106.7	6	2079
MEAN NO DYS TMP = DR LES 0(F)	0.8	1.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	2.2	6	2079
MEAN DEW PT TMP (F)	22	24	31	38	46	52	54	55	48	41	37	26	40	6	14996
MEAN REL HUM (PCT)	85	83	75	67	71	71	72	72	72	77	87	87	77	6	14995
MEAN PRESS ALT (FT)	613	558	669	757	722	694	713	724	629	624	693	692	674	6	14992
MEAN PRECIP (IN)	1.06	0.95	1.06	1.46	2.24	2.76	3.03	2.48	1.65	1.81	1.61	1.42	21.5	50	-178
MEAN SNOW FALL (IN)						0.0	0.0	0.0						25	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	3.4	3.0	3.9	4.6	6.3	6.8	7.3	6.2	4.8	5.1	4.7	4.6	60.7	50	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN						0.0	0.0	0.0						25	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	5.6	4.0	3.2	0.2	0.2	0.2	0.5	1.0	1.6	3.4	4.8	5.8	30.5	6	2032
MEAN NO DYS TSTMS	0.2	0.0	0.0	1.7	6.2	7.0	6.1	6.3	1.6	0.2	0.0	0.0	29.3	6	2034
P FREQ WND SPD = DR GTR 17 KTS	5.2	4.5	7.2	10.2	3.3	2.6	1.3	1.9	2.1	4.4	3.3	3.4	4.1	6	14983
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.6	0.3	0.3	0.1	0.0	0.0	0.0	0.0	0.7	0.0	0.0	0.2	6	14983
P FREQ LES 5000 FT A/D LES 5 MI	77.3	81.0	60.4	32.4	35.6	32.3	30.9	30.3	38.1	59.6	75.8	78.5	52.7	6	14915
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	47.2	49.4	28.2	5.7	4.4	6.8	4.7	9.3	10.3	26.5	36.6	47.7	23.1	6	2030
03-05 LST	46.4	46.1	31.0	10.8	20.3	18.5	19.3	18.6	21.4	31.5	38.1	47.1	29.1	5	1753
06-08 LST	54.7	60.5	44.0	16.8	18.4	14.4	17.0	23.3	28.8	48.4	59.2	52.6	36.5	6	2009
09-11 LST	58.1	58.7	32.3	4.7	5.4	5.2	4.3	1.4	11.3	27.2	48.1	58.5	26.3	5	1754
12-14 LST	44.9	38.6	15.4	1.3	3.3	4.5	1.1	2.3	5.5	10.8	34.9	45.3	17.3	6	2012
15-17 LST	37.7	27.5	10.6	1.0	1.7	1.4	0.4	1.7	2.8	8.5	33.1	45.3	14.3	5	1754
18-20 LST	46.8	44.4	22.7	1.3	1.7	1.4	0.9	1.7	6.0	18.6	39.8	51.2	19.7	6	2031
21-23 LST	49.7	48.6	23.7	2.1	2.7	3.1	2.4	2.7	6.9	16.6	30.9	54.2	20.3	5	1772
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	9.9	8.1	4.0	0.6	0.0	0.0	0.6	1.1	2.3	4.9	5.8	12.2	4.1	6	2030
03-05 LST	7.4	7.3	6.1	0.0	1.4	2.1	1.3	2.7	4.1	6.1	11.7	11.4	5.1	5	1753
06-08 LST	11.8	17.9	15.2	1.3	1.1	0.0	1.7	2.2	7.9	16.6	21.4	13.5	9.2	6	2009
09-11 LST	21.3	18.8	9.9	0.0	0.0	0.0	0.0	0.0	1.4	4.7	10.5	18.7	7.1	5	1754
12-14 LST	13.7	11.1	0.7	0.0	0.0	0.6	0.0	0.0	0.0	1.1	5.2	13.0	3.8	6	2012
15-17 LST	10.3	6.7	1.3	0.0	0.0	0.0	0.0	0.0	0.7	0.7	5.5	11.1	3.0	5	1754
18-20 LST	8.1	5.7	3.3	0.0	0.0	0.0	0.0	0.0	0.6	1.7	6.2	12.7	3.2	6	2031
21-23 LST	11.0	9.6	2.7	0.0	0.0	0.0	0.0	0.7	2.1	0.6	4.8	14.6	3.8	5	1772

BRNO, CZECHOSLOVAKIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. UBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	17.7	15.2	22.5	28.7	30.0	28.0	29.6	28.3	26.9	23.0	20.5	17.6	288.0	6	2030
	07 LST	14.7	11.5	18.8	25.1	25.8	25.9	26.2	24.1	21.5	16.4	13.9	15.3	239.2	6	2009
	13 LST	18.0	17.8	26.9	31.0	30.7	29.1	30.8	30.6	28.4	28.4	21.6	18.0	310.3	6	2012
	19 LST	17.5	16.3	24.4	29.8	30.5	29.7	31.0	30.7	28.3	25.6	20.0	16.1	299.9	6	2031
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	10.7	8.4	12.7	20.6	24.3	24.0	26.2	25.3	23.0	17.8	12.5	10.9	216.4	6	2030
	07 LST	8.8	6.9	9.6	16.8	18.0	17.8	21.4	20.1	17.9	10.4	7.1	8.5	163.3	6	2005
	13 LST	8.3	6.8	8.5	11.1	14.7	14.3	16.8	14.0	14.2	12.3	7.7	7.2	135.9	6	2011
	19 LST	10.2	8.5	12.0	16.7	22.1	22.2	25.2	25.7	23.6	18.5	10.7	8.7	204.1	6	2030
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	0.8	0.4	1.0	0.9	0.0	0.0	0.2	0.0	0.3	0.5	0.2	0.7	5.0	6	2032
	07 LST	1.2	0.6	0.9	1.2	0.0	0.5	0.3	0.0	0.0	0.3	0.0	0.5	5.5	6	2012
	13 LST	2.4	1.4	3.7	5.1	1.7	2.1	1.0	1.6	1.6	2.9	2.2	1.6	27.3	6	2024
	19 LST	0.4	0.4	1.9	1.7	0.5	0.3	0.3	0.0	0.2	1.6	0.2	0.7	8.2	5	2035
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	1.2	4.9	7.9	14.0	14.2	14.1	12.3	11.8	13.0	13.6	10.2	4.5	121.7	6	2032
	07 LST	1.4	2.1	6.2	12.7	12.6	11.2	10.7	10.3	12.6	12.4	10.6	2.6	105.4	6	2012
	13 LST	4.8	4.9	8.6	9.4	14.2	13.9	14.2	15.5	14.3	10.6	10.9	6.4	127.7	6	2024
	19 LST	2.5	5.4	11.6	13.0	16.4	17.9	16.7	16.7	17.2	15.2	13.5	4.5	150.6	6	2035
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	5.0	3.9	9.6	13.6	13.1	14.1	14.5	16.0	17.5	8.6	4.0	5.3	125.2	6	2030
	07 LST	3.4	2.1	3.0	6.7	6.9	10.2	9.6	8.4	11.0	2.9	1.4	2.8	68.4	6	2008
	13 LST	4.0	3.3	6.0	5.4	3.5	5.5	6.1	5.7	10.5	7.5	1.6	3.3	62.4	6	2023
	19 LST	5.6	4.0	8.1	7.5	6.1	8.4	10.0	10.9	12.8	9.6	4.1	4.3	91.4	6	2034
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	14.3	11.7	20.8	27.5	28.7	27.5	29.1	27.5	26.4	21.1	15.5	13.9	264.0	6	2030
	07 LST	12.6	9.0	15.5	23.8	23.8	25.0	25.0	23.1	21.0	14.4	9.4	13.1	215.7	6	2009
	13 LST	15.4	14.5	22.6	27.1	27.4	27.0	29.3	29.4	27.4	24.7	15.3	14.8	274.9	6	2012
	19 LST	14.9	13.2	22.7	28.8	29.7	28.9	30.1	29.9	27.6	23.7	14.4	12.7	276.6	6	2031
CIG = GTR 8000 FT AND VSBY = GTR 3 MI	01 LST	10.9	7.6	17.3	24.7	24.4	23.5	26.2	24.8	23.1	15.6	10.1	9.6	217.8	6	2030
	07 LST	9.0	6.1	12.8	19.7	20.2	22.2	21.0	20.7	17.8	9.6	6.2	9.8	175.1	6	2009
	13 LST	12.6	10.6	15.9	17.4	18.9	19.9	22.0	23.3	21.7	18.4	9.6	11.2	201.5	6	2012
	19 LST	12.7	8.7	18.2	22.9	26.2	24.3	26.2	26.4	24.3	17.8	9.7	8.6	226.0	6	2031
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	10.9	7.6	17.3	24.5	24.4	23.5	26.0	24.8	23.1	15.6	10.1	9.6	217.4	6	2030
	07 LST	9.0	6.1	12.8	19.5	20.2	22.2	20.8	20.5	17.8	9.6	6.2	9.8	174.5	6	2009
	13 LST	12.2	10.6	15.9	17.3	18.9	19.9	22.0	23.3	21.7	18.4	9.4	11.2	200.8	6	2012
	19 LST	12.7	8.7	18.2	22.9	26.0	24.1	26.2	26.4	24.3	17.8	9.5	8.6	225.4	6	2031

MORAVSKA/OSTRAVA, CZECHOSLOVAKIA

STA NO. 11782 (IN AREA NUMBER 02)

LATITUDE 4947N

LONGITUDE 01816E

ELEVATION(FT) 00843

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	55	57	68	81	90	95	93	100	88	77	70	61	100	12	3957
MEAN MAX TMP (F)	32	33	43	56	64	71	74	74	67	57	44	36	54	12	3957
MEAN MIN TMP (F)	23	22	29	38	44	51	54	53	47	41	35	28	39	12	4001
ABS MIN TMP (F)	-18	-18	-15	19	27	34	41	39	28	18	5	-8	-18	12	4001
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.1	0.2	1.0	1.5	0.0	0.0	0.0	0.0	2.8	12	3957
MEAN NO DYS TMP = DR LES 32(F)	25.7	22.7	21.8	8.9	2.0	0.0	0.0	0.0	0.7	5.3	12.4	22.1	121.6	12	4001
MEAN NO DYS TMP = DR LES 0(F)	1.6	2.9	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	5.0	12	4001
MEAN DEW PT TMP (F)	23	23	30	38	46	52	55	55	49	42	36	28	40	11	19525
MEAN REL HUM (PCT)	87	87	80	73	76	75	76	76	79	82	87	89	81	11	19468
MEAN PRESS ALT (FT)	697	668	727	809	774	762	796	691	683	726	735	740		11	19461
MEAN PRECIP (IN)	1.09	1.37	1.33	2.09	3.67	4.82	3.93	3.05	2.21	1.84	1.71	1.60	28.7	12	3472
MEAN SNOW FALL (IN)						0.0	0.0	0.0						12	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	3.5	4.3	3.8	7.0	8.6	8.8	8.1	8.0	5.3	5.0	4.6	4.2	71.2	12	3472
MEAN NO DYS SNFL = DR GTR 1.5 IN						0.0	0.0	0.0						12	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	1.5	4.1	3.4	1.6	1.4	1.2	1.0	1.2	3.7	6.3	6.5	4.4	36.3	11	3211
MEAN NO DYS TSTMS	0.0	0.1	0.0	2.0	6.6	6.1	8.0	5.9	2.3	0.4	0.1	0.1	31.6	11	3212
P FREQ WND SPD = DR GTR 17 KTS	5.6	3.3	3.8	2.8	1.0	0.7	0.5	1.3	1.0	3.1	3.2	5.3	2.6	11	19551
P FREQ WND SPD = DR GTR 28 KTS	0.1	0.4	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.1	0.0	0.0	0.1	11	19551
P FREQ LES 3000 FT A/D LES 5 MI	76.5	81.3	69.7	57.6	55.2	47.6	44.1	43.4	51.3	67.0	74.3	78.3	62.2	12	20446
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	49.6	56.1	45.7	31.1	24.7	23.4	17.3	21.5	30.6	44.2	55.8	46.2	37.2	11	3455
03-05 LST	51.1	65.8	46.7	33.3	53.4	41.5	38.5	37.5	35.8	49.0	54.0	59.2	47.2	5	1728
06-08 LST	50.7	61.8	57.4	43.5	38.3	31.7	24.0	30.9	39.2	53.3	61.8	49.9	45.2	12	3950
09-11 LST	52.7	62.7	46.1	26.5	29.2	18.9	13.0	15.7	25.2	42.6	52.9	62.4	37.3	5	1736
12-14 LST	41.3	44.3	35.3	15.2	13.0	7.7	7.8	8.3	12.7	22.0	39.8	43.1	24.0	12	3867
15-17 LST	45.7	36.3	25.2	7.9	8.2	7.3	5.0	5.5	11.3	24.4	41.8	59.4	23.2	5	1738
18-20 LST	46.7	52.0	39.2	23.2	8.6	7.3	4.1	5.2	15.4	27.9	41.8	48.7	26.6	12	3918
21-23 LST	51.4	53.9	38.9	15.2	18.3	8.9	10.7	5.9	20.3	34.3	54.6	53.7	30.5	5	1746
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	7.6	13.5	6.1	3.5	3.5	2.4	1.7	3.3	5.9	15.9	18.6	11.9	7.8	11	3455
03-05 LST	5.4	13.5	13.4	8.6	15.4	9.9	6.8	9.7	18.2	26.2	26.1	20.3	14.5	5	1723
06-08 LST	10.5	20.3	19.7	10.2	6.6	5.2	2.1	4.9	13.7	24.2	22.1	14.9	12.8	12	3950
09-11 LST	17.2	20.5	11.3	4.2	2.6	0.7	0.7	2.0	11.6	12.8	17.4	24.0	10.4	5	1736
12-14 LST	8.3	5.3	5.3	0.9	0.3	0.3	0.9	0.3	1.6	3.4	11.8	14.9	4.4	12	3867
15-17 LST	10.1	6.0	3.9	0.0	0.7	1.4	0.7	1.0	0.0	1.4	14.4	19.3	4.8	5	1738
18-20 LST	8.9	11.5	6.7	2.7	0.9	0.6	0.9	0.3	1.3	4.7	12.4	12.9	5.3	12	3918
21-23 LST	4.7	10.7	3.4	1.4	2.0	1.4	1.4	0.7	2.0	11.4	14.8	11.3	5.4	5	1746

MORAVSKA/OSTRAVA, CZECHOSLOVAKIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	16.6	12.6	17.4	21.1	23.8	23.3	25.9	24.5	20.9	17.6	13.7	17.3	234.7	11	3455
	07 LST	16.2	11.2	13.8	17.7	20.0	21.2	24.0	21.5	18.5	15.0	12.1	16.2	207.4	12	3950
	13 LST	18.8	16.4	21.3	26.1	27.7	28.0	29.1	28.8	26.5	24.8	19.1	17.9	284.5	12	3867
	19 LST	17.5	14.0	19.0	23.7	28.7	28.0	29.9	29.6	25.5	22.8	18.0	16.2	272.9	12	3918
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	7.4	7.3	12.5	17.2	20.5	20.8	23.7	22.5	18.9	13.1	7.3	9.1	180.3	11	3451
	07 LST	8.1	6.5	8.7	13.1	14.9	16.6	20.0	18.6	14.7	10.7	6.5	7.9	146.3	12	3946
	13 LST	6.2	6.7	10.3	14.0	16.5	18.9	18.6	16.5	17.1	13.9	8.3	7.0	154.0	12	3866
	19 LST	7.1	8.8	14.3	19.8	24.5	25.2	27.5	27.3	22.6	18.4	10.6	8.9	215.0	12	3913
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	0.9	0.3	0.4	0.1	0.1	0.0	0.0	0.0	0.2	0.2	0.4	0.9	3.5	11	3458
	07 LST	0.6	0.5	0.1	0.3	0.2	0.0	0.0	0.0	0.0	0.2	0.7	1.1	3.7	12	3961
	13 LST	2.0	0.8	1.5	1.2	0.4	0.4	0.2	0.8	0.6	1.4	1.3	1.4	12.0	12	3884
	19 LST	1.2	0.9	0.4	0.3	0.2	0.2	0.1	0.3	0.0	0.4	0.5	0.4	4.9	12	3928
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	3.9	3.3	5.2	8.6	8.7	8.6	10.7	8.5	9.5	10.2	8.1	5.3	90.6	11	3452
	07 LST	4.2	2.5	3.9	8.7	11.3	10.7	12.1	11.4	9.2	10.1	7.1	5.4	96.6	12	3951
	13 LST	5.3	5.2	10.1	12.8	14.3	15.4	15.2	13.7	14.5	13.4	10.1	6.4	136.4	12	3873
	19 LST	4.6	4.1	8.7	13.8	14.5	14.3	12.5	11.3	11.5	13.9	8.9	5.8	123.9	12	3920
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	3.6	3.6	6.4	10.3	10.3	10.3	11.2	12.6	11.8	7.3	3.6	4.5	99.5	11	3463
	07 LST	2.6	2.3	2.5	4.2	5.9	7.6	7.7	7.4	6.5	3.8	2.3	3.1	55.9	12	3964
	13 LST	3.5	3.1	5.6	5.3	4.5	5.4	7.5	6.0	8.4	7.2	3.5	3.5	63.4	12	3882
	19 LST	3.3	4.1	6.2	6.7	7.0	7.5	9.4	9.7	10.4	9.2	4.7	3.3	81.5	12	3929
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	13.0	11.1	15.2	19.2	22.2	22.0	24.7	23.6	20.2	16.2	11.5	14.7	213.1	11	3455
	07 LST	13.1	9.4	11.8	15.6	17.7	19.1	22.5	21.0	17.4	13.3	9.8	13.1	183.8	12	3950
	13 LST	15.9	13.5	18.8	22.7	24.2	25.8	26.5	26.9	24.6	22.1	15.5	16.0	252.5	12	3867
	19 LST	14.7	12.4	17.8	21.4	26.7	26.9	29.2	28.8	24.8	20.8	15.5	14.3	253.3	12	3918
CIG = GTR 8000 FT AND VSBY = GTR 3 MI	01 LST	7.8	7.6	10.9	14.2	18.3	17.8	19.5	19.6	15.9	12.0	7.4	8.9	159.9	11	3455
	07 LST	8.7	6.5	8.4	12.3	14.2	15.6	18.6	17.1	13.7	9.0	6.4	8.5	139.0	12	3950
	13 LST	11.5	9.4	15.2	15.4	16.8	19.1	20.6	20.2	18.6	17.3	12.0	11.5	187.6	12	3867
	19 LST	9.8	9.3	14.6	16.5	20.2	21.9	24.0	24.1	19.7	14.9	9.7	9.0	193.7	12	3918
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	7.7	7.3	10.7	13.9	17.8	17.5	19.0	19.5	15.8	12.0	7.4	8.9	157.5	11	3455
	07 LST	8.2	6.1	8.3	12.0	14.2	15.4	18.1	16.8	13.4	8.9	6.4	8.3	136.1	12	3950
	13 LST	11.1	9.2	14.8	15.4	16.8	19.0	20.5	20.0	18.4	16.9	11.9	11.3	185.3	12	3867
	19 LST	9.7	9.1	14.2	16.2	19.8	21.5	23.6	23.8	19.5	14.6	9.7	8.9	190.6	12	3918

## BRATISLAVA, CZECHOSLOVAKIA

STA NO. 11816 (IN AREA NUMBER 02)

LATITUDE 4810N

LONGITUDE 01713E

ELEVATION(FT) 00433

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	59	62	72	82	90	97	101	100	94	83	69	58	101	25	-178
MEAN MAX TMP (F)	33	38	49	60	69	75	80	78	72	59	47	37	58	25	-178
MEAN MIN TMP (F)	23	26	33	41	49	55	58	57	51	43	37	28	42	25	-178
ABS MIN TMP (F)	-15	-25	-0	18	29	36	44	42	30	19	13	-9	-25	25	-178
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.7	3.4	3.6	0.3	0.0	0.0	0.0	8.0	12	3590
MEAN NO DYS TMP = DR LES 32(F)	25.2	20.5	15.4	3.6	0.3	0.0	0.0	0.0	0.0	3.9	8.8	19.8	97.5	12	3593
MEAN NO DYS TMP = DR LES 0(F)	0.3	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	1.6	12	3593
MEAN DEW PT TMP (F)	24	25	33	41	47	54	57	57	50	43	37	28	41	12	17728
MEAN REL HUM (PCT)	84	82	76	70	71	71	72	72	73	77	86	87	77	12	17691
MEAN PRESS ALT (FT)	235	234	291	382	344	329	347	350	260	247	293	287	300	12	17765
MEAN PRECIP (IN)	1.81	1.54	1.58	2.09	2.56	2.01	2.76	2.52	1.97	2.13	2.72	2.21	25.9	50	-178
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0					25	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	5.8	5.0	4.9	6.0	7.1	5.1	6.8	6.3	5.4	5.7	6.5	7.0	71.6	50	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0					25	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	5.5	5.5	1.3	0.7	0.3	0.1	0.1	0.4	0.4	2.4	3.8	6.1	26.6	12	2754
MEAN NO DYS TSTM	0.1	0.0	0.3	1.3	5.5	6.8	7.4	4.6	1.5	0.3	0.1	0.0	27.9	12	2757
P FREQ WND SPD = DR GTR 17 KTS	8.0	6.7	11.8	8.8	7.7	5.7	4.3	4.1	2.3	2.9	5.4	7.0	6.2	12	17816
P FREQ WND SPD = DR GTR 28 KTS	0.5	0.6	1.5	0.3	0.1	0.0	0.1	0.1	0.1	0.0	0.3	0.3	0.3	12	17816
P FREQ LES 5000 FT A/D LES 5 MI	73.7	72.5	53.2	29.4	28.0	21.3	23.1	17.7	26.3	43.6	70.6	73.5	44.4	12	18288
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	46.1	41.7	20.7	3.7	3.0	1.5	1.9	2.1	6.1	16.0	29.0	43.5	17.9	12	3327
03-05 LST	50.7	42.3	22.1	4.3	10.4	6.7	6.3	4.4	6.9	12.0	36.4	44.4	20.6	5	1741
06-08 LST	47.0	54.2	39.7	18.6	12.2	8.8	7.9	8.2	20.1	37.8	49.8	45.6	29.2	12	3529
09-11 LST	60.9	62.9	33.7	5.6	4.7	1.1	4.6	3.5	5.5	22.1	47.8	60.1	26.0	5	1763
12-14 LST	47.1	40.2	15.4	3.5	2.5	3.4	1.9	1.0	3.6	10.5	32.2	44.4	17.1	12	3405
15-17 LST	47.7	37.5	13.5	1.4	0.3	1.4	0.7	0.7	1.7	9.0	36.3	50.1	16.7	5	1756
18-20 LST	46.0	36.8	22.0	5.9	1.3	1.3	0.4	1.2	3.9	11.4	27.8	42.4	16.7	12	3553
21-23 LST	49.7	41.5	13.6	1.0	0.7	0.7	1.0	2.0	2.7	6.5	32.8	45.4	16.5	5	1772
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	12.4	12.4	4.8	0.4	0.4	0.0	0.4	0.4	1.9	2.9	8.3	15.1	5.0	12	3327
03-05 LST	14.2	14.0	2.8	0.7	4.0	0.7	0.7	1.4	0.7	4.0	8.9	8.7	5.1	5	1741
06-08 LST	14.5	16.2	8.1	2.9	0.0	0.7	0.3	0.7	4.2	13.3	15.4	16.4	7.7	12	3529
09-11 LST	17.8	23.5	2.7	0.7	0.0	0.0	0.0	0.0	0.0	3.3	9.5	18.1	6.3	5	1763
12-14 LST	13.8	9.5	2.4	0.0	0.0	0.3	0.0	0.0	0.0	0.7	5.5	11.1	3.6	12	3405
15-17 LST	11.3	6.7	0.7	0.0	0.0	0.0	0.0	0.0	0.0	1.3	6.3	15.1	3.5	5	1756
18-20 LST	10.5	8.2	3.4	0.0	0.0	0.3	0.0	0.0	0.0	1.7	4.6	11.6	3.4	12	3553
21-23 LST	6.6	8.2	2.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.0	12.0	3.2	5	1772

## BRATISLAVA, CZECHOSLOVAKIA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. UBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	17.5	16.8	25.0	29.2	30.3	29.8	30.8	30.5	28.4	26.4	22.1	18.6	305.4	12	3327
	07 LST	7.3	13.5	19.4	24.9	27.9	28.1	29.0	28.7	24.1	20.1	16.0	17.8	266.8	12	3529
	13 LST	17.3	17.4	26.6	29.2	30.6	29.5	30.7	30.9	29.3	28.2	21.9	18.0	309.6	12	3405
	19 LST	17.6	18.3	24.6	28.7	30.8	29.7	31.0	30.7	28.9	27.7	22.7	18.7	309.4	12	3553
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	7.6	8.9	13.7	19.2	23.1	21.6	23.6	24.8	23.4	19.9	14.6	9.4	209.8	12	3325
	07 LST	8.3	5.6	9.1	14.6	17.6	19.3	20.8	21.7	19.8	13.7	7.2	8.9	166.6	12	3524
	13 LST	6.7	5.6	10.2	10.3	12.8	14.8	15.2	16.2	14.2	14.3	8.3	6.6	135.2	12	3403
	19 LST	7.8	8.5	14.4	17.7	21.6	21.8	23.4	25.4	24.3	22.1	13.4	9.7	210.1	12	3544
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	2.1	0.9	1.7	1.2	0.8	1.2	0.6	0.8	0.3	0.2	0.7	1.3	11.8	12	3341
	07 LST	1.2	1.0	1.1	1.1	0.8	0.8	1.0	0.2	0.3	0.2	0.7	1.0	9.4	12	3546
	13 LST	3.2	2.8	5.9	4.2	3.7	2.0	2.2	2.3	0.9	1.9	2.1	2.5	33.7	12	3433
	19 LST	1.6	1.8	1.5	0.8	1.0	0.8	0.9	0.6	0.2	0.2	0.7	1.6	11.7	12	3579
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	3.9	5.1	9.2	13.5	13.8	12.3	12.3	13.3	13.6	15.0	12.0	6.0	130.0	12	3337
	07 LST	3.0	4.1	9.5	12.9	15.3	15.2	15.9	15.1	15.8	14.3	11.0	5.1	137.2	12	3536
	13 LST	6.8	5.1	10.0	10.7	12.0	14.0	12.9	15.2	14.5	14.6	11.3	8.3	135.4	12	3420
	19 LST	5.0	5.5	12.0	16.6	17.0	17.2	16.9	16.4	14.6	13.0	10.2	6.8	151.2	12	3565
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	5.7	6.0	10.4	12.2	14.8	13.9	14.8	18.2	17.7	13.2	6.3	6.0	139.2	12	3340
	07 LST	3.7	2.3	2.7	5.7	8.2	9.3	11.8	10.4	10.9	4.7	3.1	2.8	75.6	12	3543
	13 LST	3.6	3.4	4.4	6.1	4.7	5.6	7.5	8.0	10.2	9.8	3.5	2.5	69.3	12	3427
	19 LST	6.1	5.9	7.2	8.4	9.9	8.1	11.0	11.4	14.7	13.7	6.6	5.8	108.8	12	3569
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	15.1	14.8	23.0	27.9	29.3	28.9	29.4	30.0	27.5	24.8	18.9	15.1	284.7	12	3327
	07 LST	14.6	11.2	17.1	23.3	25.9	26.2	27.5	28.0	23.7	17.5	13.4	14.7	243.1	12	3529
	13 LST	14.8	14.7	24.0	27.2	28.7	27.6	29.2	29.9	27.6	26.1	17.4	15.3	282.5	12	3405
	19 LST	15.0	16.1	22.8	27.0	29.8	29.0	30.4	30.3	28.0	26.6	18.8	16.1	289.9	12	3553
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	11.9	11.0	18.4	24.2	25.6	25.5	26.3	27.5	24.8	21.0	13.0	11.1	240.3	12	3327
	07 LST	10.3	8.3	12.4	19.5	22.6	24.1	24.8	25.4	20.9	13.4	8.8	10.1	200.6	12	3529
	13 LST	12.2	11.1	17.4	19.5	21.1	21.7	22.8	26.5	23.4	22.2	11.7	11.7	221.3	12	3405
	19 LST	11.8	12.7	18.6	22.1	25.1	25.9	26.6	27.1	24.3	23.5	13.1	12.6	243.4	12	3553
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	11.9	11.0	18.4	24.2	25.6	25.5	26.2	27.5	24.8	21.0	13.0	11.1	240.2	12	3327
	07 LST	10.2	8.3	12.4	19.5	22.6	24.1	24.8	25.4	20.9	13.4	8.6	10.1	200.3	12	3529
	13 LST	12.1	11.0	17.4	19.5	21.0	21.6	22.8	26.5	23.4	22.2	11.7	11.6	220.8	12	3405
	19 LST	11.8	12.7	18.6	22.1	25.1	25.9	26.6	27.1	24.3	23.5	13.1	12.6	243.4	12	3553

KOSICE, CZECHOSLOVAKIA

STA NO. 11968 (IN AREA NUMBER 02)

LATITUDE 48-2N

LONGITUDE 02115E

ELEVATION(FT) 00771

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	52	56	71	83	88	93	95	99	91	83	70	58	99	25	-178
MEAN MAX TMP (F)	31	36	46	58	69	74	79	77	71	58	46	35	57	25	-178
MEAN MIN TMP (F)	19	22	29	38	47	53	56	55	48	39	34	25	39	25	-178
ABS MIN TMP (F)	-13	-23	-1	19	26	32	40	39	27	14	10	-8	-23	25	-178
MEAN NO DYS TMP = DP GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.6	1.5	2.2	0.0	0.0	0.0	0.0	4.3	12	3933
MEAN NO DYS TMP = DR LES 32(F)	29.1	24.5	21.1	6.7	1.2	0.0	0.0	0.0	0.4	6.1	12.7	24.0	125.8	12	3951
MEAN NO DYS TMP = DR LES 0(F)	1.3	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	2.1	12	3951
MEAN DEW PT TMP (F)	22	24	29	38	46	53	56	56	49	42	36	27	40	12	20150
MEAN REL HUM (PCT)	87	86	76	68	69	72	72	72	74	78	86	88	77	12	20018
MEAN PRESS ALT (FT)	595	614	654	741	725	710	737	729	622	582	617	655	665	12	20147
MEAN PRECIP (IN)	1.22	1.18	1.42	1.93	2.84	3.23	3.15	3.03	2.28	2.05	2.21	1.58	26.1	50	-178
MEAN SNOW FALL (IN)						0.0	0.0	0.0						25	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	3.9	3.8	4.6	5.6	7.7	7.6	7.5	7.3	5.9	5.6	5.8	5.1	70.4	50	-9
MEAN NO DYS SNFL = DR GTR 1.5 IN						0.0	0.0	0.0						25	-29
MEAN NO DYS W/OCCUR VSBY LES 1/2 MI	8.4	6.3	1.6	0.2	0.3	0.2	0.0	0.2	0.6	2.6	4.4	8.9	33.7	12	3364
MEAN NO DYS TSTMS	0.1	0.0	0.2	1.8	6.1	8.5	8.2	5.6	2.4	0.2	0.1	0.1	37.3	12	3377
P FREQ WND SPD = DR GTR 17 KTS	12.8	11.1	15.3	12.9	10.7	7.4	4.9	3.7	3.8	4.9	8.4	12.4	9.0	12	20219
P FREQ WND SPD = DR GTR 28 KTS	2.2	1.6	2.6	0.7	0.3	0.2	0.0	0.1	0.0	0.3	0.4	2.6	0.9	12	20219
P FREQ LES 3000 FT A/D LES 3 MI	68.4	65.8	38.7	24.7	24.0	23.0	21.4	18.9	19.6	31.7	59.8	70.1	38.8	12	20684
P FREQ LES 1500 FT A/D LES 3 MI															
FDR 00-02 LST	42.8	39.2	11.5	2.7	1.6	1.3	1.7	2.1	1.7	8.4	29.2	44.5	15.6	12	3864
03-05 LST	47.8	45.5	13.4	1.9	2.4	4.9	2.7	2.1	3.1	9.6	32.1	35.7	16.8	5	1736
06-08 LST	44.4	43.2	18.8	8.6	5.0	6.4	6.3	3.8	7.2	23.4	35.4	49.1	21.0	12	3973
09-11 LST	55.7	60.5	22.9	5.1	1.0	1.1	1.0	0.4	2.5	18.5	43.9	45.6	21.5	5	1743
12-14 LST	41.6	35.3	9.9	4.0	1.2	1.6	1.4	1.0	2.0	6.6	25.5	42.6	14.4	12	3938
15-17 LST	47.4	37.1	11.3	1.1	0.0	0.4	0.3	0.4	1.0	1.4	25.7	33.1	13.3	5	1745
18-20 LST	43.1	38.0	11.0	1.2	1.7	2.3	0.3	1.3	1.6	6.7	24.3	45.6	14.8	12	3981
21-23 LST	44.5	41.0	12.7	2.8	0.0	0.0	0.7	0.0	0.7	4.9	25.6	36.3	14.1	5	1767
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	17.3	16.7	2.3	0.6	0.3	0.0	0.9	0.6	0.0	3.1	11.1	22.6	6.3	12	3864
03-05 LST	22.7	16.3	5.4	0.0	0.7	1.4	0.0	0.0	1.4	2.0	13.2	14.8	6.5	5	1736
06-08 LST	18.2	18.4	7.9	1.8	1.4	0.3	0.6	0.6	1.6	9.4	15.9	24.1	8.4	12	3973
09-11 LST	22.5	26.1	7.3	0.7	0.0	0.0	0.0	0.0	0.0	2.1	14.4	22.6	8.0	5	1743
12-14 LST	15.9	13.4	1.8	0.0	0.0	0.0	0.0	0.0	0.3	0.6	3.3	18.5	4.5	12	3938
15-17 LST	19.6	7.6	5.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.8	14.0	4.3	5	1745
18-20 LST	18.4	12.1	2.7	0.0	0.6	0.0	0.0	0.0	0.0	0.6	5.2	22.5	3.2	12	3981
21-23 LST	19.0	10.6	4.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	9.5	17.6	5.1	5	1767

KOSICE, CZECHOSLOVAKIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	18.3	17.7	27.9	29.3	30.6	29.9	30.6	30.4	29.7	28.4	22.0	17.9	312.6	12	3864
	07 LST	18.1	16.8	25.6	27.7	29.7	28.4	29.3	30.0	28.2	24.2	19.9	16.9	294.8	12	3973
	13 LST	18.9	18.9	28.4	29.2	30.9	29.8	30.8	30.9	29.8	29.4	23.5	18.8	319.3	12	3938
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	10.2	10.4	16.9	20.2	21.8	21.4	26.3	24.7	24.9	22.8	14.9	9.8	226.3	12	3858
	07 LST	10.2	8.8	16.0	17.7	18.3	19.4	22.3	24.2	23.7	18.5	13.4	9.5	202.0	12	3964
	13 LST	8.9	9.9	14.1	13.4	14.5	14.8	17.5	17.9	15.7	17.2	12.5	8.9	169.3	12	3930
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	3.0	2.5	3.5	2.0	1.3	1.1	0.2	0.7	0.3	0.8	1.6	2.0	19.0	12	3871
	07 LST	2.9	2.7	3.1	3.1	3.0	2.1	1.6	1.3	0.3	0.7	2.0	2.3	25.1	12	3981
	13 LST	3.8	3.1	4.5	5.6	3.7	2.5	2.2	1.7	1.9	1.9	2.6	3.4	36.9	12	3961
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	1.3	1.7	5.4	11.2	13.0	13.0	13.3	15.3	14.3	10.8	8.3	3.8	111.4	12	3847
	07 LST	0.9	1.0	6.3	9.6	9.6	11.6	10.1	11.4	11.1	10.4	6.9	3.0	91.9	12	3971
	13 LST	3.5	4.4	10.5	10.9	11.8	12.4	13.4	13.4	14.1	14.6	9.5	5.1	123.6	12	3948
SKY COVER LES 3'.0 AND VSBY = GTR 3 MI	01 LST	7.6	7.1	12.9	15.1	15.6	15.7	17.9	18.8	18.6	16.5	7.4	6.0	154.2	12	3875
	07 LST	4.9	5.1	7.6	9.7	10.0	11.5	13.6	14.9	14.4	8.4	4.4	4.4	108.9	12	3984
	13 LST	5.2	4.4	8.8	7.7	5.2	6.5	8.2	11.0	10.8	11.9	4.9	4.5	89.1	12	3958
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	16.4	15.8	26.2	28.1	29.7	28.7	29.6	30.0	28.8	27.6	19.2	15.3	295.4	12	3864
	07 LST	15.0	14.3	23.9	26.5	28.5	27.3	29.2	29.2	27.2	22.4	17.4	13.3	273.2	12	3973
	13 LST	16.5	16.5	26.1	27.0	29.1	27.9	29.3	29.8	28.5	27.6	20.1	15.9	294.3	12	3938
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	13.0	12.5	21.3	23.1	23.9	23.4	24.8	26.2	24.9	23.3	13.6	10.7	240.7	12	3864
	07 LST	10.4	10.9	19.0	22.8	22.9	22.5	24.1	25.6	23.0	18.0	11.4	7.8	218.4	12	3973
	13 LST	12.7	13.2	20.9	20.6	21.6	21.0	22.7	24.7	22.5	23.2	14.0	12.0	229.1	12	3938
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	13.0	13.2	21.0	22.6	23.4	23.7	25.0	25.2	23.7	24.2	14.4	10.3	239.7	12	3981
	07 LST	13.0	12.5	20.9	23.0	23.8	23.4	24.6	26.2	24.9	23.2	13.4	10.6	239.5	12	3864
	13 LST	12.6	13.2	20.9	20.5	21.6	20.9	22.7	24.7	22.5	22.9	13.9	12.0	228.4	12	3938
	19 LST	12.8	13.0	20.7	22.6	23.4	23.6	25.0	25.2	23.6	24.1	14.2	10.3	238.5	12	3981

AREA 02

CZECHOSLOVAKIA		EASTERN LOWLANDS					LATITUDE 4810N		LONGITUDE 01800E										
BOUNDARIES		4930N 01754E	4932N 01736E	4932N 01736E	4917N 01627E	4917N 01627E	4848N 01557E	4943N 01840E	4922N 01738E	4922N 01738E	4903N 01756E	4903N 01756E	4848N 01721E	4848N 01721E	4817N 01905E	4817N 01905E	4857N 02150E	4857N 02150E	4847N 02222E
PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN					
MEAN MAX TMP (F)		32	36	46	58	68	74	78	77	70	58	46	36	57					
MEAN MIN TMP (F)		22	24	31	39	47	53	56	55	49	41	35	27	40					
LARGEST MEAN PRECIP(IN)		1.81	1.54	1.58	2.09	3.67	4.82	3.93	3.05	2.28	2.13	2.72	2.21	31.8					
SMALLEST MEAN PRECIP(IN)		1.06	0.95	1.06	1.46	2.24	2.01	2.76	2.48	1.65	1.81	1.61	1.42	20.5					
		MEAN NUMBER OF DAYS																	
CIG = GTR 1000 FT AND VSBY = GTR 3 MI		01 LST	17.5	15.6	23.2	27.1	28.7	27.7	29.2	28.4	26.5	23.9	19.6	17.9	285.3				
		07 LST	16.6	13.3	19.4	23.9	25.9	25.9	27.1	26.1	23.1	18.9	15.5	16.6	252.3				
		13 LST	18.3	17.6	25.8	28.6	30.0	29.1	30.4	30.3	28.5	27.7	21.5	18.2	306.0				
		19 LST	17.6	16.7	24.0	28.0	30.2	29.3	30.7	30.4	28.1	26.3	21.0	17.2	299.5				
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS		01 LST	9.0	8.8	14.0	19.3	22.4	22.5	25.0	24.3	22.6	18.4	12.3	9.8	208.4				
		07 LST	8.9	7.0	10.9	15.6	17.2	18.3	21.1	21.2	19.0	13.3	8.6	8.7	169.8				
		13 LST	7.5	7.3	10.8	12.2	14.6	15.7	17.0	16.2	15.3	14.4	9.2	7.4	147.6				
		19 LST	8.5	8.8	14.5	18.6	21.8	22.7	24.8	25.5	23.4	20.3	12.4	9.0	209.7				
SFC WND = GTR 17 KTS AND NO PRECIP.		01 LST	1.7	1.0	1.7	1.1	0.5	0.6	0.3	0.4	0.3	0.4	0.7	1.2	10.0				
		07 LST	1.5	1.2	1.3	1.4	1.0	0.9	0.7	0.4	0.2	0.4	0.9	1.2	11.1				
		13 LST	2.9	2.0	3.9	4.0	2.4	1.8	1.4	1.6	1.3	2.0	2.1	2.2	27.6				
		19 LST	1.7	1.4	2.0	1.5	1.1	0.7	0.4	0.4	0.4	0.8	0.8	1.3	12.5				
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.		01 LST	2.6	3.8	6.9	11.8	12.4	12.0	12.2	12.2	12.6	12.4	9.7	4.9	113.5				
		07 LST	2.4	2.4	6.5	11.0	12.2	12.2	12.2	12.1	12.2	11.8	8.9	4.0	107.9				
		13 LST	5.1	4.9	9.8	11.0	13.1	13.9	13.9	14.5	14.4	13.3	10.5	6.6	131.0				
		19 LST	3.4	4.6	9.9	14.0	15.3	15.7	15.2	15.0	14.8	13.7	10.5	5.2	137.3				
SKY COVER LES 3/10 AND VSBY = GTR 3 MI		01 LST	5.5	5.2	9.8	12.8	13.5	13.5	14.6	16.4	16.4	11.4	5.3	5.5	129.9				
		07 LST	3.7	3.0	4.0	6.6	7.8	9.7	10.7	10.3	10.7	5.0	2.8	3.3	77.6				
		13 LST	4.1	3.5	6.2	6.1	4.5	5.8	7.3	7.7	10.0	9.1	3.4	3.5	71.2				
		19 LST	5.6	5.4	8.0	8.3	7.7	7.9	10.3	10.8	13.4	12.3	5.7	4.9	100.3				
CIG = GTR 2500 FT AND VSBY = GTR 3 MI		01 LST	14.7	13.4	21.3	25.7	27.5	26.8	28.2	27.8	25.7	22.4	16.3	14.6	264.4				
		07 LST	13.8	11.0	17.1	22.3	24.0	24.4	25.8	25.3	22.3	16.9	12.5	13.6	229.0				
		13 LST	15.7	14.8	22.9	26.0	27.4	27.1	29.6	29.0	27.0	25.1	17.1	15.5	276.2				
		19 LST	15.3	14.4	22.5	26.4	29.0	28.3	30.0	29.7	27.3	24.8	17.3	14.5	279.5				
CIG = GTR 6000 FT AND VSBY = GTR 3 MI		01 LST	10.9	9.7	17.0	21.6	23.1	22.6	24.2	24.5	22.2	18.0	11.0	10.1	214.9				
		07 LST	9.6	8.0	13.2	18.6	20.0	21.1	22.1	22.2	18.9	12.5	8.2	9.1	183.5				
		13 LST	12.3	11.1	17.4	18.2	19.6	20.4	22.0	23.7	21.6	20.3	11.8	11.6	210.0				
		19 LST	11.8	11.0	18.1	21.0	23.7	24.0	25.5	25.7	23.0	20.1	11.7	10.1	225.7				
CIG = GTR 10000 FT AND VSBY = GTR 3 MI		01 LST	10.9	9.6	16.8	21.4	22.9	22.5	24.0	24.5	22.2	18.0	11.0	10.1	213.9				
		07 LST	9.5	7.8	13.1	18.5	19.9	21.0	22.0	22.1	18.8	12.5	8.1	9.0	182.3				
		13 LST	12.0	11.0	17.3	18.2	19.6	20.4	22.0	23.6	21.5	20.1	11.7	11.5	208.9				
		19 LST	11.8	10.9	17.9	21.0	23.6	23.8	25.4	25.6	22.9	20.0	11.6	10.1	224.6				

SLIAC, CZECHOSLOVAKIA

STA NO. 11903 (IN AREA NUMBER 03)

LATITUDE 4838N

LONGITUDE 01909E

ELEVATION(FT) 01033

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	54	55	73	82	86	95	98	98	91	91	66	54	98	25	-178
MEAN MAX TMP (F)	31	37	47	59	69	75	79	78	71	58	45	35	57	25	-178
MEAN MIN TMP (F)	17	20	28	36	44	50	53	52	46	38	33	23	37	25	-178
ABS MIN TMP (F)	-18	-37	-9	16	22	29	39	35	25	10	2	-11	-32	25	-178
MEAN NO DYS TMP = DP GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.6	2.0	2.3	0.2	0.0	0.0	0.0	5.6	11	2992
MEAN NO DYS TMP = DR LES 32(F)	29.4	24.6	22.4	8.1	2.9	0.0	0.0	0.0	2.4	8.5	12.7	23.3	134.3	11	3011
MEAN NO DYS TMP = DR LES 0(F)	3.0	3.4	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	8.1	11	3011
MEAN DEW PT TMP (F)	20	21	29	40	46	53	54	54	47	41	37	25	39	11	14467
MEAN REL HUM (PCT)	86	84	78	73	75	74	73	75	77	81	88	89	79	11	14400
MEAN PRESS ALT (FT)	826	892	927	1000	981	952	977	969	863	844	906	897	920	11	14390
MEAN PRECIP (IN)	1.77	1.61	1.81	2.05	3.11	3.62	3.03	2.48	2.56	2.40	2.99	2.36	29.8	50	-178
MEAN SNOW FALL (IN)						0.0	0.0	0.0						25	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	5.7	5.2	5.4	5.9	8.4	8.2	7.3	6.2	6.3	6.1	6.8	7.4	78.9	50	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN						0.0	0.0	0.0						25	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	9.5	9.5	2.8	2.1	4.1	3.9	2.8	5.6	11.1	11.7	6.1	9.4	79.0	11	2212
MEAN NO DYS TSTMS	0.2	0.2	0.2	2.6	7.6	9.8	6.8	5.0	1.7	0.2	0.2	0.0	34.5	11	2218
P FREQ WND SPD = DR GTR 17 KTS	0.4	1.8	3.2	0.7	0.8	1.1	0.8	0.5	0.4	0.3	0.5	1.0	1.0	11	14512
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.4	0.2	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.1	11	14512
P FREQ LES 5000 FT A/D LES 5 MI	82.2	81.1	60.4	43.1	45.2	40.1	38.8	37.2	43.5	61.2	80.3	84.5	58.1	11	14962
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	62.0	62.2	27.6	6.8	10.9	9.4	8.2	10.2	21.6	40.5	44.1	57.4	30.1	11	3010
03-05 LST	63.4	63.5	37.4	19.3	38.6	48.1	40.2	44.6	44.4	54.0	47.7	64.1	47.1	5	1506
06-08 LST	65.6	68.9	45.7	36.2	34.3	27.1	34.1	44.1	58.4	61.6	53.7	60.3	49.2	11	2877
09-11 LST	76.2	80.5	45.0	15.9	6.6	6.1	1.8	7.9	19.4	49.7	54.7	69.4	36.1	5	1509
12-14 LST	69.7	58.1	21.1	6.4	2.5	1.6	3.2	1.1	3.5	18.9	35.1	61.2	23.5	11	2941
15-17 LST	58.3	44.1	12.7	2.6	1.7	0.4	2.1	1.1	2.1	7.2	29.9	52.9	17.9	5	1533
18-20 LST	60.6	47.2	19.4	4.9	1.4	2.9	1.7	2.0	3.4	13.1	31.8	53.9	20.2	11	3171
21-23 LST	55.9	59.1	20.0	6.8	1.7	4.5	2.6	2.6	8.5	16.9	40.9	63.2	23.6	5	1521
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	26.5	28.0	5.7	2.3	4.0	5.1	3.8	3.6	13.4	20.2	12.4	18.1	11.9	11	3010
03-05 LST	20.2	26.9	5.2	6.1	19.5	23.4	16.2	23.7	31.7	38.2	17.5	25.3	21.2	5	1506
06-08 LST	28.5	30.9	14.9	9.2	6.3	4.2	7.2	14.3	40.6	43.7	21.6	23.2	20.4	11	2877
09-11 LST	30.1	32.4	8.4	0.9	0.0	0.9	0.0	0.0	1.4	8.1	11.3	27.9	10.1	5	1509
12-14 LST	21.8	18.5	2.7	1.1	0.0	0.0	0.8	0.0	0.0	2.9	6.0	19.2	6.1	11	2941
15-17 LST	14.8	12.7	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.7	3.4	14.7	4.0	5	1533
18-20 LST	18.7	13.7	3.0	0.4	0.0	0.7	0.4	0.4	0.8	1.2	3.9	12.5	4.6	11	3171
21-23 LST	11.7	20.0	2.6	0.0	0.8	0.9	0.0	2.2	0.7	2.6	9.2	15.6	5.5	5	1521

SLIAC, CZECHOSLOVAKIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	12.6	10.9	22.8	28.0	27.9	27.3	28.5	27.9	23.5	18.6	17.7	13.6	259.3	11	3010
	07 LST	11.5	8.9	17.0	19.3	20.6	22.2	20.6	17.5	12.6	12.3	14.7	13.1	190.3	11	2877
	13 LST	10.3	12.2	25.1	28.6	30.6	29.8	30.3	30.7	29.0	25.9	20.7	12.7	285.9	11	2941
	19 LST	13.2	15.1	25.5	29.0	30.8	29.4	30.5	30.5	29.1	27.2	21.4	15.2	296.9	11	3171
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	9.3	8.1	18.6	25.3	25.7	25.6	27.9	27.4	23.2	17.4	13.9	11.1	233.5	11	3006
	07 LST	8.2	6.7	13.4	16.8	17.6	19.2	19.1	16.0	12.1	10.8	11.9	10.0	161.8	11	2875
	13 LST	5.6	7.8	15.7	17.1	18.6	18.8	20.3	22.0	21.5	19.8	15.7	8.5	191.4	11	2935
	19 LST	9.5	11.1	20.1	23.1	24.5	25.3	26.4	28.5	27.8	25.0	17.8	10.9	250.0	11	3166
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	0.0	0.4	0.7	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	1.4	11	3029
	07 LST	0.1	0.3	0.6	0.3	0.5	0.3	0.0	0.0	0.0	0.0	0.1	0.0	2.2	11	2898
	13 LST	0.2	0.9	0.7	0.6	1.2	0.7	0.6	0.7	0.1	0.0	0.2	0.2	6.1	11	2952
	19 LST	0.1	0.4	0.6	0.5	0.0	0.3	0.3	0.0	0.0	0.0	0.0	0.2	2.6	11	3189
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	1.0	1.2	4.6	9.2	6.3	6.1	4.4	4.3	4.5	4.7	4.5	2.6	53.4	11	3014
	07 LST	1.0	1.5	3.7	7.7	5.0	5.0	4.2	3.9	2.8	4.2	5.3	3.1	47.4	11	2893
	13 LST	2.7	2.6	8.1	13.4	13.4	15.9	16.6	15.2	15.3	10.8	8.6	4.2	126.8	11	2943
	19 LST	1.1	2.6	7.7	13.3	14.1	13.1	14.2	13.2	8.4	5.6	6.9	3.9	104.1	11	3183
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	4.6	4.7	10.0	12.9	13.6	12.3	14.8	17.0	14.4	7.1	4.5	3.4	119.3	11	3027
	07 LST	2.6	1.6	3.6	5.1	5.8	6.0	7.2	6.5	3.9	1.5	1.4	2.0	47.2	11	2896
	13 LST	1.2	2.0	6.3	4.8	2.4	3.1	5.4	6.4	9.8	8.4	1.8	2.1	53.7	11	2952
	19 LST	3.9	6.0	7.8	8.3	5.4	6.8	9.8	10.3	14.0	12.9	6.1	4.6	95.9	11	3193
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	10.0	9.7	21.0	26.9	26.7	26.6	28.2	27.3	23.0	17.4	14.0	11.1	241.9	11	3010
	07 LST	8.5	7.7	15.4	18.2	19.5	20.7	19.5	16.7	12.2	10.5	11.4	10.3	170.4	11	2877
	13 LST	7.8	10.5	22.4	26.1	28.7	28.0	28.5	29.6	28.1	23.6	15.9	10.2	259.4	11	2941
	19 LST	10.2	13.7	23.6	27.1	29.6	28.4	29.8	29.8	28.4	25.9	17.8	11.8	276.1	11	3171
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	7.4	7.5	15.6	21.3	21.6	21.3	24.7	23.9	19.7	12.2	7.4	6.2	188.8	11	3010
	07 LST	5.4	4.5	10.8	14.3	15.4	16.2	15.7	13.3	9.9	5.3	6.5	5.5	122.8	11	2877
	13 LST	5.1	7.4	15.4	16.6	15.9	16.7	18.9	21.9	21.4	18.4	8.1	5.9	171.7	11	2941
	19 LST	6.6	10.4	16.8	19.5	23.2	23.7	25.2	26.7	23.6	20.4	11.0	7.0	214.1	11	3171
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	7.4	7.5	15.3	21.0	21.5	21.1	24.3	23.8	19.6	12.2	7.3	6.2	187.2	11	3010
	07 LST	5.4	4.5	10.2	14.3	15.1	16.2	15.6	13.3	9.9	5.3	6.5	5.5	121.8	11	2877
	13 LST	5.1	7.3	15.3	16.6	15.9	16.6	18.9	21.7	21.4	18.4	8.0	5.8	171.0	11	2941
	19 LST	6.5	10.4	16.6	19.5	23.2	23.7	25.2	26.7	23.5	20.4	10.9	7.0	213.6	11	3171

LOMNICKY/STIT, CZECHOSLOVAKIA

STA NO. 11930 (IN AREA NUMBER 03)

LATITUDE 4912N

LONGITUDE 02013E

ELEVATION(FT) 08642

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
														(YRS)	OBS
ABS MAX TMP (F)	36	34	39	45	54	61	64	60	57	48	52	39	64	9	2177
MEAN MAX TMP (F)	15	13	18	25	33	41	44	44	38	33	24	19	29	9	2177
MEAN MIN TMP (F)	8	5	10	16	24	33	35	35	30	27	18	13	21	9	2204
ABS MIN TMP (F)	-22	-22	-18	-9	5	18	18	19	10	7	-20	-13	-22	9	2204
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	2177
MEAN NO DYS TMP = DR LES 32(F)	30.8	28.0	31.0	29.8	27.5	12.5	13.2	12.7	17.4	22.8	29.3	31.0	286.0	9	2204
MEAN NO DYS TMP = DR LES 0(F)	6.9	9.2	6.2	1.6	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.9	26.8	9	2204
MEAN DEW PT TMP (F)	5	2	9	16	25	33	35	34	25	18	12	13	19	9	5319
MEAN REL HUM (PCT)	74	73	80	89	89	91	92	89	80	70	77	86	83	9	5271
MEAN PRESS ALT (FT)	8820	8990	8642	8681	8685	8445	8392	8420	8165	8297	8768	8805		4	407
MEAN PRECIP (IN)	4.12	5.87	3.89	4.65	5.50	5.98	6.92	5.26	3.07	3.82	4.39	7.07	60.5	9	1723
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = DR GTR 0.1 IN	9.3	12.5	9.9	13.0	12.5	13.3	13.0	11.9	7.6	7.6	8.4	13.6	132.6	9	1723
MEAN NO DYS SNFL = DR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	15.7	15.4	21.9	23.7	25.4	25.1	28.8	25.0	18.5	15.5	15.4	20.6	231.0	9	1072
MEAN NO DYS TSTMS	0.0	0.0	0.0	2.3	2.5	10.1	7.6	5.0	1.4	1.2	0.0	0.0	30.1	9	1638
P FREQ WND SPD = DR GTR 17 KTS	24.7	26.8	28.3	21.6	18.2	13.4	15.6	20.8	19.6	18.1	13.2	29.6	20.8	9	5336
P FREQ WND SPD = DR GTR 28 KTS	4.1	3.4	4.8	2.9	2.4	1.1	4.6	3.2	2.3	1.7	3.2	4.7	3.2	9	5336
P FREQ LES 5000 FT A/D LES 5 MI	31.9	23.8	33.2	53.0	67.1	70.3	71.0	75.2	54.5	19.2	23.0	40.7	46.9	9	2377
P FREQ LES 1500 FT A/D LES 3 MI															
FDR 00-02 LST	31.5	30.0	31.9	40.6	42.0	42.0	47.0	37.1	34.0	17.7	21.9	35.1	34.2	9	1037
03-05 LST	33.3	31.0	35.7	52.2	50.0	41.4	64.3	50.0	54.3	23.1	30.0	50.0	42.9	2	328
06-08 LST	34.4	31.0	33.0	34.0	42.9	32.7	30.3	23.9	26.8	25.0	24.3	32.5	30.9	9	1342
09-11 LST	35.5	28.6	33.3	57.9	72.2	86.4	86.4	81.0	50.0	28.0	45.0	47.4	54.3	2	268
12-14 LST	24.5	30.5	29.6	59.1	74.7	86.7	76.6	71.2	51.6	19.0	26.7	29.3	48.3	9	953
15-17 LST	43.5	30.0	45.0	78.6	81.0	87.5	84.6	96.3	62.9	27.3	27.3	66.0	60.8	2	276
18-20 LST	27.1	29.4	33.2	42.7	62.7	60.3	57.1	57.7	43.6	17.5	24.8	33.8	40.8	9	1163
21-23 LST	37.0	19.2	41.7	68.0	52.4	63.6	68.0	61.1	54.3	31.0	20.0	69.6	48.8	2	327
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	31.5	28.0	30.8	40.0	41.3	39.5	46.3	35.3	34.0	17.7	21.9	32.2	33.2	9	1037
03-05 LST	33.3	28.6	33.3	47.8	50.0	49.1	57.1	48.8	53.2	23.1	30.0	50.0	41.2	2	328
06-08 LST	31.3	27.6	30.0	33.6	40.8	30.3	28.1	22.4	24.6	23.8	22.9	31.9	28.9	9	1342
09-11 LST	33.3	28.6	33.3	57.9	72.2	86.4	86.4	81.0	50.0	28.0	45.0	47.4	54.1	2	268
12-14 LST	23.5	26.4	28.2	58.4	73.3	85.3	71.9	63.5	51.6	19.0	23.6	28.1	46.2	9	953
15-17 LST	39.1	25.0	45.0	78.6	81.0	87.5	84.6	96.3	62.9	27.3	27.3	59.1	59.5	2	276
18-20 LST	24.7	29.0	31.8	42.7	59.8	58.8	53.1	57.7	42.7	16.7	22.5	33.3	39.4	9	1163
21-23 LST	30.4	19.2	40.0	68.0	50.0	63.6	68.0	61.1	54.3	31.0	20.0	69.6	47.9	2	327


LOMNICKY/STIT, CZECHOSLOVAKIA


MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	21.2	19.8	21.5	18.0	18.2	18.1	16.7	19.7	19.8	25.5	23.4	20.7	242.6	9	1037
	07 LST	20.8	19.7	21.2	19.9	17.7	20.9	22.3	24.0	22.0	23.6	22.8	21.1	236.0	9	1342
	13 LST	23.4	20.0	22.0	12.5	7.9	4.0	7.3	8.9	14.5	25.1	22.0	22.3	189.9	9	953
	19 LST	23.3	19.9	20.9	17.2	12.1	11.9	13.6	13.1	16.9	25.6	22.7	20.7	217.9	9	1163
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	6.1	7.1	6.1	6.4	7.0	9.1	11.6	8.0	9.9	10.0	11.5	8.2	101.0	9	1037
	07 LST	7.9	5.1	6.5	9.1	8.2	12.5	11.9	13.0	11.5	8.7	11.0	9.2	114.6	9	1340
	13 LST	11.9	8.0	9.3	9.0	7.4	2.8	7.3	7.8	9.8	16.9	12.6	10.4	113.2	9	953
	19 LST	7.5	4.8	6.5	9.5	7.8	10.1	7.3	6.2	7.7	11.2	11.6	7.0	97.2	9	1163
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	7.0	4.9	7.5	4.4	5.0	1.6	5.5	6.1	4.7	4.7	3.6	7.0	62.0	9	1524
	07 LST	6.1	6.2	10.2	5.2	5.3	3.5	5.3	5.3	4.5	6.1	4.7	5.3	67.7	9	2131
	13 LST	5.7	5.0	5.4	2.8	2.3	1.9	0.9	1.9	2.4	2.3	2.9	5.5	39.0	9	1894
	19 LST	7.1	6.6	7.0	2.7	4.7	3.2	3.2	3.7	4.4	6.5	3.8	6.6	59.5	9	2094
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	0.0	0.0	0.0	0.0	2.2	9.6	7.8	8.6	7.6	6.3	0.6	0.0	42.7	9	1521
	07 LST	0.0	0.0	0.0	0.7	3.1	9.0	10.2	8.5	7.4	5.4	0.5	0.4	45.2	9	2118
	13 LST	0.2	0.0	0.2	0.9	3.3	7.4	10.6	9.8	7.7	6.6	1.1	0.2	48.0	9	1889
	19 LST	0.2	0.0	0.0	1.3	3.4	8.7	10.1	10.3	6.7	4.4	1.0	0.4	46.5	9	2077
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	13.2	10.9	12.2	8.5	9.6	7.3	8.4	12.4	13.7	16.7	12.4	10.5	135.8	9	1521
	07 LST	10.6	8.2	9.6	8.5	6.5	6.8	10.5	10.1	11.4	11.2	11.0	9.8	114.2	9	2127
	13 LST	8.4	7.9	9.9	5.5	1.8	1.3	2.4	1.9	7.0	11.9	10.7	8.5	77.2	9	1892
	19 LST	11.8	10.1	11.3	5.9	3.6	2.7	5.2	4.9	9.9	15.4	11.8	10.1	102.7	9	2093
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	21.1	19.4	20.5	17.2	17.4	15.9	16.0	19.0	19.4	25.3	23.4	19.3	233.9	9	1037
	07 LST	19.2	18.5	20.0	19.1	17.2	18.5	20.6	22.3	21.5	22.2	22.1	20.0	241.2	9	1342
	13 LST	22.6	18.6	21.7	12.1	7.7	3.8	7.3	8.9	14.3	24.8	21.6	21.3	184.7	9	953
	19 LST	21.5	19.6	20.3	16.8	10.8	11.9	12.9	12.7	16.7	25.6	21.9	20.2	210.9	9	1163
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	20.9	19.0	20.1	16.6	16.9	14.7	15.7	13.2	18.7	24.9	23.4	18.5	227.6	9	1037
	07 LST	17.8	17.6	19.4	18.2	16.4	16.5	19.4	20.6	20.7	21.2	21.5	18.8	228.1	9	1342
	13 LST	21.0	17.7	21.4	11.7	7.0	3.6	6.8	8.9	13.6	23.9	20.6	20.2	176.4	9	953
	19 LST	20.8	19.0	20.0	16.3	10.3	11.5	12.1	11.8	16.4	25.6	20.8	20.1	204.7	9	1163
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	20.9	19.0	20.1	16.6	16.9	14.7	15.7	18.2	18.7	24.9	23.4	18.5	227.6	9	1037
	07 LST	17.8	17.6	19.4	18.2	16.4	16.5	19.4	20.6	20.7	21.2	21.5	18.8	228.1	9	1342
	13 LST	21.0	17.7	21.4	11.7	7.0	3.6	6.8	8.9	13.6	23.9	20.6	20.2	176.4	9	953
	19 LST	20.8	19.0	20.0	16.3	10.3	11.5	12.1	11.8	16.4	25.6	20.8	20.1	204.7	9	1163

AREA 03

PARAMETER DESCRIPTION	BOUNDARIES	EASTERN M'.					LATITUDE 4900N					LONGITUDE 01930E				
		943N 01840E		4922N 01738E		4922N 01738E		4903N 01756E		4903N 01756E		4848N 01721E		4847N 02222E		
		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN		
MEAN MAX TMP (F)		23	25	33	42	51	58	62	61	55	46	35	27	43		
MEAN MIN TMP (F)		13	13	17	26	34	42	44	44	38	33	26	18	29		
LARGEST MEAN PRECIP(IN)		4.12	5.87	3.89	4.65	5.50	5.98	6.92	5.26	3.07	3.82	4.39	7.07	60.5		
SMALLEST MEAN PRECIP(IN)		1.77	1.61	1.81	2.05	3.11	3.62	3.03	2.48	2.56	2.40	2.99	2.36	29.8		
		MEAN NUMBER OF DAYS														
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	16.9	15.4	22.2	23.0	23.1	22.7	22.6	23.8	21.7	22.1	20.6	17.2	231.3		
	07 LST	16.2	14.3	19.1	19.6	19.2	21.6	21.5	20.8	17.3	18.0	18.8	17.1	223.5		
	13 LST	16.9	16.1	23.6	20.6	19.3	16.9	18.8	19.8	21.8	25.5	21.4	17.5	238.2		
	19 LST	18.3	17.5	23.2	23.1	21.5	20.7	22.1	21.8	23.0	26.4	22.1	18.0	257.7		
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	7.7	7.6	12.4	15.9	16.4	17.4	19.8	17.7	16.6	13.7	12.7	9.7	167.6		
	07 LST	8.1	5.9	10.0	13.0	12.9	15.9	15.5	14.5	11.8	9.8	11.5	9.6	138.5		
	13 LST	8.8	7.9	12.5	13.1	13.0	10.8	13.8	14.9	15.7	18.4	14.2	9.5	132.6		
	19 LST	8.5	8.0	13.3	16.3	16.2	17.7	16.9	17.4	17.8	18.1	14.7	9.0	173.9		
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	3.5	2.7	4.1	2.3	2.5	0.8	2.3	3.1	2.4	2.4	1.8	3.6	32.0		
	07 LST	3.1	3.3	5.4	2.8	2.9	1.9	2.7	2.7	2.3	3.1	2.4	2.7	35.3		
	13 LST	3.0	3.0	3.1	1.7	1.8	1.3	0.8	1.3	1.3	1.2	1.6	2.9	23.0		
	19 LST	3.6	3.5	3.8	1.6	2.4	1.8	1.9	1.9	2.2	3.3	1.9	3.4	31.3		
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	0.5	0.6	2.3	4.6	4.3	7.9	6.1	6.5	6.1	5.5	2.6	1.3	48.3		
	07 LST	0.5	0.8	1.9	4.2	4.1	7.0	7.2	6.2	5.1	4.8	2.9	1.8	46.5		
	13 LST	1.5	1.3	4.2	7.2	8.4	11.7	13.6	12.5	11.5	8.7	4.9	2.2	87.7		
	19 LST	0.7	1.3	3.9	7.3	8.8	10.9	12.2	11.8	7.6	5.0	4.0	2.2	75.7		
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	8.9	7.8	11.1	10.7	11.6	9.8	11.6	14.7	14.1	11.9	8.5	7.0	127.7		
	07 LST	6.6	4.9	6.6	6.8	6.2	6.4	8.9	8.3	7.7	6.4	6.2	5.9	80.9		
	13 LST	4.8	5.0	8.1	5.2	2.1	2.2	3.9	4.2	8.4	10.2	6.3	5.3	65.7		
	19 LST	7.9	8.1	9.6	7.1	4.5	4.8	7.5	7.6	12.0	14.2	9.0	7.4	99.7		
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	15.6	14.6	20.8	22.1	22.1	21.3	22.1	23.2	21.2	21.4	18.7	15.2	238.3		
	07 LST	13.9	13.0	17.7	18.7	18.4	19.6	20.1	19.5	16.9	16.4	16.8	15.2	206.2		
	13 LST	15.2	14.6	22.1	19.1	18.2	15.9	17.9	19.3	21.2	24.2	18.8	15.8	222.3		
	19 LST	15.9	16.7	22.0	22.0	20.2	20.2	21.4	21.3	22.6	25.8	19.9	16.0	244.0		
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	14.2	13.3	17.9	19.0	19.3	18.0	20.2	21.1	19.2	18.6	15.4	12.4	208.6		
	07 LST	11.6	11.1	15.1	16.3	15.9	16.4	17.6	17.0	15.3	13.3	14.0	12.2	175.8		
	13 LST	13.1	12.6	18.4	14.2	11.5	10.2	12.9	15.4	17.5	21.2	14.4	13.1	174.5		
	19 LST	13.7	14.7	18.4	17.9	16.8	17.6	18.7	19.3	20.0	23.0	15.9	13.6	209.6		
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	14.2	13.3	17.7	18.8	19.2	17.9	20.0	21.0	19.2	18.6	15.4	12.4	207.7		
	07 LST	11.6	11.1	14.8	16.3	15.8	16.4	17.5	17.0	15.3	13.3	14.0	12.2	175.3		
	13 LST	13.1	12.5	18.4	14.2	11.5	10.1	12.9	15.3	17.5	21.2	14.3	13.0	174.0		
	19 LST	13.7	14.7	18.3	17.9	16.8	17.6	18.7	19.3	20.0	23.0	15.9	13.6	209.5		





WISMAR, EAST GERMANY

STA NO. 10163 (IN AREA NUMBER 01)

LATITUDE 5354N

LONGITUDE 01127E

ELEVATION(FT) 00098

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	50	61	66	79	81	90	93	86	84	72	55	57	93	9	3287
MEAN MAX TMP (F)	35	35	44	52	62	67	71	69	64	55	43	39	53	9	3287
MEAN MIN TMP (F)	29	26	32	37	45	51	55	54	49	44	37	33	41	9	3288
ABS MIN TMP (F)	5	-8	10	25	32	37	41	43	34	28	21	7	-8	9	3288
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.1	0.4	0.0	0.0	0.0	0.0	0.0	0.5	9	3287
MEAN NO DYS TMP = DR LES 32(F)	21.4	20.6	18.2	7.4	0.6	0.0	0.0	0.0	0.0	1.0	7.9	14.6	91.7	9	3288
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	9	3288
MEAN DEW PT TMP (F)	29	26	31	36	44	51	55	55	49	45	37	33	41	9	13144
MEAN REL HUM (PCT)	87	86	80	76	74	76	78	82	82	87	89	90	82	9	13144
MEAN PRESS ALT (FT)	112	63	-7	18	6	40	97	105	52	59	7	146	58	9	13144
MEAN PRECIP (IN)	2.02	1.42	1.02	1.24	2.21	3.06	2.73	3.78	1.42	2.08	1.74	2.08	24.8	9	3285
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0					9	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	6.9	5.3	3.7	4.4	5.3	7.4	7.4	8.1	4.6	6.8	5.1	6.6	71.6	9	3285
MEAN NO DYS SNFL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0					9	-29
MEAN NO DYS W/OCCUR VSBY LES 1/2 MI	3.1	3.4	2.4	1.1	0.1	0.1	0.4	1.1	1.3	3.0	3.1	3.4	22.5	9	3281
MEAN NO DYS TSTMS	0.2	0.1	0.3	1.0	4.2	5.0	7.3	6.9	1.3	0.6	0.0	0.3	27.2	9	3286
P FREQ WND SPD = DR GTR 17 KTS	15.9	8.3	7.1	4.3	3.3	0.9	3.7	2.2	4.3	3.0	6.9	10.5	6.0	9	13144
P FREQ WND SPD = DR GTR 28 KTS	1.3	0.1	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.2	9	13144
P FREQ LES 5000 FT A/O LES 5 MI	76.3	75.3	62.4	43.7	34.4	36.6	39.7	44.8	44.2	66.1	80.2	80.7	57.0	9	13104
P FREQ LES 1500 FT A/O LES 3 MI															
FDR 00-02 LST	45.4	44.1	35.5	17.3	12.4	16.2	14.2	20.1	16.0	37.9	49.3	56.2	30.4	9	3280
03-05 LST														0	0
06-08 LST	51.3	54.7	49.5	31.0	20.2	17.9	24.0	31.2	32.5	48.1	58.2	59.1	39.8	9	3282
09-11 LST														0	0
12-14 LST	43.9	39.4	31.5	16.1	10.4	11.2	11.8	14.6	12.2	30.7	48.8	50.3	26.7	9	3285
15-17 LST														0	0
18-20 LST	44.9	44.0	30.0	12.6	5.5	5.3	7.0	8.8	12.4	35.5	49.2	57.7	26.1	9	3284
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI															
FDR 00-02 LST	6.1	9.9	4.3	1.9	0.4	1.1	0.7	2.5	1.1	6.5	8.9	8.6	4.3	9	3280
03-05 LST														0	0
06-08 LST	10.1	14.6	11.2	6.3	2.5	0.4	1.8	5.0	7.0	13.3	11.1	9.3	7.7	9	3282
09-11 LST														0	0
12-14 LST	7.9	8.6	2.9	0.4	0.4	0.0	0.0	0.0	0.4	2.2	7.4	10.0	3.4	9	3285
15-17 LST														0	0
18-20 LST	6.8	9.4	2.5	0.4	0.0	0.0	0.0	0.7	0.4	4.7	5.2	9.0	3.3	9	3284
21-23 LST														0	0

WISMAR, EAST GERMANY

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	21.5	18.9	23.3	26.7	29.1	27.0	28.9	27.6	27.3	22.0	18.4	16.1	266.8	9	3280
	07 LST	19.7	15.4	17.7	23.9	27.6	26.8	26.3	24.1	22.6	18.4	15.7	16.3	254.5	9	3282
	13 LST	20.9	19.4	23.9	28.3	30.4	28.6	30.3	29.8	29.0	25.4	18.9	17.9	302.8	9	3285
	19 LST	20.7	18.2	23.8	27.8	30.6	29.3	30.3	29.7	27.9	23.1	18.0	15.8	295.2	9	3284
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	5.8	8.0	10.4	17.3	20.2	20.7	21.7	18.7	18.2	10.4	7.3	5.9	164.6	9	3280
	07 LST	4.8	5.7	8.9	13.2	16.1	17.7	16.1	14.9	13.2	9.3	6.0	4.9	130.8	9	3282
	13 LST	5.9	6.8	7.3	9.7	12.0	13.6	12.9	11.4	12.8	9.3	6.0	6.0	113.7	9	3285
	19 LST	7.0	9.1	11.4	17.7	18.2	20.8	19.6	21.8	20.0	12.4	8.0	4.8	170.8	9	3284
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	2.4	1.2	1.2	0.6	0.3	0.0	0.6	0.2	0.6	0.4	1.0	1.8	10.3	9	3285
	07 LST	2.2	1.0	0.6	0.3	0.4	0.0	0.3	0.3	0.2	0.6	1.3	1.1	8.3	9	3288
	13 LST	2.6	1.5	2.0	2.0	1.1	0.6	1.7	0.7	1.7	2.1	1.4	1.6	19.0	9	3297
	19 LST	2.5	1.4	1.0	0.4	1.0	0.1	0.4	0.2	0.1	0.7	0.7	0.9	9.4	9	3287
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	3.7	3.6	9.4	13.7	16.4	14.3	17.2	15.8	15.2	13.7	11.8	7.0	141.8	9	3288
	07 LST	2.9	3.2	7.8	12.4	15.7	16.2	15.1	15.3	14.6	13.8	10.7	7.7	135.4	9	3288
	13 LST	5.2	4.8	12.2	13.8	15.6	14.8	15.9	14.6	15.1	14.3	12.9	8.2	147.4	9	3287
	19 LST	4.0	4.6	12.0	14.3	16.9	15.2	16.0	17.0	14.1	14.7	12.2	8.1	149.1	9	3287
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	5.4	5.8	10.7	13.6	15.9	12.9	13.5	13.1	14.4	8.7	4.6	4.9	123.5	9	3285
	07 LST	4.0	4.0	6.6	7.2	8.3	8.9	8.6	6.1	8.1	4.6	3.1	3.4	72.9	9	3286
	13 LST	4.8	4.3	8.3	7.7	6.9	6.7	6.2	3.6	7.6	4.4	3.2	2.8	66.5	9	3283
	19 LST	6.4	5.3	9.3	9.0	10.6	10.7	8.8	6.2	10.4	7.2	4.9	4.3	93.1	9	3285
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	11.3	11.7	15.9	22.1	24.1	22.1	23.1	21.1	22.1	15.4	10.8	9.8	209.5	9	3280
	07 LST	9.9	8.9	13.1	17.2	21.7	21.8	20.3	18.2	17.6	13.0	8.9	8.2	178.8	9	3282
	13 LST	13.2	13.6	17.8	20.7	23.2	22.5	21.9	21.5	22.4	16.9	11.0	12.3	217.0	9	3285
	19 LST	12.5	11.8	18.8	23.9	26.6	26.3	25.7	25.5	23.6	16.1	11.2	9.6	231.6	9	3284
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	8.7	10.1	13.8	20.0	21.3	19.2	20.4	18.3	19.4	13.1	8.1	7.6	180.0	9	3280
	07 LST	7.8	6.4	11.7	15.2	20.2	19.1	19.0	16.2	15.7	10.8	7.1	6.4	155.6	9	3282
	13 LST	11.2	11.3	16.0	18.0	19.9	18.9	17.8	18.4	19.8	14.8	9.1	9.9	185.1	9	3285
	19 LST	10.1	8.6	16.9	20.4	23.4	23.8	22.5	22.7	21.1	13.8	8.3	7.2	198.8	9	3284
C.G = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	8.7	10.1	13.8	19.9	21.3	19.2	20.4	18.3	19.4	13.1	8.1	7.6	179.9	9	3280
	07 LST	7.8	6.4	11.7	15.2	20.2	19.0	19.0	16.2	15.7	10.8	7.1	6.4	155.5	9	3282
	13 LST	11.1	11.3	16.0	18.0	19.9	18.9	17.8	18.4	19.8	14.8	9.1	9.9	185.0	9	3285
	19 LST	10.1	8.6	16.9	20.4	23.4	23.8	22.5	22.7	21.1	13.8	8.3	7.2	198.8	9	3284

WARNEUNDE, EAST GERMANY

STA NO. 10170 (IN AREA NUMBER 01)

LATITUDE 5411N

LONGITUDE 01205E

ELEVATION(FT) 00043

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	50	61	66	79	81	91	93	86	84	72	57	57	93	9	3284
MEAN MAX TMP (F)	36	34	42	49	59	65	69	68	63	55	44	39	52	9	3284
MEAN MIN TMP (F)	31	27	32	38	46	53	57	57	51	46	38	34	43	9	3285
ABS MIN TMP (F)	7	0	12	25	34	39	46	45	39	32	21	9	0	9	3285
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.0	0.0	0.0	0.0	0.0	0.3	9	3284
MEAN NO DYS TMP = OR LES 32(F)	19.4	19.8	17.6	5.1	0.0	0.0	0.0	0.0	0.0	0.1	6.4	11.0	79.4	9	3285
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	9	3285
MEAN DEW PT TMP (F)	30	27	31	37	45	52	56	56	51	45	38	34	42	9	13148
MEAN REL HUM (PCT)	88	87	83	81	78	78	80	81	81	85	88	90	83	9	13148
MEAN PRESS ALT (FT)	68	15	-64	-33	-47	-14	47	56	3	11	-43	100	8	9	13148
MEAN PRECIP (IN)	1.95	1.24	1.03	1.28	1.87	2.64	2.84	3.21	1.84	2.17	1.74	2.25	24.1	9	3286
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0	0.0				9	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	6.7	5.2	3.4	4.9	5.0	7.2	7.6	7.2	4.9	7.2	6.0	6.9	72.2	9	3286
MEAN NO DYS SNFL = OR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0	0.0				9	-29
MEAN NO DYS W/O CUR VSBY LES 1/2 MI	3.1	3.6	4.7	1.1	0.9	0.6	0.6	1.2	1.2	2.8	2.7	3.0	25.5	9	3285
MEAN NO DYS TSTMS	0.2	0.1	0.2	0.9	2.9	4.2	5.9	4.7	1.9	0.9	0.0	0.1	22.0	9	3286
P FREQ WND SPD = OR GTR 17 KTS	21.2	15.4	9.5	10.6	12.2	10.0	12.9	10.3	13.3	13.7	10.3	15.6	12.9	9	13148
P FREQ WND SPD = OR GTR 28 KTS	2.8	1.7	0.4	0.5	0.6	0.2	0.5	0.9	1.4	1.6	1.5	2.2	1.2	9	13148
P FREQ LES 5000 FT A/D LES 5 MI	72.4	72.9	55.8	40.1	30.5	32.3	33.5	36.7	35.1	39.7	75.6	78.5	51.9	9	13129
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	40.6	42.4	29.6	17.0	9.3	11.6	13.2	13.4	12.5	30.4	41.3	46.6	25.7	9	3285
03-05 LST														0	0
06-08 LST	45.9	51.2	40.2	23.9	17.4	16.0	17.7	23.7	25.1	42.2	4	4	50.7	9	3286
09-11 LST														0	0
12-14 LST	38.4	41.1	28.7	17.6	9.5	11.2	10.2	10.5	12.7	27.4	41.1	47.0	24.6	9	3287
15-17 LST														0	0
18-20 LST	43.9	40.1	27.0	11.4	7.7	6.1	8.9	7.7	10.8	28.9	42.3	46.0	23.4	9	3286
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	6.8	8.7	6.5	3.0	0.7	0.7	1.4	1.8	2.6	6.5	7.0	7.9	4.5	9	3285
03-05 LST														0	0
06-08 LST	6.5	13.3	12.9	4.8	2.2	2.2	2.2	4.3	6.7	13.3	11.9	9.0	7.4	9	3286
09-11 LST														0	0
12-14 LST	12.2	11.0	5.7	2.2	1.4	0.7	0.4	0.7	0.4	4.7	8.5	10.0	4.3	9	3287
15-17 LST														0	0
18-20 LST	11.8	9.1	7.9	1.9	1.1	0.7	0.4	0.0	0.7	4.0	6.7	6.8	4.3	9	3286
21-23 LST														0	0

WARNEUNDE, EAST GERMANY

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. UBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	23.6	19.7	25.1	27.4	29.7	28.4	29.4	29.3	28.2	25.2	22.0	21.3	309.3	9	3285
	07 LST	22.6	18.0	21.6	25.8	28.6	27.2	28.7	26.9	25.0	21.4	20.2	20.9	286.9	9	3286
	13 LST	22.9	19.9	25.4	27.4	29.6	28.6	30.3	29.9	28.6	26.3	21.6	19.6	310.1	9	3287
	19 LST	21.4	20.6	25.0	28.6	30.1	29.3	30.3	30.2	28.4	26.0	22.1	20.7	312.7	9	3286
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	6.0	6.6	11.1	15.7	18.3	17.8	17.6	16.7	15.6	11.4	6.8	5.2	148.8	9	3285
	07 LST	5.0	4.7	8.4	13.3	16.6	16.8	16.1	13.7	13.2	8.1	6.0	4.4	126.3	9	3286
	13 LST	6.1	5.1	7.8	8.3	11.6	10.8	11.2	10.9	9.3	9.1	6.3	5.9	103.4	9	3287
	19 LST	5.1	8.4	11.3	15.6	16.1	15.9	16.4	17.8	17.0	12.3	7.3	4.9	148.1	9	3286
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	3.9	3.5	2.1	2.6	3.7	2.4	3.1	3.4	3.0	2.4	2.2	2.9	35.2	9	3288
	07 LST	3.3	2.6	1.3	2.7	2.7	2.1	1.6	1.9	2.2	2.6	2.2	2.6	27.8	9	3287
	13 LST	4.2	3.2	3.2	2.9	3.2	2.6	3.0	2.2	3.6	3.0	2.3	2.8	36.2	9	3288
	19 LST	4.6	2.3	1.9	1.8	2.1	2.0	3.9	2.9	3.0	3.0	2.4	3.7	33.6	9	3286
SFC WND 4-10 KTS AND THP 33-89 DEG F AND NO PRECIP.	01 LST	4.3	4.0	10.9	15.1	18.9	15.7	17.7	18.3	17.7	16.1	13.0	9.9	161.6	9	3288
	07 LST	4.1	3.2	8.8	13.8	17.0	16.1	16.9	17.8	17.6	16.8	13.8	10.0	155.9	9	3287
	13 LST	5.4	6.0	13.2	14.6	15.1	14.2	15.2	15.4	14.6	16.4	13.3	10.9	154.3	9	3288
	19 LST	5.2	5.1	12.7	15.3	17.6	15.8	14.8	16.6	14.3	15.7	13.1	11.3	157.5	9	3286
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	5.4	5.6	10.4	12.4	14.4	11.5	11.9	13.1	14.4	8.9	5.2	4.6	117.8	9	3286
	07 LST	4.2	3.7	7.2	7.6	7.9	8.2	8.1	5.1	6.9	2.7	2.6	3.7	67.9	9	3287
	13 LST	4.0	4.4	7.8	7.3	8.6	8.8	7.8	6.1	8.4	4.7	3.3	2.3	73.5	9	3288
	19 LST	6.4	4.9	9.3	8.4	11.6	10.1	8.9	6.0	8.6	6.9	5.4	5.1	91.6	9	3286
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	12.5	11.6	17.4	21.3	24.9	23.5	23.4	23.1	23.5	16.7	12.1	10.9	220.9	9	3285
	07 LST	10.3	9.0	15.2	19.3	21.9	22.4	21.8	19.9	19.5	13.5	10.2	9.0	192.0	9	3286
	13 LST	14.4	12.6	18.3	21.6	25.7	23.9	24.1	24.6	23.4	18.2	12.9	12.5	232.2	9	3287
	19 LST	12.8	12.0	19.6	24.0	26.4	25.9	25.3	25.9	24.2	17.4	11.7	11.6	236.8	9	3286
CIG = GTR 4000 FT AND VSBY = GTR 3 MI	01 LST	10.3	9.7	15.2	18.6	21.4	20.6	21.1	20.1	21.3	14.0	9.8	8.6	190.7	9	3285
	07 LST	8.5	7.6	13.8	17.0	19.7	19.9	20.2	18.3	18.1	11.2	8.1	6.8	169.2	9	3286
	13 LST	12.2	11.1	16.9	20.2	23.9	22.0	21.8	22.7	22.2	16.4	10.8	10.6	210.8	9	3287
	19 LST	11.4	10.0	17.9	21.7	24.8	23.1	23.2	23.0	22.2	15.5	9.7	8.8	211.3	9	3286
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	10.2	9.7	15.2	18.6	21.4	20.6	21.1	20.1	21.3	14.0	9.8	8.6	190.6	9	3285
	07 LST	8.5	7.6	13.7	16.9	19.4	19.9	20.2	18.3	17.9	11.2	8.1	6.8	168.5	9	3286
	13 LST	11.8	11.1	16.9	20.2	23.9	22.0	21.8	22.7	22.2	16.3	10.8	10.6	210.3	9	3287
	19 LST	11.4	10.0	17.8	21.7	24.8	23.1	23.2	23.0	22.1	15.5	9.7	8.8	211.1	9	3286

GRIEFSWALD/WIECK, EAST GERMANY

STA NO. 10185 (IN AREA NUMBER 01)

LATITUDE 5406N

LONGITUDE 01327E

ELEVATION(FT) 00010

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. 085
ABS MAX TMP (F)	52	59	64	77	81	90	93	86	84	73	57	57	93	9	3285
MEAN MAX TMP (F)	35	34	42	50	61	67	71	70	64	55	43	38	53	9	3285
MEAN MIN TMP (F)	29	25	31	37	45	51	55	55	49	44	36	33	41	9	3288
ABS MIN TMP (F)	1	-17	10	12	30	39	41	34	28	18	12	-17		9	3288
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.0	0.0	0.0	0.0	0.0	0.3	9	3285
MEAN NO DYS TMP = DR LES 32(F)	21.4	21.3	20.4	8.0	0.9	0.0	0.0	0.0	0.0	1.0	8.6	14.3	95.9	9	3288
MEAN NO DYS TMP = DR LES 0(F)	0.0	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	9	3288
MEAN DEW PT TMP (F)	29	26	31	37	45	52	57	56	51	45	37	33	42	9	13148
MEAN REL HUM (PCT)	88	88	84	81	78	79	81	84	85	88	90	91	85	9	13144
MEAN PRESS ALT (FT)	28	-28	-112	-71	-85	-50	13	17	-36	-32	-92	52	-32	9	13144
MEAN PRECIP (IN)	1.83	1.14	0.87	1.35	1.73	2.42	2.95	2.52	2.08	1.99	1.29	1.94	22.1	9	3283
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0					9	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	5.9	4.1	2.8	4.6	4.9	6.9	7.4	8.0	5.2	6.5	4.1	5.9	66.3	9	3283
MEAN NO DYS SNFL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0						9	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	3.5	4.4	3.7	1.0	1.0	0.6	0.6	1.6	1.6	3.4	3.7	5.0	30.1	9	3286
MEAN NO DYS TSTMS	0.1	0.0	0.1	0.6	2.7	4.8	5.4	7.4	2.1	0.4	0.0	0.1	23.7	9	3287
P FREQ WND SPD = DR GTR 17 KTS	28.7	21.3	26.6	18.1	19.9	12.6	11.1	10.5	11.5	13.4	15.6	21.5	17.6	9	13148
P FREQ WND SPD = DR GTR 28 KTS	4.0	2.7	2.2	1.0	1.3	0.7	0.4	0.3	0.3	1.0	1.5	1.8	1.4	9	13148
P FREQ LES 5000 FT A/O LES 5 MI	75.4	74.7	56.2	42.9	33.5	33.9	36.2	39.1	37.8	62.5	75.6	79.4	53.9	9	13102
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	47.2	46.7	37.0	20.0	16.0	15.6	16.4	17.0	16.2	37.5	49.1	57.8	31.4	9	3286
03-05 LST														0	0
06-08 LST	49.6	56.0	41.3	26.4	15.1	17.1	19.3	19.3	24.5	43.2	54.7	57.8	35.4	9	3283
09-11 LST														0	0
12-14 LST	42.5	48.0	28.1	21.8	15.4	11.8	13.6	12.0	13.3	30.7	45.8	54.3	28.1	9	3286
15-17 LST														0	0
18-20 LST	49.9	47.4	30.2	15.3	7.4	9.5	10.3	10.3	13.3	30.0	48.4	58.3	27.5	9	3281
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	10.8	12.2	9.0	1.9	3.9	3.0	1.8	2.9	4.1	7.2	10.7	12.5	6.7	9	3286
03-05 LST														0	0
06-08 LST	8.6	12.7	11.8	4.5	1.8	0.4	1.1	5.4	7.0	10.8	12.6	13.6	7.5	9	3283
09-11 LST														0	0
12-14 LST	7.6	12.6	4.3	1.1	1.1	0.0	0.4	0.0	0.4	2.9	7.8	13.3	4.3	9	3286
15-17 LST														0	0
18-20 LST	12.0	11.9	6.8	0.7	0.4	0.7	0.0	0.0	1.5	4.5	7.8	13.7	5.0	9	3281
21-23 LST														0	0

GRIEFSWALD/WIECK, EAST GERMANY

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	19.8	18.4	21.8	26.6	28.2	26.9	28.2	27.2	27.1	22.3	18.6	15.7	280.8	9	3286
	07 LST	19.5	15.4	20.2	25.0	28.3	27.1	27.6	27.1	24.2	20.4	17.0	16.6	268.4	9	3283
	13 LST	21.5	16.9	24.6	27.7	29.3	28.8	29.4	30.3	29.0	25.0	19.4	17.0	298.9	9	3286
	19 LST	19.4	17.6	23.4	27.6	30.7	28.8	29.6	29.3	27.4	23.8	18.9	15.4	292.4	9	3281
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	4.3	5.3	6.2	13.1	15.4	17.4	17.1	16.7	16.6	10.2	6.1	4.3	134.7	9	3286
	07 LST	5.1	4.7	6.6	9.9	11.8	11.6	12.6	12.8	11.9	7.9	5.7	4.0	104.6	9	3283
	13 LST	3.9	4.4	4.4	3.6	4.4	6.0	7.8	7.4	8.4	8.2	5.6	3.8	67.9	9	3286
	19 LST	5.3	6.4	8.4	10.2	11.8	11.6	13.4	16.2	17.6	11.9	6.3	3.0	122.1	9	3281
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	4.6	3.0	5.0	2.9	2.3	1.3	1.3	1.4	1.9	2.4	3.1	4.0	33.2	9	3288
	07 LST	4.1	2.6	4.8	2.6	3.7	2.2	1.9	2.3	1.4	1.4	3.4	3.6	34.0	9	3288
	13 LST	6.7	5.8	9.7	6.6	8.6	6.2	5.3	4.3	4.6	4.3	3.2	4.3	69.6	9	3287
	19 LST	5.8	2.9	6.3	4.1	5.4	2.6	2.3	2.0	1.8	1.9	2.7	3.8	41.6	9	3287
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	2.4	3.2	6.9	12.4	15.8	16.4	16.4	16.9	16.3	15.1	11.1	8.1	141.0	9	3288
	07 LST	2.8	2.5	4.8	12.3	13.0	13.9	16.0	16.3	15.4	11.9	10.8	6.2	125.9	9	3287
	13 LST	4.2	4.0	6.7	7.7	8.6	8.6	11.0	10.8	11.3	12.4	11.0	8.3	104.6	9	3287
	19 LST	3.7	4.0	8.6	11.6	12.1	11.3	15.0	15.7	14.9	12.9	10.8	8.0	128.9	9	3287
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	6.2	5.3	11.8	12.3	14.8	14.0	14.7	15.2	16.3	9.1	5.2	5.6	130.5	9	3287
	07 LST	4.3	3.4	8.0	6.4	9.2	8.8	9.0	6.9	8.7	4.4	3.2	3.3	75.6	9	3288
	13 LST	4.0	3.7	8.7	6.7	8.4	7.9	6.6	8.9	8.1	5.1	4.0	2.9	70.0	9	3287
	19 LST	5.8	6.4	10.7	9.3	10.8	10.0	9.9	7.7	12.1	8.8	5.7	5.1	102.3	9	3286
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	11.5	10.8	16.6	20.4	22.5	22.6	22.7	23.0	22.4	15.2	10.9	9.8	208.4	9	3286
	07 LST	10.7	8.6	15.4	18.6	23.5	21.6	21.1	21.7	20.6	13.9	9.2	8.9	193.8	9	3283
	13 LST	13.2	11.3	19.3	18.7	21.8	22.6	22.5	22.3	21.9	16.7	12.6	11.0	213.9	9	3286
	19 LST	10.9	11.2	19.1	22.7	26.1	24.8	25.1	25.3	23.7	18.5	11.1	9.5	228.0	9	3281
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	8.9	9.0	15.0	18.2	19.7	20.3	20.7	19.8	20.9	12.8	8.4	8.1	181.8	9	3286
	07 LST	8.4	7.0	13.4	16.6	21.2	18.9	18.2	18.8	18.9	11.7	7.3	6.9	167.3	9	3283
	13 LST	11.2	9.6	17.7	16.9	19.6	20.0	19.7	19.1	19.8	14.2	11.1	9.9	188.8	9	3286
	19 LST	9.2	9.7	17.6	21.1	24.7	23.0	22.9	23.7	22.3	15.8	8.9	7.6	206.5	9	3281
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	8.9	9.0	15.0	18.0	19.7	20.3	20.7	19.8	20.8	12.8	8.4	8.1	181.5	9	3286
	07 LST	8.3	7.0	13.4	16.4	21.2	18.8	18.2	18.8	18.9	11.7	7.3	6.9	166.9	9	3283
	13 LST	11.2	9.5	17.7	16.9	19.6	20.0	19.7	19.1	19.8	14.1	11.0	9.9	188.5	9	3286
	19 LST	9.2	9.7	17.6	20.9	24.7	22.9	22.9	23.7	22.3	15.8	8.9	7.6	206.2	9	3281

UECKERMUNDE, EAST GERMANY

STA NO. 10193 (IN AREA NUMBER 01)

LATITUDE 5345N

LONGITUDE 01404E

ELEVATION(FT) 00023

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	52	61	68	82	86	90	97	88	86	75	59	57	97	9	3287
MEAN MAX TMP (F)	35	34	43	51	62	68	72	71	65	55	43	38	53	9	3287
MEAN MIN TMP (F)	28	24	30	36	45	51	55	54	48	43	35	32	40	9	3288
ABS MIN TMP (F)	-4	-18	5	18	27	36	39	41	30	25	16	12	-18	9	3288
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.1	0.6	0.0	0.0	0.0	0.0	0.0	0.7	9	3287
MEAN NO DYS TMP = OR LES 32(F)	22.8	22.3	21.7	9.2	0.9	0.0	0.0	0.0	0.3	2.9	10.4	16.7	107.2	9	3288
MEAN NO DYS TMP = OR LES 0(F)	0.4	1.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	9	3288
MEAN DEN PT TMP (%)	28	25	30	37	46	52	56	56	50	44	36	32	41	9	13148
MEAN REL HUM (PCT)	88	87	81	80	76	77	79	81	83	86	89	90	83	9	13148
MEAN PRESS ALT (FT)	36	-12	-91	-47	-61	-26	36	36	-21	-20	-82	59	-15	9	13152
MEAN PRECIP (IN)	1.64	1.22	0.86	1.72	1.53	2.57	2.74	2.43	1.90	2.02	1.29	1.89	21.8	9	3284
MEAN SNOW FALL (IN)						0.0	0.0	0.0	0.0					9	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.6	4.7	3.1	4.6	4.7	7.1	7.1	7.9	5.4	7.0	4.0	6.6	67.8	9	3284
MEAN NO DYS SNFL = OR GTR 1.5 IN						0.0	0.0	0.0	0.0					9	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	1.8	3.4	3.1	1.1	0.4	0.3	0.7	1.2	1.6	2.9	3.2	3.8	23.5	9	3286
MEAN NO DYS TSTMS	0.1	0.0	0.2	0.7	4.0	5.8	5.3	5.3	2.6	0.3	0.2	0.0	24.5	9	3288
P FREQ WND SPD = OR GTR 17 KTS	17.7	11.3	9.2	7.9	5.2	2.1	3.4	3.9	5.6	6.6	6.5	11.4	7.6	9	13152
P FREQ WND SPD = OR GTR 28 KTS	2.7	1.5	0.2	0.0	0.1	0.0	0.0	0.1	0.2	0.3	0.4	0.9	0.5	9	13152
P FREQ LES 5000 FT A/D LES 5 MI	74.7	71.1	56.6	48.1	39.1	40.1	41.2	41.5	44.0	62.7	77.6	79.8	56.4	9	13139
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	17.4	44.6	31.1	20.8	16.4	15.2	15.0	13.6	17.0	32.4	43.5	50.6	29.0	9	3287
03-05 LST														0	0
06-08 LST	47.5	54.9	40.8	31.0	18.7	19.0	20.7	23.5	24.7	46.8	57.6	55.2	36.7	9	3287
09-11 LST														0	0
12-14 LST	46.1	45.2	28.7	23.4	16.3	17.2	17.7	15.0	18.0	32.6	46.8	51.5	29.9	9	3287
15-17 LST														0	0
18-20 LST	45.9	43.4	29.0	21.9	12.8	13.5	12.9	9.8	15.2	27.3	49.3	51.6	27.7	9	3287
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	6.5	7.5	6.8	2.2	0.4	1.1	1.4	1.4	3.7	7.9	8.1	8.2	4.6	9	3287
03-05 LST														0	0
06-08 LST	6.5	16.5	11.8	5.9	2.5	0.4	1.1	4.7	8.5	14.0	15.6	10.0	8.1	9	3287
09-11 LST														0	0
12-14 LST	7.2	7.5	4.3	0.7	0.4	0.0	0.4	0.0	0.4	2.5	6.7	12.9	3.6	9	3287
15-17 LST														0	0
18-20 LST	7.2	9.4	5.0	0.7	0.0	0.0	0.0	0.4	0.7	1.4	5.2	11.1	3.4	9	3287
21-23 LST														0	0

0080

UECKERMUNDE, EAST GERMANY

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	21.1	19.1	24.8	27.3	29.0	28.4	28.9	29.3	27.4	25.3	21.3	20.4	302.3	9	3287
	07 LST	22.2	15.8	21.0	24.1	28.3	27.5	28.1	26.4	24.7	19.9	16.8	20.0	274.8	9	3287
	13 LST	21.4	19.1	25.6	27.9	30.1	28.9	29.8	30.3	28.1	24.8	20.0	18.6	304.6	9	3287
	19 LST	21.2	19.3	25.0	27.9	30.2	28.4	29.6	30.4	28.2	25.6	18.8	19.2	303.8	9	3287
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	5.9	9.2	13.4	16.0	18.3	20.2	21.0	20.8	19.9	13.4	10.1	5.8	174.0	9	3287
	07 LST	6.3	7.6	11.1	13.1	17.9	17.4	16.7	17.4	17.3	10.1	6.7	5.0	146.6	9	3287
	13 LST	7.3	7.8	10.2	10.8	12.3	13.6	13.3	14.3	12.9	10.9	8.8	6.7	128.9	9	3287
	19 LST	7.9	10.1	14.6	14.7	17.2	19.1	20.0	21.7	20.3	16.3	10.3	7.2	179.4	9	3287
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	3.3	2.2	1.7	1.6	1.3	0.4	0.6	0.7	0.6	1.4	0.9	1.2	15.9	9	3287
	07 LST	2.8	1.5	2.0	0.8	1.0	0.3	0.3	0.6	0.9	1.0	1.4	1.9	14.5	9	3288
	13 LST	4.2	2.3	2.7	2.8	2.2	0.9	1.9	1.6	2.0	2.0	1.3	2.3	26.2	9	3288
	19 LST	2.9	1.1	2.0	1.0	0.8	0.2	0.9	0.6	0.6	0.7	0.7	1.6	13.1	9	3288
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	2.6	3.1	6.7	10.7	13.9	14.6	14.0	13.4	12.4	12.6	11.1	5.3	120.4	9	3287
	07 LST	2.6	3.	6.9	11.9	15.8	15.9	15.0	15.9	12.9	12.3	8.2	6.7	127.0	9	3288
	13 LST	5.4	4.8	11.4	13.1	13.8	16.2	15.7	15.9	13.9	13.6	13.8	8.3	145.9	9	3288
	19 LST	2.7	3.7	9.8	14.4	16.1	17.3	16.9	15.7	11.4	12.0	10.1	7.7	137.8	9	3288
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	6.3	6.7	11.3	14.1	14.7	14.0	14.0	16.2	15.5	9.9	6.1	5.4	134.0	9	3287
	07 LST	5.0	4.3	8.3	6.8	8.8	8.6	7.9	6.8	8.3	3.6	2.7	3.1	74.2	9	3287
	13 LST	3.7	4.0	8.4	6.3	6.3	5.8	5.1	4.8	5.7	3.6	3.0	3.2	59.9	9	3288
	19 LST	7.9	6.9	11.6	8.3	8.9	8.6	8.3	6.7	10.9	10.1	6.3	5.3	99.8	9	3288
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	11.0	11.7	17.5	19.8	22.2	21.7	22.8	23.2	21.6	15.8	11.8	9.8	208.9	9	3287
	07 LST	10.0	9.3	15.4	16.8	21.4	20.3	20.5	20.0	19.7	12.4	8.2	7.7	161.7	9	3287
	13 LST	11.3	11.4	18.4	17.3	20.6	19.2	19.4	20.3	19.6	16.0	11.2	11.0	195.7	9	3287
	19 LST	12.2	12.1	18.8	18.5	23.0	22.8	23.0	24.0	21.7	18.3	10.9	10.4	215.7	9	3287
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	9.7	10.9	16.1	18.8	20.9	20.3	20.9	21.4	20.1	14.0	10.2	8.0	191.3	9	3287
	07 LST	8.6	8.7	14.3	15.4	19.3	18.2	18.9	17.8	18.1	10.6	7.0	6.6	163.5	9	3287
	13 LST	9.8	10.4	17.4	15.6	17.4	15.9	15.9	16.7	16.9	13.6	9.6	9.4	168.6	9	3287
	19 LST	11.3	11.1	18.0	17.2	21.0	21.2	20.0	21.2	19.8	15.9	9.2	9.3	193.2	9	3287
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	9.7	10.9	16.0	18.8	20.9	20.3	20.9	21.4	20.1	14.0	10.2	8.0	191.2	9	3287
	07 LST	8.6	8.7	14.3	15.4	19.3	18.0	18.9	17.8	18.0	10.3	7.0	6.6	162.9	9	3287
	13 LST	9.8	10.4	17.4	15.6	17.3	15.9	15.9	16.7	16.9	13.4	9.6	9.4	168.3	9	3287
	19 LST	11.3	11.0	18.0	17.0	21.0	21.2	20.0	21.2	19.7	15.9	9.2	9.3	194.8	9	3287

BOITZENBURG/ELBE, EAST GERMANY

STA NO. 10249 (IN AREA NUMBER 01)

LATITUDE 5323N

LONGITUDE 01043E

ELEVATION(FT) 00151

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. GRS
ABS MAX TMP (F)	52	63	68	86	86	91	97	90	86	75	57	61	97	9	3285
MEAN MAX TMP (F)	35	35	45	54	64	69	73	71	65	55	44	39	54	9	3285
MEAN MIN TMP (F)	29	25	31	37	44	50	54	54	48	44	36	33	40	9	3288
ABS MIN TMP (F)	3	-9	9	21	28	37	43	43	36	28	19	5	-9	9	3288
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.1	0.9	0.1	0.0	0.0	0.0	0.0	1.1	9	3285
MEAN NO DYS TMP = DR LES 32(F)	22.3	21.0	19.6	8.8	1.2	0.0	0.0	0.0	0.0	1.8	9.3	15.6	99.6	9	3288
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	9	3288
MEAN DEW PT TMP (F)	29	26	31	36	44	50	55	55	49	44	37	33	41	9	13144
MEAN REL HUM (PCT)	88	86	80	75	73	74	77	81	81	87	90	91	82	9	13144
MEAN PRESS ALT (FT)	146	104	50	66	55	87	141	148	93	100	56	187	103	9	13116
MEAN PRECIP (IN)	2.14	1.40	1.25	1.24	2.19	2.71	2.82	3.47	1.93	2.41	1.77	2.41	25.7	9	3284
MEAN SNOW FALL (IN)						0.0	0.0	0.0	0.0					9	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	7.4	4.4	3.8	4.2	6.0	7.1	8.2	7.7	5.6	6.7	4.9	7.0	73.0	9	3284
MEAN NO DYS SNFL = DR GTR 1.5 IN						0.0	0.0	0.0	0.0					9	-29
MEAN NO DYS W/OCCUR VSBY LES 1/2 MI	4.8	4.6	3.5	2.0	0.7	0.2	1.1	1.9	2.9	5.9	6.1	5.9	39.6	9	3280
MEAN NO DYS TSTMS	0.2	0.1	0.6	1.3	4.2	4.5	8.1	7.6	1.8	0.6	0.1	0.3	29.4	9	3285
P FREQ WND SPD = DR GTR 17 KTS	10.8	7.3	9.0	2.8	2.7	1.6	1.4	2.0	2.4	3.0	4.2	7.5	4.6	9	13132
P FREQ WND SPD = DR GTR 28 KTS	0.9	0.6	0.8	0.2	0.1	0.0	0.0	0.0	0.1	0.2	0.1	0.3	0.3	9	13132
P FREQ LES 5000 FT A/D LES 5 MI	82.8	78.0	65.1	51.3	46.7	48.9	51.0	52.5	53.2	74.3	85.1	86.2	64.6	9	13104
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	65.7	63.8	53.2	49.6	43.7	47.7	46.9	49.3	46.4	60.5	71.1	68.3	55.5	9	3288
03-05 LST														0	0
06-08 LST	69.6	65.9	43.5	31.0	26.8	26.8	29.9	38.1	38.7	54.8	71.6	72.1	47.4	9	3285
09-11 LST														0	0
12-14 LST	48.2	47.1	32.1	24.9	21.1	19.9	21.0	21.5	16.5	32.8	50.8	54.5	32.5	9	3282
15-17 LST														0	0
18-20 LST	67.4	60.7	35.6	13.7	12.0	13.9	16.2	11.9	22.2	36.2	70.1	70.1	37.5	9	3284
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	7.5	11.0	5.7	1.9	1.4	1.5	1.1	1.8	1.9	9.3	13.7	14.0	5.9	9	3288
03-05 LST														0	0
06-08 LST	11.9	11.8	12.5	7.4	3.6	2.2	3.6	9.7	11.1	21.9	22.2	14.5	11.0	9	3285
09-11 LST														0	0
12-14 LST	7.9	9.0	2.9	1.1	0.0	0.4	0.0	0.0	0.4	3.2	9.3	11.8	3.8	9	3282
15-17 LST														0	0
18-20 LST	10.4	8.6	2.5	0.7	0.4	0.0	0.0	0.4	0.0	2.9	9.6	12.0	4.0	9	3284
21-23 LST														0	0

BOIZENBURG/ELBE, EAST GERMANY

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	14.2	12.2	17.0	17.6	19.0	18.2	19.0	17.6	18.2	14.7	11.4	13.0	192.1	9	3280
	07 LST	12.4	11.9	20.2	23.0	25.1	24.7	24.2	21.7	20.1	16.2	11.0	12.2	222.7	9	3285
	13 LST	20.1	17.7	25.2	27.6	29.8	28.0	29.2	29.2	28.0	25.0	18.4	17.3	295.5	9	3282
	19 LST	12.3	13.0	22.5	28.0	29.8	28.8	29.7	29.3	25.1	16.0	11.6	12.1	258.2	9	3284
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	4.3	6.3	8.4	11.6	13.8	12.3	13.2	12.7	12.9	8.1	4.8	4.4	112.8	9	3288
	07 LST	4.0	5.7	9.9	16.5	16.4	16.3	16.8	14.1	14.3	8.7	4.4	3.3	130.4	9	3285
	13 LST	7.9	8.6	7.7	11.1	12.0	12.0	13.3	12.9	14.6	11.6	8.3	7.1	127.1	9	3281
	19 LST	4.5	7.5	11.7	19.1	19.2	18.3	18.7	21.2	20.0	9.8	5.2	5.0	160.2	9	3283
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	1.4	1.1	1.9	0.4	0.2	0.0	0.2	0.4	0.3	1.0	0.4	1.2	8.5	9	3288
	07 LST	2.4	0.7	2.2	0.3	0.1	0.0	0.2	0.3	0.3	0.2	0.7	0.8	8.2	9	3288
	13 LST	1.9	1.6	3.2	0.8	1.2	0.8	0.6	0.9	0.9	0.7	0.8	1.2	14.6	9	3285
	19 LST	1.3	1.0	1.9	0.7	0.9	0.3	0.2	0.1	0.3	0.7	0.3	1.0	8.7	9	3285
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	3.7	4.0	8.0	11.9	15.8	12.3	13.4	12.2	13.6	14.1	11.1	8.8	128.9	9	3288
	07 LST	3.3	4.0	7.0	12.7	15.7	15.4	16.9	15.3	15.2	14.4	10.2	8.7	138.8	9	3288
	13 LST	4.8	6.4	10.8	14.6	15.3	15.1	16.4	13.8	16.1	15.0	14.2	11.6	154.1	9	3285
	19 LST	3.7	5.1	10.0	16.0	13.9	15.6	15.3	13.3	13.8	12.9	13.2	8.7	141.5	9	3285
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	3.6	4.9	8.2	7.7	11.2	8.2	9.4	8.3	10.4	6.4	3.0	2.8	84.6	9	3288
	07 LST	3.3	3.1	7.2	7.9	8.1	9.3	7.1	5.9	8.3	3.9	2.6	2.7	69.4	9	3288
	13 LST	5.1	4.2	7.0	5.4	6.6	6.2	5.0	4.1	7.1	5.0	3.3	2.6	61.6	9	3283
	19 LST	4.1	4.4	8.3	9.6	9.7	9.0	8.2	6.8	10.1	6.0	3.8	3.7	83.7	9	3283
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	7.0	8.1	11.9	12.4	15.4	12.8	13.8	13.4	13.8	9.3	5.7	6.4	130.0	9	3288
	07 LST	6.5	6.9	14.5	17.9	19.7	18.8	18.6	16.0	16.2	11.1	5.8	5.0	157.0	9	3285
	13 LST	11.5	11.6	16.5	17.1	18.5	19.1	18.6	18.8	20.9	15.9	10.8	10.2	189.5	9	3282
	19 LST	7.7	8.8	17.0	23.4	23.8	22.1	21.9	24.7	20.7	10.9	6.2	6.3	193.5	9	3284
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	6.3	7.8	11.4	11.7	14.3	11.9	13.2	12.4	13.2	8.3	4.9	5.3	120.7	9	3288
	07 LST	6.0	6.1	13.2	16.1	18.2	17.2	16.3	13.6	14.4	8.9	4.6	4.6	139.2	9	3285
	13 LST	10.0	10.3	15.0	15.6	16.8	15.8	15.9	16.4	18.1	13.2	9.3	8.4	165.8	9	3282
	19 LST	6.9	8.2	15.7	21.6	21.2	19.9	19.9	22.6	18.3	10.1	5.6	5.6	175.6	9	3284
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	6.3	7.8	11.4	11.7	14.3	11.9	13.2	12.4	13.2	8.3	4.9	5.3	120.7	9	3288
	07 LST	6.0	6.1	13.2	16.1	18.2	17.2	16.3	13.4	14.4	8.9	4.6	4.6	139.0	9	3285
	13 LST	10.0	10.3	15.0	15.5	16.8	16.8	15.9	16.4	18.1	13.2	9.3	8.4	165.8	9	3282
	19 LST	6.9	8.2	15.7	21.6	21.2	19.9	19.9	22.6	18.3	10.1	5.6	5.6	175.6	9	3284

WITTENBERGE, EAST GERMANY

STA NO. 10262 (IN AREA NUMBER 01)

LATITUDE 5302N

LONGITUDE 01140E

ELEVATION(FT) 00085

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	54	63	66	84	86	90	99	90	88	73	59	61	99	9	3288
MEAN MAX TMP (F)	35	35	46	55	55	70	74	71	66	56	44	39	55	9	3288
MEAN MIN TMP (F)	28	24	30	35	43	49	54	53	46	42	35	32	39	9	3287
ABS MIN TMP (F)	-2	-15	1	14	23	34	37	36	28	23	10	5	-15	9	3287
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.6	0.9	0.2	0.0	0.0	0.0	0.0	1.7	9	3288
MEAN NO DYS TMP = OR LES 32(F)	21.3	20.3	20.9	11.1	3.7	0.0	0.0	0.0	1.7	4.1	10.0	16.3	109.4	9	3287
MEAN NO DYS TMP = OR LES 0(F)	0.2	1.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	9	3287
MEAN DEW PT TMP (F)	28	25	30	36	44	50	55	55	48	44	36	33	40	9	13140
MEAN REL HUM (PCT)	88	85	79	74	71	72	75	79	82	86	90	91	81	9	13140
MEAN PRESS ALT (FT)	72	36	-22	3	-11	19	70	74	18	24	-26	108	30	9	13140
MEAN PRECIP (IN)	1.75	1.21	0.95	1.29	2.05	2.70	2.99	3.01	1.39	2.04	1.56	2.05	23.0	9	3285
MEAN SNOW FALL (IN)						0.0	0.0	0.0						9	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	6.6	4.0	3.0	4.8	6.1	7.1	8.0	7.0	4.5	6.1	4.9	6.1	68.2	9	3285
MEAN NO DYS SNFL = OR LES 1.5 IN						0.0	0.0	0.0						9	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	3.7	2.9	2.7	1.4	0.4	0.2	0.6	1.4	2.9	5.6	5.2	5.1	32.1	9	3283
MEAN NO DYS TSTMS	0.3	0.3	0.6	1.2	4.8	6.2	8.8	8.0	2.3	0.3	0.0	0.1	32.9	9	3285
P FREQ WND SPD = OR GTR 17 KTS	4.5	2.3	3.3	1.6	1.2	0.7	1.1	0.6	0.9	0.7	1.0	3.3	1.8	9	13140
P FREQ WND SPD = OR GTR 28 KTS	0.1	0.1	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	9	13140
P FREQ LES 5000 FT A/D LES 5 MI	80.6	80.1	64.2	53.1	44.5	46.9	49.7	54.5	55.3	74.7	84.9	86.3	64.6	9	13141
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	46.1	44.1	25.0	14.9	9.5	11.1	10.4	16.2	22.0	32.8	32.0	51.0	27.9	9	3285
03-05 LST														0	0
06-08 LST	45.5	50.3	37.2	24.9	19.0	15.6	23.1	27.9	36.7	44.8	61.3	55.1	36.8	9	3287
09-11 LST														0	0
12-14 LST	39.5	30.6	20.4	10.3	7.2	9.5	6.8	7.8	7.5	22.8	41.6	45.2	20.9	9	3288
15-17 LST														0	0
18-20 LST	46.6	39.6	16.2	6.8	5.0	4.4	4.9	5.6	8.1	24.4	46.3	51.0	21.6	9	3287
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	12.2	12.2	6.1	2.2	0.7	0.7	2.5	2.9	7.8	14.3	14.8	17.6	7.8	9	3285
03-05 LST														0	0
06-08 LST	12.5	12.2	10.8	6.7	2.5	1.1	3.2	7.9	14.1	22.9	23.0	20.8	11.5	9	3287
09-11 LST														0	0
12-14 LST	8.6	7.5	2.2	1.1	0.0	0.0	0.0	0.4	0.0	3.9	8.5	11.1	3.6	9	3288
15-17 LST														0	0
18-20 LST	11.8	10.2	2.5	0.4	0.0	0.0	0.4	0.0	0.0	6.5	11.2	15.1	4.8	9	3287
21-23 LST														0	0

MITTENBERGE, EAST GERMANY

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	16.5	16.9	25.4	27.3	29.3	27.7	28.5	26.8	24.7	22.6	17.2	17.7	283.7	9	3285
	07 LST	19.4	16.7	22.1	24.7	26.9	27.3	26.3	23.9	20.7	18.9	14.9	16.3	257.7	9	3287
	13 LST	22.1	22.2	27.3	28.9	30.7	29.2	30.1	30.7	29.7	27.2	21.3	20.6	320.0	9	3288
	19 LST	19.3	18.1	27.7	28.9	30.4	29.4	30.3	30.0	28.0	25.2	19.1	17.3	304.3	9	3287
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	01 LST	10.1	11.7	16.4	21.1	23.8	23.9	25.2	23.6	19.7	16.6	9.0	9.7	210.8	9	3285
	07 LST	9.8	9.3	13.0	18.7	20.3	21.1	19.3	18.8	15.6	13.1	6.3	9.1	174.4	9	3287
	13 LST	10.2	11.2	12.1	17.0	18.9	17.7	19.0	18.7	18.2	14.7	9.8	10.1	177.6	9	3288
	19 LST	10.4	13.2	19.7	24.3	24.0	23.4	24.0	26.0	24.1	19.6	11.2	9.8	229.7	9	3287
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	0.8	0.3	0.4	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.6	2.4	9	3285
	07 LST	0.4	0.3	0.8	0.2	0.1	0.1	0.2	0.1	0.1	0.0	0.2	0.3	2.8	9	3288
	13 LST	1.1	0.7	1.8	0.4	0.6	0.3	0.7	0.4	0.3	0.3	0.3	0.6	7.5	9	3288
	19 LST	0.6	0.1	0.8	0.3	0.4	0.2	0.1	0.1	0.2	0.0	0.2	0.4	3.4	9	3288
SFC WND 4-10 KTS AND THP 33-89 DEG F AND NO PRECIP.	01 LST	3.4	3.8	6.9	9.7	12.7	11.4	12.2	11.6	10.6	12.7	10.2	8.6	113.8	9	3285
	07 LST	3.4	3.7	5.8	11.7	14.1	13.8	15.0	15.6	11.1	12.3	8.1	8.0	122.6	9	3288
	13 LST	5.3	6.8	12.7	14.3	15.9	16.0	16.3	14.4	15.4	15.2	13.3	11.1	156.7	9	3288
	19 LST	6.4	4.6	9.8	13.0	13.3	14.2	14.3	12.9	9.3	10.7	10.6	7.3	126.7	9	3288
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	4.8	6.8	10.9	12.7	14.6	12.7	13.9	11.8	12.8	7.6	3.8	3.7	116.1	9	3280
	07 LST	4.3	3.7	7.8	8.1	10.1	11.1	8.6	6.5	7.1	3.4	2.1	2.2	75.0	9	3287
	13 LST	5.2	5.3	9.2	6.4	6.0	5.9	3.8	3.5	6.2	3.8	4.2	2.9	62.4	9	3287
	19 LST	6.1	6.8	10.2	9.7	8.9	9.8	8.2	7.1	12.0	7.4	4.5	4.3	95.0	9	3287
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	12.3	13.0	19.7	22.3	25.3	24.0	25.2	23.2	21.0	17.2	10.5	10.8	224.5	9	3285
	07 LST	12.6	10.7	16.3	19.0	22.4	22.6	20.2	19.9	16.3	13.4	7.7	9.4	190.5	9	3287
	13 LST	14.2	13.5	20.1	22.3	24.6	22.7	23.3	23.6	23.6	18.4	12.9	12.4	233.6	9	3288
	19 LST	12.6	14.5	22.5	25.4	27.0	26.4	27.0	27.3	25.3	19.4	12.2	11.5	251.1	9	3287
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	8.7	8.9	16.6	18.0	20.4	19.1	20.1	18.6	17.4	12.8	7.2	7.1	174.9	9	3285
	07 LST	8.8	7.1	13.9	14.3	18.2	19.1	16.8	15.7	13.8	9.3	5.1	5.7	147.8	9	3287
	13 LST	10.3	12.2	16.2	15.3	17.8	15.6	16.1	16.8	18.6	13.2	10.4	8.9	171.4	9	3288
	19 LST	9.1	11.1	17.9	20.2	22.4	21.2	22.3	22.0	21.1	13.6	9.0	7.3	197.2	9	3287
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	8.7	8.9	16.6	18.0	20.4	19.1	20.1	18.6	17.4	12.8	7.2	7.1	174.9	9	3285
	07 LST	8.8	7.1	13.9	14.3	18.2	19.0	16.8	15.7	13.8	9.3	5.1	5.7	147.7	9	3287
	13 LST	10.3	12.2	16.2	15.3	17.8	15.6	16.0	16.8	18.6	13.2	10.4	8.9	171.3	9	3288
	19 LST	9.1	11.0	17.9	20.2	22.2	21.2	22.2	21.9	21.1	13.6	9.0	7.3	196.7	9	3287

NEUSTRELITZ, EAST GERMANY

STA NO. 10279 (IN AREA NUMBER 01)

LATITUDE 5321N

LONGITUDE 01305E

ELEVATION(FT) 00230

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. UBS
ABS MAX TMP (F)	52	61	66	82	86	91	99	90	86	73	59	57	99	9	3288
MEAN MAX TMP (F)	35	34	44	53	63	69	72	71	65	55	43	37	53	9	3288
MEAN MIN TMP (F)	27	23	30	35	43	50	54	53	46	42	35	32	39	9	3288
ABS MIN TMP (F)	-6	-15	3	14	25	32	39	37	27	25	16	7	-15	9	3288
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.2	0.8	0.1	0.0	0.0	0.0	0.0	1.1	9	3288
MEAN NO DYS TMP = DR LES 32(F)	23.3	22.2	21.6	10.8	2.3	0.1	0.0	0.0	1.4	4.0	10.7	17.7	114.1	9	3288
MEAN NO DYS TMP = DR LES 0(F)	0.3	2.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	9	3288
MEAN DEW PT TMP (F)	27	24	29	35	43	50	55	55	48	43	36	32	40	9	13148
MEAN REL HUM (PCT)	87	86	78	75	71	73	77	80	82	86	89	90	81	9	13148
MEAN PRESS ALT (FT)	228	185	117	153	140	171	226	227	170	174	119	257	181	9	13152
MEAN PRECIP (IN)	1.76	1.09	0.97	1.52	2.01	2.72	2.67	2.74	1.67	1.88	1.41	1.84	22.3	9	3285
MEAN SNOW FALL (IN)						0.0	0.0	0.0						9	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	6.9	4.4	3.2	4.6	6.2	6.8	7.6	7.1	4.1	5.6	5.0	5.8	67.3	9	3285
MEAN NO DYS SNFL = DR GTR 1.5 IN						0.0	0.0	0.0						9	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	4.4	4.0	4.2	1.3	0.7	1.2	1.2	2.2	4.7	5.8	4.9	6.1	40.7	9	3288
MEAN NO DYS TSTMS	0.2	0.0	0.3	0.3	3.8	4.3	5.6	5.2	1.8	0.2	0.0	0.0	21.7	9	3288
P FREQ WND SPD = DR GTR 17 KTS	7.5	3.8	3.7	1.3	1.6	0.4	1.6	2.2	1.9	1.3	1.9	5.4	2.7	9	13152
P FREQ WND SPD = DR GTR 28 KTS	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	13152
P FREQ LES 5000 FT A/D LES 5 MI	80.2	76.0	61.6	53.2	43.6	44.6	46.7	49.8	51.4	70.7	82.5	84.2	62.0	9	13148
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	66.7	66.9	53.2	51.6	44.4	44.8	47.6	50.3	49.9	60.8	68.0	73.2	56.5	9	3288
03-05 LST														0	0
06-08 LST	69.6	61.8	47.7	33.1	26.6	21.5	32.5	32.7	43.9	53.7	67.3	76.4	47.2	9	3288
09-11 LST														0	0
12-14 LST	50.7	50.5	31.7	22.9	15.9	16.4	16.7	15.3	13.3	35.4	51.3	61.9	31.8	9	3287
15-17 LST														0	0
18-20 LST	68.1	61.8	45.9	16.1	10.1	9.4	10.6	8.4	25.5	52.9	65.5	71.7	37.2	9	3288
21-23 LST														0	0
P FREQ LES 300 FT A/C LES 1 MI															
FOR 00-02 LST	39.1	39.6	33.7	31.9	31.5	31.9	31.5	37.3	36.7	49.9	42.6	45.2	36.8	9	3288
03-05 LST														0	0
06-08 LST	37.3	25.5	17.6	8.5	3.9	1.9	4.3	8.6	20.4	24.0	32.6	44.1	19.1	9	3288
09-11 LST														0	0
12-14 LST	12.2	10.6	2.2	1.9	0.4	0.0	0.4	0.0	0.4	3.9	13.0	19.7	5.4	9	3287
15-17 LST														0	0
18-20 LST	39.8	38.8	22.6	1.5	0.0	0.7	1.1	0.0	10.7	34.4	41.9	45.9	19.8	9	3288
21-23 LST														0	0

NEUSTRELITZ, EAST GERMANY

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. Q95
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	12.1	10.7	16.0	15.8	18.3	17.8	17.4	16.3	16.0	14.2	11.2	10.1	175.9	9	3288
	07 LST	11.6	12.4	17.9	22.2	25.0	25.0	22.7	22.7	18.0	15.7	11.8	9.0	214.0	9	3288
	13 LST	18.4	16.4	24.1	27.2	28.9	27.3	29.0	29.8	28.3	23.3	17.3	13.8	283.8	9	3287
	19 LST	11.6	12.3	18.6	26.9	29.4	28.2	29.4	29.7	23.6	16.0	11.6	10.3	247.6	9	3288
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	6.1	6.0	10.0	11.8	15.0	14.7	14.4	13.1	12.7	7.9	6.2	4.2	123.1	9	3288
	07 LST	4.8	7.2	11.7	15.8	18.2	19.8	17.8	16.9	14.0	10.8	6.2	4.3	147.5	9	3288
	13 LST	7.4	6.8	8.9	9.2	13.6	14.2	15.6	14.8	13.6	10.8	7.4	6.3	128.6	9	3287
	19 LST	5.1	7.2	10.7	20.0	20.7	21.6	23.1	24.8	19.2	11.2	7.3	3.9	174.8	9	3288
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	1.0	0.2	0.3	0.0	0.0	0.0	0.1	0.2	0.1	0.1	0.4	0.7	3.1	9	3288
	07 LST	1.3	0.4	0.4	0.1	0.1	0.0	0.3	0.4	0.2	0.2	0.2	0.4	4.0	9	3288
	13 LST	2.0	1.5	2.1	0.8	1.0	0.2	0.9	1.6	0.6	0.6	0.6	1.0	12.9	9	3288
	19 LST	0.9	0.5	0.7	0.0	0.1	0.1	0.2	0.1	0.1	0.0	0.2	0.8	3.7	9	3287
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	3.4	3.5	7.6	11.1	13.6	11.2	13.3	13.7	12.1	11.9	11.2	8.6	121.2	9	3288
	07 LST	3.2	3.3	6.6	11.7	17.9	16.6	16.6	17.3	13.6	12.8	11.9	7.6	139.1	9	3288
	13 LST	5.9	5.7	12.8	14.9	17.3	18.2	17.9	17.3	16.4	16.7	15.4	9.8	168.3	9	3288
	19 LST	4.2	4.2	11.9	18.1	19.1	17.2	18.9	16.0	14.2	13.4	11.2	8.0	156.4	9	3287
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	3.6	3.8	7.1	7.4	9.0	8.9	8.3	8.2	8.8	4.6	2.9	2.9	75.5	9	3288
	07 LST	2.7	3.7	7.4	7.1	8.9	9.7	8.0	6.6	5.6	3.2	2.3	1.9	66.6	9	3288
	13 LST	4.2	4.4	7.8	5.4	5.1	5.0	3.9	3.4	5.9	4.4	3.4	2.0	94.9	9	3288
	19 LST	4.0	4.2	7.6	7.8	9.1	9.6	9.1	6.0	10.1	6.3	3.4	3.8	81.0	9	3286
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	8.0	7.6	12.5	12.8	15.6	14.6	14.4	13.8	13.6	9.0	7.1	5.0	135.0	9	3288
	07 LST	6.8	8.4	14.2	17.3	20.4	21.6	18.7	18.2	15.2	11.7	7.1	5.2	164.8	9	3288
	13 LST	11.6	11.1	17.7	17.4	20.7	20.4	20.8	20.4	21.7	15.9	11.4	9.2	198.3	9	3287
	19 LST	7.8	8.6	13.9	22.4	25.2	24.9	24.7	25.4	20.6	12.6	8.4	6.8	201.3	9	3288
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	6.3	6.4	10.8	11.0	14.0	12.8	13.0	12.6	12.8	7.0	5.2	4.8	116.7	9	3288
	07 LST	5.6	6.9	13.1	13.2	19.1	19.7	17.1	16.0	13.4	8.8	5.3	4.1	144.3	9	3288
	13 LST	10.3	10.4	16.4	13.8	16.2	15.9	17.3	16.4	18.2	13.8	9.6	7.4	165.7	9	3287
	19 LST	6.4	7.4	11.9	19.3	22.4	22.0	22.1	22.2	19.0	11.0	6.4	5.9	176.0	9	3288
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	6.2	6.3	10.7	11.0	14.0	12.8	13.0	12.6	12.8	6.9	5.2	4.8	116.3	9	3288
	07 LST	5.6	6.9	13.1	13.2	19.1	19.6	17.0	16.0	13.4	8.8	5.3	4.1	144.1	9	3288
	13 LST	10.3	10.4	16.4	13.8	16.2	15.9	17.3	16.4	18.2	13.7	9.6	7.4	165.6	9	3287
	19 LST	6.4	7.4	11.8	19.2	22.4	22.0	22.1	22.2	19.0	11.0	6.4	5.9	175.8	9	3288

GARDELEGEN, EAST GERMANY

STA NO. 10359 (IN AREA NUMBER 01)

LATITUDE 5231N LONGITUDE 01124E ELEVATION(FT) 00157

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	55	64	68	86	86	91	99	93	90	75	63	63	99	9	3286
MEAN MAX TMP (F)	36	36	46	55	65	70	74	72	66	56	44	39	55	9	3286
MEAN MIN TMP (F)	28	24	31	36	44	50	54	53	47	43	36	32	40	9	3288
ABS MIN TMP (F)	-4	-20	-4	18	25	36	39	41	28	21	10	-8	-20	9	3288
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.4	0.8	0.2	0.1	0.0	0.0	0.0	1.5	9	3286
MEAN NO DYS TMP = DR LES 32(F)	21.6	20.1	19.7	10.4	2.8	0.0	0.0	0.0	0.6	3.8	9.4	16.3	104.7	9	3288
MEAN NO DYS TMP = DR LES 0(F)	0.2	2.4	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	3.1	9	3288
MEAN DEW PT TMP (F)	28	25	31	36	44	50	55	54	48	44	36	33	40	9	13148
MEAN REL HUM (PCT)	86	85	78	74	70	71	75	77	80	85	88	90	80	9	13148
MEAN PRESS ALT (FT)	123	93	47	66	53	83	129	134	77	81	35	163	90	9	13148
MEAN PRECIP (IN)	1.53	1.26	1.24	1.43	1.81	3.48	3.06	2.28	1.47	2.14	1.54	1.98	23.3	9	3287
MEAN SNOW FALL (IN)						0.0	0.0	0.0						9	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	4.8	4.6	3.8	5.1	5.8	7.6	7.1	6.3	4.7	6.1	4.7	5.4	66.0	9	3287
MEAN NO DYS SNFL = DR GTR 1.5 IN						0.0	0.0	0.0						9	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	2.9	2.4	3.2	1.8	0.9	0.3	0.1	1.6	2.9	5.2	5.0	5.9	32.2	9	3287
MEAN NO DYS TSTMS	0.1	0.0	0.2	1.8	4.0	5.8	7.4	6.4	1.9	0.4	0.2	0.1	28.3	9	3287
P FREQ WND SPD = DR GTR 17 KTS	9.4	6.1	3.5	2.2	1.6	1.2	2.2	1.9	2.6	2.0	3.6	6.6	3.6	9	13148
P FREQ WND SPD = DR GTR 28 KTS	1.8	0.6	0.3	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.4	0.3	9	13148
P FREQ LES 5000 FT A/D LES 5 MI	78.8	76.5	63.0	50.1	41.1	43.8	43.3	47.8	50.0	69.9	81.5	82.6	60.7	9	13148
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	37.9	40.3	33.9	16.7	14.4	14.9	11.7	13.1	19.6	41.2	49.3	49.7	28.6	9	3288
03-05 LST														0	0
06-08 LST	36.6	48.4	47.1	31.5	20.2	20.9	19.8	33.2	38.3	52.2	57.5	51.2	38.1	9	3288
09-11 LST														0	0
12-14 LST	39.5	37.8	23.6	20.0	11.8	16.4	14.1	12.9	14.6	26.2	42.5	47.7	25.6	9	3287
15-17 LST														0	0
18-20 LST	41.1	35.0	24.1	11.2	7.7	9.7	10.5	7.7	10.8	28.9	45.3	54.5	23.9	9	3287
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	11.1	12.9	7.2	1.9	3.2	1.9	0.7	1.4	4.4	14.7	16.7	17.9	7.8	9	3288
03-05 LST														0	0
06-08 LST	11.1	11.8	15.4	8.1	2.2	2.2	2.2	9.7	15.2	21.5	23.7	13.3	11.4	9	3288
09-11 LST														0	0
12-14 LST	8.3	7.5	3.2	0.0	0.0	0.0	0.0	0.0	0.7	2.5	9.6	13.6	3.8	9	3287
15-17 LST														0	0
18-20 LST	9.4	7.5	2.9	0.4	0.0	0.0	0.0	0.4	0.4	5.0	10.4	17.2	4.5	9	3287
21-23 LST														0	0

GARDELEGEN, EAST GERMANY

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	22.6	18.7	22.6	26.4	28.1	27.9	29.4	28.4	25.3	19.6	17.0	17.9	283.9	9	3288
	07 LST	22.9	17.1	18.8	22.4	27.1	26.3	26.9	22.7	20.0	16.7	15.0	17.9	253.8	9	3288
	13 LST	21.4	20.1	26.4	28.1	30.3	28.7	30.4	30.0	28.3	25.8	19.8	19.0	308.3	9	3287
	19 LST	20.7	20.1	25.7	28.6	30.3	29.2	30.3	29.8	28.3	24.0	18.6	16.0	301.6	9	3287
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	12.7	11.2	16.6	21.6	23.9	22.4	24.8	23.7	21.1	13.8	10.2	10.0	212.0	9	3288
	07 LST	12.1	10.1	11.7	17.2	21.0	20.3	21.3	17.4	15.3	11.1	7.6	9.2	174.3	9	3288
	13 LST	10.7	10.8	16.0	14.0	17.7	16.4	15.8	16.8	15.9	14.2	10.6	9.8	168.7	9	3287
	19 LST	11.4	13.8	18.8	21.2	23.3	22.0	22.7	24.4	23.6	18.0	11.8	8.9	219.9	9	3287
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	1.6	0.9	0.3	0.1	0.1	0.0	0.1	0.0	0.3	0.7	0.4	0.9	5.4	9	3287
	07 LST	1.3	0.7	0.6	0.1	0.0	0.0	0.0	0.1	0.1	0.4	0.3	1.0	4.6	9	3288
	13 LST	2.1	1.3	1.3	0.9	1.0	0.7	0.9	1.4	1.3	0.7	0.6	1.2	13.4	9	3287
	19 LST	1.4	0.4	0.7	0.1	0.3	0.0	0.3	0.3	0.1	0.0	0.6	0.7	4.9	9	3287
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	3.7	3.5	6.1	7.9	9.4	8.3	6.4	8.2	8.2	9.0	8.2	5.9	84.8	9	3287
	07 LST	3.1	3.5	4.2	7.3	12.7	11.1	10.6	10.1	8.1	8.4	5.0	7.6	91.7	9	3288
	13 LST	5.2	5.4	13.8	12.7	16.4	16.1	14.3	13.8	15.1	13.4	11.4	8.4	146.0	9	3287
	19 LST	3.9	4.5	11.0	10.3	13.9	13.2	14.4	9.4	7.7	8.6	8.8	7.3	113.0	9	3287
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	5.6	6.4	10.3	13.3	14.7	12.1	13.9	14.3	12.7	6.6	4.4	4.4	118.7	9	3288
	07 LST	4.6	4.2	5.9	7.2	9.2	9.1	7.2	5.0	6.6	1.8	2.6	3.2	66.6	9	3288
	13 LST	4.1	3.6	7.6	5.9	5.1	4.2	3.4	2.8	6.9	3.7	3.6	2.8	53.7	9	3286
	19 LST	5.2	6.7	9.1	7.9	7.6	7.9	7.1	5.2	10.2	7.8	5.4	4.8	84.9	9	3287
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	13.8	13.1	17.1	21.9	23.2	21.7	24.1	24.1	21.4	15.3	12.0	12.1	219.8	9	3288
	07 LST	14.0	10.3	13.2	17.2	20.9	20.3	21.6	17.1	15.7	11.7	8.7	10.7	181.4	9	3288
	13 LST	14.7	13.7	19.6	18.7	22.5	19.9	21.3	22.3	22.0	19.1	13.3	12.4	219.5	9	3287
	19 LST	13.7	14.8	20.1	23.2	25.6	23.8	24.1	26.0	24.1	18.4	12.9	10.9	237.6	9	3287
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	9.4	10.1	14.2	18.1	19.4	18.3	20.6	20.8	17.7	11.3	9.0	9.0	177.9	9	3288
	07 LST	9.3	7.6	11.2	14.7	18.2	18.3	18.2	13.0	13.3	8.6	5.3	6.9	144.6	9	3288
	13 LST	12.2	11.4	17.2	16.2	19.1	17.0	18.2	18.6	20.2	17.0	10.3	10.0	187.4	9	3287
	19 LST	9.8	11.5	17.7	20.1	23.0	21.9	21.0	22.0	21.9	13.8	9.6	7.7	200.0	9	3287
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	9.4	10.0	14.2	18.0	19.4	18.3	20.6	20.8	17.6	11.1	9.0	9.0	177.4	9	3288
	07 LST	9.3	7.5	11.2	14.7	18.2	18.3	18.2	12.9	13.3	8.6	5.3	6.9	144.4	9	3288
	13 LST	11.9	11.3	17.2	16.2	19.1	17.0	18.2	18.6	20.2	17.0	10.3	10.0	187.0	9	3287
	19 LST	9.6	11.2	17.7	20.1	23.0	21.9	21.0	22.0	21.9	13.7	9.6	7.7	199.4	9	3287

MAGDEBURG, EAST GERMANY

STA NO. 10361 (IN AREA NUMBER 01)

LATITUDE 5206N LONGITUDE 01135E ELEVATION(FT) 00279

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	54	63	70	84	88	93	99	93	90	75	63	63	99	9	3288
MEAN MAX TMP (F)	35	36	46	56	65	70	73	72	66	57	44	39	55	9	3288
MEAN MIN TMP (F)	27	25	31	37	45	51	55	54	48	43	35	32	40	9	3288
ABS MIN TMP (F)	0	-13	1	23	27	39	43	45	32	25	14	-9	-13	9	3288
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.3	0.8	0.2	0.1	0.0	0.0	0.0	1.4	9	3288
MEAN NO DYS TMP = OR LES 32(F)	21.7	20.6	18.9	8.1	1.4	0.0	0.0	0.0	0.1	3.2	10.0	17.1	101.1	9	3288
MEAN NO DYS TMP = OR LES 0(F)	0.2	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	1.7	9	3288
MEAN DEW PT TMP (F)	28	26	31	37	44	51	55	55	49	44	36	33	41	9	13152
MEAN REL HUM (PCT)	87	85	79	73	70	72	75	77	78	84	88	89	80	9	13152
MEAN PRESS ALT (FT)	244	218	178	195	182	211	254	258	201	204	159	283	216	9	3288
MEAN PRECIP (IN)	1.54	1.09	1.31	1.44	1.99	3.22	3.32	2.57	1.60	1.91	1.43	1.92	23.3	9	-29
MEAN SNOW FALL (IN)						0.0	0.0	0.0	0.0					9	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.7	3.4	4.0	4.3	5.1	6.8	7.1	5.9	4.7	5.1	4.6	5.6	62.3	9	3288
MEAN NO DYS SNFL = OR GTR 1.5 IN						0.0	0.0	0.0	0.0					9	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	3.4	3.7	3.0	1.6	0.7	0.1	0.1	0.6	2.0	4.9	6.2	6.0	32.3	9	3288
MEAN NO DYS TSTMS	0.0	0.0	0.1	1.6	4.6	5.1	6.6	6.0	1.6	0.2	0.0	0.0	25.8	9	3288
P FREQ WND SPD = OR GTR 17 KTS	6.5	4.9	2.8	2.7	2.1	1.1	0.9	2.3	2.5	1.4	2.5	4.9	2.9	9	13152
P FREQ WND SPD = OR GTR 28 KTS	1.5	0.4	0.4	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.1	0.1	0.2	9	13152
P FREQ LES 5000 FT A/D LES 5 MI	76.5	77.3	66.3	47.3	38.5	38.2	38.7	41.5	43.5	68.3	80.9	80.0	58.1	9	13152
P FREQ LES 1500 FT A/D LES 3 MI														9	3288
FOR 00-02 LST	33.8	32.2	25.4	9.4	6.2	6.6	4.8	5.6	7.3	26.7	40.3	40.4	19.9	0	0
03-05 LST														9	3288
06-08 LST	34.7	47.1	49.2	25.0	14.1	14.2	10.1	22.3	28.4	44.5	52.8	44.7	32.3	0	0
09-11 LST														9	3288
12-14 LST	44.3	39.6	30.5	11.7	8.3	8.6	4.8	5.3	9.7	26.4	47.3	53.3	24.2	0	0
15-17 LST														9	3288
18-20 LST	40.4	39.4	29.9	7.9	3.9	4.3	3.7	2.9	9.4	29.2	46.6	48.1	22.2	0	0
21-23 LST														9	3288
P FREQ LES 300 FT A/D LES 1 MI														9	3288
FOR 00-02 LST	11.5	15.3	7.9	2.2	0.7	0.4	0.0	1.8	1.9	10.8	19.3	21.5	7.8	0	0
03-05 LST														9	3288
06-08 LST	12.2	18.4	17.2	8.1	2.9	2.2	1.1	5.4	11.5	22.6	27.4	19.4	12.4	0	0
09-11 LST														9	3288
12-14 LST	22.6	19.6	12.5	1.9	0.4	0.4	0.0	0.4	1.5	8.6	24.4	30.1	10.2	0	0
15-17 LST														9	3288
18-20 LST	19.0	16.5	8.6	1.1	0.0	0.0	0.0	0.0	0.7	9.3	23.0	27.6	8.8	0	0
21-23 LST														9	3288

MAGDEBURG, EAST GERMANY

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	23.0	20.8	24.6	28.2	29.7	29.1	30.4	29.8	28.3	23.8	19.1	20.3	307.1	9	3288
	07 LST	22.8	16.6	16.8	23.9	27.9	27.0	29.4	25.0	21.9	17.9	15.4	19.2	263.8	9	3288
	13 LST	19.2	18.2	23.0	28.4	30.1	29.2	30.9	30.3	28.0	24.6	17.6	16.2	295.7	9	3288
	19 LST	20.9	18.1	22.9	28.6	30.9	29.4	30.7	30.7	28.0	23.1	17.2	17.8	298.3	9	3288
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	12.0	12.8	18.7	23.8	26.1	25.7	26.2	26.0	24.7	18.8	13.3	12.0	240.1	9	3288
	07 LST	10.6	9.8	13.1	18.2	21.8	22.1	23.6	21.0	17.9	14.0	9.6	11.7	193.4	9	3288
	13 LST	8.8	10.2	13.4	17.3	19.9	20.0	18.6	19.3	17.2	15.0	9.1	8.2	177.0	9	3288
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	1.0	0.9	0.3	0.1	0.4	0.1	0.0	0.0	0.3	0.1	0.4	0.7	4.3	9	3288
	07 LST	1.1	0.4	0.2	0.1	0.3	0.1	0.1	0.1	0.2	0.0	0.3	0.7	3.6	9	3288
	13 LST	1.9	1.1	0.9	1.0	0.8	0.4	0.7	1.7	1.2	0.2	0.7	1.2	11.9	9	3288
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	0.9	0.4	0.4	0.1	0.6	0.2	0.0	0.3	0.3	0.2	0.6	0.6	4.6	9	3288
	07 LST	3.8	3.5	7.9	9.4	11.9	10.9	15.3	11.6	12.7	2.4	10.2	7.1	116.9	9	3288
	13 LST	3.9	4.2	6.3	8.7	11.8	11.2	14.8	12.2	11.2	10.9	8.1	8.0	111.3	9	3288
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	19 LST	5.7	6.0	13.8	13.4	16.4	15.8	13.4	13.9	15.1	15.6	11.4	9.0	149.5	9	3288
	01 LST	5.9	6.8	11.0	12.2	15.1	11.4	12.0	12.2	13.8	6.6	5.9	4.4	117.3	9	3287
	07 LST	4.8	2.3	5.1	7.3	9.4	9.2	7.0	6.1	7.3	2.3	2.4	2.6	65.8	9	3288
	13 LST	2.9	2.2	5.4	5.3	6.0	5.7	3.6	4.1	6.3	3.6	1.7	1.6	48.4	9	3288
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	19 LST	5.1	4.7	6.6	7.7	8.0	7.9	6.7	5.9	9.3	6.7	4.2	3.6	76.4	9	3288
	01 LST	15.5	14.9	19.2	23.1	25.4	24.2	25.4	26.0	24.6	18.0	13.8	13.4	243.5	9	3288
	07 LST	14.4	10.5	12.9	18.9	23.5	22.6	24.0	21.0	19.6	14.0	10.0	12.6	204.0	9	3288
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	13 LST	13.6	13.5	17.9	21.7	23.9	23.6	25.1	25.2	24.4	19.0	12.4	11.3	231.6	9	3288
	19 LST	14.0	13.7	18.5	24.8	27.0	25.9	27.0	27.2	24.5	18.1	12.6	11.9	245.2	9	3288
	01 LST	10.9	10.4	15.0	17.3	19.6	18.4	19.6	20.4	19.8	11.4	8.7	8.0	179.5	9	3298
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	8.3	5.8	9.7	14.8	19.4	18.3	18.8	16.3	16.6	9.8	4.9	8.0	150.7	9	3288
	13 LST	10.7	9.7	14.2	16.6	19.0	19.6	18.7	20.0	21.1	15.3	8.9	8.4	182.2	9	3288
	19 LST	10.2	10.0	14.7	21.3	23.8	22.1	22.4	22.7	20.9	13.2	8.9	7.6	197.8	9	3288
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	10.9	10.4	15.0	17.3	19.6	18.3	19.6	20.4	19.8	11.4	8.7	8.0	179.4	9	3298
	07 LST	8.3	5.8	9.7	14.8	19.4	18.2	18.7	16.3	16.6	9.8	4.9	8.0	150.5	9	3288
	13 LST	10.6	9.7	14.2	16.6	19.0	19.6	18.7	20.0	21.1	15.3	8.9	8.4	182.1	9	3288
	19 LST	10.2	10.0	14.7	21.3	23.8	22.0	22.4	22.7	20.9	13.2	8.9	7.6	197.7	9	3288

POTSDAM, EAST GERMANY

STA NO. 10380 (IN AREA NUMBER 01)

LATITUDE 5223N

LONGITUDE 01303E

ELEVATION(FT) 00230

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NC, OBS
ABS MAX TMP (F)	54	61	70	86	90	91	102	93	90	75	61	59	102	9	3284
MEAN MAX TMP (F)	35	35	46	55	65	71	73	72	66	56	43	38	55	9	3284
MEAN MIN TMP (F)	27	25	31	38	46	53	56	55	48	43	35	32	41	9	3283
ABS MIN TMP (F)	-2	-8	7	21	30	39	39	37	28	25	18	5	-8	9	3283
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.1	0.4	1.2	0.4	0.1	0.0	0.0	0.0	2.2	9	3284
MEAN NO DYS TMP = DR LES 32(F)	22.7	21.1	19.1	7.3	0.8	0.0	0.0	0.0	0.6	1.7	10.7	17.1	101.1	9	3283
MEAN NO DYS TMP = DR LES 0(F)	0.2	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	9	3283
MEAN DEW PT TMP (F)	27	25	30	36	44	51	55	54	49	44	36	32	40	9	13144
MEAN REL HUM (PCT)	87	86	76	71	68	70	74	77	80	86	89	90	80	9	13144
MEAN PRESS ALT (FT)	204	174	123	154	140	169	216	214	157	158	107	235	171	9	13144
MEAN PRECIP (IN)	1.64	1.23	0.91	1.63	1.78	3.03	3.36	3.13	1.96	2.25	1.49	1.84	24.3	9	3285
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0						9	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	6.1	4.4	3.0	5.3	4.9	7.7	8.3	6.2	5.7	6.6	5.9	6.7	70.8	9	3285
MEAN NO DYS SNFL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0						9	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	5.1	4.3	3.2	2.9	0.9	1.0	0.7	2.3	3.1	6.7	7.9	7.2	49.3	9	3278
MEAN NO DYS TSTMS	0.0	0.1	0.0	1.2	4.3	6.2	7.1	7.0	1.7	0.6	0.2	0.0	28.4	9	3286
P FREQ WND SPD = DR GTR 17 KTS	6.7	4.0	3.5	2.5	1.3	1.2	1.6	1.3	1.9	1.4	1.3	5.6	2.7	9	13140
P FREQ WND SPD = DR GTR 28 KTS	0.2	0.3	0.2	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.2	0.1	9	13140
P FREQ LES 5000 FT A/O LES 5 MI	76.7	77.9	60.2	50.9	37.8	43.0	42.7	43.4	46.4	67.1	80.1	79.6	58.8	9	13096
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	43.3	42.6	25.0	15.5	10.3	10.5	13.4	11.0	14.2	31.5	45.3	46.0	25.7	9	3288
03-05 LST														0	0
06-08 LST	48.0	60.6	51.2	32.7	19.3	24.2	25.0	34.1	38.3	60.0	64.4	58.2	43.0	9	3284
09-11 LST														0	0
12-14 LST	47.7	47.2	26.5	14.1	7.5	11.3	13.1	6.3	10.6	28.3	52.1	57.4	26.8	9	3279
15-17 LST														0	0
18-20 LST	40.0	40.9	26.1	9.2	5.8	8.3	7.8	5.8	9.3	24.2	43.7	47.5	22.4	9	3285
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	9.0	8.2	3.2	3.0	1.4	1.9	0.7	1.4	3.0	11.5	14.8	15.8	6.2	9	3288
03-05 LST														0	0
06-08 LST	11.5	14.1	17.6	12.3	3.2	4.8	7.2	9.3	14.8	24.1	23.7	18.8	13.5	9	3284
09-11 LST														0	0
12-14 LST	12.6	11.9	4.7	0.4	0.4	0.7	1.8	0.7	1.1	6.1	15.2	18.3	6.2	9	3279
15-17 LST														0	0
18-20 LST	10.1	7.5	3.6	1.9	0.7	1.9	0.7	1.1	1.1	8.2	7.4	15.8	5.0	9	3285
21-23 LST														0	0

POTSDAM, EAST GERMANY

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	19.9	17.6	24.3	26.6	28.7	27.6	27.7	28.0	26.6	22.6	17.7	19.0	286.3	9	3288
	07 LST	18.7	12.6	16.1	21.2	26.2	23.8	24.2	20.8	19.3	13.5	12.0	14.7	223.1	9	3284
	13 LST	18.2	16.2	24.1	27.2	29.7	27.8	28.7	30.3	27.8	23.9	16.1	14.9	284.9	9	3279
	19 LST	20.9	17.5	24.2	28.2	29.9	28.3	29.2	29.7	27.9	24.8	18.1	17.8	296.5	9	3285
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	7.0	8.2	13.7	18.4	20.8	22.4	21.6	22.8	19.7	14.3	9.7	7.4	180.0	9	3288
	07 LST	5.9	5.2	6.9	15.7	18.4	18.8	18.4	16.6	13.6	7.0	5.2	5.6	137.3	9	3284
	13 LST	7.7	7.1	10.6	14.8	17.0	16.2	16.3	18.9	15.7	13.9	7.6	6.2	152.0	9	3278
	19 LST	8.8	9.9	14.9	20.7	23.7	22.2	22.0	24.6	22.1	17.2	10.2	8.1	204.4	9	3285
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	1.1	1.0	0.4	0.2	0.0	0.0	0.3	0.0	0.3	0.2	0.6	0.7	4.8	9	3287
	07 LST	0.9	0.8	0.7	0.3	0.2	0.2	0.1	0.1	0.1	0.1	0.0	1.2	4.7	9	3288
	13 LST	2.0	0.9	1.8	0.9	0.7	0.3	0.8	0.6	0.4	0.4	0.1	1.3	10.2	9	3286
	19 LST	1.0	0.2	0.8	0.7	0.2	0.1	0.4	0.4	0.2	0.2	0.1	0.9	5.2	9	3286
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	4.1	4.5	10.2	16.6	20.2	19.4	19.1	19.7	20.0	19.3	12.9	7.8	173.8	9	3287
	07 LST	3.2	4.4	7.2	13.4	17.0	15.8	17.1	16.0	18.4	16.4	10.0	6.7	145.6	9	3288
	13 LST	5.8	6.1	12.7	14.7	16.1	16.8	15.2	15.1	15.3	17.3	13.7	9.6	158.4	9	3286
	19 LST	4.8	6.0	14.5	14.0	16.1	14.3	15.8	15.3	17.3	17.6	13.8	9.1	158.6	9	3286
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	5.8	6.4	13.3	13.9	16.1	12.7	14.3	14.6	15.0	9.1	5.8	4.3	131.3	9	3288
	07 LST	4.4	3.1	6.3	6.9	10.6	8.4	7.7	6.7	7.3	3.0	2.0	3.6	70.0	9	3286
	13 LST	4.1	2.9	7.1	5.8	5.1	4.6	3.3	3.6	6.2	4.0	3.4	2.4	52.5	9	3281
	19 LST	6.1	6.4	9.5	8.1	7.8	8.2	7.3	6.0	10.0	8.9	5.2	6.1	89.6	9	3286
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	14.2	14.0	21.8	23.2	26.5	25.4	25.4	26.9	24.5	19.3	14.2	13.6	249.0	9	3288
	07 LST	12.3	8.8	13.6	18.2	23.4	21.1	21.8	19.3	17.3	10.9	8.5	11.0	186.2	9	3284
	13 LST	13.7	12.5	20.1	21.7	25.2	22.6	23.1	25.2	24.0	18.9	11.9	10.9	229.8	9	3279
	19 LST	15.1	14.6	20.5	24.6	27.3	25.4	26.8	27.9	25.2	21.5	14.4	13.9	257.2	9	3285
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	11.6	10.4	18.4	18.8	22.6	21.8	22.0	22.4	20.9	15.1	11.2	10.1	205.3	9	3288
	07 LST	8.9	6.6	12.1	14.4	21.0	17.7	18.8	14.8	15.7	8.1	5.2	7.9	151.2	9	3284
	13 LST	11.3	9.3	17.1	15.3	17.9	14.3	16.1	18.4	18.5	14.2	9.0	8.1	169.5	9	3279
	19 LST	10.9	11.8	17.1	20.1	22.2	21.2	22.6	23.0	21.0	17.9	10.3	10.7	208.8	9	3285
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	11.2	10.2	18.4	18.7	22.3	21.4	21.8	21.9	20.7	14.6	11.1	9.9	202.2	9	3288
	07 LST	8.7	6.4	12.1	14.1	20.7	17.6	18.2	14.1	15.6	7.9	5.2	7.7	148.3	9	3284
	13 LST	11.1	9.3	17.0	15.3	17.8	14.3	16.1	18.2	18.4	14.0	8.9	8.1	168.5	9	3279
	19 LST	10.8	11.7	17.1	20.0	22.0	21.1	22.4	22.9	21.0	17.9	10.2	10.7	207.8	9	3285

SCHONFELD/BERLIN, EAST GERMANY

STA NO. 10385 (IN ARFA NUMBER 01)

LATITUDE 5220N

LONGITUDE 01331E

ELEVATION(FT) 00177

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. 085
ABS MAX TMP (F)	54	61	68	75	86	90	100	93	86	73	61	55	100	6	1903
MEAN MAX TMP (F)	36	36	47	54	65	72	75	72	67	56	44	38	55	6	1903
MEAN MIN TMP (F)	28	24	32	36	46	52	56	54	47	42	35	32	40	6	1898
ABS MIN TMP (F)	0	-15	14	21	28	41	43	43	34	23	14	3	-15	6	1898
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.6	1.4	0.4	0.0	0.0	0.0	0.0	2.4	6	1903
MEAN NO DYS TMP = DR LES 32(F)	20.0	19.5	17.6	10.5	2.0	0.0	0.0	0.0	0.0	3.1	9.9	15.7	98.3	6	1898
MEAN NO DYS TMP = DR LES 0(F)	0.2	2.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	6	1898
MEAN DEW PT TMP (F)	28	25	31	36	45	50	56	55	49	44	36	32	41	6	7596
MEAN REL HUM PCT)	86	85	78	75	70	69	74	78	79	85	89	89	80	6	7596
MEAN PRESS ALT (FT)	147	69	77	137	62	100	170	177	73	111	42	216	115	6	7596
MEAN PRECIP (IN)	1.44	1.15	1.01	1.90	1.65	1.97	2.61	2.58	1.55	2.26	1.37	1.84	21.3	6	1897
MEAN SNOW FALL (IN)						0.0	0.0	0.0	0.0					6	-29
MEAN NO DYS PKCP = DR GTR 0.1 IN	5.7	3.6	3.6	4.8	4.8	5.2	7.4	5.6	4.4	6.8	3.7	5.7	61.3	6	1897
MEAN NO DYS SNFL = DR GTR 1.5 IN						0.0	0.0	0.0	0.0					6	-29
MEAN NO DYS W/OCCUR VSBY LES 1/2 MI	2.4	3.2	1.8	2.4	0.8	0.4	0.0	0.6	1.8	4.1	6.0	4.6	28.1	6	1898
MEAN NO DYS TSTMS	0.0	0.2	0.0	1.0	4.8	5.8	7.8	4.6	2.0	0.5	0.2	0.0	26.9	6	1899
P FREQ WND SPD = DR GTR 17 KTS	3.9	3.2	5.8	1.7	1.0	0.5	1.0	0.8	0.5	1.5	1.1	3.0	2.0	6	7596
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.2	0.2	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.1	6	7596
P FREQ LES 5000 FT A/D LES 5 MI	73.3	73.2	56.5	48.5	32.9	36.4	38.1	36.9	40.8	63.4	77.5	77.7	54.6	6	7589
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	44.8	43.7	25.0	21.1	8.1	12.5	13.0	8.8	13.8	34.8	48.3	51.0	27.1	6	1902
03-05 LST														0	0
06-08 LST	45.1	55.9	49.8	39.1	24.3	20.1	26.9	33.0	42.1	59.4	63.0	51.6	42.5	6	1901
09-11 LST														0	0
12-14 LST	46.6	45.3	25.0	15.9	6.9	9.1	11.8	2.7	9.7	25.8	51.4	60.2	25.9	6	1903
15-17 LST														0	0
18-20 LST	42.8	41.7	25.7	12.7	4.9	4.3	5.9	4.2	8.1	22.1	48.2	50.4	22.6	6	1904
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	11.0	10.6	5.2	3.3	1.9	1.3	0.0	1.3	4.7	10.5	15.6	14.1	6.6	6	1902
03-05 LST														0	0
06-08 LST	12.9	12.1	11.6	9.3	1.3	2.7	3.2	5.2	10.0	19.2	22.3	15.2	10.4	6	1901
09-11 LST														0	0
12-14 LST	9.1	7.7	3.2	1.3	0.0	0.7	0.0	0.0	0.7	2.3	6.7	11.8	3.6	6	1903
15-17 LST														0	0
18-20 LST	9.1	5.6	1.3	2.0	0.0	0.7	1.3	0.0	0.7	3.5	7.2	14.0	3.8	6	1904
21-23 LST														0	0

SCHONFELD/BERLIN, EAST GERMANY

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (RS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	19.7	16.4	24.4	24.8	28.8	26.6	27.6	28.8	26.8	21.6	17.2	17.1	279.8	6	1902
	07 LST	19.4	13.7	16.6	19.2	24.6	25.0	23.6	21.4	18.2	13.5	12.6	16.8	224.6	6	1901
	13 LST	18.1	16.8	24.8	26.6	29.8	27.8	28.6	31.0	27.6	24.9	16.8	14.0	286.8	6	1903
	19 LST	19.7	17.5	24.8	26.6	30.0	28.8	29.6	29.8	28.2	24.5	17.0	16.7	293.2	6	1904
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	8.5	10.6	16.2	19.8	25.2	24.0	25.0	26.4	23.0	16.9	12.3	10.1	218.0	6	1902
	07 LST	7.4	8.1	9.0	15.2	19.0	20.4	20.0	18.2	14.0	9.6	6.7	9.8	157.4	6	1901
	13 LST	7.2	6.7	9.8	12.3	17.4	16.8	17.8	17.8	17.0	13.9	8.8	6.3	151.8	6	1903
	19 LST	10.1	12.0	15.0	20.0	24.6	22.2	22.6	27.2	24.4	20.2	11.5	9.4	219.2	6	1903
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	1.0	0.2	1.0	0.4	0.2	0.0	0.2	0.2	0.0	0.4	0.2	0.0	3.8	6	1905
	07 LST	0.2	0.6	0.4	0.4	0.2	0.0	0.0	0.0	0.2	0.2	0.0	0.3	2.5	6	1901
	13 LST	0.8	0.6	2.0	0.4	0.8	0.2	0.6	0.0	0.0	0.4	0.0	0.3	6.1	6	1904
	19 LST	0.4	1.0	1.0	0.4	0.0	0.2	0.2	0.2	0.2	0.0	0.3	0.3	4.2	6	1903
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	7.4	6.1	11.4	16.2	19.6	18.6	19.0	21.4	18.2	18.2	15.0	9.2	180.3	6	1905
	07 LST	6.0	4.5	9.4	15.2	19.4	19.3	19.6	19.4	17.4	16.9	11.9	9.3	168.3	6	1901
	13 LST	7.8	6.9	14.2	14.9	18.2	20.4	18.6	20.4	20.2	19.6	18.2	11.7	191.1	6	1904
	19 LST	8.1	6.1	15.2	18.0	18.6	19.6	18.0	19.6	20.2	17.5	16.8	11.2	188.9	6	1903
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	5.2	4.9	11.6	11.2	16.0	12.4	14.4	12.8	15.2	8.3	6.0	3.2	121.2	6	1903
	07 LST	3.6	2.6	5.6	6.4	9.2	8.2	7.6	6.8	7.2	2.7	2.3	2.9	65.1	6	1902
	13 LST	3.4	2.8	6.2	4.4	5.6	5.4	3.6	2.2	7.2	4.9	3.3	1.7	50.7	6	1903
	19 LST	6.4	5.7	9.4	6.6	8.6	9.4	8.0	5.0	11.2	8.1	4.5	5.3	88.2	6	1904
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	13.8	13.5	21.1	21.9	27.7	25.7	26.1	27.4	24.7	18.1	13.0	12.0	245.0	6	1902
	07 LST	13.7	9.9	13.7	16.9	21.9	22.4	21.2	20.0	16.3	11.3	8.9	12.2	188.4	6	1901
	13 LST	13.9	12.9	19.8	21.7	26.1	24.9	24.0	26.4	24.4	19.5	12.1	9.9	235.6	6	1903
	19 LST	15.2	14.4	20.7	24.5	28.1	27.2	27.9	29.0	26.0	22.7	13.0	13.4	262.1	6	1904
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	9.7	9.9	17.0	17.2	23.2	19.7	23.0	24.2	21.6	14.4	9.8	7.2	196.9	6	1902
	07 LST	9.8	6.6	12.4	13.2	18.6	18.8	19.0	17.2	15.0	9.0	5.9	8.6	154.1	6	1901
	13 LST	10.1	10.1	15.4	13.7	16.2	14.0	15.4	15.0	19.4	14.1	10.8	7.0	161.2	6	1903
	19 LST	11.3	11.6	17.0	18.6	20.4	20.6	21.8	23.2	21.4	16.8	8.7	9.7	201.1	6	1904
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	9.3	9.9	16.4	16.4	22.8	18.3	22.6	22.4	21.2	14.1	9.7	6.9	190.0	6	1902
	07 LST	9.6	6.6	12.2	12.6	18.2	18.6	18.6	16.6	14.2	8.3	5.7	8.4	149.6	6	1901
	13 LST	9.9	9.7	15.4	13.5	15.8	14.0	15.0	14.8	19.0	14.1	10.7	7.0	158.9	6	1903
	19 LST	11.1	11.6	16.8	18.2	20.0	19.6	21.6	22.4	21.2	16.4	8.7	9.5	197.1	6	1904

FRANKFURT/ODER, EAST GERMANY

STA NO. 10398 (IN AREA NUMBER 01)

LATITUDE 5221N

LONGITUDE 01432E

ELEVATION(FT) 00190

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	55	61	68	86	90	93	100	93	88	77	61	59	100	9	3288
MEAN MAX TMP (F)	35	35	46	55	66	72	74	73	67	57	43	38	55	9	3288
MEAN MIN TMP (F)	27	24	31	37	46	53	56	55	49	43	35	32	41	9	3286
ABS MIN TMP (F)	-6	-15	5	23	27	39	45	41	28	23	18	7	-15	9	3286
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.1	0.4	1.3	0.4	0.0	0.0	0.0	0.0	2.2	9	3288
MEAN NO DYS TMP = DR LES 32(F)	22.9	21.2	19.4	8.3	1.1	0.0	0.0	0.0	0.3	2.2	10.6	16.8	102.8	9	3286
MEAN NO DYS TMP = DR LES 0(F)	0.3	1.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	9	3286
MEAN DEW PT TMP (F)	27	24	29	36	44	50	56	55	49	43	35	32	40	9	13084
MEAN REL HUM (PCT)	85	84	75	71	67	68	74	76	78	84	87	89	78	9	13084
MEAN PRESS ALT (FT)	158	128	73	114	100	130	178	172	113	112	56	184	127	9	13132
MEAN PRECIP (IN)	1.54	1.04	0.92	1.68	1.52	2.66	4.11	2.15	1.77	1.65	1.20	1.82	22.1	9	3285
MEAN SNOW FALL (IN)						0.0	0.0	0.0						9	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	5.3	4.1	2.9	5.0	5.3	5.7	9.0	5.7	5.4	4.9	3.6	6.2	63.1	9	3285
MEAN NO DYS SNFL = DR GTR 1.5 IN						0.0	0.0	0.0						9	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	2.3	2.2	2.2	1.2	0.3	0.3	0.1	0.7	2.1	4.1	6.0	4.8	26.3	9	3286
MEAN NO DYS TSTMS	0.1	0.0	0.0	1.7	4.3	6.7	7.9	6.9	2.2	0.2	0.0	0.0	30.0	9	3286
P FREQ WND SPD = DR GTR 17 KTS	5.3	3.9	3.2	1.1	1.6	0.6	0.7	0.6	1.5	1.3	1.9	4.5	2.2	9	13136
P FREQ WND SPD = DR GTR 28 KTS	0.4	0.2	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	9	13136
P FREQ LES 5000 FT A/D LES 5 MI	85.5	84.1	68.7	56.5	45.8	47.8	48.5	51.8	54.3	75.1	86.4	88.8	66.1	9	13146
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	58.4	62.7	51.2	43.2	36.1	28.8	31.8	31.8	34.5	48.3	63.3	65.2	46.3	9	3285
03-05 LST														0	0
06-08 LST	61.3	66.3	44.4	28.0	12.9	16.1	18.5	27.9	38.1	57.6	67.2	66.2	42.0	9	3287
09-11 LST														0	0
12-14 LST	41.0	35.2	21.8	15.5	7.3	5.6	11.7	5.9	9.4	24.3	43.4	52.2	22.8	9	3288
15-17 LST														0	0
18-20 LST	62.5	59.1	34.0	11.7	4.6	4.3	7.0	3.1	16.4	42.8	58.8	61.8	30.5	9	3288
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	10.8	11.0	4.3	3.3	0.7	0.4	0.7	0.4	3.0	8.2	14.4	18.3	6.3	9	3285
03-05 LST														0	0
06-08 LST	13.6	22.7	13.3	8.1	1.8	1.1	1.4	5.7	15.2	22.6	26.7	24.0	13.0	9	3287
09-11 LST														0	0
12-14 LST	10.4	9.4	1.4	0.7	0.4	0.0	0.4	0.0	1.5	2.9	12.6	17.6	4.8	9	3288
15-17 LST														0	0
18-20 LST	14.7	9.4	4.3	1.5	0.0	0.4	0.4	0.0	0.0	3.9	11.1	17.2	5.2	9	3288
21-23 LST														0	0

FRANKFURT/ODER, EAST GERMANY

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	13.7	11.2	16.0	17.4	20.1	21.8	21.7	21.6	20.1	17.1	12.1	11.8	204.6	9	3285
	07 LST	13.4	10.9	18.8	23.0	28.3	26.4	26.7	23.4	19.8	14.9	11.1	12.3	229.0	9	3287
	13 LST	20.8	20.3	26.8	28.0	30.1	29.8	29.2	30.6	28.3	25.6	19.1	16.3	304.9	9	3288
	19 LST	12.6	12.2	21.6	28.1	30.6	29.3	30.0	30.8	25.6	18.7	13.4	13.1	266.0	9	3288
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	6.6	7.2	11.0	13.9	17.2	19.1	17.4	18.9	16.2	11.4	8.1	6.1	153.1	9	3284
	07 LST	6.1	5.8	13.4	18.0	21.2	20.3	20.1	18.3	14.3	8.0	5.3	5.9	156.7	9	3287
	13 LST	9.8	7.3	13.3	15.0	15.9	18.0	16.8	17.9	16.6	15.2	11.1	8.7	168.6	9	3288
	19 LST	6.6	8.7	16.0	21.6	24.2	24.7	23.7	27.2	21.9	15.0	9.7	6.9	206.2	9	3287
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	0.7	0.8	0.3	0.0	0.2	0.0	0.1	0.1	0.3	0.2	0.1	0.3	3.1	9	3285
	07 LST	1.0	0.5	0.4	0.2	0.1	0.1	0.0	0.0	0.0	0.0	0.4	0.9	3.6	9	3287
	13 LST	0.8	0.4	0.8	0.6	1.0	0.4	0.4	0.2	0.8	0.4	0.3	0.4	6.5	9	3288
	19 LST	0.8	0.3	0.9	0.0	0.1	0.0	0.0	0.0	0.0	0.1	0.3	0.9	3.4	9	3287
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	4.6	3.4	10.1	12.3	13.0	13.0	13.3	14.0	12.3	12.6	11.9	8.1	128.6	9	3285
	07 LST	3.9	3.8	7.5	12.0	17.3	18.3	17.2	16.1	14.7	14.8	10.8	6.8	143.2	9	3287
	13 LST	7.9	7.8	15.4	16.6	16.7	19.7	16.8	18.7	18.1	17.8	15.8	11.0	182.3	9	3288
	19 LST	6.0	5.6	12.9	15.1	18.6	18.1	15.3	13.2	12.4	13.8	13.4	9.0	153.4	9	3287
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	3.6	3.8	8.6	7.4	10.2	10.3	10.3	11.6	12.3	7.7	3.9	2.9	92.6	9	3285
	07 LST	2.7	2.3	8.0	8.2	11.6	11.9	10.4	7.8	7.9	3.1	2.3	1.8	76.0	9	3287
	13 LST	5.1	4.3	9.4	6.7	7.1	6.4	6.6	4.9	8.6	6.1	4.6	3.4	73.2	9	3288
	19 LST	4.9	5.1	9.6	10.3	10.4	11.6	10.3	9.0	12.1	8.3	4.3	3.9	99.8	9	3287
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	10.4	8.8	13.4	14.9	17.8	19.1	18.8	19.5	18.2	13.8	8.8	8.3	171.8	9	3285
	07 LST	8.7	6.9	15.1	18.8	24.5	22.6	22.1	19.9	16.5	10.4	7.2	7.2	179.9	9	3287
	13 LST	14.8	14.7	20.3	20.4	24.6	24.1	23.3	25.0	24.3	19.7	13.6	11.8	236.6	9	3288
	19 LST	9.4	9.6	17.8	23.2	26.6	25.8	25.8	27.5	23.3	15.6	9.9	9.2	223.7	9	3288
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	6.5	6.8	10.5	11.4	14.0	14.4	14.0	15.7	15.9	10.9	6.1	5.2	131.4	9	3285
	07 LST	5.3	4.4	13.4	14.7	20.2	17.9	17.4	15.8	13.6	7.8	4.1	4.0	138.6	9	3287
	13 LST	11.6	11.6	16.9	15.8	18.9	18.3	19.2	19.4	21.1	15.7	11.0	8.3	187.8	9	3288
	19 LST	6.6	7.1	14.7	19.8	21.9	20.9	21.6	22.4	20.1	12.3	6.9	6.4	180.7	9	3288
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	6.5	6.8	10.5	11.4	13.9	14.4	14.0	15.7	15.9	10.9	5.9	5.2	131.1	9	3285
	07 LST	5.3	4.3	13.4	14.4	20.2	17.9	17.4	15.1	13.4	7.8	4.1	4.0	137.9	9	3287
	13 LST	11.6	11.5	16.9	15.8	18.9	18.3	19.2	19.4	21.1	15.6	11.0	8.1	187.4	9	3288
	19 LST	6.6	7.1	14.7	19.8	21.9	20.9	21.6	22.4	20.1	12.3	6.9	6.3	180.6	9	3288

HALLE/KROLLWITZ, EAST GERMANY

STA NO. 10466 (IN AREA NUMBER 01)

LATITUDE 5131N

LONGITUDE 01157E

ELEVATION(FT) 00377

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
														(YRS)	DBS
ABS MAX TMP (F)	55	63	72	86	90	93	99	93	91	75	68	63	99	9	3285
MEAN MAX TMP (F)	35	36	46	55	65	71	74	73	66	37	44	39	55	9	3285
MEAN MIN TMP (F)	28	26	32	38	46	53	56	55	49	43	36	33	41	9	3284
ABS MIN TMP (F)	-2	-9	10	23	28	37	43	45	34	28	5	1	-9	9	3284
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.1	0.6	1.0	0.4	0.1	0.0	0.0	0.0	2.2	9	3285
MEAN NO DYS TMP = DR LES 32(F)	20.9	18.9	17.9	6.9	0.8	0.0	0.0	0.0	0.0	2.6	9.8	14.6	92.4	9	3284
MEAN NO DYS TMP = DR LES 0(F)	0.2	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	9	3284
MEAN DEW PT TMP (F)	7	26	32	37	45	51	55	54	49	44	36	32	41	9	13140
MEAN REL HUM (PCT)	75	84	79	73	71	72	74	75	77	83	87	87	79	9	13140
MEAN PRESS ALT (FT)	309	295	264	282	268	296	334	334	276	276	234	349	293	9	13140
MEAN PRECIP (IN)	1.13	0.76	1.08	1.26	1.86	2.59	2.91	2.58	1.32	2.00	0.99	1.10	19.6	9	3282
MEAN SNOW FALL (IN)						0.0	0.0	0.0	0.0					9	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	3.7	2.4	3.2	4.6	5.8	6.8	7.2	6.2	3.7	5.1	2.8	4.1	55.6	9	3282
MEAN NO DYS SNFL = DR GTR 1.5 IN						0.0	0.0	0.0	0.0					9	-29
MEAN NO DYS W/O CUR VS BY LES 1/2 MI	4.2	4.8	4.7	1.6	0.6	0.1	0.1	1.1	2.3	7.9	6.7	5.2	39.3	9	3282
MEAN NO DYS TSTMS	0.1	0.0	0.1	1.1	3.3	6.2	5.4	6.2	1.6	0.3	0.0	0.0	24.3	9	3285
P FREQ WND SPD = DR GTR 17 KTS	8.2	4.4	2.7	2.3	2.4	1.2	2.3	1.6	3.7	2.4	3.1	5.6	3.3	9	13136
P FREQ WND SPD = DR GTR 28 KTS	1.0	0.4	0.1	0.0	0.1	0.0	0.0	0.1	0.2	0.1	0.1	0.3	0.2	9	13136
P FREQ LES 5000 FT A/D LES 5 MI	81.3	81.9	74.4	60.5	50.0	52.5	54.7	55.7	57.6	75.2	83.6	79.8	67.3	9	13126
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	38.0	45.7	34.0	18.8	12.9	13.9	9.6	9.4	18.7	39.2	42.9	41.1	27.0	9	3284
03-05 LST														0	0
06-08 LST	44.2	60.6	65.0	48.0	33.7	36.7	31.2	42.4	52.0	65.2	65.7	49.4	49.5	9	3283
09-11 LST														0	0
12-14 LST	50.3	48.1	38.4	17.0	10.1	10.1	11.2	6.5	15.0	33.6	59.9	54.0	29.5	9	3285
15-17 LST														0	0
18-20 LST	44.1	48.6	43.4	17.4	8.1	7.5	4.9	5.8	13.7	35.2	48.5	48.0	27.1	9	3284
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	13.0	18.4	11.2	3.3	1.1	1.5	0.7	0.4	5.6	19.8	18.1	16.5	9.1	9	3284
03-05 LST														0	0
06-08 LST	14.1	20.4	27.6	11.9	5.4	5.6	6.1	10.4	18.1	34.4	28.1	16.1	16.5	9	3283
09-11 LST														0	0
12-14 LST	19.6	20.8	10.4	3.7	0.4	0.0	0.4	0.0	2.2	11.5	22.2	21.1	9.4	9	3285
15-17 LST														0	0
18-20 LST	17.4	16.9	8.6	1.5	0.0	0.0	0.0	0.7	1.1	10.4	18.1	17.9	7.7	9	3284
21-23 LST														0	0

HALLE/KROLLWITZ, EAST GERMANY

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	23.1	18.0	23.1	26.3	28.7	27.6	25.2	29.0	25.7	20.3	19.6	22.0	292.6	9	3284
	07 LST	21.6	19.8	12.2	17.1	22.2	20.4	22.7	18.7	15.3	12.1	12.9	10.9	208.9	9	3283
	13 LST	18.0	16.6	21.1	27.4	29.8	29.0	29.4	30.4	27.2	22.4	13.9	16.4	281.6	9	3285
	19 LST	20.8	16.9	19.4	26.3	30.1	28.8	30.3	30.0	27.3	22.3	18.0	18.8	289.0	9	3284
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	12.0	9.9	14.5	21.0	24.2	23.3	25.0	25.6	20.6	14.6	11.9	10.6	213.2	9	3284
	07 LST	9.3	6.8	7.0	12.5	17.0	15.8	18.1	15.4	11.4	7.7	5.7	8.4	135.1	9	3283
	13 LST	7.1	7.5	11.6	15.6	19.1	20.1	18.0	21.0	16.2	12.0	7.1	7.0	162.3	9	3284
	19 LST	10.6	9.6	12.6	20.2	23.3	25.3	25.4	26.1	22.3	16.4	10.8	9.9	212.5	9	3284
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	1.7	1.1	0.7	0.2	0.1	0.1	0.2	0.1	0.4	0.3	0.3	1.3	6.5	9	3286
	07 LST	1.3	0.5	0.2	0.0	0.3	0.0	0.1	0.1	0.4	0.0	0.8	0.6	4.5	9	3285
	13 LST	1.7	1.3	1.1	1.0	1.7	1.0	1.8	1.6	2.3	1.4	1.1	1.3	17.3	9	3284
	19 LST	1.2	0.3	0.2	0.3	0.7	0.3	0.1	0.1	0.6	0.1	0.8	1.0	5.7	9	3283
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	5.0	3.3	6.2	10.3	9.7	8.3	8.0	7.7	7.9	7.8	7.6	6.5	88.7	9	3286
	07 LST	3.9	4.2	5.1	8.1	9.9	8.7	9.7	7.2	6.0	8.0	7.3	6.9	83.0	9	3285
	13 LST	6.3	5.6	11.2	13.3	16.3	14.9	11.3	13.7	12.4	11.7	11.6	10.2	138.5	9	3284
	19 LST	5.2	5.2	10.6	11.3	12.9	13.2	13.4	10.8	9.2	9.6	9.2	6.9	117.5	9	3283
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	6.3	6.4	10.0	11.9	15.0	12.2	13.1	12.8	12.7	6.2	6.3	5.8	118.7	9	3284
	07 LST	4.4	2.6	3.6	5.9	8.4	6.0	5.4	4.7	3.0	1.9	2.2	3.3	51.4	9	3284
	13 LST	3.1	2.9	6.2	5.8	6.4	5.8	4.7	4.6	6.1	4.3	2.7	1.9	54.5	9	3285
	19 LST	6.5	4.7	5.9	8.0	9.2	7.7	7.5	5.7	10.3	7.1	4.5	4.9	82.0	9	3282
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	13.3	11.3	16.4	20.3	23.3	21.7	23.6	24.2	21.2	15.0	12.9	12.6	215.8	9	3284
	07 LST	11.0	6.9	8.8	12.9	17.4	16.0	17.6	14.8	12.0	8.2	6.4	10.1	142.1	9	3283
	13 LST	11.5	11.4	15.7	19.6	23.3	21.6	22.1	23.6	21.0	16.8	9.0	10.8	206.4	9	3285
	19 LST	12.2	10.5	14.2	21.4	24.7	24.4	25.6	25.1	21.8	15.6	11.0	11.5	218.0	9	3284
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	9.6	9.1	13.6	15.8	19.7	17.4	18.0	18.6	17.8	10.9	9.7	9.2	169.6	9	3284
	07 LST	7.2	4.3	7.4	10.4	14.3	12.3	12.9	10.3	9.6	5.9	4.0	7.3	105.9	9	3283
	13 LST	8.8	8.9	12.4	14.9	18.2	15.4	15.9	16.6	16.4	13.3	6.6	6.7	156.1	9	3285
	19 LST	9.2	7.7	11.3	17.8	20.7	20.6	20.7	18.8	17.7	11.5	7.7	8.1	171.8	9	3284
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	9.5	9.1	13.8	15.8	19.6	17.4	18.0	18.6	17.8	10.9	9.6	9.2	169.3	9	3284
	07 LST	7.2	4.3	7.4	10.4	14.2	12.3	12.9	10.3	9.6	5.8	4.0	7.3	105.7	9	3283
	13 LST	8.8	8.9	12.3	14.9	18.2	15.4	15.9	16.6	16.4	13.3	6.6	6.7	156.0	9	3285
	19 LST	9.2	7.7	11.3	17.7	20.7	20.3	20.7	18.8	17.7	11.5	7.7	8.1	171.4	9	3284

LEIPZIG, EAST GERMANY

STA NO. 10470 (IN AREA NUMBER 01)

LATITUDE 5119N

LONGITUDE 01225E

ELEVATION(FT) 00486

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	52	57	68	84	88	91	97	93	91	75	68	63	97	6	1978
MEAN MAX TMP (F)	35	34	47	56	64	70	73	73	66	57	44	40	55	6	1978
MEAN MIN TMP (F)	27	24	33	39	46	54	57	56	50	44	35	33	42	6	1976
ABS MIN TMP (F)	0	-9	14	23	30	41	48	45	37	30	18	14	-9	6	1976
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.4	0.4	0.6	0.2	0.0	0.0	0.0	1.6	6	1978
MEAN NO DYS TMP = DR LES 32(F)	22.8	19.8	16.2	5.5	0.8	0.0	0.0	0.0	0.0	1.2	11.2	15.5	93.0	6	1976
MEAN NO DYS TMP = DR LES 0(F)	0.2	2.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	6	1976
MEAN DEW PT TMP (F)	27	24	32	37	44	52	55	54	50	44	35	33	41	6	7908
MEAN REL HUM (PCT)	85	84	77	71	69	73	74	73	79	83	85	86	78	6	7908
MEAN PRESS ALT (FT)	398	449	364	378	389	429	445	449	407	379	335	389	401	6	7908
MEAN PRECIP (IN)	1.71	1.48	1.54	1.73	1.64	3.57	4.51	2.26	2.30	1.97	1.39	1.81	25.9	6	1977
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0	0.0				6	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	4.7	5.4	5.2	5.5	5.7	9.0	10.6	6.4	6.6	5.4	5.0	6.2	75.7	6	1977
MEAN NO DYS SNFL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0	0.0				6	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	5.3	6.1	4.5	1.5	0.5	0.6	0.8	0.8	2.4	5.2	5.2	5.4	38.3	6	1977
MEAN NO DYS TSTMS	0.0	0.0	0.2	1.3	3.2	6.8	5.6	5.4	1.6	0.2	0.0	0.0	24.3	6	1977
P FREQ WND SPD = DR GTR 17 KTS	2.2	0.4	0.7	0.7	0.0	0.0	0.0	0.3	0.2	0.2	0.3	1.0	0.5	6	7908
P FREQ WND SPD = DR GTR 28 KTS	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	7908
P FREQ LES 5000 FT A/D LES 5 MI	88.9	89.1	78.3	66.3	54.0	63.0	59.7	57.9	68.8	79.9	89.7	88.8	73.7	6	7904
P FREQ LES 1500 FT A/D LES 3 MI														6	1978
FOR 00-02 LST	44.7	53.8	37.3	22.4	13.8	19.1	18.9	11.7	23.8	36.6	44.5	42.9	30.8	0	0
03-05 LST														6	1976
06-08 LST	51.1	66.7	58.5	48.6	28.5	33.5	26.0	28.1	44.4	61.5	57.2	54.4	46.5	0	0
09-11 LST														6	1977
12-14 LST	52.8	55.8	35.7	19.6	8.6	11.8	12.8	7.2	11.5	28.4	52.6	52.6	29.1	0	0
15-17 LST														6	1978
18-20 LST	57.5	56.4	35.9	15.5	7.7	8.1	7.2	1.3	9.1	32.5	50.9	57.7	28.3	0	0
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														6	1978
FOR 00-02 LST	18.8	25.9	16.7	5.6	2.2	4.7	3.9	3.2	4.0	16.1	19.3	16.8	11.4	0	0
03-05 LST														6	1976
06-08 LST	23.8	31.8	30.6	20.6	4.3	7.3	3.9	7.7	20.0	27.7	26.0	22.1	18.8	0	0
09-11 LST														6	1977
12-14 LST	27.4	29.4	16.7	5.6	0.5	0.7	1.9	0.0	0.0	9.7	25.3	24.0	11.8	0	0
15-17 LST														6	1978
18-20 LST	23.7	32.4	15.1	2.8	0.5	0.7	1.3	0.6	2.0	11.0	22.7	22.6	11.3	0	0
21-23 LST														0	0

LEIPZIG, EAST GERMANY

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	20.0	14.8	20.8	25.0	27.7	25.4	26.4	28.2	24.0	20.8	18.2	20.0	271.3	6	1978
	07 LST	17.6	11.0	14.0	17.2	24.0	21.6	24.2	22.8	17.4	13.6	14.2	15.7	213.3	6	1976
	13 LST	17.3	13.7	22.0	25.5	30.2	27.8	28.8	29.8	28.0	24.6	16.0	17.1	280.8	6	1977
	19 LST	15.5	13.7	21.2	27.0	30.2	28.2	29.8	30.8	28.4	22.6	16.2	15.0	278.6	6	1978
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	9.7	8.2	15.2	20.3	24.3	22.8	23.6	26.0	20.0	18.0	13.8	10.6	212.5	6	1978
	07 LST	7.7	5.4	9.7	12.3	18.8	17.8	20.4	20.8	14.4	8.8	9.4	8.5	154.0	6	1976
	13 LST	5.3	7.4	12.0	16.7	20.8	21.6	19.4	22.6	19.8	15.4	8.8	7.9	177.7	6	1977
	19 LST	7.2	7.6	14.8	21.2	24.7	25.8	25.8	28.4	25.0	18.0	11.0	8.2	217.7	6	1978
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.5	6	1978
	07 LST	0.5	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	1.3	6	1977
	13 LST	0.8	0.2	0.0	0.5	0.0	0.0	0.0	0.2	0.0	0.2	0.2	0.2	2.3	6	1977
	19 LST	0.3	0.0	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.9	6	1978
SFC WND 4-10 KTS AND THP 33-89 DEG F AND NO PRECIP.	01 LST	6.0	6.8	12.3	16.2	19.3	14.4	14.4	16.2	17.6	19.0	14.8	11.2	168.2	6	1978
	07 LST	4.7	4.3	9.7	12.5	17.5	14.0	16.4	15.6	18.0	16.6	11.4	10.7	151.4	6	1977
	13 LST	7.0	7.2	16.0	17.5	21.8	18.6	19.0	20.0	17.4	20.2	12.4	12.9	189.0	6	1977
	19 LST	6.8	6.8	15.0	15.7	17.8	15.0	16.8	12.2	14.6	17.4	15.8	11.6	165.5	6	1978
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	5.5	4.0	9.0	11.5	14.2	7.8	11.2	12.6	10.0	6.2	4.8	4.0	100.8	6	1978
	07 LST	2.3	1.8	5.0	7.3	8.8	5.2	6.4	7.2	5.4	2.0	2.4	2.4	56.6	6	1977
	13 LST	3.0	1.5	6.8	6.7	6.2	3.4	3.8	4.4	5.4	4.6	2.6	1.8	50.2	6	1977
	19 LST	3.7	3.1	6.8	6.5	7.8	7.4	6.4	5.6	8.9	6.4	4.0	2.8	69.4	6	1977
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	12.6	9.8	16.6	19.8	23.6	20.2	21.6	23.2	19.1	16.0	12.6	12.5	207.6	6	1978
	07 LST	9.8	6.1	10.8	12.8	19.2	17.0	19.5	20.0	13.6	8.8	9.2	10.2	157.0	6	1976
	13 LST	10.6	9.9	16.5	19.9	23.7	22.8	22.0	24.8	22.6	18.4	11.5	11.1	213.8	6	1977
	19 LST	9.1	9.2	16.9	21.4	25.0	24.5	26.3	26.9	23.3	16.8	10.8	9.2	219.4	6	1978
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	8.8	6.9	13.3	15.7	18.7	13.4	16.0	17.0	14.0	11.2	8.2	7.2	150.4	6	1978
	07 LST	4.7	3.5	8.8	11.2	16.5	11.8	12.2	15.2	9.2	6.0	4.6	6.0	109.7	6	1976
	13 LST	7.7	7.2	12.8	14.5	17.3	15.8	15.0	18.6	16.6	14.8	8.2	7.6	136.1	6	1977
	19 LST	6.0	6.1	14.0	16.3	19.8	19.2	21.2	19.8	17.4	11.6	6.2	5.4	163.0	6	1978
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	8.7	6.9	13.3	15.7	18.7	13.4	16.0	17.0	14.0	11.2	8.2	7.2	150.3	6	1978
	07 LST	4.7	3.5	8.8	11.2	16.5	11.8	12.2	15.2	9.2	6.0	4.6	6.0	109.7	6	1976
	13 LST	7.7	7.2	12.8	14.5	17.3	15.8	15.0	18.6	16.6	14.8	8.0	7.6	155.9	6	1977
	19 LST	6.0	6.1	14.0	16.3	19.8	19.2	21.2	19.8	17.4	11.6	6.2	5.4	163.0	6	1978

WITTENBERG, EAST GERMANY

STA NO. 10474 (IN AREA NUMBER 01)

LATITUDE 5153N

LONGITUDE 01239E

ELEVATION (FT) 00358

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PGR (YRS)	NO. OBS
ABS MAX TMP (F)	54	61	70	84	88	93	100	93	90	75	61	61	100	9	3286
MEAN MAX TMP (F)	35	35	46	55	65	71	74	73	66	56	44	38	55	9	3286
MEAN MIN TMP (F)	27	24	31	38	46	53	56	55	49	43	35	32	41	9	3287
ABS MIN TMP (F)	-2	-13	10	19	27	39	43	41	34	27	18	0	-13	9	3287
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.7	1.1	0.2	0.1	0.0	0.0	0.0	2.1	9	3286
MEAN NO DYS TMP = DR LES 32(F)	22.8	21.0	18.9	6.7	1.2	0.0	0.0	0.0	0.0	1.8	11.0	17.4	100.8	9	3287
MEAN NO DYS TMP = DR LES 0(F)	0.4	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	1.7	9	3287
MEAN DEW PT TMP (F)	28	26	31	36	44	50	55	54	48	44	36	32	40	9	13132
MEAN REL HUM (PCT)	88	88	78	72	68	69	73	75	77	84	89	90	79	9	13132
MEAN PRESS ALT (FT)	301	279	242	268	254	282	324	324	265	265	219	333	280	9	13126
MEAN PRECIP (IN)	1.75	1.19	1.10	1.52	2.01	2.77	3.44	2.95	1.77	2.24	1.54	1.90	24.2	9	3286
MEAN SNOW FALL (IN)						0.0	0.0	0.0	0.0					9	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	5.9	4.4	3.7	5.0	6.0	7.3	8.1	7.4	4.9	6.3	4.9	6.4	70.3	9	3286
MEAN NO DYS SNFL = DR GTR 1.5 IN						0.0	0.0	0.0	0.0					9	-29
MEAN NO DYS W/OCCUR VSBY LES 1/2 MI	4.6	3.6	3.0	1.6	0.8	0.9	0.4	1.2	3.1	5.7	5.5	6.5	36.9	9	3280
MEAN NO DYS TSTMS	0.1	0.1	0.1	1.3	4.0	7.7	7.2	8.0	1.6	0.2	0.0	0.1	30.4	9	3283
P FREQ WND SPD = DR GTR 17 KTS	7.8	4.1	3.5	2.2	1.7	1.3	1.3	2.0	3.1	2.1	2.3	3.1	2.9	9	13128
P FREQ WND SPD = DR GTR 28 KTS	0.4	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.1	9	13128
P FREQ LES 5000 FT A/D LES 5 MI	82.9	81.2	68.3	52.8	44.2	46.1	50.1	53.6	58.1	78.3	86.1	87.3	65.8	9	13119
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	46.2	50.6	36.6	18.2	10.2	13.5	16.8	18.4	27.4	49.2	56.2	56.9	33.4	9	3286
03-05 LST														0	0
06-08 LST	49.8	69.8	55.0	38.2	27.7	27.8	30.1	45.3	53.8	72.5	74.0	65.2	50.8	9	3287
09-11 LST														0	0
12-14 LST	51.7	50.6	34.8	14.3	6.6	11.1	13.9	8.4	10.9	31.2	56.0	64.0	29.5	9	3281
15-17 LST														0	0
18-20 LST	50.8	47.7	39.1	11.3	6.4	7.9	6.6	6.2	17.7	37.1	56.0	57.8	28.7	9	3285
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	12.9	18.0	7.9	2.6	1.1	1.1	0.0	1.8	3.0	15.4	18.6	23.7	8.8	9	3286
03-05 LST														0	0
06-08 LST	16.8	26.3	19.0	10.0	5.4	3.7	3.6	9.3	17.8	30.8	30.4	27.0	16.7	9	3287
09-11 LST														0	0
12-14 LST	17.9	19.3	5.4	1.5	0.0	1.1	0.4	0.4	0.4	4.7	17.4	25.4	7.8	9	3281
15-17 LST														0	0
18-20 LST	15.8	14.9	4.3	0.0	0.0	0.7	0.0	0.0	0.7	5.7	15.2	24.9	6.9	9	3285
21-23 LST														0	0

WITTENBERG, EAST GERMANY

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR	NO.
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	19.0	13.4	21.2	26.6	29.2	27.0	26.8	25.9	23.2	16.8	15.4	15.4	261.9	9	3286
	07 LST	18.1	9.7	15.4	20.2	23.3	23.1	23.0	17.9	14.7	9.6	9.0	12.7	196.7	9	3287
	13 LST	17.0	15.4	22.1	28.3	30.3	27.9	29.1	30.0	28.1	23.6	15.0	13.4	280.2	9	3281
	19 LST	17.4	16.5	20.3	27.8	30.1	28.7	29.9	29.8	25.9	20.8	15.1	14.9	277.2	9	3285
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	9.0	5.2	10.0	15.3	19.2	19.4	18.6	15.3	12.0	6.1	4.6	7.1	141.8	9	3286
	07 LST	8.2	8.6	11.5	16.5	19.1	18.7	18.2	20.3	19.7	13.7	8.3	6.2	169.0	9	3280
	13 LST	9.9	10.5	14.3	22.6	25.4	23.4	25.7	26.3	21.8	16.8	10.1	9.0	215.8	9	3285
	19 LST	1.8	1.1	0.7	0.2	0.1	0.1	0.1	0.1	0.4	0.0	0.3	0.9	5.8	9	3285
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	1.2	0.5	0.3	0.2	0.2	0.2	0.0	0.0	0.1	0.0	0.2	0.3	3.2	9	3287
	13 LST	2.1	0.8	1.3	1.3	1.0	0.6	0.7	1.3	2.2	0.9	0.6	0.7	13.5	9	3283
	19 LST	0.8	0.3	0.4	0.2	0.2	0.2	0.1	0.0	0.2	0.2	0.4	1.0	4.0	9	3286
	01 LST	4.6	3.4	7.8	10.8	13.0	9.6	10.8	10.6	9.8	10.7	9.3	6.6	107.0	9	3285
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	3.0	2.5	7.0	10.9	14.8	13.3	14.1	13.1	11.7	9.4	8.1	5.6	113.5	9	3287
	13 LST	4.9	6.0	14.1	14.2	15.2	13.6	15.6	15.6	15.9	14.7	12.9	7.4	150.1	9	3283
	19 LST	4.9	5.2	10.2	14.8	14.1	13.3	14.9	11.1	9.2	10.2	11.6	5.8	125.3	9	3286
	01 LST	5.1	5.7	9.4	11.3	14.2	11.2	11.8	11.0	11.6	5.4	4.7	3.8	105.2	9	3285
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	3.4	2.1	5.3	6.8	8.6	7.3	6.7	6.8	5.2	2.6	1.6	1.3	57.7	9	3287
	13 LST	2.8	2.3	7.0	7.0	7.3	5.1	4.1	4.1	6.4	4.2	2.7	1.1	54.1	9	3281
	19 LST	4.7	5.3	8.9	8.0	8.4	9.6	8.9	6.7	10.5	6.9	4.3	3.8	86.0	9	3285
	01 LST	12.8	11.5	17.0	21.0	25.1	23.8	22.9	23.4	19.4	13.4	10.1	10.1	210.5	9	3286
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	11.2	6.7	11.8	15.8	20.0	19.0	19.0	15.2	12.0	6.9	5.5	7.8	150.9	9	3287
	13 LST	11.4	11.2	17.3	21.1	25.3	23.4	22.4	25.2	23.7	17.8	10.7	8.0	217.5	9	3281
	19 LST	11.4	12.0	16.7	23.9	26.4	25.4	26.5	27.0	22.3	17.1	10.4	10.3	229.4	9	3285
	01 LST	9.1	9.2	14.0	17.2	21.0	18.9	17.9	18.6	16.4	10.1	7.9	6.8	167.1	9	3286
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	7.2	5.1	10.2	13.0	16.7	14.7	14.9	12.2	9.2	5.1	2.9	4.8	116.0	9	3287
	13 LST	7.9	8.6	15.2	16.3	19.4	17.6	17.0	16.9	19.4	14.6	8.2	5.5	168.6	9	3281
	19 LST	8.2	9.9	14.2	20.1	21.1	21.2	21.4	21.4	18.8	13.0	7.9	7.7	184.9	9	3285
	01 LST	9.1	9.2	14.0	17.2	20.9	18.9	17.9	18.6	16.4	10.1	7.9	6.8	167.0	9	3286
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	7.2	5.1	10.1	13.0	16.7	14.7	14.9	12.2	9.2	5.1	2.9	4.7	115.6	9	3287
	13 LST	7.9	8.6	15.2	16.3	19.4	17.6	17.0	18.9	19.4	14.6	8.1	5.5	168.5	9	3281
	19 LST	8.2	9.9	14.2	20.1	21.1	21.2	21.4	21.4	18.8	13.0	7.9	7.7	184.9	9	3285
	01 LST	9.1	9.2	14.0	17.2	20.9	18.9	17.9	18.6	16.4	10.1	7.9	6.8	167.0	9	3286

DRESDEN, EAST GERMANY

STA NO. 10488 (IN AREA NUMBER 01)

LATITUDE 5107N

LONGITUDE 01341E

ELEVATION(FT) 00843

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	57	63	68	84	86	91	97	93	88	75	59	54	97	9	3194
MEAN MAX TMP (F)	34	35	45	54	64	70	73	72	66	56	43	38	54	9	3194
MEAN MIN TMP (F)	27	25	32	39	47	53	57	56	50	44	36	32	42	9	3196
ABS MIN TMP (F)	-4	-13	10	21	32	43	43	45	36	28	18	5	-13	9	3196
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.3	1.2	0.6	0.0	0.0	0.0	0.0	2.1	9	3194
MEAN NO DYS TMP = OR LES 32(F)	23.7	20.6	16.2	7.0	0.7	0.0	0.0	0.0	0.0	0.8	10.0	16.8	95.8	9	3196
MEAN NO DYS TMP = OR LES 0(F)	0.7	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8	9	3196
MEAN DEW PT TMP (F)	26	24	30	37	45	51	55	54	49	43	35	31	40	9	12780
MEAN REL HUM (PCT)	85	83	77	74	71	71	75	74	78	81	87	87	79	9	12780
MEAN PRESS ALT (FT)	768	757	727	754	738	764	801	796	737	702	667	789	750	9	12780
MEAN PRECIP (IN)	1.49	1.10	1.56	2.25	2.00	2.76	5.94	2.54	1.87	1.86	1.24	1.72	26.3	9	3194
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0					9	-29
MEAN NO DYS PKCP = OR GTR 0.1 IN	4.6	3.6	4.4	6.4	6.2	7.2	9.1	5.9	3.0	3.8	3.5	5.8	67.5	9	3194
MEAN NO DYS SNFL = OR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0					9	-29
MEAN NO DYS W/OCCUR VSBY LES 1/2 MI	4.8	5.0	4.9	3.6	0.9	1.1	2.0	1.6	2.7	4.9	6.8	6.0	44.3	9	3192
MEAN NO DYS TSTMS	0.1	0.1	0.0	1.9	5.9	7.1	7.4	8.4	3.0	0.4	0.0	0.1	34.4	9	3195
P FREQ WND SPD = OR CTR 17 KTS	16.7	11.4	12.6	6.0	2.9	2.4	2.9	2.1	5.0	4.8	12.0	16.9	8.0	9	12776
P FREQ WND SPD = OR GTR 28 KTS	0.8	0.1	0.2	0.1	0.1	0.1	0.1	0.0	0.0	0.0	0.4	0.7	0.2	9	12776
P FREQ LES 5000 FT A/D LES 5 MI	79.6	80.8	70.2	61.5	51.7	51.1	54.0	52.1	56.0	68.3	81.6	81.7	65.7	9	12767
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	36.3	41.2	26.5	18.1	10.1	14.7	16.6	11.1	17.1	26.8	36.7	40.6	24.7	9	3195
03-05 LST														0	0
06-08 LST	42.5	58.3	59.9	53.0	34.5	36.2	34.6	33.9	44.0	55.5	61.2	47.2	46.7	9	3194
09-11 LST														0	0
12-14 LST	47.2	44.5	29.9	17.7	8.9	11.0	14.3	6.9	12.1	23.3	48.4	54.8	26.6	9	3195
15-17 LST														0	0
18-20 LST	37.1	35.5	27.2	17.7	6.5	8.0	11.2	5.8	8.4	18.7	37.8	39.7	21.1	9	3195
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	14.0	16.1	10.0	5.2	2.2	4.1	5.4	2.2	5.6	10.1	13.8	13.0	8.5	9	3195
03-05 LST														0	0
06-08 LST	16.8	25.2	24.7	18.1	6.1	6.7	9.7	9.7	16.3	19.8	25.4	21.1	16.6	9	3194
09-11 LST														0	0
12-14 LST	18.3	17.3	8.2	1.9	2.2	0.4	2.5	0.7	1.5	6.0	14.6	18.5	7.7	9	3195
15-17 LST														0	0
18-20 LST	17.2	15.7	7.9	3.0	0.0	2.2	2.5	0.7	0.7	6.0	11.7	14.5	6.8	9	3195
21-23 LST														0	0

DRESDEN, EAST GERMANY

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. UBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	22.0	17.9	23.8	25.7	28.6	26.2	26.6	27.8	25.3	24.3	20.8	20.7	289.7	9	3195
	07 LST	19.8	13.1	13.1	14.7	21.2	19.9	20.7	20.9	17.4	14.3	12.6	17.9	205.6	9	3194
	13 LST	18.1	16.9	23.0	26.1	29.2	27.3	27.4	29.7	26.9	24.9	17.3	15.5	282.3	9	3195
	19 LST	21.2	19.4	23.3	25.3	29.4	27.9	28.1	29.6	27.8	26.3	20.8	20.5	299.6	9	3195
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	5.1	5.9	7.9	14.3	18.7	17.6	16.7	19.2	13.7	10.4	6.4	5.5	141.4	9	3195
	07 LST	5.0	4.4	3.4	7.7	14.0	13.1	13.2	13.7	8.1	6.1	3.5	4.4	96.6	9	3194
	13 LST	4.2	4.8	8.0	11.8	13.6	14.1	14.1	15.2	13.8	9.8	4.0	3.1	116.5	9	3195
	19 LST	6.9	7.6	10.6	15.6	19.7	19.8	20.0	22.3	19.7	14.1	6.5	4.9	167.7	9	3194
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	3.2	2.7	2.8	0.6	0.4	0.0	0.0	0.1	0.9	1.4	2.1	3.9	18.1	9	3193
	07 LST	3.4	1.8	2.9	0.3	0.1	0.1	0.4	0.0	0.9	1.0	2.8	2.9	16.6	9	3196
	13 LST	3.8	2.0	4.3	2.1	2.0	1.2	0.7	1.2	2.1	1.5	3.0	3.4	27.3	9	3196
	19 LST	3.4	2.4	2.8	1.3	0.2	0.4	0.3	0.2	0.4	0.8	2.9	3.8	18.9	9	3195
SFC WND 4-10 KTS AND THP 33-89 DEG F AND NO PRECIP.	01 LST	3.2	3.2	8.0	13.9	18.9	19.1	19.3	21.0	18.2	14.3	9.6	5.6	154.3	9	3193
	07 LST	1.9	3.3	5.9	11.9	17.1	16.3	14.9	17.9	16.6	14.1	8.4	5.4	133.7	9	3196
	13 LST	3.3	4.9	9.1	11.4	13.0	14.1	13.7	16.4	12.9	12.5	10.3	7.6	129.2	9	3196
	19 LST	3.6	4.2	9.9	12.7	15.6	15.8	15.2	18.1	16.7	15.9	9.8	6.0	143.5	9	3195
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	6.0	6.6	10.8	10.8	14.0	11.7	12.0	13.9	12.3	10.0	6.8	4.5	119.4	9	3195
	07 LST	3.1	2.0	5.0	4.7	7.3	6.6	5.6	4.9	5.9	3.1	2.5	2.4	53.1	9	3195
	13 LST	3.1	3.5	7.6	6.1	4.6	3.9	4.4	4.6	6.9	7.1	3.9	2.1	57.8	9	3195
	19 LST	6.2	6.6	9.7	8.6	8.4	7.9	8.4	6.6	11.5	11.2	7.0	5.3	97.4	9	3193
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	15.8	13.6	20.2	21.7	25.5	23.7	23.7	25.8	23.0	20.1	15.5	14.3	242.9	9	3195
	07 LST	13.8	9.0	11.1	12.8	18.5	17.6	18.7	19.3	15.7	12.2	9.6	12.7	171.0	9	3194
	13 LST	13.1	13.2	18.5	20.6	24.3	23.5	23.1	25.6	23.8	21.0	12.6	11.6	230.9	9	3195
	19 LST	15.6	15.2	20.3	22.7	27.5	26.0	25.9	28.3	25.9	22.4	15.0	14.6	259.4	9	3195
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	10.2	9.7	15.2	14.6	18.4	17.7	17.7	19.3	16.7	14.1	9.9	8.0	171.5	9	3195
	07 LST	7.8	5.5	8.8	10.4	13.0	14.4	14.0	13.9	12.1	8.5	6.5	7.3	124.2	9	3194
	13 LST	8.6	10.3	13.9	13.4	14.8	15.2	15.1	16.3	17.8	16.8	9.4	8.8	160.4	9	3195
	19 LST	10.4	10.3	15.8	17.4	20.7	20.4	20.4	22.0	20.0	16.1	10.1	8.9	192.5	9	3195
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	10.2	9.7	15.0	14.6	18.4	17.4	17.6	19.0	16.7	14.1	9.9	8.0	170.6	9	3195
	07 LST	7.8	5.5	8.8	10.3	14.8	14.3	14.0	13.7	12.1	8.3	6.4	7.3	123.3	9	3194
	13 LST	8.4	10.3	13.8	13.4	14.8	15.2	15.1	16.3	17.7	16.8	9.4	8.8	160.0	9	3195
	19 LST	10.4	10.3	15.7	17.4	20.6	20.3	20.2	22.0	20.0	16.1	10.1	8.8	191.9	9	3195

COTTBUS, EAST GERMANY

STA NO. 10492 (IN AREA NUMBER 01)

LATITUDE 5147N

LONGITUDE 01419E

ELEVATION(FT) 00233

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	57	63	70	84	90	93	100	95	90	75	63	59	100	9	3270
MEAN MAX TMP (F)	35	35	46	56	66	72	75	74	67	57	44	39	56	9	3270
MEAN MIN TMP (F)	27	24	31	38	46	53	57	55	49	43	35	32	41	9	3287
ABS MIN TMP (F)	-4	-15	7	21	38	41	45	41	27	27	16	0	-15	9	3287
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.1	0.7	1.7	1.2	0.2	0.0	0.0	0.0	3.9	9	3270
MEAN NO DYS TMP = DR LES 32(F)	22.5	20.3	19.4	8.7	1.7	0.0	0.0	0.0	0.3	2.7	10.6	15.1	101.3	9	3287
MEAN NO DYS TMP = DR LES 0(F)	0.7	1.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	2.7	9	3287
MEAN DEW PT TMP (F)	26	24	30	36	44	51	55	54	49	44	35	32	40	9	13096
MEAN REL HUM (PCT)	84	83	76	73	68	68	72	74	78	83	86	87	78	9	13096
MEAN PRESS ALT (FT)	177	156	111	151	136	166	209	199	142	137	87	209	157	9	13096
MEAN PRECIP (IN)	1.37	1.10	1.04	1.79	1.53	1.95	4.63	2.60	2.01	1.86	1.41	1.85	23.1	9	3272
MEAN SNOW FALL (IN)						0.0	0.0	0.0						9	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	4.6	4.1	3.3	5.2	4.4	6.1	8.4	5.6	4.5	6.0	4.1	6.2	62.5	9	3272
MEAN NO DYS SNFL = DR GTR 1.5 IN						0.0	0.0	0.0						9	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	3.5	3.4	1.7	1.8	0.2	0.4	0.3	0.8	2.2	4.2	4.9	3.4	26.8	9	3272
MEAN NO DYS TSTMS	0.0	0.1	0.1	1.8	4.6	5.8	7.4	7.2	2.1	0.4	0.2	0.1	29.8	9	3274
P FREQ WND SPD = DR GTR 17 KTS	5.2	3.7	2.0	0.9	0.4	0.2	0.3	0.9	1.8	0.5	0.9	3.4	1.7	9	13092
P FREQ WND SPD = DR GTR 28 KTS	0.5	0.3	0.2	0.1	0.0	0.0	0.0	0.0	0.2	0.1	0.0	0.6	0.2	9	13092
P FREQ LES 3000 FT A/D LES 5 MI	83.8	84.3	70.4	61.3	50.1	51.2	51.8	52.6	58.9	76.8	86.2	86.2	67.8	9	13084
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	62.1	65.3	50.4	49.6	39.5	41.2	44.4	43.3	46.7	62.2	69.6	67.8	53.5	9	3275
03-05 LST														0	0
06-08 LST	66.2	71.1	53.4	40.7	22.8	21.6	28.6	28.1	40.1	58.6	75.3	71.7	48.2	9	3287
09-11 LST														0	0
12-14 LST	47.6	42.6	26.3	18.0	10.4	10.5	15.2	5.5	12.6	23.7	46.0	47.0	25.5	9	3285
15-17 LST														0	0
18-20 LST	62.6	62.3	41.7	15.8	5.8	8.4	10.4	5.3	25.3	35.8	66.8	68.2	35.7	9	3273
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	20.8	22.4	6.8	3.7	1.1	2.6	0.7	1.5	6.7	11.1	11.9	12.2	8.5	9	3275
03-05 LST														0	0
06-08 LST	26.3	26.7	19.4	10.0	2.2	5.2	6.5	4.7	11.9	24.7	30.7	18.3	15.6	9	3287
09-11 LST														0	0
12-14 LST	14.4	10.2	2.9	2.6	0.0	1.5	1.8	0.7	0.4	3.2	8.5	13.6	5.0	9	3285
15-17 LST														0	0
18-20 LST	23.4	20.0	5.4	2.2	0.0	0.7	1.4	0.8	0.4	5.4	13.0	15.8	7.4	9	3273
21-23 LST														0	0

COTTBUS, EAST GERMANY

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	13.6	11.0	17.0	16.4	19.6	18.4	18.0	17.9	16.4	12.9	10.6	11.7	183.5	9	3275
	07 LST	13.2	9.0	15.6	18.8	25.8	24.4	23.2	23.2	19.0	13.9	8.6	10.2	204.9	9	3287
	13 LST	18.8	18.0	25.1	26.7	29.6	28.2	27.8	30.0	28.0	25.8	18.0	18.0	294.0	9	3285
	19 LST	12.9	11.5	19.1	26.9	30.1	28.2	28.9	29.8	23.2	14.4	11.3	10.8	247.1	9	3273
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	8.3	7.2	11.6	13.3	17.4	16.1	15.9	16.8	15.1	10.0	7.1	7.3	146.1	9	3274
	07 LST	6.4	6.0	11.6	15.9	21.2	21.6	19.8	19.9	15.2	10.8	5.4	6.3	160.1	9	3287
	13 LST	10.6	10.9	14.9	16.9	20.7	20.3	19.6	22.9	18.9	16.8	12.0	12.0	196.5	9	3285
	19 LST	9.0	8.5	14.3	21.3	26.9	24.4	25.2	27.2	20.8	12.1	8.4	8.0	206.1	9	3273
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	0.9	1.0	0.3	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.6	3.0	9	3274
	07 LST	1.1	0.3	0.1	0.2	0.1	0.0	0.1	0.1	0.1	0.0	0.2	0.4	2.7	9	3287
	13 LST	0.8	0.7	0.9	0.4	0.1	0.1	0.1	0.3	0.4	0.6	0.4	0.8	5.6	9	3285
	19 LST	0.8	0.8	0.4	0.0	0.1	0.0	0.0	0.2	0.3	0.1	0.1	0.7	3.5	9	3274
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	4.4	4.2	8.8	11.0	13.6	10.6	13.4	11.4	11.8	12.2	10.6	8.0	120.0	9	3274
	07 LST	4.0	4.3	6.8	11.8	17.9	15.3	15.8	13.4	12.7	11.3	9.1	7.3	129.7	9	3287
	13 LST	8.0	7.6	14.4	15.9	18.3	18.2	15.7	17.6	15.7	17.1	13.4	10.6	172.5	9	3285
	19 LST	6.5	4.9	13.1	13.8	18.6	16.4	16.6	12.8	12.9	13.2	11.4	9.2	149.4	9	3274
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	4.8	4.2	8.3	6.8	9.5	7.7	8.9	9.4	10.3	5.6	3.1	3.0	81.6	9	3274
	07 LST	2.2	1.4	6.6	6.9	10.1	8.8	7.4	7.7	7.1	2.2	1.3	1.9	63.6	9	3287
	13 LST	4.5	4.0	7.6	5.6	4.7	4.2	3.9	3.7	5.9	5.5	3.9	2.9	56.5	9	3286
	19 LST	4.8	4.4	7.9	8.0	9.6	8.9	7.8	7.6	9.4	6.8	3.8	4.1	83.1	9	3272
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	9.0	7.9	12.9	12.5	16.4	16.0	15.5	16.2	14.4	9.7	7.0	7.4	144.9	9	3275
	07 LST	6.9	6.1	12.8	16.0	21.3	21.4	19.8	20.6	16.2	10.6	5.6	6.6	163.9	9	3287
	13 LST	13.0	13.0	19.0	20.0	23.1	22.9	22.9	25.2	22.6	19.8	12.9	13.5	227.9	9	3285
	19 LST	9.3	8.7	15.7	21.8	26.3	25.2	25.2	27.0	20.0	12.2	7.8	8.4	207.6	9	3273
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	6.3	5.9	11.0	9.6	13.0	11.2	11.6	12.4	12.1	7.3	4.9	4.9	110.2	9	3275
	07 LST	4.3	3.7	10.7	12.6	17.7	17.0	15.8	15.1	13.3	7.3	3.8	3.6	124.9	9	3287
	13 LST	9.6	9.8	15.7	13.9	15.4	15.0	16.9	17.7	18.7	15.3	9.1	9.3	166.4	9	3285
	19 LST	7.1	6.6	12.2	17.3	20.7	19.9	20.9	22.1	15.8	10.0	7.7	6.6	164.9	9	3273
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	6.3	5.9	11.0	9.6	12.8	11.1	11.4	12.2	12.0	7.1	4.9	4.9	109.2	9	3275
	07 LST	4.3	3.7	10.4	12.4	17.6	16.9	15.7	14.8	13.2	7.2	3.8	3.6	123.6	9	3287
	13 LST	9.6	9.8	15.7	13.9	15.4	15.0	16.9	17.7	18.4	15.2	9.1	9.2	165.9	9	3285
	19 LST	7.0	6.5	12.1	17.3	20.7	19.9	20.9	22.1	15.8	10.0	5.7	6.6	164.6	9	3273

GORLITZ, EAST GERMANY

STA NO. 10499 (IN AREA NUMBER 01)

LATITUDE 5110N

LONGITUDE 01457E

ELEVATION(FT) 00781

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	50	61	66	79	84	90	93	91	86	75	61	55	93	9	3287
MEAN MAX TMP (F)	32	33	43	53	63	69	72	71	65	55	43	37	53	9	3287
MEAN MIN TMP (F)	26	23	30	37	45	52	56	54	48	43	35	31	40	9	3287
ABS MIN TMP (F)	-9	-22	3	21	28	37	41	39	30	25	14	-4	-22	9	3287
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.1	1.0	0.4	0.0	0.0	0.0	0.0	1.5	9	3297
MEAN NO DYS TMP = DR LES 32(F)	24.7	21.3	19.6	9.8	1.8	0.0	0.0	0.0	0.4	2.8	11.5	18.0	109.9	9	3287
MEAN NO DYS TMP = DR LES 0(F)	0.9	2.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	3.4	9	3287
MEAN DEW PT TMP (F)	25	23	29	36	45	51	55	54	49	43	35	30	40	9	13136
MEAN REL HUM (PCT)	85	84	79	75	73	73	77	77	80	83	87	87	80	9	13136
MEAN PRESS ALT (FT)	711	699	662	704	689	717	756	746	684	678	628	743	702	9	13136
MEAN PRECIP (IN)	1.68	1.28	1.72	2.11	2.43	3.11	5.46	2.82	2.14	2.24	1.29	1.94	28.2	9	3285
MEAN SNOW FALL (IN)						0.0	0.0	0.0	0.0					9	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	5.9	5.0	4.9	6.8	5.6	7.9	9.3	6.2	6.0	6.0	3.9	6.6	74.1	9	3285
MEAN NO DYS SNFL = DR GTR 3.5 IN						0.0	0.0	0.0	0.0					9	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	3.1	1.9	2.9	2.6	0.1	1.1	0.7	0.7	1.1	3.2	3.9	2.9	24.2	9	3282
MEAN NO DYS TSTMS	0.1	0.1	0.0	1.9	4.9	7.8	8.2	8.3	2.7	0.6	0.0	0.1	34.7	9	3285
P FREQ WND SPD = DR GTR 17 KTS	10.8	4.2	3.0	1.1	1.0	0.3	0.4	0.3	1.3	3.1	5.0	9.9	3.4	9	13136
P FREQ WND SPD = DR GTR 28 KTS	0.5	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.1	9	13136
P FREQ LES 5000 FT A/D LES 5 MI	73.9	74.5	58.0	51.0	37.1	38.5	43.6	38.4	41.5	57.5	71.6	75.0	55.1	9	13115
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	31.7	33.2	23.7	15.9	6.2	11.0	15.6	8.1	11.2	24.7	33.6	31.1	20.5	9	3287
03-05 LST														0	0
06-08 LST	33.6	42.1	39.3	34.6	19.0	16.8	19.1	16.2	2.7	31.9	36.6	29.3	28.5	9	3286
09-11 LST														0	0
12-14 LST	29.9	28.1	19.2	15.6	7.2	7.3	13.1	4.9	8.4	16.0	26.9	31.3	17.3	9	3213
15-17 LST														0	0
18-20 LST	28.3	26.7	20.0	10.7	4.9	5.8	10.9	3.4	7.0	16.8	29.2	28.8	16.0	9	3286
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	6.5	7.1	5.7	4.1	0.7	1.9	2.2	1.1	3.0	7.5	9.3	7.2	4.7	9	3287
03-05 LST														0	0
06-08 LST	8.6	14.1	13.6	12.2	2.2	4.1	3.6	4.3	8.1	9.7	13.4	9.0	8.6	9	3286
09-11 LST														0	0
12-14 LST	7.6	5.9	4.3	0.7	0.4	0.0	0.7	0.0	0.4	2.5	5.9	7.9	3.0	9	3283
15-17 LST														0	0
18-20 LST	6.5	6.7	3.9	1.1	0.0	0.4	1.1	0.0	0.4	4.3	7.4	6.5	3.2	9	3286
21-23 LST														0	0

GORLITZ, EAST GERMANY

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. UBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	22.3	19.8	24.2	26.4	29.6	27.2	27.3	28.7	27.2	24.4	20.6	22.4	300.1	9	3287
	07 LST	22.0	17.3	19.6	20.9	26.3	25.7	26.0	26.7	24.2	22.3	20.0	22.8	273.8	9	3286
	13 LST	23.5	21.2	26.4	27.2	30.1	28.8	28.3	30.1	28.7	27.8	23.7	22.6	318.4	9	3283
	19 LST	23.6	21.4	25.7	27.8	30.1	28.8	28.5	30.2	28.8	26.9	22.4	23.0	317.2	9	3286
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	11.2	13.1	18.3	21.4	27.7	24.9	24.3	27.0	22.9	17.6	13.8	12.1	234.3	9	3287
	07 LST	9.8	9.7	14.3	16.0	21.1	22.3	22.1	23.2	19.1	14.6	11.5	12.4	196.1	9	3286
	13 LST	10.4	11.5	15.7	16.8	19.8	21.3	19.6	24.0	18.4	15.0	12.0	9.9	194.4	9	3283
	19 LST	12.9	15.0	19.7	22.9	26.8	26.1	25.3	28.8	25.2	21.3	14.4	12.4	250.8	9	3285
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	2.0	0.9	0.6	0.2	0.0	0.1	0.0	0.0	0.3	0.7	1.7	2.0	8.5	9	3286
	07 LST	2.2	0.4	0.4	0.1	0.0	0.0	0.0	0.1	0.0	0.3	0.8	2.0	6.3	9	3287
	13 LST	2.8	0.9	0.9	0.4	0.3	0.0	0.2	0.1	0.6	1.2	1.4	2.3	11.1	9	3286
	19 LST	2.0	0.8	0.4	0.1	0.3	0.0	0.1	0.0	0.1	0.4	0.7	1.9	6.8	9	3287
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NL PRECIP.	01 LST	1.9	3.0	5.4	5.2	8.9	7.0	8.1	8.3	7.4	9.7	8.0	3.4	76.3	9	3286
	07 LST	1.4	1.8	3.7	7.6	11.8	11.6	11.1	9.6	9.6	8.7	5.5	5.1	87.5	9	3287
	13 LST	3.1	3.4	9.0	11.0	13.7	14.2	14.7	16.6	13.1	11.6	8.6	6.1	125.1	9	3286
	19 LST	2.2	4.2	7.0	10.6	13.0	12.0	10.2	9.2	8.6	10.5	7.6	4.4	99.5	9	3287
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	5.9	6.9	11.9	11.6	13.2	12.4	12.3	14.3	13.6	10.4	7.2	6.9	126.6	9	3287
	07 LST	5.3	4.5	7.7	6.6	9.8	9.7	7.6	9.0	8.4	6.0	5.0	4.8	84.4	9	3287
	13 LST	4.2	4.3	8.7	5.4	6.0	5.4	5.7	4.3	6.5	6.9	4.2	4.4	66.0	9	3283
	19 LST	7.2	6.9	9.9	8.9	9.2	8.9	8.0	8.8	10.6	11.7	7.3	6.6	104.0	9	3287
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	18.0	16.3	22.3	22.6	27.4	25.0	23.7	27.3	25.0	21.0	17.6	18.5	264.7	9	3287
	07 LST	17.6	13.9	17.5	17.7	23.0	23.7	23.4	24.7	21.1	18.8	16.5	19.0	236.9	9	3286
	13 LST	18.3	17.8	22.5	21.6	25.8	25.2	24.1	26.7	24.9	22.9	18.6	18.7	267.1	9	3283
	19 LST	19.1	18.3	23.0	24.6	27.8	27.1	26.1	28.9	26.4	23.5	18.5	19.0	282.3	9	3286
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	11.1	11.8	18.0	16.8	22.0	20.1	18.6	22.0	19.2	15.3	12.1	12.4	199.4	9	3287
	07 LST	10.4	9.4	14.3	14.0	19.9	20.7	19.7	20.4	17.7	14.2	11.6	11.9	184.2	9	3286
	13 LST	12.8	14.0	18.7	14.8	19.0	18.6	18.0	18.0	20.6	18.7	13.2	12.8	199.2	9	3283
	19 LST	13.1	12.8	19.1	19.0	23.1	22.8	22.5	24.2	21.6	18.8	12.9	12.3	222.2	9	3286
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	10.9	11.7	17.9	16.4	21.9	20.0	18.4	21.9	19.2	15.1	11.8	12.0	197.2	9	3287
	07 LST	10.0	9.4	13.9	13.8	19.9	20.4	19.1	20.0	17.3	14.1	11.3	11.3	180.5	9	3286
	13 LST	12.5	13.6	18.6	14.8	18.9	18.6	17.9	17.8	20.6	18.3	12.8	12.7	197.1	9	3283
	19 LST	12.7	12.7	18.9	18.9	22.7	22.6	22.0	23.6	21.4	18.6	12.2	11.8	218.1	9	3286

WEIMAR, EAST GERMANY

STA NO. 10555 (IN AREA NUMBER 01) LATITUDE 5053N LONGITUDE 0119E ELEVATION(FT) 00879

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	54	61	68	82	86	90	95	91	88	73	66	63	95	7	2556
MEAN MAX TMP (F)	34	34	45	54	53	69	71	71	65	56	43	39	54	7	2556
MEAN MIN TMP (F)	26	24	30	37	44	51	55	54	48	43	35	32	40	7	2557
ABS MIN TMP (F)	0	-9	7	21	27	36	43	41	34	28	16	3	-9	7	2557
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.3	0.7	0.4	0.0	0.0	0.0	0.0	1.4	7	2556
MEAN NO DYS TMP = DR LES 32(F)	22.9	20.5	20.7	9.3	2.0	0.0	0.0	0.0	0.0	2.3	10.4	15.7	103.8	7	2557
MEAN NO DYS TMP = DR LES 0(F)	0.6	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	7	2557
MEAN DEW PT TMP (F)	26	24	30	35	43	50	54	53	49	43	35	32	40	7	10220
MEAN REL HUM (PCT)	84	84	79	73	70	73	76	75	80	84	87	86	79	7	10216
MEAN PRESS ALT (FT)	785	846	767	763	773	808	827	830	786	740	698	805	786	7	10216
MEAN PRECIP (IN)	1.30	1.57	1.57	1.58	1.95	3.66	2.68	2.62	2.09	1.49	1.13	1.26	22.9	2	729
MEAN SNOW FALL (IN)						0.0	0.0	0.0	0.0					7	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	5.0	6.5	7.5	6.0	6.5	6.6	6.5	6.5	7.0	4.5	4.5	4.5	71.6	2	729
MEAN NO DYS SNFL = DR GTR 1.5 IN						0.0	0.0	0.0	0.0					7	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	5.3	4.9	5.1	1.7	0.6	0.4	0.6	0.3	2.3	4.7	6.4	4.4	36.7	7	2555
MEAN NO DYS TSTMS	0.0	0.0	0.4	0.7	3.3	6.2	8.3	6.9	2.4	0.6	0.0	0.0	28.8	7	2556
P FREQ WND SPD = DR GTR 17 KTS	22.5	18.2	12.4	8.7	7.4	4.2	7.0	7.7	11.7	8.8	10.8	19.4	11.6	7	10224
P FREQ WND SPD = DR GTR 28 KTS	4.6	1.6	1.3	0.5	0.3	0.0	0.1	0.6	0.7	0.8	0.6	2.2	1.1	7	10224
P FREQ LES 5000 FT A/D LES 5 MI	83.9	81.4	76.7	62.4	46.7	51.1	50.8	49.5	60.7	71.1	84.9	81.3	66.7	7	10223
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	45.3	52.7	43.0	25.3	12.2	18.1	15.4	11.4	21.0	35.2	46.2	41.7	30.6	7	2556
03-05 LST														0	0
06-08 LST	52.4	59.0	54.8	36.2	18.6	24.2	21.1	21.8	35.7	41.8	56.3	46.6	39.0	7	2557
09-11 LST														0	0
12-14 LST	47.3	45.5	38.1	18.1	13.0	12.9	15.3	8.8	14.2	24.5	45.6	43.0	27.2	7	2557
15-17 LST														0	0
18-20 LST	53.2	48.4	39.4	17.4	7.8	10.3	9.8	6.6	14.3	30.3	47.9	47.9	27.8	7	2556
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	17.1	18.2	10.1	3.3	1.4	1.4	0.5	0.9	2.9	11.1	16.2	14.3	8.1	7	2556
03-05 LST														0	0
06-08 LST	17.5	24.2	32.3	17.1	4.6	4.3	4.6	7.8	12.9	19.8	22.9	14.3	13.2	7	2557
09-11 LST														0	0
12-14 LST	19.6	19.2	11.5	5.7	0.0	1.0	0.9	0.9	1.0	9.7	17.6	18.0	8.8	7	2557
15-17 LST														0	0
18-20 LST	20.7	15.7	14.3	4.3	0.5	0.5	0.5	0.5	1.4	6.5	15.7	15.7	8.0	7	2556
21-23 LST														0	0

WEIMAR, EAST GERMANY

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PUR (YRS)	NO. UBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	19.9	16.1	20.4	24.7	29.1	26.6	27.4	28.4	25.9	22.4	18.4	21.7	281.0	7	2556
	07 LST	19.1	14.6	15.9	21.1	26.4	24.3	25.9	25.1	20.7	20.3	15.9	21.0	250.3	7	2557
	13 LST	18.7	17.5	21.6	26.7	29.3	28.4	28.7	30.3	28.4	26.1	18.9	20.6	295.2	7	2557
	19 LST	17.7	17.3	20.6	26.7	30.1	28.6	29.1	30.3	27.7	24.1	17.9	19.9	290.0	7	2556
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	6.3	4.9	11.9	16.6	20.3	19.7	20.6	20.7	15.6	11.9	9.9	10.0	168.4	7	2556
	07 LST	5.9	3.5	8.1	12.4	16.9	16.6	16.4	16.4	12.3	10.3	6.4	7.9	133.1	7	2557
	13 LST	5.3	4.9	7.7	12.0	10.9	13.0	9.4	12.6	11.0	9.7	7.1	6.6	110.2	7	2557
	19 LST	4.9	5.8	11.7	17.7	18.4	19.1	18.9	22.3	17.7	12.4	8.7	6.1	163.7	7	2556
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	4.7	3.5	1.7	1.3	1.3	0.1	0.7	0.7	2.7	1.3	2.0	4.6	24.6	7	2555
	07 LST	3.9	2.5	1.9	1.1	0.9	0.3	1.1	1.0	0.9	1.3	1.9	3.4	20.2	7	2556
	13 LST	6.7	4.2	4.3	4.3	2.9	2.6	2.7	4.6	5.1	3.6	2.7	3.6	47.3	7	2557
	19 LST	4.1	3.5	2.1	0.7	1.1	0.4	0.7	0.9	3.0	2.0	2.1	4.0	23.6	7	2556
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	1.7	3.1	5.6	8.6	10.1	10.1	12.0	8.8	8.3	10.3	9.1	6.3	94.0	7	2554
	07 LST	2.1	2.3	3.3	6.0	9.3	8.9	12.1	9.1	8.9	7.9	7.7	5.6	83.2	7	2556
	13 LST	3.6	3.5	10.1	12.3	13.9	15.1	11.1	12.9	12.4	12.4	10.9	6.9	125.1	7	2557
	19 LST	2.6	4.1	-0.1	17.0	16.1	17.5	15.3	16.3	14.3	12.1	9.9	5.4	140.7	7	2556
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	6.1	4.5	8.3	11.0	13.6	10.6	11.3	12.6	12.3	7.9	5.4	5.3	108.9	7	2556
	07 LST	2.6	2.0	4.4	6.3	7.4	7.4	7.3	5.6	5.1	3.0	1.9	4.6	57.6	7	2556
	13 LST	2.3	2.1	5.9	4.7	5.4	4.7	3.3	3.9	5.4	4.4	3.3	3.1	48.5	7	2557
	19 LST	4.3	3.0	5.7	7.6	8.6	6.7	6.6	5.4	8.4	7.3	4.7	4.3	72.6	7	2555
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	12.6	9.7	14.0	19.0	24.2	21.2	23.5	24.7	20.6	16.1	12.1	13.1	210.8	7	2556
	07 LST	9.6	7.7	11.7	16.3	22.6	20.6	22.1	22.0	16.7	14.4	8.7	11.1	183.5	7	2557
	13 LST	12.8	12.0	16.1	20.4	22.8	21.8	21.7	23.8	21.3	19.3	13.1	14.0	219.1	7	2557
	19 LST	10.5	10.6	15.7	21.6	26.3	24.2	25.0	26.2	22.7	17.9	11.9	11.5	224.1	7	2556
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	9.9	7.9	12.0	16.1	21.6	18.6	18.9	20.3	17.3	12.5	8.7	10.0	171.8	7	2556
	07 LST	7.0	5.9	10.3	13.3	18.9	17.7	18.7	18.1	13.7	11.3	5.4	8.4	148.7	7	2557
	13 LST	10.4	9.5	14.6	16.3	18.3	17.3	17.4	18.7	18.1	16.4	11.3	12.4	180.7	7	2557
	19 LST	8.4	7.6	12.7	18.3	24.3	21.2	21.1	22.9	19.6	14.9	9.0	9.3	189.3	7	2556
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	9.7	7.8	12.0	16.0	21.3	16.4	18.9	20.3	17.3	12.3	8.7	10.0	170.7	7	2556
	07 LST	7.0	5.9	10.1	13.3	18.7	17.7	18.6	18.1	13.7	11.3	5.4	8.1	147.9	7	2557
	13 LST	10.3	9.3	14.6	16.3	18.3	17.3	17.4	18.7	18.1	16.4	11.3	12.1	180.1	7	2557
	19 LST	8.3	7.5	12.6	18.3	24.0	21.2	21.1	22.9	19.3	14.9	8.9	9.3	188.3	7	2556

AREA 01

EAST GERMANY	NORTHERN PLAINS				LATITUDE 5230N		LONGITUDE 01300E							
	BOUNDARIES	5157N 01038E	5100N 01050E	5100N 01050E	5100N 01050E	5043N 01200E	5043N 01200E	5100N 01300E	5100N 01300E	5100N 01300E	5100N 01300E	5100N 01300E	5100N 01300E	5100N 01300E
PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)		35	35	45	54	64	70	73	72	66	56	44	38	54
MEAN MIN TMP (F)		28	25	31	37	45	52	56	55	48	43	36	32	41
LARGEST MEAN PRECIP(IN)		2.14	1.57	1.72	2.25	2.43	3.68	5.94	3.78	2.30	2.41	1.77	2.41	32.4
SMALLEST MEAN PRECIP(IN)		1.13	0.76	0.86	1.24	1.52	1.95	2.61	2.15	1.32	1.49	0.99	1.10	17.1
		MEAN NUMBER OF DAYS												
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	19.5	16.5	21.9	24.4	23.9	25.6	26.3	26.1	24.4	20.7	17.2	17.6	267.1
	07 LST	18.7	13.9	17.6	21.5	23.0	24.9	25.3	23.2	20.2	16.5	14.0	16.4	236.2
	13 LST	19.8	18.0	24.3	27.4	27.9	28.4	29.2	30.1	28.2	25.1	18.4	17.3	296.1
	19 LST	18.4	16.9	22.9	27.6	30.2	28.8	29.7	30.0	27.2	22.5	17.2	16.6	288.0
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	8.0	9.5	13.1	17.4	20.8	20.4	20.8	21.0	18.3	13.1	9.3	7.9	178.6
	07 LST	7.1	6.6	9.9	14.6	18.3	18.4	18.3	17.1	14.1	9.6	6.4	7.0	147.4
	13 LST	7.6	8.0	10.7	13.1	15.6	16.0	15.6	16.8	15.3	12.6	8.4	7.3	147.0
	19 LST	8.1	9.6	14.1	19.5	21.7	21.6	22.0	24.2	21.4	15.4	9.6	7.4	194.6
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	2.0	1.3	1.1	0.6	0.6	0.2	0.4	0.4	0.7	0.7	0.9	1.5	10.4
	07 LST	1.8	1.0	1.1	0.5	0.6	0.3	0.4	0.4	0.4	0.5	0.9	1.3	9.2
	13 LST	2.6	1.6	2.3	1.6	1.6	1.0	1.2	1.3	1.6	1.3	1.1	1.6	18.8
	19 LST	1.9	1.0	1.3	0.7	0.8	0.4	0.5	0.5	0.6	0.6	0.8	1.5	10.6
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	3.9	3.9	8.2	11.7	14.5	12.9	13.9	13.7	13.2	13.2	10.9	7.5	127.5
	07 LST	3.3	3.5	6.5	11.2	15.0	14.3	15.0	14.4	13.4	12.5	9.3	7.4	125.8
	13 LST	5.5	5.7	12.3	13.7	15.7	15.8	15.1	15.6	15.1	15.1	12.9	9.5	152.0
	19 LST	4.8	4.9	11.3	14.2	15.6	15.2	15.3	14.1	12.9	13.2	11.6	8.0	141.1
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	5.3	5.6	10.2	11.2	13.7	11.3	12.2	12.6	12.9	7.6	5.0	4.3	111.9
	07 LST	3.7	3.0	6.4	6.9	9.0	8.5	7.6	6.4	6.8	3.1	2.5	2.9	66.8
	13 LST	3.9	3.5	7.5	6.0	6.2	5.5	4.7	4.0	6.7	4.8	3.4	2.5	58.7
	19 LST	5.6	5.3	8.7	8.3	9.1	8.9	8.1	6.5	10.3	7.9	4.9	4.6	88.2
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	12.4	11.5	17.0	19.6	23.0	21.5	22.1	22.6	20.7	15.5	11.5	11.1	208.5
	07 LST	11.0	8.7	13.5	16.9	21.4	20.7	20.6	19.4	16.7	12.0	8.5	9.7	179.1
	13 LST	13.2	12.8	18.5	20.1	23.5	22.5	22.4	23.7	22.8	18.4	12.3	11.7	221.9
	19 LST	12.2	12.1	18.4	23.1	26.1	25.2	25.5	26.6	23.4	17.6	11.6	11.0	232.8
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	9.1	9.0	14.3	16.0	19.2	17.5	18.3	18.7	17.6	11.9	8.4	7.6	167.8
	07 LST	7.6	6.2	11.7	14.0	18.5	17.5	17.2	15.7	14.3	9.1	5.7	6.6	144.1
	13 LST	10.4	10.3	15.8	15.6	18.2	17.0	17.2	18.0	19.0	15.0	9.8	9.0	175.3
	19 LST	9.2	9.4	15.6	19.3	22.2	21.4	21.6	22.2	20.0	14.0	8.5	8.0	191.4
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	9.0	9.0	14.2	16.0	19.1	17.3	18.2	18.5	17.6	11.8	8.4	7.7	166.8
	07 LST	7.5	6.2	11.7	13.9	18.5	17.4	17.1	15.6	14.2	9.0	5.7	6.5	143.3
	13 LST	10.3	10.2	15.8	15.6	18.1	17.0	17.2	18.0	19.0	15.0	9.7	9.0	174.9
	19 LST	9.2	9.4	15.6	19.3	22.1	21.3	21.5	22.1	20.0	13.9	8.4	8.0	190.8

BROCKEN, EAST GERMANY

STA NO. 10453 (IN AREA NUMBER 02)

LATITUDE 5148N

LONGITUDE 01037E

ELEVATION(FT) 03780

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	57	54	55	68	72	75	81	73	72	68	57	54	81	9	3288
MEAN MAX TMP (F)	26	26	33	39	47	53	56	55	50	43	35	31	41	9	3288
MEAN MIN TMP (F)	20	19	25	30	38	44	47	47	42	37	29	25	34	9	3288
ABS MIN TMP (F)	-8	-18	5	12	19	30	32	36	28	19	10	7	-18	9	3288
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	3288
MEAN NO DYS TMP = DR LES 32(F)	28.6	25.5	23.8	20.1	9.1	1.0	0.2	0.0	1.4	9.8	22.4	27.3	169.2	9	3288
MEAN NO DYS TMP = DR LES 0(F)	0.6	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	9	3288
MEAN DEW PT TMP (F)	19	18	23	29	36	43	47	46	42	36	27	25	33	9	13088
MEAN REL HUM (PCT)	88	87	83	83	82	83	87	88	89	91	88	92	87	9	13084
MEAN PRESS ALT (FT)	3925	3911	3808	3759	3667	3638	3648	3666	3654	3720	3762	3921	3757	9	13136
MEAN PRECIP (IN)	5.89	4.33	3.13	3.04	3.66	5.38	6.45	4.96	4.37	4.68	3.43	5.48	54.8	9	3281
MEAN SNOW FALL (IN)						0.0	0.0	0.0						9	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	15.2	11.8	8.1	9.3	10.0	10.6	12.3	12.1	11.9	11.6	9.2	13.3	135.4	9	3281
MEAN NO DYS SNFL = DR GTR 1.5 IN						0.0	0.0	0.0						9	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	27.3	24.2	22.2	20.0	20.4	18.8	21.6	23.7	22.3	24.8	25.1	27.8	278.2	9	3266
MEAN NO DYS TSTMS	0.1	0.0	0.6	1.6	3.7	4.7	6.4	6.4	1.8	0.3	0.0	0.8	26.6	9	3283
P FREQ WND SPD = DR GTR 17 KTS	79.9	69.9	60.8	52.4	49.7	48.1	56.5	53.9	56.0	65.7	64.5	73.2	60.9	9	13144
P FREQ WND SPD = DR GTR 28 KTS	45.4	34.5	22.4	15.4	11.1	9.2	17.9	17.0	22.0	26.3	29.2	40.9	24.3	9	13144
P FREQ LES 3000 FT A/D LES 5 MI	75.6	73.5	63.5	57.1	52.1	56.7	61.2	62.7	58.5	70.4	70.0	78.4	65.0	9	10699
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	74.6	73.0	59.1	59.1	53.5	54.1	59.3	60.1	58.2	66.7	68.4	77.8	63.7	9	3138
03-05 LST														0	0
06-08 LST	73.9	70.4	58.7	53.9	45.7	51.4	61.7	65.5	60.0	67.7	68.6	75.5	62.8	9	3076
09-11 LST														0	0
12-14 LST	72.2	69.6	54.8	59.0	57.3	61.9	67.5	66.7	61.1	65.5	66.7	75.8	64.8	9	2983
15-17 LST														0	0
18-20 LST	72.8	73.6	60.1	50.0	45.0	47.7	47.8	49.5	54.6	71.1	68.3	76.2	59.7	9	3117
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	73.3	70.2	54.8	52.9	48.9	46.7	53.7	54.8	54.3	63.0	67.1	75.9	59.6	9	3138
03-05 LST														0	0
06-08 LST	73.5	68.2	54.7	49.0	41.7	48.8	56.7	62.4	59.0	65.8	66.0	72.7	59.9	9	3076
09-11 LST														0	0
12-14 LST	72.0	68.0	47.5	44.3	35.3	37.1	42.9	45.4	47.5	59.4	65.9	74.6	53.3	9	2983
15-17 LST														0	0
18-20 LST	71.9	72.3	52.5	39.7	35.0	35.4	35.6	39.1	49.6	68.4	66.9	73.8	53.4	9	3117
21-23 LST														0	0

BROCKEN, EAST GERMANY

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	8.1	7.8	12.8	12.4	14.7	14.5	13.0	12.9	12.8	10.9	9.5	7.0	136.4	9	3138
	07 LST	8.2	8.4	13.1	14.1	17.2	14.8	12.2	10.9	12.0	10.4	9.7	7.8	138.8	9	3076
	13 LST	8.7	8.6	14.3	12.7	14.1	13.0	10.6	10.6	11.7	10.7	10.2	7.8	133.0	9	2983
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	0.8	1.0	3.4	2.9	3.1	2.8	2.6	2.8	2.9	1.7	1.4	1.3	26.7	9	3138
	07 LST	0.7	1.8	3.5	3.7	5.2	4.3	3.4	3.3	3.0	2.8	0.9	1.6	34.2	9	3076
	13 LST	1.5	1.4	3.4	2.3	2.2	1.8	0.7	1.2	3.7	3.4	1.8	1.6	25.0	9	2983
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	16.8	13.3	14.0	12.3	14.9	12.6	13.4	14.2	15.0	15.7	15.1	16.1	173.4	9	3285
	07 LST	14.7	13.0	15.0	11.2	12.2	11.7	14.3	14.3	13.8	14.8	13.7	15.9	164.6	9	3284
	13 LST	14.6	10.9	13.6	10.6	9.4	9.6	12.7	12.0	10.9	13.9	14.9	14.3	147.4	9	3285
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	0.8	0.7	2.4	2.3	3.9	5.2	4.7	4.8	5.2	3.6	2.3	0.4	36.3	9	3285
	07 LST	0.3	0.8	2.7	2.9	8.0	4.9	6.0	5.7	5.9	3.9	1.1	0.7	42.9	9	3284
	13 LST	0.8	0.7	3.9	4.7	7.0	6.1	4.7	5.6	6.9	5.9	2.3	1.0	49.6	9	3284
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	5.5	4.8	7.7	8.6	8.3	8.1	6.9	6.7	7.3	6.0	5.0	3.4	78.3	9	3285
	07 LST	5.6	4.6	6.1	7.0	6.6	6.6	3.8	3.5	6.3	4.8	4.3	3.3	62.5	9	3285
	13 LST	4.6	4.1	6.2	3.7	4.0	2.4	2.7	1.8	4.8	3.7	3.7	2.3	44.0	9	3276
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	4.1	3.8	5.6	6.3	4.6	5.1	5.0	3.3	6.7	4.3	4.7	3.1	56.6	9	3283
	07 LST	7.7	7.4	12.4	12.0	14.1	13.0	12.3	11.9	12.3	9.8	9.4	6.7	129.0	9	3138
	13 LST	8.0	8.0	12.4	13.5	16.4	14.2	11.4	10.4	11.9	9.7	9.1	7.4	132.4	9	3076
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	8.6	8.4	13.6	11.9	12.4	9.9	9.6	10.1	11.6	10.7	9.7	7.1	123.6	9	2983
	07 LST	8.4	7.4	12.1	14.6	16.3	15.2	15.7	15.4	13.5	8.8	9.3	7.2	143.9	9	3117
	13 LST	7.4	7.2	11.9	11.9	13.7	12.2	12.1	11.5	11.8	9.1	8.5	6.3	123.6	9	3138
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	7.8	7.6	11.1	13.0	15.7	13.3	10.7	9.6	10.8	9.3	8.7	7.0	124.6	9	3076
	13 LST	7.9	8.1	12.5	11.7	12.4	9.7	9.6	10.1	11.2	10.3	8.5	6.0	118.0	5	2983
	19 LST	7.9	7.1	11.2	14.2	15.7	14.9	15.1	14.6	13.0	8.4	8.9	6.7	137.7	9	3117
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	6.8	7.1	11.6	11.5	13.5	12.1	11.9	11.3	11.5	9.0	8.2	6.2	120.7	9	3138
	07 LST	7.8	7.5	11.0	12.7	15.7	13.3	10.3	9.4	10.6	8.7	8.3	6.6	121.9	9	3076
	13 LST	7.9	8.1	11.9	11.5	12.4	9.7	9.6	10.1	11.2	10.3	8.3	5.9	116.9	9	2983
	19 LST	7.6	7.1	10.4	14.0	15.6	14.7	15.1	14.1	12.6	8.4	8.8	6.3	134.7	9	3117

KALTENNORDHEIM, EAST GERMANY

STA NO. 10546 (IN AREA NUMBER 02)

LATITUDE 5039N

LONGITUDE 01009E

ELEVATION(FT) 01621

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. LBS
ABS MAX TMP (F)	48	57	64	79	84	84	93	88	84	72	55	52	93	9	3285
MEAN MAX TMP (F)	31	33	44	52	60	66	69	67	61	52	40	35	51	9	3285
MEAN MIN TMP (F)	24	23	30	35	42	48	52	51	46	40	33	29	38	9	3287
ABS MIN TMP (F)	-8	-11	0	18	27	34	39	36	30	23	14	9	-11	9	3287
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.0	0.0	0.0	0.0	0.7	9	3285
MEAN NO DYS TMP = DR LES 32(F)	26.5	22.9	19.8	11.2	3.3	0.0	0.0	0.0	0.7	4.0	14.0	21.6	124.0	9	3287
MEAN NO DYS TMP = DR LES 0(F)	0.4	1.9	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	9	3287
MEAN DEW PT TMP (F)	25	24	30	35	42	48	52	51	47	41	33	30	38	9	13140
MEAN REL HUM (PCT)	89	86	79	74	73	75	77	79	82	86	90	91	82	9	13140
MEAN PRESS ALT (FT)	1512	1515	1506	1512	1500	1522	1549	1551	1493	1487	1453	1556	1513	9	13140
MEAN PRECIP (IN)	2.22	1.53	1.67	1.74	2.41	2.72	3.52	3.10	2.71	3.06	1.75	2.39	28.8	9	3285
MEAN SNOW FALL (IN)						0.0	0.0	0.0	0.0					9	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	6.4	5.3	5.2	5.7	7.1	7.2	7.4	8.7	8.7	7.7	5.4	7.4	82.2	9	3285
MEAN NO DYS SNFL = DR GTR 1.5 IN						0.0	0.0	0.0	0.0					9	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	4.9	4.3	3.3	1.0	1.0	0.3	0.8	1.4	3.5	6.4	7.8	8.3	43.0	9	3280
MEAN NO DYS TSTMS	0.0	0.1	0.4	1.4	4.4	5.6	7.2	6.6	1.9	0.3	0.2	0.1	23.2	9	3286
P FREQ WND SPD = DR GTR 17 KTS	13.3	8.2	5.1	4.8	3.2	1.6	1.5	3.0	3.8	5.0	6.4	9.8	5.5	9	13144
P FREQ WND SPD = DR GTR 28 KTS	1.2	0.6	0.2	0.1	0.1	0.0	0.0	0.0	0.1	0.0	0.2	1.2	0.3	9	13144
P FREQ LES 5000 FT A/O LES 5 MI	84.5	79.0	60.5	52.6	44.9	48.3	48.8	48.5	54.7	72.1	83.0	87.9	63.9	9	13119
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	62.4	59.4	42.4	29.8	23.0	31.8	23.0	26.1	35.6	44.6	64.8	75.5	43.1	9	3287
03-05 LST														0	0
06-08 LST	66.8	62.8	39.8	28.6	28.3	29.8	33.9	33.1	39.4	57.4	69.3	72.8	46.8	9	3286
09-11 LST														0	0
12-14 LST	58.9	44.2	29.8	25.2	20.8	22.9	25.8	20.2	25.8	38.2	57.5	64.7	36.2	9	3287
15-17 LST														0	0
18-20 LST	62.1	51.8	29.7	17.5	11.6	16.6	14.8	15.0	19.3	36.7	56.4	65.9	33.1	9	3281
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	25.1	28.6	14.0	3.1	5.8	8.1	4.7	6.5	13.0	20.1	26.3	31.2	16.0	9	3287
03-05 LST														0	0
06-08 LST	29.1	23.9	13.4	4.4	4.3	3.3	3.6	8.6	11.9	22.9	30.7	31.9	15.7	9	3296
09-11 LST														0	0
12-14 LST	15.1	11.0	2.2	1.9	0.0	0.7	0.7	0.0	0.7	4.3	18.5	20.1	6.3	9	3287
15-17 LST														0	0
18-20 LST	27.0	25.9	3.2	1.5	0.0	0.4	0.4	0.4	2.6	9.0	20.0	23.3	9.5	9	3281
21-23 LST														0	0

KALTENNORDHEIM, EAST GERMANY

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	14.8	13.9	20.1	24.0	26.7	23.1	25.6	25.1	22.7	19.8	14.6	10.6	241.0	9	3287
	07 LST	14.1	13.4	20.3	24.8	25.0	23.2	23.3	22.9	21.0	16.4	12.4	11.8	228.6	9	3286
	13 LST	16.5	18.7	25.3	27.1	29.0	26.9	27.0	28.7	27.1	23.8	16.4	14.0	280.7	9	3287
	19 LST	15.1	16.4	24.0	27.0	29.6	27.1	28.6	28.7	26.7	23.0	16.4	13.3	275.9	9	3281
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	5.9	7.1	13.3	15.6	19.3	16.7	19.6	18.6	15.0	12.3	5.2	3.9	152.5	9	3287
	07 LST	4.7	5.9	14.8	16.3	17.4	17.3	15.9	16.2	14.0	8.7	4.8	3.7	139.7	9	3286
	13 LST	6.0	8.9	11.4	8.8	10.2	11.6	8.9	11.7	10.9	8.4	4.8	5.8	107.4	9	3287
	19 LST	5.8	8.7	16.6	15.8	19.0	18.4	19.1	21.3	19.3	14.5	7.9	6.0	172.4	9	3281
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	1.1	1.4	0.7	0.2	0.1	0.2	0.1	0.3	0.4	0.4	0.8	0.9	6.6	9	3288
	07 LST	1.0	0.7	0.4	0.2	0.2	0.1	0.2	0.3	0.2	0.4	1.1	1.3	6.1	9	3287
	13 LST	1.3	0.9	1.9	1.3	1.0	0.8	0.8	1.4	1.1	1.8	1.1	1.4	14.8	9	3287
	19 LST	1.9	0.7	0.8	1.1	0.3	0.2	0.1	0.7	0.4	0.6	1.7	1.1	9.6	9	3286
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	1.4	2.5	4.4	7.1	7.2	7.6	9.9	7.9	8.3	10.4	8.7	3.1	78.5	9	3288
	07 LST	1.6	1.6	4.1	7.8	10.6	11.6	11.8	9.0	8.0	8.9	6.8	3.2	85.0	9	3287
	13 LST	1.9	4.6	12.7	11.9	13.0	17.0	14.4	13.6	16.3	15.3	12.4	4.8	137.9	9	3287
	19 LST	1.7	3.0	9.1	13.6	15.2	15.9	17.3	15.8	12.0	11.3	10.2	5.6	130.7	9	3286
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	5.0	6.0	10.9	10.8	13.9	10.9	12.9	12.8	11.7	9.1	3.6	2.4	110.0	9	3288
	07 LST	4.0	4.2	8.2	8.4	8.6	8.3	7.6	6.3	7.9	4.0	3.0	2.4	72.9	9	3286
	13 LST	3.7	6.0	7.8	6.2	6.4	5.6	5.4	4.1	6.7	5.4	3.1	3.0	63.4	9	3287
	19 LST	4.3	6.4	9.4	8.0	8.9	8.5	8.1	8.0	11.2	9.4	6.2	3.7	92.1	9	3281
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	8.4	9.0	15.3	17.5	20.6	17.2	21.3	20.0	15.7	13.8	6.5	4.5	169.8	9	3287
	07 LST	6.4	7.3	16.4	17.5	19.1	18.7	17.4	16.0	15.1	9.7	5.6	5.0	136.2	9	3286
	13 LST	8.9	12.4	17.8	17.0	19.1	18.5	18.2	19.6	17.0	14.2	8.7	7.9	179.3	9	3287
	19 LST	8.3	10.3	18.7	21.6	24.7	22.2	23.6	23.3	21.3	15.8	9.6	7.5	206.9	9	3281
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	7.9	8.0	14.2	15.3	19.4	15.7	18.8	18.0	14.8	12.0	5.7	3.9	153.7	9	3287
	07 LST	5.6	6.6	14.7	15.6	16.9	17.2	15.7	15.6	14.0	8.6	4.4	4.4	139.3	9	3286
	13 LST	8.1	11.6	16.8	15.1	16.9	16.0	16.2	17.3	15.8	13.0	7.7	7.1	161.6	9	3287
	19 LST	7.5	9.1	16.9	19.6	23.4	20.7	21.8	21.2	19.9	14.4	9.1	6.4	190.0	9	3281
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	7.9	8.0	14.2	15.3	19.4	15.7	18.8	18.0	14.8	12.0	5.7	3.9	153.7	9	3287
	07 LST	5.6	6.6	14.7	15.6	16.9	17.1	15.7	15.6	14.0	8.6	4.4	4.4	139.2	9	3286
	13 LST	8.0	11.6	16.8	15.1	16.9	16.0	16.2	17.3	15.8	13.0	7.7	7.1	161.5	9	3287
	19 LST	7.5	9.1	16.9	19.6	23.4	20.7	21.6	21.2	19.9	14.4	9.1	6.4	189.8	9	3281

GROSSER INSELSBERG, EAST GERMANY

STA NO. 10549 (IN AREA NUMBER 02)

LATITUDE 5051N

LONGITUDE 01028E

ELEVATION(FT) 03019

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PJR (YRS)	NO. UBS
ABS MAX TMP (F)	52	55	57	72	75	82	88	81	75	66	55	52	88	9	3287
MEAN MAX TMP (F)	27	27	37	44	53	59	61	60	54	46	35	31	45	9	3287
MEAN MIN TMP (F)	21	21	28	34	41	47	51	50	45	39	30	27	36	9	3288
ABS MIN TMP (F)	-8	-18	7	14	23	34	36	39	30	25	10	7	-18	9	3288
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	3287
MEAN NO DYS TMP = DR LES 32(F)	29.7	25.0	20.0	15.1	5.0	0.0	0.0	0.0	0.3	5.8	19.6	26.3	146.8	9	3288
MEAN NO DYS TMP = DR LES 0(F)	0.7	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8	9	3288
MEAN DEW PT TMP (F)	22	21	27	32	39	46	50	49	44	39	31	27	36	9	13128
MEAN REL HUM (PCT)	93	91	84	80	78	80	83	84	86	91	95	95	97	9	13116
MEAN PRESS ALT (FT)	3104	3104	3018	2968	2883	2854	2864	2880	2869	2930	2981	3119	2965	9	13144
MEAN PRECIP (IN)	4.57	3.00	2.69	3.04	3.29	4.42	4.74	4.98	3.81	4.01	2.75	4.06	45.4	9	3285
MEAN SNOW FALL (IN)						0.0	0.0	0.0	0.0					9	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	13.9	8.9	7.2	8.4	9.1	9.0	10.9	11.4	8.8	9.1	7.8	11.5	116.0	9	3285
MEAN NO DYS SNFL = DR GTR 1.5 IN						0.0	0.0	0.0	0.0					9	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	27.3	23.3	19.7	16.0	15.9	15.7	17.7	17.9	19.6	24.4	26.8	27.4	251.7	9	3288
MEAN NO DYS TSTMS	0.0	0.0	0.3	1.1	4.3	4.7	5.6	6.2	1.3	0.4	0.1	0.2	24.2	9	3287
P FREQ WND SPD = DR GTR 17 KTS	52.2	40.3	28.7	23.2	23.5	18.9	27.5	26.1	30.0	37.3	38.2	46.7	32.7	9	13148
P FREQ WND SPD = DR GTR 28 KTS	21.2	12.5	8.4	4.9	4.7	2.1	7.3	6.1	10.9	11.1	11.7	16.1	9.8	9	13148
P FREQ LES 5000 FT A/D LES 5 MI	81.1	77.6	62.7	56.8	50.7	53.3	55.9	55.3	56.9	69.0	78.4	83.0	65.1	9	12771
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	79.2	73.0	54.2	48.6	40.6	42.7	49.6	46.7	52.4	64.7	78.5	79.7	59.2	9	3287
03-05 LST														0	0
06-08 LST	81.0	75.9	58.9	52.9	50.3	51.4	59.5	59.5	57.1	69.9	80.9	81.7	64.9	9	3264
09-11 LST														0	0
12-14 LST	80.5	71.3	56.0	56.3	49.0	54.5	55.3	57.3	53.6	65.0	74.6	81.8	62.9	9	3236
15-17 LST														0	0
18-20 LST	78.0	73.8	51.5	42.9	38.2	36.9	38.2	32.3	47.5	60.8	72.2	79.6	54.3	9	3266
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	73.1	63.5	47.3	38.9	28.3	34.1	34.8	37.3	44.8	58.8	73.3	75.2	50.8	9	3287
03-05 LST														0	0
06-08 LST	77.4	69.0	50.7	45.3	42.2	43.8	52.7	52.4	54.1	66.1	77.7	79.2	59.2	9	3264
09-11 LST														0	0
12-14 LST	75.5	57.8	44.0	25.8	18.0	19.9	21.4	20.1	28.8	47.1	66.9	78.2	42.0	9	3236
15-17 LST														0	0
18-20 LST	72.0	64.6	38.4	23.0	19.6	17.5	18.8	17.5	31.6	50.0	64.3	72.8	40.8	9	3266
21-23 LST														0	0

GROSSER INSELSBERG, EAST GERMANY

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	6.6	7.7	14.6	16.3	19.0	18.1	16.9	17.6	14.4	11.2	6.6	6.6	155.6	9	3287
	07 LST	6.1	6.9	13.4	14.8	16.0	15.3	13.2	13.2	13.1	9.5	5.9	5.9	133.3	9	3264
	13 LST	6.1	8.1	13.9	14.3	18.0	15.2	14.8	14.4	14.2	11.0	7.9	5.9	143.8	9	3236
	19 LST	7.0	7.5	15.6	18.5	20.8	19.9	20.8	22.1	16.3	12.5	8.7	6.6	176.3	9	3266
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	1.8	3.0	5.4	5.9	7.8	6.6	6.9	5.6	5.5	4.0	1.3	2.3	56.1	9	3286
	07 LST	1.7	3.3	5.6	7.2	8.3	8.3	6.8	6.4	7.1	4.8	1.9	2.3	63.7	9	3264
	13 LST	2.3	3.6	8.6	5.8	5.6	5.8	6.3	6.4	7.9	5.8	2.1	2.7	62.9	9	3236
	19 LST	2.3	2.9	7.4	8.7	10.2	10.5	9.5	10.9	8.4	5.6	2.5	2.4	81.3	9	3266
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	10.9	7.8	7.0	5.9	7.2	5.1	7.7	8.1	9.0	9.7	10.1	9.3	97.8	9	3284
	07 LST	10.9	7.5	7.3	5.8	6.3	4.4	6.7	6.4	7.0	10.7	9.4	10.2	92.6	9	3288
	13 LST	9.4	7.1	5.6	4.7	4.7	3.6	5.0	5.6	6.1	8.8	8.6	9.6	78.8	9	3288
	19 LST	9.9	7.1	6.0	3.7	4.6	2.8	5.0	4.9	6.1	7.8	9.1	9.1	76.1	9	3287
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	0.4	1.1	4.4	5.3	8.2	8.9	8.1	7.8	9.0	6.0	2.3	2.1	63.6	9	3284
	07 LST	0.6	0.9	4.4	6.2	9.4	11.6	9.1	10.6	9.6	5.3	2.4	1.0	71.1	9	3288
	13 LST	0.9	2.4	7.6	7.8	9.6	11.9	9.3	12.1	10.8	9.7	3.8	1.6	87.5	9	3285
	19 LST	0.8	2.1	5.9	9.2	12.3	11.3	11.7	11.4	9.8	7.1	2.4	1.6	85.6	9	3286
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	5.0	5.9	10.0	11.4	13.7	11.4	11.6	11.0	11.7	7.8	4.4	3.6	107.5	9	3287
	07 LST	3.8	4.2	6.3	7.3	7.9	7.1	6.3	5.2	7.7	4.9	2.6	3.4	66.7	9	3288
	13 LST	2.8	4.1	6.4	5.0	5.3	4.6	3.4	2.7	5.1	4.1	2.6	2.6	48.7	9	3288
	19 LST	4.7	4.9	7.8	6.6	6.7	6.8	6.3	5.0	9.7	8.1	5.2	4.3	76.1	9	3288
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	6.3	7.3	13.7	14.4	17.6	16.2	14.2	15.3	14.0	10.6	6.3	5.9	141.8	9	3287
	07 LST	5.7	6.5	11.7	13.3	14.7	13.6	11.8	11.6	12.3	9.0	5.4	5.4	121.0	9	3264
	13 LST	5.9	7.9	13.3	11.9	13.8	12.2	13.0	12.1	13.7	10.7	7.3	5.4	127.2	9	3236
	19 LST	6.6	7.0	14.3	15.8	17.5	17.9	17.5	19.7	15.2	11.7	8.0	5.9	157.1	9	3266
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	6.2	7.1	13.3	14.1	17.1	15.6	13.9	14.7	13.9	10.3	6.0	5.2	137.4	9	3287
	07 LST	5.6	6.3	10.9	12.6	13.8	12.7	11.3	10.8	11.4	8.3	5.1	5.1	113.9	9	3264
	13 LST	5.8	7.6	12.9	11.8	13.8	12.1	12.9	11.9	13.4	10.5	6.8	5.0	124.5	9	3236
	19 LST	6.6	6.6	13.4	15.7	16.8	17.4	17.2	18.8	14.8	11.4	7.8	5.7	152.2	9	3266
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	6.2	7.0	12.8	14.0	17.1	15.3	13.9	14.6	13.9	10.0	5.8	5.2	135.8	9	3287
	07 LST	5.6	6.0	10.5	12.2	13.5	12.6	10.9	10.8	10.9	7.9	4.9	5.0	110.8	9	3264
	13 LST	5.4	7.5	12.6	11.7	13.8	12.1	12.9	11.9	13.4	10.0	6.3	4.5	122.1	9	3236
	19 LST	6.0	6.4	13.2	15.7	16.6	17.2	17.0	18.6	14.7	11.4	7.4	5.4	149.6	9	3266

SONNEBERG, EAST GERMANY

STA NO. 10558 (IN AREA NUMBER 02)	LATITUDE 5023N												LONGITUDE 0111E												ELEVATION(FT) 02067	
PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NJ. UBS											
ABS MAX TMP (F)	50	57	63	77	84	86	93	86	88	72	59	39	49	9	3287											
MEAN MAX TMP (F)	29	30	42	50	59	65	68	67	60	51	38	33	49	9	3287											
MEAN MIN TMP (F)	23	23	30	36	44	50	54	52	47	41	32	28	38	9	3283											
ABS MIN TMP (F)	-2	-13	10	18	27	37	39	41	32	25	14	10	-13	9	3283											
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.0	0.0	0.0	0.0	0.7	9	3287											
MEAN NO DYS TMP = DR LES 32(F)	28.2	24.4	18.4	10.3	2.1	0.0	0.0	0.0	0.1	3.2	15.9	22.9	125.5	9	3283											
MEAN NO DYS TMP = DR LES 0(F)	0.3	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	9	3283											
MEAN DEW PT TMP (F)	24	23	29	34	41	48	52	51	47	41	33	29	38	9	13144											
MEAN REL HUM (PCT)	91	88	80	75	72	75	78	79	82	88	92	94	83	9	13144											
MEAN PRESS ALT (FT)	2108	2156	2109	2091	2042	1994	2009	2014	1975	2000	2004	2132	2053	9	3281											
MEAN PRECIP (IN)	3.05	2.40	2.11	2.00	2.64	3.39	4.37	3.89	3.51	3.38	2.41	3.66	36.8	9	-29											
MEAN SNOW FALL (IN)						0.0	0.0	0.0	0.0					9	3281											
MEAN NO DYS PRCP = DR GTR 0.1 IN	10.6	7.6	5.9	6.6	6.9	8.6	10.2	9.6	8.8	8.4	5.2	9.4	98.8	9	3281											
MEAN NO DYS SNFL = DR GTR 1.5 IN						0.0	0.0	0.0	0.0					9	-29											
MEAN NO DYS W/O CUR VSBY LES 1/2 MI	19.1	13.6	9.3	6.8	5.7	7.1	9.4	8.9	11.3	16.3	18.4	21.7	147.6	9	3285											
MEAN NO DYS TSTMS	0.1	0.0	0.3	1.2	4.9	6.8	7.4	8.9	2.3	0.7	0.0	0.6	33.2	9	3286											
P FREQ WND SPD = DR GTR 17 KTS	15.0	14.9	11.3	10.5	7.8	4.9	5.1	3.3	5.6	5.9	6.4	11.6	8.5	9	13136											
P FREQ WND SPD = DR GTR 28 KTS	1.4	3.0	0.7	0.4	0.2	0.2	0.3	0.4	0.3	0.4	0.5	0.7	0.7	9	13136											
P FREQ LES 5000 FT A/D LES 5 MI	86.1	81.7	64.0	53.1	41.8	44.8	46.2	43.3	51.2	68.8	82.4	88.5	62.7	9	13141											
P FREQ LES 1500 FT A/D LES 3 MI														9	3284											
FOR 00-02 LST	72.9	70.2	45.3	36.4	27.4	28.4	30.1	28.1	35.8	53.5	62.6	77.1	47.3	0	0											
03-05 LST														9	3286											
06-08 LST	74.0	71.3	47.3	37.6	33.5	36.6	47.4	40.2	48.2	60.7	73.5	80.5	54.2	0	0											
09-11 LST														9	3287											
12-14 LST	71.2	62.3	42.9	34.6	25.7	29.2	26.3	26.7	34.8	48.8	67.4	74.5	45.4	0	0											
15-17 LST														9	3287											
18-20 LST	71.8	63.2	42.7	25.7	17.4	17.5	17.9	12.8	23.5	42.0	58.2	73.8	38.9	0	0											
21-23 LST																										
P FREQ LES 300 FT A/D LES 1 MI														9	3284											
FOR 00-02 LST	46.2	37.6	19.0	14.8	10.1	13.0	16.5	15.4	22.7	33.8	39.3	49.8	26.5	0	0											
03-05 LST														9	3286											
06-08 LST	47.1	44.7	25.8	18.5	19.0	24.1	33.3	7		47.8	50.7	57.0	36.2	0	0											
09-11 LST														9	3287											
12-14 LST	41.0	31.0	15.1	6.3	4.3	4.1	5.4	7		23.3	40.7	53.0	20.1	0	0											
15-17 LST														9	3287											
18-20 LST	43.9	33.3	15.8	10.0	3.6	4.4	7.5	3.6	10.0	20.4	33.7	48.0	19.5	0	0											
21-23 LST																										

SONNEBERG, EAST GERMANY

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. UBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	9.6	9.6	18.4	21.2	24.4	23.9	23.2	23.6	20.3	16.1	13.0	8.7	212.0	9	3284
	07 LST	9.0	9.0	17.3	20.3	21.9	20.1	17.0	19.3	16.2	12.8	9.3	7.4	179.6	9	3286
	13 LST	10.3	11.4	19.7	23.6	26.9	25.0	27.1	25.8	22.6	18.1	11.3	8.8	230.6	9	3287
	19 LST	10.4	11.9	19.3	24.9	27.4	26.7	27.0	27.9	24.3	20.1	14.7	9.1	243.7	9	3287
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	4.5	4.2	9.3	10.9	14.3	13.3	15.4	18.0	13.4	9.9	7.2	4.0	124.9	9	3281
	07 LST	4.3	4.5	9.8	12.4	15.1	14.8	13.7	15.3	12.2	9.8	4.8	3.6	120.3	9	3286
	13 LST	4.6	6.1	10.1	8.6	10.6	10.9	10.9	13.0	11.2	10.9	5.9	5.0	107.8	9	3287
	19 LST	4.9	4.9	10.4	12.6	15.2	15.2	16.9	21.2	14.9	11.9	7.3	4.8	140.2	9	3287
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	2.7	2.6	2.7	2.1	1.4	1.2	1.2	0.2	0.3	1.0	1.0	1.7	18.1	9	3283
	07 LST	2.1	2.5	2.0	1.8	1.9	0.8	0.8	0.4	1.0	1.1	0.9	1.4	16.7	9	3287
	13 LST	1.8	2.0	2.7	1.7	1.6	1.4	1.8	1.6	1.9	0.8	0.9	1.3	19.5	9	3287
	19 LST	2.1	2.6	3.0	1.8	2.1	1.2	1.1	0.6	0.7	0.8	1.2	1.9	19.1	9	3287
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	0.7	2.6	8.1	9.4	15.4	12.4	15.8	16.9	14.0	13.5	8.4	3.9	121.1	9	3282
	07 LST	0.8	2.3	4.9	10.3	15.7	15.2	16.4	14.2	13.4	12.8	5.3	3.0	114.3	9	3286
	13 LST	2.3	4.0	12.2	11.1	14.0	14.6	14.0	15.6	16.2	17.0	10.1	4.0	135.1	9	3287
	19 LST	1.9	3.6	8.4	11.4	13.6	13.7	15.2	15.8	12.6	12.9	8.6	4.1	121.8	9	3287
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	3.9	4.0	9.8	10.4	12.7	9.7	9.5	10.0	12.0	8.0	4.4	3.0	97.4	9	3285
	07 LST	3.1	3.7	7.4	8.3	8.9	8.2	8.1	6.1	8.6	5.7	2.8	2.4	73.3	9	3286
	13 LST	2.6	4.4	8.2	7.1	6.4	4.1	4.2	4.2	7.6	4.9	3.1	2.3	59.1	9	3286
	19 LST	3.0	5.2	7.6	7.2	7.0	7.1	8.2	6.8	10.2	7.8	4.9	2.6	77.6	9	3287
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	7.2	7.1	15.3	16.8	20.4	19.0	19.8	20.5	17.9	12.4	9.5	5.7	171.6	9	3284
	07 LST	7.0	7.1	15.2	16.8	19.2	17.6	15.3	17.2	14.8	11.3	6.4	4.6	152.5	9	3286
	13 LST	7.6	9.7	15.5	15.7	19.0	17.4	18.1	19.0	16.4	13.6	8.2	6.9	167.1	9	3287
	19 LST	7.0	8.9	16.1	19.6	23.5	22.6	23.5	23.7	21.2	15.6	10.2	7.1	201.0	9	3287
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	6.9	6.8	14.8	15.9	19.8	18.3	18.8	19.3	17.0	11.7	9.3	5.7	164.3	9	3284
	07 LST	6.6	6.9	14.6	16.0	18.7	16.8	14.2	16.1	14.4	10.8	5.9	4.3	145.3	9	3286
	13 LST	7.1	9.6	14.9	15.0	18.3	16.7	16.7	17.7	15.8	13.0	7.9	6.6	159.3	9	3287
	19 LST	6.5	8.7	15.4	19.1	22.8	21.7	22.1	24.6	20.3	14.9	9.8	6.7	192.6	9	3287
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	6.9	6.8	14.7	15.9	19.8	18.3	18.6	19.3	17.0	11.7	9.3	5.6	163.9	9	3284
	07 LST	6.6	6.9	14.6	16.0	18.7	16.8	14.2	16.1	14.4	10.8	5.9	4.3	145.3	9	3286
	13 LST	7.1	9.6	14.9	15.0	18.3	16.7	16.7	17.7	15.0	13.0	7.9	6.6	159.3	9	3287
	19 LST	6.5	8.7	15.4	19.0	22.8	21.7	22.1	24.6	20.3	14.9	9.8	6.7	192.5	9	3287

PLAUEN, EAST GERMANY

STA NO. 10569 (IN AREA NUMBER 02)

LATITUDE 5030N

LONGITUDE 01209E

ELEVATION(FT) 01339

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	54	64	68	82	84	88	97	93	86	75	64	57	97	9	3287
MEAN MAX TMP (F)	32	34	45	53	62	69	71	71	64	55	42	37	53	9	3287
MEAN MIN TMP (F)	25	23	30	36	43	50	54	52	46	41	34	30	39	9	3287
ABS MIN TMP (F)	-9	-18	1	10	27	34	39	37	28	23	12	7	-18	9	3287
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.6	0.0	0.0	0.0	0.0	1.9	9	3287
MEAN NO DYS TMP = OR LES 32(F)	25.4	21.9	19.3	12.0	3.2	0.0	0.0	0.0	0.9	4.7	12.2	19.2	118.8	9	3287
MEAN NO DYS TMP = OR LES 0(F)	0.9	2.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	9	3287
MEAN DEW PT TMP (F)	24	23	30	36	43	50	53	52	47	42	34	30	39	9	13148
MEAN REL HUM (PCT)	85	84	78	76	74	75	76	77	80	83	86	87	80	9	13144
MEAN PRESS ALT (FT)	1236	1231	1222	1238	1226	1252	1280	1278	1217	1211	1175	1276	1237	9	13140
MEAN PRECIP (IN)	1.66	1.31	1.57	1.86	2.20	3.01	3.92	2.85	1.77	2.20	1.21	1.43	25.0	9	3282
MEAN SNOW FALL (IN)						0.0	0.0	0.0						9	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.5	4.5	5.7	7.1	6.9	7.3	9.0	7.5	6.0	5.9	3.8	4.8	74.0	9	3292
MEAN NO DYS SNFL = OR GTR 1.5 IN						0.0	0.0	0.0						9	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	3.3	3.0	4.0	3.8	1.2	1.0	1.8	2.6	3.3	4.9	3.3	3.4	35.6	9	3283
MEAN NO DYS TSTMS	0.2	0.0	0.1	1.7	4.2	6.3	6.3	7.2	1.4	0.1	0.0	0.1	27.6	9	3286
P FREQ WND SPD = OR GTR 17 KTS	5.9	2.5	2.5	1.2	1.3	0.2	1.2	1.3	1.2	1.5	3.2	3.9	2.2	9	13136
P FREQ WND SPD = OR GTR 28 KTS	0.3	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.1	9	13136
P FREQ LES 5000 FT A/D LES 5 MI	79.5	78.2	64.6	59.6	52.5	50.7	50.8	51.5	54.9	64.1	76.1	81.0	63.6	9	13132
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	42.3	45.1	31.9	24.7	17.5	19.1	20.6	14.7	23.6	32.1	39.9	41.0	29.4	9	3287
03-05 LST														0	0
06-08 LST	47.9	58.8	49.7	44.8	33.0	30.5	25.9	31.9	41.9	47.1	46.1	45.2	41.9	9	3286
09-11 LST														0	0
12-14 LST	43.5	39.9	27.9	20.5	17.7	17.1	15.3	13.3	15.2	20.8	32.0	39.9	25.3	9	3285
15-17 LST														0	0
18-20 LST	41.9	45.6	31.0	21.4	13.8	9.8	12.0	7.3	13.6	25.0	35.7	42.9	25.0	9	3286
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	10.4	11.8	8.6	6.3	3.9	3.0	2.9	2.2	7.0	11.5	5.9	9.3	6.9	9	3287
03-05 LST														0	0
06-08 LST	11.2	16.5	17.6	17.4	6.8	5.2	5.7	10.0	14.4	19.4	12.6	10.4	12.3	9	3286
09-11 LST														0	0
12-14 LST	10.4	11.8	7.5	3.0	0.7	0.4	1.4	0.4	0.4	2.9	8.1	7.9	4.6	9	3285
15-17 LST														0	0
18-20 LST	9.7	10.6	7.9	5.2	1.1	0.4	1.8	0.0	1.1	3.6	7.8	10.4	5.0	9	3286
21-23 LST														0	0

PLAUEN, EAST GERMANY

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	22.3	18.0	24.1	24.6	28.0	27.0	27.2	28.2	25.3	23.4	21.7	22.4	292.2	9	3287
	07 LST	21.1	14.4	17.9	18.1	22.7	23.0	23.2	22.9	19.4	19.2	20.3	21.8	246.0	9	3286
	13 LST	22.0	20.1	24.9	27.7	28.9	28.6	29.3	29.9	28.6	27.9	24.3	23.7	315.9	9	3285
	19 LST	22.3	17.8	24.3	26.1	29.2	23.7	29.0	30.1	28.3	26.7	23.0	22.7	308.2	9	3286
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	6.1	9.3	14.2	18.0	22.0	21.1	20.4	21.6	18.9	14.3	8.8	8.3	183.2	9	3287
	07 LST	5.7	5.7	10.4	12.8	16.9	16.4	18.1	15.7	11.6	10.3	6.8	6.1	136.7	9	3285
	13 LST	5.1	7.0	11.2	11.7	12.7	13.7	13.3	14.1	14.1	11.9	8.0	6.1	128.9	9	3285
	19 LST	6.5	8.7	14.4	19.1	20.5	22.0	22.3	23.7	20.6	16.3	10.3	6.4	190.8	9	3285
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	0.7	0.0	0.6	0.1	0.0	0.0	0.0	0.0	0.0	0.2	0.6	0.6	2.8	9	3287
	07 LST	1.6	0.4	0.2	0.0	0.1	0.0	0.0	0.1	0.0	0.2	1.2	0.3	4.1	9	3285
	13 LST	0.9	0.3	0.8	0.9	0.9	0.1	0.4	0.8	0.7	0.9	0.6	0.8	8.1	9	3287
	19 LST	0.9	0.2	0.1	0.0	0.0	0.0	0.2	0.1	0.0	0.2	0.8	0.7	3.2	9	3286
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	2.0	3.2	7.9	8.6	8.0	9.0	10.9	11.4	10.2	13.8	9.3	6.3	100.6	9	3287
	07 LST	3.0	2.5	5.7	7.4	13.1	11.2	14.1	11.8	10.6	12.7	9.0	8.4	107.5	9	3285
	13 LST	3.7	5.4	13.1	15.4	16.2	17.9	16.0	16.8	17.2	15.8	12.6	7.6	197.7	9	3287
	19 LST	3.1	4.5	11.8	17.8	19.0	18.3	18.6	19.3	16.9	14.9	11.0	6.8	162.0	9	3286
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	5.8	5.5	10.2	10.8	13.1	11.3	9.8	11.0	11.9	9.4	5.1	4.8	108.7	9	3287
	07 LST	3.0	2.4	4.7	5.1	6.7	5.9	5.2	5.4	4.6	3.7	2.8	3.6	53.1	9	3286
	13 LST	2.5	3.1	7.2	5.3	4.1	3.4	3.7	2.9	6.7	5.7	3.8	3.1	51.5	9	3285
	19 LST	4.8	5.3	7.9	6.8	7.5	6.7	7.0	5.1	9.9	8.8	7.2	4.8	81.8	9	3286
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	12.5	11.9	17.3	19.0	21.2	20.2	20.3	21.7	19.2	17.2	12.9	12.7	206.1	9	3287
	07 LST	10.1	7.8	12.4	13.7	18.0	17.7	18.9	17.8	14.1	12.9	10.6	10.6	164.6	9	3286
	13 LST	12.4	12.6	18.8	18.3	20.1	19.4	20.6	21.5	21.0	19.8	14.9	12.2	211.6	9	3285
	19 LST	12.7	11.9	17.4	19.9	23.1	23.7	24.2	25.6	22.2	18.6	14.2	11.3	224.8	9	3286
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	9.7	9.6	14.9	15.8	17.2	16.4	15.9	16.0	15.9	13.7	9.4	9.2	163.7	9	3287
	07 LST	7.0	5.8	10.0	11.1	15.1	14.7	14.7	13.6	11.4	10.6	7.7	7.0	128.7	9	3286
	13 LST	10.3	10.7	16.2	14.1	14.8	13.7	15.1	16.3	17.4	16.6	11.2	8.7	169.1	9	3285
	19 LST	9.7	10.1	14.8	16.3	19.7	19.9	21.3	20.8	18.3	15.2	11.0	7.9	185.0	9	3286
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	9.6	9.6	14.9	15.8	17.2	16.4	15.9	16.0	15.9	13.7	9.4	9.2	163.6	9	3287
	07 LST	7.0	5.8	10.0	11.1	15.1	14.7	14.7	13.6	11.4	10.6	7.7	7.0	128.7	9	3286
	13 LST	10.3	10.5	16.2	14.1	14.8	13.7	15.1	16.3	17.4	16.6	11.2	8.7	164.9	9	3285
	19 LST	9.7	10.1	14.7	16.3	19.7	19.9	21.3	20.7	18.3	15.2	11.0	7.9	184.8	9	3286

KARL-MARK-STADT, EAST GERMANY

STA NO. 10577 (IN AREA NUMBER 02)

LATITUDE 5049N

LONGITUDE 01254E

ELEVATION(FT) 01254

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	55	61	70	82	84	88	97	91	86	75	68	64	97	9	3287
MEAN MAX TMP (F)	34	34	45	53	62	68	71	71	64	55	43	38	53	9	3287
MEAN MIN TMP (F)	25	23	31	37	45	51	55	53	48	42	35	31	40	9	3287
ABS MIN TMP (F)	-6	-18	7	12	27	37	41	41	30	28	16	-2	-18	9	3287
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.3	0.0	0.0	0.0	0.0	1.3	9	3287
MEAN NO DYS TMP = DR LES 32(F)	24.9	21.7	17.6	9.4	2.2	0.0	0.0	0.0	0.2	2.1	11.6	18.6	108.3	9	3287
MEAN NO DYS TMP = DR LES 0(F)	0.6	1.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	2.6	9	3287
MEAN DEW PT TMP (F)	25	23	30	36	44	51	54	53	48	42	34	30	39	9	13136
MEAN REL HUM (PCT)	84	83	78	76	73	74	77	77	79	83	85	86	80	9	13132
MEAN PRESS ALT (FT)	1159	1149	1128	1146	1135	1161	1191	1190	1131	1128	1091	1199	1151	9	13144
MEAN PRECIP (IN)	2.01	1.64	2.09	2.48	2.54	3.05	5.31	2.73	2.28	3.10	1.67	2.18	31.1	9	3287
MEAN SNOW FALL (IN)						0.0	0.0	0.0	0.0					9	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	6.4	5.4	6.2	7.6	6.7	7.8	10.1	7.2	6.0	7.6	5.2	6.8	83.0	9	3287
MEAN NO DYS SNFL = DR GTR 1.5 IN						0.0	0.0	0.0	0.0					9	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	3.3	4.4	4.4	2.6	1.2	0.4	0.9	1.0	0.9	2.3	4.0	4.9	30.3	9	3286
MEAN NO DYS TSTMS	0.3	0.0	0.7	1.9	4.4	6.6	6.3	6.8	1.8	0.3	0.0	0.1	29.2	9	3285
P FREQ WND SPD = DR GTR 17 KTS	11.3	3.6	3.7	3.1	1.9	2.3	2.2	2.5	2.8	4.5	3.1	5.6	3.9	9	13136
P FREQ WND SPD = DR GTR 28 KTS	1.0	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.1	0.5	0.2	9	13136
P FREQ LES 5000 FT A/D LES 5 MI	81.9	84.1	76.6	70.2	58.6	57.2	59.3	56.7	62.2	73.8	81.2	82.1	70.5	9	13140
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	45.2	53.4	41.3	33.6	20.6	23.4	26.6	15.1	22.6	32.6	42.5	40.2	33.1	9	3287
03-05 LST														0	0
06-08 LST	50.1	61.4	57.4	57.6	34.1	31.3	26.9	27.3	36.3	50.1	53.4	44.4	44.2	9	3285
09-11 LST														0	0
12-14 LST	38.9	42.8	29.1	16.4	7.4	7.8	10.5	4.2	8.0	18.7	34.9	33.1	21.0	9	3287
15-17 LST														0	0
18-20 LST	50.6	57.1	44.3	22.8	6.8	9.9	9.2	4.9	13.7	30.5	47.3	44.0	28.4	9	3287
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	16.5	22.7	13.3	5.9	2.5	3.0	1.4	1.8	4.8	7.6	10.7	14.7	8.7	9	3287
03-05 LST														0	0
06-08 LST	18.1	31.8	24.7	23.7	7.3	7.0	8.2	8.6	8.9	16.2	17.8	18.3	16.1	9	3285
09-11 LST														0	0
12-14 LST	19.8	21.2	12.5	5.9	1.4	0.4	1.8	0.4	1.5	7.2	11.9	14.3	8.2	9	3287
15-17 LST														0	0
18-20 LST	20.9	25.5	13.3	6.7	1.4	1.9	1.8	0.4	2.2	10.0	14.8	19.0	9.8	9	3287
21-23 LST														0	0

KARL-MARX-STADT, EAST GERMANY

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. UBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	17.7	13.3	18.7	20.4	24.9	23.4	23.2	26.7	23.4	21.5	18.0	19.2	250.4	9	3287
	07 LST	16.1	11.1	13.4	13.0	20.7	21.0	23.0	22.8	19.3	16.1	14.4	18.0	208.9	9	3285
	13 LST	19.3	16.4	22.3	25.6	29.1	28.1	28.3	30.2	28.2	25.9	20.1	21.7	295.2	9	3287
	19 LST	15.8	12.4	17.6	23.4	29.0	27.4	28.4	29.7	26.1	21.9	16.1	17.9	265.7	9	3287
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	7.0	6.5	10.8	16.0	19.7	18.4	15.4	20.0	16.2	13.5	10.6	8.9	163.0	9	3285
	07 LST	5.3	4.9	8.4	8.6	14.4	14.9	16.0	15.8	12.0	8.5	7.8	8.1	124.7	9	3285
	13 LST	9.0	8.0	13.1	17.0	17.8	18.0	15.3	17.3	16.7	13.8	10.7	10.3	167.0	9	3287
	19 LST	6.7	6.4	11.2	18.7	23.2	22.8	21.4	23.4	20.3	14.7	10.3	8.3	187.4	9	3287
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	2.0	0.7	1.0	0.6	0.2	0.1	0.1	0.2	0.0	0.0	0.4	1.0	7.3	9	3285
	07 LST	2.3	0.3	0.7	0.3	0.6	0.1	0.6	0.2	0.0	0.8	0.4	1.0	7.3	9	3285
	13 LST	3.0	1.0	1.6	1.4	0.8	1.3	0.9	1.9	1.0	1.6	1.1	1.8	17.4	9	3287
	19 LST	1.7	0.8	0.6	0.2	0.0	0.1	0.2	0.2	0.6	0.7	0.7	0.9	6.7	9	3287
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	3.6	3.0	9.3	11.7	15.3	13.8	15.7	16.6	14.8	15.3	11.4	8.3	138.8	9	3282
	07 LST	2.2	3.3	7.3	10.1	14.4	12.4	12.6	16.0	13.3	14.8	11.4	6.5	124.3	9	3285
	13 LST	4.2	5.9	12.1	15.9	17.8	15.0	13.2	17.4	15.0	16.1	12.6	9.4	154.6	9	3287
	19 LST	3.9	4.5	9.9	14.4	15.8	15.9	16.1	17.4	16.2	16.7	12.8	6.9	150.5	9	3287
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	5.3	4.7	7.8	9.9	11.8	10.3	9.6	11.3	11.0	8.4	5.9	4.6	100.6	9	3287
	07 LST	2.6	2.2	4.2	4.4	7.0	6.7	6.1	6.6	5.2	3.0	3.6	3.4	55.0	9	3286
	13 LST	3.7	2.7	7.1	6.1	4.8	3.2	3.8	3.8	5.7	6.0	4.1	3.9	54.9	9	3287
	19 LST	3.8	4.1	6.2	7.0	7.3	8.1	6.4	5.8	9.2	7.3	5.9	3.9	75.0	9	3287
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	14.5	11.4	16.5	17.9	22.8	20.9	20.6	24.2	21.5	18.7	14.8	15.3	219.1	9	3287
	07 LST	12.8	9.4	12.4	11.6	19.1	19.5	21.2	21.0	17.9	14.1	12.2	14.5	185.7	9	3285
	13 LST	17.3	14.3	20.1	22.4	25.7	24.8	24.4	27.0	25.4	22.8	17.5	18.3	260.0	9	3287
	19 LST	13.3	10.9	15.7	21.4	27.4	23.5	26.1	27.7	24.2	19.6	14.1	14.6	240.5	9	3287
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	7.8	6.4	11.7	12.2	15.4	14.1	13.6	15.9	14.9	11.6	8.9	7.8	140.3	9	3287
	07 LST	6.5	4.8	8.7	7.8	13.1	13.2	13.7	14.4	11.8	9.4	7.2	7.6	118.2	9	3285
	13 LST	10.6	8.9	14.7	14.9	15.6	15.2	15.6	17.8	17.6	16.0	11.4	11.9	170.2	9	3287
	19 LST	7.5	6.7	10.7	14.3	19.2	18.2	17.8	18.9	16.3	12.3	8.8	6.9	157.6	9	3287
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	7.8	6.4	11.7	12.2	15.4	14.1	13.6	15.9	14.9	11.6	8.9	7.8	140.3	9	3287
	07 LST	6.5	4.8	8.7	7.8	13.0	13.0	13.7	14.4	11.7	9.4	7.2	7.6	117.8	9	3285
	13 LST	10.4	8.8	14.7	14.7	15.6	15.2	15.6	17.8	17.4	16.0	11.4	11.9	169.5	9	3287
	19 LST	7.5	6.6	10.6	14.3	19.1	18.2	17.8	18.9	16.3	12.3	8.8	6.9	157.3	9	3287

FICHELBERG, EAST GERMANY

STA NO. 10578 (IN AREA NUMBER 02)

LATITUDE 5026N

LONGITUDE 01257E

ELEVATION(FT) 03960

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
ABS MAX TMP (F)	55	54	59	68	73	79	88	79	75	64	59	59	88	9	3281
MEAN MAX TMP (F)	25	26	33	40	50	57	60	59	52	44	34	30	43	9	3281
MEAN MIN TMP (F)	19	18	24	30	38	44	48	47	42	36	28	24	33	9	3284
ABS MIN TMP (F)	-9	-22	3	9	19	30	34	36	28	21	5	9	-22	9	3284
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	3281
MEAN NO DYS TMP = OR LES 32(F)	29.8	26.2	25.9	19.5	8.1	1.1	0.0	0.0	2.3	11.4	23.7	29.2	177.2	9	3284
MEAN NO DYS TMP = OR LES 0(F)	0.7	2.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	9	3284
MEAN DEW PT TMP (F)	19	18	24	30	37	44	48	47	42	36	28	25	33	9	13084
MEAN REL HUM (PCT)	91	89	87	85	83	83	86	86	88	90	92	93	88	9	13076
MEAN PRESS ALT (FT)	4078	4084	3992	3951	3852	3813	3815	3821	3814	3875	3927	4071	3924	9	13108
MEAN PRECIP (IN)	3.91	3.37	3.14	3.79	3.24	3.64	6.85	3.50	3.23	3.94	2.44	3.41	44.5	9	3272
MEAN SNOW FALL (IN)						0.0	0.0	0.0						9	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	12.1	10.0	8.8	9.8	9.4	8.9	11.2	9.7	8.9	9.8	6.8	10.6	116.0	9	3272
MEAN NO DYS SNFL = OR GTR 1.5 IN						0.0	0.0	0.0						9	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	25.5	22.0	21.6	20.4	17.2	17.2	19.5	18.4	19.6	23.3	24.6	26.5	255.8	9	3263
MEAN NO DYS TSTMS	0.0	0.0	0.1	1.3	4.7	5.9	6.2	6.0	1.8	0.2	0.0	0.0	26.2	9	3278
P FREQ WND SPD = OR GTR 17 KTS	63.1	58.2	47.3	36.4	33.8	32.1	41.9	35.8	41.8	51.9	53.8	59.8	46.3	9	13104
P FREQ WND SPD = OR GTR 28 KTS	18.2	15.6	11.3	4.6	3.2	2.2	4.8	4.3	10.0	8.8	10.2	18.8	9.3	9	13104
P FREQ LES 5000 FT A/D LES 3 MI	66.1	61.9	56.6	55.1	48.9	47.2	53.3	47.4	51.1	56.1	67.7	70.7	56.9	9	10814
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	66.7	62.4	56.2	56.0	42.6	44.8	51.1	45.0	53.4	58.1	64.6	71.0	56.0	9	3193
03-05 LST														0	0
06-08 LST	68.3	65.5	55.0	57.3	42.9	46.4	49.3	44.7	53.3	60.1	69.0	68.4	56.7	9	3088
09-11 LST														0	0
12-14 LST	61.1	56.2	53.1	59.9	60.4	58.8	60.2	56.5	49.4	50.6	64.5	67.5	58.2	9	3009
15-17 LST														0	0
18-20 LST	67.1	63.7	51.5	47.8	36.6	34.7	39.7	29.6	41.0	55.0	67.2	69.6	50.3	9	3124
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	65.2	60.8	54.5	51.3	37.5	39.7	47.9	39.5	50.8	57.3	63.5	70.6	53.2	9	3193
03-05 LST														0	0
06-08 LST	67.7	64.3	53.1	56.1	40.2	42.7	46.4	43.4	51.6	58.1	67.2	67.6	54.9	9	3088
09-11 LST														0	0
12-14 LST	60.7	53.4	46.7	39.4	26.0	30.9	31.7	25.8	33.3	42.7	63.7	67.1	43.5	9	3009
15-17 LST														0	0
18-20 LST	66.1	60.3	46.0	39.7	26.7	26.8	30.2	23.1	34.1	51.7	66.4	69.3	45.0	9	3124
21-23 LST														0	0


FICHELBERG, EAST GERMANY


MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	10.3	10.5	13.6	13.4	18.1	17.0	15.3	17.3	14.1	13.1	10.6	9.0	162.3	9	3193
	07 LST	9.9	9.8	14.2	13.0	17.8	16.3	15.9	17.2	14.2	12.7	9.6	9.8	160.4	9	3088
	13 LST	12.1	12.3	14.8	12.8	13.7	13.5	13.1	14.0	15.5	15.4	10.7	10.2	158.1	9	3009
	19 LST	10.3	10.3	15.1	16.4	20.5	20.1	19.3	22.2	17.8	14.1	10.0	9.4	185.5	9	3124
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	1.7	2.1	3.0	3.9	4.1	4.2	4.5	4.5	3.3	3.6	1.7	2.0	38.6	9	3193
	07 LST	2.8	1.8	3.8	5.9	7.8	7.2	5.2	4.7	4.7	3.7	1.6	1.9	51.1	9	3088
	13 LST	2.8	3.8	5.0	3.9	3.2	3.4	3.1	3.5	5.5	4.3	2.9	3.0	44.4	9	3008
	19 LST	2.1	2.0	3.4	4.7	5.8	6.3	6.2	6.0	4.7	3.2	2.3	2.2	48.9	9	3123
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	14.0	11.6	11.6	8.6	9.8	9.3	10.8	11.2	11.6	13.6	12.4	14.4	138.9	9	3286
	07 LST	14.1	10.5	11.9	5.7	8.6	7.7	10.3	9.9	10.3	13.5	12.6	13.6	128.7	9	3285
	13 LST	12.4	9.6	8.0	4.6	7.1	5.8	7.8	7.1	8.0	9.1	10.8	12.9	103.2	9	3284
	19 LST	12.5	11.1	12.2	5.6	5.1	4.9	7.7	6.7	9.5	13.0	13.0	13.6	114.9	9	3283
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	0.8	0.4	1.9	3.9	5.6	6.9	7.0	7.6	6.2	3.3	1.0	0.4	45.0	9	3285
	07 LST	0.7	0.2	2.7	4.0	8.9	8.8	7.0	7.7	6.8	4.5	1.6	0.8	53.7	9	3285
	13 LST	0.7	1.5	4.6	7.3	8.7	10.3	7.2	8.7	10.2	7.5	2.3	1.3	70.3	9	3284
	19 LST	0.7	0.4	3.1	5.9	9.6	9.5	10.4	9.0	8.1	4.0	1.9	1.1	63.7	9	3283
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	6.4	6.8	8.2	8.7	11.0	9.8	8.3	10.6	10.1	8.6	7.0	5.1	99.6	9	3285
	07 LST	4.7	4.4	5.9	6.8	8.9	6.4	5.3	6.4	7.7	6.5	4.2	5.1	72.3	9	3282
	13 LST	4.4	4.4	6.4	4.2	3.4	2.6	2.7	2.9	5.9	5.8	3.2	4.5	50.4	9	3277
	19 LST	5.0	4.9	6.4	6.0	6.8	6.1	5.9	5.4	8.7	7.4	5.4	4.0	72.0	9	3280
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	10.3	10.4	13.5	12.9	17.4	16.1	15.0	16.7	13.9	12.8	10.6	8.9	158.5	9	3193
	07 LST	9.7	9.5	13.6	12.4	17.5	15.8	15.5	16.9	13.8	12.0	8.9	9.7	155.3	9	3088
	13 LST	12.0	12.1	14.2	11.3	10.9	11.3	11.6	13.0	14.9	15.2	10.6	9.8	146.9	9	3009
	19 LST	10.1	10.0	14.8	15.0	18.7	19.1	18.1	21.3	17.4	13.7	9.6	9.4	177.2	9	3124
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	9.4	9.7	12.6	12.5	16.0	15.1	13.9	15.4	13.2	12.0	9.8	8.0	147.6	9	3193
	07 LST	8.3	8.6	12.5	11.9	16.2	13.9	13.8	14.9	12.8	11.5	7.5	8.5	140.4	9	3088
	13 LST	10.8	10.9	13.2	11.0	10.7	11.2	11.6	13.0	14.9	14.0	9.4	8.7	139.4	9	3009
	19 LST	8.9	8.9	13.7	14.1	18.2	18.8	17.4	20.1	16.2	12.4	8.8	8.3	165.8	9	3124
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	9.4	9.4	12.4	12.3	15.8	14.0	13.4	14.8	13.1	11.8	9.7	7.7	143.8	9	3193
	07 LST	8.0	8.6	12.0	11.9	15.8	13.5	13.3	14.2	12.5	11.1	7.1	7.9	135.9	9	3088
	13 LST	10.7	10.2	12.9	11.0	10.7	11.2	11.4	12.9	14.8	13.7	8.9	8.7	137.1	9	3009
	19 LST	8.9	8.5	13.1	13.5	18.1	18.8	17.2	19.7	15.6	11.7	8.6	7.8	161.5	9	3124

AREA 02

PARAMETER DESCRIPTION	BOUNDARIES	S. HIGHLANDS													
		5100N 01050E	5043N 01200E	5043N 01200E	5100N 01300E	5100N 01300E	5100N 01416E	LATITUDE 5030N LONGITUDE 01100E							
		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	
MEAN MAX TMP (F)		29	30	40	47	56	62	65	64	58	49	38	34	48	
MEAN MIN TMP (F)		22	21	20	34	42	48	52	50	45	39	32	28	37	
LARGEST MEAN PRECIP(IN)		5.89	4.33	3.14	3.79	3.66	5.38	6.85	4.98	4.37	4.68	3.43	5.48	56.0	
SMALLEST MEAN PRECIP(IN)		1.66	1.31	1.57	1.74	2.20	2.72	3.52	2.73	1.77	2.20	1.21	1.43	24.1	
		MEAN NUMBER OF DAYS													
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	12.8	11.5	17.5	18.9	22.3	21.0	20.6	21.6	19.0	16.6	13.4	11.9	207.1	
	07 LST	12.1	10.4	15.7	16.9	20.2	19.1	18.5	18.5	16.5	13.9	11.7	11.8	185.3	
	13 LST	13.6	13.7	19.3	20.5	22.8	21.5	21.5	21.9	21.1	19.0	14.4	13.2	222.5	
	19 LST	12.8	12.0	18.4	21.7	24.9	23.7	24.3	25.2	21.9	18.2	14.1	12.4	229.6	
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	01 LST	4.0	4.7	8.6	10.5	12.9	11.9	12.1	13.0	10.7	8.5	5.2	4.4	106.5	
	07 LST	3.6	4.0	8.0	9.6	12.2	11.9	11.3	11.1	9.2	6.9	4.1	3.9	95.8	
	13 LST	4.5	5.5	9.0	8.3	8.9	9.3	8.4	9.6	10.0	8.4	5.2	4.9	92.0	
	19 LST	4.2	5.0	9.5	11.7	13.9	14.0	14.1	13.8	13.0	9.7	6.1	4.5	121.5	
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	6.9	5.3	5.4	4.3	4.8	4.1	4.8	4.9	5.3	5.8	5.7	6.2	63.5	
	07 LST	6.7	5.0	5.4	3.6	4.3	3.5	4.7	4.5	4.6	5.9	5.6	6.2	60.0	
	13 LST	6.2	4.5	4.9	3.6	3.6	3.2	4.2	4.3	4.2	5.3	5.4	6.0	53.4	
	19 LST	6.3	4.9	5.1	3.4	3.0	2.7	3.3	3.6	4.2	5.6	6.0	6.0	54.6	
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP?	01 LST	1.4	1.9	5.5	6.9	9.1	9.1	10.3	10.4	9.7	9.4	6.2	3.5	83.4	
	07 LST	1.3	1.7	4.5	7.0	11.4	10.8	11.0	10.7	9.7	9.0	5.4	3.1	85.6	
	13 LST	2.1	3.5	9.5	10.6	12.3	13.3	11.3	12.8	13.2	12.5	8.0	4.2	113.3	
	19 LST	1.8	2.7	7.3	10.8	13.1	13.0	13.5	13.5	11.4	10.0	7.0	3.9	108.0	
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	5.1	5.4	9.2	10.1	12.1	10.2	9.8	10.5	10.8	8.2	5.1	3.8	100.3	
	07 LST	3.8	3.7	6.1	6.8	7.8	7.0	6.1	5.6	6.9	4.7	3.3	3.4	65.2	
	13 LST	3.5	4.1	7.0	5.4	4.9	3.7	3.7	3.2	6.1	5.1	3.4	3.1	53.2	
	19 LST	4.2	4.9	7.3	6.8	7.0	6.9	6.7	5.6	9.4	7.6	5.6	3.8	75.8	
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	9.6	9.2	14.9	15.8	19.2	17.5	17.6	18.6	16.4	13.6	10.0	8.5	170.9	
	07 LST	8.5	7.9	13.4	14.1	17.7	16.7	15.9	16.1	14.3	11.2	8.3	8.2	152.3	
	13 LST	10.4	11.1	16.2	15.5	17.3	16.2	16.5	17.5	17.1	15.3	11.0	9.7	173.8	
	19 LST	9.5	9.5	15.6	18.3	21.6	20.9	21.2	22.7	19.3	14.8	10.7	9.0	193.1	
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	7.9	7.8	13.3	14.0	16.9	15.3	15.3	15.8	14.5	11.5	8.2	6.6	147.1	
	07 LST	6.8	6.7	11.8	12.6	15.6	14.5	13.4	13.6	12.4	9.9	6.6	6.3	130.1	
	13 LST	8.7	9.6	14.5	13.4	14.6	13.5	14.0	14.9	15.2	13.3	9.0	7.7	148.4	
	19 LST	7.8	8.2	13.7	16.2	19.4	18.8	19.0	19.9	17.0	12.7	9.2	6.9	168.8	
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	7.8	7.8	13.2	13.9	16.9	15.1	15.2	15.7	14.4	11.4	8.1	6.5	148.0	
	07 LST	6.7	6.6	11.6	12.5	15.5	14.4	13.3	13.4	12.2	9.6	6.5	6.1	128.4	
	13 LST	8.5	9.5	14.3	13.3	14.6	13.5	13.9	14.9	15.1	13.2	8.8	7.6	147.2	
	19 LST	7.7	8.1	13.5	16.1	19.3	18.7	18.9	19.7	16.8	12.6	9.1	6.8	167.3	





MISKOLC, HUNGARY

STA NO. 12772 (IN AREA NUMBER 01)

LATITUDE 4808N

LONGITUDE 02048E

ELEVATION(FT) 00392

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	54	55	70	81	86	90	97	102	90	81	64	54	102	8	1711
MEAN MAX TMP (F)	32	33	46	60	69	77	80	80	73	60	45	38	58	8	1711
MEAN MIN TMP (F)	22	20	28	38	46	55	57	56	48	40	33	30	39	8	1755
ABS MIN TMP (F)	-15	-13	7	19	30	32	43	46	34	25	10	3	-15	8	1755
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.2	2.6	3.9	0.6	0.0	0.0	0.0	7.3	8	1711
MEAN NO DYS TMP = DR LES 32(F)	28.3	27.1	23.3	8.8	1.5	0.2	0.0	0.0	0.0	7.3	15.2	20.7	132.4	8	1755
MEAN NO DYS TMP = DR LES 0(F)	1.7	2.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.9	8	1755
MEAN DEW PT TMP (F)	23	23	28	36	47	57	58	57	51	43	34	32	41	8	4099
MEAN REL HUM (PCT)	86	88	77	68	69	76	73	75	76	83	89	90	79	8	4013
MEAN PRESS ALT (FT)	241	244	274	366	327	352	381	369	249	279	195	287	297	8	4092
MEAN PRECIP (IN)	1.08	1.52	0.92	1.61	2.85	3.76	2.61	2.56	0.82	1.40	1.45	1.78	22.4	8	1374
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0					8	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	3.0	5.0	2.1	4.6	6.4	8.8	6.4	5.2	2.1	3.2	4.5	4.9	56.2	8	1374
MEAN NO DYS SNFL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0					8	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	10.3	7.1	1.9	1.1	1.3	0.0	1.2	1.1	3.3	6.6	6.0	13.8	53.7	8	963
MEAN NO DYS TSTMS	0.0	0.0	0.0	1.1	3.3	9.2	6.7	5.0	1.0	0.4	0.0	0.0	26.7	8	971
P FREQ WND SPD = DR GTR 17 KTS	2.1	1.8	4.4	2.4	0.3	0.0	0.3	0.8	0.5	0.6	1.8	0.8	1.3	8	4139
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	8	4139
P FREQ LES 3000 FT A/O LES 5 MI	74.7	83.9	51.5	44.9	29.9	35.0	30.7	34.3	41.8	66.4	75.5	86.5	54.6	8	5092
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	63.2	65.1	29.8	15.4	11.5	12.1	3.3	14.9	19.6	43.7	63.7	76.6	34.9	8	1384
03-05 LST														0	0
06-08 LST	73.6	72.8	43.3	28.6	20.7	24.5	22.6	30.3	46.2	62.8	69.4	75.0	47.5	8	1818
09-11 LST														0	0
12-14 LST	59.2	53.0	18.3	8.3	2.6	5.1	3.5	3.2	4.8	21.9	51.7	69.8	25.1	8	1874
15-17 LST														0	0
18-20 LST	61.0	62.7	15.0	10.4	4.2	3.1	1.3	2.3	5.9	32.3	57.2	75.2	27.6	8	1800
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	24.3	23.0	5.8	1.8	0.9	0.0	0.0	2.1	0.9	10.0	15.2	34.9	9.9	8	1384
03-05 LST														0	0
06-08 LST	21.0	29.9	8.2	6.0	4.8	2.0	1.9	5.2	11.7	23.6	20.9	36.5	14.3	8	1818
09-11 LST														0	0
12-14 LST	21.3	12.3	0.7	0.6	0.0	0.0	1.3	0.0	0.6	1.8	11.3	26.3	6.4	8	1879
15-17 LST														0	0
18-20 LST	20.5	12.7	0.7	0.7	0.7	0.0	0.0	0.0	0.0	2.3	9.4	33.1	6.7	8	1800
21-23 LST														0	0

MISKOLC, HUNGARY

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	11.6	10.0	22.3	26.2	27.7	26.9	30.4	26.4	24.3	17.8	11.2	7.4	242.2	8	1384
	07 LST	8.5	7.9	17.8	22.1	24.6	22.9	24.2	21.8	16.3	11.7	9.5	7.9	193.2	8	1818
	13 LST	13.0	13.5	26.0	28.3	30.6	29.0	30.2	30.1	28.7	24.4	15.0	9.9	278.7	8	1879
	19 LST	12.3	10.8	26.7	27.4	29.9	29.2	31.0	30.3	28.5	21.4	13.7	8.0	269.2	8	1800
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	8.8	8.0	17.7	23.5	25.8	25.3	27.9	25.1	23.7	16.3	9.4	4.5	216.0	8	1381
	07 LST	6.8	5.6	14.3	19.3	22.7	21.8	23.0	20.4	14.7	10.9	7.5	6.2	173.2	8	1812
	13 LST	7.9	9.9	16.5	19.2	20.0	24.5	25.2	25.6	23.8	18.7	11.5	7.1	209.7	8	1873
	19 LST	9.9	8.2	21.9	23.4	26.2	28.1	29.2	28.1	26.9	19.1	10.2	5.1	236.4	8	1794
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	0.6	0.4	0.8	0.0	0.0	0.0	0.3	0.3	0.3	0.0	0.0	0.3	3.0	8	1387
	07 LST	0.2	0.0	0.5	0.6	0.2	0.0	0.0	0.0	0.4	0.4	0.2	0.2	2.7	8	1833
	13 LST	1.8	0.9	1.1	1.5	0.4	0.2	0.2	0.5	1.4	0.4	1.0	0.4	9.8	8	1898
	19 LST	0.8	0.6	1.3	0.2	0.2	0.2	0.0	0.0	0.2	0.0	0.2	0.4	4.1	8	1806
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	2.2	1.1	4.9	7.8	8.0	6.6	6.8	10.4	6.5	8.2	3.6	5.0	71.1	8	1377
	07 LST	1.4	0.2	5.3	8.9	13.7	10.8	9.8	11.4	8.3	7.0	4.6	5.1	86.5	8	1825
	13 LST	6.2	5.0	10.8	14.0	16.6	18.0	17.4	15.1	16.8	12.4	10.5	7.6	150.4	8	1880
	19 LST	2.5	1.8	9.5	13.7	12.6	11.6	11.9	10.3	9.1	9.9	5.9	6.5	105.3	8	1791
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	5.1	4.2	8.2	11.2	15.1	11.4	17.8	17.1	14.9	10.9	3.6	3.7	123.2	8	1390
	07 LST	2.9	1.6	5.5	6.6	7.6	6.4	10.7	9.0	6.4	3.3	2.5	2.0	64.5	8	1832
	13 LST	4.0	3.3	7.0	4.7	4.1	2.0	5.4	7.9	8.9	7.3	3.5	2.3	60.4	8	1891
	19 LST	6.9	3.9	10.6	9.2	6.4	5.0	11.8	11.2	14.9	11.0	3.3	3.3	97.5	8	1809
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	10.9	9.3	20.3	23.5	26.7	24.7	28.9	25.7	23.6	17.0	9.9	6.9	227.4	8	1384
	07 LST	7.8	6.9	16.8	20.5	24.2	21.8	23.3	21.4	15.8	10.9	8.5	7.2	185.1	8	1818
	13 LST	11.9	12.1	23.6	25.5	28.7	26.5	28.8	29.3	27.9	22.9	13.0	8.4	258.6	8	1879
	19 LST	11.4	9.7	25.4	24.8	28.3	27.5	29.6	29.6	27.4	20.3	11.3	7.0	252.3	8	1800
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	9.9	7.8	16.9	18.6	23.3	21.2	26.7	24.1	21.4	14.7	7.3	6.4	198.3	8	1384
	07 LST	6.5	5.2	14.3	16.7	19.5	18.8	20.8	20.0	13.3	8.1	6.3	5.8	155.3	8	1818
	13 LST	10.1	10.3	19.9	19.1	21.8	18.7	23.4	24.7	23.9	18.9	9.7	7.0	207.5	8	1879
	19 LST	10.1	8.1	21.7	19.4	24.2	22.5	26.5	25.2	23.5	17.2	9.0	5.6	213.0	8	1800
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	9.9	7.6	16.7	18.6	23.3	21.2	26.7	24.1	21.4	14.7	7.3	6.4	197.9	8	1384
	07 LST	6.5	5.0	14.3	16.5	19.2	18.4	20.6	20.0	13.2	7.9	6.3	5.8	153.7	8	1818
	13 LST	10.1	10.3	19.7	19.1	21.8	18.7	23.4	24.7	23.9	18.9	9.7	6.8	207.1	8	1879
	19 LST	10.1	8.1	21.7	19.4	24.2	22.5	26.5	25.2	23.5	17.2	9.0	5.6	213.0	8	1800

SZOMBATHELY, HUNGARY

STA NO. 12812 (IN AREA NUMBER 01)

LATITUDE 4717N

LONGITUDE 01637E

ELEVATION(FT) 00737

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	54	55	73	77	86	88	91	100	88	79	66	59	100	8	1779
MEAN MAX TMP (F)	34	34	45	58	67	74	77	77	70	60	45	40	97	8	1779
MEAN MIN TMP (F)	24	21	29	39	46	53	56	55	49	42	34	30	40	8	1808
ABS MIN TMP (F)	-6	-8	1	18	30	39	43	45	34	23	16	3	-8	8	1808
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	1.0	2.3	0.0	0.0	0.0	0.0	3.3	8	1779
MEAN NO DYS TMP = DR LES 32(F)	28.2	23.1	21.6	5.0	0.7	0.0	0.0	0.0	0.0	4.1	11.9	21.6	116.2	8	1808
MEAN NO DYS TMP = DR LES 0(F)	0.2	2.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	8	1808
MEAN DEW PT TMP (F)	25	23	30	39	46	54	57	56	50	44	34	31	41	8	5618
MEAN REL HUM (PCT)	86	83	80	72	71	75	74	76	77	83	87	88	79	8	5481
MEAN PRESS ALT (FT)	596	572	587	674	642	656	682	689	588	601	542	629	622	8	5697
MEAN PRECIP (IN)	1.07	0.72	1.29	1.63	2.75	2.46	3.37	2.71	2.01	1.89	1.60	1.66	23.2	8	1479
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0					8	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	3.4	2.4	3.5	5.8	7.5	6.6	7.5	6.2	4.5	6.2	3.6	4.1	61.3	8	1479
MEAN NO DYS SNFL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0					8	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	4.6	3.3	2.3	0.0	0.3	0.3	0.3	0.2	0.3	2.3	5.4	6.2	25.5	8	1352
MEAN NO DYS TSTMS	0.0	0.0	0.3	2.2	2.0	7.5	6.2	5.7	1.1	0.8	0.0	0.0	25.8	8	1366
P FREQ WND SPD = DR GTR 17 KTS	8.5	13.3	13.1	14.9	12.4	3.5	3.5	3.9	2.9	4.5	7.0	5.2	7.7	8	5733
P FREQ WND SPD = DR GTR 28 KTS	0.5	1.6	1.2	2.5	0.5	0.2	0.2	0.0	0.2	0.0	0.2	0.2	0.6	8	5733
P FREQ LES 5000 FT A/D LES 5 MI	57.4	57.3	38.2	22.9	18.6	17.4	16.3	14.3	19.2	29.0	55.3	57.0	33.6	8	6288
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	30.1	26.8	16.8	4.5	2.7	2.2	0.7	0.6	3.3	6.9	25.9	42.9	13.6	8	1813
03-05 LST														0	0
06-08 LST	41.9	37.4	27.0	10.2	2.6	8.8	1.8	3.9	12.3	19.7	40.0	39.8	20.5	8	1949
09-11 LST														0	0
12-14 LST	31.8	31.6	14.8	3.8	5.1	3.9	2.1	1.1	4.0	6.1	27.9	32.2	13.7	8	2016
15-17 LST														0	0
18-20 LST	31.7	29.7	9.2	5.3	1.7	2.0	1.3	0.5	0.6	6.7	22.6	31.7	11.9	8	1912
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	8.0	6.8	5.4	0.7	0.7	0.0	0.7	0.0	1.3	1.9	10.1	19.3	4.6	8	1813
03-05 LST														0	0
06-08 LST	10.8	8.9	9.7	0.7	0.0	1.9	0.6	1.1	1.7	10.1	20.4	16.4	6.9	8	1949
09-11 LST														0	0
12-14 LST	9.9	8.6	2.6	0.0	0.6	0.0	0.0	0.0	0.0	1.1	5.6	14.5	3.6	8	2016
15-17 LST														0	0
18-20 LST	8.5	7.3	2.7	0.0	0.7	0.0	0.0	0.0	0.0	2.3	7.2	13.2	3.5	8	1912
21-23 LST														0	0

SZOMBATHELY, HUNGARY

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	23.0	21.5	27.0	29.2	30.6	29.4	30.8	30.8	29.2	29.5	23.7	18.6	323.3	8	1813
	07 LST	19.2	18.0	23.5	27.2	30.4	27.4	30.4	30.0	26.6	25.4	19.4	19.5	297.0	8	1949
	13 LST	21.6	19.7	27.9	29.4	29.9	29.2	30.6	30.8	29.0	29.6	22.4	21.7	321.8	8	2016
	19 LST	22.5	20.2	28.7	28.6	30.8	29.6	30.8	30.8	30.0	29.2	24.6	22.2	328.0	8	1912
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	15.2	14.0	16.0	20.4	22.8	26.1	28.0	28.0	27.0	24.7	16.8	12.5	251.5	8	1806
	07 LST	11.9	12.8	16.4	16.9	19.5	20.6	25.3	26.0	22.9	20.0	12.9	13.3	218.5	8	1942
	13 LST	11.8	11.6	13.3	11.0	11.4	14.3	17.6	18.7	16.9	15.3	13.0	13.1	168.0	8	2012
	19 LST	15.3	14.1	19.5	18.8	20.2	24.2	26.8	27.4	27.0	24.7	17.2	13.3	248.5	8	1908
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	1.7	2.3	1.5	2.8	1.5	0.4	0.6	0.4	0.0	0.4	0.6	1.1	13.5	8	1819
	07 LST	2.3	1.9	1.5	2.6	2.6	0.7	0.5	0.5	0.3	0.5	1.5	1.5	16.4	8	1963
	13 LST	2.4	4.0	4.3	5.6	6.2	2.1	2.0	1.9	1.7	3.2	3.4	2.5	39.3	8	2032
	19 LST	1.2	2.1	2.3	2.5	1.2	0.8	0.0	0.3	0.5	0.4	1.3	1.2	13.8	8	1922
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	3.6	4.3	7.8	10.8	13.1	12.0	12.6	10.8	11.8	12.0	8.4	6.9	114.1	8	1800
	07 LST	1.8	2.6	5.9	11.4	11.4	13.6	12.9	10.5	9.8	10.8	9.4	4.9	105.0	8	1947
	13 LST	8.7	7.2	11.2	9.4	10.5	12.9	14.7	14.3	16.6	15.0	13.2	11.2	144.9	8	2021
	19 LST	4.5	5.4	11.4	13.8	10.2	12.5	13.3	9.9	12.2	13.5	10.1	6.3	123.1	8	1911
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	6.5	6.1	10.5	11.1	13.1	11.8	14.1	16.2	16.9	12.9	7.2	4.2	130.6	8	1823
	07 LST	2.6	3.0	6.4	6.2	8.9	7.4	6.9	10.9	10.8	6.2	3.8	3.0	78.1	8	1964
	13 LST	5.5	2.7	5.9	4.3	4.6	4.4	6.2	7.5	9.0	5.6	4.6	2.6	62.9	8	2028
	19 LST	8.1	6.2	7.3	4.9	6.3	6.2	8.4	8.5	13.2	11.5	7.3	5.3	93.2	8	1922
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	19.9	18.8	24.0	27.8	29.0	29.0	30.2	30.6	28.6	27.6	20.0	15.9	301.4	8	1813
	07 LST	16.3	16.5	21.4	26.5	29.5	27.2	30.3	29.4	25.7	24.1	16.2	17.0	280.1	8	1949
	13 LST	20.3	18.0	24.0	27.4	28.3	27.7	29.6	30.1	28.5	28.1	20.2	19.9	302.1	8	2016
	19 LST	19.2	18.4	26.9	27.7	29.6	28.9	30.0	30.7	29.2	27.7	20.9	19.0	308.2	8	1912
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	17.8	17.3	21.5	25.9	27.5	27.4	26.6	28.6	26.3	24.3	17.4	14.1	274.7	8	1813
	07 LST	14.1	14.2	20.1	24.3	26.6	25.9	27.1	27.7	23.2	21.4	14.8	15.2	254.6	8	1949
	13 LST	18.6	16.1	21.4	21.8	22.2	22.4	25.6	26.2	26.5	26.7	18.0	17.6	263.1	8	2016
	19 LST	16.6	16.6	23.0	24.1	26.1	25.7	26.8	28.3	26.5	25.6	18.0	15.9	273.2	8	1912
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	17.8	17.1	21.5	25.9	27.5	27.4	26.6	28.6	26.3	23.9	17.2	14.1	273.9	8	1813
	07 LST	14.1	14.2	20.1	24.3	26.6	25.9	27.1	27.7	23.2	21.4	14.8	15.0	254.4	8	1949
	13 LST	18.6	15.9	21.4	21.8	22.2	22.4	25.6	26.2	26.3	26.7	18.0	17.6	262.7	8	2016
	19 LST	16.6	16.4	22.8	24.1	26.1	25.7	26.8	28.3	26.5	25.6	18.0	15.7	272.6	8	1912

BUDAPEST, HUNGARY

STA NO. 12840 (IN AREA NUMBER 01)

LATITUDE 4731N

LONGITUDE 01902E

ELEVATION(FT) 00425

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	54	54	72	82	90	90	97	102	90	81	64	59	102	8	1870
MEAN MAX TMP (F)	34	35	47	61	70	78	81	81	73	61	45	40	59	8	1870
MEAN MIN TMP (F)	27	26	34	43	51	60	62	61	54	45	37	34	45	8	1915
ABS MIN TMP (F)	-2	-2	14	28	36	46	48	52	41	28	19	14	-2	8	1915
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.2	0.6	3.9	5.0	0.4	0.0	0.0	0.0	10.1	8	1870
MEAN NO DYS TMP = DR LES 32(F)	23.9	20.7	12.0	2.3	0.0	0.0	0.0	0.0	0.0	0.5	6.7	14.1	80.2	8	1915
MEAN NO DYS TMP = DR LES 0(F)	0.4	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	8	1915
MEAN DEW PT TMP (F)	25	26	30	39	48	55	56	55	50	45	35	32	41	8	6854
MEAN REL HUM (PCT)	83	80	72	65	67	66	63	62	66	77	82	84	72	8	6723
MEAN PRESS ALT (FT)	299	324	277	378	372	382	394	394	311	292	230	283	328	8	6999
MEAN PRECIP (IN)	1.67	1.68	1.04	1.69	2.29	2.28	1.72	2.16	2.16	2.50	2.02	2.52	23.7	8	1644
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0					8	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	5.2	4.6	3.1	5.1	6.1	5.3	3.7	4.7	2.7	4.6	4.6	6.9	56.6	8	1644
MEAN NO DYS SNFL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0					8	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	7.5	5.3	1.9	0.0	0.2	0.4	0.2	0.0	0.0	2.5	6.6	7.9	32.5	8	1697
MEAN NO DYS TSTMS	0.2	0.2	0.0	1.3	4.6	6.3	3.4	4.4	1.0	0.4	0.0	0.0	21.8	8	1695
P FREQ WND SPD = DR GTR 17 KTS	1.4	3.1	1.7	1.5	1.3	2.2	0.7	0.7	0.7	1.3	2.2	1.3	1.5	8	6999
P FREQ WND SPD = DR GTR 28 KTS	0.1	0.0	0.2	0.2	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.1	8	6999
P FREQ LES 5000 FT A/D LES 5 MI	67.8	64.7	46.9	29.4	22.3	23.1	15.8	14.9	18.5	38.7	62.1	69.6	39.5	8	7215
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	37.2	36.7	17.6	5.2	3.9	2.7	1.2	1.4	3.6	13.2	30.5	42.1	16.3	8	1994
03-05 LST														0	0
06-08 LST	49.3	49.1	32.2	13.5	8.6	13.6	6.6	5.3	7.4	22.4	45.4	46.5	25.0	8	2050
09-11 LST														0	0
12-14 LST	55.0	43.4	23.6	8.1	4.7	3.4	5.1	1.4	1.7	16.8	47.2	58.5	22.4	8	2046
15-17 LST														0	0
18-20 LST	50.4	40.3	18.5	7.8	3.2	4.9	0.6	0.8	4.0	18.4	44.8	51.3	20.4	8	2006
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	11.5	8.7	2.5	0.0	0.0	0.0	0.0	0.0	0.0	2.7	11.2	16.6	4.4	8	1994
03-05 LST														0	0
06-08 LST	17.7	17.2	9.7	1.3	1.2	2.4	0.6	1.1	0.5	11.2	22.0	16.5	8.5	8	2050
09-11 LST														0	0
12-14 LST	28.5	16.5	4.5	0.0	0.6	0.0	2.3	0.0	0.0	3.9	23.0	28.1	9.0	8	2046
15-17 LST														0	0
18-20 LST	17.4	13.2	1.3	0.6	0.6	0.6	0.0	0.0	0.0	2.7	10.5	20.4	5.6	8	2006
21-23 LST														0	0

BUDAPEST, HUNGARY

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. UBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	20.2	18.3	26.1	28.5	30.2	29.3	30.6	30.6	29.1	27.1	21.4	18.9	30.3	8	1994
	07 LST	16.3	14.6	21.1	26.2	28.6	25.9	29.1	29.4	28.0	24.2	16.4	17.2	277.0	8	2050
	13 LST	14.3	16.1	24.3	28.0	30.1	29.5	29.4	30.8	29.7	26.0	16.4	13.2	287.8	8	2046
	19 LST	16.2	17.1	25.6	27.8	30.4	28.9	30.8	30.8	29.0	25.6	17.0	15.8	295.0	8	2006
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	16.1	14.4	22.7	25.8	26.2	25.9	27.7	27.3	25.3	24.7	17.7	14.3	268.1	8	1989
	07 LST	13.4	10.5	17.9	21.9	24.0	22.0	24.1	26.4	24.9	21.8	14.5	13.2	234.6	8	2044
	13 LST	9.4	8.8	16.2	19.8	20.9	21.5	21.3	24.3	23.4	20.8	11.9	8.5	206.8	8	2036
	19 LST	12.8	12.9	21.5	23.8	25.4	25.0	27.3	28.8	26.6	23.3	14.2	11.9	253.5	8	1994
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	0.5	0.5	0.4	0.2	0.2	0.2	0.2	0.0	0.4	0.2	0.6	0.4	3.8	8	2000
	07 LST	0.3	0.9	0.4	0.6	0.4	1.1	0.2	0.2	0.0	0.5	0.0	0.2	4.8	8	2054
	13 LST	0.3	0.7	0.6	0.7	0.4	0.5	0.4	0.7	0.3	0.5	0.9	0.3	6.3	8	2046
	19 LST	0.5	0.7	0.0	0.0	0.4	0.2	0.4	0.0	0.0	0.0	0.2	0.2	2.6	8	2008
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	3.2	3.7	6.7	12.6	12.2	9.8	10.8	10.2	9.8	8.4	8.9	6.2	102.5	8	1988
	07 LST	3.0	2.1	7.1	9.0	11.4	10.1	11.9	8.5	9.1	7.2	9.4	6.7	95.5	8	2046
	13 LST	8.5	8.4	17.1	18.8	18.5	19.5	20.9	19.9	21.5	18.7	14.6	10.9	197.3	8	2038
	19 LST	6.0	5.4	14.1	17.6	18.6	18.1	19.6	19.0	14.0	10.6	11.3	8.0	162.3	8	1993
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	7.1	7.1	10.9	14.4	15.3	13.7	19.9	18.4	19.3	14.0	7.1	6.2	153.4	8	1998
	07 LST	4.1	1.8	6.6	7.5	8.9	9.8	12.2	15.7	15.2	9.2	3.6	4.1	98.7	8	2058
	13 LST	4.0	2.6	6.3	5.2	3.9	2.0	5.8	8.2	8.0	6.9	2.8	2.6	58.3	8	2053
	19 LST	5.2	5.6	9.0	8.3	8.1	6.5	11.6	11.7	14.8	11.9	5.7	3.9	102.3	8	2017
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	17.7	16.6	23.9	27.2	28.5	28.7	30.3	30.3	28.6	26.2	19.7	16.2	293.9	8	1994
	07 LST	14.7	13.3	20.2	24.8	27.4	25.6	28.7	29.0	27.2	23.5	15.6	15.1	265.1	8	2050
	13 LST	13.3	15.5	22.5	26.2	28.0	27.3	29.2	29.7	28.9	25.2	14.8	12.2	272.8	8	2046
	19 LST	14.3	16.0	23.8	26.7	28.8	27.7	30.2	30.5	28.2	24.8	15.4	13.7	280.1	8	2006
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	14.1	13.9	19.9	23.0	25.6	24.6	28.2	28.0	26.6	24.2	16.8	13.0	257.9	8	1994
	07 LST	12.5	10.2	16.5	22.3	25.2	22.9	26.9	26.7	24.6	21.3	12.3	12.6	234.0	8	2050
	13 LST	11.7	13.6	20.1	21.4	21.5	22.4	24.0	25.3	25.8	22.5	12.9	10.8	232.0	8	2046
	19 LST	13.3	13.0	20.1	22.7	26.5	25.6	27.4	28.5	26.3	22.6	13.0	11.3	250.3	8	2006
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	13.9	13.6	19.5	22.6	25.4	24.6	28.2	28.0	26.6	24.2	16.6	12.8	256.0	8	1994
	07 LST	12.5	10.2	15.9	22.3	25.0	22.9	26.9	26.7	24.4	21.3	12.1	12.4	232.6	8	2050
	13 LST	11.7	13.1	20.1	21.4	21.3	22.4	24.0	25.3	25.8	22.2	12.7	10.8	230.8	8	2046
	19 LST	12.8	12.9	19.9	22.7	26.5	25.3	27.4	28.3	26.1	22.6	12.8	11.1	248.4	8	2006

SZOLNOK, HUNGARY

STA NO. 12860 (IN AREA NUMBER 01)

LATITUDE 4711N

LONGITUDE 02013E

ELEVATION(FT) 00284

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. DBS
ABS MAX TMP (F)	50	54	66	82	88	90	100	104	88	81	63	59	104	7	702
MEAN MAX TMP (F)	32	36	49	61	68	78	85	84	74	63	47	39	60	7	702
MEAN MIN TMP (F)	18	23	31	42	49	60	63	58	53	45	34	29	42	5	595
ABS MIN TMP (F)	-11	-6	16	27	32	48	55	50	32	32	7	7	-11	5	595
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.9	7.2	9.1	0.0	0.0	0.0	0.0	17.2	7	702
MEAN NO DYS TMP = DR LES 32(F)	27.1	23.7	14.9	1.9	0.9	0.0	0.0	0.0	1.1	0.6	10.0	18.7	98.9	5	595
MEAN NO DYS TMP = DR LES 0(F)	2.8	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.8	5	595
MEAN DEW PT TMP (F)	22	27	32	39	49	60	61	60	55	45	31	30	43	5	1662
MEAN REL HUM (PCT)	86	90	75	66	71	73	66	60	75	77	81	90	76	5	1605
MEAN PRESS ALT (FT)	113	32	91	248	267	289	228	279	186	164	-60	51	157	5	1682
MEAN PRECIP (IN)	1.27	1.34	1.26	0.83	3.53	3.49	1.82	0.98	3.24	3.57	2.67	0.70	24.7	5	531
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0	0.0				5	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	3.7	4.3	4.3	3.1	7.2	5.0	3.7	2.8	2.9	5.4	3.8	2.4	48.6	5	531
MEAN NO DYS SNFL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0	0.0				5	-29
MEAN NO DYS W/O CUR VS BY LES 1/2 MI	4.3	9.7	0.0	0.0	0.7	0.0	0.0	1.8	0.0	1.0	2.5	12.6	32.6	5	383
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	1.3	5.4	2.7	1.8	1.4	0.0	0.0	0.0	12.6	5	389
P FREQ WND SPD = DR GTR 17 KTS	5.0	3.4	4.8	11.5	3.7	3.2	3.6	2.9	2.3	0.8	3.7	7.1	4.3	5	1707
P FREQ WND SPD = DR GTR 28 KTS	1.2	0.4	1.6	4.7	0.5	0.0	0.0	0.0	0.0	0.0	0.9	1.8	0.9	5	1707
P FREQ LES 5000 FT A/D LES 5 MI	58.2	74.8	43.7	30.4	34.0	27.7	19.2	11.5	15.3	24.2	55.5	70.1	38.7	5	1932
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	40.3	56.0	18.5	3.0	7.4	1.9	2.7	1.8	2.3	7.1	28.4	51.9	18.4	7	963
03-05 LST														0	0
06-08 LST	44.2	59.1	27.7	7.9	10.0	6.1	4.8	2.8	2.3	20.3	45.1	53.7	23.7	5	722
09-11 LST														0	0
12-14 LST	32.6	40.4	5.9	5.0	7.2	3.6	3.0	4.0	1.1	8.3	21.4	32.6	13.8	8	1269
15-17 LST														0	0
18-20 LST	37.7	47.6	5.5	6.0	4.4	4.9	1.7	0.0	0.0	6.5	22.8	40.9	14.8	7	864
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	12.6	26.5	2.4	0.0	1.1	0.0	0.0	1.2	0.0	2.4	7.5	26.3	6.7	7	963
03-05 LST														0	0
06-08 LST	10.3	22.2	10.3	0.0	1.4	0.0	0.0	0.0	0.0	6.8	16.0	30.9	8.2	5	722
09-11 LST														0	0
12-14 LST	10.6	11.3	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	5.9	12.4	3.5	8	1269
15-17 LST														0	0
18-20 LST	15.3	16.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.8	22.5	5.1	7	864
21-23 LST														0	0

SZOLNOK, HUNGARY

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	18.9	12.9	25.5	29.6	29.3	30.0	30.2	30.6	29.6	28.8	21.9	15.8	303.1	7	963
	07 LST	18.2	12.1	23.0	28.1	29.3	28.4	29.8	30.4	29.3	24.7	17.4	14.7	285.4	5	722
	13 LST	21.4	17.2	29.8	28.9	29.5	29.5	30.3	30.2	29.7	28.8	24.7	22.1	322.1	8	1269
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	13.7	9.3	21.0	24.4	25.8	26.0	27.6	28.1	26.9	25.8	17.0	10.9	256.5	7	962
	07 LST	10.9	6.2	16.1	21.6	22.3	23.8	24.2	27.1	25.7	23.6	10.8	11.8	224.1	5	715
	13 LST	12.8	10.5	15.8	14.6	16.1	17.9	19.9	21.9	20.1	21.7	16.3	14.1	201.7	8	1256
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	1.8	1.1	2.5	1.4	0.3	0.4	0.8	0.0	0.4	0.4	0.0	1.0	10.1	7	977
	07 LST	1.8	1.9	0.6	2.3	0.4	0.8	1.2	0.6	0.0	0.0	0.0	1.7	11.3	5	721
	13 LST	2.1	3.4	4.5	3.9	3.2	2.5	0.8	1.6	2.3	1.3	2.0	1.3	28.9	8	1283
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	1.8	4.4	7.0	10.6	10.3	10.6	8.4	7.5	12.5	12.5	6.3	5.2	97.1	7	967
	07 LST	2.7	1.9	6.8	13.6	13.8	14.0	11.8	10.7	15.0	17.3	10.2	3.9	121.7	5	717
	13 LST	6.8	7.9	11.4	11.9	9.8	14.5	14.1	11.3	14.5	15.6	12.4	10.7	140.9	8	1268
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	9.1	4.7	13.9	15.7	10.8	12.8	20.9	21.0	20.7	17.0	8.5	5.6	160.7	7	972
	07 LST	5.5	0.8	5.9	8.6	9.0	8.6	20.1	16.3	11.6	7.4	4.2	2.2	100.2	5	723
	13 LST	6.0	2.7	6.5	3.9	3.8	3.3	6.9	10.9	10.1	8.8	4.4	3.8	71.1	8	1288
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	17.6	11.3	24.5	27.9	27.5	27.7	30.0	30.0	28.6	28.3	20.0	13.5	286.9	7	963
	07 LST	15.1	10.6	20.6	27.0	26.3	26.8	28.8	29.4	29.0	23.4	14.9	13.6	265.5	5	722
	13 LST	19.6	15.5	27.3	27.0	26.3	26.7	29.0	28.6	29.5	27.4	21.1	18.9	296.9	8	1269
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	17.8	13.1	27.5	26.2	28.5	26.8	29.6	31.0	23.9	28.4	20.6	17.2	295.6	7	864
	07 LST	15.7	8.2	20.7	25.8	23.7	24.1	28.5	27.4	26.9	26.6	16.1	12.5	256.2	7	963
	13 LST	11.4	8.2	15.5	21.6	23.6	21.9	27.5	27.6	27.2	21.5	10.8	13.0	229.8	5	722
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	15.9	11.1	21.1	21.1	19.2	19.2	22.6	24.9	26.4	23.6	17.2	15.7	238.0	8	1269
	07 LST	14.2	10.3	21.7	19.7	24.4	24.7	25.7	29.9	26.3	26.3	16.4	13.1	252.7	7	864
	13 LST	15.0	8.2	20.7	25.4	22.6	24.1	28.5	27.4	26.4	25.8	16.1	12.5	252.7	7	963
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	11.4	7.8	15.5	20.6	22.3	21.5	25.7	27.1	25.8	21.5	10.8	11.8	221.8	5	722
	13 LST	15.6	10.8	20.5	21.1	19.2	19.2	22.6	24.5	26.0	23.4	16.6	15.0	234.5	8	1269
	19 LST	14.2	9.6	21.2	19.7	23.3	24.7	25.7	29.3	25.7	25.9	16.4	12.7	248.4	7	864

DEBRECEN, HUNGARY

STA NO. 12882 (IN AREA NUMBER 01)

LATITUDE 4729N

LONGITUDE 02139E

ELEVATION(FT) 00369

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	57	54	70	81	88	90	100	102	91	82	66	63	102	8	1818
MEAN MAX TMP (F)	34	33	47	60	69	77	80	80	73	62	46	40	58	8	1818
MEAN MIN TMP (F)	23	21	31	40	49	57	59	58	51	43	35	31	42	8	1894
ABS MIN TMP (F)	-6	-8	12	21	30	39	43	45	34	27	12	-2	-8	8	1894
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.4	3.7	4.7	0.9	0.0	0.0	0.0	9.7	8	1818
MEAN NO DYS TMP = DR LES 32(F)	26.7	26.2	18.6	5.2	1.2	0.0	0.0	0.0	0.0	2.9	10.8	18.8	110.4	8	1894
MEAN NO DYS TMP = DR LES 0(F)	1.3	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	2.3	8	1894
MEAN DEW PT TMP (F)	24	24	29	38	48	56	56	56	51	45	34	32	41	8	6138
MEAN REL HUM (PCT)	85	85	73	67	69	71	66	67	70	79	85	88	75	8	5943
MEAN PRESS ALT (FT)	219	237	196	296	308	318	333	334	225	221	133	220	253	8	6210
MEAN PRECIP (IN)	1.39	1.66	0.89	1.71	2.10	3.39	1.50	1.65	0.74	1.98	1.61	1.77	20.4	8	1571
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0					8	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	4.8	5.1	3.3	4.8	6.3	7.6	4.3	3.9	1.9	5.1	5.0	5.6	57.7	8	1571
MEAN NO DYS SNFL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0					8	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	4.4	6.5	1.3	0.2	0.7	0.0	0.0	0.2	0.2	2.9	2.4	6.3	25.1	8	1475
MEAN NO DYS TSTMS	0.2	0.0	0.0	1.2	3.4	7.2	7.8	3.8	0.7	0.5	0.0	0.0	24.8	8	1501
P FREQ WND SPD = DR GTR 17 KTS	7.6	6.0	8.1	5.7	2.3	0.6	1.2	1.8	1.8	1.7	2.6	2.9	3.5	8	6304
P FREQ WND SPD = DR GTR 28 KTS	0.3	0.7	0.4	0.0	0.2	0.0	0.0	0.2	0.2	0.0	0.9	0.0	0.2	8	6304
P FREQ LES 5000 FT A/D LES 5 MI	67.3	82.1	49.9	36.2	28.7	34.1	22.6	24.0	27.6	47.7	68.1	78.4	47.2	8	6555
P FREQ LES 1900 FT A/D LES 3 MI															
FDR 00-02 LST	42.2	50.4	17.4	13.6	4.3	13.4	5.6	3.8	3.4	14.8	35.4	47.5	21.0	8	1896
03-05 LST														0	0
06-08 LST	56.0	66.5	30.9	20.0	13.0	13.3	6.2	8.0	13.3	34.6	53.3	58.6	31.1	8	2013
09-11 LST														0	0
12-14 LST	41.6	48.5	15.1	9.9	4.1	4.5	2.8	3.5	2.2	7.5	33.5	49.0	18.5	8	2023
15-17 LST														0	0
18-20 LST	43.7	55.8	18.5	12.5	3.1	5.0	1.6	3.4	4.6	14.1	42.4	55.7	21.7	8	1953
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	13.1	15.5	2.7	1.3	1.3	0.0	0.0	0.6	0.6	1.9	7.4	13.0	4.8	8	1896
03-05 LST														0	0
06-08 LST	18.2	23.7	5.4	3.3	1.8	1.2	1.2	1.1	1.7	11.7	15.7	19.4	8.7	8	2013
09-11 LST														0	0
12-14 LST	13.0	10.9	2.0	0.0	0.0	0.0	0.6	0.0	0.0	1.7	4.0	11.7	3.7	8	2023
15-17 LST														0	0
18-20 LST	13.3	14.1	1.3	0.6	0.0	0.0	0.0	0.0	0.6	1.6	5.6	16.0	4.4	8	1953
21-23 LST														0	0

DEBRECEN, HUNGARY

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	19.0	14.3	26.2	26.1	29.8	26.2	29.3	29.9	29.3	26.9	20.3	17.3	294.6	8	1896
	07 LST	14.3	9.6	21.6	24.3	27.4	26.3	29.4	28.5	26.1	20.8	14.4	13.3	256.0	8	2013
	13 LST	18.5	15.1	26.9	28.0	30.0	28.9	30.6	30.0	29.5	29.1	21.0	16.8	304.4	8	2023
	19 LST	18.1	12.9	25.7	26.6	30.4	28.8	30.8	30.1	28.8	27.1	17.5	14.7	291.5	8	1953
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	12.7	10.4	19.3	23.2	26.5	23.8	28.3	28.6	26.9	23.8	16.8	11.7	252.0	8	1891
	07 LST	9.4	5.7	15.5	18.0	21.3	23.6	26.1	26.1	22.7	16.8	11.4	7.8	204.4	8	2010
	13 LST	11.9	8.8	14.7	16.6	17.4	20.5	22.6	22.1	20.5	19.4	13.8	9.5	197.8	8	2019
	19 LST	12.2	9.5	20.6	21.2	24.9	25.7	28.3	27.9	27.1	23.5	13.5	9.4	243.8	8	1951
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	1.4	1.1	2.3	1.0	0.4	0.2	0.0	0.0	0.2	0.4	0.7	0.6	8.3	8	1903
	07 LST	1.3	1.3	1.0	1.3	0.5	0.0	0.0	0.0	0.2	0.2	0.0	0.4	6.2	8	2030
	13 LST	2.1	1.9	3.4	2.3	1.7	0.4	1.1	1.5	1.3	0.8	1.0	1.2	18.7	8	2046
	19 LST	1.2	0.5	1.2	1.9	0.4	0.0	0.0	0.0	0.0	0.5	0.4	0.8	6.9	8	1967
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	3.4	1.8	6.7	11.2	10.9	9.5	10.5	9.6	12.1	12.0	8.1	6.2	102.0	8	1885
	07 LST	2.0	2.0	7.6	12.4	14.7	15.4	13.8	12.5	10.4	12.5	8.3	4.8	116.4	8	2013
	13 LST	6.3	6.2	8.3	12.3	11.7	16.4	13.7	12.2	16.3	11.4	12.8	8.4	136.0	8	2027
	19 LST	3.8	2.3	6.2	9.0	12.4	11.8	11.0	7.1	11.2	8.4	7.4	7.8	98.4	8	1950
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	6.1	5.8	14.5	14.9	16.6	14.7	20.5	21.9	18.6	14.0	7.4	4.4	159.4	8	1901
	07 LST	3.9	1.3	6.2	7.3	8.8	9.5	14.2	14.2	12.0	6.3	3.4	2.0	89.1	8	2020
	13 LST	3.5	2.8	7.7	4.6	4.0	3.8	7.6	11.2	7.8	10.1	3.8	3.1	70.0	8	2039
	19 LST	7.5	5.9	12.1	8.3	8.2	5.6	13.8	13.3	16.0	14.0	5.6	3.2	113.5	8	1958
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	16.5	13.0	24.4	25.6	29.1	25.4	28.9	29.4	28.4	25.6	17.4	14.1	277.8	8	1896
	07 LST	12.6	8.9	20.5	23.3	26.4	25.2	28.8	28.4	25.6	19.5	13.2	11.7	244.1	8	2013
	13 LST	16.6	13.5	24.8	24.8	28.8	27.2	29.0	29.5	28.5	27.4	18.5	14.2	282.8	8	2023
	19 LST	16.3	11.5	24.4	25.5	28.9	27.9	29.8	29.6	28.1	25.6	16.2	12.3	276.1	8	1953
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	13.7	10.7	20.7	24.0	27.1	22.1	27.5	26.8	26.7	23.1	13.9	10.5	246.8	8	1896
	07 LST	10.1	6.8	16.4	20.8	23.9	22.7	26.8	26.2	22.5	17.8	10.7	8.8	213.5	8	2013
	13 LST	13.3	11.5	19.8	17.6	19.1	17.8	22.1	24.6	22.8	23.0	14.4	10.6	216.6	8	2023
	19 LST	14.2	9.7	21.2	22.0	23.8	23.1	27.3	27.2	25.9	22.1	12.9	7.0	238.4	8	1953
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	13.6	10.7	20.7	24.0	26.1	22.1	27.5	26.8	26.3	22.9	13.5	10.3	244.5	8	1896
	07 LST	9.6	6.6	16.4	20.4	23.3	22.7	26.6	25.7	22.0	17.6	10.7	8.4	210.0	8	2013
	13 LST	12.5	11.3	19.6	17.4	18.7	17.8	21.9	24.6	22.7	22.6	14.2	10.6	213.9	8	2023
	19 LST	14.0	9.7	20.6	21.6	23.6	22.9	27.1	27.0	25.5	21.8	12.7	8.8	233.3	8	1953

KESZTHELY, HUNGARY

STA NO. 12920 (IN AREA NUMBER 01)

LATITUDE 4646N

LONGITUDE 01714E

ELEVATION(FT) 00468

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	48	57	64	79	86	86	95	100	86	79	57	52	100	5	604
MEAN MAX TMP (F)	31	36	49	60	68	77	83	81	73	63	46	36	59	5	604
MEAN MIN TMP (F)	23	22	35	45	50	59	61	60	54	48	34	29	43	5	576
ABS MIN TMP (F)	-2	5	19	32	30	46	52	48	37	34	21	18	-2	5	576
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	6.3	7.6	0.0	0.0	0.0	0.0	13.9	5	604
MEAN NO DYS TMP = OR LES 32(F)	26.6	23.2	8.0	0.5	0.5	0.0	0.0	0.0	0.0	0.0	11.8	22.5	93.1	5	576
MEAN NO DYS TMP = OR LES 0(F)	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	5	576
MEAN DEW PT TMP (F)	25	19	31	38	47	55	58	55	52	46	32	29	41	5	1720
MEAN REL HUM (PCT)	82	78	72	62	67	70	64	64	69	77	76	86	72	5	1644
MEAN PRESS ALT (FT)	311	345	303	372	411	450	385	417	341	251	59	156	317	5	1740
MEAN PRECIP (IN)	2.15	0.49	0.92	1.91	3.07	3.31	1.65	1.18	2.29	0.92	0.56	0.92	19.4	3	424
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0	0.0				5	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	6.2	0.8	2.9	5.7	7.9	8.4	3.5	2.4	5.0	2.6	3.0	2.7	51.3	3	424
MEAN NO DYS SNFL = OR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0	0.0				5	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	1.0	0.7	3.0	0.0	0.0	0.0	0.0	0.0	1.0	0.9	0.0	12.1	18.7	5	445
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	1.9	5.3	4.2	0.7	1.0	0.0	0.0	0.0	13.1	5	449
P FREQ WND SPD = OR GTR 17 KTS	5.1	6.4	4.7	9.1	4.0	2.7	2.7	1.2	0.9	7.1	2.0	1.0	3.9	5	1804
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.6	0.0	2.3	0.0	0.0	0.0	0.0	0.0	1.4	0.0	0.0	0.4	5	1804
P FREQ LES 5000 FT A/D LES 5 MI	52.3	55.5	31.7	22.8	21.0	23.2	10.2	9.9	11.8	27.4	40.9	71.1	31.5	5	1991
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	24.1	39.5	17.3	1.7	5.9	6.7	1.1	0.0	1.3	10.7	11.5	46.6	13.9	5	1006
03-05 LST														0	0
06-08 LST	28.6	41.6	11.0	1.3	1.3	3.0	0.0	1.2	4.9	15.5	22.4	36.0	13.9	5	835
09-11 LST														0	0
12-14 LST	13.9	25.9	3.6	0.8	0.0	1.2	1.0	1.0	1.1	3.9	8.7	33.6	7.9	5	1253
15-17 LST														0	0
18-20 LST	22.4	31.9	5.5	0.6	1.7	0.0	2.7	0.6	0.0	1.3	9.8	42.0	9.9	5	895
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	10.8	10.5	4.9	0.0	1.0	1.0	0.0	0.0	0.0	2.2	1.6	20.7	4.4	5	1006
03-05 LST														0	0
06-08 LST	8.6	3.4	8.2	0.0	0.0	0.0	0.0	1.2	4.9	8.8	6.1	16.0	4.8	5	835
09-11 LST														0	0
12-14 LST	2.1	2.8	0.0	0.0	0.0	0.8	1.0	0.0	0.0	1.7	5.4	13.4	2.3	5	1253
15-17 LST														0	0
18-20 LST	9.0	4.2	0.0	0.0	0.0	0.0	2.7	0.0	0.0	1.3	3.9	26.0	3.9	5	895
21-23 LST														0	0

KESZTHELY, HUNGARY

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	23.5	16.9	25.6	29.7	29.2	28.1	30.6	31.0	29.6	27.9	26.6	16.6	315.3	5	1006
	07 LST	22.1	16.6	27.6	29.6	31.0	29.3	31.0	30.6	28.5	26.4	23.3	19.8	315.8	5	835
	13 LST	26.8	20.7	29.9	29.8	31.0	29.8	30.7	30.7	29.7	29.9	27.4	20.8	337.2	5	1253
	19 LST	24.1	19.1	29.3	30.0	30.7	30.0	30.2	31.0	30.0	30.6	27.1	18.0	330.1	5	895
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	19.7	14.7	20.2	22.4	25.7	23.8	27.5	27.8	28.0	23.7	22.6	15.5	271.6	5	1000
	07 LST	18.6	13.8	24.6	26.2	27.2	26.5	29.0	27.5	26.9	24.4	20.2	18.0	283.1	5	831
	13 LST	21.6	18.4	24.2	23.9	23.6	25.2	27.1	28.0	24.8	25.3	23.8	19.7	285.6	5	1239
	19 LST	20.8	15.6	24.9	26.4	27.2	27.5	28.9	29.5	26.5	26.6	22.4	14.3	290.6	5	894
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	1.5	2.3	0.7	3.0	0.9	1.2	1.0	0.3	0.4	0.7	1.0	0.0	13.0	5	1024
	07 LST	1.3	2.7	1.2	0.8	2.2	1.1	0.8	1.2	0.5	0.0	2.4	0.0	14.2	5	847
	13 LST	1.5	1.8	2.5	2.3	3.3	1.5	0.3	0.6	0.3	1.5	1.6	0.9	18.1	5	1265
	19 LST	1.3	0.4	2.0	1.1	0.7	1.0	0.4	0.0	0.4	0.4	0.6	1.7	10.0	5	914
SFC WND 4-10 KTS AND THP 33-89 DEG F AND NO PRECIP.	01 LST	1.1	1.3	5.2	4.2	9.3	6.7	6.2	5.9	8.3	8.2	5.0	4.3	65.7	5	1009
	07 LST	1.3	1.4	2.9	6.1	7.9	10.5	6.9	5.9	9.2	7.1	4.4	3.0	66.6	5	832
	13 LST	7.1	4.0	7.9	11.2	12.2	12.2	11.7	12.3	12.1	10.5	10.2	5.3	116.7	5	1239
	19 LST	5.2	2.3	5.3	10.0	5.7	6.7	5.9	5.9	6.2	5.4	6.5	5.0	70.1	5	897
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	7.0	7.5	12.0	13.2	14.9	11.2	16.9	16.8	17.0	16.5	10.6	8.6	152.2	5	1020
	07 LST	4.3	5.1	9.4	10.5	14.0	8.6	17.7	16.7	14.2	11.4	7.3	2.4	121.6	5	837
	13 LST	8.6	7.3	8.8	9.6	10.1	8.2	16.6	14.0	15.5	10.8	8.2	3.6	121.3	5	1265
	19 LST	11.8	7.0	14.0	7.5	9.5	10.7	16.5	12.8	15.4	14.9	10.8	7.6	138.5	5	911
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	22.9	16.8	25.5	28.4	28.7	27.5	30.5	30.7	29.5	27.1	26.2	16.4	310.2	5	1006
	07 LST	21.8	15.9	27.4	29.2	29.9	28.8	31.0	30.3	28.5	25.8	23.0	19.3	310.9	5	835
	13 LST	26.4	20.5	29.7	29.5	30.5	29.2	30.4	30.3	29.4	29.5	26.7	19.8	331.9	5	1253
	19 LST	23.7	19.1	29.3	28.8	29.9	29.6	30.0	30.3	29.7	30.3	26.4	17.5	324.6	5	895
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	19.0	14.7	22.2	23.6	25.8	24.1	29.9	27.8	27.7	25.1	23.1	13.9	276.9	5	1006
	07 LST	16.8	14.2	24.6	22.9	24.6	22.2	27.8	27.2	24.6	23.3	20.8	14.3	263.3	5	835
	13 LST	20.5	17.4	25.4	22.0	24.1	22.5	26.9	27.0	26.5	24.8	19.6	11.1	267.0	5	1253
	19 LST	20.8	13.6	20.4	20.0	24.1	22.5	26.9	26.9	25.7	24.6	18.2	14.3	258.0	5	895
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	18.7	14.7	21.8	23.3	25.8	24.1	29.9	27.8	27.7	25.1	22.6	13.9	275.4	5	1006
	07 LST	16.8	14.2	24.6	22.9	24.2	22.2	27.8	27.2	24.6	23.3	20.8	14.3	262.9	5	835
	13 LST	20.5	17.4	25.4	22.0	24.7	22.8	24.9	27.0	26.5	24.8	19.6	11.1	266.7	5	1253
	19 LST	20.8	13.6	20.4	20.0	23.4	22.5	26.9	26.9	25.7	24.6	17.6	14.3	256.7	5	895

PECS, HUNGARY

STA NO. 12940 (IN AREA NUMBER 01)

LATITUDE 4606N

LONGITUDE 01813E

ELEVATION(FT) 00408

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	59	61	75	81	88	90	97	102	90	84	66	61	102	5	1402
MEAN MAX TMP (F)	37	35	48	62	69	77	80	81	75	63	47	43	60	5	1402
MEAN MIN TMP (F)	26	21	32	41	48	56	59	57	52	44	35	32	42	5	1385
ABS MIN TMP (F)	-8	-5	7	19	30	37	48	43	34	27	14	12	-8	5	1395
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.2	3.3	6.6	0.5	0.0	0.0	0.0	10.6	5	1402
MEAN NO DYS TMP = DR LES 32(F)	23.8	23.3	18.4	4.9	0.8	0.0	0.0	0.0	0.0	2.2	11.0	18.2	102.6	5	1385
MEAN NO DYS TMP = DR LES 0(F)	0.6	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	5	1385
MEAN DEW PT TMP (F)	25	21	29	38	46	54	57	55	51	44	33	31	40	5	4560
MEAN REL HUM (PCT)	78	74	70	64	64	68	67	67	68	74	79	80	71	5	4412
MEAN PRESS ALT (FT)	294	347	263	352	331	369	387	366	277	263	168	218	303	5	4596
MEAN PRECIP (IN)	1.43	1.13	1.65	2.59	2.77	3.49	2.19	2.20	0.86	1.83	1.59	2.44	24.2	5	1172
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0					5	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	5.0	3.5	6.5	7.4	8.9	8.1	5.4	5.3	2.8	4.1	4.9	5.4	67.3	5	1172
MEAN NO DYS SNFL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0					5	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	4.6	2.7	0.8	0.5	0.9	0.0	0.0	1.1	0.0	3.2	3.2	6.9	23.9	5	1148
MEAN NO DYS TSTMS	0.3	0.0	0.0	1.7	4.3	4.4	4.0	3.3	0.3	0.0	0.0	0.4	18.7	5	1156
P FREQ WND SPD = DR GTR 17 KTS	3.6	3.8	4.6	6.7	4.7	3.7	3.2	2.9	1.5	2.4	2.9	1.8	3.5	5	4664
P FREQ WND SPD = DR GTR 28 KTS	0.2	0.7	0.4	0.4	0.0	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.2	5	4664
P FREQ LES 5000 FT A/D LES 5 MI	68.5	73.6	50.3	31.1	28.8	20.0	17.1	17.4	20.3	34.0	69.6	69.2	41.7	5	4992
P FREQ LES 1500 FT A/D LES 3 MI															
FDR 00-02 LST	44.8	48.1	23.5	12.1	8.6	5.9	4.5	3.6	5.0	14.7	38.1	54.5	22.0	5	1486
03-05 LST														0	0
06-08 LST	49.7	60.1	34.1	16.5	11.4	11.2	5.5	9.3	12.7	26.0	46.4	51.0	27.8	5	1538
09-11 LST														0	0
12-14 LST	32.5	38.0	14.1	5.2	4.1	2.6	2.1	2.3	3.7	5.8	25.2	37.1	14.4	5	1646
15-17 LST														0	0
18-20 LST	45.5	51.2	20.4	5.9	1.9	4.1	0.4	1.5	3.8	9.8	40.2	55.1	20.0	5	1562
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	9.1	9.3	2.1	0.0	1.4	0.8	1.8	0.0	0.0	5.3	11.0	16.8	4.8	5	1486
03-05 LST														0	0
06-08 LST	16.0	24.0	11.1	4.5	1.5	1.7	0.0	2.2	3.7	11.5	19.4	23.1	9.9	5	1538
09-11 LST														0	0
12-14 LST	6.9	8.8	1.4	0.7	0.0	0.0	0.0	0.7	0.0	1.4	4.3	9.8	2.8	5	1646
15-17 LST														0	0
18-20 LST	9.8	5.6	0.7	0.0	0.0	0.0	0.0	0.0	0.0	1.5	3.0	12.7	2.8	5	1562
21-23 LST														0	0

PECS, HUNGARY

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. DBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	17.8	14.8	24.2	26.8	28.6	28.5	29.9	30.2	28.8	27.2	18.7	15.4	289.9	5	1486
	07 LST	16.3	11.5	20.7	25.5	27.8	27.0	29.4	28.2	26.2	23.4	16.7	15.8	268.5	5	1538
	13 LST	21.8	18.1	27.2	28.9	29.9	29.6	30.8	30.5	29.1	30.1	23.8	20.2	320.0	5	1646
	19 LST	17.6	13.9	25.4	28.5	30.5	29.3	31.0	30.8	28.5	28.4	18.7	14.4	297.4	5	1562
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	01 LST	13.9	10.6	16.9	19.8	20.7	22.2	25.0	24.6	24.5	23.0	13.5	11.0	223.7	5	1483
	07 LST	10.9	7.2	13.1	17.7	19.2	21.6	25.0	23.6	22.3	19.2	10.7	10.3	200.8	5	1535
	13 LST	14.0	10.1	11.5	14.0	12.5	18.6	20.5	22.7	18.8	19.3	13.2	12.3	187.5	5	1643
	19 LST	13.2	10.9	18.4	22.6	25.0	23.4	28.0	27.7	26.1	24.7	13.1	10.0	243.1	5	1559
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	0.9	0.9	1.1	1.5	1.1	0.8	0.8	1.1	0.3	0.3	0.5	0.3	9.6	5	1498
	07 LST	0.2	0.9	1.1	2.0	0.7	0.7	0.7	0.5	0.4	0.2	0.6	0.3	8.3	5	1548
	13 LST	1.7	0.6	1.7	1.5	1.0	0.9	0.4	0.2	0.9	0.2	0.8	0.5	10.4	5	1663
	19 LST	0.6	0.7	0.4	0.2	0.9	0.2	0.5	0.2	0.5	0.5	1.5	0.3	6.5	5	1578
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	4.7	3.2	6.1	7.5	5.3	7.6	7.5	8.7	7.4	7.3	7.5	7.7	80.5	5	1479
	07 LST	4.1	1.8	5.2	6.5	10.0	10.6	10.9	10.7	7.8	8.2	6.1	6.9	88.8	5	1541
	13 LST	10.9	9.4	12.5	13.6	15.7	18.3	19.5	20.5	20.4	19.1	14.0	11.7	185.6	5	1647
	19 LST	4.8	3.2	8.9	12.0	12.3	10.8	9.4	8.0	6.1	9.4	6.6	7.0	98.5	5	1562
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	4.3	4.7	10.6	13.5	16.2	13.6	18.0	18.0	19.9	14.2	5.7	4.2	142.9	5	1498
	07 LST	2.1	2.6	5.4	5.6	11.8	6.4	12.4	14.8	11.1	6.8	1.9	2.6	83.5	5	1546
	13 LST	4.3	3.5	6.7	4.4	2.9	2.8	10.7	10.8	8.7	6.2	5.2	3.0	69.2	5	1660
	19 LST	7.5	4.3	10.5	8.4	9.7	8.7	13.2	14.9	17.5	10.0	6.2	5.1	116.0	5	1572
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	15.7	13.7	22.5	25.3	28.0	27.5	28.5	29.4	27.8	25.6	17.1	13.6	274.7	5	1486
	07 LST	14.2	10.5	19.7	24.4	27.0	26.1	29.1	28.0	26.1	22.4	15.1	14.1	256.7	5	1538
	13 LST	18.7	15.9	24.8	26.8	28.3	27.8	29.1	29.7	28.6	27.6	20.6	18.3	296.2	5	1646
	19 LST	15.8	13.0	23.2	27.3	29.9	27.9	30.4	30.2	28.7	26.9	16.5	13.1	282.9	5	1562
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	11.7	11.1	20.1	23.4	26.4	26.2	26.9	28.8	26.0	24.1	12.9	12.0	249.6	5	1486
	07 LST	11.6	8.7	17.9	23.1	26.2	25.5	28.5	27.5	25.3	21.1	12.8	12.1	240.3	5	1538
	13 LST	15.4	13.6	21.4	19.1	20.2	22.2	23.9	26.2	26.9	24.6	18.9	17.4	249.8	5	1646
	19 LST	13.7	11.4	21.3	24.7	28.2	26.3	29.4	29.4	27.7	23.8	11.9	12.1	254.9	5	1562
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	11.5	10.6	19.9	23.0	26.1	26.2	26.9	28.8	26.0	23.6	12.7	11.7	247.0	5	1486
	07 LST	11.6	8.5	17.9	22.6	26.2	25.5	28.5	27.5	25.3	21.1	12.8	11.8	239.3	5	1538
	13 LST	15.2	13.2	20.8	19.1	20.2	22.0	23.9	26.2	26.9	24.6	16.1	16.9	247.1	5	1646
	19 LST	13.7	11.4	21.3	24.7	28.2	26.3	29.4	29.4	27.7	23.5	11.6	11.6	258.8	5	1562

SZEGED, HUNGARY

STA NO. 12982 (IN AREA NUMBER 01)

LATITUDE 4615N

LONGITUDE 02006E

ELEVATION(FT) 00273

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	59	57	72	81	86	93	97	104	91	84	73	61	104	8	1798
MEAN MAX TMP (F)	35	36	46	61	70	78	81	82	75	63	48	42	60	8	1798
MEAN MIN TMP (F)	25	22	31	41	49	58	59	58	52	44	36	32	42	8	1870
ABS MIN TMP (F)	-8	-11	3	19	32	37	43	46	36	27	10	7	-11	8	1870
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.8	4.0	5.7	1.1	0.0	0.0	0.0	11.6	8	1798
MEAN NO DYS TMP = DR LES 32(F)	25.1	22.5	17.7	4.1	0.4	0.0	0.0	0.0	0.0	4.1	10.7	16.6	101.2	8	1870
MEAN NO DYS TMP = DR LES 0(F)	1.2	2.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.5	8	1870
MEAN DEW PT TMP (F)	26	25	30	40	49	57	57	56	50	44	37	32	42	8	5861
MEAN REL HUM (PCT)	87	87	78	70	70	72	67	66	68	77	86	87	76	8	5743
MEAN PRESS ALT (FT)	131	145	128	229	227	235	250	243	136	143	71	110	170	8	5908
MEAN PRECIP (IN)	1.26	1.54	1.01	1.94	2.64	2.85	2.53	1.42	1.21	1.36	1.77	1.19	20.7	8	1544
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0					8	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	4.4	5.3	2.8	5.5	6.8	6.3	4.6	4.1	2.9	4.4	3.8	3.4	54.3	8	1544
MEAN NO DYS SNFL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0						8	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	4.2	4.8	1.2	0.0	0.3	0.0	0.5	0.0	0.0	2.8	2.1	6.3	22.2	8	1414
MEAN NO DYS TSTMS	0.3	0.3	0.3	1.0	5.7	10.2	4.6	4.6	1.5	0.7	0.0	0.0	29.2	8	1417
P FREQ WND SPD = DR GTR 17 KTS	2.9	0.8	6.4	6.1	2.5	2.1	0.8	1.2	1.6	2.4	3.6	3.4	2.8	8	5963
P FREQ WND SPD = DR GTR 28 KTS	0.2	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.1	8	5963
P FREQ LES 5000 FT A/D LES 5 MI	70.8	73.1	35.4	29.2	22.1	19.9	12.1	15.6	14.5	30.1	51.5	60.1	36.2	8	6538
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	44.1	46.9	12.4	8.1	5.1	2.9	2.3	2.3	3.0	9.1	29.2	36.1	16.8	8	1826
03-05 LST														0	0
06-08 LST	51.5	54.0	17.9	21.4	11.7	8.2	4.7	5.1	9.7	26.3	46.5	49.2	25.5	8	1992
09-11 LST														0	0
12-14 LST	37.2	36.6	15.4	6.8	4.1	2.5	0.9	3.0	1.7	5.2	25.1	34.7	14.4	8	2075
15-17 LST														0	0
18-20 LST	46.0	46.1	12.3	8.4	3.6	1.7	1.6	2.2	2.0	7.1	25.2	44.1	16.7	8	1893
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	10.6	15.1	2.2	0.0	0.7	0.0	1.3	0.0	0.7	4.0	10.4	13.4	4.9	8	1826
03-05 LST														0	0
06-08 LST	11.2	19.7	5.4	0.7	0.0	0.6	0.6	0.0	0.6	10.9	13.6	19.2	6.9	8	1992
09-11 LST														0	0
12-14 LST	7.5	4.9	2.5	0.0	0.0	0.0	0.0	0.5	0.0	0.5	4.4	10.2	2.5	8	2075
15-17 LST														0	0
18-20 LST	9.4	5.3	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.6	3.6	8.5	2.4	8	1893
21-23 LST														0	0

SZEGED, HUNGARY

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	17.7	15.1	27.5	27.9	29.7	29.2	30.4	30.1	29.2	28.5	21.7	20.5	307.5	8	1826
	07 LST	15.5	13.3	25.6	23.8	28.0	27.8	29.7	29.5	27.3	22.9	16.7	16.3	276.4	8	1992
	13 LST	20.2	18.2	27.4	28.5	30.8	29.6	30.8	30.3	29.7	30.0	23.5	20.7	319.7	8	2075
	19 LST	17.4	15.8	27.3	27.8	30.2	29.6	30.6	30.3	29.5	29.1	22.9	18.0	308.5	8	1893
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	11.9	11.0	18.5	20.2	25.3	25.4	28.1	27.5	25.8	23.6	15.4	12.8	245.5	8	1820
	07 LST	10.2	8.8	17.8	15.4	19.3	22.5	23.4	25.5	23.0	18.2	10.3	8.6	203.0	8	1990
	13 LST	10.3	9.7	11.1	14.1	14.6	16.6	17.9	18.6	17.3	17.4	10.3	8.7	166.6	8	2070
	19 LST	11.2	11.1	20.7	22.6	23.8	24.8	26.6	27.4	26.5	22.9	16.0	10.3	243.9	8	1888
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	0.6	0.4	2.2	0.0	0.4	0.2	0.2	0.0	0.2	0.0	0.0	0.0	5.2	8	1831
	07 LST	0.4	0.2	1.1	0.4	0.0	0.0	0.0	0.2	0.2	0.0	0.0	0.4	2.9	8	1992
	13 LST	1.8	1.2	2.4	3.8	1.9	1.1	0.5	0.7	1.0	1.3	1.3	1.8	18.8	8	2078
	19 LST	1.0	0.2	0.7	0.6	0.2	0.8	0.2	0.2	0.0	0.2	0.6	1.3	6.0	8	1908
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	4.7	4.9	11.0	15.3	15.3	16.5	17.5	17.7	16.7	16.6	10.1	8.3	154.6	8	1819
	07 LST	3.3	3.7	7.6	12.7	13.2	15.6	17.4	16.5	16.8	15.7	9.9	6.9	139.3	8	1984
	13 LST	8.1	7.3	12.0	12.9	14.4	16.1	15.4	14.3	17.5	14.4	12.3	11.4	156.1	8	2062
	19 LST	4.6	6.8	11.2	13.6	13.9	12.7	16.7	13.0	17.2	15.6	11.1	9.0	145.4	8	1896
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	5.1	3.6	10.9	11.9	14.7	13.1	16.9	19.4	20.4	14.3	5.8	6.6	142.7	8	1829
	07 LST	2.2	2.0	6.9	8.1	10.1	11.1	15.5	16.8	13.5	7.6	2.6	2.6	99.0	8	1991
	13 LST	5.1	2.8	6.1	5.1	5.9	3.7	9.0	12.0	11.1	7.9	5.3	3.0	77.0	8	2079
	19 LST	3.9	4.5	8.5	7.1	9.2	7.3	14.3	13.6	14.1	12.4	7.0	4.1	106.0	8	1904
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	16.6	14.5	26.3	26.9	28.8	28.9	30.1	29.8	28.9	27.6	20.2	18.9	297.5	8	1826
	07 LST	14.2	12.2	24.9	23.3	26.5	26.9	29.2	29.3	26.8	22.4	15.1	14.7	265.5	8	1992
	13 LST	18.6	16.8	24.0	25.7	27.3	27.5	29.3	28.9	29.2	28.0	20.5	19.6	295.4	8	2075
	19 LST	15.9	14.1	26.4	26.7	29.1	28.8	30.2	29.8	29.2	28.0	21.0	16.4	295.6	8	1893
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	15.4	13.3	24.5	25.2	27.8	28.5	29.6	29.2	28.6	26.8	18.5	17.6	285.0	8	1826
	07 LST	12.2	10.3	23.5	22.8	26.1	26.0	28.7	29.0	26.4	20.8	13.7	12.8	252.3	8	1992
	13 LST	18.0	14.8	21.7	21.9	21.7	21.0	24.3	25.2	26.6	26.0	18.2	18.0	257.4	8	2075
	19 LST	15.0	13.4	24.7	25.6	28.0	27.4	29.7	28.8	27.9	26.8	19.0	15.0	281.3	8	1893
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	15.0	13.1	24.5	24.8	27.6	28.3	29.3	29.1	28.6	26.6	18.1	17.4	282.4	8	1826
	07 LST	12.2	10.1	23.0	22.6	25.5	25.6	28.3	28.2	26.3	20.5	13.3	12.8	248.6	8	1992
	13 LST	17.5	14.8	21.7	21.9	21.5	21.0	24.1	25.1	26.3	25.9	18.0	17.5	255.3	8	2075
	19 LST	14.4	13.2	24.5	25.2	28.0	27.4	29.5	28.8	27.7	26.6	18.6	15.0	278.9	8	1893

AREA 01

HUNGARY		HUNGARY BOUNDARIES												LATITUDE 4700N LONGITUDE 01900E													
PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN													
MEAN MAX TMP (F)		34	35	47	60	69	77	81	81	73	62	46	40	59													
MEAN MIN TMP (F)		24	22	31	41	49	57	60	58	52	44	35	31	42													
LARGEST MEAN PRECIP(IN)		2.15	1.68	1.65	2.59	3.53	3.76	3.37	2.71	3.24	3.57	2.67	2.52	33.4													
SMALLEST MEAN PRECIP(IN)		1.07	0.49	0.89	0.83	2.10	2.28	1.50	0.98	0.74	0.92	0.56	0.70	13.1													
		MEAN NUMBER OF DAYS																									
CIG = GTR 1000 FT AND VSBY = GTR 3 MI		01 LST	19.0	15.5	25.6	28.0	29.4	28.5	30.3	30.0	28.6	26.7	20.7	16.2	298.5												
		07 LST	16.3	13.0	22.6	25.9	28.4	26.9	29.1	28.6	26.0	22.4	16.7	15.6	271.5												
		13 LST	19.7	17.3	27.4	28.7	30.2	29.4	30.4	30.4	29.4	28.5	21.8	18.2	311.4												
		19 LST	18.5	15.7	27.3	28.2	30.3	29.4	30.7	30.6	29.3	27.6	20.8	16.2	304.6												
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS		01 LST	14.0	11.6	19.0	22.5	24.9	24.8	27.5	27.1	26.0	23.2	16.2	11.7	248.5												
		07 LST	11.5	8.8	17.0	19.6	21.9	22.3	25.0	25.3	22.9	19.4	12.3	11.2	217.7												
		13 LST	12.5	11.0	15.4	16.7	17.1	19.9	21.5	22.7	20.7	19.7	14.2	11.6	203.0												
		19 LST	13.8	11.8	21.3	22.4	24.6	25.5	27.7	28.0	26.8	23.7	15.6	11.0	252.2												
SFC WND = GTR 17 KTS AND NO PRECIP.		01 LST	1.1	1.1	1.4	1.2	0.6	0.4	0.5	0.3	0.3	0.3	0.5	0.6	8.3												
		07 LST	1.0	1.2	0.9	1.3	0.9	0.6	0.4	0.4	0.3	0.2	0.6	0.6	8.4												
		13 LST	1.7	1.8	2.6	2.7	2.3	1.2	0.7	1.0	1.2	1.2	1.5	1.1	19.0												
		19 LST	1.0	0.8	1.2	1.2	0.6	0.5	0.4	0.2	0.2	0.3	0.6	0.9	7.9												
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.		01 LST	3.1	3.1	6.9	10.0	10.6	9.9	10.0	10.1	10.6	10.7	7.2	6.2	98.4												
		07 LST	2.5	2.0	6.1	10.1	12.0	12.6	11.9	10.8	10.8	10.7	7.8	5.3	102.6												
		13 LST	7.8	6.9	11.4	13.0	13.7	16.0	15.9	15.0	17.0	14.6	12.5	9.7	153.5												
		19 LST	4.6	4.0	9.4	12.6	11.8	11.7	12.4	10.2	10.9	10.4	8.2	7.0	113.2												
SKY COVER LES 3/10 AND VSBY = GTR 3 MI		01 LST	6.3	5.5	11.4	13.2	14.6	12.8	18.1	18.6	18.5	14.2	7.0	5.4	145.6												
		07 LST	3.5	2.3	6.5	7.6	9.9	8.5	14.0	14.3	11.9	7.3	3.7	2.6	92.1												
		13 LST	5.1	3.5	6.9	5.2	4.9	3.8	8.5	10.3	9.9	8.0	4.7	3.0	73.8												
		19 LST	7.3	5.2	10.1	7.5	8.0	7.2	13.5	12.4	14.9	12.8	6.6	4.6	110.1												
CIG = GTR 2500 FT AND VSBY = GTR 3 MI		01 LST	17.2	14.3	23.9	26.6	28.3	27.4	29.7	29.5	28.0	25.6	18.8	14.4	283.7												
		07 LST	14.6	11.9	21.4	24.9	27.2	26.1	28.7	28.2	25.6	21.5	15.2	14.1	259.4												
		13 LST	18.2	16.0	25.1	26.6	28.3	27.5	29.3	29.5	28.8	27.0	19.4	16.4	292.1												
		19 LST	16.8	14.4	25.9	26.7	29.1	28.1	30.0	30.2	28.7	26.5	18.5	14.5	289.4												
CIG = GTR 6000 FT AND VSBY = GTR 3 MI		01 LST	14.7	12.1	20.8	23.7	25.9	24.8	28.0	27.6	26.3	23.6	15.8	12.5	255.8												
		07 LST	11.9	9.7	18.6	21.8	24.5	23.2	26.8	26.5	23.4	19.4	12.8	11.8	230.4												
		13 LST	15.4	13.6	21.4	20.5	21.3	20.8	23.9	25.5	25.7	23.8	16.1	13.5	241.5												
		19 LST	14.7	12.0	21.8	22.3	25.7	24.7	27.5	28.0	26.2	23.6	14.8	12.0	253.3												
CIG = GTR 10000 FT AND VSBY = GTR 3 MI		01 LST	14.4	12.0	20.7	23.5	25.6	24.8	28.0	27.6	26.2	23.4	15.5	12.4	254.1												
		07 LST	11.8	9.6	18.5	21.5	24.0	23.1	26.4	26.3	23.1	19.3	12.7	11.5	227.8												
		13 LST	15.2	13.4	21.2	20.5	21.2	20.8	23.8	25.5	25.6	23.6	15.9	13.3	240.0												
		19 LST	14.6	11.9	21.6	22.2	25.4	24.7	27.4	27.9	26.1	23.5	14.6	11.9	251.8												



PRECEDING PAGE NOT FILMED  
BLANK



KOLOBRZEG, POLAND

STA NO. 12100 (IN AREA NUMBER 01)

LATITUDE 5411N

LONGITUDE 01535E

ELEVATION(FT) 00018

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR	NO.
														(YRS)	Q85
ABS MAX TMP (F)	50	50	59	68	79	84	84	84	82	70	55	52	84	6	1230
MEAN MAX TMP (F)	35	33	40	44	56	63	67	68	64	54	43	37	50	6	1230
MEAN MIN TMP (F)	29	23	29	34	42	50	55	55	49	42	34	31	39	6	1231
ABS MIN TMP (F)	-4	-15	12	21	30	34	43	43	32	21	19	12	-15	6	1231
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	1230
MEAN NO DYS TMP = DR LES 32(F)	22.3	22.1	23.3	10.2	1.1	0.0	0.0	0.0	0.2	2.9	13.6	14.0	109.7	6	1231
MEAN NO DYS TMP = DR LES 0(F)	0.3	2.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	6	1231
MEAN DEW PT TMP (F)	29	21	29	35	43	52	56	56	49	42	34	30	40	6	4950
MEAN REL HUM (PCT)	87	82	80	82	78	80	83	82	77	82	87	87	82	6	4918
MEAN PRESS ALT (FT)	-24	-52	-151	-69	-122	-58	44	13	-87	-72	-157	47	-56	6	4950
MEAN PRECIP (IN)	1.79	1.44	1.43	2.00	1.52	2.74	3.56	3.36	2.59	2.50	0.77	1.84	25.5	6	1101
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0					6	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	7.4	4.4	3.7	4.6	5.5	7.4	7.9	7.9	5.6	8.6	2.9	7.1	73.0	6	1101
MEAN NO DYS SNFL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0					6	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	2.2	2.9	6.3	0.9	4.0	2.9	1.2	2.0	0.6	1.9	2.4	3.7	31.0	6	873
MEAN NO DYS TSTMS	0.0	0.0	0.6	0.9	2.0	3.3	5.6	5.1	0.9	0.7	0.0	0.0	19.1	6	877
P FREQ WND SPD = DR GTR 17 KTS	12.0	4.1	8.5	6.8	4.8	0.6	2.7	2.9	4.0	6.6	7.3	10.5	5.9	6	4942
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	6	4942
P FREQ LES 5000 FT A/O LES 5 MI	79.7	53.9	45.4	47.0	32.6	37.7	33.1	39.3	33.4	52.8	74.1	76.9	50.6	6	5159
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	47.3	45.7	35.9	33.3	22.1	23.4	18.7	16.6	20.9	35.7	41.5	53.0	32.8	6	1179
03-05 LST	47.6	27.5	32.1	11.0	24.5	44.4	27.2	21.3	14.1	23.1	53.9	55.9	31.9	2	392
06-08 LST	51.0	51.1	37.1	42.1	20.2	23.6	25.2	24.9	25.9	40.1	54.4	51.7	37.3	6	1238
09-11 LST	60.2	36.8	41.0	25.9	19.3	23.6	16.6	17.5	11.3	20.1	63.8	49.0	32.1	2	391
12-14 LST	42.2	40.1	26.0	25.1	13.9	17.2	19.4	19.1	13.2	29.3	38.3	48.0	27.7	6	1287
15-17 LST	42.4	17.2	34.1	10.8	14.6	10.9	16.0	10.9	12.8	10.4	38.2	55.6	22.8	2	396
18-20 LST	50.0	41.8	33.1	30.8	17.4	11.6	5.6	9.1	12.6	27.4	37.3	50.6	27.3	6	1233
21-23 LST	33.4	28.0	34.6	14.2	14.4	27.0	11.9	16.9	8.5	21.7	52.1	43.9	25.6	2	392
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	8.3	12.5	9.6	3.4	10.0	5.4	1.0	2.6	1.6	5.7	6.1	8.9	6.3	6	1179
03-05 LST	3.2	4.2	14.3	0.0	12.9	14.8	3.8	6.0	0.0	3.2	17.9	6.7	7.3	2	392
06-08 LST	8.0	6.0	8.5	3.2	4.5	8.0	2.9	5.1	3.1	7.6	11.4	7.8	6.3	6	1238
09-11 LST	15.4	3.4	11.1	0.0	6.9	0.0	0.0	2.0	0.0	3.6	23.1	0.0	5.5	2	391
12-14 LST	6.4	9.6	1.9	0.9	3.7	0.9	2.5	1.5	0.0	0.9	6.8	9.9	3.8	6	1287
15-17 LST	3.3	0.0	7.1	0.0	7.1	0.0	0.0	0.0	0.0	0.0	13.8	6.7	3.2	2	396
18-20 LST	12.1	8.0	7.8	1.1	5.7	5.2	0.0	0.8	0.0	2.7	6.6	6.7	4.7	6	1233
21-23 LST	3.4	0.0	13.8	0.0	7.1	3.6	0.0	3.9	0.0	3.6	10.7	10.3	4.7	2	392

PRECEDING PAGE NOT FILMED  
BLANK.

KOLOBRZEG, POLAND

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	20.2	19.4	22.4	22.8	26.0	25.5	28.2	27.8	26.6	23.6	21.8	20.8	285.1	6	1179
	07 LST	20.0	17.2	22.4	21.5	27.1	25.2	26.9	26.3	24.9	23.0	18.6	21.3	274.4	6	1238
	13 LST	23.7	19.2	25.1	26.9	29.3	27.5	28.4	29.0	28.6	26.4	21.6	21.5	307.2	6	1287
	19 LST	19.1	19.3	23.1	25.1	26.7	27.8	30.4	29.2	28.2	25.2	22.9	20.1	297.1	6	1233
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	7.4	7.0	10.1	11.9	17.8	18.7	16.9	20.8	17.7	13.6	10.9	4.2	157.0	6	1178
	07 LST	5.5	6.1	8.2	9.5	18.7	16.7	15.6	17.9	16.3	10.6	6.9	5.9	137.9	6	1236
	13 LST	6.3	8.1	7.7	7.1	13.3	11.5	12.6	12.9	10.7	10.2	5.3	118.6	6	1286	
	19 LST	7.2	8.0	9.3	11.2	17.8	20.0	19.2	20.8	20.1	14.8	11.6	7.1	167.1	6	1232
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	2.6	1.8	2.2	2.4	2.0	0.0	1.3	0.8	0.5	0.6	2.4	3.3	19.9	6	1186
	07 LST	1.1	0.3	2.6	1.3	0.7	0.3	0.6	0.3	0.5	1.4	1.7	2.4	13.2	6	1242
	13 LST	2.9	1.0	3.2	0.8	1.4	0.8	0.8	1.1	2.0	0.9	1.7	3.1	19.7	6	1293
	19 LST	2.5	1.6	2.4	1.3	1.1	0.0	1.5	0.3	0.7	1.1	2.0	1.4	15.9	6	1241
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	5.4	2.6	6.7	11.3	12.9	12.9	13.0	16.0	13.9	15.9	12.1	5.8	128.5	6	1185
	07 LST	3.9	3.3	6.3	10.1	19.0	18.5	15.4	16.3	15.2	12.7	8.9	8.3	137.9	6	1241
	13 LST	6.9	4.7	13.0	14.2	18.3	17.1	17.1	18.7	17.1	14.8	14.9	7.3	164.1	6	1290
	19 LST	4.0	3.5	11.4	11.5	12.8	18.1	15.5	13.7	13.1	14.9	11.7	6.5	137.0	6	1235
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	3.4	4.1	8.6	7.5	10.5	9.1	7.6	9.8	11.1	7.4	3.6	2.5	85.2	6	1183
	07 LST	2.5	3.0	7.6	3.8	12.0	5.4	5.9	3.7	6.7	3.8	1.4	1.6	57.4	6	1243
	13 LST	2.6	4.4	9.4	4.5	7.8	5.0	4.8	3.1	6.5	4.3	2.6	2.0	57.0	6	1292
	19 LST	3.9	3.5	9.6	5.3	12.1	8.4	7.1	5.6	9.2	6.5	1.8	3.2	79.2	6	1239
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	11.9	11.1	17.3	17.0	21.9	20.1	22.1	23.0	20.5	16.1	12.2	8.3	201.5	6	1179
	07 LST	10.0	10.2	16.4	13.5	21.8	20.4	19.7	20.0	19.7	14.3	8.6	9.2	183.8	6	1238
	13 LST	12.0	14.4	20.8	17.6	23.6	21.5	21.0	20.4	22.0	17.1	14.2	10.7	215.3	6	1287
	19 LST	11.8	13.1	18.6	16.3	23.4	24.7	27.9	26.1	24.0	19.3	14.1	10.5	229.8	6	1233
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	10.2	10.9	16.8	16.4	20.9	19.4	21.2	21.4	19.6	15.4	10.0	7.5	189.7	6	1179
	07 LST	8.5	9.8	15.8	12.9	20.8	19.4	19.5	19.2	19.5	13.9	7.4	9.2	175.9	6	1238
	13 LST	10.9	14.2	20.1	16.1	22.6	20.2	19.7	18.8	19.4	16.1	11.7	9.8	199.6	6	1287
	19 LST	10.4	12.2	18.6	15.5	21.7	23.4	27.3	24.1	23.3	18.3	12.7	9.7	217.2	6	1233
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	9.7	9.3	15.3	15.7	19.8	18.7	20.9	20.0	19.4	14.5	9.7	7.5	180.5	6	1179
	07 LST	8.2	9.1	15.2	12.6	20.8	17.7	18.9	18.7	19.5	13.0	6.9	8.6	169.2	6	1238
	13 LST	9.2	13.8	19.8	16.1	21.7	19.3	19.7	18.6	19.4	15.2	11.4	9.2	193.4	6	1287
	19 LST	9.3	10.9	17.2	14.5	21.0	23.1	26.7	24.1	23.3	16.8	12.5	8.9	208.3	6	1233

KOSZALIN, POLAND

STA NO. 12105 (IN AREA NUMBER 01)

LATITUDE 5412N

LONGITUDE 01611E

ELEVATION(FT) 00111

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YFS)	NO. OBS
ABS MAX TMP (F)	52	57	66	77	86	90	97	90	82	72	59	57	97	12	4087
MEAN MAX TMP (F)	33	33	40	51	59	66	69	68	63	54	43	36	51	12	4087
MEAN MIN TMP (F)	25	24	28	36	42	49	53	54	48	43	35	30	39	12	4089
ABS MIN TMP (F)	-15	-15	1	21	23	34	37	43	32	21	18	0	-15	12	4089
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.1	0.3	0.1	0.0	0.0	0.0	0.0	0.5	12	4087
MEAN NO DYS TMP = DR LES 32(F)	24.5	22.5	23.9	10.8	2.5	0.0	0.0	0.0	0.1	1.4	11.0	18.7	115.4	12	4089
MEAN NO DYS TMP = DR LES 0(F)	0.8	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	2.0	12	4089
MEAN DEW PT TMP (F)	25	25	28	36	43	51	55	55	50	44	36	28	40	12	20778
MEAN REL HUM (PCT)	86	86	80	77	77	77	82	83	82	85	89	88	83	12	20710
MEAN PRESS ALT (FT)	92	93	17	71	51	58	117	134	36	34	75	114	69	12	20814
MEAN PRECIP (IN)	1.98	1.27	1.04	1.58	2.09	2.78	3.94	4.41	3.15	2.78	1.89	2.03	28.9	12	3799
MEAN SNOW FALL (IN)						0.0	0.0	0.0	0.0					12	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	6.3	3.8	3.3	4.9	7.2	6.7	9.5	9.3	7.3	7.6	6.5	6.5	78.9	12	3799
MEAN NO DYS SMPL = DR GTR 1.5 IN						0.0	0.0	0.0	0.0					12	-29
MEAN NO DYS W/OCCUR VSBY LES 1/2 MI	2.6	3.4	3.2	2.8	2.1	1.1	1.5	2.1	1.5	2.6	2.6	2.3	27.8	12	3569
MEAN NO DYS TSTMS	7.0	0.0	0.0	0.5	2.5	3.7	5.1	3.9	2.4	0.5	0.3	0.1	19.0	12	3579
P FREQ WND SPD = DR GTR 17 KTS	14.5	10.7	9.2	6.2	4.8	4.7	3.9	5.1	5.8	5.2	6.7	7.5	7.0	12	20856
P FREQ WND SPD = DR GTR 28 KTS	2.9	1.4	0.9	1.1	0.1	0.2	0.0	0.5	0.4	0.1	0.5	0.9	0.8	12	20856
P FREQ LES 9000 FT A/D LES 5 MI	72.5	72.1	52.9	46.4	42.4	37.2	46.4	48.7	43.2	62.6	77.7	75.8	56.5	12	41377
P FREQ LES 1500 FT A/D LES 3 MI														12	3871
FOR 00-02 LST	24.2	31.9	21.8	16.7	14.6	11.2	16.6	13.3	12.2	21.8	33.3	33.4	20.9	5	1738
03-05 LST	28.1	38.0	27.6	14.8	19.5	23.6	25.7	23.8	10.7	27.9	47.6	39.6	27.2	12	4110
06-08 LST	29.8	34.1	26.4	19.0	14.8	14.5	17.1	18.3	17.7	30.5	38.7	33.2	24.5	5	1728
09-11 LST	40.4	46.4	28.7	15.9	13.2	9.8	12.0	14.1	12.1	22.7	51.9	41.7	25.7	12	3893
12-14 LST	28.2	27.1	18.7	13.9	9.8	7.7	11.6	9.7	7.3	18.5	32.8	35.5	18.4	5	1715
15-17 LST	26.9	34.5	23.2	13.7	10.5	7.4	7.8	10.1	8.3	19.8	45.3	38.4	20.5	12	4114
18-20 LST	28.0	30.9	20.8	14.1	9.3	8.3	7.5	7.9	8.2	19.6	34.8	36.4	18.8	5	1744
21-23 LST	27.7	42.3	26.0	14.4	15.3	10.2	12.8	16.9	10.4	25.4	42.1	42.6	23.8		
P FREQ LES 300 FT A/D LES 1 MI														12	3871
FOR 00-02 LST	3.9	7.0	5.6	5.2	3.5	4.0	4.1	3.7	2.7	5.9	5.4	4.8	4.7	5	1738
03-05 LST	7.7	8.3	7.3	5.0	8.7	7.1	8.8	5.4	4.2	8.6	6.9	8.8	7.2	12	4110
06-08 LST	6.5	8.8	8.2	6.5	3.7	3.6	2.9	6.6	5.1	7.7	7.0	4.7	5.9	5	1728
09-11 LST	6.9	10.0	5.4	3.6	3.4	0.7	0.0	0.0	0.7	4.8	9.1	6.3	4.2	12	3893
12-14 LST	3.1	4.9	3.2	1.2	0.9	0.3	0.3	0.0	0.6	0.3	4.1	4.7	2.0	5	1715
15-17 LST	3.4	7.6	4.1	1.4	1.4	0.0	0.0	0.7	0.7	0.0	7.2	4.8	2.6	12	4114
18-20 LST	4.2	5.6	4.9	3.2	2.0	0.9	0.0	0.9	0.9	1.7	5.3	6.3	3.0	5	1744
21-23 LST	6.0	6.7	5.5	4.2	4.1	3.5	1.4	2.0	2.8	4.0	5.6	6.1	4.3		

KOSZALIN, POLAND

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	27.3	21.9	26.7	27.5	28.6	28.0	27.7	28.6	28.0	26.8	23.8	25.4	320.3	12	3871
	07 LST	25.5	21.5	25.6	26.7	28.5	27.6	28.5	27.5	26.7	25.2	22.6	25.5	311.4	12	4110
	13 LST	25.9	23.4	27.4	28.3	29.9	29.2	30.0	30.0	29.3	28.6	23.8	24.5	330.3	12	3893
	19 LST	26.1	22.7	26.9	28.2	29.6	28.5	30.4	29.9	29.1	27.8	22.9	23.8	325.9	12	4114
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	12.6	11.7	16.0	17.5	21.3	22.9	21.8	21.4	20.4	16.2	11.4	10.1	203.3	12	3870
	07 LST	10.3	10.0	14.6	16.6	18.8	18.8	19.0	18.7	17.5	13.2	9.7	10.2	177.4	12	4105
	13 LST	10.4	10.9	11.4	11.4	12.4	13.2	13.8	13.9	14.3	12.7	11.4	9.5	145.3	12	3892
	19 LST	12.6	11.2	15.3	17.6	20.1	20.8	21.9	23.2	21.8	17.2	11.5	9.6	202.8	12	4110
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	3.5	1.8	1.4	1.1	1.0	0.5	0.5	0.6	1.1	1.4	1.2	1.8	15.9	12	3889
	07 LST	3.4	1.4	1.9	0.9	1.0	0.5	0.5	0.6	0.5	0.8	1.8	1.6	14.9	12	4117
	13 LST	3.1	2.6	3.8	2.3	3.0	2.2	1.7	2.9	3.0	1.9	1.7	1.9	30.1	12	3902
	19 LST	2.9	1.9	1.7	1.3	0.9	0.9	0.6	0.8	0.8	1.0	0.8	1.5	15.1	12	4123
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	2.1	3.1	5.4	9.4	11.7	9.7	10.4	11.3	11.7	13.4	8.9	6.1	103.2	12	3879
	07 LST	2.8	2.6	5.2	11.8	15.4	14.6	14.9	13.0	13.2	13.2	8.3	6.6	121.6	12	4109
	13 LST	5.0	4.2	11.2	13.9	15.1	15.0	15.2	14.8	13.7	14.9	11.8	8.5	143.3	12	3896
	19 LST	3.6	4.1	8.4	13.6	16.5	16.4	15.7	13.4	10.9	12.6	9.8	7.3	132.3	12	4117
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	6.3	4.4	10.7	11.5	12.1	12.9	10.9	12.7	13.8	9.1	5.5	5.0	114.9	12	3885
	07 LST	4.6	3.2	7.3	7.4	9.2	9.3	6.7	5.2	7.6	3.9	3.2	4.2	71.8	12	4116
	13 LST	4.2	4.6	8.9	6.8	5.5	5.9	5.5	3.8	6.1	4.2	3.4	4.0	62.9	12	3903
	19 LST	6.3	5.4	10.0	8.7	9.1	9.3	8.6	7.1	10.0	8.0	5.5	5.1	93.1	12	4125
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	16.5	14.0	19.5	20.5	22.3	23.8	21.9	23.4	22.9	19.5	11.6	13.7	232.1	12	3871
	07 LST	14.7	13.2	18.5	20.0	22.5	22.1	21.2	20.6	20.8	16.1	11.9	13.5	215.1	12	4110
	13 LST	16.2	15.5	21.3	21.1	23.6	23.5	22.1	22.4	23.6	19.5	14.2	14.2	237.2	12	3893
	19 LST	16.0	14.4	20.6	21.7	24.5	25.3	24.9	25.0	24.2	19.5	14.2	13.6	243.9	12	4114
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	10.8	9.6	15.5	17.1	19.5	21.0	18.2	20.3	19.8	15.8	9.0	9.4	186.0	12	3871
	07 LST	8.9	8.8	15.3	16.1	19.2	19.4	17.9	16.0	17.2	12.5	8.0	9.0	168.3	12	4110
	13 LST	11.7	12.1	17.8	16.7	18.4	18.3	16.8	16.1	19.0	15.0	9.9	11.0	182.8	12	3893
	19 LST	11.2	11.0	17.8	18.8	20.9	22.8	21.7	21.2	20.9	15.2	10.7	10.1	202.3	12	4114
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	10.7	9.6	15.5	17.0	19.5	20.9	18.1	20.3	19.8	15.8	9.0	9.4	185.6	12	3871
	07 LST	8.9	8.8	15.3	16.1	19.1	19.4	17.6	16.0	17.2	12.5	8.0	8.9	167.8	12	4110
	13 LST	11.7	12.1	17.8	16.7	18.4	18.3	16.8	16.1	18.9	14.9	9.9	10.9	182.5	12	3893
	19 LST	11.2	11.0	17.8	18.7	20.9	22.8	21.6	21.2	20.9	15.2	10.7	10.1	202.1	12	4114

USTKA, POLAND

STA NO. 12115 (IN AREA NUMBER 01)

LATITUDE 5435N

LONGITUDE 01651E

ELEVATION(FT) 00026

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
														(YRS)	UBS
ABS MAX TMP (F)	50	50	63	73	79	82	86	86	84	72	59	54	86	8	1395
MEAN MAX TMP (F)	35	33	39	46	55	63	67	68	63	54	43	37	50	8	1395
MEAN MIN TMP (F)	28	24	30	35	43	51	56	56	50	44	35	31	40	8	1321
ABS MIN TMP (F)	-8	-17	12	21	32	37	43	45	34	19	19	10	-17	8	1321
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	1395
MEAN NO DYS TMP = OR LES 32(F)	20.8	21.7	23.2	8.0	0.3	0.0	0.0	0.0	0.0	0.9	10.8	14.4	100.1	8	1321
MEAN NO DYS TMP = OR LES 0(F)	0.5	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	8	1321
MEAN DEW PT TMP (F)	29	24	28	34	43	51	56	56	50	43	35	30	40	7	5545
MEAN REL HUM (PCT)	89	87	82	80	81	81	83	81	79	83	88	88	84	7	5501
MEAN PRESS ALT (FT)	26	-32	-171	-53	-113	-44	61	21	-70	-44	-161	61	-42	7	5575
MEAN PRECIP (IN)	2.49	1.65	1.26	1.66	1.15	2.40	3.35	4.02	2.62	2.20	1.15	2.29	26.2	7	1102
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0					8	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	8.3	4.4	4.5	5.1	4.3	6.9	9.4	7.2	7.2	7.0	4.1	6.4	74.8	7	1102
MEAN NO DYS SNFL = OR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0					8	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	2.9	1.8	2.9	1.2	4.1	1.6	1.5	2.3	1.1	1.3	3.4	2.1	26.2	7	1044
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	1.9	2.4	3.0	2.6	1.6	0.7	0.0	0.0	12.2	7	1043
P FREQ WND SPD = OR GTR 17 KTS	14.6	7.1	2.7	6.2	4.8	3.9	7.4	6.9	6.2	10.0	5.5	14.5	7.5	7	5603
P FREQ WND SPD = OR GTR 28 KTS	1.9	0.0	0.2	0.2	0.7	0.0	0.9	0.5	0.0	0.6	0.4	1.3	0.6	7	5603
P FREQ LES 5000 FT A/D LES 5 MI	86.4	80.3	55.1	60.5	42.3	47.8	55.6	55.6	51.2	71.3	79.8	82.7	64.1	7	5755
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	55.7	45.7	36.1	30.3	25.4	19.6	19.1	22.9	23.7	38.4	51.1	53.5	35.1	9	1859
03-05 LST	63.9	50.6	43.3	5.6	19.0	25.3	19.1	17.9	22.6	46.8	68.0	68.7	37.6	2	396
06-08 LST	56.5	50.1	33.2	40.5	17.7	17.3	19.9	23.4	18.9	42.4	45.0	52.6	34.8	8	1327
09-11 LST	70.5	48.7	41.1	15.6	5.6	17.0	12.0	8.8	12.3	26.1	46.2	58.9	30.2	2	384
12-14 LST	45.2	44.5	28.7	27.7	10.4	10.9	16.3	13.4	8.7	23.8	40.0	51.2	26.7	8	1811
15-17 LST	54.0	24.6	27.9	12.3	12.6	18.1	13.3	7.2	9.4	8.7	55.7	68.7	26.0	2	387
18-20 LST	54.9	41.2	31.5	24.6	12.2	14.1	11.4	13.8	14.6	29.8	47.4	50.4	28.8	8	1689
21-23 LST	63.4	35.3	41.1	16.9	18.0	15.5	11.3	11.4	13.4	29.5	66.7	75.5	33.2	2	396
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	11.2	14.2	10.1	6.5	8.1	7.5	7.0	5.3	2.4	5.2	14.4	11.1	8.6	9	1859
03-05 LST	0.0	7.7	24.1	0.0	3.4	0.0	0.0	3.7	6.9	6.9	28.6	10.0	7.6	2	396
06-08 LST	4.6	7.8	8.2	8.3	8.3	5.9	3.7	7.0	5.9	5.7	11.1	7.3	7.0	8	1327
09-11 LST	13.3	7.1	17.9	0.0	3.7	3.7	0.0	0.0	1.7	3.4	8.0	6.7	5.5	2	384
12-14 LST	6.5	12.9	9.6	4.3	2.1	2.7	3.0	2.5	0.0	3.0	7.0	11.9	5.5	8	1811
15-17 LST	7.1	0.0	14.8	0.0	7.1	3.6	0.0	0.0	0.0	0.0	18.5	10.0	5.1	2	387
18-20 LST	8.1	10.5	11.3	3.8	5.0	3.3	1.9	0.6	1.2	4.3	8.6	12.0	5.9	8	1689
21-23 LST	6.5	3.3	28.6	0.0	3.6	3.8	0.0	2.0	0.0	0.0	23.3	10.0	6.8	2	396

USTKA, POLAND

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. UBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	17.5	14.3	21.8	22.9	25.0	25.5	26.7	25.9	24.3	22.7	18.4	17.8	266.8	9	1859
	07 LST	19.1	19.0	22.7	20.6	26.4	25.9	28.4	26.9	25.6	21.3	20.8	19.2	275.9	8	1327
	13 LST	20.7	19.2	24.4	24.6	28.4	28.6	28.4	29.1	29.2	26.5	21.8	19.5	300.4	8	1811
	19 LST	17.8	19.6	24.0	25.2	28.6	26.8	29.0	28.7	28.0	25.1	19.9	18.3	291.0	8	1689
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	4.5	7.7	12.1	13.9	16.6	19.0	19.1	17.0	16.0	10.1	8.3	4.4	146.7	9	1857
	07 LST	4.1	5.9	10.2	11.3	18.1	16.3	16.1	14.0	16.3	7.9	8.5	3.8	132.5	8	1326
	13 LST	6.9	7.5	10.4	7.8	11.8	11.0	11.5	11.4	12.7	9.6	8.0	4.5	113.1	8	1808
	19 LST	6.6	7.9	12.4	13.1	17.6	18.1	19.4	18.2	19.5	11.5	8.3	4.8	137.4	8	1881
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	3.4	2.2	1.1	1.2	1.9	0.6	1.1	2.0	0.6	2.2	1.9	3.2	21.4	9	1867
	07 LST	3.3	0.6	1.6	1.3	2.0	0.6	1.4	0.5	0.2	2.3	2.0	3.8	19.6	8	1333
	13 LST	2.0	1.6	0.6	1.9	1.9	1.6	2.2	1.7	1.4	2.8	1.7	2.7	22.1	8	1824
	19 LST	3.1	2.5	1.2	1.4	1.7	0.5	1.4	1.6	1.5	2.0	1.4	2.4	20.7	8	1092
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	3.4	2.0	5.0	9.8	12.9	15.1	12.6	13.2	13.6	12.2	9.4	6.7	115.9	9	1858
	07 LST	4.3	3.5	5.1	10.6	17.0	15.0	14.6	13.2	17.3	13.0	9.9	5.3	128.8	8	1329
	13 LST	6.7	5.4	15.5	16.0	15.9	13.5	15.4	15.0	15.7	12.4	15.3	9.5	156.3	8	1808
	19 LST	3.8	3.6	10.0	12.0	17.0	18.2	15.9	15.0	13.0	11.8	10.9	8.4	139.6	8	1687
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	5.2	7.2	12.1	13.2	14.2	12.6	13.1	14.1	13.2	8.9	5.4	6.8	128.0	9	1874
	07 LST	2.8	5.3	8.3	5.3	11.7	8.5	6.9	5.5	7.4	2.6	4.1	4.5	72.9	8	1335
	13 LST	3.4	4.4	9.9	7.0	10.1	8.7	8.0	6.2	8.3	7.2	3.0	3.7	79.9	8	1829
	19 LST	5.7	4.5	9.6	7.2	12.4	12.7	11.6	8.1	9.6	9.2	5.4	4.7	100.7	8	1700
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	9.2	11.4	16.9	18.3	20.0	21.6	21.7	20.9	20.0	14.7	10.5	10.8	196.0	9	1859
	07 LST	7.6	8.7	18.0	14.2	23.2	22.2	20.4	18.9	21.4	12.9	11.2	9.9	188.6	8	1327
	13 LST	12.4	11.2	19.2	17.4	25.7	23.6	22.5	22.4	23.4	18.6	13.0	10.0	219.4	8	1811
	19 LST	9.8	11.4	17.7	18.6	24.8	23.6	24.4	23.1	21.8	16.8	11.2	11.3	214.5	8	1689
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	7.8	9.7	14.2	17.1	17.5	19.2	18.2	18.2	16.8	12.4	9.2	9.6	169.9	9	1859
	07 LST	6.0	7.8	16.0	11.9	18.8	19.4	17.8	15.0	18.3	9.9	9.0	8.3	158.2	8	1327
	13 LST	10.1	9.3	17.4	14.7	22.7	20.2	19.0	16.9	19.5	14.0	10.1	7.2	181.1	8	1811
	19 LST	8.4	7.7	15.4	15.5	22.2	20.7	20.5	19.7	18.4	13.4	9.6	8.7	180.2	8	1689
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	7.8	9.5	14.2	16.5	17.5	18.8	17.8	17.9	16.6	12.2	9.0	9.6	167.4	9	1859
	07 LST	6.0	7.8	15.3	10.6	18.5	19.4	16.9	14.0	17.4	9.7	9.0	7.6	152.2	8	1327
	13 LST	9.9	9.3	16.8	14.5	22.2	19.8	17.4	16.5	19.1	13.6	9.9	7.0	176.0	8	1811
	19 LST	8.4	7.0	15.4	14.3	22.0	19.9	20.3	19.0	18.1	13.4	9.6	8.5	173.9	8	1689

LAUENBURG/LEBORK, POLAND

STA NO. 12125 (IN AREA NUMBER 01)

LATITUDE 5433N

LONGITUDE 01745E

ELEVATION(FT) 00072

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	50	57	64	79	86	88	91	95	82	72	61	57	95	11	2996
MEAN MAX TMP (F)	33	32	39	51	61	68	70	69	65	55	43	36	52	11	2996
MEAN MIN TMP (F)	24	22	27	34	42	49	53	53	48	42	35	29	30	11	3019
ABS MIN TMP (F)	-27	-22	0	19	25	28	37	39	27	16	16	-4	-27	11	3019
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.4	0.0	0.0	0.0	0.0	0.0	11	2996
MEAN NO DYS TMP = DR LES 32(F)	23.9	22.9	23.6	13.8	2.8	0.8	0.0	0.0	0.4	3.4	11.0	18.4	121.0	11	3019
MEAN NO DYS TMP = DR LES 0(F)	1.8	2.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	4.2	11	3019
MEAN DEW PT TMP (F)	24	23	27	35	43	50	54	55	49	43	35	27	39	11	14830
MEAN REL HUM (PCT)	85	84	78	75	75	73	80	81	82	84	86	86	81	11	14769
MEAN PRESS ALT (FT)	-10	12	0	18	16	21	85	100	-13	-20	32	42	24	11	14842
MEAN PRECIP (IN)	1.80	1.42	1.14	1.33	2.23	2.41	3.43	3.76	2.39	2.29	1.77	2.11	26.1	11	2665
MEAN SNOW FALL (IN)							0.0	0.0						11	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	6.0	4.0	4.0	4.8	7.3	4.8	8.7	10.7	7.1	7.0	5.7	6.2	76.3	11	2665
MEAN NO DYS SNFL = DR GTR 1.5 IN							0.0	0.0						11	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.9	0.7	1.2	1.4	0.8	0.5	0.7	1.3	1.7	2.7	1.6	0.7	14.2	11	2305
MEAN NO DYS TSTMS	0.0	0.2	0.0	1.1	2.4	4.0	4.6	4.7	1.7	0.5	0.3	0.0	19.5	11	2307
P FREQ WND SPD = DR GTR 17 KTS	1.1	2.4	2.1	1.2	0.6	0.3	0.3	0.5	0.4	0.3	1.0	1.0	0.9	11	14842
P FREQ WND SPD = DR GTR 28 KTS	0.1	0.4	0.2	0.0	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.1	0.1	11	14842
P FREQ WES 5000 FT A/O LES 5 MI	75.9	76.5	57.7	48.5	46.7	42.3	52.8	52.4	50.4	64.3	77.2	73.9	59.9	11	15532
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	35.5	32.5	23.9	19.8	18.1	15.3	14.9	19.3	21.0	30.9	33.3	34.7	24.9	11	2705
03-05 LST	31.5	40.1	27.2	18.4	21.7	24.2	20.9	21.0	27.4	37.9	36.0	34.0	28.4	5	1520
06-08 LST	36.0	35.5	30.0	26.7	18.0	15.1	22.5	21.7	26.9	34.0	37.1	34.8	28.2	11	3022
09-11 LST	34.4	34.5	28.3	14.7	17.2	15.9	18.9	19.2	14.6	24.0	37.3	35.6	24.6	5	1499
12-14 LST	30.2	29.8	25.2	20.5	19.2	14.2	21.2	17.4	13.8	21.2	26.8	33.2	22.7	11	2952
15-17 LST	26.9	30.3	20.0	11.7	16.9	9.9	18.7	17.6	10.8	21.3	30.7	33.1	20.7	5	1515
18-20 LST	30.0	29.4	28.2	17.3	11.9	9.3	13.3	11.5	12.0	25.2	35.1	33.9	21.4	11	3019
21-23 LST	30.8	33.3	22.2	13.9	15.2	12.8	12.2	14.5	20.0	28.0	37.3	31.8	22.7	5	1511
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	3.4	1.5	1.5	1.3	1.8	1.4	3.2	2.2	4.9	4.8	1.8	0.4	2.4	11	2705
03-05 LST	0.8	0.0	1.8	3.4	1.7	4.4	3.4	2.2	5.6	6.1	0.7	0.7	2.6	5	1520
06-08 LST	2.9	2.8	1.3	2.8	0.8	0.0	1.7	4.6	5.9	5.1	2.2	1.5	2.7	11	3022
09-11 LST	0.0	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.7	2.8	0.4	5	1499
12-14 LST	0.9	3.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	1.2	1.6	0.7	11	2952
15-17 LST	0.8	0.9	1.7	0.0	0.0	0.0	0.0	0.7	0.0	0.0	1.4	0.7	0.5	5	1515
18-20 LST	1.2	0.5	2.1	0.4	0.4	0.0	0.0	0.0	0.4	0.0	0.8	1.1	0.6	11	3019
21-23 LST	0.0	0.9	0.9	0.0	0.8	0.0	0.0	0.0	2.1	4.2	4.1	0.7	1.1	5	1511

LAUENBURG/LEBORK, POLAND

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	26.8	24.6	27.4	26.5	28.4	28.0	29.0	28.4	25.8	25.5	25.6	26.7	322.7	11	2705
	07 LST	27.6	24.0	26.4	24.8	28.9	28.1	28.7	28.1	24.9	25.1	25.1	26.9	318.6	11	3022
	13 LST	27.7	24.6	28.0	28.5	30.6	29.4	30.3	30.6	29.7	29.1	27.0	27.2	342.7	11	2952
	19 LST	27.5	25.5	26.4	28.1	30.2	29.6	30.2	30.3	29.2	27.8	25.3	26.1	336.2	11	3019
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	11.7	12.0	17.2	20.3	22.1	22.1	23.3	21.3	20.4	16.2	13.3	11.7	211.6	11	2704
	07 LST	10.6	10.7	15.3	18.0	20.7	21.0	18.2	19.5	18.2	15.2	11.7	12.1	191.2	11	3018
	13 LST	14.4	12.7	13.5	14.8	14.4	15.4	14.5	15.1	17.7	17.4	16.0	12.5	178.4	11	2951
	19 LST	14.8	13.0	16.5	20.7	22.3	22.4	22.0	23.7	23.0	17.9	12.8	13.4	222.5	11	3013
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	0.7	0.7	1.2	0.3	0.1	0.1	0.1	0.0	0.1	0.1	0.1	0.1	3.6	11	2716
	07 LST	0.4	0.3	0.4	0.4	0.1	0.0	0.0	0.0	0.0	0.2	0.1	0.3	2.2	11	3031
	13 LST	0.5	0.1	0.6	0.7	0.6	0.2	0.4	0.5	0.4	0.4	0.0	0.2	4.6	11	2964
	19 LST	0.8	0.8	0.5	0.5	0.1	0.2	0.0	0.2	0.0	0.0	0.3	0.1	3.3	11	3026
SFC WND 4-10 KTS AND TMP 33-85 DEG F AND NO PRECIP.	01 LST	3.8	3.0	4.1	5.6	6.7	6.5	7.2	6.9	6.4	8.3	9.5	5.9	73.9	11	2701
	07 LST	3.1	1.8	3.1	7.7	10.7	11.0	10.2	9.7	7.4	10.1	7.5	4.9	87.2	11	3024
	13 LST	5.8	5.3	12.8	18.1	20.3	20.6	17.5	17.2	17.1	16.8	12.8	7.6	171.9	11	2957
	19 LST	3.1	3.0	7.3	13.3	18.0	18.5	15.7	13.1	7.4	8.6	7.8	4.7	120.3	11	3021
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	5.6	4.5	10.6	11.5	12.9	12.1	11.8	12.6	11.9	9.0	5.9	6.2	114.6	11	2718
	07 LST	2.9	3.0	7.2	6.0	7.7	7.7	7.0	4.9	6.9	3.6	2.0	3.7	62.6	11	3039
	13 LST	2.8	3.8	7.0	4.9	5.5	5.1	3.6	2.7	5.8	4.3	3.0	2.9	51.4	11	2957
	19 LST	5.4	4.7	8.0	7.5	9.2	9.5	7.8	7.5	9.3	8.4	3.9	4.8	86.0	11	3029
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	12.3	12.4	18.5	20.6	21.4	21.7	22.6	21.0	20.5	16.6	13.1	13.3	214.0	11	2705
	07 LST	11.2	11.5	16.6	18.3	21.2	21.8	18.7	19.5	18.4	14.8	11.2	12.8	196.0	11	3022
	13 LST	14.8	14.1	17.5	18.0	18.1	20.0	17.0	18.3	20.4	18.6	15.5	13.6	205.9	11	2952
	19 LST	15.0	12.9	17.5	21.0	24.0	24.3	22.7	24.2	23.4	17.9	12.4	13.9	229.2	11	3019
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	9.9	10.4	15.9	18.5	19.6	19.5	20.5	19.4	18.6	14.8	10.4	11.8	189.3	11	2705
	07 LST	9.0	9.8	15.2	16.5	19.3	19.7	17.1	17.4	17.2	12.7	8.1	10.7	172.7	11	3022
	13 LST	12.6	12.4	15.5	15.5	15.2	16.5	14.0	14.2	17.5	16.1	12.5	11.7	173.7	11	2952
	19 LST	13.1	10.3	15.9	19.8	23.0	23.2	20.7	23.2	22.5	16.2	9.7	11.7	209.3	11	3019
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	9.9	10.2	15.9	18.5	19.4	19.5	20.5	19.4	18.5	14.8	10.4	11.7	188.7	11	2705
	07 LST	9.0	9.4	15.2	16.5	19.2	19.6	17.1	17.4	17.1	12.7	8.1	10.6	171.9	11	3022
	13 LST	12.5	12.1	15.5	15.5	15.2	16.4	13.8	14.2	17.5	16.1	12.4	11.5	172.7	11	2952
	19 LST	13.1	10.3	15.9	19.8	22.9	23.2	20.7	23.2	22.5	16.2	9.7	11.6	209.1	11	3019

DANZIG/GDANSK/WRZESZCZ, POLAND

STA NO. 12150 (IN AREA NUMBER 01)

LATITUDE 5423N

LONGITUDE 01836E

ELEVATION(FT) 00040

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	52	61	68	81	86	93	97	95	84	72	59	61	97	12	4106
MEAN MAX TMP (F)	33	33	40	51	59	68	71	70	64	53	43	36	52	12	4106
MEAN MIN TMP (F)	26	24	28	36	44	52	56	56	50	44	36	29	40	12	4092
ABS MIN TMP (F)	-11	-22	9	23	30	37	45	45	34	19	10	0	-22	12	4092
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.3	0.7	0.2	0.0	0.0	0.0	0.0	1.2	12	4106
MEAN NO DYS TMP = OR LES 32(F)	23.5	22.1	23.0	9.0	0.6	0.0	0.0	0.0	0.0	1.1	9.6	18.8	107.7	12	4092
MEAN NO DYS TMP = OR LES 0(F)	0.6	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	1.7	12	4092
MEAN DEW PT TMP (F)	25	24	27	36	43	50	55	55	49	44	36	28	39	12	22527
MEAN REL HUM (PCT)	84	83	78	76	75	72	76	78	78	83	86	86	80	12	22404
MEAN PRESS ALT (FT)	15	-39	-76	-14	-28	-19	40	54	-37	-58	-34	16	-14	12	22514
MEAN PRECIP (IN)	1.27	1.03	0.71	1.15	1.53	2.84	2.56	3.04	2.44	1.62	1.61	1.63	21.4	12	3829
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0					12	-29
MEAN NO DYS PRCP = GR GTR 0.1 IN	4.0	3.2	2.9	3.7	5.3	5.5	6.8	7.0	5.6	5.3	4.7	5.1	59.1	12	3829
MEAN NO DYS SNFL = OR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0					12	-29
MEAN NO DYS W/OCCUR VSBY LES 1/2 MI	0.6	0.9	1.2	1.9	1.2	0.4	0.1	0.2	0.6	1.6	1.7	2.0	12.4	12	3957
MEAN NO DYS TSTMS	0.0	0.2	0.1	0.6	2.0	4.5	4.5	2.7	1.2	0.1	0.1	0.0	16.0	12	3978
P FREQ WND SPD = OR GTR 17 KTS	11.1	11.5	9.9	6.6	4.5	4.7	3.8	3.8	4.6	4.4	5.8	8.3	6.6	12	22540
P FREQ WND SPD = OR GTR 28 KTS	1.3	3.0	1.1	0.7	0.3	0.0	0.0	0.2	0.1	0.4	0.6	0.8	0.7	12	22540
P FREQ LES 5000 FT A/O LES 3 MI	79.5	79.3	55.9	51.6	43.7	35.5	40.6	42.4	42.2	64.7	80.4	78.2	97.8	12	22546
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	41.5	43.7	26.0	23.8	17.2	10.5	10.4	8.8	13.8	24.9	42.4	44.6	25.6	12	4153
03-05 LST	38.8	45.3	31.9	21.4	19.5	8.5	10.2	10.5	8.9	25.7	45.9	43.8	25.9	5	1744
06-08 LST	52.5	55.2	41.7	34.8	19.1	14.0	14.1	12.1	14.7	41.3	51.3	48.2	33.3	12	4150
09-11 LST	51.4	53.9	36.3	25.2	15.7	9.9	10.8	13.1	11.8	27.3	59.0	56.0	30.9	5	1728
12-14 LST	47.9	44.3	26.0	23.0	12.6	11.7	9.2	10.9	9.6	24.0	43.1	49.4	26.0	12	4185
15-17 LST	44.9	53.8	29.5	15.1	8.7	6.0	9.0	10.4	4.7	26.1	55.2	54.7	26.5	5	1740
18-20 LST	43.8	44.7	26.2	21.1	11.9	7.0	6.7	8.3	11.2	27.9	42.3	47.6	24.9	12	4174
21-23 LST	39.7	42.5	26.7	23.0	15.6	7.2	6.9	11.4	11.5	26.4	40.6	48.9	25.0	5	1753
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	1.7	2.5	2.9	3.6	2.0	0.6	0.3	0.6	0.6	0.8	3.2	4.1	1.9	12	4153
03-05 LST	0.7	2.3	2.0	4.3	2.7	0.0	0.7	0.0	0.7	2.0	2.1	1.3	1.6	5	1744
06-08 LST	3.1	4.7	4.9	6.4	5.0	1.2	0.6	0.3	1.5	5.1	7.2	5.1	3.8	12	4150
09-11 LST	8.1	9.0	7.5	2.9	2.0	0.0	0.0	0.0	0.0	4.1	13.8	9.9	4.8	5	1728
12-14 LST	4.7	6.3	3.9	1.7	1.1	0.3	0.3	0.0	0.0	2.5	5.8	7.2	2.8	12	4185
15-17 LST	2.8	3.7	5.5	2.8	0.7	0.0	0.0	0.0	0.0	2.6	5.6	4.1	2.3	5	1740
18-20 LST	2.3	5.3	3.7	4.9	1.9	0.3	0.3	0.3	0.9	2.0	4.1	5.3	2.6	12	4174
21-23 LST	0.0	3.0	6.0	4.1	0.7	0.0	0.0	0.7	0.0	1.3	4.2	3.3	1.9	5	1753

DANZIG/GDANSK/WRZESZCZ, POLAND

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. DBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	22.8	19.7	25.4	24.8	27.8	28.3	29.9	29.9	27.7	26.3	21.0	21.5	305.1	12	4153
	07 LST	19.8	16.2	20.6	21.6	26.7	27.1	28.8	28.9	27.3	20.1	17.8	19.9	274.8	12	4150
	13 LST	19.5	18.9	23.6	23.2	28.9	28.1	29.9	29.5	29.0	25.9	20.6	18.7	299.8	12	4185
	19 LST	21.4	18.6	24.8	25.4	28.3	28.7	30.2	29.7	28.0	25.0	20.9	19.2	300.2	12	4174
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	8.2	9.2	14.7	16.5	19.6	21.9	21.5	21.9	19.1	15.4	9.9	8.0	185.9	12	4145
	07 LST	5.3	6.8	10.1	11.8	16.7	17.4	18.0	18.7	18.4	11.4	7.9	7.1	149.6	12	4144
	13 LST	6.9	7.4	9.3	9.2	10.6	11.5	12.1	13.0	12.6	9.5	8.6	6.3	117.0	12	4179
	19 LST	7.8	8.2	14.1	16.3	18.3	19.1	19.3	21.4	20.7	14.7	9.7	8.0	177.6	12	4164
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	1.5	1.6	1.9	1.0	0.4	0.3	0.3	0.3	0.7	0.5	1.0	1.7	11.2	12	4168
	07 LST	2.0	1.3	1.7	1.1	1.1	0.7	0.4	0.3	0.4	0.5	0.9	1.5	11.9	12	4179
	13 LST	2.0	2.4	2.7	3.0	2.6	2.1	2.1	2.3	2.3	2.0	1.1	2.0	26.6	12	4213
	19 LST	2.4	2.7	2.1	1.5	1.0	0.4	1.1	0.7	0.3	0.3	0.8	1.8	15.1	12	4185
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	4.1	3.4	3.6	8.0	9.1	8.8	9.9	10.9	10.8	12.2	9.7	5.1	95.6	12	4163
	07 LST	3.4	3.4	3.2	10.2	13.1	12.8	12.6	12.7	12.5	12.2	8.9	5.2	110.2	12	4174
	13 LST	4.7	4.6	10.2	13.2	13.9	14.3	14.0	14.2	13.6	13.6	10.8	7.2	134.3	12	4207
	19 LST	4.4	3.7	7.2	11.9	13.5	14.9	14.8	13.6	10.3	12.9	10.9	5.7	123.8	12	4170
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	5.1	5.6	13.3	12.3	13.3	13.7	14.5	15.8	15.0	9.7	4.9	5.8	129.0	12	4165
	07 LST	3.6	2.9	6.8	7.6	9.0	10.9	9.6	8.4	8.7	4.3	3.0	4.2	79.0	12	4177
	13 LST	3.2	4.1	8.7	6.9	7.7	7.1	6.0	4.6	7.0	4.9	3.1	3.7	67.0	12	4214
	19 LST	6.5	4.5	9.4	8.5	10.6	11.9	9.2	9.2	10.3	8.4	4.4	6.3	99.2	12	4184
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	12.3	10.8	19.2	19.6	21.7	24.0	24.1	24.9	22.5	18.0	12.1	11.6	220.8	12	4153
	07 LST	8.8	8.1	14.8	16.7	22.2	23.4	23.2	24.0	22.6	15.0	10.1	10.9	199.8	12	4150
	13 LST	1.8	11.5	18.9	19.3	22.5	22.5	23.3	22.5	23.1	19.4	12.3	11.8	218.9	12	4185
	19 LST	1.6	11.3	19.8	21.0	24.8	25.5	25.5	25.6	23.6	17.7	12.1	12.2	231.7	12	4174
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	5.5	8.3	16.7	16.5	17.4	19.9	20.0	20.1	19.2	13.0	8.2	8.6	177.4	12	4153
	07 LST	6.6	6.3	12.7	14.1	18.6	20.0	20.2	19.5	19.0	11.7	7.2	8.4	164.3	12	4150
	13 LST	9.3	9.3	16.4	15.3	16.7	17.1	17.2	16.2	18.7	15.4	9.0	9.6	170.2	12	4185
	19 LST	10.0	8.7	17.4	18.1	20.9	22.1	20.9	21.2	19.9	13.4	8.4	10.0	191.0	12	4174
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	9.3	8.3	16.7	16.5	17.4	19.9	20.0	20.1	19.2	13.0	8.2	8.6	177.2	12	4153
	07 LST	6.5	6.3	12.7	14.1	18.6	20.0	20.2	19.5	18.9	11.7	7.1	8.4	164.0	12	4150
	13 LST	9.3	9.3	16.3	15.3	16.7	17.1	17.1	16.1	18.7	15.4	9.0	9.5	169.8	12	4185
	19 LST	10.0	8.7	17.4	18.0	20.9	22.1	20.9	21.2	19.8	13.4	8.4	10.0	190.8	12	4174

SWINOUTSCIE, POLAND

STA NO. 12200 (IN AREA NUMBER 01)

LATITUDE 5355N

LONGITUDE 01417E

ELEVATION(FT) 00016

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	50	50	63	72	79	88	86	88	77	68	55	52	88	6	1228
MEAN MAX TMP (F)	37	34	42	45	59	66	69	70	65	55	42	38	52	6	1228
MEAN MIN TMP (F)	30	24	31	36	44	52	56	56	51	44	36	33	41	6	1253
ABS MIN TMP (F)	3	-9	14	25	32	39	45	43	32	27	18	14	-9	6	1253
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	1228
MEAN NO DYS TMP = DR LES 32(F)	19.9	21.0	19.1	6.7	1.4	0.0	0.0	0.0	0.2	0.6	9.1	13.8	91.8	6	1253
MEAN NO DYS TMP = DR LES 0(F)	0.0	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	6	1253
MEAN DEW PT TMP (F)	29	22	30	35	44	52	56	57	49	43	35	32	40	6	5063
MEAN REL HUM (PCT)	86	82	82	81	77	77	79	81	77	81	87	88	82	6	5051
MEAN PRESS ALT (FT)	1	-1	-118	-55	-99	-43	60	38	-64	-62	-136	101	-31	6	5054
MEAN PRECIP (IN)	1.77	1.39	1.33	2.01	1.68	2.51	2.83	2.36	1.60	2.24	0.64	1.94	22.3	6	1106
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0					6	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	5.5	5.2	4.7	5.8	4.7	6.8	5.3	7.5	5.0	6.8	3.2	5.8	66.3	6	1106
MEAN NO DYS SNFL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0					6	-29
MEAN NO DYS W/O CUR VSBY LES 1/2 MI	3.1	0.5	4.9	2.1	0.4	0.4	0.0	0.0	0.9	1.4	3.9	2.5	20.1	6	911
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	1.3	2.6	2.4	2.3	0.6	0.0	0.0	0.0	9.2	6	912
P FREQ WND SPD = DR GTR 17 KTS	10.3	0.3	7.1	6.4	3.6	1.9	1.9	1.2	5.5	1.5	0.7	3.0	3.6	6	5061
P FREQ WND SPD = DR GTR 28 KTS	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	6	5061
P FREQ LES 5000 FT A/O LES 5 MI	78.7	65.2	52.8	54.8	37.9	50.5	49.0	52.0	33.7	59.8	79.5	81.7	58.0	6	5350
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	37.5	39.9	30.8	18.7	10.9	11.7	12.0	14.0	11.4	25.0	38.8	43.4	24.5	6	1505
03-05 LST	34.0	25.2	44.0	12.7	10.5	12.6	11.7	9.9	6.2	16.3	48.3	50.5	23.6	2	388
06-08 LST	39.2	39.3	32.7	33.0	14.9	19.5	19.0	17.0	14.2	33.2	48.2	41.9	29.3	6	1255
09-11 LST	44.9	28.7	48.3	15.3	7.4	11.0	20.0	13.0	16.1	8.7	61.3	49.0	27.0	2	389
12-14 LST	38.2	40.1	27.4	25.1	11.0	14.3	13.9	17.1	12.1	26.7	40.0	47.4	26.3	6	1459
15-17 LST	30.5	27.1	35.6	5.2	3.6	7.6	9.1	10.8	9.0	6.8	46.8	55.9	20.7	2	395
18-20 LST	35.2	34.6	27.8	18.1	11.7	12.2	11.3	13.7	10.3	22.6	38.7	43.7	23.3	6	1510
21-23 LST	34.0	25.3	46.8	7.0	5.8	1.9	11.5	12.0	5.8	5.4	48.3	49.0	21.1	2	391
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	5.6	12.1	7.5	1.6	1.6	0.8	0.0	0.7	0.0	3.3	7.0	6.6	3.9	6	1505
03-05 LST	10.0	0.0	21.4	0.0	3.4	3.6	0.0	0.0	1.8	3.2	22.2	3.4	5.8	2	388
06-08 LST	5.9	6.0	10.8	5.3	2.2	1.1	1.0	0.8	3.8	3.9	13.2	3.4	4.8	6	1255
09-11 LST	11.1	0.0	22.2	3.3	0.0	0.0	0.0	0.0	1.8	0.0	29.6	6.9	6.2	2	389
12-14 LST	6.4	11.3	4.3	0.9	0.0	0.0	0.0	0.0	0.9	0.8	7.3	4.4	3.0	6	1459
15-17 LST	3.3	3.6	7.4	0.0	0.0	0.0	0.0	0.0	1.8	0.0	13.8	10.3	3.4	2	395
18-20 LST	5.0	4.4	4.9	0.8	0.8	0.9	0.0	0.0	0.7	0.9	6.1	5.4	2.5	6	1510
21-23 LST	10.0	0.0	13.8	0.0	0.0	0.0	0.0	0.0	1.9	0.0	18.5	10.3	4.5	2	391

SWINOUTSCIE, POLAND

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	24.8	20.4	24.5	27.6	29.8	29.0	29.8	29.0	28.7	26.6	22.7	23.6	316.5	6	1505
	07 LST	24.2	21.3	24.3	24.3	30.0	27.7	29.8	28.5	28.0	25.9	20.1	25.7	309.8	6	1255
	13 LST	23.8	19.6	25.9	26.9	30.2	29.2	29.4	29.9	29.2	28.3	22.7	22.0	317.1	6	1459
	19 LST	25.1	22.1	25.2	28.3	29.6	29.2	29.7	29.3	29.0	27.7	22.9	22.8	320.9	6	1510
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	8.9	8.2	13.7	15.7	21.9	20.9	21.3	21.2	19.4	15.1	11.7	7.9	185.9	6	1500
	07 LST	7.6	9.0	11.7	12.1	18.9	18.3	16.3	20.1	19.2	10.8	7.4	7.2	158.6	6	1254
	13 LST	8.4	9.0	8.6	10.2	14.7	14.5	15.5	15.1	12.8	12.3	9.3	6.7	137.1	6	1454
	19 LST	9.3	11.4	12.3	15.5	17.5	18.9	19.6	21.4	21.5	15.1	11.2	8.7	182.4	6	1508
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	0.7	0.3	0.8	0.7	0.2	0.0	0.4	0.9	0.7	0.0	0.5	1.3	6.5	6	1509
	07 LST	2.4	0.0	0.3	0.6	0.0	0.0	0.3	0.0	0.2	0.0	0.6	0.3	4.7	6	1260
	13 LST	2.0	0.3	1.3	0.8	0.5	0.3	0.0	0.2	1.1	0.3	0.0	0.2	7.0	6	1465
	19 LST	1.0	0.0	1.5	1.0	1.4	0.3	0.6	0.0	0.8	0.0	0.0	0.2	6.8	6	1518
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	5.9	4.2	8.5	15.0	15.0	15.8	16.5	17.4	17.3	15.5	15.3	9.7	155.4	6	1507
	07 LST	6.3	4.7	7.3	15.5	21.0	22.3	19.4	19.7	19.1	16.0	13.9	10.6	175.8	6	1259
	13 LST	8.1	6.4	16.0	16.7	21.9	17.4	19.9	19.8	18.7	18.8	19.4	12.8	195.9	6	1461
	19 LST	5.9	5.4	13.6	16.5	20.1	19.6	21.2	20.6	17.6	13.7	17.6	13.0	184.8	6	1517
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	7.1	6.2	12.9	16.9	19.2	16.5	15.8	15.8	18.9	12.3	7.6	8.0	157.2	6	1511
	07 LST	6.3	7.0	8.7	5.7	13.8	8.6	10.1	9.3	12.2	7.3	5.1	6.1	100.2	6	1259
	13 LST	5.7	6.0	10.2	5.6	11.2	8.4	9.1	6.7	11.0	6.0	3.4	3.6	86.9	6	1468
	19 LST	7.7	8.7	12.5	9.6	13.7	12.0	12.3	11.0	14.3	12.2	8.3	8.2	130.5	6	1518
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	12.1	12.1	17.2	19.9	24.0	22.6	22.9	22.1	23.6	18.6	12.4	11.3	218.8	6	1505
	07 LST	12.2	11.9	16.7	14.6	22.0	18.7	19.3	21.3	22.4	14.6	9.5	9.9	193.1	6	1255
	13 LST	13.3	12.9	18.1	16.0	23.0	19.8	20.5	18.7	22.3	15.5	11.8	10.2	202.1	6	1459
	19 LST	13.6	13.7	18.6	19.5	23.4	21.5	23.6	22.1	23.9	19.0	12.5	11.3	222.7	6	1510
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	8.4	9.3	14.5	17.4	21.5	19.2	19.5	18.5	21.6	15.5	9.1	9.4	183.9	6	1505
	07 LST	8.9	9.3	15.0	11.8	20.3	15.0	17.2	18.1	19.8	12.3	6.8	7.5	162.0	6	1255
	13 LST	10.2	10.7	15.4	11.9	19.6	15.3	16.7	13.5	19.3	11.7	8.8	8.7	161.8	6	1459
	19 LST	10.3	11.4	15.8	16.5	20.6	17.9	20.0	18.3	21.5	15.9	10.0	9.6	187.8	6	1510
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	8.2	9.3	14.5	17.4	21.5	19.2	19.5	18.5	21.6	15.5	9.1	9.4	183.7	6	1505
	07 LST	8.9	9.3	15.0	11.5	20.0	14.7	17.2	16.1	19.8	12.3	6.8	7.5	161.1	6	1255
	13 LST	9.9	10.1	15.1	11.6	19.6	15.3	16.7	13.5	19.3	11.7	8.8	8.7	160.3	6	1459
	19 LST	9.6	11.2	15.8	16.2	20.6	17.6	20.0	18.0	20.9	15.9	10.0	9.6	185.4	6	1510

SZCZECIN, POLAND

STA NO. 12205 (IN AREA NUMBER 01)

LATITUDE 5323N

LONGITUDE 01437E

ELEVATION(FT) 00023

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	54	61	68	84	90	90	97	93	86	75	61	59	97	12	4093
MEAN MAX TMP (F)	34	35	44	55	64	71	72	71	66	56	44	36	54	12	4093
MEAN MIN TMP (F)	26	24	29	37	44	51	55	55	49	43	36	30	40	12	4093
ABS MIN TMP (F)	-17	-20	-4	19	25	34	39	43	27	23	12	-8	-20	12	4093
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.1	0.2	0.6	0.3	0.0	0.0	0.0	0.0	1.2	12	4093
MEAN NO DYS TMP = DR LES 32(F)	23.0	21.1	22.0	9.7	1.9	0.0	0.0	0.0	0.4	2.5	9.9	18.5	109.0	12	4093
MEAN NO DYS TMP = DR LES 0(F)	1.2	2.3	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	3.8	12	4093
MEAN DEW PT TMP (F)	26	25	30	37	45	52	56	55	50	45	37	29	41	12	22145
MEAN REL HUM (PCT)	86	85	78	74	74	73	78	81	81	86	89	89	81	12	22036
MEAN PRESS ALT (FT)	-24	-61	-67	-9	-39	-36	17	35	-58	-58	-21	13	-25	12	22136
MEAN PRECIP (IN)	1.21	1.08	0.96	1.39	1.94	2.42	3.14	2.50	1.93	2.04	1.42	1.69	21.3	12	3827
MEAN SNOW FALL (IN)						0.0	0.0	0.0						12	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	4.5	3.6	3.4	4.2	6.3	6.3	7.9	7.4	5.6	5.0	5.1	6.0	65.3	12	3827
MEAN NO DYS SNFL = DR GTR 1.5 IN						0.0	0.0	0.0						12	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	1.9	2.1	2.6	1.4	1.0	0.6	1.1	1.6	3.5	5.5	3.8	2.8	27.9	12	3852
MEAN NO DYS TSTMS	0.0	0.1	0.1	0.6	3.2	3.9	5.7	4.6	1.2	0.2	0.1	0.2	19.9	12	3854
P FREQ WND SPD = DR GTR 17 KTS	6.0	6.2	5.1	2.3	1.6	1.0	0.6	1.1	2.6	2.3	3.7	2.9	3.0	12	22164
P FREQ WND SPD = DR GTR 28 KTS	0.3	0.3	0.2	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.1	0.1	12	22164
P FREQ LES 3000 FT A/D LES 5 MI	69.3	70.9	51.0	42.7	37.7	33.8	38.1	39.7	39.8	58.9	73.7	76.3	52.7	12	22352
P FREQ LES 1500 FT A/D LES 3 MI															
FDR 00-02 LST	38.8	41.5	28.6	19.9	11.3	12.1	11.0	16.0	20.6	33.7	45.3	48.8	27.3	12	4097
03-05 LST	40.9	50.6	31.6	21.1	17.0	14.8	18.0	20.3	24.6	43.1	51.9	53.5	32.4	5	1766
06-08 LST	42.9	48.8	34.6	28.2	15.9	14.6	19.6	22.5	32.7	43.2	55.8	47.8	33.9	12	4162
09-11 LST	46.6	59.3	36.9	23.1	16.3	10.6	18.9	18.8	20.8	39.9	54.9	55.9	33.5	5	1740
12-14 LST	42.2	40.8	23.6	17.5	12.0	8.6	11.3	8.9	11.9	28.3	42.2	48.5	24.7	12	4121
15-17 LST	37.2	40.5	20.2	8.0	8.9	5.4	10.0	3.7	4.7	20.2	44.8	56.5	22.1	5	1744
18-20 LST	37.4	37.5	23.4	13.6	6.1	5.9	7.6	6.4	9.1	24.3	42.8	50.9	22.1	12	4143
21-23 LST	40.2	43.6	24.9	10.9	8.4	6.9	6.2	7.1	11.2	32.3	48.4	51.3	24.3	5	1764
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	4.3	5.9	6.9	2.4	2.3	2.6	2.6	4.5	9.4	11.2	10.1	6.9	5.8	12	4097
03-05 LST	3.4	5.1	6.6	3.5	5.2	3.5	4.1	6.0	16.1	18.2	13.7	11.2	8.1	5	1766
06-08 LST	4.6	8.1	10.4	5.2	1.9	0.0	2.1	5.1	13.6	14.8	14.2	7.8	7.3	12	4162
09-11 LST	6.8	9.8	7.4	0.7	0.0	0.0	0.0	0.0	4.2	10.0	12.7	12.5	5.3	5	1740
12-14 LST	5.5	3.5	1.1	0.0	0.0	0.0	0.0	0.0	0.3	1.7	4.4	7.9	2.0	12	4121
15-17 LST	2.1	5.1	1.4	0.0	0.0	0.0	0.0	0.0	0.0	2.0	6.8	10.2	2.3	5	1744
18-20 LST	3.3	6.4	1.9	0.0	0.0	0.0	0.0	0.0	0.9	3.6	5.9	8.5	2.5	12	4143
21-23 LST	1.3	7.4	3.3	0.0	0.0	0.0	0.0	0.7	3.4	7.9	8.6	6.1	3.2	5	1764

SZCZECIN, POLAND

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	21.8	18.7	23.8	25.6	29.0	27.6	28.6	27.2	25.2	22.1	19.1	18.4	287.1	12	4097
	07 LST	21.1	17.0	22.4	23.5	28.6	27.2	26.9	25.4	21.5	19.5	16.6	19.7	269.4	12	4162
	13 LST	20.9	19.1	26.6	27.9	29.8	29.5	29.6	30.3	28.9	25.7	20.5	18.7	307.5	12	4121
	19 LST	22.2	19.5	25.4	27.8	30.4	29.3	30.4	30.0	28.3	25.4	20.0	18.1	306.8	12	4143
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	10.1	9.6	13.7	18.1	22.4	22.7	22.5	20.5	18.3	13.5	9.0	8.0	188.4	12	4092
	07 LST	8.6	7.6	11.8	15.0	19.5	20.6	19.1	16.3	13.5	10.2	6.6	7.8	156.6	12	4154
	13 LST	7.5	7.3	9.1	11.9	12.7	14.3	15.7	14.2	13.3	9.9	8.2	6.8	130.9	12	4114
	19 LST	10.1	11.8	14.8	17.4	21.5	21.7	21.5	23.9	22.5	16.0	9.5	7.3	198.0	12	4137
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	2.0	1.2	1.1	0.4	0.5	0.1	0.2	0.0	0.3	0.4	0.5	0.4	7.1	12	4106
	07 LST	0.9	1.0	0.6	0.2	0.1	0.0	0.1	0.1	0.3	0.7	1.3	0.9	6.2	12	4175
	13 LST	1.8	1.6	2.8	2.0	1.5	0.7	0.2	0.8	2.0	1.1	1.1	0.8	16.4	12	4142
	19 LST	1.8	0.7	1.4	0.6	0.4	0.2	0.1	0.4	0.5	0.3	0.7	0.5	7.6	12	4151
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	4.4	4.1	8.2	12.9	15.2	15.3	14.6	14.1	13.6	13.4	10.2	7.3	133.3	12	4098
	07 LST	4.3	7.7	5.7	14.0	16.5	16.5	15.2	16.3	14.0	13.2	10.0	7.1	136.5	12	4167
	13 LST	5.6	5.6	12.5	15.3	16.4	16.1	15.2	15.1	13.8	14.6	13.0	9.3	152.5	12	4136
	19 LST	4.7	5.1	11.3	16.6	19.2	18.8	18.3	13.5	12.8	12.5	10.9	8.3	152.2	12	4144
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	5.9	6.3	11.7	13.1	14.3	13.0	11.9	14.0	13.3	9.1	5.7	5.2	123.5	12	4114
	07 LST	5.1	4.0	8.3	7.5	9.1	9.4	7.9	6.1	6.7	4.4	2.3	4.1	75.2	12	4181
	13 LST	4.5	4.4	8.3	5.8	4.2	5.0	4.1	3.3	6.1	4.1	3.1	3.9	56.8	12	4149
	19 LST	7.4	6.7	10.8	8.2	8.6	10.3	7.6	5.9	10.8	8.9	6.6	5.7	97.5	12	4159
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	14.3	12.8	19.4	21.2	24.3	23.9	25.5	23.7	21.4	17.6	12.6	12.3	229.0	12	4097
	07 LST	13.1	10.7	17.4	18.9	22.9	23.2	22.3	21.8	18.4	14.9	9.3	11.6	204.5	12	4162
	13 LST	13.9	13.3	19.7	20.1	22.1	22.9	22.8	23.2	22.0	17.6	13.2	12.5	223.3	12	4121
	19 LST	15.2	14.2	21.0	22.5	26.4	26.0	25.5	26.9	25.1	20.0	13.2	11.5	247.5	12	4143
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	10.1	10.2	16.6	17.8	20.2	20.4	21.4	20.4	18.7	14.3	9.7	9.5	189.3	12	4097
	07 LST	10.1	8.5	15.6	16.3	20.3	20.7	19.8	18.5	16.6	12.2	7.3	9.1	175.0	12	4162
	13 LST	11.1	11.3	17.0	16.2	15.9	17.3	17.4	18.0	18.4	14.1	10.9	10.3	177.9	12	4121
	19 LST	12.0	11.2	18.5	18.4	22.6	22.2	21.3	23.3	22.3	16.3	10.5	8.9	207.5	12	4143
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	10.0	10.1	16.6	17.8	20.2	20.4	21.4	20.4	18.7	14.2	9.7	9.5	189.0	12	4097
	07 LST	10.1	8.4	15.6	16.1	20.2	20.6	19.8	18.3	16.5	12.1	7.2	9.0	173.9	12	4162
	13 LST	11.1	11.3	16.9	16.1	15.9	17.1	17.4	18.0	18.3	14.0	10.9	10.3	177.3	12	4121
	19 LST	12.0	11.1	18.4	18.3	22.6	22.0	21.2	23.1	22.1	16.2	10.5	8.8	206.3	12	4143

AREA 01

POLAND	BALTIC COASTAL		LATITUDE 5430N				LONGITUDE 01700E							
	BOUNDARIES	5312N 01423E	5438N 01808E	5438N 01808E	5400N 02000E	5400N 02000E	5400N 02000E	5426N 02000E						
PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)		34	33	41	49	59	66	69	69	64	55	43	37	52
MEAN MIN TMP (F)		27	24	29	35	43	51	55	55	49	43	35	30	40
LARGEST MEAN PRECIP(IN)		2.49	1.65	1.43	2.01	2.23	2.84	3.94	4.41	3.15	2.78	1.89	2.29	31.1
SMALLEST MEAN PRECIP(IN)		1.21	1.03	0.71	1.15	1.15	2.40	2.56	2.36	1.53	1.62	0.64	1.63	18.0
		MEAN NUMBER OF DAYS												
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	23.0	20.4	24.6	25.4	27.8	27.4	28.6	28.1	26.6	24.8	21.8	22.0	300.5
	07 LST	22.5	19.5	23.5	23.3	28.0	27.0	28.3	27.4	25.6	22.9	20.2	22.6	290.8
	13 LST	23.2	20.6	26.1	26.9	29.6	28.9	29.4	29.8	29.1	27.2	22.6	21.7	315.0
	19 LST	22.7	21.0	25.1	26.9	29.1	28.6	30.0	29.6	28.5	26.3	22.1	21.2	311.1
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	9.1	9.3	13.9	16.3	20.2	21.2	20.9	20.6	18.8	14.3	10.6	7.8	183.0
	07 LST	7.4	8.0	11.7	13.5	18.8	18.4	17.5	17.9	17.1	11.3	8.4	7.7	157.7
	13 LST	8.7	9.0	10.0	10.3	12.8	13.1	13.7	13.7	13.8	11.7	10.2	7.4	134.4
	19 LST	9.8	10.2	13.5	16.0	19.3	20.1	20.4	21.8	21.3	15.3	10.7	8.4	186.8
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	2.1	1.4	1.4	1.0	0.9	0.2	0.6	0.7	0.6	0.7	1.1	1.7	12.4
	07 LST	1.9	0.7	1.3	0.8	0.7	0.3	0.5	0.3	0.3	0.8	1.2	1.5	10.3
	13 LST	2.0	1.4	2.1	1.6	1.6	1.1	1.1	1.4	1.7	1.3	1.0	1.6	17.9
	19 LST	2.1	1.5	1.5	1.1	0.9	0.4	0.8	0.6	0.7	0.7	0.9	1.1	12.3
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	4.2	3.2	5.9	10.3	11.9	12.0	12.0	12.8	12.5	13.0	10.7	6.6	115.1
	07 LST	4.0	3.3	5.1	11.4	16.1	15.8	14.6	14.4	14.1	12.9	9.6	6.9	128.2
	13 LST	6.1	5.2	13.0	15.3	17.4	16.3	16.3	16.4	15.7	15.1	14.0	8.9	159.7
	19 LST	4.2	4.1	9.9	13.6	16.7	17.8	16.7	14.7	12.2	12.4	11.4	7.7	141.4
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	5.5	5.5	11.4	12.3	13.8	12.8	12.2	13.5	13.9	9.4	5.5	5.6	121.4
	07 LST	4.0	4.1	7.7	6.2	10.4	8.5	7.7	6.2	8.0	4.3	3.0	4.1	74.2
	13 LST	3.8	4.5	8.9	5.9	7.4	6.5	5.9	4.3	7.3	5.0	3.1	3.4	66.0
	19 LST	6.1	5.1	10.0	7.9	10.8	10.6	9.2	7.8	11.5	8.8	5.6	5.4	98.1
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	12.7	12.1	18.3	19.6	22.3	22.5	23.0	22.7	21.6	17.3	12.4	11.6	216.1
	07 LST	11.1	10.6	16.9	16.6	22.3	21.7	20.7	20.9	20.5	14.7	10.3	11.1	197.4
	13 LST	13.5	13.3	19.4	18.5	22.7	22.0	21.3	21.1	22.4	18.0	13.5	11.9	217.6
	19 LST	13.4	13.0	19.1	20.1	24.5	24.4	24.9	24.7	23.7	18.6	12.8	12.0	231.2
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	9.5	9.8	15.7	17.3	19.5	19.8	19.9	19.8	19.2	14.5	9.4	9.4	183.8
	07 LST	8.3	8.6	15.1	14.2	19.6	19.1	18.5	17.7	18.2	12.2	7.7	8.9	168.1
	13 LST	10.8	11.3	17.1	15.2	18.7	17.8	17.3	16.2	18.8	14.6	10.4	9.8	178.0
	19 LST	10.8	10.4	17.1	17.5	21.7	21.8	21.8	21.6	21.3	15.5	10.2	9.8	199.5
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	9.4	9.5	15.5	17.1	19.3	19.6	19.7	19.5	19.1	14.3	9.3	9.4	181.7
	07 LST	8.2	8.4	14.9	13.9	19.5	18.8	18.2	17.4	18.1	12.0	7.6	8.7	165.7
	13 LST	10.5	11.1	16.9	15.1	18.5	17.6	17.0	16.1	18.7	14.4	10.3	9.6	175.8
	19 LST	10.5	10.0	16.8	17.1	21.6	21.5	21.6	21.4	21.1	15.3	10.2	9.6	196.7

KETRZYN, POLAND

STA NO. 12185 (IN AREA NUMBER 02)

LATITUDE 5405N

LONGITUDE 02121E

ELEVATION(FT) 00352

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	46	50	64	81	84	88	91	93	84	73	57	54	93	11	3645
MEAN MAX TMP (F)	30	29	38	52	62	69	71	70	63	53	39	33	51	11	3645
MEAN MIN TMP (F)	23	20	25	35	43	51	54	54	47	41	33	27	38	11	3644
ABS MIN TMP (F)	-27	-27	-4	18	25	34	41	39	34	10	9	-8	-27	11	3644
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.0	0.0	0.0	0.0	0.3	11	3645
MEAN NO DYS TMP = DR LES 32(F)	27.3	24.8	26.1	11.7	1.5	0.0	0.0	0.0	0.0	2.3	15.0	72.2	130.9	11	3644
MEAN NO DYS TMP = DR LES 0(F)	1.3	2.6	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	4.5	11	3644
MEAN DEW PT TMP (F)	24	22	26	35	43	51	55	55	48	42	33	27	38	11	18770
MEAN REL HUM (PCT)	87	86	79	74	74	75	79	81	82	84	89	88	82	11	18574
MEAN PRESS ALT (FT)	343	260	239	307	307	295	376	356	274	259	226	343	299	11	18811
MEAN PRECIP (IN)	1.03	1.00	1.04	1.25	2.19	2.57	3.62	2.91	2.04	2.13	1.42	1.81	23.0	11	3373
MEAN SNOW FALL (IN)						0.0	0.0	0.0	0.0					11	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	3.3	2.8	3.3	4.5	6.4	6.6	8.9	8.1	6.3	5.5	4.9	6.4	67.0	11	3373
MEAN NO DYS SNFL = DR GTR 1.5 IN						0.0	0.0	0.0	0.0					11	-29
MEAN NO DYS W/OCCUR VSBY LES 1/2 MI	2.2	3.5	1.6	0.9	1.5	0.8	1.0	2.0	1.4	2.3	3.3	3.7	24.2	11	3475
MEAN NO DYS TSTMS	0.0	0.1	0.0	1.3	2.5	4.3	5.3	3.3	1.4	0.2	0.1	0.1	18.6	11	3479
P FREQ WND SPD = DR GTR 17 KTS	6.5	7.0	5.2	3.7	1.1	0.6	0.3	2.0	1.2	2.7	3.0	6.8	3.6	11	18887
P FREQ WND SPD = DR GTR 28 KTS	0.6	0.4	0.1	0.2	0.0	0.0	0.0	0.1	0.1	0.0	0.1	0.1	0.1	11	18887
P FREQ LES 5000 FT A/D LES 5 MI	78.8	75.5	55.1	49.0	45.2	37.5	48.3	47.8	42.8	62.0	82.1	77.4	58.5	11	18950
P FREQ LES 1500 FT 1/2 LES 3 MI															
FDR 00-02 LST	46.4	43.7	22.2	21.4	14.8	11.4	14.3	15.9	11.0	24.3	49.2	47.7	26.8	11	3663
03-05 LST	40.3	49.1	32.3	14.3	20.0	12.8	28.9	28.4	16.4	22.7	59.0	52.0	31.4	4	1308
06-08 LST	48.3	48.2	31.2	29.3	22.8	14.5	21.5	24.2	23.0	39.4	56.1	51.6	34.2	11	3710
09-11 LST	44.9	53.7	31.4	18.1	21.1	11.4	16.9	17.4	11.8	24.9	58.0	48.6	29.9	4	1289
12-14 LST	43.8	39.8	24.5	18.7	15.6	9.4	10.0	10.7	8.5	20.4	46.0	46.4	24.5	11	3731
15-17 LST	37.2	42.3	26.4	12.1	10.6	8.4	5.1	11.5	6.1	14.5	54.9	50.8	23.3	4	1285
18-20 LST	44.3	35.9	19.0	14.7	8.5	6.5	6.5	7.2	8.1	20.2	49.2	48.2	22.4	11	3721
21-23 LST	41.6	47.7	23.7	12.3	13.7	5.8	9.9	8.8	8.1	16.0	60.4	49.6	24.8	4	1305
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	6.0	7.8	2.9	4.6	2.2	2.3	1.2	2.7	2.8	5.2	7.0	8.3	4.4	11	3663
03-05 LST	0.8	7.4	5.0	0.9	5.7	4.4	5.2	4.1	6.1	6.6	9.2	7.1	5.2	4	1308
06-08 LST	7.8	11.2	6.7	3.8	4.8	2.2	3.5	6.2	6.3	13.7	11.4	9.8	7.3	11	3710
09-11 LST	3.4	11.4	2.5	1.8	0.0	0.0	0.0	0.0	0.9	3.4	11.8	10.7	3.8	4	1289
12-14 LST	5.5	6.4	1.8	0.6	0.0	0.0	0.0	0.6	0.0	0.7	6.6	8.0	2.5	11	3731
15-17 LST	2.6	4.5	1.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12.8	11.9	2.8	4	1285
18-20 LST	7.9	4.7	1.5	0.6	0.0	0.3	0.0	0.3	0.3	2.0	5.6	8.2	2.6	11	3721
21-23 LST	2.3	8.4	1.7	0.9	0.8	0.0	0.0	0.0	0.0	4.4	8.2	8.9	3.1	4	1305

KETRZYN, POLAND

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	20.4	18.7	26.1	25.1	27.7	27.7	28.1	27.5	27.5	24.8	18.3	19.8	291.7	11	3663
	07 LST	20.2	17.3	24.1	22.5	25.4	27.1	26.2	25.1	24.3	20.4	15.9	18.4	266.9	11	3710
	13 LST	20.9	19.7	26.4	27.3	28.8	28.9	29.8	29.7	29.1	27.6	19.7	19.9	307.8	11	3731
	19 LST	20.8	20.2	27.0	27.2	29.1	29.2	30.1	29.7	28.7	26.1	18.2	19.7	306.0	11	3721
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	8.4	9.3	16.6	19.0	22.9	24.8	23.2	23.3	23.4	16.5	9.9	8.4	205.7	11	3658
	07 LST	7.6	9.0	13.3	15.5	18.0	20.7	19.1	19.2	18.5	12.8	7.8	6.6	168.1	11	3703
	13 LST	9.4	9.9	11.1	12.2	12.9	15.1	17.4	16.5	15.5	12.0	8.8	8.5	149.3	11	3728
	19 LST	9.2	12.4	17.4	19.9	23.3	23.5	25.9	25.6	23.9	18.3	10.1	8.4	217.9	11	3719
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	2.0	1.2	0.9	0.2	0.1	0.0	0.1	0.4	0.1	0.3	2.0	1.4	8.7	11	3685
	07 LST	1.3	0.8	0.9	0.4	0.1	0.2	0.1	0.2	0.2	0.5	1.6	1.6	7.9	11	3727
	13 LST	1.1	1.2	1.8	1.6	0.8	0.4	0.2	0.9	0.9	1.1	0.9	0.9	11.8	11	3759
	19 LST	1.0	1.7	1.0	0.6	0.1	0.0	0.0	0.2	0.0	0.4	1.3	1.9	8.2	11	3729
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	3.5	2.6	4.3	10.1	10.2	9.5	9.1	8.4	10.9	13.3	8.5	5.1	95.9	11	3668
	07 LST	1.8	2.4	3.8	11.7	15.8	16.7	15.1	15.6	15.1	13.3	7.2	4.3	122.8	11	3716
	13 LST	5.4	4.8	8.7	14.2	16.6	15.5	17.2	17.2	15.3	16.3	11.5	7.5	150.2	11	3738
	19 LST	4.0	3.8	7.4	14.5	16.9	15.8	13.4	11.9	11.0	13.5	8.5	6.5	127.2	11	3717
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	5.0	6.5	14.2	12.7	12.5	14.3	13.0	14.7	15.9	10.7	4.5	5.5	129.9	11	3684
	07 LST	3.8	4.4	7.8	9.4	10.4	11.7	8.8	9.3	10.3	6.6	3.2	3.9	89.6	11	3729
	13 LST	3.6	5.2	11.1	7.6	6.2	7.9	5.0	5.5	7.2	6.1	3.0	3.7	72.1	11	3759
	19 LST	5.7	7.7	12.2	9.4	10.3	12.5	10.7	10.6	12.9	9.7	4.0	5.5	111.2	11	3732
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	11.9	12.0	21.1	20.7	23.2	23.6	23.0	23.2	24.5	20.2	11.1	11.6	226.1	11	3663
	07 LST	10.6	10.7	17.7	18.9	21.8	23.5	21.7	20.9	21.0	16.1	9.3	10.5	202.7	11	3710
	13 LST	12.8	13.6	19.6	19.8	21.2	23.1	22.8	22.7	23.4	20.3	11.5	12.3	223.1	11	3731
	19 LST	12.7	14.6	22.1	22.3	25.5	25.4	25.7	26.4	24.4	20.8	10.9	11.6	242.4	11	3721
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	9.5	10.1	19.1	18.0	19.5	19.8	19.3	20.7	21.8	17.0	8.5	9.1	192.4	11	3663
	07 LST	8.3	8.0	15.8	16.7	19.6	21.6	19.7	19.1	19.1	13.9	6.8	7.9	176.5	11	3710
	13 LST	10.4	12.1	17.9	16.7	17.0	18.8	17.5	17.9	19.2	17.3	8.4	10.1	183.3	11	3731
	19 LST	10.3	12.1	20.0	19.0	21.3	22.8	21.8	23.3	20.4	16.6	7.9	9.7	205.2	11	3721
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	9.5	10.1	18.9	18.0	19.5	19.8	19.2	20.6	21.7	16.9	8.5	9.0	191.7	11	3663
	07 LST	8.3	9.0	15.7	16.7	19.5	21.5	19.7	19.1	19.1	13.9	6.8	7.9	176.2	11	3710
	13 LST	10.4	12.0	17.9	16.7	17.0	18.7	17.4	17.9	19.2	17.3	8.4	10.1	183.0	11	3731
19 LST	10.1	12.1	19.9	19.0	21.3	22.8	21.7	23.3	20.4	16.3	7.9	9.7	204.5	11	3721	

SUWALKI, POLAND

STA NO. 12195 (IN AREA NUMBER 02)

LATITUDE 5406N

LONGITUDE 02297E

ELEVATION(FT) 00558

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. DBS
ABS MAX TMP (F)	45	45	61	77	86	88	90	91	84	72	52	52	91	9	2343
MEAN MAX TMP (F)	27	25	35	49	61	70	72	71	62	51	37	31	49	9	2343
MEAN MIN TMP (F)	21	15	21	34	43	51	54	53	46	39	30	24	36	9	2401
ABS MIN TMP (F)	-24	-26	-8	18	25	37	43	39	30	7	-4	-9	-26	9	2401
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.0	0.0	0.0	0.0	0.4	9	2343
MEAN NO DYS TMP = DR LES 32(F)	29.1	26.7	28.7	14.9	2.9	0.0	0.0	0.0	0.6	5.2	19.0	25.5	152.6	9	2401
MEAN NO DYS TMP = DR LES 0(F)	1.7	6.2	2.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.8	11.0	9	2401
MEAN DEW PT TMP (F)	20	15	21	34	42	50	55	54	47	38	30	24	36	9	7801
MEAN REL HUM (PCT)	88	84	79	76	69	71	77	79	82	82	90	90	81	9	7665
MEAN PRESS ALT (FT)	539	505	356	459	483	510	596	572	488	455	350	467	482	9	7853
MEAN PRECIP (IN)	1.33	1.17	1.11	1.48	1.40	2.45	3.13	3.46	2.06	1.83	1.37	1.71	22.5	9	2121
MEAN SNOW FALL (IN)						0.0	0.0	0.0	0.0					9	-29
MEAN NO DYS PKCP = DR GTR 0.1 IN	4.2	3.4	3.0	4.6	4.1	7.0	7.8	7.0	6.1	5.9	3.9	5.3	62.3	9	2121
MEAN NO DYS SNFL = DR GTR 1.5 IN						0.0	0.0	0.0	0.0					9	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	6.5	5.2	3.1	2.7	0.6	0.4	0.9	1.0	1.9	3.0	5.4	7.2	37.9	9	1625
MEAN NO DYS TS+MS	0.2	0.2	0.0	0.9	1.0	3.1	3.9	2.0	0.2	0.3	0.0	0.0	11.8	9	1625
P FREQ WND SPD = DR GTR 17 KTS	13.6	9.5	8.6	10.0	5.7	4.2	4.7	5.7	4.9	8.4	14.5	14.6	8.7	9	7901
P FREQ WND SPD = DR GTR 28 KTS	0.3	0.2	0.2	0.3	0.1	0.0	0.0	0.3	0.0	0.2	0.7	0.0	0.2	9	7901
P FREQ LES 5000 FT A/O LES 5 MI	88.5	72.0	50.3	53.5	50.2	37.0	51.8	46.1	48.6	64.0	84.6	83.2	60.8	9	8451
P FREQ LES 1500 FT A/O LES 3 MI															
FDR 00-02 LST	57.0	35.9	22.7	20.5	11.6	11.4	15.1	13.3	11.7	24.3	44.7	53.9	26.8	9	2196
03-05 LST	80.4	48.3	16.8	29.1	22.7	11.3	22.2	22.9	20.8	22.6	79.7	62.7	36.6	2	386
06-08 LST	57.8	45.3	33.8	28.8	15.8	12.7	13.3	20.0	22.7	39.6	52.9	53.6	33.0	9	2416
09-11 LST	53.7	46.7	9.0	13.9	15.1	13.3	5.8	13.0	9.8	14.1	67.7	63.4	27.1	2	380
12-14 LST	49.5	36.9	16.4	15.8	11.9	8.7	8.5	9.5	11.9	28.0	40.6	49.1	23.9	9	2321
15-17 LST	58.2	38.2	11.7	4.9	1.9	3.6	0.0	3.9	3.8	12.0	67.7	61.1	22.3	2	398
18-20 LST	48.4	34.6	14.7	17.4	8.8	6.7	4.8	9.6	8.9	23.5	47.4	50.5	22.9	9	2364
21-23 LST	68.7	41.9	15.7	14.1	4.0	7.4	12.6	11.1	5.8	19.0	77.8	62.6	28.5	2	391
P FREQ LES 300 FT A/O LES 1 MI															
FDR 00-02 LST	10.9	6.9	3.3	4.3	0.5	1.0	2.2	2.5	1.0	4.5	9.4	12.0	4.9	9	2196
03-05 LST	7.1	19.2	3.3	11.5	6.5	3.7	4.0	7.8	3.4	0.0	25.9	7.1	8.3	2	386
06-08 LST	9.3	16.8	6.8	6.1	1.0	0.0	2.1	1.4	4.7	12.4	14.6	14.6	7.5	9	2416
09-11 LST	3.6	11.1	7.1	0.0	0.0	0.0	0.0	0.0	1.8	0.0	7.7	22.2	4.5	2	380
12-14 LST	3.2	7.5	1.9	0.9	0.0	0.0	0.0	0.0	0.5	2.5	5.6	8.6	2.6	9	2321
15-17 LST	6.5	6.9	3.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	13.8	17.9	4.1	2	398
18-20 LST	8.7	6.0	2.5	1.0	0.0	0.0	0.0	0.0	0.0	1.5	9.2	9.0	3.2	9	2364
21-23 LST	13.3	13.3	3.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	24.1	14.3	5.7	2	391

SUWALKI, POLAND

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST	19.2	21.9	27.3	26.5	29.9	28.9	28.9	29.0	28.8	26.6	21.2	19.5	307.7	9	2196
	08 LST	19.9	19.2	24.0	24.8	29.1	28.4	29.2	28.2	26.0	22.3	19.4	19.1	289.6	9	2416
	14 LST	22.5	20.8	28.8	28.3	30.2	29.6	30.4	30.1	29.2	26.1	22.4	21.4	319.8	9	2321
	20 LST	22.8	22.2	29.1	27.6	30.7	29.6	30.7	30.4	29.7	27.6	20.4	21.4	322.2	9	2364
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST	5.0	11.0	14.5	17.6	21.9	23.1	21.5	23.1	20.5	17.0	8.3	5.1	188.6	9	2194
	08 LST	3.9	8.4	13.2	12.5	17.0	18.5	19.5	18.6	16.5	11.7	6.5	5.5	151.8	9	2412
	14 LST	5.4	9.0	9.9	10.4	11.6	12.3	12.0	12.4	10.9	8.0	7.9	5.4	115.2	9	2314
	20 LST	5.6	10.9	14.8	17.2	18.3	21.3	23.1	22.5	21.6	15.0	7.9	5.6	183.8	9	2359
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST	2.6	0.7	1.8	1.1	0.5	0.3	0.2	0.5	0.2	0.6	3.0	1.5	13.0	9	2203
	08 LST	2.4	1.2	1.2	2.2	0.9	0.4	0.8	0.4	0.7	1.1	2.6	2.2	16.1	9	2425
	14 LST	2.9	1.9	4.4	4.9	3.4	3.1	2.7	3.2	4.6	3.7	4.2	2.8	41.8	9	2328
	20 LST	1.9	1.2	2.0	0.9	0.9	0.6	0.8	0.9	0.1	0.8	2.7	2.3	15.1	9	2366
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST	0.3	1.0	2.0	8.0	13.2	12.7	11.8	12.7	13.0	13.9	6.5	3.1	98.2	9	2192
	08 LST	0.7	1.3	2.3	9.2	18.3	16.5	17.7	16.9	14.9	12.7	5.0	2.2	117.7	9	2418
	14 LST	1.6	1.5	7.4	13.2	14.4	15.5	14.5	14.5	13.8	13.0	7.4	3.7	120.5	9	2317
	20 LST	1.1	2.0	4.4	11.5	16.4	18.6	17.2	16.5	14.0	12.7	7.3	3.3	125.0	9	2354
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST	3.5	6.0	14.9	12.5	14.4	11.6	11.1	15.1	14.3	11.0	4.4	4.3	123.1	9	2207
	08 LST	1.9	3.6	7.2	6.3	9.4	10.6	7.4	8.8	7.1	4.0	1.8	2.9	71.0	9	2428
	14 LST	3.1	4.8	10.6	3.1	2.5	2.3	2.4	1.2	3.0	3.7	2.2	2.5	41.4	9	2328
	20 LST	3.2	6.5	11.4	6.5	6.6	8.9	6.8	8.4	9.5	8.5	4.4	4.1	84.6	9	2370
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST	6.6	12.3	19.5	19.5	23.0	22.6	21.8	23.2	22.9	18.2	10.1	8.4	208.1	9	2196
	08 LST	5.9	9.8	15.9	16.6	21.9	22.7	22.4	20.8	19.1	13.2	7.8	8.6	184.7	9	2416
	14 LST	8.1	12.9	21.4	19.0	20.3	21.7	21.6	21.1	19.4	16.5	10.8	9.1	201.9	9	2321
	20 LST	8.3	12.5	21.7	19.6	23.4	25.3	25.8	24.3	23.4	17.6	9.4	8.5	219.8	9	2364
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST	4.5	8.9	16.8	15.6	18.8	19.0	17.8	19.8	20.2	13.6	5.8	6.2	167.0	9	2196
	08 LST	4.5	6.5	13.2	13.3	18.8	19.8	18.5	19.3	15.3	9.6	5.2	5.5	149.5	9	2416
	14 LST	6.1	10.1	18.1	12.2	10.9	13.6	12.0	12.5	11.8	12.4	6.1	6.4	132.2	9	2321
	20 LST	5.2	8.8	17.9	14.4	18.8	22.2	21.2	21.3	20.0	12.2	5.4	5.8	173.2	9	2364
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST	4.4	8.9	16.8	15.5	18.4	18.8	17.8	19.5	19.9	13.6	5.8	6.2	165.6	9	2196
	08 LST	4.3	6.2	12.7	12.6	18.8	19.6	18.1	18.5	14.9	9.5	5.0	5.3	145.5	9	2416
	14 LST	5.9	10.1	17.8	12.1	10.9	13.2	11.5	12.5	11.7	11.8	6.1	6.0	129.6	9	2321
	20 LST	5.1	8.6	17.6	14.1	18.5	21.9	21.1	20.9	19.7	12.2	5.4	5.8	170.9	9	2364

WALCZ, POLAND

STA NO. 12225 (IN AREA NUMBER 02)

LATITUDE 5317N

LONGITUDE 01628E

ELEVATION(FT) 00373

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	50	55	63	82	88	90	95	95	86	72	59	57	95	12	3455
MEAN MAX TMP (F)	32	32	41	54	63	71	72	71	65	54	42	34	53	12	3455
MEAN MIN TMP (F)	23	22	28	36	43	51	54	54	48	42	34	28	39	12	3468
ABS MIN TMP (F)	-15	-20	-4	18	28	34	39	43	28	18	16	-2	-20	12	3468
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.1	0.5	0.3	0.0	0.0	0.0	0.0	0.9	12	3455
MEAN NO DYS TMP = DR LES 32(F)	25.9	23.0	24.2	10.1	2.2	0.0	0.0	0.0	0.2	2.7	12.4	21.2	121.9	12	3468
MEAN NO DYS TMP = DR LES 0(F)	1.4	1.8	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	2.8	12	3468
MEAN DEW PT TMP (F)	22	20	27	37	44	51	54	55	49	43	35	26	39	12	13419
MEAN REL HUM (PCT)	85	81	73	75	74	73	76	79	82	85	89	88	80	12	13327
MEAN PRESS ALT (FT)	280	329	323	334	322	320	356	366	269	210	240	291	303	12	12511
MEAN PRECIP (IN)	1.99	1.49	1.28	1.45	1.98	2.51	3.00	3.08	1.85	1.72	1.82	2.07	74.2	12	3106
MEAN SNOW FALL (IN)						0.0	0.0	0.0						12	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	6.4	4.5	4.3	4.8	6.5	6.5	7.9	8.7	5.3	6.0	6.1	7.2	74.2	12	3106
MEAN NO DYS SNFL = DR GTR 1.5 IN						0.0	0.0	0.0						17	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	1.1	0.9	0.6	0.7	0.0	0.0	0.2	0.3	0.5	0.3	1.8	2.1	8.5	12	2308
MEAN NO DYS TSTMS	0.0	0.0	0.0	1.0	3.3	3.4	4.0	3.1	1.6	0.0	0.0	0.0	16.4	12	2305
P FREQ WND SPD = DR GTR 17 KTS	2.1	2.0	1.4	0.4	0.3	0.4	0.2	0.2	0.3	0.7	0.7	1.2	0.8	12	13514
P FREQ WND SPD = DR GTR 28 KTS	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	13514
P FREQ LES 5000 FT A/O LES 5 MI	69.7	72.1	53.7	51.8	55.5	46.1	53.4	56.3	50.5	67.5	79.9	77.8	61.2	12	16000
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	39.2	37.4	25.4	21.7	12.1	9.3	9.2	10.8	14.3	30.0	47.3	49.0	25.5	12	3110
03-05 LST	42.5	41.6	33.0	22.4	26.8	13.6	13.9	12.4	27.5	33.0	58.8	48.8	31.2	5	1132
06-08 LST	45.8	42.5	36.1	24.7	17.2	9.9	18.3	18.2	25.9	44.4	54.3	51.3	32.4	12	3489
09-11 LST	40.1	54.9	35.3	19.5	22.7	10.8	16.3	18.2	17.6	34.8	61.7	51.6	32.0	5	1383
12-14 LST	38.4	35.1	24.1	20.2	11.9	8.6	11.8	10.6	11.5	23.4	45.8	46.9	24.0	12	3635
15-17 LST	33.7	38.4	27.6	16.8	20.4	15.4	12.6	16.3	11.1	22.1	50.7	51.6	26.4	5	1393
18-20 LST	39.0	38.1	25.9	20.0	11.1	7.9	9.2	8.5	11.2	23.0	47.2	47.9	24.1	12	3751
21-23 LST	38.1	40.6	32.0	18.4	19.1	10.4	4.7	13.0	15.6	28.5	54.2	49.3	27.0	5	1292
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	1.6	2.3	0.8	0.0	0.0	0.0	0.0	0.4	0.0	2.5	1.9	4.2	1.1	12	3110
03-05 LST	0.0	0.0	0.9	0.9	0.0	0.0	0.0	0.0	1.2	3.6	2.0	1.7	0.9	5	1133
06-08 LST	2.0	4.7	3.5	2.4	0.3	0.0	0.0	1.4	2.4	6.7	8.3	2.2	2.8	12	3489
09-11 LST	2.7	5.5	2.7	0.0	0.0	0.0	0.0	0.0	0.9	3.5	10.6	1.4	2.3	5	1383
12-14 LST	2.3	3.0	1.6	0.3	0.0	0.3	0.0	0.0	0.0	0.3	2.3	4.3	1.2	12	3635
15-17 LST	0.0	1.8	0.9	0.0	0.0	0.0	1.1	0.0	0.0	0.0	6.3	2.7	1.1	5	1393
18-20 LST	1.9	3.1	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.3	3.6	4.9	1.3	12	3751
21-23 LST	0.8	0.9	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	4.0	2.0	0.7	5	1292

WALCZ, POLAND

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PUR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	26.9	24.0	24.7	28.5	30.6	29.6	30.5	30.3	29.0	26.3	21.6	23.0	328.0	12	3110
	07 LST	25.0	22.9	25.5	26.5	29.3	29.5	28.9	29.3	25.2	22.4	20.0	23.0	307.5	12	3489
	13 LST	26.4	23.6	27.8	28.3	30.6	29.3	30.1	30.6	29.3	28.8	22.5	23.2	330.5	12	3635
	19 LST	26.3	23.3	27.3	28.3	30.4	29.6	30.5	30.7	29.4	28.1	22.0	22.6	328.5	12	3751
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	10.2	10.2	15.5	18.7	23.6	24.6	25.0	24.3	22.8	16.9	9.7	8.6	210.1	12	3106
	07 LST	8.6	9.2	13.0	18.5	21.3	23.9	21.0	21.3	18.9	12.2	7.3	7.2	182.4	12	3487
	13 LST	11.5	12.3	15.0	16.6	19.0	22.6	22.0	22.1	19.7	17.3	9.2	9.9	197.2	12	3632
	19 LST	11.0	11.0	16.1	19.4	23.2	25.0	25.2	25.3	23.0	19.2	9.2	9.8	217.4	12	3746
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	0.6	0.4	0.8	0.2	0.0	0.1	0.1	0.0	0.0	0.1	0.1	0.3	2.7	12	3126
	07 LST	0.4	0.3	0.2	0.1	0.1	0.0	0.0	0.0	0.0	0.2	0.1	0.2	1.6	12	3505
	13 LST	0.4	0.2	0.4	0.3	0.1	0.2	0.0	0.1	0.1	0.2	0.2	0.2	2.4	12	3655
	19 LST	0.7	0.4	0.4	0.0	0.0	0.1	0.1	0.1	0.3	0.1	0.2	0.2	2.6	12	3759
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	2.8	2.4	3.3	7.9	7.2	6.5	8.2	7.9	6.9	7.4	7.7	4.1	72.3	12	3115
	07 LST	2.9	2.8	3.4	10.0	13.9	13.0	12.5	11.0	10.5	10.3	7.6	4.3	102.2	12	3498
	13 LST	7.1	6.5	14.8	19.4	20.9	21.2	18.2	19.4	16.5	17.5	12.3	7.3	183.1	12	3644
	19 LST	4.0	3.6	7.2	14.1	16.7	14.6	13.4	9.9	7.3	10.3	8.0	5.2	114.3	12	3751
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	6.6	7.0	14.4	12.7	15.6	15.3	14.5	15.4	15.9	10.8	5.7	6.3	140.2	12	3128
	07 LST	5.5	4.5	9.0	9.2	11.0	10.4	7.1	7.6	8.8	4.7	3.4	4.7	85.9	12	3506
	13 LST	4.9	4.8	10.2	5.1	4.3	4.9	3.4	3.5	6.0	4.9	2.7	3.8	58.5	12	3660
	19 LST	8.0	7.1	12.7	8.4	10.4	9.5	7.7	7.4	11.2	10.4	5.0	6.6	104.4	12	3763
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	10.8	10.5	17.3	17.7	22.0	22.9	22.9	22.7	22.0	15.7	9.2	8.5	202.2	12	3110
	07 LST	8.7	8.9	13.7	17.3	20.5	22.3	19.3	19.2	17.3	11.0	7.0	7.3	172.5	12	3489
	13 LST	11.2	12.1	18.2	17.1	20.1	22.4	20.8	20.6	20.7	16.5	8.9	9.1	197.7	12	3635
	19 LST	11.6	11.0	18.0	18.4	22.4	23.4	23.2	22.9	21.9	17.5	8.8	9.5	208.6	12	3751
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	9.8	8.8	16.1	15.8	18.6	18.8	17.7	18.5	19.1	12.6	7.3	7.4	170.5	12	3110
	07 LST	7.7	6.9	12.3	14.0	16.3	16.8	13.0	14.0	13.6	8.7	5.7	6.4	135.4	12	3489
	13 LST	8.9	9.9	15.8	11.9	12.1	13.6	12.5	11.0	15.1	12.0	6.5	7.4	136.7	12	3635
	19 LST	10.4	9.8	16.4	15.7	17.9	18.3	17.2	17.0	18.3	13.4	6.4	8.5	169.3	12	3751
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	9.7	8.8	16.1	15.8	18.6	18.8	17.7	18.5	19.1	12.3	7.3	7.4	170.1	12	3110
	07 LST	7.7	6.9	12.3	14.0	16.3	16.7	13.0	14.0	13.6	8.7	5.7	6.4	135.3	12	3489
	13 LST	8.9	9.7	15.8	11.9	12.1	13.6	12.5	11.0	15.1	12.0	6.5	7.3	136.4	12	3635
	19 LST	10.4	9.5	16.4	15.7	17.9	18.2	17.2	16.9	18.3	13.3	6.4	8.4	168.6	12	3751

CHOJNICE, POLAND

STA NO. 12235 (IN AREA NUMBER 02)

LATITUDE 5342N

LONGITUDE 01733E

ELEVATION(FT) 00581

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	48	55	64	79	86	91	97	93	84	72	57	55	97	12	4006
MEAN MAX TMP (F)	30	31	39	52	62	69	71	70	64	53	40	33	51	12	4006
MEAN MIN TMP (F)	23	21	26	36	43	50	53	53	47	42	34	27	38	12	4026
ABS MIN TMP (F)	-15	-18	1	21	25	34	41	36	34	16	16	-2	-18	12	4026
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.1	0.6	0.2	0.0	0.0	0.0	0.0	0.9	12	4006
MEAN NO DYS TMP = DR LES 32(F)	27.1	24.7	25.5	11.4	2.4	0.0	0.0	0.0	0.0	2.1	14.1	23.3	130.6	12	4026
MEAN NO DYS TMP = DR LES 0(F)	1.2	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	3.1	12	4026
MEAN DEW PT TMP (F)	23	22	27	36	43	50	55	54	49	43	35	26	39	12	19977
MEAN REL HUM (PCT)	88	86	81	75	73	73	79	82	82	87	91	89	82	12	19895
MEAN PRESS ALT (FT)	523	471	446	519	510	518	561	577	482	473	497	537	510	12	19682
MEAN PRECIP (IN)	0.93	1.21	0.91	1.44	1.83	2.77	3.33	3.10	1.98	1.44	1.48	1.82	22.2	12	3669
MEAN SNOW FALL (IN)						0.0	0.0	0.0	0.0					12	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	3.2	4.1	2.7	5.3	5.9	7.1	7.9	8.4	6.1	4.5	5.1	6.3	66.6	12	3669
MEAN NO DYS SNFL = DR GTR 1.5 IN						0.0	0.0	0.0	0.0					12	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	4.5	4.9	3.8	2.1	0.7	0.4	1.2	1.0	2.9	7.2	8.2	7.3	44.2	12	3390
MEAN NO DYS TSTMS	0.1	0.2	0.1	1.1	3.6	4.7	5.0	3.5	1.8	0.3	0.2	0.1	20.7	12	3400
P FREQ WND SPD = DR GTR 17 KTS	10.2	9.7	6.6	2.9	3.0	2.1	1.1	3.2	3.2	4.0	4.6	7.2	4.8	12	20030
P FREQ WND SPD = DR GTR 28 KTS	1.3	1.7	0.5	0.1	0.1	0.0	0.0	0.0	0.1	0.2	0.1	0.5	0.4	12	20030
P FREQ LES 5000 FT A/D LES 5 MI	73.0	75.5	54.6	49.9	48.3	44.8	49.4	52.1	48.4	68.5	81.9	77.4	60.3	12	20521
P FREQ LES 1500 FT A/D LES 3 MI															
FDR 00-02 LST	41.2	42.6	27.1	20.5	17.3	15.1	16.8	16.0	21.0	36.6	49.4	47.5	29.3	12	3824
03-05 LST	41.8	46.7	34.5	20.5	18.7	16.8	24.0	27.4	24.7	43.6	53.2	48.4	33.4	5	1719
06-08 LST	44.6	50.5	37.1	29.6	18.3	15.5	20.4	28.5	30.9	52.1	59.9	48.3	36.4	12	4037
09-11 LST	47.5	55.4	33.5	16.1	13.6	9.9	17.8	22.5	19.9	35.0	61.1	53.4	32.1	5	1732
12-14 LST	44.3	42.0	23.8	17.5	10.5	9.1	11.4	11.8	11.4	30.2	50.3	47.3	25.8	12	3804
15-17 LST	35.5	48.0	21.0	10.5	9.4	5.4	10.1	10.4	7.2	23.5	53.0	43.9	23.2	5	1708
18-20 LST	37.0	37.8	24.4	15.3	8.8	8.1	7.1	9.3	11.3	23.4	47.8	46.6	23.2	12	4018
21-23 LST	32.1	43.3	28.3	12.6	11.4	7.5	13.3	12.3	12.7	28.3	53.2	44.2	24.9	5	1728
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	9.0	12.6	7.3	2.4	1.2	1.2	1.9	1.8	2.5	9.1	14.6	18.0	6.8	12	3824
03-05 LST	8.8	11.9	10.3	5.8	1.3	3.6	2.8	3.4	5.6	14.1	22.3	17.2	8.9	5	1719
06-08 LST	9.9	14.5	13.9	9.2	2.4	0.3	1.8	5.3	9.6	20.8	24.9	17.9	10.9	12	4037
09-11 LST	16.2	18.0	10.7	0.7	0.7	0.0	0.0	0.0	0.7	10.1	23.9	16.4	8.1	5	1732
12-14 LST	10.8	9.9	3.3	0.9	0.3	0.0	0.0	0.0	0.0	2.6	13.3	14.5	4.6	12	3804
15-17 LST	4.8	11.5	3.5	0.0	0.0	0.0	0.0	0.0	0.0	2.0	19.3	14.3	4.6	5	1708
18-20 LST	7.4	7.1	4.0	0.9	0.0	0.0	0.0	0.0	1.2	3.2	12.6	15.2	4.3	12	4018
21-23 LST	4.1	7.6	5.5	0.7	0.7	0.0	0.7	6.0	0.0	6.6	19.0	13.8	4.9	5	1728

CHOJNICE, POLAND

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	25.1	21.7	27.2	28.5	29.8	29.0	29.6	29.6	27.4	24.6	21.9	23.2	317.6	12	3824
	07 LST	24.9	19.8	23.9	25.4	28.3	28.5	28.5	26.8	24.3	19.8	16.8	23.1	290.1	12	4037
	13 LST	22.6	22.0	27.7	29.1	30.3	29.6	30.5	30.2	29.3	27.0	20.8	21.6	320.9	12	3804
	19 LST	25.1	22.9	27.7	28.8	30.3	29.3	30.7	30.3	28.5	28.4	22.2	22.7	326.9	12	4018
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	9.2	8.2	15.9	17.9	20.7	20.7	21.5	21.6	18.6	12.7	7.4	7.4	101.8	12	3819
	07 LST	7.3	6.6	11.6	14.9	19.8	19.0	19.5	16.0	15.9	8.7	6.2	7.2	152.7	12	4029
	13 LST	8.9	7.7	11.2	12.1	13.2	13.8	16.1	14.8	13.2	9.9	7.1	7.9	135.9	12	3799
	19 LST	11.4	10.0	15.0	19.3	21.0	20.6	22.9	23.2	22.4	15.8	7.4	8.1	197.1	12	4008
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	2.4	1.2	1.4	0.4	0.0	0.3	0.0	0.5	0.5	0.7	0.7	1.1	9.2	12	3834
	07 LST	3.1	1.8	0.5	0.4	0.6	0.2	0.3	0.6	0.4	0.6	1.2	1.8	11.5	12	4047
	13 LST	2.0	2.1	2.1	1.8	2.7	1.0	0.8	1.9	1.8	1.7	1.4	1.4	20.7	12	3805
	19 LST	2.1	1.0	1.1	0.4	0.7	0.4	0.4	0.3	0.6	0.5	1.2	1.0	9.7	12	4031
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	2.7	2.7	4.2	7.8	9.9	9.1	9.1	8.6	9.2	11.6	7.5	4.0	86.4	12	3824
	07 LST	1.8	1.7	3.1	9.9	16.3	15.7	15.6	15.4	13.2	13.6	7.4	2.7	116.4	12	4040
	13 LST	3.7	3.6	10.2	14.6	16.1	17.1	16.7	13.9	13.7	15.2	11.5	5.1	141.4	12	3800
	19 LST	2.8	3.3	6.3	15.1	16.7	16.3	14.1	12.7	11.4	14.8	9.1	4.5	127.1	12	4023
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	6.2	5.9	13.5	13.7	14.8	13.3	13.4	16.4	13.9	9.5	4.1	5.7	130.4	12	3834
	07 LST	3.8	3.5	7.5	8.0	8.9	10.2	7.8	6.7	8.2	3.3	2.3	4.3	74.5	12	4052
	13 LST	3.9	4.3	7.9	5.1	3.7	3.7	3.5	1.8	5.9	3.9	2.5	3.8	50.0	12	3815
	19 LST	7.0	6.6	10.4	6.3	8.6	8.3	7.9	6.9	10.3	9.4	4.8	5.8	92.3	12	4043
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	11.0	10.1	17.5	18.5	20.4	20.6	20.8	21.6	19.1	14.1	8.2	9.3	191.2	12	3824
	07 LST	9.1	7.9	14.8	16.4	21.2	21.1	20.0	16.9	16.8	9.4	6.9	8.8	169.3	12	4037
	13 LST	11.3	10.2	18.2	17.9	21.2	21.7	20.6	20.3	20.7	14.8	8.3	10.4	195.6	12	3804
	19 LST	12.9	11.8	18.3	20.5	24.1	24.3	24.7	24.4	22.7	16.5	9.0	10.3	219.5	12	4018
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	9.4	8.7	16.1	16.8	18.1	18.1	18.4	19.5	17.3	12.6	6.8	8.3	170.1	12	3824
	07 LST	7.8	7.1	13.6	15.0	18.7	19.1	18.3	15.0	15.6	7.8	5.7	7.5	151.2	12	4037
	13 LST	9.6	8.8	15.5	12.5	12.5	12.4	12.8	11.4	14.6	11.9	6.6	8.7	137.3	12	3804
	19 LST	10.7	10.9	16.3	17.0	18.5	19.9	19.9	21.1	19.0	13.8	8.2	9.5	184.8	12	4018
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	9.2	8.4	16.0	16.6	18.1	18.1	18.1	19.4	17.2	12.4	6.7	8.1	168.3	12	3824
	07 LST	7.5	6.9	13.4	14.7	18.2	18.6	17.6	14.4	14.8	7.4	5.6	7.3	146.4	12	4037
	13 LST	8.9	8.5	15.1	12.4	12.2	12.3	12.7	11.2	14.5	11.8	6.3	8.4	134.3	12	3804
	19 LST	10.6	10.8	16.1	16.8	18.3	19.7	19.6	20.5	18.6	13.5	8.1	9.1	181.7	12	4018

TORUN, POLAND

STA NO. 12250 (IN AREA NUMBER 02)

LATITUDE 5303N

LONGITUDE 01835E

ELEVATION(FT) 00230

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	52	57	66	82	88	91	100	97	88	77	61	54	100	12	4063
MEAN MAX TMP (F)	31	31	41	54	64	72	74	73	66	55	42	34	59	12	4063
MEAN MIN TMP (F)	22	20	26	36	43	50	54	53	47	41	33	27	38	12	4084
ABS MIN TMP (F)	-26	-18	-11	16	25	30	37	39	30	16	7	-9	-26	12	4084
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.3	1.2	0.6	0.0	0.0	0.0	0.0	2.1	12	4063
MEAN NO DYS TMP = DR LES 32(F)	25.8	24.0	24.4	10.9	3.0	0.1	0.0	0.0	0.8	5.2	14.4	22.4	131.0	12	4084
MEAN NO DYS TMP = DR LES 0(F)	2.4	3.2	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	7.0	12	4084
MEAN DEW PT TMP (F)	22	23	27	37	44	50	54	54	48	43	35	27	39	12	22214
MEAN REL HUM (PCT)	86	86	79	73	71	68	73	76	78	84	89	89	79	12	22014
MEAN PRESS ALT (FT)	152	122	107	179	161	167	214	222	126	104	131	169	155	12	22167
MEAN PRECIP (IN)	0.93	1.16	0.84	1.25	1.72	2.29	3.61	2.15	1.57	1.16	1.28	1.56	19.5	12	3804
MEAN SNOW FALL (IN)						0.0	0.0	0.0	0.0					12	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	3.1	3.9	2.5	4.1	5.0	6.4	8.5	6.4	4.6	3.5	4.8	5.6	58.4	12	3804
MEAN NO DYS SNFL = DR GTR 1.5 IN						0.0	0.0	0.0	0.0					12	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	2.9	3.8	1.6	1.0	0.6	0.5	0.4	1.3	2.4	5.3	4.6	4.9	29.3	12	3916
MEAN NO DYS TSTMS	0.0	0.0	0.1	0.9	3.6	4.7	5.3	4.3	1.6	0.2	0.0	0.0	20.7	12	3930
P FREQ WND SPD = DR GTR 17 KTS	3.8	4.9	5.3	4.1	3.0	2.1	1.1	1.2	1.5	1.6	3.9	3.3	3.0	12	22244
F FREQ WND SPD = DR GTR 28 KTS	0.6	0.3	0.3	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.1	0.1	0.1	12	22244
P FREQ LES 5000 FT A/D LES 5 MI	67.7	71.6	50.3	45.8	42.9	35.7	41.5	43.3	44.1	62.0	76.6	74.2	54.6	12	22349
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	37.2	36.5	20.6	19.9	11.2	11.4	10.7	11.0	17.7	27.8	42.2	47.5	24.5	12	4110
03-05 LST	44.2	48.1	27.0	17.0	16.9	16.0	21.4	18.8	18.7	33.7	49.3	51.4	30.2	5	1717
06-08 LST	45.5	51.5	29.4	25.1	15.3	14.2	22.0	20.5	31.1	45.8	52.7	50.7	33.7	12	4152
09-11 LST	40.7	56.1	34.1	15.9	11.0	7.9	12.3	12.9	10.3	35.5	56.3	60.7	29.5	5	1704
12-14 LST	39.0	37.8	15.9	12.3	9.2	5.3	6.3	6.5	5.8	20.0	38.4	46.6	20.3	12	4150
15-17 LST	30.0	42.2	16.0	8.8	6.2	3.6	7.4	6.5	4.6	13.6	47.5	50.6	19.8	5	1732
18-20 LST	37.8	34.8	19.1	13.3	5.8	4.6	4.4	5.9	10.0	19.8	46.0	44.5	20.5	12	4152
21-23 LST	36.2	37.6	26.8	10.4	7.8	7.2	7.7	10.1	9.9	25.9	50.0	45.8	23.0	5	1727
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	3.2	5.1	2.1	2.1	0.8	0.6	0.6	1.4	3.4	6.9	6.7	9.9	3.6	12	4110
03-05 LST	2.7	8.3	4.8	2.1	1.3	1.4	2.7	4.8	5.0	12.3	12.0	2.8	5.0	5	1717
06-08 LST	4.0	12.1	4.2	2.6	1.4	0.9	0.9	2.5	7.8	17.0	11.1	11.2	6.3	12	4152
09-11 LST	4.3	10.0	2.1	1.5	0.0	0.0	0.0	0.0	0.0	4.8	9.9	8.2	3.4	5	1704
12-14 LST	4.3	3.5	0.0	0.0	0.0	0.3	0.0	0.3	0.0	0.0	4.6	8.6	1.8	12	4150
15-17 LST	2.8	2.9	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.7	6.9	6.1	1.7	5	1732
18-20 LST	2.7	2.2	0.3	1.1	0.0	0.0	0.6	0.3	0.3	1.1	4.4	7.3	1.7	12	4152
21-23 LST	2.1	2.3	2.6	0.0	0.7	0.0	0.0	1.4	0.0	3.4	9.2	7.6	2.4	5	1727

TORUN, POLAND

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	22.4	19.7	26.5	25.6	28.4	27.1	28.6	28.3	25.7	23.8	20.6	18.9	295.6	12	4110
	07 LST	20.2	16.3	23.5	23.8	27.4	26.9	25.8	26.1	22.3	18.2	17.1	18.3	265.9	12	4152
	13 LST	22.1	20.3	28.1	27.6	29.1	29.1	29.8	29.8	29.3	27.1	21.5	19.3	313.1	12	4150
	19 LST	21.9	20.5	27.0	27.3	30.0	29.1	30.2	29.8	27.6	26.8	19.2	19.4	308.8	12	4152
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	12.8	12.2	17.7	19.8	24.8	24.8	25.7	25.8	22.3	18.4	12.1	10.5	226.9	12	4107
	07 LST	10.4	8.5	14.8	16.7	19.8	21.3	20.5	21.1	16.9	13.0	8.4	8.7	180.1	12	4144
	13 LST	10.3	9.5	9.9	13.5	14.2	16.0	18.3	18.7	16.7	15.2	10.3	9.6	162.2	12	4143
	19 LST	13.9	13.0	16.8	19.7	22.2	23.3	25.5	26.5	24.7	21.0	10.2	12.6	229.4	12	4146
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	1.4	0.6	1.1	0.7	0.3	0.0	0.3	0.2	0.1	0.4	1.1	0.5	6.7	12	4127
	07 LST	1.0	0.7	1.3	1.1	0.8	0.2	0.4	0.3	0.4	0.2	0.7	0.9	8.0	12	4165
	13 LST	1.5	1.7	3.7	2.7	2.0	1.6	1.3	1.0	1.5	1.3	1.3	0.9	20.5	12	4164
	19 LST	0.6	0.8	1.1	0.5	0.8	0.6	0.0	0.1	0.1	0.3	0.7	0.7	8.3	12	4166
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	5.0	4.2	5.8	12.7	15.3	13.4	13.3	12.3	12.5	14.9	10.2	5.5	125.1	12	4105
	07 LST	3.3	2.3	5.7	15.7	19.4	21.0	20.7	20.1	16.0	15.0	9.4	5.6	154.2	12	4154
	13 LST	6.6	6.6	9.6	16.2	16.2	18.1	18.2	20.6	18.3	19.4	14.8	9.5	174.1	12	4149
	19 LST	5.0	4.5	9.6	17.2	20.2	19.7	19.1	16.5	14.5	15.5	11.9	6.4	160.1	12	4154
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	6.8	6.8	13.6	12.0	14.6	13.7	13.7	15.9	15.1	10.3	6.1	6.4	135.0	12	4123
	07 LST	4.7	2.7	8.1	7.8	8.8	9.9	8.2	7.6	7.6	3.8	2.9	4.2	76.3	12	4169
	13 LST	4.8	4.4	7.0	5.3	4.9	4.9	4.4	3.7	6.7	4.9	3.0	4.7	58.7	12	4171
	19 LST	7.8	7.9	11.0	6.6	9.6	8.8	8.7	8.3	12.5	11.2	5.1	7.5	105.0	12	4162
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	15.5	15.1	21.6	21.0	24.6	24.7	25.4	26.0	22.9	19.4	12.9	12.8	241.9	12	4110
	07 LST	12.7	10.2	19.3	20.1	23.6	23.8	21.7	22.6	18.1	14.0	10.3	11.3	207.7	12	4152
	13 LST	15.1	13.5	21.7	21.7	23.4	24.1	24.6	24.8	24.6	20.5	13.9	12.9	240.8	12	4150
	19 LST	15.7	14.9	22.2	23.0	26.6	27.1	27.8	27.3	25.2	21.4	12.1	14.1	257.4	12	4152
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	12.5	13.3	18.9	17.6	20.7	21.7	22.3	23.9	21.1	15.9	10.3	9.9	208.1	12	4110
	07 LST	9.9	8.0	16.8	16.8	21.1	22.1	19.5	20.5	16.5	11.0	8.0	8.8	179.0	12	4152
	13 LST	12.4	11.2	16.9	14.4	14.9	16.0	15.9	16.1	18.1	15.8	10.3	10.9	172.9	12	4150
	19 LST	13.0	12.0	19.7	18.9	22.3	23.8	23.7	24.0	22.4	17.9	9.8	11.8	219.3	12	4152
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	11.4	12.3	18.0	17.1	20.0	20.5	21.2	22.7	20.0	15.1	9.8	9.4	197.5	12	4110
	07 LST	8.7	7.3	15.8	15.7	19.6	20.9	17.9	18.7	15.7	10.3	7.3	8.6	166.5	12	4152
	13 LST	11.9	10.8	16.5	14.1	14.6	15.8	15.2	15.9	17.8	14.9	9.8	9.7	167.0	12	4150
	19 LST	12.2	11.0	18.0	18.3	21.4	22.6	22.2	21.9	21.6	16.4	9.1	10.8	205.5	12	4152

MLAWA, POLAND

STA NO. 12270 (IN AREA NUMBER 02)

LATITUDE 5307N

LONGITUDE 02021E

ELEVATION(FT) 00479

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	46	54	66	82	90	91	99	97	88	77	59	59	99	12	4102
MEAN MAX TMP (F)	29	30	39	54	64	72	74	72	65	55	41	32	52	12	4102
MEAN MIN TMP (F)	20	18	24	35	43	50	53	52	46	39	32	25	36	12	4120
ABS MIN TMP (F)	-22	-20	-8	18	25	34	37	37	30	14	10	-15	-22	12	4120
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.1	0.3	1.3	0.5	0.0	0.0	0.0	0.0	2.2	12	4102
MEAN NO DYS TMP = DR LES 32(F)	28.7	25.7	26.5	12.4	2.3	0.0	0.0	0.0	0.9	5.5	15.9	25.1	143.0	12	4120
MEAN NO DYS TMP = DR LES 0(F)	2.6	3.6	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	7.6		12	4120
MEAN DEW PT TMP (F)	21	20	26	36	44	51	55	55	49	42	34	25	38	12	21466
MEAN REL HUM (PCT)	86	85	79	75	73	71	76	80	82	86	90	89	81	12	21383
MEAN PRESS ALT (FT)	404	376	366	422	423	424	476	478	377	343	362	415	406	12	21613
MEAN PRECIP (IN)	1.53	1.44	0.92	1.32	1.76	2.54	3.49	2.98	1.94	1.17	1.55	2.11	22.8	12	3855
MEAN SNOW FALL (IN)						0.0	0.0	0.0	0.0					12	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	5.3	5.2	2.8	4.8	5.0	6.0	8.1	7.6	5.2	3.1	5.8	7.2	66.1	12	3855
MEAN NO DYS SNFL = DR GTR 1.5 IN						0.0	0.0	0.0	0.0					12	-29
MEAN NO DYS W/OCCUR VSBY LES 1/2 MI	2.1	3.0	0.8	0.3	0.2	0.1	0.2	1.0	1.2	4.0	3.3	3.3	19.5	12	3790
MEAN NO DYS TSTMS	0.3	0.0	0.1	1.3	3.4	3.6	5.4	3.0	1.9	0.0	0.1	0.0	19.1	12	3789
P FREQ WND SPD = DR GTR 17 KTS	2.1	2.5	2.7	2.1	1.2	1.0	0.4	0.6	1.4	1.3	2.3	2.4	1.7	12	21082
P FREQ WND SPD = DR GTR 28 KTS	0.1	0.2	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.1	12	21682
P FREQ LES 5000 FT A/D LES 5 MI	66.2	68.9	44.4	42.5	42.5	37.2	43.9	40.5	41.4	54.7	77.8	70.8	92.6	12	21978
P -REQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	39.6	37.4	19.3	15.1	10.2	6.5	8.6	11.3	13.4	28.1	47.0	50.4	24.0	12	3988
03-05 LST	35.0	46.8	23.2	12.1	15.6	10.8	13.8	16.3	15.7	33.1	57.6	43.7	27.0	5	1728
06-08 LST	45.0	44.5	26.0	22.7	18.3	12.7	18.5	20.5	28.4	42.6	57.7	48.6	32.1	12	4128
09-11 LST	37.6	43.4	26.2	13.6	11.9	12.0	13.4	17.7	15.1	29.2	60.4	37.3	26.5	5	1730
12-14 LST	39.3	33.6	20.5	15.8	11.6	6.5	9.3	10.5	11.5	24.1	50.7	44.9	23.2	12	4025
15-17 LST	31.8	33.1	14.8	8.1	6.2	5.0	6.2	6.3	8.2	12.4	49.7	31.6	17.8	5	1720
18-20 LST	37.1	28.4	14.6	9.6	6.3	4.6	4.4	4.9	6.0	16.2	42.4	40.8	17.9	12	4126
21-23 LST	30.3	39.2	13.7	8.7	5.9	3.9	6.0	4.8	7.9	24.5	48.4	40.3	19.5	5	1741
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	5.6	5.9	1.5	0.9	0.3	0.0	0.0	0.6	1.9	4.4	5.9	10.6	3.1	12	3988
03-05 LST	1.3	8.3	2.0	0.7	1.3	1.5	2.7	2.7	0.0	6.7	8.7	6.2	3.5	5	1728
06-08 LST	4.6	10.9	3.5	2.0	1.1	0.3	0.6	2.0	4.5	14.6	14.2	7.9	5.5	12	4128
09-11 LST	5.4	9.1	0.7	0.0	0.0	0.0	0.7	0.0	0.7	4.8	12.1	6.2	3.3	5	1730
12-14 LST	4.1	2.4	0.3	0.0	0.0	0.0	0.0	0.0	0.0	1.5	6.9	7.1	1.9	12	4025
15-17 LST	2.7	4.6	0.7	0.0	0.0	0.0	0.0	0.7	0.0	0.7	10.0	4.8	2.0	5	1720
18-20 LST	6.8	2.2	0.3	0.6	0.0	0.0	0.0	0.0	0.0	1.1	4.7	7.7	2.0	12	4126
21-23 LST	3.9	6.3	0.7	0.7	0.0	0.0	0.0	0.0	0.0	2.0	5.6	6.8	2.2	5	1741

MIAWA, POLAND

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	22.5	20.9	27.8	27.3	29.2	28.8	29.5	28.3	27.1	23.5	18.6	18.8	302.3	12	3988
	07 LST	20.9	18.8	25.4	25.8	28.1	28.0	28.3	26.7	23.1	19.9	15.3	19.6	279.9	12	4128
	13 LST	23.3	22.7	28.4	28.9	29.8	29.0	29.7	29.6	28.9	26.9	18.3	20.5	319.0	12	4025
	19 LST	23.1	23.0	28.4	29.2	30.2	29.4	30.3	30.0	28.9	27.1	15.8	21.7	321.3	12	4126
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	12.9	12.4	18.6	21.2	25.0	26.2	26.2	25.7	23.8	20.0	11.3	10.1	233.4	12	3981
	07 LST	11.2	10.2	16.6	18.3	19.8	22.7	20.9	21.6	18.7	15.2	9.1	10.1	194.4	12	4126
	13 LST	12.2	12.2	13.0	14.6	15.3	17.9	19.1	19.5	17.2	16.0	9.0	12.1	179.1	12	4018
	19 LST	14.3	14.7	19.4	22.7	24.9	25.1	26.4	27.4	26.5	23.5	13.1	12.8	250.8	12	4119
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	0.3	0.6	0.6	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.7	0.5	3.5	12	3990
	07 LST	0.5	0.5	0.5	0.3	0.4	0.7	0.1	0.1	0.2	0.3	0.4	0.4	3.9	12	4145
	13 LST	0.5	0.3	1.2	1.3	1.1	0.3	0.4	0.7	1.2	0.7	0.7	0.6	9.0	12	4042
	19 LST	0.5	0.4	0.5	0.5	0.1	0.1	0.1	0.1	0.2	0.0	0.3	0.5	3.3	12	4145
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	2.2	2.3	3.1	7.9	11.6	9.7	10.1	9.2	9.5	9.3	5.6	2.7	63.2	12	3979
	07 LST	2.0	1.9	3.0	10.2	15.1	16.5	14.6	12.9	8.7	8.3	5.5	4.3	103.0	12	4133
	13 LST	3.7	4.1	10.9	17.9	18.8	18.1	17.9	19.0	17.4	14.6	10.0	6.4	158.8	12	4032
	19 LST	2.9	2.5	6.6	12.7	15.0	14.3	12.9	8.5	8.0	10.3	7.9	3.8	105.4	12	4143
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	7.1	7.5	14.8	13.9	16.2	14.5	14.9	18.0	16.5	12.0	5.7	5.8	146.9	12	3999
	07 LST	4.9	3.4	8.7	8.4	9.8	11.1	8.8	7.7	9.0	5.4	3.1	5.0	85.3	12	4144
	13 LST	4.5	4.7	8.8	5.9	3.9	4.5	3.8	2.9	6.0	4.7	2.9	4.2	56.8	12	4044
	19 LST	7.2	8.1	12.1	8.8	9.0	9.0	8.6	7.6	13.3	13.3	6.0	7.2	110.2	12	4149
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	14.2	13.5	21.4	22.1	25.1	25.5	25.7	25.6	23.8	19.6	11.4	11.1	239.0	12	3988
	07 LST	12.2	11.1	19.7	19.7	22.0	23.8	21.8	22.1	19.2	14.5	9.2	11.4	206.7	12	4128
	13 LST	14.1	14.0	19.7	19.2	20.8	22.7	21.8	21.9	20.8	18.5	10.5	13.2	217.2	12	4025
	19 LST	14.8	15.9	23.1	23.1	25.7	26.1	26.9	27.0	25.8	23.2	13.1	14.1	258.8	12	4126
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	12.1	11.0	19.4	18.9	21.8	22.1	21.7	22.9	20.9	16.3	8.4	8.9	204.4	12	3988
	07 LST	9.6	8.4	16.9	16.9	19.3	21.2	19.4	19.8	17.2	11.8	7.2	8.9	176.6	12	4128
	13 LST	11.9	12.0	17.3	14.1	12.8	13.0	11.1	13.8	14.1	14.8	8.1	11.1	154.1	12	4025
	19 LST	11.6	12.6	20.0	18.5	19.8	21.4	21.4	21.8	21.4	19.7	9.4	11.2	208.8	12	4126
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	10.8	9.9	18.4	17.7	21.4	20.9	20.9	22.2	20.0	15.0	8.1	7.7	193.2	12	3988
	07 LST	8.7	6.8	15.6	15.4	17.5	20.1	18.7	18.6	16.1	11.3	6.8	7.6	163.2	12	4128
	13 LST	10.2	10.7	17.0	13.0	12.4	12.9	11.1	13.7	13.3	14.0	7.5	9.2	145.0	12	4025
	19 LST	10.6	11.6	19.3	18.0	19.4	20.8	20.6	21.3	20.1	18.9	8.6	9.8	199.0	12	4126

OLSZTYN, POLAND

STA NO. 12272 (IN AREA NUMBER 02)

LATITUDE 5346N

LONGITUDE 02023E

ELEVATION(FT) 00445

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	48	46	65	77	86	90	84	88	84	75	54	50	90	9	1786
MEAN MAX TMP (F)	30	28	38	48	61	70	71	71	64	53	39	33	51	9	1786
MEAN MIN TMP (F)	21	15	24	33	42	50	54	53	47	40	31	27	36	7	1756
ABS MIN TMP (F)	-24	-24	0	18	25	32	45	43	34	12	10	0	-24	7	1756
MEAN NO DYS TMP = DK GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.2	9	1786
MEAN NO DYS TMP = DR LES 32(F)	28.4	24.3	28.4	16.4	1.5	0.2	0.0	0.0	0.0	5.4	17.1	21.3	143.0	7	1756
MEAN NO DYS TMP = DR LES 0(F)	1.5	6.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	8.1	7	1756
MEAN DEW PT TMP (F)	22	17	25	34	43	51	56	55	48	40	31	27	37	7	5967
MEAN REL HUM (PCT)	89	85	80	77	72	73	83	79	81	81	90	90	82	7	5923
MEAN PRESS ALT (FT)	395	407	263	381	361	381	501	450	339	338	214	422	371	7	6024
MEAN PRECIP (IN)	1.32	1.15	1.05	2.04	1.96	2.17	5.24	2.30	1.93	2.24	1.02	2.49	24.9	7	1559
MEAN SNOW FALL (IN)						0.0	0.0	0.0	0.0					7	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	4.5	3.6	2.8	5.5	6.5	5.6	10.5	5.7	5.8	4.9	2.9	7.8	66.1	7	1559
MEAN NO DYS SNFL = DR GTR 1.5 IN						0.0	0.0	0.0	0.0					7	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	2.4	2.5	0.3	1.5	0.3	0.3	0.7	1.8	2.5	2.9	4.1	4.6	23.9	7	1159
MEAN NO DYS TSTMS	0.7	0.0	0.3	0.9	1.7	4.0	4.4	3.3	1.1	0.0	0.0	0.0	16.4	7	1161
P FREQ WND SPD = DR GTR 17 KTS	3.0	2.7	5.2	1.7	2.2	0.8	1.5	2.7	1.7	3.8	3.1	8.0	3.0	7	6007
P FREQ WND SPD = DR GTR 28 KTS	0.4	0.2	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.1	7	6007
P FREQ LES 5000 FT A/D LES 5 MI	81.6	66.8	50.4	55.1	43.8	35.2	55.5	41.4	42.2	56.8	82.1	80.2	57.6	7	6497
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	46.0	28.9	18.8	22.4	15.0	11.3	15.7	8.2	14.8	21.1	48.8	49.5	25.0	9	1696
03-05 LST	55.6	38.8	22.5	16.1	29.2	12.6	36.0	16.4	18.0	27.5	74.5	68.6	34.8	2	388
06-08 LST	47.1	41.3	29.8	32.7	22.7	13.2	25.7	17.4	27.6	39.6	49.0	53.8	33.3	7	1761
09-11 LST	60.1	50.2	15.0	13.5	16.7	11.3	19.3	12.4	13.5	12.3	68.5	73.2	30.5	2	380
12-14 LST	49.5	39.1	21.2	17.1	10.7	6.2	13.1	7.7	8.2	20.7	41.1	45.8	23.4	7	1695
15-17 LST	60.9	32.6	12.2	10.3	9.5	3.6	13.9	7.0	2.7	11.9	70.0	57.0	24.3	2	390
18-20 LST	48.0	29.7	18.4	19.5	7.2	5.1	10.2	7.1	4.4	23.1	44.9	46.8	22.0	9	1812
21-23 LST	43.4	36.4	20.4	10.9	8.3	11.1	17.9	7.0	1.0	9.0	71.2	70.4	26.0	2	383
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	1.9	4.8	2.2	5.2	2.0	1.3	2.2	1.9	8.4	4.6	10.8	13.6	4.9	9	1696
03-05 LST	7.1	3.8	6.9	3.6	6.5	3.6	0.0	12.2	6.8	9.7	22.2	18.5	8.4	2	388
06-08 LST	5.2	8.3	1.3	9.7	6.1	2.0	3.8	2.6	8.2	10.4	14.8	10.5	6.9	7	1761
09-11 LST	20.0	18.5	7.4	0.0	0.0	0.0	3.8	0.0	1.8	3.4	24.0	34.6	9.5	2	380
12-14 LST	5.7	4.6	1.8	1.3	0.0	0.0	0.0	0.0	0.0	0.0	5.4	12.6	2.6	7	1695
15-17 LST	21.4	7.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	21.4	17.2	5.6	2	390
18-20 LST	6.1	4.3	0.6	1.3	0.6	0.0	0.0	0.0	0.0	3.6	6.9	8.0	2.6	9	1812
21-23 LST	7.1	6.9	0.0	0.0	4.2	0.0	0.0	0.0	0.0	0.0	27.6	25.9	6.0	2	383

OLSZTYN, POLAND

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	22.1	22.0	27.3	25.9	28.1	27.9	28.3	29.8	26.7	26.4	19.7	19.6	303.8	9	1696
	07 LST	21.4	19.1	25.4	22.1	25.9	27.4	25.4	27.3	23.6	21.1	19.1	19.3	277.1	7	1761
	13 LST	20.4	19.0	26.7	27.5	19.7	29.6	28.8	30.1	29.0	27.0	21.4	20.7	309.9	7	1695
	19 LST	19.8	21.6	28.0	26.2	30.6	29.6	29.3	30.0	29.5	25.9	19.9	20.5	310.9	9	1812
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	01 LST	8.9	14.0	18.8	18.5	21.8	23.7	21.4	25.2	21.4	19.5	8.9	8.0	210.1	9	1695
	07 LST	9.7	11.0	13.6	14.9	19.2	22.2	17.7	21.1	18.2	13.8	9.6	5.6	176.6	7	1758
	13 LST	8.6	10.8	13.8	12.9	13.7	17.4	15.2	17.2	16.6	16.1	11.3	8.3	161.9	7	1693
	19 LST	10.7	15.1	17.0	19.6	21.9	21.9	24.8	25.5	25.1	19.3	11.3	9.9	222.1	9	1806
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	1.7	0.7	2.3	0.2	0.4	0.4	0.0	0.2	0.2	0.0	1.4	1.5	9.0	9	1699
	07 LST	3.7	0.6	1.2	0.6	0.4	0.2	0.7	0.0	0.0	0.5	1.5	1.3	7.7	7	1770
	13 LST	1.1	1.1	1.7	1.3	1.5	0.4	0.7	0.9	1.5	0.9	0.8	1.5	13.4	7	1695
	19 LST	0.4	0.4	1.8	0.4	0.2	0.0	0.5	0.2	0.0	0.7	0.8	1.1	6.5	9	1808
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	1.3	1.1	3.5	7.1	8.0	9.4	8.4	10.0	10.6	13.4	5.5	4.2	82.5	9	1691
	07 LST	0.4	1.5	2.3	8.5	16.0	15.9	15.6	12.4	13.3	12.5	5.9	3.9	108.2	7	1767
	13 LST	2.7	3.3	11.2	15.2	15.7	18.8	15.6	18.3	16.2	16.1	11.3	6.3	150.7	7	1691
	19 LST	2.7	1.8	7.0	8.0	16.0	17.5	14.9	11.9	10.7	13.2	5.9	4.0	113.2	9	1803
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	5.4	8.2	13.8	11.1	15.2	15.9	11.6	17.2	15.0	10.5	3.5	5.4	130.8	9	1698
	07 LST	3.8	5.5	7.9	6.7	10.1	12.2	8.0	9.7	8.8	5.2	3.5	3.9	85.3	7	1770
	13 LST	4.2	6.0	8.8	3.8	4.9	4.2	3.2	2.6	7.0	5.2	2.9	3.2	56.0	7	1698
	19 LST	5.5	7.7	11.8	6.1	9.1	10.0	7.3	9.9	12.8	10.4	4.1	4.8	99.5	9	1816
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	10.7	16.3	21.9	18.9	23.2	23.5	21.8	26.3	23.1	21.0	9.1	10.7	226.5	9	1696
	07 LST	10.3	12.7	16.5	17.0	21.0	23.7	20.1	23.2	18.9	15.3	10.4	8.6	197.7	7	1761
	13 LST	10.6	14.1	20.6	18.6	22.4	23.5	21.1	23.8	22.9	20.6	12.2	11.7	222.1	7	1695
	19 LST	11.6	16.8	21.6	20.1	25.3	25.6	24.0	25.7	25.8	19.7	11.9	11.3	239.4	9	1812
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	8.9	13.3	19.3	15.4	20.2	19.7	18.0	24.8	20.1	17.8	5.4	8.2	191.1	9	1696
	07 LST	7.9	9.8	13.6	13.9	18.8	21.0	17.6	19.9	16.6	12.4	7.6	6.7	165.8	7	1761
	13 LST	9.5	11.8	17.5	12.2	15.6	15.9	14.0	17.2	17.0	17.5	8.6	9.0	165.8	7	1695
	19 LST	9.3	14.1	19.2	15.6	21.1	22.1	19.3	22.6	22.3	15.7	8.9	8.3	198.5	9	1812
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	8.9	12.9	18.8	15.2	20.2	19.7	17.8	24.8	19.9	17.8	5.4	8.2	189.6	9	1696
	07 LST	7.9	9.8	13.4	13.4	18.1	20.8	17.4	19.9	16.4	12.2	7.6	6.7	163.6	7	1761
	13 LST	9.5	11.4	17.5	12.2	15.6	15.9	14.0	17.2	17.0	17.5	8.6	9.0	165.4	7	1695
	19 LST	9.1	13.7	19.0	15.2	21.1	22.1	19.3	22.6	22.3	15.7	8.9	8.3	197.3	9	1812

BIALYSTOK, POLAND

STA NO. 12295 (IN AREA NUMBER 02)

LATITUDE 5307N

LONGITUDE 02311E

ELEVATION(FT) 00462

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PUR (YRS)	NO. OBS
ABS MAX TMP (F)	46	48	63	81	86	90	97	95	88	75	63	57	97	12	4092
MEAN MAX TMP (F)	28	29	37	53	64	72	74	73	64	54	40	31	52	12	4092
MEAN MIN TMP (F)	20	18	23	36	44	51	54	53	46	39	33	25	37	12	4096
ABS MIN TMP (F)	-22	-24	-8	19	25	36	41	39	28	12	7	-11	-24	12	4096
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.2	0.9	1.0	0.0	0.0	0.0	0.0	2.1	12	4092
MEAN NO DYS TMP = DR LES 32(F)	28.2	25.7	26.0	12.8	1.9	0.0	0.0	0.0	1.0	4.9	15.3	25.3	141.1	12	4096
MEAN NO DYS TMP = DR LES 0(F)	2.5	3.6	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	8.0	12	4096
MEAN DEW PT TMP (F)	20	20	25	36	45	52	55	55	48	41	33	24	38	12	21978
MEAN REL HUM (PCT)	87	87	80	74	72	72	76	78	81	85	88	89	81	12	21870
MEAN PRESS ALT (FT)	368	350	329	395	405	415	458	454	354	316	323	378	379	12	22011
MEAN PRECIP (IN)	1.31	1.61	1.13	1.47	1.68	2.72	2.64	3.18	3.06	1.72	1.67	1.81	24.0	12	3764
MEAN SNOW FALL (IN)						0.0	0.0	0.0						12	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	4.3	5.0	3.9	5.3	5.2	7.3	7.1	8.2	5.4	4.8	5.8	6.5	68.8	12	3764
MEAN NO DYS SNFL = DR GTR 1.5 IN						0.0	0.0	0.0						12	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	3.0	3.2	1.7	0.9	0.4	0.3	0.6	0.6	1.4	3.7	3.8	4.4	24.0	12	3880
MEAN NO DYS TSTMS	0.0	0.1	0.0	0.8	3.8	3.8	5.0	4.9	1.3	0.0	0.0	0.0	19.7	12	3892
P FREQ WND SPD = DR GTR 17 KTS	4.3	4.5	4.8	3.9	1.4	1.0	0.8	1.6	1.5	1.9	4.6	4.1	2.9	12	22109
P FREQ WND SPD = DR GTR 28 KTS	0.4	0.2	0.1	0.3	0.1	0.0	0.0	0.1	0.0	0.1	0.2	0.1	0.1	12	22109
P FREQ LES 5000 FT A/D LES 5 MI	81.4	76.9	54.6	50.9	50.1	42.5	45.7	47.6	48.7	63.1	83.2	81.3	60.5	12	22162
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	52.4	48.2	26.2	18.8	11.0	8.1	8.4	12.0	10.9	26.0	52.8	54.2	27.4	12	4083
03-05 LST	62.6	64.6	33.8	23.5	17.1	9.7	15.4	21.5	18.6	43.3	69.7	63.4	36.9	5	1707
06-08 LST	53.0	53.4	31.9	26.6	15.2	10.6	11.2	17.7	21.2	41.9	61.2	57.4	33.5	12	4142
09-11 LST	55.9	65.9	27.4	20.4	11.5	10.6	10.0	13.6	15.7	34.0	67.6	58.3	32.6	5	1695
12-14 LST	46.8	44.5	25.3	17.6	11.0	9.1	9.1	9.4	11.8	27.7	51.5	52.2	26.3	12	4133
15-17 LST	51.5	49.7	26.2	16.0	11.1	6.3	5.4	8.8	13.1	23.5	62.8	58.1	27.7	5	1729
18-20 LST	46.5	38.9	21.5	14.4	7.1	5.2	5.1	7.2	10.0	20.8	50.2	54.2	23.4	12	4143
21-23 LST	54.1	56.7	26.5	18.9	9.7	7.1	6.5	11.0	10.9	30.1	59.2	58.3	29.1	5	1726
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	4.4	5.4	2.3	1.8	0.6	0.6	0.3	1.2	1.2	7.1	7.2	8.8	3.4	12	4083
03-05 LST	6.3	10.0	2.8	4.3	0.0	0.7	2.7	3.5	3.4	13.6	7.1	6.4	5.1	5	1707
06-08 LST	5.5	9.7	5.4	4.1	1.4	0.3	0.7	2.3	7.5	12.1	10.5	7.3	5.5	12	4142
09-11 LST	5.1	5.4	1.4	0.0	0.0	0.0	0.0	0.0	0.0	6.5	7.1	7.8	3.1	5	1695
12-14 LST	2.8	5.1	1.1	0.0	0.3	0.0	0.0	0.0	0.0	0.6	4.1	6.5	1.7	12	4133
15-17 LST	3.5	8.7	0.0	0.7	0.0	0.0	0.0	0.0	0.0	2.1	5.6	6.8	2.3	5	1729
18-20 LST	3.3	5.0	0.6	0.3	0.0	0.0	0.0	0.0	0.0	1.4	4.7	8.8	2.0	12	4143
21-23 LST	4.2	5.2	2.0	0.0	0.7	0.0	0.0	0.7	0.7	4.2	4.4	8.9	2.6	5	1726

BIALYSTOK, POLAND

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST	21.2	18.9	25.6	27.4	29.4	29.4	30.1	29.7	28.4	25.9	18.5	19.2	304.7	12	4083
	08 LST	21.5	17.6	25.1	25.3	29.1	29.1	29.9	28.1	25.9	21.4	16.0	18.8	287.8	12	4142
	14 LST	22.7	20.1	27.0	28.3	30.5	29.5	30.6	30.4	29.3	26.8	19.4	19.7	314.3	12	4133
	20 LST	22.7	21.3	28.0	28.2	30.6	29.9	30.8	30.5	28.9	27.3	19.8	19.5	317.5	12	4143
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST	7.1	8.9	15.7	18.8	24.6	24.4	25.6	23.1	23.8	17.8	7.4	7.6	204.8	12	4076
	08 LST	5.8	6.8	13.3	15.1	20.2	21.3	21.6	20.9	19.2	12.5	5.9	5.8	168.4	12	4140
	14 LST	7.2	7.9	11.4	13.3	15.1	16.2	17.1	15.9	14.2	9.5	5.4	6.7	139.9	12	4131
	20 LST	8.5	10.8	16.2	20.9	24.2	23.7	25.6	25.2	22.9	18.3	7.8	6.7	210.8	12	4140
SFC WND = GTR 17 KTS AND NO PRCP.	02 LST	0.9	0.5	1.0	0.8	0.0	0.0	0.1	0.4	0.0	0.6	1.4	1.0	6.7	12	4099
	08 LST	1.9	0.6	0.9	0.4	0.3	0.3	0.3	0.3	0.5	0.4	1.2	0.8	7.9	12	4176
	14 LST	1.8	0.6	2.3	1.9	1.4	0.6	0.4	1.1	1.5	0.9	1.5	0.7	14.7	12	4164
	20 LST	0.5	0.7	0.9	0.5	0.0	0.1	0.0	0.3	0.0	0.2	0.8	1.0	5.0	12	4166
SFC WND 4-10 KTS AND THP 33-89 DEG F AND NO PRECIP.	02 LST	2.0	1.9	4.7	7.9	10.9	9.3	9.4	8.9	10.7	12.9	7.9	3.3	89.8	12	4088
	08 LST	1.5	1.8	2.7	11.2	16.6	16.7	16.3	15.1	14.5	13.4	7.6	3.8	121.2	12	4171
	14 LST	2.8	4.4	8.9	16.2	18.0	16.6	19.3	16.7	16.2	17.4	8.1	5.8	150.4	12	4152
	20 LST	3.0	2.9	7.6	12.9	17.5	16.0	16.1	11.4	12.7	14.0	8.2	4.2	126.5	12	4159
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST	4.9	5.2	13.3	13.9	14.3	14.5	14.4	14.2	14.9	10.7	5.2	5.9	131.4	12	4101
	08 LST	3.6	3.4	7.7	8.8	9.5	11.8	9.7	7.4	8.6	4.9	3.0	2.9	81.3	12	4165
	14 LST	3.4	4.2	9.5	5.1	3.1	3.8	2.7	2.1	4.9	4.8	2.2	2.6	48.4	12	4158
	20 LST	4.6	7.5	11.0	10.0	7.6	9.3	7.8	8.6	11.6	10.8	3.7	5.4	97.9	12	4164
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST	7.9	9.0	17.8	19.9	23.6	23.9	24.3	23.0	22.9	17.9	8.8	8.7	207.7	12	4083
	08 LST	6.9	7.7	16.1	17.8	21.7	23.1	23.4	21.2	19.6	13.4	6.9	6.8	184.6	12	4142
	14 LST	9.4	10.4	17.9	18.5	20.4	21.1	21.6	22.2	20.1	16.4	8.8	9.2	196.0	12	4133
	20 LST	9.7	12.1	19.3	20.9	24.5	24.6	26.0	24.4	22.9	19.4	8.7	8.4	220.9	12	4143
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST	6.3	6.9	15.2	16.7	18.9	19.5	19.7	19.3	18.4	13.7	6.7	7.3	168.7	12	4083
	08 LST	5.3	5.8	13.2	14.7	17.8	19.5	18.8	17.1	14.7	9.6	5.3	4.6	146.4	12	4142
	14 LST	7.3	8.8	15.0	12.0	10.3	12.4	11.0	13.6	13.6	12.0	6.1	7.0	124.1	12	4133
	20 LST	7.4	10.1	16.1	16.3	18.1	19.6	21.1	19.1	18.6	14.2	5.9	6.7	173.2	12	4143
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST	6.3	6.8	15.2	16.5	18.8	19.5	19.7	19.2	18.4	13.7	6.7	7.3	168.1	12	4083
	08 LST	5.4	5.6	13.1	14.4	17.5	19.4	18.5	16.8	14.7	9.6	5.3	4.6	144.5	12	4142
	14 LST	7.0	8.5	14.9	11.8	10.2	12.4	10.9	13.5	13.6	11.9	6.1	6.9	127.7	12	4131
	20 LST	7.3	9.8	15.8	16.1	17.9	19.5	21.0	19.1	18.5	14.2	5.9	6.6	171.7	12	4143

GORZOW, POLAND

STA NO. 12300 (IN AREA NUMBER 02)

LATITUDE 5244N

LONGITUDE 01515E

ELEVATION(FT) 00196

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	50	55	64	84	86	90	93	95	86	77	61	59	95	6	1747
MEAN MAX TMP (F)	32	35	44	60	62	71	73	72	66	56	44	33	54	6	1747
MEAN MIN TMP (F)	24	27	29	40	46	53	55	54	49	43	36	26	40	7	1742
ABS MIN TMP (F)	-11	-11	1	25	28	37	45	45	36	30	18	-2	-11	7	1742
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.2	1.3	0.9	0.0	0.0	0.0	0.0	2.4	6	1747
MEAN NO DYS TMP = DR LES 32(F)	23.2	19.7	22.2	5.6	0.7	0.0	0.0	0.0	0.0	1.7	8.6	24.1	105.8	7	1742
MEAN NO DYS TMP = DR LES 0(F)	1.5	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	2.8	7	1742
MEAN DEW PT TMP (F)	24	27	30	40	46	51	54	55	51	45	38	26	41	6	10467
MEAN REL HUM (PCT)	87	87	78	74	79	72	75	79	81	88	91	91	82	6	10403
MEAN PRESS ALT (FT)	67	90	109	181	170	145	155	190	112	91	202	86	133	6	10485
MEAN PRECIP (IN)	1.59	1.30	1.03	1.56	2.70	2.39	2.11	2.12	2.01	1.54	1.94	1.15	21.4	6	1568
MEAN SNOW FALL (IN)						0.0	0.0	0.0	0.0	0.0				7	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	5.2	4.2	3.6	5.2	8.5	6.8	7.2	6.6	6.4	4.1	7.3	4.1	69.2	6	1568
MEAN NO DYS SNFL = DR GTR 1.5 IN						0.0	0.0	0.0	0.0	0.0				7	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	1.5	2.4	1.6	0.5	0.2	0.2	0.2	0.8	2.2	5.8	6.0	6.0	27.4	6	1585
MEAN NO DYS TSTMS	0.0	0.0	0.0	1.9	3.5	4.4	3.4	3.3	2.2	0.4	0.0	0.0	19.1	6	1587
P FREQ WND SPD = DR GTR 17 KTS	4.3	5.2	4.0	2.9	0.2	1.4	0.6	0.4	1.5	0.8	3.0	2.1	2.2	6	10516
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.1	0.1	6	10516
P FREQ LES 5000 FT A/D LES 5 MI	76.1	86.9	62.9	50.1	61.0	47.0	55.3	59.7	55.6	77.8	84.8	85.6	66.9	6	10626
P FREQ LES 1500 FT A/D LES 3 MI															
FDR 00-02 LST	38.8	46.9	24.4	18.9	15.2	13.4	10.9	12.3	20.0	44.8	55.2	55.7	29.7	9	2053
03-05 LST	34.4	62.0	38.0	20.7	25.7	16.8	20.8	20.8	25.7	51.6	62.4	65.3	37.0	4	1121
06-08 LST	45.2	60.1	40.0	25.8	20.8	17.0	19.3	22.3	36.3	55.7	66.8	66.1	39.6	7	1745
09-11 LST	43.8	63.7	37.7	21.9	15.4	7.6	14.3	14.8	19.1	48.2	61.1	60.1	34.0	4	1109
12-14 LST	42.9	50.5	19.9	19.1	12.9	11.1	9.5	13.2	10.6	30.3	45.2	52.5	26.5	9	2249
15-17 LST	36.0	44.8	18.3	10.1	10.5	3.1	4.8	7.9	5.2	25.6	42.5	59.8	22.4	4	1120
18-20 LST	45.4	47.8	24.0	11.9	11.8	9.3	7.2	7.1	13.1	29.2	45.7	57.6	25.8	8	1819
21-23 LST	38.8	50.4	24.7	9.8	11.1	4.8	5.3	8.8	14.2	35.4	52.1	59.8	26.3	4	1115
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	3.1	4.1	2.1	1.3	0.6	0.0	0.6	1.1	4.4	9.7	16.2	12.3	4.6	9	2053
03-05 LST	1.2	7.3	3.5	1.2	1.1	0.0	1.1	2.4	4.7	15.8	16.1	6.0	5.0	4	1121
06-08 LST	4.1	7.8	6.9	3.7	0.7	0.7	1.4	2.1	10.0	22.0	21.6	13.3	7.9	7	1745
09-11 LST	1.2	7.7	5.7	0.0	0.0	0.0	0.0	0.0	3.5	11.5	17.1	6.8	4.5	4	1109
12-14 LST	6.7	0.6	1.2	1.2	0.0	0.0	0.0	0.0	0.6	2.5	7.9	10.1	2.6	9	2249
15-17 LST	3.4	0.0	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.9	7.8	6.0	1.6	4	1120
18-20 LST	5.7	0.8	2.3	0.0	0.7	0.0	0.0	0.7	0.0	3.1	9.5	12.2	2.9	8	1819
21-23 LST	1.1	1.3	1.3	0.0	0.0	0.0	0.0	0.0	1.2	7.9	12.4	9.1	2.9	4	1115

GORZOW, POLAND

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PGR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	22.8	19.2	26.5	17.3	29.3	27.6	29.5	28.5	25.5	19.9	16.2	16.4	288.7	9	2053
	07 LST	21.6	18.6	21.5	24.0	27.5	27.2	27.8	26.4	21.2	16.4	13.3	13.0	256.5	7	1745
	13 LST	21.8	17.3	27.7	27.2	30.1	28.8	31.0	29.9	28.5	25.3	20.4	17.9	305.9	9	2249
	19 LST	20.4	18.9	26.3	29.0	29.7	29.4	30.3	30.4	28.1	25.3	19.5	16.2	303.6	8	1819
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	01 LST	12.4	8.2	16.7	18.9	22.2	22.3	23.8	24.4	19.8	12.3	9.4	9.4	199.8	9	2047
	07 LST	10.1	4.4	13.4	19.1	21.4	20.4	21.6	20.8	14.8	10.5	5.4	6.4	168.3	7	1743
	13 LST	9.8	8.9	13.2	15.1	17.9	18.3	19.4	17.7	18.2	12.3	8.1	9.1	168.0	9	2243
	19 LST	10.2	8.7	17.8	20.6	23.4	22.0	24.5	25.4	22.9	16.6	10.7	8.8	211.6	8	1816
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	1.0	1.1	1.3	0.2	0.2	0.2	0.4	0.0	0.2	0.0	0.6	0.2	5.4	9	2061
	07 LST	0.4	1.3	0.7	0.2	0.0	0.0	0.0	0.0	0.2	0.0	0.9	0.6	4.3	7	1760
	13 LST	1.1	0.5	1.8	1.1	0.2	1.0	0.5	0.9	0.8	0.5	1.1	0.6	10.1	9	2270
	19 LST	0.9	0.9	0.2	1.0	0.0	0.2	0.2	0.0	0.2	0.2	0.7	0.2	4.8	8	1827
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	6.4	4.2	6.7	16.9	12.6	16.1	15.2	12.9	12.9	15.0	9.6	5.0	133.5	9	2047
	07 LST	4.2	3.6	5.7	13.8	16.1	16.3	14.5	14.0	12.6	14.5	9.9	3.9	129.1	7	1758
	13 LST	6.4	6.6	16.0	18.6	21.0	18.3	17.7	20.1	18.9	19.2	14.2	8.4	187.4	9	2251
	19 LST	6.2	6.4	13.9	16.4	18.9	16.2	17.2	16.5	15.8	15.5	12.3	6.9	162.2	8	1818
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	7.1	6.1	13.5	13.4	13.9	15.1	15.2	16.6	14.1	7.9	0.0	6.0	134.9	9	2064
	07 LST	5.6	2.3	6.4	8.8	7.8	11.3	7.5	8.1	7.9	2.8	2.4	3.3	74.2	7	1761
	13 LST	4.3	2.7	7.6	5.7	3.3	4.1	5.2	2.6	7.2	5.1	3.5	4.0	53.3	9	2272
	19 LST	7.2	6.0	10.9	8.8	5.4	9.8	8.4	6.2	11.0	10.5	6.2	6.3	96.7	8	1829
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	13.5	9.5	18.7	19.9	20.9	22.3	22.6	23.6	20.6	12.8	10.0	10.2	204.6	9	2053
	07 LST	10.9	5.4	14.9	18.8	19.7	21.4	19.8	19.9	15.6	9.4	5.7	7.3	168.8	7	1745
	13 LST	12.2	9.6	20.0	19.0	19.6	21.3	21.0	20.5	22.0	16.0	11.2	10.6	203.0	9	2249
	19 LST	12.1	9.4	19.4	27.4	21.6	23.4	24.1	23.9	21.4	17.1	11.5	9.4	215.7	8	1819
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	10.5	7.2	15.9	16.9	16.3	18.6	17.4	19.8	17.4	10.2	8.3	8.4	166.9	9	2053
	07 LST	8.0	4.4	13.1	16.0	15.9	18.9	15.6	16.3	12.6	6.3	3.7	5.8	136.6	7	1745
	13 LST	9.6	7.8	16.3	14.4	12.1	14.2	13.3	14.0	16.7	12.4	8.5	8.8	148.1	9	2249
	19 LST	9.5	7.6	16.8	19.3	15.6	18.1	18.0	17.3	16.9	14.4	8.5	7.9	169.9	8	1819
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	10.5	7.2	15.9	16.9	16.3	18.6	17.4	19.8	17.4	10.2	8.2	8.4	166.9	9	2053
	07 LST	8.0	4.4	13.1	16.0	15.9	18.9	15.6	16.3	12.6	6.3	3.7	5.6	136.4	7	1745
	13 LST	9.6	7.8	16.3	14.4	11.9	14.1	13.3	14.0	16.7	12.4	8.5	8.8	147.8	9	2249
	19 LST	9.5	7.6	16.8	19.3	15.6	18.1	18.0	17.3	16.9	14.4	8.5	7.9	169.9	8	1819

DAM-VORSTADT/STUBICF, POLAND

STA NO. 12310 (IN AREA NUMBER 02)

LATITUDE 5222N LONGITUDE 01432E ELEVATION(FT) 00072

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	50	57	68	86	90	91	88	88	88	75	59	59	91	5	1488
MEAN MAX TMP (F)	34	31	44	54	65	72	73	72	67	57	43	39	54	5	1488
MEAN MIN TMP (F)	25	15	27	36	43	51	54	52	48	42	33	31	38	5	1570
ABS MIN TMP (F)	-8	-20	0	21	23	37	41	41	30	21	12	7	-20	5	1570
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.2	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.5	5	1488
MEAN NO DYS TMP = DR LES 32(F)	24.1	24.9	24.6	10.0	1.7	0.0	0.0	0.0	0.4	4.0	15.1	18.6	123.4	5	1570
MEAN NO DYS TMP = DR LES 0(F)	1.5	6.9	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.9	5	1570
MEAN DEW PT TMP (F)	24	17	29	34	43	52	56	55	51	44	35	32	39	5	3880
MEAN REL HUM (PCT)	86	84	79	74	68	72	74	79	82	85	87	87	80	5	3824
MEAN PRESS ALT (FT)	-48	21	-33	3	-13	32	94	59	-35	-25	-84	-36	-4	5	3904
MEAN PRECIP (IN)	1.14	1.06	1.03	1.93	1.21	2.23	4.28	2.35	1.69	1.76	1.33	1.66	21.9	5	1350
MEAN SNOW FALL (IN)						0.0	0.0	0.0	0.0					5	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	3.7	3.8	3.1	4.6	4.4	5.3	10.2	6.6	4.7	3.9	4.5	7.2	62.0	5	1350
MEAN NO DYS SNFL = DR GTR 1.5 IN						0.0	0.0	0.0	0.0					5	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	2.4	1.1	1.4	0.3	0.3	0.7	0.7	3.0	1.1	2.2	3.7	1.6	18.5	5	980
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.7	1.6	3.8	4.1	2.7	1.9	0.4	0.0	0.0	15.2	5	978
P FREQ WND SPD = DR GTR 17 KTS	4.2	2.3	2.5	3.7	1.1	1.6	1.5	1.2	0.9	1.4	3.7	3.7	2.3	5	3908
P FREQ WND SPD = DR GTR 28 KTS	1.0	0.0	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	5	3908
P FREQ LES 5000 FT A/D LES 5 MI	81.0	82.5	68.4	63.6	43.6	61.8	55.3	61.0	63.0	75.5	79.4	85.2	68.4	5	4384
P FREQ LES 1500 FT A/D LES 3 MI														5	1364
FDR 00-02 LST	44.6	46.7	31.9	19.6	10.7	23.0	26.3	26.2	40.4	42.6	51.1	60.1	35.3	0	0
03-05 LST														5	1582
06-08 LST	51.6	53.6	41.6	33.9	15.9	31.4	29.4	36.1	46.2	47.0	57.5	64.8	42.3	0	0
09-11 LST														5	1364
12-14 LST	38.1	42.0	26.0	26.3	9.2	10.7	13.9	8.3	13.2	30.0	36.9	48.3	25.2	0	0
15-17 LST														5	1498
18-20 LST	50.0	47.2	32.2	20.3	3.7	9.1	8.0	7.0	23.3	32.7	46.4	58.2	28.2	0	0
21-23 LST														5	1364
P FREQ LES 300 FT A/D LES 1 MI														0	0
FDR 00-02 LST	9.0	9.2	5.4	0.9	2.4	1.6	1.6	1.5	3.5	8.6	10.4	12.1	5.5	5	1582
03-05 LST														0	0
06-08 LST	8.7	12.6	6.0	3.7	0.0	2.5	4.2	9.6	7.9	10.6	16.8	13.7	8.0	5	1384
09-11 LST														0	0
12-14 LST	4.3	4.4	0.8	0.8	0.0	0.0	0.0	0.0	0.0	2.1	7.1	6.8	2.2	5	1498
15-17 LST														0	0
18-20 LST	10.8	5.3	2.6	0.8	0.0	0.0	0.8	0.0	0.8	2.3	9.2	16.1	4.1	5	1498
21-23 LST														0	0

DAM-WORSTADT/STUBICEF, POLAND

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PJR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	20.7	16.6	22.7	25.6	28.1	23.6	23.1	23.4	18.4	18.7	15.6	14.3	250.8	5	1364
	07 LST	18.3	14.6	19.5	21.6	27.4	22.0	22.9	20.7	17.3	17.9	14.5	14.1	230.8	5	1582
	13 LST	23.3	18.7	26.0	25.5	30.5	27.9	28.6	29.6	27.8	24.2	21.4	17.6	301.1	5	1384
	19 LST	19.1	16.6	22.5	25.3	30.5	28.5	29.5	29.8	24.0	21.9	17.6	14.5	279.8	5	1498
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	11.0	11.4	17.7	20.7	24.7	21.9	21.1	20.7	15.1	15.3	11.6	7.3	198.5	5	1361
	07 LST	9.8	10.2	14.4	15.9	22.9	17.5	18.3	16.8	14.0	13.1	8.5	5.4	166.8	5	1576
	13 LST	10.9	11.4	11.9	13.9	15.6	18.4	17.8	19.8	17.1	14.9	13.2	10.7	170.7	5	1378
	19 LST	8.9	11.2	17.0	20.2	25.8	25.1	23.9	26.0	20.6	18.0	12.8	8.6	218.1	5	1494
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	0.8	0.0	0.3	0.0	0.2	0.2	0.5	0.5	0.5	0.3	0.8	1.1	5.2	5	1368
	07 LST	1.2	0.2	0.5	0.7	0.0	0.3	0.0	0.0	0.6	0.7	2.0	6.2		5	1581
	13 LST	1.6	0.5	1.7	2.3	0.8	0.8	0.3	0.6	0.5	0.3	0.8	0.5	10.7	5	1387
	19 LST	2.5	0.2	1.6	0.2	0.5	0.2	0.2	0.5	0.0	0.0	0.4	1.1	7.4	5	1503
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	5.1	3.5	7.7	7.6	10.1	6.6	8.2	8.4	10.4	12.3	7.9	7.5	95.3	5	1362
	07 LST	2.7	3.6	4.0	10.3	18.0	14.3	14.0	12.9	12.2	13.5	9.4	7.6	122.5	5	1578
	13 LST	8.5	5.8	15.4	17.6	19.4	19.9	20.1	20.4	20.9	18.1	14.1	12.0	192.2	5	1379
	19 LST	3.1	3.2	8.0	10.3	16.3	13.8	14.0	9.8	7.5	10.6	8.9	9.3	114.8	5	1492
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	5.9	6.6	12.3	11.3	15.1	10.7	11.5	13.4	9.3	9.3	7.6	4.3	117.3	5	1366
	07 LST	4.1	3.5	7.9	6.0	13.0	7.3	7.4	6.6	6.3	3.4	3.5	2.9	71.9	5	1584
	13 LST	4.5	4.9	7.4	4.3	4.4	3.4	3.2	1.6	5.2	5.5	4.5	3.3	52.2	5	1392
	19 LST	6.8	6.3	11.7	8.0	10.3	7.5	8.5	7.2	9.5	9.5	7.1	4.3	96.7	5	1506
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	12.7	12.1	19.1	21.4	25.5	21.0	21.6	21.6	16.7	16.5	13.3	9.7	211.2	5	1364
	07 LST	10.9	10.4	16.0	16.7	24.7	17.8	20.1	18.0	14.5	13.9	10.1	7.0	180.1	5	1582
	13 LST	13.9	12.9	18.7	16.9	23.0	22.1	22.3	24.5	22.2	18.1	16.0	13.6	224.2	5	1384
	19 LST	11.4	11.6	19.0	21.3	27.7	24.4	26.2	26.6	21.0	18.7	14.0	10.9	232.8	5	1498
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	10.3	9.4	18.0	18.9	22.0	18.0	19.1	19.3	15.0	14.7	12.2	8.0	184.3	5	1364
	07 LST	9.0	8.0	14.7	14.0	22.4	15.5	18.6	16.4	12.9	11.1	8.1	5.4	135.9	5	1582
	13 LST	11.7	10.3	15.6	13.3	17.1	15.8	17.5	19.5	18.6	15.5	14.5	11.5	180.9	5	1384
	19 LST	9.7	9.2	18.0	19.1	24.7	20.0	23.4	23.8	19.0	16.3	12.4	9.5	205.1	5	1498
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	10.3	9.4	18.0	18.6	22.0	18.0	19.1	19.3	15.0	14.7	12.2	8.0	184.6	5	1364
	07 LST	9.0	8.0	14.7	14.0	22.2	15.3	18.6	16.4	12.9	11.1	8.1	5.4	155.7	5	1582
	13 LST	11.7	10.3	15.6	13.0	16.8	15.5	17.5	19.5	18.6	15.5	13.9	11.5	179.4	5	1384
	19 LST	9.7	9.2	18.0	19.1	24.7	20.0	23.4	23.8	19.0	16.3	12.4	9.3	204.9	5	1498

POZNAN, POLAND

STA NO. 12330 (IN AREA NUMBER 02)

LATITUDE 5225N

LONGITUDE 01651E

ELEVATION(FT) 00302

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	52	57	68	82	90	93	100	97	90	77	63	59	100	12	4129
MEAN MAX TMP (F)	32	33	43	53	64	72	74	73	67	56	43	35	54	12	4129
MEAN MIN TMP (F)	23	21	28	37	44	51	55	54	48	41	34	27	39	12	4126
ABS MIN TMP (F)	-17	-18	0	21	25	34	39	32	28	21	14	-11	-18	12	4126
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.1	0.4	1.0	1.0	0.2	0.0	0.0	0.0	2.7	12	4129
MEAN NO DYS TMP = DR LES 32(F)	26.3	24.3	23.1	9.9	2.0	0.0	0.0	0.1	0.4	4.2	13.7	22.5	126.5	12	4126
MEAN NO DYS TMP = DR LES 0(F)	1.4	2.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	4.0	12	4126
MEAN DEW PT TMP (F)	23	23	29	37	44	50	54	54	49	43	35	27	39	12	22634
MEAN REL HUM (PCT)	85	84	77	72	70	67	73	75	78	84	88	87	78	12	22505
MEAN PRESS ALT (FT)	218	178	183	244	224	226	269	274	187	176	203	232	218	12	22610
MEAN PRECIP (IN)	1.17	1.20	1.15	1.33	2.13	2.48	3.13	2.11	2.08	1.25	1.27	1.66	21.0	12	3872
MEAN SNOW FALL (IN)						0.0	0.0	0.0						12	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	2.8	4.5	4.2	5.2	6.7	5.6	8.6	5.8	5.8	4.2	4.5	5.8	63.7	12	3872
MEAN NO DYS SNFL = DR GTR 1.5 IN						0.0	0.0	0.0						12	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	3.1	3.4	2.6	0.6	0.6	0.1	0.7	0.9	2.4	6.0	5.7	4.7	30.8	12	3989
MEAN NO DYS TSTMS	0.0	0.0	0.1	0.9	3.1	4.2	4.2	3.9	1.3	0.3	0.0	0.0	18.0	12	3998
P FREQ WND SPD = DR GTR 17 KTS	10.0	9.9	10.5	6.3	5.6	5.3	3.9	4.7	4.5	4.9	5.6	7.0	6.6	12	22698
P FREQ WND SPD = DR GTR 28 KTS	0.9	0.9	0.4	0.1	0.2	0.0	0.0	0.1	0.1	0.0	0.1	0.2	0.3	12	22698
P FREQ LES 5000 FT A/D LES 5 MI	81.5	85.4	68.2	58.1	53.0	44.8	52.4	52.9	55.9	77.8	85.9	88.3	67.0	12	22772
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	45.8	52.1	30.7	17.7	9.9	8.9	13.2	9.4	21.0	42.1	53.8	60.2	30.4	12	4162
03-05 LST	47.0	61.0	37.4	22.9	27.7	21.7	29.7	26.4	29.5	52.2	61.6	64.3	40.1	5	1760
06-08 LST	51.7	69.0	50.9	39.0	22.3	15.6	24.1	28.5	42.8	66.5	68.6	61.9	43.1	12	4176
09-11 LST	63.5	75.8	44.2	20.5	19.0	9.6	18.1	22.3	26.0	48.5	70.0	70.9	40.7	5	1740
12-14 LST	53.1	46.4	26.3	16.4	10.9	8.3	11.4	9.7	11.9	30.0	50.6	58.1	27.8	12	4194
15-17 LST	47.5	59.4	26.2	7.9	8.8	4.9	6.4	8.4	8.1	26.5	57.9	69.0	27.6	5	1752
18-20 LST	52.6	55.0	31.9	13.0	6.6	4.8	6.4	4.5	14.4	37.4	56.2	62.9	28.8	12	4186
21-23 LST	50.5	58.7	33.0	10.6	9.3	6.9	8.6	6.4	15.5	46.1	55.0	66.2	30.6	5	1754
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	8.9	8.8	7.1	1.2	0.6	0.0	0.8	1.9	2.8	14.2	12.9	11.0	5.9	12	4162
03-05 LST	10.0	11.9	9.8	0.7	2.0	1.4	5.3	3.4	6.8	17.6	17.4	10.7	8.1	5	1760
06-08 LST	10.3	18.1	13.3	6.1	3.0	0.3	2.3	4.0	12.5	24.0	25.2	13.0	11.0	12	4176
09-11 LST	12.9	25.2	12.0	2.8	1.3	0.0	0.0	0.7	3.4	6.2	23.0	21.1	9.2	5	1740
12-14 LST	12.7	9.0	4.4	0.6	0.6	0.0	0.3	0.0	0.6	2.2	13.5	14.3	4.9	12	4194
15-17 LST	12.2	8.1	5.5	0.0	0.7	0.0	0.0	0.7	0.0	2.0	14.2	16.8	4.0	5	1752
18-20 LST	9.9	10.7	4.7	0.0	0.6	0.3	0.3	0.0	0.9	4.2	12.5	11.8	4.7	12	4186
21-23 LST	10.3	12.7	4.8	0.0	0.7	0.0	0.0	0.7	0.7	12.6	15.8	10.2	5.7	5	1754

POZNAN, POLAND

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	19.8	15.8	23.1	26.8	29.3	28.0	27.5	28.8	24.6	19.3	16.1	14.6	273.7	12	4162
	07 LST	18.2	10.4	16.6	20.1	25.7	26.4	25.1	23.4	18.1	11.8	11.4	14.2	221.4	12	4174
	13 LST	17.1	16.8	24.8	28.1	29.1	29.1	29.8	29.0	27.8	24.1	17.2	15.1	288.6	12	4194
	19 LST	17.1	14.2	22.3	27.6	30.0	29.3	30.1	30.0	26.7	20.8	15.0	13.1	276.2	12	4186
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	01 LST	7.4	7.5	12.3	16.3	21.5	21.8	21.5	22.1	18.9	11.9	7.6	5.8	174.6	12	4155
	07 LST	4.8	4.0	6.2	10.2	16.0	17.1	16.1	15.1	11.4	5.9	3.6	5.2	115.6	12	4169
	13 LST	4.8	6.1	7.2	10.3	11.7	9.9	10.6	11.9	10.0	8.8	5.5	4.5	101.3	12	4187
	19 LST	6.8	6.9	12.2	16.9	18.6	19.2	19.6	22.4	19.6	13.2	0.7	4.7	166.8	12	4183
SFC WND = GTR 17 KTS AND ND PRECIP.	01 LST	1.9	1.0	1.2	0.7	0.3	0.2	0.1	0.3	0.7	0.9	1.1	1.3	9.7	12	4172
	07 LST	1.7	1.2	1.8	1.3	0.9	1.0	0.6	0.7	0.4	0.8	0.9	1.4	12.7	12	4188
	13 LST	2.7	1.8	4.1	3.0	3.2	2.1	2.2	2.1	2.4	2.2	1.7	1.8	29.3	12	4222
	19 LST	2.2	1.3	1.4	1.0	1.1	1.0	0.4	0.5	0.4	0.3	0.9	1.2	11.8	12	4202
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND ND PRECIP.	01 LST	3.2	2.6	6.9	13.4	15.5	16.3	16.6	15.5	15.9	15.7	9.7	4.6	135.9	12	4165
	07 LST	2.2	2.6	5.6	11.6	15.1	15.0	16.0	15.1	14.6	15.3	9.3	4.0	126.4	12	4182
	13 LST	4.7	4.8	8.6	13.6	12.7	12.9	13.2	13.6	13.2	13.6	11.5	7.1	129.5	12	4211
	19 LST	2.6	4.2	8.1	15.2	15.6	17.0	15.6	15.8	15.0	16.0	10.0	5.5	140.6	12	4192
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	6.2	5.2	11.9	11.3	14.4	13.7	13.0	15.5	13.5	8.2	4.4	4.4	121.7	12	4180
	07 LST	4.5	1.7	4.8	5.7	8.0	10.2	6.8	7.3	5.6	2.6	1.7	2.7	61.6	12	4185
	13 LST	3.8	3.4	7.4	4.9	5.1	3.4	3.1	3.4	5.6	4.9	2.3	3.3	48.6	12	4222
	19 LST	5.7	5.4	9.5	7.0	6.4	8.6	6.1	6.8	10.2	8.2	4.4	3.5	81.8	12	4201
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	12.6	9.9	18.5	20.3	24.2	24.8	24.5	25.6	21.3	15.1	10.5	8.9	216.2	12	4162
	07 LST	10.6	6.1	13.0	15.7	21.7	23.4	21.0	20.2	15.3	8.2	6.3	8.2	169.7	12	4176
	13 LST	11.2	12.3	18.9	19.5	22.6	23.0	22.0	22.7	22.2	17.7	11.1	10.3	213.5	12	4194
	19 LST	11.2	10.1	18.5	22.2	25.9	26.4	25.6	27.3	23.2	16.4	9.9	8.6	225.3	12	4186
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	9.8	7.7	15.5	15.6	18.9	20.1	19.8	20.7	18.4	11.8	7.5	6.3	172.1	12	4162
	07 LST	8.1	4.5	11.1	13.6	18.8	21.0	18.7	18.1	13.3	6.3	4.2	5.6	142.3	12	4176
	13 LST	9.6	10.2	15.3	14.0	13.7	14.6	14.4	14.2	17.4	14.6	8.2	8.8	155.0	12	4194
	19 LST	8.7	8.2	15.7	17.4	20.7	22.3	20.6	23.0	20.2	13.1	7.1	6.3	183.3	12	4186
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	9.8	7.7	15.5	15.5	18.8	20.7	19.8	20.7	18.4	11.7	7.4	6.3	171.6	12	4162
	07 LST	8.1	4.5	11.1	13.6	18.8	20.9	18.7	18.0	13.3	6.3	4.2	5.6	143.1	12	4176
	13 LST	9.4	10.0	15.3	14.0	13.7	14.6	14.2	14.2	17.4	14.6	8.2	8.8	154.4	12	4194
	19 LST	8.7	8.2	15.7	17.4	20.7	22.1	20.6	22.9	20.2	13.1	7.1	6.3	183.0	12	4186

KOLO, POLAND

STA NO. 12345 (IN AREA NUMBER 02)

LATITUDE 5212N

LONGITUDE 01838E

ELEVATION(FT) 00334

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	48	52	66	82	86	93	91	93	88	79	61	54	93	9	1998
MEAN MAX TMP (F)	32	31	41	52	65	73	73	75	67	56	41	36	54	9	1943
MEAN MI" TMP (F)	24	18	28	36	44	53	56	55	48	41	32	30	39	9	1943
ABS MIN MP (F)	-18	-17	1	23	30	36	37	45	32	19	10	3	-18	9	1943
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.4	0.6	0.3	0.0	0.0	0.0	0.0	1.3	9	1998
MEAN NI DYS TMP = DR LES 32(F)	26.6	23.5	24.1	10.5	0.8	0.0	0.0	0.0	0.2	5.1	16.3	17.4	124.5	9	1943
MEAN NO DYS TMP = DR LES 0(F)	0.5	4.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.6	9	1943
MEAN DEW PT TMP (F)	25	19	29	36	44	53	56	55	49	40	32	30	39	9	6868
MEAN REL HUM (PCT)	87	84	80	77	70	71	78	76	78	80	88	90	80	9	6827
MEAN PRESS ALT (FT)	263	300	192	267	236	275	363	320	219	206	142	323	259	9	6907
MEAN PRECIP (IN)	1.18	1.26	0.92	1.50	1.14	1.76	4.14	2.25	1.36	1.31	0.69	2.29	19.8	9	1636
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0					9	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	4.6	4.2	3.3	4.6	4.3	4.1	9.3	4.6	3.9	4.7	3.0	7.9	58.7	9	1636
MEAN NO DYS SNFL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0					9	-29
MEAN NO DYS W/OCCUR VSBY LES 1/2 MI	2.4	1.8	2.5	0.8	0.0	0.2	0.6	0.7	2.1	1.8	5.3	4.0	22.2	9	1365
MEAN NO DYS TSMS	0.0	0.0	0.0	0.5	1.2	3.2	4.7	3.5	1.2	0.3	0.0	0.0	1.6	9	1366
P FREQ WND SPD = DR GTR 17 KTS	2.4	1.5	2.0	1.7	0.7	0.3	0.0	0.3	0.9	1.4	1.2	4.4	1.4	9	6915
P FREQ WND SPD = DR GTR 28 KTS	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.4	0.3	0.1	9	6915
P FREQ LES 3000 FT A/D LES 5 MI	76.8	66.6	52.4	59.4	39.3	45.1	56.5	47.4	47.2	56.9	74.3	81.4	58.6	9	7289
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	48.2	40.0	31.1	18.7	9.9	1.7	15.1	9.9	17.6	31.2	43.3	54.1	27.6	9	2315
03-05 LST	73.9	34.4	31.2	28.7	19.4	23.3	40.6	24.7	27.3	22.7	67.1	74.5	39.0	2	388
06-08 LST	46.2	46.5	33.1	36.4	20.0	15.0	27.0	17.9	38.9	44.7	47.1	53.5	35.5	9	1968
09-11 LST	55.7	45.0	30.4	28.8	12.4	9.1	26.8	10.0	11.5	14.1	66.4	82.6	32.7	2	396
12-14 LST	42.2	39.1	22.0	21.0	7.0	10.5	15.2	9.0	8.2	21.7	37.6	47.7	23.4	9	2243
15-17 LST	47.1	24.3	20.4	20.3	3.6	12.0	23.3	11.9	2.8	6.6	45.0	72.8	24.2	2	398
18-20 LST	44.6	34.9	23.1	13.7	4.7	6.2	12.7	5.8	7.0	20.4	37.8	53.7	22.1	9	2287
21-23 LST	55.2	29.9	25.1	21.1	5.2	0.0	29.4	8.2	4.7	7.3	52.3	76.6	26.3	2	396
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	5.5	8.8	2.7	1.4	0.0	1.4	1.0	1.4	2.1	4.4	11.5	10.3	4.2	9	2315
03-05 LST	13.3	4.0	13.8	0.0	0.0	3.6	3.8	4.1	6.8	3.7	29.6	17.2	8.3	2	388
06-08 LST	7.0	9.9	6.2	3.6	0.6	0.0	3.2	2.3	10.7	14.8	15.0	10.1	7.0	9	1968
09-11 LST	13.8	6.9	14.3	0.0	0.0	0.0	3.3	0.0	1.8	0.0	21.4	32.1	7.8	2	396
12-14 LST	10.3	8.7	2.1	0.0	0.5	0.0	0.0	0.0	0.0	1.1	7.8	7.9	3.2	9	2243
15-17 LST	6.5	0.0	3.7	0.0	0.0	0.0	0.0	0.0	0.0	3.2	7.1	13.8	2.9	2	398
18-20 LST	5.1	6.2	2.2	1.0	0.0	0.0	0.0	0.0	0.5	1.1	8.0	7.7	2.7	9	2287
21-23 LST	9.7	0.0	10.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	28.6	13.8	5.2	2	396

KOLO, POLAND

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	19.9	19.3	24.0	27.0	29.6	27.8	28.2	28.8	26.3	23.0	21.5	18.4	293.8	9	2315
	07 LST	20.9	17.9	23.7	22.5	26.4	27.1	25.4	26.7	19.6	18.6	19.0	18.9	266.7	9	1968
	13 LST	21.9	19.0	27.6	27.0	30.7	29.1	28.8	30.0	29.3	26.4	21.5	19.3	310.6	9	2243
	19 LST	20.8	20.4	26.4	27.9	30.4	29.2	28.9	30.4	25.4	26.2	21.9	17.6	309.5	9	2287
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	10.8	13.3	16.5	20.6	25.7	24.6	24.3	26.3	22.6	18.8	11.9	9.4	224.8	9	2313
	07 LST	11.0	12.1	15.9	15.3	21.6	23.5	19.5	23.2	16.5	14.6	12.1	9.2	194.5	9	1966
	13 LST	12.4	12.9	17.3	16.4	21.7	20.7	21.0	23.3	21.0	19.5	14.8	12.1	213.1	9	2240
	19 LST	12.6	15.7	19.8	23.0	27.3	26.5	25.0	27.3	25.6	22.6	15.1	10.2	250.7	9	2282
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	0.9	0.8	0.9	0.4	0.1	0.1	0.0	0.0	0.3	0.4	0.4	0.8	5.1	9	2325
	07 LST	0.9	0.6	0.6	0.4	0.2	0.2	0.0	0.0	0.2	0.2	0.4	1.3	5.0	9	1972
	13 LST	0.6	0.7	0.6	0.8	1.1	0.1	0.0	0.2	0.2	1.1	0.5	1.0	6.9	9	2265
	19 LST	1.3	0.3	0.2	0.1	0.1	0.0	0.0	0.0	0.0	0.3	0.2	0.3	2.9	9	2295
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	3.2	2.3	2.9	8.9	7.3	6.7	6.6	5.8	7.4	7.1	5.1	6.1	69.4	9	2316
	07 LST	1.8	1.2	3.5	9.3	11.5	10.8	10.5	9.4	9.0	8.1	3.8	6.6	85.5	9	1962
	13 LST	4.4	5.0	11.8	15.8	20.8	19.1	17.8	19.1	16.5	16.0	9.9	7.6	163.8	9	2258
	19 LST	2.5	3.8	7.3	11.1	12.5	11.4	9.5	7.4	8.0	8.8	6.1	4.9	93.3	9	2289
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	6.6	8.7	12.6	12.1	16.7	13.7	13.4	18.4	15.2	11.0	6.7	5.6	140.7	9	2327
	07 LST	5.4	6.4	8.4	6.3	10.2	9.3	5.2	8.6	7.2	4.2	3.4	4.0	78.6	9	1974
	13 LST	3.3	6.8	8.0	4.5	5.8	3.9	3.1	4.9	6.4	5.8	4.0	3.2	59.7	9	2266
	19 LST	7.3	8.5	11.2	8.1	9.7	7.6	9.6	9.1	12.9	13.4	6.8	5.4	109.6	9	2299
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	11.6	13.2	17.5	19.9	24.6	23.4	22.7	26.0	21.7	17.5	11.5	9.4	219.0	9	2315
	07 LST	11.3	11.1	16.8	15.1	22.0	22.6	18.8	22.9	15.8	14.4	11.2	9.2	191.2	9	1968
	13 LST	13.1	14.3	19.4	17.5	23.6	22.0	20.7	23.6	23.4	20.5	14.8	12.1	225.0	9	2243
	19 LST	12.7	14.5	19.4	21.4	27.2	24.9	23.9	26.5	24.7	21.0	13.7	10.4	240.3	9	2287
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	10.3	11.4	15.5	16.7	22.0	20.6	19.6	24.2	19.3	14.1	9.5	8.0	191.2	9	2315
	07 LST	9.0	9.1	14.9	13.5	20.1	20.4	16.7	20.5	13.7	12.2	8.3	7.5	165.9	9	1968
	13 LST	11.5	12.7	16.6	12.5	17.8	17.2	15.2	17.7	18.4	17.2	12.5	10.1	179.4	9	2243
	19 LST	11.0	12.0	16.4	17.5	24.2	21.2	21.6	24.0	21.7	17.5	10.9	9.0	207.0	9	2287
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	10.3	11.2	15.5	16.5	22.0	20.6	19.6	24.2	19.3	14.1	9.5	8.0	190.8	9	2315
	07 LST	9.0	9.1	14.9	13.3	20.1	20.4	16.7	20.5	13.7	12.2	8.3	7.5	165.7	9	1968
	13 LST	11.3	12.7	16.5	12.3	17.8	17.2	15.2	17.7	18.4	17.2	12.5	10.1	178.9	9	2243
	19 LST	11.0	12.0	16.4	17.5	24.2	20.8	21.6	24.0	21.7	17.5	10.9	9.0	206.6	9	2287

PLUCK, POLAND

STA NO. 12360 (IN AREA NUMBER 02)

LATITUDE 5231N LONGITUDE 01941E ELEVATION(FT) 00207

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	48	54	64	81	88	91	91	95	86	77	57	52	95	9	2212
MEAN MAX TMP (F)	32	31	41	54	65	73	75	75	66	56	40	36	54	9	2212
MEAN MIN TMP (F)	24	20	27	36	44	53	56	54	48	40	33	29	39	9	2399
ABS MIN TMP (F)	-15	-15	5	21	25	36	41	41	30	19	12	5	-15	9	2399
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.3	1.1	1.0	0.0	0.0	0.0	0.0	2.4	9	2212
MEAN NO DYS TMP = OR LES 32(F)	25.9	23.6	24.8	9.5	1.1	0.0	0.0	0.0	0.4	5.7	15.9	18.8	125.7	9	2399
MEAN NO DYS TMP = OR LES 0(F)	0.6	3.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.8	9	2399
MEAN DEW PT TMP (F)	24	19	27	37	45	54	56	56	48	41	32	28	39	9	7765
MEAN REL HUM (PCT)	86	82	77	74	71	73	77	77	78	82	87	88	79	9	7669
MEAN PRESS ALT (FT)	132	130	9	117	111	142	213	192	90	68	18	147	114	9	7781
MEAN PRECIP (IN)	1.34	1.34	0.95	1.43	1.57	2.19	3.71	1.86	1.46	1.09	1.27	2.18	20.4	9	2080
MEAN SNOW FALL (IN)						0.0	0.0	0.0	0.0					9	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	4.6	3.6	3.4	5.3	5.1	6.1	8.2	5.0	4.2	4.4	3.7	7.7	61.3	9	2080
MEAN NO DYS SNFL = OR GTR 1.5 IN						0.0	0.0	0.0	0.0					9	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	2.0	1.4	0.5	1.4	0.2	0.4	0.0	0.6	3.2	2.6	4.4	4.8	21.5	9	1589
MEAN NO DYS TSTMS	0.2	0.2	0.0	0.7	1.4	4.1	2.7	3.6	0.2	0.3	0.0	0.0	13.4	9	1599
P FREQ WND SPD = OR GTR 17 KTS	9.6	4.1	8.5	3.1	4.2	1.0	3.3	2.4	4.4	5.4	8.1	9.4	5.3	9	7841
P FREQ WND SPD = OR GTR 28 KTS	3.1	0.2	0.5	0.5	0.4	0.0	0.0	0.1	0.2	0.3	1.7	0.5	0.6	9	7841
P FREQ LES 5000 FT A/O LES 5 MI	80.2	71.2	47.9	56.3	46.2	44.3	49.7	39.1	43.1	50.5	62.5	83.3	58.7	9	8360
P FREQ LES 1500 FT A/O LES 3 MI														9	2169
FOR 00-02 LST	56.7	40.4	26.9	21.0	10.0	8.6	12.3	10.2	14.4	29.9	42.8	54.0	27.3	2	392
03-05 LST	55.2	28.3	20.7	17.5	20.3	16.1	24.3	20.2	18.1	23.5	61.0	60.3	30.5	2	392
06-08 LST	57.2	54.6	38.2	35.1	16.4	2.8	16.6	14.8	29.6	46.1	53.6	54.7	35.4	9	2394
09-11 LST	52.4	28.0	24.3	9.9	3.7	12.7	22.5	8.3	3.6	12.7	54.1	65.2	24.6	2	386
12-14 LST	50.0	41.4	20.6	17.2	11.0	7.7	11.8	8.2	8.9	18.8	41.1	54.8	24.3	9	2311
15-17 LST	33.7	19.3	13.5	8.5	3.7	12.0	24.4	5.8	2.7	3.2	38.0	53.7	18.2	2	401
18-20 LST	50.7	39.8	18.8	16.4	11.0	6.7	9.9	5.8	5.6	17.6	38.7	53.0	22.8	9	2365
21-23 LST	36.9	16.9	21.9	9.3	1.8	7.0	26.1	1.0	1.9	5.2	46.9	57.8	19.4	2	393
P FREQ LES 300 FT A/O LES 1 MI														9	2139
FOR 00-02 LST	9.1	4.1	0.0	2.4	0.0	0.5	1.1	0.0	1.6	7.6	8.9	9.9	2.8	2	392
03-05 LST	0.0	0.0	0.0	0.0	0.0	7.1	0.0	4.0	1.7	10.0	17.9	13.3	4.5	2	392
06-08 LST	8.1	9.3	3.9	3.5	1.5	1.0	0.0	2.4	11.4	14.7	13.2	12.1	6.8	9	2394
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.6	25.9	11.1	3.4	2	386
12-14 LST	9.0	6.3	0.0	0.9	0.0	0.0	0.0	0.0	0.0	1.3	4.7	12.7	2.9	9	2311
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.7	13.3	2.0	2	401
18-20 LST	5.8	5.4	1.0	0.0	0.0	0.0	0.5	0.0	0.5	1.0	7.3	11.4	2.7	9	2365
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	24.1	11.1	2.9	2	393

PLOCK, POLAND

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	16.8	19.6	25.4	25.7	29.2	28.3	28.6	28.6	26.3	23.7	20.5	17.9	290.6	9	2169
	07 LST	17.6	16.5	22.0	22.1	28.5	27.7	27.3	27.7	22.6	18.9	17.4	17.4	265.7	9	2394
	13 LST	20.0	18.5	27.9	28.0	30.3	29.4	29.3	30.4	29.2	28.6	21.4	17.3	310.3	9	2311
	19 LST	19.3	19.9	27.4	27.4	29.9	29.2	29.2	30.1	29.3	27.4	21.8	17.7	308.6	9	2365
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	8.0	10.4	13.3	18.3	22.8	25.5	24.1	23.9	21.3	16.9	10.4	7.0	201.9	9	2166
	07 LST	5.8	7.7	10.8	14.4	18.8	21.8	21.3	22.1	15.5	10.9	7.9	7.2	164.2	9	2391
	13 LST	8.2	10.0	10.5	13.5	13.8	15.1	15.3	15.4	12.8	14.0	9.7	6.5	144.8	9	2307
	19 LST	8.2	11.8	16.1	19.5	20.5	23.6	23.1	25.6	23.8	19.0	12.1	8.0	211.3	9	2361
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	3.0	1.3	2.3	1.2	0.0	0.0	0.0	0.6	0.8	1.4	2.3	1.8	14.7	9	2179
	07 LST	3.1	1.2	1.5	0.3	0.8	0.3	0.3	0.5	0.7	1.6	2.3	2.3	14.9	9	2410
	13 LST	2.5	2.1	2.7	2.5	2.3	1.6	2.5	1.9	3.2	2.0	2.5	1.9	27.7	9	2316
	19 LST	3.1	1.4	2.5	0.6	1.1	0.0	0.6	0.8	0.6	1.6	1.0	1.7	15.1	9	2373
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	2.5	1.8	3.4	10.1	14.0	10.1	10.2	9.1	11.4	11.3	6.4	3.4	93.7	9	2169
	07 LST	1.4	1.5	3.9	12.4	15.7	16.9	15.7	13.1	13.9	10.9	5.9	4.9	110.2	9	2398
	13 LST	4.5	5.5	10.8	16.1	17.7	16.7	16.4	18.7	15.6	17.0	12.0	8.1	159.1	9	2305
	19 LST	2.4	3.6	7.0	14.0	18.3	16.4	14.1	10.7	10.2	9.9	8.8	3.5	118.9	9	2363
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	4.4	7.9	13.7	13.1	16.7	13.4	14.9	17.3	15.2	11.6	6.2	5.3	139.7	9	2177
	07 LST	3.0	3.9	8.3	3.6	10.3	10.8	9.6	10.3	8.2	3.8	3.4	4.5	82.7	9	2408
	13 LST	2.6	6.4	8.8	5.4	4.9	4.0	3.9	3.7	5.7	5.2	4.4	3.2	58.2	9	2319
	19 LST	6.2	7.3	12.7	6.6	9.9	10.6	8.3	10.3	11.8	12.1	6.2	5.7	107.7	9	2376
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	9.3	13.0	19.4	20.2	24.9	23.9	23.9	25.9	23.6	18.4	12.1	9.6	224.2	9	2169
	07 LST	8.2	8.4	15.8	15.3	21.2	22.9	22.2	23.7	18.2	12.7	8.8	9.5	186.9	9	2394
	13 LST	10.3	13.3	19.6	18.5	21.2	22.4	21.9	23.2	22.4	19.4	12.0	9.7	213.9	9	2311
	19 LST	10.7	12.8	21.8	20.5	23.2	24.4	24.4	26.4	25.5	21.4	12.9	10.4	234.4	9	2365
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	7.0	11.2	17.9	17.6	21.4	18.5	20.0	23.0	20.0	14.2	8.4	7.5	186.7	9	2169
	07 LST	6.4	6.6	14.4	12.0	15.7	18.3	17.5	19.1	13.4	8.5	5.9	7.0	144.4	9	2394
	13 LST	8.1	11.1	16.2	12.7	13.9	14.2	14.2	16.8	16.3	14.2	7.5	7.4	152.6	9	2311
	19 LST	9.1	10.7	19.1	15.7	19.0	18.6	19.8	21.4	21.4	16.4	8.7	8.0	187.9	9	2365
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	6.9	11.2	17.9	17.6	21.2	18.3	19.9	23.0	19.8	14.2	8.4	7.5	185.9	9	2169
	07 LST	6.4	6.6	14.4	12.0	15.7	18.0	17.5	18.9	12.9	8.5	5.4	7.0	143.3	9	2394
	13 LST	7.9	10.9	16.1	12.7	13.9	14.2	14.2	16.6	16.3	14.2	7.5	7.4	151.9	9	2311
	19 LST	9.1	10.7	19.1	15.7	18.8	18.6	19.4	21.4	21.0	16.4	8.7	8.0	186.9	9	2365

WARSAW/OKECIE, POLAND

STA NO. 12375 (IN AREA NUMBER 02)

LATITUDE 5211N

LONGITUDE 02050E

ELEVATION(FT) 00351

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. DBS
ABS MAX TMP (F)	52	54	64	82	86	91	95	95	88	77	63	59	95	12	4140
MEAN MAX TMP (F)	30	31	40	55	64	72	74	73	66	55	42	33	53	12	4140
MEAN MIN TMP (F)	22	21	27	37	46	52	56	54	47	40	34	27	39	12	4115
ABS MIN TMP (F)	-18	-17	-8	19	27	36	41	41	32	18	14	-9	-10	12	4115
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.2	0.7	0.8	0.0	0.0	0.0	0.0	1.7	12	4140
MEAN NO DYS TMP = DR LES 32(F)	26.5	24.2	24.6	9.1	1.2	0.0	0.0	0.0	0.3	3.9	13.4	22.3	125.5	12	4115
MEAN NO DYS TMP = DR LES 0(F)	2.3	2.5	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	5.5	12	4115
MEAN DEW PT TMP (F)	22	22	27	37	45	52	55	55	49	42	35	26	39	12	22661
MEAN REL HUM (PCT)	86	86	78	73	72	71	74	76	79	83	88	89	80	12	22492
MEAN PRESS ALT (FT)	258	240	229	294	287	291	336	328	235	204	229	270	267	12	22689
MEAN PRECIP (IN)	0.97	1.39	0.86	1.28	2.08	2.70	3.08	2.03	1.75	1.19	1.67	1.36	20.4	12	3866
MEAN SNOW FALL (IN)						0.0	0.0	0.0	0.0					12	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	3.0	4.0	3.1	4.0	5.7	6.3	7.3	5.0	5.1	4.4	5.3	4.4	57.6	12	3866
MEAN NO DYS SNFL = DR GTR 1.5 IN						0.0	0.0	0.0	0.0					12	-29
MEAN NO DYS W/OCCUR VSBY LES 1/2 MI	2.9	4.2	1.6	1.1	0.5	0.3	0.4	0.7	1.5	4.6	3.9	5.1	26.8	12	4009
MEAN NO DYS TSTMS	0.1	0.2	0.1	1.7	5.0	6.5	7.0	4.8	2.2	0.2	0.1	0.0	27.9	12	4010
P FREQ WND SPD = DR GTR 17 KTS	7.3	6.8	7.8	4.5	2.4	1.2	0.6	1.1	1.1	3.2	6.7	8.5	4.3	12	22751
P FREQ WND SPD = DR GTR 28 KTS	0.7	0.2	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.1	0.1	0.1	12	22751
P FREQ LES 5000 FT A/D LES 5 MI	76.1	78.6	53.3	44.8	39.9	32.8	35.3	33.5	38.3	56.2	77.5	79.5	53.8	12	22758
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	45.2	47.3	24.6	15.2	10.4	8.7	9.1	8.9	15.1	31.0	51.5	54.6	26.8	12	4172
03-05 LST	49.4	59.8	31.6	20.5	22.6	13.7	16.0	19.3	20.2	40.4	58.5	57.6	33.8	5	1753
06-08 LST	53.7	67.0	40.4	29.9	17.9	18.6	20.0	17.6	33.1	52.3	66.5	58.1	39.6	12	4163
09-11 LST	57.6	67.3	36.3	19.4	15.2	13.4	13.7	14.4	19.4	37.7	60.6	62.0	34.8	5	1733
12-14 LST	47.0	46.6	22.4	12.4	8.4	7.0	8.0	7.3	7.4	22.9	46.0	53.0	24.0	12	4212
15-17 LST	49.8	47.0	21.4	10.2	7.3	4.4	7.1	3.7	4.6	24.8	55.9	64.6	23.1	5	1732
18-20 LST	47.7	45.2	24.1	11.9	8.4	4.4	5.2	5.7	7.6	23.2	46.2	53.3	23.6	12	4195
21-23 LST	46.5	53.3	23.8	11.4	6.5	4.3	7.5	4.0	9.1	26.7	54.4	55.9	25.3	5	1751
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	7.9	10.3	4.6	1.5	1.7	1.1	0.3	0.6	2.1	11.0	12.9	15.7	5.8	12	4172
03-05 LST	6.0	14.0	8.6	3.5	4.6	2.9	2.0	3.3	7.0	15.4	21.0	12.8	8.4	5	1753
06-08 LST	11.9	20.6	9.9	6.4	3.3	2.9	2.0	3.4	7.9	18.7	20.9	16.4	10.4	12	4163
09-11 LST	12.9	27.3	9.5	1.4	0.0	0.0	0.0	0.0	2.1	10.7	19.3	21.9	8.8	5	1733
12-14 LST	9.1	9.6	1.1	0.6	0.0	0.3	0.3	0.3	0.0	2.2	10.4	13.7	4.0	12	4212
15-17 LST	8.8	8.1	3.5	1.4	0.0	0.0	0.7	1.3	0.0	2.0	6.8	18.9	4.3	5	1732
18-20 LST	9.1	8.0	2.5	0.3	1.1	0.0	0.0	0.0	0.9	3.7	9.6	13.8	4.1	12	4195
21-23 LST	6.0	12.6	4.8	1.4	0.7	0.0	7.0	0.0	2.1	9.9	11.3	14.3	5.3	5	1751

WARSAW/OKECIE, POLAND

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	19.2	16.4	24.9	26.3	28.6	27.9	28.6	28.9	26.0	22.4	15.9	15.8	280.9	12	4172
	07 LST	16.6	10.4	19.9	22.2	27.0	25.7	25.7	26.2	20.5	15.3	11.5	14.4	235.4	12	4163
	13 LST	18.6	16.9	26.1	28.0	30.0	29.0	29.8	29.7	28.8	26.4	18.5	16.4	298.2	12	4212
	19 LST	18.2	16.9	24.9	27.2	29.3	29.1	29.8	29.6	27.9	24.7	17.4	16.3	291.3	12	4195
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	7.7	7.4	14.2	18.2	22.9	24.7	24.1	24.5	21.0	16.1	9.1	6.6	196.5	12	4164
	07 LST	4.8	4.0	8.4	12.2	17.8	18.5	19.5	20.2	15.1	9.3	4.6	5.1	139.5	12	4158
	13 LST	5.4	5.7	6.3	10.2	11.7	12.2	12.5	13.3	11.5	9.5	6.2	5.2	109.7	12	4205
	19 LST	6.9	7.6	11.5	19.3	21.3	22.8	24.1	25.6	23.8	18.5	9.1	5.9	196.4	12	4190
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	1.6	0.6	1.4	0.7	0.2	0.1	0.0	0.2	0.1	0.4	1.1	1.5	7.9	12	4176
	07 LST	1.4	0.9	1.5	0.9	0.3	0.1	0.0	0.0	0.0	0.5	1.2	1.5	8.3	12	4179
	13 LST	2.4	1.6	3.6	2.5	1.8	0.5	0.7	1.0	0.9	1.3	1.4	2.1	19.8	12	4230
	19 LST	1.9	0.9	1.4	0.3	0.3	0.1	0.0	0.0	0.2	0.3	1.0	1.5	7.9	12	4213
SFC WND 4-10 KTS AND THP 33-89 DEG F AND NO PRECIP.	01 LST	1.7	2.5	4.7	12.2	16.6	13.7	15.5	12.5	13.7	13.8	7.3	3.4	117.6	12	4162
	07 LST	2.3	2.2	3.5	12.6	16.4	16.8	17.1	18.0	15.0	14.6	7.7	3.8	130.0	12	4174
	13 LST	3.7	3.6	7.3	12.5	14.5	14.1	16.1	14.2	14.1	14.1	10.4	6.2	130.8	12	4220
	19 LST	3.9	3.6	8.5	14.4	16.8	17.1	16.3	14.9	14.7	15.0	8.9	4.2	138.3	12	4198
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	4.0	5.2	11.8	11.4	12.5	13.8	13.8	16.4	14.3	9.7	4.8	5.3	123.0	12	4187
	07 LST	3.0	2.3	6.7	7.7	9.7	9.9	10.8	9.2	8.3	4.7	2.6	2.9	77.8	12	4184
	13 LST	4.0	4.2	7.6	5.5	4.4	4.8	4.8	4.4	6.1	6.6	2.8	2.5	57.7	12	4229
	19 LST	4.7	5.2	9.8	7.8	7.9	9.5	8.5	8.3	12.5	11.7	5.0	4.9	95.8	12	4220
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	13.5	11.9	20.8	23.7	26.1	26.1	27.1	26.9	24.3	19.6	11.9	11.6	243.5	12	4172
	07 LST	11.0	7.4	16.4	19.5	23.6	23.0	23.7	24.6	19.4	13.7	8.1	10.5	200.9	12	4163
	13 LST	13.6	12.1	20.4	22.5	24.5	23.0	23.0	25.5	24.6	19.9	12.8	12.1	238.0	12	4212
	19 LST	13.2	12.5	20.8	24.2	26.3	27.1	27.9	27.9	26.3	21.6	13.5	12.0	253.3	12	4195
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	8.9	7.4	16.6	17.6	19.7	21.4	21.2	22.1	20.2	15.5	7.8	8.8	187.2	12	4172
	07 LST	7.2	4.9	13.7	16.5	20.5	20.2	21.0	20.9	16.7	10.8	5.9	6.8	165.1	12	4163
	13 LST	10.5	9.8	16.0	15.4	16.2	16.7	16.9	17.6	17.9	15.6	9.4	9.5	171.5	12	4212
	19 LST	9.7	8.4	17.1	18.2	20.3	22.2	22.0	22.6	20.5	17.6	9.0	8.9	196.5	12	4195
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	8.9	7.4	16.6	17.4	19.7	21.4	21.2	21.9	20.2	15.4	7.8	8.6	186.5	12	4172
	07 LST	7.1	4.9	13.7	16.3	20.4	20.2	21.0	20.8	16.7	10.8	5.9	6.8	164.6	12	4163
	13 LST	10.5	9.8	16.0	15.2	16.2	16.6	16.9	17.5	17.9	15.6	9.4	9.5	171.1	12	4212
	19 LST	9.7	8.4	17.1	18.2	20.3	22.1	22.0	22.5	20.3	17.6	8.9	8.8	195.9	12	4195

ZIELONA GORA, POLAND

STA NO. 12400 (IN AREA NUMBER 02)

LATITUDE 5156N

LONGITUDE 01531E

ELEVATION(FT) 00570

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	50	59	68	82	88	93	93	93	88	75	61	59	93	12	3436
MEAN MAX TMP (F)	32	33	43	55	63	71	73	72	66	56	43	35	54	12	3436
MEAN MIN TMP (F)	24	23	30	38	46	53	56	56	50	43	35	28	40	12	3497
ABS MIN TMP (F)	-9	-22	7	21	27	36	45	45	36	21	16	0	-22	12	3497
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.5	0.9	0.8	0.0	0.0	0.0	0.0	2.2	12	3436
MEAN NO DYS TMP = DR LES 32(F)	25.5	22.3	20.7	7.4	1.1	0.0	0.0	0.0	0.0	0.9	11.7	21.4	111.0	12	3497
MEAN NO DYS TMP = DR LES 0(F)	1.1	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	2.7	12	3497
MEAN DEW PT TMP (F)	24	24	29	37	44	51	53	54	49	43	36	27	39	12	16620
MEAN REL HUM (PCT)	87	84	76	71	72	69	72	76	77	83	88	89	79	12	16500
MEAN PRESS ALT (FT)	443	465	457	511	466	490	525	534	458	460	503	481	485	12	16562
MEAN PRECIP (IN)	1.66	1.38	1.35	1.91	2.68	1.87	2.57	2.58	1.48	1.64	1.52	1.65	22.3	12	3075
MEAN SNOW FALL (IN)						0.0	0.0	0.0	0.0					12	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	5.5	5.3	4.7	5.5	7.8	6.0	7.5	7.9	4.7	5.2	4.6	5.6	70.3	12	3095
MEAN NO DYS SNFL = DR GTR 1.5 IN						0.0	0.0	0.0						12	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	5.7	5.0	3.9	2.6	1.4	0.8	0.7	1.7	3.7	5.9	8.9	7.6	47.9	12	2834
MEAN NO DYS TSTMS	0.0	0.0	0.1	1.6	4.5	5.9	5.9	6.7	2.0	0.3	0.1	0.0	27.1	12	2836
W FREQ WND SPD = DR GTR 17 KTS	2.7	1.8	1.3	0.2	0.1	0.1	0.2	0.6	0.4	0.4	1.1	1.3	0.9	12	16737
P FREQ WND SPD = DR GTR 28 KTS	0.4	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	12	16737
P FREQ LES 5000 FT A/D LES 5 MI	77.9	76.3	54.8	44.3	44.0	35.7	40.3	42.3	41.9	60.5	74.5	78.8	55.9	12	17384
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	50.8	41.4	22.4	17.9	14.6	14.3	15.3	14.7	14.9	37.4	52.0	49.6	28.8	12	3288
03-05 LST	60.2	62.6	37.4	24.9	23.1	13.7	16.2	20.5	25.6	50.5	60.7	62.4	38.2	5	1462
06-08 LST	49.1	53.9	35.6	28.3	21.8	18.1	22.1	21.6	28.5	43.8	51.8	50.6	35.4	12	3504
09-11 LST	59.6	59.0	38.4	21.9	15.7	6.4	12.6	15.1	17.6	35.4	53.0	60.1	32.9	5	1489
12-14 LST	45.1	38.1	21.9	15.5	13.3	7.4	10.2	7.9	12.5	22.4	43.0	42.6	23.3	12	3349
15-17 LST	44.0	39.2	17.9	10.1	9.4	4.0	6.7	6.5	8.4	20.1	39.8	55.4	21.8	5	1501
18-20 LST	46.7	39.1	19.3	11.7	8.0	5.6	6.9	6.1	10.5	16.1	41.7	44.8	22.2	12	3456
21-23 LST	55.4	54.9	20.8	12.6	10.3	5.4	6.2	8.9	18.3	36.4	51.5	57.2	28.2	5	1435
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	13.5	9.1	6.8	2.5	1.8	1.8	1.9	1.4	4.2	11.1	21.1	19.8	7.9	12	3288
03-05 LST	21.1	14.4	13.0	8.5	8.7	1.8	2.0	6.5	7.8	18.0	26.2	25.3	12.8	5	1462
06-08 LST	13.5	14.1	11.6	9.1	2.8	2.8	2.9	4.1	8.7	17.5	24.5	19.0	10.9	12	3504
09-11 LST	21.4	13.9	9.6	2.7	1.8	0.0	0.0	0.8	2.1	11.0	29.0	24.0	9.7	5	1489
12-14 LST	11.1	5.6	3.6	0.0	0.4	0.0	0.0	0.7	1.1	3.9	17.0	11.6	4.6	12	3349
15-17 LST	13.8	1.8	2.6	1.8	0.9	0.0	1.8	0.0	1.4	2.0	15.6	12.6	4.7	5	1501
18-20 LST	13.1	4.7	3.2	2.1	0.4	0.4	0.0	0.3	1.0	6.9	16.8	14.3	5.3	12	3456
21-23 LST	16.8	9.4	5.4	1.9	1.8	0.9	0.0	1.5	5.7	9.9	20.4	18.4	7.7	5	1435

ZIELONA GORA, POLAND

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	17.8	18.6	25.8	25.7	28.1	26.4	27.1	27.3	26.4	21.2	15.9	17.2	277.5	12	3286
	07 LST	18.8	14.6	21.6	23.1	26.1	26.1	26.0	25.8	22.8	18.8	15.7	17.3	256.7	12	3504
	13 LST	19.2	19.6	26.8	27.6	29.6	29.1	29.5	30.2	27.9	26.3	19.2	19.6	304.6	12	3349
	19 LST	18.6	19.2	26.5	27.5	29.8	28.9	29.7	30.1	27.9	23.7	19.3	18.8	300.0	12	3456
CIG = GTR 2000 FT AND VSBY = GTR 3 MI & SFC WND LES 10 KTS	01 LST	9.3	11.5	17.5	22.0	24.0	24.2	23.8	23.6	22.0	15.4	10.8	11.7	215.8	12	3285
	07 LST	9.2	8.9	14.3	17.8	20.7	21.8	20.8	21.3	18.0	13.9	10.1	10.8	187.6	12	3496
	13 LST	9.9	11.7	13.7	17.9	18.4	21.6	20.6	20.4	19.7	16.9	11.2	12.4	194.4	12	3346
	19 LST	10.4	12.3	19.7	23.9	25.5	26.7	26.8	27.0	24.5	20.9	13.1	12.8	243.6	12	3448
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	0.3	0.3	0.5	0.0	0.0	0.0	0.1	0.2	0.3	0.0	0.1	0.2	2.0	12	3305
	07 LST	0.6	0.2	0.1	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.1	0.2	1.4	12	3517
	13 LST	0.9	0.0	0.8	0.1	0.1	0.2	0.0	0.1	0.1	0.2	0.3	0.3	3.1	12	3380
	19 LST	0.3	0.1	0.4	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.2	0.3	1.5	12	3460
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	5.5	4.4	7.2	14.7	15.9	14.3	15.7	15.8	16.8	16.8	10.8	6.8	145.2	12	3287
	07 LST	3.9	3.5	6.1	13.1	16.1	16.9	17.6	16.5	16.3	16.8	8.5	6.5	141.8	12	3511
	13 LST	6.6	5.3	13.2	17.3	18.6	20.4	19.7	18.8	19.9	20.6	14.0	8.3	182.7	12	3367
	19 LST	4.4	5.2	10.2	13.0	13.4	13.8	13.6	11.6	12.8	15.7	12.6	6.6	132.9	12	3447
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	7.2	7.4	13.4	12.6	15.4	13.9	13.0	15.5	14.9	9.5	6.4	6.5	135.7	12	3301
	07 LST	5.1	3.5	7.5	7.9	10.2	10.7	9.1	8.0	9.9	5.4	3.7	4.8	85.8	12	3524
	13 LST	3.9	5.0	7.2	4.7	3.6	4.7	4.2	3.7	6.7	6.1	3.2	4.7	57.7	12	3374
	19 LST	6.6	7.8	11.2	8.8	8.7	9.0	8.1	6.9	11.5	11.5	6.7	6.9	103.7	12	3462
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	12.2	13.0	21.2	22.3	24.1	23.7	23.9	24.3	23.9	16.7	12.1	13.1	230.5	12	3288
	07 LST	12.0	10.1	17.4	19.0	21.7	22.1	21.7	22.1	19.4	15.3	12.1	12.2	205.1	12	3504
	13 LST	13.7	13.6	20.0	20.4	21.1	23.2	22.7	23.9	22.8	20.3	13.7	14.8	230.2	12	3349
	19 LST	13.7	14.1	22.4	24.2	25.5	26.1	26.2	26.7	24.9	20.9	14.6	14.1	253.4	12	3456
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	10.2	10.1	17.7	18.7	21.3	20.4	18.9	21.1	21.5	13.8	9.4	10.2	193.3	12	3288
	07 LST	9.4	7.7	14.4	16.3	19.1	19.7	19.7	19.3	16.7	12.4	9.0	9.9	173.6	12	3504
	13 LST	11.1	10.6	16.1	15.1	13.8	15.3	15.3	17.1	18.5	17.2	10.7	12.5	173.3	12	3349
	19 LST	11.4	11.6	19.5	20.5	20.9	21.5	20.8	21.7	20.9	17.3	11.6	11.2	208.9	12	3456
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	10.2	10.0	17.6	18.7	21.2	20.4	18.8	21.0	21.5	13.8	9.4	10.2	192.8	12	3288
	07 LST	9.4	7.7	14.4	16.2	18.9	19.4	19.6	19.3	16.7	12.4	8.9	9.9	172.8	12	3504
	13 LST	11.1	10.6	16.1	15.1	13.6	15.2	15.3	17.1	18.5	17.2	10.7	12.5	173.0	12	3349
	19 LST	11.4	11.5	19.2	20.4	20.8	21.5	20.7	21.6	20.8	17.3	11.6	11.2	208.0	12	3456

WROCLAW, POLAND

STA NO. 12425 (IN AREA NUMBER 02)

LATITUDE 5108N

LONGITUDE 01659E

ELEVATION(FT) 00389

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	52	61	72	82	86	91	99	97	90	79	64	61	99	11	3744
MEAN MAX TMP (F)	35	36	45	56	64	72	74	74	68	58	44	39	55	11	3744
MEAN MIN TMP (F)	25	22	29	37	44	51	54	53	47	41	33	29	39	11	3766
ABS MIN TMP (F)	-9	-24	-2	19	25	34	37	39	28	21	12	-11	-24	11	3766
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.1	1.3	0.9	0.1	0.0	0.0	0.0	2.4	11	3744
MEAN NO DYS TMP = DR LES 32(F)	25.0	22.7	22.2	9.8	2.1	0.0	0.0	0.0	0.8	5.6	13.3	21.3	122.8	11	3766
MEAN NO DYS TMP = DR LES 0(F)	1.1	2.3	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	4.1	11	3766
MEAN DEW PT TMP (F)	25	25	30	38	45	52	55	55	49	43	35	29	40	11	19659
MEAN REL HUM (PCT)	83	83	77	72	72	71	75	78	78	82	87	85	79	11	19534
MEAN PRESS ALT (FT)	308	254	276	340	319	304	362	339	267	266	260	335	303	11	19703
MEAN PRECIP (IN)	1.05	0.93	1.34	1.66	2.02	2.34	3.86	2.47	1.52	1.40	1.18	1.49	21.3	11	3517
MEAN SNOW FALL (IN)						0.0	0.0	0.0						11	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	3.1	2.4	3.9	5.8	5.4	5.8	7.9	6.3	4.5	4.4	3.9	4.4	57.8	11	3517
MEAN NO DYS SNFL = DR GTR 1.5 IN						0.0	0.0	0.0						11	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	2.3	2.2	2.6	1.5	1.0	0.7	0.5	1.5	2.3	5.4	4.0	2.1	26.1	11	3622
MEAN NO DYS TSTMS	0.1	0.1	0.2	1.5	2.9	3.7	5.3	3.9	1.2	0.0	0.0	0.0	18.9	11	3623
P FREQ WND SPD = DR GTR 17 KTS	6.7	6.3	5.3	3.1	3.0	2.2	2.5	2.0	2.6	2.1	3.4	6.3	3.8	11	19787
P FREQ WND SPD = DR GTR 28 KTS	1.2	0.8	0.4	0.2	0.0	0.0	0.0	0.0	0.1	0.1	0.4	0.1	0.3	11	19787
P FREQ LES 5000 FT A/D LES 5 MI	74.3	79.1	65.5	52.7	45.0	36.6	46.7	46.7	48.9	63.9	79.4	76.6	59.6	11	19844
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	38.5	42.4	26.9	20.1	10.3	11.6	12.5	13.5	20.0	35.6	45.4	40.7	26.5	11	3785
03-05 LST	40.4	61.4	39.1	29.0	32.6	25.5	37.6	44.6	34.9	50.9	37.9	54.1	42.3	4	1358
06-08 LST	45.7	57.3	50.3	34.0	21.1	19.2	24.3	25.7	35.1	54.7	59.9	45.1	39.4	11	3816
09-11 LST	49.7	67.1	51.4	22.1	16.5	12.9	12.9	20.5	25.0	55.5	69.4	61.8	38.7	4	1361
12-14 LST	40.0	41.3	24.5	14.6	9.7	6.8	6.9	4.2	7.1	20.6	43.7	40.8	21.6	11	3829
15-17 LST	36.1	39.0	18.4	8.8	9.4	4.9	7.0	4.7	8.0	22.2	50.6	51.7	21.7	4	1361
18-20 LST	38.3	43.4	28.3	12.4	6.7	3.1	5.5	3.2	9.6	27.1	44.2	40.0	21.8	11	3811
21-23 LST	35.9	53.4	25.7	10.7	7.5	7.2	11.6	11.5	16.4	33.5	54.1	57.7	27.1	4	1379
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	5.6	7.3	5.0	3.2	0.9	1.6	0.0	2.1	6.7	13.6	10.1	7.7	5.3	11	3785
03-05 LST	5.3	12.3	9.2	1.3	7.3	1.8	6.0	9.2	8.7	23.0	17.4	12.8	9.9	4	1358
06-08 LST	6.1	15.3	11.4	5.4	1.5	1.2	1.6	2.6	9.4	22.5	21.4	8.4	8.9	11	3816
09-11 LST	18.3	15.1	8.9	2.7	0.0	0.0	0.0	0.0	1.7	14.3	27.6	16.5	8.7	4	1361
12-14 LST	5.5	4.4	2.2	0.0	0.3	0.6	0.6	0.0	0.0	1.2	6.2	8.9	2.3	11	3829
15-17 LST	6.1	4.6	2.6	0.0	0.0	0.0	0.0	0.8	0.0	4.1	7.0	12.0	3.1	4	1361
18-20 LST	7.5	5.5	1.5	1.0	0.0	0.0	0.3	0.3	1.6	4.9	8.5	7.3	3.2	11	3811
21-23 LST	10.0	8.5	5.8	1.7	0.0	0.8	0.9	0.0	4.3	9.3	20.4	9.9	6.0	4	1379

WROCLAW, POLAND

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	20.9	17.6	23.7	25.0	28.6	27.0	27.8	27.2	24.6	21.0	17.7	20.4	281.5	11	3785
	07 LST	19.3	13.5	16.5	21.4	26.0	25.2	24.8	23.4	20.1	14.7	13.4	19.0	237.3	11	3816
	13 LST	20.9	18.1	25.1	27.6	29.9	28.6	30.0	30.3	28.9	26.2	18.4	20.0	304.0	11	3829
	19 LST	20.6	17.0	23.7	27.4	29.8	29.3	29.8	30.2	27.7	23.0	18.2	20.3	297.0	11	3811
CIG = GTR 2000 FT AND VSBY = GTR 3 MI //SFC WND LES 10 KTS	01 LST	10.6	10.6	15.3	19.9	25.1	24.2	23.5	23.6	20.1	15.6	10.2	11.2	210.1	11	3783
	07 LST	7.8	7.3	9.9	14.2	18.2	19.8	17.9	18.9	14.7	10.1	7.9	9.6	156.3	11	3814
	13 LST	7.2	7.5	10.1	13.3	15.2	16.7	16.3	17.4	16.9	12.7	8.9	9.4	151.6	11	3828
	19 LST	10.9	9.3	15.2	20.8	24.5	25.0	24.1	26.8	23.4	19.3	11.7	10.9	220.9	11	3908
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	1.1	0.9	1.1	0.3	0.3	0.2	0.2	0.1	0.5	0.3	0.4	1.8	7.2	11	3791
	07 LST	1.2	0.8	0.8	0.1	0.3	0.3	0.6	0.2	0.1	0.2	0.7	1.1	6.4	11	3836
	13 LST	3.1	1.5	2.3	1.7	2.0	1.7	1.5	1.6	1.6	1.8	1.1	1.5	21.4	11	3852
	19 LST	1.2	1.0	0.8	0.4	0.2	0.0	0.4	0.2	0.3	0.2	0.2	1.3	8.2	11	3827
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	4.3	3.6	5.8	9.9	12.4	11.4	12.8	10.9	10.6	10.5	9.7	6.3	108.2	11	3780
	07 LST	3.2	3.3	6.2	9.9	14.5	13.9	14.0	13.1	11.9	11.3	8.7	4.8	114.8	11	3826
	13 LST	5.8	5.7	11.1	14.2	15.9	16.2	14.1	14.6	16.6	15.1	12.4	8.9	150.6	11	3843
	19 LST	4.4	5.6	11.4	15.2	16.3	16.1	14.2	13.4	15.7	13.4	10.9	6.6	142.7	11	3819
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	5.9	5.0	10.9	11.6	13.7	13.0	13.6	14.4	14.1	8.1	5.3	5.7	121.3	11	3795
	07 LST	3.4	2.9	4.3	4.4	8.7	8.4	7.6	6.5	7.6	2.5	2.0	3.7	62.0	11	3835
	13 LST	3.5	2.9	7.4	4.8	5.7	4.9	5.6	4.4	7.1	5.9	3.7	4.3	60.2	11	3854
	19 LST	5.2	5.0	9.1	8.2	7.6	8.5	7.7	7.7	10.8	10.6	5.7	6.8	92.9	11	3827
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	15.7	13.0	20.4	21.6	25.4	25.0	24.9	25.6	22.3	17.7	13.4	14.9	239.9	11	3785
	07 LST	12.9	9.4	13.1	16.6	22.0	22.4	20.8	21.6	17.8	12.4	9.4	13.5	191.9	11	3816
	13 LST	14.9	13.6	19.9	21.5	23.9	23.1	23.1	26.7	24.7	21.4	14.5	15.4	246.7	11	3829
	19 LST	15.6	13.5	19.7	23.4	26.5	27.4	27.0	28.3	25.0	20.8	13.8	15.5	256.5	11	3811
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	10.3	8.0	15.5	16.0	19.9	20.7	18.9	20.0	18.0	13.1	8.9	10.0	179.8	11	3785
	07 LST	8.4	6.5	9.9	12.3	18.0	19.4	16.5	17.0	14.1	9.2	5.8	8.8	145.9	11	3816
	13 LST	11.1	10.7	16.1	16.5	17.1	18.7	18.4	20.1	19.9	17.4	11.6	12.4	190.0	11	3829
	19 LST	9.7	9.4	16.9	18.5	21.2	23.5	22.2	23.5	20.6	15.8	9.4	10.9	201.6	11	3811
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	10.7	8.0	15.3	15.9	19.9	20.6	18.9	20.0	17.9	13.0	8.9	10.0	179.1	11	3785
	07 LST	8.4	6.5	9.9	12.2	18.0	19.4	16.4	16.8	14.1	9.2	5.8	8.8	145.5	11	3816
	13 LST	11.0	10.7	16.0	16.5	17.1	18.7	18.4	20.1	19.9	17.4	11.6	12.3	199.7	11	3829
	19 LST	9.7	9.2	10.8	18.5	21.1	23.4	22.2	23.5	20.5	15.8	9.4	10.9	201.0	11	3811

KALISZ, POLAND

STA NO. 12435 (IN AREA NUMBER 02)

LATITUDE 5144N

LONGITUDE 01805E

ELEVATION(FT) 00470

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	48	55	68	81	86	91	95	95	88	77	64	61	95	12	3433
MEAN MAX TMP (F)	31	32	41	55	63	72	73	74	67	56	43	35	54	12	3433
MEAN MIN TMP (F)	22	21	28	38	44	52	54	54	48	41	34	27	39	12	3476
ABS MIN TMP (F)	-13	-18	-6	19	25	32	39	43	32	19	18	-6	-18	12	3476
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.4	1.2	1.1	0.0	0.0	0.0	0.0	2.7	12	3433
MEAN NO DYS TMP = OR LES 32(F)	26.8	24.0	23.4	8.7	1.1	0.1	0.0	0.0	0.2	3.9	14.2	22.3	124.7	12	3476
MEAN NO DYS TMP = OR LES 0(F)	1.9	3.3	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	5.7	12	3476
MEAN DEW PT TMP (F)	22	22	29	39	46	53	55	55	50	43	36	27	40	11	16491
MEAN REL HUM (PCT)	89	88	81	77	77	74	77	78	81	86	90	91	82	11	16391
MEAN PRESS ALT (FT)	119	372	362	415	410	406	435	438	345	327	387	381	383	11	16512
MEAN PRECIP (IN)	1.02	1.21	1.03	1.47	2.06	1.77	3.40	1.86	1.65	1.20	1.40	1.48	19.5	12	3094
MEAN SNOW FALL (IN)						0.0	0.0	0.0						12	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	3.1	4.4	3.5	5.2	6.6	5.1	8.3	4.8	4.1	4.6	4.0	5.1	59.5	12	3094
MEAN NO DYS SNFL = OR GTR 1.5 IN						0.0	0.0	0.0						12	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 M.	2.0	2.6	2.9	1.1	0.3	0.1	0.6	1.1	1.8	5.3	4.6	3.1	25.5	11	2733
MEAN NO DYS TSTMS	0.0	0.0	0.0	1.8	3.9	4.8	4.1	3.8	0.8	0.0	0.0	0.0	19.2	11	2739
P FREQ WND SPD = OR GTR 17 KTS	2.7	3.3	3.4	1.3	1.2	0.5	0.6	1.0	1.4	1.7	2.2	2.4	1.8	11	16539
P FREQ WND SPD = OR GTR 28 KTS	0.2	0.0	0.1	0.1	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	11	16539
P FREQ LES 5000 FT A/D LES 5 MI	65.2	65.4	50.1	42.2	46.9	34.3	39.5	39.5	39.1	55.8	68.1	72.6	51.6	11	16988
P FREQ LES 1900 FT A/D LES 3 MI															
FOR 00-02 LST	27.4	24.9	17.1	14.5	10.7	6.4	7.2	6.2	10.0	24.8	33.4	35.3	18.2	12	3291
03-05 LST	36.5	45.6	24.5	21.7	20.0	15.8	17.6	15.3	13.9	37.0	46.7	44.9	28.4	5	1516
06-08 LST	29.8	37.4	24.3	24.1	15.7	10.8	16.5	13.6	22.7	37.4	40.0	34.1	25.5	12	3473
09-11 LST	40.6	45.8	28.9	18.4	22.3	12.3	18.0	14.4	16.7	36.5	44.6	48.4	28.9	5	1495
12-14 LST	29.3	29.6	16.8	13.7	10.4	10.2	10.8	9.0	10.7	18.7	27.7	35.2	18.5	12	3373
15-17 LST	28.4	32.3	19.9	11.8	14.5	10.7	10.5	10.8	9.5	16.1	36.4	42.6	20.3	5	1512
18-20 LST	25.0	24.0	15.5	9.9	7.5	4.8	6.9	7.5	6.5	14.0	27.8	33.6	15.3	12	3460
21-23 LST	33.3	32.7	17.3	11.4	9.4	5.1	10.9	8.1	10.3	25.3	41.6	41.7	20.6	5	1518
P FREQ LES 300 FT A/D LES 1 MI															
FUR 00-02 LST	1.8	3.6	1.2	0.7	0.0	0.0	0.4	0.7	1.8	7.3	6.7	3.3	2.3	12	3291
03-05 LST	3.5	6.8	5.1	1.7	0.8	0.9	2.6	2.2	2.7	10.2	9.0	3.4	4.1	5	1516
06-08 LST	3.3	5.3	6.3	3.5	1.0	0.4	1.9	1.4	4.4	14.3	8.7	4.0	4.5	12	3473
09-11 LST	5.7	7.4	4.4	0.0	0.9	0.0	0.0	0.0	0.0	8.3	8.7	9.0	3.7	5	1495
12-14 LST	1.9	2.9	0.7	0.0	0.0	0.3	0.0	0.0	0.4	0.7	3.6	4.0	1.2	12	3373
15-17 LST	0.9	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.2	2.0	0.7	5	1512
18-20 LST	2.1	2.7	1.1	0.0	0.0	0.0	0.4	0.3	0.0	1.0	3.7	3.2	1.2	12	3460
21-23 LST	1.7	2.9	0.9	0.0	0.0	0.0	0.8	1.4	0.0	5.4	8.5	4.1	2.1	5	1518

KALISZ, POLAND

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	26.8	24.2	28.7	28.0	29.7	29.4	30.1	30.2	28.5	25.3	23.2	24.8	328.9	12	3291
	07 LST	25.3	20.8	26.1	25.5	28.2	28.3	27.4	28.2	25.1	21.3	21.3	24.5	302.0	12	3473
	13 LST	25.6	23.5	29.1	28.8	30.3	29.2	30.0	30.4	29.1	27.9	24.3	23.5	331.7	12	3373
	19 LST	27.0	24.4	28.5	29.2	30.2	29.7	29.9	30.4	29.3	28.3	24.4	24.7	336.0	12	3460
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	14.8	15.6	18.9	22.1	24.8	26.0	26.9	27.1	23.6	20.2	14.9	13.8	248.7	12	3286
	07 LST	13.9	12.8	16.7	18.6	22.0	22.9	22.8	22.7	19.6	16.3	12.9	13.6	214.8	12	3467
	13 LST	13.9	13.5	15.3	16.9	18.0	18.3	20.2	18.4	17.6	16.9	14.9	13.5	197.4	12	3369
	19 LST	16.9	16.6	19.0	22.6	25.3	25.3	26.0	25.4	25.4	23.7	15.9	14.4	256.5	12	3459
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	1.0	0.9	0.6	0.3	0.0	0.0	0.0	0.1	0.3	0.4	0.5	0.4	4.5	12	3314
	07 LST	1.0	0.3	0.5	0.3	0.0	0.0	0.2	0.0	0.2	0.3	0.5	0.7	4.5	12	3491
	13 LST	0.9	0.6	1.0	0.8	0.3	0.4	0.7	0.5	0.5	0.7	0.6	0.5	7.5	12	3391
	19 LST	1.1	0.3	0.5	0.1	0.2	0.1	0.1	0.0	0.1	0.3	0.3	0.8	3.9	12	3482
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	3.9	3.7	5.9	12.5	12.1	12.0	12.4	11.1	11.1	11.1	9.1	4.8	109.7	12	3300
	07 LST	3.2	2.9	4.6	12.5	16.0	13.7	14.0	13.3	14.2	12.5	6.8	5.0	118.7	12	3479
	13 LST	4.7	4.6	12.4	17.1	18.9	17.9	18.5	17.3	18.6	15.1	13.3	6.9	165.3	12	3378
	19 LST	4.6	4.8	9.7	15.1	14.8	15.5	12.5	11.2	12.5	11.0	8.7	5.7	126.1	12	3474
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	6.4	7.8	12.0	13.0	14.4	12.7	14.0	16.5	16.0	11.3	7.3	6.7	138.1	12	3312
	07 LST	6.4	3.8	7.0	6.4	8.8	9.5	8.3	8.5	8.4	4.8	3.0	4.2	79.1	12	3489
	13 LST	5.1	5.9	6.4	4.6	4.3	3.7	3.8	3.8	6.3	5.5	3.1	3.7	56.2	12	3390
	19 LST	8.2	8.2	9.8	6.9	7.5	7.4	7.8	6.7	9.8	14.2	8.1	6.5	101.1	12	3480
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	16.2	16.5	20.9	22.1	24.2	25.1	26.0	26.3	24.2	19.9	15.3	14.2	250.9	12	3291
	07 LST	16.4	13.2	19.6	18.9	22.4	23.9	23.1	24.2	19.8	15.9	13.1	15.0	225.5	12	3473
	13 LST	16.8	15.5	21.1	20.6	22.6	23.2	22.9	23.8	22.7	20.5	17.2	15.2	242.1	12	3373
	19 LST	17.9	17.0	22.6	23.3	25.2	26.2	26.1	25.8	25.3	23.9	17.5	15.0	265.8	12	3460
CIG = GTR 5000 FT AND VSBY = GTR 3 MI	01 LST	12.6	14.2	18.0	19.9	21.6	22.4	23.5	23.7	22.0	17.0	12.6	12.0	219.5	12	3291
	07 LST	13.3	11.3	17.6	16.8	19.7	21.5	20.9	22.0	17.0	13.0	10.4	12.4	195.9	12	3473
	13 LST	14.2	14.2	18.6	15.9	16.7	18.0	17.5	18.9	18.8	17.1	14.0	12.4	196.3	12	3373
	19 LST	14.7	14.7	20.2	20.3	21.3	23.9	23.0	23.1	22.8	22.0	14.9	12.2	233.1	12	3460
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	12.6	14.1	18.0	19.9	21.6	22.4	23.5	23.7	22.0	17.0	12.6	12.0	219.4	12	3291
	07 LST	13.3	11.3	17.6	16.8	19.7	21.5	20.9	22.0	17.0	13.0	10.4	12.4	195.9	12	3473
	13 LST	14.2	14.2	18.6	15.9	16.7	18.0	17.5	18.9	18.8	17.1	13.9	12.4	196.2	12	3373
	19 LST	14.7	14.7	20.2	20.3	21.3	23.9	23.0	23.1	22.8	22.0	14.9	12.2	233.1	12	3460

WIELUN, POLAND

STA NO. 12455 (IN AREA NUMBER 02)

LATITUDE 5113N

LONGITUDE 01835E

ELEVATION(FT) 00651

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	46	54	70	82	84	88	91	97	90	79	59	54	97	5	1490
MEAN MAX TMP (F)	32	29	41	53	64	72	74	74	67	56	41	37	53	5	1490
MEAN MIN TMP (F)	23	15	27	36	45	53	56	54	49	41	32	30	38	5	1532
ABS MIN TMP (F)	-13	-18	1	25	28	39	46	46	36	21	12	5	-10	5	1532
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.9	0.2	0.0	0.0	0.0	2.4	5	1490
MEAN NO DYS TMP = DR LES 32(F)	27.5	24.9	25.3	10.7	1.5	0.0	0.0	0.0	0.0	3.2	16.6	19.8	129.5	5	1532
MEAN NO DYS TMP = DR LES 0(F)	1.5	5.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.5	5	1532
MEAN DEW PT TMP (F)	22	18	28	36	45	53	56	55	50	42	31	30	39	5	3056
MEAN REL HUM (PCT)	85	83	81	78	71	73	76	76	79	85	85	88	80	5	3012
MEAN PRESS ALT (FT)	573	566	495	595	562	605	639	628	536	495	429	513	553	5	3088
MEAN PRECIP (IN)	1.41	1.11	1.06	2.16	1.66	2.56	4.22	1.65	1.40	1.39	1.08	2.06	21.8	5	1309
MEAN SNOW FALL (IN)						0.0	0.0	0.0	0.0					5	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	4.6	4.2	3.4	7.5	4.5	5.6	8.2	4.8	4.4	4.5	3.0	7.0	61.7	5	1309
MEAN NO DYS SNFL = DR GTR 1.5 IN						0.0	0.0	0.0	0.0					5	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	1.2	0.9	3.0	1.7	0.5	0.0	0.0	0.0	0.5	3.9	3.7	3.3	18.7	5	775
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	1.3	4.9	6.6	4.4	1.0	0.0	0.0	0.0	18.2	5	776
P FREQ WND SPD = DR GTR 17 KTS	3.4	2.5	1.9	1.4	0.4	0.7	0.0	0.0	0.0	1.8	3.1	2.7	1.5	5	3104
P FREQ WND SPD = DR GTR 28 KTS	0.5	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	5	3104
P FREQ LES 5000 FT A/D LES 5 MI	72.5	69.8	61.5	56.2	36.5	35.0	44.8	45.2	38.3	66.1	63.5	74.6	95.3	5	3708
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 0-02 LST	35.6	41.0	28.4	21.8	8.7	9.9	13.4	7.7	13.8	35.3	39.6	40.9	24.7	5	1293
03-05 LST														0	0
06-08 LST	40.4	48.0	29.8	29.3	11.9	13.3	19.9	15.6	31.8	34.4	44.4	39.5	29.9	5	1538
09-11 LST														0	0
12-14 LST	30.9	28.2	17.3	20.5	9.7	5.0	5.6	7.3	8.6	20.5	25.1	32.5	17.6	5	1327
15-17 LST														0	0
18-20 LST	39.3	26.5	15.8	16.6	7.5	2.5	4.9	2.7	6.8	23.5	29.9	37.0	17.8	5	1491
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	4.1	4.2	4.1	2.8	0.8	0.0	0.8	0.0	0.0	3.1	6.5	4.8	2.6	5	1293
03-05 LST														0	0
06-08 LST	4.7	6.8	6.7	4.0	0.8	0.8	1.5	0.0	4.4	11.2	10.5	5.9	4.8	5	1538
09-11 LST														0	0
12-14 LST	1.8	3.7	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.9	4.0	1.3	5	1327
15-17 LST														0	0
18-20 LST	1.9	3.4	0.0	0.8	0.0	0.0	0.0	0.0	0.0	0.8	4.0	2.2	1.1	5	1491
21-23 LST														0	0

WIELUN, POLAND

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	24.3	19.7	25.3	25.8	29.9	28.5	28.8	29.4	27.0	22.1	20.6	22.8	304.7	5	1293
	07 LST	23.7	18.3	24.7	23.6	29.8	27.6	27.3	27.0	21.6	21.1	19.8	23.3	287.8	5	1538
	13 LST	24.4	23.1	29.4	26.6	30.4	29.8	30.5	29.7	28.7	27.2	25.0	23.3	328.1	5	1327
	19 LST	22.9	22.5	29.1	27.4	30.3	29.5	30.3	30.8	28.9	25.6	23.5	23.4	324.2	5	1491
CIG =GTR 2000 FT AND VSBY =GTR 3 MI: W/SFC WND LES 10 KTS	01 LST	11.5	9.7	16.1	18.8	25.7	24.4	24.0	26.3	23.3	15.0	12.1	9.8	216.7	5	1291
	07 LST	7.6	8.9	13.9	14.9	21.8	21.9	20.4	23.7	17.2	15.8	11.6	10.7	188.4	5	1534
	13 LST	12.3	13.2	14.1	14.7	17.2	19.2	18.2	20.2	16.6	14.4	13.7	13.8	187.6	5	1325
	19 LST	10.5	15.6	18.3	20.4	25.2	27.7	26.3	28.2	25.5	20.3	15.7	13.4	247.1	5	1485
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	1.6	0.3	0.9	0.3	0.0	0.0	0.0	0.0	0.0	0.6	0.6	0.5	4.8	5	1307
	07 LST	1.2	0.2	0.0	0.2	0.2	0.0	0.0	0.0	0.2	0.0	0.5	0.2	2.7	5	1541
	13 LST	0.8	0.3	0.3	0.5	0.3	0.0	0.0	0.0	0.0	0.3	0.9	0.5	3.9	5	1332
	19 LST	1.8	0.5	0.3	0.7	0.0	0.0	0.0	0.0	0.0	0.2	0.5	0.2	4.2	5	1501
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	3.6	2.1	5.6	13.5	15.0	11.9	12.4	13.3	15.1	16.4	7.0	7.1	123.0	5	1300
	07 LST	2.4	1.4	6.6	11.7	19.4	16.5	15.6	14.6	16.0	15.8	7.5	7.9	135.4	5	1539
	13 LST	5.5	4.1	11.6	15.8	15.6	19.4	19.1	19.4	16.3	19.1	13.0	9.7	168.8	5	1326
	19 LST	2.8	3.2	8.5	15.2	16.2	14.7	13.1	9.6	10.5	14.9	9.3	6.6	124.6	5	1489
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	6.7	8.3	14.4	11.7	13.4	14.0	15.4	16.9	14.6	11.7	7.6	5.3	140.0	5	1309
	07 LST	4.6	3.3	7.0	7.3	10.1	10.8	11.3	8.2	7.3	5.7	3.1	3.8	82.5	5	1547
	13 LST	6.9	5.7	9.1	5.8	6.9	5.4	5.7	6.3	8.1	6.3	4.0	4.2	74.4	5	1333
	19 LST	7.7	10.9	12.2	7.4	8.6	8.6	10.3	10.3	12.1	13.9	7.6	6.3	115.9	5	1502
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	14.3	12.7	18.4	19.6	24.8	23.6	22.6	26.4	23.4	16.8	14.5	12.7	229.8	5	1293
	07 LST	12.0	10.4	18.1	17.7	24.1	23.9	21.1	24.1	18.5	17.6	12.2	12.4	212.1	5	1538
	13 LST	17.0	16.3	20.5	18.5	23.2	24.6	25.2	25.2	24.6	20.1	18.6	17.3	251.1	5	1327
	19 LST	13.7	17.5	22.4	20.5	25.4	26.4	26.0	27.7	25.0	20.7	16.7	14.3	256.3	5	1491
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	11.8	11.5	17.1	17.1	21.5	20.1	19.0	24.2	21.2	14.7	12.6	10.3	201.1	5	1293
	07 LST	9.5	9.3	16.7	15.5	22.1	22.4	18.8	22.1	17.2	14.3	9.9	9.1	186.9	5	1578
	13 LST	14.5	14.8	18.0	13.9	18.3	19.8	20.8	20.9	21.8	16.9	16.3	14.8	210.8	5	1327
	19 LST	11.7	15.7	20.9	16.9	22.3	22.3	21.9	24.7	21.7	18.7	13.7	11.8	222.3	5	1491
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	11.8	11.5	17.1	17.1	21.5	20.1	19.0	24.2	21.2	14.7	12.6	10.0	200.8	5	1293
	07 LST	9.5	9.3	16.7	15.2	22.1	22.4	18.8	22.1	17.2	14.3	9.9	9.1	186.6	5	1538
	13 LST	14.5	14.8	18.0	13.9	18.3	19.8	20.8	20.9	21.8	16.9	16.3	14.8	210.8	5	1327
	19 LST	11.7	15.7	20.9	16.9	22.3	22.3	21.9	24.7	21.7	18.7	13.7	11.8	222.3	5	1491

LODZ, POLAND

STA NO. 12465 (IN AREA NUMBER 02)

LATITUDE 5146N

LONGITUDE 01929E

ELEVATION(FT) 00614

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	52	54	68	82	86	95	97	97	90	77	64	59	97	12	4093
MEAN MAX TMP (F)	30	32	40	55	64	72	74	73	66	56	43	34	53	12	4093
MEAN MIN TMP (F)	22	20	27	37	44	51	54	53	47	41	34	27	38	12	4069
ABS MIN TMP (F)	-24	-17	-6	18	27	32	41	39	28	18	12	-8	-24	12	4069
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.4	1.5	1.0	0.1	0.0	0.0	0.0	3.0	12	4093
MEAN NO DYS TMP = OR LES 32(F)	27.6	24.1	24.1	9.9	1.8	0.1	0.0	0.0	0.3	4.5	14.4	22.7	129.5	12	4069
MEAN NO DYS TMP = D. LES 0(F)	1.8	2.8	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	5.1	12	4069
MEAN DEW PT TMP (F)	22	22	28	37	44	51	54	54	48	42	35	27	39	12	21882
MEAN REL HUM (PCT)	87	87	80	73	72	71	73	76	78	83	89	89	90	12	21770
MEAN PRESS ALT (FT)	524	497	498	567	551	553	593	592	498	476	516	539	534	12	21972
MEAN PRECIP (IN)	1.07	1.32	1.11	1.46	1.90	2.31	3.96	2.16	2.15	1.27	1.40	1.38	21.5	12	3809
MEAN SNOW FALL (IN)						0.0	0.0	0.0						12	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	3.3	4.1	3.6	5.3	5.8	6.0	8.2	6.0	5.6	4.4	4.5	4.7	61.5	12	3809
MEAN NO DYS SNFL = OR GTR 1.5 IN						0.0	0.0	0.0						12	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	3.6	4.5	2.1	1.6	0.9	0.5	0.7	1.0	2.4	5.7	4.6	3.9	31.5	12	3854
MEAN NO DYS TSTMS	0.1	0.2	0.0	1.2	4.0	4.9	5.9	4.3	1.7	0.1	0.1	0.1	22.6	12	3865
P FREQ WND SPD = OR GTR 17 KTS	11.3	10.1	12.1	8.3	3.9	2.5	2.4	4.0	4.5	5.2	8.5	10.2	6.9	12	22001
P FREQ WND SPD = OR GTR 28 KTS	1.1	0.9	0.3	0.1	0.1	0.0	0.0	0.1	0.0	0.2	0.2	0.2	0.3	12	22001
P FREQ LES 5000 FT A/D LES 5 MI	80.1	83.4	59.3	50.7	46.9	40.8	42.8	43.5	49.7	64.6	80.1	82.2	60.3	12	22244
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	49.5	51.4	30.1	17.8	15.4	12.3	13.9	9.6	18.2	33.2	51.1	53.4	29.7	12	4105
03-05 LST	54.0	64.9	38.6	22.3	32.3	21.9	30.4	29.7	29.5	46.3	58.2	62.5	40.9	5	1743
06-08 LST	57.8	72.2	51.7	40.5	24.8	19.5	23.5	28.2	43.9	59.3	67.3	59.4	45.7	12	4130
09-11 LST	64.3	80.8	43.5	20.7	17.1	12.1	15.3	15.7	20.6	39.8	67.1	67.3	38.7	5	1737
12-14 LST	54.3	53.1	28.5	18.1	10.3	8.3	9.9	8.6	13.8	22.4	46.2	56.8	27.5	12	4147
15-17 LST	57.8	58.8	24.1	12.0	6.6	5.4	9.4	7.1	7.9	16.9	54.1	66.6	27.2	5	1723
18-20 LST	52.5	48.8	27.8	17.7	7.4	5.2	9.4	5.7	12.6	26.4	48.2	55.6	26.4	12	4135
21-23 LST	53.6	61.6	25.0	8.0	9.2	6.1	7.5	7.8	15.0	32.7	53.4	62.2	28.5	6	1746
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	5.4	8.4	4.4	1.2	1.7	1.8	2.3	0.0	3.6	9.8	11.9	8.4	4.9	12	4105
03-05 LST	4.1	12.8	6.7	1.4	4.6	4.9	2.0	4.7	7.6	16.0	11.2	8.7	7.1	5	1743
06-08 LST	8.9	18.0	11.0	8.5	3.9	2.3	3.3	4.5	11.3	17.8	19.0	9.9	9.9	12	4130
09-11 LST	14.2	26.5	7.4	2.8	2.0	0.7	0.0	0.0	0.7	8.3	12.4	17.2	7.7	5	1737
12-14 LST	9.5	8.8	2.3	0.6	0.6	0.6	0.0	0.0	0.6	3.1	8.5	11.7	3.9	12	4147
15-17 LST	6.9	10.5	4.8	0.7	0.7	0.0	0.7	0.7	0.7	3.4	9.8	12.2	4.3	5	1723
18-20 LST	6.1	6.0	1.7	0.9	0.3	0.3	1.2	0.0	0.3	1.4	7.1	9.2	2.9	12	4135
21-23 LST	7.4	9.8	4.8	0.0	0.0	0.0	0.7	0.0	1.4	7.5	13.0	10.1	4.6	6	1746

LODZ, POLAND

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	18.4	15.7	23.7	26.4	27.3	27.3	27.7	29.1	25.7	21.8	17.5	16.9	277.5	12	4105
	07 LST	16.3	9.8	15.3	19.4	24.9	25.6	24.6	22.9	17.8	13.7	11.1	15.4	217.8	12	4130
	13 LST	15.8	15.1	24.5	27.0	29.4	28.9	29.6	29.8	27.9	26.1	17.6	15.1	286.8	12	4147
	19 LST	17.6	16.3	24.3	26.7	29.7	29.2	29.0	30.1	27.3	24.1	17.7	16.1	288.1	12	4135
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	7.3	7.4	12.1	17.1	21.7	22.8	23.2	23.9	20.0	16.0	8.2	7.9	187.6	12	4095
	07 LST	4.4	3.6	6.2	10.4	16.5	17.6	18.8	16.2	12.2	7.4	4.9	4.7	122.7	12	4122
	13 LST	4.7	4.2	6.2	9.0	10.5	11.7	11.7	11.1	9.6	10.1	6.0	4.4	99.2	12	4133
	19 LST	5.8	7.4	11.7	16.9	21.2	21.6	22.6	23.4	20.9	16.4	7.9	6.1	181.9	12	4127
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	2.5	1.6	2.3	1.1	0.2	0.0	0.3	0.3	0.5	0.7	1.3	1.5	12.3	12	4103
	07 LST	2.9	2.2	2.2	1.4	1.1	0.5	0.6	0.4	0.6	0.4	1.2	1.8	15.3	12	4144
	13 LST	3.8	3.2	5.6	4.5	3.3	1.8	1.9	3.4	3.0	3.2	2.5	2.7	38.9	12	4153
	19 LST	2.2	1.7	2.5	1.5	0.4	0.3	0.3	0.3	0.2	0.3	1.1	1.8	12.6	12	4150
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	2.2	2.2	5.0	11.7	13.3	12.0	12.2	12.3	12.5	14.8	7.8	4.3	110.3	12	4092
	07 LST	1.5	2.3	4.9	11.4	16.5	15.7	16.1	16.3	14.0	12.9	7.8	4.4	123.8	12	4141
	13 LST	3.1	4.0	6.6	11.6	13.3	13.4	14.1	12.7	12.1	14.4	12.0	6.6	123.9	12	4149
	19 LST	3.3	3.3	7.8	14.6	18.1	16.5	14.1	16.2	13.7	14.7	9.4	4.9	136.6	12	4135
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	4.7	5.3	10.5	11.9	13.3	13.0	13.6	16.3	14.0	9.3	5.9	5.2	123.0	12	4115
	07 LST	3.5	1.6	5.3	5.6	7.5	9.0	8.0	7.6	6.4	3.2	1.8	2.8	62.3	12	4146
	13 LST	3.0	2.9	6.7	5.0	3.5	3.5	3.8	3.6	6.5	5.2	2.9	2.7	49.3	12	4158
	19 LST	5.0	6.3	9.9	7.0	7.4	8.5	8.5	7.8	11.3	11.6	5.6	5.0	93.9	12	4156
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	11.5	10.5	18.3	21.2	23.6	23.9	23.4	25.3	22.1	17.7	11.0	10.9	219.4	12	4105
	07 LST	9.1	5.0	12.7	15.3	20.8	22.0	21.9	20.7	15.2	10.9	7.6	9.0	170.2	12	4130
	13 LST	11.7	10.5	18.8	19.5	23.4	23.5	23.2	24.4	22.0	20.3	13.5	10.9	221.7	12	4147
	19 LST	10.9	11.3	19.3	21.1	26.1	25.9	25.7	27.0	23.5	19.9	11.9	10.4	233.0	12	4135
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	8.3	8.4	15.2	16.9	19.6	19.4	18.6	21.6	19.0	13.3	8.8	8.4	177.5	12	4105
	07 LST	7.2	3.5	11.0	12.5	17.2	19.4	19.4	18.2	13.4	9.3	5.5	7.0	143.6	12	4130
	13 LST	9.8	5.9	16.4	14.3	15.3	16.4	16.3	18.7	17.7	17.0	11.0	8.8	170.6	12	4147
	19 LST	8.9	8.8	16.4	17.6	21.5	21.5	22.7	22.9	20.6	16.7	8.8	8.1	194.5	12	4135
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	8.3	8.4	15.1	16.9	19.6	19.4	18.6	21.6	19.0	13.3	8.8	8.1	177.1	12	4105
	07 LST	7.2	3.5	11.0	12.3	17.1	19.4	19.4	18.2	13.4	9.3	5.5	7.0	143.3	12	4130
	13 LST	9.6	8.9	16.4	14.2	15.3	16.4	16.3	18.7	17.7	16.9	10.9	8.7	170.0	12	4147
	19 LST	8.8	8.8	16.4	17.5	21.5	21.5	22.7	22.9	20.6	16.7	8.8	7.9	194.1	12	4135

RADOK, ISLAND

STA NO. 12485 (IN AREA NUMBER 02)

LATITUDE 5125N

LONGITUDE 02107E

ELEVATION(FT) 00607

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	48	52	64	79	86	90	99	95	90	77	61	52	99	9	2264
MEAN MAX TMP (F)	31	30	40	53	63	72	74	74	66	56	41	35	53	9	2264
MEAN MIN TMP (F)	23	20	26	36	45	54	57	56	49	40	32	29	39	9	2257
ABS MIN TMP (F)	-13	-17	1	21	27	37	45	46	34	21	14	1	-17	9	2257
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.5	0.7	0.9	0.2	0.0	0.0	0.0	2.3	9	2264
MEAN NO DYS TMP = DR LES 32(F)	26.7	22.4	24.9	10.4	1.3	0.0	0.0	0.0	0.0	4.3	17.1	19.4	126.5	9	2257
MEAN NO DYS TMP = DR LES 0(F)	0.9	3.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.9	9	2257
MEAN DEW PT TMP (F)	22	18	26	36	45	54	57	56	47	40	31	26	38	9	7448
MEAN REL HUM (PCT)	80	80	75	76	72	74	79	75	77	77	84	81	78	9	7296
MEAN PRESS ALT (FT)	513	539	430	530	512	541	616	586	490	447	408	541	513	9	7476
MEAN PRECIP (IN)	2.27	1.72	1.27	1.32	1.22	2.88	3.51	2.38	1.49	1.44	1.84	2.48	23.8	9	1916
MEAN SNOW FALL (IN)						0.0	0.0	0.0	0.0					9	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	6.7	6.6	4.1	4.4	4.0	6.4	7.6	4.7	4.9	5.1	5.2	8.3	68.0	9	1916
MEAN NO DYS SNFL = DR GTR 1.5 IN						0.0	0.0	0.0	0.0					9	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	4.0	4.2	1.4	2.0	0.9	0.0	0.5	0.4	1.3	1.3	5.6	4.6	26.2	9	1557
MEAN NO DYS TSTMS	0.0	0.0	0.2	0.9	1.4	6.1	5.3	4.8	1.5	0.0	0.0	0.0	20.2	9	1562
P FREQ WND SPD = DR GTR 17 KTS	7.8	5.6	9.5	3.0	1.3	0.3	0.2	3.5	3.7	4.0	6.9	14.2	5.0	9	7584
P FREQ WND SPD = DR GTR 28 KTS	2.0	1.2	0.6	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.5	1.9	0.5	9	7584
P FREQ LES 5000 FT A/D LES 5 MI	84.4	69.1	46.6	57.2	39.3	38.1	48.4	37.0	39.3	50.2	77.4	81.7	55.7	9	8034
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	55.8	42.4	24.5	17.3	5.2	10.6	11.5	7.3	7.8	17.3	44.6	55.4	25.0	9	2207
03-05 LST	64.1	46.2	27.9	41.4	33.3	26.9	42.5	24.2	3.6	19.7	61.0	70.8	38.5	2	382
06-08 LST	57.5	60.8	36.7	33.2	20.3	15.4	15.5	16.3	37.3	42.4	59.9	62.3	38.1	9	2293
09-11 LST	68.0	67.9	30.4	43.4	25.1	18.5	24.1	17.8	21.6	18.0	80.2	57.8	39.4	2	376
12-14 LST	54.5	42.1	18.9	14.8	6.9	9.3	8.8	5.8	6.8	15.6	39.6	51.3	22.9	9	2343
15-17 LST	72.0	39.9	15.0	5.2	5.8	9.5	26.1	7.6	2.0	5.4	56.9	74.1	26.6	2	382
18-20 LST	59.2	44.0	21.6	11.9	5.3	6.3	7.6	5.7	6.9	19.0	42.0	58.4	24.0	9	2293
21-23 LST	69.2	40.0	21.2	15.6	14.1	25.1	22.7	16.0	2.0	1.8	65.2	64.4	29.8	2	378
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	13.3	9.5	5.3	2.8	0.5	2.0	1.1	1.0	0.5	3.4	10.4	15.5	5.4	9	2207
03-05 LST	24.1	0.0	11.1	7.1	10.0	7.7	19.4	2.0	0.0	3.6	25.0	31.0	11.4	2	382
06-08 LST	15.4	18.4	11.2	10.7	5.8	2.1	2.3	1.6	11.1	16.5	24.5	21.3	11.7	9	2293
09-11 LST	46.4	39.3	14.3	10.3	7.1	3.7	7.4	0.0	1.9	0.0	44.0	38.5	17.7	2	376
12-14 LST	17.4	12.4	4.3	0.5	0.5	1.0	1.1	0.0	0.5	0.5	7.8	17.2	5.3	9	2343
15-17 LST	33.3	17.2	7.4	0.0	3.8	0.0	3.4	0.0	0.0	0.0	23.3	44.4	11.1	2	382
18-20 LST	12.8	10.3	6.6	3.1	1.0	0.0	0.6	1.0	0.0	1.5	9.2	17.2	5.4	9	2293
21-23 LST	17.2	10.0	11.5	0.0	4.0	3.8	0.0	0.0	2.0	0.0	25.9	39.3	9.5	2	378

RADOM, POLAND

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	17.0	18.3	25.7	25.9	29.8	27.9	28.6	29.1	28.2	27.1	19.5	16.7	293.9	9	2207
	07 LST	17.4	14.2	22.4	21.6	25.8	26.4	27.6	26.6	19.6	18.7	15.2	14.2	249.7	9	2293
	13 LST	17.0	18.4	27.7	28.4	30.0	28.4	29.2	29.8	28.6	27.8	21.5	17.2	304.0	9	2343
	19 LST	16.7	17.9	26.5	28.1	29.5	28.4	28.9	29.6	28.5	26.0	20.1	15.8	296.4	9	2293
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	7.0	10.5	15.5	21.4	27.3	25.2	24.3	26.7	24.4	20.0	10.4	6.7	219.4	9	2204
	07 LST	5.7	4.8	11.9	15.8	19.8	22.7	22.2	21.7	15.1	13.7	7.4	5.3	166.1	9	2287
	13 LST	5.2	9.6	12.3	13.7	17.4	18.1	19.2	18.7	16.5	16.1	7.5	7.3	161.6	9	2342
	19 LST	5.6	10.7	15.3	21.9	27.4	25.2	25.4	26.0	23.8	21.6	11.0	7.2	221.1	9	2288
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	1.4	0.9	2.1	1.0	0.5	0.2	0.2	0.2	0.0	0.3	1.7	2.2	10.7	9	2221
	07 LST	1.8	1.3	1.8	0.3	0.2	0.0	0.0	0.2	0.0	0.5	1.0	2.7	9.8	9	2304
	13 LST	2.1	0.9	3.5	1.7	0.9	0.1	0.0	1.5	3.5	1.1	1.3	2.0	17.6	9	2370
	19 LST	0.9	0.8	2.0	0.5	0.0	0.0	0.0	0.5	0.5	0.9	1.0	1.5	8.6	9	2315
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	3.3	2.9	4.7	9.9	13.0	11.5	12.2	13.5	13.5	14.7	6.9	5.3	111.4	9	2203
	07 LST	1.8	2.1	4.7	10.5	17.5	15.5	14.0	15.4	14.2	13.2	5.8	6.2	120.9	9	2295
	13 LST	3.6	5.6	9.9	14.7	17.8	18.0	18.3	17.2	17.0	19.2	10.4	7.0	158.7	9	2351
	19 LST	3.6	2.3	6.3	12.4	17.2	12.1	11.0	10.8	13.4	13.8	7.4	5.3	115.6	9	2301
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	5.3	6.7	13.6	12.9	14.6	13.8	14.1	17.8	17.4	14.5	6.3	5.4	142.4	9	2224
	07 LST	3.0	3.0	7.3	7.0	10.3	9.5	10.6	10.3	7.4	4.6	2.9	2.8	78.7	9	2298
	13 LST	2.5	5.3	9.8	4.6	3.6	5.0	4.2	5.4	5.8	7.8	2.7	3.6	60.3	9	2363
	19 LST	4.4	6.7	12.4	6.6	7.2	9.6	8.7	10.6	12.5	14.0	6.1	4.3	103.1	9	2314
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	9.7	13.3	20.3	22.2	26.9	24.9	24.7	27.2	25.9	22.9	12.3	10.5	240.8	9	2207
	07 LST	8.0	7.5	16.2	17.5	22.9	23.9	23.3	24.5	17.4	15.6	8.2	8.4	193.4	9	2293
	13 LST	10.9	13.5	21.4	20.3	25.9	24.7	24.6	26.9	25.4	22.7	13.5	12.0	241.8	9	2343
	19 LST	8.2	12.9	21.2	22.3	28.2	26.4	26.6	27.9	26.0	22.9	13.0	9.4	245.0	9	2293
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	7.8	11.7	18.5	19.1	21.0	21.7	20.0	23.5	23.1	19.3	9.4	9.3	204.4	9	2207
	07 LST	6.3	6.4	14.7	14.3	20.3	20.5	18.6	21.4	14.6	12.4	6.4	6.8	162.7	9	2293
	13 LST	9.5	11.7	18.6	12.5	14.5	17.0	16.9	20.1	18.8	19.0	10.8	9.3	178.7	9	2343
	19 LST	7.0	11.1	19.7	16.0	22.9	21.4	21.2	22.2	22.1	19.6	9.6	8.0	200.8	9	2293
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	7.8	11.7	18.5	19.1	21.0	21.7	19.9	23.5	23.0	19.1	9.4	9.3	204.0	9	2207
	07 LST	6.3	6.4	14.7	14.3	20.0	20.4	18.5	21.4	14.6	12.3	6.2	6.8	161.9	9	2293
	13 LST	9.4	11.7	18.6	12.4	14.2	16.8	16.9	20.1	18.8	18.8	10.7	9.3	177.7	9	2343
	19 LST	7.0	11.1	19.5	16.0	22.7	21.4	20.9	22.1	22.0	19.6	9.6	7.8	199.7	9	2293

LUBLIN, POLAND

STA NO. 12495 (IN AREA NUMBER 02)

LATITUDE 5114N

LONGITUDE 02234E

ELEVATION(FT) 00580

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	48	52	66	81	90	93	95	93	88	77	66	59	95	12	4098
MEAN MAX TMP (F)	29	31	39	55	65	72	75	74	66	56	42	34	53	12	4098
MEAN MIN TMP (F)	21	19	25	36	45	52	54	53	46	40	34	26	38	12	4087
ABS MIN TMP (F)	-24	-24	-11	19	28	34	37	37	27	19	12	-11	-24	12	4087
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.1	0.3	0.7	1.2	0.0	0.0	0.0	0.0	2.3	12	4098
MEAN NO DYS TMP = DR LES 32(F)	27.0	23.9	24.7	11.2	1.4	0.0	0.0	0.0	1.3	5.9	13.2	22.3	130.9	12	4087
MEAN NO DYS TMP = DR LES 0(F)	2.7	3.3	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	7.3	12	4087
MEAN DEW PT TMP (F)	21	21	27	37	46	53	56	56	49	42	35	26	39	12	21671
MEAN REL HUM (PCT)	87	86	80	74	74	74	76	79	80	83	88	89	81	12	21459
MEAN PRESS ALT (FT)	458	438	442	509	517	518	553	542	443	405	433	475	478	12	21669
MEAN PRECIP (IN)	1.22	1.51	1.27	1.47	2.54	2.64	2.94	3.00	1.80	1.44	1.85	1.67	23.3	12	3810
MEAN SNOW FALL (IN)						0.0	0.0	0.0						12	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	3.8	5.2	4.9	5.0	6.7	5.9	7.1	6.1	4.2	4.4	5.7	5.5	64.5	12	3810
MEAN NO DYS SNFL = DR GTR 1.5 IN						0.0	0.0	0.0						12	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	2.3	2.6	1.8	0.6	0.5	0.3	0.5	0.7	1.5	4.2	2.3	2.5	19.8	12	3793
MEAN NO DYS TSTMS	0.1	0.0	0.1	1.1	4.1	4.4	6.8	4.4	1.7	0.0	0.0	0.1	22.8	12	3798
P FREQ WND SPD = DR GTR 17 KTS	3.9	4.8	3.7	2.4	1.5	0.7	0.7	0.7	1.1	1.4	3.3	2.9	2.3	12	21766
P FREQ WND SPD = DR GTR 28 KTS	0.4	0.4	0.1	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.1	0.1	0.1	12	21766
P FREQ LES 5000 FT A/D LES 5 MI	67.4	71.8	50.3	40.2	38.9	31.6	36.8	35.1	40.1	53.6	70.7	72.0	50.7	12	21947
P FREQ LES 1500 FT A/D LES 3 MI															
FDR 00-02 LST	33.0	30.3	17.3	7.8	10.1	8.7	5.6	7.2	12.7	27.2	36.0	37.5	19.5	12	4020
03-05 LST	25.6	34.9	19.9	9.7	16.5	12.6	14.6	13.7	14.6	26.8	33.3	38.3	21.7	5	1730
06-08 LST	37.2	44.2	32.9	20.8	15.5	9.8	14.1	11.4	27.4	43.6	52.3	44.0	29.4	12	4108
09-11 LST	36.4	46.7	23.5	14.1	17.1	12.0	14.0	9.8	18.0	27.2	43.7	47.0	25.8	5	1731
12-14 LST	29.3	31.8	20.3	15.7	14.3	9.0	9.7	7.3	14.3	18.1	36.6	35.4	20.2	12	4033
15-17 LST	28.2	34.5	21.6	11.6	7.8	7.1	5.7	4.5	7.4	12.4	39.7	40.6	18.4	5	1720
18-20 LST	31.2	32.7	18.2	9.1	7.8	5.1	6.1	4.1	9.3	14.5	36.6	37.5	17.7	12	4150
21-23 LST	28.6	32.5	17.4	6.5	7.9	8.2	7.5	4.8	9.6	18.6	39.5	37.4	18.2	5	1741
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	4.8	4.2	1.8	0.3	1.1	1.5	0.3	1.1	1.9	8.2	2.8	4.0	2.7	12	4020
03-05 LST	3.4	3.0	3.4	0.7	2.0	1.5	2.7	2.7	5.5	14.3	3.6	4.8	4.0	5	1730
06-08 LST	5.9	8.5	7.1	4.2	0.8	0.3	0.3	2.0	5.9	15.7	9.8	6.9	5.6	12	4108
09-11 LST	4.2	7.5	1.3	0.0	0.0	0.0	0.0	0.0	2.8	4.0	8.6	6.9	2.9	5	1731
12-14 LST	2.6	4.4	1.4	0.0	0.3	0.0	0.0	0.0	0.6	0.9	3.6	5.9	1.6	12	4033
15-17 LST	2.7	5.2	2.1	0.0	0.0	0.0	0.0	0.7	0.4	2.0	5.0	6.3	2.0	5	1720
18-20 LST	4.2	5.9	2.8	0.9	0.0	0.3	0.3	0.0	0.3	1.1	3.9	4.5	2.0	12	4150
21-23 LST	4.1	4.6	2.1	0.0	0.7	0.7	0.7	0.7	0.7	4.6	3.5	2.7	2.1	5	1741

LUBLIN, POLAND

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST	24.7	23.5	28.6	29.0	29.5	28.5	30.2	30.1	27.0	24.6	23.6	23.7	323.0	12	4020
	08 LST	24.1	19.4	24.0	26.2	28.0	28.3	28.6	26.9	23.5	19.1	18.2	22.0	290.3	12	4108
	14 LST	24.9	22.8	28.6	29.3	29.6	28.9	30.0	30.3	28.1	28.4	22.9	23.7	327.5	12	4033
	20 LST	25.5	22.4	28.4	29.3	30.4	29.4	30.1	30.2	28.5	28.9	23.2	23.1	319.4	12	4150
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST	13.2	12.5	18.8	24.2	24.4	25.6	27.0	25.8	23.7	18.8	12.0	11.9	237.9	12	4018
	08 LST	10.6	9.6	13.3	18.2	21.2	23.6	23.5	23.8	18.1	13.8	8.3	10.0	194.0	12	4105
	14 LST	13.0	11.9	12.6	12.6	13.9	17.4	18.5	18.8	14.4	15.1	10.3	11.4	169.9	12	4030
	20 LST	13.7	12.7	17.4	22.5	24.6	26.7	27.0	27.8	24.7	22.2	12.3	12.9	244.5	12	4145
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST	1.0	1.1	0.6	0.2	0.2	0.0	0.1	0.0	0.0	0.2	0.7	0.6	4.7	12	4038
	08 LST	0.9	0.7	0.5	0.2	0.2	0.0	0.1	0.1	0.1	0.2	0.4	0.7	4.1	12	4122
	14 LST	1.5	0.4	1.3	1.4	1.1	0.4	0.4	0.6	1.0	0.4	0.9	0.7	10.1	12	4057
	20 LST	0.9	0.6	0.3	0.3	0.1	0.0	0.0	0.0	0.1	0.2	0.4	0.3	3.2	12	4160
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST	2.9	2.5	5.0	9.6	9.5	7.8	7.6	8.0	9.3	9.6	7.0	4.3	83.1	12	4023
	08 LST	2.9	2.5	4.7	12.0	17.2	17.4	14.3	14.0	12.7	10.3	8.8	4.8	121.6	12	4112
	14 LST	5.7	5.9	9.6	16.8	17.2	19.1	19.2	17.3	17.0	19.7	12.7	7.9	168.1	12	4037
	20 LST	3.7	3.9	8.1	15.3	15.8	15.3	12.6	11.2	10.1	11.9	9.5	4.5	122.1	12	4148
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST	6.3	6.0	11.4	14.0	14.0	15.9	16.4	17.3	15.6	10.7	5.8	6.3	139.7	12	4036
	08 LST	3.9	3.2	6.8	8.3	9.6	10.7	11.0	11.5	9.6	4.9	2.7	4.6	86.8	12	4114
	14 LST	4.5	4.9	8.1	6.7	4.2	5.6	5.6	5.8	7.3	7.9	3.3	4.2	68.1	12	4061
	20 LST	5.6	6.9	11.0	9.7	8.7	10.4	10.2	10.2	13.1	12.9	6.1	5.9	110.7	12	4160
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST	15.4	14.1	21.5	24.4	24.3	25.1	26.6	26.2	24.0	19.1	13.7	13.8	248.2	12	4020
	08 LST	13.2	10.9	16.7	20.6	23.8	25.1	23.9	25.3	19.6	14.8	9.3	11.5	214.7	12	4108
	14 LST	17.6	14.6	20.2	19.1	21.3	23.5	23.2	24.5	22.1	21.2	14.1	15.4	236.8	12	4033
	20 LST	15.9	14.4	21.4	23.6	25.5	26.9	27.0	27.8	24.9	22.6	13.6	14.7	258.3	12	4150
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST	12.2	11.3	18.6	20.8	20.0	22.7	23.0	23.0	21.1	15.9	10.5	11.2	210.9	12	4020
	08 LST	9.8	8.4	14.6	19.0	22.1	23.0	21.8	23.3	18.1	12.8	6.8	8.5	188.2	12	4108
	14 LST	14.7	12.5	17.5	15.1	16.3	18.5	17.4	20.0	19.8	19.0	11.9	12.6	195.3	12	4033
	20 LST	12.7	12.5	18.6	20.6	22.5	25.2	24.5	24.7	21.8	19.1	11.0	11.9	225.1	12	4150
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST	12.0	10.7	18.2	20.3	20.4	22.6	23.0	22.7	20.8	15.8	10.3	10.6	207.4	12	4020
	08 LST	9.3	8.1	14.3	18.4	21.9	23.0	21.5	23.3	17.9	12.8	6.8	8.1	185.8	12	4108
	14 LST	14.1	12.2	17.4	15.1	16.1	18.5	17.4	20.0	19.7	19.0	11.8	12.2	193.5	12	4033
	20 LST	12.6	12.3	15.6	20.3	22.3	24.9	24.3	24.6	21.6	19.1	10.8	11.1	222.5	12	4150

CZESTOCHOWA, POLAND

STA NO. 12550 (IN AREA NUMBER 02)

LATITUDE 5048N

LONGITUDE 01906E

ELEVATION(FT) 00862

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	39	46	61	64	82	82	84	86	84	72	43	43	86	4	120
MEAN MAX TMP (F)	31	33	52	61	68	73	75	74	64	54	37	33	55	4	120
MEAN MIN TMP (F)	16	14				51	54	50	44	44	31	26		2	64
ABS MIN TMP (F)	-11	1				43	50	48	39	37	19	18		2	64
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	120
MEAN NO DYS TMP = OR LES 32(F)	28.8	28.0				0.0	0.0	0.0	0.0	0.0	22.5	31.0		2	64
MEAN NO DYS TMP = OR LES 0(F)	2.2	0.0				0.0	0.0	0.0	0.0	0.0	0.0	0.0		0	0
MEAN DEW PT TMP (F)														0	0
MEAN REL HUM (PCT)														0	0
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)														0	0
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = OR GTR 0.1 IN														0	0
MEAN NO DYS SNFL = OR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI														0	0
MEAN NO DYS TSTMS														0	0
P FREQ WND SPD = OR GTR 17 KTS														0	0
P FREQ WND SPD = OR GTR 28 KTS														0	0
P FREQ LES 5000 FT A/D LES 5 MI														0	0
P FREQ LES 1500 FT A/D LES 3 MI														0	0
FDR 00-02 LST	43.6	49.6	33.7	25.4	13.7	13.2	12.4	5.8	21.0	31.7	49.8	45.5	28.8	8	1035
03-05 LST						50.7	20.0	42.9	28.6	43.4	26.0	65.8		2	70
06-08 LST	54.0	55.2												0	0
09-11 LST														0	0
12-14 LST	48.1	46.9	25.1	25.6	10.8	10.6	6.9	12.1	13.7	25.0	44.6	42.0	26.0	8	1198
15-17 LST														0	0
18-20 LST	49.1	45.5	28.6	22.3	7.2	14.4	11.1	5.4	11.5	21.6	62.2	45.9	27.1	7	555
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														8	1035
FDR 00-02 LST	10.2	6.3	0.0	0.0	1.0	0.0	1.1	0.0	1.2	3.2	3.3	5.3	2.6	0	0
03-05 LST						0.0	0.0	0.0	14.3	14.3	0.0	15.4		2	70
06-08 LST	0.0	10.0				0.0	0.0	0.0	14.3	14.3	0.0	15.4		0	0
09-11 LST														0	0
12-14 LST	8.6	2.3	3.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	9.0	10.2	3.0	8	1198
15-17 LST														0	0
18-20 LST	7.0	2.4	5.4	0.0	0.0	0.0	0.0	0.0	0.0	1.9	14.3	3.6	2.9	7	555
21-23 LST														0	0

CZESTOCHOWA, POLAND

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PCP (YR)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	21.1	16.6	23.6	25.5	27.6	27.1	28.6	29.8	25.6	23.4	17.6	19.5	286.0		1035
	07 LST	17.7	14.0				20.0	24.8	17.7	21.4	22.1	30.0	14.3			70
	13 LST	18.3	16.9	25.7	24.9	30.0	28.2	30.2	29.0	28.1	25.2	19.4	20.3	296.2	8	1198
	19 LST	18.0	17.3	24.3	24.8	29.9	26.3	28.5	30.2	27.4	27.0	13.6	19.9	287.2	7	555
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	13.0	10.5	16.5	18.5	24.7	25.0	25.4	28.6	21.6	18.5	12.5	12.9	227.7	8	1029
	07 LST	8.9	11.2				0.0	24.8	17.7	21.4	13.3	15.0	7.2		2	70
	13 LST	11.7	11.1	19.0	14.8	18.1	20.4	26.0	21.2	20.0	18.4	12.9	14.5	208.1	8	1192
	19 LST	11.5	12.7	19.8	22.0	27.2	23.8	26.6	28.6	24.5	21.6	9.3	12.4	240.0	7	545
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	0.3	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.7	0.3	0.3	2.4	8	1048
	07 LST	2.2	0.0				0.0	0.0	0.0	0.0	0.0	0.0	0.0		2	72
	13 LST	0.3	0.0	0.0	0.3	0.0	0.0	0.0	0.8	0.4	0.0	0.5	0.0	2.3	8	1225
	19 LST	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.7	0.0	2.0	7	561
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	2.6	2.1	3.7	5.2	10.1	6.8	7.7	5.2	5.5	9.0	5.4	4.1	67.4	8	1029
	07 LST	0.0	0.0				0.0	12.4	0.0	11.3	17.7	15.0	0.0		2	67
	13 LST	5.2	5.7	17.7	16.4	22.9	23.5	21.0	15.1	20.7	19.0	11.1	9.2	187.5	8	1202
	19 LST	1.3	3.3	7.3	10.4	19.6	18.6	12.4	15.1	10.3	8.5	4.1	4.5	115.4	7	554
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	7.2	7.5	11.4	12.9	14.9	17.3	14.5	17.1	15.0	11.4	6.1	6.5	141.8	8	1053
	07 LST	2.2	5.6				10.0	24.0	13.3	11.3	8.9	7.5	2.4		2	71
	13 LST	5.6	3.5	8.9	3.7	4.1	3.2	3.8	4.1	5.1	7.1	5.2	5.3	59.6	8	1229
	19 LST	6.7	6.7	11.1	5.2	10.5	11.5	12.2	9.5	12.0	11.8	4.0	7.6	108.8	7	569
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	11.7	10.4	16.0	18.1	23.1	23.1	22.4	25.0	20.2	16.6	10.9	11.7	209.2	8	1035
	07 LST	8.4	10.1				10.0	24.8	17.7	19.7	11.5	15.0	6.2		2	70
	13 LST	12.8	11.4	18.7	16.0	21.1	20.6	22.0	20.6	20.9	18.6	12.7	13.4	208.8	8	1198
	19 LST	11.7	11.5	17.8	17.5	24.9	23.1	23.7	25.3	21.3	19.3	7.9	11.8	215.8	7	555
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	7.8	8.3	13.2	15.3	18.8	20.4	17.2	19.6	17.2	12.9	8.2	7.6	166.5	8	1035
	07 LST	4.4	8.4				10.0	24.8	17.7	17.1	8.9	15.0	4.8		2	70
	13 LST	11.0	8.6	15.3	9.8	14.5	12.5	13.0	12.2	15.8	14.3	10.6	9.8	147.4	8	1198
	19 LST	8.7	8.7	14.2	10.4	20.1	20.2	19.2	20.4	14.6	15.5	5.7	8.3	166.0	7	555
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	7.8	8.3	13.2	15.3	16.8	20.4	17.2	19.6	17.2	12.9	8.2	7.6	166.5	8	1035
	07 LST	4.4	8.4				10.0	24.8	17.7	17.1	8.9	15.0	4.8		2	70
	13 LST	11.0	8.6	15.3	9.8	14.5	12.5	13.0	12.2	15.8	14.3	10.6	9.8	147.4	8	1198
	19 LST	5.7	8.7	14.2	10.4	20.1	19.6	19.2	20.4	14.6	15.5	5.7	8.3	165.4	7	555

KATOWICE, POLAND

STA NO. 12560 (IN AREA NUMBER 02)	LATITUDE 5014N LONGITUDE 01902E ELEVATION(FT) 00937												PDR	NO.	
PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	(YRS)	DBS
ABS MAX TMP (F)	50	59	70	81	88	93	93	95	86	77	70	63	95	12	4114
MEAN MAX TMP (F)	31	33	42	55	63	70	73	73	66	57	44	35	54	12	4093
MEAN MIN TMP (F)	22	21	27	37	44	51	54	53	47	40	33	27	38	12	4093
ABS MIN TMP (F)	-15	-22	-4	21	27	32	41	39	30	23	10	-11	-22	12	4093
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.1	0.8	0.7	0.0	0.0	0.0	0.0	1.6	12	4114
MEAN NO DYS TMP = OR LES 32(F)	27.9	23.6	23.8	10.3	1.9	0.2	0.0	0.0	0.3	4.8	14.2	24.1	131.1	12	4093
MEAN NO DYS TMP = OR LES 0(F)	2.0	2.8	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	5.6	12	4093
MEAN DEW PT TMP (F)	21	23	28	37	45	52	55	55	49	42	35	27	39	12	22060
MEAN REL HUM (PCT)	85	84	78	73	75	75	76	77	80	83	87	87	80	12	22004
MEAN PRESS ALT (FT)	791	787	809	883	866	859	889	882	791	777	813	827	831	12	22065
MEAN PRECIP (IN)	1.45	1.40	1.43	1.84	3.01	3.49	4.40	2.89	2.38	1.71	1.94	1.65	27.6	12	3828
MEAN SNOW FAL (IN)						0.0	0.0	0.0	0.0					12	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	4.5	4.4	4.5	6.2	8.1	7.3	9.0	6.9	5.8	5.0	5.6	5.9	73.2	12	3828
MEAN NO DYS SNFL = OR GTR 1.5 IN						0.0	0.0	0.0	0.0					12	-29
MEAN NO DYS 1/4OCUR VSBY LES 1/2 MI	3.7	4.7	2.7	2.3	1.9	1.0	0.9	1.5	3.4	7.8	6.2	5.0	41.1	12	3848
MEAN NO DYS TSTMS	0.0	0.0	0.5	1.2	4.8	5.0	5.1	4.6	1.8	0.0	0.3	0.2	23.5	12	3850
P FREQ WND SPD = OR GTR 17 KTS	6.8	6.4	6.6	3.3	2.2	0.7	1.1	2.2	2.4	3.3	4.3	6.3	3.8	12	22111
P FREQ WND SPD = OR GTR 28 KTS	1.2	0.4	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	12	22111
P FREQ LES 5000 FT A/D LES 5 MI	81.3	83.0	70.3	58.9	61.4	54.8	55.8	56.9	61.3	69.4	81.6	84.9	68.3	12	22315
P FREQ LES 1500 FT A/D LES 3 MI														12	4081
FDR 00-02 LST	57.0	63.1	49.8	35.2	34.6	29.8	27.9	28.9	40.3	52.9	64.4	62.4	45.5	5	1749
03-05 LST	51.9	71.7	53.8	36.9	55.7	43.0	49.7	47.0	56.9	50.1	63.1	65.8	53.8	12	4167
06-08 LST	61.9	72.2	68.9	55.2	43.8	40.6	41.6	50.5	56.0	66.6	69.6	69.0	58.0	5	1726
09-11 LST	63.0	72.2	46.9	25.4	25.4	13.6	18.9	21.4	32.8	43.6	63.2	75.3	41.8	12	4123
12-14 LST	52.8	50.0	29.7	21.9	14.4	12.0	9.5	9.8	18.0	21.4	44.8	56.5	28.4	5	1745
15-17 LST	49.8	54.9	28.1	17.0	10.9	9.1	10.7	9.3	11.1	21.3	57.1	69.5	29.1	12	4140
18-20 LST	62.7	60.0	40.9	22.6	11.9	10.4	7.4	10.2	22.1	39.5	58.1	63.7	34.1	5	1753
21-23 LST	59.9	62.6	43.4	27.2	25.5	23.3	22.5	19.5	33.0	45.1	68.2	69.3	41.6		
P FREQ LES 300 FT A/D LES 1 MI														12	4081
FDR 00-02 LST	16.8	21.5	8.8	4.1	4.0	2.9	1.5	4.2	7.2	16.7	22.6	15.9	10.5	5	1749
03-05 LST	12.2	24.1	7.8	4.4	15.9	6.3	6.8	10.0	11.0	20.5	22.5	15.2	13.1	12	4167
06-08 LST	16.7	25.8	21.4	14.0	8.1	4.3	4.4	11.6	16.9	29.4	24.9	21.3	16.6	5	1726
09-11 LST	19.6	23.9	8.0	3.5	0.7	0.0	0.0	2.1	3.5	12.2	15.6	17.0	8.8	12	4123
12-14 LST	14.2	11.6	2.8	1.2	0.6	1.5	0.8	0.6	0.9	2.8	8.8	13.5	4.9	5	1745
15-17 LST	10.2	12.4	3.4	0.0	0.0	0.7	0.0	0.7	0.0	3.3	12.6	16.8	5.0	12	4140
18-20 LST	14.8	15.1	5.6	1.4	0.6	0.3	0.0	1.1	1.5	7.1	15.6	15.7	6.6	5	1753
21-23 LST	13.3	19.5	3.4	0.7	0.7	0.0	2.1	2.7	2.0	9.9	22.0	17.7	7.8		

WATOWICE, POLAND

MEAN NUMBER OF JAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	14.9	11.8	17.1	20.7	21.8	21.9	22.8	22.4	18.5	15.2	11.4	13.9	212.4	12	4081
	07 LST	13.6	8.8	10.6	14.6	18.2	18.4	18.7	15.9	13.4	10.9	9.9	11.1	164.5	12	4167
	13 LST	16.0	15.1	23.7	25.3	28.0	27.3	28.7	28.6	25.7	25.9	17.5	15.0	276.8	12	4123
	19 LST	13.7	12.1	19.4	24.2	28.4	27.7	29.1	28.2	24.1	19.9	13.7	12.7	233.2	12	4140
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	5.3	4.8	10.0	15.1	17.4	18.8	19.3	20.2	14.4	10.5	7.0	5.6	148.4	12	4078
	07 LST	4.7	3.8	5.2	8.5	11.7	13.5	13.9	11.2	8.6	6.4	5.1	4.0	96.6	12	4162
	13 LST	4.6	4.9	8.5	10.7	13.9	15.9	16.7	15.5	11.9	12.8	8.3	5.2	128.9	12	4117
	19 LST	4.2	5.4	11.0	17.1	21.7	22.3	25.3	25.1	19.5	14.0	7.7	5.6	178.9	12	4138
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	1.7	1.2	0.8	0.1	0.0	0.1	0.1	0.1	0.2	0.6	0.7	1.2	6.8	12	4100
	07 LST	1.6	0.9	0.6	0.4	0.3	0.2	0.1	0.0	0.1	0.1	0.5	1.0	5.8	12	4174
	13 LST	2.9	2.1	2.3	1.7	1.3	0.4	0.7	2.1	1.4	1.8	2.0	2.2	20.9	12	4146
	19 LST	1.9	0.8	1.4	0.3	0.3	0.0	0.0	0.1	0.0	0.4	0.7	1.3	7.2	12	4165
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	1.6	2.5	5.2	9.7	14.6	13.7	14.0	15.1	13.1	15.0	8.4	4.4	117.3	12	4095
	07 LST	1.7	2.4	4.9	11.5	17.4	15.9	16.6	15.0	12.6	11.9	7.5	4.0	121.4	12	4167
	13 LST	4.6	4.3	10.6	14.8	16.0	16.6	16.7	17.0	15.6	16.6	12.6	6.6	192.0	12	4142
	19 LST	2.6	4.6	8.4	16.3	17.4	17.2	17.5	16.0	15.6	16.5	9.9	5.2	147.2	12	4161
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	3.7	3.8	7.6	10.3	8.8	11.0	10.9	11.9	10.7	6.6	4.1	2.9	92.3	12	4103
	07 LST	2.8	1.5	2.9	3.9	5.3	7.2	6.9	5.0	4.9	2.2	2.4	1.9	46.9	12	4177
	13 LST	5.5	3.9	6.5	5.4	2.9	3.0	4.4	4.7	7.3	7.2	3.1	2.9	54.8	12	4149
	19 LST	3.3	4.3	6.9	7.5	5.5	7.4	9.2	8.6	11.0	8.9	4.1	3.2	79.9	12	4164
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	10.4	7.7	12.7	17.0	17.0	18.8	19.9	19.9	15.9	12.7	8.9	8.2	169.1	12	4081
	07 LST	8.7	5.7	8.0	11.5	15.7	16.6	16.5	14.1	11.8	8.9	7.4	7.0	131.9	12	4167
	13 LST	12.2	12.1	18.2	19.1	21.7	22.1	23.9	24.6	21.3	20.7	14.4	11.2	221.5	12	4123
	19 LST	8.3	9.4	16.0	20.7	24.1	24.5	26.4	25.6	21.2	18.3	10.2	8.7	211.4	12	4140
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	7.7	5.6	10.1	13.4	12.0	14.6	14.6	14.9	12.6	9.2	6.3	4.8	125.8	12	4081
	07 LST	6.2	3.7	6.5	9.4	12.6	13.7	13.7	11.6	9.3	6.1	5.7	4.8	103.3	12	4167
	13 LST	10.0	10.3	14.8	12.7	12.5	13.3	15.8	17.7	15.7	16.0	11.5	9.7	160.0	12	4123
	19 LST	6.3	7.4	13.1	15.8	17.8	19.5	20.8	19.5	17.8	12.6	7.0	6.0	163.6	12	4140
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	7.6	5.6	10.1	13.4	11.8	14.6	14.6	14.9	12.6	9.0	6.3	4.8	125.3	12	4081
	07 LST	6.2	3.6	6.4	9.3	12.6	13.7	13.6	11.6	9.3	6.1	5.6	4.7	102.7	12	4167
	13 LST	10.0	10.3	14.6	12.7	12.5	13.3	15.8	17.7	15.7	16.0	11.5	9.6	159.7	12	4123
	19 LST	6.2	7.3	13.0	15.7	17.6	19.3	20.8	19.5	17.8	12.6	6.9	6.0	162.7	12	4140

KRAKOW, POLAND

STA NO. 12566 (IN AREA NUMBER 02)

LATITUDE 5005N

LONGITUDE 01959E

ELEVATION(FT) 00709

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	52	54	72	81	84	90	88	97	88	81	66	59	97	9	2309
MEAN MAX TMP (F)	32	32	42	55	63	72	74	74	67	57	42	37	54	9	2309
MEAN MIN TMP (F)	21	19	26	36	44	52	54	53	46	39	31	28	37	9	2347
ABS MIN TMP (F)	-11	-18	0	18	28	36	43	39	28	23	9	1	-18	9	2347
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.9	0.0	0.0	0.0	0.0	1.2	9	2309
MEAN NO DYS TMP = DR LES 32(F)	27.8	24.3	24.9	11.1	1.9	0.0	0.0	0.0	0.6	7.8	16.1	23.0	137.5	9	2347
MEAN NO DYS TMP = DR LES 0(F)	1.7	3.7	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.6	9	2347
MEAN DEW PT TMP (F)	22	19	28	37	45	55	56	56	48	40	32	28	39	9	8186
MEAN REL HUM (PCT)	85	81	79	77	74	78	79	79	79	80	88	87	81	9	8038
MEAN PRESS ALT (FT)	573	628	570	617	622	650	703	668	575	547	516	608	606	9	8212
MEAN PRECIP (IN)	1.28	1.31	1.33	1.80	2.30	3.84	3.49	2.92	1.90	1.68	1.41	1.33	24.6	9	2063
MEAN SNOW FALL (IN)						0.0	0.0	0.0						9	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	3.9	4.3	5.3	5.2	6.6	7.2	8.0	6.3	5.8	5.1	3.6	4.4	65.7	9	2063
MEAN NO DYS SNFL = DR GTR 1.5 IN						0.0	0.0	0.0						9	-29
MEAN NO DYS W/OCCUR VSBY LES 1/2 MI	4.6	1.4	3.4	1.3	0.0	0.4	0.5	0.6	1.2	5.7	7.6	6.7	33.4	9	1691
MEAN NO DYS TSTMS	0.0	0.0	0.2	1.3	3.0	7.3	7.6	5.2	1.4	0.0	0.0	0.0	26.0	9	1711
P FREQ WND SPD = DR GTR 17 KTS	3.6	5.0	5.2	2.2	1.5	0.7	1.6	1.6	1.3	2.3	2.8	4.1	2.7	9	8310
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.2	0.2	0.0	0.0	0.0	0.0	0.1	0.0	0.3	0.0	0.3	0.1	9	8310
P FREQ LES 3000 FT A/D LES 5 MI	88.2	80.4	65.5	64.6	52.6	52.7	55.9	53.7	60.1	74.8	84.3	86.4	68.3	9	8735
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	61.2	55.4	38.6	28.5	16.7	25.9	15.7	20.4	29.7	36.2	39.5	56.3	38.7	9	2494
03-05 LST	67.4	50.0	38.1	43.5	35.5	77.8	35.7	51.9	38.2	45.1	75.3	62.2	51.7	2	398
06-08 LST	67.1	72.7	56.2	55.6	34.4	32.8	34.5	44.2	54.1	78.9	72.4	63.4	55.5	9	2363
09-11 LST	65.5	55.2	44.9	35.9	10.9	21.6	25.2	15.1	32.0	30.1	69.9	66.7	41.1	2	386
12-14 LST	57.3	53.4	27.9	18.8	12.1	11.4	9.5	8.7	12.4	22.7	53.5	62.5	29.2	9	2594
15-17 LST	60.4	33.3	16.7	8.8	10.5	1.9	19.6	8.6	4.5	8.3	68.4	53.6	24.6	2	397
18-20 LST	63.9	52.8	36.8	21.1	8.0	12.1	7.0	7.7	19.4	47.0	56.1	64.3	33.0	9	2570
21-23 LST	78.4	63.0	20.4	25.2	16.7	11.5	19.6	14.0	23.2	28.6	68.0	63.9	36.0	2	393
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	17.6	10.5	10.6	3.2	2.7	2.7	0.5	2.8	3.5	15.6	23.9	22.0	9.6	9	2494
03-05 LST	17.2	23.1	20.7	6.7	3.2	0.0	14.3	5.8	5.1	6.7	46.4	31.0	15.0	2	398
06-08 LST	25.0	23.4	19.5	11.4	2.5	2.0	0.5	6.3	12.9	30.6	36.8	25.5	16.4	9	2363
09-11 LST	31.0	27.6	21.4	7.1	0.0	0.0	0.0	0.0	1.7	16.7	42.9	37.0	15.5	2	386
12-14 LST	14.4	9.6	5.2	0.5	0.4	0.0	0.9	0.0	0.5	3.1	13.6	22.5	5.9	9	2594
15-17 LST	10.3	3.7	0.0	0.0	0.0	0.0	0.0	1.9	0.3	0.0	33.3	25.0	6.2	2	397
18-20 LST	17.7	10.3	7.2	1.8	0.4	0.9	0.0	0.0	0.9	9.7	19.4	25.5	7.8	9	2570
21-23 LST	10.0	6.5	3.7	0.0	0.0	0.0	3.2	0.0	1.8	0.0	36.4	17.2	7.4	2	393

KRAKOW, POLAND

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	13.3	13.7	20.2	22.6	26.6	22.9	27.1	25.0	21.6	14.1	13.6	14.2	234.9	9	2494
	07 LST	11.5	8.7	14.4	14.8	21.0	21.0	21.3	17.8	14.2	7.5	9.0	11.9	173.1	9	2363
	13 LST	14.3	13.6	23.4	26.2	28.5	27.4	29.0	29.1	27.3	25.3	14.9	12.6	271.6	9	2594
	19 LST	12.4	13.8	20.6	24.2	29.5	27.1	29.4	28.9	24.5	17.3	14.1	12.3	254.1	9	2570
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	7.4	9.0	12.8	18.2	22.6	20.0	24.2	23.4	19.0	11.0	8.5	9.2	185.3	9	2492
	07 LST	6.0	5.3	8.3	9.6	15.5	18.1	17.9	15.1	11.4	4.3	5.4	7.8	124.7	9	2361
	13 LST	6.8	6.5	12.2	14.0	16.5	18.5	18.8	16.9	16.1	16.1	8.7	5.9	157.0	9	2599
	19 LST	6.2	8.4	12.2	19.6	22.7	23.8	26.5	25.9	20.9	14.2	9.7	6.4	196.5	9	2565
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	0.8	0.1	0.6	0.1	0.0	0.0	0.1	0.0	0.1	1.2	0.8	0.4	4.2	9	2520
	07 LST	0.7	0.3	0.2	0.2	0.2	0.0	0.5	0.0	0.1	0.5	0.2	0.2	3.1	9	2370
	13 LST	0.7	1.0	1.1	1.0	0.9	0.5	0.8	1.7	0.4	0.6	0.9	0.3	9.9	9	2619
	19 LST	0.7	0.7	1.5	0.1	0.3	0.4	0.1	0.3	0.1	0.2	0.3	0.6	5.3	9	2597
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	2.3	1.9	3.9	6.6	10.6	7.7	6.5	8.5	7.6	8.5	5.2	4.2	73.5	9	2505
	07 LST	2.7	1.5	2.6	7.6	11.7	12.1	12.3	9.4	9.2	6.3	4.8	3.5	83.7	9	2355
	13 LST	4.9	3.6	12.0	13.8	14.0	15.1	16.2	13.7	14.3	15.4	10.1	7.2	140.3	9	2601
	19 LST	3.0	2.7	6.4	11.9	14.1	11.1	9.9	11.5	12.5	10.5	7.1	4.4	105.1	9	2586
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	2.7	3.6	9.1	10.2	10.7	10.3	13.9	12.9	11.5	5.5	4.2	3.2	99.8	9	2514
	07 LST	2.4	1.4	4.2	4.0	7.0	8.3	7.5	7.4	4.9	0.5	1.9	1.6	51.1	9	2365
	13 LST	3.1	3.6	7.2	5.6	5.2	4.4	5.6	7.3	6.2	7.5	3.4	2.2	61.3	9	2608
	19 LST	1.9	5.2	7.9	7.7	8.2	7.6	9.1	10.2	11.1	9.1	4.2	3.4	85.6	9	2598
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	9.3	10.5	16.5	18.5	23.2	20.4	23.5	22.7	19.9	11.8	9.8	11.0	197.1	9	2494
	07 LST	7.8	5.7	11.9	11.1	18.7	18.9	18.9	16.4	12.8	5.1	6.7	9.3	143.3	9	2363
	13 LST	11.5	11.9	20.2	20.1	23.3	23.1	25.0	25.5	23.6	21.2	11.9	10.1	227.4	9	2594
	19 LST	8.4	11.5	17.5	21.5	26.2	24.7	26.4	27.4	22.8	14.9	10.7	8.5	220.5	9	2570
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	6.4	8.7	12.9	13.5	16.7	15.9	18.7	18.1	16.9	8.4	7.7	7.0	150.9	9	2494
	07 LST	5.5	3.7	9.2	9.5	15.8	17.3	16.7	14.1	11.6	3.5	5.0	6.5	118.4	9	2363
	13 LST	10.0	9.5	17.3	14.1	16.4	17.4	17.9	20.1	18.8	16.9	9.6	8.5	176.5	9	2594
	19 LST	4.3	9.2	14.3	16.6	21.2	20.7	22.2	22.9	20.4	12.7	6.6	5.6	176.7	9	2570
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	6.4	8.7	12.9	13.4	16.7	15.9	18.7	18.1	16.9	8.3	7.7	7.0	150.7	9	2494
	07 LST	5.3	3.7	9.2	9.2	15.5	17.3	16.5	13.9	11.6	3.3	5.0	6.0	116.5	9	2363
	13 LST	9.5	9.5	17.1	14.1	16.4	17.4	17.9	20.1	18.8	16.9	9.6	8.2	175.5	9	2594
	19 LST	4.2	9.2	14.0	16.5	21.2	20.6	21.8	22.8	20.4	12.7	6.6	5.6	175.6	9	2570

KIELCE, POLAND

STA NO. 12570 (IN AREA NUMBER 02) LATITUDE 5051N LONGITUDE 02037E ELEVATION(FT) 00886

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	48	52	66	81	91	93	93	95	88	77	63	55	95	12	4134
MEAN MAX TMP (F)	30	32	41	55	64	72	74	74	66	56	42	34	53	12	4134
MEAN MIN TMP (F)	20	19	25	36	44	51	54	53	47	40	33	26	37	12	4092
ABS MIN TMP (F)	-18	-24	-11	16	25	32	41	39	28	19	9	-13	-24	12	4092
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.1	0.5	1.1	1.0	0.0	0.0	0.0	0.0	2.7	12	4134
MEAN NO DYS TMP = OR LES 32(F)	28.6	24.5	24.8	10.7	2.0	0.2	0.0	0.0	0.4	5.7	15.0	23.4	135.3	12	4092
MEAN NO DYS TMP = OR LES 0(F)	3.2	4.2	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	8.6	12	4092
MEAN DEW PT TMP (F)	21	21	27	36	45	52	55	55	48	41	35	26	39	12	20932
MEAN REL HUM (PCT)	87	86	80	74	73	73	76	77	78	83	89	89	80	12	20813
MEAN PRESS ALT (FT)	757	739	760	836	824	823	855	849	744	723	763	788	788	12	21022
MEAN PRECIP (IN)	1.68	1.37	1.59	1.59	2.10	3.40	3.49	2.65	1.71	1.40	2.00	1.86	24.8	12	3796
MEAN SNOW FALL (IN)						0.0	0.0	0.0						12	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.0	5.0	5.1	5.5	6.6	8.1	7.8	5.8	4.5	4.4	5.8	5.9	69.5	12	3796
MEAN NO DYS SNFL = OR GTR 1.5 IN						0.0	0.0	0.0						12	-29
MEAN NO DYS W/OCCUR VSBY LES 1/2 MI	1.8	1.9	2.5	3.6	0.4	0.1	0.4	0.7	1.5	3.9	3.5	3.5	20.8	12	3583
MEAN NO DYS TSTMS	0.1	0.1	0.0	1.5	4.0	5.4	6.3	5.2	1.4	0.3	0.1	0.0	24.4	12	3600
P FREQ WND SPD = OR GTR 17 KTS	1.8	2.7	2.8	1.5	0.7	0.4	0.5	0.2	0.3	0.6	1.1	1.2	1.2	12	21049
P FREQ WND SPD = OR GTR 28 KTS	0.1	0.1	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.1	12	21049
P FREQ LES 5000 FT A/D LES 5 MI	79.0	77.1	58.0	46.4	42.9	37.2	37.3	35.2	40.6	55.7	72.6	79.2	55.1	12	21519
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	56.1	51.3	38.0	20.1	15.7	12.7	12.0	11.3	19.1	35.5	51.2	57.0	31.7	12	3868
03-05 LST	47.3	60.6	41.6	21.3	26.1	18.4	23.2	18.5	21.4	39.6	50.9	54.7	35.3	5	1744
06-08 LST	61.2	62.8	46.0	31.0	21.7	18.8	20.9	21.9	38.0	53.1	65.0	61.5	41.8	12	4093
09-11 LST	47.8	60.8	33.9	15.5	16.9	14.6	14.5	12.4	18.7	29.8	52.4	57.2	31.2	5	1743
12-14 LST	46.8	40.2	27.7	15.5	11.5	11.6	9.8	5.9	11.9	16.5	41.8	50.4	24.1	12	3920
15-17 LST	35.3	45.5	22.3	11.7	10.3	11.0	9.2	5.6	5.0	10.8	42.3	47.2	21.4	5	1750
18-20 LST	56.9	49.3	30.1	14.4	9.4	7.2	7.7	4.9	10.9	26.3	49.2	58.5	27.1	12	4137
21-23 LST	45.9	54.8	31.2	11.8	12.9	10.1	10.7	6.2	6.0	22.1	47.4	53.9	26.1	5	1765
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	6.3	7.4	7.3	2.2	0.6	1.0	1.7	1.2	4.3	8.0	13.3	11.5	5.4	12	3868
03-05 LST	3.3	8.1	5.3	1.4	3.9	3.5	4.8	4.0	3.5	10.6	15.6	6.8	5.9	5	1744
06-08 LST	8.3	15.2	9.6	4.7	2.0	1.2	2.7	2.3	9.6	19.1	21.7	13.1	9.1	12	4093
09-11 LST	4.7	12.9	6.0	0.7	0.0	0.0	0.7	1.3	0.7	7.4	17.7	14.7	5.6	5	1733
12-14 LST	6.4	5.7	2.6	0.9	0.0	0.6	0.9	0.3	0.6	0.9	10.0	11.7	3.4	12	3920
15-17 LST	4.6	3.6	2.7	0.7	0.0	1.4	1.4	0.0	0.0	2.1	11.1	9.3	3.1	5	1750
18-20 LST	8.3	5.0	3.2	0.6	0.3	1.7	0.9	0.0	0.3	3.7	10.5	11.4	3.8	12	4137
21-23 LST	6.0	5.9	6.7	0.7	0.0	0.0	1.3	0.0	0.0	2.7	10.6	10.6	3.7	5	1765

KIELCE, POLAND

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	15.9	15.9	21.0	25.8	27.9	27.0	28.3	28.4	25.1	21.3	16.4	15.6	268.6	12	3868
	07 LST	14.9	12.5	13.4	22.4	25.8	25.8	25.8	25.1	19.8	15.4	11.8	14.4	232.1	12	4093
	13 LST	18.7	18.4	24.4	27.6	29.5	28.0	29.3	30.0	28.4	26.0	20.3	17.2	299.8	12	3920
	19 LST	15.1	16.2	23.2	27.7	29.4	28.5	29.5	29.9	27.6	24.1	16.9	15.4	283.5	12	4137
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	8.3	10.2	14.3	20.2	23.0	24.3	25.4	25.8	21.7	17.5	11.1	8.6	210.6	12	3851
	07 LST	6.2	7.2	11.9	16.0	20.0	20.7	20.4	20.2	14.8	12.5	6.9	6.9	163.7	12	4090
	13 LST	9.9	10.1	11.4	13.8	17.2	16.2	19.2	19.7	16.8	18.1	11.6	10.1	174.1	12	3918
	19 LST	8.2	10.0	16.4	22.0	24.9	25.6	24.7	27.5	23.9	19.7	10.8	8.1	221.8	12	4134
SPC WND = GTR 17 KTS AND NC PRECIP.	01 LST	0.8	0.5	0.4	0.2	0.0	0.0	0.2	0.0	0.0	0.0	0.3	0.5	2.9	12	3880
	07 LST	0.5	0.4	0.4	0.3	0.1	0.0	0.0	0.1	0.0	0.1	0.0	0.1	2.0	12	4111
	13 LST	0.7	0.6	1.5	0.8	0.4	0.1	0.3	0.2	0.3	0.2	0.3	0.2	5.6	12	3952
	19 LST	0.2	0.5	0.6	0.2	0.0	0.0	0.2	0.0	0.0	0.0	0.3	0.4	2.4	12	4155
SPC WND 4-10 KTS AND TMP 33-89 DEG F AND ND PRECIP.	01 LST	1.8	2.3	4.1	8.8	8.7	7.7	9.0	9.7	9.2	10.5	6.3	3.5	81.6	12	3866
	07 LST	1.8	2.4	4.1	10.5	14.8	15.4	15.1	14.3	11.7	11.3	6.2	4.5	112.1	12	4105
	13 LST	4.4	4.5	9.8	15.2	17.9	17.8	20.5	20.1	18.4	18.8	12.4	7.5	167.3	12	3945
	19 LST	2.6	3.4	6.9	11.4	15.8	14.9	11.8	12.2	11.2	11.8	7.1	4.6	113.7	12	4143
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	3.4	4.8	10.3	11.6	12.2	12.5	14.2	15.1	14.9	10.4	6.0	4.5	119.9	12	3879
	07 LST	2.4	2.6	6.3	6.9	8.7	9.4	10.2	8.0	7.1	4.0	2.7	2.7	71.0	12	4111
	13 LST	4.2	4.2	6.5	4.8	3.0	4.2	5.2	5.1	6.7	7.6	3.1	2.9	57.5	12	3948
	19 LST	3.7	5.2	9.7	7.5	5.6	8.0	9.4	9.2	12.1	10.7	5.3	3.2	89.6	12	4157
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	10.1	10.6	16.7	20.5	23.6	24.4	24.6	25.7	22.6	17.9	12.2	10.4	219.3	12	3868
	07 LST	8.6	7.8	14.2	18.3	22.1	21.9	22.6	22.7	17.0	13.1	8.7	8.9	185.9	12	4093
	13 LST	13.8	14.0	19.4	20.6	23.2	22.9	24.2	26.0	23.0	21.9	13.9	11.8	235.7	12	3920
	19 LST	10.8	11.4	19.2	22.4	25.3	26.1	26.4	27.9	24.8	20.5	12.9	9.6	237.3	12	4137
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	7.6	8.6	14.5	16.7	20.4	20.9	20.5	22.7	20.1	14.8	10.3	8.6	185.7	12	3868
	07 LST	7.2	6.2	12.3	16.3	19.4	19.3	20.3	20.4	14.6	11.1	6.5	7.5	161.5	12	4093
	13 LST	12.3	11.9	16.3	14.2	15.8	15.1	17.2	19.4	18.4	17.5	11.7	10.9	180.7	12	3920
	19 LST	8.8	9.8	16.5	17.9	20.5	22.2	22.3	23.3	21.4	17.3	10.7	7.3	198.0	12	4137
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	6.9	8.2	14.2	16.4	19.8	20.1	19.8	21.8	19.8	14.2	9.7	7.9	178.8	12	3868
	07 LST	6.3	5.9	12.1	15.7	18.9	18.8	19.8	19.5	14.2	10.6	6.3	6.9	155.0	12	4093
	13 LST	11.4	11.6	16.1	14.1	15.7	14.9	17.2	19.0	18.1	17.1	11.3	9.8	176.3	12	3920
	19 LST	8.1	9.5	15.9	17.3	19.7	22.0	21.9	22.5	21.1	17.0	9.9	6.2	191.1	12	4137

TARNOW, POLAND

STA NO. 12575 (IN AREA NUMBER 02)

LATITUDE 5002N

LONGITUDE 02059E

ELEVATION(FT) 00682

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	52	57	70	81	90	93	93	97	88	82	66	61	97	12	4076
MEAN MAX TMP (F)	31	33	42	56	64	72	75	74	67	57	45	36	54	12	4076
MEAN MIN TMP (F)	22	21	28	38	45	53	56	55	48	42	35	28	39	12	4098
ABS MIN TMP (F)	-22	-18	-13	21	28	32	45	43	30	21	7	-8	-22	12	4098
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.1	0.3	0.8	1.1	0.0	0.0	0.0	0.0	2.3	12	4076
MEAN NO DYS TMP = DR LES 32(F)	26.1	22.3	20.8	7.3	1.1	0.1	0.0	0.0	0.2	4.0	11.4	21.3	114.6	12	4098
MEAN NO DYS TMP = DR LES 0(F)	3.0	3.2	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	7.0	12	4098
MEAN DEW PT TMP (F)	21	22	28	37	46	53	56	56	49	42	35	26	39	12	20794
MEAN REL HUM (PCT)	81	81	76	70	74	76	76	76	76	79	83	82	78	12	20650
MEAN PRESS ALT (FT)	554	535	563	631	524	615	647	637	545	520	560	575	584	12	20820
MEAN PRECIP (IN)	1.14	1.01	1.10	1.66	2.24	3.44	4.19	2.53	1.95	1.83	1.58	1.32	24.0	12	3760
MEAN SNOW FALL (IN)						0.0	0.0	0.0	0.0					12	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	4.5	2.7	3.7	5.7	6.0	7.8	9.2	6.1	4.9	5.0	4.2	4.3	64.1	12	3760
MEAN NO DYS SNFL = DR GTR 1.5 IN						0.0	0.0	0.0	0.0					12	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	2.4	2.5	1.6	0.6	0.8	0.5	0.2	0.8	2.0	3.9	4.8	2.4	22.5	12	3602
MEAN NO DYS TSTMS	0.1	0.0	0.1	1.9	4.0	5.0	7.5	3.6	1.3	0.0	0.0	0.1	23.6	12	3606
P FREQ WND SPD = DR GTR 17 KTS	3.7	5.0	4.0	2.2	1.1	0.5	0.3	0.5	1.0	0.6	1.5	2.2	1.9	12	20899
P FREQ WND SPD = DR GTR 28 KTS	0.4	0.4	0.2	0.1	0.0	0.0	0.1	0.0	0.1	0.1	0.0	0.1	0.1	12	20899
P FREQ LES 5000 FT A/D LES 3 MI	73.4	77.2	60.4	53.2	57.6	48.9	49.9	49.8	54.2	62.1	66.5	74.4	60.6	12	21310
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	33.5	37.3	29.2	17.6	15.2	17.9	10.5	12.5	15.3	25.6	31.4	29.2	22.9	12	3955
03-05 LST	34.1	45.8	27.4	23.0	39.2	31.8	33.2	28.4	23.6	27.8	34.1	34.1	31.9	5	1729
06-08 LST	46.5	50.7	41.6	33.0	30.5	23.3	25.6	29.1	36.9	44.7	44.9	40.8	37.3	12	4099
09-11 LST	42.0	51.3	27.6	14.7	14.4	14.1	12.9	7.8	16.1	27.5	33.4	45.9	25.6	5	1708
12-14 LST	34.7	39.9	21.2	12.6	12.7	11.0	8.1	5.7	12.2	16.9	28.5	50.0	20.0	12	3930
15-17 LST	28.6	38.8	19.2	8.6	7.0	8.4	8.3	5.1	7.8	13.2	30.8	43.5	18.3	5	1732
18-20 LST	33.4	34.7	22.1	14.2	10.5	8.4	7.6	8.4	13.4	18.9	29.2	28.8	19.1	12	4093
21-23 LST	31.5	38.5	17.4	10.4	12.9	8.5	15.3	6.1	10.9	22.8	26.3	31.0	19.3	5	1750
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	3.3	4.0	2.7	0.6	0.3	0.6	0.0	0.6	2.9	6.7	6.6	3.7	2.7	12	3955
03-05 LST	0.0	8.0	2.1	0.7	2.0	2.9	1.4	1.4	6.5	10.8	9.3	3.4	4.0	5	1729
06-08 LST	6.5	8.3	8.0	2.7	2.3	2.0	0.9	2.6	6.1	9.5	14.2	6.7	5.8	12	4099
09-11 LST	5.0	8.5	4.9	0.0	0.0	0.7	0.0	0.0	2.2	4.1	7.9	5.3	3.2	5	1708
12-14 LST	4.9	3.4	1.8	0.0	0.0	0.0	0.0	0.0	0.0	0.6	2.7	4.7	1.5	12	3930
15-17 LST	2.9	3.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	4.2	7.5	1.6	5	1732
18-20 LST	3.3	1.8	2.0	0.0	0.0	0.3	0.0	0.0	0.3	1.7	3.9	3.6	1.4	12	4093
21-23 LST	2.0	5.3	0.7	0.0	0.7	0.0	0.0	0.0	0.7	4.1	4.9	1.4	1.7	5	1750

TARNOW, POLAND

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	23.5	19.6	24.1	26.7	28.1	25.9	28.7	28.1	26.3	24.6	22.7	25.0	303.3	12	3935
	07 LST	19.3	15.3	19.5	21.5	22.9	24.5	24.3	22.9	20.0	18.7	18.4	21.2	248.5	12	4099
	13 LST	22.3	18.7	26.1	27.8	29.8	28.5	29.8	30.2	27.7	27.3	23.6	22.3	314.1	12	3930
	19 LST	23.5	20.2	25.7	27.7	29.3	28.2	29.6	29.3	27.5	26.9	23.6	25.0	316.5	12	4093
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	13.8	11.8	16.5	20.9	23.3	22.8	26.6	25.6	23.6	19.7	15.5	15.6	235.7	12	3952
	07 LST	10.3	9.2	11.9	16.0	18.5	19.8	19.9	19.5	16.2	13.8	11.4	12.0	178.5	12	4097
	13 LST	11.9	9.6	12.0	15.2	16.7	19.1	22.2	21.3	18.8	18.4	14.1	11.8	191.1	12	3928
	19 LST	14.2	12.1	17.5	20.3	24.1	25.2	26.5	26.5	23.2	21.3	16.3	14.7	241.9	12	4087
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	0.8	1.1	0.7	0.3	0.1	0.0	0.0	0.0	0.0	0.2	0.5	0.6	4.3	12	3966
	07 LST	1.2	1.0	0.9	0.4	0.4	0.1	0.0	0.0	0.2	0.2	0.7	0.5	5.6	12	4112
	13 LST	1.3	1.4	2.7	1.8	0.8	0.6	0.5	0.7	0.7	0.6	0.8	0.7	12.6	12	3948
	19 LST	0.9	1.2	1.0	0.5	0.1	0.0	0.1	0.0	0.0	0.1	0.4	0.3	4.6	12	4106
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	3.7	2.2	5.3	8.4	6.3	5.5	5.4	6.7	7.4	7.8	6.7	6.3	71.9	12	3933
	07 LST	3.2	3.1	4.5	9.9	13.2	13.2	11.4	10.2	9.2	6.9	6.7	5.4	96.9	12	4106
	13 LST	4.8	6.0	9.2	14.0	15.0	16.1	17.1	15.7	16.4	14.4	11.6	7.6	147.9	12	3934
	19 LST	3.7	3.5	8.9	11.1	12.3	10.7	8.7	9.2	8.9	10.1	9.2	6.0	101.8	12	4093
SKY COVER LES 3/10 A.M. VSBY = GTR 3 MI	01 LST	5.9	5.2	9.7	11.8	12.1	11.3	14.3	15.6	14.0	11.0	8.9	6.2	126.0	12	3972
	07 LST	2.9	2.3	4.8	7.2	6.9	9.0	8.7	8.3	8.0	4.7	4.2	4.0	71.0	12	4109
	13 LST	5.1	4.3	6.5	5.8	4.5	4.3	5.7	6.9	8.2	6.8	4.2	4.7	67.0	12	3950
	19 LST	6.3	6.4	9.3	8.4	6.6	8.0	9.9	9.4	11.5	12.3	8.1	6.3	102.5	12	4115
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	14.9	12.8	17.9	20.2	21.8	21.6	24.1	23.6	21.8	18.8	16.4	16.0	229.9	12	3955
	07 LST	11.6	10.0	14.3	17.5	17.8	19.9	19.9	19.2	16.3	13.7	13.0	13.0	146.2	12	4099
	13 LST	16.4	13.3	20.3	21.0	20.9	22.0	23.8	25.2	22.0	21.2	17.3	15.7	239.1	12	3930
	19 LST	15.3	14.0	20.3	21.2	23.9	24.5	25.5	25.5	21.9	20.6	16.5	16.4	245.6	12	4093
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	10.3	8.6	14.6	15.8	17.4	18.6	19.5	19.5	17.4	14.4	12.8	10.8	179.7	12	3955
	07 LST	7.9	6.3	10.4	15.0	13.4	16.5	16.0	15.8	13.3	10.4	10.1	8.5	143.6	12	4099
	13 LST	13.0	10.7	16.3	13.9	14.0	15.7	17.2	19.4	16.4	15.9	13.0	12.6	178.1	12	3930
	19 LST	10.7	10.2	16.5	16.9	19.2	19.7	21.1	21.6	17.5	16.1	12.3	11.4	193.2	12	4093
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	10.3	8.6	14.6	15.8	17.4	18.5	17.5	19.5	17.4	14.3	12.8	10.8	179.5	12	3955
	07 LST	7.9	6.3	10.4	15.0	13.4	16.5	15.9	15.8	13.3	10.4	10.1	8.4	143.4	12	4099
	13 LST	13.0	10.7	16.3	13.9	13.9	15.7	17.2	19.4	16.4	15.9	13.0	12.6	178.0	12	3930
	19 LST	10.7	10.2	16.5	16.9	19.2	19.7	21.1	21.6	17.4	16.1	12.3	11.4	193.1	12	4093

RZESZOW, POLAND

STA NO. 12580 (IN AREA NUMBER 02)

LATITUDE 5006N

LONGITUDE 02203E

ELEVATION(FT) 00663

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	45	55	64	79	82	90	91	90	86	77	64	59	91	7	1696
MEAN MAX TMP (F)	30	30	40	52	63	72	73	74	67	56	41	36	53	7	1696
MEAN MIN TMP (F)	21	17	27	35	44	52	54	53	46	38	31	28	37	7	1744
ABS MIN TMP (F)	-17	-22	-2	21	28	36	43	39	30	18	0	3	-22	7	1744
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.2	0.5	0.2	0.0	0.0	0.0	0.0	0.9	7	1696
MEAN NO DYS TMP = OR LES 32(F)	27.4	23.4	23.9	12.4	1.6	0.0	0.0	0.0	0.8	7.8	16.0	21.8	135.1	7	1744
MEAN NO DYS TMP = OR LES 0(F)	2.2	7.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	9.8	7	1744
MEAN DEW PT TMP (F)	21	19	29	37	46	55	57	56	48	38	32	28	39	7	5892
MEAN REL HUM (PCT)	85	83	80	79	75	79	82	79	77	77	89	88	81	7	5828
MEAN PRESS ALT (FT)	545	574	489	575	555	584	670	619	497	476	408	555	546	7	5900
MEAN PRECIP (IN)	0.81	0.62	0.85	1.61	2.64	2.81	3.40	1.53	1.47	1.72	0.92	1.62	20.0	7	1553
MEAN SNOW FALL (IN)						0.0	0.0	0.0	0.0					7	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	2.1	2.5	2.7	5.1	5.1	6.1	8.1	5.1	4.7	4.8	3.3	5.5	55.1	7	1533
MEAN NO DYS SNFL = OR GTR 1.5 IN						0.0	0.0	0.0						7	-29
MEAN NO DYS W/OCCUR VS&Y LES 1/2 MI	2.2	1.6	1.4	1.4	0.8	1.1	0.7	1.0	1.4	3.3	4.7	2.1	21.7	7	1133
MEAN NO DYS TSTMS	0.4	0.0	0.4	0.9	2.0	5.0	6.2	4.3	1.3	0.0	0.0	0.3	21.8	7	1136
P FREQ WND SPD = OR GTR 17 KTS	10.0	9.9	9.0	3.7	2.3	0.8	2.2	2.7	3.3	6.8	6.1	17.4	6.2	7	5932
P FREQ WND SPD = OR GTR 28 KTS	1.6	0.5	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.3	7	5932
P FREQ LES 5000 FT A/D LES 5 MI	66.7	60.7	53.7	54.7	45.5	41.5	51.7	43.0	45.7	50.0	68.5	71.5	54.5	7	6361
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	30.2	22.0	19.6	17.7	6.6	11.9	9.5	5.6	11.7	23.6	32.1	34.5	18.9	7	1538
03-05 LST	31.1	9.8	29.5	37.3	22.7	31.7	39.0	29.9	11.4	18.4	46.3	43.0	29.2	2	386
06-08 LST	35.0	30.9	31.5	35.1	21.5	15.9	19.5	21.0	28.0	41.2	53.7	35.9	30.8	7	1747
09-11 LST	43.3	30.6	24.7	34.1	16.7	11.0	21.7	7.1	9.9	7.0	52.0	52.3	26.0	2	379
12-14 LST	25.6	29.3	21.1	16.1	9.0	10.0	8.0	5.2	7.1	12.2	31.8	36.4	17.7	7	1659
15-17 LST	35.5	21.0	23.2	21.7	15.6	7.6	20.2	4.0	4.6	1.8	41.7	45.0	20.2	2	384
18-20 LST	30.0	24.2	19.8	14.0	8.4	8.2	7.0	4.7	4.5	10.1	32.8	30.2	16.2	7	1701
21-23 LST	28.0	20.4	19.9	17.4	16.0	18.1	20.0	4.1	5.6	12.1	43.2	41.0	20.5	2	383
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	3.8	0.9	0.8	0.7	1.5	2.1	0.8	0.7	3.4	7.8	6.5	5.3	2.9	7	1538
03-05 LST	11.5	0.0	6.9	3.7	6.5	11.1	11.1	5.8	1.8	0.0	7.7	3.6	5.8	2	386
06-08 LST	5.2	3.9	5.1	6.0	3.3	0.7	0.8	2.6	8.1	11.2	15.0	7.0	5.7	7	1747
09-11 LST	18.2	3.6	0.0	3.2	0.0	0.0	0.0	0.0	1.8	3.4	11.1	17.4	4.9	2	379
12-14 LST	2.9	4.0	1.3	0.0	0.0	0.0	0.0	0.0	0.8	0.0	2.8	3.3	1.3	7	1659
15-17 LST	4.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8	0.0	6.7	13.8	2.2	2	384
18-20 LST	5.7	0.8	3.4	0.0	0.0	0.0	0.0	0.7	0.0	0.7	3.8	5.0	1.7	7	1701
21-23 LST	11.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9	0.0	6.9	7.4	2.3	2	383

RZESZOW, POLAND

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	25.4	23.9	26.8	26.6	29.1	27.2	28.8	29.7	26.9	24.6	22.7	23.7	315.4	7	1538
	07 LST	23.3	21.5	22.8	20.7	25.4	26.3	26.8	25.1	22.4	19.7	16.2	22.1	272.3	7	1747
	13 LST	25.1	22.0	26.0	27.4	29.3	28.3	29.7	30.3	29.0	28.3	22.8	21.7	319.9	7	1659
	19 LST	24.6	23.3	26.6	27.3	29.1	28.2	29.5	30.0	29.2	28.9	22.0	24.5	323.2	7	1701
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	11.4	12.4	15.1	19.6	25.3	24.0	26.1	26.9	24.5	20.7	12.6	9.6	228.2	7	1536
	07 LST	7.7	10.2	10.4	14.9	20.3	20.3	19.7	19.0	17.1	14.3	7.2	9.5	170.6	7	1747
	13 LST	8.2	6.7	7.8	11.6	13.4	16.1	17.1	14.2	14.3	12.5	9.7	5.8	137.4	7	1658
	19 LST	10.0	11.5	14.2	20.9	22.3	26.1	27.0	27.1	24.8	23.4	13.9	9.8	231.0	7	1701
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	2.8	3.7	2.1	0.4	0.0	0.0	0.0	0.0	0.2	0.6	1.9	2.6	14.3	7	1542
	07 LST	2.8	1.7	2.4	0.6	0.2	0.4	0.2	0.0	0.4	0.2	1.4	2.4	12.7	7	1752
	13 LST	4.1	4.2	3.9	1.8	1.7	0.6	1.1	1.7	2.2	3.0	2.8	3.3	30.4	7	1666
	19 LST	1.8	1.7	3.1	0.0	0.2	0.0	0.0	0.0	0.2	0.7	1.6	2.5	11.8	7	1708
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	2.5	2.9	5.5	8.1	8.8	7.3	7.4	6.9	8.0	7.6	3.9	4.0	72.9	7	1535
	07 LST	7.6	2.4	3.3	7.9	17.4	14.6	16.2	13.8	13.5	8.9	5.4	3.9	109.9	7	1746
	13 LST	3.0	4.0	8.1	11.4	12.5	17.4	14.8	13.5	14.8	12.4	8.5	5.5	125.9	7	1664
	19 LST	2.0	3.0	7.9	12.9	14.9	13.7	11.4	13.2	11.2	9.9	5.6	4.9	110.6	7	1700
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	6.9	9.0	8.9	10.7	13.5	11.8	12.2	17.7	17.1	11.5	8.6	6.3	134.2	7	1542
	07 LST	4.2	5.0	5.9	6.2	7.0	10.2	7.2	8.8	8.0	5.3	3.4	4.5	75.7	7	1752
	13 LST	5.2	5.3	7.2	4.0	2.6	4.6	2.2	5.1	7.5	9.4	4.2	4.5	61.8	7	1661
	19 LST	7.8	8.6	8.3	4.5	6.4	8.7	7.3	9.8	13.5	15.6	8.8	6.5	105.8	7	1706
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	15.7	17.0	20.5	20.0	25.4	22.9	24.2	26.6	24.9	20.7	15.5	14.6	248.0	7	1538
	07 LST	14.2	14.8	17.7	16.9	22.2	23.2	21.7	22.7	19.6	15.8	10.1	14.7	213.6	7	1747
	13 LST	18.6	16.5	21.0	19.4	24.0	23.2	23.8	25.2	24.0	24.1	16.0	16.5	252.3	7	1659
	19 LST	16.7	17.2	21.3	21.6	25.9	25.0	26.0	27.5	26.2	24.8	16.6	16.5	265.3	7	1701
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	10.7	11.4	15.6	15.3	20.5	18.0	17.3	21.1	20.5	16.1	10.7	10.1	187.3	7	1538
	07 LST	9.1	10.0	12.8	13.5	17.2	18.9	17.4	18.2	15.3	13.0	7.2	9.8	162.4	7	1747
	13 LST	13.7	13.6	15.9	11.8	14.0	17.7	16.4	16.8	16.2	17.6	11.9	12.9	178.5	7	1659
	19 LST	12.2	13.2	17.4	15.5	20.7	21.1	20.9	22.6	20.4	19.5	13.2	11.8	208.5	7	1701
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	10.3	11.4	15.6	15.3	20.5	18.0	17.3	21.1	20.5	15.8	10.7	10.1	186.6	7	1538
	07 LST	9.1	10.0	12.8	13.5	17.2	18.9	17.4	18.2	15.3	12.7	7.2	9.8	162.1	7	1747
	13 LST	13.7	13.3	15.9	11.6	14.0	17.5	16.4	16.8	16.2	17.6	11.9	12.9	177.8	7	1659
	19 LST	12.2	13.2	17.4	15.5	20.5	21.1	20.9	22.6	20.4	19.5	13.2	11.8	208.3	7	1701

SANDOMIERZ, POLAND

STA NO. 12585 (IN AREA NUMBER 02)

LATITUDE 5041N

LONGITUDE 02144E

ELEVATION(FT) 00657

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	46	50	66	81	82	93	97	93	86	77	68	59	97	10	2858
MEAN MAX TMP (F)	29	30	40	55	64	72	73	74	67	56	43	33	53	10	2858
MEAN MIN TMP (F)	19	19	27	38	46	53	56	55	48	41	34	26	39	10	2866
ABS MIN TMP (F)	-13	-20	-8	21	28	37	45	43	32	23	12	-6	-20	10	2866
MEAN NO DYS IMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.4	1.0	0.8	0.0	0.0	0.0	0.0	2.2	10	2858
MEAN NO DYS TMP = DR LES 32(F)	29.2	25.4	24.0	10.4	9.5	0.0	0.0	0.0	0.2	4.4	13.1	23.8	131.5	10	2866
MEAN NO DYS TMP = DR LES 0(F)	2.5	4.5	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	7.9	10	2866
MEAN DEW PT TMP (F)	19	21	27	37	46	53	55	56	49	41	36	24	39	10	14851
MEAN REL HUM (PCT)	85	84	78	70	73	74	76	77	78	81	88	87	79	10	14811
MEAN PRESS ALT (FT)	481	537	549	606	608	591	629	614	510	487	544	543	558	10	14861
MEAN PRECIP (IN)	1.09	1.10	1.15	1.64	2.77	2.50	3.62	1.61	1.52	1.17	1.33	1.70	21.2	10	2601
MEAN SNOW FALL (IN)						0.0	0.0	0.0	0.0					10	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	4.0	3.6	3.9	5.0	6.8	6.0	7.0	4.8	4.4	3.5	4.1	6.1	59.6	10	2601
MEAN NO DYS SNFL = DR GTR 1.5 IN						0.0	0.0	0.0	0.0					10	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	2.0	2.9	0.8	1.2	1.6	0.0	0.7	0.6	1.5	4.5	5.3	3.3	24.4	10	2309
MEAN NO DYS TSTMS	0.0	0.2	0.0	1.8	3.7	5.2	4.3	3.7	1.9	0.2	0.2	0.0	21.2	10	2311
P FREQ WND SPD = DR GTR 17 KTS	3.0	4.2	4.7	1.9	1.2	0.3	0.8	0.8	0.4	1.4	1.3	3.5	2.0	10	14873
P FREQ WND SPD = DR GTR 28 KTS	0.2	0.1	0.1	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	10	14873
P FREQ LES 5000 FT A/D LES 3 MI	76.1	75.4	59.3	48.3	56.8	45.1	52.2	49.9	50.3	63.3	80.3	81.2	61.5	10	15393
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	26.5	30.2	20.1	11.3	11.3	6.8	10.3	4.9	6.3	20.9	40.0	37.2	18.8	10	2645
03-05 LST	24.0	38.2	22.8	18.1	22.6	9.6	15.2	9.7	11.1	26.6	48.2	37.5	23.6	5	1514
06-08 LST	29.6	39.8	29.0	20.8	19.0	11.5	12.9	11.2	22.0	37.8	54.1	39.6	27.3	10	2873
09-11 LST	33.2	39.1	26.1	17.8	19.2	12.9	16.9	8.7	12.3	24.5	47.4	40.2	24.9	5	1497
12-14 LST	23.1	25.7	20.0	12.6	9.5	9.9	8.0	5.5	8.3	16.3	32.1	33.3	17.0	10	2796
15-17 LST	24.1	28.2	20.3	11.4	10.4	9.1	9.5	4.7	5.5	13.2	33.2	35.4	17.1	5	1512
18-20 LST	28.1	25.6	18.9	12.1	11.0	7.6	8.0	3.4	6.2	12.9	31.3	33.1	16.5	10	2872
21-23 LST	24.9	33.2	20.5	8.7	14.3	8.2	12.4	5.2	6.8	18.0	37.9	40.8	19.2	5	1521
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	4.6	3.2	0.4	1.6	1.8	0.0	0.9	1.3	0.4	5.0	6.5	6.0	2.6	10	2645
03-05 LST	3.4	5.7	1.7	4.3	7.3	0.9	1.8	1.5	0.7	8.2	9.2	3.4	4.0	5	1514
06-08 LST	5.3	9.5	3.7	5.2	2.9	0.4	1.8	1.3	6.7	16.7	17.1	6.5	6.4	10	2873
09-11 LST	3.5	5.7	0.9	0.9	0.0	0.0	0.0	0.7	2.1	7.5	8.0	7.6	3.1	5	1497
12-14 LST	2.6	2.0	1.2	0.0	0.0	0.0	0.0	0.0	0.0	1.3	5.2	3.3	1.3	10	2796
15-17 LST	1.7	0.9	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.2	4.8	1.0	5	1512
18-20 LST	4.5	2.8	0.8	0.8	0.0	0.0	0.5	0.0	0.0	0.8	6.1	6.3	1.9	10	2872
21-23 LST	5.0	1.9	0.0	0.0	0.8	0.0	0.0	0.7	4.1	4.3	3.4	1.7		5	1521

SANDOMIERZ, POLAND

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	25.7	22.9	27.4	28.1	28.5	28.8	29.4	30.1	28.6	26.3	20.9	23.1	319.8	10	2645
	07 LST	26.2	20.0	24.5	25.3	26.4	27.7	28.2	28.3	24.5	20.5	16.3	22.7	290.6	10	2873
	13 LST	26.4	23.3	27.9	28.1	29.9	28.7	29.9	30.4	29.0	27.5	22.8	23.6	327.5	10	2796
	19 LST	25.5	23.9	27.6	28.6	29.2	28.9	30.1	30.5	29.1	28.6	23.4	23.6	329.0	10	2872
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	15.9	12.4	16.5	23.2	24.8	24.9	24.6	26.1	25.5	20.8	10.8	11.9	237.4	10	2643
	07 LST	12.5	10.6	14.0	18.1	21.4	24.1	23.1	24.2	20.7	16.6	9.0	10.8	205.1	10	2872
	13 LST	14.4	12.7	12.8	14.4	16.6	19.4	17.9	18.3	16.6	16.0	10.7	11.7	181.5	10	2793
	19 LST	14.2	14.1	16.9	21.1	23.9	24.4	25.5	26.3	25.1	23.7	14.1	13.7	243.0	10	2868
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	0.3	0.6	0.3	0.3	0.1	0.0	0.0	0.0	0.1	0.4	0.4	0.9	3.4	10	2653
	07 LST	0.5	0.7	0.9	0.5	0.3	0.0	0.0	0.1	0.0	0.2	0.5	0.4	4.1	10	2888
	13 LST	1.2	0.7	1.3	1.9	0.2	0.2	0.7	0.9	0.1	0.7	0.7	0.5	9.1	10	2810
	19 LST	0.7	0.4	0.3	0.3	0.3	0.0	0.0	0.0	0.0	0.1	0.5	0.6	3.2	10	2882
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	4.3	3.8	7.2	14.8	17.4	15.9	17.3	16.7	16.2	15.9	8.7	4.7	142.9	10	2648
	07 LST	1.8	2.5	5.3	14.2	20.4	18.3	18.8	16.5	17.1	14.8	9.0	4.2	142.9	10	2885
	13 LST	5.1	5.8	11.4	16.3	19.2	20.2	18.9	17.6	18.8	17.0	12.8	7.6	170.7	10	2807
	19 LST	3.7	4.4	9.3	17.8	18.9	16.5	16.1	14.8	16.7	17.4	12.8	5.8	154.2	10	2878
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	5.1	7.7	11.2	13.5	12.3	15.8	13.4	17.9	18.2	13.8	6.7	6.2	144.8	10	2653
	07 LST	5.4	5.6	7.5	9.6	10.0	13.5	10.9	12.2	10.4	6.5	3.7	5.2	100.5	10	2886
	13 LST	6.7	7.2	8.8	7.0	4.8	6.8	6.8	7.8	9.8	8.8	3.9	5.8	84.2	10	2810
	19 LST	8.5	8.8	11.8	10.0	8.4	12.6	10.0	12.3	16.6	13.8	6.1	7.7	126.6	10	2885
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	17.0	14.3	19.7	22.4	23.6	25.4	23.9	26.9	26.1	20.9	13.2	13.5	246.9	10	2645
	07 LST	15.0	12.2	17.2	20.8	21.9	24.0	23.9	25.1	20.7	16.4	10.1	12.9	220.2	10	2873
	13 LST	19.5	16.7	20.5	21.4	22.6	22.6	23.6	24.9	23.5	22.0	16.1	16.1	249.5	10	2796
	19 LST	16.8	16.0	21.3	22.2	22.9	25.1	24.6	27.4	25.5	23.1	15.3	15.6	256.8	10	2872
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	10.5	10.3	14.3	16.5	15.8	19.6	16.7	20.4	20.2	15.6	8.4	8.1	176.4	10	2645
	07 LST	8.9	8.0	12.2	16.2	16.6	19.0	17.4	18.9	15.2	11.5	6.9	7.1	157.9	10	2873
	13 LST	14.1	12.3	15.7	15.8	14.5	16.5	15.8	16.5	17.4	16.7	11.3	10.9	177.5	10	2796
	19 LST	11.4	11.4	17.7	15.6	17.1	20.2	18.2	20.7	20.1	17.1	8.9	11.2	189.6	10	2872
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	10.5	10.3	14.3	16.5	15.8	19.6	16.7	20.4	20.2	15.6	8.4	8.1	176.4	10	2645
	07 LST	8.9	8.0	12.2	16.2	16.6	19.0	17.4	18.8	15.2	11.5	6.9	7.0	157.7	10	2873
	13 LST	14.1	12.1	15.6	15.8	14.5	16.5	15.8	16.5	17.4	16.7	11.3	10.9	177.2	10	2796
	19 LST	11.3	11.1	17.6	15.6	17.0	20.2	18.2	20.5	20.1	17.1	8.9	11.1	188.7	10	2872

ZAMOSC, POLAND

STA NO. 12595 (IN AREA NUMBER 02)

LATITUDE 5043N

LONGITUDE 02316E

ELEVATION(FT) 00717

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	48	52	66	81	84	93	93	97	88	79	66	63	97	12	2979
MEAN MAX TMP (F)	29	29	39	54	64	72	74	74	66	56	43	32	53	12	2979
MEAN MIN TMP (F)	19	18	25	37	45	52	55	54	47	40	33	25	38	12	2946
ABS MIN TMP (F)	-20	-22	-11	21	30	32	43	41	32	21	7	-9	-22	12	2946
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.8	0.4	0.8	0.0	0.0	0.0	0.0	2.0	12	2979
MEAN NO DYS TMP = DR LES 32(F)	28.3	25.2	24.3	11.5	1.0	0.1	0.0	0.0	0.7	5.6	13.7	24.7	135.1	12	2946
MEAN NO DYS TMP = DR LES 0(F)	3.9	4.5	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	9.9	12	2946
MEAN DEW PT TMP (F)	19	20	27	38	47	53	55	56	49	42	36	24	39	12	14829
MEAN REL HUM (PCT)	86	86	81	73	76	75	76	78	79	82	89	88	81	12	14785
MEAN PRESS ALT (FT)	541	591	604	647	670	654	690	673	565	540	598	594	614	12	14835
MEAN PRECIP (IN)	1.13	1.16	1.28	1.54	3.33	2.15	3.73	2.69	1.74	1.33	1.40	1.71	23.2	12	2570
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0					12	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	3.6	3.5	4.5	4.3	8.5	5.1	7.8	6.1	4.5	3.9	3.8	5.9	61.5	12	2570
MEAN NO DYS SNFL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0					12	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	2.8	3.3	0.8	0.6	1.0	0.3	0.3	0.6	1.5	4.1	4.4	2.3	22.0	12	2282
MEAN NO DYS TSTMS	0.0	0.0	0.0	1.1	5.9	6.6	7.3	6.5	2.4	0.5	0.2	0.3	30.8	12	2287
P FREQ WND SPD = DR GTR 17 KTS	3.3	4.2	3.3	1.4	1.6	0.0	0.1	1.2	1.5	2.9	4.7	6.7	2.6	12	14848
P FREQ WND SPD = DR GTR 28 KTS	0.4	0.7	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.4	0.2	12	14848
P FREQ LES 5000 FT A/Q LES 5 MI	61.2	65.5	49.8	38.7	41.8	32.3	37.1	31.8	39.0	53.7	68.8	69.3	49.1	12	15157
P FREQ LES 1500 FT A/Q LES 3 MI															
FOR 00-02 LST	23.5	24.1	16.3	12.6	10.9	8.2	7.5	6.0	12.3	21.3	35.6	31.5	17.5	12	2881
03-05 LST	18.5	27.4	15.8	11.6	15.2	12.7	10.1	7.8	16.9	30.1	40.6	29.0	19.6	5	1517
06-08 LST	28.4	34.6	23.7	19.4	17.5	12.2	13.4	13.6	20.7	33.1	47.6	37.3	25.1	12	2948
09-11 LST	30.3	38.1	22.9	14.5	23.3	15.3	18.6	8.8	16.7	27.9	43.4	31.9	24.3	5	1502
12-14 LST	22.2	26.9	20.7	15.8	14.1	12.8	12.3	9.2	14.3	18.4	36.4	30.7	19.5	12	2917
15-17 LST	22.2	30.1	22.1	12.9	12.9	10.4	13.2	6.9	9.9	13.1	38.8	29.6	18.5	5	1528
18-20 LST	24.9	26.2	17.6	9.5	11.4	6.3	8.6	6.6	9.8	17.1	34.3	33.5	17.2	12	2991
21-23 LST	19.5	28.5	18.4	7.2	9.1	11.2	8.8	8.4	10.7	18.4	38.7	30.3	17.4	5	1518
P FREQ LES 300 FT A/Q LES 1 MI															
FOR 00-02 LST	4.2	4.2	0.9	0.8	0.4	0.8	0.5	0.9	1.6	5.8	4.2	4.7	2.4	12	2881
03-05 LST	3.4	3.9	0.9	0.0	3.4	1.8	1.7	2.2	4.1	11.0	6.2	4.7	3.6	5	1517
06-08 LST	6.3	8.9	4.2	2.2	2.1	0.8	0.4	1.2	6.2	11.7	10.4	5.8	5.0	12	2948
09-11 LST	9.1	7.4	2.6	0.0	0.0	0.0	0.0	0.7	0.7	8.1	7.2	5.5	3.4	5	1502
12-14 LST	1.3	3.5	1.2	0.8	0.0	0.0	0.0	0.0	0.0	1.2	4.3	4.7	1.4	12	2917
15-17 LST	2.6	7.3	2.6	0.9	0.0	0.0	0.0	0.0	0.0	2.0	6.3	4.8	2.2	5	1528
18-20 LST	5.0	5.8	1.6	0.4	0.0	0.0	0.0	0.0	0.0	1.1	4.2	6.1	2.0	12	2991
21-23 LST	2.6	6.5	1.8	0.0	0.0	0.0	0.8	0.7	1.4	2.7	5.7	3.4	2.1	5	1518

ZAMOSC, POLAND

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST	27.7	25.3	29.0	28.6	29.6	28.5	30.6	30.1	28.3	26.4	23.6	25.7	333.4	12	2881
	08 LST	26.2	22.1	27.3	27.1	28.0	28.0	29.1	28.5	25.7	22.9	19.5	23.8	308.2	12	2948
	14 LST	27.3	23.4	29.1	28.1	30.3	29.1	29.6	30.3	29.1	28.5	23.3	26.0	334.1	12	2917
	20 LST	26.6	23.6	28.0	29.3	29.4	29.5	30.3	30.5	29.1	28.1	23.3	24.8	332.5	12	2991
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST	16.7	14.4	17.9	21.9	24.8	26.0	25.9	27.5	22.8	20.7	11.9	13.9	244.4	12	2877
	08 LST	14.0	12.4	14.6	19.5	21.0	23.8	23.3	24.3	19.8	17.0	10.0	12.1	211.8	12	2946
	14 LST	15.9	13.9	13.0	15.1	16.6	18.7	21.1	20.5	15.6	17.3	10.2	12.9	190.8	12	2913
	20 LST	16.9	15.3	18.6	22.8	24.1	26.2	26.2	26.6	23.8	21.6	13.5	13.3	248.9	12	2991
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST	0.9	1.2	1.1	0.0	0.0	0.1	0.0	0.0	0.1	0.5	1.2	1.2	6.3	12	2897
	08 LST	0.8	1.0	0.8	0.3	0.3	0.0	0.0	0.1	0.1	0.5	0.9	1.0	5.8	12	2963
	14 LST	1.0	1.0	1.0	0.7	1.1	0.0	0.1	0.9	1.2	1.5	0.9	0.9	10.3	12	2937
	20 LST	1.7	0.7	0.9	0.2	0.1	0.1	0.0	0.0	0.1	0.3	0.6	0.6	5.3	12	3008
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST	2.1	2.6	3.6	8.2	10.9	8.3	8.2	10.1	10.7	10.8	6.4	3.6	85.5	12	2886
	08 LST	1.7	2.5	4.4	9.9	16.3	15.2	14.6	14.7	11.6	11.5	8.2	3.8	114.4	12	2960
	14 LST	5.3	6.5	11.5	17.4	18.7	20.3	19.3	18.2	17.7	18.6	12.1	6.5	172.1	12	2930
	20 LST	3.1	3.7	7.7	12.9	13.5	13.7	12.0	11.8	10.3	12.6	8.3	3.7	113.3	12	3002
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST	8.1	7.5	11.7	14.7	14.2	19.9	17.6	20.3	16.1	12.6	7.7	7.2	157.6	12	2900
	08 LST	4.6	4.9	6.7	9.7	10.8	14.4	13.4	14.5	11.6	8.1	4.3	5.6	108.6	12	2956
	14 LST	8.2	6.6	8.9	7.5	6.0	9.2	6.4	10.0	11.3	9.9	4.4	5.2	93.6	12	2940
	20 LST	8.5	8.4	12.8	10.6	10.9	12.2	12.5	14.4	15.9	14.9	6.8	6.5	134.4	12	3004
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST	17.9	16.1	21.6	22.6	23.4	25.0	24.8	26.5	22.6	20.3	13.9	15.4	250.1	12	2891
	08 LST	16.1	13.7	18.9	20.3	21.7	23.9	23.4	24.3	20.9	17.5	10.8	13.6	225.1	12	2948
	14 LST	20.0	16.8	19.0	20.3	20.6	22.0	22.3	24.0	21.4	20.8	13.9	16.0	237.1	12	2917
	20 LST	18.5	16.7	21.9	23.2	23.8	25.3	25.4	25.5	23.7	21.9	14.8	15.0	255.7	12	2991
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST	13.2	12.4	17.7	19.7	19.0	22.5	21.2	23.6	19.6	16.1	10.8	11.6	207.4	12	2881
	08 LST	11.0	10.6	14.9	17.0	18.0	22.2	20.6	22.4	18.7	14.9	8.4	9.0	187.7	12	2948
	14 LST	16.0	13.4	16.1	16.3	16.2	19.5	17.8	20.2	19.0	17.7	11.3	12.6	196.1	12	2917
	20 LST	14.1	13.6	19.3	19.5	20.7	22.0	23.1	22.1	20.7	18.7	12.0	10.9	216.7	12	2991
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST	11.9	11.8	16.5	19.1	19.0	22.5	21.2	23.6	19.4	15.8	10.4	11.1	202.3	12	2881
	08 LST	10.1	9.8	13.9	16.2	17.9	21.8	20.6	22.1	17.5	14.4	8.2	8.6	181.1	12	2948
	14 LST	15.2	12.3	15.4	16.2	16.1	19.5	17.8	20.2	18.7	17.3	10.7	11.7	191.1	12	2917
	20 LST	12.9	13.3	18.3	19.2	20.5	21.5	23.1	22.1	20.7	18.6	11.3	10.2	211.7	12	2991

AREA C.2

POLAND	CENTRAL PLAINS				LATITUDE 5200N				LONGITUDE 01900E					
	BOUNDARIES	5312N 01423E	5438N 01808E	5438N 01808E	5400N 02000E	5400N 02000E	5426N 02000E	5100N 01515E	5100N 01614E	5100N 01614E	5027N 01652E	4950N 01836E	4950N 02299E	
	PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)		31	31	41	54	64	72	73	73	66	55	42	34	53
MEAN MIN TMP (F)		22	19	26	36	44	52	55	54	47	41	33	27	38
LARGEST MEAN PRECIP(IN)		2.27	1.72	1.59	2.16	3.33	3.84	5.24	3.46	3.06	2.24	2.00	2.49	33.4
SMALLEST MEAN PRECIP(IN)		0.81	0.62	0.84	1.25	1.14	1.76	2.11	1.53	1.36	1.09	0.69	1.15	14.3
		MEAN NUMBER OF DAYS												
CIG = GTR 1000 FT AND	01 LST	21.3	19.4	25.3	26.3	28.6	27.4	28.4	28.5	26.0	23.0	19.1	19.4	292.7
VSBY = GTR 3 MI	07 LST	20.2	16.2	21.8	22.7	26.5	26.2	26.3	25.3	21.6	18.3	16.3	16.2	259.6
	13 LST	21.4	19.6	26.8	27.6	29.8	28.8	29.7	29.9	28.6	26.8	20.7	19.7	309.4
	19 LST	20.9	19.7	26.0	27.5	29.8	28.9	29.8	30.0	28.0	25.7	19.7	19.4	305.4
CIG =GTR 2000 FT AND VSBY =GTR	01 LST	10.3	10.6	15.8	19.6	23.6	23.8	24.1	24.7	21.6	16.9	10.5	9.4	210.9
3 MI W/SFC WND LES 10 KTS	07 LST	8.3	8.2	12.2	15.2	19.4	20.0	20.2	19.9	16.4	12.2	8.1	7.9	168.0
	13 LST	9.5	9.7	11.8	13.5	15.4	17.0	17.8	17.6	15.7	14.3	9.8	9.2	161.3
	19 LST	10.3	11.5	16.2	20.4	23.5	24.1	25.0	25.9	23.5	19.4	11.3	9.7	220.8
SFC WND = GTR 17 KTS AND	01 LST	1.3	0.9	1.1	0.4	0.1	0.1	0.1	0.2	0.2	0.4	1.0	1.0	6.8
NO PRECIP.	07 LST	1.4	0.8	0.9	0.5	0.3	0.2	0.2	0.2	0.2	0.4	0.8	1.1	7.0
	13 LST	1.6	1.2	2.1	1.7	1.3	0.7	0.7	1.1	1.3	1.2	1.2	1.1	15.2
	19 LST	1.3	0.8	1.1	0.4	0.3	0.1	0.2	0.2	0.1	0.4	0.7	0.9	6.5
SFC WND 4-10 KTS AND TMP 33-89	01 LST	3.1	2.6	4.9	10.0	11.8	10.5	10.8	10.6	11.1	12.1	7.4	4.7	99.6
DEG F AND NO PRECIP.	07 LST	2.2	2.2	4.3	11.0	16.2	15.0	15.1	13.8	13.1	12.3	7.5	4.5	117.2
	13 LST	4.8	4.9	10.9	15.4	17.1	17.7	17.5	17.0	16.6	16.7	11.7	7.4	157.7
	19 LST	3.2	3.7	8.1	13.5	16.3	15.3	13.8	12.5	11.9	12.9	8.7	5.2	125.1
SKY COVER LES 3/10 AND	01 LST	5.8	6.6	12.2	12.4	14.0	13.7	13.8	16.1	14.7	10.4	5.9	5.5	131.1
VSBY = GTR 3 MI	07 LST	3.9	3.5	6.8	7.1	9.2	10.3	9.3	8.7	8.1	4.9	3.1	3.7	78.2
	13 LST	4.3	4.8	8.1	5.2	4.3	4.6	4.3	4.4	6.6	6.2	3.4	3.8	60.0
	19 LST	6.1	7.0	10.8	7.7	8.2	9.2	8.8	8.9	12.0	11.5	5.7	5.6	101.5
CIG = GTR 2500 FT AND	01 LST	12.5	12.4	19.1	20.6	23.6	23.5	23.7	24.8	22.4	17.8	11.8	11.4	223.6
VSBY = GTR 3 MI	07 LST	10.8	9.5	15.8	17.4	21.6	22.0	21.5	21.4	17.8	13.2	9.4	10.1	190.5
	13 LST	13.6	13.3	19.8	19.4	22.2	22.8	22.9	23.8	22.5	19.7	13.2	12.7	225.9
	19 LST	12.8	13.4	20.3	21.7	25.2	25.4	25.7	26.4	24.0	20.2	12.6	11.9	239.6
CIG = GTR 6000 FT AND	01 LST	9.6	9.8	16.3	17.0	19.4	19.8	19.3	21.2	19.3	14.3	9.0	8.7	183.7
VSBY = GTR 3 MI	07 LST	8.0	7.2	13.4	14.7	18.4	19.2	18.5	18.6	15.1	10.4	7.1	7.4	158.0
	13 LST	11.1	11.0	16.5	13.8	14.7	15.9	15.6	16.9	17.3	15.8	10.3	10.3	169.2
	19 LST	9.9	10.8	17.6	17.3	20.4	21.3	21.2	22.0	20.2	16.5	9.4	9.2	195.8
CIG = GTR 10000 FT AND	01 LST	9.4	9.6	16.2	16.8	19.3	19.6	19.2	21.1	19.2	14.1	8.9	8.5	191.9
VSBY = GTR 3 MI	07 LST	7.8	7.0	13.2	14.4	18.2	19.1	18.3	18.3	14.9	10.3	7.0	7.3	155.8
	13 LST	10.9	10.9	16.4	13.7	14.6	15.8	15.5	16.9	17.2	15.7	10.2	10.0	167.8
	19 LST	9.8	10.7	17.4	17.2	20.3	21.1	21.0	21.8	20.0	16.3	9.3	9.0	193.9

JELENTA GORA, POLAND

STA NO. 12500 (IN AREA NUMBER 03)	LATITUDE 5054N												LONGITUDE 01548E												ELEVATION(FT) 01128	
PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS											
ABS MAX TMP (F)	54	54	68	81	81	86	82	93	88	75	63	55	93	7	1718											
MEAN MAX TMP (F)	34	32	43	49	61	68	68	71	65	56	43	39	52	7	1754											
MEAN MIN TMP (F)	20	14	27	32	39	48	51	49	44	36	29	28	35	7	1754											
ABS MIN TMP (F)	-26	-33	-2	12	25	30	39	37	25	18	3	-4	-33	7	1718											
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.2	7	1754											
MEAN NO DYS TMP = DR LES 32(F)	27.4	24.8	23.7	17.6	6.9	0.6	0.0	0.0	3.0	11.4	19.5	22.0	156.9	7	1754											
MEAN NO DYS TMP = DR LES 0(F)	3.0	6.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	11.1	7	5996											
MEAN DEW PT TMP (F)	21	17	28	34	43	51	53	53	46	37	31	29	37	7	5964											
MEAN REL HUM (PCT)	84	76	79	79	73	78	79	80	79	77	85	87	80	7	6028											
MEAN PRESS ALT (FT)	1014	1067	987	993	1000	1017	1114	1077	968	947	938	1092	1018	7	1558											
MEAN PRECIP (IN)	1.30	2.38	1.70	2.42	2.36	2.90	5.55	2.99	1.28	2.51	1.64	2.16	29.2	7	-29											
MEAN SNOW FALL (IN)						0.0	0.0	0.0						7	1558											
MEAN NO DYS PRCP = DR GTR 0.1 IN	3.8	4.5	4.9	9.0	6.8	7.6	12.3	7.6	3.4	4.9	3.4	8.0	76.2	7	-29											
MEAN NO DYS SNFL = DR GTR 1.5 IN						0.0	0.0	0.0						7	1156											
MEAN NO DYS W/OCCUR VSBY LES 1/2 MI	3.8	1.1	2.5	1.5	0.6	2.2	1.9	6.9	6.8	5.7	4.2	2.2	39.4	7	1158											
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.6	3.4	3.9	3.8	5.4	1.0	0.0	0.0	0.0	18.1	7	6047											
P FREQ WND SPD = DR GTR 17 KTS	7.2	1.8	11.0	1.6	2.0	0.9	1.4	3.2	2.4	5.1	4.3	6.9	4.0	7	6047											
P FREQ WND SPD = DR GTR 28 KTS	1.7	0.3	0.7	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.2	1.0	0.3	7	6436											
P FREQ LES 5000 FT A/D LES 5 MI	61.9	51.7	59.4	62.4	45.0	48.3	59.2	51.3	50.6	46.7	56.1	66.9	55.0	7	1575											
P FREQ LES 1500 FT A/D LES 3 MI														7	387											
FOR 03-02 LST	32.2	22.7	27.2	26.6	14.3	26.0	23.7	28.6	35.6	35.5	34.0	27.2	27.8	2	1762											
03-05 LST	38.1	14.7	46.4	36.6	29.0	31.6	15.4	52.0	35.7	21.0	44.3	44.8	34.1	7	387											
06-08 LST	29.1	27.1	36.4	39.3	19.4	18.3	23.4	27.7	39.7	31.6	32.3	28.1	29.4	2	1675											
09-11 LST	43.2	18.7	48.1	21.9	8.7	3.9	11.0	13.0	18.6	23.3	48.3	42.1	25.1	7	397											
12-14 LST	23.1	27.6	19.0	17.3	7.1	10.5	13.0	7.1	4.4	14.6	20.2	31.8	16.3	2	1716											
15-17 LST	36.7	1.9	35.7	21.6	9.0	5.2	3.5	5.8	1.9	3.2	17.4	48.4	15.9	2	384											
18-20 LST	26.0	20.8	21.1	20.0	4.8	6.5	9.5	2.7	7.2	14.9	21.4	30.7	15.5	7	1575											
21-23 LST	45.0	16.7	34.5	30.6	18.5	5.4	15.4	16.0	23.2	2.0	43.2	46.6	24.8	2	1575											
P FREQ LES 300 FT A/D LES 1 MI														7	387											
FOR 00-02 LST	6.1	5.2	3.2	5.8	1.5	7.6	7.0	13.4	18.2	17.0	10.3	6.8	8.5	2	1762											
03-05 LST	0.0	0.0	10.7	6.9	6.5	11.1	7.7	27.5	21.4	3.2	15.4	24.1	11.2	7	387											
06-08 LST	3.6	8.3	8.9	8.0	1.4	2.0	1.5	13.1	17.2	15.9	10.6	7.0	8.1	2	1675											
09-11 LST	24.1	0.0	0.0	0.0	0.0	0.0	0.0	2.0	0.0	0.0	10.7	12.0	4.1	7	397											
12-14 LST	5.0	3.2	0.0	3.2	0.0	0.0	0.7	0.6	0.0	1.9	1.8	4.2	1.7	2	1716											
15-17 LST	10.0	0.0	3.6	0.0	0.0	3.4	0.0	0.0	0.0	0.0	0.0	16.7	2.8	7	384											
18-20 LST	4.1	4.6	2.1	2.7	0.0	0.0	0.8	0.0	0.0	3.0	1.5	7.4	2.2	2	1575											
21-23 LST	0.0	0.0	3.4	0.0	0.0	0.0	7.7	4.0	7.1	0.0	13.8	17.2	4.4	7												

JELENTA GORA, POLAND

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	23.0	23.4	24.4	24.3	27.5	23.0	25.4	22.5	20.1	21.3	22.7	24.7	202.3	7	1575
	07 LST	24.2	21.8	20.5	20.4	26.4	25.9	24.6	23.1	19.1	22.3	23.2	24.9	276.4	7	1762
	13 LST	25.5	21.5	26.2	27.1	29.7	28.1	28.9	29.4	28.8	28.4	26.0	22.5	322.1	7	1675
	19 LST	24.4	23.5	26.1	26.4	30.0	29.2	30.0	30.6	28.3	27.1	26.6	24.3	326.5	7	1716
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	14.0	15.4	14.0	17.1	23.4	19.4	20.1	19.3	16.0	14.9	13.0	15.0	201.6	7	1573
	07 LST	13.3	15.9	12.4	14.0	20.3	21.3	18.6	18.6	13.1	17.1	14.0	13.8	192.4	7	1762
	13 LST	14.8	12.6	14.0	13.8	16.2	15.8	13.5	18.2	18.0	16.1	14.6	14.5	182.1	7	1675
	19 LST	16.0	15.2	15.9	19.0	25.6	24.6	24.6	27.7	24.2	20.9	16.7	12.9	243.3	7	1715
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	2.5	0.7	2.2	0.2	0.5	0.2	0.0	1.0	1.0	1.4	1.4	2.6	13.7	7	1581
	07 LST	2.1	0.6	2.4	0.2	0.4	0.4	0.5	0.6	0.5	1.4	1.5	0.9	11.5	7	1770
	13 LST	2.4	0.2	3.1	0.6	0.7	0.2	0.6	1.2	1.0	0.9	0.8	1.8	13.5	7	1683
	19 LST	2.1	1.2	2.3	0.2	0.2	0.0	0.2	0.0	0.4	1.1	1.1	3.0	11.8	7	1724
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	2.1	1.9	2.5	3.3	5.8	2.9	4.5	4.2	4.5	3.5	3.1	3.3	41.6	7	1577
	07 LST	2.1	1.1	0.8	3.8	6.1	6.4	7.8	5.8	5.3	4.5	2.6	4.6	.9	7	1765
	13 LST	4.4	4.3	9.8	12.8	15.5	14.6	13.9	15.0	14.3	12.3	11.3	6.5	134.7	7	1681
	19 LST	1.7	3.1	4.5	9.5	16.9	12.1	11.2	8.8	7.1	8.3	4.1	4.1	91.4	7	1722
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	8.5	9.6	10.5	9.0	12.7	9.7	8.2	10.2	9.1	10.7	8.3	8.2	114.7	7	1581
	07 LST	6.6	5.9	5.1	4.8	8.4	6.4	4.8	5.3	5.0	5.7	5.3	4.3	67.6	7	1767
	13 LST	4.9	5.8	6.1	3.8	3.9	3.4	3.4	2.2	5.3	9.5	6.1	3.4	57.8	7	1678
	19 LST	10.2	7.8	8.9	5.8	7.5	5.2	5.7	6.4	9.3	13.1	9.7	7.8	97.4	7	1721
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	16.8	18.2	18.9	17.6	23.6	19.8	19.4	20.1	17.4	17.2	15.5	17.7	222.2	7	1575
	07 LST	16.8	17.3	16.3	14.7	21.9	22.0	20.5	20.2	15.6	18.6	15.8	16.9	216.6	7	1762
	13 LST	20.3	17.6	21.9	19.3	25.0	23.7	22.1	25.7	26.1	22.7	20.8	17.3	262.5	7	1675
	19 LST	19.4	19.2	20.8	19.8	27.3	25.0	24.5	28.6	25.8	23.7	18.5	16.8	269.4	7	1716
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	13.1	14.7	15.0	13.4	18.5	15.9	14.0	16.2	14.2	14.3	12.3	13.2	174.8	7	1575
	07 LST	11.6	14.6	12.0	11.6	16.8	18.4	14.5	16.7	12.5	13.0	12.1	12.0	167.8	7	1762
	13 LST	16.6	15.1	18.0	11.3	14.1	14.4	12.6	16.2	18.2	18.1	18.3	12.4	185.3	7	1675
	19 LST	15.6	16.0	15.7	14.4	22.1	19.3	18.1	22.6	21.6	19.1	14.7	13.3	212.5	7	1716
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	13.1	14.7	14.5	13.1	18.3	15.9	14.0	16.2	14.0	14.3	12.1	12.9	173.1	7	1575
	07 LST	11.6	14.6	12.0	11.6	16.8	18.2	14.5	16.5	12.5	15.0	12.1	12.0	167.4	7	1762
	13 LST	16.2	15.1	17.8	11.3	14.1	14.4	12.6	16.2	18.2	18.1	18.1	12.4	184.5	7	1675
	19 LST	15.4	15.4	15.5	14.4	21.8	19.1	18.1	22.6	21.6	19.1	14.7	13.3	211.0	7	1716

SNIEZKA, POLAND

STA NO. 12510 (IN AREA NUMBER 03)

LATITUDE 5044N

LONGITUDE 01544E

ELEVATION(FT) 05287

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	46	50	54	59	66	68	73	75	68	63	54	50	75	12	3859
MEAN MAX TMP (F)	21	22	26	35	41	49	51	51	47	40	32	26	37	12	3899
MEAN MIN TMP (F)	14	14	18	26	33	40	43	43	39	32	25	19	29	12	3853
ABS MIN TMP (F)	-13	-29	-2	3	14	19	28	28	23	10	-4	-11	-29	12	3853
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	12	3899
MEAN NO DYS TMP = DR LES 32(F)	30.5	27.0	28.7	23.3	16.0	5.3	1.6	0.5	7.2	16.9	25.6	29.7	212.3	12	3853
MEAN NO DYS TMP = DR LES 0(F)	2.4	3.0	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.6	6.9	12	3853
MEAN DEW PT TMP (F)	13	12	18	26	34	40	43	43	38	31	24	17	28	12	20076
MEAN REL HUM (PCT)	84	80	83	87	89	88	88	90	87	83	87	84	86	12	19876
MEAN PRESS ALT (FT)	5000	4998	4927	4910	4828	4739	4739	4745	4706	4758	4892	5005	4854	12	20032
MEAN PRECIP (IN)	4.23	3.69	3.45	3.66	4.41	4.51	6.29	3.47	2.92	2.61	3.34	3.81	46.4	12	3529
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = DR GTR 0.1 IN	14.4	10.5	9.8	9.0	9.6	10.7	10.5	8.2	8.7	8.4	10.0	12.4	122.2	12	3529
MEAN NO DYS SNPL = DR GTR 1.5 IN														0	0
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	23.7	20.1	23.5	21.5	20.4	19.6	19.5	19.7	21.1	22.8	23.1	24.4	259.4	12	3436
MEAN NO DYS TSMS	0.0	0.0	0.0	1.5	3.3	6.0	4.3	4.3	1.6	0.4	0.1	0.1	21.6	12	3462
P FREQ WND SPD = DR GTR 17 KTS	76.9	67.2	64.2	55.1	44.0	46.3	48.5	54.5	53.2	56.4	61.9	65.2	57.8	12	20160
P FREQ WND SPD = DR GTR 28 KTS	53.1	43.1	38.5	27.6	17.7	17.6	17.6	25.2	27.1	27.3	36.2	39.3	30.9	12	20160
P FREQ LES 5000 FT A/D LES 5 MI	63.2	54.9	58.2	57.6	61.2	53.8	54.3	54.6	51.5	54.5	63.9	58.6	57.2	12	15258
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	55.7	58.0	55.2	49.3	50.2	43.8	48.9	46.0	49.5	55.1	59.3	59.8	52.6	12	3448
03-05 LST	60.8	49.2	57.3	46.9	51.6	43.5	48.9	55.2	51.2	45.9	66.1	58.3	52.9	5	1515
06-08 LST	59.9	55.5	55.4	56.7	53.5	48.3	51.5	51.2	52.4	54.0	58.4	60.6	54.8	12	3512
09-11 LST	59.8	50.0	55.1	51.3	64.2	61.6	63.6	63.0	54.7	47.1	67.8	52.5	57.6	5	1392
12-14 LST	61.5	59.7	59.1	63.0	68.7	69.9	69.3	62.1	58.2	54.9	60.8	59.9	62.3	12	3208
15-17 LST	63.2	54.7	53.8	59.2	73.0	56.8	57.7	63.8	51.8	46.3	67.4	52.6	58.4	5	1436
18-20 LST	62.6	61.0	57.3	51.9	47.3	44.7	40.4	43.2	48.1	55.3	57.5	59.5	52.4	12	3496
21-23 LST	62.4	50.0	56.9	54.3	54.5	49.3	41.4	44.0	38.8	56.6	64.4	56.2	52.4	5	1531
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	55.1	57.6	53.5	47.0	47.6	43.1	47.7	43.6	47.8	54.8	59.3	59.0	51.3	12	3448
03-05 LST	60.0	48.4	55.7	44.5	48.4	41.5	46.5	50.4	48.0	45.1	66.1	56.8	51.0	5	1515
06-08 LST	59.9	54.5	53.7	55.0	50.6	46.1	49.8	48.1	50.0	53.4	57.7	59.2	53.2	12	3512
09-11 LST	59.3	50.0	54.6	41.7	52.8	42.5	55.9	52.6	50.5	46.3	66.9	52.5	52.1	5	1392
12-14 LST	60.5	59.3	55.9	49.4	46.6	47.2	49.4	50.4	51.9	54.2	60.6	59.2	53.7	12	3208
15-17 LST	62.7	54.2	49.6	46.1	47.5	34.5	39.0	38.2	46.5	45.5	66.9	51.9	48.6	5	1436
18-20 LST	61.3	59.6	55.4	47.1	41.4	37.8	36.5	37.7	45.7	54.0	57.1	58.9	49.4	12	3496
21-23 LST	61.2	49.2	53.2	49.2	49.2	41.3	37.5	40.0	38.0	55.9	64.4	54.6	49.5	5	1531

SNIEZKA, POLAND

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	13.7	11.8	14.0	15.3	15.7	17.0	15.9	16.0	15.2	13.9	12.2	12.5	174.1	12	3448
	07 LST	12.4	12.5	13.8	13.0	14.6	15.6	15.2	15.3	14.3	14.3	12.6	12.3	165.9	12	3512
	13 LST	12.0	11.3	12.8	11.6	10.4	9.8	9.9	12.0	12.6	14.1	11.8	12.5	140.8	12	3208
	19 LST	11.7	11.0	13.3	14.7	16.7	17.0	18.6	17.9	15.8	13.8	12.8	12.6	175.9	12	3496
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LFS 10 KTS	01 LST	2.5	2.4	3.0	4.1	4.3	4.3	5.3	5.2	4.2	5.0	3.2	2.9	46.4	12	3442
	07 LST	2.7	3.2	3.9	3.6	5.1	5.1	4.8	4.8	4.5	5.3	2.4	2.3	47.7	12	3501
	13 LST	3.1	3.6	3.6	3.7	2.9	2.3	2.1	4.1	5.0	5.3	3.6	3.9	43.2	12	3202
	19 LST	2.8	2.9	3.0	2.7	4.6	5.6	5.7	4.9	4.3	3.7	3.7	2.7	46.6	12	3492
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	14.9	12.8	14.1	13.5	12.7	13.2	14.5	16.5	15.8	15.2	14.9	14.2	172.3	12	3753
	07 LST	16.4	13.3	14.0	12.1	11.9	9.5	13.3	14.4	13.8	14.6	15.0	15.1	163.4	12	3928
	13 LST	14.6	11.9	11.9	8.4	7.6	8.2	10.4	10.9	11.4	12.1	11.8	13.1	132.3	12	3763
	19 LST	15.6	12.4	13.2	11.2	9.2	10.1	11.3	12.1	14.6	15.4	13.0	13.4	151.5	12	3931
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	0.6	0.3	1.2	1.5	3.8	5.2	5.7	4.9	5.1	4.7	1.9	0.4	35.3	12	3736
	07 LST	0.6	0.3	1.4	1.4	4.8	6.1	4.7	4.5	4.5	4.1	1.1	0.4	33.9	12	3917
	13 LST	0.3	0.8	1.4	3.7	6.0	7.5	6.3	6.6	7.4	5.3	1.6	1.0	47.9	12	3743
	19 LST	0.7	0.6	1.0	1.9	5.3	7.8	6.5	6.1	5.6	3.3	1.1	0.4	40.3	12	3914
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	8.4	8.7	9.0	9.6	9.8	8.8	9.1	9.9	10.7	10.6	6.9	8.4	109.9	12	3750
	07 LST	6.9	7.2	6.4	6.0	6.6	5.1	6.8	5.9	7.1	7.4	5.5	5.4	76.3	12	3933
	13 LST	6.1	5.8	5.3	3.5	2.0	1.5	2.7	2.0	4.7	6.7	5.4	6.2	51.9	12	3761
	19 LST	6.5	6.4	6.2	6.1	4.7	3.8	5.2	4.6	6.9	9.2	7.4	7.9	74.9	12	3930
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	13.6	11.7	13.6	15.0	15.2	16.6	15.8	16.5	15.1	13.8	12.1	12.4	171.4	12	3448
	07 LST	12.4	12.4	13.7	13.0	14.1	15.3	14.8	15.0	14.2	14.2	12.3	12.1	163.5	12	3512
	13 LST	11.7	11.3	12.6	10.6	9.0	8.3	9.0	11.4	12.3	13.7	11.7	12.3	133.9	12	3208
	19 LST	11.4	10.8	13.1	14.0	16.0	16.2	18.2	17.2	15.3	13.8	12.8	12.6	171.4	12	3496
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	12.8	11.4	12.6	14.5	14.5	16.0	15.1	15.6	14.7	12.8	11.5	12.1	163.6	12	3448
	07 LST	11.4	11.9	12.8	12.8	13.0	14.4	14.0	14.3	13.9	13.5	11.2	11.7	154.9	12	3512
	13 LST	10.8	11.0	11.7	10.1	8.9	8.3	8.7	11.1	12.1	12.9	11.2	11.8	128.6	12	3208
	19 LST	10.2	10.3	12.2	13.3	15.3	15.9	17.6	16.1	14.7	13.1	12.0	12.3	162.0	12	3496
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	12.2	11.3	12.4	14.2	14.1	15.5	14.7	14.9	14.6	12.3	10.9	11.6	158.7	12	3448
	07 LST	10.3	11.4	12.4	12.6	12.7	14.0	13.9	13.6	13.6	13.1	10.4	11.0	149.0	12	3512
	13 LST	10.4	10.8	11.6	10.1	6.9	8.3	8.7	11.0	12.0	12.4	10.3	11.5	126.0	12	3208
	19 LST	10.0	9.9	11.7	13.0	14.9	15.7	17.5	15.8	14.6	12.7	11.7	11.6	159.1	12	3496

## GLATZ/KLODZKO, POLAND

STA NO. 12520 (IN AREA NUMBER 03)

LATITUDE 5026N

LONGITUDE 01639E

ELEVATION(FT) 01050

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	50	52	68	79	82	88	84	95	86	77	61	54	95	9	1990
MEAN MAX TMP (F)	31	31	42	51	62	70	71	72	66	56	41	37	53	9	1990
MEAN MIN TMP (F)	23	18	28	34	42	50	52	50	46	39	32	29	37	9	1993
ABS MIN TMP (F)	-22	-20	-4	21	25	34	41	34	28	19	7	9	-22	9	1993
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.3	9	1990
MEAN NO DYS TMP = DR LES 32(F)	23.9	23.1	22.1	13.5	3.7	0.0	0.0	0.0	1.1	7.6	16.3	20.5	133.8	9	1993
MEAN NO DYS TMP = DR LES 0(F)	1.9	5.8	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.1	9	1993
MEAN DEW PT TMP (F)	22	16	28	35	42	52	54	54	47	38	33	29	38	9	6503
MEAN REL HUM (PCT)	83	79	79	79	72	77	80	80	81	78	86	87	80	9	6454
MEAN PRESS ALT (FT)	913	989	909	950	922	943	1032	1000	892	866	851	994	938	9	6557
MEAN PRECIP (IN)	1.05	1.14	1.30	1.75	2.28	2.71	4.13	1.98	1.30	1.76	1.40	1.32	22.1	9	1622
MEAN SNOW FALL (IN)						0.0	0.0	0.0						9	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	3.3	3.3	3.9	6.5	5.8	5.7	7.9	4.8	3.6	4.3	3.6	5.2	57.9	9	1622
MEAN NO DYS SNFL = DR GTR 1.5 IN						0.0	0.0	0.0						9	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	1.6	1.2	3.7	1.8	1.1	1.6	1.8	4.4	7.4	5.1	5.3	1.3	36.3	9	1288
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.3	3.4	6.2	3.9	4.8	0.7	0.0	0.0	0.0	19.3	9	1289
P FREQ WND SPD = DR GTR 17 KTS	11.0	4.2	8.3	1.9	2.4	1.1	0.2	0.8	2.2	8.4	8.7	8.2	4.8	9	6587
P FREQ WND SPD = DR GTR 28 KTS	1.8	0.2	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.2	9	6587
P FREQ LES 5000 FT A/D LES 5 MI	74.0	61.4	56.7	60.1	44.2	45.8	54.5	49.7	47.7	45.1	72.2	75.5	57.2	9	7013
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	31.1	30.7	25.3	18.6	12.6	10.7	16.4	16.4	21.3	26.2	24.8	28.7	21.9	9	1954
03-05 LST	27.1	4.0	33.0	17.5	22.8	16.3	31.6	56.6	43.9	19.4	41.3	42.3	29.7	2	399
06-08 LST	35.6	32.4	33.5	32.0	11.7	13.4	17.0	27.9	33.0	33.8	34.8	29.2	27.9	9	2004
09-11 LST	34.8	3.7	31.6	28.0	5.2	1.9	12.4	8.2	15.4	11.7	39.6	40.1	19.4	2	393
12-14 LST	24.8	20.5	16.6	12.3	4.3	3.5	5.1	4.1	4.2	11.1	24.4	26.7	13.1	9	2081
15-17 LST	13.2	1.8	11.3	10.4	6.9	1.9	3.3	4.1	1.9	1.7	31.7	31.9	10.0	2	393
18-20 LST	32.5	23.3	18.0	16.3	5.0	4.4	4.5	1.6	3.9	9.0	24.7	27.5	14.4	9	2015
21-23 LST	38.3	10.9	26.1	14.4	9.3	0.0	8.8	13.9	7.5	3.6	38.1	50.6	18.5	2	384
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	3.9	4.9	4.0	1.1	0.6	2.8	3.1	3.1	6.4	7.0	3.8	0.0	3.4	9	1954
03-05 LST	3.3	0.0	13.8	3.4	9.7	3.6	3.7	16.7	17.5	6.5	14.3	0.0	7.7	2	399
06-08 LST	6.1	4.0	10.3	8.4	1.2	3.6	3.9	11.2	19.4	17.4	11.1	1.8	8.2	9	2004
09-11 LST	6.9	0.0	11.1	0.0	0.0	0.0	0.0	0.0	1.7	0.0	10.7	0.0	2.5	2	393
12-14 LST	1.7	1.3	2.1	0.0	0.0	0.0	0.0	0.0	0.0	1.4	2.6	2.4	1.0	9	2086
15-17 LST	0.0	0.0	3.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	2	398
18-20 LST	2.4	1.3	3.0	0.6	0.0	0.0	0.0	0.0	0.0	0.6	3.2	2.5	1.1	9	2023
21-23 LST	3.4	0.0	10.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	2	384

GLATZ/KLODZKO, POLAND

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	25.2	21.7	25.6	27.2	28.6	28.3	27.2	26.7	24.6	24.0	25.4	27.4	311.9	9	1934
	07 LST	24.8	21.0	23.4	23.5	28.7	27.1	27.6	23.2	21.6	22.8	23.5	25.7	292.9	9	2004
	13 LST	26.5	24.1	28.4	29.1	30.5	29.8	30.7	30.5	29.7	29.1	26.1	26.8	341.3	9	2086
	19 LST	25.6	24.1	27.6	28.8	30.3	29.5	30.6	30.8	29.2	29.7	26.2	26.6	339.0	9	2025
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	11.1	12.1	15.7	20.6	24.4	23.7	23.0	19.8	16.2	12.4	10.9	212.9	9	1952	
	07 LST	9.0	11.9	13.3	15.7	23.1	21.7	21.2	19.5	16.3	13.2	9.8	11.7	186.4	9	2004
	13 LST	10.5	13.1	13.0	13.8	16.9	18.1	16.1	17.9	16.3	13.4	10.3	11.2	172.6	9	2084
	19 LST	11.4	15.1	18.8	19.1	24.8	25.4	25.7	27.9	24.8	21.3	13.2	11.9	239.4	9	2023
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	2.0	1.8	2.2	0.0	0.4	0.2	0.2	0.3	0.9	1.7	2.7	2.9	15.3	9	1968
	07 LST	2.9	0.9	1.9	0.0	0.8	0.5	0.0	0.0	0.8	1.4	3.1	2.4	14.7	9	2016
	13 LST	2.7	1.4	2.9	2.6	1.0	0.5	0.5	0.7	1.5	3.4	3.8	2.2	23.2	9	2105
	19 LST	1.5	1.1	1.5	0.0	0.4	0.2	0.0	0.0	0.8	0.5	1.9	1.9	9.8	9	2032
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	1.7	2.1	2.6	3.2	4.6	4.2	4.4	4.7	4.1	6.9	3.4	4.8	46.7	9	1959
	07 LST	2.2	2.8	3.3	3.8	7.5	5.2	6.3	5.1	5.6	5.4	3.9	4.7	55.8	9	2012
	13 LST	3.8	3.2	10.0	14.8	17.2	18.3	14.7	15.0	14.4	12.2	7.7	7.2	138.5	9	2093
	19 LST	3.0	3.4	7.0	12.8	14.5	9.8	10.9	9.5	7.6	8.8	5.6	4.2	97.1	9	2029
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	6.0	5.8	10.5	11.9	13.1	11.6	12.2	14.1	12.7	10.5	6.0	4.8	119.2	9	1972
	07 LST	4.3	4.5	5.7	5.0	11.0	8.8	7.3	7.8	5.7	5.2	4.4	4.2	73.9	9	2016
	13 LST	4.3	7.5	7.5	4.7	5.3	6.0	3.9	5.9	7.5	11.1	4.9	4.7	73.3	9	2104
	19 LST	5.0	8.3	10.1	7.4	9.9	8.7	7.3	10.2	13.0	13.7	6.9	6.4	106.9	9	2033
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	14.7	14.1	18.5	19.5	22.9	22.2	21.5	23.2	20.9	19.8	15.7	13.7	226.7	9	1954
	07 LST	12.5	13.2	15.9	15.0	23.3	22.0	20.2	19.6	15.9	16.3	13.4	15.2	202.5	9	2004
	13 LST	17.1	18.3	21.3	19.9	25.1	24.9	24.5	25.6	24.5	24.0	16.2	15.8	257.2	9	2086
	19 LST	13.2	16.4	21.0	19.4	26.1	24.5	25.4	27.8	25.3	23.5	15.9	15.4	259.9	9	2025
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	9.8	9.2	14.9	15.9	18.2	17.1	16.2	19.8	18.3	16.4	9.4	8.0	173.2	9	1954
	07 LST	8.1	7.4	12.4	11.0	18.3	17.3	13.8	15.7	11.8	13.0	9.4	9.9	148.1	9	2004
	13 LST	12.1	14.7	17.5	12.4	16.1	17.1	15.9	18.0	18.0	19.8	10.9	10.6	183.1	9	2086
	19 LST	8.0	12.5	17.2	15.3	21.4	18.7	19.2	23.5	21.6	18.6	10.7	10.2	196.9	9	2025
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	9.8	9.2	14.7	15.9	18.2	17.1	16.2	19.6	18.3	16.4	9.4	8.0	172.8	9	1954
	07 LST	8.1	7.2	12.0	10.8	18.1	17.3	13.8	15.7	11.8	13.0	9.4	9.9	147.1	9	2004
	13 LST	11.9	14.7	17.5	12.4	16.1	17.1	15.9	18.0	18.0	19.8	10.9	10.6	182.9	9	2086
	19 LST	8.0	12.3	16.8	15.1	21.4	18.7	18.8	23.1	21.6	18.6	10.7	10.2	193.3	9	2025

KASPROWY WIERCH, POLAND

STA NO. 12650 (IN AREA NUMBER 03)

LATITUDE 4914N

LONGITUDE 01950E

ELEVATION(FT) 06525

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	43	39	47	52	63	75	70	72	72	55	48	45	75	9	2653
MEAN MAX TMP (F)	19	20	25	29	39	47	51	50	44	38	29	24	35	9	2653
MEAN MIN TMP (F)	12	10	17	22	30	39	41	41	36	30	22	18	27	9	2705
ABS MIN TMP (F)	-18	-22	-9	1	9	23	28	27	18	12	-13	-8	-22	9	2705
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	2653
MEAN NO DYS TMP = DR LES 32(F)	30.7	28.0	30.4	27.6	18.7	6.5	1.6	2.3	11.3	17.1	27.0	30.3	231.5	9	2705
MEAN NO DYS TMP = DR LES 0(F)	3.5	5.6	2.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.6	12.4	9	2705
MEAN DEW PT TMP (F)	9	6	15	22	31	38	42	41	34	25	20	17	25	9	10032
MEAN REL HUM (PCT)	79	71	77	86	87	88	88	88	84	75	79	83	82	9	9826
MEAN PRESS ALT (FT)	7032	6982	6903	6893	6751	6695	6692	6687	6664	6682	6737	6895	6801	9	10056
MEAN PRECIP (IN)	4.55	3.06	3.05	4.56	5.37	8.23	8.05	6.43	3.26	3.75	3.25	4.23	57.8	9	2317
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = DR GTR 0.1 IN	13.2	9.8	8.8	12.5	11.8	13.9	13.4	11.2	8.1	8.6	9.0	13.3	133.6	9	2317
MEAN NO DYS SNFL = DR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	19.8	16.0	14.8	19.6	19.2	16.4	17.8	14.1	14.2	14.9	16.3	21.8	204.9	9	1953
MEAN NO DYS TSTMS	0.2	0.0	0.4	1.1	2.7	8.4	8.0	6.3	2.5	0.0	0.2	0.0	29.8	9	1975
P FREQ WND SPD = DR GTR 17 KTS	39.0	29.3	27.9	19.4	15.1	10.1	9.9	14.5	18.8	21.7	28.8	39.0	22.8	9	10149
P FREQ WND SPD = DR GTR 28 KTS	9.5	5.5	3.5	7.0	1.4	0.4	0.0	2.0	1.1	3.8	3.8	9.2	3.5	9	10149
P FREQ LES 5000 FT A/D LES 5 MI	43.7	29.6	36.5	51.9	49.3	54.4	53.1	50.2	46.1	34.7	38.7	51.3	45.0	9	5882
P FREQ LES 1900 FT A/D LES 3 MI															
FDR 00-02 LST	48.4	48.0	39.0	49.3	44.9	50.5	46.4	39.1	40.8	36.4	45.6	51.1	45.0	9	2230
03-05 LST	50.0	37.5	36.2	45.5	43.9	50.0	42.6	58.4	55.5	30.8	21.5	60.9	44.4	2	500
06-08 LST	49.3	47.1	34.8	52.1	40.9	41.7	42.0	37.9	35.7	36.6	40.4	53.6	42.7	9	2203
09-11 LST	48.7	26.3	34.1	47.9	51.4	66.5	59.1	67.2	59.1	30.1	28.6	80.0	49.9	2	426
12-14 LST	43.2	41.9	44.2	55.8	51.2	61.5	57.6	55.4	44.4	37.3	42.4	56.9	49.3	9	1850
15-17 LST	55.1	20.9	35.4	50.0	59.5	69.9	64.0	55.5	62.5	27.3	27.6	72.7	50.0	2	446
18-20 LST	46.1	40.6	42.5	55.6	51.0	53.1	47.4	44.2	41.2	39.8	49.5	49.5	46.7	9	2207
21-23 LST	51.1	36.7	29.7	46.8	51.1	53.3	34.8	46.0	50.0	28.0	34.8	76.2	44.9	2	499
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	47.4	47.1	36.4	46.2	36.6	44.4	40.8	32.7	33.0	31.5	44.1	47.9	40.7	9	2230
03-05 LST	45.8	35.4	31.9	38.6	36.8	46.7	36.2	45.8	50.0	30.8	19.0	56.5	39.5	2	500
06-08 LST	45.6	42.4	29.8	46.5	35.0	39.7	36.7	33.0	32.4	35.0	38.1	52.2	38.9	9	2203
09-11 LST	46.2	26.3	26.8	39.1	42.5	40.5	47.1	46.3	52.3	28.0	28.6	75.0	41.6	2	426
12-14 LST	40.4	39.3	40.2	48.1	37.0	37.8	36.7	34.5	34.8	35.3	40.1	52.9	39.6	9	1850
15-17 LST	52.5	20.9	27.3	41.7	38.8	53.5	45.5	34.2	42.2	18.2	20.0	72.7	39.0	2	446
18-20 LST	42.7	39.6	39.3	51.9	43.5	44.8	39.0	37.4	36.0	37.6	46.5	47.9	42.2	9	2207
21-23 LST	47.8	34.7	24.5	38.3	40.0	47.8	34.8	38.0	46.2	24.0	30.4	71.4	39.8	2	499

KASPROWY WIERCH, POLAND

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	16.2	14.7	19.2	15.5	17.8	15.2	17.2	19.2	18.3	19.9	16.6	15.3	205.1	9	2230
	07 LST	16.2	15.0	20.5	14.4	18.6	17.8	18.2	19.6	19.6	19.8	18.1	14.5	212.3	9	2203
	13 LST	17.8	16.4	17.7	13.8	17.9	13.2	15.3	16.3	17.2	19.7	17.4	13.4	196.1	9	1850
	19 LST	16.9	16.6	17.9	13.5	15.7	14.4	16.6	17.7	18.2	18.8	15.2	15.7	197.2	9	2207
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	4.9	6.8	8.3	5.2	7.7	8.7	7.7	8.8	8.7	9.6	8.0	4.5	88.9	9	2221
	07 LST	5.1	7.1	9.7	7.4	9.6	11.4	12.1	11.4	11.1	7.7	8.1	6.2	106.9	9	2199
	13 LST	7.2	8.1	7.3	7.9	7.2	5.7	6.6	6.1	8.1	8.8	8.9	5.3	87.2	9	1846
	19 LST	5.4	6.6	8.8	7.8	7.2	8.2	10.3	9.3	6.7	8.9	6.4	6.5	93.1	9	2205
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	6.2	4.7	5.7	4.2	4.2	4.2	3.9	5.2	5.3	6.9	6.5	6.5	63.5	9	2624
	07 LST	8.3	5.2	5.7	3.3	4.5	2.8	3.2	3.8	5.5	7.2	7.3	6.0	62.8	9	2712
	13 LST	7.2	4.6	5.5	2.6	2.4	1.3	2.3	1.9	4.4	4.2	5.6	7.4	49.4	9	2492
	19 LST	6.4	5.9	5.9	1.8	3.7	2.1	2.1	3.8	5.1	5.3	5.9	7.6	55.6	9	2700
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	0.0	0.1	0.7	1.5	4.9	10.3	11.1	9.4	7.1	5.6	2.1	0.1	52.9	9	2604
	07 LST	0.3	0.1	0.8	0.9	4.7	8.5	10.3	9.7	8.4	4.0	1.0	0.4	49.0	9	2721
	13 LST	0.1	0.3	0.7	2.2	6.1	10.1	11.6	12.8	10.5	7.4	2.7	0.6	65.1	9	2462
	19 LST	0.0	0.3	0.7	2.4	5.7	8.9	11.2	11.3	8.2	6.6	1.9	0.3	57.5	9	2682
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	8.9	8.9	12.7	9.0	9.3	7.5	10.8	11.5	12.0	14.5	12.2	10.1	127.4	9	2627
	07 LST	8.0	8.4	9.4	5.4	6.3	6.1	8.4	9.1	9.1	10.4	7.3	7.2	95.1	9	2726
	13 LST	8.4	7.2	5.6	3.1	1.4	1.4	2.2	2.8	5.7	10.3	8.4	5.8	62.3	9	2483
	19 LST	9.9	8.7	10.3	5.6	4.3	2.8	5.7	5.7	8.7	12.8	9.1	9.5	93.1	9	2684
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	15.8	14.4	18.7	14.9	16.4	14.5	16.0	18.5	17.1	19.5	16.1	15.0	196.9	9	2230
	07 LST	15.3	14.7	20.0	14.3	17.8	17.1	17.8	18.8	19.0	19.5	17.7	14.2	206.2	9	2203
	13 LST	17.4	15.9	16.8	12.5	12.2	9.7	11.0	11.4	16.1	19.2	17.2	13.3	172.7	9	1850
	19 LST	16.5	16.6	17.7	13.0	14.6	13.6	15.8	16.7	17.1	18.5	15.1	15.6	190.8	9	2207
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	15.7	14.3	18.5	14.8	16.3	14.4	15.9	18.4	16.8	19.5	16.1	14.9	195.6	9	2230
	07 LST	15.1	14.7	20.0	14.3	17.4	15.9	17.8	18.6	19.0	19.0	17.4	14.0	203.2	9	2203
	13 LST	17.4	15.6	15.6	12.1	11.6	9.1	10.3	11.1	16.0	19.0	16.8	13.2	168.8	9	1850
	19 LST	16.4	16.3	17.7	12.7	14.5	13.3	15.5	16.4	17.0	18.5	15.1	15.5	188.9	9	2207
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	15.7	14.3	18.5	14.8	16.3	14.4	15.9	18.4	16.8	19.5	16.1	14.9	195.6	9	2230
	07 LST	15.1	14.7	20.0	14.3	17.4	15.9	17.6	18.6	19.0	19.0	17.4	14.0	203.0	9	2203
	13 LST	17.4	15.6	16.6	11.9	11.5	9.1	10.3	11.1	16.0	19.0	16.8	13.0	168.3	9	1850
	19 LST	16.4	16.3	17.7	12.7	14.5	13.3	15.5	16.4	17.0	18.5	15.1	15.5	188.9	9	2207

PRZEMYSL, POLAND

STA NO. 12695 (IN AREA NUMBER 03)

LATITUDE 4947N

LONGITUDE 02246E

ELEVATION(FT) 00784

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	52	59	70	79	88	93	93	93	86	79	72	61	93	12	4077
MEAN MAX TMP (F)	31	32	41	55	64	71	74	74	66	57	43	35	54	12	4077
MEAN MIN TMP (F)	22	21	27	37	45	52	55	54	48	41	34	27	39	12	4082
ABS MIN TMP (F)	-22	-22	-15	21	27	36	43	41	30	21	3	-15	-22	12	4082
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.5	0.6	0.8	0.0	0.0	0.0	0.0	1.9	12	4077
MEAN NO DYS TMP = DR LES 32(F)	27.0	23.2	23.0	10.0	0.8	0.0	0.0	0.0	0.7	4.9	12.1	22.4	124.1	12	4082
MEAN NO DYS TMP = DR LES 0(F)	2.1	3.4	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	6.6	12	4082
MEAN DEW PT TMP (F)	20	21	27	37	46	54	57	57	49	42	35	25	39	12	21441
MEAN REL HUM (PCT)	80	81	76	72	75	77	78	79	80	81	85	83	79	12	21361
MEAN PRESS ALT (FT)	640	624	653	724	727	722	751	742	638	604	636	665	677	12	21521
MEAN PRECIP (IN)	1.38	1.22	0.95	1.47	2.35	3.51	3.21	2.80	1.89	1.87	1.63	1.73	24.0	12	3776
MEAN SNOW FALL (IN)						0.0	0.0	0.0	0.0					12	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	4.0	3.7	3.4	4.1	6.4	8.3	7.7	6.3	4.8	4.3	4.9	5.8	63.7	12	3776
MEAN NO DYS SNPL = DR GTR 1.5 IN						0.0	0.0	0.0	0.0					12	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	2.2	2.0	1.8	1.9	1.2	1.2	0.7	1.7	3.9	5.0	4.5	2.7	28.8	12	3747
MEAN NO DYS TSTMS	0.1	0.0	0.3	1.1	4.9	6.1	7.5	6.2	1.9	0.2	0.2	0.1	28.6	12	37.2
P FREQ WND SPD = DR GTR 17 KTS	2.8	3.6	4.6	2.6	1.4	0.6	0.5	0.5	0.9	0.8	1.3	1.9	1.8	12	21530
P FREQ WND SPD = DR GTR 28 KTS	0.1	0.2	0.1	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.1	0.1	12	21550
P FREQ LES 3000 FT A/D LES 5 MI	65.2	70.3	54.7	44.2	46.8	42.5	41.2	42.0	45.2	52.7	64.5	70.1	53.5	12	21927
P FREQ LES 1900 FT A/D LES 3 MI															
FOR 00-02 LST	29.9	35.6	23.5	16.5	15.6	13.6	11.8	12.9	23.5	29.9	37.3	38.8	24.1	12	4020
03-05 LST	26.4	42.8	20.6	19.9	26.0	26.8	16.8	32.0	19.2	27.7	39.4	43.0	28.4	5	1725
06-08 LST	42.4	50.3	38.7	32.6	23.7	20.8	15.8	23.5	33.7	44.6	47.7	46.5	35.2	12	4137
09-11 LST	41.5	50.7	24.9	13.6	14.1	14.8	10.2	9.5	16.8	28.2	42.2	52.7	26.6	5	1722
12-14 LST	36.7	34.5	22.5	16.0	16.3	12.8	11.2	8.9	12.9	20.6	36.7	44.4	22.8	12	4111
15-17 LST	35.8	39.6	18.1	10.6	9.2	7.6	8.4	5.2	8.5	13.2	40.1	49.3	20.5	5	1722
18-20 LST	37.8	36.3	25.2	15.6	14.1	8.9	7.8	9.1	13.5	18.4	37.4	39.7	22.0	12	4116
21-23 LST	24.2	35.3	15.4	4.8	11.9	6.4	9.0	7.8	7.8	19.6	27.8	43.9	17.8	5	1720
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	3.2	5.8	1.5	2.1	1.2	2.4	0.9	2.9	7.7	9.0	8.2	5.4	4.2	12	4020
03-05 LST	1.4	5.3	2.0	6.3	6.8	6.6	2.0	7.5	5.5	9.7	11.2	4.0	5.7	5	1725
06-08 LST	4.6	9.1	7.7	6.5	4.4	3.2	1.5	5.7	13.7	17.2	13.5	6.7	7.8	12	4137
09-11 LST	1.4	8.7	2.7	0.7	1.4	0.0	0.0	0.0	2.7	3.4	7.7	9.7	3.2	5	1722
12-14 LST	5.7	4.7	2.3	0.9	0.0	0.0	0.0	0.0	0.3	1.4	6.3	8.7	2.5	12	4111
15-17 LST	2.1	2.9	1.4	0.7	0.0	0.0	0.0	0.0	0.7	0.0	7.0	6.8	1.8	5	1722
18-20 LST	5.2	2.8	2.6	0.3	0.0	0.3	0.0	0.0	0.9	0.6	4.1	5.1	1.8	12	4116
21-23 LST	0.7	5.1	2.1	0.7	0.7	0.0	0.0	0.7	0.8	2.0	5.0	4.1	1.8	5	1720

PRZEMYSL, POLAND


MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST	24.6	21.1	26.6	27.6	28.5	27.7	29.1	28.4	24.5	23.7	22.7	22.6	307.1	12	4020
	08 LST	21.8	16.9	21.7	22.3	25.8	25.8	28.4	24.5	21.5	18.9	19.2	20.3	267.1	12	4137
	14 LST	22.6	21.0	27.2	28.4	29.1	28.4	29.6	29.6	28.2	27.0	22.2	19.7	313.0	12	4111
	20 LST	22.0	20.9	26.1	27.7	29.0	28.9	30.3	29.8	28.0	27.3	22.8	22.0	314.8	12	4116
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST	15.3	12.5	16.4	21.5	22.3	22.9	24.4	23.6	19.6	18.3	12.7	11.9	221.4	12	4019
	08 LST	9.9	7.8	11.1	15.6	19.1	19.8	21.3	19.4	15.7	13.8	10.5	10.1	174.1	12	4134
	14 LST	9.6	9.2	10.8	11.4	12.9	14.9	17.8	16.7	14.6	15.2	11.2	8.3	152.6	12	4108
	20 LST	11.8	12.0	16.0	19.7	21.8	24.8	25.6	24.8	23.0	21.8	12.6	11.6	225.5	12	4114
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST	0.7	0.6	1.1	0.1	0.0	0.0	0.0	0.3	0.2	0.2	0.5	0.3	4.0	12	4040
	08 LST	0.8	0.8	0.7	0.3	0.2	0.1	0.3	0.0	0.2	0.0	0.2	0.4	4.0	12	4146
	14 LST	1.6	1.1	2.4	1.9	1.6	0.9	0.3	0.3	0.6	0.4	0.5	0.5	12.1	12	4126
	20 LST	0.6	0.3	1.1	0.3	0.1	0.1	0.1	0.0	0.1	0.3	0.2	0.7	3.9	12	4123
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST	3.2	3.3	4.4	8.6	10.4	10.3	10.3	10.1	10.2	9.0	6.1	4.5	90.4	12	4034
	08 LST	3.0	2.8	5.1	11.0	14.8	14.3	15.1	13.0	12.6	10.7	7.7	4.4	114.5	12	4138
	14 LST	4.8	5.9	9.8	16.0	17.3	18.1	18.4	17.6	16.9	16.9	12.3	7.4	161.4	12	4120
	20 LST	3.7	3.7	7.2	12.6	14.5	11.8	10.2	9.8	8.8	9.8	7.0	4.6	103.7	12	4115
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST	7.2	7.7	11.7	14.1	14.9	16.0	16.7	17.6	13.6	11.7	6.4	6.7	144.3	12	4044
	08 LST	4.3	3.1	5.5	8.5	8.9	10.5	11.9	10.4	8.9	5.3	4.1	3.8	85.2	12	4146
	14 LST	5.5	4.4	7.3	6.7	4.2	5.8	6.5	7.9	9.6	8.3	4.4	4.0	74.6	12	4126
	20 LST	5.6	6.5	10.4	10.8	8.9	9.7	12.4	12.1	14.5	15.2	6.3	7.5	119.9	12	4123
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST	17.2	13.8	19.6	21.2	22.7	22.6	24.0	24.3	20.1	18.6	13.7	14.3	232.1	12	4020
	08 LST	12.8	9.7	15.0	17.0	20.2	20.7	22.4	20.3	17.1	14.2	11.3	11.5	192.2	12	4137
	14 LST	15.9	14.3	19.1	20.1	20.6	21.8	23.2	24.8	22.3	20.5	14.8	13.7	231.1	12	4111
	20 LST	15.4	13.5	19.3	21.6	23.1	24.1	24.9	25.1	22.6	22.1	13.8	14.1	239.6	12	4116
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST	13.1	11.3	16.6	17.8	19.5	19.1	20.0	21.1	16.7	14.8	10.7	11.7	192.4	12	4020
	08 LST	9.1	6.8	12.2	14.3	16.3	17.8	18.7	16.6	14.0	11.6	8.6	8.2	154.2	12	4137
	14 LST	13.3	11.3	15.8	15.9	13.9	16.9	18.2	20.5	18.2	17.1	12.4	11.3	184.8	12	4111
	20 LST	11.6	10.4	16.8	13.6	19.9	19.6	20.8	21.6	19.4	19.4	11.3	11.0	200.4	12	4116
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST	13.1	11.3	16.6	17.8	19.5	19.1	20.0	21.1	16.7	14.8	10.7	11.7	192.4	12	4020
	08 LST	9.1	6.7	12.2	14.3	16.2	17.8	18.7	16.6	14.0	11.6	8.6	8.2	154.0	12	4137
	14 LST	13.3	11.3	15.8	15.9	13.9	16.9	18.2	20.5	18.2	17.1	12.4	11.3	184.8	12	4111
	20 LST	11.6	10.4	16.8	18.6	19.9	19.6	20.8	21.6	19.4	19.4	11.3	11.0	200.4	12	4116

AREA 03

POLAND	SOUTHERN MTNS				LATITUDE 4955N		LONGITUDE 01900E							
	BOUNDARIES	5100N 01515E	5100N 01614E	4950N 01836E	4950N 01836E	4950N 02259E	4950N 01836E	4950N 02259E	4950N 01836E	4950N 02259E				
PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)		27	27	35	44	53	61	63	64	58	49	38	32	46
MEAN MIN TMP (F)		18	15	23	30	38	46	48	47	43	36	28	24	33
LARGEST MEAN PRECIP(IN)		4.55	3.69	3.45	4.56	5.37	8.23	8.06	6.43	3.26	3.75	3.34	4.23	58.9
SMALLEST MEAN PRECIP(IN)		1.05	1.14	0.95	1.47	2.28	2.71	3.21	1.98	1.28	1.76	1.40	1.32	20.5
		MEAN NUMBER OF DAYS												
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	20.5	18.5	22.0	22.0	23.6	22.2	23.0	22.7	20.5	20.6	19.9	20.5	256.0
	07 LST	19.9	17.4	20.0	18.7	22.8	22.4	22.8	21.1	19.2	19.6	19.3	19.5	242.7
	13 LST	20.9	18.9	22.5	22.0	23.5	21.9	22.9	23.6	23.3	23.7	20.7	19.0	262.9
	19 LST	20.1	19.2	22.2	22.2	24.3	23.8	25.2	25.4	23.9	23.3	20.7	20.2	270.5
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	01 LST	9.6	9.8	11.5	13.7	16.4	15.8	16.1	16.0	13.7	12.8	9.9	9.0	154.3
	07 LST	8.0	9.2	10.1	11.3	15.4	15.9	15.6	14.7	12.1	11.4	9.0	8.8	141.5
	13 LST	9.0	9.3	9.7	10.1	11.2	11.4	11.2	12.6	12.4	12.2	9.7	8.6	127.4
	19 LST	9.7	10.4	12.5	13.7	16.8	17.7	18.4	18.9	16.6	15.3	10.5	9.1	169.6
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	5.3	4.1	5.1	3.6	3.6	3.6	3.7	4.7	4.6	5.1	5.2	5.3	53.9
	07 LST	6.1	4.2	4.9	3.2	3.6	2.7	3.5	3.8	4.2	4.9	5.4	5.0	51.5
	13 LST	5.7	3.8	5.2	3.2	2.7	2.2	2.8	3.0	3.8	4.2	4.5	5.0	45.1
	19 LST	5.2	4.2	4.8	2.7	2.7	2.5	2.7	3.2	4.2	4.5	4.4	5.3	46.4
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	1.5	1.5	2.3	3.6	5.9	6.6	7.2	6.7	6.2	5.9	3.3	2.6	53.3
	07 LST	1.6	1.4	2.3	4.2	7.6	8.1	8.8	7.6	7.3	5.7	3.3	2.9	60.8
	13 LST	2.7	2.9	6.3	9.9	12.4	13.7	13.0	13.4	12.7	10.8	7.1	4.5	109.4
	19 LST	1.8	2.2	4.1	7.8	11.4	10.1	10.0	9.1	7.5	7.4	3.9	2.7	78.0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	7.8	8.1	10.9	10.7	12.0	10.7	11.4	12.7	11.6	11.6	8.0	7.6	123.1
	07 LST	6.0	5.8	6.4	5.9	8.2	7.4	7.8	7.7	7.2	6.8	5.3	5.0	79.5
	13 LST	5.8	6.1	6.4	4.4	3.4	3.6	3.7	4.2	6.6	9.2	5.8	4.8	84.0
	19 LST	7.4	7.5	9.2	7.1	7.1	6.0	7.3	7.8	10.5	12.8	7.9	7.8	98.4
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	15.6	14.4	17.9	17.6	20.2	19.1	19.3	20.5	18.1	17.8	14.6	14.6	209.7
	07 LST	14.0	13.5	16.2	14.3	19.5	19.4	19.1	18.8	16.4	16.6	14.1	14.0	196.4
	13 LST	16.5	15.5	18.3	16.5	18.4	17.7	18.0	19.8	20.3	20.0	16.1	14.5	211.6
	19 LST	15.2	15.3	18.4	17.6	21.4	20.7	21.8	23.1	21.2	20.3	15.2	14.9	225.1
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	12.9	12.2	15.5	15.3	17.4	16.5	16.2	18.2	16.1	15.6	12.0	12.0	179.9
	07 LST	11.1	11.1	13.9	12.8	16.4	16.8	15.8	16.4	14.2	14.4	11.7	11.2	165.8
	13 LST	14.0	13.5	15.9	12.4	12.9	13.2	13.1	15.4	16.5	17.4	13.9	11.9	170.1
	19 LST	12.4	13.1	15.9	14.9	18.6	17.4	18.2	20.0	18.9	17.7	12.8	12.5	192.4
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	12.8	12.2	15.3	15.2	17.3	16.4	16.2	18.0	16.1	15.5	11.8	11.8	178.6
	07 LST	10.8	10.9	13.7	12.7	16.2	16.6	15.7	16.2	14.2	14.3	11.6	11.0	163.9
	13 LST	13.8	13.5	15.9	12.3	12.9	13.2	13.1	15.4	16.5	17.3	13.7	11.8	169.4
	19 LST	12.3	12.9	15.7	14.8	18.5	17.3	18.1	19.9	18.8	17.7	12.7	12.3	191.0





CIMPULUNG MOLDOV, ROMANIA

STA NO. 15040 (IN AREA NUMBER 01)

LATITUDE 4517N

LONGITUDE 02502E

ELEVATION(FT) 02057

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	50	54	66	81	82	88	91	97	86	84	63	57	97	5	1311
MEAN MAX TMP (F)	32	31	40	53	63	72	75	75	69	58	40	36	54	5	1311
MEAN MIN TMP (F)	17	12	20	32	42	50	51	50	44	36	25	23	34	5	1284
ABS MIN TMP (F)	-26	-22	-11	10	27	36	41	39	25	19	0	-20	-26	5	1284
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.8	1.4	0.0	0.0	0.0	0.0	2.2	5	1311
MEAN NO DYS TMP = OR LES 32(F)	28.1	26.8	28.3	17.5	2.6	0.0	0.0	0.0	2.5	9.1	23.9	28.1	166.9	5	1284
MEAN NO DYS TMP = OR LES 0(F)	4.3	5.2	1.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	1.1	12.4	5	1284
MEAN DEW PT TMP (F)	14	14	24	34	42	54	51	52	53		21	23		4	1112
MEAN REL HUM (PCT)	80	84	80	77	74	81	71	72	79		79	80		4	1048
MEAN PRESS ALT (FT)	2167	2234	2101	2257	2075	2111	2142	2116	1968		2007	1997		4	1132
MEAN PRECIP (IN)	1.03	1.94	1.07	1.45	3.17	5.02	2.75	3.17	2.15	1.05	1.27	1.57	25.6	5	955
MEAN SNOW FALL (IN)						0.0	0.0	0.0						5	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	3.1	4.7	4.1	4.9	8.7	11.8	7.1	4.9	4.8	3.7	4.0	6.1	67.9	5	955
MEAN NO DYS SNFL = OR GTR 1.5 IN						0.0	0.0	0.0						5	-29
MEAN NO DYS W/OCCUR VSBY LES 1/2 MI	7.2	7.3	8.1	4.3	1.0	1.4	0.0	0.0	0.0		4.7	7.0		4	284
MEAN NO DYS TSTMS	0.0	0.0	0.0	1.3	3.0	11.7	9.3	5.4	15.0		0.0	0.0		4	289
P FREQ WND SPD = OR GTR 17 KTS	9.0	5.2	9.4	8.7	4.0	7.6	7.7	6.5	0.0		15.6	10.0		4	1164
P FREQ WND SPD = OR GTR 28 KTS	1.3	0.0	2.1	0.0	0.0	0.0	0.0	0.0	0.0		1.6	0.5		4	1164
P FREQ LES 5000 FT A/O LES 5 MI	43.5	59.6	37.2	48.9	40.7	42.7	31.0	32.5	26.6	34.0	43.7	49.1	40.8	5	2434
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	32.3	43.2	38.2	22.3	19.9	7.6	3.8	13.0	15.1		18.5	31.8		4	563
03-05 LST														0	0
06-08 LST	23.3	34.3	27.1	23.6	19.8	16.4	11.8	14.4	10.6	22.2	29.9	27.4	21.7	5	1348
09-11 LST														0	0
12-14 LST	17.9	19.3	14.4	14.9	7.6	13.7	10.9	9.2	6.6	9.6	17.3	18.6	13.3	5	1201
15-17 LST														0	0
18-20 LST	26.4	38.5	24.0	19.8	8.7	9.6	5.7	4.8	11.3	14.2	36.4	31.3	19.2	5	1381
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	23.3	20.0	30.4	8.9	3.8	0.0	0.0	0.0	0.0		13.2	20.4		4	563
03-05 LST														0	0
06-08 LST	9.5	20.8	15.3	9.4	5.2	4.8	4.5	4.8	0.9	12.3	17.2	18.2	10.2	5	1348
09-11 LST														0	0
12-14 LST	8.9	9.6	7.1	5.4	1.1	3.3	0.0	1.2	1.0	2.7	8.4	6.7	4.6	5	1201
15-17 LST														0	0
18-20 LST	14.0	22.2	17.8	6.0	0.8	1.0	0.9	0.0	0.9	5.5	19.2	16.2	8.7	5	1381
21-23 LST														0	0

CIMPULUNG MOLDOV, RUMANIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST	21.7	16.8	20.2	24.0	25.7	28.2	29.8	28.0	28.2		23.3	22.1		4	563
	08 LST	24.3	19.1	23.2	23.6	26.4	25.7	28.2	27.2	27.5	24.9	22.0	23.6	293.7	5	1348
	14 LST	26.2	23.8	27.1	26.5	29.7	26.7	28.2	29.5	28.5	29.0	25.2	26.3	326.7	5	1201
	20 LST	23.7	17.9	24.6	25.1	29.0	28.2	29.7	30.2	27.2	27.4	20.0	22.3	305.3	5	1381
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST	14.9	13.1	17.5	20.7	23.4	26.4	29.8	26.0	22.9		14.8	16.4		4	561
	08 LST	19.9	16.2	19.9	21.3	22.6	22.5	25.1	24.7	23.1	21.3	16.7	17.9	251.2	5	1338
	14 LST	20.6	18.2	19.8	16.9	18.0	15.7	20.0	17.2	20.5	17.9	17.0	16.7	218.5	5	1191
	20 LST	17.9	14.8	20.2	21.8	25.6	24.8	27.2	27.8	25.3	24.0	15.1	17.0	261.5	5	1374
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST	4.5	1.3	0.0	0.7	0.6	0.0	0.0	0.0	0.0		2.8	2.8		4	572
	08 LST	1.9	0.6	1.1	0.5	0.8	0.8	0.5	0.3	1.4	0.8	1.3	1.3	11.3	5	1337
	14 LST	3.4	2.4	3.3	4.3	4.2	5.7	2.3	5.2	3.8	4.4	2.6	4.7	46.3	5	1218
	20 LST	2.9	0.8	1.4	0.2	0.5	0.3	1.1	0.5	0.3	0.7	1.8	1.8	12.3	5	1395
SFC WND 4-10 KTS AND TMP 33-89 DEC F AND NO PRECIP.	02 LST	0.4	0.0	1.3	3.5	3.6	4.4	1.3	5.2	1.9		0.4	1.3		4	554
	08 LST	1.4	1.4	1.1	2.1	5.8	4.9	4.2	5.4	4.6	5.1	0.8	1.3	38.1	5	1340
	14 LST	2.7	4.1	7.5	9.5	9.1	7.3	10.7	19.7	11.8	8.2	4.2	2.6	88.4	5	1194
	20 LST	2.2	0.5	1.7	2.3	7.2	3.4	3.2	5.3	3.1	4.1	1.6	2.2	36.8	5	1373
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST	11.7	7.6	7.4	9.8	14.3	10.6	17.9	20.0	17.6		9.6	12.2		4	566
	08 LST	10.5	6.0	9.0	9.3	8.3	10.5	14.7	15.4	12.2	10.2	8.2	8.9	123.2	5	1360
	14 LST	9.8	8.3	10.8	4.0	3.3	3.5	6.5	10.8	12.1	11.3	9.1	9.0	98.5	5	1213
	20 LST	10.7	9.3	12.6	7.9	8.5	5.1	11.4	15.5	14.7	16.3	8.2	9.7	129.9	5	1401
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST	19.7	14.6	16.8	20.5	23.3	23.6	26.9	24.4	21.5		18.2	19.6		4	563
	08 LST	21.1	16.4	21.2	21.2	22.2	23.0	25.6	24.7	24.9	21.9	19.0	19.7	260.9	5	1348
	14 LST	23.1	19.8	24.7	20.9	23.0	22.2	23.6	24.5	25.9	25.2	23.2	22.8	278.9	5	1201
	20 LST	20.5	15.5	21.4	20.3	24.4	23.1	26.7	27.3	25.3	24.6	16.9	18.7	264.7	5	1381
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST	17.8	13.4	14.8	16.7	22.2	18.2	22.7	22.0	19.4		15.4	18.7		4	563
	08 LST	17.6	14.4	19.8	19.2	19.1	20.2	23.5	22.7	22.8	19.3	17.3	16.9	232.8	5	1348
	14 LST	20.0	17.3	22.4	14.5	15.2	17.9	18.0	20.9	23.0	22.3	20.5	20.6	232.6	5	1201
	20 LST	18.2	13.5	18.8	16.2	19.3	17.1	23.5	24.9	23.5	22.5	14.8	16.2	228.5	5	1381
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST	17.8	13.4	14.8	16.7	22.2	18.2	22.7	22.0	19.4		15.4	18.7		4	563
	08 LST	17.6	14.4	19.8	19.2	19.1	20.2	23.5	22.7	22.8	19.3	17.3	16.9	232.8	5	1348
	14 LST	20.0	17.3	22.4	14.5	15.2	17.9	18.0	20.5	23.0	22.3	20.5	20.6	232.2	5	1201
	20 LST	18.2	13.5	18.8	16.2	19.3	17.1	23.5	24.9	23.5	22.5	14.8	16.2	228.5	5	1381

CLUJ, ROMANIA

STA NO. 15120 (IN AREA NUMBER 01)

LATITUDE 4646N

LONGITUDE 02336E

ELEVATION(FT) 0103

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR	NO.
ABS MAX TMP (F)	57	63	78	86	91	94	98	97	93	90	79	61	98	39	-179
MEAN MAX TMP (F)	31	37	48	60	71	75	79	79	72	60	47	35	58	30	-179
MEAN MIN TMP (F)	18	22	29	39	47	53	56	55	49	40	33	25	39	30	-179
ABS MIN TMP (F)	-22	-27	-8	17	26	32	42	40	27	20	-2	-18	-27	39	-179
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.1	0.7	2.6	3.1	0.2	0.0	0.0	0.0	6.7	16	5165
MEAN NO DYS TMP = DR LES 32(F)	29.4	25.0	21.5	6.2	1.1	0.1	0.0	0.0	1.3	9.3	14.8	23.7	132.5	16	5156
MEAN NO DYS TMP = DR LES 0(F)	3.8	2.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	6.8	16	5156
MEAN DEW PT TMP (F)	20	23	30	39	48	55	57	56	49	41	35	27	40	16	30522
MEAN REL HUM (PCT)	87	85	77	71	74	74	72	75	75	78	84	89	78	16	30332
MEAN PRESS ALT (FT)	835	873	918	1021	995	880	994	984	881	835	868	907	924	16	30575
MEAN PRECIP (IN)	1.06	1.03	1.06	2.01	2.93	3.90	2.21	3.05	1.97	1.71	1.14	1.08	24.1	50	-179
MEAN SNOW FALL (IN)						0.0	0.0	0.0						39	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	3.4	3.3	3.9	5.8	8.0	8.7	7.6	7.3	3.4	4.9	3.4	3.4	65.1	50	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN						0.0	0.0	0.0						39	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	7.0	6.5	2.3	0.5	0.5	0.4	0.4	0.4	2.2	5.3	6.1	8.7	40.3	16	4782
MEAN NO DYS TSTMS	0.0	0.1	0.4	2.1	6.6	10.3	3.2	6.9	1.8	0.4	0.1	0.0	36.9	16	4800
P FREQ WND SPD = DR GTR 17 KTS	4.0	5.1	6.1	4.5	3.9	2.6	2.4	2.3	2.1	1.6	2.6	2.0	3.3	16	30679
P FREQ WND SPD = DR GTR 28 KTS	0.1	0.2	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	16	30679
P FREQ LES 5000 FT A/D LES 5 MI	76.7	63.6	41.7	35.5	32.7	29.2	23.6	24.7	26.6	30.6	33.9	72.3	42.6	16	30746
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	49.9	38.9	13.3	4.3	4.3	2.2	1.6	1.9	3.7	9.1	25.4	45.6	16.7	16	5421
03-05 LST	56.4	40.4	18.4	6.9	9.1	7.2	8.6	6.3	9.5	12.4	27.4	44.5	20.6	9	3059
06-08 LST	61.3	52.2	29.5	19.4	12.0	9.4	7.9	13.5	26.5	44.2	46.7	60.7	32.1	16	5340
09-11 LST	66.1	51.0	23.2	8.3	3.2	3.2	4.4	2.8	3.3	11.8	34.0	53.6	22.1	9	3037
12-14 LST	49.5	32.1	9.2	7.1	4.8	2.8	2.3	2.4	1.0	3.6	19.2	43.1	14.8	16	5197
15-17 LST	54.8	31.3	8.2	4.8	2.6	1.2	2.3	2.5	1.8	2.4	15.7	46.8	14.3	9	3046
18-20 LST	45.9	36.2	11.2	7.2	4.4	2.9	2.0	2.7	2.2	2.9	16.2	45.1	14.9	16	5402
21-23 LST	55.7	35.2	11.9	3.4	2.2	2.2	2.2	2.4	1.0	4.4	20.0	44.7	15.4	9	3030
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	20.5	15.1	3.9	0.5	0.2	0.0	0.2	0.0	0.7	4.4	10.4	22.6	6.5	16	5421
03-05 LST	26.0	19.4	6.3	2.5	2.7	3.2	1.9	2.3	4.0	7.8	14.6	22.6	9.4	9	3059
06-08 LST	28.0	24.5	9.3	3.5	2.0	1.4	1.4	1.3	9.0	19.2	19.7	29.2	12.4	16	5340
09-11 LST	29.3	15.1	3.1	0.0	0.0	0.0	0.0	0.0	0.0	3.1	11.2	22.7	7.0	9	3037
12-14 LST	13.0	6.8	1.1	0.2	0.4	0.0	0.2	0.0	0.2	0.4	1.3	13.9	3.1	16	5197
15-17 LST	14.3	4.4	0.4	0.0	0.4	0.0	0.0	0.0	0.0	0.0	2.0	15.6	3.1	9	3046
18-20 LST	15.1	9.2	1.3	0.7	0.0	0.4	0.0	0.2	0.2	0.0	3.5	16.1	3.9	16	5402
21-23 LST	22.6	11.6	2.4	0.0	0.0	0.0	0.0	0.0	0.0	0.8	8.4	21.1	5.6	9	3030

CLUJ, RUMANIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST	16.6	18.2	27.6	29.6	30.7	29.9	30.9	31.0	29.3	28.8	23.8	18.3	314.7	16	5421
	08 LST	13.0	14.4	22.4	24.8	28.3	27.8	29.1	27.3	21.7	17.8	17.2	13.4	257.2	16	5340
	14 LST	16.6	19.8	28.9	29.0	30.5	29.9	30.7	30.8	29.9	30.3	25.7	19.1	321.2	16	5197
	20 LST	17.7	18.7	28.4	29.5	30.5	29.8	30.8	30.9	29.8	30.6	26.4	18.8	321.9	16	5402
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST	12.2	13.5	22.0	25.5	27.1	27.2	29.1	28.4	27.4	26.3	18.7	13.1	270.5	16	5419
	08 LST	8.4	9.5	17.4	19.3	22.8	23.8	24.9	23.7	19.4	13.6	12.7	7.9	205.4	16	5327
	14 LST	9.9	12.5	16.2	15.3	16.6	18.8	19.1	18.8	21.0	23.0	15.7	11.9	198.8	16	5191
	20 LST	13.2	14.2	21.5	21.7	24.4	24.5	27.2	26.2	27.5	28.2	21.4	13.5	263.5	16	5387
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST	0.8	1.1	0.7	0.2	0.0	0.1	0.1	0.1	0.1	0.1	0.7	0.7	4.7	16	5421
	08 LST	0.5	0.6	1.1	0.6	0.3	0.4	0.4	0.3	0.7	0.1	0.3	0.3	5.6	16	5374
	14 LST	1.8	2.0	3.6	2.6	3.4	1.6	1.8	1.6	1.5	1.2	1.2	0.8	23.1	16	5255
	20 LST	0.8	0.8	0.6	0.5	0.5	0.1	0.1	0.1	0.1	0.1	0.4	0.3	4.4	16	5426
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST	1.5	1.4	4.5	5.9	5.3	5.1	5.3	5.3	5.0	3.5	3.9	2.9	49.4	16	5408
	08 LST	0.8	1.5	3.3	7.9	8.2	7.6	7.6	6.5	4.4	3.9	4.5	2.5	58.7	16	5351
	14 LST	4.0	4.8	11.9	11.5	12.4	15.2	13.6	12.8	15.9	16.2	12.2	6.1	136.6	16	5226
	20 LST	1.3	1.6	5.7	8.3	10.0	9.1	10.1	7.4	3.9	3.5	4.1	2.8	67.8	16	5412
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST	3.8	5.8	12.5	13.3	13.8	14.9	19.3	19.2	18.5	16.5	7.3	3.9	148.8	16	5426
	08 LST	1.8	2.5	6.1	7.3	8.8	10.5	14.3	12.3	9.0	6.2	2.6	2.1	83.5	16	5362
	14 LST	3.4	4.6	7.7	4.4	4.1	4.4	7.4	10.5	10.1	11.1	4.7	4.2	76.6	16	5250
	20 LST	6.0	6.3	9.1	6.4	5.6	4.9	9.9	11.6	13.8	16.2	9.2	4.6	103.6	16	5425
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST	12.7	14.8	24.6	25.8	27.3	27.3	29.1	28.8	27.7	26.6	19.3	14.0	278.0	16	5421
	08 LST	9.8	11.5	20.2	22.6	25.5	25.6	27.2	25.3	20.6	16.1	14.0	9.9	228.3	16	5340
	14 LST	13.8	17.2	25.7	24.4	25.6	25.9	27.9	28.2	28.0	28.2	21.7	15.4	282.0	16	5197
	20 LST	14.8	15.8	25.0	24.2	26.5	26.5	28.8	28.4	27.8	28.5	22.2	14.2	282.7	16	5402
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST	8.3	10.8	19.2	20.7	23.1	23.5	25.7	25.6	24.1	22.7	13.6	9.3	226.6	16	5421
	08 LST	6.5	8.3	16.8	19.2	22.5	22.5	24.9	22.2	18.2	13.0	9.6	5.9	189.6	16	5340
	14 LST	10.6	14.0	20.9	17.4	17.1	17.5	21.0	22.4	22.1	24.4	17.7	12.5	217.6	16	5197
	20 LST	11.5	12.2	19.3	18.8	20.5	21.4	24.6	23.7	23.6	25.1	17.6	10.4	228.7	16	5402
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST	8.3	10.8	19.2	20.6	23.1	23.5	25.7	25.6	24.1	22.7	13.6	9.3	226.6	16	5421
	08 LST	6.5	8.3	16.8	19.2	22.5	22.4	24.9	22.2	18.2	13.0	9.6	5.9	189.5	16	5340
	14 LST	10.6	14.0	20.9	17.4	17.1	17.5	21.0	22.4	22.1	24.4	17.6	12.5	217.5	16	5197
	20 LST	11.4	12.2	19.3	18.8	20.5	21.4	24.6	23.7	23.6	25.1	17.6	10.4	228.6	16	5402

DEVA, RUMANIA

STA NO. 15230 (IN AREA NUMBER 01)

LATITUDE 4553N

LONGITUDE 02254E

ELEVATION(FT) 00623

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. LBS
ABS MAX TMP (F)	60	67	88	89	94	96	103	103	101	91	81	63	103	33	-179
MEAN MAX TMP (F)	34	40	53	64	74	79	84	83	76	64	50	38	62	30	-179
MEAN MIN TMP (F)	20	24	32	40	49	55	57	56	50	41	35	27	41	30	-179
ABS MIN TMP (F)	-19	-19	-4	21	28	36	40	42	30	20	2	11	-19	30	-179
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.1	2.5	7.4	7.4	0.6	0.1	0.0	0.0	18.1	15	3106
MEAN NO DYS TMP = DR LES 32(F)	28.5	24.9	20.5	4.2	1.2	0.0	0.0	0.0	0.3	5.9	10.5	23.5	119.5	13	3047
MEAN NO DYS TMP = DR LES 0(F)	3.0	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	4.0	13	3047
MEAN DEW PT TMP (F)	21	27	33	43	50	57	58	57	51	45	39	29	43	13	19852
MEAN REL HUM (PCT)	89	86	80	75	77	78	74	74	75	81	88	91	81	13	19793
MEAN PRESS ALT (FT)	414	485	518	616	591	566	573	558	483	448	487	505	320	13	19935
MEAN PRECIP (IN)	1.19	1.11	1.30	1.77	2.43	3.24	2.84	2.56	1.70	1.79	1.48	1.34	22.8	50	-179
MEAN SNOW FALL (IN)						0.0	0.0	0.0	0.0					30	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	3.8	3.5	4.3	5.3	6.8	7.6	6.9	6.4	4.9	5.1	4.4	4.3	63.3	50	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN						0.0	0.0	0.0						30	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	5.0	5.0	1.4	1.3	1.6	1.8	1.5	2.8	3.4	6.9	5.9	6.3	42.9	13	2826
MEAN NO DYS TSTMS	0.1	0.0	0.3	2.0	6.6	10.3	9.0	6.3	1.9	1.3	0.2	0.0	38.0	13	2826
P FREQ WND SPD = DR GTR 17 KTS	1.5	1.8	0.7	2.6	1.1	0.5	0.2	0.4	0.3	0.7	2.6	0.5	1.1	13	19967
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.1	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	13	19967
P FREQ LES 5000 FT A/D LES 5 MI	84.5	71.3	53.5	46.8	47.5	42.4	35.4	34.0	35.7	42.1	64.8	83.2	53.4	13	20283
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	38.7	27.3	9.6	5.1	5.8	1.2	2.9	2.5	5.6	9.1	18.3	34.0	13.3	16	3619
03-05 LST	49.9	31.1	11.6	7.0	14.3	13.7	8.5	8.3	12.3	18.9	27.2	36.3	19.9	8	2403
06-08 LST	52.7	40.8	21.2	14.4	14.3	13.8	12.3	16.3	23.5	34.3	36.1	42.8	26.9	13	3156
09-11 LST	70.5	51.3	15.7	7.3	4.5	2.4	1.3	2.6	5.5	10.7	31.2	53.8	21.4	8	2388
12-14 LST	44.1	29.7	7.8	8.1	6.5	2.9	4.0	1.2	2.6	3.6	16.1	34.4	13.4	16	4144
15-17 LST	48.1	22.6	8.4	3.4	2.8	1.9	0.5	2.1	1.0	1.5	11.9	39.5	12.0	8	2421
18-20 LST	39.3	20.4	7.8	4.0	4.3	2.0	1.4	2.1	2.0	2.5	14.2	36.8	11.4	16	3667
21-23 LST	46.0	26.4	6.8	4.3	3.8	1.0	1.0	1.6	1.6	4.6	14.2	38.1	12.5	8	2426
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	13.3	10.1	0.4	1.0	1.1	0.3	0.3	0.7	2.7	3.8	6.6	12.0	4.4	16	3619
03-05 LST	17.4	13.1	2.1	2.1	5.4	8.4	5.1	6.2	9.4	12.0	12.8	11.8	8.8	8	2403
06-08 LST	19.0	16.8	5.2	4.4	3.6	5.6	3.5	8.5	13.8	23.5	17.8	19.1	11.7	13	3156
09-11 LST	26.9	17.5	1.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	6.5	20.4	6.1	8	2388
12-14 LST	14.9	6.7	0.9	0.0	0.0	0.6	0.3	0.0	0.0	0.0	1.3	10.9	3.0	16	4144
15-17 LST	10.9	5.2	0.5	0.5	0.5	0.5	0.0	0.0	0.0	0.0	0.9	8.6	2.3	8	2421
18-20 LST	9.2	4.7	0.0	0.0	0.0	0.7	0.0	0.0	0.0	0.3	2.5	10.1	2.3	16	3667
21-23 LST	7.2	10.2	1.5	0.0	0.0	0.5	0.0	0.5	0.0	1.8	4.0	11.0	3.1	8	2426

DEVA, ROMANIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST	20.4	21.5	29.3	29.3	30.3	29.9	30.5	30.6	28.6	28.7	25.6	21.9	326.6	16	3619
	08 LST	16.9	18.4	26.0	26.9	27.8	26.5	27.5	26.3	23.4	21.1	21.0	19.1	280.9	13	3156
	14 LST	18.8	20.9	29.7	29.2	30.3	29.7	30.3	30.9	29.5	30.5	27.0	22.1	328.9	16	4144
	20 LST	20.3	23.5	29.8	30.0	30.8	29.8	30.9	30.8	29.7	30.7	27.2	22.0	335.5	16	3667
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST	16.2	17.3	25.0	26.6	27.2	28.6	29.6	29.7	27.4	27.2	21.2	17.4	293.4	16	3614
	08 LST	11.1	12.9	21.5	22.5	23.7	24.1	25.8	24.0	21.9	18.7	15.1	14.1	235.4	13	3150
	14 LST	13.3	15.6	21.7	21.1	19.8	22.9	23.2	24.3	23.9	24.5	19.3	15.5	245.1	16	4122
	20 LST	15.6	19.2	25.9	24.5	26.0	27.8	29.0	26.8	28.4	29.0	22.2	15.6	292.0	16	3666
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST	0.5	0.6	0.1	0.1	0.2	0.1	0.0	0.0	0.0	0.0	0.6	0.1	2.3	16	3629
	08 LST	0.2	0.2	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.3	0.2	1.1	13	3178
	14 LST	0.5	0.3	0.3	1.0	0.8	0.5	0.3	0.2	0.2	0.4	0.6	0.2	5.3	16	4164
	20 LST	0.4	0.1	0.1	0.5	0.2	0.1	0.0	0.1	0.0	0.0	0.5	0.2	2.2	16	3709
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST	1.5	1.2	3.9	3.5	3.2	2.7	2.5	2.1	1.8	3.4	4.3	2.0	32.1	16	3622
	08 LST	0.9	2.0	3.2	4.3	5.7	4.6	5.1	4.3	3.4	3.7	4.9	3.2	45.3	13	3163
	14 LST	2.9	4.6	11.4	10.4	12.3	13.7	12.5	11.9	10.9	8.8	9.6	5.4	114.5	16	4139
	20 LST	1.7	3.0	8.6	9.0	9.2	8.9	8.6	6.5	4.9	4.4	6.5	2.8	74.1	16	3693
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST	5.5	7.6	11.2	13.3	14.4	14.6	19.8	21.8	19.5	17.0	7.3	4.4	156.4	16	3631
	08 LST	2.3	2.8	5.8	6.8	7.1	9.5	13.8	14.1	9.1	5.9	4.1	2.1	83.4	13	3176
	14 LST	4.1	3.3	7.4	6.0	5.1	6.2	8.9	13.2	11.9	12.0	5.2	3.6	86.9	16	4175
	20 LST	7.0	7.3	8.8	5.8	6.2	5.9	10.9	13.7	14.2	16.3	9.6	4.3	110.0	16	3703
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST	14.5	16.8	23.6	25.1	26.2	27.3	28.7	28.9	27.0	26.0	20.5	15.5	280.1	16	3619
	08 LST	9.8	12.3	20.9	22.5	23.5	23.8	25.5	24.4	21.3	17.9	14.9	12.8	229.6	13	3156
	14 LST	13.9	16.2	25.6	23.7	25.4	26.6	28.2	29.2	28.0	28.0	21.0	16.4	282.2	16	4144
	20 LST	15.0	18.6	25.2	24.4	26.0	26.8	29.0	28.7	27.8	28.0	22.2	15.0	286.7	16	3667
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST	8.7	11.5	15.6	18.7	20.3	20.6	24.7	25.9	22.9	21.7	13.4	8.2	212.2	16	3619
	08 LST	4.7	6.9	15.1	16.0	18.0	18.6	21.6	20.2	17.1	13.2	9.1	5.3	165.8	13	3156
	14 LST	9.1	11.0	19.3	16.9	16.4	19.0	22.3	23.8	23.5	22.8	14.8	10.2	209.1	16	4144
	20 LST	10.4	13.5	17.0	16.2	18.7	19.7	23.7	23.1	23.4	22.7	16.5	9.2	214.1	16	3667
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST	8.7	11.5	15.6	18.7	20.3	20.6	24.7	25.9	22.9	21.7	13.4	8.2	212.2	16	3619
	08 LST	4.7	6.9	15.1	16.0	18.0	18.6	21.6	20.2	17.1	13.2	9.0	5.3	165.7	13	3156
	14 LST	9.1	11.0	19.3	16.9	16.4	19.0	22.3	23.8	23.5	22.8	14.8	10.1	209.0	16	4144
	20 LST	10.4	13.5	17.0	16.2	18.7	19.7	23.7	23.1	23.4	22.7	16.3	9.2	213.9	16	3667

SIBIU, RUMANIA

STA NO. 19260 (IN AREA NUMBER 01)

LATITUDE 4548N

LONGITUDE 02409E

ELEVATION(FT) 01342

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	60	66	87	86	89	93	98	99	97	91	81	65	99	60	-179
MEAN MAX TMP (F)	31	37	47	59	68	74	79	78	71	59	47	36	57	30	-179
MEAN MIN TMP (F)	17	21	29	39	47	53	56	55	49	40	33	23	39	30	-179
ABS MIN TMP (F)	-23	-24	-9	19	29	35	42	40	26	10	-4	-22	-24	60	-179
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	3.8	5.9	0.4	0.3	0.0	0.0	10.4	10	1110
MEAN NO DYS TMP = DR LES 32(F)	27.1	24.6	21.1	6.3	0.7	0.0	0.0	0.0	0.0	3.3	15.5	20.7	119.3	10	1022
MEAN NO DYS TMP = DR LES 0(F)	3.6	3.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	7.0	10	1022
MEAN DEW PT TMP (F)	20	21	30	41	48	56	58	59	51	45	35	27	41	10	3121
MEAN REL HUM (PCT)	86	79	74	73	77	82	74	75	77	79	83	88	79	10	2981
MEAN PRESS ALT (FT)	1202	1197	1198	1305	1298	1311	1257	1288	1228	1202	1121	1184	1233	10	3192
MEAN PRECIP (IN)	1.18	1.05	1.29	2.15	3.17	4.45	3.42	2.95	2.15	1.77	1.34	1.14	26.1	55	-179
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0						60	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	3.8	3.3	4.3	6.1	8.5	9.4	7.9	7.1	5.7	5.1	4.0	3.6	68.8	55	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0						60	-29
MEAN NO DYS W/OCCUR VSBY LES 1/2 MI	3.4	4.5	0.0	0.5	0.5	0.0	0.0	0.0	0.0	0.4	4.0	6.5	19.8	10	711
MEAN NO DYS TSTMS	0.0	0.0	0.0	2.8	5.0	9.2	6.2	6.4	1.6	0.4	0.0	0.0	31.6	10	717
P FREQ WND SPD = DR GTR 17 KTS	4.0	7.4	7.0	3.1	5.5	1.8	2.3	1.2	2.6	4.0	8.6	4.0	4.3	10	3331
P FREQ WND SPD = DR GTR 28 KTS	0.3	0.4	0.0	0.0	0.7	0.0	0.0	0.0	0.0	0.0	0.9	0.0	0.2	10	3331
P FREQ LES 5000 FT A/D LES 5 MI	65.9	56.8	32.4	39.8	49.6	37.3	22.0	19.7	30.7	33.7	47.1	62.4	41.5	10	3615
FOR 00-02 LST	34.0	26.6	8.9	6.5	6.7	4.4	1.9	2.3	1.4	7.7	18.5	33.6	12.7	10	1815
03-05 LST	56.7	13.6	0.0	6.6	6.5	3.0	7.5	0.0	10.8	3.0	20.8	38.3	13.9	2	429
06-08 LST	37.5	41.0	12.5	17.3	12.4	5.3	4.1	5.5	6.9	21.1	30.3	39.2	19.4	10	1505
09-11 LST	65.8	35.3	5.3	10.0	13.0	8.1	1.9	0.0	12.1	7.2	39.4	57.6	21.3	2	333
12-14 LST	37.7	30.3	10.3	11.4	9.1	5.0	1.9	3.8	4.2	7.3	19.4	31.5	14.3	10	1502
15-17 LST	50.0	19.6	4.3	7.8	0.0	0.0	4.3	0.0	7.2	7.8	17.2	26.4	12.1	2	358
18-20 LST	33.7	24.8	11.0	9.9	6.3	5.6	3.3	3.4	1.8	8.2	19.1	26.5	12.8	10	1735
21-23 LST	58.8	11.8	6.6	2.9	2.7	4.1	2.3	0.0	5.4	2.8	17.5	25.4	12.0	2	447
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	10.2	6.2	1.2	0.0	0.0	0.0	0.6	0.9	0.0	1.4	8.3	16.3	3.8	10	1815
03-05 LST	30.0	13.6	0.0	4.3	3.2	0.0	2.5	0.0	7.1	2.0	15.3	17.0	7.9	2	429
06-08 LST	10.6	12.6	2.1	3.6	1.5	1.5	0.9	1.0	1.1	8.8	10.9	19.4	5.8	10	1505
09-11 LST	50.0	23.5	0.0	0.0	0.0	0.0	0.0	0.0	3.0	0.0	15.2	21.2	9.4	2	333
12-14 LST	10.3	8.3	1.3	0.7	0.0	1.0	0.9	0.0	1.0	0.0	2.7	8.3	2.9	10	1502
15-17 LST	18.8	11.1	4.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	8.3	3.7	2	358
18-20 LST	7.8	8.0	1.9	0.0	0.0	1.4	0.0	0.0	0.0	0.0	5.1	11.1	2.9	10	1735
21-23 LST	26.1	11.8	0.0	0.0	0.0	2.0	0.0	0.0	0.0	0.0	15.2	21.6	6.4	2	447

SIBIU, ROMANIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST	21.7	22.4	30.4	29.4	30.6	29.6	30.8	30.7	29.7	29.9	25.9	21.7	332.8	10	1815
	03 LST	21.3	18.6	28.7	26.1	28.2	28.9	29.9	29.5	28.3	25.3	22.6	20.4	307.8	10	1505
	14 LST	21.0	21.5	29.0	28.5	29.7	29.1	30.7	30.7	29.1	29.9	25.9	21.6	326.7	10	1502
	20 LST	21.9	22.5	29.6	29.0	30.4	29.2	30.3	31.0	30.0	29.5	25.6	23.9	332.9	10	1735
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST	17.2	17.2	23.5	24.5	26.2	27.3	29.5	29.3	28.1	26.1	20.6	18.3	287.8	10	1809
	08 LST	15.9	13.2	24.2	21.8	25.2	27.5	29.3	28.5	26.9	23.3	17.3	16.0	269.1	10	1496
	14 LST	15.7	14.2	20.0	19.0	22.0	24.3	25.9	22.1	23.1	23.3	18.5	18.2	246.3	10	1492
	20 LST	17.1	17.4	24.1	22.6	25.1	26.5	28.3	28.1	26.9	25.1	21.3	20.7	283.2	10	1730
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST	1.4	1.1	2.1	1.3	0.6	0.2	0.0	0.0	0.8	0.7	1.6	0.7	10.5	10	1831
	08 LST	1.1	1.3	1.2	0.4	0.7	0.0	0.3	0.0	0.3	0.2	1.0	1.0	7.5	10	1534
	14 LST	1.3	1.8	4.1	2.7	2.9	2.1	1.4	1.6	2.8	1.9	2.6	0.7	25.9	10	1528
	20 LST	1.1	2.0	1.6	0.6	1.1	0.4	0.2	0.3	0.5	0.6	1.7	0.6	10.7	10	1769
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST	0.9	2.6	2.3	3.6	3.7	1.5	0.4	2.8	2.2	2.7	1.8	1.7	26.2	10	1810
	08 LST	2.0	0.7	2.7	3.9	4.1	3.3	3.1	3.2	3.5	3.3	3.0	1.3	34.1	10	1510
	14 LST	2.6	3.4	9.1	12.1	9.0	8.7	12.8	8.7	9.9	6.5	6.0	4.4	92.2	10	1495
	20 LST	1.1	3.4	5.0	7.1	7.4	5.7	5.5	6.0	6.8	5.2	4.0	2.6	59.8	10	1746
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST	6.6	7.6	13.1	12.1	12.1	14.0	21.1	19.9	16.5	15.5	10.5	6.1	155.1	10	1827
	08 LST	3.1	3.4	7.9	7.1	8.2	9.7	14.6	13.2	11.3	10.2	5.7	5.5	100.1	10	1534
	14 LST	5.2	5.0	6.9	3.5	2.7	2.4	5.5	11.5	8.4	8.3	5.6	5.6	70.6	10	1526
	20 LST	7.9	6.6	8.2	4.9	4.8	3.9	9.7	11.9	11.3	13.6	10.1	7.9	100.8	10	1758
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST	17.3	17.2	24.8	24.3	25.3	26.1	29.2	28.3	28.3	26.2	21.3	17.7	286.0	10	1815
	08 LST	15.0	12.8	23.8	22.7	23.9	26.4	29.2	28.1	26.0	22.4	17.6	15.7	263.1	10	1505
	14 LST	16.6	16.4	25.0	22.3	23.4	25.4	28.0	28.4	27.8	26.2	20.8	19.2	279.5	10	1502
	20 LST	17.8	17.5	24.0	23.1	25.9	25.5	28.5	28.0	27.9	26.2	21.3	19.8	285.5	10	1735
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST	12.7	14.0	21.2	18.8	19.9	22.4	26.4	25.5	23.7	22.8	17.2	13.3	237.9	10	1815
	06 LST	10.3	8.9	18.9	17.1	17.8	21.7	27.0	24.2	21.1	17.3	13.7	11.3	209.3	10	1505
	14 LST	13.0	12.3	19.8	14.5	11.3	14.0	17.5	23.1	20.7	20.0	16.0	13.9	197.1	10	1502
	20 LST	13.6	13.2	19.7	18.0	15.9	19.6	23.8	24.3	23.6	21.6	17.5	13.6	227.4	10	1735
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST	12.7	14.0	21.2	18.8	19.9	22.4	26.4	25.5	23.7	22.8	17.2	13.1	237.7	10	1815
	08 LST	10.3	8.9	18.9	17.1	17.8	21.7	27.0	24.2	21.1	17.3	13.7	11.3	209.3	10	1505
	14 LST	12.8	12.8	19.8	14.5	11.8	14.0	17.5	23.1	20.7	20.0	16.0	13.9	196.9	10	1502
	20 LST	13.6	13.2	19.7	18.0	18.9	19.6	23.8	24.3	23.6	21.4	17.5	13.6	227.2	10	1735

OMULURF, ROMANIA

STA NO. 15280 (IN AREA NUMBER 01)

LATITUDE 4527N

LONGITUDE 02527E

ELEVATION(FT) 08215

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
ABS MAX TMP (F)	39	39	43	50	59	64	66	68	63	61	48	41	68	16	4865
MEAN MAX TMP (F)	18	17	24	32	38	44	48	49	44	38	30	21	34	16	4865
MEAN MIN TMP (F)	8	8	12	20	28	35	38	39	33	28	20	14	24	16	4828
ABS MIN TMP (F)	-26	-26	-17	-4	7	14	25	21	9	3	-11	-26	-26	16	4828
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16	4865
MEAN NO DYS TMP = DR LES 32(F)	31.0	28.0	31.0	29.3	24.7	11.0	4.4	5.1	14.1	22.4	29.4	31.0	261.4	16	4828
MEAN NO DYS TMP = DR LES 0(F)	6.7	6.2	3.6	0.3	0.0	0.0	0.0	0.0	0.0	0.0	1.3	2.7	20.8	16	4828
MEAN DEW PT TMP (F)	7	7	12	22	30	36	40	39	31	24	19	13	23	16	23994
MEAN REL HUM (PCT)	85	86	85	88	92	93	92	90	83	78	83	88	87	16	23900
MEAN PRESS ALT (FT)	8723	8727	8630	8562	8435	8320	8273	8255	8301	8342	8494	8705		16	23878
MEAN PRECIP (IN)	2.95	3.73	2.60	3.57	4.86	5.96	5.56	3.83	2.86	2.35	2.39	3.66	44.3	16	4109
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS W/DR GTR 0.1 IN	8.1	9.2	8.4	11.1	12.0	12.6	11.0	7.4	5.9	6.1	6.0	10.0	107.8	16	4109
MEAN NO DYS SNFL = DR GTR 1.5 IN														0	0
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	22.2	21.6	21.8	22.4	26.4	25.2	24.0	23.2	19.8	17.2	21.1	24.3	269.2	16	3580
MEAN NO DYS TSTMS	0.1	0.0	0.1	1.0	4.6	10.1	10.2	7.8	2.3	0.8	0.1	0.2	37.3	16	3599
P FREQ WND SPD = DR GTR 17 KTS	68.4	73.0	62.5	53.4	47.7	41.2	37.1	42.1	44.7	49.6	61.4	70.7	54.3	16	24049
P FREQ WND SPD = DR GTR 28 KTS	41.4	44.7	33.6	25.2	22.7	16.1	11.4	14.8	17.6	23.3	32.4	40.3	27.0	16	24049
P FREQ LES 5000 FT A/D LES 5 MI	50.5	58.8	56.7	72.6	85.4	85.8	81.7	71.9	54.2	40.7	49.2	58.3	63.8	16	16527
P FREQ LES 1500 FT A/D LES 3 MI															
FDR 00-02 LST	49.2	56.9	52.2	53.9	59.2	55.2	45.5	44.9	41.6	37.7	48.2	55.3	50.0	16	3867
03-05 LST	45.9	57.2	53.3	55.9	61.7	57.1	53.3	44.7	44.0	39.6	48.8	58.7	51.7	9	2445
06-08 LST	46.6	56.3	47.9	58.2	69.9	68.1	58.7	49.5	39.1	35.4	45.6	54.0	52.4	16	4236
09-11 LST	49.3	52.0	55.2	66.5	88.2	90.0	82.4	76.4	48.6	39.2	50.0	54.8	62.7	9	2003
12-14 LST	49.5	59.6	54.5	79.8	90.9	89.5	86.1	78.7	63.1	45.8	53.8	55.6	67.2	16	3444
15-17 LST	50.0	57.1	62.8	80.4	95.8	90.8	88.5	83.5	66.6	46.1	54.6	55.4	69.3	9	2091
18-20 LST	47.3	54.1	54.1	69.4	81.1	76.7	73.2	68.2	50.7	35.9	45.8	48.4	58.7	16	4264
21-23 LST	50.0	56.9	54.2	55.7	67.0	61.3	51.5	51.0	44.5	38.7	41.7	55.9	52.4	9	2612
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	48.9	56.7	50.4	52.9	58.9	54.1	45.2	44.0	41.1	37.0	47.4	54.4	49.3	16	3867
03-05 LST	45.9	57.2	52.8	54.3	60.7	56.3	52.7	43.8	42.0	39.1	48.8	58.2	51.0	9	2445
06-08 LST	45.8	55.2	47.1	57.0	69.2	67.4	57.6	48.2	38.4	34.7	44.5	53.3	51.5	16	4236
09-11 LST	48.9	52.0	54.8	65.8	86.1	87.8	80.2	74.1	46.2	38.7	49.7	54.5	61.6	9	2003
12-14 LST	48.6	59.2	53.6	77.3	88.6	86.0	83.0	74.3	61.0	44.5	53.2	54.8	65.3	16	3444
15-17 LST	49.1	55.8	61.4	77.4	92.9	88.5	87.5	83.1	65.6	45.3	54.4	54.1	67.9	9	2091
18-20 LST	47.1	52.9	53.6	68.7	80.2	76.0	72.2	67.5	50.1	35.3	44.9	47.5	58.0	16	4264
21-23 LST	49.8	56.4	52.9	54.8	66.5	60.8	50.3	50.5	44.2	38.5	41.0	54.2	51.7	9	2612

OMULURP, RUMANIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST	15.8	12.1	14.9	14.0	12.7	13.5	16.9	17.2	17.6	19.4	15.6	14.0	183.7	16	3867
	08 LST	16.6	12.2	16.2	12.7	9.5	9.7	12.8	15.8	18.4	20.0	16.5	14.3	174.7	16	4236
	14 LST	15.7	11.3	14.1	6.1	3.0	3.2	4.4	6.9	11.1	16.8	13.9	13.8	120.3	16	3444
	20 LST	16.4	13.0	14.2	9.2	5.9	7.0	8.4	10.0	14.8	19.9	16.3	16.2	151.3	16	4264
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST	5.7	4.0	5.9	5.1	4.9	6.5	10.4	7.8	7.9	9.3	5.8	5.4	78.7	16	3860
	08 LST	5.7	3.2	5.5	4.9	3.0	5.0	7.8	8.3	10.0	9.2	6.9	4.3	73.5	16	4223
	14 LST	5.9	3.6	5.8	4.1	0.9	1.8	2.5	3.3	6.5	9.2	5.3	4.1	53.0	16	3430
	20 LST	5.6	3.9	5.5	5.2	2.2	3.6	5.1	5.6	7.0	9.0	6.4	5.4	64.5	16	4239
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST	16.5	14.8	15.4	13.8	13.9	13.2	12.7	15.3	15.2	13.9	16.0	16.6	177.3	16	4063
	08 LST	16.5	16.7	17.0	13.4	13.3	10.5	11.0	12.1	11.0	12.9	13.6	16.8	164.8	16	4992
	14 LST	17.0	14.4	14.0	7.8	8.6	6.3	7.5	8.7	7.1	11.5	14.0	15.8	132.7	16	4845
	20 LST	16.0	15.1	14.1	10.1	11.0	9.6	9.0	10.0	12.0	12.8	14.4	16.7	150.8	16	4983
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST	0.0	0.0	0.0	0.0	2.0	5.9	9.0	6.9	5.3	3.2	0.8	0.1	33.2	16	4054
	08 LST	0.0	0.0	0.0	0.6	2.8	7.9	10.0	8.7	6.6	4.4	0.4	0.0	41.4	16	4960
	14 LST	0.2	0.1	1.5	3.8	7.4	10.7	12.1	12.4	11.9	7.7	3.0	0.3	71.1	16	4962
	20 LST	0.0	0.0	0.0	0.9	3.2	7.8	11.2	10.2	6.7	4.1	0.2	0.0	44.3	16	4962
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST	11.1	8.2	10.6	9.9	8.4	9.1	12.0	13.1	14.2	16.5	10.4	8.9	132.4	16	4054
	08 LST	8.1	5.8	7.3	6.3	4.1	4.9	9.2	10.0	10.9	11.7	6.3	6.8	91.4	16	4992
	14 LST	6.6	4.8	5.5	2.4	0.6	0.5	1.1	2.9	5.1	8.9	5.5	6.1	50.0	16	4842
	20 LST	11.2	7.7	8.0	4.0	1.4	1.6	4.9	6.0	10.3	14.5	9.9	10.5	90.0	16	5006
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST	15.6	12.0	14.6	13.6	12.5	13.4	16.9	16.9	17.4	19.2	15.3	13.7	181.1	16	3867
	08 LST	16.3	12.1	16.0	12.3	9.2	9.5	12.8	15.6	18.0	19.9	16.1	14.0	171.8	16	4236
	14 LST	15.5	11.2	14.0	5.9	2.6	3.1	4.0	6.3	11.0	16.7	13.8	13.5	117.6	16	3444
	20 LST	16.2	12.6	14.2	9.1	5.9	7.0	8.2	9.8	14.8	19.7	16.1	15.7	149.3	16	4264
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST	15.5	11.9	14.2	13.5	12.5	13.4	16.9	16.8	17.2	19.1	15.2	13.5	179.7	16	3867
	08 LST	15.7	12.0	15.9	11.9	9.0	9.5	12.6	15.6	17.9	19.9	15.9	13.7	169.6	16	4236
	14 LST	15.1	11.0	13.8	5.8	2.4	1.8	2.5	4.9	9.5	16.3	13.7	13.0	109.8	16	3444
	20 LST	16.0	12.4	14.1	8.8	5.9	6.8	7.9	9.7	14.8	19.5	15.9	15.4	147.2	16	4264
CIG = GTR 12000 FT AND VSBY = GTR 3 MI	02 LST	15.5	11.9	14.2	13.5	12.5	13.4	16.9	16.8	17.2	19.1	15.2	13.5	179.7	16	3867
	08 LST	15.7	12.0	15.9	11.9	9.0	9.5	12.6	15.6	17.9	19.9	15.9	13.7	169.6	16	4236
	14 LST	15.1	11.0	13.8	5.8	2.4	1.8	2.3	4.9	9.4	16.3	13.7	13.0	109.5	16	3444
	20 LST	16.0	12.4	14.1	8.8	5.9	6.8	7.9	9.7	14.8	19.5	15.8	15.4	147.1	16	4264

AREA 01

ROMANIA		CNTRL HIGHLANDS				LATITUDE 4630N		LONGITUDE 02430E							
BOUNDARIES		4758N 02330E	4700N 02216E	4700N 02216E	4600N 02232E	4600N 02232E	4443N 02142E	4448N 02500E	4420N 02700E	4320N 02700E	4443N 02142E				
		4443N 02142E	4448N 02500E	4448N 02500E	4120N 02700E	4320N 02700E	4600N 02700E	4800N 02612E							
PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	
MEAN MAX TMP (F)		31	33	43	54	64	70	74	74	68	57	44	35	54	
MEAN MIN TMP (F)		17	19	26	36	45	51	54	53	48	39	31	24	37	
LARGEST MEAN PRECIP(IN)		2.95	3.73	2.60	3.57	4.86	5.96	5.56	3.83	2.86	2.35	2.39	3.66	44.3	
SMALLEST MEAN PRECIP(IN)		0.91	0.90	0.80	1.09	1.31	1.69	1.21	1.56	0.91	1.05	1.14	1.08	13.6	
		MEAN NUMBER OF DAYS													
CIG = GTR 1000 FT AND VSBY = GTR 3 MI		02 LST	20.6	19.2	25.1	25.8	26.7	26.8	28.3	28.0	27.2	27.4	23.6	20.7	299.4
		08 LST	19.5	17.5	23.8	23.7	25.0	24.7	26.4	26.2	24.8	22.9	20.7	19.2	274.4
		14 LST	20.6	20.1	26.0	24.6	25.6	24.7	25.9	26.6	26.2	27.7	24.1	21.3	293.4
		20 LST	21.1	20.0	25.8	25.2	26.2	25.6	26.8	27.3	26.9	28.0	23.8	21.5	298.2
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS		02 LST	13.1	17.7	18.0	19.8	20.7	22.5	24.9	23.7	21.9	20.9	15.6	13.6	227.4
		08 LST	11.9	10.7	16.9	17.4	18.4	19.8	21.9	21.1	19.4	17.0	13.2	11.5	199.1
		14 LST	12.4	12.2	15.5	14.5	14.4	16.4	18.1	16.9	17.8	18.0	14.3	12.6	183.1
		20 LST	13.6	13.7	18.5	18.6	19.8	20.8	23.0	22.9	22.1	21.7	16.3	13.9	225.1
SFC WND = GTR 17 KTS AND NO PRECIP.		02 LST	5.3	4.3	4.5	3.9	3.8	3.0	2.8	3.4	3.6	4.6	5.2	4.9	49.3
		08 LST	4.5	4.4	4.7	3.6	3.8	2.7	2.9	3.0	3.3	3.7	4.2	4.6	45.4
		14 LST	5.5	4.9	6.0	4.5	4.9	3.6	3.1	3.9	4.0	4.9	5.0	5.2	55.5
		20 LST	4.9	4.2	4.3	3.0	3.3	2.5	2.4	2.6	3.1	3.7	4.5	4.6	43.1
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.		02 LST	1.5	1.7	3.0	4.2	4.5	4.9	4.8	5.3	4.3	4.2	3.1	2.4	43.9
		08 LST	1.6	1.7	3.2	5.1	6.4	6.9	7.4	6.9	5.5	5.2	3.8	2.5	56.2
		14 LST	3.4	3.9	8.3	9.7	9.8	11.4	12.8	11.7	11.9	9.6	7.6	4.6	104.7
		20 LST	2.0	2.5	5.1	6.7	8.3	7.9	8.7	8.3	6.0	5.1	4.3	3.0	67.9
SKY COVER LES 3/10 AND VSBY = GTR 3 MI		02 LST	7.9	7.4	11.1	12.2	13.4	14.0	19.2	19.8	18.0	16.8	9.1	7.4	156.3
		08 LST	4.9	4.0	7.0	7.6	7.8	9.8	14.4	14.1	11.1	8.8	5.1	4.6	99.2
		14 LST	5.5	4.9	7.1	4.6	4.0	4.7	7.8	11.0	10.1	10.1	5.5	5.4	80.7
		20 LST	8.5	7.4	9.4	6.5	6.0	5.4	10.8	13.0	13.9	15.6	9.4	7.7	113.6
CIG = GTR 2500 FT AND VSBY = GTR 3 MI		02 LST	16.1	15.2	20.9	22.0	23.1	24.1	26.7	26.1	24.9	24.9	18.9	16.2	259.1
		08 LST	14.4	13.2	20.1	20.3	21.4	22.3	24.8	24.5	22.8	20.0	16.3	14.3	234.4
		14 LST	16.6	16.1	22.4	19.9	20.8	21.6	23.4	24.2	24.5	24.6	19.6	17.1	250.8
		20 LST	17.0	16.2	21.7	20.4	22.2	22.6	25.0	25.2	25.2	25.4	19.5	16.8	257.2
CIG = GTR 6000 FT AND VSBY = GTR 3 MI		02 LST	12.2	12.1	16.5	17.6	19.7	20.5	24.0	23.8	22.1	21.8	14.5	12.3	217.1
		08 LST	10.4	9.8	16.3	16.4	17.7	19.3	22.6	21.9	20.1	16.5	12.6	10.3	193.9
		14 LST	13.1	12.6	18.1	14.2	13.8	15.4	17.9	20.2	20.2	20.5	15.6	13.4	195.0
		20 LST	13.5	12.7	17.2	15.8	17.4	18.2	21.9	22.0	22.4	22.2	15.8	12.8	211.9
CIG = GTR 10000 FT AND VSBY = GTR 3 MI		02 LST	12.2	12.1	16.5	17.6	19.7	20.5	24.0	23.8	22.1	21.8	14.5	12.3	217.1
		08 LST	10.4	9.8	16.3	16.4	17.7	19.3	22.6	21.9	20.1	16.5	12.6	10.3	193.9
		14 LST	13.1	12.6	18.1	14.2	13.8	15.4	17.8	20.1	20.2	20.5	15.5	13.3	194.6
		20 LST	13.5	12.7	17.2	15.8	17.4	18.2	21.9	22.0	22.4	22.1	15.7	12.8	211.7

SATU-MARE, ROMANIA

STA NO. 15010 (IN AREA NUMBER 02)	LATITUDE 4748N LONGITUDE 02253E ELEVATION(FT) 00427												POR	NO.	
PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	(YRS)	UBS
ABS MAX TMP (F)	54	63	72	82	91	97	97	102	93	82	72	59	102	16	5073
MEAN MAX TMP (F)	32	36	48	61	70	77	80	79	73	63	49	38	59	16	5073
MEAN MIN TMP (F)	20	23	31	41	48	55	58	57	50	41	36	29	41	16	5027
ABS MIN TMP (F)	-20	-17	0	21	30	39	43	43	32	21	14	-17	-20	16	5027
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.1	1.3	3.5	4.3	0.2	0.0	0.0	0.0	9.4	16	5073
MEAN NO DYS TMP = DR LES 32(F)	27.1	23.0	17.8	3.7	0.4	0.0	0.0	0.0	0.1	5.8	10.6	20.7	109.2	16	5027
MEAN NO DYS TMP = DR LES 0(F)	3.2	1.4	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	5.4	16	5027
MEAN DEW PT TMP (F)	21	25	31	42	49	55	58	57	50	43	38	29	42	16	28550
MEAN REL HUM (PCT)	85	84	76	72	72	73	71	73	74	77	84	88	77	16	23408
MEAN PRESS ALT (FT)	250	278	318	422	395	377	399	385	293	256	289	333	333	16	28610
MEAN PRECIP (IN)	1.60	1.60	1.57	1.94	2.18	3.17	2.38	2.39	1.19	1.37	1.92	2.62	24.1	16	4341
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0					16	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	5.5	5.8	5.0	5.2	5.9	7.4	5.3	5.9	3.6	4.2	5.5	8.0	67.3	16	4341
MEAN NO DYS SNFL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0					16	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	6.5	6.3	2.5	0.2	0.3	0.2	0.4	0.4	1.1	2.7	3.2	5.7	29.5	16	4412
MEAN NO DYS TSTMS	0.1	0.1	0.3	1.9	4.0	7.3	6.7	4.9	1.4	1.1	0.0	0.0	27.8	16	4409
P FREQ WND SPD = DR GTR 17 KTS	4.3	4.8	5.9	6.8	3.8	3.1	2.0	1.8	2.1	3.1	2.5	3.5	3.6	16	28707
P FREQ WND SPD = DR GTR 28 KTS	0.4	0.4	0.3	0.5	0.2	0.1	0.1	0.0	0.0	0.1	0.1	0.2	0.2	16	28707
P FREQ LES 5000 FT A/D LES 5 MI	68.9	63.9	43.4	33.3	28.9	26.6	21.0	20.7	19.9	25.3	52.4	68.4	39.4	16	29492
P FREQ LES 1500 FT A/D LES 3 MI	38.4	35.5	15.6	7.4	5.3	5.1	3.9	3.9	3.8	7.5	24.5	37.4	15.7	16	5079
FOR 00-02 LST	39.0	38.0	17.8	5.3	5.3	8.5	5.4	4.3	3.3	7.5	23.7	32.0	15.8	9	2998
03-05 LST	44.7	47.3	25.3	13.8	10.1	10.2	8.9	10.2	14.1	19.4	31.2	40.1	22.9	16	5224
06-08 LST	49.0	43.3	22.5	7.5	3.8	5.2	3.8	4.0	5.4	3.6	23.5	41.0	18.0	9	2997
09-11 LST	41.8	34.8	13.5	7.6	6.6	6.5	4.0	5.2	3.4	6.4	24.0	41.1	16.2	16	5050
12-14 LST	42.3	32.5	11.4	4.0	3.6	4.4	2.9	2.2	3.3	2.5	17.2	37.5	13.7	9	3003
15-17 LST	37.8	32.2	10.9	7.3	6.3	5.3	3.8	3.7	4.8	7.1	23.5	37.0	15.0	16	5326
18-20 LST	37.8	32.0	15.5	2.9	2.0	1.3	2.1	1.2	0.8	4.4	18.6	32.4	12.6	9	2973
21-23 LST															
P FREQ LES 300 FT A/D LES 1 MI	13.2	14.6	4.7	0.5	0.7	0.5	0.5	0.2	1.0	1.8	7.7	11.7	4.8	16	5079
FOR 00-02 LST	17.8	19.0	7.3	0.8	2.0	1.6	1.5	2.4	2.1	4.2	8.5	12.2	6.6	9	2998
03-05 LST	15.6	20.7	8.1	2.0	1.1	0.5	1.7	2.2	4.1	9.8	11.4	14.0	7.6	16	5224
06-08 LST	26.2	20.4	7.1	0.0	0.0	0.0	0.0	0.4	0.0	2.3	8.0	16.9	6.8	9	2997
09-11 LST	13.4	11.0	3.6	0.0	0.0	0.2	0.0	0.2	0.0	0.7	5.4	10.4	3.7	16	5050
12-14 LST	17.3	12.2	3.1	0.0	0.0	0.0	0.0	0.0	0.4	0.4	4.8	11.4	4.1	9	3003
15-17 LST	12.9	11.4	2.9	0.0	0.0	0.0	0.2	0.4	0.2	0.2	5.7	11.3	3.8	16	5326
18-20 LST	15.1	15.7	5.6	0.0	0.4	0.0	0.0	0.0	0.0	1.5	6.6	12.9	4.8	9	2973
21-23 LST															

SATU-MARE, RUMANIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST	21.3	19.7	27.9	29.2	30.6	29.5	30.4	30.5	29.5	29.5	24.3	21.6	324.0	16	5079
	08 LST	19.4	16.6	25.0	27.6	29.6	28.2	29.1	28.6	26.5	25.7	22.5	21.2	300.0	16	5224
	14 LST	19.7	20.1	28.2	29.5	30.2	29.3	30.5	30.3	29.6	30.2	24.7	20.4	322.7	16	5050
	20 LST	21.2	20.3	28.9	29.4	30.7	29.7	30.5	30.5	29.4	29.7	24.8	21.5	326.6	16	5326
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST	15.5	13.9	21.4	24.0	26.2	26.2	28.2	27.7	27.2	26.4	18.4	14.7	269.8	16	5070
	08 LST	12.8	11.0	18.1	20.6	23.5	23.1	25.3	25.1	23.9	22.2	18.2	13.9	235.7	16	5219
	14 LST	13.7	12.5	17.9	17.3	19.2	21.0	22.8	22.3	20.7	21.7	16.1	12.9	218.1	16	5040
	20 LST	15.5	15.3	23.5	22.6	24.8	24.3	27.6	28.0	27.0	26.8	18.9	15.0	269.4	16	5311
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST	1.0	0.9	1.2	0.6	0.4	0.3	0.2	0.1	0.3	0.5	0.7	0.7	6.9	16	5088
	08 LST	0.8	0.8	0.8	1.2	0.3	0.6	0.3	0.3	0.5	0.1	0.3	0.4	6.4	16	5239
	14 LST	1.7	1.8	3.5	3.6	2.8	1.5	1.6	2.4	2.0	2.8	1.4	1.3	26.4	16	5083
	20 LST	1.1	0.8	1.0	1.1	0.8	0.6	0.2	0.1	0.1	0.6	0.7	1.1	8.2	16	5329
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST	2.3	2.3	6.0	8.2	9.5	7.2	6.1	6.9	8.3	6.4	6.3	4.2	73.7	16	5073
	08 LST	2.3	2.6	4.9	8.1	10.0	8.6	8.9	8.1	8.4	6.3	6.1	3.4	77.7	16	5218
	14 LST	3.4	5.8	10.2	10.9	13.1	12.9	14.4	12.6	12.3	10.3	8.6	6.0	120.5	16	5047
	20 LST	2.7	3.6	7.4	9.9	11.2	8.8	9.6	7.0	9.5	7.0	6.7	3.4	86.8	16	5311
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST	6.9	6.8	11.8	13.5	14.0	14.5	18.8	18.5	18.3	17.1	8.2	5.0	153.4	16	5091
	08 LST	3.9	3.9	6.6	7.4	9.7	10.4	12.9	13.6	11.4	10.8	4.5	3.2	98.3	16	5246
	14 LST	4.8	4.3	8.1	6.1	5.0	5.0	8.0	10.9	10.0	10.8	4.9	3.9	81.8	16	5089
	20 LST	7.0	6.9	9.9	8.9	7.8	7.2	11.6	13.6	14.4	15.8	8.2	4.6	115.9	16	5331
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST	15.3	14.7	23.1	24.9	26.9	26.4	28.1	28.2	27.4	26.8	19.3	15.3	276.4	16	5079
	08 LST	13.3	11.6	20.0	23.1	25.2	24.7	26.3	26.0	24.4	23.1	17.1	14.0	248.8	16	5224
	14 LST	15.2	15.1	23.7	23.9	25.8	25.4	27.7	27.2	27.0	26.7	19.6	14.8	272.1	16	5050
	20 LST	15.9	15.9	24.7	24.8	26.2	25.7	28.3	28.4	26.9	26.9	20.0	15.5	279.2	16	5326
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST	11.1	10.4	17.9	20.6	22.9	23.0	25.5	25.8	25.0	23.4	14.3	10.0	229.9	16	5079
	08 LST	9.0	8.1	15.5	18.5	21.2	21.5	23.4	23.1	21.5	19.3	11.6	8.9	201.6	16	5224
	14 LST	11.3	11.0	18.5	17.4	17.2	18.4	21.3	23.1	22.1	23.0	14.5	10.5	208.3	16	5050
	20 LST	12.1	11.2	19.5	19.9	22.1	22.0	25.5	25.6	24.3	23.1	14.9	10.3	230.5	16	5326
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST	11.1	10.4	17.9	20.6	22.9	23.0	25.5	25.8	25.0	23.4	14.3	10.0	229.9	16	5079
	08 LST	9.0	8.1	15.5	18.4	21.2	21.5	23.4	23.0	21.5	19.3	11.6	8.9	201.4	16	5224
	14 LST	11.3	10.9	18.5	17.4	17.1	18.4	21.3	23.1	22.1	23.0	14.5	10.5	208.1	16	5050
	20 LST	12.1	11.2	19.5	19.9	22.1	22.0	25.5	25.6	24.3	23.1	14.9	10.3	230.5	16	5326

ORADEA, RUMANIA

STA NO. 15080 (IN AREA NUMBER 02)	LATITUDE 4703N LONGITUDE 02156E ELEVATION(FT) 00446												PDR	NO.	
PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	(YRS)	OBS
ABS MAX TMP (F)	63	65	78	91	91	98	103	103	99	91	74	65	103	46	-179
MEAN MAX TMP (F)	35	39	50	62	72	78	83	82	75	62	50	38	61	30	-179
MEAN MIN TMP (F)	22	25	33	42	51	56	59	58	52	43	37	28	42	30	-179
ABS MIN TMP (F)	-20	-12	-1	22	28	37	45	42	30	22	2	-15	-20	46	-179
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	2.3	5.5	4.2	0.2	0.0	0.0	0.0	12.2	9	1952
MEAN NO DYS TMP = DR LES 32(F)	23.0	22.7	14.9	3.4	1.3	0.0	0.0	0.0	0.0	3.1	10.9	19.9	104.2	9	1897
MEAN NO DYS TMP = DR LES 0(F)	1.5	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	3.1	9	1897
MEAN DEW PT TMP (F)	23	28	35	44	50	58	59	57	54	47	38	31	44	9	10762
MEAN REL HUM (PCT)	90	86	81	78	76	77	72	73	77	81	87	91	81	9	10724
MEAN PRESS ALT (FT)	254	344	337	450	403	393	403	380	329	287	315	378	356	9	10783
MEAN PRECIP (IN)	1.33	1.39	1.63	2.05	2.69	3.26	2.31	2.30	2.03	2.19	1.91	1.87	25.0	50	-179
MEAN SNOW FALL (IN)						0.0	0.0	0.0	0.0					46	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	4.3	4.5	5.0	5.9	7.4	7.7	5.8	5.8	5.5	5.8	5.3	6.0	69.0	50	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN						0.0	0.0	0.0	0.0					46	-29
MEAN NO DYS W/OCCUR VSBY LES 1/2 MI	7.1	5.1	1.8	0.0	0.2	0.2	0.0	0.0	0.5	1.2	4.0	4.5	24.6	9	1571
MEAN NO DYS TSTMS	0.0	0.0	0.2	2.0	4.1	6.9	7.8	5.7	1.4	1.7	0.0	0.0	29.8	9	1581
P FREQ WND SPD = DR GTR 17 KTS	8.6	16.9	8.8	5.9	4.9	1.5	1.6	0.9	4.1	3.4	7.2	7.7	6.0	9	10859
P FREQ WND SPD = DR GTR 28 KTS	0.2	0.3	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.5	0.0	0.1	9	10859
P FREQ LES 5000 FT A/D LES 5 MI	76.2	61.3	52.4	39.8	33.2	28.8	20.9	21.7	24.3	25.5	62.8	75.7	43.6	9	11112
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	45.3	39.1	15.9	6.7	4.1	4.2	1.7	3.2	3.1	5.7	28.0	37.2	16.2	9	2255
03-05 LST	51.4	30.0	18.3	4.5	5.1	5.8	3.7	2.7	4.1	6.1	25.7	35.5	16.1	4	1306
06-08 LST	48.0	43.6	26.6	11.3	9.3	11.1	7.9	10.9	10.5	9.1	40.5	37.7	22.2	9	2084
09-11 LST	51.1	37.7	18.6	10.1	4.2	10.0	4.3	3.5	9.0	6.0	42.1	54.2	20.9	4	1282
12-14 LST	45.0	36.4	15.1	8.2	7.9	8.4	4.3	3.7	4.8	7.4	34.2	43.6	18.3	9	2122
15-17 LST	57.6	21.3	12.3	2.5	4.0	3.0	1.3	1.8	2.7	6.8	28.7	43.6	15.5	4	1298
18-20 LST	47.9	36.2	16.6	7.8	5.3	4.4	3.0	3.5	3.3	8.7	29.2	44.8	17.6	9	2211
21-23 LST	56.5	24.0	18.4	6.0	3.1	1.4	0.9	2.3	3.9	5.6	30.4	38.4	15.9	4	1295
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	13.0	8.8	2.0	0.5	0.5	0.0	0.0	0.6	0.6	0.5	4.1	5.7	3.0	9	2255
03-05 LST	13.8	10.8	4.7	1.0	0.0	1.0	0.9	0.9	1.8	3.4	6.3	7.1	4.3	4	1306
06-08 LST	13.1	12.6	8.9	1.1	0.0	1.2	0.6	0.6	1.2	3.7	10.5	7.0	5.0	9	2084
09-11 LST	21.6	12.4	4.4	0.0	0.0	0.9	0.0	0.0	0.9	2.8	12.9	14.5	5.9	4	1282
12-14 LST	13.6	11.4	1.5	0.0	0.0	0.6	0.6	0.7	0.0	0.5	6.7	13.1	4.1	9	2122
15-17 LST	20.8	6.5	0.0	0.0	0.0	1.0	0.0	0.0	0.0	1.7	7.3	8.3	3.8	4	1298
18-20 LST	14.6	9.1	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.5	5.0	11.4	3.4	9	2211
21-23 LST	20.2	7.3	2.7	1.0	0.9	0.0	0.0	0.0	0.0	0.0	6.5	10.0	4.1	4	1295

ORADEA, RUMANIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	18.0	17.9	27.3	29.4	30.4	29.4	30.7	30.1	29.5	29.8	23.1	21.0	316.6	9	2255
	07 LST	18.3	16.8	23.2	27.8	28.7	27.1	29.1	27.9	27.5	28.9	19.2	21.8	296.3	9	2084
	13 LST	17.4	18.7	27.3	29.0	29.4	28.5	30.6	30.4	28.9	29.6	20.9	18.8	309.5	9	2122
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	11.0	9.9	15.8	20.9	24.5	23.8	26.4	24.4	22.9	22.0	15.5	13.1	230.2	9	2252
	07 LST	9.2	8.6	13.6	18.2	21.3	23.0	24.4	23.6	20.5	20.9	12.0	12.7	208.1	9	2073
	13 LST	9.2	8.0	12.2	16.1	16.1	19.3	22.2	21.9	19.8	18.7	11.4	11.4	186.3	9	2117
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	2.6	3.1	2.0	0.5	0.3	0.0	0.2	0.2	1.1	1.2	1.2	1.1	13.5	9	2274
	07 LST	2.6	3.1	1.9	1.0	0.5	0.2	0.0	0.2	0.7	1.2	1.1	0.7	13.2	9	2106
	13 LST	2.5	4.4	5.0	3.4	3.0	0.8	1.4	1.0	2.8	2.6	2.7	1.6	31.2	9	2164
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	1.7	3.1	8.7	15.9	15.0	13.4	15.8	14.8	14.2	14.5	7.4	4.7	129.2	9	2261
	07 LST	2.1	2.5	8.3	14.5	16.9	16.6	19.7	18.6	18.5	17.2	6.8	4.3	146.0	9	2086
	13 LST	3.6	3.5	10.9	13.5	14.7	15.4	14.9	17.1	11.0	11.6	8.8	5.8	130.8	9	2151
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	7.3	7.3	11.9	12.0	14.6	14.3	20.6	19.2	18.1	17.0	8.1	5.9	156.3	9	2265
	07 LST	5.9	4.3	6.3	7.8	11.7	10.9	16.2	16.8	12.6	11.6	4.2	4.5	112.8	9	2106
	13 LST	4.7	5.1	6.8	5.1	6.0	4.0	9.4	11.5	10.7	9.7	4.9	4.2	82.1	9	2143
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	14.6	15.4	23.6	24.9	27.9	27.0	29.7	29.0	27.7	27.6	18.4	16.0	281.8	9	2255
	07 LST	13.3	13.7	20.6	24.2	26.7	25.0	27.7	26.5	25.5	26.8	15.3	15.2	260.5	9	2084
	13 LST	15.7	16.1	23.9	23.6	24.7	24.5	27.6	27.7	27.1	27.2	17.8	15.2	271.1	9	2122
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	14.2	16.6	23.6	24.8	26.4	25.9	28.7	28.8	28.0	26.4	19.2	13.9	276.5	9	2211
	07 LST	10.5	10.5	17.2	19.0	22.5	22.0	26.1	24.8	23.8	23.4	13.2	9.7	222.7	9	2255
	13 LST	9.3	10.1	14.9	18.7	21.6	20.7	25.8	24.1	21.6	22.8	9.1	9.8	208.5	9	2084
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	11.7	12.3	18.6	16.2	15.4	16.3	20.8	21.1	23.0	22.0	12.7	10.2	200.3	9	2122
	07 LST	9.4	11.9	18.8	19.1	19.9	22.1	25.3	25.7	22.7	22.0	14.1	8.8	219.8	9	2211
	13 LST	10.5	10.5	17.2	19.0	22.5	22.0	26.1	24.8	23.8	23.3	13.2	9.7	222.6	9	2255
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	11.7	12.3	18.6	16.2	15.4	16.3	20.8	21.1	23.0	22.0	12.7	10.2	200.3	9	2122
	07 LST	9.4	11.9	18.8	19.1	19.9	22.1	25.3	25.7	22.7	22.0	14.1	8.8	219.8	9	2211
	13 LST	10.5	10.5	17.2	19.0	22.5	22.0	26.1	24.8	23.8	23.3	13.2	9.7	222.6	9	2255

## IASI, RUMANIA

STA NO. 19090 (IN AREA NUMBER 02)

LATITUDE 4710N

LONGITUDE 02736E

ELEVATION(FT) 00210

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	60	66	81	89	98	100	104	103	100	93	83	64	104	57	-179
MEAN MAX TMP (F)	31	34	47	62	73	79	83	82	74	61	47	36	59	30	-179
MEAN MIN TMP (F)	17	20	29	40	50	56	59	58	51	41	36	24	40	30	-179
ABS MIN TMP (F)	-20	-22	-9	19	27	38	44	40	30	3	-1	-21	-22	58	-179
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.5	0.9	6.3	4.4	0.1	0.1	0.0	0.0	12.3	11	2884
MEAN NO DYS TMP = DR LES 32(F)	27.8	23.2	24.1	4.4	0.2	0.0	0.0	0.0	0.0	2.4	15.1	24.1	121.3	11	2757
MEAN NO DYS TMP = DR LES 0(F)	1.1	2.8	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	4.6	11	2757
MEAN DEW PT TMP (F)	23	24	29	37	49	56	58	58	49	42	34	26	40	11	10663
MEAN REL HUM (PCT)	85	85	78	66	71	71	66	71	71	75	86	88	76	11	10503
MEAN PRESS ALT (FT)	79	37	24	135	143	164	207	186	86	1	-44	32	86	11	10766
MEAN PRECIP (IN)	1.14	1.08	1.11	1.58	2.06	2.96	2.72	2.27	1.61	1.35	1.36	1.14	20.4	50	-179
MEAN SNOW FALL (IN)						0.0	0.0	0.0	0.0					58	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	3.6	3.4	4.0	4.9	5.9	7.1	6.7	5.7	4.7	4.1	4.1	3.6	57.8	50	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN						0.0	0.0	0.0	0.0					58	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	5.4	3.8	1.7	0.6	0.4	0.0	0.2	0.4	0.2	2.1	3.1	6.6	24.5	11	2101
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.3	3.2	8.3	5.0	5.7	2.1	0.4	0.2	0.0	25.2	11	2115
P FREQ WND SPD = DR GTR 17 KTS	10.7	17.8	14.4	13.2	10.9	8.0	9.5	10.2	7.6	9.7	10.8	7.1	10.8	11	10840
P FREQ WND SPD = DR GTR 28 KTS	3.0	3.9	2.0	0.9	0.2	0.2	0.0	0.4	1.4	0.1	0.9	0.1	1.1	11	10840
P FREQ LES 9000 FT A/D LES 5 MI	68.8	69.5	54.8	55.1	51.4	40.9	26.6	31.4	33.6	35.6	73.8	73.7	51.3	11	11150
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	45.1	44.4	22.6	16.1	12.4	6.7	3.8	6.0	4.2	12.5	40.9	42.6	21.4	11	3200
03-05 LST	34.1	35.7	19.3	14.9	21.3	3.9	3.0	7.1	3.6	7.6	46.4	47.0	20.3	4	889
06-08 LST	53.8	54.4	33.8	23.3	17.3	11.3	4.8	9.5	8.5	25.4	52.7	54.5	29.1	11	2968
09-11 LST	59.8	51.3	22.8	18.2	19.3	3.3	3.0	4.9	6.0	13.6	55.1	65.6	26.9	4	767
12-14 LST	49.5	41.4	24.2	16.3	13.5	6.6	4.0	5.7	6.4	13.2	45.0	46.0	22.7	11	2766
15-17 LST	46.5	30.8	21.7	11.0	22.5	3.9	0.8	2.4	3.6	8.1	43.1	45.4	20.0	4	786
18-20 LST	45.1	38.2	24.5	17.0	13.3	9.5	4.7	6.1	7.9	11.0	41.0	41.8	21.7	11	3086
21-23 LST	32.8	34.4	22.7	12.6	11.1	4.8	2.5	4.4	2.2	5.4	43.9	44.2	18.4	4	906
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	10.8	11.6	2.2	0.4	0.0	0.0	0.0	0.0	0.0	2.9	3.4	11.5	3.6	11	3200
03-05 LST	6.0	8.1	0.0	3.1	1.4	0.0	1.2	0.0	0.0	1.4	9.5	15.9	3.9	4	889
06-08 LST	15.3	16.4	5.4	3.2	1.1	0.4	0.8	0.8	0.4	9.1	13.3	18.8	7.1	11	2968
09-11 LST	21.7	6.5	0.0	4.3	0.0	0.0	0.0	0.0	0.0	0.0	11.8	19.2	5.3	4	767
12-14 LST	13.2	7.8	4.0	2.8	0.4	0.0	0.0	0.0	0.5	1.3	5.1	12.7	4.0	11	2766
15-17 LST	7.6	3.3	1.3	3.1	1.5	0.0	0.0	0.0	0.0	0.0	2.9	11.5	2.6	4	786
18-20 LST	10.9	7.2	3.3	1.9	0.4	0.0	0.0	0.0	0.0	0.8	4.4	9.2	3.2	11	3086
21-23 LST	6.5	6.2	1.3	3.1	0.0	0.0	0.0	0.0	0.0	0.0	2.9	16.4	3.0	4	906

IASI, RIMANTA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST	20.6	18.8	26.9	28.0	29.8	29.8	30.6	30.3	29.8	28.6	20.7	20.3	314.2	11	3200
	08 LST	18.4	16.0	24.2	25.6	27.1	28.2	30.1	29.5	28.4	25.2	17.3	18.0	288.0	11	2968
	14 LST	18.3	18.5	26.5	27.1	28.5	29.7	30.7	30.2	29.2	28.6	18.7	18.9	304.9	11	2766
	20 LST	20.0	19.5	26.4	27.8	28.9	29.3	30.9	30.5	28.9	29.2	20.5	20.9	312.8	11	3086
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST	12.1	10.1	16.9	18.8	21.3	23.8	26.8	25.8	25.2	21.8	13.1	14.0	229.7	11	3192
	08 LST	9.2	8.4	14.4	18.2	20.6	22.2	25.8	24.0	23.4	19.5	9.4	9.6	204.7	11	2954
	14 LST	9.9	9.7	11.3	13.9	15.6	17.7	18.7	18.7	17.1	16.9	9.5	11.4	170.4	11	2742
	20 LST	11.4	12.3	16.1	15.8	19.8	20.7	24.5	23.4	23.4	23.3	13.2	13.9	217.8	11	3069
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST	2.8	2.5	2.1	2.1	1.8	0.5	0.6	1.6	1.4	1.8	2.3	1.0	20.5	11	3207
	08 LST	1.9	1.7	2.0	1.2	1.5	1.3	1.0	1.4	0.9	1.1	2.6	0.9	17.5	11	2996
	14 LST	2.5	3.9	4.8	5.4	4.5	4.6	5.7	4.4	5.2	3.9	3.3	2.0	30.2	11	2792
	20 LST	2.8	2.8	2.5	3.9	2.2	1.8	1.2	2.3	1.5	1.2	2.3	1.0	25.5	11	3107
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST	1.9	2.0	4.8	9.6	8.1	6.4	7.6	5.6	6.6	7.9	5.2	3.1	68.8	11	3187
	08 LST	2.1	2.0	4.2	12.5	11.4	10.2	10.2	8.8	9.3	8.4	3.8	2.7	85.6	11	2975
	14 LST	4.9	5.4	8.4	11.6	12.5	12.7	12.3	9.5	10.8	11.9	8.7	5.3	114.0	11	2767
	20 LST	2.9	3.7	7.7	11.4	9.8	8.2	10.2	7.6	8.2	7.8	5.1	4.6	37.2	11	3093
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST	7.1	5.7	12.7	12.4	13.3	14.4	19.1	19.0	16.5	15.9	6.5	7.7	150.3	11	3214
	08 LST	3.3	2.8	7.2	7.4	8.1	10.1	15.9	15.3	13.2	8.9	3.3	3.5	99.0	11	2998
	14 LST	4.7	3.6	6.2	5.3	4.2	4.6	8.0	9.2	10.2	9.4	3.2	4.2	72.8	11	2812
	20 LST	6.6	6.8	10.6	6.8	6.7	5.9	11.6	12.3	13.5	16.2	6.9	7.9	111.8	11	3122
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST	12.3	10.9	19.2	20.5	22.8	24.5	27.5	26.8	26.0	24.0	12.9	13.5	240.9	11	3200
	08 LST	9.3	8.5	15.4	18.1	22.7	23.6	27.5	25.6	24.6	19.5	9.5	8.7	213.0	11	2968
	14 LST	11.7	13.2	18.4	19.8	21.1	23.4	26.4	26.2	24.9	23.3	12.1	13.1	233.6	11	2766
	20 LST	13.1	13.7	18.5	19.3	21.3	22.2	26.6	25.4	24.8	25.0	13.2	14.0	237.1	11	3086
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST	10.3	8.4	15.9	16.7	18.8	21.1	24.2	24.0	22.0	20.4	9.3	10.4	201.5	11	3200
	08 LST	7.3	5.8	12.4	13.4	18.9	20.3	24.1	22.5	21.0	15.6	6.4	5.7	173.4	11	2968
	14 LST	9.2	10.3	13.8	12.4	11.7	14.9	17.3	20.0	19.4	18.5	7.8	10.1	163.4	11	2766
	20 LST	11.1	11.2	14.9	13.9	14.5	15.9	23.1	20.6	20.4	22.6	10.0	11.4	189.6	11	3086
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST	10.3	8.4	15.9	16.7	18.8	21.0	24.2	24.0	22.0	20.4	9.3	10.4	201.4	11	3200
	08 LST	7.3	5.8	12.4	13.4	18.9	20.3	24.1	22.5	21.0	15.6	6.4	5.7	173.4	11	2968
	14 LST	9.2	10.2	13.8	12.4	11.7	14.9	17.3	20.0	19.4	18.5	7.8	10.1	163.4	11	2766
	20 LST	11.1	11.2	14.9	13.9	14.5	15.9	23.1	20.6	20.4	22.6	10.0	11.4	189.6	11	3086

BACUA, RUMANIA

STA NO. 19150 (IN AREA NUMBER 02)

LATITUDE 4644N

LONGITUDE 02659E

ELEVATION(FT) 00643

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	63	68	77	87	96	98	100	102	96	94	73	66	102	32	-179
MEAN MAX TMP (F)	35	35	47	61	72	78	82	82	74	61	48	36	59	30	-179
MEAN MIN TMP (F)	18	20	28	39	49	56	59	57	49	38	31	23	39	30	-179
ABS MIN TMP (F)	-21	-26	-5	17	27	22	43	37	30	14	1	-18	-26	32	-179
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	1.6	3.2	4.4	0.4	0.2	0.0	0.0	9.8	16	4574
MEAN NO DYS TMP = DR LES 32(F)	29.2	25.4	23.2	6.2	0.7	0.0	0.0	0.0	0.5	4.6	13.2	25.7	128.7	16	4532
MEAN NO DYS TMP = DR LES 0(F)	3.1	2.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	6.9	16	4532
MEAN DEW PT TMP (F)	20	23	29	39	48	56	58	57	50	44	36	26	41	16	26595
MEAN REL HUM (PCT)	89	86	80	73	73	74	72	72	76	80	87	89	79	16	26410
MEAN PRESS ALT (FT)	466	535	523	610	618	606	626	607	511	462	482	533	548	16	26594
MEAN PRECIP (IN)	1.13	0.95	1.11	1.71	2.38	3.56	2.75	2.13	1.79	1.68	1.23	1.03	21.4	55	-179
MEAN SNOW FALL (IN)							0.0	0.0	0.0					32	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	3.6	3.0	4.0	5.1	6.6	8.2	6.7	5.4	5.1	4.9	3.7	3.3	59.6	55	-29
MEAN NO DYS SNPL = DR GTR 1.5 IN							0.0	0.0	0.0					32	-29
MEAN NO DYS W/OCUR VSB/ LES 1/2 MI	10.2	8.3	4.2	0.9	0.7	0.4	0.2	0.3	0.9	4.1	7.7	11.9	49.8	16	4129
MEAN NO DYS TSTMS	0.0	0.0	0.1	0.6	3.4	7.9	6.5	5.5	2.1	0.2	0.0	0.0	26.3	16	4139
P FREQ WND SPD = DR GTR 17 KTS	18.4	21.8	21.8	16.3	14.5	9.2	6.5	8.8	7.6	7.8	2	16.6	13.5	16	26750
P FREQ WND SPD = DR GTR 28 KTS	2.9	3.0	2.2	1.3	0.6	0.5	0.4	0.6	0.6	0.2	2	1.8	1.3	16	26750
P FREQ LES 5000 FT A/D LES 5 MI	76.1	72.3	57.9	45.6	39.4	30.4	22.3	24.0	29.3	41.0	64.4	75.3	48.6	16	27118
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	53.0	45.3	30.1	13.7	7.0	4.3	2.2	3.4	5.5	13.0	43.6	55.7	23.1	16	5080
03-05 LST	62.0	54.9	37.0	20.1	13.7	8.1	2.7	5.4	8.3	22.1	50.8	59.3	28.7	9	2827
06-08 LST	58.5	52.5	38.4	23.2	15.5	10.6	4.2	5.4	16.3	34.1	52.1	57.2	30.7	16	4834
09-11 LST	66.0	53.9	41.2	20.0	8.4	3.7	2.3	3.1	8.6	24.1	55.4	58.7	28.8	9	2796
12-14 LST	50.0	40.7	24.6	11.2	8.4	4.1	1.8	2.3	4.1	10.8	39.9	48.0	20.5	16	4955
15-17 LST	55.1	43.7	27.4	11.5	3.8	2.7	1.4	2.1	4.1	7.2	42.9	53.1	21.3	9	2824
18-20 LST	52.3	39.0	22.9	12.6	7.2	2	1.5	2.1	2.1	6.1	40.1	51.8	20.1	16	5095
21-23 LST	65.6	52.4	32.6	14.0	4.6	3.9	1.5	2.5	3.4	8.4	46.3	56.5	24.3	9	2827
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	26.2	23.1	9.0	2.3	0.5	0.0	0.5	0.5	1.5	4.7	17.1	32.2	9.8	16	5080
03-05 LST	35.3	24.8	14.7	3.7	2.6	1.4	0.0	1.2	2.0	8.4	23.4	32.8	12.5	9	2827
06-08 LST	31.6	25.1	14.7	5.0	1.7	1.3	0.5	0.5	3.9	16.9	29.1	30.4	13.4	16	4834
09-11 LST	33.6	24.6	9.5	2.3	0.4	0.0	0.0	0.0	0.4	6.2	20.9	27.0	10.4	9	2796
12-14 LST	21.0	16.1	4.4	0.5	0.9	0.3	0.3	0.5	0.3	0.2	10.4	20.1	6.3	16	4955
15-17 LST	25.5	17.7	7.0	1.8	0.0	0.0	0.5	0.0	0.0	0.4	12.6	22.8	7.4	9	2824
18-20 LST	24.8	17.7	4.6	1.6	0.7	0.0	0.0	0.0	0.0	0.4	12.1	26.4	7.4	16	5095
21-23 LST	28.7	25.5	9.3	2.7	0.0	0.0	0.4	0.4	0.0	1.1	17.1	31.9	9.8	9	2827

BACUA, RUMANIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST	15.8	16.9	23.7	27.5	30.1	29.6	30.7	30.6	29.1	28.0	18.4	15.5	295.9	16	5080
	08 LST	14.0	14.3	20.5	24.4	27.6	27.6	30.1	29.8	25.8	21.1	15.6	14.3	265.1	16	4834
	14 LST	16.8	17.3	24.9	28.2	29.6	29.6	30.8	30.7	29.2	28.5	19.4	17.5	302.5	16	4955
	20 LST	15.8	18.7	25.3	27.7	30.0	29.7	30.9	30.6	29.7	29.7	19.3	16.1	303.5	16	5095
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST	9.6	10.1	14.5	19.7	23.5	24.8	27.9	26.7	24.4	22.5	12.5	10.1	226.3	16	5072
	08 LST	8.5	9.5	12.8	17.5	20.0	21.8	25.7	25.8	20.9	17.6	10.7	10.0	200.8	16	4822
	14 LST	8.8	9.2	11.0	14.0	15.4	17.0	21.2	20.5	18.2	16.3	10.0	9.6	171.2	16	4939
	20 LST	9.5	10.9	16.5	17.8	21.9	24.5	26.1	27.0	25.7	24.1	13.2	10.2	227.4	16	5085
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST	3.9	4.1	4.4	3.3	1.8	1.3	0.7	1.4	1.1	1.4	2.9	3.4	29.7	16	5095
	08 LST	3.6	2.8	4.5	2.9	2.6	1.9	0.8	1.6	1.3	0.9	1.7	3.2	27.8	16	4871
	14 LST	4.6	5.3	8.1	6.7	7.0	5.0	4.1	4.4	4.5	5.8	4.5	3.9	63.9	16	5001
	20 LST	3.9	4.1	3.8	3.8	2.5	1.6	1.1	0.9	1.1	1.5	2.4	3.1	29.8	16	5126
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST	1.4	1.5	3.6	7.7	7.4	6.7	7.9	8.0	5.5	8.1	5.3	3.0	66.1	16	5078
	08 LST	1.3	1.5	3.7	7.5	9.9	9.3	10.1	8.6	7.7	8.4	5.3	2.6	75.9	16	4854
	14 LST	3.8	3.9	7.6	10.5	11.0	9.9	11.6	11.0	11.3	10.9	7.6	5.6	104.7	16	4974
	20 LST	2.1	2.8	5.3	9.1	10.0	10.0	10.5	10.4	8.0	9.9	6.7	3.9	88.7	16	5111
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST	4.5	4.8	7.9	11.2	11.0	12.7	17.7	18.6	16.5	13.2	5.3	3.8	127.2	16	5096
	08 LST	2.1	2.9	4.6	7.5	7.9	10.8	14.6	16.1	10.8	6.7	2.4	2.7	89.1	16	4866
	14 LST	4.8	4.7	6.1	5.8	3.5	5.1	9.1	10.7	10.9	10.0	4.1	4.7	79.5	16	4996
	20 LST	5.2	5.7	8.8	6.3	5.3	5.3	9.5	11.2	13.2	14.2	6.5	5.2	96.4	16	5121
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST	12.0	12.4	17.9	22.5	25.7	26.4	28.9	28.5	26.5	24.6	13.9	10.7	250.0	16	5080
	08 LST	10.6	11.3	16.4	21.0	23.6	25.1	28.4	28.2	23.9	18.6	11.8	11.1	230.2	16	4834
	14 LST	13.6	14.9	20.5	23.2	25.1	26.2	28.9	28.6	27.3	25.6	15.3	14.2	263.4	16	4955
	20 LST	12.7	14.3	21.0	23.2	25.9	27.2	29.0	28.8	27.4	27.2	15.5	12.7	264.9	16	5095
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST	8.7	8.7	13.1	17.0	19.8	21.0	24.7	24.9	22.0	20.2	10.4	7.6	198.1	16	5080
	08 LST	8.0	8.3	12.3	17.5	19.3	20.8	25.7	25.4	20.3	14.9	8.1	8.0	188.6	16	4834
	14 LST	11.7	11.9	17.2	16.9	16.1	19.6	22.6	23.0	21.8	21.3	11.8	12.0	205.9	16	4955
	20 LST	8.7	11.3	16.7	16.7	18.9	20.8	22.9	23.4	22.4	22.5	11.8	9.8	205.9	16	5095
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST	8.7	8.7	13.1	17.0	19.8	21.0	24.7	24.9	21.9	20.2	10.4	7.6	198.0	16	5080
	08 LST	8.0	8.3	12.3	17.5	19.2	20.8	25.7	25.4	20.3	14.9	8.1	8.0	188.5	16	4834
	14 LST	11.7	11.9	17.2	16.7	16.1	19.6	22.5	23.0	21.8	21.2	11.8	12.0	205.5	16	4955
	20 LST	8.7	11.3	16.7	16.7	18.9	20.8	22.9	23.4	22.4	22.5	11.8	9.8	205.9	16	5095

ARAD, ROMANIA

STA NO. 15200 (IN AREA NUMBER 02)

LATITUDE 4611N

LONGITUDE 02119E

ELEVATION(FT) 00331

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
ABS MAX TMP (F)	61	64	78	91	95	100	103	105	103	91	82	62	105	44	-179
MEAN MAX TMP (F)	35	40	51	63	72	78	83	82	76	63	51	39	61	30	-179
MEAN MIN TMP (F)	23	25	32	41	50	56	59	58	53	43	37	28	42	30	-179
ABS MIN TMP (F)	-17	-22	-7	19	29	36	45	41	29	18	13	-9	-22	45	-179
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.1	0.2	2.5	5.4	6.7	0.8	0.0	0.0	0.0	15.7	16	5169
MEAN NO DYS TMP = DR LES 32(F)	26.5	21.2	17.5	3.8	0.6	0.0	0.0	0.0	0.2	3.7	8.5	19.3	101.3	16	5031
MEAN NO DYS TMP = DR LES 0(F)	1.8	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	2.8	16	5031
MEAN DEW PT TMP (F)	24	27	33	42	50	56	58	57	51	45	39	31	43	16	29496
MEAN REL HUM (PCT)	90	86	76	72	73	72	70	72	78	86	90	78	16	29348	
MEAN PRESS ALT (FT)	134	168	210	311	288	270	288	279	189	156	187	230	126	16	29023
MEAN PRECIP (IN)	1.41	1.35	1.51	1.89	2.47	2.66	2.25	1.89	1.89	1.89	1.85	1.66	22.7	55	-179
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0					45	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	4.5	4.3	4.7	5.5	6.9	6.6	5.7	4.8	5.3	5.3	5.2	5.3	64.1	55	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0					45	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	9.0	6.4	3.2	0.9	1.0	0.4	0.3	0.5	0.7	2.0	5.1	6.0	35.5	16	4590
MEAN NO DYS TSTMS	0.0	0.3	0.5	2.5	6.2	10.6	7.6	6.4	2.4	1.3	0.1	0.0	37.9	16	4611
P FREQ WND SPD = DR GTR 17 KTS	5.6	9.7	12.1	7.6	5.7	3.6	2.6	2.5	3.3	3.3	4.8	5.6	5.5	16	29718
P FREQ WND SPD = DR GTR 28 KTS	0.4	0.8	0.7	0.3	0.0	0.0	0.1	0.0	0.1	0.0	0.2	0.1	0.2	16	29718
P FREQ LES 5000 FT A/D LES 5 MI	76.3	69.0	51.6	46.1	37.5	31.7	26.0	22.1	25.3	34.0	66.7	78.6	47.1	16	29806
P FREQ LES 1900 FT A/D LES 3 MI														16	5403
FOR 00-02 LST	47.7	41.9	19.6	11.5	8.1	5.2	4.3	4.2	3.4	9.5	34.4	46.2	19.7	16	5403
03-05 LST	53.2	42.3	24.7	12.3	16.7	16.5	12.7	5.1	7.9	13.0	36.3	49.1	24.2	9	3010
06-08 LST	55.8	59.8	38.7	26.6	17.3	14.9	9.2	13.2	18.7	29.7	52.2	55.4	32.6	16	5225
09-11 LST	63.7	62.8	29.8	15.2	10.5	5.5	7.5	6.1	7.3	11.1	41.9	55.2	26.4	9	2976
12-14 LST	51.4	45.2	19.0	13.2	9.5	7.5	6.0	4.6	3.3	9.7	32.3	47.7	20.8	16	5072
15-17 LST	63.0	47.1	18.2	12.3	5.9	5.6	3.9	4.2	2.4	6.4	35.9	55.8	21.7	9	2996
18-20 LST	57.1	44.5	18.4	14.9	7.9	4.5	3.8	4.2	4.4	8.3	34.6	51.4	21.2	16	5333
21-23 LST	59.7	42.7	21.1	10.8	7.4	3.6	2.2	1.8	1.8	8.6	37.1	54.0	20.9	9	3033
P FREQ LES 300 FT A/D LES 1 MI														16	5403
FOR 00-02 LST	19.9	13.4	4.9	1.6	0.4	0.4	0.4	0.4	0.5	2.1	8.7	16.6	5.8	16	5403
03-05 LST	27.6	17.4	8.8	2.5	4.2	5.7	1.5	2.0	1.6	3.9	10.4	17.5	8.6	9	3010
06-08 LST	28.5	27.0	13.0	4.4	2.4	1.1	1.2	1.8	3.6	7.8	17.5	22.1	10.7	16	5225
09-11 LST	35.3	27.9	9.0	2.1	0.4	0.0	0.0	0.8	1.2	1.2	11.6	22.2	9.3	9	2976
12-14 LST	21.4	11.2	3.7	0.5	0.2	0.0	0.7	0.0	0.0	0.2	5.5	15.3	4.9	16	5072
15-17 LST	23.5	12.8	2.6	0.0	0.0	0.0	0.0	0.4	0.0	0.4	5.5	19.2	5.5	9	2996
18-20 LST	22.2	13.4	3.0	0.4	0.7	0.0	0.0	0.0	0.0	0.4	5.5	17.5	5.3	16	5333
21-23 LST	25.9	15.1	4.4	0.0	0.0	0.0	0.0	0.0	0.0	1.9	9.9	21.8	6.6	9	3033

## ARAD, RUMANIA

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	17.5	17.4	26.0	27.9	29.7	29.5	30.5	30.5	29.4	28.8	21.9	18.6	307.7	16	5403
	07 LST	15.0	12.7	19.5	23.3	26.3	26.3	28.6	27.2	24.7	22.2	15.4	15.6	256.3	16	5225
	13 LST	15.7	16.1	26.2	27.7	29.4	29.2	29.8	30.4	29.5	28.9	21.4	16.9	301.2	16	5072
	19 LST	14.4	16.6	26.3	26.8	29.6	29.5	30.5	30.1	29.2	29.1	20.9	16.5	299.5	16	5333
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	8.6	8.7	15.3	19.8	22.7	23.7	26.4	26.5	25.4	23.1	11.4	8.9	220.5	16	5397
	07 LST	6.7	5.1	10.3	13.2	16.6	18.5	21.9	21.0	19.0	16.5	7.2	6.5	162.5	16	5215
	13 LST	4.8	5.4	8.7	11.0	11.7	14.7	17.9	16.4	16.8	14.4	8.7	6.6	137.1	16	5064
	19 LST	7.6	8.5	17.3	16.9	20.7	21.9	24.1	25.5	24.7	23.5	12.6	7.9	211.2	16	5324
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	1.0	1.7	1.6	0.7	0.5	0.3	0.1	0.3	0.3	0.6	0.7	1.3	9.1	16	5422
	07 LST	0.6	1.2	1.5	0.7	0.8	0.5	0.2	0.0	0.5	0.3	0.8	0.9	8.0	16	5253
	13 LST	2.0	2.7	5.3	3.5	3.1	1.7	1.0	1.6	2.3	1.8	2.0	1.6	28.6	16	5128
	19 LST	1.4	1.5	2.1	0.5	0.7	0.9	0.8	0.5	0.2	0.3	0.8	1.1	10.8	16	5360
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	2.5	3.6	8.9	12.3	11.6	10.1	10.1	9.6	10.1	11.5	9.4	6.1	105.8	16	5412
	07 LST	3.0	3.4	8.1	13.4	14.5	14.7	15.6	14.8	14.9	13.2	9.0	6.3	130.9	16	5231
	13 LST	6.9	6.6	10.6	11.1	12.9	13.1	14.5	12.9	14.6	14.2	12.2	8.6	138.2	16	5106
	19 LST	3.6	5.6	10.9	13.2	14.3	12.7	13.0	12.3	10.7	10.8	10.2	6.3	123.6	16	5341
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	6.1	7.2	11.5	12.9	15.2	15.5	20.4	21.5	19.4	18.5	6.2	4.3	158.7	16	5419
	07 LST	4.3	2.0	5.7	7.1	9.9	11.0	15.6	15.9	13.2	8.4	2.9	2.9	98.9	16	5237
	13 LST	4.7	3.9	6.7	4.4	4.2	4.7	8.9	11.5	11.0	11.1	4.1	4.0	79.2	16	5121
	19 LST	4.6	6.2	8.8	7.3	7.9	8.1	12.8	16.1	15.3	16.3	6.2	4.4	114.0	16	5351
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	13.3	14.0	22.0	23.4	25.8	26.3	28.1	28.1	27.6	26.1	16.0	12.9	263.6	16	5403
	07 LST	11.2	9.3	17.1	19.6	23.7	23.7	26.8	25.7	23.4	20.5	12.1	10.8	223.9	16	5225
	13 LST	13.5	13.7	22.4	22.2	24.0	23.7	26.8	27.1	27.5	25.9	18.0	14.4	259.2	16	5072
	19 LST	11.1	13.1	23.0	22.5	25.7	26.4	28.2	28.5	27.6	26.4	16.6	12.2	261.3	16	5333
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	9.4	10.9	17.4	18.5	27.2	23.3	25.5	25.8	24.5	22.7	11.3	8.0	219.5	16	5403
	07 LST	7.9	6.0	12.8	14.7	19.2	20.3	24.1	23.0	20.3	16.8	7.2	7.0	179.3	16	5225
	13 LST	10.5	10.2	16.8	14.8	15.6	15.9	18.7	21.7	22.5	21.4	13.2	10.5	192.0	16	5072
	19 LST	8.3	10.1	18.1	17.9	21.3	22.9	25.1	26.0	23.9	22.7	10.9	8.3	215.5	16	5333
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	9.4	10.9	17.4	18.5	22.1	23.3	25.5	25.8	24.5	22.7	11.3	8.0	219.4	16	5403
	07 LST	7.9	6.0	12.8	14.7	19.2	20.3	24.1	23.0	20.3	16.8	7.2	7.0	179.3	16	5225
	13 LST	10.5	10.1	16.8	14.8	15.8	15.9	18.7	21.7	22.5	21.3	13.2	10.5	191.8	16	5072
	19 LST	8.3	10.1	18.1	17.9	21.3	22.9	25.1	26.0	23.9	22.7	10.9	8.3	215.5	16	5333

TIMISORARA, ROMANIA

STA NO. 15247 (IN AREA NUMBER 02)

LATITUDE 4545N

LONGITUDE 02114E

ELEVATION(FT) 00335

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	62	66	81	90	94	101	103	104	103	93	81	62	104	54	-179
MEAN MAX TMP (F)	36	41	53	65	74	79	84	84	77	65	52	40	63	30	-179
MEAN MIN TMP (F)	23	25	33	42	51	56	59	58	52	43	37	29	42	30	-179
ABS MIN TMP (F)	-17	-21	-4	23	23	38	45	42	30	23	4	-13	-21	54	-179
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.7	2.2	8.4	6.7	1.2	0.0	0.0	0.0	19.2	11	2757
MEAN NO DYS TMP = DR LES 32(F)	26.3	19.3	19.2	4.6	0.8	0.0	0.0	0.0	0.1	3.1	10.5	19.1	103.0	11	2512
MEAN NO DYS TMP = DR LES 0(F)	1.0	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	2.2	11	2512
MEAN DEW PT TMP (F)	25	31	34	44	53	59	61	60	51	45	39	33	45	11	7833
MEAN REL HUM (PCT)	91	87	81	80	77	79	74	75	76	85	92	89	82	11	7739
MEAN PRESS ALT (FT)	167	245	254	297	252	290	317	307	213	151	115	250	238	11	7891
MEAN PRECIP (IN)	1.61	1.58	1.64	1.97	2.62	3.19	2.36	2.06	1.85	2.16	1.91	1.88	24.8	55	-179
MEAN SNOW FALL (IN)						0.0	0.0	0.0	0.0					54	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	5.2	5.1	5.0	5.7	7.2	7.6	5.9	5.2	5.2	5.7	5.3	6.0	69.1	55	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN						0.0	0.0	0.0	0.0					54	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	9.6	6.8	3.1	0.9	0.0	0.3	1.0	0.0	0.7	1.7	3.8	4.9	32.8	11	1612
MEAN NO DYS TSTMS	0.0	0.0	0.2	3.1	4.2	9.0	7.2	4.7	2.0	0.2	0.0	0.0	30.6	11	1611
P FREQ WND SPD = DR GTR 17 KTS	3.1	8.5	6.1	6.1	4.3	4.2	1.6	2.3	2.4	3.0	3.7	5.7	4.3	11	7944
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.2	0.2	0.5	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.6	0.2	11	7944
P FREQ LES 5000 FT A/D LES 5 MI	80.4	59.4	48.9	50.0	34.2	32.0	28.7	24.6	24.6	36.4	61.3	70.8	45.9	11	8128
P FREQ LES 1900 FT A/D LES 3 MI															
FOR 00-02 LST	52.7	43.4	19.8	12.0	9.1	7.5	4.7	4.7	5.1	12.8	30.7	39.6	20.2	11	2874
03-05 LST	54.7	21.1	10.9	14.7	13.9	11.6	11.4	3.5	2.5	2.8	22.3	27.0	16.4	4	675
06-08 LST	57.0	31.8	33.2	26.5	23.0	14.1	13.8	18.0	17.8	34.7	50.0	49.1	32.4	11	2533
09-11 LST	67.8	32.4	13.8	8.5	10.2	1.6	9.9	2.7	6.7	6.8	39.7	36.1	19.7	4	537
12-14 LST	52.6	42.7	13.1	11.4	8.3	6.4	3.5	2.8	2.7	10.1	28.8	37.4	18.3	11	2314
15-17 LST	54.1	26.3	9.6	6.7	0.0	0.0	8.1	4.7	3.9	3.3	14.0	33.3	13.8	4	562
18-20 LST	56.3	43.7	17.3	11.5	8.1	8.0	3.8	4.8	3.3	9.8	27.1	39.5	19.4	11	2824
21-23 LST	56.4	25.9	11.7	9.4	5.1	0.0	4.7	3.0	2.3	5.5	17.3	32.8	14.5	5	703
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	17.2	11.6	4.7	1.3	1.7	1.3	0.4	0.0	0.4	2.8	5.5	15.4	5.2	11	2874
03-05 LST	20.8	10.4	2.1	4.9	5.0	0.0	7.5	1.4	0.0	1.4	3.4	11.6	5.7	4	675
06-08 LST	20.9	20.5	8.0	2.8	3.0	3.9	1.9	3.3	2.6	8.9	15.9	16.9	9.1	11	2533
09-11 LST	35.6	11.8	5.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	14.6	6.0	6.1	4	537
12-14 LST	19.4	11.3	3.3	0.0	0.0	0.6	0.0	0.0	0.0	0.5	3.5	12.8	4.3	11	2314
15-17 LST	21.6	10.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	12.5	3.8	4	562
18-20 LST	15.1	11.8	2.2	0.8	0.4	0.0	0.4	0.4	0.4	0.4	5.0	14.6	4.3	11	2824
21-23 LST	27.7	11.6	0.0	0.0	0.0	0.0	0.0	1.5	0.0	0.0	2.7	13.0	4.7	5	703

TIMISORARA, RUMANIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	16.5	17.4	26.0	27.8	29.8	28.7	30.1	30.2	29.1	27.7	22.9	20.4	306.6	11	2874
	07 LST	15.1	14.9	21.6	23.1	24.7	26.2	27.3	25.7	25.1	20.8	16.4	17.0	257.9	11	2533
	13 LST	15.3	17.0	27.5	27.7	29.4	28.9	30.2	30.3	29.4	29.0	23.1	20.7	308.5	11	2314
	19 LST	14.9	16.8	26.6	27.6	29.5	28.9	30.2	30.0	29.2	28.9	23.2	19.7	305.5	11	2824
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	10.1	11.2	20.7	21.7	23.2	24.1	26.7	26.4	25.9	23.0	15.9	12.1	241.0	11	2869
	07 LST	8.9	9.4	15.3	16.0	19.2	20.1	21.4	21.7	19.6	17.1	10.5	11.0	190.2	11	2523
	13 LST	8.4	8.2	15.4	14.1	16.1	15.9	21.3	20.5	19.0	17.9	12.4	10.4	179.6	11	2308
	19 LST	9.8	11.8	19.6	20.0	23.4	22.5	25.8	26.4	26.4	24.5	18.4	13.2	241.8	11	2817
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	0.4	1.0	1.5	0.9	0.4	0.4	0.4	0.1	0.0	0.1	0.3	1.5	7.0	11	2871
	07 LST	0.8	0.7	1.1	0.6	0.3	0.1	0.3	0.1	0.3	0.3	0.4	0.8	5.8	11	2550
	13 LST	1.4	2.2	3.0	2.7	1.9	1.5	0.8	1.7	1.9	1.4	2.4	1.7	22.6	11	2334
	19 LST	0.7	0.4	1.3	0.5	0.5	0.8	0.0	0.3	0.1	0.7	0.4	0.2	5.9	11	2843
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	2.2	4.5	7.1	8.8	9.2	8.9	10.5	7.9	10.1	9.6	6.6	5.9	91.3	11	2855
	07 LST	1.6	4.3	6.3	13.2	15.2	15.0	17.0	13.0	13.9	11.9	7.9	6.3	125.6	11	2534
	13 LST	3.8	7.5	10.9	11.6	14.0	14.5	13.3	14.2	13.2	12.1	9.2	10.8	137.1	11	2318
	19 LST	4.3	5.1	8.4	13.6	13.1	13.2	11.9	12.1	9.4	10.2	10.5	7.4	119.2	11	2821
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	4.5	6.7	11.3	12.9	14.9	16.6	19.0	21.1	19.3	16.9	8.6	6.1	137.9	11	2879
	07 LST	2.6	3.0	5.9	6.2	9.1	12.5	15.6	15.4	12.7	8.4	3.3	3.5	78.2	11	2558
	13 LST	2.7	3.6	6.3	5.0	2.6	3.9	8.3	9.5	10.3	10.7	4.2	4.2	72.3	11	2340
	19 LST	3.7	7.1	9.2	6.7	7.6	6.6	12.1	14.5	14.9	17.2	7.9	6.3	113.8	11	2847
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	11.6	13.3	21.5	22.9	24.7	25.5	27.4	27.9	27.1	25.2	17.0	14.8	258.9	11	2874
	07 LST	9.8	11.0	18.1	19.5	21.6	24.2	25.3	24.3	22.5	18.6	12.2	12.7	220.9	11	2533
	13 LST	12.3	13.8	24.0	22.8	25.7	25.2	28.0	28.7	27.8	25.5	17.6	16.6	268.0	11	2314
	19 LST	10.4	13.6	22.7	23.6	25.4	24.6	27.8	27.6	27.6	26.0	18.6	15.7	263.6	11	2824
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	8.3	10.7	16.9	18.4	21.3	22.2	24.5	25.5	24.6	22.2	12.7	9.4	216.7	11	2874
	07 LST	5.8	7.4	13.3	14.4	18.2	21.3	22.4	21.7	20.9	15.2	7.9	7.3	175.8	11	2533
	13 LST	8.6	10.3	18.0	14.2	15.4	13.7	19.0	20.9	21.9	20.5	12.1	11.6	186.2	11	2314
	19 LST	6.9	11.2	17.8	18.1	20.5	20.2	23.4	23.3	23.0	23.4	13.6	10.5	211.9	11	2824
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	8.3	10.7	16.9	18.4	21.3	22.2	24.5	25.5	24.6	22.2	12.7	9.4	216.7	11	2874
	07 LST	5.8	7.4	13.3	14.4	18.2	21.3	22.4	21.7	20.9	15.2	7.9	7.3	175.8	11	2533
	13 LST	8.6	10.2	18.0	14.2	15.2	13.7	19.0	20.9	21.9	20.5	12.1	11.6	185.9	11	2314
	19 LST	6.9	11.2	17.8	18.1	20.4	20.2	23.4	23.3	23.0	23.4	13.6	10.5	211.9	11	2824

GALATI, RUMANIA

STA NO. 15310 (IN AREA NUMBER 02)

LATITUDE 4527N

LONGITUDE 02802E

ELEVATION(FT) 00207

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	63	67	82	91	97	98	101	102	96	92	78	68	102	52	-179
MEAN MAX TMP (F)	32	35	47	61	72	79	84	83	76	63	49	37	60	30	-179
MEAN MIN TMP (F)	20	22	31	42	52	59	62	61	54	45	36	26	43	30	-179
ABS MIN TMP (F)	-16	-19	2	23	32	41	48	44	31	20	1	-4	-19	52	-179
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.1	1.8	5.3	5.9	0.7	0.1	0.0	0.0	13.9	16	5236
MEAN NO DYS TMP = OR LES 32(F)	27.5	22.0	19.3	1.7	0.0	0.0	0.0	0.0	0.0	0.0	10.0	20.2	101.3	16	5096
MEAN NO DYS TMP = OR LES 0(F)	1.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	16	5096
MEAN DEW PT TMP (F)	23	26	31	41	50	57	59	58	52	46	39	30	43	15	29090
MEAN REL HUM (PCT)	86	83	76	71	71	70	65	66	72	77	86	89	76	15	28913
MEAN PRESS ALT (FT)	26	51	55	168	170	161	187	167	48	-7	10	85	93	15	29142
MEAN PRECIP (IN)	1.12	0.91	0.93	1.37	1.84	2.45	1.88	1.50	1.04	1.28	1.23	1.22	16.8	50	-179
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0					52	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	3.6	2.9	3.7	4.5	5.4	6.1	4.8	3.8	3.0	3.9	3.7	3.9	49.3	50	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0					52	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	9.7	6.9	3.7	0.8	0.4	0.1	0.2	0.1	0.7	3.6	6.7	10.1	43.0	15	4498
MEAN NO DYS TSTMS	0.0	0.3	0.2	1.2	4.4	7.0	4.5	5.2	1.5	0.4	0.0	0.1	24.8	15	4508
P FREQ WND SPD = OR GTR 17 KTS	17.5	20.4	19.6	18.0	16.0	11.1	11.3	11.8	9.3	8.3	12.6	14.6	14.2	15	29190
P FREQ WNC SPD = OR GTR 28 KTS	3.4	4.1	3.2	2.1	0.7	0.8	0.5	0.4	0.8	0.5	0.9	1.9	1.6	15	29170
P FREQ LES 5000 FT A/D LES 5 MI	73.8	67.6	54.7	43.7	37.0	29.7	20.3	21.0	25.3	35.0	67.4	72.6	45.7	16	30314
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	52.1	44.3	25.9	18.3	12.2	6.4	3.0	2.3	5.9	13.3	38.8	48.7	22.6	15	4983
03-05 LST	48.1	46.3	25.5	17.1	12.7	7.1	3.0	2.4	6.6	16.6	49.2	47.7	23.5	9	3042
06-08 LST	64.7	57.7	41.1	21.7	13.8	6.6	3.1	4.0	9.5	31.2	55.4	59.5	30.7	16	5285
09-11 LST	55.4	45.9	29.0	11.6	10.2	4.9	2.7	2.2	5.3	12.5	48.5	51.3	23.3	9	3035
12-14 LST	50.7	40.6	23.6	14.2	8.5	5.3	1.8	2.1	4.0	7.3	39.5	47.9	20.5	16	5258
15-17 LST	49.3	36.2	18.1	13.5	8.9	4.1	1.5	1.6	2.3	4.2	35.1	45.0	18.3	9	3013
18-20 LST	49.8	40.1	22.3	14.6	7.5	4.4	0.9	2.0	3.1	6.8	34.7	45.6	19.3	16	5384
21-23 LST	48.0	42.5	27.2	16.0	9.8	5.1	2.0	2.3	3.1	7.0	38.4	47.1	20.7	9	3024
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	16.9	11.9	4.4	1.5	0.7	0.2	0.2	0.0	1.0	3.6	8.9	18.4	5.6	15	4983
03-05 LST	17.8	15.1	7.3	2.4	1.5	0.4	0.8	0.4	1.6	6.8	20.4	17.3	7.7	9	3042
06-08 LST	27.1	25.7	12.9	4.3	1.1	0.5	0.0	0.2	2.6	16.7	26.5	26.6	12.0	16	5285
09-11 LST	28.2	17.4	10.4	1.6	0.0	0.0	0.0	0.4	0.0	4.3	20.2	25.4	9.0	9	3035
12-14 LST	20.0	13.9	4.2	1.6	0.2	0.2	0.2	0.2	0.0	0.4	9.8	18.9	5.8	16	5258
15-17 LST	17.9	10.4	3.5	1.6	0.0	0.0	0.4	0.4	0.0	0.4	7.1	17.1	4.9	9	3013
18-20 LST	18.3	11.2	1.7	1.8	0.0	0.0	0.0	0.2	0.0	0.6	5.7	15.3	4.6	16	5384
21-23 LST	16.5	7.1	2.8	2.0	0.0	0.0	0.0	0.4	0.4	1.1	7.0	15.1	4.4	9	3024

GALATI, RUMANIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST	16.5	16.7	24.4	25.9	28.4	29.0	30.7	30.8	28.8	27.9	20.0	17.8	296.9	15	4983
	08 LST	12.3	12.9	19.3	24.3	27.5	28.9	30.5	30.3	27.6	22.3	14.5	13.7	264.1	16	5285
	14 LST	16.5	17.7	23.4	26.7	29.5	29.0	30.9	30.6	29.3	29.6	20.0	17.2	302.4	16	5258
	20 LST	16.6	17.8	25.2	26.7	29.7	29.4	30.9	30.7	29.3	29.6	21.3	18.2	305.4	16	5384
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST	6.6	8.6	12.9	15.1	16.5	19.1	21.3	20.9	19.2	18.2	10.4	7.6	176.4	15	4975
	08 LST	4.6	4.9	7.4	10.3	10.3	13.6	15.5	14.5	14.0	11.0	6.9	5.3	118.3	16	5266
	14 LST	4.5	5.4	6.4	7.9	7.1	10.0	11.4	12.1	11.2	11.1	6.4	6.2	99.7	16	5234
	20 LST	7.5	8.9	12.0	13.4	15.9	19.4	21.2	20.8	19.7	19.6	11.2	8.2	177.8	16	5371
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST	3.2	3.4	3.9	3.4	1.9	1.5	1.1	1.6	1.0	1.2	2.0	2.9	27.1	15	4992
	08 LST	2.3	3.5	4.0	3.4	3.0	2.3	2.2	2.0	1.7	1.5	2.7	3.0	32.6	16	5290
	14 LST	4.4	5.4	7.3	5.9	7.7	5.2	4.7	5.4	4.5	4.4	3.8	4.8	63.5	16	5286
	20 LST	3.8	3.7	3.8	3.8	2.4	2.3	1.9	2.5	1.3	1.1	2.2	2.1	30.9	16	5395
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST	2.8	4.2	7.6	12.5	13.8	14.5	16.2	14.6	14.3	14.0	11.1	6.2	131.8	15	4986
	08 LST	3.1	3.9	8.7	13.6	13.6	15.1	17.3	15.3	17.3	16.4	11.2	6.6	142.1	16	5261
	14 LST	5.1	6.0	9.5	10.6	9.4	12.1	13.0	12.7	12.5	14.8	13.4	9.5	128.6	16	5246
	20 LST	4.2	5.0	11.7	13.3	15.1	15.3	16.5	17.0	16.5	15.3	11.3	7.9	149.1	16	5373
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST	7.3	7.1	10.8	13.3	15.8	18.0	22.6	22.3	18.9	17.1	7.5	6.2	166.8	15	5001
	08 LST	2.8	3.0	5.9	7.5	9.3	12.8	18.2	17.6	13.6	8.5	2.7	1.9	103.8	16	5311
	14 LST	4.4	4.3	5.3	5.1	4.7	6.4	10.2	11.8	11.5	10.6	2.9	3.7	80.9	16	5307
	20 LST	7.1	7.5	10.4	8.6	8.1	7.0	13.0	13.7	17.9	16.9	8.1	7.5	125.8	16	5402
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST	11.8	13.2	19.3	21.6	24.3	25.9	28.5	28.8	26.7	24.5	14.9	12.5	252.0	15	4983
	08 LST	8.8	9.9	15.9	21.6	25.1	26.0	29.1	28.4	25.9	19.3	11.2	10.2	231.6	16	5285
	14 LST	13.1	14.3	20.1	22.4	25.0	25.4	28.5	28.8	27.1	26.3	14.9	14.0	259.9	16	5258
	20 LST	13.4	14.6	21.5	23.1	26.1	26.4	29.2	28.7	27.6	26.9	16.6	14.2	268.3	16	5384
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST	8.9	9.5	14.3	17.0	19.7	22.2	26.0	25.6	22.1	20.0	10.3	8.8	204.4	15	4983
	08 LST	6.4	7.3	12.4	16.7	20.7	22.2	26.0	25.4	21.5	15.8	7.7	6.7	183.4	16	5285
	14 LST	10.3	11.3	15.5	15.6	16.7	17.5	21.3	23.0	21.9	21.9	10.5	10.8	196.3	16	5258
	20 LST	10.2	10.6	16.7	18.3	20.6	22.3	25.2	24.5	23.7	22.5	12.4	10.2	217.2	16	5384
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST	8.9	9.5	14.2	17.0	19.7	22.1	26.0	25.6	22.1	20.0	10.3	8.7	204.1	15	4983
	08 LST	6.4	7.3	12.4	16.6	20.7	22.2	25.9	25.4	21.5	15.8	7.7	6.7	188.6	16	5285
	14 LST	10.3	11.2	15.5	15.6	16.7	17.5	21.3	23.0	21.8	21.9	10.5	10.8	196.1	16	5258
	20 LST	10.2	10.6	16.7	18.3	20.6	22.3	25.1	24.5	23.7	22.4	12.4	10.2	217.0	16	5384

SULANI, RUMANIA

STA NO. 19360 (IN AREA NUMBER 02)

LATITUDE 4509N

LONGITUDE 02940E

ELEVATION(FT) 00010

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	64	68	79	89	94	93	97	100	91	86	77	67	100	58	-179
MEAN MAX TMP (F)	37	38	46	57	68	76	81	80	73	63	52	42	59	30	-179
MEAN MIN TMP (F)	24	25	33	43	54	61	65	63	60	47	39	30	45	30	-179
ABS MIN TMP (F)	-12	-14	6	25	36	41	49	42	33	8	10	-4	-14	58	-179
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.1	0.4	0.7	0.2	0.0	0.0	0.0	1.4	16	4292
MEAN NO DYS TMP = DR LES 32(F)	21.5	18.2	13.2	0.4	0.0	0.0	0.0	0.0	0.0	0.3	5.1	13.3	72.0	16	4355
MEAN NO DYS TMP = DR LES 0(F)	0.1	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	16	4355
MEAN DEW PT TMP (F)	30	30	34	45	54	62	65	65	59	51	44	35	48	16	20668
MEAN REL HUM (PCT)	91	90	86	86	83	80	78	80	82	86	89	91	85	16	20502
MEAN PRESS ALT (FT)	-156	-107	-100	-58	-20	-32	-9	-23	-122	-183	-172	-106	-90	16	20617
MEAN PRECIP (IN)	0.91	0.90	0.80	1.09	1.31	1.69	1.21	1.56	0.91	1.35	1.27	1.14	14.1	55	-179
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0					58	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	2.9	2.8	3.5	4.0	4.4	4.3	2.9	3.9	2.5	4.1	3.8	3.6	42.7	55	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0					58	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	4.1	3.6	2.9	1.5	0.5	0.2	0.1	0.0	0.5	1.3	3.3	4.5	22.1	16	3535
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.2	0.7	1.3	1.3	1.4	0.6	0.0	0.0	0.0	5.5	16	3538
P FREQ WND SPD = DR GTR 17 KTS	33.6	37.2	36.3	27.4	29.6	21.2	18.9	22.7	27.5	33.2	35.2	38.1	30.1	16	20750
P FREQ WND SPD = DR GTR 28 KTS	7.0	9.1	8.4	5.1	2.6	2.7	1.8	1.8	4.5	5.6	7.8	8.6	5.4	16	20750
P FREQ LES 5000 FT A/D LES 5 MI	74.1	70.0	63.3	49.6	36.0	22.7	14.9	17.7	23.1	43.1	67.1	71.7	46.1	16	23726
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	22.1	23.2	15.0	10.2	9.5	2.8	2.0	1.7	2.3	5.5	16.7	26.1	11.4	16	3999
03-05 LST	28.4	27.8	20.2	13.8	7.8	5.5	2.4	1.5	5.6	8.7	22.1	33.5	14.8	9	2110
06-08 LST	32.2	28.5	21.4	11.8	10.3	5.8	1.9	1.8	5.4	13.8	26.3	33.8	16.1	16	4803
09-11 LST	41.0	32.6	29.0	14.8	10.2	4.1	0.7	2.6	7.1	13.6	27.9	41.1	18.7	9	2694
12-14 LST	27.7	24.2	18.8	11.6	7.0	3.8	1.4	1.4	4.7	10.0	21.3	31.0	13.6	16	4971
15-17 LST	34.7	28.6	29.1	13.9	5.9	3.9	3.2	0.7	7.1	8.6	25.3	33.4	16.2	9	2593
18-20 LST	23.7	20.9	16.3	13.0	7.4	4.1	2.2	1.6	3.2	7.7	18.9	25.6	12.1	16	4904
21-23 LST	28.4	24.8	25.9	13.1	6.5	4.7	2.5	2.5	2.9	5.2	22.8	32.8	14.3	9	2172
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	5.9	6.0	3.2	2.1	0.3	0.0	0.3	0.5	0.3	1.1	4.0	7.4	2.6	16	3999
03-05 LST	7.3	5.4	5.3	1.3	0.0	0.0	0.5	0.0	2.3	2.1	7.7	9.4	3.4	9	2110
06-08 LST	10.2	8.4	5.3	2.0	1.0	1.0	0.0	0.0	1.0	4.2	11.2	9.3	4.5	16	4803
09-11 LST	10.3	5.0	7.4	3.1	0.5	0.0	0.0	0.0	1.2	2.1	8.1	12.7	4.6	9	2694
12-14 LST	6.1	5.6	5.5	2.6	0.5	0.0	0.0	0.0	0.3	1.6	4.3	9.2	3.0	16	4971
15-17 LST	6.7	7.2	8.3	2.0	1.8	0.0	0.5	0.0	0.4	1.7	5.7	7.6	3.5	9	2593
18-20 LST	4.9	3.8	4.4	2.2	0.9	0.0	0.0	0.0	0.3	1.4	4.9	4.5	2.3	16	4904
21-23 LST	6.2	4.5	7.0	3.1	0.5	0.0	0.0	0.0	0.5	1.5	6.4	8.5	3.2	9	2172

SULANI, RUMANIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NC. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST	27.5	23.9	28.0	28.4	30.1	29.8	30.8	30.7	29.8	30.2	27.4	26.1	342.7	16	3999
	08 LST	24.7	22.5	26.3	28.1	29.6	29.4	31.0	30.8	29.2	28.5	24.8	24.3	329.2	16	4803
	14 LST	25.3	23.5	26.9	28.0	30.3	29.6	31.0	31.0	29.3	29.6	27.0	24.6	336.1	16	4971
	20 LST	26.4	24.1	28.0	28.4	30.4	29.8	30.9	31.0	29.6	29.8	27.2	25.8	341.4	16	4904
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST	12.3	11.3	13.9	16.1	15.4	19.2	20.9	20.7	17.9	13.7	12.4	11.1	186.9	16	3987
	08 LST	10.4	8.7	12.9	14.4	13.0	15.6	18.7	17.4	13.2	13.6	10.2	8.7	138.8	16	4773
	14 LST	9.1	8.9	9.5	10.7	9.2	14.9	17.8	15.7	12.0	10.3	9.7	8.9	136.7	16	4937
SFC WND = GTR 17 KTS AND NO PRECIP.	20 LST	12.3	12.5	13.7	15.6	15.3	17.7	21.4	21.0	17.6	14.6	12.3	11.4	185.4	16	4881
	02 LST	7.8	6.6	8.9	7.0	7.3	4.5	4.0	4.8	5.6	8.2	9.5	8.5	82.7	16	4032
	08 LST	6.6	7.0	7.9	6.4	7.6	4.6	5.2	5.3	6.4	8.3	8.7	7.8	81.8	16	4815
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	14 LST	9.0	8.4	10.9	8.5	9.2	5.4	5.5	6.3	8.7	10.1	8.8	8.8	99.6	16	4984
	20 LST	8.4	6.5	8.0	5.8	6.2	4.7	4.0	4.7	5.4	8.1	8.0	8.1	77.9	16	4917
	02 LST	4.9	4.8	6.0	8.5	9.0	9.9	10.2	9.5	9.6	8.6	7.5	6.6	95.1	16	3990
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST	4.7	4.6	9.1	11.7	11.9	12.9	14.5	13.5	10.6	10.9	9.4	6.8	120.6	16	4788
	14 LST	8.0	6.6	9.6	11.1	8.7	12.4	15.0	13.9	10.9	10.4	10.3	8.9	125.8	16	4951
	20 LST	5.5	6.4	9.5	12.4	12.5	12.2	13.8	14.4	10.5	9.3	9.3	7.4	123.2	16	4902
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST	8.4	7.8	11.7	14.6	17.1	21.0	25.3	24.8	21.9	18.7	9.2	8.7	189.2	16	4014
	08 LST	3.5	3.2	5.9	8.5	10.4	13.7	19.3	19.5	14.0	8.8	3.6	2.1	112.5	16	4840
	14 LST	4.0	3.2	4.5	7.4	8.1	11.2	17.5	17.2	13.0	9.0	2.9	3.6	101.6	16	5008
	20 LST	8.1	7.4	9.4	9.7	9.5	10.8	17.9	19.2	19.2	16.7	9.2	9.4	146.5	16	4942
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST	17.0	16.0	20.8	22.4	24.0	27.1	29.1	29.2	27.6	26.4	18.8	16.5	274.9	16	3999
	08 LST	14.1	14.2	18.5	21.2	23.8	25.6	28.4	28.7	26.2	21.8	16.0	13.9	252.4	16	4803
	14 LST	16.5	15.5	19.6	22.0	24.9	26.4	28.7	28.6	26.1	23.3	17.0	15.3	263.9	16	4971
	20 LST	17.4	17.0	20.5	21.4	24.7	26.5	29.0	28.7	27.4	25.2	18.2	17.2	273.2	16	4904
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST	10.4	10.8	13.8	17.1	20.0	24.7	27.6	27.2	25.4	22.6	12.0	10.9	222.5	16	3999
	08 LST	7.8	8.3	11.4	15.1	19.6	23.2	26.2	26.5	23.4	16.2	9.8	8.6	196.1	16	4803
	14 LST	10.7	9.4	12.6	16.1	20.0	22.2	25.8	25.8	22.2	17.4	10.6	9.9	202.7	16	4971
	20 LST	11.1	11.2	14.3	16.6	20.8	24.3	27.7	26.4	25.4	21.5	12.4	11.7	223.4	16	4904
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST	10.4	10.8	13.8	17.1	20.0	24.7	27.6	27.2	25.4	22.6	12.0	10.9	222.5	16	3999
	08 LST	7.8	8.3	11.4	15.1	19.6	23.2	26.2	26.5	23.4	16.2	9.8	8.6	196.1	16	4803
	14 LST	10.7	9.4	12.6	16.1	20.0	22.2	25.8	25.8	22.2	17.4	10.6	9.9	202.7	16	4971
	20 LST	11.1	11.2	14.3	16.6	20.8	24.3	27.6	26.4	25.4	21.4	12.4	11.7	223.2	16	4904

TURNU-SEVERIN, ROMANIA

STA NO. 15410 (IN AREA NUMBER 02)

LATITUDE 4438N

LONGITUDE 02238E

ELEVATION(FT) 00266

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO.
ABS MAX TMP (F)	64	75	85	89	96	102	105	106	105	91	76	65	106	58	-179
MEAN MAX TMP (F)	35	3	31	65	73	81	87	86	78	64	50	40	63	30	-179
MEAN MIN TMP (F)	23	26	34	44	52	54	62	61	55	46	38	29	44	30	-179
ABS MIN TMP (F)	-14	16	-9	24	31	40	46	45	32	28	10	-8	-16	58	-179
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.6	3.5	8.5	11.1	2.3	0.0	0.0	0.0	26.0	16	5192
MEAN NO DYS TMP = DR LES 32(F)	26.0	20.1	14.0	0.7	0.0	0.0	0.0	0.0	0.0	1.1	5.6	19.1	86.6	16	5132
MEAN NO DYS TMP = DR LES 0(F)	0.5	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	16	5132
MEAN DEW PT TMP (F)	24	27	33	43	51	58	59	59	52	46	40	31	44	16	30644
MEAN REL HUM (PCT)	83	80	74	70	71	70	64	63	65	74	83	86	74	16	30495
MEAN PRESS ALT (FT)	85	110	133	239	230	216	245	226	130	72	91	139	160	16	30748
MEAN PRECIP (IN)	1.93	1.67	1.69	2.11	2.88	2.82	1.81	1.76	1.76	2.60	2.72	2.24	26.0	55	-179
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0					58	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	6.2	5.4	5.1	6.0	7.8	6.9	4.6	4.5	5.0	6.3	6.5	7.1	71.4	55	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0					58	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	10.5	6.8	3.2	0.3	0.3	0.0	0.0	0.0	0.1	2.6	4.7	8.7	37.2	16	4919
MEAN NO DYS TSTMS	0.0	0.1	0.1	1.5	6.2	9.7	8.2	4.6	1.9	0.9	0.4	0.0	33.6	16	4941
P FREQ WND SPD = DR GTR 17 KTS	13.4	13.6	12.0	8.4	8.0	7.9	8.3	9.6	7.7	4.7	8.3	8.5	9.2	16	30889
P FREQ WND SPD = DR GTR 28 KTS	5.2	4.8	3.4	1.6	1.4	1.7	1.7	1.6	2.1	0.7	2.4	2.9	2.5	16	30889
P FREQ LES 5000 FT A/D LES 5 MI	70.6	61.4	55.3	42.3	32.0	23.3	15.6	13.0	20.4	40.3	65.1	72.1	42.6	16	31070
P FREQ LES 1900 FT A/D LES 3 MI															
FOR 00-02 LST	53.7	42.6	24.4	10.1	5.1	2.5	0.6	1.4	2.7	12.8	40.0	48.7	20.4	16	5399
03-05 LST	55.4	40.2	23.6	13.3	5.2	3.9	2.1	0.4	2.4	9.3	36.4	48.6	20.1	9	2939
06-08 LST	60.1	53.3	39.1	18.2	9.8	4.8	2.8	2.6	7.2	28.0	48.5	56.3	27.6	16	5346
09-11 LST	63.2	50.3	36.3	13.8	6.1	2.5	0.8	1.4	2.6	17.0	43.3	56.3	24.5	9	2997
12-14 LST	50.1	37.4	22.0	9.6	5.1	3.7	1.6	2.1	1.6	9.3	32.1	46.7	18.4	16	5364
15-17 LST	48.5	33.0	18.5	9.8	3.8	1.3	1.5	0.6	0.6	3.8	27.5	44.3	16.1	9	2997
18-20 LST	49.4	35.9	21.4	9.3	4.6	3.6	2.0	1.6	1.5	7.3	34.0	45.6	18.0	16	5397
21-23 LST	54.1	36.6	20.1	8.9	4.6	0.8	0.2	1.9	1.4	4.9	32.3	48.0	17.8	9	3014
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	23.7	17.8	4.6	0.2	0.0	0.0	0.0	0.0	0.2	2.2	8.5	19.7	6.4	16	5399
03-05 LST	28.5	18.4	4.7	1.2	0.8	0.8	0.4	0.0	0.8	3.4	12.4	19.9	7.6	9	2989
06-08 LST	29.0	26.6	11.9	2.5	1.9	0.5	0.2	0.4	1.4	11.6	17.9	24.4	10.7	16	5346
09-11 LST	42.5	28.9	10.8	1.7	0.0	0.0	0.0	0.0	0.0	4.9	16.6	32.0	11.5	9	2997
12-14 LST	22.9	16.0	4.1	0.9	0.4	0.2	0.2	0.0	0.0	0.6	8.3	19.8	6.1	16	5364
15-17 LST	28.0	19.8	4.2	0.8	0.0	0.0	0.0	0.4	0.0	0.4	6.7	21.6	6.5	9	2997
18-20 LST	21.5	12.8	3.9	0.5	0.0	0.0	0.0	0.2	0.0	0.6	6.2	18.0	3.3	16	5397
21-23 LST	31.6	13.2	4.0	0.8	0.4	0.0	0.0	0.8	0.4	0.8	9.6	19.9	6.8	9	3014

TURNU-SEVERIN, RUMANIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST	15.4	17.0	24.7	28.6	30.7	29.7	31.0	30.9	29.6	28.0	20.0	17.1	302.7	16	5399
	08 LST	13.8	13.9	20.3	26.2	29.0	29.2	30.6	30.5	28.3	23.2	17.0	15.1	277.1	16	5346
	14 LST	16.8	18.4	25.8	28.5	30.5	29.3	30.9	30.7	29.7	29.2	22.8	17.8	310.4	16	5364
	20 LST	16.9	18.7	26.3	28.6	30.5	29.5	30.8	30.8	29.9	29.5	21.4	18.2	311.1	16	5397
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST	8.8	10.6	19.1	22.8	26.0	25.1	27.3	26.8	25.8	24.0	12.8	11.8	240.9	16	5396
	08 LST	7.7	8.2	14.3	20.2	23.3	24.6	23.4	26.4	24.6	19.7	11.1	9.0	214.5	16	5343
	14 LST	9.1	10.1	16.0	18.9	20.8	21.8	22.9	21.5	23.0	22.8	13.2	11.1	211.2	16	5354
	20 LST	9.0	12.2	17.2	21.5	22.8	22.8	23.0	23.6	25.0	24.4	14.4	12.2	225.1	16	5390
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST	3.2	3.0	2.3	1.6	0.9	1.0	1.6	1.6	1.4	0.9	1.9	1.7	21.1	16	5428
	08 LST	2.7	2.3	2.2	1.6	1.8	1.4	1.4	1.6	1.4	0.6	1.8	2.3	21.1	16	5374
	14 LST	3.9	4.2	4.3	3.5	3.5	3.2	3.8	4.7	3.1	1.8	2.5	2.6	41.1	16	5387
	20 LST	4.3	3.8	3.5	2.2	2.1	2.1	2.4	2.6	1.8	1.9	2.3	2.1	31.1	16	5428
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST	1.8	2.5	4.0	4.4	4.4	5.1	4.2	4.3	4.4	4.7	4.0	2.2	46.0	16	5417
	08 LST	1.1	1.9	2.9	4.4	4.0	4.9	5.7	4.1	3.4	3.9	3.2	1.9	41.4	16	5355
	14 LST	2.0	3.8	6.5	8.6	8.8	7.3	8.7	7.7	8.1	8.0	5.7	3.4	78.6	16	5366
	20 LST	1.7	3.3	6.0	7.0	8.0	8.0	7.5	6.8	7.2	5.1	4.0	2.6	67.2	16	5415
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST	7.2	8.1	11.1	12.4	15.1	15.6	20.2	21.8	19.1	14.8	6.8	5.8	158.0	16	5423
	08 LST	4.1	3.5	5.5	6.2	9.0	12.1	16.4	18.0	13.1	6.2	3.1	4.0	101.2	16	5367
	14 LST	5.3	5.2	7.2	6.2	5.0	6.6	12.3	14.6	12.6	9.2	4.0	4.7	92.9	16	5389
	20 LST	7.3	7.9	8.4	7.6	6.6	8.7	14.4	16.8	17.2	14.0	7.0	6.3	122.2	16	5415
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST	12.5	14.4	20.8	23.8	26.6	27.4	29.9	29.7	27.9	24.7	14.6	13.5	265.8	16	5399
	08 LST	10.0	11.2	15.9	21.1	25.5	26.9	29.2	29.4	26.2	19.9	12.1	11.0	238.4	16	5346
	14 LST	13.2	15.6	20.9	24.1	26.3	27.3	29.3	29.5	28.3	25.6	16.5	14.2	270.8	16	5364
	20 LST	13.6	16.1	21.0	24.3	26.6	27.1	29.3	29.5	28.2	26.1	16.6	13.9	272.3	16	5397
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST	10.5	12.1	16.3	18.8	22.6	23.4	27.7	27.5	24.7	20.7	10.6	10.2	224.9	16	5399
	08 LST	7.8	8.0	11.8	16.2	20.9	22.9	26.5	26.6	22.5	14.2	7.9	8.0	193.3	16	5346
	14 LST	10.4	13.0	16.5	18.5	19.2	21.6	24.0	26.8	23.9	19.9	12.1	10.6	216.5	16	5364
	20 LST	11.3	13.0	16.4	19.0	21.3	23.2	26.7	27.0	24.8	21.0	12.1	10.1	225.9	16	5397
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST	10.5	12.1	16.2	18.8	22.6	23.4	27.7	27.5	24.7	20.5	10.6	10.2	224.8	16	5399
	08 LST	7.8	8.0	11.8	16.2	20.9	22.9	26.5	26.6	22.5	14.2	7.9	8.0	193.3	16	5346
	14 LST	10.4	13.0	16.5	18.5	19.2	21.6	24.0	26.8	23.9	19.9	12.1	10.6	216.5	16	5364
	20 LST	11.3	13.0	16.4	19.0	21.3	23.2	26.6	27.0	24.8	21.0	12.1	10.1	225.8	16	5397

BUCHAREST/BUCURESTI, ROMANIA

STA NO. 15420 (IN AREA NUMBER 02)

LATITUDE 4430N

LONGITUDE 02606E

ELEVATION(FT) 09302

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	57	63	77	90	91	99	104	104	99	95	75	64	104	16	4815
MEAN MAX TMP (F)	34	38	48	63	72	81	85	86	77	66	50	38	62	16	4815
MEAN MIN TMP (F)	22	24	31	42	51	58	61	60	53	45	36	28	43	16	4753
ABS MIN TMP (F)	-11	-15	3	27	34	43	50	46	34	27	10	3	-15	16	4753
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.1	0.5	4.1	9.9	10.4	2.3	0.2	0.0	0.0	27.5	16	4815
MEAN NO DYS TMP = DR LES 32(F)	28.3	23.4	19.5	2.6	0.0	0.0	0.0	0.0	0.0	1.1	10.3	22.8	108.0	16	4753
MEAN NO DYS TMP = DR LES 0(F)	1.3	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	16	4753
MEAN DEW PT TMP (F)	24	28	33	42	52	58	60	59	52	46	39	31	44	16	29376
MEAN REL HUM (PCT)	91	88	80	73	74	72	67	65	69	77	88	93	78	16	29147
MEAN PRESS ALT (FT)	127	192	185	278	279	261	281	268	169	110	127	179	205	16	29420
MEAN PRECIP (IN)	1.81	1.91	1.30	1.94	3.36	2.92	2.32	1.76	1.32	1.44	2.55	1.85	24.3	16	4237
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0					16	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	4.8	4.4	3.8	4.6	8.0	5.8	4.4	3.6	3.4	3.0	5.6	5.4	56.8	16	4237
MEAN NO DYS SNFL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0					16	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	10.3	8.4	2.8	0.8	0.2	0.2	0.1	0.2	0.5	2.5	6.6	10.2	42.8	16	4677
MEAN NO DYS TSTMS	0.0	0.0	0.5	1.1	7.0	8.4	6.2	5.4	1.7	0.5	0.4	0.0	31.2	16	4709
P FREQ WND SPD = DR GTR 17 KTS	3.3	5.9	6.4	5.9	2.0	0.8	0.5	0.5	1.7	2.6	3.6	4.1	3.1	16	29335
P FREQ WND SPD = DR GTR 28 KTS	0.7	0.8	0.8	1.0	0.0	0.0	0.0	0.0	0.0	0.1	0.8	0.2	0.4	16	29335
P FREQ LES 5000 FT A/D LES 5 MI	80.0	65.7	48.0	33.0	25.2	19.1	12.4	10.9	14.7	29.1	64.1	78.8	40.1	16	29480
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	57.9	45.5	24.4	9.8	5.3	1.6	0.9	0.6	1.9	10.2	40.9	58.9	21.5	16	5360
03-05 LST	54.3	47.1	25.4	13.5	10.0	4.7	3.4	2.4	2.8	13.4	45.6	60.4	23.6	9	2851
06-08 LST	71.4	64.6	45.8	22.9	9.3	8.8	3.9	3.0	10.3	37.0	62.7	73.2	34.4	16	5158
09-11 LST	69.1	45.4	28.7	13.2	6.7	2.8	1.8	1.5	4.7	12.6	48.5	69.8	25.4	9	2820
12-14 LST	51.7	37.6	19.6	8.4	5.7	1.6	1.4	1.3	1.7	7.1	35.5	50.8	18.5	16	5243
15-17 LST	57.1	33.7	13.1	5.3	2.4	0.7	0.5	0.8	0.6	3.4	37.5	56.2	17.6	9	2841
18-20 LST	58.4	40.5	18.5	6.8	3.5	1.2	1.1	1.1	1.8	6.2	34.9	55.6	19.1	16	5373
21-23 LST	62.0	39.5	18.8	8.7	3.1	0.7	0.0	1.6	1.8	6.0	40.6	63.2	20.5	9	2847
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	25.8	18.5	6.9	0.7	0.4	0.0	0.2	0.0	0.2	2.2	15.9	25.4	8.0	16	5360
03-05 LST	23.4	21.3	7.9	2.2	2.5	0.9	0.0	0.8	0.4	5.2	18.8	23.5	8.9	9	2851
06-08 LST	41.2	34.7	17.4	3.9	1.3	0.5	0.7	0.2	2.3	11.6	28.3	41.7	15.3	16	5158
09-11 LST	36.1	22.0	5.0	0.9	0.0	0.0	0.0	0.0	0.4	4.9	18.1	28.6	9.7	9	2820
12-14 LST	18.8	11.6	3.3	0.5	0.0	0.0	0.0	0.0	0.0	0.4	9.5	19.9	5.4	16	5243
15-17 LST	21.9	11.6	2.2	0.5	0.0	0.0	0.0	0.0	0.0	0.4	11.4	21.4	5.8	9	2841
18-20 LST	21.6	14.4	2.2	0.2	0.0	0.0	0.2	0.0	0.0	0.9	12.2	22.3	6.2	16	5373
21-23 LST	29.6	15.5	2.7	1.8	0.0	0.0	0.0	0.0	0.4	1.5	11.6	24.6	7.3	9	2847

BUCHAREST/BUCCURESTI, RUMANIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST	14.1	16.2	24.2	27.9	29.7	29.7	30.8	30.9	29.7	28.2	18.9	14.3	294.6	16	5360
	08 LST	9.6	10.5	17.7	23.7	28.5	27.8	29.9	30.2	27.2	19.8	11.9	9.2	246.0	16	5158
	14 LST	15.8	18.3	26.2	28.2	29.9	27.7	30.7	30.8	29.8	29.3	20.6	16.5	305.8	16	5243
	20 LST	13.8	17.4	25.9	28.6	30.1	29.7	30.8	30.7	29.7	29.3	20.8	15.1	301.9	16	5373
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST	9.4	11.3	18.2	21.6	25.7	27.3	29.1	29.1	27.1	24.0	13.4	9.0	245.2	16	5357
	08 LST	6.0	7.4	11.2	16.8	22.9	23.7	26.8	26.6	24.1	17.0	8.1	5.7	196.3	16	5140
	14 LST	9.6	11.7	14.4	16.2	18.5	23.6	25.5	25.8	23.0	21.5	13.6	10.7	214.1	16	5232
	20 LST	9.7	12.7	19.4	21.5	25.1	27.2	28.3	28.5	26.7	25.8	15.1	10.1	250.1	16	5362
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST	0.6	0.9	1.0	0.8	0.3	0.1	0.1	0.1	0.3	0.4	0.9	0.7	6.2	16	5391
	08 LST	0.6	0.7	0.9	0.8	0.9	0.1	0.3	0.1	0.3	0.5	1.0	0.6	6.8	16	5184
	14 LST	0.8	1.1	3.0	2.0	1.0	0.8	0.1	0.2	0.9	1.1	0.9	0.5	12.4	16	5307
	20 LST	0.6	0.7	1.1	1.1	0.3	0.2	0.1	0.1	0.3	0.3	0.7	0.3	5.8	16	5411
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST	3.4	5.1	9.6	15.8	14.5	12.2	13.1	13.9	12.7	12.1	11.4	6.3	130.1	16	5378
	08 LST	2.2	3.5	8.1	13.2	16.1	14.9	14.8	14.5	14.0	12.3	10.4	5.9	129.9	16	5159
	14 LST	8.1	10.0	14.2	15.4	16.2	16.5	16.0	14.8	17.2	16.7	15.4	10.8	171.3	16	5280
	20 LST	4.6	6.7	11.4	15.1	14.5	12.5	14.1	13.3	10.9	13.7	12.9	7.8	137.7	16	5397
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST	3.6	5.3	8.6	12.5	13.0	16.3	20.6	21.5	20.1	17.0	6.7	4.5	149.7	16	5387
	08 LST	1.4	1.8	4.2	8.0	9.7	13.4	17.6	18.8	14.5	6.7	1.8	0.9	98.8	16	5171
	14 LST	4.4	5.0	5.8	5.6	4.2	6.9	12.0	14.5	11.9	11.5	4.4	3.9	90.1	16	5294
	20 LST	4.3	6.2	10.0	8.8	6.3	6.9	14.3	16.7	16.9	15.2	6.9	4.7	117.2	16	5403
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST	11.1	13.5	21.7	25.4	28.2	28.7	30.2	30.7	28.9	26.8	15.7	10.8	271.7	16	5360
	08 LST	7.4	8.8	15.5	22.0	27.4	26.7	29.3	29.6	26.4	19.0	10.0	6.9	229.0	16	5158
	14 LST	13.6	16.2	22.5	25.4	27.6	28.8	30.1	30.3	29.0	27.6	17.3	13.6	282.0	16	5243
	20 LST	11.5	15.3	23.7	26.4	28.9	29.0	30.3	30.4	29.0	28.3	17.2	11.8	281.8	16	5373
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST	7.5	10.3	16.3	20.8	23.0	24.9	27.6	28.2	26.0	22.4	11.6	8.2	226.8	16	5360
	08 LST	4.9	6.2	12.6	18.8	23.8	23.2	27.2	27.5	24.3	16.0	6.7	5.2	196.4	16	5158
	14 LST	11.6	13.8	17.9	18.2	19.6	22.2	24.6	26.2	23.3	24.0	13.9	11.6	228.9	16	5243
	20 LST	8.9	12.2	18.7	21.2	23.8	24.9	27.3	28.0	26.3	24.1	12.6	8.6	236.6	16	5373
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST	7.4	10.3	16.3	20.8	23.0	24.9	27.6	28.2	25.9	22.3	11.6	8.2	226.5	16	5360
	08 LST	4.9	6.1	12.6	18.6	23.8	23.2	27.2	27.4	24.3	15.9	6.7	5.2	195.9	16	5158
	14 LST	11.4	13.8	17.8	18.2	19.4	22.2	24.5	26.2	25.2	24.0	13.8	11.5	228.0	16	5243
	20 LST	8.8	12.2	18.7	21.2	23.8	24.9	27.3	28.0	26.3	24.0	12.6	8.5	236.3	16	5373

CONSTANTA, RUMANIA

STA NO. 15480 (IN AREA NUMBER 02)

LATITUDE 4411N

LONGITUDE 02840E

ELEVATION(FT) 00098

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
ABS MAX TMP (F)	62	73	87	84	96	95	101	98	90	88	78	70	101	57	-179
MEAN MAX TMP (F)	37	39	46	56	63	75	81	80	74	64	52	42	59	30	-179
MEAN MIN TMP (F)	26	27	33	42	52	59	64	63	57	47	39	31	45	30	-179
ABS MIN TMP (F)	-12	-13	-2	24	35	44	46	46	34	10	11	0	-13	57	-179
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.4	0.7	0.4	0.0	0.0	0.0	0.0	1.5	16	5187
MEAN NO DYS TMP = OR LES 32(F)	21.3	16.7	12.2	0.9	0.1	0.0	0.0	0.0	0.0	0.1	4.7	13.5	69.5	16	5180
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	16	5180
MEAN DEW PT TMP (F)	29	30	34	44	53	60	63	63	57	52	44	35	47	16	30810
MEAN REL HUM (PCT)	87	86	83	84	82	78	75	75	78	84	89	90	83	16	30561
MEAN PRESS ALT (FT)	-36	-8	-13	78	88	79	107	85	-18	-75	-55	9	20	16	31061
MEAN PRECIP (IN)	1.05	0.97	0.94	1.11	1.34	1.71	1.37	1.19	1.18	1.38	1.43	1.27	14.9	50	-179
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0					57	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	3.3	3.1	3.7	4.0	4.4	4.3	3.4	2.8	3.5	4.1	4.3	4.1	45.0	50	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN					0.0	0.0	0.0	0.0						57	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	6.9	6.0	4.3	3.1	2.5	0.7	0.5	0.2	0.4	1.7	3.3	7.2	36.8	16	5001
MEAN NO DYS TSTMS	0.0	0.2	0.5	1.1	3.1	4.9	3.8	2.8	1.7	0.8	0.4	0.3	19.6	16	5005
P FREQ WND SPD = OR GTR 17 KTS	18.6	20.4	19.5	12.4	8.4	5.0	6.1	6.8	12.0	13.8	16.0	16.7	13.0	16	31112
P FREQ WND SPD = OR GTR 28 KTS	2.7	3.1	2.2	1.2	0.3	0.4	0.1	0.1	1.2	1.3	1.5	2.6	1.4	16	31112
P FREQ LES 5000 FT A/D LES 5 MI	66.3	62.0	55.2	44.6	33.8	21.2	13.3	12.6	20.6	36.9	59.1	67.7	41.1	16	31264
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	31.3	30.4	21.4	16.4	14.3	4.9	3.3	2.9	4.1	12.2	22.1	29.0	16.0	16	5434
03-05 LST	35.5	29.0	23.5	18.4	14.0	5.7	3.4	3.7	5.7	14.2	23.8	34.5	17.6	9	2989
06-08 LST	39.6	39.2	29.6	21.1	13.2	5.4	3.0	3.5	5.4	16.7	30.5	39.4	20.6	16	5378
09-11 LST	35.6	32.4	27.0	16.0	10.6	4.3	2.6	1.8	4.7	10.3	25.8	39.7	17.6	9	3013
12-14 LST	32.7	28.8	22.3	13.0	11.1	4.4	2.1	1.6	3.3	9.2	22.3	34.3	15.4	16	5371
15-17 LST	32.3	26.0	22.3	12.5	9.2	4.3	1.8	0.8	3.5	7.5	22.5	40.6	15.3	9	2996
18-20 LST	30.9	28.8	21.1	13.9	11.7	4.2	1.7	1.0	2.2	9.3	22.7	33.7	15.1	16	5414
21-23 LST	31.9	28.5	22.1	14.5	10.9	2.9	1.6	1.2	2.8	10.7	23.0	34.3	15.4	10	3034
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	10.1	11.8	5.2	4.3	4.0	0.7	0.7	0.4	0.9	2.4	3.8	6.7	4.3	16	5434
03-05 LST	12.0	9.7	7.5	4.9	4.3	3.2	1.2	0.4	0.8	3.1	5.7	8.6	5.1	9	2989
06-08 LST	15.2	16.4	12.0	7.4	2.6	0.7	1.1	0.9	0.9	4.0	9.7	14.2	7.1	16	5378
09-11 LST	17.5	11.5	10.0	5.5	0.8	0.8	0.4	0.0	0.0	2.3	6.9	15.6	3.9	9	3013
12-14 LST	13.5	10.9	7.3	3.1	1.1	0.2	0.2	0.2	0.5	1.3	3.1	12.8	4.5	16	5371
15-17 LST	14.5	8.8	7.1	2.5	1.2	0.0	0.0	0.0	0.0	1.5	4.4	18.2	4.9	9	2996
18-20 LST	10.2	8.3	5.1	2.6	2.8	0.4	0.2	0.0	0.0	1.5	3.8	12.5	4.0	16	5414
21-23 LST	9.4	8.6	4.7	2.0	1.5	0.4	0.4	0.0	0.4	1.5	3.2	10.4	3.5	10	3034

CONSTANTA, RUMANIA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST	25.5	22.6	27.7	27.4	28.8	29.3	30.6	30.6	29.4	29.7	27.3	26.0	334.9	16	5434
	08 LST	22.1	19.4	24.5	25.8	29.0	29.5	30.5	30.6	29.2	28.3	24.6	22.5	316.0	16	5378
	14 LST	24.6	22.6	26.9	28.2	29.6	29.7	30.9	30.9	29.7	30.0	27.0	24.0	334.1	16	5371
	20 LST	25.4	22.5	27.3	28.3	29.4	29.7	30.9	31.0	29.9	30.1	27.4	24.7	336.6	16	5414
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST	9.3	9.4	12.0	14.4	15.6	18.8	21.7	20.1	18.8	15.1	10.5	9.6	175.3	16	5424
	08 LST	8.3	8.0	9.6	13.7	15.9	20.0	21.4	19.7	17.4	13.7	9.2	8.7	165.6	16	5363
	14 LST	8.6	8.0	9.6	11.6	12.9	15.6	15.4	14.0	12.2	12.5	9.9	9.8	140.3	16	5352
	20 LST	10.1	10.9	13.3	16.0	18.5	21.8	23.6	21.4	18.4	16.1	11.6	10.1	191.8	16	5398
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST	3.8	3.6	3.8	1.8	1.2	1.0	1.1	1.3	2.0	2.6	3.0	3.9	29.1	16	5438
	08 LST	3.7	3.2	3.5	2.5	2.1	1.6	1.7	1.8	2.8	2.6	3.6	2.7	31.4	16	5404
	14 LST	3.7	4.6	6.1	3.7	2.7	2.1	2.8	2.6	3.7	5.0	4.3	2.5	43.8	16	5413
	20 LST	2.8	3.6	4.3	2.2	1.5	0.5	0.7	1.2	2.1	3.2	3.8	2.4	28.3	16	5425
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST	6.0	6.4	9.4	13.0	15.3	15.0	18.2	16.7	14.6	14.7	10.3	8.0	147.6	16	5421
	08 LST	5.6	5.8	9.1	12.6	15.2	14.4	16.1	15.2	14.4	14.4	9.6	8.3	140.7	16	5382
	14 LST	8.9	7.8	11.0	12.8	14.7	15.6	17.0	16.4	15.2	14.0	11.1	10.4	154.9	16	5378
	20 LST	7.9	9.3	11.1	13.8	16.1	14.9	15.9	15.0	16.0	15.0	10.7	9.1	154.8	16	5404
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST	8.7	7.5	11.0	13.0	15.9	20.3	24.3	25.0	20.2	15.5	9.0	8.9	179.3	16	5445
	08 LST	4.0	3.8	5.9	8.0	11.1	15.6	21.7	21.1	15.1	10.0	4.4	2.7	123.4	16	5421
	14 LST	5.8	4.4	5.6	7.8	7.0	10.0	16.4	18.0	13.9	11.9	5.0	4.6	110.4	16	5418
	20 LST	8.7	7.7	10.9	10.5	9.6	11.7	20.2	20.4	20.7	16.4	9.2	8.5	154.5	16	5440
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST	15.4	14.4	18.7	20.4	23.0	26.3	28.6	28.8	26.8	22.8	17.1	15.9	258.2	16	5434
	08 LST	13.8	13.4	17.0	19.7	23.2	26.2	28.7	28.7	26.1	21.5	15.0	13.6	246.9	16	5378
	14 LST	15.8	15.9	19.3	21.8	23.1	25.6	28.3	28.8	26.7	24.6	17.2	15.5	262.6	16	5371
	20 LST	15.8	15.6	19.7	21.8	24.2	26.7	29.5	29.7	27.7	24.1	16.9	14.8	266.5	16	5414
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST	12.2	10.7	14.6	16.5	20.4	24.1	27.5	27.3	24.3	19.3	12.7	12.0	221.6	16	5434
	08 LST	10.7	11.0	13.0	16.6	20.5	23.9	27.0	27.8	23.7	18.2	11.2	10.8	214.4	16	5378
	14 LST	13.1	13.3	15.2	17.7	18.5	20.9	25.4	26.2	23.8	21.5	13.0	13.2	221.8	16	5371
	20 LST	12.8	12.6	16.1	18.8	22.2	24.4	28.5	28.5	25.8	20.6	13.0	11.8	235.1	16	5414
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST	12.2	10.7	14.6	16.5	20.4	24.1	27.5	27.3	24.3	19.3	12.7	12.0	221.6	16	5434
	08 LST	10.7	11.0	13.0	16.6	20.5	23.9	27.0	27.8	23.7	18.2	11.2	10.8	214.4	16	5378
	14 LST	13.1	13.3	15.2	17.7	18.5	20.9	25.4	26.2	23.8	21.5	13.0	13.2	221.8	16	5371
	20 LST	12.8	12.6	16.1	18.8	22.2	24.4	28.5	28.5	25.8	20.6	13.0	11.8	235.1	16	5414

TURNU-MAGURELE, RUMANIA

STA NO. 19490 (IN AREA NUMBER 02)

LATITUDE 4345N

LONGITUDE 02492E

ELEVATION(FT) 00095

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	64	73	85	91	102	100	106	107	104	98	76	72	107	48	-179
MEAN MAX TMP (F)	32	38	51	66	75	82	87	86	79	64	50	38	62	30	-179
MEAN MIN TMP (F)	21	24	45	44	54	60	64	61	55	46	38	28	45	30	-179
ABS MIN TMP (F)	-22	-15	-8	24	33	41	51	47	31	27	6	-10	-22	48	-179
MEAN NO DYS TMP = JR GTR 90(F)	0.0	0.0	0.0	0.0	0.3	6.6	16.1	15.5	4.8	0.6	0.0	0.0	43.9	7	1059
MEAN NO DYS TMP = OR LES 32(F)	24.1	22.5	18.6	0.7	0.3	0.0	0.0	0.0	0.0	0.4	8.5	15.9	91.0	7	885
MEAN NO DYS TMP = OR LES 0(F)	1.1	1.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	7	885
MEAN DEW PT TMP (F)	23	25	32	44	52	62	60	63	55	51	40	28	45	7	1598
MEAN REL HUM (PCT)	89	89	77	73	71	75	61	69	73	84	90	88	78	7	1518
MEAN PRESS ALT (FT)	-55	50	-83	22	84	110	54	44	-45	-36	-116	-16	1	7	1638
MEAN PRECIP (IN)	1.41	1.21	1.40	1.63	2.17	2.89	1.89	1.35	1.39	1.84	1.69	1.51	20.4	44	-179
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0					48	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	4.5	3.9	4.5	5.0	6.2	7.0	4.8	3.3	4.2	5.2	4.9	4.9	58.4	44	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0					48	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	5.8	5.8	1.9	0.0	0.0	0.0	0.0	0.0	0.0	6.5	6.5	5.2	31.7	7	378
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	3.9	8.9	4.9	2.6	0.0	1.2	0.0	0.0	21.5	7	378
P FREQ WND SPD = OR GTR 17 KTS	9.6	18.0	11.5	8.8	11.3	4.6	2.7	2.0	1.4	4.3	7.3	7.8	7.4	7	1706
P FREQ WND SPD = OR GTR 28 KTS	0.0	3.9	1.9	0.4	0.0	0.9	0.0	0.0	0.0	0.0	0.8	0.0	0.7	7	1706
P FREQ LES 5000 FT A/D LES 5 MI	63.1	62.9	46.5	37.7	24.4	20.4	7.3	15.6	9.3	39.5	64.7	65.5	38.1	7	2137
P FREQ LES 1500 FT A/D LES 3 MI															
FDR 00-02 LST	36.5	34.2	16.7	6.0	3.2	3.5	1.0	1.1	1.8	7.9	37.9	37.2	15.6	10	1776
03-05 LST	62.1	40.0	2.7	4.3	5.2	7.1	0.0	0.0	0.0	12.3	43.2	25.8	16.9	2	274
06-08 LST	49.2	38.4	27.5	9.8	7.7	4.9	0.0	2.0	8.2	20.5	36.7	41.1	20.5	7	959
09-11 LST	65.2	55.6	18.2	9.5	4.3	6.5	7.4	3.7	11.1	26.3	45.1	55.6	25.7	2	148
12-14 LST	37.0	28.3	14.1	6.6	4.7	3.1	0.0	1.4	0.8	10.4	31.3	39.7	14.8	10	1926
15-17 LST	44.4	40.0	0.0	7.4	0.0	0.0	0.0	0.0	0.0	10.8	37.9	25.1	13.8	2	178
18-20 LST	38.2	26.8	13.5	6.4	4.4	3.0	1.3	0.6	0.9	9.3	26.8	32.7	13.7	10	1548
21-23 LST	55.4	35.7	9.8	0.0	2.3	2.3	2.3	0.0	0.0	10.0	28.4	25.5	14.4	3	295
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	11.3	6.7	2.4	0.0	0.0	0.0	0.0	0.7	0.0	3.3	13.8	17.0	4.6	10	1776
03-05 LST	36.0	13.3	0.0	0.0	0.0	7.1	0.0	0.0	0.0	9.8	25.0	17.9	9.1	2	274
06-08 LST	22.1	12.5	8.4	1.1	2.0	2.8	0.0	0.0	3.0	10.9	19.8	19.5	8.5	7	959
09-11 LST	60.0	33.3	9.1	0.0	0.0	0.0	0.0	0.0	0.0	21.1	31.6	42.1	10.4	?	148
12-14 LST	8.9	5.7	1.1	0.0	0.0	0.0	0.0	0.0	0.0	2.6	9.6	15.1	3.6	10	1926
15-17 LST	44.4	10.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.4	16.2	7.1	6.9	2	178
18-20 LST	16.4	4.2	0.7	0.7	0.7	0.8	0.0	0.0	0.9	0.7	7.2	10.9	3.6	10	1548
21-23 LST	42.1	21.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.7	17.9	10.5	8.2	3	295


TURNU-MAGURELE, ROMANIA


MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST	22.6	20.9	28.4	29.8	31.0	29.8	31.0	30.8	30.0	29.7	22.2	21.1	327.3	10	1776
	08 LST	18.4	18.9	25.4	28.7	29.7	28.8	31.0	31.0	27.8	26.1	21.5	20.0	307.3	7	959
	14 LST	22.0	22.4	28.6	29.7	30.2	29.6	31.0	31.0	30.0	29.4	24.0	20.9	328.8	10	1926
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST	21.9	23.1	28.5	29.0	30.2	29.5	30.7	31.0	29.7	30.1	24.8	22.8	331.3	10	1548
	08 LST	14.4	13.2	20.1	23.9	26.6	26.1	28.7	27.7	26.9	25.0	13.9	16.1	262.6	10	1770
	14 LST	9.7	12.8	16.8	22.3	20.6	27.1	28.0	28.6	24.5	21.8	14.8	14.7	241.7	7	955
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST	13.6	12.7	18.1	19.6	22.1	22.2	26.2	24.4	23.6	23.4	13.8	13.5	233.2	10	1910
	08 LST	14.0	15.8	21.0	23.0	24.8	26.4	28.7	27.9	27.2	24.5	16.1	17.6	267.0	10	1540
	14 LST	1.7	2.4	3.0	1.4	0.8	0.5	0.0	0.9	0.5	1.5	1.5	1.1	15.3	10	1780
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	08 LST	1.7	2.5	1.8	1.6	2.2	0.4	0.5	0.0	1.4	0.6	1.5	1.8	16.0	7	971
	14 LST	2.6	3.3	3.9	3.6	3.7	2.2	1.6	1.4	2.4	1.6	2.2	1.5	29.5	10	1963
	20 LST	3.1	2.1	2.7	2.0	1.6	1.0	0.5	0.7	1.1	0.9	2.6	0.5	18.8	10	1558
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST	1.3	2.6	3.6	6.6	11.5	9.1	10.3	11.3	8.3	8.3	5.2	3.2	81.3	10	1769
	08 LST	2.8	2.5	4.1	12.7	14.1	14.0	14.5	13.7	11.7	8.9	7.6	6.0	114.6	7	958
	14 LST	5.0	6.4	11.1	14.1	16.9	15.6	15.0	14.1	17.8	13.6	11.4	6.1	149.1	10	1939
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	20 LST	2.5	3.4	6.7	8.2	11.7	9.3	10.3	8.0	9.0	5.2	7.0	3.4	84.7	10	1535
	02 LST	7.4	8.5	12.0	16.6	16.3	18.2	22.9	23.1	23.0	18.1	7.0	9.2	182.3	10	1793
	08 LST	6.3	4.8	5.2	11.0	9.5	14.4	20.5	19.3	17.0	11.4	4.0	3.0	126.4	7	967
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	14 LST	6.9	5.1	8.5	6.6	7.8	9.0	14.3	17.3	16.4	12.0	4.9	5.7	114.5	10	1971
	20 LST	7.7	8.9	11.1	10.1	8.9	7.7	19.0	19.3	21.3	15.1	7.5	8.7	145.3	10	1563
	02 LST	15.9	15.3	21.8	25.4	27.4	27.0	29.8	30.0	28.7	26.0	13.8	16.8	277.9	10	1776
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST	12.3	14.1	19.0	23.6	25.8	26.8	29.8	29.8	26.4	22.1	14.9	14.7	259.3	7	959
	14 LST	16.6	16.9	23.4	24.7	27.4	27.6	30.1	29.5	29.1	25.0	15.7	14.8	280.8	10	1926
	20 LST	15.6	17.1	23.5	25.7	27.6	27.1	29.8	29.4	29.2	25.0	17.5	17.3	284.8	10	1548
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST	13.6	12.6	17.5	22.5	22.8	24.2	26.3	28.1	26.2	21.2	10.7	13.5	239.2	10	1776
	08 LST	10.8	11.2	14.9	19.5	20.0	22.5	26.6	28.6	24.2	19.6	11.5	10.6	220.0	7	959
	14 LST	13.0	14.1	19.5	19.1	21.3	22.4	26.1	26.2	27.1	21.7	11.2	11.4	235.1	10	1926
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST	13.7	15.1	19.4	22.3	22.8	20.7	26.1	25.2	27.2	21.3	13.9	13.6	241.3	10	1548
	02 LST	13.6	12.6	17.5	22.5	22.8	24.0	26.3	28.1	26.2	21.2	10.7	13.5	239.2	10	1776
	08 LST	10.8	11.2	14.9	19.5	20.0	22.5	26.6	28.6	24.2	19.6	11.5	10.6	220.0	7	959
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	14 LST	15.0	13.9	19.5	19.1	21.3	22.4	26.1	26.2	27.1	21.7	11.2	11.4	234.9	10	1926
	20 LST	13.7	15.1	19.4	22.3	22.8	20.7	26.1	25.2	27.2	21.3	13.9	13.6	241.3	10	1548

AREA 02

PARAMETER DESCRIPTION	BOUNDARIES	LOWLANDS				LATITUDE 4430N		LONGITUDE 02600E				ANN		
		4758N 02330E	4700N 02216E	4700N 02216E	4600N 02232E	4600N 02232E	4443N 02142E	4448N 02500E	4520N 02700E	4520N 02700E	4600N 02700E			
		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	
MEAN MAX TMP (F)		34	38	49	62	72	79	84	83	76	63	50	38	61
MEAN MIN TMP (F)		21	24	33	42	51	57	61	59	53	43	36	28	42
LARGEST MEAN PRECIP(IN)		1.93	1.67	1.69	2.11	3.36	3.56	2.75	2.39	2.03	2.60	2.72	2.62	29.4
SMALLEST MEAN PRECIP(IN)		1.05	0.91	0.93	1.11	1.34	1.71	1.37	1.19	1.04	1.28	1.23	1.03	14.2
		MEAN NUMBER OF DAYS												
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST	18.5	18.3	26.1	28.1	29.9	29.5	30.6	30.6	29.4	28.7	21.8	19.4	310.9
	08 LST	16.0	15.1	21.9	25.5	28.0	28.0	29.7	29.2	27.1	24.0	17.8	17.1	279.4
	14 LST	18.1	18.8	26.7	28.2	29.7	29.3	30.6	30.6	29.5	29.3	22.1	19.1	312.0
	20 LST	18.0	19.1	26.7	28.1	29.9	29.5	30.7	30.5	29.5	29.5	22.4	19.3	313.2
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST	10.5	10.6	17.0	20.2	22.9	23.9	26.4	25.6	24.4	22.3	13.4	11.5	228.7
	08 LST	8.3	8.5	13.1	17.0	19.5	21.6	23.8	23.4	21.1	17.9	10.6	9.7	194.5
	14 LST	9.1	9.2	12.8	14.6	16.0	18.1	20.5	19.8	18.6	17.9	11.4	10.3	178.3
	20 LST	10.4	11.8	17.8	19.0	22.0	23.3	25.4	25.4	24.6	23.4	14.6	11.7	229.4
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST	2.2	2.4	2.4	1.6	0.9	0.6	0.6	0.8	0.9	1.1	1.6	1.8	16.9
	08 LST	2.0	2.0	2.2	1.6	1.5	0.9	0.8	0.6	1.1	0.9	1.6	1.6	17.0
	14 LST	2.7	3.5	4.9	4.0	3.7	2.6	2.5	2.7	3.0	2.9	2.7	2.2	37.4
	20 LST	2.5	2.4	2.5	2.0	1.5	1.1	0.9	1.0	0.9	1.1	1.8	1.4	19.1
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST	2.5	3.4	6.7	10.4	10.9	9.9	10.9	10.3	9.9	10.2	7.5	4.8	97.4
	08 LST	2.5	3.1	6.2	11.4	12.8	12.5	13.6	12.2	12.1	11.0	7.5	4.9	109.8
	14 LST	5.2	6.1	10.1	11.9	13.1	13.2	13.7	13.0	13.1	12.7	10.2	7.5	129.8
	20 LST	3.5	4.8	8.7	11.4	12.5	11.2	12.1	10.9	10.6	9.9	8.3	5.6	109.5
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST	6.4	6.8	11.0	13.0	14.5	16.0	20.6	21.1	19.0	16.5	7.3	6.1	198.3
	08 LST	3.7	3.3	5.7	7.6	9.5	12.2	16.8	17.1	13.4	8.9	3.3	3.0	104.5
	14 LST	4.8	4.5	6.6	5.7	5.0	6.0	10.6	12.7	11.8	10.6	4.2	4.3	86.8
	20 LST	6.2	7.1	9.9	8.2	7.6	7.7	13.9	15.3	16.4	15.8	7.5	6.2	121.8
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST	13.3	13.8	20.9	23.2	25.8	26.5	28.8	28.8	27.4	25.4	15.8	13.9	263.6
	08 LST	10.9	11.2	17.4	21.2	24.6	25.4	28.0	27.5	25.1	20.8	12.8	11.7	236.6
	14 LST	14.0	15.1	21.7	23.1	25.1	25.7	28.3	28.4	27.4	25.8	16.5	14.6	265.7
	20 LST	13.4	15.1	22.1	23.6	25.8	26.2	28.8	28.7	27.6	26.2	17.1	14.2	268.8
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST	10.1	10.4	16.1	18.7	21.5	22.9	26.0	26.1	24.1	21.4	11.6	9.8	218.7
	08 LST	8.0	8.1	13.3	16.8	20.4	21.8	25.3	25.1	22.0	17.1	8.7	8.0	194.6
	14 LST	11.2	12.0	17.0	16.5	17.0	18.5	21.9	23.5	23.0	21.4	12.1	11.1	205.2
	20 LST	10.3	11.9	17.6	18.7	20.7	21.8	25.4	25.3	24.0	22.3	12.7	10.3	221.0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST	10.1	10.4	16.1	18.7	21.4	22.8	26.0	26.1	24.1	21.4	11.6	9.8	218.5
	08 LST	8.0	8.1	13.3	16.8	20.4	21.8	25.3	25.0	22.0	17.1	8.7	8.0	194.5
	14 LST	11.2	11.9	17.0	16.4	16.9	18.5	21.9	23.5	23.0	21.4	12.1	11.1	204.9
	20 LST	10.3	11.9	17.6	18.7	20.7	21.8	25.4	25.3	24.0	22.3	12.7	10.3	221.0





NAGURSKOYE, ZEMLY ALEKSANDRY, USSR

STA NO. 20034 (IN AREA NUMBER 01)

LATITUDE 8040N

LONGITUDE 04358E

ELEVATION(FT) 00089

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	30	25	32	34	39	45	52	50	41	41	37	37	52	10	2230
MEAN MAX TMP (F)	-10	-13	-7	4	16	32	36	35	28	13	5	0	12	10	2230
MEAN MIN TMP (F)	-23	-24	-20	-8	7	25	31	30	21	3	-6	-11	2	10	2358
ABS MIN TMP (F)	-51	-58	-47	-40	-18	7	23	19	-6	-33	-45	-47	-58	10	2358
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	2230
MEAN NO DYS TMP = DR LES 32(F)	31.0	28.0	31.0	30.0	31.0	28.8	25.4	25.6	29.2	31.0	30.0	31.0	352.0	10	2358
MEAN NO DYS TMP = DR LES 0(F)	28.9	26.2	28.1	21.9	6.5	0.0	0.0	0.0	0.8	15.0	20.0	11.7	169.1	10	2358
MEAN DEW PT TMP (F)	-20	-23	-17	-5	8	27	32	31	23	6	-3	-9	4	10	16945
MEAN REL HUM (PCT)	84	81	83	85	86	92	94	93	93	90	88	85	88	10	16945
MEAN PRESS ALT (FT)	140	227	170	-20	56	208	164	88	183	197	101	153	137	5	9438
MEAN PRECIP (IN)	1.27	1.17	1.14	0.67	0.88	0.98	1.09	1.19	1.33	1.21	1.01	1.76	14.3	10	1662
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = DR GTR 0.1 IN	11.7	9.9	11.2	10.5	13.9	11.1	8.6	10.1	12.8	15.6	11.0	12.1	138.5	10	1662
MEAN NO DYS SNFL = DR GTR 1.5 IN														0	0
MEAN NO DYS W/O CUR VSBY LES 1/2 MI	1.9	2.8	3.0	1.8	0.9	1.7	3.8	5.1	2.1	1.6	2.2	2.0	28.9	10	16764
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	2817
P FREQ WND SPD = DR GTR 17 KTS	19.5	25.0	27.1	27.0	18.4	12.8	13.8	12.8	20.2	25.5	27.6	24.7	21.2	10	16983
P FREQ WND SPD = DR GTR 28 KTS	4.7	5.6	4.8	4.0	2.0	0.6	1.3	0.4	1.0	3.2	7.5	4.3	3.3	10	16983
P FREQ LES 5000 FT A/D LES 5 MI	36.2	41.9	45.1	49.1	67.1	73.6	78.4	75.0	83.1	68.7	53.2	45.2	59.7	10	16764
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	20.5	20.7	34.3	33.5	37.5	51.9	67.1	63.1	64.2	44.9	36.4	21.6	41.3	10	1172
03-05 LST	25.3	27.1	30.2	32.9	45.0	54.0	67.0	59.9	62.6	40.2	23.5	26.3	42.0	10	2831
06-08 LST	22.2	25.7	27.9	28.0	41.4	54.2	62.3	60.0	59.9	49.2	34.8	21.9	40.6	10	1085
09-11 LST	25.2	31.0	35.0	35.4	46.0	53.1	57.2	58.0	57.1	44.6	33.2	26.2	41.8	10	3023
12-14 LST	22.0	36.3	33.0	35.0	43.0	49.5	61.8	59.1	56.0	49.6	37.2	25.1	42.3	10	1546
15-17 LST	23.3	30.6	36.8	33.7	41.5	48.8	54.1	55.7	59.8	43.4	35.0	25.1	40.7	10	3037
18-20 LST	24.3	34.8	28.0	24.5	34.0	50.1	60.4	54.9	67.5	52.2	39.3	26.1	41.3	10	1116
21-23 LST	20.6	27.1	32.8	31.6	41.5	44.0	64.1	59.8	62.0	42.3	33.1	29.2	40.7	10	2954
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	8.8	7.1	15.1	10.5	7.6	7.1	23.0	29.0	17.3	8.0	8.0	6.9	12.0	10	1172
03-05 LST	5.8	7.6	9.7	11.4	6.1	10.2	24.8	17.8	14.3	6.4	9.0	7.9	10.9	10	2831
06-08 LST	4.9	6.6	10.4	9.4	6.5	13.2	24.8	16.5	10.5	7.4	10.9	3.8	10.2	10	1085
09-11 LST	8.5	11.7	13.7	10.1	6.0	8.4	14.5	12.0	12.5	9.8	7.6	9.0	10.3	10	3023
12-14 LST	10.6	14.1	14.5	12.2	3.4	9.3	12.4	9.2	12.3	10.9	9.5	8.5	10.5	10	1546
15-17 LST	6.5	14.3	18.3	10.6	5.3	9.2	12.6	11.8	11.0	10.1	10.5	5.1	10.4	10	3037
18-20 LST	6.2	18.6	13.1	9.4	6.7	4.7	15.5	13.0	10.4	9.8	12.4	1.5	10.1	10	1116
21-23 LST	5.4	8.7	15.1	9.2	5.5	5.7	17.2	17.6	12.5	7.7	9.7	8.2	10.2	10	2954

NAGURSKOYE, ZEMLY ALEKSANDRY, USSR

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. QBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	03 LST	25.1	22.0	23.5	22.3	22.7	18.0	12.9	15.7	16.5	23.3	22.8	25.3	250.1	10	2831
	09 LST	24.9	21.0	21.8	21.9	21.7	20.2	16.8	16.3	18.2	22.5	22.7	25.1	253.1	10	3023
	15 LST	25.7	20.7	20.8	22.2	23.5	20.6	17.6	17.2	16.5	22.3	22.5	25.6	253.2	10	3037
	21 LST	26.8	21.9	22.3	23.5	23.8	21.5	14.7	16.0	16.2	23.3	23.2	24.4	257.6	10	2954
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	03 LST	16.2	13.1	14.3	10.8	8.5	6.2	4.3	6.6	4.1	9.1	12.7	14.7	120.6	10	2824
	09 LST	15.3	11.4	14.8	11.1	7.9	4.4	6.6	6.2	4.7	7.1	12.2	14.9	116.6	10	3018
	15 LST	17.8	13.3	14.2	11.0	9.1	6.4	6.6	6.7	4.8	7.5	11.3	14.9	123.6	10	3027
SFC WND = GTR 17 KTS AND NO PRECIP.	03 LST	1.1	0.0	0.0	0.0	0.0	0.3	2.3	2.8	2.8	1.7	0.7	1.9	13.6	10	1582
	09 LST	1.6	0.0	0.0	0.0	0.0	0.2	2.3	2.0	4.3	1.9	1.6	2.6	16.5	10	1991
	15 LST	1.0	0.0	0.0	0.0	0.0	0.0	3.6	3.4	2.0	2.0	1.1	1.2	14.3	10	1739
SFC WND 4-10 KTS AND THP 33-89 DEG F AND NO PRECIP.	03 LST	0.0	0.0	0.0	0.0	0.0	1.4	4.6	5.7	0.1	0.0	0.0	0.0	11.8	10	2844
	09 LST	0.0	0.0	0.0	0.0	0.0	2.3	8.4	4.7	0.9	0.0	0.0	0.0	16.3	10	3052
	15 LST	0.0	0.0	0.0	0.0	0.0	3.4	9.2	6.8	0.6	0.0	0.0	0.0	20.0	10	3054
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	03 LST	13.0	12.2	10.2	8.2	4.0	2.5	2.2	2.4	1.1	5.2	9.4	12.1	82.5	10	2863
	09 LST	13.4	9.1	6.8	7.6	4.1	2.5	2.6	2.1	0.9	2.9	9.2	11.0	72.2	10	3060
	15 LST	13.4	9.2	7.2	7.4	5.0	2.1	2.7	3.2	1.7	2.9	8.2	11.6	74.6	10	3065
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	03 LST	21.7	19.1	20.1	18.3	11.3	9.2	7.0	8.6	5.6	13.7	17.3	20.4	172.3	10	2831
	09 LST	21.8	17.8	18.8	17.0	11.7	7.8	9.1	9.2	7.5	12.0	17.2	20.4	170.3	10	3023
	15 LST	22.4	18.3	18.7	17.8	12.7	9.8	10.3	10.0	7.2	12.4	16.2	21.0	176.8	10	3037
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	03 LST	21.1	18.4	19.2	17.6	9.4	7.8	5.7	7.4	4.3	11.6	15.9	18.9	157.3	10	2831
	09 LST	21.0	17.2	18.3	16.0	10.1	6.9	7.5	8.2	6.1	10.4	15.5	18.2	153.4	10	3023
	15 LST	21.9	17.6	18.3	16.9	11.4	8.6	8.7	9.2	5.9	10.5	14.6	19.4	163.0	10	3037
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	03 LST	22.0	18.8	19.7	16.8	10.7	9.2	6.3	7.5	4.9	11.2	16.5	19.0	162.6	10	2954
	09 LST	20.8	18.4	19.2	17.6	9.4	7.7	5.7	7.3	4.1	10.9	15.9	18.7	155.7	10	2831
	15 LST	21.8	17.5	18.2	16.9	11.3	8.6	8.7	9.1	5.9	10.2	15.5	18.1	154.6	10	3023
	21 LST	21.9	18.8	19.6	16.8	10.6	9.0	6.2	7.4	4.7	11.1	16.5	18.9	161.5	10	2954

OSTROV HEYEA, USSR

STA NO. 20046 (IN AREA NUMBER 01)

LATITUDE 3037N

LONGITUDE 0500E

ELEVATION(FT) 00066

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	30	32	27	32	36	41	45	45	39	37	36	34	45	10	2527
MEAN MAX TMP (F)	-14	-13	-11	2	15	32	36	34	29	12	2	-3	10	10	2527
MEAN MIN TMP (F)	-23	-23	-21	-9	7	26	31	30	24	5	-7	-11	3	10	2584
ABS MIN TMP (F)	-44	-47	-42	-36	-18	9	23	21	1	-24	-36	-44	-47	10	2584
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	2527
MEAN NO DYS TMP = OR LES 32(F)	31.0	28.0	31.0	30.0	31.0	29.7	27.2	29.7	29.3	31.0	30.0	31.0	30.9	10	2584
MEAN NO DYS TMP = OR LES 0(F)	29.5	26.1	29.5	23.3	5.8	0.0	0.0	0.0	0.0	11.2	22.1	22.8	170.3	10	2584
MEAN DEW PT TMP (F)	-23	-21	-20	-7	7	26	32	30	24	6	-3	-10	3	10	19492
MEAN REL HUM (PCT)	81	85	83	83	83	89	93	93	90	87	87	86	87	10	19492
MEAN PRESS ALT (FT)	136	163	141	-22	65	204	136	78	191	202	32	122	121	5	12323
MEAN PRECIP (IN)	1.74	1.71	1.63	1.19	0.59	0.94	1.52	1.57	1.54	1.95	1.49	2.19	18.1	10	1971
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = OR GTR 0.1 IN	11.3	11.3	11.3	9.3	11.2	9.4	8.2	10.1	13.6	15.0	11.6	13.4	135.7	10	1971
MEAN NO DYS SNFL = OR GTR 1.5 IN														0	0
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	1.3	1.5	1.8	1.6	0.7	0.9	3.0	3.5	1.1	0.7	1.3	1.2	18.6	10	19384
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	3023
P FREQ WND SPD = OR GTR 17 KTS	27.5	30.4	26.7	28.6	22.3	18.4	13.2	16.9	25.2	31.9	24.9	26.7	24.4	10	19351
P FREQ WND SPD = OR GTR 28 KTS	6.5	8.5	6.2	4.3	2.7	1.4	0.9	1.5	1.9	6.6	5.6	3.7	4.2	10	19351
P FREQ LES 5000 FT A/D LES 3 MI	35.7	42.3	42.5	39.5	57.2	69.2	71.4	76.6	82.3	66.8	46.0	46.3	56.2	10	19384
FOR 00-02 LST	17.2	26.6	16.5	20.3	23.4	36.3	48.2	52.7	36.5	31.3	25.0	29.6	30.3	9	1614
03-05 LST	18.4	21.8	21.7	21.0	22.5	32.8	44.2	46.6	37.1	28.9	24.6	23.0	28.6	10	3182
06-08 LST	14.6	20.2	22.8	18.7	21.7	34.0	42.5	46.8	38.9	28.6	23.4	24.7	28.1	9	1535
09-11 LST	21.6	22.6	29.0	23.5	23.3	34.7	41.7	49.0	40.9	35.8	20.4	21.4	30.3	10	3216
12-14 LST	15.4	27.2	23.2	24.2	20.6	30.3	45.8	49.8	45.2	35.9	21.4	26.0	30.4	10	1730
15-17 LST	21.7	28.5	27.9	21.5	21.3	28.1	40.3	40.4	38.3	30.1	20.2	23.5	28.5	10	3304
18-20 LST	15.3	25.9	19.9	21.4	19.1	32.0	42.8	45.7	37.7	31.3	27.4	30.2	29.1	9	1558
21-23 LST	18.1	24.9	25.0	20.6	21.5	30.9	42.2	42.8	38.5	30.7	22.3	23.8	28.4	10	3245
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	3.3	6.8	2.9	7.2	2.6	6.0	14.5	16.9	4.7	6.5	7.6	7.7	7.2	9	1614
03-05 LST	5.3	7.3	7.5	5.0	4.8	5.7	13.0	11.4	4.0	4.9	7.8	6.1	6.9	10	3182
06-08 LST	4.0	6.0	8.5	5.8	4.3	2.8	13.5	10.8	6.0	3.5	5.4	6.1	6.4	9	1535
09-11 LST	6.4	7.2	10.8	9.0	4.5	3.2	8.5	11.8	3.7	3.9	7.0	5.5	6.8	10	3216
12-14 LST	3.8	8.9	7.7	9.6	3.9	2.7	11.0	9.5	6.9	4.9	6.8	5.8	6.8	10	1730
15-17 LST	6.2	10.7	11.4	5.6	2.7	2.7	9.2	8.7	5.1	4.7	5.9	4.9	6.5	10	3304
18-20 LST	0.0	9.8	4.9	5.6	2.9	2.6	7.5	12.7	4.2	5.8	7.8	6.4	3.9	9	1558
21-23 LST	5.4	10.5	8.8	5.7	3.1	4.8	10.7	10.8	4.4	5.3	7.5	7.7	7.1	10	3245

OSTROV HEYSA, USSR

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PGR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	04 LST	26.5	22.8	23.9	23.3	27.6	24.9	21.9	20.2	24.4	26.4	24.8	26.0	296.7	10	3182
	10 LST	25.7	23.0	23.6	24.5	27.1	23.9	21.9	20.1	23.3	24.6	26.5	26.4	290.6	10	3216
	16 LST	25.8	21.2	23.9	25.4	27.8	25.9	22.5	21.5	23.9	26.2	26.3	25.5	296.3	10	3304
	22 LST	27.1	22.0	24.6	25.7	28.3	25.8	21.9	21.5	26.0	25.3	25.9	298.5	10	3245	
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	04 LST	16.9	13.8	16.0	14.4	13.6	8.2	7.8	7.7	6.3	9.7	13.3	14.2	141.9	10	3177
	10 LST	14.7	12.8	14.2	13.6	11.0	8.3	9.3	7.3	5.9	8.2	12.2	12.9	130.4	10	3213
	16 LST	15.6	11.5	13.6	12.3	10.1	9.1	9.4	10.2	6.6	9.2	13.8	13.9	135.3	10	3299
	22 LST	15.4	13.0	14.3	13.3	11.5	8.3	8.9	8.9	6.3	8.4	13.4	13.9	135.6	10	3231
SFC WND = GTR 17 KTS AND NO PRECIP.	04 LST	3.7	2.5	0.5	1.5	0.2	1.2	2.7	5.0	5.7	4.5	3.1	4.7	35.3	10	2201
	10 LST	3.3	3.0	1.1	1.2	0.3	0.9	2.0	4.8	5.3	4.9	3.1	3.2	33.1	10	2421
	16 LST	3.0	3.1	0.8	1.1	0.3	1.5	1.9	3.9	4.6	5.6	2.9	2.2	30.9	10	2310
	22 LST	2.6	2.8	0.8	1.5	0.2	1.2	2.8	3.0	4.4	5.5	2.5	2.9	30.2	10	2293
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	04 LST	0.0	0.0	0.0	0.0	0.0	0.6	6.0	3.4	1.0	0.0	0.0	0.0	11.0	10	3180
	10 LST	0.0	0.0	0.0	0.0	0.1	1.5	7.5	3.6	0.7	0.0	0.0	0.0	13.4	10	3236
	16 LST	0.0	0.0	0.0	0.0	0.0	1.8	9.2	6.2	0.9	0.0	0.0	0.0	18.1	10	3312
	22 LST	0.0	0.0	0.0	0.0	0.1	1.4	6.7	3.5	0.3	0.0	0.0	0.0	12.0	10	3250
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	04 LST	13.9	12.4	9.6	8.7	4.9	2.7	2.1	2.5	1.0	4.4	10.4	10.1	82.7	10	3193
	10 LST	14.0	8.4	7.4	9.0	4.4	3.6	2.4	2.1	1.3	3.7	8.0	11.8	76.1	10	3248
	16 LST	13.2	8.6	6.9	8.0	4.7	2.9	2.5	1.8	0.9	2.6	10.8	11.3	74.2	10	3330
	22 LST	14.5	12.6	9.2	9.5	5.7	2.5	2.7	1.7	1.2	4.4	11.4	10.6	86.0	10	3268
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	04 LST	24.3	21.0	22.8	21.8	18.7	13.7	11.4	11.7	10.7	16.9	20.0	21.5	214.5	10	3182
	10 LST	23.0	20.4	20.6	21.2	18.6	13.5	12.8	10.2	10.0	14.5	20.6	21.9	207.3	10	3216
	16 LST	23.0	18.8	21.1	21.8	19.2	15.1	12.9	13.1	10.8	15.9	20.6	21.4	213.7	10	3304
	22 LST	24.1	20.3	22.1	21.8	18.6	13.8	12.3	12.6	10.4	16.2	20.6	21.0	213.8	10	3245
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	04 LST	22.6	19.4	20.7	19.7	13.4	8.7	8.6	8.0	4.1	11.5	16.9	18.5	172.1	10	3182
	10 LST	21.4	18.1	19.0	19.0	13.3	9.5	10.3	6.7	5.4	10.9	16.8	18.9	169.3	10	3216
	16 LST	21.5	17.0	19.9	20.0	14.4	10.3	9.5	8.6	5.3	10.7	16.5	18.1	171.8	10	3304
	22 LST	22.4	18.9	20.6	19.8	13.8	8.3	8.7	7.8	4.9	11.6	17.3	17.3	172.0	10	3245
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	04 LST	22.4	19.2	20.4	19.5	13.2	8.7	8.6	7.7	3.8	11.2	16.5	18.1	169.3	10	3182
	10 LST	21.1	17.8	18.9	18.7	13.0	9.5	10.2	6.6	5.3	10.6	16.6	18.5	166.8	10	3216
	16 LST	21.4	16.8	19.8	19.7	14.0	10.2	9.4	8.5	4.8	10.5	16.3	17.9	169.3	10	3304
	22 LST	22.2	18.6	20.4	19.4	13.4	8.0	8.4	7.6	4.6	11.1	16.9	17.5	168.1	10	3245

AREA 01

USSR	FRANZ JOSEF LAND	LATITUDE 8030N LONGITUDE 05500E													
BOUNDARIES															
PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	
MEAN MAX TMP (F)		-11	-12	-8	3	16	32	36	35	29	13	4	-1	11	
MEAN MIN TMP (F)		-22	-23	-20	-7	7	26	31	30	23	4	-6	-10	3	
LARGEST MEAN PRECIP(IN)		1.74	1.71	1.63	1.19	0.88	0.98	1.52	1.57	1.54	1.95	1.61	2.19	18.5	
SMALLEST MEAN PRECIP(IN)		1.27	1.17	1.14	0.67	0.59	0.94	1.09	1.19	1.33	1.21	1.49	1.76	13.8	
		MEAN NUMBER OF DAYS													
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	03 LST	25.8	22.4	24.7	23.8	25.2	21.5	17.4	18.0	20.5	24.9	23.8	25.7	273.7	
	09 LST	25.3	22.0	22.7	23.2	24.4	22.1	19.4	18.2	20.8	23.6	24.6	25.8	272.1	
	15 LST	25.8	21.0	22.4	23.8	25.7	23.3	20.1	19.6	20.2	24.3	24.4	25.6	276.2	
	21 LST	27.0	22.0	23.5	24.6	26.1	23.7	18.3	18.8	20.3	24.7	24.3	25.2	278.5	
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	03 LST	16.6	13.5	15.2	12.6	11.1	7.2	6.1	7.2	5.2	9.4	13.0	14.5	131.6	
	09 LST	15.0	12.1	14.5	12.4	9.5	6.4	8.0	6.8	5.3	7.7	12.2	13.9	123.8	
	15 LST	16.7	12.4	13.9	11.7	9.6	7.8	8.0	8.5	5.7	8.4	12.6	14.4	129.7	
	21 LST	16.4	13.1	14.1	12.0	10.4	8.5	6.9	7.7	5.4	8.2	12.7	13.8	129.2	
SFC WND = GTR 17 KTS AND NO PRECIP.	03 LST	2.4	1.3	0.3	0.8	0.1	0.8	2.5	3.9	4.3	3.1	1.9	3.3	24.7	
	09 LST	2.5	1.5	0.6	0.6	0.2	0.6	2.2	3.4	4.8	3.4	2.4	2.9	25.1	
	15 LST	2.0	1.6	0.4	0.6	0.2	0.8	2.8	3.7	3.3	3.8	2.0	1.7	22.9	
	21 LST	2.0	1.4	0.4	0.8	0.1	0.7	2.4	3.1	3.6	3.6	1.9	2.6	22.6	
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	03 LST	0.0	0.0	0.0	0.0	0.0	1.0	3.3	4.6	0.6	0.0	0.0	0.0	11.5	
	09 LST	0.0	0.0	0.0	0.0	0.1	1.9	8.0	4.2	0.8	0.0	0.0	0.0	15.0	
	15 LST	0.0	0.0	0.0	0.0	0.0	2.6	9.2	6.5	0.8	0.0	0.0	0.0	12.1	
	21 LST	0.0	0.0	0.0	0.0	0.1	1.6	6.1	4.6	0.3	0.0	0.0	0.0	12.7	
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	03 LST	13.5	12.3	9.9	8.5	4.5	2.6	2.2	2.5	1.1	4.8	9.9	11.1	82.9	
	09 LST	13.7	8.8	7.1	8.3	4.3	3.1	2.5	2.1	1.1	3.3	8.6	11.4	74.3	
	15 LST	13.3	8.9	7.1	7.7	4.9	2.5	2.6	2.3	1.3	2.8	9.5	11.5	74.6	
	21 LST	14.0	12.9	9.5	8.5	4.6	2.5	2.3	1.8	1.3	4.6	10.7	10.7	83.4	
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	03 LST	23.0	20.1	21.5	20.1	15.0	11.5	9.2	10.2	8.2	15.3	18.7	21.0	193.8	
	09 LST	22.4	19.1	19.7	19.1	15.2	10.7	11.0	9.7	8.8	13.3	18.9	21.2	189.1	
	15 LST	22.7	18.6	19.9	19.8	16.0	12.5	11.6	11.4	9.0	14.2	18.4	21.2	195.5	
	21 LST	23.4	19.8	21.0	19.9	15.5	12.6	9.8	10.6	8.3	14.4	19.0	20.5	194.8	
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	03 LST	21.9	18.9	20.0	18.7	11.4	8.3	7.2	7.7	4.2	11.6	16.4	18.7	165.0	
	09 LST	21.2	17.7	18.7	17.5	11.7	8.2	8.9	7.5	5.8	10.7	16.2	18.6	162.7	
	15 LST	21.7	17.3	19.1	18.5	12.9	9.5	9.1	8.9	5.6	10.6	15.6	18.8	167.6	
	21 LST	22.2	18.9	20.2	18.3	12.3	8.8	7.5	7.7	4.9	11.4	16.9	18.5	167.6	
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	03 LST	21.6	18.8	19.8	18.6	11.3	8.2	7.2	7.5	4.0	11.1	16.2	18.4	162.7	
	09 LST	21.0	17.5	18.6	17.4	11.6	8.2	8.8	7.4	5.7	10.4	16.1	18.3	161.0	
	15 LST	21.6	17.2	19.0	18.3	12.7	9.4	9.1	8.8	5.4	10.4	15.5	18.6	166.0	
	21 LST	22.1	18.7	20.0	18.1	12.0	8.5	7.3	7.5	4.7	11.1	16.7	18.2	164.9	

MYS ZHELANIYA, USSR

STA NO. 20353 (IN AREA NUMBER 02)

LATITUDE 7657N

LONGITUDE 06835E

ELEVATION(FT) 00026

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PJR (YRS)	NO. OBS
ABS MAX TMP (F)	36	34	34	41	55	59	70	70	59	46	41	37	70	30	-660
MEAN MAX TMP (F)	4	5	2	9	22	31	40	40	35	26	14	7	20	28	-160
MEAN MIN TMP (F)	-9	-9	-11	-4	13	26	32	33	29	19	3	-5	10	28	-160
ABS MIN TMP (F)	-51	-47	-56	-36	-24	-4	9	19	3	-17	-36	-42	-56	28	-660
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	2918
MEAN NO DYS TMP = OR LES 32(F)	31.0	28.0	31.0	30.0	31.0	28.6	18.9	18.4	24.9	30.4	30.0	31.0	333.2	10	2974
MEAN NO DYS TMP = OR LES 0(F)	26.5	24.0	27.1	19.5	4.0	0.1	0.0	0.0	0.0	4.7	15.8	19.8	141.5	10	2974
MEAN DEW PT TMP (F)	-13	-14	-13	-1	11	28	35	34	29	15	2	-3	9	10	20883
MEAN REL HUM (PCT)	83	82	84	85	87	91	92	93	90	86	85	82	87	10	20883
MEAN PRESS ALT (FT)	156	142	172	-34	66	183	93	71	186	222	47	44	112	5	12328
MEAN PRECIP (IN)	1.98	2.15	2.18	2.16	1.70	1.19	1.11	1.85	1.89	1.61	1.15	1.78	20.8	10	2513
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = OR GTR 0.1 IN	13.0	11.1	12.3	13.9	16.3	9.9	9.8	12.3	14.6	17.1	12.4	12.8	155.7	10	2513
MEAN NO DYS SNFL = OR GTR 1.5 IN														0	0
MEAN NO DYS W/O CUR VS 3Y LES 1/2 MI	3.2	6.1	4.9	5.2	3.7	2.1	5.1	4.3	1.8	1.1	1.7	2.1	41.3	10	20736
MEAN NO DYS TSTHS	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.2	10	3389
P FREQ WND SPD = OR GTR 17 KTS	43.4	47.4	39.8	47.1	40.3	32.9	33.5	28.4	35.2	43.5	41.7	41.6	39.6	10	20919
P FREQ WND SPD = OR GTR 28 KTS	17.1	22.7	15.1	18.6	11.6	4.5	8.5	5.0	7.8	14.0	13.8	12.4	12.6	10	20919
P FREQ LES 5000 FT A/D LES 5 MI	43.9	49.6	45.1	55.6	73.9	72.7	64.1	72.8	84.0	78.8	57.0	53.4	62.6	10	20736
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	30.9	36.5	25.8	41.1	46.7	50.2	50.5	60.1	47.3	47.3	36.6	30.8	42.0	10	1636
03-05 LST	27.9	32.7	22.4	42.0	45.8	49.6	47.5	57.5	52.2	48.7	31.5	28.7	41.4	10	3392
06-08 LST	31.6	37.9	25.1	38.8	56.2	50.6	48.3	45.3	46.2	47.5	31.8	32.6	41.0	10	1596
09-11 LST	29.9	34.8	35.7	43.2	50.0	46.0	44.5	53.4	53.9	50.8	34.9	32.1	42.4	10	3490
12-14 LST	28.2	42.1	37.2	41.7	45.9	44.3	49.0	53.1	54.1	49.5	37.8	34.6	43.4	10	1965
15-17 LST	29.3	32.7	33.8	41.4	46.0	43.8	42.5	52.6	51.5	48.7	36.6	32.0	40.9	10	3550
18-20 LST	33.3	35.4	27.4	41.4	51.5	45.5	46.0	58.8	54.0	51.0	38.5	44.0	43.9	10	1631
21-23 LST	30.2	33.4	32.0	36.1	43.9	47.7	46.3	54.5	48.4	47.8	34.4	30.0	40.4	10	3476
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	15.7	13.7	10.2	15.4	10.7	10.6	23.9	22.7	9.5	9.1	10.5	7.3	13.3	10	1636
03-05 LST	10.8	16.3	14.2	22.0	9.6	13.2	18.7	22.4	9.5	5.8	7.5	9.2	13.3	10	3392
06-08 LST	15.5	18.0	12.9	21.4	17.5	10.1	15.1	18.0	12.8	6.7	7.5	9.9	13.8	10	1596
09-11 LST	12.2	17.5	18.8	23.8	16.7	9.5	15.1	17.2	9.8	7.0	9.1	9.5	13.9	10	3490
12-14 LST	10.8	26.9	22.9	25.3	19.2	8.3	16.5	16.9	10.3	8.6	9.1	11.5	15.5	10	1965
15-17 LST	11.0	17.5	18.5	21.6	14.9	10.1	16.2	15.5	10.0	7.2	9.4	10.6	13.5	10	3550
18-20 LST	13.3	18.0	14.1	22.3	19.4	11.5	18.8	14.6	11.2	8.9	8.6	12.2	14.4	10	1631
21-23 LST	13.3	15.4	17.0	16.3	10.3	13.3	17.9	18.7	8.2	7.1	9.6	9.8	13.1	10	3476

MYS ZHELANIYA, USSR

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	05 LST	23.7	20.3	22.6	18.8	20.9	18.7	19.2	15.7	19.4	21.7	23.1	24.5	248.1	10	3392
	11 LST	22.8	19.4	21.2	19.0	19.7	20.2	20.1	18.0	18.6	19.8	23.7	23.3	245.8	10	3490
	17 LST	23.1	20.3	21.8	19.5	20.8	21.0	20.1	17.6	18.4	20.7	22.8	23.9	250.0	10	3350
	23 LST	22.9	20.3	22.2	21.5	21.4	19.3	18.6	15.3	19.7	20.5	22.4	24.4	249.7	10	3476
CIG = GTR 2000 FT AND VSBY = GTR 3 MI 1/2 SFC WND LES 10 KTS	05 LST	10.0	8.5	11.2	8.2	6.9	5.7	6.9	5.3	3.9	4.8	8.4	8.3	88.1	10	3386
	11 LST	10.1	8.3	10.5	7.0	5.4	5.3	6.4	4.6	3.9	5.4	7.8	7.7	82.4	10	3486
	17 LST	9.5	7.0	10.0	6.6	6.5	4.9	6.3	5.0	4.1	4.8	7.5	8.9	81.1	10	3545
	23 LST	9.8	6.4	11.2	8.6	6.8	5.2	7.0	5.7	4.5	5.1	8.6	9.4	88.3	10	3470
SFC WND = GTR 17 KTS AND NO PRECIP.	05 LST	8.0	6.6	5.2	4.3	1.7	1.7	6.9	3.8	6.0	8.0	7.5	7.1	66.8	10	2325
	11 LST	7.3	6.6	5.9	5.8	1.6	2.1	7.2	5.8	6.3	6.6	6.7	7.7	69.6	10	2481
	17 LST	8.7	7.6	5.8	5.1	1.2	1.8	7.4	5.1	7.0	8.0	7.2	7.8	72.7	10	2439
	23 LST	7.2	7.1	3.9	3.4	1.9	1.5	7.6	4.5	5.6	7.3	7.7	7.8	65.7	10	2432
SFC WND 4-10 KTS AND THP 33-89 DEG F AND NO PRECIP.	05 LST	0.0	0.0	0.0	0.0	0.0	1.5	4.9	4.2	2.4	0.0	0.1	0.0	13.1	10	3407
	11 LST	0.0	0.0	0.0	0.0	0.1	1.4	7.1	6.8	3.3	0.3	0.0	0.0	19.0	10	3512
	17 LST	0.0	0.0	0.0	0.0	0.1	2.2	6.1	5.4	2.2	0.3	0.0	0.0	16.5	10	3562
	23 LST	0.0	0.0	0.0	0.0	0.1	1.6	4.9	4.2	2.1	0.2	0.0	0.0	13.1	10	3484
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	05 LST	13.7	10.1	9.2	6.4	2.7	2.0	3.0	2.5	0.9	2.7	8.9	10.2	72.3	10	3408
	11 LST	10.3	7.3	8.4	7.0	3.4	2.5	3.7	3.3	1.4	1.2	7.1	8.9	64.5	10	3510
	17 LST	11.9	7.3	7.8	6.6	2.6	2.7	4.0	4.0	1.2	1.8	7.5	9.2	66.6	10	3568
	23 LST	13.0	9.7	10.3	7.4	2.4	2.7	3.1	3.0	1.6	4.1	9.5	9.3	76.1	10	3487
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	05 LST	21.1	17.4	19.6	15.8	12.2	10.6	12.5	10.0	7.8	10.2	17.5	19.7	174.4	10	3392
	11 LST	20.6	17.1	18.8	15.1	10.9	11.4	13.7	10.3	7.6	9.5	14.8	18.6	168.4	10	3490
	17 LST	20.7	17.3	19.4	15.6	12.0	11.7	14.3	11.3	8.7	10.0	15.2	18.0	174.0	10	3350
	23 LST	20.5	17.1	20.1	16.7	12.4	11.1	14.0	10.8	9.4	11.0	16.6	19.2	178.9	10	3476
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	05 LST	19.5	16.0	18.7	14.4	9.5	7.3	10.1	8.1	4.1	7.5	15.0	17.4	147.6	10	3392
	11 LST	19.2	15.9	17.7	14.0	8.9	9.0	12.4	8.6	4.7	6.3	12.8	15.4	144.9	10	3490
	17 LST	19.3	15.9	18.6	14.5	9.2	8.8	11.3	8.6	4.5	6.4	12.9	15.3	145.3	10	3550
	23 LST	18.8	15.9	19.1	14.6	9.4	8.3	11.0	8.3	4.6	8.0	14.6	17.0	149.6	10	3476
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	05 LST	19.1	15.2	18.1	14.1	8.9	7.3	9.5	7.7	4.1	7.1	14.7	16.8	142.6	10	3392
	11 LST	18.7	15.9	17.4	14.0	8.8	9.0	12.0	8.6	4.5	6.1	12.4	15.0	142.4	10	3490
	17 LST	18.9	15.7	18.0	13.8	8.9	8.8	10.9	8.4	4.3	6.1	12.4	14.7	140.9	10	3550
	23 LST	18.2	15.7	18.7	14.2	8.9	8.1	10.6	7.9	4.5	7.6	14.4	16.3	145.1	10	3476

RUSSKAYA GAVAN', USSR

STA NO. 20357 (IN AREA NUMBER 02)

LATITUDE 7611N

LONGITUDE 06234E

ELEVATION(FT) 00030

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	37	39	36	43	61	66	73	64	63	48	43	37	73	21	-660
MEAN MAX TMP (F)	10	9	7	15	26	37	44	43	37	28	19	13	24	21	-160
MEAN MIN TMP (F)	-4	-4	-7	0	16	29	35	35	30	20	7	0	13	21	-160
ABS MIN TMP (F)	-45	-44	-51	-33	-22	-2	10	23	3	-15	-33	-40	-51	21	-660
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	2741
MEAN NO DYS TMP = DR LES 32(F)	31.0	28.0	31.0	29.9	30.7	24.5	8.8	9.5	21.6	29.6	29.7	31.0	305.3	10	2932
MEAN NO DYS TMP = DR LES 0(F)	24.8	21.2	22.8	14.1	3.5	0.0	0.0	0.0	0.0	1.9	11.9	15.6	115.8	10	2932
MEAN DEW PT TMP (F)	-5	-7	-7	4	13	28	36	35	28	16	5	1	12	10	18799
MEAN REL HUM (PCT)	82	85	83	83	84	83	84	85	81	80	81	81	83	10	18799
MEAN PRESS ALT (FT)	176	174	152	-66	37	160	86	62	174	215	42	42	105	5	10256
MEAN PRECIP (IN)	1.95	1.70	1.39	1.85	1.38	1.27	1.64	1.53	1.77	1.68	1.33	1.51	19.0	10	2484
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = DR GTR 0.1 IN	12.9	12.0	11.2	12.9	15.8	11.8	10.9	11.2	13.2	15.5	12.7	12.5	152.6	10	2484
MEAN NO DYS SNFL = DR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	3.1	2.5	2.3	2.2	1.0	1.5	1.3	1.2	0.4	0.6	1.5	1.3	16.9	10	18683
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.3	0.0	0.2	0.0	0.0	0.6	10	3283
P FREQ WND SPD = DR GTR 17 KTS	33.0	36.9	29.8	31.4	24.3	23.5	19.9	16.2	27.6	35.9	34.0	37.3	29.2	10	18826
P FREQ WND SPD = DR GTR 28 KTS	15.8	18.3	14.4	12.6	6.0	7.2	4.5	3.2	7.5	11.1	12.6	14.0	10.6	10	18826
P FREQ LES 5000 FT A/D LES 3 MI	44.8	49.7	42.0	50.9	68.1	65.4	62.1	61.6	67.0	72.9	56.5	52.6	57.8	10	18683
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	20.0	25.4	21.7	22.9	34.5	34.7	39.0	32.4	31.3	32.2	21.2	23.1	28.2	10	1211
03-05 LST	23.3	26.0	21.5	29.1	36.7	38.9	35.1	36.1	24.3	33.8	25.7	25.4	29.8	10	3284
06-08 LST	28.1	25.0	19.7	25.2	42.8	47.4	37.3	33.3	17.9	32.2	27.3	26.7	30.2	10	1156
09-11 LST	27.5	28.9	24.2	28.1	32.7	35.1	31.6	32.4	23.1	33.4	26.8	23.8	29.0	10	3436
12-14 LST	26.3	38.3	23.9	23.4	29.2	33.0	33.2	33.1	22.6	33.7	36.2	20.8	29.5	10	1579
15-17 LST	28.0	32.2	22.3	26.3	28.3	33.2	28.9	30.8	26.1	33.0	31.5	25.9	28.9	10	3453
18-20 LST	35.7	35.2	16.9	26.2	33.9	30.4	35.7	37.3	30.3	33.0	27.5	28.0	30.1	10	1170
21-23 LST	24.4	27.8	23.5	25.6	34.1	35.1	32.9	35.7	29.9	32.5	25.8	28.0	29.6	10	3394
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	4.1	9.3	3.3	5.9	5.9	8.1	11.4	7.4	2.6	4.5	5.4	9.2	6.4	10	1211
03-05 LST	9.4	8.5	6.7	6.3	7.6	9.6	9.9	7.2	2.0	5.1	5.3	7.5	7.3	10	3284
06-08 LST	13.6	10.5	6.7	11.8	6.5	11.1	11.0	5.3	1.9	4.0	6.3	7.8	8.0	10	1156
09-11 LST	9.3	11.2	10.7	10.8	3.8	2.4	8.2	4.0	1.7	4.0	5.4	5.7	6.4	10	3436
12-14 LST	9.8	16.8	9.1	8.9	1.5	3.9	2.5	4.0	0.4	3.9	8.8	5.4	6.3	10	1579
15-17 LST	9.8	11.4	8.5	7.7	3.0	2.4	4.2	1.8	1.1	5.0	7.2	6.9	5.8	10	3453
18-20 LST	14.0	7.3	6.9	8.4	5.3	2.7	6.5	3.0	3.5	5.2	8.2	11.4	6.9	10	1170
21-23 LST	9.5	11.2	7.1	6.1	4.7	5.4	6.2	6.4	1.6	4.6	5.6	8.7	6.4	10	3394

RUSSKAYA GAVAN', USSR

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	04 LST	24.4	22.0	25.7	24.3	23.6	21.4	23.1	22.1	27.4	25.1	25.1	24.7	288.9	10	3294
	10 LST	23.9	21.2	24.7	23.8	24.9	22.7	24.3	24.2	26.5	24.9	25.3	25.2	291.0	10	3436
	16 LST	23.6	20.2	25.2	24.6	26.1	23.4	25.0	24.6	25.8	25.6	23.8	24.9	292.8	10	3453
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	04 LST	14.4	13.0	17.1	13.3	11.6	8.5	11.5	11.3	9.5	8.3	11.2	13.1	142.8	10	3394
	10 LST	14.8	13.2	16.5	11.4	12.2	9.9	11.4	11.8	10.7	8.4	10.8	12.6	143.7	10	3432
	16 LST	15.1	12.6	16.6	13.2	12.5	10.0	12.2	11.7	9.6	8.8	10.4	13.7	146.4	10	3449
SPC WND = GTR 17 KTS AND NO PRECIP.	04 LST	8.3	6.1	7.3	5.4	1.9	3.6	4.0	3.3	6.1	6.3	6.6	8.3	67.2	10	1518
	10 LST	6.6	7.7	5.7	8.9	2.4	3.2	5.4	2.7	6.2	6.4	6.0	6.6	67.8	10	1703
	16 LST	7.6	7.3	5.9	5.8	3.3	3.9	5.6	3.9	6.0	6.4	4.8	6.8	67.3	10	1605
SPC WND 4-13 KTS AND TMP 33-89 DEG F AND NO PRECIP.	04 LST	0.0	0.0	0.0	0.0	0.1	2.1	5.7	4.2	2.2	0.3	0.0	0.0	14.6	10	1621
	10 LST	0.0	0.0	0.0	0.1	0.5	4.4	7.9	8.3	3.8	0.2	0.1	0.0	25.3	10	3445
	16 LST	0.0	0.0	0.0	0.1	0.4	4.4	10.3	9.3	4.2	1.0	0.2	0.0	29.9	10	3459
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	04 LST	12.6	10.0	11.0	6.8	4.0	3.3	4.4	3.7	3.2	4.9	9.0	10.0	82.9	10	3402
	10 LST	11.0	5.9	9.1	6.6	4.7	3.5	4.0	4.9	3.3	3.0	5.5	7.5	69.0	10	3297
	16 LST	11.3	6.8	9.2	8.1	4.4	4.2	4.3	6.2	3.8	2.8	7.9	9.1	78.1	10	3455
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	04 LST	21.6	19.3	22.4	18.1	14.2	15.8	15.6	15.4	15.4	14.7	19.1	21.0	210.6	10	3462
	10 LST	20.3	18.4	22.1	18.2	15.5	14.6	16.2	16.4	17.0	14.5	17.6	20.7	212.1	10	3412
	16 LST	20.5	17.8	22.7	19.5	17.0	15.0	17.2	16.9	16.3	13.8	16.9	20.3	213.9	10	3284
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	04 LST	21.6	18.9	21.7	19.2	15.5	14.3	16.6	15.5	14.4	14.8	18.8	19.8	211.1	10	3436
	10 LST	18.3	15.8	18.5	14.6	8.7	9.9	10.7	10.6	8.4	9.2	14.9	16.4	196.0	10	3453
	16 LST	16.6	14.6	19.4	15.6	10.8	9.5	11.5	11.8	10.0	8.0	11.9	14.8	194.6	10	3394
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	04 LST	18.6	15.5	18.1	14.7	10.5	10.2	11.3	11.0	9.6	8.7	13.8	15.5	157.5	10	3284
	10 LST	16.8	14.4	20.0	16.8	11.3	10.8	12.0	12.9	10.6	7.4	13.0	14.6	160.6	10	3436
	16 LST	17.3	14.8	17.5	13.4	7.9	9.6	9.8	9.9	7.7	8.3	14.0	15.4	145.6	10	3453
	04 LST	17.3	14.8	17.5	13.4	7.9	9.6	9.8	9.9	7.7	8.3	14.0	15.4	145.6	10	3284
	10 LST	15.8	13.0	18.4	14.8	10.3	9.3	10.3	11.2	9.4	7.6	10.2	13.8	144.6	10	3436
	16 LST	16.1	13.7	18.9	16.0	10.5	10.4	11.2	12.4	10.0	6.8	11.9	13.3	151.2	10	3453
	22 LST	17.8	14.4	17.0	13.7	9.5	10.0	10.1	10.8	8.7	8.0	13.1	15.0	146.1	10	3394

MALYYE KARMAKULY, USSR

STA NO. 20744 (IN AREA NUMBER 02) LATITUDE 7223N LONGITUDE 09244E ELEVATION(FT) 00052

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	36	36	36	43	57	72	82	75	64	50	41	37	82	43	-660
MEAN MAX TMP (F)	13	12	12	20	29	40	49	48	41	31	22	17	28	38	-160
MEAN MIN TMP (F)	2	0	-1	8	20	31	39	40	35	24	13	6	18	60	-160
ABS MIN TMP (F)	-42	-40	-47	-26	-11	1	14	28	9	-6	-29	-33	-47	62	-660
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	2495
MEAN NO DYS TMP = OR LES 32(F)	30.9	28.0	31.0	29.9	30.6	22.2	2.7	1.9	11.3	26.9	28.9	31.0	275.3	10	2672
MEAN NO DYS TMP = OR LES 0(F)	17.4	15.1	15.4	10.3	1.7	0.0	0.0	0.0	0.0	0.5	7.1	9.9	77.4	10	2672
MEAN DEW PT TMP (F)	-3	-5	-1	7	17	31	41	40	33	21	11	7	17	10	19356
MEAN REL HUM (PCT)	75	76	77	77	80	85	83	85	84	82	80	79	80	10	19356
MEAN PRESS ALT (FT)	185	201	256	0	23	163	127	100	229	264	97	92	145	5	12307
MEAN PRECIP (IN)	1.67	1.74	1.31	1.37	0.82	1.70	2.40	1.73	1.73	1.75	1.73	1.69	19.6	10	2060
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = OR GTR 0.1 IN	13.0	12.2	12.4	11.1	10.9	13.2	10.9	12.0	12.4	14.2	11.2	12.6	147.0	10	2060
MEAN NO DYS SNFL = OR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	1.5	1.6	1.0	1.8	1.6	2.2	2.0	2.6	1.5	0.9	1.3	1.5	19.5	10	19228
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	0.0	0.1	0.8	0.0	0.3	0.0	0.0	0.0	1.2	10	2889
P FREQ WND SPD = OR GTR 17 KTS	48.3	45.8	41.0	38.4	24.4	25.0	23.6	26.0	33.1	35.4	41.9	51.1	36.2	10	19397
P FREQ WND SPD = OR GTR 28 KTS	21.3	21.6	17.7	14.4	6.0	9.3	8.0	8.1	6.7	10.2	13.6	18.7	13.0	10	19397
P FREQ LES 5000 FT A/D LES 5 MI	54.6	54.5	51.4	52.4	60.4	65.8	55.6	60.7	67.3	64.3	58.9	61.9	59.0	10	19228
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	32.7	37.8	24.6	30.2	28.8	39.6	32.1	29.0	26.5	35.7	31.2	28.6	31.4	10	1611
03-05 LST	31.6	32.0	23.3	27.9	30.0	39.2	35.4	35.2	28.1	28.1	28.7	30.1	30.8	10	2771
06-08 LST	32.8	34.8	31.5	31.1	31.4	43.6	34.5	37.4	27.6	26.3	31.8	28.5	32.6	10	1586
09-11 LST	29.0	36.0	29.9	27.5	25.8	33.5	29.7	26.6	20.6	29.1	27.4	29.5	28.7	10	3251
12-14 LST	32.6	38.7	33.8	30.4	29.3	27.3	27.2	29.1	23.3	26.1	36.0	34.7	30.7	10	1951
15-17 LST	33.8	34.3	29.6	29.5	25.9	30.8	28.0	23.7	22.9	28.6	30.8	32.4	29.2	10	3354
18-20 LST	28.2	36.3	32.1	29.3	25.3	37.0	30.7	24.6	27.9	26.2	29.8	30.5	29.8	10	1666
21-23 LST	30.5	31.2	25.8	31.5	25.4	35.5	29.9	25.7	24.9	27.7	30.8	29.7	29.1	10	3038
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	8.2	8.5	7.6	5.4	8.5	10.1	13.2	11.0	2.2	4.0	5.2	8.0	7.7	10	1611
03-05 LST	8.8	8.7	4.2	7.2	7.7	11.8	11.9	10.5	2.8	4.8	6.1	6.3	7.6	10	2771
06-08 LST	9.2	10.4	6.2	11.3	6.6	12.8	10.8	13.2	3.0	4.3	7.4	5.9	8.4	10	1586
09-11 LST	7.2	11.0	7.6	6.3	4.7	9.5	9.0	5.6	1.8	5.2	6.1	6.5	6.7	10	3251
12-14 LST	8.3	7.4	10.2	7.0	3.1	7.0	6.1	5.1	2.7	4.3	6.4	9.0	6.4	10	1951
15-17 LST	9.6	11.6	8.6	6.7	3.6	8.9	9.2	4.5	3.4	3.8	6.6	7.7	7.0	10	3354
18-20 LST	7.5	7.2	8.7	7.1	4.2	10.4	10.1	6.3	6.5	4.0	5.8	5.9	7.0	10	1666
21-23 LST	9.1	7.3	7.2	8.6	5.8	12.4	10.2	6.8	4.0	5.6	4.5	5.4	7.3	10	3038

MALYYE KARMAKULY, USSR

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	04 LST	23.9	21.2	26.1	23.9	25.4	22.8	22.7	23.8	26.7	25.6	24.4	24.7	291.2	10	2771
	10 LST	25.2	20.3	24.2	24.2	26.3	23.2	24.4	25.5	28.0	25.8	25.3	25.4	297.8	10	3251
	16 LST	23.1	20.8	23.8	24.7	27.0	23.5	24.8	26.9	26.7	26.3	24.0	24.6	296.2	10	3354
	22 LST	23.6	21.4	25.6	23.2	26.3	22.8	24.3	25.5	26.5	26.1	24.3	25.0	294.6	10	3038
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	04 LST	7.7	8.7	10.4	10.9	10.1	6.6	8.3	8.0	6.2	8.3	7.8	7.2	100.2	10	2768
	10 LST	8.5	8.6	11.0	11.0	10.6	8.4	10.5	9.2	8.1	8.7	7.3	5.8	107.7	10	3243
	16 LST	8.4	7.7	10.7	7.9	9.1	9.6	9.0	8.9	7.6	8.5	7.9	6.7	102.0	10	3353
	22 LST	8.9	8.4	10.4	8.4	11.3	8.2	9.6	10.2	7.5	8.5	8.0	7.4	106.8	10	3034
SFC WND = GTR 17 KTS AND NO PRECIP.	04 LST	7.5	7.3	4.3	5.7	3.1	6.1	6.6	6.5	7.1	4.3	10.5	11.0	80.0	10	1058
	10 LST	7.3	6.9	4.8	5.2	1.6	7.2	5.7	6.8	6.9	5.7	9.6	11.1	78.8	10	1398
	16 LST	6.5	6.6	4.8	5.6	1.4	4.6	6.7	5.2	7.6	6.1	8.6	9.6	73.3	10	1309
	22 LST	6.0	6.1	5.4	3.3	1.7	5.3	6.4	4.9	7.9	6.6	6.4	10.6	72.6	10	1166
SF. WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	04 LST	0.0	0.0	0.0	0.0	0.5	1.1	8.3	8.2	4.1	0.8	0.6	0.0	23.6	10	2788
	10 LST	0.0	0.0	0.0	0.0	0.5	3.1	9.9	8.3	6.3	1.2	0.3	0.0	29.6	10	3264
	16 LST	0.0	0.0	0.0	0.2	1.1	5.0	9.9	9.3	7.1	0.9	0.3	0.0	33.8	10	3368
	22 LST	0.0	0.0	0.0	0.1	0.6	3.4	8.6	7.5	5.6	0.8	0.4	0.0	27.0	10	3044
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	04 LST	9.6	10.7	11.3	8.9	4.9	3.7	4.4	3.7	2.5	5.8	9.2	9.8	84.5	10	2787
	10 LST	7.1	6.4	7.7	7.9	6.6	3.0	5.5	3.6	1.6	3.2	5.7	6.6	64.9	10	3273
	16 LST	7.8	7.7	8.4	8.2	5.1	3.9	6.4	4.1	1.6	3.2	6.4	6.7	69.5	10	3374
	22 LST	10.1	10.9	10.9	8.3	5.3	3.5	5.6	4.5	2.9	4.9	8.7	10.5	86.1	10	3054
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	04 LST	18.0	16.7	20.5	18.5	16.0	12.5	15.5	14.7	13.5	17.3	17.2	17.6	198.0	10	2771
	10 LST	18.0	15.0	18.8	18.8	18.2	14.9	17.6	17.6	16.7	15.8	16.9	16.8	205.1	10	3251
	16 LST	17.3	16.3	19.1	17.2	17.2	16.3	18.2	18.7	16.4	15.9	16.2	16.3	205.1	10	3354
	22 LST	18.8	17.2	19.9	17.3	17.7	14.3	17.6	18.3	15.9	16.5	15.8	17.7	207.0	10	3038
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	04 LST	14.8	14.0	16.4	14.9	10.5	8.2	11.7	10.4	8.0	13.1	13.3	13.7	149.0	10	2771
	10 LST	13.8	11.5	15.9	15.5	13.7	10.0	13.7	12.1	10.4	10.3	12.6	11.8	151.3	10	3251
	16 LST	13.9	14.8	15.9	14.3	12.0	10.8	14.6	13.6	9.1	10.6	12.4	12.1	154.1	10	3354
	22 LST	15.0	15.4	16.9	14.3	11.9	9.0	13.6	12.2	9.6	11.5	12.7	13.7	155.4	10	3038
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	04 LST	14.0	13.6	15.8	14.4	10.1	7.4	11.1	9.8	7.8	12.9	13.1	13.1	143.1	10	2771
	10 LST	13.3	10.6	15.5	15.2	13.3	8.8	13.2	11.7	10.0	9.8	12.1	11.6	145.1	10	3251
	16 LST	13.5	14.0	15.7	14.1	11.7	10.0	14.1	13.0	8.6	10.0	12.1	11.6	148.4	10	3354
	22 LST	14.5	14.8	16.4	13.8	11.4	8.1	13.0	11.6	9.1	10.9	11.9	13.5	149.0	10	3038

MYS MENSHIKOVA, USSR

STA NO. 20946 (IN AREA NUMBER 02)

LATITUDE 7027N

LONGITUDE 05040E

ELEVATION(FT) 00033

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	36	32	32	37	39	66	79	75	57	46	45	36	79	10	2442
MEAN MAX TMP (F)	4	2	7	16	26	36	47	45	40	31	19	12	24	10	2442
MEAN MIN TMP (F)	-7	-9	-4	4	16	30	38	39	35	25	12	5	15	10	2536
ABS MIN TMP (F)	-40	-38	-33	-20	-15	12	28	30	19	-9	-22	-26	-40	10	2536
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	2442
MEAN NO DYS TMP = DR LES 32(F)	31.0	28.0	31.0	29.8	30.4	24.4	4.6	3.1	8.0	25.8	29.1	31.0	276.2	10	2536
MEAN NO DYS TMP = DR LES 0(F)	22.4	20.5	18.9	14.9	2.6	0.0	0.0	0.0	0.0	0.3	7.2	11.2	98.0	10	2536
MEAN DEW PT TMP (F)	-5	-7	-2	6	17	30	40	40	35	24	12	6	16	10	17929
MEAN REL HUM (PCT)	84	83	84	83	85	90	90	91	89	86	87	87	87	10	17929
MEAN PRESS ALT (FT)	122	89	169	-57	10	147	116	86	221	243	48	-44	96	5	10077
MEAN PRECIP (IN)	1.52	0.91	0.73	0.79	0.95	1.52	1.47	1.87	1.73	1.52	1.04	0.89	14.9	10	1929
MEAN SNOW FALL (IN)								0.0						10	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	14.7	12.3	13.2	11.5	12.3	10.5	9.2	11.5	12.6	15.6	14.3	15.5	153.2	10	1929
MEAN NO DYS SNFL = DR GTR 1.5 IN								0.0						10	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	1.8	1.9	1.5	1.5	1.9	3.1	4.3	5.3	2.1	1.0	0.7	0.9	26.2	10	17782
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.6	0.2	0.1	0.0	0.0	1.3	10	3010
P FREQ WND SPD = DR GTR 17 KTS	36.3	32.7	32.7	30.8	24.7	18.8	17.2	18.9	36.2	37.9	43.7	46.6	31.4	10	17947
P FREQ WND SPD = DR GTR 28 KTS	10.6	9.2	6.6	5.3	2.1	1.4	0.9	1.2	4.1	5.8	9.1	11.3	5.6	10	17947
P FREQ LES 5000 FT A/D LES 5 MI	51.1	46.7	44.6	45.7	60.1	65.3	51.1	70.6	75.2	78.6	69.9	64.6	60.3	10	17782
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	31.8	30.4	25.9	21.7	34.0	39.1	36.9	53.0	36.4	41.0	35.7	37.5	35.3	10	1200
03-05 LST	27.3	27.0	27.3	32.7	34.9	42.0	36.2	48.9	34.9	37.8	40.4	36.9	35.5	10	3079
06-08 LST	32.3	36.5	28.6	32.9	32.6	36.2	44.0	41.0	43.5	42.9	38.9	39.3	37.4	10	1151
09-11 LST	33.0	36.4	30.5	25.9	26.0	35.6	34.2	43.1	41.1	38.1	40.6	43.2	35.6	10	3234
12-14 LST	39.0	36.3	29.4	17.8	29.0	38.2	30.9	42.5	41.2	37.5	38.9	41.7	35.2	10	1571
15-17 LST	31.5	29.8	21.6	23.7	25.4	37.6	30.6	37.9	42.4	42.7	40.3	41.7	33.8	10	3236
18-20 LST	29.8	35.0	28.0	21.1	26.0	35.7	29.0	40.9	37.7	39.3	44.6	49.7	34.7	10	1182
21-23 LST	33.0	28.7	25.1	26.5	32.7	38.5	32.5	41.7	39.1	36.2	40.1	37.8	34.3	10	3129
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	10.5	10.3	7.2	2.6	7.0	16.8	21.3	28.5	7.3	4.8	4.6	7.5	10.7	10	1200
03-05 LST	9.4	8.2	7.7	5.5	9.7	18.0	20.2	22.6	7.3	3.2	6.9	5.4	10.3	10	3079
06-08 LST	13.4	6.3	6.6	8.0	10.4	13.5	26.8	20.6	10.2	5.0	6.2	7.5	11.2	10	1151
09-11 LST	9.1	12.1	8.8	5.2	3.2	12.7	17.4	17.4	9.4	3.6	3.2	5.8	9.0	10	3234
12-14 LST	8.5	13.9	8.0	1.0	1.7	12.7	12.3	16.5	9.0	2.6	5.2	6.1	8.1	10	1571
15-17 LST	10.8	9.5	4.7	4.7	3.9	14.2	13.5	17.0	8.3	4.3	5.5	6.0	8.5	10	3236
18-20 LST	10.2	6.9	4.1	1.6	3.0	12.5	12.4	17.8	7.1	3.5	4.7	4.5	7.4	10	1182
21-23 LST	11.7	6.8	4.7	4.0	6.4	17.6	17.4	15.6	10.2	3.0	5.6	6.2	9.1	10	3129

MYS MENSHIKOVA, USSR

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. DBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	04 LST	24.5	22.5	24.3	22.9	23.8	20.3	22.2	19.7	24.6	24.9	22.8	23.2	275.7	10	3079
	10 LST	23.9	19.5	23.9	25.0	27.1	22.7	22.9	21.9	23.5	25.1	24.0	21.8	281.3	10	3234
	16 LST	23.8	20.8	26.1	25.8	27.9	22.7	23.9	22.4	23.1	24.8	23.4	21.5	286.2	10	3236
	22 LST	23.2	21.4	25.3	25.1	25.1	21.2	22.8	21.6	23.5	24.5	23.6	23.5	280.8	10	3129
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	04 LST	10.4	8.7	11.0	8.6	8.5	8.3	10.4	6.5	9.2	4.9	5.0	6.4	93.9	10	3072
	10 LST	8.4	7.9	10.2	7.7	9.8	8.0	9.9	6.6	4.7	4.8	4.4	5.3	86.7	10	3225
	16 LST	10.1	9.4	9.1	7.6	7.5	6.6	10.5	7.2	4.0	4.2	4.9	5.4	86.8	10	3227
	22 LST	9.5	10.1	12.1	9.1	8.4	8.7	12.0	8.1	5.1	5.4	4.8	5.8	99.1	10	3123
SFC WND = GTR 17 KTS AND NO PRECIP.	04 LST	8.5	5.1	4.9	5.6	3.9	4.1	4.3	4.5	8.4	7.1	9.1	8.2	73.7	10	981
	10 LST	7.0	5.7	6.9	10.3	6.4	4.9	4.1	5.0	8.1	5.9	8.3	9.5	82.1	10	1141
	16 LST	8.6	4.8	8.6	7.2	3.4	5.2	5.0	7.4	8.0	7.9	10.8	8.4	85.3	10	1046
	22 LST	6.7	6.0	6.0	6.8	2.7	3.1	2.5	4.1	8.2	4.6	7.9	10.3	68.9	10	1038
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	04 LST	0.0	0.0	0.0	0.0	0.4	3.1	12.7	12.5	7.0	1.0	0.1	0.0	36.8	10	3103
	10 LST	0.0	0.0	0.0	0.0	0.6	6.8	15.0	12.2	8.4	1.5	0.0	0.0	44.5	10	3243
	16 LST	0.0	0.0	0.0	0.0	0.9	7.4	14.4	11.5	7.5	2.0	0.1	0.0	43.8	10	3247
	22 LST	0.0	0.0	0.0	0.0	0.2	4.4	14.4	12.1	6.8	1.3	0.3	0.0	39.5	10	3153
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	04 LST	11.5	11.6	12.5	8.1	5.9	4.1	7.1	3.0	3.3	4.6	6.5	8.0	86.2	10	3111
	10 LST	7.0	7.8	9.9	9.3	6.4	4.3	7.3	3.6	2.6	1.9	3.5	5.4	69.0	10	3251
	16 LST	8.7	9.8	10.9	8.3	5.8	5.2	7.4	3.9	1.7	1.5	4.4	6.9	74.5	10	3257
	22 LST	11.0	12.1	12.6	8.5	6.6	4.2	7.6	3.1	4.2	4.2	6.1	8.6	88.8	10	3152
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	04 LST	20.1	18.6	20.6	17.1	15.2	12.7	16.2	10.9	12.4	12.4	12.2	15.5	183.9	10	3079
	10 LST	17.1	16.3	19.4	19.2	17.0	14.4	17.0	12.4	10.6	11.2	10.8	13.1	178.5	10	3234
	16 LST	18.7	18.7	22.3	19.0	16.6	13.2	18.2	14.0	10.1	9.2	11.2	14.0	185.2	10	3236
	22 LST	18.4	18.7	21.2	18.6	15.3	14.2	18.0	12.5	11.3	13.3	11.7	14.8	188.0	10	3129
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	04 LST	18.4	17.6	18.8	15.6	11.6	9.1	13.9	8.7	8.2	9.1	9.8	13.3	154.1	10	3079
	10 LST	14.6	15.4	17.8	17.4	13.2	10.9	14.9	9.8	7.8	6.8	8.2	10.8	147.6	10	3234
	16 LST	17.1	17.8	20.9	16.4	12.8	10.5	16.4	10.0	7.1	5.7	8.3	11.9	154.9	10	3236
	22 LST	17.0	17.5	19.7	17.0	12.8	11.1	15.8	8.6	7.4	9.1	9.5	12.8	158.3	10	3129
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	04 LST	18.4	17.6	18.5	15.6	11.4	9.1	13.5	8.7	8.2	9.0	9.8	13.3	153.1	10	3079
	10 LST	14.2	15.2	17.5	17.4	13.1	10.7	14.7	9.6	7.6	6.8	8.1	10.6	145.5	10	3234
	16 LST	17.0	17.5	20.8	16.4	12.8	10.5	16.3	10.0	7.1	5.7	8.3	11.8	154.2	10	3236
	22 LST	16.8	17.4	19.7	16.9	12.8	10.9	15.8	8.4	7.4	8.9	9.3	12.7	157.0	10	3129

AREA 02

USSR	NOVAYA ZEMLYA BOUNDARIES	LATITUDE 7400N LONGITUDE 05600E												
PARAMETER DESCRIPTION		JAN	FEB.	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)		8	7	7	15	26	36	45	44	38	29	19	12	24
MEAN MIN TMP (F)		-4	-5	-5	2	16	29	36	37	32	22	9	2	14
LARGEST MEAN PRECIP(IN)		1.98	2.15	2.18	2.16	1.70	1.70	2.40	1.87	1.89	1.75	1.73	1.78	23.3
SMALLEST MEAN PRECIP(IN)		1.52	0.91	0.73	0.79	0.82	1.19	1.11	1.33	1.73	1.52	1.04	0.89	13.8
		MEAN NUMBER OF DAYS												
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	04 LST	24.1	21.5	24.7	22.5	23.4	20.8	21.8	20.3	24.5	24.2	23.9	24.3	276.0
	10 LST	24.0	20.1	23.5	23.0	24.5	22.2	22.9	22.4	24.2	23.9	24.6	23.9	279.2
	16 LST	23.4	20.5	24.2	23.7	25.5	22.7	23.5	22.9	23.5	24.4	23.5	23.7	281.5
	22 LST	23.8	21.2	24.6	23.6	24.3	21.6	22.3	21.5	23.9	24.2	23.8	24.3	279.1
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	04 LST	10.6	9.7	12.4	10.3	9.3	7.3	9.3	7.8	6.2	6.6	8.1	8.8	106.4
	10 LST	10.5	9.5	12.1	9.3	9.3	7.9	9.6	8.1	6.9	6.8	7.6	7.9	105.5
	16 LST	10.8	9.2	11.6	8.8	8.9	7.8	9.6	8.2	6.3	6.6	7.7	8.7	104.2
	22 LST	10.7	9.6	12.4	10.0	9.6	7.8	10.1	9.1	6.5	6.9	8.3	8.9	109.9
SFC WND = GTR 17 KTS AND NO PRECIP.	04 LST	8.1	6.3	5.4	5.3	2.7	3.9	5.5	4.5	6.9	6.4	8.4	8.7	72.1
	10 LST	7.1	6.7	5.8	7.6	3.0	4.4	5.6	5.1	6.9	6.2	7.7	8.7	74.8
	16 LST	7.9	6.6	6.3	5.9	2.3	3.9	6.2	5.4	7.2	7.1	7.9	8.2	74.9
	22 LST	6.9	5.4	5.2	5.7	2.2	3.5	5.6	4.1	6.9	6.2	7.1	9.1	68.9
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	04 LST	0.0	0.0	0.0	0.0	0.3	2.0	7.9	7.3	3.9	0.5	0.2	0.0	22.1
	10 LST	0.0	0.0	0.0	0.0	0.4	3.9	10.0	8.9	5.5	0.8	0.1	0.0	29.6
	16 LST	0.0	0.0	0.0	0.1	0.6	4.8	10.2	8.9	5.3	1.1	0.2	0.0	31.2
	22 LST	0.0	0.0	0.0	0.0	0.3	3.1	8.9	7.8	4.2	0.7	0.2	0.0	25.2
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	04 LST	11.9	10.6	11.0	7.6	4.4	3.3	4.7	3.2	2.5	4.5	8.4	9.5	81.6
	10 LST	8.9	6.9	8.8	7.7	5.3	3.3	5.1	3.9	2.2	2.3	5.5	7.1	67.0
	16 LST	9.9	7.9	9.1	7.8	4.5	4.0	5.5	4.6	2.1	2.3	6.6	8.0	72.3
	22 LST	11.6	10.5	11.4	8.0	4.6	3.7	3.1	3.8	3.3	4.5	8.5	9.9	84.9
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	04 LST	20.2	18.0	20.8	17.4	14.4	12.4	15.0	12.8	12.3	13.7	16.3	18.5	192.0
	10 LST	19.0	16.7	19.8	18.0	15.4	13.8	16.1	14.2	13.0	12.8	15.0	17.3	191.1
	16 LST	19.3	17.5	20.9	17.8	15.7	14.1	17.0	15.2	12.9	12.2	14.9	17.2	194.7
	22 LST	19.8	18.0	20.7	18.0	15.2	13.5	16.6	14.3	12.8	13.9	15.7	17.9	196.4
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	04 LST	17.8	15.9	18.1	14.9	10.1	8.6	11.6	9.5	7.2	9.7	13.3	15.2	151.9
	10 LST	16.1	14.4	17.7	15.6	11.7	9.9	13.1	10.6	8.2	7.9	11.4	13.2	149.8
	16 LST	16.8	15.7	18.9	15.5	11.3	10.2	13.6	11.3	7.8	7.5	11.7	13.5	153.8
	22 LST	17.4	16.1	18.5	15.2	11.2	9.7	12.9	10.0	7.8	9.3	12.6	14.8	155.5
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	04 LST	17.2	15.3	17.5	14.4	9.6	8.4	11.0	9.0	7.0	9.3	12.9	14.7	146.3
	10 LST	15.5	13.7	17.3	15.4	11.4	9.5	12.6	10.3	7.9	7.6	10.7	12.8	144.7
	16 LST	16.4	15.2	18.4	15.1	11.0	9.9	13.1	11.0	7.5	7.2	11.2	12.9	148.9
	22 LST	16.8	15.6	18.9	14.7	10.7	9.3	12.4	9.7	7.4	8.9	12.2	14.4	150.1

OSTROV VIZE, USSR

STA NO. 20069 (IN AREA NUMBER 03)

LATITUDE 7930N

LONGITUDE 07659E

ELEVATION(FT) 00059

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	28	30	23	30	32	43	41	46	37	32	32	32	46	9	2210
MEAN MAX TMP (F)	-15	-15	-13	0	14	30	35	34	29	11	-1	-5	9	9	2210
MEAN MIN TMP (F)	-27	-25	-24	-11	6	25	31	30	23	4	-10	-14	1	9	2234
ABS MIN TMP (F)	-54	-47	-49	-38	-26	9	27	21	-2	-26	-36	-44	-54	9	2234
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9	2210
MEAN NO DYS TMP = DR LES 32(F)	31.0	28.0	31.0	30.0	31.0	30.0	28.4	29.7	30.0	31.0	30.0	31.0	361.1	9	2234
MEAN NO DYS TMP = DR LES 0(F)	29.3	27.0	30.3	24.4	9.6	0.0	0.0	0.0	0.2	13.2	23.8	24.0	181.8	9	2234
MEAN DEW PT TMP (F)	-25	-24	-22	-9	7	26	32	31	25	5	-8	-12	2	10	18638
MEAN REL HUM (PCT)	83	83	84	86	87	93	96	96	94	89	89	87	89	10	18638
MEAN PRESS ALT (FT)	159	101	93	-56	107	195	112	77	140	211	-21	58	98	5	10317
MEAN PRECIP (IN)	0.80	0.63	0.65	0.57	0.86	0.46	1.28	2.00	1.33	1.53	0.67	1.03	11.8	9	1877
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = DR GTR 0.1 IN	9.4	9.4	9.3	9.6	14.4	8.5	10.3	12.3	13.8	15.9	9.4	12.0	134.3	9	1877
MEAN NO DYS SNFL = DR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.5	1.2	1.2	1.0	1.2	1.9	5.2	6.0	2.9	1.0	1.6	1.0	24.7	10	18612
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.1	0.0	0.0	0.0	0.0	0.3	10	3301
P FREQ WND SPD = DR GTR 17 KTS	20.0	23.3	23.8	21.5	19.2	20.3	15.5	19.7	32.6	32.9	26.3	22.4	23.1	10	18785
P FREQ WND SPD = DR GTR 28 KTS	3.1	4.2	2.4	2.6	1.1	0.9	1.1	1.5	3.8	6.6	6.5	3.9	3.1	10	18785
P FREQ LES 5000 FT A/D LES 5 MI	30.5	37.0	33.7	33.8	63.1	80.0	80.4	80.2	86.3	67.1	46.1	45.3	57.0	10	18612
P FREQ LES 1900 FT A/D LES 3 MI															
FOR 00-02 LST	19.1	21.3	18.5	20.6	36.3	52.3	70.4	67.0	62.9	30.5	27.0	25.2	37.6	10	1257
03-05 LST	19.4	20.1	23.3	22.1	32.0	55.1	66.3	66.7	59.4	37.9	31.8	28.0	38.5	10	3309
06-08 LST	22.6	20.3	20.9	21.5	26.0	50.3	75.2	69.5	59.3	42.8	26.6	34.6	39.1	10	1130
09-11 LST	20.0	22.6	23.2	18.5	31.5	55.0	65.5	67.7	58.6	41.2	29.4	30.0	38.6	10	3357
12-14 LST	11.4	25.0	29.5	15.7	27.5	52.8	72.0	68.4	57.4	41.6	26.8	35.0	38.6	10	1555
15-17 LST	18.2	25.3	22.8	22.4	33.7	56.1	67.1	67.7	60.2	38.5	27.5	30.3	39.2	10	3493
18-20 LST	15.1	18.6	21.3	22.2	30.1	58.6	70.5	63.9	58.4	42.6	24.1	28.4	37.8	10	1182
21-23 LST	19.3	21.9	20.6	22.8	31.6	55.4	66.8	66.4	57.5	38.3	28.6	29.6	38.2	10	3329
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	2.3	8.2	2.5	4.1	6.0	7.8	31.5	27.3	17.5	6.3	8.2	4.3	10.5	10	1257
03-05 LST	3.9	6.6	7.0	5.1	5.7	9.7	28.8	31.6	12.8	4.7	7.4	5.5	10.7	10	3309
06-08 LST	4.0	7.3	5.5	7.1	5.3	12.6	36.6	28.7	15.7	7.4	6.1	6.5	11.9	10	1130
09-11 LST	4.3	5.2	7.4	3.8	2.8	8.7	25.1	25.2	11.9	5.4	5.1	5.4	9.2	10	3357
12-14 LST	3.1	6.3	7.8	6.6	4.0	7.4	25.0	23.2	15.6	8.0	6.5	8.4	10.2	10	1555
15-17 LST	3.7	8.5	7.7	3.4	3.7	10.0	24.9	24.9	11.0	5.8	6.0	8.0	9.8	10	3493
18-20 LST	2.7	8.0	4.3	2.2	2.5	10.6	28.4	22.7	15.6	9.2	5.5	5.1	9.7	10	1182
21-23 LST	4.6	7.4	6.4	5.2	5.8	10.8	26.7	30.0	12.1	6.9	6.3	4.8	10.6	10	3329

OSTROV VIZE, USSR

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	05 LST	26.8	23.7	25.2	25.0	25.1	17.7	12.2	12.6	16.6	24.1	23.0	24.4	256.4	10	3309
	11 LST	26.2	23.3	25.0	25.8	26.1	18.5	13.0	12.4	17.2	23.7	23.6	23.8	258.6	10	3357
	23 LST	26.4	23.0	25.9	24.8	25.7	17.5	11.6	12.5	18.2	23.1	24.0	23.9	256.6	10	3493
CIG = CIR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	05 LST	14.9	14.0	13.1	12.9	9.5	5.2	5.1	3.9	3.1	7.4	11.1	12.9	113.1	10	3329
	11 LST	15.9	13.2	14.3	12.1	8.6	3.5	4.2	3.7	2.8	6.2	11.3	12.1	107.9	10	3302
	17 LST	14.3	13.0	14.1	11.0	8.3	4.4	4.0	3.5	3.4	7.3	11.3	12.2	106.8	10	3355
SFC WND = GTR 17 KTS AND NO PRECIP.	23 LST	15.6	13.6	13.4	10.5	9.3	5.2	5.8	5.1	3.3	8.1	12.2	13.2	115.3	10	3490
	05 LST	2.7	1.1	1.9	0.6	0.6	2.0	2.4	4.1	5.5	4.8	2.1	2.0	29.8	10	1939
	11 LST	2.7	2.4	1.4	1.2	0.7	1.5	2.9	3.1	5.6	4.2	2.4	2.3	30.4	10	2071
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	17 LST	3.3	2.4	1.6	1.1	1.1	1.8	3.1	5.4	4.1	4.6	2.8	2.4	33.7	10	2032
	23 LST	2.3	0.7	1.3	1.4	0.9	1.3	1.9	4.1	5.6	3.6	1.7	2.6	27.4	10	2000
	05 LST	0.0	0.0	0.0	0.0	0.0	1.3	5.1	2.2	0.1	0.0	0.0	0.0	8.7	10	3307
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	11 LST	0.0	0.0	0.0	0.0	0.0	2.3	8.4	4.1	0.3	0.0	0.0	0.0	15.1	10	3368
	17 LST	0.0	0.0	0.0	0.0	0.0	1.9	8.9	5.2	0.4	0.0	0.0	0.0	16.4	10	3501
	23 LST	0.0	0.0	0.0	0.0	0.0	0.8	5.6	2.7	0.2	0.0	0.0	0.0	9.3	10	3350
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	05 LST	16.9	12.5	10.9	10.6	5.4	2.4	1.9	1.6	1.1	5.7	12.1	12.4	93.5	10	3321
	11 LST	14.7	10.6	10.0	10.4	5.5	2.4	1.7	2.3	1.2	3.1	10.5	11.8	84.2	10	3372
	17 LST	16.9	10.2	10.4	10.5	4.6	2.0	2.2	2.3	1.1	4.3	12.2	12.4	89.1	10	3501
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	23 LST	17.2	13.1	12.5	10.6	4.8	2.2	2.1	2.3	1.6	7.0	12.3	12.5	98.2	10	3356
	05 LST	23.7	21.7	22.7	21.7	15.8	8.3	8.0	7.9	6.6	13.9	18.0	20.4	188.7	10	3309
	11 LST	23.9	20.6	22.9	23.0	15.7	7.7	7.9	7.2	6.8	12.2	18.6	20.0	186.5	10	3357
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	17 LST	24.5	19.9	23.1	21.6	14.7	7.9	7.7	6.8	6.5	13.7	19.1	20.2	185.7	10	3493
	23 LST	24.2	21.2	23.8	21.3	15.2	8.4	8.4	8.1	6.8	14.6	18.8	20.1	190.9	10	3329
	05 LST	22.8	20.8	21.5	20.1	12.2	5.6	5.7	6.7	3.2	10.6	16.3	18.8	164.3	10	3309
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	11 LST	22.6	19.1	22.1	21.7	13.3	5.6	6.4	6.0	3.9	9.0	17.1	18.3	165.1	10	3357
	17 LST	23.5	18.6	22.1	20.1	11.3	5.3	5.8	5.7	4.2	10.3	16.7	18.6	167.2	10	3493
	23 LST	23.5	20.4	22.9	19.6	11.2	5.9	6.4	6.8	4.1	11.6	16.9	18.5	167.8	10	3329
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	05 LST	22.4	20.1	20.8	19.4	12.0	5.4	5.5	6.4	2.8	10.3	16.1	18.4	159.6	10	3309
	11 LST	21.9	18.5	21.6	21.6	13.3	5.5	6.2	5.6	3.4	8.5	16.8	17.6	160.5	10	3357
	17 LST	22.7	18.3	21.8	19.8	11.1	5.2	5.4	5.4	3.8	10.1	16.5	18.2	158.3	10	3493
23 LST	23.0	20.1	22.0	19.3	10.8	5.6	6.3	6.1	3.7	11.4	16.6	18.0	162.9	10	3329	

MYS GOLONJANNIY, USSR

STA NO. 20087 (IN AREA NUMBER 03)

LATITUDE 7933N

LONGITUDE 09037E

ELEVATION(FT) 00010

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	25	25	14	28	36	46	55	52	41	36	30	30	55	10	2501
MEAN MAX TMP (F)	-17	-17	-14	-1	14	31	37	35	29	12	-2	-6	8	10	2501
MEAN MIN TMP (F)	-27	-17	-24	-11	5	26	32	30	23	3	-11	-16	0	10	2579
ABS MIN TMP (F)	-54	-36	-31	-33	-22	5	27	18	-4	-22	-36	-51	-56	10	2579
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	2501
MEAN NO DYS TMP = DR LES 32(F)	31.0	28.0	31.0	30.0	31.0	28.7	22.7	25.6	29.6	31.0	30.0	31.0	349.6	10	2579
MEAN NO DYS TMP = DR LES 0(F)	30.6	27.9	30.4	26.5	8.3	0.0	0.0	0.0	0.3	13.3	24.9	26.5	188.7	10	2579
MEAN DEW PT TMP (F)	-26	-26	-23	-10	6	26	33	31	24	4	-11	-15	1	10	18539
MEAN REL HUM (PCT)	80	80	82	83	84	90	95	95	91	85	81	82	86	10	18539
MEAN PRESS ALT (FT)	83	3	11	-99	93	140	63	31	63	165	-86	-23	37	5	10311
MEAN PRECIP (IN)	0.67	0.64	0.57	0.50	0.48	0.67	1.99	1.42	1.26	1.29	0.88	1.21	11.6	10	1934
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = DR GTR 0.1 IN	10.3	9.2	9.3	8.2	13.5	10.3	10.6	13.1	14.1	13.2	9.6	13.5	134.9	10	1934
MEAN NO DYS SNFL = DR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	1.0	0.8	1.4	1.0	0.7	2.7	5.9	7.2	2.9	1.6	0.8	0.8	26.8	10	18434
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.2	0.1	0.0	0.0	0.0	0.7	10	3248
P FREQ WND SPD = DR GTR 17 KTS	18.9	23.0	28.3	26.4	16.6	16.1	11.1	13.7	26.6	27.7	24.4	21.5	21.2	10	18582
P FREQ WND SPD = DR GTR 28 KTS	2.4	2.2	4.7	3.3	1.8	0.2	0.5	0.7	3.2	4.0	2.7	2.2	2.3	10	18582
P FREQ LES 5000 FT A/D LES 3 MI	27.6	37.5	35.3	29.5	53.3	71.8	72.6	73.6	82.7	56.7	41.9	43.2	52.1	10	18434
P FREQ LES 1900 FT A/D LES 3 MI															
FOR 00-02 LST	14.8	19.3	23.8	18.6	24.7	44.0	57.4	56.0	51.8	28.8	21.7	26.5	32.3	10	3299
03-05 LST	11.8	18.9	16.8	21.4	22.0	31.0	37.4	36.4	30.7	31.6	21.9	19.8	31.6	10	1222
06-08 LST	15.9	20.1	24.0	18.7	28.2	49.2	56.8	57.2	55.6	31.8	32.4	25.1	33.4	10	3281
09-11 LST	21.6	21.6	24.1	16.7	25.9	40.1	35.5	36.1	37.8	40.2	21.7	34.7	34.7	10	1169
12-14 LST	14.6	23.1	26.1	16.2	25.8	43.1	33.3	31.2	39.1	34.8	23.5	26.0	33.1	10	3320
15-17 LST	12.9	24.9	26.3	17.5	22.6	43.0	39.8	34.8	37.0	34.8	26.8	29.4	34.2	10	1514
18-20 LST	13.0	22.0	24.8	16.2	26.4	44.7	37.3	36.7	35.4	33.3	23.2	26.4	33.3	10	3472
21-23 LST	15.2	13.7	24.2	22.1	25.1	30.2	60.4	34.8	31.3	35.0	22.3	30.0	33.7	10	1157
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	3.7	5.0	7.4	3.1	3.6	11.3	26.7	24.1	13.7	6.1	4.5	4.3	9.3	10	3299
03-05 LST	2.0	5.0	4.4	6.8	4.2	17.0	22.9	28.3	15.7	8.5	3.7	6.3	10.4	10	1222
06-08 LST	4.4	5.3	7.9	4.3	3.1	11.0	24.5	24.2	17.1	6.0	4.2	6.3	9.9	10	3281
09-11 LST	9.1	4.3	6.7	5.1	2.1	13.3	18.1	32.4	11.1	6.8	3.7	7.3	10.0	10	1169
12-14 LST	4.0	3.9	9.5	3.7	3.5	10.2	20.4	20.1	14.4	5.8	4.2	5.7	8.8	10	3320
15-17 LST	0.0	2.3	9.3	6.3	1.8	7.1	23.4	15.8	14.5	6.4	5.5	8.8	8.4	10	1514
18-20 LST	3.4	4.7	7.5	4.1	3.3	10.6	23.5	24.1	12.3	6.0	3.8	5.8	9.1	10	3472
21-23 LST	4.0	0.0	9.7	7.1	4.0	14.6	27.2	20.8	10.0	8.5	4.6	5.9	9.7	10	1157

MYS GOLOMJANNIY, USSR

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	06 LST	27.2	23.6	24.6	25.6	25.3	19.8	15.7	15.5	16.7	24.3	24.8	24.8	267.9	10	3281
	12 LST	27.7	22.9	23.6	26.2	26.6	20.4	16.5	17.5	15.5	23.0	24.9	24.2	269.0	10	3320
	18 LST	27.8	23.5	24.1	26.2	26.5	19.8	15.7	15.6	16.7	23.6	25.3	24.8	269.3	10	3472
	00 LST	27.3	23.8	24.5	25.7	26.8	19.1	14.9	16.2	17.9	24.8	25.4	24.3	271.1	10	3299
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	06 LST	19.8	11.4	12.5	12.1	12.7	7.4	7.3	6.6	4.8	8.0	11.6	11.9	122.1	10	3280
	12 LST	19.5	10.6	12.3	12.2	11.4	7.3	7.4	7.4	4.6	8.4	11.0	13.5	121.6	10	3311
	18 LST	16.5	10.7	12.4	11.8	11.8	7.7	6.1	6.4	5.4	8.5	10.9	11.2	119.4	10	3471
	00 LST	19.4	12.9	12.8	12.0	13.2	8.2	7.2	5.7	6.1	10.5	11.7	12.0	127.7	10	3293
SFC WND = GTR 17 KTS AND NO PRECIP.	06 LST	3.5	2.1	3.3	3.5	0.3	1.0	3.8	1.7	5.5	5.6	2.8	1.7	34.8	10	2187
	12 LST	2.1	2.9	4.0	3.3	1.0	1.5	2.8	2.8	5.6	5.2	3.5	1.4	36.1	10	2286
	18 LST	3.1	1.4	3.4	3.4	1.4	1.3	2.4	2.2	6.0	4.2	2.1	2.0	32.9	10	2248
	00 LST	2.7	1.5	2.4	3.0	1.3	0.7	1.7	2.5	4.7	5.3	3.1	2.0	30.9	10	2205
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	06 LST	0.0	0.0	0.0	0.0	0.0	0.0	1.8	5.7	3.7	0.5	0.0	0.0	11.7	10	3295
	12 LST	0.0	0.0	0.0	0.0	0.1	2.2	8.1	5.6	0.7	0.0	0.0	0.0	16.7	10	3330
	18 LST	0.0	0.0	0.0	0.0	0.1	1.9	6.8	5.8	0.7	0.0	0.0	0.0	15.3	10	3485
	00 LST	0.0	0.0	0.0	0.0	0.1	2.0	4.8	3.8	0.7	0.0	0.0	0.0	11.4	10	3305
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	06 LST	17.5	11.9	11.0	11.9	7.0	3.3	3.5	3.1	1.7	6.8	12.2	11.2	101.1	10	3301
	12 LST	16.6	8.0	9.2	11.5	7.4	2.9	3.3	3.9	1.3	5.0	9.0	10.8	88.9	10	3333
	18 LST	18.5	10.8	9.6	11.4	7.4	3.4	2.8	3.5	1.7	7.1	11.7	11.7	99.6	10	3485
	00 LST	16.6	14.2	12.9	11.1	8.1	3.4	2.6	2.8	1.4	9.1	11.0	11.1	104.3	10	3310
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	06 LST	25.3	21.4	22.7	23.2	18.1	11.6	10.4	10.0	8.2	17.0	21.5	22.0	211.4	10	3281
	12 LST	25.5	20.2	22.4	23.9	18.4	11.9	11.5	11.9	7.9	16.3	20.1	21.2	211.2	10	3320
	18 LST	26.4	20.5	22.5	24.0	17.7	11.9	10.1	10.3	8.7	16.8	20.8	21.4	211.1	10	3472
	00 LST	25.8	21.9	23.1	23.2	18.8	12.5	10.7	10.1	9.2	18.7	21.7	21.6	217.3	10	3299
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	06 LST	24.2	20.3	21.9	22.5	15.5	8.2	8.4	8.2	4.7	13.5	19.4	20.2	187.0	10	3281
	12 LST	24.3	18.8	21.3	22.6	15.5	8.2	9.5	9.2	5.2	13.1	16.9	19.1	183.7	10	3320
	18 LST	25.5	18.9	21.4	23.1	14.6	8.5	8.3	7.8	5.4	13.8	18.8	19.6	185.7	10	3472
	00 LST	24.9	21.3	22.4	22.4	15.6	9.0	8.8	7.7	4.9	15.9	20.2	20.2	193.3	10	3299
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	06 LST	23.9	20.1	21.6	22.5	15.2	8.1	8.1	7.8	4.7	12.2	19.1	19.6	183.9	10	3281
	12 LST	24.3	18.6	20.8	22.5	15.4	8.1	9.2	9.0	4.9	12.9	16.6	19.0	181.3	10	3320
	18 LST	25.5	18.6	21.1	22.9	14.5	8.4	8.0	7.8	5.3	13.5	18.6	19.3	183.5	10	3472
	00 LST	24.6	21.2	22.1	22.3	15.5	8.9	8.7	7.4	4.9	15.5	19.7	19.8	190.6	10	3299

AREA 03

USSR	SEVERNAYA ZEMLYA BOUNDARIES	LATITUDE 7930N	LONGITUDE 09700E											
PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)		-15	-15	-13	-0	14	31	36	35	29	12	-1	-5	9
MEAN MIN TMP (F)		-26	-25	-23	-10	6	24	32	30	23	4	-10	-14	1
LARGEST MEAN PRECIP(IN)		0.80	0.64	0.65	0.57	0.86	0.67	1.99	2.00	1.33	1.53	0.88	1.21	13.1
SMALLEST MEAN PRECIP(IN)		0.67	0.63	0.57	0.50	0.48	0.46	1.28	1.42	1.26	1.29	0.67	1.03	10.3
		MEAN NUMBER OF DAYS												
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	06 LST	27.0	23.7	24.9	25.3	25.2	18.8	14.0	14.1	16.7	24.2	23.9	24.6	262.4
	12 LST	27.0	23.1	24.3	26.0	26.4	19.5	14.8	15.0	16.4	23.4	24.3	24.0	264.2
	18 LST	27.3	23.0	24.6	25.5	25.9	13.6	14.0	14.7	16.6	23.7	24.8	23.9	262.1
	00 LST	26.9	23.4	25.2	25.3	26.3	18.5	13.3	14.4	18.1	24.0	24.7	24.1	264.2
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	06 LST	15.4	12.7	12.8	12.5	11.1	6.3	6.2	5.3	4.0	7.7	11.4	12.4	117.8
	12 LST	15.4	11.9	13.3	12.2	10.0	5.4	5.8	5.6	3.7	7.3	11.2	12.8	114.9
	18 LST	15.4	11.9	13.3	11.4	10.1	6.1	5.1	5.0	4.4	7.9	11.1	11.7	113.4
	00 LST	15.5	13.3	14.1	11.3	11.3	6.7	6.5	5.4	4.7	9.3	12.0	12.6	121.7
SFC WND = GTR 17 KTS AND NO PRECIP.	06 LST	3.1	1.6	2.6	2.1	0.5	1.5	3.1	2.9	5.5	5.2	2.5	1.9	32.5
	12 LST	2.4	2.7	2.7	2.3	0.9	1.5	2.9	3.0	5.6	4.7	3.0	1.5	33.6
	18 LST	3.2	1.9	2.5	2.3	1.3	1.6	2.8	3.8	5.1	4.4	2.5	2.2	33.6
	00 LST	2.5	1.1	1.9	2.2	1.1	1.0	1.8	3.3	5.2	4.5	2.4	2.3	29.3
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	06 LST	0.0	0.0	0.0	0.0	0.0	1.6	5.4	3.0	0.3	0.0	0.0	0.0	10.3
	12 LST	0.0	0.0	0.0	0.0	0.1	2.3	8.3	4.9	0.5	0.0	0.0	0.0	16.1
	18 LST	0.0	0.0	0.0	0.0	0.1	1.9	7.9	5.5	0.6	0.0	0.0	0.0	16.0
	00 LST	0.0	0.0	0.0	0.0	0.1	1.4	5.2	3.3	0.5	0.0	0.0	0.0	10.5
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	06 LST	17.2	12.2	11.0	11.3	6.2	2.9	2.7	2.4	1.4	6.3	12.2	11.8	97.6
	12 LST	15.7	9.3	9.6	11.0	6.5	2.7	2.5	3.1	1.3	4.1	9.8	11.3	86.9
	18 LST	17.7	10.5	10.0	11.0	6.0	2.7	2.5	2.9	1.4	5.7	12.0	12.1	94.5
	00 LST	16.9	13.7	12.7	10.9	6.5	2.8	2.4	2.6	1.5	8.1	11.7	11.8	101.6
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	06 LST	24.5	21.6	22.7	22.5	17.0	10.0	9.2	9.0	7.4	13.5	19.8	21.2	200.4
	12 LST	24.7	20.4	22.7	23.5	17.1	9.8	9.7	9.6	7.4	14.3	19.4	20.6	199.2
	18 LST	25.5	20.2	22.8	22.8	16.2	9.9	8.9	8.6	7.6	15.3	20.0	20.8	198.6
	00 LST	23.0	21.6	23.5	22.3	17.0	10.5	9.6	9.1	8.0	16.7	20.3	20.9	204.5
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	06 LST	23.5	20.6	21.7	21.3	13.9	6.9	7.1	7.5	4.0	12.1	17.9	19.5	176.0
	12 LST	23.5	19.0	21.7	22.2	14.4	6.9	8.0	7.6	4.6	11.1	17.0	18.7	174.7
	18 LST	24.5	18.8	21.8	21.6	13.0	6.9	7.1	6.8	4.8	12.1	17.8	19.1	174.3
	00 LST	24.2	20.9	22.7	21.0	13.4	7.5	7.6	7.3	4.5	13.8	18.6	19.4	180.9
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	06 LST	23.2	20.1	21.2	21.0	13.6	6.8	6.8	7.1	3.8	11.8	17.6	19.0	172.0
	12 LST	23.1	18.6	21.2	22.1	14.4	6.8	7.7	7.3	4.2	10.7	16.7	18.3	171.1
	18 LST	24.1	18.5	21.5	21.4	12.8	6.8	6.7	6.6	4.6	11.8	17.6	18.8	171.2
	00 LST	23.8	20.7	22.1	20.8	13.2	7.3	7.5	6.8	4.3	13.5	18.2	18.9	177.1

OSTROV KOTELNYY, USSR

STA NO. 21422 (IN AREA NUMBER 04)

LATITUDE 76G0N

LONGITUDE 13754E

ELEVATION(FT) 00093

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	12	14	12	32	37	64	68	64	45	32	25	18	66	10	3163
MEAN MAX TMP (F)	-20	-19	-16	0	18	35	41	38	30	14	-2	-14	9	10	3163
MEAN MIN TMP (F)	-29	-28	-26	-12	8	28	33	32	24	6	-11	-22	0	10	3198
ABS MIN TMP (F)	-45	-49	-49	-51	-18	10	25	21	0	-33	-36	-38	-51	10	3198
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	3163
MEAN NO DYS TMP = DR LES 32(F)	31.0	28.0	31.0	30.0	31.0	26.4	16.8	19.9	28.9	31.0	30.0	31.0	335.0	10	3198
MEAN NO DYS TMP = DR LES 0(F)	5.0	27.8	30.8	27.5	6.8	0.0	0.0	0.0	0.2	11.2	25.8	30.4	191.5	10	3198
MEAN DEW PT TMP (F)	-27	-26	-24	-9	10	29	35	33	25	7	-10	-21	2	10	20044
MEAN REL HUM (PCT)	86	87	87	88	89	91	91	92	90	87	86	86	88	10	20044
MEAN PRESS ALT (FT)	-85	-142	-63	-142	106	84	45	81	-33	152	-82	-106	-12	5	11018
MEAN PRECIP (IN)	0.41	0.56	0.65	0.49	1.06	0.49	1.32	1.42	0.62	0.81	0.93	0.73	9.1	10	2838
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = DR GTR 0.1 IN	6.9	7.7	8.2	6.4	10.7	6.1	9.3	10.9	9.9	13.9	9.9	8.2	108.1	10	2838
MEAN NO DYS SNFL = DR GTR 1.5 IN														0	0
MEAN NO DYS W/OCCUR VSBY LES 1/2 MI	0.3	1.5	1.2	1.4	1.1	1.6	3.0	2.4	1.2	0.8	1.3	1.5	17.3	10	19919
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.0	0.0	0.0	0.0	0.3	10	3336
P FREQ WND SPD = DR GTR 17 KTS	20.6	22.9	21.7	26.0	20.8	23.8	22.4	23.6	26.3	25.4	21.6	24.2	23.3	10	19944
P FREQ WND SPD = DR GTR 28 KTS	2.0	3.9	3.5	2.4	4.0	2.4	2.1	2.7	2.4	1.8	2.0	3.9	2.8	10	19944
P FREQ LES 5000 FT A/D LES 5 MI	28.0	39.3	38.3	34.6	71.6	67.5	67.8	75.5	76.1	69.8	51.7	39.7	55.0	10	19919
P FREQ LES 1900 FT A/D LES 3 MI															
FOR 00-02 LST	6.9	21.6	28.5	17.4	38.5	35.1	59.4	61.2	47.6	32.7	22.3	23.0	34.5	9	1489
03-05 LST	12.8	19.2	19.6	24.6	43.4	50.7	59.5	57.8	47.0	30.7	26.9	23.2	34.6	10	3345
06-08 LST	11.4	27.1	25.4	20.8	44.3	49.0	55.6	61.2	43.8	34.1	30.8	22.5	35.5	10	1313
09-11 LST	13.5	24.4	25.8	22.1	37.4	44.1	49.6	52.9	43.3	39.5	29.3	25.3	33.9	10	3257
12-14 LST	11.1	29.2	21.3	20.1	39.4	42.7	50.8	53.4	43.6	32.0	31.8	24.8	33.4	10	1984
15-17 LST	15.0	26.2	20.1	14.4	37.3	40.7	49.7	49.8	44.8	36.4	25.9	23.2	32.0	10	3298
18-20 LST	13.2	24.5	16.7	16.9	42.6	45.3	54.1	56.4	47.5	35.0	25.9	22.5	33.4	10	1687
21-23 LST	15.5	20.5	22.0	20.0	44.5	49.9	51.2	59.3	45.5	32.8	25.6	21.7	34.0	10	3476
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.9	4.3	6.1	5.3	4.5	9.5	20.9	13.3	7.9	3.7	3.0	7.7	7.3	9	1489
03-05 LST	2.0	5.6	6.1	8.7	7.0	6.8	20.7	14.1	8.3	5.2	5.1	7.1	8.1	10	3345
06-08 LST	2.4	6.0	8.2	5.3	4.2	4.1	18.0	10.6	6.9	4.2	5.5	9.4	7.1	10	1383
09-11 LST	2.0	6.4	7.0	5.8	4.1	4.0	12.3	8.2	7.1	5.5	4.0	9.0	6.3	10	3257
12-14 LST	1.4	6.2	5.4	5.7	6.0	2.1	8.8	11.9	4.6	6.3	10.4	7.2	6.3	10	1984
15-17 LST	2.8	6.2	6.6	3.7	5.7	2.3	9.2	10.3	3.2	4.4	3.9	7.7	5.5	10	3298
18-20 LST	0.9	8.5	5.3	3.8	6.2	4.9	11.1	13.5	5.4	4.5	5.5	8.1	6.5	10	1687
21-23 LST	2.9	6.3	4.6	5.5	7.0	9.2	14.3	12.0	4.0	6.6	5.4	6.0	7.0	10	3476

OSTROV KOTELNYY, USSR

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	09 LST	27.9	22.2	24.4	23.0	24.3	20.7	18.0	18.0	21.1	23.9	24.8	24.7	275.1	10	3257
	15 LST	27.2	21.8	25.8	26.9	24.7	21.9	18.9	20.8	22.6	24.9	25.7	25.5	286.7	10	3298
	21 LST	27.4	23.3	25.4	25.5	21.8	18.8	16.9	16.4	21.6	23.1	24.8	25.8	272.8	10	3476
	03 LST	28.1	23.9	26.2	23.9	22.6	18.1	14.6	15.7	21.1	25.4	24.6	25.4	269.7	10	3345
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	09 LST	15.0	13.3	15.2	12.3	8.7	6.2	6.5	5.1	6.0	7.5	10.7	13.5	120.3	10	3255
	15 LST	14.6	13.1	15.8	11.8	7.5	6.1	5.0	4.3	4.6	7.7	10.4	14.1	115.0	10	3294
	21 LST	14.6	14.1	15.3	12.6	7.6	5.5	6.4	4.4	5.1	9.8	12.2	13.7	121.3	10	3475
	03 LST	14.2	14.9	15.6	12.7	8.7	6.4	5.7	5.5	5.0	9.9	11.4	14.0	124.0	10	3340
SFC WND = GTR 17 KTS AND NO PRECIP.	09 LST	1.7	1.3	1.8	0.4	0.3	3.0	5.7	4.5	6.3	3.6	3.0	3.0	34.6	10	2807
	15 LST	2.4	2.4	1.5	0.7	0.6	3.5	6.5	5.3	6.6	4.2	3.3	2.6	39.6	10	2698
	21 LST	1.4	1.4	1.5	0.7	0.5	1.8	5.7	4.2	5.4	4.3	2.5	2.9	32.3	10	2714
	03 LST	2.1	1.2	1.2	0.9	0.1	1.6	4.7	4.5	5.4	3.2	3.0	3.0	30.9	10	2673
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	09 LST	0.0	0.0	0.0	0.0	0.1	3.5	7.4	6.2	0.7	0.0	0.0	0.0	17.9	10	3275
	15 LST	0.0	0.0	0.0	0.0	0.0	5.2	7.8	6.8	1.2	0.0	0.0	0.0	21.0	10	3305
	21 LST	0.0	0.0	0.0	0.0	0.1	2.7	6.4	5.6	0.7	0.0	0.0	0.0	15.5	10	3455
	03 LST	0.0	0.0	0.0	0.0	0.0	2.9	5.6	4.7	0.8	0.0	0.0	0.0	14.0	10	3364
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	09 LST	16.9	10.4	10.7	10.4	3.4	3.2	2.4	3.2	2.4	2.4	7.6	12.8	85.8	10	3248
	15 LST	14.8	9.0	10.6	11.7	4.3	4.1	2.9	2.1	2.8	2.6	7.7	12.8	85.4	10	3281
	21 LST	15.6	12.8	13.9	12.2	4.0	3.7	2.7	2.2	2.2	5.3	9.7	13.7	98.0	10	3453
	03 LST	16.7	13.4	13.5	11.8	2.5	3.7	1.6	2.6	1.8	5.7	9.6	13.2	96.1	10	3335
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	09 LST	26.1	20.3	22.0	22.1	14.2	12.2	12.6	10.6	11.6	13.2	17.7	21.7	204.3	10	3257
	15 LST	25.9	20.7	24.0	24.5	13.5	13.1	12.0	10.1	10.2	14.2	19.0	22.1	208.8	10	3298
	21 LST	25.6	21.8	23.5	23.0	12.0	10.9	12.6	8.3	10.2	15.7	19.8	22.7	206.1	10	3476
	03 LST	26.6	22.1	24.2	21.6	12.1	11.1	10.0	10.1	10.2	17.0	19.5	22.6	207.1	10	3345
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	09 LST	24.1	13.1	20.1	20.0	10.4	10.1	10.7	8.4	7.3	8.4	15.0	19.2	171.8	10	3257
	15 LST	24.3	18.9	22.2	22.8	10.2	11.0	10.4	9.2	7.7	9.9	15.6	19.6	181.8	10	3298
	21 LST	23.3	19.5	22.1	21.6	9.1	8.3	9.9	6.2	6.3	10.0	16.4	19.9	172.6	10	3476
	03 LST	24.7	20.1	22.0	19.7	7.9	8.7	7.7	7.8	6.3	11.1	15.9	20.6	172.5	10	3345
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	09 LST	23.5	17.4	19.5	19.1	10.1	9.6	9.6	8.2	7.1	8.1	14.8	19.0	166.0	10	3257
	15 LST	23.7	18.3	21.6	22.5	9.9	10.2	9.7	8.6	7.4	8.9	14.9	19.2	174.9	10	3298
	21 LST	22.2	19.2	21.7	21.2	8.8	7.7	9.4	5.5	6.1	9.5	15.8	19.2	166.3	10	3476
	03 LST	23.8	19.6	21.1	19.2	7.7	8.2	7.5	7.4	5.9	10.5	15.1	20.3	166.3	10	3345

MYS SHALAUROVA, USSR

STA NO. 21647 (IN AREA NUMBER 04)

LATITUDE 7311N

LONGITUDE 14356E

ELEVATION(FT) 00033

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PUR (YRS)	NO. U85
ABS MAX TMP (F)	10	18	12	34	39	68	63	59	50	39	27	12	68	10	3165
MEAN MAX TMP (F)	-22	-21	-14	1	21	36	41	39	32	16	-4	-16	9	10	3165
MEAN MIN TMP (F)	-30	-30	-26	-12		29	33	33	27	8	-12	-24	1	10	3194
ABS MIN TMP (F)	-54	-49	-53	-47	-17	3	25	21	7	-26	-36	-47	-54	10	3194
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	3165
MEAN NO DYS TMP = DR LES 32(F)	31.0	28.0	31.0	30.0	30.9	24.9	17.7	17.3	27.8	31.0	30.0	31.0	330.6	10	3194
MEAN NO DYS TMP = DR LES 0(F)	31.0	28.0	30.9	28.0	5.5	0.0	0.0	0.0	0.0	9.1	26.6	30.7	189.8	10	3194
MEAN DEW PT TMP (F)	-30	-29	-23	-9	13	30	35	34	27	9	-11	-24	2	10	20208
MEAN REL HUM (PCT)	82	83	84	86	88	90	91	92	90	88	85	82	87	10	20208
MEAN PRESS ALT (FT)	-104	-188	-79	-134	75	84	70	92	-44	108	-17	-144	-22	5	10801
MEAN PRECIP (IN)	0.59	0.43	0.50	0.23	0.72	0.81	1.51	1.41	0.83	1.36	1.17	0.40	10.0	10	2763
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = DR GTR 0.1 IN	6.2	7.2	7.3	5.3	9.8	6.0	7.6	11.5	10.2	15.1	9.9	0.0	102.1	10	2763
MEAN NO DYS SNFL = DR GTR 1.5 IN														0	0
MEAN NO DYS W/OCCUR VSBY LES 1/2 MI	1.3	1.0	0.9	1.9	2.8	3.3	3.9	5.0	2.7	0.9	1.6	0.7	26.0	10	20171
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	0.0	0.2	0.3	0.3	0.0	0.2	0.0	0.0	1.0	10	3345
P FREQ WND SPD = DR GTR 17 KTS	19.8	11.6	16.6	25.0	24.6	22.0	22.6	26.4	22.1	21.8	20.4	15.8	20.7	10	20162
P FREQ WND SPD = DR GTR 28 KTS	3.7	1.5	1.7	4.2	2.7	1.3	1.1	1.7	1.0	2.5	4.2	1.9	2.3	10	20162
P FREQ LES 5000 FT A/D LES 5 MI	23.7	22.2	21.6	25.6	60.1	63.6	60.1	75.6	77.6	65.2	41.0	25.6	46.8	10	20171
P FREQ LES 1500 FT A/D LES 3 MI															
FDR 00-02 LST	12.3	5.7	16.0	11.6	38.0	46.2	44.8	55.2	42.8	31.3	19.1	14.8	28.2	9	1609
03-05 LST	16.8	9.8	10.2	17.1	44.0	48.8	48.3	59.7	43.7	32.5	21.2	13.9	30.5	10	3308
06-08 LST	12.9	7.1	16.5	24.2	35.7	43.6	51.9	62.8	48.0	31.8	20.9	15.1	30.9	10	1440
09-11 LST	12.7	14.1	16.0	18.3	35.5	48.3	48.9	55.0	44.7	38.0	28.9	16.2	31.4	10	3242
12-14 LST	11.0	14.0	11.6	16.5	31.7	41.7	38.8	52.3	48.8	37.3	29.1	14.2	28.9	10	2104
15-17 LST	13.8	13.5	13.3	13.9	28.1	40.5	37.4	52.0	47.8	37.2	25.7	15.6	28.2	10	3265
18-20 LST	13.2	11.9	10.3	13.1	36.1	45.8	42.0	50.3	47.8	35.1	21.1	11.3	28.4	10	1745
21-23 LST	14.7	7.7	11.2	13.1	38.0	48.4	48.8	55.2	47.0	32.0	23.0	13.0	28.8	10	3458
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	4.9	0.0	4.5	4.5	11.9	16.7	20.1	20.6	4.3	2.7	2.6	4.3	8.1	9	1609
03-05 LST	4.7	1.9	3.5	5.0	13.5	18.0	20.1	18.4	5.6	3.5	6.0	2.8	8.6	10	3308
06-08 LST	3.4	0.6	4.8	9.6	9.0	11.1	14.4	22.2	11.1	3.8	5.6	4.4	8.3	10	1440
09-11 LST	4.4	3.7	3.4	8.1	7.6	13.2	13.9	15.4	7.4	4.2	7.8	4.0	7.8	10	3242
12-14 LST	4.5	5.6	4.4	8.6	7.3	11.6	9.0	15.2	5.3	5.0	7.9	3.4	7.3	10	2104
15-17 LST	6.2	4.1	5.5	6.7	5.2	9.5	9.1	11.1	6.6	6.6	6.5	3.6	6.7	10	3265
18-20 LST	6.1	3.6	3.9	5.0	8.2	13.8	7.9	13.6	10.8	5.2	6.7	3.1	7.3	10	1745
21-23 LST	5.7	1.9	3.4	4.0	8.2	15.5	13.7	16.8	6.9	2.0	5.5	3.0	7.2	10	3458

MYS SHALAUROVA, USSR

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	10 LST	28.0	24.8	27.2	25.4	22.9	17.5	18.2	17.7	20.8	22.9	23.6	27.0	276.0	10	3242
	16 LST	27.7	25.0	27.7	26.5	25.5	21.1	22.2	18.2	21.1	23.4	24.1	27.3	289.8	10	3265
	22 LST	27.5	26.1	28.2	27.0	22.2	17.7	19.9	16.4	20.9	25.1	24.7	27.9	283.6	10	3458
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	10 LST	17.8	17.8	17.5	14.6	9.5	6.3	6.3	5.1	6.2	10.2	14.0	18.6	143.9	10	3239
	16 LST	17.6	17.5	17.6	14.2	10.6	6.3	6.1	5.0	5.5	10.2	15.1	19.1	144.8	10	3263
	22 LST	18.2	18.6	18.4	12.8	9.1	6.9	9.0	6.4	5.9	10.4	15.8	19.6	151.1	10	3454
SFC WND = GTR 17 KTS AND ND PRECIP.	04 LST	17.3	18.9	18.7	14.0	9.5	7.2	8.5	6.2	7.3	10.6	16.6	18.7	153.5	10	3305
	10 LST	2.0	0.6	1.2	0.9	0.3	4.6	5.6	6.1	5.5	2.8	1.6	1.5	32.7	10	2894
	16 LST	1.8	1.2	0.7	1.2	0.4	5.5	8.5	5.8	5.6	2.6	1.2	1.2	35.7	10	2741
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND ND PRECIP.	22 LST	1.7	0.8	0.8	0.8	0.3	3.6	5.6	5.7	5.6	3.3	1.4	1.3	30.9	10	2786
	04 LST	1.7	0.7	1.2	0.7	0.3	3.5	4.3	4.4	5.4	2.5	1.3	2.4	28.4	10	2733
	10 LST	0.0	0.0	0.0	0.0	0.1	3.9	8.6	7.1	1.5	0.0	0.0	0.0	21.2	10	3251
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	16 LST	0.0	0.0	0.0	0.0	0.5	4.6	8.1	6.1	2.9	0.0	0.0	0.0	22.2	10	3263
	22 LST	0.0	0.0	0.0	0.0	0.4	4.1	8.5	6.2	1.8	0.0	0.0	0.0	21.0	10	3462
	04 LST	0.0	0.0	0.0	0.0	0.2	3.9	7.2	5.6	1.2	0.0	0.0	0.0	18.1	10	3313
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	10 LST	17.0	12.1	12.2	14.6	5.7	4.5	3.6	3.0	2.2	3.0	8.7	15.7	102.3	10	3226
	16 LST	15.6	11.9	14.8	15.2	6.6	5.5	5.5	3.8	1.9	2.8	8.0	15.1	106.7	10	3236
	22 LST	16.5	15.8	18.5	14.4	5.9	4.4	4.4	3.0	3.0	7.2	11.5	16.2	120.8	10	3433
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	04 LST	16.8	17.2	17.7	13.9	3.9	3.7	3.2	2.9	2.8	6.7	12.9	16.0	117.7	10	3284
	10 LST	26.5	23.6	25.4	24.0	16.5	12.6	12.8	9.6	11.1	14.6	19.1	25.0	220.8	10	3242
	16 LST	26.1	23.6	26.4	25.2	18.1	13.6	15.7	10.8	9.5	14.9	20.5	25.1	229.5	10	3265
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	22 LST	25.7	24.8	27.3	25.2	15.6	12.3	16.0	10.2	9.9	16.6	21.3	26.3	231.2	10	3458
	04 LST	25.1	24.9	27.3	24.2	13.4	12.4	13.7	9.3	10.5	16.8	22.5	26.1	226.2	10	3308
	10 LST	25.2	22.4	24.3	23.4	13.2	10.2	10.4	7.0	7.1	9.7	17.2	23.5	193.6	10	3242
CIG = GTR 3 MI	16 LST	24.9	22.5	25.1	24.2	14.4	11.1	13.4	8.3	6.0	10.7	17.6	23.6	201.8	10	3265
	22 LST	24.6	23.2	26.3	23.3	12.9	10.2	13.1	7.2	6.5	12.7	19.1	24.6	203.7	10	3458
	04 LST	23.8	23.9	26.2	22.9	10.7	9.9	10.8	6.7	5.9	12.3	20.4	24.6	198.1	10	3308
CIG = GTR 3 MI	10 LST	24.7	22.0	24.0	23.2	13.0	9.9	9.8	6.9	6.7	9.1	16.6	23.2	189.1	10	3242
	16 LST	24.3	22.1	24.7	24.1	14.1	10.8	12.7	8.1	5.7	10.1	17.0	23.2	196.9	10	3265
	22 LST	23.9	23.1	25.9	22.8	12.7	9.7	12.3	6.9	6.4	12.3	19.0	24.3	199.3	10	3458
04 LST	23.4	23.7	25.6	22.5	10.4	9.5	10.2	6.2	5.6	11.8	20.2	24.3	193.4	10	3308	

AREA 04

USSR	NEW SIBERIAN IS BOUNDARIES	LATITUDE 7530N	LONGITUDE 14300E												
PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	
MEAN MAX TMP (F)		-20	-19	-14	1	20	36	41	39	31	15	-2	-14	10	
MEAN MIN TMP (F)		-29	-28	-25	-11	9	29	33	33	26	7	-11	-22	1	
LARGEST MEAN PRECIP (IN)		0.59	0.56	0.65	0.49	1.06	0.81	1.51	1.42	0.83	1.36	1.17	0.73	11.2	
SMALLEST MEAN PRECIP (IN)		0.41	0.43	0.50	0.23	0.72	0.49	1.32	1.41	0.62	0.81	0.53	0.40	7.9	
		MEAN NUMBER OF DAYS													
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	09 LST	28.0	23.5	25.9	25.2	23.6	19.1	18.1	17.9	21.0	23.4	24.2	25.9	275.8	
	15 LST	27.5	23.4	26.8	26.7	25.1	21.5	20.6	19.5	21.9	24.2	24.9	26.4	288.5	
	21 LST	27.5	24.7	26.8	26.3	22.0	18.3	17.4	16.4	21.3	25.1	24.8	26.9	278.5	
	03 LST	27.5	25.0	27.5	24.8	21.6	17.8	16.2	15.4	21.4	25.1	24.9	26.4	273.6	
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	09 LST	16.4	15.6	16.4	13.5	9.1	6.3	6.4	5.1	6.1	8.9	12.4	16.2	132.4	
	15 LST	16.1	15.3	16.7	13.0	9.1	6.2	5.6	4.7	5.1	9.0	12.8	16.6	130.2	
	21 LST	16.4	16.4	16.9	12.7	8.4	6.2	7.7	5.4	5.5	10.1	14.0	16.7	136.4	
	03 LST	15.8	14.9	17.2	13.4	9.1	6.8	7.1	5.9	6.2	10.3	14.0	16.4	139.1	
SFC WND = GTR 17 KTS AND NO PRECIP.	09 LST	1.9	1.0	1.5	0.7	0.3	3.8	7.7	5.3	5.9	3.2	2.3	2.3	33.9	
	15 LST	2.1	1.8	1.1	1.0	0.5	4.5	7.5	5.6	6.1	3.4	2.3	1.9	37.8	
	21 LST	1.6	1.1	1.4	0.7	0.4	2.7	5.7	5.0	5.5	3.8	2.0	2.1	31.9	
	03 LST	1.9	1.0	1.2	0.8	0.2	2.6	4.5	4.5	5.4	2.9	2.2	2.7	29.9	
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	09 LST	0.0	0.0	0.0	0.0	0.1	3.7	8.0	6.7	1.1	0.0	0.0	0.0	19.6	
	15 LST	0.0	0.0	0.0	0.0	0.3	4.9	8.0	6.5	2.1	0.0	0.0	0.0	21.8	
	21 LST	0.0	0.0	0.0	0.0	0.3	3.4	7.5	5.9	1.3	0.0	0.0	0.0	19.4	
	03 LST	0.0	0.0	0.0	0.0	0.1	3.4	6.4	5.2	1.0	0.0	0.0	0.0	16.1	
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	09 LST	17.0	11.3	11.5	12.6	4.6	3.8	3.0	3.1	2.3	2.7	8.2	14.3	94.4	
	15 LST	15.2	10.5	12.7	13.5	5.5	4.8	4.2	3.0	2.4	2.7	7.9	14.0	96.4	
	21 LST	16.1	14.3	16.2	13.3	5.0	4.1	3.6	2.6	2.6	6.3	10.6	15.0	109.7	
	03 LST	16.8	15.3	15.6	12.9	3.2	3.7	2.4	2.8	2.3	6.2	11.3	14.6	107.1	
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	09 LST	26.3	22.0	23.7	23.1	15.4	12.4	12.7	10.1	11.4	13.9	18.4	23.4	212.8	
	15 LST	26.0	21.9	25.2	24.9	15.8	13.4	13.9	10.5	9.9	14.6	19.8	23.6	219.5	
	21 LST	25.7	23.3	25.4	24.1	13.8	11.6	14.3	9.3	10.1	16.2	20.6	24.5	218.9	
	03 LST	25.9	23.5	25.8	22.9	12.8	11.8	11.9	9.7	10.4	16.9	21.0	24.4	217.0	
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	09 LST	24.7	20.3	22.2	21.7	11.8	10.2	10.6	7.7	7.2	9.1	16.1	21.4	183.0	
	15 LST	24.6	20.7	23.7	23.5	12.3	11.1	11.9	8.8	6.9	10.3	16.6	21.6	192.0	
	21 LST	24.0	21.4	24.2	22.5	11.0	9.3	11.5	6.7	6.4	11.4	17.8	22.3	188.5	
	03 LST	24.3	22.0	24.1	21.3	9.3	9.3	9.3	7.3	6.1	11.7	18.2	22.6	185.5	
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	09 LST	24.1	19.7	21.8	21.2	11.6	9.8	9.7	7.6	6.9	8.6	15.7	21.1	177.8	
	15 LST	24.0	20.2	23.2	23.3	12.0	10.5	11.2	8.4	6.6	9.5	16.0	21.2	186.1	
	21 LST	23.1	21.2	23.8	22.0	10.8	8.7	10.9	6.2	6.3	10.9	17.4	21.8	183.1	
	03 LST	23.6	21.7	23.4	20.9	9.1	8.9	8.9	6.8	5.8	11.2	17.7	22.3	180.3	

OSTROV VRANGELYA, USSR

STA NO. 782 (IN AREA NUMBER 05)

LATITUDE 7058N

LONGITUDE 17832W

ELEVATION(FT) 00010

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	30	32	32	32	48	52	57	52	46	41	32	28	57	10	3077
MEAN MAX TMP (F)	-3	-9	-5	6	25	37	41	39	33	22	11	-1	16	10	3077
MEAN MIN TMP (F)	-13	-20	-16	-8	15	29	33	33	28	15	4	-10	8	10	3103
ABS MIN TMP (F)	-44	-47	-42	-27	-26	14	27	25	12	-11	-22	-33	-47	10	3103
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	3077
MEAN NO DYS TMP = DR LES 32(F)	31.0	28.0	31.0	30.0	30.9	24.4	15.0	16.5	26.4	30.8	30.0	31.0	325.0	10	3103
MEAN NO DYS TMP = DR LES 0(F)	26.9	26.7	28.1	24.8	3.4	0.0	0.0	0.0	0.0	2.2	12.9	26.8	151.8	10	3103
MEAN DEW PT TMP (F)	-13	-19	-16	-6	16	30	34	33	27	14	4	-10	8	10	20140
MEAN REL HUM (PCT)	79	79	77	78	85	88	89	89	88	81	83	80	83	10	20140
MEAN PRESS ALT (FT)	-94	-227	-195	-200	-50	-33	50	28	-56	66	-26	-165	-76	5	10936
MEAN PRECIP (IN)	1.14	0.83	1.09	0.41	0.81	0.46	1.39	1.38	1.40	1.30	0.90	0.91	11.8	10	2642
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = DR GTR 0.1 IN	11.7	7.8	8.0	5.3	10.3	5.2	8.3	10.3	11.2	12.1	11.0	8.2	109.4	10	2642
MEAN NO DYS SNFL = DR GTR 1.5 IN														0	0
MEAN NO DYS W/OCCUR VSBY LES 1/2 MI	1.5	0.8	1.5	1.2	2.1	3.2	6.0	4.1	1.2	1.8	2.4	0.9	26.7	10	19957
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	0.1	0.0	0.2	0.4	0.2	0.3	0.0	0.0	1.2	10	3307
P FREQ WND SPD = DR GTR 17 KTS	27.4	16.7	19.6	22.0	18.1	9.1	9.1	17.4	24.7	29.7	46.1	24.5	22.0	10	20034
P FREQ WND SPD = DR GTR 28 KTS	8.2	5.8	8.6	6.0	5.6	1.1	0.7	3.8	6.6	9.2	14.1	7.0	6.4	10	20034
P FREQ LES 5000 FT A/D LES 5 MI	41.0	28.3	25.3	29.5	66.3	60.9	60.4	68.4	73.6	59.0	61.2	38.3	51.0	10	19957
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	25.7	14.7	14.8	15.9	45.7	46.9	49.6	44.1	31.6	26.4	36.4	20.0	31.0	10	3430
03-05 LST	15.6	9.2	15.0	18.0	49.5	49.1	55.0	43.8	30.4	18.1	39.9	18.4	30.5	9	1590
06-08 LST	22.6	16.2	17.2	20.3	42.8	43.9	45.0	44.5	31.8	24.0	34.9	21.5	30.4	10	3311
09-11 LST	22.8	13.3	15.4	20.6	43.9	41.9	40.4	48.2	37.4	22.2	34.0	21.5	30.1	10	1410
12-14 LST	22.1	13.6	15.8	16.3	38.5	39.8	40.9	43.4	35.1	25.8	34.2	20.8	28.9	10	3232
15-17 LST	24.6	10.7	16.4	15.8	39.9	41.1	38.2	44.5	38.0	24.3	34.7	20.8	29.1	10	2045
18-20 LST	25.1	13.3	15.3	15.6	38.8	41.9	43.6	44.4	40.1	27.8	37.4	17.8	30.1	10	3295
21-23 LST	22.0	10.5	18.0	16.1	46.1	41.2	44.4	42.1	38.2	20.1	32.1	16.1	28.9	9	1634
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	7.9	2.5	4.6	3.4	11.5	18.5	24.0	18.4	7.6	7.3	11.6	5.8	10.3	10	3430
03-05 LST	6.3	2.6	7.1	6.5	12.7	18.5	28.1	16.0	4.8	3.9	10.8	4.3	10.1	9	1590
06-08 LST	5.9	3.2	8.5	7.4	11.1	14.9	18.8	18.8	7.7	5.4	13.6	5.9	10.1	10	3311
09-11 LST	3.0	4.4	7.2	6.1	10.0	12.2	12.8	19.2	9.1	4.8	13.0	6.9	9.1	10	1410
12-14 LST	7.3	4.7	6.1	5.5	7.6	8.0	10.0	13.4	7.5	8.9	13.2	6.0	8.2	10	3232
15-17 LST	8.4	2.4	7.6	3.7	7.8	8.9	10.4	16.4	8.9	8.8	12.6	6.9	8.6	10	2055
18-20 LST	6.2	4.0	7.2	4.2	6.6	10.3	17.5	19.6	8.0	8.4	13.2	5.2	9.2	10	3295
21-23 LST	7.6	2.1	8.5	3.7	12.7	15.1	18.3	18.2	4.4	5.2	11.4	4.1	9.3	9	1634

OSTROV VRANJELYA, USSR

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	12 LST	25.7	25.3	27.0	26.0	22.6	21.2	20.6	20.6	22.7	25.9	21.8	26.3	285.7	10	3232
	18 LST	25.0	25.4	27.1	26.2	22.8	19.9	19.5	20.0	22.5	25.1	21.4	27.2	282.1	10	3295
	00 LST	24.9	25.2	27.4	26.8	20.5	18.6	17.3	20.5	24.3	25.8	21.6	26.2	279.1	10	3430
	06 LST	25.7	24.4	26.8	25.4	21.4	19.6	19.2	19.4	24.3	25.7	21.7	25.6	279.2	10	3311
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	12 LST	15.5	18.4	18.8	16.7	11.0	11.0	11.1	8.7	5.0	10.4	7.7	14.7	153.0	10	3224
	18 LST	15.1	18.1	17.2	16.8	10.9	10.7	10.0	8.7	6.5	10.4	7.7	16.7	148.8	10	3292
	00 LST	14.7	19.1	19.4	18.1	9.7	10.5	9.9	9.3	10.2	9.5	8.5	16.9	155.8	10	3425
	06 LST	14.6	18.1	19.0	16.6	10.5	11.4	10.1	9.6	9.3	10.5	7.3	15.5	152.9	10	3305
SFC WND = GTR 17 KTS AND NO PRECIP.	12 LST	5.1	5.9	5.2	4.5	3.5	3.1	0.7	6.0	2.5	4.6	5.5	6.0	52.6	10	1327
	18 LST	5.4	6.0	5.0	4.0	4.3	4.7	2.2	3.9	2.0	7.6	7.3	5.4	57.8	10	1255
	00 LST	6.1	3.6	5.6	3.6	3.0	2.7	0.8	4.4	3.1	6.3	5.9	4.8	49.9	10	1245
	06 LST	6.0	4.4	4.8	4.9	2.7	1.5	0.8	4.8	1.4	7.8	7.7	4.2	51.0	10	1228
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	12 LST	0.0	0.0	0.0	0.0	1.4	11.0	13.4	9.5	3.7	0.5	0.0	0.0	39.5	10	3235
	18 LST	0.0	0.0	0.0	0.0	0.8	9.2	10.5	9.1	2.4	0.1	0.0	0.0	32.1	10	3303
	00 LST	0.0	0.0	0.0	0.0	0.2	3.8	7.6	5.9	2.3	0.1	0.0	0.0	19.9	10	3446
	06 LST	0.0	0.0	0.0	0.0	0.4	5.7	9.7	6.7	1.9	0.0	0.0	0.0	24.4	10	3320
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	12 LST	9.7	11.4	11.8	11.8	5.3	4.5	5.0	2.1	2.1	3.0	4.9	9.1	80.7	10	3214
	18 LST	9.9	12.6	13.8	12.2	6.4	6.2	4.4	2.7	1.9	5.0	5.7	12.0	92.8	10	3275
	00 LST	11.1	15.2	16.2	14.9	4.9	4.4	4.2	3.7	3.3	7.4	6.5	13.3	105.1	10	3421
	06 LST	10.6	13.9	12.8	11.6	4.6	5.0	4.8	2.6	2.1	4.8	5.8	13.1	91.7	10	3295
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	12 LST	22.4	23.1	25.2	24.0	14.8	14.4	15.1	12.8	13.2	17.7	16.5	22.4	221.6	10	3232
	18 LST	21.9	23.5	25.5	24.3	14.3	14.1	14.8	12.8	11.6	17.6	15.6	23.9	219.9	10	3295
	00 LST	21.5	23.1	25.9	23.6	12.6	12.7	13.3	13.0	14.3	18.8	16.1	25.3	218.2	10	3430
	06 LST	23.0	22.8	24.8	22.3	13.6	13.6	14.0	13.3	14.1	19.2	17.0	22.9	220.6	10	3311
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	12 LST	20.3	21.5	24.4	23.1	12.2	12.4	13.0	9.2	7.6	12.0	12.8	20.1	188.6	10	3232
	18 LST	20.8	22.1	24.6	23.3	11.9	12.0	13.1	9.6	7.5	12.5	12.4	21.8	191.6	10	3295
	00 LST	20.1	22.2	24.9	22.4	10.4	10.6	11.9	10.2	8.7	14.2	13.2	21.2	190.0	10	3430
	06 LST	21.6	21.6	23.4	21.1	11.0	12.0	11.6	9.7	8.5	13.4	14.1	21.2	189.2	10	3311
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	12 LST	20.0	21.2	24.1	23.1	11.9	12.1	12.8	9.1	7.4	11.5	12.7	19.9	185.8	10	3232
	18 LST	20.2	22.0	24.2	23.1	11.7	12.0	12.9	9.4	7.4	12.3	12.2	21.5	188.9	10	3295
	00 LST	19.7	22.0	24.7	22.4	10.2	10.4	11.4	10.0	8.3	13.6	13.1	21.0	186.8	10	3430
	06 LST	21.1	21.4	23.1	20.8	10.9	11.9	11.4	9.4	8.1	13.0	13.6	21.0	185.7	10	3311

AREA 05

USSR	WRANGEL ISLAND BOUNDARIES	LATITUDE 7.15N LONGITUDE 17930W												
PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)		-2	-8	-4	6	25	37	41	39	33	22	11	-0	17
MEAN MIN TMP (F)		-12	-19	-15	-7	15	29	33	33	28	15	4	-9	8
LARGEST MEAN PRECIP(IN)		1.14	0.63	1.09	0.41	0.81	0.46	1.39	1.38	1.40	1.30	0.90	0.91	11.8
SMALLEST MEAN PRECIP(IN)		1.14	0.63	1.09	0.41	0.81	0.46	1.39	1.38	1.40	1.30	0.90	0.91	11.8
		MEAN NUMBER OF DAYS												
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	12 LST	25.7	25.3	27.0	26.0	22.6	21.2	20.6	20.6	22.7	23.9	21.8	26.3	285.7
	18 LST	25.0	25.4	27.1	26.2	22.8	19.9	19.5	20.0	22.5	25.1	21.4	27.2	282.1
	00 LST	24.9	25.2	27.4	26.8	20.5	18.6	17.3	20.5	24.3	25.8	21.6	26.2	279.1
	06 LST	25.7	24.4	26.8	25.4	21.4	19.6	19.2	19.4	24.3	25.7	21.7	25.6	279.2
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	12 LST	15.5	18.4	18.8	16.7	11.0	11.0	11.1	8.7	9.0	10.4	7.7	14.7	153.0
	18 LST	15.1	18.1	17.2	16.8	10.9	10.7	10.0	8.7	6.5	10.4	7.7	16.7	148.8
	00 LST	14.7	19.1	19.4	18.1	9.7	10.5	9.9	9.3	10.2	9.5	8.5	16.9	155.8
	06 LST	14.6	18.1	19.0	16.6	10.5	11.4	10.1	9.6	9.3	10.5	7.3	15.9	152.9
SFC WND = GTR 17 KTS AND NO PRECIP.	12 LST	5.1	5.9	5.2	4.5	3.5	3.1	0.7	0.0	2.5	4.6	5.5	6.0	52.6
	18 LST	5.4	6.0	5.0	4.0	4.3	4.7	2.2	3.9	2.0	7.6	7.3	5.4	57.8
	00 LST	6.1	3.6	5.6	3.6	3.0	2.7	0.8	4.4	3.1	6.3	5.9	4.8	49.9
	06 LST	6.0	4.4	4.8	4.9	2.7	1.5	0.8	4.8	1.4	7.8	7.7	4.2	51.0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	12 LST	0.0	0.0	0.0	0.0	1.4	11.0	13.4	9.5	3.7	0.5	0.0	0.0	39.5
	18 LST	0.0	0.0	0.0	0.0	0.8	9.2	10.5	9.1	2.4	0.1	0.0	0.0	32.1
	00 LST	0.0	0.0	0.0	0.0	0.2	3.8	7.6	5.9	2.3	0.1	0.0	0.0	19.9
	06 LST	0.0	0.0	0.0	0.0	0.4	5.7	9.7	6.7	1.9	0.0	0.0	0.0	24.4
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	12 LST	9.7	11.4	11.8	11.8	5.3	4.5	5.0	2.1	2.1	3.0	4.9	9.1	80.7
	18 LST	9.9	12.6	13.8	12.2	6.4	6.2	4.4	2.7	1.9	5.0	5.7	12.0	92.8
	00 LST	11.1	15.2	16.2	14.9	4.9	4.4	4.2	3.7	3.3	7.4	6.5	13.3	105.1
	06 LST	10.6	13.9	12.8	11.6	4.6	5.0	4.8	2.6	2.1	4.8	5.8	13.1	91.7
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	12 LST	22.4	23.1	25.2	24.0	14.8	14.4	15.1	12.8	13.2	17.7	16.5	22.4	221.6
	18 LST	21.9	23.5	25.5	24.3	14.3	14.1	14.8	12.8	11.6	17.6	15.6	23.9	219.9
	00 LST	21.5	23.1	25.9	23.6	12.6	12.7	13.3	13.0	14.3	18.8	16.1	23.3	218.2
	06 LST	23.0	22.8	24.8	22.3	13.6	13.6	14.0	13.3	14.1	19.2	17.0	22.9	220.6
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	12 LST	20.3	21.5	24.4	23.1	12.2	12.4	13.0	9.2	7.6	12.0	12.8	20.1	188.6
	18 LST	20.8	22.1	24.6	23.3	11.9	12.0	13.1	9.6	7.5	12.5	12.4	21.8	191.6
	00 LST	20.1	22.2	24.9	22.4	10.4	10.6	11.9	10.2	8.7	14.2	13.2	21.2	190.0
	06 LST	21.6	21.6	23.4	21.1	11.0	12.0	11.6	9.7	8.5	13.4	14.1	21.2	189.2
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	12 LST	20.0	21.2	24.1	23.1	11.9	12.1	12.8	9.1	7.4	11.5	12.7	19.9	185.8
	18 LST	20.2	22.0	24.2	23.1	11.7	12.0	12.9	9.4	7.4	12.3	12.2	21.5	188.9
	00 LST	19.7	22.0	24.7	22.4	10.2	10.4	11.4	10.0	8.3	13.6	13.1	21.0	186.8
	06 LST	21.1	21.4	23.1	20.8	10.9	11.9	11.4	9.4	8.1	13.0	13.6	21.0	185.7

NURMANSK, USSR

STA NO. 22113 (IN AREA NUMBER 06)

LATITUDE 6858N

LONGITUDE 03303E

ELEVATION(FT) 00151

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	43	41	43	51	77	82	90	88	68	54	48	39	90	10	3200
MEAN MAX TMP (F)	16	15	24	35	45	56	62	58	48	36	28	20	37	10	3174
MEAN MIN TMP (F)	8	6	13	24	34	43	49	47	40	30	23	12	27	10	3174
ABS MIN TMP (F)	-29	-36	-26	0	16	28	37	36	25	-6	-13	-22	-36	10	3200
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.1	10	3174
MEAN NO DYS TMP = DR LES 32(F)	30.9	28.0	30.0	25.8	13.5	2.0	0.0	0.0	4.1	18.3	25.2	30.3	208.1	10	3174
MEAN NO DYS TMP = DR LES 0(F)	8.8	8.4	5.2	0.1	0.0	0.0	0.0	0.0	0.1	1.2	6.2	30.0		10	26079
MEAN DEW PT TMP (F)	8	6	13	22	30	40	47	47	39	29	22	12	26	10	26079
MEAN REL HUM (PCT)	85	83	79	73	69	69	72	80	81	85	86	85	79	5	13861
MEAN PRESS ALT (FT)	278	270	363	125	71	221	229	193	265	330	224	311	240	10	2553
MEAN PRECIP (IN)	1.49	1.35	0.81	0.81	1.28	2.28	2.19	2.88	2.09	2.24	1.47	1.58	20.5	10	-29
MEAN SNOW FALL (IN)							0.0	0.0						10	2553
MEAN NO DYS PRCP = DR GTR 0.1 IN	15.1	12.1	12.6	11.5	10.3	12.4	11.5	14.1	13.6	14.9	13.1	14.6	155.8	10	2553
MEAN NO DYS SNFL = DR GTR 1.5 IN							0.0	0.0						10	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	2.5	1.8	1.2	0.5	0.4	0.1	0.3	0.8	1.0	1.4	1.4	1.7	13.1	10	25980
MEAN NO DYS TSTMS	0.1	0.2	0.2	0.0	0.2	2.8	3.3	1.7	0.2	0.2	0.0	0.3	9.2	10	3638
P FREQ WND SPD = DR GTR 17 KTS	27.6	25.2	19.6	11.4	5.9	7.9	5.0	5.3	11.3	15.1	20.4	21.0	14.6	10	26096
P FREQ WND SPD = DR GTR 28 KTS	3.8	2.1	1.5	0.3	0.1	0.3	0.0	0.2	0.6	1.1	1.2	1.1	1.0	10	26096
P FREQ LES 5000 FT A/D LES 5 MI	61.0	56.5	44.7	40.0	48.0	50.4	53.8	61.5	60.6	63.8	66.6	62.2	55.8	10	25980
P FREQ LES 1900 FT A/D LES 3 MI														10	3501
FDR 00-02 LST	32.0	29.5	21.9	13.9	17.2	21.6	24.6	32.8	21.4	27.2	31.3	30.9	25.4	10	2948
03-05 LST	34.0	31.9	23.5	19.9	18.2	20.5	23.9	39.4	27.2	26.1	34.8	31.8	27.8	10	3432
06-08 LST	29.5	36.1	33.2	17.0	14.9	18.7	23.0	34.4	27.4	36.6	29.9	32.6	27.8	10	3034
09-11 LST	41.1	37.9	24.3	13.8	16.9	13.3	16.8	26.5	24.7	34.8	36.9	39.1	27.2	10	3562
12-14 LST	43.5	29.6	14.5	13.0	11.3	11.2	12.8	19.3	15.9	29.6	32.7	35.2	22.4	10	3026
15-17 LST	34.6	27.4	16.8	12.7	10.1	10.9	14.6	18.6	15.4	29.4	32.3	30.4	21.1	10	3468
18-20 LST	36.4	32.1	19.6	14.1	13.2	12.5	13.8	23.5	17.8	26.2	28.3	32.0	22.5	10	3009
21-23 LST	34.1	29.8	20.5	13.3	13.0	15.1	20.2	26.3	19.2	28.1	32.5	31.1	23.6		
P FREQ LES 300 FT A/D LES 1 MI														10	3501
FDR 00-02 LST	11.1	8.0	5.6	2.3	2.8	1.7	3.0	4.8	2.3	5.3	4.8	9.0	5.1	10	2948
03-05 LST	9.4	8.1	6.2	4.7	2.8	1.2	2.9	6.1	5.0	4.3	6.8	10.0	5.6	10	3432
06-08 LST	9.2	11.7	9.6	3.7	1.7	1.1	1.8	4.3	5.1	8.6	4.6	9.8	5.9	10	3034
09-11 LST	15.2	15.3	3.3	2.2	2.2	0.8	0.5	1.3	1.5	6.5	10.1	10.7	5.8	10	3562
12-14 LST	16.4	10.0	1.4	2.2	0.9	0.1	0.0	0.8	0.1	5.4	7.5	9.8	4.6	10	3026
15-17 LST	11.5	8.2	1.9	3.0	0.4	0.0	0.0	1.1	0.3	6.3	6.6	10.9	4.2	10	3468
18-20 LST	13.2	14.1	5.0	3.4	1.8	0.7	0.6	0.8	1.0	2.6	7.1	10.8	5.1	10	3009
21-23 LST	12.3	9.6	4.3	1.2	2.0	1.4	3.2	0.7	1.3	3.7	8.5	9.3	4.8		

MURMANSK, USSR

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST	23.1	21.5	25.9	27.8	28.1	25.1	25.6	23.3	26.3	25.8	23.9	23.4	299.8	10	3501
	08 LST	23.6	19.1	22.4	26.4	28.4	27.0	26.9	23.1	24.8	22.8	24.1	23.5	292.1	10	3432
	14 LST	19.2	21.1	28.0	27.3	29.9	28.8	29.2	27.7	27.9	25.4	24.1	22.2	310.8	10	3562
	20 LST	21.7	20.3	26.7	27.5	28.5	27.7	28.5	25.8	27.9	26.0	24.8	23.7	309.1	10	3468
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST	9.0	8.6	11.1	15.3	17.2	18.3	17.2	16.6	13.6	10.2	8.9	9.0	155.0	10	3500
	08 LST	8.6	6.8	8.8	13.5	16.4	14.4	15.7	13.2	12.3	9.2	8.5	9.5	136.9	10	3431
	14 LST	5.5	7.3	12.8	12.9	13.6	13.6	15.2	14.8	12.5	8.5	7.4	8.0	133.1	10	3561
	20 LST	7.5	7.2	13.1	16.1	19.7	15.6	18.7	18.5	15.2	11.3	8.6	9.1	160.6	10	3463
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST	0.2	0.4	0.2	0.8	0.7	0.0	0.0	0.8	0.5	2.8	3.7	2.5	12.6	10	1559
	08 LST	1.2	0.6	0.0	0.6	0.9	2.1	3.6	0.0	1.5	1.9	3.7	3.3	19.4	10	1643
	14 LST	1.0	0.2	0.2	1.1	1.6	2.1	3.6	1.4	3.1	3.9	4.7	2.9	25.8	10	1626
	20 LST	0.4	0.2	0.0	1.0	0.5	0.5	0.0	0.0	1.3	2.2	4.0	2.1	12.2	10	1604
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST	0.0	0.0	0.4	3.2	9.0	14.7	16.8	15.7	10.3	5.4	2.4	0.0	77.9	10	3514
	08 LST	0.0	0.0	0.3	2.7	10.9	13.6	16.0	14.6	12.0	5.3	1.8	0.0	77.2	10	3445
	14 LST	0.1	0.1	0.9	4.9	11.9	12.6	13.2	14.8	11.0	5.5	2.5	0.1	77.6	10	3575
	20 LST	0.1	0.1	0.5	4.0	13.0	12.7	16.6	16.4	12.9	4.1	2.2	0.3	82.9	10	3470
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST	7.1	6.8	9.0	7.4	5.7	5.2	5.7	5.3	4.6	6.3	5.2	6.7	75.0	10	3514
	08 LST	6.4	4.7	5.5	6.5	4.3	3.8	5.1	3.0	2.1	2.3	3.6	6.6	53.9	10	3445
	14 LST	3.1	4.4	7.2	6.7	4.4	3.6	3.8	2.7	2.2	3.0	3.0	4.6	48.7	10	3562
	20 LST	6.3	6.4	9.4	7.3	5.9	4.2	4.4	4.4	3.7	5.7	5.7	4.9	68.3	10	3475
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST	18.1	17.3	21.4	22.5	21.5	20.6	19.7	16.8	19.0	18.1	15.7	18.1	228.8	10	3501
	08 LST	19.3	15.6	18.1	22.5	22.4	19.7	18.7	16.3	16.8	15.5	16.3	17.1	218.3	10	3432
	14 LST	14.9	17.7	24.0	23.3	22.5	21.2	22.1	19.6	19.1	16.5	14.8	17.1	232.8	10	3562
	20 LST	17.0	17.1	22.4	22.7	23.5	22.9	22.9	20.3	19.4	18.3	16.8	17.0	240.3	10	3468
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST	13.8	13.3	16.7	17.8	16.0	15.4	14.4	11.7	12.0	12.7	11.0	13.6	168.0	10	3501
	08 LST	15.2	12.2	15.1	19.1	16.3	13.3	14.2	10.9	11.4	10.5	11.4	13.3	162.9	10	3432
	14 LST	12.2	15.0	20.1	19.1	15.2	12.6	14.0	11.2	11.6	11.3	9.9	13.3	165.5	10	3562
	20 LST	13.4	13.6	19.1	18.2	17.4	16.2	16.4	13.6	12.5	11.4	11.7	11.7	175.2	10	3468
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST	13.7	13.1	16.5	17.6	15.8	15.2	14.2	10.9	11.8	12.7	10.8	13.5	165.6	10	3501
	08 LST	15.1	12.2	15.1	19.0	16.3	13.2	14.2	10.8	11.3	10.3	11.3	13.3	162.1	10	3432
	14 LST	12.1	15.0	20.0	19.0	15.1	12.3	13.7	11.2	11.5	11.2	9.8	13.2	164.1	10	3562
	20 LST	13.3	13.4	18.9	18.2	17.2	15.9	16.1	13.2	12.2	11.0	11.7	11.6	172.7	10	3468

KANIN NOS, USSR

STA NO. 22165 (IN AREA NUMBER 05)

LATITUDE 6639N

LONGITUDE 04318E

ELEVATION(FT) 00016

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	37	37	36	54	64	79	88	82	68	52	48	41	88	49	-660
MEAN MAX TMP (F)	22	19	21	28	35	45	53	52	46	38	31	25	35	45	-160
MEAN MIN TMP (F)	13	9	10	19	27	35	42	43	39	31	24	17	26	45	-160
ABS MIN TMP (F)	-31	-27	-31	-17	1	21	28	30	16	0	-22	-22	-31	49	-660
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	3059
MEAN NO DYS TMP = DR LES 32(F)	31.0	28.0	31.0	29.6	27.0	10.9	0.7	0.1	2.1	17.8	26.3	30.7	233.2	10	3002
MEAN NO DYS TMP = DR LES 0(F)	6.0	6.4	6.6	1.5	0.0	0.0	0.0	0.0	0.0	0.0	0.5	2.4	23.4	10	3002
MEAN DEW PT TMP (F)	12	10	12	19	27	37	45	46	39	30	24	17	27	10	24521
MEAN REL HUM (PCT)	86	87	86	85	85	86	85	88	86	83	84	84	85	10	24521
MEAN PRESS ALT (FT)	162	157	231	-5	-50	80	91	64	157	237	86	132	112	5	13309
MEAN PRECIP (IN)	1.84	1.39	1.16	0.67	0.90	1.06	1.66	1.74	2.00	2.70	2.15	1.63	18.9	10	2618
MEAN SNOW FALL (IN)								0.0						49	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	15.3	13.3	12.9	9.9	10.3	5.3	8.3	10.9	14.0	18.4	16.5	16.0	155.1	10	2618
MEAN NO DYS SNFL = DR GTR 1.5 IN								0.0						49	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	2.1	1.2	1.2	2.2	2.8	4.6	4.6	4.9	1.8	0.8	0.9	1.0	28.1	10	24411
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	0.2	0.2	0.6	0.7	0.3	0.9	0.1	0.1	3.1	10	3590
P FREQ WND SPD = DR GTR 17 KTS	56.9	51.3	47.5	36.1	30.4	30.4	24.8	29.4	32.0	46.2	56.8	61.8	42.0	10	24559
P FREQ WND SPD = DR GTR 28 KTS	16.1	12.7	8.5	6.5	3.7	3.0	1.9	0.7	3.4	9.8	13.1	17.3	8.1	10	24559
P FREQ LES 5000 FT A/D LES 5 MI	65.4	62.5	50.2	51.2	53.0	53.0	46.9	56.7	61.2	72.3	75.9	70.0	60.0	10	24411
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	38.5	31.0	29.4	25.3	27.9	33.5	25.2	31.6	24.2	29.2	35.6	40.4	31.0	10	2731
03-05 LST	39.3	29.6	31.9	31.5	30.1	36.3	32.6	35.7	26.8	31.9	35.6	38.4	33.3	10	3426
06-08 LST	35.2	30.5	32.5	31.5	32.0	38.0	35.7	35.6	29.2	30.4	34.4	36.1	33.4	10	2543
09-11 LST	35.2	40.6	37.4	30.2	29.3	36.7	33.6	35.0	31.3	36.3	38.6	35.5	35.0	10	3298
12-14 LST	49.7	44.4	31.5	29.8	28.4	27.3	28.7	30.5	24.6	37.0	41.6	41.3	34.6	10	2790
15-17 LST	46.7	42.5	33.3	25.7	21.6	25.2	27.1	32.7	27.8	35.8	44.7	44.9	34.0	10	3441
18-20 LST	38.4	39.6	33.3	29.8	24.3	28.6	27.2	28.6	28.2	36.1	37.3	36.6	32.3	10	2800
21-23 LST	37.2	38.1	26.7	29.0	23.6	31.2	27.9	31.7	26.3	30.3	44.4	39.2	32.1	10	3382
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	9.2	5.5	7.7	9.2	12.1	20.6	11.6	16.4	8.6	3.1	6.4	8.1	9.9	10	2731
03-05 LST	11.2	7.4	7.0	9.3	12.8	23.3	16.3	21.0	8.5	4.0	5.6	7.4	11.2	10	3426
06-08 LST	9.4	7.3	8.6	12.7	13.6	22.6	21.2	21.0	8.1	4.1	3.2	8.0	11.7	10	2543
09-11 LST	9.0	10.8	10.2	11.4	14.2	19.6	18.1	16.9	10.4	5.5	5.9	7.5	11.6	10	3298
12-14 LST	15.0	10.8	10.9	8.8	10.6	13.7	13.9	15.9	6.1	7.0	10.2	11.3	11.2	10	2790
15-17 LST	14.8	12.8	8.7	7.9	9.4	11.2	11.4	14.5	7.0	5.8	10.3	10.8	10.4	10	3441
18-20 LST	10.4	10.3	9.4	7.8	10.2	18.1	12.1	16.1	8.6	4.1	9.1	8.8	10.4	10	2800
21-23 LST	9.1	10.1	7.6	7.8	11.2	16.8	12.1	17.1	5.6	2.8	9.9	8.0	9.8	10	3382

KANIN NOS, USSR

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	03 LST	20.3	21.1	22.3	22.1	23.1	20.1	22.6	21.8	25.4	25.1	21.8	20.6	266.3	10	3426
	09 LST	22.1	18.5	20.7	22.3	23.0	19.0	21.6	22.5	24.3	23.9	20.8	22.2	261.7	10	3298
	15 LST	18.7	17.7	21.9	23.4	25.5	23.5	23.8	22.8	24.8	23.7	19.3	19.6	264.7	10	3441
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SPC WND LES 10 KTS	03 LST	5.1	5.5	5.3	6.7	7.4	6.8	6.9	5.4	6.2	6.2	3.6	3.7	68.8	10	3424
	09 LST	4.4	4.5	5.3	7.6	8.7	6.2	7.6	5.8	6.9	4.1	4.1	3.5	68.7	10	3298
	15 LST	4.2	4.3	5.7	8.4	8.8	3.0	7.9	6.0	6.6	4.9	3.4	3.4	71.6	10	3439
SPC WND = GTR 17 KTS AND NO PRECIP.	03 LST	4.2	6.0	7.0	7.2	8.3	6.7	8.1	7.0	8.1	6.8	3.6	4.0	79.0	10	3381
	09 LST	3.5	0.2	0.2	0.0	2.1	7.4	5.2	6.0	6.0	8.6	10.6	8.1	57.9	10	1946
	15 LST	3.8	0.4	0.0	0.0	2.3	6.7	7.2	9.9	7.3	7.7	9.9	8.9	64.1	10	2067
SPC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	03 LST	3.2	0.4	0.0	0.0	3.0	8.5	6.3	9.2	6.8	6.0	9.1	7.9	60.4	10	1986
	09 LST	2.3	0.2	0.0	0.0	2.6	7.1	3.5	5.6	5.8	7.6	8.7	8.9	54.3	10	1969
	15 LST	0.0	0.0	0.0	0.2	1.4	7.6	9.3	7.4	8.0	3.6	0.8	0.0	38.3	10	3441
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	03 LST	0.0	0.0	0.0	0.2	3.3	8.0	9.5	7.8	8.3	2.7	1.3	0.1	41.2	10	3317
	09 LST	0.0	0.0	0.0	0.6	4.2	8.8	10.7	7.9	8.4	4.1	1.1	0.1	46.1	10	3452
	15 LST	0.0	0.0	0.0	0.6	2.0	9.2	10.8	8.2	1.5	5.1	1.6	0.2	47.2	10	3389
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	03 LST	6.3	6.5	10.6	7.0	4.5	3.8	5.2	3.9	4.7	3.6	4.8	4.9	63.8	10	3440
	09 LST	4.2	3.3	5.8	8.1	4.5	5.6	6.4	4.4	1.9	1.9	2.5	4.6	53.2	10	3317
	15 LST	3.6	3.4	6.5	7.3	7.4	7.0	7.7	4.4	3.2	1.7	1.4	3.5	57.1	10	3457
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	03 LST	6.3	7.6	10.4	6.3	6.7	5.2	6.5	4.6	4.0	4.0	3.4	5.5	70.5	10	3393
	09 LST	15.7	16.5	18.7	17.6	19.0	16.9	17.7	16.3	16.8	15.0	14.3	15.4	199.9	10	3426
	15 LST	16.0	13.7	17.4	18.4	19.2	16.5	18.2	16.5	15.5	13.2	13.3	15.1	193.0	10	3298
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	03 LST	13.1	13.9	18.6	19.7	21.7	19.9	19.9	17.5	16.7	14.0	11.2	12.8	199.0	10	3441
	09 LST	15.6	14.7	20.2	18.3	21.0	18.6	19.7	17.7	17.1	15.8	11.3	14.6	204.6	10	3382
	15 LST	11.4	10.8	15.2	13.8	14.0	11.8	14.5	12.5	11.8	9.2	9.0	10.4	144.4	10	3426
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	03 LST	10.8	10.2	15.5	15.0	14.4	12.8	15.3	13.0	11.7	7.3	7.1	9.4	142.5	10	3298
	09 LST	9.9	11.7	15.9	15.9	17.0	16.4	17.0	13.6	11.4	8.6	5.5	8.3	151.2	10	3441
	15 LST	11.3	11.1	16.7	14.4	15.7	13.7	16.5	13.4	11.4	9.6	6.5	9.3	149.6	10	3382
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	03 LST	11.4	10.7	15.1	13.6	13.8	11.6	14.4	12.3	11.7	9.1	8.9	10.3	142.9	10	3426
	09 LST	10.8	10.0	15.3	15.0	14.3	12.7	15.2	13.0	11.5	7.3	7.0	9.3	141.4	10	3298
	15 LST	9.8	11.4	15.8	15.6	16.8	16.3	16.6	13.4	11.3	8.4	5.4	8.3	149.1	10	3441
	21 LST	11.2	11.1	16.5	14.4	15.4	13.7	16.2	13.3	11.4	9.5	6.5	9.2	148.4	10	3382

KANDALAKSHA, USSR

STA NO. 22217 (IN AREA NUMBER 06)	LATITUDE 6708N												LONGITUDE 03226E												ELEVATION(FT) 00085	
PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS											
ABS MAX TMP (F)	43	41	45	57	75	86	88	81	72	57	46	39	88	10	2785											
MEAN MAX TMP (F)	13	14	24	37	48	59	65	61	50	38	28	18	38	10	2637											
MEAN MIN TMP (F)	2	1	5	20	33	44	49	48	39	29	20	8	25	10	2637											
ABS MIN TMP (F)	-33	-35	-27	-9	10	28	37	30	14	-8	-13	-27	-35	10	2785											
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	2637											
MEAN NO DYS TMP = DR LES 32(F)	30.7	28.0	30.4	27.6	16.4	2.0	0.0	0.7	6.4	19.8	25.2	31.0	218.2	10	2637											
MEAN NO DYS TMP = DR LES 0(F)	15.0	13.6	12.8	2.0	0.0	0.0	0.0	0.0	0.7	2.9	9.6	56.6	10	24731												
MEAN DEW PT TMP (F)	4	4	9	21	31	42	49	49	39	30	21	9	26	10	24731											
MEAN REL HUM (PCT)	83	83	79	73	69	69	73	81	82	85	88	85	79	5	13502											
MEAN PRESS ALT (FT)	141	158	264	54	10	152	171	136	179	237	114	210	152	10	2105											
MEAN PRECIP (IN)	0.91	1.14	1.06	1.05	1.29	2.42	2.73	2.74	2.01	2.53	1.45	1.42	20.8	10	-29											
MEAN SNOW FALL (IN)							0.0	0.0						10	2105											
MEAN NO DYS PRCP = DR GTR 0.1 IN	13.5	12.5	11.1	10.6	8.6	11.2	11.0	11.6	11.0	14.0	13.4	14.7	143.2	10	-29											
MEAN NO DYS SNFL = DR GTR 1.5 IN							0.0	0.0						10	24639											
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.3	0.6	0.9	0.3	0.5	0.1	0.5	1.3	0.8	0.4	0.5	0.5	6.7	10	3576											
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.1	0.7	1.8	3.0	1.7	0.2	0.0	0.0	5.7	4.0	10	24774											
P FREQ WND SPD = DR GTR 17 KTS	6.2	4.4	5.4	3.4	2.2	2.6	2.4	2.6	4.1	4.7	3.7	3.7	6.0	10	24774											
P FREQ WND SPD = DR GTR 28 KTS	0.3	0.3	0.3	0.0	0.0	0.0	0.0	0.1	0.1	0.2	0.0	0.0	0.1	10	24639											
P FREQ LES 3000 FT A/D LES 5 MI	52.5	49.1	38.7	32.3	34.5	34.3	33.4	45.7	52.6	59.3	67.8	59.0	46.4													
P FREQ LES 1900 FT A/D LES 3 MI														10	3310											
FOR 00-02 LST	21.5	23.3	17.4	12.8	8.3	7.8	5.1	12.7	16.2	25.2	32.1	25.4	17.3	10	2888											
03-05 LST	22.2	23.2	19.0	10.7	7.1	8.7	7.6	16.0	16.1	25.0	33.0	25.7	17.9	10	3017											
06-08 LST	23.2	23.1	17.8	12.6	8.5	8.6	7.3	17.6	19.3	21.3	32.5	27.8	18.3	10	3013											
09-11 LST	21.2	18.7	14.5	8.4	7.5	8.0	5.7	12.8	12.1	21.2	32.8	25.1	19.7	10	3278											
12-14 LST	19.9	18.4	9.5	6.7	8.5	5.0	3.9	9.0	12.0	18.9	30.5	24.4	13.9	10	2989											
15-17 LST	21.2	20.0	9.9	6.2	5.6	4.2	4.2	7.0	9.9	19.0	27.3	26.4	13.4	10	3191											
18-20 LST	21.5	18.1	14.5	8.4	8.0	6.4	3.5	8.1	14.2	23.9	33.1	26.6	15.5	10	2953											
21-23 LST	21.1	18.5	14.4	13.1	9.6	8.0	4.4	11.3	18.8	23.2	31.5	24.5	16.3													
P FREQ LES 300 FT A/D LES 1 MI														10	3310											
FOR 00-02 LST	0.7	2.0	1.9	1.5	1.5	0.0	0.6	0.6	1.5	2.7	2.3	0.7	1.3	10	2888											
03-05 LST	1.7	2.6	4.2	2.0	2.0	1.6	2.2	5.5	3.1	3.0	1.3	0.5	2.5	10	3017											
06-08 LST	1.1	3.5	4.4	1.5	1.0	0.3	0.8	2.7	3.7	1.5	2.1	1.1	2.0	10	3013											
09-11 LST	3.4	4.7	2.0	1.4	0.5	0.7	0.0	0.7	1.2	2.5	3.0	3.9	2.0	10	3278											
12-14 LST	3.1	2.7	1.4	0.0	0.4	0.3	0.2	0.3	1.0	1.1	2.9	3.1	1.4	10	2989											
15-17 LST	2.0	3.8	2.4	0.8	0.0	0.0	0.0	0.0	1.5	1.3	1.3	1.9	1.3	10	3191											
18-20 LST	1.2	0.5	1.9	0.7	0.7	0.3	0.0	0.6	1.1	1.7	1.8	1.0	1.0	10	2953											
21-23 LST	1.5	2.3	2.5	0.7	1.1	0.5	0.0	1.1	1.1	1.8	2.2	1.2	1.3													

KANDALAKSHA, USSR

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST	29.4	25.7	29.3	29.1	29.7	29.2	30.4	30.0	28.7	27.9	25.1	28.3	342.8	10	3310
	08 LST	28.8	25.2	27.2	27.6	30.0	29.0	30.4	29.0	27.4	27.7	25.4	27.9	335.6	10	3017
	14 LST	27.5	25.0	29.6	29.2	30.0	29.8	30.7	30.1	28.4	28.0	25.0	27.5	340.8	10	3278
	20 LST	28.6	26.5	29.4	28.6	29.5	29.3	30.9	29.9	29.0	27.8	25.7	28.0	343.2	10	3191
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST	17.7	16.6	21.2	23.2	24.3	23.9	24.3	22.9	21.9	17.0	19.1	15.6	243.7	10	3304
	08 LST	17.0	16.3	20.2	21.2	21.9	20.4	21.2	17.7	17.1	17.3	13.2	14.5	218.0	10	3015
	14 LST	18.5	17.7	19.2	19.7	18.5	16.3	18.7	19.4	17.7	17.1	14.2	16.2	213.2	10	3274
	20 LST	19.2	18.4	22.6	22.7	23.1	20.3	24.3	23.0	19.6	18.6	14.2	15.9	241.9	10	3186
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST	0.4	0.0	0.0	0.0	0.0	0.9	0.0	0.0	0.6	0.2	0.2	0.4	2.7	10	1701
	08 LST	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.8	0.4	0.3	0.5	0.8	3.4	10	1883
	14 LST	0.2	0.0	0.0	0.3	0.6	0.9	1.4	1.2	0.5	0.7	0.2	0.5	6.6	10	1758
	20 LST	0.0	0.0	0.0	0.4	0.2	0.6	0.4	0.3	0.6	0.6	0.4	0.4	3.9	10	1714
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST	0.2	0.1	0.8	3.3	8.6	15.1	13.8	15.0	12.6	6.4	2.9	0.5	78.7	10	3315
	08 LST	0.3	0.0	0.9	4.2	15.1	17.2	18.3	12.8	11.1	5.6	2.7	0.1	88.3	10	3032
	14 LST	0.6	0.1	1.7	9.3	16.2	14.4	16.1	17.6	15.1	9.7	3.4	0.0	104.2	10	3301
	20 LST	0.3	0.2	1.3	6.2	15.9	16.0	19.1	16.0	12.5	7.6	3.0	0.4	98.5	10	3200
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST	11.1	8.7	12.7	11.3	7.7	7.3	9.1	6.9	8.0	8.7	6.1	9.0	106.6	10	3316
	08 LST	10.0	5.9	8.0	9.0	7.5	6.4	7.6	4.7	4.0	4.1	4.7	8.8	80.7	10	3028
	14 LST	6.4	5.8	10.1	7.5	7.6	4.6	5.3	3.5	3.3	4.3	3.3	7.3	70.0	10	3306
	20 LST	11.2	10.4	12.7	9.6	8.4	7.9	6.3	4.7	6.1	7.8	5.2	10.1	101.0	10	3201
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST	19.5	17.8	22.4	23.2	25.4	24.6	26.6	22.7	21.4	18.3	14.9	17.6	254.4	10	3310
	08 LST	18.9	17.0	22.8	23.8	24.5	24.0	24.8	20.1	18.9	19.0	13.9	16.7	244.4	10	3017
	14 LST	21.0	19.9	25.4	25.2	24.1	24.5	26.2	23.3	21.4	19.8	15.3	18.2	264.3	10	3278
	20 LST	20.6	19.9	23.9	25.0	25.8	24.9	26.7	24.7	21.4	18.6	14.0	17.4	262.9	10	3191
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST	16.2	15.1	19.4	19.6	21.1	20.8	22.2	17.0	16.5	13.9	10.9	14.2	206.9	10	3310
	08 LST	15.8	14.1	20.7	21.4	20.5	20.0	19.0	15.7	14.2	14.3	10.1	13.8	199.6	10	3017
	14 LST	18.3	18.1	23.5	21.4	18.0	17.7	19.6	17.3	14.5	13.9	11.9	15.9	210.1	10	3278
	20 LST	17.2	17.2	21.3	22.0	22.0	20.2	21.2	19.6	16.8	13.5	10.2	14.4	215.6	10	3191
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST	16.2	15.1	19.4	19.5	21.1	20.7	22.2	17.0	16.5	13.9	10.9	14.2	206.7	10	3310
	08 LST	15.7	14.1	20.7	21.4	20.5	20.0	19.0	15.7	14.2	14.3	10.1	13.8	199.3	10	3017
	14 LST	18.3	18.1	23.5	21.4	18.0	17.7	19.6	17.3	14.5	13.8	11.9	15.9	210.0	10	3278
	20 LST	17.2	17.1	21.3	22.0	21.9	20.2	21.2	19.5	16.7	13.5	10.2	14.4	215.2	10	3191

KRASNOHCHELYE, USSR

STA NO. 22235 (IN AREA NUMBER 06)

LATITUDE 6722N

LONGITUDE 03702E

ELEVATION(FT) 00525

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR	NO.
														(YRS)	UBS
ABS MAX TMP (F)	41	36	41	54	73	82	86	84	68	54	45	36	86	10	3097
MEAN MAX TMP (F)	11	12	21	33	44	58	63	60	48	35	26	17	36	10	3097
MEAN MIN TMP (F)	0	-1	3	16	30	41	46	45	37	27	18	7	22	10	3039
ABS MIN TMP (F)	-38	-44	-40	-20	3	27	28	27	12	-15	-22	-40	-44	10	3039
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	3097
MEAN NO DYS TMP = DR LES 32(F)	31.0	28.0	30.8	28.5	20.1	5.3	0.9	1.2	9.1	21.2	27.2	30.9	234.2	10	3039
MEAN NO DYS TMP = DR LES 0(F)	14.3	14.1	13.9	5.0	0.0	0.0	0.0	0.0	0.0	0.5	4.3	8.6	60.7	10	3039
MEAN DEW PT TMP (F)	2	2	8	18	29	39	46	47	39	28	20	9	24	10	25948
MEAN REL HUM (PCT)	86	85	82	76	72	68	72	82	86	89	90	88	81	10	25948
MEAN PRESS ALT (FT)	589	595	693	475	445	581	603	567	633	682	551	622	586	5	12867
MEAN PRECIP (IN)	1.46	1.03	1.27	1.04	1.51	2.12	2.30	2.93	2.63	2.09	1.20	1.36	20.9	10	2787
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = DR GTR 0.1 IN	15.4	12.0	11.1	9.3	10.1	11.1	11.7	12.7	12.9	13.0	11.8	13.8	146.9	10	2787
MEAN NO DYS JNFL = DR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.6	1.0	1.3	0.8	1.0	0.2	0.3	1.8	1.5	1.1	0.7	1.0	11.3	10	25845
MEAN NO DYS TSTMS	0.0	0.0	0.1	0.1	0.5	3.2	3.0	2.8	0.4	0.0	0.0	0.0	10.1	10	3618
P FREQ WND SPD = DR GTR 17 KTS	0.9	1.4	0.6	0.4	0.1	0.2	0.2	0.3	0.3	0.8	0.2	0.2	0.5	10	25950
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	25950
P FREQ LES 5000 FT A/D LES 5 MI	49.8	47.3	39.5	34.2	42.0	36.6	37.8	48.0	60.2	62.2	67.2	64.7	49.1	10	25845
P FREQ LES 1900 FT A/D LES 3 MI															
FOR 00-02 LST	30.1	29.6	25.6	15.2	21.6	15.5	21.8	34.4	33.2	34.2	46.1	40.4	29.0	10	3470
03-05 LST	27.3	31.4	28.8	22.4	21.0	19.8	25.6	41.7	41.0	36.8	45.7	39.9	31.8	10	2968
06-08 LST	32.4	37.0	27.8	20.3	23.7	16.2	21.9	37.0	42.7	43.6	47.0	39.1	32.4	10	3364
09-11 LST	31.3	28.0	23.9	16.6	14.4	12.1	10.7	24.8	37.6	39.0	50.0	43.4	27.7	10	3063
12-14 LST	30.7	23.3	19.4	15.3	13.5	7.8	11.3	18.5	28.1	37.9	47.6	41.4	24.6	10	3498
15-17 LST	30.2	20.9	17.0	15.6	12.3	7.8	7.6	18.0	23.8	34.9	43.9	38.4	22.4	10	3043
18-20 LST	30.1	24.1	15.9	15.0	13.7	7.9	9.9	15.7	25.5	34.0	43.5	46.4	24.6	10	3441
21-23 LST	31.1	27.2	20.6	16.0	15.9	10.1	17.9	24.3	30.1	30.3	42.8	40.0	25.5	10	2998
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	3.8	3.7	4.3	2.1	5.6	1.0	2.4	5.5	5.5	6.7	5.8	3.2	4.1	10	3470
03-05 LST	3.2	4.2	6.0	4.0	3.5	1.0	1.1	8.5	5.7	6.2	6.0	4.5	4.5	10	2968
06-08 LST	3.4	7.1	3.5	2.4	2.3	0.5	0.0	1.7	7.7	9.3	6.2	3.9	4.0	10	3364
09-11 LST	4.4	3.3	2.2	0.2	0.6	0.3	0.0	0.3	1.8	6.9	8.0	5.2	2.8	10	3063
12-14 LST	2.9	2.4	0.8	1.4	1.6	0.0	0.0	0.0	0.5	4.7	5.3	5.0	2.1	10	3498
15-17 LST	5.4	0.7	2.5	1.6	1.3	0.0	0.0	0.0	0.3	3.5	5.5	4.4	2.1	10	3043
18-20 LST	3.3	1.9	0.9	2.1	1.7	0.0	0.0	0.5	1.5	4.3	4.4	4.0	2.1	10	3441
21-23 LST	2.7	2.0	3.5	2.0	2.2	0.3	0.0	0.3	2.8	5.7	5.7	4.0	2.6	10	2998

KRASNOHCHEL'YE, USSR

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST	24.3	22.6	25.7	27.0	26.1	26.6	25.9	23.1	23.1	23.3	19.4	20.9	208.0	10	3470
	08 LST	23.5	19.5	24.5	25.9	26.7	27.3	27.6	22.3	20.4	20.1	18.7	21.9	278.9	10	3364
	14 LST	23.3	23.2	27.9	27.3	28.8	29.1	29.5	28.4	26.2	22.8	19.0	21.3	306.8	10	3498
	20 LST	24.1	23.6	28.5	26.6	28.5	28.9	29.6	27.7	25.4	23.4	19.6	19.8	305.7	10	3441
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST	17.7	15.7	19.3	22.5	22.5	23.1	22.3	17.3	15.6	16.1	12.3	15.2	219.6	10	3468
	08 LST	17.4	14.4	19.3	20.4	19.2	20.7	19.9	15.7	13.0	13.6	11.9	15.0	200.5	10	3364
	14 LST	15.7	17.6	19.6	19.6	20.4	22.3	22.1	19.8	14.7	13.3	11.7	14.7	214.5	10	3497
	20 LST	18.2	18.3	22.5	23.8	24.3	25.1	25.9	23.3	18.2	15.9	13.0	13.3	241.8	10	3440
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.3	0.2	0.0	0.7	10	1844
	08 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.2	0.0	0.7	10	1956
	14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.5	0.0	0.2	0.0	1.1	10	1899
	20 LST	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	10	1891
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST	0.0	0.0	0.6	2.9	7.9	13.6	14.8	13.9	12.9	7.2	2.5	0.1	76.4	10	3477
	08 LST	0.0	0.0	0.9	5.4	14.1	20.6	20.9	19.8	14.0	9.0	2.9	0.2	107.8	10	3378
	14 LST	0.1	0.0	1.7	9.0	18.2	21.4	22.3	21.5	18.1	9.8	3.0	0.0	125.1	10	3510
	20 LST	0.1	0.1	1.4	5.3	14.4	20.8	21.3	16.2	13.9	7.2	2.9	0.1	103.7	10	3450
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST	9.3	8.4	11.2	10.2	7.6	7.8	9.2	4.8	6.4	6.5	6.1	7.7	95.2	10	3480
	08 LST	7.2	5.1	8.2	10.0	6.8	6.0	8.4	4.6	3.2	4.8	4.7	6.3	75.3	10	3377
	14 LST	6.2	5.9	9.9	9.5	6.9	5.1	4.5	4.0	2.6	4.2	3.9	7.0	69.7	10	3510
	20 LST	8.2	9.7	13.4	11.0	8.7	6.2	8.3	7.0	5.2	6.9	7.2	6.8	98.6	10	3451
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST	18.4	16.3	19.6	22.8	21.9	23.4	22.1	16.8	15.9	16.3	12.4	15.4	221.3	10	3470
	08 LST	18.0	15.2	19.8	21.5	19.4	21.3	19.9	15.4	13.0	14.2	12.3	14.8	204.8	10	3364
	14 LST	19.1	19.2	21.7	22.6	22.2	23.4	22.8	20.3	15.1	14.4	11.8	14.3	226.9	10	3498
	20 LST	18.5	18.4	23.2	23.9	23.8	25.1	25.1	23.3	17.8	16.5	13.5	13.1	242.2	10	3441
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST	15.3	13.5	16.5	18.1	18.1	20.5	20.1	14.2	11.7	11.5	9.0	11.6	180.1	10	3470
	08 LST	15.1	13.0	17.5	20.1	16.4	17.9	18.1	13.7	9.9	11.6	9.3	10.1	172.7	10	3364
	14 LST	16.8	17.2	20.1	20.6	15.4	15.9	17.3	16.0	11.3	11.3	9.4	12.0	183.3	10	3498
	20 LST	15.9	15.6	20.6	21.3	20.2	20.9	21.8	20.8	14.0	11.6	10.4	10.5	203.6	10	3441
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST	15.3	13.5	16.5	17.9	17.9	20.4	20.0	14.1	11.6	11.5	9.0	11.6	179.3	10	3470
	08 LST	15.1	13.0	17.5	20.1	16.4	17.9	18.1	13.7	9.7	11.5	9.3	10.1	172.4	10	3364
	14 LST	16.7	17.2	20.1	20.6	15.4	15.8	17.1	15.9	11.2	11.1	9.3	11.9	182.3	10	3498
	20 LST	15.9	15.6	20.5	21.3	20.1	20.7	21.7	20.7	14.0	11.5	10.3	10.5	202.8	10	3441

PYALITSA, USSR

STA NO. 22349 (IN AREA NUMBER 06) LATITUDE 6610N LONGITUDE 03932E ELEVATION(FT) 00026

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	39	36	39	46	70	73	79	77	64	57	45	37	79	10	3151
MEAN MAX TMP (F)	15	15	22	31	40	50	57	56	48	39	30	23	36	10	3151
MEAN MIN TMP (F)	5	5	7	19	30	39	46	46	39	31	24	15	26	10	3124
ABS MIN TMP (F)	-29	-29	-20	-8	10	27	32	27	19	1	-6	-17	-29	10	3124
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	3151
MEAN NO DYS TMP = DR LES 32(F)	31.0	28.0	30.9	29.1	20.8	5.2	0.3	0.4	4.9	16.9	24.4	30.9	222.8	10	3124
MEAN NO DYS TMP = DR LES 0(F)	11.1	10.6	11.1	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.5	3.3	37.4	10	3124
MEAN DEW PT TMP (F)	6	6	11	20	30	40	48	48	40	31	23	15	27	10	25633
MEAN REL HUM (PCT)	84	85	84	82	81	83	86	88	87	86	86	85	85	10	25633
MEAN PRESS ALT (FT)	68	79	172	-37	-73	47	79	55	123	175	38	88	68	5	13729
MEAN PRECIP (IN)	1.25	1.15	1.14	0.88	1.15	1.88	2.07	2.05	2.36	2.30	1.70	1.17	19.1	10	2778
MEAN SNOW FALL (IN)							0.0							10	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	14.1	12.1	10.7	7.9	7.7	10.5	9.6	10.4	12.0	11.7	12.2	14.4	133.3	10	2778
MEAN NO DYS SNFL = DR GTR 1.5 IN							0.0							10	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	1.6	1.8	1.3	1.6	1.3	1.9	2.7	3.9	2.1	0.9	1.1	1.6	21.8	10	25512
MEAN NO DYS TSTMS	0.0	0.1	0.0	0.1	0.3	1.8	3.2	2.7	1.1	0.1	0.0	0.0	9.4	10	3605
P FREQ WND SPD = DR GTR 17 KTS	28.7	30.3	22.0	18.6	17.1	14.7	9.6	11.2	14.8	24.0	29.7	30.8	21.0	10	25678
P FREQ WND SPD = DR GTR 28 KTS	5.0	5.1	1.6	1.6	1.1	0.4	0.6	0.2	0.9	1.8	4.8	6.6	2.5	10	25678
P FREQ LES 5000 FT A/D LES 5 MI	51.6	48.5	37.9	32.4	34.6	34.6	37.8	46.2	53.9	55.8	64.0	65.6	46.9	10	25512
P FREQ LES 1900 FT A/D LES 3 MI															
FOR 00-02 LST	28.8	24.1	19.8	14.3	11.3	10.8	14.1	16.9	17.4	18.4	34.3	34.0	20.4	10	2952
03-05 LST	30.6	29.7	22.3	17.9	16.3	15.2	19.6	20.6	18.2	19.0	31.4	36.6	23.1	10	3378
06-08 LST	29.7	30.5	21.6	17.8	16.4	13.5	16.4	24.7	21.3	20.8	30.6	34.9	23.2	10	2884
09-11 LST	29.6	33.7	21.8	17.4	13.4	13.4	20.3	26.5	23.4	26.0	35.3	34.0	24.6	10	3381
12-14 LST	31.3	29.3	22.1	16.9	12.8	16.1	17.4	24.3	22.4	26.8	37.4	40.0	24.7	10	3019
15-17 LST	31.6	27.4	20.6	15.8	12.8	11.1	10.9	15.6	21.5	25.7	37.1	40.7	22.6	10	3420
18-20 LST	27.3	23.9	20.5	15.1	11.7	11.2	11.2	12.1	19.1	25.0	30.9	38.8	20.6	10	3045
21-23 LST	28.0	24.8	21.4	17.2	10.9	7.9	9.7	16.8	15.9	20.8	34.2	36.2	20.3	10	3433
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	6.8	7.2	6.6	5.8	3.3	3.8	6.8	7.5	5.5	2.2	6.3	5.4	5.6	10	2952
03-05 LST	10.0	9.0	8.2	8.1	4.7	7.6	10.2	11.4	6.1	2.6	5.3	6.7	7.5	10	3378
06-08 LST	10.0	8.1	7.7	7.4	4.0	4.7	6.2	15.2	9.0	3.3	3.5	6.9	7.2	10	2884
09-11 LST	7.9	12.2	8.4	8.4	3.1	3.8	10.0	10.3	7.0	3.8	5.3	7.0	7.3	10	3381
12-14 LST	10.2	9.9	6.6	5.5	4.7	7.0	6.1	8.7	6.5	4.2	7.7	10.3	7.3	10	3019
15-17 LST	9.7	9.2	4.8	7.5	4.4	3.7	4.3	4.8	6.3	3.2	6.3	10.5	6.2	10	3420
18-20 LST	7.8	7.4	7.9	6.4	4.8	5.0	4.0	4.1	6.6	4.7	4.4	7.2	5.9	10	3045
21-23 LST	7.6	6.3	8.2	8.4	5.3	2.8	3.3	6.6	5.8	3.2	6.0	7.6	5.9	10	3433

PYALITSA, USSR

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	03 LST	24.6	22.5	26.5	27.0	28.1	26.8	26.6	27.0	27.6	28.4	25.4	24.5	315.0	10	3378
	09 LST	25.6	21.3	26.9	25.9	29.0	28.3	26.6	26.0	26.0	26.0	23.7	26.3	311.6	10	3381
	15 LST	24.6	22.6	27.0	26.7	28.7	28.3	29.3	28.1	26.6	26.5	23.5	22.5	314.4	10	3420
	21 LST	25.8	23.5	26.4	26.6	28.9	28.6	29.6	28.1	27.6	28.1	24.6	24.9	322.7	10	3433
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	03 LST	9.6	9.3	14.1	14.4	17.9	19.2	19.2	17.6	14.5	10.9	8.1	7.3	162.1	10	3377
	09 LST	9.8	8.6	12.4	13.9	13.8	14.8	15.8	12.6	11.8	10.3	7.9	6.5	138.2	10	3376
	15 LST	9.7	8.7	10.9	11.4	12.1	12.7	14.1	11.0	10.5	9.2	6.9	7.5	124.7	10	3419
	21 LST	10.4	10.0	13.8	15.3	18.3	17.2	19.0	17.0	15.8	11.1	7.0	7.2	162.1	10	3433
SFC WND = GTR 17 KTS AND NO P. ECIP.	03 LST	3.2	1.9	0.2	1.2	2.3	1.2	0.0	1.1	1.7	4.6	5.4	3.1	25.9	10	1725
	09 LST	3.7	2.3	0.7	2.0	2.8	2.0	1.9	1.0	2.3	4.0	5.5	4.8	33.0	10	1870
	15 LST	3.9	2.5	1.0	2.4	3.2	3.5	2.6	3.9	4.3	4.8	6.0	4.3	46.4	10	1797
	21 LST	3.0	2.8	0.8	1.3	2.7	2.5	0.6	0.5	1.2	4.4	5.1	4.2	29.1	10	1806
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	03 LST	0.0	0.0	0.2	1.0	7.0	13.9	15.4	15.0	11.9	5.8	2.2	0.0	72.4	10	3395
	09 LST	0.0	0.0	0.2	2.0	8.7	14.0	17.1	14.6	13.2	5.0	2.4	0.0	77.2	10	3398
	15 LST	0.0	0.0	0.6	4.9	8.6	12.8	13.0	12.0	11.6	6.3	1.9	0.0	71.7	10	3428
	21 LST	0.1	0.0	0.2	1.2	10.4	14.5	15.3	14.5	13.1	7.4	1.8	0.0	78.5	10	3450
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	03 LST	9.0	8.4	12.1	10.9	8.8	6.0	7.8	5.6	7.3	7.6	5.6	6.5	95.6	10	3388
	09 LST	8.1	5.4	8.0	9.2	8.3	6.2	7.3	4.9	4.5	5.6	4.0	5.5	77.0	10	3401
	15 LST	6.4	6.6	9.0	8.9	8.2	7.7	8.7	5.5	3.2	4.9	3.3	4.6	77.0	10	3430
	21 LST	10.5	8.9	12.0	9.8	8.2	8.0	8.3	6.5	7.0	8.9	6.7	5.6	100.4	10	3450
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	03 LST	17.4	15.6	21.0	21.1	22.8	23.0	22.1	20.3	19.5	19.7	14.2	13.5	230.2	10	3378
	09 LST	17.0	15.0	20.8	22.9	23.8	22.5	21.5	18.1	18.1	18.1	13.6	13.0	224.4	10	3381
	15 LST	16.9	17.9	21.5	23.0	24.3	23.4	24.3	22.0	18.3	17.6	13.0	13.1	235.3	10	3420
	21 LST	17.9	17.8	21.5	22.6	25.2	25.7	25.2	22.2	20.7	19.6	14.0	13.5	245.9	10	3433
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	03 LST	14.6	11.9	18.8	17.5	19.1	18.2	17.9	16.2	13.0	13.4	10.4	10.5	181.3	10	3378
	09 LST	14.9	12.7	19.2	20.4	21.0	19.3	17.1	14.2	13.6	13.6	10.3	9.6	185.9	10	3381
	15 LST	14.0	16.3	19.5	20.2	19.8	18.6	19.6	16.4	11.4	11.8	9.7	10.3	187.6	10	3420
	21 LST	15.7	15.5	19.5	21.0	21.1	22.1	21.7	18.1	15.1	15.3	11.1	10.9	207.1	10	3433
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	03 LST	14.5	11.7	18.7	17.2	19.0	17.7	17.7	16.1	12.8	13.3	10.3	10.5	179.5	10	3378
	09 LST	14.9	12.7	19.1	20.2	21.0	19.1	17.1	14.1	13.5	13.4	10.3	9.6	185.0	10	3381
	15 LST	13.9	16.2	19.4	20.0	19.6	18.4	19.5	16.4	11.3	11.7	9.7	10.2	186.3	10	3420
	21 LST	15.7	15.5	19.5	21.0	21.0	22.1	21.6	18.1	15.0	15.3	11.1	10.9	206.8	10	3433

MEZEN', USSR

STA NO. 22471 (IN AREA NUMBER 06)

LATITUDE 6552N

LONGITUDE 04413E

ELEVATION(FT) 00046

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	41	37	48	72	82	90	91	91	77	61	50	39	91	52	-660
MEAN MAX TMP (F)	13	14	22	35	46	59	66	62	51	36	26	17	37	48	-160
MEAN MIN TMP (F)	0	0	6	20	31	41	47	45	38	27	16	5	23	70	-160
ABS MIN TMP (F)	-56	-47	-47	-24	3	23	28	15	10	-15	-45	-51	-56	74	-660
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.1	10	3042
MEAN NO DYS TMP = DR LES 32(F)	30.9	28.0	30.6	25.4	17.8	4.8	0.3	0.5	3.7	19.8	26.4	30.8	221.0	10	2958
MEAN NO DYS TMP = DR LES 0(F)	17.9	11.8	11.3	2.4	0.0	0.0	0.0	0.0	0.0	0.6	4.6	10.9	59.5	10	2958
MEAN DEW PT TMP (F)	-1	3	9	21	31	42	50	50	40	29	18	7	25	10	25395
MEAN REL HUM (PCT)	84	84	81	75	71	72	74	80	85	88	88	85	81	10	25595
MEAN PRESS ALT (FT)	67	88	182	-9	-28	86	124	83	149	195	42	69	87	5	13818
MEAN PRECIP (IN)	1.02	0.83	0.96	0.98	1.02	1.96	2.27	2.04	2.92	2.66	1.60	1.27	19.5	10	2599
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = DR GTR 0.1 IN	13.7	12.3	12.1	9.0	9.4	11.7	11.4	12.0	13.5	15.2	14.1	14.1	148.5	10	2599
MEAN NO DYS SNFL = DR GTR 1.5 IN														0	0
MEAN NO DYS W/OCCUR VSBY LES 1/2 MI	1.2	0.8	1.0	1.4	1.0	0.6	0.7	1.5	1.2	1.5	1.1	0.9	12.9	10	25509
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	1.5	4.2	5.4	3.4	0.5	0.2	0.0	0.0	13.2	10	3611
P FREQ WND SPD = DR GTR 17 KTS	5.7	8.6	5.9	4.8	3.3	4.9	3.4	1.9	4.0	4.7	5.1	6.7	4.9	10	25634
P FREQ WND SPD = DR GTR 28 KTS	0.5	0.9	0.2	0.1	0.0	0.2	0.3	0.0	0.3	0.5	0.6	0.0	0.3	10	25634
P FREQ LES 5000 FT A/D LES 5 MI	52.4	51.9	43.8	36.3	39.3	38.1	34.8	43.9	61.8	65.6	67.4	60.5	49.7	10	25509
P FREQ LES 1500 FT A/D LES 3 MI															
FDR 00-02 LST	23.0	23.8	21.4	16.6	14.2	16.1	15.2	15.8	23.7	29.8	44.2	33.0	23.1	10	3032
03-05 LST	29.9	27.8	23.2	19.1	18.7	17.9	19.4	22.5	29.1	36.0	44.7	33.9	26.9	10	3477
06-08 LST	30.1	30.8	26.3	25.6	19.2	22.6	24.1	33.0	38.5	36.8	41.1	30.3	29.9	10	2767
09-11 LST	38.8	38.9	28.1	19.7	16.6	18.2	22.2	30.8	40.9	43.7	47.7	35.8	31.8	10	3417
12-14 LST	39.5	25.5	19.6	15.7	10.6	14.1	15.4	22.1	31.8	43.9	43.1	42.9	27.0	10	2934
15-17 LST	30.3	22.0	15.4	10.6	12.1	11.5	11.3	13.0	27.7	39.9	44.1	39.3	23.1	10	3480
18-20 LST	27.4	22.6	14.8	14.3	10.6	11.5	9.0	11.9	23.5	31.4	39.1	31.6	20.6	10	2949
21-23 LST	27.0	19.1	13.5	12.7	11.0	13.0	9.9	12.2	19.4	31.9	41.6	30.8	20.3	10	3453
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	2.6	3.8	3.9	3.0	4.5	3.2	0.3	2.7	3.0	4.2	4.5	5.4	3.4	10	3032
03-05 LST	4.2	5.1	5.2	7.0	4.6	3.7	3.9	7.3	5.8	6.4	7.5	3.5	5.4	10	3477
06-08 LST	5.8	2.7	4.1	9.3	3.3	3.8	4.0	8.8	8.0	7.1	6.3	4.3	5.6	10	2767
09-11 LST	8.1	5.1	3.1	3.1	0.9	0.0	0.0	2.0	6.0	11.2	11.4	6.3	4.8	10	3417
12-14 LST	8.6	1.3	1.5	1.9	0.5	0.3	0.3	0.3	1.2	6.8	7.9	6.9	3.1	10	2934
15-17 LST	5.1	2.7	2.2	0.8	1.2	0.0	0.0	0.0	0.2	5.8	5.3	6.0	2.4	10	3480
18-20 LST	4.4	3.1	1.9	2.7	1.2	1.0	0.0	0.0	2.0	6.2	4.0	4.6	2.6	10	2949
21-23 LST	4.0	2.4	3.0	2.0	2.6	2.5	0.0	1.2	1.8	5.9	5.4	4.8	3.0	10	3453

MEZEN', USSR

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	03 LST	24.8	23.6	26.3	25.8	27.0	26.1	27.3	25.9	23.9	22.8	19.4	23.5	296.4	10	3477
	09 LST	22.1	20.7	25.3	25.6	27.6	26.3	26.1	23.5	20.9	20.3	18.9	23.7	281.0	10	3417
	15 LST	23.8	25.0	28.8	28.0	28.7	28.1	29.6	29.1	25.3	22.3	20.0	22.6	311.3	10	3480
	21 LST	25.7	25.7	28.5	27.7	28.9	27.6	29.3	28.7	27.3	24.5	21.1	25.0	320.0	10	3453
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	03 LST	11.9	11.1	14.9	16.8	20.1	19.1	19.7	19.0	14.7	11.0	9.1	11.7	179.1	10	3477
	09 LST	10.6	8.9	13.6	15.9	19.4	15.4	15.8	14.6	9.9	9.6	8.3	9.6	147.6	10	3412
	15 LST	13.9	12.5	12.9	13.6	13.3	12.3	14.0	14.7	9.6	8.3	8.6	9.5	143.2	10	3479
	21 LST	13.1	11.6	17.2	18.3	20.2	17.9	21.6	21.5	17.0	12.7	9.3	9.9	190.3	10	3450
SFC WND = GTR 17 KTS AND NO PRECIP.	03 LST	0.0	0.0	0.0	0.2	0.2	0.2	0.0	0.6	0.3	0.5	0.5	0.3	2.8	10	1710
	09 LST	0.0	0.0	0.0	0.0	0.4	0.5	0.0	1.2	1.2	0.8	0.3	1.0	5.4	10	1808
	15 LST	0.0	0.0	0.0	0.7	0.9	1.4	0.8	1.8	1.2	0.3	0.5	0.8	8.4	10	1769
	21 LST	0.0	0.0	0.0	0.0	0.6	0.9	1.7	0.0	0.7	0.2	0.3	0.3	4.1	10	1754
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	03 LST	0.0	0.0	0.3	3.2	10.0	15.8	18.0	18.3	12.8	5.7	2.2	0.1	87.0	10	3488
	09 LST	0.0	0.0	0.4	5.2	12.2	13.5	15.8	16.3	11.5	5.5	3.0	0.0	83.4	10	3434
	15 LST	0.1	0.0	1.3	6.4	11.1	10.1	13.2	13.1	11.5	5.2	2.2	0.0	74.2	10	3489
	21 LST	0.0	0.0	0.9	5.9	14.2	15.4	17.6	19.2	14.8	5.5	2.2	0.0	95.7	10	3456
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	03 LST	6.4	5.6	8.4	8.3	5.8	4.7	5.9	4.3	4.2	4.7	5.2	5.4	68.9	10	3488
	09 LST	4.9	2.0	4.8	6.3	5.0	3.6	6.2	3.3	1.4	2.9	3.2	4.8	48.4	10	3438
	15 LST	5.7	3.9	6.6	6.1	4.8	4.2	3.6	3.4	1.4	3.3	3.4	4.1	50.5	10	3490
	21 LST	7.5	7.6	10.3	7.9	7.0	5.3	5.7	6.1	5.7	6.0	5.3	5.4	79.8	10	3459
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	03 LST	18.3	16.5	20.4	21.8	22.1	22.4	22.3	21.3	16.9	15.9	12.8	16.5	227.2	10	3477
	09 LST	15.6	13.4	19.0	21.9	22.7	21.8	21.2	18.5	13.6	13.2	11.9	15.6	208.4	10	3417
	15 LST	19.0	18.5	22.6	24.2	24.2	23.5	24.1	22.9	15.9	13.6	12.8	14.5	235.8	10	3480
	21 LST	19.1	19.3	23.2	23.9	24.9	23.9	25.4	25.0	19.6	16.6	13.3	17.3	251.5	10	3453
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	03 LST	14.4	13.2	16.3	17.4	17.4	18.4	19.3	16.1	10.6	11.5	9.7	12.5	177.3	10	3477
	09 LST	13.1	10.8	16.6	19.5	17.1	16.7	18.3	15.2	9.8	8.4	9.2	12.0	166.7	10	3417
	15 LST	15.4	15.9	19.6	18.6	16.5	14.8	16.8	14.6	9.2	9.2	9.6	11.5	171.7	10	3480
	21 LST	16.0	16.1	19.1	20.2	20.1	18.6	21.2	20.8	14.3	11.3	10.8	13.0	201.5	10	3453
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	03 LST	14.6	13.0	16.2	17.1	16.9	17.7	18.6	15.7	10.2	11.3	9.6	12.2	173.1	10	3477
	09 LST	13.0	10.7	16.4	19.3	16.8	16.2	18.2	15.1	9.6	8.3	9.1	11.9	164.6	10	3417
	15 LST	15.2	15.8	19.3	18.3	15.8	13.8	15.5	14.1	9.0	9.1	9.5	11.2	166.6	10	3480
	21 LST	16.0	15.9	18.9	19.8	19.5	17.7	20.6	20.0	13.7	11.0	10.7	12.7	196.5	10	3453

AMDERMA, USSR

STA NO. 23022 (IN AREA NUMBER 06)

LATITUDE 6946N

LONGITUDE 06141E

ELEVATION(FT) 00174

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO.
ABS MAX TMP (F)	36	34	36	46	59	82	88	84	68	54	37	34	88	27	-650
MEAN MAX TMP (F)	6	4	7	18	28	40	50	50	42	30	20	10	23	27	-160
MEAN MIN TMP (F)	-8	-9	-9	3	18	30	37	39	34	22	8	-2	14	27	-160
ABS MIN TMP (F)	-51	-54	-49	-31	-17	7	23	27	14	-17	-42	-47	-54	27	-860
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	2851
MEAN NO DYS TMP = DR LES 32(F)	31.0	28.0	31.0	29.9	29.1	24.0	5.0	3.2	13.9	28.6	29.8	31.0	285.2	10	2892
MEAN NO DYS TMP = DR LES 0(F)	24.0	20.3	18.7	11.9	1.9	0.0	0.0	0.0	0.0	1.1	9.6	17.3	104.8	10	2892
MEAN DEW PT TMP (F)	-8	-9	-3	7	19	31	42	41	35	22	9	-1	15	10	20893
MEAN REL HUM (PCT)	81	81	84	85	87	88	85	88	90	87	86	82	89	10	20893
MEAN PRESS ALT (FT)	219	211	334	91	145	279	249	214	334	364	173	83	225	5	12414
MEAN PRECIP (IN)	1.92	1.53	1.20	0.77	0.96	1.44	1.39	2.42	2.10	1.84	1.24	1.51	18.4	10	2479
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = DR GTR 0.1 IN	15.3	13.0	13.9	12.9	13.7	12.8	9.1	12.8	16.0	17.6	14.0	14.4	165.5	10	2479
MEAN NO DYS SNFL = DR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	3.4	3.7	3.0	1.3	2.2	4.2	4.6	5.5	2.2	1.6	2.7	3.4	37.8	10	20794
MEAN NO DYS TSTMS	0.0	0.0	0.1	0.1	0.1	0.2	1.2	0.5	0.3	0.0	0.0	0.0	2.5	10	3371
P FREQ WND SPD = DR GTR 17 KTS	44.2	44.1	44.6	30.3	24.5	18.0	12.4	12.5	26.7	36.4	44.2	50.9	32.4	10	20956
P FREQ WND SPD = DR GTR 28 KTS	15.6	13.8	11.0	6.1	3.2	1.7	0.2	0.6	2.2	5.7	9.5	15.6	7.1	10	20956
P FREQ LES 5000 FT A/D LES 5 MI	61.2	54.3	52.2	54.1	63.0	65.0	48.1	68.3	75.8	75.8	68.9	62.9	62.5	10	20794
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	41.5	43.0	42.1	29.8	46.4	48.5	41.6	41.1	38.7	45.3	51.3	44.1	42.8	10	1632
03-05 LST	44.1	36.8	35.4	37.5	43.3	52.1	37.7	49.0	43.0	41.3	45.0	46.6	42.7	10	3380
06-08 LST	47.1	44.3	38.6	35.4	42.3	47.9	43.3	43.7	47.8	47.0	40.4	50.9	44.1	10	1612
09-11 LST	43.8	35.9	36.2	31.7	39.0	49.3	36.1	51.0	48.9	45.6	50.2	48.1	43.2	10	3465
12-14 LST	45.8	40.6	37.0	29.0	37.1	46.2	36.6	41.2	51.1	41.5	49.8	47.9	42.0	10	2003
15-17 LST	44.7	39.5	32.9	31.8	38.0	37.3	29.9	42.2	48.3	46.6	45.1	42.4	39.9	10	3536
18-20 LST	38.6	37.9	32.0	33.2	45.5	37.0	34.2	40.9	51.1	46.1	45.6	44.1	40.5	10	1738
21-23 LST	42.9	34.9	35.2	35.5	43.1	42.3	34.1	45.9	43.4	39.4	41.1	42.6	40.0	10	3428
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	13.6	11.8	8.2	6.5	8.3	21.0	22.3	19.7	7.6	9.0	15.5	11.8	12.9	10	1632
03-05 LST	13.2	11.8	12.6	5.9	11.4	21.1	19.7	23.1	10.8	7.9	12.8	11.7	13.5	10	3380
06-08 LST	14.2	15.9	8.5	7.1	7.1	20.5	23.7	20.3	8.6	8.6	11.8	16.0	13.5	10	1612
09-11 LST	16.8	13.6	12.0	5.8	6.5	13.5	15.7	19.0	12.7	9.8	13.5	15.6	12.9	10	3465
12-14 LST	14.9	20.5	15.2	4.0	4.7	13.8	19.8	13.3	11.7	9.0	15.2	18.8	13.4	10	2003
15-17 LST	16.7	15.7	9.8	6.1	6.2	12.1	13.6	13.4	9.6	10.6	13.7	11.5	11.6	10	3536
18-20 LST	14.3	13.1	8.0	5.9	7.9	15.6	13.6	15.8	14.2	6.2	12.0	12.0	11.6	10	1738
21-23 LST	17.3	13.8	10.2	3.9	8.9	21.2	17.9	21.0	12.5	7.4	11.6	14.0	13.3	10	3428

AMDERMA, USSR

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	04 LST	19.9	19.4	22.3	22.6	21.4	17.7	20.5	18.9	21.1	22.5	20.1	19.8	246.2	10	3380
	10 LST	19.9	19.9	22.0	23.7	22.5	18.3	21.2	18.4	19.2	21.0	19.1	19.3	243.0	10	3465
	16 LST	19.9	18.9	22.8	23.4	23.4	21.4	23.2	21.3	19.4	20.8	19.7	20.4	254.6	10	3536
	22 LST	19.6	19.9	22.3	22.4	21.5	20.1	21.7	19.9	20.1	22.9	21.4	20.4	252.2	10	3428
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	04 LST	7.5	7.4	8.4	8.5	7.4	6.4	10.6	8.0	6.5	6.5	5.1	5.2	88.2	10	3377
	10 LST	7.9	7.6	8.0	9.0	7.9	6.0	9.7	6.8	4.1	5.5	4.7	4.8	82.0	10	3464
	16 LST	7.3	8.0	8.0	7.3	6.2	7.9	10.6	6.8	4.3	5.5	6.4	6.0	84.3	10	3533
	22 LST	8.4	7.9	8.3	8.2	7.3	8.3	11.0	8.8	7.0	6.4	6.3	7.3	95.2	10	3423
SFC WND = GTR 17 KTS AND NO PRECIP.	04 LST	5.0	4.0	2.4	0.5	2.7	4.1	2.6	3.5	4.1	7.0	6.1	7.1	49.1	10	2382
	10 LST	6.1	3.7	2.6	0.6	3.2	3.3	5.0	3.0	5.5	6.4	5.4	8.5	53.3	10	2542
	16 LST	6.3	5.1	3.4	0.9	3.1	3.4	4.2	3.3	5.7	4.8	6.6	8.2	55.0	10	2494
	22 LST	6.6	4.5	2.7	1.1	3.2	3.1	2.6	2.6	3.0	5.7	6.4	7.3	49.3	10	2472
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	04 LST	0.0	0.0	0.0	0.0	0.2	3.2	11.7	13.5	6.4	0.4	0.1	0.0	35.5	10	3396
	10 LST	0.0	0.0	0.0	0.0	0.7	6.6	14.5	12.9	7.4	1.1	0.0	0.0	42.2	10	3477
	16 LST	0.0	0.0	0.0	0.0	1.0	8.4	14.5	11.0	6.8	0.8	0.0	0.0	42.5	10	3539
	22 LST	0.0	0.0	0.0	0.0	1.0	5.1	13.6	14.1	7.9	0.7	0.0	0.0	42.4	10	3434
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	04 LST	9.6	9.8	10.9	5.7	4.9	2.4	7.1	2.0	2.4	3.4	5.5	8.2	71.9	10	3399
	10 LST	5.9	6.6	7.8	7.7	5.5	3.3	7.4	2.7	1.8	1.4	3.2	5.3	58.6	10	3481
	16 LST	6.7	6.9	8.0	7.8	5.0	3.9	7.4	4.3	1.6	1.7	5.6	7.8	66.7	10	3542
	22 LST	8.4	9.6	10.2	7.9	4.6	3.8	9.1	3.6	3.2	4.1	6.4	8.6	79.5	10	3445
CIG = GTR 2500 FT AND VSBY = GT 3 MI	04 LST	15.4	14.5	18.2	15.1	13.3	10.7	17.5	11.9	11.5	12.5	12.6	13.6	168.8	10	3380
	10 LST	14.1	16.5	18.1	17.5	14.9	11.5	17.7	10.9	10.6	11.4	10.6	13.2	167.0	10	3465
	16 LST	14.8	15.7	19.2	17.3	14.5	15.1	19.6	13.5	10.3	10.9	12.9	15.4	179.2	10	3536
	22 LST	16.1	17.0	18.5	16.2	13.3	13.8	18.6	12.6	12.2	13.4	13.1	15.4	180.2	10	3428
CIG = GTR 8000 FT AND VSBY = GTR 3 MI	04 LST	14.6	15.9	17.2	13.7	11.3	9.0	15.1	9.7	7.3	8.0	9.8	12.4	144.0	10	3380
	10 LST	12.6	15.2	17.3	16.2	13.3	9.4	16.3	8.4	7.2	7.8	8.1	12.1	143.9	10	3465
	16 LST	13.3	14.7	18.5	15.5	12.5	12.0	18.0	11.1	6.4	7.0	10.7	14.0	153.7	10	3536
	22 LST	15.0	15.7	17.0	14.9	11.2	11.1	17.2	9.5	7.9	9.0	10.3	13.8	152.6	10	3428
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	04 LST	14.5	15.8	17.1	13.6	11.2	8.5	14.6	9.5	7.1	7.8	9.8	12.1	141.6	10	3380
	10 LST	12.4	14.8	17.3	16.1	13.3	9.1	16.3	8.2	7.1	7.7	8.0	12.0	142.3	10	3465
	16 LST	13.3	14.5	18.5	15.5	12.4	12.0	18.0	10.9	6.4	7.0	10.5	13.9	152.9	10	3536
	22 LST	14.9	15.2	16.8	14.7	11.2	11.1	17.0	9.3	7.9	8.9	10.2	13.7	150.9	10	3428

MARRESALE, USSR

STA NO. 23032 (IN AREA NUMBER 06)

LATITUDE 6943N

LONGITUDE 06649E

ELEVATION(FT) 00036

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	34	32	36	41	55	75	82	79	66	52	37	34	82	43	-666
MEAN MAX TMP (F)	0	1	3	16	27	40	52	50	42	29	15	6	23	43	-166
MEAN MIN TMP (F)	-14	-14	-13	1	17	30	38	39	34	20	2	-8	11	46	-166
ABS MIN TMP (F)	-58	-62	-54	-33	-20	5	23	25	0	-22	-40	-56	-62	46	-666
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	2834
MEAN NO DYS TMP = DR LES 32(F)	31.0	25.0	31.0	30.0	30.5	23.6	6.4	4.2	11.7	28.2	30.0	31.0	285.6	10	2850
MEAN NO DYS TMP = DR LES 0(F)	25.4	23.0	21.3	15.6	2.6	0.0	0.0	0.0	0.0	3.0	16.1	18.1	125.1	10	2850
MEAN DEW PT TMP (F)	-13	-13	-7	3	18	32	43	42	36	20	3	-4	13	10	18869
MEAN REL HUM (PCT)	83	83	82	82	86	90	87	90	92	89	88	86	87	10	18869
MEAN PRESS ALT (FT)	100	10	130	-65	18	150	125	95	210	224	21	-120	75	5	10370
MEAN PRECIP (IN)	1.15	0.82	1.05	0.55	0.74	1.31	1.55	2.26	3.09	1.50	1.05	1.00	16.1	10	2461
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = DR GTR 0.1 IN	11.3	10.5	11.2	10.6	11.6	10.9	8.7	11.5	15.9	14.7	11.4	11.3	139.6	10	2461
MEAN NO DYS SNFL = DR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.9	1.7	1.4	0.9	2.2	4.4	4.5	4.6	1.3	0.9	1.2	0.9	24.9	10	18776
MEAN NO DYS TSYMS	0.0	0.0	0.0	0.0	0.0	0.3	0.8	0.9	0.3	0.0	0.0	0.0	2.3	10	3285
P FREQ WND SPD = DR GTR 17 KTS	26.7	27.0	29.0	26.6	26.4	17.3	11.6	13.6	29.3	31.5	30.8	30.7	25.0	10	18916
P FREQ WND SPD = DR GTR 28 KTS	3.5	5.9	4.2	2.8	3.2	1.3	0.1	0.7	2.9	4.0	4.6	5.0	3.2	10	18916
P FREQ LES 5000 FT A/D LES 5 MI	41.7	42.6	38.9	41.1	65.1	66.1	46.5	64.4	76.6	73.2	53.3	47.0	54.7	10	18776
P FREQ LES 1900 FT A/D LES 3 MI															
FOR 00-02 LST	21.5	23.9	21.4	13.6	22.4	37.0	37.0	32.6	29.6	38.9	25.9	24.6	27.4	10	1190
03-05 LST	22.7	26.3	24.0	23.6	32.4	40.1	32.3	39.6	39.7	29.8	28.3	25.3	30.3	10	3291
06-08 LST	27.3	31.1	26.2	23.7	31.0	39.0	37.0	40.3	46.9	34.0	23.3	22.1	31.8	10	1187
09-11 LST	27.4	30.2	31.8	24.4	32.0	35.6	30.0	34.7	40.5	40.1	30.3	29.4	32.2	10	3427
12-14 LST	27.9	26.7	25.4	17.6	23.7	34.0	28.3	30.1	38.8	34.8	34.0	31.4	29.4	10	1654
15-17 LST	26.6	7.4	24.4	20.4	33.5	30.1	25.8	28.9	34.8	39.7	27.9	27.7	28.9	10	3407
18-20 LST	22.8	32.7	22.7	19.9	29.7	27.6	30.0	25.5	37.6	32.5	26.3	28.5	28.0	10	1208
21-23 LST	24.1	23.5	19.3	23.2	32.1	36.2	29.0	26.1	34.7	32.2	27.0	23.6	27.6	10	3412
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	3.0	6.0	3.5	2.7	6.4	15.4	19.9	12.6	5.5	4.3	5.3	5.6	7.5	10	1190
03-05 LST	6.9	7.4	6.8	6.2	8.1	14.9	19.1	20.5	6.8	1.7	4.4	6.2	9.1	10	3291
06-08 LST	6.0	9.5	7.6	5.6	11.3	19.7	17.7	19.3	8.9	2.9	4.5	4.3	9.8	10	1187
09-11 LST	7.3	8.9	10.1	5.8	7.3	9.7	16.5	9.9	4.2	5.8	6.3	6.0	8.2	10	3427
12-14 LST	6.6	7.2	9.9	4.2	3.5	10.5	14.5	6.9	4.8	3.9	6.9	8.3	7.3	10	1654
15-17 LST	5.5	10.5	8.3	4.6	5.4	7.5	13.1	9.2	4.7	5.5	4.3	7.1	7.1	10	3407
18-20 LST	5.8	12.4	8.7	2.2	4.5	6.3	15.8	10.5	6.5	1.9	3.1	3.8	6.8	10	1208
21-23 LST	6.1	7.2	4.6	4.2	6.4	13.6	16.5	8.0	3.8	5.2	4.1	4.1	7.0	10	3412

MARRESALE, USSR

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	04 LST	26.7	21.9	26.0	25.6	25.6	22.6	23.3	22.2	24.5	27.5	25.5	26.2	296.9	10	3291
	10 LST	24.8	21.8	23.0	24.5	26.3	23.2	24.1	25.1	25.6	24.7	25.1	25.5	295.7	10	3427
	16 LST	25.2	21.9	25.3	26.2	26.3	26.1	25.4	26.3	26.0	25.9	25.1	25.3	305.0	10	3407
	22 LST	25.7	23.0	26.8	25.9	25.8	23.5	24.4	27.3	26.3	27.2	26.2	26.7	308.8	10	3412
CIG = GTR 2000 FT AND VSOBY = GTR 3 MI W/SFC WND LES 10 KTS	04 LST	12.1	11.3	10.8	11.0	8.7	6.9	12.0	9.1	5.8	6.7	8.6	10.3	113.3	10	3288
	10 LST	12.2	9.9	10.7	9.8	6.8	5.3	9.3	6.7	3.6	4.9	8.8	8.5	96.5	10	3423
	16 LST	11.8	10.8	10.8	9.0	6.1	7.3	10.4	8.3	5.4	5.1	8.2	8.9	102.1	10	3405
	22 LST	11.9	11.7	12.0	10.1	8.7	8.3	13.2	11.9	6.1	6.3	7.8	11.9	119.9	10	3407
SFC WND = GTR 17 KTS AND NO PRECIP.	04 LST	3.3	1.9	2.7	3.7	2.6	3.6	1.9	2.4	3.7	6.6	5.8	3.5	43.7	10	2371
	10 LST	3.3	2.2	4.1	4.4	5.1	3.3	2.6	3.7	5.4	6.2	5.7	5.3	51.3	10	2608
	16 LST	2.6	1.9	3.7	4.8	5.7	4.5	4.1	4.2	6.1	6.4	6.5	4.3	54.8	10	2488
	22 LST	3.6	1.7	4.1	3.7	3.9	3.2	2.2	2.8	4.3	5.5	4.7	4.0	43.7	10	2517
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	04 LST	0.0	0.0	0.0	0.0	0.3	4.3	14.4	12.2	6.9	0.9	0.0	0.0	39.0	10	3297
	10 LST	0.0	0.0	0.0	0.4	0.4	4.9	12.8	11.6	6.7	1.3	0.0	0.0	38.1	10	3437
	16 LST	0.0	0.0	0.0	0.3	1.2	7.3	14.3	12.0	8.0	1.2	0.0	0.0	44.3	10	3421
	22 LST	0.0	0.0	0.0	0.1	0.4	5.4	14.6	15.8	7.7	0.6	0.0	0.0	44.6	10	3419
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	04 LST	13.8	13.3	12.5	7.3	4.6	3.6	9.4	3.1	2.8	5.1	10.0	12.5	98.0	10	3301
	10 LST	7.3	7.3	9.1	9.8	4.9	3.4	8.2	3.7	1.4	2.4	6.9	8.5	72.9	10	3438
	16 LST	9.9	7.5	10.0	9.5	4.6	4.9	8.0	5.5	2.1	2.7	8.2	10.4	83.3	10	3426
	22 LST	13.6	13.4	14.9	9.2	4.6	3.8	8.4	4.0	2.9	4.2	9.4	11.0	99.4	10	3424
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	04 LST	21.8	19.3	21.2	19.6	15.0	12.2	18.2	13.5	10.3	14.4	16.8	19.9	202.2	10	3291
	10 LST	19.9	17.5	19.3	20.5	14.5	11.9	18.3	13.4	6.6	10.9	15.9	18.0	188.9	10	3427
	16 LST	20.1	19.0	21.8	20.7	13.8	15.3	19.7	16.2	11.4	10.2	17.7	19.4	205.3	10	3407
	22 LST	21.4	20.0	23.3	19.3	14.9	13.5	18.8	16.5	11.3	13.3	17.3	20.6	210.2	10	3412
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	04 LST	20.1	18.2	20.3	17.0	11.4	9.0	16.3	9.6	7.0	10.4	14.4	18.4	172.1	10	3291
	10 LST	17.8	16.3	17.7	18.6	10.7	8.2	16.5	9.5	5.1	7.3	13.0	15.9	136.6	10	3427
	16 LST	18.3	18.2	20.7	18.5	10.4	12.7	17.5	13.3	7.8	7.1	15.6	17.9	178.0	10	3407
	22 LST	20.4	19.0	22.3	17.1	10.7	10.5	16.6	11.8	7.8	9.8	15.4	19.0	180.4	10	3412
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	04 LST	20.0	18.0	20.0	16.7	11.2	8.5	16.1	9.3	6.8	10.3	14.2	18.3	169.4	10	3291
	10 LST	17.2	16.2	17.5	18.1	10.6	7.6	16.3	9.1	5.0	7.2	12.6	15.6	153.0	10	3427
	16 LST	18.2	17.7	20.6	18.5	10.4	11.9	17.1	13.0	7.6	7.1	15.4	17.8	175.3	10	3407
	22 LST	20.2	18.9	22.1	16.9	10.5	10.2	16.2	11.4	7.7	9.4	15.4	18.9	177.8	10	3412

NAR'YAN-MAR, USSR

STA NO. 23205 (IN AREA NUMBER 06)

LATITUDE 6739N

LONGITUDE 05301E

ELEVATION(FT) 00023

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	41	37	41	59	79	91	91	91	73	57	43	45	91	39	-660
MEAN MAX TMP (F)	9	9	14	28	38	54	62	59	48	33	22	14	33	35	-160
MEAN MIN TMP (F)	-6	-6	-4	13	26	39	46	45	38	25	11	0	19	35	-160
ABS MIN TMP (F)	-58	-53	-53	-35	-11	19	28	27	12	-15	-49	-60	-60	39	-660
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.2	10	3044
MEAN NO DYS TMP = OR LES 32(F)	31.0	28.0	30.9	28.1	23.6	8.3	0.4	0.6	6.9	25.6	28.8	31.0	243.2	10	2957
MEAN NO DYS TMP = OR LES 0(F)	21.5	16.0	15.6	7.8	1.1	0.0	0.0	0.0	0.0	1.7	9.4	14.7	87.8	10	2957
MEAN DEW PT TMP (F)	-7	-4	2	14	26	39	48	47	38	25	11	2	20	10	25081
MEAN REL HUM (PCT)	81	82	81	81	79	75	74	82	87	88	86	83	82	10	25081
MEAN PRESS ALT (FT)	49	30	137	-59	-40	76	101	52	145	186	-2	-32	54	5	13427
MEAN PRECIP (IN)	1.07	0.92	0.91	0.92	1.49	1.76	1.86	2.28	2.77	2.15	1.28	1.03	18.4	10	2448
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = OR GTR 0.1 IN	13.4	13.5	11.9	10.8	12.5	10.7	9.3	11.8	15.2	15.7	13.4	14.0	152.2	10	2448
MEAN NO DYS SNFL = OR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.9	0.7	0.9	0.9	0.9	0.7	1.1	0.8	1.7	1.0	0.9	0.6	11.1	10	25116
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.1	0.7	2.0	2.7	2.1	0.3	0.0	0.0	0.0	7.9	10	3595
P FREQ WND SPD = OR GTR 17 KTS	11.1	14.0	10.5	9.6	6.6	5.6	2.6	4.0	4.2	5.6	6.2	8.4	7.4	10	25246
P FREQ WND SPD = OR GTR 28 KTS	1.0	1.2	0.6	0.6	0.1	0.3	0.1	0.1	0.3	0.0	0.1	0.4	0.4	10	25246
P FREQ LES 5000 FT A/D LES 5 MI	50.6	47.5	38.9	43.1	59.2	56.3	46.3	60.3	70.7	66.6	64.1	57.1	55.1	10	25116
P FREQ LES 1900 FT A/D LES 3 MI															
FOR 00-02 LST	24.3	24.2	18.2	19.0	28.1	29.8	22.8	26.9	31.9	38.1	37.8	26.5	27.3	10	2882
03-05 LST	25.7	23.6	18.0	23.9	29.7	28.4	27.6	36.8	34.4	37.8	36.5	33.9	29.7	10	3457
06-08 LST	30.2	22.7	26.8	29.4	34.5	35.2	33.2	41.4	43.1	44.1	36.9	31.1	34.1	10	2715
09-11 LST	33.5	36.5	26.3	25.3	31.6	26.8	21.8	38.4	48.3	42.1	41.8	37.4	34.2	10	3313
12-14 LST	33.9	26.9	19.1	23.3	23.9	18.5	17.1	25.4	40.6	37.6	39.8	35.4	28.5	10	2907
15-17 LST	28.3	22.0	20.8	17.7	21.5	15.0	13.8	22.9	32.1	37.8	41.8	39.2	25.3	10	3477
18-20 LST	25.7	21.2	20.4	21.0	24.8	14.1	11.1	21.5	29.8	38.7	32.2	24.5	23.8	10	2959
21-23 LST	24.9	22.2	15.9	18.4	25.5	19.3	17.4	24.8	28.8	37.1	37.2	23.8	24.6	10	3406
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	4.9	4.8	2.0	2.5	5.2	3.2	0.7	2.5	2.4	4.8	4.1	4.0	3.4	10	2882
03-05 LST	4.1	4.1	3.4	5.6	6.7	3.5	5.7	5.7	4.0	6.9	4.5	2.5	4.7	10	3457
06-08 LST	5.3	3.5	6.2	7.6	5.7	2.0	3.8	5.5	10.6	6.1	3.6	5.3	5.4	10	2715
09-11 LST	4.4	5.8	2.2	4.1	3.5	0.0	1.0	1.0	6.6	5.6	5.7	6.9	3.7	10	3313
12-14 LST	4.8	4.2	2.0	2.8	1.5	1.2	0.3	1.0	2.3	4.4	7.9	5.3	3.1	10	2907
15-17 LST	5.0	3.5	3.6	1.2	0.8	0.0	0.2	0.2	0.6	4.8	7.1	3.8	2.6	10	3477
18-20 LST	4.8	4.0	3.0	2.7	1.2	0.0	0.0	0.3	1.0	3.2	5.3	3.3	2.4	10	2959
21-23 LST	5.2	3.6	3.0	1.7	2.3	2.0	0.6	1.3	0.6	4.4	4.9	2.2	2.7	10	3406

NAR'YAN-MAR, USSR

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	04 LST	25.6	23.7	27.5	24.9	24.2	24.4	24.6	22.5	22.8	22.2	23.3	23.7	289.4	10	3457
	10 LST	23.3	19.8	24.5	24.1	24.0	25.7	27.4	22.6	18.7	20.5	20.8	23.4	274.8	10	3313
	16 LST	24.5	23.7	25.8	27.3	27.4	27.7	29.1	27.0	24.4	22.7	20.2	24.9	304.7	10	3477
	22 LST	25.5	23.6	27.4	26.7	26.2	26.4	28.5	25.6	25.0	23.1	21.9	26.5	306.4	10	3406
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	04 LST	13.0	11.6	12.7	13.1	12.7	12.3	16.5	13.8	11.8	10.5	9.4	8.7	146.1	10	3456
	10 LST	11.8	8.5	11.5	10.7	10.2	9.4	13.7	10.7	6.9	10.1	9.1	7.7	120.3	10	3309
	16 LST	12.3	12.1	11.7	9.9	10.7	11.8	12.6	11.7	8.3	9.1	10.2	10.4	130.8	10	3476
	22 LST	13.4	10.9	14.2	13.1	12.6	14.1	16.4	15.9	13.4	10.3	10.8	10.9	156.0	10	3399
SFC WND = GTR 17 KTS AND NO PRECIP.	04 LST	0.0	0.0	0.0	0.6	0.6	1.1	0.6	0.4	0.2	0.5	0.2	0.3	4.5	10	1971
	10 LST	0.0	0.0	0.0	0.7	0.7	1.2	0.4	0.7	1.2	0.7	0.2	0.6	6.4	10	2081
	16 LST	0.2	0.0	0.0	0.5	0.2	1.2	0.6	1.2	0.7	0.2	0.5	0.2	5.5	10	2014
	22 LST	0.0	0.0	0.0	0.5	0.4	0.6	0.2	0.5	0.3	0.2	0.5	0.5	3.7	10	2000
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	04 LST	0.0	0.0	0.1	1.1	3.9	10.2	16.5	15.7	12.0	2.5	0.3	0.0	62.3	10	3447
	10 LST	0.0	0.0	0.2	1.4	5.0	9.8	15.5	15.0	11.0	3.3	1.0	0.1	63.3	10	3307
	16 LST	0.0	0.0	0.5	2.5	8.3	10.8	12.1	13.9	9.8	4.0	0.7	0.0	62.6	10	3468
	22 LST	0.0	0.0	0.4	2.0	6.9	13.5	17.5	15.0	12.9	3.3	0.7	0.0	72.2	10	3397
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	04 LST	9.6	7.9	11.8	3.6	4.2	4.5	6.9	5.3	3.4	4.9	5.5	7.3	79.9	10	3464
	10 LST	6.5	4.4	9.0	8.3	4.1	3.5	8.6	4.2	1.6	2.6	3.8	5.2	61.8	10	3329
	16 LST	6.6	5.5	9.5	8.8	4.7	4.0	5.5	4.1	1.2	3.0	5.1	5.0	63.0	10	3488
	22 LST	8.4	9.3	11.6	8.2	4.4	5.3	7.3	6.2	4.7	5.2	6.8	8.4	85.8	10	3421
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	04 LST	20.2	18.9	23.0	20.2	17.8	17.3	19.7	15.7	14.9	15.8	14.3	16.8	214.6	10	3457
	10 LST	17.6	15.7	21.3	20.3	17.1	16.5	20.3	14.4	11.2	14.4	13.3	15.0	197.1	10	3313
	16 LST	20.2	20.5	23.0	21.4	19.2	21.2	22.7	18.7	13.6	14.7	14.1	17.8	227.1	10	3477
	22 LST	21.2	20.0	23.9	21.4	18.7	20.6	21.8	19.5	16.2	14.8	14.9	19.9	232.9	10	3406
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	04 LST	16.9	15.2	20.0	16.8	12.5	11.3	15.0	11.2	8.8	10.9	11.5	13.0	163.1	10	3457
	10 LST	13.6	12.9	19.4	17.7	12.1	11.2	17.2	11.4	7.7	10.0	9.8	11.9	154.9	10	3313
	16 LST	17.3	18.5	21.2	17.9	12.2	12.8	15.9	11.9	6.6	10.2	10.3	13.6	168.4	10	3477
	22 LST	18.7	17.4	20.5	17.4	12.3	13.7	17.1	13.1	10.3	9.6	10.3	15.8	176.2	10	3406
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	04 LST	16.7	15.0	19.8	16.6	12.2	11.0	14.5	11.0	8.6	10.6	11.4	12.9	160.3	10	3457
	10 LST	13.4	12.7	19.4	17.6	12.0	10.8	17.0	11.4	7.6	10.0	9.7	11.7	153.3	10	3313
	16 LST	17.2	18.3	21.1	17.8	11.6	12.3	15.5	11.8	6.2	10.0	10.2	13.5	165.5	10	3477
	22 LST	18.6	17.3	20.4	17.3	11.8	13.4	16.9	12.7	10.1	9.2	10.1	15.6	173.4	10	3406

KHOVEDA-KHARD, USSR

STA NO. 23219 (IN AREA NUMBER 06)

LATITUDE 6705N

LONGITUDE 05923E

ELEVATION(FT) 00266

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR	NO.
														(YRS)	UBS
ABS MAX TMP (F)	36	36	45	57	73	90	90	86	77	57	41	36	90	27	-660
MEAN MAX TMP (F)	6	6	12	27	38	56	66	60	48	32	19	8	32	23	-160
MEAN MIN TMP (F)	-11	-10	-7	8	23	36	44	41	34	21	4	-7	15	30	-160
ABS MIN TMP (F)	-63	-60	-58	-36	-13	9	27	21	7	-29	-56	-63	-63	34	-660
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	2557
MEAN NO DYS TMP = DR LES 32(F)	31.0	28.0	31.0	27.6	24.9	12.2	0.7	4.2	13.5	27.6	29.0	31.0	260.7	10	2690
MEAN NO DYS TMP = DR LES 0(F)	22.3	16.7	16.9	9.2	1.6	0.0	0.0	0.0	0.0	3.6	11.5	17.4	99.7	10	2690
MEAN DEW PT TMP (F)	-10	-6	3	13	24	37	47	45	37	22	7	-3	18	10	19412
MEAN REL HUM (PCT)	82	84	83	81	79	73	72	82	87	88	86	85	82	10	19412
MEAN PRESS ALT (FT)	248	216	371	210	218	336	371	349	380	415	194	139	257	5	10843
MEAN PRECIP (IN)	1.38	1.09	0.90	0.91	1.69	1.91	1.60	2.66	2.09	1.84	1.56	1.14	18.8	10	2058
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = DR GTR 0.1 IN	16.6	15.3	13.4	11.4	12.0	10.5	8.4	13.2	14.9	14.0	15.8	14.8	160.3	10	2058
MEAN NO DYS SNFL = DR GTR 1.5 IN														0	0
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	1.0	0.9	0.8	0.7	0.9	0.6	1.4	1.4	1.7	0.9	0.7	1.0	12.0	10	19308
MEAN NO DYS TSMS	0.0	0.0	0.0	0.0	0.1	2.7	1.7	1.0	0.3	0.1	0.0	0.0	5.9	10	3070
P FREQ WND SPD = DR GTR 17 KTS	19.1	18.8	14.8	12.1	9.9	6.9	4.0	4.7	6.1	7.0	8.0	10.9	9.9	10	19459
P FREQ WND SPD = DR GTR 28 KTS	0.7	1.1	0.7	0.5	0.1	0.0	0.0	0.0	0.1	0.4	0.1	0.2	0.3	10	19459
P FREQ LES 5000 FT A/D LES 5 MI	37.6	34.3	33.3	35.4	55.7	49.1	38.3	50.1	61.4	59.4	50.7	42.3	45.6	10	19308
P FREQ LES 1900 FT A/D LES 3 MI														9	1260
FOR 00-02 LST	14.8	20.9	16.1	18.7	33.0	26.8	28.8	26.2	31.4	27.9	29.8	18.3	24.4	10	1746
03-05 LST	23.0	26.1	22.1	22.0	34.4	24.3	27.7	33.0	33.0	30.6	29.0	20.8	27.2	10	2191
06-08 LST	19.9	20.6	26.3	20.2	31.6	29.3	21.1	34.6	39.6	39.1	30.0	20.7	27.8	10	3080
09-11 LST	27.3	25.0	22.0	19.6	33.1	23.8	18.8	34.4	42.9	37.8	34.7	29.9	29.1	10	2487
12-14 LST	27.8	18.0	20.0	17.9	28.3	18.9	16.9	26.5	35.4	34.8	32.0	30.6	25.6	10	3241
15-17 LST	24.0	17.8	21.0	19.7	25.9	17.9	17.0	20.1	30.9	33.5	31.1	25.0	23.7	10	2464
18-20 LST	22.8	21.8	21.8	16.2	23.9	16.2	15.2	16.2	23.7	32.3	28.9	23.5	21.9	10	2839
21-23 LST	20.7	24.6	17.0	18.6	30.9	17.5	12.4	20.8	25.7	27.2	31.1	21.7	22.4	10	2839
P FREQ LES 300 FT A/D LES 1 MI														9	1260
FOR 00-02 LST	2.4	4.8	1.3	1.2	1.8	1.4	3.2	3.5	2.8	2.3	4.5	1.3	2.5	10	1746
03-05 LST	6.1	6.9	2.3	4.0	3.8	3.1	6.5	7.3	3.2	4.6	3.6	2.9	4.5	10	2191
06-08 LST	2.4	3.8	3.2	4.1	2.5	1.2	2.0	5.9	7.4	4.5	3.8	1.3	3.5	10	3080
09-11 LST	3.9	5.2	4.2	1.4	1.4	1.0	0.3	0.2	1.3	4.1	4.2	3.3	2.5	10	2487
12-14 LST	6.4	3.1	2.4	1.1	2.1	0.0	0.0	0.8	1.6	2.8	3.8	6.2	2.5	10	3241
15-17 LST	5.5	3.1	4.4	2.0	1.1	0.2	0.0	0.0	0.6	3.2	4.3	3.5	2.3	10	2464
18-20 LST	6.8	6.6	4.3	1.0	0.6	0.5	0.0	0.5	0.3	3.3	3.6	2.6	2.5	10	2839
21-23 LST	4.2	6.7	3.2	1.6	2.0	0.8	0.0	1.3	1.1	1.5	5.4	3.0	2.6	10	2839

KHOSEDA-KHARD, USSR

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	04 LST	25.7	22.5	26.4	26.8	23.8	25.6	24.4	24.4	25.2	25.4	24.7	27.6	302.5	10	1746
	10 LST	25.6	23.1	25.9	26.3	24.6	26.0	27.8	24.2	22.5	22.9	22.4	24.9	296.2	10	3080
	16 LST	26.3	24.6	26.2	26.0	27.2	27.3	28.4	28.2	26.0	24.0	23.7	26.5	314.4	10	3241
	22 LST	26.4	22.8	27.4	26.9	24.9	27.1	28.8	27.3	25.9	26.0	23.9	27.0	314.9	10	2839
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	04 LST	17.3	11.9	14.9	13.9	13.1	16.1	18.0	13.7	11.8	14.3	13.4	15.7	174.1	10	1746
	10 LST	14.0	13.2	15.6	13.0	10.8	13.4	18.1	11.9	7.9	11.9	13.1	13.8	156.7	10	3077
	16 LST	15.2	13.9	14.7	12.2	11.3	14.1	16.7	16.1	10.1	12.5	13.5	15.4	165.7	10	3241
	22 LST	17.0	13.9	16.9	15.1	14.3	19.8	23.1	19.0	15.9	14.1	13.6	16.6	199.3	10	2834
SFC WND = GTR 17 KTS AND NO PRECIP.	04 LST	1.0	0.6	0.0	0.3	0.0	0.4	0.0	0.0	1.3	1.1	0.3	0.5	5.5	10	1041
	10 LST	0.8	0.9	0.2	0.5	1.1	2.3	0.8	0.4	1.3	1.6	0.7	0.5	11.1	10	1724
	16 LST	0.4	0.6	0.6	0.6	1.4	4.1	0.0	1.0	1.8	1.1	0.4	0.2	12.2	10	1632
	22 LST	0.2	0.6	0.0	0.0	0.6	0.5	0.0	0.0	1.6	1.5	0.7	0.0	5.7	10	1447
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	04 LST	0.0	0.0	0.0	2.0	2.9	7.7	10.6	12.1	8.5	2.0	0.5	0.2	46.5	10	1752
	10 LST	0.0	0.0	0.1	1.3	7.1	14.2	18.4	15.6	11.4	3.0	0.2	0.0	71.3	10	3098
	16 LST	0.0	0.0	0.3	2.8	7.9	13.1	15.7	16.7	12.6	3.9	0.3	0.0	73.3	10	3256
	22 LST	0.0	0.0	0.0	1.8	5.2	14.3	16.8	11.0	10.8	3.4	0.4	0.0	63.7	10	2842
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	04 LST	11.7	8.9	11.2	6.9	5.4	8.0	7.8	6.3	3.7	7.4	7.3	9.7	94.3	10	1753
	10 LST	7.3	6.2	8.7	8.3	5.4	4.8	9.1	4.9	2.1	3.5	5.1	7.9	73.3	10	3100
	16 LST	7.2	6.2	8.5	7.7	5.7	4.1	8.3	4.8	2.1	4.1	5.4	7.5	71.6	10	3260
	22 LST	10.7	9.6	13.1	9.6	4.9	6.6	11.4	8.6	6.5	7.6	6.5	10.1	105.2	10	2843
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	04 LST	21.9	18.7	21.3	19.3	16.2	18.7	19.6	16.5	13.9	16.9	17.4	21.3	221.7	10	1746
	10 LST	19.1	18.8	22.1	21.5	15.9	18.1	21.6	15.6	11.1	14.6	16.3	18.2	212.9	10	3080
	16 LST	20.7	21.4	22.6	21.5	17.0	19.9	21.6	19.5	14.5	16.1	17.1	19.6	231.5	10	3241
	22 LST	22.2	19.3	23.8	21.1	16.8	21.2	24.2	21.0	17.8	18.5	16.5	21.3	242.7	10	2839
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	04 LST	20.5	17.2	20.2	16.6	13.8	15.2	18.3	13.5	11.1	12.7	15.1	19.9	194.1	10	1746
	10 LST	17.7	17.8	21.0	20.2	13.6	14.5	19.8	13.9	9.6	11.5	14.6	16.9	191.1	10	3080
	16 LST	19.9	21.0	22.0	19.8	13.4	14.8	19.0	15.4	11.8	12.8	15.3	18.5	203.7	10	3241
	22 LST	21.0	18.2	22.3	19.3	13.1	17.5	21.0	18.4	13.6	15.7	13.8	19.6	213.5	10	2839
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	04 LST	17.6	14.4	16.7	14.5	12.4	13.8	16.8	12.1	10.4	11.5	13.2	16.2	169.6	10	1746
	10 LST	14.5	15.0	19.0	18.0	11.9	13.1	17.9	12.9	8.0	9.4	11.8	14.1	165.6	10	3080
	16 LST	15.9	17.0	20.0	17.8	11.6	13.4	18.1	14.4	10.4	10.8	12.4	14.8	176.6	10	3241
	22 LST	16.3	13.8	18.1	16.6	10.8	15.5	19.4	15.4	10.9	13.6	10.3	16.3	177.0	10	2839

UST'TSIL'MA, USSR

STA NO. 29405 (IN AREA NUMBER 06)

LATITUDE 6527N

LONGITUDE 05210E

ELEVATION(FT) 00089

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	37	37	52	68	86	93	93	90	79	61	45	37	93	15	-660
MEAN MAX TMP (F)	8	11	21	36	47	61	67	63	50	35	22	13	36	15	-160
MEAN MIN TMP (F)	-5	-4	2	19	30	43	49	46	38	26	12	0	21	14	-160
ABS MIN TMP (F)	-63	-54	-51	-31	-4	21	30	25	14	-15	-51	-60	-63	14	-660
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.3	10	3072
MEAN NO DYS TMP = DR LES 32(F)	31.0	28.0	30.7	25.9	17.6	5.0	0.0	0.6	7.3	23.7	28.5	31.0	229.3	10	2935
MEAN NO DYS TMP = DR LES 0(F)	21.1	13.4	10.8	3.3	0.4	0.0	0.0	0.0	0.0	1.1	7.2	13.3	70.6	10	2935
MEAN DEW PT TMP (F)	-6	0	8	19	30	41	51	49	39	26	13	3	23	10	24193
MEAN REL HUM (PCT)	82	83	79	70	69	67	72	79	86	88	88	85	79	10	24193
MEAN PRESS ALT (FT)	44	44	145	17	17	134	175	115	170	203	30	-4	91	5	12581
MEAN PRECIP (IN)	1.14	1.14	1.41	1.38	1.75	2.15	2.70	2.97	2.88	2.58	1.80	1.89	23.8	10	2566
MEAN SNOW FALL (IN)							0.0							14	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	14.4	13.9	12.5	9.2	9.1	10.1	11.0	12.1	14.5	16.4	14.8	15.9	194.0	10	2566
MEAN NO DYS SNFL = DR GTR 1.5 IN							0.0							14	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.5	0.8	0.6	0.5	0.4	0.1	0.3	1.1	0.8	1.2	0.6	0.9	7.8	10	24078
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	1.6	3.4	4.0	2.2	0.3	0.1	0.0	0.0	11.6	10	3607
P FREQ WND SPD = DR GTR 17 KTS	5.2	7.7	8.0	4.6	3.4	3.0	2.1	1.4	2.1	3.7	4.1	4.7	4.2	10	24228
P FREQ WND SPD = DR GTR 28 KTS	0.1	0.5	0.2	0.1	0.1	0.0	0.0	0.0	0.1	0.1	0.2	0.0	0.1	10	24228
P FREQ LES 5000 FT A/D LES 5 MI	49.0	48.2	39.4	35.2	39.7	35.5	32.6	39.4	64.7	71.9	70.5	60.1	68.9	10	24078
P FREQ LES 1900 FT A/D LES 3 MI															
FOR 00-02 LST	22.3	20.7	13.3	12.0	11.5	8.9	12.2	13.8	22.4	37.3	40.1	30.5	20.4	10	2705
03-05 LST	28.5	26.8	15.4	17.3	15.1	11.4	16.8	23.3	31.2	39.9	41.1	32.4	24.9	10	3442
06-08 LST	27.1	30.2	24.2	25.0	23.3	19.2	21.6	33.2	44.7	48.2	44.0	34.8	31.3	10	2505
09-11 LST	36.9	34.3	28.2	17.3	18.0	12.6	21.9	29.1	44.9	51.9	50.6	44.0	32.5	10	3321
12-14 LST	30.7	24.1	19.1	13.6	13.9	9.2	12.4	16.4	35.9	47.4	46.0	42.5	25.9	10	2542
15-17 LST	28.8	22.2	16.8	11.4	9.9	7.8	7.6	11.6	26.0	45.5	48.0	38.7	22.9	10	3442
18-20 LST	22.4	22.2	15.2	9.6	9.0	7.7	7.7	11.1	25.2	40.1	40.8	32.1	20.3	10	2695
21-23 LST	22.8	21.4	12.4	11.2	11.4	8.7	9.0	11.5	24.0	35.3	41.2	30.0	19.9	10	3426
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.6	1.1	2.3	1.5	1.0	0.8	0.5	0.3	2.0	3.3	2.9	3.2	1.6	10	2705
03-05 LST	2.3	1.7	1.9	2.7	2.0	1.0	1.7	3.2	2.9	5.2	2.0	3.7	2.5	10	3442
06-08 LST	2.7	3.9	1.8	4.9	3.6	0.8	2.3	6.1	11.0	8.3	3.4	2.4	4.3	10	2505
09-11 LST	4.7	6.1	5.3	1.9	3.5	0.3	0.8	3.2	7.7	11.1	5.6	3.8	4.5	10	3321
12-14 LST	2.8	3.9	0.7	1.8	1.3	0.0	0.0	0.2	2.3	5.4	4.0	3.3	2.2	10	2542
15-17 LST	3.8	2.3	3.1	0.8	1.1	0.6	0.2	0.0	1.5	6.3	4.8	4.6	2.4	10	3442
18-20 LST	2.9	1.6	1.3	1.3	0.2	0.0	0.0	0.3	1.2	3.6	3.7	4.8	1.7	10	2695
21-23 LST	2.7	1.3	1.4	1.0	1.6	0.6	0.0	1.3	0.2	3.7	4.1	3.9	1.8	10	3426


UST'TSIL'MA, USSR


MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	03 LST	25.2	23.0	27.5	26.4	28.9	28.2	27.3	25.7	24.0	21.9	21.5	24.5	304.1	10	3442
	09 LST	22.8	20.6	24.6	26.6	27.6	27.8	26.3	24.3	19.7	18.1	18.7	21.0	278.1	10	3371
	15 LST	24.8	23.8	27.7	27.9	29.1	28.8	29.7	28.9	25.5	20.6	18.8	22.0	307.6	10	3442
	21 LST	26.3	24.1	29.0	28.1	29.3	28.5	29.4	28.8	25.5	22.6	20.9	24.5	317.0	10	3426
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	03 LST	14.3	12.3	18.9	18.2	19.5	20.7	21.0	18.4	14.1	11.0	10.4	11.1	189.9	10	3437
	09 LST	12.1	11.7	13.5	17.0	16.4	17.8	17.5	15.0	10.7	8.5	8.4	9.4	158.0	10	3318
	15 LST	15.3	12.5	13.8	15.3	16.7	16.9	18.9	17.9	13.8	9.1	8.9	11.2	170.3	10	3439
	21 LST	15.8	13.5	17.8	19.4	21.1	21.6	24.7	22.8	17.3	13.4	10.0	12.4	209.8	10	3422
SFC WND = GTR 17 KTS AND NO PRECIP.	03 LST	0.0	0.2	0.0	0.2	0.0	0.0	0.0	0.0	0.5	0.6	0.2	0.2	1.9	10	1554
	09 LST	0.2	0.2	0.0	0.2	0.4	0.8	1.0	0.8	0.7	0.7	0.2	0.2	3.4	10	1659
	15 LST	0.0	0.0	0.0	0.2	0.5	1.2	0.0	0.0	0.3	0.7	0.5	0.0	3.4	10	1592
	21 LST	0.0	0.2	0.0	0.2	0.6	0.3	0.0	0.0	0.3	0.2	0.4	0.0	2.2	10	1605
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	03 LST	0.0	0.0	0.1	3.3	10.0	16.4	20.2	18.2	13.1	5.5	1.6	0.4	88.8	10	3447
	09 LST	0.0	0.0	0.8	5.2	11.3	16.8	19.1	17.0	14.6	4.9	1.4	0.1	91.2	10	3335
	15 LST	0.0	0.0	1.2	7.3	14.0	15.4	16.5	17.3	15.8	5.9	1.6	0.2	95.2	10	3453
	21 LST	0.0	0.0	1.0	6.3	15.1	17.8	23.0	20.9	16.5	4.8	1.2	0.1	106.7	10	3431
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	03 LST	8.5	6.6	12.2	9.4	7.1	7.8	9.5	6.8	3.2	4.1	4.7	6.6	86.5	10	3452
	09 LST	6.2	3.0	7.5	7.4	6.8	5.9	8.6	5.6	1.6	1.7	3.2	5.3	62.8	10	3336
	15 LST	6.6	5.6	7.2	8.7	6.7	4.1	7.5	3.8	3.0	1.9	4.2	5.9	65.2	10	3453
	21 LST	8.6	8.3	12.4	10.5	8.0	8.2	9.6	7.5	6.2	4.2	4.4	7.1	95.0	10	3435
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	03 LST	19.0	17.6	24.3	22.0	22.8	24.3	23.6	21.0	15.4	13.9	12.7	16.6	233.2	10	3442
	09 LST	15.6	15.3	19.1	22.4	21.7	23.1	21.3	19.0	12.1	10.7	10.1	12.7	203.1	10	3321
	15 LST	19.3	19.3	22.5	24.1	24.8	25.3	26.6	24.5	16.7	12.0	11.5	15.1	241.7	10	3442
	21 LST	20.8	19.3	24.7	24.1	24.6	25.3	26.2	24.8	18.9	15.9	13.1	17.7	255.4	10	3426
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	03 LST	15.4	14.0	19.8	18.4	19.0	20.4	20.7	17.5	9.0	8.5	8.6	13.1	154.4	10	3442
	09 LST	13.0	11.4	16.0	19.5	17.3	18.4	17.7	16.1	8.3	6.7	7.0	9.9	161.3	10	3321
	15 LST	16.8	16.6	18.1	19.4	17.4	16.3	19.8	18.1	10.2	7.8	9.2	12.3	182.1	10	3442
	21 LST	17.9	16.6	21.3	20.3	19.9	21.4	22.0	20.8	12.4	10.2	9.3	13.8	206.9	10	3426
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	03 LST	14.5	12.8	17.5	17.0	17.6	19.5	20.1	16.6	8.6	8.0	8.3	11.9	172.6	10	3442
	09 LST	12.4	10.2	15.2	19.1	16.7	17.6	17.0	15.8	7.9	5.2	6.5	9.5	154.7	10	3321
	15 LST	15.5	15.5	17.1	18.9	16.8	15.7	19.2	17.2	9.6	7.4	8.9	12.0	173.8	10	3442
	21 LST	16.6	15.3	19.5	19.5	19.2	20.9	22.7	20.2	11.8	9.7	8.7	12.2	196.3	10	3426

AREA 06

PARAMETER DESCRIPTION	BARENTS COAST												ANN	
	BOUNDARIES	6700N 02900E	6500N 04400E	6500N 04400E	6500N 04400E	6500N 05900E	6500N 05900E	6500N 05900E	6500N 05900E	6500N 05900E	6500N 05900E	6500N 05900E		6830N 06800E
MEAN MAX TMP (F)		11	11	17	29	40	53	60	57	47	35	24	16	33
MEAN MIN TMP (F)		-0	-1	1	15	27	38	45	44	37	26	15	4	21
LARGEST MEAN PRECIP(IN)		1.92	1.53	1.41	1.38	1.75	2.42	2.73	2.97	3.09	2.70	2.15	1.89	25.9
SMALLEST MEAN PRECIP(IN)		0.91	0.82	0.81	0.55	0.74	1.06	1.39	1.74	2.00	1.50	1.05	1.00	13.6
		MEAN NUMBER OF DAYS												
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	03 LST	24.4	22.5	26.0	25.9	26.0	24.8	25.3	24.1	24.8	24.8	22.7	23.9	295.2
	09 LST	23.8	20.9	24.3	25.4	26.3	25.5	26.0	23.8	22.7	22.5	21.6	23.6	286.4
	15 LST	23.4	22.5	26.5	26.6	27.7	27.2	28.0	27.1	25.5	23.9	21.7	23.2	303.3
	21 LST	24.7	22.9	26.9	26.4	27.0	26.3	27.7	26.6	25.9	25.1	22.7	24.3	306.5
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	03 LST	12.3	11.0	13.8	14.9	15.5	15.7	17.1	14.7	12.4	10.9	9.5	10.3	158.1
	09 LST	11.4	10.0	12.6	13.8	13.4	13.1	14.9	11.9	9.5	9.5	8.9	9.3	138.3
	15 LST	12.1	11.4	12.7	12.7	12.5	13.0	14.7	13.3	10.3	9.3	9.0	10.1	141.1
	21 LST	12.6	11.8	15.0	15.4	16.2	16.1	18.7	17.2	14.0	11.5	9.5	10.8	168.8
SFC WND = GTR 17 KTS AND NO PRECIP.	03 LST	1.5	0.8	0.5	0.7	1.0	1.7	0.9	1.3	1.9	3.0	3.0	2.4	18.7
	09 LST	1.7	0.9	0.7	0.8	1.5	2.1	2.1	2.0	2.4	2.8	2.9	3.1	23.0
	15 LST	1.6	1.0	0.8	1.0	2.0	3.0	2.1	2.5	2.8	2.6	3.2	2.7	25.3
	21 LST	1.5	0.9	0.7	0.8	1.3	1.8	1.2	1.1	1.7	2.6	2.8	2.6	19.0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	03 LST	0.0	0.0	0.2	1.0	5.5	11.1	14.7	14.3	10.5	4.1	1.4	0.1	63.7
	09 LST	0.0	0.0	0.3	2.5	8.2	12.7	16.2	14.4	11.0	4.2	1.5	0.1	71.1
	15 LST	0.1	0.0	0.7	4.4	9.3	12.3	14.7	14.3	11.7	5.1	1.5	0.0	76.1
	21 LST	0.1	0.0	0.5	3.0	9.0	13.2	16.9	15.2	12.0	4.5	1.5	0.1	76.0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	03 LST	9.3	8.3	11.1	8.5	6.0	5.6	7.6	4.9	4.6	5.7	6.0	7.7	85.3
	09 LST	6.7	4.9	7.5	8.2	5.7	4.8	7.5	4.2	2.3	3.0	4.1	6.3	65.2
	15 LST	6.2	5.6	8.4	8.0	6.0	4.8	6.4	4.2	2.4	3.2	4.3	6.2	65.7
	21 LST	9.1	9.2	11.9	8.8	6.5	5.9	7.8	5.7	5.0	5.9	6.1	7.6	89.5
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	03 LST	18.7	17.4	21.0	20.5	19.8	19.5	20.8	17.5	16.0	16.1	14.4	16.8	218.5
	09 LST	17.4	15.8	19.8	21.2	19.6	18.8	20.3	16.2	13.6	14.1	13.4	15.4	205.6
	15 LST	18.1	18.5	22.1	22.1	20.8	21.2	22.7	19.8	15.7	14.5	13.8	16.1	225.4
	21 LST	19.1	18.4	22.6	21.7	21.1	21.4	23.1	20.7	17.5	16.5	14.3	17.1	233.5
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	03 LST	15.8	14.4	18.2	17.0	15.8	15.5	17.6	13.5	10.8	11.2	10.9	13.6	171.3
	09 LST	14.5	13.3	17.8	18.9	15.7	14.7	17.2	12.9	9.9	9.9	10.0	12.3	167.1
	15 LST	15.7	16.7	19.9	18.8	15.3	15.0	17.7	14.4	10.2	10.1	10.6	13.4	177.8
	21 LST	16.6	16.0	20.0	18.7	16.7	16.9	19.4	16.4	12.4	11.5	10.9	13.8	189.3
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	03 LST	15.4	13.9	17.6	16.5	15.4	15.0	17.2	13.1	10.6	10.9	10.6	13.1	169.3
	09 LST	14.0	12.9	17.5	18.5	15.4	14.3	16.9	12.7	9.6	9.6	9.6	11.9	162.9
	15 LST	15.1	16.1	19.6	18.5	14.9	14.5	17.3	14.1	9.9	9.8	10.3	13.0	173.1
	21 LST	16.0	15.4	19.3	18.3	16.2	16.5	19.1	15.8	11.9	11.1	10.5	13.3	183.4





ARKHANGELSK/ARHANGFL'SK, USSR

STA NO. 22550 (IN AREA NUMBER 07)

LATITUDE 6435N

LONGITUDE 04030E

ELEVATION(FT) 00043

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	41	39	50	73	86	90	93	91	82	63	50	39	93	52	-660
MEAN MAX TMP (F)	15	16	25	39	51	63	69	65	53	39	28	20	40	48	-160
MEAN MIN TMP (F)	3	3	9	23	35	46	52	50	42	31	20	9	27	70	-160
ABS MIN TMP (F)	-49	-42	-35	-17	7	23	32	25	19	-4	-33	-45	-49	74	-660
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.1	10	3143
MEAN NO DYS TMP = OR LES 32(F)	30.9	28.0	30.2	23.2	10.5	2.2	0.1	0.3	3.7	16.9	25.7	30.7	202.4	10	3090
MEAN NO DYS TMP = OR LES 0(F)	15.9	10.7	8.8	1.0	0.0	0.0	0.0	0.0	0.1	3.0	8.5	48.0		10	3090
MEAN DEN PT TMP (F)	1	6	13	25	35	45	53	52	43	12	21	10	28	10	25863
MEAN REL HUM (PCT)	85	85	82	74	67	70	74	80	86	87	89	86	80	10	25863
MEAN PRESS ALT (FT)	39	66	170	-4	-23	77	121	80	135	168	23	83	78	5	13757
MEAN PRECIP (IN)	1.47	1.08	1.14	1.19	1.77	2.26	2.22	2.24	2.47	2.33	1.86	1.81	21.8	10	2810
MEAN SNOW FALL (IN)							0.0							74	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	14.8	13.2	12.7	8.3	8.9	10.3	10.0	11.2	12.8	14.6	14.2	16.1	147.1	10	2810
MEAN NO DYS SNFL = OR GTR 1.5 IN							0.0							74	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.9	0.7	1.5	1.1	0.3	0.1	0.3	1.3	1.5	1.2	0.8	0.7	10.4	10	25784
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	1.5	4.7	5.1	2.8	0.5	0.0	0.0	0.0	14.6	10	3628
P FREQ WND SPD = OR GTR 17 KTS	8.1	8.8	6.2	5.2	4.0	5.5	3.4	2.7	4.2	6.9	5.6	6.7	5.6	10	25879
P FREQ WND SPD = OR GTR 28 KTS	0.3	0.8	0.4	0.3	0.1	0.1	0.2	0.0	0.1	0.4	0.2	0.1	0.3	10	25879
P FREQ LES 5000 FT A/O LES 5 MI	64.8	59.4	53.1	43.3	41.2	40.4	42.1	49.6	62.7	68.5	75.3	68.9	55.8	10	25784
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	29.9	27.5	20.6	13.0	9.6	8.9	9.7	12.3	20.3	25.0	35.5	34.5	20.6	10	2972
03-05 LST	32.8	27.7	25.0	16.7	11.3	10.4	12.5	17.8	23.5	27.5	39.0	36.0	23.6	10	3514
06-08 LST	31.6	30.5	30.6	19.9	12.5	8.7	15.0	23.9	31.4	30.9	36.3	37.9	25.8	10	2780
09-11 LST	37.5	40.8	33.4	18.8	13.4	8.5	12.5	20.7	33.9	38.7	42.5	37.7	28.2	10	3449
12-14 LST	42.7	35.3	24.3	15.9	11.6	8.3	6.6	15.6	22.6	38.0	42.6	39.9	25.3	10	2997
15-17 LST	38.1	29.4	17.4	12.0	9.1	9.7	7.6	11.6	18.3	26.5	40.8	37.1	21.5	10	3562
18-20 LST	30.8	30.8	18.0	11.9	6.6	7.4	9.0	8.5	16.5	26.4	34.8	35.4	19.7	10	3027
21-23 LST	30.5	23.1	19.6	12.5	7.2	6.5	8.4	11.9	17.6	22.6	33.7	33.1	18.9	10	3483
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	3.5	3.3	5.5	2.5	1.8	0.3	1.0	1.1	3.8	1.2	1.3	3.6	2.4	10	2972
03-05 LST	3.5	3.0	7.1	4.1	1.9	0.8	2.4	3.0	4.6	1.8	4.5	3.9	3.4	10	3514
06-08 LST	2.2	2.8	8.3	4.6	1.4	0.0	1.8	6.7	6.8	3.1	4.7	5.0	3.9	10	2780
09-11 LST	6.7	8.1	10.7	4.3	2.2	0.3	0.8	2.8	6.7	7.8	7.0	5.2	5.2	10	3449
12-14 LST	5.8	6.2	3.3	2.2	1.8	0.0	0.0	0.0	1.3	5.5	4.5	5.4	3.3	10	2997
15-17 LST	5.4	3.7	1.3	1.4	0.5	0.0	0.0	0.2	0.5	2.2	5.2	6.4	2.3	10	3562
18-20 LST	6.0	4.2	3.3	1.8	0.7	0.2	0.0	0.7	0.0	1.7	3.1	3.5	2.1	10	3027
21-23 LST	4.1	3.7	3.6	1.7	1.6	0.3	0.0	0.1	1.5	2.3	2.0	3.3	2.0	10	3483

ARKHANGELSK/ARHANGFL'SK, USSR

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. UBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	03 LST	24.2	23.9	26.3	27.2	29.3	28.6	29.2	27.7	25.7	25.5	22.6	24.2	314.4	10	3514
	09 LST	22.9	20.1	24.0	26.7	28.7	28.8	29.3	27.9	23.8	22.5	21.0	23.4	299.1	10	3449
	15 LST	22.7	22.8	28.4	28.6	29.7	29.0	30.3	29.9	28.3	26.5	21.5	24.2	321.9	10	3562
	21 LST	29.9	24.3	27.6	28.4	29.9	29.7	30.0	29.8	27.6	27.3	23.9	25.6	330.0	10	3483
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	03 LST	13.0	12.5	16.2	19.4	22.8	22.5	22.8	21.1	15.8	14.2	9.7	11.9	201.9	10	3513
	09 LST	11.4	10.7	14.4	18.2	19.6	20.6	21.7	18.5	12.8	10.2	10.7	11.2	180.0	10	3447
	15 LST	11.9	13.3	16.8	15.1	16.5	14.2	17.6	19.2	14.3	11.8	10.2	10.6	172.5	10	3560
	21 LST	12.9	13.9	17.6	20.4	23.4	21.6	23.4	22.7	18.3	14.2	11.7	11.2	211.3	10	3481
SFC WND = GTR 17 KTS AND NO PRECIP.	03 LST	0.0	0.0	0.0	0.2	0.2	0.0	0.0	0.0	1.0	0.9	0.8	0.2	3.3	10	1373
	09 LST	0.2	0.0	0.0	0.2	0.2	2.4	0.0	1.4	0.5	0.9	0.2	0.2	6.2	10	1440
	15 LST	0.0	0.0	0.0	0.0	1.6	2.5	0.0	1.4	1.4	1.1	0.0	0.2	8.8	10	1405
	21 LST	0.0	0.0	0.0	0.2	0.7	1.2	0.0	0.0	0.5	0.9	0.7	0.2	4.4	10	1395
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	03 LST	0.2	0.0	1.4	5.8	15.0	18.5	20.1	18.5	14.5	9.3	2.9	0.2	106.4	10	3520
	09 LST	0.0	0.0	1.1	8.2	15.7	18.0	19.8	19.1	14.7	6.9	3.2	0.1	106.8	10	3456
	15 LST	0.1	0.1	3.5	10.0	15.1	13.1	17.0	17.3	14.0	10.0	3.6	0.5	104.3	10	3566
	21 LST	0.0	0.0	1.4	8.3	19.8	18.5	19.6	18.5	16.2	8.4	2.4	0.3	113.4	10	3490
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	03 LST	6.7	5.1	9.1	11.4	9.1	6.5	8.0	7.1	6.0	5.9	4.2	5.8	84.9	10	3522
	09 LST	3.9	3.5	4.9	5.6	8.0	5.5	7.6	5.8	3.3	2.7	2.7	3.6	58.1	10	3456
	15 LST	4.4	4.6	7.7	7.4	7.0	5.3	6.2	4.2	2.8	2.5	3.3	4.0	59.4	10	3569
	21 LST	6.7	7.3	10.6	8.8	9.2	6.8	7.4	6.0	7.0	6.1	4.3	5.5	85.7	10	3489
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	03 LST	16.7	16.0	19.0	21.4	24.5	24.3	24.5	21.6	17.5	17.6	11.8	14.4	229.3	10	3514
	09 LST	15.0	13.3	17.2	21.3	23.7	24.4	23.3	20.0	14.5	14.2	11.8	14.1	212.8	10	3449
	15 LST	16.0	17.4	22.0	22.8	24.0	22.9	24.5	22.1	17.5	16.2	12.9	14.3	232.6	10	3562
	21 LST	16.8	18.0	21.4	23.1	26.3	25.0	25.3	23.3	20.0	17.9	13.8	14.8	245.7	10	3483
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	03 LST	13.3	13.0	14.3	17.3	19.2	19.6	20.3	16.6	13.2	11.6	7.3	11.0	176.7	10	3514
	09 LST	11.1	10.5	13.7	18.2	18.5	19.1	18.6	16.1	9.4	8.9	6.8	9.4	160.3	10	3449
	15 LST	13.5	15.4	17.4	18.2	16.5	15.7	16.5	14.5	9.2	9.0	8.2	11.2	165.3	10	3562
	21 LST	13.7	14.7	18.1	19.3	21.2	19.8	20.6	18.6	14.4	10.5	8.2	10.3	189.4	10	3483
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	03 LST	12.9	12.3	14.0	17.0	18.9	19.3	20.2	16.4	12.9	11.3	6.9	10.9	173.2	10	3514
	09 LST	10.6	10.0	13.2	18.0	18.4	18.9	18.4	15.9	9.1	8.5	6.8	8.9	156.7	10	3449
	15 LST	13.2	15.0	17.0	18.1	16.2	15.6	16.4	14.4	9.1	8.8	8.0	10.8	162.6	10	3562
	21 LST	13.6	14.4	17.9	19.1	20.9	19.6	20.3	18.4	13.9	10.4	7.9	9.9	186.3	10	3483

REBOLY, USSR

STA NO. 22602 (IN AREA NUMBER 07)	LATITUDE 6349N LONGITUDE 03049E ELEVATION(FT) 00594												POR	NO.	
PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	(YRS)	OBS
ABS MAX TMP (F)	37	39	45	59	75	86	82	84	77	59	50	41	86	10	3101
MEAN MAX TMP (F)	12	15	26	39	52	64	66	63	52	40	29	19	40	10	3101
MEAN MIN TMP (F)	2	3	8	23	36	48	52	50	41	33	23	9	27	10	3108
ABS MIN TMP (F)	-44	-38	-33	-18	5	28	36	28	23	-6	-18	-29	-44	10	3108
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	3101
MEAN NO DYS TMP = OR LES 32(F)	30.8	28.0	30.1	25.8	10.8	0.6	0.0	0.2	4.5	15.1	24.5	30.7	201.1	10	3108
MEAN NO DYS TMP = OR LES 0(F)	13.1	10.9	10.6	1.8	0.0	0.0	0.0	0.0	0.0	0.2	1.4	8.3	46.3	10	3108
MEAN DEW PT TMP (F)	4	6	11	23	34	45	49	50	42	33	24	11	28	10	26436
MEAN REL HUM (PCT)	86	85	78	72	68	66	70	78	83	87	90	87	79	10	26436
MEAN PRESS ALT (FT)	552	593	710	538	516	615	656	628	633	675	549	688	614	5	13880
MEAN PRECIP (IN)	1.26	1.06	1.28	1.50	1.85	2.53	2.47	3.43	2.36	2.26	1.81	1.54	23.3	10	2807
MEAN SNOW FALL (IN)							0.0							10	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	14.9	11.1	10.9	9.3	10.4	11.7	10.6	12.8	10.6	13.3	12.9	14.1	142.8	10	2807
MEAN NO DYS SNFL = OR GTR 1.5 IN							0.0							10	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.8	0.7	0.7	0.9	1.3	0.4	0.1	1.0	1.8	1.2	1.2	1.3	11.4	10	26370
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.1	0.9	4.7	4.5	3.1	0.5	0.0	0.0	0.0	13.8	10	2633
P FREQ WND SPD = OR GTR 17 KTS	0.7	1.3	0.5	0.8	0.5	1.0	0.5	0.5	0.6	0.7	0.1	1.3	0.7	10	26500
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	26500
P FREQ LES 5000 FT A/D LES 5 MI	63.0	60.0	44.7	46.5	47.5	45.4	46.2	54.6	61.8	72.1	80.5	71.0	57.8	10	26370
P FREQ LES 1500 FT A/D LES 3 MI														10	3488
FOR 00-02 LST	38.6	37.0	25.1	19.8	17.5	8.0	7.2	14.8	21.8	37.4	54.8	40.6	26.9	10	3071
03-05 LST	35.1	33.9	24.6	23.6	21.1	11.5	10.6	22.2	26.8	35.7	49.7	37.4	27.9	10	3461
06-08 LST	37.1	43.4	30.2	24.5	18.1	10.5	10.9	24.0	33.8	46.4	58.2	40.6	31.5	10	3137
09-11 LST	40.9	38.6	25.6	22.3	15.4	10.3	9.0	14.9	26.0	46.2	58.7	51.3	29.9	10	3508
12-14 LST	38.7	33.0	23.9	20.5	13.8	7.0	6.9	10.5	18.3	40.4	56.2	46.4	26.3	10	3508
15-17 LST	35.7	32.5	23.0	22.0	12.6	7.4	6.9	9.9	15.0	38.2	49.9	40.2	24.5	10	3123
18-20 LST	35.9	31.2	19.6	21.0	12.1	7.8	4.2	9.6	15.1	32.4	50.0	39.6	23.2	10	3460
21-23 LST	34.5	29.2	19.6	17.1	14.3	9.7	6.5	10.5	15.3	33.4	50.4	39.2	23.3	10	3122
P FREQ LES 300 FT A/D LES 1 MI														10	3488
FOR 00-02 LST	5.2	4.9	5.2	5.3	4.6	0.3	0.0	1.5	3.3	5.2	8.7	3.2	4.0	10	3071
03-05 LST	5.6	5.0	4.6	5.0	7.0	2.5	0.7	4.2	7.8	6.0	6.2	2.4	4.8	10	3461
06-08 LST	5.1	6.7	6.4	4.8	2.6	0.0	0.1	2.0	7.0	8.0	9.3	4.5	4.7	10	3137
09-11 LST	8.8	4.3	4.6	2.6	1.7	0.0	0.0	0.0	0.7	5.5	10.7	11.8	4.2	10	3508
12-14 LST	6.9	2.6	2.1	2.1	1.0	0.2	0.0	0.0	0.2	3.5	7.1	8.1	2.8	10	3508
15-17 LST	4.9	3.1	4.7	1.0	1.1	0.0	0.0	0.3	1.2	2.5	7.2	3.6	2.5	10	3123
18-20 LST	5.7	3.4	4.0	3.8	1.9	0.0	0.0	0.0	0.5	2.4	6.7	3.3	2.6	10	3460
21-23 LST	4.6	4.3	2.1	3.4	3.9	0.3	0.6	0.6	1.8	4.4	8.7	2.1	3.1	10	3122

REBOLY, USSR

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST	24.2	23.4	26.7	26.8	28.1	28.8	30.8	29.6	27.9	24.9	20.0	24.9	316.1	10	3488
	08 LST	24.2	20.2	24.7	25.7	27.5	28.5	29.8	27.3	24.3	21.8	18.5	24.8	297.3	10	3461
	14 LST	23.8	23.4	26.6	27.3	29.1	29.4	30.4	30.5	28.1	23.4	18.8	22.0	312.8	10	3508
	20 LST	24.9	24.0	27.7	27.1	29.7	29.5	30.9	30.4	28.8	26.2	21.0	24.7	324.9	10	3460
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST	13.1	11.6	17.7	19.5	22.4	24.9	25.7	22.7	18.0	12.1	7.0	11.5	206.2	10	3487
	08 LST	13.6	10.7	17.6	18.1	20.8	22.7	23.8	18.6	13.9	9.9	6.2	11.0	186.9	10	3461
	14 LST	13.0	13.3	16.4	15.8	18.0	19.9	22.8	20.6	16.6	10.8	7.1	10.5	185.7	10	3508
	20 LST	14.2	13.6	20.1	19.0	23.1	22.8	27.2	23.6	20.8	13.7	9.0	12.1	219.2	10	3457
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.2	0.0	0.2	0.7	10	1880
	08 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.2	0.7	10	1777
	14 LST	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.2	0.0	0.0	0.2	0.6	10	1725
	20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.2	0.0	0.4	10	1719
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST	0.2	0.0	0.9	4.9	11.3	15.7	16.9	16.5	13.5	8.8	2.9	0.3	91.9	10	3495
	08 LST	0.6	0.2	1.6	6.7	15.8	19.9	20.6	17.9	14.9	10.1	3.4	0.3	112.0	10	3463
	14 LST	0.3	0.2	3.2	12.2	18.6	16.8	19.9	18.2	17.4	12.2	3.8	0.2	123.0	10	3521
	20 LST	0.1	0.4	2.2	8.8	15.8	18.8	20.5	17.4	15.1	9.7	3.6	0.4	112.8	10	3461
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST	5.0	4.4	9.8	8.2	7.2	4.8	5.9	5.5	5.8	3.9	2.4	3.8	66.7	10	3497
	08 LST	5.8	4.1	7.0	7.1	9.4	8.3	9.1	5.0	4.0	3.1	2.5	4.7	70.1	10	3466
	14 LST	3.6	3.4	6.4	3.9	2.7	2.0	1.6	1.7	2.8	2.1	1.4	3.4	35.0	10	3523
	20 LST	6.8	7.3	11.4	7.4	6.7	5.9	6.4	6.0	7.2	5.7	4.1	5.1	80.0	10	3470
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST	14.1	12.4	19.6	20.9	22.6	25.8	26.6	22.8	19.1	13.3	7.4	11.9	216.5	10	3488
	08 LST	13.4	11.9	18.9	19.8	23.1	24.7	25.1	19.5	15.2	11.4	7.0	12.2	204.2	10	3461
	14 LST	14.4	14.3	20.1	19.3	23.5	25.5	26.4	23.8	19.4	12.1	7.4	11.1	217.3	10	3508
	20 LST	13.4	15.2	22.3	20.4	24.3	25.4	28.0	25.4	22.1	15.6	9.2	13.0	236.3	10	3460
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST	10.6	9.9	15.9	15.7	15.7	17.1	17.0	14.8	12.3	7.9	5.3	8.2	150.4	10	3488
	08 LST	12.7	10.5	17.2	16.4	18.3	18.3	17.8	13.4	10.3	7.5	5.2	9.3	156.9	10	3461
	14 LST	11.8	12.3	16.6	13.6	13.2	10.9	11.9	11.3	9.4	7.4	5.4	8.8	132.6	10	3508
	20 LST	13.6	14.1	20.5	18.6	17.3	16.4	17.3	16.3	15.2	11.4	7.1	11.0	178.8	10	3460
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST	10.6	9.8	15.8	15.4	15.5	16.5	16.4	14.3	11.8	7.8	5.2	8.0	147.1	10	3488
	08 LST	12.7	10.5	17.1	16.2	18.2	18.2	17.7	13.3	10.3	7.5	5.2	9.3	156.2	10	3461
	14 LST	11.7	12.2	16.5	13.4	12.4	9.8	10.5	10.4	9.0	7.3	5.4	8.8	127.4	10	3508
	20 LST	13.5	14.0	20.5	18.5	17.0	16.1	17.2	16.1	15.1	11.3	7.1	11.0	177.4	10	3460

SURA, USSR

STA NO. 22676 (IN AREA NUMBER 07)	LATITUDE 6339N LONGITUDE 04538E ELEVATION(FT) 00217												PQR	NO.	
PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	(YRS)	ORS
ABS MAX TMP (F)	39	37	54	75	90	91	95	93	81	63	50	39	95	39	-660
MEAN MAX TMP (F)	13	14	26	41	53	65	71	66	53	37	25	15	40	35	-160
MEAN MIN TMP (F)	-2	-3	5	22	34	45	50	46	39	28	16	3	24	35	-160
ABS MIN TMP (F)	-62	-62	-54	-33	3	25	32	25	10	-15	-49	-56	-62	39	-660
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	10	3083
MEAN NO DYS TMP = DR LES 32(F)	30.9	28.0	29.7	24.7	12.5	3.5	0.1	1.2	6.9	19.3	26.0	30.5	213.3	10	2957
MEAN NO DYS TMP = DR LES 0(F)	17.5	12.0	10.7	2.2	0.0	0.0	0.0	0.0	0.0	0.6	5.2	11.7	59.9	10	2957
MEAN DEW PT TMP (F)	-4	3	11	23	34	44	51	50	41	30	18	6	26	10	25955
MEAN REL HUM (PCT)	83	82	79	69	65	67	71	78	85	88	88	84	78	10	25955
MEAN PRESS ALT (FT)	153	183	293	150	142	246	292	229	270	295	145	158	213	5	13839
MEAN PRECIP (IN)	1.26	1.22	1.44	1.24	1.83	2.73	2.68	2.89	2.77	2.39	1.95	1.59	23.6	10	2543
MEAN SNOW FALL (IN)							0.0							39	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	14.6	13.7	12.2	9.5	9.7	12.4	10.6	11.6	12.7	15.6	14.9	15.6	153.1	10	2543
MEAN NO DYS SNFL = DR GTR 1.5 IN							0.0							39	-29
MEAN NO DYS W/O CUR VSBY LES 1/2 MI	0.6	0.5	0.2	0.3	0.3	0.5	1.0	2.3	1.3	0.7	0.6	0.4	8.7	10	25840
MEAN NO DYS TSTMS	0.0	0.1	0.1	0.1	1.9	6.7	7.3	4.1	0.9	0.1	0.1	0.0	21.4	10	3610
P FREQ WND SPD = DR GTR 17 KTS	1.5	4.1	3.2	3.9	2.4	2.9	1.4	1.0	1.7	3.5	2.2	1.7	2.5	10	25990
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	25990
P FREQ LES 3000 FT A/D LES 5 MI	59.8	61.4	53.3	41.2	44.1	48.3	45.7	56.1	69.8	78.9	77.8	70.4	58.9	10	25840
P FREQ LES 1500 FT A/D LES 3 MI														10	3080
FOR 00-02 LST	30.3	33.5	22.8	19.4	18.2	16.2	15.1	23.1	36.1	48.1	52.7	44.9	30.0	10	3488
03-05 LST	31.0	32.1	28.4	20.8	20.1	21.4	23.1	31.6	42.6	47.7	52.3	43.9	32.9	10	2869
06-08 LST	35.0	33.3	35.6	23.5	19.8	21.7	21.7	36.2	52.2	54.0	52.4	43.0	35.7	10	3411
09-11 LST	43.2	41.9	34.2	21.4	20.9	22.4	19.6	28.9	49.0	56.4	57.4	50.0	37.3	10	2971
12-14 LST	40.1	35.0	31.9	25.9	29.0	26.4	23.5	27.5	45.3	54.7	55.4	46.1	36.7	10	3489
15-17 LST	30.4	30.4	35.3	25.7	23.9	26.3	22.8	28.8	40.6	52.2	54.8	41.1	34.4	10	3056
18-20 LST	31.2	35.8	28.4	24.4	25.1	24.6	18.0	23.4	34.6	50.8	56.9	42.7	33.0	10	3476
21-23 LST	30.2	29.3	26.7	19.2	18.5	18.0	14.3	19.9	34.2	47.2	54.2	42.5	29.5	10	3476
P FREQ LES 300 FT A/D LES 1 MI														10	3080
FOR 00-02 LST	1.7	2.5	1.2	2.5	0.2	0.3	0.7	1.9	2.2	1.7	3.7	1.1	1.6	10	3488
03-05 LST	1.8	2.9	2.0	2.4	1.9	2.0	4.5	7.6	4.4	2.6	4.1	1.2	3.1	10	2869
06-08 LST	2.0	3.6	3.6	2.6	1.5	0.8	3.0	9.3	8.4	3.3	2.8	2.2	3.6	10	3411
09-11 LST	5.8	3.2	2.5	1.6	1.1	0.0	0.2	0.6	1.8	3.7	4.7	2.6	2.3	10	2971
12-14 LST	3.0	0.6	0.7	1.0	0.7	0.0	0.7	0.0	0.2	1.7	3.4	2.9	1.2	10	3489
15-17 LST	1.1	1.0	1.2	0.7	0.0	0.0	0.0	0.0	0.3	1.4	1.7	2.4	0.8	10	3056
18-20 LST	1.7	1.3	1.2	1.4	0.0	0.0	0.0	0.0	0.0	1.4	3.0	1.4	1.0	10	3476
21-23 LST	2.1	2.1	1.4	1.2	0.0	0.0	0.0	0.7	1.0	2.3	3.0	2.4	1.4	10	3476

SURA, USSR

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	03 LST	27.7	24.4	28.1	27.6	28.8	27.4	27.0	26.4	24.1	24.3	21.2	24.8	311.6	10	3488
	09 LST	23.9	22.1	26.0	27.9	29.4	26.5	28.8	26.6	21.0	20.0	18.9	21.7	294.8	10	3411
	15 LST	26.9	24.9	26.9	28.2	30.1	29.4	30.1	29.8	25.9	23.4	20.4	25.2	321.2	10	3489
	21 LST	27.8	24.9	27.6	27.8	29.5	29.2	30.2	29.3	26.0	24.0	20.2	25.3	321.6	10	3476
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	03 LST	14.3	12.6	14.9	18.0	20.2	18.8	20.0	16.7	9.5	7.0	6.6	8.9	167.5	10	3485
	09 LST	9.5	10.3	12.7	15.8	16.2	13.5	18.8	16.0	8.4	5.5	6.0	8.7	141.4	10	3408
	15 LST	15.1	11.9	8.5	10.1	11.7	9.5	12.4	10.5	6.5	4.9	6.1	10.7	116.3	10	3486
	21 LST	14.4	13.7	15.0	18.6	19.3	18.3	21.5	19.5	12.7	7.9	6.8	9.5	177.2	10	3475
SFC WND = GTR 17 KTS AND NO PRECIP.	03 LST	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.2	0.2	0.3	0.9	10	1604
	09 LST	0.4	0.0	0.0	0.3	0.6	1.3	0.0	0.0	0.4	0.7	0.5	0.3	4.5	10	1691
	15 LST	0.2	0.0	0.5	0.7	1.0	0.8	2.8	0.0	0.7	1.0	0.2	0.0	7.9	10	1652
	21 LST	0.2	0.0	0.2	0.2	0.0	0.4	0.0	0.0	0.0	0.7	0.3	0.2	2.2	10	1656
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	03 LST	0.0	0.0	1.1	3.8	9.6	11.7	11.2	10.7	11.8	6.2	2.9	0.1	69.1	10	3497
	09 LST	0.0	0.0	1.2	7.3	17.3	15.4	19.8	17.7	14.1	6.5	2.9	0.3	102.5	10	3423
	15 LST	0.2	0.0	2.7	10.4	16.5	15.2	17.0	17.5	14.9	8.5	2.5	0.3	105.7	10	3515
	21 LST	0.1	0.0	2.2	5.6	17.3	18.5	17.5	14.6	12.3	6.9	2.3	0.2	97.5	10	3483
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	03 LST	6.4	6.5	9.1	11.4	9.9	7.9	9.1	8.2	4.8	3.9	3.8	5.0	86.0	10	3496
	09 LST	3.8	2.9	5.8	7.5	8.4	6.9	9.4	7.0	3.1	2.1	2.9	3.5	63.3	10	3425
	15 LST	6.0	3.2	5.7	6.4	5.9	4.1	3.1	3.0	2.8	2.1	3.0	4.3	49.6	10	3508
	21 LST	6.6	6.3	10.2	11.3	9.3	7.1	8.2	9.8	7.0	4.5	3.9	5.6	89.8	10	3483
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	03 LST	16.0	14.3	16.8	19.8	20.2	18.9	19.9	15.4	9.8	8.3	7.8	10.6	177.8	10	3486
	09 LST	10.6	11.3	15.4	19.1	19.4	17.5	20.0	16.8	9.3	7.0	7.0	9.7	163.1	10	3411
	15 LST	16.7	14.7	13.6	16.0	16.2	13.6	15.6	13.0	9.3	6.3	7.1	11.7	153.8	10	3489
	21 LST	16.5	15.8	18.2	20.5	20.2	19.1	21.7	19.2	13.0	8.9	7.8	11.1	192.0	10	3476
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	03 LST	14.9	12.9	15.4	18.8	18.1	17.0	17.6	12.7	8.2	7.3	7.1	9.7	159.7	10	3488
	09 LST	9.5	9.7	14.6	17.8	17.7	15.7	18.3	14.7	7.8	6.1	6.1	8.8	146.8	10	3411
	15 LST	15.5	13.4	12.7	15.0	14.2	11.2	12.1	10.5	8.3	5.5	6.6	10.0	135.0	10	3489
	21 LST	15.3	14.9	17.2	19.3	18.4	17.1	19.8	17.1	11.2	7.9	6.8	10.0	175.0	10	3476
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	03 LST	10.6	9.3	12.3	16.2	16.2	14.6	15.5	11.3	6.8	5.7	5.3	6.9	130.9	10	3488
	09 LST	7.1	6.3	11.3	14.9	16.0	12.9	17.1	12.6	6.6	4.2	4.9	7.3	121.2	10	3411
	15 LST	13.0	10.2	11.4	13.6	12.9	10.7	11.9	9.8	7.5	5.0	4.3	7.9	118.2	10	3489
	21 LST	10.9	10.4	13.5	17.8	15.9	15.5	17.8	16.2	9.9	7.2	5.0	7.4	147.5	10	3476

PETROZAVODSK, USSR

STA NO. 22820 (IN AREA NUMBER 07)

LATITUDE 6149N

LONGITUDE 03416E

ELEVATION(FT) 00131

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	37	39	50	63	81	84	86	82	84	59	50	39	86	10	3047
MEAN MAX TMP (F)	14	17	28	41	55	65	67	65	55	43	31	22	42	10	3047
MEAN MIN TMP (F)	5	8	17	28	39	49	53	52	43	35	25	14	31	10	3093
ABS MIN TMP (F)	-33	-27	-22	0	18	27	37	30	25	9	-15	-18	-33	10	3093
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	3047
MEAN NO DYS TMP = OR LES 32(F)	30.6	28.0	28.7	22.2	6.3	0.9	0.0	0.1	2.5	13.1	23.0	30.2	185.6	10	3093
MEAN NO DYS TMP = OR LES 0(F)	12.6	7.6	3.9	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.7	4.9	29.8	10	3093
MEAN DEW PT TMP (F)	6	9	16	26	36	46	52	52	44	35	25	15	30	10	26342
MEAN REL HUM (PCT)	85	84	77	71	66	67	74	79	83	85	87	86	79	10	26342
MEAN PRESS ALT (FT)	83	124	225	78	67	141	193	194	179	193	70	206	143	5	13967
MEAN PRECIP (IN)	1.12	0.97	1.45	1.58	1.83	2.14	3.21	3.15	2.67	2.23	1.32	1.68	23.3	10	2783
MEAN SNOW FALL (IN)							0.0	0.0						10	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	14.1	12.6	10.9	10.1	9.8	10.2	11.2	12.4	11.5	12.7	12.1	15.3	142.9	10	2783
MEAN NO DYS SNFL = OR GTR 1.5 IN							0.0	0.0						10	-29
MEAN NO DYS W/OCCUR VSBY LES 1/2 MI	0.7	0.7	0.7	1.1	0.9	0.1	0.7	0.7	1.8	0.7	0.9	1.1	10.1	10	26258
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	2.1	5.2	5.6	4.2	0.4	0.1	0.0	0.0	17.6	10	3638
P FREQ WND SPD = OR GTR 17 KTS	7.3	8.3	5.6	2.7	1.6	1.4	0.8	0.6	1.1	3.6	3.6	4.7	3.4	10	26390
P FREQ WND SPD = OR GTR 28 KTS	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	26390
P FREQ LLS 5000 FT A/D LES 5 MI	69.9	63.5	52.0	44.3	40.5	36.3	39.1	47.5	58.9	68.9	80.2	78.4	56.6	10	26258
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	36.7	33.5	21.4	21.4	14.6	8.9	16.1	15.1	21.3	28.2	47.0	47.0	25.9	10	3526
03-05 LST	38.5	34.5	27.5	25.6	18.7	12.3	15.5	21.9	30.5	36.6	51.1	47.6	30.0	10	3009
06-08 LST	41.9	39.9	34.7	25.8	18.7	12.4	17.1	26.1	35.7	37.5	53.4	49.3	32.7	10	3440
09-11 LST	43.5	30.1	27.3	21.3	13.2	11.5	14.3	16.5	30.1	33.0	49.9	49.1	28.3	10	3121
12-14 LST	37.6	31.4	23.2	17.6	12.0	10.0	10.9	13.6	22.6	31.3	48.0	45.1	25.3	10	3547
15-17 LST	37.0	34.8	23.1	16.7	10.7	6.6	10.7	9.9	19.3	32.3	42.8	43.9	24.0	10	3071
18-20 LST	35.4	34.6	22.5	20.6	10.6	5.5	8.6	11.1	21.5	29.5	43.1	44.1	23.9	10	3450
21-23 LST	37.0	35.8	24.3	21.1	14.6	9.3	11.1	11.8	20.1	28.8	46.9	48.3	25.8	10	3094
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	4.3	4.0	2.6	5.3	3.0	1.2	3.2	0.6	6.1	3.4	4.2	6.3	3.7	10	3526
03-05 LST	3.2	6.0	2.7	6.5	6.2	2.5	4.5	3.5	9.5	5.3	4.0	7.4	5.1	10	3009
06-08 LST	7.2	7.6	6.3	6.1	4.0	1.3	2.2	1.9	8.7	4.8	6.0	5.3	5.1	10	3440
09-11 LST	9.1	5.8	4.3	3.4	2.5	0.8	0.7	0.5	3.7	3.2	6.0	6.3	3.9	10	3121
12-14 LST	4.5	6.6	4.9	3.1	1.8	0.3	1.0	0.2	3.3	1.7	7.3	6.9	3.5	10	3547
15-17 LST	5.6	5.7	5.7	3.2	1.3	0.3	1.1	0.0	2.7	2.2	3.5	4.7	3.0	10	3071
18-20 LST	4.1	4.7	4.6	5.1	2.0	0.3	0.6	0.2	4.2	3.8	3.6	3.8	3.3	10	3450
21-23 LST	4.6	3.8	2.1	3.1	3.3	1.1	1.0	0.3	3.8	3.4	2.8	5.2	2.9	10	3094

PETROZAVODSK, USSR

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS	
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST	25.2	23.1	27.5	23.6	28.2	28.4	27.9	29.1	26.5	26.6	21.9	22.5	312.5	10	3526	
	08 LST	23.9	21.5	24.1	24.9	27.9	28.3	28.0	26.4	22.8	24.1	19.9	22.2	294.0	10	3440	
	14 LST	24.6	23.1	26.8	27.1	28.8	29.1	29.5	29.9	27.0	26.4	20.7	22.9	319.9	10	3547	
	20 LST	25.5	22.6	27.6	25.8	29.1	29.5	29.9	30.0	26.5	26.3	22.3	23.3	318.4	10	3450	
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST	11.9	11.2	16.3	18.6	23.5	23.7	23.6	23.4	19.1	14.4	8.7	8.8	203.2	10	3525	
	08 LST	10.5	9.3	13.4	16.5	19.5	20.3	21.8	20.7	19.2	15.1	11.9	9.0	10.5	176.1	10	3547
	14 LST	12.1	12.0	14.6	16.1	18.1	16.8	20.7	19.2	15.1	11.9	9.0	10.5	176.1	10	3547	
	20 LST	12.6	10.8	15.7	20.2	24.2	24.8	25.4	24.3	18.9	13.7	10.0	9.5	210.1	10	3446	
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST	1.1	0.8	0.6	0.5	0.0	0.2	0.0	0.0	0.2	1.1	0.2	0.5	5.2	10	2028	
	08 LST	0.2	0.6	0.4	0.1	0.3	0.0	0.2	0.0	0.2	0.7	0.3	0.2	3.2	10	2125	
	14 LST	1.2	0.9	0.5	0.6	0.9	0.2	0.6	0.0	0.3	1.0	0.7	0.3	7.2	10	2083	
	20 LST	0.7	0.4	0.9	0.2	0.2	0.0	0.0	0.0	0.0	1.2	0.5	0.4	4.5	10	2058	
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST	0.1	0.0	0.9	5.4	16.1	19.0	17.5	18.0	13.8	9.6	4.0	0.7	105.1	10	3536	
	08 LST	0.2	0.1	1.5	8.7	17.1	18.6	19.6	19.1	16.3	9.8	4.5	0.6	116.1	10	3463	
	14 LST	0.2	0.3	5.7	12.6	17.7	16.9	19.8	18.6	16.6	11.8	4.5	0.4	129.1	10	3557	
	20 LST	0.2	0.1	1.9	9.7	15.3	18.6	18.1	16.0	14.4	9.5	4.2	1.1	109.1	10	3461	
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST	7.1	6.0	12.6	10.5	10.5	9.5	9.2	10.4	8.6	6.2	3.8	3.4	97.8	10	3535	
	08 LST	5.1	3.3	6.0	8.3	7.0	8.4	6.6	6.2	3.1	2.7	2.2	3.1	62.0	10	3463	
	14 LST	5.0	4.4	6.9	5.3	5.5	4.1	3.8	3.4	3.3	2.3	2.6	2.7	49.3	10	3561	
	20 LST	8.0	6.1	11.0	8.1	8.1	7.8	9.2	6.7	7.5	6.9	4.9	3.8	88.1	10	3461	
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST	14.2	13.7	20.2	20.7	23.7	24.8	23.5	22.6	19.3	16.2	9.7	10.0	218.6	10	3526	
	08 LST	12.2	12.2	16.5	19.6	22.0	22.8	22.3	19.1	14.8	13.4	7.9	9.4	192.2	10	3440	
	14 LST	14.6	15.3	19.4	20.7	23.1	22.0	22.9	21.2	16.9	14.6	9.7	11.3	211.7	10	3547	
	20 LST	15.0	13.9	20.1	21.3	25.3	25.5	25.4	24.0	19.5	16.2	10.6	10.6	227.4	10	3450	
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST	11.7	11.3	16.8	17.4	20.0	20.8	20.8	18.4	14.3	9.7	6.5	6.9	174.6	10	3526	
	08 LST	9.9	10.0	14.7	17.6	18.5	19.2	19.2	16.2	10.7	8.8	5.5	7.6	157.9	10	3440	
	14 LST	12.7	13.6	15.9	17.0	16.5	15.1	15.4	14.4	10.8	9.6	6.9	9.2	157.1	10	3547	
	20 LST	12.7	11.3	17.7	18.4	21.3	21.7	22.0	20.2	15.2	11.4	7.1	6.9	185.9	10	3450	
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST	11.6	11.3	16.8	17.3	20.0	20.8	20.6	18.4	14.1	9.5	6.4	6.8	173.6	10	3526	
	08 LST	9.8	10.0	14.7	17.6	18.3	19.1	19.1	16.1	10.4	8.8	5.5	7.5	156.9	10	3440	
	14 LST	12.7	13.5	15.9	16.9	16.4	15.0	15.3	14.1	10.6	9.5	6.9	9.2	156.0	10	3547	
	20 LST	12.7	11.1	17.7	18.4	21.2	21.6	21.9	20.2	15.2	11.2	7.0	6.9	185.1	10	3450	

VOZHEGA, USSR

STA NO. 22954 (IN AREA NUMBER 07)

LATITUDE 6028N

LONGITUDE 04012E

ELEVATION(FT) 00584

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	41	39	54	79	88	91	93	93	82	68	50	43	93	34	-660
MEAN MAX TMP (F)	15	18	28	43	57	67	72	68	55	40	28	19	43	30	-160
MEAN MIN TMP (F)	4	4	12	27	38	47	52	49	40	30	20	9	28	30	-160
ABS MIN TMP (F)	-54	-42	-31	-11	9	27	36	30	19	-11	-33	-47	-54	34	-660
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	3072
MEAN NO DYS TMP = OR LES 32(F)	31.0	28.0	30.1	23.2	6.3	1.3	0.0	0.2	5.3	15.6	25.1	30.9	198.0	10	2953
MEAN NO DYS TMP = OR LES 0(F)	15.1	9.3	4.9	0.1	0.0	0.0	0.0	0.0	0.1	3.1	7.8	40.4		10	2953
MEAN DEW PT TMP (F)	3	6	16	27	39	46	52	52	43	32	21	11	29	10	25910
MEAN REL HUM (PCT)	85	83	79	71	66	67	73	78	84	86	88	86	79	10	25910
MEAN PRESS ALT (FT)	501	523	624	515	525	591	648	580	596	599	479	561	562	5	13834
MEAN PRECIP (IN)	1.20	1.05	1.75	1.72	2.24	2.11	2.98	2.97	2.46	2.35	1.53	2.09	24.4	10	2760
MEAN SNOW FALL (IN)							0.0	0.0						34	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	15.2	11.7	13.3	10.0	9.5	10.6	11.4	11.7	11.6	14.5	13.2	16.6	149.3	10	2760
MEAN NO DYS SNFL = OR GTR 1.5 IN							0.0	0.0						34	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.4	0.4	0.8	1.3	0.8	0.6	1.1	1.9	3.9	2.1	1.6	0.5	15.4	10	25856
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	2.9	6.0	7.6	4.2	1.6	0.1	0.0	0.0	22.4	10	3619
P FREQ WND SPD = OR GTR 17 KTS	3.9	3.3	3.6	3.1	1.8	2.6	1.1	1.2	0.9	4.7	3.0	6.5	2.8	10	25971
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	10	25971
P FREQ LES 5000 FT A/D LES 5 MI	56.7	55.7	53.2	41.9	41.9	42.7	44.7	46.3	58.4	71.6	71.1	68.4	54.4	10	25856
P FREQ LES 1500 FT A/D LES 3 MI															
FDR 00-02 LST	21.7	22.1	17.6	16.4	10.1	14.2	13.6	13.6	18.3	31.1	31.0	28.4	19.8	10	3085
03-05 LST	23.8	22.6	20.3	17.2	13.7	14.2	16.0	17.5	25.4	29.2	32.9	27.9	21.9	10	3484
06-08 LST	25.6	22.5	26.5	21.8	18.9	15.5	23.5	23.8	38.5	31.9	33.7	28.6	25.9	10	2866
09-11 LST	28.0	25.9	27.8	21.4	16.9	16.8	17.0	21.1	34.0	37.8	37.6	29.4	26.1	10	3430
12-14 LST	26.8	23.6	28.0	19.8	19.5	24.9	23.9	22.5	31.5	34.9	33.3	31.8	26.7	10	2992
15-17 LST	23.2	20.8	29.2	19.8	21.5	27.6	27.1	26.2	29.3	32.6	33.0	30.0	26.7	10	3507
18-20 LST	22.0	20.1	26.0	18.7	18.1	18.5	18.6	18.5	20.1	30.7	31.1	26.8	22.4	10	3010
21-23 LST	21.4	18.9	19.4	17.6	11.2	11.9	11.1	13.3	15.8	26.3	29.7	28.4	18.8	10	3482
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	1.7	2.0	0.2	2.4	0.3	1.0	1.3	1.5	2.2	3.5	4.0	2.4	1.9	10	3085
03-05 LST	2.2	2.2	1.6	2.7	2.9	2.5	3.2	2.6	8.2	4.2	4.3	2.1	3.2	10	3484
06-08 LST	0.9	1.9	1.0	7.0	4.1	2.5	6.3	7.7	16.7	4.8	5.7	2.9	9.1	10	2866
09-11 LST	4.0	3.9	5.0	4.5	2.0	0.3	0.3	1.9	9.1	11.3	9.1	4.3	4.6	10	3430
12-14 LST	1.7	0.8	2.2	0.5	0.2	0.2	0.0	0.2	1.5	6.9	7.0	4.6	2.2	10	2992
15-17 LST	1.7	0.7	0.9	0.8	0.8	0.0	0.0	0.0	0.4	4.2	7.3	3.6	1.7	10	3507
18-20 LST	0.7	0.8	2.3	1.2	0.8	0.0	0.0	0.0	0.7	5.1	6.0	2.2	1.7	10	3010
21-23 LST	0.8	0.9	0.0	2.4	0.8	0.5	0.2	0.2	0.2	3.1	5.5	2.8	1.5	10	3482

VOZHGA, USSR

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	03 LST	28.3	25.6	28.7	27.9	29.5	29.0	29.1	29.5	26.6	28.1	26.5	28.5	337.3	10	3484
	09 LST	26.5	24.7	26.3	27.3	29.8	29.7	30.7	29.6	25.9	25.0	24.4	27.7	327.6	10	3430
	15 LST	28.7	26.5	27.9	29.3	30.6	29.6	30.7	30.6	29.0	28.3	25.6	27.1	343.9	10	3507
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	03 LST	16.3	15.0	17.3	18.7	21.8	21.3	21.1	20.3	16.2	12.3	11.8	12.4	205.0	10	3482
	09 LST	15.8	14.2	14.8	16.3	18.3	17.1	18.4	17.0	12.8	10.6	11.0	13.1	179.4	10	3429
	15 LST	16.3	13.7	10.8	12.2	11.6	8.7	10.2	10.6	9.9	10.3	12.3	13.6	140.2	10	3507
SFC WND = GTR 17 KTS AND NO PRECIP.	21 LST	16.9	16.2	16.1	18.6	23.1	21.7	23.7	22.2	18.8	13.7	13.0	13.2	217.2	10	3479
	03 LST	0.0	0.0	0.0	0.2	0.0	0.3	0.0	0.0	0.2	0.7	0.7	0.2	2.3	10	1846
	09 LST	0.0	0.0	0.0	0.3	0.0	1.0	0.0	0.2	0.0	0.8	0.2	0.0	2.5	10	1946
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	15 LST	0.0	0.0	0.0	1.1	1.2	0.8	1.1	1.0	0.4	1.7	0.5	0.0	7.8	10	1896
	21 LST	0.0	0.0	0.0	0.0	0.2	0.5	0.0	0.0	0.0	1.0	0.3	0.3	2.3	10	1893
	03 LST	0.1	0.0	0.2	6.1	14.8	19.3	16.5	14.9	13.3	7.8	2.2	0.1	95.3	10	3493
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	09 LST	0.1	0.0	0.7	8.7	19.8	21.4	21.1	19.5	17.1	7.4	3.1	0.1	119.0	10	3437
	15 LST	0.1	0.1	4.0	10.9	15.9	15.5	17.7	18.0	17.3	10.8	3.0	0.1	113.4	10	3514
	21 LST	0.0	0.0	2.4	10.8	19.5	21.6	20.4	19.4	17.2	9.1	2.4	0.2	123.0	10	3487
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	03 LST	7.8	6.3	11.1	13.0	11.7	12.5	12.3	12.1	9.6	5.4	5.3	5.5	112.6	10	3493
	09 LST	4.8	3.0	7.3	9.5	9.4	8.4	10.2	9.1	4.1	2.6	3.0	2.5	73.9	10	3437
	15 LST	6.1	4.9	6.0	7.8	4.5	3.6	3.2	3.4	2.9	2.8	3.6	3.0	51.8	10	3517
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	21 LST	8.7	9.1	10.8	9.8	9.5	10.2	7.4	10.6	10.6	6.2	5.3	5.1	103.3	10	3492
	03 LST	18.0	16.8	19.6	21.0	22.7	22.1	21.8	20.8	17.3	14.0	12.5	14.8	221.4	10	3484
	09 LST	16.6	15.3	17.6	19.9	21.2	19.8	20.5	19.4	13.5	12.1	11.4	14.1	201.4	10	3430
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	15 LST	18.8	17.6	15.2	18.1	16.0	12.6	12.7	13.3	11.9	11.9	13.3	15.4	176.8	10	3507
	21 LST	18.8	18.1	19.6	20.5	23.3	22.7	23.4	22.7	19.4	15.0	14.0	15.0	232.5	10	3482
	03 LST	13.9	13.1	15.7	18.7	19.6	20.4	20.4	18.3	14.7	9.6	8.7	10.3	183.4	10	3484
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	09 LST	11.8	10.3	14.3	18.7	19.4	18.6	19.5	18.3	11.0	8.0	7.4	8.8	166.1	10	3430
	15 LST	16.2	14.9	12.9	15.8	11.9	10.0	9.6	9.8	8.7	8.0	9.2	11.2	138.2	10	3507
	21 LST	15.7	14.6	16.3	17.9	20.4	20.7	21.5	20.8	16.7	10.9	9.5	11.0	196.0	10	3482
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	03 LST	10.3	8.3	12.9	16.2	15.8	16.9	16.2	15.6	12.4	7.2	6.7	7.8	146.3	10	3484
	09 LST	8.3	6.3	11.6	15.3	14.8	15.4	16.6	13.8	8.5	6.0	5.8	5.6	128.0	10	3430
	15 LST	12.1	10.7	11.3	13.9	10.3	8.7	8.6	8.8	7.5	6.0	7.1	7.3	112.3	10	3507
	21 LST	11.5	11.6	14.0	16.0	16.3	18.0	18.1	18.4	14.5	8.8	7.3	7.8	162.3	10	3482

TROITSKO-PECHORSK, USSR

STA NO. 23711 (IN AREA NUMBER 07)

LATITUDE 6242N

LONGITUDE 05612E

ELEVATION(FT) 00351

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	39	37	57	75	86	93	93	93	84	66	48	36	93	48	-660
MEAN MAX TMP (F)	7	11	24	41	52	66	70	66	52	36	21	10	38	44	-160
MEAN MIN TMP (F)	-7	-6	3	21	33	45	50	47	38	26	10	-3	21	69	-160
ABS MIN TMP (F)	-63	-58	-49	-26	1	12	30	25	10	-24	-53	-60	-63	73	-660
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.5	0.6	0.0	0.0	0.0	0.0	0.0	1.1	10	3036
MEAN NO DYS TMP = DR LES 32(F)	31.0	28.0	30.2	25.8	13.4	3.6	0.3	1.1	9.3	23.2	27.8	31.0	224.7	10	2953
MEAN NO DYS TMP = DR LES 0(F)	20.6	13.8	10.0	2.7	0.0	0.0	0.0	0.0	1.3	7.8	14.4	70.6		10	2953
MEAN DEW PT TMP (F)	-7	1	10	21	33	42	52	50	40	26	13	0	23	10	24476
MEAN REL HUM (PCT)	82	81	77	68	65	63	69	79	84	86	86	84	77	10	24476
MEAN PRESS ALT (FT)	224	195	333	265	273	399	451	355	396	391	227	138	304	5	12619
MEAN PRECIP (IN)	1.73	1.49	1.31	1.62	2.07	2.37	2.65	3.35	3.09	2.86	2.06	1.79	26.4	10	2604
MEAN SNOW FALL (IN)							0.0							73	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	15.3	13.1	13.7	9.9	9.0	10.3	9.9	11.9	13.3	16.8	16.9	15.2	155.3	10	2604
MEAN NO DYS SNFL = DR GTR 1.5 IN							0.0							73	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.4	0.6	0.1	0.2	0.5	0.1	0.6	1.1	0.8	0.7	0.5	0.4	6.0	10	24408
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.3	1.0	3.9	5.1	3.8	0.4	0.1	0.0	0.0	14.6	10	3598
P FREQ WND SPD = DR GTR 17 KTS	1.7	3.4	4.1	3.8	3.4	2.4	1.0	1.1	1.1	2.6	1.5	2.6	2.4	10	24542
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.2	0.2	0.1	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	10	24542
P FREQ LES 5000 FT A/D LES 5 MI	51.2	45.6	43.3	35.9	40.5	34.4	31.3	46.5	54.8	72.3	69.9	60.5	49.3	10	24408
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	21.6	17.2	15.5	10.5	10.8	6.5	9.6	11.9	22.3	31.7	39.9	32.5	19.2	10	2765
03-05 LST	25.1	20.3	16.3	15.1	14.1	8.8	11.8	19.9	30.0	34.9	41.5	31.8	22.5	10	3453
06-08 LST	28.4	27.0	22.5	21.5	15.6	9.9	15.7	25.1	42.1	40.4	45.3	39.8	27.8	10	2589
09-11 LST	37.6	31.8	22.1	19.6	14.8	9.1	15.2	24.0	39.1	43.1	46.9	44.9	29.0	10	3356
12-14 LST	29.4	22.6	19.1	15.9	10.1	6.3	10.9	17.5	25.0	44.6	45.0	42.1	24.4	10	2570
15-17 LST	23.6	20.0	17.3	13.7	10.0	6.0	7.4	14.2	17.2	38.4	43.9	32.4	20.3	10	3438
18-20 LST	19.2	16.9	16.2	11.9	8.8	3.9	9.3	10.2	17.6	34.0	39.5	31.7	18.3	10	2812
21-23 LST	23.6	17.6	15.8	12.6	9.3	5.7	7.5	11.4	19.6	31.0	39.9	28.3	18.5	10	3425
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.5	0.5	1.3	1.0	1.0	0.3	2.2	1.2	0.8	2.7	2.3	2.0	1.3	10	2765
03-05 LST	2.2	0.3	0.9	1.0	3.0	0.6	2.0	5.5	3.5	2.5	2.4	2.0	2.2	10	3453
06-08 LST	1.5	1.9	2.4	2.1	2.8	1.0	2.5	2.9	5.7	4.2	2.8	3.2	2.8	10	2589
09-11 LST	4.4	6.7	1.4	2.0	1.9	0.0	0.3	2.0	3.1	6.0	3.3	4.8	3.0	10	3356
12-14 LST	3.3	2.3	0.8	2.5	1.4	0.0	0.5	0.3	0.5	5.2	3.9	4.1	2.1	10	2570
15-17 LST	2.8	2.0	2.1	1.9	0.7	0.2	0.0	0.0	0.3	4.0	2.6	2.0	1.6	10	3438
18-20 LST	0.3	1.0	1.3	2.0	0.3	0.0	0.0	0.0	0.6	3.6	0.8	3.5	1.1	10	2812
21-23 LST	1.8	1.2	1.2	1.2	0.8	0.0	0.0	0.6	0.6	2.4	2.9	1.2	1.2	10	3425

TROITSKO-PECHORSK, USSR

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	04 LST	27.6	25.2	28.3	27.7	28.0	28.5	28.2	27.1	24.7	24.0	22.4	25.3	317.0	10	3453
	10 LST	24.2	22.9	27.4	26.3	28.2	29.1	27.8	25.9	22.3	22.2	19.9	21.2	297.4	10	3456
	16 LST	26.6	25.1	28.3	28.0	29.5	29.6	29.8	29.0	27.9	24.1	21.4	24.7	324.0	10	3438
	22 LST	27.5	26.2	28.3	28.1	29.4	29.1	29.7	29.1	26.6	25.1	22.1	26.4	277.6	10	3425
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	04 LST	17.2	16.4	21.1	21.2	23.4	24.6	25.9	21.4	15.8	14.3	11.3	14.7	227.3	10	3452
	10 LST	13.9	14.6	17.2	18.3	19.5	20.0	22.4	18.3	12.4	11.7	11.4	12.2	191.9	10	3352
	16 LST	20.0	17.1	17.0	17.9	18.9	19.1	23.0	20.4	17.7	12.2	11.8	15.9	211.0	10	3435
	22 LST	19.0	17.6	20.3	22.6	24.0	25.3	26.6	24.6	19.7	15.4	13.2	15.9	244.2	10	3424
SFC WND = GTR 17 KTS AND NO PRECIP.	04 LST	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.2	0.2	0.9	0.0	0.0	1.8	10	2013
	10 LST	0.0	0.0	0.2	0.0	0.5	0.3	0.0	0.2	0.3	0.2	0.0	0.0	1.7	10	2122
	16 LST	0.0	0.0	0.0	0.0	0.9	1.1	0.2	0.5	0.2	0.5	0.2	0.0	3.6	10	2035
	22 LST	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.2	0.4	0.2	0.0	1.0	10	2043
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	04 LST	0.0	0.0	0.5	3.8	9.2	12.6	11.9	12.5	9.2	3.7	1.6	0.1	65.1	10	3459
	10 LST	0.0	0.0	1.7	7.9	17.6	17.0	19.8	17.0	17.4	5.6	1.8	0.0	105.8	10	3365
	16 LST	0.0	0.0	3.3	11.6	16.4	16.1	20.2	19.3	16.7	7.9	1.8	0.2	113.5	10	3446
	22 LST	0.0	0.0	1.7	5.2	13.3	14.8	13.4	13.7	12.0	4.2	1.3	0.1	79.7	10	3430
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	04 LST	6.8	6.8	8.6	8.9	5.4	8.0	9.5	7.9	4.7	4.7	3.8	6.6	81.7	10	3459
	10 LST	3.0	4.1	5.3	7.0	5.8	6.3	8.5	5.8	1.6	1.6	2.0	4.3	55.3	10	3370
	16 LST	5.5	4.5	5.5	6.4	4.6	4.1	4.7	3.2	1.7	2.4	2.9	5.2	50.7	10	3450
	22 LST	6.7	8.0	9.9	11.4	7.2	8.2	10.3	7.9	7.2	4.3	4.4	6.7	92.2	10	3435
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	04 LST	18.6	19.0	22.6	22.9	24.3	25.7	26.2	21.8	16.2	14.8	12.1	16.3	240.5	10	3453
	10 LST	14.6	15.4	20.6	21.5	22.8	24.0	23.9	19.8	12.8	11.6	11.5	12.6	211.1	10	3356
	16 LST	20.8	19.3	21.4	22.7	24.6	25.1	25.9	22.6	18.5	12.7	11.8	16.9	242.5	10	3438
	22 LST	19.9	19.6	23.4	24.2	25.8	27.0	27.0	24.9	20.9	16.4	13.6	17.4	260.1	10	3425
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	04 LST	16.2	16.3	18.5	19.7	20.0	21.6	23.2	17.0	11.4	8.8	9.2	13.8	193.7	10	3453
	10 LST	12.6	13.5	17.9	18.5	17.4	18.0	20.0	15.1	8.5	7.5	8.8	10.6	168.4	10	3356
	16 LST	18.5	17.1	16.5	16.9	15.1	13.7	17.7	13.0	9.1	7.2	9.4	14.6	168.8	10	3438
	22 LST	18.2	17.4	20.9	21.7	21.2	22.4	23.9	19.4	16.8	10.4	11.1	14.2	217.6	10	3425
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	04 LST	16.1	16.2	18.4	19.4	19.7	21.1	23.0	16.7	11.3	8.5	9.1	13.8	193.3	10	3453
	10 LST	12.5	13.4	17.8	18.3	17.3	17.7	19.9	14.9	8.3	7.5	8.8	10.6	167.0	10	3356
	16 LST	18.4	17.0	16.3	16.3	13.8	12.8	17.2	12.4	8.7	7.1	9.2	14.6	163.8	10	3438
	22 LST	18.2	17.2	20.9	21.6	21.0	22.0	23.8	19.1	16.7	10.1	11.1	14.0	215.7	10	3425

SYKTYVKAR, USSR

STA NO. 23804 (IN AREA NUMBER 07)

LATITUDE 6140N

LONGITUDE 05051E

ELEVATION(FT) 00315

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	56	36	50	75	88	95	91	86	81	61	46	37	95	10	3148
MEAN MAX TMP (F)	6	14	27	42	57	67	72	67	53	37	24	14	40	10	3148
MEAN MIN TMP (F)	-4	1	11	25	39	47	54	49	40	29	18	6	26	10	3018
ABS MIN TMP (F)	-51	-47	-35	-9	18	23	39	34	23	-4	-35	-42	-51	10	3018
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.2	0.3	0.0	0.0	0.0	0.0	0.0	0.5	10	3148
MEAN NO DYS TMP = DR LES 32(F)	31.0	28.0	30.1	24.2	8.5	1.3	0.0	0.0	5.1	19.5	26.3	30.7	204.7	10	3018
MEAN NO DYS TMP = DR LES 0(F)	18.2	10.7	7.3	1.3	0.0	0.0	0.0	0.0	0.4	4.3	11.7	53.9		10	3018
MEAN DEW PT TMP (F)	-3	3	13	24	36	44	53	50	42	29	18	6	26	10	24867
MEAN REL HUM (PCT)	82	80	76	68	63	62	69	75	83	84	86	84	76	10	24867
MEAN PRESS ALT (FT)	197	197	311	237	248	349	409	314	336	330	202	161	274	5	12808
MEAN PRECIP (IN)	1.29	1.05	1.17	1.35	1.70	1.70	3.00	2.10	2.10	2.50	1.52	1.54	21.0	10	2789
MEAN SNOW FALL (IN)							0.0	0.0						10	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	14.8	12.5	12.2	8.1	8.8	9.3	9.7	9.6	11.0	14.3	14.7	14.8	139.8	10	2789
MEAN NO DYS SNFL = DR GTR 1.5 IN							0.0	0.0						10	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	1.1	0.6	0.4	0.6	1.0	0.3	0.6	1.2	1.9	0.7	0.5	0.7	9.6	10	24793
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.3	2.3	5.4	5.8	3.2	1.3	0.1	0.0	0.0	18.4	10	3625
P FREQ WND SPD = DR GTR 17 KTS	2.9	4.4	5.1	2.4	1.3	1.5	0.7	0.5	1.9	3.2	1.7	5.6	2.6	10	24916
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.2	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.1	10	24916
P FREQ LES 5000 FT A/D LES 5 MI	82.7	77.9	70.1	53.8	41.3	29.1	33.4	51.3	72.0	85.9	85.7	85.4	64.1	10	24793
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	65.4	62.1	60.2	50.2	52.2	26.7	38.3	44.3	52.7	65.0	69.9	68.3	54.6	10	2766
03-05 LST	63.4	61.5	59.9	51.0	18.9	8.5	14.6	35.6	57.2	66.3	69.4	67.5	47.9	10	3513
06-08 LST	65.4	61.3	46.6	20.7	17.6	11.6	12.8	25.4	38.1	36.8	68.9	66.2	41.0	10	2563
09-11 LST	52.7	41.5	32.1	20.8	15.0	10.1	13.3	24.0	40.4	46.3	53.6	49.3	33.3	10	3431
12-14 LST	44.3	32.2	23.4	14.9	11.8	6.1	8.9	13.9	26.6	43.3	48.2	45.4	26.6	10	2677
15-17 LST	39.0	30.9	19.5	14.5	7.9	4.2	7.5	9.0	22.3	37.2	47.3	44.5	23.7	10	3536
18-20 LST	61.7	59.0	23.0	10.6	7.7	2.3	6.8	7.7	18.2	56.8	66.3	63.8	32.0	10	2818
21-23 LST	62.9	57.9	57.3	50.5	17.8	4.0	6.1	32.0	50.4	60.5	69.7	67.6	44.7	10	3489
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	2.6	1.1	1.3	1.0	3.8	0.7	0.6	2.6	3.8	6.0	4.8	1.3	2.5	10	2766
03-05 LST	2.2	0.5	1.6	2.0	3.8	1.0	2.8	3.7	6.3	5.6	5.6	1.4	3.0	10	3513
06-08 LST	4.1	1.5	1.7	3.3	6.1	0.5	2.3	5.9	11.3	8.5	4.7	4.4	4.5	10	2563
09-11 LST	7.2	5.8	3.1	2.8	1.6	0.0	0.3	0.8	5.4	3.3	5.1	4.8	3.6	10	3431
12-14 LST	3.9	1.7	0.7	0.8	0.7	1.3	0.0	0.0	1.2	3.0	2.6	6.8	1.9	10	2677
15-17 LST	2.9	1.0	0.8	3.3	0.6	0.0	0.0	0.2	1.0	3.5	3.0	1.7	1.5	10	3536
18-20 LST	0.7	0.0	2.0	1.3	1.0	0.0	0.0	0.0	1.6	4.3	4.3	1.0	1.4	10	2818
21-23 LST	1.2	0.3	1.4	0.5	2.1	0.0	0.0	0.5	2.2	4.2	5.0	1.3	1.6	10	3489

SYKTYVKAR, USSR

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	03 LST	15.0	14.1	16.5	17.3	26.6	28.5	28.0	22.8	16.7	14.1	12.7	14.1	226.4	10	3513
	09 LST	18.5	19.0	24.4	25.7	27.9	28.5	28.5	23.6	21.2	20.8	17.7	20.5	278.3	10	3431
	15 LST	22.9	22.4	28.0	27.3	29.6	29.6	29.6	29.6	26.3	24.0	20.5	22.1	311.9	10	3536
	21 LST	14.7	14.6	16.7	17.4	27.4	29.4	29.9	23.7	17.7	15.9	12.8	14.1	234.3	10	3489
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	03 LST	9.3	8.1	9.3	13.8	22.4	24.3	25.0	19.7	13.1	6.4	6.2	6.8	161.4	10	3509
	09 LST	9.6	10.0	13.6	17.1	17.2	18.2	21.6	18.7	10.5	8.7	7.5	9.0	141.7	10	3429
	15 LST	12.9	11.3	14.6	16.2	17.2	15.7	20.8	19.3	13.2	10.2	9.4	10.3	171.1	10	3532
	21 LST	9.9	9.2	10.9	14.9	22.8	23.3	26.6	21.2	14.0	8.2	6.6	6.6	176.2	10	3487
SFC WND = GTR 17 KTS AND NO PRECIP.	03 LST	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.8	10	1478
	09 LST	0.0	0.0	0.0	0.0	0.0	0.9	0.0	0.0	0.0	0.2	0.2	0.0	1.3	10	1552
	15 LST	0.0	0.0	0.0	0.4	0.4	0.9	0.0	0.0	0.0	0.7	0.0	0.1	2.5	10	1516
	21 LST	0.0	0.0	0.2	0.2	0.2	0.5	0.0	0.0	0.0	0.6	0.2	0.0	1.9	10	1522
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	03 LST	0.0	0.0	1.2	6.3	15.0	16.5	16.1	15.7	13.2	5.5	1.7	0.1	91.3	10	3521
	09 LST	0.0	0.0	0.9	8.6	15.7	16.7	17.9	16.3	13.2	5.6	2.1	0.1	97.1	10	3436
	15 LST	0.0	0.0	3.4	10.0	14.7	12.4	16.9	15.7	12.1	6.9	2.4	0.2	94.7	10	3536
	21 LST	0.0	0.0	2.0	10.4	17.8	19.4	16.1	16.4	16.6	5.7	2.5	0.0	106.9	10	3497
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	03 LST	5.1	4.4	5.3	8.2	10.3	9.6	11.7	10.3	5.3	2.8	2.8	4.7	80.5	10	3525
	09 LST	3.0	3.2	5.3	8.1	9.1	9.3	10.4	8.4	3.2	2.5	2.1	3.5	68.1	10	3443
	15 LST	4.2	4.8	6.5	6.7	6.0	5.5	4.9	3.9	3.3	1.9	3.2	4.0	54.9	10	3544
	21 LST	5.2	4.2	5.4	7.4	9.4	10.4	10.4	10.1	5.3	4.3	3.0	3.8	78.9	10	3497
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	03 LST	9.2	9.0	9.7	13.7	24.0	26.1	25.0	18.6	10.1	7.1	6.4	7.3	166.2	10	3513
	09 LST	11.6	14.0	17.9	21.3	23.7	24.7	24.8	21.1	13.8	12.0	9.6	11.5	206.0	10	3431
	15 LST	15.7	16.0	20.7	23.1	26.5	27.1	26.6	25.5	18.9	13.3	11.2	13.1	237.7	10	3536
	21 LST	10.0	10.4	11.0	13.8	24.3	27.6	27.9	20.2	12.8	9.2	6.4	7.3	180.2	10	3489
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	03 LST	8.3	8.0	8.0	11.8	20.8	21.9	21.6	15.2	7.3	4.7	5.0	6.1	138.7	10	3513
	09 LST	9.7	11.3	15.3	18.3	19.4	20.6	22.6	17.9	9.8	6.6	7.2	8.9	167.6	10	3431
	15 LST	13.9	13.5	15.9	18.0	17.9	17.3	18.6	14.8	10.7	7.5	9.2	11.0	168.3	10	3536
	21 LST	9.1	9.1	8.8	11.7	19.5	22.9	22.1	17.2	8.7	5.7	5.0	6.3	145.1	10	3489
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	03 LST	8.3	7.9	8.0	11.7	20.4	20.9	21.1	14.4	7.1	4.6	4.9	6.0	135.3	10	3513
	09 LST	9.7	11.1	15.2	18.1	19.0	20.2	22.3	17.5	8.9	6.5	7.0	8.9	164.4	10	3431
	15 LST	13.8	13.5	15.9	17.5	16.7	15.2	17.5	13.2	10.3	7.3	9.1	10.8	160.8	10	3536
	21 LST	9.0	9.1	8.7	11.5	18.6	22.1	21.3	16.6	8.6	5.6	4.9	6.1	142.1	10	3489

CHERDYN, USSR

STA NO. 23914 (IN AREA NUMBER 07)

LATITUDE 6024N

LONGITUDE 05631E

ELEVATION(FT) 00676

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	32	39	48	72	84	90	91	82	79	59	46	36	91	10	2762
MEAN MAX TMP (F)	5	12	24	43	56	65	72	65	52	35	23	10	39	10	2762
MEAN MIN TMP (F)	-3	3	12	26	40	48	56	50	40	28	16	3	27	10	2734
ABS MIN TMP (F)	-47	-40	-29	-4	14	28	37	34	25	-6	-31	-44	-47	10	2734
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.1	0.7	0.0	0.0	0.0	0.0	0.0	0.8	10	2762
MEAN NO DYS TMP = OR LES 32(F)	31.0	28.0	30.9	23.1	7.0	1.2	0.0	0.0	5.6	21.2	27.5	30.9	206.4	10	2734
MEAN NO DYS TMP = OR LES 0(F)	16.3	9.8	6.7	0.8	0.0	0.0	0.0	0.0	0.4	5.7	13.2	52.9		10	2734
MEAN DEW PT TMP (F)	-3	3	12	25	35	44	53	50	41	28	17	4	26	10	23623
MEAN REL HUM (PCT)	84	81	78	67	61	62	67	75	82	85	86	87	76	10	23623
MEAN PRESS ALT (FT)	549	471	601	577	604	740	801	686	699	664	517	397	609	5	12228
MEAN PRECIP (IN)	1.68	1.47	1.64	1.71	2.21	1.96	2.78	2.67	2.46	2.64	2.54	2.45	26.3	10	2317
MEAN SNOW FALL (IN)							0.0	0.0						10	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	16.3	13.8	13.9	9.7	9.6	9.0	9.7	11.0	12.0	15.4	15.6	15.1	151.9	10	2317
MEAN NO DYS SNFL = OR GTR 1.5 IN							0.0	0.0						10	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	3.0	2.5	2.6	1.5	1.2	0.5	0.7	2.3	3.1	3.2	5.8	4.2	30.6	10	19917
MEAN NO DYS TSTMS	0.0	0.0	0.1	0.4	2.5	5.3	6.4	3.9	1.2	0.1	0.0	0.0	19.9	10	3496
P FREQ WND SPD = OR GTR 17 KTS	7.6	12.3	13.4	7.9	6.0	5.0	2.2	3.7	3.3	9.2	6.7	7.5	7.2	10	23706
P FREQ WND SPD = OR GTR 28 KTS	0.2	1.2	0.9	0.9	0.1	0.1	0.0	0.0	0.0	0.2	0.4	0.4	0.4	10	23706
P FREQ LES 5000 FT A/D LES 5 MI	58.0	50.5	45.8	35.3	40.0	34.3	33.7	42.5	53.7	66.6	66.9	62.4	49.1	10	19917
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	31.2	28.6	21.6	10.1	7.4	4.3	3.0	11.0	14.8	24.3	42.9	42.9	20.2	10	1671
03-05 LST	40.2	30.1	28.8	17.9	14.0	8.3	11.9	17.9	27.9	29.9	47.0	44.3	26.5	10	2447
06-08 LST	47.3	31.6	38.0	19.4	17.2	12.1	15.8	26.1	38.1	43.6	41.8	44.0	31.3	10	2029
09-11 LST	46.7	36.0	32.9	17.3	16.3	8.5	14.3	20.6	32.8	42.8	54.2	52.1	31.2	10	3284
12-14 LST	35.3	23.8	26.4	11.2	10.1	6.7	9.9	11.0	23.5	38.6	46.7	46.9	24.3	10	2843
15-17 LST	32.7	24.6	20.3	13.3	8.9	7.7	7.4	9.2	16.7	33.4	48.2	43.7	22.2	10	3211
18-20 LST	32.8	26.9	20.7	12.2	7.7	8.4	6.1	8.2	16.7	24.5	48.0	43.0	21.3	10	1951
21-23 LST	39.9	28.5	22.4	12.3	9.7	5.8	6.5	10.8	13.2	25.3	42.9	43.5	21.7	10	2471
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	8.7	4.6	10.0	6.5	2.2	2.3	0.0	5.3	6.2	8.1	20.3	19.4	7.8	10	1671
03-05 LST	13.5	8.3	12.7	7.7	5.3	2.8	3.1	8.3	10.9	12.3	21.8	21.3	10.7	10	2447
06-08 LST	16.6	12.2	11.9	7.7	5.8	2.5	3.6	11.6	17.2	16.5	17.1	19.2	11.8	10	2029
09-11 LST	10.8	10.4	9.7	6.8	4.2	0.3	0.3	2.9	5.3	13.2	18.4	14.4	8.1	10	3284
12-14 LST	9.9	5.0	5.7	3.3	2.5	0.8	0.3	0.6	2.3	11.3	17.0	14.0	6.1	10	2843
15-17 LST	8.0	6.9	5.5	3.3	1.8	1.6	0.5	1.0	2.7	8.8	17.7	12.0	5.8	10	3211
18-20 LST	12.5	8.2	8.6	4.0	0.8	1.0	0.5	1.4	2.6	9.4	27.9	21.4	8.2	10	1951
21-23 LST	11.7	6.0	10.2	6.4	2.1	1.3	0.2	4.5	3.3	11.2	14.4	23.6	8.7	10	2471

CHERDYN, USSR

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. UBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	04 LST	20.3	21.8	23.3	25.7	27.8	28.4	28.3	26.8	22.6	23.3	17.1	19.5	284.9	10	2447
	10 LST	19.2	20.5	22.5	26.3	27.7	28.6	28.1	26.4	23.3	20.5	15.8	17.1	276.0	10	3284
	16 LST	23.7	23.5	26.6	27.3	29.2	28.3	29.7	29.2	26.7	23.4	17.8	20.3	305.7	10	3211
	22 LST	19.9	21.4	24.9	26.7	29.0	29.0	29.8	28.3	26.8	24.3	18.8	19.3	298.2	10	2471
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	04 LST	11.4	12.6	16.4	17.5	20.7	22.3	24.7	21.6	15.3	14.0	12.7	12.7	201.9	10	2445
	10 LST	11.3	11.2	13.8	16.9	17.7	19.0	21.5	17.5	11.8	10.6	9.7	10.0	171.0	10	3284
	16 LST	14.1	12.9	13.3	15.9	16.4	17.2	21.9	19.4	14.9	13.1	10.8	11.7	181.6	10	3204
	22 LST	12.7	13.1	16.0	20.7	22.9	23.1	26.0	24.0	20.3	15.1	12.7	13.4	220.0	10	2470
SFC WND = GTR 17 KTS AND NO PRECIP.	04 LST	0.0	0.0	0.0	0.2	1.6	0.9	0.0	0.9	0.9	2.0	1.1	0.3	7.8	10	1610
	10 LST	0.0	0.0	0.0	0.3	1.4	2.4	3.9	0.7	1.3	1.5	0.4	0.0	11.9	10	1774
	16 LST	0.0	0.0	0.0	0.3	2.0	2.6	6.0	0.8	1.4	1.5	0.3	0.3	9.2	10	1658
	22 LST	0.0	0.0	0.0	0.3	0.6	0.8	0.0	0.7	1.1	1.5	0.5	0.2	5.7	10	1715
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	04 LST	0.0	0.0	0.3	5.5	12.9	17.5	14.7	17.0	12.4	2.8	1.4	0.1	84.6	10	3337
	10 LST	0.0	0.0	0.4	8.6	16.8	17.4	18.9	17.7	14.2	5.1	1.3	0.0	100.4	10	3319
	16 LST	0.0	0.0	1.7	9.0	14.3	15.7	18.5	18.0	13.9	7.1	1.3	0.0	99.6	10	3226
	22 LST	0.0	0.0	0.7	9.0	15.2	16.7	18.1	16.9	13.9	4.3	1.3	0.0	96.1	10	3457
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	04 LST	9.0	9.5	11.7	10.2	9.6	9.3	10.4	9.8	6.7	6.3	7.9	10.0	110.4	10	2459
	10 LST	3.2	4.5	6.5	8.3	8.3	5.8	8.6	9.3	2.8	7.5	3.2	4.6	67.6	10	3302
	16 LST	5.2	5.3	5.7	6.1	6.6	4.1	4.1	3.5	2.2	2.0	3.7	5.2	53.7	10	3229
	22 LST	10.6	12.1	14.4	16.6	10.0	9.4	8.9	13.1	9.8	6.8	8.2	10.8	130.7	10	2474
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	04 LST	16.7	17.0	20.2	23.2	25.3	26.4	26.3	23.8	19.6	18.4	14.2	15.1	246.2	10	2447
	10 LST	13.8	15.6	19.3	23.0	23.6	25.8	24.6	22.4	16.7	14.7	11.6	12.6	223.7	10	3284
	16 LST	17.9	18.4	22.3	23.9	26.5	26.5	27.1	26.4	21.8	16.6	12.5	14.7	234.6	10	3211
	22 LST	17.3	18.1	22.7	25.2	26.3	27.1	27.7	26.5	24.5	20.0	14.4	16.1	265.9	10	2471
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	04 LST	14.2	13.3	15.8	18.0	19.3	20.3	22.5	18.9	11.5	11.0	10.3	13.6	188.7	10	2447
	10 LST	11.1	13.3	17.9	19.7	17.7	19.3	20.7	18.5	12.3	10.2	9.3	10.4	180.4	10	3284
	16 LST	14.3	15.8	17.8	18.3	17.0	15.7	16.3	14.9	12.9	8.9	9.4	12.1	173.4	10	3211
	22 LST	15.4	15.7	19.0	21.6	19.5	20.8	22.3	21.9	16.5	11.9	11.0	14.6	210.2	10	2471
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	04 LST	14.2	13.3	15.7	18.0	19.0	20.2	22.5	18.7	11.1	10.9	10.2	13.6	187.4	10	2447
	10 LST	11.0	13.3	17.9	19.6	17.6	19.2	20.6	18.4	12.2	10.1	9.3	10.4	179.6	10	3284
	16 LST	14.3	15.7	17.7	18.3	16.9	15.5	16.3	14.7	12.7	8.5	9.4	12.1	172.1	10	3211
	22 LST	15.4	15.6	18.8	21.6	19.3	20.6	22.3	21.8	16.0	11.7	10.9	14.5	208.5	10	2471

TALLIN/ULEMISTE, USSR

STA NO. 26038 (IN AREA NUMBER 07)

LATITUDE 5925N

LONGITUDE 02448E

ELEVATION(FT) 00144

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	45	46	59	75	86	88	91	91	82	70	55	50	91	44	-661
MEAN MAX TMP (F)	28	27	33	44	55	64	69	68	59	47	38	31	47	13	-161
MEAN MIN TMP (F)	18	17	22	31	40	49	56	54	47	38	31	24	36	13	-161
ABS MIN TMP (F)	-26	-26	-13	1	23	32	39	36	27	12	-6	-15	-26	13	-661
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	3074
MEAN NO DYS TMP = DR LES 32(F)	29.4	27.3	27.7	18.5	2.8	0.1	0.0	0.0	0.6	5.7	17.5	26.6	196.2	10	3074
MEAN NO DYS TMP = DR LES 0(F)	5.4	4.1	1.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.9	12.2	10	3074
MEAN DEW PT TMP (F)	17	17	22	31	40	49	53	53	48	40	30	24	35	10	26669
MEAN REL HUM (PCT)	88	87	82	74	70	71	76	81	82	85	88	88	81	10	26669
MEAN PRESS ALT (FT)	102	151	214	105	72	115	167	154	176	196	96	290	150	5	14070
MEAN PRECIP (IN)	1.90	1.69	0.99	1.30	1.30	2.01	3.37	3.57	3.53	2.99	2.04	2.01	26.7	10	2756
MEAN SNOW FALL (IN)						0.0	0.0	0.0						13	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	15.0	10.8	9.1	7.8	7.8	8.7	11.1	12.3	11.5	12.3	13.1	14.0	133.5	10	2756
MEAN NO DYS SNFL = DR GTR 1.9 IN						0.0	0.0	0.0						13	-29
MEAN NO DYS W/OCUR V3BY LES 1/2 MI	1.5	2.0	2.4	2.0	2.0	0.4	1.7	3.1	2.1	1.7	1.6	1.5	22.0	10	26612
MEAN NO DYS TSTHS	0.0	0.0	0.0	0.1	2.0	4.7	6.7	3.7	2.6	0.1	0.1	0.0	20.0	10	3627
P FREQ WND SPD = DR GTR 17 KTS	12.2	9.8	9.8	8.3	6.4	6.0	3.1	7.5	7.2	11.1	8.0	11.6	8.4	10	26734
P FREQ WND SPD = DR GTR 28 KTS	0.7	0.7	0.9	0.3	0.1	0.0	0.1	1.2	0.6	0.2	0.2	0.8	0.5	10	26734
P FREQ LES 3000 FT A/D LES 5 MI	78.6	73.0	51.9	42.6	32.4	29.4	34.9	45.7	52.7	63.7	77.5	79.4	55.2	10	26612
P FREQ LES 1500 FT A/D LES 3 MI															
FDR 00-02 LST	51.2	49.9	34.0	23.2	17.4	12.4	13.6	21.1	25.4	33.6	46.0	49.4	31.4	10	3470
03-05 LST	51.7	53.2	36.5	30.3	22.4	14.5	24.3	42.1	31.2	42.1	50.6	53.4	37.7	10	3207
06-08 LST	55.9	60.0	46.8	32.3	20.8	13.5	19.7	31.2	32.7	46.5	54.5	51.5	38.8	10	3421
09-11 LST	56.8	55.2	37.4	21.9	15.7	9.3	12.7	20.6	25.3	38.8	51.7	54.5	33.3	10	3206
12-14 LST	49.3	43.2	27.1	16.4	9.9	7.3	7.3	12.0	15.3	30.1	47.8	52.5	26.5	10	3518
15-17 LST	54.3	45.9	27.1	17.7	8.4	8.2	6.2	9.7	15.0	26.6	47.0	53.8	26.7	10	3139
18-20 LST	55.5	48.1	32.6	20.3	9.3	6.9	5.4	12.1	18.9	29.1	48.0	46.3	27.7	10	3448
21-23 LST	53.1	45.9	33.7	22.3	13.5	11.3	11.6	13.1	20.6	30.7	47.0	46.7	29.1	10	3203
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	8.7	9.6	8.7	7.0	4.3	1.9	3.4	5.7	7.6	6.6	9.3	10.0	6.9	10	3470
03-05 LST	7.6	12.4	9.0	10.7	9.6	2.5	8.5	16.4	10.5	9.2	12.0	8.8	9.8	10	3207
06-08 LST	10.0	15.0	12.4	8.4	4.9	0.3	2.5	6.0	8.4	10.8	13.9	8.6	8.4	10	3421
09-11 LST	13.0	11.5	6.2	3.8	0.6	0.7	1.0	0.6	2.1	6.0	14.3	12.4	6.0	10	3206
12-14 LST	8.4	8.6	3.4	1.7	1.6	0.0	0.6	0.5	0.0	3.4	8.3	9.5	3.8	10	3518
15-17 LST	7.8	8.2	5.5	4.2	1.0	0.3	0.3	0.7	0.0	3.2	9.9	9.7	4.2	10	3139
18-20 LST	10.4	10.3	7.8	6.0	2.7	1.0	0.6	0.6	1.0	4.6	10.3	6.8	5.2	10	3448
21-23 LST	8.0	10.5	8.4	6.8	4.3	1.3	1.8	0.7	4.8	6.3	9.4	8.3	5.9	10	3203

TALLIN/ULEMISTE, USSR

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST	19.5	17.4	22.9	24.5	27.0	27.7	28.4	27.1	24.7	23.6	19.3	20.0	282.1	10	3470
	08 LST	17.9	14.1	18.5	22.2	26.3	27.2	26.6	23.8	22.4	19.4	16.2	19.6	254.2	10	3421
	14 LST	19.9	19.5	25.3	27.0	29.1	28.8	29.9	29.3	27.6	24.8	18.9	18.7	298.8	10	3518
	20 LST	17.6	17.8	23.3	25.4	28.9	28.8	30.3	28.7	26.9	24.9	18.9	21.2	292.7	10	3448
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST	6.0	7.1	11.5	16.2	18.0	18.5	21.3	17.6	14.4	8.7	7.3	6.1	152.7	10	3464
	08 LST	5.6	5.6	8.7	11.7	15.0	15.8	17.5	13.7	12.6	7.4	6.3	5.1	125.0	10	3419
	14 LST	6.6	7.2	8.6	8.2	10.8	10.2	14.9	14.0	10.4	6.6	6.1	5.5	109.1	10	3516
	20 LST	5.5	7.4	11.9	14.6	17.7	14.5	20.2	18.9	14.2	9.4	7.4	7.2	148.9	10	3446
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST	1.2	0.2	0.5	0.9	1.3	0.0	0.0	0.0	0.5	1.9	1.5	2.1	10.1	10	1360
	08 LST	0.9	0.0	1.0	0.8	1.3	0.0	0.0	0.0	0.5	1.1	1.4	1.6	8.6	10	1461
	14 LST	0.6	0.2	1.9	3.2	2.8	4.1	0.0	15.5	2.8	1.8	1.6	1.0	35.5	10	1431
	20 LST	0.8	0.4	1.4	1.4	0.7	0.0	0.0	15.5	1.0	1.8	1.1	1.7	25.8	10	1410
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST	0.4	0.7	1.4	10.3	16.2	17.7	19.2	18.9	15.2	11.1	4.5	1.7	117.3	10	3474
	08 LST	0.3	0.2	0.7	7.8	14.3	15.3	17.9	17.0	15.1	10.9	5.3	1.5	106.3	10	3434
	14 LST	0.4	1.0	3.8	8.4	11.4	9.7	14.6	13.6	10.8	8.8	5.6	1.4	89.5	10	3526
	20 LST	0.8	0.9	3.7	11.6	15.6	13.3	18.0	17.2	14.4	10.7	6.0	1.1	113.3	10	3461
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST	5.0	5.9	11.9	13.2	12.7	12.3	11.7	12.9	10.0	7.9	4.9	3.6	112.0	10	3476
	08 LST	3.5	2.9	7.1	7.9	8.9	10.4	9.1	5.6	4.3	3.2	2.8	3.6	69.3	10	3434
	14 LST	4.3	4.4	8.6	8.9	9.0	9.2	6.8	4.9	5.9	3.9	2.9	3.0	71.8	10	3523
	20 LST	4.6	5.6	10.6	8.7	11.3	11.7	9.0	8.0	7.6	7.9	3.7	3.8	92.5	10	3464
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST	10.4	10.5	18.3	21.4	24.0	24.7	25.2	21.8	19.5	16.4	12.0	10.5	214.7	10	3470
	08 LST	9.1	8.4	14.8	18.6	22.9	24.2	22.9	19.0	17.2	13.3	9.9	10.3	190.6	10	3421
	14 LST	11.3	12.5	19.8	22.0	25.5	25.4	25.9	23.2	21.0	16.9	11.2	10.3	225.0	10	3518
	20 LST	9.7	11.6	18.7	21.9	26.7	26.3	27.6	24.7	21.0	18.0	11.1	11.5	228.8	10	3448
CIG = GTR 8000 FT AND VSBY = GTR 3 MI	02 LST	7.9	8.6	17.0	18.9	21.9	22.5	22.6	20.1	15.8	11.9	8.0	6.9	182.1	10	3470
	08 LST	6.2	6.4	13.7	16.3	21.1	22.3	20.8	16.6	12.8	10.2	6.4	7.2	160.0	10	3421
	14 LST	8.8	10.6	17.8	18.1	20.3	19.5	19.4	16.1	15.0	11.7	7.6	7.8	172.7	10	3518
	20 LST	7.7	9.7	17.3	19.1	23.2	22.4	22.7	21.1	17.6	13.8	6.7	7.9	189.2	10	3448
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST	7.9	8.6	16.9	18.8	21.7	22.5	22.6	20.0	15.6	11.8	7.9	6.8	181.1	10	3470
	08 LST	6.2	6.3	13.6	16.1	21.0	22.2	20.6	16.5	12.6	10.1	6.4	7.2	158.8	10	3421
	14 LST	8.8	10.5	17.8	18.0	20.3	19.4	19.4	16.0	14.9	11.7	7.6	7.7	172.1	10	3518
	20 LST	7.7	9.4	17.1	19.0	23.0	22.3	22.6	21.1	17.5	13.6	6.6	7.8	187.7	10	3448

LENINGRAD/TOWN/, USSR

STA NO. 26063 (IN AREA NUMBER 07)

LATITUDE 5958N

LONGITUDE 3018E

ELEVATION(FT) 00013

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	37	39	54	70	82	86	93	88	84	66	54	41	93	10	3078
MEAN MAX TMP (F)	18	21	31	46	60	68	70	68	59	47	33	25	46	10	3078
MEAN MIN TMP (F)	9	11	18	30	40	48	52	51	44	37	27	18	32	10	3110
ABS MIN TMP (F)	-26	-35	-22	-4	21	28	36	34	25	12	-11	-17	-35	10	3110
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.1	10	3078
MEAN NO DYS TMP = DR LES 32(F)	28.9	27.3	27.6	20.0	4.3	0.2	0.0	0.0	2.7	10.0	20.9	28.8	170.7	10	3110
MEAN NO DYS TMP = DR LES 0(F)	10.9	7.6	4.5	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.7	3.3	27.2	10	3110
MEAN DEW PT TMP (F)	10	12	19	31	41	48	53	53	47	38	27	18	33	10	26190
MEAN REL HUM (PCT)	86	85	80	76	70	70	76	79	83	86	88	87	81	10	26190
MEAN PRESS ALT (FT)	-39	4	83	-34	-50	-9	45	12	31	23	-64	107		5	13946
MEAN PRECIP (IN)	1.12	0.93	1.05	1.38	1.35	2.31	2.90	2.80	1.88	2.51	1.31	1.74	21.3	10	2776
MEAN SNOW FALL (IN)							0.0	0.0						10	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	14.1	11.3	9.6	8.0	8.2	8.5	10.0	10.7	10.2	12.1	11.9	14.8	129.4	10	2776
MEAN NO DYS SNFL = DR GTR 1.5 IN							0.0	0.0						10	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	0.3	0.4	1.0	1.1	0.5	0.1	0.2	1.7	1.5	0.9	0.6	0.4	8.7	10	26126
MEAN NO DYS TSTM	0.0	0.0	0.0	0.1	3.1	5.3	5.9	4.9	1.9	0.2	0.0	0.0	21.4	10	3640
P FREQ WND SPD = DR GTR 17 KTS	4.8	5.0	5.4	3.2	2.0	1.3	0.9	2.2	1.6	2.4	1.9	5.4	3.0	10	26232
P FREQ WND SPD = DR GTR 28 KTS	0.1	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.1	10	26232
P FREQ LES 5000 FT A/D LES 5 MI	79.1	75.1	57.1	45.8	38.8	32.2	36.3	46.0	54.8	68.6	80.2	82.3	58.0	10	26126
P FREQ LES 1500 FT A/D LES 3 MI															
FDR 00-02 LST	47.5	40.0	28.8	18.9	11.7	9.5	13.2	18.4	24.1	28.5	44.5	46.5	27.6	10	3534
03-05 LST	50.9	45.6	33.8	26.1	16.6	9.9	16.0	27.4	28.1	34.1	47.8	49.4	32.1	10	2936
06-08 LST	45.8	48.8	36.1	27.9	14.0	11.4	15.8	23.5	28.7	40.0	49.8	49.1	32.6	10	3458
09-11 LST	53.1	44.6	33.0	23.8	10.5	9.1	10.3	14.3	19.3	37.1	45.8	51.5	29.4	10	3100
12-14 LST	45.8	39.1	24.4	18.6	9.2	5.2	5.1	8.9	13.0	31.9	45.0	48.4	24.6	10	3576
15-17 LST	44.9	35.3	24.6	15.2	9.1	4.6	5.0	6.5	11.0	24.9	43.8	49.0	22.8	10	3032
18-20 LST	42.9	33.4	23.5	17.4	9.2	5.7	5.7	8.8	15.1	24.8	42.8	44.7	22.8	10	3430
21-23 LST	47.2	39.6	23.7	18.1	11.4	7.9	9.6	10.2	17.6	25.3	42.6	46.9	25.0	10	3060
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	4.0	2.4	4.0	3.9	1.5	0.6	1.5	4.2	8.4	4.4	7.1	4.4	3.9	10	3534
03-05 LST	2.9	4.2	7.0	5.5	2.7	0.2	1.7	9.0	9.2	5.3	5.0	4.4	4.8	10	2936
06-08 LST	2.8	4.5	7.2	4.8	0.7	0.3	0.5	0.8	5.8	6.6	5.4	5.4	3.7	10	3458
09-11 LST	5.9	6.1	3.5	2.9	0.0	0.0	0.0	0.0	1.8	3.9	4.8	9.1	3.2	10	3100
12-14 LST	5.0	2.8	2.6	0.9	0.1	0.2	0.0	0.4	0.0	1.7	4.2	8.3	2.2	10	3576
15-17 LST	2.2	3.0	3.2	0.5	0.0	0.0	0.0	0.3	0.0	3.3	2.8	4.4	1.6	10	3032
18-20 LST	1.8	1.2	1.6	2.9	0.7	0.3	0.3	0.0	0.6	1.8	4.2	3.0	1.5	10	3430
21-23 LST	2.0	2.6	2.4	1.5	1.2	0.5	0.0	1.0	4.4	2.0	3.5	4.3	2.1	10	3060

LENINGRAD/TOWN/, USSR

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST	21.8	20.9	24.7	26.1	29.1	28.8	28.7	27.5	25.0	25.2	20.9	22.8	301.5	10	3534
	08 LST	22.1	18.2	23.0	24.0	28.7	28.3	28.4	26.6	24.8	22.9	19.5	21.1	287.6	10	3458
	14 LST	21.8	21.8	26.8	26.8	29.9	29.5	30.9	30.2	28.7	26.2	20.9	21.1	314.6	10	3576
	20 LST	23.4	23.2	26.7	27.2	29.5	29.0	30.1	30.0	28.1	27.0	21.9	22.5	318.6	10	3430
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST	7.8	10.0	14.6	20.7	24.3	24.5	25.0	22.4	18.4	13.9	9.5	7.3	198.4	10	3533
	08 LST	8.6	8.6	13.4	15.7	21.7	20.1	22.1	19.6	16.4	11.6	8.4	7.6	173.8	10	3456
	14 LST	9.3	10.3	12.6	12.2	16.1	15.3	18.5	16.4	16.1	10.0	9.1	8.3	154.2	10	3576
	20 LST	9.1	10.6	16.8	20.8	24.7	25.0	26.9	26.2	20.8	15.8	10.3	8.5	215.5	10	3429
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST	1.3	0.2	0.5	0.2	0.0	0.0	0.0	0.0	0.5	0.6	0.7	0.9	4.9	10	1690
	08 LST	0.5	0.0	0.5	0.6	0.5	0.0	0.0	0.0	0.0	0.4	0.3	1.3	4.1	10	1780
	14 LST	0.9	0.5	0.3	2.1	1.2	1.1	0.4	0.4	1.3	1.4	0.6	1.2	11.4	10	1750
	20 LST	1.1	0.9	0.5	0.5	0.3	0.0	0.0	0.4	0.0	0.4	0.3	1.0	5.4	10	1699
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST	0.6	0.3	2.0	8.8	16.0	16.4	15.7	19.2	16.6	11.8	5.9	1.3	114.6	10	3537
	08 LST	0.9	0.5	1.8	11.9	20.1	18.4	19.7	18.6	15.8	13.1	6.0	1.5	128.3	10	3463
	14 LST	1.3	1.1	5.5	11.2	15.1	13.8	16.5	15.8	16.4	14.2	7.5	2.0	120.4	10	3586
	20 LST	0.8	0.9	3.1	13.2	21.1	21.3	20.2	20.5	16.8	13.9	6.7	1.5	140.0	10	3440
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST	5.9	6.0	10.5	11.7	11.5	15.0	11.8	10.8	10.2	7.5	3.3	3.5	107.7	10	3538
	08 LST	4.0	3.7	7.0	9.0	9.8	11.8	8.8	8.5	6.8	4.0	2.4	3.0	78.8	10	3464
	14 LST	4.9	5.1	8.2	6.9	5.6	8.0	5.4	3.7	4.9	3.4	2.9	3.4	62.4	10	3583
	20 LST	5.6	5.7	10.7	10.6	7.8	9.9	10.4	7.6	8.6	7.2	4.9	4.3	93.3	10	3440
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST	11.3	12.7	18.9	22.0	25.7	26.1	25.6	22.8	20.4	17.8	11.1	10.3	224.7	10	3534
	08 LST	11.6	10.7	17.2	19.8	25.0	24.6	23.9	21.3	15.5	14.2	10.0	10.2	207.0	10	3458
	14 LST	12.7	12.9	20.3	21.6	25.9	26.5	26.8	25.1	22.2	15.1	11.7	11.0	231.8	10	3576
	20 LST	12.3	14.0	20.5	22.3	26.7	27.1	27.8	26.3	22.1	18.3	11.5	11.6	240.5	10	3430
CIG = GTR 8000 FT AND VSBY = GTR 3 MI	02 LST	8.8	9.1	15.0	17.4	20.4	22.6	21.6	17.5	15.4	11.6	5.1	7.0	171.5	10	3534
	08 LST	8.5	7.8	14.1	17.1	21.6	21.7	20.7	18.2	14.7	10.5	5.8	6.4	167.1	10	3458
	14 LST	9.9	9.7	16.5	16.2	16.8	16.9	17.7	15.1	14.4	8.8	7.7	7.4	157.1	10	3576
	20 LST	8.9	9.9	16.1	18.6	21.5	21.5	23.4	20.0	15.1	11.3	6.8	7.5	180.6	10	3430
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST	8.7	9.0	14.9	17.1	19.8	22.3	20.9	17.2	14.9	11.3	4.9	6.8	167.8	10	3534
	08 LST	8.3	7.7	13.9	16.8	21.0	21.4	20.4	18.0	14.4	10.3	5.7	6.2	164.1	10	3458
	14 LST	9.9	9.4	16.3	15.8	16.0	16.5	16.8	14.5	14.2	8.5	7.7	7.3	152.9	10	3576
	20 LST	8.9	9.8	16.0	18.2	20.8	21.0	23.1	19.4	14.9	11.0	6.6	7.5	177.2	10	3430

PSKOV, USSR

STA NO. 26258 (IN AREA NUMBER 07)

LATITUDE 5750N

LONGITUDE 02621E

ELEVATION(FT) 00138

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	37	39	61	73	82	88	90	86	82	72	57	45	90	10	3160
MEAN MAX TMP (F)	20	23	33	48	63	70	72	69	61	48	34	26	47	10	3160
MEAN MIN TMP (F)	12	12	18	31	42	49	52	51	44	37	27	19	33	10	3200
ABS MIN TMP (F)	-24	-29	-22	-8	23	32	39	34	27	12	-13	-17	-29	10	3200
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.1	10	3160
MEAN NO DYS TMP = OR LES 32(F)	29.8	27.5	26.9	15.9	3.1	0.4	0.0	0.0	3.5	10.2	20.6	27.6	165.5	10	3200
MEAN NO DYS TMP = OR LES 0(F)	8.4	7.4	5.3	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.7	3.8	26.0	10	3200
MEAN DEW PT TMP (F)	13	14	21	32	43	50	54	54	48	39	28	20	35	10	25952
MEAN REL HUM (PCT)	86	85	81	74	70	70	75	80	83	87	89	88	81	10	25952
MEAN PRESS ALT (FT)	69	107	164	90	79	101	159	131	131	99	47	221	117	5	13951
MEAN PRECIP (IN)	1.57	1.25	1.50	1.32	2.43	2.69	2.74	3.12	2.11	2.17	1.90	1.69	24.5	10	2909
MEAN SNOW FALL (IN)						0.0	0.0	0.0						10	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	14.5	11.5	11.9	8.8	10.7	9.0	9.8	11.2	10.4	12.2	11.4	14.2	135.6	10	2909
MEAN NO DYS SNFL = OR GTR 1.5 IN						0.0	0.0	0.0						10	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	0.8	1.5	2.3	1.6	1.0	0.1	0.7	1.7	1.3	2.4	1.7	1.6	16.7	10	25843
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.9	5.3	6.8	6.2	5.9	1.4	0.3	0.1	0.0	26.9	10	3628
P FREQ WND SPD = OR GTR 17 KTS	3.8	3.4	5.5	3.3	1.6	1.9	1.3	1.8	2.0	3.5	1.8	3.7	2.8	10	26016
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	10	26016
P FREQ LES 5000 FT A/D LES 5 MI	79.3	73.6	56.1	45.3	37.7	29.8	34.9	39.5	48.6	67.4	77.4	80.1	55.8	10	25843
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	50.0	44.3	32.4	23.1	12.3	10.1	13.8	16.0	25.7	38.2	48.3	50.5	30.4	10	3521
03-05 LST	54.5	43.8	36.3	29.1	19.8	10.3	22.9	28.0	33.4	45.7	45.0	54.8	35.3	10	2841
06-08 LST	57.0	58.4	46.4	32.5	18.3	11.4	18.1	26.5	32.9	51.5	57.0	54.9	38.7	10	3465
09-11 LST	56.1	53.2	35.7	22.6	12.0	8.1	11.9	13.8	23.7	44.7	58.5	56.6	33.1	10	2999
12-14 LST	50.7	42.1	24.7	17.4	11.1	6.2	6.7	8.6	11.8	30.1	54.3	50.4	26.2	10	3548
15-17 LST	47.6	40.6	25.3	14.5	10.0	5.2	6.7	7.9	9.5	28.4	49.4	50.2	24.6	10	3000
18-20 LST	47.7	40.3	26.6	19.1	10.2	5.2	6.9	8.7	15.8	27.9	48.8	50.5	25.6	10	3450
21-23 LST	46.7	41.4	28.1	17.7	10.5	7.7	8.2	11.2	16.1	26.6	48.9	50.6	26.1	10	3019
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	7.6	6.2	7.4	1.9	2.1	1.0	2.4	2.6	6.1	8.7	5.8	7.4	4.9	10	3521
03-05 LST	8.4	6.1	8.5	8.1	6.5	1.0	6.0	9.6	6.5	10.0	7.3	8.6	7.2	10	2841
06-08 LST	6.6	15.0	14.2	8.9	2.9	0.4	0.4	4.5	8.5	14.4	12.5	8.6	8.1	10	3465
09-11 LST	7.0	11.2	7.5	3.2	0.5	0.2	0.3	0.0	1.1	9.8	11.8	12.4	5.4	10	2999
12-14 LST	6.2	4.5	5.9	0.7	0.0	0.0	0.0	0.2	0.2	3.0	10.7	9.8	3.4	10	3548
15-17 LST	4.1	4.2	5.9	0.2	0.0	0.0	0.0	0.0	0.0	2.9	5.5	7.6	2.5	10	3000
18-20 LST	3.8	3.7	3.2	1.5	0.2	0.0	0.2	0.0	1.0	3.2	8.8	7.2	2.7	10	3450
21-23 LST	4.8	4.0	5.5	2.2	0.3	0.0	0.0	2.2	2.7	3.8	6.5	9.5	3.5	10	3019

PSKOV, USSR

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. DBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST	19.2	19.4	23.7	25.4	28.5	28.5	28.8	28.1	24.4	22.4	18.9	19.0	286.3	10	3521
	08 LST	17.7	14.7	18.8	22.1	27.3	28.1	26.9	25.5	22.7	17.7	16.4	18.1	256.0	10	3465
	14 LST	19.1	19.5	26.1	26.9	29.1	29.4	30.3	29.9	28.8	25.9	17.2	19.3	301.2	10	3548
	20 LST	20.0	20.0	25.5	26.5	29.6	29.6	29.8	30.5	27.6	25.5	18.6	18.8	302.0	10	3450
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST	9.8	10.0	17.0	19.6	23.2	24.5	25.3	23.8	20.2	13.8	10.2	9.5	208.9	10	3519
	08 LST	7.3	7.3	12.4	16.2	21.8	22.5	23.0	18.8	17.1	10.8	8.0	7.5	172.7	10	3463
	14 LST	9.1	9.3	14.3	14.8	18.8	17.2	19.9	18.2	16.4	11.3	7.6	9.0	165.9	10	3546
	20 LST	11.0	11.3	17.5	19.9	24.5	24.3	26.3	24.9	22.4	17.5	9.8	9.5	218.9	10	3449
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST	0.0	0.2	1.0	0.2	0.3	0.0	0.0	0.0	0.0	0.4	0.7	0.5	3.3	10	1522
	08 LST	0.0	0.0	0.2	0.3	0.5	0.0	0.0	0.0	0.0	0.2	0.2	0.3	1.7	10	1611
	14 LST	0.0	0.2	1.0	1.4	1.2	0.0	0.0	0.0	0.3	1.0	0.8	0.1	6.0	10	1574
	20 LST	0.0	0.0	1.1	0.3	0.0	0.0	0.0	0.0	0.0	0.2	0.3	0.4	2.3	10	1540
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST	1.0	0.7	3.0	8.2	12.7	11.9	11.3	13.2	12.8	12.0	5.4	1.4	93.8	10	3530
	08 LST	0.7	0.5	2.3	10.2	15.8	17.2	17.0	15.8	15.9	11.5	4.9	1.4	113.2	10	3477
	14 LST	1.2	1.7	7.0	13.3	16.6	15.6	17.3	15.2	13.8	13.5	7.0	3.4	125.6	10	3564
	20 LST	1.0	0.9	4.0	11.5	16.7	17.6	16.2	15.9	15.7	13.1	6.4	2.8	121.8	10	3461
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST	5.4	6.0	11.7	13.7	13.6	14.1	13.2	15.9	12.3	8.4	6.1	4.8	125.2	10	3529
	08 LST	3.6	2.3	5.4	7.9	10.2	12.9	9.9	8.0	6.2	2.8	3.9	3.7	76.8	10	3478
	14 LST	4.7	5.0	8.1	6.6	5.5	6.6	5.2	4.2	6.5	4.7	3.6	3.2	63.9	10	3568
	20 LST	5.7	7.2	11.9	10.4	9.1	10.7	9.1	8.8	11.9	9.5	5.7	5.1	105.1	10	3467
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST	11.1	11.4	18.2	20.3	25.2	24.9	24.5	23.8	20.0	15.5	11.4	10.5	216.8	10	3521
	08 LST	9.1	8.4	14.0	18.4	23.2	24.3	23.9	20.2	17.6	12.0	8.9	9.4	189.4	10	3465
	14 LST	11.8	12.6	19.7	21.2	24.1	23.2	26.2	24.9	22.5	16.3	9.7	11.2	225.4	10	3548
	20 LST	12.2	12.9	19.9	21.5	25.4	26.7	27.1	25.5	22.1	18.2	11.3	10.9	233.7	10	3450
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST	7.7	8.3	15.0	17.2	22.1	21.9	21.4	20.9	16.4	11.7	8.0	6.8	177.4	10	3521
	08 LST	6.2	6.1	11.6	15.9	20.6	21.3	21.5	17.3	14.7	8.6	6.2	6.6	156.6	10	3465
	14 LST	9.5	10.3	16.4	16.8	16.4	18.5	19.4	18.8	16.8	11.3	7.2	8.2	169.6	10	3548
	20 LST	8.4	8.9	17.0	18.5	21.6	23.1	23.0	22.1	17.7	12.4	7.1	7.2	187.0	10	3450
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST	7.7	8.3	14.7	17.2	22.0	21.8	21.3	20.8	16.2	11.6	7.9	6.8	176.3	10	3521
	08 LST	6.2	6.1	11.6	15.9	20.4	21.2	21.3	17.2	14.6	8.5	6.2	6.6	155.8	10	3465
	14 LST	9.5	10.3	16.4	16.8	16.1	18.3	18.9	18.5	16.7	11.2	7.1	8.2	168.0	10	3548
	20 LST	8.4	8.9	17.0	18.4	21.5	23.0	22.9	22.0	17.5	12.3	7.0	7.2	186.1	10	3430

VYSHNIY VOLOCHEK, USSR

STA NO. 26393 (IN AREA NUMBER 07)

LATITUDE 5735N

LONGITUDE 03434E

ELEVATION(FT) 00528

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	36	36	54	68	82	86	88	84	84	68	54	42	88	10	1527
MEAN MAX TMP (F)	15	20	33	46	61	71	71	70	60	46	32	24	46	10	1527
MEAN MIN TMP (F)	4	6	19	32	43	50	52	50	43	37	24	17	31	9	1427
ABS MIN TMP (F)	-29	-27	-29	-2	25	32	32	36	27	9	-18	-20	-29	9	1427
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	1527
MEAN NO DYS TMP = DR LES 32(F)	30.7	27.7	28.4	15.5	2.7	0.3	0.2	0.0	3.2	9.0	22.0	28.9	168.6	9	1427
MEAN NO DYS TMP = DR LES 0(F)	12.7	11.5	4.6	0.3	0.0	0.0	0.0	0.0	0.0	0.0	1.9	4.7	35.7	9	1427
MEAN DEW PT TMP (F)	6	9	20	32	42	50	54	54	46	37	25	18	33	10	13454
MEAN REL HUM (PCY)	85	82	78	74	69	69	76	79	82	84	87	88	79	10	13454
MEAN PRESS ALT (FT)	426	464	486	464	461	491	557	505	486	467	401	536	479	5	11310
MEAN PRECIP (IN)	1.24	1.39	1.23	1.44	2.76	1.94	3.20	4.16	1.38	1.76	1.74	1.94	24.2	9	1009
MEAN SNOW FALL (IN)						0.0	0.0	0.0						9	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	15.3	12.7	12.1	10.7	11.7	7.4	10.5	10.5	8.8	12.1	12.6	15.4	139.8	9	1009
MEAN NO DYS SNFL = DR GTR 1.5 IN						0.0	0.0	0.0						9	-29
MEAN NO DYS W/OCCUR VSBY LES 1/2 MI	0.7	1.0	1.0	1.8	0.0	0.4	1.6	2.9	3.1	0.6	0.9	1.4	15.4	10	13394
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.2	5.1	5.3	6.8	7.3	1.2	0.0	0.0	0.0	25.9	10	1832
P FREQ WND SPD = DR GTR 17 KTS	3.1	1.3	1.7	1.1	0.8	1.0	0.4	1.0	0.0	1.7	0.5	1.9	1.2	10	13455
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.3	0.0	0.0	0.0	10	13455
P FREQ LES 5000 FT A/D LES 5 MI	59.2	55.1	50.4	47.7	38.6	29.2	38.3	40.5	47.2	64.2	63.5	75.2	50.8	10	13394
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	23.0	24.1	24.1	18.1	11.4	8.6	17.3	18.6	19.1	26.6	30.9	46.8	22.4	9	1589
03-05 LST	23.1	28.4	28.6	27.8	11.8	12.6	24.2	28.7	29.8	27.3	29.7	43.4	26.3	10	1597
06-08 LST	31.7	27.6	36.6	36.6	17.0	10.5	14.6	20.5	32.8	35.5	44.6	45.1	29.4	10	1501
09-11 LST	37.8	29.9	25.0	22.1	14.7	5.6	10.2	13.0	19.5	29.8	41.6	53.8	25.3	10	1687
12-14 LST	29.2	23.4	24.8	20.2	15.3	7.7	11.9	10.9	14.1	28.7	31.0	43.7	21.7	10	1578
15-17 LST	26.4	22.9	20.8	17.5	9.6	10.4	9.3	9.4	14.2	26.9	35.1	43.4	20.5	10	1788
18-20 LST	24.7	26.2	19.1	22.9	12.1	9.8	11.0	10.6	16.5	24.7	32.6	43.3	20.6	10	1604
21-23 LST	24.0	24.1	19.5	16.3	11.8	9.4	11.2	12.7	11.3	21.8	35.6	46.1	20.3	10	2050
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	1.8	5.3	4.3	6.7	0.8	1.5	5.4	8.7	7.1	0.6	3.0	4.4	4.1	9	1589
03-05 LST	1.0	5.1	6.2	10.5	0.8	1.5	8.1	14.0	14.3	2.8	4.1	5.0	6.1	10	1597
06-08 LST	4.4	6.2	7.7	9.0	0.9	0.8	0.4	3.7	12.0	2.9	6.2	4.4	4.9	10	1501
09-11 LST	10.0	7.0	5.2	1.2	0.0	0.0	0.0	0.0	0.7	0.4	5.1	12.1	3.5	10	1687
12-14 LST	7.1	5.9	1.9	0.4	0.0	0.0	0.0	0.0	0.0	0.4	3.1	6.1	2.1	10	1578
15-17 LST	3.6	3.3	3.7	1.1	0.0	0.0	0.0	0.6	0.0	0.9	2.6	6.6	1.9	10	1788
18-20 LST	4.0	3.7	2.6	6.8	0.0	0.0	0.0	0.4	0.6	1.7	1.2	6.0	2.3	10	1604
21-23 LST	0.9	4.5	4.7	4.5	0.3	0.3	0.8	2.4	4.2	1.1	2.9	7.2	2.8	10	2050

VYSHNIY VOLOCHEK, USSR

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST	29.5	25.8	28.7	27.7	30.4	29.5	28.2	27.2	27.5	28.5	25.6	22.8	331.4	10	1589
	08 LST	27.7	24.8	24.5	24.2	28.6	29.7	29.9	27.1	24.4	26.3	23.6	23.6	314.4	10	1501
	14 LST	26.4	25.2	29.5	29.5	30.8	30.0	30.8	30.0	30.0	19.8	27.0	24.4	343.4	10	1578
	20 LST	28.7	24.9	29.1	26.9	30.5	29.8	30.6	30.8	29.6	28.8	27.1	23.9	340.7	10	1604
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST	17.6	16.4	17.5	20.0	23.9	25.1	23.3	23.3	20.8	15.4	14.0	9.4	226.7	10	1589
	08 LST	13.6	16.2	14.0	14.0	21.2	22.1	23.0	22.7	15.6	12.8	9.9	9.4	194.5	10	1497
	14 LST	15.7	16.7	14.7	14.6	17.9	20.0	20.2	21.0	18.2	10.8	13.4	10.6	193.8	10	1578
	20 LST	16.3	16.2	19.7	18.6	23.7	23.4	24.4	24.7	23.3	16.3	12.9	10.9	230.4	10	1602
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.3	0.0	1.4	10	664
	08 LST	0.8	0.3	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.3	0.2	2.1	10	912
	14 LST	0.4	0.0	0.0	0.0	0.0	0.0	2.1	0.0	0.0	0.0	0.0	0.0	2.5	10	671
	20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.4	0.8	10	666
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST	0.3	0.2	4.1	6.8	7.2	10.2	7.2	9.1	10.6	9.3	5.2	1.3	71.5	10	1590
	08 LST	0.7	0.5	3.5	13.3	17.8	17.8	18.7	16.6	13.3	13.2	6.2	1.6	123.2	10	1509
	14 LST	0.6	1.1	9.1	17.1	18.2	20.2	18.9	20.2	19.3	13.1	6.5	2.9	147.2	10	1586
	20 LST	0.0	0.2	3.8	8.8	10.5	12.8	11.9	8.1	11.2	11.1	4.0	1.0	83.4	10	1609
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST	8.7	8.7	10.2	10.0	13.3	15.0	14.4	13.6	12.4	8.6	7.3	2.4	124.6	10	1588
	08 LST	5.4	5.2	9.1	5.3	7.6	14.2	11.4	8.1	5.1	4.0	3.0	3.9	82.3	10	1512
	14 LST	6.9	7.3	8.4	5.0	4.2	7.5	5.8	6.0	6.9	4.1	3.9	2.4	68.4	10	1586
	20 LST	7.9	7.9	11.5	8.5	8.4	14.1	10.3	9.9	13.1	7.3	7.6	4.1	110.6	10	1611
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST	18.2	16.6	18.5	20.5	24.1	24.7	23.0	22.0	19.4	16.2	15.5	10.1	228.8	9	1589
	08 LST	14.7	16.5	15.3	13.9	22.0	24.0	22.7	21.2	15.5	13.4	9.7	10.5	199.4	10	1501
	14 LST	17.6	18.4	17.2	17.9	20.3	23.8	22.0	23.6	20.2	13.9	14.5	11.0	220.4	10	1578
	20 LST	18.1	16.2	20.6	18.5	22.9	23.8	23.9	24.2	22.8	16.1	13.7	10.9	231.7	10	1604
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST	15.7	13.9	16.3	17.1	21.6	22.3	21.0	18.7	15.3	12.7	12.9	7.9	195.4	9	1589
	08 LST	13.0	14.9	14.1	12.6	20.2	23.6	20.8	18.0	13.1	10.9	8.2	8.8	178.2	10	1501
	14 LST	15.9	17.7	15.6	15.9	16.8	20.7	18.3	20.8	17.3	12.0	13.5	10.2	194.7	10	1578
	20 LST	15.4	13.7	17.7	15.6	20.6	22.3	21.7	22.2	19.1	10.3	11.4	8.2	198.2	10	1604
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST	15.7	13.9	16.2	17.0	21.6	22.3	21.0	18.7	15.3	12.7	12.9	7.9	195.4	9	1589
	08 LST	13.0	14.9	14.1	12.6	20.2	23.6	20.8	18.0	13.1	10.9	8.2	8.8	178.2	10	1501
	14 LST	15.8	17.7	15.6	15.7	16.8	20.7	18.3	20.8	17.3	12.0	13.5	10.2	194.4	10	1578
	20 LST	15.4	13.7	17.7	15.6	20.6	22.3	21.7	22.2	19.1	10.3	11.4	8.2	198.2	10	1604

RIGA LATVIA SSR, USSR

STA NO. 26422 (IN AREA NUMBER 07)

LATITUDE 5658N

LONGITUDE 02404E

ELEVATION(FT) 00510

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. UBS
ABS MAX TMP (F)	45	52	68	77	86	90	93	91	84	75	64	54	93	22	-662
MEAN MAX TMP (F)	28	29	36	49	61	67	71	69	61	49	39	31	49	20	-162
MEAN MIN TMP (F)	17	18	23	33	41	48	54	52	46	38	31	24	35	20	-162
APS MIN TMP (F)	-26	-31	-22	9	19	28	37	36	23	12	-8	-15	-31	20	-662
MEAN NO DYS TMP - DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	10	3224
MEAN NO DYS TMP - DR LES 32(F)	27.7	25.5	24.2	12.7	1.9	0.1	0.0	0.0	0.7	5.0	15.7	24.5	138.0	10	3197
MEAN NO DYS TMP - DR LES 0(F)	3.2	3.0	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	7.9	10	3197
MEAN DEW PT TMP (F)	20	20	25	35	43	51	54	54	49	42	32	25	38	10	26733
MEAN REL HUM (PCT)	88	86	81	73	72	71	74	77	80	84	87	88	80	10	26733
MEAN PRESS ALT (FT)	-42	3	31	-20	-53	-34	14	9	9	-31	-56	132	-2	5	14162
MEAN PRECIP (IN)	1.30	1.15	1.33	1.04	1.51	2.04	2.66	2.83	3.10	2.20	2.14	2.05	23.3	10	2963
MEAN SNOW FALL (IN)							0.0	0.0						20	-29
MEAN NO DYS PRCP - DR GTR 0.1 IN	14.0	11.0	10.7	7.6	8.8	8.3	10.4	11.0	11.6	10.6	11.2	12.9	128.1	10	2963
MEAN NO DYS SHFL - DR GTR 1.5 IN							0.0	0.0						20	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	1.2	1.6	2.1	0.9	1.5	0.7	1.5	1.3	1.7	1.7	1.1	1.0	16.3	10	26650
MEAN NO DYS TSTMS	0.0	0.1	0.2	0.6	3.3	4.9	5.6	4.0	2.2	0.4	0.5	0.0	21.8	10	3605
P FREQ WND SPD - DR GTR 17 KTS	5.9	6.7	7.4	5.5	2.8	3.3	2.0	2.8	5.3	5.6	5.4	7.5	5.0	10	26762
P FREQ WND SPD - DR GTR 28 KTS	0.6	0.1	0.6	0.0	0.0	0.1	0.0	0.1	0.1	0.4	0.0	0.1	0.2	10	26762
P FREQ LES 5000 FT A/D LES 5 MI	88.7	81.9	71.5	65.9	55.2	46.1	50.1	56.9	66.0	79.4	80.2	88.9	69.8	10	26650
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	60.0	57.0	46.8	35.4	30.2	20.6	25.6	25.6	32.3	45.7	54.3	60.6	41.2	10	3373
03-05 LST	61.2	59.7	51.6	46.6	37.1	30.0	36.7	38.2	37.8	49.8	56.2	62.8	47.3	10	3264
06-08 LST	66.7	67.5	63.2	49.8	36.8	22.1	27.3	32.8	41.4	61.8	63.8	64.7	49.8	10	3269
09-11 LST	67.6	65.2	52.3	33.8	19.6	12.7	14.9	22.9	31.7	51.0	61.2	67.3	41.7	10	3308
12-14 LST	61.7	51.1	39.0	18.8	13.2	8.7	7.6	13.3	17.6	33.5	52.2	62.1	31.6	10	3540
15-17 LST	63.5	50.8	34.4	16.5	12.1	6.1	6.9	8.5	16.8	31.9	49.9	64.5	30.2	10	3245
18-20 LST	66.5	56.8	37.9	22.7	13.1	7.8	8.3	11.3	24.2	39.2	50.2	61.4	33.3	10	3290
21-23 LST	61.8	54.8	40.0	29.9	21.0	13.7	18.6	17.9	27.7	42.5	51.4	59.2	36.5	10	3361
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	8.1	8.1	7.9	4.6	5.5	1.3	3.1	4.6	6.2	7.5	9.6	5.7	6.0	10	3373
03-05 LST	7.2	9.8	11.2	8.0	8.3	3.6	10.4	8.5	9.6	9.3	9.9	9.2	8.8	10	3264
06-08 LST	12.1	18.1	15.1	8.7	2.7	1.3	1.5	4.7	8.9	14.3	14.5	12.7	9.0	10	3269
09-11 LST	14.8	16.7	12.5	3.1	0.6	0.3	0.2	0.2	2.5	6.1	13.1	15.9	7.2	10	3308
12-14 LST	9.9	9.1	5.1	1.0	0.7	0.0	0.2	0.0	0.1	2.4	10.9	14.2	4.5	10	3540
15-17 LST	12.6	9.0	5.7	0.9	1.5	0.0	0.0	0.0	0.0	3.8	11.7	13.0	4.9	10	3245
18-20 LST	8.5	6.7	5.8	2.3	1.7	0.0	0.3	0.2	0.5	7.2	9.8	9.5	4.4	10	3290
21-23 LST	9.6	7.3	6.8	3.2	3.0	0.7	1.4	1.9	4.7	6.1	8.2	6.9	5.0	10	3361

RIGA LATVIA SSR, USSR

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST	16.3	15.3	20.3	22.7	24.9	27.2	25.1	26.5	23.7	21.1	17.8	16.9	258.8	10	3373
	08 LST	13.5	11.4	13.6	17.8	22.6	26.6	25.9	24.1	20.4	15.0	14.3	14.8	220.0	10	3269
	14 LST	15.3	16.2	21.8	27.5	29.0	29.2	30.3	29.9	27.7	24.3	18.5	14.9	284.6	10	3540
	20 LST	14.3	15.1	22.5	26.1	29.5	29.3	30.1	30.0	26.1	22.5	18.7	16.0	280.2	10	3290
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST	6.1	7.1	10.8	15.2	20.0	21.7	21.2	20.0	15.5	10.0	6.4	5.1	159.1	10	3372
	08 LST	4.8	3.9	6.3	10.3	15.2	17.9	17.2	15.4	12.0	5.6	4.2	3.9	110.7	10	3268
	14 LST	5.1	5.7	8.9	11.1	11.7	12.2	15.8	13.4	11.7	8.5	5.3	4.3	113.7	10	3539
	20 LST	4.2	6.5	11.7	17.3	21.4	19.2	22.6	21.6	16.5	11.1	6.0	4.5	162.6	10	3290
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST	0.8	0.0	0.7	0.7	0.0	0.0	0.0	0.0	0.5	0.8	1.0	2.3	6.8	10	1444
	08 LST	0.3	0.8	1.1	0.2	0.0	1.2	0.0	0.0	0.4	0.9	1.1	0.5	6.5	10	1522
	14 LST	0.8	0.8	3.8	2.6	2.1	3.5	0.0	0.0	1.7	2.8	1.4	1.7	21.2	10	1492
	20 LST	0.8	0.8	1.6	0.9	0.3	4.8	0.0	0.0	1.5	0.8	1.1	2.2	14.8	10	1456
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST	1.7	2.4	4.5	12.4	20.1	21.1	20.5	20.4	17.3	15.1	7.6	3.8	146.9	10	3380
	08 LST	1.0	1.4	3.1	12.9	18.4	17.6	18.5	17.9	16.9	13.5	6.3	2.8	130.3	10	3275
	14 LST	1.8	2.9	7.5	11.2	10.7	11.6	14.4	13.5	12.1	12.2	7.9	3.8	109.6	10	3549
	20 LST	2.1	1.7	6.6	15.0	21.0	17.7	17.9	20.0	17.4	14.3	7.5	3.0	144.2	10	3302
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST	4.0	4.9	8.5	10.3	11.1	12.9	11.2	12.4	9.8	6.4	3.4	3.4	98.3	10	3378
	08 LST	2.3	2.6	3.6	6.8	8.9	10.6	9.4	6.9	3.6	2.2	1.5	2.4	60.8	10	3275
	14 LST	1.6	4.2	8.1	7.0	7.4	7.8	6.7	6.3	6.0	3.7	3.6	3.0	65.4	10	3546
	20 LST	3.1	5.1	8.6	7.7	8.0	10.4	8.1	7.7	7.6	6.0	3.8	2.5	78.6	10	3297
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST	9.4	9.3	14.1	17.6	20.2	22.3	21.8	21.8	18.3	13.7	10.4	8.2	187.1	10	3473
	08 LST	7.5	7.1	9.9	13.5	18.0	21.5	20.6	18.8	15.8	9.1	7.8	7.3	156.9	10	3269
	14 LST	8.8	11.4	16.7	21.7	24.7	25.7	26.9	23.8	21.8	16.5	10.8	8.9	217.7	10	3540
	20 LST	7.2	9.7	16.8	21.3	25.4	26.1	27.3	26.0	20.3	15.9	11.7	8.2	215.9	10	3290
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST	7.0	7.4	11.9	15.2	17.8	20.1	18.4	19.6	14.6	10.3	6.6	5.6	154.5	10	3373
	08 LST	4.9	5.1	8.6	12.1	16.3	19.1	18.3	16.9	12.8	6.1	4.5	4.2	128.9	10	3269
	14 LST	6.3	9.1	14.9	16.9	17.5	19.7	19.2	17.2	16.3	11.0	8.3	6.2	162.6	10	3540
	20 LST	5.7	8.3	14.6	17.8	21.1	22.2	22.1	22.1	16.0	10.5	7.8	5.2	173.4	10	3290
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST	6.8	7.3	11.8	15.0	17.4	19.9	17.7	19.3	14.5	10.0	6.3	5.6	151.6	10	3373
	08 LST	4.8	5.0	8.5	12.0	16.0	18.9	17.9	16.7	12.6	6.0	4.3	4.0	126.7	10	3269
	14 LST	6.1	9.0	14.8	16.7	16.5	18.9	18.1	16.8	16.1	11.0	8.2	6.1	158.3	10	3540
	20 LST	5.6	8.3	14.5	17.5	20.7	21.7	21.5	21.6	15.8	10.3	7.6	5.1	170.2	10	3290

KAUNAS LITHUANIA, USSR

STA NO. 26629 (IN AREA NUMBER 07)

LATITUDE 5453N

LONGITUDE 02353E

ELEVATION(FT) 00246

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. UBS
ABS MAX TMP (F)	41	46	70	75	82	88	91	91	84	75	63	52	91	10	3086
MEAN MAX TMP (F)	25	28	36	52	63	71	72	70	63	52	39	30	50	10	3086
MEAN MIN TMP (F)	18	19	24	36	45	52	54	53	47	41	32	23	37	10	3059
ABS MIN TMP (F)	-15	-13	-11	19	28	39	43	32	28	18	7	-11	-15	10	3059
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.3	0.0	0.0	0.0	0.0	0.5	10	3086
MEAN NO DYS TMP = DR LES 32(F)	28.7	25.9	24.8	10.3	1.0	0.0	0.0	0.1	0.4	4.6	16.1	27.0	138.9	10	3059
MEAN NO DYS TMP = DR LES 0(F)	3.5	3.0	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	8.6	10	3059
MEAN DEW PT TMP (F)	19	20	25	36	46	52	55	55	49	43	33	24	38	10	25961
MEAN REL HUM (PCT)	88	86	81	74	73	70	74	78	80	86	89	89	81	10	25961
MEAN PRESS ALT (FT)	174	223	231	220	187	193	231	228	212	163	160	332	213	5	14107
MEAN PRECIP (IN)	1.61	1.31	1.34	1.19	3.01	.65	1.58	2.72	2.12	1.72	2.11	1.73	23.1	10	2788
MEAN SNOW FALL (IN)						0.0	0.0	0.0						10	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	12.4	12.1	10.0	7.5	11.5	8.9	8.1	11.7	9.1	9.4	11.2	12.5	124.4	10	2788
MEAN NO DYS SNFL = DR GTR 1.5 IN						0.0	0.0	0.0						10	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	1.6	2.1	2.6	2.2	0.8	0.6	1.0	2.1	1.7	4.5	2.4	1.2	22.8	10	24750
MEAN NO DYS TSTM	0.0	0.1	0.2	0.3	3.9	4.8	5.0	4.4	2.5	0.3	0.0	0.0	21.5	10	3507
P FREQ WND SPD = DR GTR 17 KTS	3.2	4.1	4.0	2.3	0.5	0.8	0.8	1.1	1.4	1.7	1.4	2.8	2.0	10	26011
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.3	0.1	0.2	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.1	0.1	10	26011
P FREQ LES 5000 FT A/D LES 5 MI	78.0	76.1	58.1	42.2	41.2	32.0	35.4	39.9	41.3	61.6	76.8	80.0	55.2	10	25796
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	50.1	46.9	29.1	17.3	13.4	8.5	10.6	12.6	20.3	30.8	48.3	52.3	28.4	10	3113
03-05 LST	55.0	49.5	34.5	28.2	20.9	15.9	21.7	29.5	24.4	32.4	53.1	57.9	35.3	10	3286
06-08 LST	57.9	65.1	53.2	33.0	26.9	14.8	20.4	28.8	34.1	54.5	58.5	57.8	42.1	10	3137
09-11 LST	65.4	59.3	41.8	23.3	17.8	9.2	8.5	16.7	22.0	42.4	57.5	60.7	35.4	10	3262
12-14 LST	51.0	48.7	30.2	14.7	11.9	6.8	6.1	8.4	12.3	28.6	51.0	55.9	27.1	10	3289
15-17 LST	50.5	41.9	26.7	14.0	7.8	4.4	3.3	5.5	8.8	23.4	49.6	52.5	24.0	10	3241
18-20 LST	45.6	41.7	27.7	14.9	6.8	3.6	4.0	8.5	9.2	27.0	46.6	52.7	24.0	10	3164
21-23 LST	46.6	43.7	27.5	14.1	10.6	5.8	5.9	10.4	10.4	27.3	47.3	53.1	25.2	10	3304
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	6.2	7.7	5.5	2.1	1.7	0.3	0.7	1.3	4.0	6.5	6.5	8.9	4.3	10	3113
03-05 LST	6.4	7.6	6.8	9.3	3.5	2.7	5.7	10.2	7.3	9.5	8.9	7.1	7.1	10	3286
06-08 LST	11.5	15.5	14.8	12.5	5.3	0.7	1.8	7.0	10.6	20.3	16.1	9.3	10.5	10	3137
09-11 LST	14.7	14.9	8.6	4.4	0.3	0.3	0.0	0.6	2.8	9.1	15.3	12.1	6.9	10	3262
12-14 LST	6.5	10.8	4.5	1.3	0.0	0.0	0.0	0.6	0.0	2.4	10.2	9.8	3.8	10	3289
15-17 LST	11.0	9.8	5.1	1.3	0.2	0.0	0.0	0.0	0.0	2.7	11.6	10.1	4.3	10	3241
18-20 LST	8.2	8.7	6.6	1.6	0.3	0.3	0.3	0.3	0.8	3.2	8.0	9.2	4.0	10	3164
21-23 LST	7.9	9.6	4.7	2.0	1.0	0.5	0.0	0.3	0.6	2.2	9.2	8.6	3.9	10	3304

## KAUNAS LITHUANIA, USSR

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST	19.2	17.6	23.9	26.0	28.3	28.4	29.3	28.9	25.4	24.2	18.7	18.6	288.5	10	3113
	08 LST	15.8	12.5	16.7	22.5	24.6	27.1	26.2	24.3	21.6	16.2	15.3	16.1	238.9	10	3137
	14 LST	19.0	18.0	24.7	27.8	29.2	28.9	30.5	29.7	28.0	24.7	18.0	17.0	295.5	10	3289
	20 LST	20.2	18.5	24.9	26.6	29.9	29.8	30.4	29.6	28.5	25.3	19.6	18.3	301.6	10	3164
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST	8.9	10.1	16.4	21.4	24.9	25.2	25.9	24.4	20.7	16.7	9.6	9.2	213.4	10	3112
	08 LST	7.1	5.0	10.0	15.2	19.2	21.9	21.8	18.1	16.2	10.1	6.3	7.2	156.1	10	3136
	14 LST	8.5	7.5	11.5	13.4	17.1	17.9	17.9	18.3	16.0	11.3	6.6	7.1	153.1	10	3288
	20 LST	10.7	11.6	15.6	20.6	24.8	24.1	25.0	25.3	23.6	17.6	8.5	8.1	215.5	10	3162
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST	0.5	0.2	0.7	0.5	0.0	0.2	0.0	0.2	0.5	0.7	0.0	0.2	3.7	10	2112
	08 LST	0.5	0.0	0.4	0.2	0.0	0.0	0.0	0.2	0.0	0.5	0.1	0.4	2.3	10	2339
	14 LST	0.7	0.2	1.6	1.6	0.5	0.2	0.0	0.5	1.1	0.6	0.9	0.1	8.0	10	2226
	20 LST	0.3	0.2	0.5	0.5	0.0	0.2	0.0	0.2	0.0	0.2	0.2	0.3	2.6	10	2223
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST	2.4	1.6	5.6	16.0	18.1	16.6	18.1	17.6	17.7	16.2	8.6	2.7	141.2	10	3127
	08 LST	1.9	1.8	4.3	14.1	17.0	19.6	21.2	19.6	17.5	16.4	8.4	2.5	144.3	10	3188
	14 LST	2.8	3.1	7.1	13.2	15.4	16.3	15.6	17.1	16.1	15.4	9.3	4.1	135.5	10	3296
	20 LST	2.1	2.4	7.7	16.9	19.1	19.9	19.2	20.3	18.0	16.4	9.6	3.8	155.4	10	3208
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST	4.4	6.5	11.4	12.7	13.7	14.8	15.0	16.0	13.5	9.8	4.9	3.7	126.4	10	3129
	08 LST	3.2	2.5	6.6	8.5	9.7	11.3	9.2	9.5	7.0	4.6	3.3	3.3	78.7	10	3185
	14 LST	3.2	4.0	8.1	6.7	3.5	7.2	5.9	4.7	6.4	4.3	3.5	3.4	60.9	10	3297
	20 LST	5.9	6.3	10.3	10.0	7.6	12.1	10.5	9.7	11.3	9.1	4.8	4.0	101.6	10	3209
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST	11.5	11.8	19.3	23.0	25.0	26.0	26.1	24.9	22.0	18.3	11.6	10.2	229.7	10	3113
	08 LST	9.6	6.7	12.3	18.2	20.8	23.8	23.0	20.3	18.2	12.2	9.3	9.5	163.9	10	3137
	14 LST	11.5	10.7	17.8	22.5	24.4	26.0	26.3	25.5	23.5	18.2	10.9	10.2	227.5	10	3289
	20 LST	13.3	13.4	19.5	23.6	27.3	27.5	28.8	26.5	25.2	19.6	12.0	10.6	247.3	10	3164
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST	8.3	8.5	15.0	17.9	20.4	21.4	21.6	21.4	19.3	13.7	7.5	6.8	181.8	10	3113
	08 LST	6.1	4.2	10.2	15.8	17.3	20.3	19.4	17.4	14.7	8.6	6.9	6.5	147.6	10	3137
	14 LST	8.3	8.4	15.0	17.1	14.2	18.0	16.6	16.9	17.0	12.1	7.7	8.1	159.4	10	3209
	20 LST	8.9	9.7	16.0	18.8	20.8	22.5	23.5	20.0	20.0	15.1	8.1	7.2	190.6	10	3164
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST	8.2	8.5	14.9	17.3	20.2	21.3	21.0	21.2	19.0	13.5	7.4	6.8	179.3	10	3113
	08 LST	6.0	4.2	10.2	15.5	17.3	20.0	19.1	17.1	14.5	8.2	6.8	6.4	145.3	10	3137
	14 LST	8.2	8.4	15.0	16.7	14.1	17.7	16.3	16.8	16.9	11.8	7.6	8.0	157.5	10	3289
	20 LST	8.9	9.5	16.0	18.3	20.6	22.2	23.0	19.9	19.6	14.9	8.0	7.1	188.0	10	3164

KALININGRAD, USSR

STA NO. 26702 (IN AREA NUMBER 07)

LATITUDE 5442N

LONGITUDE 02037E

ELEVATION(FT) 00089

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	48	48	66	79	81	93	90	91	82	79	66	54	93	10	3169
MEAN MAX TMP (F)	29	31	38	52	61	69	70	70	64	54	41	33	51	10	3169
MEAN MIN TMP (F)	21	22	27	36	44	52	55	55	49	43	34	27	39	10	3185
ABS MIN TMP (F)	-15	-8	-8	23	28	36	43	37	32	21	1	-6	-15	10	3185
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.4	0.1	0.7	0.0	0.0	0.0	0.0	1.2	10	3169
MEAN NO DYS TMP = DR LES 32(F)	26.4	23.4	21.5	10.1	0.7	0.0	0.0	0.0	0.2	2.5	11.7	23.5	120.0	10	3185
MEAN NO DYS TMP = DR LES 0(F)	1.7	1.4	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	4.7	10	3185
MEAN DEW PT TMP (F)	22	23	27	37	45	52	55	56	51	45	34	27	40	10	26329
MEAN REL HUM (PCT)	86	85	80	76	75	73	77	79	82	86	88	87	81	10	26329
MEAN PRESS ALT (FT)	17	66	74	60	17	17	58	63	55	11	17	192	54	5	14142
MEAN PRECIP (IN)	2.05	1.90	1.80	1.20	2.34	2.29	3.64	4.05	3.52	2.25	2.76	2.31	30.1	10	2924
MEAN SNOW FALL (IN)						0.6	0.0	0.0	0.0					10	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	14.4	12.8	10.6	7.7	10.4	8.6	11.2	13.0	11.6	10.0	12.7	13.4	136.4	10	2924
MEAN NO DYS SNFL = DR GTR 1.5 IN						0.0	0.0	0.0	0.0					10	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	1.7	1.7	1.9	2.0	2.2	1.1	1.2	1.3	1.7	3.8	2.8	1.5	22.9	10	26269
MEAN NO DYS TSTMS	0.5	0.1	0.2	0.6	3.2	5.4	6.2	6.2	3.5	1.1	0.6	0.2	27.8	10	3539
P FREQ WND SPD = DR GTR 17 KTS	4.8	5.3	5.3	3.2	1.1	1.5	0.6	1.9	2.4	2.1	4.5	4.4	3.1	10	26356
P FREQ WND SPD = DR GTR 28 KTS	0.4	0.3	0.2	0.2	0.0	0.0	0.0	0.1	0.0	0.1	0.1	0.1	0.1	10	26356
P FREQ LES 5000 FT A/D LES 5 MI	87.8	83.4	67.1	57.1	55.1	44.1	56.5	58.4	62.3	76.1	84.4	87.8	68.3	10	26269
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	55.9	56.5	42.8	34.3	36.5	23.4	31.6	32.9	36.2	49.2	57.8	54.9	42.7	10	3310
03-05 LST	58.3	60.3	45.6	39.0	38.9	29.1	45.2	42.2	40.5	50.2	61.5	59.0	47.5	10	3250
06-08 LST	60.4	62.9	55.4	43.7	37.7	25.9	29.3	36.5	42.5	61.0	65.5	60.2	48.4	10	3257
09-11 LST	70.4	65.0	47.0	31.1	25.3	18.5	21.5	22.9	28.7	48.0	65.3	67.8	42.6	10	3262
12-14 LST	63.0	56.1	40.6	26.8	19.8	12.3	16.4	18.5	19.8	37.4	55.7	61.2	35.6	10	3393
15-17 LST	63.0	50.1	33.7	20.2	16.0	10.9	14.6	13.9	16.1	32.4	59.6	66.9	33.1	10	3241
18-20 LST	61.2	51.1	41.5	26.1	20.0	10.4	12.9	15.4	23.7	41.7	56.3	60.2	35.0	10	3242
21-23 LST	56.6	57.4	39.3	27.8	26.1	15.8	24.4	22.7	28.0	42.7	57.0	57.9	38.0	10	3314
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	7.7	8.4	7.9	6.5	6.1	3.3	5.1	3.6	4.9	12.3	10.8	6.2	6.9	10	3310
03-05 LST	9.5	11.0	11.1	9.8	12.3	5.8	6.4	7.3	8.1	14.2	15.0	8.8	9.9	10	3250
06-08 LST	8.6	12.4	13.7	11.6	9.4	2.2	0.7	4.0	9.7	18.8	14.3	10.9	9.7	10	3257
09-11 LST	18.9	15.4	10.9	4.1	1.4	0.3	0.5	0.2	2.2	8.5	18.8	14.1	7.9	10	3262
12-14 LST	13.7	9.9	6.2	2.7	0.2	0.3	0.0	0.0	0.2	3.7	11.2	11.9	5.0	10	3393
15-17 LST	16.0	8.1	5.1	1.4	0.8	0.0	0.4	0.2	0.2	3.7	14.5	13.3	5.3	10	3241
18-20 LST	10.2	5.1	7.2	1.3	0.6	0.0	0.0	0.1	1.0	6.0	9.4	10.5	4.3	10	3242
21-23 LST	9.1	9.8	6.5	3.5	4.5	0.0	1.7	1.4	2.8	6.3	11.6	8.7	5.5	10	3314

KALININGRAD, USSR

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	18.7	16.4	21.4	22.8	23.5	26.0	24.8	24.9	23.4	20.3	16.5	19.5	258.2	10	3310
	07 LST	17.2	14.0	17.3	19.6	22.2	24.5	25.9	23.5	21.2	15.6	14.1	17.3	232.5	10	3257
	13 LST	14.9	15.6	22.2	25.4	28.2	28.8	29.2	29.5	27.8	24.0	17.1	16.1	278.8	10	3393
	19 LST	15.4	17.6	21.4	24.9	27.4	28.3	28.9	28.8	26.2	22.0	16.9	16.8	274.6	10	3242
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	7.9	6.8	12.0	15.4	17.3	20.5	19.6	18.0	15.5	10.9	6.6	7.6	158.1	10	3308
	07 LST	6.4	5.5	8.6	12.6	15.6	17.5	17.2	15.8	13.7	8.3	4.9	6.6	132.7	10	3254
	13 LST	5.3	5.9	7.0	10.1	11.6	12.1	13.6	11.7	11.1	8.8	5.0	5.8	108.9	10	3393
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	6.6	8.3	11.6	15.5	19.0	19.1	20.0	20.1	17.7	14.1	6.6	6.6	165.2	10	3240
	07 LST	0.7	0.2	1.0	0.2	0.0	0.2	0.0	0.0	0.6	0.5	0.5	0.8	4.7	10	2174
	13 LST	0.5	0.8	0.6	0.6	0.0	0.2	0.0	0.0	0.3	0.2	0.1	0.9	4.2	10	2318
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	0.3	0.5	2.7	1.1	0.2	0.8	0.2	0.4	1.2	0.6	0.7	0.8	9.5	10	2250
	01 LST	0.2	0.3	0.8	0.3	0.2	0.5	0.2	0.4	0.5	0.3	0.8	0.5	5.0	10	2207
	07 LST	2.3	3.0	4.7	11.8	12.5	11.6	11.9	12.1	11.8	13.5	8.4	4.5	108.1	10	3312
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	13 LST	2.3	2.8	4.8	12.9	16.0	15.1	17.0	14.0	14.5	14.9	9.1	4.1	127.5	10	3267
	19 LST	3.6	3.8	5.8	11.5	14.1	12.3	14.3	13.1	11.6	14.0	10.3	5.6	120.0	10	3395
	01 LST	2.2	3.6	7.7	16.9	19.0	18.5	17.5	16.9	14.2	15.4	9.5	4.3	145.7	10	3248
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	4.6	4.4	10.2	10.5	10.5	11.0	10.8	13.0	10.9	6.9	5.3	4.0	102.1	10	3311
	13 LST	3.9	2.9	5.2	5.3	7.0	8.8	6.2	6.9	6.5	3.1	2.8	4.0	62.7	10	3269
	19 LST	2.4	4.6	6.3	7.6	5.0	7.5	4.8	4.0	5.0	3.8	3.6	2.9	57.5	10	3396
	01 LST	3.9	6.5	9.5	8.9	9.0	11.3	8.1	8.8	9.1	7.4	4.6	3.8	90.9	10	3249
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	9.8	8.6	15.3	17.3	17.3	21.0	18.9	18.1	16.6	12.3	9.5	9.5	174.2	10	3310
	13 LST	8.1	7.6	11.4	15.1	17.4	20.2	18.9	17.2	14.3	9.6	7.2	8.4	155.4	10	3257
	19 LST	8.6	9.6	14.6	18.0	19.9	22.1	20.4	19.1	19.2	15.3	9.7	8.5	185.0	10	3393
	01 LST	9.2	10.3	16.0	19.7	22.1	24.9	24.3	23.0	19.5	15.1	10.0	8.5	202.6	10	3242
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	7.4	6.6	14.0	15.0	15.3	18.4	16.3	16.1	14.6	9.9	7.7	6.8	148.1	10	3310
	13 LST	6.0	5.8	9.7	13.1	15.6	17.7	16.5	15.4	12.4	8.2	5.8	6.4	132.6	10	3257
	19 LST	6.8	8.1	12.5	15.5	15.6	17.3	14.6	14.8	13.5	12.5	7.7	6.7	147.6	10	3393
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	6.8	8.6	15.3	17.8	19.4	22.3	21.0	19.8	16.6	13.0	7.7	6.0	174.3	10	3242
	07 LST	7.2	6.6	13.9	14.8	15.2	18.4	16.2	16.1	14.5	9.8	7.6	6.7	147.1	10	3310
	13 LST	5.9	5.7	9.6	13.1	15.5	17.6	16.5	15.3	12.3	8.2	5.8	6.3	131.8	10	3257
19 LST	6.8	8.1	12.5	15.5	15.5	17.3	14.6	14.8	15.5	12.5	7.7	6.7	147.5	10	3393	
	01 LST	6.7	8.4	15.3	17.8	19.4	22.2	21.0	19.8	16.6	12.9	7.6	6.0	173.7	10	3242

SMOLENSK, USSR

STA NO. 26781 (IN AREA NUMBER 07)

LATITUDE 5445N

LONGITUDE 03204E

ELEVATION(FT) 00791

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	36	36	59	72	84	88	88	86	82	73	57	45	88	10	3104
MEAN MAX TMP (F)	18	22	30	48	64	70	72	69	60	48	33	24	47	10	3104
MEAN MIN TMP (F)	9	12	19	33	45	51	54	52	44	37	27	18	33	10	3084
ABS MIN TMP (F)	-26	-22	-12	3	27	36	41	32	28	10	-4	-18	-26	10	3084
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	3104
MEAN NO DYS TMP = DR LES 32(F)	31.0	27.9	29.3	12.9	2.1	0.0	0.0	0.1	2.0	10.1	21.8	29.1	166.3	10	3084
MEAN NO DYS TMP = DR LES 0(F)	9.6	6.6	3.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	3.5	23.7	10	3084
MEAN DEW PT TMP (F)	10	13	20	34	45	51	55	53	46	38	27	18	34	10	25130
MEAN REL HUM (PCT)	85	83	81	76	69	70	75	77	80	85	88	88	80	10	25130
MEAN PRESS ALT (FT)	681	711	738	735	732	746	801	768	719	673	637	790	728	5	14039
MEAN PRECIP (IN)	1.40	1.41	1.81	1.61	2.53	2.45	3.56	3.62	1.86	1.99	2.08	2.47	26.8	10	2852
MEAN SNOW FALL (IN)						0.0	0.0	0.0						10	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	14.6	12.7	13.1	9.2	10.0	8.5	11.7	10.8	9.9	11.0	12.3	17.2	141.0	10	2852
MEAN NO DYS SNFL = DR GTR 1.5 IN						0.0	0.0	0.0						10	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	2.4	3.2	3.0	2.6	1.0	0.1	1.2	2.0	2.0	3.6	4.3	3.2	28.6	10	25045
MEAN NO DYS TSTMS	0.0	0.0	0.0	1.4	5.2	5.7	8.1	6.3	2.5	0.1	0.1	0.0	29.4	10	3540
P FREQ WND SPD = DR GTR 17 KTS	12.1	10.9	10.5	5.5	4.5	3.8	3.0	3.1	3.2	6.1	6.7	9.5	6.6	10	25162
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.3	0.2	0.2	0.0	0.2	0.0	0.0	0.0	0.1	0.0	0.0	0.1	10	25162
P FREQ LES 5000 FT A/D LES 5 MI	78.7	71.8	61.1	41.9	28.4	24.8	28.4	29.5	40.5	62.9	76.6	87.0	52.6	10	25045
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	54.7	49.6	41.4	20.9	9.8	7.3	12.5	11.0	19.5	34.6	54.0	62.9	31.7	10	3474
03-05 LST	55.5	51.7	49.1	31.2	20.1	14.5	24.0	28.9	30.5	49.3	57.2	64.9	39.7	10	2701
06-08 LST	69.7	67.9	57.7	34.0	16.8	12.0	20.9	20.7	38.4	58.3	65.9	73.6	44.7	10	3413
09-11 LST	65.1	55.7	49.4	26.2	15.0	8.2	11.5	14.9	24.9	45.4	60.8	74.7	37.7	10	2890
12-14 LST	55.3	49.3	39.9	20.3	9.1	5.5	7.0	6.8	14.6	33.5	57.3	68.9	30.6	10	3535
15-17 LST	55.1	49.7	39.6	18.0	7.1	5.1	5.3	6.1	9.7	30.4	59.6	70.3	29.7	10	2873
18-20 LST	51.6	45.7	33.1	15.9	7.4	6.0	4.8	6.4	10.8	28.0	47.5	66.0	26.9	10	3425
21-23 LST	53.4	46.6	39.4	17.1	6.8	6.1	7.3	9.5	12.2	35.6	52.4	64.6	29.3	10	2734
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	11.8	17.2	13.4	8.3	2.6	0.6	2.7	3.1	6.7	12.5	21.8	15.9	9.7	10	3474
03-05 LST	9.5	19.3	12.3	13.7	5.1	1.5	5.3	9.8	9.8	17.3	22.4	18.6	12.1	10	2701
06-08 LST	20.7	25.7	24.7	11.7	2.5	0.0	2.6	3.7	10.7	25.7	32.1	28.6	15.7	10	3413
09-11 LST	19.0	15.6	14.6	5.3	0.0	0.4	0.2	0.7	1.0	11.1	22.0	26.9	9.7	10	2890
12-14 LST	11.8	11.9	9.0	2.2	0.0	0.0	0.2	0.2	0.6	7.0	19.9	25.0	7.3	10	3535
15-17 LST	12.3	14.4	5.4	3.0	0.0	0.0	0.0	0.3	1.2	6.2	20.8	19.9	7.0	10	2873
18-20 LST	10.7	10.2	7.7	2.7	0.2	0.0	0.2	0.1	1.7	7.0	16.8	21.2	6.5	10	3425
21-23 LST	11.4	14.1	11.1	4.6	0.5	0.0	0.0	0.8	2.7	11.3	16.8	16.9	7.5	10	2734

## SMOLENSK, USSR

## MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST	17.3	16.6	20.2	25.0	29.0	28.9	28.0	28.7	25.9	21.7	16.3	14.3	271.9	10	3474
	08 LST	12.5	11.8	15.3	21.5	27.6	27.6	26.1	26.0	19.9	15.0	12.5	11.4	227.2	10	3413
	14 LST	17.1	16.7	20.9	26.6	29.8	29.3	30.0	29.7	27.6	23.7	15.9	12.6	279.9	10	3535
	20 LST	18.2	18.0	23.0	27.1	29.9	29.1	30.1	30.2	28.1	24.2	18.4	13.6	289.9	10	3425
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST	9.0	8.2	12.8	20.1	24.5	25.7	26.1	24.3	20.2	14.1	7.5	6.2	198.7	10	3471
	08 LST	4.8	5.0	9.0	14.4	21.0	22.4	21.8	21.1	15.6	8.8	6.1	3.9	153.9	10	3410
	14 LST	8.1	8.0	11.1	13.2	16.7	17.6	19.1	18.8	14.1	9.7	6.7	4.9	146.0	10	3531
	20 LST	8.7	8.8	14.2	20.1	25.3	24.4	27.3	26.3	23.0	16.2	9.4	5.6	209.3	10	3423
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST	0.9	0.2	0.5	0.2	0.7	0.0	0.0	0.0	0.0	0.0	0.7	0.5	4.5	10	1382
	08 LST	1.8	0.2	1.0	0.9	0.3	1.4	0.0	0.0	0.3	1.0	0.3	0.9	8.1	10	1455
	14 LST	1.5	0.0	1.2	2.1	1.6	2.9	0.0	0.0	1.4	1.8	0.8	1.1	14.4	10	1426
	20 LST	0.9	0.7	0.9	0.2	0.0	0.0	0.0	0.0	1.4	0.3	0.3	0.8	5.2	10	1415
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST	0.0	0.3	1.6	9.4	12.9	13.3	12.5	13.6	12.4	11.4	4.1	1.1	92.6	10	3490
	08 LST	0.0	0.1	1.2	11.1	16.5	17.9	19.0	17.3	16.0	11.3	3.9	0.6	114.9	10	3422
	14 LST	0.2	0.6	4.7	11.7	14.3	15.3	15.2	15.6	13.8	12.2	5.7	0.8	110.1	10	3540
	20 LST	0.1	0.2	2.1	13.3	14.6	15.9	16.0	14.1	13.7	12.9	4.1	0.7	107.7	10	3442
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST	5.0	6.1	9.3	13.0	14.7	14.0	13.5	15.0	12.5	7.2	4.8	3.3	118.4	10	3478
	08 LST	2.3	2.8	6.5	7.4	8.1	13.1	10.2	8.7	5.8	3.2	2.8	2.6	73.5	10	3421
	14 LST	5.2	5.0	7.3	4.9	3.4	4.4	3.5	3.4	3.6	2.8	4.3	3.2	51.0	10	3542
	20 LST	5.7	6.6	10.3	10.1	8.6	9.9	9.4	9.4	9.9	7.8	5.3	3.4	95.4	10	3440
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST	11.0	11.4	15.8	22.3	26.8	26.4	25.9	26.0	22.0	16.7	10.2	8.2	222.7	10	3474
	08 LST	6.6	6.7	11.4	18.1	24.0	25.0	23.1	23.2	17.3	10.7	7.6	5.1	178.8	10	3413
	14 LST	11.3	11.8	16.2	20.5	25.2	26.3	26.1	26.6	21.9	16.6	9.6	7.0	219.3	10	3535
	20 LST	13.1	12.2	18.3	23.1	27.0	26.9	28.5	27.5	24.9	19.3	12.5	7.2	239.5	10	3425
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST	8.5	9.0	13.4	19.7	24.9	24.5	23.8	24.0	18.8	12.4	7.4	5.1	191.5	10	3474
	08 LST	5.3	5.5	10.6	16.5	22.1	23.4	21.8	21.0	15.4	8.1	5.9	4.1	159.7	10	3413
	14 LST	10.2	10.5	14.6	17.0	19.7	20.0	21.0	21.1	17.1	13.4	8.6	5.9	179.1	10	3535
	20 LST	9.7	9.6	15.8	20.8	25.1	25.2	27.2	25.6	21.6	14.1	9.1	5.4	209.2	10	3425
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST	8.5	8.9	13.3	19.6	24.7	24.4	23.7	23.6	18.7	12.2	7.4	5.0	190.0	10	3474
	08 LST	5.3	5.3	10.4	16.4	22.0	23.3	21.7	20.7	15.3	8.0	5.8	4.1	198.3	10	3413
	14 LST	10.1	10.4	14.5	16.9	19.6	19.9	20.9	21.1	17.0	13.4	8.6	5.9	178.3	10	3535
	20 LST	9.6	9.5	15.6	20.7	25.0	25.2	27.1	25.4	21.2	13.9	8.9	5.3	207.4	10	3425

MINSK/SOUTH FIELD, USSR

STA NO. 26850 (IN AREA NUMBER 07)

LATITUDE 5352N

LONGITUDE 02792E

ELEVATION(FT) 00768

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	37	39	66	73	81	90	91	90	82	73	55	50	91	10	3142
MEAN MAX TMP (F)	21	25	34	51	64	71	72	70	62	50	36	27	49	10	3142
MEAN MIN TMP (F)	14	16	23	36	47	53	55	54	47	40	30	22	36	10	3126
ABS MIN TMP (F)	-20	-13	-17	14	28	32	45	37	28	19	0	-8	-20	10	3126
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.3	0.0	0.0	0.0	0.0	0.6	10	3142
MEAN NO DYS TMP = OR LES 32(F)	31.0	27.4	27.8	9.3	1.1	0.1	0.0	0.0	0.4	5.3	18.6	28.2	149.2	10	3126
MEAN NO DYS TMP = OR LES 0(F)	5.0	3.3	1.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	1.4	11.3	10	3126
MEAN DEW PT TMP (F)	14	17	24	36	45	51	54	54	48	41	30	22	36	10	25957
MEAN REL HUM (PCT)	87	85	81	74	68	66	70	74	77	85	90	89	79	10	25957
MEAN PRESS ALT (FT)	655	704	715	723	701	709	745	729	682	633	628	780	700	5	14126
MEAN PRECIP (IN)	1.35	1.51	1.69	1.38	2.64	2.69	2.26	3.40	1.86	1.79	2.26	1.63	24.5	10	2902
MEAN SNOW FALL (IN)						0.0	0.0	0.0						10	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	14.1	11.9	11.3	8.6	10.9	8.6	9.6	10.1	8.4	9.6	13.2	15.0	131.3	10	2902
MEAN NO DYS SNFL = OR GTR 1.5 IN						0.0	0.0	0.0						10	-29
MEAN NO DYS W/OCUR VSOBY LES 1/2 MI	2.7	3.5	3.2	2.1	0.6	0.3	0.3	0.7	2.1	5.1	5.2	3.6	29.4	10	25895
MEAN NO DYS TSTMS	0.0	0.0	0.3	0.8	6.2	5.9	6.4	4.9	1.5	6.2	0.0	0.0	26.2	10	3606
P FREQ WND SPD = OR GTR 17 KTS	4.0	4.3	5.2	3.8	1.9	1.6	0.5	1.5	1.7	2.5	2.4	3.0	2.7	10	25974
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.4	0.4	0.2	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.1	10	25974
P FREQ LES 5000 FT A/D LES 5 MI	84.3	79.6	62.5	47.0	38.4	32.0	35.4	39.1	45.5	67.7	82.8	84.2	58.2	10	25895
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	60.1	59.9	39.9	23.9	11.0	6.8	10.0	11.8	17.4	41.8	65.0	65.0	34.4	10	3496
03-05 LST	66.6	66.7	50.5	37.1	19.1	11.5	21.6	27.4	34.2	54.1	66.8	69.2	43.7	10	2860
06-08 LST	70.6	73.9	59.4	38.9	18.6	12.4	17.6	27.9	40.6	62.3	76.0	70.0	47.4	10	3456
09-11 LST	73.8	65.2	46.1	26.7	10.7	4.4	9.0	13.7	21.8	47.0	75.4	73.7	39.0	10	3066
12-14 LST	59.0	51.8	33.7	18.6	7.0	4.4	4.7	6.3	10.2	33.8	64.8	63.6	29.8	10	3577
15-17 LST	59.1	47.8	28.5	14.7	6.5	4.2	2.8	4.8	5.7	29.9	57.7	63.1	27.1	10	3026
18-20 LST	61.0	51.4	31.3	15.1	6.7	4.3	1.7	4.8	5.7	29.0	55.2	61.2	27.3	10	3454
21-23 LST	57.3	55.3	34.5	22.0	8.7	5.4	4.0	8.1	13.1	36.6	57.6	61.5	30.3	10	2960
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	19.0	19.7	11.5	6.0	2.0	0.6	0.6	1.1	4.7	12.7	22.1	24.6	10.4	10	3496
03-05 LST	16.1	24.6	15.6	14.0	5.2	1.5	3.5	4.6	8.6	23.9	25.2	26.6	14.1	10	2860
06-08 LST	19.6	27.8	22.8	14.2	2.2	0.8	1.0	3.0	10.6	26.9	33.9	25.2	15.7	10	3456
09-11 LST	20.6	24.0	11.8	4.7	0.0	0.0	0.0	0.0	1.1	14.5	27.7	26.4	10.9	10	3066
12-14 LST	13.7	13.1	8.0	2.1	0.0	0.1	0.0	0.0	0.6	5.6	19.8	20.6	7.0	10	3577
15-17 LST	13.2	12.5	8.6	1.2	0.0	0.0	0.0	0.3	0.0	5.5	18.7	17.4	6.5	10	3026
18-20 LST	14.4	12.2	7.9	3.0	0.0	0.0	0.0	0.0	0.2	5.4	17.0	17.9	6.5	10	3454
21-23 LST	13.9	17.6	9.3	5.0	0.5	0.0	0.0	0.3	1.8	11.4	21.5	16.7	8.2	10	2960

MINSK/SOUTH FIELD, USSR

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST	19.6	13.7	21.7	24.2	28.4	28.6	29.1	28.4	26.5	20.9	13.6	13.6	264.3	10	3496
	08 LST	12.1	9.1	15.0	19.9	26.6	27.9	27.4	24.3	20.0	13.6	9.0	11.7	216.6	10	3456
	14 LST	16.0	16.2	23.0	25.9	30.0	29.2	30.5	30.1	28.6	23.5	13.3	13.9	280.2	10	3577
	20 LST	15	16	23.6	26.7	29.4	29.3	30.8	29.9	29.0	24.7	16.5	14.1	286.5	10	3454
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST	6.9	7.9	12.0	18.2	24.9	25.7	24.9	24.4	19.8	12.7	4.6	5.7	185.7	10	3492
	08 LST	4.2	3.7	8.5	13.4	21.6	21.2	21.6	18.5	13.8	8.2	3.6	5.0	143.3	10	3450
	14 LST	6.7	6.7	11.3	11.8	16.2	15.7	17.8	15.5	13.0	10.3	4.0	6.4	133.4	10	3574
	20 LST	6.4	6.8	14.9	19.5	25.9	24.2	27.2	27.1	23.2	16.0	6.8	6.3	204.3	10	3451
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.2	0.5	1.4	10	1188
	08 LST	0.0	0.2	0.2	0.3	0.0	0.0	0.0	0.0	0.0	0.5	0.4	0.3	1.9	10	1246
	14 LST	0.0	0.0	0.9	3.1	1.4	0.0	0.0	0.0	0.7	1.1	0.6	0.2	8.0	10	1222
	20 LST	0.2	0.0	0.4	0.9	0.0	0.0	0.0	0.0	0.0	0.6	0.2	0.2	2.5	10	1205
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST	0.6	0.5	3.8	11.8	15.2	15.8	15.4	15.8	15.1	13.0	6.0	1.4	114.4	10	3493
	08 LST	0.2	1.0	2.8	13.0	18.0	18.9	18.8	17.8	17.0	13.6	5.7	1.8	128.6	10	3464
	14 LST	0.6	1.8	7.3	11.6	14.3	13.8	16.7	13.6	12.4	13.5	6.1	1.4	113.1	10	3579
	20 LST	0.9	1.1	4.7	14.3	18.6	18.8	20.1	17.7	16.5	15.6	5.7	1.6	135.6	10	3460
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST	4.4	4.6	9.8	11.8	15.7	16.3	15.2	16.5	14.4	8.2	4.0	3.7	124.6	10	3498
	08 LST	2.4	1.9	4.0	6.5	10.4	10.2	10.0	8.9	6.3	3.5	2.0	2.0	68.1	10	3468
	14 LST	3.8	5.0	7.0	5.7	3.2	3.6	3.4	3.6	4.5	4.2	2.6	2.3	48.9	10	3584
	20 LST	4.2	5.4	10.8	9.6	8.2	11.4	9.6	11.1	12.7	8.4	5.4	3.4	100.2	10	3462
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST	9.2	8.7	15.4	21.1	26.6	27.1	26.8	26.3	22.9	15.2	7.4	7.9	214.6	10	3496
	08 LST	6.2	5.4	10.5	17.0	23.8	24.4	23.9	20.6	15.9	9.4	5.2	6.6	168.9	10	3456
	14 LST	9.4	10.7	16.8	21.4	25.8	26.5	26.8	26.3	22.6	16.1	7.2	8.7	218.3	10	3577
	20 LST	9.0	10.4	18.5	23.2	27.6	27.5	29.3	28.2	26.9	18.7	10.1	9.5	238.9	10	3454
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST	7.2	6.4	12.9	17.9	22.8	24.7	24.1	23.9	19.3	12.2	5.8	6.4	183.6	10	3496
	08 LST	4.1	3.6	8.7	14.2	20.4	20.4	21.1	17.9	12.7	7.1	4.1	4.1	138.4	10	3456
	14 LST	7.5	8.7	12.6	13.5	12.2	13.4	11.2	13.4	12.3	10.9	5.2	6.6	127.3	10	3577
	20 LST	7.2	7.8	15.3	17.9	21.0	22.1	23.2	22.4	21.1	13.3	8.0	6.6	185.9	10	3454
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST	7.2	6.3	12.9	17.4	22.1	24.6	23.7	23.8	19.0	12.1	5.7	6.4	181.2	10	3496
	08 LST	4.0	3.5	8.6	13.9	19.9	20.1	20.7	17.6	12.3	7.0	4.1	4.0	133.7	10	3456
	14 LST	7.5	8.7	12.5	13.1	11.5	12.6	10.6	12.7	11.9	10.8	5.1	6.3	123.3	10	3577
	20 LST	7.1	7.7	15.2	17.7	20.5	22.0	22.9	22.3	20.8	12.8	8.0	6.5	183.5	10	3454

NIKOL'SK, USSR

STA NO. 27066 (IN AREA NUMBER 07)

LATITUDE 5932N

LONGITUDE 04327E

ELEVATION(FT) 00446

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	41	39	57	81	88	95	99	95	88	73	54	45	99	42	-660
MEAN MAX TMP (F)	14	17	29	45	60	69	74	69	56	41	27	18	43	38	-160
MEAN MIN TMP (F)	0	0	8	26	37	46	51	48	40	30	18	5	26	25	-160
ABS MIN TMP (F)	-51	-51	-40	-26	12	25	32	28	18	-20	-38	-49	-91	29	-660
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.0	0.0	0.0	0.0	0.0	0.3	10	3139
MEAN NO DYS TMP = DR LES 32(F)	30.9	28.0	29.8	22.6	7.5	2.3	0.0	0.6	5.6	17.3	25.1	30.2	199.9	10	3059
MEAN NO DYS TMP = DR LES 0(F)	16.5	11.0	7.5	1.4	0.0	0.0	0.0	0.0	0.0	0.0	3.1	9.8	49.3	10	3059
MEAN DEW PT TMP (F)	1	5	15	27	40	48	54	52	44	32	21	10	29	10	23463
MEAN REL HUM (PCT)	84	82	78	71	66	69	75	77	83	85	87	85	79	10	23463
MEAN PRESS ALT (FT)	325	333	428	363	379	461	529	428	442	423	317	347	398	5	12645
MEAN PRECIP (IN)	1.40	1.57	1.34	1.57	2.03	2.60	3.02	2.51	1.82	2.16	1.58	1.62	23.2	10	2788
MEAN SNOW FALL (IN)							0.0							29	-29
MEAN NO DYS PRC = DR GTR 0.1 IN	13.3	12.7	12.4	8.2	9.6	10.7	10.0	9.7	11.1	13.2	12.8	14.7	138.4	10	2788
MEAN NO DYS SNFL = DR GTR 1.5 IN							0.0							29	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	1.0	0.6	0.3	0.7	0.8	0.8	1.4	1.9	3.1	0.7	0.4	0.3	12.0	10	23427
MEAN NO DYS TSTM	0.0	0.0	0.0	0.4	2.9	6.5	5.7	4.7	1.4	0.1	0.0	0.0	21.7	10	3439
P FREQ WND SPD = DR GTR 17 KTS	2.9	4.7	4.3	3.0	2.3	2.1	1.2	0.9	1.7	2.5	1.5	3.2	2.5	10	23525
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.3	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	10	23525
P FREQ LES 3000 FT A/D LES 5 MI	58.8	55.3	55.2	41.3	44.2	44.3	48.0	48.0	61.9	71.1	74.1	67.8	55.8	10	23427
P FREQ LES 1500 FT A/D LES 3 MI															
FDR 00-02 LST	22.9	18.4	17.7	9.5	9.2	9.7	10.4	11.2	16.1	22.5	25.9	25.0	16.5	10	2719
03-05 LST	21.6	19.9	18.6	12.5	13.5	12.6	18.9	17.3	21.3	23.0	32.1	24.6	19.7	10	3270
06-08 LST	21.5	23.6	22.3	19.7	15.0	11.1	20.4	23.3	33.6	26.1	32.7	22.7	22.7	10	2539
09-11 LST	37.9	35.2	35.9	19.1	11.5	9.8	14.8	14.7	28.7	35.0	38.6	29.7	25.9	10	3139
12-14 LST	34.4	26.2	25.4	15.9	13.6	11.2	11.9	10.9	25.1	33.9	41.6	34.1	23.7	10	2578
15-17 LST	25.4	22.4	25.1	13.5	11.5	14.6	14.5	13.6	21.7	28.0	35.1	29.8	21.3	10	3231
18-20 LST	24.6	19.7	22.1	12.1	12.5	11.2	12.4	12.3	16.1	24.8	33.1	27.8	19.1	10	2743
21-23 LST	22.3	17.7	20.8	11.0	9.5	8.6	8.7	10.3	16.0	23.1	30.3	26.7	17.1	10	3208
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	1.7	0.5	0.3	0.7	0.6	0.8	0.8	1.0	2.6	2.0	1.0	0.8	1.1	10	2719
03-05 LST	1.0	1.4	0.3	1.3	2.1	4.5	6.2	5.9	5.7	2.5	0.6	0.4	2.7	10	3270
06-08 LST	0.5	2.9	2.1	3.3	4.5	1.8	5.9	8.2	12.1	3.3	0.7	0.8	3.8	10	2539
09-11 LST	5.7	5.8	3.7	1.7	0.2	0.0	0.0	0.8	3.1	4.3	3.0	2.0	2.5	10	3139
12-14 LST	4.2	1.1	1.8	1.0	0.0	0.5	0.0	0.0	0.8	2.3	1.6	3.0	1.4	10	2578
15-17 LST	1.4	3.7	2.2	0.3	0.0	0.0	0.0	0.3	0.2	1.6	2.5	2.5	1.2	10	3231
18-20 LST	2.0	2.9	1.9	0.5	0.2	0.0	0.0	0.0	0.2	0.5	2.1	2.2	1.0	10	2743
21-23 LST	1.9	0.8	1.0	1.3	0.0	0.0	0.0	0.3	0.5	0.7	0.5	1.2	0.7	10	3208

NIKOL'SK, USSR

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	03 LST	28.3	25.3	28.8	28.1	29.3	28.1	28.3	28.0	26.4	28.0	25.4	26.6	332.6	10	3270
	09 LST	24.2	21.8	23.9	27.9	29.6	29.2	29.8	29.0	26.2	24.2	22.8	26.8	315.4	10	3139
	15 LST	27.0	25.3	27.8	28.9	30.4	29.2	30.4	30.2	28.5	26.8	24.4	26.6	335.5	10	3231
	21 LST	28.0	26.4	28.4	28.7	30.2	29.6	30.4	30.2	28.6	27.3	25.8	28.4	342.0	10	3208
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	03 LST	19.7	18.1	19.7	22.2	24.3	24.3	22.2	23.1	19.3	17.9	14.6	16.0	241.4	10	3267
	09 LST	14.3	13.8	14.9	18.8	23.3	22.7	21.6	22.9	15.4	15.0	13.4	15.1	211.2	10	3137
	15 LST	18.6	15.3	14.2	18.0	18.0	17.7	19.8	20.4	15.3	15.3	13.9	15.4	201.9	10	3231
SFC WND = GTR 17 KTS AND NO PRECIP.	03 LST	19.6	17.9	18.3	23.2	25.1	24.2	25.1	24.6	21.0	18.7	15.6	15.8	249.1	10	3203
	09 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.3	0.7	10	1399
	15 LST	0.0	0.0	0.0	0.4	0.3	1.4	0.0	0.0	0.0	0.2	0.0	0.0	2.3	10	1488
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NG PRECIP.	09 LST	0.0	0.0	0.0	1.1	0.8	1.4	0.0	0.0	0.7	0.6	0.2	0.0	4.8	10	1447
	15 LST	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.0	0.0	0.8	0.2	0.0	1.7	10	1420
	21 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.2	0.0	1.7	10	1420
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NG PRECIP.	03 LST	0.2	0.0	1.4	2.8	5.6	5.8	5.3	5.3	8.2	5.6	2.7	0.6	43.5	10	3276
	09 LST	0.1	0.3	1.0	10.1	17.5	19.8	15.6	13.6	12.3	8.6	2.7	0.7	102.3	10	3144
	15 LST	0.1	0.7	4.5	14.4	18.6	17.8	18.1	19.2	16.9	12.3	4.7	0.7	128.2	10	3239
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	21 LST	0.2	0.0	2.4	6.2	11.3	9.6	9.1	7.1	9.3	6.8	3.1	0.7	65.8	10	3206
	03 LST	7.1	6.5	9.5	12.7	11.8	10.1	10.0	13.6	8.1	5.2	4.8	3.2	102.6	10	3277
	09 LST	3.3	2.6	4.5	8.7	10.0	9.5	8.4	8.8	4.1	3.1	3.1	1.6	68.1	10	3145
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	15 LST	6.2	5.3	6.5	6.4	5.2	3.8	3.7	2.5	2.9	2.4	4.1	3.3	52.3	10	3241
	21 LST	7.8	7.6	9.3	11.5	8.8	8.7	10.1	11.1	7.6	5.6	5.5	3.9	97.5	10	3208
	03 LST	18.9	18.5	19.8	22.4	22.6	22.6	20.4	21.6	18.2	17.0	12.9	16.0	230.9	10	3270
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	09 LST	13.6	13.7	15.1	19.6	23.5	22.6	21.3	22.3	14.6	13.8	12.0	14.5	206.6	10	3139
	15 LST	18.9	17.4	17.1	20.4	20.5	18.3	18.5	18.9	15.7	14.6	12.5	15.5	208.4	10	3231
	21 LST	19.2	18.9	19.3	23.0	23.7	22.8	24.4	23.6	19.3	17.2	13.9	15.4	240.7	10	3208
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	03 LST	14.8	15.1	15.9	18.3	19.0	18.8	16.5	17.6	13.0	10.6	7.4	10.5	177.5	10	3270
	09 LST	10.3	10.5	12.2	16.7	20.2	18.4	17.8	18.4	10.0	8.3	6.8	9.0	158.6	10	3139
	15 LST	16.6	14.8	13.4	15.8	12.7	10.7	10.9	10.6	10.0	7.7	8.3	11.6	143.1	10	3231
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	21 LST	15.9	15.9	15.8	19.8	19.6	18.3	20.8	20.2	14.4	10.5	8.8	11.0	191.0	10	3208
	03 LST	14.8	14.9	15.9	18.3	18.9	18.8	16.5	17.5	13.0	10.6	7.4	10.3	176.9	10	3270
	09 LST	10.3	10.4	12.2	16.7	20.2	18.4	17.8	18.3	10.0	8.3	6.8	8.8	158.2	10	3139
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	15 LST	16.5	14.7	13.4	15.8	12.7	10.7	10.9	10.6	10.0	7.7	8.3	11.4	142.7	10	3231
	21 LST	15.9	15.7	15.8	19.8	19.6	18.3	20.8	20.2	14.4	10.3	8.7	10.8	190.3	10	2008

CHEREP OVETS, USSR

STA NO. 27113 (IN AREA NUMBER 07)

LATITUDE 5907N

LONGITUDE 03756E

ELEVATION(FT) 00430

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	41	39	52	81	86	88	95	97	82	72	52	45	97	28	-560
MEAN MAX TMP (F)	17	18	29	44	59	68	73	68	57	42	30	21	44	24	-160
MEAN MIN TMP (F)	5	5	13	29	40	49	54	51	42	32	22	11	29	31	-160
ABS MIN TMP (F)	-56	-38	-31	-6	9	28	37	34	21	-8	-26	-40	-56	33	-660
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.2	10	3112
MEAN NO DYS TMP = DR LES 32(F)	30.7	27.9	28.9	18.2	2.1	0.4	0.0	0.0	2.5	11.5	23.8	30.0	176.0	10	3020
MEAN NO DYS TMP = DR LES 30(F)	13.9	8.6	5.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	2.1	6.5	36.3	10	3020
MEAN DEW PT TMP (F)	5	8	17	29	42	49	55	54	46	35	23	14	31	10	24413
MEAN REL HUM (PCT)	05	83	80	74	68	68	75	79	83	86	83	87	80	10	24413
MEAN PRESS ALT (FT)	442	366	451	355	366	415	483	418	423	410	306	421	396	5	13760
MEAN PRECIP (IN)	1.72	1.62	2.23	1.54	2.16	2.12	3.99	2.85	2.08	2.98	1.76	2.48	27.1	10	2663
MEAN SNOW FALL (IN)							0.0	0.0						33	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	16.0	14.1	13.3	9.2	10.4	8.0	11.6	11.5	11.0	13.2	12.2	17.2	147.7	10	2663
MEAN NO DYS SNFL = DR GTR 1.5 IN							0.0	0.0						33	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	1.0	0.9	0.8	1.9	0.5	0.2	0.7	1.1	1.8	1.7	1.7	1.5	13.8	10	24347
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.4	4.7	5.6	8.3	4.9	1.6	0.0	0.0	0.0	25.5	10	3420
P FREQ WND SPD = DR GTR 17 KTS	14.2	14.9	16.8	11.5	7.4	6.1	2.8	4.2	4.6	11.3	12.4	15.4	10.1	10	24472
P FREQ WND SPD = DR GTR 28 KTS	0.3	0.8	0.5	0.4	0.0	0.1	0.0	0.0	0.1	0.2	0.2	0.5	0.3	10	24472
P FREQ LES 5000 FT A/D LES 5 MI	74.2	65.0	52.4	37.5	29.3	24.5	30.4	34.3	46.9	67.7	72.4	79.4	51.3	10	24347
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	41.0	30.0	22.0	15.3	8.8	5.3	5.7	7.3	11.8	30.8	44.1	50.6	22.7	10	2919
03-05 LST	40.7	34.3	27.1	16.7	12.2	9.8	11.1	10.6	16.4	32.2	44.3	49.0	25.4	10	3213
06-08 LST	51.9	40.5	32.1	24.8	14.7	11.9	21.7	28.1	39.1	38.4	50.5	52.5	33.9	10	2797
09-11 LST	57.6	58.9	43.4	25.1	14.9	10.2	14.3	25.3	41.2	50.9	58.0	60.1	38.3	10	3153
12-14 LST	60.4	48.0	36.5	18.6	9.7	7.9	10.1	13.0	25.7	49.9	53.4	60.3	32.8	10	2948
15-17 LST	50.0	36.0	28.0	16.8	7.0	7.3	5.7	9.9	15.7	36.6	47.8	56.6	26.5	10	3199
18-20 LST	43.7	36.1	24.7	17.1	5.3	4.8	4.6	7.8	11.4	34.1	41.2	47.2	23.2	10	2874
21-23 LST	37.9	25.9	22.1	17.1	7.6	6.6	4.5	8.8	9.4	27.1	40.7	45.4	21.1	10	3244
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	3.5	5.0	4.8	4.0	0.0	0.0	0.3	0.3	1.0	5.2	8.9	8.6	3.5	10	2919
03-05 LST	3.5	3.3	5.3	3.3	2.2	0.7	2.1	0.8	1.3	6.6	9.1	6.7	3.7	10	3213
06-08 LST	6.3	6.7	4.5	9.4	2.5	1.7	4.8	6.3	8.1	5.8	7.1	8.8	6.0	10	2797
09-11 LST	9.0	8.0	7.1	9.2	1.5	0.0	1.5	3.4	9.7	12.0	13.8	9.5	7.1	10	3153
12-14 LST	10.2	7.7	5.3	4.8	0.5	0.0	0.3	0.0	1.5	9.0	13.2	12.1	5.4	10	2948
15-17 LST	6.5	6.0	5.4	1.3	0.0	0.0	0.0	0.5	0.2	4.0	10.0	9.3	3.6	10	3199
18-20 LST	5.1	5.9	3.9	2.9	0.0	0.0	0.0	0.3	0.3	7.5	7.7	6.8	3.4	10	2874
21-23 LST	3.1	3.0	3.5	3.7	0.5	0.2	0.0	0.0	0.8	4.4	7.3	5.2	2.6	10	3244

CHEREPOVETS, USSR

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	03 LST	22.0	22.0	25.0	26.6	28.6	28.3	29.2	29.1	27.3	23.8	20.2	19.4	301.5	10	3213
	09 LST	16.6	13.5	19.6	24.4	28.2	28.3	28.4	25.7	20.4	18.4	15.2	17.0	255.7	10	3153
	15 LST	18.2	20.3	25.2	26.7	30.3	28.9	30.4	29.2	27.6	22.8	18.9	17.1	295.6	10	3199
	21 LST	22.7	24.2	26.4	27.0	29.7	29.0	30.5	29.7	28.4	25.5	21.0	20.5	314.6	10	3244
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	03 LST	9.9	10.0	13.9	16.1	20.6	21.8	23.2	22.1	19.4	11.3	8.5	7.3	184.1	10	3212
	09 LST	7.0	6.0	9.9	14.1	17.9	19.3	20.8	16.2	11.4	7.0	6.5	4.2	140.3	10	3151
	15 LST	10.1	9.9	9.7	11.8	15.7	13.0	17.0	15.5	14.2	8.7	6.4	5.5	139.5	10	3198
SFC WND = GTR 17 KTS AND NO PRECIP.	03 LST	10.8	11.1	12.5	16.5	22.2	21.3	25.2	22.6	20.2	12.0	8.9	7.7	191.0	10	3243
	09 LST	2.6	0.0	0.0	1.3	0.7	1.3	0.0	0.9	1.9	1.4	2.2	1.4	13.7	10	1509
	15 LST	1.5	0.0	0.2	1.5	1.8	1.2	0.0	1.7	0.8	1.7	2.4	1.4	14.2	10	1630
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	21 LST	1.7	0.0	0.2	2.6	2.7	3.9	0.0	0.0	1.2	3.8	1.4	0.7	18.2	10	1558
	03 LST	2.5	0.0	0.2	1.2	1.1	0.8	0.9	0.0	0.8	2.0	2.5	1.0	13.0	10	1574
	09 LST	0.0	0.0	0.2	6.0	14.6	16.6	18.4	17.9	16.5	7.9	1.8	0.1	100.0	10	3216
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	15 LST	0.1	0.0	0.2	8.6	16.6	17.2	17.7	17.6	14.7	7.7	1.9	0.1	102.4	10	3162
	21 LST	0.0	0.3	2.7	10.0	14.3	11.9	13.4	14.0	13.9	10.9	3.2	0.1	94.7	10	3210
	03 LST	0.1	0.0	0.9	11.4	17.9	18.5	20.1	19.3	16.8	9.3	2.3	0.2	116.8	10	3254
CIG = GTR 2300 FT AND VSBY = GTR 3 MI	09 LST	6.7	6.8	11.6	12.8	11.9	14.1	12.8	13.9	11.3	7.9	5.9	3.3	119.0	10	3216
	15 LST	3.3	3.5	5.9	8.2	9.4	10.0	10.1	8.1	4.4	2.5	3.7	2.3	71.4	10	3167
	21 LST	6.1	6.5	6.9	6.2	6.1	7.0	5.6	6.5	4.1	3.7	4.0	3.2	65.9	10	3213
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	03 LST	7.4	7.9	11.0	9.8	10.7	11.8	10.9	11.3	12.2	7.1	6.1	4.5	110.7	10	3253
	09 LST	14.9	15.0	19.6	22.9	25.2	25.9	25.9	25.9	22.5	17.3	12.5	11.6	239.2	10	3213
	15 LST	10.0	9.5	15.5	20.5	24.4	24.9	24.3	20.4	14.9	11.6	9.5	7.7	193.2	10	3153
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	21 LST	13.4	15.9	18.7	21.9	26.5	25.7	27.1	25.4	21.1	15.3	11.7	9.9	232.6	10	3199
	03 LST	13.5	17.5	21.3	22.4	27.0	26.7	28.0	26.1	25.1	18.9	13.6	12.6	254.7	10	3244
	09 LST	11.8	11.3	15.7	19.0	22.3	23.7	24.0	22.5	17.5	12.2	8.9	7.9	196.8	10	3213
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	15 LST	7.8	7.5	12.6	17.5	21.7	22.5	21.5	17.4	12.8	7.7	7.4	5.5	161.9	10	3153
	21 LST	11.7	14.0	15.9	18.0	20.8	20.2	20.3	20.3	15.0	10.3	9.0	8.5	184.0	10	3199
	03 LST	11.9	13.8	16.8	19.6	23.2	24.0	25.1	23.3	20.5	12.0	9.7	9.2	209.1	10	3244
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	09 LST	11.2	10.6	15.0	18.3	21.9	23.2	23.3	21.4	17.0	11.3	8.7	7.4	189.3	10	3213
	15 LST	7.7	7.2	12.4	16.9	20.8	21.9	20.8	16.7	12.4	7.6	7.0	5.3	156.7	10	3153
	21 LST	11.5	13.6	15.7	17.4	20.0	19.9	20.1	19.9	14.6	9.9	8.6	7.9	179.1	10	3199
		10.9	12.9	16.1	19.0	22.7	23.6	24.8	22.6	19.7	11.1	8.7	8.2	200.3	10	3244

KIROV, USSR

STA NO. 27196 (IN AREA NUMBER 07)

LATITUDE 5839N

LONGITUDE 04937E

ELEVATION(FT) 00538

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	37	39	52	81	90	99	95	97	84	70	52	39	99	47	-675
MEAN MAX TMP (F)	12	15	27	44	60	70	74	69	56	40	26	16	42	47	-175
MEAN MIN TMP (F)	0	1	12	22	41	51	55	52	42	30	17	3	27	70	-175
ABS MIN TMP (F)	-42	-42	-29	-8	12	28	37	32	18	-9	-40	-49	-49	71	-675
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.1	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.7	10	3111
MEAN NO DYS TMP = OR LES 32(F)	31.0	28.0	30.4	18.8	3.7	0.4	0.0	0.0	4.3	18.4	26.8	30.5	192.3	10	3075
MEAN NO DYS TMP = OR LES 0(F)	15.8	9.7	5.4	0.1	0.0	0.0	0.0	0.0	0.0	0.0	4.0	10.0	45.0	10	3075
MEAN DEW PT TMP (F)	1	5	15	29	40	48	55	51	44	31	19	9	29	10	24992
MEAN REL HUM (PCT)	84	82	79	70	61	62	70	72	81	84	87	85	76	10	24992
MEAN PRESS ALT (FT)	395	382	455	436	471	570	641	520	523	477	376	349	466	5	12953
MEAN PRECIP (IN)	1.66	1.20	1.29	1.17	1.36	1.74	4.03	2.16	3.09	2.31	1.68	1.92	23.6	10	2804
MEAN SNOW FALL (IN)							0.0	0.0						71	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	15.9	12.0	11.4	7.8	7.5	8.2	10.7	7.9	11.7	13.6	13.1	15.2	135.0	10	2804
MEAN NO DYS SNFL = OR GTR 1.5 IN							0.0	0.0						71	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	2.0	1.1	1.3	1.5	1.4	0.6	1.1	1.3	1.9	2.2	2.0	1.6	18.0	10	24937
MEAN NO DYS TSTMS	0.0	0.0	0.1	0.7	4.0	7.2	8.8	4.1	1.6	0.2	0.1	0.0	26.8	10	3625
P FREQ WND SPD = OR GTR 17 KTS	3.2	7.1	4.9	4.4	3.1	2.5	0.9	1.1	2.9	6.7	3.9	4.5	3.8	10	25079
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.2	0.2	0.2	0.1	0.1	0.0	0.0	0.0	1.0	0.4	0.0	0.2	10	25079
P FREQ LES 5000 FT A/D LES 5 MI	75.6	64.7	56.3	41.8	35.9	34.4	43.5	39.6	56.0	71.4	75.4	80.1	56.2	10	24937
P FREQ LES 1500 FT A/D LES 3 MI															
FDR 00-02 LST	48.5	34.8	28.1	18.8	9.7	6.2	12.5	12.6	18.8	34.8	46.4	53.7	27.1	10	2777
03-05 LST	51.2	39.4	37.7	18.3	12.4	10.8	20.2	18.2	24.8	39.3	54.0	53.8	31.1	10	3496
06-08 LST	52.0	43.5	40.0	25.6	20.9	12.2	25.7	26.8	39.1	41.7	53.1	61.0	36.8	10	2602
09-11 LST	61.5	51.7	40.6	23.2	14.6	10.0	19.8	20.8	42.4	48.2	57.0	64.4	37.9	10	3450
12-14 LST	54.5	36.2	27.6	17.2	8.6	7.2	10.1	12.9	25.4	36.8	54.1	62.0	29.4	10	2777
15-17 LST	46.3	30.6	25.1	13.0	6.9	5.0	7.6	7.0	16.6	31.7	51.1	54.8	24.6	10	3549
18-20 LST	46.0	28.7	21.7	11.8	6.0	6.7	6.4	7.1	13.1	33.9	51.0	54.7	23.9	10	2814
21-23 LST	50.2	31.9	23.2	16.2	8.5	5.4	8.6	7.9	15.2	33.0	47.9	56.1	25.3	10	3472
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	9.0	4.3	5.5	6.3	1.5	1.8	0.7	1.7	2.9	8.1	11.3	9.7	5.2	10	2777
03-05 LST	11.9	6.3	4.7	5.2	4.3	3.0	3.4	3.1	4.3	9.8	13.2	9.9	6.6	10	3496
06-08 LST	10.9	7.4	8.4	8.6	6.5	2.3	6.0	8.6	10.5	13.3	11.3	13.2	8.9	10	2602
09-11 LST	16.4	12.3	8.0	5.7	1.8	0.6	1.7	1.8	8.1	11.5	15.8	19.0	8.6	10	3450
12-14 LST	11.8	5.9	5.0	3.6	0.3	0.3	0.3	1.0	1.5	8.5	11.2	14.1	5.3	10	2777
15-17 LST	10.3	4.0	4.9	3.4	0.2	0.0	0.2	0.8	1.0	7.1	9.4	11.7	4.4	10	3549
18-20 LST	8.8	3.5	3.1	3.3	0.2	0.5	0.0	0.0	2.1	7.1	8.0	8.5	3.8	10	2814
21-23 LST	8.9	3.8	4.2	3.3	1.0	1.0	0.0	0.2	2.7	7.6	12.6	9.5	4.6	10	3472

KIROV, USSR

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	FDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	03 LST	18.3	19.8	24.4	26.1	28.2	28.0	26.8	27.0	24.4	21.5	16.2	17.5	278.2	10	3496
	09 LST	15.1	16.3	20.9	25.5	27.7	28.3	27.2	27.0	19.9	18.8	16.2	13.7	256.6	10	3450
	15 LST	20.6	22.4	26.1	27.4	29.8	29.0	29.8	29.8	27.2	24.0	18.1	17.3	301.5	10	3549
	21 LST	18.3	21.6	26.0	26.6	29.3	28.9	29.4	29.4	26.8	23.2	18.6	16.2	294.3	10	3472
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	03 LST	10.1	10.9	16.0	19.5	22.6	22.7	24.0	22.7	18.5	11.8	8.7	8.5	196.0	10	3496
	09 LST	7.5	8.1	11.7	16.7	16.9	17.1	20.1	18.7	11.6	8.3	8.0	5.9	150.6	10	3446
	15 LST	10.6	11.0	11.7	13.9	13.1	13.8	17.2	17.3	12.0	9.8	8.0	8.0	146.4	10	3547
	21 LST	9.2	10.7	16.3	18.8	24.0	24.1	25.6	25.4	19.8	13.2	9.5	7.1	203.7	10	3469
SFC WND = GTR 17 KTS AND NO PRECIP.	03 LST	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.3	1.4	0.5	0.6	3.0	10	1570
	09 LST	0.0	0.0	0.0	1.0	1.3	1.0	0.0	7.0	0.7	1.5	1.2	0.8	7.5	10	1659
	15 LST	0.0	0.0	0.0	1.0	1.6	2.0	0.0	1.6	2.1	1.8	0.0	0.6	10.7	10	1616
	21 LST	0.0	0.0	0.0	0.5	0.5	0.0	0.0	0.0	0.0	1.2	0.5	0.8	3.5	10	1605
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	03 LST	0.1	0.0	0.3	8.3	18.9	18.5	19.4	20.3	18.5	6.7	2.2	0.1	113.3	10	3510
	09 LST	0.0	0.0	0.8	10.2	16.0	16.4	19.1	18.7	16.2	5.7	2.3	0.1	105.5	10	3460
	15 LST	0.0	0.0	2.9	10.7	12.2	11.9	13.4	16.6	12.5	7.7	2.3	0.2	90.4	10	3560
	21 LST	0.0	0.0	0.9	12.2	20.1	17.2	18.9	20.8	19.3	8.9	2.5	0.2	171.0	10	3472
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	03 LST	6.3	6.4	9.9	13.6	12.1	10.3	11.8	13.8	10.2	5.6	5.3	4.9	110.2	10	3509
	09 LST	3.3	3.8	6.8	10.6	10.3	10.1	10.3	11.5	4.4	2.7	2.6	3.3	79.7	10	3462
	15 LST	5.1	5.4	8.0	8.9	5.6	3.6	4.5	4.8	3.8	2.9	4.0	4.4	61.0	10	3562
	21 LST	6.0	8.1	11.3	13.1	9.7	10.7	11.1	13.0	10.4	5.7	5.7	5.3	110.1	10	3477
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	03 LST	12.7	14.5	16.5	23.0	26.3	25.9	23.5	24.2	20.4	15.4	11.1	11.3	226.8	10	3496
	09 LST	9.7	11.1	16.6	21.3	24.9	25.3	23.0	22.5	15.1	13.1	9.8	8.5	200.9	10	3450
	15 LST	14.0	17.1	20.2	24.1	27.0	27.0	26.7	26.7	21.5	16.9	11.4	11.3	243.9	10	3549
	21 LST	12.9	16.9	21.1	23.9	27.2	27.6	27.4	27.8	23.5	17.2	12.2	11.4	249.1	10	3472
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	03 LST	11.0	12.1	15.2	20.0	21.3	20.8	19.2	20.7	16.0	9.7	8.4	9.1	183.5	10	3496
	09 LST	7.6	9.0	13.8	18.4	21.1	21.2	20.2	20.2	11.8	8.3	6.9	6.5	165.0	10	3450
	15 LST	12.5	14.1	16.7	17.1	16.6	15.2	15.1	16.4	12.2	10.3	9.3	9.5	165.0	10	3549
	21 LST	11.0	14.4	17.2	20.8	21.3	22.2	21.4	22.2	17.3	10.1	8.9	9.6	196.4	10	3472
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	03 LST	10.9	12.0	15.1	19.8	20.8	20.8	19.1	20.4	15.8	9.4	8.3	9.1	181.5	10	3496
	09 LST	7.3	9.0	13.5	18.1	20.9	21.0	20.0	19.8	11.5	8.0	6.7	6.4	162.2	10	3450
	15 LST	12.3	14.0	16.6	16.8	15.9	14.5	14.8	16.0	11.8	10.2	9.2	9.3	161.4	10	3549
	21 LST	11.0	14.3	16.9	20.7	20.8	22.0	21.2	22.1	16.8	9.7	8.9	9.5	193.9	10	3472

YUR'YEVETS, USSR

STA NO. 27355 (IN AREA NUMBER 07) LATITUDE 5720N LONGITUDE 04307E ELEVATION(FT) 00433

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. DBS
ABS MAX TMP (F)	39	41	55	77	88	93	97	99	88	72	54	43	99	29	-675
MEAN MAX TMP (F)	16	17	28	44	60	69	73	70	58	42	24	19	43	28	-175
MEAN MIN TMP (F)	4	4	14	30	42	51	55	52	43	34	21	9	30	28	-175
ABS MIN TMP (F)	-47	-45	-29	-8	18	27	37	32	21	-8	-29	-44	-47	29	-675
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.1	0.0	0.0	0.0	0.0	0.8	10	3147
MEAN NO DYS TMP = DR LES 32(F)	31.0	28.0	29.4	15.7	0.9	0.0	0.0	0.0	1.4	12.6	24.5	29.7	173.2	10	3095
MEAN NO DYS TMP = DR LES 0(F)	13.8	7.3	3.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	6.7	33.7	10	3095
MEAN DEW PT TMP (F)	4	8	17	30	43	50	56	53	45	34	22	13	31	10	25033
MEAN REL HUM (PCT)	82	78	75	67	63	65	72	72	78	80	85	84	75	10	25033
MEAN PRESS ALT (FT)	296	301	361	331	364	426	503	404	394	345	258	315	358	5	12903
MEAN PRECIP (IN)	1.52	1.54	1.23	1.12	1.77	1.81	3.07	1.78	2.42	1.59	1.67	2.16	21.7	10	2857
MEAN SNOW FALL (IN)							0.0	0.0						29	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	15.3	12.4	11.1	7.3	9.6	7.7	10.3	9.0	9.9	10.2	11.9	16.6	131.3	10	2857
MEAN NO DYS SNFL = DR GTR 1.5 IN							0.0	0.0						29	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	1.1	1.0	1.6	1.9	0.9	0.2	0.5	1.2	1.0	1.4	2.2	2.0	15.0	10	24705
MEAN NO DYS TSTMS	0.0	0.0	0.0	1.1	6.2	8.4	10.0	5.7	2.6	0.1	0.0	0.0	34.1	10	3629
P FREQ WND SPD = DR GTR 17 KTS	4.0	4.1	3.5	4.1	3.0	2.6	1.6	2.9	4.2	7.3	3.1	3.8	3.7	10	25085
P FREQ WND SPD = DR GTR 28 KTS	0.1	0.1	0.2	0.1	0.0	0.0	0.1	0.4	0.1	0.1	0.1	0.3	0.1	10	25085
P FREQ LES 3000 FT A/D LES 5 MI	61.1	49.9	45.9	32.4	27.4	25.4	29.3	31.6	46.6	62.4	69.5	70.0	46.0	10	24705
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	32.8	22.4	16.7	9.1	6.1	4.8	6.7	8.4	12.0	23.8	41.6	41.0	18.8	10	2798
03-05 LST	36.2	24.4	18.6	9.8	8.4	6.2	10.0	9.2	15.3	28.7	44.9	44.3	21.3	10	3464
06-08 LST	35.5	31.3	24.6	17.7	14.6	8.9	17.6	16.4	26.4	34.7	44.1	43.8	26.3	10	2565
09-11 LST	42.4	37.0	31.1	21.0	11.8	8.7	13.4	15.0	27.9	39.9	50.8	52.6	29.3	10	3411
12-14 LST	37.3	27.0	24.4	15.8	7.8	6.9	10.0	7.6	21.9	32.7	43.5	42.9	23.2	10	2736
15-17 LST	35.1	23.6	22.2	10.4	6.5	4.7	9.8	7.4	12.3	28.7	42.6	43.1	20.5	10	3515
18-20 LST	31.0	20.9	20.9	9.7	5.2	5.0	7.2	7.5	10.1	26.6	41.0	39.6	18.7	10	2770
21-23 LST	31.3	20.2	18.0	8.8	6.5	5.3	7.0	8.9	9.6	21.0	40.4	40.6	18.1	10	3446
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	4.6	2.7	1.3	2.5	0.3	0.0	0.0	0.3	0.0	5.0	8.8	8.7	2.9	10	2798
03-05 LST	4.7	3.0	3.2	3.5	1.2	1.3	1.0	1.0	3.5	4.2	11.8	10.4	4.1	10	3464
06-08 LST	2.8	6.2	5.4	6.5	4.8	1.0	3.0	4.8	5.8	3.7	9.4	8.1	5.1	10	2565
09-11 LST	7.9	6.3	8.7	8.0	1.3	0.0	1.3	2.2	5.5	8.5	11.5	10.0	5.9	10	3411
12-14 LST	2.8	4.1	4.3	3.1	0.0	0.0	1.2	0.0	0.2	5.7	10.1	8.9	3.4	10	2736
15-17 LST	3.3	2.1	2.2	1.0	0.6	0.0	0.2	0.2	0.2	3.1	9.0	11.0	2.7	10	3515
18-20 LST	4.2	2.3	2.5	1.8	0.0	0.0	0.0	0.0	0.3	2.3	8.3	7.9	2.5	10	2770
21-23 LST	3.5	2.0	2.0	2.0	0.0	0.0	0.2	0.0	0.0	1.6	8.6	8.5	2.4	10	3446

YUR'YEVETS, USSR

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	03 LST	23.5	24.3	28.0	28.3	29.8	29.4	29.6	29.5	27.3	25.7	20.5	20.6	316.5	10	3464
	09 LST	22.5	21.2	24.5	25.5	29.3	28.6	28.4	28.6	25.1	22.9	18.7	19.5	294.8	10	3411
	15 LST	24.8	24.6	27.1	28.6	30.6	30.0	30.1	30.4	28.9	26.2	21.8	21.5	324.6	10	3515
	21 LST	24.4	25.0	27.8	29.2	30.3	29.7	30.5	30.4	29.3	27.2	21.8	21.5	327.3	10	3446
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	03 LST	13.3	13.5	18.8	21.8	23.7	23.5	24.4	23.5	19.1	11.9	10.0	10.5	214.0	10	3462
	09 LST	10.9	11.0	14.1	17.7	20.6	21.3	22.3	19.7	13.2	9.3	8.8	7.5	176.6	10	3408
	15 LST	13.8	13.7	15.6	18.1	19.8	17.8	19.7	18.8	15.2	10.3	9.8	9.9	182.5	10	3514
	21 LST	14.8	15.2	18.5	21.5	23.9	23.8	24.2	22.7	20.2	14.3	10.8	10.5	220.4	10	3445
SFC WND = GTR 17 KTS AND NO PRECIP.	03 LST	0.4	0.0	0.0	0.3	0.4	0.0	0.0	0.0	1.6	2.2	0.8	0.3	6.0	10	1347
	09 LST	0.5	0.0	0.0	0.8	0.4	3.3	0.0	0.0	2.3	2.0	0.3	0.4	14.0	10	1427
	15 LST	0.4	0.0	0.0	1.6	1.2	3.3	0.0	4.4	2.3	1.2	0.3	0.3	15.0	10	1400
	21 LST	0.4	0.0	0.2	0.3	0.0	0.0	0.0	0.0	0.5	2.1	0.8	0.2	4.5	10	1308
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	03 LST	0.1	0.0	1.4	12.0	19.0	20.6	21.1	19.3	18.3	10.3	3.4	0.5	126.0	10	3502
	09 LST	0.1	0.1	1.4	13.3	20.7	18.1	19.9	19.0	17.0	9.0	4.1	0.7	123.4	10	3452
	15 LST	0.4	0.1	6.2	15.9	18.7	16.3	17.1	17.6	14.9	10.7	5.7	1.0	174.6	10	3564
	21 LST	0.0	0.0	3.9	15.7	19.7	17.9	19.2	18.2	18.6	11.3	4.7	1.1	130.3	10	3481
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	03 LST	7.9	8.5	12.1	14.8	14.1	14.7	14.1	16.5	11.7	6.4	7.2	5.6	133.6	10	3307
	09 LST	5.3	5.6	8.3	10.2	12.3	12.5	13.3	12.0	6.0	3.5	3.6	3.2	95.8	10	3457
	15 LST	6.9	6.2	8.6	10.6	8.9	9.4	9.6	8.5	6.5	4.5	4.8	4.9	89.4	10	3562
	21 LST	9.0	10.3	12.1	14.6	13.4	11.8	13.5	13.7	13.8	8.7	7.9	5.7	134.5	10	3485
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	03 LST	16.7	18.1	22.6	25.0	26.4	26.1	25.7	26.2	22.5	17.4	12.6	13.5	253.2	10	3464
	09 LST	14.0	14.3	18.7	21.8	24.6	25.4	24.6	23.6	17.5	13.9	10.8	10.0	219.2	10	3411
	15 LST	16.5	18.7	21.3	24.8	26.3	26.3	24.8	25.9	22.2	17.2	12.4	14.2	250.6	10	3515
	21 LST	18.2	19.8	22.7	25.1	27.0	26.4	26.4	25.4	23.9	20.6	13.9	14.9	264.3	10	3446
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	03 LST	14.2	15.3	19.4	21.0	22.2	22.2	22.4	22.7	17.2	11.0	9.7	10.9	208.2	10	3464
	09 LST	11.5	12.0	16.7	19.5	21.9	23.0	22.5	21.1	14.3	10.3	9.1	7.4	189.3	10	3411
	15 LST	15.8	17.5	18.7	22.0	22.1	21.7	20.5	20.3	16.6	13.9	10.4	12.8	212.3	10	3515
	21 LST	15.3	16.8	18.8	21.7	23.9	23.0	24.2	24.1	18.7	13.3	11.1	10.9	219.8	10	3446
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	03 LST	14.1	15.2	19.0	20.9	22.2	22.2	22.4	22.7	17.2	11.0	9.7	10.8	207.4	10	3464
	09 LST	11.2	11.9	16.6	19.4	21.8	23.0	22.3	21.1	14.3	10.3	9.1	7.3	188.3	10	3411
	15 LST	15.3	17.3	18.7	21.8	22.1	21.7	20.5	20.3	16.5	13.9	10.4	12.7	211.2	10	3515
	21 LST	15.2	16.7	18.7	21.5	23.9	23.0	24.2	22.1	18.7	13.2	11.1	10.9	219.2	10	3446

KAZAN, USSR

STA NO. 27595 (IN AREA NUMBER 07)

LATITUDE 5547N LONGITUDE 04911E ELEVATION(FT) 00210

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	39	39	52	86	91	99	100	99	95	73	59	43	100	38	-663
MEAN MAX TMP (F)	13	15	26	46	64	73	76	73	60	44	28	18	45	36	-163
MEAN MIN TMP (F)	1	1	11	31	44	52	56	53	44	33	19	6	29	36	-163
ABS MIN TMP (F)	-53	-40	-26	-6	18	27	37	32	19	-13	-36	-44	-53	38	-663
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.2	0.2	0.9	0.3	0.0	0.0	0.0	0.0	1.6	10	3073
MEAN NO DYS TMP = OR LES 32(F)	31.0	28.0	29.8	16.2	1.1	0.1	0.0	0.0	1.8	13.5	26.5	30.3	178.3	10	3080
MEAN NO DYS TMP = OR LES 0(F)	13.2	9.5	4.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	1.9	7.2	36.1	10	3080
MEAN DEW PT TMP (F)	4	6	17	31	41	49	56	52	45	33	22	12	31	10	24295
MEAN REL HUM (PCT)	84	81	79	71	56	61	66	67	74	78	85	84	74	10	24295
MEAN PRESS ALT (FT)	37	0	54	73	113	225	299	176	146	64	0	-14	98	5	12784
MEAN PRECIP (IN)	2.68	2.45	1.77	1.47	1.15	1.82	2.41	2.56	1.49	1.48	2.21	2.23	23.7	10	2787
MEAN SNOW FALL (IN)							0.0	0.0						38	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	14.2	12.5	10.6	7.1	6.6	7.1	8.8	7.6	8.1	9.8	10.7	12.7	115.8	10	2787
MEAN NO DYS SNFL = OR GTR 1.5 IN							0.0	0.0						38	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	1.5	1.7	1.7	1.8	0.0	0.3	0.3	0.4	0.7	0.6	2.7	1.6	13.3	10	24202
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.4	3.0	7.0	7.6	3.4	1.6	0.0	0.0	0.0	23.0	10	3603
P FREQ WND SPD = OR GTR 17 KTS	11.2	13.9	10.7	8.1	6.6	4.4	3.0	3.8	5.0	6.5	5.5	12.6	7.6	10	24330
P FREQ WND SPD = OR GTR 28 KTS	0.9	1.8	1.6	0.3	0.1	0.0	0.0	0.0	0.2	0.6	0.3	1.4	0.6	10	24330
P FREQ LES 5000 FT A/D LES 5 MI	70.1	60.2	52.6	32.0	15.5	16.2	17.7	21.8	30.3	37.0	68.3	65.3	42.3	10	24202
P FREQ LES 1500 FT A/D LES 3 MI														10	2583
FOR 00-02 LST	48.1	32.2	29.5	1.8	2.4	3.5	5.8	5.5	11.4	27.3	47.4	44.7	22.7	10	3490
03-05 LST	49.7	39.7	35.6	1.6	5.6	7.9	8.7	9.7	10.8	28.8	49.6	47.0	25.9	10	2326
06-08 LST	53.0	45.0	42.2	24.8	7.9	9.9	15.8	20.1	21.0	32.3	56.2	49.0	31.4	10	3432
09-11 LST	57.0	58.2	49.5	24.4	6.3	7.1	8.4	12.9	22.9	38.9	52.7	52.9	32.6	10	2648
12-14 LST	55.9	40.5	32.7	15.6	5.3	4.3	4.7	9.5	12.4	31.7	47.5	54.0	26.2	10	3557
15-17 LST	43.6	32.0	23.6	13.2	1.6	3.2	3.5	5.7	8.4	24.2	43.3	43.7	20.5	10	2725
18-20 LST	43.3	38.1	22.9	12.4	1.7	2.2	2.2	4.9	5.2	22.6	46.5	43.3	20.6	10	3441
21-23 LST	45.2	32.9	27.2	11.9	2.9	2.9	3.5	5.5	6.4	25.3	45.3	45.1	21.2	10	
P FREQ LES 300 FT A/D LES 1 MI														10	2583
FOR 00-02 LST	5.2	6.5	5.7	3.1	0.0	0.0	0.3	0.5	0.5	0.8	9.1	10.4	3.5	10	3490
03-05 LST	7.9	6.9	6.8	6.4	0.2	1.0	1.0	0.6	1.7	4.4	14.8	11.0	5.2	10	2326
06-08 LST	6.8	8.7	11.7	10.0	0.0	1.0	2.1	1.8	4.8	6.5	16.2	12.5	6.8	10	3432
09-11 LST	15.6	16.5	13.8	7.0	0.2	0.0	0.3	0.0	1.8	6.6	13.5	15.6	7.6	10	2648
12-14 LST	14.2	8.1	4.7	2.9	0.0	0.0	0.0	0.0	0.0	5.9	14.3	13.7	5.3	10	3557
15-17 LST	8.4	5.7	4.8	2.9	0.0	0.0	0.0	0.0	0.0	4.5	8.7	9.3	3.7	10	2725
18-20 LST	4.5	6.0	4.3	3.7	0.0	0.0	0.0	0.0	0.0	3.1	8.6	7.1	3.1	10	3441
21-23 LST	5.4	5.0	2.7	1.2	0.4	0.0	0.0	0.0	0.3	2.4	10.0	7.5	2.9	10	

KAZAN, USSR

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	03 LST	18.5	19.0	21.6	25.6	29.7	28.5	29.2	29.1	27.8	24.4	17.6	19.3	290.3	10	3490
	09 LST	15.9	13.6	17.5	24.1	30.1	28.8	29.8	28.6	25.5	21.8	16.7	17.3	269.7	10	3432
	15 LST	20.4	21.5	25.7	27.0	30.9	29.7	30.6	30.1	28.5	26.2	20.1	20.2	310.9	10	3557
	21 LST	19.6	20.8	24.7	27.2	30.5	29.5	30.6	30.1	28.8	25.1	19.1	19.8	305.8	10	3441
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	03 LST	7.7	8.0	11.8	17.6	21.1	21.6	24.4	23.1	21.4	12.1	8.2	7.3	184.3	10	3487
	09 LST	6.0	5.0	8.2	13.2	15.5	17.4	18.8	17.4	14.2	8.7	7.4	5.6	137.4	10	3430
	15 LST	8.1	9.4	11.4	13.3	11.3	13.2	13.6	14.8	12.3	9.9	8.5	7.1	132.9	10	3554
	21 LST	8.8	8.9	12.7	17.4	21.3	22.6	24.1	22.9	20.3	13.2	7.9	6.3	186.4	10	3439
SFC WND = GTR 17 KTS AND NO PRECIP.	03 LST	0.0	0.0	0.0	0.4	1.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	2.4	10	636
	09 LST	0.0	0.0	0.0	0.9	2.1	2.1	0.0	0.0	0.3	1.3	1.0	0.0	7.7	10	665
	15 LST	0.0	0.0	0.0	1.6	2.1	3.2	0.0	1.8	2.9	2.1	1.0	0.0	14.7	10	649
	21 LST	0.0	0.0	0.0	0.4	0.8	0.0	0.0	0.0	0.6	0.8	0.3	0.0	3.1	10	640
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	03 LST	0.1	0.1	0.6	9.4	18.1	16.4	18.4	17.0	17.4	9.5	1.6	0.2	109.0	10	3491
	09 LST	0.0	0.2	1.1	10.1	14.5	16.0	16.3	14.8	15.6	7.9	2.3	0.3	99.3	10	3443
	15 LST	0.0	0.1	3.8	10.5	10.4	12.0	11.2	12.5	11.1	9.5	3.2	0.6	84.9	10	3560
	21 LST	0.2	0.0	1.4	12.7	17.9	18.2	19.2	18.5	17.2	10.3	3.0	0.3	118.7	10	3442
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	03 LST	5.9	7.2	8.6	14.5	13.9	13.1	14.7	16.0	13.4	7.3	6.9	6.1	127.6	10	3494
	09 LST	3.1	4.0	4.9	8.6	11.2	11.3	11.8	12.8	7.0	3.5	3.9	3.6	85.7	10	3441
	15 LST	5.2	6.3	8.7	8.7	6.2	5.8	5.7	6.4	4.7	4.5	4.4	4.1	70.7	10	3561
	21 LST	6.4	7.8	9.7	13.4	11.8	10.4	12.0	13.2	12.9	7.6	6.3	6.1	117.6	10	3447
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	03 LST	12.8	14.7	17.8	23.6	28.5	26.6	27.3	26.7	25.5	18.7	12.3	13.3	247.8	10	3490
	09 LST	11.2	10.2	14.2	21.1	27.6	26.2	26.3	25.2	20.7	15.5	11.7	11.8	221.7	10	3432
	15 LST	15.1	17.1	21.6	24.7	29.3	28.0	28.6	27.6	25.4	19.7	13.6	14.9	265.6	10	3557
	21 LST	14.6	16.9	20.3	25.4	29.4	28.4	29.2	28.3	27.1	20.2	13.2	14.4	267.4	10	3441
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	03 LST	11.3	12.9	14.6	20.8	26.1	23.3	24.4	23.9	22.5	13.5	10.4	11.6	215.3	10	3490
	09 LST	9.9	11.3	13.0	19.4	24.5	23.1	23.3	23.7	18.9	11.6	9.9	10.5	197.1	10	3432
	15 LST	13.9	15.8	19.6	20.5	21.4	20.4	20.4	20.3	17.8	12.6	11.0	13.4	207.1	10	3557
	21 LST	12.5	15.2	17.8	22.5	24.8	24.5	25.2	24.4	22.3	14.1	10.3	13.1	226.9	10	3441
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	03 LST	11.1	12.8	14.5	20.5	25.6	22.5	23.4	23.4	22.1	13.2	10.2	11.5	210.8	10	3490
	09 LST	9.8	9.2	12.9	19.2	23.9	22.5	22.7	23.5	18.4	11.1	9.8	10.5	193.5	10	3432
	15 LST	13.8	15.8	19.4	20.1	19.1	17.8	17.5	18.6	16.3	12.0	10.8	13.2	194.4	10	3557
	21 LST	12.3	15.1	17.7	22.0	23.8	22.9	24.1	23.7	21.3	13.6	10.2	13.0	219.7	10	3441

MOSKVA/MOSCOW, USSR

STA NO. 27612 (IN AREA NUMBER 07)

LATITUDE 5545N LONGITUDE 03734E ELEVATION(FT) 00512

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	37	41	52	73	88	90	91	91	84	75	54	41	91	10	3100
MEAN MAX TMP (F)	18	23	32	50	66	72	74	71	61	47	32	23	47	10	3100
MEAN MIN TMP (F)	9	13	21	35	48	53	57	55	46	37	25	18	35	10	3147
ABS MIN TMP (F)	-20	-20	-9	7	27	37	45	32	27	10	-4	-15	-20	10	3147
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.1	0.9	0.3	0.0	0.0	0.0	0.0	1.3	10	3100
MEAN NO DYS TMP = DR LES 32(F)	30.9	26.9	28.6	9.5	0.5	0.0	0.0	0.1	1.8	8.4	22.3	28.3	197.3	10	3147
MEAN NO DYS TMP = DR LES 0(F)	9.6	5.1	1.8	0.0	0.0	0.0	0.0	0.0	0.0	0.4	4.6	21.5		10	3147
MEAN DEW PT TMP (F)	10	13	20	32	44	50	55	54	46	36	25	17	34	10	25876
MEAN REL HUM (PCT)	84	81	76	67	61	63	68	72	76	80	85	86	75	10	25876
MEAN PRESS ALT (FT)	383	388	445	421	440	467	541	478	443	341	331	456	432	5	13946
MEAN PRECIP (IN)	1.98	1.55	1.43	1.45	2.02	1.95	3.47	3.01	1.97	1.70	1.51	2.13	24.2	10	2822
MEAN SNOW FALL (IN)						0.0	0.0	0.0						10	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	14.8	12.2	10.3	8.2	8.6	8.4	11.3	10.5	8.7	10.2	10.4	16.4	130.0	10	2822
MEAN NO DYS SNFL = DR GTR 1.5 IN						0.0	0.0	0.0						10	-29
MEAN NO DYS W/O CUR VSBY LES 1/2 MI	0.4	0.3	0.5	0.5	0.0	0.0	0.1	0.4	0.8	0.9	0.6	0.6	5.1	10	25777
MEAN NO DYS TSTMS	0.0	0.0	0.1	1.1	4.0	6.2	7.6	6.9	1.5	0.4	0.0	0.0	27.8	10	3614
P FREQ WND SPD = DR GTR 17 KTS	1.7	1.3	2.0	1.2	1.2	0.9	0.7	0.9	1.2	1.8	1.2	3.0	1.4	10	25897
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	10	25897
P FREQ LES 5000 FT A/D LES 5 MI	82.5	73.1	59.6	46.6	34.9	30.9	35.8	38.2	49.0	68.1	77.0	88.2	57.0	10	25777
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	48.7	40.2	27.5	14.7	4.9	5.3	11.1	8.2	11.9	26.4	47.4	61.0	25.6	10	2927
03-05 LST	56.3	44.0	32.3	18.6	9.2	6.4	12.5	10.8	17.0	30.8	47.9	63.5	29.1	10	3520
06-08 LST	58.1	46.9	38.3	29.0	11.1	10.5	16.0	21.3	24.2	39.0	47.6	61.8	33.7	10	2803
09-11 LST	70.4	63.0	49.1	28.0	14.1	12.0	15.2	22.1	32.2	46.4	60.6	70.1	40.3	10	3487
12-14 LST	66.3	54.8	35.1	23.6	7.3	8.4	10.1	12.6	20.0	39.0	59.9	67.7	33.7	10	3015
15-17 LST	55.6	41.7	25.4	12.5	5.1	4.8	6.3	7.3	11.8	28.2	49.0	61.1	25.7	10	3581
18-20 LST	51.1	40.1	25.4	12.9	4.7	3.6	3.6	6.4	9.7	22.9	46.9	60.2	24.1	10	2988
21-23 LST	51.8	40.7	23.2	13.4	6.8	4.8	6.3	7.6	10.8	22.2	47.3	60.1	24.6	10	3456
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	4.1	3.1	2.5	0.5	0.0	0.0	0.0	0.0	0.0	1.2	4.7	4.9	1.8	10	2927
03-05 LST	3.9	2.9	3.9	2.6	0.0	0.1	0.5	1.1	1.6	2.8	6.2	6.3	2.7	10	3520
06-08 LST	4.7	3.7	4.6	3.8	0.5	0.0	0.8	3.1	4.4	5.0	7.1	6.0	3.6	10	2803
09-11 LST	10.0	7.6	8.1	3.0	0.1	0.2	0.5	0.8	3.4	6.5	7.8	8.4	4.7	10	3487
12-14 LST	6.9	4.9	4.4	1.2	0.0	0.0	0.0	0.2	0.4	4.1	6.9	7.4	3.0	10	3015
15-17 LST	4.4	2.5	2.6	0.6	0.0	0.1	0.0	0.0	0.2	2.3	4.5	7.4	2.1	10	3581
18-20 LST	4.1	3.5	3.0	0.4	0.0	0.0	0.0	0.3	0.3	1.9	4.7	5.3	2.1	10	2988
21-23 LST	2.7	2.1	1.6	1.0	0.2	0.0	0.1	0.0	0.0	0.7	3.5	4.8	1.4	10	3456

MOSKVA/MOSCOW, USSR

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	03 LST	17.9	19.4	24.2	26.5	29.3	29.2	29.0	29.5	26.8	25.4	19.2	15.0	291.4	10	3520
	09 LST	12.7	13.3	19.0	23.7	28.8	28.3	28.7	26.5	23.5	20.1	15.5	13.0	253.1	10	3487
	15 LST	17.7	19.8	26.5	27.9	30.5	29.4	30.1	29.9	23.5	25.8	19.0	16.7	301.8	10	3581
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	03 LST	8.4	11.5	14.7	20.1	26.0	25.3	25.1	25.5	21.7	14.9	10.2	5.7	209.1	10	3518
	09 LST	5.3	6.7	10.5	17.8	22.8	22.2	23.0	21.3	15.7	11.8	7.1	4.0	168.4	10	3485
	15 LST	8.9	11.3	14.8	17.1	20.0	17.2	20.7	20.9	17.5	13.4	10.2	5.7	177.7	10	3580
SFC WND = GTR 17 KTS AND NO PRECIP.	21 LST	8.9	10.9	17.3	21.1	26.2	25.6	26.7	25.7	22.9	17.4	10.4	5.9	218.6	10	3453
	03 LST	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.4	0.0	1.0	10	1894
	09 LST	0.0	0.2	0.0	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.2	0.3	0.5	1.6	10
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	15 LST	0.2	0.0	0.4	0.9	0.2	0.6	0.4	0.4	0.7	1.0	0.5	0.3	5.6	10	1952
	21 LST	0.0	0.0	0.2	0.4	0.0	0.4	0.0	0.2	0.2	0.3	0.0	0.3	2.0	10	1921
	03 LST	0.3	0.7	2.4	11.3	12.6	12.2	12.4	12.1	13.3	12.5	4.6	1.5	95.9	10	3525
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	09 LST	0.4	0.5	2.6	15.1	18.8	20.5	18.3	18.2	15.8	13.2	4.9	2.2	130.6	10	3496
	15 LST	0.4	0.9	8.2	16.4	18.0	16.1	17.7	17.8	16.7	14.5	7.6	2.0	136.3	10	3458
	21 LST	0.6	0.7	5.6	15.6	18.7	18.0	16.5	15.3	14.4	14.6	6.2	1.4	127.6	10	3458
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	03 LST	4.3	6.5	10.6	10.9	15.0	14.2	14.7	13.9	11.5	7.4	6.0	2.6	117.6	10	3523
	09 LST	1.4	2.3	4.9	8.1	10.5	11.1	12.7	9.2	5.7	2.6	2.7	1.4	72.6	10	3496
	15 LST	3.2	5.4	7.2	6.4	3.6	3.6	2.9	4.2	3.9	2.7	4.3	2.7	50.1	10	3582
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	21 LST	4.3	6.9	11.1	11.6	9.9	9.9	11.3	11.3	11.8	7.3	6.0	2.8	104.2	10	3461
	03 LST	9.7	12.1	17.4	21.9	26.4	26.3	25.4	25.3	22.4	16.4	11.6	7.6	222.5	10	3520
	09 LST	6.0	7.6	12.7	19.5	24.6	24.2	24.1	22.2	17.4	12.5	8.3	5.4	184.5	10	3487
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	15 LST	10.4	12.5	19.1	23.5	26.8	26.6	26.7	26.1	22.6	17.6	11.0	7.5	230.4	10	3581
	21 LST	10.5	12.6	20.5	23.7	27.4	27.2	27.9	26.7	24.6	19.3	11.4	6.8	238.6	10	3456
	03 LST	8.2	9.4	14.2	17.6	22.1	22.7	22.9	21.9	17.7	10.7	6.9	5.4	181.7	10	3520
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	09 LST	4.3	6.2	10.1	16.3	21.5	21.8	21.8	19.7	14.5	8.1	6.4	3.8	154.5	10	3487
	15 LST	8.8	9.4	15.4	16.5	15.6	15.2	14.8	16.4	13.4	10.8	8.0	5.5	149.8	10	3581
	21 LST	8.2	10.3	16.2	20.3	22.1	22.8	24.0	21.8	19.7	12.0	8.8	4.8	191.0	10	3456
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	03 LST	8.2	9.3	14.2	17.3	21.9	22.2	22.8	21.6	17.6	10.4	8.8	5.3	179.6	10	3520
	09 LST	4.2	6.2	10.0	16.2	21.4	21.6	21.8	19.5	14.4	7.9	6.3	3.7	153.2	10	3487
	15 LST	8.8	9.4	15.3	16.3	15.2	14.7	14.4	16.1	13.3	10.6	8.0	5.5	147.6	10	3581
	21 LST	8.2	10.2	16.2	20.0	21.8	22.5	23.7	21.6	19.4	11.6	8.7	4.8	188.7	10	3456

RYAZAN/, USSR

STA NO. 27731 (IN AREA NUMBER 07)

LATITUDE 5437N

LONGITUDE 03943E

ELEVATION(FT) 00443

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	37	37	54	72	88	90	91	93	84	75	54	46	93	10	2928
MEAN MAX TMP (F)	16	20	30	49	66	71	74	72	62	47	31	23	47	10	2928
MEAN MIN TMP (F)	0	9	19	35	48	53	57	55	46	36	24	17	34	10	2896
ABS MIN TMP (F)	-26	-25	-17	-6	28	36	43	32	30	5	-13	-18	-26	10	2896
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.1	0.5	0.7	0.0	0.0	0.0	0.0	1.3	10	2928
MEAN NO DYS TMP = DR LES 32(F)	31.0	27.7	29.0	13.0	0.8	0.0	0.0	0.1	1.0	9.6	24.1	29.5	165.8	10	2896
MEAN NO DYS TMP = DR LES 0(F)	12.2	8.3	3.5	0.1	0.0	0.0	0.0	0.0	0.0	0.0	1.3	4.8	30.2	10	2896
MEAN DEW PT TMP (F)	7	10	20	34	45	50	55	54	46	37	25	17	33	10	25295
MEAN REL HUM (PCT)	85	83	81	73	64	65	69	71	75	82	88	87	77	10	25295
MEAN PRESS ALY (FT)	311	292	349	344	376	414	488	417	363	300	246	346	254	5	13804
MEAN PRECIP (IN)	1.66	1.40	1.22	1.59	1.85	2.50	2.74	1.81	1.63	1.68	1.80	2.47	22.3	10	2593
MEAN SNOW FALL (IN)						0.0	0.0	0.0	0.0					10	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	12.7	11.9	9.3	8.7	7.0	7.5	8.6	7.8	7.0	7.9	11.3	15.8	115.5	10	2593
MEAN NO DYS SNFL = DR GTR 1.5 IN						0.0	0.0	0.0	0.0					10	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	2.8	2.0	3.1	1.6	0.4	0.3	0.4	0.7	1.2	1.8	4.2	3.2	21.7	10	25218
MEAN NO DYS TSTMS	0.0	0.1	0.0	0.6	4.1	6.5	8.8	4.8	1.8	0.1	0.0	0.0	26.8	10	3566
P FREQ WND SPD = DR GTR 17 KTS	15.5	15.1	11.6	7.4	7.1	4.2	2.5	4.7	5.7	7.5	7.9	15.7	8.7	10	25357
P FREQ WND SPD = DR GTR 28 KTS	0.9	0.9	0.6	0.0	0.5	0.1	0.0	0.1	0.1	0.0	0.0	0.5	0.3	10	25357
P FREQ LES 5000 FT A/D LES 5 MI	77.6	67.6	59.8	38.7	29.5	30.7	30.1	30.2	40.3	56.3	72.7	83.5	51.4	10	25218
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	56.2	48.1	38.6	12.9	4.3	5.3	6.1	5.7	9.1	22.8	51.0	62.1	26.9	10	2886
03-05 LST	58.9	48.9	40.7	16.4	6.5	6.1	6.7	6.8	13.3	26.8	49.4	63.5	26.8	10	3434
06-08 LST	56.8	50.1	45.4	24.4	12.7	8.8	15.2	18.0	21.3	34.3	51.7	65.0	33.6	10	2742
09-11 LST	69.0	55.1	49.7	22.3	10.6	9.7	12.8	17.5	25.7	43.5	56.3	68.7	36.7	10	3399
12-14 LST	65.0	48.8	46.9	18.0	8.1	7.0	9.0	6.6	17.5	34.3	57.1	64.1	31.9	10	2953
15-17 LST	49.1	38.1	35.5	15.7	7.1	4.3	5.3	3.8	10.7	26.3	49.8	63.5	25.8	10	3453
18-20 LST	52.7	38.3	33.8	13.1	5.0	3.8	3.2	5.7	5.7	22.2	52.9	61.7	24.8	10	2940
21-23 LST	53.2	46.0	36.9	11.3	4.3	3.5	3.3	5.5	6.7	23.2	51.6	60.5	25.5	10	3411
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	16.0	14.3	12.5	3.5	0.7	0.2	0.7	0.8	1.2	5.3	21.5	17.1	7.8	10	2886
03-05 LST	16.5	8.8	16.3	5.6	1.0	1.2	1.0	3.4	4.0	8.0	23.6	21.0	9.2	10	3434
06-08 LST	16.5	12.4	17.2	9.0	2.8	2.0	5.0	4.0	7.8	10.7	25.4	21.1	11.2	10	2742
09-11 LST	19.1	17.7	20.8	7.8	1.5	0.3	1.5	3.4	7.0	12.9	24.0	24.2	11.7	10	3399
12-14 LST	11.7	12.0	11.7	4.6	0.3	0.2	1.1	0.0	1.3	9.6	22.2	20.9	8.0	10	2953
15-17 LST	9.3	9.3	6.6	2.7	0.6	0.0	0.0	0.6	0.8	4.3	17.6	18.3	5.8	10	3453
18-20 LST	12.5	9.0	7.5	3.2	0.0	0.7	1.1	1.6	0.8	4.1	19.3	18.5	6.5	10	2940
21-23 LST	14.0	12.7	11.8	2.7	0.0	0.3	0.2	1.0	0.3	4.2	18.8	15.7	6.8	10	3411

RYAZAN/, USSR

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	03 LST	14.5	16.2	19.8	25.8	29.6	28.7	29.3	28.8	27.1	24.1	16.9	14.0	274.8	10	3434
	09 LST	11.6	14.4	17.0	24.7	28.9	28.3	28.2	26.9	23.7	19.4	15.1	12.3	250.5	10	3399
	15 LST	19.3	19.7	21.9	26.4	29.6	29.3	30.1	30.3	27.3	25.5	17.8	13.5	290.7	10	3453
	21 LST	17.0	16.8	20.8	27.0	30.0	29.2	30.4	29.6	28.1	25.0	16.8	14.7	285.4	10	3411
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	03 LST	6.0	8.2	10.6	18.4	24.3	23.0	25.3	23.5	19.2	13.0	8.1	4.6	184.2	10	3431
	09 LST	4.3	6.5	9.1	13.4	16.9	17.4	19.9	19.0	14.9	10.6	6.1	4.2	142.3	10	3397
	15 LST	7.6	9.5	9.4	10.8	11.8	13.9	14.6	15.2	11.9	8.1	7.2	5.1	125.1	10	3453
	21 LST	6.9	9.2	11.5	20.3	23.5	24.0	24.7	25.0	22.1	14.6	7.6	5.4	194.8	10	3410
SFC WND = GTR 17 KTS AND NO PRECIP.	03 LST	0.4	0.6	1.2	1.0	0.6	0.4	0.4	0.9	0.8	1.9	0.7	1.7	10.6	10	1838
	09 LST	0.4	0.6	0.8	1.5	1.1	0.6	0.4	0.6	1.2	0.7	0.5	1.2	9.6	10	1948
	15 LST	1.0	0.8	2.2	2.6	3.4	2.9	1.3	2.1	3.0	2.2	0.4	1.4	23.1	10	1890
	21 LST	1.2	0.8	1.0	1.1	0.8	0.2	0.4	0.2	0.6	0.9	0.5	1.7	9.4	10	1887
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	03 LST	0.1	0.1	0.6	10.3	16.0	17.0	17.2	15.0	15.4	10.6	2.7	0.5	105.5	10	3442
	09 LST	0.1	0.1	1.3	12.6	15.7	16.0	18.7	16.3	16.2	11.2	3.0	0.2	111.4	10	3406
	15 LST	0.3	0.4	4.1	10.0	10.8	11.7	13.4	14.6	11.3	10.4	4.9	0.7	90.5	10	3463
	21 LST	0.1	0.2	2.4	12.2	17.3	17.7	18.3	16.8	16.4	11.3	4.1	0.3	117.1	10	3421
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	03 LST	4.8	6.6	8.7	12.0	10.9	11.2	12.6	13.8	11.6	7.9	6.4	2.9	109.4	10	3438
	09 LST	2.5	2.9	5.2	7.8	8.9	9.7	11.5	10.0	6.4	3.7	3.5	1.7	73.8	10	3412
	15 LST	4.2	5.2	6.4	5.7	3.3	2.4	3.1	3.2	3.2	3.0	3.3	2.9	45.9	10	3464
	21 LST	6.2	7.7	10.3	10.1	8.9	8.0	9.0	10.8	12.0	8.7	5.7	3.6	101.0	10	3425
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	03 LST	10.7	12.0	16.6	23.7	27.9	27.2	28.2	27.4	24.3	20.2	12.9	8.1	239.2	10	3434
	09 LST	7.9	10.8	14.5	21.7	26.3	25.5	25.7	24.0	20.6	15.1	10.7	7.0	209.8	10	3399
	15 LST	13.4	15.6	18.0	23.4	27.3	27.3	27.8	28.2	24.3	19.3	11.9	9.3	245.8	10	3453
	21 LST	12.1	13.1	17.9	25.6	28.5	28.5	29.1	28.6	27.5	21.5	11.5	9.3	253.2	10	3411
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	03 LST	7.8	9.7	13.4	18.5	21.0	21.0	23.7	23.0	19.0	13.3	9.5	5.2	185.1	10	3434
	09 LST	5.3	7.3	12.0	18.3	22.5	20.5	21.8	20.4	15.8	10.7	8.0	4.5	167.6	10	3399
	15 LST	10.3	12.5	14.2	15.6	15.6	14.3	13.8	15.9	12.4	12.1	9.3	6.7	132.7	10	3453
	21 LST	10.1	11.2	14.9	19.7	21.1	21.0	22.2	21.8	20.1	15.4	8.3	5.9	191.7	10	3411
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	03 LST	7.5	9.6	13.1	18.3	19.7	20.0	22.3	21.9	18.2	12.7	9.0	5.1	177.4	10	3434
	09 LST	5.7	6.8	11.7	18.1	21.8	19.5	21.3	19.9	15.3	10.5	7.9	4.4	162.9	10	3399
	15 LST	10.1	11.9	13.8	15.0	14.5	13.0	11.8	14.7	11.7	11.3	9.0	6.6	143.4	10	3453
	21 LST	9.9	10.9	14.6	18.7	20.1	19.6	21.0	20.5	18.8	14.5	8.0	5.5	182.1	10	3411

PERM'/MOLOTOV, USSR

STA NO. 28225 (IN AREA NUMBER 07)

LATITUDE 5801N

LONGITUDE 09618E

ELEVATION(FT) 00528

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
ABS MAX TMP (F)	34	39	48	77	86	93	95	86	81	63	50	45	95	10	3058
MEAN MAX TMP (F)	10	14	27	45	61	68	74	68	56	39	25	14	42	10	3058
MEAN MIN TMP (F)	1	3	14	30	43	50	57	51	42	31	18	7	29	10	2977
ABS MIN TMP (F)	-35	-42	-29	-4	21	28	41	34	25	0	-22	-38	-42	10	2977
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.2	0.3	0.0	0.0	0.0	0.0	0.0	0.5	10	3058
MEAN NO DYS TMP = OR LES 32(F)	31.0	27.9	30.4	19.1	4.3	0.8	0.0	0.0	3.8	17.8	27.4	30.7	193.2	10	2977
MEAN NO DYS TMP = OR LES 0(F)	14.6	11.4	5.4	0.1	0.0	0.0	0.0	0.0	0.0	0.1	3.7	11.1	46.4	10	2977
MEAN DEW PT TMP (F)	1	3	15	28	39	47	55	51	42	30	18	6	28	10	24470
MEAN REL HUM (PCT)	81	77	77	67	61	64	69	73	77	82	85	82	75	10	24470
MEAN PRESS ALT (FT)	358	271	388	393	442	587	650	516	508	448	331	222	426	5	12711
MEAN PRECIP (IN)	1.32	1.05	1.17	0.98	1.83	2.38	3.09	2.47	1.76	1.89	1.40	1.42	20.8	10	2724
MEAN SNOW FALL (IN)							0.0	0.0						10	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	13.5	9.6	10.1	7.7	8.4	9.0	9.4	10.0	10.2	13.0	11.8	13.3	126.0	10	2724
MEAN NO DYS SNFL = OR GTR 1.5 IN							0.7	0.0						10	-29
MEAN NO DYS W/O CUR VSBY LES 1/2 MI	1.0	1.0	1.3	0.9	0.6	0.3	0.9	0.6	0.5	0.9	0.9	0.6	9.5	10	24020
MEAN NO DYS TSTMS	0.0	0.0	0.1	0.1	3.7	7.5	8.4	5.9	1.3	0.2	0.0	0.0	27.2	10	3567
P FREQ WND SPD = OR GTR 17 KTS	6.0	6.9	7.6	6.7	5.0	3.2	1.8	1.5	3.1	6.2	4.5	9.4	5.2	10	24540
P FREQ WND SPD = OR GTR 28 KTS	0.1	0.1	0.1	0.3	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.3	0.1	10	24540
P FREQ LES 5000 FT A/D LES 5 MI	84.2	74.8	70.9	52.4	44.2	36.4	41.8	51.7	63.8	78.6	82.3	81.1	63.5	10	24020
P FREQ LES 1500 FT A/D LES 3 MI															
FDR 00-02 LST	46.1	39.9	36.5	24.2	21.7	18.3	20.6	20.4	27.6	38.2	46.3	47.6	32.3	10	2568
03-05 LST	52.6	43.7	42.6	26.9	16.3	14.7	21.2	24.4	29.4	43.7	49.7	49.7	34.6	10	3411
06-08 LST	54.3	45.4	51.5	20.9	17.2	14.5	18.9	26.6	35.1	47.3	53.0	50.2	36.2	10	2513
09-11 LST	62.4	49.3	40.7	21.6	15.5	10.9	14.6	17.5	28.1	45.6	52.5	54.1	34.4	10	3317
12-14 LST	48.6	35.5	31.3	13.7	12.7	8.3	9.1	10.2	17.4	38.9	51.8	43.5	26.8	10	2886
15-17 LST	47.8	32.7	20.8	11.8	8.0	5.6	6.7	7.4	14.1	32.4	45.0	49.1	23.5	10	3375
18-20 LST	49.2	41.8	29.3	16.6	6.9	8.0	6.8	8.8	16.7	41.7	46.1	53.5	27.1	10	2502
21-23 LST	46.0	35.2	33.4	26.8	18.0	6.4	10.5	19.3	24.4	39.2	45.8	48.3	29.4	10	3448
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	5.1	4.6	4.3	3.7	2.8	1.0	2.8	2.6	3.7	3.5	6.2	4.4	3.7	10	2568
03-05 LST	6.3	5.9	7.0	2.4	4.0	2.0	4.9	3.2	2.6	6.0	7.2	4.4	4.7	10	3411
06-08 LST	9.7	7.9	10.6	8.0	3.1	0.5	3.1	3.9	4.2	9.5	9.6	4.3	6.2	10	2513
09-11 LST	12.6	13.2	6.8	2.6	0.5	0.3	0.2	1.3	2.7	8.8	11.7	10.4	5.9	10	3317
12-14 LST	6.8	6.7	2.9	0.8	0.2	0.0	0.6	0.0	0.7	4.1	6.0	6.0	2.9	10	2886
15-17 LST	5.8	3.9	2.4	1.5	0.0	0.3	0.8	0.0	0.6	4.9	6.7	7.7	2.9	10	3375
18-20 LST	4.7	4.0	3.4	2.7	0.7	0.3	1.1	0.0	0.7	4.1	7.1	8.2	3.1	10	2502
21-23 LST	5.9	3.6	2.6	2.2	2.2	0.0	0.5	0.8	1.6	3.1	5.6	5.7	2.8	10	3448

PERM'/MOLOTOV, USSR

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	04 LST	19.6	20.0	22.6	26.3	27.3	26.5	26.0	26.7	26.4	23.0	20.5	21.0	269.9	10	3411
	10 LST	14.6	15.8	21.2	25.2	27.7	27.7	28.5	27.6	23.9	20.1	17.2	17.0	266.5	10	3317
	16 LST	19.7	21.1	27.1	28.0	29.9	28.8	25.9	30.0	27.3	24.6	20.1	19.2	305.7	10	3375
	22 LST	21.7	22.1	25.5	26.5	29.3	29.0	29.9	29.6	27.7	24.2	22.1	21.4	309.0	10	3448
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	04 LST	7.8	8.2	12.2	17.3	21.5	21.2	22.0	22.4	18.5	11.4	9.8	8.1	180.4	10	3408
	10 LST	5.1	6.6	10.1	13.9	14.5	16.1	19.0	16.9	13.6	8.1	8.6	6.6	139.1	10	3316
	16 LST	8.9	10.2	13.1	14.1	12.2	15.0	18.8	17.3	14.4	9.0	9.3	8.0	150.3	10	3374
	22 LST	9.7	9.9	14.2	18.5	23.4	24.1	25.7	25.0	20.8	13.0	10.2	8.5	203.0	10	3447
SFC WND = GTR 17 KTS AND NO PRECIP.	04 LST	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.7	0.7	0.3	0.3	2.5	10	2173
	10 LST	0.0	0.0	0.0	1.3	0.9	0.2	0.5	0.6	0.6	1.0	0.5	0.3	5.9	10	2297
	16 LST	0.0	0.0	0.0	2.1	3.4	1.7	0.9	0.6	1.6	1.7	0.4	0.1	12.5	10	2232
	22 LST	0.0	0.0	0.0	1.1	0.2	0.2	0.0	3.0	1.0	1.8	1.0	0.3	5.6	10	2259
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	04 LST	0.0	0.0	0.6	8.9	17.0	19.9	21.0	22.2	18.6	6.4	2.4	0.1	117.5	10	3471
	10 LST	0.0	0.0	1.1	10.9	14.1	15.5	19.5	15.3	16.0	6.0	2.3	0.1	101.8	10	3390
	16 LST	0.0	0.2	3.1	11.5	11.3	14.3	18.3	15.9	14.7	7.1	3.1	0.3	99.8	10	3435
	22 LST	0.0	0.0	1.3	12.6	20.8	21.1	22.2	22.6	20.2	7.7	2.4	0.2	131.1	10	3495
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	04 LST	3.6	6.7	7.4	11.8	10.8	9.7	10.7	10.3	7.6	4.0	4.4	5.7	92.7	10	3454
	10 LST	1.7	3.2	5.7	8.5	10.8	8.8	10.3	8.3	4.6	2.2	2.3	3.5	69.9	10	3385
	16 LST	3.9	5.4	7.6	8.8	6.3	4.3	6.2	4.1	4.9	2.4	3.5	5.0	62.4	10	3430
	22 LST	4.9	7.8	10.2	13.3	12.2	9.0	11.2	13.1	9.5	4.0	5.5	5.4	106.1	10	3491
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	04 LST	11.9	13.7	15.2	20.5	24.7	24.8	23.3	22.1	19.0	14.2	11.7	12.5	213.6	10	3411
	10 LST	9.4	13.0	16.2	21.7	24.6	25.1	24.1	23.4	18.8	13.5	11.4	11.8	213.0	10	3317
	16 LST	13.5	16.9	21.9	24.3	26.6	27.3	27.1	26.3	23.3	16.2	12.5	13.0	248.9	10	3375
	22 LST	13.8	16.2	18.5	20.6	24.3	27.3	26.6	24.0	20.9	15.7	12.5	12.8	233.2	10	3448
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	04 LST	9.9	11.7	12.9	17.5	21.0	21.4	19.7	19.0	14.7	9.5	8.3	10.5	176.1	10	3411
	10 LST	7.6	11.6	14.3	19.2	20.4	20.8	21.1	20.8	14.9	10.2	9.3	10.1	130.3	10	3317
	16 LST	11.6	15.0	18.1	20.2	20.1	18.9	19.9	17.6	16.3	10.8	9.4	11.5	189.4	10	3375
	22 LST	11.0	13.8	15.4	18.7	20.8	21.5	22.0	20.7	16.9	10.2	9.8	10.3	191.1	10	3448
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	04 LST	9.9	11.6	12.9	17.3	20.7	20.8	19.3	18.7	14.4	9.2	8.2	10.5	173.5	10	3411
	10 LST	7.5	11.5	14.2	19.1	20.1	20.7	21.0	20.6	14.6	10.1	9.2	10.0	178.6	10	3317
	16 LST	11.5	14.9	18.1	20.0	19.6	18.3	19.4	17.3	15.9	10.6	9.3	11.4	186.2	10	3375
	22 LST	10.8	13.7	15.3	18.5	20.5	21.1	21.7	20.5	16.7	9.9	9.7	10.2	186.6	10	3448

AREA 07

USSR	EUROPEAN PLAIN	LATITUDE 6100N											LONGITUDE 04000E	
		BOUNDARIES		6700N 02915E		6500N 04400E		6300N 04400E		6500N 05900E		6500N 05900E		5600N 05900E
		5600N	05900E	5400N	03600E	5000N	03600E	5220N	02315E					
PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)		16	20	30	45	60	68	72	68	58	44	31	22	45
MEAN MIN TMP (F)		6	5	16	30	41	49	54	52	43	34	23	13	31
LARGEST MEAN PRECIP(IN)		2.68	2.45	2.23	1.72	3.01	2.69	4.03	4.16	3.53	2.99	2.76	2.48	34.7
SMALLEST MEAN PRECIP(IN)		1.12	0.93	0.99	0.98	1.15	1.70	1.58	1.78	1.38	1.48	1.31	1.42	15.8
		MEAN NUMBER OF DAYS												
CIG = GTR 1000 FT AND	03 LST	21.0	20.3	24.1	25.7	28.3	28.4	28.3	27.8	25.4	23.8	19.5	20.1	292.7
VSBY = GTR 3 MI	09 LST	18.7	17.1	20.8	24.1	27.6	28.2	28.1	26.4	22.9	20.2	17.3	18.6	270.0
	15 LST	21.3	21.3	25.8	27.5	29.7	29.3	30.2	29.9	28.0	25.2	19.7	19.7	307.6
	21 LST	21.4	21.2	25.3	26.6	29.5	29.3	30.2	29.6	27.5	25.2	20.4	20.3	306.5
CIG =GTR 2000 FT AND VSBY =GTR	03 LST	10.6	10.7	14.9	18.7	22.7	23.3	23.4	22.3	18.0	12.8	9.2	8.9	195.9
3 MI W/SFC WND LES 10 KTS	09 LST	8.7	8.6	11.8	15.4	18.9	19.7	20.9	18.5	13.8	9.8	7.8	7.7	161.6
	15 LST	10.9	10.9	12.6	14.0	15.7	15.5	18.2	17.3	14.2	10.5	8.7	8.7	157.2
	21 LST	11.1	11.5	15.5	19.2	23.3	23.0	25.0	23.8	20.1	14.4	9.8	9.0	205.7
SFC WND = GTR 17 KTS AND	03 LST	0.5	0.1	0.3	0.3	0.3	0.2	0.0	0.1	0.4	0.9	0.6	0.6	4.3
NO PRECIP.	09 LST	0.3	0.2	0.3	0.3	0.5	0.6	0.8	0.2	0.4	0.8	0.5	0.5	5.3
	15 LST	0.4	0.2	0.7	1.4	1.4	1.7	0.3	1.3	1.2	1.3	0.6	0.4	10.9
	21 LST	0.4	0.2	0.4	0.5	0.3	0.5	0.1	0.7	0.4	0.9	0.5	0.5	5.4
SFC WND 4-10 KTS AND TMP 33-89	03 LST	0.5	0.4	1.8	8.4	14.5	15.9	15.8	15.9	14.4	9.6	3.9	1.0	102.1
DEG F AND NO PRECIP.	09 LST	0.4	0.4	1.7	10.6	16.9	17.8	18.8	17.3	15.6	9.9	4.1	1.0	114.5
	15 LST	0.6	0.9	4.9	11.9	14.9	14.5	16.5	16.2	14.4	11.1	5.0	1.4	112.3
	21 LST	0.5	0.6	3.1	11.8	17.4	17.6	17.8	17.0	15.6	10.6	4.4	1.1	117.5
SKY COVER LES 3/10 AND	03 LST	5.9	6.3	10.0	11.7	11.7	11.8	11.9	12.5	9.9	6.6	5.0	4.4	107.7
VSBY = GTR 3 MI	09 LST	3.5	3.4	6.0	7.9	9.2	9.9	9.7	8.4	4.8	3.0	2.8	3.1	71.7
	15 LST	4.7	5.1	7.3	6.9	5.4	5.4	4.9	4.3	4.3	3.2	3.5	3.5	58.5
	21 LST	6.3	7.3	10.5	10.5	9.3	10.0	9.7	10.0	9.9	6.9	5.4	4.7	100.5
CIG = GTR 2500 FT AND	03 LST	13.2	13.5	18.0	21.3	24.6	25.2	24.6	23.3	19.8	15.8	11.3	11.2	221.8
VSBY = GTR 3 MI	09 LST	11.0	11.1	15.3	19.4	23.2	24.1	23.4	21.1	16.3	12.6	9.6	10.0	197.1
	15 LST	14.0	15.0	19.1	21.9	24.6	24.8	25.0	24.1	20.7	15.8	11.3	11.6	227.9
	21 LST	13.9	14.8	19.6	22.2	25.9	26.3	27.0	25.4	22.3	17.5	12.0	11.7	238.6
CIG = GTR 6000 FT AND	03 LST	10.7	10.8	14.9	17.8	20.7	21.4	21.2	19.7	15.5	10.8	8.0	8.3	179.8
VSBY = GTR 3 MI	09 LST	8.5	8.8	13.2	16.9	19.9	20.6	20.4	18.2	12.8	8.8	7.0	7.4	162.5
	15 LST	11.9	12.9	15.9	17.1	16.8	16.6	16.6	16.0	13.6	10.4	8.6	9.4	165.1
	21 LST	11.4	12.3	16.6	19.1	21.3	21.9	22.6	21.1	17.4	11.8	8.6	8.9	192.9
CIG = GTR 10000 FT AND	03 LST	10.4	10.5	14.6	17.5	20.2	21.0	20.7	19.3	15.2	10.5	7.8	8.2	175.9
VSBY = GTR 3 MI	09 LST	8.3	8.6	13.0	16.6	19.5	20.2	20.1	17.8	12.5	8.6	6.9	7.1	159.2
	15 LST	11.6	12.6	15.7	18.8	16.2	16.0	16.0	15.6	13.3	10.2	8.4	9.1	161.5
	21 LST	11.1	12.0	16.4	18.8	20.8	21.5	22.2	20.7	17.0	11.5	8.4	8.5	188.9

BRYANSK/ORDZHONI, USSR

STA NO. 26898 (IN AREA NUMBER 08)

LATITUDE 5320N

LONGITUDE 03414E

ELEVATION(FT) 00532

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	39	39	52	73	86	90	93	90	82	75	61	46	93	10	2590
MEAN MAX TMP (F)	19	23	32	51	66	72	74	72	63	50	35	27	49	10	2590
MEAN MIN TMP (F)	10	12	21	35	48	52	56	54	45	37	27	20	35	10	2527
ABS MIN TMP (F)	-24	-29	-18	9	28	37	43	32	27	12	-4	-18	-29	10	2527
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.1	0.6	0.3	0.0	0.0	0.0	0.0	1.0	10	2590
MEAN NO DYS TMP = DR LES 32(F)	30.9	27.7	29.0	11.1	0.9	0.0	0.0	0.3	1.7	9.0	20.2	28.5	159.3	10	2527
MEAN NO DYS TMP = DR LES 0(F)	8.9	7.6	2.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	3.3	23.1	10	2527
MEAN DEW PT TMP (F)	11	14	22	35	45	51	55	54	47	39	28	21	35	10	21331
MEAN REL HUM (PCT)	87	84	82	74	65	66	71	73	76	84	88	89	78	10	21331
MEAN PRESS ALT (FT)	408	419	411	460	463	482	536	503	422	359	332	473	439	5	11777
MEAN PRECIP (IN)	1.07	1.34	1.57	1.57	2.59	2.05	2.68	2.48	2.16	1.88	2.3	2.05	23.8	10	2142
MEAN SNOW FALL (IN)						0.0	0.0	0.0						10	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	13.8	10.8	12.0	9.7	10.1	8.1	9.3	9.2	9.0	10.1	11.9	15.3	129.3	10	2142
MEAN NO DYS SNPL = DR GTR 1.5 IN						0.0	0.0	0.0						10	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	3.1	3.1	3.7	3.4	0.6	0.3	1.3	1.7	1.4	4.0	5.5	3.2	31.3	10	21243
MEAN NO DYS TSTMS	0.0	0.0	0.0	1.6	6.4	9.2	7.3	5.0	2.3	0.0	0.0	0.0	31.8	10	3122
P FREQ WND SPD = DR GTR 17 KTS	9.1	7.4	10.9	6.4	5.5	2.9	3.2	3.3	3.4	4.2	5.6	7.1	5.8	10	21351
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.2	0.8	0.1	0.2	0.1	0.1	0.1	0.1	0.2	0.0	0.2	0.2	10	21351
P FREQ LES 5000 FT A/D LES 5 MI	79.9	69.5	62.3	45.9	35.9	33.7	33.6	36.3	39.2	59.4	76.6	85.3	54.8	10	21243
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	60.7	50.4	59.4	25.5	8.9	10.7	6.7	9.4	12.0	30.9	58.5	63.8	31.4	10	2697
03-05 LST	59.6	48.2	44.9	32.2	16.7	17.3	23.5	25.0	19.7	39.0	59.8	65.4	37.6	10	2371
06-08 LST	72.5	61.0	54.8	33.2	15.0	11.3	17.1	22.2	35.0	50.5	65.0	72.2	42.5	10	2726
09-11 LST	63.4	50.7	39.7	22.4	7.4	6.2	7.9	11.3	19.6	40.8	60.5	67.9	33.2	10	2691
12-14 LST	54.1	39.2	31.2	17.8	5.6	5.3	4.2	6.8	11.1	30.0	54.4	62.4	26.8	10	2831
15-17 LST	53.8	34.5	34.2	17.5	4.8	4.2	4.3	5.3	7.2	28.3	53.0	58.4	25.5	10	2669
18-20 LST	47.8	35.6	32.4	21.4	7.0	3.4	5.4	3.7	8.8	24.5	52.7	59.7	25.2	10	2735
21-23 LST	49.9	44.8	34.6	21.6	7.3	5.9	5.0	6.3	10.0	28.0	56.2	55.7	27.1	10	2523
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	14.1	14.3	12.1	10.2	0.7	2.9	0.8	2.5	3.7	11.2	20.3	17.7	9.6	10	2697
03-05 LST	18.3	15.8	13.3	15.3	3.3	2.5	5.8	7.0	5.5	17.0	24.4	21.2	12.5	10	2371
06-08 LST	24.3	21.3	19.4	14.9	0.8	1.0	0.8	3.3	7.2	20.6	29.0	22.3	13.7	10	2726
09-11 LST	18.5	10.4	12.6	5.7	0.0	0.0	0.5	0.3	0.0	10.1	22.0	21.4	8.5	10	2691
12-14 LST	12.5	7.5	9.3	2.3	0.2	0.0	0.0	0.3	0.2	6.3	14.2	13.0	5.5	10	2831
15-17 LST	12.6	9.6	9.9	3.7	0.0	0.5	0.5	0.0	0.3	6.5	15.0	14.1	6.1	10	2669
18-20 LST	10.4	9.5	10.7	5.1	0.0	0.0	0.3	0.5	0.8	6.2	16.6	12.0	6.0	10	2735
21-23 LST	11.1	10.6	10.6	6.8	0.0	0.5	0.8	0.7	1.8	9.8	24.1	13.8	7.6	10	2523

BRYANSK/ORDZHONI, USSR

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST	14.8	15.8	20.9	23.7	29.1	27.6	29.4	28.7	27.3	23.1	14.3	13.5	268.2	10	2697
	08 LST	11.3	13.0	16.2	21.4	27.5	27.9	27.0	25.7	21.5	17.6	13.1	10.9	233.1	10	2726
	14 LST	17.7	20.3	23.4	26.4	30.0	29.0	30.3	29.7	27.9	24.4	15.9	14.6	289.6	10	2831
	20 LST	18.9	20.6	22.8	24.8	29.8	29.4	29.7	30.4	28.0	25.1	16.4	16.1	292.0	10	2735
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST	6.2	8.5	11.0	15.8	23.6	23.8	26.3	23.3	22.0	16.6	7.3	5.9	190.3	10	2695
	08 LST	3.9	7.7	7.3	14.3	20.2	21.2	21.1	19.1	14.4	11.0	5.8	4.8	150.8	10	2723
	14 LST	7.3	9.3	11.1	11.5	16.1	17.0	17.1	16.7	11.1	10.9	7.1	6.0	141.2	10	2828
	20 LST	9.4	10.2	12.4	18.8	24.4	25.4	24.8	23.9	23.2	16.3	7.2	6.1	204.1	10	2728
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST	1.1	0.5	1.7	1.2	1.1	3.8	0.0	0.0	0.0	0.0	0.9	1.6	12.4	10	173
	08 LST	0.4	0.4	0.7	0.8	1.5	0.0	0.0	0.0	0.0	0.8	0.2	1.3	6.1	10	941
	14 LST	0.4	0.4	1.2	3.3	4.0	0.0	0.0	0.0	2.4	2.1	0.8	1.7	16.3	10	837
	20 LST	0.0	0.4	0.0	0.2	0.6	0.0	0.0	0.0	0.0	1.3	1.3	1.8	5.6	10	819
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST	0.1	0.1	1.7	13.0	20.5	21.3	22.5	19.6	19.2	16.6	4.9	6.9	140.4	10	2696
	08 LST	0.0	0.0	1.8	14.3	19.0	18.9	19.8	18.9	17.0	15.3	3.8	1.4	130.2	10	2737
	14 LST	0.3	0.8	4.3	12.4	13.7	15.9	15.2	14.5	11.4	14.2	5.7	1.6	110.0	10	2844
	20 LST	0.1	0.4	2.8	17.7	20.0	21.8	21.1	19.3	19.9	15.4	5.5	1.5	145.5	10	2735
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST	4.2	6.6	6.7	11.2	13.5	12.6	14.7	14.0	14.9	8.4	5.1	3.8	115.7	10	2699
	08 LST	1.3	4.6	3.6	8.1	7.2	12.4	12.2	9.6	7.1	3.4	2.7	1.0	73.2	10	2730
	14 LST	2.1	4.0	6.6	4.3	1.7	2.7	2.4	3.6	4.1	3.0	3.7	2.2	40.4	10	2643
	20 LST	5.5	7.1	9.7	7.1	7.4	9.1	8.1	8.9	12.4	8.9	6.0	3.0	93.2	10	2741
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST	9.5	11.4	15.6	20.6	27.1	25.9	28.3	27.1	25.5	19.2	9.8	8.4	228.4	10	2697
	08 LST	6.2	9.2	12.3	19.2	25.5	25.5	24.7	23.1	18.1	13.5	7.9	6.2	191.4	10	2726
	14 LST	11.3	14.1	19.2	22.1	27.4	27.4	28.3	27.5	24.4	18.0	11.3	8.6	239.6	10	2831
	20 LST	13.4	14.9	18.3	22.0	27.7	28.1	28.7	29.3	26.3	21.1	11.2	8.3	249.3	10	2735
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST	7.4	9.3	11.6	16.8	21.3	21.6	23.4	22.4	20.9	13.4	7.2	5.7	181.0	10	2697
	08 LST	4.2	6.9	8.4	16.3	22.6	22.6	22.1	19.0	13.8	9.7	5.4	3.2	154.2	10	2726
	14 LST	8.1	10.8	14.2	15.2	12.5	13.1	14.8	14.9	15.9	11.9	8.1	6.1	145.6	10	2831
	20 LST	10.8	11.0	14.6	17.5	21.5	21.3	23.3	23.7	22.8	16.3	8.6	5.1	196.5	10	2735
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST	7.2	9.3	11.4	16.5	20.7	21.0	23.2	21.7	20.5	13.0	7.0	5.6	177.1	10	2697
	08 LST	4.1	6.8	8.4	16.2	22.4	22.5	22.0	13.8	13.4	9.4	5.3	3.1	152.4	10	2726
	14 LST	8.0	10.6	14.0	14.8	11.6	12.0	14.1	14.5	15.6	11.8	8.0	6.0	141.0	10	2831
	20 LST	10.6	10.6	14.2	17.1	21.3	20.9	23.2	23.5	22.4	15.7	8.3	4.9	192.7	10	2735

LUKOYANOV, USSR

STA NO. 27665 (IN AREA NUMBER 08)

LATITUDE 5502N

LONGITUDE 04430E

ELEVATION(FT) 00676

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	41	43	61	84	93	97	99	100	93	75	59	43	100	44	-675
MEAN MAX TMP (F)	16	17	28	46	65	73	76	73	61	44	30	20	46	38	-175
MEAN MIN TMP (F)	4	4	14	31	44	52	56	53	44	33	20	9	30	38	-175
ABS MIN TMP (F)	-44	-38	-24	-8	16	27	39	32	21	-8	-33	-36	-44	45	-675
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.1	0.1	0.5	0.6	0.0	0.0	0.0	0.0	1.3	10	3098
MEAN NO DYS TMP = OR LES 32(F)	31.0	28.0	30.1	15.8	1.3	0.3	0.0	0.0	2.4	14.0	25.9	30.4	179.2	10	3079
MEAN NO DYS TMP = OR LES 0(F)	12.7	9.1	3.4	0.1	0.0	0.0	0.0	0.0	0.0	0.0	2.3	6.4	34.0	10	3079
MEAN DEW PT TMP (F)	6	8	18	33	43	50	56	54	45	34	22	14	32	10	24092
MEAN REL HUM (PCT)	85	81	81	73	61	63	71	71	76	83	87	86	77	10	24092
MEAN PRESS ALT (FT)	509	476	528	547	590	661	749	645	601	520	454	492	564	5	12961
MEAN PRECIP (IN)	1.82	1.57	1.37	1.37	1.75	2.16	3.57	2.15	1.73	2.10	1.72	1.87	23.2	10	2835
MEAN SNOW FALL (IN)							0.0	0.0						45	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	14.8	11.6	11.5	8.0	8.6	9.2	10.1	8.8	9.5	11.1	11.3	13.9	127.4	10	2835
MEAN NO DYS SNFL = OR GTR 1.5 IN							0.0	0.0						45	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	3.3	1.7	2.9	1.0	0.2	0.3	1.2	1.3	1.8	2.4	4.1	2.7	22.9	10	24046
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.9	4.3	7.4	8.8	5.3	1.9	0.1	0.0	0.0	28.7	10	3423
P FREQ WND SPD = OR GTR 17 KTS	7.7	7.9	4.6	3.6	4.8	1.5	1.7	2.2	2.1	2.8	3.0	5.7	4.0	10	24158
P FREQ WND SPD = OR GTR 28 KTS	0.5	0.1	0.4	0.3	0.5	0.0	0.0	0.0	0.3	0.0	0.1	0.0	0.2	10	24158
P FREQ LES 5000 FT A/D LES 3 MI	67.1	58.6	52.3	25.6	19.0	20.0	21.1	22.3	31.2	48.4	61.5	69.2	41.4	10	24046
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	46.4	34.8	32.5	10.7	5.4	4.0	5.3	4.6	6.0	23.6	43.9	50.9	22.3	10	2851
03-05 LST	46.5	40.7	35.1	11.6	5.5	4.4	7.6	9.3	12.6	22.8	43.4	55.9	24.8	10	3223
06-08 LST	48.1	39.8	43.2	20.5	9.7	9.2	15.8	19.3	22.6	29.0	44.7	54.2	29.7	10	2639
09-11 LST	61.3	59.1	48.1	22.9	10.5	9.5	11.2	18.1	26.6	39.3	54.6	60.4	35.1	10	3224
12-14 LST	57.0	44.2	34.6	18.1	8.7	7.7	5.1	9.9	17.5	35.2	45.8	56.0	28.3	10	2765
15-17 LST	47.9	33.8	26.6	11.0	4.5	5.0	5.6	8.3	11.0	30.0	44.1	51.2	23.3	10	3246
18-20 LST	43.5	33.8	27.4	12.6	4.9	5.5	5.3	4.4	9.4	28.4	43.0	44.4	21.9	10	2833
21-23 LST	46.1	36.2	25.2	8.7	5.1	5.2	4.8	4.8	6.0	24.4	43.9	46.9	21.4	10	3215
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	10.7	7.8	7.6	1.8	0.2	0.3	0.7	1.0	0.3	6.5	13.8	12.8	5.3	10	2851
03-05 LST	12.7	12.0	11.6	3.1	0.6	1.1	2.0	1.7	4.2	6.4	14.7	15.9	7.2	10	3223
06-08 LST	12.4	8.1	14.3	7.3	1.7	1.7	5.2	6.6	9.9	10.4	15.0	16.1	9.1	10	2639
09-11 LST	23.3	17.5	20.4	6.5	0.8	0.5	0.8	2.3	4.4	14.3	23.7	22.6	11.4	10	3224
12-14 LST	19.9	8.6	6.9	1.8	0.0	0.6	0.5	0.0	0.7	10.0	15.4	17.1	6.8	10	2765
15-17 LST	11.7	9.5	4.2	2.0	0.0	0.0	0.3	0.0	0.8	4.5	14.7	16.6	5.4	10	3246
18-20 LST	8.5	9.6	5.3	1.6	0.0	0.0	1.2	0.0	1.2	5.3	14.0	10.7	4.8	10	2833
21-23 LST	8.4	8.5	4.7	1.5	0.6	0.3	0.0	0.5	0.2	6.8	12.0	12.5	4.7	10	3215

LUKOYANOV, USSR

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	03 LST	18.4	18.0	23.0	27.7	30.1	29.2	29.6	29.1	27.8	26.6	19.7	16.0	296.1	10	3223
	09 LST	14.0	13.1	18.1	25.2	28.3	28.2	28.9	26.7	24.6	21.5	16.0	14.9	260.5	10	3224
	15 LST	18.5	20.8	25.0	27.9	30.5	29.3	30.1	29.7	28.6	25.0	19.4	17.0	302.4	10	3246
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	03 LST	19.7	20.2	26.4	28.4	30.3	29.0	30.2	30.2	29.6	25.2	20.3	19.2	308.7	10	3215
	09 LST	12.0	12.8	14.9	23.1	26.2	25.9	26.6	24.8	22.1	17.6	11.8	9.3	227.1	10	3222
	15 LST	9.9	9.2	12.2	19.2	21.5	22.3	24.5	21.4	17.3	14.7	10.4	7.8	190.4	10	3218
SPC WND = GTR 17 KTS AND NO PRECIP.	03 LST	12.9	15.3	16.7	18.6	19.2	21.3	23.1	21.1	17.4	13.9	12.9	11.4	203.8	10	3246
	09 LST	12.4	13.6	18.5	24.5	26.0	26.2	27.8	26.6	24.1	19.8	11.2	11.4	242.1	10	3211
	15 LST	0.4	0.0	0.0	0.4	1.2	0.0	0.0	0.0	1.6	1.0	0.2	1.2	6.0	10	1324
SPC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	09 LST	0.4	0.0	0.4	0.5	0.7	0.0	0.0	0.0	0.8	0.2	0.0	0.6	3.6	10	1418
	15 LST	0.0	0.0	0.2	1.6	0.8	2.0	0.0	3.4	0.8	1.1	0.7	0.3	10.9	10	1382
	21 LST	0.2	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.8	0.9	0.0	0.7	7.8	10	1373
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	03 LST	0.0	0.0	1.3	3.3	13.2	13.3	12.0	13.2	14.9	9.8	2.2	0.5	88.7	10	3227
	09 LST	0.0	0.0	1.3	12.1	17.6	18.7	18.8	17.0	17.0	12.3	3.5	0.5	118.8	10	3224
	15 LST	0.1	0.2	6.1	14.9	17.1	17.7	19.6	18.4	16.7	15.2	4.9	1.3	132.2	10	3258
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	21 LST	0.0	0.0	1.9	10.1	14.7	15.3	14.4	14.2	14.7	11.6	3.3	0.5	100.7	10	3219
	03 LST	6.6	8.1	9.7	14.2	16.4	12.9	12.6	16.2	12.4	9.4	6.4	5.3	130.2	10	3223
	09 LST	3.8	4.7	5.5	10.4	13.0	11.8	13.1	12.8	8.6	3.8	4.0	3.4	94.9	10	3225
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	15 LST	5.5	6.9	8.0	8.6	7.1	4.7	5.1	5.4	5.1	4.2	4.3	3.8	68.7	10	3252
	21 LST	6.3	8.5	11.5	13.9	13.2	12.3	11.4	13.7	13.6	9.9	6.5	5.5	126.3	10	3217
	03 LST	14.2	14.8	17.7	25.3	28.2	27.8	27.5	27.1	24.1	21.0	14.4	11.7	253.8	10	3223
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	09 LST	10.9	10.4	14.8	21.5	26.0	25.7	26.1	24.1	19.4	16.0	11.3	10.2	216.4	10	3224
	15 LST	14.9	17.0	20.7	25.0	27.9	27.0	27.9	26.5	23.4	17.2	14.5	13.3	253.3	10	3246
	21 LST	14.5	16.0	20.5	26.6	28.3	27.5	28.6	28.1	26.4	21.2	13.4	14.1	265.2	10	3215
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	03 LST	13.9	14.3	16.5	24.7	27.1	25.7	26.4	25.7	22.3	19.2	13.4	11.2	240.4	10	3223
	09 LST	10.9	10.0	14.4	20.9	24.7	23.5	24.5	22.8	17.7	14.3	10.5	9.7	203.9	10	3224
	15 LST	14.5	16.0	19.7	23.1	23.4	22.2	22.1	22.3	19.1	14.4	13.9	12.5	223.2	10	3246
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	21 LST	14.2	15.4	19.8	25.8	26.7	25.8	26.3	25.9	24.9	19.3	12.6	13.2	249.9	10	3215
	03 LST	13.9	14.3	16.5	24.7	27.0	25.7	26.4	25.7	22.2	19.2	13.4	11.2	240.2	10	3223
	09 LST	10.9	10.0	14.4	20.9	24.7	23.5	24.5	22.8	17.6	14.3	10.5	9.7	203.8	10	3224
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	15 LST	14.5	16.0	19.7	23.0	23.3	22.1	21.9	22.3	19.1	14.4	13.9	12.5	222.7	10	3246
	21 LST	14.2	15.4	19.8	25.8	26.7	25.7	26.3	25.8	24.9	19.3	12.5	13.2	249.6	10	3215

PENZA, USSR

STA NO. 27962 (IN AREA NUMBER 08)

LATITUDE 5308N

LONGITUDE 04501E

ELEVATION(FT) 00571

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	39	41	57	86	93	100	100	99	95	77	59	45	100	31	-663
MEAN MAX TMP (F)	16	18	29	48	67	74	78	75	63	47	31	20	47	29	-153
MEAN MIN TMP (F)	4	5	15	33	46	54	58	56	46	34	21	10	32	67	-163
ABS MIN TMP (F)	-45	-39	-24	0	18	30	41	36	25	0	-33	-31	-45	69	-663
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	1.3	0.5	2.7	2.5	0.1	0.0	0.0	0.0	7.1	10	2978
MEAN NO DYS TMP = DR LES 32(F)	30.9	27.6	28.7	15.4	2.0	0.8	0.0	0.0	1.8	14.0	24.6	29.3	175.1	10	2940
MEAN NO DYS TMP = DR LES 0(F)	11.5	9.3	2.7	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.9	6.2	30.7	10	2940
MEAN DEW PT TMP (F)	6	8	20	34	44	50	56	54	45	35	24	14	33	10	24753
MEAN REL HUM (PCT)	81	80	82	70	59	63	67	68	72	79	85	83	74	10	24753
MEAN PRESS ALT (FT)	385	336	385	431	472	556	624	529	461	383	322	358	435	5	12818
MEAN PRECIP (IN)	1.92	1.04	1.28	1.44	1.76	1.98	2.51	2.37	1.95	1.39	1.52	1.79	20.9	10	2716
MEAN SNOW FALL (IN)						0.0	0.0	0.0						69	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	12.9	9.1	9.6	6.1	8.1	7.3	9.0	7.9	7.5	9.0	9.5	12.0	108.0	10	2716
MEAN NO DYS SNFL = DR GTR 1.5 IN						0.0	0.0	0.0						69	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	2.5	1.9	1.8	1.1	0.5	0.0	0.6	1.3	0.7	1.8	2.4	1.4	16.0	10	24656
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.8	4.3	6.4	8.5	5.3	1.7	0.0	0.0	0.0	27.0	10	3584
P FREQ WND SPD = DR GTR 17 KTS	17.7	16.9	16.4	14.6	13.8	5.3	4.2	6.2	10.0	14.7	12.7	23.0	13.0	10	24792
P FREQ WND SPD = DR GTR 28 KTS	2.4	2.4	2.8	2.0	1.2	0.0	0.0	0.1	0.8	1.2	0.4	4.3	1.5	10	24792
P FREQ LES 5000 FT A/O LES 5 MI	75.6	66.1	58.9	28.8	17.6	15.8	16.6	19.3	26.5	46.7	66.4	72.8	42.6	10	24656
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	47.6	34.5	31.8	8.0	3.1	3.1	2.6	4.6	5.6	21.2	44.0	47.6	21.2	10	2641
03-05 LST	50.3	43.7	35.9	11.2	5.5	4.6	4.1	7.8	10.5	25.1	47.0	51.5	24.8	10	3501
06-08 LST	50.6	49.6	45.0	21.0	9.5	10.3	11.0	17.4	18.1	27.0	48.7	55.5	30.3	10	2493
09-11 LST	54.4	51.0	45.8	19.6	8.6	7.5	6.7	11.6	18.8	31.2	52.3	56.5	30.3	10	3446
12-14 LST	48.1	38.8	31.9	11.4	3.6	4.0	3.0	5.7	7.9	26.8	47.5	54.6	23.6	10	2760
15-17 LST	41.9	29.6	27.2	7.6	2.0	3.1	2.6	3.5	7.3	20.4	41.7	46.3	19.4	10	3509
18-20 LST	41.4	28.2	28.2	6.8	2.5	3.4	1.7	3.5	6.1	18.4	43.3	47.5	19.3	10	2870
21-23 LST	45.5	29.6	28.2	8.5	3.3	2.6	3.0	4.0	5.9	19.2	42.7	47.2	20.0	10	3436
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	9.5	6.2	7.0	0.5	0.0	0.0	0.0	0.3	0.0	2.8	12.0	7.8	3.8	10	2641
03-05 LST	11.4	11.3	9.3	1.0	0.2	0.2	1.0	2.0	2.0	4.9	13.5	10.4	5.6	10	3501
06-08 LST	10.5	15.2	12.4	4.6	2.2	1.0	3.5	5.5	4.0	10.5	11.1	9.0	7.5	10	2493
09-11 LST	15.6	13.8	9.8	2.7	0.0	0.3	0.2	0.6	3.5	8.7	15.7	10.7	6.8	10	3446
12-14 LST	12.8	11.1	3.8	0.7	0.0	0.0	0.0	0.0	0.0	2.3	8.7	11.0	4.2	10	2760
15-17 LST	7.2	5.0	5.0	0.6	0.0	0.2	0.0	0.0	0.0	1.8	7.4	10.6	3.2	10	3509
18-20 LST	8.0	5.2	5.7	0.7	0.0	0.0	0.0	0.0	0.0	0.7	9.1	9.0	3.2	10	2870
21-23 LST	8.8	3.0	5.7	0.2	0.0	0.0	0.0	0.6	0.0	1.0	8.7	5.7	2.8	10	3436

PENZA, USSR

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	03 LST	19.5	19.1	23.0	27.6	30.1	29.1	30.4	29.1	28.2	25.1	18.5	18.4	298.1	10	3501
	09 LST	18.1	16.6	19.7	26.5	30.0	28.7	30.0	29.1	26.6	23.4	17.4	16.7	282.8	10	3446
	15 LST	22.3	23.0	25.5	28.7	30.9	29.8	30.9	30.8	29.1	27.3	21.1	20.0	319.4	10	3509
	21 LST	21.5	23.5	25.6	28.4	30.6	29.6	30.7	30.3	29.1	27.2	20.1	20.6	317.2	10	3436
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	03 LST	8.7	9.4	11.0	19.8	22.1	26.2	27.0	25.3	20.4	14.0	10.4	7.7	202.0	10	3501
	09 LST	8.0	9.0	10.4	15.5	16.2	20.7	21.9	20.0	15.5	11.2	9.0	6.5	163.9	10	3444
	15 LST	10.5	11.4	11.2	11.5	11.5	17.1	17.1	15.8	11.5	9.9	9.1	8.3	145.2	10	3506
	21 LST	9.1	11.0	12.7	19.7	23.5	26.7	27.4	26.1	21.0	14.7	9.8	7.3	209.0	10	3434
SFC WND = GTR 17 KTS AND NO PRECIP.	03 LST	0.0	0.0	0.0	2.9	2.4	0.0	0.0	0.0	2.4	3.8	1.8	3.3	16.6	10	561
	09 LST	0.0	0.0	2.6	4.4	4.3	1.2	0.0	1.9	1.1	4.4	3.3	3.2	26.4	10	587
	15 LST	0.0	0.0	5.2	9.3	5.4	5.0	0.0	3.9	8.8	4.9	3.4	4.3	50.2	10	579
	21 LST	0.0	0.0	0.0	2.0	1.6	0.0	0.0	0.0	1.8	2.7	2.6	2.1	12.8	10	576
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	03 LST	0.0	0.0	0.6	8.9	13.1	14.9	15.8	15.8	14.8	9.0	3.0	0.5	96.4	10	3520
	09 LST	0.0	0.2	1.4	9.2	12.2	15.1	16.4	15.0	14.6	8.7	3.1	0.4	96.3	10	3461
	15 LST	0.0	0.1	3.0	9.8	10.1	13.3	13.8	12.7	10.1	9.5	4.1	0.5	87.0	10	3518
	21 LST	0.0	0.2	1.6	12.9	19.4	18.7	19.3	18.5	15.7	10.1	2.7	0.4	119.5	10	3447
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	03 LST	5.3	6.5	6.7	14.5	14.1	12.9	14.7	17.7	12.9	9.2	5.8	5.6	125.9	10	3513
	09 LST	3.1	3.7	4.1	9.0	10.8	11.4	12.2	12.0	7.7	5.0	4.6	3.7	87.3	10	3459
	15 LST	4.7	5.9	5.6	5.4	4.6	3.4	3.7	5.5	4.3	3.5	5.0	3.7	55.3	10	3521
	21 LST	6.2	7.8	7.7	12.8	9.8	10.2	11.7	12.6	13.6	10.4	6.4	5.9	115.1	10	3443
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	03 LST	12.3	12.9	16.7	25.5	28.3	28.1	29.0	28.2	25.2	20.7	13.0	11.7	251.6	10	3501
	09 LST	11.5	11.9	15.0	23.1	27.0	26.9	28.0	26.2	22.8	18.9	11.8	10.7	233.8	10	3446
	15 LST	15.4	17.4	20.6	26.2	29.1	27.8	29.2	28.6	25.8	21.4	14.4	13.8	269.7	10	3509
	21 LST	13.7	16.3	19.4	26.3	29.0	28.8	29.4	29.2	27.0	22.3	14.0	12.3	267.7	10	3436
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	03 LST	11.3	11.7	14.4	24.2	26.8	27.2	27.7	26.9	23.3	17.6	11.5	10.1	232.7	10	3501
	09 LST	10.5	10.9	13.7	21.8	26.1	26.0	27.2	25.5	22.2	16.3	10.7	9.5	220.4	10	3446
	15 LST	14.6	16.2	19.4	22.5	24.1	21.1	23.6	24.1	20.5	17.7	12.6	12.3	228.7	10	3509
	21 LST	12.4	14.1	17.5	24.5	26.8	27.4	27.8	27.8	24.7	18.7	12.0	10.5	244.2	10	3436
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	03 LST	11.2	11.6	14.2	24.2	26.7	27.0	27.7	26.8	23.2	17.4	11.5	10.1	231.6	10	3501
	09 LST	10.4	10.9	13.6	21.8	26.1	25.9	27.2	25.5	22.1	16.3	10.7	9.5	220.0	10	3446
	15 LST	14.5	16.2	19.3	22.3	23.3	20.0	22.6	23.6	20.3	17.3	12.5	12.3	224.2	10	3509
	21 LST	12.3	14.1	17.4	24.4	26.6	27.3	27.7	27.6	24.6	18.6	12.0	10.5	243.1	10	3436

ELABUGA, USSR

STA NO. 20906 (IN AREA NUMBER 08)

LATITUDE 5546N

LONGITUDE 05204E

ELEVATION(FT) 00295

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR	NO.
														(YRS)	DBS
ABS MAX TMP (F)	36	37	48	79	91	91	97	93	86	68	52	41	97	10	2547
MEAN MAX TMP (F)	12	15	28	47	67	72	77	73	61	43	29	19	45	10	2547
MEAN MIN TMP (F)	2	4	16	31	46	53	58	54	44	33	22	10	31	10	2483
ABS MIN TMP (F)	-33	-36	-26	-11	25	32	43	39	23	3	-18	-29	-36	10	2483
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.1	0.3	1.3	0.9	0.0	0.0	0.0	0.0	2.6	10	2547
MEAN NO DYS TMP = DR LES 32(F)	30.8	27.7	29.4	16.8	2.3	0.4	0.0	0.0	2.7	16.4	26.0	30.3	182.8	10	2483
MEAN NO DYS TMP = DR LES 0(F)	13.4	11.1	4.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	2.0	9.2	39.9	10	2483
MEAN DEW PT TMP (F)	2	4	16	31	42	50	56	52	44	32	21	10	30	10	23275
MEAN REL HUM (PCT)	79	76	78	72	59	64	67	67	73	79	83	80	73	10	23275
MEAN PRESS ALT (FT)	109	46	114	139	190	324	387	256	217	144	63	14	167	5	12363
MEAN PRECIP (IN)	1.47	1.64	1.25	1.35	2.04	2.07	1.77	1.83	2.10	2.40	1.89	2.04	21.8	10	1971
MEAN SNOW FALL (IN)						0.0	0.0	0.0						10	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	14.4	10.2	10.5	7.3	9.3	10.0	9.6	7.2	9.9	11.2	12.6	14.2	126.4	10	1971
MEAN NO DYS SNFL = DR GTR 1.5 IN						0.0	0.0	0.0						10	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	0.5	0.9	1.1	0.8	0.1	0.2	0.4	0.3	0.6	0.6	1.1	0.7	7.3	10	23217
MEAN NO DYS TSTMS	0.0	0.0	0.0	1.0	4.9	7.8	9.9	3.0	2.1	0.0	0.1	0.0	28.8	10	3541
P FREQ WND SPD = DR GTR 17 KTS	5.0	6.9	3.4	7.9	7.3	6.4	3.3	4.6	5.9	8.2	6.0	7.1	6.4	10	23340
P FREQ WND SPD = DR GTR 28 KTS	0.5	0.8	1.5	0.7	0.4	0.3	0.1	0.1	0.7	0.6	0.4	1.0	0.6	10	23340
P FREQ LES 5000 FT A/D LES 5 MI	67.9	56.1	53.5	37.5	34.0	37.8	35.7	36.8	43.8	62.4	67.3	63.3	49.7	10	23217
P FREQ LES 1900 FT A/D LES 3 MI															
FOR 00-02 LST	27.6	19.4	14.5	8.8	4.1	3.4	6.1	5.4	6.0	18.9	32.2	26.7	14.4	10	2615
03-05 LST	28.1	25.4	20.7	12.7	5.7	4.4	9.1	6.2	8.9	17.7	29.4	27.9	16.4	10	3304
06-08 LST	28.1	24.7	38.9	23.8	8.4	9.3	14.3	12.6	17.3	24.3	28.3	30.4	21.7	10	2434
09-11 LST	45.5	52.2	37.5	20.8	5.8	8.4	7.2	4.5	17.8	30.1	39.6	41.2	26.3	10	3058
12-14 LST	39.3	32.9	20.1	11.9	6.9	7.5	8.2	9.1	11.5	19.9	28.6	33.7	19.1	10	2651
15-17 LST	31.3	25.0	19.4	10.0	5.8	6.2	4.3	7.7	8.9	20.1	28.9	31.5	16.6	10	3299
18-20 LST	22.5	17.5	19.3	8.2	5.1	4.5	4.6	4.6	7.9	15.9	29.8	29.8	14.1	10	2779
21-23 LST	22.9	21.0	13.5	8.7	5.1	5.2	5.4	4.5	6.0	19.1	28.3	27.8	14.0	10	3077
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	7.7	5.7	2.6	2.1	0.0	0.0	0.0	0.0	0.0	2.3	7.4	7.1	2.9	10	2615
03-05 LST	6.8	9.2	7.4	3.9	1.0	0.0	0.8	0.4	0.5	3.5	8.8	7.4	4.1	10	3304
06-08 LST	4.2	9.1	12.8	6.0	0.5	0.6	3.1	1.9	3.4	5.7	6.3	7.5	5.1	10	2434
09-11 LST	13.5	19.5	12.1	4.1	0.0	0.3	0.0	0.3	1.3	6.0	9.3	11.9	6.5	10	3058
12-14 LST	6.6	6.9	4.5	1.2	0.0	0.0	0.3	0.0	0.0	1.4	7.0	9.3	3.1	10	2651
15-17 LST	6.9	5.5	3.7	1.9	0.0	0.6	0.0	0.2	0.2	1.9	6.1	8.3	2.9	10	3299
18-20 LST	5.2	5.1	2.1	1.5	0.3	1.0	0.0	0.0	0.0	1.5	6.7	7.1	2.5	10	2779
21-23 LST	5.0	5.5	3.0	1.9	0.2	0.0	0.2	0.0	0.0	2.3	6.4	5.9	2.5	10	3077

ELABUGA, USSR

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	03 LST	25.2	23.0	26.5	27.5	30.5	29.9	29.5	30.2	29.2	28.5	24.4	25.2	329.6	10	3304
	09 LST	19.0	14.7	21.4	25.4	30.5	29.6	30.1	30.2	27.7	25.8	21.6	20.2	296.2	10	3058
	15 LST	23.1	22.1	26.7	28.5	30.5	29.8	30.8	30.3	29.7	28.3	25.0	23.7	320.5	10	3299
	21 LST	26.8	24.3	28.8	28.5	30.3	29.6	30.3	30.4	29.4	28.1	25.0	23.7	337.2	10	3077
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	03 LST	17.2	17.3	19.4	22.2	24.7	24.7	25.5	25.3	23.4	17.1	15.2	17.4	249.4	10	3302
	09 LST	13.1	9.5	13.7	17.8	21.0	18.3	23.2	20.6	16.1	13.2	12.4	14.3	193.2	10	3054
	15 LST	18.0	15.9	18.1	17.7	17.1	16.9	20.7	18.1	15.2	14.2	13.5	15.2	202.6	10	3297
	21 LST	20.1	18.8	20.4	23.5	25.8	25.9	27.3	25.8	24.9	16.5	16.3	16.6	261.9	10	3075
SFC WND = GTR 17 KTS AND NO PRECIP.	03 LST	0.0	0.0	0.0	1.2	1.0	1.9	0.0	0.0	0.8	2.7	1.8	0.0	9.4	10	533
	09 LST	0.0	0.0	0.0	0.9	1.8	0.0	0.0	0.0	3.1	1.0	0.6	0.0	7.4	10	601
	15 LST	0.0	0.0	0.0	2.0	3.2	4.3	0.0	0.0	4.2	2.2	1.8	0.0	17.7	10	553
	21 LST	0.0	0.0	0.0	1.0	1.0	0.0	0.0	0.0	0.8	1.6	1.2	0.0	5.6	10	538
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	03 LST	0.2	0.2	1.5	3.6	10.8	11.5	10.2	8.4	9.5	5.8	1.4	0.1	63.2	10	3320
	09 LST	0.0	0.0	2.2	8.8	17.7	16.7	18.3	14.8	13.3	9.2	2.1	0.7	103.8	10	3064
	15 LST	0.2	0.2	4.2	12.5	15.0	14.9	16.8	15.5	14.3	10.9	2.8	0.7	108.0	10	3314
	21 LST	0.2	0.2	2.1	5.6	14.7	15.0	15.2	12.0	11.8	5.7	1.8	0.5	84.8	10	3088
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	03 LST	5.1	7.2	9.5	13.8	11.3	10.1	12.6	15.3	12.4	6.0	6.2	7.5	117.0	10	3314
	09 LST	2.0	3.8	5.1	9.2	9.8	11.8	12.9	13.0	7.2	4.4	3.4	4.0	86.6	10	3075
	15 LST	5.1	5.9	7.8	8.3	7.8	6.7	6.8	8.2	6.2	3.8	5.3	3.9	75.8	10	3314
	21 LST	8.6	8.3	11.9	14.1	10.0	8.8	11.6	13.9	12.2	6.6	6.4	7.6	120.0	10	3088
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	03 LST	17.5	17.4	20.6	23.2	25.1	24.9	24.5	25.6	22.9	18.6	15.6	18.0	253.9	10	3304
	09 LST	13.2	11.4	15.7	21.0	25.8	23.3	23.5	24.3	19.8	15.7	12.6	14.4	222.7	10	3058
	15 LST	17.6	19.0	21.8	23.3	24.2	22.6	24.0	23.7	21.5	18.0	16.0	16.7	248.4	10	3299
	21 LST	19.4	19.0	23.2	25.0	25.5	24.5	25.6	25.7	24.0	16.3	15.6	17.5	263.3	10	3077
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	03 LST	12.1	13.5	15.6	19.8	20.0	20.3	20.3	21.5	18.3	11.5	10.3	14.0	197.2	10	3304
	09 LST	9.1	9.3	11.5	18.1	22.6	20.1	22.3	21.4	16.4	12.1	8.0	10.4	181.3	10	3058
	15 LST	12.7	16.5	18.4	19.4	18.2	16.1	16.9	18.4	15.8	12.5	12.4	12.4	189.7	10	3299
	21 LST	14.5	15.6	19.2	22.2	20.8	20.0	21.2	20.7	19.1	11.7	10.6	13.5	239.1	10	3077
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	03 LST	11.2	12.5	14.9	19.3	20.0	20.7	20.2	21.4	18.0	11.2	10.0	13.5	192.4	10	3304
	09 LST	8.8	8.9	11.3	17.4	22.6	20.1	22.1	21.3	16.2	11.3	7.5	10.0	177.5	10	3058
	15 LST	12.4	15.6	17.8	19.1	18.1	16.1	16.8	18.1	15.5	11.9	12.0	11.7	185.1	10	3299
	21 LST	14.1	14.6	18.5	21.8	20.5	20.0	21.0	20.5	19.1	11.3	10.1	12.7	204.2	10	3077

UFA, USSR

STA NO. 28722 (IN AREA NUMBER 08)

LATITUDE 5445N

LONGITUDE 05600E

ELEVATION(FT) 00646

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	36	39	52	81	90	99	99	93	84	72	54	46	99	10	3007
MEAN MAX TMP (F)	14	16	28	49	68	73	78	73	62	44	28	17	46	10	3007
MEAN MIN TMP (F)	3	2	15	31	46	52	58	52	44	33	19	7	30	10	2976
LJS MIN TMP (F)	-40	-36	-24	-18	23	30	39	34	23	1	-20	-33	-40	10	2976
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.1	1.2	1.8	0.6	0.0	0.0	0.0	0.0	3.7	10	3007
MEAN NO DYS TMP = DR LES 32(F)	30.9	27.9	29.1	18.8	3.2	0.1	0.0	0.0	2.5	15.6	27.7	30.3	180.1	10	2976
MEAN NO DYS TMP = DR LES 0(F)	13.0	12.6	5.3	0.1	0.0	0.0	0.0	0.0	0.0	0.0	2.9	10.5	44.4	10	2976
MEAN DEW PT TMP (F)	4	4	17	32	43	52	59	54	45	33	20	8	31	10	24368
MEAN REL HUM (PCT)	82	79	81	72	60	69	73	73	75	80	85	83	76	10	24368
MEAN PRESS ALT (FT)	403	308	411	452	528	691	746	604	555	446	359	257	480	5	12648
MEAN PRECIP (IN)	1.96	1.24	1.70	1.28	2.19	2.68	2.75	2.08	2.01	1.83	1.79	2.20	23.7	10	2628
MEAN SNOW FALL (IN)						0.0	0.0	0.0						10	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	12.7	8.6	9.7	6.3	7.3	9.6	8.4	8.3	9.7	10.1	10.4	12.0	113.1	10	2628
MEAN NO DYS SNFL = DR GTR 1.5 IN						0.0	0.0	0.0						10	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	1.2	1.0	1.5	1.0	0.1	0.2	0.2	1.2	1.3	1.0	2.1	1.8	12.6	10	24017
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.4	4.4	8.5	8.8	4.6	1.1	0.0	0.0	0.0	27.8	10	3599
P FREQ WND SPD = DR GTR 17 KTS	11.8	11.4	9.7	6.8	5.3	2.9	0.7	1.2	4.5	8.6	7.4	13.7	7.0	10	24454
P FREQ WND SPD = DR GTR 28 KTS	2.2	1.9	1.2	0.5	0.1	0.1	0.0	0.0	0.0	0.2	1.3	2.0	0.8	10	24454
P FREQ LES 3000 FT A/D LES 5 MI	73.7	59.0	58.2	37.7	25.8	27.4	25.6	29.6	39.1	59.8	69.4	69.6	47.9	10	24017
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	46.9	33.1	33.3	19.6	9.2	10.8	10.6	12.1	11.2	26.6	41.0	42.0	24.7	10	2416
03-05 LST	51.6	37.8	34.4	19.6	8.4	11.7	11.9	15.8	17.4	30.8	39.9	42.0	26.8	10	3465
06-08 LST	53.6	39.0	37.4	17.5	7.7	10.6	13.1	19.5	18.3	27.6	44.2	43.2	27.6	10	2462
09-11 LST	51.1	45.0	33.4	15.5	6.5	11.4	9.4	14.5	17.2	31.0	42.3	45.5	26.9	10	3413
12-14 LST	44.1	28.3	23.1	9.7	4.8	4.6	4.4	5.0	9.5	26.1	38.5	38.1	19.7	10	2828
15-17 LST	38.6	26.2	20.3	8.2	3.5	4.7	2.2	2.1	6.7	22.1	35.1	36.2	17.2	10	3445
18-20 LST	46.0	28.6	29.2	8.8	3.0	5.1	2.2	2.1	8.2	24.9	36.3	39.1	19.5	10	2484
21-23 LST	43.2	29.4	30.2	13.3	8.3	9.4	8.1	8.2	11.4	23.0	34.6	42.5	21.8	10	3504
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	5.0	1.4	6.7	4.4	0.8	1.6	0.8	3.0	1.0	6.8	11.7	8.6	4.3	10	2416
03-05 LST	8.0	4.0	8.9	4.5	1.1	2.2	2.8	3.6	3.0	7.5	10.3	6.2	5.2	10	3465
06-08 LST	9.2	7.6	9.9	5.9	0.4	1.1	1.9	8.6	5.8	5.2	10.9	7.7	6.0	10	2462
09-11 LST	15.4	11.4	6.3	2.3	0.1	1.5	0.6	1.9	2.7	5.7	11.6	12.7	6.0	10	3413
12-14 LST	11.2	4.0	2.8	1.0	0.3	0.0	0.2	0.2	0.3	3.9	9.4	12.2	3.8	10	2828
15-17 LST	6.3	6.0	5.7	0.8	0.8	0.8	0.0	0.0	0.0	4.0	9.1	8.5	3.3	10	3445
18-20 LST	6.2	3.6	5.4	2.1	0.0	0.5	0.0	0.0	1.8	3.9	5.6	6.7	3.0	10	2484
21-23 LST	5.1	1.8	6.0	1.2	0.2	1.2	0.2	0.5	1.2	2.8	5.5	7.3	2.8	10	3504

UFA, USSR

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	04 LST	18.0	19.8	23.6	26.1	29.9	27.5	28.7	28.1	27.3	24.9	21.4	21.5	296.8	10	3465
	10 LST	17.6	16.8	22.9	27.0	29.8	28.1	29.3	27.7	26.5	23.8	20.1	19.6	289.2	10	3413
	16 LST	22.0	22.4	26.7	28.6	30.5	29.4	30.7	30.7	28.8	25.8	22.4	22.7	320.7	10	3445
	22 LST	21.6	22.1	24.2	28.0	30.4	29.2	30.3	30.2	28.7	27.0	23.4	21.1	316.2	10	3504
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	04 LST	9.6	12.6	14.9	20.9	24.6	23.5	26.5	24.6	20.0	14.1	12.9	12.4	216.6	10	3462
	10 LST	9.1	11.1	13.5	17.8	19.4	19.7	23.3	22.0	17.2	12.2	11.2	10.9	187.4	10	3411
	16 LST	12.2	14.6	16.3	17.8	16.5	20.1	23.2	24.0	17.7	14.3	12.8	12.3	201.8	10	3441
	22 LST	11.5	15.0	15.7	22.0	25.5	25.8	27.9	27.2	23.4	16.6	14.0	12.6	237.2	10	3502
SFC WND = GTR 17 KTS AND NO PRECIP.	04 LST	0.8	0.0	0.0	1.1	0.0	0.0	0.0	0.0	0.0	0.7	0.9	0.3	3.8	10	1148
	10 LST	0.2	0.0	0.2	1.1	2.3	1.9	0.0	1.3	0.9	1.7	1.9	0.3	11.8	10	1209
	16 LST	0.2	0.0	0.0	1.1	5.2	4.8	0.0	0.0	1.8	2.3	1.2	0.0	16.6	10	1191
	22 LST	0.6	0.0	0.0	0.3	0.6	0.0	0.0	0.0	0.0	0.7	0.7	0.6	3.5	10	1188
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	04 LST	0.0	0.1	0.8	6.9	16.8	17.4	16.2	15.3	14.3	7.2	2.0	0.4	97.4	10	3505
	10 LST	0.0	0.2	1.6	9.7	15.7	18.7	19.7	16.8	14.1	8.4	2.1	0.5	107.5	10	3466
	16 LST	0.0	0.3	5.1	11.2	13.5	16.7	18.0	17.9	14.9	10.5	2.6	0.4	111.1	10	3500
	22 LST	0.0	0.1	1.8	10.0	17.8	18.2	17.4	15.8	17.2	9.1	1.8	0.5	109.7	10	3533
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	04 LST	5.3	7.4	8.9	13.1	12.5	9.7	11.3	13.3	10.0	6.4	6.5	7.3	111.7	10	3507
	10 LST	2.9	3.2	5.0	10.4	9.4	9.4	9.7	11.9	7.1	3.4	3.9	4.3	80.6	10	3460
	16 LST	4.0	6.0	7.8	8.7	6.5	4.8	6.3	7.3	4.9	3.7	5.0	5.0	70.0	10	3497
	22 LST	6.3	9.1	9.8	13.7	13.0	9.5	10.9	15.1	10.3	6.9	7.2	5.9	117.7	10	3540
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	04 LST	13.0	15.8	18.2	23.3	27.5	23.7	26.7	25.5	23.5	18.3	14.9	15.3	247.7	10	3465
	10 LST	12.9	14.6	18.5	23.7	28.1	24.7	26.5	25.1	23.2	18.7	14.4	14.5	244.9	10	3413
	16 LST	16.8	19.6	22.4	26.1	29.0	27.4	29.3	29.2	26.2	20.4	16.4	17.2	280.0	10	3445
	22 LST	13.1	18.6	19.9	25.1	27.7	23.2	27.6	27.9	25.6	21.2	16.4	15.6	267.1	10	3504
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	04 LST	11.0	13.4	14.4	20.2	24.3	23.1	24.4	23.7	20.5	13.6	11.2	12.6	212.4	10	3465
	10 LST	11.0	12.5	15.4	20.6	25.3	22.2	24.7	22.8	20.2	13.7	11.7	11.8	211.9	10	3413
	16 LST	14.4	17.8	19.1	21.4	22.8	20.5	23.0	22.6	18.1	12.1	13.8	14.5	220.1	10	3445
	22 LST	13.0	16.0	16.9	21.9	24.6	22.8	24.7	25.1	21.3	14.8	12.1	12.8	226.0	10	3504
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	04 LST	11.0	13.3	14.0	19.9	23.9	22.5	23.9	23.4	19.9	13.0	10.9	12.4	208.1	10	3465
	10 LST	10.9	12.4	15.0	20.3	24.6	21.9	24.5	22.4	19.9	13.3	11.5	11.7	208.4	10	3413
	16 LST	14.3	17.5	19.0	20.7	21.6	19.2	21.6	21.7	17.5	11.6	13.8	14.3	212.8	10	3445
	22 LST	12.9	16.0	16.7	21.5	24.1	22.4	24.0	24.5	20.4	14.1	11.8	12.5	220.9	10	3504

KUBYSHEV/BREZEMCHUK, USSR

STA NO. 28900 (IN AREA NUMBER 08)

LATITUDE 5315N

LONGITUDE 05027E

ELEVATION(FT) 00144

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	37	37	54	82	91	99	102	99	88	79	54	39	102	10	3050
MEAN MAX TMP (F)	15	17	30	52	71	76	80	78	65	48	32	21	49	10	3050
MEAN MIN TMP (F)	3	3	17	34	48	53	58	55	43	33	23	11	32	10	3012
ABS MIN TMP (F)	-36	-35	-33	-9	27	32	39	37	16	1	-17	-33	-36	10	3012
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	1.5	2.1	4.3	2.8	0.0	0.0	0.0	0.0	10.7	10	3050
MEAN NO DYS TMP = DR LES 32(F)	30.9	27.8	28.5	14.5	1.6	0.5	0.0	0.0	2.8	14.9	25.6	29.8	176.9	10	3012
MEAN NO DYS TMP = DR LES 0(F)	12.8	12.8	4.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	1.1	8.0	39.3	10	3012
MEAN DEW PT TMP (F)	5	5	19	33	43	52	57	54	44	34	23	12	32	10	24993
MEAN REL HUM (PCT)	92	79	82	68	55	63	66	64	69	76	84	83	73	10	24993
MEAN PRESS ALT (FT)	-71	-139	-80	-20	28	199	772	110	39	-71	-126	-166	-9	5	12871
MEAN PRECIP (IN)	2.05	1.60	1.29	1.33	1.36	1.76	.65	1.10	1.30	1.55	1.49	1.89	19.4	10	2776
MEAN SNOW FALL (IN)						0.0	0.0	0.0						10	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	12.3	10.7	10.1	6.1	6.9	7.9	8.0	6.1	6.8	8.9	8.6	11.0	103.4	10	2776
MEAN NO DYS SNFL = DR GTR 1.5 IN						0.0	0.0	0.0						10	-29
MEAN NO DYS W/OCLUR VSBY LES 1/2 MI	1.9	1.3	1.7	0.6	0.2	0.2	0.2	1.2	1.0	1.5	1.2	11.2		10	24950
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.9	3.7	8.6	7.9	4.4	1.4	0.0	0.0	26.9		10	3634
P FREQ WND SPD = DR GTR 17 KTS	9.7	9.2	8.9	8.4	11.7	7.2	4.8	3.2	7.1	8.7	7.7	10.7	8.1	10	25026
P FREQ WND SPD = DR GTR 28 KTS	1.0	1.0	2.0	0.8	0.6	0.1	0.2	0.1	0.9	1.1	0.5	1.8	0.8	10	25026
P FREQ LES 5000 FT A/O LES 5 MI	75.2	65.9	62.9	32.3	22.5	26.6	25.2	23.5	31.0	51.8	62.6	68.8	45.7	10	24950
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	43.8	31.9	33.3	8.5	4.9	1.8	1.9	2.9	4.7	16.7	33.8	43.5	19.0	10	2680
03-05 LST	44.3	38.4	36.6	13.1	5.1	5.1	5.6	5.0	8.9	21.0	35.6	43.1	21.8	10	3546
06-08 LST	46.1	41.1	43.2	19.0	8.6	7.3	9.7	14.1	21.2	27.3	37.7	44.6	26.7	10	2534
09-11 LST	64.4	60.4	52.1	16.7	5.1	4.6	5.8	9.3	11.9	33.3	46.1	53.7	30.3	10	3467
12-14 LST	56.0	44.0	37.6	10.0	4.1	2.1	2.8	3.1	5.9	22.0	38.2	46.7	22.7	10	2789
15-17 LST	45.7	35.5	29.6	8.8	2.7	2.6	1.0	1.8	4.4	17.8	35.0	44.1	19.1	10	3585
18-20 LST	41.2	32.9	34.3	7.1	2.0	1.5	1.7	2.1	3.9	14.4	36.9	46.9	18.7	10	2879
21-23 LST	42.1	31.1	30.3	6.7	2.7	2.5	1.4	2.0	3.5	12.5	30.6	42.8	17.4	10	3470
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	11.3	5.5	10.2	1.5	0.6	0.0	0.2	0.5	0.3	2.3	7.1	10.7	4.2	10	2680
03-05 LST	11.8	9.0	9.9	2.4	1.1	0.8	0.4	1.2	1.5	3.4	6.8	10.4	4.9	10	3546
06-08 LST	8.7	11.7	11.5	3.1	1.4	1.1	1.4	1.8	6.8	2.9	6.2	9.0	3.5	10	2534
09-11 LST	20.7	19.0	13.4	3.5	0.1	0.2	0.0	0.6	1.5	7.3	13.4	12.6	7.7	10	3467
12-14 LST	12.9	11.1	6.5	2.0	0.0	0.3	0.0	0.0	0.3	1.9	7.9	10.5	4.5	10	2789
15-17 LST	8.2	6.8	6.7	1.4	0.0	0.2	0.0	0.0	0.1	2.4	4.6	7.6	3.2	10	3585
18-20 LST	8.2	5.9	7.5	2.2	0.0	0.0	0.5	0.3	0.0	0.4	5.8	10.3	3.4	10	2879
21-23 LST	10.2	4.8	5.1	0.6	0.0	0.3	0.1	0.1	0.0	0.2	5.0	8.6	2.9	10	3470

KUBYSHEV/BREZENCHUK, USSR

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	03 LST	21.4	20.6	22.5	27.5	30.5	29.5	30.2	30.4	28.6	27.4	22.6	20.9	312.1	10	3546
	09 LST	14.2	13.2	17.5	26.9	30.3	29.6	30.0	29.4	28.1	24.0	19.2	18.0	280.4	10	3467
	15 LST	20.8	20.5	24.5	28.5	30.7	29.5	30.9	30.8	29.5	28.2	22.9	20.5	317.3	10	3585
	21 LST	22.1	22.4	24.9	29.1	30.7	29.7	30.9	30.6	29.9	29.3	23.9	21.3	324.8	10	3470
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	03 LST	11.6	12.0	14.4	21.1	24.5	26.0	25.5	26.5	23.7	17.2	12.6	10.9	226.0	10	3545
	09 LST	5.7	6.8	8.5	14.1	14.9	18.8	19.9	19.7	18.6	12.0	10.7	8.1	157.8	10	3464
	15 LST	10.6	11.1	12.2	11.3	9.1	13.5	15.1	17.3	13.7	11.0	11.7	10.2	146.8	10	3584
SFC WND = GTR 17 KTS AND NO PRECIP.	21 LST	11.4	13.6	14.5	20.0	22.5	24.9	27.2	27.5	24.9	19.7	13.7	10.4	230.3	10	3464
	03 LST	0.0	0.0	0.0	1.2	0.4	0.0	0.0	0.0	0.8	1.3	1.0	0.0	4.7	10	520
	09 LST	0.0	0.0	1.9	2.5	4.0	0.0	0.0	0.0	3.5	2.9	1.0	0.0	15.8	10	539
	15 LST	0.0	0.0	5.8	6.3	8.3	4.0	0.0	2.6	6.4	5.3	2.0	0.0	40.7	10	528
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	21 LST	0.0	0.0	1.9	1.2	0.0	2.0	0.0	0.0	1.6	1.7	1.0	0.0	9.4	10	530
	03 LST	0.0	0.4	1.9	7.8	11.3	9.1	9.2	9.0	7.6	6.1	2.1	1.1	65.6	10	3549
	09 LST	0.2	0.3	2.8	10.8	12.0	14.9	15.4	15.2	13.3	8.5	2.9	0.3	96.6	10	3471
	15 LST	0.0	0.4	5.5	10.1	8.0	11.0	11.6	13.7	11.9	10.1	6.2	0.7	89.2	10	3584
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	21 LST	0.0	0.2	2.3	10.7	14.4	13.9	15.6	13.6	11.2	9.5	2.6	0.8	94.8	10	3462
	03 LST	5.9	8.1	7.0	15.6	15.4	14.8	16.0	16.3	13.5	10.2	7.6	7.5	137.9	10	3552
	09 LST	2.4	3.0	4.5	10.5	11.9	10.7	12.4	13.2	8.3	5.0	5.3	3.4	90.6	10	3474
	15 LST	6.0	6.0	7.6	8.3	5.8	6.6	6.6	8.1	6.1	6.1	5.5	5.3	78.0	10	3588
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	21 LST	7.7	8.9	9.3	14.4	12.4	13.1	12.2	13.6	14.4	9.6	8.0	7.5	133.1	10	3472
	03 LST	14.0	14.6	17.3	24.8	28.3	27.5	28.2	28.4	26.0	21.0	15.6	14.7	280.4	10	3546
	09 LST	8.7	10.0	12.9	23.3	28.4	27.4	27.9	26.7	25.1	17.5	13.5	11.7	233.1	10	3467
	15 LST	14.1	16.4	20.0	25.4	28.6	27.9	29.7	29.5	27.2	21.8	16.1	15.1	271.8	10	3585
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	21 LST	14.8	16.9	19.1	26.5	29.3	28.2	29.5	29.8	27.7	24.1	17.3	14.9	278.1	10	3470
	03 LST	11.5	12.7	14.3	22.4	25.3	23.0	24.3	25.9	22.5	16.3	12.1	12.6	222.9	10	3546
	09 LST	7.3	9.3	10.8	20.7	25.7	24.2	24.8	24.6	21.7	14.0	11.5	10.5	205.1	10	3467
	15 LST	13.4	15.2	17.7	19.8	21.3	18.7	21.1	22.1	20.8	15.5	13.7	13.4	212.7	10	3585
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	21 LST	12.6	14.6	16.9	23.5	25.5	23.8	24.3	25.5	24.0	18.6	13.5	13.5	236.3	10	3470
	03 LST	11.3	12.6	13.9	22.2	25.2	22.9	24.0	25.6	22.1	16.0	11.9	12.5	220.2	10	3546
	09 LST	7.2	9.3	10.6	20.6	25.6	24.1	24.8	24.5	21.5	13.8	11.3	10.3	203.6	10	3467
	15 LST	13.3	15.2	17.7	19.6	21.0	18.7	20.9	22.0	20.6	15.2	13.6	13.2	211.0	10	3585
	21 LST	12.4	14.5	16.6	23.2	25.3	23.7	24.2	25.4	23.7	18.1	13.3	13.5	233.9	10	3470

BREST, USSR

STA NO. 39008 (IN AREA NUMBER 08)

LATITUDE 5207N

LONGITUDE 02341E

ELEVATION(FT) 00472

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	48	55	73	82	84	91	95	95	86	79	66	57	95	10	3031
MEAN MAX TMP (F)	26	30	39	56	65	73	75	73	67	55	41	31	53	10	3031
MEAN MIN TMP (F)	18	21	27	39	47	54	55	54	48	41	34	24	39	10	2941
ABS MIN TMP (F)	-18	-15	-4	21	27	39	43	36	27	23	-2	-9	-18	10	2941
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.8	0.6	0.9	0.0	0.0	0.0	0.0	2.3	10	3031
MEAN NO DYS TMP = DR LES 32(F)	29.2	24.4	20.3	7.6	0.5	0.0	0.0	0.0	0.6	3.5	13.0	26.3	125.4	10	2941
MEAN NO DYS TMP = DR LES 0(F)	3.7	2.2	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.2	1.3	7.8		10	2941
MEAN DEW PT TMP (F)	19	22	27	39	47	53	55	56	50	43	35	25	39	10	24745
MEAN REL HUM (PCT)	86	85	79	73	71	69	71	75	77	83	89	89	79	10	24745
MEAN PRESS ALT (FT)	362	419	411	452	411	419	441	433	389	337	356	493	410	5	14104
MEAN PRECIP (IN)	1.52	1.64	1.49	1.72	2.40	2.56	3.00	2.38	1.71	1.72	2.14	1.46	23.7	10	2701
MEAN SNOW FALL (IN)						0.0	0.0	0.0						10	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	13.0	12.7	10.7	8.5	11.2	9.2	8.8	9.1	7.7	8.2	12.7	11.6	123.4	10	2701
MEAN NO DYS SNFL = DR GTR 1.5 IN						0.0	0.0	0.0						10	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	1.4	1.7	1.7	0.8	0.4	0.3	0.6	0.3	0.8	3.9	3.0	1.5	16.4	10	24724
MEAN NO DYS TSTMS	0.1	0.0	0.2	1.3	4.3	5.7	7.2	5.6	2.2	0.0	0.0	0.2	26.8	10	3386
P FREQ WND SPD = DR GTR 17 KTS	3.8	4.6	4.4	3.7	0.8	1.1	0.4	1.8	1.4	1.6	4.4	2.3	2.5	10	24804
P FREQ WND SPD = DR GTR 28 KTS	0.1	0.9	0.3	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	10	24804
P FREQ LES 5000 FT A/O LES 5 MI	71.2	72.0	55.6	45.0	40.3	32.3	35.2	36.6	40.3	57.2	78.7	77.0	53.5	10	24724
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	45.3	47.2	27.1	15.4	9.3	7.8	8.5	8.7	15.3	30.2	52.3	47.3	26.2	10	3236
03-05 LST	47.9	49.1	31.2	23.6	21.7	14.5	18.6	18.5	20.5	38.5	54.7	44.7	32.0	10	2784
06-08 LST	49.7	56.8	44.3	31.6	17.7	14.1	12.5	14.2	27.3	49.8	65.9	54.9	36.6	10	3171
09-11 LST	51.2	51.4	31.9	22.1	13.6	8.5	9.6	7.6	16.8	35.9	59.6	53.1	30.1	10	3051
12-14 LST	40.8	45.0	23.9	17.0	10.1	5.9	5.6	6.4	8.3	22.0	52.7	46.8	23.7	10	3420
15-17 LST	42.3	40.3	20.7	13.8	8.3	4.6	4.6	5.7	7.6	18.6	50.2	47.7	22.0	10	3020
18-20 LST	43.4	38.9	25.7	14.7	5.9	4.9	4.5	5.3	11.7	24.8	48.4	50.9	23.3	10	3189
21-23 LST	44.4	40.9	26.4	15.9	8.9	8.2	6.6	6.8	13.0	31.9	51.7	50.9	23.5	10	2893
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	6.3	9.6	6.0	1.8	0.3	0.5	0.3	0.6	2.7	9.7	15.2	7.8	5.1	10	3236
03-05 LST	8.5	10.6	8.2	4.4	2.8	1.6	4.0	1.9	4.3	14.3	16.6	7.9	7.1	10	2784
06-08 LST	8.4	14.5	12.0	6.7	2.5	1.1	0.3	1.7	5.0	19.5	16.6	8.9	8.1	10	3171
09-11 LST	9.3	12.7	5.9	1.5	0.0	0.0	0.3	0.0	2.0	7.9	13.4	12.3	5.4	10	3051
12-14 LST	3.7	6.8	3.3	0.5	0.2	0.0	0.0	0.0	0.0	1.4	8.4	9.5	2.8	10	3420
15-17 LST	2.1	7.9	3.9	2.0	0.0	0.3	0.0	0.3	0.0	1.7	7.7	6.0	2.7	10	3020
18-20 LST	3.7	8.3	4.2	1.8	0.0	0.0	0.3	0.6	1.0	2.9	6.3	9.3	3.2	10	3189
21-23 LST	5.3	8.0	6.3	1.2	0.0	0.0	0.0	0.0	1.6	6.3	10.2	10.1	4.1	10	2893

BREST, USSR

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST	20.4	18.0	25.5	27.5	30.1	28.8	29.8	29.5	26.9	24.0	17.5	19.3	297.3	10	3236
	08 LST	18.6	14.9	21.0	23.0	27.5	26.8	28.8	28.1	23.6	17.7	13.4	17.8	261.2	10	3171
	14 LST	22.5	18.7	26.1	27.8	30.1	29.5	30.2	29.9	28.9	26.6	17.9	19.9	308.1	10	3420
	20 LST	21.1	19.6	25.6	27.5	30.5	29.5	30.4	30.0	28.1	25.4	18.4	18.6	304.7	10	3189
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST	11.8	10.4	17.8	17.7	26.3	26.4	26.7	26.9	23.9	18.8	9.3	12.4	232.4	10	3235
	08 LST	11.9	7.9	12.3	17.5	22.7	23.8	24.4	24.5	21.5	14.0	5.9	9.8	196.2	10	3168
	14 LST	12.8	9.4	13.9	15.5	20.4	21.5	21.9	20.7	19.2	18.0	7.6	10.6	191.5	10	3419
	20 LST	12.2	12.7	18.6	21.5	26.8	25.7	27.6	27.5	24.6	21.7	11.1	11.0	241.0	10	3187
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST	0.4	0.9	0.6	0.4	0.5	0.0	0.0	0.0	0.0	0.6	0.8	0.5	4.7	10	1206
	08 LST	0.4	0.8	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.3	1.5	0.4	3.9	10	1304
	14 LST	0.9	1.0	1.8	2.1	0.5	0.0	0.0	7.8	0.0	0.3	2.2	0.5	17.1	10	1252
	20 LST	0.5	0.5	0.5	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.0	2.6	10	1252
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST	2.1	2.6	7.7	14.4	16.0	15.4	15.8	16.7	17.8	17.4	8.6	3.6	138.1	10	3239
	08 LST	2.4	3.4	8.4	16.4	21.1	19.8	19.9	21.2	21.5	18.4	10.4	3.5	166.4	10	3174
	14 LST	3.6	5.5	11.1	17.4	20.4	19.8	20.6	19.7	19.3	20.2	12.8	5.3	173.7	10	3428
	20 LST	2.9	4.0	9.9	18.5	19.6	18.4	18.3	16.9	17.0	19.7	12.5	5.0	162.7	10	3197
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST	5.9	4.1	10.9	13.3	15.6	14.8	16.0	16.4	16.0	10.8	4.0	5.1	132.9	10	3241
	08 LST	3.5	2.4	4.6	8.0	8.5	12.9	12.4	10.2	10.3	4.0	1.9	2.8	81.5	10	3174
	14 LST	4.3	4.9	7.4	6.8	3.6	5.5	5.0	5.3	6.7	6.4	2.8	2.4	61.1	10	3430
	20 LST	5.3	6.3	9.2	7.8	7.8	10.6	9.3	10.3	11.5	10.9	4.3	4.8	98.1	10	3198
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST	13.1	11.3	19.4	22.7	25.8	26.3	26.5	26.6	24.1	19.0	10.6	12.9	238.3	10	3236
	08 LST	12.2	9.1	13.7	17.9	23.2	24.6	25.4	24.5	20.5	13.4	6.9	10.0	201.4	10	3171
	14 LST	14.4	11.9	19.5	20.3	23.2	24.5	26.0	24.4	23.5	20.5	10.0	12.5	230.7	10	3420
	20 LST	13.5	14.2	19.8	22.7	26.0	26.1	27.4	27.2	24.3	20.7	12.0	11.5	245.4	10	3189
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST	10.2	8.0	16.0	19.5	22.5	23.6	23.6	23.9	22.0	15.4	7.4	9.2	201.3	10	3236
	08 LST	9.2	6.4	11.1	15.6	20.1	21.8	22.7	21.1	18.1	9.7	4.7	6.8	167.3	10	3171
	14 LST	11.5	9.8	15.3	15.3	14.8	16.9	17.1	15.0	16.8	16.4	7.2	8.9	165.0	10	3420
	20 LST	10.1	10.9	15.9	17.8	19.8	21.7	22.4	22.2	20.1	16.6	9.0	7.7	194.2	10	3189
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST	10.1	7.9	15.8	19.4	22.2	23.5	23.6	23.6	21.9	15.3	7.4	9.1	199.8	10	3236
	08 LST	9.1	6.1	11.1	15.6	20.0	21.8	22.6	21.0	18.0	9.6	4.7	6.7	166.3	10	3171
	14 LST	11.4	9.8	15.3	15.2	14.6	16.8	17.0	14.9	16.7	16.3	7.1	8.9	164.0	10	3420
	20 LST	10.0	10.8	15.8	17.7	19.7	21.6	22.3	22.2	20.0	16.6	8.8	7.5	193.0	10	3189

SARNY, USSR

STA NO. 33088 (IN AREA NUMBER 08)

LATITUDE 5112N

LONGITUDE 02637E

ELEVATION(FT) 00502

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. DBS
ABS MAX TMP (F)	48	52	72	81	86	93	93	100	88	81	64	59	100	10	2498
MEAN MAX TMP (F)	26	30	39	56	67	75	76	74	68	55	41	31	53	10	2498
MEAN MIN TMP (F)	16	20	27	39	47	53	55	54	47	41	33	23	38	10	2410
ABS MIN TMP (F)	-18	-15	-11	21	27	37	43	32	30	21	-13	-11	-18	10	2410
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	1.7	1.3	1.7	0.0	0.0	0.0	0.0	4.7	10	2498
MEAN NO DYS TMP = OR LES 32(F)	29.4	25.9	22.8	8.2	0.6	0.0	0.0	0.2	1.4	5.6	14.2	26.5	134.8	10	2410
MEAN NO DYS TMP = OR LES 0(F)	4.2	3.1	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	1.5	9.8	10	2410
MEAN DEW PT TMP (F)	18	21	27	38	46	53	55	55	50	43	34	24	39	10	22701
MEAN REL HUM (PCT)	86	83	77	69	68	66	69	73	75	81	87	87	77	10	22701
MEAN PRESS ALT (FT)	381	424	422	482	446	463	482	471	411	354	367	490	433	5	12913
MEAN PRECIP (IN)	1.52	2.00	1.16	1.86	2.22	2.71	3.06	2.39	2.14	1.53	1.67	1.84	24.2	10	1905
MEAN SNOW FALL (IN)						0.0	0.0	0.0	0.0					10	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	11.5	12.3	9.7	8.2	10.0	8.8	9.8	8.3	7.6	8.8	11.3	12.0	118.3	10	1906
MEAN NO DYS SNFL = OR GTR 1.5 IN						0.0	0.0	0.0	0.0					10	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	2.2	2.2	1.6	1.7	0.9	0.5	0.5	0.4	2.1	3.9	1.8	2.0	19.8	10	22640
MEAN NO DYS TSTMS	0.0	0.1	0.3	1.7	6.1	6.1	6.8	5.6	1.9	0.2	0.0	0.0	28.8	10	3355
P FREQ WND SPD = OR GTR 17 KTS	3.4	4.9	3.5	3.8	1.4	1.0	0.8	0.9	1.0	1.0	3.4	1.7	2.2	10	22773
P FREQ WND SPD = OR GTR 28 KTS	0.2	0.1	0.0	0.3	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.1	10	22773
P FREQ LES 5000 FT A/D LES 5 MI	76.2	75.5	66.3	54.5	39.0	35.6	38.3	40.6	53.0	66.2	80.6	80.5	58.9	10	22640
P FREQ LES 1500 FT A/D LES 3 MI															
FDR 00-02 LST	83.5	86.0	81.1	72.2	45.9	44.7	51.0	48.8	75.1	73.2	86.3	85.0	69.4	10	2844
03-05 LST	75.0	73.2	68.7	47.9	18.8	14.3	19.4	30.6	53.2	65.2	63.8	72.4	50.2	10	2973
06-08 LST	55.8	55.9	48.2	30.4	12.8	15.0	15.0	19.1	36.8	53.4	61.5	60.0	38.7	10	2625
09-11 LST	50.8	49.1	30.8	21.3	14.2	9.9	8.4	11.4	15.5	32.8	51.5	52.1	29.0	10	2882
12-14 LST	36.5	39.6	20.3	17.6	10.7	7.1	5.9	9.5	10.3	22.0	43.9	50.9	22.9	10	2654
15-17 LST	40.3	38.3	17.7	12.7	9.8	6.6	6.1	9.6	6.8	20.6	47.8	52.1	22.4	10	2894
18-20 LST	72.6	76.3	74.8	42.1	7.6	5.6	5.7	13.3	52.7	60.4	72.7	77.4	46.8	10	2714
21-23 LST	78.5	80.0	78.2	68.4	61.6	55.8	61.6	54.1	66.1	67.4	75.5	76.9	68.7	10	3054
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	9.0	9.3	5.3	2.6	0.7	0.8	0.0	0.8	2.2	9.8	7.8	7.0	4.6	10	2844
03-05 LST	12.3	10.8	7.5	6.4	4.7	2.9	2.7	2.5	5.3	15.1	8.5	9.3	7.3	10	2973
06-08 LST	11.5	16.7	15.3	11.1	1.5	1.7	1.8	3.4	11.8	23.0	14.3	12.5	10.4	10	2625
09-11 LST	13.6	12.5	5.9	4.3	0.5	0.2	0.0	0.2	2.4	7.4	13.2	17.4	6.5	10	2882
12-14 LST	8.3	8.9	3.0	2.1	0.7	0.3	0.0	0.0	0.5	2.5	5.7	11.2	3.6	10	2654
15-17 LST	6.8	9.4	1.8	0.7	0.0	0.3	0.0	0.7	0.3	3.3	6.8	9.7	3.3	10	2894
18-20 LST	9.3	11.7	3.4	0.3	0.0	0.0	0.0	0.3	1.2	3.7	3.5	10.5	3.7	10	2714
21-23 LST	7.0	11.0	4.0	1.1	0.0	0.3	0.0	0.5	0.3	6.3	4.7	5.4	3.4	10	3054

SARNY, USSR

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST	5.9	4.4	6.6	9.0	17.2	17.1	15.6	16.3	7.7	8.9	4.9	5.8	119.4	10	2844
	08 LST	15.8	15.8	19.5	23.5	29.2	27.3	28.7	27.8	21.1	18.1	15.8	14.8	257.4	10	2625
	14 LST	23.0	19.5	28.0	26.8	30.0	29.6	30.6	29.4	28.6	27.6	21.6	18.6	313.3	10	2654
	20 LST	9.7	7.4	9.0	18.8	30.6	29.3	30.5	28.6	14.8	13.3	9.8	8.3	210.5	10	2714
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST	4.0	2.9	4.5	7.1	15.3	15.5	14.5	14.8	6.9	7.4	2.5	2.6	98.0	10	2843
	08 LST	11.0	7.7	10.7	17.2	24.0	23.7	24.3	23.9	18.0	11.5	5.0	8.1	186.1	10	2622
	14 LST	14.6	11.7	15.0	15.0	18.9	20.0	24.0	20.7	19.9	17.1	8.4	10.4	195.7	10	2651
	20 LST	7.0	5.3	6.2	14.5	25.2	25.5	25.8	24.7	12.8	10.8	5.4	5.0	168.2	10	2710
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST	0.3	0.6	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.3	1.0	0.3	3.2	10	1096
	08 LST	0.6	0.3	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.7	0.6	3.5	10	1346
	14 LST	1.0	0.2	2.5	2.0	1.2	0.0	0.0	0.0	0.0	0.0	1.4	0.7	9.0	10	1095
	20 LST	0.5	0.2	0.2	1.2	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.3	3.4	10	1122
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST	1.5	2.4	5.3	9.6	7.4	7.5	9.3	11.1	13.2	12.7	7.0	2.7	89.7	10	2849
	08 LST	1.8	1.1	5.4	14.1	18.5	16.8	18.4	17.1	17.3	15.3	9.1	4.0	138.9	10	2627
	14 LST	4.0	3.7	11.6	15.3	17.9	17.5	23.0	19.0	19.9	19.7	9.8	5.6	167.0	10	2670
	20 LST	2.1	2.6	8.6	12.5	13.9	11.0	11.5	11.1	10.3	12.4	11.3	3.4	110.7	10	2720
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST	1.2	2.4	3.8	5.9	12.1	13.0	11.8	12.7	5.7	4.8	1.9	1.9	77.2	10	2853
	08 LST	4.5	3.7	5.1	8.4	13.4	16.2	13.3	13.7	9.9	4.0	2.8	3.4	98.4	10	2634
	14 LST	6.4	5.9	8.2	7.4	8.2	10.0	6.5	8.6	11.8	7.7	4.3	3.7	88.7	10	2669
	20 LST	3.1	3.4	4.7	9.2	12.0	15.6	11.1	15.0	9.4	7.6	3.3	2.6	97.0	10	2728
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST	4.0	3.3	5.1	7.5	15.9	15.6	14.5	15.3	7.0	7.4	3.1	3.5	102.2	10	2844
	08 LST	11.4	8.7	12.7	17.9	24.7	23.4	24.1	22.8	17.0	11.0	7.5	9.3	190.5	10	2625
	14 LST	16.0	13.7	20.7	21.5	24.4	24.9	26.4	25.3	24.1	20.2	11.6	11.4	240.2	10	2654
	20 LST	7.1	5.6	6.2	15.5	26.3	26.2	26.7	24.6	13.2	10.7	6.2	5.5	173.8	10	2714
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST	3.1	2.8	5.0	6.9	14.8	15.0	13.7	14.8	6.2	6.6	2.2	2.6	93.7	10	2844
	08 LST	10.0	7.6	11.3	15.2	23.0	21.9	21.5	21.0	15.3	9.0	6.2	7.4	169.4	10	2625
	14 LST	14.1	12.2	18.0	18.6	21.3	21.3	23.2	21.6	21.7	17.3	9.9	10.2	209.4	10	2654
	20 LST	5.3	4.4	5.6	13.7	24.3	23.6	23.9	22.7	12.4	9.1	4.7	4.3	154.0	10	2714
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST	3.0	2.8	5.0	6.9	14.8	15.0	13.7	14.8	6.2	6.6	2.1	2.6	93.5	10	2844
	08 LST	10.0	7.6	11.3	15.2	22.9	21.9	21.5	21.0	15.3	9.0	6.2	7.4	169.3	10	2625
	14 LST	13.8	12.2	18.0	18.6	21.3	21.3	23.1	21.6	21.7	17.2	9.9	10.1	208.8	10	2654
	20 LST	5.3	4.4	5.6	13.7	24.3	23.5	23.8	22.6	12.4	9.1	4.7	4.2	153.6	10	2714

KIYEV/KIEV, USSR

STA NO. 33345 (IN AREA NUMBER 08)

LATITUDE 5024N

LONGITUDE 03027E

ELEVATION(FT) 00587

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
														(YRS)	DBS
ABS MAX TMP (F)	45	46	70	82	86	93	91	93	86	79	63	54	93	10	3202
MEAN MAX TMP (F)	24	28	36	55	68	74	76	74	66	54	39	30	52	10	3202
MEAN MIN TMP (F)	16	18	26	40	50	55	57	56	48	41	32	23	39	10	3197
ABS MIN TMP (F)	-18	-17	-18	18	30	37	46	36	32	19	-4	-8	-18	10	3197
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.6	1.9	1.2	0.0	0.0	0.0	0.0	3.7	10	3202
MEAN NO DYS TMP = DR LES 32(F)	29.7	25.8	24.8	6.8	0.5	0.0	0.0	0.0	0.7	4.6	16.2	26.6	135.7	10	3197
MEAN NO DYS TMP = DR LES 0(F)	5.0	3.2	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	1.6	10.8	10	3197
MEAN DEW PT TMP (F)	17	19	26	39	48	53	56	55	48	42	33	24	38	10	26605
MEAN REL HUM (PCT)	87	85	81	65	66	65	68	71	72	80	89	88	77	10	26605
MEAN PRESS ALT (FT)	471	479	485	542	528	545	575	567	477	406	414	545	503	5	14152
MEAN PRECIP (IN)	2.06	1.21	1.38	1.16	1.90	2.00	2.98	3.12	1.26	1.57	2.21	1.91	22.8	10	2963
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0					10	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	12.4	10.2	10.6	6.0	8.8	7.7	8.0	8.3	5.3	6.3	10.8	12.4	106.8	10	2963
MEAN NO DYS SNFL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0					10	-29
MEAN NO DYS W/OCCUR VSBY LES 1/2 MI	3.3	2.3	2.1	1.2	0.1	0.0	0.1	0.5	0.9	2.8	4.7	3.0	21.0	10	26555
MEAN NO DYS TSTMS	0.0	0.0	0.2	1.6	4.3	5.2	6.3	5.0	0.7	0.4	0.0	0.0	23.7	10	3644
P FREQ WND SPD = DR GTR 17 KTS	6.5	5.0	5.3	4.8	2.1	1.7	2.1	2.6	1.2	2.2	4.4	3.8	3.5	10	26642
P FREQ WND SPD = DR GTR 28 KTS	0.6	0.1	0.2	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.1	10	26642
P FREQ LES 5000 FT A/D LES 5 MI	86.0	82.7	73.0	56.0	41.6	37.1	37.1	41.9	49.4	65.2	85.3	86.5	61.8	10	26555
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	62.7	57.2	43.1	29.6	20.1	17.9	17.5	18.6	20.9	32.7	59.6	61.0	36.7	10	3485
03-05 LST	64.7	56.2	44.6	29.1	12.8	11.5	13.4	19.6	21.5	38.9	59.7	63.4	36.3	10	3162
06-08 LST	66.2	64.1	51.0	27.9	11.8	9.5	11.4	15.7	18.3	44.7	65.2	61.1	37.2	10	3467
09-11 LST	64.2	59.1	39.6	18.7	7.7	5.0	5.4	8.0	11.3	32.6	67.7	64.2	31.5	10	3121
12-14 LST	57.3	46.5	32.5	14.3	4.9	3.4	2.3	6.0	7.0	20.0	51.3	57.5	25.3	10	3530
15-17 LST	56.7	44.3	27.7	12.8	4.1	2.3	2.4	2.7	4.7	16.8	52.6	62.5	24.1	10	3075
18-20 LST	57.6	49.7	34.8	21.9	6.9	3.9	1.9	9.3	17.5	26.8	54.5	59.2	28.7	10	3482
21-23 LST	59.4	51.1	36.7	24.3	18.3	15.5	16.1	16.9	17.6	27.8	56.1	62.1	33.5	10	3233
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	18.8	13.6	7.5	2.7	1.1	0.2	0.6	0.6	3.2	9.4	24.8	18.8	6.4	10	3485
03-05 LST	18.9	16.2	11.2	8.0	1.0	0.5	1.1	2.8	4.2	13.4	23.5	16.3	9.8	10	3162
06-08 LST	25.0	18.4	14.0	5.7	0.8	0.0	0.1	1.2	4.4	16.1	30.4	19.4	11.3	10	3467
09-11 LST	21.4	13.8	9.7	1.2	0.0	0.3	0.0	0.0	0.5	7.9	23.0	20.1	8.2	10	3121
12-14 LST	16.9	9.8	4.5	0.5	0.0	0.0	0.0	0.6	0.2	3.1	16.3	17.6	5.8	10	3530
15-17 LST	17.3	11.5	6.7	1.3	0.0	0.0	0.3	0.0	0.3	2.8	18.1	17.8	6.4	10	3075
18-20 LST	15.3	7.3	5.2	2.0	0.2	0.0	0.0	0.0	0.6	3.1	20.1	18.7	6.0	10	3482
21-23 LST	16.2	8.9	6.1	2.1	0.0	0.0	0.3	0.0	1.5	4.8	18.2	19.0	6.4	10	3233

KIYEV/KIEV, USSR

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST	15.7	15.7	22.4	25.3	29.0	29.3	29.8	29.7	27.6	25.0	15.6	16.8	281.9	10	3485
	08 LST	13.3	12.7	17.5	23.8	28.8	28.7	28.7	27.6	25.9	19.2	12.8	15.3	254.3	10	3467
	14 LST	16.4	18.3	24.6	27.7	30.4	29.7	31.0	29.9	28.8	27.0	17.1	16.4	297.3	10	3530
	20 LST	17.8	18.7	25.6	27.6	30.3	29.3	30.9	30.3	28.6	26.9	17.8	16.8	300.6	10	3482
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST	7.3	8.6	13.0	18.1	25.0	25.6	27.6	25.6	25.2	19.1	9.0	6.3	210.4	10	3480
	08 LST	6.4	5.1	8.5	14.3	20.6	21.4	22.6	21.3	20.8	12.9	5.9	6.6	166.4	10	3459
	14 LST	6.5	7.0	8.7	11.6	14.5	16.2	17.8	18.7	19.9	14.1	6.6	5.9	143.3	10	3528
	20 LST	7.9	9.3	14.5	19.9	24.3	24.3	27.0	25.9	25.2	20.8	8.7	7.6	213.4	10	3478
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST	0.4	0.0	0.0	0.7	0.0	0.0	0.0	0.0	0.0	0.5	0.8	0.7	3.1	10	1408
	08 LST	0.6	0.2	0.3	0.7	0.5	2.2	0.0	0.0	0.0	0.2	0.9	0.2	5.8	10	1492
	14 LST	0.8	0.4	0.9	2.2	1.0	4.4	0.0	5.2	0.5	1.0	1.1	0.2	17.7	10	1447
	20 LST	0.6	0.6	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.3	1.1	0.3	3.5	10	1463
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST	0.9	1.2	5.7	14.9	17.9	18.2	18.2	18.1	18.7	17.1	8.2	2.2	141.3	10	3481
	08 LST	1.2	1.6	5.0	14.3	18.4	19.2	20.9	18.9	19.7	17.1	5.1	2.7	144.1	10	3466
	14 LST	2.0	3.4	7.2	11.3	11.9	14.9	14.8	16.4	15.0	16.0	8.4	4.0	125.3	10	3533
	20 LST	0.9	1.9	9.1	15.6	19.4	19.7	21.4	18.9	18.2	17.7	8.5	2.7	154.0	10	3482
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST	5.8	4.9	9.2	13.6	15.1	18.2	19.2	18.5	17.1	11.3	5.1	3.3	141.3	10	3483
	08 LST	2.0	2.6	5.0	8.1	9.8	13.5	14.0	12.7	12.3	5.9	2.3	2.9	91.1	10	3470
	14 LST	3.5	5.7	6.8	5.7	4.7	5.7	5.4	7.4	7.1	7.6	3.4	3.4	66.4	10	3535
	20 LST	6.3	6.7	10.2	10.9	9.3	10.7	11.6	12.1	15.6	12.2	6.0	5.1	116.7	10	3486
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST	9.3	9.7	15.2	20.1	24.0	23.9	25.1	24.5	23.2	19.2	10.0	9.0	213.2	10	3485
	08 LST	8.2	8.0	13.4	19.9	26.0	25.8	26.4	25.0	23.8	15.5	8.3	9.0	209.3	10	3467
	14 LST	10.8	11.9	17.0	22.9	27.7	27.6	28.8	27.5	26.0	21.8	11.8	10.3	244.1	10	3530
	20 LST	10.4	11.4	17.7	22.0	27.8	28.1	29.8	27.4	24.2	20.9	11.0	10.0	240.7	10	3482
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST	8.2	8.1	13.5	18.7	22.2	22.6	24.0	23.3	22.3	16.7	8.3	7.6	195.5	10	3485
	08 LST	6.2	6.4	12.2	18.5	23.9	24.3	25.1	23.9	22.8	13.2	6.6	7.0	190.1	10	3467
	14 LST	9.7	10.5	13.9	16.8	18.3	17.7	18.8	19.3	18.6	17.2	8.8	8.8	178.4	10	3530
	20 LST	9.3	9.6	15.3	19.5	24.4	24.5	26.5	24.2	22.7	17.4	8.7	8.4	210.5	10	3482
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST	8.1	8.0	13.5	18.6	22.2	22.5	23.9	23.2	22.3	16.7	8.3	7.5	194.8	10	3485
	08 LST	6.2	6.4	12.2	18.4	23.9	24.2	25.0	23.8	22.6	13.0	6.5	6.9	189.1	10	3467
	14 LST	9.7	10.5	13.9	16.7	18.0	17.1	18.1	19.0	18.3	17.1	8.8	8.8	176.0	10	3530
	20 LST	9.3	9.6	15.2	19.3	24.2	24.3	26.5	24.2	22.6	17.2	8.6	8.3	209.3	10	3482

LVOV, USSR

STA NO. 33393 (IN AREA NUMBER 08)

LATITUDE 4949N

LONGITUDE 02357E

ELEVATION(FT) 01066

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	46	57	72	81	82	91	91	91	82	77	66	59	91	10	3142
MEAN MAX TMP (F)	26	31	40	50	64	72	73	72	66	57	43	31	53	10	3142
MEAN MIN TMP (F)	16	21	27	39	47	54	55	54	48	41	34	23	38	10	3164
ABS MIN TMP (F)	-15	-18	-11	21	28	36	41	37	32	19	0	-8	-18	10	3164
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.4	0.7	0.5	0.0	0.0	0.0	0.0	1.6	10	3142
MEAN NO DYS TMP = DR LES 32(F)	30.3	24.6	22.8	6.6	1.3	0.0	0.0	0.0	0.3	5.4	13.4	26.7	131.4	10	3164
MEAN NO DYS TMP = DR LES 0(F)	3.4	2.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.8	6.9	10	3164
MEAN DEN PT TMP (F)	18	22	28	39	47	54	56	55	50	44	35	24	39	10	26496
MEAN REL HUM (PCT)	86	86	80	72	72	72	74	76	77	81	88	88	79	10	26496
MEAN PRESS ALT (FT)	915	975	964	1040	991	1002	1013	1013	953	893	923	1029	976	5	14081
MEAN PRECIP (IN)	2.06	2.60	1.81	1.35	2.70	2.70	4.33	2.94	2.09	1.80	2.26	2.56	29.2	10	2886
MEAN SNOW FALL (IN)						0.0	0.0	0.0	0.0					10	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	14.3	13.6	12.1	8.0	11.3	9.8	11.4	9.0	8.7	8.2	11.2	14.3	131.9	10	2886
MEAN NO DYS SNFL = DR GTR 1.5 IN						0.0	0.0	0.0	0.0					10	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	1.7	3.0	1.5	0.8	0.9	1.1	0.8	1.1	0.6	2.8	3.1	2.2	19.6	10	26383
MEAN NO DYS TSTMS	0.0	0.0	0.4	2.0	5.3	8.1	8.7	6.3	2.7	0.4	0.0	0.0	33.9	10	3632
P FREQ WND SPD = DR GTR 17 KTS	3.9	5.4	4.2	4.0	1.5	0.9	0.4	1.5	0.8	1.4	4.4	3.0	2.6	10	26538
P FREQ WND SPD = DR GTR 26 KTS	0.2	0.5	0.2	0.0	0.2	0.0	0.0	0.0	0.0	0.1	0.2	0.1	0.1	10	26538
P FREQ LES 5000 FT A/D LES 5 MI	76.6	76.8	60.1	40.2	40.7	33.0	37.1	36.4	38.6	30.6	73.3	77.4	53.4	10	26383
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	53.3	53.7	34.6	20.0	19.9	17.0	20.4	19.0	19.7	31.9	53.3	58.4	33.8	10	3444
03-05 LST	58.9	59.6	41.6	28.1	27.4	27.3	30.4	31.3	27.0	40.7	58.6	56.4	40.6	10	3125
06-08 LST	55.9	63.3	46.3	33.1	25.1	20.8	25.4	27.4	31.1	41.0	60.1	56.8	40.5	10	3443
09-11 LST	50.6	59.3	37.6	23.8	17.8	14.3	14.1	12.9	15.4	26.9	53.3	53.5	31.8	10	3093
12-14 LST	41.6	47.5	25.9	16.1	11.8	8.4	7.0	7.5	8.8	16.8	44.4	48.9	23.7	10	3527
15-17 LST	42.6	45.9	22.8	12.2	10.7	6.8	6.3	6.7	7.7	16.0	41.6	48.8	22.3	10	3112
18-20 LST	52.5	51.2	26.1	12.9	10.3	6.3	7.1	7.3	9.3	21.7	47.1	54.1	23.3	10	3436
21-23 LST	51.8	53.5	30.0	14.6	12.8	9.4	11.6	10.9	14.2	30.0	49.4	53.8	28.3	10	3203
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	13.8	18.5	7.2	2.6	5.0	2.5	3.5	2.8	4.7	10.6	22.8	20.4	9.5	10	3444
03-05 LST	15.0	16.7	10.9	5.5	5.2	7.5	6.2	6.8	6.0	13.3	20.9	20.2	11.2	10	3125
06-08 LST	13.8	20.6	11.4	6.6	5.9	3.1	5.7	5.8	5.5	15.1	23.2	21.3	11.5	10	3443
09-11 LST	9.6	18.2	5.2	2.7	2.5	0.3	0.7	0.3	0.7	4.1	13.8	16.3	6.2	10	3093
12-14 LST	8.3	12.3	1.8	1.6	1.3	1.3	0.2	0.2	0.2	1.8	10.1	14.0	4.4	10	3527
15-17 LST	10.3	14.9	3.9	1.2	1.6	0.3	0.7	0.3	0.0	2.2	12.3	16.7	5.4	10	3112
18-20 LST	11.2	14.5	4.1	0.9	1.6	1.0	1.2	0.6	1.5	1.6	12.6	16.2	5.6	10	3436
21-23 LST	11.0	14.7	6.0	2.0	1.7	1.0	2.8	0.7	2.3	7.2	21.0	18.3	7.4	10	3203

LVOV, USSR

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST	17.6	15.4	23.4	25.9	26.3	26.3	26.2	27.3	25.7	22.9	15.5	15.3	267.8	10	3444
	08 LST	16.4	12.8	18.9	22.4	24.8	24.9	25.0	24.6	22.7	20.1	14.1	16.2	242.9	10	3443
	14 LST	20.9	17.2	26.0	26.9	23.6	28.4	29.4	29.4	28.7	27.7	19.1	18.6	300.9	10	3527
	20 LST	17.4	16.0	25.5	27.4	21.7	28.8	29.4	29.4	28.2	26.0	18.6	17.1	292.5	10	3436
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST	10.6	8.3	14.4	20.4	23.3	24.0	23.8	24.0	23.6	19.1	8.6	9.4	209.5	10	3444
	08 LST	9.8	6.6	10.9	15.9	20.6	21.5	22.4	20.1	19.2	15.3	7.6	9.8	179.7	10	3441
	14 LST	12.9	8.9	11.6	13.4	17.4	19.6	21.6	19.7	16.4	16.5	8.3	10.8	177.1	10	3523
	20 LST	11.4	10.9	16.0	21.7	25.1	25.5	26.3	26.8	25.2	21.2	10.4	10.0	230.5	10	3435
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST	0.4	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.0	1.4	10	1217
	08 LST	0.2	0.0	0.5	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.4	2.3	10	1289
	14 LST	0.5	0.0	1.4	2.3	1.3	0.0	0.0	0.0	0.0	0.5	1.7	0.6	8.3	10	1252
	20 LST	0.2	0.0	0.5	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	2.3	10	1248
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST	1.5	2.3	6.3	12.6	10.8	9.0	8.5	10.9	13.5	13.6	6.5	2.9	98.4	10	3461
	08 LST	0.8	1.6	5.3	14.0	16.6	17.5	16.6	15.0	15.7	14.3	7.6	2.2	127.2	10	3450
	14 LST	2.9	3.8	7.2	12.0	14.6	17.9	16.4	15.2	15.5	16.5	9.6	3.8	135.4	10	3532
	20 LST	1.6	3.1	8.8	16.1	15.7	16.6	15.6	12.9	16.1	14.0	8.6	2.8	131.9	10	3447
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST	5.4	4.6	9.3	12.3	12.7	15.2	15.2	14.7	14.2	12.8	4.2	4.6	125.2	10	3457
	08 LST	4.8	2.5	4.8	9.1	9.2	12.1	11.5	10.2	8.9	6.8	3.1	3.7	86.7	10	3448
	14 LST	5.9	5.2	5.9	6.5	3.6	6.2	5.1	6.2	7.6	8.8	4.3	4.3	69.6	10	3535
	20 LST	4.9	4.6	8.2	8.1	6.9	9.5	10.1	9.6	11.8	13.8	6.0	4.5	98.0	10	3455
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST	12.3	10.0	17.8	22.6	24.1	24.2	24.0	24.1	23.2	20.1	11.8	11.1	223.3	10	3444
	08 LST	11.7	8.2	15.0	18.6	22.5	23.1	22.3	21.5	19.7	17.2	10.3	11.3	201.4	10	3443
	14 LST	16.2	12.9	19.5	22.5	24.5	25.3	27.0	27.0	24.7	23.3	14.1	13.9	250.9	10	3527
	20 LST	12.7	11.8	20.7	24.4	26.7	27.1	27.8	27.9	26.1	23.0	13.7	12.0	233.9	10	3436
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST	9.8	7.6	14.8	20.6	21.9	22.3	21.6	22.1	20.7	18.3	9.5	9.0	198.2	10	3444
	08 LST	9.0	6.4	12.4	17.2	20.1	22.1	20.1	20.0	18.0	14.3	7.8	8.7	176.1	10	3443
	14 LST	14.2	11.3	15.0	17.9	16.4	19.0	19.5	21.3	20.2	19.7	11.9	11.8	198.2	10	3527
	20 LST	10.1	9.4	16.5	20.3	21.9	23.6	24.3	24.2	22.5	20.4	11.2	9.6	214.0	10	3436
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST	9.7	7.6	14.8	20.3	21.8	22.3	21.4	22.0	20.5	18.2	9.5	9.0	197.1	10	3444
	08 LST	8.8	6.3	12.5	17.1	20.0	22.1	19.9	19.9	18.0	14.3	7.7	8.6	175.0	10	3443
	14 LST	14.1	11.2	14.9	17.9	16.4	18.9	19.4	21.2	20.1	19.6	11.9	11.7	197.3	10	3527
	20 LST	10.0	9.4	16.4	20.3	21.8	23.5	24.3	24.0	22.4	20.3	11.2	9.5	213.1	10	3436

KHMEI'NITSKUY, USSR

STA NO. 33429 (IN AREA NUMBER 08)

LATITUDE 4924N

LONGITUDE 02659E

ELEVATION(FT) 00640

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	43	54	72	79	86	93	90	93	86	77	68	55	93	10	2611
MEAN MAX TMP (F)	25	29	38	56	66	74	75	73	67	56	41	30	53	10	2611
MEAN MIN TMP (F)	16	20	26	38	47	53	55	54	47	40	34	23	38	10	2553
ABS MIN TMP (F)	-15	-13	-6	23	28	36	45	36	28	21	0	-2	-15	10	2553
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.8	0.6	0.7	0.0	0.0	0.0	0.0	2.1	10	2611
MEAN NO DYS TMP = DR LES 32(F)	30.3	29.8	23.8	8.3	0.7	0.0	0.0	0.0	0.7	5.5	14.1	27.2	136.4	10	2553
MEAN NO DYS TMP = DR LES 0(F)	4.4	2.1	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.4	8.0	10	2553
MEAN DEW PT TMP (F)	17	20	27	38	47	54	56	56	49	43	34	24	39	10	24719
MEAN REL HUM (PCT)	85	84	82	70	69	70	72	75	75	81	88	89	78	10	24719
MEAN PRESS ALT (FT)	511	543	538	614	584	595	611	601	527	465	478	590	555	5	13857
MEAN PRECIP (IN)	1.90	2.18	1.48	1.40	2.32	2.61	4.41	2.33	2.33	1.08	1.62	1.62	25.3	10	2118
MEAN SNOW FALL (IN)						0.0	0.0	0.0						10	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	14.2	13.5	10.9	6.9	8.6	8.4	11.2	7.3	6.7	6.6	10.9	11.3	116.5	10	2118
MEAN NO DYS SNFL = DR GTR 1.5 IN						0.0	0.0	0.0						10	-29
MEAN NO DYS W/OCCUR VSBY LES 1/2 MI	4.3	3.3	3.3	1.2	0.7	0.4	0.4	1.4	1.3	4.1	4.8	4.5	29.7	10	24634
MEAN NO DYS TSTMS	0.0	0.0	0.1	1.1	3.6	6.8	8.3	5.5	1.1	0.1	0.1	0.0	26.7	10	3533
P FREQ WND SPD = DR GTR 17 KTS	6.6	7.0	6.3	5.7	2.7	1.2	0.8	1.6	2.5	2.7	4.1	4.3	3.8	10	24774
P FREQ WND SPD = DR GTR 28 KTS	0.5	0.5	0.4	0.3	0.0	0.0	0.0	0.1	0.0	0.2	0.1	0.0	0.2	10	24774
P FREQ LES 5000 FT A/D LES 5 MI	70.2	71.5	55.8	37.3	32.7	29.8	31.1	32.0	32.2	48.6	73.5	75.3	49.2	10	24634
P FREQ LES 1500 FT A/D LES 3 MI															
FDR 00-02 LST	49.9	50.4	34.2	17.7	10.1	7.5	8.5	12.1	11.5	30.0	56.0	56.3	28.7	10	3120
03-05 LST	57.5	54.8	40.9	27.2	20.6	17.8	19.5	23.1	20.5	40.4	58.9	62.7	37.0	10	3069
06-08 LST	64.8	62.0	52.8	28.2	17.8	13.6	17.9	20.4	23.7	51.8	66.3	66.6	40.5	10	3023
09-11 LST	59.9	56.7	44.1	18.6	13.0	6.8	6.5	8.2	14.3	33.3	62.8	63.7	32.3	10	3074
12-14 LST	49.4	47.2	32.4	15.2	5.6	5.2	5.6	6.8	6.5	20.3	55.1	56.8	25.5	10	3106
15-17 LST	47.8	46.9	27.1	12.9	5.0	3.7	3.2	4.1	7.1	15.3	47.7	51.4	22.7	10	3029
18-20 LST	45.6	47.9	23.6	13.0	4.6	2.4	3.0	5.5	5.1	17.5	45.2	51.6	22.1	10	3068
21-23 LST	48.5	47.4	28.9	12.9	6.2	5.1	6.9	6.2	8.6	21.0	50.0	55.3	24.8	10	3145
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	17.4	15.1	12.5	3.9	0.0	0.7	1.0	2.0	2.8	10.5	23.2	22.7	9.3	10	3120
03-05 LST	19.0	21.4	15.2	7.9	4.3	2.4	2.2	8.9	5.4	15.7	26.6	22.6	12.6	10	3069
06-08 LST	26.8	28.5	21.8	7.8	2.2	0.3	0.8	2.2	7.0	21.4	27.3	25.5	14.3	10	3023
09-11 LST	23.6	20.0	14.6	2.5	0.0	0.0	0.0	0.0	1.8	8.8	24.2	27.1	10.0	10	3074
12-14 LST	17.0	15.0	8.2	2.0	0.0	0.3	0.0	0.3	0.2	2.8	15.5	21.9	6.9	10	3106
15-17 LST	18.3	16.5	5.5	0.7	0.3	0.0	0.0	0.0	0.5	2.7	17.8	21.7	7.0	10	3029
18-20 LST	14.4	15.0	5.7	1.1	0.0	0.2	0.5	0.0	0.3	3.5	17.3	18.6	6.4	10	3068
21-23 LST	17.4	15.8	9.2	2.4	0.0	0.0	0.5	0.0	1.5	4.9	19.2	24.1	7.9	10	3145

KHMEL'NITSKUY, USSR

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. DBS	
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST	18.0	15.9	22.4	26.1	29.1	28.7	29.3	28.5	27.5	23.4	15.3	15.8	280.0	10	3120	
	08 LST	13.2	13.0	16.8	22.9	26.8	27.0	26.7	25.7	24.0	16.6	11.8	12.4	236.9	10	3023	
	14 LST	17.9	17.6	23.6	27.0	29.9	29.2	30.1	29.7	28.5	26.9	16.0	15.2	291.6	10	3106	
	20 LST	19.3	16.9	25.5	27.3	30.1	29.6	30.4	30.2	29.0	27.0	18.6	17.0	300.9	10	3068	
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST	11.6	9.6	14.8	21.1	24.6	26.6	27.1	26.1	25.2	18.0	8.1	9.9	222.7	10	3118	
	08 LST	7.8	7.2	10.7	16.9	21.0	22.7	23.1	22.4	21.0	12.6	6.7	7.9	180.0	10	3018	
	14 LST	10.7	9.1	11.4	12.6	18.4	19.5	21.5	18.8	18.4	14.3	7.2	8.5	170.4	10	3105	
	20 LST	12.4	10.2	18.0	21.7	26.2	27.6	27.8	27.2	26.7	21.8	11.6	11.4	243.1	10	3068	
SFC WND = GTR 17 KTS AND ND PRECIP.	02 LST	1.0	0.2	0.2	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.8	0.5	3.5	10	1168
	08 LST	0.5	0.0	0.6	1.5	0.4	0.0	0.0	0.0	0.0	0.2	0.9	0.0	4.1	10	1368	
	14 LST	0.6	0.0	1.9	3.2	1.3	0.0	0.0	0.0	0.0	1.2	1.5	0.8	10.5	10	1217	
	20 LST	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.8	0.3	1.7	10	1216	
SFC WND 4-10 KTS AND THP 33-89 DEG F AND ND PRECIP.	02 LST	1.3	2.0	4.8	9.8	11.0	8.5	9.8	9.6	10.3	11.2	6.8	2.6	87.7	10	3127	
	08 LST	0.8	2.1	4.9	13.5	15.5	17.4	18.2	15.5	15.0	12.0	8.0	2.4	125.3	10	3033	
	14 LST	2.3	5.8	9.3	12.6	17.1	17.3	18.1	15.8	16.7	15.9	11.4	4.0	144.3	10	3133	
	20 LST	1.4	2.4	7.4	15.1	15.2	15.5	12.8	12.5	14.0	14.0	8.7	3.0	122.0	10	3079	
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST	5.3	5.7	9.3	15.7	15.9	18.5	19.1	18.3	18.0	11.7	4.3	4.0	145.8	10	3132	
	08 LST	2.4	2.1	5.6	9.4	10.8	13.8	12.9	12.2	9.4	6.4	7.1	2.3	89.4	10	3039	
	14 LST	5.7	4.0	5.6	6.0	3.8	5.6	5.4	5.7	7.3	7.6	3.2	3.1	63.0	10	3135	
	20 LST	6.6	5.8	11.8	11.9	9.4	13.5	11.7	12.0	14.8	14.1	6.8	5.2	123.6	10	3082	
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST	13.1	11.8	18.2	23.5	26.5	26.8	27.3	26.4	25.7	19.9	10.7	11.1	241.0	10	3120	
	08 LST	8.8	8.4	13.0	20.5	24.1	24.9	24.3	23.7	22.0	13.5	8.3	8.2	199.7	10	3023	
	14 LST	13.7	12.1	18.1	22.8	27.3	26.9	27.5	27.1	26.6	21.5	10.8	11.2	245.6	10	3106	
	20 LST	14.3	12.1	21.6	24.6	28.8	28.5	29.3	28.0	27.8	23.7	13.4	12.5	264.6	10	3068	
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST	11.1	9.5	15.7	21.7	23.9	24.4	24.2	23.5	23.6	17.2	8.2	8.9	211.9	10	3120	
	08 LST	7.1	5.9	10.3	18.8	21.3	22.3	21.7	21.0	18.6	11.3	6.4	5.9	170.6	10	3023	
	14 LST	12.2	9.9	14.8	15.9	14.3	15.6	16.6	17.5	18.1	17.3	9.3	8.7	170.2	10	3106	
	20 LST	12.2	9.5	19.0	20.8	22.9	23.7	24.3	23.1	25.0	20.0	10.4	10.1	221.7	10	3068	
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST	11.0	9.4	15.7	21.7	23.7	24.3	24.1	23.3	23.6	16.9	8.1	8.9	210.7	10	3120	
	08 LST	7.1	5.9	10.1	18.7	21.0	22.0	21.6	20.9	18.5	11.1	6.4	5.9	169.2	10	3023	
	14 LST	12.1	9.9	14.7	15.9	13.9	15.2	16.4	17.4	18.0	17.2	9.1	8.6	168.4	10	3106	
	20 LST	12.1	9.5	18.9	20.5	22.5	23.6	24.3	23.7	24.6	19.7	10.3	10.0	219.7	10	3068	

UZHGOROD, USSR

STA NO. 33631 (TN AREA NUMBER 08)

LATITUDE 4838N LONGITUDE 02216E ELEVATION(FT) 00387

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
														(YRS)	QBS
ABS MAX TMP (F)	52	59	72	82	88	93	93	95	86	79	68	59	95	10	2715
MEAN MAX TMP (F)	30	36	46	63	69	77	78	77	71	61	48	36	58	10	2715
MEAN MIN TMP (F)	19	25	33	43	49	57	58	57	51	43	38	27	42	10	2689
ABS MIN TMP (F)	-17	-9	3	25	32	37	43	41	34	21	12	-11	-17	10	2689
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	2.2	2.2	1.9	0.0	0.0	0.0	0.0	6.3	10	2715
MEAN NO DYS TMP = DR LES 32(F)	27.4	22.0	15.8	3.6	0.3	0.0	0.0	0.0	0.0	6.1	10.2	23.7	109.1	10	2689
MEAN NO DYS TMP = DR LES 0(F)	3.2	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	4.1	10	2689
MEAN DEW PT TMP (F)	20	25	31	40	47	55	56	56	51	44	38	27	41	10	24683
MEAN REL HUM (PCT)	81	79	71	62	64	65	66	68	69	73	81	84	72	10	24683
MEAN PRESS ALT (FT)	198	279	282	375	326	328	339	337	271	209	247	328	293	5	13895
MEAN PRECIP (IN)	2.14	2.47	1.94	1.21	2.15	2.80	2.88	2.15	1.92	1.76	2.65	3.34	27.2	10	2233
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0					10	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	11.5	10.8	9.8	6.5	9.9	9.1	9.2	8.1	6.9	6.9	11.8	13.9	114.4	10	2233
MEAN NO DYS SNFL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0					10	-29
MEAN NO DYS W/OCCUR VSBY LES 1/2 MI	2.3	2.8	0.4	0.1	0.1	0.2	0.0	0.0	0.3	0.7	1.5	1.9	10.3	10	24339
MEAN NO DYS TSMS	0.0	0.1	0.4	2.4	6.7	9.0	8.3	6.2	3.0	1.1	0.3	0.0	37.5	10	3511
P FREQ WND SPD = DR GTR 17 KTS	1.4	0.7	0.9	2.0	1.3	0.9	0.5	0.4	0.8	1.0	0.8	0.2	0.9	10	24720
P FREQ WND SPD = DR GTR 28 KTS	0.1	0.0	0.1	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	24720
P FREQ LES 3000 FT A/D LES 5 MI	74.3	66.5	47.1	28.3	27.9	25.0	25.4	25.5	29.2	38.2	62.1	74.8	43.7	10	24539
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	43.6	36.8	15.3	4.1	3.6	3.6	4.0	4.3	5.5	8.6	24.1	39.6	16.1	10	3020
03-05 LST	43.3	38.1	17.6	4.5	5.1	6.2	5.0	5.1	8.2	12.1	28.4	40.1	17.8	10	3120
06-08 LST	49.0	48.0	23.7	8.5	6.3	6.3	6.5	6.8	12.8	22.2	36.5	48.6	22.9	10	2900
09-11 LST	55.7	46.6	20.3	6.1	4.5	4.5	4.5	4.4	7.8	11.7	27.6	49.5	20.3	10	3149
12-14 LST	49.6	38.8	17.3	2.5	3.1	3.3	3.2	2.7	3.8	8.3	23.7	44.1	16.7	10	3088
15-17 LST	43.2	34.0	13.3	1.0	1.9	2.5	0.8	2.1	2.9	5.6	19.2	42.6	14.1	10	3117
18-20 LST	45.3	36.7	16.1	3.2	2.3	2.2	0.7	2.6	4.2	8.4	23.2	42.3	15.6	10	2944
21-23 LST	43.6	35.9	14.7	3.4	3.4	3.1	1.9	4.8	3.6	7.8	20.8	41.7	15.4	10	3201
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	21.7	19.0	5.4	0.5	0.0	0.2	0.3	0.0	0.9	1.2	8.8	17.5	6.3	10	3020
03-05 LST	22.1	20.2	5.7	0.5	0.2	1.3	0.0	0.0	1.3	2.3	9.4	17.9	6.7	10	3120
06-08 LST	25.7	23.4	5.7	0.8	0.0	0.3	0.0	0.2	2.7	4.2	10.4	19.0	7.7	10	2900
09-11 LST	19.5	18.1	4.3	0.2	0.0	0.3	0.0	0.0	1.0	0.6	7.6	15.2	5.6	10	3149
12-14 LST	14.7	8.9	1.1	0.0	0.0	0.0	0.0	0.0	0.5	1.0	4.5	12.5	3.6	10	3088
15-17 LST	13.8	9.7	1.4	0.0	0.3	0.7	0.0	0.2	0.0	0.3	4.2	12.7	3.6	10	3117
18-20 LST	23.2	18.2	6.1	0.0	0.3	0.3	0.0	0.0	0.2	1.5	7.7	20.2	6.5	10	2944
21-23 LST	22.4	16.1	4.6	0.0	0.0	0.0	0.0	0.3	0.0	1.1	6.8	19.9	5.9	10	3201

UZHGOROD, USSR

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	01 LST	20.0	20.2	28.4	29.6	31.0	29.8	30.9	31.0	29.7	30.3	25.6	22.2	328.7	10	3020
	07 LST	18.3	16.7	25.8	28.4	30.0	29.2	30.1	30.1	27.5	26.1	21.9	19.0	303.1	10	2900
	13 LST	17.3	18.4	27.5	29.8	30.6	29.6	30.6	30.8	29.5	29.3	25.1	19.9	318.4	10	3088
	19 LST	19.0	20.0	27.8	29.6	30.6	29.6	31.0	30.6	29.6	30.0	25.6	21.0	324.4	10	2944
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	14.9	14.0	22.6	25.0	26.7	26.2	28.4	28.2	25.5	25.3	18.8	15.6	271.2	10	3017
	07 LST	13.7	11.1	19.2	23.7	24.7	23.4	23.4	27.3	24.9	21.7	15.5	12.7	245.3	10	2897
	13 LST	12.8	12.2	18.3	19.9	21.4	24.0	23.3	24.3	22.9	22.0	16.7	14.1	231.9	10	3084
	19 LST	13.2	14.7	22.2	25.4	26.9	26.1	29.3	28.8	26.2	26.0	20.2	15.1	274.1	10	2940
SFC WND = GTR 17 KTS AND NO PRECIP.	01 LST	0.4	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	1.3	10	930
	07 LST	0.3	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	1.0	10	1070
	13 LST	0.2	0.2	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	1.0	10	958
	19 LST	0.2	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	10	933
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	01 LST	2.4	3.9	8.4	11.6	11.0	9.7	10.2	11.1	10.8	10.5	9.3	4.4	103.3	10	3029
	07 LST	2.5	3.2	7.8	12.3	13.7	13.1	12.6	11.1	11.4	9.8	7.0	3.0	107.7	10	2921
	13 LST	4.2	7.2	14.5	16.5	15.2	17.5	15.8	15.7	18.0	15.9	12.3	6.6	159.8	10	3098
	19 LST	1.5	4.2	10.0	13.7	14.8	14.0	16.2	14.1	14.1	14.0	9.8	4.8	131.2	10	2954
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	01 LST	6.4	7.2	12.0	15.2	15.4	16.8	18.8	16.0	16.1	15.9	6.6	5.7	152.7	10	3030
	07 LST	5.1	5.4	6.1	9.6	8.9	13.2	12.5	12.2	9.8	9.5	3.1	3.2	98.6	10	2921
	13 LST	4.5	5.1	6.2	7.5	5.2	9.9	7.9	5.3	10.1	10.7	3.6	3.6	83.6	10	3105
	19 LST	7.1	7.7	10.0	10.0	8.2	10.2	11.1	10.8	13.5	15.1	7.0	6.1	116.8	10	2957
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	15.4	15.6	24.5	28.4	29.2	28.3	28.7	28.7	27.2	27.2	20.0	15.5	278.7	10	3020
	07 LST	13.5	12.3	21.6	26.2	27.8	26.7	27.6	27.5	24.7	22.5	16.2	12.7	259.3	10	2900
	13 LST	14.3	15.4	23.4	27.9	28.4	28.0	28.9	28.8	27.4	27.2	19.8	14.5	284.5	10	3088
	19 LST	15.4	15.8	24.4	28.3	29.7	28.8	30.2	29.6	27.9	27.3	20.5	14.9	292.8	10	2944
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	9.1	10.7	16.3	21.7	22.7	22.5	23.6	23.5	21.5	20.4	12.5	9.0	213.5	10	3020
	07 LST	8.3	7.9	13.9	19.0	20.7	21.2	20.5	21.1	17.9	17.1	9.7	7.3	184.6	10	2900
	13 LST	10.3	10.5	16.6	20.3	18.5	19.4	20.9	22.0	21.5	20.5	12.7	9.2	202.4	10	3088
	19 LST	10.3	10.7	17.2	20.9	21.4	22.7	23.5	23.5	21.6	21.4	13.1	9.2	215.5	10	2944
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	8.6	10.0	15.5	21.0	21.2	21.8	23.1	22.7	20.6	19.6	11.8	8.7	204.6	10	3020
	07 LST	8.1	7.6	12.9	18.0	19.6	20.3	19.4	20.2	16.8	16.6	9.1	7.1	175.7	10	2900
	13 LST	9.9	10.0	16.0	19.5	17.0	18.7	19.9	21.1	20.7	19.8	12.0	8.6	193.2	10	3088
	19 LST	9.8	10.2	16.5	19.9	20.5	21.8	22.5	21.9	20.9	20.6	12.6	8.6	203.8	10	2944

KURSK, USSR

STA NO. 34009 (IN AREA NUMBER 08)

LATITUDE 5139N

LONGITUDE 03611E

ELEVATION(FT) 00548

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	41	41	61	79	91	99	97	99	93	79	64	46	99	46	-674
MEAN MAX TMP (F)	22	23	32	51	67	74	77	75	64	50	36	25	50	38	-174
MEAN MIN TMP (F)	11	11	20	35	47	54	58	56	47	36	26	17	35	66	-174
ABS MIN TMP (F)	-29	-31	-33	3	21	32	39	30	25	1	-22	-36	-36	69	-674
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.1	1.3	1.9	0.0	0.0	0.0	0.0	3.3	10	3108
MEAN NO DYS TMP = DR LES 32(F)	30.6	27.4	27.5	9.4	1.1	0.0	0.0	0.1	1.6	9.5	19.5	27.1	153.8	10	3148
MEAN NO DYS TMP = DR LES 0(F)	8.6	5.9	2.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	3.8	21.2	10	3148
MEAN DEW PT TMP (F)	12	14	24	36	45	51	56	54	46	39	28	20	35	10	25553
MEAN REL HUM (PCT)	85	83	83	72	62	64	68	69	70	79	87	87	76	10	25553
MEAN PRESS ALT (FT)	416	400	427	470	484	514	569	541	440	362	348	476	454	5	13968
MEAN PRECIP (IN)	1.67	1.32	1.34	1.39	2.11	2.47	2.97	1.86	1.84	1.01	1.79	2.03	21.8	10	2822
MEAN SNOW FALL (IN)						0.0	0.0	0.0						69	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	14.6	10.7	11.0	8.3	8.3	7.8	7.7	7.1	8.0	6.7	10.5	14.5	115.2	10	2822
MEAN NO DYS SNFL = DR GTR 1.5 IN						0.0	0.0	0.0						69	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	2.3	2.6	2.7	2.7	0.4	0.1	0.2	0.8	0.8	1.1	2.8	2.6	19.1	10	25489
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.9	4.3	7.5	8.9	4.3	2.1	0.3	0.0	0.0	28.3	10	3570
P FREQ WND SPD = DR GTR 17 KTS	8.8	8.7	8.5	5.7	5.5	2.2	1.3	2.2	2.9	3.8	5.8	7.8	5.3	10	25600
P FREQ WND SPD = DR GTR 28 KTS	1.1	0.9	1.0	0.4	0.5	0.0	0.0	0.2	0.0	0.1	0.2	0.7	0.4	10	25600
P FREQ LES 5000 FT A/D LES 5 MI	81.1	74.0	67.4	43.4	27.5	24.0	23.8	26.4	30.7	50.8	75.0	83.6	10.6	10	25489
P FREQ LES 1500 FT A/D LES 3 MI															
FDR 00-02 LST	58.8	47.9	45.5	21.7	7.3	4.9	4.2	5.8	10.6	20.5	55.5	61.5	28.7	10	3416
03-05 LST	59.6	56.5	48.7	30.6	11.0	8.7	10.7	16.0	16.6	25.8	59.4	68.3	34.3	10	2719
06-08 LST	68.0	63.5	54.6	26.9	13.1	7.4	7.4	15.1	20.0	36.8	62.4	69.9	37.1	10	3450
09-11 LST	64.4	57.4	44.0	17.9	8.0	4.1	4.2	8.2	12.5	25.5	59.3	63.0	30.7	10	3112
12-14 LST	56.0	44.6	40.2	13.8	4.8	2.4	1.8	3.4	8.0	17.8	48.3	58.1	24.9	10	3552
15-17 LST	54.8	46.1	34.2	11.3	2.6	0.9	2.0	2.0	5.6	15.9	50.1	58.2	23.6	10	2999
18-20 LST	54.3	40.5	33.2	14.1	3.7	0.7	1.9	2.7	5.2	15.4	51.4	61.4	23.7	10	3411
21-23 LST	60.4	45.2	40.7	20.4	3.8	4.1	3.1	4.0	6.8	18.3	53.8	63.2	27.0	10	2830
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	16.4	12.5	11.3	8.7	1.0	0.0	0.2	0.6	1.3	5.7	17.5	17.1	7.7	10	3416
03-05 LST	18.1	18.3	13.6	12.3	2.8	0.8	1.2	4.0	4.3	8.0	20.8	24.3	10.7	10	2719
06-08 LST	18.2	16.7	17.7	7.8	0.2	0.3	0.2	0.5	2.9	7.8	21.7	21.6	9.6	10	3450
09-11 LST	13.7	13.0	8.5	2.0	0.0	0.0	0.0	0.3	0.3	2.7	19.5	16.3	6.4	10	3112
12-14 LST	13.5	9.4	6.1	1.2	0.0	0.0	0.0	0.0	0.6	1.5	12.2	17.5	5.2	10	3552
15-17 LST	10.8	11.3	6.0	1.1	0.0	0.0	0.0	0.0	0.3	2.2	15.3	18.7	5.5	10	2999
18-20 LST	14.8	8.5	6.6	3.3	0.0	0.0	0.0	0.0	0.6	4.0	15.3	16.9	5.8	10	3411
21-23 LST	16.1	8.1	8.8	5.0	0.0	0.3	0.3	0.3	0.3	4.3	21.0	18.8	6.9	10	2830

KURSK, USSR

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST	15.2	16.9	20.0	24.9	29.5	29.2	30.2	30.0	27.9	26.2	15.8	13.8	279.6	10	3416
	08 LST	12.3	12.7	16.3	24.0	28.5	28.7	29.6	27.9	25.7	22.2	13.3	11.8	253.0	10	3450
	14 LST	16.6	18.9	22.2	27.6	30.5	29.6	30.7	30.5	28.5	27.8	19.0	16.1	298.0	10	3552
	20 LST	17.1	20.2	23.7	27.3	30.7	30.0	30.7	30.7	28.8	27.6	17.1	15.0	298.9	10	3411
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST	8.2	9.0	10.3	17.7	24.6	26.3	28.4	26.8	22.5	18.9	7.5	7.3	207.5	10	3413
	08 LST	5.8	5.7	7.7	13.9	17.4	22.6	24.9	21.7	18.1	13.5	6.3	5.4	163.0	10	3449
	14 LST	7.6	8.1	8.5	12.1	13.9	18.3	19.3	20.3	12.5	11.7	7.0	6.8	146.1	10	3550
	20 LST	8.2	8.9	12.8	20.2	26.3	26.7	28.6	28.0	24.6	19.8	7.8	6.7	218.6	10	3410
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST	1.1	1.0	1.3	0.2	0.3	0.2	0.2	0.4	0.2	0.2	0.5	1.1	6.7	10	2036
	08 LST	1.4	1.2	2.0	1.3	1.3	0.8	0.3	0.3	0.2	1.0	0.7	1.0	11.5	10	2159
	14 LST	1.0	1.0	3.4	3.2	3.1	1.8	1.2	1.4	2.4	3.4	1.2	0.8	23.9	10	2114
	20 LST	0.6	0.8	0.9	0.9	0.2	0.2	0.0	0.4	0.3	0.5	1.3	1.2	7.3	10	2091
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST	0.7	0.5	2.2	11.9	15.1	14.3	13.5	13.4	14.9	12.6	4.4	1.0	104.5	10	3425
	08 LST	1.1	0.5	2.5	12.0	14.9	17.0	18.3	17.1	15.7	13.5	5.1	1.7	119.4	10	3451
	14 LST	1.4	1.2	6.4	11.7	12.3	15.3	16.2	18.1	11.4	13.3	6.7	1.7	115.7	10	3562
	20 LST	0.6	0.1	3.8	14.9	18.2	16.1	17.7	17.1	17.1	14.3	3.7	1.6	125.2	10	3422
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST	5.1	5.3	6.7	12.6	15.5	16.7	18.6	18.2	15.4	11.0	4.8	3.6	133.5	10	3425
	08 LST	2.5	3.1	4.3	7.4	10.6	14.9	14.7	12.1	9.9	5.1	3.1	2.0	89.7	10	3455
	14 LST	5.2	5.5	5.5	5.3	4.4	5.5	5.7	6.6	7.0	6.5	4.5	3.6	65.3	10	3563
	20 LST	5.0	7.3	10.4	11.3	10.0	12.0	12.4	13.9	14.6	11.6	6.6	4.1	119.2	10	3420
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST	10.2	12.0	14.0	21.9	27.8	27.6	29.0	28.4	25.4	22.5	10.3	9.4	238.5	10	3416
	08 LST	7.9	7.9	11.9	20.1	25.2	26.6	27.6	25.1	22.6	17.0	9.8	6.8	207.5	10	3450
	14 LST	11.1	12.5	14.8	22.4	27.5	27.9	29.3	28.6	25.2	21.4	11.7	10.0	242.4	10	3552
	20 LST	11.2	13.2	17.7	23.7	28.6	29.2	29.8	29.4	27.6	23.8	11.7	8.8	254.7	10	3411
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST	8.4	9.2	11.4	19.1	26.0	25.6	27.0	27.3	22.6	16.8	8.1	6.4	207.9	10	3416
	08 LST	5.9	5.4	9.2	17.7	24.0	25.0	25.9	23.1	19.9	12.7	6.5	4.4	179.7	10	3450
	14 LST	9.1	10.4	12.4	14.4	17.1	16.3	17.9	18.9	17.0	14.5	9.1	7.7	164.8	10	3552
	20 LST	8.2	11.1	14.2	19.1	23.6	24.6	25.0	25.4	24.4	17.9	9.3	6.6	209.4	10	3411
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST	8.3	9.1	11.4	18.8	25.8	25.4	26.9	27.3	22.5	16.5	8.1	6.3	206.4	10	3416
	08 LST	5.8	5.2	9.0	17.5	23.9	24.9	25.9	22.9	19.8	12.4	6.4	4.3	178.0	10	3450
	14 LST	9.1	10.4	12.3	14.4	16.9	16.2	17.7	18.8	16.9	14.4	9.0	7.6	163.7	10	3552
	20 LST	8.1	11.1	14.0	18.8	23.6	24.5	24.8	25.4	24.0	17.5	9.2	6.5	207.5	10	3411

VORONEZH, USSR

STA NO. 34122 (IN AREA NUMBER 08)

LATITUDE 5142N

LONGITUDE 03910E

ELEVATION(FT) 00538

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
ABS MAX TMP (F)	43	45	63	81	93	100	106	102	100	79	64	48	106	34	-674
MEAN MAX TMP (F)	22	22	31	51	68	75	79	76	65	50	36	25	50	34	-174
MEAN MIN TMP (F)	9	8	18	35	47	54	58	55	46	35	25	15	34	35	-174
ABS MIN TMP (F)	-36	-33	-26	-2	19	32	41	34	21	-2	-27	-27	-36	41	-674
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.3	0.1	2.0	2.4	0.0	0.0	0.0	0.0	4.8	10	2854
MEAN NO DYS TMP = DR LES 32(F)	30.7	27.5	27.3	8.3	0.4	0.1	0.0	0.0	0.9	9.1	20.2	27.0	151.5	10	2865
MEAN NO DYS TMP = DR LES 0(F)	9.6	7.4	1.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	3.9	23.2	10	2865
MEAN DEW PT TMP (F)	12	14	24	37	46	52	56	55	47	39	28	21	36	10	25087
MEAN REL HUM (PCT)	86	84	83	69	60	62	65	67	70	79	87	89	75	10	25087
MEAN PRESS ALT (FT)	398	357	398	441	463	512	570	529	430	338	314	420	431	5	13702
MEAN PRECIP (IN)	2.08	1.60	1.40	1.46	2.23	2.38	2.45	1.80	1.72	1.24	1.99	2.45	22.8	10	2574
MEAN SNOW FALL (IN)						0.0	0.0	0.0						41	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	14.5	11.3	10.6	7.9	8.5	8.8	9.6	8.2	6.9	6.8	10.9	15.7	119.7	10	2574
MEAN NO DYS SNFL = DR GTR 1.5 IN						0.0	0.0	0.0						41	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	2.5	2.0	2.7	2.5	0.3	0.0	0.1	0.5	0.4	1.5	4.4	3.4	20.3	10	24965
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.7	4.9	7.3	7.9	6.0	2.0	0.4	0.0	0.1	29.3	10	3531
P FREQ WND SPD = DR GTR 17 KTS	9.4	9.5	11.1	8.4	7.4	4.3	3.4	4.9	4.3	6.1	6.5	9.2	7.0	10	25117
P FREQ WND SPD = DR GTR 28 KTS	0.3	0.4	0.7	0.3	0.1	0.0	0.0	0.1	0.0	0.1	0.0	0.7	0.2	10	25117
P FREQ LES 5000 FT A/D LES 5 MI	84.0	76.0	69.7	41.7	26.5	17.4	21.4	25.2	34.1	57.6	76.4	88.6	91.5	10	24965
P FREQ LES 1500 FT A/D LES 3 MI															
FDR 00-02 LST	66.6	54.7	45.8	19.8	5.3	2.0	3.0	3.4	9.8	26.9	57.9	71.1	30.7	10	2844
03-05 LST	65.9	58.8	50.6	22.5	8.0	3.6	7.0	8.6	13.6	29.7	56.9	70.2	33.0	10	3305
06-08 LST	67.7	62.2	59.4	28.6	15.5	8.4	10.2	16.9	21.6	33.5	59.8	72.1	38.0	10	2705
09-11 LST	73.3	66.4	58.4	28.4	14.8	7.6	7.6	13.7	21.9	42.4	61.3	72.4	39.2	10	3330
12-14 LST	67.2	58.8	48.4	23.2	7.8	4.7	3.7	9.2	17.2	33.0	59.1	72.3	33.5	10	3074
15-17 LST	60.5	50.2	39.6	15.3	5.2	2.4	1.8	3.7	8.0	21.8	50.1	66.8	27.1	10	3402
18-20 LST	63.0	52.8	33.9	14.2	5.7	2.2	1.3	2.3	7.4	21.2	54.2	69.4	27.8	10	2990
21-23 LST	65.0	53.5	41.2	15.7	5.7	1.4	2.5	3.2	8.6	24.7	53.5	69.0	28.7	10	3315
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	16.7	13.1	10.7	7.5	0.3	0.0	0.2	0.0	0.3	6.3	21.6	20.1	8.1	10	2844
03-05 LST	21.3	15.5	19.4	9.8	0.3	0.0	0.6	1.3	2.0	7.8	22.6	23.6	10.4	10	3305
06-08 LST	22.0	18.3	18.2	12.8	2.3	0.3	1.3	4.5	3.6	9.4	22.6	27.2	11.9	10	2705
09-11 LST	22.9	21.9	17.9	8.5	0.5	0.0	0.0	0.5	2.9	10.0	26.6	22.5	11.2	10	3330
12-14 LST	18.8	10.1	9.4	2.2	0.0	0.2	0.0	0.3	1.2	6.3	17.4	25.2	7.6	10	3074
15-17 LST	16.7	9.6	6.1	3.0	0.2	0.0	0.0	0.2	0.2	1.3	12.1	22.3	6.0	10	3402
18-20 LST	17.7	12.4	9.4	2.4	0.0	0.3	0.0	0.3	0.3	3.1	17.0	20.3	6.9	10	2990
21-23 LST	16.9	12.1	11.0	4.5	0.0	0.0	0.2	0.1	0.2	4.3	17.6	20.4	7.3	10	3315

VORONEZH, USSR

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	03 LST	13.5	14.4	17.3	24.3	29.4	29.5	29.8	29.2	26.9	23.6	15.6	12.0	265.5	10	3305
	09 LST	9.3	10.9	14.9	23.4	28.0	28.7	29.7	27.7	25.5	20.1	13.8	10.8	242.8	10	3330
	15 LST	14.8	16.0	21.5	27.1	30.1	29.7	30.9	30.6	28.5	26.7	18.4	13.1	287.4	10	3402
	21 LST	13.3	15.5	20.3	26.4	30.0	29.8	30.7	30.7	28.2	25.2	16.7	12.6	279.4	10	3315
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	03 LST	5.6	5.2	8.0	15.8	21.4	23.3	24.0	23.0	20.2	14.8	6.8	4.2	172.3	10	3303
	09 LST	4.1	5.1	5.5	11.9	15.3	18.9	21.3	19.6	16.0	9.8	6.5	5.0	139.0	10	3328
	15 LST	6.3	6.9	8.1	9.2	10.4	12.7	12.3	13.4	8.8	8.5	6.0	4.8	107.4	10	3400
	21 LST	5.3	6.7	9.7	17.7	22.0	23.0	25.6	24.1	22.3	13.8	7.5	4.2	181.9	10	3314
SFC WND = GTR 17 KTS AND NO PRECIP.	03 LST	0.6	0.0	1.0	1.9	0.6	0.0	0.0	7.8	0.0	0.7	0.2	2.4	15.2	10	960
	09 LST	0.3	0.3	1.6	1.9	2.3	4.3	0.0	0.0	1.0	1.5	0.8	1.2	13.2	10	1061
	15 LST	0.6	0.0	4.0	4.3	1.2	8.6	0.0	12.4	3.4	4.4	1.1	1.8	41.8	10	1007
	21 LST	1.3	0.3	0.7	0.9	0.0	0.0	0.0	0.0	0.0	0.9	0.2	2.1	6.4	10	994
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	03 LST	0.0	0.0	1.5	9.4	15.8	16.7	14.8	15.2	15.4	12.1	4.9	1.1	106.9	10	3312
	09 LST	0.0	0.4	2.4	11.0	13.6	15.6	17.2	15.1	15.0	11.9	4.6	2.0	108.8	10	3342
	15 LST	0.8	0.7	5.1	9.1	9.0	10.5	9.4	10.8	7.4	10.1	6.1	2.0	81.0	10	3410
	21 LST	0.2	0.6	3.5	12.5	15.8	17.2	19.6	16.1	18.7	11.9	4.8	1.1	122.0	10	3322
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	03 LST	4.3	5.5	6.9	12.2	15.8	15.5	17.8	17.2	15.1	9.5	6.5	3.1	129.4	10	3314
	09 LST	2.1	3.4	3.9	7.6	9.4	11.6	14.2	12.0	9.6	4.8	3.7	1.7	84.0	10	3342
	15 LST	3.7	5.0	5.1	5.1	3.6	4.3	4.3	5.9	6.5	5.5	5.2	3.0	97.2	10	3418
	21 LST	3.7	6.3	7.6	9.9	8.9	10.3	12.9	11.5	13.7	10.7	6.5	3.5	109.5	10	3325
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	03 LST	8.1	9.1	13.3	22.2	27.6	28.3	27.9	27.6	25.1	19.8	10.2	6.4	225.6	10	3305
	09 LST	6.4	8.1	11.5	20.2	24.8	26.6	27.5	25.9	21.9	15.8	9.3	6.2	204.2	10	3330
	15 LST	10.4	12.2	15.6	23.0	27.8	28.4	29.7	28.3	25.6	20.6	11.6	7.8	241.0	10	3402
	21 LST	8.7	10.8	16.3	23.9	27.9	29.0	29.4	29.2	26.4	21.0	11.1	6.6	240.3	10	3315
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	03 LST	6.8	7.6	10.8	19.4	25.2	26.0	25.2	24.8	21.7	15.3	8.1	4.4	195.3	10	3305
	09 LST	5.4	6.2	9.7	17.0	22.4	23.8	24.3	22.6	18.7	11.6	7.3	4.1	173.1	10	3330
	15 LST	9.1	10.3	12.7	15.7	18.2	17.2	18.6	19.3	17.1	13.9	9.1	6.2	167.4	10	3402
	21 LST	6.8	8.9	12.5	19.0	22.7	23.8	23.9	23.6	22.0	15.4	8.4	4.5	191.5	10	3315
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	03 LST	6.8	7.6	10.7	19.2	24.9	25.3	24.7	24.1	21.2	15.0	8.1	4.3	191.9	10	3305
	09 LST	5.4	6.1	9.6	16.6	22.0	23.2	23.8	22.0	18.3	11.2	7.2	4.1	169.5	10	3330
	15 LST	9.1	10.2	12.6	14.7	16.1	13.9	16.2	17.6	16.1	13.4	9.0	6.2	155.1	10	3402
	21 LST	6.7	8.8	12.5	18.6	21.9	22.6	22.8	22.7	21.5	15.1	8.3	4.4	185.9	10	3315

SARATOV, USSR

STA NO. 34172 (IN AREA NUMBER 08)

LATITUDE 5134N

LONGITUDE 04602E

ELEVATION(FT) 00512

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	39	41	54	79	90	93	97	99	97	73	55	41	99	10	3074
MEAN MAX TMP (F)	18	19	31	53	70	76	80	78	66	49	33	22	50	10	3074
MEAN MIN TMP (F)	9	10	21	37	52	59	63	61	51	37	26	16	37	10	3081
ABS MIN TMP (F)	-18	-22	-17	0	30	37	46	43	32	9	-9	-17	-22	10	3081
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.6	0.6	5.6	3.1	0.1	0.0	0.0	0.0	10.0	10	3074
MEAN NO DYS TMP = DR LES 32(F)	31.0	27.9	28.2	10.1	0.1	0.0	0.0	0.0	0.3	8.7	23.4	29.8	199.5	10	3081
MEAN NO DYS TMP = DR LES 0(F)	7.7	6.8	1.6	0.1	0.0	0.0	0.0	0.0	0.0	0.5	4.6	21.3		10	3081
MEAN DEW PT TMP (F)	10	10	22	33	43	50	54	53	45	34	25	16	33	10	24470
MEAN REL HUM (PCT)	85	82	83	63	51	53	54	55	60	71	84	87	69	10	24470
MEAN PRESS ALT (FT)	328	274	320	380	413	516	576	494	410	293	261	277	379	5	12982
MEAN PRECIP (IN)	2.08	1.42	1.25	0.85	2.16	1.15	1.92	1.74	0.94	0.91	1.86	2.00	18.3	10	2812
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0					10	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	14.1	10.3	10.1	5.2	7.4	6.1	6.7	6.7	5.3	5.6	10.1	13.4	101.0	10	2812
MEAN NO DYS SNFL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0					10	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	4.7	3.9	4.2	1.3	0.4	0.1	0.0	0.2	0.3	1.7	4.5	6.7	28.0	10	24328
MEAN NO DYS TSTMS	0.0	0.0	0.0	1.4	4.5	7.9	8.4	6.3	1.1	0.2	0.0	0.0	29.8	10	3592
P FREQ WND SPD = DR GTR 17 KTS	12.3	11.0	13.4	11.3	8.4	3.8	3.9	4.8	4.8	7.9	9.5	12.8	8.7	10	24319
P FREQ WND SPD = DR GTR 28 KTS	2.3	1.5	2.4	1.6	0.5	0.2	0.2	0.5	0.5	0.8	0.8	2.8	1.2	10	24519
P FREQ LES 5000 FT A/D LES 5 MI	74.3	64.9	58.3	23.3	13.3	7.8	6.8	7.7	15.4	39.6	62.7	70.5	37.1	10	24328
P FREQ LES 1500 FT A/D LES 3 MI															
FDR 00-02 LST	55.3	48.8	43.6	10.2	3.2	1.4	0.5	0.9	4.3	17.2	47.2	53.9	23.9	10	2621
03-05 LST	56.7	48.7	45.0	11.7	7.1	2.4	1.1	2.6	6.3	19.0	50.6	58.8	25.8	10	3422
06-08 LST	57.2	55.0	53.0	19.5	9.9	4.2	4.0	4.9	11.2	22.3	51.0	60.7	29.4	10	3496
09-11 LST	65.5	61.0	53.0	16.5	6.5	4.7	2.5	5.2	8.9	29.2	55.9	63.6	31.0	10	3374
12-14 LST	57.9	46.8	41.5	11.9	5.8	1.7	1.9	3.5	5.1	22.7	48.6	58.6	25.5	10	2752
15-17 LST	55.5	37.0	34.6	9.0	3.7	1.3	0.9	1.7	4.9	12.6	44.0	57.2	21.9	10	3473
18-20 LST	54.3	44.6	34.5	7.5	3.9	1.6	0.3	2.1	4.3	15.5	44.1	55.8	22.4	10	2825
21-23 LST	54.6	42.6	36.9	8.9	3.1	1.0	1.2	1.4	3.7	14.5	41.8	56.4	22.2	10	3365
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	22.1	21.5	20.1	2.3	0.0	0.3	0.0	0.0	1.3	4.1	18.2	27.3	9.8	10	2621
03-05 LST	24.3	21.1	18.0	3.4	1.6	0.3	0.0	0.0	0.5	4.0	22.9	26.1	10.2	10	3422
06-08 LST	26.5	24.6	23.5	5.9	2.1	0.5	0.3	1.0	3.5	7.1	21.7	30.3	12.3	10	2496
09-11 LST	27.5	30.2	19.3	3.8	1.2	0.0	0.0	0.0	1.4	9.0	22.8	32.4	12.3	10	3374
12-14 LST	19.9	12.4	12.8	2.5	0.0	0.0	0.0	0.0	0.8	4.3	16.0	27.5	8.0	10	2752
15-17 LST	17.4	11.8	11.8	1.9	0.2	0.0	0.0	0.0	1.0	2.5	13.9	23.6	7.0	10	3473
18-20 LST	20.7	14.9	11.8	2.0	0.7	0.3	0.0	0.7	0.7	3.2	13.4	25.5	7.8	10	2825
21-23 LST	21.3	14.1	15.1	2.2	0.0	0.3	0.0	0.0	0.0	3.2	14.0	24.5	8.1	10	3365

SARATOV, USSR

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	03 LST	15.6	16.2	18.7	27.2	29.2	29.5	30.9	30.5	28.6	26.7	16.7	14.5	284.3	10	3422
	09 LST	12.3	11.9	13.9	26.0	29.7	29.4	30.7	30.3	28.4	24.0	14.6	12.8	266.0	10	3374
	15 LST	15.9	20.0	22.9	28.2	30.5	29.9	31.0	30.7	29.0	28.3	19.0	15.3	300.1	10	3473
	21 LST	17.0	18.1	21.6	28.0	30.5	29.8	30.9	30.8	29.3	28.0	19.5	15.4	298.9	10	3365
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	03 LST	6.9	9.0	10.7	18.1	19.2	23.5	23.8	23.0	20.9	17.5	8.0	6.6	187.2	10	3419
	09 LST	5.4	6.6	8.1	14.2	16.5	19.3	21.5	20.2	18.6	13.9	7.0	5.7	197.0	10	3373
	15 LST	7.0	11.1	10.7	11.6	11.5	16.0	17.2	17.5	15.7	13.7	9.1	6.8	147.9	10	3472
	21 LST	6.8	7.3	11.0	16.8	20.7	23.2	24.6	23.5	21.8	16.9	9.5	5.9	190.0	10	3365
SFC WND = GTR 17 KTS AND NO PRECIP.	03 LST	0.0	0.0	3.9	1.5	0.0	10.0	0.0	0.0	2.3	0.5	1.2	0.0	19.4	10	398
	09 LST	0.0	0.0	1.8	1.6	2.4	5.0	0.0	0.0	1.3	1.5	0.0	2.1	19.7	10	425
	15 LST	0.0	0.0	5.5	6.4	2.5	5.0	0.0	0.0	3.3	4.8	0.0	0.0	27.5	10	408
	21 LST	0.0	0.0	3.9	2.1	0.0	5.0	0.0	0.0	0.0	3.1	1.2	1.1	16.4	10	407
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	03 LST	0.1	0.0	1.9	10.6	15.2	19.5	18.8	17.7	16.6	14.0	4.6	0.3	119.3	10	3431
	09 LST	0.0	0.1	2.6	12.5	14.6	16.2	19.7	17.6	17.5	13.3	3.8	0.8	118.7	10	3398
	15 LST	0.1	0.4	4.5	10.8	9.9	13.4	14.0	13.9	14.3	13.1	8.2	1.4	104.0	10	3498
	21 LST	0.2	0.1	3.2	12.8	16.4	17.0	20.3	19.9	18.4	14.3	4.4	0.9	127.9	10	3381
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	03 LST	5.0	8.2	7.7	13.6	15.1	14.2	18.1	18.7	17.3	12.5	8.0	5.9	144.3	10	3432
	09 LST	2.0	4.3	5.1	10.5	11.5	12.7	14.0	14.0	10.1	6.2	4.2	3.7	98.3	10	3389
	15 LST	4.3	7.6	7.6	6.8	6.2	5.1	7.2	8.6	6.5	6.4	6.5	4.1	76.9	10	3498
	21 LST	5.0	8.3	9.1	14.4	9.9	11.1	15.0	15.4	15.0	11.3	10.1	6.0	130.6	10	3382
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	03 LST	11.6	12.8	15.6	25.8	28.3	28.9	30.2	29.9	27.5	23.0	12.8	11.2	257.6	10	3422
	09 LST	9.6	10.0	13.5	24.2	28.0	27.5	29.7	28.6	26.1	20.0	11.7	9.9	238.8	10	3374
	15 LST	12.1	16.0	18.5	26.0	28.9	29.1	30.2	30.0	27.5	24.7	14.2	11.5	268.7	10	3473
	21 LST	11.6	14.4	17.8	26.7	29.5	29.5	30.2	30.2	28.2	24.3	15.5	12.0	269.9	10	3365
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	03 LST	9.9	11.6	14.2	24.1	27.4	27.3	29.2	29.2	26.3	19.2	11.7	10.3	240.4	10	3422
	09 LST	8.1	9.1	12.6	22.9	26.3	26.6	28.8	28.1	25.0	18.8	10.3	9.1	225.7	10	3374
	15 LST	11.3	15.2	17.4	22.7	24.0	23.4	25.3	25.7	23.1	19.6	12.8	11.0	231.5	10	3473
	21 LST	10.3	12.2	15.9	25.2	26.8	27.8	28.2	29.1	27.0	19.8	14.1	11.1	247.5	10	3365
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	03 LST	9.9	11.5	14.1	23.9	27.2	26.8	28.9	29.0	26.2	18.6	11.6	10.3	238.0	10	3422
	09 LST	8.1	9.0	12.4	22.7	26.0	26.5	28.6	27.9	24.8	18.5	10.3	9.1	223.9	10	3374
	15 LST	11.3	15.2	17.4	22.2	22.9	21.1	23.9	24.3	21.8	19.4	12.7	10.9	223.1	10	3473
	21 LST	10.3	12.2	15.9	24.9	26.3	27.3	27.6	28.9	26.8	19.3	14.0	11.1	244.6	10	3365

KHAR' KOY, USSR

STA NO. 34300 (IN AREA NUMBER 08) LATITUDE 4956N LONGITUDE 03627E ELEVATION(FT) 00499

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
ABS MAX TMP (F)	43	52	68	79	90	93	97	99	88	77	63	54	99	10	2697
MEAN MAX TMP (F)	23	27	37	56	71	77	81	79	68	55	39	30	54	10	2697
MEAN MIN TMP (F)	15	17	26	40	50	56	59	58	49	39	31	25	39	10	2633
ABS MIN TMP (F)	-18	-22	-26	18	32	37	45	36	28	19	-2	-11	-26	10	2633
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.1	1.3	4.2	4.5	0.0	0.0	0.0	0.0	10.1	10	2697
MEAN NO DYS TMP = DR LES 32(F)	28.5	25.5	24.6	5.8	0.1	0.0	0.0	0.0	0.3	6.3	16.9	23.2	131.2	10	2633
MEAN NO DYS TMP = DR LES 0(F)	6.7	3.8	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	1.9	13.7	10	2633
MEAN DEW PT TMP (F)	16	18	27	37	45	52	55	55	47	40	31	25	37	10	25047
MEAN REL HUM (PCT)	86	85	87	64	57	59	59	61	66	75	84	88	72	10	25047
MEAN PRESS ALT (FT)	378	353	378	430	443	473	517	500	386	288	296	411	404	5	13910
MEAN PRECIP (IN)	2.26	1.71	1.18	1.23	1.53	1.98	1.59	2.71	1.55	0.79	1.99	2.86	21.4	10	2225
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0						10	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	15.1	11.1	9.1	6.8	6.1	5.9	7.3	6.9	6.5	5.1	10.4	15.3	105.6	10	2225
MEAN NO DYS SNPL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0						10	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	3.6	3.1	3.0	2.1	0.2	0.1	0.1	0.6	0.5	1.5	3.5	5.0	23.3	10	2492.
MEAN NO DYS TSTMS	0.0	0.0	0.1	1.7	4.8	8.2	7.1	6.4	2.7	0.2	0.0	0.1	31.3	10	3579
P FREQ WND SPD = DR GTR 17 KTS	4.6	4.6	4.9	5.1	3.9	1.5	1.8	1.4	1.5	0.9	3.4	2.1	3.0	10	25059
P FREQ WND SPD = DR GTR 28 KTS	0.2	0.2	0.5	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.1	10	25059
P FREQ LES 5000 FT A/D LES 3 MI	81.6	74.2	64.3	40.1	29.3	25.4	21.8	27.3	32.4	46.9	73.5	82.4	49.9	10	24921
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	64.8	57.3	44.9	22.3	9.7	4.3	3.0	7.2	13.2	20.7	49.5	64.5	30.1	10	3154
03-05 LST	69.9	64.0	55.9	33.2	18.7	15.1	11.9	18.1	22.7	33.7	55.8	69.6	39.1	10	3025
06-08 LST	75.0	69.8	59.5	30.2	12.6	6.8	5.1	15.0	23.9	44.8	58.7	69.9	39.3	10	3116
09-11 LST	68.5	60.0	43.6	16.3	6.1	2.1	2.8	5.6	10.0	26.7	53.8	63.1	29.9	10	3081
12-14 LST	56.6	48.8	27.0	12.1	3.1	3.1	1.1	3.3	5.6	14.9	43.6	56.9	23.1	10	3267
15-17 LST	61.7	48.9	30.8	9.0	1.6	1.9	0.5	3.5	4.9	15.5	44.0	63.2	23.8	10	3034
18-20 LST	60.8	47.5	36.2	12.7	4.2	1.7	0.8	2.9	7.7	15.6	46.2	63.0	24.9	10	3173
21-23 LST	64.0	46.7	38.9	16.0	4.2	2.5	2.5	5.2	9.3	17.4	52.2	63.4	26.9	10	3071
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	21.5	20.6	14.1	6.3	0.6	0.3	0.0	1.1	1.4	4.1	15.2	26.3	9.3	10	3154
03-05 LST	26.4	22.7	19.9	12.6	1.9	1.6	0.2	4.2	5.4	9.1	20.6	27.9	12.7	10	3025
06-08 LST	27.9	27.3	19.6	7.6	0.8	0.2	0.3	1.6	3.7	11.2	20.3	32.4	12.7	10	3116
09-11 LST	19.1	18.6	7.1	2.5	0.2	0.0	0.3	0.3	0.0	3.9	14.3	22.8	7.4	10	3081
12-14 LST	15.3	10.9	4.0	2.1	0.0	0.3	0.0	0.0	0.2	1.6	8.8	13.1	4.7	10	3267
15-17 LST	18.9	12.0	6.2	1.9	0.0	0.3	0.0	0.2	0.3	2.4	9.7	18.1	5.8	10	3034
18-20 LST	16.7	10.6	10.1	2.7	0.3	3.0	0.0	0.2	0.0	1.5	11.0	19.6	6.1	10	3173
21-23 LST	19.0	12.2	8.3	2.7	0.0	0.0	0.3	0.0	0.2	2.5	13.9	23.8	6.9	10	3071

KHAR'KOY, USSR

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST	13.4	15.0	20.4	24.6	29.0	29.5	30.8	29.6	27.5	26.4	18.7	13.9	278.8	10	3154
	08 LST	9.9	10.2	14.0	22.3	28.7	29.4	30.1	28.0	24.7	18.9	15.4	11.9	243.5	10	3116
	14 LST	16.0	17.9	26.3	27.7	30.8	29.6	31.0	30.8	29.3	23.1	20.2	17.0	304.7	10	3267
	20 LST	15.0	17.6	22.5	27.3	30.4	29.9	31.0	30.7	28.4	28.2	19.6	14.4	295.0	10	3173
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST	5.9	5.6	11.1	16.3	22.7	25.5	26.4	25.1	21.9	19.9	8.2	4.6	193.2	10	3144
	08 LST	3.4	3.6	7.3	11.5	17.7	20.1	22.8	21.6	17.2	13.2	7.1	4.0	149.5	10	3113
	14 LST	6.4	5.6	9.1	12.4	12.7	16.6	15.6	17.3	14.6	14.9	8.2	5.7	139.1	10	3263
	20 LST	5.7	7.2	12.1	18.7	21.7	23.3	24.6	25.8	22.5	20.3	9.3	5.8	197.0	10	3165
SPC WND = GTR 17 KTS AND NO PRECIP.	02 LST	0.7	0.2	0.2	0.9	0.9	0.0	0.0	0.0	0.0	0.0	0.2	0.3	2.9	10	1431
	08 LST	0.2	0.0	0.7	1.3	0.4	0.0	0.0	0.0	0.0	0.2	0.6	0.0	4.0	10	1420
	14 LST	0.4	0.4	0.9	2.5	2.2	0.0	0.0	0.0	0.0	0.6	0.5	0.3	7.8	10	1294
	20 LST	0.2	0.0	0.8	0.2	0.5	0.0	0.0	0.0	0.0	0.0	0.2	0.2	2.1	10	1270
SPC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST	1.1	0.9	2.8	10.0	14.2	14.0	14.2	14.3	14.3	14.5	6.2	2.9	110.4	10	3159
	08 LST	1.4	1.1	5.1	10.8	14.3	14.0	15.0	15.1	14.9	13.8	7.1	3.1	115.7	10	3128
	14 LST	3.1	1.7	7.9	10.8	9.6	12.7	11.0	12.9	12.5	14.0	8.6	4.2	109.0	10	3274
	20 LST	1.0	1.1	7.3	14.5	15.1	14.8	15.7	17.0	14.0	15.4	7.3	2.7	125.9	10	3172
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST	4.4	3.9	7.3	9.8	14.7	14.5	19.4	18.7	14.5	11.6	5.6	2.8	127.2	10	3161
	08 LST	1.5	1.5	3.5	7.2	8.8	14.9	14.2	13.0	9.6	4.7	3.0	1.7	83.6	10	3124
	14 LST	4.0	4.0	5.2	4.5	3.2	4.0	2.8	5.3	6.7	6.8	5.3	3.0	54.8	10	3276
	20 LST	4.8	6.5	7.4	10.0	9.3	10.7	12.3	12.5	14.4	13.0	5.4	4.2	110.9	10	3180
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST	8.5	9.0	13.7	22.0	27.0	28.0	29.3	27.9	24.7	22.7	11.3	7.9	232.0	10	3154
	08 LST	5.7	6.5	11.2	19.5	25.4	26.4	28.5	25.1	21.1	15.3	9.3	6.6	200.6	10	3116
	14 LST	11.0	11.0	17.8	23.3	27.8	27.9	29.6	28.0	26.2	23.2	12.9	9.6	248.3	10	3267
	20 LST	9.5	11.8	16.8	24.6	28.5	28.7	30.0	29.3	26.6	24.0	11.8	8.3	249.9	10	3173
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST	7.3	7.8	11.0	20.0	25.5	26.4	28.0	26.2	22.8	20.2	9.3	6.1	210.6	10	3154
	08 LST	4.5	5.3	9.6	17.7	23.6	24.9	26.3	23.6	19.1	12.9	7.4	5.3	180.2	10	3116
	14 LST	9.9	9.9	14.2	15.0	15.4	15.9	15.3	17.3	16.9	16.7	10.0	8.1	164.6	10	3267
	20 LST	8.5	10.3	13.6	21.6	23.8	24.7	27.0	25.4	24.0	21.1	9.5	6.7	216.2	10	3173
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST	7.3	7.8	11.0	19.8	25.4	26.2	27.9	26.2	22.6	20.2	9.2	6.0	209.6	10	3154
	08 LST	4.5	5.3	9.6	17.5	23.6	24.8	26.3	23.5	19.1	12.8	7.4	5.3	179.7	10	3116
	14 LST	9.9	9.9	14.1	14.9	14.7	14.8	13.9	16.5	16.6	16.5	10.0	8.1	159.9	10	3267
	20 LST	8.5	10.3	13.6	21.6	23.5	24.6	26.8	25.3	23.7	20.9	9.5	6.7	215.0	10	3173

BOGUCHAR, USSR

STA NO. 34336 (IN AREA NUMBER 09)

LATITUDE 4956N

LONGITUDE 04034E

ELEVATION(FT) 00272

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	50	52	72	86	95	102	109	104	104	82	68	54	109	22	-674
MEAN MAX TMP (F)	24	24	35	55	72	79	83	81	69	53	38	27	53	31	-174
MEAN MIN TMP (F)	11	11	21	37	49	56	60	58	47	37	27	17	36	49	-174
ABS MIN TMP (F)	-33	-31	-29	3	19	32	43	32	19	0	-18	-29	-33	53	-674
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.5	1.7	5.6	6.2	0.6	0.0	0.0	0.0	14.6	10	2915
MEAN NO DYS TMP = DR LES 32(F)	29.7	26.1	24.6	6.3	0.4	0.0	0.0	0.0	0.9	8.5	17.2	25.4	139.1	10	2855
MEAN NO DYS TMP = DR LES 0(F)	6.7	4.2	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	1.9	14.6	10	2855
MEAN DEW PT TMP (F)	15	16	26	37	47	54	57	55	47	40	31	23	37	10	24159
MEAN REL HUM (PCT)	84	81	82	64	51	62	61	60	63	75	85	88	72	10	24159
MEAN PRESS ALT (ST)	118	80	110	181	200	265	312	282	164	56	45	126	162	5	13926
MEAN PRECIP (IN)	2.34	1.47	1.73	1.18	2.08	2.64	1.95	1.24	0.92	1.07	1.97	2.25	20.8	10	2686
MEAN SNOW FALL (TN)						0.0	0.0	0.0						53	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	11.8	9.1	9.8	7.0	6.7	7.7	5.0	6.2	4.3	6.5	9.8	12.7	96.4	10	2686
MEAN NO DYS SNFL = DR GTR 1.5 IN						0.0	0.0	0.0						53	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	1.6	1.8	2.1	0.9	0.1	0.0	0.0	0.1	0.5	1.6	2.4	2.0	19.1	10	24112
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.9	4.6	8.2	7.7	6.2	2.0	0.3	0.1	0.2	30.2	10	3343
P FREQ WND SPD = DR GTR 17 KTS	5.4	3.1	4.3	3.0	1.5	0.8	0.8	1.2	1.8	1.4	1.7	2.1	2.3	10	24200
P FREQ WND SPD = DR GTR 28 KTS	0.6	0.2	0.3	0.3	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.1	10	24200
P FREQ LES 5000 FT A/D LES 5 MI	71.0	63.2	62.5	36.6	23.6	25.6	18.2	22.9	26.0	44.3	69.7	80.1	45.3	10	24112
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	26.4	23.5	20.8	7.6	2.4	1.3	0.7	1.4	1.9	6.0	20.4	27.8	11.7	10	2873
03-05 LST	28.4	26.3	23.1	10.9	3.1	1.7	1.8	3.3	3.6	7.9	25.0	31.1	13.8	10	3096
06-08 LST	29.7	25.1	26.1	12.9	4.5	5.7	3.2	3.7	5.9	12.4	23.6	33.0	15.5	10	2726
09-11 LST	40.1	35.7	37.2	12.8	6.2	2.0	3.0	5.0	7.6	20.5	39.8	44.4	21.2	10	3133
12-14 LST	36.8	29.1	26.9	8.5	3.6	1.5	1.4	2.2	4.2	13.4	33.0	39.3	16.7	10	2999
15-17 LST	31.0	24.0	20.5	5.7	2.1	1.6	0.8	1.3	3.1	7.9	26.6	37.0	13.8	10	3209
18-20 LST	26.6	22.1	18.5	5.2	2.2	2.0	0.9	1.4	2.6	6.4	22.5	32.0	11.9	10	2949
21-23 LST	25.2	22.5	19.3	8.3	1.8	1.1	0.4	1.1	2.4	4.1	25.9	28.8	11.7	10	3127
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	6.4	3.9	4.5	1.2	0.0	0.2	0.0	0.2	0.2	1.2	4.3	4.8	2.2	10	2873
03-05 LST	5.9	4.2	5.9	2.4	0.3	0.0	0.0	0.5	1.0	3.2	3.5	6.6	2.8	10	3056
06-08 LST	5.1	3.1	7.5	4.4	0.5	0.6	0.4	0.3	3.0	6.5	5.4	7.7	3.7	10	2726
09-11 LST	11.0	10.6	12.2	4.2	0.3	0.0	0.0	0.0	2.9	6.6	13.7	9.6	5.9	10	3133
12-14 LST	11.3	4.9	5.8	0.7	0.3	0.0	0.0	0.0	0.2	1.9	5.4	7.6	3.2	10	2999
15-17 LST	7.3	4.7	3.4	0.5	0.0	0.0	0.0	0.2	0.0	0.4	3.6	7.8	2.3	10	3209
18-20 LST	6.3	5.6	3.4	1.0	0.0	0.0	0.0	0.5	0.2	0.2	3.5	5.0	2.1	10	2949
21-23 LST	4.9	4.0	4.9	0.7	0.0	0.0	0.0	0.2	0.0	0.3	3.9	2.9	1.8	10	3127

BOGUCHAR, USSR

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	03 LST	26.1	25.0	27.3	28.5	30.6	30.0	30.6	30.4	29.3	29.9	25.8	26.4	339.4	10	3096
	09 LST	23.3	20.9	23.5	27.8	30.5	29.9	30.8	30.4	29.0	27.3	21.8	22.4	317.6	10	3133
	15 LST	25.0	24.0	28.3	29.4	30.9	30.0	30.9	30.9	29.8	30.2	25.7	24.2	339.2	10	3209
	21 LST	27.2	24.9	28.3	29.3	31.0	30.0	31.0	30.9	29.8	30.9	25.7	27.0	346.0	10	3127
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	03 LST	17.6	16.2	19.7	24.2	28.7	28.9	29.5	28.9	27.4	26.6	18.4	14.9	281.0	10	3095
	09 LST	14.4	15.1	15.6	22.3	25.5	27.8	28.7	28.8	25.4	21.9	14.3	11.9	251.8	10	3130
	15 LST	16.6	17.0	18.6	21.1	23.4	25.9	27.1	26.5	22.5	22.7	15.5	15.3	251.4	10	3205
	21 LST	18.2	17.9	20.3	24.3	28.9	29.2	30.2	29.5	28.2	27.7	18.0	16.6	289.0	10	3125
SFC WND = GTR 17 KTS AND NO PRECIP.	03 LST	0.7	0.4	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	2.7	10	1102
	09 LST	0.4	0.8	0.2	0.4	0.0	0.0	0.0	0.0	1.3	0.0	0.2	0.5	3.8	10	1193
	15 LST	0.4	0.4	1.6	2.3	1.1	0.0	0.0	0.0	0.7	1.5	0.2	0.4	8.6	10	1161
	21 LST	0.4	0.4	0.9	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.4	0.4	3.2	10	1151
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	03 LST	0.7	1.1	3.9	10.1	11.8	8.7	8.1	9.5	9.2	8.9	5.4	3.5	80.9	10	3100
	09 LST	1.0	1.5	7.2	15.9	18.3	18.8	19.8	19.5	17.1	13.4	8.7	3.9	145.1	10	3138
	15 LST	2.4	2.7	10.5	19.2	19.6	19.6	19.8	18.3	19.9	20.2	11.9	5.2	169.3	10	3215
	21 LST	1.9	1.5	5.6	14.1	15.6	15.0	18.9	13.7	12.7	10.7	8.0	3.9	121.6	10	3132
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	03 LST	5.9	8.1	9.2	14.3	17.2	15.6	21.1	20.7	20.0	13.5	6.4	4.3	156.3	10	3098
	09 LST	3.2	4.4	5.6	10.1	11.8	15.3	19.1	15.9	12.5	8.0	4.2	1.8	111.9	10	3140
	15 LST	5.3	7.4	5.2	6.2	6.3	8.2	7.3	10.1	9.3	8.4	5.7	3.6	83.0	10	3217
	21 LST	7.5	8.8	8.5	12.7	12.1	12.5	17.6	16.2	18.6	16.2	7.4	5.2	143.3	10	3131
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	03 LST	17.1	15.9	19.4	24.7	29.1	28.4	29.8	29.1	28.0	26.4	17.6	14.9	280.9	10	3096
	09 LST	13.3	14.8	15.6	24.3	27.2	28.3	29.1	28.0	26.3	21.9	13.8	11.3	253.9	10	3133
	15 LST	17.4	18.1	19.7	25.7	28.3	27.7	29.6	29.1	27.4	25.6	16.9	13.7	279.2	10	3209
	21 LST	18.4	18.5	21.0	25.2	28.9	28.3	30.3	29.8	28.2	28.0	17.7	16.3	290.6	10	3127
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	03 LST	9.8	11.0	12.2	19.3	24.6	23.6	26.1	24.2	23.4	18.0	9.0	6.5	207.7	10	3096
	09 LST	7.9	9.6	10.8	19.7	24.2	24.7	26.0	24.4	22.8	15.3	7.0	4.9	197.5	10	3133
	15 LST	11.7	12.0	12.6	17.8	19.7	19.6	21.0	22.0	20.1	18.4	9.3	7.5	191.7	10	3209
	21 LST	11.8	12.9	13.3	18.9	24.2	22.7	27.4	24.4	24.0	20.7	10.2	7.8	218.3	10	3127
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	03 LST	9.8	10.9	11.9	19.3	24.6	23.4	26.0	24.0	23.4	17.9	8.8	6.3	206.3	10	3096
	09 LST	7.9	9.5	10.8	19.5	24.1	24.6	25.7	24.2	22.7	15.4	6.9	4.9	190.2	10	3133
	15 LST	11.5	11.9	12.5	17.7	19.6	19.4	20.7	21.8	20.0	18.1	9.2	7.4	189.8	10	3209
	21 LST	11.8	12.8	13.2	18.7	24.1	22.7	27.2	24.3	23.9	20.6	10.1	7.7	217.1	10	3127

AREA 08

USSR	C EUROPEAN PLAIN				LATITUDE 5200N		LONGITUDE 04100E							
	BOUNDARIES	5220N 02315E	5400N 03600E	5400N 03600E	5600N 05900E	5600N 05900E	5600N 05900E	5500N 05900E	5500N 05900E	5500N 05900E				
	5900N 05900E	5200N 05700E	5200N 05700E	5200N 05700E	5200N 04800E	5200N 04800E	5200N 04800E	4900N 04300E	4900N 04300E	4900N 04300E				
PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	
MEAN MAX TMP (F)	21	24	34	53	68	74	77	75	65	51	36	26	50	
MEAN MIN TMP (F)	11	12	22	36	48	54	57	55	47	37	28	18	35	
LARGEST MEAN PRECIP(IN)	2.34	2.60	1.94	1.86	2.70	2.80	4.41	3.12	2.33	2.40	2.65	3.34	32.5	
SMALLEST MEAN PRECIP(IN)	1.07	1.04	1.16	0.85	1.36	1.15	1.59	1.10	0.92	0.79	1.49	1.46	14.0	
	MEAN NUMBER OF DAYS													
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST	17.6	17.3	21.9	25.5	28.9	28.3	28.9	28.7	26.7	24.9	18.1	17.1	283.9
	08 LST	19.1	14.1	18.8	24.7	28.8	28.4	29.1	28.1	25.5	21.6	16.2	15.6	266.0
	14 LST	19.5	19.7	25.2	27.9	30.3	29.5	30.6	30.3	28.9	27.4	20.3	18.4	308.0
	20 LST	19.1	19.3	24.0	27.3	30.3	29.5	30.6	30.3	28.1	26.5	19.8	18.1	302.9
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST	10.0	10.1	13.7	19.3	23.7	24.8	25.7	24.8	22.0	17.8	10.3	9.3	211.5
	08 LST	8.4	7.9	10.7	16.4	20.0	21.7	23.3	22.0	18.8	13.8	8.7	8.2	179.9
	14 LST	10.9	10.9	12.9	14.3	16.0	18.6	19.9	19.5	16.1	14.5	10.0	9.5	173.1
	20 LST	10.7	11.5	15.0	20.6	24.8	25.6	27.0	26.5	23.6	19.1	11.3	9.6	225.3
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST	0.5	0.2	0.6	0.9	0.5	0.9	0.0	0.5	0.5	0.8	0.8	0.8	7.0
	08 LST	0.3	0.2	0.9	1.2	1.3	0.9	0.0	0.2	0.8	1.0	0.8	0.7	8.3
	14 LST	0.4	0.2	2.2	3.2	2.5	2.3	0.1	2.2	2.0	2.1	1.2	0.7	19.1
	20 LST	0.3	0.2	0.6	0.7	0.3	0.4	0.0	0.0	0.4	0.8	0.8	0.7	5.2
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST	0.7	1.0	3.5	10.2	13.6	13.5	13.4	13.5	13.8	11.7	5.1	1.8	101.1
	08 LST	0.8	1.0	4.0	12.5	16.1	17.0	17.9	16.5	15.9	12.7	5.3	1.9	121.8
	14 LST	1.6	2.1	7.3	12.8	13.8	13.7	16.1	15.8	14.7	14.4	7.8	2.9	123.0
	20 LST	0.9	1.3	5.3	13.4	16.5	16.4	17.1	15.5	15.4	12.9	6.2	2.1	123.0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST	5.1	6.1	8.3	13.0	14.6	14.5	16.3	16.7	14.4	10.3	5.6	4.8	129.7
	08 LST	2.9	3.4	4.8	9.0	10.3	12.9	13.3	12.4	9.3	5.3	3.4	2.9	89.9
	14 LST	4.7	5.6	6.6	6.6	5.1	5.8	5.5	6.9	6.9	6.3	4.6	3.6	68.2
	20 LST	3.9	7.1	9.2	11.3	10.0	11.2	11.8	12.9	13.5	11.1	6.5	5.1	115.6
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST	12.0	12.2	16.6	22.6	26.5	26.2	26.9	26.5	24.0	20.4	12.5	11.3	237.7
	08 LST	10.1	10.0	14.3	21.2	25.9	25.7	26.5	25.1	22.0	16.7	10.7	9.9	218.1
	14 LST	11.0	14.8	19.4	23.9	27.2	27.0	28.3	27.6	25.5	21.6	13.8	12.4	255.5
	20 LST	13.2	14.2	18.8	24.3	28.0	27.8	28.9	28.4	25.7	22.1	13.7	11.8	256.9
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST	9.5	9.9	13.4	19.9	23.6	23.5	24.3	24.1	21.2	16.2	9.4	8.6	203.6
	08 LST	7.9	7.9	11.6	18.7	23.3	23.4	24.0	22.7	19.3	13.3	8.1	7.4	187.6
	14 LST	11.8	12.6	16.0	18.3	18.8	18.5	19.7	20.3	18.9	16.2	10.9	10.0	192.0
	20 LST	10.6	11.6	15.5	20.7	23.6	23.8	24.9	24.5	22.5	17.6	10.5	9.1	214.9
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST	9.3	9.8	13.2	19.7	23.4	23.3	24.1	23.8	21.0	16.0	9.3	8.5	201.4
	08 LST	7.8	7.8	11.4	18.5	23.1	23.2	23.8	22.5	19.1	13.1	8.0	7.3	185.6
	14 LST	11.7	12.5	15.8	18.1	18.3	17.7	19.1	19.8	18.6	16.0	10.7	9.8	188.1
	20 LST	10.5	11.4	15.3	20.5	23.3	23.5	24.7	24.3	22.2	17.3	10.3	8.9	212.2

KIROVOGRAD, USSR

STA NO. 33711 (IN AREA NUMBER 09)

LATITUDE 4829N

LONGITUDE 03215E

ELEVATION(FT) 00486

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	48	59	73	79	88	91	95	95	90	77	68	57	95	10	3142
MEAN MAX TMP (F)	26	28	38	58	70	77	80	78	70	57	42	32	55	10	3142
MEAN MIN TMP (F)	16	20	27	40	50	56	59	58	49	41	33	25	40	10	3145
ABS MIN TMP (F)	-20	-13	-13	19	32	43	45	39	34	19	1	-9	-20	10	3145
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	1.1	3.7	3.1	0.1	0.0	0.0	0.0	0.0	10	3142
MEAN NO DYS TMP = DR LES 32(F)	28.9	25.7	23.8	6.0	0.2	0.0	0.0	0.0	0.0	5.5	15.2	23.8	129.1	10	3145
MEAN NO DYS TMP = DR LES 0(F)	5.3	2.8	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	9.8	10	3145
MEAN DEW PT TMP (F)	18	21	28	37	47	52	56	55	47	42	34	26	39	10	25473
MEAN REL HUM (PCT)	88	87	83	64	61	60	61	62	63	76	88	89	74	10	25473
MEAN PRESS ALT (FT)	373	368	370	444	436	455	487	482	354	286	332	433	402	5	12956
MEAN PRECIP (IN)	2.37	1.68	1.28	1.04	2.03	1.38	2.16	1.70	1.35	1.31	1.71	2.44	20.4	10	2622
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0					10	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	13.9	12.4	9.6	5.5	8.3	6.5	6.5	5.8	4.1	5.2	10.3	13.3	101.4	10	2622
MEAN NO DYS SNFL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0					10	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	6.3	6.9	4.7	2.2	0.5	0.3	0.4	0.4	0.4	3.7	5.4	5.7	36.9	10	25388
MEAN NO DYS TSMS	0.1	0.2	0.3	1.2	4.9	7.7	7.3	4.8	2.0	0.4	0.0	0.0	28.9	10	3522
P FREQ WND SPD = DR GTR 17 KTS	10.9	9.2	10.4	8.7	5.9	3.3	2.8	3.2	2.4	2.8	5.3	6.8	6.0	10	25530
P FREQ WND SPD = DR GTR 28 KTS	0.4	1.4	0.5	0.4	0.0	0.1	0.0	0.2	0.2	0.1	0.0	0.7	0.3	10	25530
P FREQ LES 5000 FT A/D LES 5 MI	78.7	77.9	65.0	35.0	29.3	21.1	20.2	19.8	23.1	47.2	76.0	80.3	47.8	10	25388
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	63.4	65.3	49.1	20.7	11.2	6.7	4.2	4.2	9.1	30.2	60.2	63.5	32.3	10	3317
03-05 LST	67.0	68.8	57.5	30.3	18.9	12.4	12.2	10.1	15.4	40.0	63.8	71.0	38.9	10	3064
06-08 LST	72.5	69.9	57.8	27.1	16.8	7.7	8.7	9.8	18.5	44.3	64.6	69.7	39.0	10	3262
09-11 LST	67.9	59.3	44.8	16.6	7.5	4.6	3.9	5.1	7.6	23.3	60.3	65.2	30.5	10	3039
12-14 LST	56.5	53.8	34.4	14.3	6.2	1.4	1.5	3.0	5.1	13.4	50.2	60.7	25.0	10	3278
15-17 LST	57.9	47.2	34.2	10.3	5.0	1.2	2.2	2.3	5.4	13.6	51.6	58.4	24.1	10	3010
18-20 LST	60.6	54.2	36.5	12.5	4.2	1.1	1.7	2.4	4.5	17.4	53.4	61.9	25.9	10	3266
21-23 LST	63.2	61.3	40.5	13.2	5.9	3.2	0.8	2.5	7.0	22.7	55.7	66.7	28.6	10	3132
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	27.7	26.2	20.6	6.7	1.7	0.3	0.0	0.2	2.0	8.6	30.9	30.5	13.0	10	3317
03-05 LST	33.0	34.7	24.9	14.7	5.2	3.3	2.0	3.5	4.3	16.2	31.8	35.0	17.4	10	3064
06-08 LST	37.3	36.8	26.7	10.9	3.0	0.7	0.3	1.0	4.6	18.4	34.4	37.5	17.6	10	3262
09-11 LST	34.0	26.8	14.5	3.8	0.0	0.3	0.3	0.0	0.4	4.1	25.7	26.9	11.4	10	3039
12-14 LST	30.0	20.8	8.8	3.2	0.0	0.0	0.0	0.0	0.0	2.1	18.3	27.6	9.2	10	3278
15-17 LST	25.6	17.1	9.9	2.6	0.0	0.3	0.0	0.0	0.0	1.3	21.4	26.1	8.7	10	3010
18-20 LST	25.0	18.6	14.6	4.5	0.2	0.0	0.3	0.0	0.5	1.7	25.2	27.7	9.9	10	3266
21-23 LST	28.6	23.0	14.2	5.2	0.0	0.0	0.0	0.0	1.5	3.9	29.0	31.2	11.4	10	3132

KIROVOGRAD, USSR

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST	14.0	11.7	17.9	25.0	28.4	28.9	30.3	30.0	27.9	23.5	14.3	13.4	265.3	10	3317
	08 LST	10.3	10.6	15.3	22.9	27.2	28.5	29.3	29.0	25.6	19.1	12.8	11.3	241.9	10	3262
	14 LST	15.8	15.9	22.8	26.9	30.2	29.9	30.9	30.6	29.2	28.5	17.6	14.5	292.8	10	3278
	20 LST	14.4	15.6	22.2	26.9	30.4	29.9	30.8	30.7	28.4	27.1	16.4	14.2	287.5	10	3266
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST	6.8	6.9	11.1	18.2	23.2	25.5	27.4	27.6	24.4	18.1	8.1	6.9	204.2	10	3316
	08 LST	4.6	4.9	7.9	14.4	17.5	22.0	23.3	22.7	20.1	14.1	7.2	5.3	164.0	10	3260
	14 LST	7.0	5.4	9.2	11.9	14.3	18.6	19.5	17.5	17.5	15.4	8.8	6.2	151.3	10	3278
	20 LST	7.4	7.7	13.0	18.8	24.1	26.2	26.6	26.2	25.3	22.5	9.9	7.1	214.8	10	3266
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST	0.3	0.4	1.4	0.7	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.4	4.4	10	1188
	08 LST	0.6	0.8	1.0	1.7	1.6	0.0	0.0	0.0	0.0	0.3	1.1	1.1	8.2	10	1282
	14 LST	0.9	0.9	3.8	3.7	2.6	0.0	0.0	0.0	0.0	0.0	0.0	0.7	13.5	10	1223
	20 LST	1.3	0.2	1.7	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.9	5.3	10	1222
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST	1.7	0.9	5.0	15.1	17.5	17.7	19.3	20.0	18.6	16.7	7.7	3.6	144.8	10	3324
	08 LST	1.1	1.1	4.8	14.4	17.1	18.6	19.2	17.4	17.2	16.6	9.2	4.1	140.8	10	3269
	14 LST	2.2	3.0	8.2	11.7	13.3	16.4	14.8	13.5	16.3	15.5	11.3	5.6	192.8	10	3289
	20 LST	1.4	1.7	8.6	16.5	20.0	19.5	20.0	20.0	20.3	20.9	10.3	4.7	163.9	10	3275
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST	5.0	4.0	7.1	11.7	11.5	14.2	17.1	19.1	17.8	11.0	4.8	4.2	127.5	10	3320
	08 LST	2.4	2.6	3.4	7.9	9.3	14.0	15.3	14.3	12.0	6.1	3.1	1.9	92.3	10	3268
	14 LST	4.0	4.1	3.5	4.8	3.4	4.8	5.3	6.3	7.5	7.4	3.2	2.3	56.6	10	3293
	20 LST	6.4	5.0	7.4	9.3	8.7	10.5	12.7	14.4	15.3	13.8	6.0	3.2	112.7	10	3276
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST	8.9	8.0	14.1	22.7	26.6	27.2	28.9	29.1	26.7	20.1	9.9	9.3	231.5	10	3317
	08 LST	6.9	6.4	11.5	21.1	24.2	26.6	27.2	27.0	23.7	15.6	8.7	7.2	206.1	10	3262
	14 LST	11.2	10.1	17.1	22.9	26.4	28.2	29.2	28.2	27.0	24.2	11.7	9.3	245.5	10	3278
	20 LST	10.3	10.4	17.1	25.3	28.5	29.2	29.8	29.6	28.4	24.4	11.5	9.2	253.7	10	3766
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST	7.9	6.7	12.3	20.8	23.8	26.0	27.2	26.9	24.5	17.1	8.2	7.8	209.2	10	3317
	08 LST	6.1	5.2	10.2	19.9	22.8	25.1	26.0	25.9	22.7	12.3	7.2	5.6	189.0	10	3262
	14 LST	9.9	9.1	13.6	16.6	17.2	17.5	18.3	18.7	19.9	18.0	9.2	7.3	175.5	10	3278
	20 LST	9.1	8.8	14.4	22.7	24.5	26.3	26.0	27.1	25.8	22.0	9.0	7.5	223.2	10	3266
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST	7.7	6.5	12.2	20.8	23.6	25.7	27.0	26.8	24.2	16.5	8.1	7.8	206.9	10	3317
	08 LST	5.9	5.2	10.1	19.7	22.6	24.9	25.8	25.7	22.6	12.1	7.2	5.5	187.3	10	3262
	14 LST	9.9	9.0	13.4	16.4	16.7	16.7	17.5	18.1	19.3	17.8	9.2	7.0	171.0	10	3278
	20 LST	9.0	8.7	14.4	22.5	24.4	25.8	25.6	27.0	25.5	21.5	8.9	7.5	220.8	10	3266

ODESSA, USSR

STA NO. 33837 (IN AREA NUMBER 09)

LATITUDE 4629N LONGITUDE 03038E ELEVATION(FT) 00210

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	59	59	70	79	86	99	97	97	90	77	73	59	99	10	3185
MEAN MAX TMP (F)	32	34	43	58	69	78	82	81	71	60	48	38	58	10	3185
MEAN MIN TMP (F)	23	25	31	42	52	58	62	61	54	45	39	30	44	10	3097
ABS MIN TMP (F)	-8	-6	10	19	30	45	48	45	36	18	7	1	-8	10	3097
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.9	4.3	3.9	0.1	0.0	0.0	0.0	9.2	10	3185
MEAN NO DYS TMP = DR LES 32(F)	24.5	22.2	17.9	3.8	0.1	0.0	0.0	0.0	0.0	1.6	8.2	17.8	96.1	10	3097
MEAN NO DYS TMP = DR LES 0(F)	2.2	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	10	3097
MEAN DEW PT TMP (F)	24	26	32	40	50	55	58	58	52	46	40	31	43	10	25729
MEAN REL HUM (PCT)	85	85	80	69	69	64	61	63	68	77	86	88	75	10	25729
MEAN PRESS ALT (FT)	105	111	102	179	165	181	209	209	111	16	54	157	133	5	14108
MEAN PRECIP (IN)	2.04	1.85	0.85	0.96	1.38	1.28	2.85	1.31	1.54	0.60	1.56	2.43	18.6	10	2845
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0					10	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	10.8	7.2	6.6	5.7	6.0	4.9	5.3	4.0	4.1	3.2	6.7	9.9	74.4	10	2845
MEAN NO DYS SNFL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0					10	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	3.4	3.4	2.8	2.0	1.0	0.6	0.3	0.4	1.0	2.6	3.1	4.4	25.0	10	25665
MEAN NO DYS TSTMS	0.1	0.0	0.2	1.5	2.8	5.5	7.4	4.9	2.6	0.2	0.2	0.0	25.4	10	3585
P FREQ WND SPD = DR GTR 17 KTS	13.7	10.5	13.8	9.7	5.1	5.0	4.0	4.6	4.5	5.4	9.9	11.1	8.1	10	25785
P FREQ WND SPD = DR GTR 28 KTS	2.0	1.2	1.0	1.0	0.2	0.2	0.1	0.1	0.2	0.2	0.5	0.9	0.6	10	25785
P FREQ LES 5000 FT A/D LES 5 MI	71.5	71.7	59.9	38.2	26.3	19.7	15.4	16.5	23.1	44.5	72.1	76.4	44.6	10	25665
P FREQ LES 1500 FT A/D LES 3 MI														10	3323
FOR 00-02 LST	43.5	48.3	37.9	22.9	12.6	3.8	2.6	3.0	9.2	25.8	48.2	52.2	25.8	10	3087
03-05 LST	47.6	50.7	38.4	29.2	23.0	13.9	9.0	11.6	14.5	28.0	54.0	52.2	31.2	10	3087
06-08 LST	58.3	59.3	48.9	30.1	15.3	7.6	6.3	9.8	17.3	37.7	60.7	62.8	34.5	10	3228
09-11 LST	54.0	50.3	36.0	17.2	8.7	4.1	1.2	3.5	6.7	22.3	53.4	55.7	26.1	10	3051
12-14 LST	46.8	42.8	28.9	14.9	7.4	2.1	1.6	2.0	3.3	14.9	47.4	49.6	21.8	10	3456
15-17 LST	43.1	41.8	28.4	13.8	5.9	2.2	1.4	0.9	3.5	12.9	47.6	49.4	20.9	10	3057
18-20 LST	44.5	45.5	32.0	15.8	7.4	2.1	0.8	1.5	4.7	15.3	45.1	51.6	22.2	10	3288
21-23 LST	42.3	43.0	32.6	17.4	7.9	2.1	1.8	1.1	7.2	18.9	46.0	51.7	22.7	10	3175
P FREQ LES 300 FT A/D LES 1 MI														10	3323
FOR 00-02 LST	21.1	16.5	13.6	12.1	4.4	1.0	0.6	0.6	3.1	11.4	18.2	23.2	10.5	10	3087
03-05 LST	21.1	18.7	14.5	12.3	7.0	3.7	1.1	3.0	4.8	11.6	20.3	24.3	11.9	10	3087
06-08 LST	23.2	21.4	17.2	6.0	1.5	0.2	0.6	0.5	2.6	11.6	24.7	27.4	11.4	10	3228
09-11 LST	18.1	15.2	11.1	2.1	0.3	0.0	0.0	0.0	0.5	3.3	18.0	23.5	7.7	10	3051
12-14 LST	12.5	11.6	5.7	3.0	0.1	0.0	0.6	0.0	0.1	1.4	12.6	18.6	5.5	10	3456
15-17 LST	14.1	13.3	5.9	4.0	0.3	0.3	0.4	0.3	0.0	1.0	9.0	16.7	5.4	10	3057
18-20 LST	15.5	14.2	9.2	5.3	0.6	0.0	0.3	0.2	0.3	2.9	12.1	20.0	6.7	10	3288
21-23 LST	16.9	17.5	10.0	9.0	2.3	0.3	0.7	0.0	1.3	6.8	14.4	20.0	8.3	10	3175

ODESSA, USSR

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST	20.1	17.0	22.5	24.4	28.0	29.7	30.7	30.6	28.2	24.9	18.3	17.0	291.9	10	3323
	08 LST	15.2	13.4	18.5	23.2	27.8	28.8	30.2	29.2	26.5	21.6	14.3	14.3	263.0	10	3228
	14 LST	19.5	18.8	25.1	26.7	29.8	29.9	30.7	30.8	29.5	28.5	18.7	18.4	306.4	10	3456
	20 LST	20.5	17.6	23.8	26.5	29.5	29.8	30.9	30.9	29.4	28.0	19.4	17.9	304.2	10	3288
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST	9.1	9.3	12.1	18.5	22.1	25.7	26.6	26.7	23.3	18.5	9.2	9.5	210.6	10	3317
	08 LST	7.8	6.1	8.6	13.0	15.8	20.3	22.3	20.6	19.2	14.3	6.5	6.0	160.5	10	3217
	14 LST	6.7	6.5	8.0	9.9	11.3	15.1	17.2	16.4	14.5	13.4	6.9	8.2	134.1	10	3451
	20 LST	9.8	9.3	12.5	18.9	22.3	23.6	25.5	25.9	24.3	21.7	10.7	9.4	213.9	10	3286
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST	1.0	0.8	2.1	0.8	0.4	0.0	0.0	0.0	0.0	1.2	3.5	2.1	11.9	10	1168
	08 LST	2.0	1.0	2.4	1.6	0.8	4.3	0.0	0.0	0.0	0.8	1.1	1.8	15.8	10	1260
	14 LST	3.7	3.5	5.7	5.0	5.0	4.3	31.0	0.0	0.0	2.9	3.3	2.5	66.9	10	1209
	20 LST	1.8	1.2	1.9	0.2	0.4	0.0	0.0	0.0	0.0	0.3	2.1	1.7	9.6	10	1208
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST	4.0	3.8	7.4	14.9	14.8	17.3	17.1	17.7	16.9	17.2	13.3	6.9	151.3	10	3323
	08 LST	3.6	3.4	8.1	14.2	15.7	17.7	19.3	18.7	17.4	16.2	11.9	7.4	153.6	10	3220
	14 LST	5.6	6.2	9.3	10.8	10.6	13.8	14.7	14.1	13.6	14.7	11.2	7.9	132.5	10	3452
	20 LST	4.6	4.7	9.4	16.0	17.9	19.2	18.3	18.4	18.1	19.3	13.7	8.0	167.6	10	3296
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST	7.7	5.8	8.4	13.3	14.8	20.3	22.8	22.6	19.2	13.0	6.3	6.2	160.4	10	3328
	08 LST	4.2	3.3	4.2	9.4	11.6	15.3	18.1	17.7	14.0	8.8	2.2	2.3	111.1	10	3234
	14 LST	5.3	4.7	4.5	6.7	7.4	10.4	12.8	10.8	10.5	9.4	3.3	3.6	89.4	10	3454
	20 LST	7.8	6.8	9.5	10.2	11.0	14.0	14.9	17.7	17.6	14.4	6.3	5.6	135.8	10	3298
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST	14.5	12.2	16.7	22.3	26.2	28.3	29.8	29.6	26.5	21.4	13.0	12.6	253.1	10	3323
	08 LST	11.4	9.9	14.2	20.0	25.0	26.9	28.5	27.5	24.4	18.0	9.7	8.9	224.4	10	3228
	14 LST	14.1	13.3	18.7	23.5	27.1	28.0	29.8	29.5	27.9	24.1	13.2	13.3	262.5	10	3456
	20 LST	14.7	13.2	18.9	24.3	27.9	29.0	30.5	30.1	27.8	25.0	14.1	12.7	268.2	10	3288
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST	11.7	9.8	14.6	21.1	23.8	27.4	28.6	28.1	24.8	18.8	10.6	10.0	229.3	10	3323
	08 LST	9.1	7.8	12.5	19.5	23.6	25.5	27.5	26.8	23.5	15.7	7.2	6.0	204.7	10	3228
	14 LST	12.2	10.5	15.1	18.8	22.1	21.5	23.6	24.0	22.5	19.4	10.6	11.1	211.4	10	3456
	20 LST	12.8	10.9	16.1	21.4	25.6	27.4	27.1	28.0	25.7	22.8	11.8	10.6	240.2	10	3288
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST	11.7	9.8	14.6	21.1	23.6	27.3	28.5	28.0	24.6	18.6	10.5	10.0	228.3	10	3323
	08 LST	9.0	7.7	12.4	19.5	23.6	25.4	27.2	26.8	23.2	15.3	7.1	5.9	203.1	10	3228
	14 LST	12.0	10.5	15.0	18.4	21.8	21.1	23.1	23.7	22.0	18.9	10.4	11.0	207.9	10	3456
	20 LST	12.7	10.8	16.0	21.0	25.5	27.2	26.6	27.8	25.4	22.5	11.7	10.6	237.8	10	3288

BOLGRAD, USSR

STA NO. 33887 (IN AREA NUMBER 09)

LATITUDE 4540N

LONGITUDE 02837E

ELEVATION(FT) 00266

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	50	63	70	79	86	95	97	95	90	79	75	61	97	10	2052
MEAN MAX TMP (F)	31	36	47	61	71	79	83	82	74	63	50	38	60	10	2052
MEAN MIN TMP (F)	21	27	31	41	51	59	61	60	52	45	39	28	43	10	2043
ABS MIN TMP (F)	-11	-6	7	21	34	43	50	43	37	25	16	-4	-11	10	2043
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	2.2	5.9	5.2	0.5	0.0	0.0	0.0	13.8	10	2052
MEAN NO DYS TMP = DR LES 32(F)	27.3	22.9	19.5	5.6	0.0	0.0	0.0	0.0	0.0	3.0	8.8	20.2	107.3	10	2043
MEAN NO DYS TMP = DR LES 0(F)	2.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	3.1	10	2043
MEAN DEW PT TMP (F)	22	27	32	40	50	56	58	57	51	46	40	30	42	10	18785
MEAN REL HUM (PCT)	84	84	76	65	66	63	61	61	65	74	83	87	72	10	18785
MEAN PRESS ALT (FT)	93	148	142	227	210	237	248	246	150	66	96	188	171	5	8624
MEAN PRECIP (IN)	1.49	1.35	1.48	1.53	2.06	2.28	1.88	1.16	1.55	1.14	1.24	1.61	18.8	10	1277
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0					10	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	7.7	8.9	7.7	7.7	9.0	6.7	5.1	5.0	3.5	3.9	7.5	10.1	82.8	10	1277
MEAN NO DYS SNFL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0						10	-29
MEAN NO DYS W/O CUR VSBY LES 1/2 MI	3.0	2.9	2.4	0.8	0.6	0.7	0.1	0.3	0.6	2.0	3.8	4.4	21.6	10	18683
MEAN NO DYS TSTMS	0.1	0.0	0.3	1.6	3.6	8.5	6.9	4.6	1.9	0.9	0.3	0.1	28.8	10	2892
P FREQ WND SPD = DR GTR 17 KTS	5.4	6.0	6.1	4.2	2.4	2.0	1.8	2.3	1.4	1.6	2.2	4.9	3.4	10	18855
P FREQ WND SPD = DR GTR 28 KTS	0.6	1.4	0.4	0.1	0.1	0.0	0.1	0.1	0.0	0.1	0.5	0.1	0.3	10	18855
P FREQ LES 5000 FT A/D LES 5 MI	59.5	62.2	50.3	34.4	31.7	23.1	17.8	17.8	24.4	32.6	58.0	61.8	39.5	10	18683
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	30.8	36.6	25.5	15.3	10.8	7.7	4.2	7.4	10.8	17.0	29.9	34.3	19.2	10	2579
03-05 LST	35.1	38.4	23.6	14.4	12.7	8.2	4.1	5.0	11.9	19.3	33.2	38.8	20.4	10	2656
06-08 LST	37.5	40.0	26.6	16.6	11.7	3.6	1.3	4.1	8.8	22.5	39.2	40.7	21.1	10	2293
09-11 LST	36.4	31.3	27.4	10.4	11.2	6.6	3.5	3.6	5.7	11.9	32.4	36.6	18.1	10	2174
12-14 LST	27.5	30.6	19.9	13.7	13.4	7.6	5.8	6.8	11.7	8.4	24.1	30.6	16.7	10	1955
15-17 LST	29.0	25.0	18.0	12.2	12.0	9.9	4.4	4.4	5.8	6.3	24.0	27.0	14.8	10	2158
18-20 LST	32.9	29.7	19.9	11.6	9.2	6.9	3.7	4.2	7.2	8.2	24.3	31.1	15.7	10	2256
21-23 LST	33.0	33.5	23.0	13.0	10.0	8.1	8.0	6.4	9.6	14.7	28.1	33.6	18.4	10	2612
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	10.7	14.8	8.9	1.4	1.1	0.5	0.3	0.5	0.8	5.3	10.9	13.1	5.7	10	2579
03-05 LST	12.8	15.1	7.4	4.5	3.3	2.9	1.0	1.0	2.3	8.5	12.2	14.5	7.1	10	2656
06-08 LST	15.9	18.2	12.6	5.7	1.3	0.0	0.0	0.0	2.6	8.4	19.1	20.3	8.7	10	2293
09-11 LST	15.5	7.8	8.7	1.5	0.0	0.0	0.0	0.0	0.0	2.3	9.6	15.9	5.1	10	2174
12-14 LST	11.9	10.5	4.9	1.1	0.0	0.0	0.0	0.0	0.0	0.5	4.0	11.5	3.7	10	1955
15-17 LST	12.1	7.0	3.1	1.6	0.0	0.0	0.5	0.3	0.0	0.0	3.9	8.3	3.1	10	2158
18-20 LST	10.2	8.4	3.6	2.3	0.0	0.0	0.0	0.0	0.3	0.0	4.9	10.7	3.4	10	2256
21-23 LST	12.6	11.8	6.9	1.6	1.5	0.3	0.6	0.0	0.0	4.5	7.6	10.4	4.8	10	2612

BOLGRAD, USSR

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST	25.9	22.0	27.2	28.9	30.2	29.4	30.9	30.2	29.4	28.8	26.4	25.8	335.1	10	2579
	08 LST	24.1	21.1	26.1	28.0	30.3	30.0	31.0	30.8	28.7	27.9	22.9	23.1	324.0	10	2293
	14 LST	26.0	23.8	28.5	29.5	30.6	30.0	31.0	31.0	29.8	30.8	28.0	25.8	344.8	10	1955
	20 LST	26.1	24.4	29.1	29.1	31.0	30.0	31.0	31.0	29.8	30.9	28.1	26.0	346.5	10	2256
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST	14.9	11.1	15.5	18.9	22.5	23.7	26.5	25.2	21.9	20.5	13.4	12.7	226.8	10	2574
	08 LST	13.0	10.4	16.6	17.1	18.3	23.5	25.6	24.1	23.7	19.1	12.6	12.2	216.2	10	2290
	14 LST	13.8	11.1	13.7	13.6	13.6	18.4	21.1	19.6	16.4	19.0	12.5	14.2	186.0	10	1953
	20 LST	12.8	12.3	17.0	19.1	22.7	22.9	25.8	26.9	23.3	23.8	15.0	14.4	236.0	10	2249
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST	0.6	0.8	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.8	1.3	4.0	10	838
	08 LST	1.1	0.6	0.5	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.3	3.1	10	1139
	14 LST	1.3	1.2	2.3	1.7	3.7	0.0	0.0	0.0	0.0	1.7	0.0	0.5	12.4	10	689
	20 LST	1.6	0.8	0.8	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.4	4.2	10	807
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST	3.5	4.7	10.0	14.8	17.3	15.3	16.5	17.5	15.7	17.3	11.9	7.5	152.0	10	2580
	08 LST	2.9	3.6	11.0	14.7	17.8	18.9	19.2	17.4	18.1	16.7	12.8	8.3	161.4	10	2298
	14 LST	8.1	9.7	14.8	15.7	14.0	17.8	17.7	17.5	18.2	18.5	15.3	11.5	178.8	10	1970
	20 LST	5.3	5.1	15.1	17.1	18.4	16.5	19.1	19.6	18.9	18.4	14.0	7.6	175.1	10	2260
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST	9.8	7.2	9.9	14.0	14.6	17.9	22.0	20.5	18.7	16.1	7.7	6.1	164.5	10	2587
	08 LST	5.6	3.9	8.0	8.3	10.0	15.2	18.2	16.5	15.4	9.0	3.3	3.1	116.5	10	2301
	14 LST	6.7	3.8	5.3	7.5	4.8	6.9	9.7	10.3	9.7	10.0	4.0	5.3	84.0	10	1975
	20 LST	9.2	7.3	8.9	9.6	8.2	11.0	14.0	15.5	17.7	17.3	7.7	9.5	135.9	10	2263
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST	16.7	12.5	17.8	21.6	24.1	25.5	27.7	26.4	23.8	21.9	14.8	13.9	246.7	10	2579
	08 LST	14.5	12.3	19.1	21.7	24.1	27.4	29.4	28.1	25.2	20.1	13.4	13.1	248.4	10	2293
	14 LST	18.9	15.1	19.8	20.6	20.9	23.5	25.3	25.3	22.3	24.8	16.8	17.3	250.6	10	1955
	20 LST	13.6	14.6	19.6	22.6	24.1	24.9	27.5	27.6	24.9	25.2	16.6	17.0	260.2	10	2256
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST	14.4	9.7	15.1	19.8	22.2	24.4	26.2	25.1	22.8	20.6	12.3	11.2	223.8	10	2579
	08 LST	12.3	10.0	16.6	19.9	22.9	26.4	28.0	26.8	23.4	18.6	11.7	10.7	227.3	10	2293
	14 LST	17.5	13.6	16.6	17.3	16.6	18.9	20.9	22.1	20.2	22.3	14.1	15.8	215.9	10	1955
	20 LST	14.4	12.3	17.0	20.1	21.8	23.3	25.6	26.4	23.6	23.2	14.1	15.8	237.6	10	2256
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST	12.7	8.7	13.1	18.7	21.3	23.7	25.6	24.0	22.0	19.5	11.1	9.0	209.4	10	2579
	08 LST	10.2	7.8	15.4	17.1	19.7	23.0	26.3	24.2	21.8	15.9	9.3	8.3	199.0	10	2293
	14 LST	14.6	11.5	14.9	16.1	15.8	18.6	20.5	21.6	19.1	20.4	11.6	12.5	197.2	10	1955
	20 LST	12.8	10.6	15.4	18.3	20.0	22.4	24.6	25.0	22.4	22.4	12.5	13.4	219.8	10	2256

SIMFEROPOL, USSR

STA NO. 33946 (IN AREA NUMBER 09)

LATITUDE 4501N

LONGITUDE 03359E

ELEVATION(FT) 00673

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	63	70	82	88	84	93	93	97	86	77	70	97	10	3003	
MEAN MAX TMP (F)	37	39	48	61	70	77	82	82	73	63	53	44	61	10	3003
MEAN MIN TMP (F)	26	28	32	42	50	57	60	60	53	45	40	34	44	10	2944
ABS MIN TMP (F)	-2	-6	9	16	32	45	50	43	37	23	14	1	-6	10	2944
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	1.3	3.7	4.4	0.3	0.0	0.0	0.0	9.7	10	3003
MEAN NO DYS TMP = DR LES 32(F)	22.1	19.9	16.4	3.0	0.1	0.0	0.0	0.0	0.0	1.3	5.9	13.7	82.4	10	2944
MEAN NO DYS TMP = DR LES 0(F)	0.6	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	10	2944
MEAN DEW PT TMP (F)	27	29	33	41	50	55	57	57	52	46	42	35	44	10	26380
MEAN REL HUM (PCT)	84	84	77	66	68	65	61	62	67	74	84	84	73	10	26380
MEAN PRESS ALT (FT)	568	565	574	650	634	658	694	699	587	484	527	604	604	5	14091
MEAN PRECIP (IN)	1.94	1.69	1.59	1.12	1.67	1.70	1.61	1.60	1.28	0.87	2.09	2.25	19.4	10	2707
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0					10	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	11.6	10.0	7.8	5.2	6.1	6.2	5.0	4.9	4.4	4.3	9.6	11.8	86.9	10	2707
MEAN NO DYS SNFL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0					10	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	2.8	3.1	2.2	1.3	2.0	0.3	0.0	0.0	0.3	0.8	3.3	2.9	19.0	10	26337
MEAN NO DYS TSTMS	0.1	0.0	0.0	0.1	3.4	5.8	5.1	3.8	2.4	0.8	0.4	0.0	21.9	10	3615
P FREQ WND SPD = DR GTR 17 KTS	10.5	10.9	12.0	12.7	8.3	3.9	2.3	3.5	3.7	5.9	9.5	11.8	7.9	10	26426
P FREQ WND SPD = DR GTR 28 KTS	1.0	1.7	2.0	2.4	0.9	0.4	0.0	0.2	0.1	0.3	1.0	1.3	0.9	10	26426
P FREQ LES 5000 FT A/D LES 5 MI	59.8	61.3	49.2	28.6	25.0	18.2	11.4	11.4	18.4	28.9	53.8	58.7	35.4	10	26337
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	39.1	36.9	33.4	19.9	20.2	10.4	5.4	4.6	10.0	17.7	36.4	39.5	22.8	10	3440
03-05 LST	41.3	44.1	37.3	20.7	24.9	13.9	6.1	6.8	13.0	23.7	39.5	37.5	25.7	10	3143
06-08 LST	43.1	46.9	37.0	18.3	13.6	7.4	2.3	4.3	8.8	18.7	41.0	40.9	23.5	10	3414
09-11 LST	34.6	39.4	26.5	11.3	7.0	3.4	0.3	1.3	5.5	8.0	26.1	30.8	16.2	10	3097
12-14 LST	29.7	35.6	20.1	11.2	6.4	2.6	0.8	1.9	4.4	5.5	21.4	29.9	14.1	10	3484
15-17 LST	36.7	34.0	22.6	9.7	6.9	1.9	0.9	1.4	2.8	5.2	29.9	36.4	15.7	10	3117
18-20 LST	38.8	40.8	25.7	13.3	8.4	3.7	1.1	1.7	5.1	10.7	35.4	37.8	18.5	10	3427
21-23 LST	39.2	40.8	30.2	15.2	17.8	7.2	3.2	3.3	7.3	15.4	38.3	37.9	21.3	10	3215
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	16.6	15.5	11.4	7.5	8.1	0.6	0.2	0.1	1.6	5.4	17.4	16.4	8.4	10	3440
03-05 LST	16.0	17.2	16.4	8.0	8.8	1.8	0.0	0.7	1.5	4.7	18.8	15.7	9.1	10	3143
06-08 LST	18.7	19.1	11.6	3.4	1.9	0.3	0.0	0.3	1.3	5.2	17.9	12.8	7.7	10	3414
09-11 LST	10.2	10.0	6.4	0.2	0.3	0.5	0.0	0.3	0.3	0.7	6.0	7.4	3.5	10	3097
12-14 LST	7.5	9.7	5.5	1.1	0.2	0.0	0.0	0.1	0.3	0.2	4.7	8.4	3.1	10	3484
15-17 LST	12.3	14.1	4.0	1.6	0.3	0.0	0.3	0.0	0.0	0.5	8.2	9.7	4.3	10	3117
18-20 LST	12.4	15.0	6.3	3.5	1.0	0.0	0.2	0.0	1.2	0.8	12.4	12.7	5.5	10	3427
21-23 LST	12.7	14.2	11.6	4.6	5.7	1.0	0.0	0.0	1.5	3.5	17.2	13.0	7.1	10	3215

SIMFEROPOL, USSR

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST	21.2	19.5	23.0	25.0	25.9	28.2	30.1	30.3	28.5	27.1	20.7	20.5	300.0	10	3440
	08 LST	19.5	16.7	21.8	25.8	27.7	28.7	30.8	30.1	28.1	27.1	19.5	21.1	290.9	10	3414
	14 LST	23.9	19.9	27.1	28.0	30.2	29.5	30.9	30.6	29.1	30.2	23.2	23.4	328.0	10	3484
	20 LST	21.3	18.3	25.2	27.0	29.0	29.4	30.9	30.9	28.8	28.7	20.9	21.6	312.0	10	3427
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST	12.9	12.6	14.7	20.0	21.9	25.8	27.8	28.1	23.8	21.5	13.6	11.9	234.6	10	3439
	08 LST	13.0	10.6	13.4	16.9	18.1	22.2	25.9	25.1	22.5	20.3	12.8	11.3	212.1	10	3409
	14 LST	13.0	8.6	10.9	10.9	10.8	14.3	16.6	17.2	16.5	16.9	13.1	12.1	160.9	10	3482
	20 LST	12.7	11.0	16.1	20.2	22.1	25.8	27.1	27.2	26.0	22.8	14.5	11.9	237.4	10	3421
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST	1.9	2.8	1.3	0.9	0.8	0.0	0.0	0.0	0.7	0.8	1.3	3.0	13.5	10	1260
	08 LST	1.6	2.1	1.2	2.3	3.2	0.0	0.0	0.0	0.6	0.5	2.0	2.7	16.2	10	1346
	14 LST	3.1	3.7	4.4	3.9	7.6	5.5	0.0	0.0	4.2	3.5	3.5	4.4	45.8	10	1301
	20 LST	2.3	1.9	0.9	0.6	2.0	0.0	0.0	0.0	0.6	0.5	1.1	2.4	12.3	10	1296
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND N7 PRECIP.	02 LST	6.4	5.6	7.1	16.8	19.5	20.7	22.2	22.9	20.3	19.6	14.4	9.0	184.5	10	3443
	08 LST	5.9	5.0	9.3	14.3	14.3	16.1	19.7	18.2	17.8	18.7	14.1	9.6	163.0	10	3414
	14 LST	7.8	5.9	9.9	10.5	10.1	12.0	12.8	12.8	13.8	14.6	13.4	9.9	133.5	10	3483
	20 LST	6.9	5.2	10.9	18.4	18.3	22.2	22.8	22.5	21.3	17.7	14.1	9.5	189.8	10	3435
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST	8.5	5.8	9.7	14.5	16.8	20.7	24.7	25.2	20.3	18.2	9.2	7.3	180.9	10	3446
	08 LST	4.2	2.5	6.3	10.9	11.3	15.7	21.6	20.4	17.3	13.6	4.8	3.7	132.3	10	3421
	14 LST	4.9	3.1	6.4	9.0	8.9	7.7	11.3	11.9	12.1	13.0	6.2	4.1	98.6	10	3491
	20 LST	7.4	6.5	10.0	11.5	13.1	17.0	21.5	21.4	20.6	19.9	7.8	6.1	162.8	10	3441
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST	16.4	13.8	18.8	23.3	24.1	26.3	28.8	29.2	25.9	24.2	17.5	16.3	267.1	10	3440
	08 LST	15.8	13.3	17.8	23.6	25.6	26.6	29.7	29.2	26.6	24.2	16.1	15.9	264.6	10	3414
	14 LST	19.4	15.4	21.4	24.7	27.1	28.2	30.4	30.0	27.7	27.8	21.5	19.5	293.1	10	3484
	20 LST	16.6	14.7	20.9	25.0	27.6	28.3	30.2	30.0	28.0	26.7	17.8	16.8	282.6	10	3427
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST	13.6	13.0	16.8	22.2	23.1	25.7	27.4	28.4	24.9	22.6	15.3	13.8	246.8	10	3440
	08 LST	12.9	11.5	16.3	23.1	25.2	25.9	29.1	28.5	25.9	22.4	14.2	12.9	247.9	10	3414
	14 LST	17.2	12.6	17.7	21.4	23.2	22.0	25.1	25.8	24.7	25.4	19.1	17.0	251.2	10	3484
	20 LST	14.2	12.4	18.5	22.9	26.2	27.3	28.8	29.4	27.1	25.1	14.6	14.2	240.7	10	3427
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST	13.4	13.0	16.8	22.1	23.0	25.7	27.3	28.4	24.8	22.6	15.2	13.6	243.9	10	3440
	08 LST	12.9	11.4	16.2	23.1	25.2	25.9	29.1	28.5	25.9	22.1	14.1	12.8	247.2	10	3414
	14 LST	16.9	12.4	17.6	21.2	22.7	21.3	24.2	25.2	24.5	25.1	18.9	16.8	246.8	10	3484
	20 LST	14.0	12.3	18.4	22.8	26.1	27.3	28.8	29.3	27.0	25.0	14.5	14.2	239.7	10	3427

ZAPOROZH'YE, USSR

STA NO. 34601 (IN AREA NUMBER 09)

LATITUDE 4748N

LONGITUDE 03513E

ELEVATION(FT) 00282

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	48	57	68	79	93	95	99	99	93	81	66	57	99	10	3172
MEAN MAX TMP (F)	28	30	40	59	72	79	84	81	72	59	44	35	57	10	3172
MEAN MIN TMP (F)	19	21	29	40	52	58	61	60	51	42	34	27	41	10	3130
ABS MIN TMP (F)	-17	-15	-13	19	32	43	50	41	32	21	9	-8	-17	10	3130
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.5	2.5	6.7	6.0	0.8	0.0	0.0	0.0	16.5	10	3172
MEAN NO DYS TMP = DR LES 32(F)	25.6	24.2	21.8	5.1	0.1	0.0	0.0	0.0	0.1	4.6	12.3	20.8	114.6	10	3130
MEAN NO DYS TMP = DR LES 0(F)	3.9	2.2	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	7.9	10	3130
MEAN DEW PT TMP (F)	20	22	30	38	48	54	56	54	48	43	33	28	40	10	25167
MEAN REL HUM (PCT)	87	87	84	65	60	59	55	56	61	74	86	89	72	10	25167
MEAN PRESS ALT (FT)	177	161	166	237	240	273	311	311	183	82	112	210	205	10	14077
MEAN PRECIP (IN)	2.20	1.56	1.33	1.43	1.98	1.68	1.58	2.28	1.20	1.34	1.41	2.53	20.5	10	2859
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0					10	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	12.6	10.0	7.7	7.0	7.2	6.2	4.7	4.5	4.5	4.7	9.2	11.7	90.0	10	2859
MEAN NO DYS SNFL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0					10	-29
MEAN NO DYS W/OCCUR VSBY LES 1/2 MI	4.5	3.5	3.8	1.9	0.3	0.2	0.1	0.2	0.8	2.5	4.3	4.9	27.0	10	25143
MEAN NO DYS TSTMS	0.0	0.0	0.1	1.4	2.9	6.3	5.7	3.3	1.6	0.2	0.0	0.2	21.7	10	3465
P FREQ WND SPD = DR GTR 17 KTS	21.2	19.6	16.7	20.5	15.0	6.4	7.4	7.0	9.1	7.5	16.1	15.8	12.5	10	25236
P FREQ WND SPD = DR GTR 28 KTS	4.4	3.7	4.5	6.3	2.4	0.3	0.4	0.6	1.0	0.4	1.7	2.8	2.4	10	25236
P FREQ LES 5000 FT A/D LES 5 MI	79.6	74.6	67.5	34.2	19.1	13.1	6.4	10.7	14.5	34.7	68.2	79.7	41.9	10	25143
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	66.9	63.5	55.8	20.4	8.8	3.5	1.0	4.2	6.4	18.4	51.5	66.4	30.6	10	3309
03-05 LST	65.9	64.1	59.8	28.6	15.5	11.8	6.3	10.1	11.5	26.2	55.3	67.7	35.2	10	3010
06-08 LST	66.4	68.8	59.2	26.2	13.1	7.0	4.8	8.7	11.8	35.8	59.9	63.3	35.4	10	3227
09-11 LST	65.2	55.0	49.4	22.6	6.4	2.9	1.2	2.9	3.8	22.7	53.4	57.4	28.7	10	3010
12-14 LST	60.5	51.9	40.9	16.5	4.0	3.2	0.9	2.3	4.2	12.3	42.8	57.4	24.7	10	3277
15-17 LST	57.7	52.0	37.8	16.7	3.5	1.8	0.9	3.3	1.8	9.4	45.0	56.9	23.9	10	2992
18-20 LST	61.5	53.2	39.6	12.7	3.5	0.8	0.2	2.0	4.0	12.0	46.8	61.5	24.8	10	3265
21-23 LST	64.4	57.3	45.1	13.2	4.8	2.7	0.3	1.6	3.7	10.5	43.5	64.3	26.0	10	3053
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	24.5	24.7	21.8	6.8	0.3	0.0	0.0	0.0	0.8	1.6	14.8	27.3	10.2	10	3309
03-05 LST	25.7	24.9	26.4	13.7	3.0	3.2	1.4	2.0	4.2	10.0	20.5	27.6	13.5	10	3010
06-08 LST	32.1	28.1	24.0	8.8	1.0	1.0	0.6	0.8	2.3	14.4	26.4	29.7	14.1	10	3227
09-11 LST	29.0	18.1	15.1	5.1	0.0	0.0	0.3	0.0	0.0	3.5	15.1	24.4	9.2	10	3010
12-14 LST	22.6	14.6	9.6	2.7	0.0	0.3	0.3	0.5	0.5	2.0	9.5	18.7	6.8	10	3277
15-17 LST	19.2	15.5	10.7	3.2	0.3	0.3	0.0	0.0	0.3	0.6	10.8	18.6	6.6	10	2992
18-20 LST	21.0	16.2	10.5	2.2	0.3	0.3	0.0	0.0	0.0	2.0	12.2	19.4	7.0	10	3265
21-23 LST	21.7	19.7	15.2	3.0	0.0	0.0	0.0	0.0	0.3	1.5	11.9	21.9	7.9	10	3053

ZAPOROZH'YE, USSR

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PGR (YRS)	NO. UBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST	12.2	12.0	16.0	25.3	29.4	29.6	30.9	30.5	28.8	27.2	17.4	13.3	272.6	10	3309
	08 LST	12.3	10.1	14.8	23.7	28.3	28.6	30.3	29.2	27.5	21.5	14.4	14.0	254.7	10	3227
	14 LST	14.7	15.9	21.9	26.4	30.4	29.4	30.8	30.6	29.4	28.4	20.2	16.0	294.1	10	3277
	20 LST	15.0	15.6	21.6	27.5	30.4	29.9	31.0	30.8	29.3	28.2	18.4	14.3	292.0	10	3265
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST	5.8	6.2	9.4	16.7	22.7	25.4	27.7	25.8	23.6	20.7	8.7	5.7	198.4	10	3308
	08 LST	5.6	5.5	7.6	12.3	18.2	22.4	24.4	23.5	20.6	14.3	6.6	7.2	168.2	10	3227
	14 LST	6.3	5.7	8.3	12.2	14.0	19.0	18.7	18.9	15.9	14.2	7.8	6.6	147.6	10	3276
	20 LST	6.4	7.6	12.3	18.4	24.6	25.6	27.4	26.2	24.6	21.7	9.3	6.4	210.5	10	3259
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST	3.0	2.6	2.0	3.2	2.7	0.0	0.0	0.0	0.7	1.2	3.0	2.9	21.3	10	1264
	08 LST	3.1	2.0	3.0	4.8	4.6	0.0	0.0	0.0	1.9	2.8	3.3	2.4	27.9	10	1359
	14 LST	3.4	3.3	5.1	7.8	6.2	0.0	0.0	0.0	2.1	4.5	3.6	2.9	38.9	10	1308
	20 LST	3.5	3.2	2.4	2.0	2.9	0.0	0.0	0.0	0.7	0.7	1.9	3.4	20.7	10	1296
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST	2.4	2.8	6.7	15.2	17.9	17.4	18.9	17.5	16.6	16.8	10.1	6.6	148.9	10	3307
	08 LST	2.3	2.7	7.6	15.0	16.9	19.5	20.6	20.0	18.6	16.8	10.0	6.1	154.1	10	3237
	14 LST	3.8	5.0	8.3	11.5	11.9	16.4	14.4	14.3	13.9	14.3	12.4	7.1	123.3	10	3285
	20 LST	4.1	3.5	10.2	15.2	20.0	19.1	19.4	19.8	18.5	18.4	10.2	4.9	163.3	10	3267
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST	4.0	4.5	5.7	13.0	14.0	14.8	21.2	20.2	19.1	14.2	6.8	3.7	141.2	10	3313
	08 LST	2.5	3.6	3.9	9.1	10.3	15.5	18.1	17.0	14.3	8.7	3.8	2.1	108.9	10	3236
	14 LST	2.8	3.6	3.6	5.7	5.1	4.8	6.4	7.4	7.0	8.0	3.8	2.3	60.5	10	3286
	20 LST	6.0	5.3	7.3	10.8	10.1	11.1	14.1	15.9	17.5	15.0	6.9	3.7	123.7	10	3276
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST	8.1	8.7	11.7	22.6	26.9	28.3	30.4	29.0	27.2	23.7	11.7	7.7	236.0	10	3309
	08 LST	8.7	7.7	11.4	21.3	26.2	27.6	29.2	27.8	25.9	18.8	10.2	9.2	224.0	10	3227
	14 LST	10.2	11.2	14.7	23.2	28.6	28.4	30.5	29.6	27.6	25.2	14.1	10.6	253.9	10	3277
	20 LST	9.4	11.2	16.1	24.8	29.4	29.4	30.9	29.7	28.2	26.0	13.7	9.2	258.0	10	3265
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST	6.5	7.4	9.9	20.9	24.1	26.1	29.3	27.8	25.6	20.9	9.9	6.4	214.8	10	3309
	08 LST	7.2	6.8	10.8	20.5	24.9	26.6	28.3	27.2	25.0	16.9	8.7	7.6	210.5	10	3227
	14 LST	9.0	9.7	12.2	18.5	21.2	21.1	23.2	23.7	22.5	21.1	12.5	9.3	204.0	10	3277
	20 LST	8.6	10.0	14.1	23.0	27.5	27.0	29.2	27.6	26.3	23.1	12.2	7.0	235.6	10	3265
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST	6.5	7.3	9.9	20.6	23.7	25.5	29.0	27.4	25.4	20.6	9.7	6.3	211.9	10	3309
	08 LST	7.1	6.6	10.8	20.4	24.6	26.5	27.9	27.0	24.9	16.7	8.6	7.4	208.5	10	3227
	14 LST	9.0	9.7	12.0	17.6	19.3	18.5	19.9	21.6	20.9	20.6	12.4	9.3	190.8	10	3277
	20 LST	8.6	10.0	14.1	22.6	26.9	26.3	28.5	27.0	25.9	22.7	12.2	6.9	231.7	10	3265

RGSTOV-NA-DONV, USSR

STA NO. 34731 (IN AREA NUMBER 09)

LATITUDE 4715N

LONGITUDE 03949E

ELEVATION(FT) 00253

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. CBS
ABS MAX TMP (F)	59	66	82	88	95	100	104	104	97	91	77	59	104	58	-664
MEAN MAX TMP (F)	27	29	40	58	72	79	84	83	73	58	43	32	57	47	-164
MEAN MIN TMP (F)	17	17	26	39	51	58	62	60	50	40	30	22	39	67	-164
ABS MIN TMP (F)	-27	-24	-18	14	28	32	46	39	23	14	-13	-18	-27	70	-664
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.1	1.9	7.5	6.2	0.2	0.0	0.0	0.0	13.9	10	3248
MEAN NO DYS TMP = DR LES 32(F)	27.4	24.0	19.6	3.5	0.0	0.0	0.0	0.0	0.0	3.5	12.3	21.7	112.0	10	3191
MEAN NO DYS TMP = DR LES 0(F)	1.6	1.8	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	4.5	10	3191
MEAN DEW PT TMP (F)	21	22	30	40	51	57	58	57	49	43	34	27	41	10	26206
MEAN REL HUM (PCT)	88	85	82	67	64	63	56	58	63	75	85	89	73	10	26206
MEAN PRESS ALT (FT)	105	91	110	189	200	260	301	290	154	42	53	121	160	5	13657
MEAN PRECIP (IN)	2.25	1.53	1.12	1.24	1.93	2.03	1.53	1.53	0.92	1.27	1.98	2.43	19.8	10	2984
MEAN SNOW FALL (IN)						0.0	0.0	0.0						70	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	12.3	8.7	7.4	5.9	7.4	6.2	4.8	4.8	3.6	5.0	7.5	12.0	85.6	10	2984
MEAN NO DYS SNFL = DR GTR 1.5 IN						0.0	0.0	0.0						70	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	4.3	3.2	2.4	0.9	0.5	0.2	0.0	0.1	0.2	2.3	4.2	6.1	24.4	10	26106
MEAN NO DYS TSTMS	0.0	0.0	0.1	0.7	3.2	8.2	6.4	5.7	1.9	0.9	0.1	0.0	27.2	10	3641
P FREQ WND SPD = DR GTR 17 KTS	11.7	13.8	12.3	12.7	8.0	2.0	2.6	3.1	4.6	5.7	13.2	9.1	8.2	10	26247
P FREQ WND SPD = DR GTR 28 KTS	0.9	0.9	2.7	1.8	0.5	0.0	0.1	0.3	0.3	0.4	1.0	1.4	0.9	10	26247
P FREQ LES 5000 FT A/D LES 5 MI	72.0	64.4	57.2	25.6	16.7	9.9	4.8	8.1	12.3	54.5	62.1	73.2	36.7	10	26106
P FREQ LES 1500 FT A/D LES 3 MI															
FDR 00-02 LST	52.8	44.9	31.8	8.8	4.3	1.9	0.6	0.2	3.1	9.7	33.4	52.0	20.3	10	3119
03-05 LST	56.5	48.8	38.4	12.0	7.2	3.3	0.7	2.8	4.7	13.1	42.5	54.6	23.9	10	3470
06-08 LST	58.4	49.8	43.3	21.2	15.1	9.4	2.8	7.5	7.5	21.5	46.3	60.2	28.4	10	3050
09-11 LST	67.6	57.2	50.5	22.8	13.2	4.7	2.6	4.2	9.6	36.0	57.4	69.0	32.9	10	3453
12-14 LST	64.6	47.3	40.1	13.8	4.0	2.8	1.1	1.5	5.8	19.9	46.4	61.3	25.7	10	2913
15-17 LST	54.8	41.9	30.9	11.4	2.9	1.3	0.7	0.7	2.6	8.6	35.2	56.6	20.6	10	3530
18-20 LST	53.0	45.3	29.6	9.4	3.4	0.6	0.0	1.1	1.5	8.0	35.1	50.4	19.8	10	3076
21-23 LST	53.0	47.5	27.6	6.5	3.0	0.3	0.2	0.9	2.0	8.8	36.8	52.9	20.1	10	3495
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	21.2	17.4	10.3	1.5	0.5	0.0	0.3	0.0	0.3	3.0	11.7	23.0	7.4	10	3119
03-05 LST	24.6	23.7	12.0	3.2	0.2	1.3	0.0	0.6	0.6	5.4	17.1	24.7	9.5	10	3470
06-08 LST	22.6	24.6	14.8	7.2	3.7	4.0	0.3	2.1	1.6	8.0	16.8	32.3	11.5	10	3050
09-11 LST	30.0	25.4	16.4	5.0	0.2	1.3	0.0	0.6	2.0	14.0	25.3	34.0	12.9	10	3453
12-14 LST	23.5	15.4	8.0	2.0	0.0	0.7	0.0	0.3	0.6	3.0	13.3	27.6	8.0	10	2913
15-17 LST	21.2	11.3	3.8	2.3	0.0	0.0	0.0	0.0	0.0	0.5	9.5	23.2	6.0	10	3530
18-20 LST	20.5	11.6	5.8	1.7	0.7	0.0	0.0	0.0	0.0	0.3	8.7	22.4	6.0	10	3076
21-23 LST	22.2	14.3	7.4	0.7	0.6	0.0	0.0	0.2	0.2	1.7	10.4	25.9	7.0	10	3495

ROSTOV-KA-DONV, USSR

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	03 LST	15.3	16.4	21.4	26.9	29.2	29.3	30.9	30.4	28.9	27.4	19.7	15.8	291.6	10	3470
	09 LST	11.6	13.2	17.5	24.1	28.2	29.2	30.6	30.1	27.9	21.6	15.2	10.8	260.0	10	3453
	15 LST	10.2	18.5	25.1	27.7	30.7	29.9	30.9	31.0	29.6	29.5	22.7	15.4	307.2	10	3530
	21 LST	15.8	16.9	24.8	28.4	30.5	30.0	31.0	30.8	29.6	29.1	21.2	16.2	304.3	10	3495
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	03 LST	6.7	6.7	10.9	15.6	20.4	24.5	25.6	25.0	22.7	19.2	7.5	8.1	192.9	10	3469
	09 LST	4.9	5.7	8.1	11.4	13.8	21.8	23.3	21.0	19.2	12.3	5.8	5.9	153.2	10	3449
	15 LST	6.9	5.9	8.3	11.5	12.5	18.7	20.9	18.3	16.7	14.9	6.9	7.1	148.6	10	3528
	21 LST	7.1	6.6	12.2	17.5	20.9	26.3	26.5	25.8	22.6	21.6	9.0	8.6	204.7	10	3495
SFC WND = GTR 17 KTS AND NO PRECIP.	03 LST	1.7	2.0	2.8	2.0	1.0	0.0	0.0	0.0	0.0	1.1	2.4	2.1	15.1	10	1484
	09 LST	2.1	2.6	2.5	3.0	1.2	1.7	0.0	0.0	0.9	1.2	2.1	1.6	18.9	10	1577
	15 LST	1.6	3.5	3.7	5.7	3.9	0.0	0.0	31.0	3.6	2.4	2.2	2.4	60.0	10	1536
	21 LST	2.2	2.0	2.1	1.9	0.8	0.0	0.0	0.0	0.9	0.6	2.2	1.9	14.6	10	1535
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	03 LST	1.6	1.9	4.7	12.8	17.2	18.7	20.6	19.6	18.4	14.3	7.8	5.2	142.8	10	3482
	09 LST	1.7	1.9	6.0	11.1	12.7	17.5	17.8	17.7	16.4	13.1	7.8	4.7	128.4	10	3467
	15 LST	2.8	3.0	7.6	10.1	10.5	14.8	14.5	14.1	13.8	13.7	7.9	6.4	119.2	10	3542
	21 LST	2.5	2.2	7.4	14.7	16.8	20.6	20.6	21.2	17.9	17.4	7.9	5.5	154.7	10	3503
SKY COVER LES 3/10 AND VSIY = GTR 3 MI	03 LST	5.5	5.3	9.1	12.9	14.8	17.3	23.3	20.6	20.1	16.0	6.8	4.3	156.0	10	3480
	09 LST	2.4	3.5	5.1	9.3	10.9	13.0	19.7	17.0	14.4	8.6	3.1	2.1	109.1	10	3468
	15 LST	3.6	4.0	4.6	6.7	8.5	7.5	12.1	12.3	10.7	10.3	5.1	2.4	87.8	10	3543
	21 LST	5.2	5.9	8.4	11.7	10.6	13.0	16.7	17.4	17.5	14.9	7.9	4.3	133.5	10	3505
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	03 LST	11.2	11.7	16.0	25.4	28.1	28.7	30.5	29.7	28.1	24.8	14.2	11.7	260.1	10	3470
	09 LST	8.5	10.4	13.3	22.2	25.5	27.7	29.8	29.1	26.4	18.2	10.2	8.3	229.6	10	3453
	15 LST	11.7	13.6	16.9	24.7	28.8	28.8	30.5	30.3	28.4	26.1	15.3	11.2	266.3	10	3530
	21 LST	11.9	12.2	19.2	27.4	29.3	29.7	30.8	30.6	29.0	26.8	15.8	12.5	275.2	10	3495
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	03 LST	9.6	9.3	13.0	23.0	26.5	27.5	30.2	28.8	26.3	22.0	11.6	8.8	236.6	10	3470
	09 LST	7.0	8.7	12.0	21.0	24.2	26.8	29.5	28.1	25.7	15.9	7.8	6.3	213.0	10	3453
	15 LST	9.9	11.6	13.2	20.9	23.7	24.1	26.5	26.6	25.0	21.1	12.6	9.1	224.3	10	3530
	21 LST	9.6	10.6	15.8	24.7	27.5	28.0	29.8	29.5	27.5	22.9	12.4	9.4	247.7	10	3495
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	03 LST	9.4	9.3	12.9	22.5	26.1	27.3	30.1	28.8	26.1	21.5	11.3	8.6	233.9	10	3470
	09 LST	6.7	9.4	11.9	20.8	23.9	26.6	29.4	28.0	25.6	15.8	7.6	6.1	210.8	10	3453
	15 LST	9.9	11.4	13.2	20.7	23.0	23.0	25.5	25.9	24.6	20.8	12.5	7.0	219.5	10	3530
	21 LST	9.4	10.5	15.7	24.4	26.9	27.6	29.6	29.2	27.3	22.5	12.2	9.4	244.7	10	3495

PRIKUMSK, USSR

STA NO. 37061 (IN AREA NUMBER 09) LATITUDE 4448N LONGITUDE 04410E ELEVATION(FT) 00387

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	63	68	88	91	97	104	109	109	99	88	73	61	109	41	-664
MEAN MAX TMP (F)	29	31	44	61	75	83	88	87	75	62	46	35	60	38	-164
MEAN MIN TMP (F)	18	19	30	38	49	57	62	61	52	42	32	24	40	37	-164
ABS MIN TMP (F)	-29	-33	-22	14	25	37	43	37	25	12	-27	-24	-33	40	-664
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	1.3	6.1	14.9	11.3	1.4	0.0	0.0	0.0	35.0	10	3228
MEAN NO DYS TMP = OR LES 32(F)	27.2	24.3	19.4	3.7	0.0	0.0	0.0	0.0	0.0	3.6	9.9	19.4	107.5	10	3145
MEAN NO DYS TMP = OR LES 0(F)	1.0	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	2.4	10	3145
MEAN DEW PT TMP (F)	25	26	32	41	51	57	59	59	53	44	38	30	43	10	24881
MEAN REL HUM (PCT)	89	87	81	68	61	62	55	59	65	75	87	91	73	10	24881
MEAN PRESS ALT (FT)	198	190	220	309	334	402	451	427	288	163	157	209	279	5	13338
MEAN PRECIP (IN)	1.07	0.89	0.82	1.18	1.94	2.86	1.77	2.27	0.98	0.85	1.28	1.49	17.2	10	2725
MEAN SNOW FALL (IN)						0.0	0.0	0.0						40	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	11.2	9.9	6.0	5.3	6.2	8.6	6.2	6.4	4.1	4.7	9.9	13.2	41.7	10	2725
MEAN NO DYS SNFL = OR GTR 1.5 IN						0.0	0.0	0.0						40	-29
MEAN NO DYS W/OCCUR VSBY LES 1/2 MI	6.5	4.6	3.5	2.2	0.3	0.2	0.0	0.4	1.0	3.1	5.1	7.6	34.5	10	24770
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.6	3.7	8.2	5.5	5.5	1.9	0.1	0.1	0.0	25.6	10	3512
P FREQ WND SPD = OR GTR 17 KTS	5.0	6.5	7.8	11.2	8.5	2.6	2.9	3.0	3.5	4.9	5.5	3.7	5.4	10	24922
P FREQ WND SPD = OR GTR 28 KTS	0.6	0.5	0.6	0.9	0.3	0.0	0.1	0.0	0.1	0.0	0.5	0.0	0.3	10	24922
P FREQ LES 5000 FT A/D LES 5 MI	76.7	69.7	59.5	34.5	20.0	15.9	11.6	13.4	25.6	43.5	72.8	60.8	43.7	10	24770
P FREQ LES 1500 FT A/D LES 3 MI															
FDR 00-02 LST	51.7	49.9	30.1	9.9	1.0	0.8	0.6	0.3	2.7	13.2	47.6	63.4	22.6	10	3008
03-05 LST	61.4	57.5	40.2	19.6	2.6	1.4	0.6	1.6	9.0	25.0	55.3	64.2	28.2	10	3286
06-08 LST	63.1	55.1	44.5	30.1	9.0	4.9	2.1	6.3	15.9	32.1	57.6	66.3	32.3	10	2885
09-11 LST	68.8	64.0	52.5	23.5	3.8	2.7	1.1	2.2	13.7	32.8	62.0	69.4	33.0	10	3228
12-14 LST	57.4	49.5	35.7	13.4	3.1	1.2	0.5	0.8	6.7	16.2	48.2	62.3	24.6	10	2782
15-17 LST	53.9	44.8	29.2	9.4	2.5	0.8	0.3	0.7	2.8	5.9	39.1	58.4	20.7	10	3257
18-20 LST	50.6	45.7	24.6	7.6	1.5	2.2	0.2	0.8	1.5	4.9	30.7	55.9	18.9	10	3029
21-23 LST	52.5	49.2	23.5	8.6	1.0	0.8	0.5	1.1	1.2	4.8	35.8	59.3	19.9	10	3295
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	23.7	19.2	9.9	1.5	0.0	0.0	0.0	0.0	0.0	2.2	17.1	33.2	8.9	10	3008
03-05 LST	31.7	26.3	16.5	6.2	0.5	0.0	0.0	0.2	2.2	11.1	20.7	35.6	12.6	10	3286
06-08 LST	33.5	24.4	17.5	11.2	3.2	1.5	0.0	2.5	4.2	14.5	27.8	33.6	14.5	10	2885
09-11 LST	34.9	34.8	20.2	4.8	0.5	0.0	0.2	0.6	0.5	10.4	32.4	40.5	15.0	10	3228
12-14 LST	21.9	15.6	7.3	0.2	0.0	0.2	0.0	0.0	0.5	0.3	14.6	26.8	7.3	10	2782
15-17 LST	16.0	14.0	5.5	1.2	0.2	0.0	0.0	0.0	0.2	0.0	8.9	25.1	3.9	10	3257
18-20 LST	18.1	16.4	4.2	0.0	0.0	1.0	0.0	0.3	0.3	0.2	7.2	27.2	6.2	10	3029
21-23 LST	23.3	16.6	6.4	0.0	0.0	0.3	0.0	0.2	0.0	0.6	8.2	27.4	6.9	10	3295


PRIKUMSK, USSR

MEAN NUMBER OF DAYS


PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	03 LST	14.3	14.4	21.8	25.5	30.7	29.9	31.0	30.9	28.5	23.3	16.4	14.1	202.8	10	3286
	09 LST	11.6	11.9	17.4	24.4	30.4	29.8	30.7	30.7	26.7	23.1	13.7	11.7	262.1	10	3228
	15 LST	10.3	17.3	24.3	28.4	30.5	29.9	31.0	30.9	29.8	30.0	20.9	14.6	303.9	10	3257
	21 LST	17.4	16.7	26.2	28.5	30.9	29.9	31.0	30.8	29.9	30.3	22.6	15.4	309.6	10	3295
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	03 LST	8.7	8.3	13.1	19.6	27.0	27.6	29.3	29.4	24.3	19.2	8.8	6.6	221.9	10	3284
	09 LST	7.2	7.5	10.1	15.3	19.9	23.6	25.9	25.7	20.8	15.2	7.7	6.4	185.3	10	3222
	15 LST	9.5	9.6	11.5	13.1	16.6	21.7	22.4	20.9	17.9	18.2	10.1	8.5	180.0	10	3256
	21 LST	10.5	10.1	17.0	19.1	23.7	26.4	27.4	26.5	24.7	23.4	13.1	8.3	230.2	10	3294
SFC WND = GTR 17 KTS AND NO PRECIP.	03 LST	0.7	0.2	0.5	1.1	2.8	0.0	0.0	0.0	0.0	0.4	0.4	0.6	6.7	10	1069
	09 LST	0.8	1.1	1.2	2.3	2.8	0.0	0.0	0.0	0.0	1.8	0.9	0.6	11.5	10	1158
	15 LST	1.6	1.6	3.1	5.9	12.4	0.0	0.0	0.0	2.5	2.2	1.8	0.6	31.7	10	1094
	21 LST	0.8	0.7	1.4	2.4	2.8	0.0	0.0	0.0	2.1	0.7	0.2	0.3	11.4	10	1113
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	03 LST	2.3	2.8	7.1	15.4	17.7	16.4	16.4	18.7	16.2	15.6	8.1	5.7	142.4	10	3296
	09 LST	3.3	2.4	7.7	12.8	15.6	18.0	18.8	18.9	15.6	16.3	8.1	5.5	143.0	10	3236
	15 LST	6.8	6.3	11.8	11.8	14.5	15.8	11.3	13.5	14.4	15.2	11.8	8.8	142.0	10	3267
	21 LST	3.8	3.8	11.3	14.4	19.5	17.6	19.3	18.6	16.8	16.7	9.6	6.7	158.1	10	3300
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	03 LST	3.7	5.1	6.8	11.1	13.5	13.0	17.7	19.2	15.9	10.7	4.2	2.7	123.6	10	3294
	09 LST	2.2	2.6	4.7	7.1	10.6	12.3	16.2	17.4	12.0	6.4	2.3	1.5	95.3	10	3239
	15 LST	3.4	4.3	5.0	6.4	7.4	7.5	12.7	12.8	10.5	10.8	3.5	2.2	86.5	10	3272
	21 LST	3.6	5.7	10.0	11.9	10.6	11.1	15.6	16.8	17.7	15.8	6.0	3.6	128.4	10	3301
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	03 LST	9.2	9.7	15.0	22.5	29.6	29.2	30.6	30.1	25.9	20.5	9.9	7.9	240.1	10	3286
	09 LST	7.9	8.5	12.6	21.1	29.0	28.2	30.5	29.8	24.9	17.9	9.0	7.3	226.7	10	3228
	15 LST	12.2	13.4	18.7	25.5	29.7	29.5	30.7	30.6	28.3	27.4	14.4	11.1	271.9	10	3257
	21 LST	11.8	11.7	20.7	26.2	30.1	29.6	30.6	30.5	29.1	27.8	14.5	9.4	272.0	10	3295
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	03 LST	6.4	8.0	11.4	18.4	24.4	24.0	26.0	25.7	21.7	14.7	6.7	5.2	192.6	10	3286
	09 LST	5.7	6.1	10.8	18.2	25.2	24.6	27.4	26.1	20.7	12.3	6.4	5.3	188.8	10	3228
	15 LST	9.7	11.7	14.2	19.9	22.2	22.2	23.4	23.1	20.7	19.4	9.9	8.1	204.5	10	3257
	21 LST	8.0	9.7	15.9	21.5	24.1	23.2	24.6	25.0	23.7	21.3	9.2	6.2	212.4	10	3295
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	03 LST	6.3	7.8	10.9	17.9	23.8	23.0	24.9	24.9	21.2	14.1	6.6	5.0	186.4	10	3286
	09 LST	5.6	6.0	10.8	18.0	24.9	24.1	26.2	25.4	20.1	11.9	6.2	5.1	184.3	10	3228
	15 LST	9.6	11.7	14.1	19.6	21.4	21.2	22.0	21.8	20.0	19.1	9.7	7.9	198.1	10	3257
	21 LST	7.7	9.6	15.8	21.1	23.3	22.2	23.3	23.9	23.1	20.5	9.0	6.1	205.6	10	3295

AREA 09

USSR	S EUROPEAN PLAIN				LATITUDE 4700N		LONGITUDE 03700E							
	BOUNDARIES	4815N 02630E	4900N 04300E	4900N 04300E	4300N 04600E	4300N 04600E	4300N 04600E	4300N 04600E	4300N 04600E	4600N 04000E				
		4600N 04000E	4500N 03700E											
PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)		30	32	43	59	71	79	83	82	73	60	47	36	50
MEAN MIN TMP (F)		20	22	29	40	51	58	61	60	52	43	35	27	42
LARGEST MEAN PRECIP(IN)		2.37	1.85	1.59	1.53	2.06	2.86	2.85	2.28	1.55	1.34	2.09	2.53	24.9
SMALLEST MEAN PRECIP(IN)		1.07	0.89	0.82	0.96	1.38	1.28	1.56	1.16	0.92	0.60	1.24	1.49	13.4
		MEAN NUMBER OF DAYS												
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	02 LST	17.6	16.1	21.4	25.9	28.8	29.3	30.7	30.4	28.6	26.3	19.0	17.1	291.2
	08 LST	14.9	13.9	18.8	24.6	28.6	29.1	30.4	29.9	27.3	23.1	16.1	15.2	271.9
	14 LST	18.9	18.6	25.0	27.7	30.3	29.8	30.9	30.8	29.5	29.4	21.9	18.3	311.1
	20 LST	18.6	17.9	24.7	27.7	30.2	29.8	30.9	30.8	29.4	28.9	21.0	17.9	307.8
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST	9.3	8.7	12.4	18.2	22.8	25.5	27.3	26.8	23.4	19.7	9.9	8.8	212.8
	08 LST	8.0	7.2	10.3	14.3	17.4	22.3	24.4	23.2	20.9	15.7	8.5	7.8	180.0
	14 LST	9.0	7.5	10.0	11.9	13.3	18.0	19.5	18.4	16.5	13.9	9.4	9.0	198.4
	20 LST	9.5	9.2	14.3	18.9	22.9	25.3	26.6	26.4	24.4	22.5	11.6	9.4	221.0
SFC WND = GTR 17 KTS AND NO PRECIP.	02 LST	1.3	1.4	1.4	1.3	1.1	0.0	0.0	0.0	0.2	0.7	1.8	1.8	11.0
	08 LST	1.6	1.5	1.7	2.3	2.0	0.9	0.0	0.0	0.5	1.1	1.5	1.5	14.6
	14 LST	2.2	2.5	4.0	5.1	5.9	1.4	4.4	4.4	1.8	2.5	2.2	2.0	38.4
	20 LST	1.9	1.4	1.6	1.2	1.3	0.0	0.0	0.0	0.6	0.4	1.2	1.6	11.2
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	02 LST	3.1	3.2	6.9	15.0	17.4	17.6	18.7	19.1	17.5	16.8	10.6	6.4	192.3
	08 LST	3.0	2.9	7.8	13.5	15.7	18.0	19.2	18.3	17.3	16.3	10.6	6.5	149.1
	14 LST	5.3	5.6	10.0	11.7	12.1	15.3	14.3	14.3	14.9	15.2	12.0	8.2	198.9
	20 LST	4.1	3.7	10.4	16.0	18.7	19.2	19.9	20.0	18.8	18.4	11.4	6.7	167.3
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	02 LST	6.3	5.4	8.1	12.9	14.3	16.9	21.3	21.1	18.7	14.2	6.5	4.9	150.6
	08 LST	3.4	3.1	5.1	8.9	10.6	14.4	18.2	17.2	14.2	8.7	3.3	2.4	109.5
	14 LST	4.4	3.9	4.7	6.7	6.5	7.1	10.0	10.3	9.7	9.8	4.2	3.2	80.5
	20 LST	6.5	6.1	8.8	10.7	10.3	12.5	13.6	17.0	17.7	15.9	6.9	5.1	133.1
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST	12.1	11.2	15.7	22.9	26.5	27.6	29.5	29.0	26.3	22.4	13.0	11.4	247.6
	08 LST	10.5	9.8	14.3	21.6	25.7	27.3	29.2	28.4	25.3	19.0	11.0	10.0	232.1
	14 LST	14.0	13.2	18.2	23.6	26.9	27.8	29.5	29.1	27.0	25.7	15.3	13.2	263.5
	20 LST	12.9	12.6	18.9	25.1	28.1	28.6	30.0	29.7	27.9	26.0	14.9	12.4	267.1
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	02 LST	10.0	9.1	13.3	20.9	24.0	25.9	27.8	27.3	24.4	19.5	10.7	9.0	221.9
	08 LST	8.6	8.0	12.7	20.3	24.1	25.8	28.0	27.1	23.8	16.3	9.0	7.8	211.5
	14 LST	12.2	11.3	14.7	19.1	20.9	21.0	23.0	23.4	22.2	21.0	12.6	11.1	212.5
	20 LST	11.0	10.7	16.0	22.3	25.3	26.1	27.3	27.6	25.7	22.9	11.9	10.1	236.9
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST	9.7	8.9	12.9	20.5	23.6	25.5	27.5	26.9	24.0	19.1	10.4	8.6	217.6
	08 LST	8.2	7.6	12.5	19.8	23.5	25.2	27.4	26.5	23.4	15.7	8.6	7.3	205.7
	14 LST	11.7	10.9	14.3	18.6	20.1	20.1	21.8	22.6	21.5	20.4	12.1	10.5	204.6
	20 LST	10.6	10.4	15.7	21.8	24.7	25.5	26.7	27.0	25.2	22.4	11.8	9.7	231.3



PRECEDING PAGE NOT FILMED  
BLANK



KRASNODAR/PASHKOV, USSR

STA NO. 34929 (IN AREA NUMBER 10)

LATITUDE 4502N

LONGITUDE 03909E

ELEVATION(FT) 00108

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	72	72	82	97	99	99	102	106	100	93	79	72	106	24	-664
MEAN MAX TMP (F)	35	38	48	63	73	80	85	85	76	64	51	40	62	22	-164
MEAN MIN TMP (F)	22	22	29	40	49	56	60	60	50	42	33	26	41	22	-164
ABS MIN TMP (F)	-33	-29	-8	14	27	37	46	39	27	16	11	-20	-33	24	-664
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.4	2.7	9.3	8.3	1.0	0.0	0.0	0.0	21.7	10	3160
MEAN NO DYS TMP = OR LES 32(F)	23.3	20.5	16.2	2.3	0.0	0.0	0.0	0.0	0.0	4.5	7.3	16.7	90.8	10	3117
MEAN NO DYS TMP = OR LES 0(F)	1.5	1.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	2.7	10	3117
MEAN DEW PT TMP (F)	28	28	35	43	53	58	61	60	53	46	41	34	45	10	24777
MEAN REL HUM (PCT)	86	83	78	69	69	67	63	65	67	75	83	87	74	10	24777
MEAN PRESS ALT (FT)	-15	-20	0	79	74	123	164	164	41	-72	-48	3	41	5	13454
MEAN PRECIP (IN)	2.82	2.10	2.35	2.34	2.52	2.48	1.22	1.92	1.01	1.24	2.34	3.06	25.6	10	2886
MEAN SNOW FALL (IN)						0.0	0.0	0.0						24	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	11.4	8.6	9.2	8.0	8.3	6.4	5.2	6.4	4.2	4.6	8.6	10.6	91.5	10	2886
MEAN NO DYS SNFL = OR GTR 1.5 IN						0.0	0.0	0.0						24	-29
MEAN NO DYS W/OCCUR VSBY LES 1/2 MI	2.0	2.4	1.6	0.7	1.0	0.8	0.1	0.5	1.1	2.7	2.8	2.5	18.2	10	24728
MEAN NO DYS TSTMS	0.1	0.0	0.1	0.8	4.3	8.7	5.6	6.7	2.3	0.8	0.8	0.4	30.6	10	3502
P FREQ WND SPD = OR GTR 17 KTS	3.9	4.0	7.6	8.2	4.4	2.1	1.9	1.8	2.9	1.9	4.9	1.8	3.8	10	24847
P FREQ WND SPD = OR GTR 28 KTS	0.3	0.5	1.7	1.3	0.0	0.0	0.0	0.1	0.1	0.0	0.1	0.0	0.3	10	24847
P FREQ LES 5000 FT A/D LES 5 MI	48.9	45.8	42.1	27.2	18.8	13.2	10.3	10.6	15.3	26.5	42.4	48.4	29.1	10	24728
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	31.4	24.8	15.8	5.9	1.9	1.0	0.6	0.1	2.1	3.7	21.9	31.1	11.7	10	3021
03-05 LST	29.8	30.3	20.6	8.8	5.6	3.3	2.0	3.0	5.1	13.0	25.7	28.0	14.8	10	3264
06-08 LST	29.1	32.7	28.1	17.0	13.6	7.9	7.1	7.7	12.6	20.9	31.8	30.0	19.9	10	2939
09-11 LST	31.6	34.8	25.2	17.8	6.5	3.0	1.5	3.6	9.3	19.5	33.8	30.8	18.1	10	3217
12-14 LST	27.8	27.8	20.7	11.3	6.2	1.1	1.1	2.0	2.1	7.7	22.2	26.9	13.1	10	2801
15-17 LST	24.1	21.3	18.2	8.0	2.5	1.5	0.4	0.2	1.1	2.9	20.0	26.7	10.6	10	3225
18-20 LST	29.1	21.4	17.8	5.5	2.5	0.5	0.0	0.8	1.4	4.2	20.5	26.1	10.8	10	3013
21-23 LST	26.0	20.9	15.1	6.7	3.1	1.4	0.2	1.4	1.2	4.7	19.7	24.1	10.4	10	3248
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	10.7	8.5	4.6	6.7	0.3	0.0	0.3	0.0	0.5	0.2	6.7	12.4	3.7	10	3021
03-05 LST	10.1	12.8	5.9	1.0	1.5	0.3	0.3	1.0	2.6	4.8	10.9	8.9	5.0	10	3264
06-08 LST	11.2	14.0	9.2	3.3	4.3	2.7	0.8	2.8	6.3	11.4	13.7	13.7	7.8	10	2939
09-11 LST	11.9	15.6	10.4	3.0	1.0	0.0	0.0	1.0	3.2	7.6	12.3	11.7	6.5	10	3217
12-14 LST	7.9	6.5	6.2	0.3	0.3	0.0	0.3	0.3	0.5	0.3	5.1	9.0	3.1	10	2801
15-17 LST	5.9	3.0	3.7	1.1	0.0	0.0	0.0	0.0	0.0	0.2	3.2	8.1	2.1	10	3225
18-20 LST	8.1	3.9	3.4	0.7	0.0	0.0	0.0	0.7	0.0	0.3	5.0	5.9	2.3	10	3013
21-23 LST	8.3	4.5	3.8	0.3	0.3	0.3	0.0	0.2	0.0	0.5	5.2	9.9	2.8	10	3248

PRECEDING PAGE NOT FILMED  
BLANK

KRASNODAR/PASHKOV, USSR

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	03 LST	23.2	20.9	26.0	28.3	29.8	29.3	30.5	30.3	28.9	27.5	23.8	23.6	322.1	10	3264
	09 LST	22.7	19.2	24.7	25.5	29.7	29.4	30.7	30.4	27.6	26.0	21.0	23.1	310.0	10	3217
	15 LST	25.1	23.8	27.1	28.5	30.4	29.9	30.9	31.0	29.8	30.8	25.5	24.3	337.1	10	3225
	21 LST	24.7	23.5	27.6	28.7	30.3	29.8	31.0	30.7	29.8	30.3	25.4	24.9	336.7	10	3248
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	03 LST	17.4	15.2	19.5	21.9	25.8	27.7	29.0	28.2	25.1	23.9	18.2	18.5	270.4	10	3262
	09 LST	17.5	14.7	17.1	17.6	21.1	24.8	26.5	25.9	22.7	21.3	13.9	17.8	240.9	10	3216
	15 LST	16.1	14.2	13.5	16.6	18.0	21.4	21.9	23.4	20.1	20.2	13.9	16.0	215.3	10	3223
	21 LST	17.7	16.7	21.2	21.8	24.6	27.3	28.2	27.7	26.1	25.5	18.5	19.2	274.5	10	3245
SFC WND = GTR 17 KTS AND NO PRECIP.	03 LST	0.6	0.4	1.2	1.5	0.0	0.0	0.0	0.0	0.0	0.3	0.6	0.2	4.8	10	1035
	09 LST	0.7	0.7	0.6	2.3	3.9	0.0	0.0	0.0	0.0	0.3	0.6	0.0	9.1	10	1118
	15 LST	0.9	1.1	2.8	4.0	3.9	0.0	0.0	0.0	2.1	1.3	2.3	0.9	19.3	10	1069
	21 LST	1.1	0.4	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.8	0.8	0.4	5.5	10	1075
SFC WND 4-10 KTS AND TMP 23-89 DEG F AND NO PRECIP.	03 LST	6.2	4.8	9.7	13.9	14.0	11.9	13.2	13.6	12.5	12.8	12.1	9.0	133.7	10	3270
	09 LST	5.7	4.4	10.5	14.9	15.0	14.8	16.6	17.5	15.7	14.3	10.4	9.9	149.7	10	3226
	15 LST	9.3	9.9	11.2	13.4	14.7	13.7	12.8	13.6	16.0	15.7	13.3	12.0	136.2	10	3233
	21 LST	8.8	5.7	14.1	16.9	16.6	17.8	19.4	19.1	18.0	15.3	13.2	11.7	176.6	10	3252
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	03 LST	6.6	7.1	9.3	12.7	16.0	18.4	21.6	22.6	18.4	17.4	9.4	7.5	167.0	10	3265
	09 LST	4.3	3.8	5.9	9.2	10.8	15.1	19.4	18.4	15.0	11.9	4.9	3.6	122.3	10	3223
	15 LST	5.9	5.4	6.3	6.7	9.1	9.6	14.5	15.2	11.6	13.0	6.4	3.5	107.2	10	3231
	21 LST	7.5	7.6	9.6	11.3	14.0	14.8	15.1	20.7	19.5	19.2	9.9	8.3	161.5	10	3255
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	03 LST	19.7	18.1	22.8	25.9	28.7	28.8	30.2	29.9	27.8	25.3	20.7	20.6	298.5	10	3264
	09 LST	18.8	16.9	21.0	23.2	27.6	28.5	30.1	29.4	26.7	23.8	18.6	19.4	284.0	10	3217
	15 LST	21.3	19.8	22.4	25.6	29.3	28.6	30.5	30.4	29.0	28.5	21.7	20.6	307.7	10	3225
	21 LST	20.8	20.5	24.1	26.8	29.6	29.2	30.8	30.3	29.3	28.7	22.3	21.7	314.1	10	3248
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	03 LST	15.0	15.0	18.8	22.4	26.0	26.9	27.6	28.4	26.0	22.5	17.4	15.8	261.8	10	3264
	09 LST	14.3	13.3	16.5	19.7	24.9	25.8	27.9	27.9	24.5	21.0	14.5	14.9	245.2	10	3217
	15 LST	16.7	16.2	17.0	19.1	23.0	21.2	24.9	24.6	24.1	22.1	18.0	16.8	243.7	10	3225
	21 LST	15.6	16.2	19.3	22.7	26.9	25.8	27.7	28.6	26.9	26.0	18.4	17.7	271.8	10	3248
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	03 LST	14.5	14.3	18.5	21.9	25.6	26.5	26.9	27.9	25.4	22.3	16.6	15.3	235.7	10	3264
	09 LST	14.0	13.1	15.8	19.4	24.5	25.3	27.4	27.6	24.1	20.6	13.8	14.2	239.8	10	3217
	15 LST	16.0	16.0	16.6	18.5	22.2	20.1	24.2	23.7	23.5	21.4	17.7	16.3	236.2	10	3225
	21 LST	14.8	16.0	18.9	22.0	26.4	25.1	27.1	28.3	26.4	25.5	17.8	17.3	265.6	10	3248

ORDZHONIKIDZE, USSR

STA NO. 3722# (IN AREA NUMBER 10)

LATITUDE 4303N

LONGITUDE 04439E

ELEVATION(FT) 02198

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	64	72	90	93	95	97	97	97	99	86	79	72	99	29	-664
MEAN MAX TMP (F)	33	35	44	58	68	73	77	77	68	58	45	37	56	29	-164
MEAN MIN TMP (F)	15	17	26	38	47	54	59	58	50	40	29	21	38	22	-164
ABS MIN TMP (F)	-29	-15	-8	14	27	36	41	39	23	12	-9	-22	-29	26	-664
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.1	0.2	1.1	0.3	0.3	0.0	0.0	0.0	2.0	10	3053
MEAN NO DYS TMP = OR LES 32(F)	30.1	26.1	22.1	4.9	0.1	0.0	0.0	0.0	0.0	4.7	14.3	26.8	129.1	10	2908
MEAN NO DYS TMP = OR LFS 0(F)	0.9	1.3	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.7	3.3	10	2908
MEAN DEW PT TMP (F)	24	24	31	40	51	56	60	60	53	43	36	28	42	10	23849
MEAN REL HUM (PCT)	83	82	81	76	76	75	76	77	80	80	83	82	79	10	23849
MEAN PRESS ALT (FT)	2006	2023	2058	2139	2153	2208	2251	2246	2110	1985	1982	2031	2099	5	13014
MEAN PRECIP (IN)	1.20	1.04	2.16	3.72	5.95	6.08	4.47	4.42	3.62	1.77	1.41	1.34	37.2	10	2657
MEAN SNOW FALL (IN)						0.0	0.0	0.0						26	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	7.4	6.3	8.7	11.0	12.5	14.2	10.5	9.7	9.0	7.1	7.3	7.0	110.7	10	2657
MEAN NO DYS SNFL = OR GTR 1.5 IN						0.0	0.0	0.0						26	-29
MEAN NO DYS W/FCUR VSBY LES 1/2 MI	7.3	7.0	5.1	3.4	0.7	0.3	0.3	0.4	1.4	2.3	6.7	7.6	42.5	10	23756
MEAN NO DYS YSTMS	0.1	0.0	0.2	1.5	7.0	12.2	6.5	7.4	2.8	0.2	0.0	0.0	37.9	10	3420
P FREQ WND SPD = OR GTR 17 KTS	0.5	0.4	0.5	0.6	0.6	0.5	0.0	0.3	0.1	0.1	0.2	0.0	0.3	10	23924
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.1	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	23924
P FREQ LES 5000 FT A/D LES 5 MI	54.7	56.1	56.9	54.3	47.0	44.0	44.3	41.5	48.3	44.2	58.1	52.0	50.1	10	23756
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	35.2	40.6	30.7	16.9	9.4	2.9	3.0	5.0	7.8	14.8	42.9	36.9	20.5	10	2871
03-05 LST	40.1	42.3	35.9	24.3	9.3	4.6	3.2	2.8	8.5	18.2	43.1	37.0	22.4	10	3114
06-08 LST	36.2	37.7	35.7	31.1	15.3	7.2	6.7	6.5	18.9	22.1	39.2	34.7	24.3	10	2795
09-11 LST	34.5	44.7	42.9	34.5	15.0	9.1	10.2	7.9	18.0	27.4	44.2	33.1	26.8	10	3075
12-14 LST	34.0	40.3	34.2	21.2	10.7	5.9	8.4	6.6	15.6	19.8	41.4	32.3	22.5	10	2706
15-17 LST	36.8	35.5	27.1	18.8	9.5	4.6	6.7	2.4	11.3	17.0	37.3	35.1	20.2	10	3125
18-20 LST	43.0	36.4	30.6	15.3	8.0	4.7	3.3	4.4	10.1	18.1	41.0	39.7	21.2	10	2911
21-23 LST	40.9	42.5	30.8	14.7	7.9	3.7	4.8	5.7	10.4	15.1	42.0	40.1	21.6	10	3159
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	24.5	26.4	15.8	6.2	3.0	0.3	1.2	1.3	2.2	5.7	27.1	26.3	11.7	10	2871
03-05 LST	28.0	30.8	18.7	10.8	3.1	1.2	1.9	0.7	2.0	5.9	25.8	27.7	13.1	10	3114
06-08 LST	25.9	26.6	20.0	16.9	3.5	1.6	2.8	1.8	8.5	10.4	24.4	23.2	13.8	10	2795
09-11 LST	20.6	31.9	25.2	16.0	3.7	0.7	1.7	3.2	6.6	12.1	24.2	21.9	14.0	10	3075
12-14 LST	20.7	21.2	11.4	5.7	1.8	0.8	0.8	0.0	1.8	7.4	17.1	19.3	9.0	10	2706
15-17 LST	21.3	16.5	7.1	4.9	1.5	0.0	1.0	0.0	1.8	4.2	17.4	20.7	8.0	10	3125
18-20 LST	28.7	15.1	10.8	4.9	1.8	0.0	0.6	0.3	2.8	6.3	20.3	25.5	9.8	10	2911
21-23 LST	28.4	25.5	14.3	5.2	2.0	0.3	1.7	0.7	3.7	5.7	24.4	26.5	11.5	10	3159

ORDZHONIKIDZE, USSR

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	03 LST	20.0	17.6	21.8	24.7	29.2	29.0	30.2	30.5	28.3	26.5	18.1	20.6	296.5	10	3114
	09 LST	21.9	16.7	19.3	21.6	27.7	28.3	28.8	29.0	25.7	24.3	18.5	22.0	283.8	10	3075
	15 LST	21.9	19.6	25.2	26.3	29.0	29.0	29.6	30.6	27.6	27.1	20.1	21.6	307.6	10	3125
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	03 LST	16.8	14.9	18.4	20.8	26.2	27.5	29.6	28.8	26.6	24.2	15.9	18.3	268.0	10	3112
	09 LST	18.8	14.7	17.0	18.2	24.7	25.8	26.8	27.9	23.5	21.1	15.3	20.1	253.9	10	3071
	15 LST	18.0	17.2	19.8	20.8	25.0	26.9	27.9	29.3	25.0	23.8	17.6	19.1	270.4	10	3123
SFC WND = GTR 17 KTS AND NO PRECIP.	03 LST	0.2	0.0	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.8	10	1160
	09 LST	0.2	0.2	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	1.0	10	1286
	15 LST	0.3	0.2	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	10	1223
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	03 LST	1.4	2.4	4.3	6.8	9.6	13.0	13.7	12.6	12.7	7.5	3.7	4.5	92.2	10	3119
	09 LST	2.4	2.9	5.1	9.4	11.9	12.6	11.4	10.3	8.9	6.5	5.9	5.5	92.8	10	3084
	15 LST	4.8	5.9	14.1	16.8	17.3	16.0	15.4	16.8	13.9	15.3	8.2	5.8	190.3	10	3139
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	03 LST	2.0	1.2	5.2	8.2	8.1	10.0	8.7	11.5	9.5	8.7	4.3	3.6	81.0	10	3175
	09 LST	7.2	6.4	7.5	8.7	10.5	10.1	10.5	13.8	13.4	12.6	6.9	8.7	116.3	10	3119
	15 LST	6.8	4.6	5.8	5.5	8.3	9.8	10.7	13.5	12.6	10.8	4.8	5.8	99.0	10	3092
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	03 LST	5.5	4.6	5.6	4.2	3.4	3.5	5.3	5.1	6.9	9.0	4.9	3.8	63.8	10	3142
	09 LST	7.6	6.2	7.7	7.9	7.5	6.7	7.6	11.4	12.0	14.2	7.7	8.6	105.1	10	3172
	15 LST	17.2	14.5	17.9	20.4	26.3	27.8	29.4	29.2	26.1	24.0	15.7	18.4	268.9	10	3114
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	09 LST	19.0	14.6	16.5	17.5	24.2	26.0	26.6	27.5	23.0	20.9	15.1	19.8	250.7	10	3075
	15 LST	17.7	16.8	19.8	21.6	26.1	27.5	27.7	28.9	24.6	23.7	17.5	18.9	270.8	10	3125
	21 LST	17.4	15.2	19.7	23.4	27.3	27.9	28.7	28.4	25.5	25.2	15.9	17.4	272.0	10	3159
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	03 LST	13.1	11.3	12.0	12.9	17.3	17.2	17.9	19.1	17.3	16.7	12.0	14.0	180.8	10	3114
	09 LST	16.7	13.5	14.3	14.2	17.5	19.9	18.9	21.0	17.7	17.5	13.2	17.5	201.9	10	3075
	15 LST	15.5	15.0	14.2	11.3	12.0	11.1	11.6	11.6	12.1	17.5	14.7	16.3	162.9	10	3125
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	21 LST	14.0	12.1	14.8	14.1	15.9	15.2	16.6	17.7	15.8	19.0	12.6	14.3	182.1	10	3159
	03 LST	12.9	10.9	11.8	12.7	17.1	16.6	17.4	18.6	16.9	16.4	11.9	13.6	176.8	10	3114
	09 LST	16.5	13.5	14.2	14.2	17.4	19.8	18.6	20.5	17.6	17.2	13.1	17.4	200.0	10	3075
	15 LST	15.4	14.7	14.1	11.0	11.7	10.7	11.2	10.9	11.9	17.2	14.6	16.1	159.5	10	3125
	21 LST	13.9	12.0	14.8	13.9	15.7	14.8	16.0	17.2	15.5	18.9	12.6	14.0	179.3	10	3159

ZAKATALY, USSR

STA NO. 37375 (IN AREA NUMBER 10)

LATITUDE 4128N

LONGITUDE 04639E

ELEVATION(FT) 01699

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	68	75	82	88	97	97	102	102	99	91	77	73	102	37	-665
MEAN MAX TMP (F)	42	45	52	63	73	80	85	86	76	66	54	45	64	35	-165
MEAN MIN TMP (F)	28	30	36	45	54	60	66	66	56	49	39	32	47	47	-165
ABS MIN TMP (F)	-9	7	10	25	34	43	48	46	36	23	18	-2	-9	50	-665
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.5	3.5	10.3	8.9	0.1	0.0	0.0	0.0	23.3	10	2708
MEAN NO DYS TMP = DR LES 32(F)	18.2	15.1	7.0	0.8	0.0	0.0	0.0	0.0	0.0	0.8	3.2	15.3	60.4	10	2376
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	2376
MEAN DEW PT TMP (F)	31	32	37	46	53	58	61	61	57	50	42	34	47	10	19400
MEAN REL HUM (PCT)	73	73	73	73	66	64	60	60	69	75	76	78	70	10	19400
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	1.01	1.52	2.81	4.76	4.20	4.46	2.69	1.87	4.19	3.33	1.99	1.01	33.6	10	1912
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0					50	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	5.0	5.2	8.8	11.4	10.0	9.1	7.2	5.7	8.5	7.7	6.2	5.6	90.4	10	1912
MEAN NO DYS SNFL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0					50	-29
MEAN NO DYS W/OCCUR VSBY LES 1/2 MI	3.1	3.6	3.5	2.1	0.2	0.2	0.4	0.8	1.0	2.0	4.7	21.8		10	19276
MEAN NO DYS TSTMS	0.0	0.2	0.8	2.7	6.3	7.8	5.9	6.1	3.9	1.7	0.1	0.0	35.5	10	3002
P FREQ WND SPD = DR GTR 17 KTS	0.3	0.3	0.4	0.5	1.3	1.6	0.9	0.9	0.7	0.2	0.2	0.2	0.6	10	19482
P FREQ WND SPD = DR GTR 24 KTS	0.0	0.1	0.0	0.0	0.0	0.2	0.0	0.1	0.0	0.0	0.0	0.0	0.0	10	19482
P FREQ LES 5000 FT A/D LES 5 MI	35.5	43.8	50.7	53.4	34.8	31.3	26.4	29.7	42.2	42.5	44.8	41.1	39.7	10	19276
P FREQ LES 1900 FT A/D LES 3 MI															
FOR 00-02 LST	22.0	25.5	33.2	22.2	6.0	3.1	0.6	3.2	10.7	17.2	26.6	25.3	16.3	10	2105
03-05 LST	24.7	31.1	30.1	24.6	5.2	2.9	2.5	4.8	13.0	13.7	22.3	21.7	16.4	10	2835
06-08 LST	22.1	31.0	34.1	21.3	7.8	3.0	2.2	2.6	8.4	14.0	21.1	27.7	15.9	10	2084
09-11 LST	19.0	23.7	25.1	17.1	6.8	3.1	2.2	1.6	7.7	12.3	16.4	24.4	13.1	10	2459
12-14 LST	22.6	24.3	16.3	14.3	4.7	3.2	2.6	1.2	6.7	11.7	18.7	22.3	12.4	10	1891
15-17 LST	16.9	17.6	13.8	8.4	4.4	2.6	2.2	1.5	5.9	8.7	18.1	22.2	10.2	10	2954
18-20 LST	20.7	17.1	17.5	11.7	2.3	1.4	0.5	1.5	3.9	8.3	16.5	25.1	10.5	10	2140
21-23 LST	24.5	25.7	18.7	18.1	4.1	1.8	1.4	2.2	9.7	13.0	22.5	26.6	14.0	10	2808
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	13.2	21.1	22.3	14.7	1.1	1.1	0.0	0.8	4.8	6.0	11.5	15.1	9.3	10	2105
03-05 LST	15.3	19.8	14.7	11.5	0.7	0.5	0.8	1.3	4.9	3.5	11.1	10.9	7.9	10	2835
06-08 LST	14.8	21.7	17.8	10.1	2.9	0.7	1.8	1.9	2.7	4.5	10.8	16.1	8.8	10	2084
09-11 LST	11.1	12.7	10.6	3.8	1.3	0.5	1.0	0.3	5.2	2.3	7.3	12.9	5.6	10	2459
12-14 LST	8.9	8.0	1.2	2.9	0.7	0.0	0.7	0.0	1.2	2.8	5.1	13.2	3.7	10	1891
15-17 LST	5.2	5.5	3.6	1.6	1.0	0.5	0.3	0.3	2.1	1.6	7.3	8.7	3.1	10	2954
18-20 LST	10.0	7.8	3.8	0.3	0.0	0.3	0.0	0.5	1.4	3.5	9.9	15.6	4.4	10	2140
21-23 LST	15.3	14.5	10.3	8.6	1.2	0.0	0.7	0.3	2.7	6.0	11.2	19.3	7.5	10	2808

ZAKATALY, USSR

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	03 LST	23.7	19.8	22.4	23.4	30.0	29.4	30.3	29.7	26.4	27.4	24.1	24.7	311.3	10	2835
	09 LST	25.4	22.0	24.1	25.5	29.6	29.6	30.6	30.8	28.0	27.6	25.4	24.7	323.3	10	2459
	15 LST	27.2	24.0	27.6	28.3	30.2	29.3	30.5	30.9	28.6	29.2	25.3	24.9	336.0	10	2954
	21 LST	23.9	21.2	25.9	25.2	30.2	29.7	30.6	30.5	27.4	27.4	24.0	23.3	319.3	10	2808
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	03 LST	22.6	19.1	21.1	21.1	28.0	26.8	28.6	27.7	24.9	25.3	22.2	24.1	291.5	10	2832
	09 LST	24.3	20.7	22.1	24.2	28.1	28.1	29.9	29.7	26.8	26.3	24.6	23.1	307.9	10	2455
	15 LST	23.9	20.8	24.8	25.9	27.9	27.7	29.6	29.6	26.9	27.3	23.2	23.1	310.7	10	2951
	21 LST	22.2	20.1	24.2	23.4	26.4	24.8	27.8	28.1	24.9	26.3	22.3	22.1	292.6	10	2803
SFC WND = GTR 17 KTS AND NO PRECIP.	03 LST	0.0	0.0	0.0	0.0	0.2	0.2	0.2	0.5	0.2	0.0	0.0	0.0	1.3	10	1686
	09 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	10	2017
	15 LST	0.2	0.0	0.0	0.2	0.0	0.6	0.0	0.0	0.2	0.0	0.2	0.2	1.6	10	1777
	21 LST	0.0	0.0	0.0	0.0	0.8	0.8	0.0	0.4	0.2	0.0	0.0	0.0	2.2	10	1758
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	03 LST	4.8	5.8	8.0	10.4	14.6	13.6	11.8	13.9	9.5	9.7	8.2	8.2	118.5	10	2852
	09 LST	6.9	5.6	8.6	10.4	9.9	14.4	10.6	11.8	8.7	8.0	6.3	6.2	107.4	10	2468
	15 LST	8.7	10.0	14.1	15.5	15.6	14.4	12.9	13.4	14.6	11.3	9.6	7.0	147.1	10	2975
	21 LST	5.7	8.3	11.2	11.4	15.1	15.2	17.6	16.6	14.3	12.9	8.8	6.7	143.8	10	2818
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	03 LST	12.4	8.0	7.5	5.6	10.3	10.1	12.7	13.0	10.5	11.3	9.8	11.6	122.8	10	2842
	09 LST	7.8	5.3	6.1	3.3	8.0	11.1	12.2	12.8	10.4	10.1	6.2	6.6	99.9	10	2473
	15 LST	7.1	5.0	5.0	4.6	6.9	10.4	17.6	15.4	12.3	11.8	6.3	6.0	108.4	10	2968
	21 LST	11.0	9.4	7.4	5.0	6.5	8.8	12.5	13.4	10.3	10.9	7.9	10.3	113.4	10	2820
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	03 LST	22.2	18.0	19.2	19.4	25.9	26.6	27.5	27.2	23.2	24.3	21.4	22.7	277.6	10	2835
	09 LST	24.0	20.1	20.7	21.1	26.6	27.3	28.3	28.5	25.3	24.7	23.4	22.0	292.0	10	2459
	15 LST	23.5	20.5	23.1	23.6	26.8	27.3	29.0	28.4	25.4	25.4	22.2	21.9	297.1	10	2954
	21 LST	22.2	20.0	22.7	21.2	26.0	26.2	29.0	28.0	24.2	24.7	21.1	21.2	286.5	10	2808
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	03 LST	19.5	15.0	13.8	12.1	18.1	18.1	19.7	19.5	14.5	16.2	15.9	18.2	200.6	10	2835
	09 LST	20.1	16.1	16.0	13.2	20.6	21.5	22.3	21.2	17.7	17.1	16.8	17.3	219.9	10	2459
	15 LST	19.7	15.4	15.8	16.8	21.3	21.4	24.8	22.7	18.4	20.0	16.5	17.4	230.2	10	2954
	21 LST	18.5	16.8	16.5	12.4	16.8	17.3	20.8	19.3	16.4	17.3	16.0	17.4	205.5	10	2808
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	03 LST	19.4	14.7	13.7	11.9	18.1	17.9	19.5	19.3	14.3	16.1	15.7	17.8	198.3	10	2835
	09 LST	19.8	16.0	15.6	13.2	20.4	21.2	21.8	20.7	17.3	16.7	16.5	16.8	216.0	10	2459
	15 LST	19.4	15.3	15.6	16.6	21.1	21.1	24.7	22.5	18.3	19.9	16.3	17.0	227.8	10	2954
	21 LST	18.3	16.4	16.1	12.1	16.2	16.5	20.0	18.9	16.0	17.1	15.9	17.3	200.8	10	2808

LENKORAN, USSR

STA NO. 37985 (IN AREA NUMBER 10) LATITUDE 3844N LONGITUDE 04850E ELEVATION(FT) -0036

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	79	79	84	84	90	97	100	97	93	90	90	77	100	28	-665
MEAN MAX TMP (F)	44	46	51	60	72	81	86	85	78	68	56	49	65	28	-165
MEAN MIN TMP (F)	33	35	40	47	57	64	69	68	63	55	46	38	51	52	-165
ABS MIN TMP (F)	5	10	19	28	41	46	50	54	46	34	25	7	5	52	-665
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.2	5.5	4.5	0.0	0.0	0.0	0.0	10.2	10	1615
MEAN NO DYS TMP = DR LES 32(F)	10.4	11.3	3.2	1.2	0.0	0.0	0.0	0.0	0.0	0.0	1.1	7.6	34.8	10	1601
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	1601
MEAN DEN PT TMP (F)	39	38	43	49	58	63	66	67	63	57	50	42	53	10	13644
MEAN REL HUM (PCT)	86	86	87	83	79	75	71	75	83	88	90	89	83	10	13644
MEAN PRESS ALT (FT)	-200	-211	-184	-105	-77	1	67	56	-88	-230	-251	-235	-120	10	13715
MEAN PRECIP (IN)	2.68	2.07	4.58	2.52	0.77	3.38	1.06	2.10	7.79	9.40	5.70	2.60	44.6	9	1339
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0	0.0				52	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	7.6	7.6	11.5	10.5	6.0	4.0	2.7	3.8	10.8	11.6	7.6	7.0	93.1	9	1339
MEAN NO DYS SNFL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0	0.0				52	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	1.6	1.2	0.8	1.1	0.7	0.0	0.0	0.0	0.1	0.1	0.4	0.8	6.8	10	13656
MEAN NO DYS TSTMS	0.0	0.0	0.4	1.3	3.8	3.5	0.4	1.3	2.6	2.2	0.4	0.6	16.5	10	1775
P FREQ WND SPD = DR GTR 17 KTS	1.6	0.9	1.3	0.9	0.7	0.5	0.3	0.4	0.4	0.6	0.7	0.3	0.7	10	13727
P FREQ WND SPD = DR GTR 28 KTS	0.5	0.1	0.2	0.3	0.1	0.1	0.0	0.0	0.0	0.0	0.1	0.0	0.1	10	13727
P FREQ LES 5000 FT A/O LES 5 MI	71.0	72.0	73.3	60.5	44.6	38.6	36.0	38.0	62.8	70.4	75.9	74.4	59.8	10	13656
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	22.3	25.9	28.1	22.6	15.2	13.8	13.1	12.0	22.1	24.7	22.7	23.1	20.5	10	1831
03-05 LST	25.3	28.4	27.2	21.8	15.1	14.0	14.2	12.0	20.7	24.8	25.3	24.5	21.1	10	1798
06-08 LST	26.9	26.0	24.2	17.0	8.3	3.2	3.2	1.7	13.4	14.0	25.3	24.6	15.7	10	1597
09-11 LST	17.2	25.7	22.7	13.0	6.4	5.2	3.0	3.4	15.7	14.5	14.4	16.0	13.5	10	1665
12-14 LST	19.6	22.4	17.9	9.1	3.3	3.9	2.7	2.3	12.3	14.8	13.8	17.4	11.6	10	1473
15-17 LST	15.3	19.3	18.5	5.6	4.4	3.1	2.1	2.0	14.5	15.0	12.3	13.8	10.5	10	1835
18-20 LST	24.7	21.1	18.7	7.4	5.5	1.5	0.8	2.5	11.3	19.3	22.4	22.0	13.1	10	1739
21-23 LST	26.6	27.9	25.5	23.9	13.5	13.2	13.3	12.6	20.0	25.0	23.2	21.0	20.5	10	1718
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	3.2	7.4	5.4	4.1	0.0	0.4	0.0	0.3	1.1	0.7	2.6	4.8	2.5	10	1831
03-05 LST	4.5	5.7	4.5	2.7	2.6	0.4	0.0	0.0	2.7	2.0	5.2	3.7	2.8	10	1798
06-08 LST	6.6	4.8	6.0	7.0	4.3	1.0	0.0	0.0	3.3	1.3	4.1	2.8	3.4	10	1597
09-11 LST	10.0	12.1	10.0	3.3	2.9	2.2	0.7	1.2	6.6	6.3	7.2	6.4	5.7	10	1665
12-14 LST	8.8	9.4	2.6	2.8	0.4	1.6	1.0	0.4	5.1	4.2	3.0	6.5	3.8	10	1473
15-17 LST	3.6	6.9	4.2	0.4	0.7	0.4	0.4	0.4	4.0	2.1	3.9	2.9	2.5	10	1835
18-20 LST	6.4	6.3	5.5	1.0	1.3	0.4	0.0	0.4	2.5	2.1	3.0	4.2	2.8	10	1739
21-23 LST	7.0	6.4	3.9	1.9	0.9	0.0	0.0	0.4	1.2	1.9	4.8	1.7	2.5	10	1718

LENKORAN, USSR

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	03 LST	29.2	25.1	27.7	28.2	30.0	29.8	30.8	30.8	28.5	29.9	27.5	29.7	347.2	10	1798
	09 LST	27.4	21.9	26.6	28.2	29.4	28.9	30.6	30.4	26.3	27.5	26.5	28.2	331.9	10	1665
	15 LST	28.5	24.7	27.6	29.7	30.2	29.8	30.8	30.8	27.6	28.4	27.6	29.1	344.3	10	1835
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	03 LST	28.3	20.3	23.3	24.6	28.9	28.9	29.7	30.0	25.3	23.2	23.9	24.4	305.8	10	1718
	09 LST	24.4	19.4	20.9	23.3	27.3	26.9	29.6	29.3	23.9	25.1	22.1	24.5	296.7	10	1664
	15 LST	24.0	20.4	21.3	24.1	25.6	24.3	26.1	28.1	23.2	24.0	25.2	24.6	291.2	10	1832
SFC WND = GTR 17 KTS AND NO PRECIP.	03 LST	23.8	21.2	24.0	22.3	28.1	28.8	2.5	29.4	25.3	23.6	25.2	26.2	307.4	10	1713
	09 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	389
	15 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	474
SFC WND 4-10 KTS AND TMP 33-39 DEG F AND NO PRECIP.	03 LST	1.4	0.4	0.8	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.1	10	412
	09 LST	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	10	409
	15 LST	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	10	409
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	03 LST	11.9	7.8	14.8	12.9	11.9	12.8	13.3	12.6	13.2	8.7	8.9	11.0	139.8	10	1805
	09 LST	11.4	9.3	13.8	15.3	17.5	19.4	19.1	15.7	9.7	10.7	10.5	12.2	164.6	10	1670
	15 LST	19.6	19.4	21.2	22.0	23.8	22.8	22.1	24.5	19.1	16.2	14.1	16.9	241.7	10	1835
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	21 LST	11.7	10.8	17.4	16.2	18.3	18.2	13.0	14.5	13.2	7.0	6.1	11.8	158.2	10	1717
	03 LST	11.2	11.0	8.8	11.4	15.8	19.2	19.0	20.4	13.4	10.8	9.7	11.2	161.9	10	1804
	09 LST	9.4	6.8	5.6	7.1	10.6	15.9	13.8	13.8	11.4	6.7	6.1	7.9	115.1	10	1668
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	15 LST	7.6	6.1	4.9	5.3	7.4	15.3	18.7	19.0	9.9	7.1	4.4	5.9	111.6	10	1838
	21 LST	12.2	8.4	10.9	9.6	12.7	14.1	20.1	19.3	12.1	10.3	9.5	10.7	149.9	10	1720
	03 LST	18.1	15.9	17.1	18.9	24.3	24.5	25.5	25.6	19.7	18.2	17.9	17.8	243.5	10	1798
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	09 LST	21.6	17.9	18.3	21.9	26.7	27.1	28.9	27.7	22.2	22.1	19.4	21.3	273.1	10	1665
	15 LST	21.3	18.1	19.1	23.8	27.2	27.6	29.6	28.9	21.4	21.6	21.6	21.1	281.3	10	1835
	21 LST	18.3	15.9	18.4	18.7	24.6	24.5	23.9	25.6	19.8	18.0	18.9	19.0	247.6	10	1718
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	03 LST	12.3	11.0	9.6	12.7	19.5	21.5	22.0	21.8	13.5	13.0	11.0	11.5	179.4	10	1798
	09 LST	16.2	12.6	10.7	15.9	21.5	23.7	25.4	22.4	15.5	13.3	12.7	15.2	205.1	10	1665
	15 LST	14.8	12.6	11.3	15.5	21.9	24.9	26.8	26.4	15.2	12.9	12.9	14.0	209.2	10	1835
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	21 LST	13.5	9.6	12.4	13.0	19.5	20.6	23.8	22.5	13.4	13.0	12.3	11.1	184.7	10	1718
	03 LST	11.1	11.0	9.5	11.9	16.6	19.3	19.9	21.2	13.1	12.1	10.0	10.7	166.4	10	1798
	09 LST	14.8	10.8	9.5	13.4	16.8	22.1	19.0	20.4	14.5	12.0	11.2	12.9	177.4	10	1665
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	15 LST	13.7	10.5	10.4	14.1	19.4	23.9	24.1	25.2	14.5	12.7	11.7	12.5	192.7	10	1835
	21 LST	12.4	8.7	11.8	11.7	18.3	18.2	21.5	21.5	12.8	12.3	11.2	10.7	171.1	10	1718

AREA 10

USSR	CAUCASUS		LATITUDE 4250N					LONGITUDE 04500E						
	BOUNDARIES	4200N 04820E 4515N 03730E	4300N 04600E 4200N 04500E	4300N 04600E 4200N 04500E	4300N 04600E 4200N 04500E	4600N 04000E 3930N 04500E	4600N 04000E 3930N 04500E	4600N 04000E 3930N 04500E	4600N 04000E 3930N 04500E	4600N 04000E 3930N 04500E	4600N 04000E 3930N 04500E	4515N 03730E		
PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)		39	41	49	61	72	79	83	83	75	64	52	43	62
MEAN MIN TMP (F)		25	26	33	43	52	59	64	63	55	47	37	29	44
LARGEST MEAN PRECIP(IN)		2.02	2.10	4.58	4.76	5.95	6.08	4.47	4.42	7.79	9.40	5.70	3.06	61.1
SMALLEST MEAN PRECIP(IN)		1.01	1.04	2.16	2.34	0.77	2.48	1.06	1.67	1.01	1.24	1.41	1.01	17.2
		MEAN NUMBER OF DAYS												
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	03 LST	24.0	20.9	24.5	26.2	29.8	29.4	30.5	30.3	28.0	27.8	23.4	24.7	319.5
	09 LST	24.4	20.0	23.7	25.2	29.1	29.1	30.2	30.2	26.9	26.4	22.9	24.5	312.6
	15 LST	25.7	23.0	26.9	28.1	30.0	29.5	30.5	30.8	28.4	28.9	24.6	25.0	331.4
	21 LST	24.1	21.7	26.3	27.2	30.0	29.7	30.7	30.4	28.5	28.6	24.0	24.7	325.9
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	03 LST	20.0	17.4	20.6	22.1	27.2	27.7	29.2	28.7	25.5	24.2	20.1	21.3	284.0
	09 LST	21.0	17.4	19.3	20.8	25.3	26.4	28.2	28.2	24.2	23.5	19.0	21.4	275.0
	15 LST	20.5	18.2	19.9	21.9	24.1	25.1	26.4	27.6	23.8	23.8	20.0	20.7	272.0
	21 LST	20.2	18.4	22.3	22.8	26.4	27.2	28.4	28.4	25.6	25.3	20.6	21.2	286.8
SFC WND = GTR 17 KTS AND NO PRECIP.	03 LST	0.2	0.1	0.4	0.4	0.1	0.1	0.1	0.1	0.1	0.1	0.2	0.1	2.0
	09 LST	0.2	0.2	0.2	0.6	1.0	0.0	0.0	0.0	0.0	0.1	0.2	0.1	2.6
	15 LST	0.7	0.4	1.0	1.2	1.0	0.2	0.0	0.0	0.6	0.3	0.6	0.3	6.3
	21 LST	0.3	0.1	0.4	0.3	0.2	0.2	0.0	0.1	0.1	0.2	0.2	0.1	2.2
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	03 LST	6.1	5.2	9.2	11.0	12.5	12.8	13.0	13.2	12.6	9.7	8.2	8.2	121.1
	09 LST	6.6	5.6	9.5	12.5	13.6	15.3	14.4	13.8	10.8	9.9	8.3	8.5	128.8
	15 LST	10.6	11.3	15.2	16.9	17.9	16.7	15.8	17.1	15.9	14.6	11.3	10.6	173.9
	21 LST	7.1	6.5	12.0	13.2	14.5	15.3	14.7	15.4	13.8	11.0	8.1	8.5	140.1
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	03 LST	9.4	8.1	8.3	9.6	13.2	14.5	16.0	17.5	13.9	13.0	9.0	9.8	142.3
	09 LST	7.1	5.1	5.9	6.3	9.4	13.0	14.0	14.6	12.4	9.9	5.5	6.0	109.2
	15 LST	5.5	5.3	5.5	5.2	6.7	9.7	14.0	13.7	10.2	10.2	5.5	5.3	97.8
	21 LST	9.6	7.9	8.9	8.5	10.2	11.1	14.8	16.2	13.5	13.7	8.8	9.5	132.7
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	03 LST	19.3	16.6	19.3	21.2	26.3	26.9	28.2	28.0	24.2	23.0	18.9	19.9	271.8
	09 LST	20.9	17.4	19.1	20.9	26.3	27.2	28.5	28.3	24.3	22.9	19.1	20.6	275.5
	15 LST	21.0	18.8	21.1	23.7	27.4	27.3	29.2	29.2	25.1	24.8	20.8	20.6	289.5
	21 LST	19.7	17.9	21.2	22.5	26.9	27.0	28.6	28.1	24.7	24.2	19.6	19.8	280.2
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	03 LST	15.0	13.1	13.6	15.0	20.2	20.9	21.8	22.2	17.8	17.1	14.1	14.9	205.7
	09 LST	16.8	13.9	14.4	15.8	21.1	22.7	23.6	23.1	18.9	17.2	14.3	16.2	218.0
	15 LST	16.7	14.8	14.6	15.7	19.6	19.7	22.0	21.3	17.5	18.1	15.5	16.1	211.6
	21 LST	13.4	13.7	15.8	15.6	19.8	19.7	22.2	22.0	18.1	18.8	14.8	15.1	211.0
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	03 LST	14.5	12.7	13.4	14.6	19.3	20.1	20.9	21.8	17.4	16.7	13.6	14.4	199.4
	09 LST	16.3	13.4	13.8	15.1	19.8	22.1	21.7	22.3	18.4	16.6	13.7	15.3	208.5
	15 LST	16.1	14.1	14.2	15.1	18.6	19.0	21.1	20.6	17.1	17.8	15.1	15.5	204.3
	21 LST	14.9	13.3	15.4	14.4	19.2	18.7	21.2	21.5	17.7	18.5	14.4	14.8	204.5

TUAPSE, USSR

STA NO. 37018 (IN AREA NUMBER 11)

LATITUDE 4406N LONGITUDE 03904E ELEVATION(FT) 00295

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	68	72	84	86	93	97	106	102	100	93	79	75	106	59	-664
MEAN MAX TMP (F)	46	47	52	59	69	76	81	82	76	68	58	51	64	58	-164
MEAN MIN TMP (F)	35	35	39	46	54	61	66	66	59	52	44	38	50	57	-164
ABS MIN TMP (F)	0	-2	5	25	34	45	50	46	36	19	12	0	-2	60	-664
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.2	1.8	1.9	0.2	0.0	0.0	0.0	4.1	10	2969
MEAN NO DYS TMP = DR LES 32(F)	10.7	8.8	5.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.8	5.1	30.6	10	2834
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	23104
MEAN DEW PT TMP (F)	33	33	36	45	54	60	65	64	57	50	45	37	48	10	23104
MEAN REL HUM (PCT)	70	69	69	72	75	76	73	71	69	70	70	69	71	5	13115
MEAN PRESS ALT (FT)	182	184	215	250	256	305	357	357	250	139	163	207	239	10	2633
MEAN PRECIP (IN)	6.35	6.18	4.88	3.37	3.19	3.83	3.11	4.78	6.06	2.65	6.13	6.49	57.0	60	-29
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0	0.0				10	2633
MEAN NO DYS PRCP = DR GTR 0.1 IN	13.4	12.4	12.4	8.4	8.1	6.9	5.2	6.4	6.5	5.9	10.2	12.9	108.7	60	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0					10	23080
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	0.3	0.4	0.2	0.9	0.5	0.1	0.1	0.0	0.1	0.1	0.1	0.1	2.9	10	3261
MEAN NO DYS YSTMS	1.5	1.3	0.5	0.5	3.4	6.9	7.6	7.6	7.4	2.6	3.7	2.8	45.8	10	23168
P FRFQ WND SPD = DR GTR 17 KTS	23.3	18.7	13.6	4.8	7.8	4.7	4.6	3.8	7.1	10.0	16.0	20.6	11.3	10	23168
P FRFQ WND SPD = DR GTR 28 KTS	5.9	4.9	2.6	0.3	1.6	0.6	0.3	0.1	1.3	1.2	3.9	4.8	2.3	10	23080
P FRFQ LES 3000 FT A/D LES 5 MI	51.6	51.1	52.1	44.7	40.0	29.3	24.6	25.0	28.0	28.2	43.0	50.9	39.0		
P FRFQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	5.7	3.5	2.9	7.1	6.6	1.7	0.7	0.2	1.0	1.0	1.6	2.1	2.8	10	2773
03-05 LST	2.7	2.9	3.1	8.8	5.1	0.9	0.4	0.4	0.6	0.1	1.6	1.3	2.3	10	3066
06-08 LST	2.5	3.0	3.2	8.8	10.5	0.9	0.2	0.2	1.3	0.7	1.0	1.7	2.8	10	2743
09-11 LST	3.2	3.2	3.6	8.3	5.9	0.4	0.4	0.0	1.0	0.4	0.2	1.2	2.3	10	2947
12-14 LST	4.3	5.0	3.9	8.1	7.4	0.3	0.5	0.2	0.3	0.9	0.9	2.5	2.9	10	2681
15-17 LST	3.2	3.3	3.0	6.0	3.1	0.3	0.8	0.4	0.4	0.6	0.2	1.4	1.9	10	3127
18-20 LST	3.4	4.1	3.9	6.0	3.6	1.2	0.8	0.5	0.0	0.6	0.9	1.1	2.2	10	2702
21-23 LST	2.3	1.1	4.6	6.8	4.9	0.0	0.0	0.4	0.4	0.3	0.3	1.4	1.9	10	3041
P FRFQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	1.0	1.4	0.5	3.1	1.3	0.5	0.3	0.0	0.6	0.4	0.0	0.3	0.8	10	2773
03-05 LST	0.6	0.5	0.3	5.1	1.1	0.2	0.2	0.2	0.0	0.0	0.3	0.0	0.7	10	3066
06-08 LST	1.3	0.8	0.3	4.4	2.7	0.3	0.0	0.0	0.3	0.0	0.0	0.2	0.9	10	2743
09-11 LST	1.0	1.1	0.8	3.8	1.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.7	10	2947
12-14 LST	1.6	2.9	0.7	1.8	1.8	0.0	0.3	0.0	0.0	0.0	0.3	0.3	0.8	10	2681
15-17 LST	0.7	1.2	0.3	0.7	0.6	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.3	10	3127
18-20 LST	0.5	1.0	1.0	1.0	0.0	0.6	0.0	0.0	0.0	0.3	0.5	0.0	0.4	10	2702
21-23 LST	0.4	0.0	1.3	2.2	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.4	10	3041

TUAPSE, USSR

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	FOR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	03 LST	30.4	27.7	30.3	28.1	30.2	29.8	30.9	30.9	29.9	31.0	29.8	30.9	359.9	10	3066
	09 LST	30.1	27.2	30.2	28.5	30.0	30.0	30.9	31.0	29.8	30.9	30.0	30.9	359.5	10	2947
	15 LST	30.5	27.4	30.4	28.9	30.4	30.0	30.8	30.9	29.9	30.9	30.0	30.8	360.9	10	3127
	21 LST	30.6	28.0	29.9	28.7	30.2	30.0	31.0	30.9	29.9	31.0	30.0	30.9	361.1	10	3041
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	03 LST	17.3	18.0	20.7	22.6	24.7	26.7	28.0	27.8	23.9	23.7	21.3	19.5	274.2	10	3064
	09 LST	16.6	16.7	20.1	22.3	23.7	25.6	26.2	27.7	23.8	23.4	20.8	19.2	256.1	10	2943
	15 LST	15.8	14.9	18.1	21.6	23.7	23.7	25.2	23.9	23.5	22.6	20.0	17.3	250.3	10	3125
SFC WND = GTR 17 KTS AND NO PRECIP.	03 LST	5.2	3.8	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	5.7	18.4	10	260
	09 LST	4.9	3.2	2.5	0.0	0.0	0.0	0.0	0.0	0.0	15.5	3.2	5.0	34.3	10	272
	15 LST	6.7	2.8	2.0	0.0	0.0	0.0	0.0	0.0	0.0	15.5	1.6	4.5	33.1	10	270
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	03 LST	8.5	9.9	12.6	13.5	14.6	15.9	17.1	17.4	17.8	18.5	14.3	16.4	170.5	10	3070
	09 LST	9.3	9.0	11.8	14.7	15.7	19.1	18.4	20.2	20.7	17.9	16.4	12.0	185.2	10	2946
	15 LST	10.4	10.0	14.5	18.7	21.3	21.6	22.6	20.9	20.3	18.0	13.1	11.6	203.0	10	3136
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	03 LST	10.3	8.0	8.4	11.3	12.6	14.0	18.6	19.0	17.2	18.1	11.8	9.9	159.2	10	3072
	09 LST	5.5	4.2	5.4	5.4	8.4	11.5	16.1	16.0	13.2	11.4	5.4	4.1	107.6	10	2953
	15 LST	5.0	4.2	5.8	5.8	6.7	9.2	15.0	14.8	12.7	11.6	5.0	4.4	100.2	10	3138
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	03 LST	10.7	9.0	8.3	10.5	11.1	13.0	18.6	19.9	18.5	18.0	11.9	8.9	158.4	10	3048
	09 LST	27.6	25.3	27.7	24.8	27.1	28.6	30.6	30.5	29.0	30.2	27.9	28.0	337.3	10	3066
	15 LST	28.1	25.3	27.4	25.3	26.8	28.8	30.4	30.7	29.0	30.2	28.3	28.5	338.8	10	2947
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	03 LST	27.9	24.9	27.9	25.9	28.5	29.0	30.5	30.5	29.6	29.9	28.7	28.8	342.1	10	3127
	09 LST	28.0	25.7	27.0	25.5	27.7	29.1	30.4	30.7	29.3	30.0	28.9	28.4	340.7	10	3041
	15 LST	28.0	25.7	27.0	25.5	27.7	29.1	30.4	30.7	29.3	30.0	28.9	28.4	340.7	10	3066
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	03 LST	14.8	12.5	12.8	15.3	16.9	18.6	22.2	23.1	21.3	22.1	16.7	14.3	210.6	10	3066
	09 LST	15.0	13.9	15.1	15.7	18.1	21.2	23.2	22.9	20.5	21.2	16.9	15.0	218.7	10	2947
	15 LST	14.6	15.2	15.7	16.7	19.0	21.0	24.0	22.7	20.6	21.7	17.3	15.9	224.4	10	3127
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	03 LST	14.6	14.1	14.4	16.2	18.9	21.8	25.1	24.7	23.1	23.9	17.7	14.5	229.0	10	3041
	09 LST	14.7	12.4	12.7	15.1	16.9	18.6	22.2	23.0	21.3	22.1	16.5	14.3	209.8	10	3066
	15 LST	14.9	13.9	14.9	15.5	18.0	21.0	23.1	22.8	20.4	21.0	16.6	14.9	217.0	10	2947
	09 LST	14.5	15.1	15.6	16.5	18.8	21.0	24.0	22.7	20.6	21.7	17.2	15.8	223.5	10	3127
	15 LST	14.5	14.0	14.4	16.2	18.8	21.8	25.1	24.7	23.1	23.9	17.7	14.2	228.4	10	3041

MUTAISI, USSR

STA NO. 37395 (IN AREA NUMBER 11)

LATITUDE 4216N

LONGITUDE 04238E

ELEVATION(FT) 00381

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	70	72	79	88	97	100	106	104	99	88	84	72	106	10	2876
MEAN MAX TMP (F)	49	51	56	65	75	79	82	83	78	72	64	54	67	10	2876
MEAN MIN TMP (F)	39	39	42	49	57	62	66	66	61	55	51	44	53	10	2640
ABS MIN TMP (F)	10	16	21	23	43	46	55	50	50	36	32	27	10	10	2640
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	2.5	3.5	3.7	4.5	2.8	0.0	0.0	0.0	17.0	10	2876
MEAN NO DYS TMP = OR LES 32(F)	8.1	6.4	3.9	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.4	2.1	21.3	10	2640
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	2640
MEAN DEW PT TMP (F)	34	35	39	47	56	62	68	68	62	55	47	39	51	10	19933
MEAN REL HUM (PCT)	68	68	68	69	69	74	80	81	76	73	67	67	72	10	19933
MEAN PRESS ALT (FT)	219	219	260	320	322	369	418	423	322	214	208	244	295	5	11228
MEAN PRECIP (IN)	5.72	4.12	3.42	3.28	3.29	4.36	3.87	3.36	4.75	3.98	3.15	7.24	90.8	10	2210
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0	0.0	0.0			10	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	12.2	9.0	10.7	10.5	9.2	9.3	8.9	8.2	8.9	8.3	5.3	13.3	113.8	10	2210
MEAN NO DYS SNFL = OR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0	0.0	0.0			10	-29
MEAN NO DYS W/O CUR VSBY LES 1/2 MI	1.1	0.5	0.5	0.4	0.5	0.1	0.1	0.1	0.1	0.1	0.1	0.3	3.9	10	19744
MEAN NO DYS TSTMS	0.5	0.5	0.1	0.5	3.7	7.4	6.4	7.0	4.6	2.1	0.7	0.2	33.7	10	3123
P FREQ WND SPD = OR GTR 17 KTS	24.2	24.7	24.1	22.1	20.9	11.7	6.9	9.0	15.0	23.0	34.0	29.4	20.4	10	19953
P FREQ WND SPD = OR GTR 28 KTS	10.2	13.7	11.9	10.5	9.6	2.3	1.7	3.0	8.2	13.8	18.0	15.4	9.9	10	19953
P FREQ LES 5000 FT A/D LES 5 MI	33.5	33.1	35.9	35.7	30.2	32.0	35.6	28.5	24.3	19.0	17.5	27.7	29.4	10	19744
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	14.0	20.4	15.4	17.3	10.2	7.9	5.5	5.1	4.7	7.0	5.7	5.7	9.9	10	2351
03-05 LST	16.3	18.3	18.5	20.0	11.6	6.5	6.9	5.1	6.4	7.2	5.3	9.1	10.9	10	2743
06-08 LST	19.2	24.0	20.8	22.5	20.9	14.5	17.6	12.3	5.1	5.5	3.9	7.3	14.5	10	2251
09-11 LST	24.4	21.8	23.1	24.3	18.0	11.7	8.5	8.9	7.5	7.3	9.2	11.5	14.7	10	2765
12-14 LST	21.4	20.9	15.5	16.0	8.8	3.2	4.0	4.2	4.5	6.6	6.2	11.1	10.2	10	1885
15-17 LST	17.2	16.6	17.3	12.4	8.9	4.5	2.6	3.6	4.1	4.4	6.4	12.1	9.2	10	2608
18-20 LST	18.5	19.8	16.2	14.0	9.0	4.8	4.4	3.7	5.2	4.9	5.0	9.4	9.6	10	2150
21-23 LST	16.6	14.9	18.7	17.3	10.8	5.0	5.7	3.3	4.9	5.7	5.4	8.2	9.7	10	2991
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	2.2	5.4	0.8	0.6	0.0	0.3	0.0	0.3	1.3	0.3	0.0	0.3	1.0	10	2351
03-05 LST	4.5	3.8	1.3	3.8	1.7	0.0	0.2	0.3	0.8	0.5	0.0	1.3	1.5	10	2743
06-08 LST	4.9	4.6	3.0	3.3	3.1	1.7	1.1	1.8	0.8	0.5	0.5	1.4	2.2	10	2251
09-11 LST	8.2	5.2	5.1	2.2	2.5	0.0	0.0	0.4	0.3	1.2	1.0	1.8	2.3	10	2765
12-14 LST	5.4	4.4	2.7	1.2	0.0	0.0	0.0	0.0	0.0	0.5	0.4	0.3	1.2	10	1885
15-17 LST	3.6	3.7	0.2	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.3	1.3	0.8	10	2608
18-20 LST	5.7	4.4	0.8	0.0	0.5	0.3	0.0	0.0	0.0	0.5	0.0	1.8	1.2	10	2150
21-23 LST	3.1	4.9	1.8	0.8	0.3	0.0	0.2	0.0	1.1	0.3	0.2	1.8	1.2	10	2991

KUTAISI, USSR

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. 085
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	03 LST	26.8	23.8	27.1	25.2	28.4	28.7	29.9	30.3	28.7	29.5	29.0	29.1	336.5	10	2743
	09 LST	24.4	22.5	24.7	23.6	26.3	27.4	29.6	29.1	28.2	29.1	27.9	28.0	320.8	10	2765
	15 LST	26.4	23.9	26.9	27.3	29.0	29.0	30.4	30.6	29.3	30.3	28.6	27.9	339.6	10	2608
	21 LST	26.6	25.2	26.3	25.7	28.6	29.5	30.0	30.5	29.3	29.7	28.8	29.2	339.4	10	2991
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	03 LST	14.0	12.6	14.6	14.5	20.3	24.4	26.9	26.6	23.3	18.6	15.2	14.9	226.1	10	2733
	09 LST	11.1	11.4	11.5	12.5	13.9	21.0	25.4	22.8	19.8	17.6	13.9	14.7	195.6	10	2756
	15 LST	12.4	11.9	13.0	10.7	11.1	12.3	15.0	14.7	14.9	16.5	14.9	13.8	161.2	10	2603
	21 LST	15.2	14.3	16.6	16.7	19.6	22.9	24.4	26.7	23.8	21.0	17.6	15.1	233.9	10	2987
SFC WND = GTR 17 KTS AND NO PRECIP.	03 LST	6.7	6.1	6.0	5.9	4.9	1.5	0.8	1.3	4.3	7.9	9.7	9.2	64.3	10	1517
	09 LST	6.6	7.2	8.8	7.2	7.6	3.4	1.3	1.0	7.2	9.0	9.9	7.5	79.7	10	1889
	15 LST	8.6	8.7	7.5	7.3	9.5	7.2	3.4	6.2	6.1	7.7	11.1	8.5	91.8	10	1515
	21 LST	6.2	5.3	4.5	4.3	3.8	1.9	0.9	0.9	4.4	7.1	7.3	8.3	54.9	10	1667
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	03 LST	5.9	7.3	8.3	7.7	10.8	10.6	9.8	10.2	10.6	11.9	10.9	8.0	112.0	10	2761
	09 LST	7.7	9.0	9.8	9.8	10.6	13.9	13.3	13.7	12.5	11.6	10.5	10.0	132.4	10	2769
	15 LST	7.5	7.0	10.6	10.1	9.1	8.8	12.6	12.6	12.3	12.7	9.6	9.8	122.7	10	2632
	21 LST	9.4	8.7	11.5	11.6	14.6	15.9	16.7	15.4	9.6	12.7	12.6	9.6	148.3	10	3005
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	03 LST	8.1	7.1	7.5	7.3	6.6	5.0	4.5	8.0	11.5	13.1	10.8	9.2	98.8	10	2762
	09 LST	7.3	5.3	6.9	7.5	7.4	8.3	8.0	11.6	14.4	12.6	8.6	5.8	103.7	10	2769
	15 LST	5.8	5.4	6.4	6.9	6.4	6.5	8.0	10.2	12.0	12.0	7.0	5.9	92.5	10	2632
	21 LST	9.5	8.7	8.3	9.8	7.9	6.2	6.1	7.8	11.5	16.6	12.2	9.8	114.4	10	2997
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	03 LST	24.8	21.3	22.8	21.9	25.5	26.0	26.5	27.6	26.3	27.5	27.5	26.5	304.2	10	2743
	09 LST	22.2	21.1	22.7	21.8	24.2	25.1	26.6	26.9	26.9	27.9	26.5	26.4	296.3	10	2765
	15 LST	24.4	22.4	24.0	24.6	27.1	27.7	29.1	29.0	27.8	28.5	26.9	26.1	317.6	10	2608
	21 LST	24.8	22.1	23.7	23.1	26.0	26.5	26.9	28.2	26.9	28.4	27.7	27.1	311.4	10	2991
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	03 LST	21.0	18.4	18.6	18.2	20.8	19.3	17.3	20.9	20.4	23.8	24.7	20.9	244.3	10	2743
	09 LST	19.7	19.1	19.6	19.2	21.4	21.2	21.6	23.4	24.4	25.1	24.5	21.7	260.9	10	2765
	15 LST	20.3	20.8	20.8	20.6	23.0	20.7	21.1	24.5	23.3	25.7	23.3	22.8	266.9	10	2608
	21 LST	21.9	19.3	19.9	19.4	20.8	18.6	19.0	20.8	21.2	24.9	24.6	22.5	252.9	10	2991
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	03 LST	20.9	18.4	18.6	18.1	20.6	19.2	17.1	20.9	20.3	23.7	24.6	20.8	243.2	10	2743
	09 LST	19.6	19.1	19.4	19.0	21.4	21.0	21.3	23.3	24.3	25.1	24.5	21.5	259.5	10	2765
	15 LST	20.3	20.8	20.5	20.3	22.9	20.5	20.5	24.2	23.2	25.5	23.0	22.5	264.2	10	2608
	21 LST	21.9	19.3	19.7	19.3	20.7	18.5	18.8	20.6	21.2	24.8	24.5	22.3	251.6	10	2991

BATUMI, USSR

STA NO. 37484 (IN AREA NUMBER 11)

LATITUDE 4139N LONGITUDE 04138E ELEVATION(FT) 00020

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
ABS MAX TMP (F)	75	77	84	82	95	99	88	88	91	82	86	77	99	10	1974
MEAN MAX TMP (F)	52	52	53	60	67	75	79	79	74	69	65	58	65	10	1974
MEAN MIN TMP (F)	42	40	43	49	56	63	67	67	62	55	52	47	54	10	1826
ABS MIN TMP (F)	28	25	32	32	43	48	57	52	50	37	34	28	25	10	1826
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.5	0.7	0.0	0.0	0.2	0.0	0.0	0.0	1.4	10	1974
MEAN NO DYS TMP = DR LES 32(F)	2.6	4.4	0.8	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	8.9	10	1826
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	1826
MEAN DEW PT TMP (F)	38	38	41	48	56	62	67	66	62	55	51	42	52	10	16548
MEAN REL HUM (PCT)	70	71	77	78	82	79	80	79	81	78	75	68	77	10	16548
MEAN PRESS ALT (FT)	-147	-114	-106	-49	-54	2	43	46	-57	-147	-155	-95	-68	5	7711
MEAN PRECIP (IN)	5.88	8.45	5.94	4.23	3.75	5.19	4.62	6.27	13.46	10.23	8.91	10.29	87.2	10	1119
MEAN SNOW FALL (IN)			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS PRCP = JR GTR 0.1 IN	10.9	10.6	10.9	9.9	7.7	11.0	11.8	11.2	12.7	9.9	10.1	12.4	129.1	10	1119
MEAN NO DYS SNFL = DR GTR 1.5 IN			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.1	0.5	0.4	0.6	0.4	0.1	0.1	0.0	0.0	0.1	0.0	0.2	2.5	10	16396
MEAN NO DYS TSTMS	1.1	1.2	0.7	0.3	3.1	5.9	4.2	6.8	4.7	3.2	3.2	1.3	35.7	10	2548
P FREQ WND SPD = DR GTR 17 KTS	14.2	14.2	7.5	4.8	3.4	2.6	1.4	2.2	2.0	7.1	10.8	18.7	7.4	10	16586
P FREQ WND SPD = DR GTR 28 KTS	4.7	3.2	1.5	1.2	0.6	0.3	0.3	0.1	0.0	1.7	2.9	6.3	1.9	10	16586
P FREQ LES 5000 FT A/D LES 5 MI	38.8	43.5	42.6	47.2	44.4	35.5	42.8	40.7	41.9	32.5	33.1	35.2	39.7	10	16396
P FREQ LES 1300 FT A/D LES 3 MI															
FDR 00-02 LST	8.5	12.2	13.2	15.0	11.7	1.3	6.3	2.7	4.6	5.5	6.5	4.4	7.7	10	1984
03-05 LST	6.8	12.0	14.2	21.6	12.1	6.6	5.6	3.4	6.1	6.3	6.6	6.4	9.0	10	2499
06-08 LST	9.2	12.5	14.8	20.2	19.5	7.2	7.1	3.9	6.2	6.6	7.8	8.2	10.3	10	1954
09-11 LST	9.2	17.9	13.7	20.7	14.5	2.9	4.6	4.9	6.0	5.1	6.2	8.3	9.5	10	2244
12-14 LST	7.7	17.3	16.4	13.2	18.6	4.0	4.3	2.6	3.0	6.0	6.6	7.2	8.9	10	1573
15-17 LST	8.7	13.6	11.9	18.8	12.0	3.0	4.1	4.3	5.2	4.0	6.7	7.6	8.3	10	2063
18-20 LST	8.6	19.2	20.4	17.9	16.6	3.6	6.9	7.3	6.5	8.4	7.7	7.3	10.9	10	1714
21-23 LST	9.0	14.6	14.8	16.5	12.6	2.1	5.2	4.2	5.1	5.4	6.8	8.9	8.8	10	2365
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	0.3	0.3	0.8	2.2	1.1	0.0	0.0	0.0	0.0	1.2	0.5	0.5	0.6	10	1984
03-05 LST	0.5	2.0	1.7	3.0	0.2	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.6	10	2499
06-08 LST	0.0	2.2	1.5	3.9	2.2	0.6	0.4	0.6	0.0	0.0	0.0	0.5	1.0	10	1954
09-11 LST	1.2	2.0	0.0	1.4	1.3	0.0	0.0	0.8	0.0	0.9	0.0	0.5	0.7	10	2244
12-14 LST	0.0	2.8	0.3	0.6	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	10	1573
15-17 LST	1.2	1.0	0.6	0.7	0.5	0.0	0.5	0.0	0.0	0.3	0.0	0.0	0.4	10	2063
18-20 LST	0.6	4.3	1.5	2.9	0.9	0.0	0.6	0.0	0.0	0.6	0.0	1.5	1.1	10	1714
21-23 LST	0.5	3.1	0.7	2.0	0.5	0.0	0.0	0.5	0.0	0.0	0.5	0.7	0.7	10	2365

BATUMI, USSR

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	03 LST	30.0	26.1	29.8	26.3	29.8	29.5	31.0	30.7	29.6	30.5	29.2	30.7	353.2	10	2499
	09 LST	29.4	25.2	28.5	26.0	29.2	30.0	30.0	30.5	29.0	30.1	29.3	29.8	347.0	10	2244
	15 LST	30.0	25.8	29.3	26.3	29.9	29.8	30.3	30.3	29.3	30.3	30.0	30.5	351.8	10	2063
	21 LST	30.0	26.4	29.7	27.4	29.4	30.0	30.7	30.8	29.9	30.5	29.5	29.8	354.2	10	2365
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	03 LST	21.4	17.1	20.0	18.7	22.0	24.0	25.0	26.7	24.1	22.1	18.8	16.6	256.5	10	2494
	09 LST	19.9	16.4	21.0	18.4	21.4	26.3	28.2	26.3	25.2	22.5	19.4	17.9	264.9	10	2241
	15 LST	24.4	20.1	22.1	20.7	22.5	25.0	26.3	26.5	26.6	26.1	23.6	22.3	286.2	10	2058
	21 LST	20.3	17.5	21.6	22.0	23.2	27.2	27.3	27.4	26.3	24.0	20.4	21.4	278.6	10	2361
SFC WND = GTR 17 KTS AND NO PRECIP.	03 LST	3.8	2.4	1.3	1.0	0.0	0.0	0.0	0.0	0.0	1.8	1.0	7.1	19.5	10	773
	09 LST	3.1	3.1	1.8	1.2	0.4	0.0	0.0	0.0	0.0	1.3	0.8	0.5	6.2	10	529
	15 LST	0.5	0.9	0.7	1.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	3.6	9.1	10	585
	21 LST	3.2	1.1	0.7	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.2	6.6	90.3	10
SFC WND 4-10 KTS AND TMP 33-39 DEC F AND NO PRECIP.	03 LST	7.8	5.4	7.9	7.9	8.7	7.4	7.6	8.6	8.8	6.4	7.2	6.6	90.3	10	2264
	09 LST	8.9	7.6	9.3	12.0	16.3	16.6	14.8	9.7	7.1	6.0	7.3	6.9	122.5	10	2085
	15 LST	14.1	15.0	16.2	19.9	20.7	22.8	24.0	23.0	20.1	17.4	14.5	12.6	220.3	10	2384
	21 LST	7.7	6.6	7.8	9.8	9.1	6.1	6.3	6.7	5.7	7.8	8.4	9.0	91.0	10	2523
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	03 LST	10.1	8.3	8.5	8.8	9.4	10.9	9.2	9.6	11.4	14.6	12.2	11.0	124.0	10	2266
	09 LST	6.4	4.8	7.8	5.8	6.8	10.9	9.6	10.3	12.3	12.0	7.6	5.5	99.8	10	2087
	15 LST	6.2	4.7	5.6	6.3	6.5	9.2	8.7	9.5	10.3	9.6	6.9	4.4	87.9	10	2388
	21 LST	10.1	7.1	6.7	7.8	7.3	9.2	7.3	10.6	10.2	15.1	9.9	7.7	109.0	10	2499
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	03 LST	27.1	21.9	23.3	20.2	23.6	25.6	26.3	28.1	26.1	27.1	26.4	26.8	302.5	10	2244
	09 LST	25.9	20.6	24.5	21.1	23.2	27.2	28.2	27.9	26.5	28.1	26.6	26.1	305.9	10	2063
	15 LST	25.8	21.8	24.6	21.8	22.9	27.2	27.1	27.8	26.5	27.8	25.2	26.1	304.6	10	2365
	21 LST	26.0	21.1	22.3	21.8	23.7	27.6	26.6	27.4	26.0	27.1	25.9	25.9	301.4	10	2499
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	03 LST	18.4	14.7	16.5	13.4	16.5	16.5	13.9	14.9	15.4	19.6	19.4	18.7	197.9	10	2244
	09 LST	18.6	14.6	19.5	15.6	18.4	19.8	20.4	19.6	18.3	21.8	21.2	20.2	228.0	10	2063
	15 LST	17.4	15.5	18.5	15.9	17.4	20.0	16.9	19.1	17.8	20.0	17.6	19.0	215.1	10	2365
	21 LST	19.1	14.7	15.5	15.0	18.0	18.9	17.1	17.3	15.2	20.1	18.2	18.2	207.3	10	2499
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	03 LST	17.8	14.4	15.8	13.1	16.2	16.2	13.4	14.2	15.0	19.2	18.9	18.0	192.2	10	2244
	09 LST	18.1	14.2	19.1	15.2	18.2	19.7	20.0	19.2	18.0	21.2	20.5	19.9	223.3	10	2063
	15 LST	16.5	15.2	18.1	15.7	17.2	20.0	16.6	18.7	17.5	19.8	17.0	18.7	211.0	10	2365
	21 LST	18.5	14.2	15.1	14.5	17.9	18.6	16.8	16.8	14.4	19.8	17.7	17.8	202.1	10	2365

AREA 11

USSR	BLACK SEA COAST				LATITUDE 4300N		LONGITUDE 04100E								
	BOUNDARIES		4500N 03700E	4515N 03730E	4500N 03700E	4515N 03730E	4515N 03730E	4515N 03730E	4200N 04500E						
	4200N 04500E	4126N 04300E	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
PARAMETER DESCRIPTION															
MEAN MAX TMP (F)			49	50	54	61	70	77	81	81	76	70	62	54	65
MEAN MIN TMP (F)			39	38	41	48	56	62	65	66	61	54	49	43	52
LARGEST MEAN PRECIP(IN)			6.35	8.45	5.94	4.23	3.75	5.19	4.62	6.27	13.46	10.23	8.91	10.29	87.7
SMALLEST MEAN PRECIP(IN)			5.72	4.12	3.42	3.28	3.19	3.03	3.11	3.56	4.75	2.65	3.19	6.49	47.3
			MEAN NUMBER OF DAYS												
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	03 LST	29.1	25.9	29.1	26.5	29.5	29.3	30.6	30.6	29.4	30.3	29.3	30.2	349.8	
	09 LST	28.0	25.0	27.8	26.0	28.5	29.1	30.2	30.2	29.0	30.0	29.1	29.6	342.5	
	15 LST	29.0	25.7	28.9	27.5	29.8	29.6	30.5	30.6	29.5	30.5	29.5	29.7	350.8	
	21 LST	29.1	26.5	28.6	27.3	29.4	29.8	30.6	30.7	29.7	30.4	29.4	30.0	351.5	
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	03 LST	17.6	15.9	18.4	18.6	22.3	25.1	26.6	27.0	23.8	21.5	18.4	17.0	252.2	
	09 LST	15.9	14.8	17.5	17.7	19.7	24.3	26.6	25.6	22.9	21.2	18.0	17.3	241.5	
	15 LST	17.5	15.6	17.7	17.7	19.1	20.3	22.2	21.7	21.7	21.7	19.5	17.8	232.5	
	21 LST	17.7	17.2	20.1	20.9	22.0	25.3	26.1	27.1	24.4	22.9	19.6	18.6	261.9	
SFC WND = GTR 17 KTS AND NO PRECIP.	03 LST	5.2	4.1	3.1	2.3	1.6	0.5	0.3	0.4	1.4	3.6	4.5	8.1	35.1	
	09 LST	4.9	4.5	4.4	2.8	2.7	1.1	0.4	1.3	2.4	8.8	4.7	6.5	44.5	
	15 LST	5.3	4.1	3.4	2.8	3.3	2.4	1.1	2.1	2.0	8.2	4.5	4.5	43.7	
	21 LST	5.0	3.1	2.7	1.6	1.3	0.6	0.3	0.3	1.5	2.4	3.0	5.8	27.6	
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	03 LST	7.4	7.5	9.6	9.7	11.4	11.3	11.5	12.1	12.4	12.3	10.8	8.3	124.3	
	09 LST	8.6	8.5	10.3	12.2	14.2	16.5	15.5	14.5	13.4	11.8	11.4	9.6	146.5	
	15 LST	10.7	10.7	13.8	16.2	17.0	17.7	19.7	18.8	17.6	16.0	12.4	11.3	181.9	
	21 LST	9.0	8.7	10.5	11.1	11.1	10.9	12.0	12.1	9.9	12.2	11.4	10.2	129.1	
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	03 LST	9.5	7.8	8.2	9.1	9.5	10.0	10.8	12.2	13.4	15.3	11.6	10.0	127.4	
	09 LST	6.4	4.8	6.7	6.6	7.5	10.2	11.2	12.6	13.3	12.0	7.2	5.1	103.6	
	15 LST	5.7	4.8	5.9	6.3	6.5	8.3	10.6	11.5	11.7	11.1	6.3	4.9	93.6	
	21 LST	10.1	8.3	7.8	9.4	8.8	9.5	10.7	12.8	13.4	16.6	11.3	8.8	127.5	
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	03 LST	26.5	22.8	24.6	22.3	25.4	26.7	27.8	28.7	27.1	28.3	27.3	27.1	314.6	
	09 LST	25.4	22.3	24.9	22.7	24.7	27.0	28.4	28.5	27.5	28.7	27.1	27.0	314.2	
	15 LST	26.0	23.0	25.5	24.1	26.2	28.0	28.9	29.1	28.0	28.7	26.9	27.0	321.4	
	21 LST	26.3	23.0	24.3	23.5	25.8	27.7	28.0	28.8	27.4	28.5	27.5	27.1	317.9	
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	03 LST	18.1	15.2	16.0	15.6	18.1	18.1	17.8	19.6	19.0	21.8	20.3	18.0	217.6	
	09 LST	17.8	15.9	18.1	16.8	19.3	20.7	21.7	22.0	21.1	22.7	20.9	19.0	236.0	
	15 LST	17.4	17.2	18.3	17.7	19.8	20.6	20.7	22.1	20.6	22.5	19.4	19.2	235.5	
	21 LST	18.5	16.0	16.6	16.9	19.2	19.8	20.4	20.9	19.8	23.0	20.2	18.4	229.7	
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	03 LST	17.8	15.1	15.7	15.4	17.9	18.0	17.6	19.4	18.9	21.7	20.0	17.7	215.2	
	09 LST	17.5	15.7	17.8	16.6	19.2	20.6	21.5	21.8	20.9	22.4	20.5	18.8	233.3	
	15 LST	17.1	17.0	18.1	17.5	19.6	20.5	20.4	21.9	20.4	22.3	19.1	19.0	232.9	
	21 LST	18.3	15.8	16.4	16.7	19.1	19.6	20.2	20.7	19.6	22.8	20.0	18.1	227.3	

TBILISI, USSR

STA NO. 37549 (IN AREA NUMBER 12)

LATITUDE 4141N LONGITUDE 04457E ELEVATION(FT) 01608

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YAS)	NO. DBS
ABS MAX TMP (F)	63	72	73	84	91	95	100	99	90	82	72	70	100	10	2837
MEAN MAX TMP (F)	45	47	53	61	74	79	85	84	76	65	55	46	64	10	2837
MEAN MIN TMP (F)	30	30	36	44	54	60	65	55	58	48	41	33	47	10	2572
ABS MIN TMP (F)	7	7	19	21	39	45	52	52	43	25	21	10	7	10	2572
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.8	2.6	8.7	6.6	0.4	0.0	0.0	0.0	19.1	10	2837
MEAN NO DYS TMP = OR LES 32(F)	19.9	18.7	9.1	1.4	0.0	0.0	0.0	0.0	0.0	1.0	4.5	14.5	69.1	10	2572
MEAN NO DYS TMP = OR LES 0(F)	0.0	7.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10	2572
MEAN DEW PT TMP (F)	30	30	35	43	54	58	63	61	57	46	42	34	46	10	21013
MEAN REL HUM (PCT)	73	71	69	69	69	67	65	62	69	74	79	80	71	10	21013
MEAN PRESS ALT (FT)	1411	1422	1468	1539	1541	1626	1691	1681	1533	1386	1370	1392	1505	5	12637
MEAN PRECIP (IN)	0.56	0.41	0.72	2.21	2.59	1.93	2.55	1.09	1.80	1.98	1.05	0.51	17.4	10	2203
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0					10	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	3.9	3.2	4.4	9.2	9.1	7.4	6.9	6.1	5.5	5.7	4.7	4.1	70.2	10	2203
MEAN NO DYS SNFL = OR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0					10	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	1.2	1.7	0.9	0.2	0.0	0.1	0.0	0.0	0.0	0.2	0.6	2.5	7.4	10	20886
MEAN NO DYS TSTMS	0.1	0.1	0.3	2.1	9.3	10.8	6.9	6.7	4.7	1.4	0.0	0.0	42.4	10	3210
P FREQ WND SPD = OR GTR 17 KTS	23.9	26.8	30.1	27.8	22.6	30.0	28.4	25.9	25.9	19.4	17.9	18.9	25.1	10	21053
P FREQ WND SPD = OR GTR 28 KTS	13.2	16.2	20.0	17.7	12.3	16.2	14.2	16.0	15.0	10.1	10.0	8.5	14.1	10	21053
P FREQ LES 5000 FT A/D LES 3 MI	44.5	43.2	37.7	31.6	18.2	13.5	9.7	8.2	20.9	28.1	47.2	51.8	29.6	10	20886
P FREQ LES 1900 FT A/D LES 3 MI	15.5	17.0	13.4	4.4	1.1	1.4	0.8	0.2	2.2	4.5	17.1	30.5	9.3	10	2454
FOR 00-02 LST	21.0	24.0	13.1	8.5	3.1	1.8	1.1	1.0	3.1	6.3	18.2	33.3	11.2	10	3030
03-05 LST	19.1	25.2	26.6	14.7	4.6	3.8	1.1	1.0	6.0	7.9	21.9	35.9	14.0	10	2346
06-08 LST	36.7	36.8	29.9	16.3	3.1	3.7	1.6	2.1	6.0	13.3	32.8	44.2	18.4	10	2647
09-11 LST	29.4	30.5	21.0	10.3	4.0	2.8	1.0	1.4	5.0	12.6	27.3	37.9	15.3	10	2079
12-14 LST	24.1	15.9	15.0	6.6	3.3	1.2	1.5	1.2	2.7	5.5	17.6	31.5	10.5	10	3131
15-17 LST	20.4	12.4	12.4	5.1	1.9	0.7	0.2	0.2	4.2	5.7	19.1	33.7	9.7	10	2289
18-20 LST	19.0	14.6	7.6	5.3	2.5	0.9	0.4	0.1	2.2	4.3	14.4	28.2	8.3	10	2910
21-23 LST															
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	3.3	3.4	2.3	0.0	0.0	0.5	0.3	0.0	0.0	1.1	1.8	11.3	2.0	10	2454
03-05 LST	7.6	5.5	2.8	1.6	0.5	0.2	0.2	0.0	0.0	1.5	3.7	12.1	3.0	10	3030
06-08 LST	4.3	7.6	6.6	1.5	0.8	0.6	0.0	0.0	0.3	1.3	4.1	13.2	3.4	10	2346
09-11 LST	8.2	13.5	7.6	0.9	0.3	0.5	0.0	0.0	0.3	1.8	7.1	16.6	4.7	10	2647
12-14 LST	5.9	5.1	2.4	0.0	0.3	0.5	0.0	0.0	0.0	0.8	1.5	9.1	2.1	10	2079
15-17 LST	2.4	1.9	0.7	0.7	0.0	0.5	0.0	0.0	0.2	0.0	1.4	8.2	1.3	10	3131
18-20 LST	1.6	2.8	1.3	1.0	0.0	0.0	0.0	0.0	0.6	1.3	1.5	7.5	1.5	10	2289
21-23 LST	2.7	1.5	1.2	0.5	0.3	0.0	0.0	0.0	0.0	0.7	0.6	6.9	1.2	10	2910

TBILISI, USSR

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. DRS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	03 LST	26.1	22.5	28.4	28.5	30.4	29.6	30.8	30.9	29.7	29.6	26.3	21.9	234.7	10	3030
	09 LST	22.8	18.9	23.5	26.8	30.6	29.3	30.7	30.6	29.2	28.7	21.6	18.3	311.0	10	2647
	15 LST	24.9	24.8	27.5	29.3	30.3	29.7	30.6	30.8	29.6	30.3	26.4	22.6	336.8	10	3131
	21 LST	27.3	24.9	29.5	29.1	30.6	29.9	31.0	31.0	29.8	30.4	27.1	23.9	344.5	10	2910
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	03 LST	15.8	13.9	16.0	16.8	19.6	15.9	18.5	15.5	18.1	21.2	18.5	14.5	204.3	10	3027
	09 LST	12.5	9.1	11.2	15.0	20.1	16.9	18.4	18.0	19.1	17.8	13.2	9.8	181.1	10	2642
	15 LST	13.3	13.1	14.2	17.1	18.6	19.7	20.5	19.8	19.2	23.3	15.8	12.7	204.3	10	3125
	21 LST	15.6	15.5	17.5	16.5	19.9	17.3	19.3	17.8	18.2	21.2	18.3	15.3	212.4	10	2904
SFC WND = GTR 17 KTS AND NO PRECIP.	03 LST	6.9	5.7	7.8	7.7	6.8	9.1	9.0	10.7	7.5	4.8	3.2	5.4	84.6	10	1955
	09 LST	5.2	6.2	9.6	7.5	6.3	8.7	8.6	9.0	6.3	5.2	4.1	4.9	81.8	10	2250
	15 LST	8.2	9.5	10.8	7.5	6.6	6.6	6.5	7.1	7.2	7.1	6.9	9.0	93.0	10	2022
	21 LST	8.6	7.3	7.5	9.4	6.8	7.3	9.4	9.3	7.3	5.0	5.1	6.3	89.3	10	1994
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	03 LST	4.3	4.8	7.7	9.2	11.2	9.5	9.8	9.7	8.3	9.6	6.9	6.3	97.3	10	3031
	09 LST	5.9	5.3	9.6	11.3	13.9	10.9	12.3	11.6	12.5	10.1	9.2	7.5	120.1	10	2651
	15 LST	10.9	10.0	13.2	13.8	14.6	16.1	13.9	13.0	15.7	16.5	10.4	11.2	199.3	10	3132
	21 LST	4.8	7.2	11.6	11.3	14.8	12.6	15.1	14.1	12.4	15.6	7.9	8.1	135.5	10	2914
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	03 LST	11.0	7.8	9.0	7.5	12.6	11.6	13.0	13.3	11.2	12.3	10.0	9.1	128.4	10	3036
	09 LST	5.7	4.7	6.4	5.7	9.6	12.7	11.8	12.5	10.8	11.2	5.2	3.9	100.2	10	2652
	15 LST	7.5	5.5	6.9	5.2	5.4	7.9	14.4	13.0	10.0	11.5	6.0	5.7	99.0	10	3133
	21 LST	12.4	10.9	12.2	9.7	8.2	8.6	11.4	14.2	13.7	14.1	10.9	10.6	136.9	10	2917
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	03 LST	23.2	19.8	24.7	25.5	29.2	29.3	30.5	30.4	27.7	27.7	22.7	19.7	310.4	10	3030
	09 LST	21.0	17.1	20.6	23.7	29.5	28.4	30.1	29.9	27.0	25.4	19.3	16.8	288.8	10	2647
	15 LST	22.8	23.0	25.5	26.7	29.5	29.4	30.3	30.4	28.5	28.3	23.7	20.6	318.7	10	3131
	21 LST	23.5	22.8	27.2	26.8	29.4	29.2	30.6	30.8	28.4	28.7	24.5	21.3	323.2	10	2910
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	03 LST	19.7	16.1	18.8	19.4	24.2	24.0	25.1	25.4	21.4	21.8	17.5	17.3	250.7	10	3030
	09 LST	18.2	15.1	17.5	18.0	25.0	25.1	25.8	26.0	21.9	20.7	16.0	14.6	243.9	10	2647
	15 LST	20.6	20.5	21.5	20.7	22.7	23.7	26.4	26.3	23.0	23.6	18.7	18.8	266.5	10	3131
	21 LST	20.2	19.5	22.4	19.6	22.2	21.2	24.4	26.4	23.0	23.7	20.4	18.7	261.7	10	2910
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	03 LST	19.2	15.6	18.3	18.4	23.3	22.9	23.9	24.1	20.2	21.2	17.0	17.0	241.3	10	3030
	09 LST	17.9	14.8	17.1	17.3	24.3	24.4	24.3	25.1	21.0	20.5	15.7	14.2	236.6	10	2647
	15 LST	20.4	20.2	21.0	19.8	21.0	22.1	25.5	25.2	21.7	22.7	18.1	18.5	256.2	10	3131
	21 LST	20.0	19.3	22.1	18.5	20.6	19.4	22.7	25.1	22.1	23.0	20.0	18.3	251.1	10	2910

YEREVAN, USSR

STA NO. 37789 (IN AREA NUMBER 12)

LATITUDE 4008N

LONGITUDE 04420E

ELEVATION(FT) 02976

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	68	64	72	82	95	102	108	104	95	88	72	57	108	10	2610
MEAN MAX TMP (F)	36	42	53	65	76	85	91	90	82	69	56	42	66	10	2610
MEAN MIN TMP (F)	22	25	34	44	53	58	66	64	56	46	37	28	44	10	2330
ABS MIN TMP (F)	-8	3	5	21	32	37	41	34	41	25	21	10	-8	10	2230
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	1.0	9.0	20.3	20.5	3.9	0.0	0.0	0.0	54.7	10	2610
MEAN NO DYS TMP = OR LES 32(F)	25.1	23.5	14.1	1.6	0.2	0.0	0.0	0.0	0.0	0.8	7.6	23.9	96.8	10	2330
MEAN NO DYS TMP = OR LES 0(F)	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	10	2330
MEAN DEW PT TMP (F)	27	25	31	40	49	51	56	54	50	44	37	29	41	10	19279
MEAN REL HUM (PCT)	77	71	60	57	56	49	45	45	50	61	70	79	60	10	19279
MEAN PRESS ALT (FT)	2923	2967	3038	3081	3057	3103	3175	3155	3051	2928	2898	2909	3024	10	19317
MEAN PRECIP (IN)	0.75	0.95	0.65	1.36	1.78	0.86	0.63	0.31	0.81	0.95	0.76	0.46	10.3	10	1859
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0					10	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.0	5.6	4.6	7.1	8.2	5.7	2.5	2.6	3.2	5.8	3.4	4.3	98.0	10	1859
MEAN NO DYS SNFL = OR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0					10	-29
MEAN NO DYS W/OCCUR VSBY LES 1/2 MI	6.5	4.0	0.3	0.1	0.1	0.0	0.0	0.0	0.1	0.1	0.8	6.2	18.2	10	19195
MEAN NO DYS TSTMS	0.2	0.4	0.6	5.6	10.9	11.6	7.3	4.6	4.1	1.8	0.1	0.0	47.2	10	2916
P FREQ WND SPD = OR GTR 17 KTS	0.8	1.2	1.9	1.5	1.0	2.9	5.3	4.6	1.2	0.4	0.5	0.3	1.8	10	19321
P FREQ WND SPD = OR GTR 28 KTS	0.1	0.2	0.3	0.0	0.1	0.5	0.9	0.2	0.1	0.0	0.1	0.1	0.2	10	19321
P FREQ LES 5000 FT A/D LES 5 MI	73.0	56.4	35.7	32.3	27.4	18.7	9.4	8.5	12.3	18.7	37.7	66.7	33.1	10	19195
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	47.0	27.6	4.7	1.9	0.9	0.0	0.0	0.0	0.8	0.1	7.7	28.1	9.9	10	2143
03-05 LST	46.1	31.8	5.0	1.0	0.5	0.3	0.1	0.1	0.1	0.4	5.3	29.3	10.0	10	2865
06-08 LST	51.2	32.1	11.8	0.6	0.4	0.0	0.1	0.0	0.2	1.4	7.8	32.9	11.5	10	2055
09-11 LST	75.9	65.8	26.1	3.6	1.7	0.5	0.2	1.0	1.5	13.0	49.9	74.3	26.1	10	2468
12-14 LST	54.4	32.4	9.6	1.9	0.3	0.0	0.0	0.0	0.3	1.3	16.9	43.7	13.4	10	1901
15-17 LST	40.8	23.9	7.0	0.3	0.6	0.4	0.7	0.0	0.0	0.9	7.7	26.5	9.1	10	2920
18-20 LST	40.4	20.5	6.4	0.4	1.4	0.6	0.0	0.5	0.0	1.8	5.7	29.1	8.9	10	2090
21-23 LST	42.7	27.3	4.5	0.4	0.7	0.3	0.0	0.1	0.4	0.0	6.0	30.2	9.4	10	2753
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	16.6	4.2	0.0	0.5	0.5	0.0	0.0	0.0	0.5	0.0	2.2	9.6	2.8	10	2143
03-05 LST	14.4	6.1	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	6.7	2.3	10	2865
06-08 LST	20.1	6.6	1.9	0.0	0.0	0.0	0.0	0.0	0.0	0.5	1.6	10.9	3.5	10	2055
09-11 LST	41.8	29.3	3.6	0.0	0.0	0.0	0.0	0.0	0.0	0.5	13.0	41.6	10.8	10	2468
12-14 LST	15.6	6.7	3.0	0.5	0.0	0.0	0.0	0.0	0.0	0.5	1.0	6.0	2.8	10	1901
15-17 LST	9.2	3.9	1.6	0.0	0.3	0.3	0.3	0.0	0.0	0.0	1.3	6.6	2.0	10	2920
18-20 LST	8.0	1.8	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	6.8	1.5	10	2090
21-23 LST	13.0	3.2	0.2	0.0	0.5	0.0	0.0	0.0	0.3	0.0	1.0	5.9	2.0	10	2753

YEREVAN, USSR

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	03 LST	17.7	19.9	29.9	29.7	31.0	30.0	31.0	31.0	30.0	30.9	28.8	23.0	332.9	10	2465
	09 LST	8.3	10.5	24.6	29.4	30.7	29.9	31.0	30.9	30.0	28.2	16.1	8.7	278.3	10	2468
	15 LST	19.8	22.5	29.4	30.0	30.9	29.9	30.9	31.0	30.0	30.8	28.6	24.6	338.6	10	2920
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	03 LST	18.9	21.2	29.9	30.0	30.9	30.0	31.0	31.0	29.9	31.0	28.7	22.9	335.4	10	2753
	09 LST	16.7	19.1	29.3	29.6	30.2	29.5	30.1	30.3	29.5	30.8	28.0	22.6	325.7	10	2859
	15 LST	6.8	10.1	23.6	28.9	29.8	29.6	30.7	30.7	29.9	28.1	15.8	8.4	272.4	10	2465
SFC WND = GTR 17 KTS AND NO PRECIP.	03 LST	18.2	21.0	26.7	26.9	28.3	27.7	28.4	30.0	29.4	30.2	27.2	23.3	317.3	10	2916
	09 LST	17.5	20.8	28.1	28.7	28.3	23.5	17.2	19.0	25.9	30.5	24.3	22.7	290.5	10	2742
	15 LST	0.2	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.9	10	835
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	09 LST	0.4	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	10	1018
	15 LST	0.5	0.3	1.6	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	3.5	10	863
	21 LST	0.3	0.0	0.2	0.3	0.0	6.7	0.0	0.0	0.0	0.6	0.2	0.2	8.5	10	837
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	03 LST	1.8	0.9	3.3	4.0	4.4	5.4	5.5	5.7	3.9	2.1	1.4	1.1	39.5	10	2863
	09 LST	1.1	0.2	7.3	12.0	11.7	12.1	11.9	10.8	7.9	4.2	2.2	0.1	81.5	10	2472
	15 LST	3.7	6.1	17.0	13.9	16.8	13.5	8.4	7.0	10.8	9.6	7.9	4.0	118.7	10	2937
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	21 LST	1.8	1.6	7.0	8.5	8.1	9.7	11.6	10.8	9.7	5.1	2.3	1.0	77.3	10	2747
	03 LST	6.4	9.0	14.2	12.5	14.2	19.5	24.2	24.2	22.9	19.5	16.6	10.0	193.2	10	2870
	09 LST	1.7	3.3	8.5	8.6	12.0	20.0	22.9	24.7	20.5	15.3	4.6	1.4	143.5	10	2477
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	15 LST	5.3	6.9	7.0	4.4	6.1	12.1	20.1	21.9	19.2	16.9	8.8	7.9	136.6	10	2942
	03 LST	8.3	9.6	13.8	10.6	8.2	12.3	16.5	21.8	21.5	18.1	15.0	10.7	166.4	10	2755
	09 LST	15.5	18.0	28.2	28.7	30.1	29.5	30.8	30.9	29.8	30.6	27.4	20.9	320.4	10	2865
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	15 LST	6.6	8.8	21.8	27.7	30.1	29.5	30.8	30.5	29.4	26.6	14.3	7.3	263.4	10	2468
	03 LST	17.3	20.5	27.7	29.1	30.2	29.6	30.6	30.9	29.9	30.6	26.8	21.4	324.6	10	2920
	09 LST	16.8	19.5	28.2	29.0	30.0	29.5	30.8	30.7	29.7	30.4	27.3	20.6	322.5	10	2753
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	03 LST	11.2	15.1	23.4	22.2	24.1	25.7	29.3	28.9	27.2	26.5	23.5	16.4	273.5	10	2865
	09 LST	3.6	6.6	16.4	19.6	24.9	27.3	29.5	29.7	26.2	22.5	10.1	4.9	221.3	10	2468
	15 LST	12.7	16.6	19.2	17.8	21.1	21.5	27.2	28.5	26.1	26.9	21.8	15.2	254.6	10	2920
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	21 LST	13.3	15.8	22.9	21.7	19.8	21.9	25.4	27.4	27.1	25.7	22.8	15.7	259.5	10	2753
	03 LST	11.2	15.1	23.3	22.1	24.1	25.7	29.2	28.8	27.2	26.5	23.5	16.3	273.0	10	2865
	09 LST	3.6	6.6	16.3	19.5	24.9	27.3	29.4	29.7	26.2	22.3	10.1	4.9	220.8	10	2468
15 LST	12.7	16.5	19.1	17.6	20.8	21.3	27.1	28.5	26.1	26.9	21.8	15.1	253.5	10	2920	
21 LST	13.2	15.7	22.9	21.4	19.7	21.9	25.3	27.3	27.1	25.7	22.8	15.6	258.6	10	2753	

AREA 12

USSR	ARMENIAN HIGHLND				LATITUDE 4100N		LONGITUDE 04430E							
	BOUNDARIES	4126N 04300E	4200N 04500E	4200N 04500E	4200N 04500E	3930N 04500E								
PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN
MEAN MAX TMP (F)		41	45	53	63	75	82	88	87	79	67	56	44	65
MEAN MIN TMP (F)		26	28	35	44	54	59	66	65	57	47	39	31	46
LARGEST MEAN PRECIP(IN)		0.75	0.95	0.72	2.21	2.59	1.93	2.55	1.09	1.80	1.98	1.05	0.51	18.1
SMALLEST MEAN PRECIP(IN)		0.56	0.41	0.65	1.36	1.78	0.86	0.63	0.31	0.81	0.95	0.76	0.48	9.3
		MEAN NUMBER OF DAYS												
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	03 LST	21.9	21.2	29.2	29.1	30.7	29.8	30.9	31.0	29.9	30.3	27.6	22.5	334.1
	09 LST	15.6	14.7	24.1	28.1	30.7	29.6	30.9	30.8	29.6	28.5	18.9	13.5	295.0
	15 LST	22.4	23.7	28.5	29.7	30.6	29.8	30.8	30.9	29.8	30.6	27.5	23.7	338.0
	21 LST	23.1	23.1	29.7	29.6	30.8	30.0	31.0	31.0	29.9	30.7	27.9	23.4	340.2
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	03 LST	16.3	16.5	22.7	23.2	24.9	22.7	24.3	22.9	23.8	26.0	23.3	18.6	265.2
	09 LST	9.7	9.6	17.4	22.0	25.0	23.3	24.6	24.4	24.5	23.0	14.5	9.1	227.1
	15 LST	15.8	17.1	20.5	22.0	23.5	23.7	24.5	24.9	24.3	25.3	21.5	18.0	261.1
	21 LST	16.5	18.2	22.8	22.6	24.1	20.4	18.3	18.4	22.1	25.9	23.3	19.0	251.7
SFC WND = GTR 17 KTS AND NO PRECIP.	03 LST	2.6	2.9	4.2	3.9	3.4	4.6	4.5	5.4	3.8	2.4	1.7	2.7	43.1
	09 LST	2.8	3.1	5.0	3.8	3.2	4.4	4.3	4.5	3.2	2.6	2.1	2.5	41.5
	15 LST	4.4	4.9	6.2	4.2	3.3	3.3	3.3	3.6	3.6	3.6	3.5	4.6	48.5
	21 LST	4.5	3.7	3.9	4.9	3.4	7.0	4.7	4.7	3.7	2.8	2.7	3.3	49.3
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	03 LST	3.1	2.9	5.5	6.6	7.8	7.5	7.7	7.7	6.1	5.9	4.2	3.7	68.7
	09 LST	3.5	2.8	8.5	11.7	12.8	11.5	12.1	11.2	10.2	7.2	5.7	3.8	101.0
	15 LST	7.3	8.1	15.1	13.9	15.7	14.8	11.2	10.0	13.3	13.1	9.2	7.6	139.3
	21 LST	3.3	4.4	9.3	9.9	11.5	11.2	13.4	12.5	11.1	10.4	5.1	4.6	106.7
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	03 LST	8.7	8.4	11.6	10.0	13.4	15.6	18.6	18.8	17.1	13.9	13.3	9.6	161.0
	09 LST	3.7	4.0	7.5	7.2	10.8	16.4	17.4	18.6	15.7	13.3	4.9	2.7	122.2
	15 LST	6.4	6.2	7.0	4.8	5.8	10.0	17.3	17.5	14.6	14.2	7.4	6.8	118.0
	21 LST	10.4	10.3	13.0	10.2	8.2	10.5	14.0	18.0	17.6	16.1	13.0	10.7	152.0
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	03 LST	19.4	18.9	26.5	27.1	29.7	29.4	30.7	30.7	28.8	29.2	25.1	20.3	315.8
	09 LST	13.8	13.0	21.2	25.7	29.8	29.0	30.5	30.2	28.2	26.0	16.8	12.1	276.3
	15 LST	20.1	21.8	26.6	27.9	29.9	29.5	30.5	30.7	29.2	29.5	25.3	21.0	322.0
	21 LST	20.2	21.2	27.7	27.9	29.7	29.4	30.7	30.8	29.1	29.6	25.9	21.0	323.2
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	03 LST	15.5	15.6	21.1	20.8	24.2	24.9	27.2	27.2	24.3	24.2	20.5	16.9	262.4
	09 LST	10.9	10.9	17.0	18.8	25.0	26.2	27.7	27.9	24.1	21.6	13.1	9.8	233.0
	15 LST	16.7	18.6	20.4	19.3	21.9	22.6	26.8	27.4	24.6	25.3	20.3	17.0	280.9
	21 LST	16.8	17.7	22.7	20.7	21.0	21.6	24.9	26.9	25.1	24.7	21.6	17.2	280.9
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	03 LST	15.2	15.4	20.8	20.4	23.7	24.3	26.6	26.5	23.7	23.9	20.3	16.7	257.5
	09 LST	10.8	10.7	16.7	18.4	24.6	25.9	26.9	27.4	23.6	21.4	12.9	9.6	228.9
	15 LST	16.6	18.4	20.1	18.7	20.9	21.7	26.3	26.9	23.9	24.8	20.0	16.8	255.1
	21 LST	16.6	17.5	22.5	20.0	20.2	20.7	24.0	26.2	24.6	24.4	21.4	17.0	255.1