

UNITED STATES AIR FORCE
AIR WEATHER SERVICE (MAC)
6TH WEATHER WING

USAF ENVIRONMENTAL TECHNICAL APPLICATIONS CENTER

BUILDING 159
NAVY YARD ANNEX
WASHINGTON D.C., 20333



WORLDWIDE AIRFIELD CLIMATIC DATA

CHINA, NORTH KOREA, AND MONGOLIA

THIS DOCUMENT HAS BEEN APPROVED FOR
PUBLIC RELEASE AND SALE; ITS DISTRIBUTION
IS UNLIMITED.

79 07 23 016

FEBRUARY 1974

AD-776615

Published volumes of World-wide Airfield Summaries are available for the following areas:

Volume	Name	NTIS Accession Number
Volume I	Southeast Asia (Revised)	AD-706-355
Volume II (Parts 1 & 2)	Middle East <i>AD-A002162 + A002163</i>	AD-662-435 & AD-662-437
Volume III	Far East	AD-662-426
Volume IV	Canada-Greenland-Iceland	AD-662-424
Volume V	Australia-Antarctica (including South Pacific Is.)	AD-662-648
Volume VI (Parts 1 & 2)	South America	AD-664-828 & AD-664-829
Volume VII	Central America	AD-671-845
Volume VIII	United States of America	
Part 1	West Coast, Western Mtns. and Great Basin	AD-688-472
Part 2	Rocky Mtns. and Northwest Basin	AD-689-792
Part 3	Central Plains	AD-693-491
Part 4	Great Lakes	AD-696-971
Part 5	Mississippi Valley	AD-699-917
Part 6	Southeastern Region	AD-701-719
Part 7	East Coast and Appalachian Region	AD-703-606
Part 8	Alaska and Hawaii	AD-704-607
Volume IX	Africa	
Part 1	Northern Half	AD-682-915 <i>680433</i>
Part 2	Southern Half	AD-682-915
Volume X	Europe	
Part 1	Scandinavia & Northern Europe	AD-719-907
Part 2	Low Countries & British Isles	AD-719-908
Part 3	Alps & Southwest Europe	AD-720-708
Part 4	Mediterranean	AD-720-100 <i>721160</i>
Volume XI	Eastern Europe and USSR	<i>AD-776611</i>
Part 1	Eastern Europe	<i>AD-776612</i>
Part 2	USSR	<i>AD-776615</i>
Volume XII	China, North Korea, and Mongolia	<i>AD-776614</i>
Part 1	China	
Part 2	China, North Korea, and Mongolia	

WORLD-WIDE AIRFIELD CLIMATIC DATA

FOREWORD

This is part of a series of compilations which is world-wide in scope. It consists of climatological data for selected airfields and for the climatic areas in which they are located. Volumes I-XII include data for approximately 3000 stations.

These data were compiled and prepared by the Air Weather Service's USAF Environmental Technical Applications Center*, Building 159, Navy Yard Annex, Washington, D. C. 20333. Copies of this document, or any of the series, are obtainable from the National Technical Information Service (NTIS), Springfield, Virginia 22151.

* Also published by the U.S. Naval Weather Service under the "U.S. Naval Weather Service World-wide Airfield Summaries."

WORLD-WIDE AIRFIELD SUMMARIES - VOLUME XII CHINA, NORTH KOREA AND MONGOLIA

PART 1 (CHINA)

INTRODUCTION

This volume provides climatological summaries for airfields and climatic areas in China, North Korea and Mongolia. Summaries are arranged according to numbered climatic areas, and by increasing WMO station index numbers within the climatic areas. An arbitrary station number (indicated by "/") is used where WMO index numbers are not assigned. Maps are included to delineate areas and station locations.

Climatic areas have been selected as being nearly homogeneous climatologically, but considerable variation may exist between locations in an area at a specific time because of topography and other factors. Climatological summaries for these areas follow those for the included airfields.

The latitudes and longitudes of the approximate centers of the climatic areas are indicated in the summary headings. The climatic areas are delineated by straight line segments and the positions of the end points are listed.

Blank values in the tables indicate that no data are available, and "0" indicates that the period of record is unknown. Local Standard Time is that of the standard time zone, and no adjustment has been made where local deviations exist. Data sources are listed in detail by means of a number system described on the following pages.

The first page of each station summary provides data for the station, and the second page contains information for the airfield area. The values are in mean number of days. Where observations were not available, the information consists of climatological estimates based on data for surrounding stations. In some instances tables may be based on relatively few observations or on somewhat doubtful data, and these should be used with caution.

GLOSSARY OF GENERAL TERMS

AIRFIELD DATA AND AIRFIELD AREA DATA

Climatological data applicable only to a specified airfield. The data consists of statistical parameters based on actual weather observations made at the airfield. If actual weather observations are not available the data consist of estimates of the statistical parameters, prepared by a climatologist, based on actual meteorological data from surrounding weather stations.

CLIMATIC AREA DATA

Climatological data representative of a nearly homogeneous climatic area. The data are average (or representative) values based on a sample of climatological data available from weather stations within the area. The area data do not imply that the specific condition simultaneously exists at all locations within a country or large climatic area. In rolling and mountainous terrain there may be considerable variation in the data from one location to another within the climatic area.

LOCAL STANDARD TIME

Standard time applicable to a 15 deg. meridional zone. (Zones proceed east and west from the zone centered on the prime meridian and extending from 00730E to 00730W.) No consideration is given to local deviations from the 15 deg. zone boundaries.

AIRFIELD PARAMETERS

ABSOLUTE MAXIMUM (MINIMUM) TEMPERATURE-DEG. F.

The highest (lowest) temperature observed in the specified month during the whole period for which observations are available.

MEAN DAILY MAXIMUM (MINIMUM) TEMPERATURE-DEG. F.

The average of all the daily maximum (minimum) temperatures observed in the specified month.

MEAN NO. DAYS WITH MAXIMUM TEMPERATURE GREATER THAN 90 DEG. F.

The average of the number of days in the specified month on which the maximum temperature was observed to be equal to or greater than 90 deg. F.

MEAN NO. DAYS WITH MINIMUM TEMPERATURE LESS THAN 32 DEG. F (LESS THAN 0 DEG. F.).

The average of the number of days in the specified month on which the minimum temperature was observed to be equal to or less than 32 deg.F.(0 deg.F.).

MEAN DEW POINT TEMPERATURE-DEG. F.

The average of all hourly dew point temperatures observed in the specified month.

MEAN RELATIVE HUMIDITY-PERCENT

The average of all hourly relative humidity values observed in a specified month.

MEAN PRESSURE ALTITUDE-FEET

The average station pressure observed at the airfield in the specified month converted to an altitude by using the U. S. Standard Atmosphere.

MEAN MONTHLY PRECIPITATION-INCHES

The average of the monthly total amount of all forms of precipitation, reduced to its liquid equivalent, observed in the specified month.

MEAN MONTHLY SNOWFALL-INCHES

The average of the monthly total amount of snowfall observed in the specified month.

MEAN NO. DAYS WITH PRECIPITATION GREATER THAN 0.1 INCH (SNOWFALL GREATER THAN 1.5 INCHES)

The average of the number of days in the specified month on which the daily amount of precipitation (snowfall) was observed to be equal to or greater than 0.1 inch (1.5 inches).

MEAN NO. DAYS WITH AN OCCURRENCE OF VISIBILITY LESS THAN 0.5 MILE

The average of the number of days in the specified month on which there was at least one observation of visibility less than 0.5 mile.

MEAN NO. DAYS WITH THUNDERSTORMS

The average of the number of days in the specified month on which the weather observer heard thunder.

PERCENT FREQUENCY SURFACE WIND SPEED GREATER THAN 16 KNOTS (GREATER THAN 27 KNOTS)

The frequency, expressed as a percent of the total number of hourly weather observations considered, during the specified month, in which the surface wind speed was observed to be greater than 16 knots (27 knots).

PERCENT FREQUENCY CEILING LESS THAN 5,000 FEET OR VISIBILITY LESS THAN 5 MILES

The frequency, expressed as a percent of the total number of hourly weather observations considered, during the specified month, in which the ceiling was observed to be less than 5,000 feet and/or the visibility was observed to be less than 5 miles.

PERCENT FREQUENCY CEILING LESS THAN 1,500 FEET (LESS THAN 300 FEET) OR VISIBILITY LESS THAN 3 MILES (LESS THAN 1 MILE)

The frequency, expressed as a percent of all the hourly weather observations considered, in a specified three-hourly period during the day for a specified month in which the ceiling was observed to be less than 1,500 feet (300 feet) and/or the visibility was observed to be less than three miles (one mile).

PARAMETERS FOR AIRFIELD AREA AND CLIMATIC AREA

MEAN NO. DAYS WITH CEILING EQUAL TO OR GREATER THAN 1,000 FEET (EQUAL TO OR GREATER THAN 2,500 FEET, EQUAL TO OR GREATER THAN 6,000 FEET, EQUAL TO OR GREATER THAN 10,000 FEET) AND VISIBILITY EQUAL TO OR GREATER THAN 3 MILES

The average of the number of days when, at a specified hour during the day in the specified month, the ceiling was observed to be equal to or greater than 1,000 feet (2,500 feet, 6,000 feet, 10,000 feet) and the visibility was observed to be equal to or greater than three miles.

MEAN NO. DAYS WITH CEILING EQUAL TO OR GREATER THAN 2,000 FEET AND VISIBILITY EQUAL TO OR GREATER THAN 3 MILES AND SURFACE WIND LESS THAN 10 KNOTS

The average of the number of days when, at a specified hour during the day in the specified month, the ceiling was observed to be equal to or greater than 2,000 feet, the visibility was observed to be equal to or greater than three miles, and the surface wind speed less than ten knots.

MEAN NO. DAYS WITH SURFACE WIND EQUAL TO OR GREATER THAN 17 KNOTS AND NO PRECIPITATION

The average of the number of days when, at a specified hour during the day in the specified month, the surface wind speed was observed to be equal to or greater than 17 knots, and there was no precipitation.

MEAN NO. DAYS WITH SURFACE WIND 4-10 KNOTS AND TEMPERATURE 33-89 DEG. F AND NO PRECIPITATION

The average of the number of days when, at a specified hour during the day in the specified month, the surface wind speed was equal to or greater than four knots, but not greater than ten knots, the temperature was equal to or greater than 33 deg. F. but not greater than 89 deg. F. and there was no precipitation.

MEAN NO. DAYS WITH SKY COVER LESS THAN 0.3 AND VISIBILITY EQUAL TO OR GREATER THAN 3 MILES

The average of the number of days when, at a specified hour during the day in the specified month, the portion of the sky covered with clouds was observed to be less than 0.3 and the visibility was observed to be equal to or greater than three miles.

AREA PARAMETERS (CLIMATIC AREA ONLY)

MEAN DAILY TEMPERATURE RANGE-DEG. F.

Two temperatures for the specified month: (1) a representative mean daily maximum temperature observed in the area; (2) a representative mean daily minimum temperature observed in the area.

RANGE OF MEAN MONTHLY PRECIPITATION-INCHES

Two mean monthly precipitation amounts for the specified month: (1) the largest mean amount observed in the area; (2) the smallest mean amount observed in the area.

DATA SOURCES

The source from which values were taken can be determined from the column labeled "No. Obs."

(1) If the number in that column is positive, the data for that line were computer-summarized, and the number given is the number of observations used in the summarization.

(2) If the number is negative and of three digits or less, the data were hand-copies or estimated as indicated in the following source list.

(3) If the number is less than minus 500, part of the data are derived from computer-summarized data, and part from the source list number plus 500. For example, if the number is "-528," the source is the extreme of the computer-summarized data compared to source "-28."

(4) If the number is minus and a four or five digit number, the data were substituted from a representative station nearby and this number is the number of the source station.

(5) Statistical methods or meteorological relationships were used whenever possible to provide data not available at the National Climatic Center or in yearbooks and summaries.

SOURCE LIST

- 1 French Equatorial Africa Service Meteorologique - 1950 - 1959
- 2 Climatic Statistics for Selected Stations on Islands of Reunion and Mayotte
- 3 Angola Servico Meteorologico Elmento Meteorologicos - 1942 - 1952
- 4 Algiers, Universite, Institute de Meteorologie, le Climat de L'Algerie
- 5 Algeria Service Meteorologique Bulletin Climatologique Mensual - 1952 - 1960
- 6 World Climatic Data Africa
- 7 Pt. 1 - Algiers Universite Annuaire du Nord - 1945 - 1950
- 8 Climatological Summaries, West Central Africa
- 9 Algeria, Service Meteorologique Resume Mensuel du Temps - 1951 - 1960
- 10 Klimaat Van Suid-Afrika Parts 1 and 9
- 11 Portuguese East Africa Meteorological Data-Mozambique
- 12 Climatological Summaries-Northern Rhodesia - 1938 - 1948
- 13 Rhodesia Met. Service Climatological Studies - 1948 - 1960
- 14 Climatological Summaries, Central Africa
- 15 Climatological Normals for Egypt. Cairo - 1950
- 16 Egypt Meteorological Dept. Metro Report
- 17 So. Africa Meteorological Services. (Wx on the coasts of So. Africa-Vol.II)
- 18 Weather on the west coast of Africa 7 to 20 years
- 19 Sudan-Meteorological Service Annual Met Report - 1950 - 1957
- 20 Climatological Summaries. Mali and Mauritania, Africa
- 21 Republique Francaise du Maroc Annales - 1945 - 1953
- 22 French West Africa Service Meteorologique Resume Mensuel des Observations - 1953 - 1954; 1955 - 1957
- 23 Climatological Summaries - Upper Volta Africa
- 24 World Distribution of Thunderstorm Days
- 25 WMO Model "A"
- 26 Climatological Summaries - French Somaliland and Somali Republic, Africa
- 27 Air France, Climatology of Africa

- 28 British Meteorological Tables
- 29 Statistical Estimate
- 30 Interpolation
- 31 Professional Subjective Estimate
- 32 Climatic Norms (Clino) WMO
- 33 CB Climatological Briefs
- 34 CDC WB Climatic Data Cards
- 35 N Summary
- 36 Climatological Summaries, Niger, Africa
- 37 Cape Verdi Islands Servicos de Estatistica Meteorologia E. Climatologia
- 38 Climatic Data Tabulation Indonesia Aug 62
- 39 Climate. Agriculture and Agricultural Zones of Burma. American Institute of Crop Ecology. Wash, D. C. 1957
- 40 Climate of Thailand Aug. 1965
1st Weather Wg Special Study 105-10
- 41 Afghanistan Meteorological Institute
Monthly Weather Bulletins
- 42 Lebanon - Service de Climatologie Bulletin
Climatologique Mensuel
- 43 Climatological Tables of Observations in
India (red book)
- 44 India Meteorological Department -
India Weather Review
- 45 Batavia - Rainfall in Indonesia
(Verhandelingen No. 37)
- 46 Turkey-Yillik Meteoroloji Bulteni
- 47 Rainfall Statistics of the British Borneo
Territories
- 48 Ceylon Meteorological Report
December 1938 - 1949
- 49 Kuwait, Arabia - Climatological Data Annual
- 50 Ace Data, computed, derived or substituted
from data available 1964
- 51 Promedios Climatologicos de Venezuela Perido
1951/1960
- 52 Chile Servicio Meteorologico, Anuario
Meteorologico, Publication No. 73
- 53 Climate of Ecuador
- 54 Peru Direction General de Meteorologia
Boletin Anual Meteorologico
- 55 Brazil Normals Climatologicas da Area da
Sudene
- 56 Climatologia de Caile, Fasciculo Valores
Normales de 36 Estaciones Seleceionadas,
period 1916 - 1945
- 57 H.O. Pub No. 527 Weather Summary-Brazil

- 58 H.O. Pub No. 529 Weather Summary-South America - - Southern Part
- 59 Datos Detallados de Climatologia de Venezuela
- 60 Paraguay File
- 61 H.O. Publication No. 530 Weather Summary
- 62 Climatological Summary, Valley of Mexico (Mexico City)
- 63 Argentine Republic Servicio Meteorologico
- 64 Climatological Studies-Weather and Climate of Central America and Mexico
- 65 Climatological Studies Weather and Climate of West Indies
- 66 H.O. Pub. No. 528 Weather Summary South America - - Northern Part
- 67 Climatological Studies-Weather and Climat South America
- 68 Professional Notes British Meteorological Office
- 69 Geografiska Annaler 37-38 - 1955 - 1956
- 70 H.O. Pub. No. 531 Weather Summary Central America - For use w/Naval Air Pilot Supplement '8' Northwest Africa
- 71 Meteorological Yearbook Iranian Met. Dept.
- 72 H.O. Pub. No. 532 Weather Summary-Mexico
- 73 H.O. Pub. No. 264 Weather Summary-South Africa
- 74 H.O. Pub. No. 261 Weather Summary-Supplement 'C' West Central Africa
- 75 H.O. Pub. No. 263 Weather Summary-Supplement 'B' East Central Africa
- 76 H.O. Pub. No. 260 Weather Summary
- 77 Meteorological Data for certain Australian localities
- 78 New Zealand-Meteorological Service Climatological Table - 1951-1958
- 79 Ministerie Van Openbare Werken en Verkeer Meteorologische Dienst
- 80 Climate and Meteorology of Australia-1919 - 1951
- 82 Summaries of Climatological Observations at New Zealand Stations to 1960
- 83 Relative Humidity at 0900 LST only - reference is the same as 82 above.
- 84 Climatological Division Summary (CDC) for Canada, No. 1 thru 13 - 1962-1966
- 85 Climate of British Columbia and the Yukon Territory by W. G. Kendrew and D. Kerr - 1955
- 86 The Climate of Central Canada by W. G. Kendrew and B. W. Currie - 1955

- 87 The Climate of Newfoundland Circular 4019
Cli 30, April 1964
- 88 Servicio Meteorologico Nacional Estadisticas Climatologicas - 1901-1950 Pub. B No. 1 and 1941-1950 Pub. B No. 3
- 89 Anuario Meteorologico 1952, 53, 54
Ministerio de Agricultura Oct. 1955
- 90 Las Precipitaciones en El Uruguay, 1965
- 91 Revista Meteorologica, Sumario, Anos 1944 al 1956 Montevideo 1957
- 92 Climatological Data for Sonora, Northern Sinaloa, Baja, Calif., Univ. of Arizona, Tech. Report Nos. 14, 15, 1 Oct. 1964
- 93 Average Climatic Water Balance Data of the Continents, Part IV, Australia, New Zealand and Oceania, 1963
- 94 Book of Normals - No. 1, Rainfall, Melbourne, 1951
- 95 Climatological Studies, Wea. and Clim. Pacific Islands, Hqs. 2nd Wea Gp F 8
- 96 Climate of the Horow Henua Lowlands New Zealand Met. Service, Note 63. 1966
- 97 Weather Summaries, Pacific and Alaska, Hydrographic Office H.O. Nos. W-270, W-271, 272, 273, 275, 276, 526. Years 1943-1944
- 98 Climatic Table for Japan Area Parts I-II
- 99 The Climate of Japan Vol. IV No. 2, 1931
- 100 Climatic Tables of Japan, Parts 1-5 1931-60
- 101 Climatological Data for Antarctic Stations No. 1-8, 1962-66. (Mean monthly precip. ETAC computed from mean monthly snowfall with water equivalent basis of 10 in. of snow equal 1 in. of precip.).
- 102 Anare Data reports, Series D, Meteorology No. 81, XIII, XII, Melbourne, 1963-65.
- 103 Meteorological and Radiational Regimes of Antarctica, U.S. Dept of Commerce 1964
- 104 Data from Polar Meteorology Section W.B.
- 105 Climatic Summaries for Canada 1947-1954
- 106 Climatic Summaries for Canada, Vol. II, 1948
- 107 Climate of the Canadian Arctic Archipelago, 1951
- 108 Temperature Normals, Averages and Extremes in the Northwest Territories during the period 1931 to 1960
- 109 Averages and Extremes of Climatic Data during 1951-1960 for selected Canadian Arctic stations, 1963
- 110 Canada Met. Br., Temperature Extremes 1966
- 111 Avg. Climatic Water Balance Data of the Continents, Part VI No. America, 1964

- 112 Canada Met. Branch, Monthly Record 1955-1965
- 113 Climatic Summary of the United States Supplement for 1951-through 1960
- 114 Climat. Studies, Hdqs. 19th AF, Alaska G-4, 1960
- 115 Climatological Summary, WB, Alaska, Means and Extremes for period of record thru 1952
- 116 Local Climatological Data, Annual Summary w/ Comparative Data, ESSA, 1966
- 117 Uniform Summary of Surface Wea. Obs.
- 118 Macro and Micro Climatology of the Arctic Slope of Alaska. US Army Tech Report EP-139, Natick Labs, 1960
- 119 Temperatures of Northern America, Hdqs. Quartermaster, US Army, Research Report RER-9, Natick Labs, 1956
- 120 Supplement to Bulletin W, Climatic Summary of the U.S. for 1931 thru 1952
- 121 Hydrographic Institute of the Yugoslav Navy, Met Division, 1946
- 122 Average Climatic Water Balance Data of the Continents, Part V, Europe N.J., 1964
- 123 Meteorology of the Arctic, OPNAV P03-3. March 1956
- 124 Temperatures in Slovenia, Slovenska Akademija. Ljubljana 1965
- 125 Precipitations en Yougoslovie. 1925-40. Belgrad, 1957
- 126 Prilozi Rosnavanju Klime Jugoslavije 1, Belgrad, 1957
- 127 Great Brit. Aviation Meteorological Report No. 19 (Yugoslavia). 1943
- 128 Ireland Met. Service. Monthly Wea. Report 1949-1952
- 129 Ireland Met. Service. Monthly Wea. Report 1958-1962
- 130 Climatological Summaries, Western Coastal Africa
- 131 Climatological Summaries, Tanzanyika, Uganda and Kenya, Africa
- 132 Madagascar Meteorologique Service Publications Nos. 10,12,14,15,17,18,20-28.
- 133 O Clima de Portugal Fasciculo XIV. Lisboa 1965
- 134 Weather and Climate at Addis Ababa, Dire Dawa and Jimma, April 1965
- 135 Rhodesia and Nyasaland Climate Handbook Supplement 2
- 136 Rhodesia and Nyasaland Climate Information Sheets No. 1
- 137 Escuisse Climatographique de la Belgique, Brussels, 1947
- 138 Danmarks Kuima, 1933

- 139 General Climatic Data for Spain 2WW 1955
- 140 Memorial de la Meteorologie Nationale No. 50. Climatologie de la France Paris 1967
- 141 Klimakunde des Deutschen Reiches. Vol II Berlin, 1939
- 142 Statistiche Meteorologiche Relative Alle Principali Localita Italiane, Part 2 Roma, 1962
- 143 Climatological Summaries for Air Navigation in Norway, Vol. No. 6 Bardufoss Airport April 1960
- 144 Klimatabeller for Landbruget, Oslo 1955
- 145 Agricultural Climatology of Sweden and its Agro-Climatic Analogues in North America, No. 11 1950
- 146 Das Klima Der Schweiz, Mauer, Billwiller, Hess 1909
- 147 Averages of Humidity for the British Isles, Met. Office, London, M.O. #421 1938
- 148 Weather in the Home Waters and N.E. Atlantic, Met. Office, London M.O. #446 1943
- 149 Monographies de la Meteorologie Nationale, No. 55. Valeurs Normales des Hauteurs de Precipitations en France. (1931-1960 and 1901-1950). Paris, 1966
- 150 Monographies de la Meteorologies Nationale. No. 59. Elements Climatologiques Concernant Les Cotes de la France Metropolitaine, Paris 1967
- 151 Averages of Rainfall for Great Britain and Northern Ireland. 1916-1950 M.O. #635 1958
- 152 Averages of Temperature for Great Britain and Northern Ireland. 1931-1960 M.O. #735 1963
- 153 Etudes Sur le Climat de la France, Vol I Paris 1904
- 154 Monographies de la Meteorologie Nationale No.30. Valeurs Normales des Temperatures en en France (1921-1950) Paris 1962
- 155 Climate of Malaysia Oct 1964 1st Wea Wg Special Study 105-5
- 156 Climate of Republic of Vietnam April 1965 1st Wea Wg Special Study 105-9
- 157 Climate of Cambodia May 1968 1st Wea Wg Special Study 105-15
- 158 Computer Print-out of climatic data summaries for Laos 1st Wea Gp April 1969
- 159 Climate of North Vietnam June 1965 1st Wea Wg Special Study 105-4
- 160 Manual on the Climate of the USSR, Volume I, Part II Hydrometeorological Publishing Office, Leningrad, 1965
- 161 Manual on the Climate of the USSR, Volume 4
- 162 Manual on the Climate of the USSR, Volume 5
- 163 Manual on the Climate of the USSR, Volume 12

- 164 Manual on the Climate of the USSR,
Volume 13
- 165 Manual on the Climate of the USSR,
Volume 15
- 166 Manual on the Climate of the USSR,
Volume 17
- 167 Manual on the Climate of the USSR,
Volume 18
- 168 Manual on the Climate of the USSR,
Volume 19
- 169 Manual on the Climate of the USSR,
Volume 22
- 170 Manual on the Climate of the USSR,
Volume 23
- 171 Manual on the Climate of the USSR,
Volume 25
- 172 Manual on the Climate of the USSR,
Volume 26
- 173 Manual on the Climate of the USSR,
Volume 27
- 174 Manual on the Climate of the USSR,
Volume 28
- 175 Manual on the Climate of the USSR,
Volume 29
- 176 Manual on the Climate of the USSR,
Volume 33
- 176 Manual on the Climate of the USSR,
Volume 33
- 177 Manual on the Climate of the USSR,
Volume 34
- 178 Climatological Statistics for Czechoslovakia,,
Prague 1961
- 179 Clima Republich Populare Romine Vol II
Buchurest, 1961
- 180 Weather and Climate of China, Report No.
890, 1945
- 181 Climatological Data on Precipitation in China,
Academia Sinica, Peking May 1954
- 182 Atlas of Chinese Climatology JPRS 16321,
23 November 1962

HOW TO USE THIS INDEX

THE BARS TO THE RIGHT OF EACH AREA'S NUMBER(S) ON THE EDGE OF THIS COVER INDICATE THE POSITIONS OF SIMILAR MARKS PRINTED ON THE FIRST PAGE OF THE LISTING FOR EACH AREA. THESE MARKS APPEAR WHEN THE PUBLICATION IS BENT SO AS TO SPREAD THE PAGES.

INDEX

CHINA

CLIMATIC AREAS 1, 2, and 3

CLIMATIC AREAS 4, 5, 6, and 7

STATION INDEX

WORLD-WIDE AIRFIELD SUMMARIES - VOLUME XII CHINA, NORTH KOREA AND MONGOLIA

CHINA - PART 1

STATION NO./NAME	PAGE NO.	STATION NO./NAME	PAGE NO.
DZUNGARIAN BASIN (Climatic Area 1)			
51076 Cheng-Hua/Aleita	01	51895 Mangya	48
51087 Fuyun	03	51931 Keriya/Yutien	50
51156 Hopouksail	05	52203 Hami	52
51288 Pei-Tah-Shan/Bay	07	52313 Hsing-Hsing-Hsia	54
51334 Ching-Ho/Chiengh	09	52391 Pang-Ting-To-Lo	56
51346 Wusu	11	52418 Tun-Huang/Tunhwa	58
51356 Shihhotse	13	52436 Yu-Men	60
51379 Chitai	15	52446 Ting-Hsin/Tiengh	62
51431 Ining	17	52533 Chiu-Chuan	64
51463 Ti-Hua/Wulumuchi	19	52546 Kaotai	66
Climat	21	52602 Khotun Nor	68
		52661 Shan-Tan	70
		52713 Pa Hsai Chai Tam	72
		52737 Tehlingha	74
		52818 Karmu	76
		52836 Chahanwusu	78
WESTERN DESERT (Climatic Area 2)			
51495 Chi-Chiao-Ching	22	53502 Chiantai	80
51567 Yen-Chi/Yanchi	24	53614 Yinchuan/Yinchwa	82
51573 Turfan/Tulufan	26	Climat	84
51628 Akosu	28		
51644 Kuche/Kucha Apt	30	TIBET MOUNTAINS (Climatic Area 3)	
51705 Islak Karaul	32	52787 Wuchiaoling/Wous	85
51709 Su-Lo/Shu Leh	34	52856 Chia-Lu-Ya	87
51716 Pa-Chu/Bachu	36	52866 Hsi-Ning/Sining	89
51777 Nochiang	38	52889 Kao-Lan/Lanchow	91
51804 Pu-Li/Pouli	40	52957 Tungte/Tuengte	93
51811 So-Che/Sache	42	52978 Hsia-Hc/Siano	95
51828 Khotan/Hotien	44	52996 Hua-Chia-Ling/Hw	97
51855 Charchan/Chichmo	46		

STATION NO./NAME	PAGE NO.	STATION NO./NAME	PAGE NO.
55279	Tag-Dong	99	
55299	Adag Mamar/Heiho	101	
55578	Zhikatse/Jih Keh	103	
55591	Lhasa/Lasa	105	
55773	Phari-Dzong/Pali	107	
56004	Chiting-Hsilin/K	109	
56018	Yu Yu Ji Hpen/Te	111	
56021	Sewu Kou	113	
56029	Yush:/Chieh-Ku	115	
56033	Huanghoyien	117	
56046	Chinaf	119	
56106	So Tsun	121	
56116	Te-Ching/Tingchi	123	
56137	Chang-Tu	125	
56146	Kan-Tzu/Kantze	127	
56247	Pa-An/Patang	129	
56444	Te-Chin/Deh Chin	131	
	Climat	133	

YELLOW RIVER AREA (Climatic Area 4)

50915	La-Ma-Ku-Lien-Mi	134
53068	Erhlien	136
53083	Biruuta	138
53192	Henpeimiao	140
53231	Tugurik	142
53276	Wentulmiao	144
53336	Hailiutu	146
53391	Hua-Te/Hwateh	148
53420	Tai-An-Chen/Shan	150
53446	Pao-Tau/Paotow	152
53463	Kuei-Sui/Huhehot	154
53529	Otokechi	156
53546	Chasakochi	158
53564	Ho-Chu	160
53588	Wutaishan	162

53593	Yu-Hsien	164
53646	Yu-Lin	166
53723	Yen-Chih	168
53772	Tai-Yuan	170
53845	Fu-Shih/Yenan	172
53863	Chih-Hsiu	174
53868	Lin-Fen/Linfung	176
53915	Pingliang	178
53923	Hsi-Feng-Chen/Si	180
53959	Yun-Cheng/Yuncho	182
54012	Wang-Kai-Miao	184
54102	Pategaga Sume/Hs	186
54208	To-Lun	188
54401	Chang-Chia-Kou	190
54405	Huai-Lai/Awailai	192
	Climat	194

CENTRAL MOUNTAINS (Climatic Area 5)


56093	Min-Hsien	195
56096	Wu-Tu/Woutou	197
57016	Pao-Chi	199
57036	Hsi-An/Sian	201
57046	Hua-Hsien/Hwahsh	203
57067	Lu-Shih	205
57073	Lo-Yang/Ho-Nan	207
57106	Lueh-Yang/Loyang	209
57127	Nan-Cheng/Nanchu	211
57178	Nan-Yang	213
57245	An-Kang	215
57265	Lao-Ho-Kou	217
	Climat	219


SZECHWAN BSN-MTN (Climatic Area 6)


56171	Apa	220
56172	Malkang	222

STATION NO./NAME	PAGE NO.	STATION NO./NAME	PAGE NO.		
56178	Mou-Kung/Hsiaoeh	224	57598	Hsiu-Shui	295
56182	Sung-Pan/Sunpan	226	57622	Hsin-Chou/Chirfe	297
56183	Mou-Hsien/Maoksi	228	57633	Yu-Yang/Lu Yang	299
56257	Li-Hua/Litang	230	57655	Yuan-Ling/Shench	301
56287	Ya-An/Yaen	232	57662	Chang-Te/Changte	303
56294	Cheng-Tu	234	57671	Yuan-Chiang	305
56385	O-Mei/Omeshan	236	57679	Chang-Sha	307
56462	Chiulung	238	57745	Chih-Chiang/Chih	309
56492	I-Pin/Yehpin	240	57816	Kuei-Yang/Kweiya	311
56571	Hsi-Chang/Hsicha	242	57902	Hsing-Jen/Hsieng	313
56586	Chao-Tung	244	57916	Lo-Tien/Lutien	315
56651	Li-Chiang	246	57932	Jung-Chiang/Yung	317
56671	Hui-Li/Hweili	248	58424	Huai-Ning/Anchin	319
56739	Teng-Chung	250	58437	Huang-Shan	321
56748	Pao-Shan	252	58457	Hang-Chou/Hangch	323
56751	Ta-Li	254	58477	Chou-Shan	325
56763	Yuan-Mou/Yuanmao	256	58502	Chiu-Chiang	327
56778	Kun-Ming	258	58527	Fou-Liang/Chieng	329
56786	Chan-I/Tsay Ye	260	58847	Fu-Chou/Fuchow	331
56951	Lintsang	262	58944	Ping-Tan	333
56959	Ching-Hung	264	59007	Kuang-Nan/Kwangn	335
56964	Ssu-Mao/Szema	266	59023	Chin-Cheng-Chian	337
56985	Meng-Tzu/Mengtze	268	59046	Liu-Chou/Liuchow	339
57206	Kuang-Yuan	270	59134	Hsia-Men	341
57237	Wan-Yuan	272	59211	Pa1-Se/Poseh	343
57328	Ta-Hsien	274	59316	Shan-Tou/Swatow	345
57411	Nan-Chung	276	59321	Tung-Shan/Tonshi	347
57461	I-Chang/Yehchang	278	59417	Lung-Ching/Lungc	349
57504	Nei-Chiang	280	59431	Nanning/Yungnin	351
57515	Chung-Ching/Sapi	282	59501	Shan-Wei	353
57602	Lu-Hsien/Luhsian	284	59632	Chin-Hsien/Chinc	355
57707	Pi-Chieh	286	59658	Chan-Chiang/Ft B	357
	Climat	288	59663	Yang-Chiang	359
			59758	Hai-Kou/Haikow	361
			59838	Pei-Li/Hainan Is	363
			59855	Chia-Chi-Shih/C	365
			59948	Yulin/Yulinkang	367
			59981	Hsi-Sha Chou/Par	369
				Climat	371
SOUTH CENTRAL MTNS (Climatic Area 7)					
57447	En-Shih/Shinan	289			
57494	Han-Kou/Hankow	291			
57584	Yueh-Yang/Yochow	293			

CHINA, NORTH KOREA, AND MONGOLIA
WORLD AIRFIELD SUMMARIES







CHENG-HUA/ALEITA, CHINA

STA NO. 51076 (IN AREA NUMBER 01)

LATITUDE 4732N

LONGITUDE 08006E

ELEVATION(FT) 03281

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	32	43	66	81	88	97	97	100	95	82	59	37	100	8	2328
MEAN MAX TMP (F)	12	20	36	55	68	78	82	81	71	53	31	17	50	8	2328
MEAN MIN TMP (F)	-9	-2	15	34	46	54	58	57	48	33	13	-1	29	8	2300
ABS MIN TMP (F)	-38	-31	-26	7	25	36	46	41	21	7	-33	-33	-38	8	2300
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	3.2	4.2	4.5	1.5	0.0	0.0	0.0	13.4	8	2328
MEAN NO DYS TMP = DR LES 32(F)	31.0	28.0	27.4	14.3	3.6	0.0	0.0	0.0	1.4	16.2	28.8	31.0	181.7	8	2300
MEAN NO DYS TMP = DR LES 0(F)	25.5	17.4	9.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.5	17.4	70.3	8	2300
MEAN DEW PT TMP (F)	7	1	14	22	29	41	48	45	34	21	11	0	23	8	14433
MEAN REL HUM (PCT)	68	71	65	45	38	42	47	45	41	48	68	72	54	8	14203
MEAN PRESS ALT (FT)	2497	2628	2848	3020	3197	3356	3481	3375	3165	2998	2662	2566	2975	8	14542
MEAN PRECIP (IN)														0	0
MEAN SNOW FALL (IN)						0.0	0.0	0.0						8	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN						0.0	0.0	0.0						0	0
MEAN NO DYS SNFL = DR GTR 1.5 IN						0.0	0.0	0.0						8	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	0.7	1.2	2.4	0.0	0.0	0.0	0.0	0.0	0.0	0.3	2.2	2.0	8.8	8	2242
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.7	2.4	4.1	5.6	5.1	2.1	0.0	0.0	0.0	20.0	8	2236
P FREQ WND SPD = DR GTR 17 KTS	0.2	0.3	2.0	7.4	6.9	4.0	1.8	1.7	2.8	3.3	1.3	0.4	2.7	8	14673
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.2	0.5	0.4	0.1	0.1	0.1	0.2	0.2	0.1	0.0	0.2	8	14673
P FREQ LES 3000 FT A/O LES 5 MI	3.1	5.7	7.8	6.4	6.2	3.4	3.1	3.5	1.3	2.9	11.0	11.3	5.5	8	15059
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	2.0	3.6	2.3	0.8	0.0	0.0	0.0	0.8	0.0	0.5	6.0	7.8	2.0	8	2359
03-05 LST	2.9	2.4	4.5	0.7	1.4	0.8	2.2	0.9	0.0	0.8	6.2	11.4	2.9	8	1556
06-08 LST	2.6	5.2	6.4	3.3	1.1	0.0	1.5	0.3	0.0	0.4	5.0	6.4	2.9	8	2321
09-11 LST	3.6	4.6	7.9	3.1	0.4	0.0	0.0	0.0	0.0	2.8	11.8	8.6	3.6	8	1697
12-14 LST	1.3	2.5	5.0	2.6	0.0	0.0	0.0	0.0	0.3	1.8	6.8	8.2	2.4	8	2363
15-17 LST	2.4	3.1	2.6	1.0	0.7	0.0	0.5	0.0	0.0	0.4	4.0	7.6	1.9	8	1564
18-20 LST	1.0	2.7	2.9	3.3	0.0	0.6	0.0	1.1	0.0	0.4	5.7	7.4	2.1	8	2392
21-23 LST	1.4	0.8	1.1	0.7	0.0	0.0	0.4	0.0	0.0	1.2	4.5	8.0	1.5	6	1786
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.5	1.7	1.0	0.5	0.0	0.0	0.0	0.6	0.0	0.0	0.9	3.1	0.7	8	2359
03-05 LST	0.7	1.6	3.0	0.7	1.4	0.8	0.9	0.9	0.0	0.0	0.0	5.7	1.3	8	1556
06-08 LST	1.6	2.2	5.4	1.1	0.6	0.0	0.0	0.0	0.0	0.4	3.5	2.6	1.5	8	2321
09-11 LST	1.4	2.6	4.1	0.7	0.0	0.0	0.0	0.0	0.0	0.7	5.6	4.2	1.6	8	1687
12-14 LST	0.5	0.6	2.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	2.3	1.8	0.6	8	2363
15-17 LST	0.7	1.6	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	3.2	0.6	8	1564
18-20 LST	0.0	0.5	0.5	1.1	0.0	0.0	0.0	0.0	0.0	0.0	2.3	3.9	0.7	8	2392
21-23 LST	0.7	0.8	0.0	0.7	0.0	0.0	0.0	0.0	0.0	0.0	1.9	3.8	0.7	6	1786

CHENG-HUA/ALEITA, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	06 LST	30.2	26.6	29.2	29.2	30.6	30.0	30.6	31.0	30.0	30.9	28.7	28.7	355.7	8	2321
	12 LST	30.7	27.4	29.8	29.4	31.0	30.0	31.0	31.0	30.0	30.7	28.4	28.7	358.1	8	2363
	18 LST	30.7	27.2	30.2	29.2	31.0	29.8	31.0	30.7	30.0	30.9	28.5	28.8	358.0	8	2392
	00 LST	30.4	27.1	30.5	29.8	31.0	30.0	31.0	30.8	30.0	30.9	28.6	28.8	358.9	8	2359
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	06 LST	28.5	24.3	21.1	18.6	21.9	23.4	28.0	25.7	22.8	24.1	25.5	26.5	290.4	8	2316
	12 LST	29.9	26.3	26.5	22.7	22.5	23.2	26.4	25.9	23.2	24.8	25.0	27.7	304.1	8	2355
	18 LST	29.1	25.3	26.4	18.3	16.7	17.9	20.2	23.7	23.1	25.4	26.8	26.7	279.6	8	2389
	00 LST	28.2	23.2	19.8	16.2	18.4	22.1	25.2	20.6	20.4	20.5	25.3	27.3	267.2	8	2355
SFC WND = GTR 17 KTS AND NO PRECIP.	06 LST	0.2	0.2	0.6	1.2	0.5	0.2	0.0	0.2	0.3	0.4	0.4	0.0	4.2	8	2325
	12 LST	0.2	0.3	0.5	1.8	1.9	0.8	0.0	0.2	1.3	0.5	0.5	0.0	8.0	8	2367
	18 LST	0.2	0.0	0.9	2.8	3.4	1.9	1.2	0.3	1.1	1.2	0.1	0.3	13.4	8	2391
	00 LST	0.1	0.2	0.3	2.0	1.2	1.1	0.2	0.5	0.6	0.6	0.4	0.1	7.2	8	2362
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	06 LST	0.0	0.0	2.4	8.1	15.9	15.9	16.0	12.2	14.9	10.7	0.8	0.0	96.9	8	2306
	12 LST	0.0	0.6	6.3	15.8	18.7	16.6	17.8	15.3	14.8	17.7	3.2	0.1	126.9	8	2353
	18 LST	0.0	0.2	6.6	14.2	13.8	15.3	13.0	16.4	14.5	11.6	2.2	0.0	107.8	8	2375
	00 LST	0.0	0.0	2.9	10.1	14.0	14.8	15.1	15.5	16.6	12.8	1.1	0.0	102.9	8	2354
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	06 LST	19.1	15.8	11.1	13.3	11.3	13.1	12.6	14.1	15.2	14.8	13.2	13.7	167.3	8	2328
	12 LST	14.2	11.4	10.8	10.4	11.2	13.1	12.3	14.7	11.7	10.1	9.7	141.6	8	2372	
	18 LST	16.3	13.5	11.5	11.1	10.9	10.2	8.7	11.7	16.4	12.7	12.9	13.1	149.0	8	2397
	00 LST	14.5	16.7	15.3	17.6	18.4	18.5	16.7	19.2	19.9	18.2	13.6	13.8	206.4	8	2362
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	06 LST	30.2	26.4	28.7	28.8	30.5	29.9	30.3	30.8	30.0	30.8	28.1	28.0	352.5	8	2321
	12 LST	30.5	27.2	29.0	28.9	30.9	30.0	31.0	30.9	29.8	30.0	27.1	28.1	353.4	8	2363
	18 LST	30.7	27.2	29.9	28.8	30.9	29.8	31.0	30.7	30.0	30.8	27.9	28.6	356.3	8	2392
	00 LST	30.3	26.8	30.0	29.6	30.9	30.0	30.9	30.7	30.0	30.8	27.7	28.3	356.0	8	2359
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	06 LST	29.4	25.5	27.0	27.3	27.1	27.3	26.4	28.0	28.1	30.0	26.3	27.1	329.5	8	2321
	12 LST	30.5	26.5	28.1	26.0	27.7	25.4	26.0	27.4	28.1	28.6	25.1	27.6	327.0	8	2363
	18 LST	30.5	26.9	28.7	27.1	26.9	25.5	24.7	27.0	29.1	28.5	26.2	27.8	328.9	8	2392
	00 LST	29.7	25.8	28.4	28.4	28.7	27.6	27.2	26.8	27.8	29.6	26.6	27.3	333.9	8	2359
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	06 LST	29.2	25.4	26.6	26.7	26.8	26.2	25.7	25.9	26.4	29.6	25.2	26.2	319.9	8	2321
	12 LST	30.4	26.5	27.9	25.5	27.4	24.3	25.1	25.7	27.3	27.5	24.3	27.3	319.2	8	2363
	18 LST	29.8	26.3	28.6	26.1	26.0	24.0	21.9	24.8	27.1	27.8	25.8	27.2	315.4	8	2392
	00 LST	29.4	25.5	28.1	28.0	27.7	26.9	26.1	25.5	26.3	28.5	25.9	26.4	324.3	8	2359

FUYUN, CHINA

STA NO. 31007 (IN AREA NUMBER 01)

LATITUDE 4720N

LONGITUDE 08943E

ELEVATION(FT) 04003

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
ABS MAX TMP (F)	25	46	68	77	90	97	97	100	95	79	63	39	100	8	2404
MEAN MAX TMP (F)	1	14	33	52	65	76	79	78	69	54	27	9	46	8	2404
MEAN MIN TMP (F)	-28	-19	4	24	37	46	51	47	37	23	1	-15	17	8	2360
ABS MIN TMP (F)	-62	-58	-40	-8	21	30	37	27	18	-8	-31	-51	-62	8	2360
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.2	3.0	4.2	3.5	0.8	0.0	0.0	0.0	11.7	8	2404
MEAN NO DYS TMP = DR LES 32(F)	31.0	28.0	30.2	24.1	10.4	0.2	0.0	0.5	9.4	26.7	30.0	31.0	221.5	8	2360
MEAN NO DYS TMP = DR LES 0(F)	30.0	25.2	12.8	1.0	0.0	0.0	0.0	0.0	0.0	0.4	12.9	26.2	108.5	8	2360
MEAN DEW PT TMP (F)	22	10	8	21	30	41	47	44	34	21	4	11	24	8	14236
MEAN REL HUM (PCT)	76	77	72	56	50	52	57	57	54	59	75	78	64	8	13902
MEAN PRESS ALT (FT)	3319	3218	3496	3740	3905	4073	4150	4080	3845	3584	3317	3241	3667	8	14249
MEAN PRECIP (IN)														0	0
MEAN SNOW FALL (IN)						0.0	0.0							8	-29
MEAN NO DYS PRCP = DR CTR 0.1 IN														0	0
MEAN NO DYS SNFL = DR CTR 1.5 IN						0.0	0.0							8	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	1.3	1.5	1.7	0.5	0.0	0.2	0.0	0.0	0.0	0.5	1.9	1.6	9.2	8	2303
MEAN NO DYS YSTMS	0.0	0.0	0.0	0.2	1.5	5.0	5.1	3.9	0.4	0.2	0.0	0.0	16.3	8	2307
P FREQ WND SPD = DR GTR 17 KTS	0.0	0.1	0.9	2.4	2.2	1.3	0.9	2.0	0.8	0.6	0.4	0.1	1.0	8	14551
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.1	0.0	0.3	0.3	0.0	0.2	0.0	0.1	0.0	0.0	0.1	8	14551
P FREQ LES 5000 FT A/D LES 5 MI	7.0	5.9	5.0	8.2	9.0	6.0	11.0	5.4	5.6	5.0	8.3	9.6	7.2	8	15049
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	11.5	7.3	3.5	2.6	0.5	0.5	0.3	0.0	0.2	2.5	12.2	8.8	4.2	8	2439
03-05 LST	9.0	7.3	4.8	2.4	0.0	0.0	0.7	0.8	0.0	0.8	9.7	15.4	4.2	8	1648
06-08 LST	6.6	5.1	3.5	1.9	2.4	0.3	0.3	0.5	0.5	1.2	5.2	6.6	2.9	8	2394
09-11 LST	5.6	7.5	3.8	4.4	1.8	0.4	0.8	1.1	1.1	3.2	4.1	6.6	3.4	8	1771
12-14 LST	1.5	2.3	2.0	3.4	0.5	0.0	0.8	0.2	0.0	1.6	3.8	4.5	1.7	8	2450
15-17 LST	0.7	3.1	2.1	3.0	0.4	0.0	0.0	0.0	0.8	2.6	3.4	6.0	1.8	8	1672
18-20 LST	2.5	1.6	1.0	1.0	1.0	0.5	0.0	0.0	0.0	2.0	3.3	4.8	1.5	8	2500
21-23 LST	5.3	4.0	3.4	1.0	0.0	0.0	1.4	0.0	0.0	1.2	12.0	13.3	3.5	6	1177
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	5.2	4.5	3.0	1.0	0.0	0.0	0.0	0.0	0.0	0.9	4.1	2.3	1.8	8	2439
03-05 LST	4.5	4.6	4.1	0.7	0.0	0.0	0.0	0.0	0.0	0.0	1.4	4.9	1.7	8	1648
06-08 LST	2.2	2.3	2.5	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.9	1.3	0.8	8	2394
09-11 LST	3.5	4.1	1.2	1.4	0.7	0.0	0.0	0.0	0.0	2.6	1.2	1.2	1.3	8	1771
12-14 LST	0.0	0.6	0.5	1.6	0.5	0.0	0.0	0.0	0.0	0.9	0.9	0.9	0.5	8	2450
15-17 LST	0.0	0.8	0.7	1.3	0.0	0.0	0.0	0.0	0.0	0.0	1.3	1.2	0.4	8	1672
18-20 LST	0.5	1.1	0.0	0.5	0.5	0.5	0.0	0.0	0.0	0.9	1.3	0.4		8	2500
21-23 LST	2.7	3.0	0.9	1.0	0.0	0.0	0.0	0.0	0.0	1.2	5.0	3.8	1.5	6	1177

FUYUN, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	06 LST	29.0	26.6	29.9	29.5	30.5	30.0	31.0	30.8	30.0	30.7	28.5	29.0	355.5	8	2394
	12 LST	30.5	27.4	30.4	29.1	30.8	30.0	30.8	31.0	30.0	30.6	28.9	29.6	359.1	8	2450
	18 LST	30.2	27.5	30.7	29.7	30.8	29.8	31.0	31.0	30.0	30.5	29.1	29.5	359.8	8	2500
	00 LST	27.4	26.0	29.9	29.4	30.8	29.8	31.0	31.0	30.0	30.3	26.4	28.3	350.3	8	2439
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	06 LST	29.0	26.6	27.7	26.7	28.3	29.1	30.0	30.4	28.9	30.0	27.8	29.0	343.5	8	2389
	12 LST	30.5	27.0	28.9	23.9	24.4	23.5	25.7	26.1	26.8	28.5	28.0	29.3	322.6	8	2443
	18 LST	30.2	27.4	29.0	22.3	20.0	20.3	21.2	21.3	24.9	29.1	28.5	29.4	303.6	8	2493
	00 LST	27.3	25.7	29.1	26.8	30.2	28.4	29.6	28.8	28.8	29.1	25.9	28.1	337.8	8	2433
SFC WND = GTR 17 KTS AND NO PRECIP.	06 LST	0.0	0.0	0.2	0.6	0.2	0.0	0.0	0.0	0.0	0.1	0.3	0.0	1.4	8	2409
	12 LST	0.0	0.0	0.0	0.8	0.8	0.3	0.3	0.1	0.3	0.0	0.1	0.0	2.9	8	2464
	18 LST	0.0	0.0	0.2	1.5	2.1	1.4	1.1	1.2	0.5	0.0	0.3	0.0	8.3	8	2510
	00 LST	0.0	0.2	0.2	0.6	0.5	0.9	0.0	0.4	0.1	0.3	0.0	0.1	3.3	8	2440
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	06 LST	0.0	0.0	0.5	1.4	3.6	2.4	1.6	2.3	3.2	1.6	0.1	0.0	16.7	8	2384
	12 LST	0.0	0.0	3.7	9.6	15.3	11.8	10.8	10.1	8.6	4.9	0.7	0.0	75.5	8	2447
	18 LST	0.0	0.0	1.7	7.8	12.5	13.3	13.9	11.4	8.2	4.8	0.4	0.0	74.0	8	2490
	00 LST	0.0	0.0	0.3	1.1	2.7	2.5	2.3	2.7	3.2	0.9	0.3	0.0	16.0	8	2425
SKY COVER LEC 3/10 AND VSBY = GTR 3 MI	06 LST	19.7	16.5	13.1	13.5	12.4	12.7	11.4	14.3	17.6	16.0	16.1	16.3	179.6	8	2403
	12 LST	16.0	13.4	11.8	11.2	10.3	11.3	8.1	11.3	15.1	14.5	11.0	12.3	146.3	8	2463
	18 LST	19.4	16.2	12.0	12.6	11.5	9.0	11.0	11.1	16.6	14.3	14.9	17.1	163.7	8	2517
	00 LST	17.0	15.8	17.1	17.5	19.7	17.8	18.0	19.3	21.9	20.1	15.6	16.6	216.4	8	2442
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	06 LST	29.0	26.6	29.7	29.1	29.9	29.8	30.3	30.8	29.6	30.5	28.4	28.9	352.6	8	2394
	12 LST	30.5	27.3	30.1	28.4	30.3	29.9	30.4	30.5	29.7	30.3	28.8	29.5	355.7	8	2450
	18 LST	30.2	27.5	30.6	29.4	30.2	29.8	30.9	30.8	29.8	30.1	28.9	29.5	357.7	8	2500
	00 LST	27.4	26.0	29.9	29.0	30.8	29.8	30.8	30.8	29.8	30.1	26.3	28.3	349.0	8	2439
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	06 LST	29.0	26.4	29.5	26.5	26.4	26.2	25.5	27.7	27.5	29.6	28.0	28.4	330.7	8	2394
	12 LST	30.4	27.2	28.7	24.8	24.4	22.1	22.3	24.5	25.4	27.5	28.5	29.2	315.0	8	2450
	18 LST	30.1	27.4	29.8	26.6	27.0	23.7	25.0	26.4	26.7	28.6	28.3	29.1	328.7	8	2500
	00 LST	27.4	25.8	29.9	27.5	28.8	27.5	27.1	27.9	28.2	28.6	26.0	28.0	332.7	8	2439
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	06 LST	29.0	26.4	29.5	26.5	26.2	26.0	25.5	27.4	27.5	29.6	28.0	28.4	330.0	8	2394
	12 LST	30.4	27.2	28.7	24.7	24.4	22.1	22.1	23.7	25.3	27.4	28.5	29.2	313.7	8	2450
	18 LST	30.1	27.4	29.8	26.5	26.8	23.4	24.6	26.3	26.5	28.6	28.3	29.1	327.4	8	2500
	00 LST	27.4	25.8	29.9	27.5	28.7	27.4	27.1	27.7	28.2	28.6	26.0	28.0	332.3	8	2439

HOPOUKSAIL, CHINA

STA NO. 51156 (IN AREA NUMBER 01)

LATITUDE 4648N

LONGITUDE 0861E

ELEVATION(FT) 62625

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	39	52	64	73	93	90	88	88	88	77	54	43	93	8	2310
MEAN MAX TMP (F)	19	26	39	52	63	74	76	75	66	50	32	24	50	8	2310
MEAN MIN TMP (F)	-2	4	18	29	40	50	54	51	42	28	13	4	28	8	2392
ABS MIN TMP (F)	-20	-22	-11	3	18	34	43	34	21	1	-15	-18	-22	8	2392
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.2	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.7	8	2310
MEAN NO DYS TMP = OR LES 32(F)	31.0	28.0	29.5	19.1	7.3	0.0	0.0	0.0	4.0	21.1	29.7	31.0	200.7	8	2392
MEAN NO DYS TMP = OR LES 0(F)	18.9	9.4	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	11.3	44.6	8	2392
MEAN DEW PT TMP (F)	4	4	12	18	27	38	44	42	33	19	10	3	21	8	14305
MEAN REL HUM (PCT)	65	64	57	45	42	44	52	50	48	51	67	71	55	8	13972
MEAN PRESS ALT (FT)	1939	2077	2270	2411	2553	2720	2824	2718	2512	2272	2050	1996	2362	8	14353
MEAN PRECIP (IN)														0	0
MEAN SNOW FALL (IN)						0.0	0.0	0.0						8	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN														0	0
MEAN NO DYS SNFL = OR GTR 1.5 IN						0.0	0.0	0.0						8	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	1.1	0.8	0.3	0.2	0.2	0.0	0.0	0.2	0.5	0.3	1.0	2.2	6.8	8	2242
MEAN NO DYS TSTMS	0.0	0.3	0.0	0.7	2.2	7.9	13.4	9.2	2.0	0.0	0.0	0.0	35.7	8	2242
P FREQ WND SPD = OR GTR 17 KTS	1.7	3.8	5.8	13.3	15.2	12.9	10.1	6.2	5.4	9.3	3.2	3.7	7.6	8	14502
P FREQ WND SPD = OR GTR 28 KTS	0.2	0.6	1.0	2.3	1.4	0.8	0.2	0.5	0.1	1.4	0.7	0.8	0.9	8	14502
P FREQ LES 5000 FT A/D LES 5 MI	5.4	7.3	9.5	10.1	14.2	11.7	13.4	9.9	7.9	6.1	12.8	9.0	9.8	8	15251
P FREQ LES 1900 FT A/D LES 3 MI															
FOR 00-02 LST	0.5	1.8	3.8	1.8	0.0	0.0	0.0	1.0	1.4	1.4	2.1	2.5	1.4	8	2300
03-05 LST	1.6	4.0	1.8	2.1	1.4	0.0	0.0	0.0	0.0	0.4	3.0	3.0	1.4	8	1549
06-08 LST	1.7	2.5	1.0	1.6	3.0	0.0	0.0	0.8	1.0	0.7	6.0	4.8	1.9	8	2361
09-11 LST	3.5	4.4	3.8	1.7	1.4	0.0	0.8	0.0	0.0	3.0	4.8	4.9	2.4	8	1754
12-14 LST	2.1	2.0	1.8	0.8	0.5	0.5	0.8	0.0	0.0	0.8	2.0	4.2	1.3	8	2461
15-17 LST	2.1	3.5	2.6	1.7	1.4	0.7	2.9	0.0	0.9	2.0	2.7	0.9	1.8	8	1653
18-20 LST	4.4	3.6	4.4	2.6	0.0	0.0	1.0	0.0	0.4	1.7	4.3	7.9	2.5	8	2484
21-23 LST	1.5	0.8	4.1	1.6	0.0	0.7	1.9	0.0	0.0	1.2	2.7	7.0	1.8	7	1761
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.0	0.6	1.6	0.6	0.0	0.0	0.0	0.5	1.0	0.5	1.4	1.0	0.6	8	2300
03-05 LST	0.8	2.4	0.0	1.4	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.7	0.6	8	1589
06-08 LST	1.1	0.6	0.5	0.5	0.5	0.0	0.0	0.5	0.5	0.0	2.3	3.3	0.8	8	2361
09-11 LST	1.4	2.7	0.6	0.0	0.0	0.0	0.8	0.0	0.0	1.3	0.6	3.0	0.9	8	1754
12-14 LST	0.5	0.6	0.5	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.9	2.2	0.4	8	2461
15-17 LST	1.4	0.8	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.3	8	1653
18-20 LST	2.1	1.1	1.0	0.0	0.0	0.0	0.5	0.0	0.4	0.0	1.8	3.5	0.9	8	2484
21-23 LST	0.7	0.0	1.5	0.0	0.0	0.0	0.6	0.0	0.0	0.6	1.3	4.0	0.7	7	1761

HOPOUKSAIL, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	06 LST	30.5	27.4	30.8	29.5	30.2	30.0	31.0	30.8	29.7	31.0	28.6	29.8	359.3	8	2361
	12 LST	30.3	27.5	30.5	29.8	30.8	29.8	30.8	31.0	30.0	30.7	29.6	29.9	360.7	8	2461
	18 LST	29.7	27.1	29.9	29.4	31.0	30.0	30.7	31.0	29.9	30.6	29.3	29.0	357.6	8	2484
	00 LST	30.8	27.5	30.0	29.5	31.0	30.0	31.0	30.7	29.6	30.6	29.6	30.5	360.8	8	2300
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	06 LST	28.8	24.4	25.9	23.9	21.1	19.4	23.1	24.7	23.4	24.1	25.1	27.2	291.1	8	2345
	12 LST	28.9	24.9	24.8	17.6	17.2	18.7	18.5	20.5	23.1	22.9	26.2	26.5	269.8	8	2447
	18 LST	27.9	24.9	23.1	12.8	14.2	13.1	15.2	16.1	18.5	22.7	25.0	26.4	239.9	8	2477
	00 LST	28.8	24.5	24.4	19.6	19.4	18.2	18.7	21.3	23.4	22.8	25.8	28.1	275.0	8	2287
SFC WND = GTR 17 KTS AND NO PRECIP.	06 LST	0.3	0.8	1.8	2.1	2.8	2.5	1.2	0.5	0.7	2.0	0.7	1.0	16.4	8	2363
	12 LST	0.3	0.9	2.2	4.6	4.1	2.3	2.9	1.2	1.5	3.1	0.9	1.8	25.8	8	2464
	18 LST	0.2	0.6	1.2	5.5	7.0	5.3	3.8	1.9	2.5	3.0	1.2	0.7	32.9	8	2497
	00 LST	0.3	1.2	2.0	3.4	4.4	3.3	1.8	1.9	1.3	1.4	1.0	0.3	22.3	8	2293
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	06 LST	0.0	0.2	1.5	8.7	17.4	16.6	19.3	21.7	20.2	7.8	0.3	0.0	113.7	8	2335
	12 LST	0.2	1.3	9.3	14.1	15.7	18.5	14.6	19.4	16.7	13.7	3.1	0.5	125.1	8	2448
	18 LST	0.0	0.2	8.3	12.7	12.7	11.8	10.9	13.8	15.3	10.8	1.3	0.0	97.8	8	2474
	00 LST	0.0	0.2	3.0	9.5	15.9	14.8	16.7	16.8	17.9	8.8	0.4	0.0	104.0	8	2276
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	06 LST	18.6	19.0	12.9	13.4	11.4	14.4	13.9	13.3	17.1	15.1	15.2	16.4	183.7	8	2373
	12 LST	15.3	13.5	11.3	11.1	8.5	9.4	8.6	10.7	15.1	13.5	11.5	9.8	138.3	8	2471
	18 LST	16.9	13.6	9.3	9.0	7.8	8.6	5.5	7.7	16.0	13.8	12.5	13.2	133.9	8	2507
	00 LST	21.6	18.6	16.2	16.3	16.1	16.9	18.1	19.4	22.0	17.8	17.3	18.2	218.5	8	2306
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	06 LST	30.2	27.0	30.1	29.4	29.7	30.0	30.9	30.4	29.6	30.5	27.6	28.9	354.3	8	2361
	12 LST	30.2	27.3	29.8	29.5	29.9	29.5	30.5	30.8	29.8	30.5	28.8	29.5	356.1	8	2461
	18 LST	29.2	26.7	29.0	28.7	30.4	29.9	30.6	30.5	29.7	30.2	27.6	27.8	350.3	8	2484
	00 LST	30.8	27.5	29.5	29.3	30.7	29.9	31.0	30.7	29.6	30.6	28.9	29.6	358.1	8	2300
CIG = GTR 5000 FT AND VSBY = GTR 3 MI	06 LST	28.4	25.8	27.2	26.6	26.1	28.0	27.9	27.0	26.8	27.8	25.3	27.6	324.5	8	2361
	12 LST	29.5	26.6	27.5	25.9	22.1	21.7	23.3	24.4	26.1	27.2	26.2	28.2	308.7	8	2461
	18 LST	27.4	25.4	26.2	24.3	24.7	22.0	21.5	22.0	25.4	27.0	24.7	25.5	296.1	8	2484
	00 LST	29.8	26.2	27.5	26.8	27.2	26.2	26.6	27.9	27.0	28.7	26.3	28.7	328.9	8	2300
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	06 LST	28.2	25.5	26.9	26.0	24.3	27.2	25.4	25.7	25.8	26.8	24.5	27.3	313.6	8	2361
	12 LST	29.4	26.4	27.1	25.6	21.1	20.1	21.4	23.3	25.5	26.7	26.1	28.0	300.7	8	2461
	18 LST	27.0	24.9	25.9	23.4	22.2	19.1	18.1	20.1	24.8	25.8	24.3	25.3	280.9	8	2484
	00 LST	29.7	26.2	27.2	26.4	26.4	24.9	25.7	26.8	26.1	28.1	26.3	28.6	322.4	8	2300

PEI-TAH-SHAN BAY, CHINA

STA NO. 51286 (IN AREA NUMBER 01)

LATITUDE 4514N

LONGITUDE 09033E

ELEVATION(FT) 04921

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	32	46	61	66	79	84	88	91	82	63	54	39	91	3	672
MEAN MAX TMP (F)	22	26	39	47	65	72	77	74	63	47	30	25	49	3	672
MEAN MIN TMP (F)	4	7	20	24	43	50	56	55	43	29	13	7	29	3	643
ABS MIN TMP (F)	-8	-11	-2	1	27	32	43	37	27	7	-2	-15	-15	3	643
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	0.0	0.0	0.0	0.0	1.6	3	672
MEAN NO DYS TMP = OR LES 32(F)	31.0	28.0	29.3	23.5	2.6	0.8	0.0	0.0	3.9	17.6	29.3	31.0	197.0	3	643
MEAN NO DYS TMP = OR LES 0(F)	13.0	8.1	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	5.5	30.2	3	643
MEAN DEW PT TMP (F)	2	1	12	8	24	32	37	35	24	18	8	0	17	3	2905
MEAN REL HUM (PCT)	53	54	55	41	36	38	36	40	39	52	63	53	47	3	2840
MEAN PRESS ALT (FT)			5249	5233	5319	5276	5420	5329	5239	5126	5095	5191		2	520
MEAN PRECIP (IN)						0.0	0.0	0.0						0	0
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = OR GTR 0.1 IN						0.0	0.0	0.0						3	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0	0.8	4.0	2.4	1.4	0.0	0.0	0.0	0.0	2.0	1.8	1.0	13.4	3	527
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	0.7	5.8	5.6	1.9	0.0	0.0	0.0	0.0	14.0	3	527
P FREQ WND SPD = OR GTR 17 KTS	0.0	0.0	1.1	2.7	0.9	2.2	0.9	0.3	0.0	0.4	0.0	0.3	0.7	3	2976
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	2976
P FREQ LES 5000 FT A/D LES 5 MI	0.6	3.4	10.9	11.1	5.9	18.8	11.8	6.0	2.4	8.3	8.1	2.9	7.5	3	2711
P FREQ LES 1900 FT A/D LES 3 MI															
FOR 00-02 LST	0.0	0.0	3.2	1.9	2.5	1.8	0.0	0.0	0.0	0.0	2.5	1.2	1.3	3	702
03-05 LST			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.7	0.0		2	132
06-08 LST	2.0	2.0	7.0	6.1	4.8	2.4	0.0	0.0	1.2	6.3	6.8	0.6	3.3	3	654
09-11 LST	0.0	1.9	7.1	0.0	12.5	14.3	0.0	0.0	4.8	0.0	7.0	0.0	4.0	3	281
12-14 LST	2.0	1.0	4.0	6.2	1.0	2.5	1.3	4.9	1.1	7.7	9.9	6.2	4.0	3	649
15-17 LST	0.0		0.0	6.7	0.0	0.0	14.9	0.0	0.0	12.0	0.0	0.0		2	95
18-20 LST	0.0	4.6	6.1	4.3	4.0	2.8	3.2	1.9	4.8	4.3	5.3	2.0	3.6	3	912
21-23 LST	1.7	1.0	4.3	0.0	1.7	1.0	0.0	0.0	0.0	3.4	4.6	3.2	1.7	4	707
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.0	0.0	3.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	3	702
03-05 LST			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		2	132
06-08 LST	2.0	2.0	3.3	2.0	1.9	0.0	0.0	0.0	0.0	5.6	2.4	0.0	1.8	3	654
09-11 LST	0.0	0.0	7.1	0.0	12.5	14.3	0.0	0.0	3.1	0.0	0.0	0.0	3.1	3	281
12-14 LST	2.0	0.0	0.0	2.0	0.0	0.0	0.0	0.0	1.9	2.4	3.7	1.0		3	649
15-17 LST	0.0		0.0	6.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		2	95
18-20 LST	0.0	3.0	4.0	1.4	1.1	0.0	0.0	0.0	0.0	0.0	4.7	1.0	1.3	3	912
21-23 LST	1.7	0.0	3.4	0.0	1.7	0.0	0.0	0.0	0.0	3.4	1.3	1.3	1.1	4	707

PEI-TAH-SHAN/BAY, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	06 LST	30.4	27.4	28.8	28.8	29.8	29.3	31.0	31.0	30.0	29.3	28.5	31.0	355.3	3	654
	12 LST	30.4	28.0	31.0	28.8	31.0	30.0	31.0	29.8	30.0	29.8	27.8	29.5	357.1	3	649
	18 LST	31.0	27.2	29.7	29.1	30.3	30.0	30.3	31.0	29.5	30.3	28.6	30.4	357.4	5	912
	00 LST	31.0	28.0	29.4	29.4	30.5	29.5	31.0	31.0	30.0	31.0	29.6	30.6	361.0	3	702
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	06 LST	29.8	26.9	25.6	26.9	24.4	27.1	28.0	29.1	27.1	24.7	26.7	30.3	326.6	3	653
	12 LST	29.1	26.9	25.6	21.3	15.5	10.7	16.3	19.5	20.2	24.0	25.6	27.2	261.9	3	647
	18 LST	29.4	25.8	25.3	15.0	11.6	10.6	9.9	17.2	18.3	25.8	27.2	29.4	245.5	5	905
	00 LST	31.0	26.8	24.6	24.7	26.4	25.6	28.7	29.9	28.9	28.3	27.8	29.5	332.2	3	698
SFC WND = GTR 17 KTS AND NO PRECIP.	06 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	676
	12 LST	0.0	0.0	0.0	0.6	1.1	0.6	0.0	0.0	0.0	0.0	0.0	0.0	2.3	3	709
	18 LST	0.0	0.0	0.3	0.8	1.3	1.3	0.4	0.4	0.0	0.0	0.0	0.3	4.8	5	1015
	00 LST	0.0	0.0	0.0	0.0	1.0	0.5	0.0	0.0	0.0	0.5	0.0	0.0	2.0	3	708
SFC WND 4-10 KTS AND TMF 33-89 DEG F AND NO PRECIP.	06 LST	0.0	0.0	2.2	7.5	21.5	19.8	21.9	20.1	21.7	17.2	1.1	0.0	133.0	3	673
	12 LST	0.0	1.1	10.7	13.2	19.4	15.9	19.8	16.6	24.0	15.5	3.8	1.1	141.1	3	705
	18 LST	0.0	0.5	7.4	11.8	12.9	14.6	16.1	20.4	18.9	15.1	1.0	0.0	118.7	5	1004
	00 LST	0.0	0.6	5.4	9.4	21.7	19.8	20.8	21.6	19.8	17.6	1.1	0.4	138.2	3	706
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	06 LST	23.7	21.1	14.1	13.5	9.9	14.0	13.4	14.9	17.9	15.5	17.3	19.6	194.9	3	677
	12 LST	17.4	18.5	13.0	10.8	7.8	9.2	6.2	9.8	15.6	13.4	13.2	16.2	151.1	3	714
	18 LST	17.2	17.0	11.3	11.8	9.1	8.4	8.6	11.6	16.9	15.9	15.3	18.9	162.0	5	1021
	00 LST	21.7	20.7	17.6	17.3	13.2	16.8	18.2	19.9	20.8	19.8	19.3	22.0	227.3	3	712
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	06 LST	30.4	27.4	28.8	27.6	29.2	28.4	30.7	31.0	29.3	28.7	27.4	30.5	349.4	3	654
	12 LST	30.4	27.5	28.1	26.6	29.9	26.3	27.8	28.4	29.1	27.5	26.3	28.6	336.5	3	649
	18 LST	31.0	26.1	28.4	27.8	28.7	26.4	28.6	28.7	27.5	28.7	28.0	30.4	340.3	5	912
	00 LST	31.0	28.0	29.0	29.2	30.0	29.2	31.0	31.0	30.0	31.0	28.9	30.6	358.9	3	702
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	06 LST	30.4	27.4	28.8	27.6	29.2	27.1	28.7	31.0	29.3	28.1	27.4	30.3	345.3	3	654
	12 LST	30.4	27.5	26.8	23.9	26.7	19.3	21.2	25.5	28.0	26.9	26.0	28.3	310.5	3	649
	18 LST	31.0	25.9	27.2	26.1	27.2	20.7	26.4	26.4	27.2	28.0	27.5	30.4	324.0	5	912
	00 LST	31.0	28.0	28.3	28.8	30.0	28.4	31.0	31.0	30.0	31.0	28.5	30.6	356.6	3	702
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	06 LST	30.4	27.4	28.8	27.6	29.2	27.1	28.0	31.0	29.3	28.1	27.4	30.3	344.6	3	654
	12 LST	30.4	27.5	26.8	23.9	26.7	19.3	21.2	25.5	28.0	26.9	26.0	28.3	310.5	3	649
	18 LST	31.0	25.9	27.2	26.1	27.2	20.7	26.4	26.4	27.2	28.0	27.5	30.4	324.0	5	912
	00 LST	31.0	28.0	28.3	28.8	30.0	28.4	31.0	31.0	30.0	31.0	28.5	30.6	356.6	3	702

CHING-HO / CHIENGH, CHINA

STA NO. 51334 (IN AREA NUMBER 01)	LATITUDE 4437N LONGITUDE 08258E ELEVATION(FT) 01608												PDR	NO.	
PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	(YRS)	085
ABS MAX TMP (F)	36	52	72	90	97	100	100	100	100	84	57	43	100	8	2343
MEAN MAX TMP (F)	14	23	45	65	76	86	88	87	77	59	38	22	57	8	2343
MEAN MIN TMP (F)	-6	4	26	40	51	60	64	61	53	37	23	8	35	8	2290
ABS MIN TMP (F)	-27	-18	-6	19	28	41	52	36	28	19	-6	-26	-27	8	2290
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.2	2.2	12.7	16.1	12.3	2.6	0.0	0.0	0.0	16.1	8	2343
MEAN NO DYS TMP = DR LFS 32(F)	31.0	28.0	23.1	6.8	0.3	0.0	0.0	0.0	0.4	10.8	27.6	31.0	159.0	8	2290
MEAN NO DYS TMP = DR LES 0(F)	23.7	12.5	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.9	8.0	45.4	8	2290	
MEAN DEW PT TMP (F)	3	8	24	32	39	50	57	54	46	33	22	9	31	8	14092
MEAN REL HUM (PCT)	78	78	68	48	44	48	53	53	52	60	75	80	61	8	13775
MEAN PRESS ALT (FT)	880	1043	1265	1436	1560	1722	1834	1740	1540	1277	1066	986	1362	8	14255
MEAN PRECIP (IN)	0.15	0.35	0.73	0.70	0.74	0.70	0.41	0.55	0.07	0.22	0.07	0.13	4.8	3	-182
MEAN SNOW FALL (IN)						0.0	0.0	0.0						8	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	1.9	2.9	3.4	3.3	3.4	2.9	2.2	2.5	0.5	0.9	0.5	1.8	26.2	3	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN						0.0	0.0	0.0						8	-29
MEAN NO DYS W/O CUR VSBY LES 1/2 MI	0.4	0.0	0.0	0.0	0.7	0.2	0.0	0.0	0.2	0.0	0.1	0.6	2.4	8	2194
MEAN NO DYS TSMS	0.0	0.0	0.0	0.0	2.5	7.3	9.2	6.8	1.2	0.0	0.0	0.1	27.1	8	2202
P FREQ WND SPD = DR GTR 17 KTS	0.3	0.1	2.4	5.9	8.2	3.7	1.2	1.1	1.6	2.3	1.3	0.8	2.4	8	14371
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.3	1.4	1.4	0.9	0.0	0.2	0.4	0.3	0.3	0.1	0.4	8	14371
P FREQ LES 3000 FT A/D LES 5 MI	9.8	16.8	17.9	8.2	9.6	10.8	11.9	8.1	6.9	6.1	25.9	29.9	13.5	8	14828
P FREQ LES 1500 FT A/D LES 3 MI															
FDR 00-02 LST	2.5	1.2	1.0	2.9	0.8	0.5	0.0	0.5	1.0	0.9	1.2	5.1	1.5	8	2381
03-05 LST	2.5	2.1	0.7	0.7	0.0	0.0	0.0	0.0	0.0	1.6	1.1	5.0	1.1	8	1587
06-08 LST	3.2	4.7	2.6	0.3	0.0	0.6	0.6	0.0	0.5	0.9	3.7	7.4	2.0	8	2360
09-11 LST	2.2	8.3	3.0	2.2	1.4	0.8	0.0	0.0	0.0	0.0	3.6	10.5	2.7	8	1733
12-14 LST	1.3	4.0	0.8	1.5	0.5	0.6	0.5	0.0	0.2	0.0	1.9	6.2	1.5	8	2414
15-17 LST	1.8	3.1	2.8	2.8	3.7	2.3	0.0	0.0	0.0	0.8	2.2	7.8	2.3	8	1581
18-20 LST	1.7	2.8	1.0	1.8	2.2	2.7	0.0	0.5	0.7	1.6	2.3	6.4	1.9	8	2461
21-23 LST	1.8	2.1	0.4	2.1	0.7	0.0	0.0	0.0	1.3	0.3	2.9	6.2	1.5	7	1754
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	0.0	0.0	0.0	1.0	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.9	0.2	8	2381
03-05 LST	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.2	8	1587
06-08 LST	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	1.4	0.2	8	2360
09-11 LST	0.0	2.8	0.0	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8	0.4	8	1733
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.5	0.4	0.1	8	2414
15-17 LST	0.0	0.0	0.0	1.4	3.0	0.8	0.0	0.0	0.0	0.8	0.0	0.7	0.6	8	1581
18-20 LST	0.0	0.0	0.0	0.5	1.5	1.1	0.0	0.0	0.0	0.0	0.0	0.9	0.3	8	2461
21-23 LST	0.7	0.0	0.0	1.6	0.0	0.0	0.0	0.0	0.6	0.0	0.0	1.2	0.3	7	1754

CHING-HO/CHIENGH, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	06 LST	30.7	27.4	30.5	30.0	31.0	29.8	30.8	31.0	29.9	30.7	29.6	30.0	361.4	8	2360
	12 LST	30.8	27.5	31.0	29.5	30.8	29.8	30.8	31.0	30.0	31.0	29.9	30.2	362.3	8	2414
	18 LST	30.5	27.8	30.8	29.5	30.4	29.2	31.0	30.9	30.0	30.6	29.9	30.0	360.6	8	2461
	00 LST	30.5	28.0	30.7	29.2	30.8	29.8	31.0	30.8	29.7	30.7	29.7	30.3	361.2	8	2381
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	06 LST	28.6	25.4	28.2	26.6	28.3	29.1	30.3	30.5	28.6	29.2	27.4	26.4	338.6	8	2347
	12 LST	29.7	25.5	27.3	22.7	22.7	25.2	27.5	27.6	26.4	28.5	26.5	26.7	316.3	8	2412
	18 LST	29.5	25.4	22.8	17.2	15.7	18.6	21.8	25.5	23.7	25.8	25.6	27.0	278.6	8	2457
	00 LST	29.7	26.3	28.2	24.8	26.4	27.8	29.4	28.5	28.1	29.3	28.0	28.2	334.7	8	2377
SFC WND = GTR 17 KTS AND NO PRECIP.	06 LST	0.2	0.0	0.3	0.5	0.2	0.7	0.0	0.0	0.3	0.8	0.0	0.1	2.4	8	2375
	12 LST	0.0	0.0	0.3	1.8	3.0	1.0	0.0	0.2	0.8	0.5	0.7	0.3	8.6	8	2439
	18 LST	0.2	0.0	1.1	3.2	4.3	1.9	1.0	0.7	1.0	1.0	0.1	0.6	15.1	8	2483
	00 LST	0.0	0.0	0.3	0.9	0.8	0.3	0.2	0.5	0.8	0.4	0.4	0.0	4.6	8	2394
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	06 LST	0.0	0.2	4.7	14.0	16.3	14.8	16.4	17.8	16.3	10.8	2.9	0.0	114.2	8	2350
	12 LST	0.0	1.1	11.2	15.1	16.3	14.5	16.0	14.9	12.5	12.5	6.6	0.4	121.1	8	2426
	18 LST	0.0	1.1	12.3	14.9	12.8	11.6	14.1	14.8	15.5	14.7	6.8	0.0	118.6	8	2462
	00 LST	0.0	0.2	7.3	15.6	13.7	12.4	12.4	13.3	16.7	12.8	7.0	0.0	107.4	8	2377
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	06 LST	15.9	12.7	7.9	12.1	10.6	13.9	12.7	17.6	17.7	16.8	11.8	9.1	158.8	8	2375
	12 LST	13.6	9.4	7.1	12.0	10.2	15.7	12.7	16.6	19.1	14.1	7.7	6.6	144.8	8	2433
	18 LST	11.7	8.9	6.5	9.7	8.8	10.8	8.4	13.3	17.2	13.1	8.1	9.0	125.5	8	2482
	00 LST	16.2	15.1	12.4	14.8	14.2	16.3	16.1	18.2	20.1	18.6	12.5	13.0	187.5	8	2398
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	06 LST	29.0	25.3	29.0	29.8	31.0	29.7	30.8	31.0	29.9	30.6	27.6	25.1	348.8	8	2360
	12 LST	30.2	25.8	29.4	29.4	30.7	29.8	30.8	31.0	29.8	30.8	27.9	26.2	351.8	8	2414
	18 LST	30.0	25.9	29.7	29.2	30.2	29.1	31.0	30.7	29.9	30.3	27.9	26.2	350.1	8	2461
	00 LST	29.7	26.8	30.1	28.9	30.6	29.8	31.0	30.8	29.7	30.6	28.7	26.9	333.6	8	2381
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	06 LST	26.7	21.2	22.8	25.4	24.2	23.2	24.7	25.1	23.0	26.5	21.1	18.6	282.5	8	2360
	12 LST	28.2	22.7	24.6	26.4	26.4	26.7	25.2	26.2	25.5	27.3	20.5	20.8	300.5	8	2414
	18 LST	27.3	22.8	25.0	26.0	24.0	20.4	19.4	23.5	24.9	27.7	20.8	21.0	282.8	8	2461
	00 LST	26.5	23.7	23.7	25.3	23.0	23.6	22.7	23.4	25.3	27.7	21.7	22.0	288.6	8	2381
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	06 LST	26.7	20.7	21.9	25.3	23.3	23.0	24.5	25.1	23.0	26.4	21.1	18.2	279.2	8	2360
	12 LST	28.2	22.7	24.5	26.0	26.4	26.5	25.1	25.9	25.3	27.3	20.5	20.8	299.2	8	2414
	18 LST	27.2	22.5	24.9	25.4	23.6	19.9	19.4	23.4	24.8	27.6	20.8	20.9	280.4	8	2461
	00 LST	26.5	23.7	23.7	24.7	22.8	23.5	22.7	23.2	25.1	27.6	21.5	22.0	287.0	8	2381

WUSU, CHINA

STA NO. 51346 (IN AREA NUMBER 01)

LATITUDE 4423N

LONGITUDE 08430E

ELEVATION(FT) 01345

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	28	41	70	86	95	99	99	100	97	95	55	41	100	6	1670
MEAN MAX TMP (F)	11	21	38	63	73	84	87	86	76	58	35	19	54	6	1670
MEAN MIN TMP (F)	-8	2	21	43	51	62	66	65	56	38	21	6	35	6	1673
ABS MIN TMP (F)	-27	-24	-11	27	32	46	55	48	30	19	-15	-26	-27	6	1673
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	2.5	8.9	12.1	9.8	2.0	0.2	0.0	0.0	35.5	6	1670
MEAN NO DYS TMP = DR LES 32(F)	31.0	28.0	24.9	5.4	0.2	0.0	0.0	0.0	0.6	11.4	27.6	31.0	160.1	6	1673
MEAN NO DYS TMP = DR LES 0(F)	24.8	15.4	2.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	9.9	55.4	6	1673
MEAN DEW PT TMP (F)	4	6	22	33	37	47	33	50	43	29	20	7	29	6	11101
MEAN REL HUM (PCT)	77	79	74	51	45	41	47	45	47	54	74	82	60	6	10834
MEAN PRESS ALT (FT)	602	779	963	1169	1277	1449	1562	1476	1277	1004	795	684	1086	6	11233
MEAN PRECIP (IN)														0	0
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0					6	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN					0.0	0.0	0.0	0.0	0.0					0	0
MEAN NO DYS SNFL = DR GTR 1.5 IN														6	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	1.6	0.7	0.5	0.4	0.0	0.0	0.0	0.2	0.0	0.0	0.4	1.6	5.4	6	1655
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.3	1.6	8.4	9.7	6.7	1.2	0.0	0.2	0.0	28.3	6	1648
P FREQ WND SPD = DR GTR 17 KTS	0.1	0.1	0.4	2.5	4.0	2.8	2.4	1.4	0.2	1.1	0.5	0.1	1.3	6	11409
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.1	0.3	0.1	0.1	0.0	0.0	0.0	0.0	0.1	0.0	0.1	6	11409
P FREQ LES 5000 FT A/D LES 5 MI	14.0	17.6	19.6	8.6	6.6	0.7	1.8	0.8	2.5	4.7	27.0	31.2	11.3	6	11574
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 01-02 LST	7.2	8.6	4.2	2.3	0.7	0.0	1.1	0.0	0.0	0.6	8.4	9.0	3.5	6	1689
03-05 LST	4.6	3.7	2.0	1.9	0.8	0.0	0.0	1.0	0.0	0.0	7.2	12.9	3.0	6	1483
06-08 LST	8.3	7.4	5.9	1.1	1.5	0.0	0.0	0.0	0.0	0.0	7.3	14.7	3.9	6	1679
09-11 LST	11.4	10.1	8.7	0.4	1.6	0.0	2.5	0.0	0.5	0.7	6.6	16.2	4.9	6	1479
12-14 LST	6.3	7.0	7.4	4.5	1.8	0.0	1.1	0.0	0.0	1.8	6.0	14.6	4.2	6	1692
15-17 LST	3.6	4.7	3.4	3.1	1.1	0.0	1.3	1.9	0.0	1.8	5.4	11.1	3.1	6	1455
18-20 LST	5.8	6.4	7.3	2.9	2.9	0.0	0.4	0.7	0.0	2.1	9.0	13.4	4.2	6	1740
21-23 LST	6.0	8.3	4.4	1.3	2.4	1.2	0.6	0.0	0.9	1.4	12.4	18.3	4.8	5	1060
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	2.1	1.6	1.5	1.5	0.0	0.0	0.7	0.0	0.0	0.6	2.9	1.4	1.0	6	1689
03-05 LST	1.5	0.0	0.0	1.5	0.0	0.0	0.0	1.0	0.0	0.0	0.8	2.3	0.6	6	1483
06-08 LST	2.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.7	0.3	6	1679
09-11 LST	4.7	2.4	3.1	0.0	0.8	0.0	0.8	0.0	0.0	0.0	0.8	5.3	1.5	6	1479
12-14 LST	3.5	2.5	2.8	2.2	0.7	0.0	0.0	0.0	0.0	0.0	1.5	5.2	1.5	6	1692
15-17 LST	0.7	0.0	1.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	5.9	0.8	6	1485
18-20 LST	1.4	0.0	0.7	0.7	0.7	0.0	0.0	0.7	0.0	0.6	0.7	2.1	0.6	6	1740
21-23 LST	1.2	1.3	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.9	2.6	2.6	0.6	5	1060

WUSU, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	06 LST	29.2	26.7	30.5	29.8	30.5	30.0	31.0	31.0	30.0	31.0	29.3	27.3	356.4	6	1679
	12 LST	29.3	26.4	29.0	28.9	30.6	30.0	30.8	31.0	30.0	30.6	29.1	27.6	353.3	6	1692
	18 LST	29.5	26.5	29.0	29.6	30.3	30.0	31.0	30.8	30.0	30.4	28.2	28.1	354.1	6	1740
	00 LST	29.0	26.2	30.3	29.5	31.0	30.0	30.8	31.0	30.0	30.8	28.3	29.0	355.9	6	1689
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	06 LST	25.3	22.6	22.5	17.3	17.4	21.1	22.8	20.8	21.5	26.9	24.6	24.7	267.5	6	1677
	12 LST	27.7	24.8	26.2	22.0	22.4	24.9	22.5	27.6	25.8	27.1	26.5	24.3	301.8	6	1688
	18 LST	27.8	24.6	25.1	21.0	20.5	21.4	22.3	24.7	26.0	28.2	25.1	25.2	291.9	6	1738
	00 LST	26.1	21.6	19.3	17.9	17.2	18.1	19.9	19.0	18.9	23.3	23.7	24.8	247.8	6	1688
SFC WND = GTR 17 KTS AND NO PRECIP.	06 LST	0.0	0.0	0.0	0.7	0.5	0.0	0.2	0.0	0.0	0.0	0.0	0.0	1.4	6	1695
	12 LST	0.0	0.0	0.0	0.4	0.9	0.5	0.2	0.0	0.0	0.2	0.0	0.0	2.2	6	1709
	18 LST	0.0	0.0	0.0	0.2	0.7	1.1	1.3	0.2	0.0	0.9	0.4	0.0	4.8	6	1754
	00 LST	0.0	0.0	0.2	0.5	0.4	0.4	0.2	0.2	0.0	0.6	0.2	0.0	2.7	6	1698
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	06 LST	0.0	0.2	5.7	16.2	18.7	21.6	19.2	22.4	22.1	16.6	2.4	0.0	145.1	6	1675
	12 LST	0.0	0.7	9.1	19.6	20.2	19.5	19.1	19.3	21.3	18.5	6.7	0.2	154.2	6	1692
	18 LST	0.0	0.0	9.5	18.3	16.1	14.0	12.4	15.8	15.2	14.1	4.0	0.0	119.4	6	1737
	00 LST	0.0	0.0	6.8	18.8	20.2	19.6	19.4	21.8	20.7	19.5	3.0	0.0	149.8	6	1682
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	06 LST	14.8	13.1	9.6	11.2	11.4	13.7	11.3	13.6	17.7	15.8	12.7	8.8	155.9	6	1694
	12 LST	12.7	9.7	7.2	9.6	14.2	14.4	12.0	13.9	19.4	13.0	8.6	5.8	140.5	6	1705
	18 LST	11.6	9.0	5.2	8.1	9.7	9.6	8.1	11.1	17.0	14.9	8.2	7.4	119.9	6	1754
	00 LST	15.4	13.1	11.7	15.1	12.7	12.8	14.6	15.4	20.0	19.8	11.7	8.9	171.2	6	1703
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	06 LST	27.4	24.5	27.3	29.4	30.5	30.0	31.0	31.0	29.6	30.9	25.2	24.8	341.6	6	1679
	12 LST	28.7	25.1	27.4	28.4	30.3	30.0	30.5	31.0	29.8	30.1	26.5	24.3	342.1	6	1692
	18 LST	28.6	25.2	27.4	28.4	29.5	30.0	30.7	30.7	30.0	30.2	25.0	24.8	340.5	6	1740
	00 LST	28.2	24.9	28.9	29.0	30.1	30.0	30.6	31.0	30.0	30.7	25.6	26.7	345.7	6	1689
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	06 LST	24.4	22.2	22.7	25.7	29.6	29.2	30.3	30.5	27.5	29.2	21.3	19.6	312.2	6	1679
	12 LST	26.4	21.8	22.1	25.6	29.1	29.3	29.9	30.6	28.7	28.6	22.6	19.5	314.2	6	1692
	18 LST	26.6	22.5	23.0	25.1	26.3	27.4	28.5	29.8	27.6	28.0	20.4	19.5	304.7	6	1740
	00 LST	26.1	22.3	23.8	26.6	25.8	26.7	29.9	29.9	28.6	29.1	21.6	21.9	312.3	6	1689
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	06 LST	23.5	21.3	22.1	24.8	27.5	28.2	27.7	29.0	26.3	27.8	20.3	17.9	296.4	6	1679
	12 LST	25.8	21.8	21.9	24.7	28.0	27.2	28.2	28.9	27.9	28.0	22.3	19.1	303.8	6	1692
	18 LST	26.4	22.3	22.6	24.0	23.5	23.6	23.0	27.2	26.0	26.9	20.0	18.8	284.7	6	1740
	00 LST	25.9	22.3	23.3	25.6	24.2	22.9	23.6	26.4	26.8	28.6	21.4	21.5	292.5	6	1699

SHIHOTSE, CHINA

STA NO. 51356 (IN AREA NUMBER 01)

LATITUDE 4419N

LONGITUDE 08600E

ELEVATION(FT) 01460

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	34	39	72	90	95	102	97	99	99	84	55	43	102	6	1644
MEAN MAX TMP (F)	12	22	40	65	73	85	86	85	76	60	36	20	55	6	1644
MEAN MIN TMP (F)	-8	2		40	48	59	62	59	49	34	21	5	33	6	1660
ABS MIN TMP (F)	-29	-26	-13	25	30	41	52	46	28	19	-8	-27	-29	6	1660
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.2	2.8	10.1	11.7	8.6	1.9	0.0	0.0	0.0	35.3	6	1644
MEAN NO DYS TMP = DR LES 32(F)	31.0	28.0	26.0	6.4	0.2	0.0	0.0	0.0	0.8	14.1	28.5	31.0	166.0	6	1660
MEAN NO DYS TMP = DR LES 0(F)	24.0	14.9	2.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	11.6	55.0	6	1660
MEAN DEW PT TMP (F)	4	7	23	35	40	51	57	54	45	32	21	8	31	6	10897
MEAN REL HUM (PCT)	79	81	75	56	50	52	57	57	57	61	78	83	66	6	10660
MEAN PRESS ALT (FT)	782	944	1154	1359	1457	1630	1747	1649	1450	1189	968	869	1267	6	11137
MEAN PRECIP (IN)														0	0
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0						6	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN					0.0	0.0	0.0	0.0						0	0
MEAN NO DYS SNFL = DR GTR 1.5 IN														6	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.9	2.5	0.2	0.0	0.0	0.0	0.3	0.0	0.0	0.2	0.4	1.6	6.1	6	1632
MEAN NO DYS TSYMS	0.0	0.0	0.2	0.7	1.6	7.5	7.7	5.1	1.7	0.2	0.4	0.0	25.1	6	1634
P FREQ WND SPD = DR GTR 17 KTS	0.1	0.1	0.7	1.0	2.2	1.9	1.4	0.4	0.4	0.3	0.5	0.1	0.8	6	11153
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.1	0.0	0.3	0.2	0.1	0.0	0.0	0.1	0.1	0.0	0.1	6	11153
P FREQ LES 5000 FT A/O LES 5 MI	7.8	9.3	11.9	9.8	10.0	9.7	9.6	6.5	3.3	4.5	17.4	26.6	10.2	6	10558
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	5.4	4.5	3.0	1.1	0.4	0.0	2.2	0.0	0.6	0.0	2.3	9.6	2.4	6	1612
03-05 LST	5.2	3.8	2.6	0.4	0.0	0.0	0.0	0.0	1.0	0.0	2.8	9.9	2.1	6	1463
06-08 LST	3.6	3.9	4.8	0.7	1.2	0.0	0.9	0.4	0.6	0.0	5.1	10.2	2.6	6	1658
09-11 LST	7.2	10.7	5.3	1.2	0.8	0.0	0.0	0.0	0.5	1.5	6.8	15.0	4.1	6	1473
12-14 LST	1.8	2.4	4.7	1.1	0.4	0.0	0.0	0.8	2.0	1.0	1.5	10.6	2.2	6	1626
15-17 LST	1.7	1.2	4.8	2.8	0.4	0.5	0.0	0.6	1.1	1.0	1.6	7.8	2.0	6	1382
18-20 LST	1.1	1.6	2.9	2.0	1.9	1.1	0.6	0.8	0.0	0.6	3.0	7.8	2.0	6	1554
21-23 LST	1.8	1.4	3.1	4.1	1.3	2.6	0.8	0.0	0.0	0.0	2.8	5.2	1.9	5	958
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	2.2	1.6	1.5	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.8	1.4	0.7	6	1612
03-05 LST	2.2	1.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	3.9	0.8	6	1463
06-08 LST	2.1	3.1	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	2.2	0.9	6	1658
09-11 LST	2.2	6.0	1.5	0.8	0.0	0.0	0.0	0.0	0.0	1.5	3.6	8.0	2.0	6	1473
12-14 LST	0.7	0.8	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	0.4	6	1626
15-17 LST	0.7	0.0	0.0	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.3	6	1382
18-20 LST	0.0	0.0	0.7	0.0	0.8	0.0	0.0	0.8	0.0	0.0	0.7	1.4	0.4	6	1554
21-23 LST	0.0	1.4	0.0	2.7	1.3	1.7	0.0	0.0	0.0	0.0	1.4	1.3	0.8	5	958

SHIHOTSE, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	06 LST	30.1	27.1	29.9	29.8	31.0	30.0	31.0	31.0	30.0	31.0	28.7	29.0	358.6	6	1658
	12 LST	30.6	27.6	29.9	30.0	31.0	30.0	31.0	30.8	29.6	31.0	30.0	29.0	360.5	6	1626
	18 LST	30.8	27.6	30.3	29.5	30.5	29.7	31.0	30.8	30.0	30.8	29.6	30.3	360.9	6	1554
	00 LST	29.4	26.9	30.3	29.8	31.0	30.0	30.5	31.0	29.8	31.0	29.5	29.7	358.9	6	1612
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	06 LST	29.5	26.7	27.6	29.3	28.3	28.3	29.4	29.7	28.7	29.3	28.0	26.3	341.1	6	1651
	12 LST	29.4	26.0	27.2	22.4	22.6	25.1	24.8	26.2	23.2	26.5	28.0	25.9	307.3	6	1618
	18 LST	30.3	26.9	27.0	24.2	24.4	26.2	23.9	29.3	28.7	30.2	28.3	26.5	325.9	6	1552
	00 LST	29.2	26.0	28.0	27.5	26.3	26.7	27.5	29.8	28.0	28.5	28.1	26.4	332.0	6	1606
SFC WND = GTR 17 KTS AND NO PRECIP.	06 LST	0.0	0.0	0.2	0.0	0.2	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.6	6	1695
	12 LST	0.0	0.0	0.4	0.6	0.2	0.4	0.4	0.2	0.2	0.0	0.7	0.0	3.1	6	1695
	18 LST	0.0	0.0	0.4	0.2	0.4	0.2	0.0	0.4	0.0	0.2	0.0	0.0	1.8	6	1725
	00 LST	0.0	0.0	0.0	0.0	0.0	0.4	0.2	0.0	0.0	0.0	0.2	0.0	0.8	6	1678
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	06 LST	0.0	0.0	3.4	13.3	13.5	15.0	15.1	16.4	13.8	10.1	1.5	0.0	102.1	6	1683
	12 LST	0.0	1.3	9.7	17.7	19.2	14.7	18.9	16.9	18.6	17.7	6.3	0.7	141.7	6	1678
	18 LST	0.0	0.2	9.4	15.4	17.6	12.0	11.8	11.5	13.4	14.5	2.9	0.0	108.7	6	1705
	00 LST	0.0	0.0	3.7	13.2	15.4	16.1	15.5	17.0	15.8	14.5	1.9	0.0	113.1	6	1664
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	06 LST	13.0	12.3	10.7	9.4	12.0	12.5	12.9	13.5	18.6	18.6	12.1	8.2	155.8	6	1697
	12 LST	13.3	11.9	8.9	11.2	11.0	14.7	13.3	14.8	17.2	15.8	9.9	5.8	147.8	6	1699
	18 LST	12.9	8.9	7.8	6.9	9.4	11.1	9.2	13.1	17.8	15.9	8.6	7.3	128.9	6	1720
	00 LST	14.7	13.1	14.8	15.0	14.6	13.1	13.4	17.4	20.4	20.4	12.1	9.2	178.2	6	1678
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	06 LST	29.4	26.4	28.5	29.6	30.3	30.0	30.5	30.7	29.6	31.0	27.5	25.9	349.4	6	1658
	12 LST	30.0	26.8	28.6	28.9	30.4	29.9	30.8	30.8	29.2	29.9	28.0	25.5	348.8	6	1626
	18 LST	30.6	27.3	29.6	28.9	29.8	29.7	30.6	30.7	30.0	30.5	28.0	26.0	351.7	6	1554
	00 LST	29.0	26.0	29.6	29.3	30.6	29.9	30.0	30.9	29.7	30.9	28.7	25.4	350.0	6	1612
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	06 LST	28.6	25.8	26.1	26.4	26.6	27.8	25.4	26.6	26.1	30.4	23.7	23.0	316.5	6	1658
	12 LST	29.2	25.6	26.3	26.3	27.8	29.0	27.9	29.6	28.0	28.9	23.6	22.3	324.5	6	1626
	18 LST	29.9	26.0	27.0	26.7	25.4	24.6	20.7	25.4	26.5	27.8	23.0	23.2	306.2	6	1554
	00 LST	27.9	24.6	28.4	28.2	27.0	25.8	25.1	26.3	28.1	30.0	23.5	23.1	318.0	6	1612
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	06 LST	28.6	25.6	25.5	26.2	26.4	27.5	25.4	26.6	25.9	30.4	23.7	22.7	314.5	6	1658
	12 LST	29.2	25.2	25.6	26.3	27.5	29.0	27.9	29.6	28.0	28.9	23.6	22.1	322.9	6	1626
	18 LST	29.5	25.8	27.0	26.7	25.1	24.0	20.3	24.9	26.5	27.8	22.8	22.5	302.9	6	1554
	00 LST	27.9	24.6	28.2	28.2	26.7	25.8	24.8	26.3	27.9	29.9	23.5	23.1	316.9	6	1612

CHITAI, CHINA

STA NO. 51379 (IN AREA NUMBER 01)

LATITUDE 4403N

LONGITUDE 08927E

ELEVATION(FT) 02529

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	43	46	75	91	99	100	100	99	99	88	66	46	100	8	2385
MEAN MAX TMP (F)	15	24	42	62	74	83	87	85	76	59	36	21	55	8	2385
MEAN MIN TMP (F)	-13	-4	18	35	46	56	61	58	48	32	15	-2	29	8	2378
ABS MIN TMP (F)	-38	-29	-15	16	28	34	48	39	25	7	-15	-36	-38	8	2378
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.2	1.9	8.8	13.5	9.9	2.9	0.0	0.0	0.0	37.2	8	2385
MEAN NO DYS TMP = DR LES 32(F)	31.0	26.0	27.4	11.7	1.9	0.0	0.0	0.0	1.1	17.4	29.6	31.0	179.1	8	2378
MEAN NO DYS TMP = DR LES 0(F)	27.4	19.5	4.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.2	18.4	73.4	8	2378
MEAN DEW PT TMP (F)	7	2	19	27	33	42	48	46	37	26	17	2	26	8	14406
MEAN REL HUM (PCT)	77	80	73	50	44	43	45	46	47	56	77	82	60	8	14038
MEAN PRESS ALT (FT)	1781	1924	2165	2345	2487	2631	2752	2657	2480	2227	2036	1904	2282	8	14523
MEAN PRECIP (IN)														0	0
MEAN SNOW FALL (IN)						0.0	0.0	0.0						8	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN														0	0
MEAN NO DYS SNFL = DR GTR 1.5 IN						0.0	0.0	0.0						8	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	1.9	2.8	1.9	0.2	0.5	0.0	0.2	0.0	0.2	0.0	1.3	4.9	13.9	8	2277
MEAN NO DYS TSTMS	0.0	0.0	0.2	0.5	0.5	2.9	5.8	1.1	0.0	0.0	0.0	0.1	11.1	8	2280
P FREQ WND SPD = DR GTR 17 KTS	0.1	0.2	1.4	2.6	3.3	2.1	1.5	1.8	1.1	1.4	0.4	0.4	1.4	8	14735
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.2	0.2	0.3	0.1	0.1	0.1	0.2	0.2	0.1	0.2	0.1	8	14735
P FREQ LES 3000 FT A/D LES 5 MI	7.9	12.4	13.3	7.2	7.5	4.9	4.5	3.8	4.5	5.4	11.6	16.1	8.3	8	15128
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	4.7	10.0	6.0	1.1	1.0	0.3	1.3	0.5	0.9	0.9	4.2	13.8	3.7	8	2428
03-05 LST	5.3	12.3	4.6	2.2	0.0	0.0	0.4	0.4	1.2	0.8	6.3	12.7	3.9	8	1605
06-08 LST	8.1	14.4	5.8	4.4	1.1	0.0	0.8	0.5	1.7	1.4	3.5	16.4	4.8	8	2354
09-11 LST	4.8	10.4	4.7	2.7	0.7	0.0	1.7	0.4	0.4	1.7	8.0	14.1	4.1	8	1733
12-14 LST	3.2	6.2	6.0	1.7	2.1	0.0	0.0	0.8	1.4	2.0	2.0	10.5	3.0	8	2431
15-17 LST	4.1	2.0	6.4	1.1	2.1	0.0	0.7	2.7	3.5	0.4	2.7	4.6	2.5	8	1605
18-20 LST	1.0	3.9	4.0	4.2	1.0	2.2	0.0	1.7	0.7	1.1	3.9	7.4	2.6	8	2454
21-23 LST	1.8	7.8	3.5	3.8	0.4	0.0	0.4	0.3	1.5	0.6	5.2	12.1	3.1	7	1763
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	3.1	6.7	3.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	10.4	2.1	8	2428
03-05 LST	3.0	7.9	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	8.7	2.0	8	1605
06-08 LST	5.2	10.3	1.5	1.6	0.0	0.0	0.0	0.0	0.9	0.0	1.4	12.4	2.8	8	2354
09-11 LST	1.4	7.1	1.2	0.0	0.0	0.0	0.8	0.0	0.0	0.0	1.2	10.5	1.9	8	1733
12-14 LST	0.5	3.4	0.5	0.0	0.5	0.0	0.0	0.5	0.0	0.4	1.3	3.1	0.9	8	2431
15-17 LST	0.0	1.6	3.0	0.0	0.7	0.0	0.0	1.8	1.7	0.0	1.3	2.8	1.1	8	1605
18-20 LST	0.0	2.2	1.0	0.5	0.5	1.1	0.0	0.5	0.5	0.0	1.4	4.4	1.0	8	2454
21-23 LST	0.7	4.9	2.8	0.0	0.0	0.0	0.0	0.0	0.0	0.6	1.8	7.0	1.5	7	1763

CHITAI, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	06 LST	28.7	24.1	29.4	28.9	30.8	30.0	30.8	30.8	29.6	30.6	29.3	26.2	349.2	8	2354
	12 LST	30.1	26.7	29.9	29.8	30.5	30.0	31.0	30.8	29.9	30.5	29.5	28.0	356.7	8	2431
	18 LST	30.7	27.1	29.9	29.1	30.7	29.4	31.0	30.5	29.9	30.7	29.3	28.8	357.1	8	2454
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	00 LST	29.7	25.4	29.2	30.0	30.7	30.0	30.7	30.9	29.7	30.7	29.2	27.1	353.3	8	2428
	06 LST	25.9	21.0	24.6	21.3	25.0	25.4	27.7	27.1	24.5	25.1	25.9	22.5	296.0	8	2343
	12 LST	28.7	23.8	24.3	21.4	19.2	22.3	25.4	24.5	24.2	25.5	26.7	27.0	293.0	8	2423
SFC WND = GTR 17 KTS AND NO PRECIP.	18 LST	28.4	24.9	25.9	22.4	20.9	21.0	25.0	25.8	26.5	28.4	26.9	27.3	303.4	8	2444
	00 LST	26.5	22.4	25.0	23.7	22.6	24.5	24.7	25.6	25.7	26.1	26.3	25.4	298.5	8	2419
	06 LST	0.0	0.0	0.2	0.2	0.0	0.7	0.0	0.0	0.4	0.0	0.1	0.1	1.7	8	2376
SFC WND 4-10 KTS AND THP 33-89 DEG F AND NO PRECIP.	12 LST	0.0	0.0	0.6	0.5	1.0	0.8	0.2	0.3	0.7	0.5	0.0	0.0	4.6	8	2458
	18 LST	0.0	0.0	0.6	0.8	1.3	0.5	0.3	0.5	0.5	0.3	0.1	0.0	4.9	8	2475
	00 LST	0.0	0.0	0.2	0.6	0.3	0.5	0.5	0.4	0.1	0.6	0.3	0.3	3.8	8	2432
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	06 LST	0.0	0.0	4.2	16.2	24.0	23.2	22.8	25.1	25.5	13.5	0.8	0.0	155.3	8	2347
	12 LST	0.0	0.6	11.3	20.3	19.7	18.7	19.1	19.6	20.1	20.9	10.0	0.4	160.7	8	2434
	18 LST	0.0	0.8	9.2	19.4	17.8	17.9	16.3	18.1	17.3	17.8	3.0	0.0	137.6	8	2461
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	00 LST	0.0	0.2	8.2	19.3	25.4	24.6	24.0	25.3	25.1	17.8	1.0	0.0	170.9	8	2406
	06 LST	18.2	17.2	14.4	11.5	12.2	14.7	12.3	14.8	19.2	20.3	17.9	15.8	188.5	8	2379
	12 LST	16.1	14.9	13.0	10.4	12.1	13.9	15.7	16.1	17.9	16.7	12.4	11.9	171.1	8	2461
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	18 LST	16.9	16.1	10.5	9.1	8.8	12.3	11.2	13.9	17.0	18.5	17.2	16.1	167.6	8	2468
	00 LST	18.5	16.0	16.6	17.5	14.9	17.8	15.3	16.8	18.6	21.7	17.8	15.2	206.7	8	2440
	06 LST	28.1	23.7	28.5	28.2	30.3	29.8	30.5	30.7	29.1	30.5	28.2	25.5	343.1	8	2354
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	12 LST	29.7	25.7	28.1	28.9	29.6	29.9	30.9	30.5	29.3	30.1	28.7	27.4	348.8	8	2431
	18 LST	30.5	26.7	29.3	28.2	30.5	29.4	31.0	30.3	29.5	30.4	27.8	28.5	352.1	8	2454
	00 LST	29.2	24.7	28.9	29.2	30.2	29.6	30.3	30.7	29.5	30.7	28.2	26.0	347.2	8	2428
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	06 LST	27.9	23.2	25.5	25.7	28.1	26.9	27.9	29.3	27.4	28.6	25.3	24.1	319.9	8	2354
	12 LST	29.0	25.2	25.0	26.0	26.0	27.9	29.7	28.8	28.3	28.6	25.4	26.3	326.2	8	2431
	18 LST	29.7	26.3	27.1	26.4	27.4	26.9	29.0	29.5	28.2	28.3	25.2	27.8	331.8	8	2454
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	00 LST	28.3	24.0	27.6	27.3	26.6	27.1	26.5	28.8	27.1	29.2	26.0	25.1	323.6	8	2428
	06 LST	27.3	23.2	24.8	24.9	26.5	25.0	25.9	26.3	27.2	28.1	24.6	23.7	307.7	8	2354
	12 LST	28.5	25.0	25.0	25.5	25.5	26.4	28.4	28.0	27.8	28.6	24.6	25.7	319.0	8	2431
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	18 LST	29.1	25.8	26.8	26.1	26.3	25.1	26.2	27.7	26.7	27.7	24.3	27.3	319.1	8	2454
	00 LST	28.1	23.6	26.6	26.7	25.3	25.9	23.5	26.4	26.2	28.8	25.6	24.7	311.4	8	2428

NING, CHINA

STA NO. 51431 (IN AREA NUMBER 01)

LATITUDE 4355N

LONGITUDE 08117E

ELEVATION(FT) 02198

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	45	64	82	90	91	97	99	99	95	86	66	48	99	6	1765
MEAN MAX TMP (F)	28	35	49	66	74	81	84	85	78	63	42	30	60	6	1765
MEAN MIN TMP (F)	6	14	27	39	49	55	58	56	49	37	23	11	35	6	1735
ABS MIN TMP (F)	-18	-4	3	19	28	45	48	39	27	21	-9	-26	-26	6	1735
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.2	1.1	4.3	7.9	8.1	4.1	0.0	0.0	0.0	25.7	6	1765
MEAN NO DYS TMP = DR LES 32(F)	31.0	27.5	22.4	5.8	0.7	0.0	0.0	0.0	1.1	8.3	26.2	31.0	134.0	6	1735
MEAN NO DYS TMP = DR LES 0(F)	10.1	3.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	4.9	19.6	6	1735
MEAN DEW PT TMP (F)	10	18	27	34	43	52	55	52	45	36	23	14	34	6	11463
MEAN REL HUM (PCT)	77	79	71	53	55	58	60	56	55	63	75	79	65	6	11311
MEAN PRESS ALT (FT)	1643	1770	1946	2069	2168	2278	2391	2326	2160	1914	1712	1663	2003	6	11445
MEAN PRECIP (IN)	0.29	1.11	0.50	0.91	0.87	1.69	0.55	0.76	0.53	0.93	1.44	0.93	10.5	3	-182
MEAN SNOW FALL (IN)						0.0	0.0	0.0						6	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	2.6	5.7	2.5	4.1	3.9	5.0	2.5	3.0	1.8	3.1	4.9	5.1	44.2	3	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN						0.0	0.0	0.0						6	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	3.1	2.5	1.5	0.2	0.0	0.0	0.0	0.0	0.0	0.0	2.1	3.2	12.6	6	1732
MEAN NO DYS TSTMS	0.0	0.0	0.2	0.2	5.4	12.4	10.3	4.2	1.3	0.2	0.0	0.0	34.2	6	1734
P FREQ WND SPD = DR GTR 17 KTS	0.6	0.5	2.2	4.2	3.6	0.9	0.9	0.8	1.0	1.6	0.4	0.8	1.5	6	11539
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.1	0.0	0.7	0.0	0.0	0.0	0.0	0.5	0.2	0.0	0.1	6	11539
P FREQ LES 5000 FT A/D LES 5 MI	15.5	17.3	14.5	11.6	13.3	12.2	8.9	5.6	9.0	7.3	15.5	15.2	12.2	6	11591
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	11.3	14.5	3.9	1.5	1.5	0.0	0.0	0.0	2.6	0.0	4.0	14.9	4.5	6	1137
03-05 LST	7.9	9.7	3.2	1.1	0.0	0.0	0.0	0.7	0.6	0.0	3.2	12.3	3.2	6	1741
06-08 LST	4.7	11.6	4.8	3.1	0.0	0.0	0.0	1.0	2.1	0.7	8.8	10.5	3.9	6	1269
09-11 LST	4.3	9.7	2.1	2.2	0.4	0.0	0.0	0.0	1.2	0.6	4.6	7.7	2.7	6	1811
12-14 LST	2.3	6.9	4.4	4.5	3.9	0.0	0.0	1.0	0.0	1.5	3.1	3.3	2.6	6	1138
15-17 LST	6.8	8.0	5.5	3.3	2.4	1.4	0.7	0.0	0.9	1.9	3.3	8.0	3.5	6	1843
18-20 LST	7.8	9.0	3.7	2.6	2.1	0.8	0.0	0.0	1.9	0.6	2.9	7.6	3.3	6	1768
21-23 LST	9.8	8.1	2.4	1.1	1.1	0.7	0.7	0.0	0.0	0.6	3.8	10.3	3.2	6	1811
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	4.7	10.5	3.3	1.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	10.5	2.6	6	1137
03-05 LST	3.4	5.2	2.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	8.1	1.7	6	1781
06-08 LST	2.1	5.5	2.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.3	7.5	2.0	6	1269
09-11 LST	2.9	4.6	0.0	0.7	0.0	0.0	0.0	0.0	0.0	0.0	3.4	2.9	1.2	6	1811
12-14 LST	2.3	2.7	2.2	1.0	2.9	0.0	0.0	1.0	0.0	0.0	2.1	0.9	1.3	6	1138
15-17 LST	2.9	3.1	1.4	1.4	0.7	0.0	0.7	0.0	0.6	0.0	1.8	1.6	1.2	6	1843
18-20 LST	3.5	3.3	0.0	1.5	0.7	0.0	0.0	0.0	0.6	0.0	1.9	2.4	1.2	6	1768
21-23 LST	4.3	4.8	0.7	0.7	0.0	0.0	0.0	0.0	0.6	2.9	7.1	1.8		6	1811

INING, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	05 LST	29.1	25.5	30.1	29.8	31.0	30.0	31.0	30.8	29.8	31.0	29.1	27.6	354.8	6	1781
	11 LST	29.7	25.8	30.6	29.3	31.0	30.0	31.0	31.0	29.6	31.0	28.8	28.8	356.6	6	1811
	17 LST	29.0	25.9	29.7	29.4	30.4	29.6	30.8	31.0	29.8	30.8	29.1	29.3	354.8	6	1843
	23 LST	28.3	26.2	30.6	29.8	30.8	29.8	30.8	31.0	30.0	30.8	29.0	28.1	355.2	6	1811
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	05 LST	26.5	23.4	27.0	27.1	29.1	28.0	28.4	29.2	27.7	29.3	28.1	25.8	329.6	6	1776
	11 LST	29.0	23.8	23.7	20.6	24.5	24.4	25.0	26.5	23.8	24.9	26.0	27.5	299.7	6	1801
	17 LST	27.7	24.8	24.5	21.4	24.2	24.4	26.5	26.6	27.0	26.5	27.5	27.6	308.7	6	1841
	23 LST	26.1	24.2	26.8	22.5	23.8	25.2	26.0	27.5	27.1	28.2	27.7	26.2	311.3	6	1809
SFC WND = GTR 17 KTS AND NO PRECIP.	05 LST	0.0	0.0	0.2	0.4	0.2	0.0	0.2	0.0	0.0	0.0	0.0	0.4	1.4	6	1789
	11 LST	0.4	0.2	1.1	1.1	0.6	0.2	0.2	0.2	0.5	0.5	0.0	0.2	5.2	6	1806
	17 LST	0.2	0.0	0.6	1.5	2.5	0.8	0.2	0.2	0.4	0.6	0.0	0.0	7.0	6	1846
	23 LST	0.2	0.0	0.6	0.4	0.2	0.0	0.2	0.0	0.2	0.4	0.0	0.4	2.6	6	1816
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	05 LST	0.2	1.5	8.9	17.3	18.1	19.2	16.5	22.6	13.9	12.4	4.1	0.2	134.9	6	1774
	11 LST	1.8	5.5	11.7	15.1	17.0	19.3	17.4	18.2	18.0	17.1	11.0	3.9	158.0	6	1797
	17 LST	1.6	4.1	12.7	16.4	14.7	11.6	12.5	12.2	10.4	10.9	8.1	2.0	117.2	6	1839
	23 LST	0.2	1.4	9.9	15.0	17.6	17.0	18.7	18.1	14.8	12.7	4.1	0.7	130.2	6	1806
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	05 LST	19.5	15.1	14.4	13.0	10.1	13.5	13.3	17.5	17.6	17.2	15.8	15.9	182.9	6	1787
	11 LST	14.8	9.9	10.7	11.8	11.0	17.2	14.8	16.6	17.7	14.9	12.9	13.1	165.4	6	1811
	17 LST	12.4	9.6	8.5	11.7	8.4	9.7	13.0	15.2	17.9	12.5	12.1	13.9	144.9	6	1845
	23 LST	18.1	16.3	14.9	18.1	13.1	15.3	16.2	19.8	19.6	18.0	16.0	16.9	202.3	6	1816
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	05 LST	27.5	24.5	29.4	29.1	30.7	29.7	30.7	30.8	29.6	30.7	28.0	26.6	347.3	6	1781
	11 LST	29.5	24.6	29.1	28.7	30.3	29.8	30.8	31.0	29.4	30.4	27.9	28.3	349.8	6	1811
	17 LST	28.7	25.3	28.5	28.4	29.8	29.3	30.7	30.9	29.6	29.9	28.1	27.5	346.7	6	1843
	23 LST	27.4	24.5	28.8	29.5	30.4	29.5	30.7	30.8	29.7	30.6	27.9	27.0	346.8	6	1811
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	05 LST	24.7	21.8	25.9	25.6	26.5	23.8	26.2	26.7	25.5	27.5	24.6	24.9	303.7	6	1781
	11 LST	27.9	23.7	25.3	24.9	25.8	28.0	26.7	29.0	26.7	27.5	25.2	27.7	318.4	6	1811
	17 LST	26.1	24.2	26.6	26.4	26.5	22.7	24.1	26.6	28.1	27.5	26.4	26.4	311.6	6	1843
	23 LST	25.2	21.9	24.8	27.4	26.0	23.5	25.0	26.4	25.7	27.8	23.9	25.0	302.6	6	1811
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	05 LST	24.7	21.6	25.7	25.6	24.9	23.3	24.6	25.9	24.9	27.3	24.2	24.7	297.4	6	1781
	11 LST	27.9	23.5	25.3	24.9	25.8	28.0	26.3	28.6	26.7	27.3	25.0	27.7	317.0	6	1811
	17 LST	25.9	24.2	26.6	25.5	26.3	22.3	22.7	25.8	27.9	27.5	26.3	26.3	307.3	6	1843
	23 LST	25.0	21.7	24.8	26.7	25.1	23.1	23.7	25.6	25.7	27.6	23.5	24.8	297.3	6	1811

TI-HUA/WULUMUCHI, CHINA

STA NO. 51463 (IN AREA NUMBER 01)

LATITUDE 4346N

LONGITUDE 08737E

ELEVATION(FT) 02995

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	41	52	70	88	95	102	104	106	95	81	63	43	106	8	2418
MEAN MAX TMP (F)	15	24	41	60	72	82	86	84	74	57	35	21	54	8	2418
MEAN MIN TMP (F)	-4	5	23	40	51	60	65	63	53	37	21	5	35	8	2398
ABS MIN TMP (F)	-26	-22	-6	19	30	41	52	46	23	18	-8	-26	-26	8	2398
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	1.1	7.0	10.7	8.7	2.2	0.0	0.0	0.0	29.7	8	2418
MEAN NO DYS TMP = OR LES 32(F)	31.0	28.0	22.7	7.5	1.5	0.0	0.0	0.0	0.7	10.3	28.3	31.0	161.0	8	2398
MEAN NO DYS TMP = OR LES 0(F)	22.1	10.6	1.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	11.1	47.2	8	2398
MEAN DEW PT TMP (F)	2	8	22	29	35	44	49	47	39	28	20	6	27	8	14706
MEAN REL HUM (PCT)	76	80	73	51	45	43	44	44	46	56	77	80	60	8	14357
MEAN PRESS ALT (FT)	2281	2441	2654	2813	2954	3101	3223	3121	2921	2671	2455	2365	2750	8	14957
MEAN PRECIP (IN)	0.60	0.20	0.50	1.10	1.20	1.50	0.50	0.80	0.90	1.50	0.60	0.50	9.9	3	-180
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0						8	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	4.0	2.2	2.5	4.7	5.1	4.6	2.4	3.1	3.0	5.1	2.0	3.6	42.3	3	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN					0.0	0.0	0.0	0.0						8	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	1.9	5.0	3.6	0.7	0.2	0.0	0.0	0.0	0.3	0.8	1.6	5.7	19.8	8	2292
MEAN NO DYS TSTMS	0.0	0.2	0.0	0.3	1.0	3.0	4.7	1.4	0.5	0.0	0.1	0.0	11.2	8	2291
P FREQ WND SPD = OR GTR 17 KTS	0.3	0.3	1.0	3.1	5.0	2.2	1.2	0.9	1.2	1.6	1.1	0.3	1.5	8	15091
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.2	0.1	0.6	1.0	0.1	0.0	0.1	0.2	0.5	0.1	0.2	0.3	8	15091
P FREQ LES 5000 FT A/D LES 5 MI	19.1	26.0	26.1	14.0	10.9	8.4	7.0	5.3	6.9	7.2	29.9	31.0	16.0	8	12157
P FREQ LES 1900 FT A/D LES 3 MI															
FOR 00-02 LST	11.9	14.2	9.8	5.8	2.0	0.5	1.5	0.0	0.2	2.6	12.5	21.8	6.9	8	2380
03-05 LST	8.1	17.6	19.1	4.6	1.1	0.8	0.8	0.0	1.6	1.4	13.8	22.1	7.1	8	1639
06-08 LST	8.4	14.2	12.9	7.6	2.8	1.6	1.6	0.8	1.0	1.6	11.9	20.7	7.1	8	2298
09-11 LST	16.6	22.0	17.2	8.3	3.7	0.6	2.4	0.0	1.9	5.6	12.7	21.6	9.4	8	1593
12-14 LST	11.5	9.7	14.3	5.7	3.6	0.0	1.2	0.4	2.1	5.5	10.0	18.8	6.9	8	2077
15-17 LST	8.9	12.4	14.7	4.8	1.8	1.1	1.2	0.0	2.7	1.9	10.2	19.3	6.6	8	1356
18-20 LST	9.5	17.0	14.8	6.5	3.5	0.8	1.9	0.4	1.0	2.7	12.1	21.4	7.6	8	2087
21-23 LST	6.8	9.8	9.5	3.6	2.3	0.0	1.7	0.3	0.0	2.1	8.1	17.1	5.1	7	1688
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	3.7	7.7	3.4	0.5	0.0	0.0	0.0	0.0	0.0	1.4	3.2	13.2	2.8	8	2380
03-05 LST	2.3	9.5	5.9	1.3	0.0	0.0	0.0	0.0	0.0	1.4	4.0	11.8	3.0	8	1639
06-08 LST	3.1	7.1	4.3	2.2	1.1	0.0	0.0	0.0	0.0	0.5	4.0	12.2	2.9	8	2298
09-11 LST	9.9	11.1	8.6	0.7	0.8	0.0	0.9	0.0	0.9	2.0	3.1	13.3	4.3	8	1593
12-14 LST	2.0	2.9	5.1	1.2	0.6	0.0	0.8	0.0	0.0	0.5	2.9	8.6	2.1	8	2077
15-17 LST	2.1	0.8	3.9	0.8	0.0	0.0	0.0	0.0	2.7	0.0	2.1	8.6	1.8	8	1356
18-20 LST	1.0	5.1	4.2	1.2	1.1	0.0	0.9	0.0	0.6	0.5	1.4	9.4	2.1	8	2087
21-23 LST	1.4	3.9	4.3	0.0	0.8	0.0	0.0	0.0	0.0	0.6	1.9	9.4	1.9	7	1688

TI-HUA/WULUMUCHI, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	06 LST	28.7	25.4	28.2	28.5	30.1	29.6	30.6	30.8	29.9	30.7	27.5	25.5	345.5	8	2298
	12 LST	27.9	26.4	27.8	29.1	30.4	30.0	30.8	31.0	29.7	29.5	28.3	25.7	346.6	8	2077
	18 LST	28.5	24.5	27.9	28.8	30.1	30.0	30.7	31.0	29.8	30.4	28.3	25.7	345.7	8	2087
	00 LST	28.2	24.8	29.4	28.8	30.5	29.8	30.8	31.0	30.0	30.4	27.8	25.2	346.7	8	2380
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	06 LST	25.8	21.7	23.5	19.4	20.5	10.1	24.9	21.6	23.0	26.7	23.6	21.8	272.6	8	2292
	12 LST	26.6	23.6	23.2	24.0	21.6	25.2	24.0	24.4	24.7	26.5	25.5	24.0	293.3	8	2071
	18 LST	26.7	22.0	23.5	22.5	21.0	22.3	21.2	24.4	26.5	28.0	23.9	22.1	284.1	8	2081
	00 LST	25.5	22.1	23.1	20.5	17.8	20.1	22.2	22.9	22.4	26.5	22.5	21.5	267.1	8	2376
SFC WND = GTR 17 KTS AND ND PRECIP.	06 LST	0.2	0.2	0.3	1.3	1.4	0.5	0.0	0.0	1.1	0.6	0.1	0.0	5.7	8	2402
	12 LST	0.2	0.0	0.2	0.8	1.1	0.3	0.0	0.1	0.3	1.2	0.1	0.0	4.3	8	2460
	18 LST	0.2	0.0	0.2	0.6	0.9	0.8	0.8	0.1	0.3	0.1	0.1	0.0	4.1	8	2475
	00 LST	0.0	0.2	0.5	1.1	1.2	0.3	0.2	0.5	0.3	0.4	0.3	0.1	5.1	8	2469
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND ND PRECIP.	06 LST	0.0	0.0	5.5	14.9	15.8	18.8	18.9	18.2	20.0	14.7	2.5	0.0	129.3	8	2372
	12 LST	0.3	1.0	11.5	18.9	20.8	19.8	19.1	17.6	20.4	19.3	8.1	1.1	157.9	8	2445
	18 LST	0.0	0.2	9.0	19.7	20.0	16.9	13.6	17.3	17.1	10.7	3.4	0.1	128.0	8	2456
	00 LST	0.0	0.0	8.4	17.2	18.3	19.4	19.1	22.0	20.8	17.5	4.0	0.0	146.7	8	2450
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	06 LST	19.6	15.0	13.1	10.6	10.3	13.2	12.4	15.6	17.1	18.8	15.9	14.6	176.2	8	2409
	12 LST	15.0	12.7	9.5	11.4	10.2	14.0	14.8	16.5	16.3	17.1	10.0	10.2	157.7	8	2469
	18 LST	15.1	10.4	6.8	8.7	8.8	9.4	8.1	11.4	15.9	16.0	13.0	13.0	136.6	8	2485
	00 LST	19.1	16.6	14.8	17.5	14.2	15.4	14.0	16.2	18.9	21.6	15.7	14.2	198.2	8	2471
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	06 LST	27.9	22.3	25.0	26.9	30.0	29.2	30.2	30.5	29.2	30.2	24.7	23.1	329.2	8	2298
	12 LST	26.8	23.8	24.7	27.0	28.9	29.6	30.5	30.2	29.0	28.7	24.5	23.9	327.6	8	2077
	18 LST	27.4	21.5	24.4	26.9	29.3	29.4	29.8	30.4	29.4	29.8	23.7	22.8	324.8	8	2087
	00 LST	26.2	22.9	26.1	27.6	29.9	29.8	30.1	30.9	29.6	29.9	24.1	22.7	329.8	8	2380
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	06 LST	26.3	20.8	22.4	25.2	26.9	27.5	28.3	28.6	27.8	28.6	21.2	21.9	305.5	8	2298
	12 LST	26.0	22.3	22.1	25.1	26.6	28.2	28.3	28.7	27.6	27.3	21.5	22.2	305.9	8	2077
	18 LST	25.8	20.3	21.9	23.3	25.8	24.0	25.5	26.3	26.3	28.7	20.7	21.7	290.3	8	2087
	00 LST	25.2	21.3	24.0	26.4	26.9	26.8	26.5	28.1	28.0	29.0	21.4	21.1	304.7	8	2380
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	06 LST	26.1	20.6	22.4	25.0	25.9	26.7	27.3	27.9	27.2	28.4	21.1	21.7	300.3	8	2298
	12 LST	25.8	22.2	21.9	25.1	26.0	28.0	27.5	28.7	27.4	26.9	21.3	22.2	303.0	8	2077
	18 LST	25.6	20.3	21.9	23.3	24.6	22.3	22.7	24.0	25.6	28.4	20.6	21.7	281.0	8	2087
	00 LST	25.0	21.3	23.8	26.3	26.2	25.9	24.2	27.4	27.6	28.7	21.3	20.8	298.5	8	2380

AREA 01

PARAMETER DESCRIPTION		DZUNGARIAN BASIN												ANN	
		CHINA		BOUNDARIES		4200N 08010E		4400N 09525E		LATITUDE 4530N		LONGITUDE 08700E			
		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	
MEAN MAX TMP (F)		15	24	40	59	70	80	83	82	73	56	34	21	53	
MEAN MIN TMP (F)		-6	1	19	35	46	55	60	57	48	33	16	3	31	
LARGEST MEAN PRECIP(IN)		0.60	1.11	0.73	1.10	1.20	1.69	0.55	0.80	0.90	1.50	1.44	0.93	12.5	
SMALLEST MEAN PRECIP(IN)		0.15	0.20	0.30	0.70	0.74	0.70	0.41	0.55	0.67	0.22	0.07	0.13	4.4	
		MEAN NUMBER OF DAYS													
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	06 LST	29.7	26.4	29.7	29.4	30.6	29.9	30.9	30.9	29.9	30.7	28.8	28.4	355.3	
	12 LST	30.0	27.1	30.0	29.4	30.8	30.0	30.9	30.8	29.9	30.5	29.0	28.7	357.1	
	18 LST	30.1	26.8	29.9	29.3	30.6	29.8	30.9	30.9	29.9	30.6	29.0	29.0	356.8	
	00 LST	29.5	26.6	30.0	29.5	30.8	29.9	30.9	30.9	29.9	30.7	28.8	28.8	356.3	
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	06 LST	27.8	24.3	25.4	23.7	24.4	25.1	27.3	26.9	25.6	26.9	26.3	26.1	309.8	
	12 LST	29.0	25.3	25.8	21.9	21.3	22.3	23.6	24.9	24.1	25.9	26.4	26.6	297.1	
	18 LST	28.7	25.2	25.3	19.7	18.9	19.6	20.7	23.5	24.3	27.0	26.5	26.8	286.2	
	00 LST	27.8	24.3	24.8	22.4	22.9	23.5	25.2	25.4	25.2	26.3	26.1	26.6	300.5	
SFC WND = GTR 17 KTS AND NO PRECIP.	06 LST	0.1	0.1	0.4	0.7	0.6	0.4	0.2	0.1	0.3	0.4	0.2	0.2	3.7	
	12 LST	0.1	0.1	0.3	1.3	1.5	0.7	0.4	0.3	0.6	0.7	0.3	0.2	6.7	
	18 LST	0.1	0.1	0.6	1.7	2.4	1.5	1.0	0.6	0.6	0.7	0.2	0.2	9.7	
	00 LST	0.1	0.2	0.4	1.0	1.0	0.8	0.4	0.4	0.3	0.5	0.3	0.1	5.5	
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	06 LST	0.0	0.2	3.9	11.8	16.5	16.7	16.8	17.9	17.2	11.5	1.7	0.0	114.2	
	12 LST	0.2	1.3	9.5	15.9	18.2	16.7	17.5	16.8	17.5	15.8	6.0	0.8	136.2	
	18 LST	0.2	0.7	8.6	15.1	15.1	13.9	13.5	15.2	14.6	12.5	3.3	0.2	112.9	
	00 LST	0.0	0.3	5.6	12.9	16.5	16.1	16.4	17.4	17.1	13.5	2.0	0.1	117.9	
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	06 LST	18.4	16.0	12.1	12.2	11.2	13.6	12.6	15.2	17.6	16.9	14.8	13.8	174.4	
	12 LST	14.8	12.5	10.3	11.0	10.7	13.3	11.9	13.9	16.8	14.5	10.7	10.1	150.5	
	18 LST	15.0	12.3	8.9	9.9	9.3	9.9	9.2	12.0	16.9	14.8	12.3	12.9	143.4	
	00 LST	18.1	16.2	15.1	16.7	15.1	16.1	16.1	18.2	20.2	19.6	15.2	14.8	201.4	
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	06 LST	28.9	25.4	28.5	28.8	30.2	29.7	30.6	30.8	29.6	30.4	27.3	26.7	346.9	
	12 LST	29.7	26.1	28.4	28.5	30.1	29.5	30.4	30.5	29.2	29.8	27.5	27.1	347.1	
	18 LST	29.7	25.9	28.7	28.5	29.9	29.3	30.5	30.4	29.5	30.1	27.3	27.2	347.0	
	00 LST	28.9	25.8	29.1	29.1	30.4	29.8	30.6	30.8	29.8	30.6	27.5	27.2	349.6	
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	06 LST	27.6	24.0	25.8	26.2	27.1	26.7	27.1	28.1	26.9	28.6	24.4	24.6	317.1	
	12 LST	28.8	24.9	25.7	25.5	26.3	25.8	26.1	27.5	27.2	27.8	24.5	25.2	315.3	
	18 LST	28.4	24.8	26.3	25.8	26.1	23.8	24.5	26.3	27.0	28.0	24.3	25.2	310.5	
	00 LST	27.7	24.4	26.6	27.3	27.0	26.3	26.8	27.7	27.6	29.1	24.6	25.3	320.4	
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	06 LST	27.4	23.8	25.4	25.9	26.1	26.0	26.0	27.1	26.4	28.3	24.0	24.1	310.5	
	12 LST	28.6	24.8	25.5	25.2	25.9	25.1	25.3	26.8	26.9	27.6	24.2	25.0	319.9	
	18 LST	28.2	24.5	26.1	25.3	25.2	22.4	22.5	25.1	26.3	27.6	24.1	25.0	302.3	
	00 LST	27.6	24.3	26.4	26.9	26.3	25.5	25.2	26.6	27.0	28.7	24.4	25.1	314.0	

CHI-CHIAO-CHING, CHINA

STA NO. 51495 (IN AREA NUMBER 02)

LATITUDE 4329N

LONGITUDE 09138E

ELEVATION(FT) 02834

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	43	54	75	91	97	102	104	104	99	84	63	43	104	8	2293
MEAN MAX TMP (F)	24	38	52	65	75	86	90	88	79	62	43	31	61	8	2293
MEAN MIN TMP (F)	-1	9	24	38	50	62	67	64	52	34	18	5	35	8	2185
ABS MIN TMP (F)	-24	-15	-4	10	28	41	48	45	28	10	-8	-15	-24	8	2185
MEAN NO DYS TMP = DR GTR 10(F)	0.0	0.0	0.0	0.2	2.4	12.1	20.0	16.0	3.0	0.0	0.0	0.0	53.7	8	2293
MEAN NO DYS TMP = DR LES 12(F)	31.0	28.0	23.0	9.2	0.4	0.0	0.0	0.0	0.3	13.8	28.3	31.0	165.0	8	2185
MEAN NO DYS TMP = DR LES 0(F)	19.4	4.8	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	10.3	35.5	8	2185
MEAN DEW PT TMP (F)	6	1	6	16	23	36	43	39	29	15	7	2	19	8	12680
MEAN REL HUM (PCT)	48	40	30	26	26	28	32	29	28	30	41	50	34	8	12419
MEAN PRESS ALT (FT)	2186	2403	2607	2753	2872	3057	3176	3075	2856	2580	2369	2277	2684	8	12934
MEAN PRECIP (IN)	0.09	0.00	0.01	0.05	0.46	0.21	0.47	0.32	0.24	0.04	0.00	0.11	2.0	2	-182
MEAN SNOW FALL (IN)						0.0	0.0	0.0						8	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	1.6	0.0	0.4	0.6	2.3	1.7	2.3	2.0	0.9	0.4	0.0	1.7	13.9	2	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN						0.0	0.0	0.0						8	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.4	0.4	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.2	1.7	8	2032
MEAN NO DYS TSTMS	0.0	0.0	0.2	0.0	0.9	1.3	1.1	1.9	0.2	0.0	0.0	0.0	5.6	8	2037
P FREQ WND SPD = DR GTR 17 KTS	7.3	12.8	22.0	22.9	25.8	23.5	18.4	17.9	13.5	12.4	11.6	9.6	16.5	8	13143
P FREQ WND SPD = DR GTR 28 KTS	0.3	0.8	1.8	2.5	2.7	1.7	0.5	1.0	1.1	0.3	0.6	0.5	1.2	8	13143
P FREQ LES 5000 FT A/D LES 5 MI	1.7	2.2	1.8	4.6	6.9	5.5	4.1	3.7	1.9	1.8	2.6	1.2	3.2	8	13738
P FREQ LES 1500 FT A/D LES 3 MI															
FDR 00-02 LST	0.0	1.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	1.5	0.3	8	2329
03-05 LST	0.0	1.6	0.0	1.0	0.6	0.0	0.0	0.0	0.8	0.0	2.0	1.4	0.6	8	1669
06-08 LST	3.1	1.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.5	0.5	8	2202
09-11 LST	0.0	0.3	1.5	0.7	0.0	0.0	0.0	0.8	0.7	0.6	0.6	0.9	0.5	8	1800
12-14 LST	1.2	0.6	0.3	0.0	0.6	0.6	0.0	0.0	0.5	0.0	2.0	0.5	0.5	8	2224
15-17 LST	0.0	0.0	1.1	0.0	0.7	0.7	0.0	0.8	0.0	0.8	0.7	0.6	0.5	8	1652
18-20 LST	0.0	0.9	0.5	0.0	0.0	1.1	0.0	0.0	0.0	0.2	0.5	0.0	0.3	8	2367
21-23 LST	0.0	2.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	6	917
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.5	0.1	8	2329
03-05 LST	0.0	0.8	0.0	0.7	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.7	0.3	8	1669
06-08 LST	2.5	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.3		8	2202
09-11 LST	0.0	0.0	0.6	0.7	0.0	0.0	0.0	0.0	0.7	0.0	0.6	0.6	0.3	8	1800
12-14 LST	0.0	0.6	0.0	0.0	0.6	0.6	0.0	0.0	0.0	0.0	1.5	0.5	0.3	8	2224
15-17 LST	0.0	0.0	0.0	0.0	0.7	0.7	0.0	0.0	0.0	0.0	0.7	0.0	0.2	8	1652
18-20 LST	0.0	0.0	0.5	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.5	0.0	0.1	8	2367
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	917

CHI-CHIAO-CHING, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	06 LST	30.0	27.5	31.0	30.0	31.0	30.0	31.0	31.0	30.0	31.0	29.9	30.9	363.3	8	2202
	12 LST	30.6	27.8	31.0	30.0	30.8	29.8	31.0	31.0	29.8	31.0	29.4	30.9	363.1	8	2224
	18 LST	31.0	27.8	30.8	30.0	31.0	29.7	31.0	31.0	30.0	31.0	29.9	31.0	364.2	8	2367
	00 LST	31.0	27.5	31.0	30.0	31.0	30.0	31.0	31.0	30.0	31.0	29.6	30.9	364.0	8	2329
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	06 LST	23.3	19.2	18.3	15.2	14.6	12.8	13.3	14.3	17.5	18.6	19.6	22.9	209.6	8	2197
	12 LST	23.4	17.6	13.7	10.9	9.4	5.8	9.4	11.9	12.6	15.5	18.1	24.1	172.4	8	2219
	18 LST	21.3	15.1	13.0	7.2	6.6	4.9	4.9	7.5	10.5	17.7	18.3	22.5	149.5	8	2363
	00 LST	24.8	18.9	16.6	14.8	13.0	14.2	13.2	15.7	15.9	18.3	19.9	23.1	208.4	8	2324
SFC WND = GTR 17 KTS AND NO PRECIP.	06 LST	1.5	2.9	3.3	2.1	3.4	2.4	1.6	1.3	1.9	1.9	3.1	2.4	27.8	8	2218
	12 LST	1.6	3.3	7.2	8.4	9.8	8.0	6.7	7.2	5.3	3.8	4.6	2.2	67.5	8	2237
	18 LST	2.5	4.9	6.9	9.5	11.3	11.5	9.3	8.3	5.7	2.9	2.8	2.1	77.7	8	2379
	00 LST	2.2	2.8	6.0	3.2	3.7	3.0	2.5	3.1	2.3	3.3	2.2	2.4	36.7	8	2331
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	06 LST	0.0	0.0	2.8	7.1	7.8	10.3	13.4	11.7	10.1	5.5	1.5	0.0	70.2	8	2190
	12 LST	0.2	3.1	8.5	10.0	8.1	4.0	4.4	7.2	9.0	11.4	4.5	1.0	71.4	8	2211
	18 LST	0.2	5.1	11.2	7.3	6.5	2.3	2.9	4.5	7.7	9.4	4.8	0.3	62.2	8	2365
	00 LST	0.0	0.2	4.5	8.1	9.9	13.0	13.9	12.5	10.2	8.2	1.3	0.0	81.8	8	2312
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	06 LST	19.9	18.8	14.0	12.3	14.2	14.2	11.7	15.0	18.3	20.5	18.4	20.0	197.3	8	2211
	12 LST	14.1	14.6	13.2	9.4	12.4	13.5	12.5	15.9	18.9	18.6	13.8	14.9	171.8	8	2237
	18 LST	20.3	16.5	11.7	10.5	10.2	11.5	12.3	13.9	18.8	20.0	19.2	19.8	184.7	8	2377
	00 LST	21.5	19.4	18.2	16.8	16.7	18.2	17.1	18.5	22.5	23.1	20.5	19.9	232.4	8	2328
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	06 LST	30.0	27.5	31.0	29.8	30.6	29.9	30.9	31.0	30.0	30.9	29.8	30.8	362.2	8	2202
	12 LST	30.6	27.8	30.8	29.6	30.6	29.7	30.9	30.9	29.8	31.0	29.2	30.9	361.8	8	2224
	18 LST	31.0	27.7	30.8	29.7	30.8	29.7	31.0	30.9	29.9	30.7	29.7	30.9	362.8	8	2367
	00 LST	31.0	27.5	31.0	29.9	30.9	29.9	31.0	31.0	29.9	30.9	29.5	30.9	363.4	8	2329
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	06 LST	29.9	27.5	30.7	28.4	29.1	28.6	28.9	29.3	29.7	30.4	29.4	30.7	352.6	8	2202
	12 LST	30.6	27.8	30.4	28.3	27.6	27.5	28.2	29.4	29.4	30.3	28.8	30.9	349.2	8	2224
	18 LST	31.0	27.5	30.2	28.7	28.5	27.4	29.3	29.4	29.4	29.9	28.7	30.7	350.7	8	2367
	00 LST	31.0	27.4	30.8	29.0	30.3	29.1	28.3	29.0	29.0	30.6	29.3	30.9	354.7	8	2329
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	06 LST	29.9	27.5	30.3	28.2	29.1	28.6	28.9	29.2	29.7	30.4	29.4	30.7	351.9	8	2202
	12 LST	30.6	27.8	30.2	28.3	27.6	27.5	28.2	29.4	29.4	30.1	28.6	30.9	348.6	8	2274
	18 LST	31.0	27.5	30.2	28.7	28.5	27.2	29.3	29.2	29.4	29.9	28.7	30.7	350.3	8	2367
	00 LST	31.0	27.4	30.8	28.7	30.3	28.9	28.2	28.9	29.0	30.6	29.3	30.9	354.0	8	2329

YEN-CHI/YANCHI, CHINA

STA NO. 51567 (IN AREA NUMBER 02)

LATITUDE 4203N

LONGITUDE 08634E

ELEVATION(FT) 03471

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	45	57	75	88	90	97	97	97	90	81	61	41	97	6	1658
MEAN MAX TMP (F)	26	40	56	69	75	83	85	84	78	64	45	31	61	6	1658
MEAN MIN TMP (F)	-2	9	23	39	47	56	60	57	48	32	16	4	32	6	1696
ABS MIN TMP (F)	-18	-8	5	16	28	39	50	37	30	18	3	-15	-18	6	1696
MEAN NO DYS TMP = DI. GTR 90(F)	0.0	0.0	0.0	0.0	0.7	5.3	8.9	5.7	1.1	0.0	0.0	0.0	21.7	6	1658
MEAN NO DYS TMP = DR LES 32(F)	31.0	28.0	29.3	7.4	0.7	0.0	0.0	0.0	0.5	16.5	29.8	31.0	174.2	6	1696
MEAN NO DYS TMP = DR LES 0(F)	23.1	3.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.4	34.4	6	1696
MEAN DEW PT TMP (F)	2	10	16	25	33	46	53	52	44	29	16	9	28	6	11091
MEAN REL HUM (PCT)	72	60	45	37	39	45	53	56	54	53	62	76	54	6	10819
MEAN PRESS ALT (FT)	2788	3048	3289	3452	3553	3685	3788	3884	3493	3227	2991	2866	3322	6	11099
MEAN PRECIP (IN)	0.45	0.02	0.02	0.48	0.00	0.53	0.19	0.36	0.19	0.13	0.16	0.10	2.6	3	-182
MEAN SNOW FALL (IN)						0.0	0.0	0.0	0.0					6	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	3.3	1.1	0.5	2.4	0.0	2.5	1.7	2.1	0.8	0.6	0.7	1.6	17.3	3	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN						0.0	0.0	0.0	0.0					6	-29
MEAN NO DYS W/OCCUR VSBY LES 1/2 MI	1.2	0.5	0.4	0.5	0.2	0.2	0.3	0.0	0.0	0.0	0.2	5.4	8.9	6	1651
MEAN NO DYS TSTMS	0.0	0.0	0.0	1.1	1.9	4.7	5.0	3.0	1.1	0.4	0.0	0.0	17.2	6	1645
P FREQ WND SPD = DR GTR 17 KTS	0.1	0.5	2.4	4.6	4.3	3.4	1.5	1.1	0.8	1.4	0.3	0.1	1.7	6	11380
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.2	0.2	0.3	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	6	11380
P FREQ LES 5000 FT A/D LES 5 MI	12.2	5.8	12.6	18.5	10.1	10.6	8.5	7.8	4.8	8.7	3.8	17.5	10.1	6	11792
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	2.5	1.6	3.0	3.7	2.2	2.3	0.7	0.0	0.6	0.6	0.0	13.2	2.5	6	1686
03-05 LST	2.3	2.0	3.6	2.3	0.0	3.8	0.0	0.0	0.0	0.0	0.0	9.2	1.9	6	1504
06-08 LST	4.4	0.8	0.7	3.8	0.7	2.4	0.8	0.0	0.0	0.0	0.0	12.8	2.3	6	1668
09-11 LST	13.1	6.1	4.6	5.2	0.8	3.3	0.0	0.0	0.0	1.5	2.3	31.2	5.7	6	1503
12-14 LST	3.9	0.0	2.1	2.8	2.5	4.1	0.7	0.0	0.0	0.6	0.0	10.4	2.3	6	1734
15-17 LST	1.9	2.8	4.8	8.5	1.5	2.4	1.3	0.0	1.0	0.9	0.0	1.5	2.2	6	1479
18-20 LST	0.0	1.7	2.8	7.1	1.4	3.5	1.2	0.0	1.8	0.9	0.7	0.7	1.8	6	1740
21-23 LST	3.5	0.0	2.5	1.3	0.6	1.3	0.0	0.0	3.6	1.8	2.5	10.5	2.3	5	1067
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	2.1	1.6	1.5	2.2	0.0	1.5	0.0	0.0	0.0	0.0	0.0	8.3	1.4	6	1686
03-05 LST	2.3	1.6	0.7	0.8	0.0	1.5	0.0	0.0	0.0	0.0	0.0	6.2	1.1	6	1504
06-08 LST	1.5	0.8	0.0	2.3	0.0	1.6	0.8	0.0	0.0	0.0	0.0	8.8	1.3	6	1668
09-11 LST	4.5	2.4	1.5	3.0	0.0	1.7	0.0	0.0	0.0	0.0	0.8	15.4	2.4	6	1503
12-14 LST	0.7	0.0	0.7	0.7	0.7	1.5	0.0	0.0	0.0	0.0	0.0	5.7	0.8	6	1734
15-17 LST	0.0	1.6	0.8	3.8	0.0	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.7	6	1479
18-20 LST	0.0	0.8	0.0	2.9	0.0	2.1	0.0	0.0	0.0	0.0	0.7	0.0	0.5	6	1740
21-23 LST	1.2	0.0	0.0	0.0	0.0	1.3	0.0	0.0	0.0	0.0	1.3	7.4	0.9	5	1067

YEN-CHI/YANCHI, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	06 LST	29.9	27.8	30.8	28.9	30.8	29.3	30.8	31.0	30.0	30.8	30.0	27.4	357.5	6	1668
	12 LST	29.9	28.0	30.4	29.2	30.3	28.9	30.8	31.0	30.0	30.8	30.0	28.4	357.7	6	1734
	18 LST	31.0	27.8	30.1	27.9	30.6	28.9	30.8	31.0	29.5	30.8	29.8	30.8	359.0	6	1740
	00 LST	30.3	27.6	30.1	28.9	30.3	29.3	30.8	31.0	29.8	30.8	30.0	27.0	355.9	6	1686
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	06 LST	29.2	27.3	28.8	25.9	25.6	25.3	26.3	28.9	28.5	29.4	30.0	26.5	333.7	6	1665
	12 LST	28.8	26.1	23.8	21.4	20.7	23.3	27.5	27.4	27.2	25.4	27.4	25.7	304.7	6	1730
	18 LST	30.8	25.7	24.3	16.9	21.0	23.5	26.4	28.4	27.2	27.5	29.1	29.7	310.5	6	1736
	00 LST	30.1	27.3	28.2	22.9	23.8	23.2	21.7	26.8	26.9	29.4	29.8	26.8	316.9	6	1682
SFC WND = GTR 17 KTS AND NO PRECIP.	06 LST	0.2	0.0	0.7	0.7	0.5	0.5	0.2	0.0	0.0	0.0	0.0	0.0	2.8	6	1674
	12 LST	0.0	0.2	1.1	1.5	1.8	0.7	0.2	0.2	0.2	0.4	0.0	0.0	6.3	6	1737
	18 LST	0.0	0.0	0.6	1.1	1.1	1.5	0.5	0.2	0.2	0.6	0.2	0.0	6.0	6	1740
	00 LST	0.0	0.0	0.7	1.1	1.6	0.9	0.7	0.0	0.2	0.2	0.0	0.0	5.4	6	1690
SFC WND -10 KTS AND TMP 33-69 DEG F AND NO PRECIP.	06 LST	0.0	0.0	3.5	18.0	19.5	20.8	22.0	24.2	23.1	11.1	0.9	0.0	143.1	6	1651
	12 LST	0.2	12.8	21.4	19.0	19.7	21.4	19.5	19.5	19.8	19.8	16.5	1.8	191.4	6	1712
	18 LST	0.0	10.3	21.2	17.8	17.2	19.5	17.8	17.3	18.5	22.5	8.0	0.0	170.1	6	1719
	00 LST	0.0	0.2	12.6	21.2	20.9	20.1	19.5	20.4	23.7	17.4	0.9	0.0	156.9	6	1681
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	06 LST	17.0	17.0	14.1	9.0	11.4	10.0	13.9	15.6	19.5	23.1	21.6	16.5	188.7	6	1682
	12 LST	14.0	11.7	9.6	11.3	9.7	12.5	12.4	15.1	21.6	20.8	14.5	11.0	164.2	6	1744
	18 LST	14.4	11.5	10.4	9.1	11.5	9.4	15.5	14.5	20.6	21.5	15.9	15.5	169.8	6	1746
	00 LST	20.2	16.8	16.4	15.3	15.7	12.8	15.8	16.6	22.7	25.0	22.4	17.4	217.1	6	1692
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	06 LST	29.1	27.6	30.7	28.8	30.6	29.1	30.4	30.7	29.9	30.8	30.0	26.6	354.3	6	1668
	12 LST	29.1	27.8	30.2	29.1	30.1	28.4	30.3	30.7	29.9	30.7	29.8	27.1	353.2	6	1734
	18 LST	30.6	27.1	30.1	27.7	30.4	28.8	30.3	30.5	29.3	30.6	29.8	30.5	355.7	6	1740
	00 LST	29.8	27.6	30.1	28.6	30.2	29.1	30.4	30.5	29.7	30.7	30.0	26.7	353.4	6	1676
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	06 LST	26.9	27.1	30.3	26.8	26.4	25.5	27.4	26.9	27.6	29.4	29.6	25.3	329.2	6	1668
	12 LST	27.5	26.8	29.3	27.3	28.1	27.1	26.2	27.8	29.3	29.9	29.3	25.9	334.5	6	1734
	18 LST	29.5	26.6	29.7	25.9	27.3	25.6	27.0	26.8	28.8	30.4	29.6	29.7	336.9	6	1740
	00 LST	29.3	27.1	29.6	26.9	27.9	25.9	26.4	27.7	28.5	30.3	29.8	26.1	335.5	6	1686
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	06 LST	26.7	27.1	30.1	26.8	25.4	23.6	26.5	25.7	26.7	25.2	29.6	25.3	322.7	6	1668
	12 LST	27.0	26.8	29.1	27.1	27.7	26.7	25.7	26.1	28.6	29.7	29.3	25.9	329.7	6	1734
	18 LST	29.0	26.4	29.7	25.1	27.1	24.1	26.0	26.2	28.8	30.3	29.3	29.7	331.7	6	1740
	00 LST	28.6	27.1	29.4	26.7	27.2	24.4	25.4	27.2	28.5	30.3	29.6	26.1	330.5	6	1686

TURFAN/TULUFAN, CHINA

STA NO. 51573 (IN ARFA NUMBER 02)

LATITUDE 4258N

LONGITUDE 08914E

ELEVATION(FT) 00098

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
ABS MAX TMP (F)	43	59	84	97	108	115	115	113	108	90	68	46	115	8	2415
MEAN MAX TMP (F)	26	43	64	78	90	100	103	100	90	71	50	32	71	8	2415
MEAN MIN TMP (F)	4	18	37	51	62	73	77	73	60	43	26	12	45	8	2450
ABS MIN TMP (F)	-20	-13	18	30	41	57	59	54	37	23	7	-17	-20	8	2450
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	4.6	17.3	28.3	30.2	29.4	18.0	0.6	0.0	0.0	128.4	8	2415
MEAN NO DYS TMP = DR LES 32(F)	31.0	27.7	9.8	0.5	0.0	0.0	0.0	0.0	0.0	4.2	25.6	31.0	129.8	8	2450
MEAN NO DYS TMP = DR LES 0(F)	7.6	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	9.9	8	2450
MEAN DEW PT TMP (F)	2	8	18	24	34	44	52	52	44	31	19	9	28	8	15140
MEAN REL HUM (PCT)	52	42	30	23	23	24	29	32	35	42	51	60	37	8	14776
MEAN PRESS ALT (FT)	-571	-322	-70	72	217	369	486	379	160	-117	-352	-466	-17	8	15264
MEAN PRECIP (IN)	0.09	0.01	0.03	0.01	0.02	0.18	0.06	0.14	0.14	0.01	0.16	0.06	0.9	8	-182
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0					8	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	1.6	1.1	0.5	0.4	0.5	1.7	1.4	1.6	0.6	0.3	0.7	1.4	11.8	8	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0					8	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	0.2	0.0	1.2	1.8	0.7	1.9	0.0	0.0	0.0	0.0	0.0	0.0	5.8	8	2339
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.2	1.0	2.5	5.5	1.8	0.3	0.1	0.0	0.0	11.4	8	2339
P FREQ WND SPD = DR GTR 17 KTS	0.1	0.1	0.9	3.1	5.0	4.7	4.0	2.7	0.9	0.4	0.0	0.0	1.8	8	15344
P FREQ WND SPD = DR GTR 28 KTS	0.1	0.0	0.3	0.7	0.7	0.6	0.5	0.5	0.2	0.0	0.0	0.0	0.3	8	15344
P FREQ LES 5000 FT A/O LES 3 MI	4.1	5.1	7.5	14.7	9.6	11.0	4.1	2.3	2.2	2.2	0.8	1.4	5.4	8	15711
P FREQ LES 1900 FT A/O LES 3 MI															
FOR 00-02 LST	0.0	1.1	4.5	10.8	4.5	4.5	0.0	1.0	0.9	0.9	0.4	0.2	2.4	8	2461
03-05 LST	0.0	0.8	2.9	8.5	4.2	6.8	0.7	0.8	0.0	0.0	0.6	1.8	2.3	8	1651
06-08 LST	1.0	1.1	1.9	12.8	8.0	8.1	0.6	1.5	0.9	1.4	0.5	0.9	3.2	8	2383
09-11 LST	1.3	0.7	4.9	8.8	5.7	6.6	0.7	0.0	0.7	1.9	0.6	1.7	2.8	8	1809
12-14 LST	1.5	1.1	2.9	12.8	6.0	7.0	0.0	0.9	1.4	1.3	0.4	0.4	3.0	8	2486
15-17 LST	0.0	0.8	2.3	9.2	2.8	7.1	0.0	0.0	0.0	0.0	0.0	0.6	1.9	8	1648
18-20 LST	1.0	0.6	5.8	9.9	4.5	4.2	1.0	0.0	0.4	1.3	0.5	0.2	2.5	8	2477
21-23 LST	1.4	0.0	5.6	9.0	5.8	3.6	0.6	0.6	0.0	0.6	1.2	0.6	2.4	7	1813
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.0	1.1	1.0	6.5	2.0	3.5	0.0	0.5	0.5	0.4	0.4	0.0	1.3	8	2461
03-05 LST	0.0	0.0	0.0	4.3	2.1	3.8	0.0	0.0	0.0	0.0	0.0	0.0	0.9	8	1651
06-08 LST	1.0	0.0	0.5	6.7	3.2	4.3	0.0	1.0	0.5	0.0	0.0	0.4	1.5	8	2383
09-11 LST	0.0	0.0	3.1	4.8	0.7	5.8	0.0	0.0	0.0	1.3	0.0	1.1	1.4	8	1809
12-14 LST	0.5	0.5	1.0	7.1	3.5	5.9	0.0	0.5	0.5	0.9	0.0	0.0	1.7	8	2486
15-17 LST	0.0	0.8	1.5	4.9	0.0	5.7	0.0	0.0	0.0	0.0	0.0	0.0	1.1	8	1648
18-20 LST	0.0	0.6	2.4	6.8	3.0	3.2	0.0	0.0	0.0	0.9	0.0	0.0	1.4	8	2477
21-23 LST	0.0	0.0	2.1	5.2	2.9	2.1	0.0	0.0	0.0	0.0	0.6	0.0	1.1	7	1813

TURFAN/TULUFAN, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. DBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	06 LST	30.7	27.7	30.4	26.1	28.5	27.6	30.8	30.5	29.7	30.6	29.9	30.7	353.2	8	2383
	12 LST	30.5	27.7	30.1	26.2	29.1	27.9	31.0	30.7	29.6	30.6	29.9	30.9	354.2	8	2486
	18 LST	30.7	27.8	29.2	27.0	29.6	28.7	30.7	31.0	29.9	30.6	29.9	31.0	356.1	8	2477
	00 LST	31.0	27.7	29.6	26.8	29.6	28.7	31.0	30.7	29.7	30.7	29.9	31.0	356.4	8	2461
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	06 LST	30.4	27.7	29.3	25.6	25.2	24.7	28.7	28.7	28.9	29.9	29.9	30.6	339.6	8	2373
	12 LST	30.1	27.1	28.0	24.5	27.1	26.1	29.0	28.8	29.0	29.4	29.3	30.9	339.3	8	2478
	18 LST	30.7	27.7	28.3	22.6	21.9	20.8	22.8	25.1	27.2	30.2	29.6	30.9	317.8	8	2472
	00 LST	31.0	27.2	27.8	21.7	23.5	23.7	26.0	26.7	26.6	29.0	29.7	30.6	323.5	8	2456
SFC WND = GTR 17 KTS AND NO PRECIP.	06 LST	0.0	0.0	0.3	0.2	0.3	0.4	0.0	0.0	0.0	0.0	0.0	0.0	1.2	8	2397
	12 LST	0.0	0.0	0.0	0.5	0.5	0.2	0.3	0.3	0.3	0.3	0.0	0.0	2.4	8	2499
	18 LST	0.0	0.0	0.7	1.7	3.1	3.6	2.7	0.9	0.5	0.1	0.0	0.0	13.3	8	2495
	00 LST	0.0	0.2	0.2	2.1	1.2	0.9	0.3	0.9	0.1	0.0	0.0	0.0	6.4	8	2467
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	06 LST	0.0	1.5	16.5	20.8	18.5	17.1	17.7	16.9	19.0	17.7	4.7	0.1	150.5	8	2372
	12 LST	1.1	16.2	24.4	23.4	19.1	3.6	1.9	4.3	13.5	21.0	19.1	4.9	148.5	8	2475
	18 LST	0.0	7.3	18.2	16.8	11.5	1.9	1.5	2.8	9.8	10.2	9.6	0.5	90.1	8	2475
	00 LST	0.0	4.3	18.5	18.2	18.7	15.7	10.3	15.4	20.2	17.9	6.4	0.0	145.6	8	2443
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	06 LST	21.2	19.4	15.7	10.7	12.2	11.3	12.7	15.2	19.1	21.3	18.9	20.2	197.9	8	2403
	12 LST	16.5	16.8	13.6	11.0	12.7	15.5	15.9	16.1	19.1	17.3	15.6	15.3	185.4	8	2501
	18 LST	17.7	17.2	11.1	8.9	9.7	8.4	9.8	14.7	17.0	20.2	18.1	18.9	171.7	8	2491
	00 LST	22.1	20.2	17.9	17.1	14.3	13.9	12.2	16.7	20.1	23.3	20.2	22.2	220.2	8	2467
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	06 LST	30.6	27.7	30.4	26.1	28.5	27.6	30.8	30.5	29.7	30.6	29.9	30.7	353.1	8	2383
	12 LST	30.5	27.7	30.1	26.2	29.1	27.9	31.0	30.7	29.6	30.6	29.9	30.9	354.2	8	2486
	18 LST	30.6	27.8	29.2	27.0	29.6	28.7	30.7	30.9	29.9	30.6	29.9	30.8	355.7	8	2477
	00 LST	31.0	27.7	29.6	26.8	29.6	28.7	30.9	30.7	29.7	30.7	29.9	30.8	356.1	8	2461
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	06 LST	29.6	27.7	30.1	26.1	28.2	25.9	27.7	28.7	29.7	30.6	29.9	30.1	344.3	8	2383
	12 LST	29.7	27.7	29.8	26.2	28.8	26.6	29.9	30.6	29.4	30.5	29.7	30.9	349.8	8	2486
	18 LST	29.1	27.7	28.8	26.2	28.7	23.5	26.3	29.4	29.2	30.6	29.7	30.7	339.9	8	2477
	00 LST	29.9	27.7	29.3	26.5	29.3	24.8	26.4	28.2	28.3	30.7	29.7	30.7	341.5	8	2461
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	06 LST	29.4	27.5	30.1	26.1	27.5	24.6	25.4	26.5	28.5	30.4	29.6	29.9	335.9	8	2383
	12 LST	29.7	27.5	29.7	26.2	28.5	26.0	29.0	30.0	29.2	30.5	29.7	30.9	346.9	8	2486
	18 LST	28.6	27.5	28.8	26.2	27.8	22.1	23.2	26.9	28.4	30.3	29.6	30.7	330.1	8	2477
	00 LST	29.9	27.5	29.3	26.5	28.7	23.3	23.4	26.2	27.7	30.7	29.7	30.7	333.6	8	2461

AKOSU, CHINA

STA NO. 51628 (IN AREA NUMBER 02)

LATITUDE 4110N

LONGITUDE 08013E

ELEVATION(FT) 03379

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	41	51	75	88	91	99	106	97	93	81	61	43	106	6	1635
MEAN MAX TMP (F)	29	40	57	71	76	86	88	84	80	65	47	34	63	6	1635
MEAN MIN TMP (F)	5	16	30	43	51	58	60	59	52	37	23	10	37	6	1686
ABS MIN TMP (F)	-17	-4	18	28	34	41	50	46	37	23	12	-4	-17	6	1686
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.7	8.7	16.0	6.3	2.0	0.0	0.0	0.0	33.7	6	1635
MEAN NO DYS TMP = DR LES 32(F)	31.0	28.0	20.2	1.1	0.0	0.0	0.0	0.0	0.0	8.7	29.1	31.0	149.1	6	1686
MEAN NO DYS TMP = DR LES 0(F)	8.0	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.7	11.6	6	1686
MEAN DEW PT TMP (F)	6	15	21	29	38	46	53	54	47	34	21	12	31	6	10322
MEAN REL HUM (PCT)	67	62	47	40	43	43	51	58	55	59	64	72	55	6	10103
MEAN PRESS ALT (FT)	2758	2907	3242	3397	3483	3627	3731	3608	3442	3172	2934	2820	3267	6	10357
MEAN PRECIP (IN)														0	0
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0					6	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN														0	0
MEAN NO DYS SNFL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0					6	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.5	0.2	0.0	1.2	1.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	3.9	6	1523
MEAN NO DYS TSMS	0.0	0.2	0.3	0.5	3.8	9.1	13.1	8.6	3.6	0.2	0.0	0.2	39.6	6	1527
P FREQ WND SPD = DR GTR 17 KTS	0.0	0.1	1.0	2.2	1.9	2.1	1.9	1.1	0.6	0.6	0.0	0.0	1.0	6	10588
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.3	0.4	0.3	0.0	0.0	0.0	0.1	0.0	0.0	0.1	6	10588
P FREQ LES 5000 FT A/D LES 5 MI	7.5	9.3	13.8	12.6	18.9	13.2	4.4	5.4	10.7	5.1	0.4	3.9	8.8	6	8574
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	0.8	1.6	5.9	5.0	4.2	1.9	1.0	0.0	4.0	0.9	0.8	0.8	2.2	6	1373
03-05 LST	1.1	0.9	2.1	6.9	7.3	4.2	1.0	0.0	4.4	1.9	0.0	0.7	2.5	6	1515
06-08 LST	2.2	2.6	7.9	9.2	6.3	4.0	0.0	0.6	4.4	2.4	0.0	0.0	3.3	6	1393
09-11 LST	1.6	3.8	5.8	9.2	9.9	3.3	1.0	0.5	5.1	1.9	0.0	0.0	3.5	6	1488
12-14 LST	2.5	2.9	8.8	9.9	8.5	3.4	2.4	0.0	4.8	1.1	0.0	0.0	3.7	6	1242
15-17 LST	2.0	2.8	10.3	7.5	7.6	6.5	1.2	0.9	4.1	1.3	0.0	0.8	3.8	6	1426
18-20 LST	2.3	1.4	8.5	5.3	4.8	4.2	1.2	0.0	5.7	1.0	0.0	0.0	2.9	4	899
21-23 LST	0.0	0.8	3.8	5.5	1.8	3.3	0.0	0.0	2.1	1.3	0.0	0.0	1.6	6	1497
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.0	0.0	2.2	5.0	3.4	1.9	0.0	0.0	2.0	0.0	0.0	0.0	1.2	6	1373
03-05 LST	0.7	0.0	1.4	4.6	4.9	3.1	0.0	0.0	2.9	0.6	0.0	0.0	1.5	6	1515
06-08 LST	0.7	0.9	3.2	5.9	5.5	2.0	0.0	0.0	2.7	1.6	0.0	0.0	1.9	6	1393
09-11 LST	1.6	0.8	2.2	7.6	7.9	2.2	0.0	0.0	2.9	0.6	0.0	0.0	2.2	6	1488
12-14 LST	0.8	2.0	6.4	7.4	6.8	2.3	1.2	0.0	2.4	0.0	0.0	0.0	2.4	6	1242
15-17 LST	0.8	0.9	6.6	5.0	5.6	3.2	0.0	0.0	2.5	0.7	0.0	0.0	2.1	6	1426
18-20 LST	0.0	0.0	2.4	4.0	3.2	2.1	0.0	0.0	1.1	1.0	0.0	0.0	1.2	4	899
21-23 LST	0.0	0.0	2.3	4.7	0.9	1.1	0.0	0.0	1.4	0.6	0.0	0.0	0.9	6	1497

AKOSU, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	05 LST	30.8	27.8	30.3	27.9	28.7	28.8	30.7	31.0	28.7	30.4	30.0	30.8	355.9	6	1515
	11 LST	30.5	27.1	29.2	27.3	28.1	29.0	30.7	31.0	28.5	30.4	30.0	31.0	352.8	6	1488
	17 LST	30.5	27.2	27.8	27.8	28.8	28.1	30.6	30.7	28.8	30.6	30.0	30.8	351.7	6	1426
	23 LST	31.0	27.8	29.8	28.4	30.5	29.0	31.0	31.0	29.4	30.6	30.0	31.0	359.5	6	1497
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	05 LST	29.8	24.1	28.3	26.1	25.2	26.9	28.2	29.0	27.4	29.8	30.0	30.8	335.6	6	1513
	11 LST	29.3	24.5	28.1	24.5	23.9	26.0	26.1	28.0	25.6	29.6	29.5	30.5	327.6	6	1483
	17 LST	30.0	26.7	25.8	23.8	22.9	22.3	25.4	26.2	27.5	29.7	30.0	30.8	321.1	6	1425
	23 LST	30.1	24.3	28.2	25.8	24.2	26.1	26.8	28.4	27.9	29.4	30.0	31.0	332.2	6	1490
SFC WND = GTR 17 KTS AND NO PRECIP.	05 LST	0.0	0.0	0.2	0.5	0.2	0.2	0.2	0.0	0.2	0.0	0.0	0.0	1.5	6	1641
	11 LST	0.0	0.0	0.0	0.7	0.2	0.2	0.9	0.4	0.4	0.0	0.0	0.0	2.8	6	1707
	17 LST	0.0	0.2	0.7	0.7	0.6	0.9	0.0	0.4	0.2	0.6	0.0	0.0	4.3	6	1712
	23 LST	0.0	0.0	1.2	0.7	1.2	0.2	0.5	0.2	0.0	0.6	0.0	0.0	4.6	6	1652
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	05 LST	0.0	0.0	10.6	20.0	18.4	16.5	15.9	17.2	19.9	17.0	1.3	0.0	136.8	6	1621
	11 LST	0.0	9.7	16.9	16.0	18.8	17.3	15.3	16.3	13.3	14.8	13.6	4.8	156.8	6	1691
	17 LST	0.0	9.1	16.8	18.3	16.5	13.5	10.8	12.5	10.9	8.0	3.0	0.0	119.4	6	1696
	23 LST	0.0	0.2	9.9	11.9	10.7	13.7	11.1	11.6	8.6	8.5	1.6	0.0	87.8	6	1642
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	05 LST	16.3	14.1	14.3	9.5	6.9	11.0	11.5	12.9	15.7	21.6	19.1	16.9	169.8	6	1635
	11 LST	10.9	8.2	8.4	11.5	9.0	12.3	16.3	17.1	17.1	20.4	12.5	12.4	156.1	6	1709
	17 LST	12.3	10.9	9.6	7.2	9.2	9.3	14.4	14.5	17.9	18.6	16.6	15.1	155.6	6	1716
	23 LST	16.8	15.0	13.8	13.4	10.6	13.2	13.8	16.9	18.8	21.0	18.2	18.1	189.6	6	1648
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	05 LST	30.3	27.6	30.2	27.8	28.7	28.8	30.7	31.0	28.7	30.4	30.0	30.8	355.0	6	1515
	11 LST	30.2	26.8	29.0	27.3	27.6	28.9	30.6	30.6	28.5	30.4	30.0	30.7	350.6	6	1488
	17 LST	30.2	27.0	27.7	27.8	28.5	27.9	30.5	30.6	28.8	30.6	30.0	30.7	350.3	6	1426
	23 LST	30.9	27.6	29.8	28.3	30.5	29.0	31.0	31.0	29.4	30.6	30.0	30.8	358.9	6	1497
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	05 LST	28.5	26.1	29.9	26.5	25.7	26.6	27.0	27.9	26.7	30.0	29.8	30.3	335.0	6	1515
	11 LST	29.0	24.9	28.8	26.8	24.4	26.3	28.8	27.5	27.6	30.0	29.5	29.3	332.9	6	1488
	17 LST	29.0	25.7	27.4	27.3	24.6	19.7	24.3	23.7	27.3	30.0	29.8	29.8	318.6	6	1426
	23 LST	30.1	25.5	29.8	27.7	25.6	25.8	24.2	27.1	28.3	30.2	29.8	29.8	333.9	6	1497
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	05 LST	28.5	25.8	29.7	26.5	23.7	26.3	26.4	27.4	26.3	30.0	29.3	30.1	330.0	6	1515
	11 LST	29.0	24.5	28.5	26.8	24.2	25.7	27.2	25.8	26.7	29.8	29.3	29.0	326.5	6	1488
	17 LST	29.0	25.4	27.4	27.0	23.9	18.4	22.8	22.8	26.6	30.0	29.8	29.6	312.7	6	1426
	23 LST	29.6	25.2	29.6	27.2	24.5	24.8	23.6	26.8	27.4	30.0	29.1	29.8	327.6	6	1497

KUCHE/KUCHA APT, CHINA

STA NO. 51644 (IN AREA NUMBER 02)

LATITUDE 4145N

LONGITUDE 08304E

ELEVATION(FT) 03609

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. DRS
ABS MAX TMP (F)	41	61	77	88	100	100	104	99	95	90	64	43	104	8	2310
MEAN MAX TMP (F)	28	41	58	70	79	88	90	87	81	67	47	32	64	8	2310
MEAN MIN TMP (F)	8	21	36	49	58	66	69	66	60	44	27	13	43	8	2289
ABS MIN TMP (F)	-6	3	19	28	37	50	54	52	43	28	5	-9	-9	8	2289
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	2.3	14.0	20.6	12.5	4.0	0.1	0.0	0.0	53.5	8	2310
MEAN NO DYS TMP = DR LES 32(F)	30.7	28.0	9.7	0.3	0.0	0.0	0.0	0.0	0.0	2.1	24.2	31.0	126.0	8	2289
MEAN NO DYS TMP = DR LES 0(F)	4.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	6.6	8	2299
MEAN DEW PT TMP (F)	3	13	15	20	30	38	45	47	39	27	17	9	25	8	14109
MEAN REL HUM (PCT)	58	52	31	24	28	27	31	38	34	36	49	61	39	8	13736
MEAN PRESS ALT (FT)	2908	3160	3416	3566	3681	3825	3927	3802	3635	3357	3113	2988	3447	8	14325
MEAN PRECIP (IN)	0.06	0.07	0.17	0.21	0.05	1.34	0.73	0.34	0.21	0.00	0.01	0.25	3.4	3	-181
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0					8	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	1.4	1.4	1.1	1.3	0.6	4.3	2.9	2.1	0.8	0.0	0.3	2.4	18.6	3	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0					8	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	0.4	0.2	1.2	1.5	0.2	0.6	0.0	0.0	0.5	0.1	0.0	0.4	5.1	8	2203
MEAN NO DYS TSTMS	0.0	0.4	0.5	0.7	3.1	5.6	8.5	8.3	3.5	0.5	0.0	0.0	31.1	8	2210
P FREQ WND SPD = DR GTR 17 KTS	0.1	0.2	1.3	4.1	3.6	3.0	5.2	3.4	1.6	1.0	0.2	0.0	2.0	8	14565
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.1	0.0	0.1	0.3	0.3	0.1	0.1	0.2	0.1	0.0	0.0	0.1	8	14565
P FREQ LES 5000 FT A/D LES 5 MI	7.8	8.9	28.5	30.0	21.7	18.3	7.4	5.8	9.5	9.0	1.5	2.5	12.6	8	10158
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	0.0	2.5	6.8	11.2	3.8	2.4	0.0	0.8	3.5	2.8	1.4	0.9	3.0	8	2045
03-05 LST	3.0	2.5	7.2	6.6	2.6	3.0	0.0	2.4	5.0	1.7	0.0	1.4	3.0	8	1447
06-08 LST	1.6	2.9	7.1	10.7	6.0	5.8	1.1	0.0	3.3	1.0	0.9	3.1	3.6	8	2033
09-11 LST	4.3	5.0	12.9	9.0	6.2	5.1	3.3	2.6	2.8	1.4	1.2	4.1	4.8	8	1513
12-14 LST	2.8	0.7	11.7	11.0	6.8	6.6	0.6	0.0	7.1	1.0	0.0	2.2	4.2	8	1862
15-17 LST	2.0	2.1	11.4	8.6	5.4	10.6	0.0	0.0	4.8	1.0	0.0	0.7	3.9	8	1162
18-20 LST	2.3	1.3	12.2	13.1	9.0	5.8	0.0	2.4	4.3	2.9	1.0	0.9	4.6	8	1844
21-23 LST	1.4	3.3	9.5	14.0	5.2	6.3	5.7	1.4	3.5	1.9	0.6	1.2	4.5	6	1363
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.0	0.6	1.6	4.5	1.3	0.8	0.0	0.0	1.7	1.4	0.0	0.5	1.0	8	2045
03-05 LST	0.8	0.0	1.4	1.3	0.9	1.0	0.0	0.0	3.0	0.9	0.0	0.0	0.8	8	1447
06-08 LST	0.5	0.6	1.5	3.4	0.7	2.9	0.0	0.0	1.7	0.0	0.0	1.3	1.1	8	2033
09-11 LST	2.2	0.7	3.2	2.2	0.0	1.0	1.1	0.0	0.9	0.7	0.6	2.1	1.2	8	1513
12-14 LST	0.6	0.0	6.1	5.8	0.7	2.8	0.0	0.0	1.4	0.5	0.0	1.9	1.7	8	1862
15-17 LST	0.0	0.0	5.3	2.3	0.0	4.5	0.0	0.0	1.6	1.0	0.0	0.7	1.3	8	1162
18-20 LST	0.6	0.0	3.7	4.0	2.8	4.7	0.0	0.0	2.9	1.0	0.0	0.9	1.7	8	1844
21-23 LST	0.0	0.0	2.9	4.1	2.1	2.1	0.0	0.0	2.6	0.6	0.0	1.2	1.3	6	1363

KUCHE/KUCHA APT, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	06 LST	30.5	27.2	28.8	26.8	29.2	28.3	30.7	31.0	29.0	30.7	29.7	30.0	351.9	8	2033
	12 LST	30.1	27.8	27.4	26.7	29.0	28.0	31.0	31.0	27.9	30.7	30.0	30.4	350.0	8	1862
	18 LST	30.3	27.6	27.2	26.1	28.2	28.3	31.0	30.3	28.7	30.1	29.7	30.7	348.2	8	1844
	00 LST	31.0	27.3	28.9	26.6	29.8	29.3	31.0	30.8	29.0	30.1	29.6	30.7	354.1	8	2045
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	06 LST	27.0	21.3	23.9	22.0	20.5	21.9	23.7	25.0	25.3	28.0	28.5	28.7	293.8	8	2025
	12 LST	29.1	24.1	22.7	19.2	21.9	20.4	22.9	26.3	24.0	26.8	27.3	29.2	293.9	8	1856
	18 LST	30.3	26.9	24.2	20.9	23.8	21.5	24.7	26.3	26.3	28.9	29.0	30.3	313.1	8	1839
	00 LST	26.2	21.7	26.2	22.4	24.9	21.5	25.3	27.2	25.8	29.2	28.4	28.0	306.8	8	2037
SFC WND = GTR 17 KTS AND NO PRECIP.	06 LST	0.0	0.0	0.0	0.7	0.9	0.4	0.3	0.6	0.1	0.0	0.0	0.0	3.0	8	2365
	12 LST	0.0	0.0	0.6	0.8	0.5	0.2	0.9	0.8	0.4	0.0	0.0	0.0	4.2	8	2445
	18 LST	0.0	0.0	0.3	1.8	1.5	1.1	1.3	1.0	0.5	0.3	0.3	0.0	8.1	8	2501
	00 LST	0.0	0.0	0.3	1.5	1.4	0.7	1.7	0.5	0.3	0.1	0.0	0.0	6.5	8	2365
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	06 LST	0.2	1.3	20.6	22.3	21.5	21.4	18.9	20.6	23.0	23.3	7.0	0.0	180.1	8	2342
	12 LST	0.5	12.3	22.0	20.4	20.9	16.0	13.0	19.1	21.0	22.1	16.6	4.8	188.7	8	2420
	18 LST	0.0	11.0	25.2	20.2	20.3	15.8	12.4	18.0	15.9	12.2	5.9	0.7	157.6	8	2482
	00 LST	0.0	4.9	22.5	19.6	20.6	17.6	19.1	19.2	22.9	25.0	12.1	0.0	183.5	8	2341
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	06 LST	18.7	15.4	11.3	8.2	6.5	9.4	10.5	12.4	15.4	22.4	18.0	17.7	155.9	8	2364
	12 LST	12.1	12.5	8.5	8.4	8.0	9.9	12.2	14.2	15.6	17.5	11.9	11.4	142.2	8	2451
	18 LST	12.1	10.8	7.7	6.4	7.2	7.4	12.3	12.7	16.0	17.0	14.2	15.1	138.9	8	2494
	00 LST	17.1	15.8	13.4	10.1	11.8	15.5	15.3	16.4	18.6	22.4	18.2	18.8	193.4	8	2366
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	06 LST	30.5	27.2	28.8	26.7	29.2	28.2	30.7	30.9	29.0	30.7	29.7	30.0	351.6	8	2033
	12 LST	30.1	27.7	27.3	26.7	28.8	28.0	30.5	31.0	27.9	30.7	29.9	30.3	348.9	8	1862
	18 LST	30.2	27.6	27.2	26.1	28.1	28.1	30.8	30.3	28.7	30.1	29.7	30.7	347.6	8	1844
	00 LST	31.0	27.3	28.9	26.6	29.8	29.3	31.0	30.8	29.0	30.1	29.6	30.7	354.1	8	2045
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	06 LST	30.3	27.2	28.5	26.3	28.1	26.0	26.9	28.7	28.2	30.5	29.6	29.9	340.2	8	2033
	12 LST	29.4	27.6	27.2	25.7	27.9	27.2	28.5	29.4	27.6	30.7	29.9	30.3	341.4	8	1862
	18 LST	29.6	27.6	27.2	25.5	27.1	25.5	27.9	27.0	27.8	30.1	29.7	30.6	335.6	8	1844
	00 LST	31.0	27.1	28.7	26.6	28.8	28.3	28.3	27.9	28.4	30.0	29.6	30.7	345.4	8	2045
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	06 LST	30.3	27.2	28.5	26.3	27.3	25.7	26.2	28.5	27.8	30.5	29.5	29.9	337.7	8	2033
	12 LST	29.4	27.6	27.2	25.7	27.0	26.6	27.5	28.2	27.6	30.7	29.9	30.3	337.7	8	1862
	18 LST	29.6	27.6	27.2	25.4	26.5	24.6	27.4	26.3	27.8	30.1	29.6	30.6	332.9	8	1844
	00 LST	31.0	27.1	28.7	26.6	28.8	28.1	28.0	27.9	28.3	30.0	29.6	30.7	344.8	8	2045

ISLAK KARAU, CHINA

STA NO. 51705 (IN AREA NUMBER 02)

LATITUDE 3947N LONGITUDE 07547E ELEVATION(FT) 04902

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	55	59	68	79	88	88	95	90	91	73	66	54	95	8	2327
MEAN MAX TMP (F)	32	35	48	59	66	75	80	77	71	59	42	37	57	8	2327
MEAN MIN TMP (F)	5	9	25	37	45	52	56	54	47	32	19	8	32	8	2262
ABS MIN TMP (F)	-15	-20	0	19	30	29	41	41	30	18	-17	-13	-20	8	2262
MEAN NO DYS TMP = DR GTR 90(%)	0.0	0.0	0.0	0.0	0.0	0.0	1.8	0.7	0.1	0.0	0.0	0.0	2.3	8	2327
MEAN NO DYS TMP = DR LES 32(F)	31.0	27.5	27.0	8.1	0.9	0.0	0.0	0.0	0.7	17.8	28.4	30.5	171.9	8	2262
MEAN NO DYS TMP = DR LES 0(F)	10.1	5.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	1.3	5.4	22.4		8	2262
MEAN DEW PT TMP (F)	0	7	10	18	26	30	38	39	32	10	12	4	-0	8	13546
MEAN REL HUM (PCT)	54	60	40	35	39	32	36	43	41	42	56	53	44	8	13302
MEAN PRESS ALT (FT)	3604	3636	3696	3654	3660	677	3720	3674	3589	3516	3549	3596	3633	6	7500
MEAN PRECIP (IN)														7	0
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0					8	0
MEAN NO DYS PRCP = DR GTR 0.1 IN					0.0	0.0	0.0	0.0	0.0					0	0
MEAN NO DYS SNFL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0					8	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	1.1	0.3	0.2	1.2	0.4	0.0	0.0	0.2	0.0	0.0	0.3	0.3	4.2	8	2118
MEAN NO DYS TSTMS	0.0	0.0	0.2	2.0	5.9	8.8	10.7	11.8	4.3	0.3	0.2	0.0	44.2	8	2115
P FREQ WND SPD = DR GTR 17 KTS	2.2	1.9	5.5	7.3	8.5	4.5	2.4	0.8	1.2	2.8	2.8	3.0	3.6	8	13929
P FREQ WND SPD = DR GTR 28 KTS	0.1	0.2	0.1	0.8	0.4	0.2	0.0	0.0	0.0	0.2	0.0	0.0	0.2	8	13929
P FREQ LES 5000 FT A/D LES 5 MI	10.0	14.2	19.5	20.6	12.4	3.3	1.9	5.1	10.3	8.0	6.7	2.3	9.5	8	14106
P FREQ LES 1500 FT A/D LES 3 MI															
FDR 00-02 LST	4.8	8.7	9.9	10.0	7.4	2.3	0.0	0.8	5.6	4.5	4.2	1.5	5.0	8	1570
03-05 LST	5.1	5.7	10.6	10.4	5.2	2.1	0.7	0.5	6.1	5.6	1.9	1.4	4.6	8	2259
06-08 LST	6.1	7.3	11.5	10.1	5.7	1.5	0.0	1.6	4.5	6.2	1.8	1.3	4.8	8	1721
09-11 LST	4.2	5.9	9.8	9.8	5.7	0.6	0.6	2.5	4.5	3.5	2.8	0.9	4.2	8	2362
12-14 LST	4.9	4.9	10.1	11.3	6.0	0.8	0.0	1.8	2.7	5.6	1.4	0.7	4.2	8	1596
15-17 LST	3.6	3.0	6.1	9.5	4.1	0.5	0.6	1.5	5.0	3.5	1.4	0.0	3.2	8	2410
18-20 LST	2.0	4.9	12.9	9.7	7.4	1.5	0.9	1.8	8.0	3.6	3.8	0.0	4.7	6	1756
21-23 LST	4.5	6.6	11.1	10.1	6.2	1.1	0.6	1.9	7.5	4.0	2.0	0.9	4.7	8	2349
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	2.2	4.8	3.5	3.6	2.2	1.5	0.0	0.0	0.0	1.6	1.4	0.8	1.0	8	1570
03-05 LST	2.7	2.9	3.5	4.9	1.7	0.7	0.0	0.5	0.9	0.5	1.0	0.0	1.6	8	2259
06-08 LST	1.4	1.9	4.8	4.3	1.4	0.8	0.0	0.8	0.7	0.7	0.6	0.7	1.5	8	1721
09-11 LST	0.0	2.2	3.6	6.2	2.3	0.0	0.0	0.5	0.9	0.0	0.5	0.9	1.4	8	2362
12-14 LST	0.0	0.8	3.6	5.3	3.4	0.0	0.0	0.0	0.0	0.0	0.7	0.7	1.2	8	1596
15-17 LST	0.5	0.6	3.0	6.3	3.6	0.0	0.0	0.0	0.9	0.0	0.0	0.0	1.2	8	2410
18-20 LST	0.0	2.4	5.0	6.7	4.4	1.5	0.0	0.6	3.1	0.0	0.6	0.0	2.0	6	1756
21-23 LST	2.2	1.2	4.0	6.3	1.6	0.5	0.0	0.0	1.9	0.0	1.0	0.5	1.6	8	2349

ISLAK KARAU, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YKS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	05 LST	29.5	26.4	27.7	26.9	29.4	29.4	30.8	30.8	28.2	29.3	29.4	30.6	348.4	8	2259
	11 LST	29.9	26.4	28.0	27.0	29.2	29.8	30.8	30.2	28.6	29.9	29.2	30.7	349.7	8	2362
	17 LST	30.2	27.2	29.1	27.1	29.7	29.8	30.8	30.5	28.5	29.9	29.6	31.0	353.4	8	2410
	23 LST	29.8	26.1	27.6	27.0	29.1	29.7	30.8	30.4	27.7	29.8	29.4	30.7	348.1	8	2349
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	05 LST	26.6	24.6	22.2	21.0	21.6	22.6	28.2	29.3	26.0	26.7	26.8	28.2	303.8	8	2247
	11 LST	24.9	21.6	19.5	16.6	17.5	17.8	21.1	24.6	22.8	22.5	23.7	24.6	257.2	8	2360
	17 LST	25.8	22.3	21.0	16.0	18.2	17.0	18.2	20.5	20.5	22.6	25.5	26.9	254.7	8	2405
	23 LST	27.2	25.0	22.9	20.1	21.8	22.7	26.3	27.4	25.8	27.1	27.5	28.5	302.3	8	2344
SFC WND = GTR 17 KTS AND NO PRECIP.	05 LST	0.3	0.2	0.8	1.3	1.0	0.2	0.2	0.0	0.1	0.0	0.6	0.1	4.8	8	2277
	11 LST	1.5	0.6	2.5	4.0	4.8	2.1	1.3	1.1	0.8	1.6	1.6	1.3	23.2	8	2371
	17 LST	0.3	0.6	2.5	2.8	2.4	1.5	1.1	0.3	0.5	1.5	0.3	0.7	14.5	8	2433
	23 LST	0.2	0.0	0.9	1.9	1.2	0.8	0.2	0.0	0.3	0.1	0.3	0.4	6.3	8	2371
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	05 LST	0.2	0.6	2.0	8.2	11.6	9.5	10.7	7.3	6.1	4.5	1.3	0.6	62.6	8	2257
	11 LST	1.8	2.1	9.8	13.8	11.7	14.9	15.5	14.9	13.1	11.0	4.9	2.2	115.7	8	2351
	17 LST	2.4	6.5	16.4	16.9	13.6	14.8	16.0	19.5	21.9	23.5	11.6	1.8	164.9	8	2418
	23 LST	0.2	1.5	3.7	6.2	9.0	11.6	8.1	6.8	4.6	4.8	1.8	0.6	58.9	8	2353
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	05 LST	16.9	14.2	14.3	11.1	12.0	15.4	15.6	17.5	17.4	24.5	18.9	18.0	155.8	8	2272
	11 LST	11.7	10.1	9.1	7.3	11.9	17.3	19.3	19.3	19.4	14.3	13.5	172.5	8	2376	
	17 LST	11.5	8.7	6.6	4.6	6.2	7.0	9.2	11.7	16.1	14.4	9.9	12.4	118.3	8	2433
	23 LST	16.5	12.4	13.3	11.3	12.1	13.2	13.1	14.2	17.8	21.9	17.1	17.9	180.8	8	2367
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	05 LST	29.3	26.3	27.7	26.9	29.3	29.4	30.8	30.8	28.2	29.3	29.4	30.6	348.0	8	2259
	11 LST	29.5	26.3	28.0	27.0	29.1	29.8	30.8	30.2	28.6	29.9	29.1	30.7	349.0	8	2352
	17 LST	29.5	27.1	29.1	27.1	29.7	29.8	30.8	30.5	28.5	29.9	29.5	31.0	352.5	8	2410
	23 LST	29.4	26.1	27.6	27.0	29.1	29.7	30.8	30.4	27.7	29.8	29.4	30.7	347.7	8	2349
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	05 LST	27.0	22.1	24.4	21.0	21.4	26.3	27.8	25.4	24.1	27.1	25.8	27.5	299.9	8	2259
	11 LST	26.8	22.7	24.6	20.7	22.5	25.4	27.1	24.4	24.4	26.7	25.9	26.9	298.1	8	2362
	17 LST	25.5	21.2	20.5	14.6	12.1	13.6	14.6	18.0	21.8	24.1	23.2	25.4	234.6	8	2410
	23 LST	26.3	21.3	23.3	18.6	18.8	22.1	20.4	21.5	22.4	26.3	25.8	27.4	274.2	8	2349
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	05 LST	27.0	21.9	24.4	20.8	21.3	26.3	27.8	25.4	24.1	27.1	25.8	27.2	299.1	8	2259
	11 LST	26.6	22.7	24.6	20.7	22.5	25.2	27.1	24.4	24.4	26.5	25.9	26.7	297.3	8	2362
	17 LST	25.5	20.9	20.5	14.6	12.1	13.6	14.6	17.8	21.6	24.1	23.0	25.4	233.7	8	2410
	23 LST	26.2	21.3	23.3	18.6	18.8	22.1	20.1	21.4	22.3	26.2	25.7	27.4	273.4	8	2349

SU-LO/SHU LEH, CHINA

STA NO. 51709 (IN AREA NUMBR 02)

LATITUDE 3924N

LONGITUDE 07603E

ELEVATION(FT) 04255

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	61	72	79	88	95	95	102	100	93	82	68	54	102	7	2010
MEAN MAX TMP (F)	32	44	58	71	78	86	90	86	81	67	48	35	65	7	2010
MEAN MIN TMP (F)	11	20	34	47	53	60	65	62	55	40	27	16	41	7	1970
ABS MIN TMP (F)	-13	-2	25	27	39	48	50	46	41	25	1	-6	-13	7	1970
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	1.3	9.7	18.8	7.9	3.6	0.0	0.0	0.0	41.3	7	2010
MEAN NO DYS TMP = DR LES 32(F)	31.0	27.4	14.5	0.2	0.0	0.0	0.0	0.0	0.0	5.4	25.7	31.0	135.2	7	1970
MEAN NO DYS TMP = DR LFS 0(F)	1.1	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	2.0	7	1970
MEAN DEW PT TMP (F)	10	18	22	30	39	43	50	52	45	34	24	16	32	7	13012
MEAN REL HUM (PCT)	65	62	43	37	42	36	40	48	48	52	63	71	51	7	12754
MEAN PRESS ALT (FT)	3675	3900	4149	4305	4408	4530	4649	4525	4362	4087	3866	3752	4184	7	13147
MEAN PRECIP (IN)	0.20	0.20	0.30	0.20	0.70	0.30	0.20	0.50	0.30	0.20	0.20	0.10	3.4	6	-180
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0					7	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	0.0	0.5	0.7	0.9	1.0	0.8	0.8	2.0	0.7	0.1	1.0	0.4	9.7	6	-180
MEAN NO DYS SNFL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0					7	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	0.0	0.4	0.4	2.0	1.1	0.2	0.0	0.2	0.0	0.2	0.2	0.6	5.3	7	1993
MEAN NO DYS TSTMS	0.0	0.0	0.2	1.0	2.9	5.4	5.2	6.6	0.9	0.0	0.0	0.0	22.2	7	1994
P FREQ WND SPD = DR GTR 17 KTS	0.4	0.1	0.7	2.3	3.7	2.7	1.6	0.7	0.4	0.9	0.4	0.0	1.2	7	13329
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.1	0.1	0.5	0.1	0.1	0.0	0.0	0.2	0.0	0.0	0.1	7	13329
P FREQ LES 5000 FT A/D LES 5 MI	13.1	12.4	21.0	28.0	21.6	11.0	6.5	4.1	10.1	16.3	6.9	7.6	13.2	7	9532
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	3.7	2.1	10.9	10.5	5.9	2.6	0.0	1.4	2.2	3.4	3.1	0.8	3.9	7	1202
03-05 LST	3.2	3.1	10.7	13.8	6.2	1.8	1.7	1.5	2.0	1.5	2.1	2.5	4.2	7	1902
06-08 LST	8.3	7.1	12.6	10.8	7.8	2.1	1.1	2.0	3.4	4.3	6.3	4.2	5.8	7	1414
09-11 LST	5.5	3.0	11.0	15.6	6.8	1.6	3.6	2.6	3.2	5.0	1.1	4.4	5.3	7	1932
12-14 LST	3.7	3.9	12.8	15.2	9.8	3.7	1.5	1.5	6.1	4.7	1.3	0.0	5.4	7	1150
15-17 LST	4.0	2.1	13.7	20.7	11.7	4.9	1.2	1.8	5.5	5.0	1.5	0.8	6.1	7	1571
18-20 LST	0.8	0.8	9.7	14.0	11.0	5.7	0.0	1.0	6.6	4.3	2.7	3.8	5.0	6	1379
21-23 LST	3.2	2.0	12.2	15.0	7.0	2.1	0.0	0.0	4.8	3.4	2.1	2.8	4.6	7	1732
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	1.8	1.1	9.1	8.8	5.0	0.0	0.0	1.4	0.0	0.8	1.5	0.8	2.5	7	1202
03-05 LST	0.6	1.9	7.7	10.5	4.8	0.0	1.7	0.7	1.3	0.5	1.0	1.5	2.7	7	1902
06-08 LST	2.5	0.8	7.4	9.8	4.9	0.0	1.1	1.0	0.9	0.7	1.4	2.1	2.7	7	1414
09-11 LST	1.2	0.7	8.1	9.7	3.4	0.8	0.7	0.7	1.3	0.0	0.0	1.5	2.3	7	1932
12-14 LST	0.9	1.0	9.2	8.9	7.6	1.9	0.0	0.0	1.2	0.9	0.8	0.0	2.7	7	1150
15-17 LST	1.2	0.7	12.4	12.6	9.7	3.3	0.0	0.9	3.1	0.0	0.6	0.5	3.8	7	1571
18-20 LST	0.0	0.8	9.0	7.5	11.0	3.8	0.0	0.0	2.9	0.0	2.0	1.3	3.2	6	1379
21-23 LST	0.6	0.7	9.6	10.7	6.3	2.1	0.0	0.0	2.7	1.1	1.0	2.0	3.1	7	1732

SU-LO/SHU LEH, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	05 LST	30.1	27.1	27.7	25.9	29.1	29.5	30.5	30.5	29.4	30.5	29.4	30.2	349.9	7	1902
	11 LST	29.4	27.3	27.6	25.3	28.9	29.5	29.9	30.2	29.0	29.5	29.7	29.7	346.0	7	1932
	17 LST	29.9	27.4	26.7	23.8	27.4	28.5	30.6	30.4	28.3	29.5	29.7	30.8	343.0	7	1571
	23 LST	30.0	27.4	27.2	25.5	28.8	29.4	31.0	31.0	28.6	29.9	29.4	30.2	348.4	7	1732
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	05 LST	29.0	27.0	26.6	24.3	25.2	27.6	29.1	29.9	28.4	30.1	28.6	30.1	335.9	7	1899
	11 LST	28.3	26.9	23.7	22.8	25.3	26.4	28.1	28.4	27.3	28.1	28.6	28.8	322.9	7	1930
	17 LST	29.5	27.4	24.5	20.9	23.5	24.1	26.3	29.6	27.2	28.6	29.1	30.7	323.4	7	1568
	23 LST	29.4	27.0	25.8	21.8	24.7	24.9	26.1	29.6	26.3	28.7	28.9	29.7	322.9	7	1729
SFC WND = GTR 17 KTS AND NO PRECIP.	05 LST	0.0	0.0	0.2	0.4	0.2	0.4	0.0	0.0	0.2	0.2	0.0	0.0	1.6	7	2071
	11 LST	0.0	0.0	0.4	0.5	0.7	0.7	0.4	0.0	0.0	0.3	0.2	0.0	3.2	7	2123
	17 LST	0.0	0.2	0.5	1.4	1.2	1.4	0.3	0.0	0.3	0.6	0.2	0.0	6.1	7	2148
	23 LST	0.0	0.0	0.2	0.2	0.4	1.1	0.5	0.4	0.4	0.3	0.0	0.0	3.5	7	2082
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	05 LST	0.5	0.9	15.1	18.0	19.4	20.4	18.3	15.7	16.8	15.1	3.1	0.0	143.3	7	2053
	11 LST	1.3	9.2	20.5	22.4	22.9	23.4	22.7	23.8	2.4	20.3	13.8	4.3	207.0	7	2110
	17 LST	1.5	10.5	20.7	17.0	17.7	16.4	11.8	15.9	14.4	10.6	4.2	2.9	143.6	7	2132
	23 LST	0.0	3.7	20.5	18.7	16.9	18.8	17.2	15.6	17.9	18.8	6.6	0.0	154.7	7	2066
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	05 LST	17.7	15.3	13.5	10.1	11.1	14.6	11.6	13.1	18.5	25.0	19.7	18.6	188.8	7	2074
	11 LST	10.5	9.6	7.9	7.6	12.9	20.4	21.9	20.0	21.0	20.0	15.8	12.6	180.2	7	2118
	17 LST	11.0	9.0	6.0	4.8	8.8	9.4	11.5	18.0	17.1	14.6	13.1	12.2	135.5	7	2151
	23 LST	17.0	14.8	11.8	9.9	13.4	13.7	13.2	16.3	18.0	20.5	19.3	18.1	186.0	7	2079
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	05 LST	29.7	27.1	27.7	25.9	28.9	29.5	30.5	30.5	29.4	30.5	29.4	30.1	349.2	7	1902
	11 LST	29.1	27.1	27.5	25.2	28.6	29.5	29.9	30.2	29.0	29.5	29.7	29.4	344.7	7	1932
	17 LST	29.5	27.2	26.7	23.6	27.4	28.5	30.6	30.4	28.3	29.5	29.5	30.6	341.8	7	1571
	23 LST	29.9	27.4	27.2	25.5	28.8	29.4	31.0	31.0	28.6	29.9	29.4	30.1	348.2	7	1732
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	05 LST	28.8	25.6	27.3	25.1	27.6	29.5	29.7	28.3	29.0	30.2	28.6	29.3	339.0	7	1902
	11 LST	28.0	26.7	27.4	24.7	27.4	28.8	29.6	29.6	28.7	29.3	28.1	28.8	337.1	7	1932
	17 LST	28.5	26.4	26.1	22.2	23.8	26.6	27.2	29.6	27.4	29.0	29.1	29.3	325.2	7	1571
	23 LST	28.4	26.5	26.8	24.4	27.4	28.7	27.5	29.6	28.6	29.6	28.9	29.4	335.8	7	1732
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	05 LST	28.5	24.9	26.9	24.7	26.5	29.2	28.6	26.9	28.6	29.9	27.7	29.3	331.7	7	1902
	11 LST	28.0	26.5	27.4	24.5	27.4	28.8	29.6	29.0	27.9	28.9	27.4	28.8	334.2	7	1932
	17 LST	28.1	26.2	25.7	22.0	23.2	26.6	27.2	29.3	26.9	28.6	29.0	29.3	322.1	7	1571
	23 LST	28.2	25.7	26.4	23.8	25.7	28.1	26.8	29.3	27.9	29.1	28.4	29.4	328.8	7	1732

PA-CHU/BACHU, CHINA

STA NO. 51716 (IN AREA NUMBER 02)

LATITUDE 3946N

LONGITUDE 07820E

ELEVATION(FT) 03934

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	46	61	81	90	97	99	108	100	97	86	68	48	108	8	2323
MEAN MAX TMP (F)	32	44	60	72	80	89	91	87	82	69	50	35	66	8	2323
MEAN MIN TMP (F)	7	19	34	47	55	62	67	64	57	40	24	11	41	8	2303
ABS MIN TMP (F)	-8	5	18	32	37	46	54	50	36	23	3	-8	-8	8	2303
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.3	3.7	17.1	23.0	12.7	4.3	0.0	0.0	0.0	61.1	8	2323
MEAN NO DYS TMP = DR LES 32(F)	31.0	27.5	14.0	0.3	0.0	0.0	0.0	0.0	0.0	6.5	27.0	31.0	137.3	8	2303
MEAN NO DYS TMP = DR LFS 0(F)	4.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	5.9	8	2303
MEAN DEW PT TMP (F)	8	16	20	28	38	45	51	54	46	33	20	12	31	8	14369
MEAN REL HUM (PCT)	63	56	38	33	37	36	41	51	47	48	57	70	48	8	14088
MEAN PRESS ALT (FT)	3327	3546	3799	3962	4079	4206	4305	4177	4001	3724	3507	3364	3833	8	14521
MEAN PRECIP (IN)														0	0
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0					8	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN				0.0	0.0	0.0	0.0	0.0	0.0					0	0
MEAN NO DYS SNFL = DR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0					8	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.2	0.5	1.0	2.5	2.4	0.9	0.9	0.3	0.0	0.1	0.6	1.0	10.4	8	2249
MEAN NO DYS TSTMS	0.0	0.0	0.2	0.3	2.1	5.8	7.4	4.9	1.2	0.0	0.0	0.0	21.9	8	2247
P FREQ WND SPD = DR GTR 17 KTS	0.3	0.3	0.9	2.0	2.9	1.2	0.6	0.4	0.4	0.1	0.2	0.0	0.8	8	14795
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.2	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	8	14795
P FREQ LES 5000 FT A/D LES 5 MI	9.6	8.7	20.6	33.0	27.2	11.4	9.4	7.2	9.5	8.4	3.9	4.3	12.8	8	14259
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	1.5	3.1	7.7	11.5	13.2	3.7	1.6	0.0	1.6	1.6	1.3	0.7	4.0	8	1626
03-05 LST	2.0	3.2	6.4	17.5	9.9	3.0	5.5	2.1	6.9	0.9	0.9	4.0	5.2	8	2331
06-08 LST	7.8	2.8	8.6	14.4	14.1	4.5	3.3	0.0	1.4	5.1	2.3	5.0	5.8	8	1735
09-11 LST	3.0	2.2	9.0	18.5	14.7	5.6	4.8	2.0	5.2	5.2	1.4	2.7	6.2	8	2413
12-14 LST	4.6	3.2	10.0	12.1	15.0	4.4	2.2	0.9	3.6	2.4	1.3	1.0	5.1	8	1616
15-17 LST	1.8	5.5	7.2	12.4	12.4	8.7	1.6	1.0	5.2	4.0	1.4	0.4	5.1	8	2415
18-20 LST	0.0	4.0	7.3	12.9	13.4	8.4	4.8	1.9	1.9	2.4	2.4	1.8	5.1	7	1709
21-23 LST	0.5	3.6	6.6	13.0	10.6	4.1	0.6	1.6	5.8	1.8	2.9	1.2	4.4	8	2298
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	1.5	0.0	1.4	4.1	2.6	0.0	1.6	0.0	0.0	0.0	0.7	0.7	1.1	8	1626
03-05 LST	1.0	0.5	2.0	7.9	4.1	1.2	3.0	0.5	2.5	0.0	0.9	3.1	2.2	8	2331
06-08 LST	1.4	0.7	1.9	6.2	4.9	0.8	3.3	0.0	0.7	0.6	1.7	3.1	2.1	8	1735
09-11 LST	0.0	2.2	2.0	6.9	6.3	1.1	1.6	1.0	1.0	0.9	0.5	1.3	2.1	8	2413
12-14 LST	1.4	0.8	3.8	4.3	3.4	2.2	0.0	0.0	0.0	0.8	1.3	0.6	1.6	8	1616
15-17 LST	0.5	2.7	1.9	4.1	4.1	5.2	0.0	0.0	1.9	1.3	0.5	0.0	1.9	8	2415
18-20 LST	0.0	1.6	1.5	3.6	4.7	3.7	1.6	0.6	0.6	0.6	0.0	0.0	1.5	7	1709
21-23 LST	0.0	0.6	1.5	5.9	3.7	1.2	0.0	1.1	1.9	0.5	0.0	0.9	1.4	8	2298

PA-CHU/BACHU, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	05 LST	30.4	27.1	29.0	24.7	27.9	29.1	29.3	30.3	27.9	30.7	29.7	29.8	345.9	8	2331
	11 LST	30.1	27.4	28.2	24.4	26.4	28.4	29.5	30.4	28.4	29.4	29.6	30.2	342.4	8	2413
	17 LST	30.5	26.5	28.8	26.3	27.1	27.4	30.5	30.7	28.5	29.8	29.6	30.9	346.6	8	2415
	23 LST	30.8	27.0	29.0	26.1	27.7	28.8	30.8	30.5	28.3	30.4	29.1	30.7	349.2	8	2298
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	05 LST	30.1	26.4	27.0	23.0	25.2	27.1	26.1	27.7	26.4	29.6	29.3	28.8	326.7	8	2409
	11 LST	28.5	25.2	21.7	19.0	21.5	24.4	25.0	27.1	23.9	25.2	27.1	28.2	296.8	8	2414
	17 LST	29.8	26.2	27.4	24.4	22.8	25.3	28.0	29.0	28.3	29.3	29.2	30.6	330.3	8	2414
	23 LST	29.6	26.7	27.6	24.3	25.4	27.2	28.8	29.5	27.7	30.0	28.1	30.3	335.2	8	2292
SFC WND = GTR 17 KTS AND NO PRECIP.	05 LST	0.2	0.1	0.0	0.7	0.5	0.0	0.2	0.0	0.1	0.0	0.0	0.0	1.8	8	2387
	11 LST	0.2	0.2	0.8	1.4	0.9	0.2	0.0	0.3	0.1	0.1	0.1	0.0	4.3	8	2450
	17 LST	0.0	0.0	0.0	0.5	0.8	0.8	0.0	0.3	0.3	0.0	0.1	0.0	2.8	8	2504
	23 LST	0.2	0.0	0.3	0.5	0.5	0.2	0.0	0.0	0.0	0.0	0.0	0.0	1.7	8	2400
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	05 LST	0.2	1.3	13.7	15.9	17.6	18.4	17.3	15.6	16.2	12.9	3.4	0.0	132.5	8	2371
	11 LST	0.6	10.5	19.3	18.2	19.7	17.8	14.3	17.7	18.9	18.2	12.2	3.8	171.2	8	2427
	17 LST	0.9	9.6	16.9	16.8	16.5	10.9	6.7	12.4	11.5	9.8	10.6	1.8	124.4	8	2484
	23 LST	0.0	2.9	16.3	15.6	16.3	14.5	13.9	13.2	12.8	13.4	6.2	0.0	125.1	8	2373
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	05 LST	17.7	14.6	16.3	9.7	10.8	10.4	9.9	11.8	17.2	25.3	20.1	19.1	182.9	8	2390
	11 LST	12.1	11.0	11.5	9.1	11.9	14.9	14.9	16.0	17.6	20.8	14.0	11.6	165.4	8	2456
	17 LST	12.9	10.2	10.2	7.0	9.8	14.6	18.9	21.2	20.4	20.1	14.5	15.4	175.2	8	2507
	23 LST	18.5	13.8	16.7	10.6	12.4	15.6	15.4	17.9	18.8	22.1	18.8	19.1	199.7	8	2409
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	05 LST	30.3	27.1	29.0	24.7	27.9	29.1	29.3	30.3	27.9	30.7	29.7	29.7	345.7	8	2331
	11 LST	30.1	27.4	28.2	24.4	26.4	28.2	29.5	30.3	28.4	29.4	29.6	29.9	341.8	8	2413
	17 LST	30.3	26.3	28.8	26.3	27.0	27.4	30.5	30.7	28.5	29.8	29.5	30.9	346.0	8	2415
	23 LST	30.8	27.0	29.0	26.1	27.7	28.8	30.8	30.4	28.3	30.4	29.0	30.6	348.9	8	2298
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	05 LST	28.8	26.8	29.0	24.1	27.7	26.7	27.8	27.9	27.3	30.5	29.5	29.4	335.5	8	2331
	11 LST	29.1	26.7	28.1	24.3	25.6	27.0	28.8	29.5	28.0	29.1	29.6	29.1	334.9	8	2413
	17 LST	29.1	25.1	28.8	26.1	25.9	26.0	28.6	30.1	28.3	29.8	28.8	30.3	336.9	8	2415
	23 LST	30.3	26.3	29.0	25.6	26.7	26.3	27.7	28.3	28.0	30.2	28.8	30.6	337.8	8	2298
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	05 LST	28.7	26.5	29.0	23.5	26.8	25.1	25.7	24.6	26.9	30.5	29.2	29.4	326.3	8	2331
	11 LST	29.0	26.7	28.1	24.1	25.1	28.3	27.5	28.4	27.3	29.1	29.6	28.6	329.8	8	2413
	17 LST	29.1	24.9	28.8	25.8	24.4	25.3	27.8	29.0	28.3	29.6	28.4	30.3	331.7	8	2415
	23 LST	30.3	26.2	29.0	25.6	26.2	25.8	25.2	27.0	27.5	30.0	28.8	30.6	332.2	8	2298

NOCHIANG, CHINA

STA NO. 51777 (IN AREA NUMBER 02)	LATITUDE 3905N LONGITUDE 0803E ELEVATION(FT) 03117												PDR	NO.	
PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	(YRS)	085
ABS MAX TMP (F)	50	64	82	95	99	104	108	106	99	86	66	46	108	8	2440
MEAN MAX TMP (F)	31	45	62	73	82	92	96	93	86	71	49	34	68	8	2440
MEAN MIN TMP (F)	7	18	31	44	53	61	67	63	53	38	24	13	39	8	2457
ABS MIN TMP (F)	-8	5	7	21	30	43	54	50	36	18	10	-2	-8	8	2457
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	1.4	6.8	21.2	28.2	25.3	11.7	0.0	0.0	0.0	94.6	8	2440
MEAN NO DYS TMP = OR LES 32(F)	31.0	27.7	16.8	3.0	0.2	0.0	0.0	0.0	0.0	7.3	28.5	31.0	143.5	8	2457
MEAN NO DYS TMP = OR LES 0(F)	3.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	3.7	8	2457
MEAN DEW PT TMP (F)	2	6	12	19	29	41	47	45	34	23	14	8	23	8	15055
MEAN REL HUM (PCT)	54	38	28	24	27	30	33	34	30	34	45	57	36	8	14818
MEAN PRESS ALT (FT)	2416	2649	2913	3056	3196	3345	3464	3335	3123	2816	2578	2447	2945	8	15198
MEAN PRECIP (IN)					0.0	0.0	0.0	0.0	0.0					8	-29
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = OR GTR 0.1 IN					0.0	0.0	0.0	0.0	0.0					8	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN													13.2	8	2327
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.3	1.1	3.4	2.5	2.5	0.7	0.8	0.5	0.4	0.3	0.1	0.6	7.6	8	2335
MEAN NO DYS TSTMS	0.0	0.0	0.5	0.3	1.2	2.1	2.5	0.9	0.0	0.0	0.1	0.0	3.7	8	15295
P FREQ WND SPD = OR GTR 17 KTS	0.9	1.0	4.2	9.6	10.4	4.5	2.9	3.7	3.7	2.1	0.8	0.3	3.7	8	15295
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.1	0.1	1.5	0.6	0.2	0.1	0.1	0.0	0.1	0.1	0.1	0.3	8	14611
P FREQ LES 5000 FT A/D LES 5 MI	8.4	7.5	20.4	21.0	19.0	15.1	8.6	6.8	5.2	4.3	2.6	4.1	10.3	8	14611
P FREQ LES 1500 FT A/D LES 3 MI														8	2450
FOR 00-02 LST	4.7	4.0	11.6	10.4	8.3	5.7	3.1	4.3	4.1	1.7	1.4	1.6	5.1	8	2450
03-05 LST	3.0	7.1	11.7	12.8	6.7	1.5	4.1	2.3	1.6	0.8	2.0	2.1	4.6	8	1661
06-08 LST	3.6	3.3	10.0	8.2	5.6	7.8	3.2	3.0	2.3	1.3	0.9	2.6	4.3	8	2388
09-11 LST	6.0	4.1	11.5	11.9	10.9	8.2	3.6	1.6	3.5	1.3	0.0	3.0	5.5	8	1781
12-14 LST	4.7	6.3	13.7	15.4	8.2	5.9	0.5	6.2	1.5	2.8	0.9	0.9	5.6	8	2348
15-17 LST	7.8	9.6	18.2	16.6	8.9	7.5	3.9	6.5	1.9	2.5	0.0	1.3	7.1	8	1518
18-20 LST	4.2	6.2	16.4	14.7	13.1	5.9	4.7	3.7	3.7	3.1	0.4	0.9	6.4	8	2401
21-23 LST	2.0	2.4	13.6	10.9	11.1	5.8	3.5	4.7	2.5	0.6	0.6	3.0	5.1	6	1799
P FREQ LES 300 FT A/D LES 1 MI														8	2450
FOR 00-02 LST	3.7	1.1	7.6	8.3	4.4	3.1	1.6	2.4	0.9	0.4	0.5	0.9	2.9	8	2450
03-05 LST	2.3	2.4	8.3	7.8	4.0	0.7	2.7	1.5	0.8	0.0	1.3	2.1	2.8	8	1661
06-08 LST	3.6	1.7	7.0	6.5	2.8	4.8	2.1	2.5	1.4	0.4	0.5	2.1	3.0	8	2388
09-11 LST	3.3	0.7	5.7	6.0	4.1	3.3	1.4	0.8	1.4	0.0	0.0	1.8	2.4	8	1781
12-14 LST	3.2	4.0	8.6	8.5	4.9	4.3	0.5	3.1	0.5	0.9	0.5	0.5	3.3	8	2348
15-17 LST	6.2	4.3	11.6	9.0	7.4	3.3	3.1	3.7	1.9	0.8	0.0	1.3	4.4	8	1518
18-20 LST	3.2	4.0	10.3	8.2	11.5	4.3	3.2	2.6	1.4	1.3	0.4	0.4	4.2	8	2401
21-23 LST	0.0	2.4	7.1	8.0	8.9	4.4	1.4	3.5	1.2	0.0	0.6	1.2	3.2	6	1799

NOCHIANG, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	06 LST	29.9	27.1	27.9	27.6	29.3	27.7	30.0	30.1	29.3	30.6	29.7	30.2	349.4	8	2388
	12 LST	29.5	26.2	26.8	25.4	28.5	28.2	30.8	29.1	29.5	30.1	29.7	30.7	344.5	8	2348
	18 LST	29.7	26.3	25.9	25.6	26.9	28.2	29.5	29.9	28.9	30.0	29.9	30.7	341.5	8	2401
	00 LST	29.5	26.9	27.4	26.9	28.4	28.3	30.0	29.7	28.8	30.5	29.6	30.6	346.6	8	2450
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	06 LST	28.1	24.3	24.8	22.1	23.3	23.5	27.7	26.3	27.0	29.2	28.4	29.3	314.0	8	2382
	12 LST	26.2	23.1	16.7	14.2	16.8	19.1	20.0	16.8	19.1	24.0	26.3	28.8	251.1	8	2339
	18 LST	29.0	24.5	18.6	16.1	16.9	15.4	18.4	20.7	22.7	28.3	29.3	30.0	269.9	8	2395
	00 LST	28.9	25.9	24.4	21.9	23.6	25.0	25.5	25.6	25.2	28.3	28.9	30.0	313.2	8	2446
SFC WND = GTR 17 KTS AND NO PRECIP.	06 LST	0.0	0.6	0.5	1.5	2.4	0.3	0.3	0.5	0.4	0.5	0.3	0.0	7.3	8	2421
	12 LST	0.8	0.6	2.1	4.3	3.7	1.5	1.2	1.7	1.4	1.2	0.4	0.3	19.2	8	2510
	18 LST	0.2	0.2	1.4	4.2	3.7	1.4	1.1	1.5	0.8	0.4	0.0	0.0	14.9	8	2477
	00 LST	0.3	0.3	0.6	2.5	3.0	1.1	0.9	0.3	1.0	0.4	0.4	0.0	10.8	8	2475
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	06 LST	0.0	1.4	11.8	13.0	15.2	16.7	16.3	14.1	17.1	13.9	2.2	0.0	121.7	8	2407
	12 LST	1.6	12.5	17.0	15.5	13.8	9.2	3.7	6.1	16.0	18.2	11.2	5.4	130.2	8	2489
	18 LST	0.3	13.1	18.6	15.5	14.8	9.2	3.4	9.0	18.6	17.6	11.4	1.1	132.6	8	2458
	00 LST	0.0	4.1	15.4	14.0	15.8	14.3	15.9	14.5	13.3	12.1	4.8	0.0	124.2	8	2459
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	06 LST	18.5	16.4	11.5	7.6	10.1	11.2	13.6	14.8	16.5	20.8	18.2	17.5	176.7	8	2419
	12 LST	12.8	12.7	10.4	6.5	11.5	13.5	13.8	16.1	17.3	20.5	13.2	13.5	161.8	8	2520
	18 LST	13.4	11.3	8.8	6.4	7.2	10.9	13.7	16.1	17.1	18.8	15.8	14.2	153.7	8	2482
	00 LST	13.4	17.0	14.5	11.2	13.5	15.3	16.9	18.6	20.1	24.3	19.8	17.2	206.8	8	2473
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	06 LST	29.9	27.1	27.9	27.6	29.3	27.7	30.0	30.1	29.3	30.6	29.7	30.2	349.4	8	2388
	12 LST	29.5	26.2	26.8	25.4	28.5	28.2	30.8	29.1	29.5	30.1	29.7	30.4	344.2	8	2348
	18 LST	29.7	26.3	25.9	25.6	26.9	28.2	29.5	29.9	28.9	30.0	29.9	30.6	341.4	8	2401
	00 LST	29.5	26.9	27.4	26.9	28.4	28.3	30.0	29.7	28.8	30.5	29.6	30.4	346.4	8	2450
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	06 LST	29.9	27.1	27.9	27.2	29.1	27.5	29.8	29.9	29.2	30.5	29.7	30.2	348.0	8	2388
	12 LST	29.5	26.2	26.8	25.2	28.3	27.9	30.2	29.1	29.5	30.1	29.7	29.3	341.8	8	2348
	18 LST	29.7	26.3	25.9	25.6	26.5	28.2	29.5	29.9	28.9	30.0	29.9	30.3	340.7	8	2401
	00 LST	29.5	26.9	27.4	26.9	28.1	28.1	29.5	29.5	28.8	30.5	29.6	30.3	345.1	8	2450
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	06 LST	29.9	27.1	27.9	27.2	28.9	27.3	29.8	29.5	29.0	30.5	29.7	30.2	347.0	8	2388
	12 LST	29.5	26.2	26.8	25.2	28.1	27.6	29.7	29.1	29.5	30.1	29.7	29.3	340.8	8	2348
	18 LST	29.7	26.3	25.9	25.6	26.5	28.2	28.9	29.7	28.9	30.0	29.9	30.3	339.7	8	2401
	00 LST	29.5	26.9	27.4	26.9	28.1	28.1	29.2	29.5	28.6	30.5	29.4	30.3	344.4	8	2450

PU-LI/POULI, CHINA

STA NO. 51804 (IN AREA NUMBER 02)

LATITUDE 3747N

LONGITUDE 07514E

ELEVATION(FT) 10361

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
ABS MAX TMP (F)	30	41	57	66	68	75	88	82	79	66	55	45	88	3	492
MEAN MAX TMP (F)	18	26	41	56	56	68	75	73	70	56	40	28	51	3	492
MEAN MIN TMP (F)	-5	-2	18	30	35	42	48	47	39	25	14	3	25	4	982
ABS MIN TMP (F)	-33	-27	-8	16	23	32	36	37	30	14	0	-15	-33	4	982
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	492
MEAN NO DYS TMP = DR LES 32(F)	31.0	28.0	29.8	20.0	9.9	0.9	0.0	0.0	3.9	26.2	30.0	31.0	210.7	4	982
MEAN NO DYS TMP = DR LES 0(F)	22.0	15.8	1.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	13.6	93.6	4	982
MEAN DEW PT TMP (F)	11	0	3	2	24	27	33	34	26	11	2	1	15	3	3675
MEAN REL HUM (PCT)	55	62	37	23	50	36	38	42	34	33	39	51	42	3	3600
MEAN PRESS ALT (FT)	9893	10022	10027	9804	9874	9846	9938	9891	9815	9779	9853	9901		3	3529
MEAN PRECIP (IN)														0	0
MEAN SNOW FALL (IN)						0.0	0.0	0.0	0.0					4	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN														0	0
MEAN NO DYS SNFL = DR GTR 1.5 IN						0.0	0.0	0.0	0.0					4	-29
MEAN NO DYS W/O CUR VSBY LES 1/2 MI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.6	3	543
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	0.0	1.7	1.4	2.4	0.0	0.0	0.0	0.0	5.5	3	542
P FREQ WND SPD = DR GTR 17 KTS	0.2	0.5	1.9	0.5	0.5	4.1	0.4	0.6	1.1	0.6	0.5	0.0	0.9	3	3796
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.1	3	3796
P FREQ LES 3000 FT A/D LES 5 MI	0.4	3.6	1.5	0.5	6.8	7.4	1.7	0.5	0.0	0.2	0.4	2.9	2.2	4	5733
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	2.0	0.0	2.0	0.0	14.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	3	496
03-05 LST	0.0	1.1	0.0	0.0	1.3	0.0	0.0	0.0	0.0	0.0	0.0	1.9	0.4	4	941
06-08 LST	0.0	2.1	1.1	0.0	3.8	1.6	0.0	0.0	0.0	0.0	0.0	1.4	0.8	4	931
09-11 LST	0.0	0.0	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.2	4	997
12-14 LST	0.0	2.7	1.0	0.0	1.3	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.5	4	959
15-17 LST	0.0	1.0	0.0	0.0	2.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	4	1006
18-20 LST	0.0	0.0	0.0	0.0	7.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	3	509
21-23 LST	0.0	0.0	2.1	0.0	7.7	0.0	0.0	0.0	0.0	2.3	0.0	0.0	1.0	3	496
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	3	496
03-05 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	941
06-08 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	931
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	997
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	959
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	1006
18-20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	509
21-23 LST	0.0	0.0	2.1	0.0	0.0	0.0	0.0	0.0	0.0	2.3	0.0	0.0	0.4	3	496

PU-LI/POULI, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	N ₀ OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	05 LST	31.0	27.7	31.0	30.0	30.6	30.0	31.0	31.0	30.0	31.0	30.0	30.6	363.9	4	941
	11 LST	31.0	28.0	30.7	30.0	31.0	30.0	31.0	31.0	30.0	31.0	30.0	30.6	364.3	4	997
	17 LST	31.0	27.7	31.0	30.0	30.3	30.0	31.0	31.0	30.0	31.0	30.0	31.0	364.0	4	1006
	23 LST	31.0	28.0	30.4	30.0	28.6	30.0	31.0	31.0	30.0	30.3	30.0	31.0	361.3	3	496
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	05 LST	31.0	26.5	29.2	25.8	28.6	28.8	29.7	29.3	29.6	29.6	30.0	29.4	347.5	4	941
	11 LST	30.6	27.5	27.8	23.3	25.8	27.4	30.2	31.0	29.2	30.3	28.5	30.6	342.2	4	996
	17 LST	29.5	25.0	20.5	19.5	17.9	17.7	23.4	26.6	24.2	25.7	26.1	29.2	285.3	4	1004
	23 LST	28.7	28.0	24.5	21.3	20.3	26.8	26.6	29.5	27.9	27.5	28.4	31.0	320.5	3	496
SFC WND = GTR 17 KTS AND ND PRECIP.	05 LST	0.0	0.6	0.0	0.0	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	4	947
	11 LST	0.0	0.0	0.3	1.5	1.2	0.0	0.0	0.0	0.4	0.0	0.4	0.0	3.8	4	1003
	17 LST	0.4	0.8	0.3	1.1	0.7	1.9	0.0	0.4	0.0	0.4	0.0	0.0	6.0	4	1026
	23 LST	0.6	0.0	0.6	1.3	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.0	3.1	3	506
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND ND PRECIP.	05 LST	0.0	0.0	1.2	4.2	9.0	13.9	5.9	5.1	2.8	2.8	0.0	0.0	45.9	4	940
	11 LST	0.0	0.3	8.5	13.3	16.1	15.9	9.8	7.6	8.5	6.9	3.5	0.0	90.4	4	995
	17 LST	0.0	1.9	12.2	16.5	12.7	14.1	14.1	14.1	14.6	15.7	10.0	1.5	127.4	4	1015
	23 LST	0.0	0.5	2.5	17.0	13.1	15.8	20.5	15.5	19.5	12.4	1.7	0.0	118.5	3	501
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	05 LST	16.5	13.0	11.0	13.7	8.5	14.2	18.9	15.3	19.1	23.6	16.2	11.9	181.9	4	946
	11 LST	11.1	10.0	5.5	9.8	4.8	8.4	13.1	12.5	16.7	18.8	8.5	7.9	127.1	4	1003
	17 LST	5.5	6.7	3.4	3.0	4.4	1.1	9.0	9.1	12.9	8.8	5.0	6.1	75.0	4	1022
	23 LST	15.8	11.8	10.8	18.3	10.7	12.4	17.4	13.7	17.9	20.7	15.0	14.8	179.3	3	498
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	05 LST	31.0	27.7	31.0	30.0	30.6	29.7	31.0	31.0	30.0	31.0	30.0	30.0	363.0	4	941
	11 LST	31.0	28.0	30.7	30.0	31.0	30.0	31.0	31.0	30.0	31.0	30.0	30.3	364.0	4	997
	17 LST	31.0	27.7	30.9	30.0	30.3	30.0	31.0	31.0	30.0	31.0	30.0	31.0	363.9	4	1006
	23 LST	31.0	28.0	30.4	30.0	28.6	30.0	30.7	31.0	30.0	30.3	30.0	31.0	361.0	3	496
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	05 LST	31.0	27.1	31.0	29.2	29.0	27.5	30.2	30.6	30.0	30.1	30.0	29.8	355.5	4	941
	11 LST	31.0	27.5	30.7	29.3	29.0	28.7	29.5	29.3	29.2	30.6	29.5	29.9	354.3	4	997
	17 LST	31.0	26.6	30.1	29.3	27.7	23.1	28.6	30.5	29.6	30.2	30.0	31.0	347.7	4	1006
	23 LST	31.0	28.0	30.4	30.0	28.6	28.4	29.7	28.7	30.0	29.6	30.0	30.3	354.7	3	496
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	05 LST	31.0	26.5	30.7	28.8	29.0	26.7	29.7	29.3	29.6	30.1	29.6	29.8	350.8	4	941
	11 LST	30.6	26.9	30.1	28.1	26.2	26.0	27.6	27.2	28.7	30.6	29.6	29.5	341.1	4	997
	17 LST	29.9	25.5	29.0	26.6	26.3	18.5	23.8	27.6	27.7	28.4	28.2	28.8	320.3	4	1006
	23 LST	31.0	28.0	30.4	30.0	26.2	25.3	27.2	27.2	27.2	28.9	29.5	30.3	341.2	3	496

SO-CHE SACHE, CHINA

STA NO. 51011 (IN ARFA NUMBER 02)

LATITUDE 3025N

LONGITUDE 07715E

ELEVATION(FT) 04186

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	59	68	79	90	97	102	108	100	97	90	66	50	108	8	2359
MEAN MAX TMP (F)	33	43	60	73	80	89	92	87	82	69	49	35	66	8	2359
MEAN MIN TMP (F)	12	22	35	47	54	61	66	63	55	41	26	16	42	8	2300
ABS MIN TMP (F)	0	3	25	28	41	46	50	50	39	27	1	-6	-6	8	2300
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.3	3.8	16.9	22.9	15.0	4.4	0.1	0.0	0.0	63.4	8	2359
MEAN NO DYS TMP = DR LES 32(F)	31.0	27.7	13.6	0.3	0.0	0.0	0.0	0.0	0.0	4.0	26.6	31.0	134.2	8	2300
MEAN NO DYS TMP = DR LES 0(F)	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	1.1	8	2300
MEAN DEW PT TMP (F)	8	17	21	30	40	46	53	54	47	34	23	15	32	8	14444
MEAN REL HUM (PCT)	60	59	40	37	43	40	44	53	52	53	62	70	51	8	14115
MEAN PRESS ALT (FT)	3606	3815	4077	4223	4323	4474	4589	4456	4285	4009	3769	3661	4107	8	14550
MEAN PRECIP (IN)														0	0
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0					8	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN					0.0	0.0	0.0	0.0	0.0					0	0
MEAN NO DYS SNFL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0					8	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.5	0.2	1.2	3.2	4.0	0.9	0.5	0.7	0.5	0.3	1.0	1.6	14.6	8	2241
MEAN NO DYS TSTMS	0.2	0.0	0.0	0.2	0.7	3.5	2.5	1.1	0.5	0.2	0.1	0.0	9.0	8	2249
P FREQ WND SPD = DR GTR 17 KTS	0.3	0.3	0.7	1.6	3.2	1.8	1.0	0.5	0.1	0.6	0.1	0.0	0.9	8	14798
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.3	0.3	0.1	0.0	0.0	0.0	0.0	0.0	0.1	8	14798
P FREQ LES 5000 FT A/D LES 5 MI	9.2	7.1	14.1	26.1	28.1	21.1	18.2	15.9	11.7	10.3	7.8	9.5	14.9	8	14625
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	1.5	0.8	4.3	10.3	12.9	4.6	0.8	2.5	0.0	3.2	3.3	0.7	3.7	8	1605
03-05 LST	1.6	2.2	5.4	9.5	12.1	3.6	6.0	3.3	5.0	1.8	2.6	3.0	4.7	8	2376
06-08 LST	10.3	4.3	7.6	10.9	17.1	6.2	3.9	4.7	2.1	7.3	5.9	12.9	7.8	8	1754
09-11 LST	4.6	2.3	9.3	15.3	13.2	8.1	4.6	6.4	6.0	4.4	3.6	3.2	6.8	8	2435
12-14 LST	2.7	1.6	9.1	12.5	16.3	3.5	0.7	3.4	2.5	5.5	3.3	3.1	5.4	8	1677
15-17 LST	2.5	1.9	10.7	18.7	14.8	6.6	6.3	5.4	7.5	5.0	4.1	1.6	7.1	8	2411
18-20 LST	0.7	1.6	10.1	14.6	18.2	7.1	4.4	4.8	4.0	3.1	4.9	7.8	6.8	6	1701
21-23 LST	2.2	0.6	7.3	15.7	16.2	6.7	2.3	4.8	7.2	2.7	2.7	5.5	6.2	8	2332
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.8	0.0	2.1	6.2	7.1	3.8	0.0	0.0	0.0	0.8	2.0	0.7	2.0	8	1605
03-05 LST	0.5	0.5	3.0	5.0	6.8	1.2	1.6	2.1	1.0	1.8	0.9	2.2	2.2	8	2376
06-08 LST	5.5	1.4	5.1	4.8	11.4	3.1	0.8	1.6	0.0	3.3	2.3	7.0	3.9	8	1754
09-11 LST	1.0	1.1	6.3	10.1	7.9	2.7	1.5	2.4	0.9	1.3	1.3	3.2	3.3	8	2435
12-14 LST	0.0	1.6	5.6	6.6	10.9	0.7	0.0	1.7	0.0	0.8	1.3	1.3	2.5	8	1677
15-17 LST	0.5	0.5	5.3	9.3	10.1	4.4	2.8	2.0	2.8	0.9	1.8	0.4	3.4	8	2411
18-20 LST	0.0	0.0	5.8	12.4	14.4	4.5	0.9	3.0	2.0	1.9	2.3	3.0	4.4	6	1701
21-23 LST	0.0	0.0	4.1	13.0	12.2	4.5	0.6	1.6	1.4	1.4	2.3	4.6	3.8	8	2332

SO-CHE/SACHE, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	05 LST	30.5	27.4	29.3	27.2	27.2	28.9	29.1	30.0	28.6	30.4	29.2	30.1	347.9	8	2376
	11 LST	29.6	27.4	28.1	25.4	26.9	27.6	29.6	29.1	28.2	29.6	28.9	30.0	340.4	8	2435
	17 LST	30.2	27.5	27.7	24.4	26.4	28.0	29.1	29.3	27.8	29.5	28.8	30.7	339.4	8	2411
	23 LST	30.3	27.8	28.8	25.3	26.0	28.0	30.3	29.5	27.8	30.2	29.2	29.3	342.5	8	2332
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	05 LST	30.2	26.8	28.2	25.4	25.3	26.0	27.4	29.2	27.3	29.9	28.8	29.5	334.0	8	2370
	11 LST	28.9	26.2	24.2	21.5	22.0	23.2	25.1	26.5	25.4	28.0	28.4	29.5	308.9	8	2429
	17 LST	30.2	27.2	26.2	22.7	24.4	26.5	28.0	28.6	27.3	29.2	28.6	30.2	329.1	8	2409
	23 LST	30.0	27.3	27.8	23.2	23.3	25.3	26.5	27.9	26.7	29.6	28.8	29.2	325.6	8	2330
SFC WND = GTR 17 KTS AND NO PRECIP.	05 LST	0.3	0.2	0.2	0.3	1.1	0.2	0.2	0.3	0.0	0.0	0.1	0.0	2.9	8	2398
	11 LST	0.0	0.0	0.2	0.5	1.0	0.3	0.0	0.0	0.1	0.0	0.1	0.0	2.2	8	2442
	17 LST	0.0	0.0	0.0	0.5	0.3	0.5	0.0	0.0	0.0	0.1	0.0	0.0	1.4	8	2495
	23 LST	0.0	0.2	0.2	0.5	1.2	0.9	0.5	0.0	0.0	0.3	0.0	0.0	3.8	8	2424
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	05 LST	0.2	0.9	12.3	16.8	17.0	17.3	16.3	15.3	13.3	12.1	1.4	0.0	122.9	8	2376
	11 LST	1.3	10.9	20.1	20.8	18.6	19.2	18.1	20.1	18.5	19.9	13.3	2.7	183.5	8	2418
	17 LST	1.4	8.7	17.2	16.2	16.7	13.7	8.9	12.9	7.6	7.8	4.6	2.3	118.0	8	2477
	23 LST	0.2	2.3	14.9	13.0	14.4	13.1	12.6	11.0	10.9	11.5	3.0	0.3	107.2	8	2404
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	05 LST	18.1	12.5	15.0	9.8	10.3	11.2	10.1	11.0	16.8	22.0	19.2	17.5	173.5	8	2400
	11 LST	11.7	9.5	9.9	8.6	11.5	15.9	14.7	14.3	18.0	19.7	13.5	12.5	159.8	8	2447
	17 LST	8.6	8.8	6.6	4.1	7.6	10.4	14.2	14.9	18.0	17.0	10.4	11.0	131.6	8	2486
	23 LST	17.3	14.2	13.0	9.3	9.7	11.3	8.9	12.3	17.0	21.5	17.4	17.7	169.6	8	2421
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	05 LST	30.4	27.3	29.3	27.1	27.2	28.6	29.0	29.8	28.4	30.4	29.2	29.9	346.6	8	2376
	11 LST	29.5	27.2	28.1	25.3	26.9	27.6	29.5	29.0	28.1	29.6	28.9	29.9	339.6	8	2435
	17 LST	30.2	27.2	27.7	24.4	26.2	27.9	28.7	29.1	27.7	29.3	28.8	30.1	337.3	8	2411
	23 LST	30.3	27.8	28.7	25.3	26.0	27.2	29.7	29.1	27.8	30.0	29.2	29.2	340.3	8	2332
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	05 LST	28.8	26.0	29.3	26.6	25.8	26.6	24.9	27.5	28.0	30.0	28.7	29.1	331.3	8	2376
	11 LST	28.6	25.8	28.1	24.8	25.9	26.8	28.1	27.8	27.3	29.2	28.7	29.3	330.6	8	2435
	17 LST	29.3	25.5	27.7	23.6	24.4	23.1	26.6	26.3	27.1	28.8	28.2	29.6	322.2	8	2411
	23 LST	29.8	27.3	28.4	24.5	24.5	22.4	20.8	23.9	27.0	29.6	28.4	28.9	315.5	8	2332
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	05 LST	28.5	25.4	29.2	26.1	25.3	25.8	22.5	26.2	27.8	30.0	27.8	28.9	323.5	8	2376
	11 LST	28.3	25.5	28.1	24.8	25.8	26.6	27.3	27.1	26.9	29.2	28.7	29.2	327.5	8	2435
	17 LST	28.5	24.8	27.5	23.6	23.9	24.9	25.7	25.7	26.9	28.8	27.6	29.2	317.1	8	2411
	23 LST	29.5	27.2	28.4	24.5	23.9	22.1	19.7	23.1	26.4	29.5	28.4	28.9	311.6	8	2332

KHOTAN/HOTIEN, CHINA

STA NO. 51020 (IN AREA NUMBER 02)

LATITUDE 3707N

LONGITUDE 07955E

ELEVATION(FT) 04557

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	70	68	81	93	95	102	102	99	99	82	70	59	102	8	2344
MEAN MAX TMP (F)	34	44	61	73	79	87	90	87	82	68	50	38	66	8	2344
MEAN MIN TMP (F)	14	24	37	49	56	64	67	64	57	43	28	18	43	8	2312
ABS MIN TMP (F)	-2	10	25	34	37	52	55	48	41	27	9	5	-2	8	2312
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.3	2.4	12.8	18.6	14.4	4.7	0.0	0.0	0.0	53.2	8	2344
MEAN NO DYS TMP = OR LES 32(F)	31.0	26.4	7.5	0.0	0.0	0.0	0.0	0.0	0.0	1.8	24.5	30.9	122.1	8	2312
MEAN NO DYS TMP = OR LES 0(F)	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	8	2312
MEAN DEW PT TMP (F)	3	11	14	24	37	42	50	51	42	28	17	10	27	8	14412
MEAN REL HUM (FCT)	45	42	27	28	36	33	39	45	42	39	45	54	40	8	14079
MEAN PRESS ALT (FT)	4000	4224	4491	4628	4720	4850	4960	4836	4663	4389	4166	4032	4498	8	14498
MEAN PRECIP (IN)														0	0
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0					8	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN				0.0	0.0	0.0	0.0	0.0	0.0					0	0
MEAN NO DYS SNFL = OR GTR 1.5 IN														8	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.6	0.6	4.2	5.0	6.6	3.6	2.5	2.4	0.9	0.2	0.6	0.9	28.1	8	2125
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.2	1.0	1.3	1.0	0.2	0.2	0.1	0.0	0.0	4.0	8	2237
P FREQ WND SPD = OR GTR 17 KTS	0.3	0.0	1.2	1.0	1.1	1.9	0.8	0.6	0.4	0.1	0.1	0.1	0.6	8	14783
P FREQ WND SPD = OR GTR 28 KTS	0.2	0.0	0.1	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	8	14783
P FREQ LES 5000 FT A/D LES 5 MI	13.4	11.9	35.0	39.9	38.4	29.4	30.2	25.9	17.3	12.5	9.1	7.4	23.2	8	14539
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	1.7	3.7	12.0	16.9	17.6	11.2	13.9	9.4	7.4	4.5	0.7	0.8	8.3	8	1561
03-05 LST	2.1	1.9	7.9	25.8	27.9	15.8	23.5	12.4	9.8	4.9	1.5	1.8	11.3	8	2261
06-08 LST	15.8	12.5	18.1	25.4	21.0	14.8	19.4	17.6	9.0	9.0	7.8	6.6	14.8	8	1772
09-11 LST	5.7	6.5	20.3	30.1	25.4	14.7	22.1	17.2	16.7	6.6	4.2	2.2	14.3	8	2416
12-14 LST	8.1	3.6	17.7	19.6	26.6	15.0	17.3	9.4	9.1	4.8	2.0	0.7	11.2	8	1629
15-17 LST	6.7	4.4	17.5	25.4	25.0	12.8	17.4	14.7	14.3	10.0	3.7	3.6	13.0	8	2446
18-20 LST	1.4	3.3	11.8	15.1	22.3	10.8	14.0	9.4	9.6	1.7	3.8	2.2	8.8	7	1789
21-23 LST	1.8	1.4	8.7	19.4	16.5	11.8	12.1	8.6	9.2	3.5	2.7	1.0	8.1	8	2287
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	1.7	2.8	4.0	10.3	10.1	5.2	6.6	4.7	2.2	3.0	0.0	0.0	4.2	8	1561
03-05 LST	1.2	0.6	4.2	12.6	14.2	6.7	9.3	2.7	4.3	1.5	0.5	0.9	4.9	8	2261
06-08 LST	8.6	2.8	6.6	8.0	7.7	7.4	6.7	8.8	2.8	1.3	2.2	4.4	5.6	8	1772
09-11 LST	2.6	2.8	11.7	13.7	12.2	6.8	6.0	5.0	5.1	1.3	1.4	0.4	5.8	8	2416
12-14 LST	2.8	1.6	8.5	7.8	9.4	6.0	5.5	3.1	3.3	1.6	1.3	0.0	4.2	8	1629
15-17 LST	2.1	1.6	8.8	10.9	11.7	2.6	3.7	4.4	4.0	1.3	0.9	1.3	4.4	8	2446
18-20 LST	0.0	1.6	5.9	10.8	10.8	5.4	4.0	4.7	6.6	0.6	1.9	0.6	4.4	7	1789
21-23 LST	1.2	1.4	4.9	16.1	10.3	6.2	5.6	5.1	4.8	0.5	0.5	0.0	4.7	8	2287

KHOTAN/HOTIEN, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. Q85
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	05 LST	30.4	27.5	28.6	22.3	22.4	23.3	23.7	27.1	27.1	29.5	29.6	30.4	323.9	8	2261
	11 LST	29.2	26.4	24.7	21.0	23.1	23.6	24.1	25.8	25.0	29.0	28.8	30.5	313.2	8	2416
	17 LST	28.9	26.8	25.6	22.4	23.3	26.2	25.6	26.4	25.7	27.9	28.9	30.0	317.7	8	2446
	23 LST	30.4	27.6	28.3	24.2	25.9	26.5	27.2	28.3	27.2	29.9	29.3	30.7	335.5	8	2287
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	05 LST	29.9	26.9	27.6	20.9	21.2	24.1	22.5	25.9	26.3	29.5	29.3	30.2	314.3	8	2253
	11 LST	27.6	24.0	20.5	17.0	22.0	21.9	20.9	22.8	22.8	27.2	27.9	28.5	283.1	8	2412
	17 LST	28.9	26.6	25.1	21.3	22.9	24.9	25.6	26.3	25.7	27.9	28.8	29.8	313.8	8	2443
	23 LST	30.4	27.4	27.4	23.8	24.4	23.7	26.0	26.9	26.7	29.8	28.8	30.7	326.0	8	2286
SFC WND = GTR 17 KTS AND NO PRECIP.	05 LST	0.0	0.0	0.3	0.2	0.0	0.5	0.5	0.0	0.4	0.1	0.0	0.0	2.0	8	2372
	11 LST	0.3	0.0	0.9	0.8	0.2	0.8	0.3	0.0	0.0	0.1	0.1	0.1	3.6	8	2444
	17 LST	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.2	0.1	0.0	0.0	0.0	0.6	8	2464
	23 LST	0.0	0.0	0.3	0.8	0.2	0.5	0.3	0.3	0.3	0.0	0.0	0.0	2.7	8	2431
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	05 LST	0.5	2.7	20.1	20.1	22.5	22.7	19.7	18.1	21.2	23.0	8.7	0.4	179.7	8	2340
	11 LST	4.2	15.7	21.2	21.3	19.6	18.3	13.5	18.6	22.7	21.3	19.3	8.9	204.6	8	2417
	17 LST	2.7	7.4	17.7	16.2	14.9	12.1	9.3	10.1	7.0	9.0	7.2	4.7	118.3	8	2450
	23 LST	0.9	7.3	19.3	16.5	19.1	20.8	18.3	14.8	18.5	21.9	10.7	1.7	169.8	8	2412
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	05 LST	17.7	14.3	13.5	8.9	8.8	8.1	8.1	9.6	14.1	23.8	21.0	17.8	161.7	8	2278
	11 LST	12.9	8.7	9.6	8.8	9.9	13.1	13.1	12.8	17.1	21.6	15.6	11.8	155.0	8	2442
	17 LST	10.2	7.3	6.1	3.8	7.2	7.9	9.1	11.1	14.9	17.8	14.2	12.1	121.7	8	2448
	23 LST	16.7	11.8	12.1	9.0	9.5	12.6	12.4	16.0	18.1	22.3	18.6	16.7	175.8	8	2297
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	05 LST	30.2	27.5	28.6	22.2	22.3	25.2	23.6	27.0	26.9	29.5	29.6	30.2	322.8	8	2261
	11 LST	29.2	25.9	24.7	20.9	23.0	25.6	24.0	25.5	25.0	29.0	28.8	30.1	311.7	8	2416
	17 LST	28.8	26.8	25.6	22.4	23.1	26.2	25.6	26.4	25.6	27.9	28.8	29.4	316.6	8	2446
	23 LST	30.4	27.6	28.3	24.2	25.8	26.4	27.2	28.3	27.2	29.9	29.1	30.7	335.1	8	2287
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	05 LST	28.8	26.4	28.6	21.6	21.9	24.5	23.4	26.6	26.7	29.3	29.3	29.6	316.7	8	2261
	11 LST	28.3	24.7	24.7	20.3	22.5	25.6	23.5	25.3	24.6	29.0	28.2	29.2	305.9	8	2416
	17 LST	27.9	25.4	25.6	22.1	22.0	25.5	25.3	25.8	25.2	27.9	27.8	28.8	309.3	8	2446
	23 LST	29.5	27.0	28.3	24.0	25.2	25.7	26.8	28.3	27.1	29.9	28.4	30.0	330.2	8	2287
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	05 LST	28.8	25.7	28.6	21.6	21.7	24.2	22.7	26.5	26.6	29.3	28.7	29.6	314.0	8	2261
	11 LST	28.3	24.7	24.7	20.3	22.3	25.6	23.5	25.1	24.6	29.0	28.2	29.1	305.4	8	2416
	17 LST	27.8	25.4	25.6	21.9	22.0	25.5	25.3	25.5	25.2	27.9	27.1	28.5	307.7	8	2446
	23 LST	29.5	26.1	28.3	24.0	25.2	25.7	26.8	28.0	26.8	29.4	27.8	29.8	327.6	8	2287

CHARCHAN/CHICHMO, CHINA

STA NO. 51855 (IN AREA NUMBER 02)

LATITUDE 3808N

LONGITUDE 08532E

ELEVATION(FT) 03169

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	55	68	81	91	93	99	106	100	97	82	66	55	106	8	2414
MEAN MAX TMP (F)	31	45	60	72	80	88	91	89	81	68	48	35	66	8	2414
MEAN MIN TMP (F)	5	14	30	41	51	59	62	59	49	34	22	11	36	8	2373
ABS MIN TMP (F)	-6	1	10	7	34	43	50	46	34	18	5	-4	-6	8	2373
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.9	3.3	13.4	21.6	17.8	4.5	0.0	0.0	0.0	61.5	8	2414
MEAN NO DYS TMP = OR LES 32(F)	31.0	27.8	21.0	4.3	0.0	0.0	0.0	0.0	0.0	12.0	29.3	31.0	156.4	8	2373
MEAN NO DYS TMP = OR LES 0(F)	7.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	8.3		8	2373
MEAN DEW PT TMP (F)	1	4	10	18	29	41	47	45	34	21	14	6	23	8	14626
MEAN REL HUM (PCT)	52	41	29	26	30	35	39	40	36	37	49	56	39	8	14198
MEAN PRESS ALT (FT)	3001	3170	3365	3480	3562	3520	3285	3541	3623	3404	3219	3124	3358	8	14453
MEAN PRECIP (IN)														0	0
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0					8	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN														0	0
MEAN NO DYS SNFL = OR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0					8	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	1.6	1.3	3.6	5.5	6.0	3.3	2.3	2.5	1.3	0.6	0.2	0.4	28.6	7	1865
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.2	0.7	2.1	2.2	0.8	0.3	0.0	0.0	0.0	6.3	8	2272
P FREQ WND SPD = OR GTR 17 KTS	0.2	0.5	2.7	3.9	6.2	1.1	1.1	1.5	0.9	0.7	0.2	0.1	1.6	8	14918
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.2	0.2	0.3	0.1	0.1	0.0	0.1	0.0	0.0	0.0	0.1	8	14918
P FREQ LES 3000 FT A/D LES 5 MI	14.3	14.8	39.9	43.2	41.5	35.0	28.4	25.1	22.4	14.3	11.9	5.0	24.7	8	13953
P FREQ LES 1500 FT A/D LES 3 MI															
FDR 00-02 LST	1.3	1.3	17.4	24.8	20.8	14.8	10.2	9.0	8.5	3.4	3.9	0.5	9.7	8	1989
03-05 LST	4.0	3.0	16.5	19.4	15.9	8.4	7.3	7.5	5.9	2.7	1.9	0.0	7.7	8	1252
06-08 LST	3.3	1.9	16.6	29.3	33.5	25.6	16.2	14.3	15.3	7.4	0.6	2.2	13.9	8	2161
09-11 LST	15.0	6.2	24.5	27.3	28.4	25.0	15.8	13.5	10.7	5.2	6.9	5.8	15.4	8	1743
12-14 LST	6.8	7.2	28.4	30.8	30.7	20.8	16.1	16.0	9.9	9.4	5.4	1.8	15.3	8	2405
15-17 LST	9.4	8.2	30.5	27.5	27.8	21.4	11.6	12.9	5.7	10.2	3.0	0.7	14.1	8	1571
18-20 LST	7.4	3.9	28.6	27.5	30.1	23.3	19.0	20.1	13.1	11.5	4.7	2.0	15.9	8	2387
21-23 LST	2.2	1.7	25.4	28.9	25.2	17.0	11.7	13.9	7.1	2.5	4.3	1.9	11.8	6	1776
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	0.7	1.3	8.7	13.3	11.3	6.0	4.8	3.0	5.5	1.1	1.1	0.5	4.8	8	1989
03-05 LST	3.0	2.0	6.4	8.1	8.8	4.2	4.6	3.2	4.0	0.9	1.0	0.0	3.9	8	1252
06-08 LST	3.3	0.6	4.8	11.0	11.7	6.7	2.8	3.8	4.1	1.5	0.6	1.1	4.3	8	2161
09-11 LST	5.0	0.7	6.9	8.6	10.6	6.5	3.3	1.4	0.7	1.3	0.6	2.6	4.0	8	1743
12-14 LST	1.6	2.2	9.1	12.1	13.6	4.9	5.7	5.5	2.2	1.3	0.9	0.5	5.0	8	2405
15-17 LST	2.1	2.5	12.2	11.6	14.3	6.0	3.0	2.6	3.3	3.9	0.0	0.0	5.1	8	1571
18-20 LST	3.2	2.2	11.1	14.3	11.4	8.0	3.2	1.9	5.5	3.4	0.9	0.5	5.5	8	2387
21-23 LST	1.5	0.0	12.0	19.0	14.0	6.7	5.8	5.5	4.1	1.9	1.2	0.6	6.0	6	1776

CHARCHAN/CHICHMO, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	06 LST	30.0	27.5	25.9	21.2	20.6	22.3	26.0	26.6	25.5	28.7	29.8	30.3	314.4	8	2161
	12 LST	28.9	26.0	22.2	20.8	21.6	23.8	26.0	26.0	27.0	28.1	28.4	30.4	309.2	8	2405
	18 LST	28.7	26.9	22.1	21.8	21.7	23.0	25.1	24.8	26.1	27.4	28.6	30.4	306.6	8	2387
	00 LST	30.6	27.6	25.6	22.5	24.5	25.6	27.8	28.2	27.4	29.9	28.8	30.8	329.3	8	1989
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	06 LST	29.8	27.3	25.0	20.4	20.2	22.0	25.9	26.4	25.0	28.5	29.5	29.7	309.7	8	2154
	12 LST	25.0	20.2	13.2	13.4	16.5	19.1	19.7	18.3	17.2	18.2	24.2	27.6	232.6	8	2400
	18 LST	27.5	24.4	15.4	11.3	16.2	18.1	16.7	16.0	17.4	24.4	28.0	29.8	245.2	8	2379
	00 LST	30.6	27.6	24.8	21.8	23.6	23.4	26.0	26.1	27.3	29.6	28.7	30.7	320.2	8	1987
SFC WND = GTR 17 KTS AND NO PRECIP.	06 LST	0.2	0.0	0.1	0.5	0.8	0.0	0.0	0.0	0.3	0.0	0.0	1.9		8	2380
	12 LST	0.0	0.3	1.8	2.1	2.1	0.3	0.2	0.6	0.5	0.8	0.3	0.0	9.0	3	2478
	18 LST	0.0	0.2	1.1	2.3	3.0	0.8	0.8	0.9	0.0	0.1	0.0	0.0	9.2	8	2486
	00 LST	0.2	0.0	0.0	0.2	0.9	0.3	0.2	0.3	0.3	0.1	0.0	0.0	2.5	8	2431
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	06 LST	0.0	0.3	8.4	14.6	15.5	12.9	9.7	9.4	11.1	9.1	1.7	0.0	92.7	8	2342
	12 LST	3.9	16.6	17.7	17.7	16.4	18.1	13.2	15.0	19.4	22.3	20.0	8.6	188.9	8	2459
	18 LST	1.1	16.4	20.5	15.2	17.0	17.2	11.6	15.6	20.9	22.8	11.9	0.8	171.0	8	2462
	00 LST	0.0	0.2	11.8	13.5	10.0	11.0	11.2	9.5	7.8	7.5	1.0	0.0	83.5	8	2410
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	06 LST	20.5	16.5	13.1	7.3	6.5	7.5	8.7	12.7	13.8	20.6	18.9	18.7	164.8	8	2185
	12 LST	13.3	12.4	9.7	10.1	8.6	11.3	11.3	14.3	18.3	19.6	14.1	14.5	157.5	8	2471
	18 LST	13.6	11.1	8.4	7.7	8.0	11.6	14.1	16.2	17.4	19.9	17.2	14.8	160.0	8	2421
	00 LST	18.6	16.8	13.6	13.6	14.4	16.1	17.6	20.2	18.3	23.3	19.2	17.4	209.1	8	1993
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	06 LST	30.0	27.5	25.9	21.2	20.6	22.3	26.0	26.6	25.5	28.7	29.8	30.3	314.2	8	2161
	12 LST	28.9	26.0	22.2	20.8	21.4	23.8	26.0	26.0	27.0	28.1	28.4	30.4	309.0	8	2405
	18 LST	28.7	26.9	22.1	21.8	21.7	23.0	25.1	24.8	26.0	27.4	28.6	30.4	306.5	8	2387
	00 LST	30.6	27.6	25.6	22.5	24.5	25.6	27.8	28.2	27.4	29.9	28.8	30.8	329.3	8	1989
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	06 LST	30.0	27.5	25.9	21.2	20.6	22.1	26.0	26.6	25.3	28.7	29.7	30.3	313.9	8	2161
	12 LST	28.6	26.0	22.0	20.8	21.4	23.8	25.9	26.0	27.0	28.1	28.2	30.4	308.2	8	2405
	18 LST	28.7	26.8	22.1	21.8	21.7	22.8	25.1	24.8	26.0	27.4	28.6	30.4	306.2	8	2387
	00 LST	30.6	27.6	25.6	22.5	24.5	25.6	27.8	28.2	27.4	29.9	28.8	30.8	329.3	8	1989
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	06 LST	30.0	27.5	25.9	21.0	20.4	22.1	26.0	26.2	25.2	28.7	29.5	30.3	312.8	8	2161
	12 LST	28.4	25.8	22.0	20.8	21.4	23.8	25.9	26.0	27.0	28.1	28.1	30.4	307.7	8	2405
	18 LST	28.4	26.6	22.1	21.8	21.5	22.7	24.9	24.8	26.0	27.4	28.6	30.2	305.0	8	2387
	00 LST	30.6	27.6	25.6	22.5	24.5	25.6	27.8	28.2	27.4	29.9	28.8	30.8	329.3	8	1989

MANGYA, CHINA

STA NO. 51895 (IN AREA NUMBER 02)

LATITUDE 3751N

LONGITUDE 09139E

ELEVATION(FT) 10039

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. DRS
ABS MAX TMP (F)	37	48	59	72	73	86	96	86	77	77	54	41	86	6	1574
MEAN MAX TMP (F)	23	31	44	54	61	68	74	72	64	50	37	27	50	6	1574
MEAN MIN TMP (F)	-6	-1	13	23	30	41	47	43	32	18	6	-3	20	6	1600
ABS MIN TMP (F)	-26	-13	-13	5	14	23	36	27	18	-2	-9	-18	-26	6	1600
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	1574
MEAN NO DYS TMP = DR LES 32(F)	31.0	28.0	30.6	26.1	19.5	2.5	0.0	1.3	15.8	29.9	30.0	31.0	249.7	6	1600
MEAN NO DYS TMP = DR LES 0(F)	24.8	18.1	4.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	6.4	21.9	75.6	6	1600
MEAN DEW PT TMP (F)	14	14	10	1	7	19	27	25	11	1	5	8	12	6	10334
MEAN REL HUM (PCT)	41	32	24	25	26	29	31	31	25	26	33	45	31	6	10173
MEAN PRESS ALT (FT)	9423	9477	9496	9427	9442	9394	9449	9369	9293	9258	9351	9408		5	6818
MEAN PRECIP (IN)														0	0
MEAN SNOW FALL (IN)							0.0							6	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN														0	0
MEAN NO DYS SNFL = DR GTR 1.5 IN							0.0							6	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.5	0.8	1.4	0.8	0.3	0.0	0.0	0.0	0.0	0.5	0.0	0.0	4.3	6	1478
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	0.7	1.6	2.3	1.0	0.5	0.2	0.0	0.0	6.3	6	1559
P FREQ WND SPD = DR GTR 17 KTS	1.7	2.6	5.8	3.5	6.1	4.1	3.7	2.9	1.7	1.3	0.9	0.9	2.9	6	10918
P FREQ WND SPD = DR GTR 28 KTS	0.2	0.0	0.2	0.2	0.1	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.1	6	10918
P FREQ LES 5000 FT A/O LES 5 MI	2.7	3.6	8.8	9.7	11.6	11.1	9.0	6.5	3.5	1.2	0.8	2.4	5.9	6	11007
P FREQ LES 1900 FT A/O LES 3 MI															
FOR 00-02 LST	0.0	0.0	1.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	6	1518
03-05 LST	0.0	0.0	1.6	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	6	1420
06-08 LST	0.0	0.8	4.9	1.8	0.0	0.8	0.0	0.0	0.0	1.4	0.0	0.0	0.8	6	1573
09-11 LST	0.7	0.8	3.8	2.4	0.7	0.8	1.0	0.0	0.0	0.0	0.0	0.4	0.9	6	1475
12-14 LST	2.1	1.6	5.3	1.5	0.0	1.5	0.8	0.0	0.0	0.0	0.0	0.0	1.1	6	1620
15-17 LST	3.5	4.1	5.8	3.6	1.1	0.0	0.0	0.0	1.0	0.9	0.0	1.4	2.0	6	1495
18-20 LST	2.2	3.2	6.8	3.7	5.7	0.7	0.9	1.3	0.0	0.7	0.0	0.0	2.1	6	1600
21-23 LST	0.0	0.0	0.0	1.3	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	4	942
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	1518
03-05 LST	0.0	0.0	0.0	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	6	1420
06-08 LST	0.0	0.8	3.5	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	0.0	0.5	6	1573
09-11 LST	0.0	0.8	0.8	1.6	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	6	1475
12-14 LST	0.7	1.6	1.4	1.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	6	1620
15-17 LST	2.8	3.3	2.2	1.5	0.7	0.0	1.0	0.0	0.0	0.9	0.0	0.7	1.1	6	1495
18-20 LST	1.5	2.4	3.4	0.7	2.8	0.0	0.0	0.0	0.0	0.7	0.0	0.0	1.0	6	1600
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	943

MANGYA, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. ORS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	06 LST	31.0	27.8	29.5	29.6	31.0	29.8	31.0	31.0	30.0	30.6	30.0	31.0	362.3	6	1573
	12 LST	30.3	27.6	29.3	29.6	31.0	29.5	30.7	31.0	30.0	31.0	30.0	31.0	361.0	6	1620
	18 LST	30.3	27.1	28.9	28.9	29.2	29.8	30.7	30.7	30.0	30.8	30.0	31.0	357.4	6	1600
	00 LST	31.0	28.0	30.5	30.0	31.0	30.0	31.0	31.0	30.0	31.0	30.0	31.0	364.5	6	1518
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	06 LST	29.8	26.1	24.9	23.9	25.3	25.1	26.1	27.1	26.7	29.7	28.9	29.1	322.7	6	1570
	12 LST	25.1	21.0	18.0	16.0	18.7	23.0	20.1	23.6	23.9	26.6	22.9	25.2	264.1	6	1618
	18 LST	26.7	22.2	17.2	12.5	11.2	13.7	15.1	16.3	18.2	24.3	26.5	27.1	231.0	6	1597
	00 LST	27.5	25.1	24.9	26.6	26.8	25.3	25.8	28.4	27.8	27.6	27.2	28.9	321.9	6	1514
SFC WND = GTR 17 KTS AND NO PRECIP.	06 LST	0.0	0.0	1.3	0.6	0.7	0.2	0.3	0.3	0.0	0.2	0.0	0.0	3.6	6	1592
	12 LST	1.3	1.3	2.5	1.7	1.8	0.9	0.8	0.5	0.7	0.4	0.4	0.7	13.0	6	1627
	18 LST	0.7	0.9	2.9	2.3	4.6	2.6	2.6	2.3	1.5	0.6	0.2	0.2	21.4	6	1616
	00 LST	0.2	0.2	0.7	0.4	0.7	0.4	0.0	0.8	0.4	0.0	0.0	0.2	4.0	6	1600
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	06 LST	0.0	0.0	0.2	1.0	6.8	9.8	10.7	10.2	7.3	1.6	0.0	0.0	47.6	6	1574
	12 LST	0.2	2.2	14.6	18.3	18.8	20.3	18.4	21.9	23.0	23.8	10.9	0.7	173.1	6	1612
	18 LST	0.0	0.9	13.5	14.2	14.2	13.5	16.1	16.2	17.5	17.6	2.8	0.0	126.5	6	1598
	00 LST	0.0	0.0	2.1	8.4	12.8	16.7	17.2	14.2	16.0	5.3	0.2	0.0	92.9	6	1586
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	06 LST	19.2	18.0	11.6	9.9	9.2	9.5	12.5	12.6	15.8	19.8	15.6	21.1	174.8	6	1579
	12 LST	12.2	10.2	11.6	9.4	8.6	6.8	9.0	12.7	17.0	18.6	16.2	16.1	148.4	6	1629
	18 LST	9.4	5.7	3.9	4.9	5.3	4.6	8.1	10.7	15.3	16.4	16.0	16.9	117.2	6	1610
	00 LST	18.2	17.6	15.6	13.8	17.2	17.7	20.3	20.4	21.7	24.3	21.5	21.4	229.7	6	1518
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	06 LST	31.0	27.8	29.5	29.4	31.0	29.6	30.9	31.0	30.0	30.6	30.0	31.0	361.8	6	1573
	12 LST	30.3	27.5	29.2	29.4	30.6	29.2	30.5	30.8	30.0	31.0	30.0	30.8	359.3	6	1620
	18 LST	30.2	26.8	28.9	28.6	28.9	29.0	30.5	30.3	30.0	30.8	29.8	31.0	354.8	6	1600
	00 LST	31.0	28.0	30.5	30.0	31.0	30.0	30.9	30.9	30.0	31.0	30.0	31.0	364.3	6	1518
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	06 LST	31.0	27.5	29.0	29.2	29.9	28.0	29.8	29.2	29.6	30.3	30.0	30.5	354.0	6	1573
	12 LST	29.2	26.9	28.0	27.8	26.5	23.9	26.0	27.1	29.3	29.9	29.8	29.7	334.1	6	1620
	18 LST	28.0	23.6	25.3	24.9	21.3	21.6	23.8	22.6	27.1	30.1	28.9	29.6	306.8	6	1600
	00 LST	31.0	27.3	29.6	29.8	30.3	28.4	30.4	29.9	29.3	31.0	29.8	30.5	357.3	6	1518
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	06 LST	31.0	27.5	28.8	29.2	29.3	27.8	29.6	28.4	29.1	30.3	30.0	30.3	351.3	6	1573
	12 LST	29.0	26.9	28.0	27.4	26.5	23.7	25.7	26.6	29.3	29.9	29.6	29.7	332.3	6	1620
	18 LST	27.1	23.3	24.5	24.4	20.7	20.7	22.9	22.1	27.1	29.7	28.5	29.2	300.2	6	1600
	00 LST	31.0	27.3	29.6	29.8	30.3	28.2	30.1	29.7	29.3	30.8	29.8	30.5	356.4	6	1518

KERIYA/YUTIEN, CHINA

STA NO. 51931 (IN AREA NUMBER 02)

LATITUDE 3650N

LONGITUDE 08139E

ELEVATION(FT) 05098

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN (YRS)	PDR NO.
ABS MAX TMP (F)	63	73	82	93	97	100	106	100	95	84	68	59	106	8 2295
MEAN MAX TMP (F)	35	45	62	74	80	87	91	88	83	70	51	39	67	8 2295
MEAN MIN TMP (F)	12	21	34	47	54	61	66	61	53	38	25	16	41	8 2288
ABS MIN TMP (F)	-11	-4	19	32	37	48	50	39	39	23	5	3	-11	8 2288
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.8	3.1	12.9	20.6	16.8	5.2	0.0	0.0	0.0	59.4	8 2295
MEAN NO DYS TMP = DR LES 32(F)	31.0	27.5	13.6	0.3	0.0	0.0	0.0	0.0	0.0	6.4	27.4	31.0	137.2	8 2288
MEAN NO DYS TMP = DR LES 0(F)	0.3	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	1.0	8 2288
MEAN DEW PT TMP (F)	4	11	12	22	34	43	50	50	41	26	16	9	27	8 14216
MEAN REL HUM (PCT)	49	45	27	27	35	37	40	47	43	39	47	54	41	8 13832
MEAN PRESS ALT (FT)	4577	4787	5062	5202	5312	5429	5551	5429	5250	4966	4748	4634	5079	8 14274
MEAN PRECIP (IN)														0 0
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0					8 -29
MEAN NO DYS PRCP = DR GTR 0.1 IN														0 0
MEAN NO DYS SNFL = DR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0					8 -29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.2	0.9	1.3	1.5	2.1	2.0	1.3	0.2	0.8	0.3	0.0	0.0	10.6	8 2019
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.2	1.5	1.3	0.9	0.8	0.2	0.1	0.0	0.0	5.0	8 2213
P FREQ WND SPD = DR GTR 17 KTS	0.2	0.1	0.5	0.3	0.3	0.4	0.2	0.1	0.0	0.1	0.1	0.0	0.2	8 14538
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8 14538
P FREQ LES 5000 FT A/D LES 3 MI	5.7	5.8	26.5	31.2	31.5	23.2	29.2	21.4	15.7	6.6	3.3	1.5	16.8	8 14657
P FREQ LES 1500 FT A/D LES 3 MI														
FOR 00-02 LST	0.0	1.8	11.9	15.6	12.4	8.0	9.3	6.7	3.5	0.0	0.0	0.8	5.8	8 1399
03-05 LST	1.2	3.0	11.7	20.3	19.1	11.2	16.4	11.0	8.0	2.7	0.0	0.5	8.8	8 2285
06-08 LST	7.0	4.1	14.9	19.9	20.8	14.7	20.7	10.0	7.3	3.3	2.3	2.4	10.6	8 1778
09-11 LST	3.6	2.2	16.5	23.3	22.6	11.1	12.5	15.9	9.0	4.3	1.9	0.5	10.3	8 2426
12-14 LST	4.9	5.4	21.4	16.4	21.0	11.1	12.5	11.5	7.6	4.8	1.3	0.0	9.8	8 1671
15-17 LST	4.0	3.3	17.3	21.6	19.1	14.5	12.1	12.9	8.8	4.3	1.4	0.9	10.0	8 2484
18-20 LST	0.0	1.6	8.9	18.4	17.4	5.2	11.1	7.7	4.5	0.0	0.6	0.6	6.3	7 1778
21-23 LST	0.0	2.0	8.1	16.9	16.1	8.7	7.3	6.0	4.2	1.0	0.5	0.5	5.9	8 2120
P FREQ LES 300 FT A/D LES 1 MI														
FOR 00-02 LST	0.0	1.8	4.0	7.4	7.4	6.4	3.4	3.8	1.8	0.0	0.0	0.8	3.1	8 1399
03-05 LST	0.6	1.2	3.0	8.2	9.0	4.7	5.9	5.0	0.9	0.5	0.0	0.0	3.3	8 2285
06-08 LST	0.0	2.1	3.1	6.2	6.3	6.2	5.9	3.6	1.5	0.0	0.6	0.0	3.0	8 1778
09-11 LST	0.5	2.2	4.1	10.1	9.6	2.6	5.5	2.5	1.4	0.0	0.0	0.0	3.2	8 2426
12-14 LST	0.7	2.3	3.6	3.3	5.6	1.5	2.9	3.8	1.7	0.0	0.0	0.0	2.1	8 1671
15-17 LST	0.5	1.6	3.6	9.8	6.9	4.5	4.5	7.9	2.8	0.0	0.0	0.4	3.1	8 2484
18-20 LST	0.0	1.6	3.0	12.5	8.0	2.2	5.2	2.4	1.9	0.0	0.0	0.6	3.1	7 1778
21-23 LST	0.0	2.0	2.3	7.5	9.0	4.3	3.4	2.2	2.1	0.5	0.0	0.0	2.8	8 2120

KERIYA/ YUTIEN, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	05 LST	30.6	27.2	27.4	23.9	25.1	26.6	26.0	27.6	27.6	30.2	30.0	30.8	333.0	8	2285
	11 LST	29.9	27.4	25.9	23.0	24.1	26.7	27.1	26.1	27.3	29.7	29.4	30.9	327.5	8	2426
	17 LST	29.8	27.1	25.6	23.5	25.2	25.7	27.2	27.0	27.4	29.7	29.6	30.7	328.5	8	2484
	23 LST	31.0	27.4	28.5	24.9	26.1	27.4	28.7	29.1	28.7	30.7	29.8	30.8	343.1	8	2120
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	05 LST	30.4	27.0	26.8	22.9	24.6	26.2	25.5	27.4	27.7	30.0	29.7	30.5	326.7	8	2277
	11 LST	29.7	26.9	24.6	21.4	22.5	25.2	24.8	24.8	26.3	29.0	29.2	30.2	314.6	8	2419
	17 LST	29.8	26.8	25.2	22.4	24.4	24.8	26.0	26.8	27.2	29.5	29.5	30.5	322.9	8	2483
	23 LST	30.8	27.4	27.9	24.2	24.3	26.9	27.9	29.0	28.6	30.4	29.7	30.7	337.8	8	2118
SFC WND = GTR 17 KTS AND NO PRECIP.	05 LST	0.2	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	8	2355
	11 LST	0.0	0.0	0.3	0.2	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.7	8	2426
	17 LST	0.0	0.0	0.2	0.0	0.2	0.3	0.2	0.1	0.0	0.0	0.0	0.0	1.0	8	2497
	23 LST	0.0	0.0	0.3	0.0	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.7	8	2367
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	05 LST	0.2	1.1	10.9	14.8	15.2	14.1	13.7	11.2	11.1	11.8	2.1	0.1	106.3	8	2328
	11 LST	3.9	13.8	22.2	20.1	21.7	18.0	15.1	15.5	19.9	20.8	15.4	9.4	195.8	8	2408
	17 LST	1.7	9.0	21.3	16.3	14.2	11.2	7.6	7.9	8.4	8.1	5.5	3.6	114.8	8	2476
	23 LST	0.2	3.4	15.2	17.1	13.6	15.5	12.1	10.3	9.5	10.4	3.8	0.3	111.4	8	2340
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	05 LST	20.2	16.2	14.1	10.7	9.5	8.9	7.8	9.1	14.1	21.1	20.0	20.7	172.4	8	2281
	11 LST	13.3	11.5	11.2	10.7	14.3	14.2	14.8	15.2	19.2	22.7	18.0	14.7	179.8	8	2430
	17 LST	11.9	8.0	7.2	6.1	10.1	9.2	11.1	12.4	14.8	20.0	15.4	12.5	138.7	8	2486
	23 LST	17.3	12.5	14.3	12.8	13.6	14.9	14.9	15.2	17.7	22.4	18.5	17.4	191.5	8	2123
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	05 LST	30.6	27.2	27.4	23.9	24.9	26.6	25.8	27.5	27.5	30.2	30.0	30.8	332.4	8	2285
	11 LST	29.9	27.4	25.9	22.8	23.6	26.7	27.1	26.0	27.2	29.6	29.3	30.8	326.3	8	2426
	17 LST	29.8	27.1	25.6	23.4	24.9	25.7	27.2	26.9	27.2	29.7	29.5	30.7	327.7	8	2484
	23 LST	31.0	27.4	28.5	24.9	25.8	27.4	28.7	29.1	28.7	30.7	29.8	30.8	342.8	8	2120
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	05 LST	30.4	27.2	27.4	23.4	24.4	26.1	25.5	26.7	27.3	30.2	30.0	30.8	329.4	8	2285
	11 LST	29.7	27.2	25.9	22.1	23.3	26.3	26.7	25.6	26.9	29.5	29.0	30.7	322.9	8	2426
	17 LST	29.3	27.1	25.3	22.7	23.8	22.8	25.1	24.9	26.8	29.5	29.3	30.3	316.9	8	2484
	23 LST	31.0	27.4	28.5	24.8	25.4	26.9	28.6	28.3	28.4	30.7	29.8	30.7	340.5	8	2120
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	05 LST	30.3	27.2	27.4	23.4	24.4	26.1	25.5	26.7	27.3	30.2	30.0	30.8	329.3	8	2285
	11 LST	29.7	27.2	25.9	22.1	23.3	26.3	26.5	25.6	26.9	29.5	29.0	30.7	322.7	8	2426
	17 LST	29.3	27.1	25.3	22.6	23.8	22.8	25.1	24.9	26.8	29.5	29.3	30.3	316.8	8	2484
	23 LST	30.8	27.4	28.5	24.8	25.4	26.9	28.6	28.3	28.4	30.7	29.8	30.7	340.3	8	2120

HAMI, CHINA

STA NO. 52203 (IN AREA NUMBER 02)

LATITUDE 4250N

LONGITUDE 09327E

ELEVATION(FT) 02411

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	41	57	75	91	99	104	106	104	99	88	66	45	106	8	2429
MEAN MAX TMP (F)	23	39	57	69	80	90	94	92	83	66	45	30	64	8	2429
MEAN MIN TMP (F)	0	12	29	41	53	62	67	65	53	37	21	9	37	3	2486
ABS MIN TMP (F)	-20	-11	5	23	30	43	50	46	34	19	1	-15	-20	8	2486
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.3	5.2	17.3	25.5	22.0	6.6	0.0	0.0	0.0	76.9	8	2429
MEAN NO DYS TMP = DR LES 32(F)	31.0	28.0	21.8	5.6	0.3	0.0	0.0	0.0	0.0	9.7	29.1	31.0	156.5	8	2486
MEAN NO DYS TMP = DR LES 0(F)	16.0	2.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	21.7	8	2486
MEAN DEW PT TMP (F)	2	6	13	19	28	41	47	45	35	23	13	5	23	8	16157
MEAN REL HUM (PCT)	60	49	35	27	27	31	33	35	34	37	48	59	40	8	15888
MEAN PRESS ALT (FT)	1771	1990	2245	2378	2535	2697	2815	2704	2486	2204	1998	1870	2308	8	16316
MEAN PRECIP (IN)	0.06	0.15	0.00	0.00	0.11	0.29	0.03	0.28	0.09	0.30	0.27	0.08	1.7	3	-182
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0					8	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	1.4	1.9	0.0	0.0	0.9	1.9	1.3	1.9	0.5	1.1	1.0	1.5	13.4	3	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0					8	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0	0.5	0.8	1.3	0.3	0.0	0.0	0.2	0.0	0.0	0.3	0.3	3.7	8	2393
MEAN NO DYS TSTMS	0.0	0.0	0.2	0.2	0.6	1.2	2.6	1.7	0.0	0.0	0.1	0.1	6.7	8	2399
P FREQ WND SPD = DR GTR 17 KTS	0.1	0.6	2.4	6.5	5.6	2.5	2.0	1.6	1.5	1.2	0.2	0.1	2.0	8	16378
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.3	1.1	0.5	0.1	0.1	0.0	0.1	0.1	0.0	0.0	0.2	8	16378
P FREQ LES 5000 FT A/D LES 5 MI	2.9	1.7	3.9	4.2	4.5	3.3	4.7	2.5	1.1	1.5	0.6	2.0	2.9	8	16352
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	1.9	0.6	1.0	1.0	1.0	0.0	0.0	0.0	0.2	0.5	0.0	1.6	0.7	8	2404
03-05 LST	1.3	0.0	0.0	1.4	0.7	0.0	0.0	0.6	0.0	0.0	0.5	1.0	0.5	8	1877
06-08 LST	0.8	0.5	2.7	2.4	0.5	0.0	0.0	0.0	0.0	0.5	0.0	0.2	0.6	8	2379
09-11 LST	3.0	1.4	2.9	0.7	0.0	1.0	0.0	0.0	0.0	0.6	0.5	1.4	1.0	8	1977
12-14 LST	1.5	1.1	1.9	1.8	1.3	0.5	0.5	0.5	0.0	0.0	0.0	1.3	0.9	8	2461
15-17 LST	2.9	2.9	1.6	3.5	1.3	0.0	0.7	0.0	0.0	0.0	0.5	1.5	1.2	8	2031
18-20 LST	1.5	1.1	3.0	3.0	0.0	0.5	0.5	0.0	0.0	0.0	0.4	0.4	0.9	8	2411
21-23 LST	0.7	0.0	1.5	2.8	1.6	0.0	0.7	0.0	0.6	0.0	0.0	0.6	0.7	7	1721
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.5	0.6	1.0	0.5	1.0	0.0	0.0	0.0	0.0	0.5	0.0	0.4	0.4	8	2404
03-05 LST	1.3	0.0	0.0	1.4	0.7	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.3	8	1877
06-08 LST	0.5	0.5	1.0	1.1	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	8	2379
09-11 LST	0.6	0.7	0.6	0.7	0.0	0.7	0.0	0.0	0.0	0.0	0.0	1.0	0.4	8	1977
12-14 LST	1.0	0.5	1.0	1.5	1.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.5	8	2461
15-17 LST	0.6	1.7	1.1	3.5	1.3	0.0	0.7	0.0	0.0	0.0	0.5	0.0	0.8	8	2031
18-20 LST	1.0	0.6	3.0	2.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	8	2411
21-23 LST	0.7	0.0	1.5	0.8	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	7	1721

HAMI, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	06 LST	30.8	27.8	30.3	29.4	30.8	30.0	31.0	31.0	30.0	30.9	30.0	31.0	363.0	8	2379
	12 LST	30.5	27.7	30.4	29.5	30.7	29.8	30.8	30.8	30.0	31.0	30.0	30.7	361.9	8	2461
	18 LST	30.5	27.7	30.1	29.2	31.0	29.8	30.8	31.0	30.0	31.0	29.9	30.9	361.9	8	2411
	00 LST	30.4	27.8	30.7	29.7	30.7	30.0	31.0	31.0	30.0	30.9	30.0	30.6	362.8	8	2404
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	06 LST	27.3	24.2	24.8	21.5	22.0	24.1	25.9	26.1	26.0	27.6	26.7	29.3	305.5	8	2371
	12 LST	28.6	24.7	27.0	23.0	25.1	26.0	27.2	28.2	27.0	27.8	28.7	29.2	322.5	8	2453
	18 LST	29.3	27.0	26.4	21.0	22.3	20.5	24.5	26.4	27.0	29.0	29.2	30.3	312.9	8	2409
	00 LST	28.4	25.2	26.4	21.6	19.8	21.9	23.3	23.6	23.7	27.5	28.1	29.3	298.8	8	2396
SFC WND = GTR 17 KTS AND NO PRECIP.	06 LST	0.0	0.5	0.3	1.4	1.1	0.3	0.7	0.6	0.0	0.3	0.1	0.0	5.3	8	2439
	12 LST	0.2	0.2	0.3	0.9	1.1	0.3	0.2	0.1	0.1	0.0	0.0	0.0	3.4	8	2309
	18 LST	0.0	0.0	0.6	2.9	2.5	0.6	0.6	0.6	1.0	0.7	0.0	0.0	9.5	8	2469
	00 LST	0.0	0.0	0.9	2.2	2.9	1.1	0.8	0.6	0.3	0.7	0.0	0.0	9.5	8	2464
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	06 LST	0.0	0.5	8.1	17.6	20.1	19.1	20.3	19.6	21.3	19.0	1.2	0.1	146.9	8	2423
	12 LST	0.9	10.7	21.1	20.6	14.9	10.3	7.2	10.3	13.3	13.4	9.7	0.0	118.0	8	2491
	18 LST	0.0	6.3	16.4	15.4	13.7	10.3	7.2	10.3	13.3	13.4	9.7	0.0	118.0	8	2446
	00 LST	0.0	0.5	15.9	20.2	19.1	19.9	19.7	20.7	22.0	20.0	2.9	0.0	160.9	8	2445
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	06 LST	20.8	18.1	14.5	11.6	12.8	13.5	13.6	15.0	19.3	19.6	18.0	20.8	197.6	8	2444
	12 LST	17.2	14.3	11.6	11.1	11.7	13.5	13.9	16.2	18.7	19.5	15.0	15.7	178.4	8	2511
	18 LST	20.2	16.5	11.5	8.0	10.9	12.1	13.9	14.3	19.1	19.4	20.4	18.6	184.9	8	2469
	00 LST	21.0	19.6	17.9	16.6	16.3	17.7	15.7	19.3	21.9	24.4	21.7	20.1	232.2	8	2466
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	06 LST	30.6	27.8	30.1	29.1	30.8	29.9	31.0	30.9	29.9	30.8	29.9	30.9	361.7	8	2379
	12 LST	30.4	27.6	30.3	29.4	30.4	29.7	30.8	30.8	29.9	31.0	29.9	30.4	360.6	8	2461
	18 LST	30.5	27.7	30.0	29.0	30.9	29.8	30.8	31.0	30.0	30.9	29.9	30.8	361.3	8	2411
	00 LST	30.3	27.8	30.7	29.7	30.6	29.9	31.0	31.0	29.9	30.9	30.0	30.4	362.2	8	2404
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	06 LST	30.2	27.7	29.8	28.4	29.3	27.1	26.7	27.8	29.0	29.5	29.6	30.9	346.0	8	2379
	12 LST	29.6	27.1	29.5	28.5	29.1	25.9	26.7	29.0	28.8	30.0	29.7	30.2	344.1	8	2461
	18 LST	30.4	27.4	29.0	28.4	29.9	25.9	27.9	28.9	29.1	30.5	29.9	30.7	348.0	8	2411
	00 LST	30.0	27.8	30.5	29.1	28.9	27.3	28.2	28.7	29.0	30.4	29.9	30.2	350.0	8	2404
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	06 LST	30.2	27.7	29.7	28.2	28.8	26.9	26.2	27.6	28.9	29.5	29.6	30.9	344.2	8	2379
	12 LST	29.6	27.1	29.4	28.5	28.8	25.6	26.5	28.7	28.8	30.0	29.7	30.2	342.9	8	2461
	18 LST	30.2	27.4	28.8	28.4	29.7	25.7	27.7	28.6	29.1	30.5	29.9	30.6	346.6	8	2411
	00 LST	29.8	27.7	30.5	28.9	28.5	27.2	27.8	28.7	29.0	30.4	29.7	30.0	348.2	8	2404

HSING-HSING-HSIA, CHINA

STA NO. 52313 (IN AREA NUMBER 02)

LATITUDE 4147N

LONGITUDE 09507E

ELEVATION(FT) 05630

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	41	48	63	81	86	95	97	95	88	77	57	46	97	6	1667
MEAN MAX TMP (F)	21	31	46	58	66	77	81	79	70	55	37	27	54	6	1667
MEAN MIN TMP (F)	-9	2	18	31	40	52	58	54	44	27	11	0	27	6	1694
ABS MIN TMP (F)	-31	-15	-11	12	21	32	45	39	21	7	-9	-24	-31	6	1694
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	1.1	3.4	1.9	0.0	0.0	0.0	0.0	6.4	6	1667
MEAN NO DYS TMP = DR LES 32(F)	31.0	28.0	29.4	16.6	6.1	0.2	0.0	0.0	1.8	21.8	29.8	31.0	195.7	6	1694
MEAN NO DYS TMP = DR LES 0(F)	25.8	12.8	1.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	14.0	56.7	6	1694
MEAN DEW PT TMP (F)	7	0	3	8	16	28	35	33	22	11	3	0	14	6	10959
MEAN REL HUM (PCT)	61	51	36	28	28	28	32	34	30	32	45	61	39	6	10735
MEAN PRESS ALT (FT)	5696	5761	5853	5817	5829	5891	5960	5805	5643	5553	5649	5696	5763	6	7655
MEAN PRECIP (IN)	0.05	0.38	0.06	0.04	0.13	0.63	0.59	0.76	0.62	0.07	0.09	0.15	3.6	3	-182
MEAN SNOW FALL (IN)						0.0	0.0	0.0						6	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	1.3	3.0	0.6	6.5	0.9	2.7	2.6	3.0	2.1	0.5	0.5	1.9	19.6	3	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN						0.0	0.0	0.0						6	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	0.9	0.2	0.4	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	6	1632
MEAN NO DYS TSTMS	0.0	0.0	0.2	0.2	0.5	2.4	2.2	2.6	0.6	0.0	0.0	0.0	8.7	6	1632
P FREQ WND SPD = DR GTR 17 KTS	3.0	4.8	7.8	11.2	13.7	8.4	6.3	5.3	5.1	2.4	1.8	0.9	5.9	6	11424
P FREQ WND SPD = DR GTR 28 KTS	0.2	0.2	1.0	1.6	1.4	0.3	0.0	0.0	0.6	0.5	0.0	0.0	0.5	6	11424
P FREQ LES 5000 FT A/D LES 5 MI	6.3	6.1	6.2	5.9	6.6	5.3	7.6	7.6	2.2	1.6	0.6	5.0	5.1	6	11873
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	5.6	1.6	4.5	2.2	1.4	0.0	0.4	0.0	0.6	0.6	0.0	4.0	1.7	6	1687
03-05 LST	4.8	2.0	4.5	5.3	1.5	0.0	0.4	0.0	0.0	1.5	0.0	2.3	1.9	6	1562
06-08 LST	4.5	4.0	3.6	4.1	1.5	0.0	0.8	0.0	0.7	0.0	0.0	4.8	2.0	6	1643
09-11 LST	4.2	6.2	4.1	2.8	0.7	0.4	0.0	1.2	0.0	0.0	0.0	2.6	1.9	6	1558
12-14 LST	3.4	5.7	4.3	2.1	1.4	1.8	0.0	0.0	0.0	0.3	0.0	2.9	1.8	6	1719
15-17 LST	4.3	2.8	2.7	1.9	0.8	0.8	0.0	0.0	0.8	0.0	0.7	4.0	1.6	6	1574
18-20 LST	2.9	1.2	2.1	2.2	0.4	0.0	0.0	0.0	0.0	0.0	0.0	2.9	1.0	6	1696
21-23 LST	3.5	1.5	1.4	2.6	2.2	0.0	0.5	0.5	0.0	0.0	0.0	3.8	1.3	5	1069
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	2.1	0.0	0.7	1.5	0.0	0.0	0.0	0.0	0.6	0.6	0.0	1.4	0.6	6	1687
03-05 LST	2.2	0.8	1.5	3.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	0.8	6	1562
06-08 LST	0.8	1.6	1.4	2.2	0.0	0.0	0.0	0.0	0.7	0.0	0.0	3.7	0.9	6	1643
09-11 LST	0.8	1.6	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.3	6	1558
12-14 LST	0.7	0.8	0.7	1.4	0.0	0.7	0.0	0.0	0.0	0.0	0.0	0.7	0.4	6	1719
15-17 LST	0.7	0.0	0.0	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.7	2.2	0.4	6	1574
18-20 LST	0.7	0.0	0.0	1.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	6	1696
21-23 LST	1.2	0.0	0.0	2.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.4	5	1069

HSING-HSING-HSIA, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	06 LST	29.6	26.9	29.9	28.9	30.5	30.0	31.0	31.0	29.8	31.0	30.0	29.6	358.2	6	1643
	12 LST	30.1	26.7	29.7	29.4	30.6	29.6	31.0	31.0	30.0	31.0	30.0	30.1	359.2	6	1719
	18 LST	30.1	27.8	30.3	29.3	31.0	30.0	31.0	31.0	30.0	31.0	30.0	30.3	361.8	6	1696
	00 LST	29.3	27.6	29.8	29.3	30.6	30.0	31.0	31.0	29.8	30.8	30.0	29.9	359.1	6	1687
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	06 LST	25.9	19.8	21.6	16.3	16.5	15.4	17.8	18.1	20.3	25.0	25.4	24.6	246.7	6	1643
	12 LST	22.9	17.7	17.4	14.1	15.3	15.5	17.3	19.0	19.3	21.5	21.1	25.1	226.2	6	1717
	18 LST	25.6	23.2	19.6	14.8	11.5	12.5	16.0	13.2	18.5	25.6	26.6	26.8	233.9	6	1693
	00 LST	25.3	22.6	21.7	18.8	18.6	21.2	20.2	20.3	21.1	26.5	25.6	26.3	268.2	6	1687
SFC WND = GTR 17 KTS AND NO PRECIP.	06 LST	0.7	1.3	2.2	2.4	4.2	2.9	1.9	2.3	1.0	0.4	7.2	0.2	19.7	6	1655
	12 LST	1.2	1.3	1.1	4.2	3.8	1.7	1.3	0.6	0.7	0.9	0.5	0.0	17.3	6	1721
	18 LST	0.7	0.7	2.2	3.4	3.7	3.4	2.1	2.3	1.8	0.7	1.1	0.7	22.8	6	1702
	00 LST	0.9	0.7	1.1	3.1	4.0	2.4	1.6	1.9	2.1	0.8	0.5	0.2	19.3	6	1689
SFC WND 4-10 KTS AND THP 33-89 DEG F AND NO PRECIP.	06 LST	0.0	0.0	0.7	6.0	10.6	11.6	14.0	9.3	9.3	3.1	0.0	0.0	64.6	6	1631
	12 LST	0.2	4.6	15.7	16.2	14.5	16.1	16.8	17.8	19.1	19.0	8.9	2.9	151.8	6	1711
	18 LST	0.0	1.5	14.4	15.3	13.4	14.2	16.6	15.1	19.2	18.8	2.3	0.0	130.8	6	1691
	00 LST	0.0	0.0	4.1	11.8	14.4	16.4	14.0	13.7	11.9	6.7	0.2	0.0	93.2	6	1678
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	06 LST	20.7	17.8	14.9	12.0	14.6	15.4	13.6	18.3	19.6	21.6	19.3	18.7	206.5	6	1648
	12 LST	16.7	14.3	12.5	10.5	9.9	10.2	11.4	15.2	17.5	19.9	16.0	15.2	169.3	6	1724
	18 LST	19.8	15.4	12.3	10.7	9.8	11.3	12.4	17.7	19.8	22.3	21.7	19.8	193.0	6	1701
	00 LST	20.5	21.2	19.4	18.3	16.6	18.3	16.2	19.1	22.8	24.7	21.7	20.3	239.1	6	1687
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	06 LST	29.4	26.8	29.9	28.7	30.5	29.9	30.3	30.9	29.8	31.0	30.0	29.4	356.6	6	1643
	12 LST	29.8	25.8	29.6	29.0	30.3	28.8	30.8	30.8	30.0	30.8	30.0	30.1	355.8	6	1719
	18 LST	30.0	27.5	30.3	29.3	30.8	29.9	30.9	30.7	29.9	31.0	30.0	29.8	360.1	6	1696
	00 LST	29.3	27.6	29.4	29.3	30.5	29.8	30.5	30.6	29.7	30.8	30.0	29.7	357.2	6	1687
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	06 LST	29.1	26.7	29.4	28.2	29.3	28.3	28.6	28.4	29.2	31.0	29.8	29.2	347.2	6	1643
	12 LST	29.4	25.3	28.4	27.3	25.5	24.4	24.3	24.8	28.0	30.6	29.5	30.1	327.6	6	1719
	18 LST	29.7	27.1	29.7	28.4	28.6	26.4	25.8	28.5	29.5	31.0	30.0	29.7	344.4	6	1696
	00 LST	29.3	27.6	29.1	29.1	29.0	27.6	27.2	27.9	28.8	30.8	29.8	29.7	345.9	6	1657
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	06 LST	29.1	25.7	29.4	28.2	29.3	28.0	28.6	27.8	29.2	31.0	29.8	29.2	346.3	6	1643
	12 LST	29.4	25.3	28.4	27.3	25.5	24.2	24.0	24.6	28.0	30.6	29.5	30.1	326.9	6	1719
	18 LST	29.7	27.1	29.7	28.4	28.4	26.4	25.3	28.5	29.3	31.0	30.0	29.7	343.5	6	1696
	00 LST	29.3	27.6	29.1	29.1	29.0	27.6	27.2	27.6	28.8	30.8	29.8	29.7	345.6	6	1687

PANG-TING-TO-LO, CHINA

STA NO. 52391 (IN AREA NUMBER 02)

LATITUDE 4142N

LONGITUDE 10402E

ELEVATION(FT) 04800

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	37	55	75	81	99	102	104	100	91	75	61	45	104	4	696
MEAN MAX TMP (F)	25	37	52	60	79	90	91	90	80	62	43	30	62	4	696
MEAN MIN TMP (F)	-3	7	23	32	49	61	66	67	52	32	16	3	34	4	588
ABS MIN TMP (F)	-9	-4	3	14	27	46	55	48	36	21	1	-8	-9	4	588
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	6.5	15.9	20.7	20.7	3.5	0.0	0.0	0.0	67.3	4	696
MEAN NO DYS TMP = DR LES 32(F)	31.0	28.0	26.4	16.4	1.0	0.0	0.0	0.0	0.0	18.3	28.8	31.0	180.9	4	588
MEAN NO DYS TMP = DR LES 0(F)	26.9	5.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11.7	43.7	4	588
MEAN DEW PT TMP (F)	3	2	5	10	25	37	48	45	30	16	10	2	19	3	3477
MEAN REL HUM (PCT)	54	36	30	28	23	26	38	35	28	31	46	49	35	3	3432
MEAN PRESS ALT (FT)	4135	4318	4560	4648	4981	5090	5158	5053	4827	4540	4390	4270	4664	3	3475
MEAN PRECIP (IN)														0	0
MEAN SNOW FALL (IN)						0.0	0.0	0.0	0.0					4	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN						0.0	0.0	0.0	0.0					0	0
MEAN NO DYS SNFL = DR GTR 1.5 IN						0.0	0.0	0.0	0.0					4	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	0.0	0.6	0.6	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	2.3	3	586
MEAN NO DYS TSMS	0.0	0.0	0.0	0.0	1.3	3.5	3.9	3.1	1.1	0.0	0.0	0.0	12.9	3	588
P FREQ WND SPD = DR GTR 17 KTS	2.0	9.1	17.2	11.8	10.7	17.8	9.2	5.7	7.4	9.9	13.2	8.5	10.2	3	3505
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.7	0.3	1.2	0.0	0.7	0.5	0.3	0.3	1.6	1.7	0.9	0.7	3	3505
P FREQ LES 5000 FT A/D LES 5 MI	0.0	1.8	2.6	6.3	2.3	0.7	2.0	0.9	0.3	0.8	0.6	1.2	1.6	3	3676
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	0.0	0.0	0.0	1.8	2.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.4	4	701
03-05 LST	0.0	3.6	0.0	0.0	0.0	6.3	0.0	0.0	0.0	0.0	0.0	0.0	0.8	3	500
06-08 LST	0.0	0.0	0.0	2.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.3	4	625
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	0.1	4	576
12-14 LST	0.0	2.0	0.0	2.2	3.2	0.0	0.0	0.0	0.0	2.0	1.3	0.0	0.9	4	597
15-17 LST	0.0	0.0	1.7	1.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.4	4	695
18-20 LST	1.0	1.4	0.0	2.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.0	0.5	4	1012
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.1	4	701
03-05 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	500
06-08 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	625
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	0.1	4	576
12-14 LST	0.0	2.0	0.0	2.2	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	0.5	4	597
15-17 LST	0.0	0.0	1.7	1.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.4	4	695
18-20 LST	0.0	0.0	0.0	2.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.0	0.3	4	1012
21-23 LST														0	0

PANG-TING-TO-LO, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	31.0	28.0	31.0	29.4	31.0	30.0	31.0	31.0	30.0	31.0	30.0	31.0	364.4	4	625
	13 LST	31.0	27.4	31.0	29.3	30.0	30.0	31.0	31.0	30.0	30.4	29.6	31.0	361.7	4	597
	19 LST	30.7	27.6	31.0	29.4	31.0	30.0	31.0	31.0	30.0	31.0	29.7	31.0	363.4	4	1012
	01 LST	31.0	28.0	31.0	29.5	30.4	30.0	31.0	31.0	30.0	31.0	30.0	30.6	363.5	4	701
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	07 LST	27.8	20.7	20.7	20.6	17.6	14.6	22.3	17.4	20.2	27.3	22.6	24.8	256.6	4	623
	13 LST	21.0	16.6	12.2	14.0	17.0	15.0	14.3	17.3	13.7	15.2	12.9	16.8	186.2	4	595
	19 LST	25.2	21.9	18.8	14.2	14.0	8.9	12.8	15.5	21.7	24.6	21.9	25.9	225.4	4	999
	01 LST	26.7	23.4	17.5	24.2	18.3	20.4	24.5	21.2	20.6	24.5	22.9	23.5	267.7	4	701
SFC WND = GTR 17 KTS AND ND PRECIP.	07 LST	0.0	0.5	3.1	3.5	4.0	3.8	1.2	1.8	2.0	0.6	1.2	0.0	21.7	4	627
	13 LST	1.9	4.6	9.1	7.2	5.0	3.5	2.9	3.2	4.6	8.9	7.1	6.7	64.7	4	600
	19 LST	0.7	0.0	1.8	4.1	4.1	6.6	4.0	3.3	0.8	1.3	0.4	0.7	28.0	4	1006
	01 LST	0.0	1.0	1.5	2.1	2.5	1.2	0.0	0.0	1.8	1.1	0.7	0.4	12.3	4	704
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND ND PRECIP.	07 LST	0.0	0.0	3.6	13.5	19.0	19.2	19.8	16.1	17.7	13.6	0.0	0.0	122.5	4	625
	13 LST	0.0	4.1	10.7	15.0	17.6	9.1	5.4	7.2	17.6	15.2	7.1	0.4	109.4	4	590
	19 LST	0.0	4.5	14.6	14.2	12.4	3.9	5.9	11.1	21.2	18.1	7.4	0.0	115.3	4	994
	01 LST	0.0	0.0	7.0	10.7	17.1	17.9	19.2	19.0	21.0	16.9	2.1	0.0	130.9	4	701
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	23.8	19.2	15.0	14.4	15.0	16.3	14.3	17.4	19.1	21.7	18.3	26.0	220.7	4	625
	13 LST	25.2	20.6	11.7	11.1	10.0	9.4	8.9	12.0	15.0	18.3	17.1	19.7	179.0	4	601
	19 LST	25.8	20.8	15.2	13.1	10.1	11.9	13.5	15.0	15.2	23.0	22.0	27.4	213.0	4	1005
	01 LST	27.4	22.4	23.0	20.0	17.7	21.9	19.0	17.9	17.1	23.9	22.9	25.9	259.1	4	703
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	31.0	28.0	31.0	29.4	31.0	30.0	31.0	30.4	30.0	31.0	30.0	31.0	363.8	4	625
	13 LST	31.0	27.4	31.0	29.3	30.0	30.0	30.8	31.0	30.0	30.4	29.6	31.0	361.5	4	597
	19 LST	30.7	27.6	31.0	29.4	31.0	30.0	31.0	30.9	30.0	31.0	29.7	31.0	363.3	4	1012
	01 LST	31.0	28.0	31.0	29.5	30.4	30.0	31.0	31.0	30.0	31.0	30.0	30.6	363.5	4	701
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	31.0	28.0	30.5	29.4	31.0	28.5	28.5	30.4	29.3	31.0	29.6	31.0	358.2	4	625
	13 LST	31.0	26.9	29.0	27.4	30.0	25.7	26.2	28.3	29.3	30.4	29.6	31.0	344.8	4	597
	19 LST	30.7	27.6	29.5	29.4	29.7	25.4	27.9	27.7	28.8	30.4	29.7	31.0	347.8	4	1012
	01 LST	31.0	28.0	31.0	29.5	28.5	28.2	31.0	29.9	29.4	30.5	30.0	30.6	357.6	4	701
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	31.0	28.0	30.5	28.8	31.0	28.5	28.5	30.4	29.3	31.0	29.6	31.0	357.6	4	625
	13 LST	31.0	26.9	29.0	27.4	30.0	25.7	26.2	27.6	29.3	30.4	29.6	31.0	344.1	4	597
	19 LST	30.7	27.2	29.5	29.4	29.7	25.4	27.0	26.6	28.8	30.4	29.3	31.0	345.0	4	1012
	01 LST	31.0	27.5	31.0	29.5	28.5	28.2	31.0	29.4	29.4	30.5	30.0	30.6	356.6	4	701

TUN-HUANG/TUNHWA, CHINA

STA NO. 52418 (IN AREA NUMBER 02)

LATITUDE 4008N

LONGITUDE 09447E

ELEVATION(FT) 03737

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
ABS MAX TMP (F)	46	57	86	90	95	102	104	109	95	86	63	46	109	8	2445
MEAN MAX TMP (F)	30	43	58	70	80	88	92	90	81	66	46	34	65	8	2445
MEAN MIN TMP (F)	4	13	27	38	48	57	62	60	47	33	21	10	35	8	2459
ABS MIN TMP (F)	-17	-6	5	18	30	41	50	45	28	10	1	-6	-17	8	2459
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.2	3.6	15.2	24.6	20.5	3.7	0.0	0.0	0.0	67.8	8	2445
MEAN NO DYS TMP = DR LES 32(F)	31.0	27.5	23.6	8.7	0.6	0.0	0.0	0.0	0.5	15.5	29.1	31.0	167.5	8	2459
MEAN NO DYS TMP = DR LES 0(F)	8.7	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	12.8	8	2459
MEAN DEW PT TMP (F)	3	1	8	17	29	40	47	44	34	21	12	4	22	8	16786
MEAN REL HUM (PCT)	45	36	29	28	30	34	37	37	38	37	47	51	37	8	16487
MEAN PRESS ALT (FT)	3098	3317	3573	3703	3876	4002	4134	4014	3780	3484	3289	3178	3621	8	16785
MEAN PRECIP (IN)	0.02	0.03	0.13	0.11	0.20	0.36	0.59	0.23	0.09	0.02	0.04	0.06	1.9	12	-181
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0						8	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	0.8	0.5	0.9	1.2	1.4	2.0	3.0	2.1	0.8	0.1	0.2	1.0	14.0	12	-181
MEAN NO DYS SNFL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0						8	-29
MEAN NO DYS W/O CUR VSBY LES 1/2 MI	0.2	0.2	1.4	0.5	0.3	0.2	0.2	0.1	0.0	0.0	0.0	0.3	3.4	8	2416
MEAN NO DYS TSTMS	0.0	0.0	0.3	0.2	0.2	0.3	1.6	1.5	0.0	0.0	0.0	0.0	4.1	8	2422
P FREQ WND SPD = DR GTR 17 KTS	0.4	0.6	2.9	1.8	1.8	0.7	0.8	0.5	0.1	0.4	0.1	0.7	0.9	8	16990
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.1	0.1	0.0	8	16990
P FREQ LES 5000 FT A/O LES 5 MI	5.7	5.2	14.0	13.6	11.8	5.7	3.6	4.1	2.3	1.8	1.8	2.7	6.0	8	17436
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	0.5	0.6	5.0	2.1	2.0	2.6	1.0	0.5	0.9	0.0	0.5	0.0	1.3	8	2461
03-05 LST	0.6	1.4	2.4	1.4	1.4	0.7	0.7	0.6	0.6	0.5	0.5	0.5	0.9	8	2019
06-08 LST	0.5	1.7	3.9	2.1	1.0	0.5	2.6	1.4	0.0	0.0	0.5	0.4	1.2	8	2449
09-11 LST	1.8	0.7	4.5	5.9	2.4	3.1	3.7	0.6	0.0	0.6	1.9	2.1	2.3	8	2106
12-14 LST	2.0	2.2	7.2	6.3	2.0	1.5	1.5	1.4	0.0	0.0	0.9	1.5	2.2	8	2493
15-17 LST	1.1	1.7	9.0	5.6	2.6	0.6	0.6	0.6	0.0	0.5	0.0	0.0	1.9	8	2197
18-20 LST	1.5	1.7	7.3	4.0	3.6	2.0	0.0	1.4	0.0	0.0	0.4	0.0	1.8	8	2501
21-23 LST	0.6	0.0	7.0	2.9	2.0	3.6	0.7	1.1	0.0	0.0	1.1	0.0	1.6	7	1911
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.0	0.0	1.0	0.5	0.5	0.0	0.0	0.5	0.0	0.0	0.5	0.0	0.3	8	2461
03-05 LST	0.0	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.1	8	2019
06-08 LST	0.0	0.0	1.0	1.1	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.4	0.3	8	2449
09-11 LST	0.0	0.0	1.1	2.4	1.2	0.6	0.6	0.0	0.0	0.0	1.0	0.9	0.7	8	2106
12-14 LST	0.5	1.1	3.4	2.5	0.5	0.5	1.0	0.5	0.0	0.0	0.0	0.9	0.9	8	2493
15-17 LST	0.6	0.6	3.7	2.8	0.6	0.0	0.0	0.6	0.0	0.5	0.0	0.0	0.8	8	2197
18-20 LST	0.5	0.0	2.9	1.5	1.5	0.5	0.0	0.0	0.0	0.0	0.4	0.0	0.6	8	2501
21-23 LST	0.0	0.0	1.4	0.7	0.7	1.4	0.7	0.6	0.0	0.0	0.0	0.0	0.5	7	1911

TUN-HUANG/TUNHWA, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	06 LST	30.8	27.5	29.8	29.4	30.7	29.8	30.2	30.6	30.0	31.0	29.9	30.9	360.6	8	2449
	12 LST	30.4	27.4	28.8	28.2	30.4	29.5	30.5	30.6	30.0	31.0	29.7	30.6	357.1	8	2493
	18 LST	30.5	27.5	28.7	28.8	29.9	29.4	31.0	30.6	30.0	31.0	29.9	31.0	358.3	8	2501
	00 LST	30.8	27.8	29.5	29.4	30.4	29.2	30.7	30.8	29.7	31.0	29.9	31.0	360.2	8	2461
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	06 LST	27.6	25.5	27.7	27.1	27.6	28.4	28.6	28.8	29.6	30.4	28.5	27.4	337.2	8	2446
	12 LST	24.1	22.4	21.8	20.7	23.0	26.3	26.8	26.9	26.7	27.0	25.2	24.9	295.8	8	2490
	18 LST	27.9	25.2	24.8	23.4	23.4	27.7	28.2	28.2	28.0	29.9	28.1	28.0	322.8	8	2497
	00 LST	29.3	26.0	26.2	26.2	27.5	27.7	29.3	27.7	28.5	30.2	27.5	28.8	334.9	8	2456
SFC WND = GTR 17 KTS AND NO PRECIP.	06 LST	0.0	0.0	0.5	0.3	0.2	0.5	0.2	0.1	0.0	0.1	0.0	0.3	2.2	8	2455
	12 LST	0.5	0.6	1.3	0.5	0.8	0.0	0.3	0.1	0.0	0.3	0.0	0.4	4.8	8	2497
	18 LST	0.2	0.3	0.8	0.3	0.5	0.2	0.2	0.4	0.0	0.0	0.0	0.3	3.2	8	2504
	00 LST	0.0	0.2	0.5	0.3	0.2	0.0	0.0	0.2	0.1	0.0	0.0	0.1	1.6	8	2462
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	06 LST	0.0	1.1	6.6	11.6	14.0	12.6	7.7	11.6	7.7	7.3	2.2	0.3	82.7	8	2433
	12 LST	1.3	12.5	19.7	19.6	18.8	16.1	12.3	15.0	18.8	19.9	13.4	5.0	172.4	8	2478
	18 LST	0.2	10.1	16.0	15.4	14.9	12.0	8.1	9.5	11.1	9.6	9.5	1.1	117.5	8	2485
	00 LST	0.0	1.7	11.9	15.2	15.7	11.2	10.0	11.3	11.2	9.3	4.4	0.0	101.9	8	2451
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	06 LST	17.9	16.8	12.1	10.5	12.2	14.0	13.5	17.1	18.6	19.8	17.2	18.8	188.5	8	2450
	12 LST	17.4	13.8	12.1	9.9	11.0	13.2	14.8	15.9	17.9	19.2	13.5	16.9	175.6	8	2496
	18 LST	19.7	13.7	9.9	7.7	8.5	11.9	12.0	15.3	18.9	20.8	19.4	19.7	177.5	8	2496
	00 LST	21.8	20.1	16.2	15.8	17.8	18.4	17.8	19.6	22.2	24.8	20.9	19.6	235.0	8	2463
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	06 LST	30.8	27.5	29.7	29.2	30.7	29.8	30.2	30.6	30.0	31.0	29.9	30.9	360.3	8	2449
	12 LST	30.4	27.4	28.8	28.1	30.4	29.4	30.5	30.5	29.9	31.0	29.7	30.5	356.6	8	2493
	18 LST	30.5	27.5	28.7	28.7	29.9	29.4	31.0	30.6	29.9	31.0	29.9	31.0	358.1	8	2501
	00 LST	30.8	27.8	29.5	29.4	30.4	29.2	30.6	30.8	29.7	31.0	29.9	30.9	360.0	8	2461
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	06 LST	30.8	27.5	29.5	28.9	29.9	29.5	29.9	30.0	29.9	31.0	29.9	30.6	357.4	8	2449
	12 LST	30.2	27.1	28.8	27.5	30.1	28.5	29.7	30.3	29.6	31.0	29.6	29.9	352.3	8	2493
	18 LST	30.5	27.5	28.7	28.5	29.4	28.3	30.1	29.3	29.6	31.0	29.9	31.0	353.8	8	2501
	00 LST	30.8	27.7	29.3	29.4	30.1	28.8	29.3	30.7	29.6	31.0	29.9	30.9	357.7	8	2461
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	06 LST	30.8	27.5	29.3	28.6	29.6	29.5	29.4	29.8	29.7	31.0	29.9	30.6	355.7	8	2449
	12 LST	30.2	27.1	28.6	27.5	29.9	28.3	29.6	30.0	29.5	31.0	29.3	29.9	350.9	8	2493
	18 LST	30.5	27.5	28.6	28.4	29.3	28.3	29.7	28.8	29.3	31.0	29.9	31.0	352.3	8	2501
	00 LST	30.7	27.7	29.3	29.2	29.9	28.3	29.0	30.4	29.3	31.0	29.9	30.9	355.6	8	2461

YU-MEN, CHINA

STA NO. 52436 (IN AREA NUMBER 02)

LATITUDE 4016N

LONGITUDE 09711E

ELEVATION(FT) 05049

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	45	54	70	82	86	95	95	95	86	77	64	46	95	8	2258
MEAN MAX TMP (F)	25	35	49	62	71	80	83	82	73	59	40	30	57	8	2258
MEAN MIN TMP (F)	4	11	24	35	44	54	59	57	46	32	20	10	33	8	2231
ABS MIN TMP (F)	-18	-13	1	16	18	41	48	45	23	12	-4	-13	-18	8	2231
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	1.0	3.8	2.5	0.0	0.0	0.0	0.0	7.3	8	2258
MEAN NO DYS TMP = DR LES 32(F)	31.0	28.0	27.5	11.8	2.1	0.0	0.0	0.0	1.0	15.3	29.1	31.0	176.8	8	2231
MEAN NO DYS TMP = DR LES 0(F)	9.3	2.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	3.5	15.3	8	2231
MEAN DEW PT TMP (F)	5	0	4	11	23	35	45	42	29	16	7	1	18	8	14092
MEAN REL HUM (PCT)	48	41	32	27	29	33	42	40	35	34	43	50	38	8	13781
MEAN PRESS ALT (FT)	4339	4557	4774	4906	5061	5246	5362	5255	5012	4740	4529	4445	4852	8	14032
MEAN PRECIP (IN)	0.01	0.35	0.11	0.16	0.33	0.14	0.72	0.30	0.05	0.11	0.24	0.05	2.6	2	-182
MEAN SNOW FALL (IN)						0.0	0.0	0.0						8	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	1.1	2.9	0.9	1.1	1.8	1.6	2.9	2.0	0.4	0.6	0.9	1.3	17.5	2	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN						0.0	0.0	0.0						8	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.5	0.7	1.1	1.5	0.6	0.4	0.4	0.2	0.3	0.3	0.0	0.0	6.0	8	2111
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.6	0.8	1.8	3.3	1.0	1.3	0.2	0.0	0.0	9.0	8	2115
P FREQ WND SPD = DR GTR 17 KTS	7.9	6.8	8.4	11.5	7.8	3.7	2.4	2.4	1.8	2.6	5.2	7.7	5.7	8	14336
P FREQ WND SPD = DR GTR 28 KTS	0.6	0.4	0.4	1.4	0.2	0.2	0.1	0.1	0.2	0.0	0.1	0.1	0.3	8	14336
P FREQ LES 3000 FT A/D LES 5 MI	5.2	3.2	9.1	9.8	6.7	4.7	3.2	2.4	1.9	0.7	1.9	1.6	4.2	8	15177
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	4.1	0.0	2.6	2.7	0.6	1.1	0.0	0.5	0.0	0.0	0.0	1.0	1.1	8	2286
03-05 LST	3.7	0.0	2.5	5.0	0.0	2.2	2.0	0.9	1.4	0.6	0.0	0.5	1.6	8	1962
06-08 LST	4.1	1.1	1.0	4.1	1.9	1.1	1.1	0.8	1.9	0.9	0.0	0.9	1.6	8	2280
09-11 LST	3.6	4.1	6.0	1.8	1.6	1.3	2.5	1.2	0.3	0.6	2.4	2.4	2.3	8	2075
12-14 LST	4.8	4.5	6.7	6.3	3.3	1.8	2.5	0.8	0.3	0.0	3.4	2.3	3.1	8	2282
15-17 LST	6.4	3.3	5.9	6.1	7.0	1.3	1.7	0.6	0.6	0.0	1.3	1.4	3.0	8	2180
18-20 LST	3.5	0.6	5.9	4.8	4.0	0.6	0.5	0.0	2.2	0.5	0.0	0.0	1.9	8	2318
21-23 LST	1.2	0.0	3.6	1.2	2.4	3.6	0.0	0.0	0.0	0.0	0.0	0.0	1.0	7	986
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	1.2	0.0	1.0	1.1	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.5	0.4	8	2286
03-05 LST	0.6	0.0	1.3	2.9	0.0	1.4	0.7	0.0	1.1	0.6	0.0	0.5	0.8	8	1962
06-08 LST	1.8	1.1	1.0	1.2	0.6	1.1	1.1	0.0	1.4	0.5	0.0	0.0	0.8	8	2280
09-11 LST	1.2	2.7	2.7	0.0	0.6	1.3	1.9	0.6	0.0	0.6	0.5	0.9	1.1	8	2075
12-14 LST	3.0	2.8	3.1	4.0	0.0	0.6	2.0	0.5	0.0	0.0	1.4	0.9	1.5	8	2282
15-17 LST	3.0	1.7	2.7	3.4	1.2	0.6	0.6	0.0	0.0	0.0	1.0	0.9	1.3	8	2180
18-20 LST	0.6	0.0	1.5	1.1	2.3	0.6	0.0	0.0	1.0	0.5	0.0	0.0	0.6	8	2318
21-23 LST	0.0	0.0	1.2	1.2	1.2	2.4	0.0	0.0	0.0	0.0	0.0	0.0	0.5	7	986

YU-MEN, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	06 LST	29.7	27.7	30.7	28.8	30.6	29.7	30.7	30.8	29.4	30.7	30.0	30.7	359.5	8	2280
	12 LST	29.5	26.7	28.9	28.1	30.1	29.5	30.2	30.8	30.0	31.0	29.0	30.3	354.1	8	2282
	18 LST	29.9	27.8	29.2	28.6	29.9	29.8	30.8	31.0	29.4	30.9	30.0	31.0	358.3	8	2318
	00 LST	29.7	28.0	30.2	29.2	30.8	29.7	31.0	30.8	30.0	31.0	30.0	30.7	361.1	8	2286
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	06 LST	20.1	19.2	20.0	21.1	21.7	25.7	28.6	27.5	27.5	26.3	20.8	20.4	278.9	8	2277
	12 LST	11.1	11.5	10.5	10.9	15.0	14.9	19.4	16.2	15.1	15.2	12.2	11.3	163.3	8	2275
	18 LST	18.6	19.2	18.4	13.9	16.0	18.4	21.6	22.0	22.1	23.4	20.7	20.8	235.1	8	2309
	00 LST	20.2	18.2	20.7	20.6	23.4	25.4	27.8	25.5	25.1	26.1	21.5	21.3	275.8	8	2280
SFC WND = GTR 17 KTS AND NO PRECIP.	06 LST	0.7	0.6	0.3	1.0	1.3	0.5	0.2	0.2	0.1	0.0	0.1	1.1	6.1	8	2288
	12 LST	4.8	3.3	5.2	5.8	3.9	1.6	1.1	1.7	1.3	2.1	4.8	4.9	40.5	8	2287
	18 LST	1.4	0.5	2.7	3.7	2.6	1.7	0.5	0.6	0.3	0.6	0.1	1.4	16.1	8	2331
	00 LST	1.3	0.5	1.6	0.3	1.7	0.8	0.2	0.2	0.3	0.0	0.6	0.8	8.3	8	2294
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	06 LST	0.0	0.0	5.7	14.4	19.2	19.8	17.4	21.1	23.4	15.0	1.0	0.0	137.0	8	2261
	12 LST	0.9	5.8	10.4	10.6	14.5	16.7	19.4	18.8	18.1	16.6	7.6	4.2	143.6	8	2271
	18 LST	0.0	3.2	15.2	13.3	16.0	16.9	16.2	18.4	16.8	21.6	8.4	0.3	146.3	8	2311
	00 LST	0.0	0.0	6.9	19.4	22.4	21.2	18.4	22.2	22.1	17.7	2.1	0.0	152.4	8	2278
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	06 LST	17.0	15.1	12.1	9.0	10.5	14.1	12.8	17.8	18.8	19.4	17.2	19.1	182.9	8	2286
	12 LST	14.2	13.2	10.5	8.8	10.1	12.5	13.9	17.3	20.0	19.1	15.6	16.0	171.2	8	2294
	18 LST	16.6	13.8	9.2	7.9	8.1	11.2	11.5	13.7	17.2	19.3	18.4	19.9	166.8	8	2336
	00 LST	19.9	18.5	14.8	13.8	14.5	16.2	16.8	19.1	21.0	23.6	19.4	18.6	216.2	8	2300
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	06 LST	29.7	27.7	30.6	28.8	30.2	29.7	30.5	30.7	29.4	30.7	30.0	30.7	358.7	8	2280
	12 LST	29.5	26.7	28.9	28.1	29.8	29.4	30.2	30.7	29.8	30.9	29.0	30.3	353.3	8	2282
	18 LST	29.9	27.8	29.2	28.5	29.6	29.7	30.8	30.9	29.3	30.9	30.0	31.0	357.6	8	2318
	00 LST	29.7	28.0	30.2	29.2	30.8	29.7	31.0	30.8	30.0	31.0	30.0	30.7	361.1	8	2286
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	06 LST	29.5	27.5	30.2	27.9	29.7	29.5	30.0	29.7	29.1	30.7	29.6	30.7	354.1	8	2280
	12 LST	29.5	26.7	28.5	27.6	27.7	28.0	29.7	30.1	29.6	30.9	29.0	30.3	347.6	8	2282
	18 LST	29.9	27.7	28.2	27.8	27.8	28.0	30.0	30.0	28.7	30.9	29.9	31.0	349.9	8	2318
	00 LST	29.7	27.8	30.2	29.0	30.5	29.5	30.5	30.5	29.6	31.0	29.9	30.7	358.9	8	2286
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	06 LST	29.5	27.5	30.0	27.5	29.3	29.0	28.1	28.9	28.8	30.7	29.6	30.4	349.3	8	2280
	12 LST	29.5	26.6	28.3	27.4	27.7	27.7	29.6	29.9	29.4	30.9	29.0	30.3	346.3	8	2282
	18 LST	29.9	27.5	28.1	27.0	27.1	27.2	28.7	29.9	28.2	30.9	29.7	31.0	345.2	8	2318
	00 LST	29.7	27.8	30.0	29.0	30.1	29.2	30.0	30.4	29.3	31.0	29.9	30.7	357.1	8	2286

TING-HSIN/TIENGH, CHINA

STA NO. 52446 (IN AREA NUMBER 02)

LATITUDE 4020N LONGITUDE 09943E ELEVATION(FT) 04065

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	43	59	81	86	91	97	100	100	91	82	68	50	100	8	2302
MEAN MAX TMP (F)	28	39	53	65	75	85	89	86	77	63	43	32	61	8	2302
MEAN MIN TMP (F)	2	9	24	35	46	57	62	60	47	33	19	8	34	8	2275
ABS MIN TMP (F)	-22	-13	5	14	30	39	52	45	25	16	1	-11	-22	8	2275
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	1.2	9.4	17.7	10.5	0.9	0.0	0.0	0.0	39.7	8	2302
MEAN NO DYS TMP = DR LES 32(F)	31.0	28.0	27.5	12.8	0.6	0.0	0.0	0.0	1.3	16.1	29.4	31.0	177.7	8	2275
MEAN NO DYS TMP = DR LES 0(F)	14.0	2.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.3	20.8	8	2275
MEAN DEW PT TMP (F)	2	2	11	21	31	43	51	49	37	24	12	4	24	8	15704
MEAN REL HUM (PCT)	50	43	38	36	35	39	45	47	44	44	50	54	44	8	15427
MEAN PRESS ALT (FT)	3341	3529	3769	3906	4077	4244	4355	4229	4008	3727	3525	3440	3846	8	15881
MEAN PRECIP (IN)														0	0
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0						8	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN					0.0	0.0	0.0	0.0						8	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0				1.1	6.9	8	2236
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	1.4	0.7	0.7	1.5	0.7	0.3	0.5	0.0	0.0	0.0	0.0	1.1	17.0	8	2337
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.2	0.9	4.7	5.6	3.6	1.7	0.3	0.0	0.0	2.1	8	16086
P FREQ WND SPD = DR GTR 17 KTS	2.9	2.5	3.7	4.6	3.2	1.3	0.8	0.7	0.5	0.9	1.5	3.0	0.2	8	16086
P FREQ WND SPD = DR GTR 28 KTS	0.4	0.3	0.4	0.5	0.2	0.0	0.1	0.0	0.1	0.0	0.0	0.1	0.2	8	16269
P FREQ LES 5000 FT A/D LES 5 MI	7.8	4.5	4.3	9.0	6.9	8.2	7.0	6.1	2.6	1.2	2.5	3.9	5.3	8	16269
P FREQ LES 1500 FT A/D LES 3 MI														8	2326
FOR 00-02 LST	1.6	0.0	0.0	1.1	2.0	1.5	0.0	1.5	0.5	1.0	0.5	0.0	0.8	8	1926
03-05 LST	0.7	0.0	3.3	1.4	1.4	2.4	0.6	0.0	0.0	0.0	0.0	0.6	0.9	8	1926
06-08 LST	1.6	0.6	2.9	2.2	1.6	0.6	1.1	1.3	0.5	0.0	0.5	0.5	1.2	8	2353
09-11 LST	5.1	3.7	3.0	4.1	2.4	1.3	0.6	0.0	0.0	1.1	2.0	2.4	2.1	8	2085
12-14 LST	12.9	5.6	2.5	5.6	3.1	2.4	1.3	0.7	0.0	1.3	4.9	5.8	3.8	8	2473
15-17 LST	10.5	6.3	4.7	7.4	2.9	2.3	2.4	1.1	0.0	1.6	1.9	7.2	4.0	8	2189
18-20 LST	9.1	3.8	4.5	7.8	3.0	4.7	1.6	0.3	0.7	1.9	2.0	2.3	3.5	8	2403
21-23 LST	4.3	0.0	0.0	2.9	0.0	1.8	0.0	0.7	0.0	0.0	0.0	1.2	0.9	7	1598
P FREQ LES 300 FT A/D LES 1 MI														8	2326
FOR 00-02 LST	0.0	0.0	0.0	0.5	0.0	0.0	0.0	1.0	0.0	0.5	0.0	0.0	0.2	8	1926
03-05 LST	0.0	0.0	0.0	1.4	0.7	0.7	0.6	0.0	0.0	0.0	0.0	0.6	0.3	8	1926
06-08 LST	0.0	0.0	0.5	1.1	0.0	0.6	0.6	0.0	0.0	0.0	0.5	0.4	0.3	8	2393
09-11 LST	3.2	3.7	1.2	2.3	1.2	0.6	0.0	0.0	0.0	0.5	0.5	1.4	1.2	8	2085
12-14 LST	8.5	4.5	1.5	4.1	1.0	1.0	0.5	0.0	0.0	0.9	0.9	4.4	2.3	8	2473
15-17 LST	8.2	5.2	1.0	4.6	1.2	1.7	1.2	0.0	0.0	0.5	1.0	4.8	2.5	8	2189
18-20 LST	5.3	0.5	2.0	5.2	1.5	2.6	1.0	0.0	0.0	0.5	0.0	1.4	1.7	8	2403
21-23 LST	2.8	0.0	0.0	2.0	0.0	0.9	0.0	0.0	0.0	0.0	0.0	0.6	0.5	7	1598

TING-HSIN/TIENGH, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	30.5	27.8	30.1	29.4	30.5	29.8	30.7	30.7	29.9	31.0	29.9	30.7	301.0	8	2393
	13 LST	27.0	26.4	30.2	28.3	30.0	29.4	30.7	30.9	30.0	30.6	28.5	29.2	351.2	8	2473
	19 LST	28.2	26.9	29.6	27.7	30.1	28.6	30.5	31.0	29.9	30.4	29.4	30.3	352.6	8	2403
	01 LST	30.5	28.0	31.0	29.7	30.4	29.5	31.0	30.5	29.9	30.7	29.9	31.0	362.1	8	2326
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	24.2	23.0	22.4	23.9	23.9	26.9	27.9	27.4	28.0	29.2	24.6	24.1	305.5	8	2391
	13 LST	15.2	16.2	16.5	16.5	19.6	22.3	26.2	23.2	23.0	22.1	17.7	16.4	234.9	8	2468
	19 LST	22.0	21.9	23.0	20.0	20.9	22.4	26.5	26.1	26.7	27.3	23.7	24.3	284.8	8	2392
	01 LST	24.9	24.7	26.1	25.5	25.2	26.8	27.8	26.1	27.0	29.0	24.7	25.1	312.9	8	2317
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.5	0.3	0.6	0.5	0.8	0.2	0.2	0.0	0.0	0.1	0.0	0.4	3.6	8	2410
	13 LST	2.3	1.6	2.4	2.4	1.0	0.0	0.3	0.4	0.1	0.9	1.8	2.1	15.3	8	2480
	19 LST	1.0	0.0	0.8	1.5	0.6	0.3	0.3	0.2	0.0	0.3	0.1	0.5	5.6	8	2452
	01 LST	0.2	0.2	0.3	0.5	0.5	0.5	0.3	0.3	0.3	0.1	0.1	0.6	3.9	8	2424
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	0.0	0.0	3.6	13.9	18.8	17.8	17.0	18.9	16.6	9.6	0.1	0.0	116.3	8	2387
	13 LST	0.8	10.1	16.6	17.1	19.3	15.2	13.2	15.8	19.4	20.1	13.0	4.6	165.2	8	2460
	19 LST	0.5	4.8	19.2	18.9	19.2	16.4	18.6	19.6	17.9	19.0	9.6	0.7	164.4	8	2435
	01 LST	0.0	0.3	9.3	16.5	17.0	14.8	13.8	16.3	13.1	14.1	2.7	0.0	117.9	8	2405
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	19.7	17.1	11.9	12.4	12.9	13.9	15.4	17.3	17.6	20.0	18.6	21.0	195.8	8	2386
	13 LST	16.3	15.8	14.7	10.5	12.0	11.8	13.5	17.0	18.7	19.3	17.0	17.8	184.4	8	2483
	19 LST	19.2	16.0	11.9	8.2	9.2	9.4	10.7	14.7	16.9	20.1	19.7	20.7	176.7	8	2403
	01 LST	23.7	21.3	17.6	17.3	16.5	18.0	16.6	18.8	20.7	25.2	21.0	22.6	239.3	8	2320
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	30.5	27.8	30.0	29.3	30.4	29.8	30.7	30.5	29.9	31.0	29.9	30.7	360.5	8	2393
	13 LST	27.0	26.4	30.2	28.1	29.8	29.1	30.1	30.4	29.9	30.6	28.5	29.2	349.3	8	2473
	19 LST	28.2	26.9	29.6	27.6	30.1	28.3	30.1	30.7	29.6	30.4	29.4	30.3	351.2	8	2403
	01 LST	30.5	28.0	31.0	29.7	30.4	29.5	30.9	30.5	29.8	30.7	29.9	31.0	361.9	8	2326
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	30.5	27.8	29.8	29.0	30.2	29.1	28.9	28.5	28.9	31.0	29.7	30.7	354.1	8	2393
	13 LST	27.0	26.3	29.3	27.6	28.1	27.2	28.2	28.6	28.6	30.6	28.4	29.2	339.1	8	2473
	19 LST	28.2	26.8	28.7	26.9	28.5	24.8	25.9	28.3	28.7	30.3	29.4	30.2	336.7	8	2403
	01 LST	30.5	28.0	31.0	29.5	30.1	28.2	28.6	28.3	29.3	30.7	29.9	30.9	355.0	8	2326
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	30.5	27.8	29.8	29.0	30.2	29.1	28.9	28.5	28.9	31.0	29.6	30.7	354.0	8	2393
	13 LST	27.0	26.3	29.3	27.6	27.6	27.2	28.2	28.6	28.5	30.6	28.3	29.1	338.3	8	2473
	19 LST	28.2	26.8	28.5	26.9	28.5	24.8	25.5	28.1	28.3	30.3	29.2	30.0	335.1	8	2403
	01 LST	30.5	28.0	31.0	29.5	30.1	27.9	28.6	28.3	28.8	30.7	29.9	30.9	354.2	8	2326

CHIU-CHUAN, CHINA

STA NO. 52533 (IN AREA NUMBER 02)

LATITUDE 3950N

LONGITUDE 09815E

ELEVATION(FT) 05062

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	48	55	73	82	90	97	95	95	88	79	64	46	97	8	2431
MEAN MAX TMP (F)	28	38	51	63	72	81	84	83	73	60	42	32	59	8	2431
MEAN MIN TMP (F)	3	11	25	36	46	55	59	58	47	33	20	9	34	8	2495
ABS MIN TMP (F)	-20	-18	7	16	27	43	46	46	27	16	-9	-13	-20	8	2495
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.2	2.0	5.9	5.9	0.0	0.0	0.0	0.0	14.0	8	2431
MEAN NO DYS TMP = DR LES 32(F)	31.0	28.0	26.5	10.1	1.0	0.0	0.0	0.0	1.0	14.1	29.5	31.0	172.2	8	2495
MEAN NO DYS TMP = DR LFS 0(F)	10.2	3.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	2.9	16.8	8	2495
MEAN DEW PT TMP (F)	2	4	9	16	25	40	51	47	35	22	10	3	22	8	16677
MEAN REL HUM (PCT)	47	46	37	32	32	39	51	48	44	42	47	53	43	8	16482
MEAN PRESS ALT (FT)	4630	4630	4862	4985	5143	5301	5403	5297	5066	4789	4604	4319	4920	8	16204
MEAN PRECIP (IN)	0.04	0.10	0.21	0.17	0.31	0.41	0.65	1.08	0.16	0.04	0.11	0.08	3.4	16	-181
MEAN SNOW FALL (IN)						0.0	0.0	0.0						8	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	1.3	1.6	1.3	1.1	1.7	2.2	2.8	3.7	0.7	0.4	0.6	1.5	18.9	16	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN						0.0	0.0	0.0						8	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.5	0.3	0.9	0.6	0.5	0.0	0.2	0.0	0.3	0.1	0.1	0.4	3.9	8	2436
MEAN NO DYS TSMS	0.0	0.0	0.2	0.2	0.8	4.6	3.0	1.2	1.5	0.0	0.0	0.0	11.5	8	2444
P FREQ WND SPD = DR GTR 17 KTS	1.4	1.7	3.8	5.5	2.8	2.2	0.9	0.6	0.3	0.5	1.3	1.1	1.8	8	17064
P FREQ WND SPD = DR GTR 28 KTS	0.1	0.2	0.4	0.4	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.2	0.1	8	17064
P FREQ LES 3000 FT A/O LES 5 MI	2.7	2.7	8.6	9.2	5.4	3.6	4.2	2.8	3.9	0.9	1.2	1.5	3.9	8	17347
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	2.0	0.6	3.0	2.1	1.0	0.5	0.5	0.2	0.9	0.9	0.5	0.4	1.1	8	2453
03-05 LST	0.0	0.6	1.2	3.4	0.0	0.0	0.7	0.0	0.6	0.5	0.5	0.0	0.6	8	2004
06-08 LST	0.5	1.1	3.4	3.6	2.1	1.1	0.5	0.7	1.1	0.4	0.0	0.4	1.2	8	2466
09-11 LST	1.8	1.9	2.3	6.4	2.2	0.6	0.9	0.9	0.0	0.0	0.5	0.9	1.5	8	2110
12-14 LST	1.4	0.6	5.7	5.0	3.3	2.1	1.7	1.4	0.5	0.0	2.2	1.7	2.1	8	2513
15-17 LST	3.5	3.3	6.2	10.5	4.9	3.4	1.4	1.1	0.6	0.5	1.0	2.0	3.2	8	2204
18-20 LST	1.0	0.5	5.4	6.6	3.7	2.0	0.0	0.7	1.1	0.0	0.4	0.4	1.8	8	2514
21-23 LST	2.1	1.7	0.7	2.5	2.2	0.8	0.0	0.0	1.2	0.0	0.0	0.0	0.9	6	1764
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	1.0	0.6	1.0	1.5	1.0	0.5	0.0	0.0	0.0	0.5	0.0	0.4	0.5	8	2453
03-05 LST	0.0	0.6	0.6	3.4	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.4	8	2004
06-08 LST	0.0	1.1	1.0	2.6	1.1	0.5	0.0	0.0	0.9	0.0	0.0	0.4	0.6	8	2466
09-11 LST	0.6	0.6	0.6	3.0	1.9	0.6	0.6	0.0	0.0	0.0	0.0	0.4	0.7	8	2110
12-14 LST	0.5	0.6	0.9	3.0	2.0	1.0	0.3	0.5	0.5	0.0	0.9	0.9	0.9	8	2513
15-17 LST	3.5	1.1	1.6	4.1	3.4	1.7	0.6	0.0	0.6	0.0	0.0	0.5	1.4	8	2204
18-20 LST	0.5	0.0	1.5	4.1	1.5	1.0	0.0	0.0	0.4	0.0	0.4	0.0	0.8	8	2514
21-23 LST	0.7	0.0	0.7	2.5	1.5	0.8	0.0	0.0	0.6	0.0	0.0	0.0	0.6	6	1764

CHIU-CHUAN, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	30.8	27.7	29.9	28.9	30.3	29.7	30.8	30.8	29.7	30.9	30.0	30.9	360.4	8	2466
	13 LST	30.6	27.8	29.2	28.5	30.1	29.4	30.5	30.6	29.9	31.0	29.3	30.5	357.4	8	2513
	19 LST	30.7	27.8	29.3	28.0	29.9	29.4	31.0	30.9	29.7	31.0	29.9	30.9	358.5	8	2514
	01 LST	30.4	27.8	30.1	29.4	30.7	29.8	30.8	31.0	29.9	30.7	29.9	30.9	361.4	8	2453
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	07 LST	27.9	25.2	26.6	25.9	27.0	27.1	28.9	29.3	27.3	28.1	27.9	28.8	330.0	8	2465
	13 LST	27.4	23.4	22.3	21.1	22.4	23.4	28.4	25.7	25.3	27.8	26.3	28.1	301.7	8	2511
	19 LST	28.9	25.1	25.1	21.7	21.3	23.7	27.9	28.5	28.4	29.9	28.4	29.8	318.7	8	2511
	01 LST	28.4	24.9	26.8	23.2	26.7	26.5	27.7	29.5	27.1	27.1	27.9	28.4	324.2	8	2452
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.3	0.0	0.2	0.5	0.2	0.2	0.2	0.0	0.0	0.0	0.0	0.3	1.9	8	2470
	13 LST	0.9	0.5	2.2	2.2	3.8	0.8	0.2	0.9	0.3	0.3	0.9	0.7	10.7	8	2523
	19 LST	0.3	0.4	1.7	2.1	1.1	0.8	0.0	0.3	0.3	0.1	0.1	0.3	7.5	8	2524
	01 LST	0.0	0.0	0.2	0.6	0.0	0.2	0.0	0.0	0.0	0.1	0.3	0.4	1.8	8	2461
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	0.2	0.3	3.8	12.7	14.5	10.9	7.5	11.1	15.0	9.5	0.8	0.0	86.3	8	2450
	13 LST	3.2	9.5	16.8	19.7	18.4	15.8	16.9	19.5	20.2	21.2	13.5	7.1	181.8	8	2511
	19 LST	0.3	2.9	11.3	14.0	13.0	13.8	9.4	11.1	11.3	9.2	6.5	0.3	103.1	8	2508
	01 LST	0.0	0.8	7.5	13.9	14.3	17.3	10.1	12.0	14.3	12.1	2.2	0.1	104.6	8	2446
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	18.9	15.1	11.0	11.1	12.7	13.9	14.0	16.7	17.0	19.9	15.7	19.8	185.8	8	2471
	13 LST	15.5	12.6	10.3	10.3	11.3	12.0	12.9	16.4	18.1	17.5	14.4	15.3	166.6	8	2520
	19 LST	17.5	13.8	9.0	8.4	8.2	9.3	10.5	11.4	15.7	17.7	17.2	19.4	158.1	8	2519
	01 LST	22.1	19.4	15.7	15.8	17.5	17.0	15.5	18.2	20.0	23.0	20.2	20.4	224.8	8	2457
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	30.8	27.7	29.9	28.8	30.3	29.7	30.8	30.7	29.4	30.9	29.9	30.9	359.8	8	2466
	13 LST	30.6	27.8	29.2	28.5	29.8	29.3	30.3	30.5	29.8	31.0	29.3	30.5	356.6	8	2513
	19 LST	30.6	27.8	29.2	28.0	29.7	29.3	30.9	30.7	29.4	30.9	29.9	30.9	357.3	8	2514
	01 LST	30.4	27.8	30.1	29.3	30.7	29.8	30.7	30.8	29.4	30.7	29.8	30.9	360.4	8	2453
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	30.7	27.7	29.2	28.4	29.4	29.1	29.4	30.1	28.4	30.9	29.9	30.7	353.9	8	2466
	13 LST	29.7	27.1	27.8	27.9	28.5	27.5	28.6	29.3	28.5	30.9	29.1	30.3	345.2	8	2513
	19 LST	30.4	27.8	28.7	27.6	27.4	26.9	28.1	28.8	28.1	30.5	29.7	30.6	344.6	8	2514
	01 LST	30.2	27.8	29.9	29.1	30.2	28.5	29.6	30.0	28.2	30.7	29.7	30.9	354.8	8	2453
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	30.5	27.5	29.2	28.1	29.0	28.9	28.9	29.8	28.1	30.7	29.9	30.7	351.3	8	2466
	13 LST	29.4	27.1	27.8	27.8	28.5	27.5	27.8	29.3	28.5	30.9	29.1	30.2	343.9	8	2513
	19 LST	30.2	27.8	28.6	27.6	27.0	26.0	27.8	28.4	28.1	30.3	29.5	30.6	341.9	8	2514
	01 LST	30.1	27.8	29.8	29.1	30.0	27.9	28.9	29.5	28.2	30.7	29.4	30.9	352.3	8	2453

KAOTAI, CHINA

STA NO. 52546 (IN AREA NUMBER 02)

LATITUDE 3923N

LONGITUDE 09943E

ELEVATION(FT) 04442

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	46	63	81	90	90	97	100	99	90	81	72	50	100	6	1649
MEAN MAX TMP (F)	28	38	53	65	72	82	86	84	76	62	43	32	60	6	1649
MEAN MIN TMP (F)	4	11	27	37	46	55	61	59	47	33	21	10	34	6	1696
ABS MIN TMP (F)	-17	-9	9	25	30	43	50	45	27	18	7	-9	-17	6	1696
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.2	0.2	4.2	12.4	7.8	0.6	0.0	0.0	0.0	23.4	6	1649
MEAN NO DYS TMP = DR LFS 32(F)	31.0	28.0	26.5	9.8	0.4	0.0	0.0	0.0	0.6	15.9	29.8	31.0	173.0	6	1696
MEAN NO DYS TMP = DR LES 0(F)	9.6	2.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.4	16.9	6	1696
MEAN DEW PT TMP (F)	1	5	13	23	33	43	52	51	40	26	14	7	26	6	11200
MEAN REL HUM (PCT)	54	49	41	39	41	44	51	54	51	50	54	60	49	6	10903
MEAN PRESS ALT (FT)	3785	3994	4220	4372	4503	4664	4787	4665	4419	4149	3948	3855	4280	6	11243
MEAN PRECIP (IN)														0	0
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0						6	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN														0	0
MEAN NO DYS SNFL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0						6	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.7	0.0	0.7	0.9	1.2	0.0	0.2	0.0	0.2	0.0	0.0	0.0	3.9	6	1635
MEAN NO DYS TSTM	0.0	0.0	0.0	0.2	0.9	2.3	4.0	3.3	0.6	0.0	0.0	0.0	11.3	6	1637
P FREQ WND SPD = DR GTR 17 KTS	0.4	0.8	1.5	3.0	0.8	1.0	0.4	0.2	0.3	0.3	0.3	0.2	0.8	6	11503
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	11503
P FREQ LES 5000 FT A/D LES 5 MI	5.0	4.4	10.5	14.1	9.1	2.8	1.6	3.0	3.5	1.3	2.0	2.1	5.0	6	11757
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	2.8	0.8	5.8	5.2	6.7	1.5	0.7	1.3	0.6	0.0	0.8	1.5	2.3	6	1669
03-05 LST	2.3	1.6	5.0	4.7	2.9	0.0	0.8	1.7	1.6	0.0	1.5	0.0	1.8	6	1575
06-08 LST	0.7	1.6	5.5	8.3	3.7	3.1	0.8	1.1	0.0	0.3	0.7	0.7	2.2	6	1668
09-11 LST	0.7	3.3	7.2	7.2	2.9	0.8	0.0	0.0	2.3	0.0	0.8	1.5	2.2	6	1580
12-14 LST	3.2	3.9	9.4	6.4	2.9	2.3	0.7	0.0	1.6	0.6	0.7	0.7	2.7	6	1720
15-17 LST	2.8	2.4	7.0	12.3	5.1	4.7	0.0	1.6	2.0	0.7	2.2	2.9	3.6	6	1584
18-20 LST	4.1	2.5	10.4	12.7	7.1	2.2	3.6	2.1	3.1	1.2	2.3	1.4	4.4	6	1705
21-23 LST	2.4	2.8	4.7	5.2	4.7	1.1	0.0	0.9	0.0	0.9	0.0	0.0	1.9	5	1058
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	1.4	0.0	0.7	3.0	1.5	0.8	0.7	0.0	0.0	0.0	0.0	0.0	0.7	6	1669
03-05 LST	0.8	0.0	0.7	2.3	1.4	0.0	0.0	0.8	0.0	0.0	0.0	0.0	0.5	6	1575
06-08 LST	0.0	0.0	2.7	4.5	2.2	0.0	0.8	0.0	0.0	0.0	0.0	0.0	0.9	6	1668
09-11 LST	0.0	0.0	2.9	2.9	0.0	0.8	0.0	0.0	0.8	0.0	0.0	0.0	0.6	6	1580
12-14 LST	0.0	1.6	2.2	2.1	2.1	0.8	0.0	0.0	0.6	0.0	0.0	0.0	0.8	6	1720
15-17 LST	1.4	0.0	3.9	6.2	2.2	3.1	0.0	0.8	0.8	0.0	1.5	0.7	1.7	6	1584
18-20 LST	2.1	1.7	6.3	6.3	2.1	0.7	1.4	0.7	0.6	0.6	1.5	0.0	2.0	6	1705
21-23 LST	2.4	1.4	0.0	1.3	3.5	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.8	5	1058

KAOTAI, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	30.8	27.5	29.3	27.5	29.8	29.1	30.8	30.8	30.0	31.0	29.8	30.8	357.2	6	1668
	13 LST	30.1	26.9	28.1	28.1	30.1	29.3	30.8	31.0	29.6	30.8	29.8	30.8	355.4	6	1720
	19 LST	29.7	27.3	27.8	26.2	28.8	29.3	29.9	30.3	29.1	30.6	29.3	30.6	348.9	6	1705
	01 LST	30.1	27.8	29.2	28.4	28.9	29.5	30.8	30.6	29.8	31.0	29.8	30.5	356.4	6	1669
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	28.5	26.4	24.8	23.2	25.4	27.0	28.4	26.7	27.1	30.1	28.2	28.7	324.5	6	1667
	13 LST	24.8	20.3	20.9	17.1	23.3	23.3	26.1	26.1	25.3	26.0	25.0	25.3	283.5	6	1717
	19 LST	28.2	25.9	23.9	21.8	23.7	25.8	26.5	26.2	25.7	29.3	27.0	29.0	313.0	6	1702
	01 LST	26.6	26.6	23.5	24.9	23.0	26.8	27.8	25.8	27.7	28.7	28.4	29.4	319.2	6	1666
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.0	0.2	0.2	0.0	0.2	0.0	0.0	0.0	0.2	0.0	0.2	0.0	1.0	6	1683
	13 LST	0.0	0.7	0.9	1.1	0.2	0.0	0.0	0.0	0.0	0.2	0.2	0.2	3.5	6	1728
	19 LST	0.2	0.0	0.6	0.6	0.4	0.2	0.0	0.0	0.2	0.0	0.0	0.0	2.2	6	1713
	01 LST	0.0	0.0	0.0	0.4	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.6	6	1674
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	0.0	0.2	3.8	13.0	18.1	17.1	17.8	12.6	10.1	7.8	0.9	0.0	96.4	6	1657
	13 LST	1.8	9.6	15.8	16.8	18.6	17.8	17.1	18.6	19.0	19.6	14.0	3.8	172.5	6	1711
	19 LST	0.2	3.1	13.9	14.4	15.1	11.9	11.2	11.9	11.3	9.8	9.0	0.4	112.2	6	1695
	01 LST	0.0	0.5	8.7	13.1	16.3	14.9	14.9	14.1	12.0	11.3	1.4	0.0	107.2	6	1660
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	19.0	18.1	14.1	13.2	13.8	13.9	15.1	16.1	18.8	21.3	18.8	19.9	202.1	6	1680
	13 LST	16.5	15.7	13.6	13.0	12.8	11.6	12.3	17.4	19.1	21.0	18.8	16.6	188.4	6	1720
	19 LST	17.7	16.1	11.0	9.7	8.8	8.5	10.5	11.6	15.6	20.9	19.2	20.2	169.8	6	1706
	01 LST	24.0	18.3	16.7	17.8	17.0	17.0	15.0	16.3	20.5	24.0	23.3	21.9	231.8	6	1670
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	30.8	27.5	29.3	27.5	29.8	29.1	30.8	30.6	29.8	30.8	29.8	30.8	356.6	6	1668
	13 LST	29.9	26.8	28.1	28.0	30.1	29.3	30.8	30.9	29.4	30.8	29.8	30.7	354.6	6	1720
	19 LST	29.7	27.3	27.8	26.2	28.8	29.3	29.9	30.3	29.1	30.6	29.3	30.6	348.9	6	1705
	01 LST	30.1	27.8	29.2	28.4	28.9	29.5	30.8	30.6	29.7	31.0	29.8	30.5	356.3	6	1669
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	30.8	27.5	28.9	27.5	29.6	28.8	30.0	30.6	29.6	30.8	29.3	30.8	354.2	6	1668
	13 LST	29.9	26.5	28.1	26.6	29.0	29.1	30.1	29.8	28.5	30.5	29.6	30.5	348.2	6	1720
	19 LST	29.7	27.3	27.6	26.2	28.1	28.7	29.2	29.9	28.7	30.4	29.3	30.6	345.7	6	1705
	01 LST	30.1	27.8	29.2	28.4	28.7	29.1	30.3	30.4	29.4	31.0	29.8	30.5	354.7	6	1669
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	30.8	27.5	28.9	27.3	29.1	28.4	29.8	30.6	29.6	30.8	29.3	30.8	352.9	6	1668
	13 LST	29.9	26.5	28.1	26.6	28.8	28.8	29.7	29.8	28.5	30.5	29.6	30.5	347.3	6	1720
	19 LST	29.7	27.3	27.6	26.0	27.7	27.4	27.2	27.7	28.5	30.4	29.3	30.6	339.4	6	1705
	01 LST	30.1	27.8	29.2	28.4	28.7	28.6	29.4	29.8	29.4	31.0	29.8	30.5	352.7	6	1669

KHUITUN NOR, CHINA

STA NO. 52602 (IN AREA NUMBER 02)

LATITUDE 3845N

LONGITUDE 09325E

ELEVATION(FT) 07990

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	34	39	63	72	70	84	88	86	75	63	50	39	88	4	513
MEAN MAX TMP (F)	25	32	43	56	64	75	76	75	66	52	37	30	53	4	513
MEAN MIN TMP (F)	-7	-6	11	24	34	45	50	50	38	19	7	-4	22	4	512
ABS MIN TMP (F)	-24	-15	-8	-4	21	34	36	25	19	-6	-8	-20	-24	4	512
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	513
MEAN NO DYS TMP = DR LES 32(F)	31.0	28.0	30.4	27.1	9.7	0.0	0.0	0.5	8.3	29.1	30.0	31.0	225.1	4	512
MEAN NO DYS TMP = DR LES 0(F)	24.8	22.8	5.0	0.7	0.0	0.0	0.0	0.0	0.0	1.2	4.1	20.3	78.9	4	512
MEAN DEW PT TMP (F)	14	14	5	5	12	27	29	30	14	1	3	7	13	4	2162
MEAN REL HUM (PCT)	38	29	27	27	23	27	31	33	26	27	37	42	31	4	2123
MEAN PRESS ALT (FT)	8742	8759	8772	8762	8769	8820	8909	8721	8642	8587	8619	8704		4	2200
MEAN PRECIP (IN)														0	0
MEAN SNOW FALL (IN)						0.0	0.0							4	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN						0.0	0.0							0	0
MEAN NO DYS SNFL = DR GTR 1.5 IN														4	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	1.2	0.0	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9	4	354
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	352
P FREQ WND SPD = DR GTR 17 KTS	6.3	6.3	12.9	14.3	10.3	5.9	5.4	1.9	3.2	1.6	2.7	1.0	6.0	4	2248
P FREQ WND SPD = DR GTR 28 KTS	1.1	0.0	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	4	2248
P FREQ LES 5000 FT A/D LES 3 MI	2.4	0.0	5.0	1.1	0.0	12.5	1.1	2.5	1.1	0.3	0.2	0.0	2.2	5	2853
P FREQ LES 1900 FT A/D LES 3 MI														4	535
FDR 00-02 LST	0.0	0.0	1.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	4	463
03-05 LST	0.0	0.0	3.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	4	463
06-08 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	540
09-11 LST	2.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	5	648
12-14 LST	0.0	0.0	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	5	531
15-17 LST	3.3	0.0	9.7	2.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	5	483
18-20 LST	0.0	0.0	5.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	5	767
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														4	535
FDR 00-02 LST	0.0	0.0	1.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	4	463
03-05 LST	0.0	0.0	3.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	4	463
06-08 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	540
09-11 LST	2.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	5	648
12-14 LST	0.0	0.0	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	5	531
15-17 LST	0.0	0.0	9.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	5	483
18-20 LST	0.0	0.0	4.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	5	767
21-23 LST														0	0

KHUITUN NOR, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	06 LST	31.0	28.0	31.0	30.0	31.0	30.0	31.0	31.0	30.0	31.0	30.0	31.0	365.0	5	540
	12 LST	31.0	28.0	30.4	30.0	31.0	30.0	31.0	31.0	30.0	31.0	30.0	31.0	364.4	5	531
	18 LST	31.0	28.0	29.2	30.0	31.0	30.0	31.0	31.0	30.0	31.0	30.0	31.0	363.2	5	767
	00 LST	31.0	28.0	30.4	30.0	31.0	30.0	31.0	31.0	30.0	31.0	30.0	31.0	364.4	4	535
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	06 LST	23.3	20.5	22.8	20.0	16.3	17.1	15.2	17.2	18.8	17.2	20.4	20.3	229.1	5	538
	12 LST	27.4	20.7	18.3	16.4	19.2	22.0	20.9	21.9	25.5	24.3	21.3	27.3	265.2	5	528
	18 LST	26.5	19.0	15.1	10.7	10.0	8.1	10.3	10.1	14.6	25.4	25.6	29.9	205.3	5	760
	00 LST	24.8	24.5	25.8	24.0	26.1	19.4	18.9	18.8	22.6	28.9	23.4	24.4	281.6	4	534
SFC WND = GTR 17 KTS AND NO PRECIP.	06 LST	1.9	2.2	1.2	2.0	3.1	2.1	3.8	1.0	0.5	1.7	1.1	1.0	21.6	5	539
	12 LST	3.6	4.1	4.4	6.4	4.4	2.0	0.0	0.5	0.5	0.6	2.4	0.5	29.4	5	534
	18 LST	0.6	1.1	5.3	5.5	3.1	2.2	1.3	0.4	1.3	0.4	0.3	0.0	21.3	5	762
	00 LST	1.0	0.0	2.3	0.7	1.6	0.0	1.1	0.0	0.0	0.0	0.5	0.0	7.2	4	534
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	06 LST	0.0	0.0	0.0	4.8	9.8	10.7	12.7	14.3	11.6	2.2	0.0	0.0	66.3	4	534
	12 LST	0.0	1.0	15.8	15.0	16.2	20.0	20.7	19.2	23.6	22.1	8.2	0.0	161.8	5	533
	18 LST	0.0	0.0	8.9	12.5	13.9	8.9	11.7	14.1	17.6	20.5	0.3	0.0	108.4	5	754
	00 LST	0.0	0.0	0.6	9.8	17.9	14.1	12.6	19.7	17.7	4.3	0.0	0.0	96.7	4	528
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	06 LST	21.3	21.8	14.6	8.9	14.7	12.9	13.6	13.3	16.8	17.7	19.3	20.8	195.7	4	537
	12 LST	16.7	16.6	9.3	9.3	11.8	14.0	7.2	8.9	15.7	14.9	15.2	21.0	160.6	5	535
	18 LST	14.7	16.4	11.5	6.7	15.5	14.4	13.7	13.1	15.0	19.3	20.5	20.9	181.7	5	763
	00 LST	15.5	21.0	16.6	11.7	19.6	19.4	18.4	21.6	17.4	24.1	22.9	17.2	225.4	4	535
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	06 LST	31.0	28.0	31.0	30.0	31.0	30.0	31.0	31.0	30.0	31.0	30.0	31.0	365.0	5	540
	12 LST	31.0	28.0	30.4	30.0	31.0	30.0	31.0	31.0	30.0	31.0	29.8	31.0	364.2	5	531
	18 LST	31.0	28.0	29.2	30.0	31.0	30.0	31.0	31.0	30.0	31.0	30.0	31.0	363.2	5	767
	00 LST	31.0	28.0	30.4	30.0	31.0	30.0	31.0	31.0	30.0	31.0	30.0	31.0	364.4	4	535
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	06 LST	31.0	28.0	31.0	30.0	31.0	27.9	31.0	30.5	30.0	31.0	30.0	31.0	362.4	5	540
	12 LST	31.0	28.0	29.8	30.0	29.5	28.0	29.3	28.5	29.0	30.4	29.5	31.0	354.0	5	531
	18 LST	31.0	28.0	29.2	30.0	31.0	30.0	31.0	30.2	30.0	31.0	30.0	31.0	362.4	5	767
	00 LST	31.0	28.0	30.4	30.0	31.0	28.2	31.0	31.0	30.0	31.0	30.0	31.0	362.6	4	535
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	06 LST	31.0	28.0	31.0	30.0	31.0	27.9	31.0	30.5	30.0	31.0	30.0	31.0	362.4	5	540
	12 LST	31.0	28.0	29.8	30.0	29.5	28.0	29.3	28.5	29.0	30.4	29.5	31.0	354.0	5	531
	18 LST	31.0	28.0	29.2	30.0	31.0	30.0	31.0	30.2	29.6	31.0	30.0	31.0	362.0	5	767
	00 LST	31.0	28.0	30.4	30.0	31.0	28.2	31.0	31.0	30.0	31.0	30.0	31.0	362.6	4	535

SHAN-TAN, CHINA

STA NO. 52661 (IN AREA NUMBER 02)

LATITUDE 3847N

LONGITUDE 10119E

ELEVATION(FT) 03774

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	52	61	77	86	86	97	99	95	88	81	70	52	99	8	1972
MEAN MAX TMP (F)	29	36	50	61	69	79	83	80	72	59	43	33	58	8	1972
MEAN MIN TMP (F)	-3	5	22	32	41	52	57	55	43	29	14	3	29	8	1980
ABS MIN TMP (F)	-22	-17	0	7	25	36	46	43	27	3	-13	-15	-22	8	1980
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	2.6	7.4	3.9	0.0	0.0	0.0	0.0	13.9	8	1972
MEAN NO DYS TMP = OR LES 32(F)	31.0	28.0	28.8	17.0	3.2	0.0	0.0	0.0	2.7	22.0	29.8	31.0	193.5	8	1980
MEAN NO DYS TMP = OR LES 0(F)	21.0	7.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	9.6	39.0	8	1980
MEAN DEW PT TMP (F)	5	1	10	16	27	36	46	46	35	21	8	0	21	8	14505
MEAN REL HUM (PCT)	52	51	42	37	39	39	49	52	49	48	51	55	47	8	14280
MEAN PRESS ALT (FT)	5537	5619	5675	5669	5706	5778	5835	5739	5615	5504	5498	5537	5643	7	8507
MEAN PRECIP (IN)														0	0
MEAN SNOW FALL (IN)						0.0	0.0	0.0						8	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN														0	0
MEAN NO DYS SNFL = OR GTR 1.5 IN						0.0	0.0	0.0						8	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.2	0.2	1.1	0.9	0.5	0.2	0.2	0.0	0.3	0.0	0.0	0.2	3.8	8	2202
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.5	1.4	3.2	4.8	3.9	1.9	0.3	0.5	0.2	16.7	8	2204
P FREQ WND SPD = OR GTR 17 KTS	0.5	0.4	3.1	2.9	2.7	1.5	0.6	0.8	0.6	0.5	0.1	0.2	1.2	8	14780
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.3	0.3	0.6	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	8	14780
P FREQ LES 5000 FT A/D LES 5 MI	3.8	3.6	11.1	12.0	7.8	5.1	6.0	6.7	4.4	1.8	1.4	1.6	5.4	8	15111
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	1.0	1.5	6.1	4.9	0.5	0.5	0.5	1.0	0.4	0.0	0.0	0.9	1.4	8	2425
03-05 LST	1.4	0.0	3.3	6.1	1.4	0.7	0.0	0.7	0.7	0.0	0.0	1.3	1.3	8	1749
06-08 LST	1.0	0.6	3.6	4.3	1.6	1.1	0.0	0.5	0.0	0.4	1.4	0.9	1.3	8	2388
09-11 LST	1.9	3.4	5.3	5.1	3.1	1.5	1.4	1.9	0.8	1.4	0.0	0.6	2.2	8	1820
12-14 LST	2.0	2.7	4.9	3.6	1.5	1.1	1.3	0.7	0.5	1.1	0.0	0.7	1.7	8	2451
15-17 LST	2.1	1.6	7.3	4.7	3.4	0.7	1.9	0.8	1.9	1.1	0.0	0.0	2.1	8	1736
18-20 LST	2.0	1.7	6.6	7.7	2.0	2.7	0.5	2.3	0.7	0.2	0.9	0.0	2.3	8	2403
21-23 LST	0.7	0.0	4.1	3.0	2.2	0.7	0.0	1.1	0.7	0.0	0.6	0.6	1.1	6	1738
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.0	0.6	1.5	1.1	0.5	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.4	8	2425
03-05 LST	0.0	0.0	0.7	1.4	0.0	0.0	0.0	0.0	0.7	0.0	0.0	0.6	0.3	8	1749
06-08 LST	0.0	0.6	0.0	1.1	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	8	2388
09-11 LST	0.0	0.7	0.0	0.6	1.4	0.7	0.0	0.8	0.0	0.0	0.0	0.6	0.4	8	1820
12-14 LST	0.5	0.5	1.0	0.5	1.0	0.5	0.5	0.0	0.5	0.4	0.0	0.0	0.5	8	2451
15-17 LST	0.0	0.8	2.2	2.0	0.7	0.7	0.0	0.0	0.7	0.0	0.0	0.0	0.6	8	1736
18-20 LST	0.5	0.6	1.0	1.6	1.0	1.6	0.5	0.0	0.0	0.0	0.0	0.0	0.6	8	2403
21-23 LST	0.0	0.0	1.4	0.0	0.7	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.2	6	1738

SIAN-TAN, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	30.7	27.8	29.9	28.7	30.5	29.7	31.0	30.8	30.0	30.9	29.6	30.7	360.3	8	2388
	13 LST	30.4	27.2	29.5	28.9	30.5	29.7	30.7	30.8	29.9	30.7	30.0	30.9	359.2	8	2451
	19 LST	30.4	27.5	29.0	27.8	30.4	29.2	30.8	30.5	29.9	31.0	29.7	31.0	357.2	8	2403
	01 LST	30.7	27.7	29.1	28.5	30.8	29.8	30.8	30.7	29.9	31.0	30.0	30.7	359.7	8	2425
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	28.8	26.7	27.9	27.0	27.3	27.6	30.1	29.8	28.9	29.6	28.0	28.0	334.7	8	2380
	13 LST	27.4	24.8	22.7	19.3	24.1	24.5	26.8	26.9	25.6	27.7	26.9	28.9	305.5	8	2442
	19 LST	28.8	26.2	23.8	22.7	22.4	23.7	26.2	24.3	27.8	28.8	28.6	29.7	313.0	8	2399
	01 LST	27.0	26.0	27.4	25.5	27.6	27.2	29.2	27.7	28.4	29.0	28.4	28.3	331.7	8	2422
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.0	0.2	0.8	0.6	0.8	0.3	0.0	0.2	0.1	0.1	0.0	0.0	3.1	8	2398
	13 LST	0.3	0.3	1.2	1.2	0.6	0.3	0.2	0.3	0.1	0.3	0.0	0.1	4.9	8	2455
	19 LST	0.2	0.0	0.8	0.9	0.8	0.8	0.3	0.2	0.3	0.0	0.0	0.1	4.4	8	2414
	01 LST	0.0	0.0	1.1	1.2	1.1	0.3	0.3	0.2	0.1	0.0	0.0	0.0	4.3	8	2422
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	0.0	0.0	1.2	9.7	18.0	17.1	15.2	15.5	17.0	6.9	0.6	0.0	101.2	8	2376
	13 LST	4.0	7.1	14.5	15.5	17.0	17.4	17.1	14.0	15.6	15.2	10.9	5.1	153.4	8	2443
	19 LST	0.0	3.4	13.1	16.4	16.5	16.0	15.4	15.7	14.7	11.2	4.0	0.3	126.7	8	2395
	01 LST	0.0	0.0	5.0	11.4	13.5	13.9	14.3	14.6	14.7	9.7	0.1	0.0	97.2	8	2406
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	20.4	19.0	11.5	12.4	12.4	12.7	12.6	13.9	15.5	18.7	19.6	22.2	190.9	8	2395
	13 LST	18.8	16.0	12.0	13.2	11.2	10.4	12.3	14.3	15.9	19.0	18.7	19.5	181.3	8	2467
	19 LST	18.6	14.7	9.8	7.7	7.0	7.2	8.4	10.5	12.0	17.4	19.0	19.8	152.1	8	2418
	01 LST	22.5	19.8	17.3	15.4	16.3	13.7	13.5	15.3	17.1	21.2	22.3	23.0	217.4	8	2426
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	30.7	27.8	29.9	28.7	30.4	29.5	30.7	30.8	29.7	30.8	29.6	30.7	359.3	8	2388
	13 LST	30.3	27.1	29.4	28.7	30.1	29.4	30.2	30.3	29.4	30.4	29.9	30.6	355.8	8	2451
	19 LST	30.4	27.5	28.8	27.6	30.1	29.1	30.4	29.9	29.6	30.8	29.7	31.0	354.9	8	2403
	01 LST	30.7	27.5	29.1	28.5	30.8	29.8	30.8	30.6	29.8	31.0	30.0	30.7	359.3	8	2425
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	30.7	27.8	29.7	28.6	30.2	29.3	29.6	29.9	29.1	30.6	29.4	30.7	355.6	8	2388
	13 LST	30.2	26.5	28.9	27.8	28.8	27.9	28.0	28.7	28.3	29.9	29.5	30.5	345.0	8	2451
	19 LST	30.4	27.5	28.6	27.0	28.4	27.8	26.9	26.5	27.2	30.4	29.7	31.0	341.4	8	2403
	01 LST	30.7	27.5	29.1	28.4	30.4	29.7	30.5	29.8	29.3	31.0	30.0	30.7	357.1	8	2425
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	30.7	27.8	29.7	28.6	30.2	29.3	29.6	29.9	29.1	30.6	29.4	30.7	355.6	8	2388
	13 LST	30.2	26.5	28.9	27.8	28.8	27.9	26.0	28.6	28.2	29.9	29.5	30.5	344.8	8	2451
	19 LST	30.4	27.5	28.6	27.0	28.2	27.8	26.7	26.5	27.1	30.4	29.7	30.9	340.8	8	2403
	01 LST	30.7	27.5	29.1	28.4	30.4	29.7	30.4	29.6	29.2	31.0	30.0	30.7	356.7	8	2425

PA HSAI CHAI TAM, CHINA

STA NO. 52713 (IN AREA NUMBER 02)

LATITUDE 3750N

LONGITUDE 09517E

ELEVATION(FT) 09843

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	34	43	57	66	73	77	82	81	81	59	50	37	82	5	1001
MEAN MAX TMP (F)	25	31	42	54	62	68	73	71	62	49	36	26	50	5	1001
MEAN MIN TMP (F)	-11	-4	9	22	32	39	46	45	35	17	3	-9	19	6	1011
ABS MIN TMP (F)	-24	-17	-9	3	14	28	36	25	16	-4	-22	-24	-24	6	1011
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	1001
MEAN NO DYS TMP = OR LES 32(F)	31.0	28.0	31.0	26.8	17.9	3.9	0.0	1.8	11.0	30.3	30.0	31.0	242.7	6	1011
MEAN NO DYS TMP = OR LES 0(F)	28.4	22.3	5.4	0.0	0.0	0.0	0.0	0.0	0.0	0.4	11.4	28.4	96.3	6	1011
MEAN DEW PT TMP (F)	18	21	9	2	15	21	31	31	20	4	4	12	16	5	6579
MEAN REL HUM (PCT)	38	23	27	26	32	30	36	39	36	32	44	45	34	5	6521
MEAN PRESS ALT (FT)	10247	10224	10225	10226	10232	10164	10194	10120	10060	10025	10104	10163		5	5162
MEAN PRECIP (IN)														0	0
MEAN SNOW FALL (IN)							0.0							6	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN														0	0
MEAN NO DYS SNFL = OR GTR 1.5 IN							0.0							6	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0	0.4	1.1	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	5	997
MEAN NO DYS TSMS	0.0	0.0	0.0	0.0	3.2	0.0	2.0	1.7	0.7	0.0	0.0	0.0	7.6	5	999
P FREQ WND SPD = OR GTR 17 KTS	0.4	1.5	2.7	4.3	2.7	1.6	0.2	0.5	0.3	0.8	0.3	0.0	1.3	5	6726
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.2	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	6726
P FREQ LES 5000 FT A/D LES 5 MI	2.7	1.6	4.1	4.3	4.7	2.2	8.9	9.9	5.9	1.2	2.4	0.7	4.1	6	7053
P FREQ LES 1500 FT A/D LES 3 MI															
FDR 00-02 LST	0.0	0.0	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	6	1026
03-05 LST	0.0	0.0	0.0	0.0	0.0	4.2	0.0	0.0	0.0	0.0	0.0	0.0	0.4	7	809
06-08 LST	0.0	0.0	0.0	1.2	0.0	0.0	0.0	0.6	1.2	0.0	0.0	0.0	0.2	7	1021
09-11 LST	1.3	1.5	0.0	1.3	0.0	0.0	0.0	2.0	0.0	0.0	0.9	0.0	0.6	7	1075
12-14 LST	0.0	0.0	0.0	1.2	0.0	0.0	0.0	1.2	0.0	0.0	0.9	0.0	0.3	6	1032
15-17 LST	1.5	1.4	2.4	1.4	2.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	7	958
18-20 LST	1.7	0.0	2.9	0.0	0.0	0.0	0.8	1.3	0.0	0.8	0.0	0.0	0.6	7	1403
21-23 LST	0.0	0.0	0.0	0.0	0.0	1.8	0.0	0.0	0.0	0.0	0.0	0.0	0.2	4	743
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	1026
03-05 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	809
06-08 LST	0.0	0.0	0.0	1.2	0.0	0.0	0.0	0.0	1.2	0.0	0.0	0.0	0.2	7	1021
09-11 LST	0.0	1.5	0.0	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	7	1075
12-14 LST	0.0	0.0	0.0	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	6	1032
15-17 LST	0.0	1.4	2.4	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	7	958
18-20 LST	1.7	0.0	0.7	0.0	0.0	0.0	0.8	0.0	0.0	0.0	0.0	0.0	0.3	7	1403
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	743

PA HSAI CHAI TAM, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	06 LST	31.0	28.0	31.0	29.6	31.0	30.0	31.0	31.0	29.6	31.0	30.0	31.0	304.2	7	1021
	12 LST	31.0	28.0	31.0	29.6	31.0	30.0	31.0	31.0	30.0	31.0	29.7	31.0	304.3	6	1032
	18 LST	30.5	28.0	30.1	30.0	31.0	30.0	30.7	30.7	30.0	30.8	30.0	31.0	302.8	7	1403
	00 LST	31.0	28.0	30.6	30.0	31.0	30.0	31.0	31.0	30.0	31.0	30.0	31.0	304.6	6	1026
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	06 LST	30.3	27.6	30.7	28.9	29.9	28.3	29.6	30.3	29.3	30.6	30.0	31.0	356.5	7	1018
	12 LST	29.1	23.5	22.2	17.7	21.9	19.8	23.8	25.2	24.5	24.5	25.6	29.9	287.7	6	1029
	18 LST	29.5	24.8	24.3	17.8	16.9	17.8	20.8	25.7	26.7	28.3	28.8	30.6	292.0	7	1385
	00 LST	30.6	27.6	28.8	27.9	28.6	28.0	30.3	30.3	29.7	30.6	29.7	31.0	353.1	6	1025
SFC WND = GTR 17 KTS AND NO PRECIP.	06 LST	0.0	0.0	0.0	0.0	0.0	0.6	0.3	0.0	0.0	0.0	0.0	0.0	0.9	7	1021
	12 LST	0.4	1.1	1.0	1.8	1.4	0.5	0.0	0.0	0.0	0.7	0.0	0.0	6.9	6	1035
	18 LST	0.0	0.0	0.4	1.3	0.9	0.3	0.0	0.3	0.0	0.2	0.0	0.0	3.4	7	1398
	00 LST	0.0	0.0	0.4	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	6	1029
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	06 LST	0.0	0.0	0.0	1.8	4.4	5.1	5.3	7.2	5.2	0.7	0.0	0.0	29.7	7	1019
	12 LST	0.0	1.1	11.8	15.9	15.7	16.8	23.9	18.9	19.5	18.0	4.7	0.0	146.3	6	1033
	18 LST	0.0	0.0	6.5	15.5	17.3	17.1	16.7	16.8	18.0	14.8	0.9	0.0	122.6	7	1381
	00 LST	0.0	0.0	1.5	3.9	9.5	10.2	14.4	8.8	7.0	1.4	0.0	0.0	56.7	6	1023
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	06 LST	21.7	18.8	13.8	9.2	8.3	11.7	10.1	12.3	14.6	18.4	16.6	22.8	178.3	7	1024
	12 LST	14.9	13.7	9.1	8.2	8.3	8.1	8.6	11.0	12.9	18.0	13.6	16.8	143.2	6	1038
	18 LST	17.6	16.3	9.4	9.0	9.0	10.9	10.8	11.1	16.3	21.6	21.9	22.9	176.8	7	1401
	00 LST	23.2	20.5	16.6	16.2	16.0	19.3	13.7	16.0	15.2	25.3	22.0	23.8	227.8	6	1027
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	06 LST	31.0	28.0	31.0	29.6	31.0	30.0	30.9	30.4	29.6	30.9	30.0	31.0	303.4	7	1021
	12 LST	31.0	27.9	30.9	29.6	31.0	30.0	30.8	30.0	29.9	31.0	29.7	31.0	302.8	6	1032
	18 LST	30.5	28.0	30.1	30.0	31.0	30.0	30.7	30.4	29.8	30.7	30.0	31.0	302.2	7	1403
	00 LST	31.0	28.0	30.6	30.0	31.0	30.0	31.0	30.9	29.9	31.0	30.0	31.0	304.4	6	1026
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	06 LST	31.0	27.3	29.7	26.1	29.9	29.4	26.0	27.4	26.0	29.9	29.7	30.5	342.9	7	1021
	12 LST	30.6	27.3	29.0	24.6	27.2	28.5	25.0	23.8	26.7	29.9	26.6	30.2	329.4	6	1032
	18 LST	29.2	28.0	29.0	28.5	29.4	29.0	26.5	25.7	27.3	29.5	29.8	31.0	342.9	7	1403
	00 LST	29.6	28.0	28.8	28.6	29.6	30.0	29.2	26.6	27.6	30.6	30.0	31.0	349.6	6	1026
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	06 LST	31.0	27.3	29.7	26.1	29.3	28.9	25.3	27.4	24.9	29.6	29.7	30.5	339.7	7	1021
	12 LST	30.2	27.3	29.0	24.6	26.2	26.9	25.0	23.8	26.3	29.9	26.4	29.9	325.5	6	1032
	18 LST	29.2	27.7	29.0	28.3	28.8	28.6	26.5	25.7	27.0	29.5	29.3	30.8	340.4	7	1403
	00 LST	29.2	28.0	28.8	28.2	29.1	30.0	29.2	25.9	27.6	30.6	29.4	31.0	347.0	6	1026

TEHLINGHA, CHINA

STA NO. 52737 (IN AREA NUMBER 02)

LATITUDE 3715N LONGITUDE 09708E ELEVATION(FT) 09058

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	45	46	70	70	86	90	91	88	84	70	55	43	91	8	2303
MEAN MAX TMP (F)	25	33	45	57	63	69	76	74	67	53	38	27	52	8	2303
MEAN MIN TMP (F)	-8	-2	14	26	35	45	50	48	37	23	11	-3	23	8	2221
ABS MIN TMP (F)	-24	-18	-8	7	16	30	34	28	19	0	-4	-20	-24	8	2221
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.2	0.3	0.0	0.0	0.0	0.0	0.0	0.5	8	2303
MEAN NO DYS TMP = DR LES 32(F)	31.0	28.0	29.7	23.7	10.7	0.6	0.0	0.6	10.7	27.5	30.0	31.0	223.5	8	2221
MEAN NO DYS TMP = DR LES 0(F)	25.4	17.6	3.7	0.0	0.0	0.0	0.0	0.0	0.0	0.2	1.8	21.4	70.1	8	2271
MEAN DEW PT TMP (F)	14	11	4	10	19	31	39	38	24	12	1	7	18	8	14054
MEAN REL HUM (PCT)	41	35	29	31	34	42	44	46	39	41	42	47	39	8	13851
MEAN PRESS ALT (FT)	9259	9290	9321	9298	9311	9249	9301	9227	9158	9091	9163	9189		8	10323
MEAN PRECIP (IN)														0	0
MEAN SNOW FALL (IN)						0.0	0.0							0	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN						0.0	0.0							0	0
MEAN NO DYS SNFL = DR GTR 1.5 IN						0.0	0.0							8	-29
MEAN NO DYS W/O CUR VSBY LES 1/2 MI	0.2	0.6	1.3	0.7	0.2	0.0	0.2	0.0	0.0	0.1	0.0	0.2	3.5	8	2049
MEAN NO DYS TSMS	0.0	0.0	0.0	0.0	1.7	3.8	5.4	3.9	1.1	0.3	0.0	0.0	16.2	8	2118
P FREQ WND SPD = DR GTR 17 KTS	1.2	1.8	5.0	6.5	5.0	1.4	1.8	0.9	1.3	0.9	0.6	0.4	2.2	8	14299
P FREQ WND SPD = DR GTR 28 KTS	0.1	0.3	0.7	0.7	0.2	0.2	0.1	0.1	0.0	0.0	0.0	0.0	0.2	8	14299
P FREQ LES 5000 FT A/D LES 5 MI	9.8	9.2	18.1	18.6	14.5	17.3	13.6	13.3	8.0	7.6	6.0	7.0	11.9	8	14982
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	0.6	0.6	0.5	0.6	1.1	0.0	0.0	0.0	0.0	0.5	0.8	0.5	0.4	8	2271
03-05 LST	0.6	2.1	1.4	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.4	8	1882
06-08 LST	1.2	1.1	4.1	3.8	0.0	0.6	0.8	0.8	0.0	0.9	0.0	0.5	1.2	8	2273
09-11 LST	1.2	1.3	5.1	3.7	0.0	1.3	0.0	0.5	0.0	0.3	0.0	0.2	1.1	8	2085
12-14 LST	1.7	2.8	3.6	2.2	0.9	1.0	0.0	0.3	0.8	0.2	0.5	1.4	1.3	8	2260
15-17 LST	2.2	3.4	6.2	3.4	0.9	0.6	0.3	0.8	0.3	0.0	0.6	1.2	1.7	8	2171
18-20 LST	1.0	1.6	4.1	2.7	0.0	1.1	1.0	0.0	0.2	0.7	0.5	0.0	1.1	8	2353
21-23 LST	1.2	0.0	2.7	1.4	0.0	1.2	0.0	0.0	0.0	0.0	0.6	1.1	0.7	7	959
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.5	0.0	0.5	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.1	8	2271
03-05 LST	0.0	0.7	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	8	1882
06-08 LST	0.6	0.6	2.1	1.1	0.0	0.0	0.5	0.5	0.0	0.5	0.0	0.0	0.5	8	2273
09-11 LST	0.6	0.0	1.1	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	8	2085
12-14 LST	1.1	1.1	2.0	1.1	0.0	0.6	0.0	0.0	0.5	0.0	0.0	0.5	0.6	8	2260
15-17 LST	1.7	1.7	3.1	2.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	8	2171
18-20 LST	0.0	1.1	1.5	1.1	0.0	0.6	0.5	0.0	0.0	0.0	0.0	0.0	0.4	8	2353
21-23 LST	0.0	0.0	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	7	959

TEHLINGHA, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	06 LST	30.6	27.7	29.7	28.9	31.0	29.8	30.8	30.8	30.0	30.7	30.0	30.9	300.8	8	2273
	12 LST	30.5	27.2	29.9	29.3	30.8	29.8	31.0	31.0	29.9	31.0	29.8	30.6	300.8	8	2260
	18 LST	30.7	27.5	29.7	29.2	31.0	29.7	30.7	31.0	30.0	30.9	29.8	31.0	301.2	8	2353
	00 LST	30.8	27.8	30.8	29.8	30.7	30.0	31.0	31.0	30.0	30.9	29.8	30.9	303.5	8	2271
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	06 LST	26.8	21.7	21.8	22.7	24.4	23.3	25.3	25.9	25.2	25.7	22.9	25.4	291.1	8	2268
	12 LST	29.7	25.0	24.6	21.1	22.3	24.4	26.3	27.5	26.0	28.7	28.5	29.7	313.8	8	2248
	18 LST	28.1	22.6	22.3	17.4	19.0	20.6	20.2	25.5	24.8	27.3	28.0	28.7	284.5	8	2347
	00 LST	27.4	25.8	24.8	24.1	22.9	21.1	23.5	25.9	26.9	27.3	26.1	29.2	305.0	8	2265
SFC WND = GTR 17 KTS AND NO PRECIP.	06 LST	0.4	0.3	0.2	0.2	0.2	0.2	0.0	0.0	0.0	0.0	0.2	0.0	1.7	8	2285
	12 LST	0.5	0.5	2.4	3.4	2.4	0.0	0.8	0.5	0.7	0.6	0.3	0.3	12.4	8	2269
	18 LST	0.3	0.3	1.4	2.2	2.2	0.7	0.5	0.0	0.1	0.1	0.0	0.1	7.9	8	2369
	00 LST	0.2	0.0	0.3	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	8	2348
SFC WND 4-10 KTS AND THP 33-89 DEG F AND NO PRECIP.	06 LST	0.0	0.0	0.8	8.1	19.2	20.2	19.8	17.0	16.2	4.4	0.0	0.0	105.7	3	2274
	12 LST	0.4	3.0	15.2	15.0	16.3	15.7	15.7	15.8	16.0	14.9	7.5	1.0	136.5	8	2257
	18 LST	0.2	0.2	10.6	13.7	13.5	13.6	12.8	13.9	14.7	16.4	1.7	0.0	111.3	8	2357
	00 LST	0.0	0.0	2.7	9.8	15.7	14.9	18.2	18.8	15.7	7.6	0.5	0.0	103.9	8	2332
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	06 LST	20.6	16.1	11.5	10.1	12.4	11.5	12.7	12.4	15.4	17.7	16.8	21.4	178.6	8	2276
	12 LST	13.7	12.2	12.1	7.5	8.2	6.0	11.6	10.6	15.1	17.0	14.8	19.0	147.8	8	2272
	18 LST	19.2	14.2	9.7	8.1	7.1	6.4	10.8	12.4	14.4	18.5	21.3	22.4	164.5	8	2366
	00 LST	21.4	18.2	16.1	17.2	14.6	13.7	15.6	15.8	17.7	20.6	21.0	22.9	216.8	8	2279
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	06 LST	30.6	27.6	29.7	28.8	30.9	29.3	30.5	30.5	29.9	30.4	30.0	30.8	359.0	8	2273
	12 LST	30.3	27.1	29.8	29.1	30.3	29.0	30.5	30.2	29.4	30.5	29.8	30.6	356.6	8	2260
	18 LST	30.7	27.3	29.6	29.2	30.9	29.4	30.5	30.6	29.6	30.4	29.8	30.9	358.9	8	2353
	00 LST	30.7	27.8	30.8	29.8	30.7	29.9	30.7	30.9	30.0	30.7	29.7	30.9	362.6	8	2271
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	06 LST	28.7	26.2	26.4	25.9	27.9	23.7	28.4	27.3	28.0	28.4	29.0	29.2	331.1	8	2273
	12 LST	27.5	24.5	25.6	23.6	25.8	22.1	25.7	24.9	25.7	28.1	27.6	28.7	309.8	8	2260
	18 LST	27.8	24.9	24.9	23.6	26.6	24.7	24.7	25.6	26.4	28.1	29.2	29.4	315.9	8	2353
	00 LST	28.5	26.8	28.1	28.0	28.0	27.4	26.7	27.8	28.4	29.3	28.9	29.7	337.6	8	2271
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	06 LST	28.7	26.2	26.4	25.7	26.8	25.5	27.7	26.5	27.7	28.4	28.9	29.2	327.7	8	2273
	12 LST	27.5	24.5	25.6	23.6	25.3	21.9	25.1	24.6	25.5	28.0	27.6	28.7	307.9	8	2260
	18 LST	27.8	24.9	24.9	23.1	25.8	23.8	23.6	24.7	25.9	28.1	29.2	29.4	311.2	8	2353
	00 LST	28.5	26.8	28.1	28.0	27.8	27.1	26.2	27.3	28.4	29.3	28.9	29.7	336.1	8	2271

KARMU, CHINA

STA NO. 52818 (IN AREA NUMBER 02)	LATITUDE 3612N LONGITUDE 09438E ELEVATION(FT) 09350												PDR	NO.	
PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	(YRS)	OBS
ABS MAX TMP (F)	48	50	73	75	79	91	91	90	86	77	59	50	91	8	2440
MEAN MAX TMP (F)	29	37	49	59	66	72	78	75	68	54	41	31	55	8	2440
MEAN MIN TMP (F)	-4	2	15	28	37	46	51	49	39	23	9	-2	24	8	2422
ABS MIN TMP (F)	-29	-17	-15	10	21	27	36	30	25	-2	-11	-20	-29	8	2422
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.1	1.1	0.2	0.0	0.0	0.0	0.0	1.4	8	2440
MEAN NO DYS TMP = DR LES 32(F)	31.0	28.0	30.2	22.4	9.6	0.2	0.0	0.2	4.6	27.1	30.0	31.0	214.3	8	2422
MEAN NO DYS TMP = DR LFS 0(F)	22.7	11.6	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.1	2.8	19.4	58.2	8	2422
MEAN DEW PT TMP (F)	12	13	5	6	15	24	34	33	22	8	2	8	15	8	16503
MEAN REL HUM (PCT)	40	28	26	25	28	29	35	37	33	33	38	42	33	8	16253
MEAN PRESS ALT (FT)	9011	9033	9053	9023	9037	9007	9049	8976	8889	8841	8897	8943		8	11204
MEAN PRECIP (IN)							0.0	0.0						8	-29
MEAN SNOW FALL (IN)														8	0
MEAN NO DYS PRCP = DR GTR 0.1 IN							0.0	0.0						8	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN													4.4	8	2270
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.2	0.3	1.7	1.1	0.7	0.2	0.2	0.0	0.0	0.0	0.0	0.0	4.0	8	2376
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.2	1.2	0.0	0.7	1.1	0.6	0.1	0.1	0.0	4.0	8	16816
P FREQ WND SPD = DR GTR 17 KTS	0.1	0.3	2.1	1.8	3.0	2.0	2.0	0.8	0.6	0.2	0.2	0.1	1.1	8	16816
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.2	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0	8	16914
P FREQ LES 3000 FT A/O LES 5 MI	1.1	2.6	15.5	16.0	14.9	7.5	6.9	4.9	3.2	2.3	1.2	2.0	6.5	8	16914
P FREQ LES 1500 FT A/O LES 3 MI														8	2352
FOR 00-02 LST	1.1	0.6	9.7	10.2	6.6	2.5	3.0	1.5	0.3	0.5	0.0	0.5	3.0	8	1941
03-05 LST	0.0	0.7	7.3	5.1	0.7	2.0	3.6	1.1	0.0	0.5	0.6	1.1	1.9	8	2400
06-08 LST	0.0	0.6	5.0	6.1	4.2	2.0	1.1	1.0	0.0	0.9	0.0	0.0	1.7	8	2118
09-11 LST	0.6	1.3	6.2	8.4	2.4	2.3	0.6	2.3	0.0	1.6	0.9	0.5	2.3	8	2454
12-14 LST	0.0	1.7	8.6	4.5	2.6	1.3	0.0	0.9	0.5	0.4	0.0	1.8	1.9	8	2213
15-17 LST	1.7	2.3	8.5	4.9	4.3	1.2	0.6	0.0	0.6	0.0	1.0	1.4	2.2	8	2412
18-20 LST	0.0	1.1	9.5	5.6	4.0	1.6	2.0	1.0	0.0	0.0	0.0	0.5	2.1	8	1888
21-23 LST	0.6	0.0	8.6	9.5	6.3	2.8	1.4	0.6	0.0	0.0	0.6	0.6	2.6	7	1888
P FREQ LES 300 FT A/O LES 1 MI														8	2352
FOR 00-02 LST	0.0	0.0	3.2	0.5	1.9	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.6	8	1941
03-05 LST	0.0	0.0	0.7	1.3	0.0	0.7	0.7	0.0	0.0	0.0	0.6	0.0	0.3	8	2400
06-08 LST	0.0	0.0	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.3	8	2118
09-11 LST	0.0	0.0	1.7	1.8	0.0	0.0	0.0	0.0	0.0	0.5	0.4	0.0	0.4	8	2454
12-14 LST	0.0	0.6	2.0	0.5	0.0	1.1	0.0	0.0	0.5	0.4	0.0	0.0	0.4	8	2213
15-17 LST	0.6	1.2	2.5	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.4	8	2412
18-20 LST	0.0	0.6	3.5	2.6	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.6	8	1888
21-23 LST	0.0	0.0	1.4	1.5	1.4	0.7	0.7	0.0	0.0	0.0	0.6	0.0	0.3	7	1888

KARMU, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	0 LST	31.0	27.8	29.5	28.2	29.7	29.5	30.7	30.7	30.0	30.7	30.0	31.0	358.8	8	2400
	2 LST	31.0	27.5	28.3	28.7	30.2	29.7	31.0	30.7	29.9	30.9	30.0	30.5	358.4	8	2454
	4 LST	31.0	27.7	28.0	28.3	29.8	29.5	30.4	30.7	30.0	31.0	30.0	30.9	357.3	8	2412
	00 LST	30.6	27.8	28.0	26.9	29.0	29.3	30.1	30.5	30.0	30.8	30.0	30.9	353.9	8	2352
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	06 LST	29.1	24.4	24.7	23.4	22.2	20.4	23.9	25.5	27.4	28.2	28.1	28.1	305.4	8	2396
	12 LST	26.4	24.1	20.9	21.1	21.6	22.7	24.7	26.8	25.9	27.3	25.4	28.0	294.9	8	2445
	18 LST	30.5	26.6	25.5	25.1	23.7	24.9	24.3	28.1	29.2	30.4	28.7	29.8	326.8	8	2408
	00 LST	27.6	28.1	22.1	21.0	20.6	22.5	22.5	24.1	24.3	27.7	28.2	29.6	296.3	8	2350
SFC WND = GTR 17 KTS AND NO PRECIP.	06 LST	0.0	0.0	0.1	0.0	0.3	0.7	0.2	0.2	0.0	0.1	0.1	0.0	1.7	8	2451
	12 LST	0.0	0.2	0.8	0.2	0.3	0.5	0.2	0.3	0.3	0.0	0.0	0.0	2.8	8	2465
	18 LST	0.0	0.0	0.2	0.8	0.3	0.2	0.8	0.0	0.0	0.0	0.1	0.3	2.7	8	2475
	00 LST	0.0	0.0	1.0	0.5	1.4	0.6	1.1	0.2	0.1	0.0	0.0	0.0	4.9	8	2466
SFC WND 4-10 KTS AND THP 33-89 DEG F AND NO PRECIP.	06 LST	0.0	0.0	0.6	10.2	19.3	21.1	22.0	21.3	22.6	4.5	0.3	0.1	122.0	8	2430
	12 LST	2.0	9.0	17.8	20.7	22.0	17.7	19.1	18.9	20.8	22.5	14.7	2.5	187.7	8	2449
	18 LST	0.2	0.8	15.8	20.1	22.1	20.1	18.5	17.1	18.1	15.4	2.3	0.0	150.5	8	2449
	00 LST	0.0	0.0	2.4	12.4	18.2	20.0	18.8	21.5	22.2	9.8	0.3	0.0	125.6	8	2453
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	06 LST	18.1	12.7	11.7	7.5	8.7	9.2	11.5	11.1	13.3	16.8	16.2	20.1	156.9	8	2405
	12 LST	15.0	12.2	11.0	10.7	8.7	7.9	12.6	13.8	13.6	16.7	15.7	16.7	154.6	8	2464
	18 LST	13.1	7.1	6.6	6.3	6.8	7.4	11.2	12.1	13.2	16.6	16.8	19.3	136.5	8	2424
	00 LST	20.0	14.6	13.7	15.1	12.9	11.5	12.4	14.4	16.1	19.5	20.9	20.3	191.4	8	2355
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	06 LST	31.0	27.8	29.5	28.2	29.6	29.2	30.5	30.6	30.0	30.7	30.0	31.0	358.1	8	2400
	12 LST	31.0	27.5	28.2	28.4	30.0	29.4	30.9	30.6	29.8	30.6	29.8	30.5	356.7	8	2454
	18 LST	31.0	27.7	28.0	28.3	29.7	29.5	30.3	30.7	30.0	31.0	30.0	30.9	357.1	8	2412
	00 LST	30.6	27.8	28.0	26.9	28.9	29.2	30.1	30.5	29.8	30.8	29.9	30.9	353.4	8	2352
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	06 LST	30.8	27.8	29.3	28.2	28.2	27.2	28.8	27.9	28.6	30.2	29.6	31.0	347.6	8	2400
	12 LST	31.0	27.2	27.5	27.3	27.4	25.9	27.7	29.0	28.1	29.8	29.1	30.5	340.5	8	2454
	18 LST	30.7	27.2	27.4	27.2	28.4	26.6	27.9	27.5	27.9	30.3	29.6	30.6	341.3	8	2412
	00 LST	30.6	27.7	27.8	26.9	28.6	27.3	27.9	28.2	24.0	30.2	29.9	30.7	344.8	8	2352
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	06 LST	30.8	27.7	28.9	27.7	27.1	25.5	24.7	25.6	27.1	29.4	29.5	30.9	334.9	8	2400
	12 LST	31.0	27.2	27.4	27.0	27.1	25.3	26.3	27.9	26.3	29.4	29.1	30.5	334.5	8	2454
	18 LST	30.3	26.4	27.1	26.9	27.6	23.5	24.5	25.3	25.0	29.0	29.3	30.3	325.2	8	2412
	00 LST	30.3	27.3	27.8	26.6	28.0	25.8	25.3	25.3	27.1	29.8	29.9	30.6	333.8	8	2352

CHAHANWUSU, CHINA

STA NO. 52836 (IN AREA NUMBER 02)

LATITUDE 3620N

LONGITUDE 09802E

ELEVATION(FT) 11158

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	48	50	64	70	75	90	86	86	81	72	55	52	90	8	2371
MEAN MAX TMP (F)	26	30	42	52	59	65	72	70	62	49	37	29	49	8	2371
MEAN MIN TMP (F)	2	8	19	29	36	43	50	47	39	27	15	6	27	8	2358
ABS MIN TMP (F)	-27	-4	0	10	18	30	36	34	23	0	-8	-13	-27	8	2358
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.2	8	2371
MEAN NO DYS TMP = DR LES 32(F)	31.0	28.0	30.1	21.8	9.2	0.5	0.0	0.0	4.3	25.5	30.0	31.0	211.4	8	2358
MEAN NO DYS TMP = DR LES 0(F)	12.3	3.7	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.8	6.1	23.2	8	2358
MEAN DEW PT TMP (F)	9	6	0	8	14	26	35	33	22	9	0	7	14	8	15525
MEAN REL HUM (PCT)	41	38	32	31	32	41	42	44	39	37	38	40	38	8	15218
MEAN PRESS ALT (FT)	10293	10301	10299	10254	10250	10198	10235	10156	10091	10063	10157	10225		8	10542
MEAN PRECIP (IN)														0	0
MEAN SNOW FALL (IN)						0.0	0.0	0.0						8	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN						0.0	0.0	0.0						8	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN						0.0	0.0	0.0						8	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	0.0	0.0	2.0	0.9	0.8	0.0	0.0	0.3	0.0	0.0	0.0	0.0	4.0	8	1373
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	1.8	1.5	3.0	2.7	0.9	0.0	0.0	0.0	9.9	8	2271
P FREQ WND SPD = DR GTR 17 KTS	1.0	1.5	2.4	3.8	2.6	0.5	0.7	0.5	0.9	0.3	1.2	1.3	1.4	8	15882
P FREQ WND SPD = DR GTR 28 KTS	0.2	0.2	0.1	0.3	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	8	15882
P FREQ LES 5000 FT A/D LES 5 MI	6.8	7.0	20.1	20.0	20.6	18.7	17.3	13.8	9.6	5.6	4.6	4.0	12.3	8	13106
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	0.0	0.9	2.9	3.0	1.9	0.0	0.8	0.0	0.0	0.7	0.8	0.8	1.0	8	1410
03-05 LST	0.0	1.2	1.6	4.6	1.4	0.0	1.2	0.0	0.0	1.6	0.9	0.0	1.0	8	1116
06-08 LST	0.6	0.6	7.0	3.2	1.1	2.3	1.1	0.5	0.2	1.4	1.5	0.9	1.7	8	2305
09-11 LST	1.7	1.3	3.6	2.4	2.7	2.6	0.7	0.3	0.9	2.7	2.0	1.4	1.9	8	2083
12-14 LST	2.1	0.0	4.6	4.1	0.5	1.3	0.6	1.5	1.1	1.6	1.4	1.7	1.7	8	2412
15-17 LST	0.6	1.7	5.5	3.5	2.9	0.3	0.8	1.2	0.6	0.8	1.2	1.5	1.7	8	2138
18-20 LST	0.0	0.6	4.7	3.7	2.6	1.9	0.5	1.5	0.7	0.5	0.0	0.0	1.4	8	2140
21-23 LST	0.0	0.0	2.5	1.2	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.5	7	1170
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.0	0.0	1.0	2.0	0.0	0.0	0.0	0.0	0.0	0.7	0.8	0.8	0.4	8	1410
03-05 LST	0.0	0.0	0.0	1.5	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.0	0.2	8	1116
06-08 LST	0.0	0.0	2.0	2.1	0.0	0.0	0.0	0.5	0.0	0.5	0.0	0.5	0.5	8	2305
09-11 LST	0.0	0.7	1.2	0.6	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.3	8	2083
12-14 LST	1.0	0.0	1.0	0.5	0.0	0.0	0.0	0.5	0.0	0.4	0.0	0.0	0.3	8	2412
15-17 LST	0.0	1.2	2.2	1.2	1.2	0.0	0.6	0.0	0.6	0.0	0.0	1.5	0.7	8	2138
18-20 LST	0.0	0.6	1.0	0.5	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.3	8	2140
21-23 LST	0.0	0.0	0.0	1.2	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.3	7	1170

CHAHANWUSU, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS	
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	30.8	27.8	28.8	29.0	30.7	29.7	30.8	30.8	30.0	30.6	29.6	30.7	359.3	8	2305	
	13 LST	30.4	28.0	29.6	28.9	30.8	29.7	31.0	30.7	29.7	30.6	29.6	30.5	359.5	8	2412	
	19 LST	31.0	27.8	29.6	28.9	30.2	29.5	30.8	30.9	29.9	30.8	30.0	31.0	360.4	8	2140	
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	18.8	15.9	17.2	20.9	22.1	23.8	25.5	25.0	23.0	21.1	18.0	17.1	248.4	8	2301	
	13 LST	21.9	20.0	20.4	15.8	20.3	22.5	23.8	25.1	21.6	22.8	22.1	22.3	258.6	8	2407	
	19 LST	28.8	26.3	24.3	20.8	21.2	23.4	25.2	25.8	27.2	30.2	29.1	28.6	310.9	8	2135	
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.2	0.2	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.7	1.8	8	2361	
	13 LST	0.6	0.6	2.0	1.3	0.6	0.3	0.2	0.2	0.5	0.1	0.5	0.4	7.3	8	2430	
	19 LST	0.2	0.2	0.5	1.1	0.9	0.0	0.3	0.0	0.1	0.0	0.0	0.0	3.3	8	2465	
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	0.0	0.8	0.7	0.8	0.2	0.0	0.0	0.2	0.2	0.1	0.1	0.4	3.5	8	2353	
	13 LST	0.0	0.0	0.9	9.7	17.8	18.8	20.3	22.1	18.5	6.8	0.0	0.0	114.9	8	2341	
	19 LST	0.2	0.2	7.4	18.0	18.6	17.4	18.8	18.7	18.2	14.0	2.0	0.0	133.5	8	2439	
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	15.9	13.5	10.0	7.1	9.6	9.4	9.9	11.3	12.0	15.6	16.9	20.5	151.7	8	2309	
	13 LST	11.5	11.1	9.6	7.8	7.1	6.8	7.9	10.1	13.5	15.5	15.1	14.6	130.6	8	2433	
	19 LST	18.7	10.0	9.4	7.0	7.4	7.8	12.0	12.7	14.3	19.4	18.9	20.5	158.1	8	2159	
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	30.8	27.8	28.8	29.0	30.5	28.4	30.2	30.3	29.8	29.4	29.9	29.6	30.5	354.7	8	2412
	13 LST	30.2	28.0	29.5	28.5	30.3	28.7	30.3	29.8	29.5	30.8	30.0	31.0	357.8	8	2140	
	19 LST	31.0	27.8	29.6	28.9	30.1	28.8	30.5	29.8	29.5	30.8	30.0	31.0	361.3	8	1410	
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	30.6	27.1	28.5	28.1	28.8	24.5	27.2	27.4	27.2	29.5	29.3	30.4	338.6	8	2305	
	13 LST	29.4	27.3	27.4	25.3	23.4	22.2	21.7	23.0	25.7	28.1	29.0	30.3	312.8	8	2412	
	19 LST	30.3	26.3	27.9	26.4	26.3	24.9	24.8	26.4	27.2	29.4	29.3	31.0	330.2	8	2140	
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	31.0	26.5	29.8	28.8	29.6	28.3	28.6	28.7	27.7	30.3	29.8	30.8	349.9	8	1410	
	13 LST	30.6	27.1	28.4	27.9	27.8	24.0	26.8	27.0	26.6	29.2	29.3	30.4	335.1	8	2305	
	19 LST	29.4	27.3	27.2	25.3	23.1	21.9	21.6	22.8	25.4	28.1	29.0	30.3	311.4	8	2412	
	01 LST	31.0	26.5	29.5	28.5	29.6	28.0	28.1	28.7	26.7	30.3	29.8	30.8	347.5	8	1410	

CHILANTAI, CHINA

STA NO. 33502 (IN AREA NUMBER 02)

LATITUDE 39.49N LONGITUDE 105.30E ELEVATION(FT) 03749

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	48	61	73	88	93	100	102	99	91	82	62	50	102	8	2279
MEAN MAX TMP (F)	27	38	51	65	77	88	90	87	77	63	44	31	62	8	2279
MEAN MIN TMP (F)	1	9	24	37	50	61	66	63	51	35	20	7	35	8	2230
ABS MIN TMP (F)	-17	-17	-2	7	30	43	54	45	30	18	-4	-15	-17	8	2230
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	2.1	13.2	20.9	12.8	1.4	0.0	0.0	0.0	50.4	8	2279
MEAN NO DYS TMP = OR LES 32(F)	31.0	28.0	26.0	10.0	0.4	0.0	0.0	0.0	0.3	12.5	28.6	31.0	167.8	8	2230
MEAN NO DYS TMP = OR LES 0(F)	14.6	5.4	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	6.4	26.9	8	2230
MEAN DEW PT TMP (F)	5	0	10	20	31	43	53	52	39	24	10	1	24	8	15805
MEAN REL HUM (PCT)	47	44	36	34	33	36	46	48	44	43	46	49	42	8	15544
MEAN PRESS ALT (FT)	3093	3280	3507	3677	3858	4016	4099	3967	3741	3474	3272	3172	3596	8	15921
MEAN PRECIP (IN)														0	0
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0					0	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN					0.0	0.0	0.0	0.0	0.0					0	0
MEAN NO DYS SNFL = OR GTR 1.5 IN														8	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.9	1.1	1.6	3.1	1.5	1.1	0.3	0.0	0.4	0.1	0.0	0.6	10.7	8	2361
MEAN NO DYS TSTMS	0.0	0.0	0.3	0.8	1.0	3.9	7.5	5.5	2.7	0.1	0.0	0.0	21.8	8	2368
P FREQ WND SPD = OR GTR 17 KTS	2.4	4.5	8.1	8.8	7.6	5.3	5.3	3.1	2.4	1.5	3.5	3.3	4.7	8	16108
P FREQ WND SPD = OR GTR 28 KTS	0.1	0.3	0.6	1.1	0.9	0.5	0.1	0.0	0.1	0.1	0.0	0.3	0.3	8	16108
P FREQ LES 5000 FT A/D LES 5 MI	2.9	6.9	9.6	12.8	11.1	7.9	6.6	5.7	4.2	2.6	3.1	3.0	6.4	8	16540
P FREQ LES 1900 FT A/D LES 3 MI														8	2422
FOR 00-02 LST	1.0	1.7	0.5	1.5	2.5	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.6	8	1848
03-05 LST	0.0	0.0	0.0	4.0	1.5	0.8	0.8	0.7	0.0	0.0	0.0	0.5	0.7	8	1848
06-08 LST	1.1	3.0	2.0	4.7	3.1	0.3	0.5	1.2	0.9	0.4	2.2	0.4	1.7	8	2444
09-11 LST	0.6	3.3	6.9	7.9	3.0	2.0	0.7	0.0	0.6	1.2	0.5	1.9	2.4	8	2022
12-14 LST	4.1	5.0	8.3	8.2	5.0	1.5	1.0	0.5	0.5	0.9	2.7	3.6	3.4	8	2475
15-17 LST	2.1	5.0	7.5	11.4	3.2	3.8	0.6	0.0	0.6	0.6	1.0	2.0	3.2	8	2060
18-20 LST	1.5	2.2	2.0	8.7	6.4	2.6	3.6	0.0	0.9	0.0	0.4	0.9	2.4	8	2478
21-23 LST	0.9	2.7	2.2	3.7	3.9	1.5	1.5	0.0	0.0	0.6	0.7	0.0	1.5	6	1694
P FREQ LES 300 FT A/D LES 1 MI														8	2422
FOR 00-02 LST	1.0	0.6	0.5	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	8	2422
03-05 LST	0.0	0.0	0.0	1.3	0.7	0.8	0.8	0.0	0.0	0.0	0.0	0.0	0.3	8	1848
06-08 LST	0.5	1.1	1.5	1.1	2.1	0.0	0.0	0.5	0.0	0.0	0.4	0.0	0.6	8	2444
09-11 LST	0.0	0.7	2.9	3.9	1.2	2.0	0.0	0.0	0.0	0.0	0.0	0.5	0.9	8	2022
12-14 LST	2.1	1.7	4.4	5.7	1.5	0.5	0.0	0.0	0.5	0.4	0.4	1.8	1.6	8	2475
15-17 LST	0.7	1.3	2.7	5.7	1.9	1.9	0.6	0.0	0.0	0.6	0.5	1.5	1.3	8	2060
18-20 LST	1.0	1.6	1.0	4.1	5.4	1.0	1.0	0.0	0.9	0.0	0.4	0.0	1.4	8	2478
21-23 LST	0.9	1.8	0.7	2.2	3.1	1.5	0.7	0.0	0.0	0.6	0.7	0.0	1.0	6	1694

CHILANTAI, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	30.7	27.2	30.4	28.6	30.0	30.0	30.8	30.7	29.7	30.9	29.5	30.9	359.4	8	2444
	13 LST	29.7	26.6	28.4	27.5	29.5	29.5	30.7	30.9	29.9	30.7	29.2	29.9	352.5	8	2475
	19 LST	30.5	27.4	30.4	27.4	29.0	29.2	29.9	31.0	29.7	31.0	29.9	30.7	356.1	8	2478
	01 LST	30.7	27.5	30.9	29.5	30.2	30.0	31.0	31.0	29.9	31.0	30.0	31.0	362.7	8	2422
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	07 LST	22.5	20.4	22.0	21.4	18.3	22.1	21.9	22.2	24.0	25.8	21.9	23.7	266.2	8	2437
	13 LST	17.0	13.5	14.9	15.9	17.3	17.4	19.6	17.7	18.8	20.1	13.2	16.5	201.9	8	2471
	19 LST	24.9	23.4	20.3	19.5	16.3	15.2	15.4	17.1	22.1	27.2	24.6	26.1	252.1	8	2470
	01 LST	25.2	22.8	22.0	24.3	22.5	25.3	25.0	25.3	25.6	27.0	23.4	25.4	293.8	8	2415
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.2	0.5	1.2	1.7	2.1	0.7	0.3	0.5	0.4	0.1	0.7	0.8	9.2	8	2445
	13 LST	1.9	3.1	4.6	4.2	2.9	3.2	2.9	1.2	1.4	0.8	2.7	2.5	31.4	8	2477
	19 LST	0.9	0.5	1.4	1.8	2.1	1.5	1.7	1.2	0.4	0.3	0.3	0.5	12.6	8	2480
	01 LST	0.2	0.2	1.4	1.1	0.3	0.0	0.5	0.6	0.1	0.3	0.1	0.4	5.2	8	2435
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	0.0	0.2	3.8	15.2	16.1	18.6	18.3	19.2	20.0	15.5	1.6	0.0	128.5	8	2430
	13 LST	0.6	7.4	13.0	14.8	16.3	10.7	10.0	12.5	17.9	18.8	11.4	4.7	138.1	8	2457
	19 LST	0.6	4.4	17.0	20.3	18.4	15.3	12.5	15.0	19.8	19.9	9.8	0.5	153.5	8	2465
	01 LST	0.0	0.2	8.9	17.9	18.4	18.6	17.4	18.0	20.4	15.4	3.1	0.0	138.3	8	2423
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	21.4	17.9	13.2	13.6	12.9	14.3	11.0	14.1	17.4	19.3	17.0	20.3	192.4	8	2445
	13 LST	19.6	16.9	13.3	12.4	10.6	11.0	10.9	12.7	16.1	19.5	17.5	20.5	181.0	8	2479
	19 LST	23.1	20.3	14.0	11.0	8.9	11.6	11.3	14.2	17.0	20.7	22.0	24.3	198.4	8	2478
	01 LST	23.7	20.3	19.3	17.8	16.3	17.1	16.1	19.2	18.5	21.7	21.2	22.8	234.0	8	2433
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	30.7	27.1	30.3	28.5	30.0	29.7	30.8	30.6	29.6	30.8	29.2	30.9	358.2	8	2444
	13 LST	29.7	26.5	28.4	27.5	29.3	29.5	30.7	30.8	29.8	30.7	29.2	29.9	352.0	8	2475
	19 LST	30.5	27.3	30.3	27.3	29.0	29.2	29.9	30.9	29.6	30.9	29.8	30.7	355.4	8	2478
	01 LST	30.7	27.5	30.9	29.5	30.2	30.0	31.0	30.9	29.8	30.9	29.9	30.9	362.2	8	2422
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	30.5	26.8	29.9	27.9	28.9	28.3	29.9	29.1	28.3	30.3	28.7	30.5	349.1	8	2444
	13 LST	29.4	26.1	27.4	26.0	28.1	26.5	27.1	28.3	28.4	30.1	28.8	29.6	335.8	8	2475
	19 LST	30.5	27.2	29.8	26.5	27.5	27.2	28.0	27.6	27.9	30.6	29.5	30.3	342.6	8	2478
	01 LST	30.7	27.5	30.7	29.1	29.0	28.7	29.3	29.6	28.7	30.5	29.7	30.7	354.2	8	2422
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	30.5	26.8	29.3	27.6	28.9	28.3	29.7	28.6	27.4	30.2	28.7	30.5	346.5	8	2444
	13 LST	29.4	26.1	27.4	26.0	28.1	26.0	26.3	27.9	27.8	29.9	28.7	29.6	333.2	8	2475
	19 LST	30.5	27.2	29.8	26.5	27.3	26.6	27.0	27.0	27.5	30.3	29.5	30.3	339.5	8	2478
	01 LST	30.7	27.5	30.7	29.1	29.0	28.4	28.6	29.0	28.4	30.3	29.7	30.7	352.1	8	2422

YINCHUAN/YINCHWA, CHINA

STA NO. 53614 (IN AREA NUMBER 02)

LATITUDE 3825N

LONGITUDE 10616E

ELEVATION(FT) 03658

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	54	63	73	86	90	102	99	95	88	81	63	50	102	8	2458
MEAN MAX TMP (F)	29	40	53	66	75	84	86	83	74	62	44	33	61	8	2458
MEAN MIN TMP (F)	4	12	26	37	48	58	64	61	51	37	24	12	36	8	2486
ABS MIN TMP (F)	-9	-11	3	18	28	39	55	45	32	21	5	-6	-11	8	2486
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.2	6.3	10.8	6.2	0.0	0.0	0.0	0.0	23.5	8	2458
MEAN NO DYS TMP = DR LES 32(F)	31.0	27.8	26.1	9.7	0.2	0.0	0.0	0.0	0.1	11.0	26.8	31.0	163.7	8	2486
MEAN NO DYS TMP = DR LES 0(F)	11.8	3.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	17.3	8	2486
MEAN DEW PT TMP (F)	1	7	19	29	38	50	60	59	48	35	22	10	32	8	16827
MEAN REL HUM (PCT)	56	49	50	47	46	52	64	69	65	63	66	65	58	8	16552
MEAN PRESS ALT (FT)	2983	3164	3385	3559	3709	3848	3946	3808	3593	3337	3169	3079	3465	8	16872
MEAN PRECIP (IN)	0.05	0.00	0.11	0.60	0.69	0.97	1.22	1.14	1.02	0.01	0.03	0.00	5.8	2	-181
MEAN SNOW FALL (IN)						0.0	0.0	0.0	0.0					8	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	1.3	0.0	0.9	2.9	3.2	3.5	4.0	3.8	3.4	0.3	0.3	0.0	23.6	2	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN						0.0	0.0	0.0	0.0					8	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	0.5	0.8	0.5	0.5	0.0	0.0	0.0	0.1	0.1	0.3	0.8	0.3	4.0	8	2432
MEAN NO DYS TSTMS	0.2	0.0	0.3	1.4	1.1	2.4	7.2	4.9	2.8	0.0	0.0	0.0	20.3	8	2435
P FREQ WND SPD = DR GTR 17 KTS	1.9	2.3	2.3	3.1	1.5	1.2	0.6	0.1	0.2	0.3	1.1	1.6	1.4	8	17103
P FREQ WND SPD = DR GTR 28 KTS	0.3	0.2	0.0	0.1	0.1	0.1	0.1	0.0	0.0	0.0	0.1	0.1	0.1	8	17103
P FREQ LES 5000 FT A/D LES 5 MI	3.6	6.3	6.9	8.2	5.6	5.1	4.9	6.7	5.5	3.3	3.4	3.3	5.2	8	17385
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	1.5	0.8	1.0	0.8	0.5	0.5	0.0	0.5	0.7	0.0	0.5	0.9	0.6	8	2483
03-05 LST	2.4	1.0	1.8	1.7	0.7	0.7	0.0	0.6	0.9	0.0	1.0	1.0	1.0	8	2022
06-08 LST	2.6	2.4	2.4	3.5	0.0	0.8	0.0	1.7	0.2	1.9	2.2	0.9	1.6	8	2474
09-11 LST	1.8	3.2	4.4	1.8	0.6	0.3	0.0	1.8	0.9	1.1	1.5	1.9	1.6	8	2099
12-14 LST	1.5	4.6	2.7	2.5	0.8	1.1	0.0	0.5	0.7	0.7	0.9	1.7	1.5	8	2508
15-17 LST	1.5	3.6	2.6	3.4	0.3	0.9	0.0	0.8	0.9	0.5	0.5	0.9	1.3	8	2211
18-20 LST	1.5	2.7	1.3	2.1	0.3	0.3	0.0	0.7	0.2	0.0	0.9	0.4	0.9	8	2507
21-23 LST	2.0	0.0	1.8	3.1	0.0	0.7	0.0	0.6	0.3	0.6	1.2	1.2	1.0	6	1818
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.5	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.1	8	2483
03-05 LST	1.8	0.7	0.6	0.7	0.0	0.0	0.0	0.6	0.6	0.0	1.0	1.0	0.6	8	2022
06-08 LST	1.0	1.6	0.0	1.5	0.0	0.0	0.0	0.5	0.0	1.3	2.2	0.4	0.7	8	2474
09-11 LST	1.2	0.6	0.0	0.6	0.0	0.0	0.0	0.6	0.0	1.1	0.5	1.4	0.5	8	2099
12-14 LST	1.5	1.6	1.0	1.5	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.4	0.5	8	2508
15-17 LST	0.6	2.2	0.5	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.5	0.5	8	2211
18-20 LST	1.0	1.6	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.3	8	2507
21-23 LST	0.0	0.0	0.0	0.8	0.0	0.7	0.0	0.0	0.0	0.0	0.6	0.0	0.2	6	1818

YINCHUAN/YINCHWA, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	30.2	27.4	30.3	28.9	31.0	29.8	31.0	30.7	30.0	30.5	29.3	30.7	359.8	8	2474
	13 LST	30.5	27.0	30.2	29.2	30.8	29.7	31.0	31.0	30.0	30.9	29.7	30.5	360.5	8	2508
	19 LST	30.5	27.4	30.7	29.4	31.0	30.0	31.0	30.9	30.0	31.0	29.7	30.9	362.5	8	2507
	01 LST	30.5	27.8	30.7	29.8	30.9	29.8	31.0	31.0	30.0	31.0	29.9	30.7	363.1	8	2483
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/S WIND LES 10 KTS	07 LST	29.1	25.2	28.9	25.5	26.1	28.2	29.5	29.1	29.2	29.7	28.3	29.5	338.3	8	2465
	13 LST	27.9	24.0	24.8	23.3	25.1	24.0	28.4	27.7	27.8	28.3	26.2	28.6	316.1	8	2502
	19 LST	27.7	25.0	28.2	25.8	27.3	27.3	28.2	30.0	29.1	30.1	28.0	28.6	335.3	8	2503
	01 LST	28.8	26.0	27.6	27.1	26.2	28.2	29.0	30.0	28.6	29.7	28.4	29.0	338.6	8	2481
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.3	0.4	0.1	0.9	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.1	2.0	8	2470
	13 LST	1.4	0.7	2.3	2.0	0.8	0.8	0.2	0.0	0.0	0.0	1.2	1.1	10.5	8	2514
	19 LST	0.6	0.7	0.2	0.5	0.0	0.2	0.2	0.0	0.0	0.0	0.3	0.7	3.4	8	2512
	01 LST	0.3	0.3	0.3	0.3	0.2	0.2	0.2	0.0	0.0	0.0	0.1	0.4	2.3	8	2490
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	0.2	0.3	4.9	12.9	17.7	15.2	12.9	9.2	8.6	7.8	2.5	0.3	92.5	8	2449
	13 LST	2.3	10.8	17.5	19.1	20.0	16.8	16.6	17.5	17.2	17.1	11.8	6.2	172.9	8	2492
	19 LST	0.3	2.9	14.8	14.5	15.9	14.3	12.7	9.9	8.6	8.3	6.9	0.8	109.9	8	2488
	01 LST	0.3	0.9	9.1	13.3	14.6	13.8	14.1	12.2	13.3	11.7	4.0	0.4	107.7	8	2484
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	20.1	16.7	12.7	11.1	13.5	13.4	12.1	13.6	14.4	16.7	16.3	20.5	181.1	8	2479
	13 LST	19.7	15.8	13.7	12.3	10.8	11.7	10.6	11.9	13.3	17.7	16.7	18.4	172.6	8	2510
	19 LST	22.7	19.0	13.2	10.7	9.9	10.2	11.5	12.9	15.8	20.0	21.1	23.8	190.8	8	2516
	01 LST	22.9	18.8	17.7	17.5	16.8	17.1	16.9	17.8	18.7	19.3	20.3	23.7	227.5	8	2491
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	30.2	27.2	30.2	28.9	30.7	29.3	30.7	30.0	29.5	30.3	29.2	30.7	356.9	8	2474
	13 LST	30.3	26.5	30.0	29.2	30.5	29.6	30.9	30.5	29.4	30.7	29.6	30.4	357.8	8	2508
	19 LST	30.5	27.1	30.4	29.1	30.6	29.8	31.0	30.6	29.7	30.9	29.7	30.9	360.3	8	2507
	01 LST	30.5	27.6	30.7	29.6	30.8	29.8	30.9	30.6	29.5	30.9	29.9	30.7	361.5	8	2483
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	29.9	26.1	28.6	28.0	29.2	27.9	28.7	27.4	27.8	29.5	28.0	30.2	341.3	8	2474
	13 LST	30.1	25.5	28.3	27.1	27.9	27.6	28.1	26.7	27.6	29.5	28.1	29.8	336.3	8	2508
	19 LST	30.2	26.5	28.3	26.9	28.5	27.5	27.4	27.4	27.0	29.4	28.6	30.3	338.0	8	2507
	01 LST	30.5	26.8	29.6	29.1	29.1	28.9	28.6	28.8	27.8	30.1	29.2	30.2	348.7	8	2483
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	29.7	26.1	28.4	27.7	28.9	27.6	28.4	26.8	27.6	29.5	27.8	30.2	338.7	8	2474
	13 LST	30.1	25.5	28.0	27.1	27.9	27.3	27.8	26.4	27.6	29.4	28.0	29.6	334.7	8	2508
	19 LST	30.1	26.4	27.9	26.9	28.4	27.3	26.0	26.5	26.8	29.3	28.2	30.3	334.1	8	2507
	01 LST	30.5	26.5	29.4	29.1	28.8	28.8	28.0	28.2	27.6	29.8	28.9	30.2	345.8	8	2483

AREA 02

PARAMETER DESCRIPTION	CHINA		WESTERN DESERT				LATITUDE 4000N		LONGITUDE 09200E					
	BOUNDARIES		4200N 08010E	4400N 09525E	3600N 07900E	3600N 10000E	3600N 10000E	3800N 10400E	3600N 10000E	3600N 10000E	3800N 10400E	3800N 10400E		
	3800N 10400E	3800N 10400E	3800N 10700E	3800N 10700E	3800N 10700E	4130N 10500E	3800N 10400E	3800N 10400E	3800N 10400E	3800N 10400E	3800N 10400E	3800N 10400E		
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	
MEAN MAX TMP (F)	28	38	53	65	73	82	86	83	76	62	44	32	50	
MEAN MIN TMP (F)	2	10	25	27	46	55	60	58	48	33	19	7	33	
LARGEST MEAN PRECIP(IN)	0.45	0.38	0.30	0.60	0.70	1.34	1.22	1.14	1.02	0.30	0.27	0.25	8.0	
SMALLEST MEAN PRECIP(IN)	0.01	0.00	0.00	0.00	0.00	0.14	0.03	0.14	0.05	0.00	0.00	0.00	0.4	
	MEAN NUMBER OF DAYS													
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	06 LST	30.5	27.3	29.6	27.8	29.4	29.0	30.2	30.4	29.3	30.6	29.8	30.5	354.6
	12 LST	30.1	27.2	28.8	27.5	29.2	28.9	30.2	30.2	29.3	30.5	29.6	30.5	352.1
	18 LST	30.3	27.4	28.7	27.4	29.0	28.8	30.2	30.3	29.2	30.4	29.7	30.8	352.2
	00 LST	30.6	27.6	29.5	28.1	29.5	29.2	30.6	30.6	29.4	30.7	29.8	30.6	356.2
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	06 LST	27.5	24.2	25.0	23.0	23.2	24.0	25.8	26.2	26.1	27.8	26.8	27.3	306.9
	12 LST	25.7	22.3	20.8	18.5	20.8	21.7	23.6	24.1	23.5	24.9	24.4	26.2	276.5
	18 LST	27.8	24.5	22.6	19.0	19.5	20.0	22.1	23.4	24.4	27.4	27.2	28.6	286.5
	00 LST	27.7	25.0	25.0	23.2	23.6	24.3	25.5	26.2	26.0	28.0	27.0	28.0	309.5
SFC WND = GTR 17 KTS AND NO PRECIP.	06 LST	0.3	0.4	0.6	0.8	1.0	0.6	0.4	0.3	0.3	0.2	0.3	0.2	5.4
	12 LST	0.8	1.0	2.0	2.4	1.9	1.0	0.8	0.7	0.7	0.8	1.0	0.8	13.9
	18 LST	0.4	0.4	1.3	2.0	2.0	1.6	1.1	0.9	0.6	0.4	0.2	0.3	11.2
	00 LST	0.3	0.2	0.8	1.0	1.1	0.6	0.5	0.4	0.4	0.3	0.2	0.2	6.0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	06 LST	0.1	0.5	6.4	12.6	15.9	16.0	15.2	14.8	14.8	10.2	1.6	0.1	108.2
	12 LST	1.3	8.3	16.4	17.4	17.4	15.7	14.5	13.7	18.0	18.4	11.9	3.8	158.8
	18 LST	0.5	5.6	15.6	15.9	15.5	13.2	11.7	13.4	14.7	14.3	6.5	0.9	127.8
	00 LST	0.1	1.3	9.5	13.9	15.7	15.8	15.1	15.1	15.4	12.0	2.9	0.1	116.9
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	06 LST	19.1	16.4	13.2	10.3	11.1	12.2	12.4	14.0	16.8	20.6	18.2	19.5	183.8
	12 LST	14.8	13.0	10.9	9.9	10.4	11.9	12.9	14.6	17.3	19.0	15.0	15.3	165.0
	18 LST	15.8	12.8	9.4	7.6	8.6	9.5	11.9	13.7	16.5	18.8	17.3	17.8	159.7
	00 LST	20.0	17.3	15.7	14.5	14.7	15.8	15.5	17.3	19.0	22.7	20.1	20.0	212.6
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	06 LST	30.4	27.5	29.5	27.8	29.3	28.9	30.0	30.3	29.2	30.6	29.8	30.4	353.7
	12 LST	30.0	27.1	28.8	27.4	29.0	28.8	30.1	30.0	29.2	30.4	29.5	30.3	350.6
	18 LST	30.2	27.3	28.6	27.4	28.9	28.7	30.1	30.1	29.1	30.4	29.7	30.7	351.2
	00 LST	30.5	27.6	29.5	28.1	29.5	29.2	30.5	30.5	29.3	30.6	29.7	30.5	355.5
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	06 LST	29.9	27.0	29.0	26.9	28.0	27.3	28.2	28.5	28.3	30.1	29.4	30.0	342.6
	12 LST	29.4	26.5	27.9	26.0	26.9	26.6	27.5	27.8	28.0	29.8	28.9	29.8	335.1
	18 LST	29.5	26.6	27.6	26.0	26.5	25.5	26.8	27.3	27.8	29.7	29.2	30.2	332.7
	00 LST	30.1	27.2	29.0	27.4	28.2	27.5	28.0	28.5	28.4	30.3	29.4	30.2	344.2
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	06 LST	29.8	26.9	28.9	26.7	27.5	26.9	27.5	27.8	27.9	30.0	29.2	30.0	339.1
	12 LST	29.3	26.4	27.8	25.9	26.7	26.2	27.1	27.3	27.8	29.7	28.9	29.7	332.8
	18 LST	29.3	26.4	27.5	25.7	26.1	24.8	25.9	26.7	27.5	29.6	29.0	30.0	328.5
	00 LST	30.0	27.0	29.0	27.3	27.8	27.0	27.4	28.0	28.1	30.2	29.3	30.2	341.3

WUCHIAOLING/WOUS, CHINA

STA NO. 52787 (IN AREA NUMBER 03)

LATITUDE 3711N LONGITUDE 10305E ELEVATION(FT) 09970

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. ORS
ABS MAX TMP (F)	41	43	59	68	68	73	73	73	70	64	50	41	73	8	2472
MEAN MAX TMP (F)	20	25	35	43	50	58	62	60	53	44	31	26	42	8	2472
MEAN MIN TMP (F)	0	4	15	24	32	40	45	43	35	25	12	6	23	8	2422
ABS MIN TMP (F)	-22	-15	-8	-13	16	25	36	28	21	3	-6	-10	12	8	2422
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2472
MEAN NO DYS TMP = DR LES 32(F)	31.0	28.0	30.8	25.8	16.3	1.9	0.0	0.4	7.8	28.0	30.0	31.0	231.0	8	2422
MEAN NO DYS TMP = DR LES 0(F)	17.1	7.9	1.7	0.2	0.0	0.0	0.0	0.0	0.0	0.0	2.4	5.9	35.2	8	2422
MEAN DEW PT TMP (F)	11	5	3	14	22	32	41	40	31	18	4	6	19	8	17074
MEAN REL HUM (PCT)	45	49	48	52	54	57	67	69	65	60	56	45	56	8	16785
MEAN PRESS ALT (FT)	9845	9839	9835	9765	9740	9699	9726	9645	9602	9588	9696	9790		8	12293
MEAN PRECIP (IN)	0.08	0.29	0.89	1.33	2.12	2.45	3.36	4.84	3.39	0.85	0.37	0.14	20.1	5	-182
MEAN SNOW FALL (IN)							0.0							8	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	1.5	2.6	4.0	5.5	7.8	6.4	8.0	10.2	10.7	2.8	1.3	1.8	62.6	5	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN							0.0							8	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	0.3	1.9	2.8	4.0	2.7	2.2	4.5	4.8	3.6	4.7	2.0	0.3	33.8	8	2413
MEAN NO DYS TSTMS	0.0	0.0	0.2	1.8	4.5	11.2	13.0	13.2	8.3	2.4	0.0	0.0	54.6	8	2410
P FREQ WND SPD = DR GTR 17 KTS	5.4	4.4	10.8	13.2	10.3	4.2	3.0	2.6	3.5	3.3	2.6	2.6	5.5	8	17456
P FREQ WND SPD = DR GTR 28 KTS	0.1	0.2	0.7	0.2	0.2	0.0	0.2	0.0	0.1	0.1	0.1	0.0	0.2	8	17456
P FREQ LES 5000 FT A/D LES 5 MI	3.7	9.6	16.0	22.3	20.9	16.1	23.4	22.2	21.1	16.7	9.1	2.4	15.3	8	17515
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	0.5	4.2	5.5	10.0	7.7	2.6	6.7	7.7	9.0	8.7	4.4	0.4	5.6	8	2472
03-05 LST	0.5	3.9	6.2	8.5	10.6	3.0	6.4	11.8	9.0	9.3	4.2	1.0	6.2	8	2244
06-08 LST	1.0	3.8	6.3	8.7	7.9	5.2	4.6	7.7	7.0	7.9	3.5	0.4	5.3	8	2428
09-11 LST	0.5	3.9	3.4	5.9	4.1	3.8	5.8	6.2	5.3	3.7	3.9	0.5	3.9	8	2272
12-14 LST	1.5	2.8	4.7	8.1	6.7	4.2	5.0	4.4	4.8	5.4	3.0	0.4	4.3	8	2447
15-17 LST	2.3	7.6	6.5	12.6	8.9	4.2	4.8	6.0	6.0	10.6	4.6	1.8	6.3	8	2329
18-20 LST	4.5	8.5	10.9	16.3	8.4	1.1	4.7	8.0	6.1	9.3	5.9	1.3	7.1	8	2493
21-23 LST	1.0	4.9	12.6	9.7	6.7	1.9	3.5	6.4	6.2	7.2	3.1	2.4	5.5	6	1791
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.0	2.2	3.0	6.0	3.0	2.1	4.4	5.7	6.6	5.4	2.7	0.4	3.5	8	2472
03-05 LST	0.5	3.4	4.3	3.8	5.7	2.4	4.1	8.1	7.2	6.2	1.4	0.0	3.9	8	2244
06-08 LST	0.0	2.2	2.9	4.7	3.2	2.9	3.2	5.4	5.0	7.0	0.9	0.0	3.1	8	2428
09-11 LST	0.0	1.2	0.5	2.2	1.1	2.5	2.9	4.3	3.3	1.5	1.8	0.0	1.8	8	2272
12-14 LST	1.0	0.0	0.5	2.1	2.1	2.2	2.6	2.4	2.7	3.0	0.9	0.4	1.7	8	2447
15-17 LST	1.5	2.2	2.5	5.9	3.4	1.1	1.6	2.6	3.2	4.4	2.8	0.0	2.6	8	2329
18-20 LST	3.0	2.8	5.1	6.1	4.4	0.0	3.1	4.2	2.7	3.5	3.1	0.0	3.2	8	2493
21-23 LST	0.7	0.8	2.9	3.6	1.5	1.5	2.8	4.0	4.3	4.2	0.6	1.2	2.3	6	1791

WUCHIAOLING/WOUS, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. QBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	30.7	26.9	29.1	27.5	28.8	28.6	29.7	29.3	28.1	28.6	29.3	30.9	347.5	8	2428
	13 LST	30.5	27.4	29.8	28.0	29.0	28.8	29.9	29.8	28.9	29.5	29.6	30.9	352.1	8	2447
	19 LST	29.6	25.8	27.9	25.4	28.9	30.0	30.0	29.3	28.7	28.3	28.4	30.6	342.9	8	2493
	01 LST	30.8	26.9	29.3	27.0	29.0	29.2	29.2	28.9	27.4	28.4	28.7	30.9	345.7	8	2472
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	20.7	19.5	19.0	16.8	17.3	19.3	22.1	20.6	20.5	22.6	21.4	22.9	242.7	8	2419
	13 LST	8.5	9.4	7.6	7.9	8.6	9.7	13.1	12.3	10.3	12.6	14.3	12.5	126.8	8	2442
	19 LST	16.5	15.0	11.1	11.0	14.2	17.2	17.8	18.4	17.8	17.7	17.2	21.8	195.7	8	2489
	01 LST	21.8	18.7	18.1	14.0	16.7	20.1	20.0	20.6	20.0	20.8	20.8	24.5	236.1	8	2469
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.5	0.2	1.2	1.0	1.2	0.5	0.2	0.3	0.5	0.4	0.1	0.7	6.8	8	2431
	13 LST	1.7	1.1	2.4	2.6	3.6	0.7	0.5	0.7	1.0	0.8	0.4	0.8	16.3	8	2453
	19 LST	0.3	0.2	3.9	2.0	2.1	0.6	0.2	0.1	0.4	0.9	0.7	0.3	11.7	8	2505
	01 LST	0.5	0.2	1.5	1.3	0.9	0.6	0.2	0.0	0.6	0.7	0.1	0.6	6.5	8	2485
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	0.0	0.0	0.9	5.0	9.3	10.9	10.3	10.4	10.2	4.1	0.1	0.1	61.3	8	2406
	13 LST	0.2	0.9	5.9	7.2	7.5	7.7	11.7	12.6	10.6	12.3	6.1	2.7	85.4	8	2439
	19 LST	0.0	0.0	1.9	6.6	10.8	12.7	12.5	12.7	10.1	6.1	0.1	0.0	73.5	8	2484
	01 LST	0.0	0.0	0.5	3.6	7.0	10.5	12.1	11.0	10.9	4.1	0.0	0.0	59.7	8	2468
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	20.7	17.5	10.4	9.2	10.0	8.4	11.0	11.1	11.5	16.2	17.6	21.6	165.2	8	2440
	13 LST	16.7	11.9	9.1	6.2	5.4	2.9	4.4	5.8	6.6	11.0	14.7	18.3	113.0	8	2455
	19 LST	17.3	12.4	8.4	4.5	4.3	3.4	5.1	6.9	8.4	14.8	16.4	20.8	122.7	8	2511
	01 LST	21.0	18.4	14.8	12.5	13.5	11.9	12.7	13.6	12.3	16.5	18.7	23.8	191.7	8	2484
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	30.6	26.9	29.0	27.3	28.2	28.2	29.3	27.9	27.5	28.5	28.5	30.9	342.8	8	2428
	13 LST	30.5	26.9	29.2	27.0	28.6	28.6	28.7	29.0	27.8	29.0	28.4	30.9	344.6	8	2447
	19 LST	29.5	25.4	27.1	24.8	27.9	29.3	28.9	27.6	27.3	27.6	27.9	30.5	333.8	8	2493
	01 LST	30.8	26.7	29.2	27.0	28.3	29.2	28.6	28.1	27.0	28.1	28.7	30.8	342.5	8	2472
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	30.5	26.8	28.9	26.8	26.5	25.5	25.5	25.1	25.2	26.7	28.1	30.9	326.5	8	2428
	13 LST	30.1	24.9	27.2	22.1	20.4	15.8	17.5	18.2	18.2	24.8	26.9	29.9	276.0	8	2447
	19 LST	29.4	23.6	24.1	20.6	19.9	16.9	16.0	18.6	17.5	24.0	27.0	30.5	268.1	8	2493
	01 LST	30.7	26.6	28.8	26.0	26.0	25.2	23.4	25.1	22.7	26.6	28.1	30.7	319.9	8	2472
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	30.5	26.8	28.9	26.4	26.5	23.5	25.5	25.1	25.2	26.7	28.1	30.9	326.5	8	2428
	13 LST	30.1	24.9	27.2	22.1	20.4	15.8	17.4	18.2	18.2	24.8	26.9	29.9	275.9	8	2447
	19 LST	29.4	23.6	24.1	20.6	19.9	16.7	16.0	18.6	17.4	24.0	27.0	30.5	267.8	8	2493
	01 LST	30.7	26.5	28.8	26.0	26.0	23.2	23.4	25.1	22.7	26.6	28.1	30.7	319.9	8	2472

CHIA-LU-YA, CHINA

STA NO. 52856 (IN AREA NUMMER 03) LATITUDE 362JN LONGITUDE 10046E ELEVATION(FT) 11486

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	46	50	72	77	75	82	86	84	79	66	57	43	86	8	2480
MEAN MAX TMP (F)	29	36	48	58	62	67	72	70	64	53	41	32	53	8	2480
MEAN MIN TMP (F)	-3	3	15	28	36	43	48	45	38	25	11	-1	24	8	2451
ABS MIN TMP (F)	-20	-9	-9	7	16	30	34	30	21	-6	-8	-15	-20	8	2451
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2480
MEAN NO DYS TMP = DR LES 32(F)	31.0	28.0	30.7	22.4	9.9	0.6	0.0	0.1	7.7	24.1	30.0	31.0	215.5	8	2451
MEAN NO DYS TMP = DR LES 0(F)	21.5	11.4	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.3	2.0	20.1	56.2	8	2451
MEAN DEW PT TMP (F)	13	8	0	15	26	37	46	44	35	21	5	7	21	8	16381
MEAN REL HUM (PCT)	37	35	32	40	49	55	64	65	61	56	48	43	49	8	16364
MEAN PRESS ALT (FT)	12433	12287	12035	12237	12585	12992	12958	12964	12904	12860	12857	12716		8	11073
MEAN PRECIP (IN)														0	0
MEAN SNOW FALL (IN)						0.0	0.0	0.0						0	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN														0	0
MEAN NO DYS SNFL = DR GTR 1.5 IN						0.0	0.0	0.0						8	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.4	0.3	0.7	0.4	0.0	0.0	0.0	0.6	0.0	0.2	0.0	0.0	2.6	8	1911
MEAN NO DYS TSTMS	0.2	0.0	0.2	2.3	5.4	10.7	13.7	11.7	8.3	2.2	0.1	0.1	54.9	8	2414
P FREQ WND SPD = DR GTR 17 KTS	3.4	5.3	5.2	5.2	2.9	0.7	0.4	0.2	0.7	0.7	2.1	3.2	2.5	8	17051
P FREQ WND SPD = DR GTR 28 KTS	0.9	0.7	1.0	0.8	0.4	0.0	0.0	0.0	0.0	0.1	0.2	0.6	0.4	8	7051
P FREQ LES 3000 FT A/D LES 5 MI	3.5	4.5	11.7	14.8	19.4	26.7	28.6	22.8	21.9	11.3	5.2	2.7	14.4	8	15686
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	0.0	0.0	0.6	0.6	0.6	0.0	0.0	0.0	0.3	0.3	0.5	0.0	0.2	8	2017
03-05 LST	0.0	0.0	0.0	0.8	0.5	0.0	0.0	0.8	0.0	0.0	0.0	0.0	0.2	8	1548
06-08 LST	0.0	0.3	3.4	2.1	2.1	1.7	3.6	3.9	2.5	3.1	0.2	0.9	2.0	8	2415
09-11 LST	0.0	0.6	5.1	1.9	2.4	2.2	2.9	3.2	4.9	2.2	1.2	2.1	2.4	8	2102
12-14 LST	1.5	0.5	5.8	2.8	1.3	1.4	1.3	2.5	3.3	1.8	1.6	1.7	2.1	8	2494
15-17 LST	2.8	1.4	4.7	3.1	0.9	0.3	0.0	1.4	1.2	0.8	0.5	1.4	1.5	8	2215
18-20 LST	0.0	0.6	1.0	1.0	1.0	0.8	0.6	0.9	1.4	0.9	0.0	0.0	0.7	8	2433
21-23 LST	0.0	0.0	0.0	0.0	0.8	0.0	0.0	0.7	0.0	0.0	0.0	0.0	0.1	6	1578
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	8	2017
03-05 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.0	0.0	0.0	0.1	8	1548
06-08 LST	0.0	0.0	1.0	1.0	0.0	0.0	0.0	1.0	0.0	0.9	0.0	0.0	0.3	8	2415
09-11 LST	0.0	0.6	2.3	0.6	0.6	0.7	0.0	0.0	0.0	0.5	0.0	0.9	0.5	8	2102
12-14 LST	1.0	0.0	3.4	1.5	0.5	0.0	0.0	0.0	0.0	0.4	0.9	1.3	0.8	8	2494
15-17 LST	2.2	1.1	2.1	2.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.8	8	2215
18-20 LST	0.0	0.6	0.5	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	8	2433
21-23 LST	0.0	0.0	0.0	0.0	0.8	0.0	0.0	0.7	0.0	0.0	0.0	0.0	0.1	6	1578

CHIA-LU-YA, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	31.0	28.0	29.9	29.4	30.7	29.8	30.8	30.2	29.9	30.3	30.0	30.9	300.9	8	2415
	13 LST	30.5	27.8	29.2	29.3	30.8	30.0	31.0	31.0	30.0	30.7	29.6	30.5	300.4	8	2494
	19 LST	31.0	27.8	30.7	29.7	30.7	30.0	31.0	30.9	29.7	31.0	30.0	31.0	363.5	8	2433
	01 LST	31.0	28.0	30.8	29.8	30.8	30.0	31.0	31.0	30.0	31.0	29.9	31.0	364.3	8	2017
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	30.5	27.5	28.6	27.2	28.9	28.3	29.0	29.3	28.6	29.6	29.5	30.2	347.2	8	2410
	13 LST	29.0	23.2	23.0	21.9	23.3	24.8	28.0	27.6	25.8	27.8	26.6	28.2	309.2	8	2492
	19 LST	26.9	21.1	19.9	16.3	17.8	20.0	23.6	24.0	23.3	27.8	27.1	28.0	275.8	8	2429
	01 LST	30.5	26.8	28.0	26.9	27.0	28.4	30.8	30.4	28.3	30.2	28.8	30.2	346.3	8	2013
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.0	0.0	0.2	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.1	0.4	1.1	8	2468
	13 LST	1.4	3.6	3.1	3.2	1.2	0.3	0.0	0.1	0.4	1.1	1.9	1.3	17.6	8	2510
	19 LST	1.1	1.4	1.5	1.4	1.2	0.2	0.2	0.1	0.0	0.0	0.1	1.2	8.4	8	2505
	01 LST	0.3	0.2	0.2	0.5	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.3	1.7	8	2494
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	0.0	0.0	0.5	4.6	6.3	5.2	4.5	4.2	7.9	2.2	0.0	0.0	35.4	8	2456
	13 LST	1.1	3.9	15.4	14.9	14.6	13.7	13.1	15.9	15.6	16.0	9.9	0.8	134.9	8	2497
	19 LST	0.2	1.2	10.4	15.5	16.3	15.6	14.3	16.9	14.9	14.3	1.9	0.0	121.5	8	2491
	01 LST	0.0	0.0	2.5	9.0	9.5	10.6	9.6	11.0	10.9	5.7	0.4	0.0	69.2	8	2481
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	18.1	13.3	11.8	10.2	9.4	9.1	10.4	10.9	11.9	14.1	17.7	21.3	158.2	8	2431
	13 LST	14.0	12.8	10.0	6.6	5.5	5.2	6.7	9.5	9.2	12.2	14.5	15.6	121.8	8	2507
	19 LST	18.3	14.4	12.0	7.1	5.2	6.2	9.0	10.7	12.4	18.1	18.5	20.5	192.4	8	2446
	01 LST	19.5	13.8	14.9	12.6	14.2	15.3	18.6	18.5	17.3	18.0	18.8	21.8	203.3	8	2022
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	30.9	27.7	29.9	29.1	29.6	28.2	28.3	28.9	27.8	29.5	29.7	30.5	350.1	8	2415
	13 LST	30.4	27.5	28.7	27.8	28.4	27.2	27.8	27.8	26.4	29.2	29.0	30.4	340.6	8	2494
	19 LST	30.9	27.7	30.3	29.1	29.6	28.1	29.2	28.9	28.4	30.2	29.9	30.9	353.2	8	2433
	01 LST	30.8	27.9	30.7	29.7	30.6	29.6	30.6	30.6	29.5	30.7	29.7	31.0	361.4	8	2017
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	30.3	27.0	29.0	26.2	25.9	23.4	23.2	23.3	22.7	26.6	28.3	30.3	316.2	8	2415
	13 LST	30.1	26.2	26.2	24.0	21.4	17.4	17.9	20.4	20.7	26.1	28.0	29.6	288.0	8	2494
	19 LST	30.2	26.7	27.4	24.7	22.2	17.1	19.0	20.4	22.2	27.6	28.6	29.9	296.0	8	2433
	01 LST	30.3	27.5	29.7	27.6	28.2	25.9	24.8	25.6	25.2	28.5	28.2	30.8	332.3	8	2017
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	30.3	26.7	28.4	25.9	25.7	23.3	22.5	22.9	22.3	26.2	28.3	30.3	312.8	8	2415
	13 LST	30.1	26.2	26.2	24.0	21.2	17.4	17.9	20.4	20.5	26.0	27.9	29.6	287.4	8	2494
	19 LST	30.0	26.7	26.5	24.2	21.7	16.7	18.3	20.2	21.8	27.2	28.5	29.9	291.7	8	2433
	01 LST	30.3	27.5	29.7	27.4	28.2	25.9	24.8	25.6	25.0	28.5	28.2	30.7	331.8	8	2017

HSI-NING/SINING, CHINA

STA NO. 52866 (IN AREA NUMBER 03)

LATITUDE 3635N

LONGITUDE 10159E

ELEVATION(FT) 07530

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	48	57	73	81	82	84	88	88	82	77	59	52	88	8	2374
MEAN MAX TMP (F)	32	39	51	59	66	72	75	73	67	56	44	36	56	8	2374
MEAN MIN TMP (F)	3	11	24	34	42	49	54	52	44	33	21	8	31	8	2292
ABS MIN TMP (F)	-15	-4	3	16	28	36	43	41	30	14	1	-6	-15	8	2292
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2374
MEAN NO DYS TMP = DR LES 32(F)	31.0	28.0	28.4	12.1	2.6	0.0	0.0	0.0	0.3	15.3	29.4	31.0	178.1	8	2292
MEAN NO DYS TMP = DR LES 0(F)	10.7	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8	14.2	8	2292
MEAN DEW PT TMP (F)	2	3	12	26	34	43	51	50	42	30	16	5	26	8	15755
MEAN REL HUM (PCT)	49	46	43	51	53	58	66	68	66	64	58	55	56	8	15518
MEAN PRESS ALT (FT)	7174	7123	7158	7108	7165	7235	7274	7229	7156	7079	7121	7148	7164	8	12053
MEAN PRECIP (IN)	0.04	0.06	0.21	0.73	1.23	1.81	2.86	3.63	2.91	1.06	0.16	0.06	14.8	12	-181
MEAN SNOW FALL (IN)						0.0	0.0	0.0	0.0					8	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	1.3	1.4	1.3	3.4	5.2	5.2	7.2	8.5	9.6	3.5	0.7	1.4	48.7	12	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN						0.0	0.0	0.0	0.0					8	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	0.0	0.0	0.0	2.3	0.0	0.0	0.0	0.0	0.0	0.9	0.0	0.0	3.2	8	309
MEAN NO DYS YSTMS	0.0	0.0	0.2	1.0	3.2	7.0	8.8	6.7	5.0	0.3	0.0	0.0	32.2	8	2323
P FREQ WND SPD = DR GTR 17 KTS	0.7	1.2	2.3	2.2	1.2	0.4	0.2	0.4	0.8	0.3	0.6	0.6	0.9	8	16026
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	16026
P FREQ LES 5000 FT A/D LES 5 MI	5.2	8.7	19.5	23.4	20.0	22.1	22.0	22.3	18.8	14.3	9.2	7.4	16.1	8	10152
P FREQ LES 1900 FT A/D LES 3 MI															
FOR 00-02 LST	0.0	0.0	4.5	5.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	8	366
03-05 LST	0.0	0.0	0.0	7.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	8	284
06-08 LST	0.6	1.7	3.6	5.9	2.4	3.3	3.1	4.1	2.3	3.5	2.3	0.7	3.0	8	2289
09-11 LST	2.1	2.3	5.9	4.4	0.8	2.7	2.1	3.1	1.9	2.3	1.6	1.1	2.5	8	2282
12-14 LST	1.1	1.8	2.5	2.2	0.3	1.2	1.9	2.3	0.7	0.9	1.0	0.5	1.5	8	2317
15-17 LST	1.6	1.1	4.0	2.7	2.2	0.0	0.8	2.1	0.8	0.8	0.0	0.9	1.4	8	2364
18-20 LST	0.0	2.4	3.1	3.2	2.8	1.7	0.8	0.5	0.5	0.4	0.0	0.0	1.3	8	1603
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	210
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.0	0.0	4.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	8	366
03-05 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	284
06-08 LST	0.0	0.6	2.6	1.7	0.0	1.2	0.5	0.0	0.0	0.9	0.0	0.0	0.6	8	2289
09-11 LST	0.5	1.2	1.5	1.1	0.0	0.6	0.6	0.0	0.5	0.0	0.5	0.0	0.5	8	2282
12-14 LST	0.0	1.2	0.0	1.1	0.0	0.0	0.0	1.0	0.0	0.0	0.5	0.5	0.4	8	2317
15-17 LST	0.5	0.0	0.5	1.6	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.3	8	2364
18-20 LST	0.0	0.0	1.0	1.6	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	8	1603
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	210

HSI-NING/SINING, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	30.8	27.7	29.4	28.5	30.8	29.5	30.8	30.3	29.9	30.4	29.4	30.9	358.4	8	2289
	13 LST	30.6	27.5	29.9	29.3	31.0	29.8	30.8	30.5	30.0	31.0	29.9	30.9	361.2	8	2317
	19 LST	31.0	27.3	30.2	29.2	30.2	29.7	31.0	31.0	30.0	31.0	30.0	31.0	361.6	8	1603
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	31.0	28.0	29.6	28.2	31.0	30.0	31.0	31.0	30.0	31.0	30.0	31.0	361.8	8	366
	07 LST	30.6	27.0	28.6	25.8	28.8	28.1	28.9	28.7	28.8	29.0	28.6	30.7	343.6	8	2283
	13 LST	29.4	26.0	26.5	23.4	25.4	28.1	28.6	28.1	27.7	28.9	26.0	29.3	329.4	8	2314
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	23.7	21.9	18.3	15.4	20.1	22.0	24.9	24.6	21.1	26.2	25.6	22.1	265.9	8	1599
	01 LST	31.0	28.0	25.4	26.5	29.9	30.0	30.3	28.8	30.0	30.4	27.5	31.0	348.8	8	366
	07 LST	0.2	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	8	2315
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	13 LST	0.3	0.3	0.6	0.3	0.2	0.0	0.0	0.3	0.0	0.0	0.0	0.1	2.1	8	2329
	19 LST	0.5	1.6	2.4	2.2	0.6	0.0	0.0	0.2	0.8	0.4	0.7	0.7	10.1	8	2446
	01 LST	0.0	0.0	0.2	0.5	0.0	0.2	0.0	0.0	0.0	0.0	0.1	0.0	1.0	8	2381
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	0.0	0.0	0.8	3.1	6.1	5.9	4.1	4.8	2.2	1.9	0.0	0.0	28.9	8	2301
	13 LST	0.0	4.7	10.5	12.4	12.2	11.0	10.7	10.8	10.8	7.0	5.8	1.4	97.3	8	2318
	19 LST	0.8	4.2	12.5	12.7	13.6	12.1	16.5	16.8	13.6	13.2	9.0	1.0	126.0	8	2429
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	0.0	0.0	6.4	10.2	10.5	8.3	6.1	7.8	6.7	6.9	1.3	0.0	64.2	8	2362
	07 LST	17.3	14.4	9.0	8.6	7.6	8.3	8.9	9.3	9.5	11.3	15.0	20.2	139.4	8	2307
	13 LST	16.3	14.5	9.6	8.0	7.3	7.1	8.6	10.8	10.6	14.6	16.1	17.2	140.7	8	2334
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	14.6	19.3	11.4	4.9	4.9	4.4	8.4	9.8	11.1	19.0	18.5	23.6	149.9	8	1615
	01 LST	22.4	15.3	18.3	12.4	10.3	13.8	19.3	19.5	17.5	18.8	16.7	22.0	206.3	8	366
	07 LST	30.8	27.4	28.7	27.4	29.4	27.6	28.8	28.3	28.2	28.8	29.0	30.5	344.9	8	2289
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	13 LST	30.6	27.2	29.6	28.5	29.6	28.9	29.3	29.7	29.3	30.1	29.5	30.7	353.0	8	2317
	19 LST	31.0	27.3	29.5	28.2	29.4	28.6	29.9	29.9	29.3	30.3	30.0	31.0	354.4	8	1603
	01 LST	31.0	28.0	29.6	28.2	31.0	30.0	31.0	31.0	29.8	30.5	30.0	31.0	361.1	8	366
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	30.3	26.3	25.0	22.5	23.3	22.3	21.8	16.9	19.0	21.5	25.1	29.9	283.9	8	2289
	13 LST	30.3	26.2	27.3	24.4	22.5	23.9	22.4	24.5	25.1	27.5	27.0	30.1	311.2	8	2317
	19 LST	31.0	27.3	26.6	20.7	18.3	17.3	19.2	20.2	20.5	23.9	30.0	31.0	288.0	8	1603
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	31.0	28.0	29.6	28.2	26.4	30.0	24.8	28.8	26.3	29.8	28.3	31.0	342.2	8	366
	07 LST	30.1	25.9	24.4	21.6	22.2	21.2	20.1	16.2	17.6	21.0	24.8	29.9	275.0	8	2289
	13 LST	30.1	26.2	27.3	24.4	22.3	22.8	22.0	24.4	24.5	27.2	26.8	30.0	308.0	8	2317
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	31.0	27.3	26.5	20.2	17.3	16.0	18.1	19.5	19.6	25.7	30.0	31.0	282.2	8	1603
	01 LST	31.0	28.0	29.6	28.2	25.3	28.8	24.8	27.4	25.7	29.8	28.3	31.0	337.9	8	366

KAO-LAN/LANCHOW, CHINA

STA NO. 52809 (IN AREA NUMBER 03)

LATITUDE 3603N

LONGITUDE 10347E

ELEVATION(FT) 04987

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	52	59	81	90	91	93	97	95	88	81	66	48	97	8	2479
MEAN MAX TMP (F)	34	43	56	67	74	82	85	82	73	62	48	37	62	8	2479
MEAN MIN TMP (F)	8	16	30	42	50	58	63	60	51	39	26	13	38	8	2465
ABS MIN TMP (F)	-6	1	9	19	34	43	50	45	34	21	7	-4	-6	8	2465
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.3	0.1	4.2	9.7	7.7	0.0	0.0	0.0	0.0	22.0	8	2479
MEAN NO DYS TMP = DR LES 32(F)	31.0	27.8	20.0	2.8	0.0	0.0	0.0	0.0	0.0	7.2	25.5	31.0	145.3	8	2465
MEAN NO DYS TMP = DR LES 0(F)	2.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	3.1	8	2465
MEAN DEW PT TMP (F)	3	11	21	30	40	48	57	56	48	38	23	13	32	8	17650
MEAN REL HUM (PCT)	54	51	48	46	51	51	62	64	67	69	65	67	58	8	17333
MEAN PRESS ALT (FT)	4675	4746	4856	4885	4931	4985	5047	4942	4819	4703	4674	4688	4829	8	12673
MEAN PRECIP (IN)	0.06	0.11	0.30	0.53	1.14	1.52	2.54	3.34	2.23	1.44	0.13	0.06	13.6	19	-181
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0					8	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	1.2	2.1	4.4	5.1	7.2	8.7	10.5	11.2	11.7	6.1	1.5	1.0	70.7	19	-181
MEAN NO DYS SNFL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0					8	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.2	0.3	0.8	0.6	0.3	0.2	0.3	0.0	0.1	0.7	0.3	0.9	4.7	8	2426
MEAN NO DYS TSTMS	0.0	0.0	0.0	2.2	2.5	5.2	7.1	6.4	3.5	0.9	0.0	0.0	27.8	8	2430
P FREQ WND SPD = DR GTR 17 KTS	0.0	0.1	0.3	0.2	0.1	0.4	0.1	0.0	0.1	0.1	0.0	0.0	0.1	8	17877
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	17877
P FREQ LES 5000 FT A/D LES 5 MI	55.4	37.6	30.3	23.4	18.4	14.3	13.9	15.0	15.8	18.3	33.5	71.0	28.9	8	17964
P FREQ LES 1500 FT A/D LES 3 MI															
FDR 00-02 LST	30.2	14.1	10.9	8.6	4.1	3.0	1.0	1.4	2.3	3.6	9.8	41.3	10.9	8	2489
03-05 LST	26.6	15.5	11.2	7.4	4.1	3.0	5.0	3.9	0.0	5.6	9.5	36.4	10.7	8	2256
06-08 LST	35.9	22.5	16.4	12.0	8.4	6.3	8.5	7.4	6.1	12.1	17.4	46.4	16.6	8	2454
09-11 LST	49.0	33.0	31.4	14.8	9.7	4.3	6.0	9.1	6.9	15.4	38.3	71.2	27.4	8	2273
12-14 LST	49.8	23.3	11.6	6.8	7.0	2.4	1.0	1.2	2.8	1.6	13.5	58.7	15.0	8	2472
15-17 LST	29.4	7.4	8.1	6.1	3.3	4.0	1.6	1.6	0.6	1.5	4.3	33.5	6.5	8	2307
18-20 LST	34.0	4.7	12.3	9.2	7.5	2.5	1.8	1.5	1.8	1.3	9.2	44.7	10.9	8	2508
21-23 LST	25.9	14.7	14.3	8.5	6.1	5.0	1.9	2.6	0.6	1.0	9.4	47.3	11.4	7	1997
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	2.9	1.1	2.5	2.0	0.0	0.5	0.0	0.0	0.9	0.0	0.5	3.1	1.1	8	2489
03-05 LST	0.0	1.7	1.6	3.2	0.0	0.6	0.6	0.0	0.0	0.0	0.0	2.3	0.8	8	2256
06-08 LST	3.1	2.6	1.0	2.6	2.1	0.5	1.0	0.5	0.9	4.1	0.9	4.3	2.0	8	2454
09-11 LST	8.0	3.6	2.7	2.2	1.6	1.2	0.6	0.5	0.0	0.0	3.2	15.3	3.2	8	2273
12-14 LST	4.9	1.7	0.0	1.0	1.5	0.5	0.5	0.0	0.0	0.0	0.9	8.0	1.6	8	2472
15-17 LST	1.0	1.1	1.5	2.1	0.6	1.1	0.5	0.0	0.0	0.5	0.5	1.8	0.9	8	2307
18-20 LST	3.3	1.7	2.9	4.1	0.5	0.0	0.0	0.5	0.4	0.0	2.2	3.0	1.6	8	2508
21-23 LST	2.4	0.0	2.7	3.5	0.6	1.9	0.0	0.0	0.0	0.0	0.5	5.3	1.4	7	1997

KAO-LAN/LANCHOW, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	19.9	21.8	25.9	26.4	28.4	28.1	28.8	28.8	28.5	27.5	24.9	16.6	305.6	8	2454
	13 LST	15.6	21.5	27.5	28.0	29.0	29.4	30.8	30.7	29.4	30.7	26.0	12.8	311.4	8	2472
	19 LST	20.5	26.8	27.2	27.2	28.7	29.2	30.5	30.7	29.5	30.6	27.3	17.1	325.3	8	2508
	01 LST	21.6	24.0	27.6	27.4	29.8	29.1	30.7	30.7	29.3	30.0	27.1	18.2	325.5	8	2489
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	19.9	21.6	25.9	26.2	28.4	28.1	27.6	28.5	27.5	26.9	24.5	16.6	301.7	8	2453
	13 LST	15.6	21.3	26.4	26.5	27.1	27.7	29.1	29.7	28.3	29.9	25.8	12.7	300.1	8	2470
	19 LST	20.0	25.8	24.9	24.0	23.9	29.0	24.8	28.1	28.5	30.1	26.2	17.0	298.3	8	2502
	01 LST	21.6	23.9	27.1	26.9	27.9	28.3	29.6	30.1	29.0	29.6	27.0	18.2	319.2	8	2485
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2465
	13 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2493
	19 LST	0.0	0.2	0.4	0.0	0.2	0.4	0.2	0.0	0.0	0.0	0.1	0.0	1.3	8	2519
	01 LST	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	8	2493
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	0.0	0.1	2.4	4.5	5.0	2.1	3.1	3.1	1.4	0.6	0.5	0.0	22.8	8	2447
	13 LST	0.8	7.2	13.4	15.6	14.7	12.6	13.5	12.2	9.1	6.6	5.6	1.0	112.1	8	2471
	19 LST	0.3	5.3	10.5	13.3	15.6	13.1	11.8	12.8	10.3	6.8	5.4	0.5	105.7	8	2506
	01 LST	0.0	0.5	4.0	6.8	8.5	6.8	9.2	6.0	3.3	2.6	1.8	0.1	49.6	8	2485
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	12.8	11.0	8.9	8.0	8.3	8.2	10.3	11.7	10.0	11.0	10.4	10.3	120.9	8	2460
	13 LST	7.9	10.8	9.4	9.5	8.0	8.0	10.5	11.4	11.2	12.4	14.1	7.4	120.6	8	2491
	19 LST	12.6	13.7	9.1	5.5	4.8	5.4	9.1	8.9	9.8	15.8	15.9	11.6	122.2	8	2522
	01 LST	13.6	13.7	14.3	10.5	11.7	13.1	13.6	15.4	13.9	12.1	14.0	12.8	161.7	8	2497
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	19.8	21.6	25.6	25.9	28.2	27.8	27.8	28.2	27.6	26.5	24.6	16.6	300.2	8	2454
	13 LST	15.4	21.2	27.1	27.4	28.3	28.9	29.9	29.9	28.5	29.8	25.6	12.8	304.8	8	2472
	19 LST	20.5	26.5	27.0	26.9	28.3	29.1	30.2	30.2	29.0	30.3	27.1	17.1	322.2	8	2508
	01 LST	21.6	24.0	27.6	27.2	29.6	28.9	30.4	30.2	29.0	29.2	26.8	18.2	322.7	8	2489
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	19.6	20.7	23.4	23.9	26.0	24.5	25.6	23.9	24.8	23.9	23.6	16.4	276.3	8	2454
	13 LST	15.0	20.1	24.6	24.7	24.8	25.5	26.6	26.3	25.9	27.5	23.9	12.5	277.4	8	2472
	19 LST	20.0	26.1	24.9	24.3	23.8	24.1	22.6	23.6	23.3	26.8	25.2	17.0	281.7	8	2508
	01 LST	21.2	23.4	26.1	25.0	26.4	26.7	26.4	25.9	26.3	26.6	24.5	17.8	296.3	8	2489
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	19.4	20.6	22.8	22.9	25.0	23.8	25.0	23.5	24.5	22.4	22.2	16.4	269.5	8	2454
	13 LST	15.0	20.1	24.4	24.7	24.8	25.3	26.3	25.8	25.2	27.3	23.9	12.4	275.2	8	2472
	19 LST	19.9	26.1	24.8	23.7	22.2	22.1	21.3	21.3	22.3	26.3	24.3	17.0	271.3	8	2508
	01 LST	20.9	23.1	25.5	24.1	26.1	26.1	25.6	24.8	25.4	26.6	24.0	17.8	290.0	8	2489

TUNGTE/TUENGTE, CHINA

STA NO. 52957 (IN AREA NUMBER 03)	LATITUDE 3509N LONGITUDE 10020E ELEVATION(FT) 09300												PDR	NO.	
PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	(YRS)	OBS
ABS MAX TMP (F)	52	48	68	72	73	82	81	88	77	73	63	52	88	8	2245
MEAN MAX TMP (F)	30	35	46	56	59	62	68	67	61	50	42	33	51	8	2245
MEAN MIN TMP (F)	-6	-1	11	23	32	39	44	40	33	21	6	-7	20	8	2389
ABS MIN TMP (F)	-29	-22	-15	-2	9	23	28	21	10	-6	-11	-26	-29	8	2389
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2245
MEAN NO DYS TMP = DR LES 32(F)	31.0	28.0	30.8	27.2	15.5	5.8	1.3	6.6	15.3	27.3	30.0	31.0	249.8	8	2389
MEAN NO DYS TMP = DR LES 0(F)	22.0	16.7	5.6	0.3	0.0	0.0	0.0	0.0	0.0	0.3	7.6	25.1	77.6	8	2389
MEAN DEW PT TMP (F)	10	8	1	12	25	35	44	41	32	18	3	7	20	8	16270
MEAN REL HUM (PCT)	47	43	39	44	53	62	70	71	65	61	53	52	55	8	16035
MEAN PRESS ALT (FT)	9966	9894	9810	10026	10115	10198	10286	10258	10193	10148	10191	10108		8	11140
MEAN PRECIP (IN)														0	0
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = DR GTR 0.1 IN														0	0
MEAN NO DYS SNFL = DR GTR 1.8 IN														0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0	0.0	0.8	0.3	0.0	0.0	0.0	0.0	0.4	0.0	0.3	0.0	1.8	8	2368
MEAN NO DYS TSTMS	0.3	0.2	0.2	4.2	8.1	11.3	17.4	13.2	7.2	2.0	0.1	0.0	64.2	8	2370
P FREQ WND SPD = DR GTR 17 KTS	3.0	2.9	3.9	3.1	1.3	0.6	0.6	0.6	0.7	0.4	1.2	1.4	1.6	8	16648
P FREQ WND SPD = DR GTR 28 KTS	0.1	0.2	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.1	0.1	0.1	8	16648
P FREQ LES 5000 FT A/O LES 3 MI	11.1	12.7	19.4	26.2	34.0	30.1	29.3	26.2	23.2	14.6	5.7	4.6	19.8	8	12213
P FREQ LES 1900 FT A/O LES 3 MI															
FOR 00-02 LST	0.0	0.0	0.6	0.0	1.0	0.8	2.4	0.9	0.0	0.3	0.5	0.0	0.5	8	1990
03-05 LST	0.0	0.0	0.7	0.0	0.4	1.5	1.2	2.7	2.7	1.1	0.0	0.0	0.9	8	1635
06-08 LST	0.0	0.6	0.8	2.4	1.6	3.8	7.8	4.7	2.3	1.7	0.5	0.0	2.2	8	2083
09-11 LST	0.0	0.0	0.9	0.0	2.2	3.7	7.7	4.8	1.5	2.4	0.3	0.0	2.0	8	1829
12-14 LST	0.8	1.2	2.0	1.0	3.1	1.2	3.4	3.5	2.1	2.3	0.8	0.7	1.8	8	2036
15-17 LST	1.7	0.7	2.0	2.2	1.8	0.5	1.6	4.1	2.5	0.8	0.3	0.5	1.6	8	1593
18-20 LST	0.0	1.4	1.2	0.0	0.8	0.8	1.2	2.3	0.6	0.3	0.0	0.0	0.7	8	1911
21-23 LST	0.0	0.0	0.0	0.0	0.5	1.4	1.0	1.1	1.9	1.1	0.0	0.0	0.6	7	1568
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.1	8	1990
03-05 LST	0.0	0.0	0.7	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.0	0.0	0.1	8	1635
06-08 LST	0.0	0.0	0.6	1.8	0.0	0.0	0.0	0.0	1.1	0.0	0.5	0.0	0.3	8	2083
09-11 LST	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	8	1829
12-14 LST	0.6	0.0	1.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.2	8	2036
15-17 LST	1.4	0.0	1.3	1.5	0.0	0.0	0.0	0.9	0.0	0.0	0.0	0.0	0.4	8	1593
18-20 LST	0.0	0.0	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	8	1911
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	1568

TUNGTE/TUENGTE, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. QBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	31.0	27.8	30.8	29.3	31.0	29.8	29.5	30.2	29.7	31.0	29.9	31.0	361.0	8	2083
	13 LST	30.8	27.7	30.5	30.0	30.6	30.0	30.8	30.6	29.8	30.7	30.0	30.9	362.4	8	2036
	19 LST	31.0	27.6	30.6	30.0	31.0	30.0	30.7	30.6	30.0	31.0	30.0	31.0	363.5	8	1911
	01 LST	31.0	28.0	30.8	30.0	31.0	30.0	31.0	31.0	30.0	31.0	29.8	31.0	364.6	8	1990
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	29.4	26.8	28.8	28.2	28.6	26.7	27.3	28.9	28.8	29.6	29.6	29.1	341.8	8	2077
	13 LST	23.0	21.0	18.6	21.7	24.0	24.4	27.1	26.6	26.5	26.5	24.2	24.8	288.4	8	2031
	19 LST	24.8	23.5	23.3	20.2	24.2	24.0	28.2	28.2	27.8	29.1	26.7	27.2	307.2	8	1908
	01 LST	29.6	27.1	28.2	28.0	23.2	28.7	28.6	29.5	29.1	30.1	28.9	28.8	344.8	8	1988
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.2	0.0	0.2	0.3	0.0	0.2	0.2	0.0	0.1	0.0	0.0	0.0	1.2	8	2391
	13 LST	1.9	1.1	3.0	1.7	0.3	0.2	0.0	0.0	0.3	0.6	0.7	0.8	10.6	8	2430
	19 LST	0.8	0.2	0.6	0.6	0.3	0.2	0.7	0.1	0.0	0.0	0.0	0.3	3.8	8	2461
	01 LST	0.2	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.5	8	2433
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	0.0	0.0	0.3	3.6	11.5	15.5	15.1	17.2	9.4	1.5	0.0	0.0	74.1	8	2366
	13 LST	1.6	5.2	13.3	15.8	14.8	14.8	12.2	15.1	15.4	14.7	13.2	4.8	140.9	8	2437
	19 LST	0.2	0.5	10.6	18.4	15.9	14.4	13.9	16.4	19.6	16.2	1.9	0.1	128.1	8	2445
	01 LST	0.0	0.0	1.7	6.4	15.1	14.7	16.5	19.2	11.7	4.4	0.0	0.0	89.7	8	2414
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	16.8	12.5	10.2	9.6	7.8	6.8	9.8	10.6	10.2	12.7	17.5	20.2	144.7	8	2396
	13 LST	12.4	11.4	8.0	4.9	4.2	2.6	6.0	7.3	7.4	10.7	14.9	16.4	106.2	8	2456
	19 LST	16.0	8.9	7.5	4.1	3.2	3.3	7.0	8.2	11.6	14.8	18.1	19.1	121.8	8	2497
	01 LST	18.3	13.1	13.4	12.8	11.1	9.4	12.3	14.7	14.5	15.1	17.8	21.2	173.7	8	2438
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	31.0	27.8	30.6	29.3	30.0	27.6	26.6	28.2	28.4	29.6	29.8	31.0	349.9	8	2083
	13 LST	30.5	27.5	29.3	27.7	27.2	25.5	25.9	26.3	26.7	29.1	29.5	30.6	335.8	8	2036
	19 LST	30.9	27.5	29.7	28.4	28.7	26.7	27.9	28.2	28.2	30.0	29.7	30.9	346.8	8	1911
	01 LST	31.0	28.0	30.7	29.4	29.7	28.9	29.0	29.6	29.5	30.3	29.7	31.0	356.8	8	1990
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	27.9	25.1	27.4	25.2	25.0	23.6	21.5	20.8	23.9	25.3	29.0	30.3	305.0	8	2083
	13 LST	26.3	24.6	23.7	19.9	18.0	14.8	17.7	17.3	20.4	24.7	28.0	28.8	264.2	8	2036
	19 LST	27.5	22.1	21.3	18.8	15.8	14.2	17.6	18.4	19.5	24.0	27.2	28.5	254.9	8	1911
	01 LST	29.2	25.7	27.8	25.2	24.3	22.1	24.1	23.5	25.2	26.4	28.5	30.6	312.6	8	1990
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	27.9	25.1	27.4	25.2	25.0	23.6	21.5	20.8	23.9	25.3	29.0	30.3	305.0	8	2083
	13 LST	26.3	24.6	23.7	19.9	18.0	14.5	17.7	17.3	20.4	24.7	28.0	28.8	263.9	8	2036
	19 LST	27.5	22.1	21.3	18.8	15.8	14.2	17.6	18.4	19.5	24.0	27.2	28.5	254.9	8	1911
	01 LST	29.2	25.7	27.8	25.2	24.1	22.1	24.1	23.5	25.2	26.2	28.5	30.6	312.2	8	1990

HS'A-HO/SIANO, CHINA

STA NO. 52978 (IN AREA NUMBER 03)

LATITUDE 3514N

LONGITUDE 10230E

ELEVATION(FT) 10003

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	50	46	63	70	68	73	79	81	72	64	59	50	81	3	508
MEAN MAX TMP (F)	33	34	49	54	55	62	66	67	59	50	43	36	51	3	508
MEAN MIN TMP (F)	-1	1	14	25	34	38	45	41	35	21	8	-1	22	3	517
ABS MIN TMP (F)	-15	-15	-2	14	27	27	37	28	18	0	-15	-24	-24	3	517
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	508
MEAN NO DYS TMP = DR LES 32(F)	31.0	28.0	31.0	29.1	11.9	8.1	0.0	4.1	10.6	28.3	30.0	31.0	243.1	3	517
MEAN NO DYS TMP = DR LES 0(F)	18.4	13.7	2.6	0.0	0.0	0.0	0.0	0.0	0.0	0.5	7.4	18.4	61.0	3	517
MEAN DEW PT TMP (F)	3	6	4	19	31	35	45	43	36	20	4	3	21	3	2912
MEAN REL HUM (PCT)	52	46	43	54	63	64	74	71	74	65	53	50	59	3	2796
MEAN PRESS ALT (FT)	9613	9673	9621	723	9738	9700	9545	9347	9353	9311	9435	9550		3	2836
MEAN PRECIP (IN)														0	0
MEAN SNOW FALL (IN)							0.0							3	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN														0	0
MEAN NO DYS SNFL = DR GTR 1.5 IN														3	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0	0.0	0.6	1.1	1.2	0.0	1.4	1.0	1.5	0.6	0.0	0.0	7.4	3	469
MEAN NO DYS TSTMS	0.0	0.0	1.1	6.2	12.4	7.9	9.9	9.3	7.1	0.6	0.0	0.0	54.5	3	470
P FREQ WND SPD = DR GTR 17 KTS	0.6	0.9	0.3	0.5	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.3	0.2	3	3026
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	3026
P FREQ LES 3000 FT A/D LES 3 MI	3.2	4.1	9.6	27.0	38.1	34.3	34.3	24.9	31.4	17.5	6.4	1.6	19.4	3	3185
P FREQ LES 1900 FT A/D LES 3 MI															
FOR 00-02 LST	0.9	0.0	1.7	3.6	1.7	2.1	0.0	3.0	1.0	1.8	0.0	0.0	1.3	3	518
03-05 LST	0.0	0.0	1.9	3.3	8.3	2.5	5.6	7.1	12.5	0.0	0.0	0.0	3.4	3	438
06-08 LST	2.0	2.0	0.0	17.6	3.7	2.3	16.0	11.5	5.1	1.0	0.0	0.0	5.1	3	507
09-11 LST	2.0	0.0	0.0	9.4	0.0	0.0	6.1	0.0	0.0	0.0	0.0	0.0	1.5	3	431
12-14 LST	3.8	1.9	0.0	9.1	2.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	3	516
15-17 LST	0.0	0.0	0.0	3.3	0.0	0.0	0.0	0.0	0.0	3.8	0.0	0.0	0.6	3	463
18-20 LST	0.0	0.0	0.0	3.1	7.4	0.0	0.0	0.0	0.9	1.8	0.0	0.0	1.1	3	526
21-23 LST	0.0	0.0	0.0				0.0	0.0	0.0	10.0	0.0	0.0		2	105
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.0	0.0	1.7	3.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	3	518
03-05 LST	0.0	0.0	1.9	3.3	0.0	0.0	3.7	7.1	12.5	0.0	0.0	0.0	2.4	3	438
06-08 LST	0.0	0.0	0.0	3.9	3.7	0.0	9.1	5.7	4.1	0.0	0.0	0.0	2.4	3	507
09-11 LST	0.0	0.0	0.0	3.1	0.0	0.0	4.0	0.0	0.0	0.0	0.0	0.0	0.6	3	431
12-14 LST	0.0	1.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	3	516
15-17 LST	0.0	0.0	0.0	3.3	0.0	0.0	0.0	0.0	0.0	3.8	0.0	0.0	0.6	3	463
18-20 LST	0.0	0.0	0.0	3.1	3.7	0.0	6.0	0.0	0.0	0.0	0.0	0.0	0.6	3	526
21-23 LST	0.0	0.0	0.0				0.0	0.0	0.0	0.0	0.0	0.0		2	105

HSIA-HO/SIANO, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	30.4	27.4	31.0	24.7	29.9	30.0	26.8	28.3	28.8	31.0	30.0	31.0	349.3	3	507
	13 LST	29.8	27.5	31.0	28.2	31.0	30.0	31.0	31.0	30.0	31.0	30.0	31.0	361.5	3	516
	19 LST	31.0	28.0	31.0	29.1	28.7	30.0	31.0	31.0	30.0	30.4	30.0	31.0	361.2	3	526
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	31.0	28.0	30.5	28.9	31.0	30.0	31.0	30.1	30.0	30.4	30.0	31.0	361.9	3	518
	07 LST	29.7	27.4	30.5	24.7	28.7	28.7	25.4	26.6	28.2	29.3	30.0	30.4	339.6	3	506
	13 LST	21.6	19.4	19.5	19.1	24.0	24.0	29.9	28.6	27.6	27.1	23.2	24.8	289.6	3	515
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	27.7	24.2	23.4	21.6	19.5	23.8	27.0	26.6	26.2	29.3	30.0	28.1	307.4	3	525
	01 LST	29.9	26.3	29.4	27.9	30.0	28.8	29.9	29.1	28.8	29.9	30.0	31.0	351.0	3	518
	07 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	512
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	13 LST	1.1	0.5	0.0	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	527
	19 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	530
	01 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	523
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	0.0	0.0	0.0	0.9	7.2	2.9	2.6	1.8	1.2	0.6	0.0	0.0	17.2	3	505
	13 LST	2.3	3.3	14.5	14.6	3.6	10.4	15.5	17.9	14.1	18.9	16.7	5.2	137.0	3	522
	19 LST	1.6	1.1	12.5	17.4	14.9	16.3	9.4	15.9	17.0	8.6	0.0	1.1	115.8	3	520
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	0.0	0.0	0.5	1.9	6.2	3.6	1.1	3.8	2.4	1.7	0.0	0.0	21.2	3	522
	07 LST	14.0	12.0	10.3	4.4	7.8	7.8	3.9	9.5	5.2	11.7	18.7	19.7	125.0	3	515
	13 LST	6.2	5.4	7.1	5.1	3.7	1.2	6.6	7.3	5.3	7.6	14.4	17.5	87.4	3	524
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	10.3	8.6	7.5	4.5	1.1	5.0	9.0	8.9	10.4	14.4	19.2	16.6	115.3	3	532
	01 LST	14.4	12.8	13.6	9.6	6.2	12.0	12.2	13.2	10.2	14.9	19.0	17.5	155.6	3	520
	07 LST	30.4	27.4	30.8	23.6	28.5	26.6	24.8	25.5	26.7	30.2	30.0	31.0	335.5	3	507
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	13 LST	29.8	27.5	31.0	28.2	27.8	29.5	29.2	30.0	29.8	31.0	30.0	31.0	354.8	3	516
	19 LST	31.0	28.0	31.0	28.7	27.3	28.5	29.9	29.8	28.8	30.4	30.0	31.0	354.4	3	526
	01 LST	30.4	28.0	30.5	28.9	28.7	27.8	31.0	30.1	28.7	30.2	30.0	31.0	355.3	3	518
CIG = GTR 3000 FT AND VSBY = GTR 3 MI	07 LST	30.4	26.9	27.2	20.3	19.5	22.2	9.9	17.7	15.9	24.1	25.4	29.9	269.4	3	507
	13 LST	27.5	24.8	23.1	16.4	14.9	14.4	14.4	19.6	17.6	22.7	24.3	29.3	249.0	3	516
	19 LST	30.4	24.2	26.6	24.4	14.9	15.0	14.8	14.0	18.2	24.8	28.2	30.4	265.9	3	526
CIG = GTR 5000 FT AND VSBY = GTR 3 MI	01 LST	30.4	25.7	26.7	22.5	19.6	20.4	19.9	20.7	16.8	25.4	27.7	30.4	286.2	3	518
	07 LST	29.1	26.9	26.6	18.5	19.5	22.2	9.9	17.7	15.9	23.5	23.7	29.9	263.4	3	507
	13 LST	25.2	22.1	21.8	16.4	14.9	14.4	14.4	19.6	17.6	22.1	24.3	28.7	241.5	3	516
CIG = GTR 7000 FT AND VSBY = GTR 3 MI	19 LST	28.2	23.1	22.3	24.4	14.9	15.0	14.8	14.0	18.2	23.7	27.6	29.2	255.4	3	526
	01 LST	29.9	25.7	24.6	19.3	18.6	20.4	19.9	20.7	16.8	24.2	27.1	29.9	277.1	3	518

HUA-CHIA-LING/HW, CHINA

STA NO. 52996 (IN AREA NUMBER 09)

LATITUDE 3525N LONGITUDE 10450E ELEVATION(FT) 07897

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	45	52	63	72	72	77	77	79	70	66	57	46	79	8	2358
MEAN MAX TMP (F)	24	30	40	50	56	64	67	65	57	46	35	29	47	8	2358
MEAN MIN TMP (F)	9	14	23	32	39	48	53	51	44	33	22	14	32	8	2257
ABS MIN TMP (F)	-17	-6	1	10	23	30	43	36	25	12	1	-30	-33	8	2257
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2358
MEAN NO DYS TMP = DR LES 32(F)	31.0	28.0	29.2	17.9	5.3	0.2	0.0	0.0	1.0	15.1	29.0	31.0	187.7	8	2257
MEAN NO DYS TMP = DR LES 0(F)	4.0	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	5.6	8	2257
MEAN DEW PT TMP (F)	1	7	17	25	35	43	51	50	41	31	19	6	27	8	15279
MEAN REL HUM (PCT)	55	60	63	60	68	65	77	80	78	77	74	59	68	8	15063
MEAN PRESS ALT (FT)	7846	7871	7902	7889	7883	7872	7908	7831	7747	7690	7742	7819	7833	8	11352
MEAN PRECIP (IN)														0	0
MEAN SNOW FALL (IN)						0.0	0.0	0.0						8	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN						0.0	0.0	0.0						8	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN														8	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	4.9	7.5	10.2	8.5	10.4	7.6	13.4	15.1	13.6	15.9	14.4	6.4	127.9	8	2267
MEAN NO DYS TSTMS	0.2	0.2	0.0	1.4	3.5	4.8	6.2	6.1	3.8	1.4	0.0	0.0	27.6	8	2261
P FREQ WND SPD = DR GTR 17 KTS	5.3	5.5	10.2	14.3	16.3	8.1	9.6	7.2	7.9	8.0	5.0	3.0	5.4	8	15526
P FREQ WND SPD = DR GTR 28 KTS	0.2	0.3	0.9	0.7	0.7	0.6	0.2	0.2	0.3	0.6	0.3	0.1	0.4	8	15526
P FREQ LES 3000 FT A/D LES 5 MI	13.1	18.7	26.1	25.6	28.7	24.0	34.8	39.1	37.9	36.0	31.9	13.2	27.4	8	16128
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	9.6	16.0	19.6	18.2	22.2	18.4	30.1	34.1	34.1	33.6	30.0	14.1	23.3	8	2385
03-05 LST	12.1	19.6	21.7	20.1	26.1	19.3	39.5	38.9	38.3	35.1	31.5	13.8	26.3	8	2251
06-08 LST	14.3	19.0	23.9	26.4	26.1	19.4	38.5	41.7	38.1	37.7	32.6	15.8	27.8	8	2278
09-11 LST	11.0	15.1	25.1	19.8	23.2	16.1	24.8	31.7	32.4	33.0	28.1	15.8	23.0	8	2289
12-14 LST	10.7	13.8	15.7	16.3	19.8	15.6	20.9	26.2	25.3	27.3	23.5	9.6	18.7	8	2294
15-17 LST	8.7	10.0	16.6	13.5	15.4	16.4	16.0	17.7	22.7	23.7	21.5	7.9	15.8	8	2332
18-20 LST	8.0	9.5	16.9	13.8	18.2	13.7	15.5	19.9	27.5	25.5	25.9	8.3	16.9	8	2409
21-23 LST	6.7	25.0	34.7	14.5	10.7	14.9	20.6	40.2	21.6	25.3	31.6	9.7	21.3	6	1010
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	8.8	14.1	18.8	15.4	17.9	13.8	22.4	30.5	32.2	31.1	26.3	13.1	20.4	8	2385
03-05 LST	9.5	17.7	19.8	17.6	22.9	18.2	34.3	35.4	37.1	34.1	28.0	13.4	24.0	8	2251
06-08 LST	11.4	17.9	20.4	20.6	21.1	16.8	29.7	39.8	36.2	33.3	30.7	14.2	24.3	8	2278
09-11 LST	8.6	10.0	21.7	10.8	13.8	10.4	10.4	14.4	18.0	25.9	21.1	13.5	14.9	8	2289
12-14 LST	7.1	8.6	8.1	5.2	6.2	7.2	8.5	7.1	11.6	12.4	12.7	6.2	8.4	8	2294
15-17 LST	4.1	4.0	8.9	4.8	5.9	8.5	7.0	5.3	12.2	12.2	12.7	5.8	7.6	8	2332
18-20 LST	6.4	6.5	13.2	5.9	8.8	7.1	8.4	9.2	17.4	20.9	20.9	6.3	10.9	8	2409
21-23 LST	5.2	22.4	29.6	11.5	8.8	9.9	12.1	30.9	16.5	21.2	28.0	8.6	17.1	6	1010

HUA-CHIA-LING/HW, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. Q95
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	26.9	22.7	24.2	22.5	23.4	24.8	20.3	18.5	18.9	19.8	20.7	26.3	269.0	8	2278
	13 LST	28.1	24.8	27.9	27.4	27.5	27.5	28.0	27.7	25.8	25.7	24.9	28.5	323.8	8	2294
	19 LST	28.7	25.6	26.3	27.0	26.8	27.7	28.2	26.7	24.0	24.2	23.0	28.5	316.7	8	2409
	01 LST	28.1	23.6	25.0	25.1	24.5	24.9	23.3	21.4	20.0	21.1	21.5	26.8	285.3	8	2385
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	16.9	15.2	13.1	11.3	14.1	16.2	11.6	14.3	13.4	13.4	12.7	16.8	169.0	8	2275
	13 LST	17.2	14.7	11.5	9.2	10.7	11.0	11.0	11.3	11.1	12.6	14.3	18.4	153.0	8	2285
	19 LST	15.8	15.4	11.5	9.4	9.0	13.2	12.2	12.0	11.0	13.1	13.4	19.5	155.5	8	2404
	01 LST	14.0	13.2	11.2	10.6	11.4	13.9	10.0	11.2	10.9	12.5	13.1	18.4	150.4	8	2382
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	1.3	0.8	1.6	2.5	2.9	0.8	2.0	1.2	1.3	1.0	1.0	1.2	17.6	8	2288
	13 LST	0.7	0.6	1.7	3.3	2.7	1.8	1.5	1.1	1.2	1.0	0.8	0.4	16.8	8	2315
	19 LST	1.1	0.9	2.8	5.4	6.1	1.8	3.8	2.2	2.5	1.6	0.8	1.1	30.1	8	2412
	01 LST	1.7	1.8	2.9	1.3	2.7	0.8	2.4	2.1	1.0	1.8	1.1	0.4	20.0	8	2391
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	0.0	0.2	2.8	8.9	14.9	17.5	13.0	16.7	15.5	11.4	1.4	0.3	102.6	8	2267
	13 LST	0.9	4.6	10.6	13.6	16.0	13.2	14.2	17.3	15.1	17.1	11.0	2.8	136.4	8	2300
	19 LST	0.2	1.1	8.1	10.5	11.4	12.9	12.2	15.8	14.4	14.5	4.5	0.7	106.3	8	2400
	01 LST	0.0	0.0	4.3	9.1	10.4	14.3	14.2	15.0	13.7	10.0	3.0	0.3	94.3	8	2379
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	13.8	10.8	8.9	7.0	7.8	8.3	8.5	8.6	8.1	9.5	10.7	16.9	11.9	8	2291
	13 LST	14.7	11.5	9.4	8.0	8.0	6.8	7.6	6.2	6.8	9.7	12.7	16.7	118.1	8	2320
	19 LST	18.0	14.8	10.7	7.2	6.4	6.0	9.1	9.5	10.5	12.8	13.3	18.7	137.0	8	2418
	01 LST	17.2	13.7	12.0	11.5	10.7	10.8	10.6	11.1	11.7	12.4	12.5	19.0	153.2	8	2393
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	26.2	22.6	22.9	21.6	22.4	23.6	17.8	17.6	18.3	18.7	19.8	25.9	257.4	8	2278
	13 LST	27.3	23.3	24.2	22.5	21.9	22.8	20.9	17.7	18.6	19.5	21.1	27.6	267.4	8	2294
	19 LST	28.3	25.1	25.2	24.5	23.5	23.8	23.3	22.2	19.4	22.0	21.4	28.3	287.0	8	2409
	01 LST	27.9	23.5	24.8	23.9	23.5	23.0	19.7	19.5	19.4	20.1	20.5	26.4	273.0	8	2385
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	26.2	22.5	22.4	21.3	22.3	25.6	17.6	17.2	18.3	18.5	19.7	25.8	255.4	8	2278
	13 LST	27.3	22.9	23.8	21.1	20.3	22.0	20.3	16.5	17.7	19.2	20.8	27.4	259.3	8	2294
	19 LST	28.3	25.1	25.0	23.6	22.7	22.9	21.5	20.9	18.9	21.9	21.3	28.1	280.2	8	2409
	01 LST	27.9	23.5	24.6	23.6	22.9	23.3	18.9	19.1	19.2	20.1	20.5	26.3	269.9	8	2385
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	26.2	22.5	22.1	21.3	22.3	23.6	17.6	17.2	18.3	18.5	19.7	25.8	255.1	8	2278
	13 LST	27.1	22.9	23.6	21.1	20.1	22.0	20.3	16.5	17.7	19.2	20.8	27.4	257.7	8	2294
	19 LST	28.3	25.1	25.0	23.6	22.7	22.7	21.5	20.9	18.9	21.9	21.3	28.1	280.0	8	2409
	01 LST	27.9	23.5	24.6	23.6	22.9	23.3	18.9	18.9	19.2	20.1	20.5	26.3	269.7	8	2385

TAG-DONG, CHINA

STA NO. 55279 (IN AREA NUMBER 03)

LATITUDE 3200N

LONGITUDE 08930E

ELEVATION(FT) 14898

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	39	30	45	57	64	68	70	68	64	59	41	39	70	6	606
MEAN MAX TMP (F)	25	25	35	45	50	60	63	59	55	42	32	22	43	6	606
MEAN MIN TMP (F)	-9	-4	7	15	25	35	41	40	35	18	0	-12	16	5	717
ABS MIN TMP (F)	-33	-18	-9	0	12	18	32	32	25	-2	-38	-45	-45	5	717
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	606
MEAN NO DYS TMP = DR LES 32(F)	31.0	28.0	31.0	29.4	27.4	8.1	0.8	0.4	7.6	30.1	30.0	31.0	254.8	5	717
MEAN NO DYS TMP = DR LES 0(F)	25.4	14.6	7.2	1.2	0.0	0.0	0.0	0.0	0.0	0.5	12.7	25.8	87.4	5	717
MEAN DEW PT TMP (F)	8	19	18	7	17	28	36	36	31	8	10	9	19	5	1739
MEAN REL HUM (PCT)	43	30	21	25	50	51	62	65	64	46	39	49	45	5	1641
MEAN PRESS ALT (FT)	14599	14674	14479	14362	14483	14428	14367	14322	14311	14356	14413	14501		5	1607
MEAN PRECIP (IN)														0	0
MEAN SNOW FALL (IN)							0.0	0.0						5	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN														0	0
MEAN NO DYS SNFL = DR GTR 1.5 IN							0.0	0.0						5	-29
MEAN NO DYS W/O CUR VSBY LES 1/2 MI	0.0	0.0	0.0	1.6	1.5	0.0	0.0	0.0	0.0	0.7	0.0	0.0	3.8	5	354
MEAN NO DYS TSTMS	1.5	0.0	0.0	0.0	8.5	11.3	21.0	22.3	13.1	0.0	0.0	0.0	77.7	5	353
P FREQ WND SPD = DR GTR 17 KTS	4.6	1.6	3.1	1.2	0.9	1.3	1.1	0.0	0.0	0.4	5.6	0.7	1.7	5	1782
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	1782
P FREQ LES 5000 FT A/D LES 5 MI	2.8	2.6	6.3	3.9	4.1	5.1	8.0	12.4	13.0	1.9	2.7	4.4	5.6	5	2729
P FREQ LES 1900 FT A/D LES 3 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	1.8	0.3	6	621
03-05 LST	0.0			0.0	6.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0		2	245
06-08 LST	0.0	0.0	0.0	2.0	2.4	1.2	1.4	3.2	1.4	0.0	0.0	0.0	1.0	6	670
09-11 LST	0.0	0.0	0.0	0.0	3.9	2.0	0.0	0.0	0.0	1.2	1.1	0.0	0.7	5	883
12-14 LST	0.0	0.0	4.5	3.8	0.0	0.0	0.0	0.0	0.0	0.0	2.7	0.0	0.9	6	742
15-17 LST	0.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0		3	404
18-20 LST	2.2	0.0	1.4	0.0	0.0	0.0	2.3	0.0	0.0	1.0	0.0	0.0	0.6	7	1050
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.8	0.0	1.3	0.0	0.0	0.1	6	621
03-05 LST	0.0			0.0	6.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0		2	245
06-08 LST	0.0	0.0	0.0	2.0	2.4	0.0	1.4	1.3	1.4	0.0	0.0	0.0	0.7	6	670
09-11 LST	0.0	0.0	0.0	0.0	2.6	0.0	0.0	0.0	0.0	1.2	0.0	0.0	0.3	5	883
12-14 LST	0.0	0.0	4.5	3.8	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	0.8	6	742
15-17 LST	0.0		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0		3	404
18-20 LST	2.2	0.0	1.4	0.0	0.0	0.0	1.1	0.0	0.0	1.0	0.0	0.0	0.5	7	1050
21-23 LST														0	0

TAG-DONG, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	06 LST	31.0	28.0	31.0	29.4	30.3	30.0	30.6	30.6	29.6	31.0	30.0	31.0	362.5	6	669
	12 LST	31.0	28.0	29.6	28.8	31.0	30.0	31.0	31.0	30.0	31.0	29.2	31.0	361.6	6	742
	18 LST	30.3	28.0	30.6	30.0	31.0	30.0	30.3	31.0	30.0	30.7	30.0	31.0	362.9	7	1050
	00 LST	31.0	28.0	31.0	30.0	31.0	30.0	31.0	31.0	30.0	30.6	30.0	30.4	364.0	6	621
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	06 LST	27.7	28.0	29.0	26.9	28.8	28.6	28.9	29.0	29.2	30.6	27.5	30.0	344.2	6	666
	12 LST	18.3	11.4	13.0	13.3	14.6	23.1	26.0	27.7	26.3	17.4	15.8	20.8	227.7	6	737
	18 LST	23.2	22.5	17.9	14.4	19.2	20.8	18.0	25.1	23.8	25.8	28.3	28.7	267.7	7	1037
	00 LST	28.9	26.8	27.8	28.0	28.7	25.1	23.1	28.9	24.3	30.2	26.7	29.3	327.8	6	618
SFC WND = GTR 17 KTS AND NO PRECIP.	06 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.8	6	676
	12 LST	2.2	2.1	4.9	1.2	0.6	0.0	0.0	0.0	0.0	0.0	2.8	2.0	15.8	6	749
	18 LST	0.3	0.4	1.3	1.5	0.4	0.5	1.0	0.0	0.0	0.3	0.3	0.0	6.0	7	1061
	00 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.5	0.0	0.9	6	627
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	06 LST	0.0	0.0	0.0	0.0	3.0	8.3	13.2	11.6	9.9	1.2	0.0	0.0	47.2	6	670
	12 LST	0.0	0.0	3.6	12.1	9.9	10.7	12.9	12.1	16.4	10.3	1.2	0.0	89.2	6	743
	18 LST	0.0	0.0	3.4	13.8	13.6	15.8	13.0	12.5	15.1	11.5	0.3	0.0	99.0	7	1038
	00 LST	0.0	0.0	0.0	2.8	6.8	12.8	14.8	16.9	16.0	2.7	0.0	0.0	72.8	6	620
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	06 LST	25.4	14.0	17.4	12.4	12.5	7.8	4.5	6.2	11.4	18.8	23.4	22.1	175.9	6	677
	12 LST	20.1	11.0	14.5	11.0	7.0	8.7	2.6	3.2	9.7	17.3	20.4	21.1	146.6	6	748
	18 LST	15.8	8.2	3.8	4.3	7.2	11.7	4.3	5.4	13.1	19.6	17.5	19.3	130.2	7	1074
	00 LST	15.5	14.0	19.2	14.3	13.6	13.7	8.2	13.3	17.4	19.4	22.5	20.3	192.0	6	628
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	06 LST	31.0	28.0	31.0	29.4	30.3	28.8	29.4	28.8	28.9	31.0	30.0	31.0	357.6	6	669
	12 LST	31.0	28.0	29.6	28.8	31.0	30.0	30.5	31.0	29.8	31.0	29.2	31.0	360.9	6	742
	18 LST	30.1	28.0	30.4	30.0	30.8	29.8	29.7	30.7	29.6	30.4	29.9	31.0	360.4	7	1050
	00 LST	31.0	28.0	31.0	30.0	31.0	30.0	30.5	30.7	29.0	30.6	30.0	30.4	362.2	6	621
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	06 LST	28.6	24.8	29.0	26.9	25.1	19.3	20.4	21.6	21.4	26.9	27.1	28.0	299.1	6	669
	12 LST	28.8	21.0	26.1	27.1	24.6	22.1	23.3	19.2	21.4	28.2	25.6	29.4	296.8	6	742
	18 LST	26.6	24.1	26.2	25.6	24.7	23.2	17.6	20.1	21.8	26.4	26.0	25.6	289.9	7	1050
	00 LST	25.8	25.7	28.9	29.3	27.1	26.5	21.1	24.8	24.7	26.7	28.4	26.6	315.6	6	621
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	06 LST	27.0	18.3	21.0	20.8	17.7	14.0	12.7	16.5	17.3	24.1	23.8	24.1	237.3	6	669
	12 LST	26.0	14.0	19.0	22.5	13.5	12.3	8.8	7.8	12.3	23.5	22.4	24.6	206.7	6	742
	18 LST	19.5	13.3	11.8	10.2	11.8	17.4	8.1	8.6	16.8	21.2	21.6	22.2	182.5	7	1050
	00 LST	19.6	17.5	22.4	18.4	15.5	17.4	12.9	17.4	20.7	22.0	25.1	22.1	231.0	6	621

ADAG MAMAR/HEIHO, CHINA

STA NO. 55299 (IN ARFA NUMBER 03)

LATITUDE 3200N

LONGITUDE 09207E

ELEVATION(FT) 13123

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	41	48	52	59	68	72	75	73	63	61	52	48	75	8	2365
MEAN MAX TMP (F)	27	30	36	46	52	58	61	58	55	46	35	28	44	8	2365
MEAN MIN TMP (F)	-10	-5	3	13	24	34	38	38	30	17	0	-9	14	8	2316
ABS MIN TMP (F)	-29	-24	-17	-8	3	19	25	27	10	-11	-33	-21	-33	8	2316
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2365
MEAN NO DYS TMP = DR LES 32(F)	31.0	28.0	31.0	29.8	28.8	12.3	5.7	3.8	19.6	30.4	30.0	31.0	28.4	8	2316
MEAN NO DYS TMP = DR LES 0(F)	26.7	20.7	10.8	1.7	0.0	0.0	0.0	0.0	0.0	1.3	17.5	27.3	10.0	8	2316
MEAN DEW PT TMP (F)	25	21	10	0	15	32	38	39	32	14	7	15	21	8	10322
MEAN REL HUM (PCT)	27	27	34	37	51	63	70	75	71	57	46	45	50	8	10127
MEAN PRESS ALT (FT)	14415	14475	14394	14310	14320	14292	14218	14182	14156	14196	14255	14328		7	5501
MEAN PRECIP (IN)														0	0
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = DR GTR 0.1 IN														0	0
MEAN NO DYS SNFL = DR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.5	0.2	0.4	0.8	1.3	0.2	0.4	0.4	0.5	0.8	0.7	0.6	6.8	8	1908
MEAN NO DYS TSTMS	0.0	0.0	0.2	2.5	8.9	19.4	21.2	21.4	14.4	1.8	0.0	0.0	89.8	8	1907
P FREQ WND SPD = DR GTR 17 KTS	5.7	8.2	6.0	5.9	4.8	2.2	0.3	0.6	1.2	2.4	4.7	3.7	3.8	8	10778
P FREQ WND SPD = DR GTR 28 KTS	0.4	0.4	0.2	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.3	0.2	0.1	8	19778
P FREQ LES 5000 FT A/D LES 5 MI	1.5	2.2	3.5	3.2	4.3	2.3	2.0	4.9	4.6	6.1	2.7	1.9	3.3	8	11550
P FREQ LES 1500 FT A/D LES 3 MI															
FDR 00-02 LST	0.6	0.6	1.0	2.2	0.5	0.0	0.0	0.5	0.9	3.3	0.9	1.0	1.0	8	2375
03-05 LST	0.0	0.0	2.2	4.3	2.2	1.1	1.6	0.0	1.6	0.7	4.8	2.3	1.7	5	667
06-08 LST	0.0	0.0	2.1	5.3	5.4	0.0	1.1	0.9	2.1	6.5	1.9	0.5	2.2	8	2304
09-11 LST	0.0	0.0	1.1	0.0	2.3	1.7	0.0	0.0	1.7	3.8	2.1	2.0	1.2	7	1264
12-14 LST	2.1	1.1	1.6	0.0	2.0	0.0	0.5	0.5	1.3	1.8	0.9	0.9	1.1	8	2400
15-17 LST	0.0	0.0	1.3	1.2	0.8	0.0	0.0	1.2	0.0	1.9	3.7	0.0	0.8	6	1041
18-20 LST	0.0	3.2	0.5	0.5	2.0	0.0	0.0	0.3	0.9	0.0	0.5	0.0	0.7	8	2403
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.1	3	878
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	0.0	0.6	0.0	1.6	0.5	0.0	0.0	0.0	0.5	1.8	3.5	0.5	0.5	8	2375
03-05 LST	0.0	0.0	2.2	0.0	2.2	0.0	0.0	0.0	0.0	0.0	4.8	0.0	0.8	5	667
06-08 LST	0.0	0.0	1.1	3.9	1.6	0.0	1.1	0.9	1.4	4.6	1.9	0.5	1.4	8	2304
09-11 LST	0.0	0.0	1.1	0.0	1.5	0.0	0.0	0.0	0.0	1.7	3.0	1.0	0.4	7	1264
12-14 LST	1.1	0.0	0.0	0.0	1.5	0.0	0.0	0.5	1.0	0.9	0.9	0.9	0.5	8	2400
15-17 LST	0.0	0.0	1.3	0.0	0.8	0.0	0.0	1.2	0.0	0.9	2.5	0.0	0.6	6	1041
18-20 LST	0.0	2.9	0.5	0.0	1.5	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.5	8	2403
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	878

ADAG MAMAR/HEIHO, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	06 LST	31.0	28.0	30.3	28.5	29.3	30.0	30.7	30.7	29.4	29.1	29.4	30.8	357.2	8	2301
	12 LST	30.3	27.7	30.5	30.0	30.4	30.0	30.8	30.9	29.6	30.5	29.7	30.7	361.1	8	2400
	18 LST	31.0	27.2	30.8	29.8	30.4	30.0	31.0	31.0	29.7	31.0	29.9	31.0	362.8	8	2402
	00 LST	30.8	27.8	30.7	29.4	30.8	30.0	31.0	30.9	29.7	30.0	29.7	30.7	361.5	8	2375
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	06 LST	29.5	26.5	29.0	26.0	27.8	29.1	30.3	30.4	29.0	28.7	28.6	29.8	344.7	8	2293
	12 LST	16.2	9.7	10.3	11.5	12.1	22.0	25.9	26.0	23.5	15.8	15.5	21.0	209.5	8	2393
	18 LST	23.7	17.7	16.2	11.3	13.8	18.7	24.1	24.5	25.3	26.8	26.7	26.5	255.3	8	2397
	00 LST	29.2	27.2	28.9	27.9	28.8	27.7	29.3	29.2	28.3	28.9	28.7	30.2	344.3	8	2372
SFC WND = GTR 17 KTS AND NO PRECIP.	06 LST	0.3	0.5	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.5	1.4	8	2327
	12 LST	5.5	7.5	4.5	4.2	2.6	0.5	0.0	0.4	0.4	2.6	4.9	3.6	36.7	8	2409
	18 LST	0.9	0.6	0.6	1.9	2.0	1.5	0.2	0.1	0.1	0.0	0.0	0.3	8.2	8	2415
	00 LST	0.5	0.2	0.3	0.2	0.0	0.0	0.0	0.1	0.1	0.3	0.0	0.0	1.7	8	2390
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	06 LST	0.0	0.0	0.0	0.0	1.7	7.8	5.7	4.8	2.1	0.4	0.0	0.2	22.7	8	2303
	12 LST	0.0	0.6	3.6	9.0	9.6	11.7	13.8	10.2	14.6	10.2	2.9	1.7	87.9	8	2381
	18 LST	0.0	0.3	5.2	14.1	12.4	14.1	13.9	15.2	17.6	12.3	0.9	0.1	105.9	8	2403
	00 LST	0.0	0.0	0.0	0.8	4.0	8.6	7.8	6.3	7.1	1.7	0.1	0.0	36.4	8	2374
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	06 LST	22.2	15.0	13.3	10.7	8.2	6.8	6.1	5.2	13.3	14.1	18.9	20.5	154.3	8	2327
	12 LST	15.7	8.6	6.5	3.5	3.8	2.0	3.4	1.8	5.3	11.2	17.3	18.8	97.9	8	2418
	18 LST	14.9	8.3	3.5	2.7	5.1	4.1	5.4	3.6	11.0	15.2	19.1	17.1	110.0	8	2423
	00 LST	17.3	12.3	10.1	12.0	11.8	10.1	9.1	7.7	16.5	18.1	19.4	19.8	164.2	8	2388
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	06 LST	31.0	27.9	30.3	28.3	29.2	30.0	30.7	30.6	29.2	28.7	29.4	30.8	356.1	8	2301
	12 LST	30.3	27.7	30.5	30.0	30.4	29.9	30.8	30.9	29.6	30.4	29.6	30.7	360.8	8	2400
	18 LST	30.9	27.0	30.8	29.8	30.4	30.0	31.0	30.8	29.7	30.9	29.9	31.0	362.2	8	2402
	00 LST	30.8	27.8	30.7	29.4	30.8	30.0	31.0	30.8	29.7	29.8	29.7	30.7	361.2	8	2375
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	06 LST	30.0	27.3	28.7	27.0	26.6	24.6	26.5	23.2	23.5	26.0	28.0	29.2	320.6	8	2301
	12 LST	28.8	26.9	27.7	28.2	26.4	26.3	24.4	25.3	25.1	26.7	28.3	30.0	328.1	8	2400
	18 LST	28.0	24.6	29.0	27.9	27.0	26.8	27.9	25.1	24.6	27.8	28.4	28.8	325.9	8	2402
	00 LST	29.4	27.2	29.4	28.4	28.1	27.1	25.5	24.4	25.8	27.6	28.4	29.8	331.1	8	2375
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	06 LST	24.6	20.0	20.0	19.2	17.3	12.9	12.7	10.5	16.5	19.6	23.9	24.2	221.4	8	2301
	12 LST	20.2	14.1	11.0	9.3	8.7	6.1	6.7	5.4	10.2	15.8	21.9	24.6	154.0	8	2400
	18 LST	18.2	13.2	12.3	11.0	13.4	10.1	11.2	9.0	14.7	20.5	23.1	21.3	178.0	8	2402
	00 LST	21.6	17.6	19.2	20.0	19.9	14.1	13.3	10.7	19.3	22.6	24.7	23.7	226.7	8	2375

ZHIKATSE/JIH KEH, CHINA

STA NO. 55570 (IN AREA NUMBER 03)	LATITUDE 2913N LONGITUDE 08855E ELEVATION(FT) 12198												POR	NO.	
PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	(YRS)	DBS
ABS MAX TMP (F)	55	68	63	73	79	79	81	75	73	72	59	59	81	6	992
MEAN MAX TMP (F)	42	46	51	59	66	71	69	66	66	59	50	44	57	6	992
MEAN MIN TMP (F)	9	15	22	30	38	45	49	47	43	29	17	9	29	6	957
ABS MIN TMP (F)	-4	1	7	16	23	32	41	32	30	10	-2	-2	-4	6	957
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	992
MEAN NO DYS TMP = DR LES 32(F)	30.6	27.2	30.2	19.3	6.4	1.0	0.0	0.4	0.4	21.0	29.7	31.0	197.2	6	957
MEAN NO DYS TMP = DR LES 0(F)	3.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	2.0	5.7	6	957
MEAN DEW PT TMP (F)	11	11	3	9	23	39	46	46	40	18	1	6	21	6	4540
MEAN REL HUM (PCT)	27	21	25	32	40	57	66	75	63	40	33	31	43	6	4462
MEAN PRESS ALT (FT)	12261	12297	12260	12196	12295	12272	12222	12168	12154	12165	12203	12218		5	2085
MEAN PRECIP (IN)														0	0
MEAN SNOW FALL (IN)						0.0	0.0	0.0	0.0					6	-24
MEAN NO DYS PRCP = DR GTR 0.1 IN														0	0
MEAN NO DYS SNFL = DR GTR 1.5 IN						0.0	0.0	0.0	0.0					6	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.5	6	759
MEAN NO DYS TSTMS	0.0	0.0	0.0	3.2	9.2	18.8	24.8	23.8	10.3	0.9	0.0	0.0	91.0	6	764
P FREQ WND SPD = DR GTR 17 KTS	1.1	1.8	1.3	1.0	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	4587
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	4587
P FREQ LES 5000 FT A/D LES 5 MI	0.5	0.0	0.0	1.1	1.7	4.5	6.2	13.4	6.5	1.0	0.7	0.0	3.0	6	4921
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	0.0	0.0	0.0	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	6	997
03-05 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.7	1.4	0.0	0.0	0.0	0.5	3	373
06-08 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.8	1.1	0.0	0.0	0.9	0.0	0.2	6	992
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	810
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	1058
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	0.0	0.0	0.0	0.0	0.2	3	455
18-20 LST	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	7	1331
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	786
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	997
03-05 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.7	0.0	0.0	0.0	0.0	0.4	3	373
06-08 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	992
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	810
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	1058
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	455
18-20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	1331
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	786

ZHIKATSE/JIH KEH, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	06 LST	31.0	28.0	31.0	30.0	31.0	30.0	30.7	31.0	30.0	31.0	29.7	31.0	364.4	6	992
	12 LST	31.0	28.0	31.0	30.0	31.0	30.0	31.0	31.0	30.0	31.0	30.0	31.0	365.0	7	1057
	18 LST	30.7	28.0	31.0	30.0	31.0	30.0	31.0	31.0	30.0	31.0	30.0	31.0	364.7	7	1331
	00 LST	31.0	28.0	31.0	29.6	31.0	30.0	31.0	31.0	30.0	31.0	30.0	31.0	364.6	6	997
CIG = GTR 2000 FT AND VSPY = GTR 3 MI W/SPC WND LES 10 KTS	06 LST	24.8	26.0	29.7	28.4	30.5	29.1	29.6	31.0	29.6	31.0	28.7	31.0	354.4	6	990
	12 LST	25.4	19.2	23.3	21.6	23.7	29.1	30.3	31.0	29.3	27.0	26.0	28.2	314.1	7	1048
	18 LST	23.6	20.4	17.6	16.5	23.8	22.7	26.0	27.5	27.8	27.6	27.8	28.6	289.9	7	1315
	00 LST	27.1	21.0	22.7	23.2	28.2	27.9	30.0	29.4	28.5	30.3	27.6	28.8	324.7	6	993
SFC WND = GTR 17 KTS AND NO PRECIP.	06 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	1005
	12 LST	0.4	2.2	0.4	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.5	4.9	7	1061
	18 LST	0.5	0.9	1.0	0.5	0.3	0.0	0.0	0.0	0.0	0.0	0.2	0.5	3.9	7	1343
	00 LST	0.0	1.2	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	6	998
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	06 LST	0.0	0.4	1.7	6.3	7.8	7.0	4.1	1.7	3.4	1.5	0.8	0.0	34.7	6	999
	12 LST	9.0	12.2	18.0	19.9	15.3	15.4	12.5	14.4	15.9	18.2	16.9	10.0	177.7	7	1056
	18 LST	7.4	12.7	14.2	14.1	17.2	13.2	7.4	9.2	12.1	11.1	5.9	5.0	129.5	7	1325
	00 LST	3.0	4.9	11.6	11.4	15.3	11.3	5.3	3.2	10.6	9.0	6.2	2.3	94.1	6	993
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	06 LST	27.6	26.1	23.5	17.2	14.6	8.1	1.4	1.7	9.8	24.1	25.5	29.0	208.6	6	1001
	12 LST	24.0	20.3	16.7	10.4	10.6	7.6	4.2	4.8	12.2	24.7	22.0	25.8	183.3	7	1064
	18 LST	21.4	12.8	6.5	2.0	6.5	5.8	1.1	2.0	11.6	21.0	19.6	21.8	132.1	7	1344
	00 LST	24.7	22.6	21.3	17.1	16.5	12.3	3.3	1.6	13.0	27.4	26.7	27.1	213.6	6	997
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	06 LST	31.0	28.0	30.8	30.0	31.0	29.6	30.5	30.7	29.5	31.0	29.7	31.0	362.8	6	992
	12 LST	31.0	28.0	31.0	30.0	31.0	30.0	31.0	31.0	29.9	31.0	30.0	31.0	364.9	7	1057
	18 LST	30.7	28.0	31.0	30.0	31.0	29.9	31.0	31.0	30.0	31.0	30.0	31.0	364.6	7	1331
	00 LST	31.0	28.0	31.0	29.6	31.0	30.0	31.0	30.6	30.0	31.0	30.0	31.0	364.2	6	997
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	06 LST	31.0	28.0	30.1	28.8	27.4	23.3	20.2	14.4	22.8	30.6	29.7	31.0	317.3	6	992
	12 LST	31.0	28.0	31.0	30.0	29.4	26.8	28.1	27.4	27.5	30.3	29.7	31.0	350.2	7	1057
	18 LST	30.4	27.7	29.5	28.8	28.4	26.9	26.4	25.3	28.8	30.2	29.5	30.8	342.7	7	1331
	00 LST	30.5	28.0	30.6	28.4	28.6	23.0	23.5	20.9	26.3	30.6	30.0	31.0	331.4	6	997
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	06 LST	30.2	28.0	30.1	27.6	24.2	18.4	13.2	6.3	17.5	30.2	28.7	30.7	285.1	6	992
	12 LST	30.6	26.9	29.2	27.0	25.7	23.2	22.7	19.9	22.9	29.9	28.7	30.5	317.2	7	1057
	18 LST	30.2	25.8	27.1	23.9	26.1	23.7	17.2	16.2	23.5	28.9	29.3	30.8	302.7	7	1331
	00 LST	30.5	27.2	28.7	27.6	25.4	19.7	13.4	10.4	20.5	30.3	29.7	31.0	294.4	6	997

LHASA/LASA, CHINA

STA NO. 55591 (IN AREA NUMBER 03)

LATITUDE 2943N

LONGITUDE 09102E

ELEVATION(FT) 11796

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	61	70	70	77	81	81	82	75	72	72	66	63	62	8	2369
MEAN MAX TMP (F)	44	48	51	61	66	72	71	69	67	61	53	46	39	8	2369
MEAN MIN TMP (F)	13	19	25	34	40	48	50	49	45	34	21	15	93	8	2371
ABS MIN TMP (F)	3	3	10	19	25	36	43	34	32	19	5	-4	-4	8	2371
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	1369
MEAN NO DYS TMP = DR LES 32(F)	30.8	27.1	28.7	14.1	2.6	0.0	0.0	0.0	0.3	14.3	29.9	31.0	178.8	8	2371
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	8	2371
MEAN DEW PT TMP (F)	7	3	4	14	27	41	48	47	42	26	8	2	22	8	11378
MEAN REL HUM (PCT)	26	26	31	34	43	54	68	72	65	49	37	36	45	8	11138
MEAN PRESS ALT (FT)	11717	11785	11719	11690	11741	11730	11669	11617	11584	11587	11630	11650		7	6097
MEAN PRECIP (IN)	0.10	0.50	0.30	0.20	1.00	2.50	4.80	3.50	2.60	0.50	0.10	0.00	16.1	7	-28
MEAN SNOW FALL (IN)						0.0	0.0	0.0	0.0					8	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	1.6	3.6	1.7	1.2	4.4	6.5	10.2	8.3	8.8	1.7	0.5	0.0	48.5	7	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN						0.0	0.0	0.0	0.0					8	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	8	2006
MEAN NO DYS TSYMS	0.0	0.0	0.2	1.6	7.4	15.7	20.7	20.4	11.4	1.6	0.0	0.2	79.2	8	2005
P FREQ WND SPD = DR GTR 17 KTS	0.3	0.8	0.8	0.6	0.7	0.4	0.0	0.4	0.2	0.1	0.4	0.1	0.4	8	11555
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	11555
P FREQ LES 5000 FT A/D LES 5 MI	0.2	0.1	1.2	.2	1.3	0.8	1.9	2.6	1.2	0.7	0.3	0.3	1.0	8	12184
P FREQ LES 1500 FT A/D LES 3 MI															
PDR 00-02 LST	0.0	0.6	1.6	0.0	0.5	0.0	0.5	0.0	0.0	0.0	0.0	0.2	0.3	8	2414
03-05 LST	0.0	0.0	0.0	0.0	0.6	0.0	0.0	1.7	0.0	0.0	0.0	0.0	0.2	5	708
06-08 LST	0.0	0.0	0.5	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	8	2386
09-11 LST	0.0	0.0	1.1	0.0	0.0	0.9	0.0	0.0	0.0	0.0	0.9	0.0	0.2	7	1289
12-14 LST	0.0	0.0	0.0	0.0	0.3	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.1	8	2453
15-17 LST	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	6	1063
18-20 LST	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.1	8	2447
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	927
P FREQ LES 300 FT A/D LES 1 MI															
PDR 00-02 LST	0.0	0.6	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	8	2414
03-05 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	708
06-08 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2386
09-11 LST	0.0	0.0	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	7	1289
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2453
15-17 LST	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	6	1063
18-20 LST	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2447
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	927

LHASA/LASA, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	06 LST	31.0	28.0	30.8	30.0	30.8	30.0	31.0	31.0	30.0	31.0	30.0	31.0	364.6	8	2386
	12 LST	31.0	28.0	31.0	30.0	31.0	30.0	31.0	31.0	30.0	31.0	30.0	31.0	365.0	8	2453
	18 LST	30.7	28.0	31.0	30.0	31.0	30.0	31.0	31.0	30.0	30.9	30.0	31.0	364.6	8	2447
	00 LST	31.0	27.8	30.5	30.0	30.8	30.0	30.8	31.0	30.0	31.0	30.0	31.0	363.9	8	2414
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	06 LST	27.7	24.3	28.6	28.1	29.2	28.5	30.5	29.6	29.0	29.2	28.6	27.9	341.2	8	2378
	12 LST	28.7	24.1	26.1	25.6	26.6	29.2	30.1	30.1	28.8	30.0	28.9	29.8	338.0	8	2450
	18 LST	27.1	24.4	24.8	22.0	24.6	26.3	28.6	28.9	28.6	28.4	26.8	28.7	319.2	8	2440
	00 LST	25.5	23.7	26.1	25.8	27.4	25.4	29.0	27.9	28.2	27.3	27.1	26.9	320.3	8	2409
SFC WND = GTR 17 KTS AND NO PRECIP.	06 LST	0.2	0.2	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.7	8	2393
	12 LST	0.0	0.5	0.5	0.3	0.0	0.2	0.0	0.1	0.0	0.0	0.1	0.0	1.7	8	2462
	18 LST	0.5	0.2	0.3	0.3	0.3	0.2	0.0	0.0	0.0	0.0	0.1	0.0	1.9	8	2458
	00 LST	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.3	8	2422
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	06 LST	0.5	0.8	4.7	10.9	11.5	8.9	9.4	8.1	10.5	9.2	0.6	0.0	75.1	8	2374
	12 LST	11.0	14.5	19.1	20.1	17.2	14.5	11.1	13.3	16.0	19.7	11.1	9.8	177.4	8	2445
	18 LST	9.5	14.0	17.4	20.5	17.3	12.5	10.7	11.4	12.2	11.9	10.8	7.4	156.6	8	2439
	00 LST	4.0	5.7	13.4	16.0	15.2	11.8	5.7	5.0	10.3	13.6	6.7	1.6	107.0	8	2411
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	06 LST	27.4	21.3	17.6	14.3	12.2	6.4	3.6	1.8	6.6	19.5	26.6	27.7	185.0	8	2401
	12 LST	21.9	13.3	8.6	6.2	6.0	5.8	3.1	3.1	7.7	16.3	23.0	22.5	137.5	8	2469
	18 LST	16.7	8.8	2.6	2.3	4.1	4.0	4.0	2.8	11.2	17.7	20.8	18.9	113.9	8	2462
	00 LST	24.6	17.7	16.1	13.1	14.4	9.4	5.5	2.9	11.4	23.5	26.0	25.7	190.3	8	2426
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	06 LST	31.0	28.0	30.8	29.9	30.7	29.9	31.0	31.0	30.0	31.0	30.0	31.0	364.3	8	2386
	12 LST	31.0	28.0	31.0	30.0	30.8	30.0	30.7	30.9	30.0	31.0	30.0	31.0	364.4	8	2453
	18 LST	30.7	28.0	31.0	30.0	31.0	30.0	31.0	30.9	30.0	30.9	30.0	31.0	364.5	8	2447
	00 LST	31.0	27.8	30.5	29.9	30.8	29.9	30.8	31.0	30.0	31.0	30.0	30.9	363.6	8	2414
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	06 LST	30.8	27.7	29.1	28.1	27.1	24.2	21.7	17.3	24.2	29.4	29.4	30.6	319.6	8	2386
	12 LST	30.8	27.4	29.9	29.2	29.3	29.1	26.0	27.8	17.4	30.2	29.9	30.5	347.5	8	2453
	18 LST	30.4	27.5	29.3	28.6	30.2	27.5	28.8	28.5	28.8	30.6	29.7	30.3	350.2	8	2447
	00 LST	30.8	27.7	29.2	28.7	28.1	24.8	22.7	20.3	26.5	30.2	29.7	30.6	329.3	8	2414
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	06 LST	29.5	24.2	23.5	22.3	19.0	13.2	9.3	5.3	10.5	23.6	28.5	29.0	237.9	8	2386
	12 LST	26.3	18.1	17.7	15.0	15.0	18.6	11.9	12.7	16.6	24.2	27.4	26.0	229.5	8	2453
	18 LST	19.9	14.5	11.7	11.3	16.7	13.9	14.3	12.1	19.1	24.6	24.4	22.0	204.5	8	2447
	00 LST	27.7	22.4	19.7	19.8	21.7	15.2	10.8	6.7	17.0	27.3	28.6	27.9	244.8	8	2414

PHARI-DZONG/PALI, CHINA

STA NO. 55773 (IN AREA NUMBER 03) LATITUDE 2744N LONGITUDE 03905E ELEVATION(FT) 12203

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
ABS MAX TMP (F)	54	55	52	63	59	64	64	70	59	59	57	55	70	8	2307
MEAN MAX TMP (F)	34	35	38	45	50	55	56	55	53	47	43	39	46	8	2307
MEAN MIN TMP (F)	1	5	12	21	29	37	40	39	34	24	12	4	22	8	2245
ABS MIN TMP (F)	-15	-15	-6	5	12	25	30	28	21	5	0	-13	-15	8	2245
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2307
MEAN NO DYS TMP = DR LES 32(F)	31.0	27.8	31.0	29.3	24.3	3.7	0.4	1.4	11.0	27.3	30.0	31.0	248.2	8	2245
MEAN NO DYS TMP = DR LES 0(F)	18.0	6.7	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	7.9	33.4	8	2245
MEAN DEW PT TMP (F)	5	3	11	20	28	38	41	41	36	24	8	3	22	8	10190
MEAN REL HUM (PCT)	47	56	62	67	69	77	82	83	80	70	56	45	56	8	9912
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	0.42	2.06	1.54	4.13	4.16	5.08	5.24	6.36	4.74	2.63	0.27	0.31	36.9	7	-181
MEAN SNOW FALL (IN)							0.0							8	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	1.0	5.3	4.5	13.4	11.0	14.3	18.0	18.8	12.7	4.0	0.7	1.0	104.7	7	-181
MEAN NO DYS SNFL = DR GTR 1.5 IN							0.0							8	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	1.1	1.6	0.8	1.2	0.4	0.2	0.7	0.0	0.5	1.3	0.8	1.2	9.8	8	1888
MEAN NO DYS TSTMS	0.2	0.0	0.4	3.9	3.5	2.2	4.9	2.6	3.4	1.0	0.2	0.3	22.6	8	1885
P FREQ WND SPD = DR GTR 17 KTS	4.5	3.3	0.7	1.8	0.6	0.0	0.2	1.1	1.8	2.1	1.3	2.4	1.7	8	10490
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.1	8	10490
P FREQ LES 3000 FT A/D LES 5 MI	11.2	25.7	33.4	42.5	64.0	75.7	78.8	84.8	68.7	36.7	10.7	7.8	45.0	8	11173
P FREQ LES 1900 FT A/D LES 3 MI															
FOR 10-02 LST	4.7	2.4	2.4	2.4	2.1	0.8	0.5	1.0	1.2	1.1	1.2	1.4	1.8	8	2346
03-05 LST	0.0	0.0	1.0	1.6	1.1	0.0	0.0	1.7	0.0	2.8	0.0	2.3	0.9	5	655
06-08 LST	4.4	5.1	3.9	2.7	3.3	4.3	4.8	3.0	2.8	5.6	6.4	3.8	4.2	8	2293
09-11 LST	2.2	3.8	1.6	0.0	0.5	0.0	0.0	0.0	1.1	4.3	0.6	1.7	1.3	7	1093
12-14 LST	1.8	0.9	0.0	1.4	0.9	0.0	0.3	0.0	0.4	0.9	0.0	0.0	0.6	8	2380
15-17 LST	0.0	0.0	0.0	2.6	1.8	0.0	0.0	0.0	0.0	1.9	0.0	0.0	0.5	6	1024
18-20 LST	1.3	1.5	3.3	4.3	2.6	1.6	1.1	2.0	1.0	0.9	0.3	0.2	1.7	8	2405
21-23 LST	2.2	0.0	1.4	1.3	1.2	1.2	0.0	0.0	0.0	0.0	1.3	0.0	0.7	3	897
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	2.7	0.6	0.5	0.0	1.0	0.0	0.0	0.0	0.0	0.9	0.9	0.5	0.6	8	2346
03-05 LST	0.0	0.0	0.0	0.0	1.1	0.0	0.0	1.7	0.0	1.4	0.0	2.3	0.5	5	655
06-08 LST	2.2	4.8	2.6	1.1	0.6	0.7	3.0	0.5	1.4	4.5	2.6	3.1	2.3	8	2293
09-11 LST	0.0	1.3	0.0	0.0	0.0	0.0	0.0	0.0	1.1	2.8	0.0	1.7	0.6	7	1093
12-14 LST	1.0	0.6	0.0	0.5	0.6	0.0	0.0	0.0	0.4	0.9	0.0	0.0	0.3	8	2380
15-17 LST	0.0	0.0	0.0	1.3	0.9	0.0	0.0	0.0	0.0	0.9	0.0	0.0	0.3	6	1024
18-20 LST	1.0	0.0	1.6	1.6	0.5	0.0	0.0	0.5	0.0	0.4	0.5	0.0	0.5	8	2405
21-23 LST	0.0	0.0	0.0	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	3	897

PHARI-DZONG/PALI, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	06 LST	29.6	26.7	30.0	29.5	30.6	29.4	29.7	30.5	29.4	29.5	28.5	29.9	353.3	8	2293
	12 LST	30.7	27.8	31.0	29.8	30.8	30.0	31.0	31.0	29.9	30.7	30.0	31.0	363.7	8	2380
	18 LST	30.7	27.7	30.3	29.0	30.7	30.0	31.0	30.7	29.9	30.7	29.9	31.0	361.6	8	2405
	00 LST	29.6	27.7	30.8	29.5	30.7	29.8	31.0	30.8	29.7	30.7	29.7	30.7	360.7	8	2346
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	06 LST	25.4	24.7	27.8	28.1	27.9	26.0	29.0	29.0	28.5	27.5	26.2	28.0	327.6	8	2285
	12 LST	14.9	15.3	17.1	14.4	8.5	10.7	12.0	13.5	12.5	13.1	15.6	15.6	163.2	8	2367
	18 LST	20.6	18.8	19.7	16.9	14.5	12.2	18.8	18.8	15.0	15.2	17.1	21.5	209.1	8	2395
	00 LST	26.9	25.5	28.4	27.5	26.9	25.1	28.3	28.2	27.1	28.6	29.0	28.7	330.2	8	2340
SFC WND = GTR 17 KTS AND NO PRECIP.	06 LST	0.9	1.2	0.0	0.2	0.0	0.0	0.0	0.0	0.1	0.1	0.3	0.3	3.1	8	2309
	12 LST	3.1	2.0	0.5	0.5	0.3	0.0	0.0	0.0	0.3	0.3	0.8	2.2	10.0	8	2384
	18 LST	0.3	0.3	0.2	0.0	0.2	0.2	0.0	0.0	0.6	0.5	0.3	0.1	2.7	8	2412
	00 LST	0.7	0.0	0.2	0.0	0.0	0.0	0.2	0.0	0.0	0.1	0.0	0.1	1.3	8	2358
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	06 LST	0.0	0.0	0.0	0.3	3.0	5.9	3.3	4.0	3.4	1.4	0.0	0.0	21.3	8	2281
	12 LST	4.5	4.2	9.0	13.2	9.0	10.0	8.8	9.0	10.6	13.2	13.2	8.4	119.1	8	2364
	18 LST	0.5	1.3	4.1	10.9	13.5	9.4	6.7	7.1	10.4	11.2	2.2	1.2	78.5	8	2397
	00 LST	0.0	0.0	0.0	1.4	7.8	8.9	6.7	6.1	8.5	3.7	0.0	0.0	43.1	8	2340
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	06 LST	25.7	20.5	19.8	17.9	8.5	3.1	0.9	1.7	6.2	15.5	23.8	26.5	170.1	8	2323
	12 LST	24.3	19.8	16.5	12.3	6.0	2.0	1.5	1.0	3.5	16.1	25.8	24.8	153.6	8	2399
	18 LST	22.5	13.8	7.3	4.1	2.5	1.5	0.5	0.4	2.5	11.0	23.1	24.1	113.3	8	2432
	00 LST	24.6	17.0	16.9	11.3	8.3	4.3	1.4	0.8	6.0	16.7	24.8	25.5	157.6	8	2366
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	06 LST	29.1	25.4	28.4	27.2	25.5	23.5	24.9	25.0	25.1	26.7	27.2	29.3	317.3	8	2293
	12 LST	29.9	27.2	29.6	27.8	26.9	25.2	25.1	26.2	26.4	28.8	29.6	30.9	333.6	8	2380
	18 LST	30.1	26.1	26.8	25.5	25.8	23.9	24.4	25.6	25.3	27.5	29.2	30.4	320.6	8	2405
	00 LST	28.9	25.3	27.5	25.5	25.9	24.5	24.4	24.8	25.6	28.2	29.0	29.7	319.3	8	2346
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	06 LST	26.9	21.2	22.9	21.6	12.9	9.6	7.9	6.6	10.6	19.0	25.4	28.0	212.6	8	2293
	12 LST	27.3	23.8	23.3	18.5	10.9	6.2	6.5	3.3	8.3	19.4	28.0	29.1	204.6	8	2380
	18 LST	26.1	18.1	13.8	10.8	6.4	5.6	1.7	3.3	6.2	15.5	25.8	27.6	160.9	8	2405
	00 LST	26.8	18.6	18.9	14.4	10.7	5.6	3.5	3.0	8.1	18.8	26.4	27.5	182.3	8	2346
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	06 LST	26.9	21.2	22.7	21.5	12.7	9.4	7.8	6.5	10.3	18.8	25.4	28.0	211.2	8	2293
	12 LST	27.3	23.8	23.3	18.5	10.9	6.0	6.5	3.1	8.2	19.4	28.0	29.1	204.1	8	2380
	18 LST	25.6	17.9	13.6	10.0	6.2	5.6	1.7	3.2	6.2	15.5	25.8	27.5	158.8	8	2405
	00 LST	26.8	18.6	18.9	14.2	10.7	5.4	3.0	3.0	8.1	18.8	26.4	27.5	181.4	8	2346

CHITING-HSILIN/K, CHINA

STA NO. 56004 (IN AREA NUMBER 03)

LATITUDE 3357N

LONGITUDE 09237E

ELEVATION(FT) 16564

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	32	32	45	55	61	63	64	64	63	59	39	37	64	6	950
MEAN MAX TMP (F)	18	22		42	47	52	56	56	52	38	28	20	38	6	950
MEAN MIN TMP (F)	-12	-12	-1	10	20	31	36	34	30	13	-3	-12	11	6	897
ABS MIN TMP (F)	-35	-24	-18	-8	7	25	27	25	19	-4	-15	-26	-35	6	897
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	950
MEAN NO DYS TMP = OR LES 32(F)	31.0	28.0	31.0	30.0	29.5	20.5	8.3	9.7	22.7	31.0	30.0	31.0	302.7	6	897
MEAN NO DYS TMP = OR LES 0(F)	28.2	27.3	18.1	3.4	0.0	0.0	0.0	0.0	0.0	2.1	24.7	28.9	132.7	6	897
MEAN DEW PT TMP (F)	18	15	11	1	15	30	35	33	29	6	10	14	18	5	4353
MEAN REL HUM (PCT)	43	47	38	39	54	68	72	68	70	52	44	30	54	5	4290
MEAN PRESS ALT (FT)	15017	14909	14786	14745	14578	14507	14517	14545	14695	14683	14661	14799		5	4255
MEAN PRECIP (IN)														0	0
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = OR GTR 0.1 IN														0	0
MEAN NO DYS SNFL = OR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.6	0.0	0.0	0.5	1.2	0.0	0.0	0.0	1.3	0.0	0.7	0.8	5.1	5	672
MEAN NO DYS TSTMS	0.0	0.4	0.0	0.5	13.1	14.6	19.5	12.3	12.7	0.4	0.0	0.3	73.8	5	787
P FREQ WND SPD = OR GTR 17 KTS	15.2	5.4	13.0	11.9	4.6	0.0	1.0	1.2	2.3	4.2	7.5	9.8	6.3	5	4634
P FREQ WND SPD = OR GTR 28 KTS	0.9	0.0	0.9	0.6	0.0	0.0	0.0	0.0	0.0	0.2	1.2	1.8	0.5	5	4634
P FREQ LES 5000 FT A/D LES 5 MI	17.0	23.8	27.7	23.3	33.8	57.9	53.8	49.8	54.3	27.1	17.4	12.7	33.2	5	4730
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.0	3.6	2.0	2.3	1.5	0.9	0.0	0.0	0.0	0.9	6	828
03-05 LST	0.0	0.0	0.0	0.0	7.7	0.0	1.3	2.3	3.9	0.0	0.0	0.0	1.3	7	419
06-08 LST	0.0	0.7	0.0	2.6	8.8	1.2	3.2	4.1	8.3	1.2	0.0	0.0	2.5	6	910
09-11 LST	1.3	1.5	0.0	0.8	0.0	0.0	2.3	1.4	3.0	3.5	1.1	0.0	1.3	7	887
12-14 LST	1.5	1.3	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.0	0.0	0.9	0.4	6	905
15-17 LST	0.0	0.0	0.0	1.9	0.0	0.0	3.9	0.0	1.6	0.0	3.8	2.2	1.1	6	648
18-20 LST	1.7	0.9	0.0	2.3	2.1	0.6	1.4	0.9	3.4	1.3	2.3	0.0	1.4	7	1357
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.0	3.6	2.0	1.5	0.0	0.0	0.0	0.0	0.0	0.6	6	828
03-05 LST	0.0	0.0	0.0	0.0	3.8	0.0	0.0	2.3	2.6	0.0	0.0	0.0	0.7	7	419
06-08 LST	0.0	0.0	0.0	1.3	2.5	0.0	0.0	0.0	4.9	0.0	0.0	0.0	0.7	6	910
09-11 LST	0.0	1.5	0.0	0.0	0.0	0.0	0.0	0.0	1.4	2.3	0.0	0.0	0.4	7	887
12-14 LST	1.5	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.3	6	905
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	1.5	0.0	0.0	0.0	2.5	1.4	0.5	6	648
18-20 LST	0.0	0.0	0.0	0.9	1.1	0.0	0.0	0.0	1.9	0.8	1.5	0.0	0.5	7	1357
21-23 LST														0	0

CHITING-HSILIN 'K, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	06 LST	31.0	28.0	31.0	29.2	28.7	30.0	31.0	31.0	28.0	31.0	30.0	31.0	339.9	6	910
	12 LST	30.5	27.6	31.0	30.0	31.0	30.0	31.0	31.0	30.0	31.0	30.0	30.7	363.8	6	905
	18 LST	31.0	28.0	31.0	29.5	30.3	30.0	31.0	31.0	29.1	30.7	29.5	31.0	362.1	7	1357
	00 LST	31.0	28.0	31.0	30.0	29.9	29.4	30.5	30.5	30.0	31.0	30.0	31.0	362.3	6	828
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	06 LST	22.5	25.1	23.8	24.5	25.6	27.9	26.3	27.0	26.6	28.8	27.1	28.1	315.3	6	908
	12 LST	10.6	12.7	11.8	11.4	15.9	26.9	25.3	26.5	24.3	19.4	13.6	16.9	215.3	6	905
	18 LST	17.1	13.7	8.8	8.5	10.3	18.5	20.1	16.8	19.8	21.7	18.5	19.2	193.0	7	1337
	00 LST	28.0	25.7	25.6	26.6	26.5	23.1	27.2	29.6	25.8	31.0	26.5	28.6	324.2	6	824
SFC WND = GTR 17 KTS AND NO PRECIP.	06 LST	1.7	0.4	0.3	0.0	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.8	4.0	6	923
	12 LST	6.5	6.1	8.4	6.2	2.2	0.0	0.0	0.0	1.2	3.6	6.3	6.0	46.5	6	923
	18 LST	1.3	0.5	4.2	4.5	1.6	0.3	0.5	0.9	0.0	0.0	0.7	0.7	15.2	7	1363
	00 LST	1.2	0.0	0.0	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	2.5	6	957
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	06 LST	0.0	0.0	0.3	0.0	1.6	4.3	7.8	5.8	3.3	0.0	0.0	0.0	23.1	6	916
	12 LST	0.0	0.0	1.0	7.4	13.0	10.4	9.9	13.2	12.8	7.6	0.6	0.0	75.9	6	921
	18 LST	0.0	0.0	0.8	6.8	7.1	10.6	10.2	13.2	13.7	2.4	0.0	0.0	64.8	7	1346
	00 LST	0.0	0.0	0.3	0.4	1.7	8.9	7.8	11.0	8.9	0.0	0.0	0.0	39.0	6	948
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	06 LST	20.4	15.4	14.0	10.8	7.6	6.3	6.5	7.3	6.2	12.5	19.2	22.1	148.3	6	918
	12 LST	13.0	8.4	5.2	2.5	3.1	1.8	2.4	2.7	1.6	6.4	10.7	13.5	71.3	6	919
	18 LST	14.0	3.2	1.2	0.8	2.5	2.4	3.6	5.6	7.5	10.1	11.8	15.1	77.8	7	1385
	00 LST	19.7	16.5	16.1	12.8	11.6	5.5	8.5	11.9	13.9	18.4	20.6	22.0	177.5	6	826
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	06 LST	31.0	27.5	31.0	29.1	27.6	26.8	28.0	27.0	26.1	30.1	30.0	31.0	343.2	6	910
	12 LST	29.4	27.1	29.7	28.8	29.4	28.3	27.1	28.3	27.9	29.7	29.5	30.0	343.2	6	905
	18 LST	29.8	25.9	30.2	28.7	29.8	27.4	27.7	28.4	26.9	29.4	28.2	30.5	342.9	7	1357
	00 LST	31.0	28.0	31.0	30.0	29.4	27.4	27.9	28.9	28.9	30.8	29.9	31.0	334.2	6	828
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	06 LST	30.1	25.1	28.6	28.0	24.8	18.1	16.1	16.5	17.7	26.6	29.7	29.8	291.1	6	910
	12 LST	22.2	18.9	11.5	10.1	14.3	5.5	10.2	9.0	7.3	17.8	21.3	23.3	171.4	6	905
	18 LST	23.6	9.8	11.4	10.7	13.9	10.3	13.2	13.4	13.4	20.5	20.2	23.9	184.3	7	1357
	00 LST	30.5	26.6	26.9	26.6	23.7	17.1	14.8	18.7	19.7	27.4	27.8	30.3	290.1	6	828
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	06 LST	30.1	24.4	28.6	27.6	24.8	17.4	15.7	16.1	17.2	26.2	29.7	29.8	287.6	6	910
	12 LST	22.2	18.9	11.5	10.1	14.3	4.9	9.8	9.0	7.3	17.8	21.1	23.3	170.2	6	905
	18 LST	22.6	9.0	8.7	8.3	13.5	9.7	12.3	12.9	13.1	20.2	19.8	22.9	173.0	7	1357
	00 LST	30.0	26.2	26.0	25.9	23.1	14.7	13.8	18.2	19.7	27.4	27.8	30.3	283.1	6	828

YU YU JI HPEN/TE, CHINA

STA NO. 56018 (IN ARFA NUMBER 03)	LATITUDE 3309N LONGITUDE 09443E ELEVATION(FT) 13123												POR	NO.	
PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	(YRS)	DNS
ABS MAX TMP (F)	46	39	50	68	68	68	72	72	68	68	50	48	72	6	901
MEAN MAX TMP (F)	27	28	36	48	52	57	63	62	58	47	35	27	45	6	901
MEAN MIN TMP (F)	-3	0	8	20	30	38	44	41	38	22	8	-2	20	6	845
ABS MIN TMP (F)	-20	-15	-8	5	19	28	32	30	25	3	-17	-15	-20	6	845
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	901
MEAN NO DYS TMP = DR LES 32(F)	31.0	28.0	31.0	29.5	23.9	3.1	0.8	1.3	5.1	27.5	30.0	31.0	242.2	6	845
MEAN NO DYS TMP = DR LES 0(F)	20.0	15.1	6.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.0	20.4	67.1	6	845
MEAN DEW PT TMP (F)	6	3	1	11	22	37	41	40	36	17	2	7	19	5	4247
MEAN REL HUM (PCT)	51	54	44	48	56	71	69	69	72	59	51	50	58	5	4171
MEAN PRESS ALT (FT)	13080	13170	13030				12926	12817	12858	12848	12919	12994		3	2101
MEAN PRECIP (IN)														0	0
MEAN SNOW FALL (IN)							0.0	0.0						6	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN														0	0
MEAN NO DYS SNFL = DR GTR 1.5 IN							0.0	0.0						6	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	1.7	0.0	0.0	0.6	0.0	0.0	0.0	0.0	1.0	0.4	0.0	0.3	4.0	5	736
MEAN NO DYS TSMTS	0.0	0.0	0.0	2.4	10.3	12.3	18.9	15.8	15.3	2.2	0.0	0.0	77.2	5	737
P FREQ WND SPD = DR GTR 17 KTS	3.1	0.3	1.6	0.6	2.8	0.0	0.3	0.0	0.8	1.6	1.8	2.6	1.3	5	4389
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	4389
P FREQ LES 3000 FT A/O LES 5 MI	24.5	27.4	33.6	42.1	53.1	65.1	59.9	56.9	58.4	39.9	22.3	14.1	41.4	5	4877
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	1.5	1.9	4.7	4.7	0.0	6.7	3.8	0.0	4.1	2.5	1.8	0.9	2.7	6	921
03-05 LST	6.9	0.0	5.3	4.0	0.0	2.6	0.0	1.6	7.2	2.2	0.0	0.9	2.6	5	571
06-08 LST	1.4	1.3	2.3	6.9	7.0	7.2	0.0	5.9	12.9	4.4	2.8	0.5	4.4	6	911
09-11 LST	0.0	2.8	1.2	5.1	12.2	3.3	1.4	2.8	6.5	3.5	2.0	1.5	3.5	7	890
12-14 LST	0.0	2.7	1.1	0.0	2.9	0.0	0.0	0.0	1.4	1.4	0.0	0.0	0.8	6	860
15-17 LST	4.5	0.0	0.0	1.9	0.0	0.0	0.0	0.0	0.0	1.4	0.0	1.4	0.8	6	656
18-20 LST	1.0	0.9	1.6	3.6	2.5	0.8	0.0	0.0	0.0	0.0	1.6	0.7	1.1	7	1253
21-23 LST														0	0
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	1.5	0.0	0.0	0.0	0.0	2.2	0.0	0.0	2.7	0.0	0.9	0.0	0.6	6	921
03-05 LST	3.4	0.0	0.0	0.0	0.0	0.0	0.0	1.6	0.0	0.0	0.0	0.0	0.4	5	571
06-08 LST	0.0	1.3	2.3	0.0	2.8	0.0	0.0	0.0	5.4	1.2	0.9	0.0	1.2	6	911
09-11 LST	0.0	1.4	0.0	1.4	5.4	0.0	0.0	0.0	2.6	0.0	1.0	0.0	1.0	7	890
12-14 LST	0.0	1.3	1.1	0.0	2.9	0.0	0.0	0.0	1.4	1.4	0.0	0.0	0.7	6	860
15-17 LST	4.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	1.4	0.6	6	656
18-20 LST	1.0	0.0	0.0	2.7	1.2	0.0	0.0	0.0	0.0	0.0	0.8	0.7	0.5	7	1253
21-23 LST														0	0

YU YU JI HPEN/TE, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	06 LST	30.6	27.6	30.3	28.4	29.3	28.3	31.0	29.4	26.8	30.2	29.2	31.0	352.1	6	911
	12 LST	31.0	27.3	30.7	30.0	30.1	30.0	31.0	31.0	29.6	30.6	30.0	31.0	362.3	6	860
	18 LST	30.7	27.8	30.5	28.9	30.2	30.0	31.0	31.0	30.0	31.0	29.5	30.8	361.4	7	1253
	00 LST	30.5	27.6	29.6	29.2	31.0	28.0	29.8	31.0	28.8	30.2	29.4	30.7	355.8	6	921
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	06 LST	29.3	27.6	30.3	26.3	28.3	27.4	30.6	28.9	25.5	29.1	28.9	30.7	342.9	6	907
	12 LST	23.5	22.4	22.8	24.0	22.8	29.0	29.3	29.4	27.9	26.2	22.7	27.1	307.1	6	859
	18 LST	26.5	26.0	27.9	24.9	25.4	27.7	29.1	28.9	28.0	30.1	26.8	27.2	328.5	7	1239
	00 LST	29.6	26.9	29.2	27.2	30.3	27.3	29.5	30.6	28.8	29.5	28.9	30.1	347.9	6	919
SFC WND = GTR 17 KTS AND NO PRECIP.	06 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	917
	12 LST	1.4	0.0	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.4	2.1	0.3	5.6	6	876
	18 LST	0.3	0.0	0.0	0.3	0.0	0.4	0.3	0.0	0.0	0.0	0.2	0.2	1.7	7	1253
	00 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	6	929
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	06 LST	0.0	0.0	0.0	0.4	1.6	0.8	5.0	5.8	5.3	1.9	0.0	0.0	20.8	6	908
	12 LST	0.0	0.0	10.2	13.6	10.3	11.3	14.9	14.7	12.3	18.3	4.9	0.6	111.1	6	869
	18 LST	0.0	1.5	5.8	12.7	11.1	8.8	10.7	11.6	8.1	11.2	1.7	0.2	83.4	7	1231
	00 LST	0.0	0.0	0.0	1.6	7.8	6.1	6.8	8.6	7.3	1.9	0.0	0.0	40.1	6	923
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	06 LST	16.1	9.5	12.0	7.9	5.7	4.9	2.3	4.4	5.6	10.7	13.7	16.3	109.1	6	919
	12 LST	9.7	5.6	6.1	1.8	1.7	1.8	2.8	3.5	1.6	5.1	9.6	14.5	63.8	6	876
	18 LST	8.5	2.8	2.4	1.4	3.7	3.1	4.8	3.5	8.3	10.9	12.9	15.4	77.7	7	1266
	00 LST	17.4	11.5	14.6	13.0	9.9	4.0	6.9	7.5	7.8	14.9	19.4	19.9	146.8	6	924
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	06 LST	30.6	27.5	30.3	27.5	28.1	26.7	29.3	27.0	24.9	27.6	29.2	30.6	339.3	6	911
	12 LST	31.0	27.1	30.7	29.8	29.0	29.6	28.5	27.8	26.9	29.3	29.4	30.6	349.7	6	860
	18 LST	30.7	27.8	30.5	28.8	30.1	29.2	29.5	30.4	28.5	30.7	29.5	30.7	356.4	7	1253
	00 LST	30.5	27.0	29.4	27.8	30.4	28.0	28.1	30.2	27.8	29.0	29.4	30.7	348.3	6	921
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	06 LST	29.3	26.5	28.1	24.7	16.4	11.1	11.2	9.8	12.6	18.8	26.9	29.6	245.0	6	911
	12 LST	23.5	19.4	16.7	8.3	10.0	11.0	9.5	11.9	7.5	14.8	20.0	26.8	179.4	6	860
	18 LST	23.5	13.4	10.7	8.1	11.5	8.3	11.2	10.2	13.3	18.9	22.4	25.1	176.6	7	1253
	00 LST	27.7	24.4	25.2	23.2	23.3	14.7	12.4	16.1	13.2	24.9	28.1	29.8	263.0	6	921
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	06 LST	29.3	26.5	28.1	24.7	16.4	11.1	11.2	9.8	12.6	18.8	26.9	29.6	245.0	6	911
	12 LST	23.5	19.4	16.7	8.3	10.0	11.0	9.5	11.9	7.5	14.8	20.0	26.8	179.4	6	860
	18 LST	23.5	13.4	10.7	8.1	11.1	8.3	11.2	10.2	13.3	18.9	22.4	25.1	176.2	7	1253
	00 LST	27.7	24.4	25.2	23.2	23.3	12.7	12.0	16.1	13.2	24.9	28.1	29.8	260.6	6	921

SEWU KOU, CHINA

STA NO. 56021 (IN AREA NUMBER 09)	LATITUDE 3436N LONGITUDE 09551E ELEVATION(FT) 13983												PDR	NO.	
PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	(YRS)	DBS
ABS MAX TMP (F)	36	36	46	55	61	70	68	68	66	48	43	37	70	5	796
MEAN MAX TMP (F)	21	24	33	44	48	53	59	58	52	39	30	21	40	5	796
MEAN MIN TMP (F)	-10	-8	2	16	26	34	39	36	33	17	0	-10	15	6	749
ABS MIN TMP (F)	-26	-22	-13	-6	14	25	28	27	23	-4	-20	-20	-26	6	749
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	796
MEAN NO DYS TMP = DR LES 32(F)	31.0	28.0	31.0	29.5	27.9	11.3	3.5	8.0	13.8	31.0	30.0	31.0	276.0	6	749
MEAN NO DYS TMP = DR LES 0(F)	28.1	23.7	13.5	1.4	0.0	0.0	0.0	0.0	0.0	0.6	15.8	29.1	112.2	6	749
MEAN DEW PT TMP (F)	11	14	6	8	18	30	37	34	32	12	4	9	18	5	4030
MEAN REL HUM (PCT)	51	41	39	47	53	67	66	64	72	58	50	56	55	5	3947
MEAN PRESS ALT (FT)	13678	13651	13564	13494	13498	13396	13405	13338	13331	13339	13451	13568		5	3763
MEAN PRECIP (IN)														0	0
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = DR GTR 0.1 IN														0	0
MEAN NO DYS SNPL = DR GTR 1.5 IN														0	0
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	0.0	0.0	0.0	0.0	1.6	1.6	0.0	0.6	0.7	1.3	1.2	0.4	7.4	5	622
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.6	8.6	7.9	15.0	14.0	15.0	3.0	0.0	0.0	64.1	5	676
P FREQ WND SPD = DR GTR 17 KTS	5.0	2.9	3.3	2.7	0.8	0.0	0.0	0.8	0.0	1.8	2.4	1.5	1.8	5	4097
P FREQ WND SPD = DR GTR 28 KTS	0.6	0.0	0.2	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	5	4097
P FREQ LES 3000 FT A/D LES 5 MI	21.1	21.7	29.8	28.5	24.2	37.0	45.9	52.9	63.7	42.6	16.1	14.4	33.2	5	4343
P FREQ LES 1900 FT A/D LES 3 MI															
FOR 00-02 LST	0.0	1.5	3.8	0.0	4.3	0.0	5.1	1.9	4.5	6.5	6.4	1.9	3.0	5	737
03-05 LST	1.8	0.0	2.9	3.0	5.2	0.0	1.3	3.4	8.4	4.2	3.5	0.0	2.8	4	431
06-08 LST	3.5	0.0	0.0	7.6	7.6	4.0	9.5	9.6	19.1	10.9	1.2	2.9	6.3	5	792
09-11 LST	1.9	0.0	1.2	5.4	5.3	2.2	9.9	5.9	8.8	7.0	0.0	0.0	4.0	7	820
12-14 LST	3.0	1.4	1.2	0.8	3.0	2.9	11.6	11.0	13.9	8.5	0.7	0.6	4.9	6	775
15-17 LST	6.4	3.1	2.9	2.0	4.9	0.0	16.9	13.6	18.0	16.2	5.8	1.9	7.6	6	584
18-20 LST	3.2	0.9	1.4	3.5	2.5	0.0	6.7	7.1	6.5	11.3	2.5	1.0	3.9	7	1140
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.0	2.1	0.0	0.0	0.0	0.0	3.6	2.5	0.0	0.7	5	737
03-05 LST	0.0	0.0	0.0	0.0	3.4	0.0	0.0	2.2	0.0	0.0	0.0	0.0	0.5	4	431
06-08 LST	0.0	0.0	0.0	3.0	5.0	2.6	0.0	1.4	5.9	3.6	0.0	1.1	1.9	5	792
09-11 LST	0.0	0.0	0.0	0.0	5.3	2.2	0.0	0.0	0.0	0.0	0.0	0.0	0.6	7	820
12-14 LST	0.0	0.0	0.0	0.0	3.0	2.9	0.0	0.0	0.0	0.0	0.0	0.0	0.5	6	775
15-17 LST	2.1	0.0	1.9	0.0	3.2	0.0	1.6	1.8	0.0	2.0	1.9	0.0	1.2	6	584
18-20 LST	0.0	0.0	0.9	1.1	1.3	0.0	0.0	0.0	0.0	1.0	0.0	0.4		7	1140
21-23 LST														0	0

SEWU KOU, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	06 LST	30.1	28.0	31.0	28.2	29.5	29.2	30.6	30.6	27.6	29.3	29.6	30.6	354.3	5	792
	12 LST	30.5	28.0	31.0	30.0	30.1	29.1	31.0	31.0	30.0	31.0	30.0	31.0	362.7	6	775
	18 LST	30.3	28.0	30.7	29.3	30.2	30.0	31.0	31.0	30.0	29.9	29.7	31.0	361.1	7	1140
	00 LST	31.0	27.6	30.2	30.0	30.3	30.0	30.5	31.0	30.0	29.9	28.5	30.6	359.6	5	737
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	06 LST	28.8	26.5	29.9	26.4	26.2	27.6	25.7	24.3	21.2	24.9	29.3	28.5	319.3	5	789
	12 LST	20.7	16.4	17.3	16.6	18.8	26.5	22.8	21.6	21.4	17.5	18.2	20.2	238.0	6	772
	18 LST	26.3	24.1	24.0	22.3	21.6	26.1	23.1	24.5	22.9	22.6	27.1	28.8	293.4	7	1126
	00 LST	30.0	26.4	28.3	28.2	28.4	29.2	26.9	27.1	26.1	28.2	27.0	28.6	334.4	5	736
SFC WND = GTR 17 KTS AND NO PRECIP.	06 LST	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	5	802
	12 LST	3.2	1.5	2.5	3.7	0.0	0.0	0.0	0.0	0.0	1.1	2.6	0.8	15.4	6	777
	18 LST	0.3	0.0	0.0	0.3	0.4	0.0	0.0	0.3	0.0	0.0	0.0	0.0	1.3	7	1165
	00 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	808
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	06 LST	0.0	0.0	0.0	0.4	0.8	10.5	13.3	11.7	5.4	0.0	0.0	0.0	42.1	5	795
	12 LST	0.0	0.4	3.9	10.3	12.5	13.2	13.8	17.4	6.0	7.9	2.2	0.0	87.9	6	773
	18 LST	0.0	0.2	2.9	13.0	12.1	13.8	12.7	13.0	14.6	6.2	0.0	0.0	88.5	7	1152
	00 LST	0.0	0.0	0.0	1.3	3.9	12.8	13.2	9.4	8.0	0.0	0.0	0.0	48.6	5	797
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	06 LST	15.3	9.1	8.2	6.3	4.5	2.3	3.3	7.5	2.9	14.4	14.8	16.7	105.3	5	803
	12 LST	7.6	7.9	5.3	3.8	2.7	0.9	1.3	1.9	1.1	3.3	10.1	15.1	61.0	6	781
	18 LST	8.6	1.9	2.3	1.3	1.5	2.3	4.6	4.7	4.8	8.8	13.7	13.8	68.3	7	1166
	00 LST	17.1	8.6	7.7	8.1	5.3	6.2	10.0	12.7	5.9	17.5	17.8	18.1	135.0	5	740
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	06 LST	28.6	27.6	30.2	26.7	27.3	27.5	23.8	23.9	18.8	25.4	28.9	28.6	317.3	5	792
	12 LST	27.9	26.4	27.8	27.3	28.6	28.4	23.3	22.4	19.6	24.1	28.6	29.3	313.7	6	775
	18 LST	28.0	25.4	27.4	26.2	29.6	29.8	26.4	25.7	25.1	24.1	27.7	29.6	325.0	7	1140
	00 LST	30.2	26.4	28.6	28.1	28.5	30.0	28.0	28.3	25.3	26.8	27.1	28.9	336.2	5	737
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	06 LST	27.1	25.5	28.7	22.3	20.2	10.3	10.5	13.3	10.0	22.7	24.9	26.4	241.9	5	792
	12 LST	24.1	24.3	17.6	14.3	7.5	2.6	6.9	4.7	7.0	14.1	21.4	25.1	169.6	6	775
	18 LST	17.6	11.7	15.2	10.6	8.9	6.6	9.2	9.0	13.1	12.9	21.3	22.9	159.0	7	1140
	00 LST	28.4	22.6	25.3	20.0	18.5	13.8	12.4	15.2	13.0	22.5	23.5	25.8	241.0	5	737
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	06 LST	27.1	25.5	28.7	21.8	20.2	10.3	10.0	13.3	10.0	22.7	24.9	26.4	240.9	5	792
	12 LST	24.1	24.3	16.6	13.4	7.5	2.6	6.9	4.7	7.0	14.1	20.6	25.1	166.9	6	775
	18 LST	16.0	10.0	10.9	8.5	7.8	5.1	8.9	8.7	12.8	12.1	20.8	22.0	143.6	7	1140
	00 LST	28.4	21.8	24.9	19.6	17.8	13.8	12.4	15.2	13.0	22.5	23.5	25.8	238.7	5	737

YUSHU/CHIEH-KU, CHINA

STA NO. 56029 (IN AREA NUMBER 09)	LATITUDE 3306N LONGITUDE 09645E ELEVATION(FT) 12707												PDR	NO.	
PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	(YRS)	DBS
ABS MAX TMP (F)	52	55	61	70	75	84	81	77	75	73	61	57	84	8	2252
MEAN MAX TMP (F)	34	38	46	56	59	64	69	66	63	53	45	37	53	8	2252
MEAN MIN TMP (F)	3	9	17	26	33	41	44	43	36	27	14	4	25	8	2362
ABS MIN TMP (F)	-15	-11	-2	10	19	25	32	32	18	9	-2	-15	-15	8	2362
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2252
MEAN NO DYS TMP = DR LES 32(F)	31.0	28.0	31.0	25.8	14.5	1.3	0.2	0.9	8.8	23.3	29.9	31.0	225.7	8	2362
MEAN NO DYS TMP = DR LES 0(F)	13.2	3.4	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	9.6	26.5	8	14078
MEAN DEW PT TMP (F)	5	1	4	18	28	39	44	43	36	24	5	3	21	8	13795
MEAN REL HUM (PCT)	42	41	38	47	57	66	70	73	68	63	45	43	54	8	10051
MEAN PRESS ALT (FT)	11890	11906	11849	11818	11825	11750	11751	11698	11649	11637	11733	11796		0	0
MEAN PRECIP (IN)							0.0	0.0						8	-29
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = DR GTR 0.1 IN							0.0	0.0						8	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN														8	2010
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.2	0.0	0.2	0.4	0.4	0.0	0.6	0.4	0.2	0.5	0.2	0.2	3.3	8	2132
MEAN NO DYS TSTMS	0.0	0.0	0.2	3.4	9.3	13.2	17.1	11.7	7.8	4.1	0.0	0.0	66.8	8	14453
P FREQ WND SPD = DR GTR 17 KTS	0.6	0.4	1.1	0.5	0.5	0.2	0.2	0.1	0.2	0.0	0.7	0.2	0.4	8	14453
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	8	15052
P FREQ LES 900 FT A/D LES 5 MI	14.7	18.4	23.2	29.3	36.1	36.5	34.6	32.1	28.7	21.7	8.9	8.7	24.4	8	2108
P FREQ LES 1500 FT A/D LES 3 MI														8	2108
FOR 00-02 LST	1.2	0.0	0.6	0.6	0.9	0.6	2.3	1.7	1.1	1.5	0.5	0.0	0.9	8	1540
03-05 LST	1.0	2.0	1.0	0.0	3.4	0.0	1.6	1.8	1.5	0.7	0.0	0.0	1.1	8	2352
06-08 LST	3.2	1.1	2.2	2.1	2.5	2.3	1.9	2.1	3.5	3.6	0.0	2.7	2.3	8	1974
09-11 LST	3.3	0.6	1.6	2.3	3.3	2.6	2.1	1.0	1.0	2.1	0.5	0.5	1.7	8	2413
12-14 LST	2.5	0.5	2.6	0.5	1.6	1.5	0.8	0.3	0.9	0.4	0.0	0.7	1.0	8	1822
15-17 LST	0.6	0.7	1.4	1.0	0.6	1.3	1.7	0.0	0.8	1.1	0.6	0.0	0.8	8	2401
18-20 LST	2.0	0.0	1.0	2.0	2.6	0.5	0.0	0.0	0.0	0.0	0.0	0.9	0.8	8	1609
21-23 LST	0.9	0.0	0.0	3.5	1.5	0.0	1.2	1.7	0.6	0.0	0.0	0.7	0.8	7	1609
P FREQ LES 300 FT A/D LES 1 MI														8	2108
FOR 00-02 LST	0.0	0.0	0.6	0.6	0.0	0.0	0.6	0.0	0.6	0.5	0.5	0.0	0.3	8	2108
03-05 LST	0.0	1.0	1.0	0.0	1.4	0.0	1.6	0.7	0.0	0.7	0.0	0.0	0.5	8	1540
06-08 LST	0.0	0.5	0.5	1.6	0.5	0.6	0.0	0.0	0.0	1.4	0.0	0.9	0.5	8	2352
09-11 LST	0.5	0.0	0.0	0.0	1.3	1.5	0.7	0.0	0.0	1.8	0.0	0.0	0.5	8	1974
12-14 LST	1.0	0.0	0.5	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	8	2413
15-17 LST	0.0	0.7	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	8	1822
18-20 LST	0.0	0.0	0.5	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.3	8	2401
21-23 LST	0.0	0.0	0.0	1.8	0.0	0.0	0.8	0.7	0.6	0.0	0.0	0.7	0.4	7	1609

YUSHU /CHIEH-YU, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	06 LST	30.0	27.7	30.4	29.4	30.5	29.7	30.8	30.7	29.3	30.1	30.0	30.2	308.8	8	2352
	12 LST	30.2	27.8	30.2	29.8	30.5	29.5	31.0	31.0	29.7	30.9	30.0	30.9	361.5	8	2413
	18 LST	30.4	28.0	30.7	29.4	30.2	29.8	31.0	31.0	30.0	31.0	30.0	30.7	362.2	8	2401
	00 LST	30.6	28.0	30.8	29.8	30.8	30.0	30.5	30.6	29.7	30.5	29.9	31.0	362.2	8	2108
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SPC WND LES 10 KTS	06 LST	29.8	27.7	29.9	29.4	30.0	28.8	30.0	30.0	28.7	29.7	30.0	30.2	354.2	8	2350
	12 LST	29.2	20.9	21.3	22.1	26.4	28.1	29.7	30.4	28.6	28.2	21.9	23.9	304.7	8	2409
	18 LST	29.8	27.5	28.9	26.1	26.9	27.6	28.9	29.3	28.8	28.9	29.6	30.4	342.7	8	2398
	00 LST	30.1	27.8	30.6	28.9	30.5	29.6	29.9	29.8	29.2	30.4	29.4	30.3	356.5	8	2108
SFC WND = GTR 17 KTS AND NO PRECIP.	06 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2389
	12 LST	0.6	0.6	1.2	0.3	0.2	0.0	0.0	0.0	0.1	0.0	1.1	1.0	5.1	8	2444
	18 LST	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.2	8	2452
	00 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2274
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	06 LST	0.0	0.0	0.3	1.1	1.4	1.8	1.3	0.8	0.6	0.3	0.0	0.0	7.6	8	2362
	12 LST	2.6	7.2	13.2	14.7	12.7	8.6	6.6	8.0	9.3	8.7	10.0	5.0	106.6	8	2427
	18 LST	1.3	2.6	12.6	15.9	13.1	8.8	6.6	6.8	6.8	7.2	4.3	1.3	87.3	8	2437
	00 LST	0.0	0.0	1.1	3.8	3.2	2.5	1.4	1.2	1.9	1.6	0.4	0.2	17.3	8	2264
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	06 LST	18.7	10.7	11.1	8.8	6.4	4.5	6.4	6.2	10.4	10.3	16.9	18.6	129.0	8	2377
	12 LST	10.4	7.8	5.9	3.0	2.0	2.1	4.0	3.1	6.5	6.8	13.2	13.8	78.6	8	2436
	18 LST	10.3	5.4	5.2	2.2	3.8	3.8	4.4	5.0	9.1	11.8	17.6	17.8	96.4	8	2435
	00 LST	18.6	13.5	15.8	13.8	12.0	8.5	11.3	9.7	14.0	16.5	20.0	20.8	174.5	8	2118
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	06 LST	29.9	27.6	30.2	28.9	29.7	28.1	29.4	29.1	28.3	28.8	29.8	30.1	349.9	8	2352
	12 LST	29.8	27.5	29.6	29.2	29.8	28.5	30.0	30.1	29.1	30.2	29.8	30.3	353.9	8	2413
	18 LST	30.1	27.7	30.6	28.7	29.6	29.6	30.7	30.3	29.5	30.4	30.0	30.4	357.6	8	2401
	00 LST	30.5	27.9	30.7	29.7	30.0	29.4	29.7	29.9	29.6	30.5	29.7	30.9	358.5	8	2108
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	06 LST	28.4	24.8	27.5	23.0	20.4	16.5	16.4	15.4	17.1	20.9	27.6	28.8	266.8	8	2352
	12 LST	22.8	20.5	17.2	11.8	9.4	11.8	13.0	13.5	15.1	17.2	23.2	25.9	201.4	8	2413
	18 LST	21.2	14.5	18.2	13.5	13.5	12.1	13.8	13.4	17.1	19.1	24.3	26.8	207.5	8	2401
	00 LST	28.2	24.7	27.7	23.3	21.4	19.0	18.6	19.6	20.4	26.2	28.4	29.7	287.2	8	2108
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	06 LST	28.4	24.5	27.2	22.7	20.3	15.8	15.7	14.9	16.6	20.6	27.6	28.7	263.0	8	2352
	12 LST	22.5	20.5	17.2	11.8	9.1	11.1	13.0	13.4	15.1	17.2	23.2	25.9	200.0	8	2413
	18 LST	21.1	14.0	18.2	13.0	13.0	11.8	13.7	12.9	16.5	19.1	24.3	26.8	204.4	8	2401
	00 LST	28.0	24.5	27.5	23.1	21.2	19.0	17.9	19.3	19.9	25.9	28.4	29.7	284.4	8	2108

HUANGHOYIEN, CHINA

STA NO. 56033 (IN AREA NUMBER 03)

LATITUDE 3437N

LONGITUDE 09808E

ELEVATION(FT) 11516

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	37	41	52	55	61	73	70	70	66	61	43	39	73	8	2386
MEAN MAX TMP (F)	18	22	31	42	47	52	58	56	51	38	29	20	39	8	2386
MEAN MIN TMP (F)	-10	-7	3	16	24	32	38	35	28	16	1	-11	14	8	2424
ABS MIN TMP (F)	-27	-26	-22	-4	10	16	25	18	12	-11	-27	-27		8	2424
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2386
MEAN NO DYS TMP = DR LES 32(F)	31.0	28.0	31.0	30.0	30.5	16.2	5.9	12.4	21.5	30.6	30.0	31.0	298.1	8	2424
MEAN NO DYS TMP = DR LES 0(F)	26.4	22.9	10.1	0.5	0.0	0.0	0.0	0.0	0.0	1.0	13.9	27.8	102.6	8	2424
MEAN DEW PT TMP (F)	14	11	4	7	16	26	34	33	23	11	3	11	16	8	15428
MEAN REL HUM (PCT)	50	50	46	48	53	61	66	67	60	60	53	55	56	8	15172
MEAN PRESS ALT (FT)	9933	9940	9866	9799	9761	9681	9650	10261	10243	10200	9738	9859		8	10190
MEAN PRECIP (IN)	0.16	0.24	0.32	0.53	0.54	1.91	2.90	3.10	2.20	0.87	0.09	0.23	13.1	3	-182
MEAN SNOW PAL' (IN)														0	0
MEAN NO DYS PRCP = DR GTR 0.1 IN	1.9	2.4	1.8	2.6	2.7	5.4	7.2	7.6	7.5	2.9	0.5	2.3	44.8	3	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN														0	0
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.2	0.2	0.6	0.8	1.5	0.7	0.2	0.2	0.5	0.6	0.3	0.5	6.3	8	1893
MEAN NO DYS TSTMS	0.0	0.2	0.0	1.8	6.3	8.4	12.1	9.4	5.0	2.1	0.0	0.1	43.4	8	2328
P FREQ WND SPD = DR GTR 17 KTS	9.5	7.8	4.3	3.5	2.5	1.1	0.2	0.5	0.5	1.0	3.2	4.4	2.6	8	15689
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.3	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.1	8	15689
P FREQ LES 3000 FT A/D LES 5 MI	10.5	17.5	22.4	29.2	35.0	38.3	38.1	32.5	30.0	21.4	11.9	7.6	24.5	8	14668
P FREQ LES 1900 FT A/D LES 3 MI															
FOR 00-02 LST	0.0	0.0	1.2	0.0	1.4	0.0	0.0	0.3	0.0	0.3	0.0	0.5	0.3	8	2006
03-05 LST	0.0	0.0	0.0	0.8	0.8	1.6	0.0	0.0	0.9	0.0	0.0	0.0	0.3	8	1479
06-08 LST	1.2	0.6	5.4	8.6	7.8	7.0	1.3	5.8	2.8	6.1	1.3	0.9	4.1	8	2352
09-11 LST	2.3	3.4	4.8	2.4	5.3	2.9	0.0	3.5	0.6	2.7	0.8	2.9	2.6	8	2015
12-14 LST	2.5	2.2	3.0	1.1	3.1	1.6	2.6	1.2	1.1	1.1	1.3	2.2	1.9	8	2468
15-17 LST	3.2	3.4	1.3	1.2	4.3	3.5	0.0	0.8	1.1	2.1	0.5	1.1	1.9	8	1856
18-20 LST	0.0	0.0	2.6	1.9	2.1	0.5	0.3	0.7	1.2	0.7	0.5	0.0	0.9	8	2367
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.7	0.1	7	1586
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	8	2006
03-05 LST	0.0	0.0	0.0	0.8	0.8	0.0	0.0	0.0	0.9	0.0	0.0	0.0	0.2	8	1479
06-08 LST	1.2	0.0	2.0	2.2	5.0	2.3	1.1	1.0	1.8	2.7	0.9	0.5	1.7	8	2352
09-11 LST	0.0	1.7	2.2	1.2	2.6	0.0	0.0	2.1	0.0	1.2	0.5	1.0	1.0	8	2015
12-14 LST	0.5	1.1	1.0	0.0	2.1	0.5	0.5	0.5	0.5	0.0	0.4	1.3	0.7	8	2468
15-17 LST	1.9	0.7	0.0	0.0	2.6	2.1	0.0	0.0	0.7	1.4	0.5	0.6	0.9	8	1856
18-20 LST	0.0	0.0	1.5	1.6	1.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.4	8	2367
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	1586

HUANGHOYIEN, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	30.6	27.8	29.3	27.6	28.8	28.1	30.7	29.4	29.3	29.5	29.6	30.7	351.4	8	2352
	13 LST	30.2	27.4	30.1	29.8	30.0	29.7	30.4	30.7	29.7	30.9	29.7	30.3	358.9	8	2468
	19 LST	31.0	28.0	30.2	29.5	30.4	29.8	31.0	30.8	29.7	30.9	29.9	31.0	362.2	8	2367
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	31.0	28.0	30.6	30.0	30.4	30.0	31.0	31.0	30.0	31.0	30.0	30.8	363.8	8	2006
	13 LST	30.3	27.5	27.8	25.6	25.6	24.9	27.4	26.5	28.1	27.0	28.9	30.2	329.8	8	2347
	19 LST	17.9	16.1	13.7	14.5	18.0	22.6	25.4	25.6	23.8	21.8	16.9	19.0	235.3	8	2460
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	27.0	21.9	21.0	18.2	16.5	17.0	22.0	20.7	22.0	25.6	25.6	28.9	267.0	8	2358
	13 LST	29.7	27.2	29.0	27.9	27.2	26.5	27.7	28.7	28.4	28.1	29.7	30.8	341.8	8	2001
	19 LST	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.2	8	2405
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	13 LST	4.3	3.4	4.8	2.6	1.1	0.2	0.0	0.0	0.1	0.7	3.3	3.0	23.5	8	2487
	19 LST	0.0	0.3	0.0	0.3	0.5	0.3	0.0	0.1	0.0	0.1	0.4	0.1	2.1	8	2452
	01 LST	0.3	0.3	0.0	0.3	0.0	0.0	0.0	0.2	0.0	0.0	0.1	0.0	1.2	8	2421
SKY COVEP LES 3/10 AND VSBY = GTR 3 MI	07 LST	0.0	0.0	0.0	0.3	1.4	7.3	8.7	10.2	4.3	0.4	0.0	0.0	32.6	8	2386
	13 LST	0.0	0.0	3.0	9.4	14.5	13.1	16.6	16.1	15.7	10.3	1.7	0.1	100.9	8	2472
	19 LST	0.0	0.0	1.4	7.9	14.0	14.0	17.3	15.0	14.2	2.8	0.1	0.0	87.3	8	2433
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	0.0	0.0	0.0	0.9	3.1	9.3	12.8	10.8	6.2	0.7	0.0	0.0	44.1	8	2406
	07 LST	17.2	12.7	10.2	8.3	7.5	5.5	8.2	10.7	10.5	11.1	17.9	20.8	140.6	8	2364
	13 LST	11.1	8.2	8.3	4.4	3.3	2.0	3.2	3.7	6.5	9.6	14.5	14.5	89.3	8	2485
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	13.8	8.1	6.5	4.4	4.1	4.7	8.7	8.2	11.3	15.2	17.0	20.3	122.3	8	2375
	01 LST	18.3	13.0	14.4	12.8	14.3	12.5	14.2	16.8	16.0	16.8	20.3	21.0	190.4	8	2007
	07 LST	30.6	27.7	29.3	26.9	27.7	27.0	29.2	28.2	28.3	28.4	29.3	30.7	343.3	8	2352
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	13 LST	29.5	26.4	28.8	26.9	27.6	25.0	26.1	27.1	26.8	28.7	28.3	29.8	331.0	8	2468
	19 LST	30.2	26.5	29.1	28.1	28.0	27.8	29.2	28.5	27.9	30.0	29.5	30.8	345.6	8	2367
	01 LST	30.9	27.9	30.5	29.8	30.1	29.2	30.3	30.5	29.5	30.6	29.9	30.7	359.9	8	2006
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	30.1	26.0	27.7	24.0	22.6	19.1	21.7	20.0	21.1	23.5	27.6	30.2	293.6	8	2352
	13 LST	26.1	22.3	21.7	17.0	15.7	10.9	10.9	13.7	16.0	20.5	24.6	27.4	226.8	8	2468
	19 LST	24.4	18.7	21.0	17.3	16.2	16.4	17.9	17.9	18.8	23.7	25.1	28.8	246.2	8	2367
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	30.1	26.5	28.9	27.0	26.1	23.0	22.8	25.1	23.1	27.6	28.4	29.8	318.4	8	2006
	07 LST	30.1	25.5	26.9	23.7	21.4	17.4	18.6	18.2	20.5	22.2	27.2	29.9	281.6	8	2352
	13 LST	26.0	22.2	21.4	16.9	15.7	9.9	10.5	13.4	15.5	20.1	24.6	27.3	223.5	8	2468
	19 LST	24.4	18.2	19.9	16.9	15.7	15.2	17.2	17.3	18.1	23.2	24.4	28.5	239.0	8	2367
	01 LST	29.3	26.3	28.5	26.8	25.9	22.8	22.0	23.4	22.9	27.1	28.2	29.5	312.7	8	2006

CHINAI, CHINA

STA NO. 56046 (IN AREA NUMBER 03) LATITUDE 3348N LONGITUDE 09948E ELEVATION(FT) 13799

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	43	46	54	59	64	77	73	72	70	68	54	48	77	8	2395
MEAN MAX TMP (F)	24	28	37	47	51	56	61	59	55	44	36	28	44	8	2395
MEAN MIN TMP (F)	-7	-3	8	20	29	36	40	37	30	21	7	-6	18	8	2358
ABS MIN TMP (F)	-26	-26	-17	0	10	21	27	25	10	-8	-9	-26	-26	8	2358
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2395
MEAN NO DYS TMP = DR LES 32(F)	31.0	28.0	31.0	30.0	23.1	10.2	4.5	8.9	18.4	28.4	29.9	31.0	274.4	8	2358
MEAN NO DYS TMP = DR LES 0(F)	23.0	17.8	5.5	0.2	0.0	0.0	0.0	0.0	0.0	0.5	5.8	25.1	77.9	8	2358
MEAN DEW PT TMP (F)	7	6	3	15	25	34	40	38	31	19	3	7	19	8	16400
MEAN REL HUM (PCT)	56	51	50	54	62	68	72	72	69	67	53	54	61	8	16116
MEAN PRESS ALT (FT)	12835	12822	12757	12708	12686	12600	12589	12534	12506	12527	12639	12727		8	11335
MEAN PRECIP (IN)														0	0
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = DR GTR 0.1 IN														0	0
MEAN NO DYS SNPL = DR GTR 1.5 IN														0	0
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	1.0	0.3	1.4	1.7	1.7	0.3	0.3	0.6	0.9	1.6	0.4	0.0	10.2	8	2352
MEAN NO DYS TSTMS	0.5	0.2	0.6	4.9	11.8	14.3	16.8	14.1	10.0	5.0	0.1	0.0	78.3	8	2374
P FREQ WND SPD = DR GTR 17 KTS	2.9	1.9	2.5	2.2	1.4	0.4	0.2	0.2	0.5	0.3	1.7	2.5	1.4	8	16789
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.2	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	8	16789
P FREQ LES 5000 FT A/D LES 5 MI	18.1	23.0	29.5	36.4	44.0	54.3	44.2	42.7	38.4	28.9	16.5	13.0	32.4	8	16833
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	1.5	1.7	2.5	4.4	4.6	2.6	1.6	0.5	1.4	3.7	0.9	0.0	2.1	8	2421
03-05 LST	4.8	2.6	3.5	3.0	3.8	1.4	1.0	2.0	3.5	3.8	1.4	1.0	2.7	6	2054
06-08 LST	4.7	1.6	3.7	7.2	7.8	7.1	4.2	10.9	8.1	9.7	2.0	1.6	5.7	8	2388
09-11 LST	2.8	2.4	2.7	5.4	6.1	5.2	2.3	6.4	6.4	5.1	0.7	0.5	3.8	8	2141
12-14 LST	2.6	0.6	3.0	2.1	2.0	1.6	0.3	0.5	2.9	3.5	0.4	0.9	1.7	8	2460
15-17 LST	0.0	1.2	1.0	4.8	1.5	0.9	0.0	0.3	0.0	3.1	0.0	0.0	1.1	8	2192
18-20 LST	0.5	1.6	2.9	2.1	3.3	2.7	1.0	0.0	0.9	2.2	0.4	0.7	1.5	8	2458
21-23 LST	1.5	1.6	1.4	3.6	2.0	0.8	0.7	0.6	1.2	2.2	0.0	0.0	1.3	7	1860
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	1.0	1.1	1.5	1.5	1.5	1.6	0.0	0.0	0.9	1.8	0.9	0.0	1.0	8	2421
03-05 LST	2.4	1.9	2.9	1.8	1.9	0.0	0.0	1.1	1.8	3.3	0.5	0.5	1.5	8	2054
06-08 LST	1.6	0.5	3.0	4.8	3.3	0.0	0.5	3.9	1.8	3.2	0.9	0.0	2.0	8	2388
09-11 LST	1.1	0.6	1.1	1.8	2.4	0.6	0.0	0.6	1.1	1.6	0.5	0.0	1.0	8	2141
12-14 LST	1.0	0.0	2.0	2.1	0.0	0.0	0.0	0.0	0.5	1.8	0.0	0.0	0.6	8	2460
15-17 LST	0.0	0.6	0.0	2.8	1.2	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.4	8	2192
18-20 LST	0.5	1.6	1.5	1.1	2.0	0.5	1.0	0.0	0.5	0.9	0.0	0.4	0.8	8	2458
21-23 LST	0.0	0.8	0.0	2.1	1.3	0.0	0.7	0.6	0.6	1.1	0.0	0.0	0.6	7	1860

CHINA, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. DBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	29.5	27.5	29.9	27.9	29.1	28.8	30.7	28.9	28.4	28.7	29.5	30.6	349.5	8	2388
	13 LST	30.2	27.8	30.1	29.4	30.5	29.8	31.0	31.0	29.4	30.0	29.9	30.7	359.8	8	2460
	19 LST	30.8	27.5	30.1	29.4	30.1	29.5	30.7	31.0	29.7	30.3	29.9	30.9	359.9	8	2458
	01 LST	30.5	27.5	30.2	28.8	29.6	29.2	30.7	30.8	29.6	30.0	29.7	31.0	337.6	8	2421
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	28.3	27.4	28.8	26.8	27.4	26.1	28.8	26.3	26.8	27.3	29.1	30.2	333.3	8	2385
	13 LST	21.2	19.6	16.7	16.4	23.2	25.5	27.7	27.7	24.9	25.2	20.9	21.9	270.9	8	2453
	19 LST	27.3	23.6	25.9	23.8	22.3	23.0	27.0	28.8	28.3	27.5	28.6	28.8	314.9	8	2456
	01 LST	29.6	26.9	29.0	28.0	28.5	27.9	29.9	30.1	29.6	29.6	29.0	30.3	348.7	8	2417
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	8	2406
	13 LST	2.8	1.5	1.7	1.9	0.3	0.2	0.0	0.0	0.1	0.3	1.6	3.2	13.6	8	2486
	19 LST	0.0	0.2	0.2	0.2	0.8	0.0	0.2	0.1	0.0	0.0	0.3	0.0	2.0	8	2473
	01 LST	0.3	0.2	0.2	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.1	1.0	8	2449
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	0.0	0.0	0.0	0.2	2.4	3.9	4.9	5.6	1.8	0.4	0.0	0.0	19.2	8	2390
	13 LST	0.2	0.9	6.4	10.5	12.4	9.9	10.2	11.6	11.1	12.3	7.4	0.7	93.6	8	2475
	19 LST	0.0	0.2	5.0	12.4	11.7	13.6	11.9	7.9	11.5	6.8	1.7	0.0	84.7	8	2454
	01 LST	0.0	0.0	0.2	0.2	4.2	5.8	5.9	5.7	4.2	1.8	0.0	0.0	28.0	8	2432
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	14.7	9.2	10.7	8.5	7.4	4.3	7.6	6.2	9.0	10.4	16.7	16.1	120.8	8	2409
	13 LST	8.8	5.7	4.2	2.8	2.1	1.3	3.9	3.0	4.2	7.9	10.2	10.7	64.8	8	2487
	19 LST	9.6	6.4	4.7	3.0	2.8	4.0	6.2	6.3	10.5	12.4	15.4	17.6	98.9	8	2476
	01 LST	14.2	10.5	11.8	10.4	9.1	6.7	10.0	10.2	11.8	14.9	16.9	19.8	147.3	8	2434
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	29.4	27.5	29.7	27.6	28.1	26.5	28.1	25.7	26.2	26.8	29.2	30.5	335.3	8	2388
	13 LST	30.0	27.5	29.8	28.9	29.8	28.3	30.1	30.1	28.6	29.2	29.8	30.5	352.6	8	2460
	19 LST	30.6	27.5	29.9	29.2	29.4	28.2	30.6	30.4	29.6	30.1	29.8	30.7	356.0	8	2458
	01 LST	30.5	27.5	30.1	28.5	29.3	28.8	30.4	30.5	29.5	29.7	29.7	30.9	355.4	8	2421
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	26.8	25.1	26.2	22.5	21.1	14.0	15.8	14.6	16.6	20.2	26.9	29.6	259.4	8	2388
	13 LST	23.7	18.1	14.6	8.8	8.5	7.7	12.7	12.5	12.1	17.8	22.1	22.7	181.3	8	2460
	19 LST	22.3	16.3	17.5	16.1	14.1	11.0	12.3	15.5	17.8	19.5	24.2	26.5	213.1	8	2458
	01 LST	28.3	23.5	25.1	21.0	18.9	13.5	16.9	16.5	18.6	23.6	26.5	28.4	260.8	8	2421
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	26.6	24.8	26.1	22.3	20.3	13.9	14.6	13.1	15.5	19.3	26.5	29.5	252.5	8	2388
	13 LST	23.6	18.1	14.6	8.8	8.1	7.7	12.4	12.0	11.7	17.5	21.9	22.6	179.0	8	2460
	19 LST	22.0	15.8	16.7	15.8	13.4	10.2	11.5	14.3	16.9	19.4	23.7	26.4	206.1	8	2458
	01 LST	28.3	23.2	24.8	20.9	18.6	12.7	14.5	15.4	17.8	23.2	26.3	28.4	254.1	8	2421

SO TSUN, CHINA

STA NO. 56106 (IN AREA NUMBER 09)	LATITUDE 3150N LONGITUDE 09340E ELEVATION(FT) 13899												PQR	NO.	
PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	(YRS)	OBS
ABS MAX TMP (F)	46	43	50	63	61	73	77	75	70	64	48	48	77	7	620
MEAN MAX TMP (F)	32	32	42	52	52	62	65	64	59	49	40	33	49	7	620
MEAN MIN TMP (F)	0	6	14	25	32	42	44	43	39	25	11	3	24	6	711
ABS MIN TMP (F)	-13	-11	3	9	23	32	32	34	28	7	-2	-13	-13	6	711
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	620
MEAN NO DYS TMP = DR LES 32(F)	31.0	28.0	31.0	27.6	17.2	1.4	0.5	0.0	2.8	26.8	29.6	30.6	226.5	6	711
MEAN NO DYS TMP = DR LES 0(F)	19.0	8.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	13.3	41.6	6	711
MEAN DEW PT TMP (F)	11	9	4	13	29	39	42	42	37	18	4	7	21	4	2173
MEAN REL HUM (PCT)	38	42	30	45	66	67	69	72	69	55	35	41	52	4	2105
MEAN S ESS ALT (FT)	12877	12880	12834	12722	12816	12809	12771	12722	12677	12716	12733	12765		4	1899
MEAN PPRECIP (IN)														0	0
MEAN SNOW FALL (IN)						0.0	0.0	0.0						6	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN						0.0	0.0	0.0						6	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN						0.0	0.0	0.0						6	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	420
MEAN NO DYS TSTMS	0.0	0.0	0.0	2.2	17.6	20.8	18.8	15.2	16.0	4.6	0.0	0.0	95.2	4	420
P FREQ WND SPD = DR GTR 17 KTS	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.1	4	2238
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	2238
P FREQ LES 5000 FT A/D LES 5 MI	1.0	0.5	2.5	6.7	12.6	6.1	9.0	15.0	8.0	3.1	2.3	0.5	5.6	6	3185
P FREQ LES 1900 FT A/D LES 3 MI														7	648
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.0	1.4	0.0	0.0	1.5	0.0	0.0	0.0	0.2	7	648
03-05 LST	0.0	8.7	0.0	0.0	3.0	0.0	2.2	0.0	0.0	0.0	1.2	0.0	1.3	3	384
06-08 LST	2.3	0.0	0.0	6.7	5.1	2.6	0.0	2.2	3.3	2.0	2.1	0.0	2.2	5	673
09-11 LST	0.0	0.0	1.4	0.0	0.7	0.0	0.6	0.6	1.5	0.7	1.0	0.9	0.6	5	974
12-14 LST	0.0	0.0	0.0	0.0	2.1	0.0	1.6	1.3	0.0	0.0	0.0	0.0	0.4	7	726
15-17 LST	0.0	0.0	1.9	0.0	0.0	0.0	0.0	1.9	2.0	0.0	0.0	0.0	0.5	3	486
18-20 LST	2.0	1.2	1.2	0.7	0.0	1.6	0.0	0.9	0.0	0.0	0.0	0.0	0.6	7	1103
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														7	648
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	0.0	0.0	0.0	0.1	7	648
03-05 LST	0.0	0.0	0.0	0.0	0.0	0.0	2.2	0.0	0.0	0.0	0.0	0.0	0.2	3	384
06-08 LST	2.3	0.0	0.0	4.4	0.0	2.6	0.0	0.0	0.0	1.3	0.0	0.0	0.9	5	673
09-11 LST	0.0	0.0	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	5	974
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	0.0	0.0	0.0	0.1	7	726
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9	0.0	0.0	0.0	0.0	0.2	3	486
18-20 LST	2.0	1.2	1.2	0.0	0.0	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.5	7	1103
21-23 LST														0	0

SO TSUN, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	06 LST	30.3	28.0	31.0	28.0	29.7	29.2	31.0	30.5	30.0	30.6	29.6	31.0	358.9	5	673
	12 LST	31.0	28.0	31.0	30.0	30.3	30.0	30.5	30.6	30.0	31.0	30.0	31.0	363.4	7	726
	18 LST	30.4	27.7	30.6	30.0	31.0	29.5	31.0	30.7	30.0	31.0	30.0	31.0	362.9	7	1103
	00 LST	31.0	28.0	31.0	30.0	31.0	30.0	31.0	31.0	29.6	31.0	30.0	31.0	364.6	7	648
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	06 LST	29.5	28.0	31.0	28.0	29.1	29.2	31.0	30.1	28.1	30.2	28.4	30.5	353.1	5	668
	12 LST	27.8	23.8	25.5	28.1	26.4	27.9	29.5	30.6	28.8	27.4	24.5	27.8	328.1	7	724
	18 LST	29.8	26.6	26.4	25.5	27.4	27.5	29.0	29.2	28.4	30.1	28.2	30.7	338.8	7	1094
	00 LST	31.0	27.2	29.4	30.0	31.0	29.2	30.5	31.0	28.7	31.0	30.0	31.0	360.0	7	646
SFC WND = GTR 17 KTS AND NO PRECIP.	06 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	673
	12 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.4	7	738
	18 LST	0.0	0.0	0.4	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	7	1131
	00 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	656
SFC WND 4-10 KTS AND THP 33-89 DEG F AND NO PRECIP.	06 LST	0.0	0.0	0.0	1.3	1.9	1.7	1.9	3.3	3.3	0.4	0.4	0.0	14.2	5	664
	12 LST	1.6	1.8	13.8	17.1	8.3	10.5	8.7	10.9	7.6	12.0	11.4	2.0	105.7	7	733
	18 LST	1.9	3.7	15.5	15.6	15.1	8.1	10.0	9.7	8.1	12.2	10.8	3.2	113.9	7	1106
	00 LST	0.0	0.0	0.0	4.9	3.2	4.1	2.1	3.1	2.5	2.1	0.0	0.0	22.0	7	652
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	06 LST	17.0	12.1	10.6	7.7	5.1	3.9	2.4	3.6	7.6	9.4	15.4	20.4	115.2	5	676
	12 LST	15.0	7.0	6.1	7.1	4.6	2.8	5.6	5.6	3.2	6.3	14.0	18.8	96.1	7	744
	18 LST	11.2	6.0	1.5	1.5	1.1	3.6	4.7	5.2	8.2	12.4	15.6	19.4	90.4	7	1138
	00 LST	17.6	12.0	13.2	11.4	9.3	5.7	4.3	7.9	8.9	14.7	20.5	17.6	143.1	7	660
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	06 LST	30.3	28.0	31.0	26.9	26.8	28.3	30.6	29.5	27.3	29.5	29.0	30.8	348.0	5	673
	12 LST	31.0	28.0	31.0	30.0	30.1	29.7	30.3	30.4	30.0	31.0	30.0	31.0	362.5	7	726
	18 LST	30.4	27.7	30.6	29.6	31.0	29.5	30.9	30.6	29.9	30.9	29.9	31.0	362.0	7	1103
	00 LST	31.0	28.0	31.0	30.0	30.7	29.2	31.0	31.0	29.6	31.0	29.8	31.0	363.3	7	648
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	06 LST	30.3	26.1	28.9	24.0	17.7	15.4	19.0	14.6	15.7	24.0	26.8	29.1	271.6	5	673
	12 LST	28.4	24.4	28.9	26.3	17.1	16.0	21.7	20.9	19.9	23.4	28.4	27.8	283.2	7	726
	18 LST	28.6	24.6	28.3	27.6	25.0	24.3	20.7	19.6	21.9	26.9	28.8	29.7	306.0	7	1103
	00 LST	29.6	28.0	29.5	28.5	24.6	18.3	16.0	19.3	19.7	29.4	29.1	29.1	301.1	7	648
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	06 LST	24.5	23.5	25.4	20.7	14.6	11.5	14.0	11.9	12.9	22.7	24.3	27.3	233.3	5	673
	12 LST	23.1	18.5	22.7	18.1	11.2	10.5	16.7	16.9	14.6	18.4	24.1	25.8	220.6	7	726
	18 LST	22.2	17.5	23.0	21.2	16.7	14.8	14.0	13.5	17.8	22.8	25.8	27.9	237.2	7	1103
	00 LST	26.7	24.8	27.9	26.2	20.7	13.3	10.7	13.6	15.7	26.5	27.3	27.3	260.7	7	648

TE-CHING/TINGCHI, CHINA

STA NO. 56116 (IN AREA NUMBER 03)

LATITUDE 3129N

LONGITUDE 095.9E

ELEVATION(FT) 13123

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	50	55	61	64	72	79	77	75	73	70	59	55	79	8	2035
MEAN MAX TMP (F)	33	37	43	53	58	64	67	65	63	51	42	35	51	8	2035
MEAN MIN TMP (F)	7	13	19	28	35	42	45	45	40	30	18	9	28	8	2084
ABS MIN TMP (F)	-11	-2	1	14	21	28	36	34	32	12	0	-13	-13	8	2084
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2035
MEAN NO DYS TMP = DR LES 32(F)	31.0	28.0	30.8	26.5	12.1	1.1	0.0	0.0	0.2	19.9	30.0	30.9	210.5	8	2084
MEAN NO DYS TMP = DR LES 0(F)	7.2	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	2.9	11.2	8	2084
MEAN DEW PT TMP (F)	6	2	9	18	28	38	43	43	37	27	9	2	22	8	10368
MEAN REL HUM (PCT)	38	42	47	49	59	63	67	72	66	64	51	42	55	8	10199
MEAN PRESS ALT (FT)	12443	12440	12402	12360	12365	12341	12325	12249	12216	12204	12275	12336		8	5328
MEAN PRECIP (IN)														0	0
MEAN SNOW FALL (IN)							0.0	0.0	0.0					8	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN														0	0
MEAN NO DYS SNFL = DR GTR 1.5 IN							0.0	0.0	0.0					8	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	0.0	0.2	1.1	1.1	0.6	0.4	0.2	0.4	0.0	0.6	1.2	0.0	5.8	8	1768
MEAN NO DYS TSTMS	0.0	0.2	0.6	5.4	10.2	14.7	16.9	15.3	10.7	4.7	0.0	0.4	79.1	8	1772
P FREQ WND SPD = DR GTR 17 KTS	3.0	3.2	2.6	3.0	3.1	1.0	1.1	1.6	1.7	1.4	0.6	1.1	2.0	8	10649
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.3	0.1	0.1	0.3	0.2	0.0	0.1	0.1	0.1	0.0	0.0	0.1	8	10649
P FREQ LES 5000 FT A/D LES 5 MI	3.1	5.4	8.4	10.8	15.9	10.5	8.4	10.1	8.8	13.5	6.4	3.1	8.7	8	11700
P FREQ LES 1900 FT A/D LES 3 MI															
FOR 00-02 LST	2.1	1.4	1.3	3.5	1.8	0.6	0.0	0.5	1.1	1.5	2.9	1.1	1.5	8	2015
03-05 LST	0.0	4.2	5.3	5.8	2.7	1.8	1.5	1.2	0.0	3.2	2.0	2.0	2.5	7	865
06-08 LST	0.6	2.2	2.4	2.6	4.0	1.3	0.3	1.2	0.5	2.6	3.7	0.5	1.8	8	2068
09-11 LST	0.9	1.8	2.7	1.6	2.0	0.0	0.0	1.0	0.4	1.9	2.5	0.0	1.2	7	1325
12-14 LST	0.5	0.6	0.6	0.0	0.6	0.0	0.0	0.5	0.8	1.8	0.0	0.9	0.5	8	2194
15-17 LST	0.0	0.0	1.9	0.9	0.0	0.0	0.0	0.0	1.0	0.0	0.9	0.4		7	1193
18-20 LST	1.0	1.9	0.6	1.8	0.6	0.9	0.6	0.0	0.0	1.0	2.6	0.0	0.9	8	2196
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	2.4	4.3	1.8	0.8	5	906
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.7	0.0	1.3	1.9	0.0	0.0	0.0	0.0	0.0	0.0	2.9	0.0	0.6	8	2015
03-05 LST	0.0	4.2	1.3	3.5	1.8	0.9	0.0	0.0	0.0	1.1	0.0	2.0	1.2	7	865
06-08 LST	0.0	0.0	1.2	0.6	1.9	0.7	0.0	0.6	0.0	1.6	1.1	0.5	0.7	8	2068
09-11 LST	0.0	0.0	0.0	0.0	0.8	0.0	0.0	1.0	0.0	0.0	1.0	0.0	0.2	7	1325
12-14 LST	0.0	0.6	0.0	0.0	0.6	0.0	0.0	0.5	0.0	1.0	0.0	0.5	0.3	8	2194
15-17 LST	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	7	1193
18-20 LST	0.0	0.6	0.6	0.6	0.6	0.0	0.6	0.0	0.0	0.5	1.5	0.0	0.4	8	2196
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	0.0	0.2	5	906

TE-CHING/TINGCHI, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	06 LST	30.8	27.4	30.4	29.4	29.9	29.6	31.0	30.8	29.8	30.4	28.9	30.9	359.3	8	2068
	12 LST	30.8	27.8	30.8	30.0	30.8	30.0	31.0	30.8	29.8	30.5	30.0	30.7	363.0	8	2194
	18 LST	30.7	27.5	30.8	29.5	30.8	29.8	30.8	31.0	30.0	30.7	29.2	31.0	361.8	8	2196
	00 LST	30.3	27.6	30.6	29.0	30.4	29.8	31.0	30.8	29.7	30.5	29.1	30.7	359.5	8	2015
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	06 LST	28.6	26.6	29.2	28.9	29.3	29.0	30.4	30.1	29.3	28.6	28.1	30.0	348.1	8	2064
	12 LST	23.8	20.9	23.8	21.7	22.7	25.8	27.4	28.5	26.9	26.1	24.6	25.2	297.4	8	2190
	18 LST	25.8	20.5	24.5	22.6	20.6	22.5	23.4	24.8	24.1	24.7	24.4	26.2	284.1	8	2188
	00 LST	28.8	24.4	29.0	26.9	28.4	26.9	28.9	29.0	27.6	27.8	27.5	29.2	334.4	8	2012
SFC WND = GTR 17 KTS AND NO PRECIP.	06 LST	0.6	0.0	0.0	0.2	0.2	0.0	0.0	0.0	0.0	0.2	0.0	0.3	1.5	8	2087
	12 LST	2.2	1.5	0.7	1.5	0.4	0.2	0.5	0.0	0.0	0.6	0.3	1.1	9.0	8	2208
	18 LST	0.5	0.5	1.4	0.5	0.7	0.4	0.0	0.5	1.1	0.2	0.3	0.6	6.7	8	2209
	00 LST	0.4	0.4	0.4	0.0	0.0	0.4	0.0	0.5	0.2	0.3	0.0	0.0	2.6	8	2019
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	06 LST	0.0	0.0	0.0	1.3	3.4	3.0	2.8	2.8	2.1	2.2	0.0	0.0	17.6	8	2072
	12 LST	2.7	7.4	13.3	13.3	10.5	8.6	9.7	9.7	13.4	12.1	10.4	6.0	117.1	8	2190
	18 LST	1.9	3.8	11.7	13.6	11.4	8.0	11.8	8.5	9.4	9.9	6.9	3.0	99.9	8	2200
	00 LST	0.0	0.0	0.6	4.3	6.4	6.1	5.7	5.9	5.6	5.6	0.9	0.2	41.3	8	2000
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	06 LST	16.6	8.4	9.2	8.7	6.8	5.7	4.6	2.1	9.5	9.6	15.5	17.7	114.4	8	2088
	12 LST	15.5	6.0	6.7	3.7	3.7	2.3	5.0	3.6	6.7	5.2	15.3	17.0	90.7	8	2212
	18 LST	10.1	3.9	4.8	2.7	3.7	3.7	3.9	2.8	7.3	10.7	18.2	16.9	88.7	8	2215
	00 LST	16.0	9.4	11.9	10.5	10.6	7.0	6.7	5.2	11.1	13.8	18.7	19.1	140.0	8	2024
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	06 LST	30.8	27.0	29.6	28.9	29.3	29.3	30.7	30.1	29.4	29.6	28.8	30.8	354.3	8	2068
	12 LST	30.8	27.8	30.8	29.9	30.8	29.9	31.0	30.8	29.7	30.3	30.0	30.7	362.5	8	2194
	18 LST	30.7	27.5	30.8	29.5	30.8	29.6	30.8	31.0	29.9	30.7	29.2	31.0	361.5	8	2196
	00 LST	30.3	27.6	30.6	28.8	30.1	29.6	31.0	30.8	29.7	30.5	29.0	30.7	358.7	8	2015
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	06 LST	26.4	19.7	21.1	22.7	17.0	16.4	17.1	11.6	18.2	17.5	23.0	27.1	237.8	8	2068
	12 LST	24.3	15.9	15.2	9.6	9.3	8.3	14.3	12.9	14.5	14.5	22.7	24.9	186.4	8	2194
	18 LST	22.6	15.9	22.2	19.9	17.1	13.6	15.8	11.5	16.5	18.5	24.7	25.9	224.2	8	2196
	00 LST	24.4	22.2	22.3	21.2	19.3	13.0	15.9	12.3	17.8	21.6	25.4	27.0	242.4	8	2015
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	06 LST	26.2	19.5	20.9	21.6	16.5	14.8	13.9	8.4	16.2	16.2	22.7	27.1	224.0	8	2068
	12 LST	24.3	15.6	14.8	8.0	8.4	7.2	13.3	11.9	13.8	13.4	22.6	24.2	177.5	8	2194
	18 LST	21.5	14.5	21.2	18.3	15.7	10.9	12.5	9.5	15.1	17.8	24.4	25.4	206.8	8	2196
	00 LST	23.9	21.5	21.9	21.0	18.9	12.1	14.9	11.2	17.0	21.1	25.2	26.6	235.3	8	2015

CHANG-TU, CHINA

STA NO. 50137 (IN AREA NUMBER 03)

LATITUDE 3110N

LONGITUDE 09716E

ELEVATION(FT) 10499

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	61	66	72	77	86	90	91	84	84	82	72	68	91	8	2343
MEAN MAX TMP (F)	46	49	55	64	68	74	76	73	71	63	56	49	62	8	2343
MEAN MIN TMP (F)	14	19	26	35	42	49	52	51	45	36	23	15	34	8	2271
ABS MIN TMP (F)	0	-2	10	19	32	34	43	39	32	19	5	-2	-2	8	2271
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.2	0.6	0.0	0.0	0.0	0.0	0.0	0.8	8	2343
MEAN NO DYS TMP = DR LES 32(F)	30.8	27.7	28.5	11.6	0.9	0.0	0.0	0.0	0.3	9.6	28.2	31.0	168.6	8	2271
MEAN NO DYS TMP = DR LES 0(F)	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.8	8	2271
MEAN DEW PT TMP (F)	2	4	11	21	32	42	48	48	41	30	12	2	24	8	14455
MEAN REL HUM (PCT)	32	35	36	39	48	57	64	69	63	56	43	38	48	8	14247
MEAN PRESS ALT (FT)	10405	10443	10418	10414	10428	10402	10404	10335	10277	10242	10304	10343		8	9256
MEAN PRECIP (IN)														0	0
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0					8	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN					0.0	0.0	0.0	0.0	0.0					0	0
MEAN NO DYS SNFL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0					8	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	0.2	0.0	0.4	0.0	0.0	0.2	0.0	0.3	0.0	0.0	0.2	0.0	1.3	8	2180
MEAN NO DYS TSTMS	0.0	0.5	0.9	4.6	7.1	8.6	16.2	13.1	7.1	2.0	0.7	0.0	60.3	8	2171
P FREQ WND SPD = DR GTR 17 KTS	0.2	0.4	0.3	0.1	0.5	0.1	0.2	0.1	0.0	0.3	0.2	0.2	0.2	8	14688
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.1	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	8	14688
P FREQ LES 3000 FT A/D LES 3 MI	0.8	1.1	2.0	1.1	2.1	1.5	1.9	3.7	2.1	2.3	1.0	0.7	1.7	8	15262
P FREQ LES 1900 FT A/D LES 3 MI															
FOR 00-02 LST	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.4	0.9	0.0	0.2	8	2435
03-05 LST	1.0	0.0	0.0	0.0	0.0	0.0	0.4	0.8	0.0	0.4	0.0	0.8	0.3	5	1439
06-08 LST	1.0	0.3	0.5	0.0	0.8	0.0	0.9	0.3	0.7	1.1	0.5	0.0	0.5	8	2360
09-11 LST	0.7	0.0	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.2	8	1843
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.9	0.9	0.0	0.2	8	2414
15-17 LST	0.0	0.0	1.3	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.2	8	1787
18-20 LST	0.5	0.0	0.5	0.0	0.0	0.5	0.5	0.0	0.5	0.0	0.0	0.0	0.2	8	2508
21-23 LST	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.0	0.0	0.1	6	1539
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.5	0.0	0.1	8	2435
03-05 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	1439
06-08 LST	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2360
09-11 LST	0.0	0.0	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	8	1843
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.5	0.0	0.1	8	2414
15-17 LST	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.1	8	1787
18-20 LST	0.5	0.0	0.5	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.1	8	2508
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	1539

CHANG-TU, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	06 LST	30.7	28.0	30.8	30.0	31.0	30.0	31.0	31.0	30.0	30.7	29.9	31.0	364.1	8	2360
	12 LST	31.0	28.0	31.0	30.0	31.0	30.0	31.0	31.0	29.9	30.7	29.7	31.0	364.3	8	2414
	18 LST	30.8	28.0	30.8	30.0	31.0	29.8	30.8	31.0	29.9	31.0	30.0	31.0	364.1	8	2508
	00 LST	30.8	28.0	31.0	30.0	31.0	30.0	31.0	30.8	30.0	30.9	29.7	31.0	364.2	8	2435
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	06 LST	30.7	27.8	30.8	30.0	29.9	30.0	30.5	30.7	29.6	30.4	29.9	30.9	361.2	8	2357
	12 LST	28.7	26.3	25.5	25.5	27.1	28.6	30.5	30.9	28.8	29.5	27.7	30.3	339.4	8	2407
	18 LST	29.9	27.5	29.0	28.1	27.6	26.5	29.0	29.8	28.5	29.2	29.7	29.8	344.6	8	2502
	00 LST	30.5	28.0	30.8	29.7	30.7	29.5	30.7	30.5	29.7	30.5	29.6	30.9	361.1	8	2433
SFC WND = GTR 17 KTS AND NO PRECIP.	06 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.2	8	2374
	12 LST	0.2	0.2	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	1.1	8	2437
	18 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	8	2527
	00 LST	0.2	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.5	8	2450
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	06 LST	0.2	0.3	1.3	3.2	6.5	6.3	3.7	4.7	5.2	3.7	0.1	0.3	35.5	8	2353
	12 LST	8.0	12.5	15.6	12.5	10.9	7.1	9.9	8.6	12.1	9.7	10.0	7.3	124.2	8	2422
	18 LST	8.7	11.4	16.6	15.3	15.2	12.1	8.2	7.8	7.5	11.0	7.1	4.0	124.9	8	2507
	00 LST	0.5	0.3	2.4	5.0	5.8	6.5	5.3	4.6	3.7	2.8	1.5	0.1	38.5	8	2435
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	06 LST	20.2	11.4	11.2	7.9	6.7	6.6	4.7	2.6	10.5	10.0	19.5	20.0	131.3	8	2383
	12 LST	13.7	4.3	3.4	2.5	1.7	2.2	4.2	3.5	7.2	6.9	12.8	17.8	80.2	8	2444
	18 LST	16.3	7.3	6.4	2.3	4.0	3.8	4.1	3.6	8.5	13.2	21.7	20.9	112.1	8	2532
	00 LST	19.8	12.4	12.9	11.4	11.1	8.8	7.0	6.1	13.6	16.3	21.6	23.0	164.0	8	2451
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	06 LST	30.7	27.8	30.7	29.7	29.9	30.0	30.0	29.5	29.3	30.1	29.8	30.9	358.4	8	2360
	12 LST	31.0	28.0	31.0	30.0	31.0	30.0	31.0	31.0	29.9	30.7	29.7	31.0	364.3	8	2414
	18 LST	30.8	28.0	30.8	30.0	31.0	29.8	30.8	31.0	29.8	31.0	30.0	31.0	364.0	8	2508
	00 LST	30.8	27.9	30.9	30.0	30.9	29.9	31.0	30.7	29.9	30.8	29.7	31.0	363.5	8	2435
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	06 LST	30.5	27.2	29.7	28.3	25.8	27.1	25.9	23.1	26.1	27.6	29.2	30.4	330.9	8	2360
	12 LST	31.0	27.2	30.4	29.4	30.0	28.6	30.1	30.3	28.8	29.9	29.5	30.7	355.9	8	2414
	18 LST	30.5	27.6	30.4	29.8	29.3	28.6	30.4	29.8	28.9	30.5	30.0	31.0	356.8	8	2508
	00 LST	30.5	27.4	30.4	30.0	30.0	28.4	29.0	28.2	29.0	30.6	29.6	31.0	354.1	8	2435
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	06 LST	28.9	22.4	25.4	25.4	20.7	20.6	16.9	14.6	20.0	20.5	27.0	28.8	271.2	8	2360
	12 LST	22.9	12.3	12.1	9.3	11.5	13.2	19.1	18.2	18.6	18.5	20.8	25.9	202.4	8	2414
	18 LST	26.0	17.4	21.7	20.9	17.7	15.2	16.0	17.6	20.1	22.9	27.5	27.8	250.8	8	2508
	00 LST	29.0	24.2	25.6	26.0	20.8	17.2	18.1	15.5	20.9	24.4	27.2	29.0	277.9	8	2435

KAN-TZU/KANTZE, CHINA

STA NO. 56146 (IN AREA NUMBER 03)

LATITUDE 3138N

LONGITUDE 09959E

ELEVATION(FT) 10892

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	57	61	68	77	82	88	86	79	81	75	68	63	88	8	2447
MEAN MAX TMP (F)	41	44	52	61	64	67	71	69	66	58	51	43	57	8	2447
MEAN MIN TMP (F)	11	15	23	31	38	45	49	47	41	33	20	11	30	8	2452
ABS MIN TMP (F)	-8	-11	7	16	25	28	36	32	27	16	7	-8	-11	8	2452
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2447
MEAN NO DYS TMP = DR LES 32(F)	30.8	28.0	37.4	19.4	4.8	0.3	0.0	0.1	2.4	14.7	29.3	31.0	191.2	8	2452
MEAN NO DYS TMP = DR LES 0(F)	3.7	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	5.7	8	2452
MEAN DEW PT TMP (F)	1	7	13	22	33	42	48	46	40	30	12	2	25	8	17324
MEAN REL HUM (PCT)	39	46	46	49	57	66	71	72	68	63	48	43	56	8	17345
MEAN PRESS ALT (FT)	10924	10947	10908	10873	10880	10823	10827	10768	10729	10709	10788	10843		8	13092
MEAN PRECIP (IN)														0	0
MEAN SNOW FALL (IN)							0.0	0.0						8	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN														0	0
MEAN NO DYS SNFL = DR GTR 1.5 IN							0.0	0.0						8	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	0.2	0.3	0.0	0.2	0.3	0.2	0.2	0.1	0.0	0.3	0.1	0.0	1.9	8	2443
MEAN NO DYS TSTMS	0.2	0.0	1.3	4.7	11.6	15.2	19.6	16.2	11.8	5.7	0.4	0.1	86.8	8	2445
P FREQ WND SPD = DR GTR 17 KTS	1.7	0.6	3.7	3.2	2.1	1.7	1.1	0.6	1.2	0.9	0.8	0.9	1.3	8	17769
P FREQ WND SPD = DR GTR 28 KTS	0.1	0.1	0.4	0.4	0.2	0.1	0.1	0.1	0.0	0.1	0.0	0.0	0.1	8	17769
P FREQ LES 5000 FT A/D LES 5 MI	2.2	5.8	4.8	6.8	9.9	10.4	4.1	7.5	7.3	8.1	3.8	2.0	6.1	8	17855
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	1.5	1.9	0.3	0.3	0.0	0.5	0.0	0.0	0.5	0.7	0.9	0.0	0.6	8	2471
03-05 LST	0.0	0.0	0.0	0.5	0.0	0.6	0.6	0.0	0.0	0.5	0.0	0.6	0.2	8	2191
06-08 LST	0.0	2.3	0.5	2.2	1.5	0.0	0.3	0.2	0.9	2.2	0.2	0.4	0.9	8	2459
09-11 LST	0.6	1.2	1.0	0.8	0.5	0.6	1.1	0.3	0.0	0.7	0.8	0.0	0.6	8	2326
12-14 LST	0.5	1.1	0.5	0.8	1.0	0.3	0.0	0.5	0.5	0.4	1.4	0.0	0.6	8	2472
15-17 LST	0.0	1.5	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.3	8	2191
18-20 LST	0.5	2.2	1.0	0.5	0.5	0.5	0.0	0.0	0.0	0.8	0.4	0.0	0.5	8	2523
21-23 LST	0.6	0.7	0.6	0.0	0.0	0.0	0.0	0.5	0.3	0.5	0.0	0.0	0.3	7	2117
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	1.0	0.5	0.0	0.0	0.0	0.5	0.0	0.0	0.5	0.0	0.0	0.0	0.2	8	2471
03-05 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.6	0.1	8	2191
06-08 LST	0.0	0.6	0.0	0.5	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.1	8	2459
09-11 LST	0.0	1.2	0.5	0.5	0.5	0.6	0.5	0.0	0.0	0.0	0.0	0.0	0.3	8	2326
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.4	0.9	0.0	0.2	8	2472
15-17 LST	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2191
18-20 LST	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2523
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	7	2117

KAN-TZU/KANTZE, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	31.0	27.5	30.0	29.5	30.7	30.0	30.8	31.0	29.7	30.6	30.0	30.9	362.5	8	2459
	13 LST	30.8	27.7	30.8	27.8	30.8	30.0	31.0	30.9	29.9	30.9	29.6	31.0	363.2	8	2472
	19 LST	30.8	27.4	30.7	29.9	30.8	29.7	31.0	31.0	30.0	30.7	29.9	31.0	363.0	8	2523
	01 LST	30.5	27.6	31.0	30.0	31.0	29.9	31.0	31.0	29.9	30.9	29.7	31.0	363.5	8	2471
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	30.0	26.4	29.8	28.7	21.6	19.0	30.2	37.1	28.9	29.3	29.6	30.9	352.5	8	2453
	13 LST	24.1	24.3	21.3	19.1	25.6	26.8	28.6	28.3	28.2	29.6	27.2	28.1	310.2	8	2467
	19 LST	27.5	24.0	24.2	21.9	22.8	24.8	24.9	27.8	25.5	26.4	27.7	29.8	307.3	8	2516
	01 LST	28.6	26.3	30.2	28.6	27.2	28.2	30.2	29.8	29.2	29.4	28.7	30.6	347.0	8	2465
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.2	8	2464
	13 LST	1.5	0.4	2.1	1.4	0.2	0.2	0.0	0.0	0.0	0.4	0.3	0.4	6.9	8	2493
	19 LST	0.3	0.0	0.8	0.6	0.5	0.6	0.5	0.0	0.3	0.4	0.4	0.3	4.7	8	2338
	01 LST	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.3	0.1	8	2474
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	0.6	0.0	1.2	2.2	3.0	2.4	1.3	0.6	1.5	2.0	0.4	0.1	15.3	8	2460
	13 LST	4.8	8.3	13.3	14.0	11.8	8.2	8.9	8.5	11.8	12.2	9.4	6.8	118.0	8	2476
	19 LST	3.0	5.6	12.1	12.9	10.0	7.2	7.9	8.0	10.5	9.0	6.8	2.5	95.5	8	2524
	01 LST	0.6	0.8	3.5	5.6	2.6	3.9	2.0	2.2	2.6	3.0	0.6	0.5	27.9	8	2463
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	18.5	12.4	11.3	10.0	9.1	5.9	5.5	5.0	9.1	10.5	20.4	21.6	139.3	8	2465
	13 LST	14.0	7.5	7.7	5.1	4.8	4.6	4.8	3.8	10.4	11.9	15.3	17.8	109.7	8	2497
	19 LST	14.8	5.9	4.7	3.2	3.1	4.8	4.8	4.5	10.4	12.2	18.3	19.7	106.4	8	2538
	01 LST	19.8	13.6	16.5	12.6	10.7	7.2	8.5	8.9	12.5	14.2	22.0	23.0	169.5	8	2479
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	30.9	27.1	30.5	28.5	29.8	29.5	30.6	30.7	29.4	29.5	29.7	30.7	356.9	8	2459
	13 LST	30.8	27.7	30.8	29.6	30.5	29.8	31.0	30.8	29.8	30.8	29.5	30.9	362.0	8	2472
	19 LST	30.8	27.4	30.6	29.6	30.7	29.7	31.0	31.0	29.8	30.7	29.7	30.9	361.9	8	2523
	01 LST	30.5	27.3	30.7	29.7	30.6	29.9	31.0	30.9	29.8	30.6	29.7	30.9	361.6	8	2471
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	27.6	20.3	24.3	23.0	19.5	15.1	16.2	15.1	16.3	20.4	24.6	28.0	250.4	8	2459
	13 LST	28.1	23.6	26.4	25.2	22.9	20.0	21.5	21.1	23.2	26.7	26.9	28.3	293.9	8	2472
	19 LST	28.4	22.6	25.7	23.5	21.5	21.9	24.6	22.7	23.4	24.2	27.5	27.9	293.9	8	2523
	01 LST	28.3	24.0	25.9	23.3	20.5	16.5	21.4	19.7	21.5	22.2	26.9	28.1	278.3	8	2471
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	25.5	17.7	21.8	21.1	17.2	11.9	11.3	10.9	12.9	17.6	23.8	27.2	218.9	8	2459
	13 LST	24.1	18.6	18.0	15.2	13.7	11.7	12.6	14.6	18.3	20.7	22.7	25.2	215.4	8	2472
	19 LST	22.7	15.5	16.6	14.3	11.2	11.9	12.2	12.2	16.7	18.8	24.0	25.0	201.1	8	2523
	01 LST	25.4	21.0	22.7	19.3	15.5	12.0	13.3	14.2	17.9	19.5	25.5	26.1	232.4	8	2471

PA-AN/PATANG, CHINA

STA NO. 56247 (IN AREA NUMBER 09)

LATITUDE 3005N

LONGITUDE 09855E

ELEVATION(FT) 08858

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	70	73	81	84	93	93	97	91	90	90	79	75	97	8	2206
MEAN MAX TMP (F)	56	59	65	73	78	82	82	79	78	72	65	58	71	8	2206
MEAN MIN TMP (F)	24	29	34	43	49	56	58	56	50	42	31	23	41	8	2188
ABS MIN TMP (F)	9	14	19	18	36	41	45	46	37	25	16	9	9	8	2188
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	1.3	7.6	4.4	1.8	0.4	0.2	0.0	0.0	15.7	8	2206
MEAN NO DYS TMP = DR LES 32(F)	27.8	21.2	13.6	1.0	0.0	0.0	0.0	0.0	0.0	3.0	20.3	29.4	116.3	8	2188
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2188
MEAN DEW PT TMP (F)	5	12	15	27	37	47	53	53	47	36	19	9	30	8	13540
MEAN REL HUM (PCT)	28	32	29	36	43	54	63	67	62	53	37	33	45	8	13304
MEAN PRESS ALT (FT)	8355	8412	8390	8382	8450	8461	8447	8367	8288	8234	8271	8286		8	10054
MEAN PRECIP (IN)														0	0
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0					8	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN					0.0	0.0	0.0	0.0	0.0					8	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN														8	2089
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	0.0	0.2	0.0	0.4	0.0	0.0	0.2	0.0	0.1	0.0	0.0	0.0	0.9	8	2085
MEAN NO DYS TSYMS	0.0	0.4	0.7	7.7	8.8	11.1	18.7	12.9	8.0	2.7	0.2	0.0	71.2	8	13851
P FREQ WND SPD = DR GTR 17 KTS	0.2	0.4	0.1	0.3	0.2	0.4	0.1	0.1	0.1	0.4	0.1	0.1	0.2	8	13851
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	14612
P FREQ LES 5000 FT A/D LES 5 MI	0.2	0.9	0.7	1.1	1.4	2.2	2.8	3.0	1.9	0.5	0.2	0.4	1.3	8	14612
P FREQ LES 1500 FT A/D LES 3 MI															
PDR 00-02 LST	0.0	0.6	0.5	0.0	0.6	0.6	2.6	1.1	0.9	0.0	0.0	0.0	0.6	8	2256
03-05 LST	0.0	0.0	0.0	0.0	1.2	1.2	1.8	0.6	0.0	0.0	0.0	0.0	0.4	8	1945
06-08 LST	0.0	0.0	0.6	0.6	1.1	0.6	0.0	0.9	0.5	0.0	0.5	0.0	0.4	8	2253
09-11 LST	0.6	0.0	0.6	0.0	1.1	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.2	8	2190
12-14 LST	0.0	0.3	0.0	0.6	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.2	8	2222
15-17 LST	0.0	0.0	0.0	0.0	1.1	0.6	0.0	0.6	0.5	0.0	0.0	0.3	0.3	8	2055
18-20 LST	0.0	1.5	0.5	0.6	1.6	0.0	1.1	0.0	0.0	0.5	0.0	0.0	0.5	8	2302
21-23 LST	0.0	0.0	0.0	1.4	0.0	2.4	0.0	1.3	0.0	0.0	0.0	0.0	0.4	6	1057
P FREQ LES 300 FT A/D LES 1 MI															
PDR 00-02 LST	0.0	0.0	0.5	0.0	0.0	0.0	1.1	0.0	0.5	0.0	0.0	0.0	0.2	8	2256
03-05 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	1945
06-08 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.5	0.0	0.1	8	2253
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2190
12-14 LST	0.0	0.0	0.0	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	8	2222
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2055
18-20 LST	0.0	0.6	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	8	2302
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	1057

PA-AN/PATANG, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	31.0	28.0	30.8	29.8	30.6	29.8	31.0	30.8	29.9	31.0	29.9	31.0	363.6	8	2213
	13 LST	31.0	28.0	31.0	29.8	30.7	30.0	31.0	31.0	30.0	31.0	30.0	30.8	364.3	8	2122
	19 LST	31.0	27.7	30.8	29.8	30.5	30.0	30.7	31.0	30.0	30.9	30.0	31.0	363.4	8	2102
	01 LST	31.0	27.8	30.8	30.0	30.8	29.8	30.2	30.6	29.7	31.0	29.9	31.0	362.7	8	2256
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	31.0	28.0	30.8	29.8	30.5	29.8	30.8	30.8	29.7	31.0	29.9	31.0	362.9	8	2252
	13 LST	28.8	25.4	29.2	26.8	29.6	30.0	30.6	30.6	29.9	30.0	29.0	29.8	349.7	8	2208
	19 LST	27.5	23.6	25.0	24.5	28.0	28.1	28.6	30.1	29.2	29.5	28.6	30.1	332.8	8	2295
	01 LST	30.8	27.0	30.1	29.8	30.5	28.1	29.9	30.3	29.3	30.6	29.9	30.8	357.1	8	2251
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2273
	13 LST	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.3	8	2231
	19 LST	0.2	0.2	0.0	0.2	0.2	0.0	0.0	0.0	0.0	0.1	0.3	0.0	1.2	8	2308
	01 LST	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.2	8	2260
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	1.0	1.8	2.9	2.8	2.3	0.9	1.2	0.3	1.0	1.7	1.5	0.6	18.0	8	2253
	13 LST	8.8	13.7	17.6	16.0	11.9	10.7	6.8	7.0	9.1	9.7	8.6	5.2	125.1	8	2215
	19 LST	14.1	16.7	18.2	16.9	15.9	11.3	7.1	7.8	10.0	12.1	12.2	10.1	192.4	8	2297
	01 LST	4.7	8.5	8.4	9.2	8.1	5.1	2.9	1.9	2.5	4.0	4.7	2.7	62.7	8	2255
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	24.6	15.6	16.0	11.1	8.8	6.1	3.4	2.2	6.9	12.2	21.7	25.1	193.7	8	2271
	13 LST	16.0	6.8	8.0	6.1	4.3	3.6	3.5	3.8	6.9	10.2	19.6	17.9	106.7	8	2240
	19 LST	20.8	8.9	7.8	5.4	5.6	5.4	2.5	3.6	10.0	13.6	21.4	24.4	129.4	8	2309
	01 LST	26.8	19.3	21.0	16.5	15.7	10.4	6.0	4.6	11.1	19.1	25.7	27.9	204.1	8	2261
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	31.0	28.0	30.8	29.8	30.6	29.8	30.9	30.6	29.8	31.0	29.9	31.0	363.2	8	2253
	13 LST	31.0	27.8	31.0	29.8	30.7	30.0	31.0	31.0	30.0	30.9	30.0	30.8	364.0	8	2222
	19 LST	31.0	27.5	30.8	29.8	30.5	30.0	30.7	30.9	30.0	30.9	30.0	31.0	363.1	8	2302
	01 LST	31.0	27.8	30.8	30.0	30.6	29.8	30.2	30.6	29.7	31.0	30.0	31.0	362.7	8	2256
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	31.0	27.5	30.7	29.1	29.6	28.2	29.8	28.2	27.6	29.4	29.7	30.9	351.7	8	2253
	13 LST	30.8	27.0	30.6	29.1	29.8	28.8	30.2	29.4	29.4	30.6	29.7	30.7	356.2	8	2222
	19 LST	30.8	26.5	28.5	28.3	29.8	28.7	29.5	29.0	28.8	30.4	29.9	30.7	350.9	8	2302
	01 LST	31.0	27.7	30.3	29.7	30.3	29.3	29.4	29.1	28.8	30.7	29.9	30.7	356.9	8	2256
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	29.0	22.6	27.7	23.4	21.5	20.5	16.9	14.2	19.3	24.3	28.3	29.8	277.5	8	2253
	13 LST	23.4	15.3	13.7	13.6	12.2	13.5	16.1	15.1	20.0	19.9	25.7	26.3	214.8	8	2222
	19 LST	26.0	16.1	18.7	17.4	17.6	16.0	11.6	13.5	21.4	20.9	26.2	28.4	233.8	8	2302
	01 LST	29.5	23.6	26.6	23.0	21.5	15.9	10.7	10.5	17.5	24.2	28.3	29.9	261.2	8	2256

TE-CHIN/DEH CHIN, CHINA

STA NO. 56444 (IN AREA NUMBER 03)

LATITUDE 2029N

LONGITUDE 09849E

ELEVATION(FT) 12497

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	ND. OBS
ABS MAX TMP (F)	52	55	59	66	70	72	72	72	79	66	57	54	79	8	2402
MEAN MAX TMP (F)	39	38	45	51	55	62	64	62	61	54	47	42	52	8	2402
MEAN MIN TMP (F)	20	21	26	32	38	46	48	47	44	37	28	23	34	8	2431
ABS MIN TMP (F)	12	10	16	23	28	34	41	41	34	23	14	9	9	8	2431
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2402
MEAN NO DYS TMP = OR LES 12(F)	31.0	28.0	30.5	16.0	1.8	0.0	0.0	0.0	0.0	7.6	27.9	31.0	173.8	8	2431
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2431
MEAN DEW PT TMP (F)	11	17	21	28	37	44	48	48	44	34	21	13	31	8	17306
MEAN REL HUM (PCT)	53	66	64	69	76	77	83	85	80	74	61	52	70	8	17105
MEAN PRESS ALT (FT)	11451	11462	11397	11356	11377	11375	11365	11318	11270	11280	11280	11332		8	11744
MEAN PRECIP (IN)														0	0
MEAN SNOW FALL (IN)						0.0	0.0	0.0	0.0					8	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN						0.0	0.0	0.0	0.0					0	0
MEAN NO DYS SNFL = OR GTR 1.5 IN						0.0	0.0	0.0	0.0					8	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0	1.1	1.2	3.6	3.7	4.3	5.5	3.5	4.0	3.5	0.4	0.1	30.9	8	2401
MEAN NO DYS TSTMS	0.2	0.5	0.5	0.6	1.7	3.4	11.4	6.6	3.8	0.3	0.1	0.0	29.1	8	2396
P FREQ WND SPD = OR GTR 17 KTS	2.6	1.8	0.8	0.6	0.4	0.6	0.0	0.1	0.1	0.2	0.7	1.2	0.8	8	17507
P FREQ WND SPD = OR GTR 28 KTS	0.1	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.1	0.0	0.0	8	17507
P FREQ LES 3000 FT A/O LES 3 MI	24.1	42.1	34.2	39.6	36.6	61.7	73.3	68.5	61.5	40.8	18.6	16.3	44.8	8	14910
P FREQ LES 1500 FT A/O LES 3 MI															
FDR 00-02 LST	3.8	7.1	4.0	7.5	10.3	13.8	13.8	15.7	8.7	10.8	1.6	1.8	8.2	8	2238
03-05 LST	1.9	6.6	5.1	9.7	12.3	17.2	19.2	18.7	15.8	10.1	1.9	0.9	10.0	8	1925
06-08 LST	2.1	7.9	2.6	10.7	17.5	16.6	26.2	25.2	20.5	15.9	2.1	0.7	12.3	8	2040
09-11 LST	2.7	6.0	8.0	6.1	10.1	13.4	14.7	13.7	7.5	8.3	1.4	1.3	7.8	8	2059
12-14 LST	1.3	7.3	3.7	4.8	6.3	6.1	2.0	4.4	3.1	6.0	0.9	0.5	3.5	8	2377
15-17 LST	2.1	1.9	4.0	3.5	7.7	3.9	2.2	2.9	3.6	5.4	1.7	0.3	3.3	8	2135
18-20 LST	1.3	4.5	1.9	5.3	8.4	3.8	7.2	7.6	3.0	7.2	1.2	1.3	4.4	8	2419
21-23 LST	0.3	4.4	2.0	4.6	8.4	5.4	8.7	14.1	6.1	6.4	1.4	1.3	5.3	7	2049
P FREQ LES 300 FT A/O LES 1 MI															
FDR 00-02 LST	0.5	1.1	0.0	3.3	0.6	2.4	3.1	1.9	1.1	1.9	0.0	0.4	1.4	8	2238
03-05 LST	0.0	0.7	0.0	3.1	2.5	4.3	2.8	4.9	2.7	3.1	0.5	0.0	2.1	8	1925
06-08 LST	0.5	1.2	0.0	5.3	4.6	7.2	14.0	10.2	7.1	4.7	1.8	0.0	4.7	8	2040
09-11 LST	0.6	1.9	1.7	1.9	1.9	2.6	0.7	0.0	1.6	1.5	0.0	0.0	1.2	8	2059
12-14 LST	0.0	0.5	0.0	1.1	2.8	0.5	0.0	0.5	0.0	0.9	0.0	0.5	0.6	8	2377
15-17 LST	0.0	0.7	0.6	0.6	0.5	0.0	0.5	0.5	0.5	1.0	0.6	0.0	0.5	8	2135
18-20 LST	0.0	1.1	0.0	1.6	2.7	0.5	2.1	0.0	0.5	1.8	0.0	0.0	0.9	8	2419
21-23 LST	0.0	0.0	0.6	1.9	0.6	1.2	1.8	2.2	0.6	1.1	0.6	0.0	0.9	7	2049


TE-CHIN/DEH CHIN, CHINA


MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	30.8	26.5	30.8	27.5	27.5	26.4	24.8	24.9	26.3	27.9	29.4	30.9	333.7	8	2040
	13 LST	30.8	27.7	30.8	29.2	29.8	29.2	31.0	30.4	29.6	29.6	29.9	30.9	358.9	8	2377
	19 LST	30.8	27.4	30.8	29.0	29.8	29.5	30.2	30.4	29.7	29.7	30.0	31.0	358.3	8	2419
	01 LST	30.5	27.4	30.7	28.5	29.6	28.2	29.1	29.3	29.7	29.5	29.7	30.7	392.9	8	2238
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	28.8	24.3	29.2	25.7	23.6	23.4	21.1	21.7	21.6	24.2	29.2	29.6	302.4	8	2035
	13 LST	21.2	18.5	16.2	18.0	18.0	22.1	27.2	26.6	24.5	23.8	21.2	24.5	261.8	8	2368
	19 LST	25.8	22.2	24.2	22.1	21.6	23.4	24.8	25.8	26.9	26.2	27.5	27.3	297.8	8	2411
	01 LST	27.7	23.8	28.8	26.7	25.8	22.7	24.5	22.9	24.9	25.4	28.3	28.8	310.3	8	2234
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.3	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	8	2444
	13 LST	0.6	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.4	0.7	3.0	8	2459
	19 LST	0.8	0.2	0.0	0.2	0.0	0.5	0.0	0.0	0.1	0.1	0.1	0.1	2.1	8	2513
	01 LST	0.0	0.3	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.1	0.6	8	2434
SPC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	0.0	0.0	0.3	2.9	2.6	3.5	3.1	2.9	4.2	3.1	0.5	0.3	23.4	8	2424
	13 LST	16.7	11.4	14.3	15.7	14.8	15.3	15.2	13.9	18.7	18.6	22.4	21.9	198.9	8	2447
	19 LST	1.1	3.1	13.0	15.5	14.0	15.5	13.5	11.0	14.7	14.0	12.9	7.0	133.3	8	2497
	01 LST	0.0	0.0	1.2	5.1	5.5	7.2	5.3	7.5	7.5	8.2	1.6	0.5	49.6	8	2419
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	19.5	9.9	13.3	7.3	5.9	5.7	2.6	4.5	5.2	10.4	17.9	20.8	123.0	8	2354
	13 LST	16.4	7.6	9.2	5.5	2.4	2.3	1.0	0.4	2.8	7.8	18.4	20.9	94.7	8	2464
	19 LST	20.7	9.4	13.3	9.8	7.2	6.3	3.2	2.7	8.6	15.1	24.2	25.0	144.5	8	2483
	01 LST	20.9	13.7	18.7	14.5	7.8	6.2	1.6	4.1	5.8	11.7	20.9	22.4	148.3	8	2377
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	27.8	22.6	27.5	23.3	20.2	19.9	17.2	18.7	18.0	22.2	27.5	28.9	273.8	8	2040
	13 LST	28.6	24.9	26.9	26.3	24.4	23.5	24.1	21.8	23.9	25.9	28.8	30.0	309.1	8	2377
	19 LST	28.7	24.1	28.0	25.6	23.9	24.0	23.0	21.8	24.5	25.9	28.5	29.8	307.8	8	2419
	01 LST	27.9	22.8	27.6	25.0	22.5	19.8	19.0	19.1	20.6	23.7	28.2	29.1	285.3	8	2238
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	22.7	15.9	20.6	15.3	12.7	12.0	7.0	9.2	8.9	15.5	22.1	24.1	186.0	8	2040
	13 LST	21.2	15.5	14.9	13.4	8.4	7.1	7.8	7.4	10.5	15.5	23.4	25.7	170.8	8	2377
	19 LST	24.3	16.0	21.5	19.1	14.7	12.9	10.0	9.6	13.9	20.0	26.5	28.1	216.6	8	2419
	01 LST	23.5	16.6	22.9	18.8	13.0	9.7	5.1	7.9	9.3	17.8	23.8	25.3	193.7	8	2238
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	22.7	15.9	20.6	15.3	12.7	12.0	7.0	9.2	8.9	15.5	22.1	24.1	186.0	8	2040
	13 LST	21.2	15.5	14.9	13.4	8.4	7.1	7.8	7.4	10.5	15.5	23.4	25.7	170.8	8	2377
	19 LST	24.3	16.0	21.5	19.1	14.7	12.9	10.0	9.6	13.9	20.0	26.5	28.1	216.6	8	2419
	01 LST	23.5	16.6	22.9	18.8	13.0	9.7	5.1	7.9	9.3	17.7	23.8	25.3	193.6	8	2238

AREA 03

PARAMETER DESCRIPTION	BOUNDARIES	TIBET MOUNTAINS													
		LATITUDE 3200N						LONGITUDE 09200E							
		3600N 07900E	3600N 10000E	3500N 10500E	3600N 10000E	3500N 10500E	3400N 10200E	3400N 10200E	3400N 10200E	3400N 10200E	3800N 10700E	2730N 09840E			
		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	
MEAN MAX TMP (F)		32	35	44	53	58	64	67	65	61	51	42	34	51	
MEAN MIN TMP (F)		2	7	16	26	34	42	46	44	38	27	13	4	25	
LARGEST MEAN PRECIP(IN)		0.42	2.06	1.54	4.13	4.16	5.08	5.24	6.36	4.74	2.63	0.37	0.31	37.0	
SMALLEST MEAN PRECIP(IN)		0.04	0.06	0.21	0.20	0.54	1.52	2.54	3.10	2.20	0.50	0.09	0.00	11.0	
		MEAN NUMBER OF DAYS													
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	06 LST	30.0	27.2	30.0	28.4	29.6	29.1	29.7	29.5	28.6	29.6	29.1	30.0	350.8	
	12 LST	29.9	27.4	30.3	29.4	30.4	29.7	30.8	30.7	29.6	30.5	29.5	30.0	358.2	
	18 LST	30.2	27.5	30.2	29.2	30.2	29.8	30.7	30.7	29.6	30.4	29.4	30.3	358.2	
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	06 LST	30.3	27.5	30.2	29.2	30.3	29.5	30.3	30.3	29.3	30.1	29.3	30.2	356.5	
	12 LST	27.7	25.7	27.9	26.2	27.3	27.1	27.7	27.6	26.9	27.8	27.7	28.5	328.1	
	18 LST	21.6	19.3	19.5	19.2	21.0	24.3	26.0	26.2	24.8	23.9	21.9	23.4	271.1	
SFC WND = GTR 17 KTS AND NO PRECIP.	06 LST	24.7	22.2	21.6	19.5	20.7	22.4	24.3	25.1	24.5	23.8	23.6	26.5	282.9	
	12 LST	27.9	25.2	27.2	26.3	27.4	26.6	27.7	28.0	27.1	28.3	27.5	28.6	327.8	
	18 LST	0.3	0.2	0.1	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.2	1.8	
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	06 LST	1.7	1.6	1.9	1.5	0.7	0.2	0.1	0.1	0.2	0.6	1.3	1.2	11.1	
	12 LST	0.4	0.4	0.9	1.0	0.8	0.3	0.3	0.2	0.3	0.2	0.2	0.3	5.3	
	18 LST	0.3	0.2	0.3	0.2	0.2	0.1	0.1	0.1	0.1	0.1	0.1	0.1	1.9	
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	06 LST	0.1	0.2	0.9	2.7	4.8	6.0	6.0	6.0	4.8	2.2	0.3	0.1	34.1	
	12 LST	3.2	5.2	10.9	13.5	12.0	11.4	11.7	12.5	12.7	12.7	8.9	4.3	119.0	
	18 LST	2.2	3.8	9.4	13.6	13.5	12.3	11.3	11.9	12.3	10.1	4.5	2.0	106.9	
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	06 LST	0.5	0.9	2.6	5.1	7.2	8.4	7.5	7.6	7.2	4.1	1.1	0.4	52.6	
	12 LST	19.2	13.5	12.5	9.7	8.2	6.3	5.7	6.3	8.6	12.9	18.1	20.5	141.5	
	18 LST	14.4	9.8	8.4	5.8	4.7	3.7	4.5	4.7	6.4	10.5	15.6	17.3	105.8	
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	06 LST	14.9	8.9	6.3	3.8	4.1	4.5	5.3	5.5	9.5	14.2	17.8	19.1	113.9	
	12 LST	19.2	14.1	15.0	12.4	11.2	9.4	9.2	9.9	12.3	16.9	20.1	21.3	171.0	
	18 LST	29.8	26.9	29.6	27.6	28.3	27.5	27.8	27.5	26.8	28.3	28.7	29.8	338.6	
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	06 LST	29.5	26.9	29.5	28.4	28.9	28.2	28.5	28.4	27.7	29.2	29.0	29.7	343.9	
	12 LST	29.9	27.0	29.5	28.3	29.1	28.4	29.1	29.0	28.2	29.4	29.0	30.1	347.0	
	18 LST	30.1	27.0	29.8	28.6	29.3	28.5	29.0	29.1	28.2	29.4	29.0	30.0	348.0	
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	06 LST	28.5	24.8	26.9	24.4	22.3	19.6	18.7	17.5	19.2	23.6	26.6	28.5	280.6	
	12 LST	26.6	23.1	23.3	20.4	18.6	16.8	18.3	18.0	18.6	22.9	25.6	27.4	259.6	
	18 LST	26.5	21.4	23.1	21.0	19.6	18.1	18.4	18.3	19.9	23.8	26.3	27.7	264.1	
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	06 LST	28.5	25.1	27.1	25.0	23.6	20.7	19.7	20.4	21.1	25.9	27.3	28.7	293.1	
	12 LST	27.5	23.3	25.2	22.7	20.2	17.0	15.2	14.3	16.8	22.0	25.7	27.8	257.7	
	18 LST	24.8	20.1	19.5	16.3	14.4	12.9	14.2	14.2	15.6	20.5	24.1	26.1	222.7	
		24.2	18.2	19.0	16.8	15.7	14.0	13.8	13.9	17.2	21.7	25.0	26.3	225.8	
		27.3	23.4	25.2	22.8	21.0	17.5	15.8	16.4	18.8	24.5	26.6	27.8	267.1	





LA-MA-KU-LIEN-MI, CHINA

STA NO. 50915 (IN AREA NUMBER 04)

LATITUDE 4530N

LONGITUDE 11800E

ELEVATION(FT) 02999

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	34	50	64	84	93	100	95	100	86	79	55	39	100	8	2513
MEAN MAX TMP (F)	7	17	34	53	67	78	79	77	65	52	29	12	48	8	2513
MEAN MIN TMP (F)	-17	-12	4	23	37	50	58	54	39	22	2	-11	21	8	2499
ABS MIN TMP (F)	-35	-36	-35	-11	14	32	43	36	16	0	-27	-36	-36	8	2499
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	1.1	3.5	1.7	2.5	0.0	0.0	0.0	0.0	8.8	8	2513
MEAN NO DYS TMP = DR LES 32(F)	31.0	28.0	30.5	24.7	11.1	0.2	0.0	0.0	8.0	28.0	29.9	31.0	222.4	8	2499
MEAN NO DYS TMP = DR LES 0(F)	30.0	23.9	12.4	0.6	0.0	0.0	0.0	0.0	0.0	0.3	12.5	26.8	106.5	8	2499
MEAN DEW PT TMP (F)	12	6	4	11	23	43	55	52	37	17	2	7	22	8	18124
MEAN REL HUM (PCT)	72	71	57	40	39	53	68	67	62	50	62	73	60	8	17882
MEAN PRESS ALT (FT)	2467	2551	2703	2979	3115	3227	3295	3155	2979	2747	2581	2535	2861	7	17302
MEAN PRECIP (IN)														0	0
MEAN SNOW FALL (IN)						0.0	0.0	0.0						8	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN						0.0	0.0	0.0						0	0
MEAN NO DYS SNFL = DR GTR 1.5 IN														8	-29
MEAN NO DYS W/O CUR VSBY LES 1/2 MI	0.0	0.3	0.0	0.8	0.5	0.0	0.2	0.1	0.1	0.1	0.0	0.3	2.4	8	2498
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.3	2.5	10.4	13.0	6.6	3.8	0.4	0.0	0.0	37.0	8	2497
P FREQ WND SPD = DR GTR 17 KTS	6.4	5.0	10.0	19.7	17.2	8.0	4.3	2.5	7.0	8.7	6.2	4.7	8.3	8	18319
P FREQ WND SPD = DR GTR 28 KTS	0.3	0.1	0.9	1.4	1.5	0.9	0.0	0.1	0.2	0.2	0.4	0.1	0.5	8	18319
P FREQ LES 3000 FT A/D LES 5 MI	1.3	2.0	5.3	14.1	15.3	25.6	35.9	27.0	20.9	7.5	4.1	1.0	13.3	8	18480
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	0.0	1.1	0.5	2.3	0.5	1.0	0.5	0.5	0.2	0.4	0.0	0.4	0.6	8	2518
03-05 LST	0.5	0.0	0.0	2.3	0.3	0.3	3.7	2.8	1.4	0.7	0.7	0.5	1.1	8	2175
06-08 LST	0.5	1.1	1.2	2.5	1.1	0.0	2.6	1.2	2.3	0.8	0.2	0.9	1.2	8	2498
09-11 LST	0.5	0.0	0.5	2.9	0.8	0.0	0.9	1.0	1.9	0.4	0.2	0.9	0.8	8	2315
12-14 LST	0.5	0.5	1.2	3.6	1.8	0.5	0.3	1.0	1.4	1.1	0.4	0.8	1.1	8	2510
15-17 LST	0.0	1.7	0.0	1.1	1.9	1.4	1.2	0.8	0.5	0.5	0.5	0.4	0.8	8	2367
18-20 LST	0.5	0.5	0.5	1.6	0.5	0.8	1.3	0.2	0.5	1.1	0.0	0.2	0.6	8	2524
21-23 LST	0.0	0.0	0.0	2.2	0.8	0.0	0.8	0.3	0.0	1.0	0.0	0.0	0.4	7	2245
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.0	1.1	0.0	1.0	0.5	0.5	0.0	0.5	0.0	0.0	0.0	0.4	0.3	8	2518
03-05 LST	0.0	0.0	0.0	0.6	0.0	0.0	1.3	2.3	0.5	0.4	0.0	0.0	0.4	8	2176
06-08 LST	0.0	1.1	1.0	1.0	0.0	0.0	0.0	0.5	0.9	0.4	0.0	0.4	0.4	8	2498
09-11 LST	0.5	0.0	0.5	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	8	2315
12-14 LST	0.0	0.5	1.0	2.0	1.0	0.5	0.0	0.0	0.0	0.0	0.4	0.4	0.5	8	2510
15-17 LST	0.0	1.1	0.0	0.0	1.6	0.6	0.0	0.0	0.0	0.5	0.0	0.4	0.4	8	2367
18-20 LST	0.0	0.5	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.2	8	2524
21-23 LST	0.0	0.0	0.0	1.6	0.5	0.0	0.5	0.0	0.0	0.5	0.0	0.0	0.3	7	2245

LA-MA-KU-LIEN-MI, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST	30.8	27.7	30.7	29.2	30.8	30.0	30.8	30.9	29.7	30.7	30.0	30.7	362.0	8	2498
	14 LST	30.9	27.8	30.7	29.2	30.5	29.8	31.0	31.0	29.9	30.7	29.9	30.7	362.1	8	2510
	20 LST	30.8	27.9	30.8	29.8	31.0	29.8	30.8	31.0	30.0	30.7	30.0	31.0	363.6	8	2524
	02 LST	31.0	27.7	30.9	29.5	30.8	29.7	30.8	30.9	30.0	30.9	30.0	30.9	363.1	8	2518
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WIND LFS 10 KTS	08 LST	21.7	21.2	21.9	14.0	12.3	18.7	20.7	23.9	20.4	20.5	21.4	24.5	241.2	8	2494
	14 LST	10.7	11.0	10.5	6.4	7.0	13.7	13.3	16.7	10.7	10.7	10.9	14.0	195.6	8	2506
	20 LST	19.5	20.9	22.9	18.6	16.9	18.7	21.7	25.3	22.0	24.3	23.5	23.4	257.7	8	2521
	02 LST	21.6	22.0	23.2	20.3	21.3	24.8	27.8	26.9	24.3	23.8	22.4	24.2	282.6	8	2514
SFC WND = GTR 17 KTS AND NO PRECIP.	08 LST	0.8	0.5	1.8	5.0	4.9	1.5	0.6	0.1	1.2	1.8	0.8	0.8	19.8	8	2512
	14 LST	5.2	3.4	5.7	9.0	8.3	4.1	2.7	1.7	3.9	6.1	5.0	3.8	58.9	8	2513
	20 LST	1.1	0.9	1.4	2.7	1.8	0.9	0.6	0.1	0.7	1.0	0.8	0.3	12.3	8	2531
	02 LST	0.6	0.8	1.0	2.3	1.7	0.5	0.2	0.3	0.8	0.7	0.6	0.8	10.3	8	2522
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	08 LST	0.0	0.0	0.5	4.3	9.1	11.4	14.7	13.3	10.2	3.6	0.1	0.0	67.2	8	2495
	14 LST	0.0	0.2	5.5	8.0	8.7	10.2	12.2	12.4	10.1	11.9	3.3	0.0	82.5	8	2503
	20 LST	0.0	0.0	1.8	11.3	19.5	16.2	15.7	16.4	14.6	10.2	1.6	0.0	107.3	8	2518
	02 LST	0.0	0.0	0.3	4.3	10.8	12.9	12.5	12.2	10.3	4.7	0.4	0.0	68.4	8	2496
SKY COVER LES 9/10 AND VSBY = GTR 3 MI	08 LST	19.1	17.0	15.7	13.0	12.1	12.0	8.4	13.1	14.9	18.2	18.2	17.0	178.7	8	2507
	14 LST	18.6	16.9	13.7	6.3	8.3	7.0	5.6	7.0	9.7	16.6	16.3	18.2	144.2	8	2516
	20 LST	22.4	20.0	21.1	14.4	11.4	6.2	7.2	12.3	15.7	21.7	20.3	22.6	195.3	8	2523
	02 LST	22.3	21.1	20.4	17.1	16.8	15.4	15.0	16.9	18.2	23.3	21.6	22.5	230.6	8	2521
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	08 LST	30.8	27.6	30.5	28.8	29.5	28.8	27.1	29.0	27.6	30.4	29.6	30.6	350.3	8	2498
	14 LST	30.8	27.7	29.4	26.4	28.5	26.3	26.0	26.8	26.3	29.3	28.7	30.7	336.9	8	2510
	20 LST	30.8	27.7	30.7	28.6	29.5	26.9	27.1	28.2	28.0	30.2	29.8	30.9	348.4	8	2524
	02 LST	31.0	27.7	30.9	29.0	30.1	28.8	29.0	29.9	28.7	30.6	29.8	30.8	356.3	8	2518
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	08 LST	30.7	27.4	30.2	27.6	27.6	24.8	21.2	25.0	23.9	28.6	28.9	30.1	326.0	8	2498
	14 LST	30.6	27.4	26.6	21.9	24.2	18.1	15.7	19.5	20.8	27.0	26.7	30.5	289.0	8	2510
	20 LST	30.8	27.6	30.2	26.5	26.5	19.4	17.6	21.3	23.4	29.0	29.6	30.7	312.6	8	2524
	02 LST	31.0	27.7	30.7	28.2	27.4	24.3	22.3	25.4	26.0	30.1	29.0	30.6	332.7	8	2518
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST	30.7	27.4	30.2	27.6	27.6	24.6	21.2	25.0	23.8	28.4	28.9	30.1	325.5	8	2498
	14 LST	30.6	27.4	26.6	21.9	24.2	18.0	15.6	19.5	20.8	27.0	26.7	30.5	288.8	8	2510
	20 LST	30.8	27.6	30.2	26.5	26.5	19.1	17.6	21.3	23.4	28.9	29.5	30.7	312.1	8	2524
	02 LST	31.0	27.7	30.7	28.2	27.4	24.2	22.2	25.4	26.0	30.1	29.0	30.6	332.5	8	2518

ERH LIEN, CHINA

STA NO. 53068 (IN ARFA NUMBER 04)

LATITUDE 4413N

LONGITUDE 11132E

ELEVATION(FT) 03173

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	36	54	72	90	95	99	100	99	97	81	61	43	100	8	2517
MEAN MAX TMP (F)	12	24	42	60	71	83	86	82	71	57	33	17	53	8	2517
MEAN MIN TMP (F)	-15	-6	12	28	42	54	61	57	43	27	7	-7	25	8	2521
ABS MIN TMP (F)	-40	-35	-24	0	18	36	46	37	19	5	-22	-40	-40	8	2521
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.2	3.0	8.3	9.7	5.1	0.3	0.0	0.0	0.0	26.6	8	2517
MEAN NO DYS TMP = OR LES 30(F)	31.0	28.0	30.7	20.1	5.6	0.0	0.0	0.0	3.0	22.9	29.6	31.0	201.9	8	2521
MEAN NO DYS TMP = OR LES C(F)	28.5	20.0	5.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	8.8	22.2	84.7	8	2521
MEAN DEW PT TMP (F)	11	5	1	8	22	38	50	47	32	14	2	7	20	8	18119
MEAN REL HUM (PCT)	66	61	42	29	31	38	50	51	46	39	54	64	48	8	18020
MEAN PRESS ALT (FT)	2534	2681	2883	3134	3270	3434	3496	3355	3148	2898	2709	2620	3014	8	18325
MEAN PRECIP (IN)														0	0
MEAN SNOW FALL (IN)						0.0	0.0	0.0						8	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN						0.0	0.0	0.0						0	0
MEAN NO DYS SNFL = OR GTR 1.5 IN						0.0	0.0	0.0						8	-29
MEAN NO DYS W/O CUR VSBY LES 1/2 MI	0.3	0.6	0.6	0.3	0.8	0.2	0.2	0.0	0.3	0.1	0.1	0.5	4.0	8	2526
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.5	1.1	5.1	7.8	6.1	1.8	0.3	0.0	0.0	22.7	8	2525
P FREQ WND SPD = OR GTR 17 KTS	5.5	4.7	8.4	16.3	12.7	7.4	5.0	2.6	6.6	7.2	5.2	4.1	7.1	8	18484
P FREQ WND SPD = OR GTR 28 KTS	0.2	0.1	0.7	1.2	0.7	0.0	0.0	0.1	0.3	0.2	0.3	0.2	0.3	8	18484
P FREQ LES 5000 FT A/D LES 5 MI	2.1	3.2	4.6	7.0	9.9	16.7	17.1	13.1	9.6	3.3	2.8	2.4	7.7	8	18579
P FREQ LES 1900 FT A/D LES 3 MI															
FDR 00-02 LST	1.0	0.5	1.4	1.0	0.3	0.5	0.0	0.5	0.0	0.0	1.3	1.3	0.7	8	2525
03-05 LST	0.5	0.0	1.1	0.6	0.5	0.9	0.6	0.7	0.0	0.5	1.0	2.0	0.7	8	2233
06-08 LST	1.5	1.6	1.0	1.3	0.8	1.0	0.3	0.8	0.9	1.7	2.0	1.7	1.2	8	2528
09-11 LST	1.6	0.6	1.9	2.5	1.1	0.6	0.0	1.3	0.9	0.4	0.7	1.8	1.1	8	2280
12-14 LST	1.7	3.1	2.8	1.3	2.3	0.0	0.0	0.9	1.1	0.9	1.1	0.8	1.3	8	2539
15-17 LST	1.0	1.2	3.7	2.3	2.1	0.6	0.0	0.3	0.0	0.5	1.0	0.0	1.1	8	2347
18-20 LST	0.5	1.1	1.9	1.5	1.4	0.0	0.7	0.0	0.0	1.3	0.4	0.9	0.8	8	2543
21-23 LST	0.6	0.0	0.0	0.0	0.0	1.1	0.0	0.0	0.0	0.5	0.5	0.5	0.3	7	2191
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	1.0	0.0	0.5	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	1.3	0.4	8	2525
03-05 LST	0.5	0.0	1.1	0.6	0.5	0.0	0.6	0.0	0.0	0.0	1.0	1.5	0.5	8	2233
06-08 LST	0.5	1.0	0.5	0.5	0.5	0.5	0.0	0.0	0.4	0.9	0.9	1.3	0.6	8	2528
09-11 LST	0.5	0.0	1.1	0.6	1.1	0.0	0.0	0.0	0.0	0.4	0.0	1.8	0.5	8	2280
12-14 LST	1.4	1.6	1.9	0.5	1.5	0.0	0.0	0.0	0.9	0.4	0.9	0.4	0.8	8	2539
15-17 LST	0.5	0.6	2.7	1.1	1.6	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.6	8	2347
18-20 LST	0.5	1.1	1.9	1.0	1.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.5	8	2543
21-23 LST	0.6	0.0	0.0	0.0	0.0	1.1	0.0	0.0	0.0	0.0	0.0	0.5	0.2	7	2191

ERHLIEN, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	30.5	27.6	30.7	29.7	30.8	29.7	31.0	31.0	29.9	30.5	29.5	30.5	361.4	8	2528
	13 LST	30.6	27.1	30.1	29.7	30.4	30.0	31.0	30.9	29.7	30.7	29.7	30.7	360.6	8	2539
	19 LST	30.9	27.7	30.4	29.5	30.6	30.0	30.9	31.0	30.0	30.6	29.9	30.7	362.2	8	2543
	01 LST	30.7	27.8	30.6	29.7	31.0	30.0	31.0	30.9	30.0	31.0	29.6	30.6	362.9	8	2525
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	07 LST	20.7	19.7	20.0	12.1	12.0	15.5	20.2	23.5	18.6	20.8	19.0	20.1	222.2	8	2523
	13 LST	12.8	11.5	10.1	7.1	8.2	13.2	14.9	17.3	12.6	12.3	11.3	14.8	146.1	8	2536
	19 LST	18.6	19.7	21.2	18.8	18.1	17.1	19.1	24.9	23.7	22.8	20.9	21.3	246.2	8	2539
	01 LST	19.8	19.1	20.9	14.7	16.9	19.7	24.4	25.6	23.3	21.4	20.4	19.9	246.1	8	2524
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.6	0.0	1.3	3.7	4.3	1.9	1.4	0.1	1.1	0.5	0.4	0.5	15.8	8	2525
	13 LST	4.2	3.2	6.1	10.8	6.7	2.5	2.7	1.1	4.5	5.1	4.4	3.1	54.4	8	2548
	19 LST	0.9	0.1	0.9	2.0	2.5	1.5	0.9	0.3	0.4	0.5	0.8	0.0	10.8	8	2545
	01 LST	1.0	0.3	0.3	1.7	1.1	0.9	0.3	0.1	0.0	0.3	0.3	0.3	6.6	8	2528
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	0.0	0.0	0.6	8.6	12.9	16.3	17.9	20.1	16.5	7.5	0.4	0.0	100.8	7	2516
	13 LST	0.0	1.6	10.3	8.7	11.2	12.8	14.5	14.9	13.8	13.6	5.2	0.1	106.7	7	2539
	19 LST	0.0	0.7	9.3	17.2	17.7	15.6	17.7	20.0	21.7	18.0	2.7	0.0	140.6	8	2539
	01 LST	0.0	0.0	1.7	9.9	20.2	19.6	18.5	21.2	19.6	10.1	0.4	0.0	121.2	8	2522
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	22.1	18.1	17.3	15.4	13.7	13.7	13.5	15.4	17.9	20.1	19.7	20.6	207.8	8	2530
	13 LST	20.6	16.7	15.6	12.5	10.9	8.2	8.3	11.8	14.8	20.7	18.3	19.6	178.0	8	2551
	19 LST	25.5	20.6	17.8	13.5	9.9	10.1	10.5	13.3	16.5	24.4	21.6	25.1	208.8	8	2549
	01 LST	24.6	21.2	22.0	18.4	19.0	17.3	16.8	18.0	23.3	25.3	23.3	24.1	253.3	8	2529
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	30.5	27.6	30.5	29.4	30.3	29.0	30.1	30.2	29.2	30.4	29.3	30.5	357.0	8	2528
	13 LST	30.4	27.1	29.8	28.7	29.3	27.9	29.0	29.5	28.5	30.5	29.4	30.7	350.8	8	2539
	19 LST	30.9	27.7	30.4	29.2	30.0	29.3	29.6	30.3	29.6	30.6	29.7	30.7	358.0	8	2543
	01 LST	30.7	27.8	30.6	29.5	30.7	29.3	30.4	30.6	29.8	31.0	29.6	30.6	360.6	8	2525
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	30.5	27.4	29.7	28.8	28.5	26.9	27.1	28.3	26.6	29.5	29.1	30.3	342.7	8	2528
	13 LST	30.3	26.7	28.7	25.9	25.5	20.7	21.0	24.7	24.1	29.2	28.6	30.6	316.0	8	2539
	19 LST	30.7	27.6	29.7	28.0	27.6	25.5	23.7	26.7	26.8	29.8	29.2	30.7	336.0	8	2543
	01 LST	30.7	27.7	30.3	28.8	28.5	26.5	27.0	27.2	28.2	30.7	29.3	30.3	345.2	8	2525
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	30.5	27.3	29.5	28.5	28.4	26.7	27.1	28.2	26.4	29.5	29.1	30.3	341.5	8	2528
	13 LST	30.3	26.7	28.7	25.9	25.1	20.7	20.9	24.7	24.1	29.2	28.6	30.6	315.5	8	2539
	19 LST	30.7	27.6	29.5	27.7	27.3	25.5	23.4	26.1	26.7	29.5	29.2	30.7	333.9	8	2543
	01 LST	30.7	27.5	30.3	28.8	28.5	26.2	27.0	26.8	28.2	30.7	29.3	30.3	344.3	8	2525

BIRUTA, CHINA

STA NO. 53083 (IN AREA NUMBER 04)

LATITUDE 4440N

LONGITUDE 11343E

ELEVATION(FT) 03750

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	25	45	64	82	90	97	95	95	84	70	54	37	97	6	1044
MEAN MAX TMP (F)	6	14	33	50	67	76	77	75	65	50	31	16	47	6	1044
MEAN MIN TMP (F)	-19	-12	6	21	37	49	55	52	38	19	2	-8	20	6	1077
ABS MIN TMP (F)	-38	-31	-24	-6	12	32	43	41	14	5	-15	-33	-38	6	1077
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	1.4	2.4	1.7	2.6	0.0	0.0	0.0	0.0	8.1	6	1044
MEAN NO DYS TMP = OR LES 32(F)	31.0	28.0	29.9	26.0	12.3	0.4	0.0	0.0	9.1	29.9	30.0	31.0	227.6	6	1077
MEAN NO DYS TMP = OR LES 0(F)	30.3	24.7	11.1	0.7	0.0	0.0	0.0	0.0	0.0	0.0	12.7	25.1	104.6	6	1077
MEAN DEW PT TMP (F)	12	7	0	6	23	36	51	49	34	14	4	7	20	5	3659
MEAN REL HUM (PCT)	76	74	50	31	33	39	60	60	55	47	57	68	54	5	3605
MEAN PRESS ALT (FT)	3040	3151	3393	3606	3860	3907	4006	3892	3647	3425	3245	3196	3531	3	3184
MEAN PRECIP (IN)														0	0
MEAN SNOW FALL (IN)						0.0	0.0	0.0						0	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN														0	0
MEAN NO DYS SNFL = OR GTR 1.5 IN						0.0	0.0	0.0						6	-29
MEAN NO DYS W/O CUR VSBY LES 1/2 MI	0.0	2.5	0.0	1.9	0.0	0.9	0.0	0.0	0.6	0.0	2.0	0.0	7.9	5	448
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.0	1.4	6.6	10.3	9.7	3.7	0.0	0.0	0.0	31.7	5	621
P FREQ WND SPD = OR GTR 17 KTS	9.9	12.9	30.6	40.1	26.3	17.9	12.1	6.8	13.4	12.2	8.2	9.4	16.7	5	3719
P FREQ WND SPD = OR GTR 28 KTS	0.3	0.3	4.2	4.8	0.7	1.3	0.0	1.4	0.3	1.0	0.2	0.2	1.2	5	3719
P FREQ LES 5000 FT A/D LES 5 MI	6.6	5.6	11.2	11.9	13.2	22.9	24.8	22.6	15.1	6.8	4.2	3.8	12.4	5	4343
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	0.0	0.0	0.0	2.0	0.0	2.0	0.0	0.0	0.0	0.0	1.5	1.3	0.6	6	700
03-05 LST	0.0	0.0	0.0	0.0	1.6	0.0	3.9	5.2	1.6	0.0	4.8	2.3	1.6	4	498
06-08 LST	4.9	6.9	3.5	5.5	2.4	6.0	8.7	3.2	5.9	1.1	6.5	3.5	4.8	6	1084
09-11 LST	0.0	2.9	0.0	2.2	0.0	0.0	2.4	2.6	0.0	0.6	0.0	3.5	1.2	4	723
12-14 LST	1.1	2.4	2.9	1.3	1.2	2.5	1.2	1.5	2.4	1.2	1.0	0.9	1.6	6	1067
15-17 LST	0.0	0.0	1.7	2.7	3.8	1.9	0.0	0.0	1.2	1.1	0.0	0.6	1.1	4	793
18-20 LST	4.7	1.7	0.0	1.6	0.7	0.0	0.0	0.7	0.0	1.4	0.7	1.7	1.1	6	850
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.0	2.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	1.3	0.4	6	700
03-05 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	0.0	3.2	0.0	0.4	4	498
06-08 LST	2.2	5.7	2.0	1.1	0.0	0.0	0.0	0.0	1.3	0.0	5.4	2.0	1.6	6	1084
09-11 LST	0.0	2.9	0.0	2.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	4	723
12-14 LST	1.1	1.2	2.3	1.3	1.2	0.0	0.0	0.0	0.0	1.2	0.0	0.0	0.7	6	1067
15-17 LST	0.0	0.0	1.7	1.8	3.8	1.9	0.0	0.0	0.0	0.0	0.0	0.0	0.8	4	793
18-20 LST	0.0	0.0	0.0	1.6	0.0	0.0	0.0	0.0	0.0	1.4	0.0	0.0	0.3	6	850
21-23 LST														0	0

BIRUUTA, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST	29.7	28.4	30.1	29.4	30.6	28.9	28.9	30.7	28.4	30.6	28.1	30.4	352.2	6	1084
	14 LST	30.7	27.3	30.3	29.6	30.6	29.6	30.6	31.0	29.3	30.6	29.7	30.7	360.0	6	1067
	20 LST	29.5	28.0	31.0	29.5	31.0	30.0	31.0	31.0	30.0	30.6	30.0	30.6	362.2	6	850
	02 LST	31.0	28.0	31.0	29.4	31.0	29.4	31.0	31.0	30.0	31.0	29.6	30.6	363.0	6	700
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	08 LST	18.9	16.5	18.1	13.2	12.9	13.8	16.0	21.5	18.8	24.9	20.6	23.6	218.8	6	1080
	14 LST	12.5	13.7	6.4	3.0	5.2	7.2	11.1	12.6	8.9	9.3	9.4	12.6	112.9	6	1064
	20 LST	19.9	18.7	19.8	15.8	14.2	13.5	17.0	25.0	20.1	22.5	22.5	24.0	233.0	6	844
	02 LST	24.5	18.7	22.0	15.3	18.3	20.6	22.3	27.8	21.9	23.5	24.7	23.3	262.9	6	698
SFC WND = GTR 17 KTS AND NO PRECIP.	08 LST	1.6	1.6	3.0	7.0	6.2	4.9	1.0	0.6	1.9	0.4	1.0	0.6	29.8	6	1099
	14 LST	6.7	6.1	11.0	16.3	12.5	7.1	5.1	2.1	5.7	7.8	6.6	5.9	92.9	6	1081
	20 LST	1.3	2.5	2.5	3.0	2.7	3.3	1.3	0.4	1.2	1.7	0.6	1.9	22.4	6	1119
	02 LST	0.7	1.6	2.5	4.6	3.6	2.1	1.0	0.0	1.3	0.4	0.9	0.9	19.6	6	1046
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	08 LST	0.0	0.0	0.3	6.1	9.2	12.1	14.3	15.8	17.3	2.5	0.0	0.0	77.6	6	1057
	14 LST	0.0	0.3	4.0	3.3	7.6	7.4	11.6	14.3	11.4	12.0	4.2	0.0	76.1	6	1077
	20 LST	0.0	0.0	2.9	10.0	19.0	14.3	16.8	19.7	17.7	10.4	0.8	0.0	111.6	6	1103
	02 LST	0.0	0.0	0.6	2.3	12.2	13.4	15.0	16.1	11.3	3.3	0.6	0.0	74.8	6	1038
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST	20.1	16.5	17.9	15.0	15.5	14.0	10.8	14.7	16.5	17.9	21.1	18.2	198.2	6	1094
	14 LST	17.7	16.5	12.5	9.0	10.8	7.4	4.7	8.0	13.4	18.7	18.8	19.0	156.5	6	1082
	20 LST	22.1	19.1	17.9	13.0	11.7	9.5	11.1	12.3	16.2	22.0	22.1	23.6	200.6	6	853
	02 LST	23.4	19.2	19.7	18.4	17.5	18.4	17.9	19.1	18.8	22.1	20.7	23.7	238.9	6	700
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	08 LST	29.0	25.5	29.5	27.4	29.7	27.2	27.1	28.6	27.2	30.2	28.1	29.5	339.0	6	1084
	14 LST	30.2	27.2	29.1	27.8	29.4	25.6	26.4	27.3	27.4	29.9	29.6	30.7	340.6	6	1067
	20 LST	29.5	27.1	31.0	28.9	30.0	28.1	30.2	29.8	29.3	30.6	29.4	30.3	354.2	6	850
	02 LST	31.0	28.0	31.0	29.4	31.0	29.1	30.5	30.6	30.0	31.0	29.6	30.6	361.8	6	700
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	08 LST	28.6	24.5	28.6	26.5	29.2	25.8	24.2	26.1	24.1	26.7	27.4	29.2	320.9	6	1084
	14 LST	28.9	26.3	26.4	23.3	25.6	18.1	17.0	19.1	23.2	28.4	26.8	30.4	295.5	6	1067
	20 LST	29.1	27.1	28.4	28.0	26.6	21.3	25.3	23.8	27.0	27.9	28.3	30.3	323.1	6	850
	02 LST	31.0	26.9	31.0	28.2	28.6	28.2	26.6	28.4	27.0	30.1	29.1	30.6	345.7	6	700
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST	28.3	24.5	28.6	25.8	28.8	25.8	24.2	26.1	23.7	26.4	26.5	29.2	317.9	6	1084
	14 LST	28.9	26.3	26.4	23.3	25.6	18.1	17.0	19.1	23.2	28.4	28.8	30.4	295.5	6	1067
	20 LST	29.1	27.1	28.4	28.0	26.6	21.3	25.0	23.1	26.6	27.9	27.9	30.3	321.3	6	850
	02 LST	31.0	26.9	31.0	28.2	28.6	28.2	26.6	28.4	26.5	30.1	29.1	30.6	345.2	6	700

HENPEIMIAO, CHINA

STA NO. 53192 (IN AREA NUMBER 04)

LATITUDE 4341N

LONGITUDE 11429E

ELEVATION(FT) 03896

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	28	43	66	82	91	97	102	95	84	84	54	37	102	8	2498
MEAN MAX TMP (F)	5	15	35	54	67	77	80	77	65	52	29	11	47	8	2498
MEAN MIN TMP (F)	-18	-11	8	25	37	50	57	53	39	23	3	-12	21	8	2507
ABS MIN TMP (F)	-42	-38	-29	-6	10	30	45	37	16	1	-26	-42	-42	8	2507
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	1.4	2.1	3.0	2.5	0.0	0.0	0.0	0.0	9.0	8	2498
MEAN NO DYS TMP = DR LES 32(F)	31.0	28.0	30.4	24.0	10.6	0.5	0.0	0.0	6.8	26.3	29.9	31.0	218.5	8	2507
MEAN NO DYS TMP = DR LES 0(F)	30.6	24.0	9.2	0.3	0.0	0.0	0.0	0.0	0.0	0.0	11.5	26.4	102.0	9	2507
MEAN DEW PT TMP (F)	14	6	4	10	24	40	53	49	36	16	2	9	22	8	17919
MEAN REL HUM (PCT)	73	73	56	38	40	49	62	62	58	48	60	71	58	8	17651
MEAN PRESS ALT (FT)	3162	3269	3494	3767	3896	4042	4100	3905	3663	3521	3304	3209	3611	8	17989
MEAN PRECIP (IN)														0	0
MEAN SNOW FALL (IN)						0.0	0.0	0.0						8	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN						0.0	0.0	0.0						0	0
MEAN NO DYS SNFL = DR GTR 1.5 IN														8	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	0.3	1.8	1.0	0.9	0.5	0.0	0.2	0.0	0.0	0.0	0.0	1.1	5.8	8	1807
MEAN NO DYS TSTMS	0.0	0.0	0.2	0.7	3.7	9.7	10.8	7.3	3.4	0.3	0.1	0.0	36.2	8	2492
P FREQ WND SPD = DR GTR 17 KTS	5.9	4.3	13.8	23.1	20.2	11.0	5.6	4.0	7.9	9.1	6.0	3.8	9.6	8	18214
P FREQ WND SPD = DR GTR 28 KTS	0.1	0.2	1.3	2.6	1.0	0.3	0.0	0.2	0.5	0.3	0.4	0.2	0.6	8	18214
P FREQ LES 5000 FT A/D LES 3 MI	7.2	7.4	11.5	15.0	19.6	27.0	33.9	25.5	21.9	9.6	6.6	5.5	15.9	8	15431
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	2.4	2.5	1.9	0.0	0.8	0.0	2.3	0.0	1.1	0.0	0.7	1.3	1.1	8	1634
03-05 LST	4.0	7.2	2.0	0.4	1.3	0.0	1.4	1.4	2.6	0.7	0.4	0.7	1.8	8	1678
06-08 LST	3.4	8.6	3.4	3.4	0.8	0.6	2.8	2.4	2.3	1.9	3.8	4.2	3.1	8	2522
09-11 LST	2.6	1.6	1.1	1.0	0.3	0.3	1.2	0.8	1.5	0.5	0.9	2.4	1.2	8	2277
12-14 LST	2.0	0.5	1.7	1.6	0.3	0.3	0.0	0.7	1.3	1.1	0.4	1.5	1.0	8	2515
15-17 LST	2.0	1.7	0.8	1.7	1.2	0.3	0.0	0.5	0.8	1.0	0.7	1.4	1.0	8	2312
18-20 LST	2.4	2.4	0.0	3.2	1.5	0.0	0.3	0.5	0.0	0.6	0.3	0.7	1.0	8	2031
21-23 LST	1.1	0.0	1.6	0.0	1.6	0.0	0.5	0.8	0.0	0.8	0.9	0.0	0.6	7	1401
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.8	1.6	1.5	0.0	0.0	0.0	0.8	0.0	0.0	0.0	0.0	0.6	0.4	8	1634
03-05 LST	1.8	4.1	1.0	0.0	0.6	0.0	0.0	0.0	0.6	0.0	0.0	0.7	0.7	8	1678
06-08 LST	2.4	7.6	2.4	2.6	0.5	0.0	0.0	0.0	1.4	0.8	2.2	2.9	1.9	8	2522
09-11 LST	1.6	1.3	0.6	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.5	1.3	0.5	8	2277
12-14 LST	1.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.4	0.9	0.4	0.0	0.3	8	2515
15-17 LST	2.0	0.6	0.0	0.6	0.6	0.0	0.0	0.0	0.0	0.5	0.0	0.5	0.4	8	2312
18-20 LST	1.6	0.0	0.0	1.1	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	8	2031
21-23 LST	0.0	0.0	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	7	1401

HENPEIMIAO, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST	29.9	25.6	29.9	29.1	30.8	30.0	30.8	30.9	29.5	30.5	28.9	29.7	355.6	8	2522
	14 LST	30.4	27.8	30.7	29.5	31.0	30.0	31.0	31.0	29.7	30.7	29.9	30.6	362.3	8	2515
	20 LST	30.3	27.3	31.0	29.2	30.7	30.0	31.0	31.0	30.0	30.8	30.0	30.8	362.1	8	2031
	02 LST	30.3	27.3	30.5	30.0	31.0	30.0	30.5	31.0	29.8	31.0	29.8	30.6	361.8	8	1634
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SPC WND LES 10 KTS	08 LST	25.0	22.1	22.5	15.8	15.3	18.1	20.9	24.8	22.7	26.0	25.3	26.1	264.6	8	2515
	14 LST	13.2	13.8	10.7	4.7	6.4	12.1	12.5	15.7	10.7	9.2	11.0	16.8	136.8	8	2508
	20 LST	22.6	23.0	18.0	16.1	14.5	17.6	19.6	24.7	20.4	22.5	23.5	26.1	248.6	8	2024
	02 LST	25.5	22.5	23.4	21.6	21.3	23.7	26.5	27.4	24.8	26.8	25.0	27.7	296.2	8	1633
SPC WND = GTR 17 KTS AND NO PRECIP.	08 LST	0.7	0.3	1.0	4.1	5.3	1.9	0.6	0.0	1.1	1.4	0.9	0.4	17.7	8	2543
	14 LST	3.3	2.0	7.3	12.1	10.4	5.1	3.0	1.9	4.8	5.9	6.7	3.5	66.0	8	2524
	20 LST	1.5	0.4	2.4	2.5	2.4	2.0	0.8	0.1	0.9	1.3	0.5	0.3	15.1	8	2533
	02 LST	0.9	0.5	1.7	2.0	1.4	0.9	0.4	0.0	0.3	0.5	0.7	0.4	9.7	8	2512
SPC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	08 LST	0.0	0.0	0.6	5.5	9.3	12.6	15.0	12.1	10.7	3.2	0.3	0.0	69.3	8	2519
	14 LST	0.0	0.5	5.6	4.8	6.7	11.0	13.2	14.1	10.5	11.6	3.6	0.0	81.6	8	2506
	20 LST	0.0	0.0	2.8	11.1	16.2	15.5	17.5	16.7	16.3	9.1	0.8	0.0	106.0	8	2518
	02 LST	0.0	0.0	0.5	4.6	10.2	13.4	14.4	14.7	11.9	3.9	0.4	0.0	74.0	8	2488
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST	19.4	14.8	16.1	13.3	14.2	13.3	11.5	12.6	16.3	19.0	19.0	16.1	185.6	8	2547
	14 LST	19.3	17.2	13.8	8.7	9.0	5.8	5.0	10.1	11.6	18.4	18.8	19.7	157.4	8	2523
	20 LST	23.6	20.3	19.0	13.3	11.4	8.8	9.3	13.5	18.2	22.1	19.5	23.3	202.3	8	2035
	02 LST	21.4	19.7	20.6	17.0	16.1	18.0	16.1	18.7	19.6	22.7	20.3	22.4	232.6	8	1641
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	08 LST	29.9	25.6	29.9	28.6	30.0	28.3	27.7	28.5	28.3	30.0	28.7	29.7	345.2	8	2522
	14 LST	30.3	27.7	29.2	27.5	28.3	26.0	26.5	27.4	26.8	29.8	29.7	30.4	357.6	8	2515
	20 LST	30.3	27.3	30.8	28.1	28.7	27.6	27.5	28.8	28.8	30.6	29.7	30.7	348.9	8	2031
	02 LST	30.2	27.3	30.3	29.6	29.2	28.5	27.8	30.1	28.6	30.9	29.8	30.5	352.8	8	1634
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	08 LST	29.5	25.3	28.9	26.7	27.6	25.2	22.6	24.2	25.1	28.0	27.6	28.5	319.2	8	2522
	14 LST	29.9	27.2	25.7	22.8	21.8	16.4	16.1	19.9	20.1	27.2	28.4	29.9	285.4	8	2515
	20 LST	30.0	26.9	29.5	26.2	24.6	21.6	20.4	22.7	25.2	29.2	28.6	30.2	315.1	8	2031
	02 LST	29.5	27.3	30.1	28.6	26.0	25.4	23.2	26.7	26.3	29.8	29.2	29.6	331.7	8	1634
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST	29.5	25.3	28.9	26.7	27.6	25.2	22.6	24.2	25.1	28.0	27.6	28.5	319.2	8	2522
	14 LST	29.9	27.2	25.7	22.8	21.8	16.4	16.1	19.9	20.1	27.2	28.3	29.9	285.3	8	2515
	20 LST	30.0	26.9	29.3	26.2	24.6	21.6	20.4	22.7	25.2	29.2	28.6	30.2	314.9	8	2031
	02 LST	29.5	27.3	30.1	28.6	26.0	25.4	23.2	26.7	26.3	29.8	29.2	29.6	331.7	8	1634

TUGURIK, CHINA

STA NO. 53291 (IN AREA NUMBER 04)

LATITUDE 4222N LONGITUDE 10812E ELEVATION(FT) 03465

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	27	45	64	75	97	97	97	95	88	70	59	48	97	4	585
MEAN MAX TMP (F)	20	29	44	55	77	83	85	85	74	57	39	27	56	4	585
MEAN MIN TMP (F)	-2	8	20	31	47	57	64	61	52	31	21	7	33	4	526
ABS MIN TMP (F)	-11	-13	1	5	28	37	54	48	34	16	-2	-20	-20	4	526
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	2.5	9.5	7.9	10.1	0.0	0.0	0.0	0.0	30.0	4	585
MEAN NO DYS TMP = DR LES 32(F)	31.0	28.0	28.4	16.7	3.6	0.0	0.0	0.0	0.0	18.3	28.6	31.0	185.1	4	526
MEAN NO DYS TMP = DR LES 0(F)	18.8	6.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	9.0	35.1		4	526
MEAN DEW PT TMP (F)	10	4	1	7	24	32	48	46	31	14	10	3	19	3	2643
MEAN REL HUM (PCT)	43	39	34	30	23	23	43	41	33	32	45	46	36	3	2605
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)						0.0	0.0	0.0	0.0					4	-29
MEAN SNOW FALL (IN)						0.0	0.0	0.0	0.0					0	0
MEAN NO DYS PRCP = DR GTR 0.1 IN						0.0	0.0	0.0	0.0					4	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN															
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0	0.0	0.7	1.3	0.0	0.0	1.1	0.0	0.0	0.6	1.6	1.1	6.4	3	448
MEAN NO DYS TSTMS	0.0	0.0	0.0	1.3	3.1	5.6	4.4	9.0	1.8	0.0	0.0	0.0	25.2	3	447
P FREQ WND SPD = DR GTR 17 KTS	11.1	18.6	18.8	15.4	9.3	12.8	8.2	6.8	3.4	13.6	21.4	28.4	14.0	3	2654
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.4	1.9	1.4	0.0	0.0	0.7	0.0	0.0	0.6	1.4	4.0	0.9	3	2654
P FREQ LES 5000 FT A/D LES 5 MI	2.9	3.1	10.1	6.0	11.1	12.5	16.9	8.0	6.3	1.8	5.0	3.9	7.3	3	3004
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	5.4	0.0	5.6	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	4	600
03-05 LST	3.3	3.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	4	466
06-08 LST	0.0	0.0	5.6	5.4	0.0	2.9	0.0	0.0	2.4	0.0	1.3	2.4	1.7	4	558
09-11 LST	0.0	0.0	7.9	0.0	8.3	0.0	0.0	0.0	0.0	2.8	7.7	4.2	2.6	3	519
12-14 LST	0.0	2.0	6.3	5.4	3.6	3.6	2.5	0.0	0.0	2.3	9.4	8.9	3.7	4	533
15-17 LST	6.3	0.0	7.0	6.7	6.5	2.6	2.1	0.0	0.0	1.4	2.9	4.2	3.3	4	655
18-20 LST	2.6	1.1	3.6	4.2	2.9	0.0	3.5	0.0	0.0	0.0	0.0	1.4	1.6	4	766
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.0	0.0	5.6	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	4	600
03-05 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	466
06-08 LST	0.0	0.0	1.9	2.7	0.0	2.9	0.0	0.0	0.0	0.0	0.0	2.4	0.8	4	558
09-11 LST	0.0	0.0	7.9	0.0	8.3	0.0	0.0	0.0	0.0	1.4	4.6	2.8	2.1	3	519
12-14 LST	0.0	2.0	6.3	5.4	0.0	0.0	2.5	0.0	0.0	2.3	6.3	5.1	2.5	4	533
15-17 LST	3.1	0.0	3.5	2.2	3.2	2.6	0.0	0.0	0.0	1.4	2.9	1.4	1.7	4	655
18-20 LST	1.3	0.0	2.4	2.1	0.0	0.0	1.8	0.0	0.0	0.0	0.0	0.0	0.6	4	766
21-23 LST														0	0

TUGURIK, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	31.0	28.0	29.3	28.4	31.0	29.1	31.0	31.0	29.3	31.0	29.6	30.2	358.9	4	558
	13 LST	31.0	27.4	29.1	28.4	29.9	28.9	30.2	31.0	30.0	30.3	27.2	28.3	331.7	4	533
	19 LST	30.2	27.7	29.9	28.8	30.1	30.0	29.9	31.0	30.0	31.0	30.0	30.6	359.2	4	766
	01 LST	29.3	28.0	29.3	29.4	31.0	30.0	31.0	31.0	30.0	31.0	30.0	31.0	361.0	4	600
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	15.1	10.1	12.6	13.0	6.6	15.9	16.3	21.4	18.3	11.6	9.9	7.3	158.1	4	555
	13 LST	12.2	12.6	9.0	13.0	8.9	13.9	17.1	16.6	15.0	14.4	7.0	8.6	148.3	4	532
	19 LST	14.2	12.7	17.2	13.1	8.9	16.6	13.8	15.2	21.8	18.4	13.7	10.0	175.6	4	762
	01 LST	14.6	11.1	13.8	7.3	8.5	9.3	19.5	21.8	16.8	11.5	9.1	9.6	152.9	4	598
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	1.8	3.9	5.7	4.9	4.6	5.3	2.4	0.0	1.5	2.6	3.5	6.5	42.7	4	556
	13 LST	9.1	9.1	5.2	9.7	6.4	9.6	3.8	0.7	0.7	5.5	12.0	12.8	84.6	4	540
	19 LST	4.5	2.2	4.1	2.4	5.3	3.9	3.8	3.1	0.0	3.3	4.2	4.4	41.2	4	772
	01 LST	1.7	3.5	2.9	3.7	7.0	2.8	1.2	0.7	0.7	2.1	1.6	7.1	35.0	4	599
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	0.0	0.0	0.0	7.5	13.1	9.7	13.1	20.7	16.1	7.9	1.8	0.0	89.9	4	551
	13 LST	0.0	1.1	8.6	11.4	10.7	8.6	12.1	12.5	18.6	17.9	4.6	1.9	108.0	4	539
	19 LST	0.0	0.3	11.0	13.5	16.4	15.0	9.8	13.4	18.2	18.4	3.4	0.0	119.4	4	757
	01 LST	0.0	0.0	2.3	4.9	10.9	16.4	20.5	20.4	19.0	9.9	1.2	0.0	105.9	4	597
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	25.7	18.5	16.6	13.4	17.2	15.9	16.7	17.0	16.1	22.6	16.8	24.5	221.0	4	557
	13 LST	23.5	18.3	13.6	15.4	13.8	15.0	9.8	14.0	15.3	19.7	16.2	20.0	194.6	4	536
	19 LST	26.0	22.8	14.7	14.1	8.2	15.0	13.3	16.0	15.5	22.3	20.7	27.1	215.7	4	762
	01 LST	26.0	21.6	20.1	19.6	20.2	21.6	20.1	22.5	20.7	25.2	24.9	26.8	269.3	4	601
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	30.6	28.0	29.3	28.4	31.0	28.8	31.0	31.0	29.3	31.0	29.4	30.2	358.0	4	558
	13 LST	31.0	27.4	29.1	28.4	29.9	28.9	29.6	31.0	30.0	30.3	27.0	28.1	350.7	4	533
	19 LST	30.2	27.7	29.7	28.8	30.1	30.0	29.7	31.0	30.0	31.0	30.0	30.6	358.8	4	766
	01 LST	29.3	28.0	29.3	29.4	31.0	30.0	30.5	31.0	30.0	31.0	30.0	31.0	360.5	4	600
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	30.1	28.0	29.3	27.6	31.0	27.4	25.3	28.1	26.3	30.4	27.8	30.2	341.5	4	558
	13 LST	31.0	26.9	26.5	25.9	27.7	23.6	24.8	29.5	27.9	30.3	26.3	27.5	327.9	4	533
	19 LST	30.2	27.7	28.0	28.1	28.3	25.3	23.9	27.3	25.5	31.0	29.6	30.6	335.5	4	766
	01 LST	29.3	28.0	29.3	29.4	28.7	28.6	28.0	30.3	30.0	31.0	30.0	31.0	353.6	4	600
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	30.1	27.4	28.7	27.6	31.0	27.4	25.3	28.1	26.3	30.4	27.8	30.2	340.3	4	558
	13 LST	31.0	26.9	26.5	25.9	26.6	23.6	24.8	29.5	27.9	30.3	26.3	27.5	326.8	4	533
	19 LST	30.2	27.7	27.6	28.1	28.3	25.3	23.4	27.3	25.5	31.0	29.6	30.6	334.6	4	766
	01 LST	29.3	28.0	29.3	29.4	28.7	28.6	28.0	30.3	30.0	31.0	30.0	31.0	353.6	4	600

WENTULMIAO, CHINA

STA NO. 53276 (IN AREA NUMBER 04)

LATITUDE 4237N

LONGITUDE 11250E

ELEVATION(FT) 03760

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	41	54	72	86	93	100	99	97	88	81	61	48	100	8	2501
MEAN MAX TMP (F)	15	25	41	59	71	81	84	80	70	57	36	22	53	8	2501
MEAN MIN TMP (F)	-7	0	15	30	43	55	60	57	44	30	13	0	28	8	2503
ABS MIN TMP (F)	-31	-26	-17	-2	18	36	48	41	23	12	-17	-27	-31	8	2503
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	1.2	6.9	8.9	4.4	0.0	0.0	0.0	0.0	21.4	8	2501
MEAN NO DYS TMP = DR LES 32(F)	31.0	28.0	29.4	17.3	5.1	0.0	0.0	0.0	2.7	20.7	29.2	31.0	194.4	8	2503
MEAN NO DYS TMP = DR LES 0(F)	24.7	15.0	3.7	0.3	0.0	0.0	0.0	0.0	0.0	0.0	4.9	15.9	64.5	8	2503
MEAN DEW PT TMP (F)	8	2	4	10	22	39	51	48	33	16	4	4	20	8	18350
MEAN REL HUM (PCT)	61	59	44	32	32	40	54	54	47	40	50	58	48	8	18096
MEAN PRESS ALT (FT)	3143	3283	3478	3706	3845	4007	4064	3925	3718	3484	3305	3233	3599	8	18464
MEAN PRECIP (IN)	0.16	0.31	0.58	0.62	0.54	1.31	2.07	2.06	0.93	0.97	0.11	0.24	9.9	3	-182
MEAN SNOW FALL (IN)						0.0	0.0	0.0						8	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	1.9	2.7	2.8	3.0	2.7	4.2	5.7	5.7	3.1	3.2	0.6	2.4	38.0	3	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN						0.0	0.0	0.0						8	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.2	0.2	0.6	0.2	0.2	0.2	0.2	0.0	0.2	0.0	0.0	0.0	2.0	8	2174
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.6	3.1	7.5	9.7	7.2	3.8	0.8	0.1	0.0	32.8	8	2532
P FREQ WND SPD = DR GTR 17 KTS	23.5	15.7	21.0	32.1	24.0	18.4	9.0	5.2	12.2	15.4	16.6	18.7	17.5	8	18630
P FREQ WND SPD = DR GTR 28 KTS	1.3	0.7	1.4	1.9	1.9	0.5	0.2	0.2	0.5	0.6	0.7	0.7	0.9	8	18630
P FREQ LES 3000 FT A/D LES 5 MI	3.1	4.1	5.6	8.5	9.4	14.8	18.4	12.9	10.1	3.7	4.0	3.4	8.2	8	17109
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	0.0	1.3	0.6	0.7	0.0	0.7	0.3	1.6	1.1	0.0	0.5	1.5	0.7	8	2001
03-05 LST	0.0	0.8	3.7	0.0	0.6	0.6	0.0	0.5	0.6	0.0	0.6	0.6	0.7	8	1937
06-08 LST	1.5	1.6	3.3	2.1	1.7	0.3	1.6	1.6	1.1	1.1	2.1	1.5	1.6	8	2545
09-11 LST	2.0	3.1	2.3	1.2	1.3	0.6	0.6	0.3	0.5	0.4	2.8	1.8	1.4	8	2302
12-14 LST	1.9	3.6	3.4	1.1	1.0	0.8	0.7	0.7	0.0	0.0	1.3	2.1	1.4	8	2526
15-17 LST	1.0	1.7	1.5	1.1	0.5	1.1	2.2	0.8	0.0	0.4	1.0	2.2	1.1	8	2387
18-20 LST	0.6	2.6	0.6	0.0	0.5	0.0	0.5	1.4	1.0	0.0	0.8	2.0	0.8	8	2325
21-23 LST	0.7	0.0	0.7	0.0	0.7	0.0	0.8	0.4	0.0	0.0	1.2	0.6	0.4	7	1718
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.0	1.3	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	1.0	0.3	8	2001
03-05 LST	0.0	0.8	3.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.6	0.6	0.5	8	1937
06-08 LST	0.0	1.1	1.9	2.1	0.5	0.0	0.0	0.0	0.4	0.0	0.9	0.0	0.6	8	2545
09-11 LST	1.0	1.9	2.3	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.9	0.6	8	2302
12-14 LST	1.0	2.1	2.4	0.5	1.0	0.0	0.5	0.0	0.0	0.0	0.9	1.2	0.8	8	2526
15-17 LST	0.5	1.1	1.0	0.5	0.5	0.0	0.6	0.0	0.0	0.0	1.0	1.7	0.6	8	2387
18-20 LST	0.6	1.3	0.6	0.0	0.5	0.0	0.0	0.0	0.5	0.0	0.5	1.5	0.5	8	2325
21-23 LST	0.0	0.0	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.1	7	1718

WENTULMIAO, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST	30.5	27.6	30.0	29.4	30.7	30.0	30.8	30.7	29.7	30.7	29.4	30.6	360.1	8	2545
	14 LST	30.4	27.0	30.0	29.7	30.7	29.8	30.8	30.9	30.0	31.0	29.6	30.4	360.3	8	2526
	20 LST	30.8	27.3	30.8	30.0	30.9	30.0	30.9	30.7	29.7	31.0	29.8	30.4	362.3	8	2325
	02 LST	31.0	27.6	30.8	29.8	31.0	29.8	31.0	30.6	29.7	31.0	29.8	30.5	362.6	8	2001
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	08 LST	6.5	9.0	12.3	6.7	6.7	10.8	14.8	17.4	12.9	13.6	10.0	8.2	128.9	8	2533
	14 LST	6.4	7.8	8.5	6.0	8.4	10.7	14.9	16.7	10.8	10.1	7.4	7.1	114.8	8	2522
	20 LST	13.9	15.7	19.9	14.1	17.2	14.5	19.5	21.4	21.0	20.7	15.3	12.3	205.5	8	2322
	02 LST	10.5	9.2	14.9	8.8	11.2	15.9	18.5	19.0	17.9	13.4	10.3	8.0	157.6	8	1997
SFC WND = GTR 17 KTS AND NO PRECIP.	08 LST	6.2	3.5	5.9	9.1	10.0	4.8	2.8	1.1	2.4	2.6	3.7	4.9	57.0	8	2548
	14 LST	12.1	7.5	10.0	14.7	10.2	5.8	3.0	2.3	7.0	9.6	10.4	10.7	103.3	8	2539
	20 LST	2.8	1.2	3.4	5.9	2.4	3.1	1.3	0.7	0.5	2.0	1.5	1.7	26.5	8	2573
	02 LST	3.8	3.2	2.7	5.8	3.4	2.1	1.4	0.7	1.2	2.7	2.9	3.7	33.6	8	2514
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	08 LST	0.0	0.1	1.8	5.4	8.0	11.5	15.2	18.8	14.3	9.1	0.9	0.0	85.1	8	2531
	14 LST	0.3	2.1	6.3	6.0	9.9	9.5	13.4	14.9	11.1	11.4	3.6	1.0	89.5	8	2523
	20 LST	0.0	0.3	5.0	12.4	16.3	16.1	16.8	18.0	16.3	12.3	2.4	0.0	115.9	8	2556
	02 LST	0.2	0.2	1.3	5.3	11.5	16.0	15.0	17.1	17.0	6.5	0.7	0.0	90.8	8	2498
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST	20.7	16.4	16.0	15.7	14.4	14.0	11.4	16.0	17.0	20.4	18.8	21.1	201.9	8	2554
	14 LST	17.8	16.4	14.3	10.5	9.5	6.3	6.9	9.0	13.8	18.6	16.3	18.7	158.1	8	2535
	20 LST	24.2	21.0	17.5	13.8	11.1	9.0	9.5	13.5	17.0	23.2	22.0	23.0	204.8	8	2326
	02 LST	24.0	20.8	22.5	19.8	18.3	18.9	16.9	18.1	20.8	25.4	22.1	23.3	250.9	8	1997
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	08 LST	30.5	27.6	30.0	29.1	30.2	29.7	30.2	30.0	29.3	30.5	29.2	30.4	356.7	8	2545
	14 LST	30.3	26.9	29.8	29.5	30.4	29.5	30.5	30.5	29.7	30.8	29.6	30.3	357.8	8	2526
	20 LST	30.8	27.3	30.8	29.9	30.8	29.9	30.7	30.4	29.7	30.9	29.6	30.2	361.0	8	2325
	02 LST	31.0	27.6	30.8	29.8	31.0	29.8	30.8	30.3	29.6	30.9	29.7	30.5	361.8	8	2001
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	08 LST	29.9	27.1	28.6	27.3	28.0	26.1	26.0	27.1	25.7	28.6	28.2	29.8	332.4	8	2545
	14 LST	29.5	25.7	27.4	25.2	24.5	17.9	20.3	21.0	22.6	28.1	27.6	29.1	298.9	8	2526
	20 LST	30.1	26.5	29.4	28.1	28.0	24.2	23.7	24.3	26.9	29.6	28.6	29.9	329.3	8	2325
	02 LST	30.4	27.3	30.1	29.0	29.9	27.9	27.4	28.3	28.2	30.4	28.9	30.5	348.3	8	2001
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST	29.0	27.0	28.5	27.2	27.5	25.8	25.7	26.6	25.6	28.2	28.1	29.7	328.9	8	2545
	14 LST	29.5	25.5	27.4	25.2	24.4	17.6	20.0	20.7	22.1	28.1	27.6	29.1	297.2	8	2526
	20 LST	29.9	26.5	29.1	27.6	27.9	23.6	23.2	23.6	26.1	29.4	28.5	29.6	325.0	8	2325
	02 LST	30.4	27.3	29.7	29.0	29.5	27.4	27.0	27.9	28.2	30.4	28.9	30.5	346.2	8	2001

HAILIUTU, CHINA

STA NO. 53236 (IN AREA NUMBER 04)

LATITUDE 4128N

LONGITUDE 10857E

ELEVATION(FT) 04101

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	36	52	68	82	90	97	95	93	84	82	55	41	97	8	2499
MEAN MAX TMP (F)	18	29	44	59	71	81	83	80	70	56	36	23	54	8	2499
MEAN MIN TMP (F)	-8	0	16	29	42	53	59	56	43	27	10	-3	27	8	2501
ABS MIN TMP (F)	-27	-29	-9	7	19	34	46	41	18	7	-17	-36	-36	8	2501
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.2	3.7	4.4	2.6	0.0	0.0	0.0	0.0	10.9	8	2499
MEAN NO DYS TMP = OR LES 32(F)	31.0	27.9	29.3	20.1	4.5	0.0	0.0	0.0	3.8	23.3	29.7	31.0	200.6	8	2501
MEAN NO DYS TMP = OR LES 0(F)	27.3	15.5	2.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.5	20.0	70.0	8	2501
MEAN DEW PT TMP (F)	8	2	5	13	23	37	50	49	34	19	6	3	21	8	18158
MEAN REL HUM (PCT)	59	53	42	34	33	37	51	55	49	47	55	60	48	8	17958
MEAN PRESS ALT (FT)	3430	3611	3804	4009	4162	4343	4418	4277	4051	3787	3602	3507	3917	8	18379
MEAN PRECIP (IN)														0	0
MEAN SNOW FALL (IN)						0.0	0.0	0.0						8	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN														0	0
MEAN NO DYS SNFL = OR GTR 1.5 IN						0.0	0.0	0.0						8	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	0.2	0.4	1.4	1.7	0.8	0.2	0.0	0.0	0.0	0.0	1.5	0.5	6.7	8	2243
MEAN NO DYS TSMS	0.2	0.0	0.1	1.2	1.8	7.5	11.0	10.0	3.7	0.4	0.0	0.0	35.9	8	2525
P FREQ WND SPD = OR GTR 17 KTS	10.6	8.5	11.8	15.6	13.4	9.4	3.6	3.8	4.7	4.0	5.4	6.2	8.1	8	18511
P FREQ WND SPD = OR GTR 28 KTS	0.4	0.4	0.3	1.9	0.9	0.5	0.0	0.1	0.1	0.1	0.4	0.4	0.5	8	18511
P FREQ LES 5000 FT A/D LES 5 MI	3.6	3.8	7.3	9.9	8.8	13.0	17.8	16.2	9.1	4.3	6.3	2.7	8.6	8	17523
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	1.6	0.6	5.1	1.8	1.2	0.0	0.0	0.5	0.3	0.0	0.3	0.0	1.0	8	2206
03-05 LST	1.9	0.0	2.6	2.8	0.6	0.3	0.4	0.0	0.3	0.0	0.6	0.0	0.8	8	1951
06-08 LST	1.0	1.1	1.9	1.8	1.5	0.8	0.8	1.2	0.5	0.0	3.2	0.8	1.2	8	2538
09-11 LST	1.5	1.3	2.8	3.9	1.7	0.0	0.6	0.0	0.2	0.7	3.0	0.9	1.4	8	2305
12-14 LST	1.0	1.6	3.3	4.4	1.7	0.5	0.3	0.3	0.2	0.7	2.0	0.8	1.4	8	2518
15-17 LST	1.5	3.3	4.0	5.8	2.5	0.9	0.0	0.3	0.5	0.4	1.4	0.9	1.6	8	2377
18-20 LST	1.7	1.9	1.5	5.2	2.2	0.5	0.5	0.0	0.0	0.5	0.5	1.0	1.3	8	2395
21-23 LST	0.6	1.5	3.7	4.6	0.0	0.6	0.0	0.7	0.0	0.0	0.6	0.5	1.1	7	1901
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.0	0.6	2.3	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	8	2206
03-05 LST	0.6	0.0	1.4	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.3	8	1951
06-08 LST	0.5	0.0	0.5	1.5	1.0	0.0	0.0	0.0	0.0	0.0	2.2	0.4	0.5	8	2538
09-11 LST	1.0	0.0	1.7	1.1	1.7	0.0	0.0	0.0	0.0	0.0	2.3	0.5	0.7	8	2305
12-14 LST	0.0	1.0	2.8	2.6	1.0	0.0	0.0	0.0	0.0	0.0	1.3	0.4	0.8	8	2518
15-17 LST	0.0	1.7	2.5	3.4	0.5	0.0	0.0	0.0	0.0	0.0	0.9	0.9	0.8	8	2377
18-20 LST	0.0	1.9	0.5	2.5	1.9	0.0	0.5	0.0	0.0	0.0	0.5	1.0	0.7	8	2395
21-23 LST	0.6	1.5	2.4	2.0	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.6	7	1901

HAILIUTU, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	30.7	27.7	30.4	29.5	30.7	29.8	30.8	30.7	30.0	31.0	29.1	30.7	361.1	8	2538
	13 LST	30.7	27.6	30.0	28.9	30.5	29.8	31.0	31.0	30.0	30.9	29.5	30.7	360.6	8	2518
	19 LST	30.5	27.5	30.5	28.5	30.4	29.8	30.8	31.0	30.0	30.8	29.9	30.7	360.4	8	2395
	01 LST	30.5	27.8	29.4	29.5	30.6	30.0	31.0	30.8	30.0	31.0	30.0	31.0	361.6	8	2206
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	24.3	21.6	24.9	22.1	20.5	22.4	25.5	27.0	23.4	27.7	25.1	26.6	293.1	8	2535
	13 LST	18.5	14.3	13.1	8.0	10.0	11.3	15.7	18.0	15.1	16.4	17.2	20.4	178.0	8	2512
	19 LST	23.6	20.7	21.1	18.3	15.3	14.2	19.7	23.8	23.8	26.1	23.6	25.1	255.3	8	2390
	01 LST	23.5	22.2	24.2	22.5	24.1	23.9	27.8	27.2	26.5	26.7	25.4	25.1	299.1	8	2205
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	2.2	1.0	1.6	2.9	4.0	1.7	0.6	0.4	0.8	0.4	1.0	0.9	17.5	8	2551
	13 LST	5.6	3.6	6.0	7.3	6.0	4.2	1.6	1.9	2.8	1.9	2.9	3.1	46.9	8	2528
	19 LST	1.6	1.5	2.1	3.1	3.0	2.9	0.5	0.1	0.8	0.5	0.7	1.3	18.1	8	2562
	01 LST	1.3	1.3	1.5	2.7	2.5	1.2	0.5	0.7	0.5	0.8	0.5	1.6	15.1	8	2533
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	0.0	0.1	1.6	7.2	11.3	10.9	11.6	12.4	8.9	4.5	0.4	0.0	68.9	8	2529
	13 LST	0.0	3.1	11.7	10.1	11.7	12.6	14.5	16.7	16.5	16.6	9.3	1.2	124.0	8	2506
	19 LST	0.0	0.6	6.9	16.6	18.0	15.7	17.5	17.9	14.3	9.2	1.7	0.0	118.4	8	2553
	01 LST	0.0	0.2	2.5	5.7	11.0	10.4	7.7	8.5	8.0	4.1	0.5	0.0	58.6	8	2523
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	22.1	19.3	16.3	15.7	15.7	16.4	13.7	16.4	18.6	20.6	18.8	21.3	214.9	8	2551
	13 LST	19.8	17.9	13.2	12.9	11.1	10.0	7.4	9.5	15.1	20.1	16.9	20.0	173.9	8	2528
	19 LST	26.8	19.7	17.6	13.2	12.0	9.6	12.0	12.9	19.0	23.7	23.7	25.5	215.7	8	2405
	01 LST	26.7	21.7	21.2	20.7	21.0	18.1	18.8	19.5	21.5	24.7	23.2	25.4	262.5	8	2215
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	30.6	27.7	30.4	29.2	30.3	29.3	29.7	30.0	29.2	30.7	28.7	30.7	356.5	8	2538
	13 LST	30.6	27.2	29.4	27.8	29.2	27.8	27.8	28.3	27.9	30.0	28.9	30.6	345.5	8	2518
	19 LST	30.5	27.3	30.3	28.1	29.7	28.0	28.9	29.3	29.2	30.7	29.8	30.7	352.5	8	2395
	01 LST	30.5	27.8	29.4	29.4	30.4	29.4	30.2	29.8	29.3	30.9	29.9	30.9	357.9	8	2206
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	29.7	27.6	28.9	28.3	29.3	27.8	26.5	27.4	27.2	29.3	27.0	30.1	339.1	8	2538
	13 LST	30.4	26.4	27.9	26.6	27.0	23.9	22.5	23.4	24.5	28.6	26.4	29.8	317.4	8	2518
	19 LST	30.5	26.9	29.6	26.2	28.0	24.4	24.1	24.8	27.4	30.4	29.6	30.6	332.5	8	2395
	01 LST	30.3	27.5	29.1	28.5	29.5	27.9	28.0	27.4	28.0	29.9	29.4	30.7	346.2	8	2206
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	29.7	27.6	28.9	28.3	29.3	27.8	26.5	27.4	27.2	29.3	27.0	30.1	339.1	8	2538
	13 LST	30.4	26.3	27.9	26.6	27.0	23.9	22.5	23.4	24.5	28.6	26.4	29.8	317.3	8	2518
	19 LST	30.5	26.9	29.6	26.2	28.0	24.4	24.1	24.8	27.4	30.4	29.6	30.6	332.5	8	2395
	01 LST	30.3	27.5	29.1	28.5	29.5	27.9	28.0	27.4	28.0	29.9	29.4	30.7	346.2	8	2206

HUA-TE/HWATEH, CHINA

STA NO. 53391 (IN AREA NUMBER 04)

LATITUDE 4156N

LONGITUDE 11406E

ELEVATION(FT) 04026

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	34	48	66	79	86	93	93	90	84	77	57	45	93	8	2552
MEAN MAX TMP (F)	12	22	37	53	66	75	77	74	64	53	33	19	49	8	2552
MEAN MIN TMP (F)	-8	-2	13	26	38	48	55	51	39	26	10	-2	25	8	2548
ABS MIN TMP (F)	-29	-26	-20	0	16	28	45	36	19	7	-19	-29	-29	8	2548
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.7	0.4	0.3	0.0	0.0	0.0	0.0	1.4	8	2552
MEAN NO DYS TMP = DR LES 32(F)	31.0	28.0	30.6	22.5	9.4	1.1	0.0	0.0	6.8	23.6	29.9	31.0	213.9	8	2548
MEAN NO DYS TMP = DR LES 0(F)	26.8	18.0	4.8	0.3	0.0	0.0	0.0	0.0	0.0	0.0	7.1	18.5	75.5	8	2548
MEAN DEW PT TMP (F)	8	1	6	12	24	41	53	50	35	18	5	4	21	8	18731
MEAN REL HUM (PCT)	68	65	52	40	40	54	69	69	59	50	58	64	57	8	18600
MEAN PRESS ALT (FT)	4219	4315	4524	4805	4858	5032	5121	4929	4775	4534	4346	4292	4646	4	6412
MEAN PRECIP (IN)	0.11	0.17	0.35	0.51	1.99	1.98	2.78	3.45	0.88	1.06	0.18	0.13	13.6	3	-182
MEAN SNOW FALL (IN)							0.0	0.0						8	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	1.7	2.0	1.9	2.5	7.5	5.5	7.0	8.2	2.9	3.5	0.7	1.8	45.2	3	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN							0.0	0.0						8	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0	0.8	0.8	0.7	0.2	0.5	1.0	0.0	0.0	0.0	0.6	0.5	5.1	8	1551
MEAN NO DYS TSTMS	0.1	0.0	0.0	0.6	3.0	12.1	11.9	10.4	4.4	1.2	0.0	0.1	43.8	8	2568
P FREQ WND SPD = DR GTR 17 KTS	17.8	11.4	13.5	18.7	16.3	6.9	2.5	1.6	6.8	6.8	7.5	10.9	10.1	8	18940
P FREQ WND SPD = DR GTR 28 KTS	0.8	0.2	0.6	2.3	1.4	0.5	0.1	0.0	0.4	0.1	0.2	0.2	0.6	8	18940
P FREQ LES 5000 FT A/D LES 5 MI	9.3	10.7	9.0	12.3	15.5	24.6	33.7	25.7	19.6	8.3	8.2	5.9	15.2	8	14988
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	0.0	1.1	0.0	0.0	0.9	0.0	0.9	0.0	0.0	0.7	0.7	1.4	0.5	8	1387
03-05 LST	0.0	0.0	0.0	0.0	0.6	2.5	1.3	1.7	1.5	0.8	0.8	1.6	0.9	8	1513
06-08 LST	1.4	3.2	1.0	2.5	1.2	1.0	2.4	1.7	1.4	1.9	4.4	2.1	2.0	8	2548
09-11 LST	4.2	4.1	3.5	1.7	0.0	0.0	0.6	0.3	0.2	0.6	1.9	2.3	1.6	8	2313
12-14 LST	5.0	5.8	2.4	1.5	0.7	0.5	1.2	0.0	0.0	0.2	2.5	3.1	1.9	8	2556
15-17 LST	4.4	4.2	2.2	0.0	0.0	0.0	0.6	0.0	0.0	0.0	1.4	2.7	1.3	8	2403
18-20 LST	0.0	1.2	1.0	0.6	0.5	0.0	0.0	0.0	0.0	0.0	0.8	0.8	0.4	8	1778
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	1.6	0.0	0.0	0.0	0.8	0.0	0.2	7	1230
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.0	0.0	0.7	0.7	0.0	0.2	8	1387
03-05 LST	0.0	0.0	0.0	0.0	0.6	2.5	1.3	1.1	0.8	0.8	0.0	0.8	0.7	8	1513
06-08 LST	1.0	2.1	0.5	2.0	1.0	1.0	1.9	0.9	0.5	0.4	2.2	0.8	1.2	8	2548
09-11 LST	3.7	1.9	2.9	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.0	0.8	8	2313
12-14 LST	3.3	2.6	1.9	1.5	0.5	0.0	0.0	0.0	0.0	0.0	0.4	1.2	1.0	8	2556
15-17 LST	2.5	2.3	0.5	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.9	0.9	0.6	8	2403
18-20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	1778
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	1230

HUA-TE/HWATEH, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST	30.6	27.1	30.7	29.3	30.7	29.7	30.4	30.7	29.7	30.5	28.7	30.4	308.5	8	2548
	14 LST	29.5	26.5	30.3	29.5	30.8	29.8	30.8	31.0	30.0	31.0	29.2	30.1	358.5	8	2556
	20 LST	31.0	27.7	30.7	29.8	30.8	30.0	31.0	31.0	30.0	31.0	29.8	30.8	363.6	8	1778
	02 LST	31.0	27.7	31.0	30.0	30.7	30.0	30.7	31.0	30.0	30.8	29.8	30.6	363.3	8	1387
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	08 LST	16.2	19.1	18.8	13.0	14.4	18.1	22.1	27.0	21.7	21.8	20.3	19.6	232.1	8	2544
	14 LST	8.6	7.1	8.7	5.3	6.7	11.5	16.7	17.8	10.9	10.7	8.1	10.6	122.7	8	2552
	20 LST	13.7	18.7	21.0	16.9	16.7	18.8	24.1	26.7	23.8	23.1	20.6	22.5	246.6	8	1775
	02 LST	17.5	18.1	21.3	17.6	20.3	27.5	27.2	30.2	26.1	26.1	20.6	22.5	275.0	8	1384
SFC WND = GTR 17 KTS AND NO PRECIP.	08 LST	2.1	0.7	1.2	3.4	5.5	1.2	0.3	0.0	0.0	0.4	0.7	1.2	17.5	8	2550
	14 LST	9.7	6.6	8.4	9.8	8.9	4.3	0.7	0.4	3.7	5.5	6.0	6.3	70.3	8	2563
	20 LST	2.3	1.6	1.7	1.5	1.5	0.6	0.0	0.0	0.7	0.5	0.5	1.5	12.4	8	2550
	02 LST	2.7	0.6	1.0	0.9	0.5	0.1	0.2	0.0	0.1	0.3	0.9	1.8	9.1	8	2548
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	08 LST	0.0	0.0	1.5	7.4	11.1	12.9	14.7	14.8	13.2	6.3	0.7	0.0	82.6	8	2541
	14 LST	0.0	1.2	6.3	6.3	8.9	11.1	15.2	17.0	11.9	12.3	4.1	1.9	96.2	8	2551
	20 LST	0.0	0.2	3.8	13.8	17.9	16.1	17.2	18.2	16.7	13.1	2.0	0.0	119.0	8	2540
	02 LST	0.0	0.0	1.0	5.9	11.4	13.7	13.2	12.6	12.2	6.6	0.5	0.1	77.2	8	2540
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST	20.8	17.1	18.5	14.8	14.7	12.8	11.9	15.5	16.4	19.9	18.8	20.9	202.1	8	2547
	14 LST	16.8	15.1	14.0	10.7	10.4	5.5	6.0	8.7	12.7	18.1	17.0	17.6	152.6	8	2559
	20 LST	23.1	20.0	19.7	15.6	12.0	10.1	10.0	13.5	19.3	25.0	20.6	25.6	214.5	8	1779
	02 LST	23.3	21.1	22.2	18.6	19.5	20.5	17.3	18.3	20.8	24.4	19.3	24.4	249.7	8	1389
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	08 LST	30.5	27.0	30.5	29.1	30.1	29.0	28.6	29.2	28.9	30.1	28.7	30.3	352.0	8	2548
	14 LST	28.5	25.9	29.1	28.5	28.8	27.0	27.3	27.7	28.0	30.0	29.0	29.8	339.6	8	2556
	20 LST	30.8	27.4	30.7	29.7	30.4	29.3	29.8	29.9	29.5	31.0	29.6	30.6	358.7	8	1778
	02 LST	30.9	27.6	31.0	30.0	30.6	29.9	30.4	30.6	29.8	30.8	29.8	30.5	361.9	8	1387
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	08 LST	29.1	25.6	29.5	27.2	27.1	24.4	22.3	24.8	23.4	27.9	27.3	29.6	320.2	8	2548
	14 LST	26.3	23.5	25.2	24.3	22.6	17.3	16.0	18.4	20.9	26.9	26.9	27.9	276.2	8	2556
	20 LST	29.8	26.3	29.7	26.9	26.5	22.0	20.9	23.5	26.3	29.8	28.1	29.5	319.3	8	1778
	02 LST	29.9	26.8	30.7	28.4	27.9	26.9	24.8	26.7	27.3	29.0	27.8	29.9	336.1	8	1387
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST	28.8	25.6	29.4	27.0	27.1	24.4	22.3	24.7	25.2	27.6	27.2	29.6	318.9	8	2548
	14 LST	26.1	23.5	25.2	24.3	22.6	17.3	16.0	18.3	20.8	26.6	26.8	27.8	275.3	8	2556
	20 LST	29.8	26.3	29.7	26.7	26.5	22.0	20.9	23.5	26.3	29.8	28.1	29.5	319.1	8	1778
	02 LST	29.9	26.8	30.7	28.0	27.9	26.9	24.8	26.7	27.3	29.0	27.8	29.9	335.7	8	1387

TAI-AN-CHEN/SHAN, CHINA

STA NO. 53420 (IN AREA NUMBER 04)

LATITUDE 4058N

LONGITUDE 10710E

ELEVATION(FT) 03226

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	43	57	70	86	93	97	102	95	86	81	59	43	102	6	1717
MEAN MAX TMP (F)	24	35	48	63	74	84	86	81	72	60	39	27	58	6	1717
MEAN MIN TMP (F)	0	8	21	35	46	57	63	59	47	34	19	5	33	6	1730
ABS MIN TMP (F)	-17	-18	-6	18	23	43	52	48	27	16	1	-13	-18	6	1730
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.7	7.8	10.5	3.9	0.0	0.0	0.0	0.0	22.9	6	1717
MEAN NO DYS TMP = DR LES 32(F)	31.0	27.8	28.2	13.2	1.6	0.0	0.0	0.0	0.5	13.4	28.9	31.0	175.6	6	1730
MEAN NO DYS TMP = DR LES 0(F)	16.1	6.9	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.5	32.9	6	1730
MEAN DEW PT TMP (F)	7	2	10	21	31	46	57	55	41	28	12	7	26	6	12625
MEAN REL HUM (PCT)	46	42	41	37	37	45	59	64	57	56	54	52	49	6	12390
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)														0	0
MEAN SNOW FALL (IN)						0.0	0.0	0.0						6	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN						0.0	0.0	0.0						0	0
MEAN NO DYS SNFL = DR GTR 1.5 IN						0.0	0.0	0.0						6	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0	0.4	0.2	0.4	0.2	0.0	0.2	0.6	0.2	0.0	0.4	0.2	2.8	6	1764
MEAN NO DYS TSMS	0.2	0.0	0.0	1.7	1.3	4.0	6.2	6.4	3.5	0.2	0.0	0.0	25.5	6	1761
P FREQ WND SPD = DR GTR 17 KTS	3.5	2.6	2.4	6.9	4.0	2.0	0.8	0.3	0.9	0.8	1.6	2.2	2.3	6	12880
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.1	0.0	0.7	0.2	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.1	6	12880
P FREQ LES 5000 FT A/D LES 5 MI	2.2	1.8	3.4	8.1	5.2	5.7	5.7	7.7	5.7	1.8	1.5	2.7	4.3	6	12893
P FREQ LES 1500 FT A/D LES 3 MI															
FDR 00-02 LST	0.7	0.0	0.0	1.4	0.7	0.7	1.4	0.0	0.6	1.2	1.9	0.0	0.7	6	1747
03-05 LST	0.7	0.8	0.7	0.7	0.8	0.8	0.8	0.7	1.3	0.0	0.0	0.0	0.6	6	1638
06-08 LST	0.0	1.5	3.4	1.5	0.7	0.0	0.0	2.6	0.9	0.0	1.4	0.0	1.0	6	1752
09-11 LST	0.8	1.2	2.3	0.8	0.8	0.0	0.0	0.0	0.3	0.0	1.5	0.7	0.7	6	1615
12-14 LST	1.7	2.2	1.4	1.8	0.7	0.0	0.7	0.0	0.0	0.0	1.1	1.4	0.9	6	1745
15-17 LST	0.7	1.3	1.4	3.9	0.7	0.8	0.0	0.7	0.0	0.0	0.0	1.5	0.9	6	1642
18-20 LST	0.0	0.8	0.7	2.1	0.7	0.7	0.0	0.0	0.0	0.0	0.0	1.4	0.5	6	1769
21-23 LST	0.9	0.0	0.8	1.5	1.5	0.7	1.6	0.0	0.8	0.0	0.0	0.9	0.7	5	1490
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	0.0	0.0	0.0	1.4	0.7	0.7	1.4	0.0	0.0	0.0	1.5	0.0	0.5	6	1747
03-05 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.7	0.6	0.0	0.0	0.0	0.2	6	1638
06-08 LST	0.0	0.8	2.1	0.0	0.0	0.0	0.0	2.6	0.6	0.0	0.7	0.0	0.6	6	1752
09-11 LST	0.0	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.1	6	1615
12-14 LST	1.4	1.5	1.4	0.7	0.7	0.0	0.0	0.0	0.0	0.0	0.7	0.7	0.6	6	1745
15-17 LST	0.7	0.8	0.0	0.8	0.7	0.8	0.0	0.7	0.0	0.0	0.0	1.5	0.5	6	1642
18-20 LST	0.0	0.8	0.0	2.1	0.7	0.7	0.0	0.0	0.0	0.0	0.0	1.4	0.5	6	1769
21-23 LST	0.9	0.0	0.0	1.5	0.7	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.3	5	1490

TAI-AN-CHEN/SHAN, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	31.0	27.6	29.9	29.6	30.8	30.0	31.0	30.2	29.8	31.0	29.6	31.0	361.5	6	1752
	13 LST	30.6	27.4	30.6	29.6	30.8	30.0	30.8	31.0	30.0	31.0	29.8	30.6	362.2	6	1745
	19 LST	31.0	27.8	30.8	29.4	30.8	29.8	31.0	31.0	30.0	31.0	30.0	30.6	363.2	6	1769
	01 LST	30.8	28.0	31.0	29.6	30.8	29.8	30.6	31.0	29.8	30.6	29.6	31.0	362.6	6	1747
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	27.0	22.7	26.1	23.1	23.0	26.2	29.9	29.8	28.0	28.8	25.7	28.0	318.3	6	1745
	13 LST	23.3	18.1	20.6	17.3	16.8	21.9	24.0	26.6	25.8	23.0	21.9	24.5	263.8	6	1740
	19 LST	24.6	23.4	25.3	22.8	24.3	25.8	28.4	29.1	27.7	29.0	25.4	27.0	312.8	6	1765
	01 LST	26.8	23.7	25.4	22.7	25.2	26.9	28.4	29.6	28.3	28.7	24.0	27.2	316.9	6	1739
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.8	0.4	0.2	1.1	0.7	0.7	0.0	0.0	0.0	0.0	0.4	0.4	4.7	6	1754
	13 LST	1.7	1.7	0.8	4.3	1.4	1.2	0.9	0.0	0.7	0.6	1.1	1.0	15.4	6	1752
	19 LST	0.6	0.4	0.6	1.9	0.6	0.4	0.0	0.0	0.4	0.0	0.2	0.8	5.9	6	1776
	01 LST	1.0	0.0	0.6	0.4	0.4	0.2	0.0	0.0	0.0	0.2	0.4	0.2	3.4	6	1747
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	0.0	0.0	2.3	15.2	16.6	12.9	15.1	12.4	14.4	8.7	1.3	0.0	98.9	6	1741
	13 LST	0.4	4.9	16.2	12.5	16.3	15.1	16.6	15.6	16.1	17.3	8.6	3.2	142.8	6	1732
	19 LST	0.2	2.5	11.2	17.3	19.6	15.2	15.7	13.5	8.9	12.8	6.1	0.2	123.2	6	1762
	01 LST	0.0	0.6	6.7	14.4	16.6	10.7	12.4	10.5	11.5	9.0	3.3	0.0	95.7	6	1733
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	22.1	19.6	15.3	15.4	13.2	15.7	13.5	13.5	20.1	20.4	19.3	22.8	210.9	6	1754
	13 LST	17.1	18.9	13.9	14.7	11.1	11.5	11.8	13.6	16.8	19.7	19.4	18.9	187.4	6	1757
	19 LST	24.8	19.9	15.9	13.8	11.5	8.1	13.3	13.6	18.1	23.4	24.6	23.1	210.1	6	1775
	01 LST	23.9	19.9	21.0	20.2	20.0	16.0	18.3	17.9	20.9	22.0	23.0	23.6	246.7	6	1745
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	31.0	27.6	29.9	29.6	30.8	29.9	30.8	30.0	29.6	31.0	29.6	31.0	360.8	6	1752
	13 LST	30.4	27.4	30.6	29.3	30.7	30.0	30.7	31.0	30.0	31.0	29.6	30.6	361.3	6	1745
	19 LST	31.0	27.8	30.8	29.4	30.8	29.8	30.9	30.8	30.0	31.0	30.0	30.6	362.9	6	1769
	01 LST	30.8	28.0	31.0	29.5	30.8	29.8	30.5	31.0	29.8	30.6	29.3	31.0	362.1	6	1747
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	30.8	27.4	29.3	28.2	29.3	28.7	27.5	25.9	26.5	30.3	28.9	30.4	343.2	6	1752
	13 LST	30.2	26.7	29.7	27.9	28.2	25.7	26.0	25.2	25.5	29.0	28.9	30.4	333.4	6	1745
	19 LST	30.8	27.6	30.2	27.5	28.4	24.1	25.4	25.7	25.8	30.3	29.3	30.6	335.7	6	1769
	01 LST	30.6	27.8	30.1	29.4	29.9	26.3	26.9	27.6	27.7	30.0	28.5	31.0	345.8	6	1747
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	30.9	27.2	29.3	28.0	29.3	28.7	27.5	25.9	26.5	30.3	28.9	30.4	342.8	6	1752
	13 LST	30.2	26.7	29.7	27.9	28.2	25.7	26.0	25.2	25.3	29.0	28.9	30.4	333.2	6	1745
	19 LST	30.8	27.6	30.2	27.3	28.4	23.7	25.0	25.4	25.5	30.3	29.3	30.6	334.1	6	1769
	01 LST	30.6	27.8	30.1	29.4	29.9	26.3	26.9	27.6	27.7	29.9	28.5	31.0	345.7	6	1747

PAO-TAU/PAOTOW, CHINA

STA NO. 53446 (IN AREA NUMBER 04)

LATITUDE 4034N

LONGITUDE 10950E

ELEVATION(FT) 03425

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	36	54	70	84	91	100	99	95	86	79	57	41	100	6	1736
MEAN MAX TMP (F)	21	32	47	61	73	83	85	80	71	58	39	25	56	6	1736
MEAN MIN TMP (F)	-3	6	22	34	45	57	63	58	46	34	15	2	32	6	1727
ABS MIN TMP (F)	-20	-20	-8	12	27	41	50	45	27	14	-6	-20	-20	6	1727
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.4	6.3	8.4	3.4	0.0	0.0	0.0	0.0	18.5	6	1736
MEAN NO DYS TMP = OR LES 32(F)	31.0	28.0	28.1	13.2	0.9	0.0	0.0	0.0	2.0	14.6	28.9	31.0	177.7	6	1727
MEAN NO DYS TMP = OR LES 0(F)	19.9	7.2	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	12.1	41.8	6	1727
MEAN DEW PT TMP (F)	7	2	10	20	7	45	56	55	42	28	9	0	25	6	12358
MEAN REL HUM (PCT)	50	50	43	39	37	46	59	66	58	55	51	55	51	6	12148
MEAN PRESS ALT (FT)	2795	2971	3155	3366	3482	3662	3727	3577	3371	3134	2935	2848	3252	6	12614
MEAN PRECIP (IN)	0.20	0.10	0.50	0.80	2.70	3.00	6.90	3.90	2.80	0.20	0.80	0.60	22.5	4	-180
MEAN SNOW FALL (IN)						0.0	0.0	0.0						6	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	2.2	1.6	2.5	3.7	9.2	7.4	12.6	8.9	9.3	0.8	2.7	4.0	64.9	4	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN						0.0	0.0	0.0						6	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	2.8	1.6	2.1	2.3	0.4	0.4	0.4	0.0	0.4	0.0	0.4	1.1	11.9	6	1750
MEAN NO DYS TSTMS	0.0	0.0	0.0	2.1	4.5	5.1	11.9	9.3	5.1	1.8	0.0	0.2	40.0	6	1748
P FREQ WND SPD = OR GTR 17 KTS	5.6	4.4	5.1	10.3	7.6	4.8	2.6	0.7	3.1	3.4	3.7	4.6	4.7	6	12746
P FREQ WND SPD = OR GTR 28 KTS	0.4	0.2	0.3	0.8	0.3	0.2	0.0	0.0	0.0	0.2	0.1	0.1	0.2	6	12746
P FREQ LES 5000 FT A/D LES 5 MI	19.8	13.4	10.6	15.5	12.9	15.8	21.6	18.5	13.8	7.7	9.5	15.4	14.5	6	12748
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	8.7	3.9	2.1	3.5	0.4	0.4	0.4	0.7	1.8	0.6	0.0	5.5	2.3	6	1753
03-05 LST	11.8	5.5	3.0	2.4	1.5	0.8	0.9	0.0	1.9	0.0	0.0	2.3	2.5	6	1600
06-08 LST	21.0	9.6	5.6	5.8	4.4	3.7	1.8	2.0	3.4	2.1	4.4	10.2	6.2	6	1748
09-11 LST	18.9	9.7	4.1	7.1	6.0	1.3	2.3	1.8	0.0	0.3	5.3	12.4	5.8	6	1608
12-14 LST	6.2	6.6	3.4	9.6	3.7	3.8	1.8	1.4	0.3	0.0	2.1	5.4	3.7	6	1737
15-17 LST	7.6	5.5	5.2	6.9	1.9	3.5	0.8	1.5	0.3	0.0	1.2	3.7	3.2	6	1635
18-20 LST	8.5	2.6	5.4	6.2	0.3	2.9	1.5	1.3	1.2	0.0	2.5	4.9	3.1	6	1769
21-23 LST	6.8	2.1	0.8	4.2	0.4	0.8	0.4	1.5	1.5	1.1	1.9	8.0	2.5	5	1488
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	4.0	0.8	1.4	2.8	0.0	0.0	0.0	0.7	0.0	0.0	0.0	0.7	0.9	6	1753
03-05 LST	1.6	0.8	2.2	0.8	0.0	0.0	0.9	0.0	0.6	0.0	0.0	0.8	0.6	6	1600
06-08 LST	6.3	1.5	3.5	2.9	0.7	2.2	0.7	0.7	1.8	0.0	0.0	2.0	1.9	6	1748
09-11 LST	4.4	4.8	3.7	3.9	1.6	0.0	0.0	0.0	0.0	0.0	1.5	2.3	1.9	6	1608
12-14 LST	1.4	4.4	1.3	5.7	0.7	1.5	0.7	0.0	0.0	0.0	0.7	2.7	1.6	6	1737
15-17 LST	1.4	3.9	2.2	4.6	1.5	0.8	0.8	0.0	0.0	0.0	0.0	2.2	1.5	6	1635
18-20 LST	0.7	0.0	2.7	3.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	6	1769
21-23 LST	2.7	1.0	0.0	3.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	5	1488

PAO-TAU/PAOTOW, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	24.7	25.3	29.3	28.5	29.9	29.3	30.8	30.6	29.1	30.4	28.7	27.8	344.4	6	1748
	13 LST	29.1	28.2	30.0	27.2	29.8	29.1	30.8	30.6	30.0	31.0	29.4	29.3	352.5	6	1737
	19 LST	28.5	27.4	29.3	28.3	31.0	29.4	31.0	30.8	29.8	31.0	29.1	29.5	355.1	6	1769
	01 LST	28.3	26.9	30.4	29.0	31.0	30.0	31.0	30.8	29.6	30.8	30.0	29.3	357.1	6	1753
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	19.0	21.4	22.7	21.5	21.4	21.9	24.0	26.1	25.0	26.2	24.0	23.8	277.0	6	1743
	13 LST	21.2	18.6	17.7	14.5	16.7	17.5	19.4	20.2	19.4	20.4	18.3	22.4	226.3	6	1732
	19 LST	22.6	21.9	23.5	20.0	19.8	19.1	21.9	26.7	25.1	24.6	23.8	24.0	273.0	6	1767
	01 LST	21.2	23.4	24.8	23.8	25.0	25.7	26.6	27.7	26.1	25.6	25.4	25.2	300.5	6	1748
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.9	0.2	0.9	1.7	1.1	1.3	0.0	0.0	0.2	0.6	1.1	1.0	9.0	6	1750
	13 LST	2.6	2.1	2.5	5.7	3.4	2.0	1.1	0.6	1.5	1.3	1.5	2.5	26.8	6	1744
	19 LST	0.9	1.5	1.1	1.3	1.2	1.1	0.9	0.0	0.4	1.1	0.6	1.1	11.2	6	1770
	01 LST	1.1	0.6	1.1	1.0	0.9	0.4	0.0	0.0	0.0	0.2	0.7	0.6	6.6	6	1750
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	0.0	0.0	2.8	10.9	16.4	14.6	17.9	15.7	17.1	10.1	0.9	0.0	106.4	6	1735
	13 LST	0.0	5.4	13.7	14.2	17.1	16.4	15.1	17.4	15.6	16.9	11.6	3.2	146.6	6	1727
	19 LST	0.0	1.3	11.4	16.2	19.2	18.9	17.3	18.8	16.6	15.3	4.5	0.0	139.5	6	1755
	01 LST	0.0	0.0	7.2	9.9	16.1	15.0	16.2	15.2	17.8	13.1	1.6	0.0	112.1	6	1752
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	18.0	17.5	13.9	13.4	13.8	12.5	13.1	14.0	16.2	19.3	18.4	18.0	190.1	6	1753
	13 LST	17.6	17.6	13.2	11.3	9.9	10.4	10.3	10.3	15.8	19.8	18.9	18.3	173.4	6	1757
	19 LST	23.4	20.5	15.7	14.8	11.2	8.7	9.7	11.9	16.6	21.4	23.1	24.9	201.9	6	1780
	01 LST	23.4	19.3	21.2	17.9	20.2	17.1	17.0	17.2	20.6	22.9	23.1	22.8	242.7	6	1759
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	24.2	25.2	29.1	27.4	29.2	27.5	28.2	28.8	28.0	29.8	28.4	27.8	333.6	6	1748
	13 LST	29.0	28.2	29.4	25.9	28.5	26.5	27.6	28.2	27.8	30.4	29.1	29.3	337.9	6	1737
	19 LST	28.3	26.8	29.0	27.2	29.6	27.4	27.7	28.3	28.1	30.6	29.0	29.5	341.5	6	1769
	01 LST	28.3	26.7	30.4	28.6	30.2	29.7	29.1	29.2	28.8	30.5	29.9	29.3	350.7	6	1753
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	23.8	24.1	27.3	25.3	27.4	25.0	24.6	24.9	25.2	27.0	28.0	27.2	309.8	6	1748
	13 LST	28.5	25.5	27.9	23.6	25.9	22.5	22.7	23.5	24.5	28.5	28.3	28.7	310.1	6	1737
	19 LST	28.3	26.1	27.8	25.9	26.9	24.5	23.6	24.1	24.0	28.9	28.3	29.3	317.7	6	1769
	01 LST	27.9	26.3	29.5	27.1	28.2	28.9	25.9	26.3	27.4	29.7	29.3	29.1	335.6	6	1753
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	23.6	24.1	26.9	25.0	27.4	25.0	24.6	24.9	25.0	26.8	28.0	27.2	308.5	6	1748
	13 LST	28.5	25.5	27.7	23.6	25.9	22.5	22.5	23.5	24.5	28.5	28.3	28.5	309.5	6	1737
	19 LST	28.3	26.1	27.8	25.9	26.9	24.5	23.6	24.1	24.0	28.9	28.3	29.3	317.7	6	1769
	01 LST	27.9	26.3	29.5	27.1	28.2	28.9	25.9	26.3	27.4	29.7	29.3	29.1	335.6	6	1753

KUEI-SUI/HUHEHOT, CHINA

STA NO. 53463 (IN AREA NUMBER 04)

LATITUDE 4049N

LONGITUDE 11141E

ELEVATION(FT) 03484

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	37	34	70	82	90	99	93	93	82	79	59	45	99	8	2514
MEAN MAX TMP (F)	20	31	46	60	72	80	83	80	70	58	39	26	53	8	2514
MEAN MIN TMP (F)	-2	6	23	33	45	55	61	58	46	33	18	4	32	8	2533
ABS MIN TMP (F)	-18	-20	-6	10	28	39	50	45	25	18	-4	-17	-20	8	2533
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.6	3.4	3.7	2.4	0.0	0.0	0.0	0.0	10.1	8	2514
MEAN NO DYS TMP = DR LES 32(F)	31.0	28.0	28.6	14.6	1.7	0.0	0.0	0.0	1.3	16.7	28.0	31.0	180.9	8	2533
MEAN NO DYS TMP = DR LES 0(F)	19.9	6.0	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	9.5	36.6	8	2533
MEAN DEW PT TMP (F)	7	2	11	20	31	45	57	55	42	27	12	1	26	8	18680
MEAN REL HUM (PCT)	53	53	45	41	40	49	65	66	61	56	56	58	54	8	18423
MEAN PRESS ALT (FT)	2851	3013	3205	3388	3532	3686	3780	3620	3409	3167	3014	2922	3297	8	18792
MEAN PRECIP (IN)	0.00	0.20	0.20	0.30	0.90	2.30	3.00	4.80	2.50	0.80	0.20	0.10	15.3	6	-180
MEAN SNOW FALL (IN)						0.0	0.0	0.0						8	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	0.0	2.2	1.2	1.7	4.0	6.2	7.4	10.2	8.5	2.7	0.8	1.6	46.5	6	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN						0.0	0.0	0.0						8	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0	0.3	0.7	0.9	0.0	0.2	0.5	0.3	0.4	0.1	0.3	0.4	4.1	8	2540
MEAN NO DYS TSTMS	0.0	0.0	0.3	1.4	4.1	8.3	12.5	8.1	4.0	1.2	0.0	0.0	39.9	8	2537
P FREQ WND SPD = DR GTR 17 KTS	2.8	2.0	2.6	3.3	2.6	1.1	0.4	0.2	0.5	0.6	1.2	1.3	1.6	8	18904
P FREQ WND SPD = DR GTR 28 KTS	0.1	0.0	0.1	0.1	0.1	0.1	0.0	0.0	0.0	0.1	0.0	0.0	0.1	8	18904
P FREQ LES 5000 FT A/D LES 5 MI	13.6	13.5	12.0	17.1	16.6	23.5	30.0	23.4	19.4	12.1	11.0	13.6	17.3	8	18992
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	1.2	1.0	1.5	1.5	1.0	0.5	0.0	1.2	0.2	0.0	0.0	0.0	0.7	8	2538
03-05 LST	1.4	0.0	0.5	1.4	0.5	1.9	1.4	1.3	0.9	0.4	1.0	0.9	1.0	8	2354
06-08 LST	9.7	3.5	4.0	4.3	1.5	1.1	2.0	1.7	2.2	1.7	4.9	9.2	3.8	8	2541
09-11 LST	4.6	2.4	3.3	1.1	1.7	0.0	2.7	2.2	1.1	0.9	2.5	4.8	2.3	8	2364
12-14 LST	2.2	4.0	1.7	2.5	2.6	0.0	0.3	0.9	0.7	1.1	1.3	2.1	1.6	8	2521
15-17 LST	3.3	2.1	2.3	4.1	1.6	0.3	0.5	0.5	1.2	0.7	1.2	0.9	1.6	9	2432
18-20 LST	5.8	1.1	1.2	4.7	0.3	1.0	0.5	1.7	1.3	0.2	1.5	2.9	1.9	8	2560
21-23 LST	1.2	1.6	1.6	2.2	0.5	0.6	0.3	0.5	1.1	0.3	1.6	1.8	1.1	7	2226
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.5	0.5	1.0	1.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	8	2538
03-05 LST	0.0	0.0	0.0	0.5	0.5	0.0	0.0	0.5	0.5	0.4	0.0	0.0	0.2	8	2354
06-08 LST	1.9	0.0	0.5	2.0	0.0	0.5	0.5	1.3	0.4	1.8	2.5	1.0		8	2541
09-11 LST	1.5	0.6	1.5	0.0	0.5	0.0	1.2	0.5	0.5	0.0	0.9	0.9	0.7	8	2364
12-14 LST	0.0	1.1	0.5	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.3	8	2521
15-17 LST	0.0	0.0	0.0	2.2	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	8	2432
18-20 LST	1.4	0.0	0.5	3.4	0.0	0.0	0.5	0.9	0.9	0.0	0.4	0.4	0.7	8	2560
21-23 LST	0.0	0.6	1.1	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.3	7	2226

KHFI SUI/HUHEHOT, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	28.0	27.1	29.8	28.8	30.7	29.8	30.8	30.9	29.6	30.6	28.7	28.2	353.0	8	2541
	13 LST	30.4	27.0	30.6	29.4	30.4	30.0	31.0	30.9	30.0	30.7	29.6	30.4	360.4	8	2521
	19 LST	29.2	27.9	30.9	28.7	31.0	29.8	30.8	30.7	29.7	31.0	29.6	30.1	359.4	8	2560
	01 LST	30.7	27.7	30.5	29.5	30.7	30.0	31.0	30.7	30.0	31.0	30.0	31.0	362.8	8	2536
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SPC WND LES 10 KTS	07 LST	24.5	24.1	27.4	25.9	27.9	27.3	29.5	30.1	28.5	29.5	25.9	25.4	326.0	8	2538
	13 LST	23.8	21.1	21.2	14.8	18.4	19.9	27.4	27.5	23.4	23.7	23.9	25.1	270.2	8	2512
	19 LST	23.7	24.5	23.7	24.8	27.4	25.7	29.5	29.0	27.6	28.2	25.7	25.9	315.7	8	2554
	01 LST	25.1	25.1	27.3	27.3	29.0	28.9	30.5	30.2	29.1	29.7	27.8	28.0	338.0	8	2536
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.5	0.4	0.3	0.4	0.2	0.5	0.0	0.0	0.0	0.0	0.0	0.3	2.6	8	2542
	13 LST	1.2	1.0	1.6	1.8	1.7	0.5	0.2	0.1	0.3	0.1	1.1	0.5	10.1	8	2535
	19 LST	0.6	0.4	1.0	0.6	0.3	0.3	0.2	0.0	0.0	0.4	0.1	0.4	4.3	8	2568
	01 LST	0.5	0.6	0.3	0.6	0.6	0.0	0.0	0.0	0.1	0.3	0.1	3.1		8	2541
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	0.0	0.0	1.9	6.9	10.8	6.9	6.2	5.7	5.8	4.0	0.4	0.1	48.7	8	2522
	13 LST	0.1	5.6	14.2	14.1	17.3	16.3	17.8	18.7	14.9	17.6	10.3	0.6	147.5	8	2517
	19 LST	0.2	1.3	7.2	12.2	14.3	13.6	8.8	9.0	8.3	6.2	3.1	0.0	84.2	8	2545
	01 LST	0.0	0.0	3.1	6.0	7.5	3.5	3.3	3.6	6.2	4.3	0.4	0.0	37.9	8	2523
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	19.9	16.3	15.3	15.1	14.8	13.4	12.3	14.4	15.3	19.3	17.0	19.2	192.3	8	2547
	13 LST	17.7	15.1	13.3	11.0	11.0	7.5	7.8	10.1	13.7	18.3	16.3	18.1	159.9	8	2537
	19 LST	23.4	18.8	16.2	14.3	11.4	9.9	9.4	12.3	15.8	22.4	20.5	24.1	198.5	8	2568
	01 LST	24.3	20.4	19.3	17.5	20.4	17.1	15.6	18.3	20.4	21.6	21.1	25.0	241.0	8	2544
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	27.5	26.6	29.1	27.8	29.1	27.9	27.9	28.2	28.1	29.3	28.0	27.8	337.3	8	2541
	13 LST	29.6	26.0	29.5	27.2	28.2	26.6	27.7	27.7	27.5	29.4	28.8	29.8	338.0	8	2521
	19 LST	29.2	27.3	29.9	27.6	29.6	27.0	28.0	28.0	27.9	29.9	29.4	29.8	343.6	8	2560
	01 LST	30.3	27.7	30.2	28.8	30.0	28.8	28.5	29.3	28.7	30.3	29.8	30.6	353.0	8	2538
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	26.0	25.3	27.4	25.6	26.2	23.6	23.1	23.5	25.1	26.8	26.3	26.6	305.5	8	2541
	13 LST	28.2	24.0	27.4	23.7	24.4	20.1	20.3	21.7	22.6	27.0	27.0	28.7	295.1	8	2521
	19 LST	28.8	26.4	28.4	25.9	26.5	20.9	21.2	22.1	23.6	28.2	27.5	28.9	308.4	8	2560
	01 LST	29.5	26.7	28.7	26.5	28.1	25.5	23.3	25.8	25.2	28.2	28.8	29.5	325.8	8	2538
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	26.0	25.2	27.4	25.5	26.0	23.6	23.1	23.4	25.1	26.6	26.3	26.6	304.8	8	2541
	13 LST	28.2	24.0	27.3	23.7	24.4	20.1	20.3	21.7	22.6	27.0	26.8	28.7	294.8	8	2521
	19 LST	28.6	26.3	28.4	25.9	26.3	20.9	21.0	22.1	23.6	28.2	27.4	28.9	307.6	8	2560
	01 LST	29.5	26.5	28.5	26.5	28.0	25.5	23.3	25.8	25.2	28.2	28.8	29.5	325.3	8	2538

OTOKECHI, CHINA

STA NO. 53529 (IN AREA NUMBER 04)

LATITUDE 3906N

LONGITUDE 10759E

ELEVATION(FT) 04528

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	45	54	68	86	90	97	97	93	86	79	61	52	97	8	2500
MEAN MAX TMP (F)	26	36	49	61	73	82	85	81	72	59	42	32	58	8	2500
MEAN MIN TMP (F)	-1	7	22	33	45	54	61	57	46	31	16	4	31	8	2511
ABS MIN TMP (F)	-20	-18	-8	9	25	36	48	41	28	12	-11	-20	-20	8	2511
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.3	4.0	8.4	3.6	0.0	0.0	0.0	0.0	16.3	8	2500
MEAN NO DYS TMP = DR LES 32(F)	31.0	28.0	28.1	14.9	2.0	0.0	0.0	0.0	1.4	17.9	28.6	31.0	182.9	8	2511
MEAN NO DYS TMP = DR LES 0(F)	18.5	7.0	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	9.7	38.1	8	2511
MEAN DEW PT TMP (F)	7	1	8	15	26	37	52	51	38	22	9	1	22	8	17775
MEAN REL HUM (PCT)	48	45	39	36	36	39	55	61	54	49	51	53	47	8	17496
MEAN PRESS ALT (FT)	3896	4081	4284	4442	4604	4759	4847	4704	4493	4228	4063	3983	4365	8	17926
MEAN PRECIP (IN)														0	0
MEAN SNOW FALL (IN)						0.0	0.0	0.0						8	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN						0.0	0.0	0.0						0	0
MEAN NO DYS SNFL = DR GTR 1.5 IN														8	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.7	0.6	1.8	2.1	0.3	0.2	0.0	0.4	0.3	0.1	0.1	0.9	7.5	8	2466
MEAN NO DYS TSTMS	0.0	0.0	0.1	1.4	1.7	5.3	8.7	5.8	3.1	0.3	0.0	0.0	26.4	8	2468
P FREQ WND SPD = DR GTR 17 KTS	6.3	5.0	7.1	8.5	6.1	4.1	1.6	0.9	2.3	2.7	3.7	3.6	4.3	8	18101
P FREQ WND SPD = DR GTR 28 KTS	1.0	0.3	0.3	1.0	0.3	0.0	0.1	0.0	0.0	0.0	0.1	0.3	0.3	8	18101
P FREQ LES 5000 FT A/D LES 3 MI	3.8	8.1	12.5	15.7	13.1	11.6	19.7	16.9	13.3	5.6	6.3	4.6	10.9	8	18252
P FREQ LES 1900 FT A/D LES 3 MI															
FOR 00-02 LST	1.0	1.3	2.5	3.7	1.5	0.0	0.5	1.2	1.4	1.2	2.3	0.6	1.4	8	2506
03-05 LST	1.3	2.5	0.0	5.3	2.6	0.6	0.7	1.3	2.8	1.5	1.9	1.2	1.8	8	2142
06-08 LST	2.5	3.4	6.8	3.8	4.1	1.3	3.4	6.3	6.7	5.1	3.1	2.4	4.1	8	2520
09-11 LST	3.5	1.1	7.2	4.5	3.3	0.9	1.6	2.2	2.8	3.3	2.4	3.3	3.0	8	2220
12-14 LST	3.6	3.7	9.7	7.5	4.7	1.0	1.1	2.1	2.6	0.5	2.4	3.3	3.5	8	2534
15-17 LST	2.3	5.3	6.0	8.8	3.0	0.6	0.9	1.5	3.7	0.9	1.9	2.0	3.1	8	2323
18-20 LST	1.5	2.6	4.8	7.1	3.4	0.5	0.5	2.1	3.0	0.0	1.6	0.9	2.3	8	2483
21-23 LST	0.7	2.1	3.6	5.3	1.6	0.3	1.9	2.3	2.1	0.6	0.5	0.0	1.8	7	2163
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.5	0.5	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.9	0.5	0.4	0.3	8	2506
03-05 LST	0.6	1.4	0.0	1.9	0.0	0.6	0.0	0.0	1.0	0.5	0.5	0.5	0.6	8	2142
06-08 LST	1.0	0.5	2.4	2.0	1.9	0.5	0.0	2.3	1.4	1.8	0.9	0.8	1.3	8	2520
09-11 LST	2.9	0.0	1.7	1.8	2.2	0.0	0.0	0.0	0.0	0.5	0.5	0.9	0.9	8	2220
12-14 LST	1.9	2.1	2.9	3.5	3.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	1.2	8	2534
15-17 LST	1.7	1.9	2.5	3.3	1.6	0.0	0.0	0.0	0.0	0.0	0.9	0.9	1.2	8	2323
18-20 LST	1.5	1.1	1.0	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.4	0.4	0.5	8	2483
21-23 LST	0.7	2.1	1.0	2.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	7	2163

OTOKECHI, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	30.2	27.1	29.2	29.1	30.0	29.8	30.4	29.9	28.5	29.9	29.3	30.5	353.9	8	2520
	13 LST	30.0	27.0	28.2	27.9	29.8	30.0	31.0	30.9	29.6	31.0	29.5	30.0	354.9	8	2534
	19 LST	30.5	27.4	29.7	28.2	30.1	30.0	31.0	30.9	29.4	31.0	29.7	30.9	358.8	8	2483
	01 LST	30.7	27.7	30.4	29.2	30.7	30.0	30.8	31.0	29.7	30.7	29.6	30.9	361.4	8	2506
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	26.1	23.6	24.3	22.6	20.1	23.0	24.4	25.7	25.2	26.9	25.9	27.3	295.1	8	2518
	13 LST	15.1	13.3	13.0	13.4	14.3	14.0	18.3	20.2	16.2	19.3	15.7	18.2	191.0	8	2527
	19 LST	24.9	22.9	22.3	20.4	17.9	20.2	20.6	24.5	24.8	26.9	25.1	26.3	276.8	8	2475
	01 LST	26.8	24.2	25.9	22.8	25.2	26.2	27.8	28.1	27.0	27.5	26.7	26.6	314.8	8	2504
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.9	0.1	0.9	1.2	1.2	0.6	0.2	0.4	0.1	0.3	0.3	0.3	6.5	8	2523
	13 LST	3.9	4.9	4.3	4.0	3.5	2.4	0.8	0.4	0.8	1.9	3.2	3.1	33.2	8	2541
	19 LST	0.6	0.5	0.9	1.5	0.8	0.5	0.3	0.0	0.3	0.6	0.3	0.5	6.8	8	2490
	01 LST	1.0	0.3	0.5	0.9	0.3	0.6	0.3	0.0	0.1	0.1	0.4	0.7	5.2	8	2516
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	0.0	0.0	3.1	8.1	14.0	14.2	13.6	11.3	10.4	5.4	1.3	0.0	81.4	8	2512
	13 LST	1.8	4.8	12.7	11.5	14.3	12.7	16.1	17.1	16.2	19.4	11.7	7.2	145.5	8	2524
	19 LST	0.0	2.1	11.9	17.6	16.4	19.7	16.9	20.1	16.0	15.1	5.3	0.5	141.6	8	2474
	01 LST	0.0	0.3	3.8	9.4	14.0	12.1	11.8	13.1	10.8	6.5	1.6	0.1	83.5	8	2501
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	21.4	17.7	13.9	13.4	13.4	14.0	12.7	13.9	15.0	17.6	17.7	20.4	191.1	8	2522
	13 LST	19.9	16.0	12.6	12.0	9.3	8.6	4.9	7.1	12.2	18.8	16.7	19.8	157.9	8	2540
	19 LST	24.7	20.5	13.8	12.1	10.5	9.8	12.7	14.0	16.0	20.4	22.1	22.9	199.5	8	2488
	01 LST	23.8	20.6	20.0	18.6	19.2	18.2	16.9	18.5	19.3	20.6	21.4	23.8	240.9	8	2514
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	30.2	26.7	28.3	28.2	29.1	29.2	29.2	28.0	27.2	27.4	27.2	30.2	28.8	29.9	336.7
	13 LST	29.7	26.4	27.3	26.9	27.7	28.0	27.2	27.4	27.2	30.2	28.8	29.9	336.7	8	2534
	19 LST	30.5	27.0	29.0	27.1	29.2	29.4	30.2	29.4	28.3	30.8	29.3	30.4	350.6	8	2483
	01 LST	30.7	27.4	29.8	28.3	29.7	29.9	30.4	30.0	28.8	30.3	29.0	30.6	354.9	8	2506
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	29.9	26.1	27.3	27.3	28.0	28.3	27.7	25.9	26.3	28.3	27.4	29.6	332.1	8	2520
	13 LST	29.4	25.6	25.6	23.7	23.7	22.3	18.2	19.5	23.6	28.5	27.4	29.2	296.7	8	2534
	19 LST	30.5	26.1	27.7	25.5	27.7	26.5	25.8	27.0	25.7	29.7	28.3	30.1	330.6	8	2483
	01 LST	30.7	27.1	29.0	27.5	28.2	28.2	26.9	27.8	27.1	29.8	27.8	30.2	340.3	8	2506
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	29.9	25.7	27.3	27.3	27.6	27.6	27.2	25.9	25.9	28.3	27.1	29.6	329.4	8	2520
	13 LST	29.4	25.6	25.6	23.7	23.5	22.2	18.2	19.5	23.6	28.5	27.4	29.2	296.4	8	2534
	19 LST	30.5	26.1	27.0	25.3	27.4	25.5	25.5	26.9	25.5	29.7	28.3	30.1	327.8	8	2483
	01 LST	30.7	27.1	28.9	27.5	28.2	28.2	26.9	27.8	27.1	29.8	27.8	30.2	340.2	8	2506

CHASAKOCHI, CHINA

STA NO. 53346 (IN AREA NUMBER 04)

LATITUDE 3917N

LONGITUDE 10945E

ELEVATION(FT) 04297

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	43	57	68	81	90	95	95	91	82	79	59	48	95	8	2496
MEAN MAX TMP (F)	25	34	47	59	71	80	83	78	70	58	41	30	56	8	2496
MEAN MIN TMP (F)	0	8	23	33	45	55	61	57	46	33	18	6	32	8	2502
ABS MIN TMP (F)	-20	-17	0	12	28	37	50	43	25	14	-6	-15	-20	8	2502
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.2	2.3	4.6	1.5	0.0	0.0	0.0	0.0	8.6	8	2496
MEAN NO DYS TMP = DR LES 32(F)	31.0	28.0	27.7	15.1	0.9	0.0	0.0	0.0	1.3	16.0	28.0	31.0	179.0	8	2502
MEAN NO DYS TMP = DR LES 0(F)	16.9	5.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	8.3	32.2	8	2502
MEAN DEW PT TMP (F)	7	1	11	19	30	41	54	52	40	26	12	2	25	8	18186
MEAN REL HUM (PCT)	48	46	44	42	41	45	60	63	59	55	55	55	51	8	17936
MEAN PRESS ALT (FT)	3645	3824	4030	4185	4341	4496	4591	4448	4227	3978	3817	3742	4110	8	18392
MEAN PRECIP (IN)														0	0
MEAN SNOW FALL (IN)						0.0	0.0	0.0						8	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN						0.0	0.0	0.0						0	0
MEAN NO DYS SNFL = DR GTR 1.5 IN						0.0	0.0	0.0						8	-29
MEAN NO DYS W/O CUR VSBY LES 1/2 MI	2.1	2.0	2.4	3.1	0.7	0.2	0.0	1.0	0.7	1.3	1.0	2.0	16.5	8	2355
MEAN NO DYS TSTMS	0.0	0.0	0.1	1.9	3.4	6.9	9.4	6.2	4.2	1.0	0.0	0.0	33.1	8	2499
P FREQ WND SPD = DR GTR 17 KTS	9.3	7.7	7.5	10.7	8.4	4.6	1.6	1.2	3.2	2.6	4.0	4.9	5.5	8	18530
P FREQ WND SPD = DR GTR 28 KTS	0.5	0.4	0.2	0.7	0.3	0.3	0.0	0.0	0.0	0.1	0.1	0.3	0.2	8	18530
P FREQ LES 5000 FT A/D LES 3 MI	6.1	8.3	11.0	14.4	14.7	14.0	19.3	17.8	15.9	8.8	7.1	5.3	11.9	8	18119
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	1.6	2.8	0.0	2.7	1.6	0.3	0.3	1.5	2.0	1.6	0.0	3.2	1.5	8	2371
03-05 LST	1.3	2.0	1.1	4.3	0.5	0.6	0.6	2.7	3.0	3.7	0.0	2.0	1.8	8	2170
06-08 LST	1.5	1.1	2.8	7.0	2.5	2.1	1.8	6.8	5.0	5.6	3.6	3.6	3.5	8	2508
09-11 LST	3.8	3.5	5.0	6.7	2.1	2.9	1.4	2.3	2.6	2.0	1.6	5.8	3.3	8	2349
12-14 LST	7.3	7.0	7.5	10.0	5.9	2.4	0.5	2.4	1.8	2.4	3.5	3.5	4.5	8	2516
15-17 LST	5.8	10.6	10.2	7.3	4.0	1.7	3.2	2.7	1.8	0.2	3.3	3.2	4.5	8	2366
18-20 LST	1.7	4.9	5.0	4.7	2.7	1.6	0.5	2.9	1.9	1.4	1.9	1.6	2.6	8	2425
21-23 LST	1.4	3.6	1.1	2.4	1.7	0.3	0.0	1.1	1.3	1.3	0.8	2.5	1.5	7	2137
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	1.1	1.1	0.0	1.1	1.0	0.0	0.0	0.0	0.0	0.5	0.0	2.8	0.6	8	2371
03-05 LST	0.7	1.4	0.6	1.8	0.5	0.0	0.0	1.6	1.5	3.3	0.0	1.5	1.1	8	2170
06-08 LST	1.0	0.0	1.9	6.5	0.0	0.0	0.5	3.3	2.3	3.4	2.7	2.6	2.0	8	2505
09-11 LST	2.2	2.5	3.2	4.1	1.0	0.6	0.0	0.5	0.0	0.0	0.9	3.1	1.5	8	2349
12-14 LST	4.9	6.2	6.3	6.8	2.4	1.0	0.0	0.0	0.0	0.9	2.2	2.5	2.8	8	2516
15-17 LST	1.8	7.5	8.1	4.5	2.1	0.0	0.0	0.0	0.5	0.0	2.3	2.3	2.4	8	2366
18-20 LST	1.1	3.0	1.0	3.6	1.9	0.0	0.0	0.0	0.0	0.3	0.9	0.4	1.0	8	2425
21-23 LST	0.7	2.2	0.0	1.8	0.0	0.0	0.0	0.0	0.0	0.0	0.5	1.0	0.5	7	2137

CHASAKOCHI, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	30.5	27.7	30.1	27.9	30.5	29.5	30.7	29.7	28.9	29.5	29.0	30.2	354.2	8	2508
	13 LST	28.7	26.1	28.8	27.2	29.3	29.7	31.0	30.9	29.7	30.5	28.9	30.0	350.8	8	2516
	19 LST	30.5	26.6	29.6	28.6	30.2	29.7	30.8	30.6	29.9	30.9	29.4	30.6	357.4	8	2425
	01 LST	30.5	27.2	31.0	29.2	30.5	30.0	31.0	30.9	29.9	30.7	30.0	30.0	360.9	8	2371
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	07 LST	25.9	23.1	25.1	22.2	21.4	23.2	24.1	24.9	23.5	23.4	25.9	27.8	292.5	8	2498
	13 LST	15.0	11.3	12.4	9.2	11.2	13.4	16.1	17.8	13.1	15.9	14.0	15.7	165.1	8	2509
	19 LST	24.1	22.7	22.1	21.6	19.0	20.6	21.7	25.3	26.4	27.2	26.5	27.1	284.3	8	2419
	01 LST	23.8	23.8	24.7	22.9	24.1	23.4	25.9	27.1	25.9	27.2	25.1	25.5	301.4	8	2370
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	1.1	0.4	0.7	1.7	0.9	0.6	0.2	0.1	0.4	0.1	0.3	0.3	6.8	8	2511
	13 LST	6.2	6.1	5.3	5.6	4.4	2.3	0.6	0.4	2.0	1.2	3.8	4.0	41.9	8	2533
	19 LST	1.3	0.8	1.1	1.5	1.2	0.9	0.2	0.3	0.0	0.7	0.8	0.7	9.5	8	2514
	01 LST	1.3	0.6	0.5	1.1	0.6	0.0	0.2	0.0	0.1	0.3	0.3	0.5	5.5	8	2504
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	0.0	0.3	3.0	9.5	14.8	14.8	15.2	14.2	11.0	6.3	1.5	0.0	90.6	8	2496
	13 LST	1.6	4.5	12.2	12.2	12.7	12.8	16.1	19.0	16.5	18.7	10.1	4.8	141.2	8	2512
	19 LST	0.2	1.6	11.4	17.4	20.1	18.5	18.9	20.1	16.7	14.7	4.1	0.0	143.7	8	2496
	01 LST	0.0	0.3	4.2	8.0	14.7	10.1	9.3	11.1	10.7	4.5	3.1	0.0	76.0	8	2484
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	21.3	16.0	13.2	13.3	12.0	13.8	13.4	13.9	14.9	16.8	17.6	20.2	186.4	8	2518
	13 LST	18.3	15.0	11.5	10.1	8.9	9.2	6.5	8.7	12.1	16.6	16.1	18.6	151.6	8	2539
	19 LST	24.8	19.7	13.4	12.0	9.3	9.7	10.9	12.7	14.9	19.7	21.0	23.9	192.0	8	2440
	01 LST	26.2	19.8	18.4	17.8	18.2	18.4	16.3	17.2	18.3	21.2	20.9	23.9	236.6	8	2380
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	30.5	27.6	29.9	27.5	29.4	29.0	29.7	27.8	27.5	28.9	28.4	30.2	346.4	8	2508
	13 LST	28.6	25.6	28.1	26.1	27.6	27.7	28.5	27.3	27.5	29.3	28.6	29.7	334.8	8	2516
	19 LST	30.4	26.6	29.1	28.4	29.7	29.0	30.0	28.8	28.3	30.2	29.3	30.4	350.2	8	2425
	01 LST	30.5	27.2	30.9	28.9	30.1	29.1	29.9	29.8	28.4	30.2	29.8	29.9	354.7	8	2371
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	30.2	27.3	28.8	25.9	28.4	27.2	27.4	25.4	25.1	27.7	27.4	29.7	330.5	8	2508
	13 LST	28.3	24.1	26.2	22.9	23.0	23.2	20.3	20.2	22.1	27.2	27.5	28.8	293.8	8	2516
	19 LST	29.8	25.4	27.6	26.6	26.6	24.9	25.6	26.1	24.2	28.7	28.0	30.2	323.7	8	2425
	01 LST	30.3	27.0	29.7	28.2	28.4	26.6	25.4	28.0	25.6	29.6	28.7	29.7	337.2	8	2371
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	30.2	27.3	28.8	25.9	28.4	26.9	27.2	25.4	25.1	27.7	27.4	29.5	329.8	8	2508
	13 LST	28.3	24.1	26.2	22.9	23.0	23.2	20.3	20.0	22.1	27.2	27.4	28.8	293.5	8	2516
	19 LST	29.8	25.4	27.6	26.6	26.6	24.9	25.6	26.1	24.2	28.7	28.0	30.2	323.7	8	2425
	01 LST	30.3	27.0	29.7	28.2	28.4	26.6	25.4	28.0	25.6	29.4	28.7	29.7	337.0	8	2371

HO-CHU, CHINA

STA NO. 53564 (IN ARFA NUMBER 04)

LATITUDE 2925N LONGITUDE 11108E ELEVATION(FT) 03501

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	43	59	72	86	91	100	99	95	86	81	61	46	100	8	2499
MEAN MAX TMP (F)	24	36	50	62	74	83	86	82	72	60	43	30	59	8	2499
MEAN MIN TMP (F)	6	15	29	41	52	62	67	63	54	42	26	13	39	8	2469
ABS MIN TMP (F)	-13	-13	9	16	32	48	52	50	36	25	3	-9	-13	8	2469
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.8	7.2	11.2	6.7	0.0	0.0	0.0	0.0	25.9	8	2499
MEAN NO DYS TMP = DR LES 32(F)	31.0	27.5	22.0	6.7	0.2	0.0	0.0	0.0	0.0	5.9	22.9	30.9	147.1	8	2469
MEAN NO DYS TMP = DR LES 0(F)	7.4	1.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	11.6	8	2469
MEAN DEW PT TMP (F)	4	4	13	21	35	46	57	55	43	30	15	4	27	8	17607
MEAN REL HUM (PCT)	47	44	40	36	40	44	58	60	54	50	49	50	48	8	17355
MEAN PRESS ALT (PT)	2905	3083	3265	3433	3575	3723	3803	3670	3472	3233	3083	2996	3353	8	17661
MEAN PRECIP (IN)	0.34	0.32	0.92	0.90	1.65	1.03	2.41	2.41	1.58	0.40	0.00	0.02	13.0	5	-181
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0					8	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	2.9	2.8	4.1	4.0	6.5	3.6	8.1	6.4	5.4	1.4	0.0	1.1	46.3	5	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0					8	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.5	0.0	0.6	0.1	0.3	0.0	0.9	0.9	0.4	0.4	0.7	0.4	5.2	8	2502
MEAN NO DYS TSTMS	0.0	0.0	0.4	1.9	5.7	8.6	12.3	9.3	5.1	1.6	0.0	0.0	44.9	8	2506
P FREQ WND SPD = DR GTR 17 KTS	0.5	0.9	2.1	3.8	2.1	1.1	0.6	0.3	0.9	0.9	0.6	0.5	1.2	8	17827
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.1	0.2	0.3	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.1	8	17827
P FREQ LES 5000 FT A/D LES 3 MI	10.0	9.7	14.0	19.2	15.9	14.8	20.4	19.7	17.8	9.3	9.6	7.2	14.0	8	16459
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	3.0	1.6	0.5	1.5	1.5	0.5	1.0	0.5	1.4	0.9	0.7	1.7	1.2	8	2489
03-05 LST	1.8	0.0	1.5	1.9	1.1	0.6	0.6	1.9	1.7	1.1	1.2	1.9	1.3	8	2272
06-08 LST	2.8	1.1	3.7	3.1	3.6	1.7	5.7	4.3	2.7	2.9	3.1	2.4	3.1	8	2409
09-11 LST	3.4	1.9	2.0	2.0	2.8	1.2	1.8	1.8	0.8	2.0	3.0	2.9	2.1	8	2263
12-14 LST	2.0	1.6	5.8	4.4	2.5	0.3	0.9	2.1	1.2	0.7	2.1	1.6	2.1	8	2367
15-17 LST	4.2	3.4	8.3	7.8	2.7	1.2	1.3	2.4	1.7	0.7	1.2	2.2	3.1	8	2268
18-20 LST	2.6	2.3	5.1	4.0	2.1	0.6	2.0	1.1	1.3	1.1	0.4	1.1	2.0	8	2382
21-23 LST	2.4	3.6	2.2	1.5	0.4	0.0	0.0	1.2	2.0	0.0	0.5	0.0	1.2	7	1304
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.5	1.1	0.0	0.0	0.0	0.0	0.3	0.3	0.3	0.4	0.3	0.8	0.4	8	2489
03-05 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	1.0	0.9	1.0	0.9	0.5	8	2272
06-08 LST	1.0	0.0	1.5	0.5	1.0	1.7	3.2	1.6	1.0	1.3	1.3	1.3	1.3	8	2409
09-11 LST	1.1	0.0	0.6	0.0	0.0	0.6	1.2	1.6	0.0	0.9	1.8	1.3	0.8	8	2263
12-14 LST	1.5	0.5	2.5	0.5	0.0	0.0	0.0	0.0	0.5	0.4	0.9	0.4	0.6	8	2367
15-17 LST	1.2	0.6	5.9	4.3	1.6	0.6	0.0	0.5	1.5	0.0	0.0	1.3	1.5	8	2268
18-20 LST	0.5	1.1	1.9	2.0	0.5	0.0	0.0	0.0	0.0	0.0	0.4	0.4	0.6	8	2382
21-23 LST	1.2	1.2	0.0	0.8	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.4	7	1304

HO-CHU, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	30.2	27.7	30.2	29.2	30.2	29.5	29.7	30.2	29.4	30.5	29.3	30.5	356.6	8	2409
	13 LST	30.4	27.5	29.5	28.8	30.5	30.0	30.8	30.5	29.9	30.9	29.4	30.6	358.8	8	2367
	19 LST	30.2	27.4	29.5	29.0	30.5	29.8	30.5	31.0	29.9	30.7	29.9	30.7	359.1	8	2382
	01 LST	30.1	27.5	30.8	29.6	30.8	29.8	30.8	30.9	29.9	30.9	29.9	30.6	361.6	8	2489
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	29.1	27.2	28.4	27.8	27.0	27.5	28.0	28.4	27.8	29.2	28.4	29.5	338.3	8	2405
	13 LST	25.4	21.6	20.8	16.3	19.3	20.5	25.6	27.2	23.6	23.7	24.0	25.8	273.8	8	2361
	19 LST	27.9	25.2	23.7	21.6	21.6	22.6	24.3	26.6	26.2	26.9	27.9	29.2	303.7	8	2378
	01 LST	28.4	26.5	28.2	27.7	27.5	27.4	28.1	29.5	27.8	29.4	28.9	29.7	339.1	8	2483
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.0	0.0	0.1	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.4	8	2498
	13 LST	0.0	0.4	1.4	2.0	1.7	0.5	0.5	0.1	0.3	0.7	0.7	0.3	8.6	8	2514
	19 LST	0.3	0.3	1.0	1.3	0.6	0.8	0.0	0.0	0.1	0.0	0.1	0.1	4.6	8	2511
	01 LST	0.2	0.3	0.2	0.1	0.0	0.0	0.0	0.1	0.0	0.1	0.0	0.0	1.0	8	2537
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	0.0	0.5	3.1	8.4	7.7	7.9	6.3	7.5	5.9	6.6	2.6	3.0	56.5	8	2483
	13 LST	0.9	6.5	16.3	15.4	17.6	13.6	14.4	16.8	17.0	19.7	11.8	4.5	154.5	8	2495
	19 LST	0.2	4.3	12.7	15.0	17.1	15.1	14.3	12.4	13.9	14.1	7.2	1.4	127.7	8	2497
	01 LST	0.0	1.1	7.4	9.9	12.8	11.4	9.8	10.1	10.0	8.3	4.1	0.1	85.0	8	2525
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	22.5	17.2	13.9	15.3	13.7	14.9	13.0	14.1	15.8	18.5	17.1	21.7	197.7	8	2502
	13 LST	18.9	15.7	12.6	12.0	12.6	12.0	10.1	12.6	13.6	19.3	16.5	18.4	174.3	8	2515
	19 LST	24.3	20.2	15.6	14.5	10.8	10.2	10.7	11.2	16.3	20.6	22.2	23.6	200.2	8	2506
	01 LST	24.4	18.6	19.7	18.2	19.3	18.1	16.5	18.0	18.3	21.5	21.4	24.0	238.0	8	2543
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	30.0	27.6	29.2	28.3	28.9	29.0	27.6	27.6	27.9	29.4	28.4	29.9	343.8	8	2409
	13 LST	30.1	27.0	28.1	27.6	28.9	28.0	28.2	28.1	27.6	29.8	28.6	30.0	342.0	8	2367
	19 LST	30.1	27.3	28.9	28.1	29.1	28.6	28.2	28.4	28.5	30.0	29.6	30.4	347.2	8	2382
	01 LST	30.0	27.4	30.4	28.7	29.5	29.4	29.1	29.8	28.4	30.2	29.5	30.2	352.6	8	2489
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	29.6	26.4	26.0	25.8	26.8	27.3	23.8	24.1	24.6	27.0	26.0	29.2	316.6	8	2409
	13 LST	29.3	25.0	25.7	25.0	26.1	24.5	23.7	24.3	23.7	28.0	26.8	28.2	310.3	8	2367
	19 LST	29.4	26.4	26.8	25.1	25.2	24.6	23.5	24.3	25.3	28.5	27.7	29.6	316.4	8	2382
	01 LST	29.3	26.3	27.6	26.0	27.2	27.3	25.0	25.9	25.6	28.6	28.1	29.7	326.6	8	2489
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	29.6	26.3	25.9	25.6	26.5	27.3	23.6	23.9	24.6	26.9	25.9	29.2	315.3	8	2409
	13 LST	29.3	25.0	25.6	24.9	26.1	24.5	23.7	24.3	23.6	27.8	26.8	28.1	309.7	9	2367
	19 LST	29.4	26.3	26.8	24.5	25.0	24.2	23.1	24.1	25.0	28.4	27.7	29.6	314.1	8	2382
	01 LST	29.3	26.3	27.6	25.8	27.2	27.3	25.0	25.9	25.6	28.6	28.1	29.7	326.4	8	2489

WUTAISHAN, CHINA

STA NO. 53508 (IN AREA NUMBER 04)

LATITUDE 3901N

LONGITUDE 11331E

ELEVATION(FT) 03199

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	23	36	43	59	61	68	64	64	57	52	41	34	68	8	2302
MEAN MAX TMP (F)	4	11	21	33	43	52	56	53	45	33	20	10	32	8	2302
MEAN MIN TMP (F)	-10	-2	8	19	30	39	46	43	33	21	7	-2	19	8	2406
ABS MIN TMP (F)	-49	-29	-26	-13	5	21	34	32	7	0	-20	-33	-49	8	2406
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2302
MEAN NO DYS TMP = DR LES 32(F)	31.0	28.0	30.8	27.8	18.8	3.9	0.0	0.3	11.4	29.6	30.0	31.0	242.6	8	2406
MEAN NO DYS TMP = DR LES 0(F)	25.0	16.5	6.0	0.9	0.0	0.0	0.0	0.0	0.0	0.3	7.7	18.5	74.9	8	2406
MEAN DEW PT TMP (F)	15	7	1	10	20	34	45	41	28	13	0	11	19	8	14756
MEAN REL HUM (PCT)	62	68	63	57	58	70	84	82	71	62	63	58	67	8	14920
MEAN PRESS ALT (FT)	5999	5912	5953	5956	5890	5877	5869	5813	5794	5805	5929	5899	5858	8	10659
MEAN PRECIP (IN)	0.03	0.12	0.07	0.35	0.45	1.42	5.83	3.77	3.02	1.01	0.09	0.32	16.5	5	-181
MEAN SNOW FALL (IN)							0.0	0.0						8	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	1.2	1.7	0.7	1.9	2.3	4.4	11.5	8.7	9.9	3.4	0.5	2.8	49.0	5	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN							0.0	0.0						8	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	10.5	12.9	13.3	10.9	9.6	13.0	20.9	18.7	14.2	10.4	11.2	11.8	157.4	8	2149
MEAN NO DYS TSMS	0.0	0.2	0.3	0.4	3.9	11.5	10.3	6.3	4.4	0.9	0.0	0.0	38.2	8	2140
P FREQ WND SPD = DR GTR 17 KTS	71.1	63.1	55.0	42.2	34.2	23.9	18.3	17.1	30.5	39.6	62.9	71.8	44.1	8	14957
P FREQ WND SPD = DR GTR 28 KTS	39.6	25.4	18.1	15.1	9.3	3.9	2.0	2.1	7.3	9.6	20.4	32.5	15.4	8	14957
P FREQ LES 5000 FT A/D LES 3 MI	23.9	32.1	31.3	29.8	25.9	33.9	50.6	44.3	34.4	21.6	25.4	20.0	31.1	8	16034
P FREQ LES 1500 FT A/D LES 3 MI															
FDR 00-02 LST	21.7	25.7	23.8	21.8	12.5	16.6	38.9	34.9	28.0	18.1	24.6	21.2	24.0	8	2326
03-05 LST	22.2	28.3	23.8	19.2	13.2	20.6	39.5	32.0	26.1	21.3	25.0	20.0	24.3	8	2055
06-08 LST	20.2	23.1	23.0	21.4	15.1	17.5	32.1	29.7	27.1	18.5	21.0	18.2	22.2	8	2444
09-11 LST	14.7	20.0	24.9	17.6	13.4	18.8	41.4	32.7	24.8	17.2	19.4	13.9	21.6	8	2211
12-14 LST	17.7	24.9	24.1	22.5	22.6	30.8	50.7	45.5	33.8	18.3	20.3	13.7	27.1	8	2414
15-17 LST	23.5	31.8	24.7	22.6	22.5	29.5	47.6	48.3	36.6	20.3	22.9	19.3	29.1	8	2277
18-20 LST	19.1	26.1	30.2	23.6	21.5	25.8	47.8	40.8	30.7	14.5	22.1	20.4	26.9	8	2241
21-23 LST	26.8	29.4	26.0	22.3	14.8	24.4	35.1	35.0	35.5	20.4	15.3	20.3	25.4	6	1280
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	19.8	20.5	20.9	18.4	12.2	14.0	37.6	32.3	27.8	18.1	22.9	19.2	22.0	8	2326
03-05 LST	20.4	26.5	22.5	15.6	12.6	17.4	36.6	30.9	23.9	20.8	24.0	17.9	22.4	8	2055
06-08 LST	15.5	21.8	21.0	17.2	13.2	14.6	29.2	26.9	24.3	17.8	18.9	14.2	19.6	8	2444
09-11 LST	14.1	17.3	22.9	14.9	8.9	10.8	28.3	23.4	18.9	15.1	17.3	11.7	17.0	8	2211
12-14 LST	13.2	20.0	20.6	14.4	14.1	13.2	29.4	27.8	18.6	11.1	15.8	11.4	17.5	8	2414
15-17 LST	20.2	24.8	19.6	16.3	14.9	14.0	29.4	31.3	24.6	13.9	20.4	16.5	20.5	8	2277
18-20 LST	17.0	22.4	25.5	20.2	15.3	20.5	39.5	32.8	28.7	12.8	21.6	17.7	22.8	8	2241
21-23 LST	24.4	23.5	24.4	17.2	13.1	21.4	33.1	33.3	35.0	20.4	14.1	17.8	23.1	6	1280

WUTAISHAN, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST	24.9	21.6	23.9	23.9	26.4	23.3	21.6	22.1	22.0	23.3	23.8	25.7	286.5	8	2444
	14 LST	25.8	21.4	23.9	24.5	25.7	23.5	18.8	19.4	21.4	26.2	24.1	26.9	281.6	8	2414
	20 LST	25.2	20.9	21.6	23.1	24.9	23.0	16.8	19.3	21.4	26.7	23.5	24.7	271.1	8	2241
	02 LST	24.4	20.8	23.9	23.5	27.2	23.3	19.0	20.5	21.7	25.4	22.7	24.5	278.9	8	2326
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	08 LST	2.2	1.9	4.0	6.9	8.7	8.6	9.9	8.7	8.5	8.5	2.3	3.6	73.8	8	2439
	14 LST	2.6	3.8	5.0	5.3	6.5	8.1	6.4	7.9	7.8	7.6	2.4	3.2	66.6	8	2410
	20 LST	1.1	2.2	4.2	6.6	10.5	10.9	7.7	9.8	8.0	7.3	1.9	2.5	72.7	8	2235
	02 LST	2.2	1.6	4.6	3.9	9.1	9.8	9.8	10.0	7.2	7.3	1.5	2.4	69.4	8	2324
SFC WND = GTR 17 KTS AND NO PRECIP.	08 LST	22.2	17.3	17.2	10.9	9.4	7.7	6.5	4.7	8.3	12.6	18.4	19.9	155.1	8	2470
	14 LST	20.5	14.4	14.1	9.5	7.8	4.9	2.8	2.3	6.8	10.6	17.7	20.9	132.3	8	2446
	20 LST	20.9	16.0	14.1	10.1	6.8	4.4	3.8	2.8	6.5	12.1	18.8	20.5	136.8	8	2257
	02 LST	20.0	16.5	15.3	13.5	8.5	7.3	4.5	3.6	8.7	11.7	18.4	20.5	148.5	8	2344
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	08 LST	0.0	0.0	0.3	1.7	5.3	7.3	8.4	8.9	6.9	1.5	0.1	0.0	40.4	8	2455
	14 LST	0.0	0.0	0.8	3.0	6.3	9.3	8.7	11.6	8.7	5.3	0.3	0.0	54.0	8	2434
	20 LST	0.0	0.0	0.0	2.0	7.3	9.1	7.8	13.0	7.1	1.0	0.0	0.0	47.3	8	2251
	02 LST	0.0	0.0	0.0	0.7	5.4	7.7	9.7	8.4	5.6	0.4	0.0	0.0	37.9	8	2324
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST	19.0	15.2	14.8	14.0	13.4	13.1	12.2	12.4	15.3	17.2	16.2	19.3	182.1	8	2477
	14 LST	16.5	12.2	12.0	10.0	8.9	6.0	4.2	4.9	10.0	16.0	16.2	16.9	133.8	8	2454
	20 LST	19.7	14.8	13.4	11.0	10.6	9.9	6.7	9.1	14.0	20.4	17.3	20.3	167.2	8	2269
	02 LST	19.9	15.4	17.6	16.5	17.2	13.1	12.2	14.2	15.9	19.0	18.4	19.2	200.6	8	2350
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	08 LST	24.6	21.4	23.8	23.2	26.0	24.3	20.3	21.4	21.6	25.2	23.5	25.1	280.4	8	2444
	14 LST	25.3	20.5	22.9	22.1	21.6	17.2	11.2	13.9	18.0	24.3	23.6	26.6	247.2	8	2414
	20 LST	24.9	20.5	21.6	22.5	23.4	20.8	15.2	17.1	20.2	26.1	23.1	24.6	260.0	8	2241
	02 LST	24.2	20.7	23.3	23.3	26.9	24.6	18.7	19.7	21.4	25.4	22.5	24.4	275.1	8	2326
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	08 LST	24.4	21.0	23.7	22.8	25.6	23.8	19.4	21.0	21.2	25.1	23.1	25.1	276.2	8	2444
	14 LST	24.8	20.0	22.3	21.4	20.3	15.6	9.8	12.8	17.3	24.0	23.4	26.2	237.9	8	2414
	20 LST	24.8	20.4	21.3	21.4	22.6	19.3	14.5	16.3	20.0	25.6	22.8	24.5	253.5	8	2241
	02 LST	24.2	20.5	23.2	23.1	26.2	24.1	18.0	19.2	21.0	25.2	22.4	24.4	271.5	8	2326
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST	24.3	21.0	23.7	22.7	25.1	23.8	19.2	20.8	21.2	25.1	23.1	25.1	275.1	8	2444
	14 LST	24.8	20.0	22.3	21.2	20.3	15.6	9.8	12.8	17.3	24.0	23.3	26.1	237.5	8	2414
	20 LST	24.8	20.4	21.3	20.9	22.1	19.3	14.4	16.1	19.8	25.5	22.8	24.4	251.8	8	2241
	02 LST	24.2	20.5	23.2	23.0	25.9	24.1	17.9	19.2	21.0	25.2	22.4	24.4	271.0	8	2326

YU-HSIEN, CHINA

STA NO. 53593 (IN AREA NUMBER 04)

LATITUDE 3956N

LONGITUDE 11442E

ELEVATION(FT) 02887

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	41	66	73	86	93	99	97	97	88	82	63	48	99	8	2482
MEAN MAX TMP (F)	22	34	49	63	75	82	84	81	73	60	43	29	58	8	2482
MEAN MIN TMP (F)	-4	6	22	33	45	56	63	59	47	34	18	3	32	8	2477
ABS MIN TMP (F)	-22	-26	0	9	28	36	50	45	28	16	-13	-22	-26	8	2477
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	2.0	6.4	6.6	3.6	0.0	0.0	0.0	0.0	18.6	8	2482
MEAN NO DYS TMP = OR LES 32(F)	31.0	28.0	27.2	14.2	2.1	0.0	0.0	0.0	0.9	14.4	28.0	31.0	176.8	8	2477
MEAN NO DYS TMP = OR LFS 0(F)	20.6	8.8	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	11.8	42.8	8	2477
MEAN DEW PT TMP (F)	5	4	14	22	35	49	61	58	45	30	15	3	28	8	17836
MEAN REL HUM (PCT)	56	54	48	42	44	55	68	69	63	58	59	59	56	8	17654
MEAN PRESS ALT (FT)	2288	2437	2617	2797	2942	3073	3151	3021	2833	2591	2445	2374	2714	8	17953
MEAN PRECIP (IN)	0.00	0.10	0.30	0.70	1.10	1.90	5.60	2.70	1.60	0.70	0.20	0.10	15.0	11	-180
MEAN SNOW FALL (IN)						0.0	0.0	0.0						8	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	0.0	1.6	1.7	3.3	4.7	5.4	11.2	6.9	5.4	2.3	0.8	1.6	44.9	11	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN						0.0	0.0	0.0						8	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	1.1	0.3	0.1	0.2	0.0	0.2	0.0	0.7	0.4	0.1	0.3	0.3	3.7	8	2449
MEAN NO DYS TSTMS	0.0	0.0	0.3	1.4	3.6	12.1	12.1	8.4	6.0	1.5	0.1	0.0	45.5	8	2450
P FREQ WND SPD = OR GTR 17 KTS	1.0	0.6	1.2	2.5	1.6	0.5	0.2	0.1	0.2	0.1	0.2	0.5	0.7	8	18090
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.1	0.0	0.0	8	18090
P FREQ LES 5000 FT A/D LES 5 MI	6.4	3.2	5.3	5.5	2.7	4.6	7.2	8.1	7.1	3.4	2.7	2.9	4.9	8	17504
P FREQ LES 1500 FT A/D LES 3 MI														8	2457
FOR 00-02 LST	3.8	1.6	1.0	2.4	0.0	0.5	0.5	0.5	0.2	0.0	0.0	0.4	0.9	8	2457
03-05 LST	5.2	0.6	1.5	1.6	0.0	0.6	0.6	2.6	0.5	0.0	0.5	0.9	1.2	8	2252
06-08 LST	5.9	0.0	1.4	2.0	0.0	1.1	0.9	3.9	0.5	0.4	1.1	0.8	1.5	8	2482
09-11 LST	6.4	0.6	2.8	1.1	0.0	0.3	0.0	0.8	0.2	0.0	0.5	0.9	1.1	8	2319
12-14 LST	3.0	0.5	1.4	0.5	0.5	0.6	0.3	0.8	0.5	0.0	0.5	0.0	0.7	8	2444
15-17 LST	1.8	0.0	0.0	2.2	0.0	0.0	0.0	0.3	0.3	0.0	0.7	0.0	0.4	8	2218
18-20 LST	2.1	0.0	1.0	2.5	0.0	0.0	1.2	0.3	0.7	0.0	0.4	1.3	0.8	8	2407
21-23 LST	0.7	0.7	0.5	0.6	0.0	0.0	0.6	0.0	0.0	0.0	0.5	0.0	0.3	7	2100
P FREQ LES 300 FT A/D LES 1 MI														8	2457
FOR 00-02 LST	1.5	1.1	0.5	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	8	2457
03-05 LST	2.6	0.0	0.5	0.5	0.0	0.6	0.6	2.1	0.5	0.0	0.5	0.0	0.7	8	2252
06-08 LST	3.9	0.0	1.0	1.0	0.0	0.5	0.0	2.9	0.5	0.4	0.9	0.8	1.0	8	2482
09-11 LST	1.2	0.0	1.0	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.4	8	2319
12-14 LST	0.5	0.0	1.0	0.5	0.5	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.3	8	2444
15-17 LST	0.0	0.0	0.0	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	8	2218
18-20 LST	0.5	0.0	1.0	1.5	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.3	8	2407
21-23 LST	0.0	0.0	0.5	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.1	7	2100

YU-HSIEN, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST	29.2	28.0	30.6	29.4	31.0	29.7	31.0	29.8	29.9	30.9	29.7	30.7	359.9	8	2492
	14 LST	30.1	27.8	30.6	29.9	30.8	29.8	31.0	30.8	30.0	31.0	29.9	31.0	362.7	8	2444
	20 LST	30.3	28.0	30.7	29.3	31.0	30.0	30.8	31.0	29.9	31.0	29.9	30.6	362.5	8	2407
	02 LST	29.9	27.5	30.7	29.3	31.0	29.8	30.8	30.8	30.0	31.0	30.0	30.9	361.7	8	2457
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	08 LST	28.3	27.7	29.5	26.7	29.3	28.6	30.1	29.8	29.7	29.7	28.8	30.3	348.5	8	2480
	14 LST	24.1	20.9	22.6	18.6	19.3	23.1	27.0	28.3	25.3	25.2	25.5	27.5	287.4	8	2436
	20 LST	27.2	24.7	25.8	20.0	22.1	23.3	26.9	28.4	27.8	28.6	27.6	29.1	311.5	8	2402
	02 LST	27.5	26.9	29.0	27.4	29.8	28.4	30.5	30.8	29.6	30.2	29.0	29.9	349.0	8	2455
SFC WND = GTR 17 KTS AND NO PRECIP.	08 LST	0.2	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	8	2528
	14 LST	0.5	0.4	1.0	1.8	1.4	0.2	0.0	0.1	0.1	0.0	0.1	0.1	5.7	8	2505
	20 LST	0.0	0.2	0.2	0.9	0.2	0.0	0.2	0.1	0.0	0.0	0.1	0.3	2.2	8	2502
	02 LST	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.5	8	2503
SFC WND 4-10 KTS AND THP 33-89 DEG F AND NO PRECIP.	08 LST	0.0	0.3	2.2	5.0	7.8	7.1	4.9	3.3	3.2	3.3	0.5	0.0	37.6	8	2512
	14 LST	0.8	5.6	14.7	14.2	14.9	14.8	12.5	14.2	13.7	14.5	7.7	3.1	132.7	8	2486
	20 LST	0.2	1.9	10.7	17.3	15.7	13.9	13.8	13.7	16.6	14.8	6.9	0.1	125.6	8	2494
	02 LST	0.0	0.5	4.7	10.8	12.4	10.3	9.4	9.2	8.6	6.3	1.4	0.3	73.9	8	2493
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST	19.1	16.8	16.1	15.5	14.3	13.2	11.3	13.9	15.6	19.2	17.4	20.7	193.1	8	2523
	14 LST	15.9	15.4	12.3	11.5	10.5	7.6	8.1	9.8	12.6	18.7	17.3	18.7	158.4	8	2507
	20 LST	21.1	18.4	17.4	13.2	11.4	8.1	8.6	11.4	15.1	21.8	20.2	22.2	188.9	8	2505
	02 LST	22.1	18.9	18.4	16.8	18.2	16.6	14.5	16.7	17.6	21.2	21.4	23.9	226.3	8	2504
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	08 LST	29.1	28.0	30.6	29.3	31.0	29.6	30.1	29.6	29.7	30.8	29.6	30.7	358.1	8	2482
	14 LST	30.1	27.8	30.6	29.8	30.8	29.7	30.7	30.5	29.5	30.9	29.8	30.9	361.1	8	2444
	20 LST	30.3	28.0	30.7	29.2	30.9	29.9	30.4	30.6	29.7	30.8	29.8	30.6	360.9	8	2407
	02 LST	29.7	27.5	30.6	29.3	31.0	29.8	30.8	30.8	29.8	31.0	30.0	30.9	361.2	8	2457
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	08 LST	26.6	25.3	26.7	25.6	26.4	23.8	20.9	21.4	23.7	27.5	26.7	28.8	303.4	8	2492
	14 LST	25.9	23.5	25.3	24.0	24.1	19.0	18.4	21.1	22.4	28.4	26.4	28.5	287.0	8	2444
	20 LST	27.9	25.6	26.3	24.2	24.0	17.4	18.7	19.5	21.6	26.9	27.3	28.9	288.3	8	2407
	02 LST	27.4	26.0	27.4	25.9	26.3	24.2	23.1	24.9	23.4	28.5	27.6	29.5	314.2	8	2457
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST	26.6	25.3	26.1	25.5	26.3	23.1	20.4	21.2	23.1	27.0	26.7	28.5	299.8	8	2482
	14 LST	25.8	23.5	25.0	23.1	23.4	18.3	18.0	20.6	22.1	28.2	26.1	28.1	282.2	8	2444
	20 LST	27.7	25.0	26.1	23.6	23.7	17.1	17.6	19.2	21.6	26.7	27.2	28.6	284.1	8	2407
	02 LST	27.4	25.9	27.3	25.8	25.8	23.9	22.8	24.8	23.2	28.0	27.4	29.3	311.6	8	2457

YU-LIN, CHINA

STA NO. 53646 (IN AREA NUMBER 04) LATITUDE 3815N LONGITUDE 10925E ELEVATION(FT) 03556

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	48	63	75	86	91	99	100	95	86	81	63	48	100	8	2453
MEAN MAX TMP (F)	28	39	52	64	74	83	86	82	73	61	45	32	60	8	2453
MEAN MIN TMP (F)	2	11	27	37	48	56	63	60	49	37	22	8	35	8	2424
ABS MIN TMP (F)	-13	-13	1	14	27	41	54	46	28	18	-6	-18	-18	8	2424
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	1.3	6.9	10.5	6.1	0.0	0.0	0.0	0.0	24.8	8	2453
MEAN NO DYS TMP = DR LES 32(F)	31.0	27.8	24.3	9.7	0.3	0.0	0.0	0.0	0.4	10.7	26.0	31.0	161.2	8	2424
MEAN NO DYS TMP = DR LES 0(F)	15.1	4.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	5.9	26.0	8	2424
MEAN DEW PT TMP (F)	2	5	16	25	37	47	60	58	46	33	18	6	29	8	16352
MEAN REL HUM (PCT)	54	50	47	44	47	49	64	67	63	62	61	64	56	8	16018
MEAN PRESS ALT (FT)	2961	3129	3326	3489	3638	3783	3867	3729	3516	3265	3114	3007	3402	8	16361
MEAN PRECIP (IN)	0.10	0.13	0.32	0.62	0.80	1.61	3.97	4.44	2.71	0.77	0.92	0.08	16.1	15	-181
MEAN SNOW FALL (IN)						0.0	0.0	0.0						8	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	1.6	1.8	1.8	3.0	3.7	4.8	9.0	9.7	9.1	2.6	1.8	1.5	50.4	15	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN						0.0	0.0	0.0						8	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	1.2	1.1	1.6	2.1	0.4	0.5	0.3	0.6	0.6	1.1	0.5	1.5	11.5	8	2364
MEAN NO DYS TSTMS	0.0	0.0	0.3	1.5	2.5	4.8	10.8	6.3	2.8	1.1	0.0	0.0	30.1	8	2378
P FREQ WND SPD = DR GTR 17 KTS	1.1	1.9	2.1	4.0	2.0	1.0	0.5	0.4	0.5	0.5	0.4	1.0	1.3	8	16600
P FREQ WND SPD = DR GTR 28 KTS	0.1	0.0	0.0	0.6	0.0	0.2	0.0	0.1	0.0	0.0	0.0	0.1	0.1	8	16600
P FREQ LES 5000 FT A/D LES 3 MI	5.9	10.0	13.1	18.4	14.0	14.5	18.7	21.2	17.0	9.9	8.9	6.3	13.2	8	16675
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	1.3	1.1	3.4	2.0	0.5	0.8	0.0	0.3	1.2	1.1	1.2	3.1	1.3	8	2452
03-05 LST	1.8	1.3	2.2	4.0	0.0	2.2	2.1	1.8	4.2	2.9	1.2	2.5	2.2	8	1975
06-08 LST	2.5	3.4	1.2	4.6	1.7	2.3	3.0	2.5	3.4	4.2	1.8	4.0	2.9	8	2430
09-11 LST	2.4	3.1	1.6	6.6	0.3	0.6	1.3	2.0	2.4	1.5	2.4	2.3	2.2	8	2067
12-14 LST	6.3	3.2	6.1	8.3	1.3	1.4	0.3	1.7	1.6	1.5	1.1	1.3	2.8	8	2463
15-17 LST	1.7	5.7	6.8	5.6	3.6	2.5	1.2	0.6	2.9	0.3	2.2	1.9	2.9	8	2172
18-20 LST	2.0	4.4	4.4	5.2	3.2	1.9	1.0	1.7	1.6	0.7	0.9	2.7	2.5	8	2470
21-23 LST	1.4	2.4	2.2	2.4	1.4	0.8	0.0	0.0	1.3	0.9	0.6	1.2	1.2	6	1750
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.5	0.6	1.5	1.0	0.5	0.0	0.0	0.0	0.0	0.4	0.5	2.2	0.6	8	2452
03-05 LST	1.8	0.6	0.0	1.3	0.0	1.5	1.4	1.2	2.4	1.1	0.0	2.0	1.2	8	1975
06-08 LST	1.5	1.6	0.0	1.6	1.1	0.0	0.5	1.5	1.9	3.5	0.9	3.5	1.5	8	2430
09-11 LST	1.8	1.3	0.5	1.3	0.0	0.0	1.3	0.6	0.6	0.0	1.0	0.9	0.8	8	2067
12-14 LST	2.0	0.5	4.0	4.8	0.5	0.0	0.0	0.0	0.0	0.0	0.0	1.3	1.1	8	2463
15-17 LST	1.2	2.8	1.6	2.3	3.0	0.6	0.0	0.0	0.0	0.0	0.0	1.4	1.1	8	2172
18-20 LST	1.5	2.7	1.5	4.7	2.0	0.5	0.0	1.0	0.5	0.4	0.4	2.2	1.5	8	2470
21-23 LST	0.7	0.8	1.4	1.6	0.7	0.0	0.0	0.0	0.0	0.6	0.6	1.2	0.6	6	1750

YU-LIN, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	30.2	27.1	30.7	28.7	30.5	29.7	30.5	30.4	29.4	29.8	29.6	29.8	356.4	8	2430
	13 LST	29.1	27.1	29.4	27.6	30.7	29.7	31.0	30.7	30.0	30.7	29.7	30.6	356.3	8	2463
	19 LST	30.4	26.8	29.6	28.4	30.1	29.5	30.7	30.5	29.9	30.9	29.7	30.2	356.7	8	2470
	01 LST	30.7	27.7	29.9	29.4	30.8	29.8	31.0	31.0	29.9	30.7	29.7	30.0	360.6	8	2452
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	29.6	25.9	28.9	25.0	26.4	26.0	26.5	27.4	26.6	27.4	28.2	29.5	327.4	8	2426
	13 LST	22.4	18.9	17.5	13.9	17.9	20.1	23.3	24.6	20.5	23.3	21.5	26.3	250.2	8	2453
	19 LST	27.7	24.5	24.5	21.7	24.7	25.2	25.0	26.1	27.0	28.3	27.8	28.9	311.4	8	2468
	01 LST	28.9	26.1	27.5	25.8	28.6	28.1	28.9	28.9	27.8	29.1	27.9	28.8	336.4	8	2448
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.0	0.0	0.0	0.2	0.0	0.3	0.0	0.0	0.0	0.0	0.1	0.0	0.6	8	2451
	13 LST	1.1	1.2	2.1	2.7	1.6	1.0	0.0	0.6	0.4	0.1	0.1	0.4	11.3	8	2478
	19 LST	0.3	0.3	0.4	0.9	0.6	0.0	0.2	0.0	0.1	0.1	0.0	0.3	3.2	8	2492
	01 LST	0.0	0.2	0.2	0.3	0.3	0.0	0.2	0.0	0.1	0.0	0.0	0.0	1.3	8	2471
SFC WND 4-10 KTS AND THP 33-89 DEG F AND NO PRECIP.	07 LST	0.0	0.1	3.5	9.0	13.3	10.3	11.3	11.9	8.8	6.9	2.2	0.0	77.3	8	2433
	13 LST	1.7	9.8	15.8	13.9	17.7	14.4	16.0	19.2	18.5	21.7	13.9	6.5	169.1	8	2463
	19 LST	0.2	2.6	15.7	16.3	20.6	18.9	19.1	17.9	14.3	11.6	6.2	0.7	144.1	8	2472
	01 LST	0.0	0.2	6.6	8.6	10.9	7.7	9.5	9.5	6.0	5.0	2.3	0.0	66.3	8	2454
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	22.5	16.9	13.6	12.9	13.2	13.6	14.8	14.0	14.5	17.7	17.3	22.0	193.0	8	2450
	13 LST	19.8	15.7	12.4	11.6	12.2	12.1	9.1	11.7	13.8	17.7	17.6	20.0	173.7	8	2489
	19 LST	24.3	19.1	14.8	13.6	11.8	10.5	11.2	12.6	15.7	19.9	20.0	22.7	196.2	8	2489
	01 LST	22.9	19.8	18.7	16.8	17.6	17.7	15.7	16.9	18.1	20.4	20.3	22.1	227.0	8	2470
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	30.2	26.9	30.0	28.1	29.8	28.5	28.7	29.0	27.8	29.3	29.2	29.8	347.3	8	2430
	13 LST	28.9	26.7	28.3	26.5	29.8	28.1	29.3	28.6	27.6	29.8	29.1	30.6	343.3	8	2463
	19 LST	30.4	26.6	29.3	27.8	29.3	28.7	29.9	29.2	28.3	30.6	29.6	30.2	349.9	8	2470
	01 LST	30.5	27.5	29.8	29.1	30.4	29.4	29.4	30.1	29.1	30.4	29.5	30.0	355.7	8	2452
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	29.9	25.9	27.9	25.3	26.8	26.5	24.6	22.6	25.0	27.4	27.5	29.1	318.5	8	2430
	13 LST	28.7	25.3	26.5	23.9	26.3	24.4	22.9	22.9	23.7	26.4	27.2	29.7	307.9	8	2463
	19 LST	30.4	25.5	27.7	24.5	25.9	25.2	24.5	23.7	24.8	28.7	27.8	29.8	318.5	8	2470
	01 LST	30.4	26.9	28.6	27.3	27.3	26.7	25.4	25.9	27.0	28.9	27.8	29.1	331.3	8	2452
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	29.9	25.8	27.6	25.2	26.3	26.4	24.1	22.6	24.9	27.0	27.5	29.1	316.4	8	2430
	13 LST	28.5	25.1	26.5	23.5	26.3	24.3	22.6	22.9	23.7	26.4	27.1	29.7	306.6	8	2463
	19 LST	30.2	25.4	27.5	24.5	25.8	25.2	24.2	23.7	24.8	28.6	27.4	29.8	317.1	8	2470
	01 LST	30.4	26.7	28.3	27.0	27.2	26.5	24.8	25.3	26.7	28.6	27.8	29.1	328.4	8	2452

YEN-CHIH, CHINA

STA NO. 53723 (IN AREA NUMBER 04)

LATITUDE 3753N

LONGITUDE 10727E

ELEVATION(FT) 04200

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	48	63	75	84	90	95	97	95	88	81	68	64	97	8	2429
MEAN MAX TMP (F)	30	40	52	63	73	82	85	81	73	61	45	35	60	8	2429
MEAN MIN TMP (F)	2	9	23	35	46	54	60	57	46	33	19	7	33	8	2454
ABS MIN TMP (F)	-22	-17	-6	9	27	36	46	34	21	14	0	-17	-22	8	2454
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.2	3.0	8.6	5.1	0.0	0.0	0.0	0.0	16.9	8	2429
MEAN NO DYS TMP = DR LES 32(F)	30.8	28.0	26.3	13.2	1.5	0.0	0.0	0.0	1.6	15.7	28.8	31.0	176.9	8	2454
MEAN NO DYS TMP = DR LES 0(F)	14.0	5.5	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	8.1	28.5	8	2454
MEAN DEW PT TMP (F)	4	1	11	20	32	42	55	54	43	30	15	5	26	8	17137
MEAN REL HUM (PCT)	45	42	40	40	43	43	58	65	61	58	55	55	50	8	16825
MEAN PRESS ALT (FT)	3607	3771	3979	4130	4280	4436	4534	4388	4170	3926	3765	3677	4055	8	17184
MEAN PRECIP (IN)														0	0
MEAN SNOW FALL (IN)						0.0	0.0	0.0						8	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN														0	0
MEAN NO DYS SNFL = DR GTR 1.5 IN						0.0	0.0	0.0						8	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	1.2	1.9	2.0	2.6	1.0	0.3	0.3	0.4	0.4	0.3	0.3	0.6	11.3	8	2421
MEAN NO DYS TSTMS	0.0	0.2	0.0	1.2	1.9	3.9	6.9	5.5	2.8	0.7	0.3	0.0	23.4	8	2422
P FREQ WND SPD = DR GTR 17 KTS	8.3	4.6	6.4	5.4	4.9	1.7	1.2	0.7	0.5	1.9	4.3	5.7	3.8	8	17432
P FREQ WND SPD = DR GTR 28 KTS	0.6	0.2	0.4	0.4	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	8	17432
P FREQ LES 5000 FT A/D LES 5 MI	11.4	10.1	18.0	21.3	18.1	13.4	14.4	14.6	11.1	8.0	6.6	6.5	12.8	8	17762
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	4.0	2.3	2.9	3.2	1.3	2.1	0.5	0.5	0.5	0.9	2.7	1.7	1.9	8	2453
03-05 LST	3.1	3.0	2.2	6.6	0.6	0.6	0.0	1.8	1.1	0.5	3.3	0.5	1.9	8	2231
06-08 LST	3.5	2.2	7.1	9.6	6.1	2.0	2.7	3.0	3.5	1.6	2.2	2.2	3.8	8	2417
09-11 LST	7.7	9.5	16.8	19.8	6.3	1.2	1.2	0.5	2.1	0.3	2.8	4.6	6.1	8	2287
12-14 LST	12.3	12.2	14.2	15.7	4.9	1.0	0.0	0.7	1.8	1.5	3.6	7.3	6.3	8	2488
15-17 LST	10.2	10.8	11.6	12.8	3.5	4.1	0.5	0.5	1.9	0.7	1.8	4.6	5.3	8	2332
18-20 LST	1.9	4.8	4.0	5.6	3.4	1.6	1.0	0.3	1.1	1.3	2.2	1.8	2.4	8	2497
21-23 LST	3.4	1.6	4.2	6.1	1.8	0.0	0.0	0.6	1.9	1.8	2.4	1.8	2.1	6	1803
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	1.0	0.6	0.5	2.1	0.0	1.0	0.0	0.0	0.0	0.0	0.3	1.3	0.6	8	453
03-05 LST	1.0	1.8	0.0	2.2	0.0	0.6	0.0	1.0	0.0	0.0	1.4	0.0	0.7	8	231
06-08 LST	1.5	0.6	1.0	5.9	1.7	0.6	1.1	1.0	0.9	0.9	0.9	0.4	1.4	8	2417
09-11 LST	2.6	3.9	6.4	11.3	2.6	0.0	0.0	0.0	0.0	0.0	0.9	0.5	2.4	8	2287
12-14 LST	6.9	7.7	6.9	7.6	1.5	0.0	0.0	0.0	0.4	0.4	1.8	3.9	3.1	8	2488
15-17 LST	4.1	5.6	5.6	5.6	2.1	0.0	0.0	0.0	0.5	0.0	1.4	2.3	2.3	8	2332
18-20 LST	0.5	2.1	1.5	2.0	0.0	0.5	0.5	0.0	0.0	0.4	0.9	0.4	0.7	8	2497
21-23 LST	1.4	0.0	0.7	3.8	0.7	0.0	0.0	0.6	0.6	0.0	0.6	0.0	0.7	6	1803

YEN-CHIH, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	29.9	27.4	28.8	27.1	29.3	29.5	30.2	30.2	29.3	30.6	29.3	30.3	351.9	8	2417
	13 LST	27.2	24.6	26.6	25.3	29.6	29.7	31.0	30.9	29.7	30.6	28.9	28.7	342.8	8	2488
	19 LST	30.4	26.7	29.8	28.3	29.9	29.5	30.7	31.0	29.9	30.6	29.3	30.4	356.5	8	2497
	01 LST	29.8	27.4	30.1	29.0	30.7	29.4	30.8	30.9	30.0	30.7	29.2	30.5	358.5	8	2453
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	23.7	23.3	23.1	21.2	19.8	23.8	24.3	26.6	25.6	27.9	24.8	25.6	289.7	8	2411
	13 LST	18.5	15.3	16.6	13.1	15.3	18.3	19.7	22.9	22.0	21.2	16.4	18.4	217.7	8	2481
	19 LST	23.9	23.7	22.9	21.7	20.2	22.3	24.3	26.6	26.2	25.9	24.7	25.2	287.6	8	2490
	01 LST	23.9	23.3	24.0	24.6	22.9	25.0	27.1	27.4	26.4	26.7	24.0	25.5	300.8	8	2448
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	1.9	1.1	1.0	0.8	1.5	0.5	0.3	0.2	0.0	0.3	0.8	1.6	10.0	8	2433
	13 LST	4.3	3.1	4.3	2.8	2.6	1.2	0.6	0.3	0.1	0.8	3.4	3.6	27.1	8	2486
	19 LST	0.3	0.7	0.8	0.2	0.9	0.3	0.3	0.2	0.0	0.0	0.4	0.3	4.4	8	2502
	01 LST	1.9	0.5	0.9	0.8	0.3	0.3	0.2	0.0	0.0	0.4	0.3	1.6	7.2	8	2467
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	0.0	0.0	3.6	10.2	10.4	12.1	12.1	10.2	10.2	6.5	1.6	0.1	79.0	8	2406
	13 LST	3.5	7.7	14.4	14.3	19.4	17.5	16.4	18.5	18.7	17.1	9.9	7.6	165.0	8	2470
	19 LST	0.3	4.2	18.3	18.1	17.6	20.1	18.3	17.8	16.1	17.7	9.5	0.7	158.7	8	2477
	01 LST	0.0	0.3	6.4	11.6	14.5	10.2	10.6	10.0	11.0	9.0	3.3	0.0	86.9	8	2445
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	20.0	16.0	11.4	11.3	14.4	12.9	13.5	14.6	13.8	17.5	16.7	21.2	183.3	8	2433
	13 LST	16.2	14.1	10.9	9.5	8.4	8.9	9.1	9.1	11.5	15.7	15.8	18.9	148.1	8	2491
	19 LST	23.6	19.2	13.9	12.1	9.8	10.8	11.3	13.8	16.2	19.6	20.6	22.7	193.6	8	2508
	01 LST	22.4	17.8	18.4	17.8	16.6	16.8	17.0	19.5	17.1	20.4	19.7	22.9	226.4	8	2461
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	29.9	27.4	28.5	26.9	28.5	28.9	29.8	29.5	28.5	30.0	29.3	30.3	347.5	8	2417
	13 LST	27.0	24.4	26.0	24.6	27.5	28.4	29.8	29.2	28.2	29.6	28.7	28.7	332.1	8	2488
	19 LST	30.4	26.7	29.5	28.1	29.1	29.2	30.4	30.5	29.2	30.3	29.3	30.4	353.1	8	2497
	01 LST	29.8	27.4	30.0	29.0	30.3	29.2	30.8	30.7	29.5	30.7	29.2	30.5	357.1	8	2453
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	29.5	26.9	27.3	25.7	26.9	27.2	28.0	27.2	27.4	29.0	28.5	30.3	333.9	8	2417
	13 LST	26.6	23.7	24.3	21.5	21.9	22.5	23.0	22.8	24.8	26.9	26.6	28.6	293.2	8	2488
	19 LST	30.1	26.2	28.4	25.2	26.3	26.1	26.5	26.7	27.2	28.1	28.8	29.9	329.5	8	2497
	01 LST	29.8	27.1	29.5	27.8	29.3	27.4	27.7	27.9	28.0	29.9	28.9	30.3	343.6	8	2453
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	29.3	26.7	27.2	25.5	26.4	27.2	28.0	26.9	27.1	28.8	28.5	30.0	331.6	8	2417
	13 LST	26.6	23.5	24.0	21.4	21.9	22.5	22.8	22.3	24.4	26.5	26.6	28.5	291.2	8	2488
	19 LST	30.1	26.1	27.9	24.8	26.2	25.9	26.5	26.3	26.6	28.0	28.5	29.7	326.6	8	2497
	01 LST	29.8	27.1	29.3	27.8	29.3	27.2	27.5	27.7	27.7	29.9	28.9	30.2	342.4	8	2453

TAI-YUAN, CHINA

STA NO. 53772 (IN AREA NUMBER 04)

LATITUDE 3753N LONGITUDE 11231E ELEVATION(FT) 02625

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	54	66	79	90	95	100	100	95	90	82	66	52	100	8	2538
MEAN MAX TMP (F)	33	44	55	67	77	85	87	82	75	64	48	38	63	8	2538
MEAN MIN TMP (F)	8	16	28	40	50	59	66	62	50	38	25	14	38	8	2520
ABS MIN TMP (F)	-15	-4	3	19	32	41	52	46	30	21	-6	-4	-15	8	2520
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.1	1.9	10.5	14.1	3.6	0.1	0.0	0.0	0.0	30.3	8	2538
MEAN NO DYS TMP = OR LES 32(F)	31.0	27.7	22.1	6.7	0.2	0.0	0.0	0.0	0.4	9.7	25.0	31.0	193.8	8	2520
MEAN NO DYS TMP = OR LES 0(F)	5.5	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	1.1	8.1	8	2520
MEAN DEW PT TMP (F)	2	6	19	28	40	51	63	61	49	36	22	9	32	8	18919
MEAN REL HUM (PCT)	43	43	47	43	49	54	68	73	67	63	62	56	56	8	18717
MEAN PRESS ALT (FT)	2117	2247	2406	2563	2690	2825	2907	2772	2574	2348	2221	2172	2487	8	18977
MEAN PRECIP (IN)	0.21	0.13	0.45	0.60	1.05	1.76	3.93	3.79	1.99	0.63	0.31	0.19	15.0	21	-181
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0					8	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	2.2	1.8	2.3	2.9	4.6	5.1	8.9	8.7	6.8	2.1	1.1	2.1	48.6	21	-29
MEAN NO DYS SNPL = OR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0					8	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.3	0.3	0.3	0.4	0.3	0.0	0.3	0.3	0.3	0.3	1.6	0.9	5.3	8	2570
MEAN NO DYS TSYMS	0.0	0.1	0.1	1.0	2.7	8.7	9.4	8.4	3.3	0.6	0.0	0.0	34.3	8	2570
P FREQ WND SPD = OR GTR 17 KTS	3.9	1.9	2.6	3.7	1.7	1.2	0.2	0.4	0.4	0.8	0.7	1.6	1.6	8	19184
P FREQ WND SPD = OR GTR 28 KTS	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.0	8	19184
P FREQ LES 5000 FT A/D LES 3 MI	30.5	23.9	25.8	23.4	20.4	20.6	28.5	29.2	23.2	23.6	31.1	35.7	26.3	8	19119
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	4.2	0.8	1.4	0.7	2.2	0.5	1.5	2.1	3.9	2.2	6.4	6.9	2.7	8	2550
03-05 LST	2.7	1.8	1.0	0.5	2.6	2.8	3.0	4.9	4.8	5.3	6.0	7.7	3.6	8	2359
06-08 LST	15.6	13.0	13.8	14.8	15.9	5.9	15.4	21.3	20.4	24.9	17.6	21.8	16.7	8	2543
09-11 LST	22.7	10.7	5.2	4.8	2.7	2.0	4.0	2.4	6.8	6.9	15.2	27.9	9.3	8	2400
12-14 LST	8.3	3.2	2.8	3.5	1.8	1.3	0.8	1.2	1.2	1.3	3.9	6.8	3.0	8	2517
15-17 LST	6.0	2.3	4.5	5.2	2.0	2.0	1.4	2.5	0.9	2.5	4.3	7.3	3.4	8	2418
18-20 LST	5.2	2.6	2.2	5.9	4.3	2.5	2.2	2.5	0.5	1.7	3.2	5.9	3.2	8	2582
21-23 LST	0.6	1.3	2.1	2.0	2.3	0.3	1.6	0.5	0.5	1.0	5.6	6.2	2.0	7	2264
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.4	0.9	0.9	0.3	8	2550
03-05 LST	0.5	0.6	0.5	0.0	0.5	0.0	0.5	1.5	0.5	0.4	1.9	2.4	0.8	8	2359
06-08 LST	0.0	0.5	0.9	1.0	0.0	0.0	1.5	0.9	1.8	2.6	3.0	2.6	1.2	8	2543
09-11 LST	1.3	0.6	0.0	0.5	1.1	0.0	0.0	0.0	0.0	0.4	0.9	2.2	0.6	8	2400
12-14 LST	1.0	0.0	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.4	1.3	0.3	8	2517
15-17 LST	0.0	0.0	1.0	1.6	0.5	0.0	0.0	0.0	0.0	0.0	0.9	0.9	0.4	8	2418
18-20 LST	0.9	0.5	0.0	3.9	1.0	0.0	0.0	0.5	0.0	0.0	0.9	0.8	0.7	8	2582
21-23 LST	0.0	0.7	1.0	0.5	0.5	0.0	0.0	0.0	0.0	0.0	1.6	1.0	0.4	7	2264

TAI-YUAN, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST	26.2	24.4	26.9	25.7	26.2	28.3	26.5	24.6	24.1	23.4	24.9	24.3	305.5	8	2543
	14 LST	28.4	27.1	30.1	28.9	30.5	29.7	30.8	30.7	29.7	30.7	28.8	28.9	354.3	8	2517
	20 LST	29.4	27.3	30.4	28.2	29.8	29.3	30.4	30.4	29.9	30.6	29.1	29.3	354.1	8	2582
	02 LST	29.7	27.9	30.7	29.9	30.4	30.0	30.7	30.6	29.0	30.6	28.3	28.9	356.7	8	2550
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	08 LST	23.3	23.3	23.9	23.6	24.0	26.3	25.2	23.8	23.0	22.3	23.9	21.0	285.6	8	2539
	14 LST	22.1	19.7	18.8	16.8	20.2	23.8	27.7	28.0	26.3	25.5	22.7	23.1	274.7	8	2513
	20 LST	25.8	23.5	25.5	21.9	23.7	23.7	26.7	27.4	28.1	26.8	26.5	25.1	304.7	8	2580
	02 LST	25.8	24.7	26.0	25.7	27.4	28.0	29.3	28.8	27.6	28.6	26.2	26.7	324.8	8	2548
SFC WND = GTR 17 KTS AND NO PRECIP.	08 LST	0.3	0.1	0.1	0.3	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.3	1.3	8	2545
	14 LST	3.1	1.2	2.1	2.1	1.4	0.9	0.2	0.0	0.4	0.4	0.6	1.5	13.9	8	2526
	20 LST	0.1	0.1	0.4	0.9	0.3	0.4	0.2	0.0	0.0	0.3	0.0	0.1	2.8	8	2591
	02 LST	0.7	0.4	0.6	0.6	0.0	0.2	0.0	0.0	0.0	0.1	0.1	0.4	3.1	8	2556
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	08 LST	0.1	0.0	6.3	13.7	13.8	12.9	11.0	8.1	8.6	6.4	2.9	0.1	83.9	8	2526
	14 LST	7.8	14.2	20.3	18.3	18.2	17.2	14.5	19.7	20.3	21.6	16.7	13.7	202.5	8	2516
	20 LST	0.9	6.4	16.0	15.0	16.6	13.3	12.8	11.5	10.1	14.0	9.6	2.5	128.7	8	2577
	02 LST	0.3	0.9	9.4	14.7	15.2	10.4	7.8	8.3	6.6	7.1	3.9	0.5	85.1	8	2543
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST	18.2	15.1	13.5	11.8	11.6	12.1	10.8	10.0	12.1	13.6	14.3	16.7	159.8	8	2550
	14 LST	18.7	15.0	12.9	11.5	10.6	10.3	9.5	10.7	13.1	16.4	16.3	19.5	164.5	8	2525
	20 LST	22.3	18.2	14.9	12.2	10.3	8.8	7.5	10.6	14.0	18.5	18.1	21.3	176.7	8	2589
	02 LST	22.2	20.5	16.6	16.5	16.9	14.2	13.5	13.2	15.4	18.7	17.9	20.4	206.0	8	2556
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	08 LST	26.0	24.1	26.1	24.9	25.9	27.9	25.5	23.9	23.3	23.1	24.0	24.1	298.8	8	2543
	14 LST	28.3	26.9	29.6	28.5	30.3	29.1	30.0	30.0	29.3	30.1	28.1	28.9	349.1	8	2517
	20 LST	29.2	27.2	29.8	27.9	29.3	28.8	29.8	29.5	29.4	30.1	28.6	29.0	348.6	8	2582
	02 LST	29.7	27.6	29.9	29.4	30.1	29.4	30.0	30.0	28.2	29.9	27.5	28.8	350.5	8	2550
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	08 LST	25.3	22.9	23.9	22.0	23.7	25.9	19.8	20.6	21.7	21.6	21.1	23.5	272.0	8	2543
	14 LST	27.5	25.6	26.0	25.6	27.9	25.2	23.3	23.5	27.1	27.5	25.2	28.4	312.8	8	2517
	20 LST	28.8	25.8	27.6	25.3	25.1	23.4	22.6	22.2	25.1	29.0	26.4	28.7	310.0	8	2582
	02 LST	29.5	26.7	27.0	27.5	27.8	26.4	24.3	24.8	24.8	27.8	24.6	27.8	319.0	8	2550
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST	25.3	22.9	23.9	21.4	23.7	25.6	19.8	20.0	21.7	21.6	21.0	23.4	270.3	8	2543
	14 LST	27.5	25.6	26.0	25.5	27.9	25.2	23.3	23.5	27.1	27.5	24.9	28.4	312.4	8	2517
	20 LST	28.8	25.5	27.6	25.0	24.3	23.3	22.3	22.1	24.7	28.9	26.0	28.5	307.0	8	2582
	02 LST	29.5	26.7	26.9	26.8	27.7	26.2	23.3	24.2	24.6	27.7	24.6	27.7	315.9	8	2550

FU-SHIH/YENAN, CHINA

STA NO. 53845 (IN AREA NUMBER 04)

LATITUDE 3636N

LONGITUDE 10932E

ELEVATION(FT) 02953

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
ABS MAX TMP (F)	59	72	79	91	95	99	99	99	95	82	70	57	99	8	2442
MEAN MAX TMP (F)	35	45	57	68	75	85	87	83	75	64	50	39	64	8	2442
MEAN MIN TMP (F)	8	16	30	39	49	56	64	61	51	38	27	15	38	8	2468
ABS MIN TMP (F)	-11	-2	5	16	30	41	48	48	28	16	3	-4	-11	8	2468
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.3	1.7	9.8	13.0	6.8	0.3	0.0	0.0	0.0	31.9	8	2468
MEAN NO DYS TMP = OR LES 32(F)	31.0	27.7	21.0	6.2	0.3	0.0	0.0	0.0	0.5	9.0	23.1	30.9	149.7	8	2468
MEAN NO DYS TMP = OR LES 0(F)	4.1	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	6.5		8	17299
MEAN DEW PT TMP (F)	0	8	21	30	43	52	63	62	51	38	24	12	34	8	17062
MEAN REL HUM (PCT)	47	47	50	49	56	57	73	76	74	69	65	61	60	8	17409
MEAN PRESS ALT (FT)	2984	2545	2741	2882	3013	3161	3250	3123	2907	2667	2538	2447	2805	0	0
MEAN PRECIP (IN)						0.0	0.0	0.0	0.0					8	-29
MEAN SNOW FALL (IN)						0.0	0.0	0.0	0.0					0	0
MEAN NO DYS PRCP = OR GTR 0.1 IN					0.0	0.0	0.0	0.0						8	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN													6.5	8	2437
MEAN NO DYS W/OCCUR VSBY LES 1/2 MI	0.2	0.0	0.0	0.6	0.2	0.0	0.2	2.0	1.0	1.2	0.5	0.6	32.8	8	2442
MEAN NO DYS TSTMS	0.0	0.0	0.0	1.8	2.0	6.4	9.8	9.6	7.9	0.3	0.0	0.0	0.1	8	17712
P FREQ WND SPD = OR GTR 17 KTS	0.0	0.0	0.2	0.2	0.1	0.1	0.0	0.1	0.0	0.1	0.0	0.0	0.0	8	17712
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	17869
P FREQ LES 5000 FT A/D LES 5 MI	16.6	16.2	23.6	24.2	22.9	17.5	23.5	26.5	25.5	21.4	22.0	18.4	21.5		
P FREQ LES 1500 FT A/D LES 3 MI														8	2463
FOR 00-02 LST	4.0	3.6	2.5	4.2	3.3	1.8	0.5	3.7	5.0	3.4	3.6	2.0	3.1	8	2279
03-05 LST	1.6	1.7	0.8	6.1	3.0	1.8	6.6	9.1	8.9	8.0	2.5	2.6	4.4	8	2459
06-08 LST	4.1	3.8	11.6	8.6	10.1	11.9	11.3	24.5	20.1	23.8	11.8	9.5	12.6	8	2269
09-11 LST	4.2	4.1	5.1	3.9	3.7	2.3	1.2	1.4	4.1	5.5	5.5	3.0	3.7	8	2467
12-14 LST	2.2	3.3	2.7	5.2	4.5	1.1	1.6	0.3	3.1	2.0	3.3	0.9	2.5	8	2328
15-17 LST	1.8	3.9	2.4	4.6	3.6	0.8	0.9	1.1	4.8	2.3	2.8	1.1	2.5	8	2506
18-20 LST	5.0	6.4	3.4	5.3	3.7	2.9	0.5	1.7	2.9	2.2	6.9	2.6	3.6	8	1850
21-23 LST	1.4	4.7	4.8	6.0	3.7	4.2	0.7	1.5	3.5	2.9	3.9	1.8	3.3	7	
P FREQ LES 300 FT A/D LES 1 MI														8	2463
FOR 00-02 LST	1.5	0.6	0.0	0.5	0.5	0.0	0.0	1.0	0.5	0.0	0.0	0.0	0.4	8	2279
03-05 LST	0.5	1.1	0.0	1.7	0.6	0.0	1.1	2.2	1.5	2.0	0.4	1.4	1.0	8	2459
06-08 LST	1.0	1.1	0.5	2.5	3.6	1.1	1.6	9.3	6.2	8.5	2.7	2.2	3.4	8	2269
09-11 LST	0.5	0.6	0.5	1.6	0.0	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.4	8	2467
12-14 LST	0.5	0.5	0.0	2.0	1.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.6	8	2328
15-17 LST	0.5	0.6	1.6	3.2	1.1	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.6	8	2506
18-20 LST	1.0	2.7	1.0	3.0	1.0	1.1	0.0	0.0	0.0	0.0	0.9	0.9	1.0	8	1850
21-23 LST	0.7	1.6	0.7	0.7	0.7	0.0	0.7	0.6	0.0	0.0	0.0	0.0	0.5	7	

FU-SHIIH/YENAN, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	29.7	26.9	27.8	27.6	28.3	28.8	27.8	24.3	25.1	24.2	26.7	28.1	323.3	8	2459
	13 LST	30.4	27.1	30.5	28.9	30.1	29.8	30.7	31.0	29.9	30.9	29.5	30.7	359.5	8	2467
	19 LST	29.5	26.2	30.1	28.6	30.4	29.5	30.8	30.7	29.9	30.6	28.4	30.2	354.9	8	2506
	01 LST	29.8	27.1	30.2	28.9	30.4	29.5	30.8	30.4	29.0	30.5	29.2	30.4	356.2	8	2463
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	27.3	24.7	26.0	27.0	27.2	25.9	27.1	22.0	22.8	22.6	25.1	27.2	304.9	8	2455
	13 LST	28.4	25.5	26.3	23.2	25.6	27.6	29.2	30.2	27.5	29.0	26.9	29.0	328.4	8	2463
	19 LST	29.3	25.5	29.5	27.6	28.6	27.8	30.5	30.1	28.1	30.1	27.0	29.8	343.9	8	2501
	01 LST	27.0	24.6	29.6	28.0	29.0	28.6	30.8	29.3	28.0	29.1	27.6	29.9	341.5	8	2461
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.0	0.0	0.3	8	2476
	13 LST	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	8	2495
	19 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2520
	01 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2476
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	0.2	0.3	6.4	16.8	20.8	20.1	15.8	14.7	17.8	13.0	3.3	0.1	129.3	8	2463
	13 LST	7.1	18.0	20.8	20.4	19.5	17.1	13.7	14.5	16.9	17.7	15.6	12.0	193.3	8	2476
	19 LST	0.6	7.2	15.1	12.7	15.3	10.7	8.6	7.5	10.0	10.2	10.9	3.3	112.1	8	2504
	01 LST	0.0	1.9	11.5	18.3	19.3	20.9	14.4	13.9	18.5	15.4	4.9	0.4	139.4	8	2462
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	18.9	13.5	12.6	10.8	9.8	10.6	10.6	8.1	9.9	11.7	13.6	16.8	146.9	8	2473
	13 LST	18.1	13.5	12.1	10.2	8.4	8.6	7.2	9.0	10.3	13.2	13.7	18.3	142.6	8	2497
	19 LST	19.8	18.3	14.9	11.5	9.1	9.4	8.0	10.0	12.8	17.6	17.4	21.1	169.9	8	2518
	01 LST	22.3	18.6	18.0	15.5	15.5	16.2	13.8	13.9	14.7	17.3	17.6	21.4	204.8	8	2473
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	29.7	26.6	26.3	26.7	27.0	25.8	26.3	21.6	22.2	22.4	25.7	27.8	308.3	8	2459
	13 LST	30.2	27.0	29.0	27.3	27.9	28.8	28.1	29.2	27.3	28.7	27.7	30.6	341.8	8	2467
	19 LST	29.5	26.1	29.0	27.8	28.8	28.2	30.2	29.5	27.7	29.5	27.1	30.1	343.5	8	2506
	01 LST	29.7	26.8	29.6	28.0	29.2	28.9	30.0	28.9	27.0	28.8	28.1	30.0	345.0	8	2463
CIG = GTR 4000 FT AND VSBY = GTR 3 MI	07 LST	28.9	24.5	23.9	23.1	24.3	23.8	22.0	16.8	19.2	20.1	22.7	26.8	276.1	8	2459
	13 LST	29.6	25.2	24.5	23.6	22.4	25.0	20.9	23.7	23.3	25.1	24.8	28.9	297.0	8	2467
	19 LST	29.1	24.7	25.2	24.1	24.3	24.8	25.3	22.8	23.9	26.3	24.7	28.7	303.9	8	2506
	01 LST	29.2	25.0	26.4	25.5	26.1	26.4	25.2	24.8	23.4	26.4	25.4	28.5	312.3	8	2463
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	28.8	24.3	23.3	23.0	23.8	23.4	21.7	16.6	19.0	19.8	22.3	26.1	272.1	8	2459
	13 LST	29.5	25.1	24.5	23.4	22.4	24.3	20.4	23.7	23.0	25.0	24.3	28.5	294.1	8	2467
	19 LST	29.0	24.6	24.7	23.5	23.8	24.5	24.2	22.8	23.6	25.7	24.4	28.6	299.4	8	2506
	01 LST	29.0	24.7	25.8	24.8	25.9	26.0	24.4	24.1	23.1	25.9	25.0	28.1	306.8	8	2463

CHIH-HSIU, CHINA

STA NO. 53863 (IN AREA NUMBER 04)

LATITUDE 3658N

LONGITUDE 11154E

ELEVATION(FT) 02490

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	54	72	79	88	97	100	97	99	90	86	90	55	100	8	2523
MEAN MAX TMP (F)	34	44	55	66	76	85	87	82	75	64	48	39	63	8	2523
MEAN MIN TMP (F)	12	20	31	41	50	59	67	63	52	40	28	18	40	8	2496
ABS MIN TMP (F)	-6	0	14	19	34	45	54	48	34	21	-9	3	-9	8	2496
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	2.8	12.1	14.9	5.9	0.1	0.0	0.1	0.0	35.9	8	2523
MEAN NO DYS TMP = OR LES 32(F)	30.9	27.2	19.8	4.8	0.0	0.0	0.0	0.0	0.0	7.0	21.0	30.9	141.6	8	2496
MEAN NO DYS TMP = OR LES 0(F)	2.2	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	2.9	8	2496
MEAN DEW PT TMP (F)	1	10	23	31	43	52	64	63	50	38	24	12	34	8	18483
MEAN REL HUM (PCT)	43	46	52	46	52	54	70	75	67	64	63	56	58	8	18204
MEAN PRESS ALT (FT)	1976	2110	2267	2420	2551	2694	2779	2640	2440	2211	2083	2034	2350	8	18529
MEAN PRECIP (IN)	0.13	0.13	0.25	1.06	1.12	0.82	2.79	3.19	1.31	0.57	0.12	0.02	11.5	5	-181
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0					8	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	1.8	1.8	1.5	4.6	4.8	3.1	7.1	7.7	4.4	1.9	0.6	1.1	40.4	5	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN					0.0	0.0	0.0	0.0						8	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	0.3	0.1	0.0	0.3	0.2	0.2	0.3	0.0	0.1	0.4	0.6	0.7	3.2	8	2547
MEAN NO DYS TSTMS	0.0	0.1	0.0	0.3	2.3	8.7	11.9	8.6	3.5	0.1	0.0	0.0	35.5	8	2549
P FREQ WND SPD = OR GTR 17 KTS	3.7	3.6	3.3	3.2	2.0	0.6	0.4	0.4	0.3	0.4	1.3	1.6	1.7	8	18782
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	8	18782
P FREQ LES 5000 FT A/D LES 5 MI	4.8	3.8	7.3	9.3	9.1	10.5	15.3	16.4	10.1	5.9	8.5	5.0	8.8	8	18676
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	1.0	0.5	0.0	1.2	0.0	0.0	0.3	0.0	0.0	0.0	2.6	2.1	0.6	8	2569
03-05 LST	0.5	1.2	0.6	0.0	0.6	0.9	0.6	0.3	0.9	0.0	1.9	2.2	0.8	8	2287
06-08 LST	2.9	0.0	1.9	2.7	0.8	1.8	1.8	2.1	1.8	3.0	4.3	2.5	2.1	8	2548
09-11 LST	1.0	1.0	2.2	2.0	0.0	0.0	0.6	2.0	0.0	1.0	3.2	2.3	1.3	8	2257
12-14 LST	1.4	0.6	2.4	1.5	0.5	2.3	1.4	0.7	0.4	2.0	3.8	0.9	1.5	8	2533
15-17 LST	0.5	0.5	2.0	2.1	0.8	0.0	0.3	0.0	0.5	0.4	3.2	1.3	1.0	8	2402
18-20 LST	0.5	1.6	1.9	2.6	1.0	0.5	0.3	0.2	0.5	0.0	2.6	1.7	1.1	8	2536
21-23 LST	0.0	0.6	0.5	1.1	0.0	0.0	0.3	1.2	0.9	0.0	3.2	2.0	0.8	7	2148
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.5	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.8	0.3	8	2569
03-05 LST	0.0	0.0	0.0	0.0	0.6	0.6	0.6	0.0	0.9	0.0	0.0	1.8	0.4	8	2287
06-08 LST	1.4	0.0	0.5	1.5	0.5	1.0	0.5	0.9	1.8	1.7	2.6	1.7	1.2	8	2548
09-11 LST	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.9	0.2	8	2257
12-14 LST	0.9	0.0	0.5	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.8	0.4	0.3	8	2533
15-17 LST	0.0	0.0	0.0	1.1	0.5	0.0	0.0	0.0	0.0	0.0	0.9	0.9	0.3	8	2402
18-20 LST	0.0	0.5	0.0	1.5	0.5	0.0	0.0	0.0	0.0	0.0	0.4	0.9	0.3	8	2536
21-23 LST	0.0	0.0	0.0	1.1	0.0	0.0	0.0	0.0	0.0	0.0	1.1	1.5	0.3	7	2148

CHIH-HSIU, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. DBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	30.1	28.0	30.4	29.3	30.8	29.5	30.7	30.4	29.5	30.1	28.7	30.2	357.7	8	2548
	13 LST	30.6	27.8	30.3	29.6	31.0	29.4	30.8	30.9	29.9	30.5	28.9	30.7	360.4	8	2533
	19 LST	30.8	27.5	30.4	29.2	30.7	30.0	31.0	31.0	30.0	31.0	29.2	30.5	361.3	8	2536
	01 LST	30.7	27.8	31.0	29.7	31.0	30.0	31.0	31.0	30.0	31.0	29.2	30.4	362.8	8	2569
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	23.6	23.7	27.6	25.0	27.4	27.5	29.0	29.7	28.1	28.9	24.5	25.6	320.6	8	2542
	13 LST	17.5	15.8	19.1	18.6	21.1	23.9	25.9	27.9	24.8	24.8	20.0	20.3	259.7	8	2530
	19 LST	24.1	22.8	24.8	22.5	24.6	25.8	28.3	29.1	27.9	28.7	25.8	25.1	309.5	8	2532
	01 LST	25.7	24.4	27.1	26.2	28.3	28.3	29.5	30.1	29.1	29.7	26.3	25.8	330.5	8	2569
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.4	0.0	0.1	0.3	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.1	1.1	8	2550
	13 LST	3.7	2.5	2.2	1.4	1.1	0.6	0.5	0.0	0.4	0.3	1.0	1.6	15.3	8	2539
	19 LST	0.0	0.0	0.3	0.5	0.7	0.3	0.0	0.0	0.0	0.0	0.1	0.1	2.0	8	2550
	01 LST	0.6	0.4	0.3	0.3	0.3	0.0	0.0	0.0	0.0	0.1	0.1	0.1	2.2	8	2572
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	0.2	1.5	7.7	8.5	9.5	7.4	6.2	5.2	4.7	6.4	5.2	0.9	63.4	8	2530
	13 LST	6.5	9.6	12.1	10.9	12.2	11.8	10.0	12.6	12.6	10.5	10.3	9.7	128.8	8	2524
	19 LST	2.1	6.7	13.6	16.2	16.0	14.6	12.9	9.8	12.0	12.8	11.0	4.2	131.9	8	2536
	01 LST	0.4	2.5	8.3	11.1	10.9	7.6	7.2	4.7	5.6	8.3	6.0	1.8	74.4	8	2561
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	20.3	16.1	13.9	13.7	13.1	14.2	11.2	11.0	13.7	16.4	15.8	20.1	179.5	8	2555
	13 LST	19.0	15.6	12.6	10.8	10.5	11.4	9.7	10.8	13.3	17.0	15.4	19.4	165.5	8	2542
	19 LST	23.4	18.8	15.4	13.3	11.1	10.0	8.9	10.0	14.8	17.8	18.6	21.4	183.5	8	2551
	01 LST	23.1	20.3	16.7	17.1	18.0	16.9	16.0	13.6	16.8	18.7	17.8	22.0	217.0	8	2573
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	30.0	27.9	30.2	28.8	29.9	28.6	29.3	29.2	28.8	29.7	28.3	30.1	350.8	8	2548
	13 LST	30.5	27.7	29.7	28.8	29.7	28.1	28.4	29.2	28.7	29.6	28.3	30.6	349.3	8	2533
	19 LST	30.8	27.5	30.1	28.7	29.8	28.5	28.8	28.8	28.7	30.8	29.2	30.5	352.2	8	2536
	01 LST	30.7	27.8	30.8	29.2	30.6	29.3	29.9	30.0	29.1	30.7	29.0	30.3	357.4	8	2569
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	29.8	27.4	29.8	27.8	28.0	26.6	26.9	26.2	27.1	28.8	27.4	29.7	335.5	8	2548
	13 LST	30.1	27.4	28.6	26.9	28.0	26.0	25.1	26.5	26.9	27.9	26.9	30.2	330.5	8	2533
	19 LST	30.8	26.9	28.8	27.2	28.0	26.2	24.0	23.9	26.3	29.7	28.8	30.5	331.1	8	2536
	01 LST	30.6	27.4	30.3	28.5	29.2	27.7	27.8	26.3	27.2	29.9	28.3	29.7	342.9	8	2569
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	29.8	27.4	29.8	27.8	28.0	26.6	26.8	26.2	27.1	28.6	27.3	29.6	335.0	8	2548
	13 LST	30.1	27.4	28.6	26.9	27.7	26.0	25.1	26.3	26.9	27.9	26.8	30.1	329.8	8	2533
	19 LST	30.8	26.9	28.6	27.2	27.9	26.2	24.0	23.9	26.3	29.7	28.7	30.5	330.7	8	2536
	01 LST	30.6	27.4	30.3	28.5	29.2	27.7	27.8	26.3	27.1	29.9	28.0	29.7	342.5	8	2569

LIN-FEN/LINFUNG, CHINA

STA NO. 53868 (IN AREA NUMBER 04)

LATITUDE 3609N

LONGITUDE 11127E

ELEVATION(FT) 01516

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	54	70	91	93	99	104	100	102	93	88	70	54	104	6	1765
MEAN MAX TMP (F)	37	48	59	72	80	89	91	86	80	68	52	42	67	6	1765
MEAN MIN TMP (F)	12	21	35	45	54	65	71	68	56	44	30	19	43	6	1782
ABS MIN TMP (F)	-11	-2	7	21	39	50	57	52	34	25	9	3	-11	6	1782
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.2	0.8	7.2	17.7	21.6	13.1	1.7	0.0	0.0	0.0	62.3	6	1765
MEAN NO DYS TMP = DR LES 32(F)	31.0	26.2	11.9	2.4	0.0	0.0	0.0	0.0	0.0	4.3	18.5	29.7	124.0	6	1782
MEAN NO DYS TMP = DR LES 0(F)	2.5	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	6	1782
MEAN DEW PT TMP (F)	4	12	28	36	45	56	68	66	53	41	29	14	38	6	13017
MEAN REL HUM (PCT)	46	47	53	50	51	53	69	73	64	65	67	56	58	6	12810
MEAN PRESS ALT (FT)	1017	1164	1310	1479	1584	1745	1824	1690	1491	1253	1118	1056	1394	6	13136
MEAN PRECIP (IN)	0.37	0.11	0.49	1.83	1.71	2.05	4.64	3.84	0.55	0.79	0.06	0.06	16.5	5	-181
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0					6	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	3.0	1.7	2.5	7.0	6.7	5.7	10.0	8.8	1.8	2.6	0.4	1.4	51.6	5	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0					6	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	1.2	0.2	0.6	0.6	0.2	0.0	0.2	0.4	0.0	0.2	0.9	0.4	4.9	6	1793
MEAN NO DYS TSTMS	0.0	0.0	0.2	1.5	1.7	8.3	12.6	8.7	2.7	0.2	0.0	0.2	34.1	6	1793
P FREQ WND SPD = DR GTR 17 KTS	2.4	0.7	1.6	3.2	1.9	1.0	0.3	0.2	0.5	0.8	0.3	1.2	1.2	6	13208
P FREQ WND SPD = DR GTR 28 KTS	0.1	0.0	0.1	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	13208
P FREQ LES 5000 FT A/D LES 3 MI	14.4	14.0	12.9	11.8	9.4	10.8	16.7	16.1	7.7	9.7	13.8	11.6	12.4	6	13111
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	5.0	3.3	0.7	0.7	2.1	0.0	0.4	0.6	1.0	0.0	0.7	0.7	1.3	6	1779
03-05 LST	4.1	2.8	1.4	0.0	1.1	1.2	3.6	2.2	0.9	0.6	0.8	0.8	1.6	6	1663
06-08 LST	8.4	4.9	4.4	3.2	1.8	0.0	3.2	0.3	4.8	6.8	6.2	3.9		6	1771
09-11 LST	13.7	2.4	2.9	2.8	0.0	0.4	0.0	1.8	1.0	0.3	2.6	4.7	2.7	6	1641
12-14 LST	6.3	0.7	1.3	0.7	0.7	0.7	0.0	0.7	0.0	0.3	1.1	2.8	1.3	6	1775
15-17 LST	3.9	1.6	0.0	3.0	0.7	0.8	0.9	1.3	0.0	0.6	1.2	2.9	1.4	6	1657
18-20 LST	4.7	1.5	2.3	3.8	2.4	1.4	0.7	0.7	0.0	0.6	1.8	3.1	1.9	6	1776
21-23 LST	2.7	2.0	1.5	2.6	1.0	1.8	0.4	1.1	0.0	0.0	0.9	0.5	1.2	5	1525
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	2.7	1.4	0.0	0.7	0.7	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.5	6	1779
03-05 LST	1.5	0.8	0.7	0.0	0.7	0.8	3.1	1.3	0.0	0.0	0.0	0.0	0.7	6	1663
06-08 LST	4.2	1.5	2.0	1.4	0.0	0.0	0.0	1.3	0.0	1.1	2.8	3.4	1.5	6	1771
09-11 LST	4.6	0.0	0.0	0.8	0.0	0.0	0.0	0.6	0.0	0.0	0.7	0.6		6	1641
12-14 LST	2.0	0.0	0.7	0.7	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.4	6	1775
15-17 LST	0.7	0.0	0.0	2.3	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.7	0.4	6	1657
18-20 LST	0.7	0.0	0.0	2.1	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	6	1776
21-23 LST	0.0	1.0	0.0	1.5	0.7	0.0	0.0	0.7	0.0	0.0	0.9	0.0	0.4	5	1525

LIN-FEN/LINFUNG, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	28.4	26.7	29.7	29.2	30.8	30.0	30.8	30.2	30.0	29.6	28.1	29.1	352.6	6	1771
	13 LST	29.1	27.8	30.6	29.8	30.8	29.8	31.0	31.0	30.0	31.0	29.8	30.3	361.0	6	1775
	19 LST	29.5	27.6	30.4	29.0	30.4	29.6	30.8	31.0	30.0	30.8	29.6	30.1	358.8	6	1776
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	29.5	27.2	30.8	29.8	30.3	30.0	31.0	30.8	29.6	31.0	29.8	31.0	360.8	6	1779
	07 LST	24.9	24.0	25.3	26.0	27.8	26.0	27.5	28.4	28.1	28.0	26.4	26.9	319.3	6	1766
	13 LST	21.4	22.5	23.3	18.8	20.8	22.4	25.8	27.5	24.9	25.3	24.2	24.9	281.8	6	1768
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	27.2	24.9	26.4	24.0	25.6	23.4	28.5	28.9	27.3	28.8	26.9	27.8	319.7	6	1769
	01 LST	27.3	25.8	26.3	26.3	28.2	27.7	29.7	29.6	28.4	30.1	29.1	28.7	337.2	6	1777
	07 LST	0.2	0.0	0.2	0.0	0.0	0.2	0.0	0.0	0.2	0.2	0.0	0.4	1.4	6	1770
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	13 LST	1.9	0.8	1.2	1.5	0.9	0.4	0.0	0.0	0.0	0.9	0.2	1.1	8.9	6	1789
	19 LST	0.2	0.0	0.2	0.6	0.2	0.0	0.0	0.0	0.0	0.4	0.0	0.4	2.0	6	1783
	01 LST	0.6	0.2	0.4	0.4	0.2	0.0	0.0	0.0	0.0	0.2	0.0	0.0	2.0	6	1783
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	0.2	1.6	15.3	16.9	18.3	18.1	18.0	15.9	16.6	9.9	7.1	2.8	140.7	6	1750
	13 LST	12.0	17.6	20.8	18.8	16.8	7.7	7.8	11.8	21.5	20.7	14.6	18.2	188.3	6	1766
	19 LST	3.0	12.1	17.3	19.5	20.7	14.9	14.0	13.4	15.9	15.0	12.9	6.6	165.3	6	1765
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	0.4	2.7	15.4	13.9	12.3	13.1	12.3	12.3	10.2	13.4	8.9	3.7	118.6	6	1770
	07 LST	15.1	11.9	10.1	10.9	10.0	11.8	10.1	9.5	12.5	13.8	13.2	14.9	143.8	6	1774
	13 LST	14.2	12.2	11.5	10.9	8.9	9.8	9.5	10.4	13.0	13.9	13.5	17.3	145.1	6	1794
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	18.1	17.1	14.7	11.0	9.3	7.6	9.0	10.3	12.9	16.4	17.7	18.3	162.4	6	1787
	01 LST	17.7	16.8	13.5	16.6	16.0	12.7	14.8	13.0	16.4	16.7	18.3	19.3	191.8	6	1786
	07 LST	28.2	25.9	29.1	28.8	29.9	29.6	29.2	28.9	29.4	29.0	27.4	28.7	344.1	6	1771
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	13 LST	28.8	27.1	29.9	29.3	30.2	29.3	29.5	29.5	29.2	30.4	29.2	29.7	352.1	6	1775
	19 LST	29.4	27.5	29.8	28.3	29.7	29.0	30.6	30.2	29.6	30.6	29.0	29.8	353.5	6	1776
	01 LST	29.2	26.5	30.4	29.7	30.2	29.8	30.5	30.5	29.4	30.9	29.5	30.5	357.1	6	1779
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	27.1	23.6	23.9	26.2	29.1	26.5	23.7	22.5	27.0	25.1	23.0	26.1	303.8	6	1771
	13 LST	28.1	25.2	27.0	26.5	28.0	26.7	22.9	24.0	26.4	28.0	27.2	27.7	317.7	6	1775
	19 LST	28.5	25.7	26.2	25.2	25.8	26.1	24.1	25.3	27.0	28.1	26.8	28.0	316.8	6	1776
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	27.7	24.6	25.7	26.3	26.2	26.4	25.9	23.6	25.7	27.8	16.0	27.5	313.4	6	1779
	07 LST	26.9	23.4	22.6	25.2	27.8	26.5	22.9	22.1	26.1	24.6	22.3	25.9	296.3	6	1771
	13 LST	28.1	25.2	26.8	25.8	27.6	26.5	22.9	23.8	26.0	28.0	26.2	27.7	314.6	6	1775
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	28.3	25.7	26.2	25.0	25.1	25.4	23.1	24.3	26.4	27.2	26.6	27.6	310.9	6	1776
	01 LST	27.0	24.6	25.4	25.9	25.8	25.8	25.4	23.2	25.5	27.1	26.0	27.3	309.0	6	1779

PINGLIANG, CHINA

STA NO. 53915 (IN AREA NUMBER 04)

LATITUDE 3525N

LONGITUDE 10638E

ELEVATION(FT) 04042

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	54	64	75	90	90	91	93	90	81	79	68	54	93	8	2478
MEAN MAX TMP (F)	35	43	53	63	69	79	82	77	69	59	46	38	59	8	2478
MEAN MIN TMP (F)	13	20	31	40	47	55	61	59	50	39	29	19	39	8	2493
ABS MIN TMP (F)	-2	3	16	18	32	41	50	43	34	23	7	3	-2	8	2493
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.3	0.2	0.5	1.7	0.4	0.0	0.0	0.0	0.0	3.1	8	2478
MEAN NO DYS TMP = DR LES 32(F)	31.0	27.7	20.8	4.8	0.0	0.0	0.0	0.0	0.0	7.5	23.1	30.9	145.3	8	2493
MEAN NO DYS TMP = DR LES 0(F)	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	8	2493
MEAN DEW PT TMP (F)	2	9	21	30	42	50	59	59	50	37	24	13	33	8	16947
MEAN REL HUM (PCT)	44	48	53	51	60	59	70	76	76	72	67	60	61	8	16743
MEAN PRESS ALT (FT)	3504	3651	3823	3957	4080	4223	4326	4195	3967	3747	3615	3555	3887	8	17041
MEAN PRECIP (IN)	0.13	0.22	0.34	1.19	2.35	2.63	3.44	3.77	3.45	1.05	0.32	0.10	19.0	10	-181
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0					8	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	2.1	1.4	3.2	7.1	6.1	7.9	9.5	8.4	7.0	5.1	2.8	1.3	62.7	10	-181
MEAN NO DYS SNFL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0					8	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.2	0.9	0.3	1.0	0.0	0.5	0.2	0.5	0.1	0.5	0.5	1.1	5.8	8	2432
MEAN NO DYS TSTMS	0.2	0.3	0.2	2.1	2.2	6.5	7.1	6.9	4.2	1.0	0.1	0.0	30.8	8	2449
P FREQ WND SPD = DR GTR 17 KTS	1.0	1.0	0.8	1.5	0.9	0.2	0.2	0.2	0.1	0.4	0.4	0.7	0.6	8	17219
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.1	0.0	0.2	0.1	0.1	0.1	0.0	0.0	0.0	0.1	0.1	0.1	8	17219
P FREQ LES 5000 FT A/D LES 5 MI	4.7	9.7	17.8	15.4	20.0	12.7	15.1	23.2	25.1	21.9	16.7	9.5	16.0	8	17377
P FREQ LES 1500 FT A/D LES 3 MI															
FDR 00-02 LST	1.3	4.5	3.0	5.2	4.0	2.5	1.2	2.0	7.0	2.9	4.1	4.5	3.5	8	2486
03-05 LST	2.1	4.5	2.2	3.4	3.7	2.8	2.1	4.4	8.2	2.3	3.0	5.1	2.7	8	1988
06-08 LST	2.3	6.7	8.0	3.8	8.2	3.3	4.1	10.5	14.9	11.7	7.2	5.7	7.2	8	2451
09-11 LST	1.2	4.5	4.6	4.6	5.3	2.6	1.9	3.9	8.5	5.0	6.9	3.1	4.3	8	2113
12-14 LST	1.7	3.7	5.1	2.8	4.5	1.3	1.3	4.1	6.2	3.8	5.8	4.4	3.7	8	2524
15-17 LST	1.7	2.3	4.2	3.5	4.0	2.0	1.2	2.6	4.5	1.4	5.3	2.1	2.9	8	2190
18-20 LST	1.5	3.7	3.8	2.9	4.8	0.8	2.3	4.0	4.9	4.7	3.2	3.9	3.4	8	2527
21-23 LST	0.7	2.1	4.2	4.9	2.6	0.7	0.4	1.8	5.9	3.5	3.7	3.7	2.9	6	1795
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	0.5	1.6	1.0	3.0	1.0	0.5	0.5	0.0	0.9	0.4	0.4	3.1	1.1	8	2486
03-05 LST	0.6	2.5	1.2	2.0	0.0	1.4	0.7	2.9	1.8	0.6	1.0	1.9	1.4	8	1988
06-08 LST	0.0	3.2	1.9	1.6	1.6	1.1	0.0	1.9	3.1	2.2	1.3	2.6	1.7	8	2451
09-11 LST	0.0	1.3	0.6	3.0	1.2	0.6	0.6	0.6	0.0	0.5	1.0	0.0	0.8	8	2113
12-14 LST	1.0	1.0	0.5	1.0	0.5	0.5	0.0	1.0	0.4	0.0	0.4	1.7	0.7	8	2524
15-17 LST	0.6	0.6	1.0	1.2	0.6	0.0	0.0	0.0	0.0	0.0	0.5	1.0	0.5	8	2190
18-20 LST	0.5	1.1	0.0	1.5	1.5	0.5	0.5	0.5	0.4	0.0	0.4	1.7	0.7	8	2527
21-23 LST	0.0	0.0	0.0	1.5	0.0	0.0	0.0	0.0	0.0	0.6	0.6	2.5	0.4	6	1795

PINGLIANG, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	30.4	26.5	29.4	29.4	29.4	29.2	30.3	28.9	26.5	28.7	28.7	29.7	347.1	8	2451
	13 LST	30.5	27.6	30.4	29.2	30.4	29.7	30.8	30.4	29.0	30.3	28.4	30.4	357.5	8	2524
	19 LST	30.8	27.4	30.5	29.4	30.2	29.8	30.7	30.1	29.5	30.5	29.5	30.2	358.6	8	2527
	01 LST	30.7	27.2	30.4	28.5	29.9	29.2	30.8	30.9	28.8	30.4	29.5	29.9	356.2	8	2486
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	28.9	24.9	26.0	26.3	25.6	27.5	28.3	25.5	24.5	25.1	26.2	26.8	315.6	8	2448
	13 LST	24.5	19.8	17.8	19.1	20.6	24.2	25.4	25.2	22.7	22.4	22.2	24.2	268.1	8	2520
	19 LST	27.1	24.9	26.7	26.9	27.3	28.5	27.1	27.1	26.9	27.8	26.4	28.0	327.5	8	2524
	01 LST	28.8	25.1	27.1	25.5	27.8	28.8	29.8	29.2	26.7	28.8	27.1	27.0	331.7	8	2485
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.0	0.3	0.1	0.2	0.5	0.2	0.0	0.0	0.0	0.0	0.0	0.0	1.3	8	2469
	13 LST	0.5	0.4	0.6	0.5	0.5	0.0	0.0	0.0	0.1	0.1	0.3	0.6	3.6	8	2544
	19 LST	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.1	0.1	0.8	8	2545
	01 LST	0.2	0.2	0.3	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	8	2508
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	0.0	0.6	7.9	15.4	13.2	14.8	15.5	12.0	11.7	10.5	4.5	0.4	106.5	8	2447
	13 LST	10.7	13.1	19.2	18.6	21.2	18.1	20.5	21.2	17.9	19.4	15.3	15.5	210.7	8	2532
	19 LST	0.8	5.3	13.3	18.1	17.0	14.3	15.4	12.3	6.2	8.0	6.2	2.4	119.3	8	2535
	01 LST	0.0	1.3	11.5	12.7	11.1	10.9	9.8	8.9	8.0	11.9	6.8	0.4	93.5	8	2496
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	15.8	11.9	9.0	8.6	7.8	9.2	10.3	8.3	9.1	10.3	11.6	17.6	129.5	8	2467
	13 LST	16.0	11.4	9.5	6.8	7.0	6.3	5.3	7.3	7.4	8.7	10.6	17.0	113.3	8	2539
	19 LST	19.6	16.6	11.7	8.1	7.8	6.7	7.1	9.2	10.5	13.3	15.7	20.4	146.7	8	2535
	01 LST	18.0	16.3	14.3	11.1	11.6	12.5	13.9	13.4	13.2	14.1	14.7	18.8	171.9	8	2500
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	30.1	25.6	27.1	27.6	27.1	28.3	28.3	25.5	23.8	25.2	26.5	28.5	323.6	8	2451
	13 LST	30.1	26.3	27.7	28.2	27.4	28.8	29.7	28.1	26.4	28.1	27.1	28.8	336.7	8	2524
	19 LST	30.2	26.5	28.3	28.2	28.2	29.3	29.3	28.5	26.7	27.6	27.8	29.1	339.7	8	2527
	01 LST	30.5	26.2	29.3	27.9	29.1	28.5	30.0	29.0	26.3	28.6	27.5	29.1	342.0	8	2486
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	28.4	24.7	24.3	23.9	24.5	25.9	22.2	19.5	20.0	20.9	22.2	27.5	284.0	8	2451
	13 LST	28.4	24.6	24.5	22.8	21.8	22.9	20.9	17.6	19.9	21.3	22.9	27.8	275.4	8	2524
	19 LST	29.3	24.6	24.5	24.3	22.9	24.2	22.6	21.0	20.3	22.8	23.5	27.7	287.7	8	2527
	01 LST	30.4	25.7	27.1	25.8	25.0	24.7	27.5	24.3	21.9	24.1	24.9	27.8	309.2	8	2486
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	28.1	24.6	23.6	23.3	23.7	24.8	21.5	19.0	19.4	20.3	22.1	27.0	277.4	8	2451
	13 LST	28.4	24.5	24.0	22.6	21.5	22.7	19.6	17.0	19.7	21.3	22.6	27.4	271.3	8	2524
	19 LST	29.2	24.6	24.2	24.0	22.6	23.3	21.4	19.6	19.4	22.1	23.4	27.7	281.5	8	2527
	01 LST	30.1	25.7	27.0	25.5	24.1	24.4	25.9	24.1	21.6	23.9	24.8	27.8	304.9	8	2486

HSI-FENG-CHEN/SI, CHINA

STA NO. 53923 (IN AREA NUMBER 04)

LATITUDE 3542N

LONGITUDE 10744E

ELEVATION(FT) 04724

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	52	61	73	86	88	91	91	90	81	75	63	48	91	8	2307
MEAN MAX TMP (F)	31	39	49	60	66	77	80	76	67	56	43	34	57	8	2307
MEAN MIN TMP (F)	13	20	31	41	48	57	62	60	50	40	28	18	39	8	2292
ABS MIN TMP (F)	-6	-4	12	19	30	41	52	43	30	23	1	-2	-6	8	2292
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.8	1.0	0.2	0.0	0.0	0.0	0.0	2.0	8	2307
MEAN NO DYS TMP = DR LES 32(F)	30.8	27.8	19.9	3.6	0.4	0.0	0.0	0.0	0.4	4.8	22.4	31.0	141.1	8	2292
MEAN NO DYS TMP = DR LES 0(F)	0.9	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	1.2	8	2292
MEAN DFW PT TMP (F)	2	9	21	30	42	49	59	59	48	37	24	12	33	8	15242
MEAN REL HUM (PCT)	46	50	55	53	62	58	63	77	74	69	67	60	62	8	15010
MEAN PRESS ALT (FT)	4193	4328	4504	4659	4765	4927	5017	4889	4672	4437	4304	4236	4578	8	15320
MEAN PRECIP (IN)														0	0
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0					8	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN					0.0	0.0	0.0	0.0	0.0					8	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0					8	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	1.2	2.3	1.7	1.0	0.2	0.9	0.2	2.2	2.4	2.7	2.2	2.8	19.8	8	2276
MEAN NO DYS TSTMS	0.0	0.0	0.2	1.8	2.9	3.5	6.0	7.0	2.7	0.1	0.1	0.0	24.3	8	2281
P FREQ WND SPD = DR GTR 17 KTS	1.8	0.6	1.4	1.9	0.8	0.4	0.2	0.1	0.2	0.7	0.8	1.1	0.8	8	15550
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	8	15550
P FREQ LES 5000 FT A/D LES 5 MI	6.5	7.7	9.1	13.0	17.3	12.1	16.3	22.3	17.8	13.5	9.6	8.6	12.8	8	16107
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	3.9	5.4	3.5	5.7	1.4	2.2	0.8	4.2	5.3	2.1	3.0	5.5	3.6	8	2331
03-05 LST	3.2	6.0	2.6	4.6	1.7	1.2	0.8	5.2	7.2	5.8	5.1	7.8	4.3	8	2231
06-08 LST	4.0	7.7	6.2	5.4	7.5	3.7	1.7	7.9	12.4	11.0	10.9	10.0	7.4	8	2293
09-11 LST	5.2	4.0	3.6	3.8	1.9	0.6	1.2	0.5	4.2	6.3	6.7	6.9	3.7	8	2290
12-14 LST	2.3	4.5	3.3	2.8	1.5	0.6	0.0	1.3	3.0	1.4	7.6	4.2	2.4	8	2311
15-17 LST	2.6	1.1	1.5	3.1	1.4	0.0	0.3	0.5	3.2	2.1	5.0	3.7	2.0	8	2321
18-20 LST	3.0	2.1	2.3	4.4	1.4	0.6	0.3	0.3	1.9	1.1	3.2	3.5	2.0	8	2417
21-23 LST	0.0	4.0	1.3	0.0	0.0	0.0	0.0	2.5	1.3	1.2	1.2	1.3	1.1	6	955
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	2.8	4.3	1.5	3.6	1.1	1.6	0.5	3.4	3.0	0.9	1.5	4.5	2.4	8	2331
03-05 LST	3.2	4.2	1.6	4.0	1.1	1.2	0.5	3.6	3.2	3.7	1.9	7.3	3.0	8	2231
06-08 LST	2.3	7.1	4.1	2.3	3.0	2.3	0.0	7.1	9.7	8.6	7.7	8.2	5.2	8	2293
09-11 LST	1.6	3.4	3.1	1.6	0.9	0.0	0.0	0.0	1.1	5.6	4.5	6.4	2.3	8	2290
12-14 LST	0.6	1.7	1.0	1.1	0.0	0.0	0.0	0.0	1.0	0.5	1.9	3.3	0.9	8	2311
15-17 LST	0.5	0.6	1.5	0.6	1.1	0.0	0.0	0.0	0.0	0.5	1.3	3.2	0.9	8	2321
18-20 LST	1.5	1.6	1.0	2.1	0.0	0.0	0.0	0.0	0.5	0.0	2.3	3.0	1.0	8	2417
21-23 LST	0.0	4.0	1.3	0.0	0.0	0.0	0.0	0.0	1.3	0.0	0.0	1.3	0.7	6	955

HSI-FENG-CHEN/SI, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	29.8	25.8	29.1	28.5	29.0	28.9	30.7	28.6	26.4	27.6	26.7	27.9	339.0	8	2293
	13 LST	30.3	26.7	30.1	29.2	30.6	29.8	31.0	30.7	29.4	30.9	29.0	29.7	357.4	8	2311
	19 LST	30.1	27.4	30.2	28.8	30.7	29.8	31.0	31.0	29.6	30.7	29.0	29.9	358.2	8	2417
	01 LST	29.8	26.5	29.9	28.3	30.7	29.3	30.8	29.8	28.5	30.6	29.1	29.3	352.6	8	2331
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	27.3	24.5	26.2	23.7	24.5	27.4	28.3	27.2	25.1	25.4	24.7	25.7	310.0	8	2288
	13 LST	24.1	21.0	21.1	21.0	22.8	24.6	24.1	27.8	24.9	25.9	23.4	25.6	286.3	8	2307
	19 LST	26.8	24.7	26.8	22.7	26.9	27.7	27.6	23.3	28.0	29.2	27.2	27.5	323.4	8	2414
	01 LST	27.7	25.1	27.3	25.0	27.8	28.9	29.0	29.2	27.3	29.0	27.3	28.1	331.7	8	2316
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.2	0.0	0.0	0.2	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.9	8	2304
	13 LST	1.6	0.5	0.8	1.3	0.7	0.2	0.0	0.0	0.0	0.1	1.1	0.9	7.0	8	2332
	19 LST	0.2	0.1	0.2	0.3	0.2	0.2	0.2	0.0	0.0	0.0	0.0	0.3	1.7	8	2433
	01 LST	0.2	0.2	0.2	0.0	0.2	0.0	0.0	0.0	0.0	0.1	0.0	0.2	1.1	8	2335
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	0.0	0.5	13.4	19.4	18.6	17.7	20.7	18.5	14.7	14.3	6.5	0.0	144.3	8	2287
	13 LST	5.9	10.9	18.3	16.1	17.8	18.4	20.7	22.0	19.1	19.2	15.6	10.0	194.0	8	2314
	19 LST	2.5	6.5	17.6	20.6	20.1	21.2	19.1	17.4	16.6	15.3	11.7	3.4	172.0	8	2407
	01 LST	0.2	3.4	16.0	20.4	20.2	21.3	17.8	18.6	15.2	17.4	9.6	0.5	160.6	8	2325
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	13.3	11.8	10.6	8.5	8.6	9.0	10.1	8.5	10.1	11.6	10.4	17.1	131.6	8	2301
	13 LST	15.5	12.3	10.8	7.3	6.8	5.8	6.4	5.7	6.9	10.9	11.7	15.5	115.6	8	2329
	19 LST	20.6	17.9	11.8	9.3	8.8	6.6	9.0	9.7	11.5	15.6	15.3	21.2	157.3	8	2434
	01 LST	18.5	16.3	16.7	12.0	11.8	13.1	11.6	12.4	13.1	15.6	14.6	19.0	174.7	8	2337
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	29.7	25.8	29.0	28.1	27.7	28.3	29.2	27.0	25.7	27.2	26.3	27.9	331.9	8	2293
	13 LST	30.0	26.3	29.0	28.1	28.0	28.4	28.5	26.8	27.0	28.9	28.2	29.3	338.5	8	2311
	19 LST	30.0	27.3	30.0	28.2	29.5	29.4	30.3	30.1	28.8	30.3	28.6	29.9	352.6	8	2417
	01 LST	29.6	26.4	29.9	28.0	29.8	29.2	30.2	29.1	27.7	30.1	28.9	29.1	348.0	8	2331
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	29.6	25.2	28.0	26.7	25.5	26.5	25.8	22.6	23.6	25.8	25.2	27.9	312.4	8	2293
	13 LST	29.6	24.7	24.9	23.9	21.1	22.1	17.9	16.3	21.2	21.9	25.7	28.1	277.6	8	2311
	19 LST	29.6	27.1	28.2	25.8	25.2	26.2	27.1	25.0	25.4	27.5	27.2	29.4	323.7	8	2417
	01 LST	29.3	25.9	29.5	26.3	26.6	27.2	26.2	27.2	25.2	28.3	28.1	28.5	328.3	8	2331
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	29.6	25.2	27.8	26.6	25.3	26.5	25.8	22.6	23.6	25.7	25.1	27.6	311.4	8	2293
	13 LST	29.6	24.7	24.9	23.2	21.1	22.1	17.9	16.3	20.7	21.9	25.6	28.1	276.3	8	2311
	19 LST	29.6	27.1	28.0	25.4	25.2	26.2	26.8	25.0	25.2	27.5	27.2	29.4	322.6	8	2417
	01 LST	29.3	25.9	29.1	26.0	25.9	27.2	26.0	27.2	24.8	28.3	27.9	28.4	326.0	8	2331

YUN-CHENG/YUNCHO, CHINA

STA NO. 53959 (IN AREA NUMBER 04)

LATITUDE 3503N

LONGITUDE 11055E

ELEVATION(FT) 01214

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
ABS MAX TMP (F)	61	70	82	91	99	106	104	102	93	90	75	59	106	8	2550
MEAN MAX TMP (F)	40	50	61	71	80	89	92	88	80	69	54	44	68	8	2550
MEAN MIN TMP (F)	17	25	37	47	56	67	73	70	60	47	35	23	46	8	2519
ABS MIN TMP (F)	0	7	18	23	41	52	63	57	39	28	12	5	0	8	2519
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.8	7.0	18.9	22.5	16.6	2.3	0.4	0.0	0.0	68.5	8	2550
MEAN NO DYS TMP = DR LES 32(F)	30.5	24.0	9.9	1.4	0.0	0.0	0.0	0.0	0.0	2.0	12.7	28.8	109.3	8	2519
MEAN NO DYS TMP = DR LES 0(F)	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	8	2519
MEAN DEW PT TMP (F)	9	17	31	43	51	59	70	68	57	45	34	20	42	8	18592
MEAN REL HUM (PCT)	50	50	56	60	60	56	69	72	70	67	71	65	62	8	18348
MEAN PRESS ALT (FT)	735	873	1037	1180	1298	1452	1545	1416	1212	979	853	794	1115	8	18733
MEAN PRECIP (IN)	0.44	0.48	0.64	1.35	1.49	2.50	5.67	5.26	0.84	0.72	0.36	0.21	20.0	7	-181
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0					8	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	3.3	3.5	3.1	5.6	6.0	6.5	11.3	10.8	2.8	2.4	1.3	2.2	58.8	7	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0					8	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.6	0.4	0.4	0.3	0.0	0.3	0.2	0.1	0.3	0.4	0.9	2.0	5.9	8	2548
MEAN NO DYS TSTMS	0.0	0.0	0.4	1.3	2.8	3.6	9.4	6.6	1.7	0.1	0.1	0.0	26.0	8	2550
P FREQ WND SPD = DR GTR 17 KTS	3.0	2.1	4.6	4.3	2.2	1.5	0.4	0.6	1.5	1.1	0.9	1.1	1.9	8	18806
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	8	18806
P FREQ LES 5000 FT A/D LES 5 MI	11.3	10.3	13.0	13.5	12.5	9.6	10.5	10.9	7.7	10.4	11.7	18.1	11.6	8	18756
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	3.3	1.0	1.4	1.2	2.2	0.5	1.5	1.0	0.4	2.4	3.5	6.3	2.1	8	2576
03-05 LST	4.9	3.8	2.8	3.5	2.2	1.3	2.6	1.5	1.4	2.7	1.7	8.7	3.1	8	2259
06-08 LST	7.7	5.3	4.5	1.5	0.8	0.5	2.5	1.4	1.3	3.6	4.8	9.1	3.6	8	2557
09-11 LST	6.7	3.5	4.7	3.4	2.4	0.6	1.8	0.8	0.7	3.1	1.6	5.5	2.9	8	2338
12-14 LST	3.3	3.1	2.9	2.5	1.7	0.8	1.0	0.7	0.2	1.6	0.7	3.4	1.8	8	2534
15-17 LST	2.4	2.2	2.7	3.8	1.6	1.2	0.6	1.0	0.9	2.9	0.5	3.0	1.9	8	2395
18-20 LST	3.3	1.1	3.7	4.2	1.9	2.0	1.2	0.5	0.0	3.5	1.3	5.2	2.3	8	2553
21-23 LST	2.3	1.9	4.1	4.7	1.8	1.4	0.6	0.6	0.0	2.4	3.8	6.8	2.5	7	2173
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	1.4	0.5	0.5	0.5	1.0	0.0	0.0	0.0	0.0	0.0	1.7	2.5	0.7	8	2576
03-05 LST	2.2	1.3	0.6	0.6	0.0	0.0	1.3	0.5	0.9	0.9	0.5	3.2	1.0	8	2259
06-08 LST	1.4	2.6	1.4	0.5	0.0	0.0	0.0	0.0	0.4	1.3	2.6	3.7	1.2	8	2557
09-11 LST	1.0	1.9	1.1	1.7	0.0	0.0	0.0	0.0	0.4	0.4	0.5	2.2	0.7	8	2338
12-14 LST	1.4	1.6	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.5		8	2534
15-17 LST	1.5	1.6	0.5	1.1	0.0	0.6	0.0	0.0	0.0	0.4	0.0	0.9	0.6	8	2395
18-20 LST	1.4	0.5	1.5	2.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	2.2	0.7	8	2553
21-23 LST	2.3	0.6	1.5	2.6	0.5	0.5	0.0	0.6	0.0	1.2	0.0	2.5	1.0	7	2173

YUN-CHENG/YUNCHO, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	D C	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	28.6	26.9	29.8	29.6	31.0	30.0	30.4	30.7	29.6	29.9	28.5	27.3	352.9	8	2557
	13 LST	30.0	27.3	30.2	29.2	30.7	29.8	30.8	31.0	30.0	30.7	29.9	30.2	359.8	8	2534
	19 LST	30.0	27.7	29.9	28.8	30.6	29.6	30.7	31.0	30.0	29.9	29.6	29.5	357.3	8	2553
	01 LST	30.0	27.7	30.6	29.7	30.6	30.0	30.7	31.0	29.9	30.3	29.1	29.2	358.8	8	2576
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	24.4	22.7	24.4	25.2	26.6	25.4	27.3	28.5	26.6	27.4	25.9	25.4	309.8	8	2550
	13 LST	20.9	21.4	18.8	20.3	22.8	21.7	24.4	26.1	23.9	25.4	23.5	25.2	274.4	8	2523
	19 LST	25.4	24.2	21.5	21.1	23.7	24.3	26.3	26.7	25.0	26.0	25.5	27.1	296.8	8	2550
	01 LST	26.7	24.0	24.4	25.0	26.2	25.7	27.3	27.0	26.5	27.7	25.7	26.3	312.5	8	2575
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.4	0.3	0.6	0.6	0.5	0.0	0.0	0.0	0.3	0.1	0.5	0.4	3.7	8	2557
	13 LST	1.8	0.6	1.5	1.3	0.9	0.5	0.0	0.0	0.3	0.5	0.4	0.5	8.3	8	2548
	19 LST	0.6	0.9	1.6	1.0	0.0	0.5	0.3	0.1	0.0	0.4	0.3	0.4	6.1	8	2560
	01 LST	0.9	0.7	0.4	0.9	0.1	0.4	0.0	0.1	0.4	0.1	0.1	0.4	4.9	8	2582
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	0.3	2.8	12.0	12.5	11.7	15.2	16.7	14.1	10.6	9.5	7.2	1.9	114.5	8	2541
	13 LST	12.1	15.1	15.7	14.2	13.5	7.9	7.1	9.1	15.2	15.0	14.9	15.2	155.0	8	2530
	19 LST	3.1	9.3	12.3	11.0	14.4	12.3	11.3	12.1	12.9	9.6	10.4	6.4	125.1	8	2549
	01 LST	1.2	3.7	11.8	12.3	14.1	13.4	14.8	16.1	10.8	11.9	9.1	2.2	121.4	8	2567
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	15.0	11.8	11.3	9.3	9.4	10.5	9.6	10.9	12.0	12.2	11.6	15.9	139.5	8	2562
	13 LST	16.5	11.2	12.1	8.5	9.1	7.8	8.5	9.7	11.2	12.9	12.1	15.2	134.8	8	2552
	19 LST	20.6	16.3	13.1	10.8	9.2	6.6	9.4	11.7	12.2	14.4	15.6	18.2	158.1	8	2565
	01 LST	19.9	15.8	15.7	13.9	13.9	13.4	12.7	13.4	14.5	15.2	14.7	19.0	182.1	8	2584
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	28.6	26.2	29.0	29.3	29.9	29.3	29.5	30.0	29.0	29.4	28.3	27.9	346.4	8	2557
	13 LST	29.7	26.3	29.4	28.3	29.1	29.1	29.5	29.5	28.7	29.5	29.0	29.4	347.5	8	2534
	19 LST	30.0	27.6	29.2	28.2	29.8	28.8	30.1	30.2	29.2	29.5	29.3	29.2	351.1	8	2553
	01 LST	30.0	27.6	30.1	29.3	29.8	29.5	30.0	29.6	29.5	30.0	28.7	28.8	352.9	8	2576
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	28.2	25.2	27.8	27.9	28.4	28.0	27.7	27.1	27.3	28.1	26.7	27.2	329.6	8	2557
	13 LST	29.2	24.6	28.1	25.6	26.7	27.4	27.4	26.4	26.3	27.3	26.5	27.9	323.4	8	2534
	19 LST	30.0	27.4	27.4	26.7	28.0	27.2	26.9	28.0	27.5	28.6	27.7	28.3	333.7	8	2553
	01 LST	30.0	27.0	28.5	28.1	28.3	27.5	27.9	26.6	28.0	28.7	28.0	28.1	336.7	8	2576
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	26.2	25.2	27.8	27.8	28.4	28.0	27.6	27.1	27.0	28.1	26.3	27.2	328.7	8	2557
	13 LST	29.2	24.6	28.0	25.5	26.7	27.2	26.9	26.4	26.3	27.3	26.5	27.9	322.5	8	2534
	19 LST	30.0	27.4	27.4	26.6	28.0	27.2	26.9	27.7	27.4	28.4	27.5	28.3	332.8	8	2553
	01 LST	30.0	26.8	28.5	28.0	27.7	27.5	27.7	26.4	27.7	28.5	27.9	27.9	334.6	8	2576

WANG-KAI-MIAO, CHINA

STA NO. 54012 (IN AREA NUMBER 04)

LATITUDE 4440N

LONGITUDE 11800E

ELEVATION(FT) 03799

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	37	48	63	81	90	95	91	91	84	75	59	43	95	8	2498
MEAN MAX TMP (F)	8	18	34	52	65	75	77	75	65	51	30	15	47	8	2498
MEAN MIN TMP (F)	-12	-8	7	25	36	48	57	52	39	23	6	-6	22	8	2528
ABS MIN TMP (F)	-40	-40	-29	-8	10	27	41	32	14	-4	-24	-33	-40	8	2528
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.3	1.5	0.5	1.5	0.0	0.0	0.0	0.0	3.8	8	2498
MEAN NO DYS TMP = DR LES 32(F)	31.0	28.0	30.7	23.5	10.9	0.8	0.0	0.1	7.4	26.6	29.6	31.0	219.6	8	2528
MEAN NO DYS TMP = DR LES 0(F)	28.1	21.5	9.4	0.6	0.0	0.0	0.0	0.0	0.0	0.5	10.3	21.1	91.5	8	2528
MEAN DEW PT TMP (F)	10	4	5	13	26	44	56	52	37	17	3	5	23	8	18631
MEAN REL HUM (PCT)	71	69	57	43	45	58	73	71	64	52	61	69	61	8	18409
MEAN PRESS ALT (FT)	3214	3277	3456	3726	3849	3966	4039	3903	3731	3493	3325	3279	3605	8	18613
MEAN PRECIP (IN)														0	0
MEAN SNOW FALL (IN)							0.0	0.0						8	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN							0.0	0.0						0	0
MEAN NO DYS SNFL = DR GTR 1.5 IN							0.0	0.0						8	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.4	0.1	1.0	1.6	0.6	0.5	0.9	0.3	0.5	0.7	0.4	0.1	7.1	8	2528
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.4	2.8	11.8	12.1	8.2	3.4	0.3	0.0	0.0	39.0	8	2525
P FREQ WND SPD = DR GTR 17 KTS	9.3	7.0	12.8	19.8	15.4	6.0	2.7	2.4	6.5	7.9	7.2	8.4	8.8	8	18848
P FREQ WND SPD = DR GTR 28 KTS	0.1	0.2	1.1	1.5	1.1	0.1	0.0	0.0	0.5	0.5	0.1	0.3	0.5	8	18848
P FREQ LES 5000 FT A/D LES 5 MI	19.9	8.6	12.2	16.7	18.6	21.9	29.2	21.9	20.4	10.3	7.8	8.5	15.8	8	18159
P FREQ LES 1900 FT A/D LES 3 MI															
FOR 00-02 LST	5.7	1.6	2.0	3.0	1.0	0.8	2.9	2.2	1.7	1.3	1.8	3.2	2.3	8	2499
03-05 LST	2.7	3.4	4.6	4.2	2.5	3.0	7.9	7.8	2.6	2.1	1.7	2.6	3.8	8	2293
06-08 LST	4.0	5.2	5.4	6.5	6.4	2.8	9.9	9.6	7.6	3.0	3.7	3.0	5.6	8	2472
09-11 LST	6.2	2.9	4.4	7.5	6.0	2.5	4.7	2.9	2.7	1.6	2.8	3.5	4.0	8	2354
12-14 LST	8.2	4.5	4.2	4.8	2.1	2.1	2.1	1.8	2.5	1.8	3.4	3.2	3.4	8	2456
15-17 LST	3.8	2.8	3.7	6.8	3.8	3.7	2.7	1.3	1.1	2.5	2.1	4.4	3.2	8	2338
18-20 LST	9.7	3.4	1.4	4.6	2.5	1.7	2.5	1.6	2.0	1.5	0.7	3.2	2.6	8	2476
21-23 LST	10.1	1.3	1.0	2.7	2.0	1.7	4.3	0.9	0.8	1.0	0.8	2.0	2.4	7	2228
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	1.0	0.5	0.5	2.5	0.0	0.0	0.0	1.0	0.5	0.9	0.5	0.4	0.7	8	2499
03-05 LST	1.1	1.1	1.0	1.7	0.5	0.6	2.4	1.7	0.0	0.8	0.5	0.0	1.0	8	2293
06-08 LST	1.5	1.6	3.0	3.0	1.5	1.1	0.5	1.0	1.4	0.0	0.9	0.4	1.3	8	2472
09-11 LST	2.6	1.2	1.6	3.8	1.5	0.0	0.0	0.0	0.0	0.4	0.5	1.3	1.1	8	2354
12-14 LST	4.0	2.1	1.0	1.6	0.0	1.0	0.0	0.0	0.5	0.9	0.5	1.7	1.1	8	2456
15-17 LST	1.0	1.7	0.5	2.7	0.5	0.6	0.0	0.0	0.0	0.9	0.0	1.8	0.8	8	2338
18-20 LST	0.5	0.5	0.9	1.5	0.5	0.0	0.0	0.5	0.0	0.4	0.0	0.4	0.4	8	2476
21-23 LST	1.2	0.6	0.5	0.5	0.5	1.1	0.5	0.0	0.0	0.5	0.0	0.5	0.5	7	2228

WANG-KAI-MIAO, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST	29.9	26.8	29.5	28.5	29.4	29.5	28.9	28.9	28.5	30.5	29.2	30.1	349.7	8	2472
	14 LST	28.5	26.8	30.2	29.2	30.8	29.7	31.0	30.8	29.6	30.7	29.2	30.2	356.7	8	2456
	20 LST	29.4	27.1	30.7	28.9	30.4	29.8	30.5	30.8	29.9	30.7	29.9	30.1	358.2	8	2476
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	08 LST	13.7	16.1	15.9	11.5	13.5	18.2	19.4	20.4	17.9	19.1	17.0	15.6	198.3	8	2463
	14 LST	9.5	10.5	9.9	6.4	7.9	13.4	16.0	17.0	11.8	10.7	10.2	11.5	134.8	8	2450
	20 LST	13.3	14.4	20.5	17.0	21.5	21.9	22.6	25.2	23.7	21.0	17.9	15.9	234.9	8	2474
SFC WND = GTR 17 KTS AND NO PRECIP.	08 LST	1.8	1.8	2.3	5.1	3.9	2.4	0.6	0.3	0.9	2.1	2.3	1.9	25.1	8	2538
	14 LST	4.6	3.5	6.1	9.0	7.6	2.1	0.9	1.3	3.4	5.3	3.8	3.7	51.3	8	2541
	20 LST	2.5	0.7	1.6	1.3	1.2	0.2	0.2	0.0	0.3	0.7	0.8	1.6	11.1	8	2534
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	08 LST	0.0	0.0	0.5	4.8	12.8	12.8	15.2	15.6	15.1	6.5	0.5	0.0	83.8	8	2519
	14 LST	0.0	0.3	5.0	5.8	8.9	11.9	12.6	15.0	10.6	10.7	4.2	0.4	85.4	8	2518
	20 LST	0.0	0.0	1.3	10.3	18.4	15.5	14.7	12.9	11.6	9.7	1.5	0.0	95.9	8	2522
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST	17.7	13.8	14.2	12.3	14.3	12.4	9.6	11.9	14.9	18.3	17.2	17.7	174.3	8	2545
	14 LST	17.4	15.0	13.1	8.5	8.8	7.4	5.5	9.7	9.7	15.6	16.1	17.0	143.8	8	2552
	20 LST	20.3	18.3	18.9	12.0	11.4	8.3	8.2	13.7	14.7	21.6	20.6	21.5	189.3	8	2538
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	08 LST	29.4	26.1	28.9	27.3	28.4	28.3	26.2	26.6	26.4	29.5	28.5	29.7	335.3	8	2472
	14 LST	28.1	26.3	28.3	26.3	28.1	26.7	27.9	28.4	27.3	29.3	28.1	29.5	334.5	8	2456
	20 LST	29.0	26.7	30.0	27.8	29.3	28.4	29.0	29.7	28.3	30.2	29.5	29.8	347.7	8	2476
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	08 LST	29.2	27.4	29.9	28.7	30.1	28.6	29.0	29.6	29.0	30.4	29.4	29.9	351.2	8	2499
	14 LST	27.6	25.3	27.8	25.7	25.5	25.3	21.9	23.7	24.1	27.7	26.6	28.2	309.4	8	2472
	20 LST	28.5	25.8	28.5	25.0	25.9	22.5	21.9	24.9	22.1	27.8	28.4	29.3	310.6	8	2476
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST	28.7	27.0	29.1	26.9	27.4	24.7	24.2	25.8	25.9	28.8	28.8	29.3	326.6	8	2499
	14 LST	27.3	25.1	27.6	25.2	25.2	24.6	21.2	22.5	23.9	26.9	26.5	27.6	303.6	8	2472
	20 LST	27.0	25.3	25.6	22.1	21.6	17.5	16.3	20.9	18.1	25.2	25.2	27.9	272.7	8	2456
	02 LST	28.5	25.7	28.2	24.2	24.8	21.4	20.0	23.4	20.9	27.3	27.9	28.9	301.2	8	2476
	02 LST	28.7	26.8	29.1	26.9	27.2	24.6	23.5	25.2	25.6	28.6	28.6	29.2	324.0	8	2499

PATEGAGA SUME/HS, CHINA

STA NO. 54102 (IN AREA NUMBER 04)

LATITUDE 4351N LONGITUDE 11605E ELEVATION(FT) 03169

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	32	46	68	84	93	97	99	97	84	79	57	41	99	8	2517
MEAN MAX TMP (F)	10	19	37	55	68	79	81	78	67	54	32	15	50	8	2517
MEAN MIN TMP (F)	-15	-9	9	25	38	51	58	54	40	24	6	-8	23	8	2519
ABS MIN TMP (F)	-44	-35	-27	-13	16	30	46	39	18	-2	-22	-36	-44	8	2519
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	2.2	3.7	3.8	3.0	0.0	0.0	0.0	0.0	12.7	8	2517
MEAN NO DYS TMP = DR LES 32(F)	31.0	28.0	30.3	23.8	9.3	0.2	0.0	0.0	6.1	26.1	29.7	31.0	215.5	8	2519
MEAN NO DYS TMP = DR LES 0(F)	29.5	22.1	8.0	0.3	0.0	0.0	0.0	0.0	0.0	0.4	10.1	23.9	94.0	8	2519
MEAN DEN PT TMP (F)	11	4	6	12	25	43	55	52	37	18	3	6	23	8	18402
MEAN REL HUM (PCT)	71	70	55	39	41	52	65	65	60	50	58	70	58	8	18195
MEAN PRESS ALT (FT)	2582	2676	2881	3141	3261	3395	3467	3323	3137	2893	2721	2648	3010	8	18503
MEAN PRECIP (IN)														0	0
MEAN SNOW FALL (IN)						0.0	0.0	0.0						8	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN						0.0	0.0	0.0						8	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN														8	2538
MEAN NO DYS W/OCCUR VSBY LES 1/2 MI	0.2	0.1	0.4	0.1	0.1	0.2	0.2	0.1	0.4	0.3	0.3	0.7	3.1	8	2536
MEAN NO DYS TSTMS	0.0	0.0	0.0	0.7	4.0	11.2	10.9	7.5	3.5	0.1	0.0	0.0	37.9	8	18659
P FREQ WND SPD = DR GTR 17 KTS	5.1	3.9	8.6	13.4	12.0	5.1	3.7	1.8	4.3	4.9	3.8	3.1	5.8	8	18659
P FREQ WND SPD = DR GTR 28 KTS	0.3	0.1	0.3	0.8	0.5	0.0	0.1	0.1	0.2	0.3	0.2	0.0	0.2	8	18370
P FREQ LES 3000 FT A/D LES 5 MI	4.3	4.5	9.8	15.1	17.5	26.4	31.9	24.4	18.4	7.1	5.3	3.3	14.0	8	18370
P FREQ LES 1500 FT A/D LES 3 MI														8	2532
FOR 00-02 LST	1.0	0.5	3.0	1.5	0.3	0.0	1.2	0.7	1.4	0.0	0.9	0.9	1.0	8	2173
03-05 LST	0.5	1.9	2.9	0.6	1.8	1.3	2.1	1.9	2.2	0.2	0.5	0.0	1.3	8	2542
06-08 LST	5.3	6.3	6.8	4.6	2.2	2.1	2.6	4.6	4.3	2.8	3.3	4.7	4.1	8	2322
09-11 LST	1.6	0.6	3.7	4.2	1.6	0.7	1.0	1.8	1.2	1.5	0.5	1.5	1.7	8	2522
12-14 LST	2.1	1.6	0.7	3.8	1.1	0.8	1.3	1.7	1.1	1.2	1.3	1.9	1.6	8	2342
15-17 LST	1.0	2.0	0.3	3.2	2.0	0.6	1.5	1.3	1.5	0.7	0.9	0.5	1.3	8	2516
18-20 LST	1.0	0.8	1.0	3.5	1.0	0.3	0.8	2.0	0.7	2.2	0.7	1.3	1.3	8	2516
21-23 LST	1.2	0.6	0.5	1.9	0.5	0.3	0.8	2.1	1.6	0.0	0.3	1.5	0.9	7	2247
P FREQ LES 300 FT A/D LES 1 MI														8	2532
FOR 00-02 LST	0.0	0.0	1.0	0.5	0.0	0.0	0.5	3.0	0.5	0.0	0.0	0.0	0.2	8	2173
03-05 LST	0.0	0.6	1.2	0.6	0.0	0.6	0.7	0.5	0.5	0.0	0.0	0.0	0.4	8	2542
06-08 LST	1.9	1.0	1.9	3.0	0.5	0.0	0.5	0.0	0.0	0.0	0.9	0.0	1.3	8	2322
09-11 LST	0.5	0.0	2.6	3.4	0.5	0.0	0.0	0.0	0.0	0.9	0.0	1.3	0.8	8	2522
12-14 LST	1.9	0.5	0.0	1.5	0.5	0.5	0.0	0.0	0.0	0.3	0.4	0.4	0.5	8	2342
15-17 LST	0.5	0.0	0.0	1.6	1.1	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.3	8	2516
18-20 LST	0.5	0.5	0.5	1.5	0.5	0.0	0.0	0.0	0.0	0.9	0.4	0.4	0.4	8	2516
21-23 LST	0.0	0.6	0.5	1.1	0.5	0.0	0.0	0.5	0.5	0.0	0.0	0.5	0.4	7	2247

PATEGAGA SUME/HS, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST	29.4	26.3	29.1	29.1	30.7	29.8	30.5	30.4	29.2	30.3	29.2	29.5	353.5	8	2542
	14 LST	30.4	27.6	30.9	29.3	30.8	29.8	30.7	30.9	29.7	30.9	29.6	30.5	361.1	8	2522
	20 LST	30.7	27.9	30.7	29.3	30.7	30.0	31.0	31.0	30.0	30.3	29.9	30.6	362.1	8	2516
	02 LST	30.7	27.9	30.2	29.9	31.0	30.0	30.7	31.0	29.9	31.0	29.7	30.7	362.7	8	2532
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	08 LST	19.5	21.4	21.8	15.8	16.4	19.3	23.0	24.5	22.9	25.7	22.6	21.6	254.5	8	2533
	14 LST	10.6	11.3	11.4	5.6	9.5	14.4	16.7	19.1	14.2	11.2	10.7	12.2	146.9	8	2514
	20 LST	21.5	21.0	22.2	20.7	22.7	20.6	23.1	24.8	24.7	26.1	23.5	22.1	272.0	8	2514
	02 LST	21.9	23.7	24.3	20.2	21.4	23.6	25.8	27.1	24.8	26.3	22.5	22.7	284.3	8	2530
SFC WND = GTR 17 KTS AND NO PRECIP.	08 LST	0.4	0.3	0.9	3.2	3.6	0.9	0.6	0.4	0.7	0.4	0.5	0.3	12.2	8	2555
	14 LST	3.8	3.1	5.0	6.8	5.6	1.9	2.3	1.0	2.9	4.2	4.0	2.4	43.0	8	2552
	20 LST	0.7	0.0	1.0	0.9	1.3	0.4	0.3	0.3	0.0	0.5	0.7	0.1	6.2	8	2544
	02 LST	0.2	0.0	1.1	1.5	1.7	0.3	0.3	0.0	0.1	0.1	0.5	0.8	6.6	8	2547
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	08 LST	0.0	0.0	0.8	6.6	13.1	11.4	14.2	11.6	11.7	5.6	0.4	0.0	75.4	8	2536
	14 LST	0.0	0.9	7.1	6.7	10.8	12.2	12.4	14.7	14.6	13.1	3.5	0.0	96.0	8	2531
	20 LST	0.0	0.1	4.5	15.1	20.4	16.1	15.4	18.0	15.1	14.1	1.5	0.0	120.3	8	2528
	02 LST	0.0	0.0	0.3	6.2	11.9	12.9	12.1	11.3	10.0	5.5	0.7	0.0	71.5	8	2536
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST	17.4	14.2	14.2	12.7	13.9	11.8	10.8	11.7	14.3	19.0	17.2	16.7	173.9	8	2558
	14 LST	18.0	15.8	12.3	8.2	8.7	5.4	4.9	10.1	10.4	17.2	18.9	18.4	148.3	8	2558
	20 LST	22.1	19.2	17.7	12.4	10.8	6.4	7.0	12.7	16.5	21.5	20.7	22.0	189.0	8	2546
	02 LST	21.8	19.8	20.8	17.6	17.5	13.8	14.7	18.1	18.6	23.1	20.1	22.0	229.9	8	2545
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	08 LST	29.4	26.3	28.5	27.9	29.5	28.4	28.5	27.8	27.7	29.7	28.8	29.4	341.9	8	2542
	14 LST	30.0	27.3	29.4	27.3	28.8	27.3	27.9	28.4	28.2	29.8	29.2	30.0	343.6	8	2522
	20 LST	30.6	27.7	30.5	28.4	29.6	27.6	28.6	28.4	28.6	30.1	29.6	30.6	340.3	8	2516
	02 LST	30.7	27.9	29.8	29.1	30.3	29.3	29.6	29.9	28.9	30.8	29.7	30.7	356.7	8	2532
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	08 LST	29.2	26.0	27.1	25.9	26.7	25.2	23.3	23.5	24.4	28.3	27.5	28.9	316.0	8	2542
	14 LST	29.0	26.2	24.9	22.1	22.3	16.8	15.3	20.6	20.5	26.1	27.6	29.3	280.7	8	2522
	20 LST	30.4	27.4	29.4	26.2	24.7	19.5	19.3	22.1	23.3	28.6	28.5	30.2	309.6	8	2516
	02 LST	30.2	27.4	28.8	28.1	27.7	24.6	24.8	26.4	26.7	29.3	28.7	30.2	332.9	8	2532
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST	29.2	25.8	27.1	25.9	26.4	25.0	23.2	23.5	24.4	28.3	27.4	28.5	314.7	8	2542
	14 LST	28.8	26.2	24.8	21.9	22.2	15.8	15.3	20.6	20.5	26.1	27.6	29.2	280.0	8	2522
	20 LST	30.1	27.3	29.4	26.0	24.7	19.5	19.1	21.6	23.1	28.3	28.1	30.2	307.4	8	2516
	02 LST	30.1	27.4	28.5	28.1	27.5	24.5	24.8	25.6	26.4	29.3	28.7	30.2	331.1	8	2532

TO-LUN, CHINA

STA NO. 54208 (IN AREA NUMBER 04) LATITUDE 4215N LONGITUDE 11613E ELEVATION(FT) 03973

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	37	48	68	81	88	91	90	88	84	77	59	52	91	8	2514
MEAN MAX TMP (F)	10	20	37	54	67	75	77	75	66	53	33	17	49	8	2514
MEAN MIN TMP (F)	-13	-7	11	26	37	47	55	51	38	24	7	-7	22	8	2517
ABS MIN TMP (F)	-38	-33	-24	1	12	27	43	34	19	1	-20	-33	-38	8	2517
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	1.1	0.3	0.0	0.0	0.0	0.0	0.0	1.4	8	2514
MEAN NO DYS TMP = DR LES 32(F)	31.0	27.9	30.4	23.8	10.6	1.1	0.0	0.0	8.9	25.6	30.0	31.0	220.3	8	2517
MEAN NO DYS TMP = DR LES 0(F)	28.4	21.2	6.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.1	22.6	86.9	8	2517
MEAN DEW PT TMP (F)	9	3	8	15	27	44	56	53	38	20	6	5	24	8	18764
MEAN REL HUM (PCT)	71	68	57	44	43	60	74	74	65	55	59	67	62	8	18563
MEAN PRESS ALT (FT)	3379	3471	3672	3903	4033	4156	4226	4093	3914	3674	3518	3439	3790	8	18947
MEAN PRECIP (IN)	0.15	0.03	0.24	0.18	1.58	2.54	7.24	3.69	1.69	0.72	0.35	0.16	18.6	5	-181
MEAN SNOW FALL (IN)							0.0	0.0						8	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	1.9	1.2	1.4	1.2	6.3	6.6	12.9	8.6	5.8	2.4	1.2	1.9	51.4	5	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN							0.0	0.0						8	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	1.0	0.4	1.0	0.3	0.3	0.8	0.6	0.7	0.4	0.7	0.6	1.1	7.9	8	2546
MEAN NO DYS TSTMS	0.0	0.0	0.1	1.0	4.0	13.8	13.7	10.1	6.3	1.3	0.0	0.0	50.3	8	2552
P FREQ WND SPD = DR GTR 17 KTS	19.3	11.1	12.6	19.4	14.4	6.4	1.7	1.0	6.6	6.8	9.2	11.3	10.0	8	19078
P FREQ WND SPD = DR GTR 28 KTS	0.9	0.1	0.4	1.4	0.8	0.1	0.0	0.1	0.2	0.2	0.5	0.2	0.4	8	19078
P FREQ LES 3000 FT A/D LES 3 MI	6.6	6.4	8.1	13.3	16.3	31.1	35.9	30.4	21.3	8.1	6.5	6.1	15.8	8	19066
P FREQ LES 1900 FT A/D LES 3 MI															
FOR 00-02 LST	3.3	2.6	1.5	3.0	0.5	0.0	1.0	0.7	0.7	0.4	1.8	3.0	1.5	8	2529
03-05 LST	4.4	2.2	2.5	2.2	1.0	2.6	4.9	4.7	0.0	0.9	1.5	2.3	2.4	8	2362
06-08 LST	3.4	3.7	8.0	4.0	1.0	1.0	2.7	3.1	3.1	2.1	2.2	4.5	3.2	8	2552
09-11 LST	5.6	2.3	4.0	3.3	0.0	0.0	0.0	0.3	0.3	1.1	1.6	1.3	1.7	8	2401
12-14 LST	7.7	3.2	3.6	4.9	0.5	0.3	0.3	0.5	0.2	0.9	2.2	2.1	2.2	8	2539
15-17 LST	3.0	4.4	2.0	4.7	2.6	0.0	0.8	0.3	0.5	0.0	2.2	3.1	2.0	8	2410
18-20 LST	2.3	3.7	2.4	2.4	1.2	0.0	0.5	0.7	0.5	0.2	0.9	2.1	1.4	8	2551
21-23 LST	2.9	3.2	2.1	1.6	0.0	1.0	0.5	0.8	0.3	0.0	1.0	2.0	1.3	7	2285
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	1.9	1.6	1.0	2.5	0.0	0.0	0.5	0.0	0.5	0.4	1.3	1.7	1.0	3	2529
03-05 LST	1.7	1.7	2.0	1.1	0.5	2.1	1.6	2.6	0.0	0.9	1.0	1.4	1.4	8	2362
06-08 LST	1.5	1.1	4.7	3.5	1.0	1.0	1.5	1.4	2.6	2.1	2.2	2.5	2.1	8	2552
09-11 LST	4.6	1.2	2.5	2.2	0.0	0.0	0.0	0.0	0.5	0.4	0.4	0.4	1.0	8	2401
12-14 LST	3.8	2.6	0.5	2.5	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.8	8	2539
15-17 LST	2.5	2.7	1.0	2.1	1.6	0.0	0.5	0.0	0.0	0.0	0.4	0.9	1.0	8	2410
18-20 LST	0.9	1.6	1.5	2.4	0.5	0.0	0.0	0.0	0.0	0.0	0.4	0.9	0.7	8	2551
21-23 LST	1.2	1.9	1.6	1.6	0.0	0.5	0.5	0.0	0.0	0.0	0.5	1.0	0.7	7	2285

TO-LUN, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST	29.9	27.0	28.5	28.8	30.7	29.7	30.2	30.1	29.2	30.3	29.3	29.6	353.3	8	2552
	14 LST	28.6	27.1	30.0	28.5	30.8	30.0	31.0	31.0	30.0	30.7	29.3	30.4	357.4	8	2539
	20 LST	30.3	27.0	30.2	29.3	30.7	30.0	30.8	30.9	29.9	31.0	29.7	30.3	360.1	8	2551
	02 LST	30.0	27.3	30.5	29.1	30.9	30.0	30.8	30.9	29.9	30.9	29.5	30.1	359.9	8	2529
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	08 LST	18.5	20.6	18.9	16.6	16.3	21.5	25.6	27.2	22.6	22.0	21.5	19.7	251.0	8	2548
	14 LST	7.9	8.7	9.0	6.1	8.9	14.5	19.0	20.4	12.6	9.7	9.6	10.7	137.1	8	2535
	20 LST	18.5	18.6	21.3	18.1	17.4	23.1	26.8	28.7	24.7	25.7	23.6	19.7	266.2	8	2544
	02 LST	18.5	20.4	21.5	20.3	23.8	27.4	28.8	29.7	25.4	25.1	23.6	20.0	284.5	8	2527
SFC WND = GTR 17 KTS AND NO PRECIP.	08 LST	3.3	1.0	2.2	3.4	3.9	1.2	0.3	0.0	0.7	1.1	0.7	1.1	18.9	8	2553
	14 LST	9.3	6.5	8.0	9.6	8.7	3.5	1.1	1.0	4.7	5.2	6.2	6.0	69.8	8	2556
	20 LST	2.8	1.0	1.2	1.9	1.0	0.3	0.0	0.0	0.1	0.0	1.0	1.3	10.6	8	2566
	02 LST	2.2	1.0	0.8	1.2	0.9	0.3	0.0	0.0	0.1	0.5	0.8	1.6	9.4	8	2540
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	08 LST	0.0	0.0	1.3	6.4	8.6	9.4	10.8	8.5	8.0	3.8	0.8	0.0	57.6	8	2531
	14 LST	0.3	0.6	5.1	6.0	7.7	10.4	14.1	13.8	11.2	7.0	5.7	1.1	81.0	8	2540
	20 LST	0.0	0.0	4.8	13.3	18.0	16.4	15.9	14.6	13.7	10.7	1.5	0.0	108.9	8	2552
	02 LST	0.0	0.3	0.8	6.8	11.1	9.8	7.8	6.6	8.8	4.4	0.9	0.0	57.3	8	2529
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST	19.1	15.3	14.8	15.1	14.6	10.7	11.2	13.7	14.8	18.0	18.1	17.5	182.9	8	2562
	14 LST	17.0	14.6	13.6	9.0	9.1	5.3	5.0	7.2	11.6	18.3	16.8	18.4	145.9	8	2553
	20 LST	23.2	18.5	18.4	12.1	12.1	6.6	8.6	13.4	16.4	21.6	21.4	22.0	194.3	8	2570
	02 LST	23.9	19.1	19.1	17.9	17.3	15.8	13.9	17.0	17.7	22.2	19.7	21.6	225.2	8	2540
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	08 LST	29.9	26.9	28.5	28.4	30.5	29.1	28.3	28.4	28.2	29.9	29.2	29.6	346.9	8	2552
	14 LST	28.4	26.5	29.1	26.7	28.8	26.5	27.2	27.6	27.6	29.8	29.0	30.2	337.4	8	2539
	20 LST	30.3	27.0	30.1	28.6	29.6	27.8	27.8	28.3	28.2	30.6	29.7	30.3	348.3	8	2551
	02 LST	30.0	27.3	30.5	29.0	30.3	29.3	29.0	29.5	28.6	30.8	29.5	30.0	353.8	8	2529
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	08 LST	27.5	23.3	26.3	25.4	26.2	21.8	21.1	21.6	22.8	26.0	25.1	26.8	294.9	8	2552
	14 LST	24.5	23.6	24.1	21.9	22.3	15.2	14.3	18.0	19.9	26.3	26.4	27.1	263.6	8	2539
	20 LST	29.0	25.2	27.7	25.5	24.5	18.6	17.2	19.2	22.6	28.5	28.1	28.9	295.0	8	2551
	02 LST	28.3	26.1	28.4	27.2	27.4	22.7	21.2	23.4	24.3	28.7	27.6	28.1	313.4	8	2529
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST	27.5	23.3	26.3	25.4	26.2	21.8	21.1	21.6	22.8	26.0	26.1	26.8	294.9	8	2552
	14 LST	24.3	23.4	24.1	21.9	22.3	15.2	14.3	18.0	19.9	26.3	26.4	27.1	263.2	8	2539
	20 LST	29.0	25.0	27.7	25.5	24.5	18.5	17.2	19.2	22.6	28.5	28.1	28.9	294.7	8	2551
	02 LST	28.3	26.1	28.4	27.2	27.4	22.7	21.2	23.4	24.3	28.5	27.6	28.1	313.2	8	2529

CHANG-CHIA-KOU, CHINA

STA NO. 54401 (IN AREA NUMBER 04)

LATITUDE 4050N

LONGITUDE 11511E

ELEVATION(FT) 02493

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	41	64	72	86	97	99	99	95	90	79	61	48	99	8	2549
MEAN MAX TMP (F)	24	34	43	62	75	82	85	82	73	60	42	29	58	8	2549
MEAN MIN TMP (F)	2	9	23	35	48	58	64	61	49	35	19	7	34	8	2533
ABS MIN TMP (F)	-15	-13	0	14	27	39	50	46	28	10	-6	-9	-15	8	2533
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	2.4	6.0	8.2	3.5	0.1	0.0	0.0	0.0	20.2	8	2549
MEAN NO DYS TMP = DR LES 37(F)	31.0	28.0	27.7	12.3	1.1	0.0	0.0	0.0	0.7	11.9	28.4	30.9	172.0	8	2533
MEAN NO DYS TMP = DR LES 0(F)	13.1	3.8	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	8.1	26.0	8	2533
MEAN DEW PT TMP (F)	6	13	13	20	32	49	61	59	44	28	12	1	27	8	18996
MEAN REL HUM (PCT)	46	46	45	37	38	53	66	69	59	53	51	50	51	8	18877
MEAN PRESS ALT (FT)	1958	2079	2247	2437	2583	2707	2781	2645	2456	2215	2069	2012	2349	8	19094
MEAN PRECIP (IN)	0.12	0.12	0.17	0.41	1.39	1.98	5.15	3.28	1.49	0.40	0.17	0.09	14.8	23	-181
MEAN SNOW FALL (IN)						0.0	0.0	0.0						8	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	1.4	2.4	2.1	3.2	6.4	8.2	11.6	9.4	7.0	3.2	1.7	1.8	58.4	23	-181
MEAN NO DYS SNFL = DR GTR 1.5 IN						0.0	0.0	0.0						8	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0	0.0	0.3	0.5	0.2	0.0	0.0	0.0	0.3	0.0	0.1	0.1	1.5	8	2565
MEAN NO DYS TSMS	0.0	0.1	0.1	0.9	5.0	2.1	14.7	8.6	5.1	1.6	0.0	0.1	48.3	8	2563
P FREQ WND SPD = DR GTR 17 KTS	10.7	7.0	7.3	9.8	6.4	3.0	0.9	0.1	1.6	2.4	3.7	5.5	4.9	8	19193
P FREQ WND SPD = DR GTR 28 KTS	0.2	0.2	0.1	0.4	0.1	0.1	0.0	0.1	0.0	0.0	0.1	0.0	0.1	8	19193
P FREQ LES 5000 FT A/D LES 3 MI	6.9	6.1	9.2	9.5	5.5	7.5	9.3	11.0	9.0	6.4	9.0	7.0	8.0	8	19205
P FREQ LES 1900 FT A/D LES 3 MI															
FOR 00-02 LST	0.0	0.5	0.0	1.0	0.0	0.0	0.0	0.2	0.9	0.4	1.8	0.4	0.4	8	2558
03-05 LST	0.5	1.1	1.5	1.1	0.5	0.5	0.0	0.5	0.7	0.0	2.8	0.5	0.8	8	2383
06-08 LST	3.4	1.8	4.6	2.0	0.5	1.1	0.8	2.1	5.1	2.4	3.5	2.6	2.5	8	2527
09-11 LST	4.3	4.3	2.3	2.1	0.5	0.0	0.6	1.3	0.5	2.6	5.8	2.6	2.2	8	2415
12-14 LST	3.3	1.6	1.4	1.5	1.6	0.0	0.0	1.0	0.0	0.6	3.5	2.1	1.4	8	2529
15-17 LST	2.1	0.5	2.0	2.1	1.0	0.5	0.0	0.3	0.9	0.0	3.3	1.7	1.2	8	2442
18-20 LST	0.5	1.0	1.0	2.0	1.0	0.0	0.7	0.2	0.7	0.2	2.4	0.4	0.8	8	2573
21-23 LST	0.0	0.6	0.0	1.1	0.0	0.0	0.8	0.0	0.0	0.0	1.6	0.5	0.4	7	2263
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.1	8	2558
03-05 LST	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.5	0.0	0.2	8	2383
06-08 LST	0.5	0.5	1.9	1.5	0.0	0.0	0.0	0.0	0.5	0.0	1.7	0.9	0.6	8	2527
09-11 LST	1.1	0.5	0.0	1.6	0.0	0.0	0.0	0.0	0.0	0.0	1.8	0.9	0.5	8	2415
12-14 LST	1.9	0.0	1.0	1.0	1.0	0.0	0.0	0.0	0.0	0.0	1.7	0.4	0.6	8	2529
15-17 LST	1.6	0.0	1.0	2.1	0.5	0.0	0.0	0.0	0.0	0.0	1.3	0.0	0.5	8	2442
18-20 LST	0.0	0.0	0.5	1.5	0.5	0.0	0.0	0.0	0.4	0.0	1.3	0.0	0.4	8	2573
21-23 LST	0.0	0.6	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.5	0.2	7	2263

CHANG-CHIA-KOU, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST	29.9	27.6	29.7	29.4	30.6	29.8	31.0	30.9	28.8	30.5	29.1	30.3	357.8	8	2527
	14 LST	30.0	27.6	30.6	29.6	30.5	30.0	31.0	31.0	30.0	30.9	29.1	30.4	360.7	8	2529
	20 LST	30.9	27.7	30.7	29.4	30.7	30.0	31.0	31.0	29.9	31.0	29.3	30.9	362.5	8	2573
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	08 LST	18.1	20.1	22.3	22.7	23.4	25.7	28.2	28.8	25.3	26.2	22.0	23.2	286.0	8	2523
	14 LST	14.5	14.4	15.9	15.8	14.5	19.5	22.4	23.7	20.9	20.6	18.7	19.3	220.2	8	2523
	20 LST	16.2	17.4	18.6	14.6	19.0	21.0	24.1	27.9	25.5	24.1	21.2	21.7	251.3	8	2570
SFC WND = GTR 17 KTS AND NO PRECIP.	08 LST	1.2	0.9	1.3	1.8	0.5	0.3	0.0	0.0	0.0	0.4	0.7	0.7	7.8	8	2537
	14 LST	6.3	4.1	4.6	6.2	4.1	1.3	0.3	0.0	1.2	1.4	2.0	3.5	35.0	8	2540
	20 LST	3.1	1.3	1.5	1.5	0.9	0.4	0.3	0.0	0.3	0.5	0.7	0.7	11.4	8	2574
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	08 LST	0.0	0.1	3.9	8.1	12.1	12.6	11.1	9.7	9.1	7.5	1.4	0.0	75.6	8	2529
	14 LST	1.3	4.7	12.7	14.1	12.1	12.2	12.9	16.8	14.1	11.6	9.2	4.6	126.3	8	2523
	20 LST	0.3	1.4	11.0	15.4	16.6	14.6	14.6	17.3	16.9	15.6	5.5	0.5	129.7	8	2565
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST	20.6	18.2	16.1	15.8	14.8	12.3	12.3	14.8	14.5	18.3	17.8	20.4	195.9	8	2539
	14 LST	16.5	14.0	14.3	10.2	9.7	8.3	8.4	11.4	13.3	19.0	17.5	17.1	159.7	8	2542
	20 LST	24.5	19.4	17.1	13.8	11.6	7.5	8.4	10.7	16.5	23.0	21.6	23.0	197.1	8	2574
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	08 LST	29.8	27.4	29.3	29.1	30.8	29.3	30.0	29.4	28.1	29.8	28.7	30.0	331.7	8	2527
	14 LST	29.8	27.4	30.1	29.4	30.4	29.8	30.6	30.0	29.7	30.5	28.7	30.3	356.7	8	2529
	20 LST	30.9	27.6	30.4	29.1	30.7	29.9	30.3	30.5	29.5	30.8	29.2	30.8	359.7	8	2573
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	08 LST	31.0	27.8	30.9	29.6	30.9	30.0	30.9	30.6	29.5	30.8	29.4	30.9	362.3	8	2558
	14 LST	28.0	26.1	26.4	27.4	28.3	26.2	24.2	23.8	25.2	27.7	26.5	28.6	318.4	8	2527
	20 LST	26.6	24.3	26.4	25.2	24.7	22.3	22.9	23.3	24.6	27.8	26.9	28.8	303.8	8	2529
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST	30.1	26.7	28.0	26.0	24.9	21.9	22.6	23.6	24.8	28.2	27.8	29.8	314.4	8	2573
	14 LST	30.3	27.6	29.8	27.8	26.2	25.6	25.7	25.9	26.0	28.9	28.1	30.6	332.5	8	2558
	20 LST	27.7	25.8	25.6	26.8	27.4	26.1	23.9	23.4	24.9	27.4	26.1	28.4	313.5	8	2527
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST	26.6	24.3	26.4	24.9	24.3	22.1	22.7	23.3	24.5	27.6	26.5	28.7	301.9	8	2529
	14 LST	30.0	26.7	27.7	25.2	23.7	20.5	21.6	22.9	23.8	27.9	27.5	29.5	307.0	8	2573
	20 LST	30.3	27.6	29.7	27.8	25.6	25.6	25.7	25.9	26.0	28.5	28.1	30.6	331.4	8	2558

HUAI-LAI/AWAILAI, CHINA

STA NO. 54405 (IN AREA NUMBER 04)

LATITUDE 4025N

LONGITUDE 11530E

ELEVATION(FT) 01805

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	48	66	72	86	99	104	99	97	93	82	64	48	104	8	2542
MEAN MAX TMP (F)	27	37	50	65	78	85	87	84	76	63	45	33	61	8	2542
MEAN MIN TMP (F)	7	13	25	38	51	61	67	63	52	38	24	12	38	8	2542
ABS MIN TMP (F)	-9	-6	5	19	36	45	54	50	30	19	3	-6	-9	8	2542
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	3.1	9.3	13.0	6.2	0.3	0.0	0.0	0.0	31.9	8	2542
MEAN NO DYS TMP = DR LES 32(F)	31.0	27.6	25.4	7.3	0.0	0.0	0.0	0.0	0.1	8.5	26.0	31.0	156.9	8	2542
MEAN NO DYS TMP = DR LES 0(F)	4.9	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	8.3	8	2542
MEAN DEW PT TMP (F)	6	3	13	22	34	51	63	61	46	31	14	1	29	8	18638
MEAN REL HUM (PCT)	39	42	43	37	38	52	66	70	60	54	50	44	50	8	18472
MEAN PRESS ALT (FT)	1311	1410	1557	1751	1890	2009	2079	1952	1773	1537	1403	1362	1670	8	18708
MEAN PRECIP (IN)	0.10	0.20	0.20	0.40	0.70	2.40	5.70	3.50	1.00	0.50	0.30	0.10	15.1	10	-180
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0					8	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	1.6	2.2	1.2	2.1	3.3	6.3	11.3	8.3	3.3	1.7	1.1	1.6	44.0	10	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0					8	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.1	0.0	0.3	0.2	0.2	0.0	0.3	0.1	0.0	0.1	0.1	0.0	1.4	8	2543
MEAN NO DYS TSTMS	0.0	0.0	0.0	1.1	3.9	11.2	11.8	8.6	4.3	0.8	0.1	0.0	41.8	8	2542
P FREQ WND SPD = DR GTR 17 KTS	26.7	12.6	9.3	8.3	4.8	1.5	0.8	0.1	2.2	4.0	7.9	14.4	7.7	8	18823
P FREQ WND SPD = DR GTR 28 KTS	0.6	0.4	0.1	0.2	0.1	0.0	0.0	0.0	0.1	0.0	0.1	0.3	0.2	8	18823
P FREQ LES 5000 FT A/D LES 3 MI	6.5	3.8	6.7	8.3	8.6	13.0	15.5	15.0	9.9	6.0	6.9	4.4	8.7	8	18724
P FREQ LES 1900 FT A/O LES 3 MI															
FOR 00-02 LST	2.4	1.6	1.4	0.8	0.5	0.0	0.3	0.3	1.4	0.4	0.9	0.4	0.9	8	2537
03-05 LST	3.8	1.9	1.2	2.4	0.6	0.0	1.9	1.6	2.6	0.4	1.5	0.5	1.5	8	2214
06-08 LST	2.4	2.1	1.9	2.3	1.0	0.3	1.3	3.7	1.4	1.5	2.4	1.7	1.8	8	2543
09-11 LST	2.6	2.5	2.8	2.3	0.6	0.3	0.6	1.0	0.9	2.6	3.7	1.8	1.8	8	2311
12-14 LST	2.4	1.6	1.2	2.8	0.0	0.5	0.0	1.4	0.4	0.0	1.7	1.7	1.1	8	2545
15-17 LST	4.1	0.6	0.8	2.2	0.3	0.3	0.0	1.0	0.0	0.0	0.9	0.5	0.7	8	2379
18-20 LST	0.5	0.5	1.9	1.5	0.7	0.0	2.2	0.5	0.7	0.4	0.9	0.4	0.9	8	2553
21-23 LST	0.6	0.0	0.5	1.6	0.5	0.0	0.8	0.5	0.5	0.0	1.0	1.0	0.6	7	2295
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	8	2537
03-05 LST	0.5	0.0	0.0	0.6	0.6	0.0	0.6	0.5	0.5	0.0	0.0	0.0	0.3	8	2214
06-08 LST	0.0	0.5	1.0	0.5	0.5	0.0	0.0	0.5	0.0	0.0	0.9	0.4	0.4	8	2543
09-11 LST	0.0	0.6	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.4	0.2	8	2311
12-14 LST	0.0	0.0	0.0	1.5	0.0	0.5	0.0	0.0	0.0	0.0	0.4	0.4	0.2	8	2545
15-17 LST	1.0	0.0	0.5	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.3	8	2379
18-20 LST	0.5	0.0	0.5	1.5	0.5	0.0	0.5	0.0	0.0	0.4	0.4	0.0	0.4	8	2553
21-23 LST	0.0	0.0	0.0	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	7	2295

HUAI-LAI/AWAILAI, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST	30.3	27.4	30.4	29.4	30.7	30.0	30.8	30.1	30.0	30.6	29.3	30.5	309.5	8	2543
	14 LST	30.3	27.6	30.7	29.3	31.0	29.8	31.0	30.7	29.9	31.0	29.5	30.5	361.3	8	2545
	20 LST	30.8	27.9	30.4	29.6	30.9	30.0	30.4	30.9	29.9	30.9	27.7	30.9	362.3	8	2553
	02 LST	30.3	27.6	30.6	29.8	30.8	30.0	31.0	30.9	29.6	30.9	29.7	30.9	362.1	8	2537
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	08 LST	13.7	17.5	21.6	22.4	22.3	25.4	26.7	27.7	24.6	24.0	20.2	18.4	264.5	8	2539
	14 LST	6.5	8.5	12.6	12.5	15.4	19.0	21.9	23.7	18.2	17.9	14.2	10.0	180.4	8	2545
	20 LST	13.6	18.2	22.4	19.9	24.5	23.2	25.8	29.3	27.1	28.1	21.7	19.8	275.6	8	2549
	02 LST	12.8	17.8	23.0	24.0	27.2	27.9	29.3	29.8	27.0	26.1	20.2	18.3	283.4	8	2535
SFC WND = GTR 17 KTS AND NO PRECIP.	08 LST	6.6	2.5	2.5	2.2	1.5	0.2	0.2	0.0	0.3	1.2	2.0	3.0	22.2	8	2555
	14 LST	14.0	6.9	3.9	4.3	3.3	1.2	0.0	0.1	1.3	3.2	4.8	6.5	51.5	8	2559
	20 LST	5.7	1.8	0.4	0.6	0.6	0.1	0.3	0.0	0.3	0.1	1.6	2.7	14.2	8	2558
	02 LST	6.3	2.5	1.6	1.1	0.8	0.0	0.0	0.0	0.4	0.3	2.1	3.9	19.0	8	2544
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	08 LST	0.0	0.2	4.0	8.6	11.2	10.3	10.2	7.3	6.2	5.3	2.1	0.1	65.5	8	2540
	14 LST	1.6	5.7	12.2	11.5	13.0	11.4	12.1	16.1	13.1	14.8	9.9	4.8	126.2	8	2546
	20 LST	0.5	2.5	11.9	16.8	18.9	16.3	14.8	14.3	13.0	13.3	5.2	0.4	127.9	8	2547
	02 LST	0.0	1.3	3.5	9.4	8.5	7.5	7.8	4.9	5.0	6.9	2.2	0.1	57.1	8	2530
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST	21.2	18.3	15.6	15.4	12.4	12.3	10.3	13.0	14.6	18.5	17.3	21.6	190.5	8	2552
	14 LST	17.5	16.6	14.2	10.5	11.4	9.7	9.5	11.6	14.8	19.0	18.2	19.1	172.1	8	2559
	20 LST	23.5	19.6	16.1	13.2	11.7	8.3	9.4	10.2	15.3	20.8	20.3	22.6	191.0	8	2559
	02 LST	24.4	19.7	18.4	17.4	19.2	15.8	14.4	17.5	19.3	22.0	21.0	24.5	233.6	8	2541
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	08 LST	30.3	27.4	30.3	29.1	30.7	29.7	30.1	29.2	29.0	30.3	29.1	30.4	355.6	8	2543
	14 LST	30.3	27.6	30.6	29.0	30.9	29.8	30.7	30.2	29.7	30.9	29.5	30.5	359.7	8	2545
	20 LST	30.8	27.9	30.4	29.5	30.7	30.0	30.1	30.8	29.7	30.8	29.7	30.9	361.3	8	2553
	02 LST	30.3	27.6	30.6	29.6	30.8	30.0	30.8	30.7	29.5	30.9	29.7	30.9	361.4	8	2537
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	08 LST	29.2	27.0	28.6	27.6	29.0	27.1	25.7	24.7	25.7	27.2	27.4	29.6	328.8	8	2543
	14 LST	27.6	26.1	28.2	25.8	26.8	24.3	24.4	25.6	26.1	29.3	28.1	29.1	321.4	8	2545
	20 LST	29.3	26.1	27.9	26.9	26.3	23.1	23.8	22.8	25.2	29.0	28.3	29.4	318.1	8	2553
	02 LST	29.1	27.1	29.5	28.5	29.2	26.2	27.9	26.5	28.4	29.6	28.0	30.1	340.4	8	2537
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST	29.1	27.0	28.3	27.5	28.9	26.6	25.2	24.4	25.7	26.9	27.1	29.6	326.3	8	2543
	14 LST	27.6	26.1	28.2	25.8	26.8	24.3	24.4	25.6	26.1	29.3	27.9	29.0	321.1	8	2545
	20 LST	29.2	25.8	27.9	26.6	26.2	23.0	23.8	22.7	25.1	28.9	27.9	29.4	316.5	8	2553
	02 LST	28.9	27.0	29.2	28.2	29.2	25.9	27.9	26.8	28.2	29.5	27.9	30.1	338.8	8	2537

AREA 04

CHINA	YELLOW RVR AREA		LATITUDE 4000N				LONGITUDE 11200E				3430N 11100E			
	BOUNDARIES		4130N 10500E	3800N 10700E	3800N 10700E	3500N 10500E	3500N 10500E	3500N 10500E	3500N 10500E	3500N 10500E	3430N 11100E	3430N 11100E		
	3430N 11100E	4000N 11600E	4000N 11600E	4625N 11930E										
PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	
MEAN MAX TMP (F)	21	31	46	60	71	80	83	79	70	58	40	27	56	
MEAN MIN TMP (F)	-1	6	20	33	44	55	61	58	46	32	17	5	31	
LARGEST MEAN PRECIP(IN)	0.44	0.48	0.92	1.83	2.70	3.00	7.24	5.26	3.45	1.06	0.80	0.60	27.8	
SMALLEST MEAN PRECIP(IN)	0.00	0.03	0.07	0.18	0.45	0.82	2.07	2.06	0.55	0.20	0.00	0.02	6.4	
	MEAN NUMBER OF DAYS													
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	29.5	26.8	29.5	28.7	30.1	29.4	30.0	29.6	28.6	29.7	28.6	29.5	350.0
	13 LST	29.8	27.0	29.8	28.8	30.3	29.6	30.5	29.5	30.6	29.2	30.1	355.7	
	19 LST	30.1	27.2	30.0	28.8	30.4	29.6	30.3	30.5	29.6	30.6	29.4	30.2	356.7
	01 LST	30.1	27.3	30.3	29.2	30.6	29.7	30.5	30.5	29.5	30.6	29.4	30.2	357.9
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	21.6	20.8	22.4	20.0	20.0	22.2	24.1	25.3	23.3	24.1	22.4	22.9	269.1
	13 LST	16.5	15.1	14.9	12.5	14.3	17.3	20.1	21.7	18.2	18.2	16.4	18.3	203.5
	19 LST	21.4	20.9	22.2	19.7	20.5	21.3	23.4	25.8	24.7	25.2	23.1	23.3	271.5
	01 LST	22.2	21.3	23.4	21.5	23.4	24.7	26.7	27.3	25.2	25.4	23.1	23.3	287.5
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	2.0	1.3	1.8	2.5	2.5	1.4	0.6	0.3	0.8	1.0	1.3	1.6	17.1
	13 LST	5.0	3.6	4.5	5.8	4.5	2.4	1.2	0.7	2.0	2.9	3.7	3.8	40.1
	19 LST	1.9	1.3	1.6	1.8	1.4	1.0	0.6	0.3	0.5	1.0	1.2	1.5	14.1
	01 LST	1.8	1.3	1.4	1.7	1.4	0.7	0.4	0.2	0.5	0.8	1.2	1.7	13.1
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	0.0	0.3	3.8	9.2	12.2	12.3	13.1	12.3	11.2	6.8	2.0	0.2	83.4
	13 LST	2.5	5.9	12.0	11.5	13.4	12.7	13.8	15.7	15.0	15.2	8.9	5.1	131.7
	19 LST	0.5	2.7	9.8	14.6	17.4	15.6	15.0	15.3	14.1	12.4	5.2	1.1	123.7
	01 LST	0.1	0.8	5.2	9.1	12.9	12.3	11.9	11.8	10.9	7.7	2.7	0.3	85.7
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	19.7	16.0	14.4	13.4	13.1	12.9	11.8	13.0	14.8	17.5	16.8	19.3	182.7
	13 LST	17.9	15.3	12.8	10.4	9.9	8.5	7.5	9.7	12.3	17.1	16.3	18.4	156.3
	19 LST	22.9	19.1	16.0	12.7	10.6	8.9	9.6	12.1	15.3	20.5	20.2	22.6	190.7
	01 LST	22.7	19.3	19.0	17.3	17.7	16.6	15.7	16.9	18.2	21.1	20.2	22.6	227.3
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	29.4	26.6	29.0	28.1	29.3	28.6	28.5	28.1	27.6	29.0	28.2	29.3	341.7
	13 LST	29.5	26.6	28.9	27.6	28.8	27.7	28.1	28.2	27.8	29.7	28.6	29.8	341.3
	19 LST	30.0	27.0	29.7	28.2	29.5	28.5	29.0	29.1	28.6	30.2	29.1	30.1	349.0
	01 LST	30.0	27.2	30.0	28.9	30.1	29.2	29.6	29.7	28.7	30.3	29.1	30.1	352.9
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	28.6	25.7	27.4	26.2	27.3	26.3	24.2	24.2	24.8	27.1	26.5	28.5	316.5
	13 LST	28.5	25.2	26.3	24.2	24.6	21.6	20.4	21.9	23.2	27.1	26.8	28.8	298.6
	19 LST	29.5	26.2	27.9	25.9	26.1	23.4	22.9	23.7	24.8	28.5	27.8	29.4	316.1
	01 LST	29.5	26.6	28.8	27.5	27.8	26.4	25.5	26.2	26.2	28.9	27.9	29.4	330.7
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	28.5	25.6	27.2	26.0	27.0	25.8	24.0	24.0	24.6	26.9	26.4	28.4	314.4
	13 LST	28.4	25.2	26.2	24.0	24.4	21.5	20.2	21.8	23.1	27.1	26.6	28.7	297.2
	19 LST	29.5	26.1	27.7	25.7	25.8	23.1	22.5	23.4	24.5	28.3	27.6	29.4	313.6
	01 LST	29.5	26.6	28.7	27.4	27.6	26.2	25.2	26.0	26.1	28.8	27.9	29.4	329.4

MIN-HSIEN, CHINA

STA NO. 36093 (IN AREA NUMBER 05)

LATITUDE 3430N

LONGITUDE 10405E

ELEVATION(FT) 07369

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	59	59	77	81	81	86	82	84	79	73	64	52	66	8	2384
MEAN MAX TMP (F)	35	39	50	58	63	68	73	72	64	53	45	39	55	8	2384
MEAN MIN TMP (F)	6	14	25	34	40	46	51	51	44	34	24	12	32	8	2325
ABS MIN TMP (F)	-15	-13	7	18	27	34	36	37	30	14	7	-8	-15	8	2325
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2384
MEAN NO DYS TMP = OR LES 32(F)	31.0	28.0	26.9	13.5	3.5	0.0	0.0	0.0	1.6	13.8	26.7	31.0	176.0	8	2325
MEAN NO DYS TMP = OR LES 0(F)	8.0	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	9.8	8	2325
MEAN DEW PT TMP (F)	4	11	21	31	39	47	54	52	45	34	23	11	31	8	16097
MEAN REL HUM (PCT)	57	60	60	63	68	71	77	75	76	73	69	63	68	8	15923
MEAN PRESS ALT (FT)	7393	7422	7459	7448	7459	7441	7501	7422	7331	7270	7312	7362	7402	8	11467
MEAN PRECIP (IN)	0.09	0.24	1.43	1.61	3.09	3.11	5.34	4.02	3.55	1.80	0.24	0.05	24.6	14	-181
MEAN SNOW FALL (IN)						0.0	0.0	0.0	0.0					8	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	1.9	3.8	7.2	11.2	13.2	14.5	15.5	12.6	15.5	11.5	3.5	1.4	111.8	14	-181
MEAN NO DYS SNFL = OR GTR 1.5 IN						0.0	0.0	0.0	0.0					8	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.5	0.2	0.3	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.1	1.3	8	2350
MEAN NO DYS TSTMS	0.2	0.3	1.7	6.1	10.8	10.5	10.3	9.8	6.7	2.4	0.4	0.1	59.3	8	2366
P FREQ WND SPD = OR GTR 17 KTS	0.5	0.0	0.2	0.3	0.2	0.0	0.2	0.1	0.1	0.2	0.0	0.4	0.2	8	16412
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	16412
P FREQ LES 5000 FT A/D LES 5 MI	8.2	14.7	27.4	32.1	33.7	30.6	35.5	36.8	36.4	29.1	26.8	9.8	26.8	8	16601
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	0.0	1.2	1.0	3.1	0.8	0.3	1.0	0.8	1.0	0.0	1.0	0.0	0.9	8	2398
03-05 LST	2.1	1.1	0.8	2.4	0.5	0.9	2.6	1.3	2.0	0.3	0.2	0.0	1.2	8	2327
06-08 LST	2.1	2.2	0.0	5.5	2.7	1.5	7.4	5.0	4.5	1.2	0.5	0.7	2.8	8	2328
09-11 LST	1.5	1.4	1.7	3.5	0.8	1.6	0.9	2.7	2.4	0.3	1.1	0.0	1.5	8	2322
12-14 LST	0.5	1.1	1.3	3.6	0.3	1.2	0.6	1.6	2.0	0.5	0.5	0.0	1.1	8	2336
15-17 LST	0.0	0.0	1.0	4.6	1.3	0.8	0.5	0.5	0.6	0.3	0.2	0.0	0.8	8	2349
18-20 LST	0.2	1.1	1.2	2.1	2.0	0.8	0.5	2.1	2.0	0.7	0.2	0.9	1.2	8	2453
21-23 LST	0.0	1.1	0.0	0.0	0.0	2.2	0.0	1.8	0.6	0.0	0.0	0.0	0.5	6	1079
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.0	0.6	0.5	1.0	0.0	0.0	0.5	0.0	0.0	0.0	0.5	0.0	0.3	8	2398
03-05 LST	1.6	0.5	0.5	0.5	0.0	0.6	1.1	0.0	1.0	0.0	0.0	0.0	0.5	8	2327
06-08 LST	1.1	1.1	0.0	1.6	0.6	0.6	0.0	0.5	0.5	0.0	0.0	0.0	0.5	8	2328
09-11 LST	0.0	0.6	1.0	1.6	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.3	8	2322
12-14 LST	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	8	2336
15-17 LST	0.0	0.0	0.0	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	8	2349
18-20 LST	0.0	0.5	0.5	0.0	0.5	0.0	0.0	1.0	0.0	0.0	0.0	0.4	0.2	8	2453
21-23 LST	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	6	1079

MIN-HSIEN, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	30.3	27.4	31.0	28.9	30.6	29.8	30.1	30.5	29.7	30.9	30.0	31.0	300.2	8	2328
	13 LST	31.0	27.7	30.7	28.9	31.0	29.8	31.0	30.8	29.6	31.0	30.0	31.0	302.5	8	2336
	19 LST	31.0	27.7	30.7	29.4	30.5	30.0	30.8	30.7	29.7	30.9	30.0	30.7	302.1	8	2453
	01 LST	31.0	27.7	30.7	29.2	30.8	30.0	30.7	31.0	29.9	31.0	29.7	31.0	302.7	8	2398
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	29.7	27.4	30.5	27.5	29.3	29.1	27.4	28.4	27.5	29.8	29.3	30.4	346.3	8	2323
	13 LST	29.2	26.6	28.6	24.8	28.2	26.9	29.5	28.7	27.9	30.0	28.5	29.5	338.4	8	2332
	19 LST	27.8	25.1	26.7	26.3	26.3	27.8	29.5	28.3	27.4	28.1	28.2	28.3	329.8	8	2451
	01 LST	30.2	26.9	29.1	27.7	30.4	29.8	30.5	30.3	28.7	30.9	29.1	30.6	354.2	8	2397
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.1	8	2341
	13 LST	0.2	0.0	0.0	0.3	0.2	0.0	0.0	0.0	0.0	0.1	0.0	0.3	1.1	8	2356
	19 LST	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.1	0.0	0.0	0.4	8	2473
	01 LST	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.3	8	2432
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	0.0	0.0	0.6	2.5	1.6	1.0	1.0	2.9	2.4	1.9	0.7	0.0	14.6	8	2327
	13 LST	1.8	5.6	12.8	15.6	15.1	12.1	13.0	12.9	9.7	8.2	7.5	2.7	117.0	8	2337
	19 LST	1.3	5.4	15.3	14.9	13.0	11.5	10.6	11.8	11.2	10.6	7.0	1.5	114.1	8	2464
	01 LST	0.0	0.5	2.8	4.2	2.7	1.4	2.2	1.9	3.7	1.9	2.7	0.0	24.0	8	2419
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	14.8	9.2	7.9	5.1	5.6	6.1	3.6	5.6	4.1	6.7	9.3	16.8	93.8	8	2342
	13 LST	13.3	12.0	8.7	6.6	5.8	5.0	8.8	9.3	9.3	11.6	14.7	16.9	122.0	8	2356
	19 LST	12.2	8.6	7.8	4.4	3.4	4.5	5.4	7.4	7.9	12.4	12.8	18.2	105.0	8	2462
	01 LST	16.5	11.4	11.5	9.2	8.8	8.0	11.4	13.5	10.7	12.2	10.7	17.8	141.7	8	2411
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	30.0	26.8	29.5	26.8	28.8	28.4	25.8	26.6	25.7	28.4	28.4	29.9	335.1	8	2328
	13 LST	30.4	27.5	30.0	28.4	29.2	28.4	29.0	29.2	28.0	29.9	29.0	30.6	349.6	8	2336
	19 LST	30.7	27.2	29.3	27.8	28.7	28.5	28.9	28.5	27.5	29.9	29.3	30.6	346.9	8	2453
	01 LST	30.8	27.4	30.3	28.2	29.6	29.3	30.2	29.6	28.6	30.4	28.9	30.8	354.1	8	2398
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	27.1	21.8	21.4	18.9	22.2	21.5	14.2	15.0	14.0	17.5	18.2	24.4	236.2	8	2328
	13 LST	28.7	25.6	24.3	20.9	20.8	22.1	21.3	22.9	21.3	25.1	23.8	28.8	285.6	8	2336
	19 LST	29.1	24.3	19.9	17.6	16.3	20.3	17.8	19.6	17.5	21.9	23.7	29.5	257.5	8	2453
	01 LST	29.8	25.1	25.3	23.5	22.6	22.1	22.2	23.4	21.3	24.0	22.8	28.8	290.9	8	2398
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	27.1	21.5	21.3	18.9	22.2	21.4	14.0	15.0	14.0	17.5	18.2	24.4	235.5	8	2328
	13 LST	28.7	25.4	24.1	20.9	20.8	22.1	21.3	22.9	21.3	25.1	23.7	28.8	285.1	8	2336
	19 LST	29.1	24.3	19.9	17.6	16.3	20.3	17.6	19.6	17.4	21.8	23.7	29.4	257.0	8	2453
	01 LST	29.6	25.1	25.3	23.3	22.6	22.1	22.1	23.2	21.0	24.0	22.4	28.8	289.5	8	2398

WU-TU/WOUTOU, CHINA

STA NO. 56096 (IN AREA NUHRER 05) LATITUDE 3323N LONGITUDE 10441E ELEVATION(FT) 03576

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	57	68	82	90	93	93	97	95	91	84	72	66	97	8	2424
MEAN MAX TMP (F)	46	52	63	70	76	83	86	84	76	68	57	49	68	8	2424
MEAN MIN TMP (F)	29	34	44	52	58	65	69	67	60	51	42	32	50	8	2429
ABS MIN TMP (F)	18	19	28	36	45	54	59	54	48	32	27	21	18	8	2429
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.2	1.1	6.3	10.7	7.6	0.1	0.0	0.0	0.0	26.0	8	2424
MEAN NO DYS TMP = OR LES 32(F)	24.7	10.5	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.3	2.4	18.8	57.8	8	2429
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2429
MEAN DEW PT TMP (F)	22	27	36	45	52	59	65	65	58	48	38	29	45	8	17744
MEAN REL HUM (PCT)	56	54	55	58	61	62	68	72	74	70	67	66	64	8	17414
MEAN PRESS ALT (FT)	3183	3324	3503	3615	3713	3817	3923	3809	3594	3380	3269	3201	3528	8	17726
MEAN PRECIP (IN)	0.09	0.14	0.35	1.74	3.30	2.19	3.93	4.01	2.20	1.70	0.29	0.05	20.0	3	-181
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		8	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	1.6	1.8	1.9	6.8	10.5	5.9	8.9	9.1	7.5	5.8	1.1	1.3	62.2	3	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0	0.0				8	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.1	0.0	0.3	0.0	0.6	8	2380
MEAN NO DYS TSTMS	0.0	0.0	0.6	2.5	3.4	3.4	5.5	4.9	2.4	0.7	0.0	0.0	23.4	8	2471
P FREQ WND SPD = OR GTR 17 KTS	0.1	0.1	0.3	0.2	0.3	0.1	0.2	0.2	0.0	0.0	0.0	0.1	0.1	8	17951
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	8	17951
P FREQ LES 3000 FT A/D LES 5 MI	4.4	5.2	8.8	7.5	5.1	3.9	3.8	5.7	5.3	5.6	6.0	3.4	5.4	8	17700
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	0.5	0.6	0.0	2.1	0.0	0.0	0.0	0.5	0.5	0.0	0.0	0.0	0.4	8	2381
03-05 LST	0.0	1.2	0.0	1.7	0.6	0.5	0.5	0.0	0.5	0.0	1.5	0.0	0.5	8	2236
06-08 LST	0.0	2.2	1.0	1.9	0.6	0.9	0.8	0.0	0.7	0.4	0.0	0.0	0.7	8	2416
09-11 LST	0.5	1.1	1.5	1.6	0.5	0.6	0.8	0.8	0.3	1.0	0.4	0.9	0.8	8	2337
12-14 LST	0.5	1.1	0.5	2.0	0.0	1.6	0.0	0.5	0.5	0.0	0.0	0.4	0.6	8	2490
15-17 LST	0.0	2.2	0.5	2.2	0.8	1.3	0.0	0.5	0.0	0.5	0.5	0.0	0.7	8	2379
18-20 LST	0.0	1.7	0.0	3.0	0.0	0.5	0.7	1.0	1.1	0.0	0.5	0.0	0.7	8	2472
21-23 LST	0.0	0.0	0.0	0.7	0.7	1.5	1.2	0.8	0.7	0.0	0.0	0.0	0.5	7	1734
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.0	1.6	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.2	8	2381
03-05 LST	0.0	0.0	0.0	1.1	0.6	0.5	0.0	0.0	0.0	0.0	1.5	0.0	0.3	8	2236
06-08 LST	0.0	1.1	1.0	1.6	0.0	0.6	0.0	0.0	0.5	0.0	0.0	0.0	0.4	8	2416
09-11 LST	0.0	0.5	0.5	1.6	0.0	0.6	0.0	0.5	0.0	0.5	0.4	0.5	0.4	8	2337
12-14 LST	0.0	0.5	0.5	1.5	0.0	0.5	0.0	0.0	0.5	0.0	0.0	0.0	0.3	8	2490
15-17 LST	0.0	1.1	0.5	2.2	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.4	8	2379
18-20 LST	0.0	0.6	0.0	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.3	8	2472
21-23 LST	0.0	0.0	0.0	0.7	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	7	1734

WU-TU/WOUTOU, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	31.0	27.4	30.7	29.5	30.8	29.8	30.8	31.0	29.9	30.9	30.0	31.0	362.8	8	2416
	13 LST	30.8	27.7	30.8	29.4	31.0	29.5	31.0	31.0	29.9	31.0	30.0	30.9	363.0	8	2490
	19 LST	31.0	27.5	31.0	29.1	31.0	29.8	30.8	30.7	29.7	31.0	29.9	31.0	362.5	8	2472
	01 LST	30.8	27.8	31.0	29.4	31.0	30.0	31.0	30.8	29.9	31.0	30.0	31.0	363.7	8	2381
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	30.1	27.1	29.7	28.7	29.6	28.4	29.8	30.0	29.0	30.4	29.6	30.6	353.0	8	2406
	13 LST	30.4	25.7	27.5	25.1	26.4	26.9	26.8	27.0	27.0	27.8	28.5	30.4	329.5	8	2484
	19 LST	30.2	23.7	24.2	21.6	23.2	23.6	22.4	25.2	26.2	28.3	28.6	30.5	307.7	8	2466
	01 LST	30.5	27.2	30.3	26.7	29.0	27.3	27.9	28.9	29.4	30.0	29.9	30.9	348.0	8	2380
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2436
	13 LST	0.2	0.0	0.2	0.0	0.0	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.8	8	2505
	19 LST	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	8	2543
	01 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2481
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	2.3	3.3	4.9	5.4	4.9	4.1	6.2	4.6	2.4	2.8	2.8	2.6	46.3	8	2418
	13 LST	11.5	13.8	14.7	17.6	15.0	12.5	9.7	10.4	13.7	14.1	12.1	14.4	159.5	8	2483
	19 LST	7.1	10.7	16.1	12.3	13.0	13.3	11.7	13.1	8.9	10.2	5.7	5.0	127.1	8	2526
	01 LST	3.3	3.4	7.5	6.0	4.8	6.8	6.9	5.3	3.0	3.0	3.4	3.2	56.6	8	2466
SFC COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	12.5	6.5	7.9	6.2	6.1	5.2	6.4	7.6	6.6	5.5	7.8	13.6	91.9	8	2447
	13 LST	14.5	9.3	10.0	7.0	6.3	4.3	7.4	8.2	6.8	8.3	12.0	16.6	110.7	8	2507
	19 LST	13.4	7.0	5.8	3.3	3.5	3.5	5.7	5.5	5.7	8.8	11.1	15.7	59.0	8	2497
	01 LST	13.2	9.1	9.3	7.5	7.1	8.6	9.2	11.2	8.6	7.7	10.5	14.6	116.6	8	2391
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	31.0	27.4	30.7	29.4	30.8	29.4	30.4	30.6	29.6	30.9	30.0	30.9	361.1	8	2416
	13 LST	30.8	27.7	30.8	29.3	30.9	29.4	30.9	30.6	29.8	30.9	29.9	30.9	361.9	8	2490
	19 LST	31.0	27.5	30.9	29.1	30.9	29.8	30.7	30.5	29.5	31.0	29.8	31.0	361.7	8	2472
	01 LST	30.8	27.8	30.9	29.3	31.0	29.9	30.9	30.7	29.9	30.9	30.0	30.9	363.0	8	2381
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	26.3	21.0	22.7	21.1	23.6	24.5	22.8	23.6	20.7	20.7	19.4	23.0	269.4	8	2416
	13 LST	27.0	23.7	24.6	23.3	24.8	24.2	25.6	23.7	23.2	23.0	23.6	26.6	293.3	8	2490
	19 LST	26.5	22.9	21.9	21.4	20.9	22.3	24.0	20.2	18.8	21.3	21.7	25.9	267.8	8	2472
	01 LST	27.9	24.1	24.8	24.7	22.7	25.6	23.2	24.2	22.3	23.7	21.6	25.7	290.5	8	2181
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	25.7	20.7	22.2	21.0	22.4	24.1	21.6	22.2	20.0	20.0	19.2	22.0	262.1	8	2416
	13 LST	27.0	23.5	24.2	22.9	23.8	23.2	24.2	22.9	22.1	22.6	23.6	26.3	286.3	8	2490
	19 LST	26.4	22.7	21.3	20.3	19.0	20.8	21.5	18.1	17.7	20.3	20.9	25.6	254.6	8	2472
	01 LST	27.8	24.1	24.6	23.9	22.1	24.9	21.1	23.4	21.4	23.0	21.6	25.7	283.6	8	2381

PAO-CHI, CHINA

STA NO. 57016 (IN AREA NUMBER 05) LATITUDE 3416N LONGITUDE 10659E ELEVATION(FT) 02041

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NG. OBS
ABS MAX TMP (F)	64	70	86	91	97	104	100	97	88	88	70	66	104	8	2411
MEAN MAX TMP (F)	40	48	57	66	75	86	98	84	75	64	52	44	65	8	2411
MEAN MIN TMP (F)	23	29	39	48	55	66	70	67	58	47	37	28	47	8	2330
ABS MIN TMP (F)	15	10	23	25	39	54	61	46	41	32	14	9	9	8	2330
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.3	2.2	12.0	15.7	9.9	0.0	0.0	0.0	0.0	40.1	8	2411
MEAN NO DYS TMP = DR LFS 32(F)	30.5	22.1	5.9	0.5	0.0	0.0	0.0	0.0	0.0	0.3	7.5	26.4	93.2	8	2330
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2330
MEAN DEW PT TMP (F)	16	23	33	42	51	57	66	65	57	46	35	25	43	8	16290
MEAN REL HUM (PCT)	57	59	62	61	65	56	68	74	76	74	75	70	66	8	16019
MEAN PRESS ALT (FT)	1548	1645	1839	1984	2094	2264	2355	2224	1995	1769	1651	1598	1917	8	16439
MEAN PRECIP (IN)	0.26	0.39	1.09	1.54	2.14	2.33	4.89	4.56	5.33	1.71	0.81	0.19	25.2	17	-181
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0	0.0				3	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	2.5	3.1	4.7	6.2	7.9	6.2	10.3	9.9		5.8	2.7	2.1		17	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0	0.0				8	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.3	1.2	0.1	0.2	0.2	0.0	0.0	0.2	0.3	0.1	0.3	1.0	3.9	8	2413
MEAN NO DYS TSTMS	0.0	0.0	0.2	1.7	1.5	4.1	5.4	4.5	1.8	0.3	0.0	0.0	19.5	8	2411
P FREQ WND SPD = DR GTR 17 KTS	0.4	0.1	0.3	0.4	0.4	0.2	0.2	0.1	0.0	0.1	0.0	0.3	0.2	8	16596
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.0	8	16596
P FREQ LES 5000 FT A/D LES 9 MI	9.3	9.2	13.5	14.6	12.1	10.9	9.4	14.4	17.3	15.5	17.3	11.9	13.0	6	16908
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	1.5	2.2	0.5	0.5	1.0	0.6	0.3	2.0	2.7	1.8	1.7	1.3	1.3	8	2438
03-05 LST	1.9	3.8	1.3	0.5	1.3	1.7	1.1	3.2	2.9	3.7	1.2	0.9	2.0	8	2344
06-08 LST	2.7	6.0	4.2	3.6	2.9	2.5	0.8	3.6	6.9	3.7	3.7	3.7	3.7	8	2368
09-11 LST	3.5	4.5	1.3	2.2	0.6	3.9	1.4	1.6	5.2	2.7	6.1	2.4	3.0	8	2337
12-14 LST	2.2	1.7	1.0	2.6	0.3	0.9	0.8	1.6	3.5	2.3	4.4	2.3	2.0	8	2351
15-17 LST	0.0	1.1	1.3	3.0	1.3	0.8	0.3	0.8	3.7	1.0	2.3	2.5	1.3	8	2368
18-20 LST	0.0	2.6	1.4	1.9	1.3	1.3	1.3	2.0	2.4	1.8	2.0	1.5	1.6	8	2496
21-23 LST	1.2	2.9	0.0	2.8	0.6	1.3	0.7	3.9	2.0	1.3	0.0	1.2	1.5	6	955
P FREQ LES 300 FT A/D LES 1 MI															
FOR 30-02 LST	0.5	2.2	0.0	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.4	8	2438
03-05 LST	0.5	2.7	1.0	0.5	0.5	0.0	0.0	0.3	0.0	0.0	0.0	3.4	0.5	8	2344
06-08 LST	0.0	3.8	0.5	1.7	0.0	0.5	0.0	0.0	1.4	0.4	0.0	2.3	0.9	8	2368
09-11 LST	0.5	3.4	0.0	1.6	0.0	2.2	0.0	0.0	0.5	0.0	0.9	1.8	0.9	8	2337
12-14 LST	0.0	1.1	0.5	2.3	0.0	0.0	0.0	0.5	0.0	0.0	1.0	1.4	0.6	8	2351
15-17 LST	0.0	0.6	0.0	2.7	0.5	0.0	0.0	0.5	0.0	0.0	1.8	0.5		8	2368
18-20 LST	0.0	1.6	0.0	1.1	1.0	0.0	0.5	0.0	0.0	0.0	0.9	0.4		8	2496
21-23 LST	0.0	1.4	0.0	2.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4		6	955

PAO-CHI, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	30.2	26.3	29.8	29.2	30.3	29.5	30.8	30.7	28.3	30.3	29.0	30.0	354.4	8	2368
	13 LST	30.3	27.5	30.8	29.3	31.0	30.0	30.8	30.8	29.3	30.6	29.1	30.4	359.9	8	2351
	19 LST	31.0	27.3	30.7	29.5	30.7	29.7	30.8	30.7	29.5	30.9	29.6	30.6	361.0	8	2496
	01 LST	30.5	27.4	30.8	29.8	30.8	30.0	31.0	30.8	29.7	31.0	29.9	30.6	362.3	8	2438
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	29.7	25.5	29.5	28.0	29.7	28.9	30.2	28.8	27.3	29.3	28.6	29.0	344.5	8	2365
	13 LST	29.7	26.3	26.4	25.9	27.5	28.3	28.5	29.3	28.5	29.7	27.2	28.2	335.5	8	2348
	19 LST	30.2	27.0	29.2	27.6	29.9	27.3	29.3	29.5	28.9	29.5	28.4	30.0	346.8	8	2490
	01 LST	29.9	26.9	30.4	29.0	29.4	29.5	30.5	29.9	28.1	29.2	28.7	30.2	351.7	8	2437
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.3	8	2388
	13 LST	0.0	0.0	0.2	0.2	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	8	2378
	19 LST	0.0	0.0	0.1	0.0	0.2	0.3	0.0	0.1	0.0	0.0	0.0	0.1	0.0	8	2511
	01 LST	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	8	2453
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	1.2	2.1	4.8	3.8	4.2	6.0	5.3	4.4	3.6	3.0	2.9	2.0	43.3	8	2367
	13 LST	7.5	9.9	15.7	15.4	15.9	8.4	8.3	11.1	11.0	12.2	11.3	13.4	140.1	8	2363
	19 LST	2.6	4.3	8.7	8.4	9.5	11.2	9.4	7.9	4.5	3.4	2.6	3.1	75.8	8	2495
	01 LST	1.3	2.0	3.2	3.9	4.3	5.7	4.7	4.9	2.4	1.8	2.8	2.2	39.2	8	2439
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	13.8	7.4	7.8	6.1	6.8	6.9	7.6	7.4	8.3	10.2	8.8	13.8	104.9	8	2380
	13 LST	12.2	9.3	7.5	5.9	8.0	6.0	8.6	7.9	8.1	9.8	9.7	15.7	108.7	8	2378
	19 LST	16.6	12.8	9.3	6.7	5.9	5.5	7.0	8.4	7.3	10.1	12.8	16.0	118.4	8	2513
	01 LST	14.6	11.2	11.1	7.8	7.8	10.2	11.3	9.7	11.1	12.3	11.3	15.0	133.4	8	2450
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	30.2	26.2	29.1	28.1	29.3	28.8	30.2	29.0	27.1	28.4	28.0	29.3	343.7	8	2368
	13 LST	30.3	27.5	30.0	28.7	30.4	29.2	30.4	29.6	27.8	29.5	27.5	29.7	350.6	8	2351
	19 LST	30.9	27.1	30.1	28.9	30.2	29.2	30.2	29.7	28.3	29.2	28.5	29.8	352.1	8	2496
	01 LST	30.5	27.4	30.6	29.5	30.2	29.5	30.5	29.5	28.1	29.3	28.4	30.3	353.8	8	2438
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	27.8	22.6	23.3	22.2	21.6	24.1	23.3	18.8	20.9	22.3	22.0	25.8	274.7	8	2368
	13 LST	28.0	24.5	25.1	23.2	23.1	23.5	24.8	19.5	22.0	23.3	21.4	26.5	284.9	8	2351
	19 LST	27.5	24.3	23.5	22.8	24.3	23.9	23.3	23.1	20.5	22.4	20.8	26.1	282.5	8	2496
	01 LST	28.2	24.6	25.8	24.1	23.8	24.0	24.7	21.5	21.1	24.0	21.6	26.6	290.0	8	2438
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	26.7	22.2	22.8	21.0	21.6	23.9	22.0	18.3	20.3	21.7	21.2	25.1	266.8	8	2368
	13 LST	27.8	24.4	24.2	22.8	23.1	23.0	24.5	19.5	21.7	22.8	21.2	25.8	280.8	8	2351
	19 LST	26.9	24.2	23.0	21.8	24.3	23.9	21.7	22.6	20.3	22.0	19.7	25.4	275.8	8	2496
	01 LST	27.2	24.2	25.1	23.8	23.8	24.0	24.0	21.2	20.8	23.1	20.5	26.1	283.8	8	2438

HSI-AN/SIAN, CHINA

STA NO. 57036 (IN AREA NUMBER 05)

LATITUDE 3415N

LONGITUDE 10855E

ELEVATION(FT) 01312

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	61	70	82	88	97	106	106	100	93	90	72	64	106	8	2491
MEAN MAX TMP (F)	41	49	59	69	77	90	92	88	78	66	53	44	67	8	2481
MEAN MIN TMP (F)	23	28	39	48	56	67	73	70	60	49	38	28	48	8	2488
ABS MIN TMP (F)	9	12	23	25	39	50	64	54	43	32	21	14	9	8	2488
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	4.3	18.4	22.2	16.2	1.2	0.3	0.0	0.0	62.6	8	2481
MEAN NO DYS TMP = DR LES 32(F)	30.7	22.3	7.2	0.8	0.0	0.0	0.0	0.0	0.0	0.3	6.8	25.9	94.0	8	2488
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2488
MEAN DEW PT TMP (F)	16	23	35	44	54	60	69	68	59	48	37	25	45	8	17715
MEAN REL HUM (PCT)	58	61	64	64	69	57	69	75	76	76	78	72	68	8	17462
MEAN PRESS ALT (PT)	818	954	1127	1261	1387	1550	1642	1512	1295	1060	936	875	1201	8	17787
MEAN PRECIP (IN)	0.17	0.35	0.82	1.50	2.27	2.06	3.28	4.08	4.73	2.05	0.78	0.23	22.3	25	-181
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0	0.0				8	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	2.0	2.9	3.7	6.1	8.2	5.7	7.9	9.2		7.0	2.6	2.3		25	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0	0.0				8	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	1.4	1.5	2.2	0.6	0.2	0.5	0.2	1.2	1.7	3.8	2.5	3.9	19.7	8	2443
MEAN NO DYS TSTMS	0.0	0.0	0.0	1.7	1.7	4.2	7.1	6.7	1.7	0.4	0.0	0.1	23.6	8	2446
P FREQ WND SPD = DR GTR 17 KTS	1.4	1.5	2.4	1.8	1.8	0.5	0.7	0.7	1.3	0.5	0.7	0.9	1.2	8	17910
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.1	0.0	0.1	0.1	0.1	0.1	0.0	0.0	0.1	0.1	0.1	8	17910
P FREQ LES 5000 FT A/D LES 5 MI	45.7	44.0	46.4	40.9	34.3	26.7	28.9	41.2	45.8	49.8	57.8	59.4	43.4	8	15744
P FREQ LES 1500 FT A/D LES 3 MI															
FDR 00-02 LST	16.9	11.3	7.6	8.4	8.7	5.3	4.4	7.6	14.3	19.9	15.1	19.2	11.6	8	2443
03-05 LST	11.6	10.8	11.2	10.3	8.8	4.9	5.8	9.9	14.9	19.9	15.5	16.1	11.6	8	2298
06-08 LST	44.8	44.3	46.2	36.1	36.4	12.7	22.7	26.9	42.3	52.7	57.0	59.1	40.1	8	2355
09-11 LST	36.7	33.0	23.5	15.8	10.9	4.7	13.1	14.4	14.6	24.6	33.8	47.1	22.7	8	2169
12-14 LST	16.8	12.0	9.0	12.4	13.0	6.6	8.7	10.6	11.3	12.2	17.0	25.9	13.0	8	2244
15-17 LST	12.4	13.1	8.3	9.9	9.4	5.9	6.6	8.9	11.2	10.8	16.4	25.9	11.6	8	2075
18-20 LST	10.7	9.3	8.1	9.6	7.0	3.9	4.2	8.6	7.0	10.1	16.5	17.5	9.4	8	2345
21-23 LST	10.3	7.8	4.3	8.0	4.0	3.5	3.2	6.4	7.1	12.5	14.2	18.7	8.3	7	1796
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	3.9	2.7	1.5	1.6	1.5	0.5	0.0	1.0	1.9	6.8	2.3	6.1	2.5	8	2443
03-05 LST	3.8	4.5	3.5	2.2	0.5	0.0	1.1	3.8	3.6	7.9	3.2	5.6	3.3	8	2298
06-08 LST	8.5	9.2	11.2	7.3	2.7	0.5	4.4	1.7	7.3	19.2	14.7	19.5	8.9	8	2355
09-11 LST	7.0	6.8	3.2	3.8	0.0	0.0	0.0	0.0	0.6	2.7	5.6	11.7	3.5	8	2169
12-14 LST	1.5	3.2	1.0	1.6	0.0	0.6	0.0	0.0	0.6	0.5	0.0	4.4	1.1	8	2244
15-17 LST	1.5	3.4	0.5	1.1	0.0	0.0	0.0	0.0	0.7	0.0	1.0	2.3	0.9	8	2075
18-20 LST	1.0	2.2	0.5	2.0	0.5	0.0	0.0	0.0	0.5	1.7	0.9	2.9	1.0	8	2345
21-23 LST	1.3	1.6	2.1	1.5	0.0	0.8	0.0	0.0	0.6	1.1	0.6	2.3	1.0	7	1796

HSI-AN/SIAN, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	17.3	15.6	17.0	19.7	20.5	26.9	24.6	23.2	18.2	15.6	13.5	12.9	225.0	8	2355
	13 LST	26.0	25.1	29.1	27.4	27.9	29.1	29.8	29.4	28.3	28.8	26.3	23.3	330.5	8	2244
	19 LST	27.9	26.0	28.8	27.3	29.2	29.3	30.1	29.3	28.4	28.7	26.3	26.2	337.5	8	2345
	01 LST	26.1	25.2	29.0	27.8	29.0	28.7	30.2	29.4	26.5	25.6	26.3	25.7	329.5	8	2443
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WNI LES 10 KTS	07 LST	14.7	13.2	13.2	14.2	17.0	21.8	20.2	20.2	14.3	12.7	10.6	10.6	182.7	8	2351
	13 LST	20.2	18.0	19.1	19.5	21.4	22.8	22.4	21.4	20.6	23.1	19.5	18.4	246.4	8	2238
	19 LST	25.9	23.5	24.9	22.1	25.6	24.3	24.7	24.0	24.9	25.7	22.9	24.2	292.7	8	2341
	01 LST	21.9	22.6	24.4	22.8	24.9	24.4	25.2	25.6	23.0	22.9	22.5	23.0	283.2	8	2439
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.3	0.6	0.0	0.0	0.3	0.2	0.0	0.1	0.0	0.0	0.0	0.1	1.6	8	2479
	13 LST	0.6	0.8	1.2	0.8	0.5	0.2	0.0	0.6	0.0	0.0	0.1	0.4	5.2	8	2502
	19 LST	0.0	0.0	0.4	0.5	0.2	0.3	0.2	0.2	0.4	0.0	0.1	0.3	2.6	8	2528
	01 LST	0.3	0.2	0.6	0.8	0.5	0.0	0.2	0.0	0.0	0.0	0.1	0.1	2.8	8	2493
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	0.3	3.8	11.1	11.6	15.3	16.0	14.3	12.8	9.3	8.4	9.2	4.2	116.3	8	2456
	13 LST	12.9	13.2	16.0	15.5	15.9	10.5	8.0	10.4	16.8	16.8	14.7	16.3	167.0	8	2487
	19 LST	5.9	8.9	12.9	13.8	13.3	12.0	9.2	10.9	9.4	8.4	11.2	7.7	123.6	8	2510
	01 LST	2.3	6.1	13.9	12.1	13.4	13.9	11.3	9.8	8.9	9.5	9.0	6.0	116.2	8	2480
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	9.8	5.0	4.3	3.8	4.1	7.6	5.6	7.8	5.7	3.1	4.4	5.6	66.8	8	2476
	13 LST	13.6	8.2	8.4	7.5	7.4	6.7	7.0	8.2	9.7	10.0	10.1	11.1	107.9	8	2509
	19 LST	18.4	13.6	9.7	7.7	6.4	5.9	8.1	9.3	9.6	11.3	13.2	15.4	128.6	8	2530
	01 LST	14.2	13.5	12.8	9.5	11.8	10.7	11.9	13.4	12.0	10.9	12.0	15.3	148.0	8	2497
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	16.9	15.5	16.2	18.4	18.7	23.4	23.2	21.9	16.4	13.6	12.2	12.4	210.8	8	2355
	13 LST	25.5	23.8	26.8	24.8	25.6	28.7	26.1	24.7	24.4	25.3	23.2	22.4	299.3	8	2244
	19 LST	27.3	24.6	28.0	26.8	28.3	28.1	29.1	27.1	27.2	27.0	23.6	24.6	321.7	8	2345
	01 LST	25.3	24.3	28.2	27.0	27.3	28.0	29.1	27.7	24.6	24.0	24.2	24.3	314.0	8	2443
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	15.9	14.4	14.1	16.2	17.0	23.4	21.4	19.1	14.8	11.9	10.0	10.9	189.1	8	2355
	13 LST	25.0	22.6	23.6	23.1	23.2	25.4	22.1	20.9	22.1	23.1	21.1	21.1	273.3	8	2244
	19 LST	26.5	23.5	24.9	24.2	25.6	25.2	24.2	23.8	23.0	24.5	20.7	22.7	288.8	8	2345
	01 LST	24.6	23.2	25.2	24.7	25.5	25.9	26.9	24.9	22.9	20.6	20.7	21.5	286.6	8	2443
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	15.6	13.6	13.4	15.2	16.5	22.9	20.5	18.6	14.8	11.5	9.3	10.5	182.4	8	2355
	13 LST	24.6	22.2	23.1	22.7	22.9	29.2	21.9	20.9	21.9	23.0	20.5	20.6	269.5	8	2244
	19 LST	26.4	23.0	23.9	23.8	25.1	25.1	23.8	22.6	22.7	23.6	20.0	22.3	282.3	8	2345
	01 LST	23.8	23.1	24.4	23.1	24.6	25.6	26.1	24.1	22.2	19.5	19.6	21.1	277.2	8	2443

HUA-HSIEN/HWAHSH, CHINA

STA NO. 57046 (IN AREA NUMBER 05)

LATITUDE 3425N

LONGITUDE 10957E

ELEVATION(FT) 66804

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	48	52	61	68	72	81	82	79	72	68	55	52	82	8	2277
MEAN MAX TMP (F)	25	31	41	49	56	66	70	67	60	50	38	32	49	8	2277
MEAN MIN TMP (F)	13	20	29	38	45	56	60	57	49	39	28	19	38	8	2231
ABS MIN TMP (F)	-9	-8	9	12	27	37	48	43	30	14	7	0	-9	8	2231
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2277
MEAN NO DYS TMP = DR LES 32(F)	30.8	26.5	20.2	9.2	3.3	0.0	0.0	0.0	0.4	5.8	20.6	30.6	147.4	8	2231
MEAN NO DYS TMP = DR LES 0(F)	2.4	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.9	8	2231
MEAN DEW PT TMP (F)	1	7	19	28	36	45	55	54	43	30	20	8	29	8	14311
MEAN REL HUM (PCT)	51	50	58	60	63	60	74	77	70	65	64	55	62	8	14080
MEAN PRESS ALT (FT)	6568	6578	6625	6622	6638	6647	6691	6610	6513	6434	6469	6543	6578	8	10070
MEAN PRECIP (IN)	0.21	0.66	1.25	1.76	4.24	1.63	6.68	7.35	4.57	1.35	2.58	1.06	33.3	5	-181
MEAN SNOW FALL (IN)						0.0	0.0	0.0	0.0					8	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	3.0	5.4	6.3	4.3	11.3	7.0	14.0	13.0	14.7	6.7	5.7	5.5	96.9	5	-181
MEAN NO DYS SNPL = DR GTR 1.5 IN						0.0	0.0	0.0	0.0					8	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	6.2	6.0	9.1	7.1	9.5	8.1	9.9	13.9	10.5	9.3	10.2	6.4	106.2	8	2134
MEAN NO DYS TSTMS	0.2	0.2	0.3	1.5	2.4	4.8	10.2	8.0	2.8	0.5	0.0	0.0	30.9	8	2141
P FREQ WND SPD = DR GTR 17 KTS	20.7	15.3	12.0	11.4	8.6	6.5	8.9	3.9	7.3	7.1	13.7	22.5	11.5	8	14485
P FREQ WND SPD = DR GTR 28 KTS	3.5	2.8	2.4	1.8	1.0	0.5	1.6	0.5	1.1	0.7	1.7	4.8	1.9	8	14485
P FREQ LES 3000 FT A/D LES 5 MI	17.3	17.5	29.6	31.9	31.1	26.9	36.3	36.2	30.0	28.5	29.8	19.1	27.9	8	14529
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	10.3	10.7	16.5	20.3	20.5	15.0	18.1	20.3	15.8	19.1	18.6	11.2	16.4	8	2301
03-05 LST	10.9	11.5	17.8	21.0	17.3	15.3	20.3	25.8	19.2	15.3	19.5	12.4	17.2	8	2041
06-08 LST	9.1	10.9	19.3	21.7	21.7	12.8	13.9	17.0	19.7	20.5	22.9	12.4	16.8	8	2228
09-11 LST	10.1	14.2	20.4	22.7	22.0	11.7	25.2	25.5	20.3	20.6	22.1	13.4	19.0	8	2114
12-14 LST	13.7	13.8	22.2	24.7	31.8	23.8	41.8	46.0	28.0	23.1	23.6	10.0	25.2	8	2208
15-17 LST	9.4	16.5	18.9	19.3	28.1	22.7	34.1	35.5	26.1	21.9	19.3	10.6	21.9	8	2157
18-20 LST	11.2	12.2	16.1	17.7	18.6	14.2	21.6	24.4	14.3	18.9	20.0	11.1	16.7	8	2292
21-23 LST	11.5	12.8	22.8	11.1	16.1	14.2	14.2	30.3	16.8	16.4	24.4	16.3	17.2	6	908
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	5.5	8.4	11.5	13.2	13.4	10.3	9.9	13.0	10.1	15.0	15.4	7.1	11.1	8	2301
03-05 LST	6.0	9.3	14.0	15.2	12.9	11.7	12.1	18.8	14.9	13.5	17.2	10.4	13.0	8	2041
06-08 LST	6.0	8.3	14.2	17.2	16.0	9.5	11.8	10.9	14.1	18.8	19.0	8.7	12.9	8	2228
09-11 LST	8.5	10.8	14.3	15.1	16.7	8.2	20.5	16.8	17.3	18.9	19.2	9.5	14.7	8	2114
12-14 LST	10.9	10.0	16.7	16.8	20.9	14.3	27.4	33.2	21.8	20.4	20.1	7.1	18.3	8	2208
15-17 LST	5.3	13.5	12.4	14.7	21.3	11.4	22.9	24.0	19.4	19.1	17.6	9.0	15.9	8	2157
18-20 LST	7.8	7.5	10.0	11.2	12.9	7.2	12.6	14.3	10.8	15.1	15.4	9.2	11.2	8	2292
21-23 LST	6.8	9.0	13.8	9.1	13.1	6.7	7.0	12.9	12.0	11.7	24.4	12.5	11.6	6	908

HUA-HSIEN/HWAHSH, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	28.4	25.2	25.8	24.1	24.7	27.0	27.0	26.6	25.0	25.0	23.7	27.4	309.9	8	2278
	13 LST	27.1	24.2	24.7	23.7	21.9	23.4	18.4	17.2	22.0	24.2	23.1	28.4	278.3	8	2208
	19 LST	28.1	24.8	27.0	25.6	25.9	26.7	24.9	24.6	26.6	25.6	24.8	28.0	312.6	8	2292
	01 LST	28.6	25.2	26.8	25.5	25.5	26.7	26.5	25.7	26.5	25.9	25.2	27.8	315.9	8	2301
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	8.7	11.5	11.8	13.1	15.4	18.3	19.9	19.7	18.1	16.2	11.3	11.4	175.4	8	2215
	13 LST	10.7	13.8	14.3	14.2	16.0	18.0	14.1	13.4	17.9	18.2	13.1	12.6	176.3	8	2200
	19 LST	13.9	10.8	12.7	13.2	16.2	17.9	13.7	18.0	16.6	15.3	11.1	11.9	171.3	8	2285
	01 LST	10.2	10.5	12.5	10.9	12.4	14.8	13.2	17.0	14.6	14.4	11.0	10.6	152.1	8	2294
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	8.3	4.1	3.9	3.2	3.0	1.5	2.8	1.0	1.8	1.5	4.1	5.9	41.1	8	2273
	13 LST	4.6	2.6	1.6	2.5	1.2	0.2	0.7	0.2	0.9	0.6	2.6	5.6	23.3	8	2257
	19 LST	4.9	4.8	3.8	4.3	1.4	0.9	1.7	0.3	1.7	2.3	4.0	6.2	36.3	8	2349
	01 LST	6.5	5.1	4.7	3.6	3.0	2.6	3.8	2.2	2.0	3.3	5.4	7.1	49.3	8	2328
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	0.2	1.2	4.6	7.4	9.3	11.1	11.7	8.8	11.5	9.3	5.1	1.6	81.8	8	2257
	13 LST	2.2	4.7	10.4	11.8	11.2	12.0	12.1	11.2	12.9	11.6	7.5	4.3	111.9	8	2244
	19 LST	0.2	1.6	7.4	9.5	11.2	13.4	11.5	11.7	11.9	11.2	4.4	1.6	95.6	8	2335
	01 LST	0.0	0.8	4.4	7.2	11.4	10.8	12.4	11.3	11.2	9.4	4.6	0.4	83.9	8	2315
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	13.6	10.4	10.6	7.4	7.4	9.1	8.0	11.8	11.7	11.2	11.7	14.6	127.5	8	2277
	13 LST	14.2	11.1	9.4	7.5	5.8	6.6	6.0	5.6	10.2	11.4	11.0	14.9	113.7	8	2253
	19 LST	17.1	16.4	12.1	7.5	8.6	6.3	7.3	10.7	11.4	13.0	14.1	19.0	143.5	8	2358
	01 LST	17.9	14.2	13.8	11.0	12.3	11.6	10.7	14.0	13.1	14.0	13.6	17.4	163.6	8	2330
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	27.5	24.5	23.5	22.2	23.6	25.1	25.8	24.4	22.6	23.4	22.2	26.6	291.4	8	2228
	13 LST	26.0	23.9	23.1	21.1	20.3	21.9	17.0	16.0	20.8	23.2	22.2	27.1	262.6	8	2208
	19 LST	26.5	24.2	24.4	22.9	23.7	24.3	23.3	21.7	24.2	23.9	22.3	26.5	287.9	8	2292
	01 LST	26.9	24.6	24.2	21.6	23.1	23.6	22.9	23.1	23.3	23.4	22.7	26.7	286.1	8	2301
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	26.6	24.0	21.5	20.2	22.6	23.2	23.1	22.4	20.8	20.6	21.1	25.2	271.3	8	2228
	13 LST	34.6	22.6	21.6	19.8	18.6	19.7	14.9	14.9	19.6	22.3	20.7	25.3	244.6	8	2208
	19 LST	25.5	23.3	22.2	20.8	21.2	20.9	21.0	19.8	22.1	22.0	19.8	24.9	263.5	8	2292
	01 LST	26.5	24.1	22.4	19.8	21.6	21.8	19.9	21.2	21.5	21.5	20.5	25.3	266.1	8	2301
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	26.6	24.0	21.2	20.2	22.6	22.8	22.4	22.0	20.5	20.4	21.1	25.0	268.8	8	2228
	13 LST	24.4	22.6	21.3	19.8	18.2	19.7	14.9	14.7	19.5	21.8	20.5	25.3	242.7	8	2208
	19 LST	25.1	23.3	21.9	20.8	21.2	20.6	21.0	19.7	21.5	22.0	19.6	24.9	261.6	8	2292
	01 LST	26.5	24.1	22.1	19.8	21.6	21.3	19.5	21.2	20.9	21.4	20.3	25.3	264.0	8	2301

LU-SHIH, CHINA

STA NO. 37067 (IN AREA NUMBER 05)

LATITUDE 3400N

LONGITUDE 11101E

ELEVATION(FT) 02421

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	66	75	86	91	95	102	104	100	93	90	73	64	104	8	2549
MEAN MAX TMP (F)	42	51	59	69	77	88	90	86	78	68	55	46	67	8	2549
MEAN MIN TMP (F)	20	26	36	45	54	64	71	68	57	47	36	25	46	8	2557
ABS MIN TMP (F)	1	10	5	21	37	50	63	54	39	30	14	7	1	8	2557
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.3	2.6	15.4	20.6	13.1	0.9	0.1	0.0	0.0	53.0	8	2549
MEAN NO DYS TMP = DR LES 32(F)	30.9	24.8	10.6	1.3	0.0	0.0	0.0	0.0	0.0	1.2	10.1	27.2	106.1	8	2557
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2557
MEAN DEW PT (F)	14	19	31	42	50	59	68	67	56	45	35	23	42	8	19121
MEAN REL HUM (PCT)	57	55	61	62	65	61	72	76	73	70	73	68	66	8	18853
MEAN PRESS ALT (FT)	1943	2064	2213	2359	2476	2627	2723	2597	2387	2162	2047	1999	2300	8	19147
MEAN PRECIP (IN)	0.27	0.57	1.02	0.81	2.52	2.50	7.15	7.30	2.34	1.25	1.19	0.73	27.6	3	-182
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0	0.0				8	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	2.5	3.8	4.5	3.7	8.8	6.5	12.8	13.0	8.0	4.2	4.0	4.4	76.2	3	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0	0.0				8	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	0.0	0.5	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.0	0.3	1.2	8	831
MEAN NO DYS TSTMS	0.0	0.3	1.0	2.8	3.4	6.3	13.7	9.3	2.2	0.5	0.0	0.0	39.7	8	2573
P FREQ WND SPD = DR GTR 17 KTS	0.1	0.2	1.1	0.8	0.2	0.0	0.0	0.1	0.2	0.2	0.1	0.1	0.3	8	19375
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	19375
P FREQ LES 5000 FT A/D LES 5 MI	17.2	23.3	33.1	37.8	27.7	21.8	25.8	28.2	29.9	23.0	32.8	24.0	27.1	8	12728
P FREQ LES 1500 FT A/D LES 3 MI															
FDR 00-02 LST	1.6	0.9	3.7	0.0	0.0	0.0	0.0	0.0	2.6	2.4	4.7	2.2	1.5	8	779
03-05 LST	0.0	0.9	0.8	0.0	0.0	0.6	0.8	0.0	2.6	0.0	4.7	2.9	1.1	8	800
06-08 LST	9.0	5.3	9.4	6.2	2.5	3.5	4.5	4.9	5.6	6.1	6.6	6.8	5.5	8	2538
09-11 LST	6.0	5.1	5.4	2.7	1.9	0.6	0.3	0.0	2.3	3.1	3.3	6.1	3.1	8	2410
12-14 LST	4.3	4.7	4.7	2.8	2.6	0.8	0.8	0.2	1.8	2.4	3.1	6.0	2.9	8	2541
15-17 LST	2.3	4.6	6.2	4.1	1.1	1.1	0.0	1.0	1.9	3.1	3.8	3.6	2.7	8	2445
18-20 LST	0.0	2.7	0.8	1.4	2.0	0.8	1.5	0.3	1.7	0.0	4.1	1.7	1.4	8	1331
21-23 LST	0.0	1.0	0.0	1.9	1.7	0.0	1.7	0.0	2.6	0.0	5.7	2.3	1.4	7	736
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	0.0	0.0	1.4	0.0	0.0	0.0	0.0	0.0	0.0	1.6	0.0	0.0	0.3	8	779
03-05 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	0.1	8	800
06-08 LST	1.0	1.0	0.0	1.0	0.0	0.0	0.0	0.0	0.4	0.0	0.9	0.4	0.4	8	2538
09-11 LST	1.5	1.7	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.4	0.4	8	2410
12-14 LST	0.0	1.0	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	8	2541
15-17 LST	0.0	1.1	1.5	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.4	0.4	8	2445
18-20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	1331
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	1.7	0.0	0.0	0.0	0.0	0.0	0.1	7	736

LU-SHIH, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	29.8	27.1	29.3	28.6	30.7	29.7	30.2	30.4	29.1	30.2	29.2	29.8	354.1	8	2538
	13 LST	29.8	26.8	30.1	29.5	30.7	30.0	30.8	31.0	29.7	30.9	29.6	29.7	358.6	8	2541
	19 LST	31.0	27.5	31.0	30.0	30.8	30.0	30.7	31.0	30.0	31.0	30.0	31.0	364.0	8	1331
	01 LST	30.5	28.0	30.1	30.0	31.0	30.0	31.0	31.0	30.0	30.5	29.5	31.0	362.6	8	779
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	07 LST	28.4	24.9	25.6	25.4	28.1	28.0	28.9	28.6	27.1	28.0	25.8	27.4	326.2	8	2537
	13 LST	24.5	22.0	20.1	20.8	23.8	23.2	24.6	26.1	25.6	24.1	25.2	25.9	285.9	8	2539
	19 LST	31.0	22.1	26.8	24.2	27.8	26.2	26.6	29.3	27.1	27.2	25.8	27.0	321.1	8	1330
	01 LST	30.0	26.0	28.8	28.5	30.0	28.5	30.0	31.0	27.5	29.5	24.5	28.7	343.0	8	779
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.0	0.0	0.1	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	8	2563
	13 LST	0.1	0.1	0.3	0.3	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.0	1.0	8	2557
	19 LST	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.4	8	2561
	01 LST	0.0	0.0	0.1	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	8	2551
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	0.5	2.0	8.5	10.0	11.8	11.9	8.2	6.5	6.1	5.0	5.9	1.2	77.6	8	2546
	13 LST	13.3	14.9	15.1	14.0	15.6	12.2	5.6	12.0	17.2	15.9	14.1	13.0	162.9	8	2540
	19 LST	6.3	12.1	14.1	15.5	14.4	15.5	13.2	13.4	12.1	10.3	11.6	8.4	146.9	8	2541
	01 LST	1.3	3.6	7.4	7.9	5.2	6.9	5.9	4.3	2.1	4.4	3.7	2.7	55.4	8	2531
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	14.0	9.1	9.0	7.5	8.8	10.3	6.8	9.4	10.8	10.4	9.3	13.4	118.8	8	2549
	13 LST	14.8	10.0	8.9	7.2	7.0	6.8	6.4	8.1	10.1	10.9	10.2	14.0	114.4	8	2561
	19 LST	25.1	19.2	16.0	10.1	6.2	5.8	7.0	8.0	7.6	11.4	13.1	20.6	150.1	8	1334
	01 LST	24.6	19.0	15.7	11.0	10.7	13.0	10.8	9.3	9.2	13.8	12.9	18.1	168.1	8	779
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	28.6	25.1	25.5	26.3	28.5	27.3	28.2	27.4	26.3	26.9	25.2	27.1	322.4	8	2538
	13 LST	28.9	25.8	28.0	27.6	28.9	28.8	29.6	30.1	28.1	28.8	26.9	28.1	339.6	8	2541
	19 LST	30.8	26.4	30.0	27.7	28.9	28.9	29.5	29.9	26.0	30.0	25.6	29.5	343.2	8	1331
	01 LST	30.3	26.5	29.1	27.2	29.5	25.8	30.4	30.4	25.8	29.2	26.4	29.0	343.6	8	779
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	26.4	22.2	20.0	20.3	21.6	22.4	21.0	20.1	19.3	21.7	18.9	23.3	257.2	8	2538
	13 LST	26.8	22.6	22.1	22.0	21.8	20.9	20.6	22.9	20.9	23.4	20.7	24.9	269.6	8	2541
	19 LST	30.0	24.1	25.8	19.1	22.3	22.5	21.5	21.6	16.2	24.8	19.2	26.3	273.4	8	1331
	01 LST	29.0	24.0	24.3	18.0	20.8	24.0	21.7	20.7	16.3	24.1	18.0	25.4	266.3	8	779
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	24.6	21.1	19.1	19.4	21.0	21.9	20.5	19.6	18.4	20.8	18.5	22.5	247.2	8	2538
	13 LST	26.6	22.3	22.0	21.6	21.2	20.9	20.6	22.7	20.4	23.0	20.6	24.3	266.2	8	2541
	19 LST	29.5	24.1	24.9	19.1	21.8	21.6	20.8	19.9	15.2	24.8	18.3	25.6	265.6	8	1331
	01 LST	29.0	24.0	24.3	17.5	19.4	24.0	21.2	20.7	16.3	23.6	17.5	25.4	262.9	8	779

LO-YANG / IO-NAN, CHINA

STA NO. 57073 (IN AREA NUMBER 05) LATITUDE 3441N LONGITUDE 11230E ELEVATION(FT) 00472

PARAMETER DESCRIPTION	JAN	FEB	MAR	APP	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	61	75	88	91	100	108	108	102	93	95	79	64	108	8	2538
MEAN MAX TMP (F)	43	51	59	71	81	91	92	88	81	71	56	47	69	8	2538
MEAN MIN TMP (F)	24	29	39	50	59	69	75	72	61	50	39	28	50	8	2504
ABS MIN TMP (F)	10	14	16	30	36	55	63	57	46	32	16	9	9	8	2504
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	1.1	7.7	20.1	22.0	16.2	3.7	0.9	0.0	0.0	71.7	8	2538
MEAN NO DYS TMP = OR LES 32(F)	29.0	20.7	6.0	0.8	0.0	0.0	0.0	0.0	0.0	0.4	7.8	24.8	89.5	8	2504
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2504
MEAN DEW PT TMP (F)	12	20	32	43	51	60	72	70	58	46	36	22	44	8	18836
MEAN REL HUM (PCT)	50	51	59	58	57	57	72	76	68	66	70	60	62	8	18627
MEAN PRESS ALT (FT)	39	140	268	425	559	702	796	669	464	242	120	81	375	8	19027
MEAN PRECIP (IN)	0.49	0.26	0.90	1.08	2.44	2.63	7.67	6.33	4.30	0.86	1.44	0.37	28.8	7	-181
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0	0.0				8	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	3.5	2.5	4.0	4.7	8.6	6.8	13.3	12.0		2.9	4.9	3.0		7	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0	0.0				8	-29
MEAN NO DYS W/O CUR VSBY LES 1/2 MI	0.4	0.2	0.0	0.0	0.2	0.0	0.0	0.6	0.2	0.2	0.7	0.2	2.7	8	1970
MEAN NO DYS TSTMS	0.1	0.1	0.4	2.0	2.1	5.3	12.0	8.7	1.9	0.0	0.1	0.0	32.7	8	2543
P FREQ WND SPD = OR GTR 17 KTS	6.3	2.3	3.0	2.9	1.4	0.7	0.3	0.1	0.6	0.7	1.4	2.7	1.9	8	19013
P FREQ WND SPD = OR GTR 28 KTS	0.4	0.1	0.1	0.1	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.1	0.1	8	19013
P FREQ LES 5000 FT A/O LES 5 MI	15.8	12.9	14.5	12.6	10.6	9.7	11.9	13.8	10.5	12.0	18.8	16.0	13.3	8	16813
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	2.6	2.5	1.3	2.0	1.9	0.3	1.0	0.0	1.0	1.4	2.9	2.7	1.6	8	1935
03-05 LST	4.1	0.4	1.5	2.9	1.5	1.4	0.0	2.7	1.9	3.1	4.0	3.1	2.2	8	1848
06-08 LST	7.6	4.4	5.9	2.8	1.2	1.8	2.0	5.4	2.9	6.0	10.8	6.3	4.8	8	2505
09-11 LST	10.0	3.0	2.8	1.1	2.1	1.7	0.9	1.0	0.9	2.8	4.6	4.4	2.9	8	2399
12-14 LST	4.4	2.9	3.4	2.3	1.5	1.8	1.8	0.3	0.9	2.0	3.4	2.8	2.3	8	2496
15-17 LST	2.0	1.6	2.3	1.1	2.0	2.0	1.9	0.5	1.4	1.3	4.2	2.2	1.9	8	2437
18-20 LST	3.9	0.7	2.3	1.3	1.6	0.5	1.0	0.3	0.3	0.6	2.6	2.8	1.5	8	2085
21-23 LST	2.1	1.1	1.7	0.0	1.1	0.4	0.0	0.0	1.3	1.2	3.1	2.9	1.2	7	1825
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.0	0.7	0.6	0.0	0.6	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.3	8	1935
03-05 LST	0.7	0.0	0.0	0.7	0.6	0.0	0.0	1.3	1.3	0.6	0.6	0.0	0.5	8	1848
06-08 LST	1.0	2.2	1.0	0.5	0.0	0.0	0.0	1.9	0.4	2.6	2.2	1.7	1.1	8	2505
09-11 LST	0.5	1.2	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	8	2399
12-14 LST	1.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	8	2496
15-17 LST	1.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	8	2437
18-20 LST	0.6	0.0	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	8	2085
21-23 LST	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.6	0.2	7	1825

LO-YANG/HO-NAN, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST	28.7	26.8	29.2	29.4	30.7	29.5	30.7	29.7	29.3	29.2	27.0	29.0	349.2	8	2505
	14 LST	29.6	27.4	30.5	29.4	30.8	29.5	30.7	31.0	29.9	30.7	29.2	30.3	359.0	8	2496
	20 LST	29.8	27.8	30.6	29.8	30.7	29.8	30.8	31.0	30.0	30.8	29.5	30.3	360.9	8	2085
	02 LST	30.2	27.6	30.8	29.4	30.6	30.0	30.8	31.0	29.8	30.7	29.3	30.2	360.4	8	1935
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	08 LST	21.4	23.6	24.0	25.6	26.4	25.6	27.5	27.3	27.2	27.0	23.9	25.1	304.6	8	2499
	14 LST	19.7	19.9	19.3	19.9	22.2	21.2	25.4	26.2	24.1	24.9	19.2	20.0	257.0	8	2493
	20 LST	20.6	20.9	23.6	23.6	25.9	24.1	25.8	28.1	26.3	26.5	23.1	23.4	291.9	8	2083
	02 LST	24.6	23.8	27.0	26.3	27.7	26.1	28.5	29.7	28.1	27.7	25.5	26.0	321.0	8	1934
SFC WND = GTR 17 KTS AND NO PRECIP.	08 LST	0.5	0.0	0.5	0.0	0.2	0.0	0.0	0.0	0.1	0.0	0.3	0.5	2.1	8	2507
	14 LST	4.8	1.3	2.1	2.3	0.8	0.3	0.0	0.1	0.3	0.4	1.3	2.4	16.1	8	2510
	20 LST	0.9	0.1	0.4	0.3	0.2	0.3	0.2	0.0	0.1	0.0	0.1	0.3	2.9	8	2573
	02 LST	0.6	0.1	0.6	0.6	0.1	0.0	0.0	0.0	0.0	0.1	0.0	0.3	2.4	8	2540
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	08 LST	1.4	4.7	12.9	16.2	16.0	15.4	14.1	11.7	10.4	9.1	10.1	5.4	127.4	8	2494
	14 LST	11.9	13.6	16.3	16.9	14.2	8.3	4.7	10.2	18.2	19.7	17.0	17.0	168.0	8	2490
	20 LST	9.6	16.7	18.7	18.6	15.8	13.0	13.8	15.7	16.9	15.6	17.1	16.9	191.4	8	2561
	02 LST	4.1	11.9	18.3	19.1	17.9	17.8	15.1	15.0	15.4	14.2	13.5	7.9	170.0	8	2521
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST	13.1	9.5	10.0	9.1	8.8	10.2	8.6	8.5	11.2	11.8	10.5	14.1	125.4	8	2509
	14 LST	16.4	11.2	10.0	9.0	8.3	8.1	6.8	8.9	12.0	11.5	1.3	15.5	129.0	8	2515
	20 LST	19.9	15.2	10.1	8.5	7.6	6.8	6.9	9.8	10.8	13.8	12.8	18.0	140.2	8	2092
	02 LST	21.4	16.2	13.7	13.2	13.3	10.9	13.6	13.9	12.2	13.4	13.4	19.4	174.6	8	1934
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	08 LST	28.4	26.7	29.0	28.8	30.0	29.1	29.5	28.3	28.2	29.0	26.4	28.9	342.3	8	2505
	14 LST	29.3	26.3	28.4	28.6	29.7	28.9	29.6	29.2	29.1	29.4	28.3	29.7	346.5	8	2496
	20 LST	29.7	27.6	29.8	29.3	29.8	29.5	30.2	30.4	29.3	30.4	28.7	29.9	355.0	8	2085
	02 LST	30.2	26.8	30.2	29.2	30.1	29.8	30.5	30.9	29.4	30.2	28.6	30.1	356.0	8	1935
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	08 LST	27.8	26.6	28.0	28.2	28.5	27.8	27.8	25.6	26.8	28.4	25.3	28.4	329.2	8	2505
	14 LST	28.7	24.5	26.3	27.1	28.4	26.5	26.8	25.2	27.7	27.2	26.3	29.4	324.1	8	2496
	20 LST	29.4	27.0	29.2	28.6	29.3	27.4	27.2	27.2	27.9	30.3	27.1	29.1	338.7	8	2085
	02 LST	29.8	26.4	29.4	28.6	29.4	29.0	28.5	29.3	28.5	29.8	27.1	29.7	345.5	8	1935
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST	27.8	26.3	27.7	28.0	28.5	27.5	27.5	25.6	26.8	28.3	25.1	28.3	327.4	8	2505
	14 LST	28.7	24.5	26.2	27.1	28.2	26.5	26.6	25.2	27.7	27.2	26.1	29.3	323.3	8	2496
	20 LST	29.4	27.0	28.6	28.3	28.0	27.4	27.0	27.0	27.7	30.0	26.7	29.1	336.2	8	2085
	02 LST	29.8	26.2	29.2	27.6	28.9	28.6	28.3	28.9	27.9	29.5	26.7	29.4	341.0	8	1935

LUEH-YANG/LOYANG, CHINA

STA NO. 57106 (IN AREA NUMBER 05)

LATITUDE 3316N

LONGITUDE 10557E

ELEVATION(FT) 02182

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	59	72	86	90	97	97	97	99	88	86	73	63	99	8	2506
MEAN MAX TMP (F)	45	52	61	70	76	83	86	85	76	66	55	48	67	8	2506
MEAN MIN TMP (F)	27	32	42	50	56	62	68	67	60	50	41	32	49	8	2504
ABS MIN TMP (F)	14	18	27	34	39	50	54	50	46	30	23	12	12	8	2504
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.6	1.5	8.3	13.2	9.4	0.0	0.0	0.0	0.0	33.0	8	2506
MEAN NO DYS TMP = DR LES 32(F)	24.0	14.7	2.7	0.0	0.0	0.0	0.0	0.0	0.0	0.3	3.5	18.4	63.6	8	2504
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2504
MEAN DEN PT TMP (F)	19	27	35	44	52	60	68	66	59	49	38	29	46	8	17763
MEAN REL HUM (PCT)	56	61	60	62	67	69	78	78	79	79	74	70	69	8	17451
MEAN PRESS ALT (FT)	1744	1860	2023	2145	2241	2366	2473	2369	2160	1930	1837	1784	2078	8	17973
MEAN PRECIP (IN)														0	0
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0	0.0				8	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN														0	0
MEAN NO DYS SNFL = DR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0	0.0				8	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	0.5	0.8	0.3	0.5	0.0	0.8	0.2	1.0	0.8	1.6	1.7	1.4	9.6	8	2486
MEAN NO DYS YSTMS	0.0	0.0	0.9	2.0	2.2	3.8	7.1	4.4	1.4	0.4	0.1	0.0	22.3	8	2478
P FREQ WND SPD = DR GTR 17 KTS	0.9	0.2	1.2	1.1	1.1	0.1	0.1	0.3	0.5	0.2	0.4	0.2	0.5	8	18123
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	8	18123
P FREQ LES 5000 FT A/D LES 5 MI	15.1	18.0	24.3	21.5	24.0	19.0	28.6	27.9	32.1	34.6	30.6	17.3	24.4	8	18190
P FREQ LES 1900 FT A/D LES 3 MI															
FOR 00-02 LST	2.0	1.7	5.4	2.9	3.5	4.8	4.4	3.6	5.3	6.1	3.7	2.0	3.8	8	2518
03-05 LST	1.8	3.8	4.9	5.0	2.6	7.7	10.6	9.6	15.3	17.8	6.6	1.4	7.3	8	2335
06-08 LST	3.6	9.3	6.7	4.3	7.3	8.6	14.2	16.4	21.0	23.2	20.1	7.9	11.9	8	2446
09-11 LST	4.1	5.3	6.2	3.3	3.2	5.0	4.3	4.7	6.0	8.7	11.9	6.0	5.7	8	2354
12-14 LST	3.5	6.2	6.7	2.5	1.6	3.4	2.9	4.5	4.4	4.9	7.6	2.5	4.2	8	2511
15-17 LST	2.3	3.6	4.8	3.1	1.9	1.9	1.4	3.0	3.2	3.1	5.3	4.3	3.2	8	2377
18-20 LST	2.7	3.1	5.0	3.4	1.5	1.9	2.0	2.6	2.4	3.7	5.0	2.5	3.0	8	2498
21-23 LST	1.1	0.8	4.1	0.0	0.4	2.6	2.9	2.1	4.0	4.4	5.6	2.2	2.5	6	1805
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	1.0	1.1	0.0	1.0	0.0	1.0	1.0	0.5	0.9	1.3	0.5	0.4	0.7	8	2518
03-05 LST	0.5	0.6	0.0	1.6	0.0	1.7	2.0	2.5	3.2	5.9	0.9	0.9	1.7	8	2335
06-08 LST	1.0	2.1	1.5	1.6	1.0	0.6	0.5	1.5	1.8	6.1	8.1	4.9	2.6	8	2446
09-11 LST	1.5	1.6	0.5	1.6	0.0	0.6	0.0	0.0	0.5	1.0	1.8	2.7	1.0	8	2354
12-14 LST	0.3	1.6	1.0	2.0	0.0	0.5	0.0	0.0	0.5	0.0	0.0	0.4	0.5	8	2511
15-17 LST	1.0	1.2	0.0	2.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.9	0.5	8	2377
18-20 LST	1.0	1.6	0.5	2.1	0.0	1.0	0.0	0.0	0.0	0.8	0.9	0.0	0.7	8	2498
21-23 LST	0.7	0.0	0.0	0.0	0.0	0.7	0.7	0.0	0.0	0.6	0.6	0.0	0.3	6	1805

LUEH-YANG / LOYANG, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	30.4	26.7	30.1	29.2	29.7	29.2	29.1	28.0	26.3	26.7	25.4	29.1	339.9	8	2446
	13 LST	30.5	27.4	30.3	29.4	30.8	29.8	31.0	30.6	29.9	31.0	29.9	30.9	361.5	8	2511
	19 LST	30.7	27.4	30.5	29.2	30.8	29.7	30.8	30.8	30.0	30.7	29.7	31.0	361.3	8	2498
	01 LST	30.7	27.7	30.3	29.5	30.5	29.4	30.5	30.6	29.3	30.2	29.9	30.9	359.5	8	2518
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	27.4	23.1	25.9	25.4	25.9	25.5	23.3	23.1	19.7	19.7	20.9	26.3	286.2	8	2443
	13 LST	22.6	20.6	21.6	21.1	23.1	23.1	26.6	25.8	24.1	23.3	21.2	24.8	279.9	8	2505
	19 LST	27.1	24.3	23.6	24.7	25.0	26.2	28.1	27.4	26.8	27.9	24.2	27.3	312.6	8	2497
	01 LST	28.6	25.9	25.3	26.6	26.8	26.6	27.9	28.4	26.7	26.3	24.4	28.7	322.2	8	2515
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	8	2469
	13 LST	1.1	0.2	0.9	0.6	0.5	0.3	0.2	0.1	0.1	0.0	0.1	0.0	4.1	8	2524
	19 LST	0.0	0.0	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.5	8	2515
	01 LST	0.2	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.7	8	2532
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	3.3	3.0	7.1	6.9	6.6	4.3	5.1	6.2	5.0	5.1	4.2	3.1	59.9	8	2440
	13 LST	10.7	10.6	13.9	12.5	13.6	9.6	9.7	7.3	8.9	9.5	11.3	11.4	129.0	8	2503
	19 LST	10.5	11.4	12.1	12.7	12.7	12.4	9.3	9.8	6.7	8.7	9.2	9.0	124.5	8	2494
	01 LST	4.7	9.0	10.1	11.0	11.6	9.8	8.0	8.8	5.8	5.7	8.3	6.2	99.0	8	2506
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	10.2	5.5	5.1	5.0	5.3	5.4	3.5	3.6	2.1	1.6	2.9	8.6	38.8	8	2477
	13 LST	10.2	6.4	6.3	6.3	5.1	5.3	6.4	8.0	5.5	5.5	6.2	11.7	82.9	8	2535
	19 LST	12.8	9.6	7.7	4.3	4.7	6.7	6.2	9.7	7.6	8.9	9.8	14.5	102.5	8	2514
	01 LST	11.6	8.4	7.2	5.8	6.5	8.2	7.6	10.8	8.8	7.3	7.5	11.6	101.3	8	2534
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	28.5	23.5	26.8	26.6	26.4	24.4	22.7	23.0	18.9	19.4	20.9	26.9	288.0	8	2446
	13 LST	28.5	24.4	26.6	27.5	27.8	26.9	27.6	27.0	25.9	26.4	23.9	28.6	321.1	8	2511
	19 LST	29.0	26.4	27.6	27.8	28.8	28.5	28.8	28.6	27.2	27.4	25.9	28.5	334.5	8	2498
	01 LST	29.4	27.0	27.5	27.5	28.2	27.1	27.9	28.1	25.9	26.5	26.1	29.1	330.3	8	2518
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	24.6	19.9	21.9	21.0	20.8	20.5	16.1	16.1	11.4	12.7	15.6	21.3	221.9	8	2446
	13 LST	25.4	21.7	21.0	22.0	22.5	23.1	20.9	20.4	19.6	20.7	18.8	24.0	260.1	8	2511
	19 LST	26.1	22.9	22.7	23.5	24.0	23.3	23.5	24.5	21.6	21.4	21.0	23.7	280.2	8	2498
	01 LST	26.3	23.7	22.2	21.5	22.1	23.8	19.3	23.0	19.9	20.3	21.3	24.5	268.1	8	2518
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	23.8	19.0	20.9	20.1	20.3	20.0	15.6	15.7	11.1	11.9	15.1	20.3	213.8	8	2446
	13 LST	25.3	20.8	20.9	20.5	22.4	23.1	20.8	20.1	19.5	20.4	18.2	23.7	259.7	8	2511
	19 LST	26.1	22.2	22.1	22.7	23.7	25.3	23.2	24.3	21.0	21.2	20.2	23.2	275.2	8	2498
	01 LST	26.2	23.1	21.6	21.1	21.8	23.6	18.7	22.7	19.4	19.8	20.2	23.9	262.1	8	2518

NAN-CHENG/NANCHU, CHINA

STA NO. 57127 (IN AREA NUMBER 05)

LATITUDE 3305N

LONGITUDE 10710E

ELEVATION(FT) 01706

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	61	68	81	86	93	99	100	97	90	88	70	61	100	8	2495
MEAN MAX TMP (F)	45	52	60	69	76	84	88	86	77	66	55	48	67	8	2495
MEAN MIN TMP (F)	29	33	42	51	59	68	73	71	63	53	43	34	52	8	2464
ABS MIN TMP (F)	18	19	27	34	43	37	64	61	46	36	25	21	18	8	2464
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	1.7	9.4	16.3	12.5	0.1	0.0	0.0	0.0	40.0	8	2495
MEAN NO DYS TMP = DR LES 32(F)	21.5	11.9	1.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.5	14.1	51.7	8	2464
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2464
MEAN DEW PT TMP (F)	28	32	41	50	57	64	71	70	62	53	43	34	50	8	17418
MEAN REL HUM (PCT)	75	73	73	74	74	71	79	80	82	83	85	84	78	8	17120
MEAN PRESS ALT (FT)	1280	1404	1553	1682	1796	1925	2025	1922	1707	1474	1378	1326	1623	8	16675
MEAN PRECIP (IN)	0.13	0.34	0.71	1.67	2.86	3.44	4.91	4.17	5.09	2.59	1.07	0.23	27.2	16	-181
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0	0.0				8	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	1.8	2.9	3.3	6.6	9.6	8.2	10.3	9.3		8.7	3.6	2.3		16	-29
MEAN NO DYS SNPL = DR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0	0.0				8	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.9	0.5	0.9	1.3	0.5	0.0	0.3	0.6	0.7	0.7	3.0	4.2	13.6	8	2424
MEAN NO DYS TSTMS	0.0	0.0	1.5	2.8	3.0	6.6	11.1	9.2	2.6	0.1	0.3	0.0	37.2	8	2430
P FREQ WND SPD = DR GTR 17 KTS	0.1	0.1	0.4	0.2	0.3	0.1	0.2	0.2	0.3	0.1	0.0	0.1	0.2	8	17660
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	8	17660
P FREQ LES 3000 FT A/D LES 5 MI	22.3	21.0	20.6	21.4	19.3	18.6	21.8	21.8	26.3	29.7	27.0	29.8	23.3	8	17836
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	3.3	0.8	1.7	2.9	0.7	2.3	1.0	0.5	1.8	2.3	4.6	6.4	2.4	8	2494
05-05 LST	5.8	1.9	2.6	3.5	1.4	1.9	0.6	1.9	2.6	3.6	4.7	8.3	3.2	8	2330
06-08 LST	13.5	8.4	8.0	5.5	3.8	5.2	4.0	4.8	10.1	10.6	16.5	27.6	9.8	8	2447
09-11 LST	15.1	7.8	3.0	1.9	1.1	4.7	0.3	3.8	4.0	5.9	10.0	25.7	6.9	8	2309
12-14 LST	5.5	2.7	1.6	1.0	0.8	2.1	0.0	2.2	2.4	3.3	1.6	5.1	2.4	8	2463
15-17 LST	7.1	2.5	1.9	2.1	1.6	1.9	1.6	0.3	1.9	2.3	1.9	2.3	2.0	8	2341
18-20 LST	11.7	1.4	1.5	1.7	0.5	1.6	1.1	1.2	1.2	1.8	1.6	2.9	1.6	8	2484
21-23 LST	5.0	0.0	2.6	1.5	1.5	1.8	0.0	0.3	1.2	2.7	1.6	4.9	1.9	6	1786
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	1.5	0.5	0.5	2.1	0.0	1.0	1.0	0.5	0.0	0.4	0.5	3.5	1.0	8	2494
03-05 LST	1.5	1.1	1.5	3.2	1.1	1.1	0.6	1.1	1.0	1.0	2.8	3.4	1.8	8	2330
06-08 LST	3.6	2.2	3.0	4.7	1.1	1.1	0.0	1.0	4.1	4.8	11.8	16.2	4.5	8	2447
09-11 LST	4.2	2.2	0.0	0.5	0.0	1.2	0.0	0.0	0.0	0.5	0.5	7.0	1.3	8	2309
12-14 LST	0.5	1.1	0.5	1.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.9	0.4	8	2463
15-17 LST	0.0	1.1	0.5	1.6	0.0	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.4	8	2341
18-20 LST	0.5	0.5	0.5	1.0	0.0	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.3	8	2484
21-23 LST	2.1	0.0	0.0	0.8	0.0	1.4	0.0	0.0	0.6	0.0	0.0	0.6	0.5	6	1786

NAN-CHANG/NANCHU, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. QBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	27.2	26.0	28.7	28.4	30.2	28.7	30.4	30.1	27.4	28.3	25.7	22.7	333.8	8	2447
	13 LST	30.0	27.6	30.7	29.7	31.0	29.5	31.0	30.7	30.0	30.7	29.9	29.8	360.6	8	2463
	19 LST	30.4	27.7	30.7	29.6	31.0	29.7	30.8	30.7	29.9	30.9	30.0	30.2	361.6	8	2484
	01 LST	30.2	27.8	30.7	29.2	30.8	29.4	30.7	30.9	29.7	30.7	28.9	29.1	358.1	8	2494
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	26.3	24.5	27.7	26.9	28.3	28.0	29.2	27.0	25.9	27.0	24.1	22.1	319.0	8	2446
	13 LST	27.5	25.6	27.8	27.5	29.7	28.1	29.5	28.6	28.1	28.1	28.5	27.8	336.8	8	2454
	19 LST	29.3	26.8	28.2	27.5	29.9	28.9	29.1	30.1	26.8	29.3	28.3	29.5	345.7	8	2479
	01 LST	29.0	26.6	28.3	27.5	29.3	28.2	30.2	30.3	28.0	29.2	27.1	28.4	342.1	8	2492
SFC WND = GTR 17 KTS AN, NO PRECIP.	07 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2466
	13 LST	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.5	8	2488
	19 LST	0.0	0.1	0.3	0.1	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	8	2508
	01 LST	0.0	0.0	0.1	0.0	0.2	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.5	8	2503
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	1.4	2.0	3.8	2.6	3.4	5.2	3.9	2.7	2.5	1.7	2.8	1.5	33.5	8	2447
	13 LST	8.5	8.8	10.9	11.8	11.7	9.7	10.1	10.7	11.1	9.3	7.5	7.5	117.6	8	2469
	19 LST	2.9	3.8	6.0	6.5	7.8	8.7	7.8	5.6	3.2	3.1	3.2	3.5	62.1	8	2488
	01 LST	2.6	4.6	4.8	5.0	5.3	5.7	3.8	3.6	2.7	2.9	3.3	3.2	47.5	8	2487
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	9.4	5.8	5.0	3.9	3.6	6.3	4.1	6.6	6.0	4.5	2.9	5.3	63.4	8	2463
	13 LST	13.9	6.9	6.8	6.7	6.6	5.3	7.8	10.1	7.1	6.7	5.8	10.5	91.2	8	2491
	19 LST	13.2	9.5	7.3	4.3	3.8	3.9	5.8	10.1	5.9	8.9	8.6	12.4	93.7	8	2499
	01 LST	10.5	7.8	7.9	5.0	6.1	8.2	7.5	10.8	8.9	7.5	7.1	10.2	97.8	9	2504
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	25.9	24.4	26.9	27.2	28.1	27.2	28.1	27.2	24.7	25.2	23.4	21.5	309.8	8	2447
	13 LST	27.5	25.6	29.0	28.0	29.1	27.6	29.7	28.9	26.6	27.1	27.7	28.2	335.0	8	2463
	19 LST	29.1	26.8	29.1	28.2	29.5	28.5	29.8	29.2	27.6	27.9	27.7	29.7	342.7	8	2484
	01 LST	29.3	26.8	29.0	28.2	29.5	28.2	29.7	29.8	27.8	27.7	27.4	28.6	342.0	8	2494
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	21.2	18.8	19.2	19.3	21.7	22.7	20.4	19.7	18.4	18.4	13.6	13.0	226.4	8	2447
	13 LST	23.2	20.4	23.6	22.2	24.5	23.5	24.9	25.5	21.0	20.2	19.8	23.0	271.8	8	2463
	19 LST	25.7	22.3	20.9	20.9	23.1	24.2	22.5	23.7	20.6	20.3	19.6	23.0	265.8	8	2484
	01 LST	25.3	21.8	22.6	21.3	23.1	23.4	21.0	23.4	21.6	20.8	19.7	22.0	266.2	8	2494
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	19.7	18.0	17.7	16.5	20.0	21.8	19.4	19.6	17.9	17.7	12.2	12.1	212.6	8	2447
	13 LST	21.9	19.7	22.5	21.4	24.2	23.4	24.8	25.5	21.0	19.9	18.5	21.7	264.5	8	2463
	19 LST	23.6	21.1	18.8	19.2	22.4	23.6	21.7	23.5	19.7	19.7	18.2	21.2	252.7	8	2484
	01 LST	23.7	20.9	21.7	20.5	22.8	22.5	19.9	22.9	20.9	19.9	17.8	20.9	254.4	8	2494

NAN-YANG, CHINA

STA NO. 57178 (IN AREA NUMBER 05)

LATITUDE 3301N

LONGITUDE 11233E

ELEVATION(FT) 00420

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	AN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	64	72	81	90	100	104	104	104	109	93	75	68	104	8	2556
MEAN MAX TMP (F)	45	52	59	69	78	90	92	89	81	71	58	48	69	8	2556
MEAN MIN TMP (F)	26	29	39	50	58	69	75	72	63	52	40	30	50	8	2533
ABS MIN TMP (F)	9	12	19	28	41	55	63	61	46	32	18	12	9	8	2533
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.3	4.9	18.0	22.3	17.3	5.2	1.1	0.0	0.0	69.1	8	2556
MEAN NO DYS TMP = DR LES 32(F)	27.6	19.1	5.2	0.6	0.0	0.0	0.0	0.0	0.0	0.1	5.5	22.1	80.2	8	2533
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2533
MEAN DEW PT TMP (F)	20	26	37	48	56	64	74	71	60	48	39	29	48	8	19052
MEAN REL HUM (PCT)	60	61	66	69	70	64	76	75	70	67	74	71	69	8	18884
MEAN PRESS ALT (FT)	-2	83	218	372	489	641	733	618	415	194	77	35	323	8	19195
MEAN PRECIP (IN)	0.53	0.75	0.63	2.56	3.32	2.84	4.82	3.46	2.54	0.71	0.22	1.18	23.6	4	-181
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0	0.0				8	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	3.7	4.5	3.0	8.9	10.5	7.1	10.2	8.2	8.6	2.4	0.9	5.9	73.9	4	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0	0.0				8	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	1.1	1.3	1.6	0.9	0.9	0.0	0.6	0.4	1.3	1.6	2.0	3.1	14.8	8	2571
MEAN NO DYS TSTMS	0.2	0.3	1.3	3.5	2.0	3.8	13.8	8.7	0.9	0.3	0.0	0.0	36.8	8	2564
P FREQ WND SPD = DR CTR 17 KTS	1.8	2.3	5.3	3.5	2.4	1.1	0.7	1.0	0.9	0.8	2.8	1.3	2.0	8	19313
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.2	0.1	0.1	0.0	0.1	0.0	0.1	0.2	0.0	0.1	8	19313
P FREQ LES 5000 FT A/D LES 3 MI	19.8	19.0	24.9	24.7	20.2	17.3	23.5	20.3	19.1	16.3	22.0	20.6	20.6	8	18852
P FREQ LES 1900 FT A/D LES 3 MI															
FOR 00-02 LST	6.4	5.8	5.3	4.2	2.0	1.5	1.0	2.0	4.7	3.7	5.4	6.2	4.0	8	2562
03-05 LST	5.9	5.3	7.8	4.6	3.7	1.4	4.1	3.3	6.0	4.2	7.2	7.9	5.1	8	2391
06-08 LST	15.9	12.8	14.8	14.1	11.0	4.6	7.8	5.9	12.7	13.2	15.9	22.0	12.6	8	2510
09-11 LST	12.1	8.1	15.5	5.4	7.2	2.4	3.1	4.4	7.0	5.0	10.9	13.7	7.9	8	2408
12-14 LST	8.2	5.0	9.5	3.6	4.2	2.5	2.8	3.4	4.9	3.1	7.1	5.9	5.0	8	2486
15-17 LST	6.7	5.9	6.7	4.0	4.1	2.7	1.5	1.0	4.6	2.6	7.1	4.1	4.3	8	2425
18-20 LST	5.8	3.6	8.4	5.3	4.2	0.8	0.8	1.2	4.7	2.4	4.9	3.9	3.8	8	2534
21-23 LST	2.3	4.2	4.3	1.6	3.4	1.6	1.4	0.6	4.7	2.6	4.2	4.5	3.0	7	2270
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	1.5	2.6	0.0	1.5	0.0	0.0	0.5	0.0	1.3	0.9	1.3	4.2	1.2	8	2562
03-05 LST	1.0	2.3	3.5	1.6	1.0	0.0	1.1	0.5	2.3	1.3	2.3	5.0	1.8	8	2391
06-08 LST	4.9	7.4	8.2	6.1	4.0	1.1	2.0	1.9	3.0	4.5	6.9	11.7	5.3	8	2510
09-11 LST	3.5	2.8	2.7	0.0	0.5	0.0	0.0	0.0	0.5	0.4	1.3	5.1	1.4	8	2408
12-14 LST	1.0	1.6	1.5	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.4	8	2486
15-17 LST	0.5	1.1	1.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.4	0.3	8	2425
18-20 LST	0.5	0.5	1.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.3	8	2534
21-23 LST	0.6	1.3	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	0.4	7	2270

NAN-YANG, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST	26.3	24.9	27.0	26.8	28.2	29.2	29.7	29.8	27.0	27.4	26.3	24.6	327.2	8	2510
	14 LST	29.3	27.1	29.3	29.5	30.5	29.7	30.8	30.9	29.3	30.9	29.6	29.7	356.6	8	2486
	20 LST	29.5	27.3	29.3	29.3	30.7	29.8	30.8	30.7	29.5	30.6	29.7	30.2	357.4	8	2534
	02 LST	29.8	26.7	30.4	29.1	30.9	29.7	30.7	30.7	29.3	30.3	29.5	29.4	356.5	8	2562
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	08 LST	22.3	20.7	20.4	21.0	24.6	22.7	25.0	26.1	22.8	23.0	20.3	19.7	266.6	8	2505
	14 LST	21.0	18.1	17.5	18.5	20.1	19.8	21.3	21.3	20.6	21.6	19.3	19.3	238.4	8	2478
	20 LST	24.2	23.4	21.3	23.5	25.0	22.6	24.7	26.2	23.6	25.7	21.6	24.6	286.4	8	2528
	02 LST	25.1	23.0	24.0	25.1	27.3	25.7	28.0	26.8	24.6	26.5	23.3	25.2	304.6	8	2559
SFC WND = GTR 17 KTS AND NO PRECIP.	08 LST	0.3	0.3	1.5	0.5	0.2	0.2	0.0	0.0	0.3	0.1	0.1	0.3	3.8	8	2539
	14 LST	0.9	0.4	1.5	1.7	0.9	0.3	0.3	0.8	0.3	0.1	0.5	0.6	8.3	8	2537
	20 LST	0.3	0.4	1.4	0.6	0.1	0.1	0.2	0.0	0.0	0.1	0.4	0.1	3.7	8	2573
	02 LST	0.1	0.7	0.8	0.3	0.1	0.0	0.0	0.0	0.0	0.1	0.5	0.0	2.6	8	2579
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	08 LST	3.2	6.1	11.4	12.0	13.8	13.0	17.6	13.3	13.5	12.5	10.0	6.1	130.5	8	2529
	14 LST	16.9	14.7	15.8	16.0	14.2	8.8	6.3	9.3	15.7	19.6	15.5	17.8	170.6	8	2518
	20 LST	12.5	12.8	16.6	13.4	15.0	17.0	12.8	12.9	13.9	13.9	12.8	11.9	165.5	8	2558
	02 LST	4.8	7.3	11.3	10.4	8.4	12.6	10.8	11.7	12.5	12.2	8.6	8.9	119.5	8	2563
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST	10.0	8.6	6.6	4.7	7.4	7.5	6.1	10.3	10.4	8.5	9.6	8.7	98.4	8	2547
	14 LST	11.7	7.5	6.4	5.9	6.4	5.8	3.9	4.7	8.9	10.9	10.6	13.3	96.0	8	2546
	20 LST	15.4	12.6	9.3	7.0	5.6	5.1	5.0	9.6	11.8	12.4	12.1	15.6	121.5	8	2582
	02 LST	16.2	13.5	11.5	9.7	10.6	9.1	10.2	12.6	12.5	13.4	12.7	15.2	147.2	8	2580
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	08 LST	25.6	23.8	25.2	24.3	26.8	27.5	26.8	28.2	25.2	26.1	23.8	23.5	306.8	8	2510
	14 LST	27.4	25.3	26.0	27.4	27.4	27.7	26.5	26.1	26.7	28.3	25.7	28.3	322.8	8	2486
	20 LST	28.7	26.4	27.1	27.2	28.1	29.3	29.9	29.9	27.6	29.7	27.0	28.9	339.8	8	2534
	02 LST	28.1	25.9	28.2	27.9	29.8	29.0	30.5	29.9	27.7	29.3	27.1	28.5	341.9	8	2562
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	08 LST	23.3	21.6	20.4	19.8	23.2	22.7	21.1	24.7	23.4	23.0	20.3	21.8	265.3	8	2510
	14 LST	25.5	22.6	22.1	21.4	22.5	23.3	19.4	18.5	23.1	25.3	22.8	26.1	272.6	8	2486
	20 LST	26.5	22.9	23.1	22.4	23.8	25.5	23.0	23.8	23.9	25.9	23.6	26.3	290.7	8	2534
	02 LST	26.6	23.0	25.8	23.2	23.3	23.6	23.7	25.8	22.7	25.4	23.2	25.4	291.7	8	2562
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST	23.0	21.0	19.6	19.2	22.7	22.4	20.5	24.4	22.4	22.3	19.0	20.9	257.4	8	2510
	14 LST	25.4	22.3	21.4	21.0	22.1	23.0	19.2	18.2	22.9	24.9	22.4	25.4	268.2	8	2486
	20 LST	25.7	21.9	22.2	20.7	23.4	24.3	22.2	22.9	23.1	24.4	23.1	25.1	279.0	8	2534
	02 LST	26.2	22.9	24.9	22.5	22.6	23.3	23.3	25.2	22.3	24.6	22.4	24.9	285.1	8	2562

AN-KANG, CHINA

STA NO. 57245 (IN AREA NUMBER 05)

LATITUDE 3232N

LONGITUDE 10921E

ELEVATION(FT) 00869

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	59	72	86	90	95	106	106	106	97	93	73	63	106	8	2386
MEAN MAX TMP (F)	47	54	62	71	77	88	92	91	81	70	58	50	70	8	2386
MEAN MIN TMP (F)	30	34	44	53	60	69	75	73	65	54	45	35	33	8	2274
ABS MIN TMP (F)	21	18	23	37	45	59	61	64	54	37	27	23	18	8	2274
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.6	3.9	15.4	21.5	20.4	4.6	0.9	0.0	0.0	67.3	8	2386
MEAN NO DYS TMP = DR LES 32(F)	20.4	10.7	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	11.1	44.8	8	2274
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2274
MEAN DEW PT TMP (F)	26	30	40	50	58	65	72	70	62	53	44	34	50	8	15759
MEAN REL HUM (PCT)	66	64	67	71	72	68	74	71	74	78	80	75	72	8	15534
MEAN PRESS ALT (FT)	448	549	694	829	938	1090	1189	1093	869	640	536	483	780	8	15916
MEAN PRECIP (IN)	0.30	0.50	0.60	2.20	3.00	3.80	2.80	4.80	3.70	1.90	0.90	0.20	24.7	7	-180
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0	0.0				8	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	2.7	3.6	2.9	8.1	9.9	8.7	7.1	10.2	11.2	6.5	3.0	2.2	76.1	7	-29
MEAN NO DYS SNPL = DR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0	0.0				8	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	0.5	0.3	0.9	0.7	0.5	0.2	0.2	0.2	1.2	2.7	4.4	4.3	16.1	8	2338
MEAN NO DYS TSTMS	0.2	0.3	1.1	5.1	3.4	4.7	11.6	8.8	1.6	0.0	0.4	0.0	37.2	8	2349
P FREQ WND SPD = DR GTR 17 KTS	0.0	0.2	0.6	1.0	0.9	0.8	1.1	0.8	1.0	0.1	0.6	0.5	0.6	8	16076
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.1	0.1	0.0	0.0	0.0	0.0	8	16076
P FREQ LES 5000 FT A/D LES 5 MI	12.7	11.0	13.6	15.9	20.1	16.4	19.8	14.6	14.9	17.1	21.9	16.0	15.2	8	16391
P FREQ LES 1500 FT A/D LES 3 MI															
FDR 00-02 LST	0.8	0.6	0.8	0.0	1.0	0.0	0.0	0.0	1.7	0.7	2.3	1.4	0.8	8	2403
03-05 LST	0.8	1.7	1.3	1.1	2.8	1.1	0.0	0.0	3.1	3.0	11.2	4.1	2.5	8	2312
06-08 LST	5.2	1.7	3.8	3.3	4.3	2.6	0.8	3.0	5.4	11.3	20.2	12.4	6.2	8	2307
09-11 LST	3.6	0.6	2.8	2.3	0.8	2.2	1.5	0.0	0.8	2.0	8.9	13.3	7.2	8	2313
12-14 LST	2.2	1.2	1.6	0.9	0.6	1.8	0.6	0.5	1.0	1.0	1.7	0.5	1.1	8	2284
15-17 LST	1.8	1.7	0.8	0.5	1.1	2.7	0.6	0.0	0.5	1.0	0.2	0.2	0.9	8	2325
18-20 LST	1.3	1.7	0.0	0.6	0.5	1.6	0.0	0.3	1.4	0.5	0.2	0.0	0.7	8	2429
21-23 LST	0.0	1.4	0.0	0.7	0.0	1.2	0.0	1.2	0.7	0.7	0.0	0.0	0.5	4	935
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	0.0	0.6	0.5	0.0	0.5	0.0	0.0	0.0	0.9	0.5	0.9	0.9	0.4	8	2403
03-05 LST	0.5	1.1	1.1	1.1	2.2	0.0	0.0	0.0	1.6	2.0	7.3	3.6	1.7	8	2312
06-08 LST	3.8	1.1	3.5	3.3	1.2	1.8	0.5	1.0	2.4	9.5	16.7	10.6	4.6	8	2307
09-11 LST	2.1	0.6	1.0	0.6	0.0	1.1	0.6	0.0	0.5	1.5	4.5	10.7	1.9	8	2313
12-14 LST	0.0	1.2	1.1	0.0	0.0	1.2	0.0	0.0	0.5	0.0	0.0	0.5	0.4	8	2284
15-17 LST	0.5	1.7	0.5	0.0	0.0	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.3	8	2325
18-20 LST	0.5	1.7	0.0	0.0	0.0	1.0	0.0	0.0	0.5	0.0	0.0	0.0	0.3	8	2429
21-23 LST	0.0	0.0	0.0	0.0	0.0	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.1	4	935

AN-KANG, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	29.5	27.5	29.9	29.0	30.1	29.3	30.8	30.1	28.7	27.8	23.9	27.2	343.8	8	2307
	13 LST	30.3	27.7	30.5	30.0	31.0	29.6	31.0	30.8	29.7	30.9	29.6	30.9	362.0	8	2284
	19 LST	30.7	27.5	31.0	30.0	31.0	29.5	31.0	31.0	29.7	31.0	30.0	31.0	363.4	8	2429
	01 LST	30.8	27.8	30.8	30.0	30.7	30.0	31.0	31.0	29.6	30.9	29.3	30.6	362.5	8	2403
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	28.5	26.1	27.9	27.7	28.9	28.2	29.8	29.6	27.1	26.5	22.4	25.6	328.3	8	2304
	13 LST	27.8	25.2	26.9	27.2	28.2	26.8	28.7	28.6	26.6	28.5	27.5	28.3	330.3	8	2280
	19 LST	29.5	26.6	27.9	27.7	29.1	26.1	28.6	26.9	26.3	29.3	27.9	29.2	335.1	8	2426
	01 LST	29.9	26.9	28.7	27.8	29.5	28.3	29.2	28.9	27.7	30.0	27.5	28.9	343.3	8	2401
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.0	0.3	0.3	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	1.2	8	2330
	13 LST	0.0	0.0	0.0	0.3	0.5	0.4	0.2	0.1	0.4	0.0	0.4	0.3	2.6	8	2312
	19 LST	0.0	0.0	0.0	0.2	0.2	0.3	0.3	0.2	0.1	0.0	0.0	0.0	1.3	8	2459
	01 LST	0.0	0.0	0.0	0.2	0.0	0.0	0.5	0.0	0.1	0.0	0.0	0.1	0.9	8	2426
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	3.6	1.7	1.4	2.5	3.0	2.3	2.0	2.5	2.3	1.7	2.1	3.7	28.8	8	2311
	13 LST	7.8	10.4	10.2	11.0	11.6	6.5	5.2	4.8	10.9	8.7	6.4	8.6	102.1	8	2297
	19 LST	4.2	5.4	7.0	4.8	5.4	6.6	5.9	6.5	5.3	3.9	4.0	4.3	63.3	8	2443
	01 LST	2.5	2.7	3.7	3.9	3.6	3.3	3.0	4.1	2.8	2.1	2.6	3.4	37.7	8	2414
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	8.9	5.8	5.3	3.8	3.9	5.5	4.2	8.0	6.4	5.0	2.8	6.3	65.9	8	2325
	13 LST	9.4	6.8	7.5	6.2	5.3	5.4	6.1	10.4	10.0	8.2	6.1	9.9	91.3	8	2300
	19 LST	14.1	10.3	8.8	6.4	5.5	4.7	5.3	8.4	8.5	9.2	8.0	12.3	101.5	8	2448
	01 LST	12.0	9.3	9.2	8.8	6.9	9.5	8.6	11.2	10.3	10.0	8.4	12.4	116.6	8	2414
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	28.6	27.1	29.5	28.5	28.4	28.4	29.5	29.2	27.2	26.5	23.2	26.8	332.9	8	2307
	13 LST	29.6	27.2	30.0	28.8	29.6	28.1	29.4	30.2	29.1	29.7	28.3	30.6	350.6	8	2284
	19 LST	30.1	27.3	30.6	29.3	29.7	28.6	30.3	30.0	28.7	30.5	29.0	30.6	354.7	8	2429
	01 LST	30.0	27.7	30.4	29.4	30.3	29.1	30.0	30.2	29.0	30.1	28.7	30.6	355.5	8	2403
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	22.5	22.3	21.5	21.7	22.5	23.7	20.7	22.2	21.6	21.2	17.1	20.8	257.8	8	2307
	13 LST	25.2	23.8	24.1	23.9	23.1	24.3	25.4	26.9	25.2	24.4	22.2	26.0	294.5	8	2284
	19 LST	24.8	23.5	24.2	23.1	22.1	23.9	23.5	24.0	23.0	24.9	22.3	24.1	283.4	8	2429
	01 LST	25.1	23.3	24.1	23.2	24.5	24.3	22.1	23.2	23.4	26.1	23.5	26.0	290.8	8	2403
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	22.4	22.1	21.2	21.2	22.4	23.3	20.5	22.2	21.2	21.2	16.8	20.6	255.1	8	2307
	13 LST	24.9	23.8	23.6	23.9	22.9	24.0	23.4	26.9	25.2	24.4	21.9	25.5	292.3	8	2284
	19 LST	24.0	23.4	23.8	23.1	21.8	23.9	23.5	24.0	22.9	24.9	22.0	24.1	281.4	8	2429
	01 LST	25.0	23.0	24.1	23.2	24.4	24.3	21.7	23.2	23.1	26.0	23.4	25.7	289.1	8	2403

LAO-HO-KOU, CHINA

STA NO. 97265 (IN AREA NUMBER 09)

LATITUDE 3225N LONGITUDE 11140E ELEVATION(FT) 00299

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	66	75	81	88	100	102	106	106	95	93	75	70	106	8	2542
MEAN MAX TMP (F)	47	53	61	71	79	90	94	91	82	72	60	50	71	8	2542
MEAN MIN TMP (F)	28	32	41	52	60	71	77	74	65	53	43	33	52	8	2556
ABS MIN TMP (F)	18	18	14	32	45	61	64	61	50	36	23	19	14	8	2556
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	4.4	18.9	24.7	21.3	6.8	1.7	0.0	0.0	77.8	8	2542
MEAN NO DYS TMP = OR LES 32(F)	24.2	18.6	3.7	0.2	0.0	0.0	0.0	0.0	0.0	0.0	3.2	15.6	63.5	8	2556
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2556
MEAN DEW PT TMP (F)	24	30	41	51	59	66	74	72	62	52	43	33	51	8	18447
MEAN REL HUM (PCT)	66	68	73	75	74	68	75	76	72	73	80	77	73	8	18271
MEAN PRESS ALT (FT)	-125	-28	105	250	378	525	619	503	298	75	-38	-82	207	8	18601
MEAN PRECIP (IN)	2.67	1.16	2.11	4.40	3.76	4.43	9.40	5.53	2.67	2.01	2.09	1.68	41.9	3	-181
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0	0.0				8	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	11.8	5.8	7.8	12.2	11.2	9.7	14.5	11.1	9.0	6.9	7.1	7.4	114.5	3	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0	0.0				8	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	1.4	1.7	2.1	2.2	0.6	0.2	0.2	0.4	0.9	3.0	3.3	4.7	20.7	8	2493
MEAN NO DYS TSTMS	0.2	0.2	2.0	3.9	2.1	5.4	11.7	8.7	0.8	0.3	0.0	0.0	35.3	8	2504
P FREQ WND SPD = OR GTR 17 KTS	0.6	0.5	0.6	0.9	0.7	0.4	0.3	0.5	0.2	0.4	0.4	0.2	0.5	8	18639
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.1	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	8	18639
P FREQ LES 5000 FT A/D LES 5 MI	23.8	23.1	35.5	31.8	30.0	23.9	29.0	33.6	25.5	24.3	32.6	28.2	28.4	8	18445
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	6.8	7.7	6.2	5.3	7.5	3.5	1.5	3.7	5.3	8.0	11.1	9.0	6.3	8	2510
03-05 LST	8.8	9.3	9.6	9.3	8.8	2.8	4.3	5.4	8.6	8.4	13.2	14.8	8.6	8	2343
06-08 LST	16.5	17.0	25.3	17.1	16.0	7.0	10.4	11.7	11.0	20.9	32.4	29.2	17.9	8	2498
09-11 LST	9.5	9.9	14.3	8.2	7.9	4.8	5.0	6.1	9.6	7.8	15.6	14.3	9.4	8	2342
12-14 LST	11.8	11.5	11.4	5.9	10.4	4.1	1.5	6.1	8.7	7.9	13.6	9.2	8.5	8	2553
15-17 LST	6.8	8.4	7.8	6.5	9.3	4.6	1.2	3.1	7.0	5.5	12.8	7.4	6.7	8	2313
18-20 LST	10.3	8.3	9.2	8.8	7.2	3.3	1.8	4.2	6.3	5.9	11.8	8.9	7.2	8	2536
21-23 LST	3.3	10.2	8.3	4.4	6.3	4.3	0.9	3.2	6.2	4.8	10.8	8.2	5.9	7	2141
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	1.0	2.1	1.0	0.5	0.0	0.0	0.0	0.0	1.3	1.3	0.4	2.2	0.8	8	2510
03-05 LST	4.3	4.5	2.6	4.2	3.1	0.0	1.1	1.0	1.9	2.1	3.3	9.2	3.1	8	2343
06-08 LST	6.3	6.9	8.3	6.8	2.4	1.1	2.6	1.0	2.7	10.2	17.9	16.6	6.5	8	2498
09-11 LST	2.2	2.9	0.5	1.7	1.0	0.6	0.5	0.5	0.0	0.9	1.9	3.8	1.4	8	2342
12-14 LST	1.9	4.3	1.4	0.5	0.0	0.5	0.0	0.0	0.0	0.0	0.4	0.8	0.8	8	2553
15-17 LST	0.5	3.2	0.0	0.6	0.5	1.1	0.0	0.0	0.0	0.0	0.0	0.5	0.5	8	2313
18-20 LST	2.9	2.7	0.5	1.0	0.5	1.0	0.0	0.5	0.0	0.0	0.9	0.8	0.9	8	2536
21-23 LST	0.6	2.6	0.6	0.0	0.0	0.6	0.0	0.5	0.5	0.5	0.5	1.0	0.6	7	2141

LAO-HO-KOU, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	26.5	23.6	24.5	25.6	26.8	28.8	29.1	28.6	28.0	25.5	21.3	22.6	310.9	8	2498
	13 LST	28.2	25.6	28.6	29.4	28.9	29.2	31.0	30.0	28.6	30.0	28.0	29.0	346.5	8	2553
	19 LST	28.6	26.1	29.5	28.3	29.5	29.2	30.7	30.3	28.8	29.7	27.3	28.9	346.9	8	2536
	01 LST	29.3	26.4	30.1	29.7	29.5	29.4	30.7	30.3	29.0	29.1	27.2	28.8	349.5	8	2510
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	25.2	22.8	20.5	23.1	24.4	26.2	25.9	25.9	25.0	23.1	18.8	21.1	282.0	8	2492
	13 LST	21.6	21.0	23.0	23.8	23.3	25.4	27.6	26.8	23.7	25.0	22.8	25.0	289.0	8	2552
	19 LST	26.3	24.3	25.1	23.7	26.4	24.4	25.6	27.3	25.8	27.9	25.0	27.0	308.8	8	2534
	01 LST	27.9	24.7	26.9	26.1	27.2	27.2	28.0	28.8	27.0	27.5	25.4	27.0	323.7	8	2507
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.0	0.1	0.2	0.0	0.2	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.6	8	2510
	13 LST	0.6	0.5	0.0	0.0	0.3	0.0	0.2	0.3	0.1	0.0	0.0	0.1	2.1	8	2366
	19 LST	0.0	0.0	0.4	0.5	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	1.3	8	2563
	01 LST	0.2	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.3	8	2542
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	2.9	3.1	4.7	4.6	7.0	7.1	8.0	5.7	4.3	3.1	3.6	4.0	58.1	8	2491
	13 LST	9.2	11.0	13.4	14.4	12.7	7.2	4.6	6.7	11.4	12.3	11.0	12.0	123.9	8	2556
	19 LST	7.6	8.4	9.8	10.7	13.7	14.3	9.3	8.0	7.1	8.5	6.8	7.0	111.2	8	2555
	01 LST	3.4	5.6	6.4	6.0	4.1	6.5	6.8	5.1	4.3	4.7	5.0	4.7	62.6	8	2535
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	8.2	6.9	4.1	4.2	5.4	5.6	5.9	7.9	9.6	7.4	5.7	7.2	78.1	8	2516
	13 LST	10.3	7.9	6.3	4.7	4.7	4.8	5.5	5.5	9.2	8.9	8.8	11.5	88.1	8	2569
	19 LST	15.6	11.5	9.1	6.1	7.6	3.6	5.3	7.7	10.4	11.6	10.1	13.8	112.4	8	2558
	01 LST	15.9	13.0	11.1	10.0	10.6	10.2	10.3	11.0	11.9	13.1	10.8	13.2	141.1	8	2534
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	24.5	22.5	20.7	22.9	24.5	25.6	25.4	25.1	24.8	23.2	18.6	20.6	278.4	8	2498
	13 LST	26.0	23.3	24.6	26.1	25.7	26.6	27.1	25.5	25.1	26.4	23.3	27.0	306.7	8	2553
	19 LST	26.6	24.8	25.9	25.7	27.2	27.8	28.4	27.5	26.9	27.9	24.9	26.9	320.5	8	2536
	01 LST	27.7	24.9	26.8	25.9	27.3	27.8	29.3	28.3	27.1	27.4	25.2	27.1	324.8	8	2510
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	21.0	19.7	14.7	17.1	20.4	21.4	20.8	19.4	20.9	19.2	15.3	17.3	227.4	8	2498
	13 LST	24.1	20.7	20.2	22.6	21.6	22.1	20.3	18.2	21.4	23.6	20.3	23.2	258.3	8	2553
	19 LST	24.2	21.7	20.0	19.7	22.3	22.7	20.2	19.8	22.5	25.1	20.6	24.0	262.8	8	2536
	01 LST	25.4	22.8	21.0	20.9	22.1	22.9	23.4	23.5	22.8	24.1	21.4	23.6	273.9	8	2510
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	20.4	18.8	13.8	16.2	19.8	20.9	20.1	18.5	20.1	18.3	14.4	15.3	216.6	8	2498
	13 LST	24.1	20.2	20.2	22.3	21.3	21.8	20.3	18.1	20.9	23.6	20.0	22.5	255.3	8	2553
	19 LST	23.3	20.7	19.5	18.8	20.8	22.1	19.5	19.1	21.9	24.1	20.3	23.2	253.3	8	2536
	01 LST	24.6	22.4	20.7	20.6	21.8	21.5	22.9	23.4	22.4	23.5	20.9	23.0	267.7	8	2510

AREA 05

PARAMETER DESCRIPTION	CHINA		CNTRL MOUNTAINS					LATITUDE 3330N		LONGITUDE 10900E				
	BOUNDARIES		3500N	10500E	3400N	10200E	3400N	10200E	3240N	10500E	3240N	10500E	3215N	11500E
	3215N	11500E	3600N	11215E	3600N	11215E	3600N	11215E	3435N	11100E	3435N	11100E	3500N	10500E
	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	
MEAN MAX TMP (F)	42	49	58	67	74	84	87	84	76	66	54	45	66	
MEAN MIN TMP (F)	23	28	38	48	55	64	70	67	59	48	38	28	47	
LARGEST MEAN PRECIP(IN)	2.67	1.16	2.11	4.40	4.24	4.43	9.40	7.33	5.33	2.59	2.58	1.68	47.9	
SMALLEST MEAN PRECIP(IN)	0.09	0.14	0.35	0.81	2.14	1.63	2.80	3.46	2.20	0.71	0.22	0.05	14.6	
	MEAN NUMBER OF DAYS													
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	28.0	25.4	27.8	27.4	28.6	29.0	29.4	29.1	27.2	27.3	25.4	26.4	331.0
	13 LST	29.4	26.8	29.7	28.8	29.7	29.1	29.8	29.5	28.9	30.1	28.7	29.5	350.0
	19 LST	30.0	27.1	30.1	28.9	30.2	29.4	30.3	30.1	29.3	30.2	28.9	29.9	354.4
	01 LST	29.9	27.1	30.1	29.1	30.1	29.4	30.4	30.3	29.1	29.7	28.7	29.7	353.6
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	24.4	22.5	23.9	23.9	25.6	25.9	26.4	26.4	24.3	24.4	22.1	23.3	293.1
	13 LST	23.4	21.8	22.7	22.4	24.2	24.2	25.4	25.3	24.6	25.5	23.4	24.2	287.1
	19 LST	26.3	23.2	24.5	23.8	25.9	25.0	25.7	26.7	25.7	26.7	24.6	26.1	304.2
	01 LST	26.5	24.3	26.3	25.4	27.0	26.4	27.4	28.0	26.1	27.0	24.9	26.5	315.8
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.8	0.5	0.5	0.3	0.3	0.2	0.2	0.1	0.2	0.1	0.4	0.6	4.2
	13 LST	1.1	0.5	0.7	0.8	0.4	0.2	0.2	0.2	0.2	0.1	0.4	0.8	5.6
	19 LST	0.5	0.5	0.6	0.6	0.3	0.2	0.2	0.1	0.2	0.2	0.4	0.6	4.4
	01 LST	0.7	0.5	0.6	0.5	0.3	0.2	0.4	0.2	0.2	0.3	0.5	0.6	5.0
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	1.7	2.8	6.3	7.1	8.1	8.1	8.1	6.8	6.1	5.1	5.0	7.0	48.2
	13 LST	9.5	10.9	13.8	14.4	13.9	9.8	8.1	9.8	13.1	13.2	11.3	11.5	139.3
	19 LST	5.9	8.5	12.1	11.8	12.3	12.4	10.6	10.6	9.3	9.0	8.0	6.7	117.0
	01 LST	2.5	4.8	7.8	8.1	7.7	8.4	7.6	7.2	6.2	6.0	5.6	4.1	76.0
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	11.5	7.4	7.0	5.6	6.1	7.1	5.9	7.9	7.7	7.2	7.1	10.7	91.2
	13 LST	12.6	8.9	8.0	6.7	6.4	5.8	6.7	7.9	8.9	9.5	9.7	13.5	104.6
	19 LST	16.2	12.2	9.4	6.4	5.7	5.2	6.3	8.7	8.7	11.0	11.5	16.0	117.3
	01 LST	15.7	12.2	11.2	9.0	9.4	9.9	10.3	11.8	10.8	11.3	10.9	15.0	137.5
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	27.1	24.5	26.1	25.8	27.0	27.2	27.1	26.7	24.7	25.1	23.5	25.4	310.2
	13 LST	28.4	25.7	27.8	27.2	27.9	27.5	27.7	27.3	26.8	27.9	26.3	28.4	328.9
	19 LST	29.2	26.4	28.6	27.6	28.7	28.4	29.1	28.6	27.5	28.8	26.9	28.8	338.6
	01 LST	29.1	26.4	28.8	27.6	28.8	28.4	29.3	29.0	27.3	28.2	27.0	28.8	338.7
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	24.2	21.2	20.7	20.5	22.1	23.2	21.1	20.6	19.4	19.8	18.1	21.3	252.2
	13 LST	26.0	22.9	23.2	22.6	22.9	23.2	22.3	21.6	22.3	23.5	21.8	25.4	277.7
	19 LST	26.8	23.6	23.2	22.0	22.9	23.7	22.6	22.6	21.5	23.7	21.7	25.5	279.8
	01 LST	27.0	23.8	24.4	22.8	23.5	24.2	23.1	23.8	22.0	23.7	21.8	25.4	285.5
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	23.6	20.7	20.1	19.7	21.7	22.7	20.4	20.1	18.9	19.3	17.5	20.7	243.4
	13 LST	25.8	22.6	22.8	22.2	22.6	23.0	22.0	21.5	22.0	23.2	21.4	24.9	274.0
	19 LST	26.3	23.2	22.5	21.4	22.3	23.2	22.0	21.9	20.9	23.2	21.1	24.9	272.9
	01 LST	26.6	23.6	24.0	22.2	23.0	23.8	22.4	23.5	21.6	23.2	21.1	25.0	280.0

APA, CHINA

STA NO. 56171 (IN AREA NUMBER 06)

LATITUDE 3243N

LONGITUDE 10218E

ELEVATION(FT) 09023

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	54	48	64	70	84	70	81	79	73	64	61	54	84	5	270
MEAN MAX TMP (F)	39	37	53	60	52	70	67	67	61	49	43	40	54	5	270
MEAN MIN TMP (F)	1	5	16	29	35	40	46	41	40	28	16	5	25	4	570
ABS MIN TMP (F)	-17	-11	1	10	25	32	34	30	27	7	5	-11	-17	4	570
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	270
MEAN NO DYS TMP = DR LES 32(F)	31.0	28.0	30.3	22.1	10.9	1.8	0.0	4.1	2.4	20.2	30.0	30.6	211.4	4	570
MEAN NO DYS TMP = DR LES 0(F)	16.6	10.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7.8	34.6	4	570
MEAN DEW PT TMP (F)	5	2	9	23	35	36	46	43	41	28	17	7	24	4	1730
MEAN REL HUM (PCT)	55	52	47	54	71	61	77	73	78	76	68	60	64	4	1663
MEAN PRESS ALT (FT)	9225	8897	9563	9786	10363		10512	10392	10429	10381	10247	9728		3	1744
MEAN PRECIP (IN)														0	0
MEAN SNOW FALL (IN)						0.0	0.0	0.0						4	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN														0	0
MEAN NO DYS SNFL = DR GTR 1.5 IN						0.0	0.0	0.0						4	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	0.0	1.1	0.0	0.0	4.4	4	259
MEAN NO DYS TSTMS	0.0	0.0	3.1	10.0	7.8	0.0	19.2	10.3	10.7	10.0	0.0	0.0	71.1	4	259
P FREQ WND SPD = DR GTR 17 KTS	1.0	1.1	4.9	6.2	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.5	1.2	4	1780
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	1.4	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	4	1780
P FREQ LES 3000 FT A/D LES 5 MI	12.9	22.5	32.2	47.3	60.8	53.8	54.5	40.0	68.3	37.5	18.4	12.7	38.4	4	2505
P FREQ LES 1500 FT A/D LES 3 MI															
FDR 00-02 LST	0.0	0.0	4.3	4.3	0.0		2.0	0.0	3.6	0.0	0.0	0.0		5	274
03-05 LST	0.0	0.0	0.0	0.0	2.6	0.0	1.5	4.2	2.5	4.9	0.0	0.0	1.3	4	610
06-08 LST	1.6	2.1	1.2	1.2	1.6	3.5	2.1	19.6	15.1	6.7	1.3	0.0	4.7	7	663
09-11 LST	0.7	1.6	0.9	0.0	0.0	6.5	5.6	4.3	2.5	5.2	0.0	0.0	2.3	7	562
12-14 LST	0.0	0.0	1.1	0.0	0.0	0.0	1.4	0.0	2.0	3.3	0.0	0.0	0.7	5	577
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.8	0.0	0.0	0.0	0.0	0.2	4	644
18-20 LST	0.0	1.8	1.0	0.0	4.5	0.0	0.0	0.0	0.0	4.2	0.0	1.8	1.1	7	512
21-23 LST	0.0	0.0	3.8	0.0	0.0	0.0	5.2	0.0	0.0	1.8	0.0	0.0	0.9	5	238
F FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	0.0	0.0	0.0	0.0	0.0		0.0	0.0	3.6	0.0	0.0	0.0		5	274
03-05 LST	0.0	0.0	0.0	0.0	0.0	0.0	1.5	2.8	0.0	1.4	0.0	0.0	0.5	4	610
06-08 LST	0.0	0.0	0.0	0.0	0.0	0.0	2.1	14.9	10.0	3.9	1.3	0.0	2.7	7	663
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	0.0	0.0	0.0	0.0	0.2	7	562
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	577
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	0.0	0.0	0.0	0.0	0.1	4	644
18-20 LST	0.0	0.0	0.0	0.0	4.5	0.0	0.0	0.0	0.0	0.0	0.0	1.8	0.5	7	512
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	238

APA, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	30.5	27.4	31.0	30.0	31.0	30.0	30.3	26.4	26.1	29.8	29.6	31.0	353.1	7	663
	13 LST	31.0	28.0	31.0	30.0	31.0	30.0	31.0	31.0	30.0	30.0	30.0	31.0	364.0	5	577
	19 LST	31.0	28.0	31.0	30.0	29.6	30.0	31.0	31.0	30.0	30.1	30.0	30.5	362.2	7	512
	01 LST	31.0	28.0	29.7	28.7	31.0		31.0	31.0	28.9	31.0	30.0	31.0		5	274
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	30.0	26.2	30.3	29.3	30.0	28.0	30.3	23.6	24.4	28.1	29.2	30.6	340.0	7	662
	13 LST	23.0	24.2	23.1	19.7	24.1	22.9	28.5	31.0	26.6	28.5	24.9	27.8	304.3	5	575
	19 LST	28.8	25.5	26.2	22.7	29.6	27.8	30.3	29.8	28.2	27.4	28.2	28.8	333.3	7	505
	01 LST	30.0	28.0	29.7	28.7	31.0		29.8	29.9	26.8	31.0	30.0	31.0		5	274
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	7	679
	13 LST	4.4	1.3	2.0	3.9	0.0	0.0	0.0	0.0	0.0	0.5	0.4	0.8	13.3	5	593
	19 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	535
	01 LST	0.0	0.0	0.0	0.0	0.0		0.0	0.0	0.0	0.0	0.0	0.0		5	279
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	0.0	0.0	0.0	0.0	5.5	1.8	2.0	0.5	2.8	3.3	0.4	0.0	16.3	7	675
	13 LST	4.1	8.5	13.2	7.9	11.4	7.1	11.9	12.6	10.7	8.2	5.1	5.5	106.2	5	585
	19 LST	2.1	4.3	14.6	11.4	12.4	4.6	7.9	7.8	6.7	7.3	6.9	2.3	88.3	7	517
	01 LST	0.0	0.0	0.0	6.3	0.0		5.0	2.1	2.1	1.0	0.0	0.0		5	276
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	20.8	13.1	15.1	13.0	3.9	4.0	3.2	5.8	2.5	8.2	15.4	22.1	127.1	7	674
	13 LST	12.4	7.0	3.9	3.9	0.0	1.6	6.4	8.3	4.9	6.4	15.2	15.9	85.9	5	588
	19 LST	15.5	5.2	6.1	3.7	1.3	3.5	5.7	9.9	1.6	7.3	11.4	21.0	92.2	7	542
	01 LST	11.4	11.2	11.6	7.8	0.0		10.0	13.9	3.1	11.4	11.5	22.4		5	278
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	30.1	27.4	28.8	27.2	27.7	26.4	28.8	21.9	23.3	27.3	29.0	30.7	328.6	7	663
	13 LST	30.1	26.5	29.1	25.9	30.3	28.7	29.2	30.2	26.4	28.4	29.7	30.5	345.0	5	577
	19 LST	29.3	24.1	25.4	24.9	25.1	26.9	28.7	28.0	24.2	26.2	29.0	29.2	321.0	7	512
	01 LST	31.0	26.7	29.7	26.1	28.5		28.9	29.3	27.6	30.2	30.0	31.0		5	274
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	28.5	25.6	24.4	19.3	11.6	16.0	13.9	11.1	7.7	14.7	22.8	28.7	224.3	7	663
	13 LST	27.6	21.6	18.7	12.6	15.5	10.0	14.2	18.9	12.5	17.3	24.4	26.6	219.9	5	577
	19 LST	24.5	18.2	14.9	11.1	9.9	11.1	10.3	18.0	3.6	17.2	24.9	26.1	189.8	7	512
	01 LST	26.9	23.5	29.7	15.7	12.4		16.7	19.2	4.3	18.6	27.7	29.9		5	274
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	28.5	25.6	24.4	19.3	10.7	16.0	13.9	11.1	7.7	14.7	22.8	28.7	223.4	7	663
	13 LST	27.6	21.6	18.7	12.6	15.5	10.0	14.2	18.9	12.5	17.3	24.4	26.6	219.9	5	577
	19 LST	24.5	18.2	14.9	11.1	9.9	10.0	10.3	18.0	3.6	17.2	24.9	26.1	188.7	7	512
	01 LST	26.9	23.5	29.7	15.7	6.2		16.7	19.2	4.3	18.6	27.7	29.9		5	274

MALKANG, CHINA

STA NO. 56172 (IN AREA NUMBER 04)

LATITUDE 3151N

LONGITUDE 10241E

ELEVATION(FT) 08530

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	64	66	81	84	91	91	95	90	86	82	73	63	95	8	2410
MEAN MAX TMP (F)	49	53	61	69	71	73	78	77	72	65	58	50	65	8	2410
MEAN MIN TMP (F)	17	22	29	37	44	49	53	51	46	38	26	18	36	8	2334
ABS MIN TMP (F)	0	7	10	19	30	34	39	39	28	21	14	5	0	8	2334
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.3	0.8	1.3	0.9	0.0	0.0	0.0	0.0	3.3	8	2410
MEAN NO DYS TMP = OR LES 32(F)	31.0	27.5	22.1	14.0	0.2	0.0	0.0	0.0	0.4	8.4	24.9	30.9	151.4	8	2334
MEAN NO DYS TMP = OR LES 0(F)	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	8	2334
MEAN DEW PT TMP (F)	7	14	20	30	40	48	53	51	46	37	22	10	32	8	16342
MEAN REL HUM (PCT)	44	47	46	50	62	72	74	73	73	70	57	47	60	8	16146
MEAN PRESS ALT (FT)	8570	8616	8617	8600	8601	8560	8576	8507	8435	8380	8468	8499		8	12768
MEAN PRECIP (IN)														0	0
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0						8	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN														0	0
MEAN NO DYS SNFL = OR GTR 1.5 IN					0.0	0.0	0.0	0.0						8	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0	0.2	0.3	0.2	0.0	0.4	0.2	0.2	0.1	0.1	0.0	0.0	1.9	8	2390
MEAN NO DYS YSTMS	0.2	0.2	2.1	9.7	11.3	10.5	13.4	8.9	7.0	8.4	0.7	0.3	72.7	8	2389
P FREQ WND SPD = OR GTR 17 KTS	0.1	0.6	0.6	0.6	0.4	0.3	0.2	0.1	0.2	0.1	0.0	0.1	0.3	8	16591
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.1	0.0	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	16591
P FREQ LES 3000 FT A/D LES 3 MI	3.7	5.2	6.5	8.1	9.6	13.2	9.5	8.8	9.0	8.3	3.2	1.9	7.3	8	16593
P FREQ LES 1900 FT A/D LES 3 MI															
FOR 00-02 LST	1.0	2.0	2.6	0.8	0.5	4.5	1.6	1.5	3.1	1.6	0.3	0.0	1.6	8	2435
03-05 LST	1.2	2.3	2.0	0.8	1.4	2.4	0.6	2.9	2.0	1.4	0.0	0.3	1.4	8	2246
06-08 LST	1.2	1.7	1.0	2.4	1.1	5.5	3.4	4.6	1.4	1.1	0.9	0.7	2.1	8	2362
09-11 LST	0.0	0.6	0.5	1.7	2.4	1.2	0.6	0.7	1.2	0.9	0.0	1.0	0.9	8	2307
12-14 LST	0.0	0.6	1.6	0.0	1.3	0.3	0.6	0.7	0.2	0.4	0.0	0.5	0.5	8	2343
15-17 LST	0.0	1.4	0.5	1.4	0.0	0.6	0.0	0.7	0.0	0.0	0.0	0.5	0.4	8	2231
18-20 LST	0.0	1.1	2.3	0.3	0.8	0.0	2.4	0.0	1.7	0.7	0.4	0.0	0.8	8	2454
21-23 LST	0.9	1.0	4.5	0.0	0.4	0.9	0.9	2.8	1.3	0.9	0.0	0.0	1.1	7	1258
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.0	0.6	1.5	0.5	0.0	0.5	0.0	0.0	0.5	0.0	0.0	0.0	0.3	8	2435
03-05 LST	0.0	0.0	0.5	0.5	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.1	8	2246
06-08 LST	0.5	0.0	0.0	1.2	0.0	1.3	0.5	0.5	0.0	0.0	0.0	0.0	0.3	8	2362
09-11 LST	0.0	0.0	0.5	0.0	0.5	0.0	0.0	0.5	0.0	0.0	0.0	0.5	0.2	8	2307
12-14 LST	0.0	0.0	0.5	0.0	0.0	0.0	0.6	0.5	0.0	0.0	0.0	0.5	0.2	8	2343
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.5	0.0	0.0	0.0	0.5	0.1	8	2231
18-20 LST	0.0	0.6	2.0	0.0	0.0	0.0	1.1	0.0	0.0	0.4	0.0	0.0	0.3	8	2454
21-23 LST	0.0	0.0	1.8	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.0	0.0	0.2	7	1258

MALKANG, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	30.7	27.5	30.8	29.5	31.0	29.1	30.8	30.4	29.7	30.9	29.7	30.9	30.1	8	2362
	13 LST	31.0	27.8	30.5	30.0	30.7	30.0	30.8	30.9	30.0	30.9	30.0	30.9	30.3	8	2343
	19 LST	31.0	27.7	30.4	30.0	31.0	30.0	30.3	31.0	29.6	30.9	29.9	31.0	30.2	8	2454
	01 LST	30.7	27.5	30.2	29.8	31.0	29.5	30.7	30.7	29.3	30.7	30.0	31.0	30.1	8	2435
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	30.4	27.2	30.5	29.1	30.1	27.5	29.1	28.7	29.3	30.3	29.6	30.7	30.2	8	2359
	13 LST	28.1	24.2	26.2	24.9	28.2	27.9	27.8	28.2	27.7	28.5	27.5	28.6	27.8	8	2339
	19 LST	29.8	25.7	27.7	27.3	27.9	28.8	28.8	29.5	28.9	29.7	29.5	30.7	30.4	8	2452
	01 LST	30.4	26.9	29.9	28.6	30.4	27.4	30.1	30.2	28.7	30.0	29.1	30.6	30.2	8	2434
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.1	8	2394
	13 LST	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.6	8	2366
	19 LST	0.0	0.2	0.2	0.0	0.2	0.0	0.2	0.1	0.0	0.0	0.0	0.0	0.9	8	2477
	01 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2445
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	0.0	0.2	0.8	2.5	2.4	1.7	1.6	1.7	1.7	1.2	0.4	0.0	14.2	8	2377
	13 LST	20.6	18.2	18.6	14.5	15.8	15.3	15.7	17.1	17.7	19.0	18.3	20.4	211.2	8	2353
	19 LST	3.4	7.0	9.1	11.0	9.2	6.3	5.0	4.2	3.7	4.7	6.2	3.1	72.9	8	2463
	01 LST	0.5	2.7	4.0	4.3	3.1	2.4	2.0	2.1	2.0	2.3	1.2	0.1	26.7	8	2435
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	17.9	9.8	12.2	6.7	5.7	2.6	3.3	5.9	7.5	7.4	17.8	21.6	118.4	8	2390
	13 LST	16.3	7.5	8.2	4.1	4.2	3.1	5.6	6.5	8.3	8.0	15.9	18.2	105.9	8	2373
	19 LST	14.3	5.0	4.1	2.2	3.6	3.6	3.7	6.0	8.7	11.6	18.0	19.7	100.5	8	2476
	01 LST	18.5	11.2	14.0	11.5	6.5	4.7	7.8	9.3	10.8	11.2	18.2	21.3	145.0	8	2440
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	30.5	27.4	30.4	28.7	29.8	26.8	28.6	28.3	28.8	29.8	29.6	30.6	30.9	8	2362
	13 LST	31.0	27.8	30.3	29.9	30.4	29.8	30.8	30.6	29.6	30.7	29.9	30.9	30.1	8	2343
	19 LST	30.9	27.6	30.2	29.8	30.5	29.9	30.0	30.8	29.3	30.7	29.8	31.0	30.5	8	2454
	01 LST	30.6	27.3	30.1	29.6	30.6	27.6	30.1	29.9	28.8	30.0	29.6	30.9	30.1	8	2435
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	27.8	23.5	25.6	23.6	21.3	16.3	18.8	18.8	18.6	19.6	24.9	28.5	267.3	8	2362
	13 LST	29.7	23.0	23.1	19.6	22.0	18.6	22.2	23.0	23.3	23.9	26.1	28.0	284.5	8	2343
	19 LST	26.5	22.7	24.3	23.1	23.3	20.7	23.0	23.4	22.8	24.7	27.7	29.4	291.6	8	2454
	01 LST	28.7	24.4	25.9	23.3	22.5	17.9	21.4	22.9	21.9	22.8	27.2	29.2	288.1	8	2435
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	27.0	23.0	24.4	19.5	17.4	11.4	15.6	14.3	15.3	16.4	24.3	27.8	236.4	8	2362
	13 LST	28.6	21.9	20.2	16.1	20.1	16.0	19.2	20.1	20.5	23.5	25.4	26.8	258.4	8	2343
	19 LST	24.0	19.0	20.4	18.8	18.6	14.3	17.9	18.6	18.9	20.8	26.2	28.1	245.6	8	2454
	01 LST	28.3	23.0	24.0	20.2	18.5	13.0	18.2	18.7	19.1	20.0	26.6	28.9	258.5	8	2435

MOU-KUNG/HSLAOCH, CHINA

STA NO. 56178 (IN AREA NUMBER 06)

LATITUDE 3100N

LONGITUDE 10222E

ELEVATION(FT) 08087

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	68	72	88	88	93	93	97	93	90	86	73	63	97	6	1608
MEAN MAX TMP (F)	52	55	67	73	74	77	83	81	76	66	61	52	68	6	1608
MEAN MIN TMP (F)	23	29	38	44	50	55	58	58	52	44	34	25	43	8	1926
ABS MIN TMP (F)	10	14	21	30	36	45	43	46	39	28	23	16	10	8	1926
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.7	0.5	4.6	4.3	0.2	0.0	0.0	0.0	10.3	6	1608
MEAN NO DYS TMP = DR LES 32(F)	30.8	21.8	4.6	0.3	0.0	0.0	0.0	0.0	0.0	1.0	14.8	29.2	102.5	8	1926
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	1926
MEAN DEW PT TMP (F)	11	16	21	31	40	49	53	50	46	38	25	15	33	8	10446
MEAN REL HUM (PCT)	40	42	38	43	52	60	61	58	61	59	49	45	51	8	10291
MEAN PRESS ALT (FT)	7575	7597	7614	7598	7632	7600	7627	7553	7468	7402	7471	7508	7594	5	7423
MEAN PRECIP (IN)														0	0
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0					8	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN				0.0	0.0	0.0	0.0	0.0	0.0					0	0
MEAN NO DYS SNFL = DR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0						8	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.5	0.5	0.0	0.2	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	8	1389
MEAN NO DYS TSTMS	0.0	0.0	0.2	8.3	10.7	10.4	9.4	3.8	6.2	3.9	0.7	0.2	53.8	8	1586
P FREQ WND SPD = DR GTR 17 KTS	0.8	1.1	1.1	1.0	0.8	1.3	0.1	0.2	0.4	0.5	0.3	0.2	0.7	8	10788
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	10788
P FREQ LES 5000 FT A/D LES 5 MI	6.4	9.3	14.5	16.5	16.9	14.9	19.2	16.0	16.6	16.2	5.1	4.2	13.0	8	11740
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	0.0	0.8	0.8	1.9	1.1	0.8	1.1	1.4	1.3	0.6	0.4	1.1	0.9	6	1629
03-05 LST	0.0	0.9	1.1	0.8	1.2	2.0	0.7	1.0	0.6	0.9	0.0	0.4	0.8	8	1799
06-08 LST	0.0	1.8	0.3	0.4	1.4	1.0	1.9	1.9	2.0	0.5	0.0	1.1	1.0	8	1925
09-11 LST	0.0	0.8	0.0	0.4	1.6	0.0	0.0	1.7	1.1	0.7	0.0	0.0	0.5	7	1468
12-14 LST	0.0	0.7	0.6	0.0	1.2	0.0	0.0	0.3	0.3	0.0	0.0	1.1	0.4	8	1949
15-17 LST	0.7	0.5	0.0	0.0	0.9	0.0	0.6	0.7	0.0	0.5	0.0	0.0	0.3	8	1873
18-20 LST	0.7	0.4	1.4	0.5	1.8	0.8	0.0	0.0	0.6	0.9	1.5	0.0	0.7	7	1659
21-23 LST	1.8	1.0	1.0	3.5	3.0	1.4	0.6	0.0	0.0	0.0	0.0	0.5	1.1	6	1200
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.0	0.8	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	6	1629
03-05 LST	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	8	1799
06-08 LST	0.0	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	8	1925
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	1468
12-14 LST	0.0	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	1949
15-17 LST	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.1	8	1873
18-20 LST	0.7	0.0	0.0	0.0	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	7	1659
21-23 LST	0.0	1.0	0.0	2.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	6	1200

MOU-KUNG/HIAOCH, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	31.0	27.8	31.0	30.0	30.8	30.0	30.8	31.0	29.7	31.0	30.0	31.0	364.1	8	1925
	13 LST	31.0	27.8	30.8	30.0	30.8	30.0	31.0	31.0	30.0	31.0	30.0	30.7	364.1	8	1949
	19 LST	30.8	28.0	30.6	30.0	30.5	30.0	31.0	31.0	30.0	30.8	30.0	31.0	363.7	7	1659
	01 LST	31.0	27.8	30.8	29.4	30.8	30.0	30.8	30.8	29.8	31.0	30.0	31.0	363.2	6	1629
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	30.8	26.6	30.8	29.8	30.1	29.4	29.9	29.7	29.0	30.7	30.0	29.8	356.6	8	1921
	13 LST	28.8	24.3	24.9	24.1	25.1	26.0	28.5	27.7	26.8	27.4	28.4	29.1	321.1	8	1938
	19 LST	26.4	18.0	22.4	22.9	22.1	24.3	26.1	27.0	23.5	25.8	26.5	29.9	294.9	7	1656
	01 LST	30.6	26.1	29.8	29.1	29.1	29.3	29.9	30.3	29.4	30.4	29.6	29.9	353.5	6	1625
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.3	8	1953
	13 LST	0.2	0.2	0.6	0.0	0.0	0.2	0.0	0.2	0.3	0.3	0.0	0.2	2.2	8	1965
	19 LST	0.7	0.7	1.1	0.5	0.5	0.0	0.0	0.2	0.2	0.0	0.2	0.0	4.1	7	1664
	01 LST	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.4	6	1639
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	0.0	1.6	2.9	5.9	3.2	2.0	3.1	4.3	2.8	3.6	2.3	0.3	32.0	8	1942
	13 LST	17.2	16.3	19.4	17.2	16.3	14.0	13.9	18.3	15.9	20.3	17.5	14.6	200.9	8	1954
	19 LST	16.9	14.9	18.1	16.6	12.3	13.0	18.0	18.6	14.4	14.2	11.2	9.4	177.6	7	1652
	01 LST	4.3	6.8	8.5	6.3	6.8	5.1	5.3	5.4	2.5	4.0	4.0	2.4	61.4	6	1631
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	18.6	10.9	13.3	8.3	7.1	2.9	5.1	6.7	7.6	8.2	16.2	20.0	124.9	8	1959
	13 LST	18.9	9.2	10.9	8.4	8.5	4.6	6.5	7.1	11.0	13.0	19.6	19.2	136.9	8	1974
	19 LST	12.4	4.8	5.1	2.7	4.3	3.3	5.8	7.1	10.0	12.9	19.9	19.7	108.0	7	1667
	01 LST	18.6	10.8	15.3	13.0	7.9	4.4	7.5	8.1	10.4	10.5	18.3	23.0	147.8	6	1633
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	30.9	26.9	30.5	29.4	30.3	29.3	29.9	29.5	28.8	30.4	29.8	30.2	355.9	8	1925
	13 LST	31.0	27.7	30.6	30.0	30.3	29.9	31.0	30.7	29.8	30.9	29.7	30.6	362.2	8	1949
	19 LST	30.8	27.7	30.3	29.6	30.0	29.1	30.8	30.8	29.0	30.4	29.1	30.9	358.5	7	1659
	01 LST	31.0	27.8	30.7	29.0	30.3	29.3	30.3	30.1	29.2	30.3	29.7	30.3	358.0	6	1629
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	27.1	22.1	23.9	23.1	20.0	18.0	18.0	19.0	18.2	18.1	23.2	25.9	256.6	8	1925
	13 LST	28.4	24.1	24.3	23.1	24.8	22.1	23.0	23.2	24.4	24.9	27.8	29.0	299.1	8	1949
	19 LST	25.5	22.4	19.9	16.9	17.6	15.7	18.2	19.8	20.7	22.1	26.1	28.1	253.0	7	1659
	01 LST	27.9	24.0	26.5	23.1	22.2	19.0	17.0	19.4	20.7	20.2	24.0	29.0	273.0	6	1629
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	26.4	21.5	23.5	20.6	18.9	15.6	17.1	18.1	16.9	15.9	22.0	25.2	241.7	8	1925
	13 LST	28.4	24.1	24.3	22.1	24.4	19.9	22.1	21.0	23.8	23.4	27.3	28.5	289.3	8	1949
	19 LST	25.0	22.4	19.5	15.5	16.5	13.6	17.9	19.3	20.2	21.0	26.1	27.7	244.7	7	1659
	01 LST	27.4	24.0	25.8	22.5	21.7	18.0	15.8	18.8	20.3	19.4	22.8	28.8	265.3	6	1629

SUNG PAN/SUNPAN, CHINA

STA NO. 56182 (IN AREA NUMBER 061)

LATITUDE 3239N

LONGITUDE 10334E

ELEVATION(FT) 09455

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
ABS MAX TMP (F)	61	59	77	77	77	91	84	82	81	73	75	64	91	8	2465
MEAN MAX TMP (F)	41	44	53	60	63	66	73	71	66	57	50	45	57	8	2465
MEAN MIN TMP (F)	11	16	25	33	40	44	49	47	42	34	24	13	32	8	2403
ABS MIN TMP (F)	-8	1	5	16	28	28	36	32	25	16	9	-4	-8	8	2403
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.2	8	2465
MEAN NO DYS TMP = DR LES 32(F)	31.0	28.0	28.6	13.8	3.1	0.7	0.0	0.2	2.8	11.5	28.1	30.9	178.7	8	2403
MEAN NO DYS TMP = DR LES 0(F)	2.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	2.3	8	2403
MEAN DEW PT TMP (F)	6	12	20	30	38	44	50	48	42	33	20	9	29	8	17447
MEAN REL HUM (PCT)	52	53	57	62	66	71	74	73	72	70	61	54	64	8	17236
MEAN PRESS ALT (FT)	9194	9210	9223	9191	9182	9135	9164	9097	9037	8999	9081	9140		8	13335
MEAN PRECIP (IN)	0.18	0.47	1.10	2.75	3.54	4.78	4.77	3.55	4.12	2.91	0.41	0.10	28.7	8	-181
MEAN SNOW FALL (IN)							0.0	0.0						8	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	3.3	9.4	11.3	15.5	20.0	21.9	20.0	15.0	19.9	17.1	6.0	3.0	164.4	8	-181
MEAN NO DYS SNFL = DR GTR 1.5 IN							0.0	0.0						8	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.3	0.3	0.5	0.2	0.0	0.2	0.0	0.1	0.1	0.1	0.0	0.7	2.5	8	2429
MEAN NO DYS TSMS	0.0	0.5	2.4	8.5	9.7	8.3	9.8	6.3	5.7	5.6	0.8	0.1	57.7	8	2432
P FREQ WND SPD = DR GTR 17 KTS	0.0	0.1	0.0	0.2	0.1	0.0	0.0	0.0	0.1	0.0	0.1	0.1	0.1	8	17712
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	17712
P FREQ LES 3000 FT A/D LES 5 MI	13.0	19.2	30.1	30.4	46.7	47.2	44.8	40.4	43.5	45.0	27.9	12.3	34.2	8	17659
P FREQ LES 1900 FT A/D LES 3 MI															
FDR 00-02 LST	2.0	2.3	2.9	2.4	1.2	0.5	2.2	0.7	1.6	2.3	0.5	0.9	1.6	8	2494
03-05 LST	0.0	0.0	1.5	2.1	1.8	2.4	2.9	1.6	2.7	2.3	1.5	0.0	1.6	8	2259
06-08 LST	3.9	2.3	2.0	2.4	3.2	2.9	4.3	2.5	3.0	4.2	1.4	1.8	2.8	8	2428
09-11 LST	0.9	1.3	0.8	0.5	0.3	0.0	0.8	0.3	0.9	0.7	0.5	1.0	0.7	8	2343
12-14 LST	0.0	0.0	1.0	1.0	0.5	0.0	0.3	0.5	0.2	0.7	0.5	1.3	0.5	8	2461
15-17 LST	0.0	0.0	1.6	0.3	0.0	0.3	0.3	0.5	0.2	0.2	0.0	0.5	0.3	8	2240
18-20 LST	0.5	1.7	2.0	2.1	0.5	0.5	0.0	0.2	0.5	1.3	0.9	0.9	0.9	8	2487
21-23 LST	0.0	0.7	1.5	1.3	0.0	0.6	0.0	0.7	0.0	1.5	0.5	0.5	0.6	7	1989
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	0.5	0.6	1.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.3	8	2494
03-05 LST	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.5	0.0	0.5	0.5	0.0	0.2	8	2259
06-08 LST	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.1	8	2428
09-11 LST	0.0	0.0	0.5	0.5	0.0	0.0	0.0	0.0	0.5	0.0	0.0	1.0	0.2	8	2343
12-14 LST	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.1	8	2461
15-17 LST	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.5	0.1	8	2240
18-20 LST	0.5	1.1	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.3	8	2487
21-23 LST	0.0	0.7	0.6	0.7	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.2	7	1989

SUNG-PAN/SUNPAN, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	30.3	27.5	30.7	29.8	30.7	29.8	30.8	30.8	29.5	30.6	29.9	30.6	361.0	8	2428
	13 LST	31.0	28.0	30.7	29.7	31.0	30.0	31.0	30.9	30.0	30.9	29.9	30.6	363.7	8	2461
	19 LST	30.9	27.5	30.5	29.5	31.0	30.0	31.0	31.0	29.9	30.7	29.7	30.7	362.4	8	2487
	01 LST	30.4	27.3	30.1	29.5	30.7	30.0	30.9	31.0	29.6	30.7	29.9	30.7	360.8	8	2494
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	29.5	26.7	30.1	28.4	29.4	28.5	28.3	29.6	28.8	28.9	29.0	29.9	347.1	8	2426
	13 LST	29.9	27.1	28.3	26.3	27.9	28.7	30.2	29.5	28.1	30.6	28.6	29.8	345.0	8	2459
	19 LST	29.8	25.9	28.7	26.6	27.9	28.5	29.3	30.0	28.9	29.3	28.8	30.6	344.3	8	2478
	01 LST	30.2	27.2	30.1	28.9	30.2	29.5	29.8	30.6	29.1	29.8	29.9	30.7	356.0	8	2491
SFC WND = GTR 17 KTS AND ND PRECIP.	07 LST	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.3	8	2453
	13 LST	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.3	8	2483
	19 LST	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	8	2493
	01 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2507
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND ND PRECIP.	07 LST	0.0	0.0	1.1	4.4	7.9	4.9	7.5	4.7	5.2	4.0	0.7	0.3	40.7	8	2435
	13 LST	10.5	10.0	14.8	14.4	13.7	11.5	10.1	11.4	11.9	11.1	10.3	9.1	138.8	8	2468
	19 LST	2.4	6.0	10.0	11.3	13.1	11.1	10.6	10.5	8.9	9.3	6.5	3.0	102.7	8	2476
	01 LST	0.0	0.2	2.2	4.6	4.4	2.8	1.8	2.4	3.2	3.1	1.1	0.0	25.8	8	2495
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	14.0	8.2	8.7	7.3	4.4	2.5	2.7	3.4	3.3	5.5	10.0	17.4	87.4	8	2452
	13 LST	12.6	6.4	5.0	2.9	3.4	1.9	5.7	6.4	6.8	7.1	11.2	15.1	84.5	8	2491
	19 LST	11.6	6.2	6.0	3.4	3.1	2.4	4.6	7.1	8.8	9.9	14.3	15.4	93.0	8	2501
	01 LST	14.2	10.4	10.7	7.9	5.2	5.4	7.3	8.0	8.1	8.4	12.8	18.2	116.6	8	2505
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	28.6	26.2	27.9	26.8	28.4	27.0	26.1	27.5	26.4	26.8	27.2	29.5	328.4	8	2428
	13 LST	31.0	27.9	30.7	29.1	30.5	29.8	30.2	30.4	29.6	30.5	29.5	30.5	359.7	8	2461
	19 LST	30.9	27.5	29.8	28.3	30.1	29.2	30.6	30.3	29.5	29.9	29.4	30.7	356.2	8	2487
	01 LST	30.3	27.0	29.4	28.1	29.9	28.8	29.2	30.2	28.6	29.0	29.3	30.5	350.3	8	2494
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	24.9	22.0	19.3	17.2	14.7	13.8	13.0	13.3	11.0	13.0	17.4	25.5	205.1	8	2428
	13 LST	26.3	21.9	19.0	13.6	15.3	13.3	17.3	19.5	16.5	16.1	21.4	26.0	226.2	8	2461
	19 LST	27.4	22.7	20.8	15.6	14.7	14.8	16.2	17.6	17.9	18.7	25.2	28.8	240.4	8	2487
	01 LST	28.9	23.9	24.0	19.4	16.7	14.3	15.0	17.7	16.4	16.9	22.4	28.2	243.8	8	2494
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	24.9	22.0	19.3	17.2	14.5	13.5	12.8	13.3	11.0	12.9	17.4	23.4	204.2	8	2428
	13 LST	26.3	21.7	19.0	13.6	15.3	13.2	17.1	19.5	16.3	16.1	21.2	26.0	225.3	8	2461
	19 LST	27.4	22.7	20.8	15.6	14.7	14.6	16.2	17.6	17.9	18.3	25.2	28.8	239.8	8	2487
	01 LST	28.9	23.9	23.9	19.2	16.7	14.2	15.0	17.7	16.4	16.8	22.2	28.0	242.9	8	2494

MOU-HSIEN/MAOKSI, CHINA

STA NO. 56183 (IN AREA NUMBER 06)

LATITUDE 3143N LONGITUDE 10353E ELEVATION(FT) 05157

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	63	66	79	82	91	90	91	91	86	79	68	88	91	6	1661
MEAN MAX TMP (F)	43	47	58	65	69	75	81	79	72	62	53	47	63	6	1661
MEAN MIN TMP (F)	27	30	43	47	52	59	63	61	56	47	38	29	46	6	1637
ABS MIN TMP (F)	14	16	23	34	43	50	50	50	41	30	21	18	14	6	1637
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.2	0.2	0.5	0.4	0.0	0.0	0.0	0.0	1.3	6	1661
MEAN NO DYS TMP = DR LES 32(F)	27.3	19.0	3.3	0.0	0.0	0.0	0.0	0.0	0.0	0.5	4.8	21.9	76.8	6	1637
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	1637
MEAN DEW PT TMP (F)	22	26	36	43	48	56	62	60	53	44	36	27	43	6	11003
MEAN REL HUM (PCT)	63	64	66	66	69	72	74	73	73	73	71	68	69	6	10746
MEAN PRESS ALT (FT)	4775	4826	4916	4954	5047	5133	5202	5110	4987	4873	4894	4926	4970	5	7476
MEAN PRECIP (IN)	0.29	0.42	1.45	2.80	2.24	4.51	6.00	3.80	4.41	3.05	0.84	0.27	30.1	5	-151
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0	0.0				6	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	2.6	3.2	5.9	9.5	8.2	9.8	11.7	8.7		10.0	2.8	2.5		5	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0					6	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	6	1601
MEAN NO DYS TSTMS	0.0	0.0	1.2	4.2	5.1	3.1	5.8	2.9	2.1	0.4	0.2	0.2	25.2	6	1604
P FREQ WND SPD = DR GTR 17 KTS	1.7	3.0	2.5	3.3	2.3	2.0	0.6	1.2	0.9	0.6	0.7	1.2	1.7	6	11255
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	11255
P FREQ LES 5000 FT A/D LES 5 MI	26.2	36.0	37.9	33.2	39.0	27.3	28.4	30.0	39.8	37.7	44.4	36.0	34.7	6	11284
P FREQ LES 1500 FT A/D LES 3 MI															
FDR 00-02 LST	2.5	2.0	1.1	2.0	0.0	0.0	3.1	1.1	0.6	0.0	0.4	1.5	1.2	6	1672
03-05 LST	2.7	3.6	1.5	0.8	1.5	1.1	0.8	0.5	1.2	0.7	2.0	0.5	1.4	6	1457
06-08 LST	1.9	2.4	1.5	0.8	0.0	1.0	0.9	1.1	1.3	2.8	1.2	1.1	1.3	6	1639
09-11 LST	0.9	0.9	0.8	0.8	0.0	0.0	0.4	1.6	0.7	0.7	0.5	0.0	0.6	6	1508
12-14 LST	0.4	0.4	0.0	1.2	0.9	0.0	0.4	1.4	0.0	0.6	1.1	0.8	0.6	6	1640
15-17 LST	0.5	0.0	0.4	0.0	0.8	0.4	0.0	0.0	0.0	0.8	0.5	0.0	0.3	6	1409
18-20 LST	1.5	3.5	0.8	1.1	1.5	0.4	0.8	0.4	1.2	1.0	1.1	2.3	1.3	6	1680
21-23 LST	1.8	3.7	1.4	0.5	0.0	0.0	0.0	0.0	0.0	1.9	2.3	0.5	1.0	5	1328
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	1672
03-05 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	1457
06-08 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.1	6	1639
09-11 LST	0.0	0.0	0.0	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	6	1508
12-14 LST	0.0	0.0	0.0	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	6	1640
15-17 LST	0.0	0.0	0.0	0.0	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	6	1409
18-20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	1680
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	1328

MOU-HSIEN/MAOKSI, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	31.0	27.8	30.8	30.0	31.0	29.7	31.0	31.0	30.0	30.8	30.0	31.0	364.1	6	1639
	13 LST	31.0	28.0	31.0	29.8	30.7	30.0	31.0	30.8	30.0	31.0	29.8	31.0	364.1	6	1640
	19 LST	31.0	27.3	31.0	29.8	30.8	30.0	31.0	30.8	29.8	31.0	30.0	31.0	363.7	6	1640
	01 LST	30.6	27.6	30.8	29.5	31.0	30.0	30.1	31.0	30.0	31.0	30.0	30.8	362.4	6	1672
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	29.4	26.9	29.7	28.7	30.1	29.4	30.0	30.1	28.7	28.8	28.6	29.7	350.1	6	1636
	13 LST	17.2	11.9	11.4	10.9	12.2	17.1	15.8	15.0	14.4	13.4	13.4	16.9	169.6	6	1634
	19 LST	19.0	14.2	18.1	18.6	22.9	21.7	23.5	24.4	22.0	22.8	22.2	22.1	251.5	6	1675
	01 LST	28.3	24.6	26.6	28.4	30.1	29.1	29.3	29.7	29.3	29.5	28.2	29.0	342.1	6	1666
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	6	1644
	13 LST	0.0	1.3	1.1	2.1	1.6	0.8	0.5	0.2	0.9	0.2	0.4	0.5	9.6	6	1641
	19 LST	0.4	0.6	0.2	0.0	0.7	0.7	0.0	0.0	0.0	0.0	0.2	0.0	2.8	6	1694
	01 LST	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.2	6	1685
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	2.9	1.6	4.1	4.2	4.5	1.7	2.1	2.2	2.8	3.5	1.9	0.7	32.2	6	1631
	13 LST	14.2	10.8	13.1	10.7	12.3	11.0	15.2	14.4	14.2	15.8	15.2	11.9	158.8	6	1619
	19 LST	9.4	7.8	11.7	10.7	8.2	10.4	15.4	14.5	11.9	9.7	11.3	12.8	133.8	6	1677
	01 LST	4.7	3.3	6.0	6.7	4.2	4.0	3.3	4.4	4.9	3.8	6.2	3.2	54.7	6	1668
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	11.9	5.3	7.0	8.0	4.9	3.5	4.4	6.2	4.6	4.1	4.7	11.7	76.3	6	1647
	13 LST	14.7	7.6	9.6	7.7	5.4	4.0	7.7	7.9	9.3	7.1	10.0	14.8	105.8	6	1645
	19 LST	8.2	2.6	4.0	2.4	2.1	0.9	1.8	2.7	2.2	2.4	3.7	7.5	40.5	6	1695
	01 LST	7.9	4.4	5.2	4.8	2.8	3.0	2.6	5.8	4.2	3.4	5.2	8.1	57.4	6	1687
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	28.6	25.4	29.9	28.4	29.7	29.4	29.0	29.3	27.6	28.5	27.5	29.4	342.7	6	1639
	13 LST	29.8	27.5	30.4	29.3	29.7	30.0	30.1	30.0	29.5	30.2	29.5	29.7	355.7	6	1640
	19 LST	27.9	25.0	28.8	27.7	27.9	27.8	29.5	28.8	25.7	27.4	25.8	28.0	330.3	6	1680
	01 LST	28.1	25.7	29.2	28.6	29.7	28.8	29.0	28.7	27.6	29.2	29.3	28.9	341.8	6	1672
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	17.4	14.0	14.4	15.0	16.3	17.2	19.4	19.2	13.9	15.1	11.3	15.2	188.4	6	1639
	13 LST	21.7	18.0	18.2	20.5	18.8	22.9	26.9	24.3	22.4	19.5	18.9	20.3	252.4	6	1640
	19 LST	17.1	12.4	12.9	11.9	10.6	14.3	16.7	14.7	10.0	10.0	8.8	12.1	151.5	6	1680
	01 LST	15.6	14.6	14.1	13.5	13.6	17.1	14.4	14.9	11.8	13.2	12.1	12.0	166.9	6	1672
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	17.4	12.4	13.5	14.6	16.3	16.0	18.6	17.5	12.8	13.8	10.8	14.7	178.4	6	1639
	13 LST	21.4	17.8	18.2	20.2	18.8	22.6	26.9	24.1	22.4	19.5	18.7	20.3	250.9	6	1640
	19 LST	16.8	12.2	12.4	11.9	10.4	14.1	15.8	14.3	9.5	8.9	8.4	12.1	146.8	6	1680
	01 LST	15.4	14.6	13.9	13.5	13.4	15.9	13.7	13.4	11.3	12.6	11.2	11.2	160.1	6	1672

LI-HUA/LITANG, CHINA

STA NO. 56257 (IN AREA NUMBER 06)

LATITUDE 3000N LONGITUDE 10016E ELEVATION(FT) 13737

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	55	59	61	79	72	72	73	70	72	66	61	57	79	8	2396
MEAN MAX TMP (F)	39	39	45	53	59	62	63	61	59	53	46	41	52	8	2396
MEAN MIN TMP (F)	6	10	16	25	34	41	43	42	37	29	16	7	26	8	2348
ABS MIN TMP (F)	-11	-11	0	5	18	25	32	32	21	3	-6	-9	-11	8	2348
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2396
MEAN NO DYS TMP = OR LES 32(F)	31.0	28.0	31.0	28.4	12.9	2.6	0.4	0.5	7.3	21.4	29.9	31.0	224.4	8	2348
MEAN NO DYS TMP = OR LES 0(F)	9.9	3.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	5.7	19.5	8	2348
MEAN DEW PT TMP (F)	7	3	8	18	28	38	43	42	37	27	9	2	22	8	16342
MEAN REL HUM (PCT)	34	46	45	50	57	67	74	75	71	64	49	42	56	8	16036
MEAN PRESS ALT (FT)	12740	12743	12671	12606	12613	12564	12524	12474	12454	12465	12569	12646		8	12012
MEAN SNOW FALL (IN)	0.33	0.16	0.41	0.38	2.49	5.73	10.76	9.88	7.10	2.43	0.16	0.02	39.8	8	-181
MEAN NO DYS PRCP = OR GTR 0.1 IN	2.0	3.0	7.3	6.3	11.5	18.0	22.5	25.2	21.4	12.8	2.3	0.2	132.5	8	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.5	0.3	0.5	0.0	0.2	0.0	0.1	0.1	0.3	0.0	2.0	8	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	0.0	0.2	1.1	3.4	8.8	18.2	20.3	15.9	12.2	5.2	0.1	0.0	85.4	8	2375
MEAN NO DYS TSTMS	2.4	1.3	1.6	0.5	1.0	0.5	0.1	0.3	0.3	0.2	0.3	1.1	0.8	8	2387
P FREQ WND SPD = OR GTR 17 KTS	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.1	0.0	8	16974
P FREQ WND SPD = OR GTR 28 KTS	1.5	5.6	6.4	10.8	11.4	14.9	16.4	22.6	19.7	15.2	3.2	2.4	10.8	8	16974
P FREQ LES 3000 FT A/D LES 5 MI	0.0	0.9	2.6	2.2	2.4	1.4	1.6	0.8	0.7	1.3	0.5	1.9	1.4	8	16966
P FREQ LES 1500 FT A/D LES 3 MI	0.0	0.7	0.5	1.4	2.4	2.0	0.3	1.2	1.2	2.3	1.1	1.2	1.3	8	2380
FDR 00-02 LST	0.0	1.7	1.5	3.6	4.1	1.3	2.0	3.0	1.5	2.0	1.4	0.9	1.9	8	2067
03-05 LST	0.0	1.5	1.0	1.9	1.1	0.8	0.3	0.0	0.5	0.5	0.5	0.8	0.7	8	2365
06-08 LST	0.5	0.5	0.5	0.5	0.0	0.3	0.0	0.0	0.5	0.0	0.0	0.0	0.2	8	2301
09-11 LST	0.0	0.7	1.7	0.6	0.5	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.4	8	2372
12-14 LST	0.5	1.1	1.5	0.0	2.0	1.1	0.3	0.5	0.0	0.9	0.6	0.0	0.4	8	2151
15-17 LST	0.0	1.4	2.4	1.4	1.8	1.4	0.6	1.1	1.1	1.5	0.0	0.9	0.8	8	2447
18-20 LST	0.0	0.0	1.6	0.5	1.1	0.0	1.1	0.5	0.0	0.4	0.0	0.0	0.4	7	2012
21-23 LST	0.0	0.0	0.5	0.6	0.5	0.0	0.0	0.0	0.4	0.0	0.0	0.4	0.4	8	2380
P FREQ LES 300 FT A/D LES 1 MI	0.0	1.1	1.5	2.2	1.1	0.0	0.6	0.5	0.0	0.0	0.6	0.0	0.2	8	2067
FDR 00-02 LST	0.0	1.2	1.0	1.6	0.0	0.0	0.0	0.0	0.4	0.9	0.4	0.7		8	2365
03-05 LST	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.4		8	2301
06-08 LST	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.1		8	2372
09-11 LST	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.1		8	2151
12-14 LST	0.0	0.0	0.5	0.0	1.0	0.5	0.0	0.5	0.0	0.0	0.0	0.2		8	2447
15-17 LST	0.0	0.7	0.0	0.7	0.6	0.7	0.0	0.0	0.5	0.0	0.0	0.3		7	2012
18-20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		8	2380
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		8	2067

LI-HUA/LITANG, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	31.0	27.5	30.5	29.0	30.0	29.8	30.8	30.4	30.0	30.6	29.6	30.7	359.9	8	2365
	13 LST	30.6	27.8	30.8	29.8	31.0	30.0	31.0	31.0	29.9	31.0	30.0	31.0	364.1	8	2372
	19 LST	30.8	27.7	30.5	30.0	30.4	29.7	31.0	30.8	30.0	30.9	29.5	30.7	362.0	8	2447
	01 LST	31.0	27.8	30.2	29.3	30.3	29.7	30.5	30.8	29.9	30.6	29.9	30.4	360.4	8	2380
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	30.1	26.3	29.3	28.8	28.1	29.2	29.4	29.0	29.0	29.6	29.6	30.0	348.4	8	2359
	13 LST	15.4	15.1	17.0	19.1	23.9	24.5	27.5	26.2	24.8	25.2	21.5	21.5	261.7	8	2366
	19 LST	26.2	23.2	25.1	23.5	23.4	23.7	26.3	27.2	26.5	28.5	28.0	29.2	310.8	8	2442
	01 LST	28.3	25.7	27.1	27.4	27.2	27.1	28.9	29.3	27.6	27.7	29.3	29.1	334.7	8	2373
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.0	0.2	0.0	0.0	0.2	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.6	8	2386
	13 LST	2.5	0.9	1.3	0.3	0.3	0.0	0.0	0.0	0.1	0.0	0.5	1.4	7.3	8	2394
	19 LST	0.2	0.0	0.2	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	8	2464
	01 LST	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.3	8	2397
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	0.0	0.0	0.0	1.2	5.4	6.5	4.6	3.7	4.8	4.4	0.3	0.1	31.0	8	2365
	13 LST	5.1	8.0	12.8	13.7	12.6	11.1	8.1	10.2	13.2	15.3	11.4	6.0	127.5	8	2381
	19 LST	1.6	3.0	12.9	13.7	15.5	10.5	9.0	7.7	10.6	9.8	6.5	2.9	103.7	8	2447
	01 LST	0.0	0.0	1.8	6.0	10.8	6.5	3.7	5.2	6.0	7.7	1.1	0.7	49.5	8	2385
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	24.0	17.5	16.1	13.2	11.7	5.6	3.4	3.3	6.8	13.2	23.0	25.6	163.4	8	2389
	13 LST	15.6	6.8	7.5	3.4	2.6	1.3	1.0	2.7	3.4	7.9	17.1	18.5	87.8	8	2394
	19 LST	20.1	8.3	7.7	6.0	4.5	2.7	1.7	3.1	6.5	15.7	22.5	25.1	123.9	8	2455
	01 LST	27.0	19.1	20.9	18.1	13.5	7.3	5.1	5.2	12.3	17.1	25.4	27.1	198.1	8	2394
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	30.9	27.4	30.4	28.6	29.3	29.2	29.8	29.4	28.5	30.0	29.5	30.7	333.7	8	2365
	13 LST	30.8	27.8	30.8	29.8	31.0	29.7	30.9	30.9	29.9	30.9	30.0	31.0	363.5	8	2372
	19 LST	30.8	27.7	30.5	30.0	30.4	29.7	30.8	30.8	29.8	30.9	29.5	30.7	361.6	8	2447
	01 LST	31.0	27.7	30.2	29.3	30.2	29.5	30.4	30.4	29.6	30.6	29.9	30.4	359.2	8	2380
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	29.0	22.7	27.7	23.9	22.1	17.8	15.1	11.5	16.8	21.7	27.9	29.6	265.8	8	2365
	13 LST	24.4	16.2	17.9	11.1	10.9	8.9	9.8	12.8	13.2	18.1	24.9	26.3	194.3	8	2372
	19 LST	23.6	15.2	19.4	16.1	16.3	11.2	11.2	13.5	16.0	23.6	27.1	28.1	223.3	8	2447
	01 LST	29.7	24.1	27.9	23.3	20.3	13.7	12.8	14.6	16.8	22.5	27.8	29.4	262.9	8	2380
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	28.8	22.6	27.7	23.9	21.9	17.8	14.7	11.0	16.6	21.4	27.9	29.5	263.8	8	2365
	13 LST	23.9	14.3	15.9	9.3	8.2	5.7	7.0	10.1	11.2	16.2	23.5	25.8	171.9	8	2372
	19 LST	24.6	14.1	18.7	15.7	15.7	9.8	8.3	11.8	14.6	22.9	26.7	28.0	210.9	8	2447
	01 LST	29.5	23.8	27.8	23.3	20.2	13.4	12.0	14.0	16.8	22.2	27.8	29.1	259.9	8	2380

YA-AN/YAEN, CHINA

STA NO. 56287 (IN AREA NUMBER 06)

LATITUDE 3000N

LONGITUDE 10303E

ELEVATION(FT) 02090

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
ABS MAX TMP (F)	63	66	82	88	91	97	95	95	90	84	73	63	97	7	1801
MEAN MAX TMP (F)	48	50	61	71	75	83	86	85	78	68	59	51	66	7	1801
MEAN MIN TMP (F)	38	41	51	58	63	69	73	72	66	58	50	43	57	8	1972
ABS MIN TMP (F)	28	28	39	45	52	61	66	63	57	46	32	30	28	8	1972
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.5	3.2	10.1	10.6	0.5	0.0	0.0	0.0	24.9	7	1801
MEAN NO DYS TMP = OR LES 32(F)	4.1	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.5	5.8	8	1972
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	1972
MEAN DEW PT TMP (F)	35	39	48	54	58	65	71	70	64	56	49	41	54	7	11619
MEAN REL HUM (PCT)	75	78	77	72	74	75	79	79	80	82	82	81	78	7	11357
MEAN PRES ALT (FT)	1733	1830	1986	2106	2173	2314	2407	2320	2111	1887	1835	1767	2039	7	11590
MEAN PRECIP (IN)	0.26	0.34	0.94	1.45	2.98	3.97	12.37	12.99	4.96	2.99	0.60	0.44	44.7	9	-181
MEAN SNOW FALL (IN)			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		8	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	2.5	3.7	4.2	5.9	9.8	8.0	15.4	15.4		9.8	2.0	3.3		9	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		8	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.0	0.0	0.4	1.0	7	1709
MEAN NO DYS TSTMS	0.0	0.0	0.2	6.9	4.3	3.4	13.8	10.3	3.1	0.8	0.4	0.0	43.2	7	1718
P FREQ WND SPD = OR GTR 17 KTS	0.1	0.0	0.1	0.1	0.6	0.6	0.5	0.1	0.4	0.2	0.0	0.0	0.2	7	11781
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	11781
P FREQ LES 3000 FT A/D LES 5 MI	32.8	39.0	35.0	27.2	25.9	19.6	26.8	25.0	26.3	32.5	38.5	37.5	30.5	8	12199
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	9.6	11.0	7.4	5.5	8.3	6.5	6.0	7.5	6.2	14.0	11.4	8.5	8.5	8	1800
03-05 LST	7.1	8.2	8.6	4.7	6.9	4.3	5.2	8.6	4.0	11.0	8.1	6.8	7.0	8	1888
06-08 LST	11.5	10.4	9.1	7.0	9.9	7.2	4.6	6.2	7.6	11.7	9.0	15.1	9.1	8	2027
09-11 LST	12.1	11.2	7.1	3.4	8.6	2.3	2.6	5.6	5.1	6.9	11.6	9.2	7.1	7	1497
12-14 LST	4.7	7.4	4.1	4.1	1.5	3.6	1.1	3.7	5.3	5.2	2.8	6.9	4.2	8	1968
15-17 LST	4.0	7.5	6.1	4.5	1.6	4.5	2.4	4.0	4.5	5.7	5.3	4.7	4.6	8	1850
18-20 LST	5.5	6.3	4.9	2.5	7.4	2.8	1.4	4.6	5.6	8.0	7.3	11.4	5.6	8	1811
21-23 LST	11.6	8.4	4.5	4.2	10.6	5.1	7.2	4.4	3.6	9.8	11.4	10.8	7.6	5	1206
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.0	0.8	0.0	0.0	0.7	1.4	0.0	0.6	0.0	0.0	0.0	0.6	0.3	8	1800
03-05 LST	0.0	0.0	2.2	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.7	0.3	8	1888
06-08 LST	0.6	0.7	0.6	1.4	0.0	1.8	0.7	0.6	0.0	0.9	0.0	1.0	0.7	8	2027
09-11 LST	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.1	7	1497
12-14 LST	0.6	0.7	0.0	0.0	0.0	1.8	0.0	0.0	0.0	0.0	0.0	1.0	0.3	8	1968
15-17 LST	0.8	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.1	8	1850
18-20 LST	0.7	0.8	0.0	0.0	0.0	0.8	0.0	0.0	0.0	0.3	0.6	0.0	0.3	8	1811
21-23 LST	0.9	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	5	1206

YA-AN/YAEN, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	28.4	26.2	29.7	28.8	28.9	28.1	29.8	29.8	28.6	29.6	29.1	27.8	344.8	8	2027
	13 LST	30.1	27.2	31.0	29.8	31.0	29.2	31.0	30.3	29.4	30.4	30.0	30.2	339.6	8	1968
	19 LST	30.0	27.5	30.5	29.7	30.1	29.8	31.0	30.3	29.7	30.2	28.9	29.2	356.9	8	1811
	01 LST	28.9	26.0	30.1	29.4	29.6	28.9	29.7	29.5	29.5	28.7	28.7	30.0	349.0	8	1800
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	23.8	22.0	22.6	22.0	22.3	22.7	24.0	21.6	22.7	23.5	24.1	22.5	273.8	8	2021
	13 LST	24.0	21.6	20.7	19.8	24.5	21.7	23.0	24.5	24.4	24.7	23.9	25.6	278.4	8	1964
	19 LST	28.1	23.9	28.2	26.8	26.1	26.7	29.1	27.1	25.9	26.0	26.0	25.1	319.0	8	1806
	01 LST	23.8	22.6	23.3	24.8	23.7	20.4	23.5	21.3	24.0	22.0	22.3	25.3	281.0	8	1800
SFC WND = CTR 17 KTS AND NO PRECIP.	07 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.1	8	2048
	13 LST	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	8	2001
	19 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	1836
	01 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.2	8	1830
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	7.5	7.3	11.0	11.4	13.6	12.6	13.1	12.7	10.3	7.3	6.3	6.8	119.9	8	2026
	13 LST	19.2	15.2	16.7	21.8	18.5	15.0	13.3	13.9	19.0	18.4	17.5	18.4	206.9	8	1989
	19 LST	8.6	7.1	7.1	6.6	4.3	8.2	7.9	6.9	5.3	4.4	5.8	5.5	77.7	8	1823
	01 LST	6.4	4.7	6.2	9.3	8.7	10.0	9.2	9.5	6.3	4.3	5.2	6.7	86.5	7	1816
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	7.2	4.1	4.1	4.2	3.3	3.1	4.0	4.7	2.6	1.0	3.0	5.2	46.5	8	2057
	13 LST	7.9	2.7	4.9	6.0	3.8	3.7	5.3	7.0	4.3	2.9	3.0	5.4	56.9	8	1991
	19 LST	3.3	0.4	2.3	1.1	0.5	1.8	2.4	3.7	1.9	1.2	1.1	2.5	22.2	8	1841
	01 LST	5.1	2.6	3.0	3.5	2.7	2.3	5.8	6.7	2.8	2.3	1.4	4.2	42.4	8	1828
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	25.7	23.4	26.4	27.0	26.8	27.4	28.8	28.2	26.3	24.7	24.7	24.4	313.8	8	2027
	13 LST	28.4	24.0	27.3	27.5	29.7	28.3	29.8	28.9	27.0	28.4	27.4	27.0	333.7	8	1968
	19 LST	27.4	23.3	27.3	28.3	26.6	28.1	29.5	28.1	26.5	26.1	25.1	24.9	321.2	8	1811
	01 LST	26.8	23.2	27.2	26.9	26.4	26.7	27.9	27.4	26.7	24.1	23.5	25.9	312.7	8	1800
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	17.6	15.9	20.5	21.0	20.9	22.7	21.7	22.1	20.4	16.6	15.9	15.3	230.6	8	2027
	13 LST	21.3	16.4	18.5	21.3	22.0	24.1	22.4	25.1	21.5	19.7	18.4	18.2	248.9	8	1968
	19 LST	15.1	10.6	11.3	13.6	17.6	17.8	16.4	17.7	15.8	13.5	11.9	10.4	171.7	8	1811
	01 LST	17.7	12.8	16.1	14.3	16.5	17.4	17.2	17.7	18.3	15.3	13.5	13.4	190.2	8	1800
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	15.8	14.3	17.5	19.3	18.6	21.1	20.7	20.4	18.7	14.6	14.9	13.1	209.0	8	2027
	13 LST	20.2	15.3	17.7	20.4	20.7	23.6	22.2	24.5	20.3	18.8	16.4	15.9	236.0	8	1968
	19 LST	13.2	9.2	9.9	11.3	16.0	15.9	15.2	17.4	14.5	12.1	9.0	9.5	153.2	8	1811
	01 LST	16.1	11.7	13.3	12.2	14.2	14.0	14.9	16.6	15.5	13.4	10.4	10.7	153.0	8	1800

CHENG-TU, CHINA

STA NO. 56294 (IN AREA NUMBER 06)

LATITUDE 3040N

LONGITUDE 10404E

ELEVATION(FT) 01634

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	63	70	84	88	93	95	97	95	93	86	75	64	97	8	2502
MEAN MAX TMP (F)	50	54	64	72	77	83	86	85	80	69	61	53	70	8	2502
MEAN MIN TMP (F)	35	40	49	57	63	69	73	71	66	57	49	40	56	8	2476
ABS MIN TMP (F)	25	25	34	43	48	59	64	63	54	43	36	27	25	8	2476
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.9	5.1	11.3	10.5	1.6	0.0	0.0	0.0	29.4	8	2502
MEAN NO DYS TMP = DR LES 32(F)	10.7	2.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	16.6	8	2476
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2476
MEAN DEW PT TMP (F)	34	40	47	54	60	68	73	72	65	57	48	41	55	8	17863
MEAN REL HUM (PCT)	76	79	75	75	76	80	85	85	82	84	82	83	80	8	17623
MEAN PRESS ALT (FT)	1259	1364	1526	1648	1740	1843	1956	1861	1674	1440	1370	1308	1582	8	18017
MEAN PRECIP (IN)	0.15	0.50	0.76	2.25	3.20	3.98	11.73	10.85	5.32	1.82	0.67	0.25	41.5	13	-181
MEAN SNOW FALL (IN)			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			8	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	4.5	7.4	10.3	14.0	13.7	15.7	15.5	15.3	15.8	15.9	8.7	5.0	141.8	13	-181
MEAN NO DYS SNFL = DR GTR 1.5 IN			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			8	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	4.9	4.3	2.0	1.1	0.5	0.8	1.5	2.6	2.6	4.4	4.6	8.6	37.9	8	2446
MEAN NO DYS TSTMS	0.0	0.0	0.6	3.1	4.3	5.4	14.9	10.8	3.2	0.5	0.1	0.0	42.9	8	2456
P FREQ WND SPD = DR GTR 17 KTS	0.1	0.2	0.1	0.2	0.2	0.2	0.1	0.3	0.2	0.1	0.1	0.0	0.2	8	18098
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	18098
P FREQ LES 5000 FT A/D LES 5 MI	55.0	54.1	37.4	36.9	30.9	32.8	41.3	43.5	38.3	44.4	47.4	61.7	43.6	8	18013
P FREQ LES 1500 FT A/D LES 3 MI															
FDR 00-02 LST	10.5	15.4	6.4	4.9	1.0	6.8	8.4	9.0	7.8	11.9	12.1	24.6	9.9	8	2502
03-05 LST	18.4	20.2	8.2	7.5	4.2	9.4	11.7	14.8	14.4	18.4	17.6	37.5	15.2	8	2321
06-08 LST	74.4	68.5	52.8	52.1	47.3	42.4	43.6	55.9	58.3	69.8	65.6	81.0	59.3	8	2439
09-11 LST	61.1	46.0	18.6	7.9	5.3	7.9	9.5	8.9	10.8	18.8	28.0	69.0	24.3	8	2330
12-14 LST	22.3	13.8	6.4	4.0	2.4	4.5	5.6	3.8	4.2	5.6	7.1	20.2	8.3	8	2466
15-17 LST	8.4	9.5	4.3	0.8	1.9	2.8	1.9	3.7	1.4	3.5	4.9	16.9	5.0	8	2272
18-20 LST	15.1	11.7	3.8	3.5	1.8	4.2	0.0	3.8	5.7	7.3	13.6	21.8	7.7	8	2495
21-23 LST	10.3	15.7	4.2	3.5	0.9	2.2	3.7	7.4	4.0	7.3	6.9	21.2	7.3	7	2088
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	1.0	3.3	1.5	0.5	0.0	0.5	3.0	0.9	2.2	2.2	2.2	10.1	2.3	8	2502
03-05 LST	7.3	8.3	1.0	2.1	0.0	2.2	5.3	5.1	3.7	7.9	5.1	17.3	5.4	8	2321
06-08 LST	29.1	29.6	15.4	14.4	7.5	8.0	12.0	17.0	20.5	34.3	30.2	48.5	22.2	8	2439
09-11 LST	14.8	7.0	1.5	0.0	0.5	0.0	0.0	0.0	0.5	1.3	2.6	20.0	4.0	8	2330
12-14 LST	0.0	1.7	0.0	0.5	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.4	0.3	8	2466
15-17 LST	0.6	0.7	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	8	2272
18-20 LST	0.5	1.1	0.5	0.5	0.0	0.0	0.0	0.0	0.5	0.0	1.3	1.3	0.5	8	2495
21-23 LST	0.0	1.4	0.0	0.6	0.0	0.0	0.0	0.6	0.6	0.5	1.6	3.8	0.8	7	2088

CHENG-TU, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	7.9	9.1	14.8	14.5	16.9	17.6	18.2	14.4	13.2	9.8	10.8	6.0	153.2	8	2439
	13 LST	24.6	24.9	29.7	29.1	30.8	29.5	29.9	30.7	29.2	30.0	28.4	24.9	341.7	8	2466
	19 LST	26.4	25.1	30.2	28.9	30.7	29.2	31.0	30.0	28.5	29.0	26.4	24.6	340.0	8	2495
	01 LST	27.8	24.2	29.6	29.2	31.0	28.5	28.6	28.7	27.9	27.9	26.9	23.7	334.0	8	2502
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	7.6	8.4	14.1	14.0	15.5	16.5	16.7	12.1	11.5	8.8	9.5	5.5	140.2	8	2437
	13 LST	23.0	23.6	27.1	27.2	28.8	26.9	28.2	27.8	27.9	27.7	26.2	24.4	318.8	8	2461
	19 LST	25.9	24.3	28.8	27.7	29.7	27.9	30.5	29.1	27.4	28.4	24.6	23.7	328.0	8	2487
	01 LST	27.4	22.8	27.6	27.2	29.8	26.3	27.3	27.2	26.5	26.4	25.7	23.0	317.2	8	2499
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.1	8	2471
	13 LST	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.2	8	2484
	19 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	8	2506
	01 LST	0.0	0.0	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	8	2523
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	4.1	2.8	5.7	4.8	3.5	3.6	3.3	1.9	2.5	1.5	2.7	2.1	38.5	8	2456
	13 LST	15.3	13.5	18.8	15.7	17.1	14.0	12.7	10.4	15.4	11.9	13.6	12.9	171.3	8	2464
	19 LST	7.8	4.6	8.6	8.9	5.5	4.6	5.0	3.1	5.1	4.9	5.8	5.9	69.8	8	2494
	01 LST	5.3	2.6	5.4	4.9	2.0	2.2	4.0	2.7	2.5	2.4	3.9	3.8	41.7	8	2512
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	1.1	0.9	1.4	0.5	0.8	1.0	2.6	1.6	1.0	0.0	0.1	0.1	11.1	8	2461
	13 LST	8.8	3.7	7.1	4.2	3.7	3.9	4.4	5.9	5.0	2.6	3.5	6.6	59.6	8	2491
	19 LST	5.8	2.6	3.0	2.7	1.1	2.6	4.5	7.6	3.5	2.6	3.1	5.2	44.3	8	2512
	01 LST	6.0	3.5	4.2	4.1	3.0	3.8	5.2	7.3	5.0	2.3	2.4	4.3	51.1	8	2525
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	7.9	8.6	14.4	14.2	15.8	17.0	16.6	12.6	11.9	8.8	9.8	5.8	143.4	8	2439
	13 LST	23.0	21.8	26.6	26.2	27.9	26.6	27.1	27.2	26.7	26.5	26.0	23.7	309.3	8	2466
	19 LST	26.0	24.2	29.3	28.8	30.0	28.2	30.1	29.5	27.9	28.4	25.4	23.9	331.7	8	2495
	01 LST	27.6	23.2	28.3	27.6	30.1	27.2	27.7	27.3	27.2	26.7	25.8	23.1	321.8	8	2502
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	3.3	6.1	11.0	11.0	13.6	14.0	12.0	8.9	10.3	6.9	6.6	3.2	108.9	8	2439
	13 LST	19.5	16.0	20.9	19.1	23.0	22.5	21.0	20.0	22.0	19.7	20.0	19.0	242.7	8	2466
	19 LST	19.4	15.7	21.1	19.7	21.0	24.1	23.1	23.9	21.5	21.9	17.5	15.8	244.7	8	2495
	01 LST	20.7	16.5	19.5	17.8	22.1	20.9	18.5	20.1	21.3	19.1	16.5	15.1	228.1	8	2502
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	4.3	5.5	9.9	9.4	12.9	13.5	11.8	8.9	10.1	5.9	4.6	2.0	98.8	8	2439
	13 LST	17.7	14.5	19.7	18.3	22.5	22.5	20.7	20.0	21.4	19.4	18.2	16.8	231.7	8	2466
	19 LST	17.4	13.5	19.0	17.9	20.4	24.1	22.7	13.7	20.9	20.2	14.0	12.4	226.2	8	2495
	01 LST	18.1	14.1	16.4	14.5	20.9	20.3	18.3	19.8	19.7	17.2	12.9	11.8	204.0	8	2502

O-MEI/OMESHAN, CHINA

STA NO, 56385 (IN AREA NUMR 06)

LATITUDE 2928N

LONGITUDE 10321E

ELEVATION(FT) 10292

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	57	52	73	72	66	68	70	68	66	59	63	59	73	8	2302
MEAN MAX TMP (F)	29	29	40	47	49	55	60	59	53	44	37	34	45	8	2302
MEAN MIN TMP (F)	15	16	26	34	38	45	50	49	43	33	26	20	33	8	2083
ABS MIN TMP (F)	-2	1	3	18	27	32	39	32	27	14	10	3	-2	8	2083
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2302
MEAN NO DYS TMP = OR LES 32(F)	30.5	27.6	25.0	14.0	6.0	0.4	0.0	0.3	0.8	14.5	26.0	29.4	174.5	8	2083
MEAN NO DYS TMP = OR LES 0(F)	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	8	2083
MEAN DEW PT TMP (F)	12	17	25	33	38	44	51	49	43	34	27	19	33	8	14759
MEAN REL HUM (PCT)	77	86	83	85	88	87	91	88	90	91	90	80	86	8	14556
MEAN PRESS ALT (FT)	9853	9862	9858	9812	9793	9762	9780	9714	9662	9636	9734	9805		8	10522
MEAN PRECIP (IN)														0	0
MEAN SNOW FALL (IN)						0.0	0.0	0.0						8	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN														0	0
MEAN NO DYS SNFL = OR GTR 1.5 IN						0.0	0.0	0.0						8	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	21.0	24.7	24.6	26.6	27.4	24.5	28.6	26.6	25.7	28.9	27.0	21.6	307.2	8	2184
MEAN NO DYS TSTMS	0.0	0.6	1.2	6.9	3.6	5.0	13.9	10.5	2.3	0.7	0.3	0.2	43.2	8	2191
P FREQ WND SPD = OR GTR 17 KTS	5.8	3.1	5.5	3.6	1.9	1.4	2.4	1.9	2.1	0.7	2.4	5.5	3.0	8	15009
P FREQ WND SPD = OR GTR 28 KTS	0.3	0.0	0.4	0.2	0.0	0.0	0.0	0.1	0.4	0.0	0.1	0.3	0.2	8	15009
P FREQ LES 5000 FT A/D LES 5 MI	57.4	76.3	65.4	72.5	73.0	68.8	73.3	71.3	73.6	80.8	74.8	56.8	70.3	8	13206
P FREQ LES 1800 FT A/D LES 3 MI															
FOR 00-02 LST	50.9	61.1	62.7	59.9	56.7	50.0	57.9	58.2	60.9	70.6	71.1	53.1	59.5	8	2283
03-05 LST	51.6	55.6	54.6	51.8	54.6	49.2	48.6	50.6	52.6	65.2	72.6	50.6	54.8	8	2166
06-08 LST	42.2	53.0	49.2	49.1	54.6	51.5	48.4	46.6	51.7	62.7	62.9	53.1	52.1	8	2110
09-11 LST	47.4	65.7	58.8	67.1	62.2	64.5	74.4	74.7	68.3	77.1	68.4	48.6	64.7	8	2041
12-14 LST	43.6	76.3	61.8	73.1	72.9	72.3	83.9	83.1	79.0	78.3	67.2	46.9	69.9	8	1912
15-17 LST	41.9	70.8	59.4	65.3	66.7	66.5	79.4	78.2	73.3	72.5	63.4	45.8	65.3	8	1921
18-20 LST	50.5	65.6	60.8	66.1	56.8	59.6	61.3	57.6	63.0	70.5	68.2	50.2	60.5	8	2214
21-23 LST	50.5	67.0	71.9	67.2	61.0	50.5	75.0	63.2	63.9	63.3	74.3	60.0	64.0	5	1228
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	48.9	61.1	61.8	58.1	54.5	48.9	57.4	57.4	60.2	70.4	70.6	52.3	58.5	8	2283
03-05 LST	50.9	55.2	53.3	51.8	54.6	48.6	47.2	49.2	50.5	65.2	71.8	50.0	54.0	8	2166
06-08 LST	40.8	52.7	47.2	47.8	53.4	51.1	46.5	46.3	51.5	61.8	61.5	51.3	51.0	8	2110
09-11 LST	47.4	64.7	57.9	66.5	61.9	64.5	73.7	74.7	67.2	76.3	67.5	48.6	64.2	8	2041
12-14 LST	43.6	75.9	60.5	72.7	69.7	71.9	83.6	83.1	78.5	77.0	67.2	46.3	69.2	8	1912
15-17 LST	41.9	70.8	58.8	63.8	63.5	64.6	77.2	77.3	71.2	72.2	62.7	45.5	64.3	8	1921
18-20 LST	50.3	65.0	59.7	64.2	54.8	52.6	59.7	57.0	62.0	69.5	67.5	48.9	59.3	8	2214
21-23 LST	49.1	67.0	71.4	65.7	59.6	49.5	74.4	63.2	62.8	63.3	73.8	59.0	63.2	5	1228

O-MEI/OMESHAN, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. DBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	18.0	13.3	15.8	15.5	14.3	14.7	16.2	16.7	14.6	11.7	11.4	14.9	177.1	8	2110
	13 LST	17.5	6.8	11.8	8.2	8.7	8.4	5.1	5.3	6.3	6.8	9.8	16.6	111.3	8	1912
	19 LST	15.4	9.8	12.3	10.2	13.8	13.9	12.1	13.2	11.4	9.3	9.6	15.6	146.6	8	2214
	01 LST	15.5	10.9	11.7	12.2	13.8	15.2	13.0	13.2	11.9	9.2	8.8	14.8	150.2	8	2283
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	8.7	7.8	10.3	8.7	12.1	11.4	14.0	13.0	12.5	10.0	7.2	8.1	123.8	8	2101
	13 LST	10.9	4.2	7.2	4.8	6.5	7.7	4.1	4.9	5.5	6.2	6.4	11.2	79.6	8	1909
	19 LST	8.5	5.5	6.5	7.1	9.8	10.4	9.2	11.0	8.6	6.8	6.3	7.1	96.8	8	2211
	01 LST	8.0	6.1	5.5	6.6	9.9	10.9	9.4	9.1	9.0	6.1	5.1	6.9	92.6	8	2276
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	2.0	1.2	0.5	1.6	0.0	0.0	0.2	0.2	0.0	0.3	0.8	0.9	7.7	8	2234
	13 LST	2.1	0.7	0.9	0.2	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.3	4.5	8	2129
	19 LST	2.0	0.8	2.0	0.3	0.5	0.0	0.3	0.3	0.0	0.0	0.4	1.9	8.5	8	2377
	01 LST	2.0	1.6	3.4	1.7	0.3	0.0	0.5	0.4	0.3	0.1	0.4	2.3	13.0	8	2341
SFC WND 4-10 KTS AND TMP 33-119 DEG F AND NO PRECIP.	07 LST	0.3	0.7	5.0	7.3	8.5	8.8	9.0	9.1	9.8	7.0	3.3	1.5	70.3	8	2223
	13 LST	3.2	3.7	10.7	14.2	13.2	10.6	10.8	11.4	14.3	11.7	10.5	8.6	124.9	8	2109
	19 LST	0.9	0.5	4.3	6.6	7.6	11.1	12.7	13.9	9.2	4.4	4.3	2.6	78.1	8	2364
	01 LST	0.9	0.9	3.1	5.8	7.0	8.5	8.2	10.7	9.0	5.0	2.3	1.4	62.8	8	2333
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	11.0	7.8	9.0	8.3	3.3	2.6	5.6	5.9	6.5	2.4	5.8	11.4	79.8	8	2235
	13 LST	14.9	7.3	10.7	6.7	3.6	2.4	2.1	3.1	4.6	3.6	8.4	14.4	81.8	8	2127
	19 LST	10.3	4.9	5.4	2.6	0.8	1.8	4.5	5.8	4.8	3.6	6.8	11.9	63.2	8	2378
	01 LST	9.9	5.5	7.5	5.3	1.9	3.4	5.5	5.9	4.0	3.2	4.1	10.4	66.6	8	2344
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	17.4	12.4	15.3	14.6	13.3	14.0	15.6	16.0	13.9	10.6	10.6	13.8	167.5	8	2110
	13 LST	17.2	5.4	11.7	8.0	7.9	8.1	4.7	5.2	6.2	6.6	9.8	16.1	107.9	8	1912
	19 LST	14.7	9.2	11.8	9.5	12.4	12.5	11.7	12.6	10.2	8.7	9.1	15.0	137.4	8	2214
	01 LST	14.6	10.3	11.2	11.3	11.9	14.2	12.3	12.2	11.3	8.8	7.8	13.9	139.8	8	2283
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	12.6	7.0	12.9	11.3	8.2	8.8	12.4	12.2	10.8	5.9	7.9	11.8	123.8	8	2110
	13 LST	15.7	6.0	11.0	7.7	5.9	6.7	3.5	4.4	5.5	5.1	9.0	15.1	95.6	8	1912
	19 LST	12.3	7.3	10.2	7.3	7.0	7.9	8.6	9.6	8.2	5.9	7.3	13.2	104.8	8	2214
	01 LST	11.6	7.1	9.6	7.8	6.1	8.7	8.8	8.4	7.8	5.6	4.8	11.5	97.8	8	2283
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	12.5	9.0	12.5	11.1	7.1	6.9	12.2	11.2	9.5	5.1	7.1	11.8	116.0	8	2110
	13 LST	15.7	6.0	11.0	7.7	5.7	6.0	3.3	4.2	5.2	4.6	8.8	15.1	93.3	8	1912
	19 LST	12.1	7.1	10.0	7.3	6.3	6.7	8.2	8.7	7.0	5.4	7.1	13.2	99.1	8	2214
	01 LST	11.4	7.0	9.6	7.7	5.3	7.7	8.5	7.5	6.1	5.1	4.3	11.5	91.7	8	2283

CHIULUNG, CHINA

STA NO. 56462 (IN AREA NUMBER 06)

LATITUDE 2859N

LONGITUDE 10133E

ELEVATION(FT) 09449

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
ABS MAX TMP (F)	66	64	75	81	84	82	81	79	79	75	68	72	84	8	2459
MEAN MAX TMP (F)	52	53	61	68	70	69	72	70	68	62	58	53	63	8	2459
MEAN MIN TMP (F)	19	23	28	35	43	50	53	51	48	40	28	21	37	8	2415
ABS MIN TMP (F)	7	10	18	21	30	34	43	36	32	21	12	7	7	8	2415
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2459
MEAN NO DYS TMP = OR LES 32(F)	30.5	27.2	27.2	10.8	0.8	0.0	0.0	0.0	0.3	4.5	23.5	30.7	155.5	8	2415
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2415
MEAN DEW PT TMP (F)	8	15	17	25	37	46	51	50	46	38	23	15	31	8	15825
MEAN REL HUM (PCT)	42	50	43	47	58	73	76	76	75	71	57	50	60	8	15558
MEAN PRESS ALT (FT)	9449	9472	9443	9417	9443	9408	9394	9346	9285	9245	9317	9378		5	7520
MEAN PRECIP (IN)														0	0
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0					8	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN					0.0	0.0	0.0	0.0	0.0					0	0
MEAN NO DYS SNFL = OR GTR 1.5 IN					0.0	0.0	0.0	0.0	0.0					8	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	0.0	0.3	0.3	0.3	0.0	0.2	0.0	0.0	0.1	0.0	0.0	0.0	1.2	8	2360
MEAN NO DYS TSTMS	0.3	0.7	1.9	9.0	10.8	16.2	15.6	9.0	8.9	4.2	0.6	0.1	77.3	8	2367
P FREQ WND SPD = OR GTR 17 KTS	0.6	1.3	1.3	1.9	1.8	1.2	1.2	0.7	0.5	0.5	0.4	0.3	1.0	8	16811
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.1	0.1	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.1	0.0	8	16811
P FREQ LES 5000 FT A/D LES 5 MI	8.6	16.0	7.4	8.4	15.5	26.7	16.6	15.4	19.9	23.7	13.1	9.5	15.1	8	16834
P FREQ LES 1900 FT A/D LES 3 MI															
FDR 00-02 LST	1.5	0.6	0.8	1.3	0.5	0.8	1.1	1.9	2.1	2.5	0.7	0.5	1.2	8	2454
03-05 LST	1.6	1.2	1.8	0.3	0.0	2.7	1.7	2.4	2.5	1.5	0.6	0.0	1.4	8	1940
06-08 LST	0.5	1.1	0.8	0.8	0.5	1.7	2.2	1.7	1.7	2.9	0.9	0.4	1.3	8	2424
09-11 LST	0.0	0.0	1.1	0.0	0.0	0.0	0.6	0.0	0.0	0.9	0.0	0.5	0.3	8	2198
12-14 LST	0.5	0.5	0.0	0.5	0.0	0.0	0.3	0.0	0.9	0.2	0.0	0.0	0.2	8	2430
15-17 LST	0.0	0.8	0.6	0.0	0.0	0.5	0.0	0.5	0.0	0.5	0.0	0.3	0.3	8	2133
18-20 LST	0.0	3.2	0.5	0.3	0.5	1.6	0.8	0.0	1.2	1.1	0.7	0.4	0.9	8	2478
21-23 LST	0.7	1.7	1.3	1.0	0.0	1.0	0.6	0.0	0.6	1.1	0.3	0.6	0.7	7	1973
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	0.5	0.6	0.0	0.5	0.5	0.0	0.0	0.5	0.5	0.0	0.0	0.0	0.3	8	2454
03-05 LST	0.0	0.0	1.8	0.0	0.0	0.0	0.0	0.0	1.2	0.3	0.0	0.0	0.3	8	1940
06-08 LST	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.4	0.1	8	2424
09-11 LST	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2198
12-14 LST	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.1	8	2430
15-17 LST	0.0	0.8	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.1	8	2133
18-20 LST	0.0	1.1	0.0	0.0	0.0	1.0	0.5	0.0	0.5	0.0	0.0	0.0	0.3	8	2478
21-23 LST	0.0	1.3	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	7	1973

CHIULUNG, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	31.0	27.7	30.8	29.8	31.0	29.8	30.7	30.5	29.9	30.7	29.7	30.9	362.5	8	2424
	13 LST	30.8	27.8	31.0	29.8	31.0	30.0	31.0	31.0	29.7	31.0	30.0	31.0	364.1	8	2430
	19 LST	31.0	27.1	30.8	30.0	30.8	29.7	30.8	31.0	29.9	31.0	29.9	30.9	362.9	8	2478
	01 LST	30.5	27.8	30.8	29.7	30.8	30.0	30.8	30.7	29.6	30.6	29.9	31.0	362.2	8	2454
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	30.5	27.0	30.5	29.4	30.5	29.0	29.8	30.4	28.9	29.4	29.5	30.7	355.6	8	2420
	13 LST	19.0	18.0	21.3	19.7	19.7	15.4	16.7	19.3	16.7	20.4	18.9	19.7	224.8	8	2425
	19 LST	29.0	22.7	25.5	24.1	25.2	24.7	28.6	29.2	28.6	28.6	28.7	30.2	325.1	8	2474
	01 LST	29.9	27.4	30.5	29.2	30.0	29.1	30.0	30.0	28.9	29.5	29.7	30.6	354.8	8	2444
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.0	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	8	2436
	13 LST	0.3	0.5	0.8	0.5	0.5	0.3	0.8	0.4	0.1	0.4	0.3	0.1	5.0	8	2444
	19 LST	0.0	0.1	0.5	0.0	0.2	0.0	0.0	0.1	0.0	0.0	0.1	0.3	1.3	8	2499
	01 LST	0.0	0.0	0.0	0.2	0.0	0.0	0.3	0.0	0.0	0.3	0.0	0.0	0.8	8	2455
SFC WND 4-10 KTS AND THP 33-89 DEG F AND NO PRECIP.	07 LST	0.0	0.2	1.3	10.5	10.4	4.8	5.0	2.0	4.7	4.4	1.7	0.0	45.0	8	2419
	13 LST	20.3	14.9	18.0	15.0	13.0	8.1	9.7	9.4	10.1	15.6	19.8	21.9	175.8	8	2429
	19 LST	12.7	12.4	14.2	10.8	10.0	7.7	8.0	7.1	6.2	6.9	14.7	15.1	125.8	8	2474
	01 LST	1.0	3.6	15.7	19.0	10.6	4.1	2.7	4.4	4.0	4.9	5.1	0.7	75.8	8	2447
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	21.8	16.4	18.2	15.2	9.6	3.1	3.6	2.7	4.5	7.7	17.8	23.0	143.6	8	2441
	13 LST	19.9	11.6	9.3	6.7	3.9	2.5	3.7	3.3	5.3	7.8	19.5	22.6	116.1	8	2449
	19 LST	21.3	7.9	8.2	6.0	4.2	1.7	1.4	2.2	4.9	10.0	20.1	24.2	112.1	8	2503
	01 LST	22.8	14.6	20.8	17.2	8.7	1.7	1.6	2.8	3.1	6.9	18.5	22.9	141.6	8	2464
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	30.3	26.8	30.5	29.4	29.9	28.3	29.0	29.4	28.2	27.5	29.3	30.5	349.6	8	2424
	13 LST	30.8	27.8	31.0	29.8	30.9	30.0	30.8	31.0	29.7	30.9	29.9	30.9	363.5	8	2430
	19 LST	30.9	27.0	30.8	29.7	30.7	29.3	30.6	31.0	29.3	30.0	29.7	30.9	359.9	8	2478
	01 LST	30.3	27.5	30.4	29.5	30.5	29.3	30.1	29.9	29.0	28.9	29.2	30.6	355.2	8	2454
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	24.5	19.8	26.0	26.3	19.6	10.9	11.5	11.2	8.3	11.1	21.1	25.3	215.6	8	2424
	13 LST	26.0	19.7	20.1	19.3	15.6	12.2	17.0	16.2	15.8	17.9	24.0	27.5	231.3	8	2430
	19 LST	26.0	16.0	21.3	19.1	18.1	9.3	17.5	16.5	14.0	16.8	24.9	26.9	226.4	8	2471
	01 LST	25.8	18.9	25.8	22.8	16.5	6.5	9.6	10.0	8.1	10.0	20.3	25.2	199.5	8	2454
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	24.4	19.2	25.2	24.7	16.9	8.5	7.8	6.7	6.5	10.5	20.2	25.0	195.6	8	2424
	13 LST	25.0	17.1	15.0	14.8	10.9	9.3	10.9	10.5	11.1	14.7	23.3	26.9	189.5	8	2430
	19 LST	24.5	13.8	16.1	14.4	11.3	5.9	8.4	7.1	9.5	14.0	23.6	26.5	175.1	8	2478
	01 LST	25.3	18.1	24.5	20.9	12.2	3.7	3.7	6.0	5.0	9.0	19.9	24.4	172.7	8	2454

I-PIN/YEHPIN, CHINA

STA NO. 36492 (IN AREA NUMBER 06)

LATITUDE 2849N

LONGITUDE 10432E

ELEVATION(FT) 00938

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	64	72	88	95	93	97	100	99	97	88	77	68	100	8	2462
MEAN MAX TMP (F)	52	55	67	75	79	84	89	89	82	70	62	56	72	8	2462
MEAN MIN TMP (F)	40	44	53	59	64	69	73	72	67	60	53	45	58	8	2455
ABS MIN TMP (F)	27	32	41	41	52	61	64	63	54	46	39	34	27	8	2455
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	1.3	2.0	7.3	17.9	17.6	6.4	0.0	0.0	0.0	52.5	8	2462
MEAN NO DYS TMP = DR LES 32(F)	2.7	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.8	8	2455
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2455
MEAN DEW PT TMP (F)	39	43	50	57	62	69	74	73	67	59	52	45	58	8	17530
MEAN REL HUM (PCT)	78	80	75	75	77	79	82	82	81	86	85	84	80	8	17361
MEAN PRESS ALT (FT)	573	681	858	970	1048	1148	1272	1176	990	753	685	624	898	8	17688
MEAN PRECIP (IN)	0.60	1.31	1.84	2.83	4.45	8.29	8.70	8.91	4.58	4.17	1.82	0.82	48.3	15	-181
MEAN SNOW FALL (IN)		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		8	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	11.9	13.8	13.2	16.4	18.0	19.7	15.5	13.5	18.7	21.6	13.9	10.4	186.6	15	-181
MEAN NO DYS SNFL = DR GTR 1.5 IN		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		8	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	1.1	1.3	0.5	0.2	0.2	0.2	0.3	0.3	0.4	1.3	1.2	2.2	9.2	8	2449
MEAN NO DYS TSTMS	0.0	0.0	1.7	5.0	5.0	4.7	15.3	15.1	3.2	0.9	0.4	0.0	51.3	8	2454
P FREQ WND SPD = DR GTR 17 KTS	0.1	0.1	0.1	0.1	0.1	0.1	0.1	0.3	0.1	0.1	0.0	0.1	0.1	8	17781
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	17781
P FREQ LES 3000 FT A/D LES 3 MI	48.2	49.1	33.6	31.2	31.5	27.4	31.2	30.5	21.9	42.7	46.6	49.2	37.8	8	17684
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	8.0	18.3	9.6	8.0	8.0	8.0	1.5	5.4	10.3	17.2	17.4	11.4	10.3	8	2481
03-05 LST	10.7	17.9	8.1	8.3	9.6	8.4	3.0	6.6	12.0	21.9	15.6	11.1	11.1	8	2245
06-08 LST	22.0	25.4	15.2	11.5	12.7	11.6	11.5	10.9	16.7	24.2	21.9	24.3	17.3	8	2431
09-11 LST	19.6	20.1	11.5	7.1	6.4	7.2	5.5	6.8	11.3	15.5	15.4	19.8	12.2	8	2255
12-14 LST	9.6	11.1	9.1	3.9	5.2	5.2	5.6	4.3	6.9	11.1	12.8	8.5	7.8	8	2471
15-17 LST	5.3	11.2	6.7	4.8	3.1	3.8	3.0	3.8	5.2	7.5	6.7	6.0	5.6	8	2178
18-20 LST	11.7	10.7	7.9	8.2	5.5	4.0	2.7	4.1	5.3	9.7	11.6	9.7	7.6	8	2487
21-23 LST	10.3	13.8	10.6	10.0	8.3	5.2	2.1	4.0	8.3	13.7	12.7	10.0	9.1	7	2083
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.4	0.4	0.0	0.1	8	2481
03-05 LST	2.5	0.7	0.0	0.0	0.0	0.5	1.1	0.5	1.4	3.2	0.5	2.7	1.1	8	2245
06-08 LST	3.5	7.0	2.5	0.0	0.5	1.1	2.2	2.0	2.2	3.8	3.6	6.6	2.9	8	2431
09-11 LST	4.7	2.9	0.0	1.1	0.0	0.6	0.0	0.0	0.0	0.4	1.1	3.6	1.2	8	2255
12-14 LST	0.0	0.5	1.5	0.0	0.5	0.5	1.5	0.0	0.0	0.0	0.0	0.0	0.3	8	2471
15-17 LST	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.1	8	2178
18-20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2487
21-23 LST	0.0	0.7	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.5	0.0	0.2	7	2083

I-PIN/YEHPIN, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	26.0	22.9	27.9	28.5	28.7	27.8	29.0	29.5	27.3	26.0	26.2	25.0	324.8	8	2431
	13 LST	29.5	26.8	30.2	29.8	30.8	29.7	30.4	30.9	29.3	30.3	29.2	29.6	356.5	8	2471
	19 LST	29.6	26.8	30.4	29.2	30.2	29.8	31.0	30.8	29.7	30.3	29.1	29.9	356.8	8	2487
	01 LST	30.7	26.6	30.5	29.8	30.5	29.1	30.8	30.4	29.2	29.3	28.3	29.4	354.6	8	2481
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	22.3	18.9	24.5	24.4	25.5	24.8	25.5	25.8	22.3	21.2	20.8	21.9	277.9	8	2426
	13 LST	26.5	23.0	25.7	27.9	27.7	26.1	27.6	28.0	25.7	24.7	23.1	27.1	313.1	8	2465
	19 LST	25.0	23.4	25.9	25.3	27.7	27.2	28.9	28.2	26.8	25.7	23.9	26.0	314.0	8	2482
	01 LST	26.5	19.5	25.1	24.6	25.6	25.6	29.5	27.7	24.5	22.1	20.8	25.3	296.8	8	2480
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	8	2460
	13 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.1	0.2	8	2489
	19 LST	0.0	0.0	0.2	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	8	2500
	01 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2494
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	3.9	2.2	4.5	2.9	4.5	3.5	3.6	3.4	3.2	1.8	1.9	1.5	36.9	8	2445
	13 LST	10.3	10.3	16.1	15.2	12.0	9.8	7.9	7.7	10.3	9.9	10.5	12.1	132.1	8	2469
	19 LST	8.1	9.8	10.6	9.7	6.3	8.8	7.8	6.1	8.7	5.5	6.8	8.8	97.0	8	2485
	01 LST	2.2	1.7	4.5	4.0	3.0	2.6	3.2	3.0	2.0	1.8	1.9	3.1	33.0	8	2486
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	3.6	1.5	4.7	6.0	2.5	2.9	4.5	5.7	5.7	1.1	0.8	1.5	40.5	8	2461
	13 LST	6.7	3.8	7.8	6.9	2.6	4.1	4.1	7.0	7.3	1.6	3.1	4.0	59.0	8	2495
	19 LST	8.0	4.4	6.4	4.4	2.4	3.1	5.6	8.3	8.0	4.2	3.6	5.0	63.4	8	2506
	01 LST	4.3	2.0	4.2	3.1	1.9	4.1	9.4	8.1	6.7	2.3	1.7	3.2	51.0	8	2497
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	22.0	18.8	24.6	24.4	25.3	24.5	25.4	25.5	22.4	20.9	20.7	21.8	276.3	8	2431
	13 LST	25.9	21.8	25.2	26.7	26.4	25.9	27.0	27.5	25.2	23.5	22.1	25.9	303.1	8	2471
	19 LST	25.0	22.7	26.2	25.2	28.0	27.6	29.0	28.3	26.7	25.6	23.9	26.0	314.2	8	2487
	01 LST	26.4	19.3	25.4	25.3	26.2	25.8	29.9	28.1	24.3	22.1	21.5	25.6	299.9	8	2481
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	12.2	8.5	16.8	16.2	15.5	17.3	17.1	16.5	15.1	10.9	9.7	8.5	164.3	8	2431
	13 LST	19.0	14.1	19.1	19.2	18.8	20.2	20.7	22.0	18.8	14.9	13.5	17.0	217.3	8	2471
	19 LST	14.4	13.3	16.1	16.2	18.5	19.0	22.0	21.2	16.6	13.4	13.3	12.8	196.8	8	2487
	01 LST	11.7	9.5	12.0	11.4	10.5	13.9	17.0	17.1	13.0	8.9	7.0	9.6	141.6	8	2481
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	9.6	6.4	14.3	13.8	14.0	14.7	16.4	15.7	13.2	8.6	7.5	5.9	140.1	8	2431
	13 LST	15.7	12.2	17.5	16.9	17.3	19.1	20.5	21.4	17.6	11.6	11.5	14.8	196.1	8	2471
	19 LST	12.7	11.0	13.2	14.5	16.3	17.1	21.8	20.6	14.9	11.4	9.6	10.2	173.3	8	2487
	01 LST	10.1	7.8	10.4	10.1	9.1	13.0	16.8	16.7	12.4	7.2	5.3	7.9	126.8	8	2481

HSI-CHANG/HSICHA, CHINA

STA NO. 56571 (IN AREA NUMBER 06)

LATITUDE 2753N

LONGITUDE 10210E

ELEVATION(FT) 05246

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	75	77	86	95	97	97	91	93	91	84	77	73	97	8	2455
MEAN MAX TMP (F)	61	63	75	81	82	79	83	82	79	71	67	62	74	8	2455
MEAN MIN TMP (F)	39	42	50	57	61	64	67	65	62	55	47	41	54	8	2442
ABS MIN TMP (F)	25	27	34	37	45	54	52	57	50	41	32	30	25	8	2442
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	2.0	7.8	2.8	2.4	1.2	0.7	0.0	0.0	0.0	16.9	8	2455
MEAN NO DYS TMP = DR LES 32(F)	4.1	1.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	1.0	6.9	8	2442
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2442
MEAN DEW PT TMP (F)	28	32	34	41	50	59	64	63	58	52	42	35	47	8	17400
MEAN REL HUM (PCT)	49	51	40	42	52	72	74	73	70	72	61	58	60	8	17169
MEAN PRESS ALT (FT)	5103	5137	5212	5249	5293	5251	5294	5219	5190	5025	5057	5088	5172	8	12833
MEAN PRECIP (IN)	0.30	0.40	1.10	1.20	3.40	10.70	7.10	8.20	9.10	4.40	1.30	0.10	47.3	10	-180
MEAN SNOW FALL (IN)			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		8	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	2.7	3.1	4.7	5.1	10.6	19.0	12.8	13.7			4.4	1.6		10	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		8	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	0.0	0.2	0.0	0.2	0.0	0.2	0.0	0.0	0.1	0.1	0.0	0.0	0.8	8	2420
MEAN NO DYS TSTMS	0.2	1.4	2.9	7.5	9.3	13.0	15.6	15.1	8.2	3.9	2.2	0.6	79.9	8	2415
P FREQ WND SPD = DR GTR 17 KTS	0.4	0.2	0.2	0.5	0.3	0.1	0.1	0.0	0.1	0.1	0.0	0.1	0.2	8	17666
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	17666
P FREQ LES 5000 FT A/D LES 3 MI	10.6	12.3	4.3	5.4	7.8	18.4	16.5	15.0	17.6	25.1	8.3	7.9	12.4	8	17574
P FREQ LES 1900 FT A/D LES 3 MI															
FOR 00-02 LST	0.0	1.9	0.5	0.0	0.3	2.1	0.8	1.7	2.6	2.0	0.5	0.0	1.0	8	2480
03-05 LST	0.0	1.3	0.0	0.5	0.0	2.9	1.4	2.2	3.3	3.1	0.3	0.3	1.3	8	2231
06-08 LST	0.3	1.1	0.5	0.0	0.8	2.3	2.2	2.7	3.5	2.3	0.9	0.0	1.4	8	2416
09-11 LST	0.0	0.0	0.0	0.0	0.0	2.2	2.1	2.6	4.5	1.8	0.0	0.5	1.1	8	2268
12-14 LST	0.0	0.3	0.0	0.5	0.3	0.0	1.0	0.2	0.9	0.9	0.4	0.0	0.4	8	2456
15-17 LST	0.0	0.4	0.0	0.0	1.1	0.9	1.1	0.7	0.7	1.0	0.0	0.0	0.5	8	2174
18-20 LST	0.0	1.1	0.5	0.0	0.3	0.0	1.0	1.0	1.4	1.3	0.2	0.4	0.6	8	2506
21-23 LST	0.0	0.3	0.0	0.0	0.3	0.0	0.9	1.4	1.4	1.6	0.0	0.0	0.5	7	2073
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2480
03-05 LST	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2231
06-08 LST	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.1	8	2416
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	8	2268
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	8	2456
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2174
18-20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2506
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.1	7	2073

HSI-CHANG/HSICHA, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	31.0	27.8	30.9	30.0	31.0	29.7	30.7	30.5	29.3	30.7	29.7	31.0	362.3	8	2416
	13 LST	31.0	28.0	31.0	29.8	31.0	30.0	30.8	31.0	29.9	30.9	29.9	31.0	364.3	8	2456
	19 LST	31.0	27.7	30.8	30.0	31.0	30.0	30.7	31.0	29.7	30.9	30.0	30.9	363.7	8	2506
	01 LST	31.0	27.7	30.8	30.0	31.0	29.5	31.0	30.9	29.4	30.9	30.0	31.0	363.2	8	2480
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	30.1	26.9	29.8	29.0	29.4	28.8	30.0	29.8	28.2	29.4	29.4	30.9	351.9	8	2413
	13 LST	28.1	24.3	26.1	26.3	28.6	29.7	29.9	30.4	28.9	30.0	28.0	30.1	340.4	8	2451
	19 LST	26.6	24.3	24.0	24.3	25.5	28.2	29.9	30.3	28.8	29.0	28.3	28.7	327.9	8	2502
	01 LST	28.0	25.0	28.4	26.6	28.4	28.3	30.2	29.8	28.9	29.1	28.0	30.3	341.0	8	2476
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	8	2431
	13 LST	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	8	2477
	19 LST	0.2	0.0	0.0	0.1	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.6	8	2530
	01 LST	0.0	0.0	0.0	0.2	0.2	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.5	8	2490
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	6.4	3.4	6.7	3.9	3.8	1.5	1.3	0.3	1.5	0.8	3.1	2.2	34.9	8	2413
	13 LST	9.4	8.3	13.4	12.2	9.4	2.8	4.2	3.8	8.2	9.2	9.1	8.0	100.0	8	2454
	19 LST	11.4	11.3	14.7	14.7	11.6	5.3	4.6	5.2	6.3	5.6	7.2	11.0	108.9	8	2514
	01 LST	8.9	6.8	11.1	11.0	7.6	3.1	2.5	2.0	1.9	2.0	3.6	4.9	65.4	8	2477
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	18.4	15.5	19.7	16.0	9.3	3.0	2.8	4.2	5.7	4.8	17.0	19.0	135.4	8	2437
	13 LST	20.2	14.9	17.3	16.6	8.9	4.4	5.0	5.2	7.8	9.0	18.5	22.1	149.9	8	2480
	19 LST	21.1	13.7	14.7	8.9	6.0	1.6	2.6	3.9	6.5	9.5	17.0	22.7	128.2	8	2532
	01 LST	18.9	15.3	21.7	18.6	10.9	2.6	4.1	5.1	7.3	7.5	18.4	21.3	151.7	8	2496
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	30.8	27.4	30.9	30.0	30.3	28.3	29.4	29.1	27.9	28.8	29.5	30.9	353.3	8	2416
	13 LST	30.9	27.7	31.0	29.8	30.8	29.9	30.3	30.8	29.4	30.0	29.7	31.0	361.3	8	2456
	19 LST	31.0	27.6	30.8	30.0	30.7	29.7	30.5	30.2	29.4	29.8	29.7	30.8	360.2	8	2506
	01 LST	30.7	27.1	30.8	30.0	30.7	28.8	30.5	29.5	28.7	29.4	29.6	31.0	356.8	8	2480
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	22.1	19.4	26.7	25.9	23.6	15.9	15.2	17.2	15.7	12.7	21.6	23.0	239.0	8	2416
	13 LST	25.7	22.5	28.7	27.2	26.3	21.8	23.3	24.4	21.8	20.4	24.7	26.7	293.5	8	2456
	19 LST	24.6	19.1	25.2	22.6	20.2	13.5	15.4	18.3	17.1	17.1	22.7	25.3	241.1	8	2506
	01 LST	22.8	19.7	26.0	23.7	19.9	12.1	11.9	14.2	15.2	14.0	22.2	25.4	227.1	8	2480
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	21.0	18.8	26.1	25.6	21.7	12.8	13.9	15.7	14.6	11.1	20.3	22.1	223.7	8	2416
	13 LST	24.9	21.6	28.5	27.0	24.4	20.2	22.8	23.5	21.0	20.0	24.3	26.4	284.6	8	2456
	19 LST	24.3	17.3	22.8	20.5	15.5	9.5	13.7	15.4	15.3	16.2	21.0	24.7	216.2	8	2506
	01 LST	22.3	18.9	25.4	23.4	18.0	9.0	10.5	12.0	13.7	12.9	21.1	24.5	211.7	8	2480

CHAO-TUNG, CHINA

STA NO. 56586 (IN AREA NUMBER 06)

LATITUDE 2720N

LONGITUDE 10345E

ELEVATION(FT) 06430

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	72	70	82	90	91	91	88	86	88	81	75	73	91	8	2363
MEAN MAX TMP (F)	47	49	63	70	73	73	78	77	72	62	57	51	64	8	2363
MEAN MIN TMP (F)	28	31	40	47	52	58	61	59	54	47	39	32	46	8	2070
ABS MIN TMP (F)	16	16	23	30	41	46	52	50	41	32	27	18	16	8	2070
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.2	1.4	0.6	0.0	0.0	0.0	0.0	0.0	0.0	2.2	8	2363
MEAN NO DYS TMP = DR LES 32(F)	27.1	18.7	3.1	0.6	0.0	0.0	0.0	0.0	0.0	0.5	3.6	18.3	71.9	8	2070
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2070
MEAN DEW PT TMP (F)	25	29	34	42	49	55	60	59	53	47	38	31	44	8	14803
MEAN REL HUM (PCT)	72	74	61	64	69	76	77	77	76	81	76	76	73	8	14524
MEAN PRESS ALT (FT)	6195	6227	6297	6313	6337	6329	6374	6297	6199	6113	6149	6184	6251	8	10957
MEAN PRECIP (IN)	0.34	0.77	0.80	1.85	3.20	6.11	6.93	6.24	3.18	2.47	0.67	0.03	32.6	4	-181
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0	0.0				8	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	2.9	4.6	3.7	7.1	10.3	11.8	12.6	11.9	10.3	8.4	2.2	1.2	87.0	4	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0	0.0				8	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	1.3	0.9	0.3	0.2	0.0	0.4	0.5	1.1	1.5	0.8	2.0	2.1	11.1	8	2208
MEAN NO DYS TSMS	0.0	0.4	1.5	5.1	6.6	9.3	15.3	14.1	4.8	1.5	0.5	0.0	59.1	8	2215
P FREQ WND SPD = DR GTR 17 KTS	1.7	3.1	5.0	4.8	2.3	0.5	0.1	0.1	0.4	0.5	0.7	1.0	1.7	8	15021
P FREQ WND SPD = DR GTR 28 KTS	0.1	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	8	15021
P FREQ LES 5000 FT A/D LES 5 MI	53.7	63.2	39.8	43.6	51.9	56.1	45.2	48.0	51.8	67.4	54.9	57.5	52.8	8	15123
P FREQ LES 1900 FT A/D LES 3 MI															
FOR 00-02 LST	13.6	13.8	3.8	0.3	1.0	1.6	1.1	0.0	3.2	5.1	7.9	11.8	5.3	8	2380
03-05 LST	12.4	14.2	2.9	2.8	2.3	1.2	1.9	1.1	6.4	6.6	8.5	10.4	5.9	8	2204
06-08 LST	21.6	20.9	10.1	7.4	6.9	5.3	5.7	6.8	12.0	13.9	19.1	25.7	13.0	8	2138
09-11 LST	11.2	14.6	4.8	1.5	1.4	0.7	0.3	1.1	2.2	4.2	5.7	11.1	4.9	8	2220
12-14 LST	4.6	7.1	1.7	0.3	0.7	0.7	0.0	0.5	1.6	3.7	3.8	6.9	2.6	8	2085
15-17 LST	2.7	3.9	1.2	0.3	0.0	0.6	0.6	0.5	0.2	2.1	2.6	2.8	1.5	8	2133
18-20 LST	8.7	10.4	0.8	0.3	1.6	0.3	0.0	0.3	1.2	7.4	6.4	6.5	3.7	8	2408
21-23 LST	10.5	10.1	1.0	1.1	1.0	0.0	0.0	1.5	5.2	5.4	4.8	7.8	4.0	5	1225
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.0	0.2	8	2380
03-05 LST	0.6	1.3	0.0	0.0	0.6	0.6	1.1	0.0	1.5	0.9	3.7	1.7	1.0	8	2204
06-08 LST	3.9	3.8	1.8	0.6	0.0	1.3	3.8	4.3	6.4	3.1	6.8	8.8	3.7	8	2138
09-11 LST	0.6	1.2	0.5	0.0	0.0	0.0	0.0	0.5	0.0	0.0	1.1	3.7	0.6	8	2220
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2085
15-17 LST	0.0	0.8	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.1	8	2133
18-20 LST	0.5	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.4	0.2	8	2408
21-23 LST	0.9	2.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.3	5	1225

CHAO-TUNG, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	28.2	25.9	30.3	29.4	30.8	29.4	29.6	29.2	27.2	29.5	27.8	26.8	344.1	8	2138
	13 LST	31.0	27.5	30.8	30.0	31.0	30.0	31.0	30.8	30.0	31.0	30.0	30.8	363.9	8	2085
	19 LST	30.7	27.0	30.8	30.0	30.8	30.0	31.0	31.0	30.0	30.7	29.7	30.9	362.6	8	2408
	01 LST	29.7	27.0	30.7	30.0	31.0	29.7	30.8	31.0	29.5	30.9	29.7	29.9	359.9	8	2380
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	17.9	17.8	23.1	23.9	25.0	26.8	28.5	28.3	25.1	23.3	20.5	18.5	278.7	8	2134
	13 LST	21.1	18.5	19.1	19.1	20.4	24.8	25.5	26.1	25.0	23.9	23.4	23.4	270.3	8	2077
	19 LST	16.4	11.0	13.0	10.7	11.9	19.2	25.8	26.5	22.8	20.4	16.6	16.7	211.0	8	2398
	01 LST	18.2	16.7	20.3	22.9	25.1	26.8	29.6	29.7	27.3	25.9	21.1	20.8	284.4	8	2376
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.0	0.0	0.0	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	8	2156
	13 LST	1.8	1.3	2.5	2.4	0.4	0.0	0.0	0.0	0.0	0.3	0.2	0.5	9.4	8	2107
	19 LST	0.5	1.8	2.1	1.5	1.3	0.6	0.0	0.0	0.1	0.0	0.3	0.4	8.7	8	2430
	01 LST	0.0	0.0	0.3	0.2	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.2	0.9	8	2392
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	1.6	3.5	9.8	8.4	6.8	4.1	4.9	2.8	2.8	3.6	6.6	5.8	60.7	8	2137
	13 LST	9.4	10.2	13.4	16.2	17.6	13.7	14.1	15.1	15.1	13.0	14.8	12.4	165.0	8	2090
	19 LST	11.9	9.2	14.3	11.7	12.6	13.7	14.4	14.6	15.9	14.1	15.1	12.7	160.2	8	2413
	01 LST	4.3	6.7	10.5	11.0	10.9	7.1	6.0	3.6	4.6	8.9	12.1	8.4	94.1	8	2379
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	8.2	5.7	10.4	7.5	5.0	3.6	4.1	5.7	6.7	2.3	4.6	5.4	69.2	8	2155
	13 LST	13.9	8.3	14.2	11.1	4.0	2.2	1.5	3.3	5.6	4.0	10.8	13.3	92.2	8	2117
	19 LST	15.4	10.7	15.3	11.1	6.3	2.6	2.2	5.2	8.9	8.9	16.2	18.3	121.1	8	2433
	01 LST	9.7	7.2	14.2	10.2	5.9	4.8	6.9	7.2	8.1	3.7	8.7	10.1	96.7	8	2398
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	17.8	15.5	22.3	23.1	24.3	24.6	28.0	27.3	23.4	20.3	17.1	15.5	259.2	8	2138
	13 LST	25.1	21.6	28.4	28.8	28.9	27.7	30.3	29.6	26.8	25.2	24.7	23.9	321.0	8	2085
	19 LST	23.7	20.8	28.3	28.5	28.5	28.1	30.4	30.3	27.5	24.3	24.6	25.4	320.4	8	2408
	01 LST	19.9	17.3	25.0	25.7	26.0	26.0	29.8	29.9	26.3	23.5	21.3	20.5	291.2	8	2380
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	10.2	7.5	14.4	12.9	11.8	13.1	18.8	18.2	12.5	7.2	6.8	7.0	140.4	8	2138
	13 LST	17.0	12.1	20.6	19.6	15.6	12.5	14.7	11.9	13.0	10.6	16.1	15.7	179.4	8	2085
	19 LST	17.4	13.6	21.3	18.9	15.8	12.1	13.1	13.9	14.9	13.1	18.8	19.8	192.7	8	2408
	01 LST	11.6	8.8	16.3	13.5	8.7	9.4	13.3	13.6	12.1	7.2	11.0	11.6	137.1	8	2380
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	10.2	7.3	14.2	12.7	11.4	12.9	17.4	17.5	12.3	6.9	6.8	6.9	136.5	8	2138
	13 LST	16.8	12.1	20.6	19.6	15.4	12.5	14.7	11.8	12.9	10.4	16.1	15.7	178.6	8	2085
	19 LST	17.4	13.3	20.9	18.8	15.7	10.7	11.6	13.7	14.5	12.5	18.3	19.8	187.7	8	2408
	01 LST	11.5	8.8	16.3	13.5	8.5	8.9	13.3	13.4	12.1	7.2	11.0	11.6	136.1	8	2380

LI-CHIANG, CHINA

STA NO. 56651 (IN AREA NUMBER 06)

LATITUDE 2657N

LONGITUDE 10018E

ELEVATION(PT) 07926

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	64	66	75	82	86	84	88	81	81	75	73	70	80	8	2477
MEAN MAX TMP (F)	57	56	64	70	74	74	74	73	72	67	63	59	67	8	2477
MEAN MIN TMP (F)	31	34	40	47	52	57	59	57	54	48	37	31	46	8	2467
ABS MIN TMP (F)	19	21	27	34	41	45	50	41	41	30	27	21	19	8	2467
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2477
MEAN NO DYS TMP = DR LES 32(F)	18.4	9.6	4.1	0.0	0.0	0.0	0.0	0.0	0.0	0.1	6.4	20.2	58.8	8	2467
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2467
MEAN DEW PT TMP (F)	19	25	28	35	44	54	58	57	54	46	32	24	40	8	17557
MEAN REL HUM (PCT)	42	49	45	47	55	73	80	82	79	71	56	50	61	8	17331
MEAN PRESS ALT (FT)	7643	7670	7651	7652	7700	7724	7726	7662	7592	7535	7569	7603	7644	8	12673
MEAN PRECIP (IN)	0.33	0.16	0.41	0.62	2.49	5.73	10.76	9.88	7.33	2.43	0.16	0.01	40.3	6	-181
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0	0.0				8	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	2.8	1.9	2.1	3.0	8.8	11.4	15.1	14.7		8.2	0.7	1.1		6	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0	0.0				8	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	0.2	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.8	8	2450
MEAN NO DYS TSTMS	0.2	0.5	1.6	3.2	5.7	15.9	20.2	17.0	15.3	4.5	1.0	0.0	85.1	8	2451
P FREQ WND SPD = DR GTR 17 KTS	1.7	1.6	2.5	2.4	1.1	0.4	0.3	0.1	0.0	0.1	0.6	1.4	1.0	8	17888
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	17888
P FREQ LES 5000 FT A/D LES 5 MI	6.9	17.8	10.6	7.3	12.4	32.7	39.1	42.1	39.6	28.0	6.4	4.0	20.6	8	17815
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	0.3	0.0	0.5	0.0	0.5	0.8	2.1	1.0	0.0	0.5	0.0	0.2	0.5	8	2489
03-05 LST	0.0	1.0	1.1	0.0	1.9	1.1	2.6	1.0	0.0	1.6	0.3	0.0	0.9	8	2234
06-08 LST	1.2	1.9	0.0	0.0	2.1	1.7	2.2	3.0	1.6	0.9	0.2	0.4	1.3	8	2448
09-11 LST	0.3	0.0	0.0	0.6	1.6	0.6	0.6	0.8	1.0	0.9	0.0	0.5	0.6	8	2261
12-14 LST	0.3	0.6	0.0	1.0	0.5	0.6	0.5	0.5	0.7	0.7	0.0	0.0	0.5	8	2472
15-17 LST	0.4	0.7	0.0	0.0	1.0	0.0	1.4	0.5	0.0	0.5	0.0	0.6	0.4	8	2204
18-20 LST	0.5	0.5	0.5	0.0	1.0	0.0	0.5	0.7	0.4	0.4	0.2	0.0	0.4	8	2526
21-23 LST	0.6	0.7	0.0	0.0	0.0	0.0	0.3	0.8	0.0	0.5	0.0	0.0	0.2	7	2098
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.5	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.1	8	2489
03-05 LST	0.0	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.1	8	2234
06-08 LST	0.5	1.1	0.0	0.0	0.0	0.5	0.0	0.0	0.4	0.0	0.0	0.0	0.2	8	2448
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	8	2261
12-14 LST	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	8	2472
15-17 LST	0.0	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.1	8	2204
18-20 LST	0.0	0.5	0.5	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.1	8	2526
21-23 LST	0.0	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	7	2098

LI-CHIANG, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	30.7	27.6	31.0	30.0	30.5	29.8	31.0	30.7	29.9	31.0	30.0	30.9	363.1	8	2448
	13 LST	31.0	27.8	31.0	29.7	31.0	30.0	31.0	31.0	29.9	31.0	30.0	31.0	364.4	8	2472
	19 LST	31.0	27.9	30.8	30.0	30.0	30.0	31.0	30.9	29.9	31.0	30.0	31.0	364.3	8	2526
	01 LST	31.0	28.0	30.8	30.0	31.0	29.8	30.5	30.8	30.0	31.0	30.0	31.0	362.9	8	2489
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	22.4	20.2	20.4	19.5	23.2	28.7	28.6	29.5	28.9	29.1	26.4	24.4	301.3	8	2442
	13 LST	12.6	8.8	11.1	11.5	16.5	20.2	25.4	25.9	23.1	19.3	17.4	15.4	207.2	8	2469
	19 LST	19.6	16.2	13.8	13.7	18.8	26.2	29.1	29.5	28.1	28.3	25.2	23.0	271.5	8	2521
	01 LST	19.7	18.5	19.6	14.8	22.3	27.1	29.1	29.8	29.5	27.9	25.2	22.7	286.2	8	2484
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.0	0.0	0.5	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.8	1.7	8	2453
	13 LST	0.9	0.8	0.6	0.9	0.3	0.0	0.1	0.0	0.0	0.0	0.5	0.4	4.5	8	2495
	19 LST	0.6	0.1	0.5	0.3	0.1	0.0	0.3	0.0	0.0	0.1	0.1	0.1	2.2	8	2533
	01 LST	0.0	0.3	0.2	0.3	0.2	0.3	0.0	0.2	0.0	0.0	0.1	0.3	1.9	8	2499
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	10.5	12.8	16.4	17.6	16.6	11.5	9.2	7.2	8.8	13.7	15.6	8.7	148.6	8	2437
	13 LST	16.4	9.2	12.8	13.5	13.8	12.4	12.8	13.6	15.7	16.3	17.8	16.7	171.2	8	2483
	19 LST	19.4	16.9	15.7	16.0	16.0	10.3	12.2	14.9	14.5	17.9	21.4	23.5	198.7	8	2515
	01 LST	16.5	15.5	17.1	14.0	18.1	9.8	6.2	7.3	8.1	14.8	18.3	15.4	161.1	8	2488
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	23.4	15.1	19.4	13.2	9.5	3.6	1.0	2.5	4.3	10.7	22.1	24.5	149.3	8	2465
	13 LST	21.4	10.4	11.9	6.9	2.7	1.3	1.7	2.3	3.0	6.2	18.1	22.9	108.8	8	2504
	19 LST	22.9	12.3	15.7	9.8	6.2	1.5	1.1	2.9	6.2	10.5	21.4	25.2	135.7	8	2529
	01 LST	25.8	17.4	21.9	17.6	14.2	3.6	2.2	3.0	6.7	13.1	24.9	27.7	178.1	8	2508
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	30.5	27.2	30.7	29.9	30.0	28.1	28.7	28.7	28.3	29.3	29.7	30.8	351.9	8	2448
	13 LST	30.8	27.5	31.0	29.6	30.4	28.8	30.2	30.3	29.1	29.8	29.9	30.9	358.3	8	2472
	19 LST	30.7	27.3	30.7	29.9	30.4	29.0	30.4	29.9	29.3	29.8	29.8	31.0	358.2	8	2526
	01 LST	30.7	27.9	30.8	30.0	30.5	28.7	29.7	30.2	29.4	30.1	30.0	30.9	358.9	8	2499
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	26.6	19.9	25.9	24.1	23.4	15.9	9.6	11.9	14.0	18.9	26.3	27.3	243.8	8	2448
	13 LST	26.8	16.2	19.8	17.7	12.1	7.7	11.7	12.6	12.8	15.9	24.5	27.5	205.3	8	2472
	19 LST	26.6	19.2	23.3	20.6	19.6	12.2	11.8	13.4	14.5	18.6	25.2	28.0	233.0	8	2526
	01 LST	28.8	21.6	26.2	24.6	23.0	13.0	9.4	9.2	13.0	18.5	27.3	29.2	243.8	8	2489
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	26.3	19.3	25.1	23.5	21.1	15.2	9.1	10.8	13.1	18.6	26.0	27.3	235.4	8	2448
	13 LST	26.8	16.1	19.5	17.1	12.1	7.3	11.4	12.3	12.6	15.9	24.3	27.5	202.9	8	2472
	19 LST	25.8	17.8	22.0	19.0	16.3	10.7	10.1	13.1	13.8	18.0	24.8	27.8	219.2	8	2526
	01 LST	28.8	21.1	26.2	24.6	22.3	12.8	9.1	9.2	12.6	18.5	27.3	29.1	241.6	8	2489

HU²-LI/HWEILI, CHINA

STA NO. 56671 (IN AREA NUMBER 06)

LATITUDE 2690N

LONGITUDE 10213E

ELEVATION(FT) 06299

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
														(YRS)	OBS
ABS MAX TMP (F)	72	72	82	88	91	93	88	88	88	81	75	72	93	8	2454
MEAN MAX TMP (F)	61	63	72	78	81	79	80	79	77	70	66	62	72	8	2454
MEAN MIN TMP (F)	32	35	42	49	57	62	64	62	59	54	41	34	49	8	2381
ABS MIN TMP (F)	23	27	32	39	46	48	55	50	45	36	21	25	21	8	2381
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	2.0	1.3	0.0	0.0	0.0	0.0	0.0	0.0	3.3	8	2454
MEAN NO DYS TMP = DR LES 32(F)	20.1	9.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	15.4	46.4	8	2381
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2381
MEAN DEW PT TMP (F)	30	33	35	41	49	59	63	61	57	52	41	35	46	8	17223
MEAN REL HUM (PCT)	59	58	49	47	53	72	78	77	74	77	70	68	65	8	16972
MEAN PRESS ALT (FT)	5708	5747	5784	5816	5864	5858	5874	5804	5721	5630	5653	5676	5761	8	12244
MEAN PRECIP (IN)														0	0
MEAN SNOW FALL (IN)			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0				8	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN														0	0
MEAN NO DYS SNFL = DR GTR 1.5 IN			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0				8	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.4	8	2404
MEAN NO DYS TSTMS	0.3	0.2	3.4	4.8	4.3	16.0	18.3	17.8	9.5	4.4	1.1	0.4	80.5	8	2405
P FREQ WND SPD = DR GTR 17 KTS	0.1	0.1	0.1	0.7	0.1	0.1	0.1	0.0	0.1	0.0	0.0	0.0	0.1	8	17517
P FREQ WND SPD = DR GTR 28 KTS	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	17517
P FREQ LES 5000 FT A/D LES 5 MI	2.3	1.3	1.2	0.4	1.5	3.1	2.7	1.5	1.0	4.0	0.6	0.3	1.7	8	17268
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.0	1.1	0.5	0.3	0.0	0.5	0.4	0.0	0.0	0.2	8	2455
03-05 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.0	0.0	0.2	0.0	0.0	0.1	8	2243
06-08 LST	0.0	0.6	0.0	0.0	0.0	0.3	0.9	0.0	0.0	0.2	0.0	0.0	0.2	8	2367
09-11 LST	0.0	0.0	0.0	0.0	0.3	0.6	1.2	1.5	0.5	0.4	0.5	0.0	0.4	8	2285
12-14 LST	0.0	0.0	0.0	0.0	0.3	0.0	1.1	0.0	0.0	0.2	0.0	0.0	0.2	8	2390
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.5	0.3	0.3	0.5	0.7	0.6	0.0	0.2	8	2193
18-20 LST	0.0	0.5	0.0	0.0	0.0	0.8	0.0	0.0	0.3	0.0	0.0	0.0	0.1	8	2448
21-23 LST	0.0	0.0	0.0	0.0	0.3	0.0	0.9	0.0	0.0	0.0	0.0	0.5	0.1	7	2069
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	8	2455
03-05 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2243
06-08 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2367
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.5	0.0	0.1	8	2285
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2390
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	8	2193
18-20 LST	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2448
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	2069

HUI-LI/HWEILI, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	31.0	27.8	31.0	30.0	31.0	30.0	30.8	31.0	30.0	31.0	30.0	31.0	364.6	8	2367
	13 LST	31.0	28.0	31.0	30.0	30.8	30.0	30.8	31.0	30.0	31.0	30.0	31.0	364.6	8	2390
	19 LST	31.0	27.8	31.0	30.0	31.0	29.8	31.0	31.0	30.0	31.0	30.0	31.0	364.6	8	2448
	01 LST	31.0	28.0	31.0	30.0	30.8	29.8	31.0	31.0	29.9	30.9	30.0	31.0	364.4	8	2455
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	31.0	27.8	31.0	30.0	30.8	29.6	30.5	31.0	29.9	30.9	30.0	31.0	363.5	8	2363
	13 LST	23.5	19.4	21.5	20.5	24.4	29.3	30.3	30.2	29.1	29.7	26.9	28.1	312.9	8	2382
	19 LST	30.1	26.0	28.3	27.0	28.6	29.5	30.7	30.8	29.6	30.9	29.9	31.0	352.4	8	2444
	01 LST	30.8	27.5	30.1	29.5	30.2	29.5	30.7	30.8	29.9	30.9	29.9	30.9	360.7	8	2454
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.0	0.0	0.0	0.0	0.2	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.4	8	2384
	13 LST	0.3	0.0	0.2	1.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	1.7	8	2413
	19 LST	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	8	2491
	01 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2486
SFC WND 4-10 KTS AND TMP 33-89 DEC F AND NO PRECIP.	07 LST	2.0	2.8	2.5	3.5	4.0	1.0	0.5	0.6	0.6	1.1	0.7	0.5	19.8	8	2362
	13 LST	21.0	17.5	22.0	20.1	21.3	12.5	13.4	12.5	16.3	16.9	23.6	23.6	220.7	8	2395
	19 LST	13.5	9.7	13.6	14.2	14.9	7.5	5.3	4.4	7.7	8.6	13.9	13.8	127.1	8	2481
	01 LST	5.2	5.9	7.6	9.5	6.7	7.6	0.9	2.0	2.7	1.4	1.9	2.1	48.5	8	2473
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	19.5	16.0	19.8	17.1	12.6	2.3	1.6	3.0	5.5	3.8	18.1	19.7	139.2	8	2381
	13 LST	17.3	10.0	14.5	11.5	3.7	2.0	0.8	1.9	3.9	2.5	11.3	15.2	94.6	8	2420
	19 LST	23.7	14.4	17.5	12.4	9.2	4.2	2.5	5.3	9.1	12.2	21.1	23.5	155.1	8	2493
	01 LST	22.6	18.0	22.1	19.7	13.2	2.9	3.4	5.5	6.5	7.9	19.6	22.3	163.7	8	2483
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	30.9	27.8	31.0	30.0	30.9	29.7	30.7	31.0	30.0	30.8	30.0	31.0	363.8	8	2367
	13 LST	31.0	28.0	31.0	30.0	30.8	29.9	30.5	31.0	30.0	30.7	30.0	31.0	363.9	8	2390
	19 LST	31.0	27.8	30.9	30.0	31.0	29.6	30.9	31.0	29.8	30.9	30.0	31.0	363.9	8	2448
	01 LST	31.0	28.0	31.0	30.0	30.5	29.7	30.7	31.0	29.8	30.8	30.0	31.0	363.5	8	2455
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	23.9	20.9	26.8	26.2	22.4	9.7	7.8	10.9	12.3	8.9	22.7	22.8	215.3	8	2367
	13 LST	23.2	15.2	22.1	22.0	14.4	9.8	12.4	13.9	14.2	10.3	18.3	20.6	196.4	8	2390
	19 LST	27.1	19.7	25.0	22.5	20.8	15.5	14.0	18.5	18.8	18.4	24.7	25.9	250.9	8	2448
	01 LST	25.1	21.1	27.1	25.9	19.7	6.8	8.5	11.1	13.1	11.7	22.8	24.0	216.9	8	2455
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	23.8	20.9	26.8	26.2	22.4	9.7	7.5	10.8	12.3	8.9	22.7	22.8	214.8	8	2367
	13 LST	23.2	15.2	22.1	22.0	14.4	9.8	12.0	13.8	14.1	10.2	18.3	20.2	195.3	8	2390
	19 LST	27.1	19.7	24.6	22.3	20.5	15.5	13.8	18.5	18.8	18.4	24.7	25.9	249.8	8	2448
	01 LST	25.1	21.1	27.1	25.9	19.7	6.8	8.5	11.1	12.8	11.7	22.7	24.0	216.5	8	2455

TENG-CHUNG, CHINA

STA NO. 56739 (IN AREA NUMBER 06)

LATITUDE 2507N

LONGITUDE 09829E

ELEVATION(FT) 05340

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	66	72	79	84	82	82	84	84	84	81	73	68	84	6	715
MEAN MAX TMP (F)	63	64	73	75	75	73	75	76	77	72	68	64	71	6	715
MEAN MIN TMP (F)	32	35	41	49	55	63	64	63	62	53	40	35	49	6	649
ABS MIN TMP (F)	27	27	32	43	52	59	61	57	55	41	34	25	25	6	649
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	715
MEAN NO DYS TMP = DR LES 32(F)	21.5	9.3	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	11.7	43.2	6	649
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	649
MEAN DEW PT TMP (F)	33	35	39	48	55	63	64	63	62	55	43	37	50	5	5482
MEAN REL HUM (PCT)	68	64	61	68	78	88	89	87	84	84	73	72	77	5	5373
MEAN PRESS ALT (FT)	5163	5209	5217	5216	5296	5365	5370	5333	5271	5178	5142	5156	5243	4	3392
MEAN PRECIP (IN)	0.47	1.56	1.41	2.66	5.09	9.28	12.33	11.10	6.36	6.21	1.53	0.87	59.0	21	-181
MEAN SNOW FALL (IN)			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			6	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	3.4	7.0	5.8	9.2	12.9	14.4	15.4	15.2			5.5	4.9		21	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			6	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0	0.4	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.4	0.0	0.3	1.5	5	830
MEAN NO DYS TSTMS	0.4	3.1	4.2	13.3	6.9	10.2	6.4	14.9	18.5	7.3	3.2	0.6	89.0	5	832
P FREQ WND SPD = DR GTR 17 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.1	0.1	0.0	5	5590
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	5590
P FREQ LES 5000 FT A/D LES 5 MI	8.2	19.1	13.0	24.9	38.8	71.7	76.8	66.7	52.3	38.5	10.8	8.3	35.8	5	5544
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	2.0	3.5	0.0	0.0	0.0	1.8	8.2	8.4	1.3	8.8	1.0	0.0	2.9	6	983
03-05 LST	0.0	0.0	0.0	0.0	0.0	4.5	10.1	5.5	3.1	2.5	0.7	0.0	2.2	5	565
06-08 LST	2.3	2.7	0.0	3.6	3.7	13.6	17.0	12.2	6.0	6.1	2.4	0.5	5.8	5	922
09-11 LST	1.3	1.4	0.0	0.0	1.9	10.7	12.1	6.7	1.5	1.6	0.5	1.1	3.2	7	975
12-14 LST	0.6	0.7	0.0	1.4	2.6	9.8	7.6	4.3	0.0	1.2	0.0	0.5	2.4	6	976
15-17 LST	0.0	0.0	0.0	0.0	4.6	7.4	7.7	5.7	0.7	0.0	0.0	0.0	2.2	4	604
18-20 LST	1.3	0.9	0.0	0.0	1.4	2.4	2.4	4.1	0.6	2.0	0.4	0.0	1.3	7	1339
21-23 LST	0.0	0.0	0.0	0.0	0.0	1.8	5.3	4.0	0.9	2.6	0.5	0.0	1.3	5	1011
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.0	1.4	0.0	0.0	0.0	0.0	0.0	1.2	0.0	0.0	0.0	0.0	0.2	6	983
03-05 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	0.0	0.0	0.0	0.1	5	565
06-08 LST	1.2	2.7	0.0	1.4	0.0	0.0	0.0	1.3	1.2	2.4	0.0	0.0	0.9	5	922
09-11 LST	0.0	0.0	0.0	0.0	0.0	1.9	0.0	0.0	0.0	0.0	0.0	0.0	0.2	7	975
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	976
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	604
18-20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	1339
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	0.0	0.9	0.0	0.0	0.2	5	1011

TENG-CHUNG, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. QBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	30.3	27.2	31.0	29.1	31.0	30.0	30.5	29.8	28.9	29.9	29.4	31.0	358.1	5	922
	13 LST	31.0	28.0	31.0	30.0	30.5	30.0	31.0	31.0	30.0	31.0	30.0	31.0	364.5	6	976
	19 LST	30.7	27.7	31.0	30.0	30.7	30.0	31.0	31.0	30.0	30.8	30.0	31.0	363.9	7	1339
	01 LST	30.6	27.2	31.0	30.0	31.0	30.0	30.6	30.6	29.6	29.9	30.0	31.0	361.5	6	983
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	30.3	27.2	31.0	28.7	28.0	22.2	21.3	24.8	27.5	28.4	28.9	30.7	329.0	5	919
	13 LST	24.5	17.9	25.0	24.5	25.7	23.2	25.5	27.3	29.6	28.9	28.2	27.8	308.1	6	975
	19 LST	29.6	26.4	29.4	29.1	29.5	28.2	29.2	28.0	29.7	30.0	29.8	31.0	349.9	7	1325
	01 LST	30.2	26.8	31.0	30.0	31.0	29.0	26.5	26.3	29.6	26.7	29.4	31.0	347.5	6	953
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	933
	13 LST	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	987
	19 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	1351
	01 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	997
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	4.7	5.8	9.9	4.1	4.0	0.7	1.8	1.6	2.5	2.6	7.3	6.7	51.7	5	924
	13 LST	22.7	16.2	23.1	22.1	17.0	5.2	10.6	9.5	15.4	15.5	24.1	24.1	205.5	6	983
	19 LST	14.8	17.0	22.6	21.5	17.6	10.5	11.9	9.4	8.3	5.9	4.8	7.2	151.5	7	1330
	01 LST	9.0	10.0	9.2	9.7	7.2	3.6	5.9	4.0	2.9	1.8	4.9	6.3	74.5	6	991
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	23.1	17.4	22.1	12.2	5.3	1.3	0.0	1.1	2.5	8.1	21.5	22.1	136.7	5	935
	13 LST	20.0	8.8	14.7	5.5	2.5	2.3	0.4	0.7	1.1	6.6	16.9	21.0	100.5	6	989
	19 LST	22.6	15.4	18.5	14.9	7.3	3.4	1.1	4.3	7.0	13.0	23.2	24.7	155.4	7	1368
	01 LST	27.4	19.1	23.1	18.5	14.5	3.1	0.7	2.2	5.6	12.7	23.3	25.1	175.3	6	992
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	30.3	27.2	31.0	28.7	27.0	19.8	20.7	24.0	26.4	27.3	28.9	30.7	322.0	5	922
	13 LST	30.5	27.7	30.7	28.9	28.6	23.7	24.3	27.1	28.9	29.3	29.8	30.6	340.1	6	976
	19 LST	30.5	27.7	31.0	29.8	30.2	27.0	28.0	27.2	29.1	29.2	29.7	31.0	350.4	7	1339
	01 LST	30.2	26.7	31.0	29.8	30.8	27.3	24.6	24.7	28.4	26.0	29.2	31.0	339.7	6	983
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	26.3	22.6	26.3	21.9	14.0	5.9	4.2	7.8	9.3	16.4	26.6	27.2	208.5	5	922
	13 LST	25.2	17.5	24.6	16.2	14.4	8.5	7.3	11.3	13.3	18.1	23.8	26.9	207.1	6	976
	19 LST	28.6	21.5	26.0	24.6	19.1	9.2	11.9	13.5	18.2	20.9	26.2	29.0	248.7	7	1339
	01 LST	28.6	21.8	27.5	24.9	23.3	5.7	1.9	7.2	12.2	17.1	27.0	28.0	225.2	6	983
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	26.3	22.6	26.3	21.9	14.0	5.9	4.2	7.8	9.3	16.4	26.6	27.2	208.5	5	922
	13 LST	24.9	17.5	24.6	16.2	14.4	8.5	7.3	11.3	13.3	18.1	23.8	26.9	206.8	6	976
	19 LST	28.6	21.5	26.0	24.6	19.1	9.2	11.6	13.5	18.2	20.9	25.2	29.0	248.4	7	1339
	01 LST	28.2	21.8	27.5	24.5	23.3	5.7	1.9	7.2	12.2	17.1	27.0	28.0	224.4	6	983

PAO-SHAN, CHINA

STA NO. 56748 (IN AREA NUMBER 06) LATITUDE 2503N LONGITUDE 09909E ELEVATION(FT) 05554

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	68	68	81	84	86	90	86	84	84	82	73	70	90	8	2083
MEAN MAX TMP (F)	62	63	70	76	77	78	77	77	78	73	67	63	72	8	2083
MEAN MIN TMP (F)	35	39	43	49	58	64	65	64	60	55	43	37	51	8	2043
ABS MIN TMP (F)	28	30	34	34	46	59	61	59	52	41	36	28	28	8	2043
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.9	8	2083
MEAN NO DYS TMP = DR LES 32(F)	12.4	3.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.4	19.8	8	2043
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2043
MEAN DEW PT TMP (F)	36	38	41	47	55	62	64	63	60	55	44	39	50	8	12491
MEAN REL HUM (PCT)	65	66	61	60	68	75	82	83	79	79	72	71	72	8	12261
MEAN PRESS ALT (FT)	5244	5266	5286	5305	5364	5440	5439	5409	5344	5234	5204	5217	5313	7	8913
MEAN PRECIP (IN)	1.15	1.37	1.77	1.34	4.16	5.41	6.06	5.73	3.89	3.91	1.13	0.25	36.2	10	-181
MEAN SNOW FALL (IN)		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			8	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	5.8	6.5	6.9	5.6	11.8	11.0	11.7	11.4	11.3	11.4	3.8	2.4	99.6	10	-29
MEAN NO DYS SNPL = DR GTR 1.5 IN		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			8	-29
MEAN NO DYS W/OCCUR VSBY LES 1/2 MI	0.4	0.5	0.0	0.2	0.0	0.0	0.0	0.4	0.5	0.5	0.7	0.9	4.1	8	1842
MEAN NO DYS TSTMS	1.1	2.4	6.1	9.1	6.4	11.5	11.7	14.9	12.8	4.4	1.3	0.4	82.1	8	1843
P FREQ WND SPD = DR GTR 17 KTS	0.3	1.9	0.3	0.2	0.4	0.0	0.0	0.2	0.1	0.0	0.0	0.1	0.3	8	12762
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	8	12762
P FREQ LES 5000 FT A/O LES 3 MI	12.5	29.3	29.0	22.3	39.3	52.7	65.1	53.1	40.8	42.9	11.7	13.0	34.3	8	13407
P FREQ LES 1900 FT A/O LES 3 MI															
FOR 00-02 LST	0.0	0.4	1.0	0.0	0.9	2.0	1.1	1.9	0.0	0.5	0.0	0.5	0.7	8	2116
03-05 LST	1.2	0.0	0.7	0.4	1.8	3.0	2.9	2.8	0.3	2.6	1.3	0.7	1.5	8	1840
06-08 LST	2.0	2.3	1.3	2.4	2.4	2.6	3.7	4.3	3.1	4.2	4.4	6.6	3.3	8	2078
09-11 LST	1.7	1.4	1.9	0.7	2.1	3.0	4.1	3.5	0.6	2.9	0.9	0.0	1.9	8	1885
12-14 LST	0.6	1.0	2.1	1.0	1.9	2.2	1.7	3.3	0.5	1.5	0.0	0.0	1.3	8	2048
15-17 LST	0.8	0.0	2.8	1.5	1.3	2.5	2.1	2.6	0.0	2.9	0.0	0.0	1.4	8	1827
18-20 LST	0.3	0.4	2.3	0.0	0.9	0.9	1.2	1.1	0.3	1.0	0.0	0.0	0.7	8	2132
21-23 LST	0.5	1.0	1.4	1.0	0.5	0.5	1.4	1.8	1.0	1.0	0.0	0.0	0.8	5	1276
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.1	8	2116
03-05 LST	0.0	0.0	0.0	0.0	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.7	0.2	8	1840
06-08 LST	1.7	0.7	0.0	1.3	0.0	0.0	0.7	0.0	1.9	1.4	2.6	3.6	1.3	8	2078
09-11 LST	0.6	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	8	1885
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2048
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	0.0	0.0	0.0	0.1	8	1827
18-20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2132
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.0	0.0	0.0	0.0	0.1	5	1276

PAO-SHAN, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	30.5	27.4	30.6	29.4	31.0	30.0	30.8	31.0	29.1	30.1	28.9	28.9	357.7	8	2078
	13 LST	31.0	27.8	30.4	29.8	30.6	30.0	31.0	31.0	30.0	30.8	30.0	31.0	363.4	8	2048
	19 LST	31.0	28.0	30.4	30.0	30.8	30.0	31.0	31.0	30.0	31.0	30.0	31.0	364.2	8	2132
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	31.0	28.0	30.8	30.0	30.8	29.8	31.0	31.0	30.0	31.0	30.0	30.8	364.2	8	2116
	07 LST	29.4	26.3	30.0	28.6	29.6	28.5	28.6	28.3	28.8	29.2	28.4	28.9	344.6	8	2076
	13 LST	17.0	12.6	15.5	14.2	20.7	25.0	27.4	27.6	27.8	26.0	18.8	21.8	254.4	8	2046
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	26.1	23.1	22.7	23.8	27.7	27.7	29.2	29.7	29.7	29.3	28.1	29.9	327.0	8	2128
	01 LST	30.3	25.7	30.2	29.4	30.3	28.0	29.8	29.9	29.9	30.4	29.5	30.5	353.9	8	2113
	07 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2105
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	13 LST	0.6	1.9	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	2.9	8	2071
	19 LST	0.0	0.2	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	8	2162
	01 LST	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	8	2125
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	4.8	3.7	2.6	2.6	3.0	3.2	2.5	1.8	1.1	1.1	1.4	0.8	28.6	8	2388
	13 LST	17.3	12.5	18.4	17.4	16.9	12.2	8.3	7.2	11.1	15.6	18.7	18.0	173.6	8	2056
	19 LST	18.9	16.1	19.7	19.8	18.9	12.1	10.2	5.9	6.2	8.3	13.9	14.7	164.7	8	2144
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	6.6	5.0	3.1	4.1	6.1	5.9	3.5	2.0	4.6	3.1	3.7	5.5	53.2	8	2112
	07 LST	22.5	14.7	17.1	13.6	8.6	3.0	0.6	0.8	4.8	7.1	18.7	19.5	131.0	8	2090
	13 LST	18.8	8.9	12.9	6.1	3.2	0.2	0.2	1.3	2.4	4.6	15.8	19.1	93.5	8	2078
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	21.1	13.2	15.6	14.3	7.0	2.4	1.2	2.9	6.8	11.9	22.5	25.3	144.2	8	2160
	01 LST	24.1	17.8	22.0	21.9	14.5	5.5	3.3	4.8	9.5	13.9	23.7	25.3	186.3	8	2129
	07 LST	29.5	25.6	29.5	28.2	27.2	25.3	24.4	25.8	26.8	26.7	28.3	28.4	325.7	8	2078
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	13 LST	29.1	24.3	27.5	26.6	25.1	22.8	24.3	22.4	24.0	25.2	28.2	29.4	308.9	8	2048
	19 LST	30.3	25.9	28.7	29.3	28.4	25.3	26.0	26.4	27.3	27.5	29.3	30.6	335.0	8	2132
	01 LST	30.3	26.4	29.5	29.7	29.1	25.1	25.5	26.9	28.0	28.2	29.5	30.4	338.6	8	2116
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	26.4	18.4	23.6	23.6	19.2	10.7	7.1	10.5	13.7	15.1	23.9	23.4	215.6	8	2078
	13 LST	24.7	15.2	19.0	17.3	12.1	7.7	9.5	8.9	11.5	13.8	21.5	24.9	186.1	8	2048
	19 LST	27.6	18.7	21.3	23.3	17.9	12.4	13.9	15.3	18.7	19.6	25.3	28.6	242.6	8	2132
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	27.7	21.6	25.9	26.6	22.4	11.6	9.4	13.9	17.1	18.4	26.9	28.0	249.5	8	2116
	07 LST	26.2	18.2	23.6	23.0	17.5	10.2	5.9	9.8	13.0	15.1	23.8	23.4	209.7	8	2078
	13 LST	24.5	15.0	19.0	16.9	11.7	7.3	9.1	8.7	11.4	13.5	21.1	24.7	182.9	8	2048
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	27.6	18.3	21.3	23.1	17.4	12.4	13.7	15.3	18.4	19.4	25.1	28.6	240.6	8	2132
	01 LST	27.7	21.6	25.9	26.4	22.4	11.2	8.0	12.6	16.3	18.4	26.7	28.0	245.2	8	2116

TA-LI, CHINA

STA NO. 56751 (IN AREA NUMBER 06)

LATITUDE 2543N

LONGITUDE 1001E

ELEVATION(FT) 06430

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	72	68	77	86	88	90	86	82	86	77	73	72	90	8	2404
MEAN MAX TMP (F)	60	60	67	74	76	77	77	75	75	69	65	61	70	8	2404
MEAN MIN TMP (F)	37	40	44	50	55	61	63	62	58	53	43	38	50	8	2094
ABS MIN TMP (F)	28	28	32	37	45	50	55	54	46	39	34	28	28	8	2094
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.5	8	2404
MEAN NO DYS TMP = OR LES 32(F)	5.8	1.9	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	10.4	8	2094
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2094
MEAN DEW PT TMP (F)	29	31	35	41	49	59	62	61	58	52	40	34	46	8	15317
MEAN REL HUM (PCT)	51	51	48	49	59	74	80	82	79	77	64	60	65	8	15102
MEAN PRESS ALT (FT)	6325	6351	6359	6385	6434	6456	6464	6417	6344	6258	6270	6296	6363	8	11358
MEAN PRECIP (IN)	1.25	1.94	3.51	1.56	3.94	8.87	10.38	9.49	7.30	4.82	1.15	0.31	54.5	10	-181
MEAN SNOW FALL (IN)			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			8	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	2.9	5.8	10.0	9.6	11.4	19.4	21.5	21.3	17.8	13.6	5.0	1.7	140.0	10	-181
MEAN NO DYS SNFL = OR GTR 1.5 IN			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0				8	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	0.0	0.0	0.5	0.3	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	8	2253
MEAN NO DYS TSTMS	0.4	0.5	4.4	4.0	4.1	12.1	15.1	14.8	11.0	4.1	0.6	0.7	71.8	8	2253
P FREQ WND SPD = OR GTR 17 KTS	4.3	4.4	4.6	3.0	1.0	0.2	0.2	0.1	0.0	0.3	1.0	1.7	1.7	8	15570
P FREQ WND SPD = OR GTR 28 KTS	1.3	0.8	1.1	0.6	0.1	0.0	0.0	0.0	0.0	0.0	0.2	0.3		8	15570
P FREQ LES 5000 FT A/D LES 5 MI	4.0	5.9	9.6	8.8	14.6	19.4	15.3	16.9	12.1	12.2	3.3	0.5	10.2	8	15568
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	0.3	0.0	2.5	2.1	2.5	0.5	0.0	0.5	0.0	0.5	0.0	0.0	0.7	8	2424
03-05 LST	0.3	0.7	2.9	2.6	1.6	0.8	0.0	0.5	1.2	0.0	0.0	0.0	0.9	8	2208
06-08 LST	0.0	0.0	2.3	1.8	2.4	1.3	1.2	1.1	0.0	0.9	0.3	0.0	0.9	8	2167
09-11 LST	0.0	0.0	2.7	2.2	2.7	1.3	0.3	0.8	1.0	1.2	0.0	0.0	1.0	8	2242
12-14 LST	0.0	0.6	2.2	2.6	4.3	0.3	0.6	0.5	0.3	0.5	0.0	0.0	1.0	8	2107
15-17 LST	1.4	0.0	2.8	1.1	2.6	0.6	0.0	1.0	0.0	0.7	0.0	0.0	0.9	8	2223
18-20 LST	0.8	0.3	3.0	1.6	2.7	0.8	0.5	1.0	0.5	0.9	0.4	0.0	1.0	8	2437
21-23 LST	0.5	0.0	6.5	2.8	1.9	0.0	0.0	0.5	0.0	0.5	0.0	0.0	1.1	6	1294
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.0	0.0	1.0	1.0	1.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.3	8	2424
03-05 LST	0.0	0.0	1.1	1.6	0.5	0.0	0.0	0.5	0.5	0.0	0.0	0.0	0.4	8	2208
06-08 LST	0.0	0.0	1.2	1.2	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	8	2167
09-11 LST	0.0	0.0	1.6	1.6	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	8	2242
12-14 LST	0.0	0.0	1.1	0.7	2.0	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.4	8	2107
15-17 LST	0.0	0.0	1.1	0.6	0.5	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.2	8	2223
18-20 LST	0.0	0.0	1.3	1.1	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	8	2437
21-23 LST	0.0	0.0	2.8	1.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	6	1294

TA-LI, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	31.0	28.0	30.3	29.4	30.5	29.6	30.6	30.8	30.0	31.0	30.0	31.0	302.2	8	2167
	13 LST	31.0	27.8	30.3	29.2	29.8	30.0	30.8	30.8	30.0	31.0	30.0	31.0	361.7	8	2107
	19 LST	30.8	28.0	30.1	29.5	30.2	29.8	30.8	30.7	30.0	30.9	29.9	31.0	361.7	8	2437
	01 LST	31.0	28.0	30.2	29.4	30.2	29.8	31.0	30.8	30.0	31.0	30.0	31.0	362.4	8	2424
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	26.3	24.4	25.1	26.9	29.7	28.4	29.7	30.2	29.7	30.0	28.4	28.1	336.9	8	2159
	13 LST	24.8	20.5	22.9	22.3	23.8	28.6	30.2	30.4	29.1	29.3	27.4	26.7	316.0	8	2099
	19 LST	21.2	18.1	18.2	19.7	23.5	28.1	29.7	30.4	29.6	28.7	24.8	23.7	295.7	8	2429
	01 LST	24.7	19.6	24.6	26.1	28.2	29.1	30.1	30.5	30.0	30.0	28.4	27.6	328.9	8	2421
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.7	0.0	0.7	0.7	0.0	0.0	0.2	0.0	0.0	0.0	0.3	0.3	2.9	8	2191
	13 LST	1.1	1.8	0.8	1.0	0.0	0.0	0.2	0.0	0.0	0.2	0.3	1.3	6.7	8	2123
	19 LST	1.8	0.8	1.7	1.4	0.6	0.0	0.0	0.0	0.0	0.1	0.4	1.0	7.8	8	2454
	01 LST	0.8	1.0	0.6	0.5	0.3	0.0	0.0	0.0	0.0	0.1	0.1	0.3	3.7	8	2437
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	10.6	8.8	8.3	10.7	10.5	7.0	4.9	3.5	2.9	3.8	4.4	7.6	83.0	8	2178
	13 LST	15.3	13.1	16.4	17.3	17.1	13.9	7.3	7.9	11.4	12.9	15.2	13.9	161.7	8	2111
	19 LST	12.9	12.1	14.6	15.2	14.1	7.1	4.7	4.0	4.0	4.6	9.0	11.5	113.8	8	2440
	01 LST	11.3	9.2	12.9	10.2	9.0	7.5	4.1	3.3	4.4	5.7	8.6	10.8	97.0	8	2424
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	25.1	15.7	17.7	11.9	9.3	5.2	2.3	1.9	7.9	9.6	21.5	25.9	154.0	8	2191
	13 LST	23.2	10.2	13.6	8.0	4.3	3.6	2.4	2.3	5.5	5.8	18.7	23.1	120.7	8	2127
	19 LST	23.1	12.3	13.7	11.3	8.3	4.0	3.4	4.5	9.7	11.4	22.8	26.7	151.2	8	2456
	01 LST	25.2	19.4	21.0	20.4	13.8	7.3	4.8	6.8	11.5	12.6	24.3	27.1	194.2	8	2441
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	30.7	27.9	30.3	29.4	29.7	29.0	30.4	30.0	29.4	29.7	29.7	30.9	357.1	8	2167
	13 LST	30.9	27.7	30.3	29.2	29.2	28.9	30.5	30.5	29.4	30.2	29.9	30.9	397.6	8	2107
	19 LST	30.5	27.8	29.9	29.5	29.8	29.1	30.5	30.5	29.3	30.3	29.8	31.0	358.0	8	2437
	01 LST	30.7	27.9	30.2	29.4	29.8	29.2	30.7	30.6	29.9	30.3	30.0	31.0	359.7	8	2424
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	28.0	19.3	25.6	22.5	20.3	17.2	12.3	11.4	16.3	16.9	25.9	27.9	243.6	8	2167
	13 LST	27.0	16.5	20.3	15.1	13.1	13.4	15.8	15.8	17.1	16.9	23.4	27.2	223.6	8	2107
	19 LST	26.8	17.4	19.6	20.0	17.7	16.2	16.0	17.8	20.0	19.2	25.8	29.3	245.8	8	2437
	01 LST	28.3	22.1	25.1	24.7	20.3	14.8	13.8	15.0	18.3	18.8	27.2	29.1	257.5	8	2424
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	27.8	19.3	25.6	22.3	19.9	17.0	11.7	11.3	16.3	16.8	25.7	27.9	241.6	8	2167
	13 LST	27.0	16.5	20.3	15.1	13.1	13.4	15.8	15.8	17.1	16.9	23.2	27.2	223.4	8	2107
	19 LST	26.8	17.4	19.6	20.0	17.7	16.1	15.8	17.2	19.8	19.2	25.8	29.3	244.7	8	2437
	01 LST	28.3	22.1	25.0	24.7	20.1	14.5	13.5	14.1	18.1	18.5	27.1	29.1	255.1	8	2424

YUAN-MOU/YUANMAO, CHINA

STA NO. 56763 (IN AREA NUMBER 06)

LATITUDE 2540N

LONGITUDE 10139E

ELEVATION(FT) 05000

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	95	86	102	104	104	104	104	104	99	93	88	90	104	8	1850
MEAN MAX TMP (F)	75	75	85	91	93	90	90	88	87	82	79	75	84	8	1850
MEAN MIN TMP (F)	47	51	59	67	71	73	73	71	68	63	53	47	62	8	1794
ABS MIN TMP (F)	34	32	43	55	54	59	63	63	55	48	37	36	32	8	1794
MEAN NO DYS TMP = DR GTR 90(F)	0.2	0.0	7.4	23.0	24.4	19.0	19.3	14.2	14.1	6.5	0.0	0.2	128.3	8	1850
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	8	1794
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	1794
MEAN DEW PT TMP (F)	33	35	36	42	52	62	65	66	61	57	45	39	49	8	11025
MEAN REL HUM (PCT)	38	40	30	30	42	56	63	67	63	63	49	46	49	8	10776
MEAN PRESS ALT (FT)	5000	5066	5170	5276	5331	5382	5373	5315	5186	5042	5013	4970	5177	6	11021
MEAN PRECIP (IN)														0	0
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN														0	0
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.2	8	1670
MEAN NO DYS TSTMS	0.0	1.3	1.5	2.1	4.7	15.9	17.1	20.5	12.7	4.1	0.0	0.2	80.1	8	1670
P FREQ WND SPD = DR GTR 17 KTS	2.3	2.8	2.8	2.9	2.2	0.9	0.7	0.1	0.4	0.2	1.0	0.5	1.4	8	11300
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.2	0.0	0.2	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.1	8	11300
P FREQ LES 5000 FT A/D LES 5 MI	13.7	25.4	17.6	20.4	31.3	52.9	53.2	49.8	41.7	42.4	11.1	14.4	31.2	8	11825
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	0.7	0.8	0.4	0.0	0.6	0.6	0.7	0.0	0.0	0.0	0.0	0.0	0.3	8	1874
03-05 LST	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.3	1.6	0.0	0.0	0.2	8	1635
06-08 LST	0.0	0.0	0.0	0.0	1.0	0.0	0.4	0.3	0.5	0.5	0.0	0.0	0.2	8	1833
09-11 LST	0.0	0.0	0.0	0.0	0.3	0.7	0.4	0.0	0.7	0.7	0.0	0.0	0.2	8	1722
12-14 LST	0.0	0.0	0.0	0.0	0.7	0.0	0.4	0.6	0.0	1.4	0.0	0.0	0.3	8	1799
15-17 LST	0.0	0.0	0.7	0.0	0.9	0.0	0.4	0.0	0.0	1.9	0.0	0.0	0.3	8	1669
18-20 LST	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.3	0.5	0.0	0.1	8	1933
21-23 LST	0.0	0.0	0.5	0.0	0.0	0.9	1.0	0.0	1.3	0.6	0.0	0.0	0.4	6	1097
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.1	8	1874
03-05 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.1	8	1635
06-08 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	8	1833
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.1	8	1722
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	1799
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.1	8	1669
18-20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	1933
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.1	6	1097

YUAN-MOU/YUANMAO, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	31.0	28.0	31.0	30.0	30.8	30.0	31.0	31.0	29.8	31.0	30.0	31.0	304.6	8	1833
	13 LST	31.0	28.0	31.0	30.0	30.8	30.0	31.0	30.8	30.0	30.8	30.0	31.0	364.4	8	1799
	19 LST	31.0	28.0	31.0	30.0	31.0	29.8	31.0	31.0	30.0	31.0	29.8	31.0	364.6	8	1933
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	30.1	26.5	29.7	29.2	27.1	29.7	30.3	30.6	29.7	30.4	29.8	30.8	353.9	8	1827
	13 LST	21.5	17.2	18.1	15.4	20.3	25.8	25.0	28.5	28.4	24.5	22.7	25.6	273.0	8	1791
	19 LST	21.6	19.1	19.3	11.7	14.3	22.0	23.7	27.7	28.5	26.6	25.5	24.5	264.5	8	1925
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	27.1	24.2	29.0	27.3	26.2	26.5	28.3	31.0	29.6	30.8	30.0	29.8	339.8	8	1873
	13 LST	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.0	0.6	8	1863
	19 LST	1.9	2.3	1.9	1.6	0.9	0.0	0.2	0.0	0.6	0.2	0.0	0.6	10.2	8	1825
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	19 LST	0.6	0.7	0.8	1.2	0.7	0.2	0.2	0.0	0.0	0.0	0.2	0.2	4.8	8	1957
	01 LST	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	8	1899
	07 LST	13.3	13.3	18.6	16.8	18.3	13.2	7.3	4.3	4.8	8.5	5.6	7.3	131.3	8	1840
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	13 LST	17.4	13.7	17.1	9.4	3.9	4.4	3.8	7.8	8.7	12.1	18.0	14.6	130.9	8	1808
	19 LST	21.2	16.2	20.5	12.7	5.8	6.3	7.8	7.6	13.3	14.7	19.3	18.4	163.8	8	1932
	01 LST	18.0	15.3	19.8	22.6	22.7	13.2	11.4	6.1	8.7	11.7	16.3	16.4	184.2	8	1877
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	22.0	17.1	19.8	15.0	9.7	2.3	2.8	2.6	7.2	5.7	19.7	20.7	144.6	8	1869
	13 LST	19.3	12.0	14.1	9.7	5.0	1.7	2.9	3.1	6.6	5.0	16.3	20.5	116.2	8	1830
	19 LST	24.4	15.9	19.5	14.9	8.1	2.4	2.8	3.4	9.5	12.4	21.1	24.0	158.4	8	1959
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	01 LST	23.5	18.6	23.3	22.0	15.0	4.8	3.1	4.6	9.4	10.2	22.2	23.7	180.4	8	1901
	07 LST	30.9	27.8	30.8	29.9	30.3	28.9	29.2	29.9	29.2	30.3	29.8	31.0	358.0	8	1833
	13 LST	30.2	26.0	29.3	27.2	27.9	26.4	27.7	27.8	27.6	27.9	29.6	30.8	338.4	8	1799
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	30.8	27.4	30.6	29.7	30.3	26.4	29.5	28.8	29.0	30.2	29.8	30.9	353.4	8	1933
	01 LST	30.7	27.6	30.6	29.8	30.4	27.9	29.3	29.6	29.3	30.7	30.0	30.9	356.8	8	1874
	07 LST	26.1	20.3	26.5	25.2	20.8	11.8	10.9	11.6	14.0	13.3	23.9	24.3	228.7	8	1833
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	13 LST	24.2	16.1	21.7	17.5	14.6	15.0	16.0	18.5	18.0	16.6	23.6	25.3	227.1	8	1799
	19 LST	27.2	20.8	25.4	24.0	18.4	12.7	16.5	15.3	19.0	20.2	25.2	26.1	250.8	8	1933
	01 LST	26.4	21.0	27.2	27.5	21.2	13.6	11.5	13.1	15.9	17.8	26.0	26.8	248.0	8	1874
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	26.1	20.1	26.5	25.2	20.8	11.8	10.9	11.6	14.0	13.3	23.9	24.3	228.5	8	1833
	13 LST	24.2	16.1	21.7	17.5	14.6	15.0	16.0	18.5	18.0	16.6	23.6	25.3	227.1	8	1799
	19 LST	27.2	20.8	25.4	24.0	18.4	12.7	16.5	15.3	19.0	20.1	25.2	26.1	250.7	8	1933
	01 LST	26.4	21.0	27.2	27.5	21.2	13.6	11.5	13.1	15.5	17.8	26.0	26.6	247.4	8	1874

KUN-MING, CHINA

STA NO. 56778 (IN AREA NUMBER 06)

LATITUDE 2502N LONGITUDE 10243E ELEVATION(FT) 06211

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	72	70	79	86	90	88	82	82	82	79	73	70	90	8	2483
MEAN MAX TMP (F)	58	61	70	76	79	75	76	75	74	68	63	60	70	8	2483
MEAN MIN TMP (F)	35	37	42	49	56	62	63	61	57	52	43	37	50	8	2432
ABS MIN TMP (F)	23	25	30	37	43	50	54	50	43	36	34	27	23	8	2432
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	8	2483
MEAN NO DYS TMP = DR LES 32(F)	9.5	9.3	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2432
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	20.0	8	2432
MEAN DEW PT TMP (F)	34	36	38	43	51	60	62	61	57	52	43	37	48	8	17583
MEAN REL HUM (PCT)	68	65	56	54	59	77	82	83	79	81	71	70	70	8	17358
MEAN PRESS ALT (FT)	5975	6014	6042	6061	6118	6127	6147	6085	6002	5910	5927	5959	6031	8	12484
MEAN PRECIP (IN)	0.39	0.58	0.66	0.78	3.84	6.67	8.78	8.76	5.16	3.03	1.84	0.41	40.9	31	-181
MEAN SNOW FALL (IN)			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		8	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	3.1	3.9	3.1	3.6	11.4	12.4	14.1	14.1		9.9	6.3	3.2		31	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		8	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		8	-29
MEAN NO DYS TSTMS	0.7	0.9	4.4	3.9	3.3	12.8	16.7	15.3	8.5	4.2	0.9	0.3	71.5	8	2447
P FREQ WND SPD = DR GTR 17 KTS	0.8	0.9	0.2	0.6	0.1	0.0	0.1	0.0	0.0	0.0	0.1	0.1	0.3	8	2446
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	17842
P FREQ LES 5000 FT A/D LES 5 MI	35.8	38.8	20.7	23.4	36.9	69.6	72.0	66.8	53.7	65.4	28.3	29.1	49.0	8	17842
P FREQ LES 1900 FT A/D LES 3 MI														8	17727
FOR 00-02 LST	2.5	3.1	0.5	0.5	1.0	0.5	1.2	1.0	0.2	3.0	2.0	0.9	1.4	8	2506
03-05 LST	3.3	3.0	0.0	1.6	1.1	1.9	1.9	1.6	2.0	4.0	0.0	0.3	1.7	8	2275
06-08 LST	3.7	3.4	0.8	0.5	2.1	2.9	2.4	2.7	1.7	6.5	2.7	2.5	2.7	8	2385
09-11 LST	4.1	2.1	0.0	0.0	1.1	2.8	2.1	0.8	1.2	3.3	0.3	1.6	1.8	8	2266
12-14 LST	1.6	2.3	0.0	0.0	0.6	1.8	0.6	1.5	0.9	1.5	1.2	1.1	1.1	8	2435
15-17 LST	1.7	1.8	0.0	0.3	1.4	1.7	0.3	1.0	0.5	1.9	0.0	0.0	0.9	8	2210
18-20 LST	1.3	1.7	0.0	0.5	0.8	1.6	0.3	1.0	0.5	2.0	0.7	0.5	0.9	8	2502
21-23 LST	1.8	3.8	0.0	0.0	0.3	0.7	0.6	0.0	1.4	1.8	0.0	0.0	0.9	7	2100
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2506
03-05 LST	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.1	8	2275
06-08 LST	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.4	0.4	0.9	0.3	8	2385
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.0	1.0	0.2	8	2266
12-14 LST	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.1	8	2435
15-17 LST	0.0	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	8	2210
18-20 LST	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.3	0.0	0.0	0.0	0.0	0.1	8	2502
21-23 LST	0.0	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.1	7	2100

KUN-MING, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NU. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	30.7	27.8	30.8	29.8	30.8	30.0	30.8	30.8	29.9	30.2	29.9	30.6	362.1	8	2385
	13 LST	31.0	27.7	31.0	30.0	31.0	29.8	31.0	31.0	30.0	31.0	30.0	30.9	364.4	8	2435
	19 LST	31.0	27.8	31.0	29.8	31.0	29.7	31.0	30.9	30.0	31.0	30.0	31.0	364.2	8	2502
	01 LST	30.5	27.7	30.8	29.8	31.0	30.0	30.8	31.0	30.0	30.9	29.7	31.0	362.2	8	2506
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	28.6	26.0	30.1	29.5	29.2	27.9	29.4	29.6	29.2	27.6	28.6	29.8	345.5	8	2351
	13 LST	16.5	12.6	12.1	14.1	18.3	25.5	28.6	28.0	27.2	25.5	19.2	18.1	245.7	8	2433
	19 LST	23.2	22.4	25.4	23.3	25.3	28.1	29.3	29.4	29.6	28.5	28.4	29.9	324.8	8	2501
	01 LST	29.1	25.9	29.9	29.2	29.9	29.1	29.9	30.3	29.6	29.1	28.3	30.1	350.4	8	2503
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.2	8	2411
	13 LST	1.3	1.4	0.2	0.3	0.2	0.0	0.0	0.1	0.0	0.0	0.1	0.0	3.6	8	2461
	19 LST	0.2	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.4	8	2521
	01 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2516
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	4.6	4.8	4.9	6.5	9.0	8.1	7.3	4.9	2.6	3.4	5.2	6.0	67.3	8	2391
	13 LST	18.3	12.5	13.8	15.6	16.0	16.8	13.4	13.7	18.9	16.7	19.9	20.2	195.8	8	2438
	19 LST	21.6	19.0	23.5	21.2	23.0	19.3	10.4	8.0	8.1	12.1	19.7	20.0	201.9	8	2505
	01 LST	8.2	8.9	9.7	10.8	13.2	10.1	7.8	4.4	3.8	5.7	6.1	7.3	96.0	8	2507
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	14.6	14.1	18.9	16.2	10.4	2.8	1.1	3.0	7.0	3.5	12.8	14.9	119.3	8	2405
	13 LST	14.7	11.3	14.7	12.2	4.4	2.5	1.7	2.6	5.5	3.8	13.8	16.4	103.6	8	2458
	19 LST	20.3	15.7	20.8	17.9	11.3	2.7	2.2	4.5	10.7	11.8	20.8	23.4	162.1	8	2518
	01 LST	17.6	16.9	20.7	21.1	16.6	4.0	3.3	5.5	9.3	7.1	18.7	19.0	159.8	8	2517
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	28.7	25.3	30.4	29.3	29.7	27.2	28.0	27.8	26.8	26.4	27.3	29.2	336.1	8	2385
	13 LST	28.2	25.5	28.9	27.4	27.1	24.2	25.3	24.3	25.4	25.9	27.4	29.3	319.0	8	2435
	19 LST	29.9	26.3	30.5	29.2	29.9	26.2	26.6	26.5	28.1	28.5	29.0	30.5	341.2	8	2502
	01 LST	29.2	25.8	30.5	29.6	30.0	27.7	27.5	28.0	28.4	28.2	30.3	243.2	8	2506	
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	17.9	16.2	24.9	23.5	19.3	7.1	5.4	7.8	10.7	6.6	16.6	19.2	175.2	8	2385
	13 LST	19.7	15.8	22.7	19.9	13.4	6.8	9.5	8.7	12.4	8.8	20.3	20.5	178.5	8	2435
	19 LST	22.8	18.5	25.8	22.8	21.4	11.5	11.1	12.7	16.0	15.0	22.6	24.8	225.0	8	2502
	01 LST	19.7	17.7	25.0	25.0	19.9	7.7	7.7	10.6	12.2	10.2	20.0	21.1	196.8	8	2506
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	17.9	16.2	24.9	23.5	19.3	6.9	5.4	7.8	10.7	6.5	16.6	19.2	174.9	8	2385
	13 LST	19.7	15.8	22.7	19.9	13.4	6.8	9.5	8.7	12.4	8.8	20.3	20.5	178.5	8	2435
	19 LST	22.8	18.5	25.8	22.8	21.4	11.5	11.1	12.7	16.0	14.8	22.6	24.8	224.8	8	2502
	01 LST	19.7	17.7	25.0	25.0	19.9	7.7	7.7	10.6	12.2	10.0	20.0	21.1	196.6	8	2506

CHAN-I/TSAY YE, CHINA

STA NO. 56786 (IN AREA NUMBER 06)

LATITUDE 2535N

LONGITUDE 10350E

ELEVATION(FT) 06230

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	73	75	84	90	91	90	86	84	86	79	73	73	91	8	2099
MEAN MAX TMP (F)	56	58	70	76	77	75	77	76	73	67	64	58	69	8	2099
MEAN MIN TMP (F)	36	38	46	52	57	61	62	61	57	52	44	39	50	8	1995
ABS MIN TMP (F)	21	25	27	37	45	46	55	52	45	36	30	23	21	8	1995
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.2	0.9	0.2	0.0	0.0	0.0	0.0	0.0	0.0	1.3	8	2099
MEAN NO DYS TMP = OR LES 32(F)	9.7	4.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	2.6	16.9	8	1995
MEAN NO DYS TMP = OR LES 0:(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	1995
MEAN DEW PT TMP (F)	31	33	34	41	49	58	61	59	54	50	41	36	46	8	12631
MEAN REL HUM (PCT)	64	65	50	51	60	75	79	78	75	78	67	68	68	8	12399
MEAN PRESS ALT (FT)	6017	6052	6092	6116	6156	6172	6179	6118	6026	5938	5970	5999	6070	8	8923
MEAN PRECIP (IN)														0	0
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			8	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			0	0
MEAN NO DYS SNFL = OR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			8	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	0.0	0.0	0.0	0.4	0.0	0.0	0.4	0.0	0.0	0.2	0.4	0.5	1.9	8	1849
MEAN NO DYS TSTMS	1.4	2.2	3.7	8.4	8.4	14.2	17.5	14.7	7.4	2.9	0.5	0.3	81.6	8	1870
P FREQ WND SPD = OR GTR 17 KTS	1.8	3.3	4.6	4.3	0.4	0.4	0.1	0.2	0.1	0.4	0.8	0.7	1.4	8	12826
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.1	0.0	0.0	0.1	8	12826
P FREQ LES 3000 FT A/D LES 5 MI	43.0	51.3	28.9	34.9	47.0	64.6	70.2	61.3	53.4	66.3	39.5	40.5	50.1	8	13245
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	9.4	8.1	3.5	2.2	2.0	0.0	1.1	0.0	1.8	2.0	3.1	6.4	3.3	8	2112
03-05 LST	8.2	8.4	3.1	4.2	1.2	3.0	1.8	2.3	1.9	4.0	1.8	7.2	3.9	8	1843
06-08 LST	12.4	13.3	2.6	7.0	2.7	3.8	6.1	4.0	5.8	9.4	5.3	11.2	7.0	8	2050
09-11 LST	11.5	9.3	2.5	1.4	2.0	1.4	2.8	1.0	2.1	6.2	3.6	6.2	4.2	8	1905
12-14 LST	5.1	4.8	1.6	0.0	0.4	0.8	0.0	0.3	1.6	2.5	1.1	3.0	1.8	8	2011
15-17 LST	5.7	6.8	2.1	0.7	0.9	0.7	0.9	1.3	0.0	2.0	0.7	3.0	2.1	8	1844
18-20 LST	8.9	6.5	1.1	1.3	0.6	0.9	0.6	0.3	0.8	2.4	1.2	4.0	2.4	8	2168
21-23 LST	7.1	6.9	2.0	1.0	1.3	2.6	0.0	0.0	0.0	1.0	1.0	5.7	2.4	6	1248
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.5	1.0	0.2	8	2112
03-05 LST	0.0	0.0	0.0	2.1	0.0	0.0	0.6	1.3	0.0	0.0	0.0	0.6	0.4	8	1843
06-08 LST	1.4	1.4	0.0	2.0	0.0	0.0	0.7	0.6	0.0	0.9	1.6	2.1	0.9	8	2050
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.0	0.0	1.1	0.6	0.0	0.2	8	1905
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	8	2011
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	1844
18-20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2168
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	1248

CHAN-I/TSAY YE, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	29.6	26.5	30.8	28.6	30.8	30.0	30.0	30.7	29.3	30.0	29.4	28.9	354.6	8	2050
	13 LST	30.8	27.8	31.0	30.0	31.0	30.0	31.0	31.0	30.0	30.9	29.8	30.7	364.0	8	2011
	19 LST	30.3	27.6	31.0	30.0	31.0	30.0	31.0	31.0	30.0	30.9	30.0	30.9	363.7	8	2168
	01 LST	29.9	27.4	30.8	29.8	30.8	30.0	30.8	31.0	29.9	30.7	29.7	30.2	361.0	8	2112
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	23.0	20.9	27.5	25.3	28.4	26.1	28.3	28.4	26.3	25.5	26.5	25.1	311.3	8	2042
	13 LST	12.5	10.4	8.1	10.7	16.3	23.0	25.2	26.0	24.6	22.9	18.1	15.6	213.4	8	2008
	19 LST	20.4	17.9	21.9	21.5	21.9	25.1	28.7	29.2	28.2	28.3	26.8	25.5	295.4	8	2160
	01 LST	22.7	21.1	25.1	25.5	26.8	28.0	29.4	30.5	28.2	28.8	27.0	26.2	319.3	8	2106
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.4	8	2064
	13 LST	1.8	3.4	5.3	3.7	0.0	0.0	0.0	0.0	0.2	0.0	0.6	0.5	15.5	8	2034
	19 LST	0.2	0.2	0.4	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	1.4	8	2181
	01 LST	0.0	0.0	0.2	0.4	0.2	0.0	0.2	0.0	0.0	0.0	0.2	0.0	1.2	8	2128
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	11.2	11.5	15.3	13.3	14.4	9.8	5.9	6.5	5.4	6.3	8.4	12.1	120.1	8	2049
	13 LST	9.0	8.3	9.9	12.5	16.3	16.0	12.6	13.4	16.1	14.8	15.5	14.6	159.0	8	2019
	19 LST	20.1	14.5	20.3	20.2	17.7	15.4	12.1	15.3	15.7	16.4	16.1	21.9	205.7	8	2143
	01 LST	13.5	11.7	15.5	15.8	14.6	10.9	9.6	8.4	9.2	9.2	9.5	13.4	141.3	8	2112
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	10.9	9.1	17.5	13.2	7.3	2.7	1.6	2.9	5.6	3.2	10.9	12.1	96.8	8	2061
	13 LST	13.3	9.7	14.5	9.9	4.4	1.6	1.5	2.5	4.3	2.7	11.4	14.6	90.4	8	2023
	19 LST	18.7	13.6	20.2	15.1	6.8	2.6	2.8	5.6	10.3	9.8	17.2	20.2	142.9	8	2182
	01 LST	16.2	12.6	19.3	18.0	11.4	2.6	4.4	5.7	8.3	5.7	17.0	15.1	136.3	8	2126
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	22.5	19.5	28.8	25.9	27.8	24.2	23.5	26.0	24.4	22.1	24.8	24.2	293.7	8	2050
	13 LST	25.6	22.9	28.7	28.6	29.4	27.6	27.4	28.7	27.3	25.6	27.4	27.8	327.0	8	2011
	19 LST	25.0	23.8	29.6	28.4	29.0	26.6	27.7	28.2	28.3	27.5	27.8	27.9	329.8	8	2168
	01 LST	24.5	22.2	28.2	27.9	27.6	27.3	27.2	28.0	27.1	26.2	27.1	25.7	319.0	8	2112
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	16.2	11.1	23.4	20.3	18.4	7.6	6.4	8.7	11.0	7.3	14.3	15.0	159.7	8	2050
	13 LST	17.7	12.2	19.9	18.7	15.3	13.1	9.6	10.8	13.2	9.4	16.0	18.8	174.7	8	2011
	19 LST	21.0	16.5	23.0	22.1	18.5	11.4	13.0	13.2	15.4	14.0	21.1	22.9	212.1	8	2168
	01 LST	18.8	14.5	23.0	20.9	16.1	7.6	8.1	10.2	12.0	9.7	18.6	17.6	177.1	8	2112
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	16.2	11.1	23.4	20.3	18.4	7.6	6.4	8.6	10.4	7.1	14.3	15.0	158.8	8	2050
	13 LST	17.7	12.2	19.9	18.5	15.3	12.9	9.6	9.9	13.2	9.1	16.0	18.6	172.9	8	2011
	19 LST	21.0	16.1	23.0	21.9	18.3	11.1	12.9	12.9	15.4	14.0	21.1	22.9	210.6	8	2168
	01 LST	18.8	14.3	23.0	20.9	16.1	7.1	8.1	10.2	12.0	9.7	18.5	17.6	176.3	8	2112

LINTSANG, CHINA

STA NO. 56951 (IN AREA NUMBER 06)

LATITUDE 2351N

LONGITUDE 10013E

ELEVATION(FT): 04987

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	77	77	84	91	91	95	88	86	93	84	79	75	95	8	2404
MEAN MAX TMP (F)	68	70	77	81	81	79	78	79	80	75	71	68	76	8	2404
MEAN MIN TMP (F)	39	43	47	54	60	65	65	64	62	52	47	41	54	8	2344
ABS MIN TMP (F)	27	34	39	46	52	55	61	55	52	46	37	32	27	8	2344
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.6	1.2	1.1	0.0	0.0	0.1	0.0	0.0	0.0	3.0	8	2404
MEAN NO DYS TMP = OR LES 32(F)	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	1.4	8	2344
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2344
MEAN DEW PT TMP (F)	40	40	42	48	57	64	65	65	62	59	48	43	53	8	15581
MEAN REL HUM (PCT)	67	62	55	56	69	81	85	84	80	82	74	72	72	8	15133
MEAN PRESS ALT (FT)	4967	5061	5116	5205	5291	5361	5369	5326	5236	5082	4997	4960	5164	8	15486
MEAN PRECIP (IN)														0	0
MEAN SNOW FALL (IN)		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		8	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		0	0
MEAN NO DYS SNFL = OR GTR 1.5 IN		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		8	-29
MEAN NO DYS #/OCUR VSBY LES 1/2 MI	0.0	0.2	0.0	0.0	0.3	0.0	0.3	0.0	0.1	0.3	0.1	0.4	1.7	8	2266
MEAN NO DYS TSTMS	1.3	2.2	4.2	7.1	8.2	16.4	13.6	18.4	14.6	8.1	1.6	0.3	96.0	8	2274
P FREQ WND SPD = OR GTR 17 KYS	0.1	0.4	0.5	0.3	0.0	0.1	0.2	0.1	0.1	0.0	0.1	0.0	0.2	8	15859
P FREQ WND SPD = OR GTR 28 KYS	0.0	0.1	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	15859
P FREQ LES 5000 FT A/Q LES 5 MI	16.5	26.0	19.1	28.0	36.2	54.2	65.2	56.3	43.1	46.7	17.5	13.6	35.2	8	15733
P FREQ LES 1500 FT A/Q LES 3 MI															
FDR 00-02 LST	0.0	0.9	0.0	1.1	0.7	1.5	6.0	5.0	1.4	2.2	0.7	0.0	1.6	8	2440
03-05 LST	0.8	2.7	1.3	2.7	0.9	2.3	5.0	5.2	2.6	3.3	0.4	0.7	2.3	8	1889
06-08 LST	0.8	2.6	1.5	0.6	4.3	4.0	11.9	10.0	4.6	10.0	3.8	3.0	4.8	8	2305
09-11 LST	0.7	1.4	0.3	3.2	1.6	3.7	4.7	4.7	3.4	5.3	0.0	1.9	2.7	8	1921
12-14 LST	0.3	0.5	0.3	0.0	1.6	1.0	4.8	2.5	0.9	2.7	1.2	1.4	1.4	8	2390
15-17 LST	0.4	2.6	0.0	0.0	1.7	2.8	6.8	3.2	1.4	2.3	0.0	0.0	1.8	8	1877
18-20 LST	0.8	0.6	0.5	1.1	1.0	2.1	2.7	2.0	1.4	2.1	0.2	0.0	1.2	8	2450
21-23 LST	0.8	1.0	1.2	1.3	1.2	0.7	3.1	2.1	0.5	1.3	0.3	0.0	1.1	7	2124
P FREQ LES 300 FT A/Q LES 1 MI															
FDR 00-02 LST	0.0	0.6	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.1	8	2440
03-05 LST	0.0	1.8	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	8	1889
06-08 LST	0.0	1.2	0.0	0.0	0.6	0.0	0.0	1.0	0.5	1.8	0.5	1.3	0.6	8	2305
09-11 LST	0.0	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.0	0.2	8	1921
12-14 LST	0.0	0.5	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.1	8	2390
15-17 LST	0.0	0.9	0.0	0.0	0.6	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.2	8	1877
18-20 LST	0.0	0.0	0.0	0.5	0.0	1.0	0.5	0.0	0.0	0.0	0.0	0.0	0.2	8	2450
21-23 LST	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	7	2124

LINTSANG, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PCR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	31.0	27.3	30.7	29.8	30.1	29.4	29.3	29.4	29.6	29.6	29.3	30.2	355.7	8	2305
	13 LST	31.0	27.8	31.0	30.0	30.5	30.0	30.3	31.0	29.9	30.7	30.0	30.6	362.8	8	2390
	19 LST	30.8	28.0	30.8	29.7	30.7	29.7	30.4	30.8	29.9	30.9	30.0	31.0	362.7	8	2450
	01 LST	31.0	27.8	31.0	29.7	30.8	29.8	29.9	30.4	29.9	30.7	30.0	31.0	362.0	8	2440
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	30.5	27.2	30.4	29.8	29.2	28.3	25.5	26.6	27.6	26.4	28.5	29.9	339.9	8	2302
	13 LST	26.4	19.8	21.4	24.0	27.2	28.9	28.4	28.8	28.5	28.9	27.8	28.2	318.3	8	2386
	19 LST	30.4	26.8	30.7	29.0	29.1	28.4	29.6	29.6	29.1	29.6	29.9	31.0	353.2	8	2444
	01 LST	31.0	27.5	31.0	29.5	30.7	29.1	28.5	28.6	29.3	29.9	29.4	30.9	355.4	8	2436
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2340
	13 LST	0.2	0.6	0.8	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	2.0	8	2420
	19 LST	0.0	0.2	0.0	0.0	0.0	0.0	0.3	0.1	0.0	0.0	0.0	0.0	0.6	8	2471
	01 LST	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	8	2457
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	0.0	0.3	0.5	0.2	0.2	0.2	0.4	0.2	0.1	0.8	0.7	0.5	4.1	8	2302
	13 LST	13.6	15.7	16.4	19.0	13.5	7.8	3.6	5.6	10.7	7.7	12.6	10.0	136.2	8	2396
	19 LST	7.4	12.1	19.0	15.5	11.6	4.8	4.4	4.2	4.8	3.2	5.9	5.8	98.7	8	2447
	01 LST	0.9	1.8	1.1	1.6	1.7	0.6	0.3	0.0	1.1	0.9	0.3	1.0	11.3	8	2444
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	20.9	17.6	20.6	15.4	6.5	2.3	0.2	1.1	4.6	5.0	17.7	19.1	131.0	8	2334
	13 LST	17.8	11.1	11.9	5.8	1.1	1.1	0.0	0.6	2.1	1.9	13.8	17.8	85.0	8	2421
	19 LST	23.3	16.7	18.6	16.0	6.7	1.9	1.2	3.2	8.1	9.1	21.5	23.7	150.0	8	2469
	01 LST	24.3	20.3	23.5	21.8	14.2	3.3	1.4	4.9	9.6	8.9	22.5	22.9	179.6	8	2458
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	29.9	26.0	30.1	29.4	28.2	25.9	22.0	23.4	25.9	23.9	27.8	29.3	321.8	8	2305
	13 LST	30.1	26.1	29.9	29.2	28.9	26.9	24.9	25.5	27.1	26.6	28.0	30.1	333.3	8	2390
	19 LST	30.2	26.7	30.5	29.4	30.2	26.8	27.1	28.0	27.9	28.6	29.3	30.8	345.5	8	2450
	01 LST	30.5	26.9	30.8	29.5	30.1	27.1	25.5	26.4	27.4	28.0	28.9	30.8	341.9	8	2440
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	25.1	21.0	26.1	24.6	20.4	12.5	6.1	7.5	13.8	11.6	22.7	24.7	216.1	8	2305
	13 LST	23.8	15.9	19.6	12.7	10.3	5.2	6.2	5.6	11.4	9.0	18.7	24.0	162.4	8	2390
	19 LST	26.9	20.8	26.6	24.6	19.7	11.3	9.6	12.9	13.5	18.4	25.2	27.7	242.2	8	2450
	01 LST	27.3	23.2	27.9	26.2	22.9	10.1	6.8	11.1	15.7	13.8	24.6	26.7	238.3	8	2440
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	25.1	21.0	26.1	24.4	20.4	12.3	6.1	7.3	13.5	11.6	22.7	24.7	215.2	8	2305
	13 LST	23.8	15.9	19.6	12.7	10.2	5.2	6.2	5.6	11.4	9.0	18.7	23.8	162.1	8	2390
	19 LST	26.9	20.8	26.4	24.6	19.7	11.3	9.4	12.7	18.5	18.4	25.2	27.4	241.3	8	2450
	01 LST	27.3	23.2	27.9	26.2	22.9	10.1	6.8	11.1	15.5	15.8	24.6	26.7	238.1	8	2440

CHING-HUNG, CHINA

STA NO. 56959 (IN AREA NUMBER 06)

LATITUDE 2155N

LONGITUDE 10045E

ELEVATION(FT) 01752

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	84	91	97	104	100	93	95	95	95	91	86	82	104	5	599
MEAN MAX TMP (F)	76	79	90	95	93	87	87	88	89	83	82	77	86	5	699
MEAN MIN TMP (F)	51	51	55	62	69	73	72	71	71	67	60	53	63	5	602
ABS MIN TMP (F)	37	41	48	55	63	72	68	68	63	59	52	43	37	5	602
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.7	22.5	28.3	23.8	9.4	12.1	11.8	15.0	4.0	0.0	0.0	127.6	5	699
MEAN NO DYS TMP = DR LFS 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	602
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	602
MEAN DEW PT TMP (F)	54	56	57	61	67	73	73	72	71	68	62	56	64	4	3094
MEAN REL HUM (PCT)	85	83	69	65	72	83	85	86	85	88	87	87	81	4	2980
MEAN PRESS ALT (FT)	1662	1776	1867	1924	1983	1995	2062	2005	1933	1769	1712	1658	1862	4	3125
MEAN PRECIP (IN)	0.16	0.96	0.31	2.52	8.12	6.36	11.05	13.37	6.53	2.87	2.54	1.61	56.4	3	-181
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	1.9	5.2	1.7	8.8	15.0	12.1	15.1	15.4	0.0	9.5	8.6	7.2	0.0	3	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	19.9	20.0	6.6	1.7	0.0	0.0	1.9	2.1	7.9	12.8	25.2	28.2	126.3	4	486
MEAN NO DYS TSMS	2.3	0.0	4.7	13.7	18.1	30.0	18.0	23.7	12.6	6.1	0.5	0.0	129.7	4	486
P FREQ WND SPD = DR GTR 17 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	3190
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	3190
P FREQ LES 3000 FT A/O LES 5 MI	53.6	42.0	35.5	37.8	38.5	78.0	64.8	63.9	47.6	61.7	57.2	55.1	53.0	4	3543
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	27.5	12.8	6.8	2.8	4.6	0.0	3.7	2.1	6.4	20.5	66.0	56.8	17.5	6	683
03-05 LST	72.1	41.4	10.3	14.2	2.1	0.0	3.0	10.2	36.8	43.2	87.9	87.6	34.9	5	633
06-08 LST	70.1	56.5	31.9	15.5	0.0	0.0	9.3	23.2	37.7	40.4	76.8	92.2	37.8	6	659
09-11 LST	51.3	24.8	6.9	14.6	4.3	0.9	3.9	1.8	1.4	4.5	13.0	40.1	14.0	7	1046
12-14 LST	0.0	0.0	4.3	2.6	0.0	2.7	2.4	0.0	0.0	0.0	0.0	0.7	1.1	7	606
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	1.6	0.0	0.0	1.4	0.0	0.0	0.3	5	661
18-20 LST	0.6	0.9	2.8	13.2	2.9	0.8	2.2	0.0	0.0	0.0	0.0	0.4	2.0	7	1015
21-23 LST	1.9	3.7	3.8	0.0	0.0			0.0	2.3	0.0	1.9	0.0		4	235
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	24.2	10.3	2.3	0.0	3.0	0.0	1.4	0.0	3.2	15.8	57.3	52.7	14.2	6	683
03-05 LST	65.9	34.5	3.4	3.1	0.0	0.0	0.0	2.9	20.9	38.8	85.1	85.3	28.5	5	633
06-08 LST	68.3	46.2	27.7	9.5	0.0	0.0	6.1	11.9	23.9	30.3	64.9	83.0	31.0	6	659
09-11 LST	29.1	18.2	4.3	2.8	0.0	0.0	0.0	0.0	0.0	0.0	0.9	13.0	3.7	7	1046
12-14 LST	0.0	0.0	2.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	7	606
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	661
18-20 LST	0.0	0.0	0.0	2.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	7	1015
21-23 LST	0.0	0.0	0.0	0.0	0.0			0.0	0.0	0.0	0.0	0.0		4	235

CHING-HUNG, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	9.8	12.9	21.1	25.7	31.0	30.0	29.1	26.3	21.5	20.4	8.6	3.5	239.9	6	659
	13 LST	31.0	28.0	29.7	29.2	31.0	30.0	31.0	31.0	30.0	31.0	30.0	31.0	362.9	7	606
	19 LST	31.0	28.0	30.1	26.0	30.1	30.0	31.0	31.0	30.0	31.0	30.0	31.0	359.2	7	1015
	01 LST	23.0	24.4	28.9	29.2	30.1	30.0	30.6	31.0	28.6	25.7	10.4	13.8	305.7	6	683
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	8.8	11.5	21.1	24.9	31.0	30.0	27.2	21.5	16.3	16.7	5.5	1.4	215.9	6	656
	13 LST	31.0	28.0	29.7	26.8	29.6	28.4	28.8	31.0	30.0	31.0	30.0	30.6	354.9	7	603
	19 LST	30.7	27.5	30.1	25.1	29.7	29.5	29.4	30.6	30.0	31.0	30.0	30.8	354.4	7	1013
	01 LST	22.0	24.4	28.9	29.2	29.1	30.0	29.2	29.7	27.6	23.7	10.0	13.0	296.8	6	683
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	666
	13 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	619
	19 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	1069
	01 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	699
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	0.0	0.0	0.0	1.5	0.0	0.0	0.6	0.5	0.0	0.4	0.0	0.0	3.0	6	661
	13 LST	7.9	4.4	5.8	1.5	3.9	1.7	4.3	6.6	1.1	5.5	5.2	3.6	51.5	7	610
	19 LST	1.3	2.8	4.7	6.4	5.0	2.8	3.7	3.1	1.6	1.5	0.0	2.1	35.0	7	1047
	01 LST	0.0	0.7	0.7	0.0	0.8	0.0	0.9	0.0	0.0	0.4	0.0	0.0	3.3	6	692
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	0.5	5.6	11.6	10.0	8.7	1.4	0.0	0.0	0.4	0.0	0.0	0.4	38.6	6	671
	13 LST	13.4	16.2	19.8	16.1	7.8	1.6	0.7	3.3	6.3	3.8	15.6	16.9	121.5	7	622
	19 LST	19.3	16.8	19.1	10.9	5.1	0.9	1.2	2.5	12.0	12.8	23.7	21.4	145.7	7	1071
	01 LST	14.2	16.5	21.1	20.0	13.4	2.3	5.2	8.0	12.0	6.8	6.4	6.2	132.1	6	702
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	7.3	11.2	20.3	24.7	27.1	20.5	20.9	15.2	12.3	13.3	4.4	1.4	178.6	6	659
	13 LST	29.8	27.0	28.4	27.9	27.6	23.4	22.1	26.4	25.6	28.0	29.4	29.1	324.7	7	606
	19 LST	28.6	26.8	28.9	23.4	26.4	23.6	24.5	26.5	28.1	28.2	29.2	29.7	323.9	7	1015
	01 LST	20.8	24.1	28.6	27.5	26.5	23.8	24.8	24.9	24.8	21.4	9.8	12.5	269.5	6	683
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	0.5	6.5	17.1	21.4	19.4	4.7	3.8	2.1	3.4	2.0	0.4	0.4	81.7	6	659
	13 LST	23.3	23.0	26.4	25.3	18.3	11.1	7.2	17.0	18.5	16.8	25.3	24.6	236.8	7	606
	19 LST	24.5	23.3	26.3	18.1	17.3	11.4	12.1	15.5	24.3	20.6	26.1	27.1	246.6	7	1015
	01 LST	17.5	18.7	25.4	24.2	18.8	7.3	10.6	12.6	18.1	14.3	7.2	10.1	184.8	6	683
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	0.5	6.5	17.1	21.4	19.4	4.7	3.8	2.1	3.4	2.0	0.4	0.4	81.7	6	659
	13 LST	23.3	23.0	26.4	25.3	18.3	11.1	7.2	17.0	18.5	16.8	25.3	24.6	236.8	7	606
	19 LST	24.5	23.3	26.3	18.1	17.3	11.4	12.1	15.5	24.3	20.6	26.1	27.1	246.6	7	1015
	01 LST	17.5	18.7	25.4	24.2	18.8	7.3	10.6	12.6	18.1	14.3	7.2	10.1	184.8	6	683

SSU-MAO/SZEMAO, CHINA

STA NO. 56964 (IN AREA NUMBER 06)

LATITUDE 2246N LONGITUDE 10105E ELEVATION(FT) 04327

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	77	84	86	93	95	93	90	86	86	84	79	77	95	8	2474
MEAN MAX TMP (F)	68	72	79	84	84	80	79	79	80	76	73	68	77	8	2474
MEAN MIN TMP (F)	43	44	47	54	61	66	66	65	63	60	51	45	55	8	2376
ABS MIN TMP (F)	32	32	32	46	52	57	61	57	50	41	41	32	32	8	2376
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	3.8	5.0	0.9	0.2	0.0	0.0	0.0	0.0	0.0	10.0	8	2474
MEAN NO DYS TMP = OR LES 32(F)	1.1	0.3	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	2.0	8	2376
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2376
MEAN DEW PT TMP (F)	46	46	47	52	60	66	67	66	64	61	54	48	56	8	17282
MEAN REL HUM (PCT)	80	73	66	65	75	85	88	88	84	86	83	83	80	8	16908
MEAN PRESS ALT (FT)	4168	4248	4317	4414	4494	4558	4565	4522	4435	4276	4206	4164	4364	8	17289
MEAN PRECIP (IN)	0.61	0.06	0.11	4.07	7.32	8.76	16.12	18.26	5.34	4.91	3.14	0.24	68.9	3	-181
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	4.0	1.4	0.9	11.7	14.6	14.1					10.2	2.4		3	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	16.4	7.4	3.5	2.7	2.9	2.6	1.6	6.6	9.8	10.0	18.1	21.9	103.5	8	2403
MEAN NO DYS TSTMS	1.5	1.8	6.0	10.4	14.0	20.6	17.4	19.4	12.9	8.6	1.7	0.7	115.0	8	2407
P FREQ WND SPD = OR GTR 17 KTS	0.0	0.1	0.2	0.2	0.1	0.2	0.3	0.0	0.0	0.1	0.2	0.0	0.1	8	17579
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	17379
P FREQ LES 5000 FT A/D LES 5 MI	47.8	36.9	28.9	35.5	45.0	69.8	79.1	72.1	57.6	67.6	49.2	49.2	53.2	8	17276
P FREQ LES 1900 FT A/D LES 3 MI														8	2477
FOR 00-02 LST	24.3	12.0	4.5	9.1	3.2	4.6	7.7	12.4	10.5	16.1	30.1	48.7	14.9	8	2199
03-05 LST	96.9	30.8	13.7	12.4	6.4	12.4	12.1	25.1	29.4	34.4	64.6	73.8	31.0	8	2199
06-08 LST	62.5	34.2	13.1	13.8	16.7	19.4	20.4	29.9	36.3	39.4	65.3	70.2	35.1	8	2363
09-11 LST	8.0	5.7	5.7	8.0	4.5	8.3	8.8	4.7	1.5	3.5	5.0	9.4	6.1	8	2258
12-14 LST	1.9	2.0	1.5	0.5	1.6	0.6	3.2	0.5	2.1	2.6	0.9	0.7	1.5	8	2399
15-17 LST	1.5	1.2	0.5	2.8	0.8	1.4	3.2	2.3	1.0	1.4	0.6	0.9	1.5	8	2171
18-20 LST	2.6	1.7	1.5	1.6	1.3	3.4	5.3	2.8	0.7	2.0	0.7	0.2	2.0	8	2479
21-23 LST	2.4	2.1	2.9	1.6	2.7	2.0	3.0	2.1	2.1	2.4	0.5	2.4	2.2	7	2094
P FREQ LES 300 FT A/D LES 1 MI														8	2477
FOR 00-02 LST	15.1	2.3	1.5	2.5	1.0	0.5	1.5	9.0	6.5	10.3	23.6	41.5	9.6	8	2477
03-05 LST	50.0	21.6	8.7	5.8	4.8	5.4	4.0	19.3	27.3	29.2	59.9	69.9	25.5	8	2199
06-08 LST	54.5	27.4	10.8	7.7	10.4	9.6	4.1	19.4	30.4	32.7	61.4	67.1	28.0	8	2363
09-11 LST	1.7	0.6	1.0	0.5	0.0	0.0	0.0	0.0	0.0	0.5	2.1	6.4	1.1	8	2258
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.4	0.1	8	2399
15-17 LST	0.0	0.0	0.5	1.1	0.0	0.0	0.5	0.5	0.5	0.0	0.6	0.0	0.3	8	2171
18-20 LST	0.0	0.0	1.0	0.0	0.0	0.0	0.5	1.0	0.0	0.4	0.0	0.0	0.2	8	2479
21-23 LST	0.0	0.0	1.2	1.2	0.6	0.6	0.0	0.0	0.0	0.5	0.5	0.5	0.4	7	2094

SSU-MAO/SZEMAO, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	12.9	19.6	27.3	26.4	27.3	26.8	27.2	22.5	19.8	19.7	10.9	9.7	250.1	8	2363
	13 LST	30.8	28.0	30.5	29.8	30.8	30.0	30.8	31.0	29.6	30.6	30.0	30.9	362.8	8	2399
	19 LST	31.0	30.0	30.7	29.7	30.8	29.4	30.2	30.4	29.9	30.7	29.9	31.0	361.7	8	2479
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	01 LST	24.6	25.5	30.1	28.5	30.4	29.4	29.6	27.9	27.1	26.2	21.1	16.1	316.5	8	2477
	07 LST	10.3	7	26.5	25.4	24.7	21.8	22.5	21.1	18.5	18.0	10.0	8.8	224.9	8	2357
	13 LST	27.0	18.6	21.9	21.0	26.8	28.7	28.4	30.3	27.8	29.5	28.8	28.9	317.7	8	2391
SFC WND = GTR 17 KTS AND NO PRECIP.	19 LST	29.3	26.4	30.1	28.8	30.1	28.5	28.4	29.9	29.3	29.8	29.7	30.9	351.2	8	2475
	01 LST	22.4	23.7	29.0	28.5	29.6	27.7	27.4	26.4	26.6	25.8	20.8	15.6	303.5	8	2475
	07 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2390
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	13 LST	0.0	0.0	0.5	0.3	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	8	2425
	19 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.1	8	2515
	01 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2492
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	2.1	1.1	1.0	1.2	1.2	0.6	1.1	0.0	1.1	0.8	0.7	0.4	11.3	8	2367
	13 LST	24.3	19.2	23.6	20.4	16.8	10.2	7.6	8.9	13.3	14.2	20.5	24.6	203.6	8	2399
	19 LST	5.9	9.1	12.3	14.6	12.5	7.9	5.5	2.8	2.3	1.7	2.3	1.8	78.7	8	2496
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	01 LST	2.5	2.0	2.1	1.8	0.9	1.1	1.1	0.6	1.0	1.2	1.1	0.7	16.1	8	2483
	07 LST	0.9	8.4	16.1	13.5	6.3	1.3	0.2	0.5	1.7	0.1	0.4	0.4	49.8	8	2393
	13 LST	10.6	10.1	14.7	10.0	1.8	0.2	0.0	0.4	1.1	1.3	5.8	9.3	65.3	8	2432
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	19 LST	21.5	15.9	19.8	16.4	6.9	2.0	1.1	2.9	9.3	10.9	21.4	22.6	150.7	8	2511
	01 LST	14.8	16.5	21.2	21.2	14.7	9.5	3.1	4.9	8.5	6.6	10.6	7.4	145.0	8	2503
	07 LST	8.8	16.4	25.6	24.7	22.9	17.9	17.4	17.5	16.8	15.4	8.9	7.6	199.9	8	2363
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	13 LST	28.0	25.7	29.7	28.7	27.5	24.7	24.5	26.7	27.0	26.2	27.2	29.6	325.5	8	2399
	19 LST	28.5	26.7	29.6	28.8	28.8	26.7	26.2	28.4	29.0	28.7	29.3	30.5	341.2	8	2479
	01 LST	21.5	23.6	28.2	27.7	28.4	25.3	24.1	24.4	25.8	24.0	20.1	15.0	288.1	8	2477
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	1.5	12.2	21.1	19.1	16.0	4.4	2.9	2.4	5.8	2.2	2.4	1.9	91.9	8	2363
	13 LST	17.1	16.6	23.1	17.5	10.1	4.7	3.5	4.4	7.1	5.6	12.8	16.5	139.0	8	2399
	19 LST	24.2	20.5	24.1	22.7	18.2	11.7	10.2	13.3	18.0	17.1	24.1	27.1	231.2	8	2479
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	01 LST	17.1	19.1	23.8	23.3	19.4	10.3	5.8	8.8	13.0	10.6	13.1	9.7	174.0	8	2477
	07 LST	1.4	11.9	21.1	19.0	15.7	4.4	7.3	2.2	5.6	2.2	2.3	1.9	90.0	8	2363
	13 LST	17.1	16.4	23.1	17.5	10.1	4.7	3.5	4.3	7.1	5.5	12.8	16.5	138.6	8	2399
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	19 LST	24.1	20.3	24.1	22.7	17.9	11.7	9.9	12.9	18.0	17.1	24.1	26.9	229.7	8	2479
	01 LST	17.0	19.1	23.8	23.3	19.4	10.3	5.8	8.7	12.8	10.3	13.1	9.5	173.1	8	2477

MENG-TZU/MENGTZE, CHINA

STA NO. 56985 (IN AREA NUMBER 06)

LATITUDE 2320N LONGITUDE 10323E ELEVATION(FT) 04262

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	81	82	90	93	95	97	91	88	90	88	84	81	97	8	2445
MEAN MAX TMP (F)	65	67	77	83	85	82	82	81	81	75	73	67	77	8	2445
MEAN MIN TMP (F)	45	49	55	61	66	67	68	66	63	59	54	47	58	8	2375
ABS MIN TMP (F)	28	32	34	48	50	55	61	59	52	41	41	36	28	8	2375
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.5	7.6	11.2	2.7	0.9	0.0	0.8	0.0	0.0	0.0	23.7	8	2445
MEAN NO DYS TMP = OR LES 32(F)	0.5	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	8	2375
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2375
MEAN DEW PT TMP (F)	42	45	49	54	59	64	66	65	61	57	52	45	55	8	16336
MEAN REL HUM (PCT)	68	69	62	61	64	74	78	79	74	74	71	70	70	8	16068
MEAN PRESS ALT (FT)	4081	4165	4279	4370	4459	4501	4521	4468	4357	4189	4147	4110	4304	17	16333
MEAN PRECIP (IN)	0.19	0.99	1.16	1.53	5.42	6.85	10.19	9.27	2.90	2.65	2.21	0.48	43.8	8	-181
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	0.8	3.9	3.1	5.2	9.8	12.5	17.1	16.9	8.2	7.2	4.7	1.5	90.9	17	-181
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-29
MEAN NO DYS W/OCCUR VSBY LES 1/2 MI	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.6	8	2408
MEAN NO DYS TSMS	0.3	1.8	6.0	7.3	7.8	11.9	15.6	18.3	9.4	2.1	0.6	0.0	81.1	8	2404
P FREQ WND SPD = OR GTR 17 KTS	2.9	4.4	4.3	4.5	2.5	0.2	0.2	0.1	0.2	0.4	1.2	2.0	1.9	8	16621
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.1	0.1	0.0	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.0	8	16621
P FREQ LES 5000 FT A/D LES 5 MI	36.0	43.7	34.4	37.9	45.1	62.3	68.8	62.9	51.2	57.8	31.6	29.0	46.7	8	16494
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	3.9	4.7	4.0	2.1	1.5	2.9	1.8	1.0	0.9	2.2	1.7	2.1	2.4	8	2485
03-05 LST	7.5	4.4	7.2	2.2	4.3	3.0	2.2	1.6	1.6	3.3	3.0	2.5	3.6	8	2210
06-08 LST	8.2	6.4	4.6	4.0	5.4	5.3	5.2	4.3	3.4	7.3	4.0	4.2	5.2	8	2400
09-11 LST	5.8	3.3	4.3	2.8	4.1	3.3	3.3	2.3	0.5	4.9	2.4	3.1	3.3	8	2254
12-14 LST	5.8	3.3	4.3	2.8	4.1	3.3	3.3	2.3	0.5	4.9	2.4	3.1	3.3	8	2437
15-17 LST	3.1	2.6	3.6	2.4	2.9	3.4	1.1	1.9	1.8	3.2	2.2	2.0	2.5	8	2195
18-20 LST	2.2	2.6	2.5	2.7	3.0	1.9	0.0	1.3	1.8	2.8	1.3	0.6	1.9	8	2484
21-23 LST	3.6	2.9	3.1	1.3	4.0	3.7	0.3	2.0	1.7	2.8	1.6	1.1	2.3	7	1146
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.5	0.0	0.0	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.1	8	2485
03-05 LST	0.7	0.0	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.2	8	2210
06-08 LST	0.5	0.6	0.0	0.0	0.0	0.5	0.0	0.0	0.4	0.4	0.0	0.9	0.3	8	2400
09-11 LST	0.5	0.6	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.5	0.0	8	2254
12-14 LST	0.0	0.0	3.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	8	2437
15-17 LST	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.1	8	2195
18-20 LST	0.0	0.7	0.0	0.5	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.1	8	2484
21-23 LST	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.4	0.1	7	1146

MENG-TZU/MENGTZE, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	30.5	27.5	30.2	29.2	30.1	29.5	30.3	30.8	29.6	30.6	30.0	30.6	358.9	8	2400
	13 LST	31.0	27.8	30.1	29.4	30.5	29.7	31.0	30.7	29.7	31.0	30.0	30.9	361.8	8	2437
	19 LST	31.0	27.7	30.5	29.7	30.2	29.8	31.0	30.7	29.9	30.7	30.0	30.9	362.1	8	2484
	01 LST	31.0	28.0	30.4	29.4	30.7	29.7	30.8	31.0	30.0	31.0	30.0	30.9	362.9	8	2485
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	21.4	19.3	24.5	21.1	20.5	26.6	27.3	28.0	28.4	26.7	26.6	26.6	297.0	8	2394
	13 LST	13.8	8.6	7.3	8.8	9.7	19.4	21.1	25.5	26.8	19.6	14.0	16.6	191.2	8	2433
	19 LST	14.7	12.7	15.4	14.6	13.4	16.9	22.5	28.5	27.1	25.7	19.8	19.2	230.5	8	2482
	01 LST	19.0	16.0	16.2	17.5	20.5	25.8	27.8	29.5	29.1	27.2	25.1	24.4	278.1	8	2478
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.2	0.0	0.3	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	8	2415
	13 LST	2.1	2.8	3.3	3.6	1.8	0.2	0.0	0.0	0.1	0.0	0.8	1.1	15.8	8	2466
	19 LST	1.4	0.9	1.5	0.6	0.5	0.0	0.0	0.0	0.1	0.0	0.4	0.8	6.2	8	2495
	01 LST	0.5	0.5	0.8	0.2	0.3	0.0	0.0	0.0	0.0	0.1	0.1	0.5	3.0	8	2498
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	14.8	16.1	18.3	15.4	13.7	11.4	9.3	6.5	6.6	12.4	17.6	15.4	157.5	8	2385
	13 LST	12.2	8.1	9.1	8.1	7.0	10.5	8.4	11.7	16.7	14.7	11.6	12.7	130.8	8	2449
	19 LST	16.3	16.3	18.7	16.6	16.2	15.8	14.5	15.9	20.0	21.6	21.1	19.9	212.9	8	2482
	01 LST	18.0	16.8	17.1	16.5	17.4	17.7	16.0	13.0	15.5	20.0	22.0	20.0	210.0	8	2481
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	12.9	11.0	13.3	10.7	7.0	2.1	1.5	2.8	4.8	3.8	11.5	13.5	94.9	8	2425
	13 LST	12.3	10.4	10.0	11.1	3.2	1.2	0.5	0.7	2.4	2.4	7.4	13.3	74.9	8	2468
	19 LST	17.9	14.6	14.4	15.3	6.5	1.8	1.3	2.8	8.9	11.2	19.3	20.0	134.0	8	2500
	01 LST	16.7	13.5	17.1	15.9	11.0	4.6	3.5	7.6	10.3	8.8	17.1	18.3	144.4	8	2504
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	23.6	21.6	26.6	25.5	25.5	22.0	22.5	22.9	24.3	22.4	24.9	26.4	288.2	8	2400
	13 LST	25.6	22.8	26.6	25.8	24.9	21.6	21.8	21.7	22.8	22.7	24.1	26.6	287.0	8	2437
	19 LST	26.8	23.7	27.4	26.7	26.0	23.1	23.3	24.1	25.2	25.7	27.5	28.8	308.3	8	2484
	01 LST	25.5	22.1	26.3	26.4	26.3	22.5	23.4	24.9	24.9	24.7	26.7	27.2	300.9	8	2485
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	17.7	14.6	22.7	20.4	19.1	11.3	10.6	12.8	15.3	12.0	18.5	20.0	195.0	8	2400
	13 LST	19.3	14.0	19.8	19.6	14.0	7.4	7.1	6.9	11.5	9.5	15.6	19.3	166.0	8	2437
	19 LST	22.6	18.0	23.4	20.7	19.8	12.3	10.5	13.5	17.6	17.0	23.2	25.4	224.0	8	2484
	01 LST	20.3	15.9	21.5	21.2	17.8	10.5	11.5	15.6	15.6	13.6	21.6	21.8	200.9	8	2485
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	17.6	14.6	22.7	20.4	19.1	11.1	10.6	12.8	15.3	11.8	18.5	19.9	194.4	8	2400
	13 LST	19.3	14.0	19.8	19.6	14.0	7.4	7.1	6.9	11.4	9.5	15.6	19.3	163.9	8	2437
	19 LST	22.6	18.0	23.4	20.7	19.8	12.3	10.3	13.3	17.6	17.0	23.2	25.4	223.6	8	2484
	01 LST	20.3	15.9	21.5	21.2	17.8	10.5	11.5	15.6	15.6	13.6	21.5	21.8	206.8	8	2485

KUANG-YUAN, CHINA

STA NO. 57206 (IN AREA NUMBER 06) LATITUDE 3226N LONGITUDE 10548E ELEVATION(FT) 01598

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	61	73	82	90	93	99	99	99	93	88	75	64	99	6	1667
MEAN MAX TMP (F)	49	53	63	72	78	84	88	86	80	68	59	52	69	6	1667
MEAN MIN TMP (F)	35	38	48	55	61	69	73	71	64	55	47	39	55	6	1679
ABS MIN TMP (F)	21	19	34	41	48	57	64	63	52	37	32	23	19	6	1667
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.5	2.0	8.1	16.9	13.4	2.9	0.0	0.0	0.0	43.8	6	1679
MEAN NO DYS TMP = DR LES 32(F)	10.0	4.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	6.8	21.9	6	1679
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	11563
MEAN DEW PT TMP (F)	24	31	39	49	54	64	71	69	60	51	40	33	49	6	11281
MEAN REL HUM (PCT)	56	59	59	63	64	70	76	76	72	72	66	65	67	6	11692
MEAN PRESS ALT (FT)	1233	1347	1487	1612	1676	1830	1932	1834	1632	1401	1325	1260	1547	7	-181
MEAN PRECIP (IN)	0.18	0.22	0.26	1.40	3.33	6.41	6.49	12.84	4.80	2.14	0.59	0.17	38.8	6	-29
MEAN SNOW FALL (IN)			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			7	-181
MEAN NO DYS PRCP = DR GTR 0.1 IN	2.5	3.2	5.8	6.7	10.3	11.3	13.0	13.0	13.2	11.5	5.2	2.7	98.4	6	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			6	1656
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	0.5	0.2	0.2	0.2	0.0	0.5	0.0	0.2	0.8	0.8	0.2	1.0	4.6	6	1656
MEAN NO DYS TSTMS	0.0	0.0	1.3	4.1	1.8	4.5	11.2	8.6	2.3	0.0	0.0	0.0	33.8	6	11716
P FREQ WND SPD = DR GTR 17 KTS	1.3	0.4	1.0	0.9	1.1	0.1	0.0	0.0	0.4	0.8	1.2	0.9	0.7	6	11716
P FREQ WND SPD = DR GTR 28 KTS	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	6	11745
P FREQ LES 5000 FT A/D LES 5 MI	36.2	30.5	31.7	29.1	22.0	23.6	23.5	22.4	21.1	34.2	37.1	36.6	29.0		
P FREQ LES 1900 FT A/D LES 3 MI														6	1685
FOR 00-02 LST	2.9	2.8	1.9	0.8	1.5	1.4	0.0	1.4	0.6	2.2	2.2	4.4	1.8	6	1556
03-05 LST	3.6	1.0	2.1	0.0	0.7	2.4	1.9	1.4	1.9	2.4	3.6	7.5	2.4	6	1667
06-08 LST	9.9	4.0	7.4	4.3	1.5	7.1	4.7	4.7	2.5	8.4	7.1	9.6	5.9	6	1555
09-11 LST	10.6	3.9	7.4	3.6	2.4	4.8	3.9	2.5	2.2	5.7	7.7	14.5	5.7	6	1682
12-14 LST	6.7	4.5	4.0	3.1	0.4	5.1	0.7	0.0	1.2	4.7	2.6	7.5	3.4	6	1479
15-17 LST	2.0	4.4	3.5	3.3	0.0	3.1	0.8	0.3	0.0	3.1	4.7	4.6	2.5	6	1703
18-20 LST	3.5	3.6	3.7	2.7	0.0	2.9	0.8	0.7	1.2	4.2	1.5	1.4	2.2	6	1357
21-23 LST	3.7	5.2	2.5	2.0	0.4	0.8	0.0	0.9	0.0	2.2	3.6	3.7	2.1	5	
P FREQ LES 300 FT A/D LES 1 MI														6	1685
FOR 00-02 LST	0.0	1.6	0.0	0.0	0.0	0.7	0.0	0.0	0.6	0.0	0.0	1.5	0.4	6	1556
03-05 LST	0.9	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.9	2.8	0.5		6	1667
06-08 LST	0.0	0.8	0.7	1.4	0.0	0.8	2.3	1.4	1.9	3.0	0.8	3.5	1.4	6	1555
09-11 LST	0.9	1.8	0.8	0.7	0.0	0.8	0.0	0.0	0.6	0.0	0.0	1.9	0.6	6	1682
12-14 LST	0.7	2.4	0.0	0.8	0.0	1.6	0.0	0.0	0.6	0.0	0.0	0.0	0.5	6	1479
15-17 LST	0.0	3.3	0.0	1.6	0.0	1.6	0.8	0.0	0.0	0.6	1.0	0.0	0.7	6	1703
18-20 LST	0.0	2.4	1.5	1.6	0.0	0.7	0.8	0.0	0.6	1.2	0.0	0.0	0.7	6	1357
21-23 LST	0.9	3.1	0.0	2.0	0.0	0.8	0.0	0.0	0.0	0.7	0.0	0.0	0.6	5	

KUANG-YUAN, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	28.2	26.9	28.9	28.7	30.8	27.9	29.5	29.7	29.2	28.4	27.9	28.1	344.2	6	1667
	13 LST	29.1	26.9	29.9	29.1	31.0	28.6	30.8	31.0	29.6	29.5	29.3	28.7	353.5	6	1682
	19 LST	29.9	27.1	29.8	29.3	31.0	29.1	30.8	30.8	29.6	29.9	29.8	30.6	357.7	6	1703
	01 LST	30.1	27.3	30.5	29.8	30.8	29.6	31.0	30.6	29.8	30.4	29.3	29.6	358.8	6	1685
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	24.2	25.1	24.8	26.5	26.9	27.4	29.1	28.3	27.9	26.0	23.8	25.9	315.9	6	1663
	13 LST	21.2	23.5	25.8	24.4	25.9	25.8	29.2	28.6	26.7	26.3	23.4	22.9	303.7	6	1678
	19 LST	26.2	25.1	25.9	27.0	27.2	27.0	29.1	29.1	27.3	27.1	25.8	27.8	324.6	6	1701
	01 LST	24.3	25.1	26.0	27.9	28.1	27.8	30.6	29.1	28.5	28.1	24.1	26.7	326.3	6	1682
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.6	0.0	0.0	0.2	0.2	0.0	0.0	0.0	0.0	0.2	0.0	0.0	1.2	6	1686
	13 LST	0.2	0.2	0.5	0.4	0.2	0.0	0.0	0.0	0.0	0.4	0.2	0.5	2.6	6	1700
	19 LST	0.0	0.0	0.0	0.2	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	6	1716
	01 LST	0.2	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.2	0.5	0.0	1.4	6	1691
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	6.8	6.4	9.4	5.0	4.2	3.1	3.6	4.7	4.0	5.3	7.9	8.7	69.1	6	1671
	13 LST	14.3	11.9	14.4	14.0	14.9	8.7	6.9	8.3	11.9	11.9	10.7	13.4	141.3	6	1678
	19 LST	11.6	12.2	14.1	11.5	15.0	11.5	8.3	10.3	7.2	9.5	11.7	11.7	134.6	6	1700
	01 LST	8.0	7.7	8.0	5.7	5.4	5.5	4.9	5.3	6.5	5.4	8.6	7.9	78.9	6	1677
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	6.0	4.5	3.1	5.8	5.2	3.7	4.8	6.7	6.1	4.2	3.8	7.2	61.1	6	1688
	13 LST	7.3	3.6	4.5	5.6	6.2	3.0	4.8	6.7	5.8	5.6	4.9	6.6	64.6	6	1697
	19 LST	8.1	4.6	3.0	3.2	4.8	3.5	7.0	10.3	6.5	6.7	6.5	8.6	72.8	6	1714
	01 LST	6.7	5.5	6.1	5.5	6.4	7.4	7.6	12.7	9.6	7.0	6.5	8.5	89.5	4	1691
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	26.9	26.1	27.9	28.4	29.4	27.3	28.9	28.4	28.7	26.7	26.5	27.1	332.3	6	1667
	13 LST	27.8	26.1	28.6	28.7	29.8	27.7	29.8	30.1	29.1	28.6	27.4	27.6	341.3	6	1682
	19 LST	29.1	26.4	28.8	28.6	30.6	28.7	30.5	30.3	28.9	28.8	28.4	30.2	349.3	6	1703
	01 LST	29.2	26.7	29.3	29.2	30.1	29.0	30.5	30.0	29.0	29.2	28.2	29.3	349.7	6	1685
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	17.2	16.4	14.6	17.5	20.1	19.4	18.4	17.3	20.4	15.4	11.9	16.0	204.6	6	1667
	13 LST	19.2	16.7	17.0	17.7	19.7	20.6	18.1	20.0	20.9	19.4	17.3	17.6	224.2	6	1692
	19 LST	16.8	18.4	18.0	19.1	19.7	21.3	20.7	23.0	18.8	17.4	16.2	16.2	225.6	6	1703
	01 LST	20.1	18.4	17.1	18.6	19.0	20.4	20.0	21.3	20.4	17.2	17.5	17.9	227.9	6	1685
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	13.3	13.9	12.5	15.3	18.1	17.5	16.0	15.9	18.5	14.5	9.3	12.3	177.1	6	1667
	13 LST	16.9	15.4	15.6	16.5	19.0	18.5	16.8	19.2	19.9	17.9	16.6	14.1	206.4	6	1682
	19 LST	14.4	16.0	15.7	16.7	17.3	19.3	19.3	21.3	15.5	16.0	13.4	13.5	198.4	6	1703
	01 LST	17.1	16.2	15.5	16.8	18.3	19.8	19.6	20.5	18.9	16.5	16.6	14.9	210.7	6	1685

WAN-YUAN, CHINA

STA NO. 57237 (IN AREA NUMBER 06)

LATITUDE 3205N

LONGITUDE 10805E

ELEVATION(FT) 02510

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	63	73	86	91	95	97	99	100	104	90	75	68	104	8	2474
MEAN MAX TMP (F)	48	52	61	70	76	85	89	89	79	68	58	51	69	8	2474
MEAN MIN TMP (F)	31	34	42	51	57	65	71	69	61	53	44	36	51	8	2469
ABS MIN TMP (F)	18	21	28	32	37	55	61	54	50	36	27	21	18	8	2469
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.3	0.9	9.1	17.3	17.3	4.3	0.1	0.0	0.0	49.3	8	2474
MEAN NO DYS TMP = OR LES 32(F)	18.3	10.3	1.8	0.2	0.0	0.0	0.0	0.0	0.0	0.0	1.6	10.1	42.3	8	2469
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2469
MEAN DEW PT TMP (F)	25	30	38	48	55	63	70	67	59	51	42	34	49	8	17711
MEAN REL HUM (PCT)	61	63	65	68	73	72	76	74	74	77	75	73	71	8	17505
MEAN PRESS ALT (FT)	2118	2220	2376	2501	2600	2724	2827	2731	2531	2300	2227	2167	2444	8	17870
MEAN PRECIP (IN)														0	0
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0	0.0				8	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN				0.0	0.0	0.0	0.0	0.0	0.0	0.0				0	0
MEAN NO DYS SNFL = OR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0	0.0				8	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0	0.2	0.2	0.6	0.3	9.3	0.2	0.6	0.9	1.9	1.0	1.0	7.2	8	2449
MEAN NO DYS TSTMS	0.0	0.2	1.8	4.1	3.6	5.0	9.4	8.6	2.4	0.5	0.0	0.0	35.6	8	2446
P FREQ WND SPD = OR GTR 17 KTS	1.6	0.8	2.2	3.5	2.6	0.6	0.1	0.2	2.0	2.6	2.3	1.3	1.7	8	17945
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	17945
P FREQ LES 5000 FT A/D LES 5 MI	22.4	23.9	27.1	26.6	22.3	14.8	17.4	13.5	20.9	27.6	30.7	33.6	23.4	8	17904
P FREQ LES 1900 FT A/D LES 3 MI															
FOR 00-02 LST	0.5	1.2	0.0	1.5	1.0	0.0	0.0	1.0	0.7	1.6	2.7	2.2	1.0	8	2477
03-05 LST	0.6	1.4	0.0	2.8	1.0	0.5	0.5	2.2	3.0	4.7	2.7	3.0	1.9	8	2282
06-08 LST	1.3	0.9	1.3	2.9	1.3	2.2	3.7	4.7	6.0	10.9	5.6	5.3	3.8	8	2427
09-11 LST	0.3	1.8	0.0	0.6	0.0	0.6	0.5	0.2	0.7	0.7	0.8	3.7	0.8	8	2349
12-14 LST	1.3	1.7	1.0	0.5	0.5	0.5	0.3	0.5	0.7	1.6	1.6	0.2	0.9	8	2469
15-17 LST	0.6	2.0	0.8	0.0	0.0	0.5	0.8	0.0	0.5	1.5	0.0	0.0	0.6	8	2234
18-20 LST	1.0	0.0	0.3	0.8	0.5	0.0	0.0	0.2	0.5	0.2	0.9	0.4	0.4	8	2510
21-23 LST	0.0	0.0	0.0	0.6	0.0	0.6	0.3	0.0	0.5	0.8	0.0	1.5	0.4	7	2101
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.0	0.6	0.0	0.5	0.5	0.0	0.0	0.5	0.0	0.0	0.9	0.4	0.3	8	2477
03-05 LST	0.0	0.7	0.0	1.7	0.5	0.0	0.0	1.0	0.9	0.9	1.1	1.0	0.7	8	2282
06-08 LST	0.0	0.6	0.5	2.6	1.0	0.5	1.6	2.0	4.6	8.4	4.1	3.5	2.5	8	2427
09-11 LST	0.0	1.2	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.5	2.9	0.4	8	2349
12-14 LST	0.0	1.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.2	8	2469
15-17 LST	0.0	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	8	2234
18-20 LST	0.5	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.1	8	2510
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	2101

WAN-YUAN, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. DAS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	30.7	27.8	30.7	29.2	30.7	29.5	30.2	29.8	28.6	28.1	28.4	29.5	353.2	8	2427
	13 LST	30.8	27.5	30.7	29.8	31.0	29.8	31.0	31.0	30.0	30.9	29.6	31.0	363.1	8	2469
	19 LST	30.7	28.0	31.0	29.8	31.0	30.0	31.0	31.0	29.9	31.0	29.7	31.0	364.1	8	2510
	01 LST	30.8	27.7	31.0	29.5	30.7	30.0	31.0	30.7	29.9	30.6	29.2	30.3	361.4	8	2477
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	26.5	25.1	25.8	24.2	27.0	28.2	29.2	27.6	25.2	24.3	24.3	25.6	313.0	8	2425
	13 LST	23.4	22.1	21.5	21.2	24.1	26.6	27.2	25.7	23.9	24.9	22.9	26.1	289.6	8	2462
	19 LST	25.0	22.6	24.6	24.2	26.5	27.0	28.5	27.2	25.9	26.8	24.0	26.3	308.6	8	2508
	01 LST	26.8	24.6	25.8	24.7	28.0	28.8	30.7	29.8	28.3	27.6	24.4	26.6	326.1	8	2476
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.6	0.2	0.0	0.8	0.5	0.0	0.0	0.0	0.0	0.3	0.3	0.0	2.7	8	2454
	13 LST	0.8	0.2	0.5	0.3	0.2	0.0	0.0	0.1	0.1	0.3	0.0	0.1	2.6	8	2483
	19 LST	0.3	0.2	0.3	0.5	0.2	0.0	0.0	0.0	0.0	0.1	0.1	0.0	1.7	8	2525
	01 LST	0.5	0.3	0.3	0.8	0.8	0.1	0.0	0.0	0.1	0.1	0.4	0.5	3.9	8	2490
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	3.4	2.5	3.0	1.8	0.8	1.4	0.8	1.5	1.9	1.2	2.4	3.4	24.1	8	2437
	13 LST	12.3	13.3	11.5	13.9	14.3	12.0	8.1	8.0	13.4	13.6	9.8	10.9	141.1	8	2470
	19 LST	7.8	9.2	10.8	11.9	12.2	14.2	11.8	9.9	6.6	5.6	5.5	5.7	111.2	8	2515
	01 LST	3.0	2.8	3.6	2.3	2.8	1.8	1.7	1.9	1.9	2.0	3.5	3.4	30.7	8	2483
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	8.5	5.4	5.9	3.7	4.2	5.1	6.3	8.9	7.5	4.0	4.2	6.9	70.6	8	2455
	13 LST	8.7	4.9	5.9	4.8	4.0	5.0	6.0	7.4	7.4	6.2	3.3	6.8	70.4	8	2488
	19 LST	14.5	11.1	10.4	7.4	6.1	5.5	7.3	9.8	9.9	8.0	7.8	10.9	108.7	8	2522
	01 LST	11.0	8.9	10.4	8.0	8.3	9.1	8.8	11.2	9.9	7.8	8.1	10.3	111.8	8	2490
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	29.9	27.1	30.4	28.6	30.3	29.1	29.3	29.2	27.5	26.4	27.3	28.7	343.8	8	2427
	13 LST	29.7	27.1	30.4	29.6	30.5	29.7	30.7	30.6	29.3	29.9	29.1	30.5	357.1	8	2469
	19 LST	30.1	27.6	30.5	29.2	30.5	29.9	30.9	30.8	29.5	30.3	29.4	29.8	358.5	8	2510
	01 LST	30.8	27.4	30.7	29.3	30.6	30.0	30.8	30.6	29.6	30.2	29.0	30.1	359.1	8	2477
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	18.8	16.7	17.9	17.7	19.7	23.2	21.4	23.7	19.2	16.3	15.1	13.7	223.4	8	2427
	13 LST	19.7	16.9	17.4	17.3	20.0	20.7	21.4	21.0	20.3	16.9	14.1	15.2	220.9	8	2469
	19 LST	21.9	19.8	20.6	19.9	20.4	23.6	24.9	25.4	22.2	20.1	16.9	16.4	252.1	8	2510
	01 LST	21.1	18.1	19.7	17.9	18.8	20.6	20.0	22.7	20.9	19.1	16.7	17.3	232.9	8	2477
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	16.4	14.7	15.7	15.1	17.4	21.6	18.9	22.5	17.7	14.2	13.0	12.4	199.6	8	2427
	13 LST	18.7	15.6	15.9	16.7	19.1	19.8	20.6	20.1	19.9	16.1	12.9	14.2	209.6	8	2469
	19 LST	20.0	17.9	18.4	18.2	18.6	22.2	23.8	24.4	20.5	17.8	14.0	14.8	230.6	8	2510
	01 LST	19.8	17.1	18.8	17.1	17.9	19.6	19.1	21.9	19.8	18.2	14.7	15.5	219.5	8	2477

TA-HSIEN, CHINA

STA NO. 57328 (IN AREA NUMBER 06)

LATITUDE 3116N

LONGITUDE 10728E

ELEVATION(FT) 01017

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	72	73	84	91	97	100	104	106	100	95	88	64	106	8	2135
MEAN MAX TMP (F)	51	54	64	73	77	85	92	92	84	71	60	52	71	8	2135
MEAN MIN TMP (F)	36	41	48	57	62	70	76	75	68	58	50	41	57	8	2022
ABS MIN TMP (F)	23	27	36	45	52	59	68	64	55	41	34	27	23	8	2022
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.5	1.9	11.1	23.6	21.9	10.9	0.6	0.0	0.0	70.5	8	2135
MEAN NO DYS TMP = DR LES 32(F)	10.1	2.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	13.7	8	2022
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2022
MEAN DEW PT TMP (F)	35	40	47	56	62	69	75	72	66	58	49	41	56	8	14119
MEAN REL HUM (PCT)	77	78	74	76	79	77	77	73	76	84	82	84	78	8	13844
MEAN PRESS ALT (FT)	680	775	935	1050	1140	1266	1380	1287	1100	860	781	696	996	8	14162
MEAN PRECIP (IN)	0.56	0.45	2.01	3.01	5.14	7.49	5.65	2.94	5.45	3.53	2.03	0.93	38.8	8	-181
MEAN SNOW FALL (IN)			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			8	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	5.1	5.6	8.8	10.1	9.5	12.8	9.9	8.0	10.0	12.9	8.9	5.5	107.1	8	-181
MEAN NO DYS SNFL = DR GTR 1.5 IN			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			8	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	4.2	1.7	1.0	0.8	0.7	0.2	0.6	1.1	2.4	3.5	4.0	9.6	29.8	8	2081
MEAN NO DYS TSTMS	0.4	0.7	3.3	4.9	5.1	4.8	17.3	11.6	2.4	0.6	0.7	0.0	46.8	8	2090
P FREQ WND SPD = DR GTR 17 KTS	0.1	0.0	0.3	0.5	0.3	0.2	0.2	0.3	0.5	0.1	0.2	0.0	0.2	8	14322
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	8	14322
P FREQ LES 5000 FT A/D LES 5 MI	64.1	53.3	38.2	30.1	27.9	25.6	19.4	16.6	25.3	40.4	49.9	64.4	37.9	8	14492
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	31.1	20.1	9.3	4.8	3.1	2.4	0.0	1.2	2.7	9.9	14.4	39.2	11.5	8	2150
03-05 LST	32.6	26.6	10.5	6.8	8.1	8.0	6.0	4.1	11.0	18.1	17.2	43.2	16.0	8	2061
06-08 LST	44.2	29.6	12.7	11.9	12.0	9.0	5.9	6.0	14.4	23.8	29.2	50.6	20.8	8	2016
09-11 LST	43.4	25.4	8.4	2.2	5.6	4.0	1.2	1.8	5.3	8.3	18.0	47.9	14.3	8	2104
12-14 LST	22.0	12.9	4.0	1.0	5.2	4.9	0.6	1.7	2.3	7.3	5.9	27.9	8.0	8	2009
15-17 LST	13.1	7.6	1.8	2.2	2.6	1.9	0.3	1.1	1.6	2.9	5.4	14.9	4.6	8	2039
18-20 LST	15.5	10.3	2.0	2.1	1.0	1.9	0.3	1.1	0.3	2.6	3.7	19.7	5.0	8	2246
21-23 LST	35.3	23.4	6.2	1.9	2.5	5.1	0.0	1.3	2.7	5.2	17.7	26.2	10.6	5	1128
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	5.6	1.3	1.0	0.5	0.5	0.0	0.0	0.6	1.1	1.6	4.1	17.5	2.8	8	2150
03-05 LST	6.3	4.1	1.6	3.7	2.6	0.0	1.8	3.1	4.9	9.0	11.3	24.7	6.1	8	2061
06-08 LST	14.4	6.1	3.5	6.9	1.2	1.2	1.2	1.8	7.1	13.0	14.9	32.2	8.6	8	2016
09-11 LST	19.3	3.6	0.5	0.0	0.0	0.0	0.0	0.0	0.0	1.0	2.4	24.9	4.3	8	2104
12-14 LST	4.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.6	6.7	1.1	8	2009
15-17 LST	0.8	0.8	0.6	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.6	3.3	0.6	8	2039
18-20 LST	1.2	1.1	0.0	0.5	0.0	0.5	0.0	0.6	0.0	0.5	0.0	2.6	0.6	8	2246
21-23 LST	4.7	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	0.7	5	1128	

TA-HSIEN, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	17.4	19.8	27.1	26.6	27.6	27.5	29.4	29.5	26.4	24.1	21.3	15.4	292.1	8	2016
	13 LST	24.4	24.5	29.8	29.8	29.9	28.8	31.0	30.8	29.8	29.3	28.3	22.4	338.8	8	2009
	19 LST	26.2	25.3	30.4	29.5	30.8	29.5	31.0	30.7	30.0	30.4	29.1	24.9	347.8	8	2246
	01 LST	21.4	22.4	28.1	28.6	30.1	29.4	31.0	30.8	29.3	28.1	25.8	18.9	323.9	8	2150
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	17.0	19.6	26.2	25.1	26.7	26.9	29.0	28.6	24.7	22.6	20.4	15.0	281.8	8	2012
	13 LST	23.9	23.9	28.4	29.1	27.1	28.0	30.1	29.1	26.5	27.7	27.0	21.8	322.6	8	2006
	19 LST	25.6	24.2	28.3	28.0	29.8	27.9	30.5	29.6	29.1	29.7	27.8	23.8	334.3	8	2246
	01 LST	21.0	22.2	27.5	27.1	29.1	29.0	30.5	29.8	28.5	27.6	24.2	18.3	314.8	8	2149
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.2	8	2041
	13 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2031
	19 LST	0.0	0.0	0.0	0.2	0.0	0.2	0.0	0.2	0.0	0.0	0.0	0.0	0.6	8	2267
	01 LST	0.2	0.0	0.2	0.3	0.0	0.0	0.0	0.2	0.2	0.0	0.0	0.0	1.1	8	2169
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	4.0	3.6	6.2	3.8	2.6	3.7	4.7	4.5	5.0	3.7	3.2	4.4	49.4	8	2020
	13 LST	8.1	9.5	11.0	11.2	9.8	7.3	4.2	4.7	7.8	7.8	5.4	7.4	94.2	8	2018
	19 LST	4.9	2.9	7.0	7.3	5.6	6.2	5.2	7.2	4.0	2.2	4.6	4.4	61.5	8	2249
	01 LST	3.8	4.6	7.0	5.0	4.0	3.7	4.7	4.6	4.3	3.4	4.6	2.7	52.4	8	2151
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	3.6	2.3	3.9	3.7	2.3	4.6	6.4	6.6	7.6	2.1	1.6	2.0	46.7	8	2038
	13 LST	7.4	4.1	6.5	6.0	2.5	4.6	5.0	5.5	7.9	4.4	2.6	4.5	61.0	8	2031
	19 LST	12.4	7.8	10.0	7.6	5.1	4.9	7.2	8.4	12.2	8.6	7.1	8.1	99.4	8	2260
	01 LST	7.2	4.4	6.7	7.7	6.0	8.3	10.9	12.1	11.6	5.4	2.6	4.0	86.9	8	2168
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	17.2	19.3	26.5	26.0	26.5	26.9	28.6	28.5	24.7	22.7	20.7	15.0	282.6	8	2016
	13 LST	23.9	23.8	29.3	28.9	28.3	27.8	30.3	29.8	28.3	27.3	27.6	22.4	317.7	8	2009
	19 LST	26.1	24.8	30.2	28.8	30.0	29.1	30.6	30.5	29.6	29.4	28.1	24.6	341.8	8	2246
	01 LST	21.3	22.3	28.0	28.4	29.8	29.0	30.9	30.5	28.8	27.5	25.3	18.6	320.4	8	2150
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	11.5	13.7	18.1	18.4	18.7	23.2	21.9	22.6	19.8	14.4	12.1	9.6	204.0	8	2016
	13 LST	19.3	16.7	19.6	22.2	21.7	23.0	23.3	21.7	23.6	19.1	18.3	16.7	245.2	8	2009
	19 LST	19.7	19.2	21.4	22.7	22.7	25.7	25.4	25.1	23.7	20.0	19.4	16.7	261.7	8	2246
	01 LST	16.4	15.3	19.0	19.9	22.3	22.0	22.4	21.6	21.7	17.5	13.9	11.6	223.6	8	2150
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	10.6	11.6	14.7	14.8	16.9	20.1	20.5	21.7	19.0	12.4	10.0	7.1	179.4	8	2016
	13 LST	17.4	14.2	16.4	20.3	18.7	21.5	21.5	21.2	22.4	17.2	14.8	13.7	219.3	8	2009
	19 LST	17.9	17.0	18.5	21.1	19.9	23.9	24.2	24.3	22.5	18.7	15.2	14.8	238.0	8	2246
	01 LST	14.8	13.7	17.1	18.1	18.3	19.7	21.3	21.1	20.9	16.2	11.8	10.2	203.2	8	2150

NAN-CHUNG, CHINA

STA NO. 57411 (IN AREA NUMBER 06)

LATITUDE 3048N

LONGITUDE 10604E

ELEVATION(FT) 00971

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO.
ABS MAX TMP (F)	61	70	86	91	95	99	104	102	99	88	75	63	104	6	2087
MEAN MAX TMP (F)	49	54	65	73	77	85	91	90	82	69	60	52	71	6	2087
MEAN MIN TMP (F)	40	44	51	58	65	73	77	75	69	60	51	43	59	3	1207
ABS MIN TMP (F)	28	34	41	46	50	63	70	63	55	46	41	28	28	3	1207
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.6	1.9	8.3	20.0	19.0	8.2	0.0	0.0	0.0	58.0	6	2087
MEAN NO DYS TMP = DR LES 32(F)	2.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	3.6	3	1207
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3	1207
MEAN DEW PT TMP (F)	36	41	48	55	61	70	75	73	67	58	50	42	56	5	-29
MEAN REL HUM (PCT)	75	76	72	71	73	76	76	75	76	82	82	83	76	6	16062
MEAN PRESS ALT (FT)	624	733	893	1015	1103	1218	1335	1242	1047	808	739	674	953	9	17943
MEAN PRECIP (IN)	0.17	0.58	1.17	2.87	4.47	4.88	5.81	5.03	6.01	3.38	2.09	0.54	37.0	9	-181
MEAN SNOW FALL (IN)														0	0
MEAN NO DYS PRCP = DR GTR 0.1 IN	3.4	4.3	8.7	9.4	3.3	12.7	8.7	11.1	13.3	11.6	10.7	6.3	108.5	9	-181
MEAN NO DYS SNFL = DR GTR 1.5 IN														0	0
MEAN NO DYS W/O CUR VSBY LES 1/2 MI	2.4	1.5	0.0	0.3	0.2	0.0	0.3	0.7	1.2	3.2	1.4	6.8	18.0	8	2449
MEAN NO DYS YSTMS	0.2	0.2	0.8	5.5	5.6	5.0	13.5	10.5	3.7	0.5	0.8	0.0	46.3	8	2456
P FREQ WND SPD = DR GTR 17 KTS	0.0	0.2	0.2	0.1	0.5	0.2	0.1	0.3	0.4	0.1	0.2	0.3	0.2	8	18093
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	18093
P FREQ LES 5000 FT A/D LES 5 MI	69.1	64.3	43.8	37.9	40.0	31.0	31.4	30.4	39.4	56.5	60.6	75.1	48.3	8	17940
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	42.6	34.2	17.9	1.3	15.1	12.4	16.3	8.0	10.3	28.0	25.6	42.1	22.2	8	2488
03-05 LST	49.1	43.5	25.8	15.7	22.6	16.7	16.7	14.9	21.1	37.5	40.1	58.0	30.5	8	2241
06-08 LST	56.0	52.0	31.9	24.1	22.9	18.9	21.1	19.2	33.8	45.3	47.1	63.1	36.3	8	2433
09-11 LST	49.5	34.2	9.7	5.3	9.4	3.4	1.6	3.2	8.3	16.6	22.7	53.0	18.1	8	2349
12-14 LST	17.6	12.6	6.1	4.0	6.0	3.1	1.6	2.2	3.9	11.2	12.0	23.8	8.7	8	2472
15-17 LST	18.2	9.7	6.5	3.1	4.4	4.3	1.0	1.4	3.8	10.6	9.7	14.5	7.3	8	2211
18-20 LST	28.6	21.8	6.3	4.2	3.6	2.1	1.2	2.4	3.8	13.5	18.9	31.1	11.5	8	2516
21-23 LST	42.2	27.7	14.7	8.5	7.5	4.4	10.3	8.7	9.9	21.3	24.0	43.5	18.6	7	2142
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	1.5	0.6	0.5	0.0	0.0	0.5	0.0	0.0	0.0	0.4	0.0	6.8	0.9	8	2488
03-05 LST	3.7	0.7	0.0	0.5	0.5	0.6	0.5	2.1	1.5	6.5	2.6	15.3	2.9	8	2241
06-08 LST	18.4	12.4	2.0	2.2	2.1	2.9	3.2	3.9	7.9	14.7	13.2	33.0	9.7	8	2433
09-11 LST	14.1	6.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	0.0	20.1	3.6	8	2349
12-14 LST	0.0	2.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.4	4.8	0.7	8	2472
15-17 LST	1.3	1.5	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.5	0.0	1.2	0.4	8	2211
18-20 LST	0.5	0.5	0.0	0.0	0.0	0.0	0.0	1.4	0.0	0.9	0.0	1.7	0.4	8	2516
21-23 LST	0.0	0.7	0.0	0.6	0.0	0.0	0.0	0.0	0.0	1.0	0.0	4.2	0.5	7	2142

NAN-CHUNG, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTP 1000 FT AND VSBY = GTR 3 MI	07 LST	13.9	13.8	21.4	23.3	24.7	24.7	24.8	25.3	20.4	17.6	16.7	11.8	238.4	8	2433
	13 LST	25.6	25.0	29.7	29.5	30.2	29.4	30.8	30.5	29.7	29.1	27.6	23.9	341.1	8	2472
	19 LST	22.2	22.5	29.8	29.4	30.7	29.8	30.8	30.6	29.5	27.6	25.4	21.6	329.9	8	2516
	01 LST	17.8	18.5	25.8	26.3	26.8	26.4	26.0	28.8	27.2	22.8	23.2	18.1	287.7	8	2488
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	13.3	12.9	20.3	21.3	22.3	23.8	23.7	24.0	18.8	16.0	14.5	10.8	221.7	8	2428
	13 LST	24.9	23.0	27.1	26.0	27.2	28.1	28.1	27.6	25.7	25.3	24.3	22.5	309.8	8	2471
	19 LST	22.0	21.4	27.8	26.0	28.2	27.4	29.9	28.9	27.1	25.7	22.8	20.7	307.9	8	2513
	01 LST	17.2	18.2	24.5	24.3	24.8	25.8	25.6	27.3	26.2	21.0	21.0	17.3	273.2	8	2484
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	8	2456
	13 LST	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.4	8	2497
	19 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	8	2525
	01 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.2	8	2499
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	3.7	2.4	4.2	5.2	4.5	5.3	5.8	4.8	3.9	3.3	3.2	3.2	48.9	8	2426
	13 LST	14.6	13.9	16.3	17.2	16.6	11.4	6.2	7.2	10.7	10.2	10.3	12.6	147.2	8	2484
	19 LST	8.6	8.9	11.2	10.7	11.6	11.1	7.6	6.7	7.9	4.8	5.9	7.5	102.5	8	2506
	01 LST	4.4	3.3	6.8	5.4	5.5	4.5	5.9	6.1	4.4	2.8	5.3	4.0	58.4	8	2484
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	1.5	1.7	3.5	3.5	1.9	3.5	5.5	6.0	3.9	0.8	1.1	1.1	34.0	8	2453
	13 LST	7.2	3.7	6.7	7.3	3.5	4.9	4.3	8.3	7.2	4.7	3.7	4.8	66.3	8	2494
	19 LST	8.4	5.8	7.4	6.9	4.7	5.5	7.4	10.9	11.0	7.1	5.3	5.3	85.7	8	2527
	01 LST	4.6	3.2	5.5	4.7	3.8	5.5	8.9	13.1	8.8	3.6	3.7	3.9	69.4	8	2504
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	13.0	12.8	20.3	21.9	22.3	23.5	23.7	24.5	18.9	15.9	14.7	10.7	222.2	8	2433
	13 LST	24.7	23.4	28.0	27.3	27.2	28.3	29.7	29.3	27.2	25.0	24.3	22.5	316.9	8	2472
	19 LST	21.4	21.0	28.0	27.5	28.7	28.7	30.2	29.7	27.6	25.5	22.7	20.5	311.5	8	2516
	01 LST	17.4	18.2	24.3	25.3	25.5	26.0	25.7	28.0	26.0	21.3	21.3	17.5	276.5	8	2488
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	6.9	7.9	14.2	14.3	14.1	17.1	18.8	18.7	13.5	9.1	6.3	5.1	146.0	8	2433
	13 LST	17.3	17.0	22.4	21.0	19.4	21.5	22.0	21.6	20.2	17.5	15.1	16.1	231.1	8	2472
	19 LST	15.3	13.5	19.9	21.1	22.7	23.6	25.3	25.1	22.3	17.9	12.7	12.2	231.6	8	2516
	01 LST	11.4	12.0	17.2	15.9	15.7	19.5	17.8	21.4	18.3	13.4	11.0	10.8	184.4	8	2488
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	6.2	6.5	12.1	11.8	12.2	16.5	17.9	17.6	13.0	7.8	4.2	3.6	129.4	8	2433
	13 LST	15.7	14.6	20.8	19.7	18.0	20.4	21.5	20.4	19.5	16.4	13.5	14.0	214.5	8	2472
	19 LST	13.0	11.8	18.2	19.1	21.0	22.7	23.9	23.8	21.1	16.2	10.6	10.0	211.4	8	2516
	01 LST	9.8	10.7	16.0	14.1	14.3	18.0	16.9	20.1	17.2	11.8	9.2	9.5	167.6	8	2488

I-CHANG/YEHCHANG, CHINA

STA NO. 57461 (IN AREA NUMBER 06)

LATITUDE 3042N

LONGITUDE 11115E

ELEVATION(FT) 00230

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POP (YRS)	NO. OBS
ABS MAX TMP (F)	72	75	84	91	99	102	104	106	97	97	79	72	106	8	2534
MEAN MAX TMP (F)	50	55	63	72	79	88	94	92	85	74	62	53	72	8	2534
MEAN MIN TMP (F)	33	38	46	55	63	72	77	75	67	57	48	39	56	8	2546
ABS MIN TMP (F)	21	25	30	37	48	63	68	63	57	45	30	23	21	8	2546
MEAN ND DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.5	3.8	16.7	25.5	22.9	10.3	1.5	0.0	0.0	81.2	8	2534
MEAN ND DYS TMP = DR LES 32(F)	16.4	5.6	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	4.4	27.4	8	2546
MEAN ND DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2546
MEAN DEW PT TMP (F)	30	35	45	54	62	70	76	73	64	54	47	38	54	8	18729
MEAN REL HUM (PCT)	69	70	77	77	78	76	79	77	72	73	79	77	75	8	18498
MEAN PRESS ALT (FT)	-175	-79	63	195	316	456	550	452	256	30	-78	-130	155	8	18948
MEAN PRECIP (IN)	0.86	1.21	2.11	4.00	4.94	6.23	8.87	7.19	4.20	2.97	1.38	0.68	44.6	57	-181
MEAN SNOW FALL (IN)			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			8	-29
MEAN ND DYS PRCP = DR GTR 0.1 IN	5.7	6.4	9.3	10.8	12.0	11.3	12.4	11.0	9.1	9.7	6.8	4.9	109.4	57	-181
MEAN ND DYS SNFL = DR GTR 1.5 IN			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			8	-29
MEAN ND DYS W/OCUR VSBY LES 1/2 MI	1.9	1.1	1.3	0.9	0.3	0.2	0.3	0.1	0.0	1.2	0.9	3.1	11.3	8	2490
MEAN ND DYS TSMS	0.3	0.9	3.8	6.0	5.8	8.2	13.5	11.1	1.7	0.4	0.1	0.0	51.8	8	2543
P FREQ WND SPD = DR GTR 17 KTS	0.1	0.0	0.0	0.1	0.0	0.3	0.0	0.1	0.0	0.1	0.0	0.0	0.1	8	18952
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	18952
P FREQ LES 5000 FT A/D LES 5 MI	21.7	23.6	26.8	24.5	25.5	18.7	19.8	22.2	19.1	13.5	22.4	28.3	22.2	8	18333
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	3.6	3.7	3.2	1.0	0.8	2.4	0.8	1.7	0.2	0.7	1.6	6.7	2.2	8	2443
03-05 LST	5.8	6.5	4.9	3.9	2.4	2.2	3.1	3.0	1.0	2.3	2.0	11.5	4.1	8	2327
06-08 LST	20.1	14.0	16.9	14.9	6.0	7.3	4.3	4.9	0.7	5.6	9.8	20.2	10.4	8	2524
09-11 LST	15.9	11.7	5.2	3.7	1.9	1.7	1.4	2.1	1.5	2.3	0.9	15.2	5.3	8	2386
12-14 LST	5.2	3.8	3.7	3.6	3.5	2.8	1.0	2.1	1.8	1.8	2.0	4.0	2.9	8	2549
15-17 LST	5.3	2.9	2.4	1.7	3.8	0.9	2.0	2.0	1.2	1.1	1.4	2.0	2.2	8	2391
18-20 LST	3.0	4.1	1.8	2.8	4.0	2.4	0.8	1.4	1.4	1.1	1.1	2.4	2.2	8	2310
21-23 LST	1.2	3.1	3.8	0.7	2.1	1.0	1.3	0.3	0.0	0.6	1.7	4.3	1.7	7	2048
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.0	1.1	1.5	0.0	0.0	0.5	0.0	1.0	0.0	0.4	0.0	2.7	0.6	8	2443
03-05 LST	0.5	1.2	1.5	1.7	1.0	0.5	0.6	1.0	0.0	1.3	1.5	6.3	1.4	8	2327
06-08 LST	6.8	4.3	6.2	2.6	0.5	0.5	0.5	0.0	0.0	5.0	4.7	11.6	3.6	8	2524
09-11 LST	3.1	2.2	0.0	0.0	0.0	0.5	0.0	1.0	0.0	0.0	0.0	5.0	1.0	8	2386
12-14 LST	1.0	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	8	2549
15-17 LST	0.5	0.6	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.1	8	2391
18-20 LST	0.5	1.6	0.0	0.5	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.4	0.3	8	2510
21-23 LST	0.6	0.7	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	1.6	0.4	7	2048

I-CHANG/YEHCHANG, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	25.3	24.4	26.6	26.2	29.8	28.6	29.9	29.9	30.0	29.3	27.3	25.3	332.6	8	2524
	13 LST	29.8	27.6	30.7	29.6	30.7	29.5	31.0	30.7	29.9	31.0	29.9	30.3	360.7	8	2549
	19 LST	30.5	27.3	30.7	29.6	30.4	29.5	30.8	30.9	29.7	30.9	29.9	30.7	360.9	8	2510
	01 LST	30.2	27.2	30.1	29.7	31.0	29.7	31.0	30.5	30.0	30.9	29.7	29.2	359.2	8	2443
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	24.0	23.6	24.7	24.8	28.5	27.1	29.4	29.1	29.4	29.2	26.7	24.2	320.7	8	2520
	13 LST	27.2	25.2	27.1	26.1	28.4	27.0	29.6	28.5	27.8	29.2	28.1	28.5	332.7	8	2544
	19 LST	29.0	26.0	29.5	28.1	28.7	28.7	30.0	29.8	29.2	30.2	28.9	29.8	347.9	8	2504
	01 LST	29.4	26.7	29.5	28.9	30.1	28.8	30.5	30.2	29.9	30.6	29.2	28.4	352.2	8	2442
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	8	2543
	13 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2564
	19 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.1	8	2553
	01 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.1	8	2544
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	2.2	2.1	3.2	2.3	2.4	1.8	2.0	1.7	3.2	1.8	2.5	3.7	28.9	8	2533
	13 LST	16.6	14.2	16.0	16.2	14.0	10.7	3.8	5.2	12.4	15.4	14.4	13.2	152.1	8	2550
	19 LST	9.0	8.6	9.5	7.8	6.9	6.6	5.7	6.3	8.2	6.8	6.9	7.0	89.3	8	2540
	01 LST	3.4	2.8	2.7	2.3	1.5	1.6	1.6	2.0	3.7	1.5	3.1	3.1	29.3	8	2536
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	9.6	6.1	4.5	4.1	5.7	6.2	9.6	11.0	9.5	7.7	6.1	5.6	85.7	8	2548
	13 LST	11.5	8.0	7.3	6.4	5.4	7.3	8.4	9.6	10.9	9.3	6.9	9.7	100.7	8	2567
	19 LST	13.9	7.9	8.5	6.1	5.6	5.9	6.9	8.8	9.3	10.6	8.2	11.3	103.0	8	2545
	01 LST	12.8	10.2	9.9	9.4	9.0	8.4	13.4	13.7	12.2	12.1	11.3	12.0	134.4	8	2476
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	23.9	23.4	24.4	24.5	27.9	26.8	28.9	28.5	29.3	29.0	26.2	23.5	316.3	8	2524
	13 LST	26.7	26.2	28.3	27.9	28.5	28.4	29.6	29.0	28.7	29.7	28.9	28.8	342.7	8	2549
	19 LST	28.9	25.9	29.4	28.3	28.6	28.4	29.7	28.7	29.0	30.3	28.8	29.4	345.4	8	2510
	01 LST	29.0	26.1	28.9	29.3	29.6	28.6	30.0	30.0	29.4	30.2	28.5	27.7	347.3	8	2443
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	19.4	19.9	16.6	16.7	21.7	22.0	23.6	23.7	24.1	24.3	18.4	16.9	246.6	8	2524
	13 LST	24.9	22.5	23.1	22.5	22.1	25.2	25.0	24.5	24.1	25.9	23.2	22.7	285.7	8	2549
	19 LST	24.4	20.7	20.5	20.9	20.1	23.1	22.6	20.1	21.3	24.3	21.0	22.0	261.0	8	2510
	01 LST	23.4	21.0	19.3	21.3	22.0	23.0	25.0	24.0	22.7	25.2	20.8	20.6	268.3	8	2443
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	18.9	19.0	16.0	16.1	20.2	21.7	23.4	23.6	23.3	23.3	17.6	15.8	238.9	8	2524
	13 LST	24.6	21.9	22.8	21.9	21.9	24.7	24.9	24.2	23.4	25.5	22.3	21.9	280.0	8	2549
	19 LST	23.9	19.9	19.9	20.1	19.1	22.6	22.6	19.8	20.4	23.3	19.6	21.5	252.7	8	2510
	01 LST	22.1	19.7	18.1	20.1	20.6	22.1	24.5	23.1	20.8	23.5	18.9	18.9	252.4	8	2443

NET-CHIANG, CHINA

STA NO. 57504 (IN AREA NUMBER 06)

LATITUDE 2935N

LONGITUDE 10503E

ELEVATION(FT) 01125

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	63	72	95	91	97	99	102	100	97	88	75	64	102	8	2066
MEAN MAX TMP (F)	51	53	65	74	78	84	89	88	81	69	61	54	71	8	2066
MEAN MIN TMP (F)	40	43	53	59	65	71	76	74	68	59	52	44	59	8	1972
ABS MIN TMP (F)	28	25	34	46	52	61	66	63	55	41	36	28	25	8	1972
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.2	1.3	2.2	6.8	17.8	17.2	6.0	0.0	0.0	0.0	51.5	8	2066
MEAN NO DYS TMP = DR LES 32(F)	3.0	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	4.0	8	1972
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	1972
MEAN DEW PT TMP (F)	37	42	49	56	60	69	74	73	66	58	51	43	57	8	12160
MEAN REL HUM (PCT)	75	80	75	71	71	78	80	80	81	84	84	82	78	8	11900
MEAN PRESS ALT (FT)	772	867	1032	1145	1227	1359	1472	1334	1145	912	847	786	1075	8	12202
MEAN PRECIP (IN)	0.48	0.55	1.08	2.30	3.47	5.26	7.29	6.85	4.47	3.11	1.41	0.66	36.9	16	-181
MEAN SNOW FALL (IN)			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			8	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	3.5	3.8	4.7	8.3	10.8	10.8	13.0	12.6		10.1	4.8	4.2		16	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			8	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	3.0	2.4	0.4	0.7	0.4	0.5	0.0	1.5	3.1	3.0	2.4	5.2	22.6	8	1801
MEAN NO DYS TSTMS	0.0	0.5	1.8	3.3	3.3	7.1	16.3	11.4	3.8	0.5	0.5	0.0	48.5	8	1822
P FREQ WND SPD = DR GTR 17 KTS	0.1	0.2	0.0	0.6	0.5	0.4	0.3	0.1	0.1	0.2	0.1	0.0	0.2	8	12349
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.2	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.0	8	12349
P FREQ LES 5000 FT A/D LES 5 MI	68.9	69.9	44.5	40.9	34.4	42.6	37.8	39.8	42.9	54.3	63.0	71.8	50.9	8	12894
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	23.7	23.1	6.6	5.1	6.2	4.1	4.8	7.9	11.6	17.6	20.4	30.0	13.4	8	2072
03-05 LST	39.6	30.3	19.7	12.0	11.5	12.4	9.2	21.9	23.1	30.2	34.3	43.6	24.0	8	1823
06-08 LST	55.1	53.5	32.0	29.2	29.7	38.1	40.8	43.1	42.6	44.0	49.2	63.7	43.4	8	2024
09-11 LST	56.5	45.8	7.0	5.4	2.3	5.8	3.6	2.5	8.0	18.1	33.2	58.5	20.6	8	1908
12-14 LST	14.6	15.2	3.8	2.1	3.7	4.9	1.1	1.4	1.0	5.4	4.5	14.2	6.0	8	1975
15-17 LST	7.3	5.7	2.8	1.9	2.1	0.7	1.3	0.3	1.4	2.3	5.5	12.9	3.7	8	1806
18-20 LST	16.5	11.0	3.4	2.0	3.7	1.8	2.8	1.4	1.5	3.9	11.5	21.1	6.7	8	2130
21-23 LST	17.8	15.5	6.3	5.2	2.8	3.4	1.1	2.7	0.6	9.6	23.1	27.7	9.7	6	1225
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	1.2	1.6	0.0	0.7	0.0	0.0	0.0	0.5	2.5	3.4	1.1	4.9	1.3	8	2072
03-05 LST	5.8	8.5	0.7	0.7	0.6	1.2	0.6	5.0	4.1	6.8	6.7	14.3	4.8	8	1823
06-08 LST	15.3	16.1	2.7	5.8	2.0	5.1	5.5	9.4	13.3	13.4	10.8	21.1	10.0	8	2024
09-11 LST	14.2	8.5	0.6	0.0	0.0	0.0	0.7	0.0	0.0	1.6	1.8	13.7	3.4	8	1908
12-14 LST	0.0	3.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.3	8	1975
15-17 LST	0.0	0.9	0.0	0.7	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.2	8	1806
18-20 LST	0.0	2.3	0.7	0.7	0.0	0.0	0.6	0.5	0.0	0.0	0.5	0.0	0.4	8	2130
21-23 LST	0.0	3.1	0.0	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	6	1225

NEI-CHIANG, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PER (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	14.2	13.1	21.3	21.4	21.9	19.0	18.7	17.6	17.4	17.6	15.6	11.3	209.1	8	2024
	13 LST	26.6	24.6	30.0	29.6	30.6	28.9	30.8	30.7	29.7	29.6	28.8	26.9	345.8	8	1975
	19 LST	26.0	25.4	30.0	29.4	30.2	29.5	30.3	30.7	29.9	30.0	27.1	24.6	343.1	8	2130
	01 LST	23.8	22.1	29.1	28.7	29.4	29.0	29.5	28.6	26.7	25.9	24.3	21.8	318.9	8	2072
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	13.1	13.0	20.9	19.1	20.5	17.9	17.4	16.5	16.2	16.7	14.3	11.0	196.6	8	2020
	13 LST	25.8	22.7	28.1	28.0	28.1	26.6	29.7	29.1	28.4	28.6	27.6	25.6	328.3	8	1969
	19 LST	25.0	23.8	28.1	27.8	28.5	26.7	29.2	28.5	27.9	29.2	25.3	24.2	324.2	8	2122
	01 LST	23.3	21.0	27.1	25.0	27.2	26.2	28.3	27.4	25.5	24.3	22.3	21.5	299.1	8	2068
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2049
	13 LST	0.0	0.2	0.0	0.2	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.9	8	1997
	19 LST	0.0	0.0	0.0	0.4	0.2	0.0	0.2	0.0	0.1	0.0	0.0	0.0	0.9	8	2158
	01 LST	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.4	8	2091
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	4.2	4.0	5.6	6.2	4.5	4.8	7.3	5.1	4.2	3.3	3.5	5.3	58.0	8	2033
	13 LST	16.4	11.7	16.3	18.0	17.6	11.5	6.7	8.0	13.1	11.7	11.3	13.3	155.6	8	1975
	19 LST	10.7	8.1	13.6	14.4	16.9	10.8	9.4	10.0	9.7	7.3	9.1	11.5	131.5	8	2140
	01 LST	6.5	2.2	6.9	8.4	5.2	4.0	9.3	6.4	5.1	3.4	4.8	6.4	68.6	8	2083
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	1.0	0.8	2.9	3.5	1.4	1.3	2.3	3.3	2.1	0.3	0.2	0.3	19.4	8	2041
	13 LST	5.9	2.4	8.4	4.9	3.2	3.4	3.4	5.3	6.8	2.2	2.4	4.5	52.8	8	1989
	19 LST	8.9	4.5	6.2	4.6	3.7	4.6	5.3	9.1	9.9	5.3	5.4	6.5	74.0	8	2158
	01 LST	5.0	2.4	3.6	5.5	2.9	5.5	9.5	9.9	6.3	2.7	1.3	4.4	59.0	8	2094
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	13.2	12.4	20.6	20.6	21.0	17.1	17.3	17.2	15.9	15.9	14.3	10.8	196.3	8	2024
	13 LST	25.1	21.4	28.0	27.5	27.7	27.0	28.6	28.7	27.6	27.0	26.3	25.4	320.3	8	1975
	19 LST	25.4	23.5	29.6	28.7	29.2	29.3	29.8	30.4	28.5	28.5	25.6	23.9	332.4	8	2130
	01 LST	23.1	20.8	28.5	27.7	28.0	27.0	29.3	28.4	25.3	23.6	22.4	21.4	306.4	8	2072
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	6.5	5.1	12.4	14.4	13.0	11.0	9.6	11.6	10.4	7.6	5.2	3.8	110.6	8	2024
	13 LST	18.5	12.0	19.9	19.8	19.9	18.3	20.0	20.1	20.9	16.7	14.4	17.0	217.5	8	1975
	19 LST	16.8	13.1	16.9	20.6	22.3	21.8	24.2	24.0	19.4	16.7	14.6	12.9	223.3	8	2130
	01 LST	13.9	9.0	11.8	15.7	12.3	14.1	19.8	18.4	14.5	10.7	8.3	11.1	159.6	8	2072
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	6.3	4.1	11.0	12.9	12.4	10.0	9.1	10.8	10.0	6.6	4.2	3.2	100.6	8	2024
	13 LST	17.3	11.3	18.3	19.2	19.5	17.6	20.0	19.9	20.6	15.6	13.6	16.2	209.1	8	1975
	19 LST	15.6	12.5	16.0	19.6	22.1	21.6	23.6	23.5	18.5	15.8	14.1	11.5	214.4	8	2130
	01 LST	12.3	8.1	11.4	15.0	11.8	14.0	19.6	17.9	14.5	10.6	7.2	10.6	153.0	8	2072

CHUNG-CHING/SAPI, CHINA

STA NO. 57515 (IN AREA NUMBER 06)

LATITUDE 2930N

LONGITUDE 10633E

ELEVATION(FT) 00855

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	63	72	86	95	99	102	104	104	99	91	79	66	104	8	2460
MEAN MAX TMP (F)	51	55	67	74	78	86	93	93	85	71	62	54	72	8	2460
MEAN MIN TMP (F)	41	45	53	60	65	72	77	76	70	61	54	46	60	8	2429
ABS MIN TMP (F)	28	34	37	46	54	61	68	66	57	48	41	32	28	8	2429
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	2.2	2.5	11.1	23.6	23.7	11.7	0.1	0.0	0.0	74.9	8	2460
MEAN NO DYS TMP = DR LES 32(F)	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	2.1	8	2429
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2429
MEAN DEW PT TMP (F)	36	43	49	57	63	70	74	73	66	59	52	44	57	8	17526
MEAN REL HUM (PCT)	73	78	72	73	78	77	74	72	74	83	84	83	77	8	17258
MEAN PRESS ALT (FT)	511	610	780	894	987	1101	1217	1128	936	691	631	564	838	8	17729
MEAN PRECIP (IN)	0.64	0.88	1.48	3.84	5.63	7.08	5.50	4.57	5.75	4.26	2.00	0.79	42.4	59	-181
MEAN SNOW FALL (IN)		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		8	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	4.7	5.0	6.0	11.4	13.4	12.8	11.1	9.9			6.8	4.7		59	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		8	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	8.9	6.4	3.2	2.5	2.3	1.6	0.6	1.9	3.6	5.7	5.8	9.1	51.6	8	2405
MEAN NO DYS TSTMS	0.3	0.8	2.8	4.4	5.8	4.3	10.6	9.1	2.7	1.0	1.3	0.0	43.1	8	2418
P FREQ WND SPD = DR GTR 17 KTS	0.1	0.1	0.2	0.6	0.1	0.1	0.1	0.3	0.3	0.1	0.1	0.1	0.2	8	17834
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	17834
P FREQ LES 5000 FT A/D LES 5 MI	83.3	78.9	57.2	53.1	56.6	55.7	39.7	40.2	50.4	71.8	76.0	85.5	62.4	8	17653
P FREQ LES 1900 FT A/D LES 3 MI															
FOR 00-02 LST	57.7	46.3	22.4	19.4	27.8	29.9	17.4	15.8	21.1	34.8	40.1	59.0	32.6	8	2465
03-05 LST	67.7	55.8	37.0	30.7	44.8	47.1	39.2	30.7	37.6	50.8	50.9	68.1	46.7	8	2253
06-08 LST	77.5	73.0	54.6	52.2	61.8	63.1	54.1	55.6	51.6	64.6	64.2	75.6	62.3	8	2403
09-11 LST	75.6	67.3	42.4	30.2	25.7	24.0	14.0	13.9	23.7	48.2	53.2	74.7	41.2	8	2296
12-14 LST	52.1	35.6	10.4	11.0	7.3	9.3	2.6	2.4	6.2	16.8	29.9	49.2	19.4	8	2436
15-17 LST	35.7	25.8	5.0	4.0	4.3	4.8	1.0	2.2	5.8	11.7	23.8	39.9	13.7	8	2164
18-20 LST	42.0	27.9	9.7	5.5	4.5	4.9	1.3	1.7	6.3	17.7	28.3	46.9	16.4	8	2495
21-23 LST	56.5	42.0	10.4	14.2	13.5	14.8	6.8	7.2	11.2	29.4	36.1	57.5	25.0	7	2118
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	12.3	5.5	0.5	0.0	1.5	4.1	1.5	0.5	1.0	5.5	5.4	15.8	4.5	8	2445
03-05 LST	21.8	16.0	4.1	3.6	6.4	8.3	5.4	5.8	5.6	16.0	10.9	28.7	11.1	8	2253
06-08 LST	44.6	39.2	24.5	17.6	20.2	20.4	14.1	16.1	24.6	29.4	31.4	42.1	27.0	8	2403
09-11 LST	39.4	29.9	6.3	4.8	1.6	2.3	0.0	0.5	2.5	12.3	15.1	34.7	12.5	8	2296
12-14 LST	14.0	6.1	0.5	0.5	0.5	0.5	0.0	0.0	0.5	1.8	1.4	9.5	2.9	8	2436
15-17 LST	4.1	0.7	0.0	0.6	0.0	0.0	0.0	0.5	0.0	0.5	0.6	7.2	1.2	8	2164
18-20 LST	4.4	2.2	1.0	0.5	0.0	0.5	0.0	0.0	0.0	0.4	0.9	6.3	1.4	8	2495
21-23 LST	6.5	3.2	0.0	0.0	0.0	0.6	0.0	0.6	0.5	1.0	0.5	9.3	1.9	7	2118

CHUNG-CHING/SAPI, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	7.4	7.7	14.4	14.6	12.7	11.9	14.7	14.2	19.2	11.8	11.5	8.0	144.1	8	2403
	13 LST	15.3	18.8	27.9	27.1	29.3	27.6	30.5	30.7	28.7	26.4	22.1	16.3	300.7	8	2436
	19 LST	18.1	20.3	28.2	28.4	29.9	28.8	31.0	30.7	28.6	26.0	22.1	16.9	309.0	8	2495
	01 LST	13.3	15.6	24.3	24.3	23.2	21.4	26.0	26.5	24.2	20.6	18.7	13.0	251.1	8	2465
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	6.4	7.3	13.4	13.5	10.7	9.9	13.4	13.2	13.2	10.0	9.8	6.8	127.6	8	2399
	13 LST	14.0	16.9	25.3	24.7	26.7	24.3	26.8	26.6	24.1	25.0	19.4	15.1	268.9	8	2432
	19 LST	17.2	19.4	24.9	26.0	27.3	26.4	28.2	27.6	24.6	24.9	20.6	15.5	282.6	8	2494
	01 LST	12.7	14.1	23.5	22.7	21.0	20.1	24.9	24.7	21.7	19.3	17.0	12.1	233.8	8	2464
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.0	0.0	0.2	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.4	8	2431
	13 LST	0.0	0.0	0.0	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	8	2456
	19 LST	0.0	0.0	0.0	0.2	0.0	0.2	0.0	0.0	0.1	0.0	0.0	0.0	0.5	8	2506
	01 LST	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.3	8	2483
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	4.3	4.2	5.0	4.8	1.9	3.7	5.8	3.2	3.7	2.5	3.2	3.8	46.1	8	2406
	13 LST	11.9	11.7	20.3	16.9	15.9	10.9	6.7	5.9	9.4	12.5	11.9	12.8	146.8	8	2438
	19 LST	10.8	11.4	17.3	16.1	13.0	10.2	10.2	9.0	11.2	8.6	10.5	10.2	138.5	8	2487
	01 LST	5.7	4.7	8.6	7.1	4.1	3.7	5.1	5.6	5.0	2.9	3.3	5.9	61.7	8	2468
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	0.5	0.0	1.2	0.9	0.5	1.1	4.0	4.0	2.5	0.6	0.0	0.4	15.7	8	2425
	13 LST	2.9	1.7	7.8	5.5	4.9	4.7	6.3	8.5	8.3	3.5	3.0	2.5	59.6	8	2455
	19 LST	6.3	5.3	10.7	9.4	6.5	6.5	7.4	9.6	10.4	5.9	5.0	4.5	87.5	8	2504
	01 LST	1.2	1.5	4.3	5.1	2.9	5.8	11.0	11.8	7.6	1.3	1.2	1.2	54.9	8	2478
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	6.0	7.3	13.6	13.7	10.6	9.9	13.4	13.1	13.6	9.9	9.7	6.9	127.7	8	2403
	13 LST	13.7	16.5	27.0	25.4	26.7	25.7	29.2	29.3	26.9	24.0	19.1	14.6	278.1	8	2436
	19 LST	17.7	19.9	27.5	27.9	29.1	28.1	30.0	29.9	27.2	24.6	20.8	16.0	298.7	8	2495
	01 LST	12.8	14.3	23.0	23.6	20.9	20.4	24.9	25.4	22.7	18.9	16.8	12.5	236.2	8	2465
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	2.0	3.1	7.6	7.2	4.2	5.5	9.9	10.1	7.4	4.3	3.8	2.4	67.5	8	2403
	13 LST	8.2	10.0	17.1	18.9	17.9	17.9	22.6	24.6	19.5	14.7	10.8	8.7	190.9	8	2436
	19 LST	12.3	11.5	19.0	19.1	19.1	20.7	25.6	22.7	19.7	13.9	10.7	9.5	203.8	8	2495
	01 LST	6.4	6.1	11.9	11.8	9.5	12.4	19.0	19.7	14.9	7.8	6.2	4.5	130.2	8	2465
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	1.7	2.6	6.6	5.6	3.5	5.3	9.6	9.7	6.7	3.6	3.0	1.7	59.6	8	2403
	13 LST	7.1	8.8	15.9	16.2	15.7	16.7	22.1	24.1	19.1	13.9	10.2	7.0	176.8	8	2436
	19 LST	11.0	9.8	17.3	18.3	17.4	19.6	25.1	22.2	19.0	12.8	9.4	8.7	190.6	8	2495
	01 LST	4.6	5.2	9.2	10.3	8.4	11.6	18.5	19.1	13.8	7.2	5.2	3.6	116.7	8	2465

LU-HSIEN/LUHSIAN, CHINA

STA NO. 57602 (IN AREA NUMBER 06)

LATITUDE 2858N LONGITUDE 10529E ELEVATION(FT) 00797

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	63	70	86	93	97	102	102	100	102	88	79	66	102	8	1733
MEAN MAX TMP (F)	51	53	66	74	77	82	90	89	82	69	61	54	71	8	1733
MEAN MIN TMP (F)	42	45	54	60	64	71	75	74	69	60	53	46	59	8	2001
ABS MIN TMP (F)	32	30	39	45	52	61	66	50	55	48	43	32	30	8	2001
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	1.0	2.7	5.1	18.9	18.5	6.5	0.0	0.0	0.0	52.7	8	1733
MEAN NO DYS TMP = OR LFS 32(F)	0.6	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	1.0	8	2001
MEAN NO DYS TMP = OR LFS 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2001
MEAN DEW PT TMP (F)	40	45	52	58	62	70	74	73	67	59	53	46	58	7	11592
MEAN REL HUM (PCT)	82	84	78	75	75	82	79	78	79	85	88	87	81	7	11303
MEAN PRESS ALT (FT)	476	576	744	846	924	1051	1162	1071	877	630	581	508	787	7	11758
MEAN PRECIP (IN)	0.50	0.59	1.17	2.82	3.80	6.06	7.11	7.26	5.84	3.44	1.31	1.02	40.9	12	-181
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	4.6	5.4	7.6	8.9	9.5	12.0	9.2	8.0	10.6	12.8	7.4	6.2	102.2	12	-181
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-29
MEAN NO DYS W/O CUR VSBY LES 1/2 MI	1.7	0.2	0.5	0.7	0.3	0.5	1.1	0.8	0.7	1.9	0.6	2.1	11.1	7	1706
MEAN NO DYS TSTMS	0.0	0.5	2.5	4.3	5.4	6.3	11.8	8.9	3.7	0.0	0.2	0.0	43.6	7	1718
P FREQ WND SPD = OR GTR 17 KTS	0.2	0.2	0.2	0.1	0.0	0.0	0.5	0.2	0.3	0.2	0.1	0.0	0.2	7	11775
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.0	7	11775
P FREQ LES 5000 FT A/D LES 5 MI	32.2	32.2	16.6	11.8	18.7	17.4	12.1	14.2	20.1	26.4	27.3	31.3	21.7	8	12427
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	13.4	13.6	0.4	2.8	2.8	1.8	1.1	3.4	6.2	5.9	5.5	8.3	5.4	8	1754
03-05 LST	6.1	5.6	4.3	1.8	0.3	2.5	1.1	6.5	6.3	9.9	6.2	5.3	4.7	8	1892
06-08 LST	22.3	23.0	5.8	5.4	8.2	14.6	8.5	9.0	11.5	21.3	23.5	29.2	15.2	8	2053
09-11 LST	24.4	22.0	4.5	0.8	5.9	6.6	2.5	3.0	6.5	10.8	17.1	15.5	10.0	7	1557
12-14 LST	12.1	15.1	1.6	2.4	3.9	1.1	0.3	2.0	4.9	3.5	4.3	11.0	5.2	8	1990
15-17 LST	7.1	8.1	0.7	0.0	0.0	1.0	1.2	0.3	3.8	3.4	2.9	6.8	2.9	8	1858
18-20 LST	7.3	7.9	1.9	1.9	1.3	1.4	1.6	2.6	4.2	2.0	4.2	11.0	3.9	7	1768
21-23 LST	6.5	9.1	0.0	1.9	0.6	0.0	1.0	1.2	0.0	2.5	1.0	2.8	2.2	5	1204
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.0	0.8	0.0	1.6	0.0	0.0	0.0	0.6	0.0	1.0	0.0	0.6	0.4	8	1754
03-05 LST	0.0	0.9	0.7	0.0	0.0	0.0	0.6	1.1	1.0	4.0	0.7	2.1	0.9	8	1892
06-08 LST	7.1	5.2	1.9	2.7	1.3	2.2	5.8	2.2	4.6	8.0	7.1	13.0	5.1	8	2053
09-11 LST	8.7	4.4	2.3	0.0	0.0	1.1	0.0	0.0	0.0	1.7	3.2	4.4	2.2	7	1557
12-14 LST	1.9	0.7	0.6	0.0	0.0	0.7	0.0	1.1	0.0	0.5	0.6	0.5	0.6	8	1990
15-17 LST	1.5	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.2	8	1858
18-20 LST	0.0	0.8	0.0	0.0	0.0	0.9	0.0	0.0	0.0	0.5	0.0	1.8	0.3	7	1768
21-23 LST	0.0	2.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.0	0.3	5	1204

LU-HSIEN/LUHSIEN, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	24.8	22.0	29.2	28.4	28.9	26.0	28.8	28.5	27.3	25.2	24.0	22.1	315.2	8	2053
	13 LST	27.7	24.7	30.8	29.6	30.1	29.8	31.0	30.7	29.5	30.7	29.2	28.2	352.0	8	1990
	19 LST	29.1	26.1	30.5	29.6	31.0	29.7	30.5	30.4	29.5	30.7	29.5	28.2	354.8	7	1768
	01 LST	27.3	25.5	31.0	29.3	30.5	29.7	30.8	30.8	29.2	30.0	29.3	28.6	352.0	8	1754
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	23.1	21.2	29.0	28.4	27.7	24.9	27.8	27.6	25.7	23.5	21.8	21.5	302.2	8	2049
	13 LST	26.2	22.6	29.4	27.5	28.2	28.5	29.0	29.1	25.8	28.8	26.0	27.0	330.1	8	1985
	19 LST	28.4	25.1	28.5	28.4	28.9	28.3	28.3	28.8	26.2	29.8	27.9	26.9	335.5	7	1766
	01 LST	25.7	23.0	30.5	27.4	29.0	28.1	29.8	28.2	26.7	28.1	27.3	27.5	331.3	8	1753
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.2	0.0	0.0	0.0	0.0	0.0	0.2	0.2	0.0	0.0	0.0	0.0	0.6	8	2073
	13 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2033
	19 LST	0.0	0.0	0.2	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.4	7	1784
	01 LST	0.0	0.0	0.0	0.2	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.5	8	1767
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	7.9	5.9	11.5	6.3	6.1	5.5	7.4	6.2	5.8	4.8	7.3	7.2	80.9	8	2049
	13 LST	13.5	10.8	16.3	14.6	13.7	8.6	8.8	8.1	11.9	11.1	10.8	10.1	138.3	8	2010
	19 LST	12.2	11.0	16.8	15.0	13.1	9.0	9.8	11.4	10.1	8.8	11.1	11.5	139.8	7	1770
	01 LST	7.8	6.3	11.1	8.5	7.1	4.8	11.0	9.0	9.8	4.5	6.1	8.0	94.0	8	1755
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	3.9	1.4	5.0	6.7	4.1	3.8	4.8	8.0	6.5	2.2	1.1	1.3	48.8	8	2064
	13 LST	6.7	3.5	9.1	6.8	3.1	5.2	4.9	10.0	8.4	4.0	3.5	3.8	69.0	8	2020
	19 LST	7.1	3.8	8.3	6.4	3.3	2.2	6.6	9.9	9.2	5.6	5.7	5.4	73.5	7	1786
	01 LST	3.7	2.2	4.1	4.7	2.9	3.9	10.3	11.5	8.7	3.6	2.9	4.6	63.1	8	1767
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	22.7	20.5	28.6	28.0	26.6	24.8	27.6	27.6	25.0	21.8	21.2	21.2	295.6	8	2053
	13 LST	25.9	22.2	29.1	28.5	27.7	27.7	30.0	29.5	26.8	27.6	27.0	26.1	328.1	8	1990
	19 LST	27.9	24.8	29.9	28.8	29.5	28.9	29.9	29.9	27.6	29.3	27.3	26.7	340.5	7	1768
	01 LST	26.0	21.8	29.6	28.6	29.0	28.1	30.3	28.9	26.4	27.0	26.7	27.6	330.0	8	1754
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	9.2	6.0	12.7	16.5	14.2	15.0	20.1	17.8	15.8	8.2	6.7	7.0	149.2	8	2053
	13 LST	14.9	10.5	18.5	18.4	15.7	17.5	22.1	22.1	18.4	14.9	11.1	11.4	195.5	8	1990
	19 LST	10.8	8.2	15.0	17.7	14.7	16.5	21.8	20.9	15.9	12.6	8.5	9.4	172.0	7	1768
	01 LST	7.6	6.1	7.7	10.1	12.8	13.1	21.5	20.9	14.9	9.3	6.1	8.4	138.5	8	1754
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	8.3	5.6	10.1	14.7	12.5	14.1	18.9	17.6	15.1	6.9	4.6	4.9	133.3	8	2053
	13 LST	12.6	9.7	16.3	17.3	14.0	16.3	21.7	21.6	18.2	13.0	9.3	10.1	180.1	8	1990
	19 LST	10.1	8.0	14.0	17.0	14.5	15.4	21.8	20.7	15.7	12.1	7.6	8.5	166.2	7	1768
	01 LST	6.9	5.7	7.2	9.6	11.8	11.8	21.3	20.3	14.6	9.1	5.6	7.7	131.6	8	1754

PI-CHIEH, CHINA

STA NO. 57707 (IN AREA NUMBER 06)

LATITUDE 2718N

LONGITUDE 10514E

ELEVATION(FT) 04J36

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	70	77	86	91	91	91	91	90	90	82	75	75	91	8	2467
MEAN MAX TMP (F)	44	46	61	69	72	76	81	81	75	62	56	49	64	8	2467
MEAN MIN TMP (F)	31	34	43	50	56	60	65	62	58	50	43	36	49	8	2439
ABS MIN TMP (F)	18	23	21	32	39	48	55	54	46	32	25	21	18	8	2439
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.6	0.3	0.4	1.8	0.1	0.7	0.0	0.0	0.0	3.9	8	2467
MEAN NO DYS TMP = OR LES 32(F)	18.9	11.1	1.7	0.2	0.0	0.0	0.0	0.0	0.0	0.1	1.6	7.8	41.4	8	2439
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2439
MEAN DEW PT TMP (F)	30	35	41	48	54	59	64	62	57	50	43	36	48	8	17455
MEAN REL HUM (PCT)	81	84	77	75	77	79	78	78	78	85	84	85	80	8	17185
MEAN PRESS ALT (FT)	4702	4748	4833	4880	4919	4934	5003	4925	4812	4687	4698	4709	4821	8	12106
MEAN PRECIP (IN)	0.44	0.60	1.13	2.46	4.16	6.90	6.81	5.04	4.00	2.67	0.77	0.48	35.4	14	-181
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0	0.0				8	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	14.1	13.9	12.8	12.6	16.1	17.3	16.3	15.5	14.3	16.2	11.8	12.5	173.4	14	-181
MEAN NO DYS SNFL = OR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0	0.0				8	-29
MEAN NO DYS W/O CUR VSBY LES 1/2 MI	1.4	1.0	1.7	0.3	0.2	0.5	0.6	0.4	0.4	0.5	1.2	3.3	11.5	8	2438
MEAN NO DYS TSMS	0.3	1.3	2.6	9.5	9.1	8.5	12.4	13.2	4.1	0.4	2.0	0.3	63.7	8	2447
P FREQ WND SPD = OR GTR 17 KTS	0.1	0.2	0.3	0.3	0.0	0.1	0.0	0.0	0.1	0.0	0.3	0.1	0.1	8	17770
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	17770
P FREQ LES 5000 FT A/D LES 5 MI	77.3	84.3	67.8	63.2	69.0	60.3	42.6	42.2	52.5	75.7	78.2	80.5	66.1	8	17566
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	50.3	55.6	39.6	32.6	32.3	18.4	6.7	6.4	17.5	37.3	46.0	52.3	32.9	8	2475
03-05 LST	48.9	54.0	42.5	33.7	31.7	22.4	11.4	10.9	20.8	40.9	48.3	53.5	34.9	8	2212
06-08 LST	52.0	61.8	48.7	37.4	34.2	24.0	16.7	17.6	21.1	39.9	53.7	60.2	38.9	8	2417
09-11 LST	39.1	52.6	33.4	19.3	21.3	16.0	9.1	7.1	13.8	34.9	39.0	50.2	28.0	8	2265
12-14 LST	34.9	37.1	20.8	12.0	15.7	13.7	5.6	3.7	11.6	26.5	25.5	31.6	19.9	8	2445
15-17 LST	29.2	35.6	20.2	12.9	16.0	10.5	4.3	2.8	11.8	27.0	27.8	29.8	19.0	8	2180
18-20 LST	39.9	48.7	26.7	21.2	24.5	11.4	5.1	4.0	14.5	34.0	37.9	46.2	26.2	8	2492
21-23 LST	45.5	50.4	34.6	26.0	29.5	14.9	4.6	3.8	16.1	36.4	41.3	44.9	29.0	7	2075
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	4.5	4.5	2.1	0.5	0.0	0.5	1.0	0.0	0.4	0.0	1.4	4.4	1.6	8	2475
03-05 LST	3.2	3.4	1.1	0.0	0.0	0.0	2.1	1.1	0.9	0.9	2.7	6.3	1.8	8	2212
06-08 LST	6.7	5.8	7.8	0.5	0.5	2.7	2.6	2.3	2.3	2.2	6.3	11.9	4.3	8	2417
09-11 LST	1.2	2.4	1.0	0.0	0.5	0.0	0.0	0.0	0.0	0.9	1.5	5.2	1.1	8	2265
12-14 LST	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.1	8	2445
15-17 LST	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.5	0.0	0.5	0.0	0.6	0.2	8	2180
18-20 LST	2.0	3.3	2.5	1.0	0.0	1.0	0.0	0.0	0.0	0.0	0.4	1.7		8	2492
21-23 LST	1.2	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	1.5	0.3	7	2075

PI-CHIEH, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	21.0	15.9	20.4	23.1	25.0	26.6	28.3	27.7	26.7	24.4	25.1	18.2	277.4	8	2417
	13 LST	26.2	23.8	28.8	29.5	29.7	29.5	30.8	30.6	29.6	28.8	27.8	27.0	342.1	8	2445
	19 LST	22.9	19.2	26.5	27.8	27.2	29.1	30.8	31.0	28.9	25.6	23.4	20.8	313.2	8	2492
	01 LST	21.9	18.3	24.1	25.6	26.8	28.5	30.4	30.6	28.0	26.1	23.0	20.8	304.1	8	2475
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	9.2	5.8	11.7	14.7	16.0	19.1	23.1	23.2	20.8	13.3	8.0	7.0	171.9	8	2412
	13 LST	13.9	10.2	17.4	19.4	19.5	20.4	24.6	27.3	20.6	15.8	16.0	14.9	220.0	8	2439
	19 LST	14.6	9.7	17.8	18.2	18.1	23.7	26.1	28.1	22.6	15.6	14.2	12.7	221.4	8	2483
	01 LST	9.3	6.9	13.1	14.8	15.2	20.7	27.3	27.6	21.5	13.0	9.8	9.3	188.5	8	2472
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2437
	13 LST	0.2	0.2	0.3	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	1.1	8	2475
	19 LST	0.0	0.0	0.0	0.2	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.4	8	2510
	01 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2486
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	0.8	0.5	1.7	2.8	2.6	1.6	4.1	1.6	1.8	1.0	1.5	1.5	21.5	8	2413
	13 LST	11.4	9.1	16.0	16.5	16.3	11.2	15.5	17.7	16.2	11.4	13.0	12.7	167.0	8	2453
	19 LST	7.6	4.8	11.3	13.5	10.3	10.1	12.6	9.1	7.0	4.0	6.4	5.3	102.2	8	2494
	01 LST	1.2	1.4	2.6	3.1	4.1	2.7	5.3	1.8	2.8	1.0	1.4	1.8	29.2	8	2471
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	2.0	1.6	3.3	5.5	2.9	2.4	3.3	7.1	8.5	3.1	2.8	2.4	44.9	8	2445
	13 LST	5.9	3.7	9.1	5.2	2.0	2.6	1.1	1.6	4.0	2.5	3.8	5.1	46.6	8	2479
	19 LST	7.4	3.8	9.8	6.7	3.3	3.6	2.8	5.2	8.9	4.0	6.6	6.9	69.0	8	2517
	01 LST	4.0	2.9	7.9	5.1	2.6	4.4	8.6	9.9	9.2	3.1	3.4	4.1	65.2	8	2496
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	8.4	5.3	10.6	13.8	14.6	17.8	22.5	22.6	19.7	12.2	7.1	6.3	160.9	8	2417
	13 LST	13.3	10.4	18.9	20.3	19.3	18.5	23.3	24.7	20.2	14.5	14.7	13.9	212.0	8	2445
	19 LST	13.4	8.8	18.0	18.1	18.4	22.6	27.3	27.7	21.9	14.4	13.1	11.7	215.4	8	2492
	01 LST	8.7	6.5	12.8	14.2	14.7	19.6	27.1	26.8	21.0	12.3	9.1	8.6	181.4	8	2475
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	3.7	2.0	5.8	9.4	8.2	11.2	16.8	16.9	13.8	6.4	3.4	3.3	100.9	8	2417
	13 LST	7.8	5.8	13.3	12.3	9.0	7.8	9.8	9.2	11.1	5.8	6.5	7.1	105.5	8	2445
	19 LST	8.9	5.1	13.0	10.7	9.7	11.3	17.0	16.9	14.2	6.9	8.4	7.8	129.9	8	2492
	01 LST	4.8	3.8	8.9	8.2	4.9	10.0	16.9	16.8	12.5	5.7	4.2	4.6	101.3	8	2475
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	3.5	1.8	5.6	8.9	7.9	10.4	16.6	16.8	13.5	6.0	3.4	3.1	97.5	8	2417
	13 LST	7.6	5.7	13.3	12.0	9.0	7.5	9.8	9.1	11.1	5.4	6.5	7.1	104.1	8	2445
	19 LST	8.7	5.0	13.0	10.4	9.1	11.0	16.0	16.1	13.7	6.4	8.3	7.3	125.0	8	2492
	01 LST	4.7	3.8	8.8	7.9	4.9	9.9	16.8	16.6	12.3	5.7	4.2	4.6	100.2	8	2475

AREA 06

CHINA	SZECHWAN BSN-MTN				LATITUDE 2900N				LONGITUDE 10300E					
	BOUNDARIES		2730N 09840E	3430N 10200E	3430N 10200E	3240N 10500E	3240N 10500E	3225N 11200E	3225N 11200E	3035N 11200E	3035N 11200E	3025N 10800E	3025N 10800E	2600N 10500E
	2600N 10500E	2315N 10500E												
PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	
MEAN MAX TMP (F)	53	56	66	73	76	78	81	80	76	68	61	56	69	
MEAN MIN TMP (F)	32	36	43	50	56	62	65	63	59	52	42	35	50	
LARGEST MEAN PRECIP(IN)	1.25	1.94	3.51	4.07	8.12	10.70	16.12	18.26	9.10	6.21	3.14	1.61	84.0	
SMALLEST MEAN PRECIP(IN)	0.15	0.06	0.11	0.38	2.24	3.97	4.77	2.94	2.90	1.82	0.16	0.01	19.5	
MEAN NUMBER OF DAYS														
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	25.5	23.5	27.7	27.2	28.3	27.4	28.4	27.9	26.6	26.6	25.1	24.5	318.7
	13 LST	29.0	26.3	29.9	29.0	30.0	29.1	30.1	30.1	29.1	29.7	28.8	29.0	350.1
	19 LST	29.0	26.3	29.9	29.0	30.0	29.3	30.3	30.3	29.2	29.7	28.5	28.8	350.3
	01 LST	28.0	25.5	29.3	28.7	29.7	28.8	29.8	29.9	28.6	28.8	27.2	27.2	341.5
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	07 LST	22.6	21.1	25.3	14.8	25.8	25.4	26.4	25.9	24.8	24.2	22.9	22.4	291.6
	13 LST	22.0	19.0	21.3	27.9	23.3	24.7	26.2	26.8	25.4	25.2	23.2	23.6	281.6
	19 LST	24.5	21.4	24.1	23.2	24.8	25.9	27.8	28.2	26.9	26.9	25.4	25.5	304.6
	01 LST	24.7	22.4	26.1	25.7	27.0	26.8	28.3	28.3	27.2	26.5	24.7	24.8	312.5
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.7
	13 LST	0.7	0.6	0.7	0.7	0.2	0.1	0.1	0.0	0.1	0.1	0.1	0.3	3.7
	19 LST	0.3	0.2	0.4	0.2	0.2	0.1	0.1	0.0	0.0	0.0	0.1	0.1	1.7
	01 LST	0.1	0.1	0.2	0.2	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.9
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	4.2	4.0	5.9	5.9	6.0	4.6	4.5	3.5	3.7	3.8	3.9	3.8	53.8
	13 LST	14.0	11.9	15.5	14.8	14.1	10.6	9.4	10.3	12.9	13.2	13.9	13.7	154.3
	19 LST	10.4	9.9	13.7	13.1	12.0	9.4	9.1	8.7	8.6	8.1	9.6	9.7	122.3
	01 LST	5.6	5.3	7.4	7.8	7.0	5.3	5.1	4.5	4.6	4.5	5.3	5.2	67.6
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	12.1	8.9	11.4	9.2	5.9	3.0	3.2	4.3	5.2	4.5	9.8	11.9	89.4
	13 LST	13.2	7.7	10.3	7.5	3.9	2.9	3.4	4.7	5.7	5.0	10.4	13.2	87.9
	19 LST	15.1	9.1	11.1	8.4	5.1	3.0	3.7	5.9	8.0	8.4	13.9	16.1	108.2
	01 LST	14.2	10.8	13.8	12.3	8.3	4.8	6.1	7.7	8.1	7.5	12.3	14.4	120.2
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	23.4	21.5	26.2	25.7	26.1	24.5	25.4	25.2	24.2	23.3	22.8	22.8	291.1
	13 LST	27.3	24.3	28.3	27.5	27.9	26.6	27.6	27.8	26.9	26.9	26.9	27.3	325.3
	19 LST	27.4	24.6	28.5	27.7	28.4	27.3	28.6	28.6	27.5	27.5	26.9	27.5	330.5
	01 LST	26.2	23.6	27.9	27.4	27.9	26.7	27.9	28.0	26.9	26.2	25.4	25.7	319.8
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	17.4	15.0	19.8	19.2	17.2	13.8	13.4	13.7	13.6	12.1	15.4	16.5	187.1
	13 LST	21.3	16.3	20.2	18.3	16.5	14.7	15.8	16.6	16.8	15.6	18.9	20.7	211.7
	19 LST	21.4	16.9	20.4	19.1	18.0	15.5	16.8	17.8	17.5	17.3	20.5	21.2	221.9
	01 LST	20.3	16.9	20.9	19.5	17.4	13.5	14.1	15.7	15.4	14.6	17.8	19.1	205.2
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	16.8	14.4	19.0	18.2	16.2	12.8	12.6	13.0	12.9	11.3	14.7	15.8	177.7
	13 LST	20.6	15.6	19.4	17.6	15.8	14.0	15.2	15.9	16.2	14.9	18.3	20.0	203.5
	19 LST	20.7	16.0	19.4	18.2	16.8	14.4	15.8	16.9	16.6	16.4	19.0	20.6	210.8
	01 LST	19.7	16.4	20.3	18.8	16.3	12.6	13.5	15.0	14.7	14.0	17.0	18.4	196.7

EN-SHIH/SHINAN, CHINA

STA NO. 57447 (IN AREA NUMBER 07)

LATITUDE 3016N

LONGITUDE 10922E

ELEVATION(FT) 01434

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	61	72	84	91	99	100	102	106	97	90	77	61	106	8	2544
MEAN MAX TMP (F)	49	53	62	72	77	87	92	91	83	72	60	51	71	8	2544
MEAN MIN TMP (F)	35	38	47	55	62	69	74	72	66	57	49	40	35	8	2538
ABS MIN TMP (F)	23	27	32	41	46	61	64	63	55	41	32	25	23	8	2538
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.6	2.0	13.2	23.5	21.7	9.6	0.4	0.0	0.0	71.0	8	2544
MEAN NO DYS TMP = OR LES 32(F)	11.1	3.6	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	2.3	18.1	8	2538
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2538
MEAN DEW PT TMP (F)	35	38	47	55	61	69	73	71	64	56	49	41	55	8	18683
MEAN REL HUM (PCT)	80	79	81	79	80	79	79	78	76	81	86	87	80	8	18460
MEAN PRESS ALT (FT)	1055	1146	1293	1422	1529	1659	1745	1658	1474	1249	1156	1098	1374	8	18692
MEAN PRECIP (IN)	0.77	1.49	3.14	4.30	6.82	6.09	8.89	5.32	8.59	4.80	2.49	1.61	54.3	6	-181
MEAN SNOW FALL (IN)			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			8	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	4.6	6.8	10.2	12.0	14.3	11.8	14.2	10.9			8.4	7.2		6	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			8	-29
MEAN NO DYS W/OCUR VSSY LES 1/2 MI	5.8	4.1	3.6	2.0	2.1	0.6	0.3	0.5	1.3	3.0	7.6	10.5	41.4	8	2018
MEAN NO DYS TSTMS	0.3	1.7	5.9	8.9	8.2	8.4	12.4	11.4	2.4	0.9	0.9	0.1	61.5	8	2543
P FREQ WND SPD = OR GTR 17 KTS	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.1	0.0	0.0	8	18884
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	18884
P FREQ LES 3000 FT A/D LES 5 MI	47.7	38.5	40.5	32.3	32.7	20.6	23.2	21.9	19.2	24.0	42.9	58.9	33.5	8	16810
P FREQ LES 1900 FT A/D LES 3 MI															
FOR 00-02 LST	32.1	19.4	21.4	12.5	9.9	4.0	3.4	0.5	2.5	7.5	21.1	41.9	14.7	8	1985
03-05 LST	37.5	32.0	33.8	15.4	14.2	7.3	3.5	4.4	6.5	14.1	31.8	54.5	21.3	8	1914
06-08 LST	32.6	24.9	24.4	14.2	11.8	5.8	5.5	5.3	5.6	15.8	28.5	48.1	18.5	8	2505
09-11 LST	28.4	13.5	17.9	6.0	5.8	1.2	1.9	0.8	3.1	5.3	11.5	35.4	10.9	8	2327
12-14 LST	8.4	7.8	7.1	2.3	1.7	0.8	0.8	0.7	2.5	2.7	4.0	15.1	4.5	8	2330
15-17 LST	5.8	7.6	5.4	1.4	4.4	2.9	2.1	1.3	2.9	2.0	4.8	11.3	4.3	8	2299
18-20 LST	10.2	8.7	5.2	1.3	4.2	1.2	1.4	0.5	3.3	2.0	5.6	15.1	4.9	8	2298
21-23 LST	17.0	15.9	12.2	4.0	5.7	0.4	1.5	0.0	2.1	3.7	10.0	28.7	8.4	7	1770
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	11.7	5.6	5.1	2.0	2.6	2.3	1.0	0.0	0.5	3.2	11.9	20.8	5.6	8	1985
03-05 LST	18.5	11.4	13.8	3.5	4.1	3.2	1.2	1.6	2.3	6.3	24.0	34.8	10.4	8	1914
06-08 LST	18.9	13.0	10.8	4.5	4.6	2.5	0.5	0.5	3.1	8.9	18.0	32.0	9.8	8	2505
09-11 LST	10.0	5.6	1.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.5	10.7	2.6	8	2327
12-14 LST	1.0	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.9	0.3	8	2530
15-17 LST	0.6	1.2	0.0	0.6	0.0	0.0	0.0	0.0	0.5	0.4	0.5	0.5	0.4	8	2299
18-20 LST	0.7	1.4	0.5	0.0	0.5	0.0	0.0	0.0	0.5	0.0	0.5	0.5	0.4	8	2298
21-23 LST	6.9	1.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4	10.1	1.9	7	1770

EN-SHIH/SHINAN, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. DBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	21.2	21.3	24.2	26.1	27.8	28.3	29.5	30.0	28.8	26.9	22.0	16.8	302.9	8	2505
	13 LST	28.7	26.1	29.3	29.6	30.7	30.0	30.8	30.9	29.6	30.6	29.1	27.2	352.6	8	2530
	19 LST	28.1	25.9	29.8	29.7	29.9	29.7	30.6	30.9	29.4	30.8	28.6	26.6	350.0	8	2298
	01 LST	21.3	23.0	24.9	26.4	27.9	28.8	30.0	30.8	29.5	29.4	24.0	18.5	314.5	8	1985
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	20.0	20.6	22.8	24.9	26.4	28.0	29.1	28.6	27.6	25.3	20.9	15.4	289.6	8	2504
	13 LST	28.1	25.6	27.7	28.5	29.8	29.4	30.5	29.8	28.7	29.7	28.4	25.5	341.7	8	2529
	19 LST	27.5	25.1	28.5	28.9	28.9	29.4	30.1	30.6	28.0	29.9	28.1	26.1	341.1	8	2298
	01 LST	20.8	22.1	23.6	25.7	27.3	28.8	29.9	30.8	28.9	27.9	23.0	17.6	306.6	8	1984
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2528
	13 LST	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	8	2557
	19 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2555
	01 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2537
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	0.9	0.8	0.6	0.3	0.5	0.0	0.0	0.1	0.5	0.5	0.7	1.5	6.4	8	2519
	13 LST	3.2	3.9	2.8	4.7	3.6	3.8	2.9	2.0	6.0	2.5	1.6	1.9	38.9	8	2545
	19 LST	1.7	2.6	3.7	2.0	2.4	2.1	1.6	2.6	1.8	0.8	0.4	0.7	22.4	8	2546
	01 LST	1.3	1.4	1.6	0.6	0.3	0.6	0.4	0.9	0.5	1.1	0.5	0.5	9.7	8	2526
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	3.6	2.9	2.4	2.8	2.2	4.9	4.3	7.1	8.5	3.8	0.8	0.7	44.0	8	2519
	13 LST	7.8	4.7	6.3	5.1	3.7	5.7	5.7	9.1	9.1	7.0	4.4	5.3	73.9	8	2556
	19 LST	12.4	6.1	9.2	6.8	4.8	3.9	4.2	8.3	9.5	9.5	7.6	8.3	90.6	8	2309
	01 LST	8.1	4.3	9.7	5.9	6.1	8.8	9.3	9.7	10.2	9.0	4.3	3.5	88.9	8	1991
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	19.4	19.4	21.2	24.4	24.9	27.1	27.8	27.7	28.7	24.2	19.0	14.4	276.2	8	2505
	13 LST	27.0	23.9	26.9	27.7	28.4	28.2	29.8	29.9	28.2	28.0	26.3	24.3	328.6	8	2530
	19 LST	26.8	24.8	27.7	28.8	27.9	28.8	30.1	30.4	28.1	28.8	26.7	25.2	334.1	8	2298
	01 LST	20.6	21.8	23.0	25.7	27.2	28.2	29.7	30.6	28.4	27.2	22.5	17.0	301.9	8	1985
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	11.9	12.4	12.6	13.4	14.1	20.3	16.5	19.3	19.1	17.3	9.7	5.2	171.8	8	2505
	13 LST	20.5	17.5	19.3	21.8	19.3	22.3	20.6	21.4	24.1	21.9	18.3	14.6	241.6	8	2530
	19 LST	20.0	16.4	17.5	17.4	16.2	20.0	17.5	19.2	19.2	22.1	16.3	13.9	215.7	8	2298
	01 LST	15.2	14.5	16.6	16.2	16.9	20.2	17.1	18.2	20.2	19.9	12.3	7.7	195.0	8	1985
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	9.6	10.4	11.5	12.1	13.1	18.4	15.7	18.7	17.5	15.8	6.6	3.9	153.3	8	2505
	13 LST	18.2	16.3	17.0	20.3	18.7	21.8	19.8	20.8	23.6	20.6	15.8	12.0	224.9	8	2530
	19 LST	17.9	13.5	15.0	15.5	14.7	18.3	17.2	18.7	17.9	19.5	13.8	12.7	194.7	8	2298
	01 LST	13.6	13.5	15.1	14.2	15.5	19.0	16.5	17.8	18.9	17.9	9.5	6.6	178.1	8	1985

HAN-KOU/HANKOW, CHINA

STA NO. 57494 (IN AREA NUMBER 07)

LATITUDE 3025N

LONGITUDE 11417E

ELEVATION(FT) 00075

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	FOR (YRS)	NO. OBS
ABS MAX TMP (F)	64	77	82	97	95	100	100	102	95	91	79	68	102	8	2504
MEAN MAX TMP (F)	47	53	61	70	78	88	93	91	84	74	61	52	71	8	2504
MEAN MIN TMP (F)	30	33	45	54	63	73	79	77	68	56	46	36	55	8	2490
ABS MIN TMP (F)	16	16	27	32	45	61	68	66	54	37	23	16	16	8	2490
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.5	3.5	14.1	25.7	22.6	6.7	0.5	0.0	0.0	7.6	8	2504
MEAN NO DYS TMP = DR LES 32(F)	20.4	9.6	1.7	0.1	0.0	0.0	0.0	0.0	0.0	0.0	1.3	11.0	44.1	8	2490
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2490
MEAN DEW PT TMP (F)	27	34	45	54	62	71	76	74	66	53	45	35	54	8	18389
MEAN REL HUM (PCT)	70	72	79	79	80	77	77	77	75	72	78	77	76	8	18179
MEAN PRESS ALT (FT)	-333	-243	-103	30	155	292	364	287	104	-126	-236	-293	-8	8	18604
MEAN PRECIP (IN)	1.81	2.01	3.66	5.94	6.75	9.00	6.46	4.19	3.07	2.97	2.02	1.21	49.1	59	-181
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0	0.0				8	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	7.8	8.5	11.1	13.7	14.2	14.2	12.2	9.3	10.0	9.8	6.9	6.0	123.7	59	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0	0.0				8	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	2.0	2.4	1.8	1.2	1.2	0.3	0.2	0.4	0.8	1.6	1.3	3.3	16.5	8	2509
MEAN NO DYS TSTMS	0.5	1.3	4.1	5.9	4.5	5.0	9.9	8.9	2.1	0.3	0.5	0.1	43.1	8	2516
P FREQ WND SPD = DR GTR 17 KTS	1.3	1.2	1.3	2.4	1.2	0.6	0.6	0.8	1.1	0.9	1.7	1.5	1.2	8	18546
P FREQ WND SPD = DR GTR 28 KTS	0.1	0.0	0.1	0.1	0.0	0.0	0.0	0.1	0.0	0.1	0.1	0.0	0.1	8	18546
P FREQ LES 5000 FT A/D LES 5 MI	28.0	28.8	34.6	32.2	30.8	21.0	18.7	18.8	18.2	17.5	30.0	29.0	25.6	8	16901
P FREQ LES 1900 FT A/D LES 3 MI															
FOR 00-02 LST	6.9	7.6	9.6	7.6	8.2	2.3	1.1	1.8	5.1	5.6	9.7	10.3	6.4	8	2482
03-05 LST	9.4	10.8	14.5	10.9	12.8	4.5	1.1	2.2	5.4	8.1	10.5	11.4	8.5	8	2379
06-08 LST	22.6	23.7	23.2	18.9	12.4	8.9	3.1	6.8	5.5	9.3	15.3	21.9	14.3	8	2407
09-11 LST	10.1	11.0	10.3	10.0	7.3	5.1	2.9	5.0	4.5	4.0	7.3	11.8	7.4	8	2247
12-14 LST	7.3	8.8	13.0	10.5	10.6	4.9	2.6	6.1	4.9	4.0	8.8	10.0	7.6	8	2338
15-17 LST	6.7	7.4	10.3	9.2	8.4	2.8	4.3	2.1	3.0	2.4	7.0	5.8	5.8	8	2195
18-20 LST	4.2	3.5	6.8	4.6	5.6	2.0	2.1	2.4	1.9	3.0	6.9	4.1	3.9	8	2403
21-23 LST	3.1	3.4	9.0	5.7	7.6	1.6	1.7	2.8	3.5	3.6	8.4	6.2	4.7	7	1983
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	2.5	0.5	1.5	2.0	2.0	1.0	0.0	0.0	0.5	1.3	2.2	6.9	1.7	8	2482
03-05 LST	3.7	3.8	5.1	4.2	4.1	1.1	0.0	0.0	1.4	2.7	2.8	5.3	2.9	8	2379
06-08 LST	7.4	9.8	7.3	3.1	0.5	1.1	0.6	0.0	2.0	4.7	5.3	9.5	4.3	8	2407
09-11 LST	2.1	1.6	0.5	0.5	0.0	0.7	0.6	0.6	0.0	0.0	1.0	3.7	0.9	8	2247
12-14 LST	1.3	1.6	0.5	0.5	0.0	0.0	0.6	0.6	0.5	1.4	0.9	0.9	0.8	8	2338
15-17 LST	1.0	1.1	0.5	0.0	0.0	0.0	0.8	0.0	0.0	0.5	0.0	0.9	0.4	8	2195
18-20 LST	1.0	0.0	0.5	0.0	0.5	0.0	0.7	0.0	0.0	0.4	0.0	0.0	0.3	8	2403
21-23 LST	1.2	0.0	0.6	0.7	0.6	0.0	0.7	0.0	0.5	0.0	0.0	2.2	0.5	7	1983

HAN-KOU/HANKOW, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST	24.6	21.8	24.7	25.5	28.9	28.1	30.3	29.5	28.7	28.5	26.3	24.4	321.3	8	2407
	14 LST	29.7	26.5	28.8	28.4	29.7	29.3	30.6	29.7	29.1	30.3	29.0	28.9	350.0	8	2338
	20 LST	29.9	27.4	29.8	29.7	30.2	29.8	30.8	30.6	29.7	30.6	28.8	30.1	357.4	8	2403
	02 LST	29.3	26.3	28.9	28.3	28.9	29.4	31.0	30.5	28.9	29.3	27.5	28.1	346.4	8	2482
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	08 LST	21.1	18.4	19.1	19.8	22.3	21.5	22.5	23.5	23.6	24.7	22.0	20.1	258.6	8	2401
	14 LST	22.1	19.3	18.5	19.4	20.4	22.0	17.3	23.1	22.3	25.1	20.2	22.5	252.2	8	2327
	20 LST	26.0	22.7	24.4	23.8	25.8	26.1	27.3	25.8	24.4	27.5	22.7	25.4	301.9	8	2395
	02 LST	25.2	23.6	24.2	23.6	25.2	27.1	29.8	28.2	25.6	26.2	23.6	24.2	306.5	8	2476
SFC WND = GTR 17 KTS AND NO PRECIP.	08 LST	0.2	0.2	0.0	0.5	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.1	1.2	8	2507
	14 LST	0.2	0.9	0.3	0.9	0.0	0.6	0.6	0.6	0.4	0.3	0.0	0.0	4.8	8	2503
	20 LST	0.2	0.0	0.2	0.2	0.3	0.0	0.0	0.3	0.4	0.0	0.0	0.0	1.6	8	2537
	02 LST	0.0	0.1	0.3	0.2	0.0	0.0	0.0	0.0	0.1	0.5	0.0	0.1	1.3	8	2539
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	08 LST	6.0	9.2	13.5	13.9	16.8	19.2	19.2	19.4	18.4	16.1	13.2	9.7	174.6	8	2493
	14 LST	17.9	14.4	16.7	14.9	14.6	14.5	4.3	8.1	16.5	18.6	16.4	17.4	174.3	8	2479
	20 LST	12.4	11.7	11.8	11.3	10.2	11.8	13.3	11.6	12.5	11.4	11.1	14.6	143.7	8	2524
	02 LST	8.7	11.5	12.4	11.7	13.7	13.8	17.7	13.8	14.7	12.3	11.6	11.5	153.4	8	2530
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST	9.4	6.7	4.8	5.2	7.9	5.8	6.9	10.6	9.3	10.5	9.3	7.8	94.2	8	2503
	14 LST	10.7	7.4	5.7	4.4	4.5	5.1	7.5	7.9	9.8	12.1	9.4	10.2	94.7	8	2513
	20 LST	14.6	8.9	8.5	7.2	6.7	7.2	8.1	9.8	13.8	13.6	11.9	14.0	124.3	8	2541
	02 LST	15.7	11.5	8.8	8.2	8.6	9.6	13.7	16.4	13.0	12.9	10.3	13.0	141.7	8	2540
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	08 LST	22.7	20.7	22.4	22.8	25.1	26.1	29.4	27.9	27.4	27.6	24.1	23.5	299.7	8	2407
	14 LST	27.1	24.0	24.0	24.7	24.8	26.9	28.3	26.6	27.2	28.8	25.3	26.2	313.9	8	2338
	20 LST	29.0	26.0	27.1	26.8	27.5	28.7	29.1	29.0	28.7	29.4	26.6	28.9	336.8	8	2403
	02 LST	27.8	25.0	26.0	25.7	26.6	28.8	29.9	29.8	27.6	28.8	26.0	27.1	329.1	8	2482
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	08 LST	19.6	18.4	19.1	21.3	23.1	24.0	26.4	26.2	24.7	26.1	21.4	21.2	271.5	8	2407
	14 LST	24.4	21.2	20.6	20.7	20.6	23.1	24.0	21.7	24.9	26.4	21.3	23.9	272.8	8	2338
	20 LST	24.8	22.7	21.5	21.6	22.6	25.3	25.4	25.5	25.8	26.6	22.8	25.4	290.0	8	2403
	02 LST	23.6	22.0	21.0	20.7	21.2	24.1	27.8	27.4	24.1	25.3	21.2	22.8	281.2	8	2482
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST	19.5	18.3	19.0	20.5	22.6	23.5	26.4	26.2	24.5	26.1	21.1	20.7	268.4	8	2407
	14 LST	24.4	21.0	20.4	20.5	20.4	22.8	24.0	21.5	24.6	26.4	21.3	23.7	271.0	8	2338
	20 LST	24.8	22.6	21.4	21.3	22.6	25.3	25.4	25.3	25.2	26.4	22.5	25.3	288.1	8	2403
	02 LST	23.1	21.5	20.0	20.5	21.2	24.0	27.5	27.3	23.6	24.1	20.7	21.6	275.8	8	2482

YUEH-YANG/YOCHOW, CHINA

STA NO. 57584 (IN AREA NUMBER 07)

LATITUDE 2923N

LONGITUDE 11305E

ELEVATION(FT) 00167

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	70	75	84	88	95	99	100	100	99	91	82	70	100	8	2504
MEAN MAX TMP (F)	47	51	59	69	75	86	92	90	83	72	60	51	70	8	2504
MEAN MIN TMP (F)	35	39	48	57	64	74	80	78	70	58	49	39	58	8	2476
ABS MIN TMP (F)	19	16	25	39	46	63	70	68	50	43	32	25	16	8	2476
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	2.2	9.9	24.7	21.1	6.1	0.3	0.0	0.0	64.3	8	2504
MEAN NO DYS TMP = DR LES 32(F)	11.6	4.9	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	3.8	21.2	8	2476
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2476
MEAN DEW PT TMP (F)	31	36	46	55	63	72	75	75	67	56	47	38	55	8	17959
MEAN REL HUM (PCT)	72	74	80	80	81	79	73	77	77	75	80	77	77	8	17775
MEAN PRESS ALT (FT)	-229	-141	5	134	253	386	459	388	206	-20	-127	-184	94	8	18229
MEAN PRECIP (IN)	1.50	2.70	4.80	5.70	7.60	7.60	4.70	4.50	3.00	3.10	3.70	1.50	50.4	23	-180
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			8	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	8.9	10.6	13.3	13.5	13.5	12.0	9.1	8.3	7.6	8.5	9.6	7.9	122.8	23	-180
MEAN NO DYS SNFL = DR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			8	-29
MEAN NO DYS W/O CUR VSBY LES 1/2 MI	0.3	0.9	1.1	1.4	0.5	0.3	0.0	0.1	0.3	0.8	0.9	2.6	9.2	8	2481
MEAN NO DYS TSTMS	0.8	2.0	6.4	6.8	7.2	4.9	8.1	10.2	1.6	0.0	0.0	0.1	48.1	8	2486
P FREQ WND SPD = DR GTR 17 KTS	0.6	2.0	1.9	3.8	1.6	0.3	1.5	1.1	0.7	1.1	1.3	1.0	1.4	8	18235
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.1	0.0	8	18235
P FREQ LES 5000 FT A/D LES 5 MI	21.9	26.3	37.3	29.8	32.4	16.2	11.1	17.5	19.9	16.2	33.1	26.9	24.1	8	18203
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	10.2	13.2	13.7	12.1	11.6	3.6	1.6	2.6	7.6	10.5	15.7	11.2	9.5	8	2515
03-05 LST	9.7	14.9	16.8	10.6	11.5	3.4	1.7	5.9	11.1	10.8	17.7	15.2	10.8	8	2365
06-08 LST	14.5	19.8	20.7	17.1	17.6	8.2	2.6	7.8	17.4	12.9	23.5	22.4	15.4	8	2462
09-11 LST	12.9	16.2	20.7	9.5	11.0	4.7	2.4	3.8	9.6	9.2	21.4	19.7	11.8	8	2315
12-14 LST	14.8	14.0	18.1	11.6	12.5	4.9	1.3	2.3	6.3	7.8	18.8	14.8	10.5	8	2480
15-17 LST	12.4	13.3	17.4	12.9	9.3	5.1	1.4	1.1	6.8	8.6	16.4	10.2	9.6	8	2345
18-20 LST	10.0	11.9	14.1	10.4	9.7	4.0	1.5	3.0	7.4	9.9	19.1	13.2	9.5	8	2506
21-23 LST	8.0	12.4	16.0	9.7	8.8	3.6	1.2	1.8	8.7	8.9	20.0	10.6	9.1	7	2092
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.0	0.5	2.0	2.1	1.0	0.0	0.0	0.0	0.0	0.0	0.9	1.3	0.7	8	2515
03-05 LST	0.0	1.1	1.5	1.6	1.5	0.0	0.0	0.5	0.9	1.8	1.4	2.4	1.1	8	2365
06-08 LST	2.0	4.4	4.8	2.7	2.6	1.1	0.5	0.5	2.8	1.8	3.1	7.9	2.9	8	2462
09-11 LST	1.1	2.9	1.6	0.5	0.0	0.0	0.0	0.0	0.0	0.4	1.4	2.3	0.9	8	2315
12-14 LST	0.0	1.7	0.0	0.5	0.0	0.5	0.0	0.0	0.0	0.4	1.4	0.4	0.4	8	2480
15-17 LST	0.0	0.6	0.5	0.6	0.0	0.0	0.0	0.0	0.5	0.4	0.9	1.9	0.5	8	2345
18-20 LST	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.4	0.5	0.8	0.2	8	2506
21-23 LST	1.2	0.0	0.6	0.0	0.6	0.0	0.0	0.5	1.0	0.0	1.1	0.5	0.5	7	2092

YUEH-YANG/YOCHOW, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST	27.7	23.8	26.7	26.1	27.8	29.0	30.7	29.8	26.7	28.3	24.4	25.7	326.7	8	2462
	14 LST	28.3	25.7	28.1	28.8	30.1	29.4	30.8	31.0	29.1	29.9	26.9	27.9	346.0	8	2480
	20 LST	29.6	26.0	28.5	28.6	29.9	29.4	30.7	30.9	28.9	28.9	25.8	28.1	345.3	8	2506
	02 LST	29.3	25.8	29.0	28.3	29.8	29.9	31.0	31.0	29.7	28.9	26.9	28.8	347.9	8	2515
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	08 LST	21.4	19.8	19.5	17.7	19.8	21.9	19.9	23.1	21.1	24.1	20.1	20.1	248.5	8	2456
	14 LST	20.9	18.3	16.2	15.8	18.8	21.4	14.3	17.6	18.7	23.7	18.1	20.1	223.9	8	2474
	20 LST	24.0	21.2	19.8	21.6	24.7	26.1	26.7	26.7	24.3	25.3	20.6	23.8	284.8	8	2503
	02 LST	22.4	20.4	19.6	2.7	22.2	24.6	24.2	25.9	23.1	24.7	21.9	23.4	273.1	8	2513
SFC WND = GTR 17 KTS AND NO PRECIP.	08 LST	0.0	0.0	0.1	0.3	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.7	8	2469
	14 LST	0.2	0.5	0.6	0.6	0.2	0.2	1.6	0.4	0.4	0.3	0.1	0.3	5.4	8	2497
	20 LST	0.3	0.2	0.2	0.3	0.0	0.0	0.0	0.4	0.4	0.3	0.0	0.3	2.4	8	2512
	02 LST	0.3	0.3	0.0	0.2	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.0	1.2	8	2518
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PREC.P.	08 LST	11.8	13.1	13.8	13.2	14.2	15.8	16.9	19.2	18.6	6.6	16.9	15.0	185.1	8	2455
	14 LST	21.4	16.3	16.3	15.4	16.9	16.3	4.7	8.9	18.8	21.5	19.1	20.7	196.3	8	2482
	20 LST	16.4	14.6	13.1	13.6	12.7	14.5	11.1	13.9	19.4	17.3	17.5	17.8	181.9	8	2499
	02 LST	14.6	13.8	14.8	15.3	14.7	17.9	20.8	21.9	17.2	19.1	16.5	18.3	204.9	8	2505
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST	10.2	6.3	5.8	4.6	5.5	6.0	8.2	10.5	8.2	9.6	8.3	9.0	92.2	8	2471
	14 LST	9.8	6.2	5.9	5.2	5.1	6.2	8.7	11.7	10.3	11.5	9.4	10.5	100.5	8	2500
	20 LST	12.2	8.8	8.6	6.9	5.8	7.2	6.7	8.7	11.9	12.5	10.4	12.9	112.6	8	2518
	02 LST	13.3	9.6	9.7	9.0	7.8	9.3	14.1	15.5	11.3	11.9	10.1	13.9	135.5	8	2523
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	08 LST	25.1	20.9	21.5	23.1	22.5	25.7	29.2	26.5	22.7	25.8	21.1	22.0	286.1	8	2462
	14 LST	24.0	22.1	21.9	23.6	23.7	27.0	29.7	28.4	26.3	26.8	21.3	24.3	295.1	8	2480
	20 LST	25.9	23.3	24.1	24.6	25.5	27.9	29.9	28.7	26.5	26.8	22.3	25.3	310.8	8	2506
	02 LST	26.2	22.4	24.0	24.1	24.6	27.6	29.9	29.1	26.0	26.6	23.5	25.8	309.8	8	2515
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	08 LST	22.5	17.9	16.8	17.7	19.0	22.6	26.4	23.8	20.8	23.4	18.2	19.9	249.0	8	2462
	14 LST	22.0	20.4	17.8	19.8	19.4	23.9	26.3	24.6	23.1	25.0	18.6	21.5	262.4	8	2480
	20 LST	23.2	20.7	17.3	19.6	20.5	24.6	27.4	24.7	24.5	24.9	17.5	22.1	269.0	8	2506
	02 LST	23.8	20.6	19.3	19.8	20.0	24.6	26.7	26.6	23.6	24.4	20.7	22.9	273.0	8	2515
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST	21.5	16.7	15.8	16.5	17.7	21.4	25.6	23.4	20.3	22.3	17.4	18.7	237.1	8	2462
	14 LST	21.5	19.5	17.0	19.2	18.9	23.5	26.0	24.3	23.1	24.3	18.2	21.4	256.9	8	2480
	20 LST	21.7	19.0	15.3	18.7	19.3	23.8	27.1	24.2	23.5	23.4	19.2	21.3	256.5	8	2506
	02 LST	23.4	17.4	18.3	18.4	18.6	23.3	26.2	26.3	23.1	22.9	20.2	22.1	262.2	8	2515

HSIU-SHUI, CHINA

STA NO. 57598 (IN AREA NUMBER 07)

LATITUDE 29024

LONGITUDE 11434E

ELEVATION(FT) 00305

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR	NO.
														(YRS)	QBS
ABS MAX TMP (F)	70	82	88	95	99	102	106	104	102	95	84	73	66	8	2485
MEAN MAX TMP (F)	50	54	63	72	78	88	95	93	87	75	65	55	73	8	2485
MEAN MIN TMP (F)	31	36	46	55	62	71	75	74	67	54	46	37	55	8	2442
ABS MIN TMP (F)	18	16	27	34	43	59	68	61	50	36	21	21	16	8	2442
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	1.4	4.3	16.1	28.0	24.7	10.0	1.8	0.0	0.0	86.3	8	2485
MEAN NO DYS TMP = DR LES 32(F)	18.2	9.4	1.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	11.1	42.9	8	2442
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2442
MEAN DEW PT TMP (F)	29	35	46	55	62	70	74	74	66	54	46	37	54	8	17989
MEAN REL HUM (PCT)	73	74	79	79	81	79	75	79	76	75	79	77	77	8	17742
MEAN PRESS ALT (FT)	-85	-1	142	266	383	517	573	514	352	116	12	-52	228	8	18029
MEAN PRECIP (IN)														0	0
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0	0.0				8	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN														0	0
MEAN NO DYS SNFL = DR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0	0.0				8	-29
MEAN NO DYS W/O CUR VSBY LES 1/2 MI	3.6	2.6	4.7	3.2	1.8	1.9	0.8	1.3	2.0	5.0	5.9	6.3	39.1	8	2470
MEAN NO DYS TSMS	0.3	2.5	6.0	8.5	9.3	9.8	13.5	16.4	4.6	0.1	0.1	0.6	71.7	8	2470
P FREQ WND SPD = DR GTR 17 KTS	0.0	0.1	0.2	0.1	0.0	0.1	0.1	0.1	0.0	0.0	0.1	0.0	0.1	8	18178
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	18178
P FREQ LES 5000 FT A/O LES 5 MI	23.0	26.4	36.9	37.0	33.9	26.0	20.9	24.4	21.4	18.8	27.6	22.6	26.5	8	18158
P FREQ LES 1900 FT A/O LES 3 MI															
FOR 00-02 LST	13.6	15.6	16.5	10.8	10.9	7.1	1.7	5.7	5.2	10.4	11.6	13.6	10.2	8	2499
03-05 LST	19.3	20.3	24.1	20.9	20.3	19.9	7.3	16.0	15.4	21.3	24.9	23.8	19.5	8	2361
06-08 LST	24.2	26.6	37.5	26.8	26.1	17.1	7.9	22.4	18.5	22.6	31.6	33.4	24.6	8	2452
09-11 LST	12.3	17.8	16.0	12.7	16.2	7.8	4.2	4.9	6.9	5.6	11.0	15.4	10.9	8	2345
12-14 LST	11.7	16.5	15.6	12.8	11.7	7.0	1.8	2.6	4.2	4.8	9.0	8.7	8.9	8	2443
15-17 LST	8.6	12.0	12.8	11.0	8.7	4.9	0.9	2.4	2.2	6.5	10.0	7.3	7.3	8	2334
18-20 LST	9.7	9.9	13.3	11.3	10.0	4.1	1.5	1.2	2.8	6.5	9.7	6.0	7.2	8	2470
21-23 LST	9.9	7.2	12.3	8.2	6.6	3.9	0.0	2.0	2.6	6.2	10.0	7.0	6.3	7	2155
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	3.0	1.1	4.0	2.0	2.0	2.0	0.5	1.9	1.4	3.0	2.2	5.8	2.4	8	2499
03-05 LST	6.9	6.3	11.1	7.4	6.6	6.6	2.1	4.5	7.4	12.5	13.9	14.3	8.3	8	2361
06-08 LST	11.7	9.4	16.7	11.2	5.2	3.4	1.0	4.0	7.7	14.6	19.0	21.3	10.4	8	2452
09-11 LST	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	2.8	0.4	8	2345
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	8	2443
15-17 LST	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2334
18-20 LST	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	8	2470
21-23 LST	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.5	0.1	7	2155

HSIU-SHUI, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST	24.5	21.8	20.6	22.3	24.1	25.2	28.8	25.0	25.1	24.8	21.9	21.2	285.3	8	2452
	14 LST	28.3	24.8	27.8	27.6	28.7	29.0	30.7	30.7	29.2	30.3	28.5	29.3	344.9	8	2443
	20 LST	29.1	26.1	28.1	27.9	29.5	27.5	30.7	31.0	29.6	29.8	28.4	29.9	349.6	8	2470
	02 LST	27.9	24.4	27.2	27.7	28.9	28.3	30.5	29.4	28.8	28.5	27.7	27.6	336.9	8	2499
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	08 LST	22.3	18.7	17.9	21.3	21.4	24.2	28.1	22.3	23.5	23.1	19.0	19.8	261.6	8	2448
	14 LST	24.8	20.3	22.3	22.9	24.5	24.5	25.9	26.3	25.3	27.0	24.3	26.4	294.5	8	2441
	20 LST	26.2	23.0	24.1	24.8	25.5	27.9	30.3	28.9	27.8	27.7	25.0	26.5	317.7	8	2469
	02 LST	25.4	22.2	23.3	25.4	26.1	27.4	29.8	28.6	27.6	26.9	24.8	25.8	313.3	8	2499
SFC WND = GTR 17 KTS AND NO PRECIP.	08 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2464
	14 LST	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	8	2454
	20 LST	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	8	2488
	02 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2305
SFC WND 4-10 KTS AND THP 33-89 DEG F AND NO PRECIP.	08 LST	3.0	2.2	5.0	4.3	3.8	5.3	5.0	3.6	5.2	3.1	4.5	3.6	48.6	8	2456
	14 LST	12.7	11.1	12.3	13.1	9.6	6.4	1.6	4.2	12.0	16.2	15.3	12.3	126.8	8	2457
	20 LST	6.7	5.8	7.2	5.6	4.4	6.9	5.9	7.1	10.1	6.3	7.0	7.5	80.5	8	2469
	02 LST	3.1	3.9	4.9	3.7	3.4	3.0	3.3	4.1	5.2	1.9	3.1	4.0	43.6	8	2499
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST	9.2	4.5	3.4	4.1	4.1	4.7	8.3	8.9	6.5	7.5	5.3	5.6	72.1	8	2468
	14 LST	9.3	7.4	5.3	5.3	3.1	4.6	3.9	5.6	8.3	10.6	11.1	11.8	86.3	8	2456
	20 LST	12.4	7.1	7.3	6.4	5.5	5.2	6.3	7.6	12.1	14.1	11.4	12.8	108.2	8	2486
	02 LST	11.9	8.1	8.0	8.0	7.3	10.9	14.3	14.7	11.7	12.9	10.0	10.2	128.0	8	2507
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	08 LST	22.4	19.4	18.1	21.3	21.7	24.3	28.1	23.1	23.6	23.3	19.1	20.1	264.5	8	2452
	14 LST	26.4	21.7	24.1	24.0	25.3	25.3	27.3	27.1	27.4	28.3	25.7	27.1	309.7	8	2443
	20 LST	26.9	24.4	25.7	25.0	26.2	27.7	29.7	29.2	28.2	28.2	25.8	28.5	325.5	8	2470
	02 LST	25.6	23.0	24.5	25.7	26.2	27.4	30.1	28.9	27.7	26.9	25.3	26.0	317.3	8	2499
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	08 LST	18.3	16.5	10.5	15.2	16.1	19.8	25.0	21.0	19.4	20.0	14.1	15.3	211.2	8	2452
	14 LST	22.6	18.6	18.2	17.2	16.9	19.7	19.4	18.2	21.8	26.4	20.3	23.8	243.1	8	2443
	20 LST	21.8	19.4	17.5	17.2	18.2	19.8	23.7	21.9	22.0	24.1	19.3	23.0	247.9	8	2470
	02 LST	20.8	17.9	15.8	16.7	17.8	21.0	25.9	24.7	23.0	23.0	19.0	20.6	246.2	8	2499
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST	17.6	15.9	10.2	14.6	13.9	19.1	25.0	20.6	19.0	19.4	13.5	14.5	205.3	8	2452
	14 LST	21.8	18.1	16.9	16.9	16.6	19.4	19.4	18.2	21.4	26.0	20.0	23.4	238.1	8	2443
	20 LST	20.7	18.5	16.9	16.3	17.4	19.7	23.5	21.7	21.7	23.5	19.0	22.1	241.0	8	2470
	02 LST	19.7	17.1	15.2	16.2	17.3	20.5	25.7	24.7	22.6	22.7	18.6	19.1	239.4	8	2493

HSIN-CHOU/CHINFE, CHINA

STA NO. 57622 (IN AREA NUMBER 07)

LATITUDE 2853N

LONGITUDE 10727E

ELEVATION(FT) 06693

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
ABS MAX TMP (F)	54	66	72	82	79	81	86	93	79	73	63	63	93	8	2189
MEAN MAX TMP (F)	34	37	49	56	59	67	72	71	65	53	45	38	54	8	2189
MEAN MIN TMP (F)	24	26	36	44	49	56	61	60	54	44	36	29	43	8	1942
ABS MIN TMP (F)	12	9	19	25	34	43	52	52	41	28	21	12	9	8	1942
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.2	8	2189
MEAN NO DYS TMP = DR LES 32(F)	29.0	23.9	12.2	1.9	0.0	0.0	0.0	0.0	0.0	0.9	9.1	24.4	101.4	8	1942
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	1942
MEAN DEW PT TMP (F)	23	28	37	44	50	56	62	60	54	45	37	29	44	8	13990
MEAN REL HUM (PCT)	84	90	89	87	91	87	89	88	85	90	92	89	88	8	13806
MEAN PRESS ALT (FT)	6258	6302	6351	6371	6393	6388	6415	6347	6263	6168	6199	6232	6307	8	9869
MEAN PRECIP (IN)														0	0
MEAN SNOW FALL (IN)					0.0	0.0	0.0	0.0	0.0					8	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN														0	0
MEAN NO DYS SNFL = DR GTR 1.5 IN					0.0	0.0	0.0	0.0						8	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	18.6	21.2	22.0	20.4	23.0	16.9	13.0	12.9	14.0	22.8	23.2	23.4	231.4	8	2083
MEAN NO DYS TSTMS	0.4	0.4	3.9	7.9	6.1	5.9	13.7	12.6	2.7	0.5	0.7	0.0	54.8	8	2082
P FREQ WND SPD = DR GTR 17 KTS	10.2	13.5	15.2	17.7	15.6	13.4	18.4	15.5	16.6	12.8	11.4	8.9	14.1	8	14144
P FREQ WND SPD = DR GTR 28 KTS	1.3	1.4	2.6	2.5	2.5	2.0	1.9	1.3	2.5	1.7	1.2	0.8	1.8	8	14144
P FREQ LES 5000 FT A/D LES 5 MI	74.0	85.4	80.2	73.6	82.7	70.8	63.0	60.5	59.4	77.2	73.2	82.1	74.3	8	14093
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	58.7	68.0	65.3	55.5	63.2	46.1	43.9	42.5	45.9	65.0	69.0	66.2	57.4	8	2210
03-05 LST	54.4	65.6	60.7	58.2	61.1	44.4	40.2	44.6	46.0	61.4	72.0	68.3	56.4	8	2058
06-08 LST	62.0	66.0	62.2	57.7	63.4	50.4	41.8	43.7	44.3	64.2	65.3	65.8	57.2	8	2056
09-11 LST	56.0	63.5	63.1	61.4	65.4	50.9	54.2	54.1	48.9	66.8	73.5	66.8	60.4	8	2050
12-14 LST	61.8	71.4	64.0	60.8	69.1	53.1	57.9	57.6	55.2	70.1	72.2	69.3	63.5	8	1953
15-17 LST	57.1	65.5	59.7	57.9	70.1	53.4	50.9	56.5	50.4	68.3	74.5	66.1	60.9	8	1981
18-20 LST	53.8	65.7	57.7	51.0	61.9	40.0	36.2	38.3	36.1	63.8	66.2	63.1	52.8	8	2238
21-23 LST	55.7	66.5	58.9	44.2	55.1	43.3	27.5	32.2	32.5	53.8	69.1	65.6	50.4	5	1061
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	46.6	53.5	52.8	43.6	51.3	35.1	25.1	20.6	31.0	54.0	55.2	54.4	43.6	8	2210
03-05 LST	41.6	54.9	48.9	48.6	50.5	33.0	20.4	26.5	32.6	51.8	64.8	60.0	44.5	8	2058
06-08 LST	51.0	53.0	53.0	47.3	51.8	39.6	23.7	26.6	31.4	54.4	57.7	54.5	45.3	8	2056
09-11 LST	40.1	49.7	52.9	51.9	56.5	37.0	25.5	28.6	34.6	56.1	62.7	60.9	46.4	8	2050
12-14 LST	48.6	62.1	48.8	44.1	59.6	32.6	17.1	21.9	29.4	57.9	61.3	60.0	45.3	8	1953
15-17 LST	41.4	52.3	43.4	45.2	52.7	31.5	16.5	19.9	28.7	53.1	66.2	61.8	42.9	8	1981
18-20 LST	40.7	56.1	47.5	43.0	49.2	28.9	12.4	16.8	20.8	54.0	54.5	51.7	39.6	8	2238
21-23 LST	48.8	57.6	52.4	37.0	44.0	32.7	9.6	16.2	21.1	43.9	62.0	53.8	39.9	5	1061

HSIN-CHOU/CHINFE, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	13.4	11.3	13.3	14.6	12.4	16.0	23.3	19.3	18.6	12.2	11.6	12.3	173.3	8	2056
	13 LST	13.7	9.5	13.0	13.8	11.0	16.3	18.0	16.9	16.7	10.7	9.4	10.9	159.9	8	1953
	19 LST	15.8	10.9	15.2	16.3	14.0	20.1	22.1	21.5	21.8	12.5	11.9	13.1	195.2	8	2238
	01 LST	15.2	11.0	12.9	15.0	13.4	18.2	20.2	21.2	18.5	12.3	11.1	12.7	181.7	8	2210
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	5.5	4.5	6.4	5.4	5.5	7.6	7.5	8.2	6.2	3.6	4.5	4.5	71.4	8	2052
	13 LST	6.3	4.7	6.2	6.3	4.8	7.4	3.4	4.6	5.8	4.9	4.4	6.2	65.0	8	1949
	19 LST	7.2	2.7	4.6	5.1	4.4	7.1	5.2	6.2	5.8	4.2	3.6	5.0	61.4	8	2232
	01 LST	6.6	3.6	3.3	5.6	4.9	6.9	5.6	5.6	6.2	6.1	4.2	4.4	63.0	8	2207
SFC WND = GTR 17 KTS AND ND PRECIP.	07 LST	1.8	1.5	1.9	3.4	2.5	2.9	3.7	4.9	3.8	1.7	2.3	1.5	31.9	8	2093
	13 LST	1.5	0.9	1.2	0.6	1.9	0.5	2.1	1.3	1.9	1.5	1.3	1.3	16.0	8	1983
	19 LST	3.7	2.0	5.4	5.9	4.3	3.6	7.2	6.2	5.7	3.6	4.6	2.5	54.7	8	2261
	01 LST	1.7	3.0	3.3	3.9	4.1	4.1	7.4	6.5	5.2	2.1	2.5	1.1	44.9	8	2236
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND ND PRECIP.	07 LST	0.8	2.9	7.7	8.4	7.5	9.1	12.1	10.8	9.5	7.4	7.5	5.6	89.3	8	2075
	13 LST	7.5	7.3	13.9	15.6	13.2	12.3	12.1	14.9	13.5	12.7	11.8	9.8	144.6	8	1970
	19 LST	3.0	2.7	7.4	9.5	8.6	7.9	8.4	8.3	9.2	8.6	7.8	5.8	87.2	8	2233
	01 LST	1.2	2.2	6.3	6.1	6.9	7.2	11.0	8.4	9.0	7.4	5.6	4.8	76.1	8	2226
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	5.5	2.6	4.4	4.1	2.3	3.8	5.5	8.2	8.8	4.2	3.7	4.5	57.6	8	2095
	13 LST	4.9	2.1	4.0	3.3	1.5	2.7	0.9	2.4	5.1	3.0	2.7	4.1	36.7	8	1993
	19 LST	9.2	5.1	8.1	6.6	3.8	5.4	3.7	7.8	10.8	5.3	4.5	7.2	77.5	8	2267
	01 LST	6.7	4.8	6.3	5.5	3.0	6.1	7.2	9.5	10.1	4.6	3.9	6.2	73.9	8	2241
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	9.4	6.6	9.1	10.3	9.2	12.3	15.2	15.3	14.1	9.3	8.2	7.9	126.9	8	2056
	13 LST	9.6	5.9	8.7	9.5	7.7	10.5	8.0	9.6	10.1	7.4	6.8	7.3	101.1	8	1953
	19 LST	12.2	7.7	10.8	12.5	9.4	14.7	16.9	16.7	16.4	9.1	7.9	9.1	143.4	8	2238
	01 LST	9.9	6.7	8.2	11.0	8.5	13.2	14.1	14.4	13.5	8.8	7.2	7.9	123.4	8	2210
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	6.5	3.9	6.3	7.5	4.9	8.9	13.8	14.4	12.2	7.9	5.0	5.6	96.9	8	2056
	13 LST	7.9	3.4	7.0	7.7	6.0	7.7	7.2	9.4	9.3	6.3	5.2	4.9	82.0	8	1953
	19 LST	10.2	6.1	9.6	10.5	7.2	11.1	15.7	16.3	15.2	7.4	6.0	7.2	122.5	8	2238
	01 LST	7.3	5.4	7.2	8.5	5.7	9.7	12.6	13.6	12.1	6.9	4.8	6.2	100.0	8	2210
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	6.3	3.8	6.3	7.4	4.9	8.5	13.8	14.2	11.6	6.8	4.3	5.6	93.5	8	2056
	13 LST	7.2	3.2	6.8	7.7	5.8	7.5	7.2	9.2	9.3	5.9	4.8	4.7	79.3	8	1953
	19 LST	10.0	6.1	9.6	10.5	7.1	11.1	15.5	16.3	15.1	7.2	5.9	7.2	121.6	8	2238
	01 LST	7.3	5.2	6.9	8.1	5.7	9.7	12.6	13.4	11.8	6.6	4.5	6.2	98.0	8	2210

YU-YANG/LU YANG, CHINA

STA NO. 57633 (IN AREA NUMBER 07)

LATITUDE 2848N

LONGITUDE 10846E

ELEVATION(FT) 02182

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	64	75	82	90	93	95	97	95	95	88	79	70	97	8	2461
MEAN MAX TMP (F)	46	49	58	58	73	83	87	87	81	68	58	51	67	8	2461
MEAN MIN TMP (F)	33	36	44	53	59	67	71	70	64	55	47	38	53	8	2416
ABS MIN TMP (F)	23	21	28	37	45	52	64	52	52	41	27	27	21	8	2416
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.2	0.3	5.1	12.7	13.1	3.5	0.0	0.0	0.0	34.9	8	2461
MEAN NO DYS TMP = DR LES 32(F)	16.1	7.7	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	5.0	30.8	8	2416
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2416
MEAN DEW PT TMP (F)	30	35	43	52	59	66	71	70	62	53	45	37	52	8	17349
MEAN REL HUM (PCT)	73	77	78	78	82	79	80	79	76	80	81	80	79	8	17086
MEAN PRESS ALT (FT)	1786	1885	2030	2166	2265	2396	2481	2401	2219	1990	1903	1843	2114	8	17503
MEAN PRECIP (IN)	1.29	1.53	2.37	5.04	6.47	7.35	7.30	5.96	5.38	4.24	2.63	0.86	50.4	12	-181
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0	0.0				8	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	10.2	11.5	15.4	14.5	14.7	16.7	16.3	15.8	12.3	14.7	12.8	8.8	163.7	12	-181
MEAN NO DYS SNFL = DR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0	0.0				8	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	1.1	0.5	0.9	2.0	1.4	1.2	0.3	1.3	1.1	1.7	1.8	4.4	17.7	8	2418
MEAN NO DYS TSTMS	0.6	2.2	5.4	9.9	8.5	6.8	11.5	10.4	2.1	0.8	0.4	0.4	59.0	8	2424
P FREQ WND SPD = DR GTR 17 KTS	0.1	0.0	0.0	0.0	0.1	0.0	0.1	0.0	0.1	0.1	0.1	0.0	0.1	8	17642
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	17642
P FREQ LES 5000 FT A/D LES 5 MI	56.2	57.8	62.5	57.0	64.7	45.4	49.5	43.8	40.4	47.8	61.8	60.1	53.9	8	17430
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	7.8	7.3	4.6	3.8	5.3	1.1	1.5	2.8	1.7	3.6	3.7	9.9	4.4	8	2464
03-05 LST	6.5	4.9	6.3	7.1	7.7	7.3	6.8	5.0	3.7	6.3	6.1	11.7	6.6	8	2216
06-08 LST	18.4	12.0	9.4	11.2	9.8	7.5	3.6	9.0	7.7	10.9	10.0	18.2	10.7	8	2403
09-11 LST	8.2	4.1	3.9	4.7	4.3	4.2	0.6	1.3	1.5	4.6	3.2	7.6	4.0	8	2246
12-14 LST	4.1	2.6	1.8	4.0	4.9	1.2	0.8	1.2	1.4	4.1	1.8	1.4	2.4	8	2418
15-17 LST	4.1	5.1	0.9	2.5	4.6	1.7	0.3	1.0	1.9	3.4	2.1	1.8	2.5	8	2186
18-20 LST	5.6	5.4	1.5	1.3	1.8	1.6	0.3	0.7	0.9	1.6	0.9	3.5	2.1	8	2496
21-23 LST	1.5	3.7	1.5	2.0	1.8	0.3	0.3	0.8	0.8	2.4	1.7	2.6	1.6	7	2088
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	2.5	0.0	1.0	0.5	1.0	0.0	0.0	0.9	0.0	0.9	0.9	4.7	1.0	8	2464
03-05 LST	3.7	0.7	2.7	2.2	4.2	3.4	4.0	2.1	2.3	2.7	3.7	8.0	3.3	8	2216
06-08 LST	7.8	2.8	3.0	6.1	3.1	2.5	1.7	4.4	3.6	6.9	5.5	12.2	5.0	6	2403
09-11 LST	2.4	0.0	0.5	0.5	0.0	0.0	0.0	0.0	0.5	0.0	0.5	3.6	0.7	8	2246
12-14 LST	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.1	8	2418
15-17 LST	0.0	0.0	0.0	0.0	1.1	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.1	8	2186
18-20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2496
21-23 LST	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.1	7	2088

YU-YANG/LU YANG, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	26.3	25.4	28.8	27.0	28.9	28.1	30.1	28.6	28.0	28.3	27.9	26.1	333.5	8	2403
	13 LST	30.7	27.7	30.7	29.0	30.3	29.8	30.8	30.9	29.7	30.5	29.9	30.9	360.9	8	2418
	19 LST	30.2	26.8	30.9	29.8	30.8	29.8	31.0	30.8	29.9	30.9	29.9	30.3	361.1	8	2496
	01 LST	29.3	26.2	29.9	29.2	29.8	30.0	30.7	30.3	29.7	30.3	29.2	28.5	353.1	8	2464
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	24.3	24.0	27.3	26.3	27.1	27.4	29.5	27.8	27.3	26.6	26.0	24.5	318.1	8	2403
	13 LST	28.5	26.9	29.8	28.2	28.5	29.1	29.4	29.7	29.0	28.7	28.7	29.7	346.2	8	2415
	19 LST	28.4	26.2	30.0	29.4	30.1	29.2	30.7	30.4	29.5	30.2	29.6	29.4	353.1	8	2495
	01 LST	27.6	25.7	29.4	28.4	29.0	29.4	30.2	29.8	29.3	29.2	28.6	27.3	343.9	8	2460
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.2	8	2429
	13 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2447
	19 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.1	0.0	0.0	0.0	0.3	8	2519
	01 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2482
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	2.8	2.0	2.8	2.0	1.4	1.8	0.7	0.9	3.1	2.3	2.8	2.7	23.3	8	2413
	13 LST	9.5	8.7	12.6	13.4	9.1	11.4	10.9	12.9	16.2	13.1	12.1	10.6	140.5	8	2435
	19 LST	6.3	3.3	4.9	4.4	4.1	4.9	4.1	2.4	4.1	4.0	5.6	5.6	93.7	8	2505
	01 LST	2.5	2.1	2.0	1.6	1.2	1.8	0.3	1.5	2.9	2.5	3.7	3.1	23.2	8	2469
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	3.5	3.2	3.1	2.8	1.3	4.0	6.9	7.8	7.0	3.4	2.5	2.8	48.3	8	2425
	13 LST	5.9	3.5	4.3	3.8	2.3	3.6	1.3	3.1	5.9	4.6	3.5	4.7	46.5	8	2445
	19 LST	8.3	4.8	7.7	7.7	4.8	7.3	4.7	9.2	11.4	7.8	6.3	7.1	87.1	8	2512
	01 LST	7.9	5.0	5.5	5.7	3.9	7.0	11.9	12.7	9.7	6.6	4.4	5.1	85.4	8	2480
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	22.3	22.1	25.5	24.8	25.4	26.7	28.9	27.1	26.5	24.9	23.2	22.8	300.2	8	2403
	13 LST	26.5	24.9	28.5	26.8	27.3	28.3	30.1	30.1	28.3	27.2	25.8	27.7	331.5	8	2418
	19 LST	26.1	24.2	27.9	27.8	27.7	28.4	30.6	30.1	28.6	28.5	27.0	27.7	334.6	8	2496
	01 LST	26.2	23.9	27.7	27.2	27.8	29.0	29.6	29.5	28.6	27.2	26.3	26.0	329.0	8	2464
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	6.8	6.5	7.3	7.9	6.5	10.2	13.4	13.7	12.2	8.3	5.0	5.8	103.6	8	2403
	13 LST	9.3	7.3	7.5	8.5	8.3	9.6	7.7	10.5	13.2	11.6	7.9	8.9	110.3	8	2418
	19 LST	9.6	8.3	10.7	11.9	9.4	15.8	16.9	16.6	14.8	12.5	7.9	9.7	144.1	8	2496
	01 LST	11.3	9.2	9.7	9.5	8.9	13.3	17.5	17.5	13.8	10.6	6.6	7.8	135.7	8	2464
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	5.4	5.4	6.5	7.4	6.0	8.7	13.4	13.1	10.8	7.4	4.4	4.9	93.4	8	2403
	13 LST	8.3	6.5	7.3	7.5	7.6	9.5	7.5	10.2	12.4	10.0	7.0	7.6	101.4	8	2418
	19 LST	8.8	7.7	9.8	11.4	8.6	15.3	16.7	16.6	14.5	11.3	7.4	8.4	136.5	8	2496
	01 LST	9.8	8.0	8.9	9.3	7.8	12.6	17.5	17.4	13.4	9.7	6.3	7.3	128.0	8	2464

YUAN-LING/SHENCH, CHINA

STA NO. 57655 (IN AREA NUMBER 07)

LATITUDE 2827N

LONGITUDE 11023E

ELEVATION(FT) 00472

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. DRS
ABS MAX TMP (F)	70	81	86	93	97	99	102	102	100	95	84	76	102	8	2538
MEAN MAX TMP (F)	48	52	61	71	76	87	93	92	85	73	61	53	71	8	2538
MEAN MIN TMP (F)	35	38	46	55	62	71	76	74	68	57	48	40	56	8	2511
ABS MIN TMP (F)	23	14	30	37	46	61	68	63	52	45	27	25	14	8	2511
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	1.4	2.8	13.9	25.8	23.0	10.9	0.8	0.0	0.0	78.6	8	2538
MEAN NO DYS TMP = DR LES 32(F)	13.5	5.6	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	3.9	24.2	8	2511
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2511
MEAN DEW PT TMP (F)	32	37	46	55	62	71	75	73	64	54	47	38	55	8	18460
MEAN REL HUM (PCT)	73	77	79	80	83	80	78	78	72	74	79	77	78	8	18256
MEAN PRESS ALT (FT)	77	171	317	452	562	699	775	700	520	290	185	126	406	8	18612
MEAN PRECIP (IN)	1.83	2.00	4.52	4.53	7.76	10.14	5.59	6.08	3.01	4.82	2.23	1.48	54.0	6	-181
MEAN SNOW FALL (IN)			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0				8	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	12.2	12.3	15.3	16.2	15.5	15.5	14.5	11.7	9.7	14.2	9.8	8.8	155.7	6	-181
MEAN NO DYS SNPL = DR GTR 1.5 IN			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0				8	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	4.1	3.4	3.1	2.9	2.2	2.1	1.8	1.4	1.5	3.0	3.8	4.6	33.9	8	2513
MEAN NO DYS TSTMS	1.2	4.2	9.3	12.0	10.6	7.3	11.3	10.0	1.6	1.1	0.0	0.6	69.2	8	2519
P FREQ WND SPD = DR GTR 17 KTS	0.1	0.1	0.2	0.3	0.1	0.1	0.0	0.1	0.1	0.1	0.0	0.0	0.1	8	18661
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	18661
P FREQ LES 5000 FT A/D LES 5 MI	26.4	31.9	38.4	36.4	33.5	24.2	24.3	23.2	14.6	19.0	25.7	23.7	26.8	8	18466
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	12.8	6.7	7.5	7.6	6.0	3.3	1.5	1.0	2.9	4.1	9.0	8.8	5.9	8	2553
03-05 LST	14.5	12.8	12.3	12.5	13.4	9.3	8.3	6.8	5.0	10.1	16.6	19.7	11.8	8	2332
06-08 LST	22.0	22.1	20.2	19.1	15.8	18.3	14.5	10.5	10.4	17.4	21.1	23.8	17.9	8	2469
09-11 LST	21.0	17.5	14.2	8.0	4.1	2.1	2.8	2.9	4.7	7.9	16.3	16.5	9.8	8	2314
12-14 LST	9.8	9.5	10.6	6.2	5.6	3.0	2.3	2.2	4.1	5.7	8.2	7.1	6.2	8	2522
15-17 LST	3.4	6.7	10.6	6.9	4.8	3.7	1.8	2.2	3.2	4.0	8.5	4.3	5.0	8	2268
18-20 LST	7.1	6.0	7.6	6.5	5.9	1.3	0.8	1.7	2.7	4.4	7.7	5.2	4.7	8	2539
21-23 LST	4.6	5.1	4.3	5.1	4.1	0.6	0.3	0.8	3.1	4.1	5.9	3.6	3.5	7	2220
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	4.4	0.0	1.5	3.0	2.5	2.0	1.0	0.5	0.9	0.8	3.1	4.7	2.0	8	2553
03-05 LST	10.0	5.2	6.3	7.3	6.5	4.3	5.8	3.1	2.3	5.4	11.3	14.6	6.8	8	2332
06-08 LST	15.2	13.5	11.8	12.2	7.0	9.5	6.9	3.9	5.4	10.4	13.8	16.6	10.5	8	2469
09-11 LST	11.5	3.1	1.5	0.6	0.0	0.0	0.0	0.0	0.0	1.8	4.2	5.9	2.4	8	2314
12-14 LST	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2522
15-17 LST	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	8	2268
18-20 LST	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2539
21-23 LST	0.6	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	7	2220

YUAN-LING/SHENCH, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	25.5	23.5	26.7	25.9	27.1	26.0	28.0	29.2	28.0	27.2	25.6	25.4	318.1	8	2469
	13 LST	30.4	27.8	31.0	29.7	31.0	30.0	30.8	30.9	29.9	30.7	29.9	30.9	363.0	8	2522
	01 LST	28.7	27.6	30.1	28.7	29.9	29.3	30.7	30.9	29.6	30.5	28.9	29.4	354.3	8	2553
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	22.3	19.4	21.5	21.7	24.8	22.9	24.9	26.3	25.3	23.5	21.1	21.3	275.0	8	2465
	13 LST	24.2	20.7	21.7	24.3	27.0	25.6	25.1	27.4	23.8	25.6	24.0	25.5	296.9	8	2519
	01 LST	24.6	23.7	25.7	25.5	28.0	28.5	30.2	30.3	27.7	28.1	24.3	26.1	322.7	8	2551
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2494
	13 LST	0.0	0.0	0.0	0.1	0.0	0.2	0.0	0.0	0.1	0.1	0.0	0.0	0.5	8	2535
	01 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.1	8	2551
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	4.0	3.0	3.5	3.4	2.0	2.5	5.6	3.8	4.5	4.2	4.2	6.3	47.0	8	2479
	13 LST	10.6	9.7	12.3	13.3	10.2	9.6	4.4	6.8	14.8	14.1	11.5	10.3	127.6	8	2521
	01 LST	8.6	6.8	7.9	7.9	5.9	6.7	4.6	7.8	13.4	10.9	9.6	9.8	99.9	8	2543
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	6.1	3.4	4.2	4.0	4.3	2.1	2.5	3.6	6.2	4.8	5.8	6.9	53.9	8	2554
	13 LST	3.2	2.1	2.1	1.7	1.8	2.8	5.7	7.2	7.4	5.2	2.7	2.3	44.2	8	2495
	01 LST	6.7	5.4	4.6	5.5	3.5	5.4	2.3	6.3	9.9	7.4	6.2	7.1	70.3	8	2540
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	9.9	7.0	7.3	6.0	5.9	6.9	6.4	10.1	11.9	10.5	8.3	9.5	99.7	8	2549
	13 LST	8.7	5.7	7.3	6.5	5.0	8.6	13.9	15.4	11.3	8.1	5.9	7.8	104.2	8	2562
	01 LST	22.3	19.9	22.4	22.5	24.8	22.9	24.8	26.2	25.7	24.0	21.5	21.7	278.7	8	2469
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	25.2	22.4	23.8	26.1	26.7	27.5	28.3	28.7	27.1	27.2	24.6	26.5	314.1	8	2522
	13 LST	26.9	24.6	26.3	26.4	27.3	29.1	30.4	29.7	28.3	28.4	25.5	27.6	330.5	8	2539
	01 LST	25.0	24.7	27.3	26.8	28.1	28.8	30.4	30.4	28.5	28.9	25.5	26.9	331.3	8	2553
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	11.7	9.1	7.9	8.0	9.6	13.2	16.9	18.1	18.2	14.8	11.5	10.8	149.8	8	2469
	13 LST	17.5	15.3	13.8	14.7	14.8	19.4	18.4	19.5	20.8	20.9	17.3	18.8	211.2	8	2522
	01 LST	16.2	13.8	13.7	14.5	13.5	18.6	21.6	20.2	21.4	19.6	16.2	17.4	206.7	8	2539
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	14.5	13.0	12.2	11.9	13.4	18.8	22.3	22.0	20.0	17.3	14.0	15.0	194.4	8	2553
	13 LST	9.0	6.7	5.8	6.6	7.2	10.7	14.8	16.7	15.3	12.8	8.7	7.4	121.7	8	2469
	01 LST	13.7	12.8	11.8	12.6	11.8	17.2	16.7	18.0	17.8	17.5	13.2	16.1	179.2	8	2522
	19 LST	14.0	12.2	10.7	12.8	11.3	16.9	21.0	19.1	18.5	16.5	13.3	14.4	180.7	8	2539
	01 LST	12.4	10.3	10.5	10.9	12.0	16.7	21.8	20.6	17.1	15.1	10.7	11.8	169.9	8	2553

CHANG-TE/CHANGTE, CHINA

STA NO. 57662 (IN AREA NUMBER 07)

LATITUDE 2855N

LONGITUDE 11133E

ELEVATION(FT) 00121

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	72	75	84	90	97	100	104	100	97	95	84	70	104	8	2526
MEAN MAX TMP (F)	48	52	61	70	78	87	94	91	83	73	61	53	71	8	2526
MEAN MIN TMP (F)	34	38	46	56	63	73	78	76	68	57	48	39	56	8	2528
ABS MIN TMP (F)	21	19	27	39	46	34	68	66	57	43	28	27	19	8	2528
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.5	3.3	12.1	25.4	21.9	5.6	0.4	0.0	0.0	69.2	8	2526
MEAN NO DYS TMP = DR LES 32(F)	14.7	6.1	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	4.4	26.9	8	2528
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2528
MEAN DEW PT TMP (F)	32	38	47	56	63	72	76	75	66	56	48	39	56	8	18265
MEAN REL HUM (PCT)	75	78	82	81	81	80	76	79	77	77	83	80	79	8	18045
MEAN PRESS ALT (FT)	-285	-192	-49	90	204	349	428	348	153	-75	-182	-237	46	8	18396
MEAN PRECIP (IN)	2.09	3.80	3.35	7.45	7.60	9.65	6.19	5.23	3.11	4.21	3.77	1.50	57.9	9	-181
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0	0.0				8	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	8.9	22.8	10.6	14.6	14.7	14.6	11.9	10.8	10.1		11.2	6.8		9	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0					8	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	1.7	1.7	2.4	1.8	1.1	0.5	0.6	0.1	0.3	1.3	2.5	2.9	16.9	8	2499
MEAN NO DYS TSTMS	0.6	2.8	7.4	8.7	7.1	5.1	7.9	10.2	1.2	0.3	0.3	0.3	51.9	8	2501
P FREQ WND SPD = DR GTR 17 KTS	0.4	0.4	0.8	1.4	1.1	0.2	0.2	0.9	0.7	0.7	1.1	0.3	0.7	8	18459
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.1	0.1	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.0	8	18459
P FREQ LES 5000 FT A/D LES 5 MI	44.6	45.7	52.1	44.2	37.3	20.4	15.9	22.9	27.7	26.8	45.2	48.5	35.9	8	18329
P FREQ LES 1900 FT A/D LES 3 MI															
FOR 00-02 LST	13.1	11.4	12.1	10.0	5.3	2.0	1.8	2.1	5.6	7.6	12.2	13.4	8.1	8	2526
03-05 LST	12.0	14.9	14.1	11.8	8.7	2.2	3.0	4.2	6.7	10.3	15.7	17.8	10.1	8	2358
06-08 LST	30.6	31.4	29.5	26.5	18.1	9.2	7.8	11.4	10.7	15.8	33.2	38.9	21.9	8	2515
09-11 LST	18.0	15.1	16.6	13.7	12.5	4.2	3.5	5.9	8.3	8.1	18.2	21.2	12.1	8	2305
12-14 LST	15.8	11.5	12.0	8.8	11.7	8.0	2.8	3.6	6.3	8.9	17.3	12.2	9.9	8	2524
15-17 LST	7.5	12.4	11.3	11.4	9.2	5.2	2.0	3.2	4.7	7.1	16.3	11.4	8.5	8	2233
18-20 LST	9.9	9.6	9.2	6.4	9.8	4.0	1.4	3.4	4.3	6.5	12.0	9.1	7.1	8	2529
21-23 LST	5.5	7.9	11.3	6.8	7.0	2.7	0.8	2.1	4.1	7.7	12.7	11.9	6.7	7	2147
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	1.5	2.7	2.5	3.6	0.0	1.0	0.5	0.0	0.0	1.2	2.2	3.9	1.6	8	2526
03-05 LST	2.9	1.7	5.6	4.8	2.0	0.0	0.0	1.5	0.9	2.1	4.2	5.4	2.6	8	2358
06-08 LST	7.3	10.4	7.2	5.5	5.6	1.1	1.0	1.9	0.9	6.0	10.3	14.2	6.0	8	2515
09-11 LST	1.2	1.1	1.0	0.6	0.0	0.0	1.1	0.0	0.0	0.9	1.0	1.4	0.7	8	2305
12-14 LST	0.0	1.0	0.0	0.0	0.5	0.0	0.0	0.5	0.0	0.4	0.0	0.9	0.3	8	2524
15-17 LST	0.0	1.3	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.2	8	2233
18-20 LST	0.0	2.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.3	8	2529
21-23 LST	1.2	2.6	0.6	0.0	0.0	0.6	0.0	0.0	0.0	1.0	0.5	1.6	0.7	7	2147

CHANG-TE/CHANGTE, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	22.7	21.1	23.3	23.4	27.1	28.2	29.3	28.5	28.7	27.4	22.1	20.8	302.6	8	2515
	13 LST	27.3	26.2	29.5	28.9	29.3	29.4	30.8	30.4	29.7	30.1	28.0	29.3	348.9	8	2524
	19 LST	29.3	26.8	30.6	29.4	29.9	30.0	31.0	30.7	29.9	30.6	28.7	29.7	356.6	8	2529
	01 LST	28.7	26.5	29.6	28.3	30.8	29.5	30.8	30.7	29.5	30.1	28.4	28.3	351.2	8	2526
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	19.4	16.8	18.9	18.3	21.4	24.9	27.3	24.6	22.9	23.3	17.1	16.3	251.2	8	2512
	13 LST	22.0	21.0	22.3	22.6	23.6	23.5	24.5	25.9	20.8	23.0	19.6	23.6	272.4	8	2521
	19 LST	25.3	22.7	22.9	24.7	24.2	26.6	29.1	27.1	25.9	25.5	22.7	25.8	302.5	8	2529
	01 LST	24.4	21.4	21.8	23.5	26.0	27.1	29.0	27.7	24.7	25.6	23.5	24.8	299.5	8	2523
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.0	0.0	0.0	0.2	0.2	0.0	0.0	0.1	0.0	0.1	0.1	0.0	0.7	8	2513
	13 LST	0.1	0.1	0.0	0.2	0.0	0.2	0.0	0.3	0.1	0.0	0.0	0.0	1.0	8	2333
	19 LST	0.0	0.2	0.3	0.1	0.0	0.0	0.0	0.0	0.4	0.3	0.1	0.1	1.5	8	2538
	01 LST	0.2	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.0	0.0	0.0	0.4	8	2536
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	5.4	7.4	7.3	8.3	10.9	11.9	17.8	13.0	12.3	8.8	7.9	8.2	119.2	8	2502
	13 LST	13.8	12.6	14.6	14.2	14.0	11.5	4.7	6.8	17.2	14.2	13.2	12.7	149.5	8	2529
	19 LST	11.7	10.4	12.0	12.7	11.6	14.0	7.1	11.3	12.0	9.0	9.7	11.3	132.8	8	2527
	01 LST	7.4	6.9	6.1	6.9	8.2	12.2	15.0	9.5	11.4	7.4	6.5	8.0	105.5	8	2527
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	6.2	3.2	3.1	3.2	4.7	6.0	7.6	8.7	8.3	7.1	4.8	3.9	66.8	8	2517
	13 LST	9.5	6.7	6.8	5.8	5.2	5.7	6.5	9.8	9.3	8.9	7.8	9.8	91.8	8	2535
	19 LST	11.6	7.6	7.2	6.4	7.0	6.2	6.8	11.4	12.2	11.3	9.9	11.5	109.1	8	2542
	01 LST	11.4	6.4	8.4	7.8	8.0	9.0	14.5	14.4	12.2	9.4	8.9	11.2	121.6	8	2540
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	20.0	17.1	19.6	20.1	22.8	25.8	27.3	25.8	24.3	24.5	17.2	16.6	261.1	8	2515
	13 LST	24.8	22.7	24.0	24.9	24.8	25.1	28.7	27.9	25.2	25.8	21.2	24.7	299.8	8	2524
	19 LST	26.2	23.4	25.1	25.3	25.6	27.4	29.7	28.2	26.7	27.1	23.5	26.4	314.6	8	2529
	01 LST	25.1	22.8	24.3	24.9	27.0	29.0	29.7	29.2	26.4	26.8	23.7	24.7	313.6	8	2526
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	15.6	11.2	10.7	13.1	15.8	21.2	24.6	21.2	19.3	19.2	12.2	11.9	196.0	8	2515
	13 LST	21.4	18.3	16.6	18.2	18.4	21.6	24.2	22.6	19.8	21.8	16.8	20.4	240.1	8	2524
	19 LST	22.6	18.9	15.9	18.0	19.2	24.7	25.5	23.3	21.9	24.0	18.7	21.5	254.2	8	2529
	01 LST	21.9	18.7	17.3	18.2	19.9	24.2	26.4	25.4	21.3	24.2	19.4	19.7	255.6	8	2526
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	14.1	9.8	9.4	11.2	14.4	20.3	23.5	20.1	17.9	17.5	11.5	10.8	180.5	8	2515
	13 LST	20.5	17.4	16.0	17.3	17.3	21.3	23.1	22.3	19.1	21.6	16.6	19.7	232.2	8	2524
	19 LST	20.8	17.5	14.4	16.0	17.5	23.5	25.0	23.3	21.4	22.8	17.0	19.1	238.3	8	2529
	01 LST	21.0	17.7	16.0	17.1	19.0	23.5	25.7	24.2	20.5	21.8	18.4	18.4	243.3	8	2526

YUAN-CHIANG, CHINA

STA NO. 57671 (IN AREA NUMBER 07)

LATITUDE 2651N

LONGITUDE 11222E

ELEVATION(FT) 00121

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	64	72	82	81	90	93	99	100	93	88	82	63	100	5	599
MEAN MAX TMP (F)	47	54	57	65	74	86	91	89	82	73	60	49	69	5	599
MEAN MIN TMP (F)	35	40	47	56	65	74	79	77	71	59	50	40	58	6	1358
ABS MIN TMP (F)	18	32	32	41	45	64	68	68	57	41	34	27	18	6	1358
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	1.1	8.3	21.7	16.6	3.4	0.0	0.0	0.0	51.1	5	599
MEAN NO DYS TMP = DR LES 32(F)	11.9	1.6	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.3	17.3	6	1358
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	1358
MEAN DEW PT TMP (F)	32	41	48	50	61	73	75	74	67	54	48	37	55	6	1295
MEAN REL HUM (PCT)	76	79	87	84	81	78	78	77	78	77	82	79	80	6	1234
MEAN PRESS ALT (FT)	-320	-147	-52	94	167	352	363	348	126	-97	-168	-269	33	6	1308
MEAN PRECIP (IN)														0	0
MEAN SNOW FALL (IN)		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			6	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN														0	0
MEAN NO DYS SNFL = DR GTR 1.5 IN		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0				6	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.6	0.9	2.8	6	331
MEAN NO DYS TSFMS	1.1	0.9	4.4	9.0	4.4	4.0	10.3	5.4	2.6	0.0	0.0	0.0	42.1	6	332
P FREQ WND SPD = DR GTR 17 KTS	1.8	0.0	2.2	0.0	6.1	0.0	2.3	0.0	0.0	0.0	0.5	2.3	1.3	6	1355
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	1.2	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.1	6	1355
P FREQ LES 5000 FT A/D LES 5 MI	11.3	15.8	28.6	30.1	18.9	7.5	8.3	12.1	13.2	14.3	23.4	17.2	16.7	6	3904
P FREQ LES 1900 FT A/D LES 3 MI															
FOR 00-02 LST	4.0	2.0	4.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	2.0	4.0	1.4	6	604
03-05 LST	0.0	3.1	1.3	0.0	0.0	0.0	0.0	0.0	0.6	5.6	0.6	5.6	1.4	5	873
06-08 LST	2.4	5.1	6.5	2.9	3.6	2.1	0.0	1.0	1.7	3.2	7.6	11.3	4.0	6	1394
09-11 LST														0	0
12-14 LST	1.0	0.0	0.0	0.0	0.9	0.0	0.0	0.0	0.8	0.6	3.2	1.6	0.7	6	1422
15-17 LST	0.0	0.0	2.7	1.7	0.0	1.9	0.0	0.0	1.1	1.2	4.5	0.0	1.1	4	815
18-20 LST	7.3	2.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.0	1.8	1.0	6	589
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.0	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	0.3	6	604
03-05 LST	0.0	1.5	1.3	0.0	0.0	0.0	0.0	0.0	0.0	4.4	0.0	2.8	0.8	5	873
06-08 LST	1.9	3.0	4.3	1.9	0.9	1.0	0.0	0.0	0.0	2.6	1.9	8.1	2.1	6	1394
09-11 LST														0	0
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.8	0.1	6	1422
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	815
18-20 LST	0.0	2.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.8	0.3	6	589
21-23 LST														0	0

YUAN-CHIANG, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	FOR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	30.4	26.6	29.1	29.1	29.9	29.4	31.0	31.0	29.7	30.0	28.5	27.5	352.2	6	1394
	13 LST	30.7	28.0	31.0	30.0	30.7	30.0	31.0	31.0	29.8	30.8	29.4	30.5	362.9	6	1422
	19 LST	29.3	27.4	31.0	30.0	31.0	30.0	31.0	31.0	30.0	30.6	30.0	30.5	361.8	6	589
	01 LST	30.4	27.5	30.2	30.0	31.0	30.0	31.0	31.0	30.0	30.6	29.6	29.8	361.1	6	604
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	26.5	22.9	22.4	21.6	22.3	22.5	25.7	23.8	22.9	26.8	22.3	20.8	280.5	6	1392
	13 LST	23.7	22.1	18.5	20.0	22.5	19.9	20.0	24.6	20.5	23.7	20.6	22.1	258.2	6	1419
	19 LST	23.1	23.6	26.2	25.7	23.3	27.0	27.0	27.8	25.5	25.6	25.4	24.5	304.7	6	586
	01 LST	26.1	22.5	21.2	23.1	23.5	26.3	23.3	26.6	24.5	25.4	23.8	25.4	291.7	6	603
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.0	0.0	0.0	0.6	0.3	0.0	0.0	0.3	0.5	0.4	0.4	0.0	2.5	6	1400
	13 LST	0.0	0.6	0.5	0.6	0.3	0.3	0.6	0.0	0.5	0.0	0.0	0.2	3.6	6	1440
	19 LST	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	1.0	6	590
	01 LST	0.6	0.0	0.8	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	1.9	6	610
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	11.9	11.1	9.2	12.0	13.9	18.2	16.8	19.2	15.6	13.0	12.0	12.6	165.5	6	1391
	13 LST	21.2	18.4	12.6	13.4	14.8	10.8	4.8	9.1	19.2	16.3	14.0	16.9	171.5	6	1433
	19 LST	12.1	8.1	9.7	10.9	8.9	14.3	8.1	12.2	9.8	10.1	9.7	8.9	122.8	6	583
	01 LST	13.4	5.0	10.1	6.9	10.7	11.0	14.9	12.8	14.5	9.8	9.0	8.9	127.0	6	605
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	12.0	8.5	5.4	4.6	5.9	4.7	8.1	10.8	6.8	8.2	6.4	7.4	88.8	6	1405
	13 LST	13.0	7.7	8.1	5.8	6.9	7.5	7.6	11.3	8.0	9.2	6.5	10.3	101.9	6	1437
	19 LST	11.6	9.1	6.8	4.1	4.4	7.3	7.9	11.8	12.5	15.1	11.5	11.4	113.7	6	591
	01 LST	14.6	11.5	5.4	9.2	9.3	10.0	12.3	20.1	10.2	12.1	10.1	11.2	136.2	6	609
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	29.6	25.9	26.3	27.9	28.4	28.4	30.3	30.0	28.1	29.0	25.4	26.3	335.6	6	1394
	13 LST	30.1	27.3	28.6	28.5	29.8	28.7	30.3	30.1	28.5	28.7	26.7	28.7	346.0	6	1422
	19 LST	27.3	25.9	30.6	28.9	29.7	28.8	30.7	30.7	29.3	29.9	28.5	29.2	349.5	6	589
	01 LST	28.9	26.6	28.1	27.2	28.5	28.8	30.8	31.0	29.8	30.3	28.1	28.3	346.4	6	604
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	26.5	21.8	15.6	19.9	20.3	22.8	26.3	25.6	21.4	25.0	18.2	20.3	263.7	6	1394
	13 LST	27.2	22.1	17.1	17.9	22.3	25.2	26.1	24.9	20.5	23.1	18.9	22.1	267.9	6	1422
	19 LST	22.0	20.1	13.6	22.9	23.3	25.6	26.4	25.9	26.6	27.2	19.2	23.4	276.2	6	589
	01 LST	23.1	20.3	8.2	18.5	20.7	19.8	26.2	28.2	23.5	26.2	19.1	28.6	257.4	6	604
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	26.5	21.5	15.4	19.9	20.0	22.5	26.0	25.0	21.4	24.6	17.8	20.0	260.4	6	1394
	13 LST	27.2	21.8	17.1	17.9	22.5	25.0	25.8	24.3	20.5	23.1	18.2	20.9	264.3	6	1422
	19 LST	22.0	20.1	13.6	22.9	23.3	25.6	26.4	25.9	26.6	27.2	18.1	23.4	275.1	6	589
	01 LST	23.1	20.3	8.2	18.5	20.7	19.8	26.2	27.1	22.9	25.8	18.7	22.3	253.6	6	604

CHANG-SHA, CHINA

STA NO. 57679 (IN AREA NUMBER 07)

LATITUDE 2815N

LONGITUDE 11250E

ELEVATION(FT) 00161

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	72	82	84	91	95	104	102	104	100	93	82	72	104	8	2544
MEAN MAX TMP (F)	48	52	61	71	77	87	95	92	85	73	61	53	71	8	2544
MEAN MIN TMP (F)	35	39	47	57	64	74	79	77	70	59	49	40	58	8	2547
ABS MIN TMP (F)	21	16	28	39	48	63	72	68	57	43	28	27	16	8	2547
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.5	4.7	13.9	28.4	23.7	9.6	0.9	0.0	0.0	81.7	8	2544
MEAN NO DYS TMP = DR LES 32(F)	12.5	4.9	0.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	3.1	21.2	8	2547
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2547
MEAN DEN PT TMP (F)	32	37	47	56	63	72	74	74	67	56	47	39	55	8	18664
MEAN REL HUM (PCT)	72	76	81	80	81	78	69	74	74	75	79	78	76	8	18666
MEAN PRESS ALT (FT)	-232	-144	-2	132	245	379	443	386	217	-26	-129	-186	90	8	18838
MEAN PRECIP (IN)	1.89	3.85	5.38	6.25	8.24	8.89	4.63	4.74	2.88	2.91	3.00	1.88	54.5	30	-181
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0	0.0				8	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	11.1	14.3	16.2	16.0	15.7	13.6	8.2	9.5	8.1	8.8	10.7	10.8	143.0	30	-181
MEAN NO DYS SNPL = DR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0	0.0				8	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	1.9	1.0	1.2	1.2	1.2	0.3	0.0	0.0	0.3	1.5	0.6	2.0	11.2	8	2548
MEAN NO DYS TSYMS	0.8	3.1	7.9	8.2	6.5	5.5	8.9	10.2	2.4	0.1	0.1	0.3	54.0	8	2549
P FREQ WND SPD = DR GTR 17 KTS	1.9	2.1	2.4	2.9	1.4	0.4	1.1	0.9	2.2	1.3	2.3	2.8	1.8	8	18856
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.0	8	18856
P FREQ LES 5000 FT A/D LES 3 MI	49.2	49.7	34.3	45.1	47.0	27.3	13.6	21.3	27.7	31.4	48.6	49.9	38.4	8	18725
P FREQ LES 1900 FT A/D LES 3 MI															
FDR 00-02 LST	18.2	21.4	23.3	14.9	16.6	5.2	2.2	3.3	7.6	12.6	23.3	17.9	13.9	8	2545
03-05 LST	20.3	24.2	21.5	13.6	19.5	8.2	1.9	3.6	9.8	18.6	24.9	22.8	15.7	8	2354
06-08 LST	34.3	39.7	36.3	31.9	34.8	14.5	7.0	10.8	17.8	30.3	39.9	41.9	28.3	8	2513
09-11 LST	27.2	29.6	30.2	14.5	23.8	7.1	1.7	4.4	10.8	16.3	26.3	26.6	18.2	8	2312
12-14 LST	19.8	24.4	24.7	15.1	23.8	5.5	1.2	2.9	8.0	14.0	23.1	20.4	15.4	8	2537
15-17 LST	17.4	20.8	23.7	14.7	16.4	6.0	1.1	2.3	7.6	11.5	23.6	19.2	13.7	8	2354
18-20 LST	18.4	18.7	22.5	15.2	15.1	6.1	0.7	2.1	7.0	10.8	21.6	19.9	13.2	8	2534
21-23 LST	12.4	16.1	18.0	14.2	14.2	4.2	0.3	1.3	6.3	12.0	26.5	19.8	12.1	7	2151
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	2.0	2.7	1.0	0.0	1.5	0.0	0.0	0.0	0.4	0.8	0.4	0.9	0.8	8	2545
03-05 LST	2.3	3.5	2.1	1.6	3.6	0.5	0.0	0.0	1.0	3.0	0.9	3.0	1.8	8	2354
06-08 LST	8.9	6.3	7.9	7.1	5.9	2.1	0.5	0.5	2.3	6.8	6.8	9.9	5.4	8	2513
09-11 LST	3.2	3.3	1.1	0.6	1.1	0.0	0.0	0.0	0.0	1.4	0.5	3.3	1.2	8	2312
12-14 LST	2.0	1.1	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.4	0.0	0.9	0.4	8	2537
15-17 LST	1.7	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.5	0.3	8	2354
18-20 LST	2.0	0.5	0.5	0.0	0.5	0.0	0.0	0.5	0.0	0.4	0.9	0.4	0.5	8	2534
21-23 LST	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	1.2	0.0	0.2	7	2151

CHANG-SHA, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST	21.2	17.9	20.8	21.6	21.0	26.3	29.1	28.2	25.5	22.5	18.8	18.6	271.5	8	2513
	14 LST	26.0	22.7	24.9	27.2	25.6	28.9	30.7	30.4	28.6	27.3	24.1	25.4	321.8	8	2537
	20 LST	25.7	24.1	25.5	26.7	27.2	28.7	30.8	30.4	28.5	28.3	24.9	25.9	326.7	8	2534
	02 LST	26.2	23.5	25.5	26.3	26.5	29.0	30.7	30.4	28.1	28.0	24.0	26.2	324.4	8	2545
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	08 LST	17.3	14.3	16.6	16.1	17.0	22.1	18.5	22.4	19.4	18.2	15.3	14.9	212.1	8	2512
	14 LST	17.5	15.5	15.5	15.8	16.6	21.4	14.0	20.8	16.0	18.8	15.8	18.0	205.7	8	2533
	20 LST	20.1	17.9	19.0	19.5	22.9	26.2	28.1	26.6	20.4	22.8	17.2	20.1	260.8	8	2531
	02 LST	22.3	18.1	19.5	20.7	22.1	26.3	26.3	26.5	23.4	23.0	19.0	20.8	268.0	8	2544
SFC WND = GTR 17 KTS AND NO PRECIP.	08 LST	0.2	0.1	0.2	0.5	0.0	0.0	0.0	0.0	0.3	0.0	0.4	0.1	1.8	8	2528
	14 LST	0.0	0.1	0.3	0.8	0.6	0.2	0.8	0.4	0.9	0.5	0.3	0.3	5.4	8	2555
	20 LST	0.5	0.3	0.2	0.1	0.2	0.0	0.3	0.1	0.5	0.3	0.0	0.7	3.2	8	2546
	02 LST	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.1	0.3	0.4	0.1	0.3	1.8	8	2549
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	08 LST	7.9	6.0	7.9	11.1	9.5	15.2	19.3	17.0	14.9	10.7	10.3	10.3	140.1	8	2510
	14 LST	15.5	12.1	13.6	11.9	11.5	11.8	2.6	5.7	10.9	15.0	14.0	14.0	138.6	8	2547
	20 LST	13.4	11.4	11.9	11.9	12.3	14.2	9.2	13.3	18.5	15.0	14.3	13.2	158.6	8	2535
	02 LST	10.4	7.4	10.5	10.7	9.4	12.2	17.3	15.3	13.1	9.8	10.6	11.4	138.1	8	2541
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST	8.3	4.2	5.0	4.4	3.9	4.4	9.4	9.4	8.7	7.2	7.0	6.9	78.8	8	2531
	14 LST	8.6	7.6	5.9	5.0	4.0	3.8	6.3	6.3	9.5	9.1	9.4	10.7	86.2	8	2554
	20 LST	10.2	8.0	7.8	6.7	5.7	6.3	8.2	9.3	12.1	12.6	10.5	12.0	109.4	8	2542
	02 LST	11.7	7.2	7.9	7.2	7.8	9.3	15.3	15.1	12.1	12.1	9.2	10.9	123.8	8	2553
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	08 LST	19.5	15.5	17.4	18.4	18.9	24.5	28.2	26.5	23.8	20.6	16.7	17.2	247.5	8	2513
	14 LST	23.1	19.3	20.4	22.9	21.2	27.0	29.4	28.5	25.8	25.5	20.5	23.1	286.7	8	2537
	20 LST	24.5	20.7	21.5	23.2	24.6	27.3	30.3	29.9	26.7	26.8	22.0	23.2	300.7	8	2534
	02 LST	24.2	20.2	20.8	23.9	23.9	27.3	29.8	29.4	26.7	25.9	21.6	24.2	297.9	8	2545
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	08 LST	17.5	12.8	11.9	12.5	13.8	20.6	26.5	23.0	20.3	17.5	13.5	13.3	203.2	8	2513
	14 LST	19.6	16.6	14.8	17.1	15.8	21.4	23.5	19.8	21.7	22.4	16.9	19.2	228.8	8	2537
	20 LST	20.4	16.7	15.5	16.5	17.4	22.8	26.1	23.1	22.9	23.9	17.4	19.5	244.2	8	2534
	02 LST	19.5	14.9	13.8	16.1	16.3	21.7	27.5	23.8	21.6	22.1	16.2	18.2	233.7	8	2545
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST	16.6	11.1	10.8	11.9	13.0	19.3	26.2	22.4	18.8	17.1	12.8	12.1	192.1	8	2513
	14 LST	18.9	15.5	14.2	16.5	15.3	20.8	23.2	19.5	21.2	22.2	16.5	18.8	222.6	8	2537
	20 LST	18.4	15.7	13.5	14.7	16.0	21.8	26.0	24.1	21.4	23.0	16.8	18.6	230.0	8	2534
	02 LST	18.1	12.9	12.6	14.7	13.2	20.8	27.4	25.3	21.4	20.9	15.3	17.2	221.8	8	2545

CHIH-CHIANG/CHIH, CHINA

STA NO. 57745 (IN AREA NUMBER 07)

LATITUDE 2727N

LONGITUDE 10938E

ELEVATION(FT) 00879

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	ND, OBS
ABS MAX TMP (F)	72	81	84	95	93	99	100	100	102	93	84	73	102	8	2549
MEAN MAX TMP (F)	48	52	62	72	77	87	92	91	86	74	61	53	71	8	2549
MEAN MIN TMP (F)	35	38	47	56	63	71	75	73	67	57	49	39	56	8	2553
ABS MIN TMP (F)	23	23	30	39	46	59	68	55	55	43	27	25	23	8	2553
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	1.2	3.1	11.8	26.3	23.5	11.9	1.5	0.0	0.0	79.3	8	2549
MEAN NO DYS TMP = OR LES 32(F)	12.0	5.8	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	5.3	24.6	8	2553
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2553
MEAN DEW PT TMP (F)	32	37	46	55	62	70	74	72	64	55	48	39	55	8	18303
MEAN REL HUM (PCT)	75	78	80	79	82	80	78	77	72	76	81	80	78	8	18171
MEAN PRESS ALT (FT)	477	569	716	853	956	1082	1152	1087	922	690	592	529	802	8	18483
MEAN PRECIP (IN)														0	0
MEAN SNOW FALL (IN)			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0				8	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0				0	0
MEAN NO DYS SNFL = OR GTR 1.5 IN			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0				8	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	5.4	2.2	3.8	1.9	0.9	1.5	0.0	1.1	0.9	4.7	4.7	7.1	34.2	8	2003
MEAN NO DYS TSTMS	0.3	3.6	7.9	11.3	10.2	9.0	10.0	11.6	2.3	0.8	0.5	0.3	67.8	8	2507
P FREQ WND SPD = OR GTR 17 KTS	0.1	0.1	0.5	0.5	0.2	0.2	0.1	0.1	0.2	0.3	0.2	0.0	0.2	8	18566
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.0	8	18566
P FREQ LES 5000 FT A/D LES 5 MI	35.9	44.6	52.5	45.3	42.7	22.4	18.6	19.8	20.8	32.1	49.1	45.3	37.8	8	16637
P FREQ LES 1500 FT A/D LES 3 MI															
FDR 00-02 LST	18.3	9.5	9.3	3.9	5.0	2.0	1.9	1.6	0.9	5.9	12.5	19.8	7.6	8	2052
03-05 LST	24.2	14.6	14.6	9.1	5.2	8.7	2.6	3.4	3.7	15.3	20.5	26.9	12.4	8	1898
06-08 LST	25.7	21.5	19.6	12.2	12.8	11.8	6.5	8.6	6.5	15.2	23.3	25.4	15.8	8	2493
09-11 LST	11.8	10.2	10.9	3.9	5.5	1.4	2.9	0.8	1.7	7.5	13.1	12.3	6.8	8	2306
12-14 LST	12.5	11.4	11.1	5.3	5.5	2.4	2.1	1.0	1.8	5.3	9.1	10.1	6.5	8	2544
15-17 LST	6.1	8.0	7.9	2.6	2.3	1.1	0.6	0.3	0.8	5.5	7.1	6.3	4.1	8	2215
18-20 LST	5.7	4.3	7.8	4.7	6.0	0.8	0.0	0.7	1.3	3.4	6.4	7.0	4.0	8	2226
21-23 LST	6.4	4.4	6.3	2.3	2.5	0.7	0.3	1.2	1.2	5.0	5.8	5.8	3.5	7	1801
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	8.1	2.2	3.3	1.9	1.9	1.7	1.1	0.5	0.0	4.1	4.3	11.8	3.4	8	2052
03-05 LST	17.1	6.4	9.7	6.9	1.9	4.6	1.2	2.3	3.1	10.5	12.5	19.8	8.0	8	1898
06-08 LST	13.8	9.6	9.7	3.6	2.1	5.9	1.0	3.3	0.9	8.6	14.2	16.1	7.6	8	2493
09-11 LST	2.3	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	2.1	4.0	0.8	8	2306
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2544
15-17 LST	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.1	8	2215
18-20 LST	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	8	2226
21-23 LST	2.2	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.6	1.1	0.6	0.0	0.4	7	1801

CHIH-CHIANG/CHIH, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	24.7	23.7	26.8	27.2	28.6	27.0	29.7	28.9	29.0	27.5	25.1	24.8	323.0	8	2493
	13 LST	29.3	27.1	30.2	30.0	30.5	29.8	30.8	31.0	30.0	30.6	29.4	30.1	358.8	8	2544
	19 LST	30.4	27.8	30.7	29.7	30.8	30.0	31.0	30.9	29.9	31.0	30.0	30.4	362.6	8	2226
	01 LST	26.8	26.6	29.4	29.2	30.2	29.5	30.7	30.7	30.0	29.7	28.4	27.2	348.4	8	2052
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	20.5	20.0	22.2	23.4	24.8	25.7	28.0	27.6	26.3	24.5	20.9	20.5	284.4	8	2490
	13 LST	22.2	19.4	18.2	21.0	23.9	24.7	20.0	25.3	22.2	24.3	20.0	22.4	263.6	8	2538
	19 LST	26.3	24.6	22.5	24.1	26.3	28.8	30.1	29.7	27.6	26.9	24.5	25.8	317.2	8	2223
	01 LST	22.5	22.2	24.5	25.8	27.8	29.1	29.8	29.7	28.0	27.4	22.3	21.2	310.7	8	2052
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2512
	13 LST	0.0	0.0	0.2	0.3	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.6	8	2560
	19 LST	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.4	8	2546
	01 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.1	8	2557
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	5.4	3.4	4.6	4.3	5.8	3.9	5.0	4.3	4.4	4.1	5.2	4.6	55.0	8	2496
	13 LST	11.6	11.1	10.7	11.7	9.9	9.1	4.6	6.6	12.6	14.5	12.3	12.5	127.2	8	2545
	19 LST	8.2	7.3	8.2	11.2	9.2	9.9	8.8	8.8	11.2	6.6	9.3	9.3	108.0	8	2534
	01 LST	5.3	3.3	4.5	5.2	5.3	3.4	2.8	5.3	5.8	4.5	6.1	6.2	57.7	8	2546
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	3.1	2.7	2.2	2.0	1.7	3.2	4.8	8.3	10.1	5.0	2.5	3.1	48.7	8	2508
	13 LST	5.7	3.7	5.1	4.1	2.1	3.2	1.8	4.6	7.2	6.2	6.2	7.7	57.6	8	2565
	19 LST	9.7	6.1	7.4	6.3	4.0	4.9	5.9	8.6	12.8	10.0	5.7	10.3	91.7	8	2247
	01 LST	7.0	5.6	7.1	5.7	4.7	7.4	12.3	16.5	13.3	9.0	5.3	5.0	98.9	8	2068
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	19.9	18.6	21.2	23.9	23.9	24.8	27.7	27.0	26.3	23.9	19.1	19.7	276.0	8	2493
	13 LST	23.7	20.9	22.4	25.1	25.7	27.8	28.9	29.7	28.0	26.5	23.3	24.3	306.3	8	2544
	19 LST	27.0	23.7	25.3	26.0	25.4	28.8	30.7	30.3	28.9	27.7	24.4	26.1	324.3	8	2226
	01 LST	23.4	22.6	25.6	26.4	27.0	28.6	30.0	29.9	28.4	27.1	22.4	20.7	312.1	8	2052
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	12.5	10.4	8.5	11.4	12.2	16.7	22.4	19.9	20.2	16.9	11.0	10.6	172.7	8	2493
	13 LST	18.0	13.9	12.9	15.4	14.9	19.4	19.4	19.6	19.0	18.8	15.3	18.0	204.6	8	2544
	19 LST	21.3	14.7	15.2	14.8	14.7	21.6	25.1	23.5	23.6	20.2	13.5	18.1	226.3	8	2226
	01 LST	16.9	14.9	13.6	14.7	14.9	22.2	26.3	24.8	23.5	18.7	13.1	11.8	215.4	8	2052
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	10.3	8.2	6.9	9.8	9.5	15.1	20.6	18.7	18.8	15.3	9.3	8.1	150.6	8	2493
	13 LST	17.5	12.9	12.3	14.3	13.4	18.7	18.3	18.3	18.8	17.8	14.4	16.8	193.5	8	2544
	19 LST	19.2	12.8	13.8	13.0	13.7	18.6	22.7	21.6	22.2	18.7	12.0	16.0	204.3	8	2226
	01 LST	15.0	13.7	11.3	13.4	12.9	21.4	25.6	23.7	22.4	17.3	12.0	10.6	199.3	8	2052

KUEI-YANG/KWEIYA, CHINA

STA NO. 57816 (IN AREA NUMBER 07)	LATITUDE 2634N LONGITUDE 10642E ELEVATION(FT) 03514											POR	NO.		
PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	(YRS)	OBS
ABS MAX TMP (F)	73	81	86	95	91	91	93	93	93	82	79	72	95	8	2470
MEAN MAX TMP (F)	48	51	64	72	75	81	84	84	79	68	60	53	68	8	2470
MEAN MIN TMP (F)	36	38	48	56	61	66	70	68	63	55	48	40	54	8	2458
ABS MIN TMP (F)	21	21	27	36	45	52	63	61	52	41	32	27	21	8	1958
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.8	0.5	2.3	3.5	4.2	2.1	0.0	0.0	0.0	13.4	8	2470
MEAN NO DYS TMP = OR LFS 32(F)	11.0	5.9	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	4.3	22.5	8	2458
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2458
MEAN DEW PT TMP (F)	32	37	45	52	58	63	67	66	60	52	46	39	51	8	17666
MEAN REL HUM (PCT)	74	77	71	72	77	76	77	76	73	77	78	78	76	8	17413
MEAN PRESS ALT (FT)	3196	3288	3455	3575	3655	3742	3812	3741	3586	3367	3310	3250	3498	8	17631
MEAN PRECIP (IN)	0.78	1.08	1.64	3.56	7.62	8.35	7.75	5.26	4.99	4.09	1.88	0.98	48.0	30	-181
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			8	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	4.6	5.6	6.5	10.9	14.7	13.8	13.4	10.8			6.4	5.3		30	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			8	-29
MEAN NO DYS W/DUR VSBY LES 1/2 MI	0.3	0.3	0.3	0.3	0.5	0.8	0.6	0.7	0.4	0.8	1.1	2.1	8.2	8	2420
MEAN NO DYS TSTMS	0.0	1.4	5.6	8.1	11.1	7.3	10.0	9.8	2.2	0.8	1.8	0.3	58.4	8	2424
P FREQ WND SPD = OR GTR 17 KTS	0.4	0.4	1.4	1.4	0.6	0.4	0.8	0.4	0.5	0.4	0.5	0.3	0.6	8	17762
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.1	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	8	17762
P FREQ LES 5000 FT A/D LES 5 MI	77.9	82.9	70.2	67.5	74.4	61.6	63.1	59.8	59.4	75.1	77.8	79.1	70.7	8	17669
P FREQ LES 1500 FT A/D LES 3 MI															
FDR 00-02 LST	26.6	25.6	17.5	13.9	12.2	5.5	4.5	5.8	7.8	14.1	18.1	22.1	14.5	8	2477
03-05 LST	23.3	26.2	21.2	16.7	17.6	11.0	5.7	8.9	12.1	18.9	21.2	24.4	17.3	8	2245
06-08 LST	29.0	27.2	24.7	18.5	22.4	19.2	14.5	16.1	19.5	26.8	24.2	31.3	23.0	8	2422
09-11 LST	20.7	25.6	12.2	10.7	12.8	8.6	3.7	1.6	4.3	15.6	15.8	20.7	12.7	8	2294
12-14 LST	10.5	14.5	6.7	5.4	8.3	4.4	3.7	1.9	5.2	10.3	8.7	10.6	7.5	8	2463
15-17 LST	11.1	11.3	6.5	5.5	4.9	3.6	1.1	0.7	2.9	8.5	11.1	8.9	6.3	8	2175
18-20 LST	15.2	14.2	10.3	9.3	6.1	2.6	1.4	0.8	2.5	8.2	7.6	10.9	7.4	8	2479
21-23 LST	17.1	17.8	12.3	9.6	9.2	2.5	1.5	2.0	2.4	9.2	8.9	10.9	8.6	7	2129
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	0.5	0.5	0.0	0.0	0.0	0.0	0.5	1.0	0.4	0.4	0.5	1.8	0.5	8	2477
03-05 LST	1.8	0.7	1.1	0.0	0.5	0.6	0.5	1.6	0.5	1.7	2.1	4.8	1.3	8	2245
06-08 LST	2.5	2.8	2.0	2.2	2.1	3.7	3.8	4.4	3.7	3.9	4.6	8.8	3.7	8	2422
09-11 LST	1.2	1.1	1.0	0.0	0.5	0.0	0.0	0.0	0.5	0.5	1.0	4.0	0.8	8	2294
12-14 LST	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.4	0.1	8	2463
15-17 LST	0.7	0.0	0.6	0.0	0.0	0.3	0.0	0.0	0.0	0.5	0.6	0.0	0.2	8	2175
18-20 LST	0.0	0.6	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	8	2479
21-23 LST	0.6	0.7	0.6	0.6	0.0	0.0	0.0	0.5	0.0	0.0	0.0	1.0	0.3	7	2129

KUEI-YANG/KWEIYA, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. DBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	24.6	22.4	25.3	25.8	25.9	25.7	27.5	26.7	25.3	24.4	25.6	24.1	303.3	8	2422
	13 LST	29.1	25.8	30.7	29.0	29.4	29.8	30.4	30.9	29.2	29.9	29.1	30.0	353.3	8	2463
	19 LST	27.9	25.8	29.0	28.8	29.8	29.9	31.0	31.0	29.7	30.1	28.9	29.1	351.0	8	2479
	01 LST	24.9	23.5	27.8	28.0	28.7	29.1	29.9	29.8	28.3	28.9	27.6	26.8	333.3	8	2477
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	18.8	17.9	19.8	21.6	20.6	21.5	22.9	23.9	22.5	19.1	19.0	18.4	246.0	8	2409
	13 LST	22.1	17.6	19.6	19.5	20.0	22.0	18.4	22.0	19.8	21.6	21.3	20.0	243.9	8	2457
	19 LST	22.5	19.1	20.5	20.6	24.5	26.9	28.0	28.0	27.3	26.4	25.2	24.5	293.5	8	2472
	01 LST	19.2	17.1	21.4	21.0	25.0	27.2	27.2	27.4	26.4	24.1	20.3	20.7	277.0	8	2475
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2435
	13 LST	0.3	0.3	1.1	1.3	0.8	0.2	0.5	0.6	0.1	0.1	0.3	0.1	5.7	8	2477
	19 LST	0.2	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.7	8	2505
	01 LST	0.0	0.0	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.5	8	2492
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	7.9	7.4	12.0	10.9	7.4	4.3	11.2	9.1	6.0	6.8	8.8	7.5	99.3	8	2413
	13 LST	14.5	14.5	17.8	18.1	14.3	12.9	12.9	17.5	16.6	15.4	16.4	16.3	187.2	8	2459
	19 LST	14.1	14.7	19.4	19.2	19.5	17.2	21.1	17.4	20.4	14.2	14.9	15.1	207.2	8	2492
	01 LST	7.6	5.7	9.1	10.7	9.1	6.3	8.8	5.3	5.4	5.6	7.7	6.4	87.7	8	2472
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	1.7	1.1	2.3	2.7	1.1	1.9	1.5	3.6	5.1	1.7	1.5	1.2	25.4	8	2445
	13 LST	4.2	3.2	7.4	6.4	2.7	1.7	1.1	2.4	3.6	5.0	3.4	4.7	45.8	8	2447
	19 LST	8.6	5.1	12.3	8.9	5.7	4.6	4.3	7.9	11.7	7.4	8.3	9.7	94.5	8	2305
	01 LST	2.6	2.4	4.6	4.3	3.8	4.9	6.4	9.4	11.3	4.3	4.1	3.8	61.9	8	2501
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	16.8	15.4	17.2	19.8	18.8	20.4	22.5	22.8	20.9	17.1	17.0	15.5	224.2	8	2422
	13 LST	22.9	19.0	24.0	24.1	22.3	23.6	23.4	24.1	23.8	22.9	21.7	22.6	274.4	8	2463
	19 LST	22.2	19.5	24.5	23.8	24.9	25.5	28.1	28.1	26.6	24.5	23.7	23.7	293.1	8	2479
	01 LST	17.5	15.5	19.7	20.0	21.5	23.9	25.8	26.5	23.5	21.3	18.6	18.6	234.4	8	2477
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	2.6	2.2	3.6	6.1	4.6	9.0	7.6	10.4	9.7	5.0	3.9	2.2	66.9	8	2422
	13 LST	7.4	5.1	12.9	12.2	7.5	12.0	9.2	9.4	10.5	9.5	6.3	7.8	109.8	8	2463
	19 LST	9.9	6.3	14.8	13.5	13.2	15.0	19.1	19.4	17.9	10.6	10.0	11.0	160.7	8	2479
	01 LST	3.2	3.8	6.2	5.9	6.7	10.6	10.9	14.7	14.3	6.4	5.0	4.0	91.7	8	2477
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	2.5	2.0	3.6	6.1	4.6	8.7	7.6	10.4	9.7	5.0	3.6	2.2	66.0	8	2422
	13 LST	7.2	5.1	12.9	12.2	7.5	12.0	9.1	9.4	10.5	9.5	6.1	7.6	109.1	8	2463
	19 LST	9.7	5.9	14.8	13.5	13.2	15.0	18.9	19.4	17.8	10.6	9.9	10.8	159.5	8	2479
	01 LST	3.1	3.7	5.2	5.9	6.5	10.3	10.6	14.7	14.3	6.3	4.9	4.0	90.5	8	2477

HSING-JEN/HSIENG, CHINA

STA NO. 57902 (IN AREA NUMBER 07)

LATITUDE 2925N

LONGITUDE 10515E

ELEVATION(FT) 04636

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR	NO.
														(YRS)	OBS
ABS MAX TMP (F)	79	79	88	91	93	91	90	91	88	81	79	99	99	8	2469
MEAN MAX TMP (F)	52	53	67	74	78	78	80	80	76	68	62	55	69	8	2469
MEAN MIN TMP (F)	36	39	48	55	61	63	66	64	60	54	48	41	53	8	2387
ABS MIN TMP (F)	23	25	27	37	46	52	59	55	48	39	32	27	23	8	2387
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.5	2.4	0.6	0.2	0.3	0.0	0.0	0.0	0.1	4.1	8	2469
MEAN NO DYS TMP = DR LES 32(F)	10.2	4.1	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	2.0	17.0	8	2387
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2387
MEAN DEW PT TMP (F)	34	39	45	51	58	62	66	65	60	54	48	41	52	8	17377
MEAN REL HUM (PCT)	77	79	71	69	73	79	82	82	80	83	81	81	78	8	17072
MEAN PRESS ALT (FT)	4360	4458	4620	4733	4815	4861	4917	4844	4702	4507	4471	4406	4641	8	17402
MEAN PRECIP (IN)	0.73	1.18	2.30	2.76	5.80	10.53	9.95	7.41	5.98	4.00	1.24	0.84	52.7	8	-181
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			8	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	9.9	10.0	10.0	13.0	15.2	16.3	18.4	16.0	12.2	12.8	7.0	9.7	150.5	8	-181
MEAN NO DYS SNFL = DR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			8	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	1.1	1.1	0.9	0.5	0.2	0.2	0.2	0.7	0.4	0.3	1.5	1.2	8.3	8	2415
MEAN NO DYS TSTMS	0.0	1.6	6.5	7.9	10.0	12.1	16.7	14.5	4.5	2.8	1.8	0.6	79.0	8	2407
P FREQ WND SPD = DR GTR 17 KTS	0.8	1.6	2.3	2.8	0.5	0.2	0.3	0.1	0.1	0.1	0.3	0.1	0.8	8	17593
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	8	17593
P FREQ LES 5000 FT A/O LES 5 MI	65.5	74.8	54.5	52.3	59.3	59.5	62.5	58.3	54.7	71.9	68.1	67.9	62.4	8	17460
P FREQ LES 1500 FT A/O LES 3 MI															
FOR 00-02 LST	35.9	47.4	25.7	15.5	9.0	4.6	2.8	3.0	3.7	17.6	26.7	26.8	18.2	8	2477
03-05 LST	39.5	45.1	27.3	13.5	9.4	6.9	4.3	7.4	7.4	19.5	26.9	30.0	19.8	8	2231
06-08 LST	41.4	46.8	31.1	18.6	15.9	12.7	10.0	8.7	8.4	22.4	29.2	33.0	23.2	8	2369
09-11 LST	30.0	36.8	23.2	11.5	12.5	10.4	2.3	4.3	6.9	17.7	21.3	24.7	16.8	8	2281
12-14 LST	25.1	31.0	13.3	7.3	6.6	6.2	0.5	3.7	3.8	13.0	10.9	19.0	11.7	8	2390
15-17 LST	20.8	25.8	11.5	5.2	5.8	2.5	0.3	2.5	2.9	11.5	9.5	12.4	9.2	8	2191
18-20 LST	27.8	30.9	18.1	8.3	7.7	2.7	1.6	2.7	3.5	16.7	17.5	22.6	13.3	8	2499
21-23 LST	34.1	38.4	20.5	11.8	8.1	3.9	0.9	1.3	5.6	18.0	22.1	24.8	15.8	7	2120
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	1.0	6.1	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	1.4	0.8	8	2477
03-05 LST	2.5	2.7	2.1	0.0	0.0	0.0	1.0	1.6	0.9	1.8	0.5	1.1	1.2	8	2231
06-08 LST	5.3	6.7	3.5	1.1	0.5	0.6	1.1	2.5	0.5	1.3	4.9	6.2	2.9	8	2369
09-11 LST	2.4	3.5	0.0	0.5	0.0	0.0	0.0	0.0	0.5	0.5	1.0	1.5	0.8	8	2281
12-14 LST	1.6	1.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.5	0.4	8	2390
15-17 LST	0.0	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.2	8	2191
18-20 LST	0.0	3.8	0.5	0.5	0.5	0.0	0.0	0.0	0.5	0.4	0.4	1.3	0.7	8	2499
21-23 LST	1.8	1.9	0.6	0.0	0.0	0.0	0.0	0.0	0.5	1.0	0.0	1.5	0.6	7	2120

HSING-JEN/HSIENG, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	21.5	17.9	23.1	26.7	27.9	27.7	29.9	29.0	28.6	26.4	23.6	23.8	306.1	8	2369
	13 LST	26.0	22.7	28.1	28.7	30.3	29.3	30.8	30.4	29.9	29.2	27.8	26.9	340.1	8	2390
	19 LST	24.5	21.2	26.6	28.6	29.9	29.8	30.8	30.6	29.5	28.4	26.6	26.3	332.8	8	2499
	01 LST	22.1	16.3	23.4	27.3	29.8	29.7	30.7	30.7	29.3	28.5	24.4	25.5	319.7	8	2477
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	07 LST	15.0	11.6	18.8	21.2	23.1	24.4	25.1	27.2	26.4	21.3	18.4	17.5	250.0	8	2364
	13 LST	15.8	11.0	14.1	15.6	17.8	23.7	25.4	25.4	24.4	21.9	17.8	18.0	230.9	8	2381
	19 LST	19.2	16.0	18.6	17.9	22.2	27.5	28.6	29.1	28.2	23.1	22.2	21.1	273.7	8	2494
	01 LST	16.9	11.8	18.1	21.3	25.8	27.1	28.7	24.2	28.1	22.3	18.9	19.9	268.1	8	2473
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	8	2397
	13 LST	0.3	1.1	1.8	2.7	0.7	0.0	0.0	0.1	0.1	0.1	0.1	0.3	7.3	8	2415
	19 LST	0.2	0.3	0.2	0.6	0.2	0.0	0.2	0.1	0.0	0.0	0.0	0.0	1.8	8	2517
	01 LST	0.0	0.3	0.0	0.3	0.0	0.0	0.2	0.0	0.0	0.0	0.1	0.0	0.9	8	2499
SFC WND 4-10 KTS AND THP 33-89 DEG F AND NO PRECIP.	07 LST	4.8	4.6	8.6	10.7	10.0	5.0	8.6	4.4	2.9	5.0	6.9	6.3	77.8	8	2365
	13 LST	13.1	12.7	17.4	17.9	18.0	16.7	16.4	17.7	17.3	17.2	16.4	16.9	197.7	8	2398
	19 LST	14.4	12.2	17.3	17.7	18.3	17.2	14.9	14.4	11.4	12.2	14.7	15.4	180.1	8	2501
	01 LST	5.9	4.1	9.5	8.8	9.9	5.9	8.6	4.7	4.0	5.8	6.1	7.1	60.4	8	2478
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	4.8	3.7	7.8	7.5	4.7	2.4	1.8	3.9	6.2	3.3	3.7	4.5	54.1	8	2405
	13 LST	7.1	5.1	12.1	9.4	3.1	1.4	1.1	1.8	3.0	3.2	5.0	7.2	59.5	8	2419
	19 LST	11.1	6.4	13.9	12.0	7.2	4.5	3.3	6.3	10.8	7.4	10.1	10.9	103.9	8	2518
	01 LST	8.8	5.1	10.5	8.8	6.9	3.7	3.3	6.3	8.6	4.6	5.0	5.5	77.1	8	2502
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	13.0	10.2	17.6	19.9	21.0	22.1	21.4	23.0	23.6	18.6	15.3	14.7	220.4	8	2369
	13 LST	18.0	13.8	22.7	24.1	22.9	23.3	26.1	24.4	24.0	20.3	21.2	20.6	261.4	8	2390
	19 LST	18.6	14.5	22.8	24.3	25.6	26.3	28.8	28.1	26.2	20.5	20.2	19.6	275.5	8	2499
	01 LST	16.1	11.0	18.8	20.1	22.7	23.9	25.9	26.3	24.4	18.7	16.7	16.2	240.8	8	2477
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	6.6	5.5	10.6	12.7	10.7	10.8	8.2	10.8	12.6	6.8	4.7	6.2	106.2	8	2369
	13 LST	9.8	7.6	15.2	14.8	11.5	9.7	9.7	9.0	10.1	7.5	8.9	10.0	123.8	8	2390
	19 LST	13.0	7.7	16.6	16.3	15.3	13.9	15.7	17.7	17.2	10.7	11.6	11.8	167.5	8	2499
	01 LST	10.3	6.2	13.8	11.3	10.3	8.9	8.6	13.2	11.8	6.6	6.3	7.0	114.3	8	2477
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	6.2	5.3	10.4	12.7	10.5	10.2	8.2	10.5	12.6	6.7	4.3	6.2	103.8	8	2369
	13 LST	9.5	7.5	15.2	14.8	11.2	9.5	9.6	8.9	10.0	7.3	8.9	9.8	122.2	8	2390
	19 LST	12.9	7.5	16.2	16.0	14.9	13.3	15.1	17.6	16.8	10.3	11.5	11.8	163.9	8	2499
	01 LST	10.3	6.1	13.8	11.3	10.2	8.6	8.6	12.9	11.6	6.6	6.3	6.9	113.2	8	2477

LO-TIEN/LUTIEN, CHINA

STA NO. 57916 (IN AREA NUMBER 07)

LATITUDE 2527N

LONGITUDE 10646E

ELEVATION(FT) 01453

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	84	90	97	106	104	104	102	100	100	95	90	82	106	8	2346
MEAN MAX TMP (F)	59	62	73	82	85	89	91	91	88	78	71	63	78	8	2346
MEAN MIN TMP (F)	43	46	55	63	67	72	74	73	68	61	55	47	60	8	2045
ABS MIN TMP (F)	27	32	30	46	55	61	70	64	55	45	32	28	27	8	2045
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.2	3.2	8.4	12.2	15.5	24.3	23.5	15.7	2.4	0.4	0.0	105.8	8	2346
MEAN NO DYS TMP = DR LES 32(F)	2.2	0.4	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.2	3.2	8	2645
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2045
MEAN DEW PT TMP (F)	37	42	50	57	64	70	73	72	66	59	52	44	57	8	13050
MEAN REL HUM (PCT)	64	68	66	65	70	74	77	76	72	74	74	71	71	8	12733
MEAN PRESS ALT (FT)	1187	1274	1420	1546	1636	1720	1755	1704	1557	1356	1287	1230	1473	8	13103
MEAN PRECIP (IN)	0.33	1.04	2.21	3.17	7.15	7.78	9.11	7.20	3.69	3.74	2.16	1.05	48.6	8	-181
MEAN SNOW FALL (IN)		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			8	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	4.7	6.3	8.3	10.3	12.0	13.0	14.7	15.7	7.2	10.3	7.0	2.5	112.0	8	-181
MEAN NO DYS SNFL = DR GTR 1.5 IN		0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			8	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	1.1	0.5	0.0	0.6	0.6	0.8	0.8	2.3	3.1	3.7	2.3	2.9	18.7	8	2040
MEAN NO DYS TSTMS	0.2	1.6	7.6	9.8	11.7	11.6	17.1	14.5	4.8	1.2	1.2	0.0	81.3	8	2056
P FREQ WND SPD = DR GTR 17 KTS	0.1	0.2	0.3	0.1	0.3	0.0	0.0	0.2	0.1	0.1	0.1	0.0	0.1	8	13372
P FREQ WND SPD = DR GTR 20 KTS	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	13372
P FREQ LES 5000 FT A/D LES 5 MI	39.6	52.6	47.5	43.2	52.7	43.9	53.0	39.2	37.0	41.2	48.0	39.2	44.8	8	13745
P FREQ LES 1900 FT A/D LES 3 MI															
FOR 00-02 LST	6.5	5.5	4.1	4.9	2.9	1.9	2.1	0.5	2.9	4.4	4.2	5.6	3.8	8	2390
03-05 LST	6.3	6.6	5.0	2.4	8.8	5.0	6.4	3.8	5.4	10.1	10.9	15.6	7.2	4	1176
06-08 LST	12.5	8.2	3.0	2.8	9.0	8.8	10.5	16.9	23.1	18.3	15.0	16.0	12.2	8	2092
09-11 LST	7.2	6.7	5.1	1.5	6.4	2.0	3.0	2.6	2.8	4.9	4.7	7.5	4.5	8	2266
12-14 LST	5.7	4.5	3.1	0.7	6.2	2.6	0.6	1.1	1.6	4.7	3.4	3.4	3.1	8	2065
15-17 LST	6.2	4.5	1.6	0.9	2.5	4.2	0.3	1.2	2.1	4.1	4.2	2.8	2.9	8	2178
18-20 LST	4.8	3.5	2.3	2.2	1.9	2.1	1.1	0.5	1.4	3.3	3.0	3.1	2.4	8	2439
21-23 LST	7.5	7.2	6.0	2.4	3.7	0.0	0.5	0.0	2.0	4.0	3.4	2.9	3.3	7	1276
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	1.1	0.6	0.5	1.6	0.5	0.5	1.0	0.0	0.5	0.5	0.5	1.0	0.7	8	2390
03-05 LST	3.7	0.0	0.0	0.0	3.5	2.7	1.0	3.8	2.7	4.1	2.7	10.0	2.9	4	1176
06-08 LST	4.1	2.0	1.1	0.7	3.4	2.9	2.5	10.2	16.9	12.7	8.5	9.4	6.2	8	2092
09-11 LST	0.6	0.0	0.5	0.0	0.5	0.0	0.5	0.0	0.0	0.0	1.0	3.0	0.5	8	2266
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	8	2065
15-17 LST	0.0	0.0	0.0	0.0	0.5	0.6	0.0	0.0	0.0	0.5	0.0	0.0	0.1	8	2178
18-20 LST	0.5	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.1	8	2439
21-23 LST	0.9	0.0	0.0	0.0	0.9	0.0	0.0	0.0	0.0	0.9	0.0	0.0	0.2	7	1276

LO-TIEN/LUTIEN, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	28.4	27.3	30.3	29.6	28.9	27.8	28.5	26.5	23.9	26.4	26.8	27.3	331.7	8	2092
	13 LST	30.1	27.8	31.0	30.0	30.6	29.6	31.0	31.0	29.8	30.7	30.0	30.8	362.4	8	2065
	19 LST	30.4	27.5	30.7	29.8	31.0	29.7	31.0	30.9	29.7	30.9	29.9	30.9	362.4	8	2439
	01 LST	30.0	27.5	30.8	29.0	30.8	29.8	30.5	31.0	29.7	30.6	29.6	30.4	359.7	8	2390
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	25.2	23.7	27.6	28.2	27.6	27.0	27.1	25.0	22.0	24.4	24.0	24.9	306.7	8	2089
	13 LST	26.8	24.8	24.9	25.4	24.2	27.7	28.4	28.7	28.0	27.4	26.6	27.7	320.6	8	2059
	19 LST	27.3	24.7	26.7	22.7	25.9	28.5	29.9	30.1	28.6	28.3	26.8	28.2	327.7	8	2434
	01 LST	26.7	24.6	27.2	26.6	27.9	28.9	30.2	30.7	28.3	28.6	27.4	27.5	334.6	8	2388
SFC WND = GTR 17 KTS AND NO P. C.P.	07 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2121
	13 LST	0.0	0.0	0.2	0.2	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.6	8	2100
	19 LST	0.0	0.2	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	8	2464
	01 LST	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	8	2410
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	4.9	3.5	4.5	2.2	1.3	0.0	1.0	0.2	0.8	1.3	3.1	3.2	26.0	8	2104
	13 LST	12.6	12.3	15.9	14.5	8.7	4.6	4.0	4.8	8.9	11.6	12.1	10.4	120.4	8	2080
	19 LST	7.8	8.8	12.2	11.5	9.5	5.7	6.8	3.5	7.6	4.7	4.8	5.4	83.3	8	2449
	01 LST	4.8	5.7	5.5	3.4	3.9	1.4	1.4	1.1	0.6	2.1	2.3	3.5	35.7	8	2388
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	4.5	2.8	4.2	4.8	3.3	2.8	2.5	2.8	5.2	2.8	1.7	3.4	40.8	8	2118
	13 LST	6.0	3.8	7.4	8.1	2.5	1.3	0.9	3.1	5.3	6.2	5.7	6.2	56.5	8	2093
	19 LST	10.3	6.3	10.7	8.6	7.8	3.8	4.0	7.2	13.4	9.6	9.3	10.9	101.9	8	2463
	01 LST	6.9	3.8	7.0	6.5	4.6	5.2	6.7	10.1	13.1	6.8	5.2	7.3	83.2	8	2408
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	25.1	22.8	26.6	27.1	26.0	25.6	25.6	23.8	21.5	22.7	22.6	23.3	292.7	8	2092
	13 LST	27.6	23.9	27.6	28.2	26.5	26.9	27.9	28.8	28.3	27.1	27.0	27.8	327.6	8	2065
	19 LST	27.9	25.1	28.4	27.8	29.2	28.1	29.5	29.7	28.7	28.4	27.5	28.3	338.6	8	2439
	01 LST	27.5	24.1	27.2	27.1	28.5	27.7	29.3	30.2	28.3	28.1	26.7	27.2	331.9	8	2390
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	12.0	8.6	9.1	13.8	10.7	12.2	11.9	10.4	11.5	10.7	7.8	11.1	129.8	8	2092
	13 LST	16.2	10.2	15.0	15.8	11.6	10.8	9.0	14.3	14.3	13.8	12.6	14.4	158.0	8	2065
	19 LST	16.1	12.2	16.9	17.1	15.0	16.6	18.8	19.6	20.8	17.8	14.7	15.6	201.2	8	2439
	01 LST	13.6	9.1	11.2	11.0	9.4	10.7	12.6	17.0	17.1	15.3	11.2	12.4	150.6	8	2390
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	9.7	6.7	8.5	12.7	9.8	11.3	11.7	9.9	11.1	9.2	6.7	9.4	116.7	8	2092
	13 LST	14.8	9.8	14.5	15.6	11.6	10.5	9.0	14.0	14.0	13.1	12.4	13.9	153.2	8	2065
	19 LST	14.1	10.9	15.5	15.5	14.1	15.1	18.0	19.1	20.0	16.3	14.1	14.2	186.9	8	2439
	01 LST	11.9	7.4	10.4	10.8	9.4	10.1	12.6	16.8	16.9	14.6	10.5	11.7	143.1	8	2390

JUNG-CHIANG/YUNG, CHINA

STA NO. 57932 (IN AREA NUMBER 07)

LATITUDE 2552N

LONGITUDE 10835E

ELEVATION(FT) 01073

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	77	86	91	97	99	100	102	99	102	95	91	81	102	8	2340
MEAN MAX TMP (F)	54	58	68	76	80	87	92	91	88	77	67	59	75	8	2340
MEAN MIN TMP (F)	39	43	52	60	65	72	74	73	68	59	52	43	58	8	2045
ABS MIN TMP (F)	21	27	30	43	50	59	70	63	52	45	30	28	21	8	2045
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.7	3.2	6.3	13.2	24.5	23.5	15.8	1.7	0.1	0.0	89.0	8	2340
MEAN NO DYS TMP = DR LES 32(F)	5.8	1.7	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	1.8	9.9	8	2045
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2045
MEAN DEW PT TMP (F)	35	41	50	58	65	72	74	73	67	58	51	42	57	8	12685
MEAN REL HUM (PCT)	70	74	73	75	80	81	82	81	75	77	79	76	77	8	12365
MEAN PRESS ALT (FT)	598	686	851	972	1059	1174	1227	1169	1027	798	718	643	910	8	12720
MEAN PRECIP (IN)														0	0
MEAN SNOW FALL (IN)			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			8	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN														0	0
MEAN NO DYS SNFL = DR GTR 1.5 IN			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			8	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	2.1	1.2	0.9	0.6	0.2	0.0	0.0	0.0	1.1	3.5	4.3	5.0	18.9	8	2017
MEAN NO DYS TSTMS	0.0	1.8	7.3	11.0	8.6	8.9	10.3	12.0	3.6	0.8	1.0	0.4	65.7	8	2019
P FREQ WND SPD = DR GTR 17 KTS	0.1	0.5	0.6	0.6	0.1	0.4	0.0	0.2	0.2	0.1	0.4	0.3	0.3	8	12913
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	8	12913
P FREQ LES 3000 FT A/D LES 5 MI	64.3	71.5	69.5	65.7	73.0	53.8	58.1	52.9	51.6	56.5	69.3	65.3	62.6	8	13574
P FREQ LES 1500 FT A/D LES 3 MI															
FDR 00-02 LST	12.5	13.9	6.2	2.5	4.7	2.9	2.0	3.4	4.0	3.5	7.2	8.4	5.9	8	2382
03-05 LST	9.3	6.4	0.7	3.7	1.7	3.3	13.4	19.1	11.8	13.7	23.1	22.8	10.8	3	897
06-08 LST	18.8	20.1	11.8	9.9	9.1	16.3	19.2	33.1	33.1	29.4	27.6	26.7	21.3	8	2139
09-11 LST	8.3	11.8	3.0	4.8	5.9	4.8	3.8	1.6	2.0	5.7	11.0	11.7	6.2	8	2238
12-14 LST	7.5	11.5	2.8	3.4	4.9	4.2	1.9	0.5	2.3	4.9	5.5	3.2	4.4	8	2050
15-17 LST	3.8	5.9	1.5	2.6	2.8	2.8	0.8	0.2	1.5	3.5	3.5	2.2	2.6	8	2166
18-20 LST	6.5	8.9	3.9	1.7	2.7	2.7	0.8	0.5	1.4	2.6	4.2	3.6	3.3	8	2407
21-23 LST	7.6	8.5	4.8	2.0	3.3	1.0	0.9	0.0	2.4	1.0	2.9	3.9	3.2	5	1270
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	1.6	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.0	1.5	2.9	0.6	8	2382
03-05 LST	7.4	0.0	0.0	0.0	1.1	0.0	1.3	0.0	2.6	7.1	14.1	16.0	4.1	3	897
06-08 LST	8.1	6.0	3.8	2.5	0.0	0.0	0.0	4.8	12.1	14.7	15.6	17.3	7.1	8	2139
09-11 LST	1.2	1.2	0.5	0.0	0.0	0.0	0.6	0.0	0.0	0.0	1.1	3.2	0.7	8	2238
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	8	2080
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2166
18-20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	8	2407
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5	1270

JUNG-CHIANG/YUNG, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	27.0	24.6	29.3	28.5	30.2	28.2	27.8	22.8	21.7	23.4	23.2	24.7	311.4	8	2139
	13 LST	30.1	26.9	30.8	29.8	30.8	29.8	30.8	30.8	29.8	30.4	29.5	30.8	360.3	8	2080
	19 LST	30.1	27.4	31.0	30.0	30.8	29.8	31.0	31.0	29.9	30.7	29.9	30.9	362.5	8	2407
	01 LST	28.7	26.1	30.7	30.0	30.5	29.8	30.7	30.7	21.4	30.7	28.8	29.2	355.3	8	2382
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	22.7	19.5	24.3	23.8	25.3	22.1	22.5	19.0	10.1	19.0	18.7	20.1	256.0	8	2137
	13 LST	24.5	21.5	24.3	22.8	24.7	25.7	25.5	28.3	23.0	27.3	25.2	27.6	301.7	8	2071
	19 LST	25.7	20.7	24.6	25.3	28.1	27.5	30.2	30.3	17.8	27.8	16.2	27.3	321.6	8	2405
	01 LST	24.4	21.4	25.2	26.5	27.7	28.3	29.9	29.3	27.9	28.9	25.8	26.2	321.5	8	2382
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	8	2171
	13 LST	0.0	0.2	0.3	1.0	0.0	0.2	0.0	0.0	0.0	0.0	0.2	0.0	1.9	8	2090
	19 LST	0.0	0.2	0.5	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	1.0	8	2429
	01 LST	0.0	0.0	0.0	0.2	0.2	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.5	8	2398
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	4.5	3.0	3.9	3.2	2.3	1.6	1.3	1.1	1.8	1.9	2.2	3.0	29.8	8	2150
	13 LST	10.5	10.7	11.0	7.4	6.7	6.3	5.6	3.0	9.7	9.8	9.0	6.3	96.0	8	2075
	19 LST	8.9	9.1	9.9	9.0	7.8	5.7	5.5	5.7	4.5	6.6	8.1	7.6	88.8	8	2400
	01 LST	4.7	5.0	4.6	3.1	3.7	2.7	2.4	1.6	2.4	3.7	3.0	5.0	41.9	8	2383
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	2.3	0.9	1.7	1.5	1.1	0.8	0.7	0.5	1.2	0.9	0.6	1.5	13.7	8	2179
	13 LST	4.6	4.0	5.8	4.6	2.5	3.0	0.6	2.4	6.7	7.0	6.1	7.2	54.5	8	2101
	19 LST	7.7	5.6	7.3	5.7	3.6	4.7	3.4	8.5	11.5	8.8	8.6	9.8	85.2	8	2433
	01 LST	5.9	4.1	4.3	4.7	2.5	5.6	7.6	12.8	11.3	8.7	5.5	7.7	80.7	8	2397
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	20.0	17.2	21.3	21.3	21.6	19.2	19.4	15.9	16.5	17.9	16.7	17.8	224.8	8	2139
	13 LST	25.0	20.2	25.3	24.6	24.1	24.7	25.1	26.6	25.9	27.3	24.9	27.0	300.7	8	2080
	19 LST	25.1	20.9	24.9	25.1	25.0	25.4	27.5	27.7	27.5	28.1	24.7	26.3	308.2	8	2407
	01 LST	22.2	19.3	22.1	23.0	23.3	24.7	26.2	26.9	26.5	26.8	22.9	24.7	288.6	8	2382
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	3.8	2.8	3.7	4.3	3.2	5.0	4.3	3.4	5.6	2.2	1.6	1.8	41.7	8	2139
	13 LST	7.5	5.5	9.3	9.8	5.7	10.4	8.7	11.3	11.4	10.9	8.9	9.4	108.8	8	2080
	19 LST	10.8	7.8	10.7	10.5	8.4	13.5	16.8	18.5	16.1	12.9	10.6	11.4	148.0	8	2407
	01 LST	8.1	5.7	5.5	6.3	4.9	10.1	12.0	16.3	14.9	11.8	6.3	8.9	110.8	8	2382
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	3.1	2.6	3.1	4.3	3.0	3.8	4.0	3.1	5.3	1.8	1.6	1.8	37.5	8	2139
	13 LST	6.6	5.0	8.7	9.4	5.5	10.0	8.1	11.1	11.4	10.6	8.2	8.4	103.0	8	2080
	19 LST	9.7	6.8	9.8	9.9	7.7	12.6	16.2	18.5	16.0	12.1	10.5	10.9	140.7	8	2407
	01 LST	6.8	5.0	5.3	6.1	4.8	10.1	11.8	16.2	14.9	11.1	6.3	8.3	106.7	8	2382

HUAI-NING/ANCHIN, CHINA

STA NO. 58424 (IN AREA NUMBER 07)

LATITUDE 3032N LONGITUDE 11702E ELEVATION(FT) 00085

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	66	77	82	90	97	97	102	104	95	90	82	68	104	8	2512
MEAN MAX TMP (F)	46	51	60	70	77	86	93	91	82	72	61	51	70	8	2512
MEAN MIN TMP (F)	32	36	46	55	63	73	79	77	70	57	48	38	56	8	2516
ABS MIN TMP (F)	18	18	28	34	46	61	66	66	57	41	27	19	18	8	2516
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.3	2.4	7.4	26.3	22.2	3.2	0.3	0.0	0.0	62.1	8	2512
MEAN NO DYS TMP = DR LES 32(F)	18.5	6.8	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	6.6	33.8	8	2516
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2516
MEAN DEW PT TMP (F)	26	32	44	53	62	71	76	75	67	53	45	35	53	8	18115
MEAN REL HUM (PCT)	66	68	76	77	80	79	76	79	78	71	76	75	75	8	17916
MEAN PRESS ALT (FT)	-317	-230	-99	27	153	281	351	290	117	-115	-218	-269	-1	8	18305
MEAN PRECIP (IN)	1.20	2.85	5.99	7.44	6.51	8.59	5.72	3.39	2.86	1.89	2.31	2.07	50.8	6	-181
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			8	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	6.0	13.0	13.7	14.6	14.1	14.0	11.4	8.1	9.5	6.5	7.9	8.8	127.6	6	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0	0.0				8	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.9	0.3	1.3	0.3	0.2	0.0	0.0	0.0	0.4	0.0	1.3	1.9	6.6	8	1602
MEAN NO DYS TSTMS	0.2	0.8	3.6	5.7	4.9	8.2	11.7	12.8	2.6	0.1	0.0	0.1	50.7	8	2496
P FREQ WND SPD = DR GTR 17 KTS	2.6	4.8	5.2	2.9	1.9	0.4	1.4	1.6	2.3	1.3	2.1	3.0	2.5	8	18414
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.0	8	18414
P FREQ LES 5000 FT A/D LES 5 MI	16.0	22.0	28.8	29.1	31.5	21.6	17.1	24.3	27.1	14.4	22.4	24.0	23.2	8	14985
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	5.1	3.4	5.0	4.8	2.4	1.2	0.3	3.3	4.3	1.9	3.3	3.8	3.2	8	1583
03-05 LST	7.9	4.0	7.3	7.2	6.2	3.1	0.6	2.7	3.3	1.7	3.7	9.9	4.5	8	1663
06-08 LST	15.2	7.6	17.0	13.7	12.4	4.2	3.1	8.7	9.7	5.5	13.4	14.1	10.4	8	2498
09-11 LST	6.7	10.1	11.1	6.6	7.3	3.3	1.4	3.8	5.9	3.1	11.6	9.5	6.7	8	2306
12-14 LST	8.2	10.3	10.7	6.6	6.3	2.2	0.5	3.0	6.2	5.0	10.3	6.9	6.4	8	2500
15-17 LST	7.9	7.2	8.5	8.0	6.6	0.6	0.3	1.3	4.0	3.1	9.7	7.7	5.6	8	2292
18-20 LST	4.7	2.9	2.9	4.0	4.4	3.3	0.8	2.1	2.9	3.1	4.8	3.8	3.3	8	1842
21-23 LST	0.6	2.5	4.9	3.8	2.4	1.0	0.7	1.8	1.8	3.2	3.7	2.9	2.4	7	1303
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	3.3	1.0	0.9	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.7	0.6	8	1583
03-05 LST	2.6	1.1	5.2	1.5	1.1	0.0	0.0	0.0	0.6	0.0	2.1	6.6	1.7	8	1663
06-08 LST	4.3	0.5	3.5	1.0	1.5	0.0	0.0	0.5	1.3	0.4	2.7	6.4	1.8	8	2498
09-11 LST	1.2	1.2	0.0	0.6	0.0	0.0	0.0	0.0	0.5	0.0	0.0	1.9	0.5	8	2306
12-14 LST	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.1	8	2500
15-17 LST	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2292
18-20 LST	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	8	1842
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	1303

HUAL-NING/ANCHIN, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PJR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST	28.2	27.1	27.4	27.9	29.4	29.5	30.7	29.7	29.1	30.3	28.1	28.2	345.6	8	2498
	14 LST	29.8	27.1	29.9	29.5	30.5	30.0	31.0	30.9	29.3	30.6	29.4	30.2	358.2	8	2500
	20 LST	29.9	28.0	30.7	30.0	30.8	29.6	31.0	31.0	30.0	30.6	29.6	30.8	362.0	8	1842
	02 LST	30.0	27.5	30.5	29.5	30.8	30.0	31.0	30.6	29.8	30.6	29.8	30.5	360.6	8	1583
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	08 LST	18.0	19.1	18.0	19.4	19.9	23.8	24.0	22.0	19.7	23.3	20.1	20.1	247.4	8	2494
	14 LST	14.2	11.8	12.7	15.0	18.0	17.9	12.8	19.3	15.9	18.0	15.3	16.2	187.1	8	2497
	20 LST	21.3	18.1	21.4	22.4	23.6	22.8	26.6	25.9	22.9	26.2	22.8	23.9	277.9	8	1842
	02 LST	22.7	20.3	22.5	23.3	26.0	27.3	29.0	27.2	22.3	26.7	25.3	24.8	297.4	8	1581
SFC WND = GTR 17 KTS AND NO PRECIP.	08 LST	0.0	0.6	0.8	0.2	0.2	0.2	0.3	0.1	0.5	0.0	0.5	0.5	3.9	8	2509
	14 LST	0.9	1.4	2.2	0.8	0.6	0.0	0.8	0.7	0.1	0.4	0.3	1.3	9.5	8	2519
	20 LST	0.3	0.6	0.3	0.3	0.2	0.0	0.2	0.1	0.7	0.3	0.3	0.7	4.0	8	2537
	02 LST	0.6	0.9	0.6	0.3	0.2	0.0	0.0	0.1	0.4	0.3	0.3	0.3	4.0	8	2503
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	08 LST	6.3	12.7	13.7	13.7	13.2	16.1	17.5	13.9	16.8	16.0	14.7	13.3	167.9	8	2490
	14 LST	13.4	12.1	12.4	12.3	13.6	14.8	4.4	8.1	15.5	17.4	16.5	16.5	137.0	8	2508
	20 LST	12.2	13.8	14.0	12.1	13.6	15.3	13.0	13.3	18.8	17.3	15.5	16.0	174.9	8	2529
	02 LST	7.9	11.6	12.4	13.0	12.6	14.1	16.0	14.2	15.3	15.8	13.4	12.7	159.0	8	2485
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST	13.0	9.7	7.1	8.2	5.9	5.5	8.0	10.8	8.0	13.3	10.8	10.9	111.2	8	2508
	14 LST	13.2	8.5	7.0	6.6	6.0	5.8	10.0	10.8	9.1	13.6	11.9	12.0	114.5	8	2518
	20 LST	18.4	13.7	14.6	9.8	5.5	5.8	6.5	9.8	13.7	16.0	14.6	15.2	143.6	8	1844
	02 LST	18.6	11.7	10.9	13.6	8.6	9.5	12.9	14.9	13.2	15.4	14.0	15.7	159.0	8	1589
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	08 LST	24.2	23.7	22.9	22.8	23.2	26.6	28.3	25.5	23.3	27.7	23.1	24.0	295.3	8	2498
	14 LST	26.7	22.7	24.0	25.2	25.8	26.5	29.3	27.6	25.2	27.4	23.8	26.2	310.4	8	2500
	20 LST	29.2	26.0	28.3	26.6	26.8	27.7	29.0	27.8	26.8	28.8	27.1	28.1	332.2	8	1842
	02 LST	28.5	25.8	27.4	26.6	28.0	28.2	30.1	28.1	26.1	29.6	28.0	28.4	334.8	8	1583
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	08 LST	21.9	20.6	17.5	18.9	18.0	22.1	23.9	21.6	18.0	24.3	19.8	20.1	246.7	8	2498
	14 LST	24.5	21.2	19.6	21.3	21.3	22.4	26.1	23.3	20.9	25.2	21.3	23.0	270.1	8	2500
	20 LST	27.4	24.9	24.4	22.6	22.1	23.9	24.1	22.9	22.4	26.5	24.8	25.3	291.3	8	1842
	02 LST	27.2	23.2	23.9	22.3	21.9	25.2	26.9	24.0	22.3	28.1	25.1	25.0	295.1	8	1583
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST	21.0	19.8	16.0	18.6	17.2	21.7	23.6	21.3	17.6	23.2	19.4	19.6	238.9	8	2498
	14 LST	24.3	21.2	19.4	21.1	20.9	22.1	25.5	23.0	20.7	24.8	21.2	22.6	266.8	8	2500
	20 LST	26.3	24.6	24.2	22.2	21.6	23.4	24.1	22.9	22.2	26.2	24.4	25.3	287.4	8	1842
	02 LST	26.9	23.2	23.0	22.3	21.7	25.0	26.7	23.8	22.3	27.5	24.9	24.3	291.6	8	1583

HUANG-SHAN, CHINA

STA NO. 58437 (IN AREA NUMBER 07)

LATITUDE 3006N

LONGITUDE 11809E

ELEVATION(FT) 00469

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	48	52	59	66	77	79	77	81	77	68	59	52	81	8	2442
MEAN MAX TMP (F)	31	36	44	52	58	64	69	68	62	53	45	37	52	8	2442
MEAN MIN TMP (F)	19	23	33	41	48	56	61	60	54	43	35	26	42	8	2433
ABS MIN TMP (F)	-8	-2	10	10	23	45	54	52	39	21	9	-2	-8	8	2433
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2442
MEAN NO DYS TMP = DR LES 32(F)	27.5	23.7	15.6	4.3	0.5	0.0	0.0	0.0	0.0	3.3	11.2	24.7	110.8	8	2433
MEAN NO DYS TMP = DR LES 0(F)	0.8	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	1.2	8	2433
MEAN DEW PT TMP (F)	7	15	30	39	47	55	61	60	52	35	28	15	37	8	17070
MEAN REL HUM (PCT)	57	65	78	79	84	86	91	91	87	71	73	62	77	8	16912
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	1.63	2.86	4.29	7.46	7.61	8.47	5.58	3.29	2.99	3.38	1.62	1.65	50.8	3	-181
MEAN SNOW FALL (IN)						0.0	0.0	0.0	0.0					8	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	7.2	13.0	12.0	14.6	14.7	13.9	11.2	7.9	9.8	10.7	5.5	7.3	127.8	3	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN						0.0	0.0	0.0	0.0					8	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	12.4	13.8	20.7	19.4	22.1	22.2	21.6	24.7	22.6	14.1	17.2	13.8	224.6	8	2443
MEAN NO DYS TSTMS	0.2	1.4	2.6	4.6	5.5	6.6	11.4	14.4	3.8	0.7	0.3	0.1	51.6	8	2443
P FREQ WND SPD = DR GTR 17 KTS	28.9	18.9	24.2	21.0	15.0	14.4	24.8	13.3	12.1	10.2	10.5	19.3	17.7	8	17925
P FREQ WND SPD = DR GTR 28 KTS	3.0	1.3	1.3	2.6	1.7	2.3	3.4	1.9	1.5	1.4	0.5	2.2	1.9	8	17925
P FREQ LES 5000 FT A/D LES 5 MI	28.1	33.3	50.4	53.1	57.4	59.8	61.9	68.2	61.4	34.8	41.2	31.1	48.4	8	16776
P FREQ LES 1900 FT A/D LES 3 MI															
FOR 00-02 LST	24.9	32.8	45.0	44.5	48.1	48.2	53.9	50.3	50.3	27.5	38.0	31.2	41.2	8	2422
03-05 LST	19.6	31.9	43.3	47.9	43.1	44.5	49.2	52.9	48.3	29.4	38.0	27.9	39.7	8	2280
06-08 LST	25.8	26.3	47.5	42.6	48.2	49.7	47.6	47.3	46.6	26.4	38.5	23.8	39.2	8	2360
09-11 LST	19.7	26.7	45.9	49.5	57.2	60.2	73.7	73.4	61.2	30.2	37.9	26.0	46.8	8	2218
12-14 LST	28.8	29.4	49.3	55.5	64.9	71.3	78.4	88.6	71.4	39.5	41.3	51.2	54.1	8	2327
15-17 LST	25.8	32.1	49.5	49.8	59.9	65.8	57.0	70.1	68.8	39.3	40.3	29.7	49.0	8	2243
18-20 LST	27.2	32.3	42.4	49.2	49.0	51.4	52.9	62.8	56.9	38.3	39.1	27.8	44.1	8	2409
21-23 LST	21.0	29.7	42.2	45.1	49.5	46.9	52.1	58.1	55.6	29.4	39.1	31.4	41.7	7	2092
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	23.4	31.7	43.0	42.0	45.8	45.0	50.8	47.1	48.4	25.5	37.8	30.3	39.2	8	2422
03-05 LST	18.1	30.5	40.9	46.9	40.9	43.1	45.9	51.3	47.4	28.7	37.2	25.8	38.1	8	2280
06-08 LST	24.5	24.6	45.0	41.5	46.2	49.1	43.2	42.8	45.1	25.1	37.3	22.7	37.3	8	2360
09-11 LST	18.4	25.1	42.6	44.6	49.2	51.8	53.4	58.8	54.9	27.5	37.2	25.2	40.7	8	2218
12-14 LST	26.7	27.7	45.5	49.2	53.9	53.8	42.1	57.4	59.2	30.7	38.3	28.9	42.8	8	2327
15-17 LST	22.3	30.9	43.0	43.9	53.1	48.8	35.8	44.9	59.8	35.7	36.3	28.5	40.3	8	2243
18-20 LST	27.2	32.0	40.9	46.6	46.4	47.8	44.9	54.8	55.8	37.7	38.1	26.9	41.6	8	2409
21-23 LST	20.7	28.0	40.1	41.2	48.1	45.5	47.6	55.6	51.9	27.7	37.6	30.3	39.5	7	2092

HUANG-SHAN, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. DBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST	23.1	20.8	16.4	17.4	16.3	15.1	16.6	16.4	16.0	22.9	18.5	23.7	223.2	8	2360
	14 LST	22.4	19.8	16.2	14.1	12.0	9.2	9.2	4.5	9.0	18.9	17.9	21.5	174.7	8	2327
	20 LST	22.6	19.0	18.0	15.4	16.3	14.8	15.7	12.5	13.1	19.3	18.3	22.5	207.5	8	2409
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	02 LST	23.4	19.0	17.2	17.1	16.5	15.9	14.4	15.8	15.3	22.5	18.7	21.5	217.3	8	2422
	08 LST	5.4	7.7	5.6	7.6	8.5	9.8	7.3	10.4	8.2	12.4	10.6	9.5	103.0	8	2348
	14 LST	11.4	13.0	9.3	9.9	7.4	7.4	2.8	2.5	6.6	15.8	12.6	12.5	111.2	8	2321
SFC WND = GTR 17 KTS AND ND PRECIP.	20 LST	6.5	8.9	6.9	8.0	8.6	10.1	5.7	7.8	6.8	11.2	8.3	9.4	98.2	8	2404
	02 LST	6.5	7.0	4.3	5.6	6.0	8.9	3.6	6.5	6.7	11.4	7.6	6.0	80.1	8	2418
	08 LST	10.0	5.2	6.8	5.2	5.0	4.0	10.3	2.6	3.2	3.2	3.1	6.0	64.6	8	2421
SFC WND 4-10 KTS AND TMP 33-89 DEC F AND NO PRECIP.	14 LST	4.1	1.7	3.4	2.0	1.7	1.0	3.1	1.3	1.6	1.1	1.3	2.9	25.2	8	2457
	20 LST	5.7	4.2	4.2	3.0	1.4	2.5	4.2	1.9	2.0	1.8	2.8	4.6	38.3	8	2492
	02 LST	9.2	6.9	7.6	5.5	4.1	3.6	11.0	4.4	2.7	2.8	3.6	7.7	69.1	8	2472
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST	3.0	3.2	6.6	9.6	8.7	10.5	9.4	12.6	10.8	12.2	10.3	6.8	103.7	8	2409
	14 LST	5.0	6.5	12.5	13.6	11.4	11.9	15.0	11.1	13.6	14.0	13.3	9.1	137.0	8	2451
	20 LST	2.0	2.3	7.4	10.7	11.4	13.4	11.4	15.6	13.9	12.7	10.7	6.2	117.7	8	2481
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	02 LST	1.7	1.4	4.3	7.9	9.0	13.0	8.0	12.9	11.4	13.2	7.9	5.6	96.3	8	2463
	08 LST	14.2	10.6	7.6	7.9	4.3	5.7	6.7	9.6	8.4	13.9	11.6	14.3	114.8	8	2439
	14 LST	13.9	9.1	6.4	4.8	3.2	2.3	1.8	2.6	4.9	10.1	11.3	12.2	82.6	8	2456
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	20 LST	15.4	11.0	9.5	6.8	4.6	4.9	3.8	5.2	7.4	13.0	12.4	15.0	109.0	8	2496
	02 LST	14.7	10.9	9.2	9.2	6.9	6.6	9.2	10.0	8.5	15.4	12.5	15.4	128.5	8	2475
	08 LST	22.8	20.4	16.1	16.8	15.6	15.0	15.9	16.2	15.8	22.6	18.3	23.3	218.8	8	2360
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	14 LST	21.7	19.6	14.9	12.6	9.5	7.9	4.2	2.6	8.1	18.5	17.3	21.1	158.0	8	2327
	20 LST	22.6	18.8	17.6	14.8	15.1	14.2	13.2	10.5	12.5	18.9	18.1	22.0	198.3	8	2409
	02 LST	22.9	18.5	16.6	16.0	15.5	15.1	14.0	15.0	14.3	22.3	18.3	21.1	209.6	8	2422
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST	20.4	18.3	14.7	15.5	14.2	14.6	15.8	16.1	15.1	21.6	16.6	21.4	204.3	8	2360
	14 LST	19.8	17.1	13.1	11.7	8.8	7.5	3.8	2.4	7.9	17.5	16.6	19.5	145.7	8	2327
	20 LST	20.0	17.3	15.1	12.7	13.4	13.0	12.7	10.0	11.5	18.0	16.2	19.9	179.8	8	2409
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	02 LST	19.9	16.2	14.3	14.5	14.2	13.7	13.7	15.0	13.3	20.1	16.5	20.3	191.7	8	2422
	08 LST	19.5	17.5	14.4	14.4	13.8	13.9	15.8	16.1	15.0	21.0	16.1	21.1	198.6	8	2360
	14 LST	19.2	16.3	13.0	11.2	8.5	7.1	3.8	2.4	7.6	16.9	16.0	18.8	140.8	8	2327
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	20 LST	19.0	16.8	14.7	12.0	12.6	12.1	12.7	10.0	11.1	17.2	15.5	19.3	173.0	8	2409
	02 LST	18.8	15.6	13.8	14.2	14.0	11.9	13.7	14.7	12.6	19.3	15.8	19.1	183.5	8	2422

HANG-CHOU/HANGCH, CHINA

STA NO. 58457 (IN AREA NUMBER 07)

LATITUDE 3016N

LONGITUDE 12010E

ELEVATION(FT) 00035

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	FJR (YRS)	ND. OBS
ABS MAX TMP (F)	70	82	84	91	99	99	102	100	97	90	84	72	102	8	2515
MEAN MAX TMP (F)	47	51	60	69	77	85	93	90	81	72	63	52	70	8	2515
MEAN MIN TMP (F)	32	35	44	53	62	71	78	76	69	56	47	38	55	8	2519
ABS MIN TMP (F)	19	18	27	32	48	61	61	68	55	34	25	23	18	8	2519
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.5	2.5	8.2	28.0	20.1	4.9	0.1	0.0	0.0	64.3	8	2515
MEAN NO DYS TMP = OR LES 32(F)	19.8	10.6	1.3	0.1	0.0	0.0	0.0	0.0	0.0	0.0	1.8	8.3	41.9	8	2519
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2519
MEAN DEW PT TMP (F)	29	34	44	53	62	70	77	76	69	56	48	37	55	8	18649
MEAN REL HUM (PCT)	73	78	81	80	82	84	78	83	85	81	82	80	81	8	18435
MEAN PRESS ALT (FT)	-354	-283	-157	-27	98	227	290	234	73	-160	-267	-319	-53	8	18754
MEAN PRECIP (IN)	2.73	3.66	4.87	5.33	5.36	9.08	5.71	6.98	6.48	3.05	2.73	2.38	58.4	38	-181
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0		0.0				8	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	12.1	20.9	12.7	13.2	13.2	14.3	11.3	12.7		10.0	9.1	10.1		38	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0		0.0				8	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	1.4	1.8	2.2	1.6	1.4	1.7	0.6	0.4	1.3	1.7	2.4	2.2	18.7	8	2521
MEAN NO DYS TSTMS	0.3	0.6	2.3	4.2	5.2	6.4	11.5	13.1	3.8	0.5	0.0	0.0	47.9	8	2522
P FREQ WND SPD = OR GTR 17 KTS	1.3	0.2	0.9	0.5	0.7	0.1	0.0	0.6	0.7	0.4	0.5	0.9	0.6	8	18821
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	18821
P FREQ LES 3000 FT A/D LES 5 MI	37.2	44.3	48.8	43.6	47.0	42.6	21.7	33.3	46.0	33.9	40.1	42.2	40.1	8	18622
P FREQ LES 1900 FT A/D LES 3 MI															
FOR 00-02 LST	16.5	20.3	19.3	18.1	17.5	16.3	4.3	9.3	19.4	12.5	16.5	16.8	15.6	8	2512
03-05 LST	17.7	21.3	30.0	30.3	30.8	37.9	11.9	14.9	24.2	17.2	27.5	20.5	23.7	8	2403
06-08 LST	28.3	35.6	39.3	33.6	35.0	35.6	13.7	17.0	29.3	25.4	36.4	32.3	30.1	8	2489
09-11 LST	20.7	26.6	25.9	16.9	19.8	17.7	4.9	4.4	18.2	11.2	19.2	19.9	17.1	8	2390
12-14 LST	16.5	17.1	19.2	15.6	14.2	11.7	4.4	6.5	14.2	8.2	11.7	11.4	12.6	8	2507
15-17 LST	14.5	17.2	15.8	12.2	13.5	10.7	0.6	4.8	12.1	7.3	12.6	12.1	11.1	8	2405
18-20 LST	11.2	16.9	15.7	14.0	12.0	7.8	1.2	4.3	12.6	7.2	10.4	11.4	10.4	8	2534
21-23 LST	12.4	13.4	16.7	12.0	14.5	10.0	1.8	2.7	9.6	8.8	14.8	9.6	10.5	7	2071
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	3.0	1.6	2.4	1.0	1.0	2.0	0.5	1.4	1.8	3.0	2.8	1.3	1.8	8	2512
03-05 LST	3.1	4.0	6.9	8.2	8.0	9.8	3.1	2.9	5.5	7.0	5.9	4.1	5.7	8	2403
06-08 LST	8.2	9.3	10.0	6.2	3.6	1.0	2.6	0.5	2.7	5.1	11.9	13.9	6.3	8	2489
09-11 LST	2.5	2.2	1.0	1.1	0.0	1.1	0.0	0.0	0.4	0.9	1.9	1.3	1.0	8	2390
12-14 LST	0.5	1.6	0.0	0.5	0.5	0.0	0.5	0.0	0.0	0.4	0.5	0.9	0.5	8	2507
15-17 LST	1.0	1.7	0.5	1.1	0.5	0.0	0.0	0.0	0.0	0.4	0.5	1.3	0.6	8	2405
18-20 LST	1.0	0.5	0.5	0.0	0.0	0.0	0.0	0.5	0.5	0.4	0.4	1.7	0.5	8	2534
21-23 LST	4.2	2.0	1.8	0.6	0.0	0.0	0.6	0.0	0.0	0.5	0.6	0.0	0.9	7	2071

HANG-CHOU/HANGCH, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST	22.9	18.7	20.5	21.0	21.5	21.2	27.7	27.3	23.0	24.4	20.0	22.0	270.2	8	2489
	14 LST	27.1	25.0	27.7	27.3	28.9	27.6	30.4	29.9	27.7	29.5	27.3	28.9	337.3	8	2507
	20 LST	28.6	24.5	27.5	27.9	28.9	28.5	30.8	30.1	27.3	29.6	27.7	28.1	339.5	8	2534
	02 LST	26.9	23.8	27.4	26.2	27.3	26.8	30.2	29.1	25.7	28.6	26.2	26.9	325.1	8	2512
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	08 LST	19.2	15.8	16.0	17.6	17.3	16.9	23.7	22.7	19.0	21.0	17.1	18.1	224.4	8	2484
	14 LST	17.0	17.3	15.2	17.0	19.8	22.5	23.6	23.0	19.3	22.6	19.9	20.7	237.9	8	2503
	20 LST	23.3	19.8	21.2	21.0	23.8	25.5	28.0	26.5	23.5	26.8	24.2	24.8	288.4	8	2534
	02 LST	22.9	20.0	21.9	22.0	23.8	23.4	28.1	26.5	21.7	24.5	22.6	22.2	279.6	8	2508
SFC WND = GTR 17 KTS AND NO PRECIP.	08 LST	0.0	0.2	0.2	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.6	8	2510
	14 LST	1.4	0.1	0.6	0.0	0.4	0.0	0.0	0.3	0.1	0.0	0.7	0.4	4.0	8	2535
	20 LST	0.2	0.0	0.1	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	8	2555
	02 LST	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.4	8	2524
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	08 LST	5.4	5.9	10.6	11.9	9.6	10.1	12.7	10.0	10.4	14.1	9.2	7.4	117.3	8	2497
	14 LST	15.4	16.7	17.4	18.4	15.9	14.4	1.5	6.1	12.4	17.9	17.2	17.3	170.6	8	2522
	20 LST	11.5	11.4	13.3	14.9	12.9	11.9	10.9	11.5	10.0	9.2	11.0	10.9	139.4	8	2540
	02 LST	7.4	7.3	10.5	8.3	6.8	6.9	8.5	7.2	6.8	9.4	9.3	8.0	96.4	8	2516
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST	12.3	7.7	6.2	5.4	3.6	2.6	7.4	9.1	5.4	10.0	7.9	10.2	87.8	8	2507
	14 LST	14.5	9.5	7.6	6.7	4.5	3.9	5.9	6.2	6.1	9.7	11.3	12.5	98.4	8	2535
	20 LST	15.3	11.2	9.1	7.8	5.7	4.7	6.7	11.2	9.1	14.5	14.0	14.0	123.3	8	2551
	02 LST	13.6	10.7	8.4	7.7	6.2	7.8	14.5	15.0	9.8	13.1	10.9	11.3	129.0	8	2526
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	08 LST	20.9	16.8	16.6	18.2	17.9	16.9	25.6	23.4	18.5	21.4	17.7	19.4	233.3	8	2489
	14 LST	24.1	20.7	21.7	22.6	23.6	24.0	28.3	26.3	22.7	26.1	24.8	25.3	290.2	8	2507
	20 LST	25.9	21.4	23.6	23.3	24.9	25.9	29.4	28.2	23.9	27.2	25.1	25.9	304.7	8	2534
	02 LST	24.2	20.3	21.7	22.1	22.7	23.0	28.8	26.4	21.4	25.0	23.0	23.7	282.3	8	2512
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	08 LST	18.0	14.1	13.1	14.8	11.8	13.7	24.0	20.6	13.2	17.3	13.4	14.7	188.7	8	2489
	14 LST	22.1	17.2	17.6	18.7	18.3	18.9	24.6	19.5	16.4	20.5	19.8	20.9	234.5	8	2507
	20 LST	21.9	17.1	17.2	17.1	17.2	19.8	24.4	19.9	16.9	23.2	20.0	20.4	235.1	8	2534
	02 LST	19.9	15.2	15.7	16.5	15.5	20.2	25.7	22.0	15.7	21.1	17.4	17.9	223.8	8	2512
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST	17.5	13.6	11.7	13.2	10.8	13.4	23.8	20.1	12.8	16.6	12.9	13.9	180.3	8	2489
	14 LST	22.1	16.8	17.5	18.2	17.6	18.8	24.6	19.4	15.8	19.6	19.7	20.3	230.4	8	2507
	20 LST	20.5	16.2	16.4	16.8	16.3	19.5	24.1	19.8	16.6	22.5	19.6	19.1	227.4	8	2534
	02 LST	19.6	14.9	15.3	15.3	14.5	19.3	25.6	21.7	16.2	20.2	16.8	16.7	216.1	8	2512

CHOU-SHAN, CHINA

STA NO. 58477 (IN AREA NUMBER 07)

LATITUDE 3000N LONGITUDE 12206E ELEVATION(FT) 00059

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	66	72	77	84	88	95	100	100	100	84	81	70	100	8	2541
MEAN MAX TMP (F)	48	50	58	65	72	79	88	88	82	73	65	55	69	8	2541
MEAN MIN TMP (F)	36	38	45	53	61	69	76	77	72	62	54	44	57	8	2533
ABS MIN TMP (F)	21	23	28	36	48	59	66	70	61	46	36	27	21	8	2533
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	0.6	5.6	10.1	1.7	0.0	0.0	0.0	22.0	8	2541
MEAN NO DYS TMP = DR LES 32(F)	11.6	5.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	19.4	8	2533
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2533
MEAN DEW PT TMP (F)	29	35	43	51	60	69	76	76	69	57	50	39	55	8	18558
MEAN REL HUM (PCT)	65	74	79	82	85	88	86	84	81	73	75	72	79	8	18349
MEAN PRESS ALT (FT)	-286	-233	-116	-13	115	237	285	258	127	-96	-193	-246	-12	8	18694
MEAN PRECIP (IN)	2.75	3.36	4.20	4.52	4.49	7.27	4.59	6.46	7.47	3.80	2.60	2.10	53.6	52	-181
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			8	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	8.1	9.1	11.4	11.7	10.0	11.8	8.0	8.8	10.6	7.4	6.4	6.4	109.7	52	-181
MEAN NO DYS SNPL = DR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0			8	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	0.0	0.9	2.1	2.4	3.1	2.8	0.3	0.0	0.0	0.0	0.1	0.1	11.8	8	2513
MEAN NO DYS TSTMS	0.3	0.6	2.6	6.0	3.3	4.2	4.2	7.3	3.9	0.8	0.0	0.1	33.3	8	2510
P FREQ WND SPD = DR GTR 17 KTS	11.5	4.4	5.3	6.4	3.5	1.7	6.3	3.8	6.0	4.9	6.3	5.8	5.5	8	18760
P FREQ WND SPD = DR GTR 28 KTS	0.5	0.1	0.1	0.5	0.1	0.1	0.9	0.5	0.8	0.3	0.0	0.1	0.3	8	18760
P FREQ LES 5000 FT A/D LES 5 MI	29.4	34.9	39.2	39.0	42.8	42.7	26.1	34.0	42.2	33.8	40.3	33.6	36.5	8	18667
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	10.3	14.6	19.6	25.6	32.5	29.7	14.7	12.1	14.6	7.6	7.8	6.0	16.3	8	2549
03-05 LST	8.6	16.8	19.9	19.9	37.6	31.3	18.3	12.6	14.6	6.1	9.1	6.6	16.8	8	2408
06-08 LST	15.1	20.2	24.8	25.1	35.7	32.3	19.8	16.7	18.2	10.7	13.4	10.4	20.2	8	2505
09-11 LST	10.2	17.2	19.7	24.0	24.4	20.8	8.2	12.7	15.7	10.6	12.2	10.4	15.5	8	2364
12-14 LST	13.0	18.8	18.6	18.0	22.0	19.9	6.7	7.7	15.2	7.8	9.1	8.7	13.8	8	2531
15-17 LST	11.4	16.3	18.6	26.4	20.7	23.4	6.8	8.7	13.4	8.6	10.6	7.8	14.4	8	2382
18-20 LST	10.1	15.6	21.0	24.2	28.9	26.3	12.2	10.4	12.2	6.5	9.9	5.4	15.2	8	2524
21-23 LST	9.0	13.3	19.1	20.6	27.6	30.8	12.0	10.6	11.8	7.1	10.7	6.6	14.9	7	2137
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.0	0.5	3.9	5.6	7.5	5.4	0.5	0.0	0.9	0.0	0.0	0.0	2.0	8	2549
03-05 LST	0.0	1.7	3.4	3.7	8.6	4.1	0.0	0.5	0.0	0.0	0.0	0.0	1.8	8	2408
06-08 LST	0.5	2.1	4.9	4.1	6.1	4.3	1.0	0.0	0.5	0.0	0.4	0.4	2.0	8	2505
09-11 LST	1.1	1.7	2.1	1.7	0.5	1.7	0.0	0.0	0.4	0.0	0.0	0.0	0.8	8	2364
12-14 LST	0.0	0.0	0.5	1.5	2.0	0.0	0.0	0.0	0.4	0.0	0.4	0.4	0.4	8	2531
15-17 LST	0.0	0.6	0.5	2.1	0.5	2.1	0.6	0.0	0.0	0.0	0.0	0.0	0.5	8	2382
18-20 LST	0.0	0.5	1.0	3.4	3.0	2.0	0.5	0.0	0.0	0.0	0.4	0.0	0.9	8	2524
21-23 LST	0.0	0.0	3.7	2.5	6.8	4.0	0.0	0.0	0.0	0.0	0.6	0.0	1.5	7	2137

CHOU-SHAN, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST	28.2	23.9	24.8	23.4	21.5	22.3	27.9	29.0	28.0	29.4	27.7	29.4	315.5	8	2505
	14 LST	28.5	24.3	26.6	26.3	26.1	25.4	30.7	31.0	28.4	30.2	28.8	29.4	335.7	8	2531
	20 LST	29.0	25.2	26.2	24.4	23.2	23.1	29.3	30.4	28.5	30.3	28.2	30.1	327.9	8	2524
	02 LST	29.2	26.0	26.8	24.2	22.2	22.2	28.3	29.9	28.0	30.3	28.7	30.0	325.8	8	2549
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	08 LST	14.6	16.4	14.8	13.3	13.3	16.5	16.4	17.6	14.5	15.6	17.0	17.7	187.7	8	2503
	14 LST	7.7	8.1	8.4	8.2	13.7	12.2	10.0	11.0	9.3	9.9	10.5	10.8	119.8	8	2527
	20 LST	13.5	15.4	14.0	14.6	15.1	16.0	16.9	18.3	15.5	20.5	17.4	19.9	197.1	8	2520
	02 LST	16.4	17.1	17.4	14.3	16.5	17.6	19.6	19.6	17.6	19.6	18.7	18.6	213.0	8	2548
SFC WND = GTR 17 KTS AND NO PRECIP.	08 LST	2.2	0.0	0.7	1.5	0.3	0.3	0.8	0.2	0.4	1.0	0.5	0.9	8.8	8	2524
	14 LST	5.0	2.0	2.0	1.1	1.1	0.3	1.2	1.0	1.0	0.9	1.5	1.9	19.0	8	2551
	20 LST	1.8	1.1	1.7	0.7	0.5	0.0	0.9	0.9	1.1	0.8	0.8	1.3	11.6	8	2538
	02 LST	2.6	0.5	0.6	0.8	0.3	0.1	0.8	0.3	0.3	0.4	0.9	1.0	8.6	8	2554
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	08 LST	10.7	11.3	13.2	10.5	11.3	14.5	16.6	16.5	13.5	12.7	10.4	10.7	151.9	8	2507
	14 LST	10.0	11.9	14.1	13.2	15.0	14.5	10.6	10.2	12.3	13.5	12.3	13.4	151.0	8	2537
	20 LST	10.3	13.6	14.0	12.9	11.9	14.8	15.5	14.1	12.5	17.2	13.8	12.9	163.5	8	2523
	02 LST	8.6	10.6	10.8	9.3	10.8	12.2	14.1	14.3	12.6	15.8	12.9	11.6	143.6	8	2542
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST	13.9	9.5	6.4	6.5	3.9	2.4	6.0	5.8	3.7	8.7	9.4	11.1	87.3	8	2528
	14 LST	13.7	9.6	7.4	7.5	5.0	2.6	9.3	7.2	3.1	5.7	7.3	10.2	88.6	8	2554
	20 LST	14.6	10.4	9.1	7.5	4.3	3.8	8.1	10.5	9.5	13.9	10.6	12.7	115.0	8	2540
	02 LST	14.7	12.2	8.0	7.9	6.5	5.3	11.8	11.9	8.4	11.8	11.3	13.5	123.3	8	2558
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	08 LST	23.5	20.0	20.6	20.4	18.0	17.9	21.6	22.1	19.8	24.4	22.6	25.0	255.9	8	2505
	14 LST	24.1	20.1	22.4	22.2	21.4	21.4	26.4	23.9	13.9	23.6	22.8	24.5	272.7	8	2531
	20 LST	25.6	21.2	22.1	20.8	20.2	20.3	24.9	24.5	22.8	27.0	24.3	26.9	280.6	8	2524
	02 LST	24.9	21.1	22.4	19.7	18.8	19.1	24.0	23.3	21.5	25.1	24.6	26.9	271.4	8	2549
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	08 LST	20.4	17.6	16.0	15.5	15.0	16.5	20.7	19.9	15.4	20.1	17.0	19.8	213.9	8	2505
	14 LST	20.8	17.1	18.5	19.3	19.2	17.8	24.7	19.9	14.9	16.8	15.3	18.0	222.3	8	2531
	20 LST	21.8	18.3	18.0	18.1	17.0	17.5	23.7	21.5	19.3	23.2	18.1	19.8	236.3	8	2524
	02 LST	20.7	17.2	17.8	15.7	15.6	16.1	22.2	20.3	16.4	20.0	16.5	19.9	218.4	8	2549
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST	20.4	17.4	15.6	15.2	14.2	16.0	20.7	19.9	15.3	19.5	16.6	19.2	210.0	8	2505
	14 LST	20.7	17.0	18.4	19.0	19.2	17.8	24.7	19.9	14.7	16.4	14.8	17.9	220.5	8	2531
	20 LST	21.8	17.8	17.5	17.4	16.0	17.4	23.7	21.4	19.2	22.9	17.5	19.3	231.9	8	2524
	02 LST	20.5	17.2	17.4	15.5	15.0	16.0	22.2	20.3	16.0	19.7	16.0	19.9	215.7	8	2549

CHIU-CHIANG, CHINA

STA NO. 58502 (IN AREA NUMBER 07)

LATITUDE 2945N

LONGITUDE 11555E

ELEVATION(FT) 00102

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	66	75	84	90	93	99	104	102	97	90	82	68	104	8	1712
MEAN MAX TMP (F)	46	50	59	70	76	86	94	91	82	73	62	51	70	8	1712
MEAN MIN TMP (F)	33	37	46	55	63	73	79	77	70	57	48	38	56	8	2421
ABS MIN TMP (F)	18	16	28	36	48	52	70	68	57	39	25	25	16	8	2421
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.4	1.8	9.7	25.9	20.4	4.5	1.0	0.0	0.0	63.7	8	1712
MEAN NO DYS TMP = DR LES 32(F)	15.6	6.7	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	5.9	29.8	8	2421
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2421
MEAN DEW PT TMP (F)	31	35	47	55	61	72	75	75	66	54	45	36	54	8	12039
MEAN REL HUM (PCT)	75	75	81	78	80	80	72	78	77	71	75	75	76	8	11819
MEAN PRESS ALT (FT)	-291	-203	-63	64	170	324	378	393	140	-81	-199	-265	26	8	12261
MEAN PRECIP (IN)	2.50	3.30	5.90	7.10	6.90	9.60	5.60	5.20	3.50	3.80	2.70	1.70	57.8	40	-28
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0	0.0				8	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	10.8	16.8	13.6	14.4	14.3	14.6	11.2	10.7	10.9	11.3	9.0	7.5	145.1	40	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0	0.0				8	-29
MEAN NO DYS W/O CUR VSBY LES 1/2 MI	0.4	0.2	0.9	0.2	0.2	0.2	0.2	0.0	0.2	0.2	0.0	1.3	4.0	8	1720
MEAN NO DYS TSTMS	0.4	1.9	5.8	6.8	4.9	7.8	9.7	8.9	3.4	0.5	0.0	0.2	50.3	8	1724
P FREQ WND SPD = DR GTR 17 KTS	3.5	3.5	5.8	3.0	4.3	1.4	0.8	1.6	1.3	2.7	4.0	4.3	3.0	8	12245
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.1	0.2	0.3	0.0	0.1	0.0	0.0	0.1	0.0	0.1	0.0	0.1	8	12245
P FREQ LES 5000 FT A/D LES 5 MI	25.8	26.4	37.7	32.0	32.7	21.3	13.3	19.7	22.3	15.9	26.5	25.9	25.0	8	14570
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	16.4	12.5	14.4	8.9	12.8	3.8	0.4	3.5	7.1	6.9	10.6	6.4	8.6	6	1732
03-05 LST	9.8	12.7	13.8	7.9	11.9	4.2	0.8	3.3	7.3	5.6	13.2	13.8	8.7	8	2371
06-08 LST	15.6	15.2	20.2	15.9	13.5	10.2	2.7	6.9	10.8	8.7	11.9	14.8	12.2	6	2415
09-11 LST	17.4	16.2	19.5	12.6	12.1	4.7	3.0	5.2	6.5	6.2	10.8	9.2	10.3	6	1528
12-14 LST	9.0	12.5	15.2	9.9	9.8	5.4	1.0	2.8	4.5	6.7	10.8	9.9	8.1	8	2443
15-17 LST	9.1	14.0	11.6	10.1	9.6	4.8	0.3	1.1	2.2	5.0	8.4	7.0	6.9	8	2311
18-20 LST	15.6	12.5	14.1	7.8	10.3	3.3	0.4	1.0	5.4	5.1	9.5	7.1	7.7	8	1765
21-23 LST	11.2	12.8	12.2	10.4	11.3	3.3	0.9	0.9	5.5	3.1	10.5	8.9	7.6	5	1297
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	1.4	0.0	1.4	0.0	0.7	0.0	0.0	0.0	0.0	0.0	0.0	1.5	0.4	8	1732
03-05 LST	1.1	0.0	1.0	1.0	1.1	0.0	0.0	0.0	0.0	0.4	0.9	2.9	0.7	8	2371
06-08 LST	2.6	1.1	2.0	2.0	1.1	0.0	0.5	0.0	0.9	1.3	0.9	3.7	1.3	8	2415
09-11 LST	0.8	0.8	0.0	0.8	0.0	0.0	1.7	0.0	0.0	0.0	0.0	1.5	0.5	6	1528
12-14 LST	0.0	0.6	0.0	0.0	0.5	0.6	0.0	0.0	0.4	0.0	0.0	0.0	0.2	8	2443
15-17 LST	0.0	1.2	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.2	8	2311
18-20 LST	0.0	0.0	0.7	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	8	1765
21-23 LST	0.0	0.0	1.0	0.0	0.0	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.2	5	1297

CHIU-CHIANG, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST	27.9	25.4	28.4	27.7	29.7	28.8	30.8	30.8	29.4	29.9	28.2	28.3	345.3	8	2415
	14 LST	30.2	26.9	29.9	29.4	30.2	29.2	30.8	30.8	29.7	30.6	28.7	30.1	356.5	8	2443
	20 LST	29.5	26.5	29.7	29.3	30.3	29.6	31.0	31.0	30.0	30.8	29.0	30.1	356.8	8	1765
	02 LST	29.1	26.5	29.9	29.3	30.3	29.8	31.0	31.0	29.8	30.8	28.7	30.5	356.7	8	1732
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	08 LST	19.7	20.0	16.4	19.3	20.1	22.5	25.5	24.5	18.3	21.1	20.7	20.6	248.7	8	2410
	14 LST	17.5	14.6	13.6	16.9	19.7	21.7	21.4	21.8	15.8	17.5	18.2	17.8	216.5	8	2437
	20 LST	18.6	17.3	19.1	20.0	21.7	23.3	27.8	26.4	21.2	23.6	20.6	22.0	261.6	8	1763
	02 LST	19.5	19.7	18.6	21.9	20.1	24.7	26.4	26.5	22.9	23.7	22.0	21.2	267.2	8	1730
SFC WND = GTR 17 KTS AND NO PRECIP.	08 LST	0.0	0.3	1.2	0.6	0.3	0.3	0.0	0.5	0.3	0.1	0.1	0.7	4.4	8	2428
	14 LST	1.1	1.1	1.4	0.6	0.5	0.2	0.2	0.5	0.8	1.1	0.9	1.4	9.8	8	2453
	20 LST	0.2	0.4	1.0	0.6	0.7	0.4	0.0	0.0	0.5	0.7	1.3	0.6	6.4	8	1780
	02 LST	0.0	0.2	1.3	0.9	0.7	0.4	0.4	0.0	0.0	0.4	0.4	0.2	4.9	8	1738
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	08 LST	8.6	7.8	7.9	10.6	10.1	12.4	12.7	13.6	12.8	12.9	12.0	10.5	131.9	8	2411
	14 LST	15.4	13.3	16.2	13.5	15.3	13.9	4.0	5.9	14.0	17.3	16.7	15.2	160.7	8	2439
	20 LST	13.1	10.9	10.1	12.1	9.9	11.7	12.1	13.5	14.0	15.7	14.9	14.2	152.2	8	1764
	02 LST	8.3	10.4	10.7	10.3	9.5	8.8	12.0	10.7	12.9	12.1	13.0	12.4	131.1	8	1728
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST	12.4	8.8	7.6	6.4	4.2	6.0	7.6	9.6	6.1	11.0	10.0	9.5	99.2	8	2427
	14 LST	12.0	9.3	6.5	6.2	4.6	4.7	8.5	8.3	9.0	12.9	12.1	12.2	106.3	8	2461
	20 LST	10.3	8.7	5.9	6.9	4.8	6.2	8.2	10.1	12.1	14.9	15.7	12.2	116.0	8	1781
	02 LST	11.0	8.3	7.2	9.7	7.9	7.7	14.1	13.5	11.8	16.6	12.9	13.2	133.9	8	1738
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	08 LST	24.3	22.1	20.8	22.2	23.6	24.2	28.6	26.1	22.8	26.4	24.1	24.1	289.3	8	2415
	14 LST	25.8	22.0	22.4	23.5	25.0	26.5	29.6	27.7	26.4	27.2	24.6	25.4	306.1	8	2443
	20 LST	22.7	22.6	22.9	25.5	25.1	27.5	30.4	29.4	26.3	27.9	25.1	27.0	312.4	8	1765
	02 LST	22.7	22.5	22.4	24.6	23.4	27.0	30.1	28.1	25.6	26.8	24.4	27.1	304.7	8	1732
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	08 LST	22.4	20.4	18.3	18.4	20.6	20.6	24.9	22.8	16.9	24.8	20.5	19.3	249.9	8	2415
	14 LST	22.9	20.5	19.5	19.1	20.3	22.8	25.8	23.2	22.8	25.3	21.8	23.0	267.0	8	2443
	20 LST	20.3	19.7	17.2	20.0	20.8	23.3	27.3	25.6	22.8	25.6	23.2	23.5	269.3	8	1765
	02 LST	19.4	18.7	16.5	20.3	18.1	22.9	26.4	25.2	23.1	25.1	22.1	22.8	260.6	8	1732
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST	22.1	20.4	17.8	18.2	20.1	20.6	24.7	22.8	16.7	24.6	20.1	19.1	247.2	8	2415
	14 LST	22.8	20.5	19.4	18.8	20.3	22.8	25.8	23.2	22.4	25.3	21.4	23.0	265.7	8	2443
	20 LST	19.9	19.2	16.3	19.6	20.6	23.1	27.3	25.6	22.6	25.4	22.8	23.3	265.7	8	1765
	02 LST	19.0	18.0	16.0	19.8	17.6	22.9	26.4	25.2	23.1	24.5	21.9	22.6	257.0	8	1732

FOU-LIANG/CHIENG, CHINA

STA NO. 58527 (IN AREA NUMBER 07)

LATITUDE 2910N LONGITUDE 11715E ELEVATION(FT) 00135

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PJR (YRS)	NO. OBS
ABS MAX TMP (F)	72	82	84	93	97	100	104	102	100	95	86	73	104	8	2527
MEAN MAX TMP (F)	52	56	64	75	80	88	95	94	87	77	67	57	74	8	2527
MEAN MIN TMP (F)	31	35	46	55	63	71	76	74	68	54	46	36	55	8	2518
ABS MIN TMP (F)	12	18	28	32	43	57	70	64	50	32	19	19	12	8	2518
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	1.7	5.3	14.5	29.1	27.3	14.6	1.9	0.0	0.0	94.4	8	2527
MEAN NO DYS TMP = DR LES 32(F)	18.8	11.0	2.1	0.2	0.0	0.0	0.0	0.0	0.0	0.1	3.4	11.8	47.4	8	2518
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2518
MEAN DEW PT TMP (F)	29	35	47	55	64	72	76	74	68	54	48	38	55	8	17864
MEAN REL HUM (PCT)	71	74	80	78	82	82	77	77	76	74	79	78	77	8	17864
MEAN PRESS ALT (FT)	-235	-156	-17	107	224	344	399	354	214	-24	-121	-181	76	8	17996
MEAN PRECIP (IN)														0	0
MEAN SNOW FALL (IN)				0.0	0.0	0.0	0.0	0.0	0.0	0.0				8	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN				0.0	0.0	0.0	0.0	0.0	0.0	0.0				0	0
MEAN NO DYS SNFL = DR GTR 1.5 IN				0.0	0.0	0.0	0.0	0.0	0.0	0.0				8	-29
MEAN NO DYS W/OCCUR VSBY LES 1/2 MI	1.8	1.3	3.2	0.8	1.1	0.3	0.0	0.4	0.4	1.7	2.3	4.0	17.3	8	2460
MEAN NO DYS TSTMS	0.3	2.6	6.1	7.7	7.8	8.8	12.2	12.9	5.0	0.4	0.4	0.3	64.5	8	2462
P FREQ WND SPD = DR GTR 17 KTS	0.9	0.5	0.9	0.8	0.1	0.1	0.3	0.3	0.8	0.5	1.2	0.5	0.6	8	18075
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	18075
P FREQ LES 5000 FT A/D LES 5 MI	22.9	32.0	42.9	39.1	46.3	25.9	13.9	14.5	16.9	15.3	25.2	27.2	26.8	8	17897
P FREQ LES 1900 FT A/D LES 3 MI															
FOR 00-02 LST	9.7	9.3	10.7	6.2	7.7	2.3	0.3	0.5	1.3	2.4	7.3	11.1	5.7	8	2505
03-05 LST	8.3	11.8	18.3	11.1	15.4	4.5	2.4	4.1	4.2	8.5	10.6	14.6	9.5	8	2247
06-08 LST	11.2	11.5	25.1	14.2	14.6	9.0	1.6	4.7	3.2	8.1	11.5	19.1	11.2	8	2466
09-11 LST	7.9	10.4	9.5	9.2	12.5	4.9	0.6	2.2	3.7	4.1	5.4	7.2	6.5	8	2230
12-14 LST	8.4	12.3	10.9	8.9	9.4	4.0	0.3	1.2	2.4	2.8	4.7	4.5	5.8	8	2517
15-17 LST	6.2	8.9	8.4	9.3	11.1	4.0	0.3	0.5	1.5	2.0	6.4	2.9	5.1	8	2203
18-20 LST	5.0	10.4	8.5	6.9	8.4	1.1	0.5	0.0	1.4	0.6	3.6	3.3	4.1	8	2512
21-23 LST	4.7	6.3	4.8	5.5	7.8	1.7	0.3	0.5	1.6	1.1	4.8	2.3	3.5	7	2137
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	4.6	1.1	3.0	1.1	1.5	1.0	0.0	0.0	0.0	0.8	3.1	6.5	1.9	8	2505
03-05 LST	4.3	3.8	9.8	5.4	5.2	2.2	1.1	2.6	2.0	5.5	6.8	10.8	5.0	8	2247
06-08 LST	5.1	5.9	11.7	2.6	2.0	0.5	0.0	0.5	0.5	5.5	5.6	13.3	4.3	8	2466
09-11 LST	1.8	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	8	2230
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2517
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2203
18-20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2512
21-23 LST	0.6	0.0	0.6	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.5	0.2	7	2137

FOU-LIANG/CHIENG, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST	28.0	25.3	24.4	26.7	27.9	28.1	30.7	29.9	29.2	28.8	27.0	25.4	331.4	8	2466
	14 LST	29.6	26.2	28.9	28.5	29.1	29.4	31.0	30.9	29.6	30.6	29.2	30.3	353.3	8	2517
	20 LST	30.2	26.0	29.8	28.5	29.8	30.0	30.8	31.0	29.9	31.0	29.5	30.5	357.0	8	2512
	02 LST	28.5	26.0	28.4	28.9	29.5	29.6	31.0	31.0	29.6	30.5	28.4	28.2	349.6	8	2505
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	08 LST	24.8	22.5	19.6	22.5	23.9	25.1	28.9	27.2	25.5	26.6	23.9	23.6	294.1	8	2460
	14 LST	21.1	19.2	20.8	21.2	22.7	24.2	20.5	23.5	22.9	25.4	23.7	23.8	269.0	8	2513
	20 LST	26.8	22.6	25.3	25.3	25.6	28.0	30.4	29.1	26.4	28.2	26.2	27.1	321.0	8	2508
	02 LST	25.0	22.7	25.5	24.7	27.0	28.5	30.4	29.5	27.1	28.1	25.2	25.2	318.9	8	2502
SFC WND = GTR 17 KTS AND NO PRECIP.	08 LST	0.3	0.2	0.2	0.0	0.0	0.0	0.0	0.2	0.0	0.3	0.3	0.0	1.5	8	2476
	14 LST	0.6	0.0	0.1	0.3	0.0	0.0	0.2	0.0	0.1	0.0	0.1	0.0	1.4	8	2528
	20 LST	0.2	0.2	0.0	0.0	0.0	0.0	0.0	0.1	0.3	0.1	0.3	0.1	1.3	8	2526
	02 LST	0.0	0.0	0.2	0.2	0.1	0.1	0.0	0.1	0.1	0.0	0.3	0.0	1.1	8	2527
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	08 LST	5.4	7.6	10.3	12.4	12.4	14.8	18.3	17.5	17.7	17.3	13.0	9.4	155.9	8	2458
	14 LST	14.6	13.9	14.1	14.5	13.6	9.6	2.5	3.5	10.6	16.9	16.5	14.5	143.8	8	2508
	20 LST	8.7	5.1	8.8	7.7	6.8	7.2	5.6	9.2	9.5	9.1	9.3	8.6	98.6	8	2510
	02 LST	6.6	8.2	8.6	11.2	7.4	11.2	9.4	9.8	13.8	13.0	11.5	9.1	119.8	8	2512
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST	13.0	8.7	5.3	6.6	4.7	5.5	7.8	11.7	9.7	12.3	10.3	9.4	105.0	8	2487
	14 LST	13.0	8.8	6.0	4.6	3.7	2.6	4.5	4.0	7.2	12.8	12.1	11.9	91.2	8	2531
	20 LST	15.1	10.7	8.0	7.9	6.8	5.5	7.1	9.0	12.8	15.6	13.2	14.7	126.4	8	2526
	02 LST	13.5	9.3	7.4	7.9	6.4	8.3	13.2	15.8	13.0	15.0	11.5	11.5	132.8	8	2526
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	08 LST	26.2	23.4	20.9	23.7	24.2	26.1	30.3	28.8	28.2	27.8	25.5	24.1	309.2	8	2466
	14 LST	26.2	22.2	24.5	24.2	24.6	25.5	29.1	28.0	27.6	29.1	27.1	28.1	316.2	8	2517
	20 LST	28.0	23.4	25.4	25.9	25.8	28.7	30.4	30.7	28.9	30.1	27.8	28.8	333.9	8	2512
	02 LST	26.8	23.9	25.4	25.8	26.6	28.9	30.8	30.4	29.2	29.9	26.7	26.4	330.8	8	2505
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	08 LST	21.9	16.6	12.5	15.8	15.9	19.3	25.9	25.8	23.9	23.4	18.9	18.9	238.8	8	2466
	14 LST	22.1	18.5	16.7	16.6	15.3	18.2	21.2	20.0	21.4	25.1	21.2	22.6	238.9	8	2517
	20 LST	23.6	20.0	16.8	16.4	17.4	21.8	25.7	24.8	23.6	26.1	20.6	22.9	259.7	8	2512
	02 LST	20.8	16.0	14.9	16.7	15.6	21.6	26.1	26.8	24.5	25.2	20.3	20.0	248.5	8	2505
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST	21.2	15.6	11.3	15.5	15.4	18.8	25.3	25.2	22.8	22.9	17.7	18.5	230.2	8	2466
	14 LST	21.9	18.3	16.2	16.0	15.1	17.9	21.2	20.0	21.2	25.0	20.8	22.3	235.9	8	2517
	20 LST	22.2	19.2	16.3	16.0	17.0	21.5	25.7	24.6	23.2	25.6	20.4	22.3	254.0	8	2512
	02 LST	20.5	15.8	14.7	16.2	15.6	21.5	26.1	26.7	24.5	24.6	19.7	19.6	245.5	8	2505

FU-CHOU/FUCHOW, CHINA

STA NO. 58847 (IN AREA NUMBER 07)

LATITUDE 2605N

LONGITUDE 11918E

ELEVATION(FT) 00030

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	81	82	88	91	95	100	100	100	99	90	86	82	100	8	2545
MEAN MAX TMP (F)	59	60	67	75	81	86	94	92	87	79	72	64	76	8	2545
MEAN MIN TMP (F)	44	46	52	60	67	73	77	77	74	65	59	50	62	8	2515
ABS MIN TMP (F)	32	30	39	41	54	59	72	72	61	50	39	34	30	8	2515
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.0	0.7	5.9	12.4	27.0	24.9	11.9	0.8	0.0	0.0	83.6	8	2545
MEAN NO DYS TMP = OR LES 32(F)	1.1	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	8	2515
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2515
MEAN DEW PT TMP (F)	38	43	51	58	66	72	75	75	71	59	54	46	59	8	18492
MEAN REL HUM (PCT)	67	75	79	78	82	84	78	79	78	68	71	71	76	8	18282
MEAN PRESS ALT (FT)	-289	-241	-145	-42	80	190	224	216	122	-103	-194	-253	-35	8	18653
MEAN PRECIP (IN)	1.28	2.81	6.30	3.34	8.86	10.69	1.73	6.59	4.02	2.57	1.30	0.73	56.2	7	-181
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	6.2	12.7	13.9	10.5	15.5	15.0	13.3	12.3		8.7	4.4	4.4		7	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	0.8	1.1	1.8	0.9	1.4	0.0	0.1	0.0	0.0	0.0	0.7	0.0	6.8	8	2506
MEAN NO DYS TSTMS	0.0	1.2	4.7	7.1	8.8	8.7	11.3	15.3	6.7	0.5	0.9	0.1	65.3	8	2503
P FREQ WND SPD = OR GTR 17 KTS	4.5	1.5	1.9	2.7	2.5	1.6	3.5	4.6	4.3	2.2	1.4	3.4	2.8	8	18625
P FREQ WND SPD = OR GTR 28 KTS	0.7	0.0	0.1	0.2	0.1	0.2	0.1	0.5	0.6	0.1	0.0	0.2	0.2	8	18625
P FREQ LES 5000 FT A/D LES 5 MI	41.0	53.3	55.2	50.2	58.7	53.1	30.8	39.8	53.7	39.2	52.3	48.7	48.0	8	18472
P FREQ LES 1900 FT A/D LES 3 MI															
FOR 00-02 LST	3.4	4.2	5.9	5.3	6.9	3.0	1.0	1.4	2.3	0.2	1.8	0.9	3.0	8	2544
03-05 LST	4.5	4.6	6.1	5.4	7.4	4.6	1.1	1.5	1.0	0.5	1.9	2.2	3.4	8	2388
06-08 LST	5.0	11.2	19.8	10.2	13.1	8.0	1.6	2.0	2.9	1.1	4.9	2.4	6.9	8	2508
09-11 LST	3.3	7.5	10.6	4.6	6.7	4.2	0.9	1.9	1.9	0.4	2.2	1.7	3.8	8	2337
12-14 LST	2.8	4.2	4.3	3.6	5.5	5.6	0.8	1.0	2.3	1.1	0.9	1.8	2.8	8	2509
15-17 LST	2.2	5.8	4.5	5.4	6.1	3.3	1.1	1.3	3.3	0.9	2.0	1.7	3.1	8	2333
18-20 LST	1.8	3.9	3.5	3.8	4.7	2.9	1.3	1.2	0.9	0.9	1.8	0.9	2.3	8	2556
21-23 LST	0.9	4.0	3.4	4.6	3.0	4.1	1.3	1.3	1.1	0.0	1.3	1.1	2.2	7	2166
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	1.0	0.0	1.5	1.0	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.4	8	2544
03-05 LST	1.5	1.1	2.1	2.7	2.0	0.5	0.0	0.0	0.5	0.0	0.5	0.5	1.0	8	2388
06-08 LST	2.0	3.2	8.7	2.5	4.0	2.2	0.0	0.0	0.4	0.4	1.3	0.4	2.1	8	2508
09-11 LST	0.5	0.6	0.5	0.6	0.5	0.0	0.0	0.5	0.5	0.0	1.0	0.0	0.4	8	2333
12-14 LST	0.0	0.0	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.1	8	2509
15-17 LST	0.0	0.0	0.0	1.1	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.1	8	2333
18-20 LST	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.4	0.4	0.0	0.1	8	2556
21-23 LST	0.0	0.0	0.6	0.6	0.0	0.0	0.5	0.0	0.5	0.0	0.0	0.0	0.2	7	2166

FU-CHOU/FUCHOW, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST	30.1	25.9	26.7	28.2	28.7	28.7	30.8	30.8	29.5	30.7	28.8	30.6	349.5	8	2508
	14 LST	30.8	27.8	30.7	29.7	30.7	29.2	30.8	31.0	29.9	30.7	30.0	30.7	362.0	8	2509
	20 LST	31.0	27.9	30.9	29.7	31.0	29.8	30.8	31.0	30.0	30.9	29.7	31.0	363.7	8	2544
	02 LST	30.5	27.8	30.4	29.3	30.4	29.7	30.8	30.9	29.9	31.0	29.7	31.0	361.4	8	2503
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	08 LST	25.1	22.1	21.6	23.2	23.5	26.1	28.3	26.9	24.2	26.4	24.1	27.0	298.5	8	2504
	14 LST	21.9	19.7	23.8	18.0	19.1	17.3	17.7	17.3	17.0	19.2	22.3	24.3	237.6	8	2504
	20 LST	24.1	20.8	21.0	18.8	19.6	21.7	15.0	19.9	22.6	25.1	23.4	24.0	256.0	8	2552
	02 LST	24.9	22.7	24.9	25.0	25.7	27.3	27.5	27.9	24.3	26.7	24.4	24.6	305.9	8	2539
SFC WND = GTR 17 KTS AND NO PRECIP.	08 LST	1.1	0.3	0.0	0.1	0.2	0.0	0.0	0.1	0.3	0.1	0.4	0.8	3.4	8	2523
	14 LST	2.9	1.1	1.1	1.4	1.3	0.8	1.1	1.2	0.7	0.5	0.4	1.2	13.7	8	2513
	20 LST	0.7	0.1	0.6	0.1	0.1	0.3	0.5	0.4	0.1	0.4	0.5	0.4	4.2	8	2566
	02 LST	0.6	0.1	0.3	0.0	0.1	0.0	0.0	0.3	0.5	0.6	0.3	0.4	3.2	8	2555
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	08 LST	14.2	9.4	9.4	8.6	7.1	6.7	8.1	10.9	10.9	17.6	15.0	14.7	132.6	8	2513
	14 LST	15.8	14.1	15.1	14.9	12.5	7.2	2.0	2.5	10.3	20.1	18.2	18.8	151.5	8	2495
	20 LST	18.8	12.9	14.7	13.7	11.1	13.0	13.1	14.4	15.3	20.5	17.8	19.3	184.6	8	2557
	02 LST	13.9	10.1	9.9	10.7	11.8	9.9	14.6	13.4	12.5	20.6	16.6	15.9	159.9	8	2546
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST	10.8	5.6	3.7	5.7	2.8	3.5	6.4	6.9	5.6	11.2	8.3	9.1	79.6	8	2525
	14 LST	13.0	8.0	8.4	7.4	5.1	3.6	8.3	6.7	6.8	10.1	9.3	10.5	97.2	8	2519
	20 LST	13.2	9.1	7.3	9.0	3.4	2.7	10.1	9.5	7.6	12.3	10.0	11.1	105.3	8	2566
	02 LST	10.0	8.2	6.2	7.4	4.2	5.9	15.1	10.1	7.9	11.7	7.8	9.9	104.4	8	2561
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	08 LST	26.2	21.4	20.3	23.4	22.4	23.8	27.9	27.6	25.2	28.7	26.1	27.1	300.1	8	2508
	14 LST	27.6	23.7	26.4	26.3	25.7	24.9	28.8	28.3	26.3	29.3	27.7	27.9	322.9	8	2509
	20 LST	27.4	23.1	26.2	25.4	24.4	25.4	29.3	27.9	26.3	28.8	26.6	27.7	318.5	8	2556
	02 LST	26.9	22.5	24.4	25.4	24.1	25.4	29.2	28.3	25.5	29.1	26.8	27.9	315.5	8	2544
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	08 LST	15.8	11.4	10.0	13.3	11.4	14.4	20.8	20.2	13.8	18.8	14.2	13.1	177.2	8	2508
	14 LST	19.2	14.6	17.1	16.7	14.7	16.2	20.5	18.2	13.8	16.6	14.3	15.7	197.6	8	2509
	20 LST	18.3	13.0	13.9	15.0	11.5	13.5	21.9	17.5	14.7	18.3	13.0	14.4	185.0	8	2556
	02 LST	15.0	11.6	10.7	13.5	10.5	12.6	22.0	18.4	13.1	17.8	12.3	14.1	171.6	8	2544
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST	15.8	11.2	10.0	13.3	11.4	14.4	20.7	20.2	13.8	18.7	14.2	13.1	176.8	8	2508
	14 LST	19.2	14.5	17.1	16.6	14.7	16.2	20.5	18.2	13.8	16.4	14.0	15.6	196.8	8	2509
	20 LST	18.1	12.9	13.9	15.0	11.5	13.5	21.9	17.5	14.7	18.2	13.0	14.2	184.4	8	2556
	02 LST	14.9	11.4	10.6	13.4	10.5	12.4	22.0	10.8	13.1	17.4	12.2	14.1	162.8	8	2544

PING-TAN, CHINA

STA NO. 58944 (IN AREA NUMBER 07)

LATITUDE 2530N

LONGITUDE 11947E

ELEVATION(FT) 00123

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	73	77	79	88	91	91	93	95	93	90	82	75	95	8	2446
MEAN MAX TMP (F)	56	56	61	70	77	82	88	88	84	76	69	61	72	8	2446
MEAN MIN TMP (F)	48	48	52	60	67	74	79	78	76	69	62	54	64	8	2457
ABS MIN TMP (F)	37	34	41	46	57	63	68	72	66	54	48	43	34	8	2457
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.6	1.2	12.9	9.6	2.8	0.1	0.0	0.0	27.2	8	2446
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2457
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2457
MEAN DEW PT TMP (F)	41	44	51	59	67	73	76	76	72	62	57	49	61	8	17853
MEAN REL HUM (PCT)	69	77	83	83	86	87	82	84	81	73	77	75	80	8	17693
MEAN PRESS ALT (FT)														0	0
MEAN PRECIP (IN)	1.60	3.10	4.00	5.00	6.20	7.10	3.50	3.80	3.50	1.70	1.50	1.70	42.7	49	-180
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	6.6	9.1	10.6	10.7	10.9	9.6	5.2	6.4	5.9	5.6	6.0	6.4	93.0	49	-180
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	0.7	1.1	1.9	0.9	0.8	0.0	0.2	0.0	0.0	0.0	0.4	0.1	6.1	8	2441
MEAN NO DYS TSTMS	0.2	1.8	3.9	5.9	5.1	3.2	2.4	3.4	2.6	0.1	0.1	0.0	28.7	8	2468
P FREQ WND SPD = DR GTR 17 KTS	50.9	49.4	38.5	29.4	22.8	17.7	15.7	21.1	37.8	63.1	60.5	58.7	38.8	8	18111
P FREQ WND SPD = DR GTR 28 KTS	5.3	3.3	3.2	0.9	1.2	0.6	1.8	4.1	5.4	9.0	9.6	7.8	4.4	8	18111
P FREQ LES 5000 FT A/D LES 5 MI	43.8	53.2	56.2	49.2	56.2	48.0	23.9	28.2	38.3	37.6	54.5	52.8	45.2	8	17973
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	7.4	11.1	12.2	13.5	13.5	6.3	1.8	5.1	4.4	2.9	3.7	5.2	7.3	8	2453
03-05 LST	10.1	9.5	13.6	13.9	15.1	8.6	5.7	4.6	4.8	2.7	4.1	5.8	8.2	8	2363
06-08 LST	6.5	9.3	18.7	11.5	15.6	9.3	3.1	6.6	6.7	3.4	4.6	6.8	8.5	8	2434
09-11 LST	6.4	9.1	14.0	8.9	10.6	10.3	2.8	5.0	6.3	4.1	2.7	5.1	7.1	8	2353
12-14 LST	5.7	5.6	11.0	5.9	10.2	8.5	1.3	4.2	4.8	4.3	2.1	6.2	5.8	8	2469
15-17 LST	6.1	7.9	6.9	4.5	11.6	8.9	1.7	3.0	5.0	3.7	3.1	6.4	5.7	8	2327
18-20 LST	6.9	8.7	11.8	6.7	11.0	9.2	1.1	2.7	3.9	2.5	2.9	5.5	6.1	8	2409
21-23 LST	4.8	8.6	9.2	8.2	10.2	5.6	1.8	2.8	2.2	1.4	3.5	4.1	5.2	7	2101
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	1.1	1.1	2.0	4.1	1.0	0.0	0.0	0.0	0.0	0.0	0.5	0.5	0.9	8	2453
03-05 LST	1.0	2.3	3.7	4.8	2.7	0.0	1.1	0.0	0.0	0.0	1.4	0.0	1.4	8	2363
06-08 LST	0.5	0.0	8.0	3.7	1.6	0.6	0.0	0.0	0.0	0.0	0.9	0.4	1.3	8	2434
09-11 LST	0.0	0.6	1.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	8	2353
12-14 LST	0.0	0.0	1.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	8	246
15-17 LST	2.2	0.6	0.5	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.3	8	2327
18-20 LST	1.6	1.7	1.5	0.5	1.5	0.0	0.5	0.0	0.0	0.0	0.5	0.5	0.7	8	2409
21-23 LST	1.2	0.7	2.3	1.9	0.6	0.0	0.6	0.0	0.5	0.0	0.0	0.0	0.7	7	2101

PING-TAN, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST	30.7	27.4	27.6	28.3	29.7	29.5	31.0	30.4	29.7	30.7	29.5	30.2	354.7	8	2434
	14 LST	30.5	27.8	29.8	29.7	30.4	29.7	30.8	30.7	29.6	30.7	30.0	30.6	360.3	8	2469
	20 LST	30.2	27.4	29.3	29.4	29.9	29.8	30.8	31.0	29.7	30.9	29.7	30.7	359.1	8	2409
	02 LST	30.3	27.4	29.3	27.7	29.1	30.0	31.0	30.9	30.0	30.9	29.6	30.9	357.1	8	2453
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	08 LST	7.5	5.5	7.6	9.3	8.5	9.9	10.5	14.0	9.0	3.0	3.5	3.3	91.6	8	2431
	14 LST	3.7	2.7	5.7	5.5	5.8	4.3	3.4	5.4	4.4	2.0	2.1	2.7	47.7	8	2464
	20 LST	7.8	5.7	8.1	11.1	10.7	8.7	9.3	11.8	10.6	3.1	3.4	5.0	95.3	8	2406
	02 LST	7.1	5.7	8.6	9.2	11.0	12.8	14.9	16.4	12.1	4.2	4.2	4.4	110.6	8	2449
SFC WND = GTR 17 KTS AND NO PRECIP.	08 LST	11.9	8.1	7.1	6.7	3.6	2.9	1.8	3.3	6.0	16.7	13.5	13.1	94.7	8	2434
	14 LST	15.9	12.7	11.1	8.8	6.8	7.7	7.6	5.8	9.9	20.7	17.4	17.1	141.5	8	2476
	20 LST	9.5	7.8	4.4	5.6	2.8	2.0	3.0	4.3	6.3	13.7	11.5	11.2	82.1	8	2446
	02 LST	9.6	6.6	5.4	4.3	2.4	1.7	1.6	3.0	4.7	11.7	10.6	12.3	73.9	8	2465
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	08 LST	6.4	4.1	5.1	8.4	7.8	9.2	12.4	13.7	7.8	3.1	2.4	3.7	84.1	8	2446
	14 LST	4.5	2.7	6.6	7.2	6.2	3.6	5.0	6.6	5.7	2.5	2.7	3.3	58.6	8	2467
	20 LST	6.3	3.3	6.4	9.5	8.8	8.3	11.4	14.0	8.9	3.5	3.8	4.4	88.6	8	2438
	02 LST	4.1	3.9	5.6	7.2	9.9	8.9	14.9	14.2	7.8	4.2	3.9	3.6	88.2	8	2457
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST	9.5	5.8	4.1	5.3	2.1	2.9	6.0	4.8	4.0	8.2	6.4	7.8	56.9	8	2460
	14 LST	12.0	8.7	7.4	7.4	4.5	5.1	10.5	10.1	7.7	8.7	9.0	9.4	100.5	8	2482
	20 LST	10.6	7.1	6.0	9.0	4.9	5.2	10.5	10.8	10.9	15.2	10.2	10.6	111.0	8	2424
	02 LST	10.1	7.4	5.1	6.9	3.4	3.8	11.9	12.1	8.3	12.1	6.2	8.7	98.0	8	2459
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	08 LST	24.6	20.6	19.2	21.3	19.4	20.6	25.6	24.0	23.2	25.5	23.2	24.1	271.3	8	2434
	14 LST	25.4	22.6	22.9	24.4	22.4	23.0	29.2	26.7	24.8	26.1	25.0	25.1	297.6	8	2469
	20 LST	24.8	21.2	22.2	24.1	21.4	22.6	29.4	27.4	25.5	27.6	24.1	24.5	294.8	8	2409
	02 LST	23.9	19.5	21.1	20.4	19.2	22.3	27.4	25.8	23.9	26.6	22.8	23.8	276.7	8	2453
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	08 LST	15.6	12.3	10.6	13.1	12.3	11.9	20.2	18.4	16.9	17.2	12.3	13.4	174.2	8	2434
	14 LST	18.2	14.4	15.5	17.4	16.2	18.0	26.5	23.3	18.8	18.8	14.2	14.4	215.7	8	2469
	20 LST	16.6	13.0	14.7	17.4	14.3	17.7	26.7	24.1	20.0	21.3	14.2	14.5	214.5	8	2409
	02 LST	14.6	10.6	12.3	13.0	10.4	14.2	22.7	22.3	17.6	19.2	11.1	12.3	180.3	8	2453
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST	15.6	12.3	10.6	13.1	12.3	11.9	20.2	18.4	16.9	17.1	12.1	13.4	173.9	8	2434
	14 LST	18.0	14.4	15.3	17.2	16.2	18.0	26.5	23.3	18.8	18.8	13.9	14.1	214.5	8	2469
	20 LST	16.2	12.8	14.7	17.4	14.3	17.7	26.7	24.1	20.0	21.3	13.9	14.5	213.6	8	2409
	02 LST	14.6	10.4	12.3	13.0	10.4	14.2	22.7	22.3	17.4	19.2	11.1	12.3	179.9	8	2453

KUANG-NAN/KWANGN, CHINA

STA NO. 59007 (IN AREA NUMBER 07)

LATITUDE 2402N

LONGITUDE 10502E

ELEVATION(FT) 04577

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	82	84	91	93	97	91	93	91	90	86	84	82	97	8	2361
MEAN MAX TMP (F)	58	60	72	80	83	81	82	81	76	72	68	62	73	8	2361
MEAN MIN TMP (F)	38	42	51	57	63	66	67	65	61	55	48	42	55	8	2043
ABS MIN TMP (F)	23	28	30	41	50	55	63	50	48	37	37	30	23	8	2043
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	1.0	6.5	8.1	1.3	1.1	0.3	0.3	0.0	0.0	0.0	18.6	8	2361
MEAN NO DYS TMP = DR LES 32(F)	5.4	2.5	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	8.6	8	2043
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2043
MEAN DEW PT TMP (F)	38	41	48	54	60	64	66	66	62	56	50	43	54	8	14737
MEAN REL HUM (PCT)	75	76	70	66	71	79	81	83	81	81	79	78	77	8	14435
MEAN PRESS ALT (FT)	3959	4027	4182	4369	4442	4554	4573	4489	4326	4145	4087	4018	4264	8	13261
MEAN PRECIP (IN)														0	0
MEAN SNOW FALL (IN)			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		8	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN														0	0
MEAN NO DYS SNFL = DR GTR 1.5 IN			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		8	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	4.8	2.9	1.8	2.0	0.8	1.1	2.9	7.9	8.0	7.5	9.3	8.7	57.7	8	2205
MEAN NO DYS TSTMS	0.4	0.8	6.6	9.1	13.8	13.0	19.6	17.3	6.4	2.4	0.7	0.0	92.1	8	2215
P FREQ WND SPD = DR GTR 17 KTS	0.5	1.8	3.6	3.3	0.9	0.2	0.4	0.2	0.1	0.1	0.2	0.1	1.0	8	15054
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.1	0.3	0.4	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.1	8	15054
P FREQ LES 5000 FT A/D LES 5 MI	54.6	62.6	46.5	40.5	46.4	57.6	60.2	60.7	59.8	58.2	51.5	54.8	54.5	8	14932
P FREQ LES 1900 FT A/D LES 3 MI															
FOR 00-02 LST	17.7	18.6	7.5	2.1	1.5	2.2	0.5	5.7	4.0	5.0	6.0	14.3	7.1	8	2374
03-05 LST	22.4	17.3	12.8	5.9	1.7	4.9	7.7	21.3	20.8	18.4	24.0	26.0	15.3	8	2144
06-08 LST	30.5	28.3	17.6	8.6	6.1	5.3	12.9	29.9	31.5	27.8	39.2	39.7	23.1	8	2062
09-11 LST	14.4	12.4	7.2	0.8	0.8	1.0	0.9	1.1	3.0	5.1	6.8	14.5	5.1	8	2214
12-14 LST	5.9	7.0	2.4	0.4	0.6	0.0	0.6	0.9	0.3	0.8	2.0	3.2	2.0	8	2044
15-17 LST	4.8	8.9	1.8	0.8	1.1	0.0	1.9	2.0	1.2	1.1	1.7	3.5	2.4	8	2156
18-20 LST	12.4	12.1	6.3	0.0	1.3	0.3	0.0	1.5	2.3	1.8	4.5	7.1	4.1	8	2434
21-23 LST	13.6	18.0	8.0	0.0	0.5	0.5	0.5	1.4	2.9	1.3	4.9	9.7	5.1	6	1230
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	3.7	1.8	1.1	1.0	0.5	0.0	0.5	2.9	2.4	3.4	1.5	4.2	1.9	8	2374
03-05 LST	5.3	5.9	5.5	4.0	0.5	2.7	6.6	18.0	18.7	12.7	14.7	17.3	9.3	8	2144
06-08 LST	13.1	9.4	7.9	6.2	2.5	3.5	9.9	25.0	28.6	23.9	31.5	25.8	15.6	8	2062
09-11 LST	3.0	3.0	1.0	0.0	0.0	0.6	0.0	0.0	0.0	0.4	2.7	5.3	1.3	8	2214
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2044
15-17 LST	0.0	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.1	8	2156
18-20 LST	0.5	1.1	0.0	0.0	0.5	0.0	0.0	0.0	0.5	0.0	0.4	0.0	0.3	8	2434
21-23 LST	1.9	1.4	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.9	0.5	6	1230

KUANG-NAN/KWANGN, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	22.7	21.8	26.3	27.7	29.6	28.7	27.4	22.4	20.7	23.1	19.4	19.6	289.4	8	2062
	13 LST	30.1	27.4	30.4	30.0	30.8	30.0	30.8	31.0	30.0	30.8	29.7	30.7	361.7	8	2044
	19 LST	27.9	25.4	29.5	30.0	30.8	30.0	31.0	30.8	29.4	31.0	29.2	29.5	354.5	8	2434
	01 LST	26.4	24.1	29.2	29.7	30.8	29.5	30.8	29.4	28.9	29.8	28.7	27.4	344.7	8	2374
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	20.4	18.3	24.0	26.7	28.3	28.1	26.6	21.1	20.1	21.7	17.0	17.8	270.1	8	2056
	13 LST	21.0	16.7	16.1	17.4	21.8	27.2	26.9	27.3	28.6	27.9	22.5	24.6	278.0	8	2037
	19 LST	24.7	19.8	22.4	24.0	25.4	28.9	30.2	30.1	29.0	29.5	27.5	27.2	318.7	8	2429
	01 LST	24.1	21.0	27.1	27.4	29.0	28.7	30.5	28.9	28.3	28.9	27.6	25.3	326.8	8	2368
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2084
	13 LST	0.4	1.2	3.8	3.2	0.4	0.2	0.2	0.2	0.0	0.2	0.2	0.0	10.0	8	2079
	19 LST	0.0	0.5	0.5	0.5	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	8	2448
	01 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2396
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	4.3	2.2	4.2	3.4	3.7	1.3	3.3	2.1	2.8	3.1	2.9	3.6	36.9	8	2070
	13 LST	15.1	11.6	14.0	13.9	14.2	14.1	15.1	14.4	16.8	19.0	17.1	19.2	184.5	8	2053
	19 LST	16.8	15.5	20.1	19.2	20.4	16.1	13.2	12.2	13.9	15.7	16.6	191.9	8	2432	
	01 LST	7.4	6.0	8.4	8.9	10.8	4.3	5.3	2.4	5.4	4.4	3.7	4.9	71.9	8	2382
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	6.0	4.2	10.2	10.5	6.1	1.4	0.7	1.2	2.0	2.0	2.7	4.3	51.3	8	2086
	13 LST	8.8	6.5	10.8	9.8	2.3	0.2	0.4	0.5	2.3	3.6	6.2	9.6	61.0	8	2082
	19 LST	13.6	10.3	17.0	13.6	7.5	2.6	2.1	5.5	10.7	12.4	14.5	15.9	125.7	8	2455
	01 LST	11.9	8.9	14.5	15.0	10.9	6.5	6.2	8.4	10.0	8.6	11.9	12.7	125.5	8	2398
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	19.1	16.5	23.3	26.4	27.5	26.9	25.5	20.0	19.6	20.2	16.0	16.3	257.3	8	2062
	13 LST	26.6	22.6	28.5	28.8	28.9	27.8	28.5	29.1	28.3	28.9	27.5	27.8	333.3	8	2044
	19 LST	25.0	21.8	27.9	28.9	29.2	28.8	30.2	29.6	28.6	28.7	26.8	26.8	332.3	8	2434
	01 LST	23.3	20.0	27.3	28.4	29.4	28.4	30.0	28.7	28.0	28.2	26.2	25.2	323.1	8	2374
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	10.4	7.9	15.2	17.9	20.2	11.1	13.6	7.9	8.3	7.6	8.1	7.8	136.0	8	2062
	13 LST	14.4	10.9	17.5	18.7	9.9	6.4	6.6	5.5	7.6	8.8	14.4	13.2	133.9	8	2044
	19 LST	17.6	13.0	21.9	20.2	20.3	17.6	15.5	16.0	20.0	18.6	18.1	18.7	217.5	3	2434
	01 LST	15.2	11.0	17.2	18.4	16.9	13.2	14.6	16.2	15.6	14.2	14.9	16.3	183.7	8	2374
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	10.2	7.9	14.4	17.9	20.2	10.7	12.9	7.4	7.7	6.8	7.8	7.5	131.4	8	2062
	13 LST	14.4	10.9	17.3	18.7	9.9	6.2	6.4	5.5	7.5	8.8	14.2	13.2	133.0	8	2044
	19 LST	17.4	12.8	21.6	20.2	19.8	16.6	15.5	15.6	19.4	17.8	17.9	18.4	213.0	8	2434
	01 LST	15.0	10.8	17.2	18.4	16.9	13.0	14.6	15.9	15.6	14.2	14.8	16.2	182.6	8	2374

CHIN-CHENG-CHIAN, CHINA

STA NO. 59023 (IN AREA NUMBER 07) LATITUDE 2448N LONGITUDE 10800E ELEVATION(FT) 00938

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	82	86	95	99	97	102	102	100	100	99	90	82	102	8	2541
MEAN MAX TMP (F)	60	62	71	79	84	90	91	92	90	82	73	65	78	8	2541
MEAN MIN TMP (F)	46	49	57	65	70	74	76	75	72	63	57	49	63	8	2502
ABS MIN TMP (F)	30	32	39	48	55	66	70	70	61	48	36	36	30	8	2502
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.9	2.8	9.8	17.2	24.2	24.7	20.8	5.6	0.1	0.0	106.1	8	2541
MEAN NO DYS TMP = DR LES 32(F)	0.6	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	8	2502
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2502
MEAN DEW PT TMP (F)	40	45	55	63	68	73	75	75	70	61	55	47	61	8	17884
MEAN REL HUM (PCT)	69	75	79	78	79	80	82	82	76	74	77	76	77	8	17678
MEAN PRESS ALT (FT)	644	726	858	973	1074	1167	1192	1151	1039	829	748	691	924	8	17960
MEAN PRECIP (IN)														0	0
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN														0	0
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-29
MEAN NO DYS W/O CUR VSBY LES 1/2 MI	0.8	0.0	0.0	0.0	0.0	0.3	0.3	0.5	0.0	0.0	0.0	0.0	1.9	8	1117
MEAN NO DYS TSTMS	0.3	2.4	5.1	6.5	11.1	8.8	14.6	13.6	5.8	1.0	0.8	0.1	70.1	8	2457
P FREQ WND SPD = DR GTR 17 KTS	0.1	0.0	0.0	0.0	0.1	0.2	0.0	0.0	0.1	0.1	0.1	0.1	0.1	8	18039
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	8	18039
P FREQ LES 5000 FT A/D LES 5 MI	41.2	53.3	59.1	59.0	55.8	48.9	50.9	39.3	28.1	31.3	52.6	44.1	47.0	8	13028
P FREQ LES 1500 FT A/D LES 3 MI															
FDR 00-02 LST	4.0	8.4	11.0	6.5	2.7	2.2	2.3	0.0	1.5	2.4	3.6	4.5	4.1	8	1225
03-05 LST	0.9	4.3	11.6	5.2	1.2	3.0	2.4	0.9	0.9	2.2	6.5	1.4	3.4	8	991
06-08 LST	9.9	11.7	21.8	13.4	11.2	7.4	7.9	5.9	3.0	3.8	8.2	12.6	9.7	8	2476
09-11 LST	7.9	13.2	14.6	8.5	6.3	5.5	3.5	2.7	2.2	5.1	6.8	7.9	7.0	8	2252
12-14 LST	8.2	9.9	11.3	7.2	7.0	3.5	2.9	3.1	1.2	2.8	6.0	5.6	5.7	8	2500
15-17 LST	5.9	10.4	9.7	5.7	4.9	1.4	3.3	0.8	0.7	3.2	6.6	5.7	4.9	8	2178
18-20 LST	4.1	10.2	9.0	6.5	5.5	2.9	2.8	1.1	0.7	2.7	5.1	0.9	4.3	8	1665
21-23 LST	0.9	6.6	10.1	5.1	0.6	0.6	0.0	1.0	0.0	3.1	5.6	0.0	2.8	7	969
P FREQ LES 300 FT A/D LES 1 MI															
FDR 00-02 LST	0.0	0.0	0.0	1.1	0.0	0.0	0.9	0.0	0.0	0.0	0.0	0.0	0.2	8	1225
03-05 LST	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.0	0.9	0.0	0.0	0.0	0.2	8	991
06-08 LST	2.0	0.5	1.9	1.6	0.5	0.5	0.5	2.4	0.0	0.0	0.0	0.9	0.9	8	2476
09-11 LST	0.6	0.6	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	8	2252
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.5	0.0	0.0	0.0	0.0	0.1	8	2500
15-17 LST	0.0	0.0	0.5	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.1	8	2178
18-20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.8	0.0	0.1	8	1665
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.1	7	969

CHIN-CHENG-CHIAN, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	29.5	26.2	26.8	27.8	29.0	29.0	29.7	29.8	29.4	30.5	29.0	29.1	345.8	8	2476
	13 LST	29.6	27.0	29.8	29.2	30.5	29.7	30.4	30.6	30.0	30.6	29.2	30.5	357.1	8	2500
	19 LST	30.1	25.7	30.0	29.7	30.7	29.5	30.4	31.0	29.8	30.3	29.2	31.0	357.4	8	1665
	01 LST	29.9	26.8	29.4	29.7	31.0	30.0	30.4	31.0	29.5	30.3	29.7	30.4	358.1	8	1225
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	26.2	23.4	21.4	24.2	23.6	26.6	27.5	28.6	28.6	28.9	26.1	25.1	312.2	8	2472
	13 LST	26.8	22.3	24.6	24.4	26.0	27.0	29.2	28.8	28.1	28.4	26.5	27.8	320.5	8	2498
	19 LST	28.8	24.7	25.9	25.9	27.2	28.3	29.9	30.2	29.1	29.3	27.0	29.9	336.2	8	1663
	01 LST	28.5	24.5	25.5	25.9	28.8	28.7	30.1	30.7	29.3	29.8	27.9	28.6	338.3	8	1225
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2484
	13 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.1	8	2516
	19 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2528
	01 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.1	8	2547
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	7.0	4.6	3.9	7.3	7.4	4.2	6.2	2.9	2.4	2.1	4.2	3.8	56.0	8	2465
	13 LST	19.0	13.5	15.2	16.4	11.9	6.1	4.8	4.8	8.8	14.1	16.3	16.4	147.3	8	2505
	19 LST	11.6	9.7	13.4	14.0	12.8	8.4	9.5	9.9	6.9	6.9	8.5	9.4	121.0	8	2517
	01 LST	7.6	5.7	6.2	7.3	8.1	5.0	5.9	3.7	4.0	4.0	6.1	5.3	68.9	8	2538
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	3.9	3.7	2.5	2.4	3.2	2.7	2.8	6.3	9.4	8.9	5.0	6.0	56.8	8	2483
	13 LST	7.0	4.9	5.4	4.4	2.4	2.8	1.1	2.9	6.0	7.1	7.1	9.1	60.2	8	2518
	19 LST	14.2	8.3	7.0	5.1	5.6	4.6	3.4	7.6	14.6	11.6	11.6	16.2	109.8	8	1671
	01 LST	9.5	6.8	5.9	6.6	6.6	7.7	8.5	11.4	15.3	10.5	8.4	12.0	109.5	8	1231
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	24.6	21.9	19.3	22.6	24.4	25.0	26.1	27.3	28.0	28.8	24.5	24.0	296.5	8	2476
	13 LST	25.8	21.6	22.9	23.9	24.5	25.9	26.9	25.9	26.9	28.2	25.5	26.5	304.5	8	2500
	19 LST	28.9	24.0	25.1	25.2	26.7	27.9	29.2	29.7	29.4	29.7	26.8	29.8	332.4	8	1665
	01 LST	28.7	23.6	24.8	25.2	28.8	28.5	29.5	30.6	29.2	30.1	27.2	28.3	334.5	8	1225
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	9.6	8.5	5.5	7.7	9.3	12.4	11.3	15.7	20.4	19.5	11.4	13.3	144.6	8	2476
	13 LST	14.2	10.8	10.4	8.9	8.8	11.9	11.7	13.1	16.7	16.7	12.4	15.6	151.2	8	2500
	19 LST	20.6	12.7	11.5	12.2	14.3	17.0	17.7	21.6	24.4	19.9	15.6	21.2	208.7	8	1665
	01 LST	16.2	10.7	11.8	11.4	13.6	13.3	17.3	23.9	22.6	21.0	14.7	14.4	190.9	8	1225
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	8.4	7.5	5.1	7.3	9.1	12.0	10.9	14.7	19.4	18.3	10.6	12.0	135.3	8	2476
	13 LST	13.6	10.2	9.4	8.9	8.8	11.8	11.7	12.8	16.1	15.9	12.1	15.4	146.7	8	2500
	19 LST	20.6	12.3	11.5	11.1	13.1	16.1	17.4	20.8	22.9	18.5	15.6	20.9	200.8	8	1665
	01 LST	16.2	10.7	11.0	11.0	12.3	13.3	17.1	23.1	22.1	19.8	14.2	14.4	185.2	8	1225

LIU-CHOU/LIUCHOW, CHINA

STA NO. 59046 (IN AREA NUMBER 07)

LATITUDE 2418N

LONGITUDE 10916E

ELEVATION(FT) 00322

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	82	88	91	95	100	100	100	100	102	97	90	84	102	8	2486
MEAN MAX TMP (F)	59	60	69	77	84	90	93	92	91	83	72	64	78	8	2486
MEAN MIN TMP (F)	44	46	55	63	70	75	77	76	73	64	55	47	62	8	2447
ABS MIN TMP (F)	27	27	39	45	55	64	70	70	63	45	39	34	27	8	2447
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.0	0.6	2.1	10.8	17.8	25.7	25.1	20.5	6.7	0.3	0.0	109.6	8	2486
MEAN NO DYS TMP = OR LES 32(F)	1.9	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.0	8	2447
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2447
MEAN DEW PT TMP (F)	38	43	55	62	68	73	73	74	69	59	53	45	60	8	17574
MEAN REL HUM (PCT)	66	73	79	78	78	78	78	77	70	66	73	73	74	8	17376
MEAN PRESS ALT (FT)	13	85	227	332	444	544	567	537	428	214	117	65	298	8	17752
MEAN PRECIP (IN)	0.93	2.19	4.08	3.86	8.18	7.84	13.28	8.75	1.34	4.19	1.96	1.41	58.0	9	-181
MEAN SNOW FALL (IN)			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		8	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.1	9.3	11.7	11.4	15.0	13.4	15.4	14.1	4.5		6.7	6.6		9	-29
MEAN NO DYS SNFL = OR GTR 1.5 IN			0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0		8	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	0.5	0.4	0.6	0.0	0.0	0.0	0.0	0.2	0.0	0.1	0.0	0.5	2.3	8	2428
MEAN NO DYS TSTMS	0.2	1.8	6.6	7.5	10.7	14.2	18.2	15.2	5.8	1.3	0.4	0.3	82.2	8	2429
P FREQ WND SPD = OR GTR 17 KTS	1.4	2.0	1.3	1.0	0.9	0.4	0.3	0.4	1.7	1.3	1.5	1.2	1.1	8	17771
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.2	0.0	0.0	0.0	0.0	8	17771
P FREQ LES 5000 FT A/D LES 5 MI	43.1	56.9	67.6	60.7	54.2	42.9	36.6	30.2	21.3	19.6	37.9	41.7	42.7	8	17648
P FREQ LES 1900 FT A/D LES 3 MI															
FOR 00-02 LST	9.0	17.5	20.1	11.3	4.0	4.3	1.0	0.5	0.2	2.8	5.4	7.4	7.0	8	2500
03-05 LST	11.9	17.7	22.5	16.4	9.9	7.5	0.6	1.3	0.5	4.7	8.1	10.5	9.0	8	2211
06-08 LST	22.8	24.0	29.3	18.5	11.2	10.6	5.2	6.1	3.9	7.4	11.1	15.4	13.8	8	2414
09-11 LST	22.4	21.2	22.7	16.3	7.4	9.9	2.5	4.2	1.4	4.4	8.4	13.8	11.2	8	2278
12-14 LST	12.6	18.7	22.7	19.9	7.3	9.5	1.1	1.0	0.7	3.5	8.5	12.7	9.4	8	2444
15-17 LST	8.2	18.6	22.0	12.3	6.7	4.2	2.0	0.8	0.5	3.6	7.3	8.0	7.9	8	2218
18-20 LST	10.5	14.6	20.2	12.7	3.7	1.9	1.3	0.5	0.7	2.1	7.2	6.8	6.9	8	2498
21-23 LST	9.0	12.7	18.0	10.3	3.3	0.6	0.0	0.5	0.0	2.3	6.2	5.2	5.7	7	2152
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.5	0.6	1.5	0.0	0.0	0.0	0.0	0.5	0.0	0.4	0.0	0.4	0.3	8	2500
03-05 LST	1.2	2.5	2.6	1.1	0.5	0.5	0.0	1.0	0.0	0.9	0.0	0.5	0.9	8	2211
06-08 LST	3.1	3.9	4.9	1.0	1.6	0.0	0.0	0.5	0.0	0.9	1.3	2.3	1.6	8	2414
09-11 LST	2.3	2.3	4.1	0.5	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.5	0.9	8	2278
12-14 LST	2.5	2.9	2.0	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	8	2444
15-17 LST	0.6	0.8	1.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	8	2218
18-20 LST	0.5	1.2	2.4	0.5	0.5	0.0	0.0	0.0	0.4	0.0	0.0	0.0	0.5	8	2498
21-23 LST	0.6	0.0	1.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	7	2152

LIU-CHOU/LIUCHOW, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. GBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	25.2	22.2	23.8	25.8	28.3	27.3	29.5	29.6	28.9	29.1	27.6	26.9	324.2	8	2414
	13 LST	27.9	23.8	26.0	27.4	29.7	27.9	30.8	31.0	30.0	30.3	28.9	28.1	341.8	8	2444
	19 LST	28.2	24.5	26.5	26.9	30.4	29.8	30.8	30.9	29.9	30.6	28.9	29.5	346.9	8	2498
	01 LST	28.8	23.8	26.4	27.3	30.2	29.1	30.8	30.9	30.0	30.3	29.1	29.6	346.3	8	2500
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	19.5	16.8	18.2	19.9	24.2	24.5	28.3	27.7	26.8	25.8	23.2	23.2	278.1	8	2413
	13 LST	18.1	12.2	14.2	16.8	16.9	20.3	21.2	24.3	23.0	21.1	19.6	20.4	228.1	8	2442
	19 LST	23.3	20.0	21.6	21.8	26.9	27.5	28.1	29.8	27.1	27.1	23.8	24.6	301.6	8	2495
	01 LST	24.2	17.7	20.7	21.5	26.0	26.5	28.6	30.0	28.0	27.6	24.2	24.7	299.7	8	2499
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.0	0.2	0.0	0.0	0.0	0.2	0.0	0.0	0.1	0.3	0.1	0.1	1.0	8	2441
	13 LST	0.3	0.6	0.6	0.3	0.9	0.0	0.3	0.0	0.7	0.5	0.4	0.6	5.2	8	2465
	19 LST	0.0	0.0	0.0	0.2	0.2	0.0	0.0	0.0	0.0	0.1	0.3	0.4	1.2	8	2507
	01 LST	0.3	0.0	0.0	0.1	0.0	0.0	0.0	0.1	0.0	0.1	0.3	0.0	0.9	8	2505
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	12.1	9.6	9.6	11.1	13.3	10.5	14.1	11.1	13.9	16.4	11.3	11.7	144.7	8	2425
	13 LST	13.9	10.1	11.0	13.7	11.4	6.2	2.4	3.5	7.3	16.4	15.5	16.1	127.5	8	2449
	19 LST	11.2	10.4	9.9	12.6	13.9	9.8	9.5	7.1	9.7	11.6	11.7	10.5	127.9	8	2497
	01 LST	13.6	9.8	11.0	11.3	11.8	10.2	13.3	12.6	13.9	15.0	12.7	10.7	145.9	8	2495
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	3.5	2.2	1.7	1.7	3.1	2.9	3.2	7.7	7.6	10.1	6.2	8.5	60.4	8	2438
	13 LST	7.9	4.8	3.6	3.9	1.6	1.8	1.6	5.0	8.0	10.3	9.6	10.6	68.7	8	2461
	19 LST	10.7	6.7	5.3	4.3	5.1	3.5	3.0	6.7	11.8	13.3	12.6	12.1	95.1	8	2512
	01 LST	8.3	4.8	4.2	4.0	7.1	5.8	7.3	9.1	13.9	12.5	10.8	10.7	98.5	8	2505
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	20.7	17.9	16.7	19.5	22.5	24.3	27.1	27.0	27.7	27.9	23.8	23.8	278.9	8	2414
	13 LST	24.1	19.7	18.1	20.5	23.6	22.6	27.4	27.3	27.9	28.6	24.3	24.2	288.3	8	2444
	19 LST	25.9	21.1	21.0	22.6	27.4	28.0	29.2	30.0	29.4	29.7	25.8	27.0	317.1	8	2498
	01 LST	25.9	20.5	20.4	23.0	26.9	27.0	29.3	30.1	29.4	29.4	26.2	26.0	314.1	8	2500
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	11.8	7.5	5.5	7.1	10.4	14.2	15.8	18.3	19.4	21.6	15.5	15.1	162.2	8	2414
	13 LST	14.3	10.7	7.5	8.8	8.1	11.8	14.2	16.0	19.4	21.9	15.7	16.6	165.0	8	2444
	19 LST	16.8	10.6	10.0	11.1	16.3	18.7	21.1	23.3	22.1	23.6	19.7	17.4	210.7	8	2498
	01 LST	15.4	10.4	8.3	9.8	13.8	17.4	20.8	23.3	22.0	22.6	17.6	15.8	197.2	8	2500
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	9.7	5.8	5.0	5.9	9.8	13.5	15.3	17.8	18.3	19.3	13.9	13.0	147.3	8	2414
	13 LST	12.7	8.8	6.7	7.9	7.8	11.3	14.0	15.7	19.2	21.2	14.5	16.0	155.8	8	2444
	19 LST	15.4	8.9	8.6	10.0	15.8	17.6	20.4	22.8	21.3	22.0	17.2	15.6	195.6	8	2498
	01 LST	12.8	8.4	6.5	8.3	12.5	15.8	20.6	22.1	20.8	20.3	15.8	14.7	178.6	8	2500

HSIA-MEN, CHINA

STA NO. 59134 (IN AREA NUMBER 07)

LATITUDE 2427N LONGITUDE 11804E ELEVATION(FT) 00128

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	82	79	88	90	95	97	99	99	97	91	102	79	102	8	2439
MEAN MAX TMP (F)	61	61	67	74	81	86	90	90	87	81	75	68	77	8	2439
MEAN MIN TMP (F)	48	49	55	62	69	75	78	78	76	68	61	54	64	8	2459
ABS MIN TMP (F)	36	36	43	48	57	63	72	72	66	55	46	43	36	8	2459
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.2	2.2	8.4	21.0	21.2	10.5	0.8	0.1	0.0	64.4	8	2439
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2459
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2459
MEAN DEW PT TMP (F)	42	46	53	61	68	74	76	75	72	61	56	49	61	8	17935
MEAN REL HUM (PCT)	67	75	79	80	83	83	80	79	76	66	65	69	76	8	17735
MEAN PRESS ALT (FT)	-145	-91	-8	84	196	300	321	329	250	47	-45	-93	95	8	18090
MEAN PRECIP (IN)	1.40	2.81	3.63	5.13	6.72	6.99	5.21	6.48	4.24	1.48	1.27	1.32	46.7	49	-181
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	7.2	10.9	12.0	12.1	13.4	13.5	9.6	10.7	7.5	3.6	4.2	5.8	110.5	49	-181
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	0.3	1.1	1.3	1.4	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2475
MEAN NO DYS TSTMS	0.2	1.0	4.3	5.3	6.5	8.8	8.1	9.5	6.4	0.4	0.4	0.3	51.2	8	2480
P FREQ WND SPD = DR GTR 17 KTS	9.7	8.0	8.7	6.7	5.1	2.4	2.2	4.9	7.2	11.6	10.0	10.7	7.3	8	18052
P FREQ WND SPD = DR GTR 28 KTS	0.1	0.0	0.1	0.0	0.2	0.1	0.1	0.5	0.5	0.2	0.1	0.1	0.2	8	18052
P FREQ LES 3000 FT A/O LES 5 MI	28.2	46.9	46.1	41.6	42.5	37.8	22.9	25.9	31.1	16.1	25.4	23.4	32.3	8	18032
P FREQ LES 1900 FT A/O LES 3 MI															
FOR 00-02 LST	6.2	8.0	8.2	5.6	6.5	6.7	2.8	0.7	1.4	0.9	1.6	1.7	4.2	8	2467
03-05 LST	4.8	6.2	8.7	7.7	9.2	8.3	4.0	3.1	1.2	0.9	1.4	2.2	4.8	8	2343
06-08 LST	4.8	12.6	15.2	15.8	14.9	11.9	8.7	5.6	3.5	0.9	1.8	3.5	8.3	8	2450
09-11 LST	3.4	7.4	8.1	9.0	10.3	9.1	6.9	2.3	3.0	0.9	1.3	2.2	5.3	8	2311
12-14 LST	2.3	6.9	8.3	6.2	6.2	8.0	3.7	1.7	2.7	0.4	0.5	1.2	4.0	8	2474
15-17 LST	2.9	8.4	5.4	7.0	8.6	8.4	3.7	2.2	2.0	1.6	0.5	0.5	4.3	8	2308
18-20 LST	5.7	7.8	7.1	6.4	7.1	6.2	3.3	1.5	2.7	1.1	0.5	1.1	4.2	8	2476
21-23 LST	4.2	8.6	4.9	4.0	4.4	6.4	2.3	2.5	1.4	0.8	1.5	1.7	3.6	7	2076
P FREQ LES 300 FT A/O LES 1 MI															
FOR 00-02 LST	1.6	2.2	2.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.6	8	2467
03-05 LST	1.6	2.7	2.5	2.6	2.1	0.0	0.0	0.0	0.0	0.0	0.5	1.4	1.1	8	2343
06-08 LST	0.5	4.7	5.9	2.1	1.0	1.1	0.0	0.0	0.0	0.0	0.4	0.5	1.4	8	2450
09-11 LST	0.0	0.6	1.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.2	8	2311
12-14 LST	0.5	0.0	0.0	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	8	2474
15-17 LST	0.6	1.3	0.5	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	8	2308
18-20 LST	0.5	1.7	0.5	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	8	2476
21-23 LST	0.6	3.3	0.0	0.0	0.0	0.0	0.6	0.5	0.0	0.0	0.0	0.4	0.3	8	2076

HSIA-MEN, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. QBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST	30.2	25.5	27.0	26.7	28.5	28.7	30.5	30.8	29.9	31.0	29.7	30.6	349.1	8	2450
	14 LST	30.5	27.2	29.7	29.1	30.1	29.5	30.8	31.0	29.5	31.0	30.0	31.0	359.4	8	2474
	20 LST	30.1	26.6	29.6	28.9	30.1	29.8	30.8	31.0	29.9	31.0	30.0	30.7	358.5	8	2476
	02 LST	30.0	26.6	29.5	29.4	30.4	29.5	31.0	31.0	30.0	30.9	29.7	30.7	358.7	8	2467
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	08 LST	19.3	17.2	19.9	18.7	21.6	20.9	22.8	25.4	21.9	20.4	20.0	21.9	250.0	8	2446
	14 LST	15.2	12.6	12.3	11.7	13.0	10.7	10.8	12.8	11.5	9.5	12.8	14.6	147.5	8	2468
	20 LST	13.6	12.1	16.8	17.1	19.5	19.3	23.7	24.0	15.4	10.5	12.0	13.7	197.7	8	2471
	02 LST	19.3	17.6	19.9	22.3	23.8	21.6	26.7	27.4	23.8	18.4	20.2	21.5	262.5	8	2465
SFC WND = GTR 17 KTS AND NO PRECIP.	08 LST	1.9	0.7	0.9	1.1	0.3	0.2	0.6	0.6	0.7	0.7	0.7	1.4	9.8	8	2464
	14 LST	2.6	2.4	3.0	2.6	1.6	1.2	0.9	1.4	2.4	4.9	4.3	2.8	30.1	8	2494
	20 LST	4.7	3.2	3.5	2.3	1.5	0.6	0.3	0.8	2.0	4.4	4.4	4.4	32.1	8	2485
	02 LST	1.0	0.5	1.1	0.2	0.2	0.0	0.0	0.3	0.8	1.1	1.7	1.2	8.1	8	2476
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	08 LST	14.2	10.4	8.9	10.9	11.7	14.3	16.1	16.5	13.6	16.8	13.5	14.7	161.6	8	2441
	14 LST	16.9	10.6	14.1	12.5	11.6	9.6	7.0	8.4	11.5	11.8	14.4	15.8	144.2	8	2478
	20 LST	11.1	9.3	11.0	12.6	12.0	12.0	16.1	14.5	11.6	11.7	10.7	12.7	145.3	8	2474
	02 LST	9.8	9.1	8.6	7.5	8.6	9.6	11.9	9.6	13.5	15.3	13.5	12.9	129.9	8	2471
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST	13.1	7.3	6.8	5.1	3.3	2.2	7.1	5.9	6.7	13.8	10.7	11.4	93.4	8	2468
	14 LST	15.3	10.2	8.0	8.6	5.8	4.1	10.2	9.3	8.5	13.9	11.6	15.5	121.1	8	2495
	20 LST	14.5	9.6	8.3	8.6	6.7	3.1	7.6	8.8	8.9	16.5	13.5	16.1	122.2	8	2491
	02 LST	11.9	9.9	6.7	7.8	6.1	5.1	14.0	10.8	9.1	17.8	12.2	14.0	125.4	8	2472
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	08 LST	27.1	21.3	22.3	21.7	21.5	22.7	24.5	25.8	26.6	29.6	27.5	28.1	298.7	8	2450
	14 LST	28.3	23.1	25.3	25.8	26.1	24.2	27.9	28.4	27.7	30.1	28.8	29.4	325.1	8	2474
	20 LST	27.3	23.0	25.1	25.1	25.0	24.0	27.7	28.8	26.6	29.9	28.9	29.3	320.7	8	2476
	02 LST	26.7	22.2	24.0	24.1	24.3	23.9	28.1	28.7	26.9	30.0	27.9	28.9	315.7	8	2467
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	08 LST	18.5	12.4	12.1	13.9	14.2	16.7	20.4	20.0	18.2	23.5	17.4	17.0	204.3	8	2450
	14 LST	23.1	16.0	18.1	19.5	19.0	19.9	25.5	22.9	21.5	21.8	21.0	22.0	250.3	8	2474
	20 LST	20.8	14.0	15.8	16.4	18.0	17.4	25.1	24.6	18.8	24.1	19.4	21.5	235.9	8	2476
	02 LST	18.9	12.9	13.5	14.2	14.2	16.7	25.0	23.1	18.4	23.9	18.1	20.4	219.3	8	2467
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST	17.3	12.1	11.5	12.7	13.6	16.5	20.4	19.2	17.8	22.1	15.3	15.1	193.6	8	2450
	14 LST	21.9	15.4	17.3	18.8	18.5	19.6	25.5	22.9	21.1	20.5	19.4	21.3	242.2	8	2474
	20 LST	19.5	13.0	14.9	15.6	17.6	17.1	25.1	24.6	18.7	22.8	18.4	21.3	228.6	8	2476
	02 LST	18.1	12.0	12.9	13.8	13.8	16.4	24.9	22.7	18.2	23.7	17.2	18.9	212.6	8	2467

PAI-SE/POSEH, CHINA

STA NO. 59211 (IN AREA NUMBER 07)

LATITUDE 2355N

LONGITUDE 10632E

ELEVATION(FT) 00650

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	88	91	99	109	108	106	102	102	100	97	93	88	109	8	2563
MEAN MAX TMP (F)	66	69	77	87	92	92	93	93	91	84	77	70	83	8	2563
MEAN MIN TMP (F)	48	52	60	68	73	76	77	76	72	66	59	52	65	8	2545
ABS MIN TMP (F)	32	36	32	34	57	64	72	72	61	50	41	37	32	8	2545
MEAN NO DYS TMP = DR GTR 90(F)	0.0	1.1	4.3	13.4	21.4	21.8	26.8	25.9	21.7	6.0	1.7	0.0	144.1	8	2563
MEAN NO DYS TMP = DR LES 32(F)	0.6	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	8	2545
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2545
MEAN DEW PT TMP (F)	44	50	57	63	69	73	76	75	72	64	59	51	63	8	18161
MEAN REL HUM (PCT)	70	72	72	68	69	75	79	81	79	76	77	76	75	8	18038
MEAN PRESS ALT (FT)	403	496	626	743	844	914	939	879	776	574	508	458	682	8	18301
MEAN PRECIP (IN)	0.10	0.66	1.83	2.35	6.25	8.21	11.72	7.98	2.55	4.08	2.47	0.52	48.7	8	-181
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	1.6	4.2	7.0	8.4	13.9	13.7	15.3	13.5	8.6		8.4	3.6		8	-29
MEAN NO DYS SNFL = DR GT 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	0.9	0.2	0.0	0.0	0.0	0.0	0.3	0.3	0.0	0.3	0.5	1.1	3.6	8	2438
MEAN NO DYS TSTMS	0.3	1.1	4.8	6.9	10.2	12.1	17.5	16.5	7.3	1.4	0.9	0.1	79.1	8	2492
P FREQ WND SPD = DR GTR 17 KTS	0.1	0.0	0.1	0.0	0.0	0.0	0.1	0.2	0.1	0.1	0.1	0.1	0.1	8	18374
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	18374
P FREQ LES 5000 FT A/D LES 5 MI	31.9	36.5	38.8	29.5	33.8	36.4	46.2	33.2	23.9	21.7	33.0	32.6	33.1	8	17842
P FREQ LES 1900 FT A/D LES 3 MI															
FOR 00-02 LST	2.2	3.7	7.0	1.6	0.5	1.8	2.9	1.5	0.7	0.8	3.1	4.4	2.5	8	2456
03-05 LST	6.3	6.0	9.7	2.5	2.9	3.0	4.5	3.6	1.2	3.8	5.3	5.8	4.6	8	2270
06-08 LST	10.6	6.5	10.3	2.9	5.5	7.9	5.5	4.3	4.6	5.8	5.7	13.6	6.9	8	2473
09-11 LST	7.0	5.3	5.8	1.7	2.7	3.2	3.7	2.6	2.9	1.8	6.0	8.2	4.2	8	2261
12-14 LST	3.2	4.7	2.7	1.0	1.3	0.8	1.1	1.2	1.8	0.6	3.3	3.3	2.1	8	2541
15-17 LST	0.9	1.8	1.1	0.6	1.1	2.7	1.7	0.3	0.7	1.1	1.1	3.1	1.4	8	2219
18-20 LST	1.1	3.7	3.0	0.8	1.5	1.8	2.0	0.5	0.7	1.1	1.1	2.6	1.7	8	2470
21-23 LST	3.0	4.3	5.9	1.0	1.4	2.1	0.6	1.7	1.1	1.0	2.7	1.4	2.2	7	2107
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.3	0.0	0.0	0.5	0.0	0.5	0.0	0.0	0.4	0.0	0.2	8	2456
03-05 LST	0.0	0.7	0.0	0.0	0.0	0.0	1.7	0.5	0.0	0.0	1.0	0.0	0.3	8	2270
06-08 LST	2.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	1.7	2.2	3.4	1.0	8	2473
09-11 LST	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.1	8	2261
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2541
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.1	8	2219
18-20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	8	2470
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.6	0.0	0.6	0.0	0.5	0.0	0.0	0.1	7	2107

PAI-SE/POSEH, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	28.9	27.2	29.5	29.7	30.1	29.0	30.3	30.5	29.0	29.9	28.9	27.9	350.9	8	2473
	13 LST	30.9	27.1	30.7	29.8	30.7	30.0	31.0	30.9	29.7	30.9	29.5	30.6	361.8	8	2541
	19 LST	31.0	27.7	30.7	29.8	30.7	29.9	30.7	31.0	30.0	30.9	29.9	30.7	363.0	8	2470
	01 LST	30.8	27.3	29.7	29.8	31.0	29.7	30.7	30.7	29.9	30.9	29.6	30.3	360.4	8	2456
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	26.5	25.2	26.3	26.4	28.4	26.4	28.3	28.7	28.2	28.2	27.7	25.8	328.2	8	2470
	13 LST	28.5	25.4	28.5	27.0	27.9	29.1	29.5	29.8	28.1	30.2	28.2	28.9	341.1	8	2539
	19 LST	30.2	25.3	26.5	25.0	27.6	28.1	29.2	30.3	29.2	30.2	29.1	29.3	340.0	8	2470
	01 LST	29.5	26.5	27.3	28.9	29.9	29.1	29.6	30.2	29.5	30.5	28.6	28.8	348.4	8	2455
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.2	8	2499
	13 LST	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.2	8	2554
	19 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.1	8	2563
	01 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2567
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	2.4	2.8	3.1	4.8	5.8	2.6	1.9	0.8	1.2	1.8	0.8	1.2	29.2	8	2495
	13 LST	12.7	12.9	14.8	11.5	7.0	2.8	1.9	1.5	3.1	10.8	11.2	10.6	100.8	8	2543
	19 LST	8.9	9.4	14.9	14.4	7.2	3.6	3.7	3.6	2.2	5.6	7.2	6.2	86.9	8	2552
	01 LST	2.6	4.3	6.8	7.9	7.3	2.8	2.1	1.4	1.7	1.8	2.5	2.3	43.5	8	2560
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	4.5	4.0	5.0	4.8	4.6	2.5	2.3	4.0	7.8	5.6	5.3	5.7	56.1	8	2504
	13 LST	7.7	6.4	8.1	9.2	4.5	2.8	1.3	3.3	4.1	7.8	8.9	11.2	79.3	8	2556
	19 LST	11.8	7.5	10.5	9.6	6.1	2.5	2.8	5.4	11.7	13.2	13.1	14.2	108.4	8	2511
	01 LST	9.9	7.6	7.9	8.6	5.8	5.4	8.4	10.1	11.6	9.0	8.9	10.3	103.5	8	2511
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	25.6	24.2	24.7	27.2	27.6	25.5	26.9	27.5	27.3	28.0	26.2	24.5	315.2	8	2473
	13 LST	28.6	24.8	28.4	28.5	28.3	26.4	26.7	27.4	27.4	29.4	26.9	28.3	331.1	8	2541
	19 LST	29.6	25.4	28.3	29.0	29.7	28.3	28.5	29.8	29.0	30.2	28.5	29.1	345.4	8	2470
	01 LST	29.0	25.0	26.6	28.1	29.7	27.8	28.2	29.5	28.7	30.2	27.0	27.9	337.7	8	2456
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	11.8	9.5	11.1	13.1	15.6	15.2	14.2	16.3	19.1	18.0	13.5	11.9	169.3	8	2473
	13 LST	19.3	14.9	18.2	20.3	17.9	15.9	13.1	16.7	19.3	20.7	18.7	19.6	214.6	8	2541
	19 LST	19.0	13.2	16.9	18.1	19.2	17.3	16.0	20.7	22.0	21.6	18.7	19.6	222.3	8	2470
	01 LST	15.1	11.9	13.5	14.9	14.6	14.2	15.3	18.8	21.1	19.3	16.6	16.8	192.1	8	2456
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	9.2	7.4	9.0	12.1	14.2	13.2	12.9	15.6	18.5	15.9	10.7	10.6	149.3	8	2473
	13 LST	16.6	13.1	16.6	18.6	16.8	14.8	12.9	16.3	18.8	19.1	17.1	18.0	198.7	8	2541
	19 LST	16.9	11.4	15.5	16.3	17.7	16.4	15.6	19.8	21.2	19.7	17.1	18.0	205.6	8	2470
	01 LST	13.1	10.0	11.9	13.1	13.2	12.5	15.2	18.3	19.8	16.9	14.2	15.7	173.9	8	2456

SHAN-TOU/SWATOW, CHINA

STA NO. 59316 (IN AREA NUMBER 07)

LATITUDE 2321N

LONGITUDE 11640E

ELEVATION(FT) 00016

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	82	79	88	90	93	97	97	100	99	91	88	77	100	8	2534
MEAN MAX TMP (F)	62	63	68	75	82	86	88	89	86	80	74	67	77	8	2534
MEAN MIN TMP (F)	48	51	57	65	72	77	78	78	75	67	61	54	65	8	2541
ABS MIN TMP (F)	34	36	46	48	57	64	73	72	66	52	41	41	34	8	2541
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.2	2.4	8.5	13.0	15.1	6.6	0.4	0.0	0.0	46.2	8	2534
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2541
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2541
MEAN DEW PT TMP (F)	45	50	57	63	71	76	77	77	74	65	59	52	64	8	18623
MEAN REL HUM (PCT)	72	80	83	83	85	86	84	83	83	75	78	77	81	8	18445
MEAN PRESS ALT (FT)	-223	-171	-90	-11	104	205	220	227	153	-37	-127	-177	6	8	18724
MEAN PRECIP (IN)	1.39	2.43	3.52	5.88	8.54	9.79	8.61	8.78	5.31	2.43	1.57	1.40	59.6	61	-181
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	5.0	7.9	9.4	9.9	11.8	14.1	11.9	11.4	8.2	3.5	3.3	4.5	100.9	61	-181
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	0.8	1.6	2.1	2.1	0.5	0.2	0.2	0.1	0.0	0.0	0.3	1.1	9.0	8	2523
MEAN NO DYS TSMS	0.0	0.7	3.4	3.4	8.6	10.5	10.9	10.9	6.6	0.4	0.1	0.0	55.5	8	2526
P FREQ WND SPD = DR GTR 17 KTS	1.6	1.5	1.9	1.1	0.6	1.2	1.0	0.7	1.7	1.0	0.4	1.1	1.2	8	18753
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.1	0.0	0.1	0.0	0.0	0.0	8	18753
P FREQ LES 5000 FT A/D LES 5 MI	34.1	50.7	58.0	51.7	52.9	52.0	33.3	34.5	40.0	20.2	28.6	28.4	40.4	8	18610
P FREQ LES 1900 FT A/D LES 3 MI															
FOR 00-02 LST	6.8	12.6	14.0	16.9	13.6	9.0	5.0	2.8	2.7	0.9	3.4	5.1	7.7	8	2547
03-05 LST	7.8	15.9	17.5	19.6	15.9	7.6	4.2	3.2	3.6	1.6	4.9	7.2	9.1	8	2386
06-08 LST	14.9	23.7	29.4	26.6	19.6	11.4	6.6	3.1	8.0	2.5	4.6	11.7	13.5	8	2503
09-11 LST	6.4	12.8	11.8	13.4	10.9	7.7	5.1	3.1	5.5	0.9	0.8	4.4	6.9	8	2305
12-14 LST	4.3	9.3	11.7	9.0	8.2	7.3	3.8	1.2	3.2	0.6	2.9	5.8	5.6	8	2552
15-17 LST	5.0	10.2	10.5	10.0	6.4	5.5	2.5	2.6	2.2	2.2	1.8	1.2	5.0	8	2342
18-20 LST	4.3	10.1	12.8	12.2	11.4	5.7	3.3	1.6	2.5	1.3	2.2	2.4	5.8	8	2539
21-23 LST	4.8	10.3	11.5	11.4	11.5	6.9	3.0	1.3	1.9	0.8	1.4	4.6	5.8	7	2117
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	1.5	2.1	3.4	4.1	0.5	0.0	0.5	0.0	0.0	0.0	0.4	1.7	1.2	8	2547
03-05 LST	1.6	2.8	6.1	6.4	0.5	0.5	0.0	0.5	0.5	0.4	1.4	1.9	1.9	8	2386
06-08 LST	4.5	5.9	6.9	3.6	1.5	0.0	0.0	0.0	0.9	0.4	0.4	3.0	2.3	8	2503
09-11 LST	0.0	3.3	0.0	0.0	1.1	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.4	8	2305
12-14 LST	0.0	0.0	0.0	0.5	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.2	8	2552
15-17 LST	0.5	1.1	0.5	1.1	0.0	0.5	0.0	0.0	0.0	0.0	1.0	0.5	0.4	8	2342
18-20 LST	0.0	0.0	0.0	1.0	0.5	1.0	0.0	0.5	0.0	0.0	0.0	0.4	0.3	8	2539
21-23 LST	0.0	2.6	1.2	2.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.6	7	2117

SHAN-TOU/SWATOW, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. DBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST	27.4	23.3	23.7	23.5	27.7	28.3	30.7	30.6	28.6	30.5	29.0	27.9	331.2	8	2503
	14 LST	30.2	27.1	29.4	28.7	29.9	29.2	30.5	30.7	29.9	31.0	29.3	30.2	356.1	8	2552
	20 LST	30.4	27.1	29.2	27.7	29.5	29.4	30.7	30.9	29.9	30.9	29.7	30.5	355.9	8	2539
	02 LST	29.9	26.7	28.8	26.8	29.7	29.1	30.5	30.7	29.7	31.0	29.7	30.2	352.8	8	2547
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	08 LST	21.1	17.1	15.3	16.8	19.8	22.2	25.6	27.2	23.3	27.4	24.7	23.0	263.5	8	2501
	14 LST	21.0	16.8	18.5	20.2	20.6	19.4	22.9	24.9	18.9	21.2	20.5	21.4	246.3	8	2549
	20 LST	20.9	16.8	19.3	20.1	21.1	22.5	25.4	25.8	22.4	20.4	20.9	22.4	258.0	8	2536
	02 LST	19.4	15.9	18.3	18.3	21.6	22.3	27.2	27.7	24.6	26.9	23.0	21.8	267.0	8	2542
SFC WND = GTR 17 KTS AND NO PRECIP.	08 LST	0.3	0.2	0.3	0.3	0.2	0.0	0.2	0.0	0.0	0.0	0.1	0.0	1.6	8	2517
	14 LST	0.3	0.3	0.6	0.1	0.2	0.0	0.2	0.1	0.3	0.3	0.0	0.5	2.9	8	2565
	20 LST	0.6	0.5	0.6	0.5	0.3	0.2	0.0	0.0	0.1	0.4	0.3	0.8	4.3	8	2549
	02 LST	0.9	0.1	0.9	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.1	2.1	8	2555
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	08 LST	17.4	13.5	10.7	11.6	12.1	14.0	12.2	11.8	14.7	22.0	16.9	18.1	175.0	8	2509
	14 LST	22.1	19.7	20.2	20.5	20.3	14.3	15.7	12.1	16.1	23.7	20.7	23.3	228.7	8	2558
	20 LST	16.3	15.4	16.3	17.1	18.7	17.6	21.7	16.7	16.6	19.4	15.3	15.0	206.1	8	2543
	02 LST	15.4	11.4	9.4	9.5	12.0	11.5	9.4	10.1	11.8	16.3	16.0	16.8	190.0	8	2547
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST	11.6	6.6	4.7	5.7	2.6	1.7	4.9	4.5	8.1	14.0	12.4	11.4	88.2	8	2522
	14 LST	14.8	10.9	6.3	7.2	5.9	3.2	7.9	7.8	9.5	18.7	14.6	15.2	122.0	8	2570
	20 LST	15.9	11.0	6.7	9.4	6.6	3.0	9.1	8.7	8.3	15.8	15.0	14.2	123.7	8	2550
	02 LST	11.8	8.8	7.6	6.9	6.9	4.9	9.7	9.7	8.6	16.0	12.9	13.3	117.1	8	2553
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	08 LST	24.4	17.8	17.8	18.7	19.6	20.9	24.4	26.2	24.0	29.3	27.3	25.6	276.0	8	2503
	14 LST	27.9	22.3	22.8	23.9	24.8	22.6	26.5	26.9	26.0	29.7	28.0	27.7	309.1	8	2552
	20 LST	27.9	21.9	22.6	23.1	23.1	23.7	26.8	26.9	26.3	29.7	28.0	29.0	309.0	8	2539
	02 LST	26.1	20.1	21.7	21.1	21.4	22.1	26.4	27.2	26.0	29.4	26.7	27.2	295.4	8	2547
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	08 LST	16.7	10.8	7.6	10.1	10.1	12.2	17.5	20.0	15.8	21.9	17.3	16.4	176.4	8	2503
	14 LST	20.7	15.2	12.1	14.5	17.5	14.4	21.1	20.1	19.1	24.7	21.5	21.8	222.7	8	2552
	20 LST	20.4	15.9	13.2	15.0	15.0	15.8	21.4	21.1	16.5	21.9	19.8	20.1	214.1	8	2539
	02 LST	15.9	11.2	11.5	11.2	13.8	13.7	20.7	20.2	16.6	21.3	17.6	18.4	192.1	8	2547
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST	15.3	10.2	6.8	9.1	9.9	12.0	17.2	19.8	15.3	21.0	16.8	15.6	169.0	8	2503
	14 LST	18.9	14.0	11.4	13.7	17.2	14.2	20.8	20.1	18.9	24.2	20.7	20.5	214.6	8	2552
	20 LST	18.5	13.2	12.9	14.2	14.4	15.7	21.4	20.9	16.2	21.1	19.0	19.3	206.8	8	2539
	02 LST	14.7	10.3	10.9	10.3	12.9	13.7	20.3	20.1	16.3	20.5	16.5	16.3	182.8	8	2547

TUNG-SHAN/TONSHI, CHINA

STA NO. 59321 (IN AREA NUMBER 07)

LATITUDE 2348N

LONGITUDE 11733E

ELEVATION(FT) 00249

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	81	75	81	84	88	93	91	95	93	90	82	73	95	6	1746
MEAN MAX TMP (F)	59	59	64	72	78	83	86	86	84	78	71	64	74	6	1746
MEAN MIN TMP (F)	53	52	56	63	70	76	78	77	76	71	64	58	66	6	1730
ABS MIN TMP (F)	43	41	46	50	57	66	73	70	68	59	50	46	41	6	1730
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	0.0	1.9	4.5	6.5	1.8	0.2	0.0	0.0	14.9	6	1746
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	1730
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	1730
MEAN DEW PT TMP (F)	47	49	55	61	69	75	76	75	73	63	58	52	63	6	11978
MEAN REL HUM (PCT)	75	79	84	82	86	87	85	85	81	69	72	74	80	6	11803
MEAN PRESS ALT (FT)	-104	-33	19	101	206	340	361	390	273	84	-4	-51	132	6	12129
MEAN PRECIP (IN)														0	0
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN														0	0
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	2.4	2.8	5.6	5.3	2.4	0.9	0.0	0.8	0.2	0.0	0.0	0.0	20.4	6	1701
MEAN NO DYS TSMS	0.4	0.7	4.3	4.4	7.0	5.0	7.6	6.8	4.3	0.5	0.0	0.0	41.0	6	1699
P FREQ WND SPD = DR GTR 17 KTS	56.9	54.8	42.8	32.1	30.1	18.3	8.3	13.6	31.3	65.0	63.6	61.6	39.9	6	12170
P FREQ WND SPD = DR GTR 28 KTS	12.4	8.5	11.6	6.3	3.2	0.3	0.3	1.7	4.0	9.6	7.9	8.5	6.2	6	12170
P FREQ LES 5000 FT A/D LES 5 MI	29.2	38.0	46.7	42.2	44.5	30.5	16.3	20.5	25.8	13.8	15.7	23.3	28.9	6	12097
P FREQ LES 1900 FT A/D LES 3 MI															
FOR 00-02 LST	7.4	11.9	15.4	22.8	21.1	16.7	6.7	6.3	4.7	2.3	1.1	1.8	9.9	6	1730
03-05 LST	5.8	16.6	21.0	16.0	20.6	14.0	7.0	9.7	4.9	1.5	0.9	1.6	10.0	6	1600
06-08 LST	8.2	13.4	24.3	23.2	19.5	16.5	8.8	5.5	9.1	2.0	1.4	4.8	11.4	6	1712
09-11 LST	5.9	10.0	17.3	11.0	11.1	13.6	4.1	3.5	3.8	1.3	0.0	3.4	7.1	6	1526
12-14 LST	5.1	7.5	15.1	8.5	14.0	9.2	2.7	3.2	4.0	1.2	0.4	2.5	6.1	6	1734
15-17 LST	5.5	9.2	9.3	11.9	12.1	11.9	4.2	3.6	2.7	1.2	0.5	1.3	6.1	6	1496
18-20 LST	8.1	10.7	17.3	9.5	14.7	10.5	3.0	2.4	5.5	2.0	2.8	2.8	7.4	6	1733
21-23 LST	5.8	11.8	19.6	13.6	18.3	12.2	2.5	2.3	4.3	2.9	1.4	4.3	8.3	5	1367
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	4.2	5.5	8.8	12.6	4.4	2.9	0.0	1.3	0.6	0.0	0.0	0.0	3.4	6	1730
03-05 LST	1.5	7.6	12.2	10.6	6.9	2.3	0.0	3.5	1.4	0.0	0.0	0.8	3.9	6	1600
06-08 LST	0.0	7.3	14.7	11.8	5.7	0.8	0.7	0.7	0.6	0.0	0.7	0.7	3.6	6	1712
09-11 LST	1.8	4.9	6.0	3.2	0.7	0.9	0.0	0.0	0.0	0.0	0.0	0.0	1.5	6	1526
12-14 LST	2.0	2.3	3.3	2.1	2.1	0.0	0.9	0.7	0.0	0.0	0.0	0.7	1.1	6	1734
15-17 LST	2.7	4.0	2.2	5.1	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	6	1496
18-20 LST	3.5	3.1	5.6	4.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.7	1.5	6	1733
21-23 LST	3.5	6.4	8.7	7.0	0.8	1.7	0.0	0.0	0.0	0.0	0.0	1.0	2.4	5	1367

TUNG-SHAN/TONSHI, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST	29.7	24.8	24.5	23.6	26.6	26.7	29.8	30.1	28.5	30.8	29.8	29.9	334.8	6	1712
	14 LST	29.7	26.7	27.1	27.7	28.8	28.8	30.5	30.6	29.6	30.8	30.0	30.3	350.6	6	1734
	20 LST	29.1	25.6	26.9	27.7	28.3	28.4	31.0	30.8	29.5	30.6	29.6	30.3	347.8	6	1733
	02 LST	29.0	26.0	26.9	24.4	25.8	27.8	30.8	30.4	29.6	30.8	30.0	30.3	342.0	6	1730
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	08 LST	5.9	5.9	8.7	9.5	10.6	12.5	18.5	18.3	12.1	3.4	3.6	5.5	114.5	6	1709
	14 LST	4.0	4.4	5.2	7.2	6.8	5.9	9.8	9.0	6.6	2.5	3.0	2.3	66.7	6	1728
	20 LST	5.8	3.5	8.0	10.9	10.3	11.5	16.8	15.7	10.8	3.8	4.8	3.7	105.6	6	1731
	02 LST	5.2	4.4	8.4	8.0	10.5	11.1	19.6	17.4	11.7	3.5	3.8	4.1	107.7	6	1725
SFC WND = GTR 17 KTS AND NO PRECIP.	08 LST	13.0	9.6	8.6	7.6	5.3	2.4	0.7	1.3	4.8	16.1	17.9	12.9	100.2	6	1727
	14 LST	15.4	10.9	10.3	8.9	8.1	6.2	4.6	5.9	8.3	19.3	19.4	18.7	136.0	6	1741
	20 LST	16.7	12.9	8.8	6.7	4.7	4.3	0.4	2.9	7.7	21.1	18.1	19.7	124.0	6	1747
	02 LST	13.6	11.2	9.7	5.4	3.4	3.5	0.0	1.8	6.7	18.5	18.0	17.4	109.2	6	1744
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	08 LST	5.7	6.3	9.8	10.7	10.6	13.0	14.5	14.0	11.4	4.7	4.1	5.9	110.7	6	1717
	14 LST	6.1	5.0	8.4	9.3	9.5	7.2	11.2	9.0	7.7	3.7	3.9	3.0	84.0	6	1727
	20 LST	4.5	3.3	8.0	10.7	10.4	10.1	19.0	13.7	11.0	3.6	3.7	3.9	101.9	6	1743
	02 LST	4.5	5.3	8.6	10.1	10.8	13.1	16.8	14.9	9.7	3.7	3.8	4.5	105.8	6	1737
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST	8.1	6.0	4.1	4.6	3.1	3.0	7.8	6.7	6.6	14.7	13.1	12.0	89.8	6	1727
	14 LST	12.0	9.2	5.9	7.7	6.1	4.8	10.8	8.0	10.5	17.5	16.2	15.4	124.1	6	1748
	20 LST	9.6	8.4	5.4	8.2	4.9	4.3	8.9	8.2	9.6	16.6	15.3	15.4	114.8	6	1746
	02 LST	8.6	7.4	5.4	6.5	4.3	6.3	13.1	9.4	9.6	16.7	15.6	12.1	119.0	6	1751
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	08 LST	26.6	23.3	21.9	21.8	22.2	22.0	26.1	27.4	24.9	29.7	28.9	28.5	303.3	6	1712
	14 LST	28.5	24.5	25.2	26.6	24.2	25.4	29.5	28.9	27.5	30.1	29.3	29.8	329.5	6	1734
	20 LST	27.4	23.6	24.2	25.9	23.8	24.8	28.5	28.8	26.5	29.3	28.3	29.7	320.8	6	1733
	02 LST	27.4	22.1	24.2	20.9	21.7	21.5	26.2	26.2	26.2	29.4	29.1	29.8	304.7	6	1730
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	08 LST	16.7	10.6	10.0	11.5	13.1	16.2	22.9	22.5	16.9	23.6	20.5	17.7	202.2	6	1712
	14 LST	20.9	16.8	14.5	17.7	18.8	22.3	28.2	26.3	22.2	25.5	24.3	23.0	260.5	6	1734
	20 LST	17.7	14.3	13.2	15.5	18.9	21.3	26.8	25.6	21.4	25.1	23.4	21.4	244.6	6	1733
	02 LST	14.6	11.8	10.9	10.0	11.4	16.7	22.6	21.9	18.7	23.3	21.3	19.2	202.4	6	1730
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST	16.3	10.4	10.0	11.5	12.8	16.2	22.9	22.1	16.5	23.3	20.1	17.5	199.6	6	1712
	14 LST	20.7	16.6	13.8	17.0	18.6	22.3	28.2	25.9	22.0	25.1	23.5	22.7	256.4	6	1734
	20 LST	16.6	14.1	13.0	15.0	18.4	21.3	26.8	25.6	21.4	24.8	23.2	20.7	240.9	6	1733
	02 LST	14.0	11.4	10.9	10.0	11.4	16.5	22.6	21.5	18.7	22.9	21.3	17.9	199.1	6	1730

LUNG-CHING/LUNGC, CHINA

STA NO. 59417 (IN AREA NUMBER 07)

LATITUDE 2222N

LONGITUDE 10645E

ELEVATION(FT) 00423

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PQR (YRS)	NO. OBS
ABS MAX TMP (F)	86	91	97	99	106	102	100	100	99	97	95	86	106	8	2541
MEAN MAX TMP (F)	66	68	75	83	91	91	92	92	90	85	78	71	82	8	2541
MEAN MIN TMP (F)	50	53	62	68	73	76	76	76	73	66	60	53	66	8	2528
ABS MIN TMP (F)	30	37	41	48	61	68	68	70	63	48	39	36	30	8	2528
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.5	1.9	6.4	21.3	21.8	24.0	25.9	20.5	7.2	0.8	0.0	130.3	8	2541
MEAN NO DYS TMP = OR LES 32(F)	0.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2528
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2528
MEAN DEW PT TMP (F)	46	51	60	67	72	75	76	76	73	65	60	52	64	8	18238
MEAN REL HUM (PCT)	72	76	80	78	76	80	84	83	82	77	79	77	79	8	18009
MEAN PRESS ALT (FT)	198	273	391	494	606	691	707	679	576	375	297	250	461	8	18385
MEAN PRECIP (IN)	0.86	1.50	2.00	3.17	7.31	8.71	9.30	9.64	5.68	2.52	1.36	1.15	53.2	47	-181
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN	5.3	8.0	8.0	9.4	11.8	13.4	14.9	14.3	10.1	5.8	5.1	4.6	110.7	47	-181
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	2.3	0.6	0.5	0.7	0.0	0.2	0.2	1.5	0.2	0.7	1.3	2.7	10.9	8	1521
MEAN NO DYS TSTMS	0.5	1.0	2.3	6.1	12.0	15.7	20.0	18.8	9.2	1.3	0.1	0.0	87.0	8	2493
P FREQ WND SPD = OR GTR 17 KTS	0.0	0.2	0.0	0.0	0.0	0.1	0.0	0.1	0.1	0.0	0.1	0.0	0.1	8	18458
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	18458
P FREQ LES 3000 FT A/D LES 3 MI	41.8	53.0	67.6	57.6	42.5	39.2	42.0	39.7	53.7	27.5	40.6	40.3	43.8	8	14576
P FREQ LES 1900 FT A/D LES 3 MI															
FOR 00-02 LST	2.1	3.4	5.7	3.5	0.4	2.8	2.4	1.6	1.4	1.6	2.8	4.0	2.6	8	1583
03-05 LST	4.5	4.1	5.7	2.6	0.8	3.0	3.1	8.0	2.4	2.4	3.7	8.1	4.0	8	1391
06-08 LST	13.6	15.7	14.5	9.8	4.3	8.7	15.5	17.3	15.2	9.7	11.3	16.8	12.7	8	2453
09-11 LST	8.5	8.6	10.3	3.2	1.4	2.7	0.6	1.9	2.1	1.9	4.6	6.5	4.4	8	2261
12-14 LST	6.7	10.3	7.1	2.3	1.5	0.8	1.4	1.0	0.9	1.7	3.8	4.5	3.5	8	2510
15-17 LST	4.6	5.2	6.4	0.6	0.3	0.8	0.6	1.6	0.8	0.5	1.1	4.4	2.2	8	2245
18-20 LST	1.7	4.5	4.9	2.1	1.7	0.5	0.6	0.8	0.6	0.4	2.7	2.3	1.9	8	1981
21-23 LST	2.4	4.0	3.7	1.5	0.0	0.5	0.9	0.4	0.0	0.4	2.6	0.4	1.4	7	1345
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.8	0.9	0.0	0.0	0.0	0.8	0.8	0.0	0.0	0.6	0.0	0.0	0.3	8	1583
03-05 LST	3.0	2.3	1.0	0.0	0.8	0.0	0.9	4.2	0.8	1.4	0.8	3.8	1.6	8	1391
06-08 LST	3.9	2.2	2.0	1.6	0.0	0.0	0.5	5.1	3.3	3.7	4.3	7.3	2.8	8	2453
09-11 LST	1.2	0.6	0.0	0.6	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.5	0.3	8	2261
12-14 LST	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.1	8	2510
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2245
18-20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	1981
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	1345

LUNG-CHING/LUNGC, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	28.6	26.3	29.0	29.0	30.7	28.5	28.1	27.7	26.9	29.1	27.9	27.4	339.2	8	2453
	13 LST	30.5	27.1	30.8	29.9	31.0	30.0	31.0	31.0	29.9	30.9	29.9	30.6	362.6	8	2510
	19 LST	31.0	27.8	30.8	29.8	30.7	29.8	31.0	31.0	30.0	31.0	30.0	31.0	363.9	8	1981
	01 LST	30.5	27.5	30.7	29.7	31.0	29.8	30.8	30.8	29.8	30.6	29.8	30.6	361.6	8	1583
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	25.0	21.0	23.9	24.9	28.7	26.2	24.4	23.6	23.8	27.0	25.3	24.3	298.1	8	2452
	13 LST	26.9	22.5	26.8	28.3	28.9	29.2	29.5	29.7	29.2	29.8	27.7	28.6	337.1	8	2506
	19 LST	29.7	24.6	28.0	28.8	30.0	29.5	30.7	30.4	29.7	30.5	28.0	29.7	349.6	8	1980
	01 LST	30.0	26.4	27.8	28.0	30.8	28.6	29.8	30.3	29.4	30.2	28.6	28.8	348.7	8	1583
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2506
	13 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.1	8	2537
	19 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2552
	01 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2549
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	3.8	3.6	3.0	2.0	1.2	0.7	0.0	0.8	0.3	0.8	2.1	2.7	21.0	8	2485
	13 LST	11.5	11.5	10.9	9.1	4.3	2.4	1.1	1.6	3.7	9.8	10.4	10.8	87.1	8	2521
	19 LST	6.6	6.0	5.8	6.3	6.9	1.9	2.6	2.5	1.3	1.9	2.3	4.6	48.7	8	2536
	01 LST	4.3	4.3	4.6	2.1	1.7	1.2	1.5	1.2	0.5	0.9	2.2	1.9	26.4	8	2536
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	3.9	2.2	0.7	2.0	3.8	2.5	2.4	2.4	5.2	7.7	6.4	4.4	43.6	8	2496
	13 LST	6.8	4.4	3.5	3.3	2.7	0.5	0.5	1.4	4.5	7.3	8.3	8.3	51.5	8	2543
	19 LST	13.3	9.9	7.6	6.7	8.3	3.1	2.6	4.8	11.5	13.7	14.3	15.5	111.3	8	2074
	01 LST	9.8	6.0	4.2	6.3	10.2	5.2	9.5	10.3	13.4	11.3	10.4	11.1	107.7	8	1656
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	23.2	18.1	19.5	22.3	26.6	24.8	23.1	22.4	22.8	26.1	24.1	22.2	275.3	8	2453
	13 LST	25.5	20.9	22.7	25.5	28.6	28.7	29.2	29.3	27.9	29.0	26.0	27.1	320.4	8	2510
	19 LST	29.1	24.2	24.5	26.6	29.7	29.2	30.2	29.9	29.2	30.3	27.7	28.6	339.2	8	1981
	01 LST	28.1	23.2	24.0	25.8	30.3	27.9	29.6	29.4	28.6	30.1	27.6	27.9	332.5	8	1583
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	7.7	5.6	3.6	8.1	11.7	14.1	12.3	13.9	14.2	18.7	13.7	10.3	133.9	8	2453
	13 LST	12.8	10.2	8.0	9.3	12.2	14.5	13.5	15.7	14.5	17.2	14.8	15.8	158.5	8	2510
	19 LST	19.5	13.3	9.7	12.1	21.9	18.0	18.6	21.0	21.8	22.6	20.3	20.0	218.8	8	1981
	01 LST	13.6	9.8	8.2	10.6	16.8	13.7	20.3	21.3	21.7	20.7	18.5	17.2	194.4	8	1583
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	6.7	5.0	3.0	7.0	10.9	13.9	12.1	13.4	13.2	16.9	12.0	8.6	122.7	8	2453
	13 LST	12.2	9.0	7.6	8.8	12.1	14.2	13.3	15.6	14.2	16.3	13.9	14.8	152.0	8	2510
	19 LST	18.2	12.0	9.2	11.2	20.7	17.1	18.6	20.7	21.4	21.0	19.0	19.8	208.9	8	1981
	01 LST	12.6	8.5	7.7	9.8	16.8	14.3	20.3	21.1	21.7	20.3	18.1	15.9	187.1	8	1583

NANNING/YUNGNIN, CHINA

STA NO. 59431 (IN AREA NUMBER 07)

LATITUDE 2251N

LONGITUDE 10819E

ELEVATION(FT) 00246

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	84	90	95	97	100	100	100	102	100	97	90	84	102	8	2529
MEAN MAX TMP (F)	63	65	72	80	88	90	91	92	90	84	76	69	80	8	2529
MEAN MIN TMP (F)	49	52	60	67	72	76	77	77	74	67	61	53	65	8	2541
ABS MIN TMP (F)	34	36	43	50	59	70	72	70	66	55	43	41	34	8	2541
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.3	1.7	4.7	17.3	18.8	23.2	24.8	18.9	6.2	0.1	0.0	116.0	8	2529
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2541
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2541
MEAN DEW PT TMP (F)	42	49	58	65	71	74	76	75	71	62	56	49	62	8	18774
MEAN REL HUM (PCT)	67	75	82	80	78	80	83	81	75	68	72	71	76	8	18556
MEAN PRESS ALT (FT)	-5	73	191	288	400	497	504	481	388	180	96	46	261	8	18825
MEAN PRECIP (IN)	1.24	2.17	1.88	3.12	6.58	8.43	8.54	8.87	4.29	4.15	1.45	1.92	52.0	30	-181
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	6.1	9.2	7.2	10.1	14.1	13.9	14.0	14.2			4.9	6.3		30	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-29
MEAN NO DYS W/OCLR VSBY LES 1/2 MI	0.6	0.3	1.0	0.3	0.0	0.0	0.2	0.3	0.0	0.3	0.3	0.8	4.1	8	2551
MEAN NO DYS YSTMS	0.2	1.9	4.0	7.1	14.9	16.8	21.2	18.1	9.5	1.2	0.3	0.1	95.3	8	2548
P FREQ WND SPD = DR GTR 17 KTS	0.0	0.2	0.1	0.4	0.1	0.2	0.2	0.5	0.2	0.4	0.1	0.0	0.2	8	18929
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	8	18929
P FREQ LES 5000 FT A/D LES 5 MI	44.4	56.6	68.2	57.2	48.9	50.5	54.3	45.7	36.1	23.1	37.2	40.9	46.9	8	18718
P FREQ LES 1900 FT A/D LES 3 MI															
FOR 00-02 LST	11.0	20.6	21.6	13.0	3.0	2.3	4.1	2.6	1.5	2.2	4.6	7.6	7.8	8	2531
03-05 LST	15.9	20.3	22.0	13.4	3.7	3.3	2.5	2.9	2.4	3.0	4.7	0.2	8.5	8	2391
06-08 LST	20.3	29.0	40.2	23.0	8.1	6.5	5.9	4.3	3.9	4.4	9.5	16.9	14.3	8	2495
09-11 LST	20.1	18.5	26.6	15.8	5.2	4.3	1.8	2.8	1.0	3.4	7.1	11.8	9.9	8	2332
12-14 LST	14.9	19.1	27.5	14.7	3.8	2.6	2.1	1.9	2.0	4.0	7.2	8.6	9.0	8	2545
15-17 LST	7.4	11.3	21.6	8.4	1.6	1.1	0.6	1.3	2.6	2.2	4.5	6.0	5.7	8	2311
18-20 LST	7.2	11.7	19.5	8.6	2.0	1.5	1.5	1.2	1.1	1.5	2.6	3.7	5.2	8	2573
21-23 LST	5.0	8.9	11.2	6.7	0.8	0.9	0.6	0.8	1.3	0.8	2.7	3.8	3.6	7	2204
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	1.5	1.6	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.4	0.4	8	2531
03-05 LST	3.2	1.7	3.5	1.0	0.5	0.0	0.5	1.0	0.0	0.0	0.5	1.0	1.1	8	2391
06-08 LST	2.9	3.9	6.3	1.0	1.0	0.5	0.0	0.0	0.4	1.3	0.0	3.9	1.8	8	2495
09-11 LST	1.2	0.0	1.0	0.5	0.0	0.0	0.0	1.0	0.0	0.0	0.0	0.0	0.3	8	2332
12-14 LST	1.0	1.1	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.4	0.0	0.3	8	2545
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.0	0.0	0.0	0.1	8	2311
18-20 LST	0.0	0.0	0.5	1.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	8	2573
21-23 LST	0.0	0.0	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	7	2204

NANNING/YUNGNIN, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	26.0	21.8	21.2	26.2	30.1	29.5	30.7	30.5	29.6	30.5	28.7	27.0	331.8	8	2495
	13 LST	28.3	25.0	26.1	28.0	30.8	29.7	30.7	30.9	29.9	30.4	29.1	29.9	348.8	8	2545
	19 LST	29.6	26.1	27.3	28.7	31.0	29.9	30.8	30.9	29.9	30.7	29.7	30.7	355.3	8	2573
	01 LST	29.2	23.9	27.2	28.2	30.8	29.9	30.8	30.7	29.7	30.6	29.6	30.3	350.9	8	2531
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	22.8	17.5	15.7	20.2	26.4	26.3	27.1	28.3	27.3	28.6	25.3	24.5	290.0	8	2490
	13 LST	22.8	18.0	16.6	20.4	24.1	25.1	26.3	26.1	23.5	25.3	23.8	24.3	276.3	8	2542
	19 LST	25.9	21.1	17.8	19.7	23.2	27.8	27.5	27.9	27.9	29.0	27.2	26.8	301.8	8	2566
	01 LST	25.5	19.3	21.0	23.3	27.8	28.4	28.1	29.0	28.2	29.4	26.8	26.4	313.2	8	2527
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2509
	13 LST	0.0	0.0	0.0	0.2	0.2	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.7	8	2565
	19 LST	0.0	0.1	0.0	0.4	0.0	0.0	0.0	0.1	0.1	0.1	0.0	0.0	0.8	8	2579
	01 LST	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	8	2544
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	11.9	8.7	9.5	10.5	15.0	10.6	13.2	10.7	8.1	8.4	10.0	9.8	126.4	8	2494
	13 LST	17.8	15.3	14.9	17.1	10.6	5.1	3.6	2.6	8.1	17.3	17.0	17.2	146.6	8	2550
	19 LST	21.5	17.7	18.4	20.3	20.7	14.6	13.5	15.2	15.8	19.5	20.5	21.8	219.5	8	2565
	01 LST	14.9	12.3	12.5	14.6	13.7	10.7	14.4	11.2	12.6	13.7	14.4	15.2	160.2	8	2532
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	5.3	3.8	2.5	2.4	2.7	2.3	1.3	3.4	6.9	9.1	7.6	8.0	53.3	8	2511
	13 LST	6.7	4.8	3.9	3.3	1.2	0.8	0.2	0.9	4.5	8.5	8.1	10.4	53.3	8	2569
	19 LST	11.9	8.4	7.2	6.9	6.1	2.7	3.0	5.2	10.3	16.4	13.8	14.3	106.2	8	2582
	01 LST	8.9	7.5	5.6	6.5	9.5	6.3	8.9	10.7	13.1	14.0	11.0	11.8	113.8	8	2546
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	21.9	16.4	14.3	18.0	24.8	23.8	23.6	25.8	25.5	28.2	23.8	22.8	268.9	8	2495
	13 LST	22.8	18.0	16.5	19.1	22.2	22.2	22.4	22.2	23.5	26.2	23.7	24.6	263.4	8	2545
	19 LST	26.9	21.4	21.1	24.7	27.0	25.4	25.1	25.8	26.4	29.7	27.7	27.3	308.5	8	2573
	01 LST	24.7	19.6	19.5	22.1	26.2	25.2	25.3	26.8	27.3	29.3	26.0	25.4	297.4	8	2531
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	10.6	7.6	5.7	8.0	12.5	14.8	13.2	17.0	17.0	21.2	15.3	13.2	156.1	8	2495
	13 LST	14.4	8.7	6.8	7.6	8.2	9.6	8.9	9.5	12.5	17.9	15.1	16.4	135.6	8	2545
	19 LST	17.8	11.2	10.1	14.4	19.5	16.2	16.9	17.3	19.4	23.1	19.4	18.3	203.6	8	2573
	01 LST	14.4	10.7	8.5	11.1	16.6	14.5	18.3	20.2	20.2	22.7	16.5	17.4	191.1	8	2531
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	8.7	6.5	4.6	7.1	12.2	14.5	13.1	16.6	16.0	19.0	13.3	12.7	144.3	8	2495
	13 LST	12.9	7.9	5.9	7.1	7.8	9.4	8.9	9.3	12.3	16.7	14.4	15.9	128.5	8	2545
	19 LST	16.4	10.6	9.8	12.9	18.6	15.9	16.9	17.3	19.2	21.4	18.8	17.4	195.2	8	2573
	01 LST	12.3	9.6	7.4	10.2	15.2	13.6	18.2	19.9	19.7	21.3	15.1	16.5	179.0	8	2531

SHAN-WEI, CHINA

STA NO. 59501 (IN APEA NUMBER 07)

LATITUDE 2246N

LONGITUDE 11522E

ELEVATION(FT) 00023

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	79	77	88	88	91	93	93	97	99	91	90	81	99	8	2542
MEAN MAX TMP (F)	65	66	72	78	84	86	88	88	87	83	77	71	79	8	2542
MEAN MIN TMP (F)	51	54	60	67	74	77	78	78	76	69	63	56	67	8	2533
ABS MIN TMP (F)	37	37	46	52	59	63	70	70	59	57	46	43	37	8	2533
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.0	1.9	5.2	11.3	11.3	9.1	1.2	0.1	0.0	40.1	8	2542
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2533
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2533
MEAN DEW PT TMP (F)	42	50	58	64	72	76	77	77	74	64	58	51	64	8	18228
MEAN REL HUM (PCT)	62	73	80	80	83	85	83	83	80	69	70	68	76	8	18048
MEAN PRESS ALT (FT)	-212	-156	-75	3	116	213	222	227	162	-28	-114	-160	17	8	18453
MEAN PRECIP (IN)	1.16	2.06	3.00	4.37	5.75	8.69	10.74	9.73	6.22	1.96	1.29	1.24	56.2	26	-181
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-29
MEAN NO D'S PRCP = DR GTR 0.1 IN	4.7	6.0	7.2	8.4	9.7	15.3	14.0	13.1	8.6	5.1	5.3	4.1	101.5	26	-181
MEAN NO D'S SNPL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-29
MEAN NO D'S W/O CUR VSBY LES 1/2 MI	0.3	0.2	1.3	0.6	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.3	2.9	8	2483
MEAN NO DYS TSTMS	0.0	1.1	3.1	4.0	7.8	11.5	12.5	12.5	8.1	0.7	0.4	0.0	61.7	8	2494
P FREQ WNC SPD = DR GTR 17 KTS	1.1	0.9	2.0	1.0	1.5	2.5	2.2	1.8	3.2	1.1	1.4	1.2	1.7	8	18445
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.4	0.3	0.0	0.1	0.5	0.1	0.0	0.1	0.1	8	18445
P FREQ LES 5000 FT A/D LES 3 MI	28.3	43.6	54.1	51.0	48.1	42.2	31.8	32.6	34.7	19.3	22.7	20.9	35.8	8	18373
FOR 00-02 LST	5.3	9.8	17.2	13.5	13.3	12.0	8.1	3.4	5.9	1.3	1.1	2.2	7.8	8	2536
03-05 LST	5.7	10.0	13.1	9.6	12.2	13.1	7.9	5.3	5.3	0.5	1.1	3.7	7.3	8	2259
06-08 LST	6.2	13.5	18.7	17.8	17.0	18.6	9.7	7.3	6.5	1.1	1.3	3.3	10.1	8	2491
09-11 LST	4.1	8.6	10.5	11.5	10.2	11.3	6.3	6.6	5.6	1.4	0.3	2.5	6.6	8	2340
12-14 LST	3.6	7.2	9.4	8.2	7.8	11.7	4.2	3.5	5.7	0.9	0.7	1.6	5.4	8	2538
15-17 LST	2.2	6.7	8.6	10.4	6.8	9.5	4.2	3.8	5.4	0.5	1.2	0.5	5.0	8	2296
18-20 LST	5.5	11.4	11.6	9.7	9.8	10.5	4.3	2.8	6.3	0.7	1.1	2.6	6.4	8	2542
21-23 LST	3.9	10.1	12.5	12.2	9.9	8.4	5.0	2.0	5.0	0.5	0.8	1.6	6.0	7	2169
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.5	0.6	2.9	1.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	8	2536
03-05 LST	1.2	0.6	3.0	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.6	8	2259
06-08 LST	0.5	1.1	4.3	0.5	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.8	0.6	8	2491
09-11 LST	1.1	0.0	0.0	0.0	0.0	0.6	0.0	0.0	0.5	0.0	0.0	0.0	0.2	8	2340
12-14 LST	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2538
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2296
18-20 LST	0.5	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.1	8	2542
21-23 LST	0.6	0.0	1.1	1.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	7	2169

SHAN-WEI, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	08 LST	30.2	26.5	28.2	27.7	30.1	29.5	30.8	30.8	30.0	30.9	30.0	30.6	355.3	8	2491
	14 LST	30.7	27.6	30.4	29.4	30.8	29.5	31.0	30.9	29.7	31.0	30.0	30.9	361.9	8	2538
	20 LST	30.4	26.9	30.1	29.2	30.9	29.8	31.0	30.9	29.9	31.0	30.0	30.6	360.7	8	2542
	02 LST	30.7	27.4	28.3	28.4	30.7	29.7	30.8	30.7	29.7	30.9	29.9	30.9	358.1	8	2536
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	08 LST	20.6	19.6	18.6	18.8	18.8	15.5	21.8	23.0	22.0	25.0	23.6	23.3	250.6	8	2485
	14 LST	18.9	13.8	15.9	15.3	12.9	11.8	14.5	15.9	14.4	16.1	17.2	20.4	187.1	8	2533
	20 LST	18.3	13.8	15.9	18.1	17.6	15.7	22.6	23.6	18.6	20.1	18.7	21.4	224.4	8	2538
	02 LST	20.8	18.5	18.0	20.4	19.6	18.7	23.3	24.7	22.1	27.1	23.9	24.3	261.4	8	2528
SFC WND = GTR 17 KTS AND NO PRECIP.	08 LST	0.3	0.1	0.7	0.0	0.2	0.0	0.0	0.1	0.1	0.1	0.1	0.1	1.8	8	2502
	14 LST	0.0	0.2	0.3	0.4	0.3	0.5	0.5	0.6	0.4	0.1	0.4	0.3	4.0	8	2542
	20 LST	0.2	0.2	0.6	0.3	0.0	0.2	0.3	0.0	0.1	0.1	0.5	0.5	3.0	8	2551
	02 LST	0.2	0.2	0.3	0.0	0.1	0.2	0.1	0.0	0.0	0.1	0.1	0.3	1.6	8	2547
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	08 LST	17.7	15.0	14.0	14.6	15.8	13.6	14.1	13.3	15.0	21.4	17.3	17.5	189.3	8	2488
	14 LST	24.0	18.8	19.3	20.2	16.6	11.6	14.6	14.3	15.4	23.9	21.7	23.0	223.4	8	2532
	20 LST	15.7	13.1	14.5	15.5	17.8	17.7	15.1	15.1	13.1	21.6	18.2	18.4	195.8	8	2544
	02 LST	16.5	12.0	11.2	11.5	12.6	12.1	11.1	10.8	11.6	18.5	17.2	17.0	162.1	8	2535
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	08 LST	11.5	8.0	5.1	4.8	3.7	2.0	6.3	5.3	8.4	16.1	12.6	13.3	97.1	8	2508
	14 LST	16.2	10.9	7.7	9.0	7.7	3.6	7.5	7.1	9.8	17.9	15.2	17.9	130.5	8	2550
	20 LST	16.0	9.8	8.3	9.6	7.7	3.3	8.4	8.1	10.8	17.2	16.2	17.6	133.0	8	2550
	02 LST	12.6	8.7	7.0	6.1	6.0	6.6	12.5	9.5	9.5	17.0	14.1	14.3	123.9	8	2548
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	08 LST	26.4	20.0	19.4	19.0	18.8	18.2	22.4	24.5	24.3	29.2	28.3	28.0	278.5	8	2491
	14 LST	28.3	22.7	23.3	24.1	24.4	21.7	26.0	25.7	24.6	28.9	28.5	29.2	307.4	8	2538
	20 LST	26.8	20.8	21.9	22.9	23.0	21.9	26.5	26.6	24.4	29.5	28.2	28.9	301.4	8	2542
	02 LST	26.4	20.4	19.7	19.7	19.5	20.8	24.2	26.0	24.2	28.8	27.4	27.8	284.9	8	2536
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	08 LST	19.1	12.2	9.7	9.5	11.3	14.8	17.9	20.3	19.4	24.1	20.8	21.4	200.5	8	2491
	14 LST	22.9	15.9	14.8	16.8	20.0	18.3	22.0	20.5	19.4	24.2	23.9	24.4	243.1	8	2538
	20 LST	21.0	13.2	14.6	14.6	18.2	17.5	23.3	21.8	18.6	23.7	21.6	22.2	230.3	8	2542
	02 LST	17.9	12.2	9.8	10.3	12.3	16.1	20.2	20.1	18.4	22.0	18.0	19.5	196.8	8	2536
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	08 LST	17.9	11.9	9.4	9.2	11.2	14.7	17.7	20.1	19.3	22.9	20.0	20.4	194.7	8	2491
	14 LST	22.6	15.3	13.7	16.6	19.8	18.2	22.0	20.4	19.4	24.0	23.0	23.9	238.9	8	2538
	20 LST	19.8	12.3	13.3	13.9	18.1	17.1	23.3	21.8	18.3	22.6	20.5	21.6	222.6	8	2542
	02 LST	17.2	10.9	9.7	10.0	12.1	18.0	20.2	20.1	18.4	21.9	17.8	18.1	192.4	8	2536

CHIN-HSIEN/CHINC, CHINA

STA NO. 59632 (IN AREA NUMBER 07)

LATITUDE 2157N

LONGITUDE 10836E

ELEVATION(FT) 00036

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	81	84	90	91	95	99	95	100	99	93	88	82	100	8	2557
MEAN MAX TMP (F)	65	66	72	80	87	89	89	90	89	84	77	70	80	8	2557
MEAN MIN TMP (F)	51	53	61	69	75	78	78	78	76	69	62	54	67	8	2519
ABS MIN TMP (F)	36	36	43	50	61	72	72	73	68	50	39	41	36	8	2519
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.2	0.4	8.8	16.7	17.4	19.9	17.9	4.4	0.0	0.0	85.7	8	2557
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2519
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2519
MEAN DEW PT TMP (F)	45	51	61	67	73	77	78	78	74	65	59	51	65	8	18125
MEAN REL HUM (PCT)	69	77	85	83	83	84	87	85	80	74	75	73	80	8	17892
MEAN PRESS ALT (FT)	-188	-117	-10	84	192	287	293	281	194	-5	-86	-136	66	8	18216
MEAN PRECIP (IN)														0	0
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN														0	0
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-29
MEAN NO DYS W/OCUR VCBY LES 1/2 MI	1.7	1.8	3.3	0.3	0.0	0.3	0.0	0.5	0.0	0.0	0.0	3.1	11.0	8	1074
MEAN NO DYS TSTMS	0.0	0.0	3.4	5.7	13.0	18.7	24.6	20.3	13.2	2.4	0.4	0.0	102.5	8	2487
P FREQ WND SPD = DR GTR 17 KTS	0.6	0.9	1.3	1.1	1.7	0.7	0.5	0.6	0.5	0.3	1.1	1.1	0.8	8	18264
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.0	8	18264
P FREQ LES 5000 FT A/D LES 5 MI	19.1	21.5	36.4	29.2	34.1	44.6	51.4	45.2	35.0	16.8	14.6	13.9	30.2	8	13394
P FREQ LES 1900 FT A/D LES 3 MI															
FOR 00-02 LST	9.0	5.1	7.9	1.1	0.0	1.0	2.4	0.0	0.0	0.8	0.0	5.9	2.8	8	1229
03-05 LST	7.6	3.7	11.3	1.4	2.6	1.2	1.8	3.1	1.5	0.0	2.0	8.8	3.8	8	982
06-08 LST	8.1	10.0	15.7	4.8	1.3	0.5	3.8	2.2	1.8	2.1	3.0	8.6	5.2	8	2491
09-11 LST	0.3	3.8	7.3	1.2	0.6	0.0	2.0	1.3	0.5	1.1	0.8	1.3	1.7	8	2272
12-14 LST	2.2	5.3	7.9	1.5	0.0	0.3	1.0	0.0	0.5	0.2	0.7	1.4	1.8	8	2525
15-17 LST	1.3	2.2	6.4	0.8	0.0	1.4	0.0	0.5	0.7	0.9	0.5	0.6	1.3	8	2250
18-20 LST	1.2	4.2	2.7	0.3	0.5	0.8	0.0	0.5	0.7	0.0	0.0	0.0	0.9	8	1782
21-23 LST	1.4	2.1	6.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	4.3	1.3	7	1018
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	6.4	1.4	3.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	3.4	1.2	8	1229
03-05 LST	4.5	2.4	7.5	1.4	0.0	0.0	1.2	0.0	0.0	0.0	2.0	8.8	2.3	8	982
06-08 LST	4.5	3.7	7.2	1.1	0.0	0.0	0.5	0.5	0.4	0.4	0.4	4.7	2.0	8	2491
09-11 LST	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2272
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2525
15-17 LST	0.0	0.0	0.5	0.5	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.1	8	2250
18-20 LST	0.0	0.0	0.0	0.0	0.0	0.5	0.0	0.5	0.7	0.0	0.0	0.0	0.1	8	1782
21-23 LST	1.4	2.1	2.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	2.5	0.8	7	1018

CHIN-HSIEN/CHINC, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. 085
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	28.7	26.1	26.7	29.1	30.7	29.8	30.2	30.4	29.6	30.5	29.2	28.5	349.5	8	2491
	13 LST	30.7	27.5	29.6	29.9	31.0	30.0	30.8	31.0	30.0	31.0	29.9	30.9	362.3	8	2525
	19 LST	30.6	27.0	30.5	30.0	30.8	29.9	31.0	30.9	29.8	31.0	30.0	31.0	362.5	8	1782
	01 LST	28.2	26.8	28.7	29.7	31.0	29.7	30.4	31.0	30.0	30.8	30.0	29.2	355.5	8	1229
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	21.9	19.0	21.5	25.4	27.7	26.9	27.4	29.1	27.3	27.0	24.5	23.4	301.1	8	2479
	13 LST	17.7	13.4	17.1	16.0	14.3	20.2	21.4	23.4	22.6	21.9	20.8	19.4	228.2	8	2520
	19 LST	26.8	22.0	24.2	26.4	24.8	27.3	27.8	28.7	28.8	29.6	27.2	27.5	321.1	8	1778
	01 LST	23.1	21.5	24.1	26.9	28.6	29.1	28.3	29.9	29.2	27.3	26.9	23.2	318.1	8	1226
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.0	0.3	0.1	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.4	1.3	8	2492
	13 LST	0.0	0.6	0.9	1.2	1.5	0.2	0.2	0.3	0.1	0.3	0.7	0.5	6.5	8	2536
	19 LST	0.0	0.0	0.3	0.0	0.0	0.1	0.0	0.1	0.1	0.0	0.3	0.1	1.0	8	2537
	01 LST	0.0	0.0	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.1	0.3	0.6	8	2540
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	10.0	7.6	10.1	12.9	17.7	10.3	9.8	9.9	12.2	11.8	10.9	9.1	132.3	8	2480
	13 LST	16.2	12.9	13.5	13.6	10.7	6.8	5.8	5.6	8.0	20.0	16.6	19.1	148.8	8	2528
	19 LST	17.0	13.3	14.0	18.8	20.3	18.0	19.1	14.7	12.7	10.2	12.7	12.5	183.3	8	2525
	01 LST	9.6	9.2	9.8	11.9	15.0	9.6	9.9	10.2	6.1	10.1	8.5	9.4	119.3	8	2533
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	5.4	2.8	3.4	2.7	2.3	2.6	3.0	4.7	7.2	10.6	8.7	8.2	61.6	8	2502
	13 LST	9.2	5.5	4.8	4.9	3.7	1.7	1.8	3.0	5.8	10.5	10.7	11.7	73.3	8	2543
	19 LST	15.1	9.9	7.5	11.3	9.2	3.0	4.7	5.8	11.6	18.3	11.8	16.8	123.0	8	1789
	01 LST	7.2	7.6	6.1	6.7	11.0	7.1	6.6	10.4	13.0	14.9	14.0	11.2	115.8	8	1231
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	28.1	23.8	24.9	27.0	26.8	25.4	24.2	25.6	26.2	28.9	28.2	27.8	316.9	8	2491
	13 LST	28.6	24.3	25.0	26.1	26.8	24.2	23.5	24.9	24.6	28.6	28.1	29.3	314.0	8	2525
	19 LST	30.3	26.7	29.3	29.3	29.2	26.2	26.7	26.2	26.7	29.8	30.0	30.9	341.3	8	1782
	01 LST	28.1	26.4	27.7	29.0	28.9	27.7	25.9	27.8	27.7	30.0	29.7	29.1	338.0	8	1229
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	19.0	11.9	11.6	11.5	13.0	13.1	15.0	17.7	19.6	22.0	19.1	16.8	194.3	8	2491
	13 LST	20.6	14.9	12.6	14.2	16.7	12.9	11.0	14.2	15.5	22.2	20.8	21.2	196.8	8	2525
	19 LST	23.8	17.7	17.1	20.5	23.8	16.7	17.6	17.4	20.7	24.1	23.9	22.7	246.0	8	1782
	01 LST	13.9	14.6	10.8	14.7	22.1	22.0	18.5	21.9	23.0	24.2	22.6	18.8	229.1	8	1229
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	17.3	11.0	10.6	10.7	14.7	14.9	15.0	17.7	19.6	21.5	18.2	15.8	187.0	8	2491
	13 LST	19.4	13.5	11.6	14.0	16.7	12.9	11.0	14.2	15.5	21.8	20.4	20.9	191.9	8	2525
	19 LST	23.1	17.0	15.5	19.7	23.8	16.7	17.6	17.4	20.7	24.1	23.7	22.1	241.4	8	1782
	01 LST	13.9	13.8	9.8	14.0	21.2	21.6	18.5	21.9	23.0	23.7	22.3	17.7	221.4	8	1229

CHAN-CHIANG/FT B, CHINA

STA NO. 59658 (IN AREA NUMBER 07)	LATITUDE 2102N LONGITUDE 11028E ELEVATION(FT) 00033											POR	NO.		
PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	(YRS)	ORS
ABS MAX TMP (F)	81	86	93	97	100	97	97	97	97	93	88	82	100	8	2514
MEAN MAX TMP (F)	66	67	73	80	87	89	89	89	88	83	77	71	80	8	2514
MEAN MIN TMP (F)	55	57	64	71	77	79	79	79	77	71	66	59	70	8	2483
ABS MIN TMP (F)	39	37	48	54	63	72	72	72	57	57	46	46	37	8	2483
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.3	1.5	12.6	17.9	20.9	18.4	11.7	1.7	0.0	0.0	85.0	8	2514
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2483
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2483
MEAN DEW PT TMP (F)	49	55	64	69	75	77	77	77	75	67	62	56	67	8	18249
MEAN REL HUM (PCT)	72	82	88	86	83	82	83	83	81	74	76	75	80	8	18061
MEAN PRESS ALT (FT)	-177	-114	-18	67	172	268	268	265	192	-1	-85	-129	59	8	18475
MEAN PRECIP (IN)	0.63	1.28	1.30	3.18	6.69	7.35	9.59	11.96	6.29	2.44	1.81	0.89	53.6	24	-181
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	4.1	6.2	6.1	10.2	14.2	13.7	14.6	15.3		8.3	6.2	5.0		24	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-29
MEAN NO DYS W/OCUR VSBY LES 1/2 MI	2.9	3.5	5.0	1.4	0.0	0.2	0.0	0.0	0.0	0.1	0.1	1.6	14.8	8	2199
MEAN NO DYS TSTMS	0.0	0.5	3.4	4.0	17.6	17.1	21.3	18.8	11.1	1.4	0.5	0.0	97.7	8	2498
P FREQ WND SPD = DR GTR 17 KTS	1.7	0.9	2.2	1.7	0.9	1.8	1.1	3.5	3.1	1.9	1.3	1.6	1.8	8	18402
P FREQ WND SPD = DR GTR 28 KTS	0.1	0.0	0.0	0.0	0.0	0.1	0.1	0.6	0.2	0.0	0.0	0.0	0.1	8	18402
P FREQ LES 5000 FT A/D LES 5 MI	42.3	56.3	72.0	62.0	43.8	33.3	31.0	32.4	34.1	22.3	30.9	34.7	41.3	8	17392
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	28.1	41.0	62.4	58.2	25.0	7.8	7.6	9.4	5.7	5.5	11.8	17.1	23.3	8	2210
03-05 LST	29.0	37.6	65.8	57.8	23.9	7.2	6.2	7.3	6.6	4.0	9.7	16.4	22.6	8	2042
06-08 LST	23.7	47.5	68.2	54.9	25.2	11.8	8.5	12.6	7.1	7.1	8.6	14.8	24.2	8	2450
09-11 LST	15.9	38.5	51.2	37.4	15.9	8.0	6.6	10.0	8.5	4.5	9.5	11.6	18.1	8	2305
12-14 LST	12.4	27.9	36.8	24.9	8.1	6.0	5.0	5.5	5.1	3.8	7.6	7.7	12.6	8	2477
15-17 LST	9.5	27.1	34.2	24.5	7.2	4.6	4.7	5.4	3.5	2.7	7.5	2.5	11.1	8	2324
18-20 LST	15.6	27.1	42.6	32.6	13.3	4.5	3.8	6.1	3.7	3.1	8.1	11.0	14.3	8	2418
21-23 LST	18.3	28.2	48.1	41.0	18.8	5.7	4.8	6.2	5.2	3.0	10.2	10.4	16.7	7	2075
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	7.4	9.5	16.6	3.9	0.0	0.0	0.0	0.0	0.0	0.0	0.5	2.6	3.4	8	2210
03-05 LST	10.3	10.2	19.0	9.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	4.1	4.4	8	2042
06-08 LST	7.4	17.3	27.5	12.8	1.5	0.0	0.0	0.5	0.0	0.8	1.3	3.2	6.0	8	2450
09-11 LST	2.4	5.0	7.7	2.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.5	8	2305
12-14 LST	0.0	1.6	2.9	0.5	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.0	0.5	8	2477
15-17 LST	0.6	2.4	3.1	0.5	0.0	0.6	1.1	0.5	0.5	0.0	0.0	0.0	0.8	8	2324
18-20 LST	2.7	3.1	7.5	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.0	1.3	8	2418
21-23 LST	2.5	2.9	4.5	0.6	0.0	0.6	0.0	0.0	0.0	0.0	0.0	1.1	1.0	7	2075

CHAN-CHIANG/PT B, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	25.2	15.9	11.5	15.8	27.0	29.1	30.5	30.0	29.7	29.7	28.2	27.5	300.1	8	2450
	13 LST	28.5	21.6	22.3	25.5	29.9	29.4	30.8	30.1	29.5	30.7	29.2	30.0	337.5	8	2477
	19 LST	27.5	21.5	18.7	21.9	29.0	29.7	30.5	30.4	29.6	30.6	28.9	28.8	327.1	8	2418
	01 LST	24.2	17.9	12.9	15.2	26.4	29.5	30.5	29.9	30.0	30.2	28.4	27.0	302.1	8	2210
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	16.4	10.7	5.9	8.3	14.2	19.3	22.1	21.3	21.1	20.5	20.6	17.4	197.8	8	2445
	13 LST	15.5	11.0	9.6	10.3	15.0	17.1	17.4	20.5	18.2	17.4	12.4	15.4	179.8	8	2468
	19 LST	19.4	15.5	12.6	13.2	19.5	22.8	23.4	25.0	23.2	23.8	19.7	21.7	239.8	8	2416
	01 LST	14.9	11.7	9.2	8.0	16.9	21.9	23.3	23.3	23.1	24.5	18.5	18.5	213.8	8	2206
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.6	0.3	0.3	0.3	0.0	0.0	0.2	0.0	0.3	0.1	0.1	0.4	2.6	8	2463
	13 LST	0.8	0.1	0.4	0.5	0.5	0.8	0.0	0.6	0.9	0.7	0.5	0.4	6.2	8	2501
	19 LST	0.7	0.3	0.5	0.2	0.3	0.2	0.0	0.3	0.0	0.0	0.3	0.1	2.9	8	2542
	01 LST	1.2	0.2	0.1	0.2	0.0	0.0	0.0	0.1	0.3	0.1	0.3	0.3	2.8	8	2515
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	17.4	14.8	15.2	17.9	19.8	16.1	15.7	16.2	15.1	19.8	20.1	19.4	207.5	8	2450
	13 LST	19.5	15.9	15.7	16.5	13.7	8.6	8.0	8.0	11.7	20.1	17.8	21.6	178.1	8	2483
	19 LST	15.4	13.8	17.4	19.0	21.3	15.9	20.3	16.7	16.7	19.6	18.0	15.9	210.0	8	2534
	01 LST	15.5	13.1	16.2	16.9	17.8	14.4	17.3	15.1	13.8	17.6	17.8	16.6	192.1	8	2496
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	6.1	3.3	1.7	2.9	2.6	1.5	4.0	3.0	5.0	11.3	10.5	9.7	61.6	8	2469
	13 LST	11.2	8.3	5.1	7.2	5.4	2.5	4.4	3.2	5.4	12.2	11.7	11.6	88.2	8	2512
	19 LST	12.7	11.0	6.4	7.3	6.8	1.7	4.7	3.9	6.7	16.0	13.9	13.6	104.7	8	2438
	01 LST	10.2	6.1	3.3	4.7	9.0	4.9	6.7	5.9	7.5	15.0	12.5	11.4	97.2	8	2221
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	20.8	12.2	7.3	10.4	18.0	22.6	24.6	22.8	24.1	26.8	25.6	23.9	239.1	8	2450
	13 LST	24.4	17.8	15.7	18.3	24.2	23.2	24.0	25.1	23.9	27.6	24.6	26.0	274.8	8	2477
	19 LST	24.0	18.2	15.7	17.7	23.4	24.8	27.1	25.9	26.5	29.0	25.6	25.4	283.3	8	2418
	01 LST	19.4	14.3	9.9	9.8	19.0	24.8	25.3	24.9	25.2	28.1	23.6	23.7	248.0	8	2210
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	13.5	6.7	3.3	6.0	13.6	17.9	20.8	19.4	18.4	20.6	18.3	16.1	174.6	8	2450
	13 LST	16.9	12.2	9.6	14.2	18.6	15.9	17.4	19.3	17.6	22.2	17.8	20.3	202.0	8	2477
	19 LST	17.3	13.1	11.1	12.9	20.1	18.9	23.3	22.2	21.0	22.8	19.6	19.2	221.5	8	2418
	01 LST	13.9	7.6	6.4	7.8	16.2	22.1	22.5	21.6	21.4	23.6	18.8	15.8	197.7	8	2210
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	12.1	5.4	2.8	5.8	13.3	17.6	20.8	19.1	17.9	20.0	17.6	15.0	167.4	8	2450
	13 LST	16.1	11.2	9.4	13.9	18.1	15.6	17.4	19.3	17.6	21.6	16.7	19.3	196.2	8	2477
	19 LST	16.3	12.9	10.3	12.3	19.6	18.8	23.3	22.2	20.5	21.9	19.1	18.1	215.3	8	2418
	01 LST	13.3	7.4	5.8	7.2	15.9	21.8	22.4	21.6	21.0	21.6	18.4	15.0	191.4	8	2210

YANG-CHIANG, CHINA

STA NO. 59663 (IN AREA NUMBER 07)

LATITUDE 2154N

LONGITUDE 11157E

ELEVATION(FT) 00033

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
ABS MAX TMP (F)	82	95	88	88	95	95	99	97	99	93	90	82	99	8	2530
MEAN MAX TMP (F)	67	68	74	79	86	88	89	89	88	84	79	72	80	8	2530
MEAN MIN TMP (F)	50	54	62	68	74	77	78	77	75	68	61	54	67	8	2533
ABS MIN TMP (F)	32	36	45	50	59	70	73	68	66	50	41	39	32	8	2533
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.1	0.0	0.0	5.9	12.2	17.9	19.9	14.9	3.1	0.5	0.0	74.5	8	2530
MEAN NO DYS TMP = DR LES 32(F)	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	8	2533
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2533
MEAN DEW PT TMP (F)	45	52	62	68	74	77	77	77	75	65	59	52	65	8	18584
MEAN REL HUM (PCT)	66	79	85	86	85	86	85	85	83	75	74	72	80	8	18365
MEAN PRESS ALT (FT)	-180	-122	-29	55	162	263	268	267	200	0	-86	-135	55	8	18784
MEAN PREC/P (IN)														0	0
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN														0	0
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	1.1	1.7	1.5	1.0	0.2	0.0	0.3	0.0	0.1	0.0	0.4	0.9	7.2	8	2526
MEAN NO DYS TSTMS	0.0	1.4	2.9	5.3	14.6	16.9	17.2	17.0	11.9	1.3	0.0	0.0	88.5	8	2527
P FREQ WND SPD = DR GTR 17 KTS	0.9	0.3	0.3	0.7	0.5	1.7	0.9	1.4	1.3	0.2	0.3	0.8	0.8	8	18803
P FREQ WND SPD = DR GTR 28 KTS	0.1	0.0	0.0	0.0	0.0	0.3	0.0	0.3	0.2	0.0	0.0	0.0	0.1	8	18803
P FREQ LES 5000 FT A/D LES 5 MI	40.5	59.1	72.0	66.6	60.2	57.5	50.3	44.7	41.1	21.5	27.7	29.5	47.6	8	18636
P FREQ LES 1900 FT A/D LES 3 MI															
FOR 00-02 LST	9.1	14.6	18.1	13.4	4.0	4.9	1.5	1.4	1.4	1.5	0.9	4.0	6.2	8	2542
03-05 LST	10.5	14.8	17.6	13.4	6.5	3.5	1.9	2.4	0.9	0.2	0.5	2.3	6.2	8	2385
06-08 LST	12.6	22.8	30.5	22.3	14.2	4.8	1.6	5.1	1.6	1.9	6.6	9.3	11.1	8	2478
09-11 LST	5.6	15.6	23.3	14.2	6.6	3.9	2.7	1.3	1.2	1.1	1.7	2.5	6.6	8	2347
12-14 LST	7.0	13.9	17.7	17.6	5.4	3.1	3.6	3.5	2.0	1.7	2.1	4.0	6.8	8	2537
15-17 LST	6.8	11.9	15.1	14.5	2.2	3.8	1.8	2.7	1.4	1.3	0.8	2.8	5.4	8	2294
18-20 LST	9.4	17.2	22.7	15.6	7.0	3.6	1.2	1.7	1.4	0.6	1.1	3.9	7.1	8	2541
21-23 LST	7.9	14.2	11.0	10.9	3.7	3.3	0.8	1.0	1.3	0.8	0.8	1.4	4.8	7	2203
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	1.5	3.2	3.3	1.6	0.0	0.0	0.0	0.0	0.0	0.4	0.0	1.3	0.9	8	2542
03-05 LST	2.6	2.3	1.5	2.7	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.9	8	2385
06-08 LST	3.5	3.7	4.8	2.0	0.5	0.0	0.0	0.5	0.4	0.4	1.7	2.7	1.7	8	2478
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2347
12-14 LST	0.3	0.0	0.0	0.0	0.0	1.0	0.3	0.5	0.4	0.0	0.0	0.0	0.2	8	2537
15-17 LST	0.5	0.0	0.0	0.0	0.0	0.6	0.6	0.0	0.0	0.0	0.0	0.0	0.1	8	2294
18-20 LST	1.5	1.1	2.0	0.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	8	2541
21-23 LST	1.8	2.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	7	2203

YANG-CHIANG, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	29.0	25.0	24.3	25.9	29.9	30.0	31.0	30.3	29.7	30.6	28.8	29.2	343.7	8	2478
	13 LST	29.9	26.4	28.2	27.9	30.8	29.7	30.7	30.3	29.9	30.7	30.0	30.7	355.2	8	2537
	19 LST	29.5	25.7	27.5	27.9	30.4	30.0	30.8	31.0	29.9	30.9	30.0	30.4	354.0	8	2541
	01 LST	29.5	26.5	28.6	29.1	30.8	29.7	31.0	30.9	30.0	30.7	30.0	30.5	357.3	8	2542
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	21.9	16.1	15.9	17.6	20.7	22.8	27.7	26.2	25.4	26.8	23.7	21.5	266.3	8	2471
	13 LST	14.4	13.3	12.1	11.9	11.6	13.8	18.4	19.7	19.5	15.6	15.5	14.9	182.7	8	2534
	19 LST	20.6	16.7	17.6	18.2	22.7	24.2	26.9	27.1	26.6	28.3	24.8	24.9	278.6	8	2540
	01 LST	22.7	18.7	20.3	20.9	26.9	26.0	28.0	27.7	26.8	29.4	27.4	25.3	300.1	8	2541
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	8	2496
	13 LST	0.3	0.3	0.3	0.3	0.3	0.3	0.2	0.0	0.0	0.0	0.1	0.7	2.8	8	2547
	19 LST	0.3	0.0	0.0	0.0	0.2	0.1	0.0	0.1	0.1	0.1	0.0	0.0	0.9	8	2554
	01 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.3	0.0	0.0	0.0	0.1	0.5	8	2551
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	13.0	8.3	11.1	11.2	12.0	10.6	9.3	10.3	9.9	11.3	11.6	13.0	131.6	8	2482
	13 LST	16.5	15.9	15.1	14.5	12.5	7.2	6.9	6.2	8.4	18.3	18.7	18.9	159.1	8	2537
	19 LST	13.9	14.2	18.0	20.2	19.3	16.3	19.4	14.7	10.3	14.0	15.8	13.2	191.3	8	2542
	01 LST	12.2	8.8	11.8	11.3	10.7	7.2	7.7	7.0	7.2	6.7	10.8	8.9	110.3	8	2543
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	7.4	4.5	1.9	1.5	2.6	2.5	2.7	3.4	6.2	15.2	10.5	9.4	67.8	8	2502
	13 LST	10.9	7.4	4.6	3.9	2.9	0.5	1.5	1.7	3.9	8.5	11.3	12.1	69.2	8	2550
	19 LST	13.8	8.8	5.0	6.2	4.3	2.2	6.2	5.7	9.0	18.3	15.8	15.4	110.7	8	2555
	01 LST	10.4	7.9	3.1	4.1	7.0	4.7	9.4	8.9	10.7	16.9	13.8	13.4	110.3	8	2551
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	23.1	15.7	15.2	17.5	19.6	22.9	23.7	25.6	26.2	29.6	26.3	25.4	272.8	8	2478
	13 LST	23.7	18.9	19.2	18.2	22.3	23.0	23.1	23.9	23.2	27.1	25.8	27.1	277.5	8	2537
	19 LST	25.5	18.6	17.7	19.8	24.2	23.9	27.0	26.7	26.2	30.1	28.4	28.0	296.1	8	2541
	01 LST	24.3	18.3	17.5	18.3	23.6	22.6	23.7	26.5	26.1	29.5	28.4	27.3	288.1	8	2542
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	14.6	8.6	5.8	6.0	10.3	12.9	15.9	17.9	18.6	24.1	19.1	18.1	171.9	8	2478
	13 LST	19.2	11.5	9.0	10.4	12.1	10.9	11.9	12.7	13.0	19.6	17.8	20.8	168.9	8	2537
	19 LST	18.5	11.4	9.0	10.8	15.7	14.0	19.7	20.3	18.4	23.6	21.9	21.1	206.4	8	2541
	01 LST	13.4	9.0	5.3	7.8	12.1	12.3	16.8	19.2	17.3	22.4	18.8	18.7	173.1	8	2542
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	13.6	8.0	4.9	5.5	10.0	12.2	15.9	17.5	17.9	23.4	18.6	16.8	164.3	8	2478
	13 LST	18.2	11.2	8.7	9.9	12.1	10.9	11.9	12.7	12.8	19.2	17.4	19.8	164.8	8	2537
	19 LST	18.2	10.8	8.5	9.9	15.3	13.6	19.7	20.3	17.8	24.7	20.6	20.3	199.7	8	2541
	01 LST	13.3	8.9	5.0	7.7	11.9	12.0	16.8	19.1	17.0	21.9	18.1	17.9	169.6	8	2542

HAI-KOU/HAIKOW, CHINA

STA NO. 59750 (IN AREA NUMBER 07)

LATITUDE 2000N

LONGITUDE 11025E

ELEVATION(FT) 00046

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	86	95	100	100	102	100	100	97	95	91	91	90	102	8	2549
MEAN MAX TMP (F)	69	71	80	86	91	91	91	90	88	83	79	74	83	8	2549
MEAN MIN TMP (F)	57	59	66	71	76	77	77	77	76	71	67	61	70	8	2545
ABS MIN TMP (F)	37	45	48	57	66	72	73	70	70	57	50	46	37	8	2545
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.8	3.3	13.0	21.2	22.2	25.8	21.2	10.6	0.7	0.7	0.1	119.6	8	2549
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2545
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2545
MEAN DEW PT TMP (F)	55	60	66	71	75	77	76	77	76	70	66	61	69	8	18490
MEAN REL HUM (PCT)	81	86	85	82	82	84	82	85	86	81	82	83	83	8	18267
MEAN PRESS ALT (FT)	-127	-62	34	118	211	299	301	296	229	45	-34	-78	103	8	18657
MEAN PRECIP (IN)	0.95	1.24	1.84	3.80	6.16	8.09	8.53	7.35	10.10	6.66	3.16	1.86	59.7	27	-181
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN	5.2	6.1	7.1	11.3	13.8	13.6	13.9	13.0			10.2	8.0		27	-29
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	6.0	4.7	2.5	1.4	0.3	0.3	0.2	0.3	0.0	0.3	0.9	3.7	20.6	8	2514
MEAN NO DYS TSTMS	0.2	1.4	3.8	6.9	22.1	20.4	20.9	22.5	15.2	3.5	1.6	0.1	118.6	8	2521
P FREQ WND SPD = DR GTR 17 KTS	3.4	1.8	2.5	2.8	1.6	2.3	2.2	2.2	3.8	4.8	2.8	2.8	2.8	8	18642
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.1	0.0	0.1	0.0	0.4	0.2	0.2	0.0	0.0	0.1	8	18642
P FREQ LES 5000 FT A/D LES 5 MI	55.2	62.7	58.5	43.6	30.7	28.6	21.4	24.9	31.2	32.3	43.0	49.2	40.1	8	16587
P FREQ LES 1500 FT A/D LES 3 MI															
PDR 00-02 LST	32.0	33.5	31.2	14.7	3.7	2.6	1.0	3.1	5.0	5.2	10.9	20.4	13.6	8	2304
03-05 LST	37.5	37.9	32.5	20.4	4.9	5.0	4.1	6.8	7.2	6.9	13.9	20.7	16.5	8	2093
06-08 LST	42.3	43.4	42.2	22.6	13.1	3.8	2.1	5.1	5.6	8.5	16.1	25.0	19.5	8	2369
09-11 LST	27.9	29.0	31.7	12.7	6.3	3.2	0.3	4.2	4.6	6.9	11.8	13.8	12.7	8	2187
12-14 LST	22.3	23.1	20.6	10.5	4.5	1.9	1.8	3.4	4.4	5.4	14.3	12.8	10.6	8	2479
15-17 LST	19.2	29.4	17.4	10.5	5.7	4.1	0.6	4.0	6.6	5.0	12.0	8.8	10.3	8	2170
18-20 LST	21.3	29.3	22.0	8.2	3.5	3.8	0.3	3.6	6.4	3.2	8.9	12.9	10.3	8	2376
21-23 LST	23.7	24.9	16.6	9.3	3.3	1.7	1.7	3.9	2.9	5.1	6.4	11.0	9.2	7	2004
P FREQ LES 300 FT A/D LES 1 MI															
PDR 00-02 LST	11.5	7.0	6.3	1.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	6.6	2.8	8	2304
03-05 LST	16.3	9.8	10.8	6.4	0.0	2.0	1.6	1.7	0.0	0.4	2.9	6.1	4.8	8	2093
06-08 LST	17.2	17.1	11.6	4.2	1.7	0.6	0.0	1.1	0.0	0.9	1.7	11.2	5.6	8	2369
09-11 LST	2.4	1.7	4.3	0.5	0.6	0.6	0.0	0.0	0.0	0.0	0.0	1.1	0.9	8	2187
12-14 LST	1.4	3.2	2.8	1.0	1.1	0.0	0.0	0.0	0.0	0.8	0.0	0.4	0.9	8	2479
15-17 LST	1.9	1.9	3.7	0.0	0.6	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.7	8	2170
18-20 LST	3.0	2.7	2.9	0.5	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.9	8	2376
21-23 LST	3.8	0.0	1.2	0.0	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.7	7	2004

HAI-KOU/HAIKOW, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	19.6	18.3	19.0	23.2	29.1	29.1	30.6	30.5	29.3	29.9	27.4	26.1	314.1	8	2369
	13 LST	27.0	23.8	26.4	28.5	30.3	29.8	30.5	30.7	29.6	30.3	28.4	29.3	344.6	8	2479
	19 LST	27.3	21.9	25.4	28.6	30.5	29.5	31.0	30.6	28.6	30.7	29.2	28.6	341.9	8	2376
	01 LST	22.8	21.2	23.4	27.7	30.7	29.8	31.0	30.8	29.3	30.5	29.0	27.1	333.3	8	2304
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	8.3	9.9	14.1	12.3	14.9	19.2	24.3	22.7	23.6	18.4	15.8	14.6	198.1	8	2368
	13 LST	3.9	5.1	8.2	6.8	14.1	17.7	15.7	16.0	11.4	5.4	4.6	4.7	113.6	8	2474
	19 LST	17.4	12.2	13.7	13.8	19.5	24.0	25.2	26.6	22.9	21.8	19.5	21.4	238.0	8	2373
	01 LST	15.2	14.2	16.0	16.8	21.7	23.9	27.6	27.3	25.1	24.6	20.6	18.7	251.7	8	2303
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.7	0.3	0.0	0.0	0.0	0.0	0.0	0.2	0.3	0.3	0.4	0.3	2.5	8	2511
	13 LST	2.1	1.0	0.4	1.3	0.3	0.5	0.8	0.3	0.5	1.7	1.0	1.6	11.7	8	2561
	19 LST	0.3	0.0	0.1	0.0	0.3	0.2	0.0	0.3	0.0	0.1	0.5	0.1	1.9	8	2574
	01 LST	0.3	0.0	0.0	0.0	0.2	0.0	0.1	0.1	0.1	0.4	0.4	0.3	1.9	8	2563
SFC WND 4-10 KTS AND THP 33-89 DEG F AND NO PRECIP.	07 LST	11.6	11.9	17.1	17.3	17.1	19.2	19.5	18.1	15.2	12.5	11.7	12.8	184.0	8	2497
	13 LST	7.8	8.0	11.6	8.2	5.7	4.3	3.2	4.7	8.7	8.0	7.8	9.5	87.5	8	2548
	19 LST	18.2	16.4	18.5	16.7	17.0	16.1	17.4	17.5	14.0	20.4	18.8	20.1	211.1	8	2558
	01 LST	11.5	12.4	18.1	16.8	18.8	16.9	18.9	16.8	12.5	11.9	11.5	10.1	176.2	8	2549
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	4.6	3.4	3.2	8.0	7.1	1.8	5.9	5.8	4.7	10.9	7.8	5.8	71.0	8	2513
	13 LST	9.4	7.1	6.6	8.4	6.3	1.2	2.1	2.4	3.7	8.1	6.7	7.6	69.6	8	2567
	19 LST	11.8	10.0	10.1	10.9	6.4	1.9	4.8	4.7	4.7	15.0	13.0	14.1	107.4	8	2573
	01 LST	9.1	7.8	9.6	13.6	15.5	5.5	9.6	8.4	8.0	15.1	11.1	10.0	123.3	8	2559
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	15.7	11.4	15.9	20.3	24.1	26.0	29.0	27.3	25.9	25.5	21.7	19.4	262.2	8	2369
	13 LST	19.6	16.8	19.3	22.1	25.8	25.5	27.3	26.2	24.5	24.7	20.8	21.9	274.5	8	2479
	19 LST	20.5	16.9	21.8	24.3	27.3	25.7	28.5	27.7	25.6	28.3	24.5	24.6	293.7	8	2376
	01 LST	18.0	15.6	18.0	22.3	28.1	27.7	29.4	28.3	26.1	27.5	22.8	21.4	285.2	8	2304
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	9.2	5.9	10.2	14.8	20.8	21.7	26.7	25.1	21.5	19.6	15.7	12.6	203.8	8	2369
	13 LST	14.1	10.9	11.9	16.0	19.6	20.1	22.0	21.5	18.7	16.8	14.1	14.0	199.7	8	2479
	19 LST	15.3	12.2	16.1	19.5	22.5	20.2	24.5	24.8	21.7	22.5	19.4	19.0	237.7	8	2376
	01 LST	12.1	9.4	11.9	18.1	24.6	25.0	27.6	26.1	22.0	23.1	17.1	15.3	232.3	8	2304
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	8.8	5.9	9.9	14.5	20.8	21.3	26.7	25.1	21.2	19.5	15.5	12.5	201.7	8	2369
	13 LST	13.9	10.6	11.8	16.0	19.6	20.1	22.0	21.5	18.7	16.8	14.0	13.8	198.8	8	2479
	19 LST	15.3	12.2	16.1	19.5	22.5	20.2	24.5	24.8	21.7	22.2	19.0	18.6	236.6	8	2376
	01 LST	11.9	9.1	11.8	18.0	24.4	25.0	27.4	26.1	22.0	22.9	17.0	15.2	230.8	8	2304

PEI-LI/HAINAN IS, CHINA

STA NO. 59838 (IN AREA NUMBER 07)	LATITUDE 1908N												LONGITUDE 10838E												ELEVATION(FT) 0052	
PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS											
ABS MAX TMP (F)	88	95	99	102	100	100	97	99	93	91	91	90	102	8	2516											
MEAN MAX TMP (F)	75	75	82	88	92	91	91	90	88	85	82	78	85	8	2516											
MEAN MIN TMP (F)	56	59	66	71	76	79	78	77	75	71	66	61	70	8	2527											
ABS MIN TMP (F)	39	45	52	59	68	72	73	72	68	52	45	46	39	8	2527											
MEAN NO DYS TMP = DR GTR 90(F)	0.0	1.2	4.7	11.9	24.5	21.9	25.5	20.8	11.6	4.8	0.8	0.1	127.8	8	2516											
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2527											
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2527											
MEAN DEW PT TMP (F)	55	59	66	70	73	75	75	76	75	70	66	60	68	8	18068											
MEAN REL HUM (PCT)	75	80	81	77	73	77	77	82	84	80	80	77	79	8	17837											
MEAN PRESS ALT (FT)	-102	-46	42	125	215	295	302	294	226	56	-19	-62	111	8	18278											
MEAN PRECIP (IN)														0	0											
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-29											
MEAN NO DYS PRCP = DR GTR 0.1 IN														0	0											
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-29											
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	0.0	0.6	0.6	0.0	0.2	0.0	0.0	0.0	0.1	0.0	0.1	0.1	1.7	8	2488											
MEAN NO DYS TSTMS	0.0	0.8	1.6	2.8	12.2	12.1	14.7	19.3	16.3	5.8	0.9	0.0	86.5	8	2496											
P FREQ WND SPD = DR GTR 17 KTS	6.8	3.7	1.8	3.1	6.5	3.4	3.7	2.2	1.7	3.6	4.5	5.4	3.9	8	18305											
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.1	0.0	0.0	0.1	0.1	0.1	0.0	0.1	0.0	0.0	0.0	0.0	8	18305											
P FREQ LES 5000 FT A/D LES 5 MI	28.3	40.1	35.2	27.7	19.6	26.8	24.8	34.0	35.8	23.0	25.1	23.0	28.6	8	1718^											
P FREQ LES 1900 FT A/D LES 3 MI																										
FOR 00-02 LST	5.0	6.3	2.3	1.3	0.8	0.3	0.0	0.8	1.0	0.2	1.8	1.4	1.8	8	2460											
03-05 LST	5.4	5.8	4.7	1.4	1.1	1.4	0.9	0.3	0.5	0.5	3.0	2.0	2.3	8	2208											
06-08 LST	6.0	13.1	13.4	5.4	1.5	0.9	0.0	2.4	1.5	1.1	2.9	3.1	4.3	8	2378											
09-11 LST	1.8	7.5	2.3	0.9	0.6	0.7	0.3	1.1	0.7	1.2	1.3	2.1	1.7	8	2174											
12-14 LST	0.8	7.3	3.5	1.4	1.1	0.6	0.5	1.1	0.4	2.0	2.0	1.8		8	2452											
15-17 LST	2.5	7.6	5.4	1.2	0.9	0.6	1.1	0.3	0.8	1.6	1.1	2.3	2.1	8	2146											
18-20 LST	4.6	7.7	6.5	1.6	0.8	1.4	0.0	1.3	0.8	0.7	1.8	3.3	2.6	8	2437											
21-23 LST	3.6	6.0	4.0	1.0	0.8	0.6	0.0	0.5	0.9	0.3	1.1	1.3	1.7	7	2147											
P FREQ LES 300 FT A/D LES 1 MI																										
FOR 00-02 LST	1.0	0.0	0.5	0.0	5.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	8	2460											
03-05 LST	1.2	0.6	1.0	0.0	0.5	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.3	8	2208											
06-08 LST	1.0	2.6	2.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	0.5	8	2378											
09-11 LST	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	8	2174											
12-14 LST	0.0	0.0	0.0	0.6	0.0	0.0	0.5	0.0	0.9	0.0	0.0	0.0	0.2	8	2452											
15-17 LST	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.1	8	2146											
18-20 LST	0.5	0.0	0.5	0.0	0.0	0.0	0.0	0.5	0.0	0.0	1.3	0.2		8	2437											
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	7	2147											

PEI-LI/HAINAN IS, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	DOR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	29.9	25.3	27.7	28.7	31.0	29.8	31.0	30.5	29.7	30.9	29.3	30.3	354.1	8	2378
	13 LST	31.0	26.8	30.7	29.8	30.8	30.0	30.8	31.0	29.7	31.0	29.7	30.7	362.0	8	2452
	19 LST	30.0	26.8	29.6	29.8	31.0	29.8	31.0	30.7	30.0	31.0	29.9	30.3	359.9	8	2437
	01 LST	30.1	26.8	30.5	29.7	30.8	30.0	31.0	30.8	29.9	31.0	29.6	30.9	361.1	8	2460
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	18.6	17.0	23.1	25.1	25.5	20.3	19.1	25.0	24.3	22.2	20.4	18.9	259.5	8	2374
	13 LST	11.5	9.5	13.1	9.7	6.8	9.7	10.3	13.8	14.1	12.1	12.5	11.7	134.8	8	2448
	19 LST	15.6	15.4	21.7	22.1	19.2	21.0	21.5	24.5	24.4	19.5	18.6	16.4	239.9	8	2432
	01 LST	18.3	18.9	25.9	25.7	26.2	21.9	23.7	26.2	25.8	23.8	20.8	19.3	276.5	8	2458
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	1.3	0.3	0.0	0.0	0.2	0.8	0.3	0.1	0.0	0.5	1.2	1.2	5.9	8	2513
	13 LST	3.4	1.3	1.0	2.5	6.2	1.5	1.1	0.7	0.4	1.4	1.8	2.9	24.2	8	2548
	19 LST	1.9	1.2	0.3	0.2	1.1	0.2	0.2	0.1	0.1	0.4	0.7	1.3	7.7	8	2548
	01 LST	0.5	0.5	0.3	0.0	0.1	0.4	0.8	0.0	0.1	0.4	0.5	0.9	4.5	8	2530
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	14.8	12.1	13.8	14.8	15.1	10.9	11.7	17.1	14.2	18.1	17.0	14.9	174.5	8	2493
	13 LST	16.2	15.0	18.3	12.5	5.3	5.6	3.4	7.4	10.0	12.4	15.8	15.8	137.7	8	2533
	19 LST	11.0	12.7	17.8	19.5	16.7	17.3	18.8	16.2	15.0	14.3	13.7	11.9	184.9	8	2538
	01 LST	11.9	10.9	11.0	11.2	12.9	9.3	13.2	10.8	13.1	15.8	14.4	12.8	147.3	8	2521
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	8.4	7.2	7.0	7.2	5.6	2.7	6.8	4.0	4.8	12.8	10.4	8.3	85.2	8	2512
	13 LST	13.6	10.8	11.2	12.7	7.9	2.2	5.8	4.2	4.3	10.6	12.4	11.4	109.1	8	2549
	19 LST	13.4	10.0	10.0	12.0	7.0	1.5	1.5	1.6	4.1	13.7	12.1	14.6	101.5	8	2544
	01 LST	13.5	11.0	13.0	13.9	15.7	8.0	12.4	9.7	9.1	17.5	19.7	15.2	154.7	8	2528
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	27.2	22.0	24.8	26.8	29.1	27.5	29.5	28.3	27.1	29.0	27.9	28.9	328.1	8	2378
	13 LST	29.9	24.2	27.8	28.1	28.5	27.0	29.0	26.6	25.8	28.2	27.5	29.3	331.9	8	2452
	19 LST	27.7	23.3	26.5	28.0	28.1	25.7	25.7	24.6	25.0	29.2	27.9	28.7	320.4	8	2437
	01 LST	27.7	24.3	28.5	28.3	29.7	28.7	29.9	28.4	27.2	30.3	28.8	29.8	341.6	8	2460
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	19.7	13.9	16.9	22.1	26.5	22.3	25.1	23.7	20.8	24.0	22.4	22.4	259.8	8	2378
	13 LST	24.9	18.1	22.0	22.8	24.9	22.1	25.6	19.7	19.0	22.6	22.3	24.9	268.9	8	2452
	19 LST	18.0	14.3	16.0	19.9	23.3	18.2	16.5	14.8	15.7	22.0	19.6	21.7	220.0	8	2437
	01 LST	19.3	15.4	17.8	21.3	26.8	25.0	26.5	23.1	21.6	26.2	24.0	23.1	270.1	8	2460
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	19.2	13.5	16.6	22.0	26.3	21.9	24.9	23.7	20.8	23.9	22.2	21.5	236.5	8	2378
	13 LST	24.9	18.1	21.6	22.8	24.9	22.1	25.6	19.7	19.0	22.6	22.3	24.9	268.5	8	2452
	19 LST	17.4	13.8	16.0	19.6	23.3	18.2	16.4	14.8	15.7	21.9	19.2	21.0	217.3	8	2437
	01 LST	19.2	14.7	17.8	21.3	26.8	25.0	26.5	23.1	21.6	26.2	23.8	23.0	269.0	8	2460

CHIA-CHI-SHIH/C, CHINA

STA NO. 59855 (IN AREA NUMBER 07)

LATITUDE 1917N

LONGITUDE 11028E

ELEVATION(FT) 06121

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	86	91	95	95	104	99	100	99	99	90	88	86	104	8	2547
MEAN MAX TMP (F)	72	73	80	85	91	91	91	90	88	83	79	75	83	8	2547
MEAN MIN TMP (F)	57	60	68	72	76	77	76	76	75	71	67	61	70	8	2525
ABS MIN TMP (F)	41	46	50	57	66	72	72	72	70	55	50	48	41	8	2525
MEAN NO DYS TMP = OR GTR 90(F)	0.0	0.2	2.3	8.4	22.7	24.4	24.9	21.0	14.8	0.5	0.0	0.0	119.2	8	2547
MEAN NO DYS TMP = OR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2525
MEAN NO DYS TMP = OR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2525
MEAN DEW PT TMP (F)	57	61	67	71	75	76	76	76	75	70	67	62	69	8	18310
MEAN REL HUM (PCT)	82	85	85	84	81	83	82	84	86	83	84	84	84	8	18045
MEAN PRESS ALT (FT)	-88	-24	69	150	246	334	339	337	270	95	18	-33	143	8	18536
MEAN PRECIP (IN)														0	0
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-29
MEAN NO DYS PRCP = OR GTR 0.1 IN														0	0
MEAN NO DYS SNFL = OR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	2.3	1.7	1.8	1.2	0.0	0.3	0.2	0.6	0.0	0.1	0.3	1.4	10.1	8	2487
MEAN NO DYS TSMS	0.2	0.6	3.2	7.6	19.6	20.3	17.5	18.4	14.9	3.7	1.5	6.1	107.6	8	2504
P FREQ WND SPD = OR GTR 17 KTS	0.3	0.7	1.2	1.6	2.0	0.9	0.4	1.8	0.8	1.0	0.1	0.1	0.9	8	18536
P FREQ WND SPD = OR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.4	0.0	0.2	0.1	0.0	0.1	8	18536
P FREQ LES 3000 FT A/D LES 3 MI	53.0	61.5	56.7	45.7	30.3	28.0	24.8	29.5	38.1	42.4	49.5	49.5	42.4	8	18239
P FREQ LES 1800 FT A/D LES 3 MI															
FOR 00-02 LST	13.6	14.0	9.5	4.4	2.0	0.8	1.0	1.4	0.9	1.1	5.5	7.6	5.2	8	2530
03-05 LST	14.7	11.4	16.3	10.0	1.9	1.3	0.3	3.5	1.0	2.0	7.7	8.1	6.5	8	2244
06-08 LST	17.5	19.1	15.6	9.4	1.5	0.6	1.1	5.3	4.1	4.3	9.6	13.6	8.5	8	2484
09-11 LST	6.3	10.9	7.6	5.0	1.1	1.2	1.1	1.8	2.6	1.8	3.5	6.4	4.1	8	2303
12-14 LST	6.4	9.6	6.6	3.4	1.5	1.6	0.8	1.9	1.2	2.2	5.8	7.0	4.0	8	2513
15-17 LST	7.4	7.0	6.7	4.0	1.6	1.9	0.3	1.8	2.3	3.8	4.8	2.8	3.7	8	2229
18-20 LST	7.3	11.0	7.2	3.8	1.0	0.3	0.8	1.0	1.6	1.7	4.4	5.0	3.8	8	2520
21-23 LST	7.1	9.1	4.4	3.8	0.8	0.0	1.1	1.6	1.9	1.3	3.7	4.1	3.2	7	2193
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	3.5	1.6	1.5	0.5	0.5	0.0	0.5	0.0	0.0	0.0	0.9	2.6	1.0	8	2530
03-05 LST	5.4	3.3	7.1	4.5	0.5	0.5	0.0	1.6	0.0	0.4	2.0	2.2	2.3	8	2244
06-08 LST	7.0	6.0	4.9	2.0	0.0	0.0	0.5	2.0	1.4	1.3	3.1	5.2	2.8	8	2484
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	0.9	0.4	0.0	0.5	0.2	8	2303
12-14 LST	0.0	0.0	0.0	0.0	0.0	1.1	0.5	0.5	0.0	0.0	0.0	0.0	0.2	8	2513
15-17 LST	0.6	0.0	0.5	0.0	0.0	1.1	0.0	0.5	0.0	0.0	0.0	0.6	0.3	8	2229
18-20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.0	0.0	8	2520
21-23 LST	0.0	0.0	0.0	0.6	0.0	0.0	0.0	0.0	0.5	0.0	0.0	0.0	0.1	7	2193

CHIA-CHI-SHIH/C, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	27.3	24.5	27.8	28.8	31.0	30.0	30.8	30.1	29.2	30.2	28.1	28.9	346.7	8	2484
	13 LST	30.7	27.4	30.6	29.5	30.8	29.5	30.8	30.7	30.0	30.9	29.7	29.9	360.5	8	2513
	19 LST	30.4	27.5	30.3	29.7	31.0	30.0	30.8	31.0	29.7	30.7	29.6	30.4	361.1	8	2520
	01 LST	28.7	26.3	29.5	29.5	30.9	30.0	30.7	31.0	30.0	30.9	29.6	29.9	357.0	8	2530
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	21.3	19.6	22.3	21.6	24.3	25.5	28.4	26.4	27.2	25.8	23.4	22.7	288.5	8	2481
	13 LST	16.4	13.7	13.3	10.1	11.9	15.6	19.5	21.5	20.5	14.9	14.0	17.2	188.6	8	2509
	19 LST	25.3	20.5	22.6	20.7	22.4	25.2	27.6	27.5	27.7	27.8	26.1	26.6	300.0	8	2513
	01 LST	23.9	20.0	26.0	24.6	27.6	26.0	29.5	28.4	28.2	28.0	24.9	25.0	312.1	8	2527
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	8	2503
	13 LST	0.0	0.5	1.3	1.7	1.7	0.3	0.0	0.0	0.0	0.0	0.0	0.3	5.8	8	2532
	19 LST	0.0	0.0	0.1	0.0	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.2	8	2545
	01 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.3	8	2554
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	15.7	12.4	11.5	14.1	15.1	13.5	11.0	10.0	9.5	13.3	12.6	14.3	153.0	8	2487
	13 LST	17.6	15.2	15.3	12.5	6.2	4.4	5.9	6.1	7.7	16.0	15.3	18.5	140.7	8	2515
	19 LST	17.6	16.0	19.2	18.8	19.0	13.3	17.1	12.8	9.0	13.5	14.3	16.5	187.1	8	2530
	01 LST	13.9	11.7	11.2	15.5	14.8	10.3	10.2	9.1	5.9	10.9	11.3	14.3	139.1	8	2541
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	7.2	4.8	7.1	8.0	6.5	3.0	5.7	3.0	3.8	8.0	7.7	6.6	71.4	8	2501
	13 LST	7.9	4.7	7.2	7.5	6.6	2.3	2.8	2.7	2.4	5.0	3.9	4.4	57.4	8	2527
	19 LST	12.8	10.7	11.0	11.5	6.1	2.8	5.6	3.6	4.5	12.0	12.6	13.6	106.8	8	2538
	01 LST	11.3	8.2	8.9	13.0	13.9	6.1	11.6	7.6	6.0	10.6	9.5	11.0	117.7	8	2547
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	22.4	19.3	22.2	23.3	27.5	27.7	28.8	26.8	25.5	26.1	24.0	22.9	296.5	8	2484
	13 LST	22.7	19.6	22.5	23.8	26.9	24.8	26.1	26.2	23.2	24.3	22.0	22.9	285.0	8	2513
	19 LST	25.7	21.1	25.1	25.9	27.3	26.5	28.1	27.2	26.0	27.9	25.9	26.7	313.4	8	2520
	01 LST	23.4	20.0	23.7	25.4	28.4	27.8	28.8	28.4	26.9	27.0	24.5	24.9	309.2	8	2530
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	12.2	9.3	12.0	16.0	22.6	23.2	25.1	23.3	19.5	18.4	15.3	14.2	211.6	8	2484
	13 LST	11.7	9.4	13.1	15.2	21.1	17.5	19.3	19.6	13.4	13.7	11.4	12.6	178.0	8	2513
	19 LST	16.6	12.5	16.2	18.7	21.2	20.2	23.6	21.7	19.4	20.7	17.7	19.2	227.7	8	2520
	01 LST	13.9	10.1	12.3	17.8	23.7	23.6	24.9	24.4	21.6	18.1	14.6	15.0	220.0	8	2530
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	12.2	9.8	12.0	16.0	22.6	23.2	25.1	23.3	19.5	18.4	15.3	14.2	211.6	8	2484
	13 LST	11.6	9.4	13.1	15.2	21.1	17.5	19.3	19.6	13.4	13.7	11.4	12.6	177.9	8	2513
	19 LST	16.6	12.5	16.2	18.7	21.2	20.2	23.6	21.7	19.4	20.5	17.7	19.2	227.5	8	2520
	01 LST	13.9	10.1	12.0	17.8	23.7	23.6	24.9	24.4	21.6	18.1	14.6	15.0	219.7	8	2530

YULIN/YULINKANG, CHINA

STA NO. 59948 (IN AREA NUMBER 07)

LATITUDE 1814N

LONGITUDE 10932E

ELEVATION(FT) 00043

PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. OBS
ABS MAX TMP (F)	86	88	88	93	95	97	97	93	91	91	90	88	97	8	2452
MEAN MAX TMP (F)	77	78	82	86	89	89	88	88	87	85	83	79	84	8	2452
MEAN MIN TMP (F)	63	67	72	76	79	79	79	78	77	73	70	66	73	8	2451
ABS MIN TMP (F)	43	54	54	64	72	73	72	70	70	54	50	52	43	8	2451
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	3.6	17.3	15.3	11.4	9.3	6.1	0.8	0.1	0.0	63.9	8	2452
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2451
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2451
MEAN DEW PT TMP (F)	57	62	68	72	76	78	77	77	75	70	67	62	70	8	17482
MEAN REL HUM (PCT)	68	74	77	78	80	83	83	84	84	77	74	72	78	8	17263
MEAN PRESS ALT (FT)	-101	-57	17	85	175	257	260	262	208	54	-22	-63	90	8	17715
MEAN PRECIP (IN)														0	0
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN														0	0
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	-29
MEAN NO DYS W/O CUR VSBY LES 1/2 MI	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.0	0.1	3	2422
MEAN NO DYS TSTMS	0.0	0.3	0.8	2.2	9.2	9.6	9.9	12.0	11.5	4.0	0.3	0.4	60.2	8	2426
P FREQ WND SPD = DR GTR 17 KTS	0.7	0.1	0.2	0.1	0.2	0.4	0.2	0.6	0.5	1.0	0.1	0.1	0.4	8	17656
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	8	17656
P FREQ LES 5000 FT A/D LES 5 MI	13.9	30.7	28.6	27.0	25.2	25.5	26.5	24.7	30.1	20.4	13.9	11.4	23.2	8	13935
P FREQ LES 1500 FT A/D LES 3 MI															
FOR 00-02 LST	2.2	5.0	7.7	12.0	14.9	12.0	12.5	12.4	14.7	6.8	4.7	2.1	8.9	8	2205
03-05 LST	2.6	3.3	7.6	13.7	13.5	10.7	13.1	10.2	15.8	6.1	4.4	2.2	8.6	8	1964
06-08 LST	2.4	5.3	11.9	12.5	13.6	18.8	14.8	15.9	11.9	8.2	2.9	3.4	10.1	8	2138
09-11 LST	3.8	8.6	8.3	13.1	9.8	12.6	8.7	8.8	12.3	10.0	5.3	4.0	8.8	8	2001
12-14 LST	1.6	7.5	5.9	5.7	8.7	8.5	9.7	8.9	11.6	8.1	4.2	2.4	6.9	8	2163
15-17 LST	0.3	2.1	4.2	7.1	12.9	10.4	12.6	12.5	14.0	8.9	4.5	2.8	7.7	8	1836
18-20 LST	0.8	4.5	5.1	5.8	6.6	8.5	8.2	9.6	7.9	5.0	4.3	2.7	5.8	8	2102
21-23 LST	1.2	3.8	6.7	7.3	10.7	8.5	7.7	8.8	8.5	6.9	4.7	2.0	6.4	7	1919
P FREQ LES 300 FT A/D LES 1 MI															
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2205
03-05 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	0.0	0.0	0.1	8	1964
06-08 LST	0.0	0.0	0.0	0.0	0.0	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.1	8	2138
09-11 LST	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.5	0.0	0.0	0.1	8	2001
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2163
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	0.0	0.0	0.0	0.0	0.1	8	1836
18-20 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8	2102
21-23 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	0.5	0.0	0.1		7	1919

YULIN/YULINKANG, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	PDR (YRS)	NO. DBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	31.0	28.0	30.5	29.8	31.0	29.8	31.0	30.5	29.8	30.5	30.0	30.7	362.6	8	2138
	13 LST	31.0	27.8	31.0	30.0	30.5	29.6	30.8	30.8	30.0	30.8	29.9	31.0	363.2	8	2163
	19 LST	31.0	28.0	30.8	30.0	30.8	29.8	30.8	31.0	29.6	30.9	29.9	30.9	363.5	8	2102
	01 LST	31.0	28.0	31.0	29.8	31.0	30.0	30.6	30.8	29.8	31.0	29.7	31.0	363.7	8	2205
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	23.0	22.3	22.6	22.4	22.7	19.5	22.0	21.7	22.4	24.8	25.9	27.2	276.5	8	2132
	13 LST	21.0	17.8	21.5	21.4	22.9	20.0	18.6	19.2	17.6	18.3	18.0	21.7	238.0	8	2148
	19 LST	24.5	22.0	26.0	24.8	26.2	24.6	26.1	23.9	24.3	23.0	23.7	25.3	295.0	8	2098
	01 LST	23.4	22.7	25.1	22.4	22.1	23.1	23.2	23.0	21.2	25.6	24.3	27.3	283.4	8	2201
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	0.3	0.0	0.2	0.0	0.0	0.0	0.0	0.2	0.0	0.0	0.0	0.0	0.7	8	2411
	13 LST	0.2	0.0	0.0	0.0	0.0	0.2	0.0	0.3	0.0	0.0	0.0	0.0	0.8	8	2467
	19 LST	0.1	0.0	0.0	0.0	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	8	2517
	01 LST	0.3	0.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.0	0.0	0.6	8	2463
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	15.6	15.8	15.5	18.2	18.6	9.2	10.7	7.8	6.5	12.5	14.8	14.9	160.1	8	2391
	13 LST	24.1	21.8	25.2	24.5	16.6	13.9	17.5	17.1	17.5	19.5	22.2	25.0	246.9	8	2447
	19 LST	19.2	18.2	19.7	23.1	17.4	12.1	13.6	9.7	7.2	15.2	17.0	19.7	192.1	8	2504
	01 LST	15.4	15.9	15.3	16.4	10.2	8.5	7.3	5.7	7.3	11.6	12.9	15.1	141.6	8	2449
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	8.2	6.8	4.1	4.7	2.5	1.2	2.5	2.2	2.5	8.5	10.5	8.1	61.8	8	2421
	13 LST	12.9	8.5	8.4	10.3	6.4	2.7	4.4	3.4	3.1	9.4	10.9	9.1	89.3	8	2481
	19 LST	10.6	7.2	9.5	9.6	6.4	2.6	5.0	3.6	2.5	8.4	10.2	10.4	86.0	8	2518
	01 LST	10.1	7.0	6.1	9.7	6.6	2.8	5.4	2.4	3.0	10.9	11.9	13.9	89.8	8	2460
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	29.2	24.0	23.5	22.5	22.5	19.2	22.0	21.5	23.2	26.1	28.3	29.0	291.0	8	2138
	13 LST	29.7	23.2	27.1	26.0	25.9	25.5	25.1	25.5	23.2	26.1	27.4	29.3	314.0	8	2163
	19 LST	30.2	24.6	27.4	26.4	27.1	25.0	26.4	24.7	24.8	27.6	27.3	29.2	320.7	8	2102
	01 LST	29.1	24.3	25.5	22.6	21.9	23.0	23.8	23.2	20.9	26.6	27.4	29.4	291.7	8	2205
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	21.9	14.0	13.7	16.9	21.1	16.2	19.6	19.5	21.2	22.6	23.3	22.7	232.7	8	2138
	13 LST	24.9	17.0	22.1	23.1	24.9	24.2	23.9	24.2	22.0	22.7	23.8	24.8	277.6	8	2163
	19 LST	19.7	12.4	19.8	20.6	25.6	21.3	24.7	23.7	20.0	21.6	20.7	21.2	251.3	8	2102
	01 LST	19.8	13.2	16.9	17.7	20.7	19.6	20.5	19.6	17.2	22.1	22.6	22.3	232.2	8	2205
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	19.3	13.2	12.8	16.1	21.1	15.7	19.6	18.8	20.4	21.5	23.3	20.5	222.3	8	2138
	13 LST	24.3	16.8	21.4	22.3	24.9	24.2	23.9	24.2	21.8	22.1	23.5	23.5	272.9	8	2163
	19 LST	19.1	12.2	19.5	20.5	25.4	20.4	23.9	23.7	19.4	21.3	20.3	20.0	245.7	8	2102
	01 LST	19.5	12.9	16.5	16.9	20.7	19.0	20.5	19.6	16.9	21.8	22.2	21.5	228.0	8	2205

HSI-SHA CHOU/PAR, CHINA

STA NO. 59981 (IN AREA NUMBER 07)	LATITUDE 1651N LONGITUDE 11220E ELEVATION(FT) 0007												PDR	NP.	
PARAMETER DESCRIPTION	JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	(YRS)	QBS
ABS MAX TMP (F)	82	82	86	90	91	91	91	91	90	91	86	84	91	6	1409
MEAN MAX TMP (F)	76	78	81	84	89	87	87	87	86	84	83	80	84	6	1409
MEAN MIN TMP (F)	69	70	73	76	80	80	80	80	79	77	75	73	76	6	1334
ABS MIN TMP (F)	61	63	63	68	73	73	73	72	70	72	68	66	61	6	1334
MEAN NO DYS TMP = DR GTR 90(F)	0.0	0.0	0.0	0.6	17.0	9.1	4.7	5.1	1.0	0.2	0.0	0.0	37.7	6	1409
MEAN NO DYS TMP = DR LES 32(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	1334
MEAN NO DYS TMP = DR LES 0(F)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	1334
MEAN DEW PT TMP (F)	62	65	69	73	77	78	78	78	78	73	72	67	73	6	6232
MEAN REL HUM (PCT)	71	77	79	82	78	84	84	83	85	80	80	76	80	6	6107
MEAN PRESS ALT (FT)	-90	-85	-14	47	129	224	229	209	197	61	14	-41	73	6	6254
MEAN PRECIP (IN)														0	0
MEAN SNOW FALL (IN)	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	-29
MEAN NO DYS PRCP = DR GTR 0.1 IN														0	0
MEAN NO DYS SNFL = DR GTR 1.5 IN	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6	-29
MEAN NO DYS W/DCUR VSBY LES 1/2 MI	0.0	0.0	0.0	0.0	0.0	0.9	0.0	0.0	0.0	0.0	0.0	0.0	0.9	6	348
MEAN NO DYS TSYM	0.0	0.0	0.7	1.6	4.0	4.5	3.8	6.3	7.8	2.0	0.3	0.3	31.3	6	1081
P FREQ WND SPD = DR GTR 17 KTS	16.6	9.2	4.0	1.3	2.4	17.8	16.5	15.3	15.7	12.1	25.7	21.7	13.2	6	6297
P FREQ WND SPD = DR GTR 28 KTS	0.0	0.0	0.0	0.0	0.2	1.2	1.1	1.0	0.9	0.3	1.5	0.2	0.5	6	6297
P FREQ LES 5000 FT A/D LES 5 MI	40.3	22.6	19.8	17.8	8.3	24.0	20.1	16.2	25.1	22.2	29.7	35.0	23.4	6	4506
P FREQ LES 1500 FT A/D LES 3 MI														6	687
FOR 00-02 LST	0.0	1.2	2.4	0.0	0.0	2.3	0.0	2.9	0.9	4.9	2.2	0.0	1.4	6	384
03-05 LST	0.0	0.0	0.0	0.0	0.0	1.9	0.0	0.0	0.0	0.0	6.5	2.0	0.9	4	384
06-08 LST	0.0	0.0	0.0	1.1	0.0	4.2	3.7	0.0	2.8	2.9	2.5	2.0	1.6	6	1342
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.9	1.3	3.9	0.6	8.2	1.3	1.4	3	789
12-14 LST	0.0	0.0	0.9	0.0	0.0	3.4	2.8	4.5	3.1	2.3	4.2	1.2	1.9	6	1358
15-17 LST	0.0	0.0	0.0	0.0	0.0	2.8	1.5	2.2	2.3	0.6	8.5	2.7	1.6	4	823
18-20 LST	0.0	0.0	1.8	1.0	0.0	1.1	1.6	3.3	2.6	0.0	2.6	4.1	1.5	6	834
21-23 LST														0	0
P FREQ LES 300 FT A/D LES 1 MI														6	687
FOR 00-02 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.4	0.0	0.0	0.1	6	687
03-05 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4	384
06-08 LST	0.0	0.0	0.0	0.0	0.0	3.1	0.0	0.0	0.0	0.0	0.0	0.0	0.3	6	1342
09-11 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.0	0.1	3	789
12-14 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.8	0.9	0.0	1.4	0.0	0.3	6	1358
15-17 LST	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	1.3	0.0	0.2	4	823
18-20 LST	0.0	0.0	1.8	0.0	0.0	0.0	0.0	1.9	0.0	0.0	0.0	0.0	0.3	6	834
21-23 LST														0	0

HSI-SHA CHOU/PAR, CHINA

MEAN NUMBER OF DAYS

PARAMETER DESCRIPTION		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN	POR (YRS)	NO. OBS
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	31.0	28.0	31.0	30.0	31.0	29.1	30.4	31.0	29.7	30.4	29.8	31.0	302.4	6	1342
	13 LST	31.0	28.0	30.7	30.0	31.0	29.3	30.4	29.7	29.7	30.6	29.6	31.0	301.0	6	1358
	19 LST	31.0	28.0	30.4	30.0	31.0	30.0	30.8	30.1	29.5	31.0	29.5	31.0	302.3	6	834
	01 LST	31.0	28.0	30.2	30.0	31.0	30.0	31.0	30.1	30.0	30.1	29.6	31.0	302.0	6	687
CIG = GTR 2000 FT AND VSBY = GTR 3 MI W/SFC WND LES 10 KTS	07 LST	8.2	9.3	10.9	17.0	20.6	11.1	10.7	13.5	11.6	11.8	8.3	7.3	148.3	6	1335
	13 LST	5.8	9.6	14.3	17.7	17.9	8.2	10.0	14.2	11.0	9.3	6.7	6.9	131.6	6	1353
	19 LST	6.5	11.6	19.4	17.6	22.8	13.4	14.0	18.9	17.1	11.7	7.2	7.9	168.1	6	833
	01 LST	13.4	13.0	17.4	21.1	18.8	6.0	9.0	14.1	13.7	9.5	8.7	10.1	156.8	6	686
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	3.6	1.4	0.6	0.9	0.9	4.6	4.5	4.7	3.7	2.0	1.8	2.4	31.1	6	1375
	13 LST	3.6	2.5	1.2	0.9	1.2	5.2	3.0	3.5	2.0	2.2	1.2	3.4	29.9	6	1408
	19 LST	3.5	1.1	0.3	0.0	0.6	3.8	2.5	2.0	2.2	1.1	1.8	2.7	21.6	6	1473
	01 LST	3.3	1.2	0.9	0.3	0.6	4.7	5.0	4.7	2.7	1.0	1.5	2.7	28.6	6	1476
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	8.7	9.8	20.8	19.5	18.1	10.5	9.9	11.2	8.2	9.7	10.2	8.8	145.4	6	1363
	13 LST	7.6	11.2	20.5	22.0	14.0	7.5	9.9	11.4	12.6	10.3	9.5	8.9	145.4	6	1390
	19 LST	7.0	13.1	19.6	21.3	18.8	11.9	11.5	12.0	11.7	10.8	10.7	7.5	155.9	6	1466
	01 LST	7.8	12.9	18.3	21.6	17.3	9.4	9.7	10.8	9.3	10.9	9.7	10.5	148.2	6	1468
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	3.5	5.8	8.2	4.9	5.2	1.5	3.8	2.1	1.9	6.4	6.3	4.7	54.3	6	1380
	13 LST	6.4	10.2	12.2	9.2	6.4	3.9	4.2	2.7	3.3	8.7	8.0	6.4	81.6	6	1410
	19 LST	4.0	8.9	14.4	7.6	7.0	4.8	5.7	3.4	2.5	10.5	9.8	10.1	88.7	6	860
	01 LST	7.6	5.7	9.1	8.7	9.1	1.3	7.3	4.6	3.4	10.3	7.8	7.0	81.9	6	700
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	27.1	25.5	29.2	27.5	29.8	25.4	27.5	29.1	25.7	26.7	26.8	26.3	326.6	6	1342
	13 LST	26.7	26.5	29.5	28.2	29.2	26.2	27.9	27.3	26.3	27.2	25.3	27.0	327.3	6	1358
	19 LST	28.4	26.1	29.3	28.9	30.6	28.0	28.6	28.5	28.3	30.0	26.9	26.9	340.5	6	834
	01 LST	29.3	24.5	28.1	28.0	29.8	23.7	29.1	29.5	28.1	27.1	26.5	29.2	334.9	6	687
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	15.5	17.3	20.7	23.9	27.6	20.4	24.2	26.2	21.0	20.8	22.0	18.0	257.6	6	1342
	13 LST	17.5	21.9	24.6	25.1	26.5	21.9	25.0	23.7	22.8	22.3	20.7	20.4	272.4	6	1358
	19 LST	19.6	21.2	24.9	27.6	30.0	26.1	25.7	26.4	27.4	27.5	21.2	19.5	297.1	6	834
	01 LST	16.3	17.6	21.2	23.1	27.4	21.3	25.5	28.7	25.6	23.7	20.0	22.1	274.5	6	687
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	15.5	16.3	20.4	23.9	27.6	20.4	24.0	26.2	21.0	20.6	21.8	17.3	255.2	6	1342
	13 LST	17.5	21.9	24.0	25.1	26.5	21.9	25.0	23.7	22.6	22.3	20.5	19.6	270.6	6	1358
	19 LST	19.6	21.2	24.4	27.6	30.0	25.8	25.7	26.4	27.4	27.5	20.7	18.2	294.5	6	834
	01 LST	18.3	17.6	20.4	23.1	27.4	20.7	25.1	28.7	25.6	23.7	20.0	20.9	271.5	6	687

AREA 07

PARAMETER DESCRIPTION	BOUNDARIES	SOUTH CNTRL MTNS																	
		2315N 10500E			2600N 10500E			2600N 10900E			3025N 10800E			3025N 10800E			3040N 12100E		
		2900N 12200E			2900N 11900E			2900N 11500E			2590N 11000E			2930N 11000E			2200N 11000E		
		2200N 11000E			2200N 11230E			2200N 11230E			2500N 11000E			2900N 11000E			2730N 12040E		
		JAN	FEB	MAR	APR	MAY	JUN	JUL	AUG	SEP	OCT	NOV	DEC	ANN					
MEAN MAX TMP (F)		56	59	67	75	80	86	89	89	84	76	68	61	74					
MEAN MIN TMP (F)		42	45	53	61	67	73	76	75	70	62	55	47	61					
LARGEST MEAN PRECIP(IN)		2.75	3.85	6.30	7.46	8.86	10.69	13.28	11.96	10.10	6.66	3.77	2.38	88.1					
SMALLEST MEAN PRECIP(IN)		0.10	0.66	1.50	2.35	4.49	6.09	3.50	3.29	1.34	1.48	1.24	0.52	26.6					
MEAN NUMBER OF DAYS																			
CIG = GTR 1000 FT AND VSBY = GTR 3 MI	07 LST	26.4	23.5	25.1	25.9	27.6	27.5	29.3	28.6	27.5	28.0	26.1	26.1	321.6					
	13 LST	28.9	25.7	28.4	28.2	29.1	28.6	29.9	29.7	28.8	29.7	28.4	29.2	344.6					
	19 LST	29.0	25.7	28.4	28.2	29.4	28.9	30.2	30.1	29.0	29.8	28.5	25.3	346.5					
	01 LST	28.0	25.1	27.6	27.5	29.0	28.7	30.0	30.0	28.8	29.6	28.0	28.4	340.7					
CIG =GTR 2000 FT AND VSBY =GTR 3 MI W/SFC WND LES 10 KTS	07 LST	19.1	17.2	18.6	19.5	21.2	21.7	23.3	23.3	21.7	21.8	19.6	19.2	246.2					
	13 LST	18.4	15.9	17.0	17.4	18.7	19.7	19.2	21.0	19.3	19.8	18.2	19.3	223.9					
	19 LST	21.3	18.5	20.4	20.7	22.4	23.7	25.1	25.4	23.5	23.4	21.4	22.4	268.2					
	01 LST	21.0	18.7	20.7	21.5	23.4	24.0	25.6	25.9	24.0	24.0	21.7	21.6	272.1					
SFC WND = GTR 17 KTS AND NO PRECIP.	07 LST	1.2	0.7	0.8	0.7	0.5	0.5	0.6	0.5	0.6	1.1	1.1	1.0	9.3					
	13 LST	1.6	1.1	1.3	1.2	1.0	0.7	0.8	0.7	0.9	1.5	1.3	1.5	13.6					
	19 LST	1.3	0.9	0.9	0.7	0.5	0.5	0.5	0.5	0.8	1.2	1.2	1.3	10.3					
	01 LST	1.2	0.8	0.8	0.6	0.4	0.5	0.7	0.6	0.6	1.0	1.0	1.2	9.4					
SFC WND 4-10 KTS AND TMP 33-89 DEG F AND NO PRECIP.	07 LST	8.4	7.6	9.1	9.9	10.2	9.6	10.8	10.2	9.6	10.1	9.4	9.1	114.0					
	13 LST	14.0	12.5	14.3	14.0	11.7	9.5	6.8	7.8	11.9	14.8	14.2	14.4	145.9					
	19 LST	11.5	10.6	12.7	13.5	12.7	11.7	11.8	11.5	11.2	11.6	11.6	11.7	142.1					
	01 LST	8.5	7.8	9.2	9.5	9.7	8.6	10.0	9.0	8.9	9.5	9.2	9.1	109.0					
SKY COVER LES 3/10 AND VSBY = GTR 3 MI	07 LST	7.5	5.1	4.6	4.7	3.7	3.2	5.1	6.2	6.4	8.7	7.1	7.1	69.4					
	13 LST	9.9	7.0	6.7	6.4	4.3	3.2	4.5	5.2	6.6	9.3	8.8	9.9	81.8					
	19 LST	12.2	8.5	8.7	8.0	5.9	4.3	5.7	7.6	10.1	12.9	11.6	12.8	108.3					
	01 LST	10.5	7.6	7.3	7.9	7.3	6.6	10.6	11.2	10.4	11.9	9.8	10.7	111.8					
CIG = GTR 2500 FT AND VSBY = GTR 3 MI	07 LST	22.8	19.3	20.2	21.7	22.7	23.4	25.6	25.0	24.0	25.2	22.6	22.5	275.0					
	13 LST	25.3	21.4	23.2	24.0	24.5	24.6	26.4	26.1	25.1	26.5	24.5	25.7	297.3					
	19 LST	26.0	22.2	24.3	24.8	25.3	25.9	28.0	27.6	26.4	27.7	25.6	26.6	310.6					
	01 LST	24.7	21.2	22.9	23.5	24.8	25.5	27.6	27.5	26.0	27.2	24.7	25.3	300.9					
CIG = GTR 6000 FT AND VSBY = GTR 3 MI	07 LST	14.9	11.5	10.9	13.0	14.4	16.1	19.0	18.8	17.3	18.5	14.6	14.3	183.3					
	13 LST	18.2	14.4	14.8	16.0	15.9	16.8	18.2	17.7	17.5	19.4	16.8	18.1	202.8					
	19 LST	18.8	14.6	15.4	16.6	17.8	18.8	21.6	21.2	20.3	21.4	17.9	18.9	223.3					
	01 LST	16.4	13.0	13.0	14.3	15.8	17.8	21.1	21.5	19.4	20.2	16.3	16.8	205.6					
CIG = GTR 10000 FT AND VSBY = GTR 3 MI	07 LST	13.9	10.7	10.2	12.4	13.8	15.5	18.7	18.4	16.7	17.7	13.8	13.4	175.2					
	13 LST	17.5	13.8	14.3	15.5	15.6	16.5	18.0	17.5	17.2	18.8	16.2	17.5	198.4					
	19 LST	17.9	13.9	14.7	15.9	17.2	18.3	21.4	20.9	19.8	20.6	17.2	18.1	215.9					
	01 LST	19.7	12.3	12.4	13.8	15.2	17.3	20.9	21.1	19.0	19.5	15.7	15.9	198.8					

0371

USCOMH-NOAA-ASHEVILLE-3-74--400