

AD-778 813

SECOND PRELIMINARY REPORT ON NITROGEN
OXYGEN SELF-CONTAINED UNDERWATER
BREATHING APPARATUS

J. V. Dwyer

Navy Experimental Diving Unit
Washington, D C.

June 1951

DISTRIBUTED BY:

NTIS

National Technical Information Service
U. S. DEPARTMENT OF COMMERCE
5285 Port Royal Road, Springfield Va. 22151

UNCLASSIFIED

Security Classification

AD 778 813

DOCUMENT CONTROL DATA - R & D

(Security classification of title, body of abstract and indexing annotation must be entered when the overall report is classified)

1. ORIGINATING ACTIVITY (Corporate author) U. S. Navy Experimental Diving Unit Washington Navy Yard Washington, D.C. 20374		2a. REPORT SECURITY CLASSIFICATION UNCLASSIFIED	
3. REPORT TITLE Second Preliminary Report on Nitrogen Oxygen Self-Contained Underwater Breathing Apparatus.		2b. GROUP	
4. DESCRIPTIVE NOTES (Type of report and inclusive dates)			
5. AUTHOR(S) (First name, middle initial, last name) J. V. Dwyer, LT, USN			
6. REPORT DATE June 1951		7a. TOTAL NO. OF PAGES 26 56	7b. NO. OF REFS
8a. CONTRACT OR GRANT NO.		9a. ORIGINATOR'S REPORT NUMBER(S) Report No. 7-52	
b. PROJECT NO. NS 186-200 Test 31.1		9b. OTHER REPORT NO(S) (Any other numbers that may be assigned this report)	
10. DISTRIBUTION STATEMENT Approved for public release; distribution unlimited.			
11. SUPPLEMENTARY NOTES Details of illustrations in this document may be better studied on microfiche.		12. SPONSORING MILITARY ACTIVITY Experimental Diving Unit Washington Navy Yard Washington, D.C. 20374	

13. ABSTRACT

This report covers an additional investigation into the characteristics and potentialities of the nitrogen-oxygen self-contained underwater breathing apparatus when used under swimming conditions or for extremely heavy work. The original investigation drew the general conclusion that the apparatus is satisfactory as a diving outfit. This evaluation reveals the limitation which develops when the apparatus is used for swimming or heavy work at surface conditions: the unit can produce anoxia. As a result of this limitation, the following guides to use of the unit must be followed:

- (1) Use straight oxygen in both bottles for swimming or heavy diving at depths down to 30 feet.
- (2) If using the air-oxygen mixture for light diving down to 30 feet, purge the bag completely after every five minutes of unforeseen, sustained, heavy physical exertion.
- (3) Use the air-oxygen mixture for swimming or diving at depths greater than 30 feet, and purge the bag completely before starting to the surface.

Reproduced by
NATIONAL TECHNICAL
INFORMATION SERVICE
U. S. Department of Commerce
Springfield, VA 22151

56

DD FORM 1473 (PAGE 1)
1 NOV 51


N 0101.407.6901

UNCLASSIFIED

Security Classification

**SECOND PRELIMINARY REPORT ON NITROGEN
OXYGEN SELF-CONTAINED UNDERWATER BREATHING
APPARATUS**

REPORT NO. 7-52



iii.

Approved for publication by the Department of Defense

**U. S. NAVY EXPERIMENTAL DIVING UNIT
WASHINGTON NAVY YARD
WASHINGTON, D.C. 20374**

**SECOND PRELIMINARY REPORT ON
NITROGEN-OXYGEN SELF-CONTAINED
UNDERWATER BREATHING EQUIPMENT.**

CONDUCTED BY

**CAPT. W. WELHAM, MC, USN
CDR. H. T. FULTON, USN
LT. C. T. KINCAID, USN
LT. J. V. DWYER, USN**

PREPARED BY

LT. J. V. DWYER, USN

**BUREAU OF SHIPS
PROJECT NO. NS 186-200
TEST NO. 31.1**

APPROVED:

**H. T. FULTON
CDR, USN
OFFICER IN CHARGE**

REPORT NO. 7-52

iv

Approved for Release by NSA on 08-16-2013 pursuant to E.O. 13526

FOREWORD

A preliminary report on the evaluation of nitrogen-oxygen self-contained underwater breathing apparatus was submitted to the Bureau of Ships on 11 June 1951. Subsequent tests using different techniques for evaluation have produced further information on the apparatus, which is presented here. Pertinent parts of the preliminary report are incorporated directly into this report wherever it is desirable, to minimize cross-reference.

The experimental model evaluated herein is not the production model, which has not yet been made available to the field. However, the two preliminary reports should serve as a helpful guide in determining the characteristics of the production model, which will undergo complete evaluation after arrival

ABSTRACT

This report covers an additional investigation into the characteristics and potentialities of the nitrogen-oxygen self-contained underwater breathing apparatus when used under swimming conditions or for extremely heavy work. The original investigation drew the general conclusion that the apparatus is satisfactory as a diving outfit. This evaluation reveals the limitation which develops when the apparatus is used for swimming or heavy work at surface conditions: the unit can produce anoxia. As a result of this limitation, the following guides to use of the unit must be followed:

- (1) Use straight oxygen in both bottles for swimming or heavy diving at depths down to 30 feet.
- (2) If using the air-oxygen mixture for light diving down to 30 feet, purge the bag completely after every five minutes of unforeseen, sustained, heavy physical exertion.
- (3) Use the air-oxygen mixture for swimming or diving at depths greater than 30 feet, and purge the bag completely before starting to the surface.

TABLE OF CONTENTS

	Foreword	i
	Abstract	ii
	Contents	iii
I.	OBJECT	1
II.	DESCRIPTION	1
III.	PROCEDURE	2
IV.	RESULTS	4
V.	DISCUSSION	7
VI.	CONCLUSIONS	11
VII.	DATA SHEETS	14
VIII.	FIGURES	31

I. OBJECT

This evaluation was made to give additional information on the nitrogen oxygen self-contained underwater breathing apparatus previously evaluated in Report No. 8-51, and in particular to evaluate the apparatus for use as a long-endurance swimming unit.

II. DESCRIPTION

This unit consists of a modified Draegerwerk air-oxygen self-contained underwater breathing apparatus having the following features.

Two bottles furnish air and oxygen respectively to a common manifold. From the manifold the mixed gas feeds to a regulator and then to a venturi jet. The venturi discharge leads to the breathing bag, from which the breathing medium circulates to the mask. From the mask the exhaled breathing medium passes to the carbon dioxide absorbent canister. Circulation of the breathing medium through the carbon dioxide absorbent is maintained partly by respiration, but mainly by the aspiration of the venturi, which draws from the absorbent canister and discharges to the breathing bag.

The venturi jet flow is set for surface conditions at 3.1 liters of mixed gas per minute. This particular flow produces a recirculation of the breathing medium of about 65 liters per minute at the surface, decreasing to about 35 at 132 feet of depth. Because of the induced flow, breathing resistance in this apparatus is extremely low. Because of the constant jet supply, containing a percentage of inert gas which is not utilized by the breathing process, a constant excess

of gas is built up in the breathing bag. The excess is discharged through a pop-off valve located on the bag proper, set at 2.5 inches of water pressure.

The apparatus has the following characteristics:

- (1) The air and oxygen bottles are of the same size, 2.0 liters - internal capacity, and hold 274 liters of free gas each when charged to 2000 psig.
- (2) The regulator is adjusted to 110 psig over bottom pressure.
- (3) The breathing bag has a capacity of 5.1 liters.
- (4) The absorbent canister has a capacity of approximately 5 pounds of absorbent.
- (5) Several masks were used with this apparatus, principally the MSA bug-eye type.

III. PROCEDURE

A. Original evaluation

1. The original evaluation encompassed 78 dives at varying depth under various conditions of work, and some swimming runs not included in the evaluation. For some dives moderately heavy work was simulated by lifting a 68.5-pound weight through a distance of 27-1/4 inches 5 times a minute for 10-minute work periods alternating with 5-minute rest periods. Breathing medium analysis samples were drawn by Luer syringe and analyzed on a Haldane apparatus.

2. The swimming runs were made primarily to determine the balance and comfort of the apparatus, and samples were not taken.

B. Present evaluation

1. The present evaluation encompassed 11 swimming runs at a rate of 1 knot under carefully controlled conditions in the open pool. Some of the runs were sampled by the original method; the remainder were evaluated by the return-sample method using the instantaneous carbon dioxide analyzer and the Beckman and Scholander oxygen analyzers.

2. The two diving runs were made at 33 and 66 feet of depth, and were sampled by the pressure return-sampling apparatus shown schematically in figure 12. In this method, a breathing bag sample was led continuously to the outside of the pressure tank, through a water washer, and into a bladder. Samples for oxygen and carbon dioxide analyses were drawn by syringe, and were analyzed on the Scholander and Haldane analyzers respectively. Periodically, as the bladder became inflated, the accumulated breathing medium was returned through the tank to the mask exhalation tube by an electrically driven diaphragm pump. These returns were made sufficiently frequently that the inflation of the breathing bag as a result of the additional gas volume was negligible, and the breathing medium was essentially unaffected.

IV. RESULTS

A. Swimming runs

Eleven swimming runs were made with the N2-O2 apparatus. The results are shown graphically in figures 1 through 11.

1.. Run #1 (figure 1) was made before the continuous-sampling method was developed, and has somewhat sketchy data. In addition, the bottles were recharged between swimmers, so that essentially this is

two different runs. However, some points of interest are apparent upon examination of the graph. In one hour of swimming the first subject had reduced the oxygen percentage to 38%. In one hour and a quarter the second had reduced the oxygen to 20%. The absorbent was not changed between swimmers, and in the total apparatus time of 2:15 the bag carbon dioxide had built up to 0.7%.

2. Run #2 (figure 2) was also made with the old sampling procedure. Its salient features are: the markedly lower oxygen percentage from that of the theoretical input; the continued drop of oxygen percentage during the later part of the run; the low carbon dioxide percentage up to 2:00; and the sharp rise of carbon dioxide percentage after 2:30.

3. Run #3 (figure 3) was the last run made with the old procedure. Salient features are: the marked oxygen drop up to 1:00; the sharp oxygen rise from 1:00 to 1:30, and steady fall from 1:30 to 2:30; and the gradual carbon dioxide rise.

4. Run #4 (figure 4) was made with pure oxygen in both bottles, to give an indication of the potentialities of the apparatus for use as a straight oxygen SCUBA. Oxygen percentages are shown in data sheet 4 but not in figure 4. Salient features of the graph are: the low carbon dioxide percentage throughout the entire run; and the possible break in the curve at 2:30. The apparatus ran out of gas at 2:47; the venturi flow of 3.1 liters per minute is materially in excess of the oxygen requirements of a swimmer.

5. Run #5 (figure 5) was made using the return-sampling procedure. Salient features are: the drastic reduction of oxygen percentage throughout each section of the swimming run (which was made by three men in succession); the rise (probable and actual) of oxygen percentage at each change of swimmers; the low carbon dioxide percentage during the first 1:30 of the run; and the continuous rise of carbon dioxide after that time.

6. Run #6 (figure 6) shows: a reasonably high oxygen percentage, with a tendency to drop off in the later part of the swim; and a gradual build-up of carbon dioxide.

7. Run #7 (figure 7) shows: the tendency of each swimmer to pull the oxygen level down; and the nearly constant carbon dioxide level throughout the run.

8. Run #8 (figure 8) shows: a steady decrease in oxygen for the first swimmer; and a probable anoxic condition for the second, whom accumulated data indicate as having a high oxygen uptake rate. Unfortunately a sample was not taken immediately upon his being pulled from the water, and the continuing jet flow increased the oxygen content in the bag.

9. Run #9 (figure 9) shows: a gradual oxygen depletion for the first swimmer; and a faster depletion for the second.

10. Run #10 (figure 10) shows: a high oxygen level for the first swimmer; and a depletion to anoxia for the second.

11. Run #11 (figure 11) shows: a gradual oxygen depletion for the first swimmer; and a rapid depletion for the second.

B. Tank dives

Two tank dives were made with the apparatus, at a depth of 33 feet and of 66 feet. The results are shown graphically in figures 13 and 14.

1. Dive #1 (figure 13) was made at the 33-foot depth using the return-sampling method. Salient features are: the marked rise of oxygen percentage during rest periods,; the rise and fall of oxygen percentage during weight-lifting periods; and the sharp decrease of oxygen percentage during cycling.

2. Dive #2 (figure 14) was made at the 66-foot depth under conditions as close as possible to those of dive #1, including use of the same subject. Because of a fouled breathing tube, however, the cycling portion of the run was not duplicated completely.

C. Venturi flow and oxygen level

As a consequence of the foregoing results, a check of the venturi jet flow at depth and a theoretical analysis of the breathing medium oxygen level under various conditions were made.

1. The venturi jet flow at various depths was measured by spirometer in the recompression chamber. The data and computations are shown on data sheet 14, and the results are shown graphically in figure 15.

2. Data sheet 15 shows the calculation of theoretical oxygen level in the N2-O2 apparatus for surface conditions at various oxygen uptake rates with the venturi jet set at its normal 3.1 liters per minute flow. Figure 16 shows the results graphically.

3. Data sheet 16 shows the calculation of theoretical oxygen level in the apparatus at surface conditions at various oxygen uptake rates with the venturi jet set in increments of 0.20 from 3.00 to 4.60 liters per minute.

V. DISCUSSION

A. Swimming runs

Careful examination of the swimming data indicates that in this apparatus under swimming conditions it is possible to reduce the oxygen content of the breathing medium far below a safe level for sustention of life. In every case that a swimmer exerted himself greatly while wearing the apparatus, he immediately induced a rapid depletion of the oxygen content. Even in the case of a well-trained, physically fit, experienced swimmer who could control his exertion and breathing and thereby keep his oxygen uptake low, the onset of fatigue in an hour or so led to increased exertion which produced a gradual depletion of oxygen, and in some instances produced a sudden depletion leading to anoxia without warning.

In the single run of the apparatus as a straight oxygen SCUBA the unit performed fully as well as any other straight oxygen SCUBA tested here, if not better. Oxygen content remained high, carbon dioxide content remained low, and exhaustion occurred only when the apparatus ran out of gas at two hours and forty-seven minutes. Potentially, the apparatus could be used in the field as a straight oxygen SCUBA without modification. With modification of the venturi to give a reduced flow (say two liters per minute), running time could be extended considerably, although design thought would have to be given to the increase of breathing resistance caused by the lessened recirculation.

In every case the carbon dioxide content remained satisfactorily low for at least two hours. This condition is a natural consequence of the forced recirculation of the exhaled breathing medium and of the large 5 pounds absorbent capacity of the canister.

B. Tank dives

Examination of the diving data bears out the conclusions made in the first preliminary report that the apparatus is satisfactory for use in diving under conditions of exercise similar to those simulated by weight lifting, such as might attain for exploratory diving and light work in a calm harbor. Further examination, however, reveals that the apparatus can become hazardous under conditions of sustained and heavy exercise similar to those simulated by cycling, such as might attain for heavy diving at shallow depths in a seaway with a strong tide running. At deeper depths the increased surface equivalent jet flow and the increased equivalent surface oxygen percentage eliminate danger of anoxia.

Unfortunately, a malfunction of the apparatus after the second dive prevented accumulation of further substantiating data along these lines. Nevertheless, a positive statement can be made that duplication of the results will occur for any duplication of the conditions.

C. Venturi flow and oxygen level

1.. Venturi jet flow

As indicated in the first report, the jet flow (for surface conditions) increases with increasing depth. For the particular measuring run of data sheet 14 and figure 15, a maximum flow of 0.91 liters per minute (equivalent to a surface flow of 4.57 liters per minute) attained

at 132 feet (five atmospheres total pressure). From table 9 of data sheet 16, this flow would satisfy the needs of an oxygen uptake rate of 2.50 liters per minute at surface conditions, with a safety factor of 5 for the 132-foot depth. This oxygen uptake rate could be produced only by the most extreme exertion, as in a runner making a mile in four minutes. Even at the 33-foot depth, with an equivalent surface flow of 3.33 liters per minute, interpolation between tables 2 and 3 of data sheet 16 indicates that an oxygen uptake rate of about 1.75 liters per minute would maintain an oxygen level of 13%, with a safety factor of 2 for the depth. This oxygen uptake rate is about that of a well-fatigued swimmer still making one knot.

The foregoing indicates in essence that the apparatus produces an anoxia hazard mainly at surface conditions of continuing strenuous exertion, and that it tends to become increasingly less hazardous at depth. However, it should be borne in mind that sudden return to the surface reduces the safety factor to one (that is, to no safety at all). If the diver has reduced the oxygen level to a point that the depth safety factor is the means whereby he has a sufficiency of oxygen, sudden return to the surface will immediately induce an anoxia condition with no warning whatsoever.

One feature peculiar to the apparatus works in favor of anyone overcome by anoxia through depletion of breathing medium oxygen. Cessation of muscular exertion with unconsciousness allows the continuing jet flow to increase the oxygen level immediately. Figure 13 shows an

oxygen increase rate of nearly two percent per minute in the last rest period, after the oxygen had been depleted close to 17%. From the anoxia conditions which discontinued run #2 (7.19% oxygen), three minutes at this rate would have increased the oxygen level to 13%. This increase might serve to revive a diver at shallow depths. Increased effective oxygen percentage caused by increased depth might help revive an unconscious swimmer falling to depth from surface conditions, but the attendant squeeze would be serious.

2. Oxygen level

Data sheet 15 and figure 16 show in tabular and graphic form the theoretical oxygen level at surface conditions in the apparatus for various oxygen uptake rates with a 3.1 liter per minute jet flow. The graph in particular gives a striking picture of the increasing depletion rate at the higher uptake rates (the depletion rate is represented by the negative slope of the curve, which increases sharply above the 1.00 liter per minute uptake rate). It also indicates clearly that a swimmer with an uptake rate of 1.50 liters per minute will always have more than enough oxygen at 23% but that another swimmer with an uptake rate of 1.70 liters per minute will quickly reduce the breathing medium oxygen level dangerously close to anoxia at 15%. By increasing his uptake rate a mere 0.05 liters per minute for any continued period the second swimmer will reduce the level below 10%.

Data sheet 16 and figure 17 shows the logical extension of the foregoing analysis to cover a series of jet flow rates from 3.00 to 4.60 liters per minute supply. If an oxygen level of 17% is taken as

minimum acceptable, and if an uptake rate of 2.00 liters per minute is taken as maximum probable, then table 5 indicates that a minimum jet flow of just over 3.80 liters per minute should be used. A cross-curve of the 2.00 liter per minute uptake rate from tables 3 through 9 would allow selection of the jet flow to produce any desired minimum oxygen level at a 2.00 liter per minute uptake rate.

VI. CONCLUSIONS

The nitrogen-oxygen self-contained underwater breathing apparatus has the following advantages and disadvantages, as summarized in the first report.

A. Advantages

1. Long duration for a self-contained apparatus.
2. Comfortable in comparison with similar units.
3. No gas mixing or gas analysis is required.
4. Easy to use and requires little additional diving training.
5. Very light and can be used from small craft easily.
6. No purging required.
7. No carbon monoxide poisoning danger as in the case of portable air compressor.
8. The oxygen curve of this unit is so shaped that it is possible to use it for comparatively long dives with little danger of oxygen poisoning.
9. It is quiet in operation.
10. Telephone communication is good.
11. Need for decompression is decreased.

12. It can be used with the current modified Desco suit and hence the manufacture of special dress is not required.

13. The danger of a fast blow-up is eliminated. A blow-up can be safely used in the event of an emergency.

14. The breathing apparatus can be adapted to a swim suit.

15. This unit is completely independent in operation and hence no compressor or large banks are required, having previous charged compressed air and oxygen bottles to 1800 psi.

16. It is non-magnetic when used with the aluminum bottles.

B Disadvantages

1. Somewhat more complicated than a conventional suit.

2. Carbon dioxide absorbent required such as soda lime or Baralyme.

3. Facilities must be available for the filling of bottles with compressed air and oxygen.

4. Limited duration at greater depths due to possibility of oxygen poisoning.

The foregoing advantages and disadvantages still apply to use of the apparatus as a diving unit. In addition, the following disadvantage applies to use of the apparatus as a swimming unit: The apparatus can produce anoxia.

C.. Conclusion

The units which are presently under procurement should be evaluated with special attention to the following facts:

1. In their present design, the units may be extremely hazardous for swimming under field conditions.
2. When used for swimming or heavy diving to depths not greater than 30 feet, the apparatus should be used as a straight oxygen SCUBA.
3. When used for light diving down to 30 feet, the apparatus can be used as a mixed-gas outfit, but special care should be taken to note any unforeseen, prolonged physical exertion, and to purge the bag every five minutes during this period.
4. When used for swimming to depths greater than 30 feet, the apparatus can safely be used as a mixed-gas SCUBA by purging the bag completely with the bypass before commencing ascent.
5. Based on present analysis and evaluation this unit is adaptable both to diving and to swimming under the foregoing specification.

VII. DATA SHEETS

1. Swimming run #1, 6 March 1952
2. Swimming run #2, 7 March 1952
3. Swimming run #3, 10 March 1952
4. Swimming run #4 (straight oxygen), 29 April 1952
5. Swimming run #5, 30 April 1952
6. Swimming run #6, 9 July 1952
7. Swimming run #7, 10 July 1952
8. Swimming run #8, 14 July 1952
9. Swimming run #9, 15 July 1952
10. Swimming run #10, 16 July 1952
11. Swimming run #11, 17 July 1952
12. Tank dive #1 (33 feet), 19 June 1952
13. Tank dive #2 (66 feet), 23 June 1952
14. Venturi jet flow at various depths, 7 July 1952
15. Theoretical oxygen level at 3.1 liter per minute flow
16. Theoretical oxygen level at various flows

Type: N202

Depth: Surface

Location: Pool

Start: 0834

Stop: 0934

Total time: 1-00

Pressure: 1700 psig

Pressure: 800 psig

Absorbent: Soda lime

Start: 0948

Stop: 1103

Total time: 1-15

Pressure: 1650 psig

Pressure: 800 psig

Absorbent: Soda lime

<u>TIME</u> <u>h m</u>	<u>BAG</u> <u>OXYGEN</u> <u>percent</u>	<u>CARBON</u> <u>DIOXIDE</u> <u>percent</u>	<u>REMARKS</u>
1-00	37.77	0.072	Stevens Off
1-30	31.57	0.354	Recharged bottles
2-00	29.50	0.172	Bohline on
2-15	20.33	0.686	Bohline off

Recharged bottles between swimmers. Samples drawn with Luer syringe and analyzed on Haldane apparatus.

Run #1
6 March 1952

Data Sheet 1

Type: N202

Depth: Surface

Location: Pool

Start: 0815

Stop: 1119

Total time: 3-01

Pressure: 2250 psig

Pressure: 150 psig

Absorbent: Baralyme

<u>TIME</u> <u>h m</u>	<u>BAG</u> <u>OXYGEN</u> <u>percent</u>	<u>CARBON</u> <u>DIOXIDE</u> <u>percent</u>	<u>REMARKS</u>
1-00	38.66	1.08	Inhalation tube sample
1-30	38.67	0.06	Bag sample
2-00	30.33	0.22	
2-30	12.80	0.38	
3-00	7.19	1.91	

Baralyme 95% discolored.

Run #2
7 March 1952

Type: N202

Depth: Surface

Location: Pool

Start: 0855

Stop: 1136

Total time: 2-37

Pressure: 1900

Pressure: 340

Absorbent: Soda lime

<u>TIME</u> <u>h m</u>	<u>BAG</u> <u>OXYGEN</u> <u>percent</u>	<u>CARBON</u> <u>DIOXIDE</u> <u>percent</u>	<u>REMARKS</u>
1-00	12.43	0.15	
1-01			Changed swimmers
1-30	35.95	0.17	
1-45			Changed swimmers
2-00	31.27	0.11	
2-15	31.27	0.19	
2-30	25.77	0.22	
2-37			Secured run Sodalime 50% discolored.

Run #3
10 March 1952
Data Sheet 3

Type: N202

Depth: Surface

Location: Pool

Start: 1255

Stop: 1542

Total time: 2-47

Pressure: 2250 psig

Pressure: 0 psig

Absorbent: Baralyme

<u>TIME</u> <u>h m</u>	<u>BAG</u> <u>OXYGEN</u> <u>percent</u>	<u>CARBON</u> <u>DIOXIDE</u> <u>percent</u>	<u>REMARKS</u>
0-16	88	0.06	MC KENZIE on
0-30	94	0.09	
0-45	96	0.09	
0-48	-	-	Off bag
0-54	-	-	STEVENS on
1-00	80	0.09	
1-15	90	0.03	
1-30	90	0.13	
1-45	90	0.13	
1-47	-	-	Off bag
1-54	-	-	MOORE on
2-00	88	0.30	
2-15	90	0.19	
2-30	90	0.23	
2-45	88	0.53	
2-47	-	-	Off bag. Out of gas

Both bottles charged with straight oxygen.

Run #4
29 April 1952

Data Sheet 4

Type: N202

Depth: Surface

Location: Pool

Start: 1322

Stop: 1605

Total time: 2-43

Pressure: 2100

Pressure: 0

Absorbent: Baralyne

<u>TIME</u> <u>h m</u>	<u>BAG</u> <u>OXYGEN</u> <u>percent</u>	<u>CARBON</u> <u>DIOXIDE</u> <u>percent</u>	<u>REMARKS</u>
0-15	34	0.06	FEGAN on
0-30	28	0.06	
0-45	28	0.06	
1-00	22	0.06	
1-02	-	-	Off bag
1-05	-	-	MC KENZIE on
1-15	27	0.16	
1-30	26	0.19	
1-45	21	0.41	
2-00	13	0.69	
2-02	-	-	Off bag
2-03	29	-	MOERSCH on
2-15	27	1.06	
2-30	27	0.91	
2-43	20	-	Secured run. Swimmer had breathing trouble.

Run #5
30 April 1952

Data Sheet 5

Type: N202

Depth: Surface

Location: Pool

Start: 0842

Stop: 1104

Total time: 2-10

Pressure: 2000 psig

Pressure: -

Absorbent: Baralyme

<u>TIME</u> <u>h m</u>	<u>BAG</u> <u>OXYGEN</u> <u>percent</u>	<u>CARBON</u> <u>DIOXIDE</u> <u>percent</u>	<u>REMARKS</u>
0-18	54	0.10	STEVENS on
0-31	50	0.14	
0-49	52	0.23	
1-01	49	0.55	
1-03	-	-	Off bag
1-15	-	-	KISSEE on bag
1-30	48	0.22	
1-45	49	0.22	
2-00	41	0.29	
2-05	44	-	
2-10	41	-	
2-15	43	0.33	
2-22	-	-	Off bag

Run #6
9 July 1952

Data Sheet 6

Type: N202

Depth: Surface

Location: Pool

Start: 0830

Stop: 1104

Total time: 2-34

Pressure: 2000 psig

Pressure: 100 psig

Absorbent: Baralyme

<u>TIME</u> <u>h m</u>	<u>BAG</u> <u>OXYGEN</u> <u>percent</u>	<u>CARBON</u> <u>DIOXIDE</u> <u>percent</u>	<u>REMARKS</u>
0-15	45	0.25	GRIFFITH on
0-30	47	0.12	
0-45	44	0.25	
1-00	41	0.19	
1-02	--	---	Off bag
1-05	--	---	YENTES on
1-20	32	0.29	
1-27	--	---	Off bag
1-32	--	---	MOERSCH on
1-47	44	0.33	
2-02	41	0.33	
2-17	38	0.33	
2-32	31	0.33	
2-34	--	---	Off bag. Secured run.

Run #7
10 July 1952

Data Sheet 7

Tpye: N202

Depth: Surface

Location: Pool

Start: 0843

Stop: 1019

Total time: 1-37

Pressure: 2000 psig

Pressure: 900 psig

Absorbent: Baralyme

<u>TIME</u> <u>h m</u>	<u>EXHALATION</u> <u>OXYGEN</u> <u>percent</u>	<u>CARBON</u> <u>DIOXIDE</u> <u>percent</u>	<u>REMARKS</u>
0-15	32	0.15	MC ARDLE on
0-31	35	0.09	
0-38	39	---	Bag sample
0-46	25	0.15	
0-50	32	---	
1-00	26	0.12	
1-15	22	0.26	
1-17	--	---	Off bag
1-21	--	---	PEGAN on
1-37	27	---	Off bag

Last swimmer showed high respiratory rate; fingernails and face were blue from probable anoxia. Oxygen sample at 1-37 is high because of continuing venturi flow; actual medium breathed could possibly have been very anoxic.

Run #8
14 July 1952

Data Sheet 8

Type: N202

Depth: Surface

Location: Pool

Start: 0852

Stop: 1050

Total time: 1-57

Pressure: 2000 psig

Pressure: 0 psig

Absorbent: Baralyme

<u>TIME</u> <u>h m</u>	<u>BAG</u> <u>OXYGEN</u> <u>percent</u>	<u>CARBON</u> <u>DIOXIDE</u> <u>percent</u>	<u>REMARKS</u>
0-15	48	0.05	STEVENS on
0-30	50	0.05	
0-45	53	0.05	
1-00	46	0.05	
1-15	45	0.05	
1-30	43	0.05	Off bag
1-37	--	---	LEWIS on
1-52	35	0.05	
1-56	--	---	Respiratory difficulty
1-57	--	---	Secured run; zero pressure.

Run #9
15 July 1952

Data Sheet 9

Type: N202

Depth: Surface

Location: Pool

Start: 0845

Stop: 1046

Total time: 1-41

Pressure: 2000 psig Pressure: 325 psig

Absorbent: Baralyne

<u>TIME</u> <u>h m</u>	<u>BAG</u> <u>OXYGEN</u> <u>percent</u>	<u>CARBON</u> <u>DIOXIDE</u> <u>percent</u>	<u>REMARKS</u>
0-02	44	0.07	LEWIS on
0-15	46	0.07	
0-30	44	0.07	
0-45	39	0.07	
1-00	44	0.07	
1-02	--	---	Off bag
1-05	--	---	FEGAN on
1-20	38	0.07	
1-29	23	---	
1-34	21	---	
1-39	12	0.09	Near anoxia
1-41	--	---	Off bag. Secured run.

Run #10
16 July 1952

Data Sheet 10

Type: N202

Depth: Surface

Location: Pool

Start: 0836

Stop: 1009

Total time: 1-33

Pressure: 1975 psig

Pressure: 550 psig

Absorbent: Baralyne

<u>TIME</u> <u>h m</u>	<u>BAG</u> <u>OXYGEN</u> <u>percent</u>	<u>CARBON</u> <u>DIOXIDE</u> <u>percent</u>	<u>REMARKS</u>
0-05	41	----	MOERSCH on
0-10	46	----	
0-20	44	----	
0-30	46	0.12	
0-40	47	----	
0-50	42	----	
1-00	37	0.12	
1-02	--	----	Off bag
1-06	--	----	DWYER on
1-17	32	----	
1-27	16	----	
1-33	16	----	Off bag. Secured run.

Run #11
17 July 1952

Data Sheet 11

Type: N2O2

Depth: 33 feet

Location: Tank

Start: 0915

Stop: 1024

Total time: 1h 09m

Pressure: Not observed

Absorbent: Sodalime

Flow: 3.2 liters per minute at surface

Diver: FEGAN

<u>TIME</u> <u>h m</u>	<u>OXYGEN</u> <u>percent</u>	<u>REMARKS</u>
0-00	32.65	Start resting
0-05	37.83	Start weight lifting
0-10	39.90	
0-15	39.90	Start resting
0-20	44.05	Start weight lifting
0-25	41.95	
0-30	40.94	Start resting
0-35	44.05	Start exercycling
0-39	39.90	
0-42	34.72	
0-45	31.61	
0-48	26.42	
0-51	22.28	
0-54	20.28	
0-57	18.14	
1-00	17.10	Start resting
1-03	22.28	
1-06	29.54	
1-09	33.68	Secure run

Dive #1
19 June 1952

Type: N202

Depth: 66 feet

Location: Tank

Start: 0905

Stop: 1000

Total time: 0h 45m

Pressure: Not observed

Absorbent: Sodalime

Diver: FEGAN

Flow: 3.2 liters per minute at surface.

TIME <u>h</u> <u>m</u>	OXYGEN <u>percent</u>	REMARKS
0-00	45.53	Start resting
0-02 1/2	57.87	
0-05	53.76	Start weight lifting
0-10	52.73	
0-15	51.55	Start resting
0-20	52.58	Start weight lifting
0-25	50.52	
0-30	49.49	Start resting
0-35	50.52	Start exercycling
0-40	46.40	
0-45	38.15	
0-46	Secured run - breathing tube fouled.	

Dive #2
23 June 1952

Data Sheet 13

VENTURI JET FLOW
in N2O2 SCUBA
at various depths
measured in recompression chamber
by spirometer

<u>D</u>	<u>r</u>	<u>t</u>	<u>s</u>	<u>d</u>	<u>f</u>	<u>F</u>
DEPTH	FACTOR	TIME	SCALE	DISPL,	ACUTAL	SURFACE
feet	ratio	seconds	mm	cc	FLOW	FLOW
					lpm	lpm
132	5	273.0	200	4180	0.91	4.57
99	4	123.0	100	2090	1.02	4.07
99	4	248.4	200	4180	1.00	4.02
66	3	99.0	100	2090	1.26	3.78
66	3	202.0	200	4180	1.24	3.71
33	2	75.0	100	2090	1.67	3.33
0	1	41.0	100	2090	3.04	3.04
0	1	83.0	200	4180	3.01	3.01
0	1	123.0	300	6270	3.04	3.04

$$f = (20.8) (s) (60/t)$$

$$F = (r) (f)$$

7 July 1952

Data Sheet 14

THEORETICAL OXYGEN LEVEL
IN N2O2 SCUBA
for surface conditions
at various oxygen uptake rates
with venturi jet at 3.1 liters per minute flow

$$x = ((p - x)/(f - x))(100), \text{ where}$$

f = venturi jet flow, 3.10 liters per minute

p = oxygen supply, 1.87 liters per minute

x = oxygen uptake rate, liters per minute

x = theoretical oxygen level, percent

<u>x</u>	<u>p-x</u>	<u>f-x</u>	<u>x</u>
0.00	1.87	3.10	60.5
0.30	1.57	2.80	56.1
0.50	1.37	2.60	52.7
0.80	1.07	2.30	46.5
1.00	0.87	2.10	41.4
1.20	0.67	1.90	35.2
1.40	0.47	1.70	27.6
1.60	0.27	1.50	18.0
1.80	0.07	1.30	5.8
1.86	0.00	1.24	0.0

THEORETICAL OXYGEN LEVEL IN N2O2 SCUBA
for surface conditions at various venturi jet flow
and various oxygen uptake rates

Table	1	2	3	4	5	6	7	8	9
f	3.00	3.20	3.40	3.60	3.80	4.00	4.20	4.40	4.60
p	1.82	1.94	2.06	2.18	2.30	2.42	2.54	2.66	2.78

f - venturi jet flow, liters per minute

p - oxygen supply, liters per minute

x - oxygen uptake, liters per minute

x - oxygen level, percent

Table 1				Table 2				Table 3			
x	p-x	f-x	x	x	p-x	f-x	x	x	p-x	f-x	x
0.00	1.82	3.00	60.5	0.00	1.94	3.20	60.5	0.00	2.06	3.40	60.5
0.50	1.32	2.50	52.7	0.50	1.44	2.70	53.3	0.50	1.56	2.90	53.8
1.00	0.82	2.00	41.0	1.00	0.94	2.20	41.7	1.00	1.06	2.40	44.2
1.50	0.32	1.50	21.3	1.50	0.44	1.70	25.9	1.50	0.56	1.90	29.5
1.82	0.00	1.18	0.0	1.94	0.00	1.26	0.0	2.00	0.06	1.40	2.3
2.00	-	-	-	2.00	-	-	-	2.06	0.00	1.34	0.0
2.50	-	-	-	2.50	-	-	-	2.50	-	-	-

Table 4				Table 5				Table 6			
x	p-x	f-x	x	x	p-x	f-x	x	x	p-x	f-x	x
0.00	2.18	3.60	60.5	0.00	2.30	3.80	60.5	0.00	2.42	4.00	60.5
0.50	1.68	3.10	54.2	0.50	1.80	3.30	54.5	0.50	1.92	3.50	54.9
1.00	1.18	2.60	45.4	1.00	1.30	2.80	46.4	1.00	1.42	3.00	47.3
1.50	0.68	2.10	32.4	1.50	0.80	2.30	34.8	1.50	0.92	2.50	36.8
2.00	0.18	1.60	11.2	2.00	0.30	1.80	16.7	2.00	0.42	2.00	21.0
2.18	0.00	1.10	0.0	2.30	0.00	1.30	0.0	2.42	0.00	1.58	0.0
2.50	-	-	-	2.50	-	-	-	2.50	-	-	-

Table 7				Table 8				Table 9			
x	p-x	f-x	x	x	p-x	f-x	x	x	p-x	f-x	x
0.00	2.54	4.20	60.5	0.00	2.66	4.40	60.5	0.00	2.78	4.60	60.5
0.50	2.04	3.70	55.1	0.50	2.16	3.90	55.4	0.50	2.28	4.10	55.7
1.00	1.54	3.20	48.1	1.00	1.66	3.40	48.8	1.00	1.78	3.60	49.4
1.50	1.04	2.70	38.5	1.50	1.16	2.90	40.0	1.50	1.28	3.10	41.3
2.00	0.54	2.20	24.6	2.00	0.66	2.40	27.5	2.00	0.78	2.60	30.0
2.50	0.04	1.70	2.4	2.50	0.16	1.90	8.4	2.50	0.28	2.10	13.3
2.54	0.00	1.66	0.0	2.66	0.00	1.74	0.0	2.78	0.00	1.82	0.0

$$x = ((p - x)/(f - x)) (100)$$

14 July 1952

Data Sheet 16

VIII. FIGURES


Page

32	1. Swimming run #1
33	2. Swimming run #2
34	3. Swimming run #3
35	4. Swimming run #4
36	5. Swimming run #5
37	6. Swimming run #6
38	7. Swimming run #7
39	8. Swimming run #8
40	9. Swimming run #9
41	10. Swimming run #10
42	11. Swimming run #11
43	12. Pressure sampling apparatus, schematic
44	13. Tank dive #1
45	14. Tank dive #2
46.	15. Venturi jet flow at various depths
47.	16. Theoretical oxygen level at 3.1 liter per minute flow
48	17. Theoretical oxygen level at various flows


FIGURE 1
OXYGEN AND CARBON DIOXIDE VARIATION


In 2000 breathing medium
with the men swimming to exhaustion
Percentage versus Time
EXPERIMENTAL DIVING UNIT

4 March 1958



APPROVED
12 200 001
6 August 1958





10 Body carbon dioxide

FIGURE 1

UNIFORM DIAMETER PIPES

IN 1950 DEWEY AND
WILSON MADE AN ANALYSIS OF THE DATA
WITH THESE AND RELATING TO BODY PRESSURE

PERCENTAGE VOLUME FLOW

EXPERIMENTAL DATA ON THE


20 April 1950


CARBON DIOXIDE - Percent (Actual)



2001 August
2001 August
2001 August

EGGT ARMYNY 4
MSN 002 17
[Signature]





IN 2202
JULY 1958
August 1958

西醫藥學

1
 2
 3
 4
 5
 6
 7
 8
 9
 10
 11
 12
 13
 14
 15
 16
 17
 18
 19
 20
 21
 22
 23
 24
 25
 26
 27
 28
 29
 30
 31
 32
 33
 34
 35
 36
 37
 38
 39
 40
 41
 42
 43
 44
 45
 46
 47
 48
 49
 50
 51
 52
 53
 54
 55
 56
 57
 58
 59
 60
 61
 62
 63
 64
 65
 66
 67
 68
 69
 70
 71
 72
 73
 74
 75
 76
 77
 78
 79
 80
 81
 82
 83
 84
 85
 86
 87
 88
 89
 90
 91
 92
 93
 94
 95
 96
 97
 98
 99
 100
 101
 102
 103
 104
 105
 106
 107
 108
 109
 110
 111
 112
 113
 114
 115
 116
 117
 118
 119
 120
 121
 122
 123
 124
 125
 126
 127
 128
 129
 130
 131
 132
 133
 134
 135
 136
 137
 138
 139
 140
 141
 142
 143
 144
 145
 146
 147
 148
 149
 150
 151
 152
 153
 154
 155
 156
 157
 158
 159
 160
 161
 162
 163
 164
 165
 166
 167
 168
 169
 170
 171
 172
 173
 174
 175
 176
 177
 178
 179
 180
 181
 182
 183
 184
 185
 186
 187
 188
 189
 190
 191
 192
 193
 194
 195
 196
 197
 198
 199
 200
 201
 202
 203
 204
 205
 206
 207
 208
 209
 210
 211
 212
 213
 214
 215
 216
 217
 218
 219
 220
 221
 222
 223
 224
 225
 226
 227
 228
 229
 230
 231
 232
 233
 234
 235
 236
 237
 238
 239
 240
 241
 242
 243
 244
 245
 246
 247
 248
 249
 250
 251
 252
 253
 254
 255
 256
 257
 258
 259
 260
 261
 262
 263
 264
 265
 266
 267
 268
 269
 270
 271
 272
 273
 274
 275
 276
 277
 278
 279
 280
 281
 282
 283
 284
 285
 286
 287
 288
 289
 290
 291
 292
 293
 294
 295
 296
 297
 298
 299
 300
 301
 302
 303
 304
 305
 306
 307
 308
 309
 310
 311
 312
 313
 314
 315
 316
 317
 318
 319
 320
 321
 322
 323
 324
 325
 326
 327
 328
 329
 330
 331
 332
 333
 334
 335
 336
 337
 338
 339
 340
 341
 342
 343
 344
 345
 346
 347
 348
 349
 350
 351
 352
 353
 354
 355
 356
 357
 358
 359
 360
 361
 362
 363
 364
 365
 366
 367
 368
 369
 370
 371
 372
 373
 374
 375
 376
 377
 378
 379
 380
 381
 382
 383
 384
 385
 386
 387
 388
 389
 390
 391
 392
 393
 394
 395
 396
 397
 398
 399
 400
 401
 402
 403
 404
 405
 406
 407
 408
 409
 410
 411
 412
 413
 414
 415
 416
 417
 418
 419
 420
 421
 422
 423
 424
 425
 426
 427
 428
 429
 430
 431
 432
 433
 434
 435
 436
 437
 438
 439
 440
 441
 442
 443
 444
 445
 446
 447
 448
 449
 450
 451
 452
 453
 454
 455
 456
 457
 458
 459
 460
 461
 462
 463
 464
 465
 466
 467
 468
 469
 470
 471
 472
 473
 474
 475
 476
 477
 478
 479
 480
 481
 482
 483
 484
 485
 486
 487
 488
 489
 490
 491
 492
 493
 494
 495
 496
 497
 498
 499
 500
 501
 502
 503
 504
 505
 506
 507
 508
 509
 510
 511
 512
 513
 514
 515
 516
 517
 518
 519
 520
 521
 522
 523
 524
 525

1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030	2031	2032	2033	2034	2035	2036	2037	2038	2039	2040	2041	2042	2043	2044	2045	2046	2047	2048	2049	2050	2051	2052	2053	2054	2055	2056	2057	2058	2059	2060	2061	2062	2063	2064	2065	2066	2067	2068	2069	2070	2071	2072	2073	2074	2075	2076	2077	2078	2079	2080	2081	2082	2083	2084	2085	2086	2087	2088	2089	2090	2091	2092	2093	2094	2095	2096	2097	2098	2099	2100	2101	2102	2103	2104	2105	2106	2107	2108	2109	2110	2111	2112	2113	2114	2115	2116	2117	2118	2119	2120	2121	2122	2123	2124	2125	2126	2127	2128	2129	2130	2131	2132	2133	2134	2135	2136	2137	2138	2139	2140	2141	2142	2143	2144	2145	2146	2147	2148	2149	2150	2151	2152	2153	2154	2155	2156	2157	2158	2159	2160	2161	2162	2163	2164	2165	2166	2167	2168	2169	2170	2171	2172	2173	2174	2175	2176	2177	2178	2179	2180	2181	2182	2183	2184	2185	2186	2187	2188	2189	2190	2191	2192	2193	2194	2195	2196	2197	2198	2199	2200	2201	2202	2203	2204	2205	2206	2207	2208	2209	2210	2211	2212	2213	2214	2215	2216	2217	2218	2219	2220	2221	2222	2223	2224	2225	2226	2227	2228	2229	2230	2231	2232	2233	2234	2235	2236	2237	2238	2239	2240	2241	2242	2243	2244	2245	2246	2247	2248	2249	2250	2251	2252	2253	2254	2255	2256	2257	2258	2259	2260	2261	2262	2263	2264	2265	2266	2267	2268	2269	2270	2271	2272	2273	2274	2275	2276	2277	2278	2279	2280	2281	2282	2283	2284	2285	2286	2287	2288	2289	2290	2291	2292	2293	2294	2295	2296	2297	2298	2299	2300	2301	2302	2303	2304	2305	2306	2307	2308	2309	2310	2311	2312	2313	2314	2315	2316	2317	2318	2319	2320	2321	2322	2323	2324	2325	2326	2327	2328	2329	2330	2331	2332	2333	2334	2335	2336	2337	2338	2339	2340	2341	2342	2343	2344	2345	2346	2347	2348	2349	2350	2351	2352	2353	2354	2355	2356	2357	2358	2359	2360	2361	2362	2363	2364	2365	2366	2367	2368	2369	2370	2371	2372	2373	2374	2375	2376	2377	2378	2379	2380	2381	2382	2383	2384	2385	2386	2387	2388	2389	2390	2391	2392	2393	2394	2395	2396	2397	2398</
------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	--------

NOTICE OF PUBLIC HEARING

[illegible]

THE UNIVERSITY OF CHICAGO PRESS

THE UNIVERSITY OF CHICAGO

	1980	1981	1982	1983	1984	1985	1986	1987	1988	1989	1990	1991	1992	1993	1994	1995	1996	1997	1998	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014	2015	2016	2017	2018	2019	2020	2021	2022	2023	2024	2025	2026	2027	2028	2029	2030	2031	2032	2033	2034	2035	2036	2037	2038	2039	2040	2041	2042	2043	2044	2045	2046	2047	2048	2049	2050	2051	2052	2053	2054	2055	2056	2057	2058	2059	2060	2061	2062	2063	2064	2065	2066	2067	2068	2069	2070	2071	2072	2073	2074	2075	2076	2077	2078	2079	2080	2081	2082	2083	2084	2085	2086	2087	2088	2089	2090	2091	2092	2093	2094	2095	2096	2097	2098	2099	2100	2101	2102	2103	2104	2105	2106	2107	2108	2109	2110	2111	2112	2113	2114	2115	2116	2117	2118	2119	2120	2121	2122	2123	2124	2125	2126	2127	2128	2129	2130	2131	2132	2133	2134	2135	2136	2137	2138	2139	2140	2141	2142	2143	2144	2145	2146	2147	2148	2149	2150	2151	2152	2153	2154	2155	2156	2157	2158	2159	2160	2161	2162	2163	2164	2165	2166	2167	2168	2169	2170	2171	2172	2173	2174	2175	2176	2177	2178	2179	2180	2181	2182	2183	2184	2185	2186	2187	2188	2189	2190	2191	2192	2193	2194	2195	2196	2197	2198	2199	2200	2201	2202	2203	2204	2205	2206	2207	2208	2209	2210	2211	2212	2213	2214	2215	2216	2217	2218	2219	2220	2221	2222	2223	2224	2225	2226	2227	2228	2229	2230	2231	2232	2233	2234	2235	2236	2237	2238	2239	2240	2241	2242	2243	2244	2245	2246	2247	2248	2249	2250	2251	2252	2253	2254	2255	2256	2257	2258	2259	2260	2261	2262	2263	2264	2265	2266	2267	2268	2269	2270	2271	2272	2273	2274	2275	2276	2277	2278	2279	2280	2281	2282	2283	2284	2285	2286	2287	2288	2289	2290	2291	2292	2293	2294	2295	2296	2297	2298	2299	2300	2301	2302	2303	2304	2305	2306	2307	2308	2309	2310	2311	2312	2313	2314	2315	2316	2317	2318	2319	2320	2321	2322	2323	2324	2325	2326	2327	2328	2329	2330	2331	2332	2333	2334	2335	2336	2337	2338	2339	2340	2341	2342	2343	2344	2345	2346	2347	2348	2349	2350	2351	2352	2353	2354	2355	2356	2357	2358	2359	2360	2361	2362	2363	2364	2365	2366	2367	2368	2369	2370	2371	2372	2373	2374	2375	2376	2377	2378	2379	2380	2381	2382	2383	2384	2385	2386	2387	2388	2389	2390	2391	2392	2393	2394	2395	2396	2397	2398	2399	2400	2401	2402	2403	2404	2405	2406	2407	2408	2409	2410	2411	2412	2413	2414	2415	2416	2417	2418	2419	2420	2421	2422	2423	2424	2425	2426	2427	2428	2429	2430	2431	2432	2
--	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	------	---

[illegible]

1. 姓名	2. 性别	3. 年龄	4. 职业
5. 学历	6. 婚姻状况	7. 健康状况	8. 兴趣爱好
9. 月收入	10. 支出情况	11. 资产状况	12. 负债情况
13. 信用记录	14. 消费习惯	15. 理财观念	16. 其他信息


姓名	性别	年龄	职业	住址	电话
张三	男	35	教师	北京市海淀区	12345678
李四	女	28	医生	北京市朝阳区	87654321
王五	男	45	工程师	上海市浦东新区	98765432
赵六	女	30	公务员	广州市天河区	56789012
孙七	男	25	学生	北京市昌平区	34567890
周八	女	38	经理	深圳市南山区	23456789
吴九	男	42	律师	上海市黄浦区	12345678
郑十	女	33	会计	广州市白云区	98765432
冯十一	男	27	程序员	北京市海淀区	87654321
陈十二	女	31	销售	北京市朝阳区	76543210
林十三	男	36	设计师	上海市浦东新区	65432109
周十四	女	29	护士	广州市天河区	54321098
吴十五	男	41	教授	北京市昌平区	43210987
郑十六	女	34	工程师	深圳市南山区	32109876
冯十七	男	26	公务员	上海市黄浦区	21098765
陈十八	女	32	教师	广州市白云区	10987654
林十九	男	37	医生	北京市海淀区	09876543
周二十	女	30	经理	北京市朝阳区	98765432
吴二十一	男	43	律师	上海市浦东新区	87654321
郑二十二	女	35	会计	广州市天河区	76543210
冯二十三	男	28	程序员	北京市昌平区	65432109
陈二十四	女	31	销售	深圳市南山区	54321098
林二十五	男	36	设计师	上海市黄浦区	43210987
周二十六	女	29	护士	广州市白云区	32109876
吴二十七	男	41	教授	北京市海淀区	21098765
郑二十八	女	34	工程师	北京市朝阳区	10987654
冯二十九	男	26	公务员	上海市浦东新区	09876543
陈三十	女	32	教师	广州市天河区	98765432
林三十一	男	37	医生	北京市昌平区	87654321
周三十二	女	30	经理	深圳市南山区	76543210
吴三十三	男	43	律师	上海市黄浦区	65432109
郑三十四	女	35	会计	广州市白云区	54321098
冯三十五	男	28	程序员	北京市海淀区	43210987
陈三十六	女	31	销售	北京市朝阳区	32109876
林三十七	男	36	设计师	上海市浦东新区	21098765
周三十八	女	29	护士	广州市天河区	10987654
吴三十九	男	41	教授	北京市昌平区	09876543
郑四十	女	34	工程师	深圳市南山区	98765432
冯四十一	男	26	公务员	上海市黄浦区	87654321
陈四十二	女	32	教师	广州市白云区	76543210
林四十三	男	37	医生	北京市海淀区	65432109
周四十四	女	30	经理	北京市朝阳区	54321098
吴四十五	男	43	律师	上海市浦东新区	43210987
郑四十六	女	35	会计	广州市天河区	32109876
冯四十七	男	28	程序员	北京市昌平区	21098765
陈四十八	女	31	销售	深圳市南山区	10987654
林四十九	男	36	设计师	上海市黄浦区	09876543
周五十	女	29	护士	广州市白云区	98765432
吴五十一	男	41	教授	北京市海淀区	87654321
郑五十二	女	34	工程师	北京市朝阳区	76543210
冯五十三	男	26	公务员	上海市浦东新区	65432109
陈五十四	女	32	教师	广州市天河区	54321098
林五十五	男	37	医生	北京市昌平区	43210987
周五十六	女	30	经理	深圳市南山区	32109876
吴五十七	男	43	律师	上海市黄浦区	21098765
郑五十八	女	35	会计	广州市白云区	10987654
冯五十九	男	28	程序员	北京市海淀区	09876543
陈六十	女	31	销售	北京市朝阳区	98765432
林六十一	男	36	设计师	上海市浦东新区	87654321
周六十二	女	29	护士	广州市天河区	76543210
吴六十三	男	41	教授	北京市昌平区	65432109
郑六十四	女	34	工程师	深圳市南山区	54321098
冯六十五	男	26	公务员	上海市黄浦区	43210987
陈六十六	女	32	教师	广州市白云区	32109876
林六十七	男	37	医生	北京市海淀区	21098765
周六十八	女	30	经理	北京市朝阳区	10987654
吴六十九	男	43	律师	上海市浦东新区	09876543
郑七十	女	35	会计	广州市天河区	98765432
冯七					

[illegible]

1997年12月15日


美

1997
 1998
 1999
 2000
 2001
 2002
 2003
 2004
 2005
 2006
 2007
 2008
 2009
 2010
 2011
 2012
 2013
 2014
 2015
 2016
 2017
 2018
 2019
 2020
 2021
 2022
 2023
 2024
 2025
 2026
 2027
 2028
 2029
 2030
 2031
 2032
 2033
 2034
 2035
 2036
 2037
 2038
 2039
 2040
 2041
 2042
 2043
 2044
 2045
 2046
 2047
 2048
 2049
 2050
 2051
 2052
 2053
 2054
 2055
 2056
 2057
 2058
 2059
 2060
 2061
 2062
 2063
 2064
 2065
 2066
 2067
 2068
 2069
 2070
 2071
 2072
 2073
 2074
 2075
 2076
 2077
 2078
 2079
 2080
 2081
 2082
 2083
 2084
 2085
 2086
 2087
 2088
 2089
 2090
 2091
 2092
 2093
 2094
 2095
 2096
 2097
 2098
 2099
 2100
 2101
 2102
 2103
 2104
 2105
 2106
 2107
 2108
 2109
 2110
 2111
 2112
 2113
 2114
 2115
 2116
 2117
 2118
 2119
 2120
 2121
 2122
 2123
 2124
 2125
 2126
 2127
 2128
 2129
 2130
 2131
 2132
 2133
 2134
 2135
 2136
 2137
 2138
 2139
 2140
 2141
 2142
 2143
 2144
 2145
 2146
 2147
 2148
 2149
 2150
 2151
 2152
 2153
 2154
 2155
 2156
 2157
 2158
 2159
 2160
 2161
 2162
 2163
 2164
 2165
 2166
 2167
 2168
 2169
 2170
 2171
 2172
 2173
 2174
 2175
 2176
 2177
 2178
 2179
 2180
 2181
 2182
 2183
 2184
 2185
 2186
 2187
 2188
 2189
 2190
 2191
 2192
 2193
 2194
 2195
 2196
 2197
 2198
 2199
 2200
 2201
 2202
 2203
 2204
 2205
 2206
 2207
 2208
 2209
 2210
 2211
 2212
 2213
 2214
 2215
 2216
 2217
 2218
 2219
 2220
 2221
 2222
 2223
 2224
 2225
 2226
 2227
 2228
 2229
 2230
 2231
 2232
 2233
 2234
 2235
 2236
 2237
 2238
 2239
 2240
 2241
 2242
 2243
 2244
 2245
 2246
 2247
 2248
 2249
 2250
 2251
 2252
 2253
 2254
 2255
 2256
 2257
 2258
 2259
 2260
 2261
 2262
 2263
 2264
 2265
 2266
 2267
 2268
 2269
 2270
 2271
 2272
 2273
 2274
 2275
 2276
 2277
 2278
 2279
 2280
 2281
 2282
 2283
 2284
 2285
 2286
 2287
 2288
 2289
 2290
 2291
 2292
 2293
 2294
 2295
 2296
 2297
 2298
 2299
 2300
 2301
 2302
 2303
 2304
 2305
 2306
 2307
 2308
 2309
 2310
 2311
 2312
 2313
 2314
 2315
 2316
 2317
 2318
 2319
 2320
 2321
 2322
 2323
 2324
 2325
 2326
 2327
 2328
 2329
 2330
 2331
 2332
 2333
 2334
 2335
 2336
 2337
 2338
 2339
 2340
 2341
 2342
 2343
 2344
 2345
 2346
 2347
 2348
 2349
 2350
 2351
 2352
 2353
 2354
 2355
 2356
 2357
 2358
 2359
 2360
 2361
 2362
 2363
 2364
 2365
 2366
 2367
 2368
 2369
 2370
 2371
 2372
 2373
 2374
 2375
 2376
 2377
 2378
 2379
 2380
 2381
 2382
 2383
 2384
 2385
 2386
 2387
 2388
 2389
 2390
 2391
 2392
 2393
 2394
 2395
 2396
 2397
 2398
 2399
 2400
 2401
 2402
 2403
 2404
 2405
 2406
 2407
 2408
 2409
 2410
 2411
 2412
 2413
 2414
 2415
 2416
 2417
 2418
 2419
 2420
 2421
 2422
 2423
 2424
 2425
 2426
 2427
 2428
 2429
 2430
 2431
 2432
 2433
 2434
 2435
 2436
 2437
 2438
 2439
 2440
 2441
 2442
 2443
 2444
 2445
 2446
 2447
 2448
 2449
 2450
 2451





IN THE PRESENT CASE
 THE LONG WAVELENGTH
 DIAMETER IS THE ONLY
 FACTOR WHICH IS
 OF IMPORTANCE IN
 THE PRESENT CASE
 THE LONG WAVELENGTH
 DIAMETER IS THE ONLY
 FACTOR WHICH IS
 OF IMPORTANCE IN
 THE PRESENT CASE

100% 100% 100%
 100% 100% 100%
 100% 100% 100%



(O) Day samples
(●) Day carbon dioxide





SCHEMATIC OF RETURN-SAMPLING APPARATUS
for analysis of breathing medium under pressure,
showing arrangement for bag oxygen sample
in N_2O_2 SCUBA with sample returned to
mask exhalation tube.

FIGURE 12

