

UNCLASSIFIED

AD NUMBER
AD807900
NEW LIMITATION CHANGE
TO Approved for public release, distribution unlimited
FROM Distribution authorized to U.S. Gov't. agencies only; Administrative/Operational Use; 06 DEC 1966. Other requests shall be referred to Naval Ordnance Laboratory, White Oak, MD.
AUTHORITY
USNOL ltr dtd 12 Dec 1972

THIS PAGE IS UNCLASSIFIED

ord 9132

NOLTR 66-229

NOL
TR-66-229
C.I.

ICE - BREAKING BY EXPLOSIVES

6 DECEMBER 1966

Do not forward this copy to other activities
without authorization of NOLTR (and 9132)
PETITION TO
TECHNICAL LIBRARY BRANCH
NAVAL ORDNANCE SYSTEMS COMMAND
Dept. of Navy
Washington 25, D. C., 20360

NOL
UNITED STATES NAVAL ORDNANCE LABORATORY, WHITE OAK, MARYLAND

NOLTR 66-229

Each transmittal of this document
outside the agencies of the U. S.
Government must have prior ap-
proval of NOL.

7006 608-041

ICE-BREAKING BY EXPLOSIVES

by

Robert M. Barash

ABSTRACT: Data are reported on the sizes of clearings broken in a lake ice sheet 20 to 30 inches thick, as a result of each of 45 explosions. The charge weights varied from 1 to 42 lbs, and the charge positions varied from 20 ft below to 2 ft above the ice layer.

UNDERWATER EXPLOSIONS DIVISION
EXPLOSIONS RESEARCH DEPARTMENT
U. S. NAVAL ORDNANCE LABORATORY
WHITE OAK, SILVER SPRING, MARYLAND

NOLTR 66-229

6 December 1966

ICE-BREAKING BY EXPLOSIVES

This report is a brief presentation of some experimental work which has previously been available only in classified form. Because of current interest in this work inside and outside the Laboratory, the unclassified aspects are given here.

The work was done in 1960 and was supported primarily by the Bureau of Naval Weapons under WepTask No. RUME-3-E-000/212-1/WF008-10-004, PA 002, Supporting Research in Underwater Explosives and Explosions, and was published in Confidential Report NOLTR 62-96.

E. F. SCHREITER
Captain, USN
Commander


C. J. ARONSON
By direction

CONTENTS

	Page
1. INTRODUCTION	1
2. EXPERIMENTAL PROGRAM	1
3. RESULTS	2

ILLUSTRATIONS

Figure	Title	Page
1	Photographic Sequence: Under-Ice Explosion	6
2	Hole Radius in Ice vs Charge Depth	7

TABLES

Table	Title	Page
1	Clearings Broken in Lake Ice by Explosion of 42-lb Charges	3
2	Clearings Broken in Lake Ice by Explosion of 8-lb Charges	4
3	Clearings Broken in Lake Ice by Explosion of 1-lb Charges	5

ICE-BREAKING BY EXPLOSIVES

1. INTRODUCTION

- 1.1 An important problem in operations in the Arctic is the development of an effective method of clearing the pack ice. Explosives have been used, but no systematic study of the optimum charge size and charge depth has been carried out.
- 1.2 As an early step in exploring the effects of explosions in an ice-covered lake, measurements were taken of the areas in the ice sheet that were broken up and/or cleared by such explosions. The tests were conducted during January through March 1960 at Moonshine Lake in the Chippewa National Forest in Minnesota.

2. EXPERIMENTAL PROGRAM

- 2.1 Results of 45 explosions are reported here. This includes 8 charges with a nominal weight of 42 lbs, 20 eight-lb charges, and 17 one-lb charges. All were cast TNT spheres, except for 2 eight-lb and 3 one-lb HBX-3 spheres. All had pentolite boosters.
- 2.2 The charges were placed at various positions with respect to the ice sheet, ranging from 20 ft below to 2 ft above. The ice thickness varied from 20 to 30 inches during the course of the tests.
- 2.3 Figure 1 shows a sequence of photographs of the above-surface effects of an under-ice explosion. Typically, the shock wave pulse causes the ice layer to rise in the shape of a shallow dome, as in photograph (a). The effect of the bubble appears either before or after the dome begins to fall back, depending upon the depth of explosion. As the bubble reaches the surface, pieces of ice are thrown out, either mostly upward or mostly radially, depending upon the phase of the bubble motion at the time it vents.
- 2.4 The result is generally an area, more or less circular in shape, containing pieces of ice, the amount varying from 0 to 100% of the ice originally in the area, and their sizes varying from very small to about 10 ft long in some cases.
- 2.5 This broken-up area may contain a smaller area of open water containing no ice. In addition, in some cases there may be an outer perimeter at which a severe crack occurs, or within which the ice layer, although not broken into loose pieces, is permanently buckled.
- 2.6 An attempt was made after each shot to estimate the amount of ice which remained in or returned to the broken ice area, as a percentage of

the volume of ice originally in the area. Also a classification of the sizes of the pieces was attempted. These data are available for most of the shots, but the estimates are so crude that they will be presented here only in a very simplified form. The broken ice area resulting from each shot will be described as containing either less or more than half its original volume of ice. In general, those holes in which most of the ice remains or returns contain a large proportion of large pieces of ice - that is, at least 3 ft long; and the converse is also true.

3. RESULTS

3.1 Tables 1, 2 and 3 list for the 42-lb, 8-lb, and 1-lb shots respectively, the three diameters discussed in Paragraphs 2.4 and 2.5, and the proportion discussed in Paragraph 2.6. The experimental variables listed in each table are charge depth, explosive composition, ice thickness, and water depth. It is felt that water depth may be a significant variable because of its effect on bubble migration. The water depth is the distance from the top of the ice layer to the bottom of the lake. The charge depth is measured from the top surface of the ice, positive downward. Thus a charge depth of $d + 10$ ft (where d is the ice thickness for a particular shot) indicates that the center of the charge is placed 10 ft below the bottom of the ice. A charge depth of -2 ft indicates that the center of the charge is 2 ft above the top of the ice. For charge depths of 0 and d , the charges were placed in hemispherical depressions in the top and bottom surfaces of the ice respectively. The charge depth of $d/2$ was obtained by filling and re-freezing the opening through which the charge was placed at a central position in the ice layer.

3.2 Figure 2 is a graph of the resultant hole radius as a function of the charge depth, for the three sizes of TNT charges. For each charge size, there appears to be an optimum charge depth - that is, the charge depth yielding the largest hole.

3.3 The optimum charge depth, and the corresponding hole radius, are both approximately proportional to the cube root of the charge weight. This is not surprising, in view of the following two well-established scaling laws for geometrically similar configurations, one relating to the shock wave, and the other to the bubble. First, the distance at which a given value of peak shock wave pressure occurs is proportional to the cube root of the charge weight; and second, the maximum bubble radius expected in free water is approximately proportional to the cube root of the charge weight, for shallow charge depths.

3.4 The peculiar shapes of these three curves can be shown to be related to the size and the dynamic state of the bubble at the time it vents, as a function of the depth of explosion. This suggests that the bubble plays a more important role than the shock wave in determining the size of the hole. This finding is supported by the greater hole sizes generally resulting from the use of HBX-3, an explosive producing a larger bubble than TNT.

TABLE 1. CLEARINGS BROKEN IN LAKE ICE BY EXPLOSION OF 42-LB CHARGES

Charge Depth Below Top of Ice (ft)	Expl. Comp.	Ice Thick- ness (in)	Water Depth From Top of Ice (ft)	Average Diameter of Open Water Area (ft)	Average Diameter of Broken Ice Area (ft)	More or Less Than Half of Original Ice Returned	Average Diameter of Buckling or Severe Crack (ft)
d+2.5*	TNT	24.5	48	40	49	less	--
d+3.75	TNT	28	50.4	27.5	51.5	less	--
d+5	TNT	24	36.5	49	49	less	--
d+5	TNT	29.5	30.9	0	61	less	--
d+6	TNT	30	25.8	0	53	less	--
d+8	TNT	29.5	46	0	53.5	more	--
d+10	TNT	25	50.5	0	52	more	--
d+17.22	TNT	25	57.9	0	42	more	--

*d = Ice thickness as given in col 3, and converted to ft

TABLE 2. CLEARINGS BROKEN IN LAKE ICE BY EXPLOSION OF 8-LB CHARGES


Charge Depth Below Top of Ice (ft)	Expl. Comp.	Ice Thick- ness (in)	Water Depth From Top of Ice (ft)	Average Diameter of Open Water Area (ft)	Average Diameter of Broken Ice Area (ft)	More or Less Than Half of Original Ice Returned	Average of Diameter of Buckling or Severe Crack (ft)
-2	TNT	23	24.7	0	0	--	--
-1	TNT	23	24.7	0	0	--	--
-1	TNT	27	16.7	0	0	--	--
0	TNT	27	18.3	0	4.5	less	--
d*	TNT	25	33.9	0	25	less	--
d+0.27	TNT	26	15.4	0	23.5	more	--
d+1.45	TNT	25	33.9	3	32.5	more	--
d+1.45	TNT	26	17.2	0	32.5	more	--
d+2.9	TNT	22.5	40	12	34	less	--
d+2.9	HBX-3	29	27.8	0	41	less	--
d+4	TNT	24.5	27.3	0	31.5	more	--
d+5	TNT	23	32.2	0	28	more	--
d+5	TNT	25.5	24.8	0	27.5	more	--
d+7.5	TNT	29	27.8	0	15.25	less	27.25
d+10	TNT	20	33	0	15.25	more	--
d+10	TNT	20	33	0	18	more	--
d+13	TNT	29	35.2	0	18	less	25
d+16	TNT	28	32.5	0	17.75	less	--
d+20	TNT	27	60	4.5	10.5	less	--
d+20	HBX-3	29	66.3	0	23.75	less	--

*d = Ice thickness as given in col. 3, and converted to ft


TABLE 3. CLEARINGS BROKEN IN LAKE ICE BY EXPLOSION OF 1-LB CHARGES

Charge Depth Below Top of Ice (ft)	Expl. Comp.	Ice Thick- ness (in)	Water Depth From Top of Ice (ft)	Average Diameter of Open Water Area (ft)	Average Diameter of Broken Ice Area (ft)	More or Less Than Half of Original Ice Returned	Average Diameter of Buckling or Severe Crack (ft)
0	TNT	24	23.8	0	0	--	--
d/2*	TNT	24	26	0	3	less	--
d/2	TNT	27	16	0	3	less	--
d	TNT	22.5	26.8	0	13	more	--
d+1.45	TNT	25	24.2	0	16	more	--
d+1.45	HBX-3	30	18	0	7	less	20
d+2.5	TNT	22	43.3	3.5	3.5	less	15
d+2.5	HBX-3	29	19.2	0	6	less	19.5
d+4	TNT	30	67.3	0	3.75	less	11
d+5	TNT	23	35	0	7	less	20
d+5	HBX-3	23	31	0	8	more	25
d+5	TNT	26	20.3	0	3	more	14
d+5	TNT	30	67.3	1.75	1.75	less	14
d+6	TNT	30	54.7	0	4.5	less	--
d+7.5	TNT	29	30.8	0	1.5	more	--
d+10	TNT	27	32.5	0	0	--	--
d+11	TNT	29	65.3	0	0	--	--


*d = Ice thickness given in col. 3, and converted to ft



(a)



(b)



(c)



(d)

FIG. 1 PHOTOGRAPHIC SEQUENCE : UNDER - ICE EXPLOSION




FIG. 2 HOLE RADIUS IN ICE VS CHARGE DEPTH

DISTRIBUTION LIST

	Copies
Chief of Naval Material Washington, D. C. 20360 Attn: ASW-2211 ASW-22111	1 1
Chief of Naval Operations Washington, D. C. 20360 Attn: OP-75	1
Chief of Naval Research Washington, D. C. 20360 Attn: Code 418 Dr. M. E. Britton Arctic Research Branch	1 1
Commander, Naval Ordnance Systems Command Washington, D. C. 20360 Attn: ORD-033 ORD-0332 ORD-035 ORD-9132 ORD-0523	1 1 1 2
Commander, Naval Ships Systems Command Washington, D. C. 20360 Attn: NADSC-6423	2
Commander, Naval Facilities Engineering Command Washington, D. C. 20360	1
Director, Lawrence Radiation Laboratory P. O. Box 808, Livermore California 90024 Attn: COL. M. K. Kurtz U. S. Army Engineers Nuclear Cratering Group	2
Director U. S. Navy Electronics Laboratory San Diego, California 92152	1
Arctic Research Laboratory Point Barrow, Alaska	1
Commander U. S. Naval Oceanographic Office Washington, D. C. 20390	1

DISTRIBUTION LIST (continued)

	Copies
Chief of Research & Development Department of the Army Washington, D. C. 20310	2
Commanding General Material Command Headquarters Department of the Army Washington, D. C. 20315	2
U. S. Army Cold Regions Research & Engineering Laboratory P. O. Box 202, Hanover, New Hampshire 03755	1
Chief of Engineers Department of the Army Washington, D. C. 20315 Attn: ENGNR	2
ENGB	1
Chief, AF Technical Applications Center 2525 Telegraph Road Alexandria, Virginia 22300	1
Director Defense Research & Engineering Washington, D. C. 20310 Attn: Technical Library	1
Director Woods Hole Oceanographic Institution Woods Hole, Massachusetts 02543	1
Director Scripps Institute of Oceanography La Jolla, California 92037	1
NASA Scientific & Technical Information Facility P. O. Box 37 College Park, Maryland 20740	1
Defense Documentation Center Cameron Station Alexandria, Virginia 22314 Attn: TIPDR	20
Chief of Naval Material U. S. Naval Ordnance Laboratory White Oak, Silver Spring, Maryland 20910 Attn: ASW-900 (A. Solem)	1

Unclassified

Security Classification

DOCUMENT CONTROL DATA - R & D		
(Security classification of title, body of abstract and indexing annotation must be entered when the overall report is classified)		
1. ORIGINATING ACTIVITY (Corporate author) U. S. Naval Ordnance Laboratory White Oak, Silver Spring, Maryland 20910		2a. REPORT SECURITY CLASSIFICATION Unclassified 2b. GROUP
3. REPORT TITLE Ice-Breaking by Explosives		
4. DESCRIPTIVE NOTES (Type of report and inclusive dates)		
5. AUTHOR(S) (First name, middle initial, last name) Robert M. Barash		
6. REPORT DATE 6 December 1966	7a. TOTAL NO. OF PAGES 10	7b. NO. OF REFS 0
8a. CONTRACT OR GRANT NO. b. PROJECT NO Task RUME-3-E-000/212-1/WF008-10-004 c. d.		9a. ORIGINATOR'S REPORT NUMBER(S) NOLTR 66-229 9b. OTHER REPORT NO(S) (Any other numbers that may be assigned this report)
10. DISTRIBUTION STATEMENT Each transmittal of this document outside the agencies of the U. S. Government must have prior approval of NOL.		
11. SUPPLEMENTARY NOTES		12. SPONSORING MILITARY ACTIVITY Naval Ordnance Systems Command
13. ABSTRACT Data are reported on the sizes of clearings broken in a lake ice sheet 20 to 30 inches thick, as a result of each of 45 explosions. The charge weights varied from 1 to 42 lbs, and the charge positions varied from 20 ft below to 2 ft above the ice layer.		

DD FORM 1473

1 NOV 65

(PAGE 1)

S/N 0101-807-6801

Unclassified

Security Classification

Unclassified

Security Classification

14 KEY WORDS	LINK A		LINK B		LINK C	
	ROLE	WT	ROLE	WT	ROLE	WT
Explosives Ice Ice-breaking Arctic						

DD FORM 1473 (BACK)
1 NOV 65
(PAGE 2)

Unclassified
Security Classification

Naval Ordnance Laboratory, White Oak, Md. (NOL technical report 66-229) ICE-BREAKING BY EXPLOSIVES, by Robert M. Barash. 6 Dec. 1966. 5p. illus., charts, tables. BuWeps task RUME-3-E-000/212-1/WFO08-10-004. UNCLASSIFIED Data are reported on the sizes of clearings broken in a lake ice sheet 20 to 30 inches thick, as a result of each of 45 explosions. The charge weights varied from 1 to 42 lbs., and the charge positions varied from 20 ft. below to 2 ft. above the ice layer. Abstract card is unclassified.	1. Ice breaking 2. Explosions, Under-Ice I. Title II. Barash, Robert M. III. Project
Naval Ordnance Laboratory, White Oak, Md. (NOL technical report 66-229) ICE-BREAKING BY EXPLOSIVES, by Robert M. Barash. 6 Dec. 1966. 5p. illus., charts, tables. BuWeps task RUME-3-E-000/212-1/WFO08-10-004. UNCLASSIFIED Data are reported on the sizes of clearings broken in a lake ice sheet 20 to 30 inches thick, as a result of each of 45 explosions. The charge weights varied from 1 to 42 lbs., and the charge positions varied from 20 ft. below to 2 ft. above the ice layer. Abstract card is unclassified.	1. Ice breaking 2. Explosions, Under-Ice I. Title II. Barash, Robert M. III. Project
Naval Ordnance Laboratory, White Oak, Md. (NOL technical report 66-229) ICE-BREAKING BY EXPLOSIVES, by Robert M. Barash. 6 Dec. 1966. 5p. illus., charts, tables. BuWeps task RUME-3-E-000/212-1/WFO08-10-004. UNCLASSIFIED Data are reported on the sizes of clearings broken in a lake ice sheet 20 to 30 inches thick, as a result of each of 45 explosions. The charge weights varied from 1 to 42 lbs., and the charge positions varied from 20 ft. below to 2 ft. above the ice layer. Abstract card is unclassified.	1. Ice breaking 2. Explosions, Under-Ice I. Title II. Barash, Robert M. III. Project
Naval Ordnance Laboratory, White Oak, Md. (NOL technical report 66-229) ICE-BREAKING BY EXPLOSIVES, by Robert M. Barash. 6 Dec. 1966. 5p. illus., charts, tables. BuWeps task RUME-3-E-000/212-1/WFO08-10-004. UNCLASSIFIED Data are reported on the sizes of clearings broken in a lake ice sheet 20 to 30 inches thick, as a result of each of 45 explosions. The charge weights varied from 1 to 42 lbs., and the charge positions varied from 20 ft. below to 2 ft. above the ice layer. Abstract card is unclassified.	1. Ice breaking 2. Explosions, Under-Ice I. Title II. Barash, Robert M. III. Project