

UNCLASSIFIED

AD NUMBER

AD818302

LIMITATION CHANGES

TO:

Approved for public release; distribution is unlimited.

FROM:

Distribution authorized to U.S. Gov't. agencies and their contractors; Critical Technology; JUL 1967. Other requests shall be referred to Air Force Technical Application Center, Washington, DC. This document contains export-controlled technical data.

AUTHORITY

usaf ltr, 25 jan 1972

THIS PAGE IS UNCLASSIFIED

AD818302

TECHNICAL REPORT NO. 67-39

DESIGNATION OF DATA RECORDED AT THE
TONTON FOREST SEISMOLOGICAL OBSERVATORY
1 May 1965 through 31 December 1966

DDC
RECORDED
AUG 11 1967
A



GEOTECH

A TELEDYNE COMPANY

**BEST
AVAILABLE COPY**

TECHNICAL REPORT NO. 67-39

DESIGNATION OF DATA RECORDED AT THE
TONTON FOREST SEISMOLOGICAL OBSERVATORY
1 May 1965 through 31 December 1966

Sponsored by

Advanced Research Projects Agency
Nuclear Test Detection Office
ARPA Order No. 624

STATEMENT #2 UNCLASSIFIED

This document is subject to special export controls and each
transmittal to foreign governments or foreign nationals may be
made only with prior approval of AF-TAC

Wash. D. C.

GEOTECH
A Teledyne Company
3401 Shiloh Road
Garland, Texas

14 July 1967

IDENTIFICATION

AFTAC Project No:	VELA T/5055
Project Title:	Operation of TFSO
ARPA Order No:	624
ARPA Program Code No:	5810
Name of Contractor:	Teledyne Industries Geotech Division Garland, Texas
Date of Contract:	12 April 1965
Amount of Contract:	\$758,784.00
Contract Number:	AF 33(657)-14444
Contract Expiration Date:	31 December 1966
Program Manager:	B. B. Leichliter, BR1-2561

CONTENTS

	<u>Page</u>
ABSTRACT	
1. INTRODUCTION	1
2. ACQUISITION OF SEISMIC AND METEOROLOGICAL DATA AT TFSO	1
2.1 General	1
2.2 Seismometer arrays	5
2.3 Meteorological data	5
3. DESIGNATION CODE	5
3.1 TFSO short-period data designators	5
3.2 Extended array short-period data designators	11
3.3 Extended array long-period data designators	12
4. NON-CODED DESIGNATIONS	12
4.1 TFSO long-period data designators	12
4.2 TFSC broad-band data designators	15
4.3 TFSO intermediate-band data designators	16
4.4 TFSO high-frequency data designators	16
4.5 Shallow-hole seismograph	17
4.6 TFSO summation data designators	17
4.7 TFSO special and experimental data designators	23
5. SEISMIC DATA RECORDED ON 35-MILLIMETER DRUM RECORDER AT TFSO	24
6. PHASE STUDY DATA	24
7. NON-SEISMIC DATA	25
8. DATA GROUP NUMBERS	26

ILLUSTRATIONS

<u>Figure</u>		<u>Page</u>
1	Normalized response characteristics of standard seismographs at TFSO	3
2	Normalized response characteristics of long-period seismographs at TFSO prior to March 1966	4
3	Location of seismometers at TFSO prior to 9 December 1966	6
4	Location of seismometers at TFSO after 9 December 1966	7
5	Location of TFSO and extended array sites	8
6	Location of short-period seismometers at Winslow, Arizona LRSM site	9
7	Location of short-period seismometers at Jerome, Arizona LRSM site	10
8	Frequency responses and block diagrams for ZHF1 and ZHF2	18
9	Frequency responses and block diagrams for ZHF3 and ZHF4	19
10.	Frequency responses for the high-frequency seismographs. (These responses are plotted for constant amplitude input and apply to the film recordings.)	20
11.	Block diagram and estimated frequency response for the Geophone seismograph (EGF)	21

TABLES

<u>Table</u>		<u>Page</u>
1	Operating parameters and tolerances of standard seismograph at TFSO	2
2	TFSO long-period data designators	13
3	TFSO high-frequency data designators	16
4	Designation of summed data	22
5	TFSO special and experimental data designators	23
6	Develocorder data channel assignment at TFSO from 1 May 1965 to 31 December 1966	27
7	Magnetic-tape recorder data channel assignments at TFSO from 1 May 1965 to 31 December 1966	28
8	Chronological listing of Develocorder data groups recorded at TFSO	29
9	Chronological listing of magnetic tape data groups recorded at TFSO	30

ABSTRACT

This report outlines the designators used to identify the seismic and meteorological data recorded at the Tonto Forest Seismological Observatory under Project VT/5055 during the period from 1 May 1965 to 31 December 1966.

DESIGNATION OF DATA RECORDED AT THE
TONGO FOREST SEISMOLOGICAL OBSERVATORY
1 May 1965 through 31 December 1966

1. INTRODUCTION

This is a report on the identification of the seismic and meteorological data formats recorded at the Tongo Forest Seismological Observatory (TFSO), under Project VT/5055. The designations used to identify the seismograms are listed and explained, the characteristic response of each seismograph is given, and the location of seismometers are shown. The designators for the meteorological data are also listed.

2. ACQUISITION OF SEISMIC AND
METEOROLOGICAL DATA AT TFSO

2.1 GENERAL

During the period from 1 May 1965 to 31 December 1966, data produced by more than 100 seismographs were recorded at the TFSO. Seismic signals were detected from a range of 0.01 cps to 6 cps and recorded on 16-millimeter film, 35-millimeter film, and magnetic tape.

The operating parameters and tolerances for the TFSO standard seismographs are shown in table 1. Normalized response characteristics of the standard seismographs, as they were being operated on 31 December 1966 are shown in figure 1. The frequency responses with which the long-period seismographs were operated earlier in the contract period are shown in figure 2.

In addition to the standard seismographs, two band-pass filtered summation seismographs (ΣTF and ΣTFK) were operated at the observatory. The filtered-summation seismograms were used as "diag" seismograms during the routine on-line analysis of data. The ΣTF seismograph employs a filter with a pass band from 0.7 to 1.75 cps. The ΣTFK filter employs a filter with a pass band from 1.0 to 3.0 cps. The high-cut and low-cut slopes of both filters is 24 dB/octave.

Table 1. Operating parameters and tolerances of standard seismographs at TFSO

Seismograph			Operating parameters and tolerances					Filter settings	
System	Comp	Type	Model	Ts	λs	Tσ	λg	δ ²	Cutoff rate at SP side (dB/oct)
SP	Z	Johnson-Matheson	6480	1.25 ± 2%	0.54 ± 5%	0.33 ± 5%	0.65 ± 5%	0.0117	0.1 - 100
SP	H	Johnson-Matheson	7515	1.25 ± 2%	0.54 ± 5%	0.33 ± 5%	0.65 ± 5%	0.0117	0.1 - 100
SP	Z	Benioff	1051	1.0 ± 2%	1.0 ± 5%	0.2 ± 5%	1.0 ± 5%	0.0104	0.1 - 100
SP	H	Benioff	1101	1.0 ± 2%	1.0 ± 5%	0.2 ± 5%	1.0 ± 5%	0.0104	0.1 - 100
SP	Z	UA Benioff	1051	1.0 ± 2%	1.0 ± 5%	0.75	1.0 ± 5%	0.0245	0.1 - 100
SP	H	UA Benioff	1101	1.0 ± 2%	1.0 ± 5%	0.75	1.0 ± 5%	0.0245	0.1 - 100
SP	H	Wood-Anderson	TS 220	0.8	0.78				
IB	Z	Melton	10012	2.25 ± 5%	0.65 ± 5%	0.64 ± 5%	1.2 ± 5%	0.0006	0.05 - 100
IB	H	Lehner-Griffith	SH-216	2.25 ± 5%	0.65 ± 5%	0.64 ± 5%	1.2 ± 5%	0.0004	0.05 - 100
BB	Z	Press-Ewing	SV-232	12.0 ± 5%	0.425 ± 10%	0.64 ± 5%	9.0 ± 10%	0.00027	0.05 - 100
BB	H	Press-Ewing	SH-242	12.0 ± 5%	0.425 ± 10%	0.64 ± 5%	9.0 ± 10%	0.00027	0.05 - 100
Lp ^a	Z	Geotech	7505A	20.0 ± 5%	0.74 ± 10%	110.0 ± 10%	0.83 ± 10%	0.66	25 - 1000
Lp ^a	H	Geotech	8700C	20.0 ± 5%	0.74 ± 10%	110.0 ± 10%	0.83 ± 10%	0.66	25 - 1000 ^c
Lp ^b	Z	Geotech	7505A	20.0 ± 5%	0.74 ± 10%	110.0 ± 10%	0.83 ± 10%	-	20 - 200 ^c
Lp ^b	H	Geotech	8700C	20.0 ± 5%	0.620 ± 10%	30.0 ± 10%	0.591 ± 10%	-	25 - 1000
									20 - 1000 ^c

KEY

SP Short period
IB Intermediate band
BB Broad band
LP Long period
UA Unamplified (i.e., earth powered)

Ts Seismometer free period (sec)
Tg Galvanometer free period (sec)
λs Seismometer damping constant
λg Galvanometer damping constant
δ² Coupling coefficient

^aSince March 1966

^bPrior to March 1966

^cWith a 6-second notch filter




Figure 1. Normalized response characteristics of standard seismographs at TFSO




Figure 2. Normalized response characteristics of long-period seismographs at TFSO prior to March 1966

2.2 SEISMOMETER ARRAYS

The seismic data recorded at TFSO were produced by seismometers positioned to form four arrays; the crossed linear array, 31-element array, 19-element array, and the extended array. Seismometer locations which formed the 31-element and crossed linear arrays are shown in figure 3. The vault location numbers are also given in figure 3. Seismometer locations which formed the 19-element array are shown in figure 4.

The location of eight mobile seismic recording vans used to extend the legs of the crossed linear array between the beginning of Project VT/5055 and 3 October 1965 are shown in figure 5. The geographic location of TFSO is also given in the figure. Data from the extended array were transmitted to the TFSO central recording building (CRB) via telephone and VHF telemetry systems. All of the mobile sites were equipped with a 3-component short-period system and a 3-component long-period system. Seven-element short-period vertical arrays were also installed at the Winslow, Arizona (WO-AZ) and the Jerome, Arizona (JR-AZ) sites. Location of the seismometers which formed the WO-AZ and JR-AZ arrays are given in figures 6 and 7, respectively.

2.3 METEOROLOGICAL DATA

Meteorological data were recorded at TFSO. Wind velocity and barometric pressure data were recorded on 16-millimeter film.

3. DESIGNATION CODE

3.1 TFSO SHORT-PERIOD DATA DESIGNATORS

Two sets of designators were used to designate the short-period data recorded at TFSO corresponding to the three arrays that were operated during the period 1 May 1965 to 31 December 1966. Seismometer locations for the period from 1 May 1965 to 9 December 1966 are shown in figure 3, and short-period seismometer location for the period from 9 December 1966 to 31 December 1966 are shown in figure 4. The following shows the structure of the code used to identify short-period seismographs of the 31-element, crossed-linear, and 19-element arrays:




Figure 3. Location of seismometers at TFSO prior to 9 December 1966




Figure 4. Location of seismometers at TFSO after 9 December 1966




Figure 5. Locations of TFSO and extended array sites




Figure 6. Location of short-period seismometers at Winslow, Arizona LRSM site




Figure 7. Location of short-period seismometers at Jerome, Arizona LRSM site

Z 33 SL
 Letters denoting relative magnification at which the systems operate. "SL" indicates low-magnification seismograph. The omission of letters indicate a high-magnification seismograph.
 Numeral indicating location of the seismometer in the array at TFSO (see figures 3 and 4).
 Letter designating the component of earth motion sensed by detection axis of the seismometer.

3.2 EXTENDED ARRAY SHORT-PERIOD DATA DESIGNATORS

Data produced by the extended array seismographs were recorded at TFSO from the beginning of Project VT/5055 to 3 October 1965. The abbreviations used to designate the location in the extended array at which instruments were operated by Long Range Seismic Measurements (LRSM) teams follows:

<u>Abbreviation</u>	<u>LRSM Site</u>	<u>Horizontal Seismometer Orientation</u>	
		<u>R</u>	<u>T</u>
GE-AZ	Globe, Arizona	131°	221°
HR-AZ	Heber, Arizona	131°	221°
JR-AZ	Jerome, Arizona	131°	221°
LG-AZ	Lone Valley, Arizona	131°	221°
NL-AZ	Nazline, Arizona	131°	221°
SG-AZ	Seligman, Arizona	131°	221°
SN-AZ	Sunflower, Arizona	131°	221°
WO-AZ	Winslow, Arizona	131°	221°

The following shows the structure of the code used to identify short-period seismographs of the extended array:

<u>NL</u>	<u>Z</u>	<u>1</u>	<u>BF</u>
Letter denoting seismometer used. The letters "BF" were initially used to indicate earth motion sensed by a Benioff seismometer; however, all of the seismometers of the extended array were Benioff seismometers, therefore, the use of the BF suffix was discontinued. Numeral indicating the location of the seismometer in the sub-array at the LRSM site (see figures 5 and 6). Letter indicates component of earth motion sensed by detection axis of seismometer.¹ Letters designating the LRSM site from which the data were transmitted to TFSO.			

3.3 EXTENDED ARRAY LONG-PERIOD DATA DESIGNATORS

Long-period data from the extended array sites were recorded at TFSO from the beginning of Project VT/5055 to 5 October 1965. The following code may be helpful in the identification of these data:

<u>GL</u>	<u>LP</u>	<u>T</u>
Letter indicating the component of earth motion sensed by seismometer.¹ Letters indicating that data were recorded with high-gain long-period seismograph with unnotched response (earth motion sensed by Sprengnether seismometer). Letters designating the LRSM site from which the data were transmitted to TFSO.		

4. NON-CODED DESIGNATIONS

4.1 TFSO LONG-PERIOD DATA DESIGNATORS

The description of the long-period seismographs at TFSO and the corresponding data designators are listed in table 2. More than 20 designators

¹Vertical, transverse and radial orientations of sensing axis of seismometer are indicated by Z, T, and R, respectively.

were used to identify long-period data produced by the long-period seismograph operated at TFSO.

Table 2. TFSO long-period data designators

<u>Data Designator</u>	<u>Seismograph Description</u>
Z44LP or GLZ44	Prior to 22 April 1966, this designator identified a high-gain vertical long-period seismograph operated with an unnotched response. After 22 April 1966, this designator identified a high-gain vertical long-period seismograph with a response notch-filtered at 6 seconds with a Model 6824-15 filter. In both seismographs a Model 7505A seismometer was used.
Z44LP(N) or GLZ44(N)	High-gain vertical long-period seismograph with response, notch-filtered at 6 seconds with Filter, Model 6824-15. The vertical component of earth motion was sensed by a Model 7505A seismometer.
Z44LL or GLZ44LG	Low-gain long-period vertical seismograph with response, notch-filtered at 6 seconds with a Model 6824-15 filter. The vertical component of earth motion was sensed with a Model 7505A seismometer.
Z51LP	High-gain long-period vertical seismograph operated with an unnotched response. The vertical component of earth motion was sensed by a Model 7505A seismometer.
E45LP or GLE45	Prior to 22 April 1966, this designator identified as high-gain long-period horizontal seismograph operated with unnotched response. After 22 April 1966, designator identified a high-gain long-period horizontal seismograph with response notch-filtered at 6 seconds with a Model 6824-15 filter. In both seismographs the east-west component of earth motion was sensed with a Model 8700C seismometer. ²
E52LP	A high-gain long-period horizontal seismograph operated with an unnotched response. The east-west component of earth motion was sensed with a Model 8700C seismometer. ²

²During the period from 17 May 1966 to 2 December 1966, seismometer was oriented north-south for test purposes.

Table 2. TFSO long-period data designators (cont.)

<u>Data Designator</u>	<u>Seismograph Description</u>
E45LL or GLE45LG	A low-gain long-period horizontal seismograph with response notch-filtered at 6 seconds with a Model 6824-15 filter. The east-west component of earth motion was sensed with a Model 8700C seismometer. ³
N46LP or GLN46	Prior to 22 April 1966, this designator identified a high-gain long-period horizontal seismograph operated with an unnotched response. After 22 April 1966, this designator identified a high-gain long-period horizontal seismograph with response notch-filtered at 6 seconds with a Model 6824-15 filter. In both seismographs, the north-south component of earth motion was sensed with a Model 8700C seismometer.
N52LP	High-gain long-period horizontal seismograph operated with an unnotched response. The north-south component of earth motion was sensed with a Model 8700C seismometer.
N46LP or GLN46LG	High-gain long-period horizontal seismograph with response notch-filtered at 6 seconds with a Model 6824-15 filter. The north-south component of earth motion sensed with a Model 8700C seismometer.
Z52LP	High-gain long-period vertical seismograph operated with an unnotched response. The vertical component of earth motion was sensed by a Sprengnether seismometer.
R53LP	High-gain long-period horizontal seismograph operated with an unnotched response. The east-west component of earth motion was sensed by a Sprengnether seismometer.
T54LP	High-gain long-period horizontal seismograph operated with an unnotched response. The north-south component of earth motion was sensed by a Sprengnether seismometer.
N57LPX	High-gain long-period horizontal seismograph operated with an unnotched response. The north-south component of earth motion was sensed by a modified (wire flexures) Model 8700C seismometer.

³Ibid

Table 2. TFSO long-period data designators (cont.)

<u>Data Designator</u>	<u>Seismograph Description</u>
N54LPX	High-gain long-period horizontal seismograph with response notch-filtered at 6 seconds with a Model 6824-15 filter. The north-south component of earth motion was sensed by a Model 7505A seismometer installed in a surface vault.
Z54LPX	High-gain long-period vertical seismograph with response notch-filtered at 6 seconds with a Model 6824-15 filter. The vertical component of earth motion was sensed by a Model 7505A seismometer installed in a surface vault.
Z57LPX	High-gain long-period vertical seismograph operated with an unnotched response. The vertical component of earth motion was sensed by a Model 7505A seismometer installed in a surface vault.

4.2 TFSO BROAD-BAND DATA DESIGNATORS

Three broad-band seismographs were operated periodically during the period from 1 May 1965 to 31 December 1966. The following table identifies the seismographs operated and the data designators used:

<u>Data Designator</u>	<u>Seismograph Description</u>
Z38BB or BBZ38	Amplified vertical broad-band seismograph using a vertical Press-Ewing seismometer.
N4CBB	Amplified broad-band horizontal seismograph. The north-south component of earth motion was sensed by a Press-Ewing seismometer.
E39BB or BBE39	Amplified broad-band horizontal seismograph. The east-west component of earth motion was sensed by a Press-Ewing seismometer.

4.3 TFSO INTERMEDIATE-BAND DATA DESIGNATORS

Three, intermediate-band seismographs were operated periodically at TFSO during the period from 1 May 1965 to 31 December 1966. The seismographs are described and the data designators used are given in the following table:

<u>Data Designator</u>	<u>Seismograph Description</u>
IBZ41 or Z41IB	Amplified intermediate-band vertical seismograph using a Lehner-Griffith, vertical seismometer.
IBE42 or EIB42	Amplified intermediate-band horizontal seismograph. The east-west component of earth motion was sensed by Lehner-Griffith seismometer.
IBN43 or N43IB	Amplified intermediate-band horizontal seismograph. The north-south component of earth motion was sensed by a Lehner-Griffith seismometer.

4.4 TFSO HIGH-FREQUENCY DATA DESIGNATORS

Seven high-frequency seismographs were in operation intermittently from 15 September 1965 to 8 July 1966. The seismographs and the data designators used are listed in table 3. The frequency responses with which these seismographs were operated are shown in figures 8 through 11.

Table 3. TFSO high-frequency data designators

<u>Data Designator</u>	<u>Seismograph Description</u>
ZHF1	Amplified vertical high-frequency seismograph with response peaked at 6 cps.
ZHF2	Amplified vertical high-frequency seismograph with response peaked at 8 cps.
ZHF3	Amplified vertical high-frequency seismograph with response peaked at 6 cps.

Table 3. TFSO high-frequency data designators (cont.)

<u>Data Designator</u>	<u>Seismograph Description</u>
ZHF4	Amplified vertical high-frequency seismograph with response peaked at 8 cps.
ZHF5	Amplified vertical high-frequency seismograph with response peaked at 10 cps.
ZHF6	Amplified vertical high-frequency seismograph with response peaked at 10 cps.
ΣGF	Amplified vertical high-frequency seismograph comprised of 24 Century Model 12 FL, 12 cps geophones in an 880-foot array. Summed output of geophones amplified with Model 4300 PTA equipped with Model 4100-11 galvanometer.

4.5 SHALLOW-HOLE SEISMOGRAPH

Two shallow-hole seismographs were operated intermittently at TFSO during the period from 1 May 1965 to 31 December 1966. Following are the designators used to identify these data:

<u>Data Designator</u>	<u>Seismograph Description</u>
Z102SG	Amplified vertical short-period seismograph operated in a shallow hole. The seismograph consisted of a Model 20171 vertical seismometer and a Model 23168-A amplifier.
Z103SH	Amplified vertical short-period seismograph operated in a shallow hole. The seismograph consisted of a Hall Sears Model 10-1 vertical seismometer and a Texas Instruments Model RA5 amplifier.

4.6 TFSO SUMMATION DATA DESIGNATORS

The Greek letter sigma, "Σ," and the word "Sum" were used to indicate data summation. The systems summed and the designators used are listed in table 4.




Figure 8. Frequency responses and block diagrams for ZHF1 and ZHF2




Figure 9. Frequency responses and block diagrams for ZHF3 and ZHF4




Figure 10. Frequency responses for the high-frequency seismographs (These responses are plotted for constant amplitude input and apply to the film recordings.)




Figure 11. Block diagram and estimated frequency response for the Geophone seismograph (ΣGF)

Table 4. Designation of summed data

<u>Data Designator</u>	<u>Seismographs Summed</u>
$\Sigma A1$	Z10, Z11, Z15, Z17, Z21, and Z22
ΣB	Z1, Z2, Z3, Z4, Z5, Z6, Z7, Z8, Z9, Z10, Z11, Z12, Z14, Z15, Z16, Z17, Z18, Z19, Z20, Z21, Z22, Z23, Z24, Z25, Z26, Z27, Z28, Z29, Z30, and Z31
$\Sigma B2$	Z1, Z2, Z3, Z4, Z5, Z6, Z7, Z8, Z9, Z10, Z11, Z12, Z13, Z14, Z15, Z16, Z17, Z18, Z19, Z20, Z21, Z22, Z23, Z24, Z25, Z26, Z27, Z28, Z29, Z30, and Z31
ΣT	Z63, Z62, Z61, Z3, Z9, Z15, Z21, Z27, Z31, Z71, Z72, Z73, Z74, Z67, Z65, Z66, Z64, Z13, Z17, Z25, Z68, Z69, and Z70
ΣTF	Z1, Z2, Z3, Z4, Z5, Z6, Z7, Z8, Z9, Z10, Z11, Z12, Z13, Z14, Z15, Z16, Z17, Z18, Z19, Z20, Z21, Z22, Z23, Z24, Z25, Z26, Z27, Z28, Z29, Z30, and Z31 - Summation seismograph is filtered with a UED filter.
ΣTFK	Same as ΣTF except that filtering is accomplished with a Krohn-Hite filter.
Sum B	R76, R84, R89, and R95
Sum P(ΣNE) or ΣP	T75, T77, T79, T81, T83, T85, T87, T90, T92, T94, T96, and T98
JR Σ or JR $\Sigma 2-7$	JRZ2, JRZ3, JRZ4, JRZ5, JRZ6, and JRZ7
WO Σ or WO $\Sigma 2-7$	WOZ2, WOZ3, WOZ4, WOZ5, WOZ6, and WOZ7
ΣO or Sum O (ΣE)	R76, R78, R80, R82, R84, R86, R88, R89, R91, R93, R95, and R97
ΣC	T75, T83, T90, and T96

4.7 TFSO SPECIAL AND EXPERIMENTAL DATA DESIGNATORS

Several seismographs with special characteristics were operated at the observatory. These special seismographs and corresponding data designators are listed in table 5:

Table 5. TFSO special and experimental data designators

<u>Data Designator</u>	<u>Seismograph System</u>
BVF	Earth-powered vertical short-period seismograph.
Z102X	Experimental high-gain short-period vertical seismograph consisting of a Model 6480 seismometer equipped with a high impedance coil and a Model 25220 amplifier.
ZFX	High-gain short-period vertical seismograph (French seismograph).
ZIF	High-gain short-period vertical seismograph. Output of amplifier filtered with a United Electrodynamics Model 25220 filter. Vertical component of earth motion sensed with a Model 6480 seismometer.
Z47BF or BFZ47	High-gain short-period vertical seismograph.
BFE48 or E48BF	High-gain short-period horizontal seismograph. East-west component of earth motion sensed by a Model 1101 seismometer.
BFN49 or N49BF	High-gain short-period horizontal seismograph. North-south component of earth motion sensed by a Model 1101 seismometer.

5. SEISMIC DATA RECORDED ON 35-MILLIMETER DRUM RECORDER AT TFSO

Identifiers used for seismic data recorded on 35-millimeter film at TFSO are listed in the following table:

<u>Data Designator</u>	<u>Seismograph System</u>
IA	Earth-powered short-period vertical seismograph. Vertical component of earth motion sensed by a Model 1051 seismometer.
IB	Earth-powered short-period horizontal seismograph. North-south component of earth motion sensed by a Model 1101 seismometer.
IC	Earth-powered short-period horizontal seismograph. East-west component of earth motion sensed by a Model 1101 seismometer.
ID	Earth-powered short-period horizontal seismograph. East-west component of earth motion sensed by a Wood-Anderson seismometer.
IE	Earth-powered short-period horizontal seismograph. North-south component of earth motion sensed by Wood-Anderson seismometer.

6. PHASE STUDY DATA

A phase study test was conducted at TFSO and at each LRSM site in the extended array. During these tests, the output of the function generator at each site was recorded at TFSO in order to study the phase characteristics of the systems. The designators used to identify these data were as follows:

<u>Data Designator</u>	<u>Data</u>
TFSO Test	Output of function generator at TFSO;
SG Test	Output of function generator at "SG";
JR Test	Output of function generator at "JR";
LG Test	Output of function generator at "LG";
GE Test	Output of function generator at "GE";
SN Test	Output of function generator at "SN";
HR Test	Output of function generator at "HR";
WO Test	Output of function generator at "WO";
NL Test	Output of function generator at "NL."

7. NON-SEISMIC DATA

Non-seismic data recorded at TFSO consisted of meteorological and chronological data. Designators used to identify these data are listed below:

<u>Designator</u>	<u>Data</u>
TCDMG	Time code data management generator.
WWV	Time signal transmitted from National Bureau of Standards, Radio Station WWV.
ML	Long-period microbarograph with a pass band from 0.026 to 0.0023 cps.
MS	Short-period microbarograph with a pass band from 0.046 to 1.03 cps.
WI	Output of wind direction indicator.
A	Anemometer.

8. DATA GROUP NUMBERS

8.1 A listing of data recorded on the Develocorders at TFSO, by data group number, is presented in table 6. Data group numbers for both short-period and long-period Develocorders are presented in the table.

A listing of data recorded on FM magnetic tape, by data group number, is presented in table 7.

8.2 A chronological listing of data group numbers for data recorded on the Develocorders at TFSO is presented in table 8, and a chronological listing of data group numbers for data recorded on FM magnetic tape is presented in table 9.

Table 6. Develocorder data channel assignment at TFSO
from 1 May 1965 to 31 December 1966

Short-Period Development																			
Chan. No.	Date Group 7040 1 May 65-9 Dec 66	Date Group 7090 1 May 65-9 Dec 66	Date Group 7104 1 May 65-15 July 65	Date Group 7105 1 May 65-15 July 65	Date Group 7105 1 May 65-14 July 65	Date Group 7116 1 May 65-15 July 65	Date Group 7118 1 May 65-1 Sept 65	Date Group 7119 1 May 65-14 July 65	Date Group 7120 1 May 65-14 July 65	Date Group 7122 14 May 65-29 May 65	Date Group 7132 5 June 65-19 June 65	Date Group 7133 14 May 65-29 May 65	Date Group 7133 5 June 65-19 June 65	Date Group 7133 15 July 65-26 July 65	Date Group 7133 26 July 65-1 Sept 65	Date Group 7141 26 June 65-15 July 65	Date Group 7144 14 July 65-15 July 65	Date Group 7145 15 July 65-26 July 65	
1	TCMDG	TCMDG	TCMDG	TCMDG	TCMDG	TCMDG	TCMDG	TCMDG	TCMDG	TCMDG	TCMDG	TCMDG	TCMDG	TCMDG	TCMDG	TCMDG	TCMDG	TCMDG	
2	NE7S	Z8	NE96	NE81	NE98	NE96	SGZ	SGZ	SGZ	SGZ	SGZ	SGZ	SGZ	SGZ	SGZ	SGZ	SGZ	SGZ	
3	SE76	Z11	NE92	NE9C	NE87	N37	JRZ	JRZ	SGR	SGR	SGR	SGR	SGR	SGR	SGR	SGR	SGR	SGR	
4	Z31	Z21	NE77	NE83	NE94	Z1	LGZ	LGZ	SNT	SNT	SNT	SNT	SNT	SNT	SNT	SNT	SNT	SNT	
5	Z63	Z14	NE8S	SE82	NE79	Z2	Z70	JRZ	BFZ47	JRZ	JRZ	BFZ47	BFZ47	BFZ47	BFZ47	BFZ47	BFZ47	BFZ47	
6	Z60	Z16	Z62	SE89	Z4	Z5	Z67	JRR	JRR	JRR	JRR	JRR	JRR	JRR	JRR	JRR	JRR	JRR	
7	Z1S	Z19	SE9S	SE84	Z6	Z10	GEZ	JRT	HRZ	JRT	JRT	HRZ	HRZ	HRZ	HRZ	HRZ	HRZ	HRZ	
8	Z27	Z21	SE91	Z3	SE97	Z20	NLZ	LGZ	HRR	HRR	HRR	HRR	HRR	HRR	HRR	HRR	HRR	HRR	
9	Z71	Z22	SE78	Z13	SE88	Z1F	W0Z	HRT	HRT	HRT	HRT	HRT	HRT	HRT	HRT	HRT	HRT	HRT	
10	Z73	Z23	SE86	Z7	SE93	Z82	HRZ	LGT	W0Z	LGT	LGT	W0Z	W0Z	W0Z	W0Z	W0Z	W0Z	W0Z	
11	Z67	Z24	Z66	Z9	SE20	Z28	Z74	Z70	WOR	Z70	Z70	K0R	WOR	WOR	WOR	WOR	WOR	WOR	
12	Z64	Z26	Z61	Z18		E36L6	Z63	Z67	W0T	Z67	Z67	W0T	W0T	W0T	W0T	W0T	W0T	W0T	
13	Z17	Z28	Z72	BFZ47		N37L6	NLZ	GEZ	GEZ	GEZ	GEZ	GEZ	GEZ	GEZ	GEZ	GEZ	GEZ	GEZ	
14	Z2S	Z29	Z68	8FE48		Z1L6	GLE4S	GER	NLR	GER	GER	GER	GER	GER	GER	GER	GER	GER	
15	ZC9	Z30	Z6S	8FN49		Z82	GLN46	GET	NLT	GET	GET	GET	GET	GET	GET	GET	GET	GET	
16	WNV	WNV	WNV	WNV	WNV	WNV	WNV	WNV	WNV	WNV	WNV	WNV	WNV	WNV	WNV	WNV	WNV	WNV	
Chan. No.	Date Group 7146 15 July 65-9 Dec 66	Date Group 7147 15 July 65-8 July 66	Date Group 7148 15 July 65-26 July 65	Date Group 7148 26 July 65-24 Sept 65	Date Group 7149 15 July 65-1 Feb 66	Date Group 7153 26 July 65-1 Sept 65	Date Group 7154 26 July 65-28 July 65	Date Group 7155 26 July 65-28 July 65	Date Group 7162 16 Sept 65-20 Sept 66	Date Group 7163 24 Sept 65-7 Oct 65	Date Group 7164 5 Sept 65-8 July 66	Date Group 7165 7 Oct 65-18 Nov. 65	Date Group 7167 20 Oct 65-1 Nov 65	Date Group 7170 1 Nov 65-1 Nov 65	Date Group 7172 12 Nov 65-21 Jan 66	Date Group 7173 18 Nov 65-29 Nov 65	Date Group 7177 29 Nov 65-1 Feb 66	Date Group 7178 21 Jan 66-11 May 66	
1	TCMDG	TCMDG	TCMDG	TCMDG	TCMDG	TCMDG	TCMDG	TCMDG	TCMDG	TCMDG	TCMDG	TCMDG	TCMDG	TCMDG	TCMDG	TCMDG	TCMDG	TCMDG	
2	NE96	NE81	SG Test	SG Test	Z4118	SGZ	SNZ	SG Test	Z99	SGZ	Z99	Z74	Z99	Z99	Z99	Z99	Z99	Z99	
3	NE92	NE90	JR Test	JR Test	N4318	SGR	SNR	JRZ	ZHF1	JRZ	R80	Z6	Z6	Z6	Z6	Z6	Z6	Z6	
4	NE77	NE83	LG Test	LG Test	E4218	SGT	SNT	LG Test	ZHF2	L6Z	T79	Z7	Z7	Z7	Z7	Z7	Z7	Z7	
5	NE8S	SE82	GE Test	GE Test	Z31	JRZ6	Z47BF	GE Test	ZHF3	GEZ	Z67	Z47BF	Z47BF	Z47BF	Z47BF	Z47BF	Z47BF	Z47BF	
6	NE98	SE89	SN Test	SN Test	Z3	JRZ2	Z74	SN Test	ZHF4	SNZ	R93	Z18	Z18	Z18	Z18	Z18	Z18	Z18	
7	SE9S	SE84	HR Test	HR Test	Z13	JRZ4	HRZ	HR Test	ZHF5	HRZ	T94	Z20	Z20	Z20	Z20	Z20	Z20	Z20	
8	SE91	Z7F	W0 Test	W0 Test	Z2	LGZ	HRR	W0Z	WNV	W0Z	Z63	Z67	Z67	Z67	Z67	Z67	Z67	Z67	
9	SE78	Z13	NL Test	NL Test	Z16	LGR	HRT	NL Test	WNV	NLZ	R88	Z66	Z66	Z66	Z66	Z66	Z66	Z66	
10	SE86	Z9	A	A	ZA1	LGT	W0Z	A	WNV	A	T87	Z70	Z70	Z70	Z70	Z70	Z70	Z70	
11	SE97	NE87	TFO Test	TFO Test	Z1	Z70	W0Z1	TFO Test	WNV	Z1	R97	Z1L	Z1L	Z1L	Z1L	Z1L	Z1L	Z1L	
12	Z61	NE94	Z1L	Z1L	Z1F	SE80	W0Z4	Z1L	WNV	Z1L	T98	N37SL	N37SL	N37SL	N37SL	N37SL	N37SL	N37SL	
13	Z72	NE79	N37SL	N37SL	Z1	GEZ	NLZ	N37SL	WNV	Z1L	E36SL	E36SL	E36SL	E36SL	E36SL	E36SL	E36SL	E36SL	
14	Z68	SE88	E36SL	E36SL	NSP37	GLR	NLR	E36SL	WNV	Z21	Z21	Z21	Z21	Z21	Z21	Z21	Z21	Z21	
15	Z6S	SE93	WNV	WNV	ESP36	GET	NLT	WNV	WNV	Z1F	WNV	WNV	WNV	WNV	WNV	WNV	WNV	WNV	
16	WNV	WNV	WNV	WNV	WNV	WNV	WNV	WNV	WNV	WNV	WNV	WNV	WNV	WNV	WNV	WNV	WNV	WNV	
Chan. No.	Date Group 7175 1 Feb 66-9 Dec 66	Date Group 7180 1 Feb 66-20 May 66	Date Group 7182 11 May 66-20 May 66	Date Group 7185 20 May 66-28 July 66	Date Group 7185 20 May 66-14 July 66	Date Group 7186 8 July 66-24 Nov 66	Date Group 7187 28 July 66-24 Sept 66	Date Group 7190 14 July 66-24 Nov 66	Date Group 7190 24 Nov 66-24 Nov 66	Date Group 7192 24 Nov 66-9 Dec 66	Date Group 7194 24 Nov 66-9 Dec 66	Date Group 7196 9 Dec 66-31 Dec 66	Date Group 7200 9 Dec 66-31 Dec 66	Date Group 7201 9 Dec 66-31 Dec 66	Date Group 7202 24 Nov 66-31 Dec 66	Date Group 7203 9 Dec 66-31 Dec 66	Date Group 7204 9 Dec 66-31 Dec 66		
1	TCMDG	Z99	TCMDG	TCMDG	Z99	TCMDG	TCMDG	Z6	TCMDG	Z6	TCMDG	TCMDG	TCMDG	TCMDG	TCMDG	TCMDG	TCMDG		
2	Z31	Z59	ZHF-3	ZHF-3	Z81	Z74	Z74	Z18	Z74	Z18	Z18	Z136	T75	T96	T81	Z73	Z132		
3	Z8	Z6	ZHF-S	ZHF-S	Z6	T90	R80	Z6Z	R80	Z5	Z5	Z127	R76	T92	T80	R80	Z132		
4	Z2	Z18	ZHF-6	ZHF-6	Z18	T83	T79	T79	T79	Z1LL	T79	Z122	T70	T87	T83	T79	Z60LL		
5	Z13	Z62	Z100	Z100	Z62	R82	Z10	Z99	Z10	N37LL	Z10	Z131	Z63	T85	R82	MS	N100LL		
6	Z16	Z47BF	Z102SG	Z102SG	Z47BF	R89	Z3	Z47BF	Z3	E36LL	Z3	Z129	Z125	T98	R89	W1	E99LL		
7	Z20	MS	Z103SH	Z103SH	MS	R84	Z66	MS	Z66	MS	Z66	Z66	Z66	R84	R84	W1	E99LL		
8	Z4	Z4118	ZFX	ZFX	Z4118	Z13	Z100	Z4118	Z4118	MS	Z4118	MS	Z124	Z128	R91	Z1F	Z4118		
9	Z7	N4318	MS	MS	N4318	Z9	Z102SG	N4318	N4318	MS	N4318	MS	Z130	Z71	R78	Z6S	N4318		
10	ZT	E4218	WNV	WNV	E4218	T87	Z103SH	E4218	E4218	W1	E4218	W1	Z102X	Z133	R86	Z61	E4218		
11	Z7F	8FV	Z1SL	Z1SL	Z1SL	T94	T94	8FV	8FV	Z1SL	Z1SL	Z1SL	Z1SL	Z1SL	R97	T87	8FV		
12	Z7FK	Z1SL	N37SL	N37SL	N37SL	T87	T87	Z1SL	Z1SL	Z1SL	Z1SL	Z1SL	Z1SL	Z1SL	T94	T94	Z60SL		
13	Z1	N37SP	E36SL	E36SL	E36SL	R88	R88	E36SL	E36SL	E36SL	E36SL	E36SL	E36SL	E36SL	Z69	Z69	N100SL		
14	E36SP	Z66	WNV	WNV	WNV	R93	R93	W1	W1	W1	W1	W1	W1	W1	R88	R93	E99SL		
15	WNV	WNV	WNV	WNV	WNV	WNV	WNV	WNV	WNV	WNV	WNV	WNV	WNV	WNV	WNV	WNV	WNV	WNV	

		Long-Period Development													
Chen. No.	Date Group 7128 1 May 65- 15 July 65	Date Group 7139 29 May 65- 5 June 65	Date Group 7139 19 June 65- 26 June 65	Date Group 7139 1 Sept 65- 5 Sept 65	Date Group 7140 29 May 65- 5 June 65	Date Group 7140 19 June 65- 26 June 65	Date Group 7145 1 Sept 65- 3 Oct 65	Date Group 7142 26 June 65- 15 July 65	Date Group 7150 15 July 65- 1 Sept 65	Date Group 7156 1 Sept 65- 28 Dec 65	Date Group 7176 28 Dec 65- 22 April 66	Date Group 7181 22 April 66- 30 May 66	Date Group 7184 30 May 66- 31 Dec 66	Date Group 7189 16 Aug 66- 9 Dec 66	Date Group 7199 9 Dec 66- 31 Dec 66
1	TCMDG	TCMDG	TCMDG	TCMDG	TCMDG	TCMDG	TCMDG	TCMDG	TCMDG	TCMDG	TCMDG	Z388B	Z388B	TCMDG	TCMDG
2	B8E38	SGLPZ	SGLPZ	SGLPZ	SNLPZ	SNLPZ	SNLPZ	SGLPZ	B8E38	Z388B	Z1	N408B	N408B	Z388B	Z69
3	B8E39	SGLPR	SGLPR	SGLPR	SNLPR	SNLPR	SNLPR	JRLPZ	B8E39	N408B	N408B	E398B	E398B	N408B	TCMDG
4	88N40	SGLPT	SGLPT	SGLPT	SNLPT	SNLPT	SNLPT	LGLPZ	B8N40	E398B	Z388B	MS	E398B	E398B	Z67
5	18Z41	JRLPZ	JRLPZ	JRLPZ	SNLPT	SNLPT	SNLPT	LGLPZ	18Z41	E398B	Z388B	MS	E398B	E398B	Z74
6	78E42	JRLPR	JRLPR	JRLPR	SNLPT	SNLPT	SNLPT	WOLPZ	18E42	N46LP	N408B	Z44LP	N46LP	N46LP	Z63
7	18N43	JRLPT	JRLPT	JRLPT	SNLPT	SNLPT	SNLPT	HRLPZ	18N43	E4SLP	N46LP	Z44LP	N46LP	N46LP	Z63
8	GLZ44(N)	LGLPZ	LGLPZ	LGLPZ	WOLPZ	WOLPZ	WOLPZ	GLZ44	GLZ44(N)	Z44LP(N)	Z44LP	E4SLP	E4SLP	E4SLP	Z478F
9	GLE45	LGLPR	LGLPR	LGLPR	WOLPR	WOLPR	WOLPR	GLN46	GLE45	MS	Z44LP	MS	MS	MS	Z479F
10	GLN46LG	LGLPT	LGLPT	LGLPT	WOLPT	WOLPT	WOLPT	GLN46	GLN46	Z52LP	MS	Z52LP	Z52LP	Z52LP	E488F
11	GLE44	GELPZ	GELPZ	GELPZ	NLLPZ	NLLPZ	NLLPZ	WV	GLZ44(N)	R53LP	Z44LP(N)	E52LP	E52LP	N408B	N408B
12	GLZ44(N)LG	GELPR	GELPR	GELPR	NLLPR	NLLPR	NLLPR		GLZ44LG	T54LP	Z44LP	Z44LP	Z44LP	E398B	E398B
13	GLE45LG	GELPT	GELPT	GELPT	NLLPT	NLLPT	NLLPT		GLE45LG	N46LL	N46LL	N46LL	N46LL	N46LL	Z44LP
14	GLN46LG	WV	WV	WV	WV	WV	WV		GLN46LG	E4SLL	E4SLL	E4SLL	E4SLL	E4SLL	Z44LP
15	ML								MI					W	E4SLL
16	WV								WV	WV	WV	WV	WV	WV	WV

1 May 1965 to 31 December 1966

[illegible]

Table 8. Chronological listing of Develocorder
data groups recorded at TFSO

<u>Date</u>		<u>Develocorder</u>									
		<u>1</u>	<u>2</u>	<u>3</u>	<u>4</u>	<u>5</u>	<u>6</u>	<u>7</u>	<u>8</u>	<u>9</u>	<u>10</u>
1 May	1965	7116	7128	7119	7120	7040	7104	7105	7090	7118	7106
14 May	1965	"	"	7133	"	"	"	"	"	7134	"
29 May	1965	"	"	7139	7140	"	"	"	"	"	"
5 June	1965	"	"	7132	7133	"	"	"	"	"	"
19 June	1965	"	"	7139	7140	"	"	"	"	"	"
26 June	1965	"	"	7141	7142	"	"	"	"	"	"
14 July	1965	"	"	"	"	"	"	"	"	"	7144
15 July	1965	7149	7150	7145	7133	"	7146	7147	"	"	7148
26 July	1965	"	"	7153	7154	"	"	"	"	"	7155
28 July	1965	"	"	7145	7133	"	"	"	"	"	7148
1 Sept.	1965	"	7156	7139	7140	"	"	"	"	"	"
3 Sept.	1965	"	"	"	"	"	"	"	"	END	"
16 Sept.	1965	"	"	"	"	"	"	"	"	7162	"
24 Sept.	1965	"	"	"	"	"	"	"	"	"	7163
3 Oct.	1965	"	"	"	END	"	"	"	"	"	"
5 Oct.	1965	"	"	7164	"	"	"	"	"	"	"
7 Oct.	1965	"	"	"	"	"	"	"	"	"	7166
20 Oct.	1965	"	"	"	"	"	"	"	"	7167	"
1 Nov.	1965	"	"	"	"	"	"	"	"	7170	"
12 Nov.	1965	"	"	"	"	"	"	"	"	7172	"
18 Nov.	1965	"	"	"	"	"	"	"	"	"	7173
28 Dec.	1965	"	7171	"	"	"	"	"	"	"	7177
21 Jan.	1966	"	"	"	"	"	"	"	"	7178	"
1 Feb.	1966	7179	"	"	"	"	"	"	"	"	7180
22 Apr.	1966	"	7181	"	"	"	"	"	"	"	"
11 May	1966	"	"	"	"	"	"	"	"	7182	"
20 May	1966	"	7184	"	"	"	"	"	"	7183	7185
8 July	1966	"	"	END	"	"	"	"	"	"	"
14 July	1966	"	"	"	"	"	7186	"	7187	"	"
16 Aug.	1966	"	"	7189	"	"	"	"	"	"	7188
24 Sept.	1966	"	"	"	"	"	"	"	"	7190	"
24 Nov.	1966	"	"	"	"	"	"	"	"	7194	7192
9 Dec.	1966	7198	"	7199	"	7200	7201	7202	END	7203	7204

Table 9. Chronological listing of magnetic tape data groups recorded at TFSO

<u>Date</u>	<u>Magnetic Tape Recorder</u>					
	<u>1</u>	<u>2</u>	<u>3</u>	<u>4</u>	<u>5</u>	<u>6</u>
1 May 1965	7110	7112	7063	7129	7127	7122
4 May 1965	7107	"	"	7108	"	"
25 May 1965	7135	"	"	7136	"	"
28 May 1965	7137	"	"	7138	"	"
5 June 1965	7135	"	"	7136	"	"
19 June 1965	7137	"	"	7138	"	"
26 June 1965	7135	"	"	7136	"	"
14 July 1965	"	"	"	"	"	7143
15 July 1965	"	"	"	"	"	7131
26 July 1965	7152	"	"	7151	"	"
28 July 1965	7148	"	"	7135	"	"
1 Sept. 1965	7157	"	"	7158	7159	7160
3 Sept. 1965	"	"	7161	"	"	"
3 Oct. 1965	"	"	"	"	"	END
5 Oct. 1965	7065	"	"	7064	7063	"
7 Oct. 1965	"	"	"	"	"	7169
20 Oct. 1965	"	"	"	"	"	"
21 Oct. 1965	"	"	7168	"	"	"
23 Oct. 1965	"	"	"	"	"	"
2 Nov. 1965	"	"	7171	"	"	"
9 Dec. 1965	"	"	7174	"	"	"
23 Dec. 1965	"	"	7175	"	"	"
8 July 1966	"	"	END	"	"	"
17 Nov. 1966	"	"	"	"	"	7191
24 Nov. 1966	"	7193	"	"	"	"
9 Dec. 1966	"	7195	"	"	7196	7197

UNCLASSIFIED

Security Classification

DOCUMENT CONTROL DATA - R & D

(Security classification of title, body of abstract and indexing annotation must be entered when the overall report is classified)

1. ORIGINATING ACTIVITY (Corporate author)

Teledyne Industries Incorporated
Geotech Division, 3401 Shiloh Road
Garland, Texas

2a. REPORT SECURITY CLASSIFICATION

Unclassified

2b. GROUP

3. REPORT TITLE

Designation of Data Recorded at the Tonto Forest Seismological
Observatory, 1 May 1965 through 31 December 1966

4. DESCRIPTIVE NOTES (Type of report and inclusive dates)

Special Report

5. AUTHOR(S) (First name, middle initial, last name)

Geotech Staff

6. REPORT DATE

14 July 1967

7a. TOTAL NO. OF PAGES

36

7b. NO. OF REFS

None

8a. CONTRACT OR GRANT NO.

AF 33(657)-14444

b. PROJECT NO.

VELA T/5055

c. ARPA Order No. 624

d. ARPA Code No. 5810

9a. ORIGINATOR'S REPORT NUMBER(S)

TR 67-39

9b. OTHER REPORT NO(S) (Any other numbers that may be assigned this report)

10. DISTRIBUTION STATEMENT

This document is subject to special export controls and each transmittal to foreign governments or foreign nationals may be made only with prior approval of the Chief of AFTAC.

11. SUPPLEMENTARY NOTES

12. SPONSORING MILITARY ACTIVITY

Advanced Research Projects Agency
Nuclear Test Detection Office
Washington, D. C.

13. ABSTRACT

This report outlines the designators used to identify the seismic and meteorological data recorded at the Tonto Forest Seismological Observatory under Project VT/5055 during the period from 1 May 1965 to 31 December 1966.

UNCLASSIFIED

Security Classification

14.

KEY WORDS

LINK A

LINK B

LINK C

ROLE

WT

ROLE

WT

ROLE

WT

TFSO Data Designators
TFSO Data Group Numbers
Seismograph Response Characteristics
TFSO Seismometer Locations
TFSO Extended Array Site Locations
TFSO Seismograph Operating Parameters
and Tolerances

UNCLASSIFIED

Security Classification