

UNCLASSIFIED

AD NUMBER
AD821460
NEW LIMITATION CHANGE
TO Approved for public release, distribution unlimited
FROM Distribution authorized to U.S. Gov't. agencies and their contractors; Administrative/Operational Use; AUG 1967. Other requests shall be referred to Commanding Officer, Fort Detrick, Attn: Technical Release Branch/TID, Fort Detrick, Frederick, MD 21701.
AUTHORITY
D/A ltr, 29 Sep 1971

THIS PAGE IS UNCLASSIFIED

AD821460

AD

TECHNICAL MANUSCRIPT 408

AN IMPROVED METHOD
FOR PARTIAL PURIFICATION
OF THE ORGANISM OF PSITTACOSIS
GROWN IN CHICKEN EMBRYO YOLK SAC

Warren G. Dorsey
William N. Shirey
William C. Patrick, III

AUGUST 1967

STANDARD #2 UNCLASSIFIED

AD 11/1
RECEIVED
OCT 24 1967
RECEIVED

A

This document is subject to special export controls and each
transmittal to foreign governments or foreign nationals may be
made only with prior approval of _____

DEPARTMENT OF THE ARMY
Fort Detrick
Frederick, Maryland

Reproduction of this publication in whole or in part is prohibited except with permission of the Commanding Officer, Fort Detrick, ATTN: Technical Releases Branch, Technical Information Division, Fort Detrick, Frederick, Maryland, 21701. However, DDC is authorized to reproduce the publication for United States Government purposes.

DDC AVAILABILITY NOTICES

Qualified requesters may obtain copies of this publication from DDC.

Foreign announcement and dissemination of this publication by DDC is not authorized.

Release or announcement to the public is not authorized.

DISPOSITION INSTRUCTIONS

Destroy this publication when it is no longer needed. Do not return it to the originator.

The findings in this publication are not to be construed as an official Department of the Army position, unless so designated by other authorized documents.

DEPARTMENT OF THE ARMY
Fort Detrick
Frederick, Maryland 21701

TECHNICAL MANUSCRIPT 408

AN IMPROVED METHOD FOR PARTIAL PURIFICATION
OF THE ORGANISM OF PSITTACOSIS GROWN IN
CHICKEN EMBRYO YOLK SAC

Warren G. Dorsey

William N. Shirey

William C. Patrick, III

Product Development Division
AGENT DEVELOPMENT AND ENGINEERING LABORATORY

Project 1B533001D426

August 1967

In conducting the research described in this report, the investigators adhered to the "Guide for Laboratory Animal Facilities and Care," as promulgated by the Committee on the Guide for Laboratory Animal Facilities and Care of the Institute of Laboratory Animal Resources, National Academy of Sciences-National Research Council.

AN IMPROVED METHOD FOR PARTIAL PURIFICATION OF THE ORGANISM
OF PSITTACOSIS GROWN IN CHICKEN EMBRYO YOLK SAC

ABSTRACT

A simple procedure is described for obtaining the organism of psittacosis employing successive extractions with (i) calcium chloride, sodium dextran sulfate, and sucrose (CC-DS-S) and (ii) Freon-114. Compared with the CC-DS-S or Freon-114 methods alone, the modified procedure yields a product with only trace amounts of total solids, lipids, and proteins; with increased specific infectivity; and with no loss in biological activity.

A simple procedure for obtaining the organism of psittacosis relatively free of lipids and proteins contributed by chicken embryo yolk sac, the host tissue, has been reported previously.* This procedure employed calcium chloride, sodium dextran sulfate, and sucrose (CC-DS-S) with a single low-speed centrifugation step to give a high quality, partially purified product.

Yolk sac suspensions of the organism of psittacosis have also been extracted with the fluorocarbon dichlorotetrafluoroethane,** without any biological inactivation;*** however, a single extraction removed only 30% of the protein and 15% of the lipid.

Because both of the above procedures are easy to perform, but neither reduced the extraneous solids, protein, and lipid content to trace amounts, it occurred to us that an adaptation of both procedures might result in a simple procedure that would give a product of higher purity. Chicken embryo yolk sac material was partially purified as described by Shirey et al.

* Shirey, William N.; Dorsey, Warren G.; Patrick, William C., III. 1965. A practical method for partial purification of the organism of psittacosis grown in chicken embryo yolk sac. *Biotechnol. Bioeng.* 7:447-454.

** Freon-114, E. I. Du Pont de Nemours and Company, Wilmington, Del.

*** Comer, J.F.; Wachter, R.F. 1963. Effect of dichlorotetrafluoroethane on the infectivity of viruses and rickettsiae sensitive to trichlorotrifluoroethane. *Bacteriol. Proc.* V61:144. (Abstr.)

(CC-DS-S procedure). The resulting product was treated with Freon-114 as follows: Reagents, culture, and equipment were cooled to -3 to +3 C. One part Freon-114 was mixed with two parts of the CC-DS-S product in a Waring Blendor operated at 10,000 rpm for 30 seconds. The resulting suspension was centrifuged for 10 minutes at 700 x g in a refrigerated centrifuge at -3 C. The clear upper aqueous layer was decanted and tested for biological activity by mouse inoculation. The number of mouse ICID₅₀ (MICID₅₀) in relation to the level of lipids, proteins, and total solids was used as a criterion for judging purity. The characteristics of the slurry of the psittacosis organism after each successive treatment are shown in Table 1. An examination of these data indicates a marked improvement in purity of the yolk sac suspension of psittacosis organisms when partial purification by the CC-DS-S procedure was followed by Freon extraction.

The total solids content was markedly reduced, as were the lipid and protein contents, with each purification step. Only trace quantities remained after application of the Freon-114 extraction procedure. The specific infectivity index (MICID₅₀ per gram of protein) increased significantly with each purification step. A percentage computation that reflects the degree of improvement in purity of psittacosis product suspensions is shown in Table 2. The Freon-114 extraction procedure resulted in no loss in biological activity but reduced the solids content 387-fold and the total protein content 300-fold and increased the specific infectivity factor 560-fold. A partially purified product was obtained with a volume of only one-fifth of the original volume of crude material and with less than 1% of the extraneous yolk sac components.

TABLE 1. THE EFFECT OF THE CC-DS-S AND THE FREON-114 PROCEDURES IN THE PURIFICATION OF 50%
YOLK SAC SUSPENSIONS OF THE ORGANISM OF PSITTACOSIS

Sample	Volume, ml	Titer, MICID ₅₀ / ml, x 10 ⁸	Specific/ Infectivity MICID ₅₀ x 10 ¹²	Solids, mg/ml, x 10 ²	Lipids, mg/ml, x 10 ¹	Proteins, mg/ml, x 10 ¹
50% Yolk sac	540	3.60	0.012	1.40	74.00	30.00
CC-DS-S Product	100	17.40	1.230	0.90	1.33	1.41
Freon-114 Product	100	37.00	6.727	0.02	0.33	0.55

a. MICID₅₀ per gram of protein.

TABLE 2. RECOVERY OF INDICATED FACTORS AFTER THE CC-DS-S
PROCEDURE AND THE FREON-114 PROCEDURE

Sample	Volume, %	Titer, %	Solids, %	Lipids, %	Proteins, %
50% Yolk sac	100	100	100	100	100
CC-DS-S Product	19	90	12	0.3	0.9
Freon-114 Product	19	100+	0.3	0.08	0.3

Unclassified
Security Classification

DOCUMENT CONTROL DATA - R & D		
(Security classification of title, body of abstract and indexing annotation must be entered when the overall report is classified)		
1. ORIGINATING ACTIVITY (Corporate author) Department of the Army Fort Detrick, Frederick, Maryland, 21701		2a. REPORT SECURITY CLASSIFICATION Unclassified
		2b. GROUP
3. REPORT TITLE AN IMPROVED METHOD FOR PARTIAL PURIFICATION OF THE ORGANISM OF PSITTACOSIS GROWN IN CHICKEN EMBRYO YOLK SAC		
4. DESCRIPTIVE NOTES (Type of report and inclusive dates)		
5. AUTHOR(S) (First name, middle initial, last name) Dorsey, Warren G. Shirey, William N. Patrick, William C., III		
6. REPORT DATE August 1967	7a. TOTAL NO. OF PAGES 8	7b. NO. OF REFS 2
8a. CONTRACT OR GRANT NO. a. PROJECT NO. IB533001D426 c. d.		8b. ORIGINATOR'S REPORT NUMBER(S) Technical Manuscript 408 9b. OTHER REPORT NO(S) (Any other numbers that may be assigned this report)
10. DISTRIBUTION STATEMENT Qualified requesters may obtain copies of this publication from DDC. Foreign announcement and dissemination of this publication by DDC is not authorized. Release or announcement to the public is not authorized.		
11. SUPPLEMENTARY NOTES		12. SPONSORING MILITARY ACTIVITY Department of the Army Fort Detrick, Frederick, Maryland, 21701
13. ABSTRACT A simple procedure is described for obtaining the organism of psittacosis employing successive extractions with (i) calcium chloride, sodium dextran sulfate, and sucrose (CC-DS-S) and (ii) Freon-114. Compared with the CC-DS-S or Freon-114 methods alone, the modified procedure yields a product with only trace amounts of total solids, lipids, and proteins; with increased specific infectivity; and with no loss in biological activity.		
14. Key Words Psittacosis Yolk sac Purification Freon Centrifugation Fluorocarbon		

DD FORM 1473

REPLACES DD FORM 1473, 1 JAN 64, WHICH IS OBSOLETE FOR ARMY USE.

Unclassified
Security Classification