

UNCLASSIFIED

AD NUMBER
AD880934
NEW LIMITATION CHANGE
TO Approved for public release, distribution unlimited
FROM Distribution authorized to U.S. Gov't. agencies and their contractors; Administrative/Operational Use; Oct 1970. Other requests shall be referred to Aerospace Medical Research Laboratory, Attn: AMD, Wright-Patterson AFB, OH 45433.
AUTHORITY
6570th AMRL USAF ltr, 14 Apr 1976

THIS PAGE IS UNCLASSIFIED

ADD880934



VISIBILITY TOWARD THE GROUND FROM SELECTED TACTICAL AIRCRAFT

KENNETH W. KENNEDY

DON McKECHNIE

OCTOBER 1970

This document is subject to special export controls and each transmittal to foreign governments or foreign nationals may be made only with prior approval of Aerospace Medical Research Laboratory, AMD, AFSC, Wright-Patterson Air Force Base, Ohio 45433.

AEROSPACE MEDICAL RESEARCH LABORATORY
AEROSPACE MEDICAL DIVISION
AIR FORCE SYSTEMS COMMAND
WRIGHT-PATTERSON AIR FORCE BASE, OHIO

20040507005

BEST AVAILABLE COPY

NOTICES

When US Government drawings, specifications, or other data are used for any purpose other than a definitely related Government procurement operation, the Government thereby incurs no responsibility nor any obligation whatsoever, and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data, is not to be regarded by implication or otherwise, as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

Federal Government agencies and their contractors registered with Defense Documentation Center (DDC) should direct requests for copies of this report to:

DDC
Cameron Station
Alexandria, Virginia 22314

Non-DDC users may purchase copies of this report from:

Chief, Storage and Dissemination Section
Clearinghouse for Federal Scientific & Technical Information (CFSTI)
Sills Building
5285 Port Royal Road
Springfield, Virginia 22151

Organizations and individuals receiving announcements or reports via the Aerospace Medical Research Laboratory automatic mailing lists should submit the addressograph plate stamp on the report envelope or refer to the code number when corresponding about change of address or cancellation.

Do not return this copy. Retain or destroy.

DOCUMENT CONTROL DATA - R & D

(Security classification of title, body of abstract and indexing annotation must be entered when the overall report is classified)

1. ORIGINATING ACTIVITY (Corporate author) Aerospace Medical Research Laboratory, Aerospace Medical Division, Air Force Systems Command, Wright- Patterson Air Force Base, Ohio 45433		2a. REPORT SECURITY CLASSIFICATION UNCLASSIFIED	
3. REPORT TITLE VISIBILITY TOWARD THE GROUND FROM SELECTED TACTICAL AIRCRAFT		2b. GROUP N/A	
4. DESCRIPTIVE NOTES (Type of report and inclusive dates) Final report			
5. AUTHOR(S) (First name, middle initial, last name) Kenneth W. Kennedy and Don McKechnie			
6. REPORT DATE October 1970		7a. TOTAL NO. OF PAGES 214	7b. NO. OF REFS 3
8a. CONTRACT OR GRANT NO.		9a. ORIGINATOR'S REPORT NUMBER(S) AMRL-TR-69-123	
b. PROJECT NO. 7184		9b. OTHER REPORT NO(S) (Any other numbers that may be assigned this report)	
c. Task No. 718408			
d. Program 665A			
10. DISTRIBUTION STATEMENT This document is subject to special export controls and each trans- mittal to foreign governments or foreign nationals may be made only with prior approval of Aerospace Medical Research Laboratory, AMD, AFSC, Wright-Patterson AFB, OH 45433.			
11. SUPPLEMENTARY NOTES		12. SPONSORING MILITARY ACTIVITY Aerospace Medical Research Laboratory Aerospace Medical Division, Air Force Systems Command, Wright-Patterson AFB, OH	
13. ABSTRACT A method for comparing visibility from the cockpits of selected aircraft is presented. The ground areas visible to each eye from the pilot/copilot positions in the level aircraft attitude are given for the A-1E pilot, A-1E copilot, A-7A, A-26A pilot, A-26A copilot, C-123B copilot, F-5A, F-5B front, F-5B rear, F-105D, F-111A pilot, O-1A pilot, O-2 pilot, OV-10A pilot, and RF-4C front. Ground areas are also presented for the RF-4C front at selected attitudes of pitch and roll. The ground area visible within sectors of the terrain, defined in terms of ground radii, slant ranges, and positions relative to the aircraft, is expressed as a percent of the total area within the sector. These percentages are valid for any altitude since ground radii and slant ranges are expressed as multiples of altitude.			

FOREWORD

The work presented in this report was accomplished jointly under Program 665A, "Reconnaissance/Strike Subsystems," and Project 7184, "Human Performance in Advanced Systems," Tasks 718404, "Advanced Systems Human Engineering Design Criteria," and 718408, "Anthropology for Design." The work was a joint effort of the Anthropology Branch and the Performance Requirements Branch of the Human Engineering Division, Aerospace Medical Research Laboratory.

We are grateful to Dr. M. J. Warrick, Assistant Chief, Human Engineering Division; Mr. Charles Bates, Jr., Chief, Performance Requirements Branch; and Mr. Charles E. Clauser, Chief, Anthropology Branch; for their helpful comments and review of the manuscript. We are indebted to the contract staff at Antioch College, Yellow Springs, Ohio (Contract AF33615-67-C-1310), especially to Mr. E. Churchill, Miss Peggy Marshall, and Mrs. Virginia Comstock, who expended much time and effort at the computers and the plotter; and to Miss Judy Williams and Mrs. Lara Green who assisted in the derivation and preparation of the data and tables. Captain R. Novello and Mr. M. Cannon of the Mathematics and Analysis Branch, Aerospace Medical Research Laboratory, are acknowledged with appreciation for providing the mathematical procedures and computer program. Appreciation is extended to Mr. L. C. Chamberlin, Technical Photographic Branch, Directorate of Flight Test, for helping us calibrate our equipment. Thanks are due to the following persons at the various aircraft companies and Air Force bases for making the aircraft available for our examination: Capt. Bonham, Mr. T. Clancy, Lt. Cross, Col. J. Davis, Jr., Mr. E. Dock, Lt. W. Eichner, Mr. L. Griffin, Mr. Haley, Col. Hopkins, Mr. J. McNally, Lt. Col. W. Miller, Mr. C. Nicolosi, Lt. Col. R. Regnier, Col. R. Roberts, and Mr. C. Turner. Special appreciation is extended to Mr. W. Howell and Mr. P. Rich of the National Aviation Facilities Experimental Center, Atlantic City, N.J., for lending us their Binocular Cockpit Visibility Camera. We also extend our thanks to MSgt J. Simons and Sgt. H. Nichols of the Aerospace Medical Research Laboratory for their assistance in obtaining some of the Cockpit Visibility Photographs.

Illustrations were prepared by M. J. Kennedy, Yellow Springs, Ohio.

This technical report has been reviewed and is approved.

C. H. KRATOCHVIL, COLONEL, USAF, MC
Commander
Aerospace Medical Research Laboratory

TABLE OF CONTENTS

Section

I. INTRODUCTION AND METHOD	1
II. RESULTS	13
VISIBILITY TOWARD THE GROUND FROM SELECTED TACTICAL AIRCRAFT—HORIZONTAL AIRCRAFT ATTITUDE.....	14
VISIBILITY TOWARD THE GROUND FROM THE RF-4C, FRONT COCKPIT—SELECTED ATTITUDES OF PITCH AND ROLL	75
III. APPENDIX I, THE BINOCULAR COCKPIT VISIBILITY CAMERA — DESCRIPTION AND OPERATION	112
IV. APPENDIX II, GROUND VISIBILITY PLOT TABULAR DATA— SELECTED AIRCRAFT	113
V. APPENDIX III, BASIC PORTION OF COMPUTER PROGRAM	202
REFERENCES	204

LIST OF ILLUSTRATIONS

Figure

1 Binocular Cockpit Visibility Camera	2
2 Typical Binocular Cockpit Visibility Photographs	3
3 Cockpit Visibility Record (Monocular) — MIL STD 850A — Single or Tandem Cockpit	4
4 Diagrammatic Illustration of Relationships Between the Cockpit Visibility Record or Photograph and the Ground Visibility Plot	6
5 Cockpit Visibility Record (Monocular) and Ground Visibility Plots — MIL STD 850A — Single or Tandem Cockpit	7
6 Schematic Diagram Illustrating Relationships Between Altitude, Slant Range, and Ground Radius	9
7 Binocular Cockpit Visibility Photograph and Record — A-1E Pilot, Aircraft Level	15
8 Ground Visibility Plots — A-1E Pilot, Aircraft Level	16
9 Binocular Cockpit Visibility Photograph and Record — A-1E Copilot, Aircraft Level	19
10 Ground Visibility Plots — A-1E Copilot, Aircraft Level	20
11 Binocular Cockpit Visibility Photograph and Record — A-7A, Aircraft Level	23
12 Ground Visibility Plots — A-7A, Aircraft Level	24
13 Binocular Cockpit Visibility Photograph and Record — A-26A Pilot, Aircraft Level	27
14 Ground Visibility Plots — A-26A Pilot, Aircraft Level	28
15 Binocular Cockpit Visibility Photograph and Record — A-26A Copilot, Aircraft Level	31

Figure

16	Ground Visibility Plots — A-26A Copilot, Aircraft Level	32
17	Binocular Cockpit Visibility Photograph and Record — C-123B Copilot, Aircraft Level	35
18	Ground Visibility Plots — C-123B Copilot, Aircraft Level	36
19	Binocular Cockpit Visibility Photograph and Record — F-5A, Aircraft Level	39
20	Ground Visibility Plots — F-5A, Aircraft Level	40
21	Binocular Cockpit Visibility Photograph and Record — F-5B Front, Aircraft Level	43
22	Ground Visibility Plots — F-5B Front, Aircraft Level	44
23	Binocular Cockpit Visibility Photograph and Record — F-5B Rear, Aircraft Level	47
24	Ground Visibility Plots — F-5B Rear, Aircraft Level	48
25	Binocular Cockpit Visibility Photograph and Record — F-105D, Aircraft Level	51
26	Ground Visibility Plots — F-105D, Aircraft Level	52
27	Binocular Cockpit Visibility Photograph and Record — F-111A Pilot, Aircraft Level	55
28	Ground Visibility Plots — F-111A Pilot, Aircraft Level	56
29	Binocular Cockpit Visibility Photograph and Record — O-1A Pilot, Aircraft Level	59
30	Ground Visibility Plots — O-1A Pilot, Aircraft Level	60
31	Binocular Cockpit Visibility Photograph and Record — O-2 Pilot, Aircraft Level (Estimated)	63
32	Ground Visibility Plots — O-2 Pilot, Aircraft Level (Estimated)	64
33	Binocular Cockpit Visibility Photograph and Record — OV-10A Pilot, Aircraft Level	67
34	Ground Visibility Plots — OV-10A Pilot, Aircraft Level	68
35	Binocular Cockpit Visibility Photograph and Record — RF-4C Front, Aircraft Level	71
36	Ground Visibility Plots — RF-4C Front, Aircraft Level	72
37	Ground Visibility Plots — RF-4C Front, 20° Pitch Up	76
38	— RF-4C Front, 17° Pitch Up	78
39	— RF-4C Front, 13° Pitch Up	80
40	— RF-4C Front, 10° Pitch Up	82
41	— RF-4C Front, 7° Pitch Up	84
42	— RF-4C Front, 5° Pitch Up	86
43	— RF-4C Front, 3° Pitch Up	88
44	— RF-4C Front, 2° Pitch Up	90
45	— RF-4C Front, 1° Pitch Up	92
46	— RF-4C Front, 1° Pitch Down	94

Figure

47	Ground Visibility Plots— RF-4C Front, 2° Pitch Down	96
48	— RF-4C Front, 3° Pitch Down	98
49	— RF-4C Front, 5° Pitch Down	100
50	— RF-4C Front, 5° Roll Left	102
51	— RF-4C Front, 10° Roll Left	104
52	— RF-4C Front, 15° Roll Left	106
53	— RF-4C Front, 30° Roll Left	108

LIST OF TABLES

Table

1	Nomograph for Estimating Depression Angles in Degrees, and Slant Ranges and Ground Radii as Multiples of Altitude	10
2	Percent of Terrain Visible within Selected Ground Radii — MIL STD 850A	11
3	Percent of Terrain Visible within Selected Slant Ranges — MIL STD 850A	12
4	Percent of Ground Area Visible within Selected Ground Radii and Slant Ranges — A-1E Pilot, Aircraft Level	18
5	Percent of Ground Area Visible within Selected Ground Radii and Slant Ranges— A-1E Copilot, Aircraft Level	22
6	— A-7A, Aircraft Level	26
7	— A-26A Pilot, Aircraft Level	30
8	— A-26A Copilot, Aircraft Level	34
9	— C-123B Copilot, Aircraft Level	38
10	— F-5A, Aircraft Level	42
11	— F-5B Front, Aircraft Level	46
12	— F-5B Rear, Aircraft Level	50
13	— F-105D, Aircraft Level	54
14	— F-111A Pilot, Aircraft Level	58
15	— OV-10A Pilot, Aircraft Level	62
16	— O-1A Pilot, Aircraft Level	66
17	— O-2 Pilot, Aircraft Level (Estimated)	70
18	— RF-4C Front, Aircraft Level	74
19	Percent of Total Ground Area Visible within Selected Ground Radii and at Different Attitudes of Pitch and Roll — RF-4C Front	110
20	Percent of Total Ground Area Visible within Selected Slant Ranges and at Different Attitudes of Pitch and Roll — RF-4C Front	111

Table

21	Ground Visibility Plot — Tabular Data — A-1E Pilot, Aircraft Level	114
22	— A-1E Copilot, Aircraft Level	117
23	— A-7A, Aircraft Level	120
24	— A-26A, Pilot, Aircraft Level	123
25	— A-26A Copilot, Aircraft Level	126
26	— C-123B Copilot, Aircraft Level	130
27	— F-5A, Aircraft Level	132
28	— F-5B Front, Aircraft Level	135
29	— F-5B Rear, Aircraft Level	137
30	— F-105D, Aircraft Level	140
31	— F-111A Pilot, Aircraft Level	144
32	— O-1A, Pilot, Aircraft Level	146
33	— O-2 Pilot, Aircraft Level (Estimated)	150
34	— OV-10A Pilot, Aircraft Level	153
35	Ground Visibility Plot — Tabular Data — RF-4C Front, 20° Pitch Up	157
36	— RF-4C Front, 17° Pitch Up	159
37	— RF-4C Front, 13° Pitch Up	161
38	— RF-4C Front, 10° Pitch Up	163
39	— RF-4C Front, 7° Pitch Up	165
40	— RF-4C Front, 5° Pitch Up	167
41	— RF-4C Front, 3° Pitch Up	169
42	— RF-4C Front, 2° Pitch Up	171
43	— RF-4C Front, 1° Pitch Up	173
44	— RF-4C Front, Aircraft Level	176
45	— RF-4C Front, 1° Pitch Down	179
46	— RF-4C, Front, 2° Pitch Down	182
47	— RF-4C Front, 3° Pitch Down	185
48	— RF-4C Front, 5° Pitch Down	188
49	Ground Visibility Plot — Tabular Data — RF-4C Front, 5° Roll Left	191
50	— RF-4C Front, 10° Roll Left	194
51	— RF-4C Front, 15° Roll Left	197
52	— RF-4C Front, 30° Roll Left	200

SECTION I

INTRODUCTION AND METHOD

This report describes a method for evaluating and comparing aircraft in terms of the amount of terrain visible from the cockpit and demonstrates use of the method on several aircraft.¹ The method consists of calculating from photographs, the areas of selected sectors of the earth's surface that are visible from the eye position of the pilot. These areas, expressed as percentages of the total area of the sectors being considered, may be regarded as indices of visibility from the cockpit.

To obtain the basic data we used a Binocular Cockpit Visibility Camera (see fig. 1) developed between 1948 and 1951, primarily through the efforts of Mr. T. M. Edwards at the Civil Aeronautics Administration Technical Development and Evaluation Center, Indianapolis, Indiana. It is now being used by the National Aviation Facilities Center (NAFEC), Atlantic City, New Jersey.

The camera produces cockpit visibility photographs with two superimposed images representing the visual images for each eye. Its two lenses are separated by 2.5 inches, an approximation of the average interpupillary distance. When in use, the camera is located at the cockpit eye position and the photographs thus obtained are a panorama of what the pilot can see when he rotates his head from side to side at the cockpit eye position. A short description of the camera and the method of operation are given in Appendix I.

Typical cockpit visibility photographs are illustrated in figure 2. Such photographs record the scene as viewed from a specific, standard eye position. The photographs, and the data derived from them cannot be considered measures of *total* visibility from the cockpit. Obviously, a pilot is free to move his head and torso within limits and, thus, alter his field of view. It is assumed, however, that head and torso movements are essentially the same in equivalent aircraft; and, therefore, the total field of view resulting from such movement is a function of, and dependent upon, the extent of vision from the design eye position.

In our evaluations we assumed that in side-by-side cockpits, the head and torso of each crew-member partially blocks the view of the other. Therefore, vision from such cockpits toward the ground out opposite sides of the canopy or cabin is not included in our evaluations.

The nature of vision toward the ground is modified by changes in orientation of the aircraft. As the nose is pitched down, more terrain immediately in front of the aircraft becomes visible. It is possible, however, by such a maneuver, to introduce additional obstacles to vision toward the ground that, in level flight, are above the horizon. With the nose pitched up, visibility toward the terrain in front of the aircraft is obviously reduced and often completely blocked. Ground visibility out the side of the cockpit is drastically altered during roll. In a sharp left turn, for instance, the view of the ground out the right side is often completely lost. With yaw, the pattern of obstructions to visibility is not changed, even though the longitudinal axis of the aircraft diverges from the direction of travel.

To our knowledge, most evaluations of vision from the cockpit have not been carried beyond examining photographs or drawings similar to those in figure 2. In fact, the military standard dealing with vision from the cockpit¹ is presented in essentially the same manner as these photographs. Such photographs are very useful when examining vision in three-dimensional space, but not

¹See reference 1 for a short account of previous attempts to portray vision from the cockpit.

¹MIL-STD-850, "Aircrew Station Vision Requirements for Military Aircraft," 30 August 1965, and the superseding revision, MIL-STD-850A, same title, 8 June 1967. Since nearly all of even the newest aircraft in the 1969 USAF inventory were already off the drawing board in 1965, MIL-STD-850 and 850A have had little application.




Figure 1. BINOCULAR COCKPIT VISIBILITY CAMERA.

The camera is located at the cockpit eye position and the photographs obtained show a panorama of what the pilot can see when he rotates his head from side to side with the aircraft level. (Photograph courtesy of North American Aviation Division, Columbus, Ohio.





Figure 2. TYPICAL BINOCULAR COCKPIT VISIBILITY PHOTOGRAPHS.

The upper photograph was taken from a single cockpit (A-7A); the lower from a side-by-side cockpit (F-111). The grid-lines were produced as the film was exposed, and represent 5° intervals of horizontal and vertical angular displacement from a vector originating at the cockpit eye position and extending horizontally in the direction of aircraft travel. Before the photographs are made, the aircraft and camera are levelled. In our evaluations we assumed that, in side-by-side cockpits, the head and torso of each crewmember effectively blocks the view out of the canopy on his respective side for the other crewmember. Therefore, the pilot does not have useful vision out of the copilot's side window (indicated in the lower photograph by an "X").

when precisely evaluating visibility toward the surface of the earth. Indeed, they are not intended to serve this purpose. They are, however, quite adequate as *sources* of basic information for such an evaluation.

When examining a simple cockpit visibility photograph, the viewer obtains only a subjective impression of the overall quality and extent of vision toward the ground. Though the earth can be seen, relative sizes and positions of images are distorted because of their different distances from the vantage point and because of their different angular positions relative to the vantage point in the aircraft and to each other. Using such photographs, it is difficult, if not impossible, to estimate accurately ground distances and slant ranges (the lengths of the lines-of-sight) to objects on the ground.

When looking at the ground, the observer is for all practical purposes, looking at a flat plane and at objects on that plane. To show the true shapes of the areas on the ground that can be seen from the cockpit requires that the surface of the earth be depicted much as in an engineering drawing. In such a drawing, the observer does not view the earth from a single point, as in a photograph, but from an infinite number of points in a plane above and parallel to it. In the drawing, perspective is eliminated and the features on earth's surface can be illustrated to a common scale. Spatial relations in the two dimensions of the drawing are true. By projecting the shapes of the visual obstructions onto the ground we can measure the areas of the terrain not obscured. We have called such drawings, "ground visibility plots."




Figure 3. COCKPIT VISIBILITY RECORD (MONOCULAR)—MIL-STD-850A SINGLE OR TANDEM COCKPIT.

Dots have been placed at points along the outlines of obstructions to vision from the cockpit. Their placement and number are typical of those considered necessary to describe adequately visual obstructions of a simple shape in terms of angular coordinates.

To obtain the ground visibility plots, the angular coordinates (depression angles and horizontal angles¹) of the points on the cockpit visibility photographs that outline the obstacles to vision from the cockpit eye-positions are measured and projected to the ground. The actual number of sets of coordinates necessary to describe adequately the outlines of the obstructions depends upon the complexity of their shapes. Figure 3 illustrates the location and number of points typical of those necessary to describe visual obstructions in terms of angular coordinates. This illustration depicts a hypothetical cockpit that conforms to the quality of external vision specified in MIL-STD 850A for single and tandem fighter cockpits. In contrast to the cockpit visibility photographs in figure 2, the line-drawing in figure 3 is a monocular presentation. It represents visibility with one eye from the cockpit eye-position. The purposes of including this monocular view are to gain information regarding the nature of the military standard and to preserve simplicity in the following discussion. Such line-drawings, whether monocular or binocular, are here referred to as "cockpit visibility records."

In figure 3, each point on the perimeter of the canopy represents a vector. All vectors originate at the cockpit eye position. The angular coordinates for each are measured and those extending toward the ground are used to derive a ground visibility plot. The locations, relative to ground O, where the vectors strike the ground, are calculated using simple trigonometric procedures.² When all such points are located, it is possible to depict the shapes of the areas on the surface of the earth that are visible from the cockpit eye position. This procedure is explained graphically in figure 4.

Figure 5 contains the cockpit visibility record and ground visibility plots for a hypothetical single seat or tandem cockpit aircraft meeting visibility requirements established in MIL-STD-850A. Vector A in the cockpit visibility record strikes the ground at point A in the ground visibility plot, vector B strikes B, etc. Since we are concerned only with vision toward the ground and since the aircraft is in a level attitude, we need not concern ourselves with vectors such as J, which are not directed toward the ground. However, when considering the effects of a pitch-down attitude or a roll on vision from the cockpit, such vectors may be directed toward the ground. Under such conditions, they are applicable to our evaluation.

One ground visibility plot has been drawn so that a ground radius (and other ground distances) equal to two spaces on the scale is equal to three times the altitude of the aircraft. If the altitude of the aircraft is 100 feet, this ground distance equals 300 feet; at an altitude of 500 feet, this ground distance is 1500 feet. The radius of the entire land surface depicted in this plot is 18 times the altitude of the aircraft. The ground visibility plots for many aircraft are sufficiently complex in detail close to ground O that it is desirable to enlarge the central section. Such an enlargement is also illustrated in figure 4. The scale of the latter plot indicates that four spaces are equal to the altitude of the aircraft. The radius of the terrain portrayed in this plot is three times the altitude of the aircraft.

When evaluating vision from aircraft, it is important to know slant ranges to points on the ground. To permit estimation of these distances, dashed circles have been included in the visibility ground plots. These circles are of such a radius that the slant range from the cockpit eye position to any point along their perimeter is equal to the indicated multiple of altitude.¹ Therefore, the slant range to the innermost dashed circle is 1.5 times the altitude of the aircraft; to the next circle, 2

¹Depression angle is defined as the downward angular divergence of a vector from the horizon. The distance from the cockpit eye-position along any vector to the ground is here referred to as "slant range." Horizontal angle is the horizontal angular displacement of a vector, either Left or Right from the longitudinal axis of the aircraft. If there is no yaw, the longitudinal axis of the aircraft coincides with the direction of travel.

²Cotangent A (depression angle) X altitude of aircraft (expressed as unity) = ground distance (expressed as a multiple of altitude) from ground O along the horizontal angle.




Figure 4. DIAGRAMMATIC ILLUSTRATION OF RELATIONSHIPS BETWEEN THE COCKPIT VISIBILITY RECORD (PHOTOGRAPH) AND THE GROUND VISIBILITY PLOT.

The upper illustration represents a monocular cockpit visibility record for a hypothetical single or tandem cockpit meeting the vision requirements of MIL-STD-850A. The lower illustration is an oblique schematic representation of the ground visibility plot for the same aircraft. In the ground visibility plot, the aircraft is located at X and ground O is located at Z. The altitude of the aircraft is a . Depression angles of the vectors E and I in the cockpit visibility record are denoted in the lower illustration as θ_e and θ_i . Since all vectors to the horizon are essentially parallel to the ground (except at high altitudes), θ_e , θ_i , ..., are equal to θ_e' , θ_i' , Solving for b_e' , b_i' , ..., the ground radii from ground O to the points where vectors E, I, ..., strike the ground, is accomplished by contangent θ $X a = b$. In the schematic ground visibility plot, only the points where vectors E, F, G, H, and I, strike the ground, are illustrated. To illustrate points A, B, C, and D would unnecessarily clutter the drawing. Vector J, of course, is not illustrated, since it is above the horizon.

0° Pitch, 0° Roll, 0° Yaw




Figure 5. COCKPIT VISIBILITY RECORD (MONOCULAR) AND GROUND VISIBILITY PLOTS—MIL-STD-850A SINGLE OR TANDEM COCKPIT.

Vector A in the record corresponds to point A in the plot, vector B to point B, etc. Since we are concerned only with vision toward the ground, vectors such as J come into consideration only when examining the effects of pitch and roll. Ground distances may be estimated by using the scale below the plots.

times the altitude, and so forth. It follows, then, that the entire terrain inside any circle is within a Slant Range equal to that multiple times altitude. Figure 6 is a graphic explanation of the relationship between Slant Range and altitude.

It is interesting and useful to know the relationships between ground radii, slant ranges, and depression angles. Table 1 illustrates these relationships and makes it possible to determine any two of these three variables if one is known.

¹h (slant range expressed as a selected multiple of the altitude of the aircraft) $\div$ a (altitude of aircraft, expressed as unit) = cosecant A (depression angle). Then, cotangent A (depression angle) $\times$ a (altitude of aircraft, expressed as unity) = b (ground distance from ground O, expressed as a multiple of altitude). b, then, equals the radius of the circle which includes all land area within a slant range equal to the selected multiple of altitude. Depression angles, ground radii, and slant ranges may be estimated using table 1.




Figure 6. SCHEMATIC DIAGRAM ILLUSTRATING RELATIONSHIPS BETWEEN ALTITUDE, SLANT RANGE, AND GROUND RADIUS.

The aircraft is at B. Ground O is at C. The altitude of the aircraft, a , is expressed as 1. The calculations necessary to derive the ground radii, b' , b'' , b''' , . . . , that will yield slant ranges, h' , h'' , h''' , . . . , equal to selected multiples of altitude, are found in the footnote on page 8. The numbers, 1.5, 2, 3, . . . , located on the dashed circles, denote the slant range, expressed as a multiple of altitude, from the aircraft to that specific circle on the ground. Therefore, all points on the ground that are within, say, the number 2 dashed circle, are within a distance of 2 times the altitude of the aircraft from the cockpit.




TABLE 1


NOMOGRAPH FOR ESTIMATING DEPRESSION ANGLES IN DEGREES, AND SLANT RANGES AND GROUND RADII AS MULTIPLES OF ALTITUDE.

This nomograph illustrates the relationships between depression angle, slant range, and ground radius. With it, two of the three values may be approximated if the third is known. For instance, a horizontal line crossing the slant range scale at 2.0 (X altitude) will pass through a point in slight excess of 1.7 (X altitude) on the ground radius scale and through 30° on both depression angle scales. Therefore, knowing any one of the three values (say, slant range), one is able to estimate ground radius and depression angle. Similarly, slant range may be estimated if depression angle or ground radius is known.

In a relatively straightforward variation of our method of evaluating vision, we calculated the area of terrain visible within ground distances (radii) from ground O equal to selected multiples of altitude. This is conveniently measured on the ground visibility plots by using a compensating polar planimeter. For instance, table 2 shows that the pilot can see approximately 69% of the total land surface within a ground radius of 18 times his altitude and 43% of that within a ground radius of three times his altitude. Under certain conditions it may be appropriate to consider only vision to that portion of the land surface in front of the aircraft—or to the sides.¹ The results of these methods can also be seen in table 2.

TABLE 2

PERCENT OF TERRAIN VISIBLE WITHIN SELECTED GROUND RADII—SINGLE OR TANDEM AIRCRAFT—MIL-STD-850A.




¹Many combinations of ground radii and ground sectors may be considered. Space and time, however, does not permit us to consider all combinations. The choice of considering radii of 3 and 18 times altitude is meaningful only in that they represent, respectively, relatively short and long distances.

Another, perhaps more useful, variation of our method of evaluating vision toward the ground is to consider terrain visible within selected slant ranges from the cockpit. As in the preceding variation, the areas of the visible sectors are expressed as percentages of the total land area within the selected slant ranges. Similar to the previous method, visibility all around the aircraft is considered, as is that forward and to the sides. The results of this method for our hypothetical aircraft are found in table 3.

TABLE 3

PERCENT OF TERRAIN VISIBLE WITHIN SELECTED SLANT RANGES—SINGLE OR TANDEM AIRCRAFT—MIL-STD-850A.



<i>Slant Range</i>	<i>Fields of View</i>		
	<i>Total</i>	<i>Side-to-Side</i>	<i>Forward</i>
15 x Alt.	68.4%	94.9%	89.1%
10 x Alt.	67.6	94.6	85.6
5 x Alt.	56.3	88.9	69.3
3 x Alt.	41.8	71.9	49.8
2 x Alt.	18.9	36.6	22.4

RESULTS

Our method of examining visibility toward the ground was used on 12 aircraft. Selection was made in coordination with Mr. C. Bates, Jr., Chief of the Performance Requirements Branch, Aerospace Medical Research Laboratory. Most of the aircraft selected for evaluation were in service in Southeast Asia. Also included were certain others that appeared close to entering the Air Force inventory.

The intent was to take photographs from each cockpit of each aircraft. For one reason or another, however, we did not obtain suitable photographs from all cockpits. Following is a list of those aircraft and cockpits in which acceptable photographs were obtained and on which the evaluation of vision toward the ground was possible.

A-1E—Pilot	F-5B—Front
A-1E—Copilot	F-5B—Rear
A-7A	F-105D
A-26A—Pilot	F-111A—Pilot
A-26A—Copilot	OV-10A—Pilot
C-123B—Copilot	O-1A—Pilot
F-5A	O-2—Pilot (Est.)
	RF-4C—Front

The absence of data for the C-123B Pilot, F111A Copilot and O-2B Copilot does not represent a serious deficiency. In each case, side-by-side cockpits are involved; and the outline of obstructions to vision from one cockpit is nearly a perfect mirror image of that for the copilot. Ground visibility plots obtained for the C-123B pilot, for instance, is essentially a mirror image of that which would be obtained for the copilot. We were not able to obtain a suitable cockpit visibility photograph for the RF-4C rear cockpit. The O-2 aircraft used contained equipment that partially obstructed vision out of the pilot's side window. Since this equipment is not usually found in this aircraft, we estimated the normal boundaries of part of this window. This aircraft is, for this reason, denoted as O-2—Pilot (Est.).

Angular coordinates describing obstacles to vision were measured on the cockpit visibility photographs. Cockpit visibility records were made from the photographs only for the purpose of illustrating clearly the outlines of obstructions.


For convenience and because of uncertainty regarding a *typical* aircraft attitude, we have examined vision with the aircraft adjusted to be level. The results of these examinations are to be found beginning on page —. Tabular data for all ground visibility plots are found in Appendix II. Most of our calculations were performed by computer. It was relatively simple, therefore, to program different angles of pitch and roll.¹ However, space does not permit us to include in this report the analyses of the effects of a meaningful range of different angles of pitch and roll for all of our aircraft. We have, therefore, elected to limit such an analysis to only one, the RF-4C from cockpit. The results of this exercise can be found beginning on page —. Even though we cannot include them in this report, we have obtained tabular data and basic information on ground visibility plots for selected angles of pitch and roll on the remaining aircraft and have them on file.

It is not a simple matter to determine that one aircraft is *better* than another in terms of the extent to which it affords good vision toward the ground. When selecting aircraft for visual reconnaissance, criteria must include a consideration of the sectors into which good vision is required, as well as appropriate ground distances and slant ranges. The method described here will yield objective information, which is helpful in making such a selection.


¹The basic computer program for all calculations is given in Appendix III.

**VISIBILITY TOWARD THE GROUND FROM SELECTED
TACTICAL AIRCRAFT—HORIZONTAL AIRCRAFT ATTITUDE**

A-1E Pilot





**Figure 7. Binocular Cockpit Visibility Photograph and Record
- A-1E Pilot, Aircraft Level**



SLANT RANGE TO POINT ON GROUND ALONG DASHED CIRCLES =
NUMERAL X ALTITUDE OF AIRCRAFT

0 — 3 — 6 GROUND DISTANCE = NUMERAL X ALTITUDE OF AIRCRAFT

**Figure 8. Ground Visibility Plots
- A-1E Pilot, Aircraft Level**



GROUND DISTANCE = NUMERAL X ALTITUDE OF AIRCRAFT







OBSTRUCTED TO VISION: Right Eye  , Left Eye  , Both Eyes 

Table 4. Percent of Ground Area Visible within Selected Ground Radii and Slant Ranges - A-1E Pilot, Aircraft Level




<i>Ground Radius</i>	<i>Eye</i>	<i>Fields of View</i>		
		<i>Total</i>	<i>Side-to-Side</i>	<i>Forward</i>
18 X Alt	Right	33.8%	52.3%	44.0%
	Right or Left	37.3%	58.1%	51.1%
	Right and Left	28.9%	48.8%	37.7%
3 X Alt	Right	9.6%	15.1%	15.3%
	Right or Left	11.9%	17.9%	19.9%
	Right and Left	7.3%	11.9%	12.6%
<i>Slant Range</i>				
15 X Alt	Right	31.8%	51.5%	41.1%
10 X Alt	Right	27.7%	45.3%	35.1%
5 X Alt	Right	16.9%	27.9%	23.4%
4 X Alt	Right	13.6%	21.1%	20.3%
3 X Alt	Right	8.4%	13.3%	14.0%
2 X Alt	Right	0.9%	1.7%	1.6%
1.5 X Alt	Right	0.0%	0.0%	0.0%

A-1E Copilot




**Figure 9. Binocular Cockpit Visibility Photograph and Record
 - A-1E Copilot, Aircraft Level**



SLANT RANGE TO POINT ON GROUND ALONG DASHED CIRCLES =
NUMERAL X ALTITUDE OF AIRCRAFT

0 — 3 — 6 GROUND DISTANCE = NUMERAL X ALTITUDE OF AIRCRAFT

**Figure 10. Ground Visibility Plots
- A-1E Copilot, Aircraft Level**



0 $\frac{1}{2}$ 1 GROUND DISTANCE = NUMERAL X ALTITUDE OF AIRCRAFT







OBSTRUCTED TO VISION: Right Eye  , Left Eye  , Both Eyes 

Table 5. Percent of Ground Area Visible within Selected Ground Radii and Slant Ranges - A-1E Copilot, Aircraft Level




<i>Ground Radius</i>	<i>Eye</i>	<i>Fields of View</i>		
		<i>Total</i>	<i>Side-to-Side</i>	<i>Forward</i>
18 X Alt	Right	38.4%	46.6%	56.1%
	Right or Left	42.4%	50.7%	62.0%
	Right and Left	32.5%	41.1%	44.5%
3 X Alt	Right	10.6%	15.9%	19.1%
	Right or Left	12.7%	19.2%	22.0%
	Right and Left	7.7%	12.5%	13.7%
<i>Slant Range</i>				
15 X Alt	Right	35.2%	46.8%	50.3%
10 X Alt	Right	28.4%	41.8%	40.6%
5 X Alt	Right	17.9%	25.9%	27.8%
4 X Alt	Right	14.0%	23.7%	23.7%
3 X Alt	Right	9.6%	14.6%	17.7%
2 X Alt	Right	1.7%	3.2%	3.1%
1.5 X Alt	Right	0.0%	0.0%	0.0%

A-7A





**Figure 11. Binocular Cockpit Visibility Photograph and Record
- A-7A, Aircraft Level**



SLANT RANGE TO POINT ON GROUND ALONG DASHED CIRCLES =
NUMERAL X ALTITUDE OF AIRCRAFT

0 3 6 GROUND DISTANCE = NUMERAL X ALTITUDE OF AIRCRAFT

Figure 12. Ground Visibility Plots
- A-7A , Aircraft Level



GROUND DISTANCE = NUMERAL X ALTITUDE OF AIRCRAFT

OBSTRUCTED TO VISION: Right Eye



, Left Eye



, Both Eyes







Table 6. Percent of Ground Area Visible within Selected Ground Radii and Slant Ranges - A-7A, Aircraft Level




<i>Ground Radius</i>	<i>Eye</i>	<i>Fields of View</i>		
		<i>Total</i>	<i>Side-to-Side</i>	<i>Forward</i>
18 X Alt	Right	63.2%	92.8%	77.5%
	Right or Left	72.0%	95.7%	90.8%
	Right and Left	54.2%	91.5%	64.6%
3 X Alt	Right	44.4%	70.7%	55.6%
	Right or Left	49.3%	76.4%	62.7%
	Right and Left	38.8%	65.0%	49.0%
<i>Slant Range</i>				
15 X Alt	Right	64.0%	95.2%	80.2%
10 X Alt	Right	63.9%	93.5%	82.6%
5 X Alt	Right	56.5%	85.0%	73.0%
4 X Alt	Right	52.0%	79.2%	67.9%
3 X Alt	Right	43.8%	71.7%	55.5%
2 X Alt	Right	23.4%	42.8%	29.6%
1.5 X Alt	Right	1.5%	3.1%	0.6%

A-26A Pilot




**Figure 13. Binocular Cockpit Visibility Photograph and Record
- A-26A Pilot, Aircraft Level**



SLANT RANGE TO POINT ON GROUND ALONG DASHED CIRCLES =
NUMERAL X ALTITUDE OF AIRCRAFT

0 3 6 GROUND DISTANCE = NUMERAL X ALTITUDE OF AIRCRAFT

Figure 14. Ground Visibility Plots
- A-26A Pilot , Aircraft Level



0 $\frac{1}{2}$ 1 GROUND DISTANCE = NUMERAL X ALTITUDE OF AIRCRAFT





OBSTRUCTED TO VISION: Right Eye  , Left Eye  , Both Eyes 

Table 7. Percent of Ground Area Visible within Selected Ground Radii and Slant Ranges - A-26A Pilot, Aircraft Level




<i>Ground Radius</i>	<i>Eye</i>	<i>Fields of View</i>		
		<i>Total</i>	<i>Side-to-Side</i>	<i>Forward</i>
18 X Alt	Right	24.1%	16.8%	48.1%
	Right or Left	28.2%	18.5%	56.4%
	Right and Left	20.0%	15.8%	40.0%
3 X Alt	Right	8.9%	12.5%	13.1%
	Right or Left	11.2%	13.0%	18.0%
	Right and Left	7.1%	10.4%	11.3%
<i>Slant Range</i>				
15 X Alt	Right	21.9%	16.5%	43.4%
10 X Alt	Right	16.0%	14.6%	29.2%
5 X Alt	Right	9.0%	7.7%	17.5%
4 X Alt	Right	8.9%	9.4%	14.0%
3 X Alt	Right	9.2%	14.0%	13.6%
2 X Alt	Right	12.8%	25.3%	13.2%
1.5 X Alt	Right	8.0%	16.1%	6.5%

A-26A Copilot




**Figure 15. Binocular Cockpit Visibility Photograph and Record
- A-26A Copilot, Aircraft Level**



SLANT RANGE TO POINT ON GROUND ALONG DASHED CIRCLES =
NUMERAL X ALTITUDE OF AIRCRAFT

0 3 6 GROUND DISTANCE = NUMERAL X ALTITUDE OF AIRCRAFT

**Figure 16. Ground Visibility Plots
- A-26A Copilot, Aircraft Level**



0 $\frac{1}{2}$ 1 GROUND DISTANCE = NUMERAL X ALTITUDE OF AIRCRAFT





OBSTRUCTED TO VISION: Right Eye  , Left Eye  , Both Eyes 

Table 8. Percent of Ground Area Visible within Selected Ground Radii and Slant Ranges - A-26A Copilot, Aircraft Level




<i>Ground Radius</i>	<i>Eye</i>	<i>Fields of View</i>		
		<i>Total</i>	<i>Side-to-Side</i>	<i>Forward</i>
18 X Alt	Right	23.2%	16.5%	45.5%
	Right or Left	27.4%	18.0%	51.6%
	Right and Left	19.1%	15.3%	37.5%
3 X Alt	Right	10.3%	13.7%	15.2%
	Right or Left	13.1%	14.7%	19.3%
	Right and Left	6.0%	11.7%	6.5%
<i>Slant Range</i>				
15 X Alt	Right	21.6%	16.0%	42.0%
10 X Alt	Right	15.8%	14.8%	31.3%
5 X Alt	Right	9.0%	7.5%	16.9%
4 X Alt	Right	8.8%	8.9%	15.2%
3 X Alt	Right	11.0%	14.0%	15.6%
2 X Alt	Right	17.3%	28.9%	18.3%
1.5 X Alt	Right	14.9%	27.0%	15.5%


C-123B Copilot



**Figure 17. Binocular Cockpit Visibility Photograph and Record
- C-123B Copilot, Aircraft Level**



**Figure 18. Ground Visibility Plots
- C-123B Copilot , Aircraft Level**



0 $\frac{1}{2}$ 1 GROUND DISTANCE = NUMERAL X ALTITUDE OF AIRCRAFT





OBSTRUCTED TO VISION: Right Eye  , Left Eye  , Both Eyes 

Table 9. Percent of Ground Area Visible within Selected Ground Radii and Slant Ranges - C-123B Copilot, Aircraft Level




<i>Ground Radius</i>	<i>Eye</i>	<i>Fields of View</i>		
		<i>Total</i>	<i>Side-to-Side</i>	<i>Forward</i>
18 X Alt	Right	43.0%	47.8%	72.3%
	Right or Left	49.5%	53.0%	84.4%
	Right and Left	36.2%	41.5%	62.6%
3 X Alt	Right	13.9%	23.3%	20.2%
	Right or Left	16.2%	26.8%	23.2%
	Right and Left	11.5%	21.3%	16.2%
<i>Slant Range</i>				
15 X Alt	Right	42.5%	47.5%	71.3%
10 X Alt	Right	39.1%	42.6%	64.5%
5 X Alt	Right	25.3%	30.5%	40.2%
4 X Alt	Right	19.6%	28.0%	30.4%
3 X Alt	Right	12.8%	22.6%	18.8%
2 X Alt	Right	3.4%	5.6%	6.4%
1.5 X Alt	Right	0.0%	0.0%	0.0%

F-5A




**Figure 19. Binocular Cockpit Visibility Photograph and Record
- F-5A, Aircraft Level**



SLANT RANGE TO POINT ON GROUND ALONG DASHED CIRCLES =
NUMERAL X ALTITUDE OF AIRCRAFT

0 3 6 GROUND DISTANCE = NUMERAL X ALTITUDE OF AIRCRAFT


**Figure 20. Ground Visibility Plots
- F-5A, Aircraft Level**



0 $\frac{1}{2}$ 1 GROUND DISTANCE = NUMERAL X ALTITUDE OF AIRCRAFT


OBSTRUCTED TO VISION: Right Eye  , Left Eye  , Both Eyes 

Table 10. Percent of Ground Area Visible within Selected Ground Radii and Slant Ranges - F-5A, Aircraft Level




<i>Ground Radius</i>	<i>Eye</i>	<i>Fields of View</i>		
		<i>Total</i>	<i>Side-to-Side</i>	<i>Forward</i>
18 X Alt	Right	67.4%	94.3%	84.4%
	Right or Left	72.4%	94.6%	91.2%
	Right and Left	62.1%	93.7%	76.9%
3 X Alt	Right	20.8%	39.1%	27.0%
	Right or Left	22.9%	42.3%	28.9%
	Right and Left	18.4%	35.2%	25.4%
<i>Slant Range</i>				
15 X Alt	Right	68.0%	96.5%	85.3%
10 X Alt	Right	64.5%	92.9%	81.5%
5 X Alt	Right	41.1%	70.4%	54.3%
4 X Alt	Right	33.4%	60.8%	42.2%
3 X Alt	Right	18.8%	36.2%	24.8%
2 X Alt	Right	0.0%	0.0%	0.0%
1.5 X Alt	Right	0.0%	0.0%	0.0%

F-5B Front




**Figure 21. Binocular Cockpit Visibility Photograph and Record
- F-5B Front, Aircraft Level**



SLANT RANGE TO POINT ON GROUND ALONG DASHED CIRCLES =
NUMERAL X ALTITUDE OF AIRCRAFT

0 3 6 GROUND DISTANCE = NUMERAL X ALTITUDE OF AIRCRAFT

**Figure 22. Ground Visibility Plots
- F-5B Front, Aircraft Level**



0 $\frac{1}{2}$ 1 GROUND DISTANCE = NUMERAL X ALTITUDE OF AIRCRAFT





OBSTRUCTED TO VISION: Right Eye  , Left Eye  , Both Eyes 

Table 11. Percent of Ground Area Visible within Selected Ground Radii and Slant Ranges - F-5B Front, Aircraft Level




<i>Ground Radius</i>	<i>Eye</i>	<i>Fields of View</i>		
		<i>Total</i>	<i>Side-to-Side</i>	<i>Forward</i>
18 X Alt	Right	64.9%	91.2%	83.7%
	Right or Left	70.5%	92.6%	91.1%
	Right and Left	59.9%	89.7%	76.6%
3 X Alt	Right	8.5%	15.1%	15.6%
	Right or Left	10.2%	16.9%	18.7%
	Right and Left	6.4%	12.2%	12.7%
<i>Slant Range</i>				
15 X Alt	Right	63.3%	89.3%	82.6%
10 X Alt	Right	56.0%	81.6%	75.8%
5 X Alt	Right	29.3%	51.7%	46.1%
4 X Alt	Right	21.4%	38.3%	35.4%
3 X Alt	Right	5.8%	10.8%	10.8%
2 X Alt	Right	0.0%	0.0%	0.0%
1.5 X Alt	Right	0.0%	0.0%	0.0%

F-5B Rear




**Figure 23. Binocular Cockpit Visibility Photograph and Record
- F-5B Rear, Aircraft Level**



SLANT RANGE TO POINT ON GROUND ALONG DASHED CIRCLES =
NUMERAL X ALTITUDE OF AIRCRAFT

0 3 6 GROUND DISTANCE = NUMERAL X ALTITUDE OF AIRCRAFT

**Figure 24. Ground Visibility Plots
- F-5B Rear, Aircraft Level**



0 $\frac{1}{2}$ 1 GROUND DISTANCE = NUMERAL X ALTITUDE OF AIRCRAFT






OBSTRUCTED TO VISION: Right Eye , Left Eye , Both Eyes 

Table 12. Percent of Ground Area Visible within Selected Ground Radii and Slant Ranges - F-5B Rear, Aircraft Level




<i>Ground Radius</i>	<i>Eye</i>	<i>Fields of View</i>		
		<i>Total</i>	<i>Side-to-Side</i>	<i>Forward</i>
18 X Alt	Right	64.2%	94.8%	76.2%
	Right or Left	66.5%	94.9%	77.3%
	Right and Left	59.5%	94.7%	69.6%
3 X Alt	Right	29.0%	53.0%	33.0%
	Right or Left	31.3%	56.0%	35.1%
	Right and Left	26.8%	49.7%	30.9%
<i>Slant Range</i>				
15 X Alt	Right	62.6%	95.4%	73.8%
10 X Alt	Right	56.8%	91.0%	66.4%
5 X Alt	Right	40.2%	74.2%	48.6%
4 X Alt	Right	38.4%	70.6%	45.6%
3 X Alt	Right	26.3%	49.7%	30.0%
2 X Alt	Right	0.5%	1.2%	0.6%
1.5 X Alt	Right	0.0%	0.0%	0.0%

F-105D





**Figure 25. Binocular Cockpit Visibility Photograph and Record
- F-105D, Aircraft Level**



SLANT RANGE TO POINT ON GROUND ALONG DASHED CIRCLES =
NUMERAL X ALTITUDE OF AIRCRAFT

0 — 3 — 6 GROUND DISTANCE = NUMERAL X ALTITUDE OF AIRCRAFT

Figure 26. Ground Visibility Plots
- F-105D, Aircraft Level



GROUND DISTANCE = NUMERAL X ALTITUDE OF AIRCRAFT





OBSTRUCTED TO VISION: Right Eye , Left Eye , Both Eyes 

Table 13. Percent of Ground Area Visible within Selected Ground Radii and Slant Ranges - F-105D, Aircraft Level




<i>Ground Radius</i>	<i>Eye</i>	<i>Fields of View</i>		
		<i>Total</i>	<i>Side-to-Side</i>	<i>Forward</i>
18 X Alt	Right	67.8%	95.0%	82.3%
	Right or Left	73.7%	96.4%	90.8%
	Right and Left	60.2%	94.9%	72.2%
3 X Alt	Right	44.6%	76.5%	50.9%
	Right or Left	47.9%	78.9%	56.4%
	Right and Left	40.3%	73.3%	46.3%
<i>Slant Range</i>				
15 X Alt	Right	67.6%	96.3%	81.6%
10 X Alt	Right	66.6%	94.7%	80.5%
5 X Alt	Right	62.6%	88.0%	70.2%
4 X Alt	Right	53.6%	84.2%	61.3%
3 X Alt	Right	43.0%	75.5%	49.4%
2 X Alt	Right	23.4%	44.9%	26.2%
1.5 X Alt	Right	2.0%	3.6%	2.0%

F-111A Pilot





**Figure 27. Binocular Cockpit Visibility Photograph and Record
- F-111A Pilot, Aircraft Level**



SLANT RANGE TO POINT ON GROUND ALONG DASHED CIRCLES =
NUMERAL X ALTITUDE OF AIRCRAFT

0 3 6 GROUND DISTANCE = NUMERAL X ALTITUDE OF AIRCRAFT

Figure 28. Ground Visibility Plots
- F-111 Pilot, Aircraft Level



GROUND DISTANCE = NUMERAL X ALTITUDE OF AIRCRAFT





OBSTRUCTED TO VISION: Right Eye  , Left Eye  , Both Eyes 

Table 14. Percent of Ground Area Visible within Selected Ground Radii and Slant Ranges - F-111 Pilot, Aircraft Level




<i>Ground Radius</i>	<i>Eye</i>	<i>Fields of View</i>		
		<i>Total</i>	<i>Side-to-Side</i>	<i>Forward</i>
18 X Alt	Right	41.9%	52.1%	60.4%
	Right or Left	46.2%	54.3%	69.1%
	Right and Left	36.1%	47.6%	53.4%
3 X Alt	Right	15.8%	27.9%	20.4%
	Right or Left	18.7%	28.9%	26.1%
	Right and Left	12.9%	24.4%	17.8%
<i>Slant Range</i>				
15 X Alt	Right	41.5%	52.4%	61.3%
10 X Alt	Right	38.5%	48.8%	45.2%
5 X Alt	Right	24.0%	39.4%	29.3%
4 X Alt	Right	19.8%	36.4%	25.8%
3 X Alt	Right	14.9%	26.6%	19.3%
2 X Alt	Right	2.9%	5.5%	5.0%
1.5 X Alt	Right	0.0%	0.0%	0.0%

O-1A Pilot





**Figure 29. Binocular Cockpit Visibility Photograph and Record
- O-1A Pilot, Aircraft Level**



SLANT RANGE TO POINT ON GROUND ALONG DASHED CIRCLES =
NUMERAL X ALTITUDE OF AIRCRAFT

0 3 6 GROUND DISTANCE = NUMERAL X ALTITUDE OF AIRCRAFT

Figure 30. Ground Visibility Plots
- O-1A Pilot, Aircraft Level



GROUND DISTANCE = NUMERAL X ALTITUDE OF AIRCRAFT







OBSTRUCTED TO VISION: Right Eye , Left Eye , Both Eyes 

Table 15. Percent of Ground Area Visible within Selected Ground Radii and Slant Ranges - O-1A Pilot, Aircraft Level



<i>Ground Radius</i>	<i>Eye</i>	<i>Fields of View</i>		
		<i>Total</i>	<i>Side-to-Side</i>	<i>Forward</i>
18 X Alt	Right	71.9%	76.0%	78.2%
	Right or Left	81.7%	84.8%	90.4%
	Right and Left	62.1%	67.6%	65.6%
3 X Alt	Right	53.4%	78.4%	51.0%
	Right or Left	61.1%	87.8%	60.8%
	Right and Left	47.0%	71.0%	43.1%
<i>Slant Range</i>				
15 X Alt	Right	72.9%	83.1%	77.0%
10 X Alt	Right	72.2%	82.5%	76.9%
5 X Alt	Right	64.6%	77.4%	69.1%
4 X Alt	Right	61.8%	76.1%	60.6%
3 X Alt	Right	52.5%	74.4%	49.7%
2 X Alt	Right	34.4%	57.8%	25.5%
1.5 X Alt	Right	18.8%	36.0%	11.4%

0-2 Pilot



**Figure 31. Binocular Cockpit Visibility Photograph and Record
- O-2 Pilot, Aircraft Level
(Estimated)**





Figure 32. Ground Visibility Plots
- O-2 Pilot, Aircraft Level (Estimated)



0 $\frac{1}{2}$ 1 GROUND DISTANCE = NUMERAL X ALTITUDE OF AIRCRAFT






OBSTRUCTED TO VISION: Right Eye  , Left Eye  , Both Eyes 

Table 16. Percent of Ground Area Visible within Selected Ground Radii and Slant Ranges - O-2 Pilot, Aircraft Level (Estimated)




<i>Ground Radius</i>	<i>Eye</i>	<i>Fields of View</i>		
		<i>Total</i>	<i>Side-to-Side</i>	<i>Forward</i>
18 X Alt	Right	40.5%	39.6%	69.7%
	Right or Left	46.1%	46.3%	79.5%
	Right and Left	31.9%	30.6%	57.2%
3 X Alt	Right	28.4%	39.8%	30.2%
	Right or Left	33.4%	46.1%	38.2%
	Right and Left	22.5%	36.0%	24.4%
<i>Slant Range</i>				
15 X Alt	Right	41.9%	45.0%	67.8%
10 X Alt	Right	42.8%	54.0%	60.0%
5 X Alt	Right	33.3%	42.7%	37.3%
4 X Alt	Right	31.0%	41.1%	31.9%
3 X Alt	Right	27.3%	38.8%	30.1%
2 X Alt	Right	19.9%	31.4%	19.9%
1.5 X Alt	Right	12.5%	23.5%	12.1%

OV-10A Pilot





**Figure 33. Binocular Cockpit Visibility Photograph and Record
 - OV-10A Pilot, Aircraft Level**



SLANT RANGE TO POINT ON GROUND ALONG DASHED CIRCLES =
NUMERAL X ALTITUDE OF AIRCRAFT

0 3 6 GROUND DISTANCE = NUMERAL X ALTITUDE OF AIRCRAFT

Figure 34. Ground Visibility Plots
- OV-10A Pilot, Aircraft Level



GROUND DISTANCE = NUMERAL X ALTITUDE OF AIRCRAFT




OBSTRUCTED TO VISION: Right Eye , Left Eye , Both Eyes 

Table 17. Percent of Ground Area Visible within Selected Ground Radii and Slant Ranges - OV-10A Pilot, Aircraft Level



<i>Ground Radius</i>	<i>Eye</i>	<i>Fields of View</i>		
		<i>Total</i>	<i>Side-to-Side</i>	<i>Forward</i>
18 X Alt	Right	62.1%	84.9%	86.0%
	Right or Left	67.6%	88.3%	96.1%
	Right and Left	57.0%	81.7%	76.6%
3 X Alt	Right	52.3%	82.0%	64.1%
	Right or Left	60.1%	89.8%	73.5%
	Right and Left	45.7%	73.7%	54.9%
<i>Slant Range</i>				
15 X Alt	Right	61.0%	84.7%	85.5%
10 X Alt	Right	59.7%	82.8%	83.7%
5 X Alt	Right	58.9%	85.1%	77.0%
4 X Alt	Right	57.0%	92.2%	74.9%
3 X Alt	Right	51.4%	81.9%	61.1%
2 X Alt	Right	37.9%	65.7%	44.2%
1.5 X Alt	Right	17.6%	33.6%	23.6%

RF-4C Front







Figure 35. Binocular Cockpit Visibility Photograph and Record
- RF-4C Front, Aircraft Level



SLANT RANGE TO POINT ON GROUND ALONG DASHED CIRCLES =
NUMERAL X ALTITUDE OF AIRCRAFT

0 3 6 GROUND DISTANCE = NUMERAL X ALTITUDE OF AIRCRAFT

**Figure 36. Ground Visibility Plots
RF-4C Front, Aircraft Level**



0 $\frac{1}{2}$ 1 GROUND DISTANCE = NUMERAL X ALTITUDE OF AIRCRAFT





OBSTRUCTED TO VISION: Right Eye  , Left Eye  , Both Eyes 

Table 18. Percent of Ground Area Visible within Selected Ground Radii and Slant Ranges - RF-4C Front, Aircraft Level



<i>Ground Radius</i>	<i>Eye</i>	<i>Fields of View</i>		
		<i>Total</i>	<i>Side-to-Side</i>	<i>Forward</i>
18 X Alt	Right	58.5%	83.7%	80.4%
	Right or Left	67.0%	90.5%	93.8%
	Right and Left	49.7%	76.8%	69.6%
3 X Alt	Right	14.9%	22.1%	28.4%
	Right or Left	18.7%	25.9%	35.3%
	Right and Left	10.8%	18.6%	21.6%
<i>Slant Range</i>				
15 X Alt	Right	57.2%	82.7%	79.1%
10 X Alt	Right	50.9%	76.5%	71.3%
5 X Alt	Right	34.8%	51.3%	56.0%
4 X Alt	Right	26.4%	40.3%	46.8%
3 X Alt	Right	12.4%	19.4%	24.7%
2 X Alt	Right	0.0%	0.0%	0.0%
1.5 X Alt	Right	0.0%	0.0%	0.0%


VISIBILITY TOWARD THE GROUND FROM RF-4C
FRONT COCKPIT
SELECTED ATTITUDES OF PITCH AND ROLL





SLANT RANGE TO POINT ON GROUND ALONG DASHED CIRCLES =
NUMERAL X ALTITUDE OF AIRCRAFT


0 3 6 GROUND DISTANCE = NUMERAL X ALTITUDE OF AIRCRAFT

Figure 37. Ground Visibility Plots
- RF-4C Front - 20° Pitch Up



0 $\frac{1}{2}$ 1 GROUND DISTANCE = NUMERAL X ALTITUDE OF AIRCRAFT



OBSTRUCTED TO VISION: Right Eye , Left Eye , Both Eyes 



SLANT RANGE TO POINT ON GROUND ALONG DASHED CIRCLES =
NUMERAL X ALTITUDE OF AIRCRAFT


0 3 6 GROUND DISTANCE = NUMERAL X ALTITUDE OF AIRCRAFT

Figure 38. Ground Visibility Plots
- RF-4C Front - 17° Pitch Up




GROUND DISTANCE = NUMERAL X ALTITUDE OF AIRCRAFT


OBSTRUCTED TO VISION: Right Eye




Left Eye



, Both Eyes









SLANT RANGE TO POINT ON GROUND ALONG DASHED CIRCLES =
NUMERAL X ALTITUDE OF AIRCRAFT


0 3 6 GROUND DISTANCE = NUMERAL X ALTITUDE OF AIRCRAFT

Figure 39. Ground Visibility Plots
- RF-4C Front - 13° Pitch Up



GROUND DISTANCE = NUMERAL X ALTITUDE OF AIRCRAFT

OBSTRUCTED TO VISION: Right Eye  , Left Eye  , Both Eyes 





SLANT RANGE TO POINT ON GROUND ALONG DASHED CIRCLES =
NUMERAL X ALTITUDE OF AIRCRAFT

0 — 3 — 6 GROUND DISTANCE = NUMERAL X ALTITUDE OF AIRCRAFT

Figure 40. Ground Visibility Plots
- RF-4C Front - 10° Pitch Up




HEADING



GROUND DISTANCE = NUMERAL X ALTITUDE OF AIRCRAFT


OBSTRUCTED TO VISION: Right Eye




, Left Eye





, Both Eyes





**Figure 41. Ground Visibility Plots
- RF-4C Front -7° Pitch Up**



GROUND DISTANCE = NUMERAL X ALTITUDE OF AIRCRAFT


OBSTRUCTED TO VISION: Right Eye



, Left Eye



, Both Eyes










Figure 42. Ground Visibility Plots
- RF-4C Front, 5° Pitch Up



0 $\frac{1}{2}$ 1 GROUND DISTANCE = NUMERAL X ALTITUDE OF AIRCRAFT

OBSTRUCTED TO VISION: Right Eye  , Left Eye  , Both Eyes 





SLANT RANGE TO POINT ON GROUND ALONG DASHED CIRCLES =
NUMERAL X ALTITUDE OF AIRCRAFT

0 — 3 — 6 GROUND DISTANCE = NUMERAL X ALTITUDE OF AIRCRAFT

Figure 43. Ground Visibility Plots
- RF-4C Front, 3° Pitch Up



HEADING



GROUND DISTANCE = NUMERAL X ALTITUDE OF AIRCRAFT


OBSTRUCTED TO VISION: Right Eye




, Left Eye



, Both Eyes








SLANT RANGE TO POINT ON GROUND ALONG DASHED CIRCLES =
NUMERAL X ALTITUDE OF AIRCRAFT


0 3 6 GROUND DISTANCE = NUMERAL X ALTITUDE OF AIRCRAFT

Figure 44. Ground Visibility Plots
- RF-4C Front - 2° Pitch Up



0 $\frac{1}{2}$ 1 GROUND DISTANCE = NUMERAL X ALTITUDE OF AIRCRAFT


OBSTRUCTED TO VISION: Right Eye , Left Eye , Both Eyes 





SLANT RANGE TO POINT ON GROUND ALONG DASHED CIRCLES =
NUMERAL X ALTITUDE OF AIRCRAFT


0 — 3 — 6 GROUND DISTANCE = NUMERAL $\times$ ALTITUDE OF AIRCRAFT

Figure 45. Ground Visibility Plots
- RF-4C Front - 1° Pitch Up



0 $\frac{1}{2}$ 1 GROUND DISTANCE = NUMERAL X ALTITUDE OF AIRCRAFT


OBSTRUCTED TO VISION: Right Eye  Left Eye  Both Eyes 





SLANT RANGE TO POINT ON GROUND ALONG DASHED CIRCLES =
NUMERAL X ALTITUDE OF AIRCRAFT


0 3 6 GROUND DISTANCE = NUMERAL X ALTITUDE OF AIRCRAFT

Figure 46. Ground Visibility Plots
- RF-4C Front - 1° Pitch Down



0 $\frac{1}{2}$ 1 GROUND DISTANCE = NUMERAL X ALTITUDE OF AIRCRAFT


OBSTRUCTED TO VISION: Right Eye , Left Eye , Both Eyes 






SLANT RANGE TO POINT ON GROUND ALONG DASHED CIRCLES =
NUMERAL X ALTITUDE OF AIRCRAFT


0 3 6 GROUND DISTANCE = NUMERAL X ALTITUDE OF AIRCRAFT

Figure 47. Ground Visibility Plots
-RF-4C Front - 2° Pitch Down



0 $\frac{1}{2}$ 1 GROUND DISTANCE = NUMERAL X ALTITUDE OF AIRCRAFT



OBSTRUCTED TO VISION: Right Eye , Left Eye , Both Eyes 





SLANT RANGE TO POINT ON GROUND ALONG DASHED CIRCLES =
NUMERAL X ALTITUDE OF AIRCRAFT


0 3 6 GROUND DISTANCE = NUMERAL X ALTITUDE OF AIRCRAFT

Figure 48. Ground Visibility Plots
- RF-4C Front - 3° Pitch Down



GROUND DISTANCE = NUMERAL X ALTITUDE OF AIRCRAFT


OBSTRUCTED TO VISION: Right Eye  , Left Eye  , Both Eyes 




SLANT RANGE TO POINT ON GROUND ALONG DASHED CIRCLES =
NUMERAL X ALTITUDE OF AIRCRAFT

0 3 6 GROUND DISTANCE = NUMERAL X ALTITUDE OF AIRCRAFT




Figure 49. Ground Visibility Plots
- RF-4C Front - 5° Pitch Down




AFT



GROUND DISTANCE = NUMERAL X ALTITUDE OF AIRCRAFT



OBSTRUCTED TO VISION: Right Eye  , Left Eye  Both Eyes 





SLANT RANGE TO POINT ON GROUND ALONG DASHED CIRCLES =
NUMERAL X ALTITUDE OF AIRCRAFT


0 — 3 — 6 GROUND DISTANCE = NUMERAL X ALTITUDE OF AIRCRAFT

Figure 50. Ground Visibility Plots
- RF-4C Front - 5° Roll Left



GROUND DISTANCE = NUMERAL X ALTITUDE OF AIRCRAFT


OBSTRUCTED TO VISION: Right Eye  , Left Eye  , Both Eyes 





SLANT RANGE TO POINT ON GROUND ALONG DASHED CIRCLES =
NUMERAL X ALTITUDE OF AIRCRAFT


0 3 6 GROUND DISTANCE = NUMERAL X ALTITUDE OF AIRCRAFT

Figure 51. Ground Visibility Plots
- RF-4C Front - 10° Roll Left



0 $\frac{1}{2}$ 1 GROUND DISTANCE = NUMERAL X ALTITUDE OF AIRCRAFT


OBSTRUCTED TO VISION: Right Eye , Left Eye , Both Eyes 





SLANT RANGE TO POINT ON GROUND ALONG DASHED CIRCLES =
NUMERAL X ALTITUDE OF AIRCRAFT


0 3 6 GROUND DISTANCE = NUMERAL X ALTITUDE OF AIRCRAFT

Figure 52. Ground Visibility Plots
- RF-4C Front - 15° Roll Left



0 $\frac{1}{2}$ 1 GROUND DISTANCE = NUMERAL X ALTITUDE OF AIRCRAFT


OBSTRUCTED TO VISION: Right Eye , Left Eye , Both Eyes 



SLANT RANGE TO POINT ON GROUND ALONG DASHED CIRCLES =
NUMERAL X ALTITUDE OF AIRCRAFT

0 3 6 GROUND DISTANCE = NUMERAL X ALTITUDE OF AIRCRAFT

Figure 53. Ground Visibility Plots
- RF-4C Front - 30° Roll Left



0 $\frac{1}{2}$ 1 GROUND DISTANCE = NUMERAL X ALTITUDE OF AIRCRAFT


OBSTRUCTED TO VISION: Right Eye , Left Eye , Both Eyes 

TABLE 19

PERCENT OF TOTAL GROUND AREA VISIBLE * WITHIN SELECTED GROUND RADII AND AT DIFFERENT ATTITUDES OF PITCH AND ROLL—RF-4C FRONT

<i>Pitch</i>	<i>Percent of Total Ground Area Visible</i>	
	18 X Alt	3 X Alt
+20°	50.8%	3.3%
+17°	51.8%	3.4%
+13°	52.5%	3.8%
+10°	54.3%	5.9%
+ 7°	54.6%	8.1%
+ 5°	55.1%	9.9%
+ 3°	55.7%	12.1%
+ 2°	56.5%	13.3%
+ 1°	57.2%	13.6%
0°	58.5%	14.9%
- 1°	58.3%	15.5%
- 2°	58.4%	16.3%
- 3°	58.5%	17.3%
- 5°	59.2%	19.6%
<i>Roll**</i>		
L5°	59.4%	15.7%
L10°	56.6%	17.7%
L15°	51.8%	20.3%
L30°	39.2%	25.8%

*Right Eye

**Left Roll

TABLE 20

PERCENT OF TOTAL GROUND AREA VISIBLE* WITHIN SELECTED GROUND RADII AND AT DIFFERENT ATTITUDES OF PITCH AND ROLL—RF-4C FRONT

	<i>Pitch</i>				<i>Percent of Total Ground Area Visible</i>			
	15 X Alt	10 X Alt	5 X Alt	3 X Alt				
+20°	48.3%	43.6%	26.5%	2.0%				
+17°	49.2%	45.9%	27.3%	1.8%				
+13°	51.7%	47.3%	28.3%	2.5%				
+10°	53.6%	48.5%	29.4%	4.2%				
+ 7°	54.7%	50.0%	30.5%	6.8%				
+ 5°	55.9%	50.5%	31.4%	8.2%				
+ 3°	56.3%	51.0%	32.7%	10.3%				
+ 2°	56.5%	51.4%	33.6%	11.6%				
+ 1°	57.0%	51.5%	33.9%	12.3%				
0°	57.2%	52.1%	34.8%	13.8%				
- 1°	58.2%	52.7%	35.7%	14.4%				
- 2°	58.6%	53.2%	37.6%	15.4%				
- 3°	58.7%	53.6%	38.4%	16.4%				
- 5°	58.8%	54.4%	41.6%	18.0%				
<i>Roll**</i>								
L5°	56.8%	51.0%	34.8%	13.5%				
L10°	56.2%	47.4%	33.0%	16.0%				
L15°	49.5%	43.7%	31.6%	19.5%				
L30°	37.9%	35.0%	30.9%	22.1%				

*Right Eye

**Left Roll

APPENDIX I

THE BINOCULAR COCKPIT VISIBILITY CAMERA— DESCRIPTION AND OPERATION

The camera incorporates two Wollensak 65 mm, f 6.8, Raptar wide-angle lenses, each giving coverage of $88\frac{1}{2}^{\circ}$. The distance between the optical axes is $2\frac{1}{2}$ inches, essentially the mean human interpupillary distance. The point of infinity of the lenses is 200 feet. This permits the horizon to be resolved and allows the binocular effect for calculating single and dual eye visibility, since all objects nearer than 200 feet appear increasingly divergent.

When in operation, the camera rotates horizontally at the rate of 10° per second. At the same time, the film moves past the exposure slit at the rate of 0.465 inches per second. The shutter remains open during the entire period of camera rotation. The lenses are located $3\frac{1}{3}$ inches forward from the axis of rotation to simulate the average eye-position relative to the axis of horizontal rotation of the human head. At intervals of 5° of horizontal rotation, a vertical grid is exposed on the film through a 0.002-inch vertical slit with an argon lamp. A horizontal grid is exposed through a plexiglass grid over the exposure slit and is scaled to represent 5° of vertical displacement.¹

The following conditions were met to ensure accurate and easily interpretable photographs:

- Each aircraft was leveled longitudinally and laterally. When necessary, the wings were anchored to reduce buffeting.
- The aircraft were placed and oriented in such a direction as to produce relative light values in and outside the cockpit so that on a photographic print, obstructions to vision out of the cockpit were as dark and sharp as possible against a relatively light background.
- When possible, the aircraft were located in such a position that permitted uninterrupted view of a distant horizon in front and to the sides.
- The aircraft cockpit was equipped only with instruments normally found in that model. Special emphasis was placed on equipment affecting vision without the cockpit.
- The camera quadripod was placed on the seat and leveled.
- The camera was installed level on the quadripod so that the lenses coincided with the eye point as defined in HIAD, FAR-25, or by the manufacturer.
- A photograph was taken covering approximately 360° , beginning to the left of what would be immediately behind the pilot and sweeping from there, left to right, around to the right rear.

¹For complete information regarding the Cockpit Visibility Camera and its operation, see reference 1.

APPENDIX II

GROUND VISIBILITY PLOT-TABULAR DATA, SELECTED AIRCRAFT

Table 21. GROUND VISIBILITY PLOT - TABULAR DATA

A-1E PILOT, AIRCRAFT LEVEL

LEFT EYE			RIGHT EYE		
HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)	HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)
L 130.68	HORIZON	HORIZON	L 137.22	HORIZON	HORIZON
L 130.34	16.16	16.19	L 136.81	16.30	16.33
L 130.00	11.43	11.47	L 136.77	11.43	11.47
L 129.55	5.67	5.76	L 135.56	5.67	5.76
L 128.26	2.30	2.51	L 135.00	2.31	2.52
L 125.00	2.24	2.46	L 129.22	2.05	2.28
L 117.22	2.75	2.92	L 117.82	2.75	2.92
L 110.00	3.73	3.86	L 110.00	3.73	3.86
L 103.04	5.67	5.76	L 102.93	5.67	5.76
L 100.00	6.13	6.21	L 100.00	6.11	6.19
L 95.00	6.66	6.73	L 95.00	6.66	6.73
L 92.05	6.42	6.50	L 92.05	6.40	6.48
L 89.56	5.67	5.76	L 90.64	5.67	5.76
L 89.13	5.39	5.49	L 90.00	5.34	5.43
L 87.60	3.73	3.86	L 88.47	3.73	3.86
L 85.00	2.43	2.63	L 86.08	2.41	2.61
L 78.64	2.46	2.65	L 80.00	2.45	2.65
L 78.64	2.34	2.55	L 80.00	2.34	2.55
L 84.50	2.02	2.25	L 85.86	2.30	2.51
L 75.10	2.05	2.28	L 85.00	2.00	2.24
L 75.00	1.99	2.23	L 76.52	2.04	2.27
L 83.18	1.92	2.16	L 76.42	1.97	2.21
L 80.00	1.49	1.79	L 84.50	1.91	2.15
L 75.00	1.50	1.80	L 82.57	1.52	1.82
L 47.34	2.14	2.37	L 75.00	1.56	1.86
L 48.40	1.91	2.16	L 55.00	2.04	2.27
L 49.44	2.37	2.57	L 56.28	1.87	2.12
L 49.05	2.75	2.92	L 57.82	2.37	2.57
L 47.12	3.59	3.72	L 57.46	2.75	2.92
L 50.00	1.80	2.06	L 53.61	3.73	3.86
L 50.45	2.36	2.56	L 57.78	1.78	2.04
L 50.56	2.75	2.92	L 59.56	2.36	2.56
L 48.60	3.73	3.86	L 59.05	2.75	2.92
L 46.66	4.46	4.57	L 55.00	4.07	4.19
L 45.81	11.43	11.47	L 53.72	4.39	4.50

.....CONTINUED

GROUND VISIBILITY PLOT - TABULAR DATA

A-1E PILOT, AIRCRAFT LEVEL

LEFT EYE			RIGHT EYE		
HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)	HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)
L 45.53	16.03	16.06	L 52.72	11.43	11.47
L 45.00	HORIZON	HORIZON	L 52.32	16.30	16.33
L 36.92	HORIZON	HORIZON	L 51.70	HORIZON	HORIZON
L 37.60	16.21	16.24	L 44.05	HORIZON	HORIZON
L 38.04	11.43	11.47	L 44.88	15.22	15.25
L 39.28	3.73	3.86	L 45.00	11.43	11.47
L 40.00	2.08	2.31	L 45.60	5.67	5.76
L 40.00	1.68	1.95	L 46.62	2.75	2.92
L 37.17	1.78	2.04	L 46.21	1.70	1.97
L 40.00	2.08	2.31	L 42.60	1.79	2.05
L 39.41	2.11	2.34	L 45.50	2.10	2.32
L 36.17	1.80	2.06	L 45.00	2.14	2.37
L 29.22	2.18	2.40	L 41.95	1.80	2.06
L 21.38	4.35	4.47	L 34.04	2.11	2.34
L 22.39	5.00	5.10	L 28.18	4.45	4.57
L 22.08	5.67	5.76	L 28.86	4.95	5.05
L 21.10	6.20	6.28	L 28.52	5.67	5.76
L 20.00	6.20	6.28	L 27.27	6.27	6.35
L 2.11	11.43	11.47	L 26.02	6.35	6.43
L 16.18	15.38	15.41	L 23.82	11.43	11.47
L 11.73	HORIZON	HORIZON	L 23.19	14.56	14.59
L 2.50	HORIZON	HORIZON	L 19.55	HORIZON	HORIZON
R 12.23	HORIZON	HORIZON	L 11.30	HORIZON	HORIZON
R 11.27	102.31	102.31	L 8.69	HORIZON	HORIZON
R 12.55	27.01	27.03	R 10.00	19.67	19.70
R 13.61	19.55	19.97	R 12.06	34.50	34.52
R 17.09	18.34	18.37	R 12.12	HORIZON	HORIZON
R 18.62	39.50	39.52	R 16.41	HORIZON	HORIZON
R 20.00	HORIZON	HORIZON	R 16.41	19.67	19.70
R 21.57	HORIZON	HORIZON	R 0.	HORIZON	HORIZON
R 52.91	HORIZON	HORIZON	R 5.88	HORIZON	HORIZON
R 54.17	10.84	10.89	R 5.00	92.41	92.41
R 55.00	9.79	9.84	R 6.44	36.72	36.73
R 55.00	6.83	6.90	R 17.09	19.67	19.70
R 60.00	5.93	6.01	R 18.47	HORIZON	HORIZON

.....CONTINUED

.....CONTINUED

GROUND VISIBILITY PLOT - TABULAR DATA

A-1E PILOT, AIRCRAFT LEVEL

LEFT EYE			RIGHT EYE		
HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)	HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)
R 61.49	5.67	5.76	R 20.00	HORIZON	HORIZON
R 61.70	3.97	4.09	R 18.52	17.94	17.97
R 70.00	3.73	3.86	R 25.85	15.26	15.29
R 72.87	4.22	4.34	R 27.57	19.67	19.70
R 72.87	5.67	5.76	R 28.04	HORIZON	HORIZON
R 72.87	11.43	11.47	R 32.12	HORIZON	HORIZON
R 71.48	HORIZON	HORIZON	R 32.64	21.13	21.15
R 22.91	HORIZON	HORIZON	R 35.00	19.14	19.17
R 22.91	17.19	17.21	R 40.00	13.75	13.78
R 30.88	15.38	15.41	R 44.69	11.43	11.47
R 31.54	24.47	24.49	R 45.44	15.26	15.29
R 32.09	HORIZON	HORIZON	R 49.34	HORIZON	HORIZON
R 36.25	HORIZON	HORIZON	R 50.42	10.56	10.61
R 36.66	23.96	23.98	R 51.25	9.13	9.18
R 40.00	16.30	16.33	R 51.25	6.66	6.73
R 43.75	14.56	14.59	R 56.84	6.01	6.10
R 47.65	12.21	12.26	R 58.18	5.56	5.65
R 48.36	14.16	14.19	R 58.33	3.92	4.05

Table 22. GROUND VISIBILITY PLOT - TABULAR DATA

A-1E COPILOT, AIRCRAFT LEVEL

LEFT EYE			RIGHT EYE		
HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)	HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)
L 65.88	HORIZON	HORIZON	L 69.44	HORIZON	HORIZON
L 66.33	14.86	14.89	L 69.44	14.48	14.52
L 66.33	11.43	11.47	L 69.44	11.43	11.47
L 66.36	3.50	3.64	L 70.00	3.52	3.66
L 61.08	3.59	3.72	L 64.13	3.56	3.70
L 58.04	11.43	11.47	L 61.73	11.43	11.47
L 57.66	13.75	13.78	L 61.30	13.75	13.78
L 56.30	45.83	45.84	L 60.53	29.07	29.09
L 55.00	69.03	69.03	L 59.44	69.03	69.03
L 49.13	34.50	34.52	L 52.95	27.53	27.55
L 49.13	HORIZON	HORIZON	L 52.95	HORIZON	HORIZON
L 39.02	HORIZON	HORIZON	L 41.36	HORIZON	HORIZON
L 40.00	HORIZON*	HORIZON*	L 42.27	92.41	92.41
L 40.00	22.90	22.92	L 42.27	34.50	34.52
L 25.00	10.56	10.61	L 30.00	10.56	10.61
L 15.00	10.56	10.61	L 19.22	10.56	10.61
L 17.95	HORIZON	HORIZON	L 20.00	13.75	13.78
L 16.05	HORIZON	HORIZON	L 21.97	HORIZON	HORIZON
L 14.13	14.48	14.52	L 20.00	HORIZON	HORIZON
L 14.13	45.83	45.84	L 18.40	42.43	42.44
L 8.86	45.83	45.84	L 15.45	42.43	42.44
L 8.03	15.26	15.29	L 13.40	42.43	42.44
L 7.72	11.43	11.47	L 12.60	15.26	15.29
L 7.04	9.13	9.18	L 12.39	11.43	11.47
R 6.08	9.13	9.18	L 11.84	9.13	9.18
R 7.60	5.34	5.44	R 2.44	9.13	9.18
R 13.04	5.34	5.44	R 2.44	5.45	5.54
R 15.44	11.43	11.47	R 10.00	5.45	5.54
R 16.18	18.34	18.37	R 10.99	11.43	11.47
R 17.50	HORIZON	HORIZON	R 11.63	19.67	19.70
R 14.66	5.34	5.44	R 12.46	HORIZON	HORIZON
R 21.85	3.73	3.86	R 16.36	3.73	3.86
R 28.75	2.89	3.06	R 23.15	2.81	2.98
R 30.00	2.46	2.65	R 24.55	2.43	2.63
R 48.14	1.68	1.96	R 41.11	1.67	1.95

*DEPRESSION ANGLE LESS THAN 0.54 DEGREES,
BUT NOT 0.00 DEGREES (TRUE HORIZON).

.....CONTINUED

.....CONTINUED

GROUND VISIBILITY PLOT - TABLLAR DATA

A-1E COPILOT, AIRCRAFT LEVEL

LEFT EYE			RIGHT EYE		
HCRIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)	HORIZENTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)
R 47.50	2.75	2.92	R 41.33	2.14	2.37
R 46.92	3.61	3.75	R 40.00	3.73	3.86
R 42.17	3.07	3.23	R 38.47	7.59	7.66
R 40.00	3.73	3.86	R 39.07	3.73	3.86
R 40.00	11.43	11.47	R 35.00	3.06	3.22
R 39.45	14.48	14.52	R 33.12	3.13	3.29
R 38.04	HORIZON	HORIZON	R 32.34	3.73	3.86
R 53.75	HORIZON	HORIZON	R 31.91	5.67	5.76
R 54.19	14.58	15.01	R 31.11	11.43	11.47
R 54.41	11.43	11.47	R 30.74	15.26	15.29
R 55.00	5.67	5.76	R 30.00	HORIZON	HORIZON
R 55.21	4.70	4.81	R 46.33	HORIZON	HORIZON
R 60.00	3.54	3.68	R 47.06	15.26	15.29
R 61.61	2.52	2.71	R 47.39	11.43	11.47
R 60.90	2.14	2.37	R 48.04	5.67	5.76
R 58.26	1.85	2.11	R 48.04	4.69	4.79
R 59.34	2.14	2.37	R 51.77	3.73	3.86
R 60.00	2.52	2.71	R 52.77	2.55	2.74
R 58.57	3.37	3.51	R 51.95	1.76	2.02
R 55.00	3.92	4.05	R 48.47	3.93	4.05
R 55.96	2.14	2.37	R 48.91	2.14	2.37
R 58.36	1.85	2.10	R 50.41	1.85	2.11
R 84.34	1.48	1.78	R 52.39	2.57	2.76
R 86.81	1.94	2.18	R 50.66	3.45	3.59
R 79.41	2.02	2.26	R 82.17	1.43	1.74
R 79.66	2.11	2.34	R 85.45	1.96	2.20
R 87.44	2.03	2.26	R 77.55	2.05	2.28
R 88.55	2.37	2.57	R 77.66	2.11	2.34
R 82.28	2.46	2.65	R 86.11	2.03	2.27
R 82.38	2.52	2.72	R 87.44	2.37	2.57
R 88.88	2.50	2.69	R 80.86	2.43	2.63
R 90.00	2.75	2.92	R 80.86	2.55	2.74
R 91.08	3.73	3.86	R 87.77	2.49	2.68
R 92.50	5.67	5.76	R 88.55	2.75	2.92
R 95.00	7.37	7.43	R 90.31	3.73	3.86

.....CONTINUED

.....CONTINUED

GROUND VISIBILITY PLOT - TABULAR DATA

A-1E COPILOT, AIRCRAFT LEVEL

LEFT EYE			RIGHT EYE		
HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)	HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)
R 97.82	7.37	7.43	R 92.60	5.67	5.76
R 100.00	7.30	7.37	R 95.00	6.95	7.02
R 105.00	6.27	6.35	R 97.22	7.10	7.17
R 110.00	4.40	4.51	R 100.00	6.83	6.90
R 115.00	3.46	3.60	R 105.00	6.20	6.28
R 120.00	2.75	2.92	R 110.00	4.40	4.51
R 123.33	1.93	2.18	R 120.90	2.75	2.92
R 135.00	2.10	2.32	R 130.00	2.08	2.31
R 135.00	3.73	3.86	R 130.00	3.73	3.86
R 137.37	11.43	11.47	R 131.22	11.43	11.47
R 137.66	16.16	16.19	R 131.63	16.16	16.19
R 139.00	HORIZON	HORIZON	R 132.50	HORIZON	HORIZON

Table 23. GROUND VISIBILITY PLOT - TABULAR DATA

A-7A PILOT, AIRCRAFT LEVEL

LEFT EYE			RIGHT EYE		
HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)	HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)
L 140.80	HORIZON	HORIZON	L 143.30	HORIZON	HORIZON
L 133.97	14.98	15.01	L 143.50	15.26	15.29
L 132.24	11.43	11.47	L 141.55	11.43	11.47
L 128.02	5.67	5.76	L 137.33	5.67	5.76
L 124.28	3.34	3.49	L 135.80	3.99	4.12
L 125.80	2.43	2.63	L 130.00	3.10	3.26
L 117.90	1.48	1.79	L 134.26	2.99	3.16
L 95.80	1.13	1.51	L 125.80	1.49	1.79
L 54.43	1.19	1.55	L 100.80	1.11	1.49
L 48.41	1.43	1.74	L 61.70	1.19	1.55
L 43.26	2.14	2.37	L 54.89	1.43	1.74
L 38.98	5.67	5.76	L 48.77	2.23	2.44
L 35.80	10.56	10.61	L 45.21	5.67	5.76
L 33.61	9.63	9.68	L 42.53	10.78	10.82
L 32.67	11.43	11.47	L 40.23	8.98	9.04
L 31.85	17.19	17.21	L 39.43	11.43	11.47
L 29.13	HORIZON	HORIZON	L 38.59	16.16	16.19
L 19.96	HORIZON	HORIZON	L 35.80	HORIZON	HORIZON
L 23.98	16.49	16.52	L 25.80	HORIZON	HORIZON
L 25.34	11.43	11.47	L 30.80	14.44	14.48
L 29.20	5.67	5.76	L 31.42	11.43	11.47
L 34.78	2.75	2.92	L 35.24	5.67	5.76
L 40.04	1.33	1.67	L 42.30	2.14	2.37
L 16.75	2.28	2.49	L 46.59	1.32	1.65
L 17.58	2.49	2.68	L 21.25	2.25	2.47
L 6.14	3.17	3.32	L 22.16	2.50	2.69
L 10.80	5.67	5.76	L 8.98	3.13	3.29
L 12.16	7.59	7.66	L 13.79	5.67	5.76
L 11.91	11.43	11.47	L 17.10	7.71	7.77
L 12.35	17.19	17.21	L 16.75	11.43	11.47
L 11.83	HORIZON	HORIZON	L 16.51	14.98	15.01
L 6.93	HORIZON	HORIZON	L 16.27	HORIZON	HORIZON
L 7.31	16.16	16.19	L 11.83	HORIZON	HORIZON
L 7.61	11.43	11.47	L 12.35	17.19	17.21
L 7.27	5.67	5.76	L 11.91	11.43	11.47

.....CONTINUED

.....CONTINUED

GROUND VISIBILITY PLOT - TABULAR DATA

A-7A PILC1, AIRCRAFT LEVEL

LEFT EYE			RIGHT EYE		
HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)	HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)
L 5.80	3.73	3.86	L 10.80	5.67	5.76
L 2.54	3.06	3.22	L 8.24	3.73	3.86
L 1.73	4.34	4.45	L 6.14	3.06	3.22
L 1.73	5.92	6.01	L 7.48	4.34	4.45
L 2.66	5.92	6.01	L 7.48	5.92	6.01
L 2.61	11.43	11.47	L 8.36	5.92	6.01
L 2.39	12.30	12.34	L 8.36	11.43	11.47
L 2.73	16.68	16.71	L 8.14	13.30	13.34
L 1.55	11.43	11.47	L 8.48	16.68	16.71
L 1.55	15.26	15.29	L 7.30	11.43	11.47
L 1.55	26.27	26.29	L 7.30	15.26	15.29
L 1.55	HORIZON	HORIZON	L 7.30	26.27	26.29
R 6.16	HORIZON	HORIZON	L 7.30	HORIZON	HORIZON
R 6.16	11.43	11.47	R 1.01	HORIZON	HORIZON
R 6.24	21.20	21.23	R 1.01	21.20	21.23
R 7.07	16.16	16.19	R 1.01	11.43	11.47
R 7.38	7.46	7.53	R 1.81	15.26	15.29
R 7.60	5.67	5.76	R 1.81	11.43	11.47
R 7.68	3.95	4.08	R 2.05	3.17	3.32
R 11.32	HORIZON	HORIZON	R 1.93	12.14	12.18
R 11.24	15.50	15.54	R 0.94	12.14	12.18
R 11.01	11.43	11.47	R 0.74	3.06	3.22
R 9.65	5.67	5.76	R 0.	9.29	9.35
R 6.32	3.48	3.62	R 6.01	HORIZON	HORIZON
R 4.20	3.21	3.36	R 7.10	16.16	16.19
R 22.58	HORIZON	HORIZON	R 7.38	11.43	11.47
R 22.58	11.43	11.47	R 6.47	5.67	5.76
R 15.10	11.43	11.47	R 4.20	3.73	3.86
R 13.59	5.67	5.76	R 16.77	HORIZON	HORIZON
R 10.56	3.73	3.86	R 16.77	11.43	11.47
R 8.06	3.17	3.32	R 11.01	11.43	11.47
R 20.08	2.50	2.69	R 9.65	5.67	5.76
R 19.20	2.37	2.57	R 7.77	3.95	4.08
R 29.20	1.73	2.00	R 4.50	3.21	3.36
R 46.24	1.25	1.60	R 15.41	2.48	2.67

.....CONTINUED

.....CONTINUED

GROUND VISIBILITY PLOT - TABULAR DATA

A-7A PILOT, AIRCRAFT LEVEL

LEFT EYE			RIGHT EYE		
HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)	HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)
R 42.48	2.14	2.37	R 14.54	2.37	2.57
R 34.20	5.67	5.76	R 24.20	1.73	2.00
R 31.01	11.43	11.47	R 29.20	1.25	1.60
R 29.20	19.67	19.70	R 36.92	1.99	2.23
R 25.56	HORIZON	HORIZON	R 28.63	5.67	5.76
R 35.56	HORIZON	HORIZON	R 25.10	11.43	11.47
R 38.29	17.19	17.21	R 24.20	14.23	14.26
R 39.20	11.43	11.47	R 19.75	HORIZON	HORIZON
R 40.13	8.94	9.00	R 29.20	HORIZON	HORIZON
R 41.30	10.56	10.61	R 31.92	17.19	17.21
R 42.79	10.16	10.21	R 32.95	11.43	11.47
R 45.10	5.67	5.76	R 33.74	9.79	9.84
R 48.06	2.75	2.92	R 34.65	10.56	10.61
R 48.29	2.14	2.37	R 35.79	10.56	10.61
R 50.79	1.73	2.00	R 38.51	5.67	5.76
R 59.20	1.28	1.63	R 41.30	2.75	2.92
R 76.47	1.08	1.47	R 34.20	1.73	2.00
R 99.20	1.11	1.49	R 47.83	1.43	1.74
R 124.20	1.51	1.81	R 54.20	1.19	1.55
R 130.74	2.46	2.65	R 76.47	1.07	1.47
R 130.79	2.75	2.92	R 94.20	1.13	1.51
R 133.69	5.67	5.76	R 115.45	1.45	1.76
R 137.38	11.43	11.47	R 122.83	2.35	2.56
R 139.20	17.45	17.48	R 121.92	2.75	2.92
R 144.20	HORIZON	HORIZON	R 125.66	5.67	5.76
			R 135.13	HORIZON	HORIZON
			R 125.13	0.	0.

Table 24. GROUND VISIBILITY PLOT - TABULAR DATA

A-26A PILCT, AIRCRAFT LEVEL

LEFT EYE			RIGHT EYE		
HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)	HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)
L 131.56	HORIZON	HORIZON	L 140.78	40.63	40.64
L 130.97	49.81	49.82	L 125.04	59.68	59.68
L 125.04	59.68	59.68	L 120.04	HORIZON*	HORIZON*
L 120.04	HORIZON*	HORIZON*	L 117.39	HORIZON	HORIZON
L 117.39	HORIZON	HORIZON	L 93.74	HORIZON	HORIZON
L 93.46	HORIZON	HORIZON	L 99.17	HORIZON*	HORIZON*
L 99.17	HORIZON*	HORIZON*	L 100.68	42.43	42.44
L 100.60	44.75	44.77	L 80.04	37.20	37.21
L 80.04	37.20	37.21	L 70.04	27.94	27.95
L 70.04	27.14	27.16	L 65.04	16.54	16.57
L 65.04	19.40	19.43	L 63.74	14.16	14.19
L 63.14	16.54	16.57	L 62.21	11.43	11.47
L 61.25	11.43	11.47	L 60.04	4.84	4.94
L 58.46	4.76	4.86	L 51.07	4.09	4.21
L 50.63	4.22	4.34	L 49.81	3.68	3.81
L 48.98	3.65	3.78	L 50.48	3.27	3.42
L 50.04	3.10	3.26	L 57.91	2.51	2.70
L 56.69	2.50	2.69	L 59.23	2.05	2.28
L 57.90	2.03	2.26	L 62.32	1.73	2.00
L 60.59	1.73	2.00	L 65.04	1.63	1.91
L 65.04	1.58	1.87	L 70.04	1.50	1.81
L 70.04	1.50	1.80	L 80.04	1.40	1.72
L 80.04	1.40	1.72	L 86.58	1.38	1.70
L 85.04	1.39	1.71	L 96.22	1.27	1.62
L 94.43	1.27	1.61	L 96.66	1.43	1.74
L 94.43	1.43	1.74	L 100.04	1.41	1.73
L 100.04	1.43	1.74	L 109.82	1.47	1.78
L 110.04	1.47	1.78	L 137.18	1.97	2.21
L 127.77	1.76	2.02	L 135.04	1.35	1.68
L 126.25	1.35	1.68	L 126.11	0.96	1.39
L 115.81	0.96	1.39	L 105.04	0.79	1.28
L 105.04	0.86	1.32	L 90.04	0.79	1.27
L 90.04	0.79	1.27	L 70.04	0.92	1.36
L 70.04	0.82	1.29	L 54.89	1.08	1.47
L 55.04	0.94	1.38	L 44.24	1.38	1.70

*DEPRESSION ANGLE LESS THAN 0.54 DEGREES,
BUT NOT 0.00 DEGREES (TRUE HORIZON).

.....CONTINUED

.....CONTINUED

GROUND VISIBILITY PLOT - TABULAR DATA

A-26A PILCT, AIRCRAFT LEVEL

LEFT EYE			RIGHT EYE		
HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)	HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)
L 37.10	1.38	1.70	L 38.23	1.99	2.23
L 32.26	2.00	2.24	L 36.05	3.73	3.86
L 28.57	5.67	5.76	L 35.26	5.67	5.76
L 28.02	11.43	11.47	L 34.67	11.43	11.47
L 27.68	15.26	15.29	L 34.31	14.86	14.89
L 27.13	HORIZON	HORIZON	L 33.79	HORIZON	HORIZON
L 20.04	HORIZON	HORIZON	L 26.14	HORIZON	HORIZON
L 20.75	14.90	14.93	L 27.03	15.68	15.71
L 21.00	11.43	11.47	L 27.25	11.43	11.47
L 22.18	5.67	5.76	L 28.43	5.67	5.76
L 25.04	2.44	2.64	L 32.25	2.00	2.24
L 26.12	1.89	2.14	L 32.25	1.82	2.08
L 23.03	2.19	2.40	L 27.91	2.14	2.37
L 23.46	2.35	2.56	L 28.35	18.29	18.31
L 20.04	2.44	2.64	L 25.04	25.01	25.03
L 15.04	3.33	3.48	L 15.04	4.09	4.21
L 2.79	6.04	6.12	L 6.07	6.17	6.25
L 5.04	6.41	6.48	L 9.01	6.31	6.39
L 5.04	11.43	11.47	L 9.23	11.43	11.47
L 5.04	12.52	12.56	L 9.16	12.94	12.97
L 2.35	15.94	15.97	L 6.36	16.54	16.57
R 2.23	14.52	14.55	L 2.43	15.94	15.97
R 5.29	13.36	13.40	R 0.84	13.52	13.56
R 9.96	HORIZON	HORIZON	R 0.99	11.43	11.47
R 11.99	HORIZON	HORIZON	R 6.70	HORIZON	HORIZON
R 12.82	15.17	15.21	R 0.84	8.47	8.53
R 5.29	11.43	11.47	R 8.44	HORIZON	HORIZON
R 5.17	8.03	8.09	R 9.74	15.68	15.71
R 9.96	9.06	9.11	R 5.39	9.51	9.57
R 16.83	10.02	10.07	R 9.56	10.07	10.12
R 17.02	11.43	11.47	R 13.79	10.20	10.25
R 17.60	13.58	13.62	R 14.15	11.43	11.47
R 19.59	HORIZON	HORIZON	R 14.59	14.74	14.78
R 26.99	HORIZON	HORIZON	R 16.39	HORIZON	HORIZON
R 26.70	106.10	106.10	R 23.05	HORIZON	HORIZON

.....CONTINUED

.....CONTINUED

GROUND VISIBILITY PLOT - TABULAR DATA

A-26A PILOT, AIRCRAFT LEVEL

LEFT EYE			RIGHT EYE		
HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)	HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)
R 28.14	56.17	56.17	R 22.83	98.78	98.79
R 28.44	22.19	22.21	R 24.59	59.68	59.68
R 28.58	12.33	12.37	R 24.81	22.90	22.92
R 26.80	10.78	10.82	R 23.19	11.43	11.47
R 31.87	10.33	10.38	R 26.70	10.58	10.63
R 40.84	106.10	106.10	R 29.96	14.86	14.89
R 42.38	HORIZON	HORIZON	R 36.43	HORIZON*	HORIZON*
R 44.37	HORIZON	HORIZON	R 39.59	HORIZON	HORIZON
R 36.14	12.19	12.23	R 41.26	HORIZON	HORIZON
R 36.61	11.69	11.73	R 33.22	12.94	12.97
R 34.96	10.33	10.38	R 33.73	11.74	11.78
R 39.96	8.91	8.97	R 31.70	10.20	10.25
R 44.96	6.71	6.79	R 34.56	9.51	9.57
R 47.39	5.44	5.53	R 39.56	7.70	7.76
R 57.30	3.56	4.09	R 44.53	5.44	5.53
R 57.72	4.40	4.51	R 54.53	3.96	4.09
R 60.41	5.44	5.53	R 54.45	4.31	4.43
R 63.59	5.67	5.76	R 54.96	4.51	4.62
R 63.29	11.43	11.47	R 55.96	4.43	4.54
R 63.14	12.36	12.40	R 57.96	5.03	5.13
R 62.46	HORIZON	HORIZON	R 60.40	5.37	5.46

*DEPRESSION ANGLE LESS THAN 0.54 DEGREES,
BUT NOT 0.00 DEGREES (TRUE HORIZON).

Table 25. GROUND VISIBILITY PLOT - TABULAR DATA

A-26A COPILOT, AIRCRAFT LEVEL

LEFT EYE			RIGHT EYE		
HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)	HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)
L 59.09	29.22	29.24	L 62.06	HORIZON*	HORIZON*
L 60.00	8.50	8.56	L 62.79	10.66	10.70
L 60.44	5.65	5.74	L 63.19	5.70	5.79
L 58.18	5.07	5.17	L 58.08	4.87	4.97
L 56.36	4.53	4.64	L 57.42	4.10	4.22
L 54.43	4.53	4.64	L 45.00	6.31	6.39
L 54.54	4.10	4.22	L 45.00	9.25	9.30
L 41.88	6.46	6.54	L 46.25	9.25	9.30
L 41.77	9.25	9.30	L 46.92	10.66	10.70
L 43.11	9.25	9.30	L 46.92	14.52	14.55
L 44.00	10.66	10.70	L 45.42	18.77	18.79
L 43.97	15.38	15.41	L 42.50	20.97	20.99
L 39.54	20.52	20.54	L 40.00	17.03	17.06
L 37.27	17.03	17.06	L 38.52	13.92	13.95
L 35.68	13.92	13.95	L 37.00	11.76	11.80
L 33.90	11.76	11.80	L 40.00	11.76	11.80
L 36.96	11.76	11.80	L 40.00	9.25	9.30
L 37.35	9.26	9.32	L 30.00	10.66	10.70
L 30.00	10.66	10.70	L 25.00	10.94	10.99
L 23.11	10.94	10.99	L 26.76	15.85	15.88
L 25.00	22.72	22.74	L 30.00	HORIZON*	HORIZON*
L 25.00	HORIZON*	HORIZON*	L 22.05	HORIZON*	HORIZON*
L 18.80	HORIZON*	HORIZON*	L 20.00	14.37	14.41
L 16.95	12.27	12.31	L 19.26	10.66	10.70
L 16.30	10.27	10.32	L 13.97	28.92	28.94
L 10.00	9.47	9.52	L 40.00	18.71	18.73
L 5.00	8.54	8.60	L 7.95	13.05	13.09
L 10.00	24.47	24.49	L 7.35	10.66	10.70
L 6.59	13.62	13.65	L 5.73	8.50	8.56
L 5.00	10.66	10.70	L 3.52	8.19	8.25
R 1.84	6.34	6.42	R 5.00	4.57	4.68
R 5.00	5.47	5.56	R 10.00	3.41	3.55
R 10.00	4.24	4.36	R 15.00	2.50	2.69
R 15.00	3.20	3.35	R 17.97	2.11	2.33
R 24.20	1.96	2.20	R 15.57	3.64	3.77

*DEPRESSION ANGLE LESS THAN 0.54 DEGREES,
BUT NOT 0.00 DEGREES (TRUE HORIZON).

.....CONTINUED

.....CONTINUED

GROUND VISIBILITY PLOT - TABULAR DATA

A-26A COPILOT, AIRCRAFT LEVEL

LEFT EYE			RIGHT EYE		
HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)	HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)
R 21.55	3.64	3.77	R 13.19	10.66	10.70
R 19.28	10.66	10.70	R 12.79	13.92	13.95
R 18.75	14.98	15.01	R 11.76	HORIZON*	HORIZON*
R 17.97	HORIZON*	HORIZON*	R 17.99	HORIZON*	HORIZON*
R 25.00	HORIZON*	HORIZON*	R 18.82	14.98	15.01
R 26.19	13.92	13.95	R 21.63	43.40	43.41
R 27.35	27.94	27.95	R 25.00	41.21	41.22
R 30.00	57.29	57.30	R 30.00	5.47	5.56
R 33.33	57.29	57.30	R 36.88	2.11	2.33
R 35.00	18.77	18.79	R 48.11	1.04	1.44
R 36.10	10.66	10.70	R 50.00	0.75	1.25
R 39.49	5.47	5.56	R 21.77	13.62	13.65
R 47.64	2.11	2.33	R 21.11	10.66	10.70
R 57.38	1.20	1.56	R 21.66	5.47	5.56
R 60.86	1.14	1.52	R 27.06	1.71	1.98
R 61.30	0.76	1.25	R 45.00	0.88	1.33
R 29.34	14.05	14.09	R 43.93	0.99	1.40
R 28.40	10.66	10.70	R 31.11	2.11	2.33
R 28.33	7.10	7.17	R 24.69	5.47	5.56
R 28.76	5.47	5.56	R 23.18	10.66	10.70
R 30.00	3.64	3.77	R 65.00	0.61	1.17
R 31.95	1.56	2.20	R 100.00	0.60	1.17
R 50.00	0.99	1.40	R 130.00	0.89	1.34
R 56.05	0.88	1.33	R 145.00	1.39	1.71
R 55.60	0.99	1.40	R 132.71	1.85	2.10
R 50.00	1.16	1.53	R 110.00	1.45	1.76
R 40.00	2.11	2.33	R 93.18	1.34	1.67
R 33.18	5.47	5.56	R 93.18	1.24	1.59
R 31.17	10.66	10.70	R 85.86	1.34	1.67
R 65.00	0.71	1.22	R 70.00	1.46	1.77
R 90.00	0.57	1.15	R 60.00	1.71	1.98
R 130.00	0.72	1.23	R 55.81	2.48	2.68
R 153.18	1.36	1.69	R 51.17	2.92	3.09
R 135.00	1.91	2.15	R 48.23	3.64	3.77
R 110.00	1.45	1.76	R 51.84	4.24	4.36

*DEPRESSION ANGLE LESS THAN 0.54 DEGREES,
BUT NOT 0.00 DEGREES (TRUE HORIZON).

.....CONTINUED

.....CONTINUED

GROUND VISIBILITY PLOT - TABULAR DATA

A-26A COPILOT, AIRCRAFT LEVEL

LEFT EYE			RIGHT EYE		
HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)	HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)
R 93.18	1.34	1.67	R 57.44	4.70	4.80
R 93.18	1.24	1.59	R 60.43	10.66	10.70
R 85.85	1.34	1.67	R 60.85	13.02	13.06
R 70.00	1.45	1.76	R 65.00	17.29	17.32
R 60.00	1.64	2.10	R 70.00	26.27	26.29
R 56.97	2.50	2.69	R 80.00	30.30	30.32
R 51.42	3.05	3.21	R 90.00	30.30	30.32
R 49.49	3.64	3.77	R 100.00	30.30	30.32
R 51.92	4.24	4.36	R 97.97	HORIZON*	HORIZON*
R 59.09	4.74	4.85	R 93.97	HORIZON	HORIZON
R 62.00	10.66	10.70	R 118.66	HORIZON*	HORIZON*
R 62.71	12.82	12.86	R 125.00	40.63	40.64
R 65.00	18.77	18.79	R 145.00	35.58	35.59
R 70.00	26.64	26.65	R 150.00	23.18	23.20
R 80.00	30.30	30.32	R 155.00	10.66	10.70
R 50.00	34.93	34.94	R 156.52	10.14	10.19
R 100.00	33.69	33.71	R 156.92	13.21	13.24
R 97.91	HORIZON*	HORIZON*	R 157.55	HORIZON*	HORIZON*
R 93.97	HORIZON	HORIZON			
R 118.66	HORIZON*	HORIZON*			
R 125.00	43.40	43.41			
R 145.00	35.58	35.59			
R 150.00	24.16	24.18			
R 155.00	10.66	10.70			
R 160.00	9.25	9.30			
R 162.66	13.62	13.65			
R 163.55	HORIZON*	HORIZON*			

*DEPRESSION ANGLE LESS THAN 0.54 DEGREES,
BUT NOT 0.00 DEGREES (TRUE HORIZON).

Table 26. GROUND VISIBILITY PLOT - TABULAR DATA

C-123 COPILOT, AIRCRAFT LEVEL

LEFT EYE			RIGHT EYE		
HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)	HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)
L 68.30	HORIZON	HORIZON	L 70.70	HORIZON	HORIZON
L 67.43	14.19	14.23	L 69.61	13.95	13.99
L 67.00	11.43	11.47	L 69.39	11.43	11.47
L 66.36	7.30	7.37	L 68.45	7.30	7.37
L 60.70	6.17	6.25	L 63.30	6.17	6.25
L 58.52	6.77	6.84	L 60.91	6.94	7.01
L 57.87	8.64	8.70	L 60.19	8.47	8.53
L 58.45	11.43	11.47	L 60.70	11.43	11.47
L 58.96	13.95	13.99	L 61.42	14.19	14.23
L 60.70	HORIZON	HORIZON	L 63.52	HORIZON	HORIZON
L 31.78	HORIZON	HORIZON	L 36.00	HORIZON	HORIZON
L 32.14	42.75	42.76	L 36.38	40.63	40.64
L 33.45	26.27	26.29	L 37.97	27.14	27.16
L 33.60	17.89	17.91	L 37.97	18.64	18.67
L 37.97	18.64	18.67	L 42.27	19.88	19.90
L 37.82	HORIZON	HORIZON	L 42.19	HORIZON	HORIZON
L 57.87	HORIZON	HORIZON	L 60.70	HORIZON	HORIZON
L 56.35	14.41	14.44	L 58.93	14.19	14.23
L 55.70	11.43	11.47	L 58.34	11.43	11.47
L 53.56	5.96	6.04	L 57.70	8.83	8.89
L 45.78	5.03	5.13	L 55.98	5.87	5.96
L 45.70	5.67	5.76	L 49.55	4.91	5.01
L 44.55	5.91	6.00	L 49.34	5.71	5.80
L 44.26	4.96	5.06	L 47.98	5.91	6.00
L 36.75	4.59	4.70	L 28.05	7.30	7.37
L 25.12	7.43	7.50	L 39.48	4.59	4.70
L 30.91	6.22	6.30	L 33.60	6.22	6.30
L 39.48	4.59	4.70	L 41.39	4.73	4.83
L 22.98	4.13	4.25	L 25.70	4.22	4.34
L 25.70	11.43	11.47	L 29.23	11.43	11.47
L 26.36	14.19	14.23	L 29.52	14.19	14.23
L 27.68	HORIZON	HORIZON	L 30.70	HORIZON	HORIZON
L 23.09	14.90	14.93	L 27.68	HORIZON	HORIZON
L 23.98	HORIZON	HORIZON	L 26.28	14.41	14.44
L 22.70	11.43	11.47	L 25.70	11.43	11.47

.....CONTINUED

.....CONTINUED

GROUND VISIBILITY PLOT - TABULAR DATA

C-123 COPILOT, AIRCRAFT LEVEL

LEFT EYE			RIGHT EYE		
HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)	HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)
L 19.89	4.02	4.15	L 23.05	4.16	4.28
L 4.89	3.27	3.42	L 23.91	6.17	6.25
L 20.90	6.51	6.59	L 10.26	3.38	3.52
L 13.74	5.09	5.19	L 16.72	5.13	5.22
L 0.50	3.19	3.34	L 4.96	3.30	3.45
R 17.08	2.95	3.12	R 10.84	HORIZON	HORIZON
R 16.23	11.43	11.47	R 11.21	14.86	14.89
R 16.16	14.41	14.44	R 11.29	11.43	11.47
R 16.01	HORIZON	HORIZON	R 12.98	2.93	3.09
R 22.39	HORIZON	HORIZON	R 17.16	HORIZON	HORIZON
R 22.39	42.75	42.76	R 17.17	32.00	32.01
R 25.76	16.54	16.57	R 19.85	16.88	16.91
R 22.39	14.41	14.44	R 17.51	14.41	14.44
R 22.39	11.43	11.47	R 17.44	11.43	11.47
R 22.39	5.09	5.19	R 17.91	5.08	5.17
R 24.61	5.17	5.26	R 19.74	5.16	5.25
R 22.39	4.13	4.25	R 18.16	4.13	4.25
R 25.00	3.23	3.38	R 20.40	3.27	3.42
R 29.30	2.85	3.02	R 24.30	2.86	3.03
R 36.91	2.83	3.01	R 31.62	2.82	2.99
R 38.43	3.01	3.17	R 33.21	3.00	3.16
R 37.63	11.43	11.47	R 31.69	11.43	11.47
R 37.63	14.52	14.55	R 31.47	14.41	14.44
R 37.10	HORIZON	HORIZON	R 31.04	HORIZON	HORIZON
R 25.41	2.46	2.66	R 21.51	2.44	2.64
R 31.62	1.80	2.06	R 27.84	1.78	2.04
R 38.36	1.68	1.96	R 34.30	1.69	1.96
R 38.07	2.19	2.40	R 33.65	2.16	2.38
R 36.62	2.35	2.56	R 32.05	2.35	2.55
R 45.40	HORIZON	HORIZON	R 38.87	HORIZON	HORIZON
R 45.18	15.38	15.41	R 39.30	14.86	14.89
R 45.10	11.43	11.47	R 39.30	11.43	11.47
R 44.30	1.60	1.89	R 39.95	1.59	1.88
R 80.17	1.44	1.75	R 74.95	1.41	1.73
R 88.87	2.75	2.92	R 83.65	2.75	2.92

.....CONTINUED

.....CONTINUED

GROUND VISIBILITY PLOT - TABULAR DATA

C-123 COPILOT, AIRCRAFT LEVEL

LEFT EYE			RIGHT EYE		
HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)	HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)
R 95.82	11.43	11.47	R 89.74	11.43	11.47
R 96.33	13.52	13.56	R 90.18	14.86	14.89
R 97.56	45.83	45.84	R 91.07	49.81	49.82
R 96.91	HORIZON	HORIZON	R 90.62	HORIZON	HORIZON
R 105.92	HORIZON	HORIZON	R 99.73	HORIZON	HORIZON
R 104.60	14.86	14.89	R 97.83	14.86	14.89
R 104.30	11.43	11.47	R 97.16	11.43	11.47
R 99.89	2.75	2.92	R 93.17	2.75	2.92
R 95.60	1.63	1.91	R 89.73	1.59	1.88
R 117.12	2.21	2.42	R 113.01	2.14	2.37
R 125.47	5.67	5.76	R 122.20	5.67	5.76
R 126.80	10.58	10.63	R 123.79	11.43	11.47
R 123.06	19.88	19.90	R 123.07	19.88	19.90
R 122.56	40.63	40.64	R 122.63	42.43	42.44
R 114.30	40.63	40.64	R 114.30	37.20	37.21
R 110.38	55.62	55.63	R 110.44	55.62	55.63
R 109.30	HORIZON	HORIZON	R 109.30	HORIZON	HORIZON
R 102.67	9.51	9.57			
R 95.17	2.75	2.92			
R 96.47	2.75	2.92			
R 86.87	1.54	1.84			
R 94.30	1.61	1.90			

Table 27. GROUND VISIBILITY PLOT - TABULAR DATA

F-5A, AIRCRAFT LEVEL

LEFT EYE			RIGHT EYE		
HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)	HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)
L 124.10	3.08	3.24	L 142.89	HORIZON	HORIZON
L 120.60	3.25	3.40	L 141.64	16.68	16.71
L 116.65	2.68	2.86	L 141.23	11.43	11.47
L 137.18	HORIZON	HORIZON	L 140.32	6.94	7.01
L 136.07	18.34	18.37	L 134.11	5.67	5.76
L 135.52	11.43	11.47	L 128.10	5.14	5.24
L 134.11	5.67	5.76	L 123.10	4.55	4.66
L 128.10	5.14	5.24	L 117.22	3.57	3.71
L 123.10	4.55	4.66	L 123.10	3.41	3.55
L 120.52	4.91	5.01	L 128.10	3.63	3.77
L 118.10	4.63	4.73	L 124.62	2.66	2.84
L 115.01	3.73	3.86	L 108.10	2.14	2.37
L 110.70	2.46	2.65	L 93.10	1.96	2.20
L 93.10	2.06	2.29	L 78.10	1.93	2.18
L 78.10	1.93	2.18	L 58.10	2.14	2.37
L 58.10	2.05	2.28	L 45.06	2.50	2.69
L 41.52	2.42	2.62	L 41.14	3.48	3.62
L 34.12	5.67	5.76	L 39.40	5.67	5.76
L 31.18	11.43	11.47	L 36.93	11.43	11.47
L 30.45	16.16	16.19	L 35.97	16.49	16.52
L 28.68	HORIZON	HORIZON	L 33.32	HORIZON	HORIZON
L 18.10	HORIZON	HORIZON	L 21.15	HORIZON	HORIZON
L 19.43	26.27	26.29	L 20.32	104.17	104.17
L 21.50	15.85	15.88	L 21.30	25.01	25.03
L 22.54	11.43	11.47	L 24.13	25.01	25.03
L 25.54	5.67	5.76	L 25.31	37.44	37.45
L 28.10	3.45	3.59	L 26.93	16.49	16.52
L 26.76	2.85	3.02	L 27.95	11.43	11.47
L 23.10	3.54	3.68	L 30.89	5.67	5.76
L 18.10	3.98	4.10	L 32.81	3.73	3.86
L 13.10	4.44	4.55	L 30.53	2.95	3.11
L 2.23	5.67	5.76	L 27.55	3.50	3.64
L 3.87	5.03	5.13	L 23.10	3.95	4.08
L 0.28	5.01	5.11	L 18.10	4.48	4.59
L 1.90	6.34	6.42	L 13.10	4.65	4.76

.....CONTINUED

.....CONTINUED

GROUND VISIBILITY PLOT - TABULAR DATA

F-5A, AIRCRAFT LEVEL

LEFT EYE			RIGHT EYE		
HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)	HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)
L 1.75	8.39	8.44	L 8.10	4.70	4.81
L 1.09	8.39	8.44	L 5.75	5.05	5.15
L 2.71	11.43	11.47	L 7.22	6.34	6.42
L 2.56	16.16	16.19	L 7.07	8.39	8.44
L 1.91	17.19	17.21	L 6.41	8.39	8.44
L 1.40	17.89	17.91	L 8.03	11.43	11.47
L 2.56	HORIZON	HORIZON	L 7.88	16.16	16.19
L 1.84	HORIZON	HORIZON	L 7.23	17.19	17.21
R 8.12	HORIZON	HORIZON	L 6.72	17.89	17.91
R 7.45	HORIZON	HORIZON	L 7.88	HORIZON	HORIZON
R 8.12	19.08	19.11	L 7.16	HORIZON	HORIZON
R 7.45	19.08	19.11	R 2.76	HORIZON	HORIZON
R 8.12	11.43	11.47	R 2.09	HORIZON	HORIZON
R 7.45	11.43	11.47	R 2.76	19.08	19.11
R 8.12	5.67	5.76	R 2.09	19.08	19.11
R 6.39	5.67	5.76	R 3.85	11.43	11.47
R 6.20	5.01	5.11	R 2.09	11.43	11.47
R 8.44	4.82	4.92	R 3.85	5.67	5.76
R 11.90	4.74	4.84	R 1.03	5.67	5.76
R 18.75	4.44	4.55	R 0.47	5.05	5.15
R 23.82	4.18	4.30	R 4.04	5.05	5.15
R 28.42	3.42	3.57	R 11.90	4.55	4.66
R 30.52	2.96	3.13	R 16.90	4.20	4.31
R 33.85	2.84	3.01	R 21.90	3.73	3.86
R 30.95	5.67	5.76	R 24.54	3.02	3.18
R 28.20	11.43	11.47	R 28.64	2.78	2.95
R 27.33	14.74	14.78	R 25.87	5.67	5.76
R 24.43	HORIZON	HORIZON	R 23.12	11.43	11.47
R 20.20	HORIZON	HORIZON	R 22.22	16.83	16.86
R 19.75	18.77	18.79	R 18.53	HORIZON	HORIZON
R 14.25	18.95	18.98	R 13.15	HORIZON	HORIZON
R 13.47	HORIZON	HORIZON	R 14.12	19.60	19.63
R 34.29	HORIZON	HORIZON	R 8.50	18.29	18.31
R 36.68	17.19	17.21	R 8.20	HORIZON	HORIZON
R 37.47	11.43	11.47	R 27.63	HORIZON	HORIZON

.....CONTINUED

.....CONTINUED

GROUND VISIBILITY PLOT - TABULAR DATA

F-5A, AIRCRAFT LEVEL

LEFT EYE			RIGHT EYE		
HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)	HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)
R 39.79	5.67	5.76	R 30.16	16.16	16.19
R 40.95	3.73	3.86	R 31.10	11.43	11.47
R 40.05	3.26	3.41	R 33.33	5.67	5.76
R 40.59	2.75	2.92	R 34.61	3.73	3.86
R 56.90	2.22	2.44	R 34.04	3.37	3.51
R 71.90	2.05	2.28	R 35.04	2.75	2.92
R 91.90	2.00	2.24	R 56.90	2.12	2.35
R 116.90	2.45	2.64	R 71.90	1.98	2.22
R 138.36	3.73	3.86	R 91.90	2.09	2.32
R 135.74	4.59	4.69	R 116.90	2.75	2.92
R 121.90	4.12	4.24	R 132.97	3.73	3.86
R 126.90	3.61	3.75	R 133.63	4.20	4.31
R 121.90	3.50	3.64	R 131.90	4.12	4.24
R 120.11	3.71	3.84	R 126.90	3.61	3.75
R 121.90	4.59	4.69	R 121.90	3.50	3.64
R 126.90	5.20	5.29	R 120.11	3.71	3.84
R 131.90	5.67	5.76	R 121.90	4.59	4.69
R 136.90	6.48	6.56	R 126.90	5.20	5.29
R 140.32	7.25	7.32	R 131.90	5.67	5.76
R 141.31	11.43	11.47	R 134.43	5.76	5.84
R 141.75	17.19	17.21	R 135.37	11.43	11.47
R 142.86	HORIZON	HORIZON	R 135.77	15.42	15.45
			R 136.90	HORIZON	HORIZON
			R 136.90	0.	0.

Table 28. GROUND VISIBILITY PLOT - TABULAR DATA

F-5B FRONT, AIRCRAFT LEVEL

LEFT EYE			RIGHT EYE		
HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)	HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)
L 137.44	HORIZON	HORIZON	L 149.40	HORIZON	HORIZON
L 136.43	22.63	22.65	L 137.93	11.43	11.47
L 132.00	11.43	11.47	L 109.40	3.37	3.51
L 109.40	4.05	4.17	L 84.40	2.49	2.68
L 84.40	2.66	2.84	L 64.40	2.39	2.59
L 64.40	2.39	2.59	L 47.63	2.55	2.74
L 41.38	2.57	2.76	L 43.49	5.67	5.76
L 37.62	5.67	5.76	L 41.98	10.02	10.07
L 35.58	10.18	10.23	L 42.35	11.43	11.47
L 36.38	14.86	14.89	L 42.73	14.44	14.48
L 35.39	HORIZON	HORIZON	L 41.67	HORIZON	HORIZON
L 24.40	HORIZON	HORIZON	L 30.06	HORIZON	HORIZON
L 27.73	16.63	16.66	L 32.05	16.49	16.52
L 28.51	11.43	11.47	L 33.96	11.43	11.47
L 31.35	5.67	5.76	L 36.75	5.67	5.76
L 34.40	3.02	3.18	L 39.63	2.97	3.14
L 33.74	2.64	2.83	L 39.40	2.67	2.85
L 24.40	2.95	3.11	L 29.40	2.93	3.09
L 22.04	3.73	3.86	L 27.34	3.73	3.86
L 19.40	4.83	4.93	L 24.40	4.96	5.06
L 14.40	6.01	6.09	L 19.40	6.01	6.09
L 4.13	6.01	6.09	L 14.40	6.01	6.09
L 9.40	6.01	6.09	L 9.40	6.01	6.09
L 2.16	5.45	5.54	L 7.43	5.45	5.54
L 1.86	6.06	6.14	L 7.13	6.06	6.14
L 0.	5.32	5.41	L 5.08	5.32	5.41
L 0.49	6.06	6.14	L 5.76	6.06	6.14
L 1.25	7.32	7.39	L 6.52	7.32	7.39
L 1.18	9.56	9.61	L 6.45	9.56	9.61
L 0.49	9.56	9.61	L 5.76	9.56	9.61
L 1.86	11.43	11.47	L 7.13	11.43	11.47
L 0.49	14.30	14.33	L 5.76	14.30	14.33
L 1.71	22.90	22.92	L 6.45	22.90	22.92
L 0.49	22.90	22.92	L 5.76	22.90	22.92
L 1.71	HORIZON	HORIZON	L 6.98	HORIZON	HORIZON

.....CONTINUED

.....CONTINUED

GROUND VISIBILITY PLOT - TABULAR DATA

F-5B FRONT, AIRCRAFT LEVEL

LEFT EYE			RIGHT EYE		
HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)	HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)
L 1.18	HORIZON	HORIZON	L 6.45	HORIZON	HORIZON
R 7.60	HORIZON	HORIZON	R 2.12	HORIZON	HORIZON
R 7.60	19.27	19.30	R 1.32	19.27	19.30
R 6.78	19.27	19.30	R 2.12	19.27	19.30
R 7.93	11.43	11.47	R 1.47	11.43	11.47
R 6.63	11.43	11.47	R 2.56	11.43	11.47
R 7.71	5.92	6.00	R 1.47	5.92	6.00
R 6.34	5.92	6.00	R 2.48	5.92	6.00
R 5.60	5.24	5.34	R 0.38	5.24	5.34
R 10.60	6.01	6.09	R 10.60	6.01	6.09
R 15.60	6.01	6.09	R 15.60	6.01	6.09
R 20.60	6.28	6.36	R 20.60	4.76	4.86
R 25.60	4.82	4.92	R 25.60	3.02	3.18
R 30.60	2.99	3.16	R 35.17	2.69	2.87
R 40.60	2.68	2.86	R 33.93	3.73	3.86
R 37.07	5.67	5.76	R 31.69	5.67	5.76
R 34.34	11.43	11.47	R 28.91	11.43	11.47
R 30.60	HORIZON	HORIZON	R 27.81	15.85	15.88
R 41.92	HORIZON	HORIZON	R 25.60	HORIZON	HORIZON
R 42.53	21.20	21.23	R 35.38	HORIZON	HORIZON
R 42.36	14.59	14.63	R 36.05	16.93	16.96
R 42.14	11.43	11.47	R 35.90	11.43	11.47
R 44.71	5.67	5.76	R 38.33	5.67	5.76
R 48.57	2.75	2.92	R 40.78	2.70	2.88
R 65.60	2.48	2.68	R 65.60	2.48	2.67
R 85.60	2.59	2.78	R 85.60	2.78	2.95
R 110.60	3.56	3.70	R 110.60	4.22	4.34
R 130.60	6.35	6.43	R 132.13	11.43	11.47
R 140.60	13.78	13.82	R 135.60	16.16	16.19
R 142.63	18.40	18.43	R 140.38	HORIZON	HORIZON
R 146.46	HORIZON	HORIZON			

Table 29. GROUND VISIBILITY PLOT - TABULAR DATA

F-5B REAR, AIRCRAFT LEVEL

LEFT EYE			RIGHT EYE		
HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)	HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)
L 139.24	HORIZON	HORIZON	L 140.88	4.60	4.71
L 137.71	16.73	16.76	L 138.57	4.96	5.06
L 137.17	11.43	11.47	L 140.00	5.10	5.19
L 135.00	5.67	5.76	L 145.58	HORIZON	HORIZON
L 125.00	4.63	4.73	L 144.11	16.73	16.76
L 113.30	3.41	3.55	L 143.55	11.43	11.47
L 125.00	3.29	3.43	L 140.00	6.18	6.26
L 133.00	4.04	4.16	L 125.00	4.63	4.73
L 134.11	3.73	3.86	L 114.19	3.33	3.47
L 132.77	2.69	2.87	L 125.00	3.29	3.43
L 110.00	1.95	2.19	L 133.48	4.13	4.25
L 95.00	1.73	2.00	L 138.96	2.75	2.92
L 75.00	1.70	1.97	L 110.00	1.79	2.05
L 55.00	1.91	2.15	L 95.00	1.64	1.92
L 32.06	2.67	2.85	L 75.00	1.73	2.00
L 32.17	3.73	3.86	L 55.00	2.04	2.27
L 31.41	5.67	5.76	L 36.74	2.67	2.85
L 30.87	11.43	11.47	L 36.95	3.73	3.86
L 30.00	19.21	19.23	L 36.30	5.67	5.76
L 28.77	HORIZON	HORIZON	L 35.54	11.43	11.47
L 20.59	HORIZON	HORIZON	L 34.71	19.21	19.23
L 21.55	17.72	17.75	L 33.85	HORIZON	HORIZON
L 20.77	11.43	11.47	L 25.00	HORIZON	HORIZON
L 20.00	5.67	5.76	L 26.10	15.59	15.62
L 17.77	4.66	4.77	L 24.70	10.80	10.85
L 12.86	6.27	6.35	L 23.82	10.72	10.76
L 13.23	11.43	11.47	L 23.75	5.34	5.44
L 13.09	17.29	17.32	L 22.50	4.66	4.77
L 12.00	HORIZON	HORIZON	L 16.21	6.44	6.52
L 3.53	HORIZON	HORIZON	L 17.09	11.43	11.47
L 3.09	56.17	56.17	L 16.76	17.89	17.91
L 10.00	8.05	8.11	L 15.55	HORIZON	HORIZON
L 7.99	8.84	8.90	L 6.52	HORIZON	HORIZON
L 6.39	HORIZON	HORIZON	L 15.00	7.91	7.98
L 2.86	21.69	21.71	L 10.00	9.48	9.53

.....CONTINUED

.....CONTINUED

GROUND VISIBILITY PLOT - TABULAR DATA

F-5B REAR, AIRCRAFT LEVEL

LEFT EYE			RIGHT EYE		
HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)	HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)
L 0.	27.01	27.03	L 10.00	HORIZON	HORIZON
R 0.	27.01	27.03	L 9.24	14.02	14.05
R 3.18	28.92	28.94	L 8.80	11.43	11.47
R 5.00	21.69	21.71	L 7.50	12.56	12.60
R 8.20	14.02	14.05	L 6.01	16.73	16.76
R 9.30	11.43	11.47	L 2.82	26.03	26.05
R 9.71	15.59	15.62	L 0.	27.01	27.03
R 10.59	HORIZON	HORIZON	R 0.	27.01	27.03
R 13.25	9.13	9.18	R 3.09	22.63	22.65
R 18.55	6.50	6.57	R 6.10	13.42	13.46
R 18.85	8.05	8.11	R 6.32	17.89	17.91
R 20.00	9.56	9.61	R 6.65	HORIZON	HORIZON
R 21.33	9.29	9.35	R 8.31	9.29	9.35
R 22.66	7.82	7.88	R 15.44	5.79	5.88
R 24.15	6.66	6.73	R 15.00	6.95	7.02
R 26.30	5.67	5.76	R 15.22	7.89	7.96
R 26.09	3.98	4.10	R 16.11	9.34	9.39
R 26.30	11.43	11.47	R 17.55	9.13	9.18
R 26.63	20.52	20.54	R 20.00	6.91	6.98
R 25.98	HORIZON	HORIZON	R 20.74	6.01	6.10
R 34.45	HORIZON	HORIZON	R 18.44	4.79	4.89
R 35.88	15.26	15.29	R 21.33	9.13	9.18
R 36.10	11.43	11.47	R 21.66	20.82	20.84
R 37.06	5.67	5.76	R 20.77	HORIZON	HORIZON
R 37.79	3.73	3.86	R 29.46	HORIZON	HORIZON
R 37.76	2.75	2.92	R 31.19	11.43	11.47
R 65.00	1.98	2.22	R 32.39	5.67	5.76
R 95.00	1.79	2.05	R 32.75	3.73	3.86
R 120.00	2.14	2.37	R 32.82	2.75	2.92
R 138.77	2.91	3.08	R 65.00	1.85	2.11
R 132.98	4.37	4.48	R 95.00	1.85	2.11
R 130.00	3.89	4.02	R 120.00	2.38	2.58
R 120.00	3.37	3.51	R 132.23	2.87	3.04
R 113.09	3.51	3.65	R 132.98	4.37	4.48
R 120.00	4.47	4.58	R 130.00	3.89	4.02

.....CONTINUED

.....CONTINUED

GROUND VISIBILITY PLOT - TABULAR DATA

F-5B REAR, AIRCRAFT LEVEL

LEFT EYE			RIGHT EYE		
HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)	HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)
R 130.00	5.39	5.49	R 120.00	3.37	3.51
R 135.00	5.89	5.98	R 113.09	3.51	3.65
R 138.80	6.58	6.66	R 120.00	4.47	4.58
R 141.28	6.90	6.97	R 130.00	5.39	5.49
R 142.71	11.43	11.47	R 135.00	5.89	5.98
R 143.00	14.98	15.01	R 136.06	11.43	11.47
R 145.00	HORIZON	HORIZON	R 137.08	15.72	15.75
R 141.05	5.67	5.76	R 138.61	HORIZON	HORIZON
R 144.28	4.87	4.97			
R 138.33	5.14	5.24			

Table 30. GROUND VISIBILITY PLOT - TABLLAR DATA

F-105D, AIRCRAFT LEVEL

LEFT EYE			RIGHT EYE		
HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)	HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)
L 137.20	HORIZON	HORIZON	L 146.50	HORIZON	HORIZON
L 135.22	16.49	16.52	L 145.24	16.16	16.19
L 134.56	11.43	11.47	L 144.67	11.43	11.47
L 131.67	2.57	2.76	L 142.27	5.67	5.76
L 128.89	2.57	2.76	L 136.56	2.35	2.56
L 128.89	2.33	2.54	L 129.56	2.12	2.35
L 127.42	2.14	2.37	L 124.56	1.95	2.19
L 124.56	2.06	2.29	L 122.28	1.80	2.06
L 119.56	1.87	2.12	L 122.67	1.64	1.92
L 117.28	1.73	2.00	L 128.09	1.46	1.77
L 117.28	1.58	1.87	L 99.67	1.11	1.49
L 120.35	1.46	1.77	L 79.67	1.11	1.49
L 118.56	1.43	1.74	L 54.67	1.39	1.71
L 116.37	1.47	1.78	L 42.56	1.73	2.00
L 114.56	1.34	1.67	L 38.30	2.75	2.92
L 99.67	1.19	1.55	L 34.67	5.67	5.76
L 79.67	1.11	1.49	L 32.33	11.43	11.47
L 54.67	1.27	1.62	L 31.71	15.55	15.58
L 36.71	1.73	2.00	L 29.30	HORIZON	HORIZON
L 32.33	2.75	2.92	L 13.56	55.08	55.09
L 29.67	5.67	5.76	L 16.54	HORIZON	HORIZON
L 27.39	11.43	11.47	L 20.15	14.86	14.89
L 26.71	15.05	15.09	L 21.03	11.43	11.47
L 24.33	HORIZON	HORIZON	L 25.33	6.20	6.28
L 9.56	59.06	59.07	L 27.24	6.83	6.90
L 11.72	HORIZON	HORIZON	L 28.22	5.67	5.76
L 14.67	15.26	15.29	L 29.67	3.73	3.86
L 15.85	11.43	11.47	L 30.88	2.25	2.47
L 20.55	6.35	6.43	L 28.07	2.14	2.37
L 22.70	7.59	7.66	L 26.33	2.27	2.48
L 23.44	5.67	5.76	L 21.48	2.75	2.92
L 25.25	3.73	3.86	L 13.19	3.68	3.82
L 26.33	2.27	2.48	L 7.62	3.73	3.86
L 23.15	2.14	2.37	L 7.46	5.67	5.76
L 17.01	2.75	2.92	L 9.21	11.43	11.47

.....CONTINUED

.....CONTINUED

GROUND VISIBILITY PLOT - TABULAR DATA

F-1050, AIRCRAFT LEVEL

LEFT EYE			RIGHT EYE		
HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)	HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)
L 9.89	3.73	3.86	L 9.67	14.41	14.44
L 7.62	3.77	3.90	L 10.99	HORIZON	HORIZON
L 4.22	4.09	4.21	L 0.	4.40	4.51
L 6.26	11.43	11.47	L 1.00	4.40	4.51
L 6.48	14.48	14.52	L 1.00	6.20	6.28
L 7.67	HORIZON*	HORIZON*	L 2.33	6.20	6.28
L 8.00	HORIZON	HORIZON	L 2.33	4.40	4.51
L 0.	4.39	4.50	L 3.02	4.40	4.51
L 1.87	4.39	4.50	L 5.57	11.43	11.47
L 2.42	7.07	7.14	L 5.32	14.63	14.66
L 2.97	11.43	11.47	L 7.15	HORIZON	HORIZON
L 3.05	15.30	15.33	L 5.12	9.13	9.18
L 3.76	HORIZON	HORIZON	L 2.75	10.35	10.39
L 2.70	6.13	6.21	L 0.	10.35	10.39
L 2.20	9.13	9.18	R 0.	10.35	10.39
L 0.	10.35	10.39	R 2.46	9.13	9.18
R 0.	10.35	10.39	R 2.99	6.13	6.21
R 3.33	10.35	10.39	R 3.80	HORIZON	HORIZON
R 5.44	9.13	9.18	R 3.41	14.86	14.89
R 5.44	7.54	7.61	R 2.78	7.01	7.08
R 6.37	HORIZON	HORIZON	R 2.28	4.39	4.50
R 6.02	14.98	15.01	R 0.	4.39	4.50
R 5.68	11.43	11.47	R 7.91	HORIZON	HORIZON
R 4.09	4.40	4.51	R 7.79	15.72	15.75
R 2.28	4.40	4.51	R 6.73	11.43	11.47
R 2.28	6.20	6.28	R 4.89	4.13	4.25
R 1.05	6.20	6.28	R 7.88	4.13	4.25
R 1.05	4.40	4.51	R 8.23	3.73	3.86
R 0.	4.40	4.51	R 10.44	3.50	3.64
R 11.44	HORIZON	HORIZON	R 16.73	2.75	2.92
R 10.33	15.38	15.41	R 19.54	2.29	2.50
R 9.98	11.43	11.47	R 23.15	2.20	2.42
R 8.00	5.67	5.76	R 23.63	2.75	2.92
R 7.62	4.66	4.76	R 23.97	3.16	3.31
R 7.88	4.13	4.25	R 23.63	3.73	3.86

*DEPRESSION ANGLE LESS THAN 0.54 DEGREES,
BUT NOT 0.00 DEGREES (TRUE HORIZON).

.....CONTINUED

.....CONTINUED

GROUND VISIBILITY PLOT - TABULAR DATA

F-105D, AIRCRAFT LEVEL

LEFT EYE			RIGHT EYE		
HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)	HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)
R 11.23	4.13	4.25	R 22.80	4.51	4.62
R 11.77	3.73	3.86	R 21.90	5.67	5.76
R 13.44	3.67	3.80	R 20.88	7.01	7.08
R 21.63	2.75	2.92	R 17.71	11.43	11.47
R 23.88	2.25	2.47	R 16.50	16.16	16.19
R 27.17	2.25	2.46	R 13.61	HORIZON	HORIZON
R 28.37	2.52	2.72	R 12.66	HORIZON	HORIZON
R 28.52	3.35	3.49	R 23.57	HORIZON	HORIZON
R 28.44	3.73	3.86	R 26.17	14.34	14.37
R 25.44	7.20	7.27	R 26.92	11.43	11.47
R 22.50	11.43	11.47	R 29.02	5.67	5.76
R 21.30	15.26	15.29	R 30.63	3.73	3.86
R 18.12	HORIZON	HORIZON	R 31.84	2.75	2.92
R 17.06	HORIZON	HORIZON	R 33.51	2.14	2.37
R 28.80	HORIZON	HORIZON	R 36.21	1.73	2.00
R 31.08	16.16	16.19	R 50.33	1.28	1.63
R 31.80	11.43	11.47	R 65.44	1.08	1.47
R 24.42	5.67	5.76	R 89.63	1.00	1.41
R 36.19	3.73	3.86	R 112.60	1.19	1.55
R 38.56	2.14	2.37	R 120.44	1.34	1.67
R 42.37	1.73	2.00	R 125.44	3.73	3.86
R 50.33	1.48	1.78	R 129.46	11.43	11.47
R 65.33	1.19	1.55	R 130.44	15.85	15.88
R 90.33	1.06	1.46	R 134.20	HORIZON	HORIZON
R 125.33	1.26	1.61	R 122.88	1.38	1.71
R 133.08	1.43	1.74	R 126.61	3.73	3.86
R 135.46	1.55	1.85	R 131.40	11.43	11.47
R 136.46	1.58	1.87	R 132.39	14.98	15.01
R 130.44	1.57	1.86	R 135.44	30.63	30.64
R 126.32	1.64	1.92	R 138.62	21.60	21.63
R 125.21	1.73	2.00	R 136.92	17.94	17.97
R 125.21	1.79	2.05	R 136.37	7.49	7.56
R 126.09	1.90	2.15	R 138.62	6.83	6.90
R 128.70	2.02	2.25	R 139.00	3.73	3.86
R 136.32	2.27	2.48	R 139.41	2.59	2.78

.....CONTINUED

.....CONTINUED

GROUND VISIBILITY PLOT - TABULAR DATA

F-105C, AIRCRAFT LEVEL

LEFT EYE			RIGHT EYE		
HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)	HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)
R 137.25	3.13	3.29	R 123.48	2.30	2.51
R 139.22	5.67	5.76	R 128.52	2.10	2.32
R 141.22	11.43	11.47	R 123.99	1.93	2.17
R 141.99	16.30	16.33	R 123.50	1.65	1.93
R 145.44	HORIZON	HORIZON	R 125.88	1.60	1.89

Table 31. GROUND VISIBILITY PLOT - TABULAR DATA

F-111A PILOT, AIRCRAFT LEVEL

LEFT EYE			RIGHT EYE		
HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)	HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)
L 125.65	HORIZON	HORIZON	L 136.56	HORIZON	HORIZON
L 125.65	15.85	15.88	L 134.72	15.26	15.29
L 125.65	11.43	11.47	L 134.14	11.43	11.47
L 122.87	5.67	5.76	L 122.92	2.41	2.61
L 112.68	2.31	2.52	L 90.65	1.56	1.85
L 90.65	1.67	1.95	L 70.65	1.51	1.81
L 70.65	1.51	1.81	L 53.65	1.61	1.90
L 45.65	1.64	1.92	L 51.20	1.73	2.00
L 43.19	1.73	2.00	L 38.53	5.67	5.76
L 29.84	5.67	5.76	L 34.97	11.43	11.47
L 26.64	11.43	11.47	L 34.59	15.26	15.29
L 25.65	15.72	15.75	L 31.67	HORIZON	HORIZON
L 23.00	HORIZON	HORIZON	L 12.43	HORIZON	HORIZON
L 3.78	HORIZON	HORIZON	L 16.68	15.26	15.29
L 7.63	16.49	16.52	L 17.97	11.43	11.47
L 9.22	11.43	11.47	L 22.52	5.67	5.76
L 14.50	5.67	5.76	L 37.81	1.58	1.87
L 30.06	1.73	2.00	L 28.85	1.81	2.07
L 15.65	2.26	2.47	L 16.68	2.99	3.16
L 10.95	2.78	2.95	L 16.64	3.73	3.86
L 11.09	3.73	3.86	L 9.25	3.99	4.12
L 9.49	3.73	3.86	L 15.65	3.73	3.86
L 9.52	2.99	3.16	L 0.65	4.04	4.16
L 5.88	3.84	3.96	L 14.90	3.53	3.67
L 3.30	3.99	4.12	L 7.20	3.88	4.01
L 2.62	4.42	4.53	L 12.30	3.84	3.96
L 3.58	6.29	6.37	L 9.22	5.67	5.76
L 2.67	7.19	7.26	L 7.74	5.67	5.76
L 0.	8.55	8.61	L 8.21	7.19	7.26
R 0.	8.55	8.61	L 5.65	8.55	8.61
R 5.35,	8.55	8.61	L 0.	8.55	8.61
R 8.05	7.01	7.08	R 0.	8.55	8.61
R 8.79	6.19	6.27	R 2.82	7.07	7.14
R 9.23	5.06	5.16	R 3.58	6.42	6.50
R 7.90	4.88	4.98	R 3.69	4.80	4.90

.....CONTINUED

.....CONTINUED

GROUND VISIBILITY PLOT - TABULAR DATA

F-111A PILOT, AIRCRAFT LEVEL

LEFT EYE			RIGHT EYE		
HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)	HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)
R 2.29	4.60	4.71	R 2.25	4.76	4.86
R 0.67	4.42	4.53	R 7.02	4.72	4.83
R 14.35	11.43	11.47	R 11.31	11.43	11.47
R 15.05	14.44	14.48	R 12.10	15.26	15.29
R 17.86	HORIZON	HORIZON	R 13.84	HORIZON	HORIZON
R 25.68	HORIZON	HORIZON	R 21.44	HORIZON	HORIZON
R 28.57	45.83	45.84	R 24.35	42.43	42.44
R 28.20	8.93	8.98	R 24.20	8.83	8.89
R 22.58	9.45	9.50	R 19.35	9.13	9.18
R 21.45	12.48	12.52	R 17.63	10.82	10.87
R 14.35	5.15	5.25	R 12.61	5.08	5.17
R 32.53	5.38	5.48	R 27.79	5.16	5.25
R 54.01	7.29	7.36	R 50.24	7.32	7.39
R 60.45	7.89	7.96	R 56.28	7.93	7.99
R 65.71	3.34	3.49	R 62.44	3.10	3.26
R 63.10	5.67	5.76	R 59.57	5.67	5.76
R 60.53	11.43	11.47	R 56.62	11.43	11.47
R 59.94	15.26	15.29	R 55.71	14.44	14.48
R 56.93	HORIZON	HORIZON	R 52.68	HORIZON	HORIZON

Table 32. GROUND VISIBILITY PLOT - TABULAR DATA

C-1A PILOT, AIRCRAFT LEVEL

LEFT EYE			RIGHT EYE		
HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)	HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)
L 155.91	85.51	85.52	L 158.72	89.52	89.53
L 157.18	17.19	17.21	L 160.25	17.56	17.58
L 157.18	11.43	11.47	L 160.31	11.43	11.47
L 158.12	5.67	5.76	L 161.14	5.67	5.76
L 158.27	3.10	3.26	L 161.90	3.46	3.60
L 151.93	2.14	2.37	L 159.63	2.75	2.92
L 144.63	1.64	1.92	L 149.63	1.67	1.95
L 142.51	5.67	5.76	L 147.71	5.67	5.76
L 142.13	11.43	11.47	L 147.23	11.43	11.47
L 141.90	15.68	15.71	L 147.02	16.54	16.57
L 141.74	59.68	59.68	L 146.83	64.37	64.38
L 114.63	29.83	29.85	L 136.44	45.83	45.84
L 131.85	42.43	42.44	L 114.63	29.83	29.85
L 133.63	21.28	21.31	L 138.26	20.89	20.92
L 134.30	11.43	11.47	L 139.32	11.43	11.47
L 134.63	5.67	5.76	L 134.63	5.67	5.76
L 139.63	1.13	1.51	L 144.63	1.13	1.51
L 104.63	0.72	1.23	L 104.63	0.69	1.21
L 91.67	0.69	1.21	L 91.67	0.69	1.21
L 68.98	0.74	1.25	L 73.88	0.76	1.26
L 73.25	1.06	1.46	L 76.90	1.04	1.44
L 82.06	5.67	5.76	L 84.26	5.67	5.76
L 82.85	11.43	11.47	L 84.63	11.43	11.47
L 83.48	14.86	14.89	L 84.78	14.90	14.93
L 83.48	22.90	22.92	L 84.92	21.28	21.31
L 99.63	26.27	26.29	L 99.63	26.27	26.29
L 80.18	23.86	23.88	L 81.85	14.90	14.93
L 79.96	15.26	15.29	L 81.40	11.43	11.47
L 79.63	11.43	11.47	L 80.72	5.67	5.76
L 78.61	5.67	5.76	L 70.46	1.08	1.47
L 67.04	1.09	1.48	L 66.36	0.82	1.30
L 62.02	0.79	1.28	L 61.36	0.89	1.34
L 53.72	0.90	1.34	L 65.26	1.19	1.55
L 57.92	1.19	1.55	L 66.33	1.73	2.00
L 59.63	1.73	2.00	L 65.62	2.75	2.92

.....CONTINUED

.....CONTINUED

GROUND VISIBILITY PLOT - TABULAR DATA

0-1A PILET, AIRCRAFT LEVEL

LEFT EYE			RIGHT EYE		
HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)	HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)
L 59.63	2.75	2.92	L 67.13	11.43	11.47
L 61.56	11.43	11.47	L 69.63	25.34	25.36
L 74.63	25.34	25.36	L 74.63	25.34	25.36
L 63.98	25.34	25.36	L 54.63	HORIZON	HORIZON
L 47.74	HORIZON	HORIZON	L 56.85	18.05	18.08
L 51.34	18.05	18.08	L 58.11	11.43	11.47
L 51.77	11.43	11.47	L 59.63	7.11	7.18
L 52.53	5.67	5.76	L 59.17	4.27	4.38
L 51.50	2.75	2.92	L 54.63	1.73	2.00
L 48.33	1.73	2.00	L 49.63	1.61	1.90
L 43.27	1.59	1.88	L 47.02	1.41	1.73
L 39.63	1.43	1.74	L 48.76	1.27	1.62
L 42.36	1.27	1.61	L 51.90	1.19	1.55
L 45.36	1.21	1.57	L 49.63	1.08	1.47
L 43.48	1.08	1.47	L 29.63	1.81	2.07
L 24.63	1.85	2.11	L 24.63	2.04	2.27
L 17.13	2.14	2.37	L 19.63	2.21	2.43
L 12.52	2.83	3.00	L 16.21	2.57	2.76
L 25.28	5.67	5.76	L 31.77	5.67	5.76
L 31.26	11.43	11.47	L 37.71	11.43	11.47
L 32.78	15.17	15.21	L 39.18	16.12	16.15
L 37.00	HORIZON	HORIZON	L 43.26	HORIZON	HORIZON
L 34.63	HORIZON	HORIZON	L 40.76	HORIZON	HORIZON
L 30.28	15.68	15.71	L 63.98	16.12	16.15
L 28.65	11.43	11.47	L 35.20	11.43	11.47
L 22.74	5.67	5.76	L 28.86	5.67	5.76
L 6.15	3.05	3.21	L 14.63	2.75	2.92
L 8.11	3.20	3.35	L 11.72	3.13	3.29
R 1.77	HORIZON	HORIZON	L 10.51	3.20	3.35
R 1.55	15.38	15.41	L 3.52	3.20	3.35
R 1.44	11.43	11.47	L 3.74	5.67	5.76
R 1.33	5.67	5.76	L 4.19	11.43	11.47
R 1.33	3.20	3.35	L 4.34	14.90	14.93
R 4.16	HORIZON	HORIZON	L 4.63	HORIZON	HORIZON
R 3.83	14.90	14.93	L 1.13	3.20	3.35

.....CONTINUED

.....CONTINUED

GROUND VISIBILITY PLOT - TABULAR DATA

O-1A PILOT, AIRCRAFT LEVEL

LEFT EYE			RIGHT EYE		
HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)	HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)
R 3.70	11.43	11.47	L 1.13	5.67	5.76
R 3.62	5.67	5.76	L 1.86	11.43	11.47
R 3.18	3.20	3.35	L 1.86	14.90	14.93
R 10.36	3.20	3.35	L 1.86	HORIZON	HORIZON
R 12.29	3.02	3.19	R 7.96	3.20	3.35
R 14.14	2.75	2.92	R 10.81	3.03	3.19
R 34.67	11.43	11.47	R 27.91	11.43	11.47
R 36.09	14.90	14.93	R 30.36	17.56	17.58
R 40.80	HORIZON	HORIZON	R 34.54	HORIZON	HORIZON
R 43.55	HORIZON	HORIZON	R 37.09	HORIZON	HORIZON
R 38.59	14.41	14.44	R 32.56	15.98	16.01
R 37.56	11.43	11.47	R 30.82	11.43	11.47
R 15.58	2.58	2.77	R 11.72	2.75	2.92
R 19.62	2.19	2.40	R 17.17	2.14	2.37
R 25.36	1.97	2.21	R 25.36	1.73	2.00
R 49.67	1.07	1.46	R 43.51	1.07	1.46
R 50.36	1.17	1.54	R 44.85	1.19	1.55
R 47.28	1.43	1.74	R 42.39	1.18	1.54
R 48.99	1.55	1.85	R 40.36	1.43	1.74
R 54.06	1.68	1.96	R 42.31	1.57	1.86
R 58.76	5.67	5.76	R 48.15	1.68	1.95
R 59.11	11.43	11.47	R 51.87	3.16	3.32
R 59.14	15.34	15.37	R 52.48	5.67	5.76
R 58.99	HORIZON	HORIZON	R 52.93	11.43	11.47
R 70.80	20.97	20.99	R 52.93	15.26	15.29
R 68.25	15.68	15.71	R 52.63	HORIZON	HORIZON
R 66.88	11.43	11.47	R 65.36	20.97	20.99
R 65.93	5.67	5.76	R 62.64	17.19	17.21
R 61.66	0.88	1.33	R 61.21	11.43	11.47
R 66.66	0.83	1.30	R 59.90	5.67	5.76
R 74.55	1.73	2.00	R 58.91	2.75	2.92
R 79.79	5.67	5.76	R 55.36	0.92	1.36
R 80.92	11.43	11.47	R 62.09	0.83	1.30
R 81.75	19.88	19.90	R 71.88	1.73	2.00
R 84.81	19.88	19.90	R 77.74	5.67	5.76

.....CONTINUED

.....CONTINUED

GROUND VISIBILITY PLOT - TABULAR DATA

C-1A PILOT, AIRCRAFT LEVEL

LEFT EYE			RIGHT EYE		
HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)	HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)
R 84.41	11.43	11.47	R 79.36	11.43	11.47
R 83.78	5.67	5.76	R 80.02	18.64	18.67
R 80.36	1.73	2.00	R 83.18	18.64	18.67
R 74.36	0.78	1.27	R 82.93	11.43	11.47
R 110.36	0.74	1.24	R 81.88	5.67	5.76
R 143.62	1.13	1.50	R 77.63	1.73	2.00
R 140.36	2.14	2.37	R 70.36	0.81	1.29
R 138.20	5.67	5.76	R 105.36	0.74	1.24
R 137.40	11.43	11.47	R 137.86	1.13	1.50
R 136.72	15.98	16.01	R 135.36	2.14	2.37
R 134.80	29.07	29.09	R 133.35	5.67	5.76
R 145.36	50.70	50.71	R 132.86	11.43	11.47
R 145.36	16.54	16.57	R 132.19	14.90	14.93
R 145.58	11.43	11.47	R 130.36	29.83	29.85
R 145.58	5.67	5.76	R 139.45	37.44	37.45
R 148.66	1.63	1.91	R 139.90	15.68	15.71
R 159.59	2.75	2.92	R 140.36	11.43	11.47
R 161.02	3.12	3.27	R 141.01	5.67	5.76
R 161.02	3.73	3.86	R 144.05	1.60	1.89
R 160.36	5.67	5.76	R 156.77	2.75	2.92
R 159.67	11.43	11.47	R 157.96	3.16	3.31
R 159.27	27.94	27.95	R 158.19	3.73	3.86
R 157.96	66.62	66.63	R 157.38	5.67	5.76
			R 155.36	HORIZON*	HORIZON*
			R 155.36	119.36	116.37

Table 33. GROUND VISIBILITY PLOT - TABULAR DATA

O-2 PILOT (EST.), AIRCRAFT LEVEL

LEFT EYE			RIGHT EYE		
HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)	HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)
L 116.68	1.73	2.00	L 124.50	0.80	1.28
L 115.87	1.19	1.56	L 134.06	1.03	1.44
L 114.06	0.75	1.25	L 127.50	1.61	1.90
L 126.50	0.77	1.27	L 128.53	3.20	3.35
L 130.77	1.00	1.41	L 129.70	2.75	2.92
L 119.06	1.52	1.82	L 134.06	1.73	2.00
L 120.07	2.64	2.83	L 141.03	1.19	1.56
L 117.58	3.47	3.61	L 144.06	1.04	1.44
L 126.23	2.75	2.92	L 144.20	1.19	1.56
L 136.18	1.73	2.00	L 146.55	1.09	1.48
L 136.92	1.19	1.56	L 151.55	1.28	1.62
L 139.06	1.09	1.48	L 153.32	1.43	1.74
L 144.06	1.28	1.62	L 154.20	1.73	2.00
L 146.03	1.43	1.74	L 154.63	2.14	2.37
L 146.92	1.73	2.00	L 155.08	2.75	2.92
L 147.37	2.14	2.37	L 155.52	3.73	3.86
L 147.81	2.75	2.92	L 156.08	5.67	5.76
L 148.06	3.73	3.86	L 156.55	6.35	6.43
L 148.80	5.67	5.76	L 156.08	8.05	8.11
L 149.06	6.35	6.43	L 155.77	10.81	10.68
L 148.80	8.05	8.11	L 149.06	10.75	10.79
L 148.50	10.81	10.86	L 144.06	8.37	8.40
L 144.06	10.81	10.86	L 139.06	7.28	7.35
L 139.06	10.81	10.86	L 134.06	6.41	6.49
L 137.82	10.81	10.86	L 129.06	5.93	6.01
L 137.15	9.13	9.19	L 89.06	17.00	17.03
L 134.06	8.05	8.11	L 94.06	14.79	14.83
L 129.06	7.19	7.26	L 99.06	13.40	13.44
L 121.77	6.05	6.13	L 104.06	12.43	12.47
L 69.06	16.67	16.70	L 109.06	11.43	11.47
L 74.06	15.19	15.22	L 114.06	10.78	10.83
L 79.06	13.89	13.93	L 117.69	10.52	10.57
L 84.06	13.62	12.61	L 120.09	8.18	8.24
L 89.06	12.03	12.08	L 117.92	6.95	7.02
L 94.06	11.74	11.79	L 118.30	5.67	5.76

.....CONTINUED

.....CONTINUED

GROUND VISIBILITY PLOT - TABULAR DATA

O-2 PILOT (EST.), AIRCRAFT LEVEL

LEFT EYE			RIGHT EYE		
HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)	HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)
L 99.06	HORIZON	HORIZON	L 122.92	2.52	2.72
L 104.06	10.55	10.56	L 122.69	1.43	1.74
L 109.06	10.11	10.16	L 120.42	0.76	1.26
L 109.94	10.29	10.34	L 102.83	0.72	1.23
L 108.29	5.33	5.43	L 67.66	0.75	1.25
L 110.76	5.59	5.68	L 59.06	0.77	1.26
L 112.24	3.99	4.12	L 53.00	0.84	1.30
L 112.92	3.05	3.21	L 51.44	0.92	1.36
L 112.58	2.14	2.37	L 50.87	1.00	1.41
L 111.85	1.43	1.74	L 52.69	2.14	2.37
L 109.06	0.74	1.25	L 53.26	3.73	3.86
L 89.06	0.73	1.24	L 54.06	8.56	8.62
L 56.93	0.75	1.25	L 55.65	15.26	15.29
L 44.06	0.84	1.30	L 58.26	30.63	30.64
L 42.49	0.91	1.35	L 60.79	55.09	55.09
L 41.74	1.00	1.41	L 69.91	27.53	27.55
L 43.36	3.73	3.86	L 41.14	HORIZON	HORIZON
L 43.45	6.77	6.84	L 41.18	19.08	19.11
L 45.14	13.39	13.43	L 41.66	9.51	9.57
L 46.63	27.53	27.55	L 42.03	4.19	4.31
L 49.06	41.51	41.52	L 41.24	1.73	2.00
L 54.06	38.19	38.20	L 41.29	1.07	1.46
L 30.58	HORIZON	HORIZON	L 40.93	1.02	1.43
L 30.81	18.95	18.98	L 39.06	1.04	1.44
L 30.93	9.25	9.30	L 23.03	1.90	2.14
L 32.10	4.31	4.43	L 22.92	2.27	2.48
L 31.33	1.73	2.00	L 21.24	2.51	2.70
L 32.43	1.03	1.44	L 20.27	2.75	2.92
L 22.61	1.51	1.81	L 16.90	3.12	3.28
L 17.72	2.05	2.28	L 5.65	4.79	4.89
L 17.72	2.26	2.47	L 0.	5.44	5.53
L 16.97	2.46	2.66	R 0.	5.78	5.86
L 15.08	2.75	2.92	R 5.94	6.42	6.50
L 12.62	3.12	3.28	R 10.94	6.66	6.73
L 4.06	4.59	4.70	R 16.38	6.64	6.72

.....CONTINUED

.....CONTINUED

GROUND VISIBILITY PLOT - TABULAR DATA

O-2 PILOT (EST.), AIRCRAFT LEVEL

LEFT EYE			RIGHT EYE		
HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)	HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)
L 0.	5.45	5.54	R 17.65	9.76	9.31
R 0.	5.44	5.53	R 18.93	18.34	18.37
R 4.49	6.28	6.36	R 20.49	HORIZON	HORIZON
R 8.33	6.60	6.68	R 23.51	HORIZON	HORIZON
R 13.53	6.60	6.68	R 22.98	55.08	55.09
R 20.28	6.50	6.57	R 23.66	19.67	19.70
R 22.27	11.43	11.47	R 23.60	11.43	11.47
R 24.57	51.61	51.62	R 24.80	9.98	10.03
R 27.87	61.60	61.61	R 25.92	7.83	7.89
R 28.66	18.95	18.98	R 25.33	6.12	6.20
R 28.57	11.43	11.47	R 35.94	5.91	6.00
R 30.03	10.56	10.61	R 41.49	5.03	5.13
R 30.94	8.65	8.71	R 49.76	4.84	4.95
R 30.94	6.95	7.02	R 51.52	4.29	4.40
R 30.59	5.93	6.01	R 52.04	3.73	3.86
R 40.94	5.67	5.76	R 50.35	2.94	3.11
R 44.34	5.08	5.18	R 55.94	2.40	2.60
R 52.57	4.94	5.04	R 63.00	2.14	2.37
R 54.69	4.56	4.67	R 64.63	2.18	2.40
R 55.49	4.13	4.25	R 65.94	2.40	2.60
R 55.49	3.73	3.86	R 67.49	5.67	5.76
R 53.38	2.93	3.09	R 67.78	9.51	9.57
R 65.94	2.14	2.37	R 67.89	19.08	19.11
R 67.46	2.14	2.37	R 68.00	HORIZON	HORIZON
R 68.65	2.26	2.47			
R 69.27	2.42	2.62			
R 71.23	5.67	5.76			
R 71.60	9.51	9.57			
R 71.96	19.08	19.11			
R 71.82	HORIZON	HORIZON			

Table 34. GROUND VISIBILITY PLOT - TABULAR DATA

OV-10A PILOT, AIRCRAFT LEVEL

LEFT EYE			RIGHT EYE		
HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)	HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)
L 126.98	HORIZON	HORIZON	L 128.33	HORIZON	HORIZON
L 125.83	41.51	41.52	L 127.13	39.50	39.52
L 125.46	16.49	16.52	L 126.81	15.26	15.29
L 123.30	11.43	11.47	L 124.31	11.43	11.47
L 120.01	8.34	8.40	L 121.14	7.64	7.70
L 117.76	5.67	5.76	L 118.88	5.67	5.76
L 122.97	4.13	4.25	L 123.19	4.29	4.41
L 130.63	3.73	3.86	L 128.88	3.92	4.05
L 126.70	2.75	2.92	L 136.85	1.33	1.66
L 124.90	1.73	2.00	L 108.88	0.79	1.27
L 124.74	1.17	1.54	L 81.38	0.64	1.19
L 108.88	0.90	1.35	L 54.88	0.89	1.34
L 81.38	0.77	1.26	L 52.99	2.75	2.92
L 48.03	0.89	1.34	L 51.40	5.67	5.76
L 47.62	1.30	1.64	L 50.29	11.43	11.47
L 47.20	2.75	2.92	L 49.97	16.49	16.52
L 45.70	5.67	5.76	L 48.87	HORIZON	HORIZON
L 44.68	11.43	11.47	L 47.82	HORIZON	HORIZON
L 44.28	17.19	17.21	L 48.08	16.68	16.71
L 43.87	HORIZON	HORIZON	L 48.35	11.43	11.47
L 42.27	HORIZON	HORIZON	L 49.34	5.67	5.76
L 42.87	17.19	17.21	L 49.82	3.98	4.10
L 43.20	11.43	11.47	L 48.45	5.67	5.76
L 43.87	6.13	6.21	L 47.54	11.43	11.47
L 42.31	11.43	11.47	L 46.99	16.30	16.33
L 41.83	17.19	17.21	L 46.05	HORIZON	HORIZON
L 40.64	HORIZON	HORIZON	L 38.87	HORIZON	HORIZON
L 33.07	HORIZON	HORIZON	L 40.42	16.83	16.86
L 34.77	16.49	16.52	L 40.98	11.43	11.47
L 35.50	11.43	11.47	L 42.96	5.67	5.76
L 37.12	5.67	5.76	L 45.12	2.75	2.92
L 39.53	2.75	2.92	L 47.72	1.30	1.64
L 39.77	0.93	1.36	L 47.51	0.98	1.40
L 28.20	1.29	1.64	L 45.74	0.92	1.36
L 26.09	2.14	2.37	L 32.34	1.29	1.64

.....CONTINUED

.....CONTINUED

GROUND VISIBILITY PLOT - TABULAR DATA

OV-10A PILCT, AIRCRAFT LEVEL

LEFT EYE			RIGHT EYE		
HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)	HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)
L 21.69	2.67	2.85	L 30.60	2.14	2.37
L 10.60	2.45	2.65	L 27.02	2.65	2.83
L 7.42	2.72	2.90	L 13.87	2.40	2.60
L 9.19	5.67	5.76	L 10.79	2.75	2.92
L 9.52	11.43	11.47	L 11.04	2.88	3.05
L 9.58	14.58	15.01	L 12.72	2.88	3.05
L 9.83	HORIZON	HORIZON	L 12.72	4.44	4.55
L 1.18	2.69	2.87	L 12.92	5.67	5.76
L 1.47	2.43	2.63	L 13.87	11.43	11.47
L 3.87	2.36	2.56	L 13.87	15.26	15.29
L 3.87	2.67	2.85	L 14.42	HORIZON	HORIZON
L 5.23	2.67	2.85	L 5.20	2.69	2.87
L 6.80	11.43	11.47	L 5.20	2.43	2.62
L 6.80	14.56	14.59	L 7.67	2.35	2.56
L 6.80	HORIZON	HORIZON	L 7.64	2.75	2.92
L 0.65	6.50	6.57	L 8.87	2.75	2.92
L 1.40	11.43	11.47	L 10.60	5.67	5.76
L 2.05	11.43	11.47	L 11.04	11.43	11.47
L 2.05	24.47	24.49	L 11.26	16.16	16.19
L 1.40	24.47	24.49	L 11.47	HORIZON	HORIZON
L 0.67	24.47	24.49	L 1.07	6.50	6.57
L 0.67	HORIZON	HORIZON	L 1.37	8.56	8.62
L 1.90	HORIZON	HORIZON	L 2.40	8.56	8.62
L 1.90	11.43	11.47	L 2.20	6.50	6.57
L 1.86	5.32	5.41	L 6.51	6.50	6.57
L 1.90	4.79	4.89	L 7.26	11.43	11.47
R 7.67	HORIZON	HORIZON	L 7.91	11.43	11.47
R 8.57	HORIZON	HORIZON	L 7.91	24.47	24.49
R 9.56	HORIZON	HORIZON	L 7.26	24.47	24.49
R 7.67	22.90	22.92	L 6.53	24.47	24.49
R 8.57	22.90	22.92	L 6.53	HORIZON	HORIZON
R 8.57	14.23	14.26	L 7.91	HORIZON	HORIZON
R 9.56	14.23	14.26	L 7.76	4.79	4.89
R 8.57	11.43	11.47	L 4.90	4.67	4.78
R 9.56	11.43	11.47	L 3.87	3.73	3.86

.....CONTINUED

.....CONTINUED

GROUND VISIBILITY PLOT - TABULAR DATA

OV-10A PILCT, AIRCRAFT LEVEL

LEFT EYE			RIGHT EYE		
HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)	HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)
R 9.56	8.30	8.36	L 2.45	3.53	3.66
R 10.28	6.86	6.93	L 0.93	3.73	3.86
R 8.66	6.44	6.52	L 0.60	4.72	4.82
R 9.85	5.67	5.76	R 1.99	HORIZON	HORIZON
R 6.81	6.44	6.52	R 2.89	HORIZON	HORIZON
R 2.86	6.44	6.52	R 3.88	HORIZON	HORIZON
R 2.14	6.44	6.52	R 1.99	22.90	22.92
R 2.83	8.51	8.57	R 2.89	22.90	22.92
R 1.98	8.51	8.57	R 2.89	14.23	14.26
R 0.56	4.67	4.78	R 3.88	14.23	14.26
R 7.38	4.76	4.86	R 2.89	11.43	11.47
R 7.67	5.50	5.59	R 3.88	11.43	11.47
R 6.13	4.73	4.83	R 3.88	8.30	8.36
R 5.10	3.73	3.86	R 4.60	6.86	6.93
R 3.77	3.51	3.65	R 2.98	6.44	6.52
R 2.15	3.73	3.86	R 4.17	5.67	5.76
R 1.35	4.67	4.78	R 0.12	4.72	4.82
R 12.28	HORIZON	HORIZON	R 1.13	6.44	6.52
R 11.70	14.86	14.89	R 1.99	5.50	5.59
R 12.42	11.43	11.47	R 1.70	4.76	4.86
R 10.13	5.67	5.76	R 7.45	HORIZON	HORIZON
R 9.90	4.59	4.70	R 7.45	15.72	15.75
R 9.24	3.09	3.25	R 7.35	11.43	11.47
R 7.30	2.45	2.65	R 6.46	5.67	5.76
R 6.47	2.45	2.65	R 4.21	2.69	2.87
R 5.47	2.45	2.65	R 3.52	2.44	2.64
R 0.48	2.69	2.87	R 1.56	2.44	2.64
R 5.49	2.67	2.85	R 1.13	2.69	2.87
R 1.84	2.86	3.03	R 11.13	HORIZON	HORIZON
R 1.56	3.09	3.25	R 11.13	16.59	16.62
R 16.13	HORIZON	HORIZON	R 11.05	11.43	11.47
R 15.15	15.26	15.29	R 10.10	5.67	5.76
R 14.89	11.43	11.47	R 7.38	2.45	2.65
R 13.95	5.67	5.76	R 8.52	2.33	2.53
R 11.05	2.45	2.64	R 21.13	2.52	2.72

.....CONTINUED

.....CONTINUED

GROUND VISIBILITY PLOT - TABULAR DATA

GV-10A PILOT, AIRCRAFT LEVEL

LEFT EYE			RIGHT EYE		
HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)	HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)
R 12.43	2.31	2.51	R 23.55	2.14	2.37
R 26.13	2.55	2.74	R 25.76	2.10	2.32
R 29.10	2.14	2.37	R 27.74	1.25	1.60
R 30.47	2.09	2.32	R 29.21	0.93	1.37
R 32.67	1.24	1.59	R 41.13	1.43	1.74
R 46.13	0.93	1.37	R 39.65	2.75	2.92
R 48.86	1.43	1.74	R 37.30	5.67	5.76
R 46.13	2.14	2.37	R 35.76	11.43	11.47
R 42.71	5.67	5.76	R 35.09	16.16	16.19
R 41.13	11.43	11.47	R 33.62	HORIZON	HORIZON
R 40.46	15.26	15.29	R 40.75	HORIZON	HORIZON
R 38.91	HORIZON	HORIZON	R 42.03	15.26	15.29
R 46.77	HORIZON	HORIZON	R 42.48	11.43	11.47
R 47.75	16.16	16.19	R 43.96	5.67	5.76
R 48.29	11.43	11.47	R 46.56	2.14	2.37
R 49.81	5.67	5.76	R 47.76	1.43	1.74
R 51.71	2.75	2.92	R 46.13	0.93	1.37
R 54.36	0.92	1.36	R 78.57	0.77	1.26
R 78.63	0.77	1.26	R 106.99	1.00	1.41
R 116.13	0.90	1.34	R 129.20	1.81	2.07
R 136.13	1.46	1.77	R 128.72	3.73	3.86
R 133.76	3.43	3.57	R 125.46	3.84	3.97
R 128.76	3.73	3.86	R 120.76	4.15	4.27
R 125.38	3.73	3.86	R 116.56	5.44	5.53
R 121.13	4.36	4.47	R 121.09	8.68	8.74
R 118.13	5.51	5.60	R 124.42	11.96	12.00
R 121.12	8.05	8.11	R 124.43	24.37	24.39
R 125.56	12.14	12.18	R 126.13	HORIZON	HORIZON
R 126.13	25.01	25.03			
R 127.13	HORIZON	HORIZON			

Table 35. GROUND VISIBILITY PLOT - TABULAR DATA

RF-4C FRONT, 20 DEGREES PITCH UP

LEFT EYE			RIGHT EYE		
HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)	HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)
L 119.57	76.03	76.04	L 134.59	29.30	29.32
L 118.67	15.83	15.86	L 133.84	11.76	11.80
L 117.76	8.81	8.87	L 133.08	7.33	7.40
L 116.84	6.08	6.17	L 132.32	5.31	5.40
L 115.90	4.63	4.74	L 131.54	4.14	4.26
L 115.45	3.68	3.81	L 130.19	3.01	3.17
L 114.77	3.23	3.38	L 104.28	2.54	2.73
L 100.20	3.09	3.25	L 88.08	2.60	2.79
L 78.95	3.21	3.36	L 72.77	2.80	2.97
L 59.08	3.57	3.71	L 58.70	3.34	3.48
L 45.43	4.47	4.58	L 45.42	4.46	4.57
L 36.53	13.80	13.84	L 43.59	4.83	4.93
L 36.80	6.08	6.17	L 34.93	15.07	15.10
L 36.53	13.80	13.84	L 42.52	10.26	10.31
L 29.71	20.72	20.74	L 34.93	15.07	15.10
L 29.00	7.38	7.45	L 34.47	6.45	6.53
L 18.16	16.31	16.34	L 23.02	12.32	12.36
L 18.25	54.46	54.47	L 23.45	33.09	33.10
R 25.28	28.51	28.53	L 23.48	74.78	74.79
R 25.23	11.27	11.32	R 20.16	44.66	44.67
R 34.17	6.50	6.57	R 20.33	24.03	24.05
R 34.95	15.05	15.08	R 20.28	13.14	13.17
R 41.93	HORIZON*	HORIZON*	R 22.25	11.06	11.11
R 42.54	10.25	10.30	R 26.55	7.82	7.89
R 43.24	5.18	5.28	R 28.49	6.86	6.93
R 39.72	5.05	5.14	R 29.52	20.99	21.01
R 44.11	4.51	4.62	R 36.63	13.73	13.76
R 53.00	3.75	3.88	R 37.20	6.02	6.11
R 71.49	2.88	3.04	R 39.72	5.05	5.14
R 86.61	2.62	2.81	R 44.20	4.63	4.74
R 102.69	2.53	2.72	R 48.68	4.24	4.35
R 119.69	2.69	2.87	R 53.21	3.93	4.05
R 130.57	2.99	3.15	R 57.81	3.67	3.81
R 131.14	3.38	3.52	R 62.58	3.52	3.66
R 131.91	4.11	4.23	R 72.38	3.28	3.43

*DEPRESSION ANGLE LESS THAN 0.54 DEGREES,
BUT NOT 0.00 DEGREES (TRUE HORIZON).

.....CONTINUED

.....CONTINUED

GROUND VISIBILITY PLOT - TABULAR DATA

RF-4C FRONT, 20 DEGREES PITCH UP

LEFT EYE			RIGHT EYE		
HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)	HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)
R 132.69	5.26	5.35	R 77.48	3.22	3.38
R 133.45	7.24	7.31	R 87.77	3.07	3.23
R 134.20	11.54	11.58	R 98.53	3.04	3.20
R 134.95	27.98	28.00	R 109.69	3.16	3.31

Table 36. GROUND VISIBILITY PLOT - TABULAR DATA

RF-4C FRONT, 17 DEGREES PITCH UP

LEFT EYE			RIGHT EYE		
HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)	HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)
L 118.80	26.37	26.39	L 133.98	20.60	20.63
L 118.03	11.27	11.31	L 133.34	10.00	10.05
L 117.24	7.14	7.21	L 132.69	6.58	6.66
L 116.45	5.21	5.30	L 132.03	4.88	4.99
L 116.16	4.04	4.16	L 130.90	3.39	3.53
L 115.57	3.50	3.64	L 105.40	2.64	2.83
L 101.13	3.20	3.35	L 89.23	2.59	2.78
L 79.88	3.10	3.26	L 73.82	2.67	2.85
L 59.84	3.24	3.39	L 59.51	3.04	3.20
L 45.96	3.81	3.94	L 45.95	3.80	3.93
L 39.75	4.20	4.32	L 44.06	4.05	4.17
L 37.14	4.82	4.92	L 43.06	4.84	4.94
L 36.70	8.71	8.76	L 42.76	7.33	7.39
L 30.51	HORIZON*	HORIZON*	L 34.94	49.78	49.79
L 29.82	10.64	10.69	L 35.08	9.13	9.18
L 29.23	5.48	5.57	L 34.77	5.01	5.11
L 18.24	8.97	9.03	L 23.14	7.70	7.76
L 18.29	14.66	14.70	L 23.51	12.75	12.79
L 18.04	22.71	22.74	L 23.53	16.27	16.30
R 18.50	HORIZON*	HORIZON*	L 23.05	26.04	26.06
R 23.02	21.37	21.39	L 20.88	82.97	82.98
R 25.35	12.11	12.15	R 13.67	HORIZON*	HORIZON*
R 25.37	7.32	7.39	R 18.24	20.96	20.99
R 34.47	5.04	5.14	R 20.21	13.95	13.99
R 35.11	9.12	9.17	R 20.40	11.00	11.04
R 34.55	52.92	52.93	R 20.39	7.95	8.02
R 41.98	22.93	22.95	R 22.38	7.17	7.24
R 42.77	7.32	7.39	R 26.76	5.69	5.78
R 43.68	4.30	4.41	R 28.74	5.18	5.27
R 40.14	4.16	4.28	R 29.62	10.70	10.75
R 44.61	3.82	3.95	R 28.99	HORIZON*	HORIZON*
R 53.68	3.33	3.48	R 36.25	41.39	41.40
R 72.51	2.73	2.91	R 36.80	8.68	8.74
R 87.76	2.60	2.79	R 37.55	4.78	4.89
R 103.83	2.63	2.81	R 40.14	4.16	4.28

*DEPRESSION ANGLE LESS THAN 0.54 DEGREES,
BUT NOT 0.00 DEGREES (TRUE HORIZON).

.....CONTINUED

.....CONTINUED

GROUND VISIBILITY PLOT - TABULAR DATA

RF-4C FRONT, 17 DEGREES PITCH UP

LEFT EYE			RIGHT EYE		
HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)	HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)
R 120.61	2.93	3.09	R 44.69	3.91	4.04
R 131.29	3.37	3.51	R 49.25	3.67	3.80
R 131.76	3.87	4.00	R 53.86	3.47	3.61
R 132.41	4.85	4.95	R 58.54	3.31	3.46
R 133.07	6.52	6.59	R 63.37	3.22	3.38
R 133.71	9.86	9.91	R 73.28	3.11	3.27
R 134.35	20.03	20.05	R 78.41	3.10	3.26

Table 37. GROUND VISIBILITY PLOT - TABULAR DATA

RF-4C FRCNT, 13 DEGREES PITCH LP

LEFT EYE			RIGHT EYE		
HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)	HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)
L 118.88	HORIZON*	HORIZON*	L 133.56	19.35	19.38
L 118.28	17.99	18.02	L 133.07	9.65	9.70
L 117.68	9.32	9.38	L 132.57	6.40	6.48
L 117.08	6.27	6.35	L 131.72	4.07	4.19
L 116.98	4.66	4.77	L 106.81	2.81	2.98
L 116.54	3.96	4.08	L 90.78	2.59	2.78
L 102.33	3.37	3.51	L 75.30	2.53	2.72
L 81.18	2.99	3.15	L 60.72	2.71	2.89
L 60.98	2.88	3.05	L 46.78	3.17	3.32
L 46.79	3.18	3.33	L 44.83	3.33	3.48
L 40.44	3.39	3.53	L 43.70	3.84	3.97
L 37.71	3.76	3.89	L 43.20	5.29	5.39
L 37.04	5.82	5.90	L 41.40	HORIZON*	HORIZON*
L 28.05	73.09	73.09	L 35.06	12.91	12.95
L 28.85	HORIZON*	HORIZON*	L 35.40	5.96	6.04
L 30.59	14.82	14.85	L 35.29	3.85	3.98
L 30.06	6.43	6.51	L 23.40	5.11	5.20
L 29.65	4.06	4.18	L 23.69	6.98	7.05
L 18.42	5.58	5.67	L 23.68	7.93	8.00
L 18.42	7.40	7.46	L 23.16	9.71	9.76
L 18.14	9.02	9.08	L 20.94	12.91	12.95
L 10.40	56.27	56.28	L 16.54	34.71	34.72
R 15.52	28.85	28.86	R 9.86	33.56	33.58
R 18.54	14.87	14.91	R 13.71	13.91	13.94
R 23.14	8.97	9.03	R 18.34	8.74	8.79
R 25.55	6.83	6.90	R 20.35	7.25	7.32
R 25.66	4.96	5.06	R 20.57	6.35	6.43
R 34.99	3.86	3.99	R 20.61	5.19	5.28
R 35.43	5.96	6.04	R 22.64	4.86	4.96
R 34.66	13.07	13.11	R 27.13	4.15	4.27
R 41.22	HORIZON*	HORIZON*	R 29.17	3.89	4.01
R 42.16	10.45	10.49	R 29.87	6.45	6.53
R 43.22	5.29	5.38	R 29.06	15.53	15.57
R 44.40	3.49	3.63	R 36.37	12.41	12.45
R 40.84	3.36	3.51	R 37.14	5.81	5.89

*DEPRESSION ANGLE LESS THAN 0.54 DEGREES,
BUT NOT 0.00 DEGREES (TRUE HORIZON).

.....CONTINUED

.....CONTINUED

GROUND VISIBILITY PLOT - TABULAR DATA

RF-4C FRONT, 13 DEGREES PITCH LP

LEFT EYE			RIGHT EYE		
HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)	HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)
R 45.43	3.17	3.33	R 38.13	3.74	3.87
R 54.73	2.90	3.06	R 40.84	3.36	3.51
R 73.96	2.57	2.76	R 45.49	3.24	3.39
R 89.30	2.59	2.77	R 50.16	3.11	3.26
R 105.26	2.77	2.95	R 54.87	3.01	3.17
R 121.72	3.31	3.46	R 59.65	2.93	3.09
R 132.10	4.05	4.17	R 64.55	2.91	3.07
R 132.46	4.78	4.89	R 74.56	2.91	3.08
R 132.95	6.36	6.43	R 79.70	2.97	3.13
R 133.44	9.55	9.60	R 90.07	3.04	3.20
R 133.94	18.95	18.98	R 100.73	3.26	3.41
R 134.42	HORIZON*	HORIZON*	R 111.61	3.71	3.84
			R 119.84	HORIZON*	HORIZON*
			R 119.84	131.56	131.57

*DEPRESSION ANGLE LESS THAN 0.54 DEGREES,
BUT NOT 0.00 DEGREES (TRUE HORIZON).

Table 38. GROUND VISIBILITY PLOT - TABULAR DATA

RF-4C FRONT, 10 DEGREES PITCH UP

LEFT EYE			RIGHT EYE		
HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)	HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)
L 118.40	32.59	32.60	L 133.63	64.42	64.43
L 117.94	12.10	12.15	L 133.25	14.80	14.83
L 117.47	7.41	7.48	L 132.87	8.33	8.39
L 117.52	5.28	5.37	L 132.22	4.79	4.89
L 117.18	4.39	4.50	L 107.81	2.95	3.12
L 103.18	3.52	3.66	L 91.93	2.60	2.79
L 82.18	2.91	3.08	L 76.48	2.44	2.63
L 61.93	2.66	2.84	L 61.73	2.52	2.71
L 47.53	2.82	2.99	L 47.52	2.82	2.99
L 41.06	2.95	3.12	L 45.51	2.93	3.10
L 38.25	3.22	3.37	L 44.29	3.32	3.47
L 37.39	4.65	4.75	L 43.63	4.37	4.49
L 35.11	31.08	31.10	L 41.45	22.56	22.58
L 28.22	HORIZON*	HORIZON*	L 33.47	34.11	34.13
L 27.11	40.55	40.57	L 35.23	8.29	8.35
L 28.10	16.68	16.71	L 35.73	4.72	4.82
L 28.89	18.55	18.57	L 35.79	3.27	3.42
L 30.73	8.86	8.91	L 23.67	4.06	4.18
L 30.33	4.95	5.05	L 23.89	5.20	5.29
L 30.06	3.39	3.54	L 23.86	5.71	5.80
L 18.62	4.33	4.44	L 23.31	6.58	6.66
L 18.57	5.37	5.46	L 21.05	7.88	7.95
L 18.27	6.19	6.27	L 16.58	12.63	12.67
L 10.42	14.41	14.45	L 15.48	HORIZON*	HORIZON*
R 15.13	HORIZON*	HORIZON*	R 8.79	HORIZON*	HORIZON*
R 15.56	11.72	11.76	R 5.52	25.68	25.70
R 18.63	8.52	8.58	R 5.89	12.26	12.30
R 23.30	6.23	6.31	R 13.78	8.11	8.17
R 25.77	5.13	5.22	R 18.47	6.06	6.14
R 25.96	3.98	4.11	R 20.52	5.31	5.40
R 35.48	3.28	3.43	R 20.77	4.81	4.91
R 35.76	4.72	4.82	R 20.84	4.10	4.22
R 34.83	8.34	8.40	R 22.91	3.89	4.02
R 33.40	34.25	34.26	R 27.50	3.44	3.58
R 41.27	22.74	22.77	R 29.59	3.26	3.41

*DEPRESSION ANGLE LESS THAN 0.54 DEGREES,
BUT NOT 0.00 DEGREES (TRUE HORIZON).

.....CONTINUED

.....CONTINUED

GROUND VISIBILITY PLOT - TABULAR DATA

RF-4C FRONT, 10 DEGREES PITCH UP

LEFT EYE			RIGHT EYE		
HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)	HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)
R 42.40	7.41	7.47	R 30.13	4.95	5.05
R 43.65	4.37	4.48	R 29.19	9.05	9.11
R 45.05	3.06	3.22	R 27.69	49.43	49.44
R 41.47	2.93	3.10	R 35.21	30.92	30.93
R 46.15	2.81	2.98	R 36.55	8.12	8.18
R 55.62	2.64	2.82	R 37.50	4.64	4.75
R 75.11	2.47	2.66	R 38.67	3.21	3.36
R 90.46	2.59	2.77	R 41.47	2.93	3.10
R 106.28	2.90	3.07	R 46.20	2.86	3.03
R 122.44	3.68	3.82	R 50.94	2.79	2.96
R 132.61	4.77	4.87	R 55.73	2.73	2.91
R 132.88	5.80	5.89	R 60.58	2.69	2.87
R 133.25	8.28	8.34	R 65.52	2.71	2.89
R 133.63	14.62	14.65	R 75.57	2.79	2.96
R 134.01	61.15	61.16	R 80.71	2.88	3.05

Table 39. GROUND VISIBILITY PLOT - TABULAR DATA

RF-4C FRONT, 7 DEGREES PITCH UP

LEFT EYE			RIGHT EYE		
HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)	HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)
L 118.44	HORIZON*	HORIZON*	L 133.36	31.69	31.71
L 118.12	17.28	17.31	L 132.10	11.92	11.96
L 117.80	9.06	9.12	L 132.65	5.80	5.89
L 117.99	6.08	6.17	L 108.75	3.12	3.28
L 117.76	4.94	5.04	L 93.08	2.62	2.80
L 103.99	3.69	3.82	L 77.70	2.36	2.56
L 83.22	2.85	3.02	L 62.82	2.35	2.55
L 62.97	2.48	2.67	L 48.36	2.53	2.72
L 48.36	2.54	2.73	L 46.29	2.62	2.80
L 41.78	2.61	2.79	L 44.96	2.92	3.09
L 38.87	2.80	2.98	L 44.15	3.72	3.85
L 37.82	3.86	3.99	L 41.57	11.95	11.99
L 35.20	13.31	13.35	L 33.56	13.68	13.72
L 28.26	19.06	19.09	L 35.47	6.09	6.17
L 27.17	14.01	14.05	L 36.14	3.90	4.02
L 28.22	9.39	9.45	L 36.37	2.83	3.01
L 29.00	10.00	10.05	L 24.00	3.36	3.51
L 30.93	6.30	6.38	L 24.16	4.12	4.24
L 30.68	4.01	4.13	L 24.10	4.45	4.56
L 30.54	2.90	3.07	L 23.52	4.96	5.06
L 18.87	3.52	3.66	L 21.21	5.65	5.74
L 18.77	4.20	4.32	L 16.67	7.70	7.76
L 18.44	4.70	4.80	L 15.50	19.49	19.51
L 10.47	8.24	8.30	R 7.96	40.98	40.99
L 9.01	31.18	31.19	R 8.81	18.56	18.59
L 9.72	57.22	57.23	R 9.55	11.01	11.06
R 14.14	37.10	37.12	R 9.94	7.48	7.54
R 15.16	17.63	17.66	R 13.89	5.71	5.79
R 15.65	7.33	7.40	R 18.66	4.62	4.72
R 18.77	5.95	6.04	R 20.75	4.17	4.29
R 23.53	4.76	4.86	R 21.02	3.85	3.98
R 26.06	4.09	4.21	R 21.13	3.37	3.52
R 26.32	3.31	3.46	R 23.24	3.24	3.39
R 36.05	2.84	3.01	R 27.94	2.93	3.09
R 36.17	3.90	4.02	R 30.08	2.80	2.97

*DEPRESSION ANGLE LESS THAN 0.54 DEGREES,
BUT NOT 0.00 DEGREES (TRUE HORIZON).

.....CONTINUED

.....CONTINUED

GROUND VISIBILITY PLOT - TABULAR DATA

RF-4C FRONT, 7 DEGREES PITCH UP

LEFT EYE			RIGHT EYE		
HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)	HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)
R 35.07	6.11	6.19	R 30.48	4.01	4.13
R 33.49	13.70	13.73	R 29.38	6.37	6.45
R 41.40	11.98	12.02	R 27.75	15.00	15.03
R 42.71	5.73	5.82	R 35.30	13.29	13.33
R 44.17	3.72	3.85	R 36.81	6.02	6.10
R 45.79	2.72	2.89	R 37.93	3.86	3.99
R 42.19	2.60	2.78	R 39.30	2.80	2.97
R 46.97	2.52	2.71	R 42.19	2.60	2.78
R 56.61	2.42	2.62	R 47.00	2.56	2.75
R 76.31	2.38	2.58	R 51.83	2.52	2.71
R 91.62	2.59	2.78	R 56.69	2.50	2.69
R 107.25	3.05	3.21	R 61.59	2.50	2.69
R 123.09	4.14	4.26	R 66.56	2.54	2.73
R 133.03	5.78	5.87	R 76.64	2.68	2.86
R 133.22	7.37	7.44	R 81.76	2.81	2.98
R 133.48	11.84	11.88	R 92.03	3.06	3.22
R 133.74	21.12	21.13	R 102.46	3.53	3.67
			R 119.43	HORIZON*	HORIZON*
			R 119.43	131.67	131.67

*DEPRESSION ANGLE LESS THAN 0.54 DEGREES,
BUT NOT 0.00 DEGREES (TRUE HORIZON).

Table 40. GROUND VISIBILITY PLOT - TABULAR DATA

RF-4C FRONT, 5 DEGREES PITCH UP

LEFT EYE			RIGHT EYE		
HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)	HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)
L 118.21	24.18	24.20	L 133.39	HORIZON*	HORIZON*
L 117.98	10.66	10.71	L 133.20	16.70	16.73
L 118.27	6.78	6.85	L 132.88	6.76	6.83
L 118.10	5.39	5.48	L 109.34	3.25	3.40
L 104.50	3.82	3.95	L 92.84	2.64	2.82
L 83.92	2.82	2.99	L 78.53	2.31	2.52
L 63.70	2.37	2.57	L 63.60	2.25	2.46
L 48.97	2.37	2.58	L 48.97	2.37	2.57
L 42.31	2.42	2.62	L 46.86	2.44	2.64
L 39.34	2.58	2.77	L 45.47	2.70	2.88
L 38.16	3.46	3.61	L 44.54	3.38	3.53
L 35.30	9.63	9.68	L 41.70	9.09	9.14
L 33.56	68.53	68.54	L 39.45	50.13	50.14
L 26.01	HORIZON*	HORIZON*	L 31.75	76.35	76.35
L 28.33	12.00	12.04	L 33.65	9.77	9.82
L 27.25	9.74	9.79	L 35.68	5.17	5.26
L 28.34	7.26	7.33	L 36.46	3.49	3.63
L 29.11	7.64	7.70	L 36.81	2.60	2.79
L 31.11	5.28	5.37	L 24.25	3.01	3.17
L 30.95	3.55	3.69	L 24.37	3.62	3.75
L 30.91	2.64	2.82	L 24.30	3.87	3.99
L 19.06	3.13	3.28	L 23.70	4.26	4.37
L 18.94	3.66	3.79	L 21.35	4.75	4.85
L 18.59	4.03	4.16	L 16.76	6.10	6.18
L 10.53	6.40	6.47	L 15.54	11.75	11.79
L 9.02	15.01	15.04	L 13.08	45.10	45.11
L 9.73	19.26	19.28	L 13.10	HORIZON*	HORIZON*
L 8.60	30.04	30.06	L 9.19	HORIZON*	HORIZON*
L 9.27	HORIZON*	HORIZON*	L 4.98	HORIZON*	HORIZON*
L 5.68	HORIZON*	HORIZON*	R 0.	HORIZON*	HORIZON*
R 0.	HORIZON*	HORIZON*	R 3.70	HORIZON*	HORIZON*
R 5.92	HORIZON*	HORIZON*	R 5.52	HORIZON*	HORIZON*
R 8.89	HORIZON*	HORIZON*	R 9.25	HORIZON*	HORIZON*
R 9.25	HORIZON*	HORIZON*	R 7.97	16.94	16.97
R 13.68	HORIZON*	HORIZON*	R 8.83	11.29	11.34

*DEPRESSION ANGLE LESS THAN 0.54 DEGREES,
BUT NOT 0.00 DEGREES (TRUE HORIZON).

.....CONTINUED

.....CONTINUED

GROUND VISIBILITY PLOT - TABULAR DATA

RF-4C FRONT, 5 DEGREES PITCH UP

LEFT EYE			RIGHT EYE		
HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)	HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)
R 12.98	32.03	32.04	R 9.59	7.96	8.02
R 14.16	16.43	16.46	R 9.99	5.92	6.00
R 15.19	11.04	11.08	R 13.98	4.75	4.86
R 15.74	5.85	5.94	R 18.81	3.98	4.10
R 18.89	4.95	5.05	R 20.93	3.64	3.78
R 23.71	4.10	4.22	R 21.22	3.39	3.54
R 26.29	3.60	3.73	R 21.36	3.01	3.17
R 26.61	2.97	3.14	R 23.50	2.90	3.07
R 36.49	2.60	2.79	R 28.28	2.66	2.84
R 36.49	3.49	3.63	R 30.46	2.55	2.74
R 35.28	5.18	5.27	R 30.75	3.55	3.69
R 33.58	9.77	9.82	R 29.55	5.31	5.40
R 31.71	76.53	76.54	R 27.83	10.23	10.28
R 39.95	48.94	48.95	R 25.73	HORIZON*	HORIZON*
R 41.52	9.10	9.16	R 33.63	68.25	68.26
R 42.97	4.97	5.07	R 35.40	9.62	9.67
R 44.56	3.38	3.53	R 37.03	5.13	5.23
R 46.34	2.53	2.72	R 38.27	3.46	3.60
R 42.73	2.41	2.61	R 39.78	2.58	2.76
R 47.57	2.36	2.56	R 42.73	2.41	2.61
R 57.32	2.30	2.50	R 47.60	2.39	2.59
R 77.13	2.33	2.53	R 52.47	2.37	2.58
R 92.39	2.60	2.79	R 57.38	2.37	2.57
R 107.86	3.16	3.31	R 62.31	2.38	2.58
R 123.48	4.52	4.63	R 67.30	2.44	2.64
R 133.26	6.74	6.81	R 77.37	2.62	2.81
R 133.40	8.98	9.03	R 82.47	2.77	2.94
R 133.58	16.58	16.61	R 92.68	3.08	3.24
R 133.77	HORIZON*	HORIZON*	R 103.01	3.63	3.77

*DEPRESSION ANGLE LESS THAN 0.54 DEGREES,
BUT NOT 0.00 DEGREES (TRUE HORIZON).

Table 41. GROUND VISIBILITY PLOT - TABULAR DATA

RF-40 FRONT, 3 DEGREES PITCH UP

LEFT EYE			RIGHT EYE		
HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)	HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)
L 118.27	40.29	40.30	L 133.27	27.84	27.85
L 118.13	12.94	12.98	L 133.08	8.08	8.14
L 118.51	7.66	7.72	L 109.91	3.39	3.53
L 118.41	5.94	6.02	L 94.59	2.66	2.84
L 105.00	3.96	4.09	L 79.39	2.27	2.48
L 84.63	2.78	2.96	L 64.41	2.16	2.38
L 64.48	2.27	2.48	L 49.63	2.23	2.44
L 49.63	2.23	2.44	L 47.49	2.28	2.49
L 42.89	2.25	2.47	L 46.02	2.51	2.71
L 39.85	2.39	2.59	L 44.98	3.10	3.25
L 38.54	3.14	3.29	L 41.87	7.33	7.39
L 35.44	7.53	7.60	L 39.49	21.31	21.33
L 33.59	22.88	22.90	L 38.21	68.71	68.72
L 26.04	24.84	24.86	L 31.78	23.36	23.38
L 28.42	8.74	8.80	L 33.78	7.58	7.65
L 27.36	7.46	7.52	L 35.93	4.48	4.59
L 28.48	5.91	6.00	L 36.82	3.15	3.30
L 29.26	6.17	6.25	L 37.29	2.40	2.60
L 31.33	4.53	4.64	L 24.54	2.71	2.89
L 31.26	3.18	3.34	L 24.62	3.21	3.37
L 31.32	2.42	2.62	L 24.53	3.42	3.56
L 19.29	2.80	2.98	L 23.90	3.72	3.85
L 19.13	3.24	3.39	L 21.52	4.09	4.21
L 18.76	3.53	3.67	L 16.86	5.04	5.13
L 10.59	5.22	5.31	L 15.59	8.40	8.46
L 9.05	9.87	9.92	L 13.09	17.78	17.81
L 9.75	11.56	11.60	L 13.11	27.55	27.57
L 8.62	14.73	14.76	L 9.20	23.38	23.40
L 9.28	23.38	23.40	L 4.98	23.65	23.67
L 9.58	57.18	57.19	R C.	23.76	23.78
L 5.70	74.91	74.91	R 3.71	23.70	23.72
L 5.69	23.61	23.63	R 5.52	23.62	23.64
R 0.	23.76	23.78	R 9.26	28.08	28.10
R 5.93	23.60	23.62	R 7.99	10.66	10.71
R 8.90	23.41	23.43	R 8.86	8.10	8.16

.....CONTINUED

.....CONTINUED

GROUND VISIBILITY PLOT - TABULAR DATA

RF-4C FRONT, 3 DEGREES PITCH UP

LEFT EYE			RIGHT EYE		
HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)	HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)
R 9.26	23.38	23.40	R 9.64	6.22	6.30
R 9.71	57.12	57.13	R 10.06	4.89	4.99
R 14.26	70.50	70.51	R 14.09	4.06	4.18
R 13.69	27.46	27.48	R 18.98	3.49	3.63
R 13.00	15.31	15.34	R 21.14	3.23	3.38
R 14.20	10.53	10.58	R 21.44	3.03	3.19
R 15.25	8.02	8.08	R 21.62	2.71	2.89
R 15.84	4.86	4.97	R 23.79	2.63	2.81
R 19.03	4.22	4.34	R 28.65	2.43	2.63
R 23.92	3.60	3.73	R 30.88	2.34	2.55
R 26.55	3.21	3.36	R 31.05	3.18	3.34
R 26.92	2.69	2.87	R 29.75	4.55	4.66
R 36.97	2.40	2.60	R 27.93	7.75	7.81
R 36.85	3.15	3.30	R 25.75	24.91	24.93
R 35.52	4.49	4.60	R 33.66	22.86	22.88
R 33.71	7.59	7.65	R 35.54	7.53	7.60
R 31.74	23.37	23.39	R 37.28	4.47	4.58
R 39.21	47.09	47.10	R 38.65	3.14	3.29
R 39.99	21.18	21.20	R 40.29	2.39	2.59
R 41.69	7.33	7.40	R 43.32	2.25	2.46
R 43.26	4.39	4.50	R 48.24	2.24	2.46
R 45.00	3.10	3.25	R 53.17	2.24	2.45
R 46.94	2.36	2.56	R 58.11	2.25	2.46
R 43.32	2.25	2.46	R 63.07	2.28	2.49
R 48.22	2.21	2.43	R 68.07	2.35	2.56
R 58.07	2.18	2.40	R 78.13	2.56	2.75
R 77.98	2.28	2.49	R 83.19	2.73	2.91
R 93.15	2.62	2.80	R 93.33	3.10	3.25
R 108.45	3.28	3.43	R 103.53	3.75	3.88
R 123.83	4.98	5.08	R 113.78	5.04	5.14
R 133.46	8.06	8.13	R 118.88	5.86	5.94
R 133.54	11.48	11.52	R 119.03	8.83	8.88
R 133.65	27.64	27.66	R 119.26	39.04	39.05

Table 42. GROUND VISIBILITY PLOT - TABULAR DATA

RF-4C FRONT, 2 DEGREES PITCH UP

LEFT EYE			RIGHT EYE		
HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)	HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)
L 118.29	60.43	60.44	L 133.29	41.76	41.77
L 118.19	14.49	14.53	L 133.16	8.96	9.01
L 118.62	8.19	8.25	L 110.18	3.46	3.61
L 118.55	6.26	6.34	L 94.97	2.67	2.85
L 105.24	4.04	4.16	L 79.83	2.25	2.46
L 84.99	2.77	2.95	L 64.84	2.12	2.34
L 64.88	2.23	2.44	L 49.98	2.16	2.38
L 49.98	2.16	2.38	L 47.82	2.21	2.43
L 43.20	2.18	2.40	L 46.31	2.43	2.63
L 40.13	2.30	2.51	L 45.21	2.97	3.13
L 38.74	3.00	3.16	L 41.96	6.68	6.75
L 35.52	6.79	6.87	L 39.53	16.55	16.58
L 33.62	17.16	17.19	L 38.23	35.37	35.38
L 26.06	17.86	17.89	L 31.80	17.34	17.37
L 28.48	7.70	7.76	L 33.86	6.82	6.89
L 27.43	6.67	6.74	L 36.06	4.20	4.32
L 28.57	5.41	5.50	L 37.02	3.00	3.17
L 29.34	5.63	5.71	L 37.55	2.31	2.51
L 31.45	4.23	4.35	L 24.70	2.59	2.77
L 31.43	3.02	3.18	L 24.75	3.04	3.20
L 31.54	2.32	2.53	L 24.66	3.22	3.38
L 19.41	2.66	2.85	L 24.01	3.49	3.63
L 19.23	3.06	3.22	L 21.61	3.82	3.94
L 18.85	3.32	3.47	L 16.92	4.63	4.74
L 10.63	4.77	4.88	L 15.63	7.34	7.41
L 9.07	8.42	8.48	L 13.11	13.64	13.68
L 9.77	9.63	9.68	L 13.12	18.75	18.78
L 8.63	11.73	11.77	L 9.21	16.66	16.69
L 9.29	16.65	16.68	L 4.99	16.74	16.77
L 9.58	28.81	28.83	R 0.	16.78	16.81
L 9.92	68.21	68.22	R 3.71	16.76	16.79
L 5.74	HORIZON*	HORIZON*	R 5.53	16.74	16.77
L 5.70	32.54	32.56	R 5.01	63.12	63.13
L 5.69	16.73	16.76	R 5.94	62.90	62.91
R 0.	16.78	16.81	R 9.27	18.91	18.94

*DEPRESSION ANGLE LESS THAN 0.54 DEGREES,
BUT NOT 0.00 DEGREES (TRUE HORIZON).

.....CONTINUED

.....CONTINUED

GROUND VISIBILITY PLOT - TABULAR DATA

RF-4C FRONT; 2 DEGREES PITCH UP

LEFT EYE			RIGHT EYE		
HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)	HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)
R 5.93	16.73	16.76	R 8.00	8.99	9.04
R 8.91	16.66	16.69	R 8.88	7.09	7.16
R 9.27	16.65	16.68	R 9.66	5.60	5.69
R 9.71	28.80	28.82	R 10.10	4.49	4.60
R 14.27	32.15	32.16	R 14.15	3.79	3.92
R 13.70	18.72	18.75	R 19.08	3.28	3.43
R 13.02	12.13	12.17	R 21.26	3.05	3.21
R 14.23	8.93	8.98	R 21.57	2.87	3.04
R 15.29	7.05	7.12	R 21.76	2.58	2.77
R 15.90	4.48	4.59	R 23.95	2.51	2.70
R 19.11	3.93	4.06	R 28.85	2.33	2.53
R 24.03	3.39	3.53	R 31.10	2.25	2.46
R 26.70	3.04	3.20	R 31.22	3.02	3.18
R 27.10	2.57	2.76	R 29.87	4.24	4.36
R 37.22	2.31	2.52	R 28.00	6.91	6.98
R 37.05	3.00	3.17	R 25.77	17.89	17.92
R 35.65	4.20	4.32	R 33.69	17.15	17.18
R 33.79	6.82	6.89	R 35.62	6.79	6.86
R 31.76	17.34	17.37	R 37.42	4.19	4.31
R 39.23	28.76	28.78	R 38.85	3.00	3.16
R 40.02	16.49	16.52	R 40.57	2.30	2.51
R 41.78	6.68	6.76	R 43.63	2.17	2.39
R 43.42	4.15	4.27	R 48.58	2.18	2.40
R 45.23	2.97	3.13	R 53.53	2.18	2.40
R 47.25	2.28	2.49	R 58.49	2.20	2.41
R 43.63	2.17	2.39	R 63.47	2.23	2.45
R 48.57	2.14	2.37	R 68.47	2.31	2.52
R 58.47	2.13	2.35	R 78.51	2.54	2.73
R 78.41	2.26	2.47	R 83.55	2.71	2.89
R 93.53	2.63	2.81	R 93.65	3.11	3.27
R 108.74	3.35	3.50	R 103.79	3.81	3.94
R 123.99	5.24	5.33	R 113.95	5.23	5.33
R 133.55	8.94	9.00	R 119.02	6.17	6.25
R 133.60	13.33	13.37	R 119.12	9.55	9.60
R 133.67	41.47	41.48	R 119.28	58.56	58.57

Table 43. GROUND VISIBILITY PLOT - TABULAR DATA

RF-4C FRONT, 1 DEGREE PITCH UP

LEFT EYE			RIGHT EYE		
HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)	HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)
L 118.30	HORIZON*	HORIZON*	L 133.31	83.53	83.53
L 118.25	16.47	16.50	L 133.24	10.04	10.09
L 118.72	8.80	8.86	L 110.45	3.54	3.68
L 118.69	6.61	6.69	L 95.34	2.68	2.86
L 105.48	4.12	4.24	L 80.27	2.23	2.44
L 85.35	2.76	2.93	L 65.27	2.08	2.31
L 65.29	2.18	2.40	L 50.34	2.10	2.32
L 50.34	2.10	2.33	L 48.16	2.14	2.37
L 43.52	2.11	2.33	L 46.61	2.35	2.55
L 40.41	2.22	2.43	L 45.45	2.85	3.02
L 38.96	2.87	3.04	L 42.07	6.13	6.21
L 35.61	6.18	6.26	L 39.57	13.52	13.56
L 33.66	13.72	13.76	L 38.25	23.81	23.83
L 23.31	64.25	64.26	L 28.61	73.25	73.26
L 23.80	HORIZON*	HORIZON*	L 29.45	HORIZON*	HORIZON*
L 26.08	13.94	13.98	L 31.84	13.78	13.82
L 28.55	6.87	6.94	L 33.95	6.19	6.27
L 27.50	6.03	6.11	L 36.21	3.95	4.08
L 28.66	4.98	5.08	L 37.22	2.87	3.04
L 29.43	5.17	5.26	L 37.82	2.22	2.44
L 31.57	3.97	4.09	L 24.87	2.47	2.66
L 31.60	2.88	3.05	L 24.89	2.89	3.06
L 31.77	2.23	2.44	L 24.79	3.05	3.21
L 19.53	2.54	2.73	L 24.13	3.29	3.44
L 19.34	2.89	3.06	L 21.71	3.58	3.71
L 18.95	3.13	3.29	L 16.99	4.28	4.40
L 10.67	4.39	4.51	L 15.67	6.52	6.60
L 9.09	7.33	7.40	L 13.13	11.06	11.10
L 9.79	8.24	8.31	L 13.13	14.21	14.24
L 8.64	9.74	9.79	L 9.22	12.93	12.97
L 9.30	12.93	12.97	L 4.99	12.95	12.99
L 9.59	19.25	19.27	R 0.	12.97	13.00
L 9.92	31.38	31.40	R 3.71	12.96	13.00
L 5.74	52.80	52.81	R 5.53	12.95	12.99
L 5.70	20.78	20.80	R 5.02	30.08	30.10

*DEPRESSION ANGLE LESS THAN 0.54 DEGREES,
BUT NOT 0.00 DEGREES (TRUE HORIZON).

.....CONTINUED

.....CONTINUED

GROUND VISIBILITY PLOT - TABULAR DATA

RF-40 FRONT, 1 DEGREE PITCH UP

LEFT EYE			RIGHT EYE		
HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)	HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)
L 5.70	12.95	12.99	R 5.95	30.06	30.08
R 0.	12.97	13.00	R 6.27	86.03	86.03
R 5.94	12.95	12.99	R 9.28	14.25	14.29
R 8.92	12.93	12.97	R 8.02	7.76	7.83
R 9.28	12.93	12.97	R 8.90	6.30	6.38
R 9.72	19.24	19.27	R 9.70	5.09	5.19
R 14.28	20.81	20.83	R 10.14	4.16	4.27
R 13.71	14.20	14.23	R 14.22	3.54	3.68
R 13.04	10.04	10.09	R 19.18	3.10	3.25
R 14.25	7.74	7.80	R 21.38	2.89	3.06
R 15.33	6.29	6.37	R 21.70	2.73	2.90
R 15.96	4.15	4.27	R 21.90	2.46	2.66
R 19.20	3.68	3.81	R 24.12	2.39	2.59
R 24.16	3.20	3.35	R 29.07	2.23	2.45
R 26.85	2.89	3.05	R 31.33	2.16	2.38
R 27.28	2.46	2.65	R 31.39	2.88	3.05
R 37.49	2.22	2.44	R 29.99	3.97	4.09
R 37.25	2.87	3.04	R 28.07	6.23	6.31
R 35.80	3.95	4.08	R 25.80	13.95	13.99
R 33.88	8.19	6.27	R 33.73	13.72	13.76
R 31.80	13.73	13.82	R 35.71	6.18	6.26
R 39.26	20.70	20.72	R 37.57	3.95	4.07
R 40.07	13.50	13.54	R 39.06	2.87	3.04
R 41.89	6.14	6.22	R 40.86	2.22	2.43
R 43.59	3.93	4.05	R 43.95	2.10	2.33
R 45.47	2.85	3.02	R 48.93	2.11	2.34
R 47.38	2.21	2.43	R 53.90	2.12	2.34
R 43.95	2.10	2.33	R 58.89	2.15	2.37
R 48.92	2.08	2.31	R 63.87	2.19	2.40
R 58.87	2.08	2.31	R 68.88	2.27	2.48
R 78.85	2.24	2.45	R 78.90	2.51	2.70
R 93.91	2.63	2.82	R 83.92	2.70	2.88
R 109.02	3.42	3.56	R 93.97	3.12	3.28
R 124.14	5.53	5.62	R 104.04	3.88	4.01
R 133.62	10.03	10.08	R 114.13	5.44	5.53

.....CONTINUED

.....CONTINUED

GROUND VISIBILITY PLOT - TABULAR DATA

RF-4C FRONT, 1 DEGREE PITCH UP

LEFT EYE			RIGHT EYE		
HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)	HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)
R 133.85	15.89	15.92	R 119.16	6.52	6.60
R 133.69	82.94	82.95	R 119.21	10.41	10.45
			R 119.29	HORIZON*	HORIZON*
			R 119.29	117.11	117.12

*DEPRESSION ANGLE LESS THAN 0.54 DEGREES,
BUT NOT 0.00 DEGREES (TRUE HORIZON).

Table 44. GROUND VISIBILITY PLOT - TABULAR DATA

RF-4C FRONT, AIRCRAFT LEVEL

LEFT EYE			RIGHT EYE		
HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)	HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)
L 118.30	HORIZON	HORIZON	L 133.31	HORIZON	HORIZON
L 118.30	19.08	19.11	L 133.31	11.43	11.47
L 118.82	9.51	9.57	L 110.71	3.63	3.76
L 118.82	7.01	7.08	L 95.71	2.70	2.88
L 105.71	4.21	4.32	L 80.71	2.21	2.43
L 65.71	2.75	2.92	L 65.71	2.04	2.27
L 65.71	2.14	2.37	L 50.71	2.04	2.27
L 50.71	2.04	2.28	L 48.51	2.08	2.31
L 43.85	2.04	2.27	L 46.93	2.27	2.48
L 40.71	2.14	2.37	L 45.71	2.75	2.92
L 39.18	2.75	2.92	L 42.18	5.67	5.76
L 35.71	5.67	5.76	L 39.62	11.43	11.47
L 33.70	11.43	11.47	L 38.28	17.94	17.97
L 29.98	HORIZON	HORIZON	L 36.61	HORIZON	HORIZON
L 21.60	HORIZON	HORIZON	L 27.27	HORIZON	HORIZON
L 23.32	31.64	31.66	L 28.62	34.50	34.52
L 23.81	45.83	45.84	L 29.46	45.83	45.84
L 26.12	11.43	11.47	L 31.88	11.43	11.47
L 28.62	6.20	6.28	L 34.04	5.67	5.76
L 27.58	5.50	5.59	L 36.36	3.73	3.86
L 28.76	4.61	4.72	L 37.44	2.75	2.92
L 29.53	4.78	4.88	L 38.10	2.14	2.37
L 31.71	3.73	3.86	L 25.04	2.36	2.56
L 31.79	2.75	2.92	L 25.04	2.75	2.92
L 32.01	2.14	2.37	L 24.93	2.90	3.06
L 19.67	2.42	2.62	L 24.26	3.12	3.27
L 19.46	2.75	2.92	L 21.82	3.37	3.51
L 19.06	2.96	3.13	L 17.06	3.98	4.10
L 10.71	4.07	4.19	L 15.71	5.86	5.95
L 9.11	6.50	6.57	L 13.15	9.29	9.35
L 9.81	7.21	7.27	L 13.15	11.43	11.47
L 8.66	8.32	8.38	L 15.71	HORIZON	HORIZON
L 9.31	10.56	10.61	L 10.71	HORIZON	HORIZON
L 9.60	14.44	14.48	L 9.23	10.56	10.61
L 9.93	20.37	20.40	L 5.00	10.56	10.61

.....CONTINUED

.....CONTINUED

GROUND VISIBILITY PLOT - TABULAR DATA

RF-4C FRONT, AIRCRAFT LEVEL

LEFT EYE			RIGHT EYE		
HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)	HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)
L 10.71	HORIZON	HORIZON	R 0.	10.56	10.61
L 6.37	HORIZON	HORIZON	R 3.72	10.56	10.61
L 5.74	27.53	27.55	R 5.54	10.56	10.61
L 5.71	15.26	15.29	R 5.02	19.74	19.76
L 5.71	10.56	10.61	R 5.95	19.74	19.76
R 0.	10.56	10.61	R 6.27	34.50	34.52
R 5.55	10.56	10.61	R 6.37	HORIZON	HORIZON
R 8.93	10.56	10.61	R 10.73	HORIZON	HORIZON
R 9.29	10.56	10.61	R 9.29	11.43	11.47
R 9.73	14.44	14.48	R 8.04	6.83	6.90
R 10.73	HORIZON	HORIZON	R 8.93	5.67	5.76
R 15.16	HORIZON	HORIZON	R 9.73	4.67	4.77
R 14.29	15.38	15.41	R 10.18	3.86	3.99
R 13.73	11.43	11.47	R 14.29	3.33	3.47
R 13.06	8.56	8.62	R 19.29	2.93	3.10
R 14.29	6.83	6.90	R 21.51	2.75	2.92
R 15.37	5.67	5.76	R 21.84	2.59	2.78
R 16.03	3.87	3.99	R 22.06	2.35	2.56
R 19.29	3.45	3.59	R 24.29	2.29	2.50
R 24.29	3.03	3.19	R 29.29	2.14	2.37
R 27.01	2.75	2.92	R 31.58	2.08	2.31
R 27.47	2.35	2.56	R 31.58	2.75	2.92
R 37.77	2.14	2.37	R 30.12	3.73	3.86
R 37.47	2.75	2.92	R 28.15	5.67	5.76
R 35.95	3.73	3.86	R 25.83	11.43	11.47
R 33.97	5.67	5.76	R 21.84	HORIZON	HORIZON
R 31.84	11.43	11.47	R 30.75	HORIZON	HORIZON
R 27.47	HORIZON	HORIZON	R 33.77	11.43	11.47
R 36.95	HORIZON	HORIZON	R 35.81	5.67	5.76
R 39.29	16.16	16.19	R 37.73	3.73	3.86
R 40.12	11.43	11.47	R 39.29	2.75	2.92
R 42.00	5.67	5.76	R 41.16	2.14	2.37
R 43.77	3.73	3.86	R 44.29	2.04	2.27
R 45.73	2.75	2.92	R 45.29	2.05	2.28
R 47.92	2.14	2.37	R 54.29	2.07	2.29

.....CONTINUED

.....CONTINUED

GROUND VISIBILITY PLOT - TABULAR DATA

RF-4C FRONT, AIRCRAFT LEVEL

LEFT EYE			RIGHT EYE		
HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)	HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)
R 44.29	2.04	2.27	R 59.29	2.10	2.32
R 49.29	2.02	2.26	R 64.29	2.14	2.37
R 59.29	2.04	2.27	R 69.29	2.23	2.45
R 79.29	2.22	2.43	R 79.29	2.49	2.68
R 94.29	2.64	2.83	R 84.29	2.68	2.86
R 109.29	3.50	3.64	R 94.29	3.13	3.29
R 124.29	5.86	5.95	R 104.29	3.95	4.08
R 133.69	11.43	11.47	R 114.29	5.67	5.76
R 133.69	15.67	15.70	R 119.29	6.91	6.98
R 133.69	HORIZON	HORIZON	R 119.29	11.43	11.47
			R 119.29	HORIZON	HORIZON
			R 119.29	0.	0.

Table 45. GROUND VISIBILITY PLOT - TABULAR DATA

RF-4C FRONT, 1 DEGREE PITCH DOWN

LEFT EYE			RIGHT EYE		
HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)	HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)
L 118.34	22.67	22.69	L 133.37	13.26	13.29
L 118.91	10.35	10.40	L 110.96	3.72	3.85
L 118.94	7.46	7.52	L 96.08	2.71	2.89
L 105.94	4.30	4.41	L 81.16	2.20	2.41
L 86.07	2.74	2.91	L 66.16	2.00	2.24
L 66.14	2.10	2.33	L 51.10	1.98	2.22
L 51.09	1.99	2.23	L 48.88	2.02	2.25
L 44.20	1.98	2.22	L 47.26	2.20	2.42
L 41.02	2.07	2.30	L 45.98	2.65	2.83
L 39.42	2.64	2.82	L 42.30	5.27	5.37
L 35.82	5.24	5.33	L 39.68	9.90	9.95
L 33.75	9.79	9.84	L 38.32	14.39	14.43
L 29.98	66.14	66.15	L 36.61	71.37	71.38
L 21.60	61.62	61.63	L 27.27	64.45	64.46
L 23.34	20.98	21.01	L 28.64	22.56	22.58
L 23.82	25.45	26.47	L 29.47	27.00	27.02
L 26.16	9.68	9.73	L 31.93	9.76	9.81
L 28.70	5.65	5.74	L 34.14	5.23	5.32
L 27.67	5.06	5.15	L 36.52	3.53	3.67
L 28.87	4.29	4.41	L 37.67	2.63	2.82
L 29.64	4.44	4.55	L 38.39	2.07	2.30
L 31.86	3.52	3.66	L 25.22	2.26	2.47
L 31.99	2.63	2.81	L 25.20	2.62	2.80
L 32.26	2.06	2.29	L 25.08	2.75	2.93
L 19.81	2.31	2.52	L 24.40	2.95	3.12
L 19.58	2.61	2.80	L 21.93	3.18	3.33
L 19.17	2.81	2.98	L 17.14	3.72	3.85
L 10.76	3.79	3.92	L 15.76	5.32	5.41
L 9.14	5.83	5.91	L 13.18	8.01	8.07
L 9.84	6.40	6.47	L 12.17	9.56	9.61
L 8.68	7.26	7.33	L 15.71	59.51	59.52
L 9.33	8.92	8.97	L 10.71	58.30	58.31
L 9.61	11.55	11.60	L 9.25	8.92	8.97
L 9.94	15.07	15.11	L 5.01	8.91	8.96
L 10.71	58.30	58.31	R 0.	8.90	8.96

.....CONTINUED

.....CONTINUED

GROUND VISIBILITY PLOT - TABULAR DATA

RF-4C FRCNT, 1 DEGREE PITCH DOWN

LEFT EYE			RIGHT EYE		
HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)	HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)
L 6.37	57.64	57.65	R 3.73	8.90	8.96
L 5.74	18.61	18.64	R 5.55	8.91	8.96
L 5.72	12.05	12.09	R 5.03	14.68	14.72
L 5.72	8.91	8.96	R 5.96	14.69	14.72
R 0.	8.90	8.96	R 6.27	21.57	21.60
R 5.96	8.91	8.96	R 6.37	57.64	57.65
R 8.95	8.92	8.97	R 10.73	58.31	58.32
R 9.31	8.92	8.97	R 9.31	9.53	9.59
R 9.74	11.56	11.60	R 8.06	6.09	6.17
R 10.73	58.31	58.32	R 8.96	5.15	5.25
R 15.16	59.36	59.36	R 9.77	4.30	4.42
R 14.31	12.19	12.23	R 10.23	3.61	3.74
R 13.75	9.56	9.61	R 14.37	3.13	3.29
R 13.09	7.46	7.53	R 19.41	2.78	2.95
R 14.33	6.11	6.19	R 21.65	2.61	2.80
R 15.42	5.16	5.26	R 21.99	2.47	2.67
R 16.10	3.61	3.75	R 22.22	2.25	2.46
R 19.39	3.25	3.40	R 24.47	2.20	2.41
R 24.43	2.87	3.04	R 29.52	2.06	2.29
R 27.18	2.62	2.80	R 31.84	2.00	2.24
R 27.67	2.25	2.47	R 31.78	2.63	2.81
R 38.06	2.07	2.30	R 30.26	3.52	3.66
R 37.70	2.63	2.82	R 28.24	5.20	5.30
R 36.11	3.53	3.67	R 25.87	9.68	9.73
R 34.07	5.23	5.32	R 21.84	61.72	61.73
R 31.89	9.76	9.81	R 30.75	66.66	66.67
R 27.47	64.57	64.58	R 23.82	9.79	9.84
R 36.95	71.69	71.70	R 35.92	5.24	5.33
R 39.33	13.26	13.29	R 37.90	3.54	3.67
R 40.18	9.91	9.96	R 39.53	2.64	2.82
R 42.12	5.27	5.36	R 41.47	2.07	2.30
R 43.96	3.55	3.69	R 44.64	1.97	2.21
R 46.00	2.65	2.83	R 49.67	1.99	2.23
R 48.27	2.08	2.31	R 54.69	2.01	2.25
R 44.64	1.97	2.21	R 59.71	2.05	2.28

.....CONTINUED

.....CONTINUED

GROUND VISIBILITY PLOT - TABULAR DATA

RF-4C FRONT, 1 DEGREE PITCH DOWN

LEFT EYE			RIGHT EYE		
HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)	HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)
R 49.67	1.97	2.20	R 64.72	2.10	2.33
R 59.72	1.99	2.23	R 69.71	2.20	2.42
R 79.74	2.20	2.41	R 79.69	2.47	2.66
R 94.67	2.65	2.84	R 84.66	2.67	2.85
R 109.56	3.57	3.71	R 94.61	3.15	3.30
R 124.43	6.23	6.31	R 104.53	4.02	4.15
R 133.75	13.27	13.31	R 114.45	5.92	6.00
R 133.72	25.81	25.83	R 119.41	7.36	7.42

Table 46. GROUND VISIBILITY PLOT - TABULAR DATA

RF-4C FRONT, 2 DEGREES PITCH DOWN

LEFT EYE			RIGHT EYE		
HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)	HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)
L 118.38	27.93	27.95	L 132.42	15.78	15.81
L 118.99	11.35	11.40	L 111.21	3.81	3.94
L 119.05	7.97	8.03	L 96.44	2.73	2.90
L 106.16	4.39	4.51	L 81.61	2.18	2.40
L 86.44	2.73	2.90	L 66.62	1.97	2.21
L 66.58	2.07	2.30	L 51.49	1.93	2.18
L 51.49	1.94	2.18	L 49.26	1.96	2.20
L 44.55	1.92	2.16	L 47.60	2.13	2.36
L 41.34	2.00	2.24	L 46.25	2.55	2.74
L 39.66	2.53	2.72	L 42.44	4.92	5.02
L 35.93	4.86	4.96	L 39.75	8.72	8.78
L 33.81	8.56	8.62	L 38.37	12.01	12.05
L 30.00	33.06	33.08	L 36.63	35.68	35.70
L 21.61	30.80	30.82	L 27.93	89.93	89.93
L 23.36	15.69	15.72	L 27.28	32.22	32.24
L 23.84	18.59	18.61	L 28.66	16.76	16.79
L 26.21	8.39	8.45	L 29.50	19.14	19.16
L 28.79	5.18	5.28	L 21.99	8.51	8.57
L 27.76	4.68	4.78	L 34.25	4.85	4.95
L 28.98	4.02	4.14	L 26.70	3.35	3.50
L 29.75	4.15	4.26	L 27.90	2.53	2.72
L 32.01	2.33	2.48	L 38.70	2.00	2.23
L 32.19	2.51	2.70	L 25.42	2.17	2.39
L 32.53	1.99	2.23	L 25.37	2.50	2.69
L 19.96	2.21	2.43	L 25.24	2.63	2.81
L 19.72	2.49	2.68	L 24.54	2.81	2.98
L 19.29	2.67	2.85	L 22.06	3.01	3.17
L 10.81	3.54	3.68	L 17.22	3.48	3.63
L 9.16	5.28	5.37	L 15.81	4.87	4.97
L 9.86	5.75	5.83	L 12.21	7.04	7.11
L 8.70	6.44	6.52	L 13.20	8.21	8.27
L 9.35	7.72	7.78	L 15.72	29.75	29.76
L 9.63	9.62	9.68	L 10.72	29.14	29.16
L 9.95	11.96	12.00	L 9.27	7.72	7.78
L 10.72	29.14	29.16	L 5.02	7.70	7.76

.....CONTINUED

.....CONTINUED

GROUND VISIBILITY PLOT - TABULAR DATA

RF-4C FRONT, 2 DEGREES FITCH DOWN

LEFT EYE			RIGHT EYE		
HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)	HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)
L 6.37	28.81	28.83	R 0.	7.69	7.75
L 5.75	14.05	14.09	R 3.73	7.69	7.76
L 5.73	9.55	10.00	R 5.56	7.70	7.76
L 5.73	7.70	7.76	R 5.03	11.68	11.72
R 0.	7.69	7.75	R 5.96	11.69	11.73
R 5.97	7.70	7.76	R 6.28	15.68	15.72
R 8.96	7.71	7.78	R 6.37	28.81	28.83
R 9.33	7.72	7.78	R 6.47	79.88	79.88
R 9.76	9.63	9.68	R 5.54	98.67	98.67
R 10.74	29.15	29.16	R 11.40	HORIZON*	HORIZON*
R 10.83	98.04	98.04	R 10.75	97.95	97.96
R 17.43	HORIZON*	HORIZON*	R 10.74	29.15	29.16
R 16.73	107.01	107.02	R 9.32	8.17	8.24
R 15.26	104.26	104.27	R 8.09	5.50	5.59
R 15.17	29.67	29.69	R 8.99	4.71	4.82
R 14.33	10.09	10.14	R 9.81	3.99	4.11
R 13.78	8.21	8.27	R 10.28	3.38	3.52
R 13.12	6.60	6.68	R 14.45	2.96	3.12
R 14.37	5.52	5.61	R 19.53	2.64	2.82
R 15.47	4.73	4.84	R 21.79	2.49	2.68
R 16.18	3.39	3.54	R 22.14	2.36	2.57
R 19.49	3.07	3.23	R 22.40	2.16	2.38
R 24.58	2.73	2.91	R 24.67	2.11	2.33
R 27.36	2.50	2.69	R 29.77	1.98	2.22
R 27.88	2.16	2.38	R 32.11	1.93	2.17
R 38.37	2.00	2.23	R 31.98	2.51	2.70
R 37.93	2.53	2.72	R 30.41	3.33	3.47
R 36.28	2.35	2.50	R 28.33	4.80	4.90
R 34.18	4.85	4.95	R 25.92	8.39	8.45
R 31.95	8.51	8.57	R 21.85	30.85	30.87
R 27.48	32.28	32.29	R 30.77	33.33	33.34
R 36.97	35.84	35.85	R 33.88	8.56	8.62
R 39.39	11.23	11.28	R 36.03	4.86	4.96
R 40.25	8.74	8.79	R 38.08	3.36	3.50
R 42.25	4.92	5.02	R 39.77	2.53	2.72

*DEPRESSION ANGLE LESS THAN 0.54 DEGREES,
BUT NOT 0.00 DEGREES (TRUE HORIZON).

.....CONTINUED

.....CONTINUED

GROUND VISIBILITY PLOT - TABULAR DATA

RF-40 FRONT, 2 DEGREES FITCH DOWN

LEFT EYE			RIGHT EYE		
HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)	HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)
R 44.16	3.39	3.53	R 41.80	2.00	2.24
R 46.27	2.55	2.74	R 45.00	1.91	2.16
R 48.64	2.02	2.25	R 50.05	1.94	2.18
R 45.00	1.91	2.16	R 55.10	1.96	2.20
R 50.07	1.91	2.16	R 60.13	2.00	2.24
R 60.16	1.95	2.19	R 65.15	2.06	2.29
R 80.19	2.18	2.40	R 70.14	2.16	2.38
R 95.04	2.67	2.85	R 80.09	2.44	2.64
R 109.82	3.66	3.79	R 85.04	2.66	2.84
R 124.55	6.65	6.73	R 94.92	3.16	3.32
R 133.80	15.82	15.85	R 104.77	4.10	4.22
R 133.75	37.49	37.51	R 114.60	6.19	6.27

Table 47. GROUND VISIBILITY PLOT - TABULAR DATA

RF-4C FRONT, 3 DEGREES PITCH DOWN

LEFT EYE			RIGHT EYE		
HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)	HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)
L 118.41	36.37	36.38	L 133.46	19.48	19.50
L 119.06	12.57	12.61	L 111.45	3.92	4.04
L 119.16	8.56	8.61	L 96.81	2.74	2.92
L 106.37	4.49	4.60	L 82.06	2.17	2.39
L 86.81	2.72	2.90	L 67.09	1.94	2.18
L 67.03	2.03	2.26	L 51.91	1.88	2.13
L 51.90	1.88	2.13	L 49.65	1.91	2.16
L 44.93	1.86	2.11	L 47.95	2.07	2.30
L 41.68	1.94	2.18	L 46.54	2.46	2.66
L 39.92	2.44	2.63	L 42.58	4.62	4.72
L 36.06	4.54	4.64	L 39.83	7.80	7.86
L 33.88	7.60	7.67	L 33.42	10.30	10.35
L 30.01	22.04	22.06	L 36.65	23.78	23.80
L 19.51	HORIZON*	HORIZON*	L 27.93	37.67	37.68
L 21.63	20.53	20.55	L 27.30	21.47	21.50
L 23.39	12.53	12.57	L 28.69	13.32	13.36
L 23.87	14.32	14.36	L 29.53	14.81	14.85
L 26.27	7.40	7.47	L 32.05	7.55	7.61
L 28.89	4.79	4.89	L 34.38	4.52	4.63
L 27.87	4.35	4.46	L 36.88	3.19	3.34
L 29.11	3.77	3.90	L 38.15	2.43	2.63
L 29.88	3.89	4.01	L 39.02	1.93	2.18
L 32.17	3.16	3.32	L 25.62	2.08	2.31
L 32.41	2.41	2.61	L 25.54	2.39	2.59
L 32.80	1.92	2.16	L 25.40	2.50	2.70
L 20.12	2.12	2.34	L 24.69	2.67	2.85
L 19.86	2.38	2.58	L 22.18	2.85	3.02
L 19.42	2.54	2.73	L 17.31	3.28	3.43
L 10.86	2.32	3.47	L 15.87	4.48	4.60
L 9.20	4.82	4.93	L 13.24	6.27	6.35
L 9.89	5.21	5.31	L 13.23	7.19	7.26
L 8.73	5.78	5.86	L 15.73	19.82	19.85
L 9.37	6.80	6.87	L 10.72	19.42	19.45
L 9.65	8.24	8.30	L 9.29	6.79	6.87
L 9.97	9.90	9.95	L 5.03	6.77	6.85

*DEPRESSION ANGLE LESS THAN 0.54 DEGREES,
BUT NOT 0.00 DEGREES (TRUE HORIZON).

.....CONTINUED

.....CONTINUED

GROUND VISIBILITY PLOT - TABULAR DATA

RF-40 FRONT, 2 DEGREES PITCH DOWN

LEFT EYE			RIGHT EYE		
HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)	HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)
L 10.72	19.42	19.45	R 0.	6.76	6.84
L 6.14	HORIZON*	HORIZON*	R 3.74	6.77	6.84
L 6.38	19.20	19.23	R 5.58	6.77	6.85
L 5.76	11.28	11.33	R 5.04	9.69	9.75
L 5.74	8.47	8.53	R 5.97	9.70	9.75
L 5.75	6.78	6.85	R 6.29	12.31	12.36
R 0.	6.76	6.84	R 6.38	19.20	19.23
R 5.99	6.78	6.85	R 6.47	33.48	33.49
R 8.99	6.79	6.87	R 5.54	36.35	36.36
R 9.35	6.80	6.87	R 5.14	66.01	66.01
R 9.73	8.24	8.30	R 11.61	HORIZON*	HORIZON*
R 10.74	19.42	19.45	R 11.40	46.17	46.18
R 10.83	36.56	36.58	R 10.75	36.55	36.56
R 17.70	95.81	95.81	R 10.74	19.42	19.45
R 17.44	43.99	44.00	R 9.35	7.15	7.22
R 16.73	38.36	38.38	R 8.11	5.00	5.10
R 15.26	37.83	37.84	R 9.03	4.34	4.46
R 15.18	19.77	19.80	R 9.85	3.72	3.85
R 14.36	8.61	8.66	R 10.33	3.18	3.33
R 13.81	7.19	7.26	R 14.54	2.80	2.97
R 13.16	5.92	6.01	R 19.66	2.52	2.71
R 14.42	5.03	5.13	R 21.95	2.38	2.58
R 15.53	4.37	4.48	R 22.31	2.26	2.47
R 16.27	3.19	3.35	R 22.58	2.07	2.30
R 19.61	2.91	3.07	R 24.87	2.02	2.26
R 24.73	2.60	2.79	R 30.02	1.91	2.16
R 27.55	2.39	2.59	R 32.39	1.86	2.11
R 28.10	2.08	2.31	R 32.20	2.41	2.61
R 38.68	1.93	2.18	R 30.56	3.15	3.31
R 38.18	2.43	2.63	R 28.43	4.46	4.57
R 36.47	3.19	3.34	R 25.98	7.40	7.46
R 34.30	4.52	4.63	R 21.87	20.56	20.58
R 32.01	7.55	7.61	R 30.78	22.21	22.23
R 27.50	21.51	21.53	R 33.95	7.60	7.67
R 36.99	23.89	23.91	R 36.16	4.54	4.65

*DEPRESSION ANGLE LESS THAN 0.54 DEGREES,
BUT NOT 0.00 DEGREES (TRUE HORIZON).

.....CONTINUED

.....CONTINUED

GROUND VISIBILITY PLOT - TABULAR DATA

RF-40 FRONT, 3 DEGREES PITCH DOWN

LEFT EYE			RIGHT EYE		
HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)	HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)
R 39.45	9.74	9.79	R 38.27	3.20	3.35
R 40.33	7.82	7.88	R 40.03	2.44	2.63
R 42.40	4.62	4.72	R 42.14	1.94	2.18
R 44.37	3.24	3.39	R 45.38	1.86	2.11
R 46.56	2.46	2.66	R 50.46	1.89	2.14
R 49.02	1.96	2.20	R 55.52	1.92	2.16
R 45.38	1.86	2.11	R 60.57	1.96	2.20
R 50.47	1.86	2.11	R 65.59	2.02	2.26
R 60.61	1.91	2.15	R 70.58	2.13	2.35
R 80.64	2.16	2.38	R 80.49	2.42	2.62
R 95.41	2.68	2.86	R 85.41	2.64	2.83
R 110.07	3.74	3.88	R 95.24	3.18	3.34
R 124.67	7.13	7.20	R 105.00	4.18	4.30
R 133.84	19.57	19.60	R 114.74	6.49	6.57
R 133.76	68.52	68.53	R 119.63	8.44	8.50

Table 48. GROUND VISIBILITY PLOT - TABULAR DATA

RF-4C FRONT, 5 DEGREES PITCH DOWN

LEFT EYE			RIGHT EYE		
HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)	HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)
L 118.44	91.96	91.96	L 123.52	36.66	36.67
L 119.19	16.01	16.04	L 111.91	4.14	4.26
L 119.35	10.04	10.09	L 97.53	2.78	2.95
L 106.79	4.72	4.82	L 82.98	2.14	2.36
L 87.54	2.70	2.88	L 68.06	1.88	2.13
L 67.95	1.96	2.20	L 52.77	1.79	2.05
L 52.76	1.79	2.05	L 50.47	1.81	2.07
L 45.71	1.76	2.02	L 48.69	1.95	2.19
L 42.39	1.82	2.08	L 47.15	2.30	2.51
L 40.47	2.26	2.47	L 42.89	4.11	4.23
L 36.34	4.00	4.12	L 40.01	6.43	6.51
L 34.05	6.21	6.29	L 38.56	8.02	8.08
L 30.07	13.21	13.25	L 36.71	14.26	14.29
L 28.59	26.25	26.26	L 35.29	53.01	53.02
L 19.52	30.10	30.11	L 26.43	34.76	34.78
L 21.67	12.30	12.34	L 27.97	17.41	17.44
L 23.46	8.91	8.97	L 27.36	12.87	12.91
L 23.94	9.81	9.86	L 28.78	9.44	9.49
L 26.40	5.98	6.07	L 29.61	10.20	10.24
L 29.10	4.15	4.27	L 32.21	6.15	6.23
L 28.10	3.80	3.93	L 34.64	3.97	4.10
L 29.38	3.35	3.50	L 37.28	2.90	3.07
L 30.15	3.45	3.59	L 38.68	2.25	2.46
L 32.53	2.86	3.03	L 39.70	1.81	2.07
L 32.88	2.22	2.44	L 26.06	1.92	2.17
L 33.39	1.79	2.05	L 25.92	2.19	2.41
L 20.46	1.95	2.19	L 25.77	2.29	2.50
L 20.16	2.17	2.39	L 25.02	2.43	2.63
L 19.70	2.31	2.52	L 22.46	2.58	2.77
L 10.98	2.95	3.12	L 17.50	2.92	3.09
L 9.27	4.11	4.23	L 16.00	3.87	4.00
L 9.97	4.39	4.50	L 13.32	5.14	5.24
L 8.78	4.79	4.89	L 13.30	5.75	5.83
L 9.42	5.48	5.57	L 15.77	11.88	11.92
L 9.69	6.39	6.47	L 15.70	31.58	31.60

.....CONTINUED

.....CONTINUED

GROUND VISIBILITY PLOT - TABULAR DATA

RF-4C FRONT, 5 DEGREES PITCH DOWN

LEFT EYE			RIGHT EYE		
HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)	HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)
L 10.01	7.36	7.43	L 10.70	29.94	29.95
L 10.75	11.63	11.68	L 10.75	11.63	11.68
L 10.70	29.94	29.95	L 9.34	5.48	5.57
L 6.15	28.62	28.63	L 5.06	5.45	5.54
L 6.39	11.50	11.54	R 0.	5.44	5.53
L 5.78	8.08	8.14	R 3.77	5.45	5.54
L 5.76	6.52	6.59	R 5.61	5.45	5.55
L 5.78	5.46	5.55	R 5.06	7.22	7.29
R 0.	5.44	5.53	R 6.00	7.23	7.30
R 6.02	5.46	5.55	R 6.31	8.60	8.66
R 9.04	5.48	5.57	R 6.39	11.50	11.54
R 9.40	5.48	5.57	R 6.48	15.47	15.50
R 9.83	6.39	6.47	R 5.55	16.04	16.07
R 10.77	11.63	11.68	R 5.14	20.02	20.04
R 10.85	16.21	16.24	R 11.62	23.02	23.04
R 10.73	41.74	41.75	R 11.41	17.88	17.91
R 17.83	22.55	22.56	R 10.77	16.20	16.23
R 17.71	22.87	22.89	R 10.77	11.63	11.68
R 17.46	17.83	17.86	R 9.40	5.71	5.80
R 16.76	16.79	16.82	R 8.17	4.24	4.35
R 15.28	16.62	16.65	R 9.10	3.75	3.88
R 15.22	11.84	11.89	R 9.95	3.27	3.42
R 14.42	6.64	6.71	R 10.45	2.83	3.01
R 13.89	5.76	5.84	R 14.73	2.53	2.72
R 13.24	4.90	5.00	R 19.94	2.29	2.50
R 14.53	4.27	4.39	R 22.28	2.18	2.40
R 15.66	3.78	3.91	R 22.66	2.08	2.31
R 16.46	2.85	3.02	R 22.97	1.91	2.15
R 19.85	2.62	2.81	R 25.31	1.87	2.12
R 25.07	2.38	2.58	R 30.57	1.78	2.04
R 27.95	2.20	2.42	R 32.99	1.74	2.01
R 28.58	1.92	2.17	R 32.66	2.22	2.44
R 39.36	1.81	2.07	R 30.90	2.85	3.02
R 38.72	2.25	2.46	R 28.66	3.89	4.02
R 36.86	2.90	3.07	R 26.11	5.98	6.06

.....CONTINUED

.....CONTINUED

GROUND VISIBILITY PLOT - TABULAR DATA

RF-4C FRONT, 5 DEGREES PITCH DOWN

LEFT EYE			RIGHT EYE		
HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)	HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)
R 34.57	3.97	4.09	R 21.92	12.32	12.36
R 32.17	6.15	6.23	R 18.72	33.00	33.02
R 27.56	12.89	12.93	R 28.80	41.46	41.47
R 24.60	37.05	37.06	R 20.85	13.31	13.35
R 35.23	52.86	52.87	R 34.12	6.21	6.29
R 37.05	14.22	14.36	R 26.44	4.00	4.12
R 39.59	7.70	7.76	R 38.67	2.91	3.08
R 40.51	6.45	6.53	R 40.58	2.26	2.47
R 42.71	4.10	4.22	R 42.86	1.82	2.08
R 44.82	2.97	3.14	R 46.17	1.75	2.02
R 47.17	2.30	2.51	R 51.30	1.79	2.05
R 49.81	1.86	2.11	R 56.41	1.83	2.08
R 46.17	1.75	2.02	R 61.48	1.88	2.13
R 51.33	1.77	2.03	R 66.51	1.95	2.20
R 61.54	1.83	2.09	R 71.48	2.07	2.30
R 81.56	2.13	2.36	R 81.31	2.39	2.59
R 96.15	2.71	2.89	R 86.17	2.62	2.81
R 110.56	3.94	4.06	R 95.86	3.22	3.37
R 124.89	8.34	8.40	R 105.46	4.36	4.47
R 133.90	37.23	37.24	R 115.01	7.19	7.26

Table 49. GROUND VISIBILITY PLOT - TABULAR DATA

RF-4C FRONT, ROLL 5 DEGREES LEFT

LEFT EYE			RIGHT EYE		
HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)	HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)
L 118.27	40.81	40.82	L 133.24	89.32	89.32
L 118.39	12.99	13.03	L 133.42	15.74	15.77
L 118.52	7.70	7.76	L 133.72	6.59	6.67
L 119.17	5.46	5.55	L 111.28	2.74	2.91
L 119.26	4.51	4.62	L 95.92	2.11	2.34
L 106.10	3.04	3.20	L 80.29	1.79	2.05
L 85.55	2.14	2.37	L 64.57	1.69	1.96
L 64.63	1.76	2.03	L 48.99	1.74	2.00
L 49.00	1.74	2.01	L 46.75	1.78	2.04
L 41.92	1.77	2.03	L 45.27	1.53	2.18
L 38.78	1.86	2.12	L 44.30	2.29	2.50
L 37.63	2.34	2.55	L 41.41	4.22	4.34
L 34.88	4.37	4.48	L 39.17	6.96	7.03
L 33.23	7.34	7.41	L 37.95	9.09	9.14
L 29.89	22.94	22.96	L 36.51	19.21	19.24
L 21.53	31.15	31.17	L 27.93	47.23	47.24
L 23.10	15.13	15.16	L 27.18	25.02	25.04
L 23.63	17.54	17.57	L 28.40	14.13	14.17
L 25.64	7.93	8.00	L 29.27	15.45	15.48
L 27.82	4.90	5.00	L 31.41	7.47	7.54
L 26.68	4.48	4.59	L 33.20	4.41	4.52
L 27.71	3.84	3.97	L 35.16	3.09	3.25
L 28.52	3.94	4.06	L 35.86	2.36	2.56
L 30.46	3.15	3.31	L 36.11	1.88	2.13
L 30.12	2.40	2.60	L 23.01	2.15	2.37
L 29.89	1.91	2.16	L 23.29	2.47	2.66
L 17.63	2.24	2.45	L 23.26	2.59	2.78
L 17.66	2.53	2.72	L 22.70	2.78	2.95
L 17.38	2.71	2.89	L 20.35	3.02	3.18
L 9.46	3.82	3.95	L 15.79	3.60	3.74
L 8.32	5.97	6.05	L 14.83	5.14	5.24
L 9.09	6.52	6.59	L 12.58	7.86	7.92
L 8.03	7.52	7.58	L 12.68	9.33	9.38
L 8.81	9.21	9.26	L 15.65	42.36	42.37
L 9.22	11.96	12.00	L 10.67	61.73	61.74

.....CONTINUED

.....CONTINUED

GROUND VISIBILITY PLOT - TABULAR DATA

RF-4C FRONT, ROLL 5 DEGREES LEFT

LEFT EYE			RIGHT EYE		
HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)	HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)
L 9.65	15.63	15.66	L 8.73	9.22	9.27
L 10.67	61.73	61.74	L 4.51	9.80	9.85
L 6.35	103.41	103.41	R 0.47	10.60	10.65
L 5.54	22.26	22.29	R 4.18	11.28	11.32
L 5.36	13.51	13.55	R 5.99	11.65	11.69
L 5.22	9.70	9.75	R 5.25	23.35	23.37
R 0.47	10.60	10.65	R 6.18	24.15	24.17
R 6.40	11.73	11.77	R 6.39	51.69	51.70
R 9.36	12.39	12.43	R 9.69	13.70	13.73
R 9.72	12.47	12.51	R 8.73	7.49	7.56
R 10.03	18.46	18.48	R 9.76	6.18	6.26
R 14.55	23.14	23.17	R 10.74	5.05	5.15
R 14.10	15.07	15.10	R 11.41	4.14	4.26
R 13.58	10.37	10.42	R 15.68	3.62	3.76
R 14.94	8.06	8.13	R 20.82	3.24	3.40
R 16.16	6.58	6.66	R 23.11	3.06	3.22
R 17.21	4.31	4.42	R 23.53	2.88	3.05
R 20.58	3.88	4.01	R 23.93	2.59	2.78
R 25.69	3.45	3.59	R 26.17	2.55	2.74
P 28.52	3.14	3.29	R 31.19	2.42	2.61
R 29.23	2.65	2.83	R 33.49	2.36	2.56
R 39.46	2.49	2.68	R 33.01	3.20	3.36
R 38.78	3.29	3.44	R 31.17	4.53	4.64
R 36.92	4.69	4.80	R 28.83	7.48	7.55
R 34.59	7.93	8.00	R 26.14	20.38	20.41
R 32.11	24.36	24.38	R 34.03	25.91	25.93
R 39.42	HORIZON*	HORIZON*	R 36.42	9.08	8.14
R 40.35	32.37	32.39	R 38.67	4.74	4.85
R 42.54	8.59	8.65	R 40.57	3.31	3.46
R 44.62	4.91	5.01	R 42.76	2.52	2.71
R 46.87	3.40	3.54	R 45.89	2.40	2.50
R 49.33	2.57	2.76	R 50.73	2.46	2.65
R 45.89	2.40	2.60	R 55.56	2.51	2.70
R 50.75	2.42	2.61	R 60.37	2.58	2.77
R 60.41	2.50	2.69	R 65.18	2.68	2.86

*DEPRESSION ANGLE LESS THAN 0.54 DEGREES,
BUT NOT 0.00 DEGREES (TRUE HORIZON).

.....CONTINUED

.....CONTINUED

GROUND VISIBILITY PLOT - TABULAR DATA

RF-4C FRONT, RCLL 5 DEGREES LEFT

LEFT EYE			RIGHT EYE		
HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)	HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)
R 79.66	2.84	3.01	R 69.98	2.84	3.01
P 94.17	3.55	3.69	P 79.61	3.28	3.42
R 108.89	5.03	5.13	P 84.45	3.61	3.75
R 123.92	10.31	10.36	R 94.19	4.44	4.55
R 133.50	41.58	41.59	R 104.03	6.07	6.15

Table 50. GROUND VISIBILITY PLOT - TABULAR DATA

RF-4C FRONT, RCLL 10 DEGREES LEFT

LEFT EYE			RIGHT EYE		
HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)	HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)
L 118.17	20.33	20.36	L 133.03	44.00	44.01
L 118.42	9.84	9.89	L 133.39	13.36	13.40
L 118.67	6.46	6.54	L 133.75	7.85	7.91
L 118.92	4.79	4.90	L 134.36	4.62	4.72
L 119.72	3.80	3.93	L 112.04	2.17	2.39
L 119.91	3.30	3.45	L 96.20	1.71	1.98
L 106.63	2.36	2.56	L 79.76	1.47	1.78
L 85.35	1.73	2.00	L 63.15	1.42	1.74
L 63.27	1.48	1.79	L 46.92	1.50	1.80
L 46.92	1.50	1.81	L 44.64	1.54	1.84
L 39.63	1.55	1.85	L 43.28	1.67	1.95
L 36.32	1.65	1.93	L 42.58	1.96	2.20
L 35.79	2.04	2.27	L 40.40	3.35	3.50
L 33.83	3.55	3.69	L 38.50	5.00	5.10
L 32.56	5.41	5.50	L 37.41	6.08	6.16
L 29.60	11.48	11.52	L 36.19	9.60	9.66
L 28.68	28.72	28.74	L 35.35	20.48	20.51
L 19.72	103.07	103.08	L 26.54	34.91	34.93
L 21.30	15.61	15.64	L 27.74	16.12	16.15
L 22.71	9.97	10.02	L 26.91	12.53	12.57
L 23.29	10.87	10.92	L 28.00	8.90	8.95
L 24.98	6.09	6.17	L 28.90	9.30	9.36
L 25.82	4.06	4.19	L 30.74	5.55	5.64
L 25.59	3.79	3.92	L 32.14	3.61	3.75
L 26.45	3.30	3.44	L 33.71	2.64	2.82
L 27.30	3.36	3.50	L 34.00	2.06	2.29
L 28.98	2.74	2.91	L 33.79	1.67	1.95
L 28.19	2.14	2.36	L 20.75	1.98	2.21
L 27.48	1.73	2.00	L 21.32	2.25	2.46
L 15.42	2.10	2.32	L 21.39	2.36	2.56
L 15.69	2.35	2.56	L 20.94	2.52	2.71
L 15.55	2.52	2.71	L 18.71	2.74	2.92
L 8.13	3.62	3.75	L 14.39	3.31	3.46
L 7.45	5.56	5.65	L 13.83	4.61	4.72
L 8.30	5.99	6.07	L 11.91	6.84	6.91

.....CONTINUED

.....CONTINUED

GROUND VISIBILITY PLOT - TABULAR DATA

RF-4C FRONT, ROLL 10 DEGREES LEFT

LEFT EYE			RIGHT EYE		
HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)	HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)
L 7.34	6.90	6.97	L 12.11	7.92	7.99
L 8.24	8.22	8.28	L 15.48	21.24	21.27
L 8.78	10.27	10.32	L 10.55	30.97	30.99
L 9.30	12.75	12.79	L 8.16	8.23	8.29
L 10.55	30.97	30.99	L 3.98	9.21	9.27
L 6.27	51.89	51.90	R 0.94	10.72	10.77
L 5.29	18.81	18.83	R 4.60	12.21	12.25
L 4.97	12.21	12.25	R 6.39	13.09	13.13
L 4.68	9.03	9.09	R 5.45	28.84	28.86
R 0.94	10.72	10.77	R 6.36	31.38	31.40
R 6.80	13.31	13.34	R 6.46	104.47	104.48
R 9.73	15.11	15.15	R 10.01	17.24	17.27
R 10.08	15.36	15.40	R 9.36	8.37	8.43
R 10.26	25.80	25.82	R 10.52	6.85	6.92
R 14.71	47.33	47.34	R 11.67	5.54	5.63
R 14.37	22.31	22.33	R 12.54	4.50	4.61
R 14.00	13.25	13.29	R 16.95	4.00	4.12
R 15.49	9.92	9.97	R 22.17	3.66	3.79
R 16.83	7.89	7.96	R 24.52	3.47	3.61
R 18.25	4.89	5.00	R 25.02	3.25	3.40
R 21.70	4.46	4.57	R 25.58	2.91	3.07
R 26.90	4.03	4.15	R 27.81	2.88	3.04
R 29.81	3.67	3.81	R 32.83	2.77	2.95
R 30.76	3.05	3.21	R 35.12	2.72	2.90
R 40.88	2.96	3.13	R 34.20	3.85	3.98
R 39.84	4.09	4.21	R 32.01	5.77	5.86
R 37.66	6.31	6.39	R 29.32	11.02	11.07
R 35.01	13.21	13.25	R 26.27	95.59	95.60
R 42.86	17.64	17.67	R 36.81	14.06	14.09
R 45.22	7.13	7.20	R 39.38	6.49	6.57
R 47.75	4.43	4.54	R 41.59	4.16	4.28
R 50.46	3.19	3.34	R 44.08	3.04	3.20
R 47.20	2.91	3.07	R 47.20	2.91	3.07
R 51.92	2.98	3.14	R 51.88	3.03	3.19
R 61.28	3.18	3.33	R 56.55	3.16	3.31

.....CONTINUED

.....CONTINUED

GROUND VISIBILITY PLOT - TABULAR DATA

RF-4C FRONT, ROLL 10 DEGREES LEFT

LEFT EYE			RIGHT EYE		
HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)	HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)
R 79.93	3.88	4.01	R 61.21	3.31	3.46
R 94.08	5.27	5.37	R 65.87	3.50	3.64
R 108.64	8.78	8.83	R 70.50	3.81	3.94
R 123.75	41.37	41.38	R 79.84	4.68	4.79

Table 51. GROUND VISIBILITY PLOT - TABULAR DATA

RF-4C FRONT, ROLL 15 DEGREES LEFT

LEFT EYE			RIGHT EYE		
HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)	HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)
L 117.64	45.28	45.29	L 132.68	28.63	28.65
L 118.00	13.48	13.52	L 133.22	11.54	11.58
L 118.38	7.89	7.96	L 133.75	7.20	7.27
L 118.75	5.56	5.65	L 134.30	5.21	5.31
L 119.14	4.27	4.39	L 135.24	3.54	3.68
L 119.53	3.45	3.59	L 113.02	1.78	2.04
L 120.48	2.89	3.06	L 96.56	1.41	1.73
L 120.78	2.58	2.77	L 79.08	1.23	1.59
L 107.32	1.90	2.15	L 61.37	1.21	1.57
L 85.08	1.43	1.74	L 44.43	1.32	1.65
L 61.57	1.26	1.61	L 42.13	1.36	1.69
L 44.44	1.32	1.65	L 40.91	1.47	1.78
L 36.95	1.38	1.71	L 40.54	1.71	1.98
L 33.90	1.47	1.78	L 39.13	2.78	2.95
L 33.65	1.81	2.07	L 37.61	3.90	4.02
L 32.54	3.00	3.16	L 36.65	4.57	4.68
L 31.67	4.28	4.40	L 35.66	6.40	6.48
L 29.13	7.67	7.73	L 35.05	10.06	10.11
L 28.44	13.04	13.08	L 33.71	24.74	24.76
L 27.34	63.53	63.54	L 26.33	14.79	14.82
L 19.60	25.58	25.60	L 27.38	9.74	9.79
L 20.93	10.45	10.49	L 26.47	8.37	8.43
L 22.17	7.46	7.52	L 27.41	6.51	6.58
L 22.78	7.90	7.97	L 28.33	6.67	6.74
L 24.15	4.96	5.06	L 29.86	4.43	4.54
L 25.62	3.48	3.62	L 30.86	3.06	3.22
L 24.30	3.29	3.44	L 32.00	2.30	2.51
L 24.99	2.90	3.06	L 31.84	1.84	2.09
L 25.87	2.93	3.10	L 31.13	1.51	1.81
L 27.26	2.42	2.62	L 18.28	1.84	2.09
L 26.00	1.94	2.18	L 19.15	2.08	2.31
L 24.77	1.59	1.88	L 19.31	2.17	2.39
L 13.05	1.99	2.22	L 18.99	2.32	2.52
L 13.57	2.21	2.43	L 16.91	2.53	2.72
L 13.57	2.37	2.57	L 12.87	3.08	3.24

.....CONTINUED

.....CONTINUED

GROUND VISIBILITY PLOT - TABULAR DATA

RF-4C FRONT, ROLL 15 DEGREES LEFT

LEFT EYE			RIGHT EYE		
HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)	HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)
L 6.73	3.47	3.61	L 12.73	4.20	4.32
L 6.53	5.24	5.33	L 11.15	6.10	6.18
L 7.44	5.58	5.67	L 11.44	6.93	7.00
L 6.60	6.42	6.50	L 15.20	14.23	14.27
L 7.60	7.47	7.53	L 15.95	51.45	51.46
L 8.26	9.05	9.11	L 10.35	20.77	20.79
L 8.88	10.83	10.88	L 7.53	7.49	7.55
L 10.35	20.77	20.79	L 3.43	8.75	8.81
L 6.15	34.81	34.82	R 1.40	10.93	10.98
L 5.01	16.38	16.41	R 4.99	13.41	13.45
L 4.55	11.21	11.25	R 6.75	15.07	15.11
L 4.12	8.51	8.57	R 5.60	38.08	38.09
R 1.40	10.93	10.98	R 6.50	45.29	45.30
R 7.14	15.50	15.54	R 10.26	23.47	23.49
R 10.01	19.55	19.58	R 9.91	9.55	6.60
R 10.36	20.19	20.21	R 11.20	7.74	7.80
R 10.42	43.33	43.35	R 12.51	6.19	6.27
R 14.54	43.48	43.50	R 13.58	4.96	5.06
R 14.31	18.51	18.54	R 18.07	4.50	4.61
R 15.91	12.99	13.03	R 23.35	4.21	4.33
R 17.37	9.93	9.98	R 25.73	4.02	4.15
R 19.15	5.70	5.79	R 26.31	3.75	3.88
R 22.66	5.27	5.36	R 27.03	3.32	3.47
R 27.91	4.85	4.96	R 29.24	3.32	3.46
R 30.88	4.43	4.55	R 34.22	3.26	3.41
R 32.05	3.59	3.73	R 36.49	3.22	3.38
R 42.02	3.64	3.78	R 35.16	4.82	4.93
R 40.66	5.39	5.48	R 32.64	7.97	8.03
R 38.17	9.63	9.69	R 29.62	21.04	21.06
R 35.22	39.49	39.51	R 36.99	53.76	53.77
R 45.61	12.94	12.98	R 39.86	10.26	10.31
R 48.39	6.32	6.40	R 42.37	5.58	5.67
R 51.34	4.15	4.27	R 45.13	3.81	3.94
R 48.23	3.66	3.79	R 48.23	3.66	3.79
R 52.83	3.83	3.96	R 52.77	3.93	4.05

.....CONTINUED

.....CONTINUED

GROUND VISIBILITY PLOT - TABULAR DATA

RF-4C FRONT, ROLL 15 DEGREES LEFT

LEFT EYE			RIGHT EYE		
HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)	HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)
R 61.93	4.31	4.42	R 57.31	4.20	4.32
R 80.11	5.96	6.05	R 61.84	4.55	4.65
R 94.03	9.93	9.98	R 66.36	4.98	5.08
R 108.53	32.53	32.55	R 70.87	5.68	5.77

Table 52. GROUND VISIBILITY PLOT - TABULAR DATA

RF-40 FRONT, ROLL 30 DEGREES LEFT

LEFT EYE			RIGHT EYE		
HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)	HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)
L 117.87	4.87	4.97	L 131.91	7.79	7.86
L 118.62	3.86	3.99	L 132.97	5.60	5.69
L 119.39	3.19	3.34	L 134.04	4.35	4.47
L 120.18	2.70	2.88	L 135.14	3.55	3.68
L 121.01	2.33	2.54	L 136.26	2.98	3.14
L 121.87	2.04	2.27	L 137.43	2.56	2.75
L 122.78	1.80	2.06	L 139.47	2.05	2.28
L 124.32	1.62	1.90	L 117.74	1.07	1.47
L 125.04	1.49	1.80	L 98.37	0.83	1.30
L 110.75	1.11	1.49	L 75.60	0.73	1.24
L 83.74	0.84	1.31	L 52.93	0.77	1.26
L 53.51	0.80	1.28	L 33.89	0.94	1.37
L 33.91	0.94	1.37	L 31.66	0.98	1.40
L 26.21	1.04	1.44	L 31.14	1.07	1.46
L 23.63	1.13	1.51	L 32.09	1.22	1.58
L 25.22	1.36	1.69	L 33.65	1.82	2.08
L 27.20	2.05	2.28	L 33.43	2.34	2.54
L 27.70	2.66	2.84	L 32.94	2.61	2.80
L 26.55	3.88	4.00	L 32.76	3.20	3.35
L 26.59	4.98	5.08	L 32.87	3.98	4.11
L 26.33	7.39	7.46	L 32.29	5.38	5.48
L 16.42	20.00	20.03	L 21.64	10.90	10.95
L 18.43	7.97	8.03	L 24.63	5.47	5.56
L 18.93	5.34	5.43	L 25.19	4.50	4.61
L 19.60	4.33	4.44	L 24.06	4.25	4.36
L 20.32	4.42	4.53	L 24.52	3.65	3.78
L 20.60	3.24	3.39	L 25.48	3.64	3.78
L 20.84	2.48	2.67	L 25.97	2.78	2.95
L 19.28	2.41	2.61	L 25.58	2.12	2.35
L 19.38	2.17	2.39	L 25.23	1.68	1.96
L 20.32	2.17	2.39	L 23.46	1.40	1.72
L 20.69	1.84	2.09	L 20.95	1.18	1.55
L 17.88	1.54	1.84	L 9.70	1.59	1.88
L 14.92	1.31	1.65	L 11.51	1.75	2.02
L 5.15	1.80	2.06	L 11.98	1.82	2.07

.....CONTINUED

.....CONTINUED

GROUND VISIBILITY PLOT - TABULAR DATA

RF-4C FRONT, ROLL 30 DEGREES LEFT

LEFT EYE			RIGHT EYE		
HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)	HORIZONTAL ANGLE (DEGREES)	GROUND DISTANCE (X ALT)	SLANT RANGE (X ALT)
L 6.45	1.97	2.21	L 12.10	1.93	2.17
L 6.88	2.09	2.32	L 10.58	2.13	2.35
L 2.22	3.22	3.37	L 7.65	2.65	2.83
L 3.49	4.66	4.76	L 8.81	3.44	3.58
L 4.54	4.81	4.92	L 8.37	4.76	4.86
L 4.07	5.53	5.62	L 8.95	5.20	5.30
L 5.37	6.08	6.17	L 13.69	7.32	7.39
L 6.36	6.92	6.99	L 15.15	11.08	11.13
L 7.22	7.71	7.78	L 12.26	HORIZON*	HORIZON*
L 9.30	10.71	10.76	L 10.78	21.04	21.07
L 10.78	21.04	21.07	L 5.30	10.71	10.76
L 12.26	HORIZON*	HORIZON*	L 5.30	6.11	6.19
L 6.81	115.97	115.97	L 1.62	7.93	8.00
L 5.52	18.00	18.03	R 2.71	12.21	12.25
L 3.94	12.24	12.28	R 5.92	20.24	20.26
L 3.07	9.35	9.41	R 7.50	29.75	29.77
L 2.23	7.56	7.62	R 5.80	HORIZON*	HORIZON*
R 2.71	12.21	12.25	R 11.10	17.74	17.77
R 7.85	33.26	33.28	R 12.70	13.48	13.52
R 10.43	HORIZON*	HORIZON*	R 14.42	10.08	10.13
R 10.74	HORIZON*	HORIZON*	R 16.01	7.54	7.61
R 16.50	HORIZON*	HORIZON*	R 20.59	7.56	7.63
R 18.24	50.31	50.32	R 25.82	8.04	8.11
R 20.97	11.98	12.02	R 28.23	8.01	8.07
R 24.54	12.12	12.16	R 29.01	7.19	7.26
R 29.77	13.09	13.13	R 30.13	5.94	6.02
R 32.85	12.03	12.07	R 32.22	6.26	6.34
R 34.60	7.84	7.90	R 36.98	6.86	6.93
R 44.01	11.26	11.31	R 39.16	7.12	7.19
R 41.77	66.43	96.44	R 36.72	19.92	19.94
R 52.58	33.70	33.71	R 46.85	14.73	14.76
R 49.91	14.61	14.65	R 49.91	14.61	14.65
R 54.18	22.65	22.68	R 54.07	25.85	25.87

*DEPRESSION ANGLE LESS THAN 0.54 DEGREES,
BUT NOT 0.00 DEGREES (TRUE HORIZON).

APPENDIX III

BASIC PORTION OF COMPUTER PROGRAM

```

      READ (5,2) N,D,PITCH,ROLL
2  FORMAT (I5,3F5.0)
      BETA = 90 - PITCH
      DO 100 I=1,N
      READ (5,101) ALPHA,PHI,KSIDE,KEYE
101  FORMAT (2F7.0,2I3)
      FI = PHI
      IF (ROLL.EQ.0.) GO TO 200
      IF (KSIDE.EQ.1) PHI = -PHI
      BETA = 90.-ROLL
      RO = ROLL*PI/180.
      GO TO 201
200  IF (KSIDE.EQ.1) PHI = 90. - PHI
      IF (KSIDE.EQ.2) PHI = 90.+ PHI
      IF (PHI.GT.180.) PHI = PHI - 360.
      BETA = 90.-PITCH
      RO = PITCH*PI/180.
201  A = ALPHA*PI/180.
      B = BETA*PI/180.
      P = PHI*PI/180.
      ANGLE = SIGN(ABS(ATAN(SIN(RO)*SIN(P)/COS(RO))),RO*P)
105  IF (A+ANGLE.LT.0.) GO TO 100
      ARG = COS(A)*SIN(P)*COS(B) + SIN(A)*SIN(B)
      IF (KSIDE.EQ.2) K=1
      IF (KSIDE.EQ.1) K=3
      IF (KEYE.EQ.1) K = K + 1
      LINE(K) = LINE(K)+1
      J = LINE(K)
102  IR(J,K) = D/ARG
      R(J,K) = FLOAT(IR(J,K))/6076.1
      IC(J,K) = D*SQRT(1./ARG**2 - 1.)
      C(J,K) = FLOAT(IC(J,K))/6076.1
103  VX = COS(A)*COS(P)
      VY = COS(A)*SIN(P)*SIN(B) - SIN(A)*COS(B)
      V(J,K) = ATAN(VX/VY)*180./PI
      GD(J,K) = ALPHA+ANGLE*180./PI
      AH(J,K) = FI
      AD(J,K) = ALPHA
      IF (ROLL.NE.0.) GO TO 205
      IF (VY.LT.0.) V(J,K) = 180.-ABS(V(J,K))
      V(J,K) = ABS(V(J,K))
      GO TO 100
205  V(J,K) = 90. - SIGN(ABS(V(J,K)),VX)
100  CONTINUE
      DO 400 K=1,4,2
      KAPUT = K+1

```

105521

```

      DO 405 I=1,100
      WRITE (6,FORM) (AH(I,J),AD(I,J),GH(I,J),GD(I,J),C(I,J),IC(I,J),
      IR(I,J),IR(I,J),J=K,KAPUT)
405  CONTINUE
400  CONTINUE

```

REFERENCES

Edwards, Thomas M., *Development of an Instrument for Measuring Aircraft Cockpit Visibility Limits*, Technical Development Report No. 153, Civil Aeronautics Administration and Evaluation Center, Indianapolis, Indiana, January 1952.

MIL-STD-850, "Aircrew Station Vision Requirements for Military Aircraft," 30 August 1965.

MIL-STD-850A, "Aircrew Station Vision Requirements for Military Aircraft," 8 June 1967.