AFRL-AFOSR-VA-TR-2016-0004

MINIMAL REPRESENTATION AND DECISION MAKING FOR NETWORKED AUTONOMOUS AGENTS

PETROS VOULGARIS
UNIVERSITY OF ILLINOIS CHAMPAIGN

08/27/2015
Final Report

Air Force Research Laboratory
AF Office Of Scientific Research (AFOSR)/ RTA2
Arlington, Virginia 22203
Air Force Materiel Command

REPORT DOCUMENTATION PAGE

Form Approved
OMB No. 0704-0188

PLEASE DO NOT RETURN YOUR FORM TO THE ABOVE ORGANIZATION.

1. REPORT DATE *(DD-MM-YYYY)*	2. REPORT TYPE	3. DATES COVERED *(From - To)*
30-07-2015	Final	May 2012- April 2015

4. TITLE AND SUBTITLE
Minimal Representation and Decision Making for Networked Autonomous Agents

5a. CONTRACT NUMBER

5b. GRANT NUMBER
FA9550-12-1-0193

5c. PROGRAM ELEMENT NUMBER

6. AUTHOR(S)
Petros Voulgaris, Soon-Jo Chung, Seth Hutchinson, Steve LaValle (UIUC); Magnus Engestadt (Georgia Tech)

5d. PROJECT NUMBER

5e. TASK NUMBER

5f. WORK UNIT NUMBER

7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES)
Coordinated Science Laboratory
University of Illinois at Urbana Champaign
1308 W Main, Urbana, IL 61801

8. PERFORMING ORGANIZATION REPORT NUMBER

9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)
AFOSR/RSL
875 North Randolph Street
Suite 325, Room 3112
Arlington, VA 22203

10. SPONSOR/MONITOR'S ACRONYM(S)

11. SPONSOR/MONITOR'S REPORT NUMBER(S)

12. DISTRIBUTION/AVAILABILITY STATEMENT
DISTRIBUTION A

13. SUPPLEMENTARY NOTES

14. ABSTRACT
This project addresses fundamental issues that arise in information representation architectures for autonomous reasoning and learning, decentralized planning, and decision-making in multiagent systems. The overall goal of the project is to develop efficient and adaptive strategies to process, represent, exchange, and act upon relevant information from massive data collections, much of which can be irrelevant, imprecise, and contradictory. Within this context we develop results in an array of relevant topics. These include the characterization of the minimum amount of information required by a team of networked agents to solve a geometric task and the minimal number of agents required, the accurate state estimation for agent synchronization, the resilient coordination in the presence of uncertainty and failures, and the multiobjective coordination for safe operation.

15. SUBJECT TERMS
Minimality, Synchronization, Resilient, Distributed, Multiobjective Coordination

16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT	18. NUMBER OF PAGES	19a. NAME OF RESPONSIBLE PERSON
a. REPORT	b. ABSTRACT	c. THIS PAGE			Petros Voulgaris
U	U	U	SAR		19b. TELEPHONE NUMBER *(Include area code)* 217 333 1368

Reset

Standard Form 298 (Rev. 8/98)
Prescribed by ANSI Std. Z39.18
Adobe Professional 7.0

INSTRUCTIONS FOR COMPLETING SF 298

1. REPORT DATE. Full publication date, including day, month, if available. Must cite at least the year and be Year 2000 compliant, e.g. 30-06-1998; xx-06-1998; xx-xx-1998.

2. REPORT TYPE. State the type of report, such as final, technical, interim, memorandum, master's thesis, progress, quarterly, research, special, group study, etc.

3. DATES COVERED. Indicate the time during which the work was performed and the report was written, e.g., Jun 1997 - Jun 1998; 1-10 Jun 1996; May - Nov 1998; Nov 1998.

4. TITLE. Enter title and subtitle with volume number and part number, if applicable. On classified documents, enter the title classification in parentheses.

5a. CONTRACT NUMBER. Enter all contract numbers as they appear in the report, e.g. F33615-86-C-5169.

5b. GRANT NUMBER. Enter all grant numbers as they appear in the report, e.g. AFOSR-82-1234.

5c. PROGRAM ELEMENT NUMBER. Enter all program element numbers as they appear in the report, e.g. 61101A.

5d. PROJECT NUMBER. Enter all project numbers as they appear in the report, e.g. 1F665702D1257; ILIR.

5e. TASK NUMBER. Enter all task numbers as they appear in the report, e.g. 05; RF0330201; T4112.

5f. WORK UNIT NUMBER. Enter all work unit numbers as they appear in the report, e.g. 001; AFAPL30480105.

6. AUTHOR(S). Enter name(s) of person(s) responsible for writing the report, performing the research, or credited with the content of the report. The form of entry is the last name, first name, middle initial, and additional qualifiers separated by commas, e.g. Smith, Richard, J, Jr.

7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES). Self-explanatory.

8. PERFORMING ORGANIZATION REPORT NUMBER. Enter all unique alphanumeric report numbers assigned by the performing organization, e.g. BRL-1234; AFWL-TR-85-4017-Vol-21-PT-2.

9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES). Enter the name and address of the organization(s) financially responsible for and monitoring the work.

10. SPONSOR/MONITOR'S ACRONYM(S). Enter, if available, e.g. BRL, ARDEC, NADC.

11. SPONSOR/MONITOR'S REPORT NUMBER(S). Enter report number as assigned by the sponsoring/ monitoring agency, if available, e.g. BRL-TR-829; -215.

12. DISTRIBUTION/AVAILABILITY STATEMENT. Use agency-mandated availability statements to indicate the public availability or distribution limitations of the report. If additional limitations/ restrictions or special markings are indicated, follow agency authorization procedures, e.g. RD/FRD, PROPIN, ITAR, etc. Include copyright information.

13. SUPPLEMENTARY NOTES. Enter information not included elsewhere such as: prepared in cooperation with; translation of; report supersedes; old edition number, etc.

14. ABSTRACT. A brief (approximately 200 words) factual summary of the most significant information.

15. SUBJECT TERMS. Key words or phrases identifying major concepts in the report.

16. SECURITY CLASSIFICATION. Enter security classification in accordance with security classification regulations, e.g. U, C, S, etc. If this form contains classified information, stamp classification level on the top and bottom of this page.

17. LIMITATION OF ABSTRACT. This block must be completed to assign a distribution limitation to the abstract. Enter UU (Unclassified Unlimited) or SAR (Same as Report). An entry in this block is necessary if the abstract is to be limited.

Minimal Representation and Decision Making for Networked Autonomous Agents

Principal Investigator:

Petros G. Voulgaris

Coordinated Science Laboratory
University of Illinois at Urbana Champaign
1308 W Main, Urbana, IL 61801
tel: 217-333-1368, fax: 217-244-1653
email: voulgari@illinois.edu

co-Principal Investigators: Soon-Jo Chung, Seth Hutchinson, Steve LaValle (UIUC); Magnus Engestadt (Georgia Tech)

Award Period: 2012-15

Final Report

This project addresses fundamental issues that arise in information representation architectures for autonomous reasoning and learning, decentralized planning, and decision-making in multiagent systems. The overall goal of the project is to develop efficient and adaptive strategies to process, represent, exchange, and act upon relevant information from massive data collections, much of which can be irrelevant, imprecise, and contradictory. Within this context we develop results in an array of relevant topics.

Minimal Information

First, we consider what the minimum amount of information required by a team of networked agents to solve a geometric task is. This notion of minimality is abstracted through the use of set-valued sensors, and the question then becomes what assumptions need to be made on these sensor models. In fact, the set-valued sensor provides a general model of a noisy sensor since different kinds of uncertainties can be explored by imposing constraints on the kinds of sets that are returned by the sensor. As a first stab at this, the two-agent rendezvous problem is considered where one agent (the target) is equipped with no sensors and is stationary, while the other is equipped with a set-valued sensor. The set-valued conditions under which rendezvous is possible has been characterized in terms of the sensor characteristics. As part of the search for the minimum information required for a team of agents to solve a particular task, we asked the dual question: Given a certain information exchange structure, what tasks are fundamentally solvable in a distributed manner? This question was answered through necessary and sufficient conditions on the set of tasks in but unfortunately this result was not constructive in that we could not actually generate the distributed decision-making algorithms. However, a computational framework for achieving this was obtained and we now have the tools to solve distributed tasks in a systematic manner given very limited information.

Minimal Number of Agents

Second, we study the situation where we need to deploy a fleet of possibly heterogeneous autonomous agents (personnel, vehicles, robots, and so on) to service an equal number of targets while the agents consume the least amount of energy, captured by the total distance traveled by all agents. For agents with limited sensing and communication capabilities, we give a formula that computes the number of agents needed for ensuring true optimality with a high probability guarantee. When the number of agents cannot be chosen and agents have limited communication, we provide hierarchical strategies that achieve constant ratio approximation to the true optimal distance. This work is relevant to a multi-vehicle version of the Travelling Salesman Problem (TSP). We further provided a direct formula for computing the number of robots sufficient for probabilistically guaranteeing such an O(1) optimal solution with sensing and communication limitations.

State Estimation and Synchronization

We develop a Bayesian consensus filtering framework that can incorporate nonlinear target dynamic models, non-Gaussian uncertainties, and higher–order moments of the locally estimated probability distribution of the target's states. We show that combining probability distributions using a logarithmic opinion pool minimizes the sum of Kullback–Leibler divergences between the consensual estimate and each of the individual estimated probability distributions. Rigorous stability and convergence results for the proposed BCF algorithm with single or multiple consensus loops are developed. A new adaptive formation control method is developed for a large number of spacecraft or robots moving on adaptive network topologies. The adaptive graph Laplacian, introduced first in this paper, is integrated with a phase synchronization controller that synchronizes the relative motions of Euler-Lagrangian systems moving in elliptical orbits, thereby yielding a smaller synchronization error than an uncoupled tracking control law in the presence of bounded disturbances and modeling errors. Furthermore, we present a connection among contraction theory using a Riemannian metric, input-to-state stability (ISS), output passivity, and finite-gain Lp stability, which are common tools for analyzing networked nonlinear systems.

Resilient Coordination

We have considered distributed coordination algorithms that are resilient to possible robot failures for multi-robot systems. These include random failures experienced by individual robots, as well as the possibility of malicious behavior by some of the robots. We have specifically addressed the problems of rendezvous and deployment (i.e., coverage control) among the coordination tasks. We considered the performance of distributed control algorithms for networked robotic systems when one or more robots fail to execute the optimal policy We provided an optimization algorithm based on finite-horizon dynamic programming, and obtained solutions through numerical simulation. Our results showed that in general adversarial nodes are able not only to impede convergence toward consensus, but can also affect global changes in the topology of the communication graph for the cooperative agents. We considered the problem of designing distributed control algorithms to solve the rendezvous problem for multi-robot systems with limited sensing for situations in which random nodes may fail during execution. We considered the problem of worst-case performance by a mobile sensor network (MSN) when some of the nodes in the network fail. We posed the problem as a multi-stage decision process, and used forward dynamic programming over a finite horizon to numerically compute optimal strategies for the adversaries. We presented a distributed robust deployment algorithm for optimal coverage by a mobile sensor network (MSN). We introduced a distributed algorithm for our optimal sensor placement problem that requires only simple peer-to-peer (P2P) communications. We showed via simulation results that our algorithm

converges in finite time, and provides competitive coverage performance in the presence of individual node failures.

Multi-objective Coordination

We considered the problem of multi-agent coordination and control under multiple objectives, and presented a set-theoretic formulation amenable to Lyapunov-based analysis and control design. A novel class of Lyapunov-like barrier functions is introduced and used to encode multiple, non-trivial control objectives, such as collision avoidance, proximity maintenance and convergence to desired destinations. The construction is based on recentered barrier functions and on maximum approximation functions. Thus, a single Lyapunov-like function is used to encode the constrained set of each agent, yielding simple, gradient-based control solutions. The derived control strategies are distributed, i.e., based on information locally available to each agent, which is dictated by sensing and communication limitations. Furthermore, the proposed coordination protocol dictates semi-cooperative conflict resolution among agents, which can be also thought as prioritization, as well as conflict resolution with respect to an agent (the leader) which is not actively participating in collision avoidance, except when necessary. The considered scenario is pertinent to surveillance tasks and involves nonholonomic vehicles. Within this framework we also considered the problem of dynamic coverage control for a team of nonholonomic agents. The novelties of the approach rely on the consideration of anisotropic sensing, which is realized via conic sensing footprints, a new form of sensing (coverage) functions for each agent, and on a new form of avoidance functions. The proposed approach is suitable for surveillance applications where each agent is assigned with the task to gather enough information (such as video streaming) in an obstacle environment. The efficacy of the approach is demonstrated through simulation results.

1.

1. Report Type

Final Report

Primary Contact E-mail

Contact email if there is a problem with the report.

voulgari@illinois.edu

Primary Contact Phone Number

Contact phone number if there is a problem with the report

217-333-1368

Organization / Institution name

University of Illinois

Grant/Contract Title

The full title of the funded effort.

Minimal Representation and Decision Making for Networked Autonomous Agents

Grant/Contract Number

AFOSR assigned control number. It must begin with "FA9550" or "F49620" or "FA2386".

FA9550-12-1-0193

Principal Investigator Name

The full name of the principal investigator on the grant or contract.

Petros Voulgaris

Program Manager

The AFOSR Program Manager currently assigned to the award

Fariba Fahroo

Reporting Period Start Date

05/01/2012

Reporting Period End Date

04/30/2015

Abstract

This project addresses fundamental issues that arise in information representation architectures for autonomous reasoning and learning, decentralized planning, and decision-making in multiagent systems. The overall goal of the project is to develop efficient and adaptive strategies to process, represent, exchange, and act upon relevant information from massive data collections, much of which can be irrelevant, imprecise, and contradictory. Within this context we develop results in an array of relevant topics. These include the characterization of the minimum amount of information required by a team of networked agents to solve a geometric task and the minimal number of agents required, the accurate state estimation for agent synchronization, the resilient coordination in the presence of uncertainty and failures, and the multiobjective coordination for safe operation.

Distribution Statement

This is block 12 on the SF298 form.

Distribution A - Approved for Public Release

Explanation for Distribution Statement

If this is not approved for public release, please provide a short explanation. E.g., contains proprietary information.

SF298 Form

Please attach your SF298 form. A blank SF298 can be found here. Please do not password protect or secure the PDF The maximum file size for an SF298 is 50MB.

AFD-070820-035.pdf

Upload the Report Document. File must be a PDF. Please do not password protect or secure the PDF . The maximum file size for the Report Document is 50MB.

afosr-finalrep15.pdf

Upload a Report Document, if any. The maximum file size for the Report Document is 50MB.

Archival Publications (published) during reporting period:

1. J. Yu, S.-J. Chung, and P. G. Voulgaris, “Target Assignment in Robotic Networks: Distance Optimality Guarantees and Hierarchical Strategies,” IEEE Transactions on Automatic Control, vol. 60, no. 2, February 2015, pp. 327-341.

2. S.-J. Chung, S. Bandyopadhyay, I. Chang, and F. Y. Hadaegh, “Phase Synchronization Control of Complex Networks of Lagrangian Systems on Adaptive Digraphs,” Automatica, vol. 49, no. 5, May 2013, pp. 1148-1161.

3. S. Bandyopadhyay, S.-J. Chung, F. Y. Hadaegh, “Probabilistic Guidance of Swarms using Optimal Transport,” IEEE Multi-conference on Systems and Control (MSC), Antibes, France, Oct. 8-10, 2014.

4. D. Morgan, G. P. Subramanian, S. Bandyopadhyay, S.-J. Chung, F. Y. Hadaegh, “Probabilistic Guidance of Distributed Systems using Sequential Convex Programming,” IEEE/RSJ International Conference on Intelligent Robots and Systems (IROS), Chicago, Illinois, Sept. 14–18, 2014, pp. 3850-3857.

5. J. Yu, S.-J. Chung, and P. G. Voulgaris, “Distance Optimal Target Assignment in Robotic Networks under Communication and Sensing Constraints,” IEEE International Conference on Robotics and Automation (ICRA), Hong Kong, China, 2014, pp. 1098-1105. (PDF)

6. J. Yu, S.-J. Chung, and P. G. Voulgaris, “Traveled Distance Minimization and Hierarchical Strategies for Robotic Networks,” 2014 International Symposium on Communications, Control, and Signal Processing, Special Session on Modeling and Control of Complex Networks, May 22-23, Athens, Greece, 2014, pp. 491-496. Invited paper.

7. S. Bandyopadhyay and S.-J. Chung, “Distributed Estimation using Bayesian Consensus Filtering,” American Control Conference (ACC), Portland, Oregon, June 4-6 2014, pp. 634-641.

8. S. Bandyopadhyay, S.-J. Chung, and F. Y. Hadaegh, “Inhomogeneous Markov Chain Approach to Probabilistic Swarm Guidance Algorithm,” 5th Int. Conf. on Spacecraft Formation Flying Missions and Technologies (SFFMT), Munich, Germany, May 2013.

9. Z. Costello and M. Egerstedt. The Degree of Nonholonomy in Distributed Computations. IEEE Conference on Decision and Control, Los Angeles, CA, Dec. 2014.

10. Z. Costello and M. Egerstedt. From Global, Finite-Time, Linear Computations to Local, Edge-Based Interaction Rules. IEEE Transactions on Automatic Control. Accepted for publication. To appear 2015.

11. Z. Costello, J. Ruths, and M. Egerstedt. On the Construction of Local Interaction Rules that Perform Global Linear Computations. IEEE Conference and Decision and Control, 2015. Submitted.

12. H. Park, S. Hutchinson, "A Distributed Optimal Strategy for Rendezvous of Multi-Robots with Random

Node Failures," Proc. IEEE/RSJ Int'l Conf. on Intelligent Robots and Systems, 2014, pp. 1155-1160.

13. H. Park, S. Hutchinson, "Robust Optimal Deployment in Mobile Sensor Networks with Peer-to-Peer Communication," Proc. IEEE Int'l. Conf. on Robotics and Automation, 2014, pp. 2144-2149.

14. H. Park, S. Hutchinson, \Worst-Case Performance of a Mobile Sensor Network Under Individual Sensor Failure," Proc. IEEE Int'l. Conf. on Robotics and Automation, pp. 895-900, 2013.

15. H. Park, S. Hutchinson, \Worst-Case Performance of Rendezvous Networks in the Presence of Adversarial Nodes," Proc. IEEE/RSJ Int'l Conf. on Intelligent Robots and Systems, pp. 5579-5585, 2013.

16. D. Panagou, D.M. Stipanovic and P.G. Voulgaris, Distributed coordination control for multi-robot networks using Lyapunov-like barrier functions, accepted in IEEE TAC.

17. D. Panagou, D.M. Stipanovic and P.G. Voulgaris, Dynamic coverage control in unicycle multi-robot networks under anisotropic sensing, accepted in Frontiers in Robotics and AI.

18. M. Naghnaeian and P. G. Voulgaris, Performance optimization over positive l-inf cones, American Control Conference, 2014.

19. G.M. Atinc, D.M. Stipanovic, P.G. Voulgaris and M. Karkoub, Swarm-based dynamic coverage control, 53rd IEEE Conference on Decision and Control, 2014.

20. D. Panagou, D.M. Stipanovic and P.G. Voulgaris. Vision-based dynamic coverage control for nonholonomic agents, 53rd IEEE Conference on Decision and Control, 2014.

Changes in research objectives (if any):

Change in AFOSR Program Manager, if any:

Extensions granted or milestones slipped, if any:

AFOSR LRIR Number

LRIR Title

Reporting Period

Laboratory Task Manager

Program Officer

Research Objectives

Technical Summary

Funding Summary by Cost Category (by FY, $K)

	Starting FY	FY+1	FY+2
Salary			
Equipment/Facilities			
Supplies			
Total			

Report Document

Report Document - Text Analysis

Report Document - Text Analysis

Appendix Documents

2. Thank You

E-mail user

Aug 19, 2015 21:48:34 Success: Email Sent to: voulgari@illinois.edu