



AFRL-AFOSR-VA-TR-2016-0003

Accurate and Efficient Atomistic-to-Continuum Coupling Methods

Mitchell Luskin
REGENTS OF THE UNIVERSITY OF MINNESOTA MINNEAPOLIS

10/26/2015
Final Report

DISTRIBUTION A: Distribution approved for public release.

Air Force Research Laboratory
AF Office Of Scientific Research (AFOSR)/ RTA2
Arlington, Virginia 22203
Air Force Materiel Command

REPORT DOCUMENTATION PAGE

*Form Approved
OMB No. 0704-0188*

The public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to the Department of Defense, Executive Service Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number.

PLEASE DO NOT RETURN YOUR FORM TO THE ABOVE ORGANIZATION.

1. REPORT DATE (DD-MM-YYYY) 09-08-2015	2. REPORT TYPE Final Report	3. DATES COVERED (From - To) May 1, 2012 to April 30, 2015
--	---------------------------------------	--

4. TITLE AND SUBTITLE Accurate and Efficient Atomistic-to-Continuum Coupling Methods	5a. CONTRACT NUMBER
	5b. GRANT NUMBER FA9550-12-1-0187
	5c. PROGRAM ELEMENT NUMBER

6. AUTHOR(S) Mitchell Luskin	5d. PROJECT NUMBER
	5e. TASK NUMBER
	5f. WORK UNIT NUMBER

7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) Regents of the University of Minnesota Office of Sponsored Projects Adm 200 Oak St SE Minneapolis, MN 55455-2009	8. PERFORMING ORGANIZATION REPORT NUMBER CON000000033236
--	--

9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) USAF, AFRL DUNS 143574726 AF Office of Scientific Research 875 N. Randolph St Room 3112 Arlington, VA 22203	10. SPONSOR/MONITOR'S ACRONYM(S) AFOSR/PKR1
	11. SPONSOR/MONITOR'S REPORT NUMBER(S) FA9550-12-1-0187

12. DISTRIBUTION/AVAILABILITY STATEMENT
Approved for public release

13. SUPPLEMENTARY NOTES

14. ABSTRACT
Atomistic-to-continuum coupling methods are a class of computational multiscale schemes that combine the accuracy of atomistic models of crystal defects with the efficiency of continuum elasticity. They are increasingly being utilized in materials science to study the fundamental mechanisms of material failure such as crack propagation and plasticity where crystal defects are coupled to other effects through long-range elastic fields. In the construction of atomistic-to-continuum coupling methods, various approximation errors are committed. In this project, a rigorous numerical analysis approach that classifies and quantifies these various errors has been given that has enabled the optimization of the atomistic core size, blending, continuum mesh, and far field approximation for accuracy and computational cost. These results have given confidence in the simulation results, as well as enabled the optimization of the numerical methods for accuracy and computational cost. An analysis and corroborating benchmark computational experiments have been given for blended energy-based and force-based a/c methods that show that these methods are the most efficient and accurate a/c methods for the computation of the deformation of crystals with defects.

15. SUBJECT TERMS
Multiscale, atomistic-to-continuum, defects

16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT UU	18. NUMBER OF PAGES	19a. NAME OF RESPONSIBLE PERSON Mitchell Luskin
a. REPORT U	b. ABSTRACT U	c. THIS PAGE U			19b. TELEPHONE NUMBER (Include area code) 952-926-4030

INSTRUCTIONS FOR COMPLETING SF 298

1. REPORT DATE. Full publication date, including day, month, if available. Must cite at least the year and be Year 2000 compliant, e.g. 30-06-1998; xx-06-1998; xx-xx-1998.

2. REPORT TYPE. State the type of report, such as final, technical, interim, memorandum, master's thesis, progress, quarterly, research, special, group study, etc.

3. DATES COVERED. Indicate the time during which the work was performed and the report was written, e.g., Jun 1997 - Jun 1998; 1-10 Jun 1996; May - Nov 1998; Nov 1998.

4. TITLE. Enter title and subtitle with volume number and part number, if applicable. On classified documents, enter the title classification in parentheses.

5a. CONTRACT NUMBER. Enter all contract numbers as they appear in the report, e.g. F33615-86-C-5169.

5b. GRANT NUMBER. Enter all grant numbers as they appear in the report, e.g. AFOSR-82-1234.

5c. PROGRAM ELEMENT NUMBER. Enter all program element numbers as they appear in the report, e.g. 61101A.

5d. PROJECT NUMBER. Enter all project numbers as they appear in the report, e.g. 1F665702D1257; ILIR.

5e. TASK NUMBER. Enter all task numbers as they appear in the report, e.g. 05; RF0330201; T4112.

5f. WORK UNIT NUMBER. Enter all work unit numbers as they appear in the report, e.g. 001; AFAPL30480105.

6. AUTHOR(S). Enter name(s) of person(s) responsible for writing the report, performing the research, or credited with the content of the report. The form of entry is the last name, first name, middle initial, and additional qualifiers separated by commas, e.g. Smith, Richard, J, Jr.

7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES). Self-explanatory.

8. PERFORMING ORGANIZATION REPORT NUMBER. Enter all unique alphanumeric report numbers assigned by the performing organization, e.g. BRL-1234; AFWL-TR-85-4017-Vol-21-PT-2.

9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES). Enter the name and address of the organization(s) financially responsible for and monitoring the work.

10. SPONSOR/MONITOR'S ACRONYM(S). Enter, if available, e.g. BRL, ARDEC, NADC.

11. SPONSOR/MONITOR'S REPORT NUMBER(S). Enter report number as assigned by the sponsoring/monitoring agency, if available, e.g. BRL-TR-829; -215.

12. DISTRIBUTION/AVAILABILITY STATEMENT. Use agency-mandated availability statements to indicate the public availability or distribution limitations of the report. If additional limitations/ restrictions or special markings are indicated, follow agency authorization procedures, e.g. RD/FRD, PROPIN, ITAR, etc. Include copyright information.

13. SUPPLEMENTARY NOTES. Enter information not included elsewhere such as: prepared in cooperation with; translation of; report supersedes; old edition number, etc.

14. ABSTRACT. A brief (approximately 200 words) factual summary of the most significant information.

15. SUBJECT TERMS. Key words or phrases identifying major concepts in the report.

16. SECURITY CLASSIFICATION. Enter security classification in accordance with security classification regulations, e.g. U, C, S, etc. If this form contains classified information, stamp classification level on the top and bottom of this page.

17. LIMITATION OF ABSTRACT. This block must be completed to assign a distribution limitation to the abstract. Enter UU (Unclassified Unlimited) or SAR (Same as Report). An entry in this block is necessary if the abstract is to be limited.

Accurate and Efficient Atomistic-to-Continuum Coupling Methods

Final Report

Contract/Grant #: FA9550-12-1-0187

Reporting Period: 1 May 2012 to 30 April 2015

Mitchell Luskin
School of Mathematics
University of Minnesota

1. INTRODUCTION

Atomistic-to-continuum coupling methods are a class of computational multiscale schemes that combine the accuracy of atomistic models of crystal defects with the efficiency of continuum elasticity. They are increasingly being utilized in materials science to study the fundamental mechanisms of material failure such as crack propagation and plasticity where crystal defects are coupled to other effects through long-range elastic fields.

In the construction of atomistic-to-continuum coupling methods, various approximation errors are committed. In this project, a rigorous numerical analysis approach that classifies and quantifies these various errors has been given that has enabled the optimization of the atomistic core size, blending, continuum mesh, and far field approximation for accuracy and computational cost. These results have given confidence in the simulation results, as well as enabled the optimization of the numerical methods for accuracy and computational cost. We reviewed and extended the numerical analysis foundations of atomistic-to-continuum coupling methods developed in this project in [5].

An analysis and corroborating benchmark computational experiments have been given for blended energy-based and force-based a/c methods that show that these methods are the most efficient and accurate a/c methods for the computation of the deformation of crystals with defects. Extensions of these methods and their analysis has been initiated to compute finite temperature equilibrium, dynamics, and transition rates.

2. BLENDED ENERGY-BASED ATOMISTIC-TO-CONTINUUM METHODS

We formulated an energy-based atomistic-to-continuum coupling method based on blending the quasicontinuum method for the simulation of crystal defects [6]. We utilized theoretical results from to derive optimal choices of approximation parameters (blending function and finite element grid) for microcrack and di-vacancy test problems and confirm our analytical predictions in numerical tests.

In our blended energy-based atomistic-to-continuum method (BQCE), the ghost forces are not eliminated but are controlled in terms of an additional approximation parameter (the blending

width). BQCE applies to a wide range of problems for which no ghost force free energy-based methods are known; these problems include three-dimensional crystals with general many-body interactions as well as multi-lattices. This makes it an attractive method for such challenging and physically important problems.

The implementation of BQCE requires the choice of two approximation parameters: a *blending function* β and a finite-element mesh \mathbb{T} which is used to compute the continuum contribution to the energy. We gave optimal choices of β and \mathbb{T} to minimize global error norms for the problem of a point defect in a 2D crystal based on theoretical results.

We demonstrate the validity of these results in computational test problems in which we simulated a microcrack and a di-vacancy.

3. BLENDED FORCE-BASED ATOMISTIC-TO-CONTINUUM METHODS

We also formulated an atomistic-to-continuum coupling method based on blending atomistic and continuum forces [3, 4]. Our precise choice of blending mechanism is informed by theoretical predictions. We have published a range of numerical experiments studying the accuracy of the scheme, focusing in particular on its stability. These experiments confirmed and extended the theoretical predictions, and demonstrated a superior accuracy of B-QCF over energy-based blending schemes.

We presented numerical experiments to validate and extend our theoretical results for blended force-based atomistic-to-continuum methods. In particular, we studied (i) whether stability of the B-QCF method in 2D can be systematically improved with increasing the blending width, (ii) whether a relatively narrow blending, as suggested by the theory, is enough in practice, and (iii) whether using the quintic spline (that has the regularity assumed in the theory) has advantages over the cubic spline. Our numerical benchmarks demonstrated that the B-QCF scheme is a practical a/c coupling mechanism with performance (accuracy versus computational cost) superior to energy-based blending schemes.

4. FINITE TEMPERATURE ATOMISTIC-TO-CONTINUUM METHODS

While the recent development of the so-called "hot-QC method" enables dynamic simulations at finite temperature, the times accessible to these simulations remain limited to the sub-microsecond time scale due to the small time step required for stability of the numerical integration. To address this limitation, we developed a novel finite-temperature QC method that can treat much longer time scales by coupling the hot-QC method with hyperdynamics — a method for accelerating time in MD simulations [1, 2, 10]. We refer to the new approach as "hyper-QC". As in the original hyperdynamics method, hyper-QC is targeted at dynamical systems that exhibit a separation of time scales between short atomic vibration periods and long waiting times in metastable states. Acceleration is achieved by modifying the hot-QC potential energy to reduce the energy barriers between metastable states in a manner that ensures that the characteristic dynamics of the system are preserved.

REFERENCES

- [1] Andrew Binder, Mitchell Luskin, Danny Perez, and Arthur F. Voter. Analysis of transition state theory rates upon spatial coarse-graining. *SIAM J. Multiscale Modeling & Simulation*, 13:890–915, 2015. arXiv:1409.6245.
- [2] Woo Kyun Kim, Mitchell Luskin, Danny Perez, Ellad Tadmor, and Art Voter. Hyper-QC: An accelerated finite-temperature quasicontinuum method using hyperdynamics. *Journal of the Mechanics and Physics of Solids*, 63:94–112, 2014.

- [3] Xingjie Helen Li, Mitchell Luskin, and Christoph Ortner. Positive-definiteness of the blended force-based quasi-continuum method. *SIAM J. Multiscale Modeling & Simulation*, 10:1023–1045, 2012. arXiv:1112.2528v1.
- [4] Xingjie Helen Li, Mitchell Luskin, Christoph Ortner, and Alexander V Shapeev. Theory-based benchmarking of the blended force-based quasicontinuum method. *Computer Methods in Applied Mechanics and Engineering*, 268:763–781, 2014. arXiv:1304.1368.
- [5] Mitchell Luskin and Christoph Ortner. Atomistic-to-continuum coupling. *Acta Numerica*, 22:397–508, 2013.
- [6] Mitchell Luskin, Christoph Ortner, and Brian Van Koten. Formulation and optimization of the energy-based blended quasicontinuum method. *Computer Methods in Applied Mechanics and Engineering*, 253:160–168, 2013. arXiv: 1112.2377.
- [7] D. Olson, P. Bochev, M. Luskin, and A. Shapeev. Development of an optimization-based atomistic-to-continuum coupling method. In I. Lirkov, S. Margenov, and J. Wasniewski, editors, *Proceedings of LSSC 2013*, Springer Lecture Notes in Computer Science, Berlin, Heidelberg, 2014. Springer-Verlag.
- [8] D. Olson, P. Bochev, M. Luskin, and A. Shapeev. An optimization-based atomistic-to-continuum coupling method. *SIAM. J. Numer. Anal.*, 52:2183–2204, 2014.
- [9] D. Olson, P. Bochev, M. Luskin, and A. Shapeev. Analysis of an optimization-based atomistic-to-continuum coupling method for point defects. *Mathematical Modelling and Numerical Analysis*, to appear. arXiv:1411.4027.
- [10] Gideon Simpson and Mitchell Luskin. Numerical analysis of parallel replica dynamics. *Mathematical Modelling and Numerical Analysis*, 47:1287–1314, 2013. arXiv:1204.0819.

1.

1. Report Type

Final Report

Primary Contact E-mail

Contact email if there is a problem with the report.

luskin@umn.edu

Primary Contact Phone Number

Contact phone number if there is a problem with the report

9529264030

Organization / Institution name

University of Minnesota

Grant/Contract Title

The full title of the funded effort.

Accurate and Efficient Atomistic-to-Continuum Coupling Methods

Grant/Contract Number

AFOSR assigned control number. It must begin with "FA9550" or "F49620" or "FA2386".

FA9550-12-1-0187

Principal Investigator Name

The full name of the principal investigator on the grant or contract.

Mitchell Luskin

Program Manager

The AFOSR Program Manager currently assigned to the award

Jean-Luc Cambier

Reporting Period Start Date

05/01/2012

Reporting Period End Date

04/30/2015

Abstract

Atomistic-to-continuum coupling methods are a class of computational multiscale schemes that combine the accuracy of atomistic models of crystal defects with the efficiency of continuum elasticity. They are increasingly being utilized in materials science to study the fundamental mechanisms of material failure such as crack propagation and plasticity where crystal defects are coupled to other effects through long-range elastic fields.

In the construction of atomistic-to-continuum coupling methods, various approximation errors are committed. In this project, a rigorous numerical analysis approach that classifies and quantifies these various errors has been given that has enabled the optimization of the atomistic core size, blending, continuum mesh, and far field approximation for accuracy and computational cost. These results have given confidence in the simulation results, as well as enabled the optimization of the numerical methods for accuracy and computational cost.

An analysis and corroborating benchmark computational experiments have been given for blended energy-based and force-based a/c methods that show that these methods are the most efficient and accurate a/c methods for the computation of the deformation of crystals with defects. Extensions of these

methods and their analysis has been initiated to compute finite temperature equilibrium, dynamics, and transition rates.

Distribution Statement

This is block 12 on the SF298 form.

Distribution A - Approved for Public Release

Explanation for Distribution Statement

If this is not approved for public release, please provide a short explanation. E.g., contains proprietary information.

SF298 Form

Please attach your SF298 form. A blank SF298 can be found [here](#). Please do not password protect or secure the PDF. The maximum file size for an SF298 is 50MB.

[SF298.pdf](#)

Upload the Report Document. File must be a PDF. Please do not password protect or secure the PDF. The maximum file size for the Report Document is 50MB.

[research.pdf](#)

Upload a Report Document, if any. The maximum file size for the Report Document is 50MB.

Archival Publications (published) during reporting period:

- 1) Xingjie Helen Li, Mitchell Luskin, and Christoph Ortner. Positive-definiteness of the blended force-based quasicontinuum method. *SIAM J. Multiscale Modeling & Simulation*, 10:1023-1045, 2012.
- 2) Mitchell Luskin, Christoph Ortner, and Brian Van Koten. Formulation and optimization of the energy-based blended quasicontinuum method. *Computer Methods in Applied Mechanics and Engineering*, 253:160-168, 2013.
- 3) Gideon Simpson and Mitchell Luskin. Numerical analysis of parallel replica dynamics. *Mathematical Modelling and Numerical Analysis*, 47:1287–1314, 2013.
- 4) Mitchell Luskin and Christoph Ortner. Atomistic-to-continuum coupling. *Acta Numerica*, 22:397-508, 2013.
- 5) Woo Kyun Kim, M. Luskin, Danny Perez, Ellad Tadmor, and Art Voter. Hyper-QC: An accelerated finite-temperature quasicontinuum method using hyperdynamics. *Journal of the Mechanics and Physics of Solids*, 63:94–112, 2014.
- 6) Xingjie Helen Li, Mitchell Luskin, Christoph Ortner and Alexander V Shapeev. Theory-based benchmarking of the blended force-based quasicontinuum. *Computer Methods in Applied Mechanics and Engineering*, *Computer Methods in Applied Mechanics and Engineering*, 268:763–781, 2014,
- 7) D. Olson, P. Bochev, M. Luskin, and A. Shapeev. Development of an optimization-based atomistic-to-continuum coupling method. In I. Lirkov, S. Margenov, and J. Wasniewski, editors, *Proceedings of LSSC 2013*, Springer Lecture Notes in Computer Science, Berlin, Heidelberg, 2014. Springer-Verlag.
- 8) D. Olson, P. Bochev, M. Luskin, and A. Shapeev. An optimization-based atomistic-to-continuum coupling method. *SIAM. J. Numer. Anal.*, 52: 2183–2204, 2014.
- 9) D. Olson, P. Bochev, A. Shapeev, and M. Luskin. Analysis of an optimization-based atomistic-to-continuum coupling method for point defects. *Mathematical Modelling and Numerical Analysis*, to appear.
- 10) Andrew Binder, Mitchell Luskin, Danny Perez, and Arthur F. Voter. Analysis of transition state theory rates upon spatial coarse-graining. *SIAM J. Multiscale Modeling & Simulation*, to appear.

Changes in research objectives (if any):

None

Change in AFOSR Program Manager, if any:

Change from Fariba Fahroo to Jean-Luc Cambier

Extensions granted or milestones slipped, if any:

None

AFOSR LRIR Number

LRIR Title

Reporting Period

Laboratory Task Manager

Program Officer

Research Objectives

Technical Summary

Funding Summary by Cost Category (by FY, \$K)

	Starting FY	FY+1	FY+2
Salary			
Equipment/Facilities			
Supplies			
Total			

Report Document

Report Document - Text Analysis

Report Document - Text Analysis

Appendix Documents

2. Thank You

E-mail user

Oct 11, 2015 21:39:09 Success: Email Sent to: luskin@umn.edu