



Theoretical/Computational Studies of High-Temperature Superconductivity from Quantum Magnetism

Jose Rodriguez
CALIFORNIA STATE UNIVERSITY AUXILIARY SERVICES INC

06/09/2016
Final Report

DISTRIBUTION A: Distribution approved for public release.

Air Force Research Laboratory
AF Office Of Scientific Research (AFOSR)/ RTB1
Arlington, Virginia 22203
Air Force Materiel Command

REPORT DOCUMENTATION PAGE					Form Approved OMB No. 0704-0188	
The public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Executive Services, Directorate (0704-0188). Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR FORM TO THE ABOVE ORGANIZATION.						
1. REPORT DATE (DD-MM-YYYY) 09-06-2016		2. REPORT TYPE Final Performance			3. DATES COVERED (From - To) 01 Mar 2013 to 28 Feb 2016	
4. TITLE AND SUBTITLE Theoretical/Computational Studies of High-Temperature Superconductivity from Quantum Magnetism				5a. CONTRACT NUMBER		
				5b. GRANT NUMBER FA9550-13-1-0118		
				5c. PROGRAM ELEMENT NUMBER 61102F		
6. AUTHOR(S) Jose Rodriguez				5d. PROJECT NUMBER		
				5e. TASK NUMBER		
				5f. WORK UNIT NUMBER		
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) CALIFORNIA STATE UNIVERSITY AUXILIARY SERVICES INC 5151 STATE UNIVERSITY DR LOS ANGELES, CA 90032-4226 US				8. PERFORMING ORGANIZATION REPORT NUMBER		
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) AF Office of Scientific Research 875 N. Randolph St. Room 3112 Arlington, VA 22203				10. SPONSOR/MONITOR'S ACRONYM(S) AFRL/AFOSR RTB1		
				11. SPONSOR/MONITOR'S REPORT NUMBER(S) AFRL-AFOSR-VA-TR-2016-0204		
12. DISTRIBUTION/AVAILABILITY STATEMENT A DISTRIBUTION UNLIMITED: PB Public Release						
13. SUPPLEMENTARY NOTES						
14. ABSTRACT The symmetry of a single Cooper pair in a monolayer of hole-doped or electron-doped iron superconductor was determine at the limit of strong on-site Coulomb repulsion, with only the 3d xz and the 3d yz iron orbitals included. Exact numerical diagonalization that exploited AFRL supercomputers, in addition to meanfield theory, find isotropic pairing on the electron Fermi surface pockets plus isotropic pairing of opposite sign on hole bands buried below the Fermi level. These results potentially account for the hightemperature superconductivity displayed recently by surface layers of iron selenide.						
15. SUBJECT TERMS quantum magnetism, HTS, superconductivity						
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT UU	18. NUMBER OF PAGES	19a. NAME OF RESPONSIBLE PERSON WEINSTOCK, HAROLD	
a. REPORT Unclassified	b. ABSTRACT Unclassified	c. THIS PAGE Unclassified			19b. TELEPHONE NUMBER (Include area code) 703-696-8572	

Standard Form 298 (Rev. 8/98)
Prescribed by ANSI Std. Z39.18

DISTRIBUTION A: Distribution approved for public release.

Final Report: Theoretical/Computational Studies of High-Temperature Superconductivity from Quantum Magnetism*

Jose P. Rodriguez¹

¹*Department of Physics and Astronomy,
California State University, Los Angeles, California 90032*

Abstract

The symmetry of a single Cooper pair in a monolayer of hole-doped or electron-doped iron superconductor was determined at the limit of strong on-site Coulomb repulsion, with only the $3d_{xz}$ and the $3d_{yz}$ iron orbitals included. Exact numerical diagonalization that exploited AFRL supercomputers, in addition to meanfield theory, find isotropic pairing on the electron Fermi surface pockets plus isotropic pairing of opposite sign on hole bands buried below the Fermi level. These results potentially account for the high-temperature superconductivity displayed recently by surface layers of iron selenide.

* Point-of-Contact: Dr. Harold Weinstock, Quantum Electronic Solids, Air Force Office of Scientific Research (AFOSR), Tel. 703-696-8572, e-mail harold.weinstock@afosr.af.mil

I. INTRODUCTION

Below, we describe the PI's scientific activity funded by AFSOR grant no. FA9550-13-1-0118. The funding period began March 1, 2013, and it ended February 29, 2016. The PI devoted this funding cycle to uncovering the symmetry of Cooper pairs in a single layer of iron-pnictide/selenide superconductor at the limit of strong on-site Coulomb repulsion. Exact diagonalization techniques that exploited DoD supercomputers at the AFRL were brought to bear on the difficult many-electron problem that the PI was faced with. This, in conjunction with a meanfield analysis, revealed a new groundstate for surface-layers FeSe that potentially accounts for the high-temperature superconductivity that these systems show.

II. PUBLICATIONS AND PRESENTATIONS

A. Publications

1. J.P. Rodriguez, M.A.N. Araujo, P.D. Sacramento, "Emergent Nesting of the Fermi Surface from Local-Moment Description of Iron-Pnictide High-Tc Superconductors", *European Physical Journal B* **87**, 163 (2014).
2. J.P. Rodriguez, "Collective Mode at Lifshitz Transition in Iron-Pnictide Superconductors", arXiv:1408.0864, submitted to *Journal of Physics: Condensed Matter*.
3. J.P. Rodriguez, "Isotropic Cooper Pairs with Emergent Sign Changes in Single-Layer High-Tc Superconductors", arXiv:1601.01860, submitted to *Physical Review Letters*.
4. J.P. Rodriguez, "Particle-Hole Transformation in Iron-Based High-Temperature Superconductors", arXiv:1601.07479, submitted to *Europhysics Letters*.

B. Manuscripts in Preparation

1. J.P. Rodriguez and S. Haas, "High-Temperature Superconductivity in Surface-Layers of Iron Selenide: A Variational Monte Carlo Study".
2. J.P. Rodriguez, "High-Temperature Superconductivity versus Nematicity in Surface-Layers of Iron Selenide at the Strong Correlation Limit".

C. Presentations

1. J.P. Rodriguez, "Cooper Pair Formation from Quantum Magnetism in Iron-Pnictide High-Tc Superconductors" (contributed talk), 2013 March Meeting of the American Physical Society held in Baltimore, Maryland, March 18-22, 2013.
2. J.P. Rodriguez, "Iron-pnictide High-Tc Superconductivity from the limit of Local Magnetic Moments" (invited talk), Southern California Condensed Matter Theory Meeting held at California State University Long Beach, April 12, 2013.
3. J.P. Rodriguez, "Iron-Pnictide High-Tc Superconductivity from Local Magnetic Moments" (invited talk), 16th US-Japan Workshop on Advanced Superconductors, held at Dayton, Ohio, July 10-12, 2013.
4. J.P. Rodriguez, "Critical Current of Layered Superconductor with Columnar Defects in Tilted Magnetic Field: A Numerical Study" (contributed talk), 2014 March Meeting of the American Physical Society held in Denver, Colorado, March 3-7, 2014.
5. J.P. Rodriguez, "Collective Modes in Iron Superconductors from the Local Moment Limit" (invited talk), AFOSR Superconductivity Program Review 2014, held at the AFOSR, Arlington, Virginia, August 18, 2014.
6. J.P. Rodriguez, "Collective Modes in Iron Superconductors from the Local Moment Limit" (contributed talk), KITP Program on Magnetism, Bad Metals and Superconductivity: Iron Pnictides and Beyond, held at KITP, University of California Santa Barbara, September 2 - November 21, 2014.
7. J.P. Rodriguez, "Collective Modes in Iron Superconductors from the Local Moment Limit" (invited talk), Department of Physics and Astronomy, University of Southern California, February 27, 2015.
8. J.P. Rodriguez, "How to Exploit NUMA Computer Architecture on Lancer to Find New High-Tc Superconductors" (invited talk), 2015 Air Force High-Performance Computing User Forum, held at AFRL, Dayton, Ohio, July 20-24, 2015.
9. J.P. Rodriguez, "Are the New Class of Iron-Pnictide Superconductors Doped Mott Insulators?" (invited talk), Department of Physics and Astronomy, California State

University Northridge, September 30, 2015.

III. SCIENTIFIC VISITS

1. Invited to participate in the KITP Program on Magnetism, Bad Metals and Superconductivity: Iron Pnictides and Beyond, held at KITP, University of California Santa Barbara, September 2 - November 21, 2014.
2. Invited by Professor Stephan Haas for sabbatical visit at the Department of Physics and Astronomy, University of Southern California, April 1 - June 30, 2015.

IV. PRINCIPAL RESULT OF FUNDED RESEARCH

Recent experimental studies reveal high-temperature superconductivity in surface layers of iron selenide^{1,2}. These include an FeSe mono-layer over various substrates³⁻⁵, intercalated FeSe^{6,7}, and bulk FeSe dosed with alkali metals over the surface^{8,9}. All of these systems share a common electronic structure: 2D electron Fermi surface pockets at the corners of the Brillouin zone. Unlike iron-pnictide superconductors, the 2D hole bands at the Brillouin zone center are buried entirely below the Fermi level. Furthermore, the critical temperatures in surface-layer FeSe superconductors lie inside the range 40 – 110 K, which is substantially higher than the range of critical temperatures in iron-pnictide superconductors. All surface-layer FeSe superconductors also show an isotropic gap on the electron Fermi surface pockets¹⁰. The experimental findings listed above strongly suggest that the high-temperature superconductivity shown by surface-layer FeSe is due to a *new* underlying groundstate.

Calculations based on density-functional theory (DFT) typically predict hole Fermi surface pockets at the Brillouin zone center¹¹, which is counter to what is observed by angle-resolved photoemission (ARPES)^{2,6,7,9,10}. The PI has recently shown that the buried hole bands shown at surface layers of FeSe can be understood instead as emergent phenomena. He includes only the $3d_{xz}$ and $3d_{yz}$ orbitals, along with strong on-site Coulomb repulsion. Proximity to hidden magnetic order yields electron Fermi surface pockets at the corners of the Brillouin zone and hole bands at the Brillouin zone center that lie entirely below the Fermi level¹².

The PI's theory also predicts isotropic Cooper-pair symmetry on the electron Fermi

surface pockets, in addition to remnant isotropic Cooper pairing of opposite sign on the buried hole bands. This state of affairs occurs at a quantum-critical point tuned by Hund coupling, at which *s*-wave and *d*-wave Cooper pairs become degenerate in energy. Given the failure of DFT to describe electronic structure in surface layers of FeSe, the PI's approach based on emergent hole bands is possibly the only viable theory at the moment that describes the high-temperature superconductivity displayed by these new systems.

-
- ¹ Q.-Y. Wang, Z. Li, W.-H. Zhang, Z.-C. Zhang, J.-S. Zhang, W. Li, H. Ding, Y.-B. Ou, P. Deng, K. Chang, J. Wen, C.-L. Song, K. He, J.-F. Jia, S.-H. Ji, Y. Wang, L. Wang, X. Chen, X. Ma, Q.-K. Xue, "Interface-Induced High-Temperature Superconductivity in Single Unit-Cell FeSe Films on SrTiO₃", Chin. Phys. Lett. **29**, 037402 (2012).
 - ² D. Liu, W. Zhang, D. Mou, J. He, Y.-B. Ou, Q.-Y. Wang, Z. Li, L. Wang, L. Zhao, S. He, Y. Peng, X. Liu, C. Chaoyu, L. Yu, G. Liu, X. Dong, J. Zhang, C. Chen, Z. Xu, J. Hu, X. Chen, Z. Ma, Q. Xue and X.J. Xhou, "Electronic origin of high-temperature superconductivity in single-layer FeSe superconductor", Nature Comm. **3**, 931 (2012)
 - ³ W.-H. Zhang, Y. Sun, J.-S. Zhang, F.-S. Li, M.-H. Guo, Y.-F. Zhao, H.-M. Zhang, J.-P. Peng, Y. Xing, H.-C. Wang, T. Fujita, A. Hirata, Z. Li, H. Ding, C.-J. Tang, M. Wang, Q.-Y. Wang, K. He, S.-H. Ji, X. Chen, J.-F. Wang, Z.-C. Xia, L. Li, Y.-Y. Wang, J. Wang, L.-L. Wang, M.-W. Chen, Q.-K. Xue, and X.-C. Ma, "Direct Observation of High-Temperature Superconductivity in One-Unit-Cell FeSe Films", Chin. Phys. Lett. **31**, 017401 (2014).
 - ⁴ L.Z. Deng, B. Lv, Z. Wu, Y.Y. Xue, W.H. Zhang, F.S. Li, L.L. Wang, X.C. Ma, Q.K. Xue, and C.W. Chu, "Meissner and mesoscopic superconducting states in 14 unit-cell FeSe films", Phys. Rev. B **90**, 214513 (2014).
 - ⁵ J.-F. Ge, Z.-L. Liu, C. Liu, C.-L. Gao, D. Qian, Q.-K. Xue, Y. Liu, J.-F. Jia, "Superconductivity above 100 K in single-layer FeSe films on doped SrTiO₃", Nature Mat. **14**, 285 (2015).
 - ⁶ L. Zhao, A. Liang, D. Yuan, Y. Hu, D. Liu, J. Huang, S. He, B. Shen, Y. Xu, X. Liu, L. Yu, G. Liu, H. Zhou, Y. Huang, X. Dong, F. Zhou, Z. Zhao, C. Chen, Z. Xu, X.J. Zhou, "Common electronic origin of superconductivity in (Li,Fe)OHFeSe bulk superconductor and single-layer FeSe/SrTiO₃ films", Nat. Comm. **7**, 10608 (2016).
 - ⁷ X.H. Niu, R. Peng, H.C. Xu, Y.J. Yan, J. Jiang, D.F. Xu, T.L. Yu, Q. Song, Z.C. Huang,

- Y.X. Wang, B.P. Xie, X.F. Lu, N.Z. Wang, X.H. Chen, Z. Sun, and D.L. Feng, “Surface electronic structure and isotropic superconducting gap in $(\text{Li}_{0.8}\text{Fe}_{0.2})\text{OHFeSe}$ ”, *Phys. Rev. B* **92**, 060504(R) (2015).
- ⁸ Y. Miyata, K. Nakayama, K. Suawara, T. Sato, and T. Takahashi, “High-temperature superconductivity in potassium-coated multilayer FeSe thin films”, *Nat. Mater.* **14**, 775 (2015).
- ⁹ C.H.P. Wen, H.C. Xu, C. Chen, Z.C. Huang, X. Lou, Y.J. Pu, Q. Song, B.P. Xie, M. Abdel-Hafez, D.A. Chareev, A.N. Vasiliev, R. Peng, and D.L. Feng, “Anomalous correlation effects and unique phase diagram of electron-doped FeSe revealed by photoemission spectroscopy”, *Nat. Comm.* **7**, 10840, (2016).
- ¹⁰ R. Peng, X. P. Shen, X. Xie, H. C. Xu, S.Y. Tan, M. Xia, T. Zhang, H. Y. Cao, X. G. Gong, J. P. Hu, B. P. Xie, D. L. Feng, “Measurement of an Enhanced Superconducting Phase and a Pronounced Anisotropy of the Energy Gap of a Strained FeSe Single Layer in $\text{FeSe}/\text{Nb:SrTiO}_3/\text{KTaO}_3$ Heterostructures Using Photoemission Spectroscopy”, *Phys. Rev. Lett.* **112**, 107001 (2014).
- ¹¹ T. Bazhiron and M.L. Cohen, “Effects of charge doping and constrained magnetization on the electronic structure of an FeSe monolayer”, *J. Phys.: Condens. Matter* **25**, 105506 (2013).
- ¹² J.P. Rodriguez, “Isotropic Cooper Pairs with Emergent Sign Changes in Single-Layer High-Tc Superconductors”, arXiv:1601.01860, submitted to Physical Review Letters.

1.

1. Report Type

Final Report

Primary Contact E-mail

Contact email if there is a problem with the report.

jrodrig@calstatela.edu

Primary Contact Phone Number

Contact phone number if there is a problem with the report

323-343-2133

Organization / Institution name

California State University at Los Angeles

Grant/Contract Title

The full title of the funded effort.

Theoretical/Computational Studies of High-Temperature Superconductivity from Quantum Magnetism

Grant/Contract Number

AFOSR assigned control number. It must begin with "FA9550" or "F49620" or "FA2386".

FA9550-13-1-0118

Principal Investigator Name

The full name of the principal investigator on the grant or contract.

Jose P. Rodriguez

Program Manager

The AFOSR Program Manager currently assigned to the award

Dr. Harold Weinstock

Reporting Period Start Date

03/01/2013

Reporting Period End Date

02/29/2016

Abstract

The symmetry of a single Cooper pair in a monolayer of hole-doped or electron-doped iron superconductor was determined at the limit of strong on-site Coulomb repulsion, with only the 3d xz and the 3d yz iron orbitals included. Exact numerical diagonalization that exploited AFRL supercomputers, in addition to meanfield theory, find isotropic pairing on the electron Fermi surface pockets plus isotropic pairing of opposite sign on hole bands buried below the Fermi level. These results potentially account for the high-temperature superconductivity displayed recently by surface layers of iron selenide.

Distribution Statement

This is block 12 on the SF298 form.

Distribution A - Approved for Public Release

Explanation for Distribution Statement

If this is not approved for public release, please provide a short explanation. E.g., contains proprietary information.

SF298 FormPlease attach your [SF298](#) form. A blank SF298 can be found [here](#). Please do not password protect or secure the PDF

The maximum file size for an SF298 is 50MB.

[AFD_070820_035.pdf](#)

DISTRIBUTION A: Distribution approved for public release.

Upload the Report Document. File must be a PDF. Please do not password protect or secure the PDF . The maximum file size for the Report Document is 50MB.

[afosr_fnl_rprt_2016.pdf](#)

Upload a Report Document, if any. The maximum file size for the Report Document is 50MB.

Archival Publications (published) during reporting period:

1. J.P. Rodriguez, M.A.N. Araujo, P.D. Sacramento, "Emergent Nesting of the Fermi Surface from Local-Moment Description of Iron-Pnictide High-Tc Superconductors", European Physical Journal B 87, 163 (2014).
2. J.P. Rodriguez, "Collective Mode at Lifshitz Transition in Iron-Pnictide Superconductors", arXiv:1408.0864 , submitted to Journal of Physics: Condensed Matter.
3. J.P. Rodriguez, "Isotropic Cooper Pairs with Emergent Sign Changes in Single-Layer High-Tc Superconductors", arXiv:1601.01860, submitted to Physical Review Letters.
4. J.P. Rodriguez, "Particle-Hole Transformation in Iron-Based High-Temperature Superconductors", arXiv:1601.07479, submitted to Europhysics Letters.

2. New discoveries, inventions, or patent disclosures:

Do you have any discoveries, inventions, or patent disclosures to report for this period?

No

Please describe and include any notable dates

Do you plan to pursue a claim for personal or organizational intellectual property?

Changes in research objectives (if any):

Change in AFOSR Program Manager, if any:

Extensions granted or milestones slipped, if any:

AFOSR LRIR Number

LRIR Title

Reporting Period

Laboratory Task Manager

Program Officer

Research Objectives

Technical Summary

Funding Summary by Cost Category (by FY, \$K)

	Starting FY	FY+1	FY+2
Salary			
Equipment/Facilities			
Supplies			
Total			

Report Document

Report Document - Text Analysis

Report Document - Text Analysis

Appendix Documents

DISTRIBUTION A: Distribution approved for public release.

2. Thank You

E-mail user

May 27, 2016 10:20:54 Success: Email Sent to: jrodrig@calstatela.edu