

**Beatrice Hill virus represents a novel species in the genus *Tibrovirus* (*Mononegavirales*:
Rhabdoviridae)**

**Michael R. Wiley,¹ Karla Prieto,¹ Kim R. Blasdell,² Yíngyún Cai,³ Cristine Campos
Lawson,³ Peter J. Walker,^{2,4} Charles Y. Chiu,⁵ Gustavo Palacios,¹ and Jens H. Kuhn^{3#}**

¹ United States Army Medical Research Institute of Infectious Diseases, Fort Detrick, Frederick,
MD, USA; ²Commonwealth Scientific and Industrial Research Organisation (CSIRO), Health
and Biosecurity, Australian Animal Health Laboratory, Geelong, Victoria, Australia; ³Integrated
Research Facility at Fort Detrick, National Institute of Allergy and Infectious Diseases, National
Institutes of Health, Fort Detrick, Frederick, Maryland, USA; ⁴School of Biological Sciences,
University of Queensland, St Lucia, Queensland, Australia, ⁵University of California, San
Francisco, California, USA

[#]Address correspondence to: Jens H. Kuhn: Integrated Research Facility at Fort Detrick (IRF-
Frederick), Division of Clinical Research (DCR), National Institute of Allergy and Infectious
Diseases (NIAID), National Institutes of Health (NIH), B-8200 Research Plaza, Fort Detrick,
Frederick, MD 21702, USA; Phone: +1-301-631-7245; Fax: +1-301-619-5029; Email:

kuhnjens@mail.nih.gov

Keywords: Beatrice Hill virus, *Mononegavirales*, *Rhabdoviridae*, rhabdovirus, tibrovirus

ABSTRACT

The rhabdoviral genus *Tibrovirus* currently has three official members assigned to two species: Bivens Arm virus and Tibrogargan virus (species *Tibrogargan tibrovirus*) and Coastal Plains virus (species *Coastal Plains tibrovirus*). Here we report the complete genome sequence of a new putative member of this genus, Beatrice Hill virus. Although relatively closely related to the three classified viruses, Beatrice Hill virus represents a novel tibrovirus species.

GENOME ANNOUNCEMENT

The mononegaviral family *Rhabdoviridae* currently includes 13 genera and four unassigned species ([1](#)). One of these genera, *Tibrovirus*, includes two species. Bivens Arm virus (BAV) and Tibrogargan virus (TIBV) have been assigned to the species *Tibrogargan tibrovirus*, and Coastal Plains virus (CPV) has been assigned to the species *Coastal Plains tibrovirus* ([1-3](#)). TIBV and BAV were originally isolated from biting midges (*Culicoides brevitarsis* and *Culicoides insignis*, respectively), and CPV from an apparently healthy steer ([4-6](#)). Recently, several novel viruses have been identified as putative tibroviruses. These include: 1) Bas-Congo virus (BASV) in the serum of a human with viral hemorrhagic fever ([7](#)), 2) Ekpoma virus 1 (EKV-1) and Ekpoma virus 2 (EKV-2) in sera of apparently healthy humans ([8](#)), and Sweetwater Branch virus (SWBV) in biting midges (*Culicoides insignis*) ([3](#), [6](#)). These viruses have recently been accepted by the International Committee on Taxonomy of Viruses (ICTV) to represent the novel species *Bas Congo tibrovirus*, *Ekpoma 1 tibrovirus*, *Ekpoma 2 tibrovirus*, and *Sweetwater Branch tibrovirus*, respectively ([9](#)). All tibroviruses have the specific genomic structure 3'-N-P-M-U1-U2-G-U3-L-5', with N-P-M-G-L being canonical rhabdoviral genes encoding structural proteins U1-U3 being tibrovirus-unique genes. U1 and U2 encode proteins of unknown function and U3 encodes a protein with the structural characteristics of a viroporin ([3](#), [9](#), [10](#)).

Sequence of the Beatrice Hill virus genome 2

Beatrice Hill virus (BHV) was first reported in 1984 as a novel virus of biting midges (*Culicoides peregrinus*) that had been collected at Beatrice Hill, Northern Territory, Australia (11). In 2016, Huang *et al.* published a 5,734 nt-long contig of the Beatrice Hill virus genome, which indicated that this virus most likely falls into the tibrovirus clade (12). To determine the taxonomic position of BHV, we obtained a historical sample of brain tissue obtained from a laboratory mouse that had been infected intracranially with the BHV isolate CSIRO25 10 (Commonwealth Scientific and Industrial Research Organisation, Geelong, Australia). Viral RNA from the sample was processed and sequenced to obtain the complete genome using a sequence-independent single-primer amplification (SISPA) protocol that included rapid amplification of cDNA ends (RACE) (13). Resulting libraries were sequenced on an Illumina MiSeq Desktop sequencer. Illumina and SISPA-RACE adapter sequences were trimmed from the sequencing reads using Cutadapt-1.2.1 (14), quality filtering was conducted with Prinseq-lite (15) and reads were assembled into contigs using Ray Meta with kmer length = 25 (16). Resultant contigs were aligned to the NCBI sequence database using BLAST. Reads were aligned back to the assembled BHV sequence using Bowtie2 (17) and custom scripts to generate a final consensus sequence.

Using PASC (18), the determined complete BHV genome sequence was found to be $\approx 72.79\%$ identical to that of TIBV (GenBank #GQ294472.1) and 72.48% identical to that of BAV (KP688373.1). The genome organization matches that of all tibroviruses. We therefore confirm Huang *et al.*'s hypothesis that BHV is a tibrovirus, and suggest that this virus be assigned to a novel species ("*Beatrice Hill tibrovirus*") based on its divergence from TIBV and BAV.

Sequence of the Beatrice Hill virus genome 3

68

69 **Nucleotide sequence accession numbers.** The GenBank accession number of Beatrice Hill

70 virus isolate CSIRO25 10 is xxx.

71

72 **ACKNOWLEDGMENTS**

73 We would like to thank Toby St. George (Australia) for sharing his knowledge and historic
74 reports on tibroviruses and Laura Bollinger (IRF-Frederick, Frederick, MD, USA) for editing the
75 manuscript.

76 The content of this publication does not necessarily reflect the views or policies of the US
77 Department of the Army, the US Department of Defense, or the US Department of Health and
78 Human Services or of the institutions and companies affiliated with the authors. This work was
79 funded in part through Battelle Memorial Institute's prime contract with the US National
80 Institute of Allergy and Infectious Diseases (NIAID) under Contract No. HHSN272200700016I.
81 Subcontractors to Battelle Memorial Institute who performed this work are: YC and JHK,
82 employees of Tunnell Government Services, Inc.

Sequence of the Beatrice Hill virus genome 4

1 REFERENCES

- 2 1. **International Committee on Taxonomy of Viruses (ICTV).** 2016. Virus Taxonomy:
3 2015 Release. <http://ictvonline.org/virusTaxonomy.asp>.
- 4 2. **Lauck M, Yú S, Cai Y, Hensley LE, Chiu CY, O'Connor DH, Kuhn JH.** 2015.
5 Genome sequence of Bivens Arm virus, a tibrovirus belonging to the species
6 *Tibrogargan virus* (*Mononegavirales: Rhabdoviridae*). *Genome Announc* **3**:e00089-
7 00015.
- 8 3. **Walker PJ, Firth C, Widen SG, Blasdel KR, Guzman H, Wood TG, Paradkar PN,**
9 **Holmes EC, Tesh RB, Vasilakis N.** 2015. Evolution of genome size and complexity in
10 the *Rhabdoviridae*. *PLoS Pathog* **11**:e1004664.
- 11 4. **Cybinski DH, St. George TD, Standfast HA, McGregor A.** 1980. Isolation of
12 Tibrogargan virus, a new Australian rhabdovirus, from *Culicoides brevitarsis*. *Vet*
13 *Microbiol* **5**:301-308.
- 14 5. **Cybinski DH, Gard GP.** 1986. Isolation of a new rhabdovirus in Australia related to
15 Tibrogargan virus. *Aust J Biol Sci* **39**:225-232.
- 16 6. **Gibbs EP, Calisher CH, Tesh RB, Lazuick JS, Bowen R, Greiner EC.** 1989. Bivens
17 Arm virus: a new rhabdovirus isolated from *Culicoides insignis* in Florida and related to
18 Tibrogargan virus of Australia. *Vet Microbiol* **19**:141-150.
- 19 7. **Grard G, Fair JN, Lee D, Slikas E, Steffen I, Muyembe J-J, Sittler T,**
20 **Veeraraghavan N, Ruby JG, Wang C, Makuwa M, Mulembakani P, Tesh RB,**
21 **Mazet J, Rimoin AW, Taylor T, Schneider BS, Simmons G, Delwart E, Wolfe ND,**
22 **Chiu CY, Leroy EM.** 2012. A novel rhabdovirus associated with acute hemorrhagic
23 fever in Central Africa. *PLoS Pathog* **8**:e1002924.

- 1 8. **Stremlau MH, Andersen KG, Folarin OA, Grove JN, Odia I, Ehiane PE, Omoniwa**
2 **O, Omoregie O, Jiang P-P, Yozwiak NL, Matranga CB, Yang X, Gire SK, Winnicki**
3 **S, Tariyal R, Schaffner SF, Okokhere PO, Okogbenin S, Akpede GO, Asogun DA,**
4 **Agbonlahor DE, Walker PJ, Tesh RB, Levin JZ, Garry RF, Sabeti PC, Happi CT.**
5 2015. Discovery of novel rhabdoviruses in the blood of healthy individuals from West
6 Africa. PLoS Negl Trop Dis **9**:e0003631.
- 7 9. **Walker PJ, Blasdel KR, Calisher CH, Dietzgen RG, Kondo H, Kuhn JH, Kurath G,**
8 **Longdon B, Stone DM, Tesh RB, Tordo N, Vasilakis N, Whitfield AE.** 2016. 4 new
9 species in the genus *Tibrovirus*. ICTV [International Committee for Taxonomy of
10 Viruses] Proposal (Taxoprop) No. 2016.008aM.
11 https://talk.ictvonline.org/files/proposals/animal_dsrna_and_ssrna-
12 [viruses/m/animal_rna_minus_ec_approved/6264](https://talk.ictvonline.org/files/proposals/animal_dsrna_and_ssrna-viruses/m/animal_rna_minus_ec_approved/6264) [Epub June, 2016].
- 13 10. **Gubala A, Davis S, Weir R, Melville L, Cowled C, Boyle D.** 2011. Tibrogargan and
14 Coastal Plains rhabdoviruses: genomic characterization, evolution of novel genes and
15 seroprevalence in Australian livestock. J Gen Virol **92**:2160-2170.
- 16 11. **Standfast HA, Dyce AL, St George TD, Muller MJ, Doherty RL, Carley JG,**
17 **Filippich C.** 1984. Isolation of arboviruses from insects collected at Beatrice Hill,
18 Northern Territory of Australia, 1974-1976. Aust J Biol Sci **37**:351-366.
- 19 12. **Huang B, Allcock R, Warrilow D.** 2016. Newly characterized arboviruses of northern
20 Australia. Virology Reports **6**:11-17.
- 21 13. **Jansen van Vuren P, Wiley M, Palacios G, Storm N, McCulloch S, Markotter W,**
22 **Birkhead M, Kemp A, Paweska JT.** 2016. Isolation of a novel fusogenic orthoreovirus
23 from *Eucampsipoda africana* bat flies in South Africa. Viruses **8**:65.

Sequence of the Beatrice Hill virus genome 6

- 1 14. **Martin M.** 2012. Cutadapt removes adapter sequences from high-throughput sequencing
2 reads. *Bioinformatics in Action* **17**:10-12.
- 3 15. **Schmieder R, Edwards R.** 2011. Quality control and preprocessing of metagenomic
4 datasets. *Bioinformatics* **27**:863-864.
- 5 16. **Boisvert S, Raymond F, Godzaridis E, Laviolette F, Corbeil J.** 2012. Ray Meta:
6 scalable *de novo* metagenome assembly and profiling. *Genome Biol* **13**:R122.
- 7 17. **Langmead B, Salzberg SL.** 2012. Fast gapped-read alignment with Bowtie 2. *Nat*
8 *Methods* **9**:357-359.
- 9 18. **Bao Y, Chetvernin V, Tatusova T.** 2014. Improvements to pairwise sequence
10 comparison (PASC): a genome-based web tool for virus classification. *Arch Virol*
11 **159**:3293-3304.