



AFRL-AFOSR-VA-TR-2018-0414

NSSEFF - MATHEMATICAL MODELING IN RANDOM MEDIA- FROM HOMOGENIZATION TO STOCHASTIC

Leonid Ryzhik
LELAND STANFORD JUNIOR UNIVERSITY

06/20/2017
Final Report

DISTRIBUTION A: Distribution approved for public release.

Air Force Research Laboratory
AF Office Of Scientific Research (AFOSR)/ RTA1
Arlington, Virginia 22203
Air Force Materiel Command

DISTRIBUTION A: Distribution approved for public release.

REPORT DOCUMENTATION PAGE					Form Approved OMB No. 0704-0188	
The public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR FORM TO THE ABOVE ADDRESS.						
1. REPORT DATE (DD-MM-YYYY)		2. REPORT TYPE Final			3. DATES COVERED (From - To) 6-01-10 - 05-31-16	
4. TITLE AND SUBTITLE Mathematical Modeling in Random Media: From Homogenization to Stochasticity				5a. CONTRACT NUMBER		
				5b. GRANT NUMBER FA9550-10-1-0194		
				5c. PROGRAM ELEMENT NUMBER		
6. AUTHOR(S) Professor Leonid Ryzhik Email: ryzhik@stanford.edu Professor Guillaume Bal Email: gb2030@columbia.edu				5d. PROJECT NUMBER		
				5e. TASK NUMBER		
				5f. WORK UNIT NUMBER		
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) The Leland Stanford Junior University Trustees of Columbia University 3160 Porter Dr., Ste. 100 615 W. 131st St., Rm. 254 Palo Alto, CA 94304-8445 New York, NY 10027-7922					8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) Air Force Office of Scientific Research 875 N. Randolph St., Rm. 3112 Arlington, VA 22203-1954					10. SPONSOR/MONITOR'S ACRONYM(S)	
					11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for Public Release; Distribution Unlimited						
13. SUPPLEMENTARY NOTES None.						
14. ABSTRACT The overarching goal of the grant was to understand the propagation of uncertainty from the a prior unknown coefficients in partial differential equations to the solutions of such equations. The underlying equations model phenomena as varied as the propagation of waves in heterogeneous media, to the heat distribution or the electric current in a non-uniform medium. The unifying aspect of these problems is that the physical parameters in the system cannot be perfectly known because of the fluctuations and small-scale heterogeneities. Such phenomena are ubiquitous in nature and the basic theoretical and practical problem is quantifying the effect of uncertainty at the microscopic scales on the macroscopic phenomena.						
15. SUBJECT TERMS						
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT UU	18. NUMBER OF PAGES 1	19a. NAME OF RESPONSIBLE PERSON Professor Leonid Ryzhik	
a. REPORT U	b. ABSTRACT U	c. THIS PAGE U			19b. TELEPHONE NUMBER (Include area code) (650) 721-2113	

INSTRUCTIONS FOR COMPLETING SF 298

1. REPORT DATE. Full publication date, including day, month, if available. Must cite at least the year and be Year 2000 compliant, e.g. 30-06-1998; xx-06-1998; xx-xx-1998.

2. REPORT TYPE. State the type of report, such as final, technical, interim, memorandum, master's thesis, progress, quarterly, research, special, group study, etc.

3. DATE COVERED. Indicate the time during which the work was performed and the report was written, e.g., Jun 1997 - Jun 1998; 1-10 Jun 1996; May - Nov 1998; Nov 1998.

4. TITLE. Enter title and subtitle with volume number and part number, if applicable. On classified documents, enter the title classification in parentheses.

5a. CONTRACT NUMBER. Enter all contract numbers as they appear in the report, e.g. F33315-86-C-5169.

5b. GRANT NUMBER. Enter all grant numbers as they appear in the report. e.g. AFOSR-82-1234.

5c. PROGRAM ELEMENT NUMBER. Enter all program element numbers as they appear in the report, e.g. 61101A.

5e. TASK NUMBER. Enter all task numbers as they appear in the report, e.g. 05; RF0330201; T4112.

5f. WORK UNIT NUMBER. Enter all work unit numbers as they appear in the report, e.g. 001; AFAPL30480105.

6. AUTHOR(S). Enter name(s) of person(s) responsible for writing the report, performing the research, or credited with the content of the report. The form of entry is the last name, first name, middle initial, and additional qualifiers separated by commas, e.g. Smith, Richard, J, Jr.

7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES). Self-explanatory.

8. PERFORMING ORGANIZATION REPORT NUMBER. Enter all unique alphanumeric report numbers assigned by the performing organization, e.g. BRL-1234; AFWL-TR-85-4017-Vol-21-PT-2.

9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES). Enter the name and address of the organization(s) financially responsible for and monitoring the work.

10. SPONSOR/MONITOR'S ACRONYM(S). Enter, if available, e.g. BRL, ARDEC, NADC.

11. SPONSOR/MONITOR'S REPORT NUMBER(S). Enter report number as assigned by the sponsoring/monitoring agency, if available, e.g. BRL-TR-829; -215.

12. DISTRIBUTION/AVAILABILITY STATEMENT. Use agency-mandated availability statements to indicate the public availability or distribution limitations of the report. If additional limitations/ restrictions or special markings are indicated, follow agency authorization procedures, e.g. RD/FRD, PROPIN, ITAR, etc. Include copyright information.

13. SUPPLEMENTARY NOTES. Enter information not included elsewhere such as: prepared in cooperation with; translation of; report supersedes; old edition number, etc.

14. ABSTRACT. A brief (approximately 200 words) factual summary of the most significant information.

15. SUBJECT TERMS. Key words or phrases identifying major concepts in the report.

16. SECURITY CLASSIFICATION. Enter security classification in accordance with security classification regulations, e.g. U, C, S, etc. If this form contains classified information, stamp classification level on the top and bottom of this page.

17. LIMITATION OF ABSTRACT. This block must be completed to assign a distribution limitation to the abstract. Enter UU (Unclassified Unlimited) or SAR (Same as Report). An entry in this block is necessary if the abstract is to be limited.

Final report on the NSSEFF grant "Mathematical Modeling in
Random media - From homogenization to Stochasticity",
PI: Lenya Ryzhik

The overarching goal of the grant was to understand the propagation of uncertainty from the a priori unknown coefficients in partial differential equations to the solutions of such equations. The underlying equations model phenomena as varied as the propagation of waves in heterogeneous media (e.g., radars), to the heat distribution or the electric current in a non-uniform medium. The unifying aspect of these problems is that the physical parameters in the system cannot be perfectly known because of the fluctuations and small-scale heterogeneities. Such phenomena are ubiquitous in nature and the basic problem that is both of the theoretical and practical importance is quantifying the effect of uncertainty at the microscopic scales on the macroscopic phenomena.

The main interest in studying problems of this type is to describe the effect of the small scale fluctuations on the solutions on the macroscopic scales, much longer than the scales of the heterogeneities, on the order of thousands or even tens of thousands of the microscopic lengths. Such problems remain numerically prohibitive even today, especially in three dimensions. Moreover, even if the numerical simulations were available, they would not be sufficient in themselves, precisely because the small fluctuations of the media can not be measured precisely, and thus can not be the basis of the numerical simulations.

Such understanding is, in particular, critical in several types of problems: first, a forward problem involves, generically, a signal transmission through a heterogeneous environment – one is interested in the shape of the transmitted signal, as affected by the medium heterogeneities. Mathematically, this problem corresponds to an initial or boundary value problem for a partial differential equation with random coefficients. Second, the parameter estimation problems – one is interested in recovering the macroscopic properties of a complex medium but not the fine scale oscillations, as well as in the inverse problems where the goal is to find via remote measurements an object hidden in a medium and obscured by the heterogeneities. Mathematically, these problems correspond to the inverse problems for partial differential equations with random coefficients. It is well-known that such inverse problems are extremely ill-posed, so the mathematical challenge is to discover the observables that are affected by the heterogeneities in a non-trivial way but are stable with respect to the small scale fluctuations, in the sense that they depend only on the overall statistics of the fluctuations, and not on a particular realization of the medium. Both the forward and the inverse problems then hinge on two fundamental questions: (i) find measurements that are as immune to effects of noise as possible; and (ii) understand how noise propagates up to the macroscopic scales, and affects the large scale phenomena. The work was done by the group of Guillaume Bal at Columbia University and the group of Lenya Ryzhik at Stanford University.

Stability of measurements and propagation of stochasticity

Wave propagation in heterogeneous media is one example of a problem modeled by a partial differential equation involving random and highly oscillatory coefficients. One central component of the grant was to understand and whenever possible rigorously justify how stochasticity propagates from the coefficients in the PDE to its solution. As an example of a problem of interest, in the setting of wave propagation in heterogeneous media, consider the reconstruction of an inclusion buried behind a blocker and probed by a radiation source. The medium between the source and the inclusion may be highly turbid and its precise reconstruction is both practically infeasible, and useless — the fluctuations do not carry useful information, we are only interested in the object hidden behind the blocker. Such turbid media must then be modeled as random. The goal is to understand the effects of randomness on measurements on the detector array and recover the inclusion from the noisy measurements. As no direct signal comes from the inclusion to the array due to the blocker, it is only because of the heterogeneities that we can hope to recover the inclusion at all but for the same reason the recorded signal at the array is inherently noisy, making the problem highly challenging. The goal in this setting is to extract some information about the object behind the blocker from the noisy measurements.

One of the accomplishments of the grant was the analysis of the functionals of the measurements on the array of detectors that would be (i) sensitive to the presence of the inclusion, and (ii) as immune to the details of the unknown randomness as possible. Examples of such functionals are the appropriately defined wave energy densities, as well as the field-to-field correlations. These quantities are homogenized: they are affected by the randomness but the overall effect of the noise is averaging to a non-trivial but deterministic effect. However, when the noise becomes too strong, or the propagation distances are too long, the effect of the randomness even on these functionals is no longer deterministic, and they experience fluctuations of order one. This is what is mathematically referred to as the transition from homogenization to stochasticity. As we have mentioned, mathematically, measurements are functionals of the solutions to the PDE and the errors committed in the reconstructions of the parameters of interest are directly related to errors, or fluctuations, in the measurements. The limitations in the forward and inverse problems, or in the parameter estimations, are, therefore, to a large extent driven by how stochasticity propagates from noise to measurements.

The analysis of such models has a long history, both in the mathematical and engineering communities. However, most work is done in the so-called homogenization regime, where randomness in the coefficients affects the solutions of PDEs in a highly non-trivial way but nevertheless the solutions are nearly deterministic. This regime is valid when the random fluctuations oscillate on a much smaller scale than both the macroscopic size of the domain of interest, and the scale of the initial signal, or the boundary data. This regime is crucial as it provides us with a model on how measurements depend on the parameters of interest, such as the buried inclusion in the preceding example. However, it gives us no information about the size of the inevitable random fluctuations in our measurements that arise as soon as we are slightly away from the homogenization regime, as always happens in practice.

The core objective of the grant was to understand the fluctuations in the available measurements beyond the homogenization limit and the dependence of such fluctuations on the randomness in the coefficients of the PDE. Such fundamental questions turn out to be particularly challenging. Only in some PDE models do we have a complete understanding of this problem with major contributions from the work supported by the grant.

Random fluctuations with slowly decaying correlations

Homogenization regime arises when the medium properties have short range correlations, so that the random coefficients rapidly forget values at nearby points. In contrast, media with slowly decaying correlations are fractal and have structure on all scales. A major accomplishment of the grant is the discovery of the dichotomy between these regimes – solutions of partial differential equations exhibit drastically different behavior in these two types of media. One important class of partial differential equations for which this analysis has been carried out is the parabolic equations with random potentials. This class includes, for instance, the parabolic models of radars in turbid environments.

For such models, both when the random fluctuations are strong and weak, we have discovered that the propagation of stochasticity strongly depends on the decorrelation properties of the random potential. For partial differential equations with random coefficients that have short-range correlations, we have proved that the solution of the corresponding partial differential equation is well approximated by a solution of the deterministic homogenized problem, in accordance with the general philosophy of the homogenization theory. Moreover, the random fluctuations in the solutions can be asymptotically described by a stochastic partial differential equation with additive or multiplicative noise, depending on the precise problem, or with random initial data. This completely characterizes the propagation of stochasticity in this case.

In contrast, for the partial differential equations with random coefficients that have long-range correlations, we have shown that the solutions remained stochastic at the macroscopic level. Moreover, it was shown, in a range of problems, that even the weakly random fluctuations in the coefficients affect the solution in a non-trivial way on time scales much shorter than that for rapidly decorrelating random coefficients. In particular, inverse problems in random media with long range correlations can not be addressed in the same way as in random media with short range correlations. The multi-scale nature of the small scale fluctuations affects measurements in a quantifiable but much stronger way.

We have also discovered a completely new phenomenon that long range correlations introduce a continuum of temporal scales on which various observables become non-trivially affected: for instance, in the wave problems, the wave amplitude becomes randomized on a time scale much shorter than the phase. In particle dispersion problems, the positions of individual tracers become randomized much sooner than the multi-particle correlations: there exists a long intermediate time scale, on which a collection of tracers behaves as rigid body with a center of mass performing a stochastic motion. This phenomenon, in particular, dramatically affects our understanding of which wave functionals should be measured in turbid media.

Such results were obtained for other PDE models including those used in wave propagation waves in complex media. The salient feature of such results is a characterization of the effect of the correlation properties of a random medium on the stochasticity of the PDE solutions.

The list of publications

1. G. Bal, T. Komorowski and L. Ryzhik, Asymptotics of the phase of the solutions of the random Schrödinger equation, *Arch. Ration. Mech. Anal.* **200**, 2011, 613–664.
2. G. Iyer, A. Novikov, L. Ryzhik and A. Zlotos, Exit times of diffusions with incompressible drifts, *SIAM J. Math. Anal.* **42**, 2010, 2484–2498.
3. G. Bal, Homogenization with large spatial random potential, *Multiscale Model. Simul.*, **8**, 2010, 1484–1510.
4. G. Bal and W. Jing, Homogenization and Corrector Theory for Linear Transport in Random Media, *Disc. Cont. Dyn. Syst. A*, **28**, 2010, 1311–1343.
5. T. Komorowski and L. Ryzhik, Fluctuations of solutions to Wigner equation with an Ornstein-Uhlenbeck potential, *Discr. Cont. Dyn. Sys. B*, **17**, 2012, 871–914.
6. T. Komorowski and L. Ryzhik, A sharp bound on the L^2 norm of the solution of a random elliptic difference equation, *Comm. Math. Sci.*, **9**, 2011, 607–622.
7. G. Bal, Convergence to Homogenized or Stochastic Partial Differential Equations, *Appl Math Res Express*, **2011**, 215–241, 2011.
8. G. Bal and W. Jing, Corrector theory for elliptic equations in random media with singular Green’s function. Application to random boundaries, *Comm. Math. Sci.*, **9**, 2011, 383–411.
9. G. Bal and W. Jing, Fluctuation theory for radiative transfer in random media, *Jour. Quant. Spectr. Rad. Transfer*, **112**, 2011, 660–670.
10. G. Bal, T. Komorowski, and L. Ryzhik, Kinetic limits for waves in a random medium. *Kinet. Relat. Models* **3**, 2010, 529–644.
11. G. Bal, R. Ghanem and I. Langmore, Large Deviation Theory for a Homogenized and “Corrected” Elliptic ODE , *J. Diff. Eqs*, **251**, 2011, 1864–1902.
12. G. Bal and W. Jing, Corrector theory for MsFEM and HMM in random media (with W. Jing), *Multiscale Model. Simul.*, **9**, 2011, 1549–1587.
13. T. Komorowski, A. Novikov and L. Ryzhik, Evolution of particle separation in slowly decorrelating velocity fields, *Comm. Math. Sci.*, **10**, 2012, 767–786.
14. G. Bal, J. Garnier and W. Jing, Corrector Theory for Elliptic Equations with Long-range Correlated Random Potential, *Asymptotic Analysis*, **77**, 123–145, 2012.
15. G. Bal and Y. Gu, Random Homogenization and Convergence to Integrals with respect to the Rosenblatt Process, *J. Diff. Equ.*, **253**, 2012, 1069–1087.
16. G. Bal and O. Pinaud, Correlations of heterogeneous wave fields propagating in homogeneous media. Multi-scale and high-contrast PDE: from modelling, to mathematical analysis, to inversion, 125144, *Contemp. Math.*, 577, Amer. Math. Soc., Providence, RI, 2012.
17. M. Moscoso, A. Novikov, G. Papanicolaou and L. Ryzhik, A differential equations approach to l_1 -minimization with applications to array imaging, *Inverse Problems*, **28**, 2012, 1050012012.
18. T. Komorowski, S. Olla and L. Ryzhik, Asymptotics of the solutions of the stochastic lattice wave equation, *Arch. Ration. Mech. Anal.* **209**, 2013, 455–494.
19. G. Iyer, T. Komorowski, A. Novikov and L. Ryzhik, From homogenization to averaging in cellular flows, *Ann. Inst. H. Poincaré Anal. Non Linéaire* **31**, 2014, 957–983.
20. I. Kukavica, M. Ignatova and L. Ryzhik, The Harnack inequality for second-order elliptic equations with divergence-free drifts, *Commun. Math. Sci.* **12**, 2014, 681–694.
21. T. Komorowski and L. Ryzhik, Long time energy transfer in the random Schrödinger equation, *Comm. Math. Phys.* **329**, 2014, 1131–1170.
22. I. Kukavica, M. Ignatova and L. Ryzhik, The Harnack inequality for second-order parabolic equations with divergence-free drifts of low regularity, *Comm. PDE* **41**, 2016, 208–226.
23. T. Komorowski, A. Novikov and L. Ryzhik, Homogenization driven by a fractional Brownian motion: the shear layer case, *Multiscale Model. Simul.* **12**, 2014, 440–457.
24. G. Bal and Y. Gu, An invariance principle for Brownian motion in random scenery. *Elec-*

tron. J. Probab. **19**, 2014, 19 pp.

25. G. Bal and N. Zhang, Convergence to SPDE of the Schroedinger equation with large, random potential, *Commun. Math. Sci.* **12**, 2014, 825–841.
26. G. Bal and W. Jing, Corrector Analysis of a Heterogeneous Multi-scale Scheme for Elliptic Equations with Random Potential, *ESAIM Math. Model. Numer. Anal.* **48**, 2014, 387–409.
27. G. Bal and N. Zhang, Homogenization of the Schroedinger equation with large, random potential, *Stoch. Dyn.* **14**, 2014, 1350013, 29 pp.
28. G. Bal, O. Pinaud, L. Ryzhik and K. Solna, Precursors for waves in random media, *Wave Motion* **51**, 2014, 1237–1253.
29. G. Bal and Y. Gu, Limiting models for equations with large random potential; a review, *Comm. Math. Sci.*, **13**, 2015, 729–748.
30. G. Bal and Y. Gu, Fluctuations of parabolic equations with large random potentials. *Stoch. Partial Differ. Equ. Anal. Comput.* **3**, 2015, 1–51.
31. G. Bal and Y. Gu, Homogenization of parabolic equations with large time- dependent random potential. *Stochastic Process. Appl.* **125**, 2015, 91–115.
32. C. Gomez, O. Pinaud and L. Ryzhik, Hypocoelliptic estimates in radiative transfer, *Comm. PDE* **41**, 2016, 150–184.
33. C. Gomez, O. Pinaud, and L. Ryzhik, Radiative transfer with long-range interactions: regularity and asymptotics, Preprint, 2016.
34. Y. Gu and L. Ryzhik, The random Schrödinger equation: slowly decorrelating time-dependent potentials, *SIAM MMS*, **14**, 2016, 323–363.
35. Y. Gu and L. Ryzhik, The random Schrödinger equation: homogenization in time- dependent potentials, *Multiscale Model. Simul.* **14**, 2016, 323–363.
36. G. Bal, O. Pinaud and L. Ryzhik, On the stability of some imaging functionals, *Inverse Probl. Imaging* **10**, 2016, 585–616.
37. G. Bal and W. Jing, Fluctuations in the homogenization of semilinear equations with random potentials. *Comm. PDE* **41**, 2016, 1839–1859.
38. G. Bal and O. Cagan, Dynamical polynomial chaos expansions and long time evolution of differential equations with random forcing. *SIAM/ASA J. Uncertain. Quantif.* **4**, 2016, 609–635.
39. G. Bal and Y. Gu, Weak convergence approach for parabolic equations with large, highly oscillatory, random potential. *Ann. Inst. Henri Poincaré Probab. Stat.* **52**, 2016, 261–285.
40. G. Bal and Y. Gu, Limiting models for equations with large random potential: a review, *Commun. Math. Sci.* **13**, 2015, 729–748.