



ARL-TN-0967 • SEP 2019



TrellisWare Limo Communications Package Tray Drawing Package

by Steven Callaway

Approved for public release; distribution is unlimited.

NOTICES

Disclaimers

The findings in this report are not to be construed as an official Department of the Army position unless so designated by other authorized documents.

Citation of manufacturer's or trade names does not constitute an official endorsement or approval of the use thereof.

Destroy this report when it is no longer needed. Do not return it to the originator.



TrellisWare Limo Communications Package Tray Drawing Package

by Steven Callaway

*Computational and Information Sciences Directorate, CCDC Army Research
Laboratory*

REPORT DOCUMENTATION PAGE				Form Approved OMB No. 0704-0188	
Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR FORM TO THE ABOVE ADDRESS.					
1. REPORT DATE (DD-MM-YYYY) September 2019		2. REPORT TYPE Technical Note		3. DATES COVERED (From - To) July 2019	
4. TITLE AND SUBTITLE TrellisWare Limo Communications Package Tray Drawing Package				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S) Steven Callaway				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) CCDC Army Research Laboratory ATTN: FCDD-RLC-IB 2800 Powder Mill Road, Adelphi, MD 20783-1138				8. PERFORMING ORGANIZATION REPORT NUMBER ARL-TN-0967	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAILABILITY STATEMENT Approved for public release; distribution is unlimited.					
13. SUPPLEMENTARY NOTES					
14. ABSTRACT The TrellisWare Limo Communications Package (LCP) Tray is used in a mobile ad hoc network (MANET) within the confines of an LCP chassis. Providing communications on the move capability, the system interfaces with the LCP chassis within the required envelope.					
15. SUBJECT TERMS radio, LCP, Limo, radio, communications					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT UU	18. NUMBER OF PAGES 25	19a. NAME OF RESPONSIBLE PERSON Steven Callaway
a. REPORT Unclassified	b. ABSTRACT Unclassified	c. THIS PAGE Unclassified			19b. TELEPHONE NUMBER (Include area code) 301-394-1152

Contents

List of Figures	iv
List of Tables	iv
1. Introduction	1
2. Design Requirements	1
3. Drawing Package	2
4. Conclusion	3
Appendix. LCP Tray Drawings	4
List of Symbols, Abbreviations, and Acronyms	18
Distribution List	19

List of Figures

Fig. 1	TrellisWare LCP tray assembly	1
Fig. 2	Stacked TrellisWare radio configuration.....	2
Fig. A-1	Amplifier_nutplate_-_LCP	5
Fig. A-2	BioDigital bracket	6
Fig. A-3	Dual TW bottom plate	7
Fig. A-4	Dual TW bracket 1	8
Fig. A-5	Dual TW bracket 2	9
Fig. A-6	Filter slide plate.....	10
Fig. A-7	LCP tray.....	11
Fig. A-8	Slide spacer 1	12
Fig. A-9	Slide spacer 2	13
Fig. A-10	Tray ear 1	14
Fig. A-11	Tray ear 2.....	15
Fig. A-12	TW floor bracket.....	16
Fig. A-13	Wifi router bracket	17

List of Tables

Table 1	TrellisWare LCP Tray drawing number index	3
---------	---	---

1. Introduction

The TrellisWare Limo Communications Package (LCP) Tray delivers a mobile ad hoc network (MANET) within the confines of the LCP chassis. This allows for communications on the move capabilities without the need for fixed infrastructure. The small allowable footprint is accommodated by stacking tray components in the two-rack unit (RU) space. This maintains dual radio capabilities, while interfacing to the existing LCP chassis. An isometric view of the tray assembly is seen in Fig. 1.




Fig. 1 TrellisWare LCP tray assembly

2. Design Requirements

The TrellisWare LCP system is required to interface with the existing LCP chassis, which set the maximum dimensions and general design of the tray to be used. The maximum allowed footprint of the tray is 11.285 inches deep and 16.750 inches wide, to fit in a 2-RU space.

This limited usable area required for the TrellisWare radios and radio amplifiers to be stacked on the tray to conserve space. A hinged chassis was used for the TrellisWare radio stack (Fig. 2). This allows the user to access both radios to make configuration adjustments, if necessary.




Fig. 2 Stacked TrellisWare radio configuration

To accommodate two different rack configurations, a modular tray layout is used. Rack ears (dash number -11011 and -11012) are used for a standard 19-inch rack, while side spacers (dash number -11013 and -11014) are used to interface with the slides used in the LCP chassis.

A BioDigital R8000 chassis was used to handle the network processing for the radios. Existing threaded features on the chassis are used for mounting, while cutouts were used on the bracket to allow for proper air circulation.

3. Drawing Package

The following drawing number index (Table 1) was used for the fabrication of the TrellisWare LCP Tray. These drawings were consulted by US Army Combat Capabilities Development Command Army Research Laboratory technicians and engineers for the assembly of parts. The individual drawings are provided in the Appendix.

Table 1 TrellisWare LCP Tray drawing number index

SK549532	
Drawing title	Dash no.
LCP Tray	-11001
Wifi Router Bracket	-11002
BioDigital Bracket	-11003
Amplifier Nutplate - LCP	-11004
Filter Slide Plate	-11005
Dual TW Bracket 1	-11006
Dual TW Bracket 2	-11007
TW Floor Bracket	-11008
Dual TW Bottom Plate	-11009
Tray Ear 1	-11011
Tray Ear 2	-11012
Side Spacer 1	-11013
Side Spacer 2	-11014

4. Conclusion

Utilizing a hinged radio chassis and stacked configuration for the remaining equipment, the TrellisWare LCP tray maximizes capability while minimizing required space. The chassis interfaces with the previously used LCP chassis, while providing MANET capability to the end user.

Appendix. LCP Tray Drawings




Fig. A-1 Amplifier_nutplate_-_LCP




Fig. A-2 BioDigital bracket




Fig. A-3 Dual TW bottom plate




Fig. A-4 Dual TW bracket 1




Fig. A-5 Dual TW bracket 2

Fig. A-6 Filter slide plate




Fig. A-7 LCP tray




Fig. A-8 Slide spacer 1




Fig. A-9 Slide spacer 2




Fig. A-10 Tray ear 1




Fig. A-11 Tray ear 2




Fig. A-12 TW floor bracket




Fig. A-13 Wifi router bracket

List of Symbols, Abbreviations, and Acronyms

LCP	Limo Communications Package
MANET	mobile ad hoc network
RU	rack unit

1 DEFENSE TECHNICAL
(PDF) INFORMATION CTR
DTIC OCA

1 CCDC ARL
(PDF) FCDD RLD CL
TECH LIB

1 GOVT PRINTG OFC
(PDF) A MALHOTRA

3 CCDC ARL
(PDF) FCDD RLC IB
S CALLAWAY
M ROSE
S RUSSELL