

REPORT DOCUMENTATION PAGE			Form Approved OMB NO. 0704-0188		
The public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden, to Washington Headquarters Services, Directorate for Information Operations and Reports, 1215 Jefferson Davis Highway, Suite 1204, Arlington VA, 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR FORM TO THE ABOVE ADDRESS.					
1. REPORT DATE (DD-MM-YYYY) 01-07-2018		2. REPORT TYPE Final Report		3. DATES COVERED (From - To) 1-Jan-2015 - 30-Sep-2015	
4. TITLE AND SUBTITLE Final Report: Quantifying Turbulent Shear Stress in "Real" Landscapes			5a. CONTRACT NUMBER W911NF-15-1-0002		
			5b. GRANT NUMBER		
			5c. PROGRAM ELEMENT NUMBER 611102		
6. AUTHORS			5d. PROJECT NUMBER		
			5e. TASK NUMBER		
			5f. WORK UNIT NUMBER		
7. PERFORMING ORGANIZATION NAMES AND ADDRESSES University of Arizona P.O. Box 210158, Rm 510 Tucson, AZ 85721 -0158			8. PERFORMING ORGANIZATION REPORT NUMBER		
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS (ES) U.S. Army Research Office P.O. Box 12211 Research Triangle Park, NC 27709-2211			10. SPONSOR/MONITOR'S ACRONYM(S) ARO		
			11. SPONSOR/MONITOR'S REPORT NUMBER(S) 65964-EV-II.3		
12. DISTRIBUTION AVAILABILITY STATEMENT Approved for public release; distribution is unlimited.					
13. SUPPLEMENTARY NOTES The views, opinions and/or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Army position, policy or decision, unless so designated by other documentation.					
14. ABSTRACT					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT UU	15. NUMBER OF PAGES	19a. NAME OF RESPONSIBLE PERSON Jon Pelletier
a. REPORT UU	b. ABSTRACT UU	c. THIS PAGE UU			19b. TELEPHONE NUMBER 520-626-2126

RPPR Final Report

as of 04-Sep-2018

Agency Code:

Proposal Number: 65964EVII

Agreement Number: W911NF-15-1-0002

INVESTIGATOR(S):

Name: Jon Pelletier

Email: jdpellet@email.arizona.edu

Phone Number: 5206262126

Principal: Y

Organization: **University of Arizona**

Address: P.O. Box 210158, Rm 510, Tucson, AZ 857210158

Country: USA

DUNS Number: 806345617

EIN: 866004791

Report Date: 31-Oct-2015

Date Received: 01-Jul-2018

Final Report for Period Beginning 01-Jan-2015 and Ending 30-Sep-2015

Title: Quantifying Turbulent Shear Stress in "Real" Landscapes

Begin Performance Period: 01-Jan-2015

End Performance Period: 30-Sep-2015

Report Term: 0-Other

Submitted By: Jon Pelletier

Email: jdpellet@email.arizona.edu

Phone: (520) 626-2126

Distribution Statement: 1-Approved for public release; distribution is unlimited.

STEM Degrees:

STEM Participants:

Major Goals: The wind velocity profile and the turbulent shear stresses exerted on the ground that drive aeolian sediment transport depend on the value of the aerodynamic roughness length, z_0 . The goal of this work was to better understand the controls on z_0 values, especially in landscapes with multi-scale topography and in the presence of aeolian sediment transport. Multi-scale topography is ubiquitous in nature, yet previous empirical models for predicting z_0 rely on the concept of a dominant roughness element or scale of roughness that must be assumed a priori. Aeolian transport has long been known to increase z_0 , but the relative importance of topography and sediment transport had not been determined under field conditions prior to this study.

Accomplishments: This study provided 9 months of salary support for postdoctoral scientist Jason P. Field. Two published papers resulted from the work (Pelletier and Field, 2016; Field and Pelletier, 2018).

Pelletier and Field (2016) documented the development and performance of a new predictive formula for z_0 that uses the amplitude and slope of all wavelengths of the topography to estimate the microtopographic controls on z_0 values. This approach is a significant improvement over previous empirical formulae for z_0 since it uses information on the topography at a range of scales, rather than requiring a user to estimate the dominant scale of roughness a priori. The new equation was developed by using computational fluid dynamics (CFD) modeling to quantify the effective z_0 value of sinusoidal microtopography as a function of the amplitude and slope. The effective z_0 value of landscapes with multi-scale roughness is then given by the sum of contributions from each Fourier mode of the microtopography. Predictions of the equation were tested against a large (~105 samples) database of z_0 values measured from southwestern U.S. playa surfaces that differ in their roughness by two orders of magnitude, i.e., from surfaces with relief of ~1 mm to 10 cm. Our equation is capable of predicting z_0 values to 50% accuracy, on average, across a four order-of-magnitude range. We also analyzed our data to provide an alternative formula based on the slopes of a dominant scale of roughness, thereby providing a formula that is more similar to classic approaches. This alternative formula is somewhat less accurate than the one obtained from a full multi-scale analysis, but has the advantage of being simpler and easier to apply.

Field and Pelletier (2018) documented the results of a field campaign designed to quantify the relative importance of microtopography and aeolian sediment transport on z_0 values. Jason Field and I measured velocity profiles and aeolian sediment transport simultaneously over an evolving ripple field during several days of variable wind speeds. Faster winds cause more vigorous aeolian sediment transport, but they also generate larger ripples. As such, z_0 values increase during faster winds for reasons related both to topography and sediment transport. Values of z_0 were determined from the velocity profiles using the fully rough form of the law of the wall, and the evolving topography was measured repeatedly using a terrestrial laser scanner. This study was the first we are aware of to

RPPR Final Report as of 04-Sep-2018

use a disdrometer (an instrument capable of measuring particle size and velocity simultaneously) to measure sediment transport. The topographic contribution to z_0 was determined using the formula developed by Pelletier and Field (2016). Our measurements demonstrated that the increase in z_0 during periods of aeolian sediment transport is approximately one to two orders of magnitude greater than the increase attributed to microtopography (i.e. evolving sand ripples). Our results also reveal differences in transport as a function of grain size. Each grain size fraction exhibited a difference dependence on shear velocity, with the saltation intensity of fine particles (diameters ranging from 0.125 to 0.25 mm) saturating and eventually decreasing at high shear velocities, which we interpret to be the result of a limitation in the supply of fine particles from the bed at high shear velocities due to bed armoring. Our findings improve knowledge of the controls on aerodynamic roughness length and the grain-size dependence of aeolian sediment transport. The results should contribute to the development of improved sediment transport and dust emission models.

Training Opportunities: Postdoctoral scholar Jason P. Field was trained in the use of field instrumentation to measure wind profiles, aeolian sediment transport, and high-resolution topography, and in the analyses of the data collected.

Results Dissemination: Nothing to Report

Honors and Awards: Nothing to Report

Protocol Activity Status:

Technology Transfer: Nothing to Report

PARTICIPANTS:

Participant Type: PD/PI

Participant: Jon D Pelletier

Person Months Worked: 3.00

Project Contribution:

International Collaboration:

International Travel:

National Academy Member: N

Other Collaborators:

Funding Support:

Participant Type: Postdoctoral (scholar, fellow or other postdoctoral position)

Participant: Jason P. Field

Person Months Worked: 9.00

Project Contribution:

International Collaboration:

International Travel:

National Academy Member: N

Other Collaborators:

Funding Support:

ARTICLES:

RPPR Final Report
as of 04-Sep-2018

Publication Type: Journal Article Peer Reviewed: Y **Publication Status:** 2-Awaiting Publication

Journal: Earth Surface Processes and Landforms

Publication Identifier Type: DOI

Publication Identifier: 10.1002/esp.4420

Volume:

Issue:

First Page #:

Date Submitted:

Date Published: 7/1/18 2:00PM

Publication Location:

Article Title: Controls on the aerodynamic roughness length and the grain-size dependence of aeolian sediment transport

Authors: Jason P. Field, Jon D. Pelletier

Keywords: aerodynamic roughness length, shear velocity, aeolian ripples, saltation, sediment transport

Abstract: Estimates of the wind shear stress exerted on Earth's surface using the fully rough form of the law-of-the-wall are a function of the aerodynamic roughness length, z_0 . Accurate prediction of aeolian sediment transport rates, therefore, often requires accurate estimates of z_0 . The value of z_0 is determined by the surface roughness and the saltation intensity, both of which can be highly dynamic. Here we report field measurements of z_0 values derived from velocity profiles measured over an evolving topography (i.e. sand ripples). The topography was measured by terrestrial laser scanning and the saltation intensity was measured using a disdrometer. By measuring the topographic evolution and saltation intensity simultaneously and using available formulae to estimate the topographic contribution to z_0 , we isolated the contribution of saltation intensity to z_0 and document that this component dominates over the topographic component for all but the lowest shear velocities.

Distribution Statement: 1-Approved for public release; distribution is unlimited.

Acknowledged Federal Support: Y

Nothing to report in the uploaded pdf (see accomplishments and products).