



Mathematical Methods for Predictive Simulation of Stochastic Turbulence Systems

Catalin Trenchea
UNIVERSITY OF PITTSBURGH

04/19/2019
Final Report

DISTRIBUTION A: Distribution approved for public release.

Air Force Research Laboratory
AF Office Of Scientific Research (AFOSR)/ RTA2
Arlington, Virginia 22203
Air Force Materiel Command

DISTRIBUTION A: Distribution approved for public release.

REPORT DOCUMENTATION PAGE					Form Approved OMB No. 0704-0188	
The public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing the burden, to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR FORM TO THE ABOVE ADDRESS.						
1. REPORT DATE (DD-MM-YYYY)		2. REPORT TYPE			3. DATES COVERED (From - To)	
4. TITLE AND SUBTITLE				5a. CONTRACT NUMBER		
				5b. GRANT NUMBER		
				5c. PROGRAM ELEMENT NUMBER		
6. AUTHOR(S)				5d. PROJECT NUMBER		
				5e. TASK NUMBER		
				5f. WORK UNIT NUMBER		
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES)					8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES)					10. SPONSOR/MONITOR'S ACRONYM(S)	
					11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION/AVAILABILITY STATEMENT						
13. SUPPLEMENTARY NOTES						
14. ABSTRACT						
15. SUBJECT TERMS						
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT	18. NUMBER OF PAGES	19a. NAME OF RESPONSIBLE PERSON	
a. REPORT	b. ABSTRACT	c. THIS PAGE			19b. TELEPHONE NUMBER (Include area code)	

INSTRUCTIONS FOR COMPLETING SF 298

1. REPORT DATE. Full publication date, including day, month, if available. Must cite at least the year and be Year 2000 compliant, e.g. 30-06-1998; xx-06-1998; xx-xx-1998.

2. REPORT TYPE. State the type of report, such as final, technical, interim, memorandum, master's thesis, progress, quarterly, research, special, group study, etc.

3. DATE COVERED. Indicate the time during which the work was performed and the report was written, e.g., Jun 1997 - Jun 1998; 1-10 Jun 1996; May - Nov 1998; Nov 1998.

4. TITLE. Enter title and subtitle with volume number and part number, if applicable. On classified documents, enter the title classification in parentheses.

5a. CONTRACT NUMBER. Enter all contract numbers as they appear in the report, e.g. F33315-86-C-5169.

5b. GRANT NUMBER. Enter all grant numbers as they appear in the report. e.g. AFOSR-82-1234.

5c. PROGRAM ELEMENT NUMBER. Enter all program element numbers as they appear in the report, e.g. 61101A.

5e. TASK NUMBER. Enter all task numbers as they appear in the report, e.g. 05; RF0330201; T4112.

5f. WORK UNIT NUMBER. Enter all work unit numbers as they appear in the report, e.g. 001; AFAPL30480105.

6. AUTHOR(S). Enter name(s) of person(s) responsible for writing the report, performing the research, or credited with the content of the report. The form of entry is the last name, first name, middle initial, and additional qualifiers separated by commas, e.g. Smith, Richard, J, Jr.

7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES). Self-explanatory.

8. PERFORMING ORGANIZATION REPORT NUMBER. Enter all unique alphanumeric report numbers assigned by the performing organization, e.g. BRL-1234; AFWL-TR-85-4017-Vol-21-PT-2.

9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES). Enter the name and address of the organization(s) financially responsible for and monitoring the work.

10. SPONSOR/MONITOR'S ACRONYM(S). Enter, if available, e.g. BRL, ARDEC, NADC.

11. SPONSOR/MONITOR'S REPORT NUMBER(S). Enter report number as assigned by the sponsoring/monitoring agency, if available, e.g. BRL-TR-829; -215.

12. DISTRIBUTION/AVAILABILITY STATEMENT. Use agency-mandated availability statements to indicate the public availability or distribution limitations of the report. If additional limitations/ restrictions or special markings are indicated, follow agency authorization procedures, e.g. RD/FRD, PROPIN, ITAR, etc. Include copyright information.

13. SUPPLEMENTARY NOTES. Enter information not included elsewhere such as: prepared in cooperation with; translation of; report supersedes; old edition number, etc.

14. ABSTRACT. A brief (approximately 200 words) factual summary of the most significant information.

15. SUBJECT TERMS. Key words or phrases identifying major concepts in the report.

16. SECURITY CLASSIFICATION. Enter security classification in accordance with security classification regulations, e.g. U, C, S, etc. If this form contains classified information, stamp classification level on the top and bottom of this page.

17. LIMITATION OF ABSTRACT. This block must be completed to assign a distribution limitation to the abstract. Enter UU (Unclassified Unlimited) or SAR (Same as Report). An entry in this block is necessary if the abstract is to be limited.

MATHEMATICAL METHODS FOR PREDICTIVE SIMULATION OF STOCHASTIC TURBULENCE SYSTEMS

AFOSR GRANT FA 9550-16-1-0355

Catalin Trenchea
Department of Mathematics
University of Pittsburgh

Abstract

Mathematical modeling and computer simulations are nowadays widely used tools to predict the behavior of problems in engineering and in the natural and social sciences. All such predictions are obtained by formulating mathematical models and then using computational methods to solve the corresponding problems.

We use a probability theory approach for *uncertainty quantification* (UQ) since it is particularly well suited for SPDE models, and focus on the broad research areas of algorithmic development and numerical analysis for the discretization of systems of linear or nonlinear SPDEs, building upon and significantly extending our previous successful work.

We conduct comprehensive theoretical and computational comparison of the efficiency, accuracy, and range of applicability of *non-intrusive* methods, such as stochastic collocation methods, and *intrusive* techniques, such as stochastic Galerkin methods, for solving SPDEs and for UQ applications.

We extend the algorithmic and analysis advances wrought by these efforts to the even more challenging settings of optimal control and parameter identification problems for SPDEs. The parameter identification problem is especially important in the SPDE setting since it provides a very useful mechanism for determining statistical information about the input parameters from, e.g., measurements of output quantities. This effort builds on our previous work on adjoint and sensitivity-based methods for deterministic optimal control and parameter identification problems to develop similar methods for tracking statistical quantities of interest from the computational solutions of linear and nonlinear SPDEs driven by high-dimensional random inputs.

Status/Progress

We have developed approaches to modeling turbulence and predicting uncertainty in turbulence models. However, the current situation is that, even with the current best UQ algorithms, doing a full turbulent flow computation including generating the full PDF of both initial, parametric/model and forcing uncertainty for a full simulation of a complex flow (typical in engineering flows) over a long time interval is not possible within time and resource constraints.

Many applications central to predictive CFD today face the challenge of computing multiple realizations. These include modeling non-fully resolved processes with stochastic terms, Uncertainty Quantification, estimation of sensitivities, control, parameter identification, increasing skill of predictions and accounting for the effects of uncertain data and models. The fundamental and intractable issue is that each realization of a 3d, complex (often turbulent) flow can require large amount of computing time (even weeks) while performing enough realizations to generate a full PDF can require thousands of realizations. This is the fundamental and intractable competition between computing ensembles and the resolution required for a single accurate realization. The avoidance of addressing competition explains the very many papers on UQ in computational fluid dynamics that have tests limited to the 1d Burgers equation.

In the proposed research we continued the development of novel algorithms to address the choke

point issues faced in modern computational fluid dynamics at the chaotic crossroads where theory and application meet. At this crossroads, data is uncertain and models must incorporate the effects of unresolved processes through various parameterization schemes. Both introduce uncertainty which must be quantified and impose a finite predictability horizon. Estimating uncertainty and extending predictability both require substantial ensemble calculations. Computing ensembles of flow data when each realization requires a fine mesh for accuracy introduces the conflict between high resolution single realizations and computing an ensemble of sufficient size for accurate statistics. One specific realization of this research is as follows. The main uncertainty in groundwater flow is the unknown and unknowable porous matrix.

*The research performed by **Roxana Tanase** in her Ph.D. thesis was to develop algorithms for estimating spatially varying permeability for elliptic and parabolic groundwater flow equations using Kalman filter Markov chain Monte Carlo and adjoint variable based algorithms. These algorithms [1, 2, 3, 4] were fully validated through analysis, error estimates and numerical simulations.*

The focus of her study was to analyze methods for the optimal control / parameter identification of systems governed by partial differential equations with random input data. She considered several identification objectives that either minimize the expectation of a tracking cost functional or minimize the difference of desired statistical quantities in the appropriate spatial- L^p norm (including higher order moments, hence allowing to match any statistics, e.g., the variance, skewness, kurtosis, etc.). One specific problem of parameter identification of a linear elliptic PDE that describes flow of a fluid in a porous medium with uncertain permeability field was examined in full detail. The numerical results reveal [6] the consequences of the moment-tracking approximation and the significant increase in efficiency of the method. The stochastic parameter identification algorithm integrates an adjoint-based deterministic algorithm with the sparse grid stochastic collocation mixed-FEM approach. She also derived rigorous error estimates for the fully discrete problems, using the Fink-Rheinboldt theory for the approximation of solutions of a class of nonlinear problems.

The fundamental approach to turbulence modelling in various applications begins with an ensemble of solutions which is statistically averaged. Computing a full ensemble has, until our current work, not been realizable. Thus various ergodic hypotheses have been invoked and statistical averaging converted to time averaging. Following this, models, such as k-epsilon, are developed for time averages of flow quantities. The models have developed this way because there was no other path for progress. However, it has long been recognized that the assumption ergodicity is fundamentally false in the naïve form in which it has been applied. Further there are simple flows which are at statistical equilibrium that cannot ever be at steady state and thus equivalence of statistical and time averages once again fails. Clearly what is needed is a good theory that give a mathematically precise proof of ergodicity. Such a proof also gives very valuable information of how ergodicity fails and what extra terms must be incorporated into models when naïve ergodicity fails. There has been some recent progress in developing such a theory by Hairer and Mattingly. Again, the value of such a theory lies in its certainty and in its delineation of how models must be adapted to account for cases where ergodicity fails in its naïve setting.

***Yong Li** developed ergodicity results [7] for the two-dimensional stochastic Boussinesq equation: formulated the problem in an appropriate functional setting and proved existence and uniqueness, via an approximating regularizing scheme. He also proved the existence of an invariant measure corresponding to the stochastic flow $t \rightarrow (u(t), \theta(t))$ and its uniqueness via coupling methods.*

Acknowledgement/Disclaimer

This work was sponsored (in part) by the Air Force Office of Scientific Research, USAF, under grant/contract number FA 9550-16-1-0355. The views and conclusions contained herein are those of the authors and should not be interpreted as necessarily representing the official policies or endorsements, either expressed or implied, of the Air Force Office of Scientific Research or the U.S. Government.

Personnel Supported During Duration of Grant

Yong Li	Graduate student, Univ. of Pittsburgh (currently Associate at Goldman Sachs)
Roxana Tanase	Graduate student, Univ. of Pittsburgh
Catalin Trenchea	Associate Professor, Univ. of Pittsburgh

Publications

REFERENCES

- [1] **Roxana Tanase**, “Parameter estimation for partial differential equations using stochastic methods”, Thesis (Ph.D.)-University of Pittsburgh. 2016. 143 pp. ISBN: 978-1369-31878-4
- [2] **Roxana Tanase**, Catalin Trenchea, Ivan Yotov, “Optimal control of systems governed by PDEs with random parameter fields”, University of Pittsburgh, technical report (2016).
- [3] **Roxana Tanase**, Catalin Trenchea, Ivan Yotov, “Estimating a spatially varying permeability for the parabolic diffusion equation using Kalman Filter, MCMC and Adjoint variable-based algorithms”, University of Pittsburgh, technical report (2016).
- [4] Jared Barber, **Roxana Tanase**, Ivan Yotov, “Kalman filter parameter estimation for a nonlinear diffusion model of epithelial cell migration using stochastic collocation and the Karhunen-Loeve expansion”, *Math. Biosci.* 276 (2016), 133-144.
- [5] **Roxana Tanase** *Identification problems for random elliptic PDEs*, poster at the Conference *Parameter Estimation and Uncertainty Quantification for Dynamical Systems*, Department of Mathematics, University of Pittsburgh, March 2017.
- [6] **Roxana Tanase** *Identification problems for random elliptic PDEs*, poster at the workshop “Computational Methods for Control of Infinite-dimensional Systems”, Institute for Mathematics and Applications, University of Minnesota, March 2016.
- [7] **Yong Li**, Catalin Trenchea, “Existence and ergodicity for the two-dimensional stochastic Boussinesq equation”, accepted in *International Journal of Numerical Analysis & Modeling* (2017).
- [8] **Yong Li** and C. Trenchea, “Partitioned second order method for magnetohydrodynamics in Elsässer fields”, accepted in *Journal Discrete and Continuous Dynamical System - B*(2017).
- [9] Vincent J. Ervin, Michaela Kubacki, William Layton, Marina Moraiti, Zhiyong Si, Catalin Trenchea, “Partitioned penalty methods for the evolutionary Stokes-Darcy-transport problem”, submitted (2017).
- [10] Oyekola Oyekole, Martina Bukač, Catalin Trenchea, “A Second-order in Time Approximation of Fluid-Structure Interaction Problem”, submitted (2017).
- [11] Costica Morosanu, Silviu Paval, Catalin Trenchea, “Analysis of stability and error estimates for three methods approximating a nonlinear reaction-diffusion equation”. *J. Appl. Anal. Comput.* 7 (2017), no. 1, 1-19.
- [12] Fasma Diele, Marcus R. Garvie and Catalin Trenchea, “Numerical analysis of a first-order in time implicit-symplectic scheme for predator-prey systems”, to appear in *Computers and Mathematics with Applications* (2017).
- [13] William Layton, **Yong Li**, Catalin Trenchea, “Recent developments in IMEX methods with time filters for systems of evolution equations”. *J. Comput. Appl. Math.* 299 (2016), 50-67.
- [14] Nick Hurl, William Layton, **Yong Li**, Marina Moraiti, “The unstable mode in the Crank-Nicolson leap-frog method is stable”. *Int. J. Numer. Anal. Model.* 13 (2016), no. 5, 753-762.

Honors & Awards Received

AFRL Point of Contact

Jean-Luc Cambier
AFOSR/RTA
Computational Mathematics
875 N. Randolph St., Suite 325, Room 4104, Arlington, VA 22203
(703) 696-1141