


Research Review 2017

Rapid Expansion of Classification Models to Prioritize Static Analysis Alerts for C

Lori Flynn, PhD

Software Security Researcher

Overview



Project Goal

Classification algorithm development using “pre-audited” and manually-audited data, that

accurately classifies most of the diagnostics as:

Expected True Positive (e-TP) or
Expected False Positive (e-FP),
and
the rest as Indeterminate (I)





Image of woman and laptop from <http://www.publicdomainpictures.net/view-image.php?image=47526&picture=woman-and-laptop> “Woman And Laptop”

Scientific Approach

Build on novel (in FY16) combined use of:

- 1) multiple analyzers, 2) variety of features,
- 3) competing classification techniques!



Problem: too many alerts
Solution: automate handling

Competing Classifiers to Test
Lasso Logistic Regression
CART (Classification and Regression Trees)
Random Forest
Extreme Gradient Boosting (XGBoost)

Some of the features used (many more)
Analysis tools used
Significant LOC
Complexity
Coupling
Cohesion
SEI coding rule

Rapid Expansion of Alert Classification

Problem 1: too many alerts
Solution 1: automate handling

Problem 2

Too few manually audited alerts to make classifiers (i.e., to automate!)

Problems 1 & 2: Security-related code flaws detected by static analysis require too much manual effort to triage, plus it **takes too long to audit enough alerts to develop classifiers to automate the triage.**

Extension of our FY16 alert classification work to address challenges:

1. Too few audited alerts for accurate classifiers
2. Manually auditing alerts is expensive

Solution 2

Automate auditing alerts, using test suites

Solution for 1 & 2: Rapid expansion of number of classification models by using “pre-audited” code, plus collaborator audits of DoD code.

Approach

1. Automated analysis of “pre-audited” (not by SEI) tests to gather sufficient code & alert feature info for classifiers
2. Systematically map CERT rules to CWE IDs in subsets of “pre-audited” test code (known true or false for CWE)
3. Modify SCALE research tool to integrate CWE
4. Test classifiers on alerts from real-world code: DoD data

Overview: Method, Approach, Validity

Problem 2: too few manually audited alerts to make classifiers (i.e., to automate)

Solution 2: automate auditing alerts, using test suites

Rapidly create **many** coding-rule-level classifiers for static analysis alerts, then use DoD-audited data to validate the classifiers.

Technical methods:

- Use test suites' CWE flaw metadata, to quickly and automatically generate many “audited” alerts.
 - Juliet (NSA CAS) 61,387 C/C++ tests
 - IARPA's STONESOUP: 4,582 C tests
 - Refine test sets for rules: use **mappings, metadata, static analyses**
- Metrics analyses of test suite code, to get feature data
- Use DoD-collaborator enhanced-SCALE audits of their own codebases, to validate classifiers. **Real codebases with more complex structure than most pre-audited code.**

Make Mappings Precise

Problem 2: too few manually audited alerts to make classifiers
Solution 2: automate auditing alerts, using test suites

Problem 3: Test suites in different taxonomies (most use CWEs)


Solution 3: Precisely map between taxonomies, then partition tests using precise mappings

Precise mappings: Defines *what kind* of non-null relationship, and if overlapping, *how*.
 Enhanced-precision added to “imprecise” mappings.

Imprecise mappings
 (“some relationship”)



Precise mappings
 (set notation, often more)



Mappings	
Precise	248
Imprecise TODO	364
Total	612

Now: all CERT C rules
 mappings to CWE precise

If a **condition** of a program violates a CERT rule *R* and also exhibits a CWE weakness *W*, that **condition** is in the overlap.

Test Suite Cross-Taxonomy Use

Partition sets of thousands of tests relatively quickly.

Examine together:

- Precise mapping
- Test suite metadata (structured filenames)
- Rarely examine small bit of code (variable type)

CWE test programs useful to test CERT rules

- STONESOUP: **2,608** tests
- Juliet: **80,158** tests
 - Test set partitioning incomplete (32% left)

Some types of CERT rule violations not tested, in partitioned test suites (“**0**”s).

- Possible coverage in other suites

Problem 3: Test suites in different taxonomies (most use CWEs)

Solution 3: Precisely map between taxonomies, then partition tests with precise mappings

CERT rule	CWE	Count files that match
ARR38-C	CWE-119	0
ARR38-C	CWE-121	6,258
ARR38-C	CWE-122	2,624
ARR38-C	CWE-123	0
ARR38-C	CWE-125	0
ARR38-C	CWE-805	2,624
INT30-C	CWE-190	1,548
INT30-C	CWE-191	1,548
INT30-C	CWE-680	984
INT32-C	CWE-119	0
INT32-C	CWE-125	0
INT32-C	CWE-129	0
INT32-C	CWE-131	0
INT32-C	CWE-190	3,875
INT32-C	CWE-191	3,875
INT32-C	CWE-20	0
INT32-C	CWE-606	0
INT32-C	CWE-680	984

Process

Generate data for Juliet

Generate data for STONESOUP

Write classifier development and testing scripts

Build classifiers

- Directly for CWEs
- Using partitioned test suite data for CERT rules

Test classifiers

Problem 1: too many alerts

Solution 1: automate handling

Problem 2: too few manually audited alerts to make classifiers


Solution 2: automate auditing alerts, using test suites

Problem 3: Test suites in different taxonomies (most use CWEs)

Solution 3: Precisely map between taxonomies, then partition tests using precise mappings

Using CWE Test Suites for Multi-Taxonomy Classifiers

One time, develop data for classifiers. Per rule or CWE classifier, filter data.



Analysis of Juliet Test Suite: Initial CWE Results

- We automated defect identification of Juliet flaws with location 2 ways

- A Juliet program tells about only one type of CWE
- Bad functions definitely have that flaw
- Good functions definitely don't have that flaw
- Function line spans, for FPs
- Exact line defect metadata, for TPs

Number of “ Bad ” Functions	103,376
Number of “ Good ” Functions	231,476

- Used static analysis tools on Juliet programs

- We automated alert-to-defect matching

- Ignore unrelated alerts (other CWEs) for program
- Alerts give line number

	Tool A	Cppcheck	Tool C	Tool D	Total
“Pre-audited” TRUE	1,655	162	7,225	16,958	26,000
“Pre-audited” FALSE	8,539	3,279	2,394	23,475	37,687

- We automated alert-to-alert matching (alerts fused: same line & CWE)

**Lots of new
data for creating
classifiers!**

Alert Type	Equivalence Classes: (EC counts a fused alert once)	Number of Alerts Fused (from different tools)
TRUE	22,885	3,115
FALSE	29,507	8,180

- These are initial metrics (more EC as use more tools, STONESOUP)

Juliet: Data from 4 Tools, per CWE

Successfully generated lots of data for classifiers

The 35 CWEs


•457	•680	•252	•843	•483
•195	•404	•369	•377	•126
•197	•415	•606	•398	•835
•134	•665	•122	•196	
•758	•191	•121	•468	
•194	•761	•681	•469	
•190	•127	•476	•688	
•401	•563	•775	•587	

35 CWEs with **at least** 5 HCFPs and 45 HCTPs

More data to be added

- Tools
- STONESOUP

Classifier development
requires
True and False



Classifiers: XGBoost Accuracy and Area Under the Curve (AUC)

CWE ID	Accuracy	# Alerts	AUROC
121	0.959	194	0.972
122	0.947	207	0.964
126	0.8	5	1
127	0.996	258	1
134	0.978	1081	0.999
188	1	11	NA
190	0.992	654	1
191	0.98	304	0.999
194	0.965	889	0.998
195	0.982	2286	0.999
196	0.976	42	1
197	0.979	1156	0.999
242	1	4	NA
252	1	228	1
253	1	5	NA
327	1	6	NA
328	1	17	NA
367	1	9	NA
369	0.959	221	0.996
377	1	85	1
398	1	43	1
401	0.972	469	0.998
404	0.981	368	0.999
415	1	364	1
416	1	134	NA
457	1	2315	1
467	1	16	NA
468	1	34	1
469	1	33	1

CWE ID	Accuracy	# Alerts	AUROC
476	0.986	148	1
478	1	7	NA
480	0.571	7	NA
481	1	5	NA
482	1	9	NA
483	1	9	1
484	1	13	NA
561	1	1	NA
562	1	2	NA
563	0.961	257	0.989
570	1	2	NA
571	1	3	NA
587	1	19	1
590	1	260	NA
606	1	215	1
665	0.99	306	1
667	NA	0	NA
680	0.967	425	0.997
681	0.994	156	0.999
685	1	5	NA
688	1	29	1
690	1	183	NA
758	1	924	1
761	1	299	1
762	1	780	NA
775	1	110	1
835	0.5	2	1
843	0.99	104	1

- All-data CWE classifier
 - 97.2% accuracy
 - AUROC 1
 - **56** per-CWE accuracies (see left)
- All-data CERT rule classifier
 - **44** per-rule accuracies
 - 95% at least 95% accuracy, with lowest accuracy of 83%
- Results from CWE and CERT rules classifiers better than expected – currently investigating cause.
 - May be artifact of test file metadata
 - Expect reduced performance against native files

Summary and Future

FY17 Line “Rapid Classifiers” built on the FY16 LENS “Prioritizing vulnerabilities”.

- Developed widely useful general method to use test suites across taxonomies
- Developed large archive of “pre-audited” alerts
 - Overcame major challenge to classifier development
 - For CWEs and CERT rules
- Developed code infrastructure (extensible!)
- In-progress:
 - Classifier development and testing in process
 - Continue to gather data
 - Enhanced SCALE audit tool for collaborator testing: distribute to collaborators soon
- **FY18-19 plan:** architecture for rapid deployment of classifiers in varied systems
- **Goal: optimal automation of static alert auditing** (and other code analysis and repair)

Publications:

- New mappings (CWE/CERT rule): MITRE and CERT websites
- IEEE SecDev 2017 “Hands-on Tutorial: Alert Auditing with Lexicon & Rules”
- 2 SEI blogposts on classifier development
- Research paper in progress

Contact Information

Presenter / Point(s) of Contact

Lori Flynn (Principal Investigator)
Software Security Researcher

Email: lflynn@cert.org

Telephone: +1 412.268.7886

Contributors

SEI Staff

William Snavelly
David Svoboda
Zach Kurtz

SEI Student Interns

Lucas Bengtson (CMU)
Charisse Haruta (CMU)
Baptiste Vauthey (CMU)
Michael Spece (Pitt)
Christine Baek (CMU)

Copyright 2017 Carnegie Mellon University. All Rights Reserved.

This material is based upon work funded and supported by the Department of Defense under Contract No. FA8702-15-D-0002 with Carnegie Mellon University for the operation of the Software Engineering Institute, a federally funded research and development center.

The view, opinions, and/or findings contained in this material are those of the author(s) and should not be construed as an official Government position, policy, or decision, unless designated by other documentation.

NO WARRANTY. THIS CARNEGIE MELLON UNIVERSITY AND SOFTWARE ENGINEERING INSTITUTE MATERIAL IS FURNISHED ON AN "AS-IS" BASIS. CARNEGIE MELLON UNIVERSITY MAKES NO WARRANTIES OF ANY KIND, EITHER EXPRESSED OR IMPLIED, AS TO ANY MATTER INCLUDING, BUT NOT LIMITED TO, WARRANTY OF FITNESS FOR PURPOSE OR MERCHANTABILITY, EXCLUSIVITY, OR RESULTS OBTAINED FROM USE OF THE MATERIAL. CARNEGIE MELLON UNIVERSITY DOES NOT MAKE ANY WARRANTY OF ANY KIND WITH RESPECT TO FREEDOM FROM PATENT, TRADEMARK, OR COPYRIGHT INFRINGEMENT.

[DISTRIBUTION STATEMENT A] This material has been approved for public release and unlimited distribution. Please see Copyright notice for non-US Government use and distribution.

This material may be reproduced in its entirety, without modification, and freely distributed in written or electronic form without requesting formal permission. Permission is required for any other use. Requests for permission should be directed to the Software Engineering Institute at permission@sei.cmu.edu.

Carnegie Mellon® is registered in the U.S. Patent and Trademark Office by Carnegie Mellon University.

DM17-0790