

AWARD NUMBER: W81XWH-18-1-0089

TITLE: Translating Military Simulation-Based Trauma Team Research Into Outcomes: LEADIng Effective Resuscitations (LEADER)

PRINCIPAL INVESTIGATOR: Rosemarie Fernandez

CONTRACTING ORGANIZATION: University of Florida

REPORT DATE: September 2021

TYPE OF REPORT: Annual Report

**PREPARED FOR: U.S. Army Medical Research and Materiel Command
Fort Detrick, Maryland 21702-5012**

DISTRIBUTION STATEMENT: Approved for Public Release; Distribution Unlimited

The views, opinions and/or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Army position, policy or decision unless so designated by other documentation

REPORT DOCUMENTATION PAGE

Form Approved
OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing this collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. **PLEASE DO NOT RETURN YOUR FORM TO THE ABOVE ADDRESS.**

1. REPORT DATE SEPTEMBER 2021		2. REPORT TYPE Annual Report		3. DATES COVERED 08/15/2020 – 08/14/2021	
4. TITLE AND SUBTITLE Translating Military Simulation-Based Trauma Team Research Into Outcomes: LEADing Effective Resuscitations (LEADER)				5a. CONTRACT NUMBER W81XWH-18-1-0089	
6. AUTHOR(S) R. Fernandez J. Grand E-Mail:Fernandez.r@ufl.edu; grandjam@umd.edu				5b. GRANT NUMBER DM170470	
				5c. PROGRAM ELEMENT NUMBER	
				5d. PROJECT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) University of Florida 33 Tigert Hall PO Box 113001 Gainesville, FL 32611-3001				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES) U.S. Army Medical Research and Materiel Command Fort Detrick, Maryland 21702-5012				8. PERFORMING ORGANIZATION REPORT NUMBER	
12. DISTRIBUTION / AVAILABILITY STATEMENT Approved for Public Release; Distribution Unlimited				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
13. SUPPLEMENTARY NOTES					
14. ABSTRACT OBJECTIVE: The overall objective of the proposed project is to improve trauma outcomes by developing, testing, and refining a simulation-based translational research model that can support highly effective trauma team leadership training and assessment across multiple outcome levels. SPECIFIC AIMS: TRANSfeR Model Development: Develop a prototype of a translational simulation research model, TRANSfeR, which integrates task requirements, training elements, and outcomes. TRANSfeR Model Validation: Assess the effect of a simulation-based LEADER training bundle on simulation-based skills (T1), clinical processes and performance (T2) and patient outcomes (T3) TRANSfeR Model Refinement: Refine the TRANSfeR model using study data to reflect relationships between training, performance, and outcomes and prepare a protocol to conduct a large-scale, multicenter trial that is adequately powered to detect differences in clinically important outcomes. MAJOR FINDINGS: The investigators performed a four-step process to develop the TRANSfeR model. This work involved integrating conceptual framework(s) of translational research, simulation-based education, team science, and educational transfer. We (1) identified the core task components, training objectives, training design elements, and performance constructs relevant to the proposed training domain, (2) determined relevant variables and relationships, (3) identified appropriate outcome measures and analytic approaches, and (4) determined pathways for training refinement. Dissemination in the form of a manuscript is in progress. Validation of the TRANSfeR model is the focus of project year 2. We will apply the model to trauma team leadership training (LEADER) and performance to determine the link between trained leadership behaviors and patient care during trauma resuscitations. IMPACT: The TRANSfeR model and LEADER training will improve military medical team leader performance, thus providing a mechanism to increase team effectiveness and directly improve trauma readiness and care delivery across military and civilian institutions.					
15. SUBJECT TERMS Simulation; translational research; trauma care; resuscitation; leadership; teamwork; medical education; modeling					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT Unclassified	18. NUMBER OF PAGES 51	19a. NAME OF RESPONSIBLE PERSON USAMRMC
a. REPORT Unclassified	b. ABSTRACT Unclassified	c. THIS PAGE Unclassified			19b. TELEPHONE NUMBER (include area code)

TABLE OF CONTENTS

	<u>Page</u>
1. Introduction	4
2. Keywords	4
3. Accomplishments	4
4. Impact	19
5. Changes/Problems	21
6. Products	22
7. Participants & Other Collaborating Organization	25
8. Special Reporting Requirements	26
9. Appendices	27

1. INTRODUCTION: *Narrative that briefly (one paragraph) describes the subject, purpose and scope of the research.*

It is the **overall objective** of this project to validate and refine a translational model of simulation-based research by evaluating the relationships between trauma team leader training and leader performance, patient care, and patient outcomes. This work is organized around two interrelated research efforts, one conceptual and one empirical. First, the proposed project will integrate existing research, including a significant body of the investigators’ preliminary work, to inform a conceptual model of translational simulation-based research. This conceptual work will guide the design and execution of an empirical study to generate validity evidence for the translational research model. Finally, the conceptual work and empirical study data will be used to develop and refine a roadmap that operationalizes translational simulation-based research and defines the activities necessary to support the translation from T1 to T2 and T2 to T3.

2. KEYWORDS: *Provide a brief list of keywords (limit to 20 words).*

Simulation; translational research; trauma care; resuscitation; leadership; teamwork; medical education; modeling

3. ACCOMPLISHMENTS: *The PI is reminded that the recipient organization is required to obtain prior written approval from the awarding agency grants official whenever there are significant changes in the project or its direction.*

What were the major goals of the project?

List the major goals of the project as stated in the approved SOW. If the application listed milestones/target dates for important activities or phases of the project, identify these dates and show actual completion dates or the percentage of completion.

Aim 1: TRANSfeR MODEL DESIGN (CONCEPTUAL WORK)

The **primary outcome** of Aim 1 is a draft model of translational simulation research, TRANSfeR, with proposed variables and relationships specified. TRANSfeR integrates task requirements, training elements, and outcomes. The outcomes are broadly conceived to include individual, team, and unit performance; proximal and distal patient-centered effects, and system-level measures. Our existing training, metrics, data integration approaches, and research methods support model development. Work in this aim includes defining relevant constructs, relationships, outcomes, and the level(s) (i.e., individual, team, patient, and organizational) at which these factors are expected to act.

The tasks, timeline, and status of each step associated with Aim 1 is summarized in the table below, including overall project start up work.

SPECIFIC AIM 1	Timeline	Status
Task 1: Project Start-up	Months	
Establish subcontracts to enable purchasing.	0 – 3	A subcontract with the University of Washington was established on December 13, 2018. Subcontracts have been established with the University of Maryland and Virginia Tech University. COMPLETED

Local/Site IRB application submissions	0 – 3	IRB approval (exempt) for Aims 1-4 has been granted by all institutions. COMPLETED
Assemble / hire research support personnel	0 – 3	A research coordinator was hired at the primary site. Graduate students and site personnel are identified. COMPLETED
Establish multi-institutional research meetings	0 – 3	An initial research meeting was held and regular meetings established going forward. COMPLETED
Human Research Protection Office IRB submission	3	The HRPO has reviewed the IRB submission and has granted exempt status. COMPLETED.
Milestone(s) Achieved: 1. Project infrastructure in place 2. Local/Site IRB and HRPO Approval	6	100% COMPLETED
Task 2: Develop a draft of the TRANSfer model for trauma team leadership	Months	
Literature search	0 – 3	Search strategy within healthcare literature, trauma performance literature, trauma outcomes literature, and team science has been defined. COMPLETED
Identify concepts and constructs of interest	0 – 3	Candidate variables have been identified. Measures and processes to obtain variables has been discussed. COMPLETED
Determine relevant variables and relationships between constructs	0 – 3	Preliminary relationships have been identified and candidate variables have been finalized. COMPLETED
Identification of appropriate outcome measures and mechanisms	3 – 6	We have identified multiple candidate outcome variables. We are in the process of identifying mechanisms to measure outcomes and determining feasibility of assessing outcomes as part of Aim 2. COMPLETED
Determine pathways for feedback and refinement	3 – 6	Feedback mechanisms and links have been identified. COMPLETED
<i>Milestone Achieved: Completed draft of the TRANSfer model including task requirements, training elements, and outcome measures</i>	6	100% COMPLETED

TRANSfer MODEL TESTING AND VALIDATION (EMPIRICAL)

We propose testing the TRANSfer model at multiple levels within the model to evaluate skill transfer, identify optimal skills for training, and determine impact of training on the trauma team as a system.

Aim 2: Determine the correlation between simulation-based performance (T1) and clinical performance (T2) of team leadership skills.

Performance of team leaders in high fidelity simulations of trauma resuscitations will be correlated with performance during actual trauma resuscitations.

(H1) Individuals with better trauma team leadership assessment scores will demonstrate better clinical trauma team leadership scores during actual trauma resuscitations.

SPECIFIC AIM 2: Determine the correlation between simulation-based performance (T1) and clinical performance (T2) of team leadership skills		
Task	Months	Description
Determine coding procedures for simulation-based trauma resuscitations	9 – 12	We evaluated coding procedures and metrics and made necessary alterations to accommodate simulation-based trauma resuscitations COMPLETED
Prepare video of simulated trauma resuscitations	6 – 12	Existing video data available for simulation-based performances. We have assessments (2 videos each) for 30 subjects. Video processing of existing simulation video data is completed. COMPLETED
Rater recruitment	6 – 9	Raters to code simulated trauma resuscitations have been recruited from a pool of experienced coders COMPLETED
Rater training and evaluation	6 – 12	Training has been initiated and tested. Initial IRR calculations are completed. Raters have been trained and evaluated. Evaluation will continue throughout coding. COMPLETED
Coding of team leadership for simulated videos	9 – 16	Leadership coding of existing simulated trauma resuscitations is underway and near completion. COMPLETED
Local/Site IRB application submissions for revised Aim 5.	0 – 3	IRB application for revised Aim 5 has approved as an exempt protocol. COMPLETED
Preparation of T2 leadership and patient care data	12 – 16	Patient care and leadership data exist for prior video recorded actual trauma resuscitations. Data needs to be aggregated and linked to simulation data prior to analysis. COMPLETED
Data analysis	16 – 20	Validation of leadership measures and correlation of performance. 99% Completed (manuscript published)
<i>Milestone Achieved: This Aim will meet the goal of analyzing the connection between training, T1, and T2 outcomes</i>	20	99% Completed

Aim 3: Determine which trained team leadership behaviors predict improved overall clinical care during trauma resuscitations (T2)

We propose using data collected in Aim 1 and in prior work to create performance models to determine which trained leadership behaviors are most important for team clinical effectiveness. We will use team leadership time-stamped behaviors and trauma team clinical care performance data to create models. The goal of this work is to identify trained leadership behaviors that translate into improved clinical care. Because training time is almost always too limited, these data would help to inform which trained behaviors should be the focus of trauma team leadership training. This work will help refine Aim 1 and provide evidence to support training foci and assessment within the TRANSfeR model.

(H2a) Early planning and information sharing results in improved overall clinical effectiveness.

(H2b) Quality and frequency of in-resuscitation briefs improve overall clinical effectiveness.

SPECIFIC AIM 3: Determine which trained team leadership behaviors predict improved overall clinical care during trauma resuscitations (T2)		
Task	Months	Status
Prepare existing database of leadership and patient care elements	14 – 18	Existing databases of team leadership elements and patient care elements for 60 subjects (360 resuscitations) need to be merged and prepared for analyses. COMPLETED
Prepare time-based data for analyses	18 – 20	Preparation of time-based data required for analyses COMPLETED
Set specific hypothesis statements for testing	18 – 20	Work with subject matter experts to determine specifically what leadership – patient care relationships to test COMPLETED
Data analysis	20 – 24	Analyze hypotheses proposed In process, 40% completed
<i>Milestone Achieved: This Aim will meet the goal of identifying the trained leadership behaviors that most predict effective patient care (T2)</i>	28	80% COMPLETED, on schedule

Aim 4: Determine which trained team leadership behaviors predict improved adaptability in trauma resuscitation teams (T2/T3)

Adaptive performance is critical for healthcare team effectiveness, and is a characteristic of high functioning healthcare units. Within trauma resuscitations, non-routine events occur and require teams and systems to adapt their behaviors to meet unexpected needs. We will apply an adaptive performance model developed through a *prior JPC-1 MSIS grant* (W81XWH-15-1-0403) to guide measurement of adaptation. Trauma teams experiencing non-routine events (e.g., loss of airway, unexpected hypotension, loss of IV access, etc.) will be analyzed for H3.

(H3) Leadership training focused on early establishment of priorities results in more effective adaptation to unexpected events as measured by improved clinical performance after unexpected event.

SPECIFIC AIM 4: Determine which trained team leadership behaviors predict improved adaptability in trauma resuscitation teams (T2/T3)

Task	Months	Status
Prepare database of non-routine events	14 – 18	An existing database of non-routine events exists for 60 subjects (360 resuscitations). This database includes the timing and nature of non-routine events. This database has been merged with the leadership and patient care database to allow analysis of adaptive performance in response to unexpected clinical events. COMPLETED
Identify adaptive performance indicators	18 – 21	Use existing model of adaptive performance to identify approach to adaptation metrics – this work is near complete, but is iterative so reflected at 80%. 80% completed
Set specific hypothesis statements for testing	21 – 26	Work with subject matter experts to determine specifically what leadership – patient care relationships to test – this work is near complete, but is iterative so reflected at 80%. COMPLETED
Data analysis	26 – 30	Analyze the impact of trained behaviors on adaptation. Data analyses are in progress. 30% completed
<i>Milestone Achieved: This Aim will meet the goal of identifying links between trained behaviors, clinical care (T2), and team adaptation (T3)</i>	30	In process, 60% completed

Aim 5: Understand how team leadership training impacts team cohesion amongst untrained team members (T3)

We will conduct interviews of team members in the emergency department to help understand the impact of trained concepts on execution of trauma resuscitations. We will apply a conceptual model of team cohesion to the analyses. Team cohesion is relevant to job satisfaction and retention, developing team orientation, and team motivation. This Aim provides important information about provider-level outcomes (T3).

(H4) Simulation-based training in trauma team leadership improves dimensions of team cohesion across all team members.

SPECIFIC AIM 5: Understand how team leadership training impacts team cohesion amongst untrained team members (T3)

Task	Timeline Months	Status
Develop interview guide based on conceptual model of team cohesion	26	Use existing conceptual model of team cohesion and team leadership to develop interview guide COMPLETED
Test and refine interview guide	24 – 26	Use interview guide on a subset of subjects and refine guide as needed COMPLETED
Develop codebook for interviews	26 – 27	Use existing conceptual model of team cohesion and team leadership to develop interview guide with the input of subject matter experts COMPLETED
Recruit subjects	24 – 28	Recruit trauma team members of team leaders. Recruitment underway, some delays due to COVID. Saturation has been reached based on analyses. COMPLETED
Conduct interviews with team members of trained team leaders	26 – 28	Conduct interviews and iteratively test codebook to determine when saturation reached. Initial interviews completed, some delays due to COVID. COMPLETED
Analyze qualitative data	28 – 32	Work with qualitative experts to code data and identify how team leadership behaviors impact team cohesion (T3) and constructs related to team cohesion. Initial coding has begun and software to execute this task has been purchased. COMPLETED
<i>Milestone Achieved: T3 qualitative data analyzed</i>	32	COMPLETED

TRANSfeR MODEL REFINEMENT AND FURTHER EVALUATION (INTEGRATION)

We will synthesize the results from Aims 1-5 to refine the TRANSfeR model to reflect relationships between training, performance, and outcomes. This work requires completion of other Aims and thus is reflected as planned.

TRANSfeR Model Refinement and Further Evaluation

Assess all relationships proposed in TRANSfeR model	32 – 40	Data analyses in process 40% completed
Identify outcomes / relationships supported by empiric data	32 – 40	Data analyses in process 40% completed
Identify outcomes / relationships requiring modification based on qualitative data	32 – 40	Data analyses in process 40% completed

Develop roadmap for operationalizing TRANSfeR model	38 – 42	Data analyses in process 40% completed
<i>Milestone(s) Achieved: A refined TRANSfeR conceptual model with proposed measurement targets, relationships, and level(s) of analysis</i>	44	Data analyses in process 40% completed
<i>Milestone(s) Achieved: Report containing a detailed roadmap for operationalizing TRANSfeR</i>	46	In progress, 40% completed

Report writing and dissemination		
Submit final reports and manuscripts	42-46	<p>Metrics for patient care assessment have been accepted for publication to <i>Academic Emergency Medicine Education and Training</i> journal.</p> <p>Abstract was accepted for submission and presentation at <i>International Meeting for Simulation in Healthcare</i></p> <p>Qualitative analysis manuscript in progress</p> <p>Manuscript of process mapping of trauma resuscitation accepted to <i>Simulation in Healthcare</i></p> <p>Presentation accepted to Human Factors and Ergonomics Society annual meeting</p> <p>In process, 60% completed</p>
<i>Milestone(s) Achieved: Dissemination of methodological approach and empiric findings</i>	36	In process, 60% completed

WHAT WAS ACCOMPLISHED UNDER THESE GOALS?

***Please see summary SOW table above for specific task details and progress**

AIM 1

We've completed all work for Aim 1.

The investigators completed IRB applications for Aim 1 at all four sites and HRPO exempt status was obtained. Subcontracts are now all established.

We applied the following 4-step approach to development of the model and its components. This methodology is summarized below:

Step 1. Identify concepts and constructs of interest: We identified the core task components, training objectives, training design elements, and performance constructs relevant to trauma team leadership. The data sources for this work included a comprehensive literature review, subject-matter expert review, video of simulated and real patient care events, and research validating existing curricula and outcome measures.

To determine relevant patient care variables, it was necessary to create a process mapping of trauma care for blunt trauma patients. We therefore created a process map using video recordings of actual trauma resuscitations. This work has been accepted for publication in *Simulation in Healthcare*. The abstract from that manuscript and a sample component of the process map is provided in Appendix 1.


Step 2. Determine relevant variables and relationships: We constructed a network among these constructs that defines and specifies their key exogenous and endogenous relationships.

Step 3. Identify appropriate outcome measures and mechanisms: We identified appropriate (1) individual-, team-, patient-, and system-level measures, (2) affective, behavioral, and cognitive measures, and (3) proximal and distal measures. We identified appropriate mechanisms for data integration and analysis that best reflect training outcomes at all levels.

Step 4. Determine pathways for feedback and refinement: The investigators will propose mechanisms that facilitate the use of patient and systems-level outcomes to assess training effectiveness and identify areas where training should be modified.

The resulting overall model is presented in Figure 1. Individual components are described below and in relevant Appendices.

Figure 1.



Variables

Individual, team, and task-level variables will impact leader and team performance. We've identified key variables to include in models of the impact of trauma team leader training on trauma team resuscitation performance. These are summarized in Table 1.

Table 1

Level of Variable
Individual
• Years in training
• Specialty
Team*
• Team size
• Team familiarity
Task**
• Patient injury severity score
• Level of trauma team activation
• Patient age
• Length of time since training

*team variables describe the team members and structure present during the resuscitations that form the basis of the assessment

**task variables relate specifically to the patient resuscitation that forms the basis of the assessment

Measures

We've developed measures for team leadership and patient care (Appendix 2, 3). Leadership metrics are relevant to T1 and T2 assessments. Patient care metrics are relevant to T2 metrics and, when combined with key time-based metrics, provide assessment of adaptive performance (T3).

Current research does not describe a robust, applicable metric for team adaptability (T3) in action teams. We applied a qualitative approach to determine aspects of leadership training and leadership behaviors that impact key components of team and system performance, including adaptability, cohesion, and psychological safety.

Analysis Plan (T2 / T3 outcomes)

1. The investigation of the effects of leadership training on team leader behavior and patient care is a two condition (control, experimental training) pre- / post-test design with two pre-measurements (resuscitation prior to training) and four post-measurements (resuscitations following training / control).
 - a. Dependent variables of interest include team leadership (T2), patient care (T2), team processes (T2), and adaptation (T3).
2. Because the effects of interest could be influenced by participant experience, the severity of the trauma case, and the timing of the trauma relative to training delivery, it is necessary to control for these key covariates (Table 2). However, controlling for these factors is complicated as they included (a) a *time invariant* measure of participant experience, coded as their year in residency, (b) a *time varying* measure of patient injury severity and trauma team activation, and (c) a *time varying* measure of the number of days pre or post the training event for a given trauma event.


- a. This is a complex design, with repeated measures of the dependent variables nested by participant (and the time invariant experience covariate) with time varying covariates that are associated with each trauma patient.
- b. Team level metrics would be time varying measures if included in the model.
3. Given this data structure, the use of random coefficient modeling (RCM) to account for nesting and the time varying covariates is necessary.
 - a. This approach allows us to statistically manage pre-training/control leadership behavior, as well as the time varying covariates, in testing the effects of the training/control conditions. The purpose is to ensure that the training and control conditions are statistically equivalent and to deal with the time varying covariates, necessitating the use of RCM. The statistical equating of the two groups prior to hypothesis testing follows the standard logic of a Repeated Measures Analysis of Covariance (RM-ANCOVA).
 - b. The pre-training scores and covariates need to be grand mean centered to improve interpretability of the parameters in the model.
4. Where no significant direct effect was noted, we tested an indirect effect of training condition via leader behavior on key outcomes. These indirect effects are predicted by a conceptual model of team leadership by Kozlowski, et al that formed the foundation of our work.

Products from Aim 1 are described in Section 6.

AIM 2

Coding was completed for the simulated videos. Trained raters coded leadership behaviors for 60 videos. These data were reconciled, evaluated for inter-rater reliability, and prepared for analyses. Preliminary analyses demonstrate transfer of trained behaviors to the clinical environment (examples from 3 behaviors provided in Fig 2a, 2b, 2c). Observations 1 and 2 represent pre-simulation performance, observations 3 and 4 represent simulation-based performance, and observations 5 and 6 represent post-training performance (for intervention subjects). Analyses to evaluate correlation between simulated and clinical performance are completed.

Figure 2.



Two measures were used to code leadership. One is a behaviorally-anchored rating scale designed for real-time coding, and one is a code system to categorize team leader utterances using a checklist designed for video-based coding. Validity evidence for the utterance coding system was presented in a recent publication (Appendix 4; DOI: 10.1097/CCM.0000000000004077). The construct

validity of the BARS measurement tool was evaluated using a multimethod-multitrait (MTMM) approach. In general, MTMM analyses involve assessing the extent to which ratings of a given construct converge when assessed using different measurement methods. In the present analyses, eight team leadership constructs were assessed using two methods (BARS measure and utterance checklist). Three MTMM analyses were conducted reflecting increasing psychometric rigor:


1. Simple correlation computed between average of all BARS items and the overall leadership score from the checklist
2. "Classic" multitrait-multimethod analysis in which the correlations between each BARS item and the corresponding checklist items were computed; permits examination of convergent validity (same trait-different method correlations) and discriminant validity (different trait-same method correlations and different trait-different method correlations) evidence
3. Latent factor multitrait-multimethod modeling in which the scores on the observed BARS and checklist items were modeled as a function of their underlying leadership construct and measurement method; permits examination of convergent validity (strength of factor loadings on leadership constructs) and method bias (strength of factor loadings on measurement methods).

Consistent evidence of convergent and discriminant validity were observed across all three analytical approaches. The results indicated that leadership ratings obtained using the BARS measurement tool tended to correlate closely with those obtained using the behavioral checklist. To strengthen analyses, additional videos have been coded. This allows us to analyze performance decay post-training. Decay analyses are in process and manuscript preparation is underway.

We also evaluated the impact of simulation-based leadership training on actual clinical leadership performance and patient care. These results are shown in Figure 3. When compared with untrained subjects, team leaders receiving training demonstrated a significant improvement in clinical leadership performance during trauma resuscitations. ($b_1=4.06$, $se=0.66$, $t(55)=6.11$, $p<0.001$; $d=1.07$) (Figure 3a). An additional model predicted patient care scores from leadership scores across all videos; leadership behaviors significantly predicted patient care ($b_1 = 0.62$, $se = 0.17$, $t(273) = 3.64$, $p < 0.001$) even after controlling for experimental condition, year in residency, days since/until training, and ISS (Figure 3b).

Figure 3a.


Impact of simulation-based team leadership training on leadership effectiveness during trauma resuscitations



Analyses controlled for number of days since training, year of residency training, and patient injury severity score

Figure 3b.

Leadership mediates the impact of leadership training on patient care during actual trauma resuscitations



Aim 3

Work for Aim 3 focused on preparing data for analysis. The construction of the database and data dictionary are now complete.

Figure 4.



Conventional analytical approaches to evaluating training and the extent to which learned knowledge transfers to *in situ* applications tend to rely almost exclusively on examining correlations between or mean differences in the frequency and/or quality of behaviors between participants in training versus control conditions. Additionally, these data are most commonly measured using Likert-based scales or observational summaries. For example, a typical training validation study entails gathering baseline data using Likert scales or counts/indicators of desired behaviors; assigning participants to training and control conditions; collecting post-training data of the same measures collected prior to training; and analyzing those differences using standard regression-/ANOVA-based statistics. Although this methodology can be used to identify broad distinctions between trained and untrained participants and thus examine the efficacy of training, its inferential scope is limited in that it can only reveal possible differences in the frequency and/or subjective interpretations of quality of desired behaviors (i.e., do trainees do "more" of something or do something "better" than non-trainees). However, when the skills targeted for training are complex and issues concerning *how*, *when*, and *why* desired behaviors are enacted become important--such as with team leadership--this conventional methodological/analytical framework for assessing training transfer is lacking.

To this end, we collected time-stamped behavioral data corresponding to key leadership behaviors targeted in our simulation-based team leadership training program. Figure 3 provides a sample preliminary visualization of the frequency and timing of specific leadership behaviors observed. These data were collected from *clinical* observations of residents both prior to and after leadership training and thus provide a rich database of behavioral observations within which to examine how the competencies and skills targeted during training were transferred back as enacted leadership behaviors during patient care. Most notably, these data offer the ability to examine unique *sequences* and *patterns* of behavior that can provide more insight into *how* learners engaged in leadership as a result of training beyond frequency- and mean difference-based inferences.

To accomplish this goal, we have pursued the following analytic strategy:

1. *Database cleaning and formatting* (completed). The data for this study were gathered by coding videos of residents' leadership behaviors during *in situ* patient care. Videos were coded by trained raters, with a large portion of the videos being coded by multiple raters. Given the need to ensure between-rater consistency with respect to both *which* and *when* leadership behaviors were observed, the research team developed a novel protocol for compiling the time-stamped behavioral data so that it could be appropriately analyzed. The primary task involved merging an existing database of time-stamped team leadership behaviors coded by raters with patient care elements for 60 subjects (360 resuscitations; Figure 3). The raw dataset contained over 73,400 coded observations of leadership behaviors across all raters. Because many of the resuscitations were rated by multiple coders, the research team developed a protocol for aggregating the time-stamped observations within a given video recording across raters to maximize the number of unique data points retained for each resuscitation while maintaining high interrater agreement. In brief, this was completed by collapsing the time-stamped data for each video into a series of 10-sec time windows within which leadership behaviors observed by multiple coders could be tabulated.
2. *Descriptive summary of timing data* (completed; Appendix 5). A basic understanding of the sequencing of observed leadership behaviors was explored by computing descriptive statistics/summaries of the timings of leadership behaviors. Of note, these analyses revealed information about the typical/expected duration of patient care events in our dataset as well as particular time windows in which heavier versus lighter concentrations of leadership behavior tended to occur.
3. *Multi-state Markov modeling* (in progress; Appendix 6). Multi-state Markov modeling is a generalizable statistical framework that attempts to describe how an entity moves between a series of "states" over time. A state represents a discrete and mutually exclusive occurrence, experience, or observation. Movement between states is summarized according to *transition probabilities* that estimate the likelihood of transitioning from a current state to any other modeled state. Importantly, multi-state Markov models allow individual-level (e.g., training condition) and other time-dependent predictors of these transition probabilities to be estimated. Consequently, we are attempting to use this analytical framework to examine whether trained versus untrained residents tended to engage in different patterns of leadership behavior during patient care events (i.e., exhibit different transition probabilities among leadership behaviors/"states").

4. *Sequence analysis* (in progress). Sequence analysis describes an approach for evaluating the order, trajectory, and organization across an entire series of events. The foundational concept of this method is to attempt to cluster independently observed event series into a smaller number of representative sequences that can be interpreted, compared, and analyzed. Unlike multi-state Markov models, sequence analysis attempts to summarize entire trajectories/histories of events rather than the likelihood of moving from any single event to another; however, predictors of whether an individual is more likely to follow/exhibit a particular sequence of events can still be modeled. Consequently, we are attempting to use this analytical framework to examine whether the enactment of leadership behaviors unfolded differently over time in trained versus untrained residents.

Aim 4

Work for Aim 4 is underway and is occurring in parallel with Aim 3. Non-routine events have been identified and are described below. All non-routine events are time-stamped within videos, and timing of leadership behaviors, non-routine events, and patient care behaviors are synced to allow comparisons. Analyses are in process.

Table 2.

Level of Variable	Definition
New hypotension	Two consecutive systolic blood pressures less than 90 in the absence of pre-hospital hypotension
New hypoxia	Persistent (>1 min) pulse ox less than 90 in the absence of pre-hospital hypoxia
Loss of airway	Patient with decreased level of consciousness, obstruction, or other compromise of airway requiring emergent intubation. Includes problem with existing endotracheal tube.
Cardiac arrest	Cardiac arrest in emergency department without prior prehospital cardiac arrest
Positive FAST	Positive FAST exam
Critical equipment failure	Failure of equipment that directly impacted the ability to address potentially life-threatening issues
Critical medical condition identified	Presence of an acute life-threatening medical condition (e.g., acute myocardial infarction)

Aim 5

Aim 5 is a qualitative project where we conducted interviews of team members in the emergency department to help understand the impact of trained concepts on execution of trauma resuscitations. We met with our qualitative experts and began the process of identifying concepts and constructs. This work was delayed due to COVID-19, but we have now completed interviews and coding. Identified themes and sample quotes are provided in Appendix 7.

What opportunities for training and professional development has the project provided?

If the project was not intended to provide training and professional development opportunities or there is nothing significant to report during this reporting period, state “Nothing to Report.”

Describe opportunities for training and professional development provided to anyone who worked on the project or anyone who was involved in the activities supported by the project. “Training” activities are those in which individuals with advanced professional skills and experience assist others in attaining greater proficiency. Training activities may include, for example, courses or

one-on-one work with a mentor. “Professional development” activities result in increased knowledge or skill in one’s area of expertise and may include workshops, conferences, seminars, study groups, and individual study. Include participation in conferences, workshops, and seminars not listed under major activities.

- The project involves a graduate student at the University of Maryland. He has been involved in all aspects of the project and has benefited from attending weekly meetings. He has worked with his mentor, co-investigator James Grand on all aspects of the project. Opportunities to participate in conferences have been limited due to COVID; however virtual meetings will be considered for the NCE year.
- Training for subjects is proposed in Aim 2.
- The trauma process mapping involves a graduate student. He has been involved in the entire mapping and variable identification process. He was to present this work last spring but the meeting was cancelled due to COVID. Manuscript has been accepted for publication.

How were the results disseminated to communities of interest?

If there is nothing significant to report during this reporting period, state “Nothing to Report.”

Describe how the results were disseminated to communities of interest. Include any outreach activities that were undertaken to reach members of communities who are not usually aware of these project activities, for the purpose of enhancing public understanding and increasing interest in learning and careers in science, technology, and the humanities.

- Leadership metrics (Appendix 2)
- Patient care metrics (Appendix 3)
- Patient care and leadership measures presented at the 2019 Society for Academic Emergency Medicine Annual Meeting, Las Vegas, NV. (Top 100 Abstracts)
- Translational model submitted and accepted for presentation at the 2020 International Meeting for Simulation in Healthcare; San Diego, CA.
- Patient care measurement approach accepted for publication in *Academic Emergency Medicine Education & Training* (Fernandez R, et al. An Event-based Approach to Measurement: Facilitating Observational Measurement in Highly Variable Clinical Settings. *AEM Education and Training*. 2020;4(2):147-153.) – Appendix 8
- Translation of training to clinical performance is published in *Critical Care Medicine* (Fernandez R, et al. Simulation-Based Team Leadership Training Improves Team Leadership During Actual Trauma Resuscitations: A Randomized Controlled Trial. *Crit. Care Med*. 2020;48(1):73-82.) – Appendix 4
- Trauma care process map is accepted for publication in *Simulation in Healthcare* (Lodemann T, Akcali E, Fernandez R. Process modeling of ABCDE Primary Survey in Trauma Resuscitations: A crucial first step for agent-based simulation modeling of complex team-based clinical processes.) – Appendix 1

What do you plan to do during the next reporting period to accomplish the goals?

Describe briefly what you plan to do during the next reporting period to accomplish the goals and objectives.

Analyses for Aims 3 and 4 are in progress at this time. Candidate approaches are described in above sections. This work will identify components of leadership that are most predictive of effective patient care, and will specifically evaluate adaptive performance during nonroutine events. Moreover we will identify patterns of effective behavior. We are now summarizing the work for Aim 5 in preparation for a publication.

4. **IMPACT:** *Describe distinctive contributions, major accomplishments, innovations, successes, or any change in practice or behavior that has come about as a result of the project relative to:*

What was the impact on the development of the principal discipline(s) of the project?

If there is nothing significant to report during this reporting period, state “Nothing to Report.”

Describe how findings, results, techniques that were developed or extended, or other products from the project made an impact or are likely to make an impact on the base of knowledge, theory, and research in the principal disciplinary field(s) of the project. Summarize using language that an intelligent lay audience can understand (Scientific American style).

Our focus is on trauma care. Traumatic injury is the number one cause of death in Americans age 1 – 44, thus improvements in the delivery of trauma care could significantly impact both military and civilian patient outcomes. We’ve demonstrated that trained behaviors translate into improved performance in the clinical setting as well as improved patient care. Over the past year, our work focused on identifying approaches for Aims 3 and 4 and analyses for Aim 5. This work will identify behaviors and behavioral patterns that predict effective leadership and patient care. It will also help identify how training changes leadership behavior patterns. Such knowledge will help advance leadership development and can help identify degradation in leadership and trauma care performance.

Our work in Aim 5 evaluates how leadership skills are developed and supported within the trauma team structure. This information will help educators better design interventions to support the on-the-job development of trauma team leadership skills. Without this information it is not possible to maximize the effectiveness of training impact.

What was the impact on other disciplines?

If there is nothing significant to report during this reporting period, state “Nothing to Report.”

Describe how the findings, results, or techniques that were developed or improved, or other products from the project made an impact or are likely to make an impact on other disciplines.

While our efforts focus on trauma resuscitation, the concepts and methodologies we describe can be applied to any clinical setting. Specifically, our measurement approach can be applied to any clinical problem or patient presentation and will account for the variability inherent in these events. Additionally, the leadership patterns and predictive modeling will help maximize performance in multiple other domains. Thus, we could look to improve cardiac arrest management, stroke management, sepsis care, etc.

What was the impact on technology transfer?


If there is nothing significant to report during this reporting period, state “Nothing to Report.”

Describe ways in which the project made an impact, or is likely to make an impact, on commercial technology or public use, including:

- transfer of results to entities in government or industry;
- instances where the research has led to the initiation of a start-up company; or
- adoption of new practices.

Figure 5 demonstrates KRL.

Figure 5.



What was the impact on society beyond science and technology?

If there is nothing significant to report during this reporting period, state “Nothing to Report.”

Describe how results from the project made an impact, or are likely to make an impact, beyond the bounds of science, engineering, and the academic world on areas such as:

- *improving public knowledge, attitudes, skills, and abilities;*
- *changing behavior, practices, decision making, policies (including regulatory policies), or social actions; or*
- *improving social, economic, civic, or environmental conditions.*

Our work may change how we view leadership performance and how we assess behavioral patterns within highly dynamic action teams.

- 5. CHANGES/PROBLEMS:** *The PD/PI is reminded that the recipient organization is required to obtain prior written approval from the awarding agency grants official whenever there are significant changes in the project or its direction. If not previously reported in writing, provide the following additional information or state, "Nothing to Report," if applicable:*

The investigators encountered delays related to COVID-19 and resulting research restrictions. These restrictions resulted in delays with data collection related to Aim 5 (qualitative interviews). These restrictions have since been modified, and the investigators are able to resume this work. Aims 3-5 are now on schedule to be completed within the NCE year.

Actual or anticipated problems or delays and actions or plans to resolve them

Describe problems or delays encountered during the reporting period and actions or plans to resolve them.

The investigators switched their approach to Aim 5 and are now conducting interviews via Zoom. All interviews are completed and analyses are done. The results of Aim 5 are being prepared for dissemination in a manuscript.

The current NCE will allow for the completion of Aims 3 and 4, analyses underway.

Changes that had a significant impact on expenditures

Describe changes during the reporting period that may have had a significant impact on expenditures, for example, delays in hiring staff or favorable developments that enable meeting objectives at less cost than anticipated.

There is no impact on budget.

Significant changes in use or care of human subjects, vertebrate animals, biohazards, and/or select agents

Describe significant deviations, unexpected outcomes, or changes in approved protocols for the use or care of human subjects, vertebrate animals, biohazards, and/or select agents during the reporting period. If required, were these changes approved by the applicable institution committee (or equivalent) and reported to the agency? Also specify the applicable Institutional Review Board/Institutional Animal Care and Use Committee approval dates.

Significant changes in use or care of human subjects

Interviews were performed via Zoom rather than in person due to COVID-19.

Significant changes in use or care of vertebrate animals

Nothing to report

Significant changes in use of biohazards and/or select agents

- Nothing to report

6. PRODUCTS: *List any products resulting from the project during the reporting period. If there is nothing to report under a particular item, state “Nothing to Report.”*

- **Publications, conference papers, and presentations**

Report only the major publication(s) resulting from the work under this award.

Journal publications. *List peer-reviewed articles or papers appearing in scientific, technical, or professional journals. Identify for each publication: Author(s); title; journal; volume; year; page numbers; status of publication (published; accepted, awaiting publication; submitted, under review; other); acknowledgement of federal support (yes/no).*

Rosenman ED, Misco A, Olenick J, Broliar S, Chipman AK, Vrablik MC, Kozlowski SWJ, Grand JA, Chao GT, **Fernandez R**. Does team leader gender matter? A Bayesian reconciliation of leadership and patient care during trauma resuscitations. *JACEP Open*. Jan 2021;2(1). (<https://doi.org/10.1002/emp2.12348>)

Fernandez R, Rosenman ED, Chipman AK, Broliar S, Vrablik M, Kalynych C, Shuluk J, Lazzara EH, Keebler JR, Samuelson H, Grand JA. An Event-based Approach to Measurement: Facilitating observational measurement in highly variable clinical settings. *Acad Emerg Med Educ Train*. 2020;4(2):147-153. PMID: 32313861

Fernandez R, Rosenman ED, Olenick, J, Misco, A, Broliar S, Chipman AK, Vrablik MC, Kalynych C, Arbabi S, Nichol G, Grand JA, Kozlowski SWJ, Chao GT. Simulation-based team leadership training improves team leadership and patient care during actual trauma resuscitations: A randomized controlled trial. *Crit Care Med* 2020;48(1):73-82. PMID: 31725441.

Lodemann T, Akcali E, **Fernandez R**. Process modeling of ABCDE Primary Survey in Trauma Resuscitations: A crucial first step for agent-based simulation modeling of complex team-based clinical processes. *Simul Healthc* (accepted).

Books or other non-periodical, one-time publications. *Report any book, monograph, dissertation, abstract, or the like published as or in a separate publication, rather than a periodical or series. Include any significant publication in the proceedings of a one-time*

conference or in the report of a one-time study, commission, or the like. Identify for each one-time publication: author(s); title; editor; title of collection, if applicable; bibliographic information; year; type of publication (e.g., book, thesis or dissertation); status of publication (published; accepted, awaiting publication; submitted, under review; other); acknowledgement of federal support (yes/no).

- None

Other publications, conference papers and presentations. Identify any other publications, conference papers and/or presentations not reported above. Specify the status of the publication as noted above. List presentations made during the last year (international, national, local societies, military meetings, etc.). Use an asterisk (*) if presentation produced a manuscript.

- Leadership training and outcome metrics presented at the 2020 Society for Academic Emergency Medicine meeting, Las Vegas, NV
- Overall translational model accepted for presentation at the 2020 International Meeting for Simulation in Healthcare

Website(s) or other Internet site(s)

List the URL for any Internet site(s) that disseminates the results of the research activities. A short description of each site should be provided. It is not necessary to include the publications already specified above in this section.

- None

Technologies or techniques

Identify technologies or techniques that resulted from the research activities. Describe the technologies or techniques were shared.

We developed a methodology to allow performance measurement in the clinical setting across highly variable clinical events. This methodology addresses an important knowledge gap that has limited translational educational research. This work has been accepted for publication in *Academic Emergency Medicine Education & Training* journal. Our approach to process modeling of complex events (trauma resuscitation) has been accepted for publication in *Simulation in Healthcare*. The process models will be published in their entirety as a supplemental file.

- **Inventions, patent applications, and/or licenses**

Identify inventions, patent applications with date, and/or licenses that have resulted from the research. Submission of this information as part of an interim research performance progress report is not a substitute for any other invention reporting required under the terms and conditions of an award.

- None

Other Products

Identify any other reportable outcomes that were developed under this project. Reportable outcomes are defined as a research result that is or relates to a product, scientific advance, or research tool that makes a meaningful contribution toward the understanding, prevention, diagnosis, prognosis, treatment and /or rehabilitation of a disease, injury or condition, or to improve the quality of life. Examples include:

- *data or databases;*
- *physical collections;*
- *audio or video products;*
- *software;*
- *models;*
- *educational aids or curricula;*
- *instruments or equipment;*
- *research material (e.g., Germplasm; cell lines, DNA probes, animal models);*
- *clinical interventions;*
- *new business creation; and*
- *other.*

- Measures are noted in Appendix 2 and 3 and assessment methods described in manuscript (Fernandez R, Rosenman ED, Broliar S, et al. An Event-based Approach to Measurement: Facilitating Observational Measurement in Highly Variable Clinical Settings. *AEM Education and Training*. 2020;4(2):147-153.)
- The trauma resuscitation process models will be published as supplemental files in *Simulation in Healthcare*.

7. PARTICIPANTS & OTHER COLLABORATING ORGANIZATIONS

What individuals have worked on the project?

Provide the following information for: (1) PDs/PIs; and (2) each person who has worked at least one person month per year on the project during the reporting period, regardless of the source of compensation (a person month equals approximately 160 hours of effort). If information is unchanged from a previous submission, provide the name only and indicate “no change”.

Name: Rosemarie Fernandez, MD
Project role: Principal Investigator
era Commons ID: av9546
Nearest person month worked: 1.8 cal.months (0.15 FTE)

Name: James Grand, PhD
Project role: Co-Principal Investigator
era Commons ID: Grandjam
Nearest person month worked: 3 cal months (0.25 FTE)

Name: Antionette McFarlane, PhD
Project role: Research coordinator
Nearest person month worked: 12 cal months (1.0 FTE)

Name: Elizabeth Rosenman, MD
Project role: Co-Investigator
Nearest person month worked: 0.12 cal. Months (0.1 FTE)

Name: Sarah Brolliar, BA
Project role: Research Coordinator – University of Washington
Nearest person month worked: 12 cal. Months (1 FTE)

Has there been a change in the active other support of the PD/PI(s) or senior/key personnel since the last reporting period?

If there is nothing significant to report during this reporting period, state “Nothing to Report.”

If the active support has changed for the PD/PI(s) or senior/key personnel, then describe what the change has been. Changes may occur, for example, if a previously active grant has closed and/or if a previously pending grant is now active. Annotate this information so it is clear what has changed from the previous submission. Submission of other support information is not necessary for pending changes or for changes in the level of effort for active support reported previously. The awarding agency may require prior written approval if a change in active other support significantly impacts the effort on the project that is the subject of the project report.

- None

What other organizations were involved as partners?

If there is nothing significant to report during this reporting period, state “Nothing to Report.”

Describe partner organizations – academic institutions, other nonprofits, industrial or commercial firms, state or local governments, schools or school systems, or other organizations (foreign or domestic) – that were involved with the project. Partner organizations may have provided financial or in-kind support, supplied facilities or equipment, collaborated in the research, exchanged personnel, or otherwise contributed.

Provide the following information for each partnership:

Organization Name:

Location of Organization: (if foreign location list country)

Partner’s contribution to the project (identify one or more)

- *Financial support;*
- *In-kind support (e.g., partner makes software, computers, equipment, etc., available to project staff);*
- *Facilities (e.g., project staff use the partner’s facilities for project activities);*
- *Collaboration (e.g., partner’s staff work with project staff on the project);*
- *Personnel exchanges (e.g., project staff and/or partner’s staff use each other’s facilities, work at each other’s site); and*
- *Other.*

Site 1: University of Florida
Gainesville, FL
Lead site

Site 2: University of Washington
Seattle, WA
Collaborating site

Site 3: University of Maryland
College Park, MD
Collaborating site

Site 4: Virginia Tech / Carilion
Roanoke, VA
Collaborating site

8. SPECIAL REPORTING REQUIREMENTS

COLLABORATIVE AWARDS: *For collaborative awards, independent reports are required from BOTH the Initiating Principal Investigator (PI) and the Collaborating/Partnering PI. A duplicative report is acceptable; however, tasks shall be clearly marked with the responsible PI and research site. A report shall be submitted to <https://ers.amedd.army.mil> for each unique award.*

QUAD CHARTS: *If applicable, the Quad Chart (available on <https://www.usamraa.army.mil>) should be updated and submitted with attachments.*

QUAD chart submitted separately as requested.

9. **APPENDICES:** *Attach all appendices that contain information that supplements, clarifies or supports the text. Examples include original copies of journal articles, reprints of manuscripts and abstracts, a curriculum vitae, patent applications, study questionnaires, and surveys, etc.*

APPENDICES

- APPENDIX 1. Manuscript, *Simulation in Healthcare* abstract
- APPENDIX 2. Team leadership measure
- APPENDIX 3. Patient care measure
- APPENDIX 4. Manuscript, *Critical Care Medicine* page
- APPENDIX 5. Descriptive summary of timing data
- APPENDIX 6. Multi-state Markov modeling
- APPENDIX 7. Qualitative analysis framework
- APPENDIX 8. Manuscript, *Academic Emergency Medicine* page

APPENDIX 1. Abstract of accepted manuscript (Simulation in Healthcare) and example process model

Process Modeling of ABCDE Primary Survey in Trauma Resuscitations: A Crucial First Step for Agent-Based Simulation Modeling of Complex Team-Based Clinical Processes

ABSTRACT


Introduction: Trauma teams are ad hoc, multidisciplinary teams that perform complex patient care and medical decision-making under dynamic conditions. The ability to measure and thus understand trauma team processes is still limited. Agent-based simulation modeling (ABSM) can be used to investigate complex relationships and performance within a trauma team. However, the foundational work to support such efforts is lacking. The goal of this work is to develop a comprehensive process model for the primary survey in trauma that can support ABSM.

Methods: A process model for the primary survey of patients with blunt traumatic injuries was developed using Advanced Trauma Life Support guidelines and peer-reviewed publications. This model was then validated using video recordings of 25 trauma resuscitations in a Level 1 trauma center. The assessment and treatment pathway followed in each video was mapped against the defined pathway in the process model. Where resuscitation performance did not follow the defined pathway, i.e., deviations, were noted.

Result: Overall there were 106 tasks and 78 decision points within the model, with the greatest number appearing in the Circulation domain, followed by Airway and Breathing. A total of 34 deviations were observed across all 25 videos, and a maximum of 3 deviations were observed per video.

Conclusions: Overall our data offered validity support for the blunt trauma primary survey process model. This process model was an important first step for the use of ABSM for the support of trauma care operations and team-based processes.

Example of Process Model Items



APPENDIX 2. Team leadership measure

Behavior	Description	Assumes and maintains TL role			Modifiers	
		This should be scored during the pre-brief or about 15 seconds after patient arrival, around the EMS report. If the TL is not present at patient arrival, they should assume the role when they enter the room				
		Scoring			TL Presence	Prompted
		Poor	Average	Excellent		
Assumes TL role	Code after TL arrives.	<p>Examples: Allows another team member to perform initial organizational task</p> <p>Enters the room and starts examining the patient without talking to the team</p>	<p>Implicitly assumes TL role. Does not explicitly introduce him/herself in this role but does perform tasks consistent with early TL role</p> <ul style="list-style-type: none"> Provides a plan and/or delegates roles at the team level prior to patient arrival (i.e., performs a prebrief) Provides a plan and/or delegates roles at the team level shortly after TL arrival to room if the patient arrives before the TL (i.e., rebrief) Defines own role to the team: "I will be performing the primary survey while John does....." **If you closed your eyes, does it sound like there is a leader at that start of the encounter? When you open your eyes, is it the TL (the person who circled at entry)? 	<p>Explicitly assumes TL role</p> <ul style="list-style-type: none"> States he/she is: "the leader, "the trauma doc," "running the resuscitation," "in charge," etc Does not need to use the word "leader" but should use some language that clearly states he/she is in the leadership role (see above) This should still happen even if the TL is not there when the patient arrives 	TL present before patient arrives or TL arrives at the same time or after patient	Behavior Prompted or Not prompted by other staff
Asserts control throughout the event	Code at the end Not all items might be necessary (like crowd control); each anchor just provides you with some examples of what you are looking for	<ul style="list-style-type: none"> Makes little or no attempt to maintain leadership role Seems to abdicate role without officially turning over leadership <p>Examples: Gets involved in a task (e.g., ultrasound, abg, or other procedure) and is unaware of the other events and discussions taking place When another team members speaks up with an idea or order, allows the team to shift and stay focused on this person as a new team leaders</p> <p>Note: Asking for ideas or feedback on a plan is not automatically a "poor." If the TL can defer to another team member for a plan as long as the TL continues to coordinate and organize the team around this plan.</p>	<ul style="list-style-type: none"> May establish self as team leader early on, Unable to maintain this role as more people arrive, or the team gets disrupted Has difficulty centering the focus of the team 	<ul style="list-style-type: none"> Identifies self as team leader when appropriate (e.g., at the beginning, if many new team members arrive, if team becomes disorganized/disrupted) Attempts 'crowd control' (e.g., asking observers to leave, or delegating someone to manage observers) Centers the focus of the team effectively 		

Behavior	Description	Pre-Brief			Modifiers	
		<p>This item is based on behaviors that occur prior to the patient's arrival. Score this just after the patient arrives. This is a summary. It is not a list of one-off sharing of information, planning, or role assignment. The idea is that this is a discreet summary for the team that, optimally, includes the 4 components listed below.</p> <p>For this item, look at the best performance and score. They may do several pre-briefs, you score the best one.</p>				
		Scoring			TL Presence	Prompted
		Poor	Average	Excellent		
Pre-Brief Engagement	<p>Clearly engages in a pre-brief by gathering the attention of the team</p> <p>*Watch the entire pre-brief and score the best effort.</p>	<p>TL provides information to a single person (e.g., bedside RN or attending physician) but does not include the larger team.</p> <p>Note: If there is only one person in the room this is still poor because we would expect the TL to take steps to get the entire team to the room (e.g., calling them overhead) to facilitate a pre-brief</p>	<p>Implicit Starts speaking in a loud voice to the room to summarize, but doesn't clearly mark the beginning with a mechanism to get attention</p> <p>Just speaking loudly is not enough, this needs to precede a summary for the team. It is not using a loud voice to provide a single piece of information or to communicate a single plan or order.</p>	<p>Explicit Example terms: "Let's <i>huddle</i>." "So, what I know to this point..." "Let's <i>summarize</i>.. "...<i>same page</i>." "I need <i>everyone's attention</i>." "<i>Listen</i> up." "Here is the report I was given...." "<i>OK to brief everyone</i> . . ."</p>	TL not present to score Pre-Brief	Behavior Prompted or Not prompted by other staff
Pre-Brief Content	<p>Which behaviors were included in the pre-brief?</p> <p>*Watch the entire pre-brief and score the best effort.</p>	<p>TL may answer individual questions but does not summarize information, just gives one-off pieces of information Example: Team: "Is he intubated?" TL "Yes." OR Information, planning, or role assignment is fragmented or is just a string of findings, such as "BP is 70/30, lungs are clear, he's on the vent, he has a carotid pulse, his pupils are reactive . . ." or "now we will roll him, then splint his leg, then do a CT" Information is sort of announced as it comes, Here you don't see a discreet summary event</p>	<p>Does 2 of the 4 behaviors below listed below</p> <ul style="list-style-type: none"> • Information sharing • States a plan • Assigns roles • Seeks input? 	<p>Does of 3 or 4 of the behaviors below listed below</p> <ul style="list-style-type: none"> • Information sharing • States a plan • Role assignment • Seeks input? 	TL not present to score Pre-Brief	Behavior Prompted or Not prompted by other staff

Behavior	Description	Re Brief Score 1 min after the EMS report ends. This does NOT include a quick report of vital signs, breath sounds, or presence of pulse (Ok to perform 1-2 quick tasks first, such as given initial orders, or confirming patients breathing status)				
		Scoring			Modifiers	
		Poor	Average	Excellent		Prompted
Performs a "re-brief"	<p>Score after the EMS report OR early in the patient's care if no EMS report</p> <p>Updates the team shortly after the EMS report <i>about the content of the EMS report.</i></p>	<p>Does not comment on whether or not there was a change from prehospital report or how it impacts the plan.</p> <p>Note: Just repeating the EMS report is not an arrival brief, they must state that it has changed or that it is the same</p>	<p>Highlights whether the EMS report is the same/unchanged or summarizes updates/changes/new information based on report</p> <p>Examples: (1) "This patient is <i>as expected.</i>" (2) "This patient has had a decrease in mental status since our prehospital notification. "</p>	<p>Highlights whether EMS report is the same or summarizes updates AND <i>communicates impact on the plan/role assignment/priorities.</i></p> <p>Examples: (1) "This patient is as expected, <i>continue with current plan.</i>" (2) "This patient has had a decrease in mental status and <i>I am concerned about a head injury. I need you to get the airway cart just in case we need to intubate.</i> "</p>		<p>Behavior Prompted or Not prompted by other staff</p>

Behavior	Description	Huddle (A discreet communication event to the team) This is a summary. It is not a list of one-off sharing of information, planning, or role assignment. The idea is that this is a discreet summary for the team that, optimally, includes the 4 components listed below. This is scored EACH TIME it happens.				
		Scoring			Modifiers	
		Poor	Average	Excellent	Not Done	Prompted
Huddle Engagement Code for every huddle	Clearly engages in a huddle by gathering the attention of the team	TL provides information to a single person (e.g., bedside RN or attending physician) but <i>does not include</i> the larger team. This score can also be considered “not done.”	Implicit Starts speaking in a loud voice to the room to summarize, but doesn’t clearly mark the beginning with a mechanism to get attention. THIS MUST PRECEDE A DISCRETE SUMMARY OF THE PATIENT TO COUNT. It is not using a loud voice to provide a single piece of information or to communicate a single plan or order. Note: You may end up scoring this AFTER the huddle because you won’t realize one is coming until it happened	Explicit Example terms: “Let’s <i>huddle</i> .” “So, to <i>recap</i> ...” “Let’s <i>summarize</i> .. “... <i>same page</i> .” “I need <i>everyone’s attention</i> .” “ <i>Listen up</i> .” “Let’s <i>bring it back</i> ...”	Will be collapsed with Poor	Behavior Prompted or Not prompted by other staff
Huddle Content Code for every huddle	Which behaviors were included in the huddle?	TL may answer individual questions but does not summarize information, just gives one-off pieces of information Example: Team: “Is he intubated?” TL “Yes.” OR Information, planning, or role assignment is fragmented or is just a string of findings, such as “BP is 70/30, lungs are clear, he’s on the vent, he has a carotid pulse, his pupils are reactive . . . “ or “now we will roll him, then splint his leg, then do a CT” Information is sort of announced as it comes, Here you don’t see a discreet summary event	Does 2 of the 4 behaviors below listed below (irrespective of quality): <ul style="list-style-type: none"> • Information sharing • States a plan • Assigns roles • Seeks input? *This is NOT the team leader reporting out their exam findings as they do the primary survey	Does of 3 or 4 of the behaviors below listed below (irrespective of quality): <ul style="list-style-type: none"> • Information sharing • States a plan • Role assignment • Seeks input? 	Will be collapsed with Poor	Behavior Prompted or Not prompted by other staff

Behavior	Description	Huddle (A discreet communication event to the team) This is scored once at the end of the video to reflect an average performance of huddles across quality				
		Scoring			Modifiers	
		Poor	Average	Excellent	N/A	N/A
Overall Huddle Quality This somewhat combines content and engagement Code once at the end	Use the scores from the “huddle engagement” and “huddle content” to determine overall quality of huddles across the patient care encounter	Were consistently poor quality in engagement and/or content, or not done.	The TL huddled at least once, however huddles were: Consistently of average quality Example: <ul style="list-style-type: none"> Used implicit engagement and 1-2 of the content categories (info sharing, planning, seeking input, delegating) OR Inconsistent in the degree of engagement and the content included	Huddles consistently used: <ul style="list-style-type: none"> Explicit engagement 3 or more of the content categories (info sharing, planning, seeking input, delegating) 		

Behavior	Description	TL Communication Behaviors (Score these when they occur as part of a “huddle” AND when performed separately)			Modifiers	
		Scoring			N/A	N/A
		Poor	Average	Excellent		
Information sharing Code once at the end	Updates team with new findings (e.g., exam findings, vital signs) as the information becomes available (i.e., thinks aloud) and pertinent old information. Can be scored as part of a huddle event, or as a separate behavior.	Updates team with new findings (e.g., exam findings, vital signs) as the information becomes available (i.e., thinks aloud). Information is fragmented, announced as it comes. Can also score when not done. If TL takes this “thinks aloud” approach, this should be scored only once (not every time the TL shares information). Example: “His pupils are symmetric, no evidence of head trauma.” “He has abdominal tenderness on exam.” “His blood pressure is now 80/50.” “What liter of fluids is that? Ok. So he has received 3 rd liters and we have two points of IV access.”	Provides a summary of the situation. This should be a discreet event. Example: (prebrief: see italicized info in “poor”) Huddle #1: “45 yo M in a high speed MVC, intubated at the scene, with hypotension and tachycardia prehospital, now with improving BP and HR after 2L NS. In addition to a scalp laceration, he has diminished breath sounds on the right.” The difference between average and poor is that the information for average is organized into a discrete paragraph and delivered in a “chunk”. If the TL is interrupted, but then keeps going, or regroups, that would be credited as an Average and not punished for the interruption. This is still just a transfer of known information, it does NOT include an interpretation of what the TL thinks it might mean.	Provides a summary of the situation AND includes an interpretation of the facts for the team. This <i>interpretation</i> could include a primary finding (e.g., hypotension), condition (e.g., hemorrhagic shock), or diagnosis (e.g., hemorrhagic shock due to a liver laceration). The nature of the interpretation will change as more information is gathered. Example: “45 yo M in a high speed MVC, intubated at the scene, with hypotension and tachycardia prehospital, now with improving BP and HR after 2L NS. In addition to a scalp laceration, he has diminished breath sounds on the right, <i>so I am concerned about a pneumothorax.</i> ” Examples of phrases that indicate interpretation: -I am worried about... -This makes me think he may have... -I am concerned that... -I am suspicious of... -I suspect... -This may mean... -Because of this we will need to... *The summary can be somewhat separate from the interpretation. The goal is to get an overall rating of how the TL shares information over the course of the event		

*at any one time, the team leader may perform information sharing that represents less advanced behavior; this is not wrong, sometimes a single one-off announcement is indicated. However, the final score should reflect overall performance and the performance of “higher” level information sharing when appropriate for the case.

Behavior	Description	TL Communication Behaviors (Score these when they occur as part of a “huddle” AND when performed separately)			Modifiers	
		Scoring			N/A	
		Poor	Average	Excellent	N/A	N/A
States a plan Code once at the end	Provides a plan Can be scored as part of a huddle event, or as a separate behavior	Provides single one-off orders throughout the entire event; “Let’s get a blanket” “Let’s role him” but does not provide any clear, concise plan (the plan is limited to orders/requests as they come up). Can also score when not done.	Provides a clear plan that is more than just a single, one-off item. Likely to be more detailed than plan provided during the brief. Example: “My plan is to continue with IVFs, get the trauma series, establish a 2 nd IV, finish my exam, and then get a CT pan-scan.”	Provides a clear plan for what will transpire AND clearly states the <i>priorities</i> (must do both – does not count if TL communicates a priority without context of larger plan). Listing a sequence of events is NOT the same as stating a priority. Examples: (1) “My plan is to continue with IVFs, get the trauma series, and establish a 2 nd IV while we examine him. The <i>priority</i> is getting him to CT for a pan-scan.” (2) “He needs a 2 nd IV and UA, but nothing should delay him going to CT.”		

*at any one time, the team leader may perform planning that represents less advanced behavior ; this is not necessarily wrong, sometimes a single order in reaction to information is indicated. However, the final score should reflect overall performance and the performance of “higher” level planning when appropriate for the case.

Behavior	Description	TL Communication Behaviors (Score these when they occur as part of a “huddle” AND when performed separately)			Modifiers	
		Scoring			N/A	
		Poor	Average	Excellent	N/A	N/A
Assigns roles for tasks Code once at the end	Assigns roles Can be scored as part of a huddle event, or as a separate behavior	Identifies a few roles that need to be filled but doesn't identify who will be filling these roles. Can also score when not done. Example: “I need someone working on IV access, someone exposing the patient, and someone placing orders”	Assigns, confirms/restates, or inquires about specific roles AND identifies individuals using names, pointing, or making eye contact. Does not inquire about, or change role assignment, based on team member skill set. Example: TL: “I need <i>you</i> to place an IV. Who's getting meds?” RN: “I am”	Assigns, confirms/restates, or inquires about specific roles AND Identifies individuals using names, pointing, or making eye contact. AND At least one of the following “excellent” behaviors: -asking about team member skill set or prior experience -asking about team member workload or availability -redistributing assignments based on team member skillset or workload -requesting a check-back from the team member (e.g., “let me know when that is done”) Performing an advanced behavior for a single task assignment is adequate for excellent IF the TL has also delegating roles at some point during the patient care event. Example: TL: “Chris, are you working on the IV?” Chris: “Yes.” TL: “Great. Katie, <i>have you done an ABG before?</i> ” Katie: No. TL: “Ok, then Katie you work on undressing the patient and Karen, you get the ABG. Karen, <i>let me know when you are done.</i> ”		

*at any one time, the team leader may perform planning that represents less advanced behavior ; this is not necessarily wrong, sometimes a single order in reaction to information is indicated. However, the final score should reflect overall performance and the performance of “higher” level planning when appropriate for the case.

Behavior	Description	TL Communication Behaviors (Score these when they occur as part of a “huddle” AND when performed separately)			Modifiers	
		Scoring			N/A	
		Poor	Average	Excellent	N/A	N/A
Seeks input from team Code once at the end	Specifically elicits the opinion(s) of the team; this is not about asking one individual their opinion because they are higher in the hierarchy, but rather inviting the team to give their input; should build psychological safety Can be scored as part of a huddle event, or as a separate behavior	Asks for input from an individual (e.g., the ED or trauma attending or a senior resident) but not from the team as a whole. Can also score when not done. Examples: “Dr. Smith, is there anything else you want us to do before he goes to the OR?”	General statements of inquiry regarding thoughts or ideas, but does this towards the end of the patient care event Note: Accepting/acknowledging suggestions from team members does not count. Examples: (1) “Any other thoughts?” (2) “Does that sound good, anything else?”	Explicitly encourages team input early in the patient care event and then follows through on this (i.e., is consistently open to suggestions from others). Example: During the pre-brief, or shortly after patient arrival, the TL states: “If anyone has any questions or concerns at any time please speak up.”		

*at any one time, the team leader may perform planning that represents less advanced behavior ; this is not necessarily wrong, sometimes a single order in reaction to information is indicated. However, the final score should reflect overall performance and the performance of “higher” level planning when appropriate for the case. Ask yourself, at what level does the leader perform most consistently.

APPENDIX 3. Patient care measure

Row No.	Item variable name	Item Label	Type	Values
1	VIDID	Unique video identifier	String	n/a
2	STUDYID	Subject ID	String	n/a
3	DAYSTRAINING	DaysSinceTraining	Numeric	n/a
4	PREPOST	PreOrPost	String	n/a
5	PTPOSTM	Patient position, time noted	Numeric	seconds
6	PTPOSBDTM	Patient position on bed, time noted	Numeric	seconds
7	PTINTARRY	PT intubated at arrival, yes	Numeric	0, 1
8	BPPRARRLS90y	BP prior to arrival less than 90, yes (hypotensive)	Numeric	0, 1
9	LSTLUNGS	Listens to lungs	Numeric	0,1
10	GNAIRASS	General airway assessment	Numeric	0,1
11	AIRASSVER	Airway Assessment verbalized	Numeric	0,1
12	ETTBDPHV	ET tube depth verbalized	Numeric	0,1
13	AIRWAYLOSS	Loss of airway (eg ETT pulled, change in mental status)	Numeric	0,1
14	FASTPOS	Positive FAST (abdominal or PTX)	Numeric	0,1

15	CKPULSNORM	Checks pulse, peripheral or central - standardized	Numeric	0,1
16	CKPULSLA	Checks pulse, Left Arm	Numeric	0,1
17	CKPULSRA	Checks pulse, Right arm	Numeric	0,1
18	CKPULSLL	Checks pulse, Left Leg	Numeric	0,1
19	CKPULSRL	Checks pulse, Right Leg	Numeric	0,1
20	ACCEMSINTIV	Confirms access placed by EMS or orders initial IV	Numeric	0,1
21	ACCEMSINTIV2	Confirms 2nd IV or orders a 2nd IV	Numeric	0,1
22	IVFLUIDSV	Verifies total amount of fluids given	Numeric	0,1
23	ADDFLUID	Orders additional fluid or confirms additional fluid given	Numeric	0,1
24	INTTRANBLDV	Verbalizes intent to transfuse blood product	Numeric	0,1
25	ORDBLDTRAN	Orders blood transfusion, amount or type.	Numeric	0,1

26	BLDTRNS	Blood transfusion started	Numeric	0,1
27	BLOODCOMPOSITE	Any blood related action occurs	numeric	0,1
28	VASOGIVENANY	Vasopressors given, indicated, any reason	Numeric	0,1
29	VASOORD	Orders vasopressors	Numeric	0,1
30	BPNEWVERBTM	Verbalizes or interprets new BP, time noted	Numeric	seconds
31	BPNEWVERBNORM	Verbalizes or interprets BP - Standardized	Numeric	0,1
32	BPNEWLOWNORM	New low BP, standardized.	Numeric	0,1
33	BPLOWEXISTNORM	Existing or recurrent low BP standardized.	Numeric	0,1
34	HRVVERBALTM	New HR identified, time noted	Numeric	seconds
35	HRVERBALNORM	NEW HR IDENTIFIED Standardized		
36	OXVERBALTM	New oxygen level identified, time noted	Numeric	seconds
37	OXVERBALNORM	New oxygen level identified - Standardized		

38	MNTLSTATUSIND	Mental status assessment indicated	Numeric	0,1
39	MENTALASSM	Mental Status Assessed	Numeric	0,1
40	GCSVERBAL	GCS score identified	Numeric	0,1
41	PUPILASSM	Pupil size assesses	Numeric	0,1
42	EXTFUNCLA	Extremity function, left arm	Numeric	0,1
43	EXTFUNCRA	Extremity function, right arm	Numeric	0,1
44	EXTFUNCLL	Extremity function, left leg	Numeric	0,1
45	EXTFUNCRL	Extremity function, right leg	Numeric	0,1
46	CLOTHREMOVED	Clothing removed from patient	Numeric	0,1
47	ROLLVERBAL	Roll patient as next step, verbalized	Numeric	0,1
48	ROLLVERBALTM	Roll patient as next step, verbalized, time noted	Numeric	seconds
49	ROLLED	PT rolled	Numeric	0,1
50	ROLLEDTM	PT rolled, time noted	Numeric	seconds
51	ROLLEDVERBALTM	Time patient rolled from when verbalized as next step	Numeric	seconds
52	SPINEPALP	C-spine or T & L palpated	Numeric	0,1
53	CSPINEIND	C-spine immobilization indicated	Numeric	0,1

54	CSPINEIMM	Does NOT maintain C-spine immobilization	Numeric	0,1
55	CXRIND1	CXR #1 indicated	Numeric	0,1
56	CXRIND2	CXR #2 indicated	Numeric	0,1
57	CXRORD	CXR ordered	Numeric	0,1,2
58	CXRORDTM	CXR ordered, time noted	Numeric	seconds
59	CXRCOMM	CXR results communicated	Numeric	0,1
60	CXRCOMMTM	CXR results communicated, time noted	Numeric	seconds
61	CXRCOMMORDTM	Time CXR results communicated from time CXR ordered	Numeric	seconds
62	PXRIND	Pelvis XR indicated	Numeric	0,1
63	PXRORD	PXR ordered	Numeric	0,1
64	PXRORDTM	PXR ordered, time noted	Numeric	seconds
65	PXRCOMM	PXR results verbalized	Numeric	0,1
66	PXRCOMMTM	PXR results verbalized, time noted	Numeric	seconds
67	PXRCOMMORDTM	Time PXR results communicated from time PXR ordered	Numeric	seconds
68	POCUSDPLIND	POCUS or DPL indicated	Numeric	0,1
69	POCUSDPLPERF	POCUS/DPL performed	Numeric	0,1

70	STARTSECVIEW	Start of 2nd viewpoint	Numeric	0,1
71	STARTSECVIEWWTM	Start of 2nd viewpoint, time noted	Numeric	seconds
72	OBSERDATEPSOT	this is the date that the intervention occurred for that month -		
73	STUDYARM	Study Arm	String	n/a
74	TRAINLEVEL	Training Level	String	Second year Third Year
75	TLPROCINVL2MIN	TL involved procedure for > 2 minutes	Numeric	0,1
76	TLLVS2MIN	TL leaves prior to team disbanding for > 2 minutes	Numeric	0,1
77	HANDOFFIND	TL leaves prior to team disbanding for > 2 minutes	Numeric	0,1
78	2NDVIEWSTART	Start of 2nd view	Numeric	seconds
79	VIDEODUR	Video Duration (end of video)	Numeric	seconds
80	BPADJTIME	Initial BP ED. Time to BP verbalized and interpreted, adjusted for start time.	Numeric	0,1

81	HRADJTIME	Initial HR ED. Time to HR verbalized and interpreted, adjusted for start time.	Numeric	seconds
82	OXADJTIME	Initial pulse ox ED. Time to oxygen level identified, adjusted for start time.	Numeric	seconds
83	ROLLINTADJTIME	Adjusted intent to roll Time from arrival	Numeric	seconds
84	ROLLPTADJTIME	Adjusted PT rolled Time from Arrival	Numeric	seconds
85	ROLLACTADJ	Adjusted time from intent to roll to actual roll	Numeric	seconds
86	CXRADJTIME	Adjusted CXR ordered Time from Arrival	Numeric	seconds
87	CXRCOMMADJTIME	Adjusted CXR results comm Time from Arrival	Numeric	seconds
88	CXRACTADJ	Adjusted time from ordered CXR to comm CXR results	Numeric	seconds
89	PXRORDTIME	Adjusted PXR ordered Time from Arrival	Numeric	seconds
90	PXRCOMMTIME	Adjusted PXR result comm Time from Arrival	Numeric	seconds

91	PXRADJTIME	Adjusted time from ordered PXR to comm PXR results	Numeric	seconds
----	------------	--	---------	---------

Evaluation of a Computer-Based Educational Intervention to Improve Medical Teamwork and Performance During Simulated Patient Resuscitations

Rosemarie Fernandez, MD^{1,2}; Marina Pearce, MA³; James A. Grand, PhD³; Tara A. Rench, MA³; Kerin A. Jones, MD²; Georgia T. Chao, PhD⁴; Steve W. J. Kozlowski, PhD³

Objectives: To determine the impact of a low-resource-demand, easily disseminated computer-based teamwork process training intervention on teamwork behaviors and patient care performance in code teams.

Design: A randomized comparison trial of computer-based teamwork training versus placebo training was conducted from August 2010 through March 2011.

Setting: This study was conducted at the simulation suite within the Kado Family Clinical Skills Center, Wayne State University School of Medicine.

Participants: Participants ($n = 231$) were fourth-year medical students and first-, second-, and third-year emergency medicine residents at Wayne State University. Each participant was assigned to a team of four to six members ($n_{\text{teams}} = 45$).

Interventions: Teams were randomly assigned to receive either a 25-minute computer-based training module targeting appropriate resuscitation teamwork behaviors or a placebo training module.

Measurements: Teamwork behaviors and patient care behaviors were video recorded during high-fidelity simulated patient resuscitations and coded by trained raters blinded to condition assignment and study hypotheses. Teamwork behavior items (e.g., "chest radiograph findings communicated to team" and "team member assists with intubation preparation") were standardized before combining to create overall teamwork scores. Similarly, patient care items ("chest radiograph correctly interpreted"; "time to start of compressions") were standardized before combining to create overall patient care scores. Subject matter expert reviews and pilot testing of scenario content, teamwork items, and patient care items provided evidence of content validity.

Main Results: When controlling for team members' medically relevant experience, teams in the training condition demonstrated better teamwork ($F [1, 42] = 4.81, p < 0.05; \eta_p^2 = 10\%$) and patient care ($F [1, 42] = 4.66, p < 0.05; \eta_p^2 = 10\%$) than did teams in the placebo condition.

Conclusions: Computer-based team training positively impacts teamwork and patient care during simulated patient resuscitations. This low-resource team training intervention may help to address the dissemination and sustainability issues associated with larger, more costly team training programs. (*Crit Care Med* 2013; 41:2551–2562)

Key Words: cardiopulmonary resuscitation; education measurement; healthcare team; medical education; medical errors; patient simulation

¹Division of Emergency Medicine, University of Washington School of Medicine, Seattle, WA.

²Department of Emergency Medicine, Wayne State University School of Medicine, Detroit, MI.

³Department of Psychology, Michigan State University, East Lansing, MI.

⁴Department of Management, Michigan State University, East Lansing, MI.

Dr. Fernandez was supported, in part, by the Emergency Medicine Patient Safety Foundation. Drs. Fernandez and Kozlowski were supported by grant 1R18HS020295-01 from the Agency for Healthcare Research and Quality. The funding sources for this study played no role in the design and conduct of the study; in the collection, management, analysis, and interpretation of the data; or in the preparation of the manuscript. The funding sources did not review the manuscript. Dr. Kozlowski is a consultant for Utopia Compression, American Psychological Associate, and is the editor of the *Journal of Applied Psychology*. He has received grant support from Agency for Healthcare Research and Quality, the Office of Naval Research, and the National Aeronautics and Space Administration. He has received payment for lectures from the University of Valencia and the National Cancer Institute. The remaining authors have disclosed that they do not have any potential conflicts of interest.


For information regarding this article, E-mail: fernanre@comcast.net

Copyright © 2013 by the Society of Critical Care Medicine and Lippincott Williams & Wilkins


DOI: 10.1097/CCM.0b013e31829828f7

Communication breakdown and teamwork failures have been directly linked with medical error and adverse patient events (1–3). As a result, multiple efforts have been made to improve the performance of interdisciplinary healthcare teams (4). Code teams function in complex, dynamic, and time-pressured working conditions (5–8). These conditions present challenges to teams, thus threatening their ability to effectively communicate, coordinate, and recognize threats to patient safety (9–11).

APPENDIX 5. Descriptive summary of timing data




APPENDIX 6. Multi-state Markov modeling



APPENDIX 7. Qualitative analysis framework

Leadership identity development relates to meanings individuals have attached to a role/ position. Identity may be developed through experiences and in relation to interactions with others.

Social context is important to leader identity development. How a person appears, especially their gender, how they address challenges, and even where they stand in the room affects how others treat them and thus their ability to lead. Cultural norms and organizational institutions guide these perceptions.




Working with your colleagues is important to developing leader identity. Relationships are crucial for learning, and learning is crucial for relationships. Learning in relationships is key to good leadership through familiarity and trust. In this way, relationships help leaders develop their style and become more effective in their role.

Relationships as facilitator
Familiarity (trust and confidence in skills and abilities)

On-the-job/ shift experience is where learners may experiment with and develop their leader identity. Learners are first immersed in the environment and observe the actions of their advanced peers. They then receive opportunities of increased responsibility to integrate knowledge and hold the leadership role. Failure, adjustment, success, and repetition in the variable social context is the refining process to one's leadership style.

ORIGINAL CONTRIBUTION

An Event-based Approach to Measurement: Facilitating Observational Measurement in Highly Variable Clinical Settings

Rosemarie Fernandez, MD¹ , Elizabeth D. Rosenman, MD², Sarah Broliar², Anne K. Chipman, MD, MS², Colleen Kalynych, MSH, EdD³, Marie C. Vrablik, MD, MCR², Joseph R. Keebler, PhD⁴, and Elizabeth H. Lazzara, PhD⁴

ABSTRACT

Background: Translational research in medical education requires the ability to rigorously measure learner performance in actual clinical settings; however, current measurement systems cannot accommodate the variability inherent in many patient care environments. This is especially problematic in emergency medicine, where patients represent a wide spectrum of severity for a single clinical presentation. Our objective is to describe and implement EBAM, an event-based approach to measurement that can be applied to actual emergency medicine clinical events.

Methods: We used a four-step event-based approach to create an emergency department trauma resuscitation patient care measure. We applied the measure to a database of 360 actual trauma resuscitations recorded in a Level I trauma center using trained raters. A subset ($n = 50$) of videos was independently rated in duplicate to determine inter-rater reliability. Descriptive analyses were performed to describe characteristics of resuscitation events and Cohen's kappa was used to calculate reliability.

Results: The methodology created a metric containing both universal items that are applied to all trauma resuscitation events and conditional items that only apply in certain situations. For clinical trauma events, injury severity scores ranged from 1 to 75 with a mean (\pm SD) of 21 (\pm 15) and included both blunt (254/360; 74%) and penetrating (86/360; 25%) traumatic injuries, demonstrating the diverse nature of the clinical encounters. The mean (\pm SD) Cohen's kappa for patient care items was 0.7 (\pm 0.3).

From the ¹Department of Emergency Medicine and the Center for Experiential Learning and Simulation, College of Medicine, University of Florida, Gainesville, FL; the ²Department of Emergency Medicine, University of Washington, Seattle, WA; and the ³Department of Emergency Medicine, Office of Educational Affairs, University of Florida College of Medicine–Jacksonville, Jacksonville, FL; and the ⁴Department of Human Factors and Behavioral Neurobiology, College of Arts and Sciences, Embry-Riddle Aeronautical University, Daytona Beach, FL.

Received June 2, 2019; revision received September 9, 2019; accepted September 11, 2019.

Funding and support for this project was provided by the Agency for Healthcare Research and Quality (1R18HS022458-01A1 [RF]) and the Department of Defense Congressionally Directed Medical Research Program (W81XWH1810089 [RF]). The funding sources had no role in the design and conduct of the study; collection, management, analysis, and interpretation of the data; or preparation, approval, or decision to submit the manuscript.

Conflict of interest: RF's institution has received grant money from the Agency for Healthcare Research and Quality, the Department of Defense, and the Washington State Department of Labor and Industries to conduct research conceived and written by RF. RF reports personal payment from Physio-Control, Inc. for speaker fees. EDR's institution has received grant money from the Agency for Healthcare Research and Quality and the Department of Defense to conduct research conceived and written by RF. EDR reports personal payment from Physio-Control, Inc. for speaker fees. SB's institution has received grant money from the Agency for Healthcare Research and Quality and the Department of Defense to conduct research conceived and written by RF. AKC reports no conflict of interest. CK's institution has received grant money from the Agency for Healthcare Research and Quality and the Department of Defense to conduct research conceived and written by RF. JRK reports no conflict of interest. EHL reports no conflict of interest. MCV reports no conflict of interest.

Author contributions: concept and design—RF, EDR, JRK, and EHL; acquisition, analysis, or interpretation of data—RF, EDR, SB, CK, AKC, and MCV; drafting of manuscript—RF and EDR; critical revision of the manuscript for important intellectual content—RF, EDR, CK, AKC, MCV, SB, JRK, and EHL; statistical expertise—JRK and EHL; and obtained funding—RF.

Supervising Editor: Sally Santen, MD, PhD.

Address for correspondence and reprints: Rosemarie Fernandez MD; e-mail: fernandez.r@ufl.edu.

AEM EDUCATION AND TRAINING 2019;00:1–7.