

AWARD NUMBER: W81XWH-19-1-0244

TITLE: Overcoming Immunological Barriers for Preclinical Studies of Cardiac Stem Cell

PRINCIPAL INVESTIGATOR: Arash Pezhouman

CONTRACTING ORGANIZATION: University of California, Los Angeles

REPORT DATE: JULY 2022

TYPE OF REPORT: Annual Technical Report

PREPARED FOR: U.S. Army Medical Research and Development Command
Fort Detrick, Maryland 21702-5012

DISTRIBUTION STATEMENT: Approved for Public Release;
Distribution Unlimited

The views, opinions and/or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Army position, policy or decision unless so designated by other documentation.

REPORT DOCUMENTATION PAGE			<i>Form Approved</i> <i>OMB No. 0704-0188</i>		
Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing this collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. PLEASE DO NOT RETURN YOUR FORM TO THE ABOVE ADDRESS.					
1. REPORT DATE July 2022		2. REPORT TYPE Annual Technical Report		3. DATES COVERED 1JUL2021 - 30JUN2022	
4. TITLE AND SUBTITLE Overcoming Immunological Barriers for Preclinical Studies of Cardiac Stem Cell			5a. CONTR-ACT NUMBER W81XWH-19-1-0244		
			5b. GRANT NUMBER PR182456		
			5c. PROGRAM ELEMENT NUMBER		
6. AUTHOR(S) Arash Pezhouman E-Mail: apezhouman@mednet.ucla.edu			5d. PROJECT NUMBER 0011318312		
			5e. TASK NUMBER		
			5f. WORK UNIT NUMBER		
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) UNIVERSITY OF CALIFORNIA, LOS ANGELES OFFICE OF RESEARCH ADMINISTRATION 4B557 10889 WILSHIRE BLVD STE 700 LOS ANGELES CA 90095-0001			8. PERFORMING ORGANIZATION REPORT NUMBER		
9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES) U.S. Army Medical Research and Development Command Fort Detrick, Maryland 21702-5012			10. SPONSOR/MONITOR'S ACRONYM(S)		
			11. SPONSOR/MONITOR'S REPORT NUMBER(S)		
12. DISTRIBUTION / AVAILABILITY STATEMENT Approved for Public Release; Distribution Unlimited					
13. SUPPLEMENTARY NOTES					
14. ABSTRACT Many veterans suffer from ischemic cardiomyopathy partly resulting from exposure to Agent Orange. Due to the limited supply of donor hearts and potential complications from chronic immunosuppressive therapy, investigators have turned to therapeutic approaches aimed at improving myocardial function, namely, cell transplantation. The purpose of this proposal is to generate non-immunogenic human embryonic stem cell-derived left ventricular cardiomyocytes as a potential off-the- shelf candidate for cardiac cell transplantation. Success of this proposal would address the increasing health burden of veterans suffering from ischemic cardiomyopathy. A non-immunogenic universal donor cell line (Elf1) was previously developed to bypass host immune recognition and response. We have made progress in expanding and characterizing the pluripotency of this cell line. We confirmed that these cells express high levels of pluripotency markers indicative of their stem cell state. We are currently transitioning them from a feeder to feeder-free system as well as switching from Naïve to Primed state that is required for our cardiac differentiation.					
15. SUBJECT TERMS Discovery - Tissue regeneration					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT	18. NUMBER OF PAGES	19a. NAME OF RESPONSIBLE PERSON USAMRDC
a. REPORT	b. ABSTRACT	c. THIS PAGE			19b. TELEPHONE NUMBER (include area code)
Unclassified	Unclassified	Unclassified	Unclassified	9	

TABLE OF CONTENTS

	<u>Page</u>
1. Introduction	4
2. Keywords	4
3. Accomplishments	4-7
4. Impact	7
5. Changes/Problems	8
6. Products	8
7. Participants & Other Collaborating Organizations	9
8. Special Reporting Requirements	9
9. Appendices	9

1. Introduction

Human embryonic stem cells (hESCs) can be used as an unlimited source for generation of tissue specific cell types for the purpose of organ transplantation. This approach offers hope for millions of people who suffer from end stage heart failure, in whom damage has led to irreversible loss of cardiomyocytes (CMs), or the essential contractile muscle cells of the heart. Experimental studies, including preclinical studies in large animal models, have generally been encouraging, although the functional benefits that have been attained are modest and inconsistent. The efficacy of current strategies is limited by many factors, but perhaps a significant hurdle to the progress in this field is the immunogenicity of the hESC-derived CMs upon transplantation. It is widely accepted that expression of human leukocyte antigens (HLAs), encoded by genes in the major histocompatibility complex (MHC), creates an immunologic barrier that hinders survival of transplanted cells. In particular, HLA class I molecules play a central role in allogeneic rejection through their presentation of peptide antigens to CD8⁺ T cells. To circumvent the immunogenicity of hESC-derived cells, a non-immunogenic hESC universal donor line (MHC I-/- E1f1 hESC cell line) was developed through concomitant overexpression of HLA-E protein, a natural inhibitor of NK cell-dependent lysis². In this proposal we have utilized this genetically engineered cell line to generate non-immunogenic hESC-derived left ventricular CMs as a potential off-the-shelf candidate for cardiac cell transplantation.

2. Keywords

Human embryonic stem cell, left ventricular cardiomyocyte, cardiac cell transplantation, non-immunogenic cell line, regenerative therapy, myocardial infarction, oxygen-generating hydrogel

3. Accomplishments

What were the major goals of the project?

Major Task 1: To optimize differentiation protocol for the enrichment of left ventricular CMs

- i. Optimization of non-immunogenic hESC universal donor line cardiac differentiation for First Heart Field
- ii. Optimization of non-immunogenic hESC universal donor line cardiac differentiation for Ventricular like CMs

Major Task 2: To characterize structural and functional properties of HLA-E-LV-CMs using biochemical and electrophysiology studies

- i. Characterization of CMs-derived from universal donor hESC line based of specific genes expression and performing Immunocytochemistry
- ii. Electrophysiological studies to characterize CMs-derived from universal donor hESC line.

Major Task 3: To determine whether HLA-E-LV-CMs improves cardiac function and cellular retention and integration after transplantation to an infarcted rat heart

- i. Performing MI and Echo in rat's hearts
- ii. Immunocytochemistry study for retention of the cells

What was accomplished under these goals?

During the **first 12 months** of this grant period, we have made significant progress in accomplishing the Major Task 1 specified in this grant. The major activities in the **first** 12 months includes the following:

- a) We have obtained the non-immunogenic hESC universal donor line (MHC I-/- Elf1 hESC cell line) from our collaborators.
- b) These cells have cultured on mouse embryonic fibroblasts (MEFs) and we have successfully transitioned them to a feeder-free system to avoid contamination with any other cell types.
- c) We have used another control hESC line (H9) in parallel for comparison purposes.
- d) We have established a differentiation protocol for generation of first heart field (FHF)-specific cardiomyocytes from differentiating hESCs. This has been a major accomplishment since we now are capable to get a highly pure population of FHF cells that preferentially differentiate to left ventricular cardiomyocytes.
- e) We have successfully generated FHF cardiomyocytes and have characterized their identity using immunostaining, gene expression, and electrophysiology studies.

During the **second 12 months** of this grant period, we have made significant progress in accomplishing Major Task 2, as follows:

- a) As we had faced challenges in expanding our prior cell line, which resulted in significant delay in our progress to differentiate Elf1 hESCs into cardiomyocytes, we ordered a new Elf1(B2M-/Etrimer) cell line from WiCell.
- b) The new Elf1 cells have been cultured on mouse embryonic fibroblasts (MEFs) and transitioned to a feeder-free system to avoid contamination with mouse fibroblast cells.
- c) The new Elf1 cells have been expanded and differentiated into beating CMs in a monolayer fashion using our previously established first heart field (FHF) cardiac differentiation protocol.
- d) The Elf1-derived CMs have been collected and characterized based on expression of cardiac-specific genes such as *TNNT2* and *ACTN2*.
- e) The Elf1-derived CMs have been isolated and stained based on cardiac-specific protein (TNNT2).
- f) Electrophysiological studies were completed on Elf1-derived CMs using voltage dye and cardiac-specific action potentials (APs) were recorded using MICAM Ultima.

During the **third 12 months** of this grant period, we have made significant progress in accomplishing Major Task 3, as follows:

- a) We performed echocardiography on the rats before MI to record cardiac function as the baseline.
- b) Myocardial infarction was performed on the rats using LAD (left anterior descending) ligation method.
- c) Differentiated CMs (Elf1 and non-genetically modified Elf1) were collected, counted, and resuspended into Geltrex at 2×10^6 cells per 25 μ l Geltrex.
- d) Elf1 and non-genetically modified Elf1 were transplanted into the borderline of each rat heart. 25 μ l media (RPMI+ B27) was injected as a control.
- e) Second echocardiography was performed on the rat after MI and transplantation.(8 weeks after MI).
- f) Transplanted hearts were collected, fixed, and sectioned for downstream analyses.
- g) Echocardiography data analysis was done one baseline and after MI+ transplantation.

We have made progress on Major Task 2 in expanding and characterizing the pluripotency of the new cell line. We purchased the Elf1(B2M-/Etrimer) from WiCell company. This cell line is the same as the one we received from Dr. Russell's lab. These cells had been maintained on a feeder system using MEFs. We have expanded these cells on MEF to obtain the adequate number of cryovials needed for this project. For successful cardiac differentiation of Elf1 cell line, two important criteria are worth mentioning. First, these cells need to be transitioned from MEF feeder system onto a feeder-free system such as Geltrex. To obtain the purified Elf1 population, the cells underwent several passages to gradually eliminate contaminating MEFs. After this process, we transitioned these cells from the normal Elf1 growth media into mTeSR media which is used for maintaining pluripotency. Figure 1 shows brightfield image of a new Elf1 cell cluster that we were able to expand and have assessed for pluripotency markers SOX2 and OCT4 via immunocytochemistry (ICC) (Figure 1).




Figure 1. Immunocytochemistry of pluripotency markers SOX2 (top) and OCT4 (bottom). Scale bars: SOX2 = 100 μ m, OCT4 = 50 μ m.

For expansion, the new ELF1 cell line was grown on Geltrex to 90% confluency then harvested as single cell suspension and resuspended in mTeSR1 containing 10 μ M ROCK inhibitor. Cells were replated onto Geltrex coated plates at 1.3×10^5 cells/cm² density. Cells were kept for 3 days prior to the addition of small molecules CHIR and IWP2 for induction of cardiac differentiation, as outlined in the diagram (Figure 2A). This differentiating strategy yielded clusters of Elf1-derived CMs, which started beating about 12-15 days after cardiac induction (Figure 2B and video 1). As expected, qPCR analysis confirmed significantly higher expression of cardiac structural genes *TNNT2* and *ACTN2* in Elf1-derived CMs compared to undifferentiated cells (Figure 3). ICC analysis of isolated Elf1-derived CMs support the gene expression results and confirm their CM phenotype with positive staining of *TNNT2* (Figure 4). Interestingly, these Elf1-derived CMs exhibited sarcomeric organization, as seen by striations of *TNNT2* on high power magnification (Figure 4 inset). Electrophysiological properties of Elf1-derived




Figure 2: A, Elf1-derived cardiomyocyte differentiation strategy, using small molecules. **B,** Bright field of Elf1-derived cardiomyocytes cluster on day 15 of differentiation.




Figure 3: Quantitative gene expression of Elf1-derived cardiomyocyte in comparison of undifferentiated cells for cardiac specific genes (*TNNT2* and *ACTN2*). (***) $p < .001$, (****) $p < .0001$. (Error bars represent SEM).




Figure 4. Immunocytochemistry of cardiac contraction marker *TNNT2*. Higher magnification image of the boxed area is shown on the right (Scale bars: top= 10 μ m, bottom = 20 μ m). All nuclei were visualized with DAPI.

CMs were analyzed using optical mapping. Differentiated cells were stained with FluVolt dye (voltage dye) and optically mapped and typical ventricular cardiac APs (with plateau) were recorded (Figure 5).

Finally, echocardiography at baseline and 8 weeks post injury showed improvement in ejection fraction and fractional shortening in groups receiving HLAE-LV-CMs and nonmodified Elf1 cell line compared to vehicle control. Interestingly, cardiac function in HLAE-LV-CMs transplanted hearts was restored to almost their baseline (Figure 6).




Figure 5. Electrophysiological analyses of Elf1-derived CMs. Snapshot of optical mapping (left) and spontaneous APs which propagate across each island of Elf1-derived CMs. Each colored AP tracing represent electrical activity of independent CMs.

In summary, we have made tremendous progress in Major Task 3 of this grant within the prior funding period. We were able to obtain a new Elf1 cell line that was able to expand more effectively and be differentiated into functional CMs based on molecular and functional studies.

We plan to continue generating and transplanting CMs into the rat MI model in the remaining funding period. We aim to increase the number of the Elf1, non-genetically modified Elf1, and media transplanted rat hearts in each group to achieve a statistically acceptable result for cardiac functional analysis. In addition, we will section all rat hearts and stain them for scar size analysis to confirm our cardiac function data as described in Major Tasks 3 and 4 of this grant.




Figure 6: A) M-Mode Echocardiography rat hearts. **C)** Ejection Fraction and Fractional Shortening analyses. Vehicle = media; Control = nonmodified Elf1; HLAE-LV-CMs = hypoimmunogenic Elf1.

4. Impact

What was the impact on the development of the principal discipline(s) of the project?

This research has allowed us to generate potential universal donor cardiomyocytes from pluripotent stem cells, which is an important step for a safe and successful cell therapy for regenerative medicine.

What was the impact on other disciplines?

Nothing to Report

What was the impact on technology transfer?

Nothing to Report

What was the impact on society beyond science and technology?

Nothing to Report

5. Changes/Problems

Changes in approach and reasons for change

Nothing to report

Actual or anticipated problems or delays and actions or plans to resolve them

As described in the Accomplishments section above, we faced challenges in expanding and differentiating the original Elf1 cell line received from Dr. Russell's group. Fortunately, by purchasing the new Elf1 cell line from WiCell we were able to expand and differentiate the ELF1 cells into CMs. However, an additional requirement for cell transplantation is achieving high differentiation efficacy that would enable isolation of adequate number of cells needed for cell transplantation. To overcome this obstacle, we will optimize the efficiency of our protocol by changing the initial cell seeding density before starting the cardiac induction and modifying the CHIR concentration during the first day of cardiac induction. The CMs from the optimized cardiac protocol will be characterized for cardiac-related genes and proteins.

During this past funding period, we continued to have research restrictions due to COVID-19, with limited access to Core Facilities. The primary investigator was also infected with COVID-19 and was away from work for 1.5 months.

June 2020 – Jan 2021: Phase II (10-25% operation, limited core facility/services)

Changes that had a significant impact on expenditures

Nothing to report

Significant changes in use or care of human subjects, vertebrate animals, biohazards, and/or select agents

Nothing to report for all categories

6. Products

Publications, conference papers, and presentations

1. **Arash Pezhouman**, James L. Engel, Ngoc B. Nguyen, Rhys J.P. Skelton, W. Blake Gilmore, Debashis Sahoo, David A. Elliott, Peng Zhao, and Reza Ardehali; Isolation and characterization of hESC-derived heart field-specific cardiomyocytes unravels new insights into their transcriptional and electrophysiological profiles; *Cardiovasc Res.* 2021 Mar 21:cvab102. doi: 10.1093/cvr/cvab102. PMID: 33744937; Published; Acknowledgment of federal support (yes).
2. **Arash Pezhouman**, Ngoc B. Nguyen, Allison Shevtsov, Rong Qiao, Reza Ardehali; *In vitro* characterization of heart field specific cardiomyocytes. *Method in Molecular Biology*; accepted; acknowledgment of federal support(yes).

7. Participants & Other Collaborating Organizations

What individuals have worked on the project?

Name:	Arash Pezhouoman
Project Role:	Associate Project Scientist I
Researcher Identifier (e.g ORCID ID):	0000-0001-9106-7136
Nearest person month worked:	3
Contribution to Project:	Cell expansion and transition, FHF and Left Ventricular cardiomyocyte optimization.
Funding Support:	DOD (PR182456), R01(HL148714-01)

Name:	Peng Zhao
Project Role:	Adjunct Assistant Professor
Researcher Identifier (e.g ORCID ID):	0000-0002-6610-6217
Nearest person month worked:	2.28
Contribution to Project:	Cell expansion, Pluripotency assessment IHC staining, surgery for MI
Funding Support:	DOD (PR182456), R01(HL148714-01)

Has there been a change in the active other support of the PD/PI(s) or senior/key personnel since the last reporting period?

Nothing to report

8. SPECIALREPORTINGREQUIREMENTS

N/A

9. APPENDICES

N/A