

AWARD NUMBER: W81XWH-20-1-0396

TITLE: Assessing Biomechanical Function and Hip-Stabilizing Muscle Quality Associated with Transfemoral Osseointegration

PRINCIPAL INVESTIGATOR: Jeannie Bailey, PhD

CONTRACTING ORGANIZATION: University of California, San Francisco, CA

REPORT DATE: July 2022

TYPE OF REPORT: Annual

PREPARED FOR: U.S. Army Medical Research and Development Command
Fort Detrick, Maryland 21702-5012

DISTRIBUTION STATEMENT: Approved for Public Release;
Distribution Unlimited

The views, opinions and/or findings contained in this report are those of the author(s) and should not be construed as an official Department of the Army position, policy or decision unless so designated by other documentation.

REPORT DOCUMENTATION PAGE

Form Approved
OMB No. 0704-0188

Public reporting burden for this collection of information is estimated to average 1 hour per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing this collection of information. Send comments regarding this burden estimate or any other aspect of this collection of information, including suggestions for reducing this burden to Department of Defense, Washington Headquarters Services, Directorate for Information Operations and Reports (0704-0188), 1215 Jefferson Davis Highway, Suite 1204, Arlington, VA 22202-4302. Respondents should be aware that notwithstanding any other provision of law, no person shall be subject to any penalty for failing to comply with a collection of information if it does not display a currently valid OMB control number. **PLEASE DO NOT RETURN YOUR FORM TO THE ABOVE ADDRESS.**

1. REPORT DATE: July 2022		2. REPORT TYPE Annual		3. DATES COVERED 01Jul2021-30Jun2022	
4. TITLE AND SUBTITLE Assessing Biomechanical Function and Hip-Stabilizing Muscle Quality Associated with Transfemoral Osseointegration				5a. CONTRACT NUMBER	
				5b. GRANT NUMBER W81XWH-20-1-0396	
				5c. PROGRAM ELEMENT NUMBER	
6. AUTHOR(S) Jeannie Bailey, PhD E-Mail: Jeannie.Bailey@ucsf.edu				5d. PROJECT NUMBER	
				5e. TASK NUMBER	
				5f. WORK UNIT NUMBER	
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) University of California, San Francisco c/o Office of Sponsored Research 490 Illinois St., 4th Flr, Box 0962 San Francisco, CA 94143-0962				8. PERFORMING ORGANIZATION REPORT NUMBER	
9. SPONSORING / MONITORING AGENCY NAME(S) AND ADDRESS(ES) U.S. Army Medical Research and Development Command Fort Detrick, Maryland 21702-5012				10. SPONSOR/MONITOR'S ACRONYM(S)	
				11. SPONSOR/MONITOR'S REPORT NUMBER(S)	
12. DISTRIBUTION / AVAILABILITY STATEMENT Approved for Public Release; Distribution Unlimited					
13. SUPPLEMENTARY NOTES					
14. ABSTRACT In order to assess the walking mechanics and effects on hip function that accommodate lower limb osseointegrated prosthetics, we propose a study comparing walking mechanics from motion analysis and hip muscle health from MRI between osseointegrated and socket transfemoral amputees who are at least two years following final surgery with no outstanding complications. Results from this work stand to 1) report the biomechanical outcomes of lower limb osseointegrated prosthetics in comparison to conventional socket prosthetics, 2) clarify the role of muscle function on biomechanical outcomes in lower limb amputees and explore the related risk for hip replacement on the affected side for transfemoral osseointegration, 3) inform targeted rehabilitation approaches for improving walking mechanics, and 4) motivate the development of regenerative therapeutics for muscle recovery.					
15. SUBJECT TERMS None listed.					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT Unclassified	18. NUMBER OF PAGES 12	19a. NAME OF RESPONSIBLE PERSON USAMRDC
a. REPORT Unclassified	b. ABSTRACT Unclassified	c. THIS PAGE Unclassified			19b. TELEPHONE NUMBER (include area code)

TABLE OF CONTENTS

	<u>Page</u>
1. Introduction	4
2. Keywords	4
3. Accomplishments	4
4. Impact	8
5. Changes/Problems	9
6. Products	10
7. Participants & Other Collaborating Organizations	11
8. Special Reporting Requirements	12
9. Appendices	12

1. Introduction

This work seeks to explore biomechanical function associated with osseointegrated prosthetics compared to conventional socket prosthetics. We aim to understand the biomechanical outcomes of lower limb osseointegrated prosthetics in comparison to conventional socket prosthetics and clarify the role of muscle degeneration and function on compensatory gait behaviors in lower extremity amputees. We intend use results from this study to guide safe rehabilitation and mitigate risk for hip replacement.

2. Keywords

Osseointegration, transfemoral amputation, muscle fat infiltration, hip stability, biomechanics, MRI

3. Accomplishments

What were the major goals of the project?

Aim 1: Establish whether there are differences in gait and biomechanical function between osseointegrated and conventional socket unilateral transfemoral amputees.

Aim 2: Examine asymmetry of hip stabilizing muscle quality using advanced MRI sequences and compare with outcomes for gait and biomechanical function.

What was accomplished under these goals?


In Y2 of this project, we have completed the following:

- 1) Subject enrollment: for osseointegration subjects, we have enrolled n=6 subjects. For non-osseointegrated subjects we have enrolled n=1 subject. In order to complete recruitment, we have altered our control group to be a healthy control group (non-amputee) instead of a control group of non-osseointegrated transfemoral amputees. We had tremendous trouble locating transfemoral amputees without osseointegration that were healthy enough to be a control subject. We have altered our Scope of Work and requested a No Cost Extension to finish enrollment of the healthy controls.
- 2) For biomechanical assessments in Aim 1:

a. Estimating muscle force from motion




Based on analysis of initial biomechanical data, we have finalized our biomechanical testing protocol to have repeated staggered sit to stand assessment (with Kinect) before and after up to 10 minutes of walking (or until they choose to stop due to discomfort). In addition sit to stand assessments will be completed on a force-plate.

1. To date we have been performing kinematic and dynamic analysis of subjects performing self-paced gait and sit-to-stand. Representative results from this analysis are presented in the figure below. From this analysis, we have identified persistent pelvic and hip asymmetry, increasing the loads on the intact side hip. In sit-to-stand, these compensation is likely due to the standing action being dominated by the intact side, requiring additional pelvic list to raise the prosthetic side. In gait, this pelvic list also appears during the swing phase on the prosthetic side. This list is likely to aid in foot clearance during gait. The effect of this pelvic list on the hips can be seen in the hip adduction angles, where intact side appears to be constantly in abduction.



2. We are currently estimating muscle force using Inverse Dynamics (ID). ID determines the generalized forces (e.g., net forces and torques) from an observed set of movements and its results can be used to infer how muscles are actuated to generate that motion. To determine these internal forces, the equations of motion for the system are solved with external forces (e.g., ground reaction forces) and accelerations given. This allows for the estimation of fibre length, fibre force, and tendon force throughout a set of movements.

3. These estimates of muscle loading will be collected across subjects and tasks. We hypothesise that subjects with lower muscle quality will have lower observed muscle loads.




b. Validating dynamics using prosthetic mounted force sensors

In addition to the ground reaction force and motion simulations, a subset of subjects with osseointegration are performing these tasks while wearing a prosthetic mounted load cell. The iPECS load cell is located between the Axor failsafe and the proximal connector of the subject's prosthesis. The forces measured from this load cell can be used to validate the ID model. After the moments and forces in the model have been computed, they can be directly validated against the measurements from the iPECS sensor. If the forces

within the OpenSim simulation are validated, then these forces can also be applied to the FEM simulations. In the FEM simulation of the patient's femur and osseointegrated implant, the iPECS force sensor data would be used to directly introduce loading onto the implant and thus the patient's body. With the additional forces produced in OpenSim, the forces that occur around the patient's femur can also be added into the FEM simulations to replicate how the patient's muscles exert force on the femur and implant. By using a combination of iPECS sensor test results and results generated in OpenSim, a more realistic and accurate FEM simulation can be developed to quantify and predict the risk of bone fracture and implant failure in individuals with transfemoral osseointegrated prostheses.


c. 3D full-body kinematic motion assessment

3D motion patterns of whole body time-series motion patterns will be compared for the Kinect staggered STS testing using statistical parametric mapping and statistical shape modeling. Three subjects performed the SSSTS on each leg as well as the STS directly before and after a bout of walking. The effect of the walking on the subjects performance during the sit to stand tasks was investigated. Prior to walking, the subjects performed similarly during the STS and the Unaffected SSSTS. However, when performing the SSSTS on the affected leg, there appeared to be a delay in the location of the absolute maximum dSVA, signifying that a larger portion of the movement was dedicated to leveraging out of the chair. After the bout of walking, there appeared to be an increase in absolute maximum dSVA during the affected SSSTS, likely a result of the fatigue from the walk. However, the opposite affect was observed for the unaffected SSSTS, while no change was observed for the STS. The bout of walking appears to exacerbate the difference in performance between the affected and unaffected leg. Fatigue may differentially effect the affected and unaffected limb. However, other factors, such as fear avoidance behaviors, may also play a role in these changes.



3) For hip muscle quality assessment in Aim 2:

- a. [hip muscle quality measured via MRI Assessment] We have now processed four bilateral hip MRI scans through a model that will automatically segment the Gluteus Medius (GMed), Gluteus Minimus (GMin), and Tensor Fasciae Latae (TFL) using a machine learning algorithm, which




then calculates the weighted fat fraction in each segmented muscle. Water-only and fat-only IDEAL MR images are used for segmentation. This is done using a 3D V-net algorithm—a 3-dimensional or “volume” neural network that predicts segmentation for the whole volume at once—was used by minimizing an objective function based on a dice coefficient. The dice coefficient is a statistic used to assess the similarity between two samples and is defined as the area of overlap between the predicted segmentation and the ground truth segmentation (provided by the fat-frac IDEAL MR image) divided by the total number of pixels in both images. This algorithm was trained and tested on 45 manual segmentations with a 65-20-15% train, validation, test split. Validation on a hip OA/healthy cohort produced the following dice coefficients (a value close to 1 is desirable): GMed = 0.93, GMin = 0.86, TFL = 0.89. FIGURES below show the results of the segmentation prediction model on our patients. Moving forward, the segmentations need to be adjusted to remove erroneous disconnected segments, fill holes in the mask where pixels are missing, and smooth the edges. Once adjustments are completed, the segmentations can be used to calculate the fat fraction and volume of the GMed, GMin, and

	FF ± SD (Unaffected)	FF ± SD (Affected)	% Difference, p- value	CSA ± SD (Unaffected)	CSA ± SD (Affected)	% Difference, p- value
Gluteus Medius						
Osseointegrated	8.02 ± 4.8	14.6 ± 14	(+)82.0, 0.25	75.1 ± 16	49.1 ± 15	(-)52.9, 0.01
Conventional	5.67 ± 0.8	8.25 ± 4.6	(+)45.6, 0.25	69.0 ± 14	56.9 ± 14	(-)17.5, 0.23
Gluteus Minimus						
Osseointegrated	7.80 ± 5.7	12.1 ± 11	(+)55.3, 0.23	23.2 ± 0.5	16.6 ± 3.7	(-)28.5, 0.14
Conventional	6.54 ± 1.4	9.7 ± 1.3	(+)48.4, 0.17	26.2 ± 10	21.3 ± 2.2	(-)18.7, 0.27
TFL						
Osseointegrated	5.1 ± 1.9	14.9 ± 13	(+)191, 0.22	8.71 ± 4.4	7.02 ± 4.7	(-)19.4, 0.04
Conventional	3.79 ± 0.1	5.34 ± 1.5	(+)41.2, 0.18	3.89 ± 0.5	3.72 ± 0.9	(-)4.37, 0.34

TFL in Matlab.

- b. After segmentation, the images were prepared for fat fraction calculations. In order to account for spotty and incomplete results, the segmentations were manually adjusted and updated in Matlab. Masks of the segmentations were then applied to the DICOM volumes and voxels within the mask boundary and were classified as either fat or water. For each muscle a weighted, or volumetric, fat fraction was calculated by dividing fat voxels by the sum of the fat and water voxels. Within the osseointegrated patients, there was a noticeable increase in cross-sectional-area from the affected to unaffected side, with a negligible increase in fat fraction. However, the data in the THA patients shows a noticeable increase in the fat fraction from the unaffected to affected side with a negligible difference in the cross-sectional area. A t-test still needs to be performed in order to understand the reliability of the data and further illuminate whether the differences in the fat fraction and cross-sectional-areas of the muscles are significant. Prior to the calculation of these statistics it is still interesting to note that while the osseointegrated patients do appear to be losing muscle-mass, the quality of the muscle is maintained as there is little-to-no increase in fat fraction on the affected side. Furthermore, for the THA patients, there appears to be a decrease in muscle quality while the size of the muscle varies only slightly.



What opportunities for training and professional development has the project provided?

PhD Students: Development of biomechanical tasks for this study have been provided by Karim Khattab, a graduate student in the Joint Bioengineering PhD program between UCSF and UC Berkeley. This project has advanced his training through mentorship from myself and Dr. Matthew (study Co-Investigator) to further develop the sit-to-stand and staggered sit-to-stand biomechanical assessment for this study. He will also be helping develop the gait assessment.

Medical students: UCSF first-year medical student, Adrian Valderrama, attained a 2021 summer research fellowship to work on the MRI analysis component on this study.

Masters students: Dr. Matthew is working with a team of mechanical engineering masters students from UC Berkeley to develop relevant biomechanical modeling for the proposed study.

How were the results disseminated to communities of interest?

Nothing to report.


What do you plan to do during the next reporting period to accomplish the goals?

Our protocols are set and we will not be changing them. Over the next year we plan to collect data on 8 healthy controls. We plan for 2-3 publications. One on the kinematic motion patterns with fatigue and another on asymmetry in applied and resulting force at the hip and the location of center of pressure. The muscle quality data from MRI will be its own paper or be included with one of the motion/biomechanics papers listed above.

4. IMPACT:

What was the impact on the development of the principal discipline(s) of the project?

Our growing work on developing the in-clinic biomechanical assessment for the staggered sit-to-stand has shown differential compensatory biomechanics that we are using to understand the effects of lower limb biomechanical dysfunction and pain on whole body biomechanical stability. We will be using this staggered sit-to-stand approach as a part of our biomechanical assessment within this grant, but we are also able to use it in the clinic with 3D depth mapping cameras to collect quick and non-invasive routine biomechanical data on our lower limb amputees. This will ultimately contribute more robust and quantitative outcomes for tracking patient function and recovery.



The figure above presents the staggered sit-to-stand biomechanical assessment. We use markerless 3D depth mapping to track joint positions of patients as they rise in and out of a seated position (Panel A, top). Then with limb length constraints and noise filtering algorithms we are able to estimate accurate patient-specific kinematics and dynamics during the maneuver (Panel A, bottom). For this test, we have the patients do separate trials with their feet staggered to require them to rely more on the posterior placed foot (Panel C). Doing this, we find distinct compensatory biomechanical strategies that correspond with loading on unaffected versus affected lower limbs (Panel B, Right side affected).

What was the impact on other disciplines?

Our study seeks to understand the effect of hip muscle health on biomechanical dysfunction in transfemoral amputees in order to understand risk if there is elevated risk for developing hip osteoarthritis or needing a future hip surgery. Therefore, there is a natural symbiosis between what we are developing as part of this study on hip health in transfemoral amputees and our non-amputee hip osteoarthritis and arthroplasty patients. This staggered sit-to-stand test is now also being used in the arthroplasty clinic at UCSF to amass a database of biomechanical data on subjects with advanced hip osteoarthritis in order for us to compare our transfemoral amputee data too in order to better understand how biomechanical behaviors in our amputees may be indicative of hip dysfunction. However, by integrating this tool into the hip clinic, we can use it to track changes pre- and post-op recovery of total hip replacement and ultimately use pre-operative biomechanical function to possibly predict risk for poor post-operative outcomes.

What was the impact on technology transfer?

Nothing to Report.

What was the impact on society beyond science and technology?

Nothing to Report.

5. CHANGES/PROBLEMS:

Changes in approach and reasons for change

In order to complete recruitment, we have altered our control group to be a healthy control group (non-amputee) instead of a control group of non-osseointegrated transfemoral amputees. We had tremendous trouble locating transfemoral amputees without osseointegration that were healthy enough to be a control subject. We have altered our Scope of Work and requested a No Cost Extension to finish enrollment of the healthy controls.

Actual or anticipated problems or delays and actions or plans to resolve them

COVID delays: Currently, we do not anticipate any additional delays due to COVID and currently there are no more restrictions on non-essential human subjects research.

MRI eligibility: Our first three study subjects were all transfemoral osseointegration patients and two of which were not able to safely have hip MRIs due to unanticipated factors that can cause discomfort/heating, like 1) pre-existing shrapnel in the residual limb, and 2) existing hardware in the hip. These were the only two patients that we know of with factors that would impede their ability to have a hip MRI and fortunately, more osseointegration patients will become eligible for our study soon, enabling us to increase our sample size to have at least eight osseointegration patients with both MRI and biomechanical analysis.

Changes that had a significant impact on expenditures

Nothing to report.

Significant changes in use or care of human subjects, vertebrate animals, biohazards, and/or select agents

Nothing to Report.

Significant changes in use or care of human subjects

Nothing to Report.

Significant changes in use or care of vertebrate animals.

N/A

Significant changes in use of biohazards and/or select agents

N/A

6. PRODUCTS:

Publications, conference papers, and presentations

- i. **Journal publications.** Nothing to Report.
- ii. **Books or other non-periodical, one-time publications.** Nothing to Report.
- iii. **Other publications, conference papers, and presentations.** Nothing to Report.

Website(s) or other Internet site(s)

Nothing to Report.

Technologies or techniques

Nothing to Report.

Inventions, patent applications, and/or licenses

Nothing to Report.

Other Products

Nothing to Report.

PARTICIPANTS & OTHER COLLABORATING ORGANIZATIONS

What individuals have worked on the project?

Name:	Jeannie Bailey
Project Role:	Principal Investigator
Researcher Identifier (e.g. ORCID ID):	https://orcid.org/0000-0003-4618-7512
Nearest person month worked:	2
Contribution to Project:	Dr. Bailey has worked to initiate the study with IRB approval, establish MRI protocols and have them in place for human subjects, and mentored Graduate Student Karim Khattab on developing Biomechanical Assessment.
Funding Support:	This award.

Name:	Robert Matthew
Project Role:	Co-Investigator
Researcher Identifier (e.g. ORCID ID):	https://orcid.org/0000-0002-8649-2506
Nearest person month worked:	2
Contribution to Project:	Dr. Matthew has worked on developing analysis for the sit-to-stand testing and mentored Graduate Student Karim Khattab on developing Biomechanical Assessment.
Funding Support:	This award.

Name:	Richard O'Donnell
Project Role:	Co-Investigator
Researcher Identifier (e.g. ORCID ID):	
Nearest person month worked:	1
Contribution to Project:	Dr. O'Donnell has helped with patient recruitment.
Funding Support:	This award.

Name:	Roland Krug
-------	-------------

Project Role:	Co-Investigator
Researcher Identifier (e.g. ORCID ID):	
Nearest person month worked:	1
Contribution to Project:	Dr. Krug has worked advanced imaging MRI sequences for this study.
Funding Support:	This award.

Name:	Karim Khattab
Project Role:	Graduate student
Researcher Identifier (e.g. ORCID ID):	
Nearest person month worked:	1
Contribution to Project:	Dr. Khattab has worked on developing Biomechanical Assessment.
Funding Support:	Graduate fellowship

Name:	Adrian Valderrama
Project Role:	Medical student
Researcher Identifier (e.g. ORCID ID):	
Nearest person month worked:	1
Contribution to Project:	Adrian is working on MRI analysis for this study.
Funding Support:	Research fellowship.

Has there been a change in the active other support of the PD/PI(s) or senior/key personnel since the last reporting period?

Nothing to Report.

What other organizations were involved as partners?

Nothing to Report.

7. SPECIAL REPORTING REQUIREMENTS

COLLABORATIVE AWARDS: Nothing to Report.

QUAD CHARTS: Updated milestone timeline projections with Y1Q4 quad chart.

8. APPENDICES: N/A