



AFRL-AFOSR-JP-TR-2023-0063

3D printing of 2D (two dimensional materials) for robust electronics

Chandra Sekhar Tiwary
INDIAN INSTITUTE OF SCIENCE
C V RAMAN AVENUE, SCIENCE INSTITUTE POST OFFICE,
BANGALORE, KARNATAKA, 560012
IND

03/01/2023
Final Technical Report

DISTRIBUTION A: Distribution approved for public release.

Air Force Research Laboratory
Air Force Office of Scientific Research
Asian Office of Aerospace Research and Development
Unit 45002, APO AP 96338-5002

REPORT DOCUMENTATION PAGE

PLEASE DO NOT RETURN YOUR FORM TO THE ABOVE ORGANIZATION.

1. REPORT DATE 20230301		2. REPORT TYPE Final		3. DATES COVERED	
				START DATE 20190516	END DATE 20220515
4. TITLE AND SUBTITLE 3D printing of 2D (two dimensional materials) for robust electronics					
5a. CONTRACT NUMBER		5b. GRANT NUMBER FA2386-19-1-4039		5c. PROGRAM ELEMENT NUMBER	
5d. PROJECT NUMBER		5e. TASK NUMBER		5f. WORK UNIT NUMBER	
6. AUTHOR(S) Chandra Sekhar Tiwary					
7. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES) INDIAN INSTITUTE OF SCIENCE C V RAMAN AVENUE, SCIENCE INSTITUTE POST OFFICE, BANGALORE, KARNATAKA 560012 IND					8. PERFORMING ORGANIZATION REPORT NUMBER
9. SPONSORING/MONITORING AGENCY NAME(S) AND ADDRESS(ES) AOARD UNIT 45002 APO AP 96338-5002			10. SPONSOR/MONITOR'S ACRONYM(S) AFRL/AFOSR IOA		11. SPONSOR/MONITOR'S REPORT NUMBER(S) AFRL-AFOSR-JP-TR-2023-0063
12. DISTRIBUTION/AVAILABILITY STATEMENT A Distribution Unlimited: PB Public Release					
13. SUPPLEMENTARY NOTES					
14. ABSTRACT Numerous cover pages and descriptions of prestigious journal articles provided as a final report.					
15. SUBJECT TERMS					
16. SECURITY CLASSIFICATION OF:			17. LIMITATION OF ABSTRACT SAR		18. NUMBER OF PAGES 14
a. REPORT U	b. ABSTRACT U	c. THIS PAGE U			
19a. NAME OF RESPONSIBLE PERSON JEREMY KNOPP					19b. PHONE NUMBER (Include area code) 315-227-7006

Standard Form 298 (Rev. 5/2020)
Prescribed by ANSI Std. Z39.18

Name of Project: Printing of 2D (Two Dimensional) Materials for Robust Electronics

Sanction Letter No & Date:FA2386-19-1-4039, Proposal-19IOA039,Dt.02-05-2019


Duration of the Project:3years

Principal Investigator of the above Project: Prof. Chandra Sekhar Tiwary,

Department of Metallurgical and Materials Engineering, IIT Kharagpur


Highlight of the project

Followings are the results from project which were highlighted as cover-page in different journals




Atomically thin Cobalt telluride was used in electronics gazettes, to collect energy from waste heat. Waste heat and small mechanical pressures are used by buildings covered in cobalt telluride to create energy and light the city. We describe how 2D cobalt telluride's combination piezoelectric and triboelectric capabilities can be used to produce energy from waste heat in this article (CoTe₂). A five-fold increase in energy conversion efficiency was achieved by the piezo-triboelectric nanogenerator, which generated an open-circuit voltage of ~5V when subjected to a 1 N force. With a maximum voltage of about 10 V, a quick response time, and high responsiveness, the 2D piezo-tribogenerator has exceptional qualities.

Nanoscale, 2022,14, 7788-7797, <https://doi.org/10.1039/D2NR00132B>




Compared to conventional treatment methods, 3D printed materials with configurable surface area, thickness, and roughness improve the removal effectiveness of heavy metals, oil, and organic matter from water.

Advanced Sustainable Systems, 2022, <https://doi.org/10.1002/adsu.202100282>



In this study, we gather and organise data on a broad range of 2D tellurides. The review seeks to give a general understanding of the materials' synthesis techniques, characteristics, and uses. We list numerous binary tellurides and talk about the fascinating characteristics that arise when a third element is added. Our investigation includes the optical, electrical, photo-electrochemical, magnetic, and quantum aspects of these 2D layered materials. Finally, we discuss future directions for this study as well as issues that must be resolved in order to fully realise the potential of 2D tellurides in a wide range of applications.

Materials Today, 2021, 402-426,
<https://doi.org/10.1016/j.mattod.2021.08.008>



We present the pulsed laser ablation of electronic trash in deionized water for the manufacture of high-quality functional graphene from one of the main parts of e-waste, the polymeric component. Systematic modelling identifies the ideal laser parameters for the maximum yield of ~40% and good-quality graphene. For highly conductive electronics contacts that will be useful for upcoming robust electronics applications, high-quality synthetic graphene has also been used.


ACS Sustainable Chem. Eng. 2021, 14090–14100,
doi.org/10.1021/acssuschemeng.1c03817



an overview of topologically designed materials with ideal mechanical properties that are also easily printable via additive manufacturing.

Topologically engineered 3D printed architectures with superior mechanical strength. Gyroids, Menger cubes, and origami/kirigami-based constructions are a few examples of quite unusual structures that have developed from advanced geometrical concepts. In other cases, innovation has resulted from emulating nature in bio-inspired materials (e.g. honeycomb structures, nacre, fish scales etc.). Using computer-aided design models, additive manufacturing has made it possible to easily fabricate complicated geometrical and bio-inspired architectures. These structures' mechanical qualities, including as strength, stiffness, and toughness, have been improved through the use of simulations and tests. In this paper, we give

Materials Today, 2021, 72-94, <https://doi.org/10.1016/j.mattod.2021.03.014>



Energy Harvesting from Atomically Thin Co_2Te_3 . The liquid-phase exfoliation technique is used to successfully exfoliate 2D Co_2Te_3 from the bulk crystal Co_2Te_3 as it was manufactured. It is discovered that the exfoliated Co_2Te_3 is a weakly ferromagnetic semiconductor material. With an output voltage of about 3.6 V, 2D Co_2Te_3 is also employed as a nanogenerator employing the flexoelectric effect. The ability to harvest energy was also studied at room temperature under various magnetic fields. Our density functional theory calculations confirm the magneto-crystalline anisotropy of this 2D monolayer system, and provide a microscopic insight into origin of the electric response under a magnetic field. Such electric response in atomically-thin material is particularly desirable for applications in nanoscale devices.

J. Phys. Chem. C 2022, <https://doi.org/10.1021/acs.jpcc.2c02102>



In this study, liquid-phase exfoliation from the naturally common mineral biotite is used to demonstrate the synthesis and characterisation of the ultrathin metal oxide known as biotene. The flexoelectric property of atomically thin biotene is utilised for energy harvesting by repeated bending. Surface charges cause a rise in the effective flexoelectric response, leading to voltage increases of up to 8 V and a high mechano-sensitivity of 0.79 V N^{-1} for normal force. Simulations using the density functional theory (DFT) serve to confirm this flexoelectric response. The magnetic field and thermal heating respond more strongly to the atomically thin biotene. A variety of potential two-dimensional (2D) oxide materials for energy production and energy harvesting applications are predicted by the synthesis of the metal-oxide two-dimensional (2D) biotene.

Small 2022, 2201667, <https://doi.org/10.1002/sml.202201667>

The key objectives of the projects :

- I. Synthesis of high-quality large scale 2D materials
- II. Preparation of 2D materials-based gel/liquid for printing
- III. Engineering 3D printer for printing of 2D materials
- IV. Printing high surface area, strong, robust architecture of 2D materials using 3D printer
- V. Post processing of the interconnected architecture
- VI. Building understanding and know-how using materials simulation


Deliverables

The project deliverables are divided into three sections. A. Synthesis of large scale 2D materials and their ink; B. Engineering 3D printer and optimize topology to make architectures with high strength, low density and high surface area; C. Decorating the 3D printed structures with 2D materials D. Printing using the 2D materials


We have optimized the process for synthesis of high quality and large scale 2D materials, nanoparticles. Simulation based optimum concentration of mixture for printing different components has been done in the project. The 3D printer is developed/modified for 3D printing of 2D materials.

We have produce well characterize 2D with metal and oxide nanoparticle. The liquid gel of chemically interconnected hybrid with required viscosity for 3D printing is produce. 3D printing of the 3D architecture using 2D materials gel. Mechanical and physical testing of the architecture. Testing of the 3D architecture for pollutant adsorption.


The results of the project are divided in subsequent sections and publication is cited as well




Preparation of ink for 3D printing template




Low-cost high entropy alloy (HEA) for high-efficiency oxygen evolution reaction (OER), **Nano Research** (2021)





Multi-component (Ag-Au-Cu-Pd-Pt) alloy nanoparticle-decorated p-type 2D-molybdenum disulfide (MoS2) for enhanced hydrogen sensing, **Nanoscale**, 2020,12, 11830-11841



High-Entropy Alloys as Catalysts for the CO₂ and CO Reduction Reactions: Experimental Realization, **ACS Catalysis**, 2020, 10, 6, 3658–3663




Electrooxidation of Hydrazine Utilizing High-Entropy Alloys: Assisting the Oxygen Evolution Reaction at the Thermodynamic Voltage, **ACS Catal.** 2021, 11, 14000–14007, <https://doi.org/10.1021/acscatal.1c03571>




Formic acid and methanol electro-oxidation and counter hydrogen production using nano high entropy catalyst, **Materials Today Energy**, 16, 2020, 100393


Preparation of ink for 3D printing template




Improved mechanical and wear properties of Cu-Ga-In ternary alloys through liquid reinforcement, **Materials Today Communications**, 27, 2021, 102409



Probing the bacterial detoxification of cadmium to form cadmium sulfide quantum dots and the underlying mechanism, **Mater. Adv.**, 2020,1, 1168-1175




Bioinspired Aluminum Composite Reinforced with Soft Polymers with Enhanced Strength and Plasticity, **Adv. Eng. Mater.**, 2020, 22: 1901116.




Hexagonal boron nitride-carbon nanotube hybrid network structure for enhanced thermal, mechanical and electrical properties of polyimide nanocomposites, **Composites Science and Technology**, 188, 2020, 107977


Preparation of 3D printing template




Deformation resilient cement structures using 3D-printed molds, *iScience*, 24, 3, 2021, 102174




On the mechanical properties of atomic and 3D printed zeolite-templated carbon nanotube networks, *Additive Manufacturing*, 37, 2021, 101628




Flexure resistant 3D printed zeolite-inspired structures, *Additive Manufacturing*, 47, 2021, 102297



Atomic Scale Structure Inspired 3D-Printed Porous Structures with Tunable Mechanical Response, *Adv. Eng. Mater.*, 23: 2001428., 2021




Three-dimensional printing of complex graphite structures, *Carbon*, 181, 2021, 260-269




Understanding the mechanics of complex topology of the 3D printed Anthill architecture, *Oxford Open Materials Science*, 2, 2022, <https://doi.org/10.1093/oxfmat/itac003>


Applications of 3D printing structures




Development of a schwarzite-based moving bed 3D printed water treatment system for nanoplastic remediation, *RSC Adv.*, 2021, 11, 19788-19796




Quantifying instant water cleaning efficiency using zinc oxide decorated complex 3D printed porous architectures, *Journal of Hazardous Materials*, 418, 2021, 126383




Reversible temperature dependent photoluminescence in semiconductor quantum dots for the development of a smartphone-based optical thermometer, *Nanoscale*, 2021,13, 2946-2954




Confinement Aided Simultaneous Water Cleaning and Energy Harvesting Using Atomically Thin Wurtzite (Wurtzite), *Adv. Sustainable Syst.* 2021, 5, 2000189.



2D Hexagonal Boron Nitride-Coated Cotton Fabric with Self-Extinguishing Property, *ACS Appl. Mater. Interfaces* 2020, 12, 40, 45274–45280




Emerging two-dimensional tellurides, *Materials Today*, 2021, <https://doi.org/10.1016/j.mattod.2021.08.008>




Emerging 2D metal oxides and their applications, *Materials Today*, 45, 2021, 142-168




Topologically engineered 3D printed architectures with superior mechanical strength, *Materials Today*, 2021, <https://doi.org/10.1016/j.mattod.2021.03.014>




Advance Optical Properties and Emerging Applications of 2D Materials, *Front. Mater.*, 2021, <https://doi.org/10.3389/fmats.2021.721514>




Review of strategies toward the development of alloy two-dimensional (2D) transition metal, *iScience*, 24, 103532, 17, 2021, <https://doi.org/10.1016/j.isci.2021.103532>




2D nanomaterials in 3D/4D-printed biomedical devices. *Journal of Materials Research* (2021). <https://doi.org/10.1557/s43578-021-00287-2>




Enhancement in magnetization of two-dimensional cobalt telluride and its magnetic field-assisted photocatalytic activity. **Appl. Phys. A** 128, 379 (2022). <https://doi.org/10.1007/s00339-022-05425-z>




Two-dimensional cobalt telluride as a piezo-tribogenerator, **Nanoscale**, 2022,14, 7788-7797, <https://doi.org/10.1039/D2NR00157>



Atomically thin gallium telluride nanosheets: A new 2D material for efficient broadband nonlinear optical devices, **Appl. Phys. Lett.** 120, 021101 (2022); <https://doi.org/10.1063/5.0073205>



Energy Harvesting from Atomically Thin Co₂Te₃, **J. Phys. Chem. C** 2022, <https://doi.org/10.1021/acs.jpcc.2c02>



Publications:

List of publications

- [1] S.D. Negedu, A. Karstev, M. Palit, P. Pandey, F.E. Olu, A.K. Roy, G.P. Das, P.M. Ajayan, P. Kumbhakar, C.S. Tiwary, Energy Harvesting from Atomically Thin Co₂Te₃, J. Phys. Chem. C. (2022). <https://doi.org/10.1021/acs.jpcc.2c02102>.
- [2] P.L. Mahapatra, A.K. Singh, B. Lahiri, T.K. Kundu, A.K. Roy, P. Kumbhakar, C.S. Tiwary, Energy Harvesting Using Cotton Fabric Embedded with 2D Hexagonal Boron Nitride, ACS Appl. Mater. Interfaces. 14 (2022) 30343–30351. <https://doi.org/10.1021/acsami.2c04941>.
- [3] P.L. Mahapatra, R. Tromer, P. Pandey, G. Costin, B. Lahiri, K. Chattopadhyay, A. P. M., A.K. Roy, D.S. Galvao, P. Kumbhakar, C.S. Tiwary, Synthesis and Characterization of Biotene: A New 2D Natural Oxide From Biotite, Small. (2022) 2201667. <https://doi.org/10.1002/sml.202201667>.
- [4] C. Chowde Gowda, A. Mathur, A. Parui, P. Kumbhakar, P. Pandey, S. Sharma, A. Chandra, A.K. Singh, A. Halder, C. Sekhar Tiwary, Understanding the electrocatalysis OER and ORR activity of ultrathin spinel Mn₃O₄, J. Ind. Eng. Chem. (2022). <https://doi.org/10.1016/j.jiec.2022.05.024>.
- [5] S.D. Negedu, R. Tromer, S. Siddique, C.F. Woellner, F.E. Olu, M. Palit, A.K. Roy, P. Pandey, D.S. Galvao, P. Kumbhakar, C.S. Tiwary, Enhancement in magnetization of two-dimensional cobalt telluride and its magnetic field-assisted photocatalytic activity, Appl. Phys. A. 128 (2022) 379. <https://doi.org/10.1007/s00339-022-05425-z>.
- [6] P. Ghosal, B. Gupta, R.S. Ambekar, M.M. Rahman, P.M. Ajayan, N. Aich, A.K. Gupta, C.S. Tiwary, 3D Printed Materials in Water Treatment Applications, Adv. Sustain. Syst. 6 (2022) 2100282. <https://doi.org/10.1002/adsu.202100282>.
- [7] P.L. Mahapatra, P. Kumbhakar, B. Lahiri, S.K. Sinha, C.S. Tiwary, Real-time quality monitoring and organic pollutants degradation of water using atomically thin Magnesiochromite, Mater. Res. Bull. 146 (2022) 111590. <https://doi.org/10.1016/j.materresbull.2021.111590>.
- [8] B. Kushwaha, A. Kumar, R.S. Ambekar, V. Arya, S.D. Negedu, D. Bakshi, F.E. Olu, R. Sastri Ayyagari, V. Pal, K.K. Sadasivuni, N.M. Pugno, C. Bakli, C.S. Tiwary, Understanding the mechanics of complex topology of the 3D printed Anthill architecture, Oxford Open Mater. Sci. 2 (2022). <https://doi.org/10.1093/oxfmat/itac003>.
- [9] S.D. Negedu, R. Tromer, C.C. Gowda, C.F. Woellner, F.E. Olu, A.K. Roy, P. Pandey, D.S. Galvao, P.M. Ajayan, P. Kumbhakar, C.S. Tiwary, Two-dimensional cobalt telluride as a piezo-tribogenerator, Nanoscale. 14 (2022) 7788–7797. <https://doi.org/10.1039/D2NR00132B>.
- [10] C.S. Tiwary, P. Pandey, S. Sarkar, R. Das, S. Samal, K. Biswas, K. Chattopadhyay, Five decades of research on the development of eutectic as engineering materials, Prog. Mater. Sci. 123 (2022) 100793. <https://doi.org/10.1016/j.pmatsci.2021.100793>.
- [11] A.K. Singh, P. Kumbhakar, A. Krishnamoorthy, A. Nakano, K.K. Sadasivuni, P. Vashishta,

- A.K. Roy, V. Kochat, C.S. Tiwary, Review of strategies toward the development of alloy two-dimensional (2D) transition metal dichalcogenides, *IScience*. 24 (2021) 103532. <https://doi.org/10.1016/j.isci.2021.103532>.
- [12] R.S. Ambekar, E.F. Oliveira, B. Kushwaha, V. Pal, P.M. Ajayan, A.K. Roy, D.S. Galvao, C.S. Tiwary, Flexure resistant 3D printed zeolite-inspired structures, *Addit. Manuf.* 47 (2021) 102297. <https://doi.org/10.1016/j.addma.2021.102297>.
- [13] M. Das, R.S. Ambekar, S.K. Panda, S. Chakraborty, C.S. Tiwary, 2D nanomaterials in 3D/4D-printed biomedical devices, *J. Mater. Res.* (2021). <https://doi.org/10.1557/s43578-021-00287-2>.
- [14] S. Siddique, C. Chowde Gowda, S. Demiss, R. Tromer, S. Paul, K.K. Sadasivuni, E.F. Olu, A. Chandra, V. Kochat, D.S. Galvão, P. Kumbhakar, R. Mishra, P.M. Ajayan, C. Sekhar Tiwary, Emerging two-dimensional tellurides, *Mater. Today*. (2021). <https://doi.org/10.1016/j.mattod.2021.08.008>.
- [15] P. Kumbhakar, R.S. Ambekar, P.L. Mahapatra, C. Sekhar Tiwary, Quantifying instant water cleaning efficiency using zinc oxide decorated complex 3D printed porous architectures, *J. Hazard. Mater.* 418 (2021) 126383. <https://doi.org/10.1016/j.jhazmat.2021.126383>.
- [16] A. Bajpai, P. Kumbhakar, C.S. Tiwary, K. Biswas, Conducting Graphene Synthesis from Electronic Waste, *ACS Sustain. Chem. Eng.* 9 (2021) 14090–14100. <https://doi.org/10.1021/acssuschemeng.1c03817>.
- [17] R.S. Ambekar, B. Kushwaha, P. Sharma, F. Bosia, M. Fraldi, N.M. Pugno, C.S. Tiwary, Topologically engineered 3D printed architectures with superior mechanical strength, *Mater. Today*. 48 (2021) 72–94. <https://doi.org/10.1016/j.mattod.2021.03.014>.
- [18] S.M. Sajadi, S. Enayat, L. Vászrhelyi, A. Alabastri, M. Lou, L.M. Sassi, A. Kutana, S. Bhowmick, C. Durante, Á. Kukovecz, A.B. Puthirath, Z. Kónya, R. Vajtai, P. Boul, C.S. Tiwary, M.M. Rahman, P.M. Ajayan, Three-dimensional printing of complex graphite structures, *Carbon N. Y.* 181 (2021) 260–269. <https://doi.org/10.1016/j.carbon.2021.05.003>.
- [19] S.M. Sajadi, L. Vászrhelyi, R. Mousavi, A.H. Rahmati, Z. Kónya, Á. Kukovecz, T. Arif, T. Filleter, R. Vajtai, P. Boul, Z. Pang, T. Li, C.S. Tiwary, M.M. Rahman, P.M. Ajayan, Damage-tolerant 3D-printed ceramics via conformal coating, *Sci. Adv.* 7 (2021). <https://doi.org/10.1126/sciadv.abc5028>.
- [20] R.S. Ambekar, I. Mohanty, S. Kishore, R. Das, V. Pal, B. Kushwaha, A.K. Roy, S. Kumar Kar, C.S. Tiwary, Atomic Scale Structure Inspired 3D-Printed Porous Structures with Tunable Mechanical Response, *Adv. Eng. Mater.* (2021) 2001428. <https://doi.org/10.1002/adem.202001428>.
- [21] R. Das, V. Pal, B. Kumar, A.K. Roy, M. Paliwal, M. Palit, M.K. Paek, C.S. Tiwary, Improved mechanical and wear properties of Cu-Ga-In ternary alloys through liquid reinforcement, *Mater. Today Commun.* 27 (2021) 102409. <https://doi.org/10.1016/j.mtcomm.2021.102409>.
- [22] P. Kumbhakar, C. Chowde Gowda, P.L. Mahapatra, M. Mukherjee, K.D. Malviya, M.

- Chaker, A. Chandra, B. Lahiri, P.M. Ajayan, D. Jariwala, A. Singh, C.S. Tiwary, Emerging 2D metal oxides and their applications, *Mater. Today*. 45 (2021) 142–168. <https://doi.org/10.1016/j.mattod.2020.11.023>.
- [23] S. Siddique, C.C. Gowda, R. Tromer, S. Demiss, A.R.S. Gautam, O.E. Femi, P. Kumbhakar, D.S. Galvao, A. Chandra, C.S. Tiwary, Scalable Synthesis of Atomically Thin Gallium Telluride Nanosheets for Supercapacitor Applications, *ACS Appl. Nano Mater.* 4 (2021) 4829–4838. <https://doi.org/10.1021/acsanm.1c00428>.
- [24] D. Mandal, P.L. Mahapatra, R. Kumari, P. Kumbhakar, A. Biswas, B. Lahiri, A. Chandra, C.S. Tiwary, Convert waste petroleum coke to multi-heteroatom self-doped graphene and its application as supercapacitors, *Emergent Mater.* 4 (2021) 531–544. <https://doi.org/10.1007/s42247-020-00159-1>.
- [25] B. Kushwaha, K. Dwivedi, R.S. Ambekar, V. Pal, D.P. Jena, D.R. Mahapatra, C.S. Tiwary, Mechanical and Acoustic Behavior of 3D Printed Hierarchical Mathematical Fractal Menger Sponge, *Adv. Eng. Mater.* (2021) 2001471. <https://doi.org/10.1002/adem.202001471>.
- [26] S.M. Sajadi, C.S. Tiwary, A.H. Rahmati, S.L. Eichmann, C.J. Thaemlitz, D. Salpekar, A.B. Puthirath, P.J. Boul, M.M. Rahman, A. Meiyazhagan, P.M. Ajayan, Deformation resilient cement structures using 3D-printed molds, *IScience*. 24 (2021) 102174. <https://doi.org/10.1016/j.isci.2021.102174>.
- [27] P. Kumbhakar, M. Mukherjee, A. Pramanik, S. Karmakar, A.K. Singh, C.S. Tiwary, P. Kumbhakar, Confinement Aided Simultaneous Water Cleaning and Energy Harvesting Using Atomically Thin Wurtzite (Wurtzene), *Adv. Sustain. Syst.* 5 (2021) 2000189. <https://doi.org/10.1002/adsu.202000189>.
- [28] R. Mahle, P. Kumbhakar, D. Nayar, T.N. Narayanan, K. Kumar Sadasivuni, C.S. Tiwary, R. Banerjee, Current advances in bio-fabricated quantum dots emphasising the study of mechanisms to diversify their catalytic and biomedical applications, *Dalt. Trans.* 50 (2021) 14062–14080. <https://doi.org/10.1039/d1dt01529j>.
- [29] R. Mahle, D. Mandal, P. Kumbhakar, A. Chandra, C.S. Tiwary, R. Banerjee, A study of microbially fabricated bio-conjugated quantum dots for pico-molar sensing of H₂O₂ and glucose, *Biomater. Sci.* 9 (2021) 157–166. <https://doi.org/10.1039/d0bm01206h>.
- [30] P. Kumbhakar, C. Chowde Gowda, C.S. Tiwary, Advance Optical Properties and Emerging Applications of 2D Materials, *Front. Mater.* 8 (2021). <https://doi.org/10.3389/fmats.2021.721514>.
- [31] P.S. Owuor, A. Khan, C.L. y Leon, S. Ozden, R. Priestley, C. Arnold, N. Chopra, C.S. Tiwary, Roadblocks faced by graphene in replacing graphite in large-scale applications, *Oxford Open Mater. Sci.* 1 (2020). <https://doi.org/10.1093/oxfmat/itab004>.
- [32] P. Kumbhakar, A. Roy Karmakar, G.P. Das, J. Chakraborty, C.S. Tiwary, P. Kumbhakar, Reversible temperature-dependent photoluminescence in semiconductor quantum dots for the development of a smartphone-based optical thermometer, *Nanoscale*. 13 (2021) 2946–2954. <https://doi.org/10.1039/d0nr07874c>.

- [33] R.S. Ambekar, E.F. Oliveira, B. Kushwaha, V. Pal, L.D. Machado, S.M. Sajadi, R.H. Baughman, P.M. Ajayan, A.K. Roy, D.S. Galvao, C.S. Tiwary, On the mechanical properties of atomic and 3D printed zeolite-templated carbon nanotube networks, *Addit. Manuf.* 37 (2021) 101628. <https://doi.org/10.1016/j.addma.2020.101628>.
- [34] J. Joyner, B. Javvaji, P.S. Owuor, P. Raghavan, D. Salpekar, T. Tsafack, S. Bhowmick, R. Vajtai, D.R. Mahapatra, C.S. Tiwary, P.M. Ajayan, Shear exfoliation synthesis of large-scale graphene-reinforced nanofibers, *Carbon N. Y.* 166 (2020) 405–413. <https://doi.org/10.1016/j.carbon.2020.05.009>.
- [35] R.S. Ambekar, A. Deshmukh, M.Y. Suárez-Villagrán, R. Das, V. Pal, S. Dey, J.H. Miller, L.D. Machado, P. Kumbhakar, C.S. Tiwary, 2D Hexagonal Boron Nitride-Coated Cotton Fabric with Self-Extinguishing Property, *ACS Appl. Mater. Interfaces.* 12 (2020) 45274–45280. <https://doi.org/10.1021/acsami.0c12647>.
- [36] A.H.C. Hart, P.S. Owuor, J. Hamel, S. Bhowmik, S.A.S. Asif, A.X. Gentles, S. Ozden, T. Tsafack, K. Keyshar, R. Mital, J. Hurst, R. Vajtai, C.S. Tiwary, P.M. Ajayan, Ultra-low density three-dimensional nano-silicon carbide architecture with high temperature resistance and mechanical strength, *Carbon N. Y.* 164 (2020) 143–149. <https://doi.org/10.1016/j.carbon.2020.03.045>.

Lab facilities developed using project



Student trained during the project

Total number of postdoc: 3

Total number of PhD: 6

M.Tech and B.Tech: 5



Meeting organized through the project

Several online meetings were organized with AFRL team.

Two Meetings at IITKGP were organized