

AD/A-006 906

TARGET ACQUISITION MODEL

Carl M. Jones

Army Concepts Analysis Agency

Prepared for:

**Deputy Chief of Staff for Operations and Plans
(Army)**

December 1974

DISTRIBUTED BY:

NTIS

**National Technical Information Service
U. S. DEPARTMENT OF COMMERCE**

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER CAA-D-74-4	2. GOVT ACCESSION NO. NA	3. RECIPIENT'S CATALOG NUMBER AD/A 006906
4. TITLE (and Subtitle) TARGET ACQUISITION MODEL		5. TYPE OF REPORT & PERIOD COVERED Final Model Documentation
7. AUTHOR(s) MAJOR CARL M. JONES		6. PERFORMING ORG. REPORT NUMBER NA
9. PERFORMING ORGANIZATION NAME AND ADDRESS USA Concepts Analysis Agency 8120 Woodmont Avenue Bethesda, MD 20014		8. CONTRACT OR GRANT NUMBER(s) NA
11. CONTROLLING OFFICE NAME AND ADDRESS Office of the Deputy Chief of Staff for Plans and Operations Washington, DC 20310		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS 4080
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office) NA		12. REPORT DATE DECEMBER 1974
		13. NUMBER OF PAGES
		15. SECURITY CLASS. (of this report) UNCLASSIFIED
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE NA
16. DISTRIBUTION STATEMENT (of this Report) NA		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report) NA		
18. SUPPLEMENTARY NOTES NA		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) NA		
Reproduced by NATIONAL TECHNICAL INFORMATION SERVICE U.S. Department of Commerce Springfield, VA. 22151		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) The Target Acquisition Model (TAM) is a computer simulation model used in the Nonnuclear Ammunition Combat Rates Studies. The model uses basic sensor effectiveness data to simulate acquisition events in a target array. This documentation has been produced as part of the Nonnuclear Ammunition Combat Rates Methodology Improvement Study-Part II. The documentation contains a methodology description, a program listing, and sample inputs and outputs.		

DD FORM 1 JAN 73 1473

EDITION OF 1 NOV 65 IS OBSOLETE

UNCLASSIFIED


SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

DOCUMENTATION
CAA-D-74-4

TARGET ACQUISITION MODEL

DECEMBER 1974

PREPARED BY
WAR GAMING DIRECTORATE



US ARMY CONCEPTS ANALYSIS AGENCY
8120 WOODMONT AVENUE
BETHESDA, MARYLAND 20014

Preceding page blank

TABLE OF CONTENTS

	Page
CONTENTS	vii
LIST OF FIGURES	ix
LIST OF TABLES	ix
SUMMARY	1
 CHAPTER	
I. Technical Description	I-1
Introduction	I-2
Assumptions	I-2
Limitations	I-3
Preparation of Simulation	I-5
General Description of Methodology	I-9
Acquisition Methodology	I-10
Acquired Target List	I-17
Treatment of Sensors	I-18
Outputs	I-20
II. General Flow Chart	II-1
III. Input Data Specifications	III-1
Standard Size and Radius Deck	III-2
Indicator Card	III-4
Range Parameter Card	III-5
Line of Sight Probability Deck	III-6
Expected Coverage Deck	III-7
Probability of Detection Decks	III-8
Combat Sample Day Heading Card	III-10
Acquisition Clock Time Distribution Deck	III-11
Multiple Acquisition Distribution Deck	III-12
Target Array Deck	III-13
Run Stop Card	III-16
IV. Dictionary of Principal Variables	IV-1

Preceding page blank

TABLE OF CONTENTS

CHAPTER	Page
V. Sample Inputs Listing	V-1
General	V-2
Explanation of Sample Inputs	V-2
Results	V-3
VI. Sample Output Listing	VI-1
General	VI-2
Abbreviations	VI-2
Diagnostics	VI-4
VII. Fortran Program Listing	VII-1
General	VII-2
Subroutines	VII-2
Random Access Disc	VII-3

LIST OF FIGURES

Figure		Page
1	Nonnuclear Ammunition Combat Rates Methodology....	2
I-1	Expected Sensor Coverage in Range b and b by a Sensor with Range R_s	I-12
II-1	Target Acquisition Model, General Flow Chart	II-2

LIST OF TABLES

Table		
I-1	Sample Target Category Definitions	I-4
I-2	Base Case Sensor Types	I-8

TARGET ACQUISITION MODEL

SUMMARY

1. Purpose. - This documentation describes the methodology and input requirements for the Target Acquisition Model.
2. Background. - The Nonnuclear Ammunition Combat Rates Methodology uses computerized simulation models to assist in war gaming combat activities affecting theater ammunition requirements. The US Army Concepts Analysis Agency has been tasked by ODCSOPS to perform a Nonnuclear Ammunition Combat Rates Methodology Improvement Study-Part II (AMMIP II).
3. Methodology. - The Target Acquisition Model simulates the acquisition of units in a target force, by the sensors in an acquiring force. The target force is played at small unit resolution. The acquiring force is played at the individual sensor level of resolution. The model produces an a priori history of the acquisition events that will occur over a period of time. The Target Acquisition Model uses basic sensor data and target arrays as input. The outputs of the Target Acquisition Model serve as inputs to the Blue Artillery Model and the Red Artillery Model.
4. Summation. - This document is one of a series which describes the models and associated methodologies used in the Nonnuclear Ammunition Combat Rates Methodology. Figure 1 presents an overview of the methodology and illustrates the flow of interactions between the models and associated methodologies. Additional information can be obtained from:

Commander
US Army Concepts Analysis Agency
ATTN: Director, War Gaming Directorate
8120 Woodmont Avenue
Bethesda, MD 20014

Preceding page blank




FIGURE 1, Nonnuclear Ammunition Combat Rates Methodology

TARGET ACQUISITION MODEL

CHAPTER I TECHNICAL DESCRIPTION

1. Introduction. - The Target Acquisition Model (TAM) is a simulation of the acquisition of targets in a target force by the sensors of an acquiring force. The purpose of the simulation is the generation of acquisition events which will ultimately result in requests for fire missions to be delivered by an artillery firing force. The target force, represented to the model by a static target array, is played at the small unit level of resolution. The acquiring force is played at the individual sensor level of resolution. The model addresses input target arrays for a 6-hour game time period and produces an a priori list or history of acquisition events. A time sequenced acquired target list is output in the format necessary for subsequent simulation by the Blue Artillery Model (BAM) and the Red Artillery Model (RAM) used in the Nonnuclear Ammunition Combat Rates Studies.

2. Assumptions. - The Target Acquisition Model converts a static, time independent target array into a dynamic chronicle of acquisition events. The methodology used to accomplish this conversion is based on the following assumptions.

a. Detection events which do not result in a reasonable identification of the elements detected do not result in target acquisition for purpose of engagement by artillery fire.

b. Detection events which do not result in an accurate location of the elements detected do not result in target acquisition for purpose of engagement by artillery fire.

c. Acquisition events against targets known to have short dwell times by sensor systems which have slow report response times do not result in target acquisition for the purpose of engagement by artillery fire.

d. The length of the time period being simulated is sufficiently short that the movement of target units during the time between acquisition events can either be ignored or accounted for outside of the model.

e. The acquiring force and the target force are located on opposite sides of a conventional, continuous forward edge of the battle area (FEBA).

f. The probability that a target is acquired is a function of single element probability of detection, the probability that the target is covered by a sensor, and the probability that line of sight exists from the sensor to some elements of the target.

g. The target array is resolved to those target sizes which are expected to be acquired as individual targets.

h. The decision process of estimating the particulars of a target, given that some, but not all, of the target elements have been detected and identified, can be simulated using a binomial probability formulation.

i. Data exists which will permit an acceptable treatment of multiple acquisition of the same target, given those targets which will be acquired at least once.

j. Data exists which will permit a realistic assignment of clock times to acquisition events.

k. The elements which are likely to be detected in a target can adequately be described as troops and any one particular type of military equipment.

3. Limitations. - The following limitations are inherent in the methodology implemented by TAM, or in the model itself.

a. Only 20 different kinds of sensors can be played. The user is required to provide data for eight specific kinds of sensors, described later in this chapter. The user may suppress one or more of these base case eight sensors through inputs

b. The target force cannot have more than 4,000 individual targets. The acquired target list, including multiple acquisitions, cannot exceed 1,000 target acquisitions.

c. The model is programmed to address a 6-hour game time period. The user can cause the model to address a period shorter than 6 hours by providing multiple acquisition function inputs and clock time distribution inputs for a shorter period. The user cannot cause a time period simulation to exceed 6 hours.

d. The model will address as many as four consecutive 6-hour periods in a continuous game time day. It can be used to address the same target array in each of these periods or a different target array in each period. The model does not have provisions for determining which targets have been destroyed from one acquisition to the next or from one period to the next. The game clock time cannot exceed 2400 hours.

e. The user can describe targets as being one of 16 categories of target. Target categories six through nine must be defined as armored or mechanized targets. The 16 target categories used in the Nonnuclear Ammunition Combat Rates Studies are described in Table I-1.

TABLE 1-1. Sample Target Category Definitions

Category	Description
1	Dismounted troops prior to final assault
2	Dismounted troops in final assault
3	Dismounted troops in assembly area--hasty positions
4	Dismounted troops in assembly area--prepared positions
5	Infantry in prepared defense
6	Mechanized/armor units in assembly area--hasty positions
7	Mechanized/armor units in assembly area--prepared positions
8	Mechanized/armor units in column
9	Mechanized/armor units in attack
10	Service units in hasty positions
11	Service units in prepared positions
12	Headquarters, command posts, observation posts
13	Truck convoys stopped--troops prone
14	Dismounted troops in approach march
15	Artillery units in hasty positions
16	Artillery units in prepared positions

f. The methodology implemented by the model is designed to treat sensors which are located on, or on the friendly side of, the FEBA. These sensors are simulated as though they search across the FEBA in a continuous zone bounded by the sensor maximum range. Sensor types that do not fit this description can be played in the simulation if suitable adjustments are made in the input

data for those sensor types. Methods for making these adjustments are discussed later in this chapter.

g. The model does not provide for the input of different probabilities of detection for daylight conditions and nighttime conditions during a series of consecutive 6-hour period simulations. The user can either modify subroutine ADJUST to accomplish modifications to input probabilities or he can treat daylight activities and nighttime activities with different simulation runs.

h. The model does not provide for false acquisitions. The user can include in the target array, units which are described as targets for acquisition purposes, but which in fact have no troops or elements at risk to artillery.

4. Preparation of Simulation. - Detailed format specifications for the preparation of input data necessary to exercise TAM are described in Chapter III. A sample game situation and the complete set of inputs necessary to use TAM to simulate that situation are contained in Chapter V. The procedures suggested to prepare a situation for simulation with TAM are described below. A combat sample (or combat stylized period) is defined for the purposes of this discussion as a set of target arrays which represent opposing forces at a particular level of activity, for one day. A specific combat sample might be defined as a blue division defending against a red army attack, for one day. The Target Acquisition Model can treat as many as four combat samples in two model runs. One run would treat the red force as the target force. The other run would treat the blue force as the target force. The procedures outlined in the remainder of this paragraph must be implemented twice for each combat sample; once for blue sensors acquiring red targets and once for red sensors acquiring blue targets.

a. Target Array. - The user must develop or obtain a target array for the combat sample target force which does not exceed the model limitations. Each unit in the target array must be coded in the format prescribed for the Target Array Deck (see Chapter III). Target array data consists of:

(1) Necessary Data. - The target array data which is used by TAM includes:

- (a) target environment codes
- (b) target mobility codes
- (c) target category codes

- (d) distance from the target to the FEBA
- (e) military equipment type code
- (f) quantity of troops in the target at risk of acquisition
- (g) quantity of military equipment in the target at risk of acquisition

(2) Extraneous Data. - The target array data which is not used by TAM, but which may be included by the user for input to subsequent models, includes:

- (a) target identification number
- (b) target coordinates
- (c) quantity of troops in the target at risk to artillery
- (d) quantity of tanks in the target at risk to artillery
- (e) quantity of 18 other items of military equipment in the target at risk to artillery

b. Target Characteristics. - The model recognizes six different types of targets with respect to target element composition. The six types of elements are combat troops, service vehicles, tanks and armored vehicles, artillery pieces, noncombat troops, and heavy weapons. The data in the Target Array Deck describes each unit as being one of the above six types (the model assumes that all targets have troops). To provide a basis for estimating the size of acquired targets, the user must analyze the target force and make the following determination for each of the six type targets.

(1) Organizational Size. - The user must select the three most likely organizational sizes of a unit which might be acquired. Generally, these should represent a small, a medium and a large target of that type. For example: platoon, company, and battalion might be selected for units having tanks and armored vehicles. If a type unit (such as artillery) is likely to be acquired in only one organizational size, the user can select that size (battery) to represent all three sizes.

(2) Organizational Inventory. - For each organizational size selected, a determination must be made about the quantity of equipment (of the type which defines the organizational type unit) expected to be in that size unit. For example, it might be determined that in tank and armored vehicle targets, platoons, companies and battalions have 10, 30 and 90 tanks and armored vehicles, respectively.

(3) Target Typical Sizes. - For each organizational size selected, a determination must be made about the radius of the area each such organization size is expected to occupy. For example, it might be determined that, in tank and armored vehicle targets, platoons, companies and battalions are typically contained within a 100 meter, 200 meter and 300 meter radius, respectively.

c. Environmental Characteristics. - The effect of terrain on the capability of the acquiring force to detect target elements is input to the model with line of sight functions. The user defines a set of 16 range bands which are measured in distance from the FEBA. The first range band must extend from the FEBA to some specific distance (for example, FEBA to 200 meters). The last range band must extend to the rear of the target array (for example, 15 kilometers and beyond). The user may select as many as five line of sight functions which express the probability that line of sight exists from a typically located sensor to a randomly located target, as a function of the range band in which the target is located. Different sensor types can be assigned different line of sight functions. Certain types of sensors are not affected by sensor target line of sight. These sensors should be assigned a line of sight function which expresses unlimited line of sight.

d. Sensor Characteristics. - As many as 20 different sensor types can be assigned to the acquiring force. The model reserves the first eight sensor codes for specific sensor types. These base case sensor types are described in Table I-2. For each sensor type played in the simulation, the following technical data must be obtained.

(1) Probability of Detection Functions. - The probabilities of detection used by TAM are single sensor, single element conditional probabilities. Each probability expresses the likelihood that a sensor detects (and identifies) one element in a target, given that:

- (a) There is one such element in the target area.
- (b) The sensor is trained on the target area.
- (c) Line of sight exists from the sensor to the target element.

TABLE I-2, Base Case Sensor Types

Code	Sensor type
1	Forward observer (FO)
2	Movement detection radar
3	Movement detection radar
4	Light observation helicopter (LOH)
5	Photo reconnaissance mission flying over the target force
6	Infrared reconnaissance mission flying over the target force
7	Patrol operating within the target force
8	Countermortar or counterbattery radar

Each probability function must have 16 entries; one entry for each of the 16 range bands defined to cover the target array. A total of 18 probability of detection functions is needed for each sensor type; one function with respect to each of the six type target elements (troops and military equipment) located in each of three environments (open, woods, town). Certain sensor types are only effective when a particular activity occurs in a target. Counterbattery radar, for example, only senses when a battery fires. Probability functions for such sensors should assume that the required activity obtains in the target.

(2) Expected Sensor Coverage. - The model does not consider specific coordinate locations for sensors. The density of a sensor type on the battlefield is treated by the concept of expected sensor coverage. Expected sensor coverage is defined as the number of sensors (of a given type sensor) which are expected to be within range of a target. Since the density of sensors is likely to vary from one combat sample to another, an expected sensor coverage function is required for each sensor type in each acquiring force. An expected sensor coverage function has 16 entries; one entry for each of the 16 range bands defined to cover the target array. Factors affecting the expected sensor coverage calculations are sensor maximum range, sensor density, sensor set-back from the FEBA and the width of the target array. The

formulation used in calculating sensor expected coverage is presented later in this chapter.

5. General Description of Methodology. - The methodology implemented in TAM operates in two distinct phases with respect to the model inputs.

a. Fixed Data Phase. - At the start of a model execution, all of the input data prescribed in the first six input specifications is read and stored. These data include target force characteristics, terrain characteristics and sensor characteristics. Certain of these data are related to specific combat samples. When specific combat samples are addressed during the simulation, the model will select the appropriate data. The remainder of these data are applied to the simulations with respect to all of the combat samples addressed during the model execution.

b. Simulation Phase. - The model, in this phase of execution, performs the simulations of the target acquisition process. The procedures described below are repeated for each set of combat sample data included in the execution runstream.

(1) Combat Sample Situation Definition. - A set of data describing a combat sample target force and the simulations desired, is input and stored. This data includes a target array, a set of multiple acquisition functions, a set of acquisition clock time distributions, and a set of codes which indicate the particular 6-hour time periods to be simulated. The procedures described below are repeated for each 6-hour period of the day that is simulated.

(2) Combat Sample Period Simulation. - All sensor systems in the acquiring force are played against each target in the target array. This process is defined as a simulation replication. A detailed technical description of the methodology employed during one simulation replication is presented in paragraph six of this chapter. A minimum of 25 simulation replications is performed before the model attempts to produce an acquired target list. During each replication, a stochastic determination is made stating which targets are acquired and which targets are not acquired. The purpose of these replications is to establish a basis for estimating the average size and composition of an acquired target list. The model keeps track of three acquired target list characteristics (having two degrees of freedom) over the replications; number of armor/mechanized targets acquired, number of other targets acquired, and total number of targets acquired. At the completion of each replication (subsequent to the minimum 25), a check is made to see if that replication has produced a near average acquired target list.

Any acquired target list in which the number of armor/mechanized targets acquired and total targets acquired are within plus or minus 10 percent of the running average of these observables, is considered to be near average. If a replication is not acceptable, the estimated averages of the observables are updated and a new replication is begun. Once an acceptable replication has been observed, that replication is repeated for record and used as the basis for generating an acquired target list for the 6-hour period.

(3) Acquired Target List. - The multiple acquisition function and clock time distribution function appropriate to the specific combat sample and time period, are applied against the targets acquired in the record replication. A print record and a punch record of the acquired target list is provided as output. The punch record format is consistent with the input specifications described for the Blue Artillery Model and the Red Artillery Model used in the Nonnuclear Ammunition Combat Rates Methodology.

6. Acquisition Methodology. - This paragraph describes the methodology implemented by TAM to simulate the acquisition process during each simulation replication. The methodology is stochastic and each replication partitions the target array into two sets; those targets which should be acquired one or more times, and those targets which should not be acquired. The targets which are assigned to the acquired set tend to be targets which are at greatest risk of acquisition because of size, type, location, environment and sensor characteristics. The description of the acquisition methodology is presented in terms of a type sensor located at or near the forward edge of the battle area. This type sensor is assumed to search across the FEBA in all directions up to maximum sensor range. Suggested procedures for treating sensor types which do not fit this description are contained in paragraph eight of this chapter.

a. Target Array Processing. - In each simulation replication the model processes each target in the target array, one by one, in the input order. As a target is processed, it is confronted by the entire acquiring force sensor array. This process will make a determination that the target should be, or should not be, acquired. The data available for each target describes the target environment, the target mobility, the range band in which the target is located, the type and quantity of military equipment in the target, and the number of troops in the target.

(1) Let $b \in \{1, 2, \dots, 16\}$ be defined as the index of the range band in which a target is located.

(2) Let E_k , $k \in \{\text{OPEN, WOOD, TOWN}\}$ be defined as the environment codes for a target, where $E_k \in \{0, 1\}$ and $E_k = 1$ implies that a target is entirely or partially located in environment k .

(3) Let $t \geq 0$ be the number of troops in a target which are at risk of detection.

(4) Let $m \in \{\text{service vehicles, tanks and armored vehicles, artillery, heavy weapons}\}$ be defined as the type military equipment located in a target and let $e \geq 0$ be the quantity of such equipment in a target.

b. Sensor Processing. - Each target addressed during target processing is confronted by each sensor system type. The data available for each sensor type describes the probability that line of sight exists from sensor to target, the expected number of sensors that cover a target, and the single element probabilities of detection for the sensor with respect to the type elements in a target. The process described below is repeated for each sensor type.

(1) Line of Sight Probability. - As many as five line of sight functions can be considered by the model.

(a) Let s be the index which identifies the sensor system type confronting a target.

(b) Let L_{sb} be defined as the probability that line of sight exists from a sensor of type s to a target in range band b , given that the sensor is located on the extension of a perpendicular from the target to the FEBA.

(2) Expected Sensor Coverage. - Expected sensor coverage is defined as the number of sensors that are expected to be closer to a target than the maximum sensor range. Figure I-1 depicts the analytical basis for expected coverage calculations for a type sensor.

(a) Assume that a target located in range band b is at a distance D_b from the FEBA.

(b) Assume that type s sensors are uniformly placed across the target array width.

(c) Let S_b be the distance that type s sensors are set back from the FEBA.

(d) Let R_s be the maximum range of a type s sensor.

(e) Let N_s be the number of type s sensors deployed against the target array.

(f) Let W be the width of the target array.




FIGURE I-1, Expected Sensor Coverage in Range Band b by a Sensor with Range R_s

(g) Let C_{sb} be defined as the length of the chord formed by a line parallel to, and a distance D_b from, the FEBA, and contained within a circle of radius R_s centered at a type s sensor location.

Then C_{sb} is the measure of the width of range band b that can be covered by one type s sensor. The magnitude of C_{sb} is given by:

$$C_{sb} = 2 \sqrt{R_s^2 - (D_b + S_s)^2} \text{ when } R_s > (D_b + S_s)$$

$$C_{sb} = 0 ; \text{ otherwise.}$$

Let A_{sb} be defined as the expected coverage in range band b for a type s sensor. Then:

$$A_{sb} = N_s C_{sb}/W$$

(3) Probability of Detection. - The probability that one type s sensor detects at least one troop, or at least one item of equipment, in a target, given line of sight and coverage, can be calculated from the single element probabilities of detection.

(a) Let P_{sbk} be the single element probability of detection for one type s sensor with respect to one troop in environment k , range band b .

(b) Let P_{smbk} be the single element probability of detection for one type s sensor with respect to one type m item of military equipment in environment k , range band b .

Then we can define P_{sb} and P_{smb} as single element probabilities of detection averaged over the target environments as follows:

$$P_{sb} = \left[\sum_{k=1}^3 (P_{sbk} E_k) \right] : \sum_{k=1}^3 E_k$$

$$P_{smb} = \left[\sum_{k=1}^3 (P_{smbk} E_k) \right] \div \sum_{k=1}^3 E_k$$

Define P_s as the probability that at least one troop in a target will be detected by one type s sensor, given line of sight and coverage. Define P_{sm} as the probability that at least one type m item of equipment in a target will be detected by one type s sensor, given line of sight and coverage. Then:

$$P_s = 1 - (1 - P_{sb})^t$$

$$P_{sm} = 1 - (1 - P_{smb})^e$$

where e and t are as defined on page I-11.

c. Simulating Acquisition. - The four factors necessary to treat target acquisition as a stochastic process have been defined for each type sensor (expected sensor coverage, A_{sb} ; probability of line of sight, L_{sb} ; probability of detecting one or more items of equipment, P_{sm} , or troops, P_s). Note that all of the input characteristics that vary from target to target are considered in the calculation of the four factors, as appropriate. The stochastic process described below is applied for each sensor type against each type in the array.

(1) Let $A_{sb} = x.y$ imply that expected sensor coverage is a real number read as x decimal y . Define $n_s = x + 1$ as the maximum number of type s sensors that cover a target.

(2) Let $G_i(n, z_i, q_i)$ define a stochastic process (or game) which is iterated n times. Each iteration is performed as follows:

(a) Draw a variate z_i from the rectangular distribution; that is, define $z_i \in R(0, 1)$.

(b) If $z_i > q_i$, set $G_i = 0$. If $z_i \leq q_i$, set $G_i = 1$.

(3) Define the results of the stochastic process G_i as a vector $(g_1, g_2, \dots, g_n)$ where $g_i \in \{0, 1\}$.

Target acquisition in TAM is defined by two stochastic processes, $G_i(n_s, z_i, q_i)$ and $G_i^m(n_s, z_i^m, q_i^m)$, where:

$$q_i = P_s L_{sb} [1 - (i-1)/n_s] \quad \text{when } i < n_s$$

$$q_i^m = P_{sm} L_{sb} [1 - (i-1)/n_s] \quad \text{when } i < n_s$$

$$q_i = yP_{s'_{sb}}[1 - (i-1)/n_s] \quad \text{when } i = n_s$$

$$q_i' = yP_{sm}L_{s,m}[1 - (i-1)/n_s] \quad \text{when } i = n_s$$

That is, n_s distinct type s sensors are played against the troops and equipment in a target. The first n_s-1 such sensors cover the target with probability 1.0. The first one of these n_s-1 sensors is closest to the target and has the highest probability of line of sight. All other type s sensors that cover the target are successively farther and farther from the target and have successively lower and lower probabilities of line of sight. The n_s th sensor has the lowest probability of line of sight and has a probability of coverage of $y \leq 1$.

d. Acquisition of Targets. - Subsequent to the stochastic process for all sensor types, a determination is made whether acquisition occurs. If the $\sum g_i > 0$ or the $\sum g_i^m > 0$ for any sensor type, then one or more sensors have detected one or more troops or items of equipment in a target. If one or more troops or one or more items of equipment have been detected during the stochastic process, acquisition is assumed to occur. When acquisition does not occur, processing transfers to the next target in the array. When acquisition occurs, the record of acquired targets is updated. Processing then transfers to the next target in the array, except during the record simulation replication. The processes described below apply only to targets acquired during the record replication.

e. Acquired Target Definition. - Data concerning the actual target size and composition (type and quantity of troops and military equipment) is available to the model. This paragraph describes the process employed by the model to estimate the size and composition of an acquired target, given the limited information provided by the acquisition.

(1) Type of Elements Detected. - The model identifies each sensor type which has detected one or more troops or items of equipment. For each such sensor, the operating single element probabilities of detection at the time of acquisition (P_{sb} and P_{smb}) are modified to account for the phenomena that the probability of detecting more elements, once one element is detected, is greater than the single element probabilities of detection. The modified probabilities, P_s^* (for troop detection) and P_{sm}^* (for type m equipment detection), are computed as:

$$p_s^* = .75 p_{sb} + .25$$

$$p_{sm}^* = .75 p_{smb} + .25$$

For each sensor type that has detected troops or equipment in the target, the model estimates:

(a) the number of items of equipment of type m detected, if equipment or troops and equipment have been detected.

(b) the number of troops detected if troops only have been detected.

(2) Quantity of Elements Detected. - The estimates made for each type acquiring sensor is based on drawing a binomial variate.

(a) Let $z = B(j, p)$ be an integer variate representing the number of successes which occur in a series of j Bernoulli trials, each trial having probability of success p .

(b) Define Q_s and Q_{sm} as the quantity of troops detected and the quantity of type m items of equipment detected, respectively.

Then, either Q_s , or Q_{sm} , is determined stochastically for each type s sensor, as follows:

$$Q_{sm} = \text{Maximum} \left[1; B(q, p_{sm}^*) \right]$$

$$Q_s = \text{Maximum} \left[1; B(t, p_s^*) \right]$$

(3) Estimation of Target Size. - The target force characteristics input data includes descriptions of the type and quantity of military equipment, and the quantity of troops, typically found in targets, for three organizational sizes (small, medium and large). This data also includes typical radii for such targets. The model estimates the radius of acquired targets using the data provided by the sensor type which detects the greatest quantity of elements.

(a) Let Q_m be the largest quantity of type m equipment detected by any of the acquiring sensor types.

(b) Let Q be the largest quantity of troops detected by any of the acquiring sensors.

(c) Let $B(j,p;h)$ be the probability that h successes occur in $B(j,p)$.

(d) Let $M_{om,oe}\{1,2,3\}$ be the expected number of type m elements in a unit with organizational size oe (small, medium, large; respectively). Let $T_{o,oe}\{1,2,3\}$ be the expected number of troops in such a unit.

(e) Let $F_m(o), oe\{1,2,3\}$, be the typical radius of a target with type m equipment, organizational size o . Let $F(o), oe\{1,2,3\}$ be the typical radius of a target described as having only troops, organizational size o .

(f) Define $P(o)$ as the probability that an acquired target has organizational size o .

If $Q_m > 0$, a target size estimate will be based on equipment detected, as follows:

$$P(o) = B(M_{om}, P_{sm}^*; Q_m) : o = \{1,2,3\}$$

If $Q_m = 0$, a target size estimate will be based on troops detected, as follows:

$$P(o) = B(T_o, P_s^*; Q) : o = \{1,2,3\}$$

The size of the target is selected to be the most likely size, given the number of elements detected. Let $oe\{1,2,3\}$ be the value of o which results in the greatest value for $P(o)$. The target radius is estimated to $F_m(c)$ if type m equipment was detected, and $F(c)$ if only troops were detected.

7. Acquired Target List. - The record replication of the target acquisition simulation process is a list of the specific arrayed targets which will be acquired one or more times during a 6-hour period. All that remains to produce an acquired target list for the 6-hour period is to determine how many times each such target will be acquired and at what clock time each acquisition will occur. The process employed by TAM to perform these tasks is described below.

a. Multiple Acquisitions. - The combat sample input data includes a multiple acquisition function for each 6-hour time period.

(1) Let N be the number of targets acquired during the record replication for the 6-hour time period.

(2) Let F be the multiple acquisition function for the 6-hour time period. $F_i, i \in \{1, 2, \dots, 10\}$ is defined as the fraction of acquired targets which should be acquired i times.

(3) Let $T_i, i \in \{1, 2, \dots, 10\}$, be the number of targets that should be acquired i times. Let T^* be the total number of acquisition events that should occur in the 6-hour time period.

$$T_i = NF_i : i = 1, 10$$

$$T^* = \sum_{i=1}^{10} iT_i$$

(4) The frequency of acquisition factors are randomly assigned to the acquired targets, with certain exceptions. These exceptions are intended to cause multiple acquisition to occur only for those targets most likely to be acquired more than once in a 6-hour period.

(a) Targets acquired only by photo or infrared reconnaissance are not considered for multiple acquisition.

(b) Targets acquired only by long range patrols are not considered for multiple acquisition.

(c) Targets in range band 16 are not considered for multiple acquisition.

b. Clock Times. - Once the list of acquired and re-acquired targets has been generated, the list is shuffled to produce a random order list. The shuffled list is taken to be the order in which the acquisitions occur during a 6-hour period. One clock time is drawn out of the appropriate input clock time distribution function for each target on the list. A total of T^* random times are arranged in order of increasing clock time and assigned; one to each target on the list.

8. Treatment of Sensors. - The methodology applied to each sensor type during a simulation replication assumes each sensor is located at or near the FEBA. Methods which are suggested to play other types of sensors are described in this paragraph. Each such sensor requires adjustment of the input data.

a. Moving sensors which penetrate the target array can be played. For sensors such as vertical photo or infrared, probability

of detection is not a function of range band (distance from the FEBA). The expected sensor coverage in each range band can be calculated if one knows the number of sorties (S_b^*) in a 6-hour period, the area covered in a range band by one sortie (A_b), and the area contained in the range band (A_b^*). In such a case:

$$A_{bb} = S_b^* A_b / A_b^*$$

Probability of line of sight is not normally a factor for such sensors. Therefore, a line of sight function must be included in the inputs which indicates unlimited line of sight. If such a sensor employs side looking imagery, a line of sight function appropriate to the operational altitude of the sensor must be included in the inputs. Finally, sensors which penetrate the target array at ground level (such as patrols) can be treated in a manner similar to that described above. Probabilities of detection and line of sight for the range bands in which such sensors operate should be based on short ranges. This assumes that such sensors can maneuver within their areas of operation to find targets which would otherwise go undetected.

b. Moving sensors which operate parallel to the FEBA can be played. Probabilities of detection appropriate to the sensor and line of sight functions appropriate to operational altitudes are required. These probabilities should be related to the range bands. Coverage calculations should be based on the number of sorties and the fraction of each range band covered per sortie.

c. Sensors which require that special conditions (not parameters in the inputs) obtain in the targets, can be played, but require model modifications. Subroutine ADJUST is called by the model during that phase of the logic when specific sensor probabilities of detection are being set for play against a specific target. Information containing sensor type, target characteristics and environmental conditions, are available during calls to the subroutine. Modifications to the subroutine which cause the program to sense target, sensor and environmental conditions, can be used to cause zero probabilities to be returned to the main program. Conditional senses included in the documented version of TAI are described in Table 1-3. Sensors which do not depend on line of sight, but which do require probability functions not otherwise covered in the inputs, can use the input specifications for line of sight functions as a vehicle to input these other functions. One of the "line of sight" functions might describe the probability that artillery units are firing. This function can be used by counterbattery radar sensors, in place of a line of sight function.

TABLE I-3, Base Case Sensor Limitations

Code	Sensor type	Conditions required for play
2	Movement radar	Moving targets only
3	Movement radar	Moving targets only
4	Light observation helicopter	Daytime only Stationary targets only
5	Photo reconnaissance	Daytime only
6	Infrared reconnaissance	Nighttime only
7	Patrols	Stationary targets only
8	Counterbattery	Artillery targets only

d. Factors such as operational maintainability and readiness limitations should be considered for all sensor types. Percent availability factors which are applied to the expected sensor coverage functions directly impact the acquisitions of targets.

9. Outputs. - After a 6-hour period has been simulated, the model produces two records. The first is a card punch file of the acquired target list. This file is consistent with the input specifications for the Target/Event Deck described for the Blue Artillery Model and the Red Artillery Model. The second record is a printer listing of the acquired target list and a summary which presents an analysis of the input array and the acquired target list, by target category and size. Sample outputs are presented in Chapter VI.

TARGET ACQUISITION MODEL

CHAPTER II
GENERAL FLOW CHART




FIGURE II-1, Target Acquisition Model, General Flow Chart
(continued on next page)




FIGURE II-1, Target Acquisition Model, General Flow Chart
(continued on next page)




FIGURE II-1, Target Acquisition Model, General Flow Chart
(continued on next page)




FIGURE II-1, Target Acquisition Model, General Flow Chart
(continued on next page)




FIGURE II-1, Target Acquisition Model, General Flow Chart
(continued on next page)




FIGURE II-1, Target Acquisition Model, General Flow Chart
(continued on next page)




FIGURE II-1, Target Acquisition Model, General Flow Chart
(continued on next page)




FIGURE II-1, Target Acquisition Model, General Flow Chart
(continued on next page)




FIGURE II-1, Target Acquisition Model, General Flow Chart
(continued on next page)




FIGURE II-1, Target Acquisition Model, General Flow Chart
(continued on next page)




FIGURE 11-1, Target Acquisition Model, General Flow Chart
(continued on next page)




FIGURE 11-1, Target Acquisition Model, General Flow Chart
(continued on next page)




FIGURE 11-1, Target Acquisition Model, General Flow Chart
(concluded)

TARGET ACQUISITION MODEL

CHAPTER III
INPUT DATA SPECIFICATIONS

1. Standard Size and Radius Deck^{a/}

<u>Columns</u>	<u>Variable</u>	<u>Data Description</u>	<u>Format</u>
1	J	Combat sample activity level to which this card applies (1 ≤ J ≤ 4)	I1
2	K	Size of unit to which the data on this card applies ^{b/}	I1
3-6	JTSZ(J,K,1) ^{c/}	Average number of elements type one in a size K target at activity level J	I4
7-10	JTSZ(J,K,2)	Average number of elements type two in a size K target at activity level J	I4
---	-----	-----	--
23-26	JTSZ(J,K,6)	Average number of elements type six in a size K target at activity level J	I4
27-30	na	Not used	4X
31-36	ATRGR(J,K,1) ^{d/}	Average radius code of a size K target, activity level J, described as having element type one	I6
---	-----	-----	--
61-66	ATRGR(J,K,6)	Average radius code of a size K target, activity level J, described as having element type six	I6

a/ This deck must have 12 cards. These 12 cards are divided into four subdecks having three cards. Each subdeck carries data for one of four combat sample activity levels (for example; delay, defense, inactive, attack). Subdecks can have zero entries if the run does not address all four activity levels. Each subdeck has one card for data for each of three target sizes (see ^{b/} below).

b/ The model will estimate one of three sizes for acquired targets (these three sizes might be specified as platoon, company,

battalion, for example). The user specifies K on each card to indicate which of the three sizes applies to the data on the card.

c/ See note d/ in the Target Array Deck input specifications for an explanation of element types one through six.

d/ Radius codes for target sizes are integers $i = 1, 2, \dots, N$ which map radii 50 meters, 100 meters, ..., 50N meters.

2. Indicator Card^{a/}

<u>Columns</u>	<u>Variable</u>	<u>Data Description</u>	<u>Format</u>
1-4	INDER(1)	Line of sight function code applicable to sensor type one	I4
5-8	INDER(2)	Line of sight function code applicable to sensor type two	I4
---	-----	-----	--
29-32	INDER(8)	Line of sight function code applicable to sensor type eight	I4
---	-----	-----	--

a/ This card carries a code for each of the $N \geq 8$ sensors played in the simulation. The code, C = 1,5; for a sensor states which one of the five line of sight functions in the Line of Sight Probability Deck is applicable to that sensor.

3. Range Parameter Card^{a/}

<u>Columns</u>	<u>Variable</u>	<u>Data Description</u>	<u>Format</u>
1-5	RANGE(1)	Cut off distance of range band one (kilometers)	F5.0
6-10	RANGE(2)	Cut off distance of range band two (kilometers)	F5.0
---	-----	-----	----
71-75	RANGE(15)	Cut off distance of range band 15 (kilometers)	F5.0

a/ This card specifies information which defines range bands measuring distance from the forward edge of the battle area (FEBA). Subsequent input decks (probability of line of sight, coverage, and detection) are parameterized as a function of distance from the FEBA. This input card defines the 16 range bands to which the subsequent inputs are related. The model assumes that range band one extends from the FEBA to RANGE(1) kilometers from the FEBA. In general, range band I extends from RANGE(I-1) kilometers to RANGE(I) kilometers from the FEBA. Range band 16 extends from RANGE(15) kilometers to the rear of the target array.

4. Line of Sight Probability Deck^{a/}

<u>Columns</u>	<u>Variable</u>	<u>Data Description</u>	<u>Format</u>
1-2	PSIGHT(I,1)	Probability of line of sight in range band one	F2.2
3-4	PSIGHT(I,2)	Probability of line of sight in range band two	F2.2
---	-----	-----	----
31-32	PSIGHT(I,16)	Probability of line of sight in range band 16	F2.2

a/ This deck contains five cards. Each card carries 16 point entries of a probability function. The user might specify five different line of sight functions to be used by various sensors. For example, functions one through five might be specified as probability of line of sight for:

<u>Function</u>	<u>Description</u>
1	Observer (or sensor) at optimal vantage point
2	Observer (or sensor) at typical weapon position
3	Airborne sensor at 1,000 meter altitude
4	Line of sight infinite
5	Other function

Functions not mentioned on the indicator card can have all entries zero. The function described as "line of sight infinite" can be used by sensors (such as counter battery radar) where line of sight is irrelevant. Other function implies that a probability function other than line of sight can be entered in the deck. Counterbattery radar, for example, is independent of line of sight, but is a function of the probability that a target is firing.

5. Expected Coverage Deck^{a/}

<u>Columns</u>	<u>Variable</u>	<u>Data Description</u>	<u>Format</u>
1-4	PCOVER(I,1,K) ^{b/}	Expected number of sensors of type I, in range of targets in range band one, given combat sample type K	F4.0
5-8	PCOVER(I,2,K)	Expected number of sensors of type I, in range of targets in range band two, given combat sample type K	F4.0
---	-----	-----	----
61-64	PCOVER(I,16,K)	Expected number of sensors of type I, in range of targets in range band 16, given combat sample type K	F4.0

a/ This deck consists of at least eight subdecks, one for each sensor type played in the simulation (see note a/ of the Probability of Detection deck for discussion of the base case eight sensor types). Each subdeck contains four cards. The data on each card in the subdeck presents expected coverage by a sensor type at one of four combat sample activity levels. For example, activity level one (K = 1) may be defined as delay. If a particular sensor of the base case eight sensors is not being employed, its four card subdeck should have all zero entries. If a simulation run will address less than four combat sample activity levels (entered in variable JACT on each Combat Sample Day Heading Card in the runstream) those cards in each sensor type subdeck that are not needed should have all zero entries.

b/ Each entry expresses the expected number of sensors in range of a target as a function of range, sensor type and combat sample. See Chapter I for discussion of computation of expected sensor coverage (formula for A_{sb} in paragraph 6.b.(2)).

6. Probability of Detection Decks^{a/b/}

<u>Columns</u>	<u>Variable</u>	<u>Data Description</u>	<u>Format</u>
1-2	SREL(I,J,1)	Single element probability of detection for sensor type I detecting element type J located in range band one, given coverage, line of sight and terrain type (open, woods, town)	F2.2
---	-----	-----	----
31-32	SREL(I,J,16)	Single element probability of detection for sensor type I detecting element type J located in range band 16, given coverage, line of sight and terrain type (open, woods, town)	F2.2

a/ There must be one deck for each of the $N \geq 8$ sensor types played in the simulation. The user must assign data decks for the base case eight sensors, consistent with the following instructions:

Sensor type one must be the forward observer. Probabilities should be for daylight conditions. The model reduces the input probabilities by one-half for night periods.

Sensor type two must be a movement detection radar. Probabilities should assume the element is moving. The model does not play this sensor against stationary targets.

Sensor type three must be a movement detection radar. Sensor type two instructions also apply to sensor type three.

Sensor type four must be an observation aircraft operating from the friendly side of the FEBA. Probabilities should be for daylight conditions. The model does not play this sensor in night periods.

Sensor type five must be a photo reconnaissance sensor. Probabilities should be for daylight conditions. The model does not play this sensor in night periods.

Sensor type six must be an infrared photo reconnaissance sensor. Probabilities should be for night conditions. The model does not play this sensor in day periods.

Sensor type seven must be patrols (short range or long range). Probabilities should be for daylight conditions and should not vary with range. Probabilities for range bands in which patrols are not played should be zero. The model reduces the input probabilities by one-half for night periods.

Sensor type eight must be a counterbattery or countermortar sensor. Probabilities should assume the target is firing.

If the user does not wish to play one or more of the base case eight sensors, the probability entries in the appropriate decks should be zero.

b/ Each Probability of Detection Deck has six subdecks. Each subdeck has three cards which contain probability data for the sensor with respect to the six target element types (described in note d/ of the Target Array Deck input specifications). The three cards in the subdecks contain probabilities for the element in each of three environments: open, woods, town.

7. Combat Sample Day Heading Card^{a/}

<u>Columns</u>	<u>Variable</u>	<u>Data Description</u>	<u>Format</u>
1-40	WORDS(1)	Heading desired to identify output	10A4
41-45	IPERD(1) ^{b/}	Enter seed if simulation of 0000-0600 hours is desired	15
46-50	IPERD(2)	Enter seed if simulation of 0600-1200 hours is desired	15
51-55	IPERD(3)	Enter seed if simulation of 1200-1800 hours is desired	15
56-60	IPERD(4)	Enter seed if simulation of 1800-2400 hours is desired	15
61-65	JACT	Enter activity level code 1, 2, 3, or 4	15

a/ Runs may be stacked by successive sets of Combat Sample Day Heading Cards, Acquisition Clock Time Distribution Decks, Multiple Acquisition Distribution Decks and Target Array Decks.

b/ A seed is a five digit odd integer not divisible by five. It is used to begin a sequence of pseudorandom rectangular numbers. If simulation of a particular period of the day is not desired, enter bbbb0 in lieu of a seed.

8. Acquisition Clock Time Distribution Deck^{a/}

<u>Columns</u>	<u>Variable</u>	<u>Data Description</u>	<u>Format</u>
1-3	TIME(I,1)	Fraction of total acquisitions in period I which occur during the first 15 minutes	F3.3
4-6	TIME(I,2)	Fraction of total acquisitions in period I which occur during the first 30 minutes	F3.3
---	-----	-----	----
67-69	TIME(I,23)	Fraction of total acquisitions in period I which occur during the first 5 hours 45 minutes	F3.3

a/ This deck must have four cards; one card for each of the four six hour periods of a combat sample day. Each card contains the ordinate of the cumulative distribution of frequency of acquisition events during a particular six hour period. These ordinates should be taken at points 15 minutes, 30 minutes, ..., 5 hours 45 minutes, into the six hour period. This yields a total of 23 entries. The model sets the value of TIME(I,24) equal to 1.00 for all I. The user should override the F3.3 format and enter 1.0 if he wishes to close the distribution short of the last (24th) 15 minute interval.

9. Multiple Acquisition Distribution Deck^{a/}

<u>Columns</u>	<u>Variable</u>	<u>Data Description</u>	<u>Format</u>
1-5	FREQ(I,1)	Fraction of acquired units which will be acquired once in a six hour period	F5.0
6-10	FREQ(I,2)	Fraction of acquired units which will be acquired twice in a six hour period	F5.0
46-50	FREQ(I,10)	Fraction of acquired units which will be acquired ten times in a six hour period	F5.0

a/ This deck must have two cards. The first card contains data for night six hour periods. The second contains data for daytime six hour periods. Each card specifies the fraction of acquired units which will be engaged N times, N = 1,10. The sum of the entries on a card must obviously be 1.00.

10. Target Array Deck^{a/}

<u>Columns</u>	<u>Variable</u>	<u>Data Description</u>	<u>File set</u>
1-4	JTNBR ^{b/}	Four digit target identification number greater than 0 and less than 4,000	14
6-10	ICOUR ^{b/}	Six digit coordinates of target location without quadrant or grid square designator	16
11	JENVO	Enter "1" if target is all or partially in the open. Enter "0" otherwise	11
12	JLNVW	Enter "1" if target is all or partially in the woods. Enter "0" otherwise	11
13	JLNV1	Enter "1" if target is all or partially in a town. Enter "0" otherwise	11
14	JMOP	Enter "1" if target is persistent. Enter "2" if target is fleeting	11
15-16	ICATY	target category code	12
17-20	JFLBA	Distance from the target to the leading edge of the opposing force expressed in hectometers	14
21	J1YPE	Type elements at risk to acquisition other than troops.	11
22-24	JPER	Number of troops at risk to acquisition	13
25-26	JNLL	Number elements of type J1YPE at risk to acquisition	12
27-29	100B(1) ^{b/s/}	Number of troops at risk to artillery fire	13
30-31	100B(2) ^{b/s/}	Number of tanks at risk to artillery fire	12

<u>Columns</u>	<u>Variable</u>	<u>Data Description</u>	<u>Format</u>
32-33	IRAD ^{b/}	Target radius code where IRAD = 1,10 maps target radii of 50 meters, 100 meters, ..., 500 meters	12
34-35	100B(3) ^{b/c/}	Number of elements of type A3 at risk to artillery	12
36-37	100B(4) ^{b/c/}	Number of elements of type A4 at risk to artillery	12
-----	-----	-----	--
68-69	100B(20) ^{b/c/}	Number of elements of type A20 at risk to artillery	12

a/ This deck contains one card for each target at risk to acquisition. Since the model is designed to address a static array, the targets should be described in that condition in which it is most likely to be acquired. The last card in the deck must have a "9" punched in columns 1 through 80.

b/ This data is not used by TAM. It is passed through the model for subsequent use by models which use the output acquired target list as input.

c/ This data array permits transmission through the model of target inventories of troops, tanks and 18 other items of equipment (A3, A4, ..., A20) for each target.

d/ The model recognizes six types of elements (equipment). The description and code number of these six types are:

<u>Element</u>	<u>Code</u>
Troops in combat units	1
Trucks, vans, service vehicles	2
Tanks, armored vehicles	3
Artillery, missiles, mortars; subject to counterbattery or countermortar devices	4
Troops in noncombat units	5
Heavy weapons not included above	6

The user must specify one of the above codes for each target. The code selected should be for the type element which best describes the element most likely to be detected, other than troops. The model always attempts to acquire troops in addition to the specified type element. Codes "1" and "5" should not be specified for a target unless troops is the only detectable element type.

11. Run Stop Card

<u>Columns</u>	<u>Variable</u>	<u>Data Description</u>	<u>Format</u>
1-80	JACT	Enter a "9" in each column	1615

TARGET ACQUISITION MODEL
CHAPTER IV
DICTIONARY OF PRINCIPAL VARIABLES

IV-1

<u>Variable</u>	<u>Type</u>	<u>Definition</u>
ATRAD	INTEGER	Variable computed as 100 times the target radius code plus the estimated target
ATRGR(4,3,6)	INTEGER	Typical radius (code) of a target described as having elements type K, unit size J, at combat sample activity level I
BAND	ALPHA	DATA to 6HBRANGE
CUMA	REAL	Sum of JENVO and JENVT
CUMB	REAL	Sum of JENVO, JENW and JENVT
CUMTOT	REAL	Same as CUMB
D	REAL	Constant set to 1.00
DPROB(20)	REAL	Probability of acquisition for the Ith sensor that detected at least one element
EMI	REAL	Average number of nonarmor targets acquired over the replications
FMT	REAL	Average number of armor targets acquired over the replications
FREQ(2,10)	REAL	Array containing multiple acquisitions distributions: see input specifications
IAD	INTEGER	Disc address of target array data
ICATY	INTEGER	Target category code
ICORR	INTEGER	Target coordinates (not used by TAM)
IFREQ(10)	INTEGER	Array containing the number of acquired targets which will be acquired I times
IN	INTEGER	Device code of the card reader

<u>Variable</u>	<u>Type</u>	<u>Definition</u>
INDER(20)	INTEGER	Array containing line of sight function code for sensor type I (see input specifications)
IO	INTEGER	Device code of the line printer
IOOB(20)	INTEGER	Array used to transmit input inventory of element type I (not used by I&M)
IP	INTEGER	Device code of card punch
IPERD(4)	INTEGER	Array containing input random seeds (see input specifications)
IRAD	INTEGER	Target true radius code
ITARG(1000)	INTEGER	Array containing an ordered list of the identification numbers of the target acquired on the Ith line of the acquired target list
ITIME(1000)	INTEGER	Array containing the clock time of occurrence of the Ith acquisition
JACT	INTEGER	Code number of the combat sample array being addressed in the current simulation
JENVO	INTEGER	Open environment code
JENVT	INTEGER	Town environment code
JENVW	INTEGER	Woods environment code
JFEBA	INTEGER	Distance from the target to the FEBA in hectometers
JMOB	INTEGER	Target dwell time or mobility code
JMOST	INTEGER	Index of the sensor which has detected the most elements in an acquired target
JNEL	INTEGER	Number of detectable elements in a target

<u>Variable</u>	<u>Type</u>	<u>Definition</u>
JPER	INTEGER	Number of detectable troops in a target
JSEED	INTEGER	Updated random seed
JSEN(20)	INTEGER	Array containing a list of the sensors which have detected a specific target
JTARG	INTEGER	Estimated number of elements in an acquired target
JTIME	INTEGER	Six hour period of the day for the current simulation
JTIDR	INTEGER	Target identification number (not used by TAM)
JTSZ(4,3,6)	INTEGER	Number of target elements K typically found in a unit of size J at activity level I
JTYPE	INTEGER	Type element likely to be detected in current target
K	INTEGER	Time of day code for current simulation
KAD	INTEGER	Disc address of information about the acquired targets
KIX	INTEGER	Code used to indicate that non-troop elements have not been detected and that troop detection should be simulated next
KKKK	INTEGER	Minimum replications permitted (set to 25 in the model)
KLGP	INTEGER	Number of observed tanks and armored vehicles in an acquired target
KNEL	INTEGER	Number of tanks and armored vehicles in acquired targets in which at least one tank or armored vehicle has been observed

<u>Variable</u>	<u>Type</u>	<u>Definition</u>
KOFF	INTEGER	Cutoff code to indicate that the previous replication is acceptable and should be re-run for record
KOUNT	INTEGER	Total number of acquisitions occurring in a six hour period (including multiple acquisitions)
KSEED	INTEGER	Random seed used only in the record replication
KSEN(20)	INTEGER	Number of elements of a type detected by the <u>I</u> th detecting sensor
LIST(1000)	INTEGER	Array containing the identification number of the array units which have actually been acquired
LSEED	INTEGER	Value of JSEED at the start of the current iteration
MSEN	INTEGER	Code indicating whether an observing or a remote sensor has acquired a target
N	INTEGER	Current target range band index
NACQ	INTEGER	Number of distinct targets acquired during the current iteration
NSRDET	INTEGER	Number of elements of a type actually detected in an acquired target
NINF	INTEGER	Number of nonarmor units detected during the current iteration
NOSEN	INTEGER	Number of sensor types played in the simulation (set to eight in the model)
NSEN	INTEGER	Number of sensor types that have acquired a target

<u>Variable</u>	<u>Type</u>	<u>Definition</u>
NTHREP	INTEGER	Counter index of the current iteration or replication
NTNK	INTEGER	Number of armor units detected during the current iteration
NUFX	INTEGER	Index which causes read of Target Array Deck to occur only once per Combat Sample Activity Level Deck
NUMNUT(16)	INTEGER	Array where the <u>I</u> th element is equal to <u>I</u>
P	REAL	Probability of detecting one element, given line of sight, coverage and acquisition
PCAV	REAL	Attrited expected coverage across the front
PCOV	REAL	Expected coverage for the particular sensor being simulated
PCOVER(20,16,4)	REAL	Expected coverage by sensor <u>I</u> of a target in range band <u>J</u> from combat sample array <u>K</u> (see input specifications)
PF	REAL	Probability that a target will be detected by a given sensor
PINK	REAL	Variable used to estimate the range from the covering sensors to a target
PROB	REAL	Average probability of detecting one element, averaged over the target environment
PSHIP	REAL	Variable whose value is the attrited probability of line of sight for a particular covering sensor
PSIGHT(5,16)	REAL	Probability of line of sight, function <u>I</u> , at range band <u>J</u>

<u>Variable</u>	<u>Type</u>	<u>Definition</u>
PT1	REAL	Probability of detecting one element in the open
PT2	REAL	Probability of detecting one element in the woods
PT3	REAL	Probability of detecting one element in a town
PX1	REAL	Probability that a target is size one (small)
PX2	REAL	Probability that a target is size two (medium)
PX3	REAL	Probability that a target is size three (large)
R	REAL	Pseudorandom rectangular variate
RANGE(15)	REAL	Maximum distance from FEBA for range band I, in kilometers
RFEBA	REAL	Distance from a target to the FEBA in kilometers
RREL(3,16)	REAL	Array containing the probabilities of detecting one element by a given sensor for elements in environment I, range band J
SREL(20,6,48)	REAL	Array containing input probabilities of detection for sensor I against element type J (see input specifications)
TIME(4,24)	REAL	Array containing clock time distribution in six hour period I, 15 minute period J (see input specifications)
TOTAL	ALPHA	DATA to 6HbTOTAL
TOTI	REAL	Total nonarmor targets acquired over the replications

<u>Variable</u>	<u>Type</u>	<u>Definition</u>
TOTT	REAL	Total armor targets acquired over the replications
WORDS(10)	ALPHA	Array containing input heading data
X	REAL	Pseudorandom rectangular variate
XXX	REAL	Pseudorandom rectangular variate

TARGET ACQUISITION MODEL

CHAPTER V
SAMPLE INPUTS LISTING

V-1

1. General. - This chapter contains a complete set of sample inputs which may be used as a program run test deck. Note that the listing contains comments which begin with asterisks in card columns one through five. These comments are not part of the actual sample inputs. The user should refer to Chapter III for detailed input specifications. The following explanations are provided to assist the user in interpreting the situation simulated in the sample data.

2. Explanation of Sample Inputs

a. Standard Size and Radius Deck. - The target force has been analyzed and it has been decided to describe target sizes as either platoon, company or battalion. The first card in the deck states that for combat sample array one (acquiring force delays), small targets (platoons) described as having element type three (tanks, armor), typically have four such elements. These targets are normally in a 50 meter radius area. The last card in the deck carries similar information for large targets (battalions) in combat sample array four (acquiring force attacks).

b. Indicator Card. - Sensor one is subject to line of sight function one (the entry in column four is "1").

c. Range Parameter Card. - The range bands to which subsequent data applies are: band one from FEBA to 100 meters, band two from 100 meters to 200 meters, ..., band 16 from 15 kilometers to rear or total array.

d. Line of Sight Probability Deck. - Five line of sight functions are presented. The probability of line of sight from an observer (or sensor) at ground level to a target element at ground level within range band one (100 meter) is .66 (the entry in columns 1-2 of card one is 66).

e. Expected Coverage Deck. - The deck has eight subdecks of four cards each. The last three cards in each subdeck are zero because the run only calls for activity level one (delay). The first card in subdeck one carries expected coverages for sensor one (forward observers). The expected coverage for this sensor type in range band four is 2.2 (the fourth entry on the card is 2.2). This means that the range and density of this type sensor implies that on the average, a target located in range band four will be at risk of detection by 2.2 sensors of this type.

f. Probability of Detection Decks - There are eight 18 card such decks in the sample. The first three cards in the first deck carry 16 range dependent probabilities of detection for forward

observers detecting elements type one (troops) in the open, woods, or town, respectively.

g. Combat Sample Day Heading Card. - The heading includes the asterisks. Only one seed is provided (97137). The seed '1' entered in the second five digit field, indicating that only the second time period (0600-1200 hours) is to be simulated. The Target Array Deck input should be simulated using the data relevant to combat sample activity level one (delay).

h. Acquisition Clock Time Distribution Deck. - The entries for time periods one, three and four are zero (the run will not address these time periods). The first three digit entry on card two directs that 3.7 percent of the acquisitions that occur will occur during the first 15 minutes. The second entry implies that 7.9 percent will occur in the first 30 minutes.

i. Multiple Acquisition Distribution Deck. - The entries for hours of darkness (card one) are zero because the run will only address the morning (daylight) period. The second entry on card two implies that 25.1 percent of the units acquired, will be acquired twice.

j. Target Array Deck. - There are 772 individual targets in the array. The tenth target has identification number 10 (it need not be 10). Target 10 is located at coordinates 806276. Target 10 is in the open, is fleeting, and has a category code of "1". Target 10 is 16 hectometers from the FEBA and has principle elements of type three (tanks and armored vehicles). Target 10 has 120 troops at risk of detection and 13 tanks and armored vehicles. The same number of troops and vehicles are at risk to artillery. The target is in a 250 meter radius circle.

3. Results. - The listing which results from executing the sample input deck is contained in Chapter VI. The user cannot expect to duplicate the run because of the stochastic nature of the process.

***** THOSE LINES IN THE BELOW LISTING OF SAMPLE INPUTS WHICH BEGIN
***** WITH ASTERISMS ARE COMMENTS ONLY AND ARE NOT PART OF THE ACTUAL
***** INPUT DATA. THE MODEL RUN OUTPUT WHICH RESULTS FROM THESE
***** INPUT DATA IS SHOWN IN SECTION VI OF THIS REPORT.

● ●

STANDARD SIZE 142 84-100

11	26607000	0006	002600030000	1	2	1	1
12	26607000	0007	002600030000	1	2	1	1
13	26607000	0008	002600030000	1	2	1	1
14	26607000	0009	002600030000	1	2	1	1
15	26607000	0010	002600030000	1	2	1	1
16	26607000	0011	002600030000	1	2	1	1
17	26607000	0012	002600030000	1	2	1	1
18	26607000	0013	002600030000	1	2	1	1
19	26607000	0014	002600030000	1	2	1	1
20	26607000	0015	002600030000	1	2	1	1
21	26607000	0016	002600030000	1	2	1	1
22	26607000	0017	002600030000	1	2	1	1
23	26607000	0018	002600030000	1	2	1	1
24	26607000	0019	002600030000	1	2	1	1
25	26607000	0020	002600030000	1	2	1	1
26	26607000	0021	002600030000	1	2	1	1
27	26607000	0022	002600030000	1	2	1	1
28	26607000	0023	002600030000	1	2	1	1
29	26607000	0024	002600030000	1	2	1	1
30	26607000	0025	002600030000	1	2	1	1
31	26607000	0026	002600030000	1	2	1	1
32	26607000	0027	002600030000	1	2	1	1
33	26607000	0028	002600030000	1	2	1	1
34	26607000	0029	002600030000	1	2	1	1
35	26607000	0030	002600030000	1	2	1	1
36	26607000	0031	002600030000	1	2	1	1
37	26607000	0032	002600030000	1	2	1	1
38	26607000	0033	002600030000	1	2	1	1
39	26607000	0034	002600030000	1	2	1	1
40	26607000	0035	002600030000	1	2	1	1
41	26607000	0036	002600030000	1	2	1	1
42	26607000	0037	002600030000	1	2	1	1
43	26607000	0038	002600030000	1	2	1	1
44	26607000	0039	002600030000	1	2	1	1
45	26607000	0040	002600030000	1	2	1	1
46	26607000	0041	002600030000	1	2	1	1
47	26607000	0042	002600030000	1	2	1	1
48	26607000	0043	002600030000	1	2	1	1
49	26607000	0044	002600030000	1	2	1	1
50	26607000	0045	002600030000	1	2	1	1

205435 8 JUL 69 12 44 PM 1000

100

CONFIDENTIAL 35479 0000

1. 2. 3. 4. 5. 6. 7. 8. 9. 10. 11. 12. 13. 14. 15. 16. 17. 18. 19. 20. 21. 22. 23. 24. 25. 26. 27. 28. 29. 30. 31. 32. 33. 34. 35. 36. 37. 38. 39. 40. 41. 42. 43. 44. 45. 46. 47. 48. 49. 50. 51. 52. 53. 54. 55. 56. 57. 58. 59. 60. 61. 62. 63. 64. 65. 66. 67. 68. 69. 70. 71. 72. 73. 74. 75. 76. 77. 78. 79. 80. 81. 82. 83. 84. 85. 86. 87. 88. 89. 90. 91. 92. 93. 94. 95. 96. 97. 98. 99. 100.

[illegible][illegible]

SAOSVIS 0 203 0030 3903300 2310501
.....

| | | | |
|-----|---|---|---|
| 1 | 0 | 0 | 0 |
| 2 | 0 | 0 | 0 |
| 3 | 0 | 0 | 0 |
| 4 | 0 | 0 | 0 |
| 5 | 0 | 0 | 0 |
| 6 | 0 | 0 | 0 |
| 7 | 0 | 0 | 0 |
| 8 | 0 | 0 | 0 |
| 9 | 0 | 0 | 0 |
| 10 | 0 | 0 | 0 |
| 11 | 0 | 0 | 0 |
| 12 | 0 | 0 | 0 |
| 13 | 0 | 0 | 0 |
| 14 | 0 | 0 | 0 |
| 15 | 0 | 0 | 0 |
| 16 | 0 | 0 | 0 |
| 17 | 0 | 0 | 0 |
| 18 | 0 | 0 | 0 |
| 19 | 0 | 0 | 0 |
| 20 | 0 | 0 | 0 |
| 21 | 0 | 0 | 0 |
| 22 | 0 | 0 | 0 |
| 23 | 0 | 0 | 0 |
| 24 | 0 | 0 | 0 |
| 25 | 0 | 0 | 0 |
| 26 | 0 | 0 | 0 |
| 27 | 0 | 0 | 0 |
| 28 | 0 | 0 | 0 |
| 29 | 0 | 0 | 0 |
| 30 | 0 | 0 | 0 |
| 31 | 0 | 0 | 0 |
| 32 | 0 | 0 | 0 |
| 33 | 0 | 0 | 0 |
| 34 | 0 | 0 | 0 |
| 35 | 0 | 0 | 0 |
| 36 | 0 | 0 | 0 |
| 37 | 0 | 0 | 0 |
| 38 | 0 | 0 | 0 |
| 39 | 0 | 0 | 0 |
| 40 | 0 | 0 | 0 |
| 41 | 0 | 0 | 0 |
| 42 | 0 | 0 | 0 |
| 43 | 0 | 0 | 0 |
| 44 | 0 | 0 | 0 |
| 45 | 0 | 0 | 0 |
| 46 | 0 | 0 | 0 |
| 47 | 0 | 0 | 0 |
| 48 | 0 | 0 | 0 |
| 49 | 0 | 0 | 0 |
| 50 | 0 | 0 | 0 |
| 51 | 0 | 0 | 0 |
| 52 | 0 | 0 | 0 |
| 53 | 0 | 0 | 0 |
| 54 | 0 | 0 | 0 |
| 55 | 0 | 0 | 0 |
| 56 | 0 | 0 | 0 |
| 57 | 0 | 0 | 0 |
| 58 | 0 | 0 | 0 |
| 59 | 0 | 0 | 0 |
| 60 | 0 | 0 | 0 |
| 61 | 0 | 0 | 0 |
| 62 | 0 | 0 | 0 |
| 63 | 0 | 0 | 0 |
| 64 | 0 | 0 | 0 |
| 65 | 0 | 0 | 0 |
| 66 | 0 | 0 | 0 |
| 67 | 0 | 0 | 0 |
| 68 | 0 | 0 | 0 |
| 69 | 0 | 0 | 0 |
| 70 | 0 | 0 | 0 |
| 71 | 0 | 0 | 0 |
| 72 | 0 | 0 | 0 |
| 73 | 0 | 0 | 0 |
| 74 | 0 | 0 | 0 |
| 75 | 0 | 0 | 0 |
| 76 | 0 | 0 | 0 |
| 77 | 0 | 0 | 0 |
| 78 | 0 | 0 | 0 |
| 79 | 0 | 0 | 0 |
| 80 | 0 | 0 | 0 |
| 81 | 0 | 0 | 0 |
| 82 | 0 | 0 | 0 |
| 83 | 0 | 0 | 0 |
| 84 | 0 | 0 | 0 |
| 85 | 0 | 0 | 0 |
| 86 | 0 | 0 | 0 |
| 87 | 0 | 0 | 0 |
| 88 | 0 | 0 | 0 |
| 89 | 0 | 0 | 0 |
| 90 | 0 | 0 | 0 |
| 91 | 0 | 0 | 0 |
| 92 | 0 | 0 | 0 |
| 93 | 0 | 0 | 0 |
| 94 | 0 | 0 | 0 |
| 95 | 0 | 0 | 0 |
| 96 | 0 | 0 | 0 |
| 97 | 0 | 0 | 0 |
| 98 | 0 | 0 | 0 |
| 99 | 0 | 0 | 0 |
| 100 | 0 | 0 | 0 |

| | | | |
|-----------------|--------|---------|-----------|
| 37886350100115 | 806 | 0 1 | 8 0 1 |
| 38884355100115 | 856 | 0 1 | 5 0 1 |
| 39871361100115 | 346 | 0 1 | 8 0 1 |
| 40883361100115 | 896 | 0 1 | 5 0 1 |
| 41944338100115 | 986 | 0 1 | 8 0 1 |
| 42937342100115 | 946 | 0 1 | 5 0 1 |
| 43904382010112 | 1182 | 3916 | 39 0 1 |
| 44914347010115 | 936 | 0 3 | 15 0 1 |
| 45917345010115 | 916 | 0 3 | 7 0 1 |
| 46917341010115 | 886 | 0 3 | 1 0 1 |
| 47897279100115 | 226 | 0 2 | 16 0 1 |
| 48908274100115 | 246100 | 2 | 8 0 1 |
| 49879300100115 | 336 | 0 2 | 9 0 1 |
| 50899308110115 | 404 | 71 | 5 71 0 2 |
| 51913365010110 | 1072 | 7423 | 74 0 1 |
| 529173520101 4 | 986 | 41 | 5 41 0 1 |
| 53915309001112 | 592109 | 46109 | 0 2 |
| 54918367 101110 | 10 | 218 | 99214 0 2 |
| 559232531002 1 | 1331 | 2013120 | 3 2 |
| 569522441002 1 | 1831 | 2013120 | 3 5 |
| 579442561002 1 | 2431 | 1814118 | 4 5 |
| 58933261100115 | 246 | 30 | 1 30 0 1 |
| 59954250100115 | 246 | 20 | 3 20 0 1 |
| 60918259100115 | 156 | 0 2 | 8 0 1 |
| 61948273100115 | 416 | 0 1 | 10 0 1 |
| 62945277100115 | 446 | 0 1 | 5 0 1 |
| 639442690101 3 | 372 | 7019 | 70 0 1 |
| 649692561012 1 | 3831 | 2013120 | 3 5 |
| 659902471102 1 | 3931 | 2013120 | 3 5 |
| 669962571102 1 | 4931 | 1814118 | 4 5 |
| 67985263100115 | 526 | 30 | 3 30 0 1 |
| 68971261100115 | 436 | 20 | 3 20 0 1 |
| 69984252110115 | 416 | 0 2 | 8 0 1 |
| 70993269100115 | 596 | 0 1 | 10 0 1 |
| 71980268100115 | 536 | 0 1 | 5 0 1 |

| | | | | |
|-----|---------------|------|---------|----------|
| 72 | 02610101 3 | 572 | 7019 | 70 0 2 |
| 73 | 79422951102 1 | 583 | 013120 | 3 3 |
| 74 | 7712770102 1 | 5831 | 2013120 | 3 5 |
| 75 | 82820102 1 | 8431 | 1814113 | 4 5 |
| 76 | 7272288110115 | 676 | 30 3 | 30 0 1 |
| 77 | 142294101115 | 916 | 20 3 | 20 0 1 |
| 78 | 985276110115 | 536 | 0 2 | 8 0 1 |
| 79 | 6298100115 | 926 | 0 1 | 10 0 1 |
| 80 | 992295100115 | 836 | 0 1 | 5 0 1 |
| 81 | 19852990101 3 | 832 | 6617 | 56 0 2 |
| 82 | 0306011112 | 972 | 4312 | 39 1 1 |
| 83 | 939279100115 | 436 | 0 1 | 7 0 1 |
| 84 | 8284100115 | 476 | 0 1 | 7 0 1 |
| 85 | 932268100115 | 306 | 0 1 | 7 0 1 |
| 86 | 957266100115 | 406 | 0 1 | 4 0 1 |
| 87 | 8268100115 | 616 | 0 1 | 7 0 1 |
| 88 | 9273100115 | 716 | 0 1 | 4 0 1 |
| 89 | 969266100115 | 476 | 0 1 | 7 0 1 |
| 90 | 969272100115 | 516 | 0 1 | 4 0 1 |
| 91 | 995114100115 | 1016 | 0 1 | 8 0 1 |
| 92 | 967303100115 | 746 | 0 1 | 5 0 1 |
| 93 | 77329100115 | 1056 | 0 1 | 8 0 1 |
| 94 | 985335100115 | 1146 | 0 1 | 5 0 1 |
| 95 | 996339100115 | 1246 | 0 1 | 8 0 1 |
| 96 | 4331100115 | 1146 | 0 1 | 5 0 1 |
| 97 | 1432100112 | 1152 | 7916 | 39 0 2 |
| 98 | 18310110115 | 1076 | 15 | 3 15 0 2 |
| 99 | 23309010115 | 1096 | 0 3 | 7 0 1 |
| 100 | 17305010115 | 1036 | 0 3 | 7 0 2 |
| 101 | 939288100115 | 526 | 0 2 | 16 0 1 |
| 102 | 7976259110115 | 526 | 0 2 | 9 0 1 |
| 103 | 15280110115 | 706 | 0 2 | 8 0 1 |
| 104 | 949281100115 | 516 | 71 | 6 71 0 1 |
| 105 | 31307010110 | 1112 | 7424 | 74 0 2 |

1069823120101 4 923 41 6 41 0 1
10795130400112 71210932109 0 2
108978330010110 114221499214 0 2
1099254130101 3 155311513115 3 5
1109624161102 3 1753 013115 3 3
1119734771102 3 2043 014118 4 3
112943425110115 1736 50 6 50 0 1
113951417010115 1716 18 4 18 0 1
114956427100115 1816 0 1 10 0 1
115974423100115 1826 0 1 5 0 1
1169634290011 3 1872 7019 70 0 2
117 130310101 3 211311513115 3 5
119 354280101 3 219311513115 3 5
119 403951102 3 1943 014118 4 3
120 48437100115 2356 50 6 50 0 1
121996392010115 1726 18 4 18 0 1
122 29436100115 2236 0 1 10 0 1
123 49452100115 2476 0 1 5 0 1
124 434520011 3 2442 7019 70 0 1
125 423480101 3 153311513115 3 1
126 583480101 3 161311513115 3 5
127 683830102 3 1953 014118 4 3
128 62374110115 1856 50 6 50 0 2
129 57366110115 1766 18 4 18 0 1
130 53355100115 1646 0 1 10 0 1
131 36359100115 1506 0 1 5 0 1
132 433530011 3 1622 7019 70 0 3
133 5346900112 2632 4312 39 1 2
134947430100115 1806 0 1 7 0 1
13594547100115 1946 0 1 4 0 1
136973412100115 1786 0 1 7 0 1
137976432100115 1956 0 1 4 0 1
138 15374100115 1626 0 1 7 0 1
139 61379100115 1896 0 1 4 0 1
140 38435100115 2276 0 1 7 0 1

141 46443100115 2386 0 1 4 0 1
142 45 27100115 2246 0 1 8 0 1
143 50418100115 2196 0 1 5 0 1
144 41450100115 2486 0 1 6 0 1
145 54461100115 2586 0 1 5 0 1
146 33470100115 2556 0 1 8 0 1
147 48468100115 2596 0 1 5 0 1
148 60430010110 2302 5916 39 0 1
149 81399110115 2166 29 9 29 0 1
150 0405010115 1996 34 6 34 0 2
151 52403100115 2054 71 6 71 0 2
152907445091110 2152 7423 74 0 2
153 983821101 4 2103 41 3 41 0 1
154 35464001112 252210933109 0 1
155 43499010110 286221498214 0 1
1569034190101 6 1873 4310 4310 3
1579984190101 6 1943 4310 4310 3
158 04130101 6 1983 4310 4310 2
159 19417110213 2042 011 39 1 2
160 604171102 8 2223 010 310 3
161 153910101 6 1783 4310 4310 3
162 243860101 6 1783 4310 4310 2
163 31389010112 1842 3912 39 1 2
164 744340101 6 2443 4310 4310 2
165 814330101 6 2453 4310 4310 2
166 904340101 6 2513 4310 4310 2
167 7844010112 2512 3912 39 1 2
168288413100115 1856 0 1 7 0 1
169985406100115 1776 0 1 9 0 1
170999429100115 2056 0 1 7 0 1
171993431100115 2026 0 1 4 0 1
172 18405100115 1916 0 1 7 0 1
173 26405100115 1976 0 1 4 0 1
174122445100115 2776 0 1 7 0 1
175131446100115 2936 0 1 4 0 1

176152463110115 3076 0 1 8 0 1
177130467100115 3016 0 1 5 0 1
178 78418100115 2306 0 1 8 0 1
179 64431100115 2366 0 1 5 0 1
180972508100115 2626 0 1 8 0 1
181566523100115 2756 0 1 5 0 1
182114458001112 2842 3916 39 0 1
183 624270101 4 2316 41 6 4 1 0 1
184 70425001112 233211027110 0 2
185125450010110 283220078200 0 4
186539406010112 268215613156 0 4
187 86454110112 268215613156 0 3
188 142451102 4 453 0 4 26 0 1
189 262461102 4 573 0 3 18 0 1
190 473071102 4 1103 0 4 26 0 1
191 372801102 4 903 0 3 18 0 1
1929863640101 3 1412 6414 64 0 2
19395374110213 1542 016 70 0 2
194959362010110 127212437124 0 1
195970385001110 1522 7819 78 0 1
196991353001110 1332 5629 56 0 1
197967360001110 129210179101 0 2
198 24412010110 203214844148 0 3
199 99461010110 280210226102 0 2
200941371001110 1262 8663 86 0 3
201 0403001110 1832 5648 56 0 1
202 12363001110 1512 5648 56 0 2
203 47 45001110 1392 7163 71 0 1
205 90415010110 235211235112 0 1
206 25430010110 2172 8114 81 0 2
207985468101110 2312 37 6 37 0 2
208 5424001112 2042 8517 85 0 2
209865305010110 312 0 2 19 0 1
210945272010110 402 0 3 23 0 1

211 741401010110 1952 8318 83 0 2
212 46419010112 216216019160 0 1
213911320100112 682 6016 60 0 2
214913315100115 624 63 6 63 0 2
215944356110713 1142 0 9 63 0 2
216915332110211 872 0 9 63 0 2
217 5349100112 1382 6016 60 0 2
218 8345100115 1374 63 6 63 0 2
219981292110213 742 0 8 63 0 2
220 0309110213 1082 0 8 63 0 2
221486324010112 602 8020 80 0 2
222879323100115 544 75 6 75 0 2
223880330100115 614 75 6 75 0 2
224004330100115 634 75 6 75 0 2
225104485010112 3042 9524 95 0 2
226 93492110115 3084 33 4 33 0 2
227116489110115 3144 33 4 33 0 2
228996288010112 792 7316 73 0 2
229990278100115 664 56 6 56 0 1
230998278100115 714 56 6 56 0 1
231 5278100115 734 56 6 56 0 1
232944309001112 732 5516 55 0 2
233900315001115 566 29 9 29 0 2
234982281010115 566 29 9 29 0 2
235998272101115 676 29 9 29 0 1
236980477001112 233214841148 0 2
237933370100115 1216 0 1 16 0 1
238556382100115 1436 0 1 5 0 1
239908354100115 956 0 1 8 0 1
2409895364100115 986 0 1 5 0 1
241909416100115 1506 0 1 8 0 1
242940406100115 1566 0 1 5 0 1
243 30325100115 1276 0 1 16 0 1
244 46341100115 1496 0 1 5 0 1

| | | | | | | |
|------------------|------|-------|------|----|---|---|
| 2459663325100115 | 996 | 0 | 1 | 8 | 0 | 1 |
| 246989326100115 | 1096 | 0 | 1 | 5 | 0 | 1 |
| 24729352100115 | 1526 | 0 | 1 | 8 | 0 | 1 |
| 24819356100115 | 1516 | 0 | 1 | 5 | 0 | 1 |
| 24916394100115 | 1686 | 0 | 1 | 16 | 0 | 1 |
| 250975397100115 | 1566 | 0 | 1 | 5 | 0 | 1 |
| 251965453100115 | 2136 | 1 | 1 | 8 | 0 | 1 |
| 252963470100115 | 2226 | 0 | 1 | 5 | 0 | 1 |
| 2535449100115 | 2246 | 0 | 1 | 8 | 0 | 1 |
| 25471455100115 | 2376 | 0 | 1 | 5 | 0 | 1 |
| 255107488100115 | 3086 | 0 | 1 | 16 | 0 | 1 |
| 25692472100115 | 2876 | 0 | 1 | 5 | 0 | 1 |
| 25759449100115 | 2476 | 0 | 1 | 8 | 0 | 1 |
| 258110451100115 | 2766 | 0 | 1 | 5 | 0 | 1 |
| 25959389100115 | 1966 | 0 | 1 | 8 | 0 | 1 |
| 26037376100115 | 1756 | 0 | 1 | 5 | 0 | 1 |
| 261841473110112 | 2132 | 4227 | 42 | 0 | 2 | |
| 26233746601115 | 2056 | 29 | 6 | 25 | 0 | 1 |
| 263944472010115 | 2196 | 29 | 6 | 29 | 0 | 1 |
| 264955455110213 | 2052 | 0 | 9 | 79 | 0 | 2 |
| 265946467100115 | 2116 | 28 | 6 | 28 | 0 | 1 |
| 266921389001112 | 1312 | 8020 | 80 | 0 | 1 | |
| 267919394100115 | 1354 | 75 | 6 | 75 | 0 | 1 |
| 268913390100115 | 1294 | 75 | 6 | 75 | 0 | 1 |
| 269914386100115 | 1264 | 75 | 6 | 75 | 0 | 2 |
| 27085390100112 | 2122 | 8020 | 80 | 0 | 2 | |
| 27182386100115 | 2064 | 75 | 6 | 75 | 0 | 2 |
| 27271366110213 | 1812 | 0 | 8 | 75 | 0 | 2 |
| 27336325100115 | 1314 | 75 | 6 | 75 | 0 | 1 |
| 27435411110110 | 2072 | 1284 | 128 | 0 | 8 | |
| 275922513110115 | 2664 | 17620 | 176 | 0 | 4 | |
| 3013822110029 | 143 | 013 | 3510 | 4 | | |
| 60117813110029 | 143 | 013 | 3510 | 4 | | |
| 3024170211029 | 103 | 013 | 3510 | 4 | | |
| 60219111811029 | 103 | 013 | 3510 | 4 | | |

| | | | | |
|-----------------|-----|------|------|---|
| 303482810028 | 303 | 013 | 010 | 5 |
| 60318814610028 | 303 | 013 | 010 | 5 |
| 30454229010112 | 292 | 6216 | 62 | 1 |
| 604194139010112 | 292 | 6216 | 62 | 1 |
| 3056720601029 | 183 | 013 | 3510 | 4 |
| 60520711601029 | 183 | 013 | 3510 | 4 |
| 3069019701029 | 223 | 013 | 3510 | 5 |
| 60623010701029 | 223 | 013 | 3510 | 5 |
| 3078721011029 | 313 | 013 | 3510 | 5 |
| 60722712011029 | 313 | 013 | 3510 | 5 |
| 30887225100212 | 442 | 016 | 62 | 1 |
| 608227135100212 | 442 | 016 | 62 | 1 |
| 3097227210028 | 763 | 013 | 010 | 5 |
| 60921218210028 | 763 | 013 | 010 | 5 |
| 3109424801029 | 673 | 013 | 3510 | 4 |
| 61023415801029 | 673 | 013 | 3510 | 4 |
| 31110925901029 | 853 | 013 | 3510 | 4 |
| 61124916901029 | 853 | 013 | 3510 | 4 |
| 31250269010112 | 832 | 7515 | 66 | 1 |
| 612230179010112 | 832 | 7515 | 66 | 1 |
| 31359217100115 | 226 | 0 | 1 | 7 |
| 61319917100115 | 226 | 0 | 1 | 7 |
| 31440236100115 | 286 | 0 | 1 | 4 |
| 614180146100115 | 286 | 0 | 1 | 4 |
| 31553241100115 | 396 | 0 | 1 | 7 |
| 615193151100115 | 396 | 0 | 1 | 7 |
| 31667236100115 | 446 | 0 | 1 | 4 |
| 616207146100115 | 446 | 0 | 1 | 4 |
| 31798217100115 | 446 | 0 | 1 | 7 |
| 61738127100115 | 446 | 0 | 1 | 7 |
| 31894205100115 | 316 | 0 | 1 | 4 |
| 618234115100115 | 316 | 0 | 1 | 4 |
| 31910127100115 | 586 | 1 | 1 | 7 |
| 619241142100115 | 596 | 0 | 1 | 7 |
| 32086217100115 | 376 | 0 | 1 | 4 |

620226127100115 376 0 1 4 0 1
324 61264100115 636 0 1 8 0 1
621201174100115 636 0 1 8 0 1
322 52252100115 496 0 1 5 0 1
627192162100115 496 0 1 5 0 1
323 94263100115 696 0 1 8 0 1
623234173100115 806 0 1 8 0 1
324116262100115 446 0 1 5 0 1
624256172100115 916 0 1 5 0 1
325 99287100115 1036 0 1 8 0 1
625279197100115 1036 0 1 8 0 1
326106302100115 1146 0 1 5 0 1
626246212100115 1186 0 1 5 0 1
327114279010112 1042 3112 31 0 2
627254189010112 1042 3112 31 0 2
328 99269010114 693 0 8 41 0 1
6 31790101 4 893 0 8 41 0 1
32 3F285001112 106211028110 0 2
629248195001112 106211028110 0 2
330107306010110 123221591215 0 3
630247216010110 123221591215 0 3
331 71215010115 286 50 5 50 0 2
631211125010115 286 50 5 50 0 2
332 49215010115 456 0 2 18 0 1
632188125010115 156 0 2 18 0 1
333 73252100115 606 0 1 10 0 1
633213162100115 606 0 1 10 0 1
334 73227100115 396 0 1 5 0 1
634213137100115 396 0 1 5 0 1
335 72244001112 542 6617 66 0 1
635217154001112 542 6617 66 0 1
336107 660102 6 223 013 3510 4
636247 940102 6 223 013 3510 4
3371261641102 6 313 013 3510 4

637264 941102 6 313 013 3510 4
3381232011002 8 433 013 3510 5
6382631111002 8 433 013 3510 5
339126212010112 542 6216 62 1 1
639266122010112 542 6216 62 1 1
3401451891002 6 453 013 3510 4
640285 991002 6 453 013 3510 4
3411101930102 6 563 013 3510 4
6412561030102 6 563 013 3510 4
342172203110 6 713 013 3510 4
6423121131102 6 713 013 3510 4
343164211010112 742 6216 62 1 1
643304121010112 742 6216 62 1 1
344127231110112 713 2513 3510 4
644267141110112 713 2513 3510 4
3451412241102 8 713 013 010 5
6452811341102 8 713 013 010 5
3461642331011 9 923 013 3510 4
6463041431011 9 923 013 3510 4
347147236001112 852 7515 66 1 1
647287146001112 852 7515 66 1 1
348133210100115 576 0 1 7 0 1
648273120100115 576 0 1 7 0 1
349133201100115 416 0 1 4 0 1
649273111100115 496 0 1 4 0 1
350122195100115 386 0 1 7 0 1
650262105100115 386 0 1 7 0 1
351115204100115 416 0 1 4 0 1
651256114100115 416 0 1 4 0 1
352158205100115 676 0 1 7 0 1
652296115100115 676 0 1 7 0 1
353163218100115 796 0 1 4 0 1
653303120100115 796 0 1 4 0 1
35416921110115 776 0 1 7 5 1

| | | | |
|------------------|-------|-------|----------|
| 65109121100115 | 776 | 0 1 | 7 0 1 |
| 355177214100115 | 846 | 0 1 | 4 0 1 |
| 655317124100115 | 846 | 0 1 | 4 0 1 |
| 356176232100115 | 986 | 0 1 | 8 0 1 |
| 656316142100115 | 986 | 0 1 | 8 0 1 |
| 357184242100115 | 1106 | 0 1 | 5 0 1 |
| 657124152100115 | 1106 | 0 1 | 5 0 1 |
| 358131233100115 | 766 | 0 1 | 8 0 1 |
| 658211143100115 | 766 | 0 1 | 8 0 1 |
| 3591175242100115 | 846 | 0 1 | 5 0 1 |
| 659275152100115 | 846 | 0 1 | 5 0 1 |
| 360162258100115 | 1136 | 0 1 | 8 0 1 |
| 660302168100115 | 1136 | 0 1 | 8 0 1 |
| 361187272100115 | 1396 | 0 1 | 5 0 1 |
| 661327182100115 | 1396 | 0 1 | 5 0 1 |
| 362148251010112 | 1002 | 3 12 | 3 1 0 2 |
| 662168161010112 | 1002 | 3 12 | 3 1 0 2 |
| 3631652630101 4 | 1193 | 0 8 | 4 1 0 1 |
| 6633051730101 4 | 1193 | 0 8 | 4 1 0 1 |
| 364164252001112 | 1082 | 1 028 | 1 0 0 3 |
| 664104162001112 | 1082 | 1 028 | 1 0 0 3 |
| 365197273010110 | 14322 | 159 | 12 5 0 3 |
| 665337183010110 | 14322 | 159 | 12 5 0 3 |
| 366146271110115 | 646 | 50 6 | 50 0 1 |
| 666286121100115 | 646 | 50 6 | 50 0 1 |
| 367187216101115 | 906 | 0 2 | 18 0 2 |
| 667327126101115 | 906 | 0 2 | 18 0 2 |
| 368183227100115 | 996 | 0 1 | 10 0 1 |
| 668323137100115 | 996 | 0 1 | 10 0 1 |
| 369191325100115 | 1096 | 0 1 | 5 0 1 |
| 669331235100115 | 1096 | 0 1 | 5 0 1 |
| 370188226001112 | 1002 | 6 17 | 6 6 0 1 |
| 670328135001112 | 1002 | 6 17 | 6 6 0 1 |
| 3711864250101 6 | 2003 | 3 11 | 3 10 3 |

| | | | |
|------------------|--------|------|--------|
| 6711283350101 6 | 2693 | 3 11 | 3 10 3 |
| 3721834190101 6 | 2613 | 3 11 | 3 10 3 |
| 6723233290101 6 | 2613 | 3 11 | 3 10 3 |
| 3731994190101 6 | 2693 | 3 11 | 3 10 3 |
| 6733393290101 6 | 2693 | 3 11 | 3 10 3 |
| 374190419010112 | 2672 | 2014 | 30 1 1 |
| 674330329010112 | 2672 | 2014 | 30 1 1 |
| 3752453711102 8 | 2573 | 0 11 | 0 10 5 |
| 6753852811102 8 | 2573 | 0 11 | 0 10 5 |
| 3762123640101 7 | 2203 | 3 11 | 3 10 3 |
| 6763522610101 6 | 2203 | 3 11 | 3 10 3 |
| 3772223500101 6 | 2263 | 3 11 | 3 10 3 |
| 6773622600101 6 | 2263 | 3 11 | 3 10 3 |
| 378233940110213 | 2302 | 0 14 | 30 1 5 |
| 678375158110213 | 2302 | 0 14 | 30 1 5 |
| 37923413181102 8 | 2063 | 0 11 | 0 10 5 |
| 6793712281102 8 | 2063 | 0 11 | 0 10 5 |
| 38020129201 4 | 6 1623 | 3 11 | 3 10 3 |
| 6803412020101 6 | 1623 | 3 11 | 3 10 3 |
| 3811962990101 6 | 1673 | 3 11 | 3 10 3 |
| 6813362090101 6 | 1673 | 3 11 | 3 10 3 |
| 382242304110213 | 1942 | 0 16 | 20 1 5 |
| 682382214110213 | 1942 | 0 16 | 20 1 5 |
| 383181420100115 | 2666 | 0 1 | 7 0 1 |
| 683321336100115 | 2666 | 0 1 | 7 0 1 |
| 384174222100115 | 2596 | 0 1 | 4 0 1 |
| 684317332100115 | 2596 | 0 1 | 4 0 1 |
| 385197424100115 | 2736 | 0 1 | 7 0 1 |
| 685337334100115 | 2736 | 0 1 | 7 0 1 |
| 386192407100115 | 2566 | 0 1 | 4 0 1 |
| 686332317100115 | 2566 | 0 1 | 4 0 1 |
| 387207353100115 | 2176 | 0 1 | 7 0 1 |
| 687347263100115 | 217 | 0 1 | 7 0 1 |
| 388220355100115 | 2286 | 0 1 | 4 0 1 |



| | | |
|------------------|------------------|--------------|
| 688360265100115 | 2286 | 0 1 4 0 1 |
| 341240339160115 | 2276 | 0 1 7 0 1 |
| 589380249100115 | 2276 | 0 1 7 0 1 |
| 30246372100115 | 2586 | 0 1 4 0 1 |
| 690396782100115 | 2586 | 0 1 4 0 1 |
| 391259410100115 | 2986 | 0 1 8 0 1 |
| 591399320100115 | 2986 | 0 1 8 0 1 |
| 392246355100115 | 2766 | 0 1 5 0 1 |
| 692396305100115 | 2756 | 0 1 5 0 1 |
| 393244314100115 | 2086 | 0 1 8 0 1 |
| 693384224100115 | 2086 | 0 1 8 0 1 |
| 394249302100115 | 1996 | 0 1 5 0 1 |
| 694389272100115 | 1996 | 0 1 5 0 1 |
| 395202297100115 | 1696 | 0 1 8 0 1 |
| 695342207100115 | 1696 | 0 1 8 0 1 |
| 396222288100115 | 1736 | 0 1 5 0 1 |
| 696362198100115 | 1736 | 0 1 5 0 1 |
| 397240411010112 | 2852 | 0 12 3 1 0 2 |
| 697380321010112 | 2852 | 0 12 3 1 0 2 |
| 3982674000101 4 | 2903 | 0 8 4 1 0 1 |
| 6984073100101 4 | 2903 | 0 8 4 1 0 1 |
| 39925703001112 | 296211028110 0 3 | |
| 699395313001112 | 296211028110 0 3 | |
| 400214411001110 | 271221591215 0 3 | |
| 700354321001110 | 271221591215 0 3 | |
| 401170330100115 | 1776 50 6 50 0 2 | |
| 701310240100115 | 1776 50 6 50 0 2 | |
| 402178307100115 | 1646 0 2 18 0 1 | |
| 702318771100115 | 1646 0 2 18 0 1 | |
| 403215516100115 | 1916 0 1 10 0 1 | |
| 703355226100115 | 1916 0 1 10 0 1 | |
| 404209311100115 | 1856 0 1 5 0 1 | |
| 704349221100115 | 1856 0 1 5 0 1 | |
| 405209320001112 | 1902 6517 56 0 1 | |
| 705344230044112 | 1902 6617 66 0 1 | |
| 4061143190102 5 | 1383 5520 5510 8 | |
| 7062542290102 5 | 1383 5520 5510 8 | |
| 4071663050102 5 | 1553 5520 5510 8 | |
| 7073062150102 5 | 1553 5520 5510 8 | |
| 4082052821102 6 | 1593 5520 5510 8 | |
| 70834451921102 6 | 1593 5520 5510 8 | |
| 409151395001112 | 2232 2012 20 1 1 | |
| 709241385001112 | 2232 2012 20 1 1 | |
| 410134331110215 | 1616 15 9 29 0 1 | |
| 710274241110215 | 1616 15 9 29 0 1 | |
| 411163393001115 | 1846 20 6 34 0 1 | |
| 7114303403001115 | 1846 20 6 34 0 1 | |
| 412219381010110 | 2472 7420 74 0 3 | |
| 712359291010110 | 2472 7420 74 0 3 | |
| 413105331100115 | 1436 0 1 7 0 1 | |
| 713245241100115 | 1436 0 1 7 0 1 | |
| 414123328100115 | 1516 0 1 7 0 1 | |
| 714263232100115 | 1516 0 1 7 0 1 | |
| 415139338100115 | 1806 0 1 7 0 1 | |
| 715279240100115 | 1806 0 1 7 0 1 | |
| 416128337100115 | 1636 0 1 4 0 1 | |
| 716268247100115 | 1636 0 1 4 0 1 | |
| 417173308100115 | 1616 0 1 7 0 1 | |
| 717313218100115 | 1616 0 1 7 0 1 | |
| 418172316100115 | 1686 0 1 4 0 1 | |
| 718312226100115 | 1686 0 1 4 0 1 | |
| 419162319100115 | 1636 0 1 7 0 1 | |
| 719302229100115 | 1636 0 1 7 0 1 | |
| 420149319100115 | 1586 0 1 4 0 1 | |
| 720289229100115 | 1586 0 1 4 0 1 | |
| 421213336100115 | 2016 0 1 8 0 1 | |
| 721353240100115 | 2016 0 1 8 0 1 | |
| 422220330100115 | 2056 0 1 5 0 1 | |
| 722360240100115 | 2056 0 1 5 0 1 | |
| 423169419100115 | 2536 0 1 8 0 1 | |

| | | | | | | |
|-------------------|--------------|----|---|----|---|---|
| 4761892759100115 | 1274 | 55 | 6 | 56 | 0 | 1 |
| 476329169100115 | 1274 | 55 | 6 | 56 | 0 | 1 |
| 4772142711102115 | 1504 | 0 | 6 | 56 | 0 | 2 |
| 4773591811102115 | 1504 | 0 | 6 | 56 | 0 | 2 |
| 4782332841102115 | 1714 | 56 | 6 | 56 | 0 | 4 |
| 4783731941102115 | 1714 | 56 | 6 | 56 | 0 | 4 |
| 4792533860101112 | 260214616142 | 0 | 3 | | | |
| 47932932960101112 | 260214616142 | 0 | 3 | | | |
| 480306424100115 | 3316 | 0 | 1 | 16 | 0 | 1 |
| 48046334100115 | 3316 | 0 | 1 | 16 | 0 | 1 |
| 481298408100115 | 3146 | 0 | 1 | 5 | 0 | 1 |
| 48143818100115 | 3146 | 0 | 1 | 5 | 0 | 1 |
| 482281430100115 | 3246 | 0 | 1 | 8 | 0 | 1 |
| 482421340100115 | 3246 | 0 | 1 | 8 | 0 | 1 |
| 483291423100115 | 3226 | 0 | 1 | 5 | 0 | 1 |
| 48343133100115 | 3226 | 0 | 1 | 5 | 0 | 1 |
| 48432039460115 | 3056 | 0 | 1 | 8 | 0 | 1 |
| 484460304100115 | 3056 | 0 | 1 | 8 | 0 | 1 |
| 485309391100115 | 3066 | 0 | 1 | 5 | 0 | 1 |
| 485449301100115 | 3066 | 0 | 1 | 5 | 0 | 1 |
| 48513549100115 | 2926 | 0 | 1 | 16 | 0 | 1 |
| 486335359100115 | 2926 | 0 | 1 | 16 | 0 | 1 |
| 487186464100115 | 3016 | 0 | 1 | 5 | 0 | 1 |
| 487326374100115 | 3016 | 0 | 1 | 5 | 0 | 1 |
| 488214423100115 | 2856 | 0 | 1 | 8 | 0 | 1 |
| 489349333100115 | 2806 | 0 | 1 | 6 | 0 | 1 |
| 48927425100115 | 2896 | 0 | 1 | 5 | 0 | 1 |
| 489167335100115 | 2806 | 0 | 1 | 5 | 0 | 1 |
| 49012427100115 | 2566 | 0 | 1 | 4 | 0 | 1 |
| 490302337100115 | 2566 | 0 | 1 | 8 | 0 | 1 |
| 491181414100115 | 2536 | 0 | 1 | 5 | 0 | 1 |
| 491321321100115 | 2536 | 0 | 1 | 5 | 0 | 1 |
| 492280345100115 | 2566 | 0 | 1 | 16 | 0 | 1 |
| 49243029100115 | 2566 | 0 | 1 | 16 | 0 | 1 |

443246 175-2466 -0-1-5-0-1
 793406251100115 2466 0-1-5-0-1
 494249325160115 2466 0-1-5-0-1
 794409236100115 2206 0-1-5-0-1
 455226 0640015 1206 0-1-5-0-1
 795346206100115 1794 5-1-5-0-1
 496229324100115 2056 0-1-5-0-1
 795369236100115 2006 0-1-5-0-1
 497233501400115 1555 0-1-5-0-1
 79237321100115 1555 0-1-5-0-1
 4984444444444444 1555 0-1-5-0-1
 795309254100115 1555 0-1-5-0-1
 4991472550100115 1555 0-1-5-0-1
 790322740100115 1555 0-1-5-0-1
 500161344100115 2016 0-1-5-0-1
 800301276100115 2016 0-1-5-0-1
 501150344100115 1806 0-1-5-0-1
 801242754100115 1506 0-1-5-0-1
 502136364100115 1506 0-1-5-0-1
 502075078100115 1506 0-1-5-0-1
 50312377100115 1576 0-1-5-0-1
 803263281001 1576 0-1-5-0-1
 504452260100115 1242 6016 50 0-2
 50470700010112 1242 6016 50 0-2
 50517 31100115 1214 63 6 53 0-1
 805269201100115 1214 63 6 53 0-1
 5061266282100115 1194 63 6 53 0-1
 806266192100115 1194 63 6 53 0-1
 507132284100115 1184 63 6 53 0-2
 807273194100115 1184 63 6 53 0-2
 508170281010112 1152 6015 50 0-2
 80910191010112 1152 6015 50 0-2
 509179263100115 1152 7516 75 0-2
 8093191010115 1152 7516 75 0-2
 5101602751 1152 7516 75 0-2

810320180100115 1304 75 6 75 0-1
 511174275100115 1304 75 6 75 0-1
 811314165100115 1304 75 6 75 0-1
 512196340100115 210212841128 0-8
 412336250100115 210212841128 0-8
 513196444100115 208417648176 0-5
 4133363754100115 208417648176 0-5
 901343611010112 505225033505 0-4
 5023355270101 3 532224950249 0-7
 403245655110111 402240790407 010
 904350623010115 525225960249 0-7
 905306846101110 525231599316 0-7
 905264613001110 4632 9517 55 0-2
 907254656110110 516212523125 0-3
 908287584101010 545216046160 0-4
 909203533010115 371028718287 0-7
 9103222543010111 4432 9525 95 0-3
 911306537100115 4303 33 2 33 0-3
 912336507100115 4553 33 2 33 0-3
 913370564010115 44224118241 0-3
 914245612001112 500214819148 0-3
 915246690100115 5306 47 6 47 010
 916367594160115 4096 47 6 47 010
 9172155040101 6 3554 4831 483110
 9182329341002 2-3624 4031 4031-6
 919172 51101 6 3094 4931 493110
 920143529001115 3182 3112 31 0-2
 921205548100116 3596 26 4 26 010
 922416517110116 3256 26 4 26 010
 923205496100116 3056 47 6 47 010
 924240518010110 315233699336 010
 925314751101 5 3794 4931 493110
 926375201002 8 4484 011 4931-8
 9273614001101 6 4734 4931 493110

TARGET ACQUISITION MODEL

CHAPTER VI
SAMPLE OUTPUT LISTING

VI-1

1. General. - The sample output listing that follows is based on a run of TAM with the inputs exactly as specified in the sample input listing contained in Chapter V. The user will not be able to reproduce the run because of the stochastic processes involved. The sample output is in three sections. The first section (see pages VI-5 through VI-9) is a time sequenced list of the acquisitions which occur during the 6-hour time period. This list is a line printer output. The second section is a summary of acquisition events (see page VI-10). The third section (see pages VI-11ff) is a listing of the card punch output of the acquired target list.

2. Abbreviations

a. Acquired Target List tion. - Column heading abbreviations used in the section are:

- (1) TIME: Clock time that acquisition occurs
- (2) TARG: Target identification number
- (3) COORDS: Target coordinates
- (4) CT: Target category
- (5) OWT: Open, Woods, Town codes
- (6) M: Mobility code
- (7) RFEBA: Target distance in hectometers
- (8) T: Type element detected
- (9) NEL: Number of elements T in target
- (10) DET: Number of elements T detected
- (11) EST: Estimated number of elements T in the target
- (12) RAD: Actual target radius (first digit) and estimated target radius (last digit)
- (13) SENSORS: List of sensors which detected the target

b. Summary Section. - The upper matrix presents an analysis of the input target array by target category (column headings) and by target radii (row headings). The last row presents the distribution of the targets in the array by 16 range bands (described by user input). The lower matrix presents analogous data based on

the acquired target list. The data presented by categories and radii includes multiple acquisitions of the same target. The data presented by range band do not include multiple acquisition. The user can conclude from the sample output that 97 distinct units were detected. These detections resulted in 238 acquisitions (and fire mission requests). The only abbreviation used in the summary is REP, which means replications performed.

c. Card Punch Section. - The data presented in this section has no headings. The interpretation of these data are outlined in Table VI-1.

TABLE VI-1. Punched Data Output Format

| Columns | Data Description |
|---------|---|
| 1-4 | Clock time acquisition occurs |
| 5-8 | Target identification number |
| 9-14 | Target coordinates |
| 15-16 | Target category code |
| 17-19 | Target environment code |
| 20 | Target mobility code |
| 21 | Type element detected code |
| 22-23 | Target true radius code |
| 24-25 | Target estimated radius code |
| 26 | Detecting sensor code (one for observed targets; two otherwise) |
| 27-29 | Troops at risk to artillery |
| 30-31 | Tanks at risk to artillery |
| 32-33 | Equipment type three at risk to artillery |
| ---- | |
| 69-71 | Number of observed tanks and armored vehicles |
| 72-74 | Number of tanks and armored vehicles in target |

3. Diagnostics. - if any of the target array inputs exceed the constraints stated in the input specifications, the output will be headed by a column of target identification numbers. The numbers will refer the user to the specific target card which contains unacceptable data elements.

••TARGET ACQUISITION MODEL SAMPLE RUN•• REPS= 29

| LINE | TARG | COORDS | CT | OWT | M | RFEBA | T | NEL | DET | EST | RAD | SENSORS |
|------|------|--------|----|-----|---|-------|---|-----|-----|-----|------|---------|
| 601 | 902 | 335527 | 3 | 010 | 1 | 438 | 2 | 50 | 1 | 7 | 702 | 5 |
| 603 | 812 | 336250 | 10 | 110 | 1 | 210 | 2 | 41 | 1 | 7 | 802 | 5 |
| 603 | 779 | 393296 | 12 | 010 | 1 | 260 | 2 | 18 | 1 | 7 | 302 | 5 |
| 604 | 162 | 24386 | 6 | 010 | 1 | 178 | 3 | 10 | 1 | 4 | 201 | 5 |
| 604 | 770 | 350206 | 15 | 100 | 1 | 169 | 4 | 6 | 1 | 6 | 101 | 5 |
| 605 | 955 | 495333 | 10 | 110 | 1 | 349 | 5 | 195 | 1 | 26 | 401 | 5 |
| 608 | 750 | 370272 | 10 | 001 | 1 | 237 | 2 | 63 | 1 | 7 | 202 | 5 |
| 611 | 725 | 326306 | 15 | 100 | 1 | 244 | | 1 | 1 | 3 | 101 | 5 |
| 611 | 337 | 124184 | 6 | 110 | 2 | 31 | 3 | 13 | 4 | 13 | 403 | 2 |
| 612 | 709 | 291305 | 12 | 001 | 1 | 223 | 1 | 20 | 1 | 20 | 101 | 5 |
| 615 | 813 | 336354 | 15 | 110 | 1 | 288 | 4 | 48 | 1 | 6 | 501 | 5 |
| 615 | 301 | 38221 | 9 | 100 | 2 | 14 | 3 | 13 | 11 | 13 | 403 | 1 |
| 619 | 399 | 253403 | 12 | 001 | 1 | 286 | 1 | 110 | 1 | 20 | 301 | 5 |
| 621 | 57 | 944256 | 1 | 100 | 2 | 24 | 3 | 14 | 14 | 40 | 508 | 1 |
| 622 | 188 | 14245 | 4 | 110 | 2 | 45 | 3 | 4 | 1 | 4 | 101 | 1 2 |
| 622 | 448 | 136359 | 10 | 001 | 1 | 185 | 5 | 56 | 1 | 26 | 201 | 5 |
| 623 | 925 | 316475 | 6 | 110 | 1 | 379 | 4 | 31 | 1 | 6 | 1001 | 5 |
| 623 | 943 | 422573 | 10 | 001 | 1 | 522 | 5 | 115 | 1 | 26 | 301 | 5 |
| 625 | 390 | 246372 | 15 | 100 | 1 | 258 | 6 | 1 | 1 | 3 | 101 | 5 |
| 627 | 97 | 14321 | 12 | 001 | 1 | 415 | 2 | 16 | 1 | 7 | 202 | 7 |
| 645 | 640 | 285099 | 6 | 100 | 2 | 45 | 3 | 13 | 5 | 13 | 403 | 1 |
| 64 | 920 | 183529 | 10 | 001 | 1 | 358 | 2 | 12 | 1 | 7 | 202 | 5 |
| 648 | 14 | 886284 | 15 | 100 | 1 | 23 | 6 | 3 | 3 | 3 | 101 | 1 |
| 648 | 92 | 967303 | 15 | 100 | 1 | 78 | 6 | 1 | 1 | 3 | 101 | 7 |
| 648 | 468 | 220300 | 12 | 010 | 1 | 179 | 2 | 19 | 1 | 7 | 202 | 5 |
| 649 | 953 | 90632 | 10 | 001 | 1 | 396 | 2 | 99 | 1 | 7 | 502 | 5 |
| 649 | 57 | 944256 | 1 | 100 | 2 | 24 | 3 | 14 | 14 | 40 | 508 | 1 |
| 653 | 966 | 498357 | 10 | 001 | 1 | 373 | 2 | 46 | 1 | 7 | 302 | 5 |
| 654 | 59 | 954250 | 15 | 100 | 1 | 24 | 5 | 20 | 3 | 26 | 101 | 1 |
| 656 | 907 | 264656 | 10 | 110 | 1 | 510 | 5 | 125 | 1 | 26 | 301 | 5 |
| 657 | 354 | 169211 | 15 | 100 | 1 | 77 | 6 | 1 | 1 | 3 | 101 | 7 |
| 657 | 471 | 210303 | 15 | 100 | 1 | 175 | 5 | 69 | 1 | 26 | 101 | 5 |
| 658 | 604 | 194139 | 12 | 010 | 1 | 29 | 1 | 62 | 3 | 50 | 101 | 1 |
| 658 | 66 | 996257 | 1 | 110 | 2 | 49 | 5 | 118 | 1 | 94 | 503 | 1 |
| 659 | 11 | 902267 | 1 | 100 | 2 | 14 | 3 | 13 | 13 | 13 | 503 | 1 2 |
| 659 | 733 | 440298 | 12 | 001 | 1 | 299 | 1 | 156 | 1 | 20 | 301 | 5 |
| 700 | 630 | 247216 | 10 | 010 | 1 | 123 | 5 | 215 | 1 | 26 | 303 | 7 |
| 700 | 307 | 87210 | 9 | 110 | 2 | 31 | 3 | 13 | 6 | 13 | 503 | 2 |
| 701 | 2 | 867294 | 1 | 010 | 2 | 23 | 3 | 13 | 3 | 13 | 503 | 1 |
| 701 | 2 | 867294 | 1 | 010 | 2 | 23 | 3 | 13 | 3 | 13 | 503 | 1 |
| 701 | 970 | 461368 | 10 | 110 | 1 | 365 | 5 | 427 | 1 | 26 | 701 | 5 |
| 701 | 711 | 303303 | 15 | 001 | 1 | 184 | 6 | 6 | 1 | 3 | 101 | 5 |
| 702 | 66 | 996257 | 1 | 110 | 2 | 49 | 5 | 118 | 1 | 94 | 503 | 1 |
| 702 | 188 | 14245 | 4 | 110 | 2 | 45 | 3 | 4 | 1 | 4 | 101 | 1 2 |
| 702 | 12 | 898289 | 1 | 100 | 2 | 33 | 3 | 14 | 14 | 40 | 508 | 1 2 |

| | | | | | | | | | | | | | |
|-----|-----|--------|-----|-----|-----|---|-----|---|-----|----|----|------|-------|
| 703 | 905 | 26 | 201 | 15 | 100 | 1 | 121 | 5 | 63 | 1 | 26 | 01 | 7 |
| 705 | 2 | 867294 | 1 | 010 | 2 | | 23 | 3 | 13 | 3 | 13 | 503 | 1 |
| 706 | 227 | 116489 | 15 | 110 | 1 | | 314 | 4 | 4 | 1 | 6 | 201 | 5 |
| 706 | 20 | 901321 | 1 | 110 | 2 | | 62 | 3 | 13 | 13 | 40 | 508 | 2 |
| 707 | 14 | 886284 | 15 | 100 | 1 | | 23 | 6 | 3 | 3 | 3 | 101 | 1 |
| 707 | 33 | 245655 | 11 | 110 | 1 | | 498 | 5 | 407 | 1 | 26 | 1001 | 5 |
| 708 | 58 | 933261 | 15 | 100 | 1 | | 24 | 6 | 3 | 3 | 3 | 101 | 1 |
| 708 | 56 | 952244 | 1 | 100 | 2 | | 18 | 3 | 13 | 13 | 13 | 503 | 2 |
| 708 | 83 | 939279 | 15 | 100 | 1 | | 43 | 6 | 1 | 1 | 3 | 101 | 1 |
| 709 | 59 | 954250 | 15 | 100 | 1 | | 24 | 5 | 20 | 3 | 26 | 101 | 1 |
| 709 | 337 | 124184 | 6 | 110 | 2 | | 31 | 3 | 13 | 4 | 13 | 403 | 2 |
| 709 | 493 | 266341 | 15 | 100 | 1 | | 246 | 6 | 1 | 1 | 3 | 101 | 5 |
| 710 | 318 | 94205 | 15 | 100 | 1 | | 31 | 6 | 1 | 1 | 3 | 101 | 1 |
| 710 | 196 | 991353 | 10 | 001 | 1 | | 133 | 5 | 56 | 1 | 26 | 101 | 7 |
| 710 | 606 | 230107 | 9 | 010 | 2 | | 22 | 3 | 13 | 3 | 13 | 503 | 1 |
| 710 | 395 | 202297 | 15 | 100 | 1 | | 169 | 6 | 1 | 1 | 3 | 101 | 5 |
| 711 | 56 | 952244 | 1 | 100 | 2 | | 18 | 3 | 13 | 13 | 13 | 503 | 2 |
| 711 | 11 | 902267 | 1 | 100 | 2 | | 14 | 3 | 13 | 13 | 13 | 503 | 1 2 |
| 711 | 640 | 285099 | 6 | 100 | 2 | | 45 | 3 | 13 | 5 | 13 | 403 | 1 |
| 711 | 304 | 54229 | 12 | 010 | 1 | | 29 | 1 | 62 | 6 | 50 | 101 | 1 |
| 712 | 606 | 230107 | 9 | 010 | 2 | | 22 | 3 | 13 | 3 | 13 | 503 | 1 |
| 713 | 55 | 923253 | 1 | 100 | 2 | | 13 | 3 | 13 | 13 | 13 | 203 | 1 2 |
| 713 | 340 | 145189 | 6 | 100 | 2 | | 45 | 3 | 13 | 13 | 13 | 403 | 1 2 |
| 713 | 637 | 264094 | 6 | 110 | 2 | | 31 | 3 | 13 | 7 | 13 | 403 | 2 |
| 714 | 1 | 857307 | 1 | 010 | 2 | | 30 | 3 | 13 | 6 | 13 | 503 | 1 |
| 715 | 10 | 886276 | 1 | 100 | 2 | | 16 | 3 | 13 | 13 | 13 | 503 | 1 2 3 |
| 717 | 83 | 939279 | 15 | 100 | 1 | | 43 | 6 | 1 | 1 | 3 | 101 | 1 |
| 718 | 58 | 933261 | 15 | 100 | 1 | | 24 | 6 | 3 | 3 | 3 | 101 | 1 |
| 720 | 188 | 14245 | 4 | 110 | 2 | | 45 | 3 | 4 | 1 | 4 | 101 | 1 2 |
| 720 | 188 | 14245 | 4 | 110 | 2 | | 45 | 3 | 4 | 1 | 4 | 101 | 1 2 |
| 721 | 469 | 216299 | 15 | 100 | 1 | | 174 | 5 | 69 | 1 | 26 | 101 | 5 |
| 722 | 13 | 909291 | 15 | 100 | 1 | | 41 | 5 | 30 | 1 | 26 | 101 | 1 |
| 722 | 106 | 982312 | 4 | 010 | 1 | | 92 | 5 | 41 | 1 | 26 | 101 | 7 |
| 722 | 1 | 857307 | 1 | 010 | 2 | | 30 | 3 | 13 | 6 | 13 | 503 | 1 |
| 722 | 152 | 997445 | 10 | 001 | 1 | | 215 | 5 | 74 | 1 | 26 | 201 | 5 |
| 723 | 307 | 87210 | 9 | 110 | 2 | | 31 | 3 | 13 | 6 | 13 | 503 | 2 |
| 723 | 274 | 35411 | 10 | 110 | 1 | | 207 | 2 | 41 | 1 | 7 | 802 | 5 |
| 723 | 323 | 94263 | 15 | 100 | 1 | | 80 | 6 | 1 | 1 | 3 | 101 | 7 |
| 724 | 2 | 867294 | 1 | 010 | 2 | | 23 | 3 | 13 | 3 | 13 | 503 | 1 |
| 725 | 602 | 191118 | 9 | 110 | 2 | | 10 | 3 | 13 | 1 | 4 | 401 | 2 |
| 726 | 123 | 49452 | 15 | 100 | 1 | | 247 | 6 | 1 | 1 | 3 | 101 | 5 |
| 728 | 973 | 123558 | 10 | 001 | 1 | | 351 | 2 | 15 | 1 | 7 | 202 | 5 |
| 728 | 956 | 456355 | 10 | 010 | 1 | | 350 | 2 | 48 | 1 | 7 | 302 | 5 |
| 728 | 47 | 893279 | 15 | 100 | 1 | | 22 | 6 | 2 | 2 | | 101 | 1 |
| 728 | 1 | 857307 | 1 | 010 | 2 | | 30 | 3 | 13 | 6 | 13 | 503 | 1 |
| 731 | 640 | 285099 | 6 | 100 | 2 | | 45 | 3 | 13 | 5 | 13 | 403 | 1 |
| 731 | 13 | 909291 | 15 | 100 | 1 | | 41 | 5 | 30 | 1 | 26 | 101 | 1 |
| 732 | 308 | 87225 | 12 | 100 | 2 | | 44 | 2 | 16 | 6 | 7 | 402 | 2 |
| 736 | 47 | 893279 | 15 | 100 | 1 | | 22 | 6 | 2 | 2 | 3 | 101 | 1 |

| | | | | | | | | | | | | |
|-----|-----|--------|----|-----|---|-----|---|-----|----|----|------|-------|
| 743 | 613 | 199127 | 15 | 100 | 1 | 22 | 6 | 1 | 1 | 3 | 101 | 1 |
| 743 | 939 | 297601 | 16 | 101 | 1 | 480 | 6 | 6 | 1 | 3 | 1001 | 5 |
| 745 | 606 | 230107 | 9 | 010 | 2 | 22 | 3 | 13 | 3 | 13 | 503 | 1 |
| 745 | 47 | 893279 | 15 | 100 | 1 | 22 | 6 | 2 | 2 | 3 | 101 | 1 |
| 745 | 788 | 354333 | 15 | 100 | 1 | 280 | 6 | 1 | 1 | 3 | 101 | 5 |
| 746 | 302 | 51208 | 9 | 110 | 2 | 10 | 3 | 13 | 13 | 40 | 40P | 3 |
| 747 | 303 | 48236 | 8 | 100 | 2 | 30 | 3 | 13 | 8 | 13 | 503 | 2 |
| 748 | 480 | 306424 | 15 | 100 | 1 | 331 | 1 | 1 | 1 | 3 | 101 | 5 |
| 748 | 449 | 258322 | 10 | 001 | 1 | 219 | 5 | 56 | 1 | 26 | 201 | 5 |
| 750 | 228 | 996288 | 12 | 010 | 1 | 79 | 1 | 73 | 1 | 20 | 202 | 7 |
| 750 | 242 | 940406 | 15 | 100 | 1 | 156 | 6 | 1 | 1 | 3 | 101 | 5 |
| 751 | 66 | 996257 | 1 | 110 | 2 | 49 | 5 | 118 | 1 | 94 | 503 | 1 |
| 752 | 184 | 70425 | 12 | 001 | 1 | 233 | 1 | 110 | 1 | 20 | 201 | 5 |
| 753 | 83 | 939279 | 15 | 100 | 1 | 43 | 6 | 1 | 1 | 3 | 101 | 1 |
| 754 | 177 | 130467 | 15 | 100 | 1 | 301 | 6 | 1 | 1 | 3 | 101 | 5 |
| 755 | 265 | 946467 | 15 | 100 | 1 | 211 | 5 | 28 | 1 | 26 | 101 | 5 |
| 756 | 489 | 27425 | 15 | 100 | 1 | 289 | 6 | 1 | 1 | 3 | 101 | 5 |
| 757 | 188 | 14245 | 4 | 110 | 2 | 45 | 3 | 4 | 1 | 4 | 101 | 1 2 |
| 759 | 236 | 980477 | 12 | 001 | 1 | 238 | 1 | 148 | 1 | 20 | 201 | 5 |
| 759 | 12 | 898289 | 1 | 100 | 2 | 33 | 3 | 14 | 14 | 4 | 508 | 1 2 |
| 803 | 606 | 230107 | 9 | 010 | 2 | 22 | 3 | 13 | 3 | 13 | 503 | 1 |
| 804 | 1 | 857307 | 1 | 010 | 2 | 30 | 3 | 13 | 6 | 13 | 503 | 1 |
| 805 | 11 | 902267 | 1 | 100 | 2 | 14 | 3 | 13 | 13 | 13 | 503 | 1 2 |
| 805 | 340 | 145189 | 6 | 100 | 2 | 45 | 3 | 13 | 13 | 13 | 403 | 1 2 |
| 806 | 302 | 51208 | 9 | 110 | 2 | 10 | 3 | 13 | 13 | 40 | 408 | 3 |
| 808 | 10 | 886276 | 1 | 100 | 2 | 16 | 3 | 13 | 13 | 13 | 503 | 1 2 3 |
| 809 | 337 | 124184 | 6 | 110 | 2 | 31 | 3 | 13 | 4 | 13 | 403 | 2 |
| 810 | 640 | 285099 | 6 | 100 | 2 | 45 | 3 | 13 | 5 | 13 | 403 | 1 |
| 812 | 56 | 952244 | 1 | 100 | 2 | 18 | 3 | 13 | 13 | 13 | 503 | 2 |
| 812 | 607 | 227120 | 9 | 110 | 2 | 31 | 3 | 13 | 13 | 40 | 508 | 2 3 |
| 817 | 188 | 14245 | 4 | 110 | 2 | 45 | 3 | 4 | 1 | 4 | 101 | 1 2 |
| 818 | 267 | 919394 | 15 | 100 | 1 | 135 | 4 | 6 | 1 | 6 | 101 | 7 |
| 821 | 40 | 285099 | 6 | 100 | 2 | 45 | 3 | 13 | 5 | 13 | 403 | 1 |
| 822 | 415 | 279748 | 15 | 100 | 1 | 180 | 6 | 1 | 1 | 3 | 101 | 5 |
| 824 | 482 | 281430 | 15 | 100 | 1 | 324 | 6 | 1 | 1 | 3 | 101 | 5 |
| 824 | 340 | 145189 | 6 | 100 | 2 | 45 | 3 | 13 | 13 | 13 | 403 | 1 2 |
| 827 | 55 | 923253 | 1 | 100 | 2 | 13 | 3 | 13 | 13 | 13 | 203 | 1 2 |
| 831 | 14 | 886284 | 15 | 100 | 1 | 23 | 6 | 3 | 3 | 3 | 101 | 1 |
| 836 | 10 | 886276 | 1 | 100 | 2 | 16 | 3 | 13 | 13 | 13 | 503 | 1 2 3 |
| 838 | 2 | 867294 | 1 | 010 | 2 | 23 | 3 | 13 | 3 | 13 | 503 | 1 |
| 846 | 303 | 48236 | 8 | 100 | 2 | 30 | 3 | 13 | 8 | 13 | 503 | 2 |
| 849 | 426 | 109384 | 15 | 100 | 1 | 235 | 6 | 1 | 1 | 3 | 101 | 5 |
| 850 | 613 | 199127 | 15 | 100 | 1 | 22 | 6 | 1 | 1 | 3 | 101 | 1 |
| 850 | 56 | 952244 | 1 | 100 | 2 | 18 | 3 | 13 | 13 | 13 | 503 | 2 |
| 852 | 18 | 904299 | 3 | 001 | 1 | 44 | 2 | 13 | 6 | 17 | 104 | 1 |
| 857 | 2 | 867294 | 1 | 010 | 2 | 23 | 3 | 13 | 3 | 13 | 503 | 1 |
| 906 | 58 | 933261 | 15 | 100 | 1 | 24 | 6 | 3 | 3 | 3 | 101 | 1 |
| 906 | 2 | 867294 | 1 | 010 | 2 | 23 | 3 | 13 | 3 | 13 | 503 | 1 |
| 911 | 370 | 188226 | 12 | 001 | 1 | 100 | 1 | 66 | 1 | 20 | 101 | 7 |
| 912 | 63 | 939279 | 15 | 100 | 1 | 43 | 6 | 1 | 1 | 3 | 101 | 1 |

| | | | | | | | | | | | | |
|------|-----|--------|----|-----|---|-----|----|-----|----|-----|-----|-------|
| 913 | 307 | 87210 | 9 | 110 | 2 | 31 | 3 | 13 | 6 | 13 | 503 | 2 |
| 920 | 52 | 917352 | 4 | 010 | 1 | 98 | 5 | 41 | 1 | 26 | 101 | 7 |
| 933 | 640 | 285099 | 5 | 100 | 2 | 45 | 3 | 13 | 5 | 13 | 403 | 1 |
| 934 | 606 | 230107 | 9 | 010 | 2 | 3 | 13 | 3 | 13 | 503 | 1 | |
| 942 | 14 | 886284 | 15 | 100 | 1 | 23 | 6 | 3 | 3 | 3 | 101 | 1 |
| 944 | 613 | 199127 | 15 | 100 | 1 | 22 | 6 | 1 | 1 | 3 | 101 | 1 |
| 945 | 637 | 264094 | 6 | 110 | 2 | 31 | 3 | 13 | 7 | 13 | 403 | 2 |
| 948 | 303 | 48236 | 8 | 100 | 2 | 30 | 3 | 13 | 8 | 13 | 503 | 2 |
| 949 | 66 | 996257 | 1 | 110 | 2 | 49 | 5 | 118 | 1 | 94 | 503 | 1 |
| 953 | 1 | 857307 | 1 | 010 | 2 | 30 | 3 | 13 | 6 | 13 | 503 | 1 |
| 953 | 606 | 230107 | 9 | 010 | 2 | 22 | 3 | 13 | 3 | 13 | 503 | 1 |
| 954 | 18 | 904299 | 3 | 001 | 1 | 44 | 2 | 19 | 6 | 17 | 104 | 1 |
| 954 | 66 | 996257 | 1 | 110 | 2 | 49 | 5 | 118 | 1 | 94 | 503 | 1 |
| 954 | 613 | 199127 | 15 | 100 | 1 | 22 | 6 | 1 | 1 | 3 | 101 | 1 |
| 956 | 59 | 954250 | 15 | 100 | 1 | 24 | 5 | 20 | 3 | 26 | 101 | 1 |
| 1000 | 446 | 221432 | 10 | 010 | 1 | 293 | 2 | 26 | 1 | 7 | 202 | 5 |
| 1001 | 14 | 886284 | 15 | 100 | 1 | 23 | 6 | 3 | 3 | 3 | 101 | 1 |
| 1001 | 613 | 199127 | 15 | 100 | 1 | 22 | 6 | 1 | 1 | 3 | 101 | 1 |
| 1002 | 303 | 48236 | 8 | 100 | 2 | 30 | 3 | 13 | 8 | 13 | 503 | 2 |
| 1003 | 14 | 886284 | 15 | 100 | 1 | 23 | 6 | 3 | 3 | 3 | 101 | 1 |
| 1005 | 59 | 954250 | 15 | 100 | 1 | 24 | 5 | 20 | 3 | 26 | 101 | 1 |
| 1007 | 188 | 14245 | 4 | 110 | 2 | 45 | 3 | 4 | 1 | 4 | 101 | 1 2 |
| 1008 | 465 | 100243 | 15 | 100 | 1 | 67 | 4 | 6 | 1 | 6 | 101 | 8 |
| 1008 | 58 | 933261 | 15 | 100 | 1 | 24 | 6 | 3 | 3 | 3 | 101 | 1 |
| 1008 | 12 | 898289 | 1 | 100 | 2 | 33 | 3 | 14 | 14 | 40 | 508 | 1 2 |
| 1009 | 343 | 164211 | 12 | 010 | 1 | 74 | 2 | 16 | 1 | 7 | 101 | 7 |
| 1010 | 14 | 886284 | 15 | 100 | 1 | 23 | 6 | 3 | 3 | 3 | 101 | 1 |
| 1012 | 66 | 996257 | 1 | 110 | 2 | 49 | 5 | 118 | 1 | 94 | 503 | 1 |
| 1014 | 640 | 28509 | 6 | 10 | 2 | 45 | 3 | 13 | 5 | 13 | 403 | 1 |
| 1014 | 307 | 87210 | 9 | 110 | 2 | 31 | 3 | 13 | 6 | 13 | 503 | 2 |
| 1016 | 607 | 227120 | 9 | 110 | 2 | 31 | 3 | 13 | 13 | 40 | 508 | 2 3 |
| 1021 | 647 | 267146 | 12 | 001 | 1 | 85 | 1 | 75 | 1 | 20 | 101 | 7 |
| 1027 | 465 | 100243 | 15 | 100 | 1 | 67 | 4 | 6 | 1 | 6 | 101 | 8 |
| 1033 | 11 | 902267 | 1 | 100 | 2 | 14 | 3 | 13 | 13 | 13 | 503 | 1 2 |
| 1034 | 188 | 14245 | 4 | 110 | 2 | 45 | 3 | 4 | 1 | 4 | 101 | 1 2 |
| 1037 | 10 | 886276 | 1 | 100 | 2 | 16 | 3 | 13 | 13 | 13 | 503 | 1 2 3 |
| 1042 | 465 | 100243 | 15 | 100 | 1 | 67 | 4 | 6 | 1 | 6 | 101 | 8 |
| 1049 | 606 | 230107 | 9 | 010 | 2 | 22 | 3 | 13 | 3 | 13 | 503 | 1 |
| 1056 | 302 | 51208 | 9 | 110 | 2 | 10 | 3 | 13 | 13 | 40 | 408 | 3 |
| 1100 | 57 | 944256 | 1 | 100 | 2 | 24 | 3 | 14 | 14 | 40 | 508 | 1 |
| 1100 | 11 | 902267 | 1 | 100 | 2 | 14 | 3 | 13 | 13 | 13 | 503 | 1 2 |
| 1102 | 465 | 100243 | 15 | 100 | 1 | 67 | 4 | 6 | 1 | 6 | 101 | 8 |
| 1102 | 1 | 857307 | 1 | 010 | 2 | 30 | 3 | 13 | 6 | 13 | 503 | 1 |
| 1103 | 10 | 886276 | 1 | 100 | 2 | 16 | 3 | 13 | 13 | 13 | 503 | 1 2 3 |
| 1107 | 613 | 199127 | 15 | 100 | 1 | 22 | 6 | 1 | 1 | 3 | 101 | 1 |
| 1108 | 606 | 230107 | 9 | 010 | 2 | 22 | 3 | 13 | 3 | 13 | 503 | 1 |
| 1110 | 66 | 996257 | 1 | 110 | 2 | 49 | 5 | 118 | 1 | 94 | 503 | 1 |
| 1111 | 465 | 100243 | 15 | 100 | 1 | 67 | 4 | 6 | 1 | 6 | 101 | 8 |
| 1112 | 640 | 285099 | 6 | 100 | 2 | 45 | 3 | 13 | 5 | 13 | 403 | 1 |

| | | | | | | | | | | | | | |
|-----------------|----------------|-------------------|---------------|----------------|--------------|---------------|--------------|---------------|---------------|---------------|----------------|--------------|--------------|
| 1112 | 12 | 898289 | 1 | 100 | 2 | 33 | 3 | 14 | 14 | 40 | 508 | 1 | 2 |
| ~~1113~~ | ~~607~~ | ~~227120~~ | ~~9~~ | ~~110~~ | ~~2~~ | ~~31~~ | ~~3~~ | ~~13~~ | ~~13~~ | ~~40~~ | ~~508~~ | ~~2~~ | ~~3~~ |
| 1113 | 58 | 933261 | 15 | 100 | 1 | 24 | 6 | 3 | 3 | 3 | 101 | 1 | |
| ~~1113~~ | ~~303~~ | ~~40236~~ | ~~8~~ | ~~100~~ | ~~2~~ | ~~30~~ | ~~3~~ | ~~13~~ | ~~0~~ | ~~13~~ | ~~503~~ | ~~2~~ | |
| 1114 | 465 | 100243 | 15 | 100 | 1 | 67 | 4 | 6 | 1 | 6 | 101 | | |
| ~~1115~~ | ~~14~~ | ~~886284~~ | ~~15~~ | ~~100~~ | ~~1~~ | ~~23~~ | ~~6~~ | ~~3~~ | ~~3~~ | ~~3~~ | ~~101~~ | ~~1~~ | |
| 1119 | 57 | 944256 | 1 | 100 | 2 | 24 | 3 | 14 | 14 | 40 | 508 | 1 | |
| ~~1121~~ | ~~307~~ | ~~87210~~ | ~~9~~ | ~~110~~ | ~~2~~ | ~~31~~ | ~~3~~ | ~~13~~ | ~~6~~ | ~~13~~ | ~~503~~ | ~~2~~ | |
| 1122 | 307 | 87210 | 9 | 110 | 2 | 31 | 3 | 13 | 6 | 13 | 503 | 2 | |
| ~~1123~~ | ~~302~~ | ~~51208~~ | ~~9~~ | ~~110~~ | ~~2~~ | ~~10~~ | ~~3~~ | ~~13~~ | ~~13~~ | ~~40~~ | ~~408~~ | ~~3~~ | |
| 1127 | 14 | 886284 | 15 | 100 | 1 | 23 | 6 | 3 | 3 | 3 | 101 | 1 | |
| ~~1129~~ | ~~506~~ | ~~230107~~ | ~~9~~ | ~~010~~ | ~~2~~ | ~~22~~ | ~~3~~ | ~~13~~ | ~~3~~ | ~~13~~ | ~~503~~ | ~~1~~ | |
| 1129 | 3 | 145189 | 6 | 100 | 2 | 45 | 3 | 13 | 13 | 13 | 403 | 1 | 2 |
| ~~1130~~ | ~~318~~ | ~~94205~~ | ~~15~~ | ~~100~~ | ~~1~~ | ~~31~~ | ~~6~~ | ~~1~~ | ~~1~~ | ~~3~~ | ~~101~~ | ~~1~~ | |
| 1131 | 55 | 923253 | 1 | 100 | 2 | 13 | 3 | 13 | 13 | 13 | 203 | 1 | 2 |
| ~~1131~~ | ~~100~~ | ~~14245~~ | ~~4~~ | ~~110~~ | ~~2~~ | ~~45~~ | ~~3~~ | ~~4~~ | ~~1~~ | ~~4~~ | ~~101~~ | ~~1~~ | ~~2~~ |
| 1131 | 14 | 886284 | 15 | 100 | 1 | 23 | 6 | 3 | 3 | 3 | 101 | 1 | |
| 1132 | 59 | 954250 | 15 | 100 | 1 | 24 | 5 | 20 | 3 | 26 | 101 | 1 | |
| 1133 | 301 | 38221 | 9 | 100 | 2 | 14 | 3 | 13 | 11 | 13 | 403 | 1 | |
| 1134 | 307 | 87210 | 9 | 110 | 2 | 31 | 3 | 13 | 6 | 13 | 503 | 2 | |
| 1134 | 302 | 51208 | 9 | 110 | 2 | 10 | 3 | 13 | 13 | 40 | 408 | 3 | |
| ~~1135~~ | ~~302~~ | ~~191118~~ | ~~9~~ | ~~110~~ | ~~2~~ | ~~10~~ | ~~3~~ | ~~13~~ | ~~1~~ | ~~4~~ | ~~401~~ | ~~2~~ | |
| 1136 | 20 | 886276 | 1 | 100 | 2 | 16 | 3 | 13 | 13 | 13 | 503 | 1 | 2 |
| ~~1136~~ | ~~20~~ | ~~901321~~ | ~~1~~ | ~~110~~ | ~~2~~ | ~~62~~ | ~~3~~ | ~~13~~ | ~~13~~ | ~~40~~ | ~~508~~ | ~~2~~ | |
| 1137 | 83 | 939279 | 15 | 100 | 1 | 43 | 6 | 1 | 1 | 3 | 101 | 1 | |
| 1137 | 313 | 94205 | 15 | 100 | 1 | 31 | 6 | 1 | 1 | 3 | 101 | 1 | |
| 1138 | 11 | 902267 | 1 | 100 | 2 | 14 | 3 | 13 | 13 | 13 | 503 | 1 | 2 |
| ~~1138~~ | ~~14~~ | ~~876284~~ | ~~15~~ | ~~100~~ | ~~1~~ | ~~23~~ | ~~6~~ | ~~3~~ | ~~3~~ | ~~3~~ | ~~101~~ | ~~1~~ | |
| 1139 | 301 | 38221 | 9 | 100 | 2 | 14 | 3 | 13 | 11 | 13 | 403 | 1 | |
| 1139 | 318 | 94205 | 15 | 100 | 1 | 31 | 6 | 1 | 1 | 3 | 101 | 1 | |
| 1142 | 640 | 285099 | 6 | 100 | 2 | 45 | 3 | 13 | 5 | 13 | 403 | 1 | |
| 1143 | 302 | 51208 | 9 | 110 | 2 | 10 | 3 | 13 | 13 | 40 | 408 | 3 | |
| 1143 | 83 | 939279 | 15 | 100 | 1 | 43 | 6 | 1 | 1 | 3 | 101 | 1 | |
| 1144 | 11 | 902267 | 1 | 100 | 2 | 14 | 3 | 13 | 13 | 13 | 503 | 1 | 2 |
| 1145 | 302 | 51208 | 9 | 110 | 2 | 10 | 3 | 13 | 13 | 40 | 408 | 3 | |
| 1145 | 307 | 87210 | 9 | 110 | 2 | 31 | 3 | 13 | 6 | 13 | 503 | 2 | |
| ~~1146~~ | ~~18~~ | ~~904299~~ | ~~3~~ | ~~101~~ | ~~1~~ | ~~44~~ | ~~2~~ | ~~19~~ | ~~6~~ | ~~17~~ | ~~104~~ | ~~1~~ | |
| 1147 | 337 | 124184 | 6 | 110 | 2 | 31 | 3 | 13 | 4 | 13 | 403 | 2 | |
| 1148 | 318 | 94205 | 15 | 100 | 1 | 31 | 6 | 1 | 1 | 3 | 101 | 1 | |
| 1148 | 10 | 886276 | 1 | 100 | 2 | 16 | 3 | 13 | 13 | 13 | 503 | 1 | 2 |
| 1153 | 11 | 902267 | 1 | 100 | 2 | 14 | 3 | 13 | 13 | 13 | 503 | 1 | 2 |
| 1153 | 18 | 904299 | 3 | 001 | 1 | 44 | 2 | 19 | 6 | 17 | 104 | 1 | |
| 1155 | 55 | 923253 | 1 | 100 | 2 | 13 | 3 | 13 | 13 | 13 | 203 | 1 | 2 |
| 1157 | 602 | 191118 | 9 | 110 | 2 | 10 | 3 | 13 | 1 | 4 | 401 | 2 | |
| 1159 | 301 | 38221 | 9 | 100 | 2 | 14 | 3 | 13 | 11 | 13 | 403 | 1 | |

••TARGET ACQUISITION MODEL SAMPLE RUN•• REPS= 29

INPUT STATISTICS •••

| CATEGORY | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | TOTAL |
|-----------|----|---|----|----|---|----|---|----|----|-----|----|----|----|----|-----|-----|-------|
| RADIUS 1 | 0 | 0 | 6 | 24 | 0 | 1 | 0 | 0 | 0 | 16 | 0 | 29 | 0 | 0 | 355 | 0 | 431 |
| RADIUS 2 | 1 | 0 | 4 | 2 | 0 | 5 | 0 | 0 | 0 | 35 | 0 | 48 | 14 | 0 | 27 | 0 | 136 |
| RADIUS 3 | 2 | 0 | 5 | 0 | 0 | 16 | 0 | 1 | 0 | 28 | 1 | 10 | 5 | 0 | 1 | 2 | 71 |
| RADIUS 4 | 0 | 0 | 0 | 0 | 0 | 10 | 0 | 0 | 12 | 7 | 0 | 8 | 2 | 0 | 3 | 0 | 42 |
| RADIUS 5 | 15 | 0 | 4 | 0 | 0 | 0 | 0 | 12 | 4 | 4 | 1 | 1 | 4 | 0 | 2 | 0 | 47 |
| RADIUS 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 1 |
| RADIUS 7 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 5 | 0 | 0 | 1 | 0 | 1 | 0 | 8 |
| RADIUS 8 | 0 | 0 | 0 | 0 | 0 | 6 | 0 | 3 | 0 | 5 | 0 | 0 | 0 | 0 | 0 | 0 | 14 |
| RADIUS 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| RADIUS 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 1 | 0 | 0 | 0 | 2 | 9 | 22 |
| TOTAL | 18 | 0 | 20 | 26 | 0 | 44 | 0 | 15 | 16 | 104 | 3 | 96 | 27 | 0 | 391 | 11 | 772 |
| RANGE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 37 | 61 | 59 | 90 | 90 | 425 | 772 |

OUTPUT STATISTICS ••

| CATEGORY | 1 | 2 | 3 | 4 | 5 | 6 | 7 | 8 | 9 | 10 | 11 | 12 | 13 | 14 | 15 | 16 | TOTAL |
|-----------|----|---|---|----|---|----|---|---|----|----|----|----|----|----|----|----|-------|
| RADIUS 1 | 0 | 0 | 0 | 11 | 0 | 2 | 0 | 0 | 3 | 3 | 1 | 10 | 0 | 0 | 74 | 1 | 110 |
| RADIUS 2 | 0 | 0 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 9 | 0 | 5 | 0 | 0 | 0 | 0 | 15 |
| RADIUS 3 | 43 | 0 | 0 | 0 | 0 | 19 | 0 | 0 | 1 | 1 | 0 | 0 | 0 | 0 | 0 | 0 | 84 |
| RADIUS 4 | 0 | 0 | 4 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 4 |
| RADIUS 5 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| RADIUS 6 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| RADIUS 7 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| RADIUS 8 | 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 20 |
| RADIUS 9 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| RADIUS 10 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 |
| TOTAL | 53 | 0 | 5 | 11 | 0 | 21 | 0 | 5 | 34 | 18 | 1 | 15 | 0 | 0 | 74 | 1 | 238 |
| RANGE | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 0 | 2 | 17 | 14 | 2 | 9 | 5 | 48 | 97 |