

AD/A-007 045

RESEARCH ON HYPERSONIC STABILITY
PROBLEMS

O. Walchner

Aerospace Research Laboratories
Wright-Patterson Air Force Base, Ohio

December 1974

DISTRIBUTED BY:

NTIS

National Technical Information Service
U. S. DEPARTMENT OF COMMERCE

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM	
1. REPORT NUMBER ARL 74-0140	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER AD/A007045	
4. TITLE (and Subtitle) RESEARCH ON HYPERSONIC STABILITY PROBLEMS		5. TYPE OF REPORT & PERIOD COVERED Technical - Final 1963 - 1974	
		6. PERFORMING ORG. REPORT NUMBER	
7. AUTHOR(s) O. Walchner		8. CONTRACT OR GRANT NUMBER(s)	
9. PERFORMING ORGANIZATION NAME AND ADDRESS Aerospace Research Laboratories (ARL) Theoretical Aerodynamics Research Laboratory (LH) Wright-Patterson AFB, OH 45433		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS Project 7064-01-01 61102F	
11. CONTROLLING OFFICE NAME AND ADDRESS Aerospace Research Laboratories (ARL) Bldg. 450, Area B Wright-Patterson AFB, OH 45433		12. REPORT DATE December 1974	
		13. NUMBER OF PAGES 10	
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		15. SECURITY CLASS. (of this report) Unclassified	
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE	
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.			
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)			
18. SUPPLEMENTARY NOTES Reproduced by NATIONAL TECHNICAL INFORMATION SERVICE US Department of Commerce Springfield, VA. 22151			
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Hypersonic Stability derivatives Nonlinear Aerodynamics Cones Nonplanar Motions Asymmetric Nose effects			
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) This final report summarizes the in-house research work on hypersonic stability problems, applicable to reentry dynamics. During the period 1963 to 1974 research contributions were made in the following areas: 1. Static and dynamic stability in pitch; 2. Hypersonic roll damping; 3. Asymmetric nose effects; 4. Non linear aerodynamics; 5. Stability coefficients in non planar motions. This in-house research effort was terminated as of 1 July 1974.			

DD FORM 1 JAN 73 1473 EDITION OF 1 NOV 65 IS OBSOLETE

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

A

PREFACE

This report was prepared by the Theoretical Aerodynamics Research Laboratory (formerly the Hypersonics Research Laboratory) of the Aerospace Research Laboratories, Air Force Systems Command, United States Air Force under Project 7064, entitled "High Velocity Fluid Mechanics". Project 7064 is monitored by Dr. R. H. Korkegi. This is a Final Report summarizing the work accomplished by in-house Work Unit 01 on Task 7064-01, Hypersonic Stability Problems. The report covers the period 1963 to 1974.

TABLE OF CONTENTS

SECTION		PAGE
I	INTRODUCTION.	1
II	RESEARCH ACCOMPLISHMENTS.	2
	1. STATIC AND DYNAMIC STABILITY IN PITCH	2
	2. HYPERSONIC ROLL DAMPING	2
	3. ASYMMETRIC NOSE EFFECTS	2
	4. NONLINEAR AERODYNAMICS.	3
	5. STABILITY COEFFICIENTS IN NON PLANAR MOTIONS.	4
III	CLOSE-OUT OF WORK UNIT 01	6
	REFERENCES.	7

Preceding page blank

SECTION I

INTRODUCTION

Timely and relevant topics suitable for in-house research by Work Unit 01 of the Hypersonic Research Laboratory, ARL, were obtained at various workshop sessions. In 1963, the U. S. Air Force Ballistic Systems Division and the General Electric Company sponsored the first workshop on hypersonic stability problems. The purpose of this workshop was to inform specialists of industry, the academic community and government of timely problems encountered by the Air Force and to encourage the participants to make a contribution to their solution. Follow-on workshops were held at AEDC (1965) and at NASA Ames Research Center (1968). In 1972 informal workshop sessions were connected with the AIAA 2nd Atmospheric Flight Mechanics Conference. This organizational practice was continued in 1974. Experts in the field met at these workshop sessions, aired their problems and ideas, discussed solutions and pointed out future research needs. The informal character of the workshop served the timeliness of the discussed problems. Personnel of Work Unit 01 actively participated in all workshops held to date. The research accomplishments of Work Unit 01 are summarized as follows for the period from 1963 to 1974.

SECTION II

RESEARCH ACCOMPLISHMENTS

1. STATIC AND DYNAMIC STABILITY IN PITCH

In 1963, the ARL 20 inch hypersonic wind tunnel (Mach 12 and 14) became operational. In response to needs outlined at the first workshop, a dynamic stability test program in this wind tunnel was initiated. A test rig employing the small amplitude free oscillation technique was designed by the Work Unit. Static and dynamic stability derivatives in pitch of circular slender cones were determined as functions of cone angle, nose bluntness, angle of attack. Correlation parameters were established. Semiempirical methods of predicting stability derivatives were investigated. This work is documented in References (1) through (9). The published research results were extensively used by industry, e.g., Reference (10).

2. HYPERSONIC ROLL DAMPING

Responding to needs discussed at the second workshop, we addressed the problem of hypersonic roll damping for pointed and blunted cones by theory and experiments. This study was limited to laminar boundary layer conditions. An air bearing compatible with the given wind tunnel characteristics was designed by the Work Unit for the experimental portion of this investigation. In-house research results are documented in References (11) through (13). References by others relating to this work may be found in industry reports.

3. ASYMMETRIC NOSE EFFECTS

At the third workshop, AEDC personnel discussed that famous dynamic wind tunnel test, where the 3-degree of freedom angular motion of a slender cone with compound configuration asymmetries was investigated. The observed motion could not be explained satisfactorily at that time. Work Unit 01 personnel suspected that a slight configurational asymmetry at the nose of

of a slender cone would have a profound effect on the whole flow field at high Mach numbers. A thorough experimental study of this problem was conducted and is documented in References (14) through (18). In short, it was found that a slender circular cone is aerodynamically no longer a body of revolution if the vehicle has a slight but unsymmetrical defect at the nose. Hodapp¹⁹ (Sandia Laboratories) immediately used this research result. By analytical and 6-DOF simulation studies he did point out the very detrimental effect that a small nose asymmetry has on the trim magnification at roll resonance and consequently on trajectory accuracy and possibly on the structural integrity of the vehicle. Hodapp's investigation should be of interest to SAMSO.

4. NONLINEAR AERODYNAMICS

Tobak and Schiff et al.²⁰ theoretically derived a moment formulation for an arbitrary nonplanar vehicle motion, which is nonlinear with respect to angular displacement but linear with respect to angular rates. One of the theoretical predictions is that yaw damping at angles of attack must be different from pitch damping if the pitch moment is a nonlinear function of the angle of attack. In industry reports it is often assumed that nonlinear aerodynamics is confined to large angles of attack. It is also assumed that the oscillation amplitude of a reentry vehicle converges sufficiently at altitudes where damping becomes important, so that differences in pitch and yaw damping are usually neglected. Earlier in-house work, however, indicated that the aerodynamics of a slightly blunted cone is highly nonlinear at small angles of attack, which are only fractions of the cone half angle. An experimental study of "in-plane" and "out-of-plane" stability derivatives was therefore conducted by the Work Unit. The results confirm

the theoretical predictions by Tobak and Schiff and are documented in Reference (21). Experts acknowledged the importance of this type of work, e.g., Reference (22).

5. STABILITY COEFFICIENTS IN NON PLANAR MOTIONS

Dynamic stability coefficients are usually studied in wind tunnel tests with the model performing a planar oscillatory motion. It was repeatedly pointed out at the workshop sessions that more attention should be paid to dynamic wind tunnel testing with the model performing non planar motions. Work Unit 01 designed a 2-DOF test rig, including the necessary instrumentation, which allowed the investigation of a sting mounted model performing either planar pitch or yaw motion or non planar motion with pitch and yaw combined. The first unexpected problem encountered was that of dynamically balancing the model. It was found that a transverse product of inertia, which may be two or three orders of magnitude smaller than the transverse moment of inertia, has a very strong coupling effect in the non-planar motion case. This problem was solved analytically, and the results are documented in Reference (23). Wind tunnel tests were conducted with a nearly pointed 10° half angle circular cone. In the planar motion case, the results were as expected for a model exhibiting linear aerodynamics. In the non-planar motion case, however, an aerodynamic acceleration coupling derivative was found that has the same effect on the motion as an inertial coupling by a product of inertia. Aerodynamic acceleration derivatives are known from potential flow theory and have the form of an "apparent mass" or "apparent moment of inertia." For vehicles heavier than air, the apparent mass effects are usually neglected, because they are small compared to the physical mass properties of the vehicle. An "apparent product of inertia" is not discussed in the literature. It also may be very small, but

nevertheless, as a cross coupling term has a measurable effect on the non-planar motion. The results of this study are documented in Reference (24) and were also presented at the AIAA Atmospheric Flight Mechanics Workshop, Anaheim, California, 6 August 1974. Experts attending the workshop expressed keen interest in this unique research result.

SECTION III
CLOSE-OUT OF WORK UNIT 01

Program reviewers of the Air Force Systems Command suggested that the research effort of Work Unit 01 be reoriented. Work Unit 01, as well as Task 01 of Project 7064, therefore, have been closed out as of 1 July 1974.

REFERENCES

1. Walchner, O.; Sawyer, F. M.; Koob, S. J.; "Dynamic Stability Testing in a Mach-14 Blow Down Wind Tunnel," Journal of Spacecraft and Rockets, Vol. 1, No. 4, pp. 437-439, 1964.
2. Walchner, O. and Clay, J. T., "Hypersonic Stability Derivatives of Blunted Slender Cones," AIAA Journal, Vol. 3, No. 4, pp. 752-754, 1965.
3. Clay, J. T. and Walchner, O., "Nose Bluntness Effects on the Stability Derivatives of Slender Cones," Transactions of the Second Technical Workshop on Dynamic Stability Testing, AEDC & ARO, Inc., Vol. 1, Paper 8, 1965.
4. Quinn, B. P., "Blast Wave Effects on the Pitching of Blunted Cones," Proceedings of the 13th Annual Air Force Science and Engineering Symposium, Vol. II, Paper 37, 1966.
5. Quinn, B. P., "A Destabilizing Effect of Severe Nose Bluntness," Journal of Spacecraft and Rocket, Vol. 4, No. 10, pp. 1388-1390, 1967.
6. Walchner, O.; Sawyer, F. M.; Quinn, B. P.; Friberg, E.; "Hypersonic Stability Derivatives of a Standard 10° Cone," Aerospace Research Laboratories, Wright-Patterson AFB, Ohio ARL 67-0099, AD 657027, 1967.
7. Clay, J. T., "Nose Bluntness, Cone Angle and Mach Number Effects on the Stability of Slender Cones, Aerospace Research Laboratories, Wright-Patterson AFB, Ohio ARL 67-0185, AD 661549, 1967.
8. Walchner, O., "Research on Hypersonic Stability Derivatives in Pitch for Blunted Slender Cones, " OAR Research Review, Vol. VII, No. 2, 1968.
9. Friberg, E. G.; Walchner, O.; "Pressure Correlation for Blunted Slender Cones," AIAA Journal, Vol. 7, No. 8, pp. 1618-1619, 1969.
10. Ericsson, L. E. "Unsteady Embedded Newtonian Flow," Astronautica Acta Vol. 18, No. 4, Nov., pp. 309-330, 1973.
11. Quinn, B. P., "The Hypersonic Roll-Damping Derivatives of a Blunt Cone," Aerospace Research Laboratories, Wright-Patterson AFB, Ohio, ARL 68-0137, AD 675998, 1968, also Transactions 3rd Technical Workshop on Dynamic Stability Problems, 1968, NASA, Ames, Vol. III, Paper I; also AIAA Journal, Vol. 7, No. 1, pp. 175-177, 1969.
12. Walchner, O.; "Laminar Hypersonic Roll-Damping Derivatives for a 10° Cone, AIAA Journal, Vol. 7, No. 2, pp. 342-343, 1969.
13. Walchner, O.; Sawyer, F. M.; Durham, T. A.; "Hypersonic Wind Tunnel Measurements of Roll Damping Derivatives for Cones," Aerospace Research Laboratories, Wright-Patterson AFB. Ohio ARL 69-0170, AD 700062, 1969.

14. Walchner, O.; Sawyer, F. M.; Yelmgren, K. E.; "Effect of Unsymmetrical Nose Bluntness on the Stability Derivatives of a 10° Cone at Mach 14," Aerospace Research Laboratories, ARL 70-0119, AD 711921, 1970.
15. Walchner, O., "Asymmetric Nose Effects," Presentation Fluid Mechanics Panel, FY 71, SAMSO Deputy for Reentry Systems Annual Review of AFSC Reentry Systems Programs, Colorado Springs, Col., 21-23 Sep 70.
16. Walchner, O.; Sawyer, F. M.; Yelmgren, K. E., "Effect of Unsymmetrical Nose Bluntness on the Pressure Distribution over a 10° Cone at Mach 14," Aerospace Research Laboratories, Wright-Patterson AFB, Ohio, ARL 71-0050, AD 726533, 1971.
17. Walchner, O.; Sawyer, F. M.; Yelmgren, K. E.; "Aerodynamics of a Slender Cone with Asymmetric Nose Bluntness at Mach 14." AIAA Journal, Vol. 10, No. 8, pp. 1121-1122, 1972.
18. Walchner, O. "Asymmetric Nose Bluntness Effects on the Aerodynamics of a Slender Cone at Mach 14." Volume of Informal Papers presented at AIAA Atmospheric Flight Mechanics Conference, Palo Alto, Calif. 11-13 Sep 1972 (published by NASA/Ames). Also presented at the 1972 AFSC Science and Engineering Symposium, San Antonio, Texas, Oct 72. Also Aerospace Research Laboratories, Wright-Patterson AFB, Ohio ARL 73-0072, AD 760807, 1973.
19. Hodapp, A. E. "Effects of Unsymmetrical Stability Derivative Characteristics and Transverse Products of Inertia on Reentry Vehicle Trim Angle Behavior," SLA-74-0077, Sandia Laboratories, Albuquerque, N.M., 1974.
20. Tobak, Murry and Schiff, Lewis B., "A Nonlinear Aerodynamic Moment Formulation and its Implications for Dynamic Stability Testing," NASA Ames Research Center, AIAA Paper No. 71-275, 1971.
21. Walchner, O.; Sawyer, F. M. "In-plane and Out-of Plane Stability Derivatives of Slender Cones at Mach 14," Aerospace Research Laboratories, Wright-Patterson AFB, Ohio, ARL 72-0100, AD 752208, June 1972.
22. Murphy, Charles H. "Limit Motions of a Slightly Asymmetric Re-entry Vehicle Acted on By Cubic Damping Moments." U. S. Army Ballistics Research Laboratories, Aberdeen Proving Group, Maryland. AIAA Paper No. 74-820, 1974.
23. Yelmgren, K. E. "Dynamic Balancing of a Nonrolling Sting Supported, Wind Tunnel Model Performing Nonplanar Motions," Aerospace Research Laboratories, Wright-Patterson AFB, Ohio, ARL 72-0110, AD 752208, June 1972.
24. Yelmgren, K. E.; Sawyer, F. M., Walchner, O.; "Stability Derivatives of a 10° Cone Executing Planar and Non-Planar Motion at Mach 14." Aerospace Research Laboratories, Wright-Patterson AFB, Ohio, ARL 74-0112 August, 1974, Also presented at the AIAA Atmospheric Flight Mechanics Workshop, Anaheim, California, 6 August 1974.