

AD

EDGEWOOD ARSENAL CONTRACTOR REPORT

EM-CR-76080

ER-8610

COMPUTER-AIDED DESIGN OF SUPPRESSIVE SHIELDS

Final Report

by


S. R. GUTTON
AAI CORPORATION
Baltimore, Maryland

D. J. KATSANIS
Edgewood Arsenal, Maryland

June 1976

Contract No. DAAA15-75-C-0120

Work Order No. 2



DEPARTMENT OF THE ARMY

Edgewood Arsenal

Aberdeen Proving Ground, Maryland 21010



Approved for public release; distribution unlimited.

Disclaimer

The findings in this report are not to be construed as an official Department of the Army position unless so designated by other authorized documents.

Disposition

Destroy this report when it is no longer needed. Do not return it to the originator.

19 REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM	
1. REPORT NUMBER EM-CR-76080	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER	
4. TITLE (and Subtitle) COMPUTER-AIDED DESIGN OF SUPPRESSIVE SHIELDS	5. TYPE OF REPORT & PERIOD COVERED Technical Report	March 1976	
7. AUTHOR(s) S. R. Dutton, AAI Corp. D. J. Katsanis, Edgewood Arsenal	6. PERFORMING ORG. REPORT NUMBER ER-8610	8. CONTRACT OR GRANT NUMBER(s)	
9. PERFORMING ORGANIZATION NAME AND ADDRESS AAI Corporation Edgewood Arsenal P.O. Box 6767 Aberdeen Proving Ground Baltimore, MD 21204 MD 21010	10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS DA	DAAA15-75-C-0120	
11. CONTROLLING OFFICE NAME AND ADDRESS Commander, Edgewood Arsenal Attn: SAREA-TS-R Aberdeen Proving Ground, MD 21010	12. REPORT DATE June 1976	13. NUMBER OF PAGES 24	
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office) Commander, Edgewood Arsenal Attn: SAREA-MT-TS Aberdeen Proving Ground, MD 21010 (CPO Dr. D. Katsanis, 671-2302)	15. SECURITY CLASS. (of this report) UNCLASSIFIED		
15a. DECLASSIFICATION/DOWNGRADING SCHEDULE NA			
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.			
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)			
18. SUPPLEMENTARY NOTES Manufacturing methods and technology			
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Suppressive shields Computer-aided design			
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) Engineering design procedures are being developed, safety approved, and organized into systematic procedures for application of suppressive structures in US Army ammunition plants. The approved procedures will include use of complex computer programs and charts in time consuming, iterant methods. A study has been conducted to determine computer software, hardware, and terminal requirements; and to estimate computer equipment and operation costs. The results of that study as reported herein indicate a considerable cost savings can be expected by use of computer-aided procedures in design of suppressive shields.			

DD FORM 1 JAN 73 1473

EDITION OF 1 NOV 65 IS OBSOLETE

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

400-30

1B

PREFACE

The investigation described in this report was authorized under Contract DAAA15-75-C-0120, Task 2, Computer-Aided Design of Suppressive Shields. This report was prepared for the Suppressive Shielding Branch, Manufacturing Technology Directorate, Edgewood Arsenal in support of the Manufacturing Methods and Technology Project 5751264. This work was completed in March 1976.

Reproduction of this document in whole or in part is prohibited except with permission of the Commander, Edgewood Arsenal, Attn: SAREA-TS-R, Aberdeen Proving Ground, Maryland 21010; however, DDC and the National Technical Information Service are authorized to reproduce the document for United States Governmental purposes.

TABLE OF CONTENTS

<u>Section</u>		<u>Page</u>
I.	INTRODUCTION	5
II.	CURRENT DESIGN METHODS	5
III.	CAD APPLICATION.	6
	A. Equipment Configuration.	6
	B. Suppressive Structures CAD Procedure	6
	C. Data Flow.	9
IV.	IMPLEMENTATION	11
V.	COST SAVINGS	13
VI.	CONCLUSIONS AND RECOMMENDATIONS.	13

DATE	NAME	INITIALS
002	002	002
UNAPPROVED		
REVISION		
APPROVED BY: DATE: INITIALS:		

A

LIST OF FIGURES

<u>Figures</u>		<u>Page</u>
1	Equipment Configuration.	7
2	Donor System Analysis.	8
3	Data Flow.	10
4	Implementation Schedule.	12
5	Cost Per Shield.	14
6	Projected Savings.	15

COMPUTER-AIDED DESIGN OF SUPPRESSIVE SHIELDS

I. INTRODUCTION

This study was conducted to determine the feasibility of applying computer-aided design (CAD) techniques and procedures to the design and design evaluation of suppressive shields. At present, some 200 suppressive shield applications have been identified in the Munitions Production Based Modernization Program. The present design procedure is costly and time consuming. The use of CAD techniques in design and design evaluation of suppressive shields will minimize design time and cost, improve design by incorporating optimized and safety approved methods, provide the ability to analytically evaluate designs, and provide consistent, efficient, and accurate design procedures.

The current Edgewood Arsenal Suppressive Shielding Program will culminate in an engineering design handbook which will be used by architectural and engineering contractors who prepare designs and specifications for new or modernized munition production facilities. CAD procedures are planned as an integral portion of this Suppressive Structures Handbook. These CAD procedures will handle the tedious iterations of numerous and complex hand calculations. Eventually, the complete design procedure will be computerized and interactive terminal software will be the interface between the computer and the design engineer.

This type of CAD system requires a large computer system capable of conducting a multi-user time share operation with fast response. Many such computer systems are available within the Government; one is the Edgewood Arsenal computer facility consisting of the UNIVAC 1108 computer system. The EXEC VIII operating system of the UNIVAC 1108 allows interactive terminals to operate from remote areas via standard telephone communications.

II. CURRENT DESIGN METHODS

In the design of a suppressive shield, there are three main areas of engineering effort:

- A. Analysis of the environment
- B. Shield design
- C. Analysis of the design

There is feedback from each of these areas and each area employs a number of analysis disciplines. Some computer programs are available to aid the analysis, particularly in the analysis of blast and fragment effects. Also available are some guidelines based on previous suppressive shield designs.

III. CAD APPLICATION

A. Equipment Configuration.

The general CAD equipment configuration is shown in figure 1. The CAD application at the design station would incorporate an interactive terminal located in the design area and connected to a computer system similar to Edgewood Arsenal's UNIVAC 1108 via telephone lines. This design station would consist of an interactive graphics CRT with a hard copy unit for display of results, and a keyboard typewriter for input and control. The Suppressive Structures Handbook will define the specific design procedure. The designer would enter, via a typewriter terminal, the commands for the desired type of analysis and the input for that analysis. Results would be displayed on the CRT in tabular and graphical form. The designer would be able to make a hard copy of the results for further study. The terminal would require a low speed data communications modem. Since this arrangement would only require a standard telephone set, the location of the design station would be flexible.

A system such as the Edgewood Arsenal's UNIVAC 1108 computer system will be required for this application. Resident on that system could be a monitor program for servicing the terminal requests. This monitor program will operate within the teleprocessing software of the operating system, and will bring in the analysis programs required as a result of the specific request. The analysis will be taken from the engineering design handbook. These analysis programs will reside on a mass storage device such as disk or high speed drum as a Suppressive Structures Design Code file. These programs will use design parameters which will reside in the Suppressive Structures Data Base. This data base will also reside on a mass storage device.

The system also could generate information for an artwork generator consisting of a minicomputer and plotting system for generating drawings.

B. Suppressive Structures CAD Procedure.

The design procedure is divided into the donor system analysis and the shield design analysis. A block diagram of the design flow is shown in figure 2.

The donor system analysis is conducted to determine the hazard environment. The engineer/designer enters the donor system characteristics which define the munition configuration. Then the blast, fragment, and thermal characteristics are determined as shown in figure 2. These results are displayed and stored on disk or drum for use later by the design program. This part of the system defines the hazard environment and is not a part of the design. Rather, the results of this system are used as input to the design.




FIGURE 1. EQUIPMENT CONFIGURATION




FIGURE 2. DONOR SYSTEM ANALYSIS

The shield design analysis system is the major portion of the CAD environment. Here the engineer/designer first tells the system the degree of protection that is desired and the geometry of the environment. The system then uses the results of the donor system analysis and displays information on the CRT concerning the required shield configuration. The engineer then works interactively with the machine to select materials, type of shield, configuration, etc. The machine, based on previous design information, provides him with results of previous designs. When he has developed the design concept, the system analyzes that design with respect to effectiveness and cost and then displays the results. Upon his interpretation of the results, the designer can modify the design and analyze it again or he can change the requirements if the design is not feasible due to the constraints placed on the requirements. It is important to note that the designer makes the final decision and the system provides him with the information to make that decision.

C. Data Flow.

The system consists of three program modules with five data bases and a file maintenance module. The data flow is shown in figure 3. These modules are defined as follows:

1. Munitions Effects Module.

This system consists of a control program, munition analysis programs, a files control program, and a results presentation program. The control program is the interface between the engineer and the machine. It honors his requests and loads those programs to conduct the required analysis. The munition analysis programs are three separate programs consisting of a blast effects program, a fragmentation effects program, and a thermal effects program. This area is the only part of the total system where existing computer programs may be utilized. The applied technology effort on the current suppressive shield project determines the existing programs that most effectively apply to this analysis. The files control program creates the blast, fragment, and thermal effects file to be used during the design analysis. The results presentation program formats the results for presentation in summary form at the designer's console or in a detail tabular presentation.

2. Design Requirements Module.

This module consists of a control program, a files program, a design program, and a results presentation program. The control program is the interface between the engineer and the machine. The design program analyzes the protection criteria and enclosure geometry, obtains the hazard data program from the effects file, and determines the specific hazard to that environment. It then uses the files program to obtain information from the shield data base and to determine the shield parameters to meet the




FIGURE 3. DATA FLOW

designer's constraints. The results presentation program provides a display of the hazard encountered and shield performance as a function of the options the designer can use in the design.

3. Design Analysis Module.

This module consists of a control program, a design program, a design analysis program, a files program, and a results presentation program. The control program again interfaces the man and the machine. The design program requests specific design information from the engineer and, on request from the engineer, provides him with information from the materials data base. The design analysis program conducts design optimization and, using information from the cost data base and the safety data base, analyzes the effectiveness of the design concept. The files program provides interface with the data base. The results presentation program provides the results to the engineer in tabular and graphical form.

4. Files Maintenance Module.

This module provides the capability to update and maintain all the data bases of the system.

IV. IMPLEMENTATION

The detailed implementation of the CAD Suppressive Shields system will be a coordinated effort between the design engineers, engineering analysts, programmers, and computer facility operations personnel. A preliminary implementation schedule is shown in figure 4. The task definitions and level of effort follows:

1. System Specification - This 2 month effort will result in a detailed concept of the overall system. The specification will present in detail the analysis, operation, data base structure, program modules, and data flow for the entire system. This effort will involve personnel from all required operations. Level of effort - 6 man months.

2. Analysis Phase - This task will obtain all analyses to be used and will develop program algorithms that will be required. Level of effort - 8 man months.

3. Program Module Specifications - This task will develop detailed specifications for each program module. They will include flow charts, variable name dictionaries, block diagrams, etc. Level of effort - 21 man months.

4. Procurement Phase - This task will obtain necessary terminal hardware to be used in the system. It is important that this equipment be obtained for the programming and checkout phases - equipment cost \$12,000.

TASKS




FIGURE 4. IMPLEMENTATION SCHEDULE

5. Programming Phase - This task will generate the actual code for the program modules. Level of effort - 32 man months.

6. Program Checkout - This task will verify the individual programs on the computer system. Level of effort - 18 man months.

7. Module Checkout - This task will verify and check out the program modules consisting of groupings of the individual programs. Level of effort - 15 man months.

8. System Checkout - This task will verify and check out the overall system consisting of the program modules. There will be much interaction between tasks 5, 6, 7 and 8. Level of effort - 9 man months.

9. Program Documentation - This task will provide detailed documentation of the logic flow and construction of the programs to enable ease of maintenance and modification. Level of effort - 12 man months.

10. User Documentation - This task will provide detailed documentation defining the use of the system. This explicit set of instructions and definitions will form a part of the engineering design handbook - 12 man months.

In addition to these tasks, 12 man months should be allocated to management of this effort. Total level of effort is 152 man months and \$12,000 for equipment for a total cost of approximately \$500,000.

V. COST SAVINGS

The cost data is shown in figure 5 and the projected savings by year is shown in figure 6. The manual design costs per shield and the projected number of shields per year were obtained from experience at the Suppressive Shielding Branch, Mechanical Process Technology Division, Manufacturing Technology Directorate, Edgewood Arsenal. The design costs using CAD were estimated from discussions with personnel familiar with the CAD procedure and were then compared with the costs of the present suppressive shield design procedure.

VI. CONCLUSIONS AND RECOMMENDATIONS

It is concluded that computer-aided design procedures are applicable to the design of suppressive shields. Use of these procedures will improve accuracy of design calculations. Suppressive shields designed by these procedures will be more reliable and economical than those designed by manual design calculations.

It is recommended that a Manufacturing Methods and Technology project to apply computer-aided design procedures to design of suppressive shields be initiated as soon as possible after the engineering design handbook is completed.

	CAT 1-5						CAT 6			
	MANUAL			CAD			MANUAL		CAD	
	HRS	COST \$ X10 ³	HRS	COST \$ X10 ³	HRS	COST \$ X10 ³	HRS	COST \$ X10 ³	HRS	COST \$ X10 ³
ENG HRS @ \$25/HR	200	5	80	2	80	2	80	2.0	33	0.8
DES HRS @ \$20/HR	400	8	150	3	200	4.0	200	4.0	60	1.2
TOTAL DESIGN	600	13	230	5	280	6.0	280	6.0	93	2.0
SAFETY										
INPUT LEVEL	80	2	40	1.0						
PIC. ARS	80	2	40	1.0						
COMMAND	40	1	20	.5						
AMC	20	.5	10	.25						
EXPL SAFETY BOARD	20	.5	10	.25						
TOTAL SAFETY	240	6	120	3	240	6	240	6	80	3
TOTAL		19		8		12		12		5

FIGURE 5. COST PER SHIELD

YEAR	NO. OF DESIGNS		MANUAL COSTS			CAD COSTS			
	CAT 1-5	CAT 6	DESIGN COSTS	SAFETY REVIEW	DEVEL & EQUIP	DESIGN COSTS	SAFETY REVIEW	SAVINGS	
1978					335	-	-	(335)	
1979	-	-			245			(245)	
1980	12	-	156	72		60	36	132	
1981	14		182	84		70	42	154	
1982	20	60	620	480		220	240	640	
1983	20		260	120		100	60	220	
1984	8	60	464	408		160	204	508	
1985	16		208	96		80	48	176	
1986	25	60	685	510		245	255	695	
1987	13	0	169	78		65	39	143	
TOTAL	128	180	2744	1848	580	1000	924	2088	

COSTS IN \$ $\times 10^3$

FIGURE 6. PROJECTED SAVINGS

DISTRIBUTION LIST

<u>Recipient</u>	<u>No. of Copies</u>
Commander Naval Ordnance Systems Command NAPEC Naval Ammunition Depot Attn: ORD-04M/B/X-5/Mr. L. Leonard Crane, IN 47522	1
Commander US Naval Surface Weapons Center Whiteoak Lab Attn: Mr. J. Proctor Silver Spring, MD 20910	1
Chairman DOD Explosives Safety Board Attn: COL P. Kelly, Jr. Forrestal Building GB-270 Washington, DC 20314	5
Joint Army-Navy-Air Force Conventional Ammunition Production Coordinating Group US Army Armament Command Attn: Mr. Edward Jordan Rock Island, IL 61201	7
HQDA (DAEN-MCC-I/Mr. L. Foley) Washington, DC 20314	1
HQDA (DAEN-MCE-D/Mr. R. Wight) Washington, DC 20314	1
Director DARCOM Field Safety Activity Attn: DRXOS-TA/Mr. Olson DRXOS-ES/Mr. Myers Charlestown, Indiana 47111	1 ea
Commander US Army Materiel Development and Readiness Command Attn: DRCSF/Mr. W. Queen 5001 Eisenhower Avenue Alexandria, VA 22333	2

<u>Recipient</u>	<u>No. of Copies</u>
Project Manager for Munitions Production Base Modernization and Expansion US Army Materiel Development and Readiness Command Attn: DRCPM-PBM-E/Mr. Dybacki Dover, NJ 07801	3
Commander US Army Armament Command Attn: DRSAR-EN/Mr. Ambrosini DRSAR-SC/Dr. D. Hudson DRSAR-SF/Mr. R. Young, Mr. J. Varcho DRSAR-PPI/Mr. Serlin, Mr. T. Fetter, Mr. S. Porter DRSAR-PPI-C/Mr. A. Madsen, Mr. G. Cowan, CPT H. Burnsteel DRSAR-PPI-A/Mr. L. Nelson Rock Island Arsenal Rock Island, IL 61201	1 ea
Commander DARCOM Ammunition Center Attn: Mr. J. Byrd SARAC-DEN/Mr. Huddleston, Mr. Sumpterer Savanna, IL 61074	1 ea
Commander Frankford Arsenal Attn: Mr. F. Fidel, Mr. E. Rempler Bridge and Tacony Streets Philadelphia, PA 19137	1 ea
Commander Picatinny Arsenal Attn: SARPA-MT/Mr. Saffian SARPA-MT F/Mr. I. Forsten, Mr. J. Canavan, Mr. Hickerson Dover, NJ 07801	3 1 ea
Commander US Army Test and Evaluation Command Attn: DRSTE-NB Aberdeen Proving Ground, MD 21005	1
Commander Dugway Proving Ground Attn: Dr. Rothenburg STEDP-TO-II/Mr. P. Miller Dugway, UT 84022	1 ea

<u>Recipient</u>	<u>No. of Copies</u>
Commander Cornhusker Army Ammunition Plant Grand Island, NE 68801	1
Commander Indiana Army Ammunition Plant Charleston, IN 47111	1
Commander Iowa Army Ammunition Plant Burlington, IA 52502	1
Commander Joliet Army Ammunition Plant Joliet, IL 60436	1
Commander Kansas Army Ammunition Plant Parsons, KS 67357	1
Commander Longhorn Army Ammunition Plant Marshall, TX 75671	1
Commander Lone Star Army Ammunition Plant Texarkana, TX 75502	1
Commander Louisiana Army Ammunition Plant Shreveport, LA 71102	1
Commander Milan Army Ammunition Plant Milan, TN 38358	1
Commander Radford Army Ammunition Plant Radford, VA 24141	1
Commander Sunflower Army Ammunition Plant Lawrence, KS 66044	1

<u>Recipient</u>	<u>No. of Copies</u>
Commander Lake City Army Ammunition Plant Attn: Mr. John Jacobi Independence, MO 64056	1
Commander Ravenna Army Ammunition Plant Ravenna, OH 44266	1
Commander Pine Bluff Arsenal Pine Bluff, AR 71601	1
Director US Army Materiel Systems Analysis Activity Aberdeen Proving Ground, MD 21005	3
Director US Army Ballistic Research Laboratories Attn: DRXBR-DL/Mr. Vitali Aberdeen Proving Ground, MD 21005	5
Division Engineer US Army Engineer Division, Huntsville Attn: UNDED-CS/Mr. Dembo, Mr. W. Char P. O. Box 1600, West Station Huntsville, AL 35807	1 ea
US Army Engineer Division Waterways Experimental Station PO Box 631 Vicksburg, MS 39180	1
Director DARCOM Intern Training Center Attn: Dr. G. Chiang Red River Depot Texarkana, TX 75502	1
Mr. John Komos Defense Supply Agency Cameron Station Alexandria, VA 22030	1

<u>Recipient</u>	<u>No. of Copies</u>
Project Manager for Chemical Demilitarization and Installation Restoration Edgewood Arsenal Aberdeen Proving Ground, MD 21010	2
Commander Edgewood Arsenal Attn: SAREA-TD-E	1
SAREA-FI	1
SAREA-LE	1
SAREA-SA	1
SAREA-TE	1
Aberdeen Proving Ground, MD 21010	
Commander Edgewood Arsenal Attn: SAREA-BL-B	1
SAREA-BL-E	1
SAREA-BL-H	1
SAREA-BL-R	1
SAREA-BL-T	1
Aberdeen Proving Ground, MD 21010	
Commander Edgewood Arsenal Attn: SAREA-CL-C	1
SAREA-CL-P	1
Aberdeen Proving Ground, MD 21010	
Commander Edgewood Arsenal Attn: SAREA-DE-S	4
Aberdeen Proving Ground, MD 21010	
Commander Edgewood Arsenal Attn: SAREA-MT-M	1
SAREA-MT-TS	5
Aberdeen Proving Ground, MD 21010	
Chief Edgewood Arsenal Resident Laboratory NASA National Space Technology Labs Bay St. Louis, MS 39520	2

<u>Recipient</u>	<u>No. of Copies</u>
Commander	
Edgewood Arsenal	
Attn: SAREA-PA-A	1
SAREA-PA-P	1
SAREA-PA-Q	1
Aberdeen Proving Ground, MD 21010	
Commander	
Edgewood Arsenal	
Attn: SAREA-TS-R	2
SAREA-TS-L	3
SAREA-TS-E	1
Aberdeen Proving Ground, MD 21010	
Commander	1
Aberdeen Proving Ground	
Attn: STEAP-AD-R/RHA	
Aberdeen Proving Ground, MD 21005	
Commander	1
Aberdeen Proving Ground	
Attn: STEAP-TL	
Aberdeen Proving Ground, MD 21005	
Commander	1
Edgewood Arsenal	
Attn: SAREA-DM	
Aberdeen Proving Ground, MD 21010	
Administrator	12
Defense Documentation Center	
Attn: Accessions Division	
Cameron Station	
Alexandria, VA 22333	