

AD-A036 714

TEXAS TECH UNIV LUBBOCK DEPT OF ELECTRICAL ENGINEERING F/G 12/1  
A NEW CHARACTERIZATION OF THE NYQUIST STABILITY CRITERION, (U)  
AUG 76 R DECARLO, R SAEKS AF-AFOSR-2631-74

UNCLASSIFIED

AFOSR-TR-77-0069


NL

| OF |  
AD  
A036714



END

DATE  
FILMED  
4 - 77



MICROCOPY RESOLUTION TEST CHART  
NATIONAL BUREAU OF STANDARDS-1963-A

AFOSR - TR - 77 - 0069

(A) (4)

# 19th MIDWEST SYMPOSIUM ON CIRCUITS AND SYSTEMS

ADA 036714

AUGUST 16-17, 1976

Edited by  
J. D. McPherson

D D C  
RAPID  
MAR 9 1977  
RECEIVED  
C

Approved for public release;  
distribution unlimited.

ACCESSION for	
NHS	Write Section <input checked="" type="checkbox"/>
DDC	Buff Section <input type="checkbox"/>
UNANNOUNCED	<input type="checkbox"/>
JUSTIFICATION	
BY	
DISTRIBUTION/AVAILABILITY CODES	
Dist.	AVAIL. Rtg. or SPECIAL
A	



*See form 7493*

AIR FORCE OFFICE OF SCIENTIFIC RESEARCH (AFSC)  
NOTICE OF TRANSMITTAL TO DDC  
This technical report has been reviewed and is  
approved for public release IAW AFR 190-12 (7b).  
Distribution is unlimited.  
A. D. BLOSE  
Technical Information Officer

## A NEW CHARACTERIZATION OF THE NYQUIST STABILITY CRITERION\*

R. DECARLO & R. SAEKS

### ABSTRACT

The usual proof of the Nyquist Theorem depends heavily on the argument principle. The argument supplies unneeded information in that it counts the number of encirclements of "-1". Stability of a system requires an encirclement or a no-encirclement test. Using homotopy theory, this paper offers a more intuitive approach. We believe this approach will lead to practical generalizations. For example, systems characterized by several complex variables such as multi deminsional digital filters.

### I. INTRODUCTION

This paper introduces a characterization of the Nyquist criterion using homotopy theory, a branch of algebraic topology. The authors emphasize the intuition and motivation for this approach. The hope is to aid interested readers to further extend and apply these ideas. In this vein, proofs are omitted so as to simplify the presentation. Details can be found in the references. With this philosophy in mind, let us define the type of system we will be discussing.

As illustrated in Figure 1, let  $\hat{g}(s)$  be a rational function in the complex variable  $s$  (bounded at  $s = \infty$ \*\*) representing the open loop gain of scalar single loop feedback system. The closed loop system has transfer function  $\hat{h}(s) = \hat{g}(s)/[1+\hat{g}(s)]$ . The closed loop system is stable if and only if all poles of  $\hat{h}(s)$  are in the open left half plane denoted by  $\mathcal{L}_-$  (where  $\mathcal{L}$  will denote the entire complex plane).

The Nyquist Criterion states that the closed loop system is stable if and only if the Nyquist plot of  $\hat{g}(s)$  (i.e. the image of the Nyquist contour under the map  $\hat{g}(\cdot)$ ) does not encircle nor pass through "-1". If the Nyquist plot passes through "-1" there is a pole on the imaginary axis; if the

Nyquist plot encircles "-1", there is a pole in the open right half plane, which we will denote by  $\mathcal{L}_+$  ( $\mathcal{L}_+$  will denote the closed right half plane). The following section constructs the required machinery of homotopy theory





Figure 1

### II. MATHEMATICAL PRELIMINARIES & BACKGROUND

Basic to homotopy theory is the concept of a path. A path or a curve in the complex plane is a continuous function of bounded variation (2)  $\gamma : [0,1] \rightarrow \mathcal{L}$ .  $\gamma$  is a closed path if  $\gamma(0) = \gamma(1)$ .  $\gamma$  is a simple closed path if  $\gamma$  is a closed path and has no self intersections. The image of  $I = [0,1]$  under  $\gamma$  is called the trace of  $\gamma$  and is denoted by  $\{\gamma\}$ .



\*\*This boundedness condition can be dispensed with & is added only to ease the exposition.

\*Supported in part by AFOSR Grant 74-2631

Figure 2

Two closed curves  $\gamma_0$  and  $\gamma_1$  are homotopic in  $\mathcal{D}$  if there exists a continuous function  $r: I \times I \rightarrow \mathcal{D}$  such that:

- (a)  $r(s,0) = \gamma_0(s) \quad 0 \leq s \leq 1$
- (b)  $r(s,1) = \gamma_1(s) \quad 0 \leq s \leq 1$
- (c)  $r(0,t) = r(1,t) \quad 0 \leq t \leq 1$

Intuitively,  $\gamma_0$  is homotopic to  $\gamma_1$  if one can continuously deform  $\gamma_0$  into  $\gamma_1$ . Moreover, it is easily shown that the homotopy relation is an equivalence relation. (4) (5)

Another important property of a closed curve is its index or degree. The index (2) of closed curve, with respect to a point "a" not in  $\{\gamma\}$  is:

$$n(\gamma; a) = \frac{1}{2\pi i} \int_{\gamma} (z-a)^{-1} dz$$

This integral measures the net increase in angle that the ray  $r$  of Figure 3 accumulates as its tip traverses the trace of  $\gamma$ .




Figure 3

Intuition for the approach stems in part from the observation that  $n(\gamma; -1) = 0$  if and only if  $\gamma$  is homotopic to a point in  $\mathcal{D} - \{-1\}$  (cf. prop. 5.4, ref. 2). We will henceforth refer to such a  $\gamma$  as being homotopically trivial. Conversely,  $\gamma$  encircles "-1" if and only if  $\gamma$  cannot be continuously deformed to a point in  $\mathcal{D} - \{-1\}$ . These ideas appear to indicate that the Nyquist encirclement condition is fundamentally a homotopy concept. The intuition is further reenforced when one formulates the Nyquist criterion on the Riemann surface (2) (8) associated with a map,  $\hat{f}(s)$ . Assuming  $\hat{f}(s)$  is analytic on  $\mathcal{D}_+$  and bounded at  $s=\infty$ , the image of simply connected regions in  $\mathcal{D}_+$  are simply connected in  $\mathcal{D}$ . To illustrate the point, let

Figure 4-a be the image of the right half plane under  $\hat{f}(s)$ . The region is not simply connected. Figure 4-b shows the "same region" as it might appear on an appropriate Riemann surface. Here the region is simply connected.




Figure 4

The boundary of the regions depicted in Figure 4 are the Nyquist plots of  $\hat{f}(s)$  in  $\mathcal{D}$  and on the Riemann surface. On the Riemann surface the Nyquist test becomes an obvious triviality. In  $\mathcal{D}$  it is mathematically more delicate.

Our setting uses homotopy theory, a branch of algebraic topology, to establish a topologically invariant relationship between a metric space,  $X$ , and an algebraic group called the fundamental group of  $X$ , denoted by  $\pi(X)$ . The relationship is topologically invariant in that homeomorphic spaces have isomorphic fundamental groups.

Specifically, the fundamental group is a set of equivalence classes of closed curves. Each equivalence class consists of a set of curves homotopically equivalent. The group operation is "concatenation" of curves.

For example, the fundamental group of  $\mathcal{D}$  consists of one element,  $i_{\mathcal{D}}$ , the identity, since all closed curves are homotopic to zero. If  $X = \mathcal{D} - \{-1\}$ , then  $\pi(X)$  has a countable number of elements:  $i_X$  (the identity) equal to the equivalence class of all closed curves not encircling "-1" and the remaining elements,  $\mu_n$  ( $n = 1, 2, 3 \dots$ ) consisting of the equivalence class of all closed curves en-

circling "-1", n times. Moreover,  $\mu_i$  concatenated with  $\mu_k$  is equal to the element  $\mu_{k+i}$ . Now let  $X$  and  $Y$  be metric spaces. Let  $f: X \rightarrow Y$  be locally homeomorphic. In particular, assume that for each point  $y$  in  $Y$  there exists an open neighborhood  $G$  of  $y$  such that each connected component of  $f^{-1}(G)$  is homeomorphic to  $G$  under the map  $f$ . Under this condition  $X$  is said to be a covering space of  $Y$ . (2) (4) Also let  $\pi(X)$  and  $\pi(Y)$  be the fundamental groups associated with  $X$  and  $Y$  respectively. With these assumptions,  $f$  effects a group isomorphism (i.e. a one to one into mapping preserving group operations)  $\phi_f$  between  $\pi(X)$  and a subgroup of  $\pi(Y)$  as in the following diagram (4) (5)




Figure 5

$F$  is the functor which establishes the relationship between a topological space and its fundamental group. Finally let us distinguish between a critical point and a critical value. A point  $z_0$  in  $\mathcal{D}$  is a critical point of a differentiable function  $f$  if  $f'(z_0) = 0$ . A critical value of  $f$  is any point  $w = f(z_0)$  whenever  $z_0$  is a critical point.

Now suppose  $f: \mathcal{D} \rightarrow \mathcal{W}$  is a rational function whose set of poles is  $P = \{P_1, \dots, P_n\}$ . Let  $Q = \{q_1, \dots, q_m\}$  be the set of all points in  $\mathcal{D}$  such that  $f(q_i)$  is a critical value of  $f$ . Note that there may be  $q_i$ 's which are not critical points. To see this consider  $g(z) = z^2(z-a)$ .  $g'(0) = 0$  implies "0" is

a critical value of  $g$ , but  $g(a) = 0$  with  $g'(a) \neq 0$ . Finally, define  $T = \{t_i | t_i = f^{-1}(-1), i=1, \dots, n\}$ . Note also that since  $f$  is a rational function,  $P$ ,  $Q$  and  $T$  are finite sets. Define  $X = \mathcal{D} - \{P \cup Q \cup T\}$  and define  $Y = f(X)$ .

**Lemma 1:** Under the above hypothesis,  $X$  is a covering space of  $Y$ . This leads to the following corollary.

**Corollary:** The fundamental group  $\pi(X)$  of  $X$  is isomorphic to a subgroup  $N$  of  $\pi(Y)$ .

This corollary says that a closed curve in  $X$  is homotopically trivial.

### III. THE SCALAR CASE

Let  $g(s)$  be as described in the introduction. Appropriately define the sets  $P$ ,  $Q$ , and  $T$  and the spaces  $X$  and  $Y$  so that  $X$  is a covering space of  $Y$ . Also as per reference (10) and Figure 6, construct the ugly Nyquist contour,  $\mathcal{R}$ , and the usual Nyquist contour,  $\Gamma$ , where  $\Gamma: I \rightarrow \mathcal{D} \cup \{\infty\}$ .




Figure 6-(a)

$x$  indicates a point of  $P$ ;  $o$  indicates a point of  $Q$




Figure 6-(b)

x indicates a point of P; o indicates a point of Q  
**Lemma 2:** Under the above assumptions on  $\hat{g}$  and  $\lambda_R$ ,  $\hat{h}(s)$  is stable if and only if the path  $\hat{g}\circ\lambda_R$  does not encircle "-1". (10)

At this point we must establish this lemma's connection with the classical Nyquist criterion. To this end we compare the information of the Nyquist plot,  $\hat{g}\circ\Gamma$  with the "ugly" Nyquist plot,  $\hat{g}\circ\lambda_R$ .

**Lemma 3:** Let n be the number of poles of  $\hat{g}$  in  $\mathcal{L}_+$ , then

$$\frac{1}{2\pi i} \int_{\hat{g}\circ\Gamma} (z-1)^{-1} dz = \left[ \frac{1}{2\pi i} \int_{\hat{g}\circ\lambda_R} (z-1)^{-1} dz \right] + n$$

These three lemmas give rise to the following theorem.

**Theorem 1:** Let  $\hat{g}(s)$  be as above. Then  $\hat{h}(s)$  is stable if and only if the Nyquist plot of  $\hat{g}(s)$  does not pass through "-1" and encircles "-1" exactly n times where n is the number of poles of  $\hat{g}(s)$  in  $\mathcal{L}_+$ .

#### IV. MATRIX CASE

Let the entries of an nxn matrix  $\hat{G}(s)$  be rational functions in the complex variable s. Suppose  $\hat{G}(s)$  characterizes the open loop gain of the single loop feedback system of Figure 7.




Figure 7

$\hat{x}(s)$  and  $\hat{y}(s)$  are n vectors whose entries are also rational functions of s which represent the input and output of the system respectively.

This article assumes each entry of  $\hat{G}(s)$  is bounded at  $s = \infty$ . Thus  $\hat{G}(s)$  as a mapping,  $\hat{G}(\cdot): \mathcal{L} \rightarrow \mathcal{L}^{n \times n}$ , is analytic on  $\mathcal{L}$  except at a finite number of points, the poles of its entries.

For Figure 7 to be well defined we require that  $\det[I + \hat{G}(s)] \neq 0$ . Thus there exists a closed loop convolution operator, H, such that  $y = Hx$ . Moreover the Laplace transform of H,  $\hat{H}(s)$  satisfied

$$\hat{H}(s) = \hat{G}(s)[I + \hat{G}(s)]^{-1}$$

For this system to be stable,  $\hat{H}(s)$  must have all its poles in  $\mathcal{L}_-$  and have all its entries bounded at  $s = \infty$ .

Under the assumptions on  $\hat{G}(s)$ , the following factorization is valid:

$$\hat{G}(s) = N(s)D^{-1}(s)$$

where N(s) and D(s) are right co-prime, polynomial matrices in s with  $\det[D(s)] \neq 0$ . Moreover  $s_0$  is a pole of  $\hat{G}(s)$  if and only if it is a zero of  $\det[D(s)]$ . (9)

Desoer and Schulman (3) have shown that the close loop operator H is stable if and only if  $\det[N(s) + D(s)] \neq 0$  for s in  $\mathcal{L}_+$  and  $\det[I + \hat{G}(\infty)] \neq 0$ . Using this fact, we state and prove the following:

**Theorem 2:** H is stable if and only if (1) the

Nyquist plot of  $\det[N(s)+D(s)]$  does not encircle nor pass through "0", and (2)  $\det[I+\hat{G}(\infty)] \neq 0$ . (10) Observe that if one assumes the open loop gain to be stable (i.e.  $\hat{G}(s)$  has all poles in  $\mathcal{L}_+$ ) then  $\det[I+G(s)]$  in the above theorem. This follows since for all  $s$  in  $\mathcal{L}_+$ ,  $\det[N(s)+D(s)] = \det[I+\hat{G}(s)] \det[D(s)]$  with  $\det[D(s)] \neq 0$ . Thus in  $\mathcal{L}_+$   $\det[N(s)+D(s)]$  has a zero if and only if  $\det[I+\hat{G}(s)]$  has a zero.

Finally, it is worthwhile to point out the relationship between the above formulated multivariable Nyquist criterion and that formulated by Barman and Katznelson. For this purpose we let  $\lambda_j(i\omega)$ ;  $j=1, \dots, n$ ; denote the  $n$  eigenvalues of  $\hat{G}(i\omega)$ . In general parameterization of these function by  $i\omega$  is not uniquely determined but one can always formulate such a function. Moreover these functions are piecewise analytic and can be concatenated together in such a way as to form a closed curve which Barman and Katznelson term the Nyquist plot of  $\hat{G}(s)$ .

Now, since

$$\det[I + \hat{G}(i\omega)] = \prod_{j=1}^n [1 + \lambda_j(i\omega)]$$

and the degrees of a product is the sum of the degrees of the individual factors and also equals the degree of the concatenation of the factors, the degree of the Barman and Katznelson plot with respect to "-1" coincides with the degree of our plot with respect to "0". As such, even though the two plots are different their degrees coincide and hence either can be used for a stability test.

Acknowledgement: The authors would like to acknowledge the contribution of Dr. John Murray (Dept. of Mathematics, Texas Tech University) whose continuous flow of counter examples shaped the ideas presented herein.

#### REFERENCES

1. Barman, John F. and Katznelson, Jacob, "A Generalized Nyquist-type Stability Criterion for Multivariable Feedback Systems," *Int. Journal of Control*, 1974, Vol. 20, pp. 593-622.
2. Conway, John B., "Functions of One Complex Variable," Springer-Verlag, New York, 1974.
3. Desoer, Charles A., and Schulman, J. D., "Cancellations in Multivariable Continuous-time and Discrete-time Feedback Systems," Memorandum No. ERL-M346, Berkeley, College of Engrg., Univ. of CA, 1972.
4. Hocking, John G. and Young, Gail S., "Topology" Addison-Wesley Inc., Reading, Mass, 1961.
5. Massey, William S., "Algebraic Topology: An Introduction," Harcourt, Brace and World Inc., New York, 1967.
6. Milnor, John W., "Topology from the Differential Viewpoint," Univ. Press of Virginia, Charlottesville, 1965.
7. Rudin, Walter, "Functional Analysis," McGraw-Hill, Inc., New York, 1973.
8. Springer, George, "Introduction to Riemann Surfaces," Addison-Wesley Inc., Reading, Mass., 1957.
9. Wang, S. H., "Design of Linear Multivariable Systems," Memorandum No. ERL-M309, Electronics Research Laboratory (Berkeley, CA, University of CA) 1971.
10. DeCarlo, R. and Saeks, R., The Encirclement Condition: An Approach Using Algebraic Topology, to be published.

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER <b>AFOSR - TR - 77 - 0069</b>	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) <b>A NEW CHARACTERIZATION OF THE NYQUIST STABILITY CRITERION,</b>		5. TYPE OF REPORT & PERIOD COVERED <b>Interim</b>
7. AUTHOR(s) <b>R./DeCarlo R./Saeks</b>		6. PERFORMING ORG. REPORT NUMBER
9. PERFORMING ORGANIZATION NAME AND ADDRESS <b>Texas Tech University Department of Electrical Engineering Lubbock, Texas 79409</b>		8. CONTRACT OR GRANT NUMBER(s) <b>15 AF-AFOSR 2631-74</b>
11. CONTROLLING OFFICE NAME AND ADDRESS <b>Air Force Office of Scientific Research/NM</b>		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS <b>61102F 16 2304 A6 17 A6</b>
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		12. REPORT DATE <b>11 August 1976</b>
		13. NUMBER OF PAGES <b>127p.</b>
		15. SECURITY CLASS. (of this report) <b>UNCLASSIFIED</b>
16. DISTRIBUTION STATEMENT (of this Report) <b>Approved for public release; distribution unlimited.</b>		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
		<b>18 AFOSR 19 TR-77-0069</b>
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES <b>19th Midwest Symposium on Circuits and Systems, pp 349-353, Aug 76</b>		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) <b>Nyquist Criterion Homotopy Theory Stability Theory</b>		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) <b>The usual proof of the Nyquist Theorem depends heavily on the argument principle. The argument supplies unneeded information in that it counts the number of encirclements of <math>-1</math>. Stability of a system requires an encirclement or a no-encirclement test. Using homotopy theory, this paper offers a more intuitive approach. We believe this approach will lead to practical generalization. For example, systems characterized by several complex variables such as multi deminsional digital filters.</b>		

406820