

AD A038765

AD

TECHNICAL REPORT
75-79 CEMEL

[Handwritten signature]
(1)

VERIFICATION FIT TEST OF THREE SIZE INFANTRY HELMET

by

Lawrence R. McManus

William D. Claus

Philip E. Durand

and

Michael Kulinski

DDC

APR 28 1977

RECEIVED
RESOLVED
B

Approved for public release;
distribution unlimited.

January 1975

UNITED STATES ARMY
NATICK DEVELOPMENT CENTER
NATICK, MASSACHUSETTS 01760



Clothing, Equipment and Materials Engineering Laboratory
CEMEL-143

Approved for public release; distribution unlimited.

Citation of trade names in this report does not constitute an official indorsement or approval of the use of such items.

Destroy this report when no longer needed. Do not return it to the originator.

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle)	5. TYPE OF REPORT & PERIOD COVERED	
6. VERIFICATION FIT TEST OF THREE SIZE INFANTRY HELMET	In-House	
7. AUTHOR(s)	8. CONTRACT OR GRANT NUMBER(s)	
William R. McManus, Philip D. Claus, Jr., Philip E. Durand, Michael Kulinski		
9. PERFORMING ORGANIZATION NAME AND ADDRESS	10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS	
US Army Natick Development Center Kansas Street, Natick, MA 01760 ATTN: AMXNM-VCA	63726A 16 1T763726 D669-01	
11. CONTROLLING OFFICE NAME AND ADDRESS	12. REPORT DATE	
US Army Natick Development Center KANSAS St., Natick, MA 01760 ATTN: AMXNM-VCA (CEMEL)	11 Jan 1975	
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)	13. NUMBER OF PAGES	
14 CEMEL-143	47 (forty seven)	
15. SECURITY CLASS. (of this report)	15a. DECLASSIFICATION/DOWNGRADING SCHEDULE	
12 47p.		
16. DISTRIBUTION STATEMENT (of this Report)	17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)	
Approved for public release; distribution unlimited	17 01	
18. SUPPLEMENTARY NOTES	19. KEY WORDS (Continue on reverse side if necessary and identify by block number)	
NONE	Anthropology, head sizing, helmet, helmet stand-off	
20. ABSTRACT (Continue on reverse side if necessary and identify by block number)		
This report presents the statistical analysis of data generated by a fitting test of a 3 size infantry helmet system. The report includes analyses of anthropometric head data over the total population of 403 test subjects as well as an analysis of the population within each size for the three helmets. In addition, the report presents an analysis of helmet stand-off from the head as compared to a designed minimum stand-off of 12.5mm.		

TR 75-79 CEMEL

Verification Fit Test
of Three Size Infantry Helmet

BY
Lawrence R. McManus
William D. Claus Jr.
Philip E. Durand
and
Michael Kulinski

Section of		
RTIS	White Section ☒	
BOG	Buff Section ☐	
UNANNOUNCED	☐	
JUSTIFICATION.....		
SY.		
DISTRIBUTION/AVAILABILITY CODES		
DIST.	AVAIL. CODES	SPECIAL
A		

Approved for public release; distribution unlimited

CEMEL - 143

January 1975

TABLE OF CONTENTS

	<u>Page</u>
List of Figures	2
List of Tables	3
1. Introduction	4
2. Method	5
3. Discussion	6
4. Conclusions	7

LIST OF FIGURES

	<u>Page</u>
1. New Infantry Helmet, Medium Size	8
2. Infantry Helmet Fit Test Record Sheet	9
3. Head Circumference	10
4. Head Length	11
5. Head Breadth	12
6. Head Height	13
7. Glabella to Vertex	14
8. Biaural Breadth	15
9. Menton to Vertex	16
10. Helmet Stand-Off Probe Stations	17

LIST OF TABLES

		<u>Page</u>
I	Analysis of Head Dimensions of a Military Population	19
II	Analysis of Head Dimensions of Military Population By Head Size - Population 82 Size Small	20
III	Frequency Distribution of Size Small Circumference	21
IV	Frequency Distribution of Size Small - Length	22
V	Frequency Distribution of Size Small - Breadth	23
VI	Frequency Distribution of Size Small - Height	24
VII	Frequency Distribution of Size Small - Glabella - Vertex	25
VIII	Frequency Distribution of Size Small - Biaural Breadth	26
IX	Frequency Distribution of Size Small - Menton - Vertex	27
X	Analysis of Head Dimensions of Military Population by Head Size - Population 198 Size Medium	28
XI	Frequency Distribution of Size Medium Circumference	29
XII	Frequency Distribution of Size Medium - Length	30
XIII	Frequency Distribution of Size Medium - Breadth	31
XIV	Frequency Distribution of Size Medium Height	32
XV	Frequency Distribution of Size Medium - Glabella - Vertex	33
XVI	Frequency Distribution of Size Medium - Biaural Breadth	34
XVII	Frequency Distribution of Size Medium - Menton - Vertex	35
XVIII	Analysis of Head Dimensions of a Military Population by Head Size - Population 123 Size Large	36
XIX	Frequency Distribution of Size Large Circumference	37
XX	Frequency Distribution of Size Large - Length	38
XXI	Frequency Distribution of Size Large - Breadth	39
XXII	Frequency Distribution of Size Large - Height	40
XXIII	Frequency Distribution of Size Large - Glabella - Vertex	41
XXIV	Frequency Distribution of Size Large - Biaural Breadth	42
XXV	Frequency Distribution of Size Large - Menton - Vertex	43
XXVI	Stand-Off Data	44 - 45

1. Introduction

The object of this report is to present the statistical analysis of a fitting test of a three size helmet system. The test was conducted at Ft. Devens, MA during six days in July 1974 using men from the 10th Special Forces as test subjects.

Although it is not the intent of the authors to detail here the steps involved in the development and design of the new infantry helmet, it is essential that the reader have an appreciation, at least in capsule form, for the systematic approach in the design of the helmet.

Under the US Army Materiel Command Five-Year Personnel Armor System Program, several work unit reports are available which are pertinent to the design of the infantry helmet. Natick Development Center (NDC) Technical Report 75-23-CEMEL, entitled "Development of Headforms for Sizing Infantry Helmets", details the necessity for and the development of new shaped headforms representing the US Army population. NDC Technical Report 74-29-CE, "Heat Transfer Properties of Military Protective Headgear", and the Edgewood Arsenal Draft report, "Transient Deformation of Military Helmet and Its Injury Potential", establish the optimum helmet stand-off from the head for ventilation and transient deformation protection. Both reports establish this stand-off to be 12.7mm.

With this information documented, NDC personnel fabricated hydrocal "working helmet molds" in three sizes. This was accomplished by adding 12.7mm normal to the surface of the headforms. Human Engineering Laboratories (HEL), APG, MD conducted studies under the program work unit HLR-7 to establish the edge cut criteria for the helmet; i.e. the lower periphery of the helmet that would maximize head coverage consistent with the infantryman's task. These studies included: vision; audition; employment of shoulder-fired weapons; fire control systems; optics or other aimed, non-weapon systems; and binocular/monocular vision enhancement devices; compatibility with clothing ensembles and also body-borne equipment and worn protective systems. The edge-cut criteria are included in the work units program report dated November 74, entitled "Summary of Infantry Helmet Edge-Cut Criteria".

These edge-cut criteria were inscribed on the "working helmet molds" giving the developer a line of demarkation above which a designed helmet would have optimum compatibility and below which a designed helmet would interfere with or be incompatible with some aspects of the infantry man's operation or mission.

Having established the essential design criteria for a helmet, namely size, stand-off and edge-cut, NDC personnel, together with sculptor and artist Mr. A. Petitto, designed numerous helmets over the "working helmet mold".

One design was selected and hydrocal molds were made in three sizes suitable for vacuum forming. Plastic (ABS) helmet prototypes were fabricated at NDC having the simulated thickness and weight to meet the Materiel Need document. (Fig-1) Suspension systems were inserted in the helmets, and the helmets were shipped to HEL in April 74 for human factors evaluation in the field. It was this same design that was used in the fitting test at Ft. Devens, MA.

2. Method

Subjects: 403 Officers and enlisted men of the 105h Special Forces Stationed at Ft. Devens, MA served as subjects.

Procedure:

The subjects were given a record sheet on which they filled in their name, rank and social security number. (Fig-2) The anthropometric measurements taken and recorded for each subject's head included circumference, length, breadth, height, glabella to vertex, biaural breadth (ear to ear) and menton to vertex. Menton to vertex measurements were included to extend the base of such data for future use in development of face shields etc. (See figures 3 to 9)

The subject was given a helmet size designation according to the following sizing criteria.

<u>Dimension</u>	<u>Small (mm)</u>	<u>Medium (mm)</u>	<u>Large (mm)</u>
Circumference	555	576	611
Length	193	200	210
Breadth	151	159	166

Instruction: A subject whose measurement is plus in any dimension is placed in the next higher size.

The subject was then fitted with a clear polycarbonate helmet shell w/suspension system of the designated size. Each shell had 13 numbered probe holes as depicted in Fig-10. The stand-off was checked by probing the distance of the shell from the head. All probe readings less than 12.7mm were recorded on the subject's record sheet.

3. Discussion

Table I shows the statistics for the entire population of 403 men and the tariff of sizes. The tariff of approximately 20, 50, 30 percent, respectively for small, medium and large is an excellent distribution of helmet sizes.

Table II thru XXV depict the within-size statistics and individual dimension distribution. It is observed that each of the Tables showing the distribution of dimensions used in the sizing criteria, namely circumference, length and breadth, have a small number of subjects over the respective dimensional limit for that particular size. Thus, according to the sizing instructions, these subjects would normally be placed in the next higher size. However, these particular individuals were border line cases in that their other dimensions were considerably smaller than the respective maximum limits. A judgement was made by the measurer or a preference was made by the subject to designate the smaller size.

It should be pointed out that the glabella to vertex (GV) measurement, Tables VII, XV, and XXIII is the most relevant height measurement to a helmet designer. The GV tables show that the range and distribution of measurements are similar for all three sizes encompassing the 5th to 95th percentile. In other words, the glabella to vertex dimension is independent of head size, a most important consideration to the helmet designer. This result is consistent with other studies (for example, NDC Technical Report 72-52-CE, "Anthropometry of US Army Aviators - 1970") where it is shown that the GV dimension is virtually uncorrelated with other major head dimensions. This data confirms the decision made early in the program by the helmet designers, to modify the three helmet molds by increasing the GV dimension to correspond to the 75th percentile of the Army population. The stand-off of the helmet from the head is as important as the distribution of sizes. The helmet system was designed to stand-off a minimum of 12.7mm from the 1st to 99th percentile head of the Army population. Table XXVI presents the stand-off data in terms of number of probe readings less than 12.7mm. An analysis and explanation of the data reveal the following:

a. Probe station #1, stand-off at the vertex, recorded a total of 43 sub readings due to approximating the 12.7mm stand-off on the first day. A 12.7mm thick, small "stop" placed in the crown of the shell insured minimum stand-off in this area thereafter.

b. The remainder of the 5% of the total probe readings, under 12.7mm, were clustered about the length and width probes. The average of these probe readings under 12.7mm were below the designed value by approximately 2.5mm; the inferior value thus averaged about 10.2mm, but even this small difference could be accounted for if the shrinkage of the polycarbonate plastic was taken into consideration. However, since the ballistic materials under consideration for the helmet have some degree of shrinkage after molding (but less than the polycarbonate) these probe readings were used to "fine tune" the molds with respect to the length and width dimensions.

4. Conclusions

1. The three size infantry helmet system fits the US Army population exhibiting a tariff of approximately 20, 50, 30 percent for the respective sizes of small, medium and large.
2. The helmet system in three sizes, after a very slight modification to length and width, will have a 12.7mm minimum stand-off at all points on the head.



FIG 1

INFANTRY HELMET FIT TEST

NAME:

Subject Number:

1	2	3

S.S. NO.:

UNIT:

Head Dimensions

Circumference

4	5	6

Length

7	8	9

Breadth

10	11	12

Height

13	14	15

Glabella-Vertex

16	17

Ear-Ear

18	19	20

Menton-Vertex

21	22	23

Sizing System (Head Dimensions)

Subject's
Helmet Size

Large	611	210	166
Medium	576	200	159
Small	555	193	151


Helmet Offset Measurements

Probe No. Offset (in.)

1. _____	5. _____	9. _____
2. _____	6. _____	10. _____
3. _____	7. _____	11. _____
4. _____	8. _____	12. _____
		13. _____


Remarks.

Fig-3



Head Circumference: Subject sits erect with head level. The maximum circumference of the head is measured. A steel tape is used, with the tape passing just above the bony brow ridges of the forehead and above both ears.

Fig-4




Head Length: Subject sits erect with head level. The maximum length of the head is measured from the back of the head (occiput) to the forehead (glabella) spreading calipers are used.

Fig-5




Head Breadth: Subject sits erect with head level. The maximum horizontal breadth of the head is measured above and behind the ears. Spreading calipers are used.

Fig-6




Head Height (Tragion - Vertex Height): Subject sits erect, with head level. Head height is measured as the vertical distance from the cartilaginous notch (tragion) at the front of the right ear to the top of the head (vertex). An anthropometer is used.

Fig-7




Glabella to Vertex: Subject sits erect, with head level. The maximum vertical distance from the glabella land mark to the top of the head (vertex) is measured.

Fig-8



Biaural Breadth: Subject sits erect, with head level. The maximum horizontal distance from the outside of one ear to the outside of the other ear is measured. Spreading calipers are used.

Fig-9



Menton to Vertex: Subject sits erect, with head level. The vertical distance from the bottom of the chin (menton) to the top of the head (vertex) is measured. An anthropometer is used.






Fig 10 Helmet Stand-Off Probe Stations

TABLE I

Analysis of Head Dimensions of a Military Population

Population - 403 Men
Population Consists of:

82 Size Small - - - 20.35%
198 Size Medium - - 49.13%
123 Size Large - - - 30.52%

<u>DIMENSION</u>	<u>MEAN (mm)</u>	<u>STD DEV</u>	<u>MINIMUM (mm)</u>	<u>MAXIMUM (mm)</u>
Circumference	567.66	15.12	520.00	619.00
Length	193.87	7.09	171.00	215.00
Breadth	152.18	6.18	134.00	170.00
Height	128.20	6.14	110.00	146.00
Glabella-Vertex	84.68	9.34	57.00	113.00
Ear to Ear	186.95	8.74	159.00	208.00
Menton-Vertex	221.51	10.27	194.00	288.00

TABLE II
Analysis of Head Dimensions of a Military Population
Sized Small

Population - - - 82 Men

<u>DIMENSION</u>	<u>MEAN (mm)</u>	<u>STD DEV</u>	<u>MINIMUM (mm)</u>	<u>MAXIMUM (mm)</u>
Circumference	547.71	7.20	520.00	560.00
Length	186.93	4.66	175.00	196.00
Breadth	146.91	4.57	134.00	155.00
Height	124.59	5.09	114.00	137.00
Glabella-Vertex	83.12	9.44	66.00	105.00
Ear to Ear	181.91	7.50	159.00	199.00
Menton-Vertex	215.72	8.89	196.00	237.00

TABLE III
Frequency Distribution of Size Small Head Circumference

FREQUENCY

21										*	
20										*	
19								*	*	*	
18								*	*	*	
17								*	*	*	
16								*	*	*	
15								*	*	*	
14								*	*	*	
13						*	*	*	*	*	
12						*	*	*	*	*	
11						*	*	*	*	*	
10						*	*	*	*	*	
9						*	*	*	*	*	
8						*	*	*	*	*	
7					*	*	*	*	*	*	
6					*	*	*	*	*	*	
5					*	*	*	*	*	*	
4					*	*	*	*	*	*	
3			*	*	*	*	*	*	*	*	
2			*	*	*	*	*	*	*	*	
1	*		*	*	*	*	*	*	*	*	
mm	520	524	528	532	536	540	544	548	552	556	560

TABLE IV
Frequency Distribution of Size Small Head Length

<u>FREQUENCY</u>												
17							*					
16							*					
15							*					
14							*					
13							*					
12							*	*	*		*	
11							*	*	*		*	
10							*	*	*		*	
9							*	*	*		*	
8							*	*	*		*	
7							*	*	*	*	*	
6				*			*	*	*	*	*	*
5				*	*		*	*	*	*	*	*
4				*	*	*	*	*	*	*	*	*
3		*		*	*	*	*	*	*	*	*	*
2		*	*	*	*	*	*	*	*	*	*	*
1		*	*	*	*	*	*	*	*	*	*	*
mm	175	177	179	181	183	185	187	189	191	193	195	

TABLE V

Frequency Distribution of Size Small Head Breadth

Frequency

22								*			
21								*			
20								*			
19								*			
18								*			
17								*			
16								*			
15								*			
14					*			*			
13					*			*			
12					*			*	*		
11					*			*	*		
10					*			*	*		
9					*	*	*	*	*		
8					*	*	*	*	*		
7					*	*	*	*	*		
6					*	*	*	*	*		
5					*	*	*	*	*	*	*
4	*		*		*	*	*	*	*	*	*
3	*		*		*	*	*	*	*	*	*
2	*		*	*	*	*	*	*	*	*	*
1	*	*	*	*	*	*	*	*	*	*	*
MM											
	134	136	138	140	142	144	146	148	150	152	155

TABLE VI

Frequency Distribution of Size Small Head Height

FREQUENCY

18					*								
17					*								
16					*								
15					*								
14					*				*				
13					*				*				
12					*		*		*				
11					*		*		*				
10					*		*		*				
9					*	*	*		*	*			
8					*	*	*		*	*	*		
7		*		*	*	*	*		*	*	*		
6		*		*	*	*	*		*	*	*		
5		*		*	*	*	*		*	*	*		
4		*	*	*	*	*	*		*	*	*		
3		*	*	*	*	*	*		*	*	*		
2		*	*	*	*	*	*		*	*	*	*	
1		*	*	*	*	*	*		*	*	*	*	*
mm	114	116	118	120	123	125	127	130	132	134	137		

TABLE VII

Frequency Distribution of Size Small Glabella to Vertex

Frequency

15				*								
14				*								
13				*			*					
12			*	*			*					
11			*	*			*					
10			*	*	*		*	*				
9			*	*	*		*	*	*			
8			*	*	*		*	*	*			
7			*	*	*		*	*	*			
6			*	*	*		*	*	*			*
5			*	*	*		*	*	*			*
4			*	*	*		*	*	*	*		*
3			*	*	*		*	*	*	*		*
2		*	*	*	*		*	*	*	*		*
1		*	*	*	*		*	*	*	*	*	*
MM	65	69	73	77	81	85	89	93	97	101	105	

TABLE VIII

Frequency Distribution of Size Small Biaural Breadth

Frequency

18						*						
17						*		*				
16						*		*				
15						*		*				
14						*		*				
13						*		*				
12				*		*	*	*				
11				*		*	*	*				
10				*		*	*	*				
9				*		*	*	*				
8				*		*	*	*	*	*		
7				*		*	*	*	*	*		
6				*		*	*	*	*	*		
5				*		*	*	*	*	*		
4				*		*	*	*	*	*		
3				*	*	*	*	*	*	*		
2				*	*	*	*	*	*	*		*
1		*	*	*	*	*	*	*	*	*		*
MM	159	163	167	171	175	179	183	187	191	195	199	

TABLE IX

Frequency Distribution of Size Small Menton to Vertex

<u>FREQUENCY</u>											
18						*					
17						*					
16						*					
15						*					
14						*					
13						*					
12					*	*	*				
11					*	*	*				
10					*	*	*				
9					*	*	*	*			
8				*	*	*	*	*	*		
7			*	*	*	*	*	*	*	*	
6			*	*	*	*	*	*	*	*	
5			*	*	*	*	*	*	*	*	
4			*	*	*	*	*	*	*	*	*
3			*	*	*	*	*	*	*	*	*
2		*	*	*	*	*	*	*	*	*	*
1		*	*	*	*	*	*	*	*	*	*
mm	196	200	204	208	212	216	220	224	228	232	237

TABLE X

Analysis of Head Dimensions of a Military Population Size Medium
Population -- 198 Men

<u>Dimension</u>	<u>Mean(MM)</u>	<u>STD DEU</u>	<u>Minimum(MM)</u>	<u>Maximum(MM)</u>
Circumference	565.59	7.28	543.00	590.00
Length	193.07	5.36	171.00	204.00
Breadth	151.74	5.12	134.00	165.00
Height	127.76	5.76	110.00	146.00
Glabella-Vertex	84.27	9.32	57.00	110.00
Ear to Ear	186.59	7.96	160.00	208.00
Menton-Vertex	221.48	9.69	194.00	288.00

TABLE XI

Frequency Distribution of Size Medium Head Circumference

Frequency

27						*						
26						*						
25						*						
24						*				*	*	
23						*				*	*	
22						*				*	*	
21						*				*	*	
20						*	*			*	*	
19						*	*			*	*	
18						*	*			*	*	
17						*	*			*	*	
16						*	*			*	*	
15						*	*			*	*	
14						*	*			*	*	
13						*	*			*	*	
12						*	*			*	*	
11						*	*	*		*	*	
10					*	*	*	*		*	*	
9					*	*	*	*		*	*	
8					*	*	*	*		*	*	
7					*	*	*	*		*	*	
6					*	*	*	*		*	*	
5					*	*	*	*		*	*	
4			*		*	*	*	*		*	*	
3			*		*	*	*	*		*	*	*
2			*		*	*	*	*		*	*	*
1		*	*	*	*	*	*	*	*	*	*	*
MM	543	546	550	554	557	561	564	568	571	575	580	

TABLE XII

Frequency Distribution of Size Medium Head Length

<u>Frequency</u>											
37							*				
36							*				
35							*				
34							*				
33							*				
32							*				
31							*				
30							*				
29							*				
28							*				
27							*				
26							*				
25							*				
24							*				
23							*				
22							*		*		
21							*		*		
19							*		*		
18							*		*		
17							*		*		
16							*		*		
15							*	*	*		
14							*	*	*		
13							*	*	*		
12							*	*	*		
11							*	*	*		
10				*	*	*	*	*	*		
9				*	*	*	*	*	*		
8				*	*	*	*	*	*		
7				*	*	*	*	*	*	*	
6			*	*	*	*	*	*	*	*	
5			*	*	*	*	*	*	*	*	
4	*	*	*	*	*	*	*	*	*	*	*
3	*	*	*	*	*	*	*	*	*	*	*
2	*	*	*	*	*	*	*	*	*	*	*
1	*	*	*	*	*	*	*	*	*	*	*
MM	180	182.5	185	187.5	190	192.5	195	197.5	200	202.5	205

TABLE XIII

Frequency Distribution of Size Medium Head Breadth

FREQUENCY

32									*		
31									*		
30									*		
29									*		
28									*		
27									*		
26									*		
25									*		
24									*		
23									*		
22									*		
21									*		
20							*		*		
19							*	*	*	*	
18							*	*	*	*	*
17						*	*	*	*	*	*
16						*	*	*	*	*	*
15						*	*	*	*	*	*
14						*	*	*	*	*	*
13						*	*	*	*	*	*
12						*	*	*	*	*	*
11						*	*	*	*	*	*
10						*	*	*	*	*	*
9						*	*	*	*	*	*
8						*	*	*	*	*	*
7						*	*	*	*	*	*
6						*	*	*	*	*	*
5				*		*	*	*	*	*	*
4				*	*	*	*	*	*	*	*
3				*	*	*	*	*	*	*	*
2			*	*	*	*	*	*	*	*	*
1	*	*	*	*	*	*	*	*	*	*	*

mm	134.0	136.7	139.4	142.1	144.8	147.5	150.2	152.9	155.6	158.3	161.0

TABLE XIV

Frequency Distribution of Size Medium Head Height

Frequency

32						*					
31						*					
30						*					
29						*					
28						*	*				
27						*	*				
26						*	*				
25						*	*	*			
24						*	*	*			
23						*	*	*			
22						*	*	*			
21						*	*	*			
20						*	*	*			
19						*	*	*			
18					*	*	*	*			
17					*	*	*	*			
16					*	*	*	*			
15					*	*	*	*			
14					*	*	*	*			
13					*	*	*	*			
12					*	*	*	*			
11					*	*	*	*			
10					*	*	*	*			
9					*	*	*	*			
8					*	*	*	*			
7					*	*	*	*			
6			*	*	*	*	*	*			
5			*	*	*	*	*	*	*		
4			*	*	*	*	*	*	*	*	
3	*	*	*	*	*	*	*	*	*	*	
2	*	*	*	*	*	*	*	*	*	*	
1	*	*	*	*	*	*	*	*	*	*	*
MM	110	113.6	117.2	120.8	124.4	128	131.6	135.2	138.8	142.4	146

TABLE XV

Frequency of Distribution of Size Medium Glabella to Vertex

Frequency

26					*						
25					*						
24					*	*					
23					*	*	*				
22				*	*	*	*				
21				*	*	*	*				
20				*	*	*	*				
19				*	*	*	*				
18				*	*	*	*				
17				*	*	*	*				
16				*	*	*	*				
15				*	*	*	*				
14				*	*	*	*				
13				*	*	*	*				
12				*	*	*	*				
11				*	*	*	*				
10				*	*	*	*	*			
9				*	*	*	*	*	*		
8				*	*	*	*	*	*		
7			*	*	*	*	*	*	*	*	
6			*	*	*	*	*	*	*	*	
5			*	*	*	*	*	*	*	*	
4			*	*	*	*	*	*	*	*	*
3			*	*	*	*	*	*	*	*	*
2			*	*	*	*	*	*	*	*	*
1		*	*	*	*	*	*	*	*	*	*
MM	57	62.3	67.6	72.9	78.2	83.5	88.8	94.1	99.4	104.7	110

TABLE XVI

Frequency Distribution of Size Medium Biaural Breadth

<u>Frequency</u>											
27					*			*			
26					*		*	*			
25					*		*	*			
24					*		*	*			
23					*		*	*			
22					*		*	*			
21					*		*	*			
20					*		*	*			
19					*		*	*			
18				*	*		*	*			
17				*	*		*	*			
16				*	*		*	*			
15				*	*		*	*			
14				*	*		*	*			
13				*	*		*	*			
12				*	*		*	*			
11				*	*		*	*	*		
10				*	*		*	*	*		
9				*	*		*	*	*		
8				*	*		*	*	*		
7				*	*		*	*	*		
6				*	*		*	*	*		
5			*	*	*		*	*	*	*	
4			*	*	*		*	*	*	*	*
3			*	*	*		*	*	*	*	*
2	*	*	*	*	*	*	*	*	*	*	*
1	*	*	*	*	*	*	*	*	*	*	*
MM	160	164.8	169.6	174.4	179.2	184	188.8	193.6	198.4	203.2	208

TABLE XVII

Frequency Distribution of Size Medium Menton to Vertex

Frequency

39						*						
38						*						
37						*						
36						*						
35						*						
34						*						
33						*						
32						*						
31						*						
30						*						
29						*						
28						*						
27						*						
26						*						
25						*						
24						*						
23						*	*					
22						*	*					
21						*	*					
20						*	*	*				
19						*	*	*	*			
18						*	*	*	*			
17						*	*	*	*	*		
16						*	*	*	*	*		
15						*	*	*	*	*		
14						*	*	*	*	*		
13					*	*	*	*	*	*		
12					*	*	*	*	*	*		
11					*	*	*	*	*	*		
10					*	*	*	*	*	*		
9					*	*	*	*	*	*		
8					*	*	*	*	*	*		
7					*	*	*	*	*	*		
6					*	*	*	*	*	*		
5					*	*	*	*	*	*		
4					*	*	*	*	*	*	*	
3				*	*	*	*	*	*	*	*	*
2			*	*	*	*	*	*	*	*	*	*
1	*	*	*	*	*	*	*	*	*	*	*	*
MM	194	199.2	204.4	209.6	214.8	220	225.2	230.4	235.6	240.8	246	.

TABLE XVII

Analysis of Head Dimension of a Military Population Sized Large Population - 123

<u>Dimension</u>	<u>Mean(MM)</u>	<u>STD DEV</u>	<u>Minimum(MM)</u>	<u>Maximum(MM)</u>
Circumference	584.28	8.96	547.00	619.00
Length	199.00	6.01	187.00	215.00
Breadth	156.41	5.71	144.00	170.00
Height	131.33	5.86	117.00	145.00
Glabella-Vertex	86.37	9.14	69.00	113.00
Ear to Ear	190.89	8.90	160.00	200.00
Menton Vertex	225.43	10.27	205.00	254.00

TABLE XIX
Frequency Distribution of Size Large Head Circumference

FREQUENCY

48					*						
47					*						
46					*						
45					*						
44					*						
43					*		*				
42					*		*				
41					*		*				
40					*		*				
39					*		*				
38					*		*				
37					*		*				
36					*		*				
35					*		*				
34					*		*				
33					*		*				
32					*		*				
31					*		*				
30					*		*				
29					*		*				
28					*		*				
27					*		*				
26					*		*				
25					*		*				
24					*		*				
23					*		*				
22					*		*				
21					*		*				
20					*		*				
19					*		*				
18					*		*				
17					*		*				
16					*		*				
15					*		*	*			
14					*		*	*			
13					*		*	*			
12					*		*	*			
11					*		*	*			
10					*		*	*			
9					*		*	*			
8					*		*	*			
7					*		*	*			
6					*		*	*			
5				*	*	*	*	*			
4				*	*	*	*	*	*		
3				*	*	*	*	*	*		
2			*	*	*	*	*	*	*	*	
1	*	*	*	*	*	*	*	*	*	*	*

MM 547.0 554.2 561.4 568.6 575.8 583.0 590.2 597.4 604.6 611.8 619.0

TABLE XX

Frequency Distribution of Size Large Head Length

Frequency

29							*				
282							*				
27							*				
26							*				
25							*				
24							*				
23							*				
22					*		*				
21					*		*				
20					*		*				
19					*		*				
18					*		*				
17					*		*				
16					*		*				
15					*	*	*				
14					*	*	*				
13					*	*	*	*			
12					*	*	*	*			
11				*	*	*	*	*			
10		*	*	*	*	*	*	*	*		
9		*	*	*	*	*	*	*	*	*	
8		*	*	*	*	*	*	*	*	*	
7		*	*	*	*	*	*	*	*	*	
6	*	*	*	*	*	*	*	*	*	*	
5	*	*	*	*	*	*	*	*	*	*	*
4	*	*	*	*	*	*	*	*	*	*	*
3	*	*	*	*	*	*	*	*	*	*	*
2	*	*	*	*	*	*	*	*	*	*	*
1	*	*	*	*	*	*	*	*	*	*	*
MM	187	189.3	192.6	195.4	198.2	201	203.8	206.6	209.4	212.2	215

TABLE XXI

Frequency Distribution of Size Large Head Breadth

Frequency

20					*			*			
19				*	*			*			
18				*	*	*		*			
17				*	*	*		*			
16			*	*	*	*		*			
15			*	*	*	*		*			
14			*	*	*	*		*			
13			*	*	*	*		*			
12			*	*	*	*		*			
11			*	*	*	*		*			
10			*	*	*	*		*			
9			*	*	*	*		*	*		
8			*	*	*	*		*	*	*	
7			*	*	*	*		*	*	*	
6		*	*	*	*	*		*	*	*	
5	*	*	*	*	*	*		*	*	*	
4	*	*	*	*	*	*		*	*	*	
3	*	*	*	*	*	*		*	*	*	*
2	*	*	*	*	*	*		*	*	*	*
1	*	*	*	*	*	*		*	*	*	*
MM	144	146.6	149.2	151.8	154.4	157	159.6	162.22	164.8	167.4	170

TABLE XXII
Frequency Distribution of Size Large Head Height

FREQUENCY

28						*					
27						*					
26						*					
25				*		*					
24				*		*					
23				*		*					
22				*		*					
21				*		*					
20				*		*					
19				*		*					
18				*		*					
17				*		*		*			
16				*		*		*			
15			*	*		*		*			
14			*	*		*		*			
13			*	*		*		*	*		
12			*	*		*		*	*		
11			*	*		*		*	*		
10			*	*		*		*	*	*	
9			*	*		*		*	*	*	
8			*	*	*	*		*	*	*	
7			*	*	*	*		*	*	*	
6			*	*	*	*		*	*	*	
5			*	*	*	*		*	*	*	
4	*		*	*	*	*		*	*	*	
3	*		*	*	*	*		*	*	*	
2	*		*	*	*	*		*	*	*	*
1	*	*	*	*	*	*		*	*	*	*
MM	117.0	119.8	122.6	125.4	128.2	131.0	133.8	136.6	139.4	142.2	145.0

TABLE XXIII

Frequency Distribution of Size Large Glabella to Vertex

FREQUENCY

26				*							
25			*	*							
24			*	*							
23			*	*							
22			*	*							
21			*	*							
20			*	*							
19			*	*							
18			*	*			*				
17			*	*			*				
16			*	*			*				
15			*	*	*		*				
14			*	*	*		*				
13			*	*	*		*				
12		*	*	*	*		*				
11		*	*	*	*		*	*			
10		*	*	*	*		*	*			
9		*	*	*	*		*	*			
8		*	*	*	*		*	*			
7	*	*	*	*	*		*	*			
6	*	*	*	*	*		*	*			
5	*	*	*	*	*		*	*			
4	*	*	*	*	*		*	*	*		
3	*	*	*	*	*		*	*	*		*
2	*	*	*	*	*		*	*	*	*	*
1	*	*	*	*	*		*	*	*	*	*
MM	69.0	73.4	77.8	82.2	86.6	91.0	95.4	99.8	104.2	108.6	113.0

TABLE XXIV
Frequency Distribution of Size Large Biaural Breadth

<u>FREQUENCY</u>												
30									*			
29									*			
28									*			
27									*			
26									*			
25									*			
24									*			
23									*			
22									*			
21									*			
20								*	*			
19								*	*	*		
18								*	*	*		
17								*	*	*		
16								*	*	*	*	
15								*	*	*	*	
14								*	*	*	*	
13								*	*	*	*	
12				*		*		*	*	*	*	
11				*		*		*	*	*	*	*
10				*		*		*	*	*	*	*
9				*		*		*	*	*	*	*
8				*		*		*	*	*	*	*
7				*		*		*	*	*	*	*
6				*		*		*	*	*	*	*
5				*		*		*	*	*	*	*
4				*		*		*	*	*	*	*
3				*		*		*	*	*	*	*
2			*	*		*		*	*	*	*	*
1	*		*	*		*		*	*	*	*	*
MM	160.0	164.8	169.6	174.4	179.2	184.0	188.8	193.6	198.4	203.2	208.0	

TABLE XXV
Frequency Distribution of Size Large Menton to Vertex

<u>FREQUENCY</u>												
23							*					
22							*					
21							*					
20						*	*					
19					*	*	*					
18					*	*	*					
17				*	*	*	*					
16				*	*	*	*					
15			*	*	*	*	*					
14			*	*	*	*	*	*				
13			*	*	*	*	*	*	*			
12			*	*	*	*	*	*	*	*		
11			*	*	*	*	*	*	*	*	*	
10			*	*	*	*	*	*	*	*	*	*
9			*	*	*	*	*	*	*	*	*	*
8			*	*	*	*	*	*	*	*	*	*
7			*	*	*	*	*	*	*	*	*	*
6		*	*	*	*	*	*	*	*	*	*	*
5	*	*	*	*	*	*	*	*	*	*	*	*
4	*	*	*	*	*	*	*	*	*	*	*	*
3	*	*	*	*	*	*	*	*	*	*	*	*
2	*	*	*	*	*	*	*	*	*	*	*	*
1	*	*	*	*	*	*	*	*	*	*	*	*

MM 205.0 209.9 214.8 219.7 224.6 229.5 234.4 239.3 244.2 249.1 254.0

PROBE STATISTICS

Percent of Probe Reading = $> 12.7\text{mm}$ - 95

Percent of Probe Readings = $< 12.7\text{mm}$ - 5

Percent of Subjects having
Sufficient Stand-off on all
Probes - 65

Percent of Subjects with one
or more probe readings $< 12.7\text{mm}$ - 35

TABLE XXVI
STAND-OFF DATA

Probe Stations	Number of Probe Readings $\angle 12.7$ mm					
	Small (82 subjects)	Avg. Probe Reading (mm)	Medium (198 subjects)	Avg. Probe Reading (mm)	Large (223 subjects)	Avg. Probe Reading (mm)
1 Height	17	9.1	7	9.7	19	9.1
2 Crown	0	—	0	—	0	—
3 "	2	10.2	0	—	0	—
4 "	1	8.1	0	—	0	—
5 "	1	7.6	0	—	1	11.2
6 "	0	—	0	—	0	—
7 "	0	—	0	—	0	—
8 Length	0	—	8	10.7	3	10.2
9 Width	19	10.2	24	9.9	7	10.9
10 Length	1	11.2	8	10.9	15	9.9
11 Length	4	10.2	4	10.9	21	9.7
12 Width	25	9.7	50	9.1	3	9.7
13 Length	1	11.2	15	10.2	8	9.9