

AD-A039 011

MASSACHUSETTS INST OF TECH CAMBRIDGE ELECTRONIC SYST--ETC F/G 12/1  
FURTHER RESULTS ON THE UNCERTAINTY THRESHOLD PRINCIPLE.(U)  
MAR 77 R T KU, M'ATHANS

UNCLASSIFIED

ESL-P-727

AFOSR-TR-77-0580

AF-AFOSR-3281-77


NL

| OF |  
AD  
A039011



END

DATE  
FILMED  
• 5-77



NATIONAL BUREAU OF STANDARDS  
MICROCOPY RESOLUTION TEST CHART

March 10, 1977

AFOSR - TR - 77 - 058 0

ESL-P-727

(3)

AFOSR - TR - 77 - 058 0

ADA039011

FURTHER RESULTS ON THE UNCERTAINTY THRESHOLD PRINCIPLE\*

by

Richard T. Ku\*\*  
Michael Athans\*\*

Abstract

Additional quantitative results are presented for the existence of optimal decision rules and stochastic stability for linear systems with white random parameters with respect to quadratic performance criteria, by examining a specific version of a multivariable optimization problem.

Approved for public release;  
distribution unlimited.



\* This research was conducted at the MIT Electronic Systems Laboratory with support from AFOSR grant 77-3281 and NSF grant SOC-76-05837.

\*\* Room 35-308, Electronic Systems Laboratory, Department of Electrical Engineering and Computer Science, Massachusetts Institute of Technology, Cambridge, Massachusetts, 02139.

This paper has been submitted to the IEEE Transactions on Automatic Control.

AD NO. \_\_\_\_\_  
DDC FILE COPY.

5

100030700

RECEIVED  
JUL 1 1960  
D D C

AIR FORCE OFFICE OF SCIENTIFIC RESEARCH (AFSC)  
NOTICE OF TRANSMITTAL TO DDC  
This technical report has been reviewed and is  
approved for public release IAW AFR 190-12 (7b).  
Distribution is unlimited.  
A. D. BLOSE  
Technical Information Officer

DDC LIFE CODE  
JUL 1960

|                                 |                          |
|---------------------------------|--------------------------|
| ACCESSION FOR                   |                          |
| NTS                             | White Section            |
| DIC                             | Edif Section             |
| REPRODUCED                      | <input type="checkbox"/> |
| JUSTIFICATION                   | <input type="checkbox"/> |
| BY                              |                          |
| DISTRIBUTION/AVAILABILITY CODES |                          |
| DIS. AVAIL. AND/OR SPECIAL      |                          |

## 1. INTRODUCTION

This paper considers the optimal stochastic control of a multi-variable linear system, with a specific structure, with respect to a quadratic index of performance. The system dynamics are described by a linear vector difference equation in which both the system matrix (A) and control matrix (B) are multiplied by white, possibly correlated, scalar random sequences.

A threshold condition involving the maximum eigenvalue of the system matrix A and the means, variances, and cross correlations of the white parameters is obtained. If the threshold condition is violated, then there does not exist an optimal solution to the infinite horizon optimization problem, and the resultant closed-loop system is not stable in a mean square sense.

The results of this paper represent another manifestation of the Uncertainty Threshold Principle (UTP) reported by Athans, Ku, and Gershwin in [1] and represents a specific multivariable extension of the scalar results reported in [1]. It also generalizes the results of Kutayama [2], which dealt with control-dependent white noise, to the case of simultaneously, possibly correlated, state- and control-dependent white noise parameters.

## 2. PROBLEM FORMULATION

Consider a linear stochastic discrete-time system whose dynamics are described by the following vector difference equation



$$\underline{x}(t+1) = \gamma(t) \underline{A} \underline{x}(t) + \delta(t) \underline{B} \underline{u}(t) + \underline{\xi}(t) \quad (1)$$

where  $\underline{x}(t)$  is the  $n$ -dimensional state vector,  $\underline{u}(t)$  is the  $m$ -dimensional control vector, and  $\underline{\xi}(t)$  is white gaussian process noise. Assume that  $\underline{A}$  and  $\underline{B}$  are constant matrices of appropriate dimensions and that  $[\underline{A}, \underline{B}]$  is a controllable pair.

Further assume that the scalars  $\gamma(t)$  and  $\delta(t)$  are gaussian white random sequences (uncorrelated in time) with known stationary statistics. More precisely, we assume

$$E\{\gamma(t)\} = \bar{\gamma} ; E\{(\gamma(t) - \bar{\gamma})(\gamma(\tau) - \bar{\gamma})\} = \Gamma \delta(t, \tau) \quad (2)$$

$$E\{\delta(t)\} = \bar{\delta} ; E\{(\delta(t) - \bar{\delta})(\delta(\tau) - \bar{\delta})\} = \Delta \delta(t, \tau) \quad (3)$$

$$E\{(\gamma(t) - \bar{\gamma})(\delta(\tau) - \bar{\delta})\} = \Lambda \delta(t, \tau) \quad (4)$$

$$E\{\underline{\xi}(t)\} = \underline{0} ; E\{\underline{\xi}(t) \underline{\xi}'(\tau)\} = \underline{\Xi} \delta(t, \tau) \quad (5)$$

where  $\delta(t, \tau)$  is the Kroenecker delta ( $\delta(t, \tau) = 1$  if  $t = \tau$ ,  $\delta(t, \tau) = 0$  if  $t \neq \tau$ ). Furthermore assume that the process noise  $\underline{\xi}(t)$  is mutually independent of the random parameters  $\gamma(t)$  and  $\delta(t)$ .

We consider a standard quadratic cost functional

$$J = E\left\{\frac{1}{T} \sum_{t=0}^T \underline{x}'(t) \underline{Q} \underline{x}(t) + \underline{u}'(t) \underline{R} \underline{u}(t)\right\} \quad (6)$$

where  $\underline{Q}$  is positive semidefinite,  $\underline{R}$  is positive definite, and  $[\underline{Q}^{1/2}, \underline{A}]$  is an observable pair.

Under the assumptions that we can measure the entire state vector  $\underline{x}(t)$  exactly, at each instate of time, we wish to find the causal optimal control sequence  $\underline{u}(0), \underline{u}(1), \underline{u}(t), \dots$  which minimizes the quadratic

cost (6).

Remark 1 The problem considered by Katayama [2] corresponds to the case

$$\bar{\gamma} = 1, \Gamma = 0, \Lambda = 0, \Xi = 0 \quad (7)$$

### 3. SOLUTION

The problem can be readily solved by stochastic dynamic programming [3] for any fixed value of the planning horizon time  $T$ . The derivation is straightforward and hence omitted. Only the results are stated.

The optimal control is obtained using linear state variable feedback, i.e.

$$\underline{u}^*(t) = -\underline{G}(t)\underline{x}(t) \quad (8)$$

The optimal  $m \times n$  feedback control gain matrix  $\underline{G}(t)$  is given by the formula

$$\underline{G}(t) = [\underline{R} + (\bar{\delta}^2 + \Lambda)\underline{B}'\underline{K}(t+1)\underline{B}]^{-1}(\bar{\gamma}\bar{\delta} + \Lambda)\underline{B}'\underline{K}(t+1)\underline{A} \quad (9)$$

The  $n \times n$  matrix  $\underline{K}(t)$  satisfies a recursive matrix equation of the form

$$\begin{aligned} \underline{K}(t) = & (\bar{\gamma}^2 + \Gamma)\underline{A}'\underline{K}(t+1)\underline{A} + \underline{Q} \\ & - (\bar{\gamma}\bar{\delta} + \Lambda)^2 \underline{A}'\underline{K}(t+1)\underline{B}[\underline{R} + (\bar{\delta}^2 + \Lambda)\underline{B}'\underline{K}(t+1)\underline{B}]^{-1}\underline{B}'\underline{K}(t+1)\underline{A} \end{aligned} \quad (10)$$

with  $\underline{K}(T) = \underline{0}$ .

Remark 2 The recursion (10) will be referred to as the UTP matrix equation; it is similar to a matrix Riccati equation. However, unlike Riccati equations it cannot be related to a coupled set of linear equations. Under our assumption the positive definite matrix  $\underline{K}(t)$  exists

and is bounded for all finite planning horizon times  $T$ .

The optimal cost (6) is given by

$$J^*(\underline{x}(0), T) = \frac{1}{T} \underline{x}'(0) \underline{K}(0) \underline{x}(0) + \frac{1}{T} \sum_{t=0}^T \underline{K}(t) \underline{\Xi} \quad (11)$$

#### 4. THE INFINITE HORIZON CASE ( $T \rightarrow \infty$ )

The interesting results occur as one analyzes the infinite horizon case,  $T \rightarrow \infty$ , so as to examine the existence of an optimal solution and the stabilizability of the stochastic system [1], [2]. Once more we shall show that there exists a threshold condition which provides a dividing line between existence and non-existence of optimal solutions to the problem as  $T \rightarrow \infty$ . We summarize the main result as follows.

##### Theorem 1 (Uncertainty Threshold Principle)

An optimal solution exists for the problem stated in Section 2 as  $T \rightarrow \infty$  if and only if

$$\max_i |\lambda_i(\underline{A})| < 1/\beta \quad ; \quad i = 1, 2, \dots, n \quad (12)$$

where  $\beta$  is defined by

$$\beta^2 = \bar{\gamma}^2 + \Gamma - \frac{(\bar{\gamma} \bar{\delta} + \Lambda)^2}{\bar{\delta}^2 + \Delta} \geq 0 \quad (13)$$

and  $\max_i |\lambda_i(\underline{A})|$  denotes the magnitude of the maximum eigenvalue of the constant system matrix  $\underline{A}$  in the system dynamics (1).

Before we present the proof of the theorem it is important to make some remarks.



Remark 3 In the case of non-random parameters ( $\Gamma = \Delta = \Lambda = 0$ ),  $\beta = 0$ . This means that given our assumptions of  $[A, B]$  controllability and  $[A, Q^{1/2}]$  observability, one can always solve the infinite horizon optimal control problem independent of the (open loop) eigenvalues of  $A$ . On the other hand, as the variances  $\Gamma$  and  $\Delta$  of the random parameters increase, then  $\beta$  increases, and the value of  $1/\beta$  defines the radius of a shrinking disc which must contain all the open-loop eigenvalues of  $A$  in order for the problem to have a solution.

Remark 4 If the condition (12) is violated, i.e. if

$$\max_i |\lambda_i(A)| \geq 1/\beta \quad (14)$$

then there is no solution to the optimal control problem, and one cannot stabilize (in a mean square sense) the system (1). Under these conditions the optimal cost,  $J^*$ , as defined by (11) undergoes exponential growth as  $T$  increases

$$J^*(T) \geq c e^{\max_i |\lambda_i(\beta A)| T} ; c = \text{constant} \quad (15)$$

Because of the explosive growth of the optimal cost, then only short term (small  $T$ ) decisions make sense; see also [1].

As in the scalar case [1], even if condition (14) holds, the control gain matrix  $\underline{G}(t)$ , see eq. (9), remains well behaved and bounded

$$\underline{G} = \lim_{\|\underline{K}(t+1)\| \rightarrow \infty} \frac{(\bar{\gamma} + \Lambda)}{\bar{\delta}^2 + \Delta} [\underline{B}'\underline{K}(t+1)\underline{B}]^{-1} \underline{B}'\underline{K}(t+1)\underline{A} \quad (16)$$

Next we present the details of proving Theorem 1. We remark that the proof essentially uses algebraic manipulations and known properties of discrete Lyapunov and Riccati matrix equations.

The main idea of the proof is to examine the behavior of  $\lim_{T \rightarrow \infty} K(t)$ , or the behavior "backward in time" of the UTP matrix equation. The arguments are similar, but not identical, to those given in [2].

For the sake of notational convenience define the scalars

$$\alpha_1 \triangleq \bar{\gamma}^2 + \Gamma; \alpha_2 = (\bar{\gamma} \bar{\delta} + \Lambda)^2; \alpha_3 \triangleq 1/\bar{\delta}^2 + \Delta \quad (17)$$

Then the UTP equation (10) can be written as

$$\begin{aligned} \underline{K}(t) = & \alpha_1 \underline{A}' \underline{K}(t+1) \underline{A} + \underline{Q} \\ & - \alpha_2 \underline{A}' \underline{K}(t+1) \underline{B} [\underline{R} + \frac{1}{\alpha_3} \underline{B}' \underline{K}(t+1) \underline{B}]^{-1} \underline{B}' \underline{K}(t+1) \underline{A} \end{aligned} \quad (18)$$

From Eqs. (13) and (17) one sees that

$$\beta^2 = \alpha_1 - \alpha_2 \alpha_3 \quad (19)$$

By adding and subtracting

$$\alpha_2 \alpha_3 \underline{A}' \underline{K}(t+1) \underline{A} \quad (20)$$

to the right hand side of Eq. (18), and some algebra, Eq. (10) reduces to

$$\begin{aligned} \underline{K}(t) = & \beta^2 \underline{A}' \underline{K}(t+1) \underline{A} + \underline{Q} \\ & + \alpha_2 \alpha_3 \underline{A}' [\underline{K}(t+1) - \underline{K}(t+1) \underline{B} [\alpha_3 \underline{R} + \underline{B}' \underline{K}(t+1) \underline{B}]^{-1} \underline{B}' \underline{K}(t+1)] \underline{A} \end{aligned} \quad (21)$$

Attention is focused to the matrix

$$\underline{M}(t+1) \triangleq \underline{K}(t+1) - \underline{K}(t+1) \underline{B} [\alpha_3 \underline{R} + \underline{B}' \underline{K}(t+1) \underline{B}]^{-1} \underline{B}' \underline{K}(t+1) \quad (22)$$

Such matrices arise naturally in the Riccati equation of standard linear quadratic problems where the control weighting matrix is  $\alpha_3 \underline{R}$ . Under the given assumptions of  $[\underline{A}, \underline{B}]$  controllability and  $[\underline{A}, \underline{Q}^{1/2}]$  observability it is known that that [4],[5]\*

$$(a) \quad \underline{M}(t+1) = \underline{M}'(t+1) > \underline{0} \quad (23)$$

(b) There exists a bound

$$\underline{L} \geq \underline{M}(t) \quad \text{all } t \quad (24)$$

Since  $\underline{M}(t+1)$  is positive definite, so is  $\alpha_2 \alpha_3 \underline{A}' \underline{M}(t+1) \underline{A}$ . Hence we obtain

$$\underline{K}(t) \geq \beta^2 \underline{A}' \underline{K}(t+1) \underline{A} + \underline{Q} \quad (25)$$

From (25) it is obvious that if any eigenvalue of  $(\beta \underline{A})$  is greater than unity then  $\underline{K}(t)$  grows without bound backward in time, that  $\lim_{t \rightarrow \infty} \underline{K}(t)$  does not exist and that the optimal cost undergoes exponential growth as indicated by (15). On the other hand from (24) and (25) one obtains that

$$\underline{K}(t) \leq \beta^2 \underline{A}' \underline{K}(t+1) \underline{A} + \underline{Q} + \alpha_2 \alpha_3 \underline{A}' \underline{L} \underline{A} \quad (26)$$

Hence if all eigenvalues of  $(\beta \underline{A})$  are less than unity, the right hand side of the recursion (26) will approach a bounded constant solution matrix and so will  $\underline{K}(t)$ . Hence, the limiting solution  $\lim_{t \rightarrow \infty} \underline{K}(t)$  is well defined.

We remark that the above proof requires that  $\underline{B}$  is  $n \times n$  and nonsingular, as required in the Corollary of [2]. However we believe that this is a sufficient, but by no means necessary, condition; it could probably

---

\* The notation  $\underline{A} > \underline{B}$  ( $\underline{A} \geq \underline{B}$ ) means that  $\underline{A} - \underline{B}$  is positive definite ( $\underline{A} - \underline{B}$  is positive semidefinite).

be removed by a more detailed analysis of the UTP difference equation.

## 5. CONCLUSIONS

The quantitative results of the Uncertainty Threshold Principle have been extended to a special case of a multivariable control problem, generalizing the results in [1] and [2].



REFERENCES

- [1] M. Athans, R. Ku, and S.B. Gershwin, "The Uncertainty Threshold Principle: Some Fundamental Limitations of Optimal Decision Making Under Dynamic Uncertainty", Proc. 1976 IEEE Conference on Decision and Control, Clearwater, Florida, Dec. 1976, pp. 1142-1145; also, IEEE Trans. on Automatic Control, Vol. AC-22, No. 3, June 1977.
- [2] T. Katayama, "On the Matrix Riccati Equation for Linear Systems with a Random Gain", IEEE Trans. on Automatic Control, Vol. AC-21, No. 5, October 1976, pp. 770-771.
- [3] M. Aoki, Optimization of Stochastic Systems, N.Y., Academic Press, 1967.
- [4] A.H. Levis, "On the Optimal Sampled-Data Control of Linear Processes", Sc.D. Thesis, M.I.T., Cambridge, Mass., June 1968.
- [5] G.A. Hewer, "Analysis of a Discrete Matrix Equation of Linear Control and Kalman Filtering", J. Math. Anal. Appl., Vol. 42, No. 1, 1973, pp. 226-236.



UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

| 19 REPORT DOCUMENTATION PAGE                                                                                                                                                                                                                                                                                                                                                                        |                                                                                        | READ INSTRUCTIONS<br>BEFORE COMPLETING FORM |
|-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|----------------------------------------------------------------------------------------|---------------------------------------------|
| 1. REPORT NUMBER<br>18 AFOSR - TR - 77 - 0580 ✓                                                                                                                                                                                                                                                                                                                                                     | 2. GOVT ACCESSION NO.                                                                  | 3. RECIPIENT'S CATALOG NUMBER               |
| 4. TITLE (and Subtitle)<br>6 FURTHER RESULTS ON THE UNCERTAINTY THRESHOLD PRINCIPLE                                                                                                                                                                                                                                                                                                                 | 5. TYPE OF REPORT & PERIOD COVERED<br>9 Interim <i>rest.</i>                           |                                             |
| 7. AUTHOR(s)<br>10 RICHARD T. KU<br>MICHAEL/ATHANS                                                                                                                                                                                                                                                                                                                                                  | 6. PERFORMING ORG. REPORT NUMBER<br>14 ESL-P-727 ✓                                     |                                             |
| 9. PERFORMING ORGANIZATION NAME AND ADDRESS<br>MASSACHUSETTS INSTITUTE OF TECHNOLOGY<br>ELECTRONIC SYSTEMS LABORATORY<br>CAMBRIDGE, MASSACHUSETTS 02139                                                                                                                                                                                                                                             | 8. CONTRACT OR GRANT NUMBER(s)<br>15 AF - AFOSR 77-3281-77<br>✓ NSG-SOC-76-05837       |                                             |
| 11. CONTROLLING OFFICE NAME AND ADDRESS<br>AIR FORCE OFFICE OF SCIENTIFIC RESEARCH/NM<br>BOLLING AIR FORCE BASE, WASHINGTON, DC 20332                                                                                                                                                                                                                                                               | 10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS<br>61102F 17<br>16 2304/A1 |                                             |
| 14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)<br>12 11p.                                                                                                                                                                                                                                                                                                              | 12. REPORT DATE<br>14 MARCH 10, 1977 ✓                                                 |                                             |
|                                                                                                                                                                                                                                                                                                                                                                                                     | 13. NUMBER OF PAGES<br>10                                                              |                                             |
|                                                                                                                                                                                                                                                                                                                                                                                                     | 15. SECURITY CLASS. (of this report)<br>UNCLASSIFIED                                   |                                             |
| 15a. DECLASSIFICATION/DOWNGRADING SCHEDULE                                                                                                                                                                                                                                                                                                                                                          |                                                                                        |                                             |
| 16. DISTRIBUTION STATEMENT (of this Report)<br><br>APPROVED FOR PUBLIC RELEASE; DISTRIBUTION UNLIMITED.                                                                                                                                                                                                                                                                                             |                                                                                        |                                             |
| 17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)                                                                                                                                                                                                                                                                                                          |                                                                                        |                                             |
| 18. SUPPLEMENTARY NOTES<br>This paper has been submitted to the IEEE Transactions on Automatic Control.                                                                                                                                                                                                                                                                                             |                                                                                        |                                             |
| 19. KEY WORDS (Continue on reverse side if necessary and identify by block number)                                                                                                                                                                                                                                                                                                                  |                                                                                        |                                             |
| 20. ABSTRACT (Continue on reverse side if necessary and identify by block number)<br>Additional quantitative results are presented for the existence of optimal decision rules and stochastic stability for linear systems with white random parameters with respect to quadratic performance criteria, by examining a specific version of a multivariable optimization problem.<br>↑<br>127 200 mt |                                                                                        |                                             |