

AD-A039 911

BATTELLE COLUMBUS LABS OHIO

F/G 1/3

GENERAL AVIATION DYNAMICS, AN EXTENSION OF THE COST IMPACT STUD--ETC(U)

DEC 76 M A DUFFY, G L EIDEN, C W HAMILTON

DOT-FA74WA-3485

UNCLASSIFIED

FAA-AVP-77-20-VOL-3

NL

| OF |

AD
A039911



END

DATE
FILMED

6 - 77

10/10/77

12

J

ADA 039911

GENERAL AVIATION DYNAMICS

AN EXTENSION OF THE COST IMPACT STUDY TO INCLUDE
DYNAMIC INTERACTIONS IN THE FORECASTING
OF GENERAL AVIATION ACTIVITY

VOLUME III. PLANNING GUIDE



APRIL 1977

FINAL REPORT

DISTRIBUTION STATEMENT A
Approved for public release
Distribution Unlimited

DDC
MAY 26 1977
B

AD No. _____
DDC FILE COPY

Prepared for

U.S. DEPARTMENT OF TRANSPORTATION
FEDERAL AVIATION ADMINISTRATION
Office of Aviation Policy
Aviation Forecast Branch
Washington, D.C. 20591

The contents of this report reflect the views of Battelle's Columbus Laboratories, which is responsible for the facts and the accuracy of the data presented herein. The contents do not necessarily reflect the official views or policy of the Department of Transportation. This report does not constitute a standard, specification, or regulation.

1. Report No. 18 FAA-AVP-77-20-Val-3	2. Government Accession No. 19 1131 Dec 76	3. Recipient's Catalog No. 12 41p.	
4. Title and Subtitle 6 General Aviation Dynamics, An Extension of the Cost Impact Study to Include Dynamic Interactions in the Forecasting of General Aviation Activity, Volume III, Planning Guide.		5. Report Date December 31, 1976	6. Performing Organization Code
7. Author(s) 18 M. A. Duffy, G. L. Eiden, C. W. Hamilton, V. J. Drago		8. Performing Organization Report No.	
9. Performing Organization Name and Address Battelle Columbus Laboratories 505 King Avenue Columbus, Ohio 43201		10. Work Unit No. (TRAIS)	11. Contract or Grant No. 15 DOT-FA 74WA-3485
12. Sponsoring Agency Name and Address Department of Transportation Federal Aviation Administration Office of Aviation Policy Washington, D.C. 20591		13. Type of Report and Period Covered Final Report, October 17, 1975 - December 31, 1976	
14. Sponsoring Agency Code AVP-120		14. Sponsoring Agency Code	
15. Supplementary Notes 9 Final Rept. 17 Oct 75 - 31 Dec 76			
16. Abstract This report, in four volumes, presents the General Aviation Dynamics (GAD) model which was developed for the Federal Aviation Administration by Battelle's Columbus Laboratories. The GAD model is a dynamic simulation model of the general aviation (GA) system and can be used to forecast GA activity, evaluate alternative policy actions, or perform sensitivity analyses. It has three major sectors, depicting the most important state variables in the model; pilot supply, aircraft utilization, and aircraft demand. Essentially, the GAD model consists of a set of nonlinear, simultaneous, first order difference equations which explicitly describe the decision policies followed by users of general aviation. The model is designed to be implemented through an interactive computer dialogue feature that guides the analyst through a series of procedures and analytical options. The volumes included in this report are: Volume I - Executive Summary Volume II - Research Methodology Volume III - Planning Guide Volume IV - Data Base			
17. Key Words System Dynamics Simulation General Aviation Activity		18. Distribution Statement Document is available to the public through the National Technical Information Service, Springfield, Virginia 22161	
19. Security Classif. (of this report) Unclassified	20. Security Classif. (of this page) Unclassified	21. No. of Pages 38	22. Price

407080

18

TABLE OF CONTENTS

	<u>Page</u>
CHAPTER 1. INTRODUCTION	1
The NUCLEUS Software System	1
Login/Logout Procedures for the Battelle Computer System via TYMNET.	3
Login/Logout Procedures for the Battelle Computer System and the NUCLEUS System.	8
CHAPTER 2. INPUT/OUTPUT CONSIDERATIONS.	11
Baseline Data	11
Optional Input.	13
Available Output.	13
CHAPTER 3. AN EXAMPLE OF THE GENERAL AVIATION DYNAMICS MODEL IN THE INTERACTIVE MODE	14
Sensitivity Analysis.	14
An Example.	15
Summary	37

LIST OF TABLES

TABLE 3-1. LIST OF TYMNET TELEPHONE NUMBERS, AS OF JULY 15, 1975.	5
TABLE 3-2. USER TERMINAL IDENTIFICATION CODES	7
TABLE 3-3. LOGIN/LOGOUT PROCEDURES - EXAMPLES	10

DISTRIBUTION: W-1, RPL-2, ZMS-411

ACCESSION for	
NTIS	White Section <input checked="" type="checkbox"/>
ODG	Buff Section <input type="checkbox"/>
UNANNOUNCED	<input type="checkbox"/>
JUSTIFICATION.....	
BY.....	
DISTRIBUTION/AVAILABILITY CODES	
DISL	AVAIL. and/or SPECIAL
A	

FINAL REPORT

on

GENERAL AVIATION DYNAMICS
AN EXTENSION OF THE COST IMPACT STUDY TO INCLUDE
DYNAMIC INTERACTIONS IN THE FORECASTING
OF GENERAL AVIATION ACTIVITY

VOLUME III. PLANNING GUIDE

to

FEDERAL AVIATION ADMINISTRATION
OFFICE OF AVIATION POLICY

from

BATTELLE
Columbus Laboratories

by

M. A. Duffy, G. L. Eiden, C. W. Hamilton and V. J. Drago

December 31, 1976

CHAPTER 1. INTRODUCTION

↙
The General Aviation Dynamics model is implemented in NUCLEUS*, a computer software system developed at Battelle. It can be accessed almost any time and from anywhere in the U. S., provided a telephone, an on-line terminal, and an authorized user name and password are available. This Volume will detail the procedures of logging into and out of the Battelle Computer System, initiating interaction with NUCLEUS, and using the GAD model for forecasting and sensitivity analyses. Required inputs, possible outputs and an illustrative example are presented.

↗
The NUCLEUS Software System

NUCLEUS, a dynamic simulation and modeling system, has been evolving at Battelle over the last decade and has proved a valuable research tool in numerous multidisciplinary research projects. It began as an interpreter for dynamic

*NUCLEUS = NUmerical CLassification and EvalUation System

simulation modeling (using difference equation techniques) but it has grown into a large batch and on-line system with extensive data management capabilities to handle large and complex demographic, economic, land-use and electric power demand forecasting models.

In more detail, NUCLEUS has the following features:

- (1) It is a high-level programming language (with capabilities like FORTRAN but with a structured syntax). The structured nature of NUCLEUS versus FORTRAN is manifest in the fact that NUCLEUS has no statement labels. Thus, you will find no GO TO statements in any NUCLEUS program. In addition, each NUCLEUS command is a structured complex of stored information and instructions.
- (2) It is an interpreter for dynamic simulation modeling (using the same difference equation techniques as the DYNAMO system developed at M.I.T.). Each NUCLEUS command is interpreted and executed as soon as it is entered, except in some cases where a sequence of commands are interpreted and compiled into a model or procedure first, before being called into execution.
- (3) It has a data-base management component for storage, retrieval, and analysis of primarily numerical data files which may be interfaced with dynamic models.
- (4) It has a generalized report generator for tabular output (and line printer graphical output).
- (5) It is available for local batch, remote batch, and on-line use. Batch and on-line programs are completely interchangeable.
- (6) It allows interface with FORTRAN, i.e., a NUCLEUS program may call programs written in the FORTRAN language (not vice-versa).
- (7) It allows the construction of conversational (in plain English) on-line systems for use by people who are not computer oriented.
- (8) It is partially machine-dependent. It is operational on a Control Data environment, but some of its components may be loaded and run at non-CDC computers without any conversion, while other components may need some conversion. This is possible because the NUCLEUS interpreter is a library of programs written mostly in FORTRAN.
- (9) It has generalized error trace back.

Login/Logout Procedures for the Battelle Computer System
via TYMNET

- (1) Dial TYMNET number from the list on Table 3-1
Wait for data tone from TYMNET connection.
- (2) Place telephone headset in acoustic coupler, or initialize other type of modem.
- (3) The message
PLEASE ENTER TERMINAL IDENTIFIER
is printed or displayed on the terminal. On some terminals this line will print as "garbage". If this occurs simply continue with Step (4).
- (4) Type the appropriate identifier for your terminal from the list on Table 3-2.
- (5) TYMNET responds:
PLEASE LOGIN:
- (6) Login by typing the sequence
(CTRL H) BCL;BASIS70 (CR)
where
(CTRL H) denotes simultaneous keying of the control and H keys, and (CR) denotes keying of the carriage return (or cursor return) key.
No blanks (spaces) are allowed in the above sequence. Wait a few seconds (about 10) for connection with the Battelle INTERCOM system. The TYMNET username/password combination (BCL;BASIS70) should be treated with discretion and made available only to users with valid Battelle username/password combinations.
- (7) INTERCOM responds:
BATTELLE INTERCOM 4.5
DATE MM/DD/YY
TIME HH.MM.SS.
PLEASE LOGIN
- (8) Enter the following sequence:
LOGIN,username,password,SUP(CR)
where username and password are valid code words issued by the Battelle Computer Center. No blanks (spaces) are allowed in the above sequence.
- (9) INTERCOM responds:
COMMAND-
- (10) Carry out dialogue with INTERCOM
- (11) To exit from INTERCOM normally, enter
LOGOUT
after the INTERCOM prompt COMMAND-

- (12) To exit from INTERCOM abnormally (i.e., abort), enter the sequence

% A

after a system pause. Or, if in the middle of a lengthy response, enter the sequence

(CTRL Z) % A

where

(CTRL Z) denotes the simultaneous keying of the control and Z keys. This keying causes the system response to halt.

After an abnormal termination, the system responds

USER ABORT

COMMAND-

At this point, you may log out normally.

- (13) After LOGOUT, the system gives you an itemized summary of your interaction with the Battelle Computer. This summary looks like the following:

CP X.XXX SEC.

IO Y.YYY SEC.

CM Z.ZZZ SEC.

SS S.SSS SEC.

CH CCC CHARS.

CONNECT TIME H HRS. M MIN. MM/DD/YY

LOGGED OUT AT HH.MM.SS.

where

CP is the central processor time of your run

IO is a measure of your use of peripheral equipment

CM is a measure of your use of central memory

SS is the combined amount of computer time for which you are charged

CH is the number of characters transmitted

CONNECT TIME is the time between login and logout.

The cost for TYMNET services is approximately 17¢ per connect minute which is in addition to the normal INTERCOM processing cost incurred. These charges are subject to change.

- NOTES:
- To backspace, type CTRL and H simultaneously
 - To skip a line of entry, type CTRL and X simultaneously
 - To suspend printing, type CTRL and Z simultaneously
 - To abort, enter %, then A.
 - All user entries must be terminated by (CR).

TABLE 3-1. LIST OF TYMNET TELEPHONE NUMBERS, AS OF JULY 15, 1975

9-14-76

NODE	CITY	STATE	NAME	T	HD	PHONE
1076	PHOENIX	ARIZONA	PHO1	C		602/249-9261
1117	CUPERTINO	CALIFORNIA	WCOSR1	C	**	RESTRICTED
1127	CUPERTINO	CALIFORNIA	CPFR2		**	RESTRICTED
1001	CUPERTINO	CALIFORNIA	CRP1	E	**	RESTRICTED
1155	CUPERTINO	CALIFORNIA	CPFR1		**	RESTRICTED
1070	CUPERTINO	CALIFORNIA	LAB1	E	**	RESTRICTED
1006	EL SEGUNDO	CALIFORNIA	ELS1	C	**	213/640-1570
1144	LOS ANGELES	CALIFORNIA	LA1		**	213/687-8083 (1200 VADIC)
1037	LOS ANGELES	CALIFORNIA	LASR1	C	**	213/629-1561
1144	LOS ANGELES	CALIFORNIA	LA1		**	213/629-3001 (1200 BELL)
1027	LOS ANGELES	CALIFORNIA	LA2	E	**	213/683-0451
1060	MOUNTAIN VIEW	CALIFORNIA	AME1	E	**	415/965-8515
1024	NEWPORT BEACH	CALIFORNIA	DC2	C	**	714/540-9560
1010	OAKLAND	CALIFORNIA	OKR1	E	**	415/465-7000
1007	ONTARIO	CALIFORNIA	ON1	C	**	805/487-0482
1017	PALO ALTO	CALIFORNIA	PA1	C	**	415/494-3900
1072	PALO ALTO	CALIFORNIA	PCOSR1	E	**	415/326-7015
1055	RIVERSIDE	CALIFORNIA	COL1	C	**	714/825-9372
1052	SACRAMENTO	CALIFORNIA	SAC1	E		916/441-5450
1025	SAN DIEGO	CALIFORNIA	SISR	C		714/291-8700
1126	SAN FRANCISCO	CALIFORNIA	SFSR1	C	**	415/421-9240
1126	SAN FRANCISCO	CALIFORNIA	SFSR1	C	**	415/391-9325
1136	SAN JOSE	CALIFORNIA	SJS1	C	**	408/984-5500
1054	SAN JOSE	CALIFORNIA	CRP2		**	408/446-7003 (1200 BELL)
1000	SAN JOSE	CALIFORNIA	WCOSR2	C	**	RESTRICTED
1054	SAN JOSE	CALIFORNIA	CRP2		**	408/446-6932 (1200 VADIC)
1000	SAN JOSE	CALIFORNIA	WCOSR2		**	408/257-0593 (CCITT)
1170	SUNNYVALE	CALIFORNIA	LOCOSR2		**	RESTRICTED
1020	SUNNYVALE	CALIFORNIA	LOC1	C	**	RESTRICTED
1174	CALGARY	CANADA	EDM1	C		403/263-0487 (30 CPS)
1174	CALGARY	CANADA	EDM1	C		403/263-2006 (14.8 CPS)
1174	CALGARY	CANADA	EDM1	C		403/263-2072 (10 CPS)
1174	EDMONTON	CANADA	EDM1	C		403/452-7014
1174	MONTREAL	CANADA	EDM1	C		514/878-0589 (1.48 CPS)
1174	MONTREAL	CANADA	EDM1	C		514/878-0589 (10 CPS)
1174	MONTREAL	CANADA	EDM1	C		514/878-0584 (30 CPS)
1174	TORONTO	CANADA	EDM1	C		416/863-6202 (30 CPS)
1174	TORONTO	CANADA	EDM1	C		416/863-6252 (10 CPS)
1174	TORONTO	CANADA	EDM1	C		416/863-6277 (14.8 CPS)
1174	VANCOUVER	CANADA	EDM1	C		604/688-4338 (10 CPS)
1174	VANCOUVER	CANADA	EDM1	C		604/688-4838 (14.8 CPS)
1174	VANCOUVER	CANADA	EDM1	C		604/688-9811 (30 CPS)
1065	DENVER	COLORADO	DEM1	E		303/458-7921
1033	DARIEN	CONNECTICUT	DAR1	C		203/555-8931
1041	HARTFORD	CONNECTICUT	HAR1	C		203/568-2610
1011	WASHINGTON	DC	WASSR1	C	**	703/841-9560
1011	WASHINGTON	DC	WASSR1		**	703/525-9164 (1200 VDC)
1011	WASHINGTON	DC	WASSR1		**	703/527-7106 (1200 BELL)
1022	WASHINGTON	DC	WASSR2	E	**	703/521-6520
1124	MIAMI	FLORIDA	MIA1	C		305/374-7115
1066	ST. PETERSBURG	FLORIDA	STP1	C		813/536-7823
1066	TAMPA	FLORIDA	STP1	C		813/223-3787
1064	ATLANTA	GEORGIA	ATL1	C		404/659-6670
1133	HONOLULU	HAWAII	DAHU	C		808/521-7481
1141	CHICAGO	ILLINOIS	CHI1		**	312/372-0391 (1200 VDC)
1116	CHICAGO	ILLINOIS	CH13P1	C	**	312/368-4607
1141	CHICAGO	ILLINOIS	CHI1		**	312/368-0022 (1200 BELL)
1012	CHICAGO	ILLINOIS	CHI2	E	**	312/346-4961
1004	FREEPORT	ILLINOIS	MIL1	C		815/232-2186 (10 CPS)
1004	FREEPORT	ILLINOIS	MIL1	C		815/232-2181 (30 CPS)
1103	DES MOINES	IOWA	DMS1	C		515/280-9600
1167	WICHITA	KANSAS	WITSR1	C		316/265-7781
1046	BATON ROUGE	LOUISIANA	BAT1	C		504/927-6400
1050	NEW ORLEANS	LOUISIANA	NO1	C		504/586-1071
1056	BALTIMORE	MARYLAND	BAL1	C	**	301/547-8100

TABLE 3-1. LIST OF TYMNET TELEPHONE NUMBERS, AS OF JULY 15, 1975 (Continued)

NODE	CITY	STATE	NAME	T	HD	PHONE
1115	BOSTON	MASSACHUSETTS	ED00P1	C	**	617/964-3900
1040	BOSTON	MASSACHUSETTS	ED02	E	**	617/964-3925
1115	BOSTON	MASSACHUSETTS	ED00P1	C	**	617/965-5520 (1200 VDC)
1115	BOSTON	MASSACHUSETTS	ED00P1	C	**	617/244-1240 (1200 BELL)
1074	CAMBRIDGE	MASSACHUSETTS	MBP1	E	**	617/491-5476
1005	ANN ARBOR	MICHIGAN	ND00P1	C	**	RESTRICTED
1111	ANN ARBOR	MICHIGAN	ND02	C	**	313/995-6260
1122	DETROIT	MICHIGAN	DET3	C	**	313/963-3353 (1200 VDC)
1107	DETROIT	MICHIGAN	DET2	C	**	313/963-3389
1122	DETROIT	MICHIGAN	DET3	C	**	313/963-4676 (1200 BELL)
1057	JACKSON	MICHIGAN	CP1	C		RESTRICTED
1104	KALAMAZOO	MICHIGAN	KAL1	C		616/385-3150
1013	SOUTHFIELD	MICHIGAN	DET1	C	**	313/355-2950
1175	MINNEAPOLIS	MINNESOTA	MPL0P1	C		612/854-6659
1114	KANSAS CITY	MISSOURI	KC1	C		816/421-7444
1043	ST LOUIS	MISSOURI	SL1	C		314/421-5110
1131	DURHAM	N. C.	DUR1	C		919/549-0441
1035	ENGLEWOOD CLIFFS	NEW JERSEY	NJ1	C	**	201/964-8250
1073	UNION	NEW JERSEY	UN01P1	E	**	201/964-6300
1053	MAYNE	NEW JERSEY	GP11	E	**	201/785-4777
1003	BUFFALO	NEW YORK	BU01P1	E		716/856-1400
1112	NEW YORK	NEW YORK	NY01P2	C	**	212/750-9445
1044	NEW YORK	NEW YORK	NY3	C	**	212/689-8850 (1200 BELL)
1036	NEW YORK	NEW YORK	NY1	E	**	212/344-7445
1044	NEW YORK	NEW YORK	NY3	C	**	212/689-8910 (1200 VDC)
1112	NEW YORK	NEW YORK	NY01P2	C	**	212/750-9433
1034	NEW YORK	NEW YORK	NY01P1	E	**	212/532-7615
1034	NEW YORK	NEW YORK	NY01P1	E	**	212/551-9322
1016	ROCHESTER	NEW YORK	RDC1	C		716/546-1410
1015	SYRACUSE	NEW YORK	SYR1	E		315/437-7111
1172	AKRON	OHIO	CLV1	C		216/434-4523 (10 CPS)
1172	AKRON	OHIO	CLV1	C		216/434-4593 (30 CPS)
1071	CINCINNATI	OHIO	CIN1	C		513/621-7460
1172	CLEVELAND	OHIO	CLV1	C		216/781-7050
1026	COLUMBUS	OHIO	CLB0P1	C		614/421-7270
1101	OKLAHOMA CITY	OKLAHOMA	OKL1	C		405/947-0561
1167	TULSA	OKLAHOMA	WIT0P1	C		918/492-5306 (30 CPS)
1051	PORTLAND	OREGON	POR1	C		503/224-0750
1032	ALLENTOWN	PENNSYLVANIA	PH01P1	C		215/433-6131
1032	PHILADELPHIA	PENNSYLVANIA	PH01P1	C		215/561-6120
1063	PITTSBURGH	PENNSYLVANIA	PIT1	C		412/765-1320
1173	VALLEYFORGE	PENNSYLVANIA	VF01P1	E		215/666-9190
1031	MEMPHIS	TENNESSEE	MEM1	C		901/396-4411
1045	AUSTIN	TEXAS	AUS1	C		512/444-3280
1030	DALLAS	TEXAS	DAL1	C		214/638-5800
1171	EL PASO	TEXAS	EPS0	C		915/544-9590
1134	HOUSTON	TEXAS	HOU0P1	C	**	713/785-4411
1134	HOUSTON	TEXAS	HOU0P1	C	**	713/785-4420
1137	HOUSTON	TEXAS	HOU2	C	**	713/780-7390
1014	MIDLAND	TEXAS	MDL1	C		915/683-5645
1102	SAN ANTONIO	TEXAS	SA1	E		512/734-7391
1021	SALT LAKE CITY	UTAH	SLK1	C		801/582-8972
1023	SEATTLE	WASHINGTON	SEA1	C		206/622-7930
1004	MADISON	WISCONSIN	MIL1	C		608/221-4211 (30 CPS)
1004	MILWAUKEE	WISCONSIN	MIL1	C		414/257-3482
NODE	CITY	COUNTRY	NAME	T	HD	PHONE
1042	LONDON	ENGLAND	LOW1	E	**	01-568-4455
1061	PARIS	FRANCE	PAR1	C	**	602-55-00
1067	PARIS	FRANCE	PAR3	E	**	260-36-35
1075	BRUSSELS	BELGIUM	BHX1	E	**	640-0215
1113	THE HAGUE	HOLLAND	HAG1	C		46-97-61
1125	LAUSANNE	SWITZERLAND	PAR4	E	**	(21)25-66-34 (30 CPS)
1125	LAUSANNE	SWITZERLAND	PAR4	E	**	(21)25-43-57 (10 CPS)
1165	LONDON	ENGLAND	LOW2	C	**	01-568-3711

TABLE 3-2. USER TERMINAL IDENTIFICATION CODES

<u>Identifying Character</u>	<u>Terminal</u>	<u>Speed In/Speed Out</u>
A	All CRT	30/30
C	Beta, Guiton	30/30
E	All Thermal	30/30
G	MEM, GE Terminate	30/30
B	Mod 37, CRT	15/15 (odd parity)
F	Beta	15/30
J	ALL CRT	15/15 (even parity)
N	All Thermal	15/30
CR	2741	13.5/13.5
D	TTY, CRT	10/10

Type (CTRL H) after identifying character, but before username to denote a half duplex terminal.

Type (CTRL F) to denote full duplex terminal.

Login/Logout Procedures for the Battelle Computer System
and the NUCLEUS System
via
Direct Dial-Up

- (1) Dial (614)424-5850. Telephone will ring; a high-pitched tone follows.
- (2) Place receiver in coupler. The green carrier light will come on. Terminal is connected to computer.
- (3) Key CR (carriage return) to indicate the terminal's baud (300 or 110) to the Battelle CDC equipment.
- (4) A message like the following is displayed or printed on the terminal:
BATELLE INTERCOM 4.5
DATE MM/DD/YY
TIME HH.MM.SS.

PLEASE LOGIN
- (5) Enter the following sequence:
LOGIN,username,password,SUP.(CR)
where username and password are valid code-words issued by the Battelle Computer Center. No blanks (spaces) are allowed in the above sequence.

NOTE: To correct mistakes in a given line of entry, backspace to the character in error by pressing the CTRL and H keys simultaneously as many times as necessary. Then retype the remainder of the line.

NOTE: To skip a line of entry altogether, press the CTRL and X keys simultaneously. Then continue entering correct information

NOTE: (CR) denotes carriage return (or cursor return).
- (6) The Battelle INTERCOM system responds:

COMMAND-

To extend the time allowed for the on-line interaction, enter

ETL,20

This ensures enough time for the entire interactive dialogue, calculations, and desired output. The system will again respond:

COMMAND

- (7) To begin the dynamic simulation model, enter
NUCLEUS,AVIATION.
- (8) To terminate abnormally at any time the interaction with NUCLEUS:
 - If at a system pause, enter %, then A, then (CR).
 - If in the middle of a lengthy NUCLEUS, response, enter CTRL and Z simultaneously, then %, then A, then (CR).
- (9) INTERCOM responds:
USER ABORT
COMMAND-
- (10) To exit from INTERCOM, enter
LOGOUT
any time you have the prompt COMMAND
- (11) After an exit from NUCLEUS, you are back in INTERCOM with the prompt
COMMAND
you may enter the dynamic simulation model again or end your interaction with the system
- (12) To exit from INTERCOM, enter
LOGOUT
- (13) After LOGOUT, don't forget to hang up the phone.

Examples of login/logout procedures are displayed on Table 3-3.

TABLE 3-3. LOGIN/LOGOUT PROCEDURES - EXAMPLES

All user entries are underlined. It is assumed that you have already dialed in, either directly or via TTYNET.

- (1) Login/logout for INTERCOM.
 Long format. User password in
 overwritten.

BATTELLE INTERCOM 4.5
 DATE 11/09/76
 TIME 09.06.16.

PLEASE LOGIN
 LOGIN, AVIATION
 ##### ENTER PASSWORD-
 DATE AND TIME OF LAST NEWS
 11/09/76 08.00
 TYPE Y OR MH

11/09/76 LOGGED IN AT 09.06.32.
 WITH USER-ID ME
 EQUIP/PORT 01/057
 COMMAND- LOGOUT
 CP .056 SEC.
 IO .208 SEC.
 CM .017 SEC.
 SS 1.000 SEC.
 CH 235 CHARS.
 CONNECT TIME 0 HRS. 0 MIN.
 11/09/76 LOGGED OUT AT 09.06.46.
 <

- (3) Login/logout for INTERCOM and NUCLEUS

BATTELLE INTERCOM 4.5
 DATE 11/09/76
 TIME 09.07.12.

PLEASE LOGIN
 LOGIN, AVIATION, DEMO, SUP, N.
 COMMAND- LOGOUT
 CP .044 SEC.
 IO .208 SEC.
 CM .016 SEC.
 SS 1.000 SEC.
 CH 0 CHARS.
 CONNECT TIME 0 HRS. 0 MIN.
 11/09/76 LOGGED OUT AT 09.07.30.
 <

- (2) Login/logout for INTERCOM.
 Short format. User password
 is shown explicitly.

BATTELLE INTERCOM 4.5
 DATE 11/09/76
 TIME 09.03.00.

PLEASE LOGIN
 LOGIN, AVIATION, DEMO, SUP, N
 COMMAND- LOGOUT
 CP .043 SEC.
 IO .208 SEC.
 CH .016 SEC.
 SS 1.000 SEC.
 CH 0 CHARS.
 CONNECT TIME 0 HRS. 0 MIN.
 11/09/76 LOGGED OUT AT 09.03.33.
 <

- (4) Login/logout for INTERCOM.
 Long format, with error in
 username/password combination.

BATTELLE INTERCOM 4.5
 DATE 11/09/76
 TIME 09.04.44.

PLEASE LOGIN
 AVIATION
 FORMAT ERROR
 READY..LOGIN, AVIATION
 ##### ENTER PASSWORD-
 INVALID USER NAME OR PASSWORD
 ENTER USER NAME OR AVIATION
 ##### ENTER PASSWORD-
 DATE AND TIME OF LAST NEWS
 11/08/76 08.00
 TYPE Y OR NH

11/09/76 LOGGED IN AT 09.05.39.
 WITH USER-ID ME
 EQUIP/PORT 01/057
 COMMAND- LOGOUT
 CP .098 SEC.
 IO .285 SEC.
 CM .026 SEC.
 SS 1.000 SEC.
 CH 365 CHARS.
 CONNECT TIME 0 HRS. 0 MIN.
 11/09/76 LOGGED OUT AT 09.05.50.
 <

CHAPTER 2. INPUT/OUTPUT CONSIDERATIONS

Data required for the baseline general aviation forecast are entirely self-contained within the model. The assumed values for pertinent variables may be displayed by responding appropriately to the interactive dialogue. These values may be changed at the terminal (or in batch) by the user. The user may then display the new entries to ensure that they were entered correctly. Results of the forecast are obtained in tabular and/or plot form by responding to the interactive dialogue.

Baseline Data

In the absence of new data input by the user, the following national economic forecasts are used as exogenous inputs:

<u>YEAR</u>	<u>GNP</u>	<u>DPI</u>
1975	1.0176	1.0443
1976	1.0810	1.0980
1977	1.1360	1.1480
1978	1.1600	1.1790
1979	1.1920	1.2000
1980	1.2250	1.2360
1981	1.2530	1.2510
1982	1.2820	1.2690
1983	1.3080	1.2850
1984	1.3600	1.3330

Both GNP and DPI are measured in constant (1972) dollars and indexed to the 1972 value (1972=1.000). These estimates are representative of the baseline forecast from the Wharton national economy model.

Fixed and variable costs of aircraft operation are also required through 1984. The following inflation factors (in constant 1972 dollars) are applied to the 1975 values for these costs:

<u>Year</u>	<u>Variable Cost Inflation Factor</u>	<u>Fixed Cost Inflation Factor</u>
1975		
1976	.999	.984
1977	1.014	.984
1978	1.028	.984
1979	1.040	.981
1980	1.064	.988
1981	1.088	.998
1982	1.110	1.007
1983	1.127	1.013
1984	1.144	1.019

A measure of commercial air traffic is needed through 1984. The following index for Revenue Aircraft Departures (also called Mobility Index) is based upon the most recent FAA projections. These values are indexed to the 1972 value (1972 = 1.000):

<u>Year</u>	<u>Revenue Aircraft Departures (1972=1.0)</u>
1975	.933
1976	.943
1977	.973
1978	.993
1979	1.023
1980	1.053
1981	1.092
1982	1.112
1983	1.142
1984	1.172

As was discussed in Volume II, the estimated U. S. population by age group is required in forecasting active pilot population. However, since this is essentially a deterministic function, there is no provision for its modification.

Optional Input

In addition to these five rather gross parameters in the baseline data, it is possible to change the fixed or variable cost for any aircraft type during any year(s) of the simulation. Moreover, the following individual cost centers can be changed similarly: fuel and oil (through fuel tax), annualized investment, and imposition of landing fees at towered airports.

Available Output

Several different types of tabular output and graphic output are available. The user may display the options at the terminal after the results of the forecast are computed. Chapter 3 contains an example forecast which lists the available options.

CHAPTER 3. AN EXAMPLE OF THE GENERAL AVIATION DYNAMICS
MODEL IN THE INTERACTIVE MODE

Sensitivity Analysis

In general, there are two ways to use model results or simulations - individually as projections and in pairs as sensitivity measures. Use of the model simply to make projections is fraught with dangers. Many potential users will not understand how the projections were derived and will expect unreasonable accuracy. The model is better used by employing extensive sensitivity analysis to evaluate a range of policies under a range of exogenous conditions. This process will identify the principal areas of model uncertainty and those portions of the model that deserve the greatest additional research.

The logical structure of the GAD model has been constructed such that relative comparisons can be made between the model forecasts from any two simulations. In particular, during a sensitivity analysis, absolute forecasts for each simulation are available, as well as percent deviations between the two cases. These deviations can be displayed over time either graphically or in tabular format.

A sensitivity analysis can be performed between any two simulations which are compatible with the model's capabilities. All GAD model output data from the first simulation are stored on a separate temporary file. This base case need not be the "baseline" forecast representative of expected future conditions, but can be the result of any consistent set of conditions chosen by the analyst. Intermediate absolute forecast results from this base case can be obtained by the analyst, if desired. After obtaining all required intermediate output, the second simulation is specified and run. Absolute results of the second simulation are also available to the analyst. Sensitivity results are derived within the program logic by subtracting the results of the first simulation from the second simulation, dividing by the first simulation, and multiplying by 100 to convert differences to percent deviations from the base case; mathematically,

$$\% \text{ Deviation} = \frac{AA(I,J)_2 - AA(I,J)_1}{AA(I,J)_1} \times 100$$

where,

$AA(I,J)_1$ = the number of active aircraft of type J within category I from the first (base) simulation

$AA(I,J)_2$ = the number of active aircraft of type J within category I from the second simulation

Values for these parameters are, of course, obtained at the same instant in time during their respective simulations.

Should conditions within the second simulation not change immediately from the base case, percent deviations, until the change becomes effective, will be zero. Furthermore, by continually computing these deviations over time, the non-linearity in model response is preserved. Most previous sensitivity analyses of general aviation activity were predicated on either linear or log-linear sensitivities.

An Example

The GAD model uses the interactive dialogue feature of NUCLEUS to guide the analyst through a series of procedures and options. This technique eliminates the need for preliminary calculations by the user. Simple yes/no responses to NUCLEUS questions establish the conditions of the particular simulation to be run. If the user is uncertain of the parameter values contained in the model, NUCLEUS will display them. If the user desires to change these values, NUCLEUS will accept the new values. Incorrect (or unexpected) response to NUCLEUS questions will simply cause the same question to be repeated.

A sensitivity example, comparing the normal "baseline" forecast to an increased fuel tax (effective January 1, 1977), is discussed below. Not all the options available for input/output are displayed; only enough to illustrate the procedures. In this example, all user entries are underlined.

Following the usual login procedures, the computer will ask,

WOULD YOU LIKE THE FORECAST TO USE THE INITIAL ASSUMPTIONS?

An affirmative answer

/ YES

causes the normal "baseline" simulation to be executed. Upon completion of this simulation, the computer will ask,

WHAT OUTPUT TABLE WOULD YOU LIKE, OR ENTER "LIST" OR "NONE"

The unfamiliar user will not know the available tabular output options. By responding

/ LIST

the following list of output table options will be printed.

TABLE	VARIABLES IN TABLE
AIRCRAFT1	ACTIVE AIRCRAFT (AA), BY YEAR
AIRCRAFT2	ACTIVE AIRCRAFT (AA), BY CATEGORY
AIRPORTS	TOWERED AND NON-TOWERED OPERATIONS --- LOPST, IOPST, LOPSNT, IOPSNT, IFROP, VFROP
AIRUTIL	AIRCRAFT UTILIZATION RATES (AUR)
CONSERVE	CONSERVATION TAX (CTAX)
ECONOMIC	DPI, GNP, MI
FIXEDCOST	FIXED COST (FIX)
FUEL	FUEL CONSUMED (FC) IN MILLIONS OF GALLONS
HOURSFLOWN	HOURS FLOWN (HF), IN THOUSANDS
OPERATIONS	TOTAL OPERATIONS (OPS), IN THOUSANDS
PILOTS	SP, PP, CP, P, HP, TP, IP, HR, THP
REVENUE	FEDERAL TAX REVENUE (FTR)
TOTALS	TOTAL AIRCRAFT, HOURS FLOWN (THOUSANDS) OPERATIONS (THOUSANDS)
VARCOST	VARIABLE COST (VC)

When the list is completed, the previous question will be repeated,

WHAT OUTPUT TABLE WOULD YOU LIKE, OR ENTER "LIST" OR "NONE"

A response of

/ PILOTS

would generate the following table:

GENERAL AVIATION DYNAMIC MODEL PAGE 1

PILOT DATA, 1975 TO 1985

	1975	1976	1977	1978	1979
STUDENT PILOTS	180,800	173,251	173,746	171,663	168,747
PRIVATE PILOTS	305,900	321,414	333,071	344,538	355,130
COMMERCIAL PILOTS	192,500	198,319	204,686	210,350	215,336
PILOT SUBTOTAL	679,200	692,985	711,503	726,551	739,213
HELICOPTER PILOTS	5,647	5,243	4,960	4,666	4,376
TOTAL PILOTS	684,847	698,228	716,464	731,217	743,590
INSTRUMENT RATINGS	199,300	211,543	224,391	236,540	248,005
HELICOPTER RATINGS	22,971	24,178	25,398	26,635	27,881
TOTAL HELIC RATINGS	28,618	29,421	30,358	31,301	32,257

GENERAL AVIATION DYNAMIC MODEL PAGE 2

PILOT DATA, 1980 TO 1985

	1980	1981	1982	1983	1984
STUDENT PILOTS	165,433	159,237	151,942	144,812	138,096
PRIVATE PILOTS	364,632	373,948	382,394	389,685	395,611
COMMERCIAL PILOTS	219,716	222,575	223,892	223,778	222,628
PILOT SUBTOTAL	749,781	755,761	758,228	758,275	756,335
HELICOPTER PILOTS	4,107	3,802	3,488	3,185	2,914
TOTAL PILOTS	753,888	759,563	761,715	761,459	759,250
INSTRUMENT RATINGS	258,836	268,098	275,750	281,878	286,847
HELICOPTER RATINGS	29,126	30,365	31,578	32,749	33,863
TOTAL HELIC RATINGS	33,233	34,167	35,066	35,934	36,777

GENERAL AVIATION DYNAMIC MODEL PAGE 3

PILOT DATA, 1985

	1985
STUDENT PILOTS	131,370
PRIVATE PILOTS	399,183
COMMERCIAL PILOTS	221,680
PILOT SUBTOTAL	752,234
HELICOPTER PILOTS	2,672
TOTAL PILOTS	754,906
INSTRUMENT RATINGS	291,866
HELICOPTER RATINGS	34,909
TOTAL HELIC RATINGS	37,581

Upon completion of the requested output table, the same question will again be repeated,

WHAT OUTPUT TABLE WOULD YOU LIKE, OR ENTER "LIST" OR "NONE".

The user may request as many of the table options as he wants. However, eventually no more tabular data will be desired, prompting the response

/ NONE

The computer will then ask,

WOULD YOU LIKE A "SCATTER " PLOT, A "CONTINUOUS" PLOT, OR "NONE"?

A "scatter" plot is represented by discrete data points, whereas a "continuous" plot performs interpolation between the data points. By answering,

/ SCATTER

the computer will respond,

ENTER THE VARIABLE YOU WOULD LIKE FOR THE Y-AXIS, OR "LIST".

Not being familiar with the plot options, the user responds

/ LIST

which will generate the following list of variables:

IDENTIFIER	DESCRIPTION
AA	ACTIVE AIRCRAFT BY PRIMARY USE
AASUM	TOTAL AIRCRAFT
AUR	AIRCRAFT UTILIZATION RATE (HRS/AC/YR)
CP	COMMERCIAL PILOTS
DPI	DPI (1972 \$, 1972=1)
FC	FUEL CONSUMED (GALLONS)
FTR	FEDERAL TAX REVENUE
GNP	GNP (1972 \$, 1972=1)
HF	HOURS FLOWN
HFSUM	TOTAL HOURS FLOWN (THOUSANDS)
HP	HELICOPTER PILOTS
HR	HELICOPTER RATINGS
IP	INSTRUMENT RATINGS
MI	MOBILITY INDEX
OPS	OPERATIONS (THOUSANDS)
OPSSUM	TOTAL OPERATIONS (THOUSANDS)
P	PILOT SUBTOTAL
PP	PRIVATE PILOTS
PPA	PILOTS PER AIRCRAFT (EXCLUDES HELICOPTERS)
PPH	PILOTS PER HELICOPTER
SP	STUDENT PILOTS
TC	TOTAL COST
THP	TOTAL HELIC RATINGS
TP	TOTAL PILOTS
VC	VARIABLE COST INDEX (\$/HR), (1972 \$, 1972=1)

At the conclusion of the list, the computer will state

ENTER VARIABLE

Any variable identifier from the above list can be specified. For example, in order to plot student pilots, the user responds,

/ SP


Now the computer will ask,

WOULD YOU LIKE TO PLOT THIS VARIABLE AGAINST ANOTHER ("VAR") OR AGAINST TIME ("TIME")?

By responding,

/ TIME*

the following plot would be displayed,



*Had the user answered

/ VAR

The computer would have responded

ENTER THE VARIABLE YOU WOULD LIKE FOR THE X-AXIS, OR "LIST".

By entering LIST, the user would obtain a list of all possible variables for the X-axis.

Upon completion of a plot, the computer will again ask,

WOULD YOU LIKE A "SCATTER" PLOT, A "CONTINUOUS" PLOT, OR "NONE"?

By responding,

/ NONE

the program will exit the output mode and ask,

WOULD YOU LIKE TO COMPARE THE RESULTS OF THIS RUN AND THE BASELINE RUN?

Since this is the first simulation, there is no baseline yet. Therefore, the appropriate response at this point is

/ NO

The computer will then ask,

WOULD YOU LIKE TO SAVE THE RESULTS OF THIS SESSION FOR LATER
SENSITIVITY ANALYSIS?

When performing a sensitivity analysis, any simulation run may become the baseline for future comparison regardless of its specified conditions. If a sensitivity analysis is desired, for the next simulation answer

/ YES

The computer will respond,

THE RESULTS OF THIS INTERACTIVE SESSION OF GENERAL AVIATION PROJECTIONS
HAVE BEEN TEMPORARILY SAVED ON A "NUCLEUS" FILE NAMED "SENSY".
THESE RESULTS ARE THE NEW BASELINE DATA.
TO USE THESE DATA IN A SENSITIVITY ANALYSIS,
ENTER THE AVIATION MODEL AGAIN.

The user reenters the model by responding,

COMMAND - NUCLEUS,AVIATION

The computer will ask,

WOULD YOU LIKE THE FORECAST TO USE THE INITIAL ASSUMPTIONS?

Answer

/ NO

since we have already saved the results of this simulation for future comparisons.

The computer will ask,

WOULD YOU LIKE TO EVALUATE THE ULLMAN BILL?

Answer

/ NO

since we do not want this case for the second simulation.

The computer will ask,

WOULD YOU LIKE TO CHANGE OR DISPLAY ANY INITIAL ASSUMPTIONS?
ENTER THE NAME OF THE VARIABLE, OR "LIST", "DISPLAY", OR "NONE".

The user has already decided that the second simulation will involve a fuel tax increase, but he does not know how to implement it into the model. Therefore, answer

/ LIST

which would generate the following list:

AIRCRAFT VARIABLES

IDENTIFIER	DESCRIPTION
ADRN	AIRCRAFT DESTRUCTION RATE, NORMALIZED (AC/YR)
AURN	AIRCRAFT UTILIZATION RATE, NORMALIZED, (HRS/AC/YR)
DAUR	DESIRED AIRCRAFT UTILIZATION RATE (AC/YR)
FIX	FIXED COST, (\$/YR)
FTAX	FEDERAL FUEL TAX (\$/GAL)
LFEE	LANDING FEE (\$/LANDING)
VC	VARIABLE COST INDEX (\$/HR), (1972 \$, 1972=1)

ECONOMIC VARIABLES

IDENTIFIER	DESCRIPTION
DPI	DISPOSABLE PERSONAL INCOME (1972 \$, 1972=1)
GNP	GROSS NATIONAL PRODUCT (1972 \$, 1972=1)
MI	MOBILITY

FUEL VARIABLES

IDENTIFIER	DESCRIPTION
SFC	SPECIFIC FUEL CONSUMPTION (GALLONS/HOUR)

PILOT VARIABLES

IDENTIFIER	DESCRIPTION
CPDNYR	COMMERCIAL PILOT DEPARTURE RATE, NORMALIZED
IPDNYR	INSTRUMENT PILOT DEPARTURE RATE, NORMALIZED
PCINYR	PRIVATE PILOT CERTIFICATES ISSUED RATE, NORMALIZED
PPDNYR	PRIVATE PILOT DEPARTURE RATE, NORMALIZED
SPDNYR	STUDENT PILOT DEPARTURE RATE, NORMALIZED
URIPNYR	UPGRADE RATE TO INSTRUMENT FROM PRIVATE, NORMALIZED

OTHER VARIABLES

IDENTIFIER	DESCRIPTION
TIM	ENDING YEAR FOR SIMULATION

Upon completion of the list, the computer will repeat the question,

WOULD YOU LIKE TO CHANGE OR DISPLAY ANY INITIAL ASSUMPTIONS?
 ENTER THE NAME OF THE VARIABLE, OR "LIST", "DISPLAY", OR "NONE".

The user can see from the above list that the identifier for federal fuel tax is FTAX; but since he may not know the current tax rates, he answers

/ DISPLAY

The computer will respond,

ENTER NAME OF VARIABLE TO BE DISPLAYED OR "LIST" OR "NONE"

By entering,

/ FTAX

the table on the following page would be generated:

GENERAL AVIATION DYNAMIC MODEL PAGE 1

INITIAL ASSUMPTIONS FOR VARIABLE COST, 1975

SNGL-P NON-AER	SNGL-P AER	MULTI- PISTON	TURBO PROP	TURBO JET	PISTON HELIC	TURBINE HELIC
1.0881	1.0881	1.1052	1.0761	1.1717	1.1593	1.1446

VARIABLE COST INFLATION FACTOR, 1975

1975	1.000
1976	0.999
1977	1.014
1978	1.028
1979	1.040
1980	1.064
1981	1.088
1982	1.110
1983	1.127
1984	1.144

INITIAL ASSUMPTIONS FOR FEDERAL FUEL TAX (\$/GAL), 1975

AV GAS	JET FUEL
0.03	0.07

LANDING FEE (\$/LANDING), 1975

SNGL-P NON-AER	SNGL-P AER	MULTI- PISTON	TURBO PROP	TURBO JET	PISTON HELIC	TURBINE HELIC
0.00	0.00	0.00	0.00	0.00	0.00	0.00

This table also provides variable cost, variable cost inflation factor, and landing fee information. Upon completion of the display, the computer will again respond:

ENTER NAME OF VARIABLE TO BE DISPLAYED OR "LIST" OR "NONE".

By entering

/ NONE

the computer will repeat the question

WOULD YOU LIKE TO CHANGE OR DISPLAY ANY INITIAL ASSUMPTIONS?
ENTER THE NAME OF THE VARIABLE, OR "LIST", "DISPLAY", OR "NONE".

Since the user now knows the variable to be changed, he answers

/ FTAX

which will cause the computer to respond,

COMPONENTS OF "VC" ARE FUEL TAX AND LANDING FEE.
WOULD YOU LIKE TO CHANGE THE FUEL TAX (FTAX)?

Since fuel tax is the desired variable, answer

/ YES

The computer will ask,

WHAT YEAR WOULD YOU LIKE THE NEW FUEL TAX TO BEGIN?

For a January 1, 1977 date of effectiveness, enter

/ 1977

The computer will ask,

WOULD YOU LIKE THE FUEL TAX TO REMAIN CONSTANT
FOR ALL SUBSEQUENT YEARS?

*If the fuel tax is to remain at the January 1, 1977 level for the duration of
the simulated time period, enter YES; otherwise enter*

/ NO

which will cause the computer to ask,

WOULD YOU LIKE THE FUEL TAX TO CHANGE AT A CONSTANT RATE?

*If the desired fuel tax is to increase at a constant annual rate over the
duration of the simulated time period, enter*

/ YES

which will cause the computer to respond,

ENTER RATE OF CHANGE

For a 10 percent annual increase in fuel tax, enter

/ .10

The computer will ask,

WOULD YOU LIKE TO USE THE INITIAL ASSUMPTIONS FOR THE FIRST YEAR
OF THE INCREASED FUEL TAX?

Assuming the user wants a discrete change in fuel tax on January 1, 1977, enter

/ NO

which will cause the computer to respond,

ENTER THE FUEL TAX VALUES FOR FIRST YEAR OF CHANGED FUEL TAX,
IN DOLLARS,
FIRST FOR AV GAS, THEN FOR JET FUEL

In order to have a 6¢ per gallon tax on aviation gas and a 14¢ per gallon tax on jet fuel effective January 1, 1977, enter

/ .06

/ .14

The computer will ask,

WOULD YOU LIKE TO IMPOSE A LANDING FEE?

Since fuel tax is the only component of variable cost to be changed, answer

/ NO

The computer will then return to the original question,

WOULD YOU LIKE TO CHANGE OR DISPLAY ANY INITIAL ASSUMPTIONS?
ENTER THE NAME OF THE VARIABLE, OR "LIST", "DISPLAY", OR "NONE".

Since no other variables are to be changed, the user responds

/ NONE *

At this point the second simulation is executed. Upon completion of the calculations, the computer will ask,

WHAT OUTPUT TABLE WOULD YOU LIKE, OR ENTER "LIST" OR "NONE".

Responding, as for the first simulation,

/ PILOTS

would generate the following table:

*The user may want to check the values he has just entered, in which case,

/ DISPLAY

and

/ FTAX

should be entered as before.

GENERAL AVIATION DYNAMIC MODEL PAGE 5

PILOT DATA, 1975 TO 1985

	1975	1976	1977	1978	1979
STUDENT PILOTS	180,800	173,251	173,746	166,532	161,357
PRIVATE PILOTS	305,900	321,414	333,071	346,075	356,878
COMMERCIAL PILOTS	192,500	198,319	204,686	208,813	212,160
PILOT SUBTOTAL	679,200	692,985	711,503	721,421	730,395
HELICOPTER PILOTS	5,647	5,243	4,960	4,579	4,226
TOTAL PILOTS	684,847	698,228	716,464	726,000	734,621
INSTRUMENT RATINGS	199,300	211,543	224,391	235,004	244,835
HELICOPTER RATINGS	22,971	24,178	25,398	26,635	27,862
TOTAL HELIC RATINGS	28,618	29,421	30,358	31,214	32,088

GENERAL AVIATION DYNAMIC MODEL PAGE 6

PILOT DATA, 1980 TO 1985

	1980	1981	1982	1983	1984
STUDENT PILOTS	156,752	149,558	141,322	133,237	125,679
PRIVATE PILOTS	366,192	375,236	383,446	388,956	391,774
COMMERCIAL PILOTS	214,749	215,642	214,795	213,924	213,230
PILOT SUBTOTAL	737,692	740,436	739,564	736,117	730,682
HELICOPTER PILOTS	3,909	3,576	3,245	2,934	2,660
TOTAL PILOTS	741,601	744,012	742,809	739,052	733,342
INSTRUMENT RATINGS	253,866	261,130	266,564	271,853	277,164
HELICOPTER RATINGS	29,071	30,252	31,388	32,459	33,468
TOTAL HELIC RATINGS	32,980	33,828	34,633	35,393	36,128

GENERAL AVIATION DYNAMIC MODEL PAGE 7

PILOT DATA, 1985

	1985
STUDENT PILOTS	118,156
PRIVATE PILOTS	392,276
COMMERCIAL PILOTS	212,638
PILOT SUBTOTAL	723,070
HELICOPTER PILOTS	2,417
TOTAL PILOTS	725,487
INSTRUMENT RATINGS	282,390
HELICOPTER RATINGS	34,420
TOTAL HELIC RATINGS	36,837

Upon completion of the table, the computer will again ask,

WHAT OUTPUT TABLE WOULD YOU LIKE, OR ENTER "LIST" OR "NONE".

By responding, as before,

/ NONE .

the computer will ask,

WOULD YOU LIKE A "SCATTER" PLOT, A "CONTINUOUS" PLOT, OR "NONE"?

Responding,

/ NONE

will cause the computer to ask,

WOULD YOU LIKE TO COMPARE THE RESULTS OF THIS RUN AND THE BASELINE RUN?

Since both simulations for the sensitivity analysis have been run, answer

/ YES

The computer will ask,

WHAT OUTPUT TABLE WOULD YOU LIKE, OR ENTER "LIST" OR "NONE".

The list of output tables for sensitivity analyses is a subset of the list for absolute forecasts. Therefore, the unfamiliar user should answer,

/ LIST

which would generate the following list of output tables:

TABLE	VARIABLES IN TABLE
AIRCRAFT1	ACTIVE AIRCRAFT (AA), BY YEAR
AIRCRAFT2	ACTIVE AIRCRAFT (AA), BY CATEGORY
AIRPORTS	TOWERED AND NON-TOWERED OPERATIONS --- LOPST, IOPST, LOPSNT, IOPSNT, IFROP, VFROP
FUEL	FUEL CONSUMED (FC)
HOURS FLOWN	HOURS FLOWN (HF), IN THOUSANDS
OPERATIONS	TOTAL OPERATIONS (OPS), IN THOUSANDS
PILOTS	SP, PP, CP, P, HP, TP, IP, HR, THP
REVENUE	FEDERAL TAX REVENUE (FTR)
TOTALS	TOTAL AIRCRAFT, HOURS FLOWN (THOUSANDS) OPERATIONS (THOUSANDS)

Upon completion of the table list, the computer will again ask,

WHAT OUTPUT TABLE WOULD YOU LIKE, OR ENTER "LIST" OR "NONE"

By responding,

/ PILOTS

The following table of percent deviations would be generated:

GENERAL AVIATION DYNAMIC MODEL PAGE 13

PILOT DATA, % DEVIATION FROM BASELINE, 1975 TO 1985

	1975	1976	1977	1978	1979
STUDENT PILOTS	0.00	0.00	0.00	-2.99	-4.38
PRIVATE PILOTS	0.00	0.00	0.00	0.45	0.49
COMMERCIAL PILOTS	0.00	0.00	0.00	-0.73	-1.47
PILOT SUBTOTAL	0.00	0.00	0.00	-0.71	-1.19
HELICOPTER PILOTS	0.00	0.00	0.00	-1.87	-3.45
TOTAL PILOTS	0.00	0.00	0.00	-0.71	-1.21
INSTRUMENT RATINGS	0.00	0.00	0.00	-0.65	-1.28
HELICOPTER RATINGS	0.00	0.00	0.00	0.00	-0.07
TOTAL HELIC RATINGS	0.00	0.00	0.00	-0.28	-0.52

GENERAL AVIATION DYNAMIC MODEL PAGE 14

PILOT DATA, % DEVIATION FROM BASELINE, 1980 TO 1985

	1980	1981	1982	1983	1984
STUDENT PILOTS	-5.25	-6.08	-6.99	-7.99	-8.99
PRIVATE PILOTS	0.43	0.34	0.28	-0.19	-0.97
COMMERCIAL PILOTS	-2.26	-3.12	-4.06	-4.40	-4.22
PILOT SUBTOTAL	-1.61	-2.03	-2.46	-2.92	-3.39
HELICOPTER PILOTS	-4.82	-5.96	-6.95	-7.86	-8.73
TOTAL PILOTS	-1.63	-2.05	-2.48	-2.94	-3.41
INSTRUMENT RATINGS	-1.92	-2.60	-3.33	-3.56	-3.38
HELICOPTER RATINGS	-0.19	-0.37	-0.60	-0.89	-1.17
TOTAL HELIC RATINGS	-0.76	-0.99	-1.23	-1.50	-1.76

GENERAL AVIATION DYNAMIC MODEL PAGE 15

PILOT DATA, % DEVIATION FROM BASELINE, 1985

	1985
STUDENT PILOTS	-10.06
PRIVATE PILOTS	-1.73
COMMERCIAL PILOTS	-4.08
PILOT SUBTOTAL	-3.88
HELICOPTER PILOTS	-9.56
TOTAL PILOTS	-3.90
INSTRUMENT RATINGS	-3.25
HELICOPTER RATINGS	-1.40
TOTAL HELIC RATINGS	-1.98

Note that deviations from the baseline do not occur until January 1, 1978. This is because the data reported on January 1, 1978 represents conditions during the previous calendar year.

Upon completion of the table, the computer will again ask,

WHAT OUTPUT TABLE WOULD YOU LIKE, OR ENTER "LIST" OR "NONE".

Responding,

/ NONE

will cause the computer to ask,

WOULD YOU LIKE A "SCATTER" PLOT, A "CONTINUOUS" PLOT, OR "NONE"?

Responding,

/ SCATTER

will cause the computer to state,

ENTER THE VARIABLE YOU WOULD LIKE FOR THE Y-AXIS, OR "LIST".

For example, in order to display the percent deviation in fuel consumed between the two simulations, enter

/ FC


The computer will respond,

PLEASE ENTER "AV" OR "JET" FOR SELECTION OF FUEL FOR PLOT.

By entering,

/ AV

the following plot would be generated:



Upon completion of the plot, the computer will again ask,

WOULD YOU LIKE A "SCATTER" PLOT, A "CONTINUOUS" PLOT, OR "NONE"?

Responding,

/ NONE

will cause the computer to ask,

WOULD YOU LIKE TO SAVE THE RESULTS OF THIS SESSION FOR LATER
SENSITIVITY ANALYSIS?

Since the sensitivity analysis has already been performed, answer

/ NO

The user may investigate the impact of changing another variable by re-entering the model. A sensitivity analysis will compare these new results to the original baseline. However, had the user responded

/ YES

to this question, the next sensitivity analysis would use the results of this simulation for the baseline, rather than the results of the first simulation.

The computer will respond,

```

YOU HAVE FINISHED THIS SIMULATION PERIOD.
TO SIMULATE NEW LEVELS OF GENERAL AVIATION ACTIVITY,
ENTER THE AVIATION MODEL AGAIN.
COMMAND- LOGOUT
CP          XX.XXX    SEC.
IO          XX.XXX    SEC.
CM          XX.XXX    SEC.
SS          XX.XXX    SEC.
CH          XXXXX     CHARS.
CONNECT TIME  X HRS.  XX MIN.
11/09/76  LOGGED OUT AT 09.45.29.

```

Summary

This example illustrates the ease in which the General Aviation Dynamics model can be used to obtain either absolute forecasts or perform sensitivity analyses. It should be emphasized again that this has only been a representative example. Neither all the output nor all the options available have been displayed.

Sensitivity analyses consist of making changes in the model, usually in the value of a particular parameter, and comparing the evolution of general aviation simulated with the change to the evolution simulated without the change. This procedure is helpful in identifying those parameters or aspects of the model that could make significant differences in the projections. To the extent that the model is a valid representation of reality, these same parameters can be used as policy measures which influence the future of general aviation.

Normally, the following sequences of events occur,

- (1) run the first simulation which becomes the base case for future sensitivity analyses
- (2) run the second simulation which incorporates a model change from the first simulation
- (3) compare the differences between the two simulations.