

AD-A040 392

FEDERAL COBOL COMPILER TESTING SERVICE WASHINGTON D C
VALIDATION SUMMARY REPORT IBM 360/370 FORTRAN IV G.(U)
MAY 77

F/G 9/2

UNCLASSIFIED


FCVS66-VSR210

NL


| OF |
AD
A040392



END
DATE
FILMED
7-77



MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS-1963-A



10

FCVS66-VSR210

FORTRAN COMPILER
VALIDATION SUMMARY REPORT

VALIDATION NUMBER FCVS66-VSR210

Prepared By:

FEDERAL COBOL COMPILER TESTING SERVICE
DEPARTMENT OF THE NAVY
WASHINGTON, D.C. 20376

ACCESSION for	
HTS	White Section <input checked="" type="checkbox"/>
DDC	Diff Section <input type="checkbox"/>
UNANNOUNCED	<input type="checkbox"/>
JUSTIFICATION.....	
BY.....	
DISTRIBUTION/AVAILABILITY CODE	
Dist.	AVAIL. and/or SPECIAL
A	

DDC
RECEIVED
JUN 9 1977
D

DISTRIBUTION STATEMENT A
Approved for public release;
Distribution Unlimited

BIBLIOGRAPHIC DATA SHEET		1. Report No. FCVS66-VSR210	2.	3. Recipient's Accession No.
4. Title and Subtitle Validation Summary Report # FCVS66-VSR210 IBM 360/370 FORTRAN IV G.		5. Report Date 17 May 1977		6.
7. Author(s) Same as organization - see 9.		8. Performing Organization Rept. No.		9.
9. Performing Organization Name and Address Federal COBOL Compiler Testing Service ADP Selection Office Department of the Navy Washington, D. C. 20376		10. Project/Task/Work Unit No.		11. Contract/Grant No.
12. Sponsoring Organization Name and Address Automatic Data Processing Selection Office Department of the Navy Washington, D. C. 20376		13. Type of Report & Period Covered		14.
15. Supplementary Notes				
16. Abstracts This Validation Summary Report (VSR) for the <u>IBM 360/370 'G'</u> FORTRAN Compiler Version <u>21.0</u> (<u>OS</u> Version <u>21.8</u>) provides a consolidated summary of the results obtained from the validation of the subject compiler against the 1966 FORTRAN Standard (X3.9-1966). The VSR is made up of several sections showing the discrepancies found. These include an overview of the validation which lists all categories of discrepancies; a section relating the categories of discrepancies to the language; and a detailed listing of discrepancies together with the tests which were failed.				
17. Key Words and Document Analysis. 17a. Descriptors Programming Languages Standards Compilers FORTRAN Verifying Proving Program Correctness Software Engineering: SAMPLE Underlined information must be provided for each VSR released to NTIS.				
17b. Identifiers/Open-Ended Terms FCVS CVS				
17c. COSATI Field/Group 09/02				
18. Availability Statement Release unlimited		19. Security Class (This Report) UNCLASSIFIED		21. No. of Pages
408438		20. Security Class (This Page) UNCLASSIFIED		22. Price

FCVS66-VSR210

FORTTRAN COMPILER VALIDATION

1. Validation Number	FCVS66-VSR210
2. Vendor	International Business Machines
3. Mainframe	IBM System 360/65
4. Compiler Identification	FORTTRAN IV 6 LEVEL 21
5. Operating System Identification	OS 21.8 MVT/HASP 3.1
6. Compiler Validation System Version Number	FCVS66 1.2

*PLEASE NOTE. The Department of the Navy may make full and free public disclosure of the Validation Summary Report (VSR) in accordance with the "Freedom of Information Act" (5 U.S.C. #552). The results of this validation are only for the purpose of satisfying United States Government requirements, and apply only to the Computer System, Operating System release, and compiler version identified in the VSR. The FORTRAN Compiler Validation System is used to determine, insofar as is practical, the degree to which the subject compiler conforms to American Standard FORTRAN, X3.9-1966. Thus, the VSR is necessarily discretionary and judgmental. The United States Government does not represent or warrant that the statements, or any one of them, set forth in the VSR are accurate or complete. The VSR is not meant to be used for the purpose of publicizing the findings summarized therein.

For information concerning this compiler you can contact the vendor's designated representative named below:

Jay Valentine
Federal Support Center
IBM Corporation
10401 Fernwood Road
Bethesda, Maryland 20034

FCVS66-VSR210

TABLE OF CONTENTS

SECTION 1. INTRODUCTION

- 1.1 Purpose of the Validation Summary Report
- 1.2 Preparation of the VSR
- 1.3 Organization of the VSR
- 1.4 Use of the VSR
- 1.5 Sources of Additional Information

SECTION 2. DETAILED EVALUATION OF ERRORS

- 2.1 Syntactical Errors
- 2.2 Semantic Errors

SECTION 3. SOFTWARE ENVIRONMENT

APPENDIX A - VALIDATION SUMMARY WORKING DOCUMENT

FCVS66-VSR210

SECTION 1. INTRODUCTION

1.1 Purpose of the Validation Summary Report

The purpose of the Validation Summary Report (VSR) is to identify individual FORTRAN language elements whose implementation does not conform to the language specifications defined in American Standard FORTRAN, X3.9-1966.

1.2 Preparation of the VSR

The Validation Summary Report is prepared by analyzing the results of running the FORTRAN Compiler Validation System (FCVS). The FORTRAN Compiler Validation System consists of audit routines containing features of American Standard FORTRAN, their related data, and an Executive Routine which prepares the audit routines for compilation. Each audit routine is a FORTRAN program which includes many tests and supporting procedures indicating the result of the tests.

The testing of a compiler in a particular hardware/operating system environment is accomplished by compiling and executing each audit routine. The report produced by each routine tells whether the compiler passed or failed the tests in the routine. If the compiler rejects some language elements by terminating compilation, giving fatal diagnostic messages, or terminating execution abnormally, then the test containing the code the compiler was unable to process is deleted. The audit routine is compiled again and execution is repeated.

The compilation listings and the output reports of the audit routines constitute the raw data from which the members of the Federal COBOL Compiler Testing Service produce a Validation Summary Report.

1.3 Organization of the VSR

The Validation Summary Report is made up of several sections whose contents are described below.

a. Section 2 summarizes the results of the compilation and execution of the programs comprising the FORTRAN Compiler Validation System. Section 2 is divided into a subsection describing the syntax errors encountered while compiling the FORTRAN audit routines, and a subsection describing the semantic errors which occurred during execution of the FORTRAN audit routines.

b. Section 3 contains information which describes the software environment in which the compiler was tested. This includes the name and version of the operating system and the logical unit/physical device assignments used in the programs comprising the FCVS. The options used with the compiler are also given, and if applicable, the use of compiler optimization features is explained.

c. Appendix A is the Validation Summary Working Document, a working paper resulting from the compilation and execution of the FCVS. The body

FCVS66-VSR210

of the VSR is derived from Appendix A.

1.4. Use of the VSR

The Department of the Navy may make full and free public disclosure of the Validation Summary Report (VSR) in accordance with the "Freedom of Information Act" (5 U.S.C. #552). The results of the validation are only for the purposes of satisfying United States Government requirements, and apply only to the computer system, operating system release, and compiler version identified in the VSR.

The FORTRAN Compiler Validation System is used to determine, insofar as is practical, the degree to which the subject compiler conforms to the FORTRAN Standard. Thus, the VSR is necessarily discretionary and judgmental. The United States Government does not represent or warrant that the statements, or any one of them, set forth in the VSR are accurate or complete. The VSR is not meant to be used for the purpose of publicizing the findings summarized therein.

1.5 Sources of Additional Information

The detailed FORTRAN language specifications are given in the publication "American Standard FORTRAN, X3.9-1966", available from the American National Standards Institute, 1430 Broadway, New York, New York 10018.

An explanation of the FORTRAN Compiler Validation System is contained in the FCVS User's Guide. This document explains how to run the compiler validation system. The User's Guide and a magnetic tape containing a copy of the FCVS programs are available from the National Technical Information Service, 5285 Port Royal Road, Springfield, Virginia, 22151. (Ordering information can be obtained from the Federal COBOL Compiler Testing Service.)

FCVS66-VSR210

SECTION 2. DETAILED EVALUATION OF ERRORS.

This section summarizes the results of the compilation and execution of the programs comprising the FORTRAN Compiler Validation System (FCVS). The version of the FCVS used during this validation is shown inside the front cover of the VSR.

Section 2 is made up of two subsections. The first subsection describes each syntax error encountered during compilation of the audit routines, and the second subsection describes the semantic errors encountered during execution of the audit routines.

Each error or deviation noted in this section makes reference to an audit routine named in Appendix A (Validation Summary Working Document). This reference provides the documented results of an occurrence of errors/deviations detected during the running of the FCVS using the compiler within the environment identified in this document. The Validation Summary Working Document is presented in sequence by audit routine name.

FCVS66-VSR210

2.1 Syntactical Errors

The compiler would not accept a statement which uses 57 sets of nested parenthesis in an arithmetic expression. See FMD45.

X3.9-1966 References: Section 6.1, Arithmetic Expressions
Section 7.1.1.1, Arithmetic Assignment Statement

2.2 Semantic Errors

No semantic errors occurred during the execution of the FCVS audit routines.

FCVS66-VSR210

SECTION 3. SOFTWARE ENVIRONMENT.

The compiler referenced in this document was validated using the software environment described in this section. When using a modification of the described environment, the compiler may or may not continue to conform to the Standard. It should be noted that during the validation process, an attempt is made to validate as many different options as possible.

The use of compiler options, logical unit/physical device assignments, and any form of optimization which is not described in this report could cause the compiler to produce a program that does not perform according to the specifications of Standard FORTRAN. Only the environment described in this document has been used with this compiler to satisfy the validation requirements of the Department of the Navy.

1. Options or parameters used on the processor call statement for the compiler.

Options specified:

a. Batch - Without Optimization.

```
//STEP EXEC FORTGCL  
//FORT EXEC PGM=IEYFORT
```

b. Batch - With Optimization.

This compiler does not have an optimization feature.

c. Time-sharing.

The time-sharing processing mode was not used to validate this compiler.

2. Logical Unit/Physical Device Assignments.

a. Batch Compiler Runs.

Printer Destined Files:

Logical unit 06 was assigned to SYSOUT=A

Tape Files:

Logical unit 07 was assigned to a tape file by using the following JCL card.

```
//FT07F001 DD DSN=TO1,UNIT=2400,DISP=(,KEEP),DCB=(BLKSIZE=110,RECFM=U)
```

Sequential Mass-storage Files:

Logical unit 07 was assigned to a mass-storage file by using the

FCVS66-VSR210

following JCL card.

```
//FT07F001 DD UNIT=3330,SPACE=(CYL,(2,1)),DCB=(LRECL=110,RECFM=U)
```

Card Input Files:

Logical unit 05 was assigned to the card reader. The following JCL card precedes the data for audit routines which use the card reader.

```
//FT05F001 DD *
```

b. Time-sharing Compiler Runs.

The time-sharing mode was not used to validate this compiler.

3. Optimization. The compiler may or may not have optimization features. If there was an optimization feature available, it was used during the validation process (during a separate execution of the Compiler Validation System) to determine if its use causes the compiler to produce a program which does not give the expected results. If the optimization is invoked through the compiler call statement then it is mentioned in paragraph 1 above. If it is invoked through the introduction of a compiler directing source program statement, it is shown below. Optimization which would require modification to source program statements is not considered in this report in that it is beyond the scope of the use of Standard FORTRAN and the validation process.

This compiler does not have an optimization feature.

4. Compiler.

FORTRAN IV 6, Level 21

5. Operating system.

OS Version 21.8, MVT with HASP 3.1

6. Computer System Reference Manuals

- a. IBM System 360 and System 370, FORTRAN IV Language, May 1974, Publication Number GC28-6515-10.
- b. IBM System/360 Operating System FORTRAN IV (G8H) Programmers Guide, June 1970, Publication Number GC28-6817-2.

FCVS66-VSR210

APPENDIX A
VALIDATION SUMMARY WORKING DOCUMENT

This appendix is a working paper produced during the validation and documents the results of the compilation and execution of each of the programs comprising the FCVS. The results contained herein are based on the use of the compiler within the Validation Environment identified in this appendix. This appendix (Validation Summary Working Document) is not part of the official Validation Summary Report (VSR), and it is not intended to reflect in any way the compiler's usefulness or degree of conformance to the language specifications.

The reader of this appendix should keep in mind that the same problem area may appear in more than one program but is considered only as a single discrepancy, and the problem is reflected only once in the body of the VSR. (The VSR will in turn only reference the first occurrence of the problem in the appendix.)

This appendix is divided into four parts. The first part describes the Validation Environment. The second part lists the Monitor Input Cards used in creating a job control stream for execution in the batch mode. The third part shows the control cards required to compile and execute an individual program. The fourth part of the document is divided into two categories of information: compilation results and execution results. Information items, such as compiler warning messages, are included in the summary of compilation and execution results.

The reference document for FORTRAN is American Standard FORTRAN, X3.9-1966.

FCVS66-VSR210

VALIDATION ENVIRONMENT

COMPILER IDENTIFICATION:	FORTRAN IV 6, Level 21
COMPUTER SYSTEM:	IBM SYSTEM/360-65
OPERATING SYSTEM:	OS 21.8, MVT, HASP 3.1

Each of the programs comprising the FCVS was compiled and executed in the batch mode. The programs which test I/O, FM100 through FM108, were run twice. These programs were first run with the output logical unit assigned to a tape device, and then rerun with the output logical unit assigned to a mass-storage device.

FCVS66-VSR210

CCVS EXECUTIVE CONTROL CARDS

The CCVS Executive Routine was used to prepare the FCVS programs for execution in the batch mode. The Control Cards used as input to the CCVS Executive Routine together with the job control stream for executing the Executive Routine are listed below:

```
//VALIDATE3 JOB (190602,4A00),'MIKE O CUNNINGHAM',CLASS=G,REGION=150K
//EXEC VALIDATE
//STEP1.SYSIN DD *
*DATE 033177
*INITIAL ALL
B-0103J//XXXXX JOB (190602,4A00),'FORTRAN NOOP',CLASS=G
B-02 S//STEPX EXEC PGM=IEBGENER
B-03 S//SYSPRINT DD SYSOUT=A
B-04 S//SYSUT1 DD *,DCB=(LRECL=80,BLKSIZE=80,RECFM=F)
B-0519S INCLUDE SYSLMOD(XXXXX)
B-06 //SYSUT2 DD DSN=VALIDATE.CONTROL,DISP=OLD
B-07 T//SYSUT2 DD DSN=VALIDATE.CONTROL,DISP=MOD
B-08 S//SYSIN DD DUMMY
B-0907S//STEP9 EXEC FORTGCL
B-10 S//FORT.SYSIN DD *
B-11
E-0137S//LKED.SYSLMOD DD DSN=VALIDATE.LOAD(XXXXX),
E-02 S// DISP=SHR
E-03 J//LINK EXEC PGM=IEWL,REGION=150K,
E-04 J// PARM='XREF,LIST,LET,NCAL'
E-05 J//SYSPRINT DD SYSOUT=A
E-06 J//SYSUT1 DD UNIT=SYSWRK,SPACE=(CYL,(10,5))
E-0733J//SYSLMOD DD DSN=VALIDATE.LOAD(XXXXX),DISP=SHR
E-08 J//SYSLIN DD DSN=VALIDATE.CONTROL,DISP=SHR
E-0921J//STEPLAST EXEC PGM=XXXXX,REGION=100K
E-10 J//STEPLIB DD DSN=VALIDATE.LOAD,DISP=SHR
E-11 JBREAK***
E-13 J//FT06F001 DD SYSOUT=A
E-14 J//FT05F001 DD *
E-15 JDATA****
E-16 J/*
E-17
E-12 J//FT07F001 DD UNIT=3330,SPACE=(CYL,(2,1)),DCB=(BLKSIZE=110,RECFM=U)
E-12 J//FT07F001 DD DSN=TO1,UNIT=2400,DISP=(,KEEP),DCB=(BLKSIZE=110,RECFM=U)
```

(FORTRAN audit routine selection cards)

```
*BCD-POP YES
*CCVSVR 74
*LIST UPDATES,XCARDS,CTL,JCL
*PRGID
*END-MONITOR
*BEGIN-UPDATE
*START,FMO45
#04070C04120
```

FCVS66-VSR210

*END-UPDATE

/*

/*

//STEP2 EXEC SCHEDULE

//STEPZ.BQUE DD UNIT=(3330,3),SPACE=(CYL,(30,2))

//BJCL DD DSN=VALIDATE.READER,DISP=OLD

/*

FCVS66-VSR210

CONTROL CARDS FOR RUNNING FCVS PROGRAMS

The job control stream for compiling and executing an individual audit routine consisted of the following job control language:

```
//FM100 JOB (190602,4ADD), 'FORTRAN NOOP', CLASS=G
//STEPX EXEC PGM=IEBGENER
//SYSPRINT DD SYSOUT=A
//SYSUT1 DD *, DCB=(LRECL=80, BLKSIZE=80, RECFM=F)
  INCLUDE SYSLMOD(FM100),
//SYSUT2 DD DSN=VALIDATE.CONTROL, DISP=OLD
//SYSIN DD DUMMY
//STEP001 EXEC FORTGCL
//FORT.SYSIN DD *
```

(audit routine source program)

```
//LKED.SYSLMOD DD DSN=VALIDATE.LOAD(FM100),
// DISP=SHR
//LINK EXEC PGM=IEWL, REGION=150K,
// PARM='XREF,LIST,LET,NCAL'
//SYSPRINT DD SYSOUT=A
//SYSUT1 DD UNIT=SYSWRK, SPACE=(CYL,(10,5))
//SYSLMOD DD DSN=VALIDATE.LOAD(FM100), DISP=SHR
//SYSLIN DD DSN=VALIDATE.CONTROL, DISP=SHR
//STEPLAST EXEC PGM=FM100, REGION=100K
//STEPLIB DD DSN=VALIDATE.LOAD, DISP=SHR
//FT07F001 DD DSN=TO1, UNIT=2400, DISP=(,KEEP), DCB=(BLKSIZE=110, RECFM=U)
//FT06F001 DD SYSOUT=A
//FT05F001 DD *
/*
```


FCVS66-VSR210

1 IVON01 / IVON02
2))

B. Execution

Test 759 was deleted due to the compilation error in A. above.

FM050 through FM062, FM080 through FM083, and FM097 through FM099

A. Compilation

No errors.

B. Execution

No errors.

FORTRAN I/O Routines - FM100 through FM108

These audit routines were executed with the output logical unit assigned to a tape device and rerun with the output logical unit assigned to a mass-storage device.

FM100 through FM108

A. Compilation

No errors.

B. Execution

No errors.

FM109

A. Compilation

No errors.

B. Execution

No errors.