

AD-A040 810

ARMY ENVIRONMENTAL HYGIENE AGENCY ABERDEEN PROVING GR--ETC F/G 6/6  
TOPICAL HAZARD EVALUATION PROGRAM OF CANDIDATE INSECT REPELLENT--ETC(U)  
JUN 77 M H WEEKS, B J DESENA

UNCLASSIFIED

USAEHA-51-0822-77


NL

| OF |  
ADA040810



END

DATE  
FILMED  
7-77



MICROCOPY RESOLUTION TEST CHART  
NATIONAL BUREAU OF STANDARDS-1963-A

ADA 040810

12  
NW

TOPICAL HAZARD EVALUATION PROGRAM  
OF CANDIDATE INSECT REPELLENT AI3-36560  
2-ETHYL-1-[(2-METHYLCYCLOHEXYL)CARBONYL] PIPERIDINE  
STUDY NO. 51-0822-77  
OCTOBER 1975 - JANUARY 1977

Approved for public release; distribution unlimited.



DDC  
JUN 22 1977  
B

AD No. \_\_\_\_\_  
DDC FILE COPY

US ARMY  
ENVIRONMENTAL HYGIENE AGENCY  
ABERDEEN PROVING GROUND, MD 21010

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

| REPORT DOCUMENTATION PAGE  |  | READ INSTRUCTIONS<br>BEFORE COMPLETING FORM  |
|--|--|--|
| 1. REPORT NUMBER<br>51-0822-77 ✓   | 2. GOVT ACCESSION NO.  | 3. RECIPIENT'S CATALOG NUMBER  |
| 4. TITLE (and Subtitle)<br>Topical Hazard Evaluation Program<br>of Candidate Insect Repellent AI3-36560  | 5. TYPE OF REPORT & PERIOD COVERED<br>Final - Oct 75 - Jan 77  |  |
|  | 6. PERFORMING ORG. REPORT NUMBER<br>51-0822-77 ✓               |  |
| 7. AUTHOR(s)<br>MAURICE H. WEEKS                      BRENDA J. DeSENA   | 8. CONTRACT OR GRANT NUMBER(s)                                 |  |
| 9. PERFORMING ORGANIZATION NAME AND ADDRESS<br>Commander<br>US Army Environmental Hygiene Agency ✓<br>Aberdeen Proving Ground, MD 21010  | 10. PROGRAM ELEMENT, PROJECT, TASK<br>AREA & WORK UNIT NUMBERS |  |
| 11. CONTROLLING OFFICE NAME AND ADDRESS<br>Commander<br>US Army Health Services Command<br>Fort Sam Houston, TX 78234  | 12. REPORT DATE<br>Oct 75 - Jan 77                             |  |
|  | 13. NUMBER OF PAGES<br>8                                       |  |
| 14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)  | 15. SECURITY CLASS. (of this report)<br>Unclassified           |  |
|  | 15a. DECLASSIFICATION/DOWNGRADING<br>SCHEDULE                  |  |
| 16. DISTRIBUTION STATEMENT (of this Report)<br>Approved for public release; distribution unlimited.  |  | ACCESSION No.<br>NTIS                      White Section <input checked="" type="checkbox"/><br>DDC                        Buff Section <input type="checkbox"/><br>UNANNOUNCED <input type="checkbox"/><br>JUSTIFICATION..... |
| 17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)   |  | BY.....<br>DISTRIBUTION/AVAILABILITY CODES<br>Dist.    Avail. and/or SPECIAL   |
| 18. SUPPLEMENTARY NOTES  |  | A  |
| 19. KEY WORDS (Continue on reverse side if necessary and identify by block number)   |  |  |
| 2-ethyl-1-((2-methylcyclohexyl)carbonyl)piperidine    skin irritation<br>AI3-36560                      Photochemical Skin Irritation    eye irritation<br>Topical Hazard Evaluation                      sensitization<br>candidate repellent                      oral toxicity  |  |  |
| 20. ABSTRACT (Continue on reverse side if necessary and identify by block number)  |  |  |
| A hazard evaluation of AI3-36560 was conducted using New Zealand White rabbits for skin and eye studies; Hartley guinea pigs for a skin sensitization study and Sprague-Dawley, Wistar-derived rats for determination of acute oral toxicity. It was recommended that AI3-36560 not be approved for further testing as a candidate insect repellent. |  |  |



HSE-LT/WP

14 USAEHA-51-0822-77 | 12 11 p.

9 Final Rept.

DEPARTMENT OF THE ARMY  
U. S. ARMY ENVIRONMENTAL HYGIENE AGENCY  
ABERDEEN PROVING GROUND, MARYLAND 21010

Oct 75 - Jan 77

10 Maurice H. Weeks  
Brenda J. De Souza

17 JUN 1977

6  
TOPICAL HAZARD EVALUATION PROGRAM  
OF CANDIDATE INSECT REPELLENT AI3-36560  
2-ETHYL-1-[(2-METHYLCYCLOHEXYL)CARBONYL] PIPERIDINE.

STUDY NO. 51-0822-77  
OCTOBER 1975 - JANUARY 1977

11 17 JUN 77

ABSTRACT

A hazard evaluation of AI3-36560 was conducted using New Zealand White rabbits for skin and eye studies; Hartley guinea pigs for a skin sensitization study and Sprague-Dawley, Wistar-derived rats for determination of acute oral toxicity. It was recommended that AI3-36560 not be approved for further testing as a candidate insect repellent.

Approved for public release; distribution unlimited.

038150

13



DEPARTMENT OF THE ARMY  
U. S. ARMY ENVIRONMENTAL HYGIENE AGENCY  
ABERDEEN PROVING GROUND, MARYLAND 21010

HSE-LT/WP

TOPICAL HAZARD EVALUATION  
OF CANDIDATE INSECT REPELLENT AI3-36560  
2-ETHYL-1-[(2-METHYLCYCLOHEXYL)CARBONYL] PIPERIDINE  
STUDY NO. 51-0822-77  
OCTOBER 1975 - JANUARY 1977

1. AUTHORITY.

a. Letter, US Department of Agriculture - Agricultural Research Service, Southern Region, Insects Affecting Man Research Laboratory, Gainesville, Florida, 17 October 1975.

b. Memorandum of Understanding between the US Army Environmental Hygiene Agency; the US Army Health Services Command; the US Department of the Army, Office of The Surgeon General; the Armed Forces Pest Control Board; and the US Department of Agriculture, effective December 1970 with Amendment No. 1, effective August 1974.

2. REFERENCE. Toxicology Division Procedural Guide, USAEHA, 1972.

3. PURPOSE. The purpose of this program is to provide guidance for further entomological testing of the candidate insect repellent AI3-36560.

4. SUMMARY OF FINDINGS. A hazard evaluation of the candidate repellent AI3-36560, 2-ethyl-1-[(2-methylcyclohexyl)carbonyl] piperidine was conducted by this Agency using New Zealand White rabbits for skin and eye studies, Hartley guinea pigs for a skin sensitization study and Sprague-Dawley, Wistar-derived rats for determination of oral toxicity. A tabular presentation of animal toxicity data developed in this Agency follows:\*†

---

\* In conducting the studies described in this report, the investigators adhered to the "Guide for the Care and Use of Laboratory Animals," US Department of Health, Education and Welfare Publication No. (NIH) 74-23, revised 1972 - second printing 1974.

† The experiments reported herein were performed in animal facilities, fully accredited by the American Association for Accreditation of Laboratory Animal Care.

Approved for public release; distribution unlimited.

Study No. 51-0822-77, Oct 75 - Jan 77

| TEST  | RESULTS   | INTERPRETATION                     |
|---|---|------------------------------------|
| <u>SKIN IRRITATION STUDIES</u>  |   |                                    |
| <u>Rabbits</u>  |   |                                    |
| Single 24-hour application to intact and abraded skin of New Zealand White rabbits. | Compound AI3-36560 produced mild primary irritation of the intact skin and of the skin surrounding an abrasion. | USAEHA Category II (ref Appendix). |
| 0.5 ml technical grade compound to each of six rabbits.                             |   |                                    |

Study No. 51-0822-77, Oct 75 - Jan 77

| <u>TEST</u>  | <u>RESULTS</u>   | <u>INTERPRETATION</u>  |
|--|--|--|
| <u>EYE IRRITATION STUDIES</u>  |  |  |
| <u>Rabbits</u>   |  |  |
| Single 24-hour application of 0.1 ml technical grade compound to one eye of each of six New Zealand White rabbits. | Compound AI3-36560 produced moderate injury to the cornea and in addition, some injury to the conjunctiva in six of six rabbits at 24 hours after application and 7 days thereafter. | USAEHA Category E (ref Appendix).                              |
| <u>APPROXIMATE LETHAL DOSE (ALD)</u>   |  |  |
| <u>ORAL</u>  |  |  |
| Rats (Male) - no diluent   | ALD >4900 mg/kg  | Presents little lethal hazard from acute accidental ingestion. |

| TEST   | RESULTS  | INTERPRETATION  |
|--|--|---|
| <u>PHOTOCHEMICAL SKIN IRRITATION STUDIES</u>   |  |   |
| <u>Rabbits</u>   |  |   |
| A single application (0.05 ml) of a 25 percent (w/v) solution of the compound (AI3-36560) and of a 10 percent (w/v) oil of Bergamot solution (positive control) in 95 percent ethyl alcohol, were applied to the intact skin of six rabbits. Five minutes after application, the rabbits were exposed to UV light (365 nm) for 30 minutes at a distance of 10-15 cm. | A 25 percent solution of AI3-36560 in ethanol did not cause a photochemical irritation reaction under test conditions. However, ethanol solutions of this compound caused moderate irritation to both irradiated and nonirradiated skin sites. | Compound AI3-36560 did not cause a photochemical irritation reaction under test conditions and is not expected to cause a photochemical irritation in humans. |
| <u>Control</u>   |  |   |
| Following UV exposure of the rabbits 0.05 ml of test compound, positive control and diluent were applied to additional skin areas to serve as unirradiated control sites. Application areas were checked for skin irritation reactions at 24, 48 and 72 hours.   | Positive control application and irradiation caused greater irritant effects than in unirradiated skin areas.  |   |


| TEST  | RESULTS   | INTERPRETATION   |
|---|---|--|
| <u>SENSITIZATION STUDIES</u>  |   |  |
| <u>Guinea Pigs (Male)</u>   |   |  |
| Intradermal injections of 0.1 ml of a 0.1 percent suspension (w/v) of AI3-36560 or of dinitrochlorobenzene (DNCB)* in a mixture containing 1 volume of propylene glycol and 29 volumes of saline. |   |  |
| Ten test guinea pigs received and challenged with a 0.1 percent solution of AI3-36560.  | Challenge dose of test compound (last intradermal injection) did not produce a sensitization reaction.                | Compound AI3-36560 did not produce a sensitization reaction under these tests conditions and is not expected to produce a sensitization reaction in man. |
| Ten positive control guinea pigs received and challenged with 0.1 percent suspension of DNCB.   | Positive control (DNCB) produced a marked sensitization reaction in ten out of ten guinea pigs.                       |  |
| Ten cage control guinea pigs  | Cage control guinea pigs showed no greater reaction to test compound and DNCB than were seen in original test groups. |  |
| Five receiving challenge dose of test compound without prior sensitizing doses.   |   |  |
| Five receiving challenge dose of DNCB without prior sensitizing doses.  |   |  |

\* A known skin sensitizer.


Study No. 51-0822-77, Oct 75 - Jan 77

5. CONCLUSIONS. Technical grade AI3-36560 produced severe injury to the cornea and to the conjunctiva of the rabbit and may cause similar damage if it should accidentally enter the eye of man. Ethanol solutions of this compound caused skin irritation effects in rabbits and may prove similarly irritating to the skin of man.

6. RECOMMENDATIONS. Under the provisions of Memorandum of Understanding (reference paragraph 1b), it is recommended that AI3-36560, 2-ethyl-1-[(2-methylcyclohexyl)carbonyl] piperidine, not be approved for further testing as a candidate insect repellent.




MAURICE H. WEEKS  
Chief, Toxicity Evaluation Branch  
Toxicology Division




BRENDA J. DeSENA  
PFC  
Veterinary Specialist  
Toxicology Division

APPROVED:



ARTHUR H. McCREESH, Ph.D.  
Chief, Toxicology Division



BRENDON E. JOYCE, Ph.D.  
LTC, MSC  
Director, Laboratory Services

APPENDIX

TOPICAL HAZARD EVALUATION PROGRAM  
DEFINITIONS OF CATEGORIES OF COMPOUNDS BEING  
CONSIDERED FOR ACUTE SKIN APPLICATIONS

CATEGORY I - Compounds producing no primary irritation of the intact skin or no greater than mild primary irritation of the skin surrounding an abrasion. (INTERPRETATION: No restriction for acute application to the human skin.)

CATEGORY II - Compounds producing mild primary irritation of the intact skin and the skin surrounding an abrasion. (INTERPRETATION: Should be used only on human skin found by examination to have no abrasions or may be used as a clothing impregnant.)

CATEGORY III - Compounds producing moderate primary irritation of the intact skin and the skin surrounding an abrasion. (INTERPRETATION: Should not be used directly on the skin without a prophetic patch test having been conducted on humans to determine irritation potential to human skin. May be used without patch testing, with extreme caution, as clothing impregnants. Compound should be resubmitted in the form and at the intended use concentration so that its irritation potential can be reexamined using other test techniques on animals, prior to human testing.)

CATEGORY IV - Compounds producing moderate to severe primary irritation of the intact skin and of the skin surrounding an abrasion and, in addition, producing necrosis, vesiculation and/or eschars. (INTERPRETATION: Should be resubmitted for testing in the form and at the intended use concentration. Upon resubmission, its irritation potential will be reexamined using other test techniques on animals, prior to possible prophetic patch testing in humans, at concentrations which have been shown not to produce primary irritation in animals.)

CATEGORY V - Compounds impossible to classify because of staining of the skin or other masking effects owing to physical properties of the compound. (INTERPRETATION: Not suitable for use on humans.)

EYE CATEGORIES:

A. Compounds noninjurious to the eye. INTERPRETATION: Irritation of human eyes is not expected if the compound should accidentally get into the eyes, provided it is washed out as soon as possible.

B. Compounds producing mild injury to the cornea. INTERPRETATION: Should be used with caution around the eyes.

Study No. 51-0822-77, Oct 75 - Jan 77

C. Compounds producing mild injury to the cornea, and in addition some injury to the conjunctiva. INTERPRETATION: Should be used with caution around the eyes and mucosa.

D. Compounds producing moderate injury to the cornea. INTERPRETATION: Should be used with extreme caution around the eyes.

E. Compounds producing moderate injury to the cornea, and in addition producing some injury to the conjunctiva. INTERPRETATION: Should be used with extreme caution around the eyes and mucosa.

F. Compounds producing severe injury to the cornea and to the conjunctiva. INTERPRETATION: Should be used with extreme caution. It is recommended that use be restricted to areas other than the face.