AD A041093

MCIC Report/May 1977

MCIC - 77-31

B.S. 1

LOW TEMPERATURE PROPERTIES OF SELECTED MATERIALS— A BIBLIOGRAPHY WITH DESCRIPTORS

DDC
RECEIVED
JUN 30 1977
A

DDC FILE COPY

Metals and Ceramics Information Center
Battelle
Columbus Laboratories
505 King Avenue
Columbus, Ohio 43201

DISTRIBUTION STATEMENT A
Approved for public release;
Distribution Unlimited

Unclassified

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER MCIC-77-31	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) Low Temperature Properties of Selected Materials—A Bibliography With Descriptors		5. TYPE OF REPORT & PERIOD COVERED
		6. PERFORMING ORG. REPORT NUMBER MCIC-77-31
7. AUTHOR(s) Dorothea Johnson		8. CONTRACT OR GRANT NUMBER(s) DSA900-76-C-2471
9. PERFORMING ORGANIZATION NAME AND ADDRESS METALS AND CERAMICS INFORMATION CENTER Battelle Columbus Laboratories, Columbus, Ohio		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS
11. CONTROLLING OFFICE NAME AND ADDRESS		12. REPORT DATE May 1977 13. NUMBER OF PAGES 177
14. MONITORING AGENCY NAME & ADDRESS(if different from Controlling Office) Army Materials & Mechanics Research Center Watertown Massachusetts 02172		15. SECURITY CLASS. (of this report) Unclassified 15a. DECLASSIFICATION/DOWNGRADING SCHEDULE

16. DISTRIBUTION STATEMENT (of this Report)

Approved for public release; distribution unlimited

17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)

18. SUPPLEMENTARY NOTES

19. KEY WORDS (Continue on reverse side if necessary and identify by block number)

Bibliography	Metals	Thermal Properties
Low Temperature Tests	Ceramics	Electrical Properties
Cryogenics	Mechanical Properties	Magnetic Properties

20. ABSTRACT (Continue on reverse side if necessary and identify by block number)

This report is a bibliography of the work reported in the literature on the effects of low temperature on the properties of structural materials. Some of the newer areas of cryogenic technology such as superconducting machinery involve environments which may subject the components to temperature as low as 4 K. Exposure of structural materials to such low temperatures affects their properties. This bibliography contains 963 references published between 1950-1976, arranged in chronological/alphabetical order. Combined material/property indexes are provided.

(Continued)

DD FORM 1 JAN 73 1473 EDITION OF 1 NOV 65 IS OBSOLETE

407 032

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

AUTHOR WORK SHEET

1. Report Number: MCIC-77-31
2. Title: Low Temperature Properties of Selected Materials—A Bibliography With Descriptors
3. Price: $15.00 (U.S.); $30.00 (Foreign)
4. 177 pages, 963 references, index
5. Authors: Dorothea Johnson
6. Performing organization: Metals and Ceramics Information Center
   Battelle-Columbus Laboratories, Columbus, Ohio
7. Abstract:

This report is a bibliography of the work reported in the literature on the effects of low temperature on the properties of structural materials. Some of the newer areas of cryogenic technology such as superconducting machinery involve environments which may subject the components to temperature as low as 4 K. Exposure of structural materials to such low temperatures affects their properties. This bibliography contains 963 references published between 1950-1976, arranged in chronological/alphabetical order. Combined material/property indexes are provided.

8. This report discusses the work reported in the literature on the low temperature properties of structural materials.
9. This report will be useful to materials engineers, chemical engineers, cryogenic equipment designers, gas engineers.
10. Industries using the information in the report will include electronics, shipbuilding, power equipment, and gas companies.
11. Associations or societies who may appropriate mailing lists are ASM, AICHE, American Bureau of Shipping, ASME, SAMPE.
12. Key words: Bibliography, Ceramics, Cryogenics, Low Temperature Tests, Metals, Electrical Properties, Magnetic Properties, Mechanical Properties, Thermal Properties.
13. NTIS Scope-Note Code: 59G, 60G, 71F, 71J, 71N

MCIC Report/May 1977

LOW TEMPERATURE PROPERTIES OF SELECTED MATERIALS– A BIBLIOGRAPHY WITH DESCRIPTORS

Dorothea M. Johnson
Battelle's Columbus Laboratories
Columbus, Ohio



MCIC-77-31

METALS AND CERAMICS INFORMATION CENTER
A Department of Defense Information Analysis Center
Columbus, Ohio

Approved for public release; distribution unlimited

ACKNOWLEDGEMENT

This document was prepared by the Metals and Ceramics Information Center (MCIC), Battelle's Columbus Laboratories, 505 King Avenue, Columbus, Ohio 43201. MCIC's objective is to provide a comprehensive current resource of technical information on the development and utilization of advanced metal- or ceramic-base materials.

The Center is operated by Battelle-Columbus under Contract Number DSA900-76-C-2471 for the U.S. Defense Supply Agency; technical aspects of MCIC operations are monitored by the Army Materials and Mechanics Research Center. The support of these sponsor organizations is gratefully acknowledged.

This document was prepared under the sponsorship of the Department of Defense. Neither the United States Government nor any person acting on behalf of the United States Government assumes any liability resulting from the use or publication of the information contained in this document or warrants that such use or publication will be free from privately owned rights.

Approved for public release; distribution unlimited

All rights reserved. This document, or parts thereof, may not be reproduced in any form without written permission of the Metals and Ceramics Information Center.

TABLE OF CONTENTS

Page

INTRODUCTION AND SUMMARY v

DESCRIPTIVE BIBLIOGRAPHY 1

FIRST AUTHOR INDEX 129

SUBJECT INDEX 135

MECHANICAL PROPERTIES 135

THERMAL PROPERTIES 147

ELECTRICAL PROPERTIES 156

MAGNETIC PROPERTIES 163

INTRODUCTION

PURPOSE

The purpose of this document is to provide a ready reference to pertinent literature related to the effects of low temperatures on the properties of structural materials. One important area of technology which uses materials at low temperatures is superconducting machinery. Advances in the development of superconducting machinery have indicated that superconducting generators, motors, transmission lines, and other electrical equipment are more efficient, occupy less space for equivalent capacity and have other advantages over most conventional equipment. Because of these advantages, there is considerable incentive to develop superconducting systems for certain military, as well as non-military applications. One particularly important area would be transportation systems. Environments involved may expose the components to cryogenic temperature as low as 4 K, which would require considerable new design technology. Exposure of structural materials to such low temperatures definitely affects the properties of the materials of construction.

SCOPE

A bibliography with descriptors is presented on the mechanical, thermal, electrical, and magnetic properties of selected materials at low temperatures. Temperatures which are readily attainable for testing range from +25 C to -269 C are shown in Table 1.

TIME PERIOD

References to 963 documents published between 1950 - 1976 are arranged in a chronological/alphabetical order.

DATA SOURCES

Data sources used for the bibliography include the technical journals listed in Table 2 plus Government-sponsored reports, books, technical symposia, and industrial literature.

ORGANIZATION AND FORMAT

Bibliographic items appear in alphabetical order by year of publication. A continuous numbering system is used throughout the bibliography. The assigned numbers appear as location addresses in all Material/Property Indexes and in the First Author Index.

Descriptors

Descriptors for the bibliographic items are formated as follows: *Special Document Type* (review, compilation, etc.)*/Materials/Specific Properties/Temperature* (lowest reported in a given report).

PRECEDING PAGE BLANK-NOT FILMED

Descriptor terms for composites are formated in a consistent manner. For the term "fiberglass/epoxy composite", the reinforcing material is fiberglass and appears to the left of the slash mark while the matrix material (epoxy resin) has been placed to the right of the slash mark. Thus, the format for all composite materials is: *(Reinforcement Material)/(Matrix Material).*

Material/Property Indexes

Combined Material/Property Indexes are provided for the convenience of readers. References relating to the mechanical properties of a material are readily identified and completely separated from the thermal, electrical, and magnetic properties of that same material. For example, data for Inconel X-750 is retrievable from four separate indexes:

Material (Inconel X-750)/Mechanical Property Index

Material (Inconel X-750)/Thermal Property Index

Material (Inconel X-750)/Electrical Property Index

Material (Inconel X-750)/Magnetic Property Index

A tabulated summary of material groups and their associated properties is given in Table 3.

In the published literature, research studies on materials are normally reported with various designations, trade names and common usage nomenclature. For consistency, several designations were changed in accordance with accepted international alloy descriptors. Table 4 gives equivalent designations and common usage/trade names for some of the indexed materials.

TABLE 1. CRYOGENIC TEMPERATURE SCALE

Material or Condition	Temperature			
	F	R	C	K
Room Temperature	+ 78	538	+ 25	298.0
Dry Ice and Alcohol	-100	360	- 73	200.0
Oxygen*	-297	163	-183	90.0
Fluorine*	-307	153	-188	85.0
Nitrogen*	-320	140	-195	77.0
Hydrogen*	-423	37	-253	20.0
Helium*	-452	8	-269	4.2
Absolute Zero	-460	0	-273	0.0

* Temperature is boiling point of liquid gas.

TABLE 2. DATA SOURCES

Acta Metallurgica
Acta Physica Polonica
Advances in Cryogenic Engineering
AIAA Journal
Applied Physics
Applied Physics Letters
American Chemical Society
Annalen Der Physik
ASTM Bulletin
ASTM Proceedings
ASTM STP 181
ASTM STP 227
ASTM STP 287
ASTM STP 302
ASTM STP 369
ASTM STP 432
ASTM STP 496
ASTM STP 513
ASTM STP 536
ASTM STP 556
ASTM STP 579
Australian Journal of Physics
Automatic Welding
British Journal of Applied Physics
British Welding Journal
Canadian Journal of Physics
Chemical Engineering
Cryogenic Engineering News
Cryogenic Technology
Cryogenics
Cryogenics and Industrial Gases
Electro-Technology
Elektrotekhnika
Engineering Fracture Mechanics
Experimental Mechanics
Fiz. Metal Metalloved
IEEE Transactions on Magnetics
Industrial Heating
Industrial Laboratory
Insulation
Izv. Akad. Nauk SSSR Metal
Japan Journal of Applied Physics
J. of the Acoustical Society of America
J. of Applied Chemistry
J. of Applied Physics
J. of Applied Polymer Science
J. of Chemical & Engineering Data
J. of Chemical Physics
J. of the Electrochemical Society
J. of the Institute of Metals
J. of the Less Common Metals
J. of Low Temperature Physics
J. of Macromolecular Science - Physics
J. of Materials
J. of Materials Science
J. of Metals
J. of Physical Chemistry
J. of the Physical Society of Japan
J. of Physics F: Metal Phys.
J. of Physics and Chemistry of Solids
J. of Polymer Science
J. of Research of the National Bureau of Standards
J. of Spacecraft and Rockets
J. of Testing and Evaluation
Kolloid Zeitschrift
Light Metal Age
Machine Design
Materials in Design Engineering
Materials Engineering
Materials Research Bulletin
Materials Research & Standards
Materials Science and Engineering
Mechanical Engineering
Metal Industry
Metal Physics
Metal Progress
Metal Science and Heat Treatment
Metallurgical Transactions
Metals Engineering Quarterly
Nature
NBS Circular 520
Norwegian Maritime Research
Nucleonics
Oil and Gas Journal
Philosophical Magazine, Series 7
Philosophical Magazine
Philosophical Magazine, Series 8
Philosophical Transactions of the Royal Society of London
Physica
Physica Status Solidi
Physical Review
Physical Review B
Physical Review Letters
Physics Letters
Physics of Metals and Metallography
Polymer Mechanics
Proceedings of the Academy of Science USSR
Proc. of the Physical Society (London)
Proc. of the Royal Society of London
Review of Scientific Instruments
Reviews of Modern Physics
Russian Engineering Journal
Russian Metallurgy
Science
Scientific American
Scripta Metallurgica
Solid State Communications
Soviet Physics (JETP)
Soviet Physics - Solid State
Soviet Physics Doklady
Space/Aeronautics
SPE Journal
SPE Transactions
Strength of Materials

TABLE 2. (Continued)

Sulzer Technical Review
Trans. of the ASM
Trans. of the ASME
Trans. of the ASME Journal of Basic Engineering
Trans. of the ASME, Journal of Engineering for Industry, Series B
Trans. of the Japanese Institute of Metals
Transportation Engineering Journal
Welding and Metal Fabrication
Welding Design and Fabrication
Welding Journal
Wire and Wire Products
Z. Angew. Phys.
Z. Metallkunde

TABLE 3. MATERIAL AND PROPERTY INDEX SUMMARY

Material Groups	M[a]	T[b]	E[c]	MG[d]	Material Groups	M	T	E	MG
Aluminum	x	x	x	x	Niobium	x	x	x	x
Beryllium	x	x	x		Osmium		x	x	
Bismuth		x			Palladium		x	x	
Cadmium	x	x	x		Platinum		x	x	x
Ceramics		x	x	x	Polymers	x	x	x	x
Chromium	x	x	x	x	Rhenium		x	x	
Cobalt	x	x	x	x	Rhodium		x	x	
Composites		x	x	x	Ruthenium		x	x	
Copper	x	x	x	x	Silicon		x		
Gallium		x			Silver	x	x	x	x
Germanium		x	x	x	Sodium		x	x	
Gold	x	x	x	x	Steel—Engineering	x	x	x	x
Hafnium		x	x		Steel—Stainless	x	x	x	x
Indium		x	x	x	Tantalum	x	x	x	x
Iridium		x	x		Thallium		x	x	x
Iron Alloys	x	x	x	x	Tin	x	x	x	x
Lead	x	x	x		Titanium	x	x	x	x
Magnesium	x	x	x	x	Tungsten		x	x	x
Manganese	x	x	x	x	Uranium		x		
Mercury		x			Vanadium	x	x	x	x
Molybdenum	x	x	x	x	Zinc	x	x	x	x
Nickel	x	x	x	x	Zirconium	x	x	x	

(a) Mechanical properties.

(b) Thermal properties.

(c) Electrical properties.

(d) Magnetic properties.

TABLE 4. EQUIVALENT DESIGNATIONS AND COMMON USAGE/TRADE NAMES FOR INDEXED MATERIALS

Indexed Material	Equivalent Designation	Common Usage (Trade) Names
Aluminum Alloys		
1100 Aluminum	2S	
3003	3S	
2024	24S	
5052	52S	
5154	54S	
6063	64S	
7075	75S	
D20 (Russian)	2219	
HS30 (British)	6061	
D 74S (British)	7005	
L71 (British)	2014	
Hiduminium 48 (British)	7039	
Copper Alloys		
Cu-1.9Be		Beryllium copper
Cu-1.9Be		Beryllium bronze
Cu-1.9Be		Berylco 25
Cu-5Ni-1Fe		Kunifer 5
Cu-10Ni-1Fe		Kunifer 10
Cu-10Ni-1Fe		Cupro-nickel
Cu-20Ni-1Fe		Kunifer 20
Cu-12Mn-7Al-2Ni-2Fe		Superston
Cu-13Mn-4Ni		Manganin
Cu-40Ni		Constantan
Cu-40Zn		Muntz Metal
Cu-40Zn		Brass
Cu-43Ni		Advance
Cu-43Ni		Constantan
Iron Alloys		
Fe-29Ni-17.5Co		Kovar
Fe-36Ni		Invar
Fe-42Ni-1Mn		Dumet
Fe-35Ni		Nilo 36
Fe-51Ni		Nilo 50
Nickel Alloys		
Ni-2Be-0.5Ti		Berylco Nickel 400
Ni-10Cr		Chromel-A
Ni-20Cr		Karma
Ni-20Cr-1Fe		Tophet-A
Ni-20Cr-2.7Al-2.7Cu		Evanohm

TABLE 4. (Continued)

Indexed Material	Equivalent Designation	Common Usage (Trade) Names
Polymers		
Polycarbonate	PC	
Polychlorotrifluoro-ethylene	PCTFE	Kel-F
Polyethylene	PE	
Polyethylene-terephthalate	PET	Mylar
Polymethylmethacrylate	PMM	
Polystyrene	PS	
Polytetrafluoroethylene	PTFE	Teflon
Polyvinylchloride	PVC	
Titanium Alloys		
Ti-4Al-3Mo-1V	RS-115	
Ti-5Al-2.5Sn	A110AT	
Ti-5Al-2.7Cr-1.3Fe	RS-140	
Ti-5.7Mn	C-110M	
Ti-6Al-4V	C120AV	
Ti-6Al-4V	RS-120A	
Ti-13V-11Cr-3Al	B-120VCA	
DTD 5093 (British)	Ti-5Al-2.5Sn	
IMI 318A (British)	Ti-6Al-4V	
DTD 5133 (British)	Ti-2Cu	
Stainless Steel		
17-4PH	AISI 630	
17-7PH	AISI 631	
15-7PH	AISI 632	
AM 350	AISI 633	
L-605	AISI 670	
L-605	Haynes 25	
OKh15N25MT2 (Russian)	A-286	
18/8 Stainless	18Cr-8Ni	
21-6-9	21Cr-6Ni-9Mn	
22-13-5	22Cr-13Ni-5Mn	

DESCRIPTIVE BIBLIOGRAPHY

1950

1. Furman, D. E., "Thermal Expansion Characteristics of Stainless Steels Between -300 and 1000 F", Journal of Metals, 188 (4), 688-691 (April 1950).

   AISI 301; AISI 304; AISI 310; AISI 316; AISI 347; AISI 330; thermal expansion; -300 F

2. Krivokob, V. N., and Thomas, R. D., Jr., "Impact Tests of Welded Austenitic Stainless Steel", Welding Journal Research Supplement, 29 (9), 493s-495s (September 1950).

   AISI 301; AISI 302; AISI 304; AISI 308; AISI 310; AISI 316; AISI 317; AISI 318; AISI 321; AISI 347; impact properties; weld properties; -320F

3. Teed, P. L., The Properties of Metallic Materials at Low Temperatures, Volume I, John Wiley & Sons, Inc., New York (1950).

   Aluminum; electrical resistivity; ultimate tensile strength; tensile yield strength; elongation; reduction in area

   Aluminum alloys; ultimate tensile strength; tensile yield strength; elongation; reduction in area

   Copper; electrical resistivity; ultimate tensile strength; tensile yield strength; elongation; reduction in area

   Copper alloys; ultimate tensile strength; tensile yield strength; elongation; reduction in area

   Engineering steels; ultimate tensile strength; tensile yield strength; elongation; reduction in area; notch tensile strength; modulus of elasticity; fatigue properties; weld properties

   Lead; magnesium alloys; nickel; tin; zinc; ultimate tensile strength; tensile yield strength; elongation reduction in area

1951

4. De Nobel, J., "Heat Conductivity of Steels and a Few Other Metals at Low Temperatures", Physica, 17 (5), 551-562 (May 1951).

   Aluminum; nickel; engineering steel; thermal conductivity

5. Munse, W. H., and Weil, N. A., "Mechanical Properties of Copper at Various Temperatures", American Society for Testing Materials Proceedings, 51, 996-1022 (1951).

   Electrolytic tough pitch copper; phosphorized copper; OFHC copper; tensile yield strength; ultimate tensile strength; reduction in area; elongation; modulus of elasticity; fracture; -400 F

6. Peppiatti, H. J., and Brockhouse, B. N., "The Initial Susceptibility of Nickel Under Tension", Journal of Applied Physics, 22 (7), 985-986 (July 1951).

   Nickel; magnetic susceptibility; -40 C

7. Simon, I., McMahon, H. O., and Bowen, R. J., "Dry Metallic Friction as a Function of Temperature Between 4.2 K and 600 K", Journal of Applied Physics, 22 (2), 177-184 (February 1951).

   Copper; shear stress; 4.2 K

8. Spretnak, J. W., Fontana, M. G., and Brooks, H. E., "Notched and Unnotched Tensile and Fatigue Properties of Ten Engineering Alloys at 25 C and -196 C", Transactions of the ASM, 43, 547-570 (1951).

   Aluminum alloys; 2024-T4; 7075-T6; magnesium alloys; titanium; 18/8 stainless; AISI 8630; AISI 4340; notch tensile strength; fatigue properties; -196 C

1952

9. Allen, N. P., "Recent European Work on the Mechanical Properties of Metals at Low Temperatures", NBS Circular 520, 135 (May 7, 1952).

   18/8 stainless; engineering steel; iron alloys; Cu-9Zn; modulus of elasticity; ultimate tensile strength; elongation; reduction in area; impact properties; fracture properties; -196 C

10. Austin, J. B., "Manufacture of Steels for Low-Temperature Service", NBS Circular 520, 36-47 (May 7, 1952).

    AISI 1022; AISI 2317; 12Cr steel; impact properties; notch toughness; -315 F

11. Bowen, D., Eggleston, R. R., and Kropschot, R. H., "A Study of the Annealing Kinetics in Cold Worked Copper", Journal of Applied Physics, 23 (6), 630-634 (June 1952).

    Copper; electrical resistivity; 4.2 K

12. Crafts, W., and Offenhauer, C. M., "Development and Application of Chromium-Copper-Nickel Steel for Low-Temperature Service", NBS Circular 520, 48-66 (May 7, 1952).

    Armco iron; impact properties; weld properties; -120 C

13. Eggleston, R. R., "Cold Work Studies on Copper at Low Temperatures", Journal of Applied Physics, 23 (12), 1400-1401 (December 1952).

    Copper; electrical resistivity; 4.2 K

14. Estermann, I., and Zimmerman, J. E., "Heat Conduction in Alloys at Low Temperatures", Journal of Applied Physics, 23 (5), 578-588 (May 1952).

    Cu-10Ni; Monel 400; Inconel 600; AISI 303; AISI 347; thermal conductivity; 4.2 K

15. Furukawa, G. T., McCoskey, R. E., and King, G. J., "Calorimetric Properties of Polytetrafluoroethylene (Teflon) From 0 to 365 K", Journal of Research of the National Bureau of Standards, 49 (4), 273-278 (October 1952).

Polytetrafluoroethylene; thermal properties; specific heat; 5 K

16. Geil, G. W., and Carwile, N. L., "Tensile Properties of Copper, Nickel, and Some Copper-Nickel Alloys at Low Temperatures", NBS Circular 520, 67-96 (May 7, 1952).

OFHC copper; nickel; Cu-70Ni; Cu-30Ni; ultimate tensile yield; hardness stress-strain data; -196 C

17. Johnson, J. B., and Shinn, D. A., "Application of Metals in Aircraft at Low Temperatures", NBS Circular 520, 97-111 (May 7, 1952).

AISI 2330; AISI 4340; AISI 8630; 18/8 stainless; aluminum alloys; 2024-T4; 7075-T6; magnesium alloys; titanium; ultimate tensile strength; tensile yield strength; elongation; reduction in area; modulus of elasticity; notch tensile strength; impact properties; fatigue properties; -320 F

18. Krivobok, V. N., "Properties of Austenitic Stainless Steels at Low Temperatures", NBS Circular 520, 112-136 (May 7, 1952).

AISI 301; AISI 302; AISI 303; AISI 304; AISI 310; AISI 316; AISI 317; AISI 321; AISI 347; AISI 410; AISI 430; 18/8 stainless; modulus of elasticity; impact properties; notch tensile strength; fatigue properties; -320 F

19. MacGregor, C. W., and Grossman, N., "Dimensional Effects in Fracture", NBS Circular 520, 137-152 (May 7, 1952).

Engineering steel; AISI 1095; brittle fracture; fracture properties; -283 F

20. Mendelssohn, K., and Rosenberg, H. M., "The Thermal Conductivity of Metals at Low Temperature. I. The Elements of Groups 1, 2 and 3", Proceedings of the Physical Society (London), A65, Part 6, 385-388 (June 1, 1952).

Aluminum; cadium; copper; gold; indium; magnesium; silver; zinc; thermal conductivity; 2 K

21. Mendelssohn, K., and Rosenberg, H. M., "The Thermal Conductivity of Metals at Low Temperatures. II. The Transition Elements", Proceedings of the Physical Society (London), A65, Part 6, 388-394 (June 1, 1952).

Iridium; iron; lead; manganese; molybdenum; nickel; niobium; palladium; platinum; rhodium; tantalum; titanium; tungsten; uranium; zirconium; thermal conductivity; 2 K

22. Smith, R. L., Moore, G. A., and Brick, R. M., "Mechanical Properties of High-Purity Iron-Carbon Alloys at Low Temperatures", NBS Circular 520, 153-179 (May 7, 1952).

Iron alloys; Fe-0.49C; stress-strain data; ultimate tensile strength; tensile yield strength; elongation; reduction in area; -185 C

23. Thomas, J. G., and Mendoza, E., "The Electrical Resistance of Magnesium, Aluminum, Molybdenum, Cobalt and Tungsten at Low Temperatures", Philosophical Magazine, Series 7, 43 (343), 900-910 (August 1952).

Aluminum; cobalt; magnesium; molybdenum; tungsten; electrical resistivity; magnetoresistance; 4.2 K

1954

24. Brown, A., Zemansky, M. W., and Boorse, H. A., "The Superconducting and Normal Heat Capacities of Niobium", Physical Review, 92 (1), 52-58 (October 1, 1953).

Niobium; superconductivity; specific heat; 2.5 K

25. Carreker, R. P., Jr., and Hibbard, W. R., Jr., "Tensile Deformation of High-Purity Copper as a Function of Temperature, Strain Rate, and Grain Size", Acta Metallurgica, 1 (11), 654-663 (November 1953).

Copper; tensile properties; 20 K

26. Hollomon, J. H., and Turnbull, D., "Fundamental Research in Physical Metallurgy", Technical Report, General Electric Company (July 1953).

Copper alloys; nickel alloys; thermal properties; low temperatures

27. Liu, S. I., and Ripling, E. J., "Flow and Fracture Characteristics of the Aluminum Alloy 24S-T4 as Affected by Strain Thermal History", Journal of Metals, 5 (1), 66-68 (January 1953).

Aluminum alloys; 2024-T4; stress-strain data; fracture properties; -196 C

28. Mendelssohn, K., and Renton, C. A., "Heat Conductivities of Superconductive Sn, In, Tl, Ta, Cb, and Al below 1 K", Philosophical Magazine, 44, Series 7 (354), 776-781 (July 1953).

Aluminum; indium; niobium; tantalum; thallium; tin; superconductivity; thermal conductivity; 1 K

29. Nicol, J., and Tseng, T. P., "Thermal Conductivity of Copper Between 0.25 and 4.2 K", Physical Review, 92 (4), 1062-1063 (November 15, 1953).

Copper; thermal conductivity; 4.2 K

30. Schmieder, Von K., and Wolf, K., "Mechanical Relaxation Characteristics of High Polymers", Kolloid Zeitschrift, 134 (2/3), 149-189 (1953).

Polymers; mechanical properties

1954

31. Bordoni, P. G., "Elastic and Anelastic Behavior of Some Metals at Very Low Temperatures", Journal of the Acoustical Society of America, 26 (4), 495-502 (July 1954).

    Aluminum; copper; lead; silver; modulus of elasticity; 4.5 K

32. Olsen, J. L., and Rinderer, L., "Magneto-Resistance of Copper to 150,000 Oersted at 4.2 K", Nature, 173, 682 (April 10, 1954).

    Copper; electrical resistivity; magnetoresistance; 4.2 K

33. Rayne, J., "Specific Heats of Metals Below One Degree Absolute", Physical Review, 95 (6), 1428-1434 (September 15, 1954).

    Copper; molybdenum; palladium; platinum; silver; sodium; tungsten; specific heat; 1 K

34. Richards, J. T., and Brick, R. M., "Mechanical Properties of Beryllium Copper at Subzero Temperatures", Journal of Metals, 6 (5), 574-580 (May 1954).

    Cu-1.85Be; ultimate tensile strength; tensile yield strength; elongation; modulus of elasticity; stress-strain data; -301 F

35. Rubin, T., Altman, H. W., and Johnston, H. L., "Coefficients of Thermal Expansion of Solids at Low Temperatures. I. The Thermal Expansion of Copper From 15 to 300 K", American Chemical Society, 76, 5289-5293 (November 5, 1954).

    OFHC copper; thermal expansion; 15 K

36. Swenson, C. A., "Mechanical Properties of Teflon at Low Temperatures", Review of Scientific Instruments, 25 (8), 834-835 (August 1954).

    Polytetrafluoroethylene (Teflon); polychlorotrifluoroethylene (Kel-F); polyethylene; compressive yield strength; 4 K

1955

37. Beenakker, J.J.M., and Swenson, C. A., "Total Thermal Contractions of Some Technical Metals to 4.2 K", Review of Scientific Instruments, 26 (12), 1204-1205 (December 1954).

    AISI 302; AISI 304; AISI 316; AISI 1020; Berylco 25; brass; copper; Cu-30Ni; Invar; silver; thermal expansion; 4.2 K

38. Berman, R., Foster, E. L., and Rosenberg, H. M., "The Thermal Conductivity of Some Technical Materials at Low Temperatures", British Journal of Applied Physics, 6 (5), 181-182 (May 1955).

Brass; beryllium copper; thermal conductivity; 2 K

39. Bijl, D., and Pullan, H., "A New Method For Measuring the Thermal Expansion of Solids at Low Temperatures: The Thermal Expansion of Copper and Aluminum and the Gruneisen Rule ", Physica, 21, 285-298 (1955).

Aluminum; copper; thermal expansion; 20 K

40. Howling, D. H., Mendoza, E., and Zimmerman, J. E., "Preliminary Experiments on the Temperature-Wave Method of Measuring Specific Heats of Metals at Low Temperatures", Proceedings of the Royal Society of London, A229 (1176), 86-109 (April 5, 1955).

Aluminum; copper; specific heat; thermal conductivity; 1 K

41. Johnston, H. L., Powers, R. W., Altman, H. W., Rubin, T., and Mattox, R. W., "Accurate Measurement of Certain Physical Properties Down to 20 K", Proceedings of the 1954 Cryogenic Engineering Conference, 194-195 (1955).

AISI 304; thermal conductivity; 20 K

42. Kropschot, R. H., "The Mechanical Properties Testing Program at the NBS-AEC Cryogenic Engineering Laboratory", Proceedings of the 1954 Cryogenic Engineering Conference, 164-169 (1955).

Aluminum alloys; AISI 303; AISI 310; AISI 316; Monel 400; ultimate tensile strength; tensile yield strength; elongation; reduction in area; 20 K

43. Park, O. E., Fulk, M. M., and Reynolds, M. M., "Low Temperature Electrical Resistance of Fifteen Commercial Conductors", Proceedings of the 1954 Cryogenic Engineering Conference, 101-102 (1955).

AISI 304; copper; copper alloys; Manganin (Cu-13Mn-4Ni); Cupron (Cu-45Ni); nickel; nickel alloys; Chromel-A (Ni-2Cr); Evanohm (Ni-20Cr-2.7Al-2.7Cu); Tophet-A (Ni-20Cr-1Fe); gold; silver; platinum; lead; electrical resistivity; 19.7 K

44. Powell, R. L., and Coffin, D. O., "Thermal Conductivity of Solids at Low Temperatures", Proceedings of the 1954 Cryogenic Engineering Conference, 189-193 (1955).

Copper; thermal conductivity; 20 K

45. Powell, R. L., and Coffin, D. O., "Low-Temperature Thermal Conductivity of a Free-Machining Copper", Review of Scientific Instruments, 26 (5), 516 (May 1955).

OFHC copper; thermal conductivity; 20 K

46. Swenson, C. A., "The Compressive Strengths of Some Technical Metals Between 4.2 and 300 K", Proceedings of the 1954 Cryogenic Engineering Conference, 179-182 (1955).

AISI 1020; AISI 303; AISI 304; AISI 440; compressive yield strength; 4.2 K

47. Waldron, C. R., "Mechanical Properties of 356-T6 Cast Aluminum Alloy, AZ91C-T4 Cast Magnesium Alloy, and AZ91C-T6 Cast Magnesium Alloy at Room Temperature and -300 F", Technical Report AL-2158, North American Aviation, Inc. (June 1955).

Casting alloys; aluminum alloys; 356-T6; magnesium alloys; AZ91C-T4; AZ91C-T6; ultimate tensile strength; tensile yield strength; elongation; reduction in area; compressive yield strength; impact properties; -300 F

1956

48. Allison, F. E., and Pugh, E. M., "Temperature Dependence of the Hall Coefficients in Some Copper-Nickel Alloys", Physical Review, 102 (5), 1281-1287 (June 1, 1956).

Ni-40Cu; Ni-30Cu; Ni-20Cu; magnetization; 64 K

49. Aven, M. H., Craig, R. S., Waite, T. R., et al, "Heat Capacity of Titanium Between 4 and 15 K", Physical Review, 102 (5), 1263-1264 (June 1, 1956).

Titanium; thermal properties; specific heat; 4 K

50. Bowers, R., "Magnetic Susceptibility of Copper Metal at Low Temperatures", Physical Review, 102 (6), 1486-1488 (June 15, 1956).

Copper; magnetic susceptibility; 1 K

51. Collins, S. C., Ezekiel, F. C., Sepp, O. W., and Rizika, J. W., "The Strength of Certain Stainless and Carbon Steels at Low Temperatures", American Society for Testing Materials Proceedings, 56, 687-703 (1956).

AISI 1018; AISI 302; AISI 303; AISI 310; AISI 416; tensile yield strength; elongation; stress-strain data; fracture properties; 10 K

52. Kemp, W.R.G., Klemens, P. G., and White, G. K., "Thermal and Electrical Conductivities of Iron, Nickel, Titanium, and Zirconium at Low Temperatures", Australian Journal of Physics, 9 (2), 180-188 (June 1956).

Iron; nickel; zirconium; titanium; electrical resistivity; thermal conductivity; 2 K

53. Rayne, J. A., "The Heat Capacity of Copper Below 4.2 K", Australian Journal of Physics, 9 (2), 189-197 (June 1956).

Copper; Cu-1Cd; specific heat; 4.2 K

54. Ripling, E. J., "Notch Tensile Behavior of Face Centered Cubic Metals", American Society for Testing Materials Proceedings, 56, 662-671 (1956).

AISI 310; 2024-T6; 7075-T6; Monel 400; nickel; copper; notch tensile strength; -321 F

55. Upthegrove, C., and Burghoff, H. L., "Elevated-Temperature Properties of Coppers and Copper-Base Alloys", ASTM Special Technical Publication No. 181 (1956).

Deoxidized copper; OFHC copper; electrolytic tough pitch copper; ultimate tensile strength; tensile yield strength; elongation; reduction in area; modulus of elasticity; -321 F

1957

56. Kemp, W.R.G., Klemens, P. G., Tainsh, R. J., and White, G. K., "The Electrical and Thermal Conductivities of Some Brasses at Low Temperatures", ACTA Metallurgica, 5 (6), 303-309 (June 1957).

Cu-2Zn; Cu-5Zn; Cu-10Zn; Cu-20Zn; Cu-30Zn; thermal conductivity; electrical conductivity; 2 K

57. Los, G. J., and Gerritsen, A. N., "Resistance and Magneto-Resistance of Dilute Alloys of Copper and Gold With Nickel at Low Temperatures", Physica, 23, 633-640 (1957).

Copper; Cu-2Ni; magnetoresistance; electrical resistivity; 1.2 K

58. McCammon, R. D., and Rosenberg, H. M., "The Fatigue and Ultimate Tensile Strengths of Metals Between 4.2 and 293 K", Proceedings of the Royal Society (London), 203-211 (1957).

Aluminum; copper; gold; iron; magnesium; silver; zinc; ultimate tensile strength; fatigue properties; 4.2 K

59. Powell, R. L., Roder, H. M., and Rogers, W. M., "Low-Temperature Thermal Conductivity of Some Commercial Coppers", Journal of Applied Physics, 28 (11), 1282-1288 (November 1957).

Electrolytic tough pitch copper; phosphorized copper; OFHC copper; high purity copper; thermal conductivity; 4 K

60. Pugh, E. W., Coles, B. R., Arrott, A., and Goldman, J. E., "Magnetic Susceptibility of Dilute Alloys of Nickel in Copper Between 2.5 K and 295 K", Physical Review, 105 (3), 814-818 (February 1, 1957).

Copper; Cu-1Ni; Cu-2.5Ni; magnetic susceptibility; 2.5 K

61. Rayne, J. A., "Heat Capacity of Alpha Brasses Below 4.2 K", Physical Review, 108 (1), 22-25 (October 1, 1957).

Cu-1.5Zn; Cu-3Zn; Cu-6Zn; Cu-8Zn; Cu-10Zn; Cu-20Zn; Cu-24.5Zn; Cu-29Zn; Cu-33Zn; specific heat; 4.2 K

62. Smith, R. L., and Rutherford, J. L., "Tensile Properties of Zone Refined Iron in the Temperature Range From 298 to 4.2 K", Journal of Metals, 9 (7), 857-864 (July 1957).

Iron; tensile properties; 4.2 K

63. Van Itterbeek, A., and Duchateau, W., "Measurements on the Magnetic Susceptibility of White Tin and Copper Down to Liquid Helium Temperatures", Physica, 23, 169-172 (1957).

Copper; tin; magnetic susceptibility; 2 K

64. Wessel, E. T., "Some Exploratory Observations of the Tensile Properties of Metals at Very Low Temperatures", Transactions of the ASM, 49, 149-172 (1957).

AISI 1020; AISI 335; AISI 4340; Cu-49Zn; molybdenum; nickel; tantalum; zirconium; ultimate tensile strength; tensile yield strength; elongation; reduction in area; stress-strain data; 4.2 K

1958

65. DeSorbo, W., "Quenched Imperfections and the Electrical Resistivity of Aluminum at Low Temperatures", Physical Review, 111 (3), 810-812 (August 1, 1957).

Aluminum; electrical resistivity; 1 K

66. Durham, R. J., "Extruded Aluminum Alloys for Low Temperature Service. An Assessment of the Suitability of Two Materials", British Welding Journal, 5 (11), 510-516 (November 1958).

Aluminum alloys; Noral 505; Noral 545; British alloys; proof stress; ultimate tensile strength; elongation; brittle fracture; weld properties; -196 C

67. Dyment, J., and Ziebland, H., "The Tensile Properties of Some Plastics at Low Temperatures", Journal of Applied Chemistry, 8, 203-206 (April 1958).

Polytetrafluoroethylene; ultimate tensile strength; modulus of elasticity; -196 C

68. Lismer, R. E., "Low Temperature Properties of Aluminum-Magnesium Alloys", British Welding Journal, 5 (11), 523-538 (November 1958).

Aluminum alloys; 5083; 5356; British alloys; notch tensile strength; fracture properties; -196 C

69. Lucks, C. F., and Deem, H. W., "Thermal Properties of Thirteen Metals", American Society for Testing Materials, ASTM Special Technical Publication No. 227 (February 1958).

AISI 1010; AISI 301; AISI 316; AISI 347; aluminum alloys; 2024-T4; 7075-T6; chromium; copper; Inconel 600; Inconel X-750; magnesium; molybdenum; Monel alloy K-500; thermal conductivity; thermal expansion; specific heat; -250 F

70. McGee, R. L., and Campbell, J. E., "The Mechanical Properties of Certain Aircraft Structural Metals at Very Low Temperatures", Technical Report ASD-TR-58-386, Battelle Memorial Institute (November 1958).

Aluminum alloys; 7079-T6; magnesium alloys; ZK60A-T5; engineering steel; AISI 4340; 300M; stainless steel; AM350; 17-7PH; titanium alloys; Ti-5Al-2.5Sn; Ti-6Al-4V; ultimate tensile strength; tensile yield strength; elongation; reduction in area; notch tensile strength; hardness; -423 F

71. Pugh, E. W., and Ryan, F. M., "Magnetic Susceptibility of Copper-Nickel and Silver-Palladium Alloys at Low Temperatures", Physical Review, 111 (4), 1038-1042 (August 15, 1958).

Copper; Cu-2.3Ni; Cu-4.6Ni; Cu-9.9Ni; Cu-17Ni; Cu-26.9Ni; silver; Ag-2Pd; Ag-10Pd; magnetic susceptibility; 4.2 K

1959

72. Armstrong, T. N., Gross, J. H., and Brien, R. E., "Properties Affecting Suitability of 9 percent Nickel Steel for Low-Temperature Service", Welding Journal Research Supplement, 38, 57-s through 70-s (February 1959).

9Ni steel; ultimate tensile strength; tensile yield strength; elongation; reduction in area; impact properties; weld properties; -320 F

73. Baughman, R. A., "Gas Atmosphere Effects on Materials", Final Report, R59FPD456, General Electric Company, WPAFB Contract AF 33(616)-5667 (June 15, 1959).

Stainless steel; AISI 302; AISI 316; 17-7PH; aluminum alloys; 6061; titanium alloys; Ti-5Al-2.5Sn; nickel alloys; R-41; beryllium copper (Cu-2Be); ultimate tensile strength; tensile yield strength; elongation; reduction in area; weld properties; impact properties; -423 F

74. Guthrie, G. L., Friedberg, S. A., and Goldman, J. E., "Specific Heats of Some Copper-Rich Copper-Nickel Alloys at Liquid Helium Temperatures", Physical Review, 113 (1), 45-48 (January 1, 1959).

Copper alloys; Cu-10Ni; Cu-25Ni; Cu-35Ni; Cu-40Ni; specific heat; 4 K

75. Holden, F. C., Schwartzberg, F. R., and Ogden, H. R., "Tensile Properties of Titanium Alloys at Low Temperatures", DMIC Report 107, Battelle Memorial Institute (January 15, 1959).

Ti-6Al-4V; Ti-5Al-2.5Sn; ultimate tensile strength; tensile yield strength; elongation; reduction in area; -423 F

76. MacCrone, R. K., McCammon, R. D., and Rosenberg, H. M., "The Fatigue of Metals at 1.7 K", Philosophical Magazine, 4, 267-268 (1959).

OFHC copper; cadmium; fatigue properties; 1.7 K

77. McClintock, R. M., Van Gundy, D. A., and Kropschot, R. H., "Low-Temperature Tensile Properties of Copper and Four Bronzes", ASTM Bulletin, (240), 47-50 (September 1959).

OFHC copper; copper alloys; beryllium bronze (Cu-1.9Be); beryllium cobalt bronze (Cu-2.6Co-0.51Be); silicon bronze (Cu-3Si); phosphor bronze (Cu-8Sn); ultimate tensile strength; tensile yield strength; elongation; reduction in area; 20 K

78. Phillips, N. E., "Heat Capacity of Aluminum Between 0.1 K and 4.0 K", Physical Review, 114 (3), 676-685 (May 1, 1959).

Aluminum; specific heat; 0.1 K

79. Powell, R. L., Roder, H. M., and Hall, W. J., "Low-Temperature Transport Properties of Copper and Its Dilute Alloys: Pure Copper, Annealed and Cold-Drawn", Physical Review, 115 (2), 314-323 (July 15, 1959).

Copper; thermal conductivity; electrical resistivity; 4 K

80. Rayne, J. A., "Elastic Constants of Alpha-Brasses: Variation With Solute Concentration From 4.2 - 300 K", Physical Review, 115 (1), 63-66 (July 1, 1959).

Copper; copper alloys; brass; Cu-4Zn; Cu-9Zn; Cu-17Zn; Cu-23Zn; elastic properties; 4.2 K

81. Scott, R. B., "Low-Temperature Properties of Structural Materials", Cryogenic Engineering, Chapter X, 322-352, D. Van Nostrand Co., Inc., New York (1959).

1100 aluminum; aluminum alloys; 2024; 5052; 6061; copper; leaded brass (Cu-40Zn-14Pb); nickel; Inconel 600; Monel 400; monel alloy K-500; AISI 304; AISI 347; ultimate tensile strength; tensile yield strength; 4 K

Polytetrafluoroethylene (Teflon); polytrifluoromonochloroethylene (Kel-F); polyethylene; polyvinylchloride; nylon; polyethylene terephthalate (Mylar); ultimate tensile strength; compressive yield strength; modulus of elasticity; 4 K

Aluminum; copper; chromium; iron; magnesium; manganese; nickel; 18/8 stainless; Monel 400; fused silica; pyrex; Teflon; specific heat; 20 K

Aluminum; copper; magnesium; nickel; titanium; zinc; AISI 1020; AISI 304; Monel 400; Inconel 600; thermal expansion; 40 K

AISI 304; Manganin (Cu-13Mn-4Ni); Cupron (Cu-45Ni); Chromel-A (Ni-20Cr); Evanohm (Ni-20Cr-2.7Al-2.7Cu); Tophet-A (Ni-20Cr-1Fe); electrical resistivity; 20 K

82. Sekula, S. T., "Resistance Minimum and Resistivity of Copper at Low Temperatures", Physical Review Letters, 3 (9), 416-418 (November 1, 1959).

Copper; electrical resistivity; 1.7 K

83. White, G. K., and Woods, S. B., "Electrical and Thermal Resistivity of the Transition Elements at Low Temperatures", Philosophical Transactions of the Royal Society of London, A251 (995), 273-302 (1959).

Chromium; cobalt; copper; gold; hafnium; iridium; iron; manganese; molybdenum; nickel; niobium; osmium; palladium; platinum; rhenium; rhodium; ruthenium; silver; sodium; tantalum; titanium; tungsten; vanadium; zirconium; electrical resistivity; thermal conductivity; 2 K

1960

84. "Properties of Titanium Alloys at Cryogenic Temperatures", Convair-Astronautics/General Dynamics, Paper presented at the MAB Meeting (January 1960).

Titanium alloys; Ti-5Al-2.5Sn; Ti-2.7Cr-1.3Fe; Ti-6Al-4V; Ti-6Al-4Zr-1V; Ti-7Al-12Zr; Ti-13V-11Cr-3Al; ultimate tensile strength; tensile yield strength; elongation; reduction in area; impact properties; weld properties; -423 F

85. "Tensile Data on Ti-6Al-4V Specimens Tested at Liquid Hydrogen Temperature and -423 F", Technical Enclosures, Douglas Aircraft Company (November 29, 1960).

Titanium alloys; Ti-6Al-4V; ultimate tensile strength; elongation; reduction in area; weld properties; -423 F

86. Barron, R. F., "Low-Temperatures Properties of Engineering Materials", Machine Design, 32 (6), 189-195 (March 17, 1960).

1100 aluminum; copper; Inconel 600; Monel 400; AISI 1020; AISI 1040; AISI 304; AISI 347; Teflon; ultimate tensile strength; tensile yield strength; elongation; impact properties; thermal conductivity; -422 F

87. Belton, J. H., Godby. L. L., and Taft, B. L., "Materials for Use at Liquid Hydrogen Temperature", ASTM Special Technical Publication No. 287, 108-121 (June 30, 1960).

Aluminum alloys; 355-T6; 355-T61; 2014-T6; 2024-T4; 6061-T6; 7075-T6; copper alloys; Berylco 10 (Cu-2Co-0.5Be); berylco 25 (Cu-1.9Be);iron-silicon bronze (Cu-3Si-2.8Zn-1.5Fe); nickel alloys; Inconel X-750; Inco 72; Waspalloy; Hastelloy X; titanium alloys; Ti-6Al-4V; Ti-5Al-2.5Sn; iron alloys; N-155; engineering steel; AISI 9310; stainless steel; A-286; Teflon; Kel-F; ultimate tensile strength; tensile yield strength; elongation; reduction in area; hardness; thermal expansion; -423 F

88. Bulow, C. L., "Copper and Its Alloys for Low Temperatures Versatility", Chemical Engineering, 67 (19), 187-192 (September 19, 1960).

Electrolytic tough pitch copper. OFHC copper; aluminum bronze (Cu-7.3Al-1Zn); silicon bronze (Cu-3Si); beryllium copper (Cu-1.9Be); brass (Cu-30Zn, Cu-40Zn, Cu-38Zn-1Sn); cupro nickel (Cu-20Ni, Cu-45Ni); nickel silver (CU-18.7Zn-17Ni); phosphor bronze (Cu-4Sn); ultimate tensile strength; tensile yield strength; elongation; reduction in area; modulus of elasticity; impact properties; -423 F

Electrolytic tough pitch copper; thermal conductivity; -452 F

89. Cataldo, C. E., "The Effects of Liquid Hydrogen on Mechanical Properties of Materials", Technical Report DSN-TN3-60, Redstone Arsenal (March 1960).

Aluminum alloys; 2024-T4; 2024-T6; 5086; 7075-T6; nickel alloys; Monel 400; titanium alloys; Ti-2Cr-2Fe-2Mo; Ti-8Mn; Ti-5Al-2.5Sn; engineering steel; AISI 1020; 300M; stainless steel; AISI 303; AISI 304; AISI 440; 17-7PH; ultimate tensile strength; tensile yield strength; elongation; reduction in area; notch tensile strength; compressive yield strength; modulus of elasticity; impact properties; -423 F

Aluminum alloys; 2024-T4; 7075-T6; thermal expansion; -423 F

Engineering steel; AISI 1020; AISI 1095; stainless steel; AISI 304; AISI 410; thermal conductivity; -423 F

90. Christian, J. L., and Watson, J. F., "Mechanical Properties of Inconel X Sheet at 78, -100, -320, and -423 F", Technical Report MRG-150, Convair-Astronautics/General Dynamics (April 20, 1960).

Inconel X-750; AISI 321; ultimate tensile strength; tensile yield strength; notch tensile strength; brittle fracture; -423 F

91. Christian, J. L., "Mechanical Properties of Titanium and Titanium Alloys at Cryogenic Temperatures", Technical Report MRG-189, Convair-Astronautics/General Dynamics (October 14, 1960).

Titanium; Ti-5Al-2.75Cr-1.25Fe; Ti-5Al-2.5Sn; Ti-5Al-5Zr-5Sn; Ti-6Al-4V; Ti-6Al-4Zr-1V; Ti-13V-11Cr-3Al; Ti-7Al-12Zr; Ti-8Al-2Cb-1Ta; ultimate tensile strength; tensile yield strength; elongation; reduction in area; notch tensile strength; weld properties; impact properties; -423 F

92. Christian, J. L., "Mechanical Properties of Aluminum Alloys at Cryogenic Temperatures", Technical Report MRG-190, Convair-Astronautics/General Dynamics (December 2, 1960).

Aluminum alloys; 2014-T6; 2024-T3; 2024-T4; 2219-T4; 2219-T81; 2219-T87; 5052-H38; 5086-H34; 5086-H38; 5154-H38; 5456-H343; 6061-T4; 6061-T6; 7075-T6; 7079-T6; 7178-T6; X7275-T6; ultimate tensile strength; tensile yield strength; elongation; reduction in area; notch tensile strength; weld properties; -423 F

93. Corruccini, R. J., and Gniewek, J. J., "Specific Heats and Enthalpies of Technical Solids at Low Temperatures", NBS Monograph 21 (October 3, 1960).

Literature compilation; aluminum; beryllium; bismuth; cadmium; chromium; copper; germanium; gold; indium; iron; lead; magnesium; manganese; mercury; molybdenum; nickel; niobium; palladium; platinum; rhodium; silicon; silver; sodium; tantalum; tin; titanium; tungsten; zinc; Cu-40Ni; Monel 400; graphite; polyethylene; Teflon; specific heat; 1 K

94. DeMoney, F. W., and Wolfer, G. C., "The Fatigue Properties of Aluminum Alloys 5083-H113 Plate and Butt Weldments at 75 F and -300 F", Paper presented at the 1960 Cryogenic Engineering Conference, Boulder, Colorado (August 1960).

Aluminum alloys; 5083-H113; fatigue properites; weld properties; -300 F

95. DeSisto, T. S., "The True-Stress True-Strain Properties of Titanium and Titanium Alloys as a Function of Temperature and Strain Rate", Technical Report WAL TR-405.2/4, Watertown Arsenal (March 1960).

Titanium; Ti-5Al-2.5Sn; Ti-6Al-4V; Ti-7Mn; ultimate tensile strength; elongation; reduction in area; strain rate; true stress; true strain; -319 F

96. Espey, G. B., Jones, M. H., and Brown, W. F., Jr., "Sharp-Edge-Notch Tensile Characteristics of Several High-Strength Titanium Sheet Alloys at Room and Cryogenic Temperatures", ASTM Special Technical Publication No. 287, 74-107 (June 30, 1960).

Ti-4Al-3Mo-1V; Ti-5Al-2.5Sn; Ti-6Al-4V; Ti-8Mn; Ti-13V-11Cr-3Al; Ti-16V-2.5Al; ultimate tensile strength; tensile yield strength; elongation; notch tensile strength; -423 F

97. Garber, M., Henry, W. G., and Hoeve, H. G., "A Magnetic Susceptibility Balance and the Temperature Dependence of the Magnetic Susceptibility of Copper, Silver, and Gold, 295-975 K", Canadian Journal of Physics, 38, 1595-1613 (1960).

Copper; silver; gold; magnetic susceptibility; 295 K

Copper; magnetic susceptibility; below 295 K

98. Hall, W. J., Powell, R. L., and Roder, H. M., "Thermal Conductivities of Common Commercial Aluminum Alloys", Proceedings of the 1957 Cryogenic Engineering Conference, 408-415 (1960).

1100 aluminum; aluminum alloys; 6063-T5; 3003; 5052-0; 5154-0; 2024-T4; thermal conductivity; electrical resistivity; 4 K

99. Hanson, M. P., Stickley, G. W., and Richards, H. T., "Sharp-Notch Behavior of Some High-Strength Sheet Aluminum Alloys and Welded Joints at 75, -320, and -423 F", ASTM Special Technical Publication No. 287 (June 1960).

Aluminum alloys; 2014-T6; 2216-T62; 5456-H321; 6061-T6; 7075-T6; 7079-T6; 7178-T6; ultimate tensile strength; tensile yield strength; elongation; notch tensile strength; weld properties; -423 F

100. Johnson, A. A., "The Low Temperature Tensile Properties of Niobium", Acta Metallurgica, 8, 737-740 (1960).

Niobium, tensile yield strength; elongation; 76 K

101. Johnson, E. W., "Aluminum Alloys: Tough and Ductile Down to -423 F", Chemical Engineering, 67 (16), 133-136 (August 8, 1960).

Aluminum alloys; 3003-0; 5052-H32; 5086-H32; 5083-0; 5154-H34; 5454-H32; 5456-H321; 6061-T6; ultimate tensile strength; tensile yield strength; elongation; reduction in area; -423 F

102. Johnson, R. J., "Nickel Steel Alloys for Liquids at -320 F, 9% Excels.", Chemical Engineering, 67 (15), 115-118 (July 25, 1960).

9Ni steel; ultimate tensile strength; tensile yield strength; elongation; reduction in area; impact properties; weld properties; thermal expansion; thermal conductivity; -320 F

103. Johnson, V. J., "A Compendium of the Properties of Materials at Low Temperatures (Phase I). Part II. Properties of Solids", WADD-TR-60-56, Part II, NBS, WPAFB Contract AF 33(616)-58-4 (October 1960).

Aluminum; copper; nickel; niobium; zinc; specific heat; thermal expansion; thermal conductivity

104. Kaufman, J. G., "Mechanical Properties of Plain and Welded 6061 Aluminum Alloy at Subzero Temperatures", Technical Report 9-60-26, Aluminum Company of America (July 1960).

Aluminum alloys; 6061-0; 6061-T4; 6061-T6; 6061-T91; ultimate tensile strength; tensile yield strength; elongation; reduction in area; weld properties; notch tensile strength; modulus of elasticity; -423 F

105. Kaufman, J. G., "Effect of Prolonged Exposure at Subzero Temperatures on Tensile Properties of Aluminum Alloys", Technical Report 9-60-41, Aluminum Company of America (December 1960).

Aluminum alloys; 5454-0; 5454-H34; ultimate tensile strength; tensile yield strength; elongation; -320 F

106. Klemens, P. G., "Thermal Expansion of Aluminum at Low Temperatures", Physical Review, 120 (3), 843-844 (November 1, 1960).

Aluminum; thermal expansion; 20 K

107. Kropp, C. J., and Foor, E. R., "Mechanical Properties of Heat Treated A-286 Alloy at Various Testing Temperatures, Status Report No. 3", Technical Report MRG–157, Convair-Astronautics/General Dynamics (June 8, 1960).

Stainless steel; A-286; ultimate tensile strength; tensile yield strength; notch tensile strength; -423 F

108. Kropschot, R. H., McClintock, R. M., and Van Gundy, D. A., "Mechanical Properties of Some Engineering Materials Between 20 and 300 K", Advances in Cryogenic Engineering, 2, 93-99, 1956 Conference (1960).

2024-T3; 2024-T4; 5052-H34; 5054-H32; 6061-T6; 7075-T6; OFHC copper. Berylco 25; Berylco 10; AISI 304; AISI 308; AISI 347; AISI 302; ultimate tensile strength; tensile yield strength; impact properties; 20 K

109. Langston, M. E., and Lund, C. H., "Physical Properties of Some Nickel-Base Alloys", DMIC Report 129, Battelle Memorial Institute (May 20, 1960).

Monel 400; Monel Alloy K-500; Inconel 600; Nimonic 80A; Inconel X-750; specific heat; 4.2 K

Monel 400; Monel Alloy K-500; Inconel 600; Nimonic 75; Nimonic 80A; Inconel X-750; Hastelloy X; Incoloy 901; D-979; Waspalloy; Nimonic 90; Nimonic 100; Inconel 700; Udimet 500; M-252; Rene' 41; Hastelloy B; Hastelloy N; Hastelloy C; thermal conductivity; 4.2 K

Monel 400; Monel Alloy K-500; Inconel 600; Nimonic 75; Nimonic 80A; Inconel X-750; Alloy 713C; Hastelloy F; Hastelloy X; Incoloy 901; D-979; Waspalloy; Nimonic 90; Nimonic 100; Inconel 700; Udimet 500; M-252; Rene' 41; Hastelloy B; Hastelloy N; Hastelloy C; thermal expansion; 4.2 K

Inconel 600; Nimonic 80A; Inconel X-750; Incoloy 901; D-979; Nimonic 90; Udimet 500; M-252, Rene' 41; modulus of elasticity; 4.2 K

Monel 400; Monel Alloy K-500; Inconel 600; Nimonic 80A; Inconel X-750; D-979; M-252; Rene' 41; Poisson's Ratio; 4.2 K

Monel Alloy K-500; Inconel 600; Inconel X-750; Hastelloy B; Hastelloy C; magnetic permeability; 4.2 K

Inconel X-750; Udimet 500; Udimet 700; electrical resistivity; 4.2 K

110. Lenhart, H. B., "Cryogenic Research - Tensile Properties of 2219-T87 Aluminum Alloy Plate at Room and Cryogenic Temperatures", Test Progress Report SLML-60-473, Boeing Company (December 6, 1960).

2219-T87; ultimate tensile strength; tensile yield strength; elongation; reduction in area; modulus of elasticity; -450 F

111. Lismer, R. E., "The Properties of Some Metals and Alloys at Low Temperatures", Journal of the Institute of Metals, 89, 145-161 (1960/1961).

Copper; Cu-40Zn (brass); Cu-10Ni (Cupro-nickel); Cu-20Ni (Cupro-nickel); Cu-30Ni (Cupro-nickel); Cu-5Ni-1Fe (Kunifer 5); Cu-20Ni-1Fe (Kunifer 20); Cu-12Mn-7Al-2Ni-2Fe (Superston 40); Monel 400; Inconel 600; 18/8 stainless; 3Ni steel; 9Ni steel; tensile yield strength; elongation; reduction in area; impact properties; notch tensile strength; -196 C

112. Lucas, W. R., and Cataldo, C. E., "Some Low-Temperature Properties of Aluminum-Alloy Weldments", ASTM Special Technical Publication No. 287 (June 1960).

5052; 5086; 5456; 2014-T3; 2014-T6; weld properties; ultimate tensile strength; elongation; -320 F

113. Martin, D. L., "The Specific Heat of Copper From 20 to 300 K", Canadian Journal of Physics, 38 (1), 17-24 (1960).

Copper; specific heat; 20 K

114. Martin, D. L. "The Specific Heat of Annealed and Cold-Worked Copper From 0.4 to 1.5 K", Canadian Journal of Physics, 38, 1390-1391 (1960).

copper; specific heat; 0.4 K

115. McClintock, R. M., and Gibbons, H. P., "Mechanical Properties of Structural Materials at Low Temperatures. A Compilation From the Literature", National Bureau of Standards Monograph 13 (June 1, 1960).

Aluminum alloys; copper alloys; nickel alloys; titanium alloys; magnesium alloys; stainless steels; engineering steels; mechanical properties; 4 K

116. McConnell, J. H., "Austenitic Stainless Steels: Thousands of Tons in -300 to -425 F Service", Chemical Engineering, 67 (14), 125-128 (July 11, 1960).

AISI 302; AISI 304; AISI 304L; AISI 310; AISI 347; modulus of elasticity; impact properties; weld properties; ultimate tensile strength; tensile yield strength; elongation; reduction in area; -425 F

117. Mikesell, R. P. and Reed, R. P., "The Impact Testing of Various Alloys at Low Temperatures", Proceedings of the 1957 Cryogenic Engineering Conference, 316-324 (1960).

OFHC copper; copper alloys; aluminum alloys; nickel alloys; impact properties; 24 K

118. Olleman, R. D., and Wolfer, G. C., "The Tensile and Impact Properties of Plate and Welds of Aluminum Alloy 5083-H113 Between 75 and -320 F", Advances in Cryogenic Engineering, Volume 5, Plenum Press, Inc., New York (1960), pp 430-438.

5083-H113; impact properties; tensile properties; -320 F

119. Ottlyk, A. A., "Cryogenic Tensile Properties of .040 Gage 301XH Stainless Steel", Test Progress Report, SLML-60-414, EWA 59202, Boeing Company (October 28, 1960).

AISI 301; ultimate tensile strength; tensile yield strength; elongation; modulus of elasticity; -450 F

120. Powell, R. L., Hall, W. J., and Roder, H. M., "Low-Temperature Transport Properties of Commercial Metals and Alloys. II. Aluminums", Journal of Applied Physics, 31 (3), 496-503 (March 1960).

1100 aluminum; 3003; 2024-T4; 5052-0; 5083-0; 5086-0; 5154-0; 6063-T5; thermal conductivity; electrical resistivity; 4 K

121. Powell, R. L., Rogers, W. M., and Roder, H. M., "Thermal Conductivities of Copper and Copper Alloys", Advances in Cryogenic Engineering, Volume 2, Plenum Press, Inc., New York (1960), pp 166-171.

Unalloyed copper; electrolytic tough pitch copper; OFHC copper; Cu-32Zn-3Pb (brass); Cu-3Si-1Mn (silicon bronze); thermal conductivity; 4 K

122. Reed, R. P., Mikesell, R. P., and Greeson, R. L., "Some Mechanical Properties of Magnesium Alloys at Low Temperatures", Advances in Cryogenic Engineering, Volume 5, Plenum Press, Inc., New York (1960), pp 397-405.

AZ31B-0; ZE10A-H11; ZE10A-H10; HM21A-T8; HK31A-0; KH31A-T6; impact properties; ultimate tensile strength; tensile yield strength; elongation; 20 K

123. Rice, L. P., Campbell, J. E., and Simmons, W. F., "The Evaluation of the Effects of Very Low Temperatures on the Properties of Aircraft and Missile Metals", WADD-TR-60-254, Battelle Memorial Institute, Contract AF 33(616)-6345 (June 1960).

Ti-6Al-4V; Ti-4Al-3Mo-1V; Ti-16V-2.5Al; Ti-13V-11Cr-3Al; 17-7PH; 15-7PH; Vacsojet 1000; AISI 301; ultimate tensile strength; tensile yield strength; elongation; reduction in area; modulus of elasticity; notch tensile strength; -253 C

124. Schwartzberg, F., Agricola, K., and Hauser, R., "Properties of Missile Materials at Cryogenic Temperatures", Technical Report, Martin Company (May 1960).

Aluminum alloys; 1100 aluminum; 6061-0; 6061-T6; 2014-T6; 2024-T3; 7075-T6; 7079-T6; 5052-0; 5052-H34; 355-T6; AISI 301; AISI 304L; AISI 302; AISI 303; AISI 310; AISI 316; 17-7PH; AM350; Ti-5Al-2.5Sn; Ti-8Mn; Ti-6Al-4V; magnesium alloys; HM31A-F; HK31A-0; HK31A-T6; HM21A-T8; AZ31B-0; ZE10A-H11; ZK60A-T5; OFHC copper; Monel 400; Inconel X-750; Rene' 41; AISI 4340; AISI 9310; ultimate tensile strength; tensile yield strength; elongation; notch tensile strength; -423 F

125. Trepus, G. E., Roper, R. S., and Hickman, W. R., "Design Data for O-Rings and Similar Elastic Seals", WADC Technical Report 56-272, Part V, Boeing Airplane Company, Contract AF 33(616)-5722 (March 1960).

Teflon; Kel-F; thermal expansion; compressive strength; -425 F

126. Warfield, R. W., and Petree, M. C., "Thermodynamic Properties of Polystyrene and Styrene", NAVWEPS Report 7352, U.S. Naval Ordnance Laboratory (September 21, 1960).

Polystyrene; polyethylene; specific heat; 0 K

127. Watson, J. F., and Christian, J. L., "The Effect of Cryogenic Temperatures on the Mechanical Properties of High Strength Sheet Alloys (Nonferrous Alloys)", Technical Report ERR-AN-002, Convair-Astronautics/General Dynamics (April 13, 1960).

Titanium; Monel alloy K-500; A-286; ultimate tensile strength; tensile yield strength; elongation; notch tensile strength; -423 F

128. Watson, J. F., and Christian, J. L., "Low-Temperature Properties of Cold-Rolled AISI Types 301, 302, 304ELC, and 310 Stainless Steel Sheet", ASTM Special Technical Publication No. 287, 170-195 (June 30, 1960).

AISI 301; AISI 302; AISI 304; AISI 310; ultimate tensile strength; tensile yield strength; elongation; reduction in area; -423 F

129. Watson, J. F., and Christian, J. L., "Mechanical Properties of High-Strength 301 Stainless Steel Sheet at 70, -320, and -423 F in the Base Metal and Welded Joint Configuration", ASTM Special Technical Publication No. 287, 136-149 (June 30, 1960).

AISI 301; ultimate tensile strength; elongation; notch tensile strength; weld properties; -423 F

130. Watson, J. F., and Christian, J. L., "The Effect of Cryogenic Temperatures on the Mechanical Properties of High Strength Sheet Alloys (Cold Worked Austenitic Stainless Steels)", Technical Report ERR-AN-003, Convair-Astronautics/General Dynamics (May 16, 1960).

AISI 301; AISI 302; AISI 304; AISI 310; ultimate tensile strength; tensile yield strength; elongation; notch tensile strength; weld properties; -423 F

131. Watson, J. F., Christian, J. L., and Hertz, J., "Selection of Materials For Cryogenic Applications in Missiles and Aerospace Vehicles", Technical Report GDA-MRG-132-1, General Dynamics (February 1960).

AISI 301; AISI 304; AISI 302; AISI 310; AM 355; A-286; 5052-H38; 5086-H34; 5154-H38; 5083; 5456; 2014-T6; 2024-T3; 2024-T4; 6061-T4; 6061-T6; 7075; 7079; 7178; Ti-6Al-4V; Ti-5Al-2.5Sn; Ti-6Al-4Zr-1V; Ti-7Al-12Zr; Monel alloy K-500; L-605; Hastelloy B; ultimate tensile strength; tensile yield strength; elongation; notch tensile strength; weld properties; -423 F

132. Wessel, E. T., "The Performance Characteristics of Low Temperature Tension Testing Apparatus and Its Application in Industry", Advances in Cryogenic Engineering, Volume 2, 1956 Conference, Plenum Press, Inc., New York (1960), pp 126-135.

AISI 4340; zirconium; nickel; AISI 3335; niobium; ultimate tensile strength; tensile yield strength; elongation; reduction in area; 4.2 K

133. White, G. K., and Woods, S. B., "Conductivity of Metallic Cryogenic Materials", Advances in Cryogenic Engineering, Volume 2, Plenum Press, Inc., New York (1960), pp 120-124.

Inconel 600; Cu-5Zn; Cu-30Zn; rhenium; thermal conductivity; 4 K

1961

134. "Final Results From Operation Cryogenics", International Nickel Company, Inc. (1961).

9Ni steel; ultimate tensile strength; tensile yield strength; elongation; reduction in area; impact properties; -320 F

135. "New Cryogenic Strength Data for Plastics", Materials in Design Engineering, 54 (3), 155 (September 1961).

Polytetrafluoroethylene (Teflon); flexural properties; compressive properties; -320 F

136. Achbach, W. P., and Favor, R. J., "Design Properties as Affected by Cryogenic Temperatures (Ti-6Al-4V, AISI 4340, and 7079-T6 Alloys)", DMIC Memorandum 81 (January 24, 1961).

Ti-6Al-4V; AISI 4340; 7079-T6; ultimate tensile strength; tensile yield strength; elongation; reduction in area; -423 K

137. Achbach, W. P., and Favor, R. J., "Design Properties as Affected by Cryogenic Temperatures (Ti-6Al-4V, AISI 4340, and 7079-T6 Alloys)", Technical Report M-81, Battelle Memorial Institute, Contract AF 33(616)-6410 (January 1961).

Ti-6Al-4V; AISI 4340; 7079-T6; ultimate tensile strength; tensile yield strength; elongation; reduction in area; -423 K

138. Alers, G. A., and Thompson, D. O., "Dislocation Contributions to the Modulus and Damping in Copper at Megacycle Frequencies", Journal of Applied Physics, 32 (2), 283-293 (February 1961).

Copper; modulus of elasticity; 4.2 K

139. Alper, R. H., "Cryogenic Stretch Forming of Rocker Motor Cases", Final Report, Arde-Portland, Inc., Navy Bureay of Weapons Contract NOw-60-023-c (May 15, 1961).

AISI 301; ultimate tensile strength; elongation; -320 F

140. Calverly, A., Mendelssohn, K., and Rowell, P. M., "Some Thermal and Magnetic Properties of Tantalum, Niobium, and Vanadium at Helium Temperatures", Cryogenics, 2 (1), 26-33 (September 1961).

Niobium; tantalum; vanadium; thermal properties; magnetic properties; -423 F

141. Campbell, J. E., "Review of Recent Developments in the Evaluation of Special Metal Properties", Technical Report M-128, Battelle Memorial Institute (September 1961).

Ti-6Al-4V; Ti-5Al-2.5Sn; Ti-13V-11Cr-3Al; ultimate tensile strength; tensile yield strength; elongation; reduction in area; -423 F

142. Campbell, J. E., "Review of Recent Developments in the Evaluation of Special Metal Properties", Technical Report M-112, Battelle Memorial Institute (June 1961).

Aluminum alloys; 2014-T6; 6061-T6; 5456-H24; Ti-5Al-2.5Sn; AISI 301; AISI 310; ultimate tensile strength; tensile yield strength; elongation; weld properties; notch tensile strength; -423 F

143. Campbell, J. E., "Review of Recent Developments in the Evaluation of Special Metal Properties", Technical Report M94M-94, Battelle Memorial Institute (March 1961).

AISI 301; AISI 304L; ultimate tensile strength; tensile strength; elongation; reduction in area; fracture mechanics; -423 F

144. Campbell, J. E., "Review of Current Data on the Tensile Properties of Metals at Very Low Temperatures", DMIC-148, Battelle Memorial Institute, Contract AF 33(616)-7747 (February 1961).

6061-T4; 6061-T6; 2014-T6; 2219-T62; Inconel X-750; Monel alloy K-500; AISI 301; AISI 304; AISI 310; A-286; Ti-6Al-V4; Ti-5Al-2.5Sn; ultimate tensile strength; tensile yield strength; elongation; reduction in area; -423 F

145. Campbell, J. E., "Review of Current Data on the Tensile Properties of Metals at Very Low Temperatures", DMIC Report 148, Battelle Memorial Institute (February 14, 1961).

6061-T4; 6061-T6; 2014-T6; 2219-T62; AISI 301; AISI 310; AISI 304; A-286; Ti-6Al-4V; Ti-5Al-2.5Sn; Inconel X-750; Monel alloy K-500; ultimate tensile strength; tensile yield strength; elongation; reduction in area; -423 F

146. Chafey, J. E., "Compilation of Materials Research Data", Technical Report AE-62-0138-2, General Dynamics, Contract AF 33(616)-7984 (September 1961).

AM 350; AM 355; A-286; Inconel X-750; Ti-75A; Ti-8Al-1Mo-1V; ultimate tensile strength; tensile yield strength; elongation; notch tensile strength; -423 F

147. Christensen, R. J., and Denke, P. H., "Crack Strength and Crack Propagation Characteristics of High Strength Metals", Technical Report TR-61-207, Douglas Aircraft Company, Inc., Contract AF 33(616)-7444 (May 1961).

15-7PH; AM 335; AISI 4340; Rene' 41; Ti-13V-11Cr-3Al; fatigue crack propagation; -340 F

148. Christian, J. L., and Watson, J. F., "Properties of 7000 Series Aluminum Alloys at Cryogenic Temperatures", Proceedings of the 1960 Cryogenic Engineering Conference, 604-621 (1961).

2014; 2024; 2219; 5052; 5083; 5086; 5154; 5456; 6061; 7075; 7079; 7178; 7275; ultimate tensile strength; tensile yield strength; elongation; notch tensile strength; modulus of elasticity; fracture properties; -423 F

149. Christian, J. L., "Determination of the Effect of Oxygen Content on the Mechanical Properties of Titanium - 5Al-2.5Sn Alloy at Room and Cryogenic Temperatures", Technical Report MRG-266, General Dynamics (October 20, 1961).

Ti-5Al-2.5Sn; ultimate tensile strength; tensile yield strength; elongation; toughness; -423 F

150. Corruccini, R. J., and Gniewek, J. J., "Thermal Expansion of Technical Solids at Low Temperatures", National Bureau of Standards Monograph 29 (May 19, 1961).

Aluminum; copper; brass; Inconel X-750; Invar; Monel alloy X-500; AISI 301; AISI 310; AISI 316; thermal expansion; 4 K

151. Day, D. L., and Kessler, H. D., "Titanium Sheet Rolling Program for Ti-8Al-1Mo-1V, Ti-5Al-5Sn-5Zr, and Ti-7Al-12Zr", Technical Report NOAS59-6227, Titanium Metals Corporation of America (December 1961).

Ti-8Al-1Mo-1V; Ti-5Al-5Sn-5Zr; Ti-7Al-12Zr; tensile yield strength; notch tensile strength; modulus of elasticity; -320 F

152. DeSisto, T. S., and Carr, L. C., "Low Temperature Mechanical Properties of 300 Series Stainless Steel and Titanium", Proceedings of the 1960 Cryogenic Engineering Conference, 577-586 (1961).

AISI 302; AISI 303; AISI 304; AISI 316; AISI 347; Ti-55A; ultimate tensile strength; tensile yield strength; elongation; reduction in area; -452 F

153. DeSisto, T. S., and Carr, F. L., "Low Temperature Mechanical Properties of 300 Series Stainless Steel and Titanium", Technical Report WAL TR-323.4/1, Watertown Arsenal (December 1961).

AISI 302; AISI 303; AISI 304; AISI 316; AISI 347; Ti-55A; ultimate tensile strength; elongation; reduction in area; true stress; true strain; -452 F

154. Domenicali, C. A., and Christenson, E. L., "Effects of Transition Metal Solutes on the Electrical Resistivity of Copper and Gold Between 4 and 1200 K", Journal of Applied Physics, 32 (11), 2450-2456 (November 1961).

Copper; Cu-2Ni; Cu-5Ni; Cu-10Ni; gold; gold alloys; electrical resistivity; 4 K

155. Eldridge, E. A., and Deem, H. W., "Report on Physical Properties of Metals and Alloys From Cryogenic to Elevated Temperatures", ASTM Special Technical Publication No. 296 (April 1961).

Aluminum; cobalt; iron; magnesium; molybdenum; nickel; density; thermal expansion; specific heat; electrical resistivity; -457 F

156. Espey, G. B., Jones, M. H., and Brown, W. F., Jr., "Factors Influencing Fracture Toughness of Sheet Alloys for Use in Lightweight Cryogenic Tankage", ASTM Special Technical Publication No. 302, 140-171 (June 1961).

AISI 301; AISI 310; Inconel X-750; Ti-5Al-2.5Sn; notch tensile strength; fracture toughness; -423 F

157. Fan, H. Y., "Semiconductor Research", Technical Report, Purdue Research Foundation (March 1961).

Copper alloys; zinc alloys; germanium alloys; magnesium alloys; thermal conductivity; electrical properties; magnetic properties; -320 F

158. Favor, R. J., and Gideon, D. N., "Investigation of Fatigue Behavior of Certain Alloys in the Temperature Range: Room Temperature to -423 F", ASD-TR-61-132, Battelle Memorial Institute, Contract AF 33(616)-6888 (June 1961).

1100 aluminum; 2024; 6061; 7075; Cu-1.9Be (Berylco 25); Cu-30Zn (brass); AISI 302; AISI 304; AISI 347; 17-7PH; 9Ni steel; Monel alloy K-500; Ti-6Al-4V; Inconel 600; Inconel X-750; Ni-Span C; fatigue properties; -423 F

159. Feltham, P., "Creep and Stress Relaxation in Alpha-Brass at Low Temperatures", Philosophical Magazine, 6, 259-270 (1961).

Cu-35Zn (brass); creep properties; stress relaxation; 77 K

160. Guntner, C. J., and Reed, R. P., "Mechanical Properties of Four Austenitic Stainless Steels at Temperatures Between 300 and 20 K", Proceedings of the 1960 Cryogenic Engineering Conference, 565-576 (1961).

17Cr steel; AM350; AISI 202; AISI 304; ultimate tensile strength; tensile yield strength; elongation; reduction in area; notch tensile strength; 20 K

161. Hanson, M. P., "Smooth and Sharp-Notch Tensile Properties of Cold-Reduced AISI 301 and 304L Stainless Steel Sheet at 75, -320, and -423 F", NASA TN D-592, Lewis Research Center (February 1961).

AISI 301; AISI 304L; 6061-T6; 2219-T62; 2014-T6; 5456-H321; 7079-T6; 7075-T6; Ti-5Al-2.5Sn; Ti-6Al-4V; Ti-13V-11Cr-3Al; ultimate tensile strength; tensile yield strength; elongation; notch tensile strength; -423 F

162. Hertz, J., "Cryogenic Adhesive Evaluation Study", Technical Report ERR-AN-032, General Dynamics/Convair-Astronautics, Contract AF 33(616)-7984 (January 25, 1961).

Electrolytic tough pitch copper; Ti-5Al-2.5Sn; AISI 301; AISI 321; AISI 52100; 2024-T3; Teflon; bond shear strength; lap shear strength; ultimate tensile strength; -320 F

163. Huzan, E., Abbiss, C. P., and Jones, G. O., "Thermal Expansion of Aluminum at Low Temperatures", Philosophical Magazine, 6, 277-285 (1961).

Aluminum; thermal expansion; 15 K

164. Javitz, A. E., "Cryogenics: Environment, Phenomena, Applications", Electro-technology, 68 (5), 63-75 (September-November 1961).

State-of-the-Art; Teflon; Kel-F; polyethylene; nylon; Mylar; ultimate tensile strength; compressive yield strength; modulus of elasticity; 4 K

Teflon; polystyrene; copper; nickel; aluminum; magnesium; titanium; AISI 1020; AISI 304; thermal expansion; 20 K

1100 aluminum; 6063-T5; 3003; 5052; 5154; 2024-T4; thermal conductivity; 4 K

1100 aluminum; 2024-T4; 5154; 5052; 6063-T5; Cu-40Ni (Constantan); Cu-25Zn-14Ni (nickel-silver); electrical resistivity; -328 F

165. Kaufman, J. G., and Johnson, E. W., "New Data on Aluminum Alloys for Cryogenic Applications", Proceedings of the 1960 Cryogenic Engineering Conference, 637-649 (1961).

1100-H112; 3003-H112; 5052-H112; 5154-H112; 5454-H32; 5086-H32; 5083-H113; 5456-H321; 6061-T6; ultimate tensile strength; notch tensile strength; tensile yield strength; elongation; reduction in area; weld properties; -320 F

166. King, E. J., "Investigation of Aluminum Alloy 6061-T4, T6 Welded and Unwelded", Technical Report BLR-61-40-M, Bell Aerosystems Company, Contract AF 33(657)-855 (December 1961).

6061-T4; 6061-T6; ultimate tensile strength; tensile yield strength; elongation; notch tensile strength; weld properties; -320 F

167. Lutes, O. S., and Schmit, J. L., "Magnetic Remanence in Dilute Alloys", Technical Report, Honeywell Research Center, Contract NONR-273200 (October 1961).

Copper alloys; manganese alloys; chromium alloys; gold alloys; magnetic properties; -320 F

169. Markovich, R., and Schwartzberg, F., "Testing Techniques and Evaluation of Materials For Use at Liquid Hydrogen Temperature", Technical Report R-61-4, The Martin Company (February 1961).

2014-T6; 6061-T6; 5456-H24; 2219-T81; ultimate tensile strength; tensile yield strength; elongation; modulus of elasticity; notch tensile strength; weld properties; -423 F

170. Miller, P. C., "Low Temperature Mechanical Properties of Several Aluminum Alloys and Their Weldments", Technical Report MTP-S&M-M-61-16, NASA George C. Marshall Space Flight Center (October 2, 1961).

7079-T6; 5052-H32; 5086-H34; 5456-H343; 2014-T6; ultimate tensile strength; tensile yield strength; elongation; weld properties; -450 F

171. Mishler, H. W., and Nichols, H. J., "An Investigation of the Low-Temperature Impact Properties of Stainless Steel Weldments", Welding Journal, Welding Research Supplement, 40, 564s-568s (December 1961).

AISI 304; AISI 304L; AISI 310; AISI 308; AISI 308L; impact properties; weld properties; -320 F

172. Mowers, R., "A Simplified Determination of Crystallinity of Fluoroplastics and the Prediction of Their Behavior at Cryogenic Temperatures", Advances in Cryogenic Engineering, 6 (1961), pp 627-636.

Kel-F; Teflon; ultimate tensile strength; tensile yield strength; compressive yield strength; flexure strength; elongation; impact properties; -320 F

173. Peckner, D., and Riley, M. W., "The Role of Materials in Cryogenics", Materials in Design Engineering, 54 (1), 107-118 (July 1961).

Aluminum; magnesium; molybdenum; AISI 4340; AISI 301; titanium; Ti-6Al-4V; Ti-7Mn; modulus of elasticity; bulk modulus; shear modulus; -452 F

1100-H14; 2014-T6; 2024-T3; 2219-T62; 5052-0; 5052-H34; 6061-0; 6061-T6; 7075-T6; 7079-T6; 7178-T6; 355-T6; ultimate tensile strength; tensile yield strength; elongation; -423 F

174. Salinger, G. L., and Wheatley, "Magnetic Susceptibility of Materials Commonly Used in the Construction of Cryogenic Apparatus", Review of Scientific Instruments, 32 (7), 872-874 (July 1961).

AISI 303; AISI 304; AISI 316; AISI 321; AISI 347; Cu-30Ni (Cupro-nickel); Inconel 600; magnetic susceptibility; 1.6 K

175. Schwartzberg, F. R., and Keys, R. D., "Mechanical Properties of 2000 Series Aluminum Alloys at Cryogenic Temperatures", Technical Report R-61-32, The Martin Company (October 1961).

2014-T6; 2219-T81; 2618-T6; ultimate tensile strength; tensile yield strength; elongation; notch tensile strength; weld properties; -423 F

176. Schwartzberg, F. R., and Keys, R. D., "Mechanical Properties of an Alpha Titanium Alloy at Cryogenic Temperatures", Technical Report R-61-45, The Martin Company (December 1961).

Ti-5Al-2.5Sn; ultimate tensile strength; tensile yield strength; elongation; notch tensile strength; -320 F

177. Warfield, R. W., and Petree, M. C., "Thermodynamic Properties of Polyethylene", Technical Report NOLTR 61-92, U.S. Naval Ordnance Laboratory (October 1961).

Polyethylene; polytetrafluoroethylene; specific heat; 0 K

178. Warfield, R. W., and Petree, M. C., "Electrical Resistivity of Polymers", SPE Transactions, 1 (2), 80-85 (April 1961).

Polyethylene; polystyrene; polytrifluorochloroethylene; polymethylmethacrylate; electrical resistivity; 2.4 K

179. Watson, J. F., Christian, J. L., Tanalski, T. T., and Hurlich A., "Correlation of Notched: Unnotched Tensile Ratios With Tensile Fatigue Properties of Complex Welded Joints in High-Strength 300 Series Stainless Steels at Cryogenic Temperatures", ASTM Special Technical Publication No. 302, 129-139 (June 1961).

AISI 301; AISI 301N; AISI 310; ultimate tensile strength; tensile yield strength; elongation; notch tensile strength; weld properties; fatigue properties; -423 F

180. Watson, J. F., Christian, J. L., and Hertz, J., "Cryogenics: Selection Data For Structural Materials", Electro-Technology, 68 (5), 76-84 (September-November 1961).

AISI 301; AISI 304; AISI 310; AISI 302; 5052-H38; 5086-H34; 6061-T6; Ti-5Al-2.5Sn; Monel alloy K-500; L-605; Hastelloy B; AM 355; ultimate tensile strength; tensile yield strength; elongation; notch tensile strength; weld properties; -423 F

181. Watson, J. F., and Christian, J. L., "Low-Temperature Properties of K-Monel, Inconel-X, Rene 41, Haynes 25, and Hastelloy B Sheet Alloys", Paper presented at the Winter Annual Meeting of the American Society of Mechanical Engineers, New York, New York (November 26-December 1, 1961).

Monel alloy K-500; Inconel X-750; Rene 41; L-605; Hastelloy B; ultimate tensile strength; tensile yield strength; elongation; notch tensile strength; weld properties; -423 F

182. White, G. K., "Thermal Expansion at Low Temperatures. II. Electronic Component in Metals", Philosophical Magazine, 6 (66), 815-818 (1961).

Aluminum; beryllium; chromium; copper; iron; palladium; thermal expansion; 1.5 K

183. White, G. K., "Measurement of Thermal Expansion at Low Temperatures", Cryogenics, 1 (3), 151-158 (March 1961).

Copper; beryllium; thermal expansion; 4.2 K

184. Zenner, G. H., "What Metal Shall I Use for Fabrication of Cryogenic Vessels and Equipment?", Metal Progress, 80 (4), 110-115, 154, and 156 (October 1961).

3Ni steel; 9Ni steel; AISI 301; AISI 303; AISI 304; AISI 305; AISI 309; AISI 310; AISI 316; AISI 321; AISI 347; copper; Cu-3Si (copper-silicon); Cu-40Zn (Muntz metal); 3003; 5052; 5083; 5086; 5154; 5456; Monel 400; Invar; Ti-6Al-4V; ultimate tensile strength; impact properties; weld properties; thermal conductivity; thermal expansion; -423 F

1962

185. "Determination of Design Data for Heat Treated Titanium Alloy Sheet. Volume 3. Tables of Data Collected", Technical Report ASD-TDR-62-335 V3, Lockheed Aircraft Corporation, contract AF 33(616)-6346 (December 1962).

Ti-13V-11Cr-3Al; Ti-6Al-4V; Ti-16V-2.5Al; Ti-4Al-3Mo-1V; ultimate tensile strength; tensile yield strength; elongation; compressive properties; bearing properties; shear properties; weld properties; creep properties; thermal expansion; -320 F

186. "Low and Room Temperature Tensile Properties of 2219-T87 Aluminum Alloy", Technical Report 9068, McDonnell Aircraft Corporation, Contract AF 33(657)-7749 (October 1962).

2219-T87; ultimate tensile strength; tensile yield strength; elongation; notch tensile strength; weld properties; -423 F

187. "Titanium for Liquid Hydrogen Applications. Investigation of the Influence of Chemistry on Low Temperature Behavior of Titanium Alloys", Data Sheets EFE, Titanium Metals Corporation of America (May 1962).

Ti-5Al-2.5Sn; Ti-6Al-4V; ultimate tensile strength; tensile yield strength; elongaton; notch tensile sterngth; -423 F

188. Arp, V., Wilson, J. H., Winrich, L., and Sikora, P., "Thermal Expansion of Some Engineering Materials From 20 to 293 K", Cryogenics, 2 (4), 1-6 (June 1962).

1100 aluminum; 356; 2020; 2024; 6061; 7075; Elgiloy; Stellite 3; Stellite 25; Cu-1.8Be (Berylco 25); Cu-30Zn (brass); 17-4PH; 17-7PH; A-286; AISI 302; AISI 303; AISI 304L; 9Ni steel; Ni-Span C; Kromarc 55; AISI 310; AISI 321; AISI 347; AISI 416; 17Cr steel; AISI 1075; Inconel 600; Inconel X-750; nickel; Rene 41; Ti-5Al-2.5Sn; Ti-13V-11Cr-3Al; Ti-6Al-4V; graphite; thermal expansion; 20 K

189. Bergstedt, P., "Compilation of Materials Research Data", Technical Report AE-62-0138-3, General Dynamics, Contract AF 33(616)-7984 (March 1962).

Titanium; titanium alloys; aluminum alloys; AISI 301; Rene 41; fatigue properties; -320 F

190. Bringer, R. P., "Fluorocarbons, CTFE Fluorocarbons", Machine Design, 34 (22), 84-86 (September 20, 1962).

Polytrifluoroethylene (Kel-F); ultimate tensile strength; tensile yield strength; elongation; compressive yield strength; flexural strength; shear ultimate strength; impact properties; hardness; modulus of elasticity; electrical resistivity; dielectric properties; 77 K

191. Cataldo, C. E., "Weldability Studies of 5456-H343 and 2219-T87 Aluminum Alloy Plates", Internal Note IN-P&VE-M-62-2, NASA George C. Marshall Space Flight Center (April 2, 1962).

5456-H343; 2219-T87; weld properties; ultimate tensile strength; tensile yield strength; elongation; notch tensile strength; -423 F

192. Christian, J. L., and Watson, J. F., "Mechanical Properties of Several 5000-Series Aluminum Alloys at Cryogenic Temperatures", Proceedings of the 1961 Cryogenic Engineering Conference, 490-499 (1962).

5052-H38; 5083-H38; 5086-H34; 5086-H38; 5154-H38; 5456-H343; ultimate tensile strength; tensile yield strength; elongation; notch tensile strength; weld properties; -423 F

193. Christian, J. L., "Physical and Mechanical Properties of Pressure Vessel Materials for Application in a Cryogenic Environment", ASD-TDR-62-258, General Dynamics, Contract AF 33 (616)-7719 (March 1962).

AISI 301; AISI 304L; AISI 310; AM 355; 2014-T6; 5052-H38; 5456-H343; Ti-5Al-2.5Sn; ultimate tensile strength; tensile yield strength; elongation; modulus of elasticity; hardness; notch tensile strength; fracture toughness; weld properties; -423 F

194. Christian, J. L., Gruner, J. D., and Girton, L. D., "The Effects of Cold Rolling on the Mechanical Properties of Type 310 Stainless Steel at Room and Cryogenic Temperatures", Technical Report AR-592-1-365, NASA CR-54614, Astronautics/General Dynamics (November 27, 1962).

AISI 310; ultimate tensile strength; tensile yield strength; elongation; -423 F

195. Christian, J. L., "Mechanical Properties of Air Melted and Consutrode Melted Type 302 Stainless Steel at Room and Cryogenic Temperatures", Technical Report MRG-307, General Dynamics, Contract AF 33(616)-7984 (April 4, 1962).

AISI 302; ultimate tensile strength; tensile yield strength; elongation; -423 F

196. Christian, J. L., "Mechanical Properties of High-Strength Sheet Materials at Cryogenic Temperatures", Technical Report ERR AN 255, Astronautics/General Dynamics (November 28, 1962).

2024-T4; 7079-T6; ultimate tensile strength; tensile yield strength; elongation; notch tensile strength; -423 F

197. Christian, J. L., "Mechanical Properties of Hastelloy Sheet Alloy R-235 at Cryogenic Temperatures", Technical Report MRG-300, NASA CR-54598, Convair/General Dynamics (March 19, 1962).

R-235; ultimate tensile strength; tensile yield strength; elongation; notch tensile strength; weld properties; -423 F

198. Christian, J. L., "The Effects of Cold Rolling on the Mechanical Properties of Type 310 Stainless Steel at Room and Cryogenic Temperatures", Technical Report AR-592-1-329, General Dynamics (July 24, 1962).

AISI 310; ultimate tensile strength; tensile yield strength; elongation; -423 F

199. Curtis, A. J., "Dielectric Properties of Solid Polymers", SPE Transactions, 2 (1), 82-85 (January 1962).

Polystyrene; dielectric properties; -178 C

200. DeMoney, F. W., and Wolfer, G. C., "Tensile and Impact Properties of 7075-T6 Plate, Hand Forgings, and Tensile Properties of Plate MIG Weldments Between 75 and -320 F", Proceedings of the 1961 Cryogenic Engineering Conference, 466-477 (1962).

7075-T6; 7079-T6; impact properties; weld properties; ultimate tensile strength; tensile yield strength; elongation; -320 F

201. DeSisto, T. S., "Low Temperature Charpy True Stress-Strain and Notched Tensile Properties of Base Metal and Weld Deposits of AISI Type 301, 310, 316 and 347 Stainless Steels", Paper presented at the Annual ASTM Meeting, New York (June 1962).

AISI 301; AISI 310; AISI 316; AISI 347; impact properties; notch tensile strength; weld properties; -269 C

202. Fluornoy, R. W., "Aluminum Alloys For Cryogenic Equipment", Light Metal Age, 19, 10-12 and 28 (April 1962).

1100 aluminum; 3003; 3004; 5050; 5052; 5083; 5086; 5154; 5456; 6061; 6063; ultimate tensile strength; tensile yield strength; elongation; -320 F

203. Fuller, P. D., and McLagan, J. N., "Storage and Transfer of Cryogenic Fluids", Applied Cryogenic Engineering, Chapter 9, 249, John Wiley & Sons, Inc., New York (1962).

Teflon, Kel-F; 2024; 6061; copper; AISI 304; AISI 316; AISI 303; AISI 330; Monel 400; Inconel 600; thermal expansion; -423 F

204. Gideon, D. N., Favor, R. J., Koppenhafer, A., Grover, H. J., and McClure, M., "Investigation of Notch Fatigue Behavior of Certain Alloys in the Temperature Range of Room Temperature to -423 F", ASD-TDR-62-351, Battelle Memorial Institute, WPAFB Contract AF 33(616)-6888 (August 1962).

Ti-6Al-4V; 9Ni steel; AISI 301; AISI 347; nickel; Monel alloy K-500; Inconel 600; Cu-1.9Be (Berylco 25); Cu-30Zn (brass); Ni-Span C; AISI 1075; 17-7PH; Inconel X-750; ultimate tensile strength; tensile yield strength; elongation; modulus of elasticity; density; notch properties; fatigue properties; -423 F

205. Gideon, D. N., Favor, R. J., Grover, H. J., and McClure, G. M., "The Fatigue Behavior of Certain Alloys in the Temperature Range From Room Temperature to -423 F", Proceedings of the 1961 Cryogenic Engineering Conference, 503-508 (1962).

Ti-6Al-4V; 9Ni steel; AISI 301; AISI 347; nickel; Monel alloy K-500; Inconel 600; Berylco 25; Cu-30Zn; Ni-Span C; AISI 1075; 17-7PH; Inconel X-750; fatigue properties; -423 F

206. Goodman, B. B., "The Thermodynamic Properties of Superconducting V_3Ga", Physics Letters, 1 (6), 215-217 (June 15, 1962).

V_3Ga; superconductivity; magnetization; specific heat; 0 K

207. Guntner, C. J., and Reed, R. P., "Martensitic Transformation Products and Mechanical Properties of Austenitic Stainless Steels at Low Temperatures", Proceedings of the 1961 Cryogenic Engineering Conference, 500-502 (1962).

AISI 304L; ultimate tensile strength; tensile yield strength; notch tensile strength; 20 K

208. Guntner, C. J., and Reed, R. P., "The Effect of Experimental Variables Including the Martensitic Transformation on the Low-Temperature Mechanical Properties of Austenitic Stainless Steels", Transactions of the ASM, 55, 399-419 (September 1962).

AISI 304; AISI 304L; AISI 310; AISI 202; 17Cr steel; AM 350; ultimate tensile strength; tensile yield strength; elongation; reduction in area; notch tensile strength; 4 K

209. Hanson, M. P., and Richards, H. T., "Smooth and Sharp-Notch Property Variations for Several Heats of Ti-6Al-4V Sheet at Room and Cryogenic Temperatures", NASA Technical Note D-1282 (May 1962).

Ti-6Al-4V; ultimate tensile strength; tensile yield strength; elongation; notch tensile strength; -423 F

210. Hickey, C. F., "Mechanical Properties of Titanium and Aluminum Alloys at Cryogenic Temperatures", Technical Report WAL TR 340.2/1, Watertown Arsenal (March 1962).

Ti-7Al-4Mo; Ti-7Al-3Mo; Ti-6Al-4V; Ti-4Al-3Mo-1V; Ti-16V-2.5Al; Ti-13V-11Cr-3Al; Ti-7Al-4V; Ti-6.5Al-3Mo-1V; Ti-5Al-1.5Fe-1.4Cr-1.2Mo; 6061-T6; 7075-T6; 2024-T4; 2017-T4; 2014-T6; 5086-H34; ultimate tensile strength; tensile yield strength; elongation; reduction in area; impact properties; -452 F

211. Hickey, C. F., Jr., "Mechanical Properties of Titanium and Aluminum Alloys at Cryogenic Temperatures", Preprint of paper presented at the sixty-fifth Annual ASTM Meeting (June 25-29, 1962).

Ti-7Al-4Mo; Ti-7Al-3Mo; Ti-6Al-4V; Ti-4Al-3Mo-1V; Ti-16V-2.5Al; Ti-13V-11Cr-3Al; Ti-7Al-4V; Ti-6.5Al-3Mo-1V; Ti-5Al-1.5Fe-1Cr-1Mo; 6061-T6; 7075-T6; 2024-T4; 2017-T4; 2014-T6; 5086-H34; ultimate tensile strength; tensile yield strength; elongation; reduction in area; impact properties; -452 F

212. Hilsen, R. R., Yen, C. S., and Whiteson, B. V., "Low Cycle Fatigue of Ti-6Al-4V at -423 F", Paper No. 48 presented at the ASTM Meeting, Los Angeles, California (October 1-5, 1962).

Ti-6Al-4V; low cycle fatigue; -423 F

213. Hurlich, A., "Materials Requirements For Cryogenic Temperature Applications", Paper presented at the ASM 1962 Golden Gate Metals Conference (February 15-17, 1962).

Ti-5Al-2.5Sn; AISI 301; AISI 304L; AISI 310; 2014-T6; 2219-T81; 5052-H38; 7079-T6; Ti-6Al-4V; Ti-8Al-1Mo-1V; Ti-5Al-5Zr-5Sn; Monel alloy K-500; Inconel X-750; Rene 41; Hastelloy B; ultimate tensile strength; tensile yield strength; elongation; notch tensile strength; weld properties; -423 F

214. Iannelli, A. A., and Rizzitano, F. J., "Charpy Impact Tests of 4340 Steel and 6Al-6V-2Sn Titanium Alloy, Using Standard and Thin Charpy Specimens, Technical Report WAL-TR-112.5/3, Watertown Arsenal (January 1962).

AISI 4340; Ti-6Al-6V-2Sn; impact properties; -320 F

215. Jolley, C. E., "Fluorocarbons, TFE & FEP Resins", Machine Design, 34 (22), 76-83 (September 20, 1962).

Polytetrafluoroethylene (Teflon); tensile yield strength; elongation; flexural modulus; -321 F

216. Kaufman, J. G., and Nelson, F. G., "Cryogenic Temperatures up Fatigue Strengths of Al-Mg Alloys", Space /Aeronautics, 38 (1), 91-93 and 96 (July 1962).

5083-H113; 5086-H32; 5454-H32; 5456-H32; ultimate tensile strength; tensile yield strength; elongation; weld properties; fatigue properties; -320 F

217. King, E. J., "Cryogenic Properties of 2014-T6 and A-286. Phase II", Technical Report BLR-61-35-M, Bell Aerosystems Company, Contract AF 33(657)-8555 (June 1962).

2014-T6; A-286; ultimate tensile strength; tensile yield strength; elongation; reduction in area; modulus of elasticity; -320 F

218. Kropschot, R. H., "Mechanical Properties of Materials", Applied Cryogenic Engineering, Chapter 3, 44-59, John Wiley & Sons, Inc., New York (1962).

2014-T6; 2024-T3; 5052-H34; 5056-H34; 6061-T6; copper; Muntz metal; Berylco 25; AISI 302; AISI 304; AISI 310; AISI 316; titanium; Ti-5Al-2.5Sn; Ti-6Al-4V; AISI 1010; AISI 1020; ultimate tensile strength; tensile yield strength; elongation; impact properties; 20 K

Mylar; Teflon; Kel-F; polyvinylchloride; nylon; ultimate tensile strength; 77 K

219. Lems, W., "The Change of Young's Modulus of Copper and Silver After Deformation at Low Temperature and Its Recovery", Physica, 28, 445-452 (1962).

Copper; silver; modulus of elasticity; -190 C

220. Lismer, R. E., "Properties of Some Alloys and Weld Metal Deposits at Low Temperatures", Welding and Metal Fabrication, 30 (1), 19-27 (January 1962).

5086; Cu-10Ni (Kunifer 10); Cu-30Ni; Cu-20Ni; AISI 347; ultimate tensile strength; tensile yield strength; elongation; reduction in area; impact properties; weld properties; -196 C

221. Lovoy, C. V., "Low Temperature Mechanical Properites of Inconel X and Its Weldments", Internal Note IN-P&VE-M-62-5, NASA George C. Marshall Space Flight Center (July 24, 1962).

Inconel X-750; ultimate tensile strength; tensile yield strength; elongation; notch tensile strength; weld properties; -423 F

222. Lovoy, C. V., "Low Temperature Mechanical Properties of X-2020-T6 and 2219-T6 Aluminum Sheet Alloys", Internal Note IN-P&VE-M-62-3, NASA George C. Marshall Space Flight Center (May 5, 1962).

2020-T6; 2219-T6; ultimate tensile strength; tensile yield strength; elongation; notch tensile strength; -450 F

223. Martin, D. L., "A Modified Continuous-Heating Calorimeter For the Temperature Range 15 to 300 K", Canadian Journal of Physics, 40, 1166-1173 (1962).

Copper; specific heat; 15 K

224. Mikesell, R. P., and McClintock, R. M., "A Method of Measuring Shear Modulus From -424 to 70 F", Proceedings of the 1961 Cryogenic Engineering Conference, 509-513 (1962).

Cu-1.8Be (Berylco 25); shear modulus; -424 F

225. Morgan, W. R., "Low Temperature Mechanical Properties of A-286 Alloy and Its Weldments", Technical Report IN-P&VE-M-62-4, NASA George C. Marshall Space Flight Center (1962).

A-286; ultimate tensile strength; tensile yield strength; elongation; weld properties; -423 F

226. Morgan, W. R., "Low Temperature Mechanical Properties of K-Monel Alloy and Its Weldments", Internal Note IN-P&VE-M-62-8, NASA George C. Marshall Flight Space Center (August 28, 1962).

Monel alloy K-500; ultimate tensile strength; tensile yield strength; elongation; notch tensile strength; weld properties; -423 F

227. Morgan, W. R., "Mechanical Properties of 2219-T87 Alloy Plate at Room and Cryogenic Temperatures", Internal Note IN-P&VE-M-62-9, NASA George C. Marshall Space Flight Center (October 5, 1962).

2219-T87; ultimate tensile strength; tensile yield strength; elongation; notch tensile strength; -423 F

228. Morin, F. J., Maita, J. P., Williams, H. J., et al, "Heat Capacity Evidence for a Large Degree of Superconductivity in V_3Ga in High Magnetic Fields", Physical Review Letters, 8 (7), 275-277 (April 1, 1962).

V_3Ga; superconductivity; specific heat; 1.5 K

229. Mowers, R. E., "Program of Testing Nonmetallic Materials at Cryogenic Temperatures", Final Report, Technical Documentary Report RTD-TDR-63-11, Rocketdyne Division of North American Aviation, Inc., Contract AF 04(611)-6354 (December 30, 1962).

Teflon; Kel-F; Mylar; nylon; tensile yield strength; ultimate tensile strength flexural strength; flexural modulus; compressive strength; compressive modulus; impact strength; thermal expansion; -423 F

230. Noonan, J. W., "Materials in the Design of Seals for Extreme Environments", Machine Design, 34 (19), 186-196 (August 16, 1962).

Teflon; Kel-F; ultimate tensile strength; elongation; compressive strength; flexural strength; impact properties; -320 F

231. Rice, L. P., Campbell, J. E., and Simmons, W. F., "Tensile Behavior of Parent Metal and Welded 5000-Series Aluminum-Alloy Plate at Room and Cryogenic Temperatures", Proceedings of the 1961 Cryogenic Engineering Conference, 478-489 (1962).

5454-0; 5454-H34; 5456-0; 5456-H321; 5086-0; 5086-H34; 5083-0; 5083-H113; AISI 304; ultimate tensile strength; tensile yield strength; elongation; reduction in area; notch tensile strength; weld properties; -423 F

232. Satterthwaite, C. B., "Thermal Conductivity of Normal and Superconducting Aluminum", Physical Review, 125 (3), 873-876 (February 1, 1962).

Aluminum; thermal conductivity; 0.32 K

233. Sinnott, K. M., "Dynamic Shear Behavior of High Polymers at Low Frequencies", SPE Transactions, 2 (1), 65-73 (January 1962).

Polymethylmethacrylate; polystyrene; polytetrafluoroethylene; shear modulus; 4.2 K

234. Smith, G. W., "Centaur Biaxial Fatigue Tests - Model 55", Technical Report AE62-0866, Astronautics/General Dynamics, Contract AF 18(600)-1775 (October 15, 1962).

AISI 301; ultimate tensile strength; tensile yield strength; elongation; fatigue properties; -423 F

235. Smith, M. B., and Susman, S. E., "Adhesives for Low Temperatures", Machine Design, 34 (25), 188-192 (October 25, 1962).

7075-T6; shear ultimate strength; peel strength; impact properties; compression properties; -320 F

236. Van Elst, H. C., Lubach, B., and Van Den Berg, G. J., "The Magnetization of Some Nickel Alloys in Magnetic Fields Up to 15 kOe Between 0 and 300 K", Physica, 28, 1297-1317 (1962).

Ni-1Cr; Ni-5Cr; Ni-9Cr; Ni-2Mn; Ni-5Mn; Ni-11Mn; Ni-40Cu; Ni-50Cu; Cu-40Ni; Cu-20Ni; magnetization; 0 K

237. Van Itterbeek, A., and Labro, M., "Magnetic Susceptibility of Zinc and Brass Between Room Temperature and 1.2 K", Physica, 28, 721-726 (1962).

Zinc, brass, magnetic susceptibility; 1.2 K

238. Warfield, R. W., and Petree, M. C., "Thermodynamic Properties of Polymethyl Methacrylate and Methyl Methacrylate", NOLTR 62-98, U.S. Naval Ordnance Laboratory (January 17, 1962).

Polystyrene, plexiglas; specific heat; 0 K

1963

239. "Armco Stainless Steels", Manufacturer's Literature, Armco Steel Corporation (1963).

AISI 302; AISI 304; AISI 316; AISI 321; 17-4PH; AISI 410; ultimate tensile strength; tensile yield strength; elongation; impact properties; -320 F

240. "Cryogenic Tensile Properties of Ti-5Al-2.5Sn", Technical Report M-2135, Aerojet-General Corporation (May 14, 1963).

Ti-5Al-2.5Sn; ultimate tensile strength; tensile yield strength; elongation; reduction in area; modulus of elasticity; notch tensile strength; -423 F

241. "Materials and Structures Program", Technical Report TDR-169-3240TNI, SSD-TDR-63-76, Aerospace Corporation, Contract AF 04-695-169 (May 1963).

Rene 41; L-605; graphite; creep properties; superconductivity; -320 F

242. "18% Ni Maraging Steel Evaluation For Structural Material", Technical Report 63-247, Aerojet-General Corporation (March 29, 1963).

Maraging (250); ultimate tensile strength; tensile yield strength; elongation; notch tensile strength; -420 F

243. Anderson, A. C., Reese, W., and Wheatley, J. C., "Thermal Conductivity of Some Amorphous Dielectric Solids Below 1 K", Review of Scientific Instruments, 34 (12), 1386-1390 (December 1963).

Teflon; nylon; Kel-F; Cu-30Ni; thermal conductivity; 0.7 K

244. Barker, R. E., Jr., "An Approximate Relation Between Elastic Moduli and Thermal Expansivities", Journal of Applied Physics, 34 (1), 107-116 (January 1963).

Silver; aluminum; polyethylene; polystyrene; thermal expansion; specific heat; modulus of elasticity; 5 K

245. Bell, J. H., Jr., "Materials of Construction", Cryogenic Engineering, Chapter 6, 131-167, Prentice-Hall, Inc., New Jersey (1963).

3003; 5052; 5154; 5085; 5086; 5454; 5356; 5083; 5456; 6061; ultimate tensile strength; tensile yield strength; elongation; reduction in area; weld properties; shear ultimate strength; impact properties; -320 F

Aluminum; magnesium; copper; nickel; manganese; iron; chromium; 18/8 stainless; Monel 400; Teflon; specific heat; -423 F

AISI 304; AISI 1020; Monel 400; Inconel 600; copper; nickel; aluminum; magnesium; zinc; titanium; thermal expansion; -423 F

246. Belton, J. H., Godby, L. L., and Taft, B. L., "Materials for Use at Liquid Hydrogen Temperatures", Paper presented at the Sixty-Third Annual ASTM Meeting, Atlantic City, New Jersey (June 26-July 1, 1963).

2024-T4; 2014-T6; 6061-T6; 7075-T6; 355-T6; Inconel X-750; Waspalloy; Hastelloy X; Inco 702, Cu-2Co-0.5Be (Berylco 10); Cu-1.9Be (Berylco 25); Cu-3Si-2.8Zn-1.5Fe (iron-silicon bronze); Ti-6Al-4V; Ti-5Al-2.5Sn; AISI 9310; A-286; AISI 51410; AISI 51440; AISI 30347; N-155; Teflon; Kel-F; ultimate tensile strength; tensile yield strength; elongation; reduction in area; hardness; thermal expansion; -423 F

247. Bowers, W. D., "Cryogenic Tensile Properties of 18% Ni-Co-Mo Steel", Technical Report M-2132, Aerojet-General Corporation (March 19, 1963).

Maraging (350); ultimate tensile strength; tensile yield strength; elongation; modulus of elasticity; notch tensile strength; -423 F

248. Bowers, W. D., "Cryogenic Tensile Properties of Inconel 718", Technical Report M-2131, Aerojet-General Corporation (April 18, 1963).

Inconel 718; ultimate tensile strength; tensile yield strength; elongation; modulus of elasticity; notch tensile strength; -423 F

249. Brisbane, A. W., "The Influence of Loading Rate and Stress Concentration Factors on Notch Properties of Three Sheet Alloys at Room Temperature, -78 C, and -196 C", Proceedings of the 1962 Cryogenic Engineering Conference, 641-653 (1963).

AISI 301; Rene 41; Vascojet 1000; ultimate tensile strength; tensile yield strength; elongation; notch tensile strength; -196 C

250. Christian, J. L., Hurlich, A., Chafey, J. E., and Watson, J. F., "Mechanical Properties of Titanium-5Al-2.5Sn Alloy at Room and Cryogenic Temperatures", Technical Report AR-592-1-373, Astronautics/General Dynamics (1963).

Ti-5Al-2.5Sn; ultimate tensile strength; tensile yield strength; elongation; notch tensile strength; weld properties; -423 F

251. Christian, J. L., and Kerr, J. R., "Selection of Optimum Materials for Use in Liquid-Hydrogen-Fueled Aerospace Vehicles", ASD-TDR-63-798, Astronautics/General Dynamics, WPAFB Contract AF 33(657)-9445 (October 1963).

L-605; Hastelloy X; Rene 41; R-235; Inconel 718; Ti-5Al-2.5Sn; Ti-8Al-1Mo-1V; Ti-13V-11Cr-3Al; AISI 301; AISI 310; ultimate tensile strength; tensile yield strength; elongation; notch tensile strength; weld properties; fatigue properties; -423 F

252. Christian, J. L., and Hurlich, A., "Physical and Mechanical Properties of Pressure Vessel Materials for Application in a Cryogenic Environment. Part II", ASD-TDR-62-258, Part II, Astronautics/General Dynamics, WPAFB Contract AF 33(616)-7719 (April 1963).

AISI 301; AISI 310; Rene 41; 2014-T6; 2219-T81; Ti-6Al-4V; ultimate tensile strength; tensile yield strength; elongation; modulus of elasticity; hardness; notch tensile strength; fracture toughness; weld properties; -423 F

253. Christian, J. L., "Selection of Materials for Saturn Vehicle (S-11)", Technical Report MRG-192, General Dynamics, Contract AF 33(616)-7984 (March 1963).

AISI 304L; AISI 310; Ti-5Al-2.5Sn; 2014-T6; 5052-H38; 6061-T6; ultimate tensile strength; tensile yield strength; elongation; notch tensile strength; weld properties; impact properties; -423 F

254. Davey, G., and Mendelssohn, K., "Heat Conductivity of Pure Metals Below 1 K", Physics Letters, 7 (3), 183-184 (November 15, 1963).

Copper; gold; iron; titanium; thermal conductivity; 0.2 K

255. DeBoisblanc, W. R., "Tensile Testing of 18% Ni Maraging Steel at -423 F", Technical Report M-2143, Aerojet-General Corporation (July 23, 1976).

Maraging steel; ultimate tensile strength; tensile yield strength; elongation; reduction in area; modulus of elasticity; -423 F

256. DeBoisblanc, W. R., "Cryogenic Tensile Properties of 6061-T6 Aluminum and 5Al-2.5Sn ELI Titanium", Technical Report M-2137, Aerojet-General Corporation (May 23, 1963).

6061-T6; Ti-5Al-2.5Sn; ultimate tensile strength; tensile yield strength; elongation; reduction in area; -423 F

257. DeMoney, F. W., "Proposed Case For Aluminum Alloy 7039-T61 & -T6151", submitted to the ASME Boiler & Pressure Vessel Code Committee (October 24, 1963).

7039-T61; ultimate tensile strength; tensile yield strength; elongation; reduction in area; notch tensile strength; weld properties; -423 F

258. DeSisto, T. S., "Low Temperature Mechanical Properties of Base and Weld Deposits of Selected Austenitic Stainless Steels", Technical Report AMRA-TR-63-08, Watertown Arsenal (July 1963).

AISI 301; AISI 310; AISI 316; AISI 347; ultimate tensile strength; notch tensile strength; elongation; reduction in area; weld properties; impact properties; -269 C

259. Fenton, E. W., Rogers, J. S., and Woods, S. B., "Lorenz Numbers of Pure Aluminum, Silver, and Gold at Low Temperatures", Canadian Journal of Physics, 41, 2026-2033 (1963).

Aluminum; silver; gold; thermal conductivity; electrical conductivity; 2 K

260. Gill, R. S., "Comparative Tensile and Fatigue Properties at Room Temperature and at -423 F of Some Welded Centaur Tank Joint Configurations", Technical Report NASA CR-54689, General Dynamics, Contract NAS 3-3232 (October 11, 1963).

AISI 301; AISI 310; ultimate tensile strength; weld properties; fatigue properties; -423 F

261. Gruner, J. D., "The Effects of Chemical Milling and Chemically Milled Steps on the Mechanical Properties of Type 301 EH and Type 310 EH Stainless Steels at Room and Liquid Hydrogen Temperatures", Technical Report AR-592-1-473, Convair/General Dynamics (July 3, 1963).

AISI 301; AISI 310; ultimate tensile strength; tensile yield strength; elongation; notch tensile strength; fatigue properties; -423 F

262. Henry, W. G., and Schroeder, P. A., "The Low-Temperature Resistivities and Thermopowers of Alpha-Phase Copper-Zinc Alloys", Canadian Journal of Physics, 41, 1076-1093 (1963).

Copper; Cu-10Zn; Cu-25Zn; electrical resistivity; thermal conductivity; specific heat; 4.2 K

263. Ho, J. C., O'Neal, H. R., and Phillips, N. E., "Low Temperature Heat Capacities of Constantan and Manganin", Review of Scientific Instruments, 34 (7), 782-783 (July 1963).

Cu-13Mn (Manganin); Cu-43Ni (Constantan); specific heat; 4.2 K

264. Hooper. A. F., and Christian, J. L., "Mechanical Properties of Titanium-5Al-2.5Sn Alloy at Room and Cryogenic Temperatures", Technical Report, General Dynamics, Contract AF 33 (616)-7984 (March 1963).

Ti-5Al-2.5Sn; ultimate tensile strength; tensile yield strength; elongation; notch tensile strength; weld properties; -423 F

265. Hooper, A. F., and Christian, J. L., "Evaluation of 2017-T4, 2117-T4, and 5056-H32 Aluminum Alloys at Cryogenic Temperatures", Technical Report AR-592-1-375, General Dynamics, Contract AF 33(616)-7984 (March 1963).

2017-T4; 2217-T4; 5056-H32; ultimate tensile strength; tensile yield strength; elongation; reduction in area; notch tensile strength; -423 F

266. Hurlich, A., and Scheck, W. G., "Evaluation and Application of Stainless Steels in Cryogenic Environments", Advances in the Technology of Stainless Steels and Related Alloys, ASTM Special Technical Publication No. 369, pp 127-135 (1963).

AISI 301; AISI 304L; AISI 310; ultimate tensile strength; tensile yield strength; elongation; -423 F

267. Kaufman, J. G., and Johnson, E. W., "Notch Sensitivity of Aluminum Alloy Sheet and Plate at -320 F Based Upon Notch-Yield Ratio", Proceedings of the 1962 Cryogenic Engineering Conference, 678-685 (1963).

2014; 2020; 2024; 2219; 5154; 5454; 5456; 6061; 7075; 7079; 7178; ultimate tensile strength; tensile yield strength; elongation; notch tensile strength; -320 F

268. Kaufman, J. G., Nelson, F. G., and Johnson, E. W., "Properties of Aluminum Alloy 2219 Sheet, Plate, and Welded Joints at Low Temperatures", Proceedings of the 1962 Cryogenic Engineering Conference, 661-670 (1963).

2219; ultimate tensile strength; tensile yield strength; elongation; reduction in area; notch tensile strength; weld properties; impact properties; -320 F

269. Keys, R. D., and Schwartzberg, F. R., "Techniques for Axial Testing of Sheet Materials Down to -423 F", Paper presented at the Sixty-Sixth Meeting of the American Society for Testing and Materials, Atlantic City, New Jersey (June 23-28, 1963).

5456-H343; Ti-5Al-2.5Sn; fatigue properties; -423 F

270. LeBlanc, M.A.R., "Behavior of the Magnetization and Transport Current in NbZr Wire", Physics Letters, 6 (2), 140-143 (September 1, 1963).

Nb-25Zr; magnetization, 4.2 K

271. Lorenz, P. M., South-Worth, H. L., Fleming, F. C., and Ottlyk, A. A., "Investigation of Low-Cycle Fatigue Failures Using Applied Fracture Mechanics", Technical Progress Report, Boeing Company (June 1963).

D6AC; Ti-6Al-4V; ultimate tensile strength; tensile yield strength; elongation; reduction in area; fracture toughness; -320 F

272. Lovoy, C. V., "Low Temperature Mechanical Properties of Aluminum Alloys X2119 and 2219", Internal Note IN-P&VE-M-63-4, MASA George C. Marshall Space Flight Center (March 27, 1963).

2119-T6; 2219-T6; ultimate tensile strength; tensile yield strength; elongation; notch tensile strength; -423 F

273. Meyer, G., "Magnetic Properties of Superconducting Nb-Sn Sintered Samples", Physics Letters, 7 (2), 93-94 (November 1, 1963).

Nb_3Sn; magnetic properties; 17.6 K

274. Montano, J. W., "Low Temperature Mechanical Properties of 'Unitemp' 212 Alloy", Internal Note IN-P&VE-M-63-14, NASA George C. Marshall Space Flight Center (December 7, 1963).

Unitemp 212; A-286; Ti-6Al-4V; Waspalloy; ultimate tensile strength; tensile yield strength; elongation; notch tensile strength; -423 F

275. Pendleberry, S. L., "Fracture Strength of 6Al-4V-Ti, 5Al-2.5Sn-Ti, and 2014-T6 Al Sheet Containing Shallow Cracks at Room Temperature and -423 F", Transactions of the ASM, 56, 744-752 (1963).

Ti-6Al-4V; Ti-5Al-2.5Sn; 2014-T6; fracture properties; -423 F

276. Radhakrishna, P., and Nielsen, M., "Thermal Conductivity of Niobium-Zirconium Alloys at Low Temperatures", Physics Letters, 6 (1), 36-38 (August 15, 1963).

Nb-0.2Zr; Nb-2Zr; thermal conductivity; 1.6 K

277. Rhodes, B. L., Moeller, C. E., Hopkins, V., and Marx, T. I., "Thermal Expansion of Several Technical Metals From -255 to 300 C", Proceedings of the 1962 Cryogenic Engineering Conference, 278-286 (1963).

Aluminum; copper; 2014-T6; 2219-T81; 5456-H343; 7075-T6; 7079-T6; Inconel X-750; Rene 41; 17-7PH; A-286; Carpenter 20Cb; AISI 301; AISI 347; AISI 410; Ti-6Al-4V; thermal expansion; -255 C

278. Rice, L. P., Campbell, J. E., and Simmons, W. F., "The Tensile Property Evaluation of One 5000-Series Aluminum Alloys at the Temperature of Liquid Helium", Proceedings of the 9162 Cryogenic Engineering Conference, 671-677 (1963).

5083-0; 5083-H113; ultimate tensile strength; tensile yield strength; elongation; reduction in area; notch tensile strength; -452 F

279. Schwartzberg, F. R., Keys, R. D., Brown, M. J., and Reightler, C. L., "Determination of Low-Temperature Fatigue Properties of Aluminum and Titanium Alloys", NASA CR-63-29, The Martin Company, Contract NAS 8-2631 (July 1963).

2014-T6; 2219-T87; 2020-T6; 5456-H343; 7075-T6; Ti-5Al-2.5Sn; Ti-6Al-4V; Ti-13V-11Cr-3Al; ultimate tensile strength; tensile yield strength; elongation; weld properties; modulus of elasticity; fatigue properties; -423 F

280. Shannon, J. L., Jr., and Brown, W. F., Jr., "Effects of Several Alloy Production and Fabrication Variables on the Sharp Notch Properties of 5Al-2.5Sn-Ti Sheet at Liquid Hydrogen Temperature", Paper presented at the Annual ASTM Meeting, Atlantic City, New Jersey (June 23, 1963).

Ti-5Al-2.5Sn; ultimate tensile strength; tensile yield strength; notch tensile strength; weld properties; fracture toughness; -423 F

281. Srawley, J. E., and Lupton, T. C., "Tensile and Impact Properties of Some Maraging Steel Compositions", Technical Report NRL-5916, Naval Research Laboratory (April 1963).

Maraging (200); ultimate tensile strength; tensile yield strength; reduction in area; elongation; impact properties; -20 F

282. Swartz, P. S., "Evidence for the Negative Surface Energy Models of Superconductivity in Nb_3Sn, Nb_3Al, V_3Ga, and V_3Si", Journal of Applied Physics, 34 (4), 1365-1366 (April 1963).

Nb_3Sn; V_3Ga; superconductivity; magnetization; 4.2 K

283. Tiffany, C. F., Lorenz, P. M., Southworth, H. L., Pall, F. A., Ottlyk, A. A., Fleming, F. C., and Robinson, V. R., "Investigation of Low-Cycle Fatigue Failures Using Applied Fracture Mechanics", Technical Progress Report, Boeing Company, WPAFB Contract AF 33(657)-10251 (October 1963).

Maraging (300); D6AC; fracture toughness; room temperature

Ti-6Al-4V; fracture toughness; -320 F

284. Warren, K. A., and Reed, R. P. "Tensile and Impact Properties of Selected Materials From 20 to 300 K", National Bureau of Standards Monograph 63 (June 28, 1963).

1100 aluminum; 356-T6; 2020-T6; 2024-T86; 6061-T6; 7075-T6; Elgiloy; Stellite 3; Stellite 25; Berylco 25; Cu-30Zn; copper; Invar; Ni-Span C; Vascojet 1000; 17-4PH; 17-7PH; A-286; AISI 301; AISI 302; AISI 303; AISI 304L; AISI 310; AISI 321; AISI 347; AISI 410; AISI 416; AISI 440C; AISI 1075; AISI 4340; 9Ni steel; Inconel 600; Inconel X-750; Monel alloy K-500; nickel; Rene 41; Ti-5Al-2.5Sn; Ti-13V-11Cr-3Al; Ti-6Al-4V; ultimate tensile strength; tensile yield strength; elongation; reduction in area; impact properties; 20 K

285. Weiss, V., and Roy, A., "Further Material Evaluation for Supersonic Transport Aircraft", Final Report, S.U.R.I. Report MET. E. 873-6312-F, Syracuse University Research Institute, Contract NASr-43 (December 1963).

15-7PH; Ti-6Al-4V; Ti-4Al-3Mo-1V; Ti-5Al-2.75Cr-1.25Fe; Ti-8Al-1Mo-1V; ultimate tensile strength; tensile yield strength; elongation; modulus of elasticity; notch tensile strength; fatigue properties; -320 F

286. Wroth, R. S., "Effect of Filler Metal Chemistry on the Mechanical Properties of Weldments in 2014-T6 Aluminum", Technical Report SM-43090, Douglas Aircraft Company (1963).

2014-T6; weld properties; ultimate tensile strength; tensile yield strength; elongation; -321 F

287. Ziegler, W. T., Mullins, J. C., and Hwa, S.C.P., "Specific Heat and Thermal Conductivity of Four Commercial Titanium Alloys for 20 to 300 K", Proceedings of the 1962 Cryogenic Engineering Conference, 268-277 (1963).

Ti-6Al-4V; Ti-4Al-3Mo-1V; Ti-13V-11Cr-3Al; Ti-16V-2.5Al; specific heat; thermal conductivity; 20 K

1964

288. "Armco 21-6-9 Stainless Steel", Product Data Bulletin S-10A, Armco Steel Corporation (1964).

21-6-9; ultimate tensile strength; tensile yield strength; elongation; thermal expansion; thermal conductivity; magnetic permeability; -320 F

289. "Fluorocarbon Plastics", Materials in Design Engineering, 59 (2), (February 1964).

Polytetrafluoroethylene; polychlorotrifluoroethylene; elongation; ultimate tensile strength; compressive strength; thermal expansion; electrical properties; -423 F

290. "Low Temperature and Cryogenic Steels: How to Choose, Use and Weld Them", Welding Design and Fabrication, 37 (4), 51-73 (April 1964).

3Ni steel; 9Ni steel; AISI 304; AISI 304L; AISI 302; AISI 310; AISI 316; AISI 321; AISI 347; ultimate tensile strength; tensile yield strength; elongation; notch tensile strength; impact properties; weld properties; -423 F

291. Alper, R. H., "Cryogenically Stretch-Formed Type 301 Stainless Steel for Cryogenic Service", Materials Research & Standards, 4 (10), 525-532 (October 1964).

AISI 301; ultimate tensile strength; tensile yield strength; elongation; notch tensile strength; -320 F

292. Alper, R. H., "Development of High Strength Alloys by Cryogenic Stretchforming", Final Report, Part I, Arde-Portland, Inc., Contract NOw-63-0387-c (September 17, 1964).

AISI 301; ultimate tensile strength; elongation; weld properties; -320 F

293. Anderson, W. A., Kaufman, J. G., and Kane, J. E., "Notch Sensitivity of Aluminum-Zinc-Magnesium Alloys at Cryogenic Temperatures", Proceedings of the 1963 Cryogenic Engineering Conference, 104-111 (1964).

7002; 7005; 7006; 7039; 7106; ultimate tensile strength; tensile yield strength; elongation; notch tensile strength; -423 F

294. Bringer, R. P., "CTFE Fluorocarbons", Machine Design, 36 (22), 73-75 (September 17, 1964).

Polychlorotrifluoroethylene; thermal expansion; -423 F

295. Brink, N. O., "Mechanical Behavior of Reinforced Plastics at Cryogenic Temperatures", SPE Journal, 20 (10), 1123-1131 (October 1964).

Resin matrix composites; ultimate tensile strength; flexure strength; compressive strength; compressive modulus; fatigue properties; -424 F

296. Broadwell, R. G., and Wood, R. A., "Titanium Alloys for Cryogenic Service", Materials Research & Standards, 4 (10), 549-554 (October 1964).

Ti-13V-11Cr-3Al; Ti-5Al-2.5Sn; Ti-6Al-4V; Ti-6.5Al; Ti-8Al; Ti-6Al-6V-2Sn; Ti-8Al-1Mo-1V; ultimate tensile strength; tensile yield strength; elongation; notch tensile strength; impact properties; -423 F

297. Bukh, A., "Band of the Boundary of Fatigue With Other Mechanical Properties on Metal", Translation of Mashinostroene, (4), 20-23 (1964).

Aluminum alloys; fatigue properties; -320 F

298. Burdekin, F. M., "The Fracture Strength of Welded 3½% and 9% Nickel Steels at Low Temperature", British Welding Journal, 11, 586-592 (November 1964).

3Ni steel; 9Ni steel; fracture properties; impact properties; -196 C

299. Campbell, J. E., "Evaluation of Special Metal Properties", Technical Report, Battelle Memorial Institute (September 1964).

Aluminum alloys; nickel alloys; titanium alloys; stainless steel; ultimate tensile strength; tensile yield strength; elongation; fracture toughness; fatigue properties; -423 F

300. Campbell, J. E., "Aluminum Alloys for Cryogenic Service", Materials Research & Standards, 4 (10), 540-548 (October 1964).

2014-T6; 2024-T4; 2219-T81; 5083-H38; 5456-H321; 6061-T6; 7079-T6; 7039-T6; 7106; 355-T6; 356-T6; ultimate tensile strength; tensile yield strength; elongation; weld properties; modulus of elasticity; notch tensile strength; fatigue properties; -423 F

301. Carr, R. H., McCammon, R. D., and White, G. K., "The Thermal Expansion of Copper at Low Temperatures", Proceedings of the Royal Society of London, 280, 72-84 (August 11, 1964).

Copper; thermal expansion; 2 K

302. Chamberlain, D. W., Lloyd, B. R., and Tennent, R. L., "Determination of the Performance of Plastic Laminates at Cryogenic Temperatures", Technical Documentary Report ASD-TDR-620794, Part II, Narmco R&D Division of Telecomputing Corporation, Contract AF 33(616)-8289 (March 1964).

Resin matrix composites; ultimate tensile strength; compressive strength; compressive modulus; flexure strength; bearing properties; fatigue properties; -423 F

303. Christian, J. L., Yang, C. T., and Witzell, W. E., "Physical and Mechanical Properties of Pressure Vessel Material for Application in a Cryogenic Environment", Summary Report GD/A 63-0818-3, Astronautics/General Dynamics, Contract AF 33(657)-11289, Phase II (May 15, 1964).

AISI 304; AISI 310; Maraging (250); Rene 41; Hastelloy B; Inconel 718; 7039-T6; 2219-T81; Ti-5Al-2.5Sn; Ti-6Al-4V; ultimate tensile strength; tensile yield strength; elongation; modulus of elasticity; notch tensile strength; fracture toughness; weld properties; -423 F

304. Christian, J. L., Yang, C. T., and Witzell, W. E., "Physical and Mechanical Properties of Pressure Vessel Materials for Application in a Cryogenic Environment. Part III", Technical Report ASD-TDR-62-258-Part 3, General Dynamics, Contract AF 33(657)-11289 (December 1964).

AISI 304; AISI 310; maraging (250); Rene 41; Hastelloy B; Inconel 718; 7039-T6; 2219-T81; Ti-5Al-2.5Sn; Ti-6Al-4V; ultimate tensile strength; tensile yield strength; elongation; modulus of elasticity; notch tensile strength; fracture toughness; weld properties; -423 F

305. Christian, J. L., "Effects of Chemistry and Processing on the Mechanical Properties of Engineering Alloys at Cryogenic Temperatures", Metals Engineering Quarterly, 4 (3), 53-63 (August 1964).

AISI 301; AISI 310; AM 355; Ti-5Al-2.5Sn; Ti-6Al-4V; Ti-8Al-2Cb-1Ta; ultimate tensile strength; tensile yield strength; elongation; notch tensile strength; -423 F

306. Cody, G. D., and Cohen, R. W., "Thermal Conductivity of Nb_3Sn", Reviews of Modern Physics, 36 (1), 121-123 (January 1964).

Nb_3Sn; thermal conductivity; 2.6 K

307. Collings, E. W., Hedgcock, F. T., et al, "Magnetic and Electrical Properties of Some Ternary Mg-Mn-Al Alloys at Low Temperatures", Philosophical Magazine, Series 8, 10 (103), 159-167 (July 1964).

Magnesium alloys; electrical resistivity; magnetic susceptibility; magnetoresistance; 4.2 K

308. Cribier, D., Farnoux, B., Jacrot, B., Rao, L. M., et al, "Neutron Diffraction by Vortex Lines in Superconducting Niobium", Paper presented at the International Conference on Magnetism, Nottingham (September 1964).

Niobium; magnetic induction; superconductivity; 4.2 K

309. Cullen, G. W., and Novak, R. L., "Effect of Fast-Neutron-Induced Defects on the Current Carrying Behavior of Superconducting Nb_3Sn", Applied Physics Letters, 4 (8), 147-149 (April 15, 1964).

Nb_3Sn; superconductivity; 4.2 K

310. D'Annessa, A. T., and Friend, R. E., "Properties of X7000-Series Aluminum Alloy Weldments", Welding Journal, Welding Research Supplement, 43, 337s-343s (August 1964).

7002; 7006; 7039; ultimate tensile strength; tensile yield strength; elongation; weld properties; -320 F

311. DeMoney, F. W., "Performance of a New Cryogenic Aluminum Alloy, 7039", Proceedings of the 1963 Cryogenic Engineering Conference, 112-123 (1964).

7039-T6; ultimate tensile strength; tensile yield strength; elongation; notch tensile strength; weld properties; -320 F

312. Denaburg, C. R., "Low Temperature Mechanical Properties of 8Al-1Mo-1V Titanium Alloys and Composite Weldments", Technical Memorandum NASA TM X-53178 (December 11, 1964).

Ti-6Al-4V; Ti-8Al-1Mo-1V; ultimate tensile strength; tensile yield strength; elongation; notch tensile strength; weld properties; -253 C

313. DeSisto, T. S., and Carr, F. L., "The Influence of Subzero Rolling on the Tensile Properties of Commercially Pure Titanium ", Technical Report AMRA TR-64-47, Watertown Arsenal (December 1964).

Ti-55A; ultimate tensile strength; elongation; reduction in area; -320 F

314. DeSorbo, W., "Resistive Transition and Current Density Characteristics in Superconducting Niobium Containing Dissolved Gases", Physical Review, 134 (5A), A1119-A1135 (June 1, 1964).

Niobium; superconductivity; 4.2 K

315. DeSorbo, W., "The Influence of Impurities and Solutes (Primarily Zirconium) on the High-Current-Carrying, High-Field Nb_3Sn Superconductor", Cryogenics, 4 (2), 218-232 (August 1964).

Nb_3Sn; superconductivity; 4.2 K

316. Dupre, A., Van Itterbeek, A., and Michiels, L., "Heat Conductivity of Copper Below 1 K", Physics Letters, 8 (2), 99-100 (January 15, 1964).

Copper; thermal conductivity; below 1 K

317. Eichenberger, T. W., "Mechanical Property and Fracture Toughness Evaluation of 2219-T6E46 for Cryogenic Applications", Final Report D2-81287, Boeing Company, Contract AF 33(615)-1624 (July 16, 1964).

2219-T6E46; ultimate tensile strength; tensile yield strength; notch tensile strength; creep properties; fatigue properties; fracture toughness; -423 F

318. Evans, R. M., "The Welding and Brazing of Alloy 718", DMIC Report 204 (June 1, 1964).

Inconel 718; weld properties; fracture toughness; -320 F

319. Flannery, J. W., and Witherell, C. E., "Welding 3½ and 9 Percent Nickel Steels and 36 Percent Nickel-Iron Alloy for Cryogenic Service", Materials Research & Standards, 4 (10), 533-539 (October 1964).

3Ni steel; 9Ni steel; Invar; ultimate tensile strength; tensile yield strength; elongation; impact properties; weld properties; -423 F

320. Fox, D. K., and Pryle, W. H., "Test Apparatus and Tensile Properties of Niobium-Zirconium Superconductor Alloy Wire in the Temperature Range 300 to 4.2 K", Proceedings of the 1963 Cryogenic Engineering Conference, 124-130 (1964).

Nb-25Zr; ultimate tensile strength; tensile yield strength; reduction in area; 4.2 K

321. Furukawa, G. T., Reilly, M. L., and Saba, W. G., "Electrical Resistances of Wires of Low Temperature Coefficient of Resistance Useful in Calorimetry (10-380 K)", Review of Scientific Instruments, 35 (1), 113-114 (January 1964).

Cu-12Mn-4Ni (Manganin); Cu-43Ni (Constantan)(Advance); Ni-20Cr (Karma); Ni-20Cr-2.5Al-2.5Cu (Evanohm); electrical resistivity; 10 K

322. Girton, L. D., "Evlauation of Sheet Alloy 718 for Formed and Welded Missile Parts", Technical Report GD/A-ERR-AN-656, General Dynamics/Astronautics (December 1964).

Inconel 718; AISI 301; ultimate tensile strength; tensile yield strength; elongation; notch tensile strength; shear ultimate strength; weld properties; -423 F

323. Gruner, J. D., "Additional Information Pertaining to the Effects of Chemical Milling on the Mechanical Properties of Cold Rolled Stainless Steel", Technical Report AR 592-1-521, General Dynamics/Astronautics (April 16, 1964).

AISI 301; AISI 310; ultimate tensile strength; tensile yield strength; elongation; fatigue properties; weld properties; -423 F

324. Gupta, K. P., Cheng, C. H., and Beck, P. A., "Low-Temperature Specific Heat of F.C.C. Alloys of 3d-Transition Elements", Journal of Physical Chemistry Solids, 25, 73-83 (1964).

Iron alloys; vanadium alloys; manganese alloys; nickel alloys; cobalt alloys; specific heat; 1.4 K

325. Hamilton, H., and Katcher, M., "Which Metals For Cryogenic Applications?", Materials in Design Engineering, 59 (5), 83-86 (May 1964).

Ti-6Al-4V; Ti-5Al-2.5Sn; AISI 301; AISI 310; A-286; 2014-T6; 2024-T3; 2219-T81; 6061-T6; Inconel X-750; Rene 41; L-605; -423 F; ultimate tensile strength; tensile yield strength; -320 F

326. Haskins, J. F., Campbell, M. D., Hertz, J., and Percy, J. L., "Thermophysical Properties of Plastic Materials and Composites to Liquid Hydrogen Temperature (-423 F)", Technical Documentary Report ML-TDR-64-33, Part I, General Dynamics/Astronautics, Contract AF 33(657)-9160 (June 1964).

Fiber reinforced composites; resin matrix composites; specific heat; thermal conductivity; thermal expansion; -423 F

327. Heiniger, F., and Muller, J., "Bulk Superconductivity in Dilute Hexagonal Titanium Alloys", Physical Review, 134 (6A), A1407-A1409 (June 15, 1964).

Titanium alloys; superconductivity; specific heat; -320 F

328. Inouye, F. T., "Inconel 718 Mechanical Properties at -423 F", Technical Report 64-132, Aerojet-General Corporation (January 31, 1964).

Inconel 718; ultimate tensile strength; tensile yield strength; elongation; -423 F

329. Jolley, C. E., Homsy, C. A., and Reed, J. C., "TFE-FEP Fluorocarbons", Machine Design, 36 (22), 67-73 (September 17, 1964).

Polytetrafluoroethylene; ultimate tensile strength; tensile yield strength; elongation; flexural modulus; compressive strength; thermal conductivity; -420 F

330. Jolley, W., and Hull, D., "Effect of Prestrain Aging on the Brittle Fracture of 3.25% Silicon Iron", Acta Metallurgica, 12, 1337-1352 (December 1964).

Fe-3.25Si; fracture properties; 77 K

331. Kamm, G. N., and Alers, G. A., "Low-Temperature Elastic Moduli of Aluminum", Journal of Applied Physics, 35 (2), 327-330 (February 1964).

Aluminum; modulus of elasticity; 4.2 K

332. Kendall, E. G., "Metals and Alloys for Cryogenic Applications - A Review", Technical Report SSD-63-371, Aerospace Corporation, Contract AF04 (695)-269 (January 1964).

AISI 202; AISI 301; AISI 301; AISI 304L; AISI 310; A-286; AM355; Monel alloy K-500; Inconel X-750; Rene 41; L-605; Hastelloy B; 2014-T6; 2017-T4; 2024-T4; 2219-T87; 5052-H38; 5083-H38; 5086-H34; 5154-H38; 5456-H343; 6061-T6; 7075-T6; 7079-T6; 7178-T6; titanium; Ti-5Al-2.5Sn; Ti-5Al-5Zr-5Sn; Ti-6Al-4Zr-1V; Ti-7Al-12Zr; Ti-8Al-2Cb-1Ta; Ti-8Al-1Mo-1V; Ti-6Al-4V; Ti-13V-11Cr-3Al; ultimate tensile strength; tensile yield strength; elongation; notch tensile strength; weld properties; fatigue properties; -423 F

333. Keys, R. D., and Schwartzberg, F. R., "Axial Fatigue Testing of Sheet Materials Down to -423 F", Materials Research and Standards, 4 (5), 222-224 (May 1964).

7075-T6; 5456-H343; Ti-5Al-2.5Sn; fatigue properties; -423 F

334. Klyavin, O. V., and Stepanov, A. V., "Surface Condition as Affecting the Irregular Deformation of Aluminum at T=1.3 K", Physics of Metals and Metallography, 17 (4), 106-113 (1964).

Aluminum; plastic deformation; stress strain data; 1.3 K

335. Lerner, E., Wilson, M. F., Gaines, J. R., and Daunt, J. G., "Magnetic Properties of Cupron Wire at Low Temperatures", Review of Scientific Instruments, 35 (1), 117 (January 1964).

Cu-45Ni (Cupron); magnetization; 4.2 K

336. Lerner, E., and Daunt, J. G., "Magnetoresistance Effect in Advance and Evanohm Wires at Low Temperatures in Fields Up to 50 kG", Review of Scientific Instruments, 35 (8), 1069-1070 (August 1964).

Cu-43Ni (Advance); Ni-20Cr-2.5Al-2.5Cu (Evanhom); magnetoresistance; electrical resistivity; 4.2 K

337. Lismer, R. E., "Copper Alloys for Cryogenic Service - I", Metal Industry, 104 (16), 532-535 (April 16, 1964).

Cu-10Ni (Cupro–nickel); Cu-20Ni (Cupro-nickel); Cu-30Ni (Cupro-nickel); Cu-40Zn (brass); Cu-5Ni-1Fe (Kunifer 5); Cu-20Ni-1Fe (Kunifer 20); Cu-12Mn-7Al-2Ni-2Fe (Superston); notch tensile strength; impact properties; -196 C

338. Lismer, R. E., "Copper Alloys for Cryogenic Service - II", Metal Industry, 104 (17), 564-565 (April 23, 1964).

Cu-20Ni (Cupro-nickel); Cu-30Ni (Cupro-nickel); Cu-5Ni-1Fe (Kunifer 5); Cu-10Ni-1Fe (Kunifer 10); Cu-20Ni-1Fe (Kunifer 20); weld properties; -196 C

339. Livingston, J. D., and Schadler, H. W., "The Effect of Metallurgical Variables on Superconducting Properties", Progress in Materials Science, 12 (3), 185-284 (1964).

Superconductor materials; magnetic properties; electrical properties; review

340. Lorenz, P. M., "Fracture Toughness and Subcritical Flaw Growth Characteristics of Saturn SI-C Tankage Materials", Technical Report D2-22802, Boeing Company, Contract NAS 8-5608 (April 6, 1964).

2219-T87; ultimate tensile strength; tensile yield strength; elongation; reduction in area; weld properties; fracture toughness, -320 F

341. Lubell, M. S., and Chandrasekhar, B. S., "Wide Range Magnetic Field Measurements at 4.2 K", Review of Scientific Instruments, 35 (7), 906-908 (July 1964).

Copper; magnetoresistance; 4.2 K

342. Martin, H. L., "Effects of Low Temperatures on Structural Metals", Technical Report NASA SP-5012 (December 1964).

2014; 2020; 2119; 5052; 5086; 5456; 7002; 7075; 7079; 7178; 355; Carpenter 20Cb; A-286; AISI 202; maraging steel; Ti-6Al-4V; Ti-5Al-2.5Sn; Ti-13V-11Cr-3Al; Inconel X-750; Waspalloy; Monel alloy K-500; Rene 41; LA-91; LA-141; ultimate tensile strength; tensile yield strength; elongation; notch tensile strength; weld properties; -423 F

343. Martin, W. J., Matsuda, T., and Kaluza, E. F., "Study of Titanium Alloy Tankage at Cryogenic Temperatures", Technical Report AM-43116, Douglas Aircraft Company (May 1964).

Ti-6Al-4V; Ti-5Al-2.5Sn; weld properties; -423 F

344. Mathes, K. N., "Electrical and Mechanical Behavior of Polymers at Cryogenic Temperatures", SPE Journal, 20 (7), 634-637 (July 1964).

Polytetrafluoroethylene; polyethylene; dielectric properties; flexure strength; 4.2 K

345. McConville, T., and Serin, B., "Thermal and Magnetic Properties of Second Kind Superconductors. III. Specific Heat of Nb in a Magnetic Field", Reviews of Modern Physics, 36 (1), 112-116 (January 1964).

Niobium; specific heat; 0.06 K

346. McEvoy, J. P., Jr., Decell, R. F., and Novak, R. L., "Effect of Neutron Irradiation on Critical Currents in Hard Superconductors (Nb_3Sn and NbZr)", Applied Physics Letters, 4 (3), 43-45 (February 1, 1964).

Nb_3Sn; Nb-25Zr; superconductivity; 4.2 K

347. "9% Nickel Steel for Low Temperature Service", Manufacturers' Literature, International Nickel Company, Inc.

9Ni steel; ultimate tensile strength; tensile yield strength; elongation; reduction in area; impact properties; weld properties; thermal expansion; magnetic properties; -300 F

348. Mishler, H. W., "Steels for Piping Systems with Maximum Pressures of 10,000 psi, and Operating Between -150 and +150 F", Technical Report RSIC-327, Battelle Memorial Institute, Contract DA-01-021-AMC-2037 (November 1964).

9Ni steel; weld properties; impact properties; fracture properties; -150 F

349. Mueller, C. B., and Saur, E. J., "Influence of Mechanical Constraints on Critical Currents of Superconducting Surface Layers of Nb_3Sn on Niobium and V_3Ga on Vanadium in Transverse Magnetic Fields", Proceedings of the 1963 Cryogenic Engineering Conference, 338-341 (1964).

Nb_3Sn; V_3Ga; superconductivity; 14 K

350. Muto, Y., Noto, K., and Hedgcock, F. T., "Magnetoresistivity Behavior of Some Dilute Cu-Fe, Cu-Mn, and Cu-Zn Alloys at Liquid Helium Temperatures", Canadian Journal of Physics, 42, 15-25 (January 1964).

Copper, copper alloys; magnetic properties; 4.2 K

351. Orange, T. W., "Tensile Coupon Tests of Cryoformed AISI 301 Stainless-Steel Pressure Vessels at Cryogenic Temperatures", NASA Technical Note NASA TN D-2202 (October 1964).

AISI 301; ultimate tensile strength; tensile yield strength; notch tensile strength; fracture toughness; -423 F

352. Peters, R. L., "Specific Heats of Materials at Low Temperatures", Materials in Design Engineering, 59 (5), 87 (May 1964).

Aluminum; beryllium; cobalt; copper; iron; magnesium; molybdenum; nickel; niobium; tin; titanium; tungsten; vanadium; specific heat; nomograph; -450 F

353. Phillips, N. E., "Low-Temperature Heat Capacities of Gallium, Cadmium, and Copper", Physical Review, 134 (2A), A385-A391 (April 20, 1964).

Copper; cadmium; gallium; specific heat; 0.2 K

354. Reed, R. P., and Mikesell, R. P., "An Anomalous Decrease of the Elastic Moduli at Very Low Temperatures in Some 300 Series Stainless Steels", Preprint of Paper No. C-5 presented at the 1964 Cryogenic Engineering Conference at the University of Pennsylvania (August 17-21, 1964).

AISI 302; AISI 303; AISI 310; modulus of elasticity; shear modulus; 20 K

355. Rode, V. W., and Herrmann, R., "The Investigation of the Temperature Dependence of Saturation Magnetization of Some Ferromagnetic Metals at Low Temperatures", Paper presented at the International Conference on Magnetism, Nottingham (September 1964).

Nickel; Ni-26Fe; Ni-37Fe; Ni-59Fe; magnetization; 4.2 K

356. Savitskii, E. M., Baron, V. V., Karasik, V. R., Akhmedov, S. Sh., et al, "The Production of High Magnetic Fields Using a Niobium-Zirconium Alloy", Cryogenics, 4 (2), 102-103 (April 1964).

Nb-25Zr; superconductivity; 4.2 K

357. Schwartzberg, F. R., Kiefer, T. F., and Keys, R. D., "Determination of Low-Temperature Fatigue Properties of Structural Metal Alloys", Final Report, The Martin Company, Contract NAS 8-2631 (October 1964).

2014-T6; 2219-T87; 2219-T62; 7039-T6; 5456-H343; 7075-T6; 2020-T6; Ti-5Al-2.5Sn; Ti-6Al-4V; Ti-13V-11Cr-3Al; AISI 321; ultimate tensile strength; tensile yield strength; elongation; modulus of elasticity; notch tensile strength; weld properties; fatigue properties; -423 F

358. Shapiro, J. M., Taylor, D. R., and Graham, "A Sensitive Dilatometer for Use at Low Temperatures", Canadian Journal of Physics, 42 (5), 835-847 (May 1964).

Copper; thermal expansion; 4.2 K

359. Stinnett, W. D., "Cryogenic Tensile Properties of Selected Materials", Research Report 2712, NASA CR-71751, Aerojet-General Corporation, AEC-NASA Contract SNP-1 (January 1, 1964).

Ti-5Al-2.5Sn; Ti-6Al-4V; AISI 321; AISI 347; AM 350; A-286; maraging (250); Hastelloy C; Inconel X-750; Alloy 713C; A356-T6; 2219-T81; 5456-0; 6061-T6; 7079-T6; Teflon; ultimate tensile strength; tensile yield strength; elongation; reduction in area; notch tensile strength; -423 F

360. Swanson, M. L., "Low-Temperature Recovery of Deformed Aluminum", Canadian Journal of Physics, 42 (10), 1890-1901 (October 1964).

Aluminum; plastic deformation; electrical resistivity; 4 K

361. Tiffany, C. F., and Lorenz, P. M., "An Investigation of Low-Cycle Fatigue Failures Using Applied Fracture Mechanics", ML-TDR-64-53, The Boeing Company, WPAFB Contract AF 33(657)-10251 (May 1964).

Ti-6Al-4V; ultimate tensile strength; tensile yield strength; elongation; reduction in area; fracture toughness; -320 F

362. Toth, J. M., "Barrier Films for Filament-Wound Fiberglass Cryogenic Vessels", Advances in Cryogenic Engineering, 9, 537-544 (1964).

Teflon; Mylar; fiberglass composites; thermal contraction; elongation; compressive properties; -423 F

363. Vance, R. W., "Introduction to Cryogenics: Materials Behavior", Machine Design, 36 (24), 176-179 (October 8, 1964).

Copper; silver; aluminum; titanium; nickel; Teflon; AISI 302; AISI 316; AISI 304; AISI 310; 2024-T6; Ti-5Al-2.5Sn; 2014-T6; tensile yield strength; ultimate tensile strength; specific heat; thermal conductivity; 4.2 K

364. Van Der Hoeven, J. C., Jr., and Keesom, P. H., "Specific Heat of Niobium Between 0.4 and 4.2 K", Physical Review, 134 (5A), A1320-A1321 (June 1, 1964).

Niobium; specific heat; 0.4 K

365. Weiman, S. M., "Cryogenic Properties of Seven Experimental Titanium Alloys", R&D Technical Report SM-44674, Douglas Aircraft Company, Inc. (March 17, 1964).

Ti-5Al-2.5Sn-0.1Fe; Ti-5Al-2.5Sn-0.2Fe; Ti-5Al-2.5Sn-0.3Fe; Ti-5Al-2.5Sn-0.4Fe; Ti-6Al-4Zr-1V; Ti-6Al-4Z4-2V; Ti-4Al; ultimate tensile strength; tensile yield strength; elongation; notch tensile strength; -423 F

366. Witherell, C. E., "Welding Nickel-Iron Alloys of the Invar Type", Welding Journal, Welding Research Supplement, 43, 161s-169s (April 1964).

Invar; Fe-36Ni; weld properties; impact properties; -320 F

1965

367. "Development of Stress Relief Treatments for High Strength Aluminum Alloys", Quarterly Progress Report No. 6, Manlabs, Inc., Contract NAS 1-1091 (June 1965).

7178-T6; 7106-T63; 7039-T651; ultimate tensile strength; tensile yield strength; elongation; reduction in area; fracture toughness; -320 F

368. "Effect of Low Temperatures on Structural Metals", Light Metal Age, 23 (1/2) (February 1965).

2014; 2020; 2119; 5052; 5086; 5456; 7002; 7075; 7079; 7178; 355; A356; Carpenter 20-Cb; A-286; AISI 202; 18Ni maraging; Ti-6Al-4V; Ti-5Al-2.5Sn; Ti-13V-11Cr-3Al; Inconel X-750; Waspalloy; Monel alloy K-500; Rene 41; LA-91; LA-141; ultimate tensile strength; tensile yield strength; elongation; notch tensile strength; weld properties; -423 F

369. "Low Temperature Properties of a Large Inconel 718 Forging for Two Heat Treated Conditions", Technical Report MPR-5-175-08, Rocketdyne/North American Aviation (January 7, 1965).

Inconel 718; ultimate tensile strength; tensile yield strength; notch tensile strength; impact properties; -423 F

370. "Weldable/Heat-Treatable Aluminum Alloy 7039", Manufacturers' Literature, Kaiser Aluminum & Chemical Corporation (June 1965).

7039-T61; 7039-T64; 2219-T62; 7079-T6; 5083-H113; ultimate tensile strength; tensile yield strength; elongation; notch tensile strength; weld properties; impact properties; -320 F

371. Amundsen, T., and Olsen, T., "Size-Dependent Thermal Conductivity in Aluminum Film", Philosophical Magazine, Series 8, 11 (111), 561-574 (March 1965).

Aluminum; thermal conductivity; electrical resistivity; 4.2 K

372. Betts, R. D., "Weld Efficiencies for Inconel 718 TIG Welds. Weld Efficiencies of Inconel 718 Gas Tungsten Arc Welds in the -423 to 1500 F Temperature Range", Final Report MPR-5-175-363, North American Aviation, Inc. (July 27, 1965).

Inconel 718; ultimate tensile strength; tensile yield strength; elongation; weld properties; -423 F

373. Blythe, H. J., Holden, T. M., Dixon, M., and Hoare, F. E., "The Magnetic and Thermal Properties of Some Aluminum-Rich Binary Alloys", Philosophical Magazine, Series 8, 11 (110), 235-250 (February 1965).

Aluminum; Al-2Mg; Al-4Mg; Al-6Mg; Al-8Mg; Al-10Mg; magnetic susceptibility; specific heat; 77 K

374. Bullen, F. P., and Rogers, C. B., "Strain-Hardening Relationships in Polycrystalline Aluminum", Philosophical Magazine, Series 8, 11 (109), 191-196 (January 1965).

Aluminum; copper; flow properties; stress-strain data; 0 K

375. Burford, J. C., and Graham, G. M., "The Molar Heat Capacity of Invar at Low Temperatures", Canadian Journal of Physics, 43, 1915-1917 (October 1965).

Invar; specific heat; 1.4 K

376. Campbell, J. E., "Mechanical Properties of Metals: Review of Recent Developments", Technical Report, Battelle Memorial Institute (July 1965).

Aluminum alloys; chromium alloys; nickel alloys; titanium alloys; stainless steel; mechanical properties; -423 F

377. Campbell, J. E., "Mechanical Properties of Metals", Technical Report, Battelle Memorial Institute (April 1965).

AISI 321; Ti-5Al-2.5Sn; Ti-6Al-4V; Ti-13V-11Cr-3Al; 2014-T6; 2219-T6E46; ultimate tensile strength; tensile yield strength; elongation; notch tensile strength; weld properties; fatigue properties; fracture mechanics; -423 F

378. Campbell, M. D., "Thermal Expansion Characteristics of Some Plastic Materials and Composites from Room Temperature to -253 C", Advances in Cryogenic Engineering, 10, 154-162 (1965).

Polytetrafluoroethylene (Teflon); thermal expansion; -253 C

379. Caren, R. P., Coston, R. M., Holmes, A.M.C., and Dubus, F., "Low-Temperature Tensile, Thermal Contraction, and Gaseous Hydrogen Permeability Data on Hydrogen-Vapor Barrier Materials", Advances in Cryogenic Engineering, 10. 171-180 (1965).

Mylar; fiberglass; laminates; thermal contraction; tensile properties; -320 F

380. Carman, C. M., Armiento, D. F., and Markus, H., "Plane-Strain Fracture Toughness of High-Strength Aluminum Alloys", Transactions of the ASME, 87 (4), 904-916 (December 1965).

5456-0; 7075-T6; 7178-T6; 2014-T6; fracture toughness; -320 F

381. Chang, Y. A., and Hultgren, R., "The Dilation Contribution to the Heat Capacity of Copper and Alpha-Brass at Elevated Temperatures", The Journal of Physical Chemistry, 69 (12), 4162-4165 (December 1965).

Copper; Cu-10Zn (brass); specific heat; 77 K

382. Channing, D. A., and Weintroub, S., "Thermal Expansion of Lead at Low Temperatures", Canadian Journal of Physics, 43 (5), 955-959 (May 1965).

Copper; lead; thermal expansion; 10 K

383. Christian, J. L., and Watson, J. F., "Mechanical Properties of Several 2000 and 6000 Series Aluminum Alloys", Proceedings of the 1964 Cryogenic Engineering Conference, 63-76 (1965).

2014-T6; 2024-T3; 2024-T4; 2219-T81; 2219-T87; 6061-T4; 6061-T6; ultimate tensile strength; tensile yield strength; elongation; notch tensile strength; weld properties; modulus of elasticity; -423 F

384. Claiborne, L. T., and Einspruch, N. G., "Ultrasonic Investigation of the Microstructure of Hard Superconductors", Technical Report AFML-TR-65-254, Texas Instruments Incorporated, Contract AF 33(615)-1633 (August 1965).

Nb-1Zr; Nb-2.6Zr; Nb-3.5Zr; magnetization; ultrasonic studies; 4.2 K

385. Cody, G. C., et al, "Phenomenon of Superconductivity", Technical Report AFML-TR-65-169, Radio Corporation of America, Contract AF 33(657)-11208 (June 1965).

Nb_3Sn; magnetization; specific heat; superconductivity; 18 K

386. Conrad, H., "The Cryogenic Properties of Metals", High-Strength Materials, Chapter 11, 436-509, John Wiley & Sons, Inc., New York (1965).

Copper; aluminum; niobium; titanium; zirconium; ultimate tensile strength; tensile yield strength; elongation; modulus of elasticity; 77 K

387. D'Annessa, A. T., "Fracture Toughness of X7000-Series Aluminum Alloy Plate Weldments", Welding Journal Research Supplement, 44, 509s-522s (November 1965).

7039; 7006; 7002; weld properties; impact properties; fracture toughness; -320 F

388. Denaburg, C. R., "Low Temperature Mechanical Properties Evaluation of TD-Nickel", Internal Note IN-P&VE-M-65-7, NASA George C. Marshall Space Flight Center (December 15, 1965).

TD-Nickel; ultimate tensile strength; tensile yield strength; elongation; -423 F

389. Denaburg, C. R., "Low Temperature Mechanical Properties of Aluminum Alloy 2219-T87, 0.040-Inch Thick Sheet Through 5.000-Inch Thick Plate", NASA TM X-53332 (September 14, 1965).

2219-T87; ultimate tensile strength; tensile yield strength; elongation; notch tensile strength; -253 C

390. DeSisto, T. S., and Hickey, C. F., Jr., "Low-Temperature Mechanical Properties and Fracture Toughness of Ti-6Al-6V-2Sn", Technical Report AMRA-TR-65-17 (July 1965).

Ti-6Al-6V-2Sn; ultimate tensile strength; tensile yield strength; elongation; reduction in area; notch tensile strength; impact properties; fracture toughness; -269 C

391. Dixon, M., Hoare, F. E., Holden, T. M., and Moody, D. E., "The Low Temperature Specific Heats of Some Pure Metals (Cu, Ag, Pt, Al, Ni, Fe, Co)", Proceedings of the Royal Society London, A285 (1403), 561-580 (1965).

Copper; silver; platinum; aluminum; nickel; iron; cobalt; specific heat; 1.2 K

392. Dralle, A. V., and Moore, J., "Magnetic Properties of Materials", Final Report NASA TMX-55356, NASA Goddard Summer Workshop Program in Analysis of Space Data and Measurement of Space Environments, D-61 through D-72 (June 15-September 15, 1965).

7075-T6; 5086-0; 5086-H32; Beryllium-copper; Monel K-500; ZK60A-T6; AZ31B-H24; 6061-T6; AISI 310; brass; AZ92-T6; Inconel X-750; magnetic properties; -320 F

393. Du Chatenier, F. J., Boerstoel, B. M., and DeNobel, "Specific Heat Capacity of a Stainless Steel", Physica, 31, 1061-1062 (1965).

17Cr steel; specific heat; 1.3 K

394. Forsvoll, K., "A Refining Effect in Super Purity Aluminum", Philosophical Magazine, Series 8, 11 (110), 419-422 (February 1965).

Aluminum; electrical resistivity; 4.2 K

395. Fraser, D. B., and Hallett, A.C.H., "The Coefficient of Thermal Expansion of Various Cubic Metals Below 100 K", Canadian Journal of Physics, 43 (2), 193-219 (February 1965).

Copper; silver; gold; aluminum; iron; nickel; thermal expansion; 20 K

396. Gain, B. R., "The Effect of Temperature on Cycle Dependent Deformation", Technical Report AFML-TR-65-288, University of Illinois, Contract AF 33(657)-10822 (August 1965).

OFHC copper; creep properties; shear stress; fatigue properties; 77 K

397. Gniewek, J. J., and Ploge, E., "Cryogenic Behavior of Selected Magnetic Materials", Journal of Research of the National Bureau of Standards - C. Engineering and Instrumentation, 69C (3), 225-236 (July-September 1965).

Fe-3Si; Fe-48Ni; magnetic properties; 4 K

398. Goetzel, C. G., Rittenhouse, J. B., and Singletary, J. B., "Space Materials Handbook. Second Edition", Technical Documentary Report ML-TDR-64-40, Lockheed Missiles & Space Company, Contract AF 33(657)-10107 (January 1965).

Teflon; Kel-F; Mylar; nylon; polyvinyl chloride; ultimate tensile strength; elongation; impact properties; modulus of elasticity; compressive modulus; -423 F

399. Hertz, J., "Survey of Thermal Properties of Selected Materials", Technical Report AR-504-1-553, General Dynamics/Convair (February 15, 1965).

2024; 7075; AISI 301; AISI 321; Ti-5Al-2.5Sn; Ti-6Al-4V; copper; polystyrene; literature survey; specific heat; thermal conductivity; 8 R

400. Isaacs, L. L., "Low Temperature Specific Heat of Gold, Silver, and Copper", Journal of Physical Chemistry, 43 (1), 307-308 (July 1965).

Copper; silver; gold; specific heat; 1.5 K

401. Johnston, H. L., Altman, H. W., and Rubin, T., "Coefficients of Thermal Expansions of Alloys at Low Temperatures", Journal of Chemical and Engineering Data, 10 (3), 241-242 (1965).

Monel 400; AISI 1020; AISI 410; brass; thermal expansion; 18 K

402. Kaufman, J. G., and Wanderer, E. T., "Aluminum for Cryogenic Applications", Machine Design, 37 (30), 199-205 (November 11, 1965).

1100-0; 1100-H14; 2014-T6; 2024-T3; 2219-T81; 2219-T87; 3003-0; 3003-H14; 5083-0; 5083-H321; 5454-0; 5454-H34; 5456-0; 5456-H321; 6061-T6; X7005-T53; 7075-T6; 7075-T73; 7079-T6; X7106-T63; 7178-T6; ultimate tensile strength; tensile yield strength; elongation; -423 F

403. Kaufman, J. G., and Holt, M., "Evaluation of Fracture Characteristics of Aluminum Alloys at Cryogenic Temperatures", Advances in Cryogenic Engineering, 10, 77-85 (1965).

5456-H321; 6061-T651; 2219-T851; X7106-T6351; 2014-T651; 7075-T651; 5083-H113; 7039-T6; 7079-T6; 2024-T3; fracture toughness; tear tests; -423 F

404. Kiefer, T. F., and Keys, R. D., "Fatigue Behavior of Aluminum and Titanium Sheet Materials Down to -423 F", Proceedings of the 1964 Cryogenic Engineering Conference, 1-13 (1965).

2014-T6; 2219-T87; 2020-T6; 5456-H343; 7075-T6; Ti-5Al-2.5Sn; Ti-6Al-4V; Ti-13V-11Cr-3Al; fatigue properties; weld properties; ultimate tensile strength; -423 F

405. Kiefer, T. F., Keys, D. R., and Schwartzberg, F. R., "Charpy Impact Testing at 20 K", Proceedings of the 1964 Cryogenic Engineering Conference, 56-62 (1965).

6061-T6; 5456-H343; 2219-T87; impact properties; 20 K

406. Kiefer, T. F., Keys, R. D., and Schwartzberg, F. R., "Determination of Low-Temperature Fatigue Properties of Structural Metal Alloys", Final Report, The Martin Company, Contract NAS 8-11300 (October 1965).

2014-T6; 7039-T6; 7106-T6; AISI 321; A-286; Inconel 718; Hastelloy C; 2020; 2219; 5456; 7075; ultimate tensile strength; tensile yield strength; elongation; modulus of elasticity; notch tensile strength; weld properties; fatigue properties; -423 F

407. Kramer, B. E., "Development of High Strength, Brazed Aluminum, Honeycomb Sandwich Composites Adaptable for Both Elevated and Cryogenic Temperature Applications", Summary Annual Report ER-802, Aeronca Manufacturing Corporation, Contract NAS 8-5445 (January 15, 1965).

X7005; X7106; 7039; composites; brazing alloys; ultimate tensile strength; tensile yield strength; shear modulus; shear stress; compression properties; -423 F

408. Kropp, C. J., "Development of a Superior Titanium-Base Alloy for Cryogenic Applications", Fifth Quarterly Progress Report, Convair/General Dynamics (November 1, 1965).

Ti-5Al-2.5Sn-2.5V-1Cb-1Ta; Ti-5Al-2.5V-1Cb-1Ta; Ti-6Al-3V-1Cb-1Ta-0.5Mo; Ti-5.5Al-5Sn-2.6Cb-2.5Ta-1V; Ti-6Al-4V-1Cb-1Ta;ultimate tensile strength; tensile yield strength; elongation; notch tensile strength; -423 F

409. Kula, E. B., and DeSisto, T. S., "Plastic Behavior of Metals at Cryogenic Temperatures", Technical Report AMRA TR-65-32, Watertown Arsenal (December 1965).

Monel alloy K-500; Armco iron; Ta-10W; titanium; stress-strain data; -269 C

410. Lindenfeld, P., Lynton, E. A., and Soulen, R., "Metallic Heat Conductivity Below 1 K", Physics Letters, 19 (4), 265 (November 1, 1965).

Electrolytic tough pitch copper; thermal conductivity; electrical resistivity; 4.2 K

411. Martin, H. L., and Imgram, A. G., "Effects of Low Temperature on Structural Metals", Journal of Metals, 17 (7), 735-741 (July 1965).

2014-T6; 2020-T6; 2119-T6; 2219-T6; 5052-H32; 5086-H34; 5456-H343; Inconel X-750; Carpenter 20Cb; AISI 202; maraging steel; Ti-6Al-4V; Ti-5Al-2.5Sn; Ti-13V-11Cr-3Al; LA-91; LA-141; ultimate tensile strength; tensile yield strength; elongation; notch tensile strength; weld properties; -423 F

412. McClaren, S. W., and Foreman, C. R., "Cryogenic Design Data for Materials Subjected to Uniaxial and Multiaxial Stress Field", Technical Report AFML-TR-65-140, Ling-Temco-Vought, Inc., Contract AF 33(615)-1329 (May 1965).

AISI 310; 2219-T81; Ti-5Al-2.5Sn; ultimate tensile strength; tensile yield strength; elongation; modulus of elasticity; Poisson's Ratio; fracture toughness; -423 F

413. McKannan, E. C., and Gause, R. L., "Effects of Nuclear Radiation and Cryogenic Temperatures on Nonmetallic Engineering Materials", Journal of Spacecraft and Rockets, 2 (4), 558-564 (July-August 1965).

Teflon; Kel-F; polystryene; Mylar; ultimate tensile strength; stress-strain data; radiation studies; -253 C

414. Meaden, G. T., Electrical Resistance of Metals, Plenum Press, New York (1965).

Periodic system; electrical resistivity; magnetoresistance; -320 F

415. Miller, P. C., "Metallurgical Evaluation of a New Aluminum Casting Alloy Developed for Space Vehicle Use at Cryogenic Temperatures", Proceedings of the 1964 Cryogenic Engineering Conference, 37-45 (1965).

2219-T87; casting alloys; ultimate tensile strength; tensile yield strength; elongation; impact properties; weld properties; -252 C

416. Montano, J. W., "Low Temperature Mechanical Properties of 'Tensilized' Waspaloy Bolts", Internal Note IN-P&VE-M-65-2, NASA George C. Marshall Space Flight Center (January 28, 1965).

Waspalloy; A-286; ultimate tensile strength; tensile yield strength; elongation; -423 F

417. Morgan, W. R., "Low Temperature Mechanical Properties of HP 9-4-25 Alloy", Technical Memorandum NASA TM X-53302 (July 23, 1965).

9Ni steel; ultimate tensile strength; tensile yield strength; elongation; notch tensile strength; -423 F

418. Nuernberger, H. H., "ALCOA Aluminum Alloy X7106", ALCOA Green Letter, Aluminum Company of America (January 6, 1965).

X7106-T6; ultimate tensile strength; tensile yield strength; elongation; creep properties; compressive properties; stress-strain data; fatigue properties; weld properties; -423 F

419. Pierce, W. S., "Strength Comparison of Flawed Single-Layer and Multilayer AISI 301 Stainless-Steel Pressure Vessels at Cryogenic Temperatures", NASA Technical Note NASA TN D-2949, NASA Lewis Research Center (October 1965).

AISI 301; ultimate tensile strength; tensile yield strength; hoop stress; -423 F

420. Reese, W., and Tucker, J. E., "Thermal Conductivity and Specific Heat of Some Polymers Between 4.5 K and 1 K", Journal of Chemical Physics, 43 (1), 105-114 (July 1, 1965).

Polytetrafluoroethylene (Teflon); polychlorotrifluoroethylene (Kel-F); polyethylene, thermal conductivity; specific heat; 1 K

421. Rhodes, B. L., Moeller, C. E., and Sauer, H. J., "An Apparatus for Determining Thermal Conductivity of Solids from 20 to 600 K", Cryogenics, 5 (1), 17-20 (February 1965).

Copper; 2219-T81; 2014-T6; 5456-H343; thermal conductivity; 20 K

422. Schroeder, P. A., Wolfe, R., and Woollam, J. A., "Thermopowers and Resistivities of Silver-Palladium and Copper-Nickel Alloys", Physical Review, 138 (1A), A105-A111 (1965).

Copper; Cu-1Ni; Cu-3Ni; Cu-10Ni; Cu-17Ni; silver; Ag-1Pd; Ag-6Pd; Ag-10Pd; electrical resistivity; 4.2 K

423. Schwanbeck, C. A., "Effect of Nuclear Radiation on Materials at Cryogenic Temperatures", Final Report, NASA CR-54881, Lockheed-Georgia Company, Contracts NAS 3-7987 and NASw-114 (January 1965).

2014-T651; 2024-T351; 2219-T87; 5083-H321; 5086-H32; 5456-H321; 6061-T6; 7079-T6; 7178-T651; A356-T61; Ti-55A; Ti-5Al-2.5Sn; Ti-6Al-4V; Ti-8Al-1Mo-1V; Rene 41; Monel alloy K-500; Inconel 600; Inconel X-750; AISI 304; AISI 310; AISI 347; A-286; AM 350; 17-7PH; AISI 440C; ultimate tensile strength; tensile yield strength; elongation; reduction in area; notch tensile strength; radiation studies; 30 R

424. Tilley, E. B., "Evaluation of Inconel 718 Alloy", Technical Report RDR 1181-2, International Harvester Company (June 1, 1965).

Inconel 718; ultimate tensile strength; tensile yield strength; elongation; creep properties; -320 F

425. Toth, J. M., and Barber, J. R., "Structural Properties of Glass-Fiber Filament-Wound Cryogenic Pressure Vessels", Advances in Cryogenic Engineering, 10, 134-144 (1965).

Fiberglass composites; resins; polymers; stress-strain data; ultimate tensile strength; thermal contraction; 20 K

426. Tryon, R. W., "The Development of a Superior Titanium-Base Alloy for Cryogenic Applications", Technical Report AFML-TR-65-308, Volume I, Convair/General Dynamics, Contract AF 33(615)-1361 (October 1965).

Ti-5Al-2.5Sn; Ti-5Al-5Sn; Ti-5Al-2.5V; Ti-6Al-3V; Ti-7.5Al-2.5V; alloying additions; ultimate tensile strength; tensile yield strength; elongation; notch tensile strength; -423 F

427. Watson, J. F., Christian, J. L., and Hurlich, A., "Mechanical Properties of Metals", Physics of High Pressures and the Condensed Phase, Chapter 2, John Wiley & Sons, Inc., New York (1965), pp 38-59.

AISI 301; AISI 4340; AISI 310; 17-7PH; Rene 41; L-605; aluminum; 2014-T6; 5085-H34; 7075-T6; Ti-5Al-2.5Sn; Ti-75A; Ti-6Al-4V; Ti-13V-11Cr-3Al; beryllium-copper; ultimate tensile strength; tensile yield strength; elongation; notch tensile strength; -423 F

428. Weleff, W., McQueen, H. S., and Emmons, W. F., "Cryogenic Tensile Properties of Selected Aerospace Materials", Proceedings of the 1964 Cryogenic Engineering Conference, 14-25 (1965).

Ti-5Al-2.5Sn; Ti-6Al-4V; AISI 321; AISI 347; AM 350; A-286; maraging (250); Hastelloy C; Inconel X-750; Alloy 713C; A356-T6; 2219-T87; 5456-0; 6061-T6; 7079-T6; ultimate tensile strength; tensile yield strength; elongation; reduction in area; notch tensile strength; -423 F

429. Weleff, W., Emmons, W. F., and McQueen, H. S., "Shear Strength of Several Alloys at Liquid-Hydrogen Temperatures", Proceedings of the 1964 Cryogenic Engineering Conference, 50-55 (1965).

A356-T6; 6061-T6; 7075-T6; 7079-T6; 2219-T81; 5456-H321; 5456-0; Ti-5Al-2.5Sn; A-286; 17-7PH; AM 350; AISI 304; AISI 321; AISI 347; AISI 410; Inconel X-750; Hastelloy C; ultimate tensile strength; shear ultimate strength; -423 F

430. White, G. K., "Thermal Expansion of Magnetic Metals at Low Temperatures", Proceedings of the Physical Society, 86, Part 1, 159-169 (July 1965).

Iron; nickel; cobalt; Fe-35Ni (Nilo 36); Fe-42Ni (Nilo 40); Fe-51Ni (Nilo 50); Fe-50Mn; thermal expansion; 2 K

1966

431. "Aluminums for Cryogenic Environments. Part I. General Considerations", Cryogenic Engineering News, 1, 18-23, 39 (March 1966).

1100 aluminum; 3003; 5083; 5454; 5456; 6061; 7039; A356; 2014; 2024; 2219; X7005; 7075; 7079; 7178; ultimate tensile strength; tensile yield strength; elongation; -423 F

432. "Aluminums for Cryogenic Environments. Part II. Alloy Groups", Cryogenic Engineering News, 1 (4), 34-36, 44-46 (April 1966).

1100 aluminum; 2014; 2219; 3003; 5083; 5456; 6061; 7039; X7005; X7106; weld properties; test apparatus; -320 F

433. "Low Temperature and Cryogenic Steels", Trade Literature, United States Steel (March 1966).

9Ni steel; AISI 304; AISI 310; AISI 316; AISI 321; ultimate tensile strength; tensile yield strength; elongation; notch tensile strength; compressive yield strength; impact properties; thermal expansion; -425 F

434. Ahlers, G., "Heat Capacity of Copper", The Review of Scientific Instruments, 37 (4), 477-480 (April 1966).

Copper; specific heat; 1.3 K

435. Barron, R., "Low Temperature Properties of Engineering Materials", Cryogenic Systems, Chapter 2, McGraw-Hill Book Company, New York, New York (1966), pp 15-74.

2024-T4; beryllium copper; Monel alloy K-500; titanium; AISI 304; AISI 1020; 9Ni steel; Teflon; ultimate tensile strength; tensile yield strength; fatigue properties; impact properties; modulus of elasticity; thermal conductivity; thermal expansion; 0 R

436. Bean, C. P., et al, "A Research Investigation of the Factors that Affect the Superconducting Properties of Materials", Technical Report AFML-TR-65-431, General Electric Company, Contract AF 33(657)-11722 (March 1966).

Nb_3Sn; V_3Ga; V_3Si; Nb-2Zr; magnetic properties; superconductivity; 4.2 K

437. Beck, E. J., and Mallon, J. A., "Common Bulkhead Joint Developments and Evaluation", Final Report, NASA CR-66-47, The Martin Company, Contract NAS 8-20125 (July 1966).

2014-T6; 2219-T87; 7106-T6; composites; ultimate tensile strength; tensile yield strength; elongation; weld properties; compressive strength; -320 F

438. Bennett, F. W., and Dillon, C. P., "Impact Strength of Austenitic Stainless Steel Welds at -320 F - Effects of Composition, Ferrite Content, and Heat Treatment", Transactions of the ASME Journal of Basic Engineering, 88, 33-36 (March 1966).

AISI 304; AISI 310; AISI 308L, impact properties; weld properties; -320 F

439. Burnier, P., "Cryogenics and Aluminum in Electrical Manufacturing", Advances in Cryogenic Engineering, 11, 668-674 (1966).

Aluminum; electrical resistivity; magnetoresistance; 4.2 K

440. Campbell, J. E., "Review of Recent Developments. Mechanical Properties of Metals", Technical Report, Battelle Memorial Institute (May 1966).

Aluminum alloys; nickel alloys; beryllium alloys; mechanical properties; -423 F

441. Carman, C. M., Forney, J. W., and Katlin, J. M., "Plane Strain Fracture Toughness and Mechanical Properties of 5Al-2.5Sn ELI Titanium at Room and Cryogenic Temperatures", Final Report, NASA CR-54296, Frankford Arsenal, NASA Purchase Order C6860A (April 1966).

Ti-5Al-2.5Sn; ultimate tensile strength; tensile yield strength; elongation; reduction in area; fracture toughness; -423 F

442. Carman, C. M., Forney, J. W., and Katlin, J. M., "Plane Strain Fracture Toughness of 2219-T87 Aluminum Alloy at Room and Cryogenic Temperatures", Technical Report R-1821, NASA CR-54297, Frankford Arsenal, NASA Purchase Order C6860A (August 1966).

2219-T87; ultimate tensile strength; tensile yield strength; elongation; reduction in area; fracture toughness; -423 F

443. Cline, H. E., Strauss, B. P., Rose, R. M., and Wulff, J., "Superconductivity of a Composite of Fine Niobium Wires in Copper", Journal of Applied Physics, 37 (1), 5-8 (January 1966).

Niobium; copper; composites; superconductivity; 4.2 K

444. Clune, L. C., and Green, B. A., Jr., "Low-Temperature Specific Heats of Alpha-CuSn and Alpha-CuZn Alloys", Physical Review, 144, 525-528 (April 15, 1966).

Copper, Cu-6Sn; Cu-2.7Zn; specific heat; 2 K

445. Crane, C. H., Torgerson, R. T., Lovell, D. T., and Baginski, W. A., "Study of Dissimilar Metal Joining by Solid State Welding", Final Report, NASA CR-82460, Boeing Company, Contract NAS 8-20156 (October 1, 1966).

2219; 7106; Ti-5Al-2.5Sn; Ti-8Al-1Mo-1V; AISI 321; Inconel 600; Inconel 718; hardness; thermal expansion; shear stress; weld properties; -423 F

446. Da Silva, J. F., Van Duykeren, N.W.J., and Dokoupil, Z., "Low Temperature Specific Heats of Unannealed Niobium Wires in Magnetic Fields", Physica, 32, 1253-1273 (1966).

Niobium; specific heat; 77 K

447. Davis, R. J., and France, E. J., "Cryogenic Tensile Properties of Ti-6Al-4V Forgings", Industrial Applications Flash Sheet MFS-12533, Douglas Aircraft Company, Contract NAS 7-101 (November 8, 1966).

Ti-6Al-4V; modulus of elasticity; ultimate tensile strength; tensile yield strength; reduction in area; -423 F

448. Du Chatenier, F. J., and DeNobel, J., "Heat Capacities of Pure Copper and Silver and of Dilute Alloys of Cu, Ag, Zn, Mg and Al With Transition Metals of the First Row at Low Temperatures", Physica, 32, 1097-1109 (1966).

Copper; copper alloys; silver; silver alloys; zinc alloys; magnesium alloys; aluminum alloys; specific heat; 1.3 K

449. Eitman, D. A., and Rawe, R. A., "Plane Stress Cyclic Flaw Growth of 2219-T87 Aluminum and 5Al-2.5Sn ELI Titanium Alloys at Room and Cryogenic Temperatures", Final Report, NASA CR-54956, Douglas Aircraft Company, Contract NAS 3-4192 (September 1, 1966).

2219-T87; Ti-5Al-2.5Sn; fracture mechanics; fatigue properties; -423 F

450. Enstrom, R. E., "Superconducting Properties of Nb_6Sn_5 and of Multiphase Nb-Sn Alloys", Journal of Applied Physics, 37 (13), 4880-4882 (December 1966).

Nb_3Sn; Nb_6Sn_5; superconductivity; 4.2 K

451. Ferguson, C. W., "Hypervelocity Impact Effects on Liquid Hydrogen Tanks", Final Report, NASA CR-54852, Douglas Missile & Space Systems, Contract NAS 3-4193 (March 31, 1966).

2219-T87; Ti-5Al-2.5Sn; ultimate tensile strength; tensile yield strength; elongation; fracture toughness; -423 F

452. Fulkerson, W., Moore, J. P., and McElroy, D. L., "Comparison of the Thermal Conductivity, Electrical Resistivity, and Seebeck Coefficient of a High-Purity Iron and an Armco Iron to 1000 C", Journal of Applied Physics, 37 (7), 2639-2653 (June 1966).

Armco iron; thermal conductivity; electrical resistivity; -269 C

453. Galstan, G. N., "Effects of Polymer Chain Orientation Upon the Thermal Conductivity of Polymethyl Methacrylate at Liquid Nitrogen Temperatures", Doctoral Thesis, U.S. Naval Postgraduate School (May 1966).

Polymethyl methacrylate; thermal conductivity; -320 K

454. Grigsby, D. L., "Niobium Alloys and Compounds", Data Sheet Report DS-148, Hughes Aircraft, Contract AF 33(615)-2460 (January 28, 1966).

Niobium alloys; niobium compounds; electrical resistivity; specific heat; thermal conductivity; magnetic hysteresis; magnetic susceptibility; -320 F

455. Hordon, M. J., "Fatigue Behavior of Aluminum in Vacuum", Acta Metallurgica, 14 (10), 1173-1178 (October 1966).

1100 aluminum; fatigue properties; -320 F

456. Horton, J. C., Smith, C. F., and Ruff, R. C., "Low Temperature Thermal Expansion of Structural Metals", Technical Memorandum NASA TM X-53436 (April 18, 1966).

AISI 321; AISI 347; 2017-T4; 6061-T6; 6061-T651; thermal expansion; 12.5 K

457. Hunsicker, H. Y., and Hess, J. H., "New Weldable High-Strength Aluminum Alloys for Cryogenic Service", Proceedings of the 1965 Cryogenic Engineering Conference, 423-435 (1966).

X2021; X7007; 2219; X7106; 5456; ultimate tensile strength; tensile yield strength; elongation; notch tensile strength; weld properties; -320 F

458. Hurd, C. M., "A Magnetic Susceptibility Apparatus for Weakly Magnetic Metals, and the Susceptibility of Pure Copper in the Range 6-300 K", Cryogenics, 6 (5), 264-269 (October 1966).

Copper; magnetic susceptibility; 6 K

459. Hurd, C. M., "Low Temperature Magnetic Susceptibility of Pyrex, Fused Quartz, and Polytetrafluoroethylene", Review of Scientific Instruments, 37 (4), 515-516 (April 1966).

Pyrex; Teflon; magnetic susceptibility; 6.1 K

460. Iannelli, A. A., and Rizzitano, F. J., "Notched Properties of High-Strength Alloys at Various Load Rates and Temperatures", Technical Report AMRA TR-66-13, Army Materials Research Agency (July 1966).

7001-T6; 7075-T6; Ti-6Al-6V-2Sn; maraging steel; ultimate tensile strength; tensile yield strength; elongation; reduction in area; notch tensile strength; -320 F

461. Inouye, F. T., "Properties of Large 7079 Aluminum Alloy Forgings in a Cryogenic Environment", Technical Report NASA-CR-513, Aerojet-General Corporation, Contract NAS 3-2555 (July 1966).

7079-T6: 7075-T6; ultimate tensile strength; tensile yield strength; elongation; notch tensile strength; fatigue properties; -423 F

462. Janser, G. R., "Summary of Materials Technology of M-1 Engine", Technical Report AGC 8800-64, NASA CR-54961, Aerojet-General Corporation, Contract NAS 3-2555 (July 22, 1966).

AISI 9310; maraging (250); AISI 347; Inconel 718; Inconel X-750; AISI 440C; Ti-5Al-2.5Sn; ultimate tensile strength; tensile yield strength; elongation; reduction in area; weld properties; shear ultimate strength; shear modulus; -320 F

463. Kramer, B. E., and Potter, D. Y., "Development of High Strength, Brazed Aluminum, Honeycomb Sandwich Composites Adaptable for Both Elevated and Cryogenic Temperatures Applications. Volume II -- Manufacturing and Testing", Final Report ER-986, Aeronca, Inc., Contract NAS 8-5445 (September 30, 1966).

X7005; X7106; 7039; brazing alloys; composites; ultimate tensile strength; tensile yield strength; elongation; shear ultimate strength; shear modulus; compression properties; -423 F

464. Kropp, C. J., "The Development of a Superior Titanium-Base Alloy for Cryogenic Applications", Technical Report AFML-TR-65-308, Volume II, Convair/General Dynamics, Contract AF 33(616)-1361 (September 1966).

Ti-5Al-2.5Sn-2.5V-1Cb-1Ta; ultimate tensile strength; tensile yield strength; elongation; notch tensile strength; weld properties; -423 F

465. Laverick, C., Lobel, G. M., Purcell, J. R., and Brooks, J. M., "Use of Aluminum in Superconducting Cables", Review of Scientific Instruments, 37 (6), 806-807 (June 1966).

Aluminum; copper; Nb-25Zr; superconductivity; 4.2 K

466. Longson, B., "The Hydrogen Embrittlement of Niobium", TRG Report 1035(C), The Reactor Group, United Kingdom Atomic Energy Authority (1966).

Niobium; ultimate tensile strength; elongation; strain rates; -196 C

467. Lubell, M. S., "Anomalous Critical Currents in Superconducting Noninductive Coils of Nb-25% Zr Wire", Journal of Applied Physics, 37 (1), 258-262 (January 1966).

Nb-25Zr; superconductivity; 4.2 K

468. Lucas, W. R., "The Past, Present, and Future of Metals for Liquid Rockets", Metals Engineering Quarterly, 6 (1), 58-62 (February 1966).

X2021-T8E31; X7007-T6E136; 2219-T87; X7106-T6351; 5456-H343; HK31A-H24; LA-141; LAZ-933; ultimate tensile strength; tensile yield strength; elongation; notch tensile strength; -423 F

469. Martin, D. L., "Specific Heats of Copper, Silver, and Gold Below 30 K", Physical Review, 141 (2), 576-582 (January 1966).

Copper; silver; gold; specific heat; 3 K

470. McClaren, S. W., Foreman, C. R., and Grabinski, J. F., "Biaxial Strength Characteristics of Selected Alloys in a Cryogenic Environment", Final Report 2-53420/6R-2279, NASA CR-65412, LTV Aerospace Corporation, Contract NAS 9-3873 (May 6, 1966).

2219-T87; 2014-T6; Ti-5Al-2.5Sn; Ti-6Al-4V; Inconel 718; ultimate tensile strength; tensile yield strength; elongation; modulus of elasticity; Poisson's ratio; weld properties; fracture toughness; stress-strain data; -423 F

471. McRickard, S. B., "Twinning Deformation in Iron at 4 K", Physica Status Solidi, 18 (1), 89-97 (November 1, 1966).

Iron; deformation; reduction in area; stress-strain data; 4 K

472. Montano, J. W., "Low Temperature Mechanical Properties of High Strength A-286 Bolts", Technical Memorandum NASA TM X-53407 (March 9, 1966).

A-286; ultimate tensile strength; tensile yield strength; elongation; -423 F

473. Morgan, W. R., "Low Temperature Mechanical Properties of Aluminum Alloy 7039-T6 Sheet and Plate", Internal Note IN-P&VE-M-66-6, NASA George C. Marshall Space Flight Center (November 14, 1966).

7039-T6; ultimate tensile strength; tensile yield strength; elongation; -423 F

474. Morgan, W. R., "Low Temperature Mechanical Properties of Inconel 718 and AM 355", Internal Note IN-P&VE-M-66-2, NASA George Marshall Space Flight Center (January 31, 1966).

Inconel 718; AM 355; ultimate tensile strength; tensile yield strength; elongation; -423 F

475. Morgan, W. R., "Low Temperature Mechanical Properties of Aluminum Alloy X7106 Sheet and Plate", Internal Note IN-P&VE-M-66-1, NASA George C. Marshall Space Flight Center (January 31, 1966).

X7106; ultimate tensile strength; tensile yield strength; elongation; -423 F

476. Morgan, W. R., "Low Temperature Mechanical Properties of Berylco Nickel 440 Strip", Internal Note IN-P&VE-M-66-4, NASA Geroge C. Marshall Space Flight Center (August 2, 1966).

Ni-2Be-0.5Ti (Berylco Nickel 440); ultimate tensile strength; tensile yield strength; elongation; notch tensile strength; -423 F

477. Morris, E. E., Darms, F. J., and Landes, R. E., "Low-Cycle, High-Strain Fatigue Resistance of Candidate Materials -- Appendix C", Topical Report NASA CR-54855, Aerojet-General Corporation, Contract NAS 3-6292 (April 1966).

Ti-6Al-4V; AISI 301; Inconel 718; 2219-T87; fiberglass composites; elongation; fracture toughness; fatigue properties; modulus of elasticity; weld properties; ultimate tensile strength; tensile yield strength; notch tensile strength; -423 F

478. Nelson, F. G., Kaufman, J. G., and Holt, M., "Fracture Characteristics of Welds in Aluminum Alloys", Metals Engineering Quarterly, 6 (1), 48-55 (February 1966).

1100; 2319; 5052; 5154; 5183; 5456; 5556; 2219; 2014; 6061; 7075; 7079; 7178; fracture properties; weld properties; -423 F

479. Neuringer, L. J., and Shapira, Y., "Nb-25%Zr In Strong Magnetic Fields: Magnetic, Resistive, Ultrasonic, and Thermal Behavior", Physical Review, 148 (1), 231-246 (August 5, 1966).

Nb-25Zr; magnetization; electrical resistivity; ultrasonic attenuation; thermal properties; 4.2 K

480. Orange, T. W., "Effect of Cold Reduction and Thermal Treatment on Tensile Properties of a Nickel-2 Percent Beryllium Alloy at Cryogenic Temperatures", NASA Technical Note NASA TN D-3196 (January 1966).

Ni-2Be-0.5Ti (Berylco 440); ultimate tensile strength; tensile yield strength; elongation; modulus of elasticity; notch tensile strength; fracture toughness; -423 F

481. Orlov, A. F., and Fedotov, S. G., "Temperature Dependence of the Young's and Shear Moduli of Ni-Cu Alloys", Physics of Metals and Metallography, 22 (1), 146-147 (1966).

Nickel; Ni-7Cu; Ni-12Cu; Ni-36Cu; Ci-35Ni; Cu-22Ni; shear modulus; modulus of elasticity; 0 C

482. Reese, W., "Low-Temperature Thermal Conductivity of Amorphous Polymers: Polystyrene and Polymethylmethacrylate", Journal of Applied Physics, 37 (2), 864-868 (February 1966).

Polymethylmethacrylate; polystyrene; thermal conductivity; 1 K

483. Reese, W., "Low-Temperature Excess Heat Capacity in Glassy Polymers", Journal of Applied Physics, 37 (11), 3959-3961 (October 1966).

Polymethylmethacrylate; polystyrene; polytetrafluoroethylene; specific heat; 1 K

484. Robinson, I. B., and Baysinger, F. R., "Welding Aluminum Alloy 7039", Welding Journal Research Supplement, 45, 433-s through 444-s (October 1966).

7039-T61; 7039-T64; ultimate tensile strength; tensile yield strength; elongation; notch tensile strength; weld properties; -320 F

485. Roseland, L. M., Jr., "Composite Material for Cryogenic Usage", Cryogenic Technology, 23-25 (May/June 1966).

Fiberglass composites; peel strength; -320 F

486. Runsicker, H. Y., and Hess, J. H., "New Weldable High Strength Aluminum Alloys for Cryogenic Service", Technical Report NASA CR-71534, Aluminum Corporation of America, Contract NAS 8-5452 (1966).

X2021-T8E31; X7007-T6; 2219-T87; X7106-T6351; 5456-H343; ultimate tensile strength; tensile yield strength; elongation; notch tensile strength; weld properties; -423 F

487. Ryvkina, D. G., and Yaroshevich, V. D., "Analysis of the Temperature and Rate Dependences of the Low-Temperature Yield Point and Flow Stress of Armco Iron", Physics of Metals and Metallography, 22 (6), 97-103 (1966).

Armco iron; plastic deformation; flow properties; compressive properties; stress-strain data; 77 K

488. Scurlock, R. G., Low Temperature Behaviour of Solids: An Introduction, Dover Publications Inc., New York (1966).

Copper; aluminum; ultimate tensile strength; 0 K

Nb_3Sn; Nb-25Zr; V_3Ga; superconductivity; 4.2 K

Niobium; specific heat; 1 K

489. Smith, R. J., Hegland, D. E., and Kendziorski, P. R., "Preliminary Observations of the Enhancement of Superconducting Current-Carrying Capacity in Niobium Through Hydrogen Treatment", NASA Technical Note NASA TN D-3638 (September 1966).

Niobium; electrical resistivity; superconductivity; 5 K

490. Tiffany, C. F., Lorenz, P. M., and Hall, L. R., "Investigation of Plane-Strain Flaw Growth in Thick-Walled Tanks", Final Report, NASA CR-54837, Boeing Company, Contract NAS 3-4194 (February 1966).

2219-T87; Ti-5Al-2.5Sn; ultimate tensile strength; tensile yield strength; elongation; weld properties; fracture toughness; stress-strain data; -423 F

491. Tucker, J. E., "Heat Capacity on Polyethylene in the Temperature Range of 2.4 to 30 K", Doctorial Thesis, U.S. Naval Postgraduate School (May 1966).

Copper; polyethylene; specific heat; 2.4 K

492. Weleff, W., "Effect of Nuclear Radiation and Liquid Hydrogen on Mechanical Properties of Three Phenolic Materials", Advances in Cryogenic Engineering, 11, 486-491 (1966).

Phenolic asbestos; phenolic linen; phenolic glass; mechanical properties; irradiation tests; -423 F

493. Wessel, E. T., Clark, W. G., and Wilson, W. K., "Engineering Methods for the Design and Selection of Materials Against Fracture", Final Technical Report, Westinghouse Research Laboratories (June 24, 1966).

7079-T6; Ti-6Al-4V; HP 9-4-25 steel; fracture toughness; brittle fracture; stress-strain data; -320 F

494. Yang, C. T., "Analysis of Static Crack Propagation at Room and Cryogenic Temperatures", Metals Engineering Quarterly, 6 (3), 46-51 (August 1966).

AISI 301; AISI 310; 2014-T6; crack propagation; fracture properties; -423 F

495. Yang, C. T., "Cryogenic Temperature Dependence of the Yield Strength of High-Strength Alloys", Transactions of the ASME Journal of Engineering for Industry, Ser. B, 88, 117-128 (February 1966).

AISI 301; AISI 304L; AISI 310; AM 355; 2014; 5052; 5456; 2219; 7039; Ti-5Al-2.5Sn; Ti-5Al-5Zr-5Sn; Rene 41; Monel alloy K-500; Inconel X-750; maraging steel; Inconel 718; ultimate tensile strength; tensile yield strength; -423 F

496. Yee, R., and Zimmerman, G. O., "Low-Temperature Magnetic Susceptibility and Specific Heat of Constantan", Journal of Applied Physics, 37 (9), 3577-4882 (August 1966).

Cu-43Ni-2.7Mn (Constantan); magnetic susceptibility; specific heat; 0.1 K

497. Zakin, J. L., Simha, R., and Hershey, H. C., "Low-Temperature Thermal Expansivities of Polyethylene, Polypropylene, Mixtures of Polyethylene and Polypropylene, and Polystyrene", Journal of Applied Polymer Science, 10, 1455-1473 (1966).

Polyethylene; polystyrene; thermal expansion; -185 C

1967

498. Abuku, S., and Chikazumi, S., "Magnetic Study of Martensite Transformation of Stainless Steel", Journal of the Physical Society of Japan, 23 (1), 83-88 (July 1967).

18Cr steel; phase transformation; magnetic anisotropy; saturation magnetization; -320 F

499. Alekseyevskiy, N. E., Ivanov, O. S., Rayevskiy, I. I., and Stepanov, M. V., "Constitution Diagram of the System Niobium-Titanium-Zirconium and Superconducting Properties of the Alloys", Physics of Metals and Metallography, 23 (1), 28-35 (1967).

Nb-39Ti-20Zr; Nb-9Ti-43Zr; Nb-48Ti-32Zr; superconductivity; phase diagrams; 4.2 K

500. Asay, J. R., Urzendowski, S. R., and Guenther, A. H., "Ultrasonic and Thermal Studies of Selected Plastics, Laminated Materials, and Metals", Technical Report AFWL-TR-67-91, University of Albuquerque, Contract F29(601)-67-C-0042 (October 11, 1967).

Teflon; plexiglass; polyethylene; graphite; thermal expansion; specific heat; -100 C

501. Baranov, I. A., Bychkov, Yu. F., Goncharov, I. N., et al., "Determining the Optimum Conditions of Heat Treatment for the Superconductive Alloy Nb-75 percent Zr", Physics of Metals and Metallography, 23 (1), 145-150 (1967).

Nb-75Zr; superconductivity; 4.2 K

502. Broutman, L. J., "Study of Fracture as Related to Polymer Structure", Second Quarterly Report, Illinois Institute of Technology, Contract DAAG 17-67-C-0133 (December 1967).

Plexiglas; polystyrene; bend test; fracture properties; bend properties; -196 C

503. Campbell, J. E., "Review of Recent Developments, Mechanical Properties of Metals", Technical Report, Battelle Memorial Institute (May 1967).

6063; 5456; 6061; Ti-5Al-2.5Sn; Ti-6Al-4V; Ti-8Al-1Mo-1V; Ti-6Al-6V-2Sn; AISI 4340; compressive properties; creep properties; fracture properties; -423 F

504. Campbell, J. E., "Review of Recent Developments, Mechanical Properties of Metals", Technical Report, Battelle Memorial Institute (November 1967).

7039; 2219; Ti-6Al-4V; Ti-5Al-2.5Sn; Inconel 600; fracture toughness; -423 F

505. Chizhov, A. Kh., "Relation Between the Superconductivity and Microhardness Properties of Niobium", Physics of Metals and Metallography, 23 (5), 87-90 (1967).

Niobium; hardness; superconductivity; 4.2 K

506. Christian, J. L., "Problems, Properties and Selection of Structural Metals for Use in Cryogenic Environment", Technical Report W 7-6.1 presented at the 1967 Westec Conference (March 13-17, 1967).

2014; 2024; 5052; 5456; 6061; 7075; 7079; 7178; Ti-6Al-4V; Ti-5Al-2.5Sn; A-286; Inconel 718; Inconel X-750; ultimate tensile strength; tensile yield strength; elongation; fracture toughness; -423 F

507. Christian, J. L., "Mechanical Properties of Several Nickel-Base Alloys at Room and Cryogenic Temperatures", Proceedings of the 1966 Cryogenic Engineering Conference, 520-530 (1967).

Hastelloy C; R-235; Rene 41; TD-Nickel; Inconel 718; ultimate tensile strength; tensile yield strength; elongation; notch tensile strength; weld properties; -423 F

508. Conrad, H., "Thermally Activated Deformation of Alpha Titanium Below 0.4 T_M", Canadian Journal of Physics, 45, 581-590 (1967).

Titanium; stress-strain data; plastic deformation; strain rate; flow properties; 77 K

509. Corn, D. L., "Cryogenic Properties of 18Ni-9Co-5Mo and 18Ni-7Co-5Mo Maraging Steel Sheet", Proceedings of the 1966 Cryogenic Engineering Conference, 532-543 (1967).

Maraging (250); maraging (300); ultimate tensile strength; fracture toughness; -423 F

510. Coursen, J. W., Kaufman, J. G., and Sicha, W. E., "Notch Toughness of Some Aluminum Alloy Castings at Cryogenic Temperatures", Proceedings of the 1966 Cryogenic Engineering Conference, 473-483 (1967).

A335-T61; A344-F; 354-T62; 356-T6; 356-T7; A356-T61; A356-T62; A356-T7; 359-T62; C355-T61; A357-T61; A357-T62; ultimate tensile strength; tensile yield strength; elongation; reduction in area; notch tensile strength; -320 F

511. DeMoney, F. W., "Effect of Aging on the Tensile Properties of Alloy 7039 GTA Welds at Low Temperatures", Proceedings of the 1966 Cryogenic Engineering Conference, 500-507 (1967).

7039-T61; ultimate tensile strength; tensile yield strength; elongation; weld properties; -320 F

512. Droll, P. W., and Iufer, E. J., "Magnetic Properties of Selected Spacecraft Materials", NASA TMX-60414 (August 1967).

Nickel; Fe-29Ni-17.5Co (Kovar); Fe-42Ni-1Mn (Dumet); Fe-36Ni (Invar); AISI 304; AISI 410; AISI 416; magnetic properties; 77 K

513. Efferson, K. R., and Leonard, W. J., "Magnetic Properties of Some Structural Materials Used in Cryogenic Applications", Report ORNL-4150, Oak Ridge National Lab, Contract W-7405-ENG-26 (September 1967).

AISI 304; AISI 305; AISI 310; AISI 316; Inconel 600; Inconel 718; A-286; Hastelloy N; Waspalloy; 5083-H113; 7039-T61; 7079-T61; magnetic properties; 4.2 K

514. Eiselstein, H. L., "An Age-Hardenable, Low-Expansion Alloy for Cryogenic Service", Proceedings of the 1966 Cryogenic Engineering Conference, 508-519 (1967).

Fe-39.5Ni-1.5Ti; electrical resistivity; thermal conductivity; modulus of elasticity; Poisson's ratio; ultimate tensile strength; tensile yield strength; elongation; notch tensile strength; weld properties; -320 F

515. Fridlyander, I. N., Ul'yanov, R. A., et al., "Mechanical Properties of Aluminum Alloys at Low Temperatures", Russian Metallurgy, (5), 72-81 (1967).

Russian alloys; aluminum; AMTS; AMG3; AMG5V; AMG6; VAD1; D20; AK8; V92TS; ATSMU; V96; ultimate tensile strength; tensile yield strength; elongation; 4.2 K

516. Gindin, I. A., Lazareva, M. B., Lebedev, V. P., and Starodubov, A. D., "Structure and Mechanical Properties of Copper Rolled at Low Temperatures", Physics of Metals and Metallography, 23 (1), 139-144 (1967).

OFHC copper; mechanical properties; 20 K

517. Gittleman, J. I., et al., "Phenomenon of Superconductivity (Phase II)", Technical Report AFML-TR-67-138, Radio Corporation of America, Contract AF 33(615)-3936 (June 1967).

Nb_3Sn; superconductivity; magnetization; specific heat; 4.2 K

518. Holwech, I., and Jeppesen, J., "Temperature Dependence of the Electrical Resistivity of Aluminum Films", Philosophical Magazine, 15 (134), 217-228 (February 1967).

Aluminum; electrical resistivity, 1.6 K

519. Hull, F. C., "Cryogenic Tensile Properties of Cold Rolled Kromarc 58 Stainless Steel Sheet", Technical Research Report 67-1D6-KROMA-R1, Westinghouse Research Laboratories (May 23, 1967).

Kromarc 58; ultimate tensile strength; tensile yield strength; elongation; reduction in area; notch tensile strength; thermal expansion; -423 F

520. Inouye, F. T., Hunt, V., Janser, G. R., and Frick, V., "Application of Alloy 718 in M-1 Engine Components", Technical Report NASA CR-788, Aerojet-General Corporation, Contract NAS 3-2555 (June 1967).

Inconel 718; ultimate tensile strength; tensile yield strength; elongation; weld properties; thermal expansion; -423 F

521. Jones, R. L., and Conrad, H., "The Effect of Temperature on the Yield Stress of Commercial Purity Alpha-Titanium", Acta Metallurgica, 15, 649-650 (April 1967).

Titanium; tensile yield strength; 4.2 K

522. Kaufman, J. G., Holt, M., and Wanderer, E. T., "Aluminum Alloys for Cryogenic Temperatures", Paper presented at the Cryogenic Engineering Symposium of the Canadian Chemical Conference, Toronto, Canada (June 7, 1967).

1100 aluminum; 2014; X2021; 2024; 2219; 3003; 5083; 5454; 5456; 6061; X7005; 7007; 7039; 7075; 7079; 7178; ultimate tensile strength; tensile yield strength; elongation; weld properties; notch tensile strength; -423 F

523. Kornilov, I. I., Konradi, G. G., Zmievskiy, V. I., et al., "Investigation of the Mechanical Properties of Some Titanium Alloys at Very Low Temperatures", Russian Metallurgy, (1), 78-81 (1967).

Titanium alloys; Russian alloys; OT4; VT5-1; VT6S; VT14; ultimate tensile strength; tensile yield strength; elongation; impact properties; weld properties; -253 C

524. "9% Nickel Steel for Low Temperature Service", Manufacturers Literature, International Nickel Company, Inc.

9Ni steel; ultimate tensile strength; tensile yield strength; elongation; impact properties; fatigue properties; thermal conductivity; thermal expansion; specific heat; magnetic saturation; -320 F

525. Midgley, P., and Thackray, R. W., "The Tensile Properties of Some Structural Materials in the Temperature Range 20 C to -253 C: Part I, Aluminum Alloy Sheet HS30WP", Technical Memo 426, Rocket Propulsion Establishment (January 1967).

Aluminum alloys; British alloys; HS30; 6061; ultimate tensile strength; tensile yield strength; elongation; modulus of elasticity; notch tensile strength; -253 C

526. Morrison, J. A., and Newsham. D.M.T., "Comment on Heat Capacity of Polyethylene From 2.5 to 30 K", Journal of Chemical Physics, 47 (7), 2511-2512 (October 1967).

Polyethylene; specific heat; 2.5 K

527. Nachtigall, A. J., Klima, S. J., and Freche, J. C., "Fatigue of Liquid Rocket Engine Metals at Cryogenic Temperatures to -452 F (4 K)", NASA Technical Note NASA TN D-4274 (December 1967).

2014-T6; Inconel 718; Ti-5Al-2.5Sn; AISI 301; ultimate tensile strength; tensile yield strength; modulus of elasticity; notch tensile strength; fatigue properties; -452 F

528. Oates, G., "The Notched Fracture Behaviour of Coarse-Grained Silicon Iron at 77 K", Acta Metallurgica, 15 (10), 1679-1681 (October 1967).

Fe-3.5Si (silicon iron); notch tensile strength; compressive properties; 77 K

529. Osborne, D. W., Flotow, H. E., and Schreiner, F., "Calibration and Use of Germanium Resistance Thermometers for Precise Heat Capacity Measurements from 1 to 25 K. High Purity Copper for Interlaboratory Heat Capacity Comparisons", The Review of Scientific Instruments, 38 (2), 159-168 (February 1967).

Copper; specific heat; 1 K

530. Peterson, N. M., "A Statistical Analysis of Aluminum Welds Tested at Cryogenic Temperatures", Proceedings of the 1966 Cryogenic Engineering Conference, 496-499 (1967).

2014-T6; ultimate tensile strength; weld properties; -423 F

531. Pogodin-Alekseev, G. I., and Sharonova, L. P., "Local and Uniform Plasticity, Strength, and Ductility of Kh18N10T Steel at High and Low Temperatures", Metal Science and Heat Treatment, (6), 436-438 (June 1967).

Stainless steel; Kh18N10T; Russian alloys; impact toughness; tensile strength; plasticity; ductility; -196 C

532. Potapov, N. N., "Magnetic Hysteresis of Superconductive Alloys in the System Nb-Sn", Physics of Metals and Metallography, 24 (6), 32-35 (1967).

Nb-Sn; magnetic hysteresis; magnetic induction; 4.2 K

533. Prekul, A. F., "Magnetic Properties of Rigid Superconductors", Physics of Metals and Metallography, 24 (2), 59-65 (1967).

Nb-Ti-Zr; magnetic properties; superconductivity; 4.2 K

534. Prior, A. C., "A Comparative Review of Materials for Construction of Superconducting Solenoids", Cryogenics, 7 (3), 131-134 (June 1967).

Nb_3Sn; Nb-25Zr; Ti-20Nb; V_3Si; superconductivity; 4.2 K

535. Reed, R. P., and Mikesell, R. P., "Low Temperature Mechanical Properties of Copper and Selected Copper Alloys. A Compilation From the Literature", NBS Monograph 101 (December 1, 1967).

Copper; Cu-5Zn (gliding metal); Cu-10Zn (commercial bronze); Cu-15Zn (red brass); Cu-20Zn (low brass); Cu-28Zn-1Sn (admiralty brass); Cu-30Zn (cartridge brass); Cu-35Zn (yellow brass); Cu-39Zn-1Sn (naval brass); Cu-40Zn (Muntz metal); Cu-10Ni; Cu-20Ni; Cu-30Ni; Cu-45Ni; ultimate tensile strength; tensile yield strength; elongation; reduction in area; impact properties; fatigue properties; creep properties; modulus of elasticity; -423 F

536. Reed, R. P., and Mikesell, R. P., "Low-Temperature (295 to 4 K) Mechanical Properties of Selected Copper Alloys", Journal of Materials, 2 (2), 370-392 (June 1967).

Copper; Cu-10Zn (commercial bronze); Cu-15Zn (red brass); Cu-28Zn-1Sn (Admiralty brass); Cu-39Zn-1Sn (naval brass); Cu-3Si (copper silicon); Cu-5Sn (phosphor bronze); Cu-6.6Al-2Fe (aluminum bronze); Cu-10Al-5Ni-3Fe (nickel aluminum bronze); Cu-2Ni-0.5Si (copper nickel silicon); Cu-10Ni-1Fe (copper nickel 10); Cu-30Ni (copper nickel 30); stress-strain data; ultimate tensile strength; tensile yield strength; elongation; reduction in area; notch tensile strength; impact properties; modulus of elasticity; shear modulus; 4 K

537. Romig, H. L., "Guaranteed Minimum Mechanical Properties, Type 310 Stainless Steel Welded With Inconel 92 (Incoweld A) Filler Alloy, at Cryogenic Temperatures", Materials and Processes Report MPR 7-176A-101, Rocketdyne/North American (June 13, 1967).

AISI 310; ultimate tensile strength; tensile yield strength; elongation; reduction in area; notch toughness; -423 F

538. Schwartzberg, F. R., "A Review of Cryogenic Fracture Toughness Behavior", Proceedings of the 1966 Cryogenic Engineering Conference, 458-472 (1967).

AISI 301; AISI 304; AISI 310; 2014-T6; 2219-T81; Ti-5Al-2.5Sn; Ti-6Al-4V; Hastelloy B; Rene 41; Inconel 718; fracture toughness; -423 F

539. Sochava, I. V., "Thermal Motion in Linear Polymers at Low Temperatures", Leningrad University Herald, Physics and Chemistry Series, FTD-MT-64-359, Wright-Patterson AFB, Ohio (September 6, 1967).

Polyethylene; Plexiglas; polystyrene; specific heat; 16 K

540. Stierstadt, K., and Herzum, N., "Temperature Dependence of the Reversible and the Irreversible Magnetization of Nickel", Annalen der Physik, 20 (7). 45-52 (1967).

Nickel; magnetic susceptibility; 77 K

541. Sullivan, T. L., "Uniaxial and Biaxial Fracture Toughness of Extra-Low-Interstitial 5Al-2.5Sn Titanium Alloy Sheet at 20 K", NASA Technical Note NASA TN D-4016 (June 1967).

Ti-5Al-2.5Sn; fracture toughness; -423 F

542. Susukida, H., Ando, T., and Tsuji, I., "Characteristics of 9% Nickel Steel for Low Temperature Service", Technical Report No. MTB010053, Mitsubishi Heavy Industries Ltd. (October 1967).

9Ni steel; ultimate tensile strength; tensile yield strength; elongation; fatigue properties; -196 C

543. Tiffany, C. F., Lorenz, P. M., and Shah, R. C., "Extended Loading of Cryogenic Tanks", Final Report, NASA CR-72252, Boeing Company, Contract NAS 3-6290 (June 1967).

2219-T87; Ti-5Al-2.5Sn; fracture toughness; -423 F

544. Tucker, J. E., and Reese, W., "Heat Capacity of Polyethylene From 2.5 to 30 K", Journal of Chemical Physics, 46 (4), 1388-1397 (February 15, 1967).

Polyethylene; specific heat; 2.5 K

545. Ul'yanov, R. A., Podkuiko, V. P., Fridlyander, I. N., et al., "Mechanical Properties of Welded Joints of Some Aluminum Alloys at Low Temperatures", Metal Science and Heat Treatment, (6), 449-451 (June 1967).

Aluminum alloys; Russian alloys; VAD1; AK8; V92TS; ATSMU; V96; weld properties; ultimate tensile strength; -269 C

546. Van Groenou, A. B., "Permeability of Some Oxides and Metals at Low Temperatures", Journal of Applied Physics, 38 (8), 3317-3320 (July 1967).

Nickel alloys; manganese alloys; magnetic permability; 77 K

547. Vogt, E., and Bolling, F., "Ferro- and Paramagnetic Behavior of Nickel Alloys Between 14-1000 K", Z. Angew. Phys., 23 (3), 173-174 (1967).

Nickel alloys; magnetic susceptibility; 14 K

548. Weleff, W., "Radiation Effects on Shear Strength of Several Alloys at Liquid Hydrogen Environment", Proceedings of the 1966 Cryogenic Engineering Conference, 544-556 (1967).

A356-T6; 6061-T6; 7075-T6; Ti-5Al-2.5Sn; AISI 347; AISI 410; A-286; Inconel X-750; Hastelloy C; D-979; ultimate tensile strength; shear ultimate strength; -423 F

549. Westerlund, R. W., and Rogers, R. W., Jr., "Development of a High Strength Aluminum Alloy, Readily Weldable in Plate Thicknesses, and Suitable for Application at -423 F (-253 C)", Annual Report, Aluminum Company of America, Contract NAS 9-5452 (April 1967).

X2021; X7007; ultimate tensile strength; shear ultimate strength; compressive strength; fatigue properties; -423 F

550. Worthington, P. J., "The Upper Yield Stress of Polycrystalline 3% Silicon Iron", Acta Metallurgica, 15 (12), 1795-1798 (December 1967).

Fe-3Si; tensile yield strength; -196 C

551. Zakharov, A. I., and Fedotov, L. N., "Low-Temperature Thermal Expansion of Invar", Physics of Metals and Metallography, 23 (4), 201-203 (1967).

Invar; thermal expansion; 4.2 K

1968

552. "The Behavior of Structural Materials at Extremely Low Temperatures", Technical Report, Rocket Propulsion Establishment (1968).

Aluminum alloys; British alloys; H30(Al-1Mg-1Si); L71(Al-4.5Cu); DTD687(Al-5Zn-2.5Mg-1.5Cu); D 74S (Al-4.5Zn-1.25Mg); Hiduminium 48(Al-4.5Zn-2.25Mg); GB3033(Al-4.5Zn-3.3Mg); titanium alloys; DTD 5093 (Ti-5Al-2.5Sn); IMI 318A (Ti-6Al-4V); DTD 5133(Ti-2Cu); ultimate tensile strength; elongation; reduction in area; modulus of elasticity; fracture toughness; 20 K

553. "Mechanical and Physical Properties of the Austenitic Chromium-Nickel Stainless Steels at Subzero Temperatures", Trade Literature, The International Nickel Company, Inc. (July 1968).

AISI 304; AISI 310; AISI 316; ultimate tensile strength; tensile yield strength; elongation; modulus of elasticity; compressive strength; fatigue properties; -440 F

554. Alleaume, J., and de Frondeville, B., "Bending Fatigue Properties of Stainless Steel 304L Thin Sheet Metal at 20 and -196 C", Proceedings of the 1967 Cryogenic Engineering Conference, 309-317 (1968).

AISI 304L; fatigue properties; -196 C

555. Armeniades, C. D., Kuriyama, I., Roe, J. M., and Baer, E., Mechanical Behavior of Poly (ethylene terephthalate) at Cryogenic Temperatures, Cryogenic Properties of Polymers, Marcel Dekker, Inc., New York (1968), pp 155-169.

Polyethylene terephthalate; Mylar; ultimate tensile strength; modulus of elasticity; 4 K

556. Aron, P. R., and Ahlgren, G. W., "Critical Surfaces for Commercial Nb_3Sn Ribbon and Nb-25%Zr Wire", Proceedings of the 1967 Cryogenic Engineering Conference, 21-29 (1968).

Nb_3Sn; Nb-25Zr; superconductivity; 2 K

557. Baranov, I. A., Boikova, K. I., Guts, Z. A., et al., "Investigation of the Superconducting Properties of Nb-Ti Alloys", Soviet Physics - Solid State, 10 (2), 318-323 (August 1968).

Nb-20Ti; Nb-50Ti; superconductivity; 4.2 K

558. Brickner, K. G., "Stainless Steels for Room and Cryogenic Temperatures", Metals Engineering Quarterly, 8 (2), 1-29 (May 1968).

AISI 304; AISI 304L; AISI 310; AISI 347; AISI 316; tensile properties; thermal expansion; specific heat; thermal conductivity; -423 F

559. Bunton, G. V., and Weintroub, S., "A Sensitive Optical Lever Dilatometer For Use at Low Temperatures and the Thermal Expansion of Copper", Cryogenics, 8 (6), 354-360 (December 1968).

Copper; thermal expansion; 10 K

560. Bychkov, Y. F., Goncharov, I. N., Mal'tsev, V. A., et al., "Effect of Disperse Precipitation Particles on the Critical Current Density in Zirconium-Niobium Alloys", Physics of Metals and Metallography, 25 (1), 38-44 (1968).

Nb-25Zr; superconductivity; 4.2 K

561. Campbell, J. E., "Review of Recent Developments: Mechanical Properties of Metals", Technical Report, Battelle Memorial Institute (July 1968).

Aluminum alloys; titanium alloys; tensile properties; fracture mechanics; -423 F

562. Carman, C. M., and Katlin, J. M., "Plane Strain Fracture Toughness and Mechanical Properties of 5Al-2.5Sn ELI and Commercial Titanium Alloys at Room and Cryogenic Temperatures", ASTM STP 432, 124-144 (1968).

Ti-5Al-2.5Sn; fracture mechanics; -423 F

563. Christian, J. L., and Hurlich, A., "Mechanical Properties of Titanium Alloys at Cryogenic Temperatures", Proceedings of the 1967 Cryogenic Engineering Conference, 318-333 (1968).

Ti-5Al-2.5Sn; Ti-5Al-5Zr-5Sn; Ti-6Al-4Zr-1V; Ti-7Al-12Zr; Ti-8Al-2Cb-1Ta; Ti-8Al-1Mo-1V; Ti-6Al-4V; Ti-13V-11Cr-3Al; ultimate tensile strength; tensile yield strength; elongation; modulus of elasticity; notch tensile strength; weld properties; -423 F

564. Clark, A. F., "Low Temperature Thermal Expansion of Some Metallic Alloys", Cryogenics, 8 (5), 282-289 (October 1968).

2024; 5083; 7039; 7075; Hastelloy C; Hastelloy N; Hastelloy X; Inconel 625; Inconel 718; Waspalloy; Udimet 630; Udimet 700; TD-nickel; phosphor bronze; aluminum bronze; AM 350; AISI 430; Fe-29Ni; Invar 36; Fe-50Ni; thermal expansion; 20 K

565. "Superconductive Products", Manufacturers' Literature, General Electric Company (1968).

Nb_3Sn; superconductivity; 4.2 K

566. Cowan, J. A., Pawlowicz, A. T., and White, G. K., "Thermal Expansion of Polycrystalline Titanium and Zirconium", Cryogenics, 8 (3), 155-157 (June 1968).

Titanium; zirconium; thermal expansion; 10 K

567. Dorey, G., "Yield in Dispersion Hardened Copper Alloys", Technical Report 68230, Royal Aircraft Establishment (September 1968).

Cu-2.6 Alumina; shear stress; strain rate; 78 K

568. Erdmann, J. C., and Jahoda, J. A., "Affected Volume and Temperature Rise During Discontinuous Slip at Low Temperatures", Journal of Applied Physics, 39 (6), 2793-2797 (May 1968).

Cu-5Ni; Cu-28Ni; Ni-35Cu; Ni-10Cu; stress-strain data; plastic deformation; 4.2 K

569. Frederick, S. F., and Corn, D. L., "Biaxial Properties of Titanium Alloys at Cryogenic Temperatures", ASTM STP 432, 227-235 (1968).

Ti-6Al-4V; Ti-5Al-2.5Sn; ultimate tensile strength; tensile yield strength; -423 F

570. Green, E. F., "Low-Temperature Properties of 9-Percent Nickel, 4-Percent Cobalt (HP9-4-25) High-Strength Steel Forged Block and Plate", Reportable Item Submission Number MFS-18282, Rocketdyne/North American, Contract NASw-16 (July 5, 1968).

9Ni steel; ultimate tensile strength; tensile yield strength; elongation; reduction in area; notch tensile strength; impact properties; -423 F

571. Green, E. F., "Low-Temperature Properties of 18-Percent Nickel (200-Grade) Maraging Steel Plate", Reportable Item Submission Number MFS-18281, Rocketdyne/North American, Contract NASw-16 (July 3, 1968).

Maraging (200); tensile yield strength; fracture toughness; -423 F

572. Halchak, J. A., "Low-Temperature Properties of Forgings of Titanium 5Al-2.5Sn Alloy (ELI)", Reportable Item Submission Number MFS-19245, Rocketdyne/North American, Contract NASw-16 (June 21, 1968).

Ti-5Al-2.5Sn; ultimate tensile strength; tensile yield strength; elongation; notch tensile strength; -423 F

573. Haldon, R. A., Schell, W. J., and Simha, R., Transitions in Glasses at Low Temperatures, Cryogenic Properties of Polymers, Marcel Dekker, Inc., New York (1968), pp 137-153.

Polymers; polytetrafluoroethylene; thermal expansion; -180 C

574. Hall, L. A., "Survey of Electrical Resistivity Measurements on 16 Pure Metals in the Temperature Range 0 to 273 K", NBS Technical Note 365 (February 1968).

Aluminum; copper; beryllium; niobium; electrical resistivity; 0 K

575. Hall, L. R., "Plane-Strain Cyclic Flaw Growth in 2014-T62 Aluminum and 6Al-4V (ELI) Titanium", NASA CR-72396, Boeing Company, Contract NAS 3-7993 (November 1968).

2014-T62; Ti-6Al-4V; fracture toughness; -423 F

576. Hoeppner, D. W., Pettit, D. E. Feddersen, C. E., and Hyler, W. S., "Determination of Flaw Growth Characteristics of Ti-6Al-4V Sheet in the Solution-Treated and Aged Condition", Final Report, NASA CR-65811, Battelle Memorial Institute, Contract NAS 9-6969 (January 1, 1968).

Ti-6Al-4V; ultimate tensile strength; tensile yield strength; elongation; weld properties; fracture mechanics; fatigue properties; -320 F

577. Hust, J. G., and Powell, R. L., "Thermal Conductivity of Aerospace Alloys at Cryogenic Temperatures", Proceedings of the 8th Conference on Thermal Conductivity, Purdue University (October 7-10, 1968).

7039; Hastelloy X; Inconel 718; Ti-5Al-2.5Sn; thermal conductivity; electrical resistivity; 4 K

578. Kaufman, J. G., Bagardus, K. O., and Wanderer, E. T., "Tensile Properties and Notch Toughness of Aluminum Alloys at -452 F in Liquid Helium", Proceedings of the 1967 Cryogenic Engineering Conference, 294-308 (1968).

1099-H14; 2014-T651; 2024-T851; 2219-T851; 2219-T87; 2618-T651; 3033-H14; 5083-0; 5083-H321; 5454-0; 5454-H32; 5456-0; 5456-H321; 6061-T651; X7005-T5351; A356-T61; ultimate tensile strength; tensile yield strength; elongation; reduction in area; notch tensile strength; -452 F

579. Kolouch, R. J., and Brown, R. G., "Thermal Conductivities of Polyethylene and Nylon From 1.2 to 20 K", Journal of Applied Physics, 39 (8), 3999-4003 (July 1968).

Nylon; polyethylene; thermal conductivity; 4.2 K

580. Koshelev, P. F., Ilina, R. I., and Nikitina, M. F., "Mechanical Properties of Aluminum Alloys at Low Temperatures", Translation of Mashinostroenie (USSR), (6), 86-94 (1968).

Aluminum alloys; Russian alloys; AK8; V92TS; D20(2219); mechanical properties; -320 F

581. Lake, R. L., DeMoney, F. W., and Eiber, R. J., "Burst Tests of Pre-Flawed Welded Aluminum Alloy Pressure Vessels at -220 F", Proceedings of the 1967 Cryogenic Engineering Conference, 278-293 (1968).

5083-0; 7039-T6151; ultimate tensile strength; tensile yield strength; elongation; reduction in area; notch tensile strength; fracture properties; -320 F

582. Malin, C. O., "Low Temperature Properties of Selected Cast and Wrought Aerospace Alloys", Materials and Processes Technical Report MPTR 6-176A-8, Rocketdyne/North American (1968).

AISI 310; AISI 347; A-286; Inconel 718; Ti-5Al-2.5Sn; ultimate tensile strength; tensile yield strength; elongation; reduction in area; notch tensile strength; -423 F

583. Malin, C. O., "Low-Temperature Properties of Cast A-286", Reportable Item Submission Number MFS-18237, Rocketdyne/North American (June 14, 1968).

A-286; ultimate tensile strength; tensile yield strength; elongation; reduction in area; notch tensile strength; -423 F

584. Malin, C. O., "Low-Temperature Properties of Free-Machining 300-Series CRES", Reportable Item Submission Number MFS-18241, Rocketdyne/North American, Contract NASw-16 (June 14, 1968).

AISI 303; ultimate tensile strength; tensile yield strength; elongation; reduction in area; -423 F

585. Malin, C. O., "Low-Temperature Properties of Cast Inconel 718", Reportable Item Submission Number MFS-18240, Rocketdyne/North American, Contract NASw-16 (June 14, 1968).

Inconel 718; ultimate tensile strength; tensile yield strength; elongation; reduction in area; notch tensile strength; -423 F

586. Malin, C. O., "Low-Temperature Properties of Cast 310 and 347 CRES", Reportable Item Submission Number MFS-18235, Rocketdyne/North American, Contract NASw-16 (June 21, 1968).

AISI 310; AISI 347; ultimate tensile strength; tensile yield strength; elongation; notch tensile strength; -423 F

587. Malin, C. O., "Low-Temperature Properties of Armco 21-6-9 Alloy (Cr-Ni-Mn)", Reportable Item Submission Number MFS-18243, Rocketdyne/North American (June 14, 1968).

21-6-9; ultimate tensile strength; tensile yield strength; elongation; -423 F

588. Malin, C. O., "Low-Temperature Properties of Large Inconel 718 Forgings", Reportable Item Submission Number MFS-18244, Rocketdyne/North American, Contract NASw-16 (June 14, 1968).

Inconel 718; ultimate tensile strength; tensile yield strength; elongation; reduction in area; notch tensile strength; impact properties; -423 F

589. Merisov, B. A., and Khotkevich, V. I., "Lattice Component of the Heat Conductivity of Industrially Pure Niobium", Physics of Metals and Metallography, 26 (2), 182-184 (1968).

Niobium; thermal conductivity; 30 K

590. Nachtigall, A. J., Klima, S. J., and Freche, J. C., "Fatigue Behavior of Rocket Engine Materials to -452 F (4 K)", Journal of Materials, JMLSA, 3 (2), 425-443 (June 1968).

2014-T6; Inconel 718; Ti-5Al-2.5Sn; AISI 301; fatigue properties; fracture properties; notch properties; 4 K

591. Pierce, W. S., "Crack Growth in 2014-T6 Aluminum Tensile and Tank Specimens Cyclically Loaded at Cryogenic Temperatures", NASA Technical Note NASA TN D-4541 (April 1968).

2014-T6; fatigue properties; -423 F

592. Pyle, R., Schillinger, D. E., and Carman, C. M., "Plane Strain Fracture Toughness and Mechanical Properties of 2219-T87 Aluminum and 5Al-2.5Sn ELI Titanium Alloy Weldments and One Inch Thick 5Al-2.5Sn ELI Titanium Alloy Plate", FA Report R-1897, NASA CR-72154, Frankford Arsenal (September 1968).

2219-T87; Ti-5Al-2.5Sn; fracture toughness; ultimate tensile strength; tensile yield strength; elongation; reduction in area; weld properties; -423 F

593. Rawe, R. A., "Biaxial Strength of MIG- and TIG-Welded 2014-T6 at 70, -320, and -423 F", Technical Report NASA CR-109904, Douglas Aircraft Company, Contract NAS 7-101 (May 24, 1968).

2014-T6; ultimate tensile strength; tensile yield strength; elongation; weld properties; -423 F

594. Reed, R. P., Mikesell, R. P., and Greeson, R. L., "Some Mechanical Properties of Magnesium Alloys at Low Temperatures", NBS.

AZ31B; ZE10A; HM31A; HM21A; HK31A; impact properties; tensile properties; stress-strain data; -424 F

595. Reese, W., Higgins, P. J., and Rostine, G. W., "Effects of Radiation-Induced Cross-Links on the Low-Temperature Properties of Polystyrene", Journal of Applied Physics, 39 (3), 1800-1802 (Februray 1968).

Polystyrene, thermal conductivity; specific heat; 1 K

596. Rosenberg, S. J., "Nickel and Its Alloys", National Bureau of Standards Monograph 106 (May 1968).

Nickel; nickel alloys; maraging steels; stainless steels; engineering steels; production; mechanical properties; electrical properties; thermal properties; magnetic properties; applications; -320 F

597. Schmidt, E. H., "Fatigue Properties of Sheet, Bar, and Cast Metallic Materials for Cryogenic Applications", Technical Report R-7564, Rocketdyne/North American, Contract NAS 8-18734 (August 30, 1968).

6061; 7075; Ti-5Al-2.5Sn; AISI 310; AISI 321; AISI 347; A-286; Inconel 718; Inconel X-750; Monel alloy K-500; AISI 4340; fatigue properties; -423 F

598. Schultz, R. A., "ALCOA Aluminum Alloy 2021", Manufacturers' Literature, Aluminum Company of America (April 1968).

2021-T81; ultimate tensile strength; tensile yield strength; elongation; -452 F

599. Schwartzberg, F. R., Osgood, S. H., and Herzog, R. G., "Cryogenic Materials Data Handbook (Revised)", Supplement 4, AFML-TR-64-280, Volumes 1 & 2, Martin Marietta Corporation, Contract F 33(615)-67-C-1794 (June 1968).

Handbook; compilation; metallic materials; nonmetallic materials; mechanical properties; thermal properties; cryogenic temperature

600. Shannon, J. L., Jr., and Brown, W. F., Jr., "A Review of Factors Influencing the Crack Tolerance of Titanium Alloys", ASTM STP 432, 33-63 (1968).

Ti-6Al-4V; Ti-5Al-2.5Sn; Ti-8Al-1Mo-1V; Ti-4Al-3Mo-1V; Ti-13V-11Cr-3Al; Ti-6Al-6V-2Sn; fracture toughness; crack propagation; tensile properties; -423 F

601. Shogan, R. P., "Tensile Properties of Irradiated Ti-5%Al-2.5%Sn ELI at Cryogenic Temperatures", Technical Report WANL-TME-1860, Westinghouse Electric Company (November 1968).

Ti-5Al-2.5Sn; ultimate tensile strength; tensile yield strength; elongation; reduction in area; 140 R

602. Soffer, L. M., and Molho, R., "Mechanical Properties of Epoxy Resins and Glass/Epoxy Composites at Cryogenic Temperatures", Cryogenic Properties of Polymers, Marcel Dekker, Inc., New York (1968), pp 87-117.

Fiberglass/epoxy composites; epoxy resins; ultimate tensile strength; elongation; notch toughness; impact properties; thermal contraction; -423 F

603. Sullivan, T. L., "Texture Strengthening and Fracture Toughness of Titanium Alloy Sheet at Room and Cryogenic Temperatures", ASTM STP 432, 236-247 (1968).

Ti-4Al; Ti-5Al-2.5Sn; ultimate tensile strength; tensile yield strength; notch tensile strength; fracture properties; weld properties; Poisson's ratio; -423 F

604. Vozilkin, V. A., Prekul, A. F., Rakin, V. G., et al., "Structure Dependence of the Superconducting Properties of the Alloy of Titanium With 47 Wt. % Niobium", Physics of Metals and Metallography, 26 (4), 77-84 (1968).

Ti-47Nb; superconductivity; 4.2 K

605. Wigley, D. A., "Mechanical Properties of Materials at Low Temperatures", Cryogenics, 8 (1), 3-12 (February 1968).

Aluminum; copper; nickel; molybdenum; Armco iron; AISI 1010; AISI 1030; AISI 1020; AISI 304; AISI 316; Ti-13V-11Cr-3Al; maraging steel; ultimate tensile strength; tensile yield strength; stress-strain data; 4.2 K

606. Wunderlich, B., "Heat Capacities of Linear High Polymers", Technical Report No. 17, Rensselaer Polytechnic Institute, Contract Nonr-591(19) (November 1968).

Polyethylene; polystyrene; polymethylmethacrylate; polytetrafluoroethylene; polychlorotrifluoroethylene; specific heat; below 10 K

1969

607. Armstrong, P. E., and Eash, D. T., "Simultaneous Measurement of Young's Modulus and Shear Modulus at Low Temperatures", Proceedings of the 1968 Cryogenic Engineering Conference, 64-70 (1969).

Vanadium; 7039-T6; AISI 303; modulus of elasticity; shear modulus; -320 F

608. Baker. C., and Sutton, J., "Correlation of Superconducting and Metallurgical Properties of a Ti-20 at.% Nb Alloy", Philosophical Magazine, Series 8, 19, 1223-1255 (1969).

Ti-20Nb; superconductivity; 4.2 K

609. Barth, H. A., "The Selection of Metallic Materials for Very Low Temperature Equipment", Proceedings of the International Conference on Pressure Vessel Technology, Part II. Materials and Fabrication, 895-908 (1969).

18/8 stainless; 9Ni steel; ultimate tensile strength; tensile yield strength; elongation; creep properties; impact properties; -269 C

610. Beardmore, P., "Temperature Dependence of Yield and Fracture in Polymethylmethacrylate", Philosophical Magazine, Series 8, 19 (158), 389-401 (February 1969).

Polymethylmethacrylate; strain rates; compressive properties; tensile yield strength; stress-strain data; brittle fracture; 78 K

611. Benz, M. G., "Magnetoresistance of Copper at 4.2 K in Transverse Fields Up to 100 kG", Journal of Applied Physics, 40 (5), 2003-2005 (April 1969).

Electrolytic tough pitch copper; OFHC copper; magnetoresistance; 4.2 K

612. Ceresara, S., "Resistivity Changes Upon Low Temperature Fatiguing and Annealing of Polycrystalline Aluminum", Philosophical Magazine, Series 8, 19 (157), 99-104 (January 1969).

Aluminum; electrical resistivity; fatigue properties; -195 C

613. DeMoney, F. W., Lake, R. L., and Eiber, R. J., "Burst Tests of Preflawed Welded Pressure Vessels of 7039-T6151 Aluminum Alloy at -210 and -310 F", Proceedings of the International Conference on Pressure Vessel Technology, Part II. Materials and Fabrication, 733-742 (1969).

7039-T6151; tensile yield strength; notch tensile strength; weld properties; fracture properties; -310 F

614. Giles, M., and Terry, C., "Low-Temperature Thermal Conductivity of Polyethylene", Physical Review Letters, 22 (17), 882-883 (April 28, 1969).

Polyethylene; thermal conductivity; below 1 K

615. Gindin, I. A., Matsevity, V. M., and Starodubov, Y. D., "Low-Temperature Ductility of Polycrystalline Copper", Physics of Metals and Metallography, 27 (1), 187-189 (1969).

Copper; ultimate tensile strength; elongation; 77 K

616. Gindin, I. A., Lazareva, B. M., Matsevity, V. M., and Starodubov, Y. D., "Temperature Dependence of the Mechanical Properties of Copper After Low-Temperature Rolling", Physics of Metals and Metallography, 27 (3), 164-166 (1969).

Copper; ultimate tensile strength; proof stress; shear modulus; 20 K

617. Golik, V. R., and Starodubov, Y. D., "Tensile and Impact Strengths of Acrylics at Low Temperatures (4.2-300 K)", Polymer Mechanics, 5 (5), 822-823 (September-October 1969).

Plastics; ultimate tensile strength; 4.2 K

Plastics; impact properties; 77 K

618. Hall, L. R., and Finger, R. W., "Fracture and Fatigue Growth of Partially Embedded Flaws", Proceedings of the Air Force Conference on Fatigue and Fracture of Aircraft Structures and Materials, 235-262 (December 1969).

2014-T62; 2219-T87; Ti-6Al-4V; Ti-5Al-2.5Sn; ultimate tensile strength; tensile yield strength; elongation; fracture toughness; fatigue properties; -423 F

619. Hust, J. G., "Thermal Conductivity Standard Reference Materials From 4 to 300 K. I. Armco Iron", NBS Technical Report 9740 (August 1969).

Armco iron; thermal conductivity; electrical resistivity; 4 K

620. Kharitonova, L. D., "Application and Friction Properties of Teflons at Low Temperatures", Foreign Technology Division Report FTD-MT-24-113-69, Wright-Patterson AFB, Ohio (April 30, 1969).

Kel-F; Teflon; compressive yield strength; 40 K

621. Kos, J. F., and Lamarche, J.L.G., "Thermal Expansion of the Noble Metals Below 15 K", Canadian Journal of Physics, 47 (22), 2509-2518 (1969).

Copper; silver; gold; thermal expansion; 4.2 K

622. Masters, J. N., Haese, W. P., and Finger, R. W., "Investigation of Deep Flaws in Thin Walled Tanks", Final Report D2-121696-1, NASA CR-72606, Boeing Company, Contract NAS 3-10290 (December 1969).

Ti-5Al-2.5Sn; 2219-T87; ultimate tensile strength; tensile yield strength; elongation; reduction in area; Poisson's ratio; modulus of elasticity; weld properties; fracture toughness; -423 F

623. McCammon, R. D., and Saba, R. G., "Dielectric Properties of Polystyrene and Some Polychlorostyrenes From 4 K to Room Temperature", Journal of Polymer Science, Part A-2, 7, 1721-1733 (1969).

Polystyrene; dielectric properties; 4 K

624. McInturff, A. D., "Coupling of (Ti-Nb) Filaments in a Superconducting Multifilament Composite Conductor", Journal of Applied Physics, 40 (5), 2080-2082 (April 1969).

Metal matrix composites; Ti-Nb/Cu composite; Ti-28Nb; magnetization; superconductivity; 4.2 K

625. McInturff, A. S., and Paskin, A., "Magnetization Studies in Nb_3Sn and Ti-Nb Alloys", Journal of Applied Physics, 40 (6), 2431-2440 (May 1969).

Nb_3Sn; Ti-28Nb; magnetization; 4.2 K

626. McLean, K. O., "Low Temperature Thermal Expansion of Copper, Silver, Gold, and Aluminum", Ph. D. Dissertation, Iowa State University (November 1969).

Aluminum; copper; gold; silver; thermal expansion; 2.5 K

627. Nachtigall, A. J., "Comparison of Tensile Properties of 304L and 310S Stainless Steels in Liquid Helium", NASA Technical Memorandum NASA TM X-52703 (October 30, 1969).

AISI 304L; AISI 310; ultimate tensile strength; tensile yield strength; elongation; notch tensile strength; -452 F

628. Neff, D. V., Mitchell, T. E., and Troiano, A. R., "The Influence of Temperature, Transformation, and Strain Rate on the Ductility Properties of Austenitic Stainless Steels", Transactions of the ASM, 62 (4), 858-868 (December 1969).

AISI 301; AISI 302; AISI 304; AISI 304L; AISI 305; AISI 316; AISI 309; AISI 310; AISI 330; elongation; reduction in area; strain rate; -321 F

629. Nelson, F. G., Kaufman, J. G., and Wanderer, E. T., "Tensile Properties and Notch Toughness of Groove Welds in Wrought and Cast Aluminum Alloys at Cryogenic Temperatures", Proceedings of the 1968 Cryogenic Engineering Conference, 71-82 (1969).

2219; 3003; 5083; 5454; 5456; 6061; A344; 354; C355; ultimate tensile strength; tensile yield strength; elongation; reduction in area; notch tensile strength; weld properties; -452 F

630. Pittinato, G. F., "The Reactivity of Hydrogen With Ti-6Al-4V Under Fatigue Cycling at Ambient and Cryogenic Temperatures", Transactions of the ASM Quarterly, 62 (2), 410-417 (June 1969).

Ti-6Al-4V; fatigue properties; -423 F

631. Potapov, N. N., "Magnetic Hysteresis of Superconductive Nb-Sn Alloys. II. Magnetic Hysteresis and Crystal Structure of the Compound Nb_3Sn", Physics of Metals and Metallography, 27 (2), 63-70 (1969).

Nb_3Sn; magnetic hysteresis; 4.2 K

632. Potapov, N. N., and Zaykina, G. I., "Magnetic Hysteresis of Superconductive Nb-Sn Alloys. I. Magnetic Hysteresis and Phase Composition", Physics of Metals and Metallography, 27 (1), 57-62 (1969).

Nb_3Sn; magnetic hysteresis; 4.2 K

633. Roberts, B. W., "Superconductive Materials and Some of Their Properties", NBS Technical Note 482 (May 1969).

Monograph; compilation; metals; compounds; superconductivity; below 1 K

634. Schwartzberg, F. R., Keys, R. D., and Kiefer, T. F., "Fracture Behavior of Two New High-Strength Aluminum Alloys", Metals Engineering Quarterly, 9 (4), 53-56 (November 1969).

2021-T81; X7007-T6; fracture toughness; -423 F

635. Spaeder, C. E., Jr., Majetich, J. C., and Brickner, K. G., "High-Strength Austenitic Stainless Steel for Cryogenic Service", Metals Engineering Quarterly, 9 (3), 1-6 (August 1969).

18Cr steel; ultimate tensile strength; tensile yield strength; elongation; notch toughness; impact properties; weld properties; -320 F

636. Zoller, P., Decker, P. R., and Dillinger, J. R., "Anomalous Low-Temperature Specific Heat of Austenitic Stainless Steels", Journal of Applied Physics, 40 (4), 1964-1966 (March 15, 1969).

AISI 304; AISI 304L; AISI 310; AISI 321; 18Cr steel; specific heat; 1.7 K

1970

637. "Ferrous Welding Filler Metals for Cryogenic Service", Cryogenics and Industrial Gases, 5 (9), 21-23 (November-December 1970).

Filler metals; ultimate tensile strength; tensile yield strength; elongation; impact properties; weld properties; -150 F

638. "Low Temperature Mechanical Properties of Various Alloys. A Compilation", NASA SP-5921(01) (1970).

AISI 4340; 21-6-9; A-286; AISI 310; AISI 347; 17-4PH; Maraging (200); 9Ni steel; Inconel 718; Hastelloy X; Ti-5Al-2.5Sn; Ti-6Al-4V; ultimate tensile strength; tensile yield strength; elongation; notch tensile strength; -423 F

639. Bixler, W. D., "Comparison of Flaw Growth Characteristics Under Cryogenic Proof and Ambient Test Conditions for Apollo Titanium Pressure Vessels", Final Report D2-121700-1, Boeing Company, Contract NAS 9-10265 (Jaunary 1970).

Ti-6Al-4V; fracture mechanics; -320 F

640. Campbell, J. E., "Review of Recent Developments. Low-Temperature Properties of Metals", Technical Report, Battelle Memorial Institute (August 1970).

AISI 301; AISI 304L; AISI 310; ultimate tensile strength; tensile yield strength; elongation; -452 F

Beryllium; fracture toughness; -320 F

641. Choy, C. L., Salinger, G. L., and Chiang, Y. C., "Thermal Conductivity of Some Amorphous Polymers Below 4 K", Journal of Applied Physics, 41 (2), 597-603 (February 1970).

Polystyrene; polymethylmethacrylate; specific heat; thermal conductivity; 0.4 K

642. Choy, C. L., Hunt, R. G., and Salinger, G. L., "Specific Heat of Amorphous Polymethyl Methacrylate and Polystyrene Below 4 K", Journal of Chemical Physics, 52 (7), 3629-3633 (April 1, 1970).

Polymethylmethacrylate; polystyrene; specifc heat; 0.5 K

643. Clark, A. F., and Kropschot, R. H., "Low Temperature Specific Heat and Thermal Expansion of Alloys", Proceedings, Committee 1, Conference on Cryophysics and Cryoengineering, Tokyo, Japan (September 11-12, 1970).

Aluminum; copper; 6061; AISI 347; Ti-6Al-4V; Ti-13V-11Cr-3Al; specific heat; thermal expansion; 60 K

644. Clark, A. F., Childs, G. E., and Wallace, G. H., "Low-Temperature Electrical Resistivity of Some Engineering Alloys", Proceedings of the 1969 Cryogenic Engineering Conference, 85-90 (1970).

2024; 5083; 7039; Hastelloy N; Hastelloy X; Inconel X-750; Udimet 700; OFHC copper; Cu-30Zn; Cu-28Zn-1Sn; Ti-6Al-4V; Ti-13V-11Cr-3Al; AISI 304L; AISI 316; AISI 321; 17-7PH; electrical resistivity; 4 K

645. Clark, A. F., Childs, G. E., and Wallace, G. H., "Electrical Resistivity of Some Engineering Alloys at Low Temperatures", Cryogenics, 10 (4), 295-305 (August 1970).

Aluminum alloys; nickel alloys; copper alloys; titanium alloys; stainless steel; iron alloys; electrical resistivity; 4 K

646. Collings, E. W., and Ho, J. C., "Physical Properties of Titanium Alloys", The Science, Technology and Application of Titanium, edited by R. I. Jaffee and N. E. Promisel, Pergamon Press, New York (1970), pp 331-347.

Titanium; titanium alloys; specific heat; 1.5 K

Titanium; titanium alloys; magnetic susceptibility; 78 K

647. Cooper, R. F., and Yates, B., "Low Temperature Interferometric Measurements of the Thermal Expansion of Copper and Nitralloy", Cryogenics, 10 (5), 442-444 (October 1970).

Copper; iron alloys; thermal expansion; 10 K

648. Duckett, R. A., Rabinowitz, S., and Ward, I. M., "The Strain-Rate, Temperature and Pressure Dependence of Yield of Isotropic Poly(methylmethacrylate) and Poly(ethylene terephthalate)", Journal of Materials Science, 5 (10), 909-915 (October 1970).

Polymethylmethacrylate; compressive yield stress; ultimate tensile strength; -25 C

649. Fedorov, G. V., and Ryabinina, N. M., "Hall Effect, Magnetic Susceptibility and Resistivity of Cu-Ni Alloys", Physics of Metals and Metallography, 29 (1), 82-86 (1970).

Copper alloys; magnetic susceptibility; electrical resistivity; 77 K

650. Fickett, F. R., "Resistivity of Polycrystalline Aluminum and Copper in High Magnetic Fields: The Effect of Temperature and Purity", Applied Physics Letters, 17 (12), 525-527 (December 15, 1970).

Aluminum; copper; magnetoresistance; electrical resistivity; 4 K

651. Frederick, S. F., and Hanna, W. D., "Fracture Toughness and Deformation of Titanium Alloys at Low Temperatures", Metallurgical Transactions, 1 (2), 347-352 (February 1970).

Titanium; Ti-6Al-4V; Ti-5Al-2.5Sn; fracture toughness; impact properties; -423 F

652. Hahn, T. A., "Standards, Copper, Methods. Thermal Expansion of Copper From 20 to 800 K—Standard Reference Material 736", Journal of Applied Physics, 41 (13), 5096-5101 (December 1970).

Copper; thermal expansion; 20 K

653. Hall, L. A., and Germann, F.E.E., "Survey of Electrical Resistivity Measurements on 8 Additional Pure Metals in the Temperature Range 0 to 273 K", NBS Technical Note 365-1 (August 1970).

Cadmium; chromium; manganese; titanium; tungsten; vanadium; zinc; zirconium; electrical resistivity; 0 K

654. Hempel, M., "The Fatigue Properties of Titanium and Titanium Alloys. Part I. The Fatigue Strength at Low and High Temperatures", Technical Report RAE-Library Trans-1400, TRC-BR-18776, Royal Aircraft Establishment (January 1970).

Titanium; Ti-2.7Cr-1.3Fe; Ti-4Al-4Mn; Ti-8Mn; Ti-6Al-4V; fatigue properties; -196 C

655. Hust, J. G., and Sparks, L. L., "Thermal Conductivity Standard Reference Materials From 4 to 300 K: II. OSRM Iron-1265", NBS Technical Report 9771 (October 27, 1970).

Iron; thermal conductivity; 4 K

656. Hust, J. G., "Thermal Conductivity, Electrical Resistivity, and Thermopower of Aerospace Alloys From 4 to 300 K: II. AISI 347 Stainless Steel", NBS Technical Report 9772 (October 27, 1970).

AISI 347; thermal conductivity; electrical resistivity; 4 K

657. Hust, J. G., and Sparks, L. L., "Thermal Conductivity, Electrical Resistivity, and Thermopower of Aerospace Alloys From 4 to 300 K: III. Annealed Inconel 718", NBS Technical Report 9775 (November 24, 1970).

Inconel 718; thermal conductivity; electrical resistivity; 4 K

658. Khromov, B. P., and Dement'yev, G. N., "Magnetic Properties of the Elinvar Alloy N37Kh8 in Strong Fields", Physics of Metals and Metallography, 29 (2), 198-201 (1970).

Invar; magnetic properties; 17 C

659. Lowell, J., and Sousa, J. B., "Mixed-State Thermal Conductivity of Type II Superconductors", Journal of Low Temperature Physics, 3 (1), 65-87 (July 1970).

Niobium; niobium alloys; thermal conductivity; 4 K

660. Midgley, P., Thackray, R. W., and Herrick, D.A.R., "The Effect of Heat Treatment and Fabrication Processes on the Tensile Properties of the Aluminum Alloy Hiduminium 48 in the Temperature Range 293 K to 20 K", Technical Report 70/10, Rocket Propulsion Establishment (October 1970).

Aluminum alloys; British alloys; HS 30 (U.S. 6061); D 74S (U.S. 7005); L 71 (U.S. 2014); Hiduminium 48 (U.S. 7039); DTD 687; 3033X; ultimate tensile strength; notch tensile strength; 20 K

661. Mikheyev, V. S., Pustovoytova, T. G., Sokolov, V. S., and Shnyrev, G. D., "Strength and Ductility of Ti-Nb-Zr Alloys at -196 C and at +20 C", Russian Metallurgy, (4), 125-126 (1970).

Titanium alloys; ultimate tensile strength; reduction in area; -196 C

662. Moskalenko, V. A., Puptsova, V. N., and Ul'yanov, R. A., "Strength and Ductility of Titanium Alloys at Low Temperatures", Metal Science and Heat Treatment, (6), 464-466 (June 1970).

Titanium alloys; ultimate tensile strength; reduction in area; 4.2 K

663. Pereira, F.N.D.D., Barnes, C. H., and Graham, G. M., "Sensitive Dilatometer for Low Temperatures and the Thermal Expansion of Copper Below 10 K", Journal of Applied Physics, 41 (13), 5050-5054 (December 1970).

Copper; thermal expansion; 10 K

664. Pettit, D. E., Fedderson, C. E., and Mindlin, H., "Flaw Growth Behavior of Inconel 718 at Room and Cryogenic Temperature", NASA CR-101942, Final Report, Battelle Memorial Institute, Contract NAS 9-7689 (March 1970).

Inconel 718; ultimate tensile strength; tensile yield strength; elongation; fracture properties; fatigue properties; -423 F

665. Rapp, O., "Superconductivity and Lattice Parameters in the Zirconium-Molybdenum, Zirconium-Tungsten, Hafnium-Molybdenum, and Hafnium-Tungsten Alloy Systems", Journal of the Less-Common Metals, 21 (1), 27-44 (May 1970).

Zirconium alloys; hafnium alloys; superconductivity; 1 K

666. Rickards, P. J., "The Low Temperature Tensile Properties of Malleable Cast Irons", Cryogenics, 10 (3), 214-219 (June 1970).

Iron; ultimate tensile strength; elongation; fracture properties; stress-strain data; 77 K

667. Schwartzberg, F. R., Keys, R. D., and Kiefer, T. F., "Cryogenic Alloy Screening", Final Report, NASA CR-72733, The Martin Company, Contract NAS 3-11203 (November 1970).

2021-T81; X7007-T6; AISI 301; ultimate tensile strength; tensile yield strength; elongation; reduction in area; modulus of elasticity; Poisson's ratio; weld properties; fracture toughness; -423 F

668. Schwartzberg, F. R., Keys, R. D., and Kiefer, T. F., "Cryogenic Alloy Screening", Interim Report NASA CR-72617, Martin Marietta Corporation, Contract NAS 3-11203 (February 1970).

2021-T81; X7007-T6; AISI 301; ultimate tensile strength; tensile yield strength; elongation; reduction in area; -423 F

2021-T81; X7007-T6; modulus of elasticity; thermal expansion; 20 K

669. Telinde, J. C., "Strain Gages in Cryogenic Environment", Experimental Mechanics, 10 (9), 394-400 (September 1970).

7075-T6; Ti-6Al-4V; AISI 4130; nickel alloys; compressive modulus; thermal expansion; electrical resistivity; -452 F

670. Tiffany, C. F., Masters, J. N., and Bixler, W. D., "Investigation of Crack Growth Threshold of Inconel 718 Exposed to High Pressure Oxygen", Technical Report NASA CR-108485, Boeing Company, Contract NAS 9-10913 (August 1970).

Inconel 718; ultimate tensile strength; tensile yield strength; elongation; reduction in area; weld properties; fracture toughness; -320 F

671. Touloukian, Y. S., Powell, R. W., Ho, C. Y., and Klemens, P. G., "Thermophysical Properties of Matter, Volume 1. Thermal Conductivity, Metallic Elements and Alloys", Plenum Press, New York (1970).

Metals; alloys; thermal conductivity; cryogenic temperatures

672. Touloukian, Y. S., and Buyco, E. H., "Thermophysical Properties of Matter, Volume 4. Specific Heat, Metallic Elements, and Alloys", Plenum Press, New York (1970).

Metals; alloys; specific heat; cryogenic temperatures

673. Younger, C. L., and Haley, F. A., "Irradiation Effect at Cryogenic Temperature on Tensile Properties of Titanium and Titanium-Base Alloys", Technical Memorandum NASA TM X-52772 (1970).

Titanium; Ti-5Al-2.5Sn; Ti-6Al-4V; Ti-8Al-1Mo-1V; ultimate tensile strength; tensile yield strength; elongation; reduction in area; 17 K

1971

674. Ackermann, F. W., Klawitter, W. A., and Drautman, J. J., "Magnetic Properties of Commercial Soft Magnetic Alloys at Cryogenic Temperatures", Proceedings of the 1970 Cryogenic Engineering Conference, 46-50 (1971).

Iron; iron alloys; magnetic permeability; 4.2 K

675. Awad, F. G., and Gugan, D., "The Thermal Expansion of Cu, Al, KCl, and KI Between 10 and 80 K", Cryogenics, 11 (5), 414-415 (October 1971).

Copper; aluminum; thermal expansion; 10 K

676. Beardmore, P., and Rabinowitz, S., "Low Temperature Crazing in Amorphous Polymers", Journal of Materials Science, 6 (1), 80-86 (January 1971).

Polymers; polymethylmethacrylate; stress-strain data; fracture properties; 78 K

677. Beardmore, P., and Johnston, T. L., "Fracture of Polymethylmethacrylate at Low Temperatures", Philosophical Magazine, Series 8, 23 (185), 1119-1131 (May 1971).

Polymethylmethacrylate; flow stress; fracture stress; plastic deformation; 78 K

678. Bishop, J. H., Hirschkoff, E. C., and Wheatley, J. C., "Very-Low-Temperature Static Magnetic Properties of Certain Metals Possibly Useful as Magnetic Thermometers", Journal of Low Temperature Physics, 5 (6), 607-616 (December 1971).

Aluminum; copper; thallium; platinum; magnetic properties; 10 K

679. Buchanan, D. P., and Kellum, T. L., "Weldability Study of Aluminum Alloy X2020-T8E31", Technical Report ASD-ASTN-1273, Teledyne Brown Engineering Company, Contract NAS 8-20073 (February 1971).

X2020-T8E31; ultimate tensile strength; tensile yield strength; elongation; weld properties; -423 F

680. Campbell, J. E., "Review of Recent Developments. Low Temperature Properties of Metals", Technical Report, Battelle Memorial Institute (March 1971).

2014-T6; maraging steel; zirconium; ultimate tensile strength; tensile yield strength; elongation; weld properties; fracture toughness; 4.2 K

681. Clark, A. F., Wallace, G. H., and Childs, G. E., "Metal Alloy Resistivity Measurements at Very Low Temperatures", Technical Briefs, Cryogenics and Industrial Gases, 6 (6), 10 (November-December 1971).

Aluminum alloys; copper alloys; nickel alloys; iron alloys; titanium alloys; electrical resistivity; 4 K

682. Crooker, T. W., "Crack Propagation in Aluminum Alloys Under High-Amplitude Cyclic Load", NRL Report 7286 (July 12, 1971).

2219-T87; 5456-H321; 6061-T651; 7005-T63; 7039-T6X31; 7106-T63; fatigue properties; 78 F

683. Echarri, A., and Spadoni, M., "Superconducting Nb_3Sn: A Review", Cryogenics, 11 (4), 274-284 (August 1971).

Nb_3Sn; superconductivity; 4.2 K

684. Falge, R. L., Jr., and Wolcott, N. M., "Cluster Specific Heats in Copper-Rich Cu-Ni Alloys: The Effect of Iron", Journal of Low Temperature Physics, 5 (6), 617-650 (1971).

Cu-43Ni; Cu-40Ni; Cu-20Ni; specific heat; 0.4 K

685. Feddersen, C. E., "Fracture Behavior of Surface-Cracked Tension Elements", AIAA Journal, 9 (12), 2309-2313 (December 1971).

AISI 4340; D6AC; maraging (300); Ti-6Al-4V; Ti-5Al-2.5Sn; fracture toughness; -320 F

686. Fickett, F. R., "Aluminum. 1. A Review of Resistive Mechanisms in Aluminum", Cryogenics, 11 (5), 349-367 (October 1971).

Aluminum; electrical resistivity; superconductivity; magnetoresistance; 4.2 K

687. Fickett, F. R., "Magnetoresistance of Very Pure Polycrystalline Aluminum", Physical Review B, 3 (6), 1941-1952 (March 15, 1971).

Aluminum; magnetoresistance; 4 K

688. Gindin, I. A., Starodubov, Ya. D., and Khaimovich, P. A., "The Relation Between Microhardness and Flow Stress in Copper at Low Temperatures", Strength of Materials, 3 (9), 1131-1132 (September 1971).

Copper; microhardness; flow properties; 80 K

689. Hall, L. R., and Finger, R. W., "Investigation of Flaw Geometry and Loading Effects on Plane Strain Fracture in Metallic Structures", Final Report, NASA CR-72659, Boeing Company, Contract NAS 3-12016 (December 18, 1971).

2219-T87; Ti-5Al-2.5Sn; fatigue properties; fracture toughness; -423 F

690. Hall, L. R., "Influence of Specimen Design in Plane Strain Fracture Toughness Testing", ASTM Special Technical Publication 496 (August 1971).

2219-T87; Ti-5Al-2.5Sn; fracture toughness; -423 F

691. Harding, J., "The Yield Behaviour of Pure Polycrystalline Copper Under Repeated Tensile Impact Loading", Acta Metallurgica, 19 (11), 1177-1188 (November 1971).

Copper; tensile yield strength; impact properties; stress-strain data; 77 K

692. Huettich, N. J., Pense, A. W., and Stout, R. D., "The Toughness of 2¼% and 3½% Nickel Steels", WRC (Welding Research Council) Bulletin 165 (September 1971).

2Ni steel; 3Ni steel; impact properties; fracture toughness; -150 F

693. Hust, J. G., and Clark, A. F., "The Lorenz Ratio as a Tool for Predicting the Thermal Conductivity of Metals and Alloys", Materials Research and Standards, 11 (8), 22-24 (August 1971).

7039; Ti-5Al-2.5Sn; gold; thermal conductivity; electrical resistivity; 7 K

694. Hust, J. G., and Sparks, L. L., "Thermal Conductivity Standard Reference Materials From 4 to 300 K: III. AGARD Stainless Steel", NBS Technical Report 9786 (February 5, 1971).

16Cr steel; thermal conductivity; electrical resistivity; 4 K

695. Hust, J. G., and Sparks, L. L., "Thermal Conductivity Standard Reference Materials From 4 to 300 K: V. AGARD Stainless Steel", NBS Technical Report 10-710 (November 1, 1971).

16Cr steel; thermal conductivity; electrical resistivity; 4 K

696. Hust, J. G., and Sparks, L. L., "Thermal Conductivity, Electrical Resistivity, and Thermopower of Aerospace Alloys From 4 to 300 K: IV. A-286 Stainless Steel", NBS Technical Report 9789 (April 6, 1971).

A-286; thermal conductivity; electrical resistivity; 4 K

697. Hust, J. G., and Sparks, L. L., "Thermal Conductivity, Electrical Resistivity, and Thermopower of Aerospace Alloys From 4 to 300 K: V. Aluminum 2024", NBS Technical Report 9790 (April 8, 1971).

2024; thermal conductivity; electrical resistivity; 4 K

698. Hust, J. G., and Sparks, L. L., "Thermal Conductivity, Electrical Resistivity, and Thermopower of Aerospace Alloys From 4 to 300 K: VI. Fe-22Cr-13Ni-5Mn Stainless Steel", NBS Technical Report 9799 (July 28, 1971).

22-13-5; thermal conductivity; electrical resistivity; 4 K

699. Hust, J. G., and Sparks, L. L., "Standard Reference Materials: Thermal Conductivity of Electrolytic Iron, SRM 734, From 4 to 300 K", NBS Special Publication 260-31 (November 1971).

Iron, thermal conductivity; 4 K

700. Kamada, K., and Yoshizawa, I., "The Anomalies in Temperature Dependence of the Yield Stress of Cu Base Solid Solutions", Journal of the Physical Society of Japan, 31 (4), 1056-1068 (October 1971).

Copper alloys; tensile yield strength; 1.6 K

701. Kaufman, J. G., and Wanderer, E. T., "Tensile Properties and Notch Toughness of Some 7XXX Alloys at -452 F", Proceedings of the 1970 Cryogenic Engineering Conference, 27-36 (1971).

7005; 7007; 7039; 7075; 7079; ultimate tensile strength; tensile yield strength; elongation; reduction in area; notch tensile strength; -452 F

702. Kekalo, I. B., and Villems, K. B., "Temperature-Time Dependence of the Initial Permeability of Invar and Its Connection With the Magneto-Elastic Properties", Physics of Metals and Metallography, 31 (1), 94-98 (1971).

Invar; magneto-elastic properties; 20 C

703. Larbalestier, D. C., and King, H. W., "Non Magnetic Stainless Steels for Cryogenic Purposes", Technical Report RHEL/R 217, Imperial College, London (January 1971).

AISI 304; AISI 304L; AISI 309; AISI 310; AISI 316; AISI 321; AISI 347; Incoloy 800; Kromarc 55; magnetic permeability; 4.2 K

704. Lismer, R. E., "Properties of Metals at Low Temperatures", Machine Design, 33 (6), 182-187 (March 16, 1971).

Copper; copper alloys; 18/8 stainless steel; 9Ni steel; ultimate tensile strength; elongation; reduction in area; notch tensile strength; impact properties; -196 C

705. Madhava, N. M., Worthington, P. J., and Armstrong, R. W., "Discontinuous Twinning During Essentially Elastic Compression of Steel at 4.2 K", Technical Report No. 4, University of Maryland, Contract N00014-67-A-0239-0011 (December 1971).

AISI 1010; compression testing; tensile testing; stress-strain data; brittle fracture; 4.2 K

706. Montano, J. W., "An Evaluation of the Mechanical and Stress Corrosion Properties of Cold Worked A-286 Alloy", NASA Technical Memorandum NASA TM X-64569 (February 12, 1971).

A-286; ultimate tensile strength; tensile yield strength; elongation; reduction in area; impact properties; -423 F

707. Nelson, F. G., and Kaufman, J. G., "Plane Strain Fracture Toughness of Aluminum Alloys at Room and Subzero Temperatures", ASTM Special Technical Publication 496 (August 1971).

2014-T651; 2024-T851; 6061-T651; 7075-T651; 7075-T7351; 7079-T651; ultimate tensile strength; tensile yield strength; elongation; fracture toughness; -320 F

708. Orange, T. W., Sullivan, T. L., and Calfo, F. D., "Fracture of Thin Sections Containing Through and Part-Through Cracks", ASTM Special Technical Publication 496 (August 1971).

Ti-5Al-2.5Sn; 2014-T6; 2219-T87; ultimate tensile strength; tensile yield strength; elongation; modulus of elasticity; fracture toughness; -423 F

709. Perepechko, I. I., and Sorokin, V. E., "The Viscous and Elastic Properties of Polyethylene at Very Low Temperatures", High Molecular-Weight Compounds Short Report, 13 (3), 171-172 (1971). (In Russian)

Polyethylene; elastic properties; 4.2 K

710. Rayevskiy, I. I., Stepanov, N. V., Dubrovin, A. V., Ivanov, O. S., and Alekseyevskiy, N. Y., "Superconductive Properties of Niobium-Titanium-Zirconium-Hafnium Alloys", Physics of Metals and Metallography, 31 (1), 71-76 (1971).

Niobium alloys; superconductivity; 4.2 K

711. Reed, R. P., Durcholz, R. L., and Arvidson, J. M., "Low-Temperature Tensile Properties of Polyethylene Terephthalate Multifiber Yarn and Polystyrene Foam", Proceedings of the 1970 Cryogenic Engineering Conference, 37-45 (1971).

Polystyrene; dacron polyester; ultimate tensile strength; tensile yield strength; elongation; modulus of elasticity; 4 K

712. Reuter, W. G., "Fracture Toughness of Ti-5Al-2.5Sn ELI Forgings at -423 F", Memoranda and Material R&D Report, Aerojet-General Corporation (January 26, 1971).

Ti-5Al-2.5Sn; fracture toughness; -423 F

713. Sastry, D. H., Prasad, Y.V.R.K., and Vasu, K. I., "An Evaluation of Rate-Controlling Obstacles for Low-Temperature Deformation of Zirconium", Journal of Materials Science, 6 (4), 332-341 (April 1971).

Zirconium; creep deformation; 87 K

714. Sastry, D. H., Prasad, Y.V.R.K., and Vasu, K. I., "Low-Temperature Deformation Behaviour of Polycrystalline Copper", Journal of Materials Science, 6 (12), 1433-1440 (December 1971).

Copper; creep deformation; 87 K

715. Shoemaker, A. K., and Rolfe, S. T., "The Static and Dynamic Low-Temperature Crack-Toughness Performance of Seven Structural Steels", Engineering Fracture Mechanics, 2, 319-339 (1971).

Engineering steel; A302; A517; HY-80; HY-130; maraging (180); maraging (250); fracture toughness; -320 F

716. Stepanov, N. V., Rayevskiy, I. I., Dubrovin, A. V., Ivanov, O. S., and Alekeseyevskiy, N. Y., "Superconductive Properties of Niobium-Zirconium-Hafnium Alloys", Physics of Metals and Metallography, 31 (1), 63-70 (1971).

Niobium alloys; superconductivity; 4.2 K

717. Sullivan, T. L., "Behavior of Ti-5Al-2.5Sn ELI Titanium Alloy Sheet Parent and Weld Metal in the Presence of Cracks at 20 K", NASA Technical Note NASA TN D-6544 (November 1971).

Ti-5Al-2.5Sn; ultimate tensile strength; tensile yield strength; elongation; reduction in area; weld properties; fracture toughness; 20 K

718. Vishnevsky, C., and Steigerwald, E. A., "Plane Strain Fracture Toughness of Some Cryogenic Materials at Room and Subzero Temperatures", ASTM Special Technical Publication 496 (August 1971).

7039-T61; 2021-T81; Ti-6Al-4V; maraging (200); 9Ni steel; fracture toughness; -321 F

719. Yee, R., and Zimmerman, G. O., "The Magnetic Susceptibility and Specific Heat of Constantan at Low Temperatures", The Review of Scientific Instruments, 42 (2), 233-234 (February 1971).

Cu-43Ni-2.7Mn (Constantan); magnetic susceptibility; specific heat; 1 K

1972

720. "Plastics Properties Chart, UL Temperature Index Chart, Creep Chart, and Dielectric Loss Properties Chart", Modern Plastics Encyclopedia, 49 (10A), 142-201, 237-255 (October 1972).

Polymers; mechanical properties; thermal properties; electrical properties; optical properties; resistance characteristics; creep properties; temperature index; dielectric properties

721. Abraham, J. M., and Deviot, B., "Electrical Resistivity of High Purity Niobium at 20 K Under High Vacuum", Journal of the Less-Common Metals, 29 (3), 311-320 (November 1972).

Niobium; electrical resistivity; 20 K

722. Battams, P. A., "Superconducting Materials - A Survey", Cryogenics, 12 (5), 356-361 (October 1972).

Nb-Ti/Cu composite; Nb_3Sn; Nb-50Ti; V_3Ga; superconductivity; 4.2 K

723. Bauwens-Crowet, C., Bauwens, J-C., and Homes, G., "The Temperature Dependence of Yield of Polycarbonate in Uniaxial Compression and Tensile Tests", Journal of Materials Science, 7 (2), 176-183 (February 1972).

Polycarbonate; tensile yield strength; compressive yield strength; strain rate; -120 C

724. Clark, A. F., and Tryon, P. V., "Material Variability as Measured by Low Temperature Electrical Resistivity", Cryogenics, 12 (6), 451-461 (December 1972).

2024; 5083; 5056; 5456; Inconel 718; A-286; AISI 316; electrical resistivity; 4 K

725. Collings, E. W., and Brog, K. C., "Electronic Effects Due to Micro-Inhomogeneities in Metastable Solid Solution Alloys", Interim Report AFOSR-TR-72-1279, Battelle Memorial Institute, Research Grant AFOSR-71-2084 (June 23, 1972).

Ti-50V; specific heat; 1.5 K

726. Conrad, H., Okasaki, K., Gadgil, V., et al., "Dislocation Structure and the Strength of Titanium", Electron Microscopy and Structure of Materials, edited by G. Thomas, University of California Press, Los Angeles (1972), pp 438-469.

Titanium; dislocation density; stress-strain data; shear modulus; -320 F

727. Cordea, J. N., Frisby, D. L., and Kampschaefer, G. E., "5% Nickel: New Steel Seeks LNG Niche", Cryogenics and Industrial Gases, 7 (6), 15-21 (November/December 1972).

5Ni steel; 9Ni steel; Invar; AISI 304L; 5083; ultimate tensile strength; tensile yield strength; elongation; notch tensile strength; weld properties; -275 C

728. Eagen, C. F., and Legvold, S., "Resistivity and Magnetoresistance of Dilute Solutions of Cr in Cu-Ni Alloys", Physical Review B, 6 (5), 1830-1838 (September 1, 1972).

Cu-6Ni; Cu-13Ni; Cu-23Ni; chromium addition; electrical resistivity; magnetoresistance; 1.3 K

729. Engstrom, W. L., "Determination of Design Allowable Properties - Fracture of 2219-T87 Aluminum Alloy," Technical Report D180-14480-1, NASA CR-115388, Boeing Company, Contract NAS 9-10364 (March 1972).

2219-T87; fracture toughness; fatigue properties; -423 F

730. Fickett, F. R., "A Preliminary Investigation of the Behavior of High Purity Copper In High Magnetic Fields", Annual Report, INCRA Project No. 186, NBS, International Copper Research Association (June 1972).

Copper; magnetoresistance; 4 K

731. Fickett, F. R., "Properties of Nonsuperconducting Technical Solids at Low Temperatures", Proceedings of The Fourth International Conference on Magnet Technology, 498-516 (September 19-22, 1972).

Review; copper alloys; aluminum alloys; stainless steel; mechanical properties; electrical properties; thermal properties; 4 K

732. Gasanov, M. A., Romashev, L. N., and Fakidov, I. G., "Magnetic Properties of Stainless Steel Kh18N10T", The Physics of Metals and Metallography, 33 (2), 190-191 (1972).

Kh18N10T; Russian alloys; magnetization; 20 K

733. Gille, J. P., "Development of Advanced Material Composites for Use as Internal Insulation for LH_2 Tanks (Gas Layer Concept)", Final Report, MCR-72-130, NASA CR-124222, Martin Marietta Corporation, Contract NAS 8-25974 (July 1972).

Polymers; ultimate tensile strength; elongation; -423 F

734. Gindin, I. A., Neklyudov, I. M., Bobonets, I. I., and Kamyshanchenko, N. V., "Strain Aging of Pure Aluminum Quenched From the Submelting Temperature", The Physics of Metals and Metallography, 33 (4), 108-113 (1972).

Aluminum; elongation; deformation; -196 C

735. Golovashkin, A. I., Levchenko, I. S., and Motulevich, G. P., "Characteristics of Superconductive Niobium-Tin Alloys Prepared by Vacuum Evaporation", The Physics of Metals and Metallography, 33 (6), 84-92 (1972).

Nb_3Sn; superconductivity; 20 K

736. Hall, L. R., and Finger, R. W., "Stress Corrosion Cracking and Fatigue Crack Growth Studies Pertinent to Spacecraft and Booster Pressure Vessels", Technical Report D180-15018-1, NASA CR-120823, Boeing Company, Contract NAS 3-12003 (December 1972).

2219-T87; Ti-5Al-2.5Sn; Ti-6Al-4V; weld properties; fracture toughness; -423 F

737. Hall, L. R., and Bixler, W. D., "Subcritical Crack Growth of Selected Aerospace Pressure Vessel Materials", Technical Report D180-14855-1, NASA CR-120834, Boeing Company, Contract NAS 3-12044 (December 1972).

2219-T87; Ti-5Al-2.5Sn; Ti-6Al-4V; ultimate tensile strength; tensile yield strength; elongation; reduction in area; fracture toughness; fatigue properties; -423 F

738. Hall, L. R., and Finger, R. W., "Fracture and Crack Growth Resistance Studies of 304 Stainless Steel Weldments Relating to Retesting of Cryogenic Vessels", Final Report, NASA CR-121025, Boeing Company, Contract NAS 3-12003 (December 1972).

AISI 304; ultimate tensile strength; tensile yield strength; elongation; reduction in area; weld properties; fracture mechanics; fatigue properties; -423 F

739. Hartbower, C. E., Reuter, W. G., and Morais, C. F., "Correlation of Stress-Wave-Emission Characteristics With Fracture in Aluminum Alloys", Technical Report NASA CR-2072, Aerojet Solid Propulsion Company, Contract NAS 8-21405 (July 1972).

2014-T651; 2219-T87; 7075-T73; weld properties; fracture toughness; -423 F

740. Herzog, R. G., Osgood, S. H., and Lighty, D., "Properties of Cryogenically-Worked Materials", Cryogenics and Industrial Gases, 7 (6), 25-29 (November/December 1972).

PH14-8Mo; ultimate tensile strength; -423 F

741. Hust, J. G., and Sparks, L. L., "Thermal Conductivity of Austenitic Stainless Steel, SRM 735, From 5 to 280 K", Summary Report, NBS-SP-260-35 (April 1972).

16Cr steel; thermal conductivity; 5 K

742. Karasik, V. R., Vasilev, N. G., and Vysotskii, V. S., "Surface Superconductivity of the Ti-22 at.% Nb Alloy", Soviet Physics JETP, 35 (5), 945-949 (November 1972).

Ti-22Nb; superconductivity; 4.2 K

743. Koshelev, P. F., Mikheev, V. S., and Nikitin, P. N., "The Mechanical Properties of Titanium Alloys With Vanadium and Columbium at Low Temperatures", Metal Science and Heat Treatment, 14 (2), 111-113 (February 1972).

Ti-2V; Ti-6.5Cb; Ti-5.5V; ultimate tensile strength; tensile yield strength; elongation; reduction in area; notch tensile strength; -269 C

744. Leplae, L., Mancini, F., and Umezawa, H., "Magnetic Properties of Vanadium and Niobium at T=0 K", Physical Review B, 6 (11), 4178-4184 (December 1, 1972).

Vanadium; niobium; magnetic properties; 0 K

745. Luhman, T. S., Taggart, R., and Polonis, D. H., "Magnetic Hysteresis Studies of Superconducting Beta Stabilized Titanium Alloys", Scripta Metallurgica, 6 (11), 1055-1060 (November 1972).

Ti-20Cb; Ti-28V; superconductivity; magnetic hysteresis; 77 K

746. Martin, D. L., "Effect of Heat Treatment on the Specific Heat of Cu-40 at.% Ni Below 3 K", Physical Review B, 6 (4), 1169-1176 (August 15, 1972).

Cu-40Ni; specific heat; below 3 K

747. Mathur, M. P., Walker, M. S., Deis, D. W., and Jones, C. K., "Anisotropy of the Critical Current Density in the NbTi Filaments of Round Composite Superconductors", Journal of Applied Physics, 43 (9), 3831-3833 (September 1972).

Nb-Ti/copper composite; magnetization; 4.2 K

748. McLean, K. O., Swenson, C. A., and Case, C. R., "Thermal Expansion of Copper, Silver, and Gold Below 30 K", Journal of Low Temperature Physics, 7 (1/2), 77-98 (1972).

Copper; silver; gold; thermal expansion; 4 K

749. Montano, J. W., "The Effects of Solution Treatment on the Mechanical Properties of Age-Hardened A-286 Bar Stock at Elevated and Cryogenic Temperature", NASA Technical Memorandum NASA TM X-64638 (February 16, 1972).

A-286; ultimate tensile strength; tensile yield strength; elongation; reduction in area; notch tensile strength; impact properties; shear ultimate strength; -423 F

750. Muraca, R. F., and Whittick, J. S., "Materials Data Handbook, Stainless Steel Alloy A-286", NASA CR-123776, Western Applied Research & Development Inc., Contract NAS 8-26644 (June 1972).

A-286; ultimate tensile strength; tensile yield strength; elongation; -423 F

751. Periera, F.N.D.D., and Graham, G. M., "Thermal Expansion of the NBS Standard Copper Below 30 K", AIP Conference Proceedings, 1971 Thermal Expansion Symposium, 65-71 (1972).

Copper; thermal expansion; 2 K

752. Periera, F.N.D.D., and Graham, G. M., "Low-Temperature Thermal Expansion of Copper: Search for Specimen-Dependent Effects", Journal of Low Temperature Physics, 9 (3/4), 203-218 (November 1972).

Copper; thermal expansion; 2.5 K

753. Reed, R. P., "Aluminum. 2. A Review of Deformation Properties of High Purity Aluminum and Dilute Aluminum Alloys", Cryogenics, 12 (4), 259-291 (August 1972).

Review; aluminum; aluminum alloys; modulus of elasticity; tensile properties; creep properties; fatigue properties; impact properties; cryogenic temperatures

754. Roberts, B. W., "Properties of Selected Superconductive Materials", NBS Technical Note 724 (June 1972).

Compilation; metals; compounds; superconductivity; 1 K

755. Sasaki, Y., and Matsumoto, T., "Effect of Plastic Deformation on Electrical Resistance of Niobium-Hydrogen Alloys", Japanese Journal of Applied Physics, 11 (5), 617-622 (May 1972).

Niobium alloys; plastic deformation; electrical resistivity; 4.2 K

756. Scott, T. A., Giles, M. M., Berretz, M., and Holt, S. L., "Dislocation Scattering in Teflon at Low Temperatures, and Optical and Magnetic Properties of Some Transition Metal Ions in Lithium Phosphate Glass", Annual Report, University of Wyoming, Contract N00014-71-C-0388 and Grant NR 017-657 (July 1972).

Teflon; thermal conductivity; 0.2 K

757. Sekula, S. T., and Kernohan, R. H., "AC Studies of a Superconducting Nb-52Ti Alloy", Summary Report, CONF-720513-4, Union Carbide (April 1972).

Nb-52Ti; superconductivity; 4.2 K

758. Sullivan, D. B., "Precise Electrical Measurements at Low Temperatures", Paper presented at the 1972 Applied Superconductivity Conference, IEEE, Annapolis, Maryland (May 1-3, 1972).

Electrical properties; superconductivity; measurement techniques; cryogenic temperatures

759. Tino, Y., and Arai, J., "The Mossbauer Effect and the Anomalous Properties of the Invar Alloys", Journal of the Physical Society of Japan, 32 (4), 941-948 (April 1972).

Invar; magnetic properties; 25 C

760. Tokunaga, T., and Tange, H., "Temperature Dependence of the Forced Magnetostriction of Cu-Ni Alloys", Journal of the Physical Society of Japan, 33, 1481 (1972).

Nickel; Ni-10Cu; Ni-20Cu; Ni-35Cu; Ni-45Cu; magnetic properties; 77 K

761. Wei, R. P., and Ritter, D. L., "The Influence of Temperature on Fatigue Crack Growth in a Mill Annealed Ti-6Al-4V Alloy", Journal of Materials, 7 (2), 240-250 (June 1972).

Ti-6Al-4V; fatigue properties; 25 C

762. Westrup, R. W., "Establishment of Design Criteria for Acceptable Failure Modes and Fail Safe Considerations for the Space Shuttle Structural System", Final Report SD72-SH-0046, NASA CR-123725, North American, Contract NAS 8-27269 (June 1, 1972).

2219; Ti-6Al-4V; fracture toughness; fatigue properties; -320 F

763. White, G. K., and Collins, J. G., "Thermal Expansion of Copper, Silver, and Gold at Low Temperatures", Journal of Low Temperature Physics, 7 (1/2), 43-75 (1972).

Copper; silver; gold; thermal expansion; 1.5 K

764. White, G. K., "Expansion Coefficient of Coppers at 283 K and Low Temperatures", AIP Conference Proceedings, 1971 Thermal Expansion Symposium, 59-64 (1972).

OFHC copper; electrolytic tough pitch copper; phosphorized copper; thermal expansion; specific heat; 65 K

765. Zaitlin, M. P., and Anderson, A. C., "The Thermal Conductivity of Silver and Aluminum in the Temperature Range 2-5 K", Journal of Low Temperature Physics, 9 (5/6), 467-473 (December 1972).

Aluminum; silver; thermal conductivity; 2 K

1973

766. "New Copper Provides Long-Sought Properties", Machine Design, 45 (16), 18 (June 28, 1973).

GlidCop alloys; Cu-0.1Al; Cu-0.35Al; Cu-0.6Al; alumina addition; ultimate tensile strength

767. "New Ni-Fe-Co Alloy Combats Stresses", Metal Progress, 104 (5), 7 (October 1973).

Incoloy 903; Inconel 718; modulus of elasticity; thermal expansion; -320 F

768. "Steels and Aluminums", Cryogenics and Industrial Gases, 8 (3), 98-116 (May-June 1973).

AISI 301; AISI 302; AISI 303; AISI 304; AISI 304L; AISI 310; AISI 316; AISI 321; AISI 347; 2014-T6; 2020-T6; 2219-T6; 5456-H343; 7075-T6; 5086-H34; 7002-T6; 7079-T6; 2119-T6; 7178-T6; 5052-H32; 6061-T6; 2024-T4; 7039-T6; ultimate tensile strength; tensile yield strength; elongation; notch tensile strength; modulus of elasticity; shear modulus; -320 F

769. Acosta, V., "Spontaneous Magnetization of Aluminum at Cryogenic Temperatures", Journal of Applied Physics, 44 (4), 1917-1918 (April 1973).

6061-T6; magnetic properties; 78 K

770. Amakawa, K., and Inuishi, Y., "Electric Breakdown of Oxidized Polyethylene in Low-Temperature Region", Japanese Journal of Applied Physics, 12 (5), 755-756 (May 1973).

Polyethylene; electrical properties; -196 C

771. Belen'kii, M. V., and Bilik, S. M., "Use of Polymer Materials for Low-Temperature Components", Russian Engineering Journal, (6), 40-42 (June 1973).

Polytetrafluoroethylene; nylon; polymers; plastic deformation; compressive properties; impact properties; -90 C

772. Bixler, W. D., "Development of a Fracture Control Method for Composite Tanks With Load Sharing Liners", Final Report D180-15296-1, NASA CR-120918, Boeing Company, Contract NAS 3-14380 (March 1973).

Inconel X-750; 2219-T62; AISI 301; fracture properties; -320 F

773. Bowen, A. W., and Partridge, P. G., "Tensile Stress-Strain Curves of Cold Worked Polycrystalline Titanium", Titanium Science and Technology, edited by R. I. Jaffee and H. M. Burte, Plenum Press, New York (1973), pp 1021-1032.

Titanium; ultimate tensile strength; proof stress; stress-strain data; -196 C

774. Brown, N., "A Theory for Environmental Craze Yielding of Polymers at Low Temperatures", Journal of Polymer Science: Polymer Physics Edition, 11, 2099-2111 (1973).

Polycarbonate; polymethylmethacrylate; crazing; ultimate tensile strength; strain rate; tensile yield strength; 77 K

775. Bucci, R. J., Greene, B. N., and Paris, P. C., "Fatigue Crack Propagation and Fracture Toughness of 5Ni and 9Ni Steels at Cryogenic Temperatures", ASTM STP 536, 206-228 (1973).

5Ni; 9Ni; fracture toughness; fatigue properties; -320 F

776. Cappelletti, R. L., and Ishikawa, M., "A Method of Measuring Thermal Conductivity in the Presence of Extraneous Heat Currents and the Thermal Conductivity of Brass at Low Temperatures", Review of Scientific Instruments, 44 (3), 301-304 (March 1973).

Cu-40Zn (brass); thermal conductivity; 0.3 K

777. Carapella, S. C., Jr., Bess, M. L., and Leseur, D. R., "Factors Influencing Resistance Ratio Values of High Purity Copper", Journal of Metals, 25 (1), 30-33 (January 1973).

Copper; electrical resistivity; 4.2 K

778. Carr, W. J., Jr., and Colling, D. A., "Theory of Thermal Expansion in Invar Alloys", Journal of Applied Physics, 44 (2), 875-878 (February 1973).

Invar; thermal expansion

779. Cheeke, J.D.N., Hebral, B., and Richard, J., "Kapitza Resistance Between the Transition Metals Fe, Co, and Ni and Superfluid Helium", Journal of Low Temperature Physics, 12 (3/4), 359-373 (1973).

Iron; cobalt; nickel; thermal conductivity; 1 K

780. Childs, G. E., Ericks, L. J., and Powell, R. L., "Thermal Conductivity of Solids at Room Temperature and Below. A Review and Compilation of the Literature", NBS Monograph 131 (September 1973).

Review; compilation; metals; thermal conductivity; 0.02 K

781. Cody, G. D., and Cullen, G. W., "Longitudinal and Transverse Critical Currents of Chemically Deposited Nb_3Sn in the Temperature Range 14.5-17.5 K", Journal of Applied Physics, 44 (6), 2843-2846 (June 1973).

Nb_3Sn; superconductivity; 14.5 K

782. Collins, J. G., and White, G. K., "The Thermal Expansion of Aluminum Below 35 K", Journal of Low Temperature Physics, 10 (1/2), 69-77 (1973).

Aluminum; thermal expansion; specific heat; 3 K

783. Conrad, H., Doner, M., and DeMeester, B., "Critical Review. Deformation and Fracture", Titanium Science and Technology, edited by R. I. Jaffee and H. M. Burte, Plenum Press, New York (1973), pp 969-1005.

Titanium; plastic deformation; fracture properties; -320 F

784. Cullen, G. W., and Cody, G. D., "Field, Angular, and Defect Dependence of the Critical Current of Nb_3Sn for $t \leq 4.2$ K", Journal of Applied Physics, 44 (6), 2838-2842 (June 1973).

Nb_3Sn; superconductivity; 4.2 K

785. Fevrier, A., and Morize, D., "The Effect of Magnetic Field on the Thermal Conductivity and Electrical Resistivity of Different Metals", Cryogenics, 13 (10), 603-606 (October 1973).

Copper; thermal conductivity; electrical resistivity; 4 K

786. Fischer, S., and Brown, N., "Deformation of Polytetrafluoroethylene from 78 to 298 K and the Effects of Environmental Crazing", Journal of Applied Physics, 44 (10), 4322-4327 (October 1973).

Polytetrafluoroethylene; tensile properties; 78 K

787. Flewitt, P.E.J., and Palmer, D.E.B., "Temperature Dependence of Deformation for Beta Phase Niobium 16-40% Zirconium Alloys", Journal of the Less-Common Metals, 32 (1), 57-78 (July 1973).

Nb-16Zr; Nb-25Zr; Nb-31Zr; Nb-40Zr; tensile yield strength; shear stress; fracture properties; 4.2 K

788. Forman, R. G., Glorioso, S. V., and Medlock, J. D., "Flaw Growth Behavior in Thick Welded Plates of 2219-T87 Aluminum at Room and Cryogenic Temperatures", NASA Technical Note NASA-TN-D-7377 (August 1973).

2219-T87; weld properties; fracture toughness; -320 F

789. Fukuda, S., Tachikawa, K., and Iwasa, Y., "Current-Carrying Capacities of Small V_3Ga Pancakes", Cryogenics, 13 (3), 153-157 (March 1973).

V_3Ga; superconductivity; 4.2 K

790. Furtado, C. S., "DC Magnetization Measurements on Pure Niobium", Cryogenics, 13 (11), 639-643 (November 1973).

Niobium; magnetic properties; 4.2 K

791. Garde, A. M., Aigeltinger, E., and Reed-Hill, R. E., "Relationship Between Deformation Twinning and the Stress-Strain Behavior of Polycrystalline Titanium and Zirconium at 77 K", Metallurgical Transactions, 4 (10), 2461-2468 (October 1973).

Titanium; zirconium; deformation; stress-strain data; 77 K

792. Gasanov, M. A., and Fakidov, I. G., "Thermal Expansion, Young's Modulus and Magnetostriction of a Stainless Iron-Chromium-Nickel Alloy in the Range 80-280 K", Physics of Metals and Metallography, 35 (3), 200-202 (1973).

18Cr steel; modulus of elasticity; thermal expansion; magnetostriction; 80 K

793. Golovashkin, A. I., Levchenko, I. S., Leskova, T. A., et al., "Optical and Electrical Properties of Cast, Superconducting Alloys of Vanadium-Gallium", Physics of Metals and Metallography, 36 (6), 56-65 (1973).

V-27.5Ga; V-30Ga; electrical resistivity; superconductivity; 6.7 K

794. Gulyaev, A. P., Lebedev, D. V., and Gadzhibalaev, G. A., "Strength and Ductility of Austenitic Cr-Ni and Cr-Mn Steels at Low Temperatures", Metal Science and Heat Treatment, 15 (11-12), 1051-1055 (November-December 1973).

14Cr steel; 17Cr steel; 18Cr steel; ultimate tensile strength; tensile yield strength; notch tensile strength; -253 C

795. Hayase, M., Shiga, M., and Nakamura, Y., "Spontaneous Volume Magnetostriction and Lattice Constant of Face-Centered Cubic Fe-Ni and Ni-Cu Alloys", Journal of the Physical Society of Japan, 34 (4), 925-931 (April 1973).

Invar; nickel; Ni-19Cu; Ni-40Cu; Ni-60Cu; thermal expansion; magnetostriction; 4.2 K

796. Henning, C. D., Nelson, R. L., Ward, C. O., et al., "Progress on Aluminum-Clad Nb_3Sn", UCRL-74964 Preprint, Conf-731114-3, Lawrence Livermore Laboratory, University of California, Conference Paper (August 29, 1973).

Nb_3Sn; magnetoresistivity; 4.2 K

797. Ho, C. Y., "Thermophysical Properties Information Analysis Center: A Continuing Systematic Program on Tables of Thermophysical Properties of Materials", Final Report AMMRC CTR-73-5, Purdue University, Contract F33(615)-71-C-1182 (January 1973).

Data source; metals; nonmetals; thermal conductivity; thermal diffusivity; specific heat; cryogenic temperatures

798. Houssin, B., Fries, J. F., Cizeron, G., and Lacombe, P., "Investigation of the Electrical Resistivity of Niobium and the Effect of Diffusion of Interstitial Materials", Journal of the Less-Common Metals, 32 (1), 137-153 (July 1973).

Niobium; electrical resistivity; 77 K

799. Hugel, J., "Low Temperature Resistivity Measurements on Nickel and Cobalt Alloys", Metal Physics, 3 (9), 1723-1730 (September 1973).

Nickel alloys; cobalt alloys; electrical resistivity; 4.2 K

800. Hust, J. G., "Thermal Conductivity of an Epoxy-Fiberglass Laminate", NBS Laboratory Note 2750564-73-1 (January 10, 1973).

Fiberglass/epoxy composite; thermal conductivity; 10 K

801. Hust, J. G., and Clark, A. F., "A Survey of Compatibility of Materials With High Pressure Oxygen Service", Cryogenics, 13 (6), 325-336 (June 1973).

Copper alloys; nickel alloys; iron alloys; titanium alloys; polymers; thermal conductivity; thermal diffusivity; 300 K

802. Irvine, J. D., and Work, R. N., "Dielectric Relaxation in Styrene-Related Polymers at Low Temperatures", Journal of Polymer Science: Polymer Physics Edition, 11 (1), 175-191 (January 1973).

Polymers; dielectric properties; 1.6 K

803. Kadykova, G. N., "Properties and Structure of Superconducting Ti-Nb Alloys", Metal Science and Heat Treatment, 15 (1/2), 118-122 (January/February 1973).

Ti-65Nb; Ti-50Nb; Ti-35Nb; superconductivity; 20 K

804. Kamskiy, L. Z., et al., "Magnetoresistance of Copper, Aluminum, Indium, Silver at 4.2 K", Elektrotekhnika, (6), 41-43 (1973).

Copper; aluminum; indium; silver; magnetoresistance; 4.2 K

805. Kastelic, J. R., and Baer, E., "Crazing, Yielding, and Fracture in Polycarbonate and Polyethylene Terephthalate at Low Temperatures", Journal of Macromolecular Science - Physics, B7 (4), 679-703 (1973).

Polycarbonate; polyethylene terephthalate; tensile properties; 4.2 K

806. Killpatrick, D. H., Corn, D. L., and Stoeckinger, G. R., "Cryogenic Fracture Toughness of 18 Nickel 200-Grade Maraging Steel Plate and Welds", MDAC Paper WD 2030 presented to the American Society of Metals 1973 Western Conference, Los Angeles, California (March 12, 1973).

Maraging (200); weld properties; fracture toughness; -320 F

807. Krainskii, I. S., and Shchegolev, I. F., "Properties of Welded Joints Between Wires of Nb-Zr-Ti and Nb + Ti Alloys", Cryogenics, 13 (2), 106-107 (February 1973).

Niobium alloys; superconductivity; 77 K

808. Kubin, L. P., and Jouffrey, B., "Plastic Deformation of Single Crystals of Niobium at Low Temperatures", Philosophical Magazine, 27 (6), 1369-1385 (June 1973).

Niobium; plastic deformation; tensile yield strength; 2 K

809. Larbalestier, D. C., and King, H. W., "Austenitic Stainless Steels at Cryogenic Temperatures. 1-Structural Stability and Magnetic Properties", Cryogenics, 13 (3), 160-168 (March 1973).

AISI 304; AISI 304L; AISI 309; AISI 310; AISI 316; Incoloy 800; Kromarc 55; magnetic susceptibility; 4.2 K

810. Lucks, C. F., "Armco Iron: New Concept and Broad-Data Base Justify Its Use as a Thermal Conductivity Reference Material", Journal of Testing and Evaluation, JTEVA, 1 (5), 422-431 (September 1973).

Armco iron; thermal conductivity; electrical resistivity; 73 K

811. Martin, D. L., Bradley, L.L.T., Cazemier, W. J., and Snowdon, R. L., "Automatic Calorimetry in the 3-30 K Range. The Specific Heat of Copper", Review of Scientific Instruments, 44 (6), 675-684 (June 1973).

Copper; specific heat; 3 K

812. Martin, M. C., "Elastoresistance Effect of Niobium", Journal of the Less-Common Metals, 32 (2), 311-313 (August 1973).

Niobium; electrical resistivity; modulus of elasticity; 77 K

813. Masters, J. N., Bixler, W. D., and Finger, R. W., "Fracture Characteristics of Structural Aerospace Alloys Containing Deep Surface Flaws", Final Report, NASA CR-134587, Boeing Aerospace Company, Contract NAS 3-14341 (December 1973).

7075-T651; 2219-T87; Ti-6Al-4V; ultimate tensile strength; tensile yield strength; elongation; reduction in area; modulus of elasticity; Poisson's ratio; fracture properties; -320 F

814. Masumoto, H., Sawaya, S., and Kikuchi, M., "Antiferromagnetic Elinvar-Type Alloys in the Mn-Ni-Cr System", Transactions of the Japanese Institute of Metals, 14 (2), 251-255 (1973).

Mn-10Ni-5Cr; Mn-18Ni-5Cr; Mn-24Ni-5Cr; Mn-21Ni-10Cr; Mn-20Ni-15Cr; Mn-15Ni-20Cr; Mn-20Ni-30Cr; modulus of elasticity; -150 C

815. Masumoto, H., Sawaya, S., and Kikuchi, M., "Antiferromagnetic Elinvar-Type Alloys in the Mn-Cu-W System", Transactions of the Japanese Institute of Metals, 14 (4), 245-250 (1973).

Mn-50Cu-2W; Mn-55Cu-5W; Mn-10Cu-11W; Mn-30Cu-10W; Mn-10Cu-20W; Mn-40Cu-24W; modulus of elasticity; -150 C

816. McDaniel, R. H., Bradford, E. W., Lewis, J. H., and Wattier, J. B., "NERVA Irradiation Program—GTR 23—Volume I—Combined Effects of Reactor Radiation and Cryogenic Temperature on NERVA Structural Materials", NASA CR-137267, General Dynamics Corporation, Contract AF 29(601)-7077 (January 1973).

Ti-6Al-4V; maraging steels; 7075-T73; AISI 9310; 22-13-5; Ti-5Al-2.5Sn; Hastelloy X; 6061-T61; 5086-H34; fracture toughness; tensile yield strength; elongation; -320 F

817. Mittag, K., "Kapitza Conductance and Thermal Conductivity of Copper, Niobium and Aluminum in the Range From 1.3 to 2.1 K", Cryogenics, 13 (2), 94-99 (February 1973).

OFHC copper; niobium; 6061; thermal conductivity; 1.3 K

818. Morton, N., James, B. W., Wostenholm, G. H., Sanderson, R. J., and Black, M. A., "The Thermal Conductivity of Niobium-Zirconium Alloys at Low Temperatures", Cryogenics, 13 (11), 665-670 (November 1973).

Nb-25Zr; thermal conductivity; 17 K

819. Novikov, N. V., and Znachkovskii, O. Ya., "Fracture of Aluminum and Titanium Alloys at Low Temperatures", Metal Science and Heat Treatment, 15 (5-6), 388-390 (May-June 1973).

Russian alloys; aluminum alloys; AMG6; D20-1; titanium alloys; AT2; VT5-1KT; impact properties; fracture properties; -269 C

820. Okazaki, K., and Conrad, H., "Effects of Interstitial Content and Grain Size on the Strength of Titanium at Low Temperature", Acta Metallurgica, 21, 1117-1129 (August 1973).

Titanium; ultimate tensile strength; stress-strain data; 4.2 K

821. Pearson, T. F., "Ferrous Metals for Use in Cryogenic Industries", Cryogenics, 13 (7), 389-395 (July 1973).

Review; 5Ni steel; 9Ni steel; Invar; 18/8 stainless; fracture mechanics; electrical resistivity; thermal expansion; thermal conductivity; specific heat; -260 C

822. Petrenko, N. S., and Kravchenko, S. F., "A Dilatometer for Measuring the Expansion of Constructional Materials in the Temperature Range 2 to 77 K", Cryogenics, 13 (12), 730-732 (December 1973).

Russian alloys; 1Kh18N10T; 9Kh18; SCH18-36; thermal expansion; 2 K

823. Powell, R. W., and Touloukian, Y. S., "Thermal Conductivities of the Elements", Science, 181 (4104), 999-1008 (September 1973).

Compilation; periodic system; thermal conductivity; 0 K

824. Reed, R. P., Schramm, R. E., and Clark, A. F., "Mechanical, Thermal, and Electrical Properties of Selected Polymers", Cryogenics, 13 (2), 67-82 (Februray 1973).

Compilation; polymers; elongation; impact properties; modulus of elasticity; thermal expansion; specific heat; thermal conductivity; dielectric properties; 77 K

825. Rode, V. Y., Blyushke, A., Finkel'berg, S. A., and Kraynov, B. N., "Magnetic Moment of Nickel-Copper Alloys in Strong Pulsating Fields", Physics of Metals and Metallography, 35 (1), 95-98 (1973).

Nickel alloys; magnetic susceptibility; 2 K

826. Sarno, D. A., McCabe, D. E., Sr., and Heberling, T. G., "Fatigue and Fracture Toughness Properties of 9 Percent Nickel Steel at LNG Temperatures", Transactions of the ASME, Series B, Journal of Engineering for Industry, 95 (4), 1069-1075 (November 1973).

9Ni steel; fracture toughness; fatigue properties; -320 F

827. Schlosser, S., Johnson, A. A., and Mukherjee, K., "The Low Temperature Tensile Properties of Surface Oxidized Polycrystalline Molybdenum", Materials Science and Engineering, 11 (2), 81-86 (February 1973).

Molybdenum; ultimate tensile strength; tensile yield strength; fracture properties; -320 F

828. Schramm, R. E., Clark, A. F., and Reed, R. P., "A Compilation and Evaluation of Mechanical, Thermal, and Electrical Properties of Selected Polymers", NBS Monograph 132 (September 1973).

Compilation; polymers; elongation; impact properties; modulus of elasticity; thermal expansion; specific heat; thermal conductivity; dielectric properties; 77 K

829. Scott, T. A., de Bruin, J., Giles, M. M., and Terry, C., "Low-Temperature Thermal Properties of Nylon and Polyethylene", Journal of Applied Physics, 44 (3), 1212-1216 (March 1973).

Nylon; polyethylene; thermal conductivity; 0.2 K

830. Senoussi, S., and Campbell, I. A., "The Low Temperature Electrical Resistivity of Aluminum", Journal of Physics, Series F: Metal Physics, 3, L19-L21 (January 1973).

Aluminum; electrical resistivity; 4.2 K

831. Strom, D. J., and Linz, R. J., "Thermal Conductivity of Evanohm in the Temperature Range 0.4-77 K", Journal of Applied Physics, 44 (2), 917-918 (February 1973).

Evanohm; thermal conductivity; 0.4 K

832. Stutius, W., and Dillinger, J. R., "Magnetic and Thermal Properties of Some Austenitic Stainless Steels at Low Temperatures", Journal of Applied Physics, 44 (6), 2887-2888 (June 1973).

AISI 304; AISI 304L; AISI 310; AISI 321; thermal conductivity; electrical resistivity; magnetic susceptibility; 4.2 K

833. Sytchev, V. V., Zenkevitch, V. B., Altov, V. A., Kremlev, M. G., and Kulysov, N. A., "Terminal Characteristics and Thermal Stability of Composite Superconducting Materials - Part 2", Cryogenics, 13 (1), 19-27 (January 1973).

Niobium alloys; composites; thermal stability; superconductivity; 10 K

834. Tachikawa, K., and Yoshida, Y., "Studies on Superconducting V_3Si Tapes Made by a New Process", Japan Journal of Applied Physics, 12 (7), 1107-1108 (July 1973).

V_3Si; superconductivity; 17 K

835. Tenge, P., and Solli, O., "Fracture Mechanics in the Design of Large Spherical Tanks for Ship Transport of LNG", Norwegian Maritime Research, 1 (2), 1-18 (1973).

9Ni steel; 5083-0; fracture mechanics; fracture toughness; fatigue properties; -162 C

836. Tharby, R. H., Heath, D. J., and Flannery, J. W., "The Welding of 9 Percent Nickel Steel - A Review of the Current Practices", Paper presented at the Welding Institute's International Conference, Welding Low Temperature Containment Plant, London, England (November 20-22, 1973).

9Ni steel; weld properties; hardness; impact properties; -320 F

837. Voitenko, A. F., and Novikov, N. V., "Unit for Investigating the Characteristics of Elasticity and Internal Friction of Materials in the 3 to 3000 K Temperature Range", Industrial Laboratory, 39 (5), 818-820 (May 1973).

Niobium; titanium; molybdenum; modulus of elasticity; damping; 3 K

838. Wang, T. T., "Morphology and Mechanical Properties of Crystalline Polymers. I.. Trans-crystalline Polyethylene", Journal of Applied Physics, 44 (5), 2218-2224 (May 1973).

Polyethylene; modulus of elasticity; -196 C

839. Witcomb, M. J., and Dew-Hughes, D., "Superconductivity of Heat-Treated Nb-65 at.% Ti Alloy", Journal of Materials Science, 8 (10), 1383-1400 (October 1973).

Nb-65Ti; superconductivity; 4.2 K

840. Witzell, W. E., "Crack Growth Behavior of 2219-T87 Aluminum Alloy From 20 K (-423 F) to 422 K (300 F)", CASD-NAS-73-011, NASA CR-134047, General Dynamics, Contract NAS 9-12445 (August 1973).

2219-T87; fracture toughness; -423 F

841. Wolff, E. G., Lepper, R., and Mills, G. J., "Relationships Between Microstructure, Superconductivity and Mechanical Properties of Ti-6Al-4V", Titanium Science and Technology, Volume II, Plenum Press, New York (1973), pp 843-858.

Ti-6Al-4V; ultimate tensile strength; tensile yield strength; hardness; superconductivity; 4 K

842. Yushchenko, K. A., Makhnenko, V. I., and Starushchenko, T. M., "The Thermal Stresses in Welded Joints in Invar Alloy and Stainless Steels at Cryogenic Temperatures", Automatic Welding, 26 (10), 25-28 (October 1973).

Invar; Russian alloys; OKh18N10T; OOOKh20N16AG6; thermal stress; thermal expansion; tensile yield strength; shear modulus; 4 K

843. Zakharov, A. I., Men'shikov, A. Z., and Uralov, A. S., "Thermal Expansion Coefficient of F.C.C. Iron-Nickel Alloys", Physics of Metals and Metallography, 36 (6), 170-172 (1973).

Invar; thermal expansion; 4.2 K

844. Zlobintsev, G. M., Kozinets, V. V., Merisov, B. A., Ogneva, E. M., and Khotkevich, V. I., "Thermal Conductivity of Some Copper-Base Alloys at Low Temperatures", Metal Science and Heat Treatment, 15 (5-6), 391-392 (May-June 1973).

Cu-18Ni; thermal conductivity; 5 K

845. Zoller, P., Fehl, D. L., and Dillinger, J. R., "Low-Temperature Specific Heat of Polystyrene and Related Polymers (1.6 to 4 K)", Journal of Polymer Science, 11, 1441-1451 (1973).

Polymers; polystyrene; specific heat; 1.6 K

1974

846. Adsit, N. R., Dessau, P., and Witzell, W. E., "Flexural Fatigue Testing of Titanium Forging Material in Liquid Hydrogen", ASTM Special Technical Publication 556, 44-54 (July 1974).

Ti-5Al-2.5Sn; fatigue properties; fracture properties; -423 F

847. Argy, G., Paris, P. C., and Shaw, F., "Fatigue Crack Growth and Fracture Toughness of 5083-0 Aluminum Alloy", Manuscript submitted for publication by ASTM (received during June 1974).

5083-0; fracture toughness; fatigue properties; -260 F

848. Basargin, O. V., and Zakharov, A. I., "Thermal Expansion and Compressibility of Invar Alloys", The Physics of Metals and Metallography, 38 (2), 210-211 (1974).

Invar; thermal expansion; 77 K

849. Baylis, J. A., Lewis, K. G., Male, J. C., and Noe, J. A., "AC Losses in a Composite Tubular Superconductor for Power Transmission", Cryogenics, 14 (10), 553-556 (October 1974).

Niobium/copper composite; superconductivity; 4.4 K

850. Beduz, C., and Meijer, H. C., "The Heat Conductivity of Bronze and Sintered Bronze Below 0.3 K", Cryogenics, 14 (8), 437-438 (August 1974).

Cu-5Sn-5Zn-5Pb (bronze); thermal conductivity; electrical conductivity; 0.05 K

851. Bogardus, K. O., and Malcolm, R. C., "Design Stresses for 5083-0 and 5183 Welds at Cryogenic Temperatures", manuscript submitted for publication by ASTM (received during June 1974).

5083-0; ultimate tensile strength; tensile yield strength; weld properties; -320 F

852. Clark, A. F., Reed, R. P., and Van Reuth, E. C., "Materials Research in Support of Superconducting Machinery-II", Second Semi-Annual Technical Report, National Bureau of Standards (March 1-September 1, 1974).

Structural materials; elastic properties; tensile properties; fatigue properties; fracture properties; thermal expansion; specific heat; thermal conductivity; electrical properties; magnetic properties; 4 K

853. Critchlow, P. R., and McConnell, R. D., "Temperature Dependence of Alternating Current Losses in NbTi Filaments", Cryogenics, 14 (9), 487-488 (September 1974).

Nb-Ti; superconductivity; 4.2 K

854. Ermolaev, B. I., "Thermal Conductivity and Electrical Conductivity of Materials Based on Titanium and Its Alloys at Temperatures From 20-80 to 1000 K", Metal Science and Heat Treatment, 16 (11/12), 1049-1051 (November-December 1974).

Ti-4Al-1.5Mn; Ti-5Al-4V; Ti-6Al-3.5Mo; Ti-5Al-2.5Sn-1.5V; titanium; thermal conductivity; electrical conductivity; 20 K

855. Fietz, W. A., and Rosner, C. H., "Advances in Superconductive Magnets and Materials", IEEE Transactions on Magnetics, MAG-10 (2), 239-259 (June 1974).

Review; Nb-Ti; V_3Ga; Nb-Zr; Nb_3Sn; specific heat; superconductivity; 4.2 K

856. Finger, R. W., "Effect of Proof Testing on the Flaw Growth Characteristics of 304 Stainless Steel", NASA CR-134603, Boeing Aerospace Company, Contract NAS 3-17762 (March 1974).

AISI 304; ultimate tensile strength; tensile yield strength; elongation; reduction in area; weld properties; fatigue properties; -320 F

857. Forman, R. G., "Crack-Growth Behavior in Thick Welded Plates of Inconel 718 at Room and Cryogenic Temperatures", NASA Technical Note NASA TN D-7665, Lyndon B. Johnson Space Center (May 1974).

Inconel 718; ultimate tensile strength; fracture toughness; -32 F

858. Groger, V., and Stangler, F., "Improvement of Thermal Conductivity of Ultrahigh-Purity Copper by Annealing in Oxygen of Low Partial Pressure", Z. Metallkde., 65 (5), 333-336 (May 1974).

Copper; thermal conductivity; 5 K

859. Harding, J., "The Temperature and Strain Rate Sensitivity of Alpha-Titanium", Summary Report, University of Oxford (October 1974).

Titanium; stress-strain data; plastic deformation; 77 K

860. Haynes, A. G., Firth, K., Hollox, G. E., and Buchan, J., "Strength and Fracture Toughness of Nickel-Containing Steels", paper presented at ASTM Symposium on Properties of Materials for Liquid Natural Gas Tankage, Boston, Massachusetts (May 21-22, 1974).

9Ni steel; fracture toughness; tensile yield strength; ultimate tensile strength; -320 F

861. Hust, J. G., "Thermal Conductivity Standard Reference Materials From 6 to 280 K: VI. NBS Sintered Tungsten", Technical Report NBSIR 73-351, National Bureau of Standards (January 1974).

Tungsten; thermal conductivity; 6 K

862. Jiang, C. W., and Chen, M. M., "Dynamic Properties of Materials. Part I. Polymers", Final Report AMMRC CTR 74-22, Boston University, Contract DAAG46-73-C-0181 (April 1974).

Polymers; polyethylene; polystyrene; polymethylmethacrylate; tensile yield strength; strain rates; -350 F

863. Jin, S., Morris, J. W., Jr., and Zackay, V. F., "An Iron-Nickel-Titanium Alloy With Outstanding Toughness at Cryogenic Temperature", Advances in Cryogenic Engineering, 19, 379-384 (1974).

Fe-12Ni-0.25Ti; AISI 304; Fe-9Ni-1Mn-0.1C; 12Ni steel; 9Ni steel; impact properties; fracture toughness; 6 K

864. Jin, S., Horwood, W. A., Morris, J. W., Jr., and Zackay, V. F., "A Simple Method for Charpy Impact Testing Below 6 K", Advances in Cryogenic Engineering, 19, 373-378 (1974).

AISI 304; impact properties; 5 K

865. Jin, S., Hwang, S. K., and Morris, J. W., Jr., "Comparative Fracture Toughness Testing of Cryogenic Alloys at Liquid Helium Temperature", Technical Report TR-5, University of California, Contract N00014-69-A-0200-1062 (August 1974).

9Ni; AISI 304; fracture toughness; stress-strain data; ultimate tensile strength; tensile yield strength; 4.2 K

866. Kaufman, J. G., and Kelsey, R. A., "Fracture Toughness and Fatigue Properties of 5083-0 Plate and 5183 Welds for LNG Applications", paper presented at Symposium on Properties of Materials for LNG Tankage, Boston, Massachusetts (May 22, 1974).

5083-0; weld properties; fracture toughness; fatigue properties; -320 F

867. Kaufman, J. G., Nelson, F. G., and Wygonik, R. H., "Large Scale Fracture Toughness Tests of Thick 5083-0 Plate and 5183 Welded Panels at Room Temperature, -260 and -320 F", ASTM Special Technical Publication 556, 125-158 (July 1974).

5083-0; weld properties; fracture toughness; -320 F

868. Keil, D., Merbold, U., and Diehl, J., "Influence of Annealing Treatments on Residual Resistivity and the Field Dependence of the Electrical Resistance of Niobium at 4.2 K", Applied Physics, 3 (3), 217-221 (March 1974).

Niobium; electrical resistivity; superconductivity; 4.2 K

869. Kelsey, R. A., Nordmark, G. E., and Clark, J. W., "Fatigue Crack Growth in Aluminum Alloy 5083-0 Thick Plate and Welds for Liquefied Natural Gas Tanks", ASTM Special Technical Publication 556, 159-185 (July 1974).

5083-0; weld properties; fatigue properties; fracture toughness; -320 F

870. Kes, P. H., Rolfes, J.G.A., and de Klerk, D., "Thermal Conductivity of Niobium in the Purely Superconducting and Normal States", Journal of Low Temperature Physics, 17 (3/4), 341-364 (November 1974).

Niobium; thermal conductivity; 1 K

871. Ledbetter, H. M., and Naimon, E. R., "Elastic Properties of Metals and Alloys. II. Copper", Manuscript accepted for future publication in Journal of Physical Chemistry Reference Data (dated May 13, 1974).

Review; copper; modulus of elasticity; shear modulus; bulk modulus; Poisson's ratio; 0 K

872. Madhava, N. M., and Armstrong, R. W., "Discontinuous Twinning of Titanium at 4.2 K", Metallurgical Transactions, 5 (6), 1517-1519 (June 1974).

Titanium; deformation; fracture properties; 4.2 K

873. Masters, J. N., Engstrom, W. L., and Bixler, W. D., "Deep Flaws in Weldments of Aluminum and Titanium", Final Report, NASA CR-134649, Boeing Aerospace Company, Contract NAS 3-14386 (April 1974).

2219-T87; Ti-6Al-4V; fracture mechanics; ultimate tensile strength; tensile yield strength; elongation; weld properties; modulus of elasticity; -423 F

874. "Proceedings of the Fifth International Cryogenic Engineering Conference, Kyoto 1974 (ICEC5) ", edited by K. Mendelssohn, IPC Business Press Limited (1974).

V_3Ga; Nb_3Sn; Nb-Ti; superconductivity; 4.2 K

Ti-5Al-2.5Sn; thermal conductivity; ultimate tensile strength; tensile yield strength; elongation; notch tensile strength; 4.2 K

875. Nachtigall, A. J., "Strain-Cycling Fatigue Behavior of Ten Structural Metals Tested in Liquid Helium (4 K), in Liquid Nitrogen (78 K), and in Ambient Air (300 K)", NASA Technical Note NASA TN D-7532 (February 1974).

2014-T6; 2219-T851; OFHC copper; nickel; Inconel 718; maraging (300); Ti-5Al-2.5Sn; Ti-6Al-4V; AISI 304L; AISI 310; ultimate tensile strength; tensile yield strength; modulus of elasticity; Poisson's ratio; fatigue properties; 4 K

876. Naimon, E. R., Weston, W. F., and Ledbetter, H. M., "Elastic Properties of Two Titanium Alloys at Low Temperatures", Cryogenics, 14 (5), 246-249 (May 1974).

Ti-5Al-2.5Sn; Ti-6Al-4V; modulus of elasticity; shear modulus; Poisson's ratio; 4 K

877. Natta, M., "Semi-Microscopic Theory of Invar Magnetism", IEEE Transactions on Magnetics, MAG-10 (2), 180-181 (June 1974).

Invar; magnetic properties; 77 K

878. Pavlov, V. A., Chemerinskaya, R. I., Chukanova, L. P., et al., "Influence of Cold Plastic Deformation and Subsequent Heat Treatment on the Mechanical Properties of Armco Iron at -196 C", Physics of Metals and Metallography, 37 (3), 148-153 (1974).

Armco iron; plastic deformation; impact properties; elongation; -196 C

879. Pupp, W. A., Sattler, W. W., and Saur, E. J., "Superconductivity of Thin Nb_3Sn Films Under Tensile Stress", Journal of Low Temperature Physics, 14 (1/2), 1-13 (January 1974).

Nb_3Sn; ultimate tensile strength; bend properties; superconductivity; 18 K

880. Roberts, B. W., "Properties of Selected Superconductive Materials - 1974 Supplement", National Bureau of Standards Technical Note 825 (April 1974).

Compilation; metals; compounds; superconductivity; 1 K

881. Rode, V. W., and Krynetskaja, I. B., "High-Field Susceptibility of Invar Alloys", IEEE Transactions on Magnetics, MAG-10 (2), 122-123 (June 1974).

Invar; magnetic susceptibility; 4.2 K

882. Sarno, D. A., Bruner, J. P., and Kampschaefer, G. E., "Fracture Toughness of 5% Nickel Steel Weldments", Welding Journal, 39 (11), 486s-494s (November 1974).

5Ni steel; weld properties; impact properties; bend properties; fracture toughness; -320 F

883. Shah, R. C., "Effects of Proof Loads and Combined Mode Loadings on Fracture and Flaw Growth Characteristics of Aerospace Alloys", NASA CR-134611, Technical Report D180-17997-1, Boeing Company, Contract NAS 3-14346 (March 1974).

Ti-6Al-4V; Ti-5Al-2.5Sn; 2219-T87; AISI 4340; ultimate tensile strength; tensile yield strength; elongation; reduction in area; fracture toughness; -423 F

884. Sorokin, V. E., and Perepechko, I. I., "Mechanical Behavior of a Number of Polymers at Helium Temperature", Polymer Mechanics, 10 (1), 14-18 (January-February 1974).

Polyethylene; polytetrafluoroethylene; shear modulus; modulus of elasticity; 4.2 K

885. Startsev, V. I., and Bengus, V. Z., Physical Processes of Plastic Deformation at Low Temperatures, Kiev, Naukova Dumka (1974).

Aluminum; copper; zinc; plastic deformation; modulus of elasticity; 4.2 K

886. Tharby, R. H., Heath, D. J., and Flannery, J. W., "Joining 9% Ni Steel in Cryogenic Applications", Metal Progress, 106 (4), 113-114, 116, 119 (September 1974).

9Ni steel; ultimate tensile strength; tensile yield strength; elongation; weld properties; -320 F

887. Van Reuth, E. C., Reed, R. P., and Clark, A. F., "Materials Research in Support of Superconducting Machinery", Semi-Annual Technical Report for 1 September 1973 to 1 March 1974 (March 1974).

Structural materials; elastic properties; tensile properties; fatigue properties; fracture properties; thermal expansion; specific heat; thermal conductivity; electrical properties; magnetic properties; 4 K

888. "Energy and Superconductivity", Cryogenic Data Center Selected Bibliography B-1153, National Bureau of Standards (March 20, 1974).

Data source; bibliography; superconductivity; below 150 K

889. Van Stone, R. H., Low, J. R., Jr., and Shannon, J. L., Jr., "The Effect of Microstructure on the Fracture Toughness of Titanium Alloys", NASA Technical Report 2-Ti, Carnegie-Mellon University, Research Grant NGR 39-087-047 (December 1974).

Ti-5Al-2.5Sn; Ti-11.5Mo-6Zr-4.5Sn; fracture toughness; -423 F

890. Vold, C. L., and Richards, L. E., "Low Temperature Thermal Expansion of A-15 Vanadium-Gallium Alloys", Material Research Bulletin, 9 (2), 83-88 (February 1974).

V_3Ga; thermal expansion; 4.2 K

891. Yeske, R. A., and Weertman, J., "Fatigue Crack Propagation Under Varied Mean Stress Conditions", Metallurgical Transactions, 5 (9), 2033-2039 (September 1974).

Copper; fatigue properties; 77 K

892. Yushchenko, K. A., and Kabuzan, V. V., "High-Nickel Steels and Alloys for Welded Structures in Cryogenic Engineering (A Survey)", Automatic Welding, 27 (3), 38-44 (March 1974).

Nickel alloys; Russian alloys; EI602; KhN63M9B2YU; EP199; EP677; Hastelloy B; Hastelloy C; Inconel 600; Inconel X-750; Waspalloy; Rene 41; L-605; stainless steel; EP33; EI696; EI787; EP105; OKh15N25MT2 (U.S. A-286); ultimate tensile strength; impact properties; weld properties; -423 F

893. Zakharov, A. I., Molotilov, B. V., and Pastukhova, L. V., "Low-Temperature Thermal Expansion of Monocrystalline Invar", Physics of Metals and Metallography, 37(3), 194-196 (1974).

Invar; thermal expansion; 4.2 K

1975

894. Argy, G., Paris, P. C., and Shaw, F., "Fatigue Crack Growth and Fracture Toughness of 5083-0 Aluminum Alloys", ASTM STP 579, 96-137 (1975).

5083-0; fatigue properties; fracture toughness; -260 F

895. Bogardus, K. O., and Malcolm, R. C., "Design Stresses for Aluminum Alloy 5083-0 and 5183 Welds at Cryogenic Temperatures", ASTM STP 579, 190-204 (1975).

5083-0; tensile yield strength; weld properties; -320 F

896. Bogner, G., "Cryopower Transmission Studies in Europe", Cryogenics, 15 (2), 79-87 (February 1975).

Niobium; Nb_3Sn; niobium/aluminum composite; niobium/copper composite; superconductivity; 4.2 K

897. Clark, A. F., Reed, R. P., and Van Reuth, E. C., "Materials Research in Support of Superconducting Machinery-IV", Fourth Semi-Annual Technical Report, National Bureau of Standards (October 1975).

Structural materials; elastic properties; tensile properties; fatigue properties; fracture properties; thermal expansion; specific heat; thermal conductivity; electrical properties; magnetic properties; 4 K

898. Collings, E. W., Upton, P. E., and Ho, J. C., "Low-Temperature-Calorimetric Studies of Superconductivity and Microstructure in Titanium-Vanadium Alloys", Journal of the Less-Common Metals, 42 (3), 285-301 (October 1975).

Titanium alloys; specific heat; 1.8 K

899. DeMeester, B., Doner, M., and Conrad, H., "Deformation Kinetics of the Ti-6Al-4V Alloy at Low Temperatures", Metallurgical Transactions A, 6 (1), 65-75 (January 1975).

Ti-6Al-4V; deformation; stress-strain data; ultimate tensile strength; 4.2 K

900. Dew-Hughes, D., "Superconducting A-15 Compounds: A Review", Cryogenics, 15 (8), 435-454 (August 1975).

Nb_3Sn; V_3Ga; superconductivity; 14.1 K

901. Haynes, A. G., Firth, K., Hollox, G. E., and Buchan, J., "Strength and Fracture Toughness of Nickel Containing Steels", ASTM STP 579, 288-323 (1975).

5Ni steel; 9Ni steel; fracture toughness; ultimate tensile strength; tensile yield strength; impact properties; -190 C

902. Hitotsuyanagi, H., Moriyasu, T., Nagata, M., and Matsuda, Y., "The Properties of Surface Diffusion Processed V_3Ga Tape", Cryogenics, 15 (4), 185-192 (April 1975).

V_3Ga; tensile properties; electrical resistivity; superconductivity; 4.2 K

903. Hoare, J., and Hull, D., "The Effect of Temperature on the Deformation and Fracture of Polystyrene", Journal of Materials Science, 10, 1861-1870 (1975).

Polystyrene; compressive yield strength; tensile yield strength; fracture properties; 78 K

904. Hust, J. G., "Low Temperature Thermal Conductivity Measurements on Longitudinal and Transverse Sections of a Superconducting Coil", Cryogenics, 15 (1), 8-11 (January 1975).

Cu-NbTi/epoxy composite; iron; thermal conductivity; 5 K

905. Jin, S., Hwang, S. K., and Morris, J. W., Jr., "Comparative Fracture Toughness of an Ultrafine Grained Fe-Ni Alloy at Liquid Helium Temperatures", Metallurgical Transactions, 6A (8), 1569-1575 (August 1975).

12Ni steel; 9Ni steel; AISI 304; ultimate tensile strength; tensile yield strength; elongation; reduction in area; fracture toughness; 4.2 K

906. Kasen, M. B., "Mechanical and Thermal Properties of Filamentary-Reinforced Structural Composites at Cryogenic Temperatures. 2: Advanced Composites", Cryogenics, 15 (12), 701-722 (December 1975).

Composites; density; tensile strength; tensile modulus; compressive strength; compressive modulus; failure; shear strength; flexural strength; thermal expansion; thermal conductivity; specific heat; 4 K

907. Kaufman, J. G., and Kelsey, R. A., "Fracture Toughness and Fatigue Properties of 5083-0 Plate and 5183 Welds for Liquefied Natural Gas Applications", ASTM STP 579, 138-158 (1975).

5083-0; fracture toughness; fatigue properties; weld properties; -320 F

908. Kelsey, R. A., Wygonik, R. H., and Tenge, P., "Crack Growth and Fracture of Thick 5083-0 Plate Under Liquefied Natural Gas Ship Spectrum Loading", ASTM STP 579, 44-79 (1975).

5083-0; ultimate tensile strength; tensile yield strength; elongation; reduction in area; weld properties; fracture toughness; -196 C

909. Lake, R. L., "Toughness Variations Through the Thickness of Thick 5083-0 Aluminum Alloy Plate", ASTM STP 579, 176-189 (1975).

5083-0; fracture toughness; -260 F

910. Ledbetter, H. M., Naimon, E. R., and Weston, W. F., "Low-Temperature Elastic Properties of Invar", Paper D-3 presented at the Cryogenic Engineering-International Cryogenics Materials Joint Conference, Queens University, Kingston, Canada (July 22-25, 1975).

Invar; modulus of elasticity; shear modulus; Poisson's ratio; 4 K

911. Ledbetter, H. M., Weston, W. F., and Naimon, E. R., "Low-Temperature Elastic Properties of Four Austenitic Stainless Steels", Journal of Applied Physics, 46 (9), 3855-3860 (September 1975).

AISI 304; AISI 310; AISI 316; A-286; modulus of elasticity; shear modulus; bulk modulus; Poisson's ratio; 4 K

912. Linz, R. J., Bouley, A. C., Klaffky, R. W., et al., "The Electrical and Thermal Conductivities of Cu-4, 10, and 20 at.% Ni From 1-25 K", IEEE Transactions on Magnetics, MAG-11 (2), 305-308 (March 1975).

Cu-4Ni; Cu-10Ni; Cu-20Ni; thermal conductivity; electrical conductivity; 1 K

913. Masharov, N. G., "Low-Temperature Specific Heat of Metals", Sov. Phys. Solid State, 16 (11), 2147-2148 (May 1975).

Niobium; specific heat; 1 K

914. McCabe, D. E., Sarno, D. A., and Feddersen, C. E., "Fatigue Crack Growth Rate Studies of Partial Thickness Cracks in ASTM Method A 645-74, Five Percent Nickel Steel", ASTM STP 579, 238-260 (1975).

5Ni steel; fatigue properties; impact properties; -320 F

915. Murayama, N., Pense, A. W., and Stout, R. D., "The Fracture Toughness of Cryogenic Steels", Paper F-2 presented at the Cryogenic Engineering-International Cryogenics Materials Joint Conference, Queens University, Kingston, Canada (July 22-25, 1975).

5Ni steel; 9Ni steel; fracture toughness; -196 C

916. Nachtigall, A. J., "Strain-Cycling Fatigue Behavior of Ten Structural Metals Tested in Liquid Helium, Liquid Nitrogen, and Ambient Air", ASTM STP 579, 378-396 (1975).

AISI 304L; AISI 310; Inconel 718; nickel; OFHC copper; 2014-T6; 2219-T851; Ti-5Al-2.5Sn; Ti-6Al-4V; maraging (300); ultimate tensile strength; tensile yield strength; modulus of elasticity; Poisson's ratio; fatigue properties; 4 K

917. Novitskiy, L. A., and Kozhevnikov, I. G., The Thermophysical Properties of Materials at Low Temperatures, Moscow. Mashinostroyeniye (1975).

Aluminum; aluminum alloys; titanium; titanium alloys; copper; copper alloys; nickel; nickel alloys; magnesium; magnesium alloys; cobalt; cobalt alloys; zinc; zinc alloys; thermal conductivity; thermal expansion; 0 K

918. Ogura, T., Karashima, S., and Tsurukame, K., "Propagation of Fatigue Cracks in Aluminum at Low Temperatures", Transactions of the Japan Institute of Metals, 16 (1), 43-48 (January 1975).

Aluminum; fatigue properties; 78 K

919. Pense, A. W., and Stout, R. D., "Fracture Toughness and Related Characteristics of the Cryogenic Nickel Steels", WRC Bulletin, No. 205, 1-43 (May 1975).

Engineering steel; 2Ni steel; 3Ni steel; 5Ni steel; 9Ni steel; ultimate tensile strength; tensile yield strength; elongation; impact properties; fracture toughness; weld properties; -320 F

920. Person, N. L., and Wolfer, G. C., "Fatigue Crack Growth Rate of Thick 5083-0 Plate at Room and Low Temperatures", ASTM STP 579, 80-95 (1975).

5083-0; fatigue properties; -320 F

921. Reed, R. P., Clark, A. F., and Van Reuth, E. C., "Materials Research in Support of Superconducting Machinery-III", Third Semi-Annual Technical Report, National Bureau of Standards-ARPA (September 1, 1974-March 1, 1975).

Structural materials; elastic properties; tensile properties; fatigue properties; fracture properties; thermal expansion; specific heat; thermal conductivity; electrical properties; magnetic properties; 4 K

922. Sakai, T., Takashima, H., Tanaka, K., et al., "Studies on Nine Percent Nickel Steel for Liquefied Natural Gas Carriers", ASTM STP 579, 205-237 (1975).

9Ni steel; fatigue properties; fracture properties; -260 F

923. Segal, H. R., and Richard, T. G., "Low Temperature Resistance Studies on Cyclically Strained Aluminum", Paper J-1 presented at the Cryogenic Engineering-International Cryogenics Materials Joint Conference, Queens University, Kingston, Canada (July 22-25, 1975).

Aluminum; 6061; magnetoresistance; 4.2 K

924. Sogolova, T. I., and Demona, M. I., "The Mechanical Properties of Polymers at 4.2 K", Polymer Mechanics, (5), 771-783 (September-October 1975). (In Russian)

Polyethylene; polystyrene; polymethylmethacrylate; polytetrafluorethylene; ultimate tensile strength; modulus of elasticity; 4.2 K

925. Tenge, P., Karlsen, A., and Mauritzon, B., "Static and Dynamic Fracture Toughness of 9% Ni-Steel at -196 C", Norwegian Maritime Research, 30 (1), 11-19 (1975).

9Ni steel; fracture toughness; -196 C

926. Tobler, R. L., Mikesell, R. P., Burcholz, R. L., and Reed, R. P., "Low Temperature Fracture Behavior of Iron-Nickel Alloy Steels", ASTM STP 579, 261-287 (1975).

5Ni steel; 6Ni steel; 9Ni steel; fracture toughness; 4 K

927. Weston, W. F., Ledbetter, H. M., and Naimon, E. R., "Dynamic Low-Temperature Elastic Properties of Two Austenitic Nickel-Chromium-Iron Alloys", Materials Science and Engineering, 20, 185-194 (1975).

Inconel 600; Inconel X-750; modulus of elasticity; bulk modulus; Poisson's ratio; 4 K

928. Weston, W. F., and Ledbetter, H. M., "Low-Temperature Elastic Properties of a Nickel-Chromium-Iron-Molybdenum Alloy", Materials Science and Engineering, 20 (3), 287-290 (September 1975).

Inconel 718; Inconel X-750; modulus of elasticity; shear modulus; bulk modulus; Poisson's ratio; 4 K

929. Weston, W. F., "Low-Temperature Elastic Constants of a Superconducting Coil Composite", Journal of Applied Physics, 46 (10), 4458-4465 (October 1975).

Fiberglass/epoxy composite; modulus of elasticity; shear modulus; Poisson's ratio; 4 K

930. Weston, W. F., Naimon, E. R., and Ledbetter, H. M., "Low Temperature Elastic Properties of Aluminum 5083-0 and Four Ferritic Nickel Steels", ASTM STP 579, 397-420 (1975).

5083-0; 3.5Ni steel; 5Ni steel; 6Ni steel; 9Ni steel; modulus of elasticity; shear modulus; bulk modulus; Poisson's ratio; 4 K

931. Wright, L. S., Pendrys, J. P., and Harrison, R. B., "The Specific Heat of Nb-25% Zr", Journal of Applied Physics, 46 (6), 2745-2746 (June 1975).

Nb-25Zr; specific heat; 2 K

932. Yao, Y. D., Arajs, S., and Anderson, E. E., "Electrical Resistivity of Nickel-Rich Nickel-Chromium Alloys Between 4 and 300 K", Journal of Low Temperature Physics, 21 (3/4), 369-376 (November 1975).

Ni-5Cr; Ni-11Cr; Ni-15Cr; Ni-16Cr; Ni-19Cr; Ni-22Cr; Ni-24Cr; Ni-27Cr; electrical resistivity; 4 K

933. Zinkham, R. E., and Ashton, R. F., "Strength and Fracture of 5083-0 Aluminum Weldments", ASTM STP 579, 159-175 (1975).

5083-0; ultimate tensile strength; tensile yield strength; elongation; weld properties; -320 F

1976

934. Aldridge, R. V., and Raeburn, S. J., "The Hall Effect of Thin Iron Films", Physics Letters A, 56 (3), 211-212 (March 1976).

Iron; thin films; magnetic properties; 4 K

935. Bauder, P., and Hartwig, G., "Thermal Contraction of Fiberglass-Epoxy Three-Angle Ply Composites Down to Low Temperatures", Material Science Engineering, 22 (3), 255-259 (March 1976).

Fiber reinforced composites; fiberglass/epoxy composites; thermal properties; 4 K

936. Boening, K., Mauer, W., Pfaendner, K., et al., "Hall Effect Measurements of Frenkel Defect Clustering in Aluminum During High-Dose Reactor Irradiation at 4.6 K", Radiation Effects, 29 (3), 177-188 (1976).

Aluminum; magnetic properties; 4.6 K

937. Bogner, G., "Research at Siemens Laboratories on Large Scale Applications of Superconductivity", Cryogenics, 16 (5), 259-266 (May 1976).

Nb_3Sn; superconductivity; 4.2 K

938. Bogner, G., and Penczynski, P., "Problems With Conductors and Dielectrics for Cryogenic Cables", Cryogenics, 16 (6), 355-361 (June 1976).

Polyethylene; polycarbonate; polymers; dielectric properties; ultimate tensile strength; elongation; 4.2 K

939. Burck, L. H., and Weertman, J., "Fatigue Crack Propagation in Iron and Fe-Mo Solid Solution Alloys", Metallurgical Transactions A, 7 (2), 257-264 (February 1976).

Iron; iron alloys; fatigue properties; mechanical properties; 77 K

940. Corzett, D. T., Keller, A. M., and Seligmann, "The Thermal Conductivity of Manganin Wire and Stycast 2850 GT Between 1 K and 4 K", Cryogenics, 16 (8), 505 (August 1976).

Cu-13Mn-4Ni (Manganin); thermal conductivity; 1 K

941. Dander, W., Kronmueller, H., and Schaefer, H. E., "Magnetic Aftereffect Phenomena in Cobalt Between 4.2 and 20 K After Low-Temperature Electron Irradiation", Phys. Status Solidi B, 75 (2), 647-655 (July 1976).

Cobalt; magnetic properties; 4.2 K

942. Dragaun, H., "Microfibrils in Brittle Fracture Surfaces on Isotactic Polypropylene at 4.2K", Material Science Engineering, 24 (2), 293-294 (August 1976).

Polymers; polypropylene; mechanical properties; 4.2 K

943. Fargeot, D., Glandus, J. C., and Boch, P., "Elastic Constants of Copper-Aluminum Alloys Rich in Copper Between 77 and 293 K", Phys. Status Solidi A, 35 (2), 687-695 (June 1976).

Copper alloys; elastic properties; mechanical properties; 77 K

944. Fowlkes, C. W., and Tobler, R. L., "Fracture Testing and Results for a Ti-6Al-4V Alloy at Liquid Helium Temperature", Engineering Fracture Mechanics, 8 (3), 487-500 (1976).

Titanium alloys; Ti-6Al-4V; mechanical properties; 4.2 K

945. Gindin, I. A., Lavrinenko, I. S., and Neklyudov, I. M., "Influence of a Magnetic Field on the Creep of Nickel", Soviet Physics - Solid State, 18 (4), 682 (April 1976).

Nickel; tensile creep; mechanical properties; magnetic properties; 77 K

946. Imai, Y., and Brown, N., "The Effect of Strain Rate on Craze Yielding, Shear Yielding, and Brittle Fracture of Polymers at 77 K", Journal of Polymer Science, Polymer Physics, 14 (4), 723-740 (April 1976).

Polymers; mechanical properties; 77 K

947. Kesternich, W., Ullmaier, H., and Schilling, W., "Influence of Fermi Surface and Defect Structure on the Low-Field Galvanomagnetic Properties of Al", Journal of Physics F, 6 (10), 1867-1884 (October 1976).

Aluminum; magnetic properties; 20 K

948. Lebedev, D. V., The Constructive Durability of Cryogenic Steels Moscow, Metallurgiya (1976).

Book; engineering steel; stainless steel; mechanical properties; -269 C

949. Locatelli, M., Arnaud, D., and Routin, M., "Thermal Conductivity of Some Insulating Materials Below 1 K", Cryogenics, 16 (6), 374-375 (June 1976).

Aluminum oxide; carbon; graphite; nylon; thermal conductivity; 0 K

950. Martin, D. L., "Specific Heat of Copper-Gold Alloys Below 30 K", Physics Review B, 14 (2), 369-385 (July 1976).

Copper alloys; thermal properties; 30 K

951. Medvedev, E. M., "On the Character of Low Temperature Discontinuous Plastic Deformation of Metals", Cryogenics, 16 (9), 533-536 (September 1976).

Russian alloys; 03Kh18N20; 18Cr-20Ni; stress-strain data; 20 K

952. Nakamura, Y., "The Invar Problem", IEEE Transactions on Magnetics, MAG-12 (4), 278-291 (July 1976).

Iron alloys; Invar; magnetic properties; thermal expansion; 0 K

953. Norstrom, L. -A., "Influence of Austenitizing and Tempering Treatments on Microstructure, Yield Strength and Impact Toughness of a Martensitic 9% Ni Steel", Scandinavian Journal of Metallurgy, 5 (1), 41-48 (1976).

9Ni steel; Charpy impact; impact properties; -320 F

954. Pink, E., "The Thermally Activated Yield Behavior of Glassy Polyvinyl Chloride in Tension and Compression. A Conventional Analysis", Material Science Engineering, 24 (2), 275-282 (August 1976).

Polymers; polyvinyl chloride; mechanical properties; 77 K

955. Rack, H. J., "Notch Constraint Effects on the Dynamic Fracture Toughness of an Unaged Beta Titanium Alloy", Material Science Engineering, 24 (2), 165-170 (August 1976).

Titanium alloys; mechanical properties; 77 K

956. Schaefer, H. E., and Dander, W., "The Initial Susceptibility of Cobalt After Electron Irradiation at 4.2 K", Phys. Status Solidi B, 75 (1), 173-178 (May 1976).

Cobalt; magnetic properties; 4.2 K

957. Scott, R., "Directionality of Mechanical Properties in Hot Rolled Steel Plates", Metals Technology, 3 (2), 71-78 (February 1976).

9Ni steel; Charpy impact; impact properties; toughness properties; -320 F

958. Siegwarth, J. D., Lawless, W. N., and Morrow, A. J., "Dielectric and Thermal Properties of $Pb_2Nb_2O_7$ at Low Temperature", Journal of Applied Physics, 47 (9), 3789-3791 (September 1976).

Ceramic materials; lead pyroniobate; dielectric properties; specific heat; 4 K

959. Suzuki, T., Kojima, H., Suzuki, K., et al., "Plastic Deformation and Martensitic Transformation in an Iron-Base Alloy", Scripta Metallurgica, 10 (4), 353-358 (April 1976).

AISI 304; tensile properties; stress-strain data; magnetic properties; -196 C

960. Vande Voorde, M., "Results of Physical Tests on Polymers at Cryogenic Temperatures", Cryogenics, 16 (5), 296-302 (May 1976).

Polyethylene tetraphthalate (Mylar); polyvinylchloride; polyethylene; polytetrafluoroethylene (Teflon); ultimate tensile strength; modulus of elasticity; elongation; 4.2 K

Fiberglass/epoxy composites; flexural strength; modulus of elasticity; 4.2 K

Polymers; thermal contraction; thermal conductivity; specific heat; electrical resistivity; 4.2 K

961. Warnes, L.A.A., and King, H. W., "The Low Temperature Magnetic Properties of Austenitic Fe-Cr-Ni Alloys. 1. The Effect of Nickel Concentration in Fe-Ni-20 wt.% Cr Alloys", Cryogenics, 16 (8), 473-481 (August 1976).

Stainless steel; 20Cr-16Ni steel; 20Cr-18Ni steel; 20Cr-20Ni steel; 20Cr-22Ni steel; 20Cr-24Ni steel; magnetic properties; 10 K

962. White, G. K., "Thermal Expansion at Low Temperatures of Glass-Ceramics and Glasses", Cryogenics, 16 (8), 487-490 (August 1976).

Glass-ceramics; glasses; thermal expansion; 2 K

963. Yoshimura, H., Yamada, N., Yada, H., et al., "Microstructures, Low Temperature Toughnesses and Thermal Expansion Coefficients of High Manganese-Chromium Austenitic Steels", Transactions of the Iron and Steel Institute of Japan, 16 (2), 98-105 (February 1976).

Engineering steel; 25Mn-5Cr-1Ni steel; ultimate tensile strength; Charpy impact; toughness properties; elongation; thermal expansion; -196 C

FIRST AUTHOR INDEX

Abraham, J. M., 721
Abuku, S., 498
Achbach, W. P., 136, 137
Ackermann, F. W., 674
Acosta, V., 769
Adsit, N. R., 846
Ahlers, G., 434
Aldridge, R. V., 934
Alekseyevskiy, N. E., 499
Alers, G. A., 138
Alleaume, J., 554
Allen, N. P., 9
Allison, F. E., 48
Alper, R. H., 139, 291, 292
Amakawa, K., 770
Amundsen, T., 371
Anderson, A. C., 243
Anderson, W. A., 293
Argy, G., 847, 894
Armeniades, C. D., 555
Armstrong, P. E., 607
Armstrong, T. N., 72
Aron, P. R., 556
Arp, V., 188
Asay, J. R., 500
Austin, J. B., 10
Aven, M. H., 49
Awad, F. G., 675

Baker, C., 608
Baranov, I. A., 501, 557
Barker, R. E., Jr., 244
Barron, R. F., 86, 435
Barth, H. A., 609
Basargin, O. V., 848
Bauder, P., 935
Baughman, R. A., 73
Bauwens-Crowet, C., 723
Baylis, J. A., 849
Bean, C. P., 436
Beardmore, P., 610, 676, 677
Beck, E. J., 437
Beduz, C., 850
Beenakker, J.J.M., 37
Belenkii, M. V., 771
Bell, J. H., Jr., 245
Belton, J. H., 87, 246
Bennett, F. W., 438
Benz, M. G., 611
Bergstedt, P., 189
Berman, R., 38
Betts, R. D., 372
Bijl, D., 39
Bishop, J. H., 678
Bixler, W. D., 639, 772
Blythe, H. J., 373
Boening, K., 936
Bogardus, K. O., 851, 895
Bogner, G., 896, 937, 938
Bordoni, P. G., 31
Bowen, A. W., 773
Bowen, D., 11
Bowers, R., 50
Bowers, W. D., 247, 248
Brickner, K. G., 558
Bringer, R. P., 190, 294
Brink, N. O., 295
Brisbane, A. W., 249
Broadwell, R. G., 296
Broutman, L. J., 502
Brown, A., 24
Brown, N., 774
Bucci, R. J., 775
Buchanan, D. P., 679
Bukh, A., 297
Bullen, F. P., 374
Bulow, C. L., 88
Bunton, G. V., 559
Burck, L. H., 939
Burdekin, F. M., 298
Burford, J. C., 375
Burnier, P., 439
Bychkov, Y. F., 560

Calverly, A., 140
Campbell, J. E., 141, 142, 143, 144, 145, 299, 300, 376, 377, 440, 503, 504, 561, 640, 680
Campbell, M. D., 378
Cappelletti, R. L., 776
Carapella, S. C., Jr., 777
Caren, R. P., 379
Carman, C. M., 380, 441, 442, 562
Carr, R. H., 301
Carr. W. J., Jr., 778
Carreker, R. P., Jr., 25
Cataldo, C. E., 89, 191
Ceresara, S., 612
Chafey, J. E., 146
Chamberlain, D. W., 302
Chang, Y. A., 381
Channing, D. A., 382
Cheeke, J.D.N., 779
Childs, G. E., 780
Chizhov, A. Kh., 505
Choy, C. L., 641, 642
Christensen, R. H., 147

PRECEDING PAGE BLANK-NOT FILMED

Christian, J. L., 90, 91, 92, 148, 149, 192, 193, 194, 195, 196, 197, 198, 250, 251, 252, 253, 303, 304, 305, 383, 506, 507, 563
Claiborne, L. T., 384
Clark, A. F., 564, 643, 644, 645, 681, 724, 852, 897
Cline, H. E., 443
Clune, L. C., 444
Cody, G. D., 306, 385, 781
Collings, E. W., 307, 646, 725, 898
Collins, J. G., 782
Collins, S. G., 51
Conrad, H., 386, 508, 726, 783
Cooper, R. F., 647
Cordea, J. N., 727
Corn, D. L., 509
Corruccini, R. J., 93, 150
Corzett, D. T., 940
Coursen, J. W., 510
Cowan, J. A., 566
Crafts, W., 12
Crane, C. H., 445
Cribier, D., 308
Critchlow, P. R., 853
Crooker, T. W., 682
Cullen, G. W., 309, 784
Curtis, A. J., 199

Dander, W., 941
D'Annessa, A. T., 310, 387
Dasilva, J. F., 446
Davey, G., 254
Davis, R. J., 447
Day, D. L., 151
DeBoisblanc, W. R., 255, 256
DeMeester, B., 899
DeMoney, F. W., 94, 200, 257, 311, 511, 613
Denaburg, C. R., 312, 388, 389
DeNobel, J., 4
DeSisto, T. S., 95, 152, 153, 201, 258, 313, 390
Desorbo, W., 65, 314, 315
Dew-Hughes, D., 900
Dixon, M., 391
Domenicali, C. A., 154
Dorey, G., 567
Dragaun, H., 942
Dralle, A. V., 392
Droll, P. W., 512
Duchatenier, F. J., 393, 448
Duckett, R. A., 648
Dupre, A., 316
Durham, R. J., 66
Dyment, J., 67

Eagen, C. F., 728
Echarri, A., 683
Efferson, K. R., 513
Eggleston, R. R., 13
Eichenberger, T. W., 317
Eiselstein, H. L., 514
Eitman, D. A., 449
Eldridge, E. A., 155
Engstrom, W. L., 729
Enstrom, R. E., 450
Erdmann, J. C., 568
Ermolaev, B. I., 854
Espey, G. B., 96, 156
Estermann, I., 14
Evans, R. M., 318

Falge, R. L., Jr., 684
Fan, H. Y., 157
Fargeot, D., 943
Favor, R. J., 158
Feddersen, C. E., 685
Fedorov, G. V., 649
Feltham, P., 159
Fenton, E. W., 259
Ferguson, C. W., 451
Fevrier, A., 785
Fickett, F. R., 650, 686, 687, 730, 731
Fietz, W. A., 855
Finger, R. W., 856
Fischer, S., 786
Flannery, J. W., 319
Flewitt, P.E.J., 787
Fluornoy, R. W., 202
Forman, R. G., 788, 857
Forsvoll, K., 394
Fowlkes, C. W., 944
Fox, D. K., 320
Fraser, D. B., 395
Frederick, S. F., 569, 651
Fridlyander, I. N., 515
Fukuda, S., 789
Fulkerson, W., 452
Fuller, P. D., 203
Furman, D. E., 1
Furtado, C. S., 790
Furukawa, G. T., 15, 321

Gain, B. R., 396
Galstan, G. N., 453
Garber, M., 97
Garde, A. M., 791
Gasanov, M. A., 732, 792
Geil, G. W., 16
Gideon, D. N., 204, 205
Giles, M., 614
Gill, R. S., 260
Gille, J. P., 733
Gindin, I. A., 516, 615, 616, 688, 734, 945
Girton, L. D., 322
Gittleman, J. I., 517
Gniewek, J. J., 397

Goetzel, C. G., 398
Golik, V. R., 617
Golovashkin, A. I., 735, 793
Goodman, B. B., 206
Green, E. F., 570, 571
Grigsby, D. L., 454
Groger, V., 858
Gruner, J. D., 261, 323
Gulyaev, A. P., 794
Guntner, C. J., 160, 207, 208
Gupta, K. P., 324
Guthrie, G. L., 74

Hahn, T. A., 652
Halchak, J. A., 572
Haldon, R. A., 573
Hall, L. A., 574, 653
Hall, L. R., 575, 618, 689, 690, 736, 737, 738
Hall, W. J., 98
Hamilton, H., 325
Hanson, M. P., 99, 161, 209
Harding, J., 691, 859
Hartbower, C. E., 739
Haskins, J. F., 326
Hayase, M., 795
Haynes, A. G., 860, 901
Heiniger, F., 327
Hempel, M., 654
Henning, C. D., 796
Henry, W. G., 262
Hertz, J., 162, 399
Herzog, R. G., 740
Hickey, C. F., 210, 211
Hilsen, R. R., 212
Hitotsuyanagi, H., 902
Ho, C. Y., 797
Ho, J. C., 263
Hoare, J., 903
Hoeppner, D. W., 576
Holden, F. C., 75
Hollomon, J. H., 26
Holwech, I., 518
Hooper, A. F., 264, 265
Hordon, M. J., 455
Horton, J. C., 456
Houssin, B., 798
Howling, D. H., 40
Huettich, N. J., 692
Hugel, J., 799
Hull, F. C., 519
Hunsicker, H. Y., 457
Hurd, C. M., 458, 459
Hurlich, A., 213, 266
Hust, J. G., 577, 619, 655, 656, 657, 693, 694, 695, 696, 697, 698, 699, 741, 800, 801, 861, 904

Huzan, E., 163

Iannelli, A. A., 214, 460
Imai, Y., 946
Inouye, F. T., 328, 461, 520
Irvine, J. D., 802
Isaacs, L. L., 400

Janser, G. R., 462
Javitz, A. E., 164
Jiang, C. W., 862
Jin, S., 863, 864, 865, 905
Johnson, A. A., 100
Johnson, E. W., 101
Johnson, J. B., 17
Johnson, R. J., 102
Johnson, V. J., 103
Johnston, H. L., 41, 401
Jolley, C. E., 215, 329, 330
Jones, R. L., 521

Kadykova, G. N., 803
Kamada, K., 700
Kamm, G. N., 331
Kamskiy, L. Z., 804
Karasik, V. R., 742
Kasen, M. B., 906
Kastelic, J. R., 805
Kaufman, J. G., 104, 105, 165, 216, 267, 268, 402, 403, 522, 578, 701, 866, 867, 907
Keil, D., 868
Kekalo, I. B., 702
Kelsey, R. A., 869, 908
Kemp, W.R.G., 52, 56
Kendall, E. G., 332
Kes, P. H., 870
Kesternich, W., 947
Keys, R. D., 269, 333
Kharitonova, L. D., 620
Khromov, B. P., 658
Kiefer, T. F., 404, 405, 406
Killpatrick, D. H., 806
King, E. J., 166, 217
Klemens, P. G., 106
Klyavin, O. V., 334
Kolouch, R. J., 579
Kornilov, I. I., 523
Kos, J. F., 621
Koshelev, P. F., 580, 743
Krainskii, I. S., 807
Kramer, B. E., 407, 463
Krivobok, V. N., 2, 18
Kropp, C. J., 107, 408, 464
Kropschot, R. H., 42, 108, 218
Kubin, L. P., 808

Kula, E. B., 409

Lake, R. L., 581, 909
Langston, M. E., 109
Larbalestier, D. C., 703, 809
Laverick, C., 465
Lebedev, D. V., 948
LeBlanc, M.A.R., 270
Ledbetter, H. M., 871, 910, 911
Lems, W., 219
Lenhart, H. G., 110
Leplae, L., 744
Lerner, E., 335, 336
Lindenfeld, P., 410
Linz, R. J., 912
Lismer, R. E., 68, 111, 220, 337, 338, 704
Liu, S. I., 27
Livingston, J. D., 339
Locatelli, M., 949
Longson, B., 466
Lorenz, P. M., 271, 340
Los, G. J., 57
Lovoy, C. V., 221, 222, 272, 524
Lowell, J., 659
Lubell, M. S., 341, 467
Lucas, W. R., 112, 468
Lucks, C. F., 69, 810
Luhman, T. S., 745
Lutes, O. S., 167

MacCrone, R. K., 76
MacGregor, C. W., 19
Madhava, N. M., 705, 872
Malin, C. O., 582, 583, 584, 585, 586, 587, 588
Markovich, R., 168, 169
Martin, D. L., 113, 114, 223, 469, 746, 811, 950
Martin, H. L., 342, 411
Martin, M. C., 812
Martin, W. J., 343
Masharov, N. F., 913
Masters, J. N., 622, 813, 873
Masumoto, H., 814, 815
Mathes, K. N., 344
Mathur, M. P., 747
McCabe, D. E., 914
McCammon, R. D., 58, 623
McClaren, S. W., 412, 470
McClintock, R. M., 77, 115
McConnell, J. H., 116
McConville, T., 345
McDaniel, R. H., 816
McEvoy, J. P., Jr., 346
McGee, R. L., 70
McInturff, A. D., 624
McInturff, A. S., 625

McKannan, E. C., 413
McLean, K. O., 626, 748
McRickard, S. B., 471
Meaden, G. T., 414
Medvedev, E. M., 951
Mendelssoh, K., 20, 21, 28, 874
Merisoc, B. A., 589
Meyer, G., 273
Midgley, P., 525, 660
Mikesell, R. P., 117, 224
Mikheyev, V. S., 661
Miller, P. C., 170, 415
Mishler, H. W., 171, 348
Mittag, K., 817
Montano, J. W., 274, 416, 472, 706, 749
Morgan, W. R., 225, 226, 227, 417, 473, 474, 475, 476
Morin, F. J., 228
Morris, E. E., 477
Morrison, J. A., 526
Morton, N., 818
Moskalenko, V. A., 662
Mowers, R. E., 172, 229
Mueller, B. C., 349
Munse, W. H., 5
Muraca, R. F., 750
Murayama, N., 915
Muto, Y., 350

Nachtigall, A. J., 527, 590, 627, 875, 916
Naimon, E. R., 876
Nakamura, Y., 952
Natta, M., 877
Neff, D. V., 628
Nelson, F. G., 478, 629, 707
Neuringer, L. J., 479
Nicol, J., 29
Noonan, J. W., 230
Norstrom, L. A., 953
Novikov, N. V., 819
Novitskiy, L. A., 917
Nuernberger, H. H., 418

Oates, G., 528
Ogura, T., 918
Okazaki, K., 820
Olleman, R. D., 118
Olsen, J. L., 32
Orange, T. W., 351, 480, 708
Orlov, A. F., 481
Osborne, D. W., 529
Ottlyk, A. A., 119

Park, O. E., 43
Pavlov, V. A., 878
Pearson, T. F., 821

Peckner, D., 173
Pendleberry, S. L., 275
Pense, A. W., 919
Peppiatti, H. J., 6
Pereira, F.N.D.D., 663, 751, 752
Perepechko, I. I., 709
Person, N. L., 920
Peters, R. L., 352
Peterson, N. M., 530
Petrenko, N. S., 822
Pettit, D. E., 664
Phillips, N. E., 78, 353
Pierce, W. S., 419, 591
Pink, E., 954
Pittinato, G. F., 631
Pogodin-Alekseev, G. I., 531
Potapov, N. N., 532, 631, 632
Powell, R. L., 44, 45, 59, 79, 120, 121
Powell, R. W., 823
Prekul, A. F., 533
Prior, A. C., 534
Pugh, E. W., 60, 71
Pupp, W. A., 879
Pyle, R., 592

Rack, H. J., 955
Radhakrishva, P., 276
Rapp, O., 665
Rawe, R. A., 593
Rayevskiy, I. I., 710
Rayne, J. A., 33, 53, 61, 80
Reed, R. P., 122, 354, 535, 536, 594, 711, 753, 824, 921
Reese, W., 420, 482, 483, 595
Reuter, W. G., 712
Rhodes, B. L., 277, 421
Rice, L. P., 123, 231, 278
Richards, J. T., 34
Rickards, P. J., 666
Ripling, E. J., 54
Roberts, B. W., 633, 754, 880
Robinson, I. B., 484
Rode, V. E., 355, 825, 881
Romig, H. L., 537
Roseland, L. M., Jr., 485
Rosenberg, S. J., 596
Rubin, T., 35
Runsicker, H. Y., 486
Ryvkina, D. G., 487

Sakai, T., 922
Salinger, G. L., 174
Sarno, D. A., 826, 882
Sasaki, Y., 755
Sastry, D. H., 713, 714
Satterthwaite, C. B., 232
Savitskii, E. M., 356
Schaefer, H. E., 956
Schlosser, S., 827
Schmidt, E. H., 597
Schmieder, V. K., 30
Schramm, R. E., 828
Schroeder, P. A., 422
Schultz, R. A., 598
Schwanbeck, C. A., 423
Schwartzberg, F. R., 124, 175, 176, 279, 357, 538, 599, 634, 667, 668
Scott, R., 957
Scott, R. B., 81
Scott, T. A., 756, 829
Scurlock, R. G., 488
Segal, H. R., 923
Sekula, S. T., 82, 757
Senoussi, S., 830
Shah, R. C., 883
Shannon, J. L., Jr., 280, 600
Shapiro, J. M., 358
Shoemaker, A. K., 715
Shogan, R. P., 601
Siegwarth, J. D., 958
Simon, I., 7
Sinnott, K. M., 233
Smith, G. W., 234
Smith, M. B., 235
Smith, R. J., 489
Smith, R. L., 22, 62
Sochava, I. V., 539
Soffer, L. M., 602
Sogolova, T. I., 924
Sorokin, V. E., 884
Spaeder, C. E., Jr., 635
Spretnak, J. W., 8
Srawley, J. E., 281
Startsev, V. I., 885
Stepanov, N. V., 716
Stierstadt, K., 540
Stinnett, W. D., 359
Strom, D. J., 831
Stutius, W., 832
Sullivan, D. B., 758
Sullivan, T. L., 541, 603, 717
Susukida, H., 542
Suzuki, T., 959
Swanson, M. L., 360
Swartz, P. S., 282
Swenson, C. A., 36, 46
Sytchev, V. V., 833

Tachikawa, K., 834
Teed, P. L., 3

Telinde, J. C., 669
Tenge, P., 835, 925
Tharby, R. H., 836, 886
Thomas, J. G., 23
Tiffany, C. F., 283, 361, 490, 543, 670
Tilley, E. B., 424
Tino, Y., 759
Tobler, R. L., 926
Tokunaga, T., 760
Toth, J. M., 362, 425
Touloukian, Y. S., 671, 672
Trepus, G. E., 125
Tryon, R. W., 426
Tucker, J. E., 491, 544

Ul'Yanov, R. A., 545
Upthegrove, C., 55

Vance, R. W., 363
Vanderhoeven, J. C., Jr., 364
Vandevoorde, M., 960
Van Elst, H. C., 236
Van Groenou, A. B., 546
Van Itterbeek, A., 63, 237
Van Reuth, E. C., 887
Van Stone, R. H., 889
Vishnevsky, C., 718
Vogt, E., 547
Voitenko, A. F., 837
Vold, C. L., 890
Vozilkin, V. A., 604

Waldron, C. R., 47
Wang, T. T., 838
Warfield, R. W., 126, 177, 178, 238
Warnes, L.A.A., 961
Warren, K. A., 284
Watson, J. F., 127, 128, 129, 130, 131, 179, 180, 181, 427
Wei, R. P., 761
Weiman, S. M., 365
Weiss, V., 285
Weleff, W., 428, 429, 492, 548
Wessel, E. T., 64, 132, 493
Westerlund, R. W., 549
Weston, W. F., 927, 928, 929, 930
Westrup, R. W., 762
White, G. K., 83, 133, 182, 183, 430, 763, 764, 962
Wigley, D. A., 605
Witcomb, M. J., 839
Witherell, C. E., 366
Witzell, W. E., 840
Wolff, E. G., 841
Worthington, P. J., 550
Wright, L. S., 931
Wroth, R. S., 286
Wunderlich, B., 606

Yang, C. T., 494, 495
Yao, Y. D., 932
Yee, R., 496, 719
Yeske, R. A., 891
Yoshimura, H., 963
Younger, C. L., 673
Yushchenko, K. A., 842, 892

Zaitlin, M. P., 765
Zakharov, A. I., 551, 843, 893
Zakin, J. L., 497
Zenner, G. H., 184
Ziegler, W. T., 287
Zinkham, R. E., 933
Zlobintsev, G. M., 844
Zoller, P., 636, 845

SUBJECT INDEX

MECHANICAL PROPERTIES

ALUMINUM AND ALUMINUM ALLOYS

Aluminum (unalloyed)–3, 31, 58, 173, 244, 331, 334, 360, 363, 374, 386, 427, 488, 605, 612, 734, 753, 885, 918

1099 Aluminum–578

1100 Aluminum–81, 86, 124, 158, 165, 173, 202, 284, 402, 431, 432, 455, 478, 522

Aluminum Alloys (general)–3, 42, 68, 115, 117, 189, 297, 299, 376, 440, 515, 561, 660, 731, 753

AK8 (Russian alloy)–515, 545, 580

AMg3 (Russian alloy)–515

AMg5V (Russian alloy)–515

AMg6 (Russian alloy)–515, 819

AMTs (Russian alloy)–515

ATsMU (Russian alloy)–515, 545

DTD 687 (British alloy)–552, 660

D20 (Russian alloy)–515, 580, 819

D 74S (British alloy)–552, 660

GB 3033 (British alloy)–552, 661

Hiduminium 48 (British alloy)–552, 660

H30 (British alloy)–552

HS30 (British alloy)–525, 660

L71 (British alloy)–552, 660

Noral 50S (British alloy)–66

Noral 54S (British alloy)–66

V92Ts (Russian alloy)–515, 545, 580

V96 (Russian alloy)–515, 545

VAD1 (Russian alloy)–515, 545

354–510, 629

355–87, 124, 173, 246, 300, 342, 368

356–47, 284, 300, 359, 368, 423, 428, 429, 431, 510

359–510

A335–510

A344–510, 629

A356–510, 548, 578

A357–510

C355–510, 629

2014–87, 92, 99, 112, 124, 131, 142, 144, 145, 148, 161, 168, 169, 170, 173, 175, 193, 210, 211, 213, 217, 218, 246, 252, 253, 267, 275, 279, 286, 300, 325, 332, 342, 357, 363, 368, 377, 380, 383, 402, 403, 404, 406, 411, 423, 427, 431, 432, 437, 470, 478, 494, 495, 506, 522, 527, 530, 538, 575, 578, 590, 591, 593, 618, 680, 707, 708, 739, 768, 875, 916

2017–210, 211, 265, 332

2020–222, 267, 279, 284, 342, 357, 368, 404, 406, 411, 679, 768

2021–457, 468, 486, 522, 549, 598, 634, 667, 668, 718

2024–8, 17, 27, 54, 81, 87, 89, 92, 108, 124, 131, 148, 158, 162, 173, 196, 210, 211, 218, 246, 267, 284, 300, 325, 332, 363, 383, 402, 403, 423, 431, 435, 506, 522, 578, 707, 768

2117–265

2119–272, 342, 368, 411, 768

2219–92, 99, 110, 144, 145, 148, 161, 168, 169, 173, 175, 186, 191, 213, 222, 227, 252, 267, 268, 272, 279, 300, 303, 304, 317, 325, 332, 340, 342, 357, 359, 368, 370, 377, 383, 389, 402, 403, 404, 405, 406, 411, 412, 415, 423, 428, 429, 431, 432, 437, 442, 445, 449, 451, 457, 468, 470, 477, 478, 486, 490, 495, 504, 522, 538, 543, 578, 592, 618, 622, 629, 682, 685, 690, 708, 729, 736, 737, 739, 762, 768, 772, 788, 813, 840, 873, 875, 883, 916

2319–478

2618–175, 578

3003–101, 165, 184, 202, 245, 402, 431, 432, 522, 629

3004–202

3033–578, 660

5050–202

5052–81, 92, 101, 108, 112, 124, 131, 148, 165, 170, 173, 180, 184, 192, 193, 202, 213, 218, 245, 253, 332, 342, 368, 411, 478, 495, 506, 768

5054–108

5056–218, 265

5083–68, 94, 101, 118, 131, 148, 165, 184, 192, 202, 216, 231, 245, 278, 300, 332, 370, 402, 403, 423, 431, 432, 522, 578, 581, 629, 727, 835, 847, 851, 866, 867, 869, 894, 895, 907, 908, 909, 920, 930, 933

5085–245, 427

5086–89, 92, 101, 112, 131, 148, 165, 170, 180, 184, 192, 202, 210, 211, 216, 220, 231, 245, 332, 342, 368, 411, 423, 768, 816

5154–92, 101, 131, 148, 165, 184, 192, 202, 245, 267, 332, 478

5183–478, 851, 866, 867, 895, 907

5356–68, 245

5454–101, 105, 165, 216, 231, 245, 267, 402, 431, 522, 578, 629

5456–92, 99, 101, 112, 131, 142, 148, 161, 165, 168, 169, 170, 184, 191, 192, 193, 202, 216, 231, 245, 267, 269, 279, 300, 332, 333, 342, 357, 359, 368, 380, 402, 403, 404, 405, 406, 411, 423, 428, 429, 431, 432, 457, 468, 478, 486, 495, 503, 506, 522, 578, 629, 682, 768

5556–478

6061–73, 81, 87, 92, 99, 101, 104, 108, 124, 131, 142, 144, 145, 148, 158, 161, 165, 166, 168, 169, 173, 180, 202, 210, 211, 218, 245, 246, 253, 256, 267, 284, 300, 325, 332, 359, 383, 402, 403, 405, 423, 428, 429, 431, 432, 478, 503, 506, 522, 525, 548, 578, 597, 629, 682, 707, 768, 816

6063–202, 503

7001–460

7002–293, 310, 342, 368, 387, 768

7005–293, 402, 407, 431, 432, 463, 522, 578, 682, 701

7006–293, 310, 387

7007–457, 468, 486, 522, 549, 634, 667, 668, 701

7039–257, 293, 300, 303, 304, 310, 311, 357, 367, 370, 387, 403, 406, 407, 431, 432, 463, 473, 484, 495, 504, 511, 522, 581, 607, 613, 682, 701, 718, 768

Aluminum Alloys (Continued)

7075–8, 17, 54, 87, 89, 92, 99, 108, 124, 131, 148, 158, 161, 173, 200, 210, 211, 235, 246, 267, 279, 284, 332, 333, 342, 357, 368, 380, 402, 403, 404, 406, 427, 429, 431, 460, 461, 478, 506, 522, 548, 597, 669, 701, 707, 739, 768, 813, 816

7079–70, 92, 99, 124, 131, 136, 137, 148, 161, 170, 173, 196, 200, 213, 267, 300, 332, 342, 359, 368, 370, 402, 403, 423, 428, 429, 431, 461, 478, 493, 506, 522, 701, 707, 768

7106–293, 300, 367, 402, 403, 406, 407, 418, 431, 432, 437, 445, 457, 463, 468, 475, 486, 682

7178–92, 99, 131, 148, 173, 267, 332, 342, 367, 368, 380, 402, 423, 431, 478, 506, 522, 768

7275–92, 148

BERYLLIUM AND BERYLLIUM ALLOYS

Beryllium (unalloyed)–640

Beryllium Alloys (general)–440

CADMIUM

Cadmium (unalloyed)–76

CERAMIC MATERIALS

Graphite–241

Phenolic Materials–492

CHROMIUM AND CHROMIUM ALLOYS

Chromium Alloys (general)–376

COBALT AND COBALT ALLOYS

Elgiloy–284

L-605–131, 180, 181, 241, 251, 325, 332, 427, 892

Stellite 3–284

Stellite 25–284

COMPOSITES

Composites–407, 437, 463, 733, 906

Fiberglass Composites–362, 425, 477, 485, 602, 929, 960

Resin Matrix Composites–295, 302, 602

COPPER AND COPPER ALLOYS

Copper (unalloyed)–3, 5, 7, 16, 25, 31, 54, 55, 58, 76, 77, 80, 81, 86, 88, 108, 111, 117, 124, 138, 162, 184, 218, 219, 284, 363, 374, 386, 396, 488, 516, 535, 536, 605, 615, 616, 688, 691, 704, 714, 871, 875, 885, 891, 916

Copper Alloys (general)—3, 115, 117, 700, 704, 731, 943
Cu-Alumina (GlidCop alloys)—766
Cu-1.85Be (beryllium copper)(Berylco 25)—34, 224
Cu-1.9Be (beryllium bronze)(beryllium copper)(Berylco 25)—77, 87, 88, 108, 158, 204, 205, 218, 246, 284, 427, 435
Cu-2Be (beryllium copper)—73
Cu-2Co-0.5Be (Berylco 10)—87, 108, 246
Cu-2Ni-0.5Si (copper nickel silicon)—536
Cu-2.6Alumina (GlidCop alloy)—567
Cu-2.6Co-0.51Be (beryllium-cobalt bronze)—77
Cu-3Si (silicon bronze)(copper silicon)—77, 88, 184, 536
Cu-3Si-2.8Zn-1.5Fe (iron-silicon bronze)—87, 246
Cu-4Sn (phosphor bronze)—88
Cu-4Zn—80
Cu-5Ni—568
Cu-5Ni-1Fe (Kunifer 5)—111, 337, 338
Cu-5Sn (phosphor bronze)—536
Cu-5Zn (Gliding metal)—535
Cu-6.6Al-2Fe (aluminum bronze)—536
Cu-7.3Al-1Zn (aluminum bronze)—88
Cu-8Sn (phosphor bronze)—77
Cu-9Zn—9, 80
Cu-10Al-5Ni-3Fe (nickel-aluminum bronze)—536
Cu-10Ni (Cupro-nickel)(Kunifer 10)—111, 220, 337, 338, 535
Cu-10Ni-1Fe (copper nickel 10)—536
Cu-10Zn (commercial bronze)(brass)—535, 536
Cu-12Mn-7Al-2Ni-2Fe (Superston 40)—111, 337
Cu-15Zn (red brass)—535, 536
Cu-17Zn—80
Cu-18.7Zn-17Ni (nickel silver)—88
Cu-20Ni (Cupro-nickel)—88, 111, 220, 337, 338, 535
Cu-20Ni-1Fe (Kunifer 20)—111, 337, 338
Cu-20Zn (low brass)—535
Cu-22Ni—481
Cu-23Zn—80
Cu-28Ni—568
Cu-28Zn-1Sn (Admiralty brass)—535, 536
Cu-30Ni (Cupro-nickel)(copper nickel 30)—16, 111, 220, 337, 338, 535, 536
Cu-30Zn (brass)(Cartridge brass)—80, 88, 158, 204, 205, 284, 535
Cu-35Ni—481
Cu-35Zn (brass)(yellow brass)—159, 535
Cu-38Zn-1Sn (brass)—88

Copper Alloys (Continued)

Cu-39Zn-1Sn (Naval brass)–535, 536
Cu-40Zn (brass)(Muntz metal)–88, 111, 184, 218, 337, 535
Cu-40Zn-14Pb (leaded brass)–81
Cu-45Ni (Cupro nickel)(Cupron)–88, 535
Cu-49Zn–64
Cu-70Ni–16

GOLD AND GOLD ALLOYS

Gold (unalloyed)–58

IRON AND IRON ALLOYS

Iron (unalloyed)–58, 62, 471, 666, 939
Iron Alloys (general)–9, 22, 939
Armco Iron–12, 409, 487, 605, 878
Fe-0.49C–22
Fe-3Si (silicon iron)–330, 528, 550
Fe-9Ni-1Mn–863
Fe-12Ni-0.25Ti–863
Fe-36Ni–366
Fe-39.5Ni-1.5Ti–514
Invar–184, 284, 319, 366, 727, 821, 842, 910
N-155–87, 246

LEAD

Lead (unalloyed)–3, 31

MAGNESIUM AND MAGNESIUM ALLOYS

Magnesium (unalloyed)–58, 173
Magnesium Alloys (general)–3, 8, 17, 115
AZ31B–122, 124, 594
AZ91C–47
HK31A–122, 124, 468, 594
HM21A–122, 124, 594
HM31A–124, 594
LA-91–342, 368, 411
LA-141–342, 368, 411, 468
LAZ-933–468
ZE10A–122, 124, 594
ZK60A–70, 124

MANGANESE AND MANGANESE ALLOYS

Mn-10Cu-11W–815

Mn-10Cu-20W–815

Mn-10Ni-5Cr–814

Mn-15Ni-20Cr–814

Mn-18Ni-5Cr–814

Mn-20Ni-15Cr–814

Mn-20Ni-30Cr–814

Mn-21Ni-10Cr–814

Mn-24Ni-5Cr–814

Mn-30Cu-10W–815

Mn-40Cu-24W–815

Mn-50Cu-2W–815

Mn-55Cu-5W–815

MOLYBDENUM AND MOLYBDENUM ALLOYS

Molybdenum (unalloyed)–64, 173, 605, 827, 837

NICKEL AND NICKEL ALLOYS

Nickel (unalloyed)–3, 16, 54, 64, 81, 132, 204, 205, 284, 363, 481, 596, 605, 875, 916, 945

Nickel Alloys (general)–115, 117, 299, 376, 440, 596, 669

Alloy 713C–359, 428

D-979–109, 548

EI602 (Russian alloy)–892

EP199 (Russian alloy)–892

EP677 (Russain alloy)–892

Hastelloy B–131, 180, 181, 213, 303, 304, 332, 538, 892

Hastelloy C–359, 406, 428, 429, 507, 548, 892

Hastelloy X–87, 246, 251, 638, 816

Inco 72 (702)–87, 246

Incoloy 901–109

Incoloy 903–767

Inconel 600–81, 86, 109, 111, 158, 204, 205, 284, 423, 445, 504, 892, 927

Inconel 718–248, 251, 303, 304, 318, 322, 328, 369, 372, 406, 424, 445, 462, 470, 474, 477, 495, 506, 507, 520, 527, 538, 582, 585, 588, 590, 597, 638, 664, 670, 767, 857, 875, 916, 928

Inconel X-750–87, 90, 109, 124, 144, 145, 146, 156, 158, 181, 204, 205, 213, 221, 246, 284, 325, 332, 342, 359, 368, 411, 423, 428, 429, 462, 495, 506, 548, 597, 772, 892, 927, 928

KhN63M9B2Yu (Russian alloy)–892

M-252–109

Monel 400–42, 54, 81, 86, 89, 111, 124, 184

Nickel Alloys (Continued)

Monel Alloy K-500–81, 127, 131, 144, 145, 158, 180, 181, 204, 205, 213, 226, 284, 332, 342, 368, 409, 423, 435, 495, 597

Ni-2Be-0.5Ti (Berylco nickel 440)–476, 480

Ni-7Cu–481

Ni-10Cu–568

Ni-12Cu–481

Ni-35Cu–568

Ni-36Cu–481

Ni-Span C–158, 204, 205, 284

Nimonic 80A–109

Nimonic 90–109

R-235–197, 251, 507

Rene 41–73, 109, 124, 147, 181, 189, 213, 241, 249, 251, 252, 284, 303, 304, 325, 332, 342, 368, 423, 427, 495, 507, 538, 892

TD-Nickel–388, 507

Udimet 500–109

Waspalloy–87, 246, 274, 342, 368, 416, 892

NIOBIUM AND NIOBIUM ALLOYS AND COMPOUNDS

Niobium (unalloyed)–100, 132, 386, 466, 505, 808, 812, 837

Niobium Alloys (general)–755

Nb-16Zr–787

Nb-25Zr–320, 787

Nb-31Zr–787

Nb-40Zr–787

Nb_3Sn–879

POLYMERS

Polymers (general)–30, 425, 617, 676, 720, 733, 771, 824 828, 862, 884, 938, 942, 946, 954

Dacron Polyster–711

Nylon–81, 164, 218, 229, 398, 771

Plexiglas–502

Polycarbonate–723, 774, 805, 938

Polychlorotrifluoroethylene (Kel-F)–36, 81, 87, 125, 164, 172, 190, 218, 229, 230, 246, 289, 398, 413, 620

Polyethylene–36, 81, 164, 244, 709, 838, 862, 884, 924, 938, 960

Polyethylene terephthalate (Mylar)–81, 164, 218, 229, 362, 379, 398, 413, 555, 805, 960

Polymethylmethacrylate–233, 610, 648, 676, 677, 774, 862, 924

Polypropylene–942

Polystyrene–233, 244, 413, 502, 711, 862, 903, 924

Polytetrafluoroethylene (Teflon)–36, 67, 81, 86, 87, 125, 135, 162, 164, 172, 215, 218, 229, 230, 233, 246, 289, 329, 359, 362, 398, 413, 435, 620, 771, 786, 884, 924, 960

Polymers (Continued)

Polyvinylchloride–81, 218, 398, 954, 960

SILVER AND SILVER ALLOYS

Silver (unalloyed)–31, 58, 219, 244, 363

STEEL–ENGINEERING

Engineering Steel (general)–3, 9, 19, 115, 596, 919, 948
A302–715
A517–715
AISI 1010–218, 605, 705
AISI 1018–51
AISI 1020–46, 64, 86, 89, 218, 435, 605
AISI 1022–10
AISI 1030–605
AISI 1040–86
AISI 1075–204, 205, 284
AISI 1095–18
AISI 2317–10
AISI 2330–17
AISI 30347–246
AISI 3335–64, 132
AISI 4130–669
AISI 4340–8, 17, 64, 70, 124, 132, 136, 137, 147, 173, 214, 284, 427, 503, 597, 638, 685, 883
AISI 51410–246
AISI 51440–246
AISI 52100–162
AISI 8630–8, 17
AISI 9310–87, 124, 246, 462, 816
D6AC–271, 283, 685
HY-80–715
HY-130–715
Maraging Steel (unspecified grade)–255, 342, 368, 376, 411, 460, 495, 596, 605, 680, 816
Maraging (180)–715
Maraging (200)–281, 571, 638, 718, 806
Maraging (250)–242, 303, 304, 359, 428, 462, 509, 715
Maraging (300)–283, 509, 685, 875, 916
Maraging (350)–247
Vasco Jet 1000–123, 249, 284
2Ni Steel–692, 919
3Ni Steel–111, 184, 290, 298, 319, 692, 919, 930

Engineering Steel (Continued)

5Ni Steel–727, 775, 821, 882, 901, 914, 915, 919, 926, 930

6Ni Steel–926, 930

9Ni Steel–72, 102, 111, 134, 158, 184, 204, 205, 284, 290, 298, 319, 347, 348, 417, 433, 435, 493, 524, 542, 570, 609, 638, 704, 718, 727, 775, 821, 826, 835, 836, 860, 863, 865, 886, 901, 905, 915, 919, 922, 925, 926, 930, 953, 957

12Ni Steel–863, 905

12Cr Steel–10

25Mn-5Cr-1Ni Steel–963

300M–70, 89

STEEL–STAINLESS

Stainless Steel (general)–115, 299, 376, 596, 731, 948

A-286–87, 107, 127, 131, 144, 145, 146, 217, 225, 246, 274, 284, 325, 332, 342, 359, 368, 406, 416, 423, 428, 429, 472, 506, 548, 582, 583, 597, 638, 706, 749, 750, 911

AISI 202–160, 208, 332, 342, 368, 411

AISI 301–2, 18, 119, 123, 124, 128, 129, 130, 131, 139, 142, 143, 144, 145, 156, 161, 162, 173, 179, 180, 184, 189, 193, 201, 204, 205, 213, 234, 249, 251, 252, 258, 260, 261, 266, 284, 291, 292, 305, 322, 323, 325, 332, 351, 419, 427, 477, 494, 495, 527, 538, 590, 628, 640, 667, 668, 768, 772

AISI 302–2, 18, 51, 73, 108, 116, 124, 128, 130, 131, 152, 153, 158, 180, 195, 218, 239, 284, 290, 332, 354, 363, 628, 768

AISI 303–18, 42, 46, 51, 89, 124, 152, 153, 184, 284, 354, 584, 607, 768

AISI 304–2, 18, 46, 81, 86, 89, 108, 116, 128, 130, 131, 144, 145, 152, 153, 158, 160, 171, 180, 184, 208, 218, 231, 239, 290, 303, 304, 363, 423, 429, 433, 435, 438, 538, 553, 558, 605, 628, 738, 768, 856, 863, 864, 865, 905, 911, 959

AISI 304L–116, 124, 143, 161, 171, 193, 207, 208, 213, 253, 266, 284, 290, 332, 495, 554, 558, 627, 628, 640, 727, 768, 875, 916

AISI 305–184, 628

AISI 308–2, 108, 171

AISI 308L–171, 438

AISI 309–184, 628

AISI 310–2, 18, 42, 51, 54, 116, 124, 128, 130, 131, 142, 144, 145, 156, 171, 179, 180, 184, 193, 194, 198, 201, 208, 213, 218, 251, 252, 253, 258, 260, 261, 266, 284, 290, 303, 304, 305, 323, 325, 332, 354, 363, 412, 423, 427, 433, 438, 494, 495, 537, 538, 553, 558, 582, 586, 597, 627, 628, 638, 640, 768, 875, 911, 916

AISI 316–2, 18, 42, 73, 124, 152, 153, 184, 201, 218, 239, 258, 290, 363, 433, 553, 558, 605, 628, 768, 911

AISI 317–2, 18

AISI 318–2

AISI 321–2, 18, 90, 162, 184, 239, 284, 290, 357, 359, 377, 406, 428, 429, 433, 445, 597, 768

AISI 330–628

AISI 347–2, 18, 81, 86, 108, 116, 152, 153, 158, 184, 201, 204, 205, 220, 258, 284, 290, 359, 423, 428, 429, 462, 548, 558, 582, 586, 597, 638, 768

AISI 410–18, 239, 284, 429, 548

AISI 416–51, 284

AISI 430–18

AISI 440C–46, 89, 284, 423, 462

Stainless Steel (Continued)

AM 350–70, 124, 146, 160, 208, 359, 423, 428, 429

AM 355–131, 146, 147, 180, 193, 305, 332, 474, 495

Carpenter 20Cb–342, 368, 411

EI696 (Russian alloy)–892

EI787 (Russian alloy)–892

EP33 (Russian alloy)–892

EP105 (Russian alloy)–892

Kh18N10T (Russian alloy)–531

Kromarc 58–519

PH14-8Mo-740

Unitemp 212–274

0Kh15N25MT2 (Russian alloy)–892

000Kh20N16AG6 (Russian alloy)–842

0Kh18N10T (Russian alloy)–842

03Kh18N20 (Russian alloy)–951

14Cr Steel–794

15-7PH–123, 147, 285

17-4PH–284, 638

17-7PH–70, 73, 89, 123, 124, 158, 204, 205, 284, 423, 427, 429

17Cr Steel–160, 208, 794

18Cr Steel–635, 792, 794, 951

18/8 Stainless–8, 9, 17, 18, 111, 609, 704, 821

21-6-9 Steel–288, 587, 638

22-13-5 Steel–816

TANTALUM AND TANTALUM ALLOYS

Tantalum (unalloyed)–64

Ta-10W–409

TIN

Tin (unalloyed)–3

TITANIUM AND TITANIUM ALLOYS

Titanium (unalloyed)–8, 17, 127, 173, 189, 218, 332, 363, 386, 409, 435, 508, 521, 651, 654, 673, 726, 773, 783, 791, 820, 837, 859, 872

Ti-55A–152, 153, 313, 423

Ti-75A–146, 427

Titanium alloys (general)–115, 189, 299, 376, 561, 661, 662, 955

AT2 (Russian alloy)–819

DTD 5093 (British alloy)—552

DTD 5133 (British alloy)—552

IMI 318A (British alloy)—552

OT4 (Russian alloy)—523

Ti-2Cr-2Fe-2Mo—89

Ti-2V—743

Ti-2.7Cr-1.3Fe—84, 654

Ti-4Al—365, 603

Ti-4Al-3Mo-1V—96, 123, 185, 210, 211, 285, 600

Ti-4Al-4Mn—654

Ti-5Al-1.5Fe-1.4Cr-1.2Mo—210, 211

Ti-5Al-2.5Sn—70, 73, 75, 84, 87, 89, 91, 95, 96, 124, 131, 141, 142, 144, 145, 149, 156, 161, 162, 176, 180, 187, 193, 213, 218, 240, 246, 250, 251, 253, 256, 264, 269, 275, 279, 280, 284, 296, 303, 304, 305, 325, 332, 333, 342, 343, 357, 359, 363, 365, 368, 377, 404, 411, 412, 423, 426, 427, 428, 429, 441, 445, 449, 451, 462, 470, 490, 495, 503, 504, 506, 527, 538, 541, 543, 548, 562, 563, 569, 572, 582, 590, 592, 597, 600, 601, 603, 618, 622, 638, 651, 673, 685, 689, 690, 708, 712, 717, 736, 737, 816, 846, 874, 875, 876, 883, 889, 916

Ti-5Al-2.5Sn-2.5V-1Cb-1Ta—408, 464

Ti-5Al-2.5V—426

Ti-5Al-2.5V-1Cb-1Ta—408

Ti-5Al-2.75Cr-1.25Fe—91, 285

Ti-5Al-5Sn—426

Ti-5Al-5Zr-5Sn—91, 151, 213, 332, 495, 563

Ti-5.5Al-5Sn-2.6Cb-2.5Ta-1V—408

Ti-5.5V—743

Ti-6Al-3V—426

Ti-6Al-3V-1Cb-1Ta-0.5Mo—408

Ti-6Al-4V—70, 75, 84, 85, 87, 91, 95, 96, 123, 124, 131, 136, 137, 141, 144, 145, 158, 161, 173, 184, 185, 187, 204, 205, 209, 210, 211, 212, 213, 218, 246, 252, 271, 274, 275, 279, 283, 284, 285, 296, 303, 304, 305, 312, 325, 332, 342, 343, 357, 359, 361, 368, 377, 404, 411, 423, 427, 428, 447, 470, 477, 493, 503, 504, 506, 538, 563, 569, 575, 576, 600, 618, 630, 638, 639, 651, 654, 669, 673, 685, 718, 736, 737, 761, 762, 813, 816, 841, 873, 875, 876, 883, 899, 916, 944

Ti-6Al-4V-1Cb-1Ta—408

Ti-6Al-4Zr-1V—84, 91, 131, 332, 365, 563

Ti-6Al-4Zr-2V—365

Ti-6Al-6V-2Sn—214, 296, 390, 460, 503, 600

Ti-6.5Al—296

Ti-6.5Al-3Mo-1V—210, 211

Ti-6.5Cb—743

Ti-7Al-3Mo—210, 211

Ti-7Al-4Mo—210, 211

Ti-7Al-4V—210, 211

Ti-7Al-12Zr—84, 91, 131, 151, 332, 563

Titanium Alloys (Continued)

Ti-7Mn–95, 173

Ti-7.5Al-2.5V–426

Ti-8Al–296

Ti-8Al-1Mo-1V–146, 151, 213, 251, 285, 296, 312, 332, 423, 445, 503, 563, 600, 673

Ti-8Al-2Cb-1Ta–91, 305, 332, 563

Ti-8Mn–89, 96, 124, 654

Ti-11.5Mo-6Zr-4.5Sn–889

Ti-13V-11Cr-3Al–84, 91, 96, 123, 141, 147, 161, 185, 210, 211, 251, 279, 284, 296, 332, 342, 357, 368, 377, 404, 411, 427, 563, 600, 605

Ti-16V-2.5Al–96, 123, 185, 210, 211

VT5-1 (Russian alloy)–523, 819

VT6S (Russian alloy)–523

VT14 (Russian alloy)–523

VANADIUM AND VANADIUM COMPOUNDS

Vanadium (unalloyed)–607

V_3Ga–902

ZINC AND ZINC ALLOYS

Zinc (unalloyed)–3, 58, 885

ZIRCONIUM AND ZIRCONIUM ALLOYS

Zirconium (unalloyed)–64, 132, 386, 680, 713, 791

THERMAL PROPERTIES

ALUMINUM AND ALUMINUM ALLOYS

Aluminum (unalloyed)—4, 20, 28, 39, 40, 78, 81, 93, 103, 106, 150, 155, 163, 164, 182, 232, 244, 245, 259, 277, 352, 363, 371, 373, 391, 395, 626, 643, 675, 765, 782, 917

1100 Aluminum—86, 98, 120, 164, 188

Aluminum Alloys (general)—448, 731, 917

Al-2Mg—373

Al-4Mg—373

Al-6Mg—373

Al-8Mg—373

Al-10Mg—373

355—87, 246

356—188

2014—87, 246, 277, 363, 421

2017-T4—456

2020—188, 277

2021—668

2024—69, 87, 89, 98, 120, 164, 188, 203, 246, 363, 399, 435, 564, 697

2219—277, 421, 445

3003—98, 120, 164, 184

5052—98, 120, 164, 184

5083—120, 184, 564

5086—120, 184

5154—98, 120, 164, 184

5456—184, 277, 421

6061—87, 188, 203, 246, 456, 643, 817

6063—98, 120, 164

7007—668

7039—564, 577, 693

7075—69, 87, 89, 188, 246, 277, 399, 564, 669

7079—277

7106—445

BERYLLIUM AND BERYLLIUM ALLOYS

Beryllium (unalloyed)—93, 182, 183, 352

BISMUTH

Bismuth (unalloyed)—93

CADMIUM

Cadmium (unalloyed)–20, 93, 353

CERAMIC MATERIALS

Aluminum Oxide–949

Carbon–949

Fused Silica–81

Glass Ceramics–962

Glasses–962

Graphite–93, 188, 500, 949

Lead Pyroniobate–958

Pyrex–81

CHROMIUM AND CHROMIUM ALLOYS

Chromium (unalloyed)–69, 81, 83, 93, 182, 245

COBALT AND COBALT ALLOYS

Cobalt (unalloyed)–83, 155, 352, 391, 779, 917

Cobalt Alloys (general)–324, 917

Elgiloy–188

Stellite 3–188

Stellite 25–188

COMPOSITES

Composites (general)–833, 906

Fiber Reinforced Composites–326, 935

Fiberglass Composites–362, 425, 602, 800, 935

Resin Matrix Composites–326, 602, 904

COPPER AND COPPER ALLOYS

Copper (unalloyed)–20, 29, 33, 35, 37, 39, 40, 44, 45, 53, 59, 69, 79, 81, 83, 86, 88, 93, 103, 113, 114, 121, 150, 164, 182, 183, 184, 203, 223, 245, 254, 262, 277, 301, 316, 352, 353, 358, 363, 381, 382, 391, 395, 399, 400, 410, 421, 434, 444, 448, 469, 491, 529, 559, 621, 626, 643, 647, 652, 663, 675, 748, 751, 752, 763, 764, 785, 811, 817, 858, 917

Copper Alloys (general)–26, 157, 448, 731, 801, 917, 950

Brass (general)–37, 38, 150, 401

Cu-1Cd–53

Cu-1.5Zn–61

Copper Alloys (Continued)

Cu-1.8Be (Berylco 25)(beryllium copper)–188

Cu-1.9Be (Berylco 25)(beryllium copper)–37, 38, 87, 246, 435

Cu-2Co-0.5Be (Berylco 10)–87, 246

Cu-2Zn–56, 444

Cu-3Si (copper silicon)(silicon bronze)–184

Cu-3Si-1Mn (silicon bronze)–121

Cu-3Si-2.8Zn-1.5Fe (iron-silicon bronze)–87, 246

Cu-3Zn–61

Cu-4Ni–912

Cu-5Sn (phosphor bronze)–564

Cu-5Sn-5Zn-5Pb (bronze)–850

Cu-5Zn (Gliding metal)–56, 133

Cu-6Sn–444

Cu-6Zn–61

Cu-6.6Al-2Fe (aluminum bronze)–564

Cu-8Zn–61

Cu-10Ni (Cupro nickel)(Kunifer 10)–14, 74, 912

Cu-10Zn (brass)(commercial bronze)–56, 61, 262, 381

Cu-13Mn (Manganin)–263, 940

Cu-18Ni–844

Cu-20Ni (Cupro nickel)–684, 912

Cu-20Zn (low brass)–56, 61

Cu-25Ni–74

Cu-25Zn–61, 262

Cu-29Zn–61

Cu-30Ni (Cupro nickel)(copper nickel 30)–37, 243

Cu-30Zn (brass)(Cartridge brass)–56, 133, 188

Cu-32Zn-3Pb (brass)–121

Cu-33Zn–61

Cu-35Ni–74

Cu-40Ni (Constantan)–74, 93, 684, 746

Cu-40Zn (Muntz metal)(brass)–184, 776

Cu-43Ni (Constantan)(Advance)–263, 684

Cu-43Ni-2.7Mn (Constantan)–496, 719

GALLIUM

Gallium (unalloyed)–353

GERMANIUM AND GERMANIUM ALLOYS

Germanium (unalloyed)–93

Germanium alloys (general)–157

GOLD AND GOLD ALLOYS

Gold (unalloyed)—20, 83, 93, 254, 259, 395, 400, 469, 621, 626, 693, 748, 763

HAFNIUM AND HAFNIUM ALLOYS

Hafnium (unalloyed)—83

INDIUM

Indium (unalloyed)—20, 28, 93

IRIDIUM

Iridium (unalloyed)—21, 83

IRON AND IRON ALLOYS

Iron (unalloyed)—21, 52, 81, 83, 93, 155, 182, 245, 254, 352, 391, 395, 430, 655, 699, 779, 904
Iron Alloys (general)—324, 647, 801
Armco Iron—452, 619, 810
Fe-29Ni—564
Fe-35Ni (Nilo 36)—430
Fe-39.5Ni-1.5Ti—514
Fe-42Ni (Nilo 40)—430
Fe-50Mn—430
Fe-50Ni—564
Fe-51Ni (Nilo 50)—430
Invar—37, 150, 184, 375, 551, 564, 778, 795, 821, 842, 843, 848, 893, 952
N-155—87, 246
Sch18-36 (Russian alloy)—822
9Kh18 (Russian alloy)—822

LEAD

Lead (unalloyed)—21, 93, 382

MAGNESIUM AND MAGNESIUM ALLOYS

Magnesium (unalloyed)—20, 69, 81, 93, 155, 164, 245, 352, 917
Magnesium Alloys (general)—157, 448, 917

MANGANESE AND MANGANESE ALLOYS

Manganese (unalloyed)–21, 81, 83, 93, 245
Manganese Alloys (general)–324

MERCURY

Mercury (unalloyed)–93

MOLYBDENUM AND MOLYBDENUM ALLOYS

Molybdenum (unalloyed)–21, 33, 69, 83, 93, 155, 352

NICKEL AND NICKEL ALLOYS

Nickel (unalloyed)–4, 21, 52, 81, 83, 93, 103, 155, 164, 188, 245, 352, 363, 391, 395, 430, 596, 779, 795, 917
Nickel Alloys (general)–26, 324, 596, 669, 801, 917
Alloy 713C–109
D-979–109
Hastelloy B–109
Hastelloy C–109, 564
Hastelloy F–109
Hastelloy N–109, 564
Hastelloy X–87, 109, 246, 564, 577
Inco 72 (702)–87, 246
Incoloy 901–109
Incoloy 903–767
Inconel 600–14, 69, 81, 86, 109, 133, 188, 203, 245, 445
Inconel 625–564
Inconel 700–109
Inconel 718–445, 520, 564, 577, 657, 767
Inconel X-750–69, 87, 109, 150, 188, 246, 277
M-252–109
Monel 400–14, 81, 86, 93, 109, 184, 203, 245, 401
Monel Alloy K-500–69, 109, 150, 435
Ni-Span C–188
Ni-19Cu–795
Ni-20Cr-2.7Al-2.7Cu (Evanohm)–831
Ni-40Cu–795
Ni-60Cu–795
Nimonic 75–109
Nimonic 80A–109

Nickel Alloys (Continued)

Nimonic 90–109

Nimonic 100–109

Rene 41–109, 188, 277

TD-Nickel–564

Udimet 500–109

Udimet 630–564

Udimet 700–564

Waspalloy–87, 109, 246, 564

NIOBIUM AND NIOBIUM ALLOYS AND COMPOUNDS

Niobium (unalloyed)–21, 24, 28, 83, 93, 103, 140, 345, 352, 364, 446, 488, 589, 659, 817, 870, 913

Niobium Alloys (general)–454, 659, 833, 855

Nb-0.2Zr–276

Nb-2Zr–276

Nb-25Zr–479, 818, 931

Niobium Compounds (general)–454

Nb_3Sn–306, 385, 517, 855

OSMIUM

Osmium (unalloyed)–83

PALLADIUM

Palladium (unalloyed)–21, 33, 83, 93, 182

PLATINUM

Platinum (unalloyed)–21, 33, 83, 93, 391

POLYMERS

Polymers (general)–425, 573, 720, 801, 824, 828, 845, 960

Nylon–243, 579, 829, 949

Plexiglas–238, 500, 539

Polyethylene–93, 126, 177, 244, 420, 491, 497, 500, 526, 539, 544, 579, 606, 614, 829

Polyethylene terephthalate (Mylar)–362, 379

Polychlorotrifluoroethylene (Kel-F)–87, 125, 203, 243, 246, 289, 294, 420, 606

Polymethylmethacrylate–453, 482, 483, 606, 641, 642

Polystyrene–126, 164, 238, 244, 399, 482, 483, 497, 500, 539, 595, 606, 641, 642, 845

Polytetrafluoroethylene (Teflon)–15, 81, 86, 87, 93, 125, 164, 177, 203, 243, 245, 246, 289, 329, 362, 363, 378, 420, 435, 483, 573, 606, 756

RHENIUM

Rhenium (unalloyed)–83, 133

RHODIUM

Rhodium (unalloyed)–21, 83, 93

RUTHENIUM

Ruthenium (unalloyed)–83

SILICON

Silicon (unalloyed)–93

SILVER AND SILVER ALLOYS

Silver (unalloyed)–20, 33, 37, 83, 93, 244, 259, 363, 391, 395, 400, 448, 469, 621, 626, 748, 763, 765
Silver Alloys (general)–448

SODIUM

Sodium (unalloyed)–33, 83, 93

STEEL–ENGINEERING

Engineering Steel (general)–4, 596
AISI 1010–69
AISI 1020–37, 81, 86, 89, 164, 245, 401, 435
AISI 1040–86
AISI 1075–188
AISI 1095–89
AISI 4130–669
AISI 30347–246
AISI 51410–246
AISI 51440–246
AISI 9310–87, 246
Maraging Steel (general)–596
3Ni Steel–184
5Ni Steel–821
9Ni Steel–102, 184, 188, 347, 433, 435, 524, 821
25Mn-5Cr-1Ni Steel–963

STEEL–STAINLESS

Stainless Steel (general)–596, 731
A-286–87, 188, 246, 277, 696
AISI 301–1, 69, 150, 184, 277, 399
AISI 302–37, 188, 363
AISI 303–14, 184, 188, 203
AISI 304–1, 37, 41, 81, 86, 89, 150, 164, 184, 203, 245, 363, 433, 435, 558, 636, 832
AISI 304L–188, 558, 636, 832
AISI 305–184
AISI 309–184
AISI 310–1, 150, 184, 188, 363, 433, 558, 636, 832
AISI 316–1, 37, 69, 150, 184, 203, 363, 433, 558
AISI 321–184, 188, 399, 433, 445, 456, 636, 832
AISI 330–1, 203
AISI 347–1, 14, 69, 86, 184, 188, 277, 456, 558, 643, 656
AISI 410–89, 277, 401
AISI 416–188
AISI 430–564
AM 350–564
Carpenter 20Cb–277
Kromarc 55–188
Kromarc 58–519
000Kh20N16AG6 (Russian alloy)–842
0Kh18N10T (Russian alloy)–842
1Kh18N10T (Russian alloy)–822
16Cr Steel–694, 695, 741
17-4PH–188
17-7PH–188, 277
17Cr Steel–188, 393
18Cr Steel–636, 792
18/8 Stainless–81, 245, 821
21-6-9 Steel–288
22-13-5 Steel–698

TANTALUM AND TANTALUM ALLOYS

Tantalum (unalloyed)–21, 28, 83, 93, 140

THALLIUM

Thallium (unalloyed)–28

TIN

Tin (unalloyed)–28, 93, 352

TITANIUM AND TITANIUM ALLOYS

Titanium (unalloyed)–21, 49, 52, 81, 83, 93, 164, 245, 254, 352, 363, 435, 566, 646, 917
Titanium Alloys (general)–327, 646, 801, 898, 917
Ti-4Al-1.5Mn–854
Ti-4Al-3Mo-1V–185, 287
Ti-5Al-2.5Sn–87, 188, 246, 363, 399, 445, 577, 693, 874
Ti-5Al-2.5Sn-1.5V–854
Ti-5Al-4V–854
Ti-6Al-3.5Mo–854
Ti-6Al-4V–87, 184, 185, 188, 246, 277, 287, 399, 643, 669
Ti-8Al-1Mo-1V–445
Ti-13V-11Cr-3Al–185, 188, 287, 643
Ti-16V-2.5Al–185, 287
Ti-50V–725

TUNGSTEN AND TUNGSTEN ALLOYS

Tungsten (unalloyed)–21, 33, 83, 93, 352, 861

URANIUM

Uranium (unalloyed)–21

VANADIUM AND VANADIUM ALLOYS AND COMPOUNDS

Vanadium (unalloyed)–83, 140, 352
Vanadium Alloys (general)–324
V_3Ga–206, 228, 855, 890

ZINC AND ZINC ALLOYS

Zinc (unalloyed)–20, 81, 93, 103, 245, 917
Zinc Alloys (general)–157, 448, 917

ZIRCONIUM AND ZIRCONIUM ALLOYS

Zirconium (unalloyed)–21, 52, 83, 566

ELECTRICAL PROPERTIES

ALUMINUM AND ALUMINUM ALLOYS

Aluminum (unalloyed)–3, 23, 28, 65, 155, 259, 360, 371, 394, 439, 465, 518, 574, 612, 650, 686, 687, 804, 830, 923
1100 Aluminum–98, 120, 164
Aluminum Alloys (general)–645, 681, 731
2024–98, 120, 164, 644, 697, 724
3003–98, 120
5052–98, 120, 164
5056–724
5083–120, 644, 724
5086–120
5154–98, 120, 164
5456–724
6061–923
6063–98, 120, 164
7039–577, 644, 693
7075–669

BERYLLIUM AND BERYLLIUM ALLOYS

Beryllium (unalloyed)–574

CADMIUM

Cadmium (unalloyed)–653

CERAMIC MATERIALS

Graphite–241
Lead Pyroniobate–958

CHROMIUM AND CHROMIUM ALLOYS

Chromium (unalloyed)–83, 653

COBALT AND COBALT ALLOYS

Cobalt (unalloyed)–23, 83, 155
Cobalt Alloys (general)–799
L-605–241

COMPOSITES

Composites (general)–443, 833
Metal Matrix Composites–624, 722, 747, 849, 896

COPPER AND COPPER ALLOYS

Copper (unalloyed)–3, 11, 13, 32, 43, 57, 79, 82, 83, 154, 262, 410, 422, 443, 465, 574, 611, 644, 650, 777, 785, 804
Copper Alloys (general)–157, 645, 649, 681, 731
Cu-1Ni–422
Cu-2Ni–57, 154
Cu-2Zn–56
Cu-3Ni–422
Cu-4Ni–912
Cu-5Ni–154
Cu-5Sn-5Zn-5Pb (bronze)–850
Cu-5Zn (Gliding metal)–56
Cu-6Ni–728
Cu-10Ni (Cupro nickel)(Kunifer 10)–154, 422, 912
Cu-10Zn (commercial bronze)(brass)–56, 262
Cu-13Mn-4Ni (Manganin)–43, 81, 321
Cu-13Ni–728
Cu-17Ni–422
Cu-20Ni (Cupro nickel)–912
Cu-20Zn (low brass)–56
Cu-23Ni–728
Cu-25Zn–262
Cu-25Zn-14Ni (nickel silver)–164
Cu-28Zn-1Sn (Admiralty brass)–645
Cu-30Zn (brass)(Cartridge brass)–56, 644
Cu-40Ni (Constantan)–164
Cu-43Ni (Constantan)(Advance)–321, 336
Cu-45Ni (Cupron)(Cupro nickel)–43, 81

GERMANIUM AND GERMANIUM ALLOYS

Germanium Alloys (general)–157

GOLD AND GOLD ALLOYS

Gold (unalloyed)–43, 83, 154, 259, 693
Gold Alloys (general)–154

HAFNIUM AND HAFNIUM ALLOYS

Hafnium (unalloyed)–83
Hafnium Alloys (general)–665

INDIUM

Indium (unalloyed)–28, 804

IRIDIUM AND IRIDIUM ALLOYS

Iridium (unalloyed)–83

IRON AND IRON ALLOYS

Iron (unalloyed)–52, 83, 155
Iron Alloys (general)–645, 681
Armco Iron–452, 619, 810
Fe-39.5Ni-1.5Ti–514
Invar–821

LEAD

Lead (unalloyed)–43

MAGNESIUM AND MAGNESIUM ALLOYS

Magnesium (unalloyed)–23, 155
Magnesium Alloys (general)–157, 307

MANGANESE AND MANGANESE ALLOYS

Manganese (unalloyed)–83, 653

MOLYBDENUM AND MOLYBDENUM ALLOYS

Molybdenum (unalloyed)–23, 83, 155

NICKEL AND NICKEL ALLOYS

Nickel (unalloyed)–43, 52, 83, 155, 596
Nickel Alloys (general)–596, 645, 669, 681, 799
Hastelloy N–644
Hastelloy X–577, 644

Nickel Alloys (Continued)

Inconel 718–577, 657, 724

Inconel X-750–109, 644

Ni-5Cr–932

Ni-11Cr–932

Ni-15Cr–932

Ni-16Cr–932

Ni-19Cr–932

Ni-20Cr (Chromel-A)(Karma)–43, 81, 321

Ni-20Cr-1Fe (Tophet-A)–43, 81

Ni-20Cr-2.7Al-2.7Cu (Evanohm)–43, 81, 321, 336

Ni-22Cr–932

Ni-24Cr–932

Ni-27Cr–932

Rene 41–241

Udimet 500–109

Udimet 700–109, 644

NIOBIUM AND NIOBIUM ALLOYS AND COMPOUNDS

Niobium (unalloyed)–24, 28, 83, 308, 314, 315, 443, 489, 505, 721, 798, 812, 868, 870, 896

Niobium Alloys (general)–454, 533, 710, 716, 755, 807, 833, 853, 855, 874

Nb-2Zr–436

Nb-9Ti-43Zr–499

Nb-20Ti–557

Nb-25Zr–346, 356, 465, 467, 479, 488, 534, 556, 560

Nb-39Ti-20Zr–499

Nb-48Ti-32Zr–499

Nb-50Ti–557, 722

Nb-52Ti–757

Nb-65Ti–839

Nb-75Zr–501

Niobium Compounds (general)–454

Nb_3Sn–282, 309, 346, 349, 385, 436, 450, 488, 517, 534, 556, 565, 683, 722, 735, 781, 784, 796, 855, 874, 879, 896, 900, 937

Nb_6Sn_5–450

OSMIUM

Osmium (unalloyed)–83

PALLADIUM

Palladium (unalloyed)–83

PLATINUM

Platinum (unalloyed)–43, 83

POLYMERS

Polymers (general)–623, 720, 802, 824, 828, 938, 960
Polycarbonate–938
Polychlorotrifluoroethylene (Kel-F)–178, 190
Polyethylene–178, 344, 770, 938
Polymethylmethacrylate–178
Polystyrene–178, 199, 623
Polytetrafluoroethylene (Teflon)–289, 344

RHENIUM

Rhenium (unalloyed)–83

RHODIUM

Rhodium (unalloyed)–83

RUTHENIUM

Ruthenium (unalloyed)–83

SILVER AND SILVER ALLOYS

Silver (unalloyed)–43, 83, 259, 422, 804
Ag-1Pd–422
Ag-6Pd–422
Ag-10Pd–422

SODIUM

Sodium (unalloyed)–83

STEEL–ENGINEERING

Engineering Steel (general)–596
AISI 4130–669
Maraging Steel (general)–596
5Ni Steel–821
9Ni Steel–821

STEEL–STAINLESS

Stainless Steel (general)–596, 645, 731
A-286–696, 724
AISI 304–43, 81, 832
AISI 304L–644, 832
AISI 310–832
AISI 316–644, 724
AISI 321–644, 832
AISI 347–656
16Cr Steel–694, 695
17-7PH–644
18/8 Stainless–821
22-13-5 Steel–698

TANTALUM AND TANTALUM ALLOYS

Tantalum (unalloyed)–28, 83

THALLIUM

Thallium (unalloyed)–28

TIN

Tin (unalloyed)–28

TITANIUM AND TITANIUM ALLOYS

Titanium (unalloyed)–52, 83, 653
Titanium Alloys (general)–327, 645, 681, 898
Ti-4Al-1.5Mn–854
Ti-5Al-2.5Sn–577, 693
Ti-5Al-2.5Sn-1.5V–854
Ti-5Al-4V–854
Ti-6Al-3.5Mo–854
Ti-6Al-4V–644, 669, 841
Ti-13V-11Cr-3Al–644
Ti-20Nb–534, 608, 745
Ti-22Nb–742
Ti-28Nb–624
Ti-28V–745
Ti-35Nb–803

Titanium Alloys (Continued)

Ti-47Nb–604

Ti-50Nb–803

Ti-65Nb–803

TUNGSTEN AND TUNGSTEN ALLOYS

Tungsten (unalloyed)–23, 83, 653

VANADIUM AND VANADIUM ALLOYS AND COMPOUNDS

Vanadium (unalloyed)–83, 653

V_3Ga–206, 228, 282, 349, 436, 488, 722, 789, 855, 874, 900, 902

V_3Si–282, 436, 534, 834

V-27.5Ga–793

V-30Ga–793

ZINC AND ZINC ALLOYS

Zinc (unalloyed)–653

Zinc Alloys (general)–157

ZIRCONIUM AND ZIRCONIUM ALLOYS

Zirconium (unalloyed)–52, 83, 653

Zirconium Alloys (general)–665

MAGNETIC PROPERTIES

ALUMINUM AND ALUMINUM ALLOYS

Aluminum (unalloyed)—23, 373, 439, 650, 678, 686, 687, 804, 923, 936, 947
Al-2Mg—373
Al-4Mg—373
Al-6Mg—373
Al-8Mg—373
Al-10Mg—373
5083—513
5086—392
6061—392, 769, 923
7039—513
7075—392
7079—513

CERAMIC MATERIALS

Pyrex—459

CHROMIUM AND CHROMIUM ALLOYS

Chromium Alloys (general)—167

COBALT AND COBALT ALLOYS

Cobalt (unalloyed)—23, 941, 956

COMPOSITES

Metal Matrix Composites—624, 747

COPPER AND COPPER ALLOYS

Copper (unalloyed)—32, 50, 57, 60, 63, 71, 97, 341, 350, 458, 611, 650, 678, 730, 804
Copper Alloys (general)—157, 167, 350, 649
Brass (general)—237, 392
Cu-1Ni—60
Cu-1.9Be (beryllium copper)(Berylco 25)—392
Cu-2Ni—57
Cu-23Ni—71

Cu-2.5Ni–60
Cu-4.6Ni–71
Cu-6Ni–728
Cu-8.9Ni–71
Cu-13Ni–728
Cu-17Ni–71
Cu-20Ni (Cupro nickel)–236
Cu-23Ni–728
Cu-26.9Ni–71
Cu-30Ni (Cupro nickel)(copper nickel 30)–174, 236
Cu-40Ni (Constantan)–236
Cu-43Ni (Constantan)(Advance)–336
Cu-43Ni-2.7Mn (Constantan)–496, 719
Cu-45Ni (Cupron)(Cupro nickel)–335
Cu-50Ni–236

GERMANIUM AND GERMANIUM ALLOYS

Germanium Alloys (general)–157

GOLD AND GOLD ALLOYS

Gold (unalloyed)–97
Gold Alloys (general)–167

INDIUM

Indium (unalloyed)–804

IRON AND IRON ALLOYS

Iron (unalloyed)–674, 934
Iron Alloys (general)–674
Fe-3Si–397
Fe-29Ni-17.5Co (Kovar)–512
Fe-36Ni (Invar)–512, 658, 702, 759, 795, 877, 881, 952
Fe-42Ni-1Mn (Dumet)–512
Fe-48Ni–397

MAGNESIUM AND MAGNESIUM ALLOYS

Magnesium (unalloyed)–23
Magnesium Alloys (general)–157, 307

Magnesium Alloys (Continued)

AZ31B–392

AZ92–392

ZK60A–392

MANGANESE AND MANGANESE ALLOYS

Manganese Alloys (general)–167, 546

MOLYBDENUM AND MOLYBDENUM ALLOYS

Molybdenum (unalloyed)–23

NICKEL AND NICKEL ALLOYS

Nickel (unalloyed)–6, 355, 512, 540, 596, 760, 795, 945

Nickel Alloys (general)–546, 547, 596, 825

Hastelloy B–109

Hastelloy C–109

Hastelloy N–513

Incoloy 800–703, 809

Inconel 600–109, 174, 513

Inconel 718–513

Inconel X-750–109, 392

Monel Alloy K-500–109, 392

Ni-1Cr–236

Ni-2Mn–236

Ni-5Cr–236

Ni-5Mn–236

Ni-9Cr–236

Ni-10Cu–760

Ni-11Mn–236

Ni-20Cr-2.5Al-2.5Cu (Evanohm)–336

Ni-19Cu–795

Ni-20Cu–48, 760

Ni-26Fe–355

Ni-30Cu–48

Ni-35Cu–760

Ni-37Fe–355

Ni-40Cu–48, 236, 795

Ni-45Cu–760

Ni-50Cu–236

Ni-59Fe–355

Nickel Alloys (Continued)

Ni-60Cu–795

Waspalloy–513

NIOBIUM AND NIOBIUM ALLOYS AND COMPOUNDS

Niobium (unalloyed)–140, 308, 744, 790

Niobium Alloys (general)–454, 532, 533

Niobium Compounds (general)–454

Nb-1Zr–384

Nb-2Zr–384, 436

Nb-3.5Zr–384

Nb-25Zr–270, 479

Nb_3Sn–273, 282, 385, 436, 517, 625, 631, 632, 796

PLATINUM AND PLATINUM ALLOYS

Platinum (unalloyed)–678

POLYMERS

Polytetrafluoroethylene (Teflon)–459

SILVER AND SILVER ALLOYS

Silver (unalloyed)–71, 97, 804

Ag-2Pd–71

Ag-6Pd–71

Ag-10Pd–71

STEEL–ENGINEERING

Engineering Steel (general)–596

Maraging Steel (general)–596

9Ni Steel–347, 524

STEEL–STAINLESS

Stainless Steel (general)–596, 938

A-286–513

AISI 303–174

AISI 304–174, 512, 513, 703, 809, 832, 959

AISI 304L–703, 809, 832

AISI 305–513

AISI 309–703, 809

Stainless Steel (Continued)

AISI 310–392, 513, 703, 809, 832
AISI 316–174, 513, 703, 809
AISI 321–174, 703, 832
AISI 347–174, 703
AISI 410–512
AISI 416–512
Kh18N10T (Russian alloy)–732
Kromarc 55–703, 809
18Cr Steel–498, 792
20Cr-16Ni Steel–961
20Cr-18Ni Steel–961
20Cr-20Ni Steel–961
20Cr-22Ni Steel–961
20Cr-24Ni Steel–961
21-6-9 Steel–288

TANTALUM AND TANTALUM ALLOYS

Tantalum (unalloyed)–140

THALLIUM

Thallium (unalloyed)–678

TIN

Tin (unalloyed)–63

TITANIUM AND TITANIUM ALLOYS

Titanium (unalloyed)–646
Titanium Alloys (general)–646
Ti-20Nb–745
Ti-28Nb–624, 625
Ti-28V–745

TUNGSTEN AND TUNGSTEN ALLOYS

Tungsten–23

VANADIUM AND VANADIUM COMPOUNDS

Vanadium (unalloyed)—140, 744
V_3Ga—206, 282, 436
V_3Si—282, 436

ZINC AND ZINC ALLOYS

Zinc (unalloyed)—237
Zinc Alloys (general)—157