

AD A 042336

REPORT JTCG/AS-75-S-001



*P2*  
*NA*


FIELD OF INTEREST: 17.01  
17.03

## ERROR ANALYSIS OF PRESENTED AREA COMPUTATION TECHNIQUES

Final Report

R.B. Smith

June 1977



Approved for public release; distribution unlimited. Statement applied June 1977.

AD No. —  
DDC FILE COPY

Prepared for  
JOINT LOGISTICS COMMANDERS  
JOINT TECHNICAL COORDINATING GROUP  
ON  
AIRCRAFT SURVIVABILITY

## FOREWORD

This report summarizes results of tests performed by Raytheon Company, Sudbury, MA, for Aeronautical Systems Division, Deputy for Engineering, Wright-Patterson Air Force Base, OH, under contract F33615-73-C-0678. The work was performed between May and December 1974, and J. H. Howard was project engineer.

The work was sponsored by JTCG/AS as part of the 3-year TEAS (Test and Evaluation, Aircraft Survivability) program. The TEAS program was funded by DDR&E/ODDT&E. The effort was conducted under the direction of the JTCG/AS Survivability Assessment Subgroup as part of TEAS element 5.1.7.1/3, *Component and Aircraft Assessment*.

This report uses the rectangular and ellipsoidal projection techniques to convert six cardinal views into 26 views for attrition modeling purposes. Also included are presented area computation techniques.

### NOTE

This technical report was prepared by the Vulnerability Assessment Subgroup of the Joint Technical Coordinating Group on Aircraft Survivability in the Joint Logistics Commanders' organization. Because the Services' aircraft survivability development programs are dynamic and changing, this report represents the best data available to the subgroup at this time. It has been coordinated and approved at the JTCG subgroup level. The purpose of the report is to exchange data on all aircraft survivability programs, thereby promoting interservice awareness of the DOD aircraft survivability program under the cognizance of the Joint Logistics Commanders. By careful analysis of the data in this report, personnel with expertise in the aircraft survivability area should be better able to determine technical voids and areas of potential duplication or proliferation.

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

| 19 REPORT DOCUMENTATION PAGE                                                                                                                                                  |                       | READ INSTRUCTIONS<br>BEFORE COMPLETING FORM                                              |  |
|-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|-----------------------|------------------------------------------------------------------------------------------|--|
| 18. REPORT NUMBER<br>JTCG/AS 75-S-001                                                                                                                                         | 2. GOVT ACCESSION NO. | 3. RECIPIENT'S CATALOG NUMBER<br>9                                                       |  |
| 4. TITLE (and Subtitle)<br>Error Analysis of Presented Area<br>Computation Techniques                                                                                         |                       | 5. TYPE OF REPORT & PERIOD COVERED<br>Final 7 10 p. 1<br>May - December 1974             |  |
| 7. AUTHOR(s)<br>R. B. Smith                                                                                                                                                   |                       | 6. PERFORMING ORG. REPORT NUMBER<br>ER75-4087                                            |  |
|                                                                                                                                                                               |                       | 8. CONTRACT OR GRANT NUMBER(s)<br>F33615-73-C-0678                                       |  |
| 9. PERFORMING ORGANIZATION NAME AND ADDRESS<br>Raytheon Company<br>528 Boston Post Road<br>Sudbury, MA 01776                                                                  |                       | 10. PROGRAM ELEMENT, PROJECT, TASK<br>AREA & WORK UNIT NUMBERS<br>TEAS element 5.1.7.1/3 |  |
| 11. CONTROLLING OFFICE NAME AND ADDRESS<br>JTCG/AS Central Office<br>Naval Air Systems Command, AIR-5204J<br>Washington, D.C. 20361                                           |                       | 12. REPORT DATE<br>June 1977                                                             |  |
| 14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)<br>Aeronautical Systems Division (AFSC)<br>ASD/ENFTV<br>Wright-Patterson Air Force Base, OH 45433 |                       | 13. NUMBER OF PAGES<br>13 p.                                                             |  |
|                                                                                                                                                                               |                       | 15. SECURITY CLASS. (of this report)<br>Unclassified                                     |  |
|                                                                                                                                                                               |                       | 15a. DECLASSIFICATION/DOWNGRADING<br>SCHEDULE                                            |  |
| 16. DISTRIBUTION STATEMENT (of this Report)<br><br>Approved for public release; distribution unlimited. Statement applied June 1977.                                          |                       |                                                                                          |  |
| 17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)<br><br>DDC<br>APPROVED<br>AUG 3 1977<br>RESERVED<br>C                              |                       |                                                                                          |  |
| 18. SUPPLEMENTARY NOTES                                                                                                                                                       |                       |                                                                                          |  |
| 19. KEY WORDS (Continue on reverse side if necessary and identify by block number)<br><br>Attrition model<br>Vulnerable area<br>Area protection                               |                       |                                                                                          |  |
| 20. ABSTRACT (Continue on reverse side if necessary and identify by block number)<br><br>(See reverse side)                                                                   |                       |                                                                                          |  |

DD FORM 1 JAN 73 1473

EDITION OF 1 NOV 65 IS OBSOLETE  
S/N 0102-014-6601

UNCLASSIFIED  
SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

299 250

**UNCLASSIFIED**

SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)

Aeronautical Systems Division

*Error Analysis of Presented Area Computation Techniques*,  
by R.B. Smith, Raytheon Company, Directorate of Systems  
Engineering, Aeronautical Systems Division, Wright-Patterson  
AFB, OH, for Joint Technical Coordinating Group/Aircraft Sur-  
vivability, June 1977. 16 pp. (JTCG/AS-75-S-001, publication  
UNCLASSIFIED.)

This report uses the rectangular and ellipsoidal projection  
techniques to convert six cardinal views into 26 views for attrition  
modeling purposes. Also included are presented area computation  
techniques.

**UNCLASSIFIED**

SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)

# CONTENTS

|                       |   |
|-----------------------|---|
| Introduction .....    | 1 |
| Analysis .....        | 1 |
| Conclusions .....     | 3 |
| Recommendations ..... | 4 |
| Appendix .....        | 7 |

## Figures:

|                                |   |
|--------------------------------|---|
| 1. Seven Principal Views ..... | 4 |
|--------------------------------|---|

## Tables:

|                                                        |   |
|--------------------------------------------------------|---|
| 1. 26 Required Views .....                             | 5 |
| 2. Mirror Image Equivalencies of Principal Views ..... | 5 |
| 3. Prime Area Calculations .....                       | 6 |
| 4. Weighted FOM .....                                  | 6 |

White Section ☒

Buff Section ☐

GRAN. DUNCED

JUSTIFICATION .....

BY .....

DISTRIBUTION/AVAILABILITY CODES

AVAIL. OR/ or SPECIAL

## INTRODUCTION

Requirements for JTCG/AS test and evaluation resulted in  $A_V^1$  (vulnerable area) data being developed for only six cardinal views. These views are defined using the positive and negative directions along the axes through the aircraft centroid, as shown in Figure 1. Six views are insufficient for attrition modeling purposes. For example, P001<sup>1</sup> required 26 views which must be obtained by projection of the six cardinal views. This can be accomplished using either an R (rectangular) or E (ellipsoidal) projection technique. To determine the better technique, Raytheon was tasked by ASD (Aeronautical Systems Division), Directorate of Systems Engineering (ASD/ENFTV), Wright-Patterson Air Force Base, OH,<sup>2</sup> to evaluate the relative merits of the two techniques. The scope was later expanded to include an examination of the  $A_P^3$  (presented area) computation techniques used in the P001, SIMFIND 2<sup>2</sup>, and EVADE II<sup>3</sup> attrition models.

## ANALYSIS

The 26  $A_P$  views required for P001 shown in Figure 1 are obtained from seven principal views. Only the octant is shown; spatial relationships of the points in the other quadrants are identical. Due to aircraft symmetry and interest in  $A_P$  to projectiles only, the 26 views can be reduced to seven principal views (Table 1 and Figure 1), since the remaining 19 are mirror images. Equivalencies are listed in Table 2.

The seven views can be approximated using the six cardinal views (footnote 1) and are calculated using R and E projections as shown in Eq. (1) and (2):

$$A_{pR} = A_F |\vec{F} \cdot \vec{D}| + A_S |\vec{S} \cdot \vec{D}| + A_T |\vec{T} \cdot \vec{D}| \quad (1)$$

$$A_{pE} = \sqrt{(A_F \vec{F} \cdot \vec{D})^2 + (A_S \vec{S} \cdot \vec{D})^2 + (A_T \vec{T} \cdot \vec{D})^2} \quad (2)$$

where:

- $\vec{D}$  = direction of shot unit vector
- $\vec{F}$  = front of aircraft unit vector
- $\vec{S}$  = side of aircraft unit vector
- $\vec{T}$  = top of aircraft unit vector

<sup>1</sup>Air Force Armament Test Laboratory. *P001 Anti-Aircraft Artillery Simulation Computer Program*, Eglin AFB, FL, AFATL, November 1972. (Volume II, publication UNCLASSIFIED.)

<sup>2</sup>Armament Systems, Inc. *SIMFIND 2 Digital Simulation for Aircraft Survivability*, Anaheim, CA, ASE, March 1973. (Volume II, publication UNCLASSIFIED.)

<sup>3</sup>EVADE II. *A Simulation Program for: Evaluation of Air Defense Effectiveness*, February 1973. (Volume II, publication UNCLASSIFIED.)

Using the definition of  $\phi$  (degrees latitude) and  $\psi$  (degrees longitude) from Figure 1, Eq. (1) becomes:

$$A_{pR} = A_F |\sin \phi \cos \psi| + A_S |\sin \phi \sin \psi| + A_T |\cos \phi| \quad (3)$$

and Eq. (2) becomes

$$A_{pE} = \sqrt{(A_F \sin \phi \cos \psi)^2 + (A_S \sin \phi \sin \psi)^2 + (A_T \cos \phi)^2} \quad (4)$$

The areas associated with the seven principal views were calculated, using Eq. (3) and (4), for the A-4, A-7, A-10, and OV-10. ASD/ENFTV provided  $A_p$  data for each of the aircraft which served as the standard of comparison. Using the SHOTGEN<sup>4</sup> descriptions of the A-4, A-7, and OV-10, the seven principal aspects were plotted and the areas measured by a Hewlett-Packard model 9864A digitizer. A similar method was used for the A-10. Table 3 contains the areas calculated using: (1) the assumed correctly measured areas; (2) the R and E projections; and (3) the resulting percentage of error. For examples of projection, refer to the appendix.

P001 accepts 26 views as input and uses an L (linear) interpolation technique to develop  $A_p$  data for all nonprincipal views (see footnote 1). SIMFIND 2 and EVADE II accepts the  $A_v$  data for the six cardinal views as input and, using either an R or E projection, approximate the  $A_p$  for each point of interest. (See footnotes 1 and 2.)

The computation schemes of the three attrition models were evaluated by computing the  $A_p$  for a number of points on the total viewing sphere and comparing these with a baseline case. The  $A_p$  were calculated for all  $(\phi, \psi)$  combinations on the viewing sphere where:

$$\phi = n \text{ (15 degrees) with } 0 \leq \phi \leq 180 \text{ degrees and } n = 0, 1, 2, \dots, 12$$

$$\psi = m \text{ (15 degrees) with } 0 \leq \psi < 360 \text{ degrees and } m = 0, 1, 2, \dots, 24$$

The baseline case was constructed using a binomial curve fit through the *correct* principal areas for a constant  $\phi$  or  $\psi$ .

<sup>4</sup>SHOT Generator Computer Program, July 1970. (Volume II, publication UNCLASSIFIED.)

A FOM (figure of merit) was devised to facilitate the evaluation and is defined by:

$$FOM = \frac{100}{N} \sum_{i=1}^N \frac{(A_i - A_{iB})}{A_{iB}} \sin \phi \quad (5)$$

where:

$A_i$  = computed value

$A_{iB}$  = from binomial fit to actual areas

$N$  = number of views

The scheme used for selecting points on the viewing sphere did not produce a uniform distribution.

When  $\phi$  in Figure 1 is less than 90 degrees, the space angle between any two viewing points with the same value for  $\phi$  is smaller than the value of  $\Delta\psi$  used to generate them. The angle formed by these two points is equal to  $\Delta\psi \sin \phi$ . To correct for the nonuniformity of density, the errors used to obtain the FOM were multiplied by the weighting factor,  $\sin \phi$ . These data are presented in Table 4.

$A_p$  were calculated and FOM determined for each aircraft.  $A_p$  for each point were obtained for five cases: three used the P001 method and two used R and E projection. The EVADE II model computes either R or E projections while the SIMFIND 2 model computes both.

The 26 views used by the L method were the measured and R and E projection approximated areas.

## CONCLUSIONS

Comparison of R and E projection (Table 3) indicates that the amount of error for each aspect is aircraft dependent. The E projection appears to be better for the A-4, A-7, and A-10. The R projection yields more accurate results for the OV-10, which has more rectangular profiles. For the A-10, which is somewhat *boxy*, the E projection yields only slightly better results than R, strengthening the implication that errors are introduced as a result of aircraft shape<sup>5</sup>.

<sup>5</sup>Air Force Institute of Technology. *The Effect of Shape on Aircraft Vulnerable Area and Probability of Kill for an Anti-Aircraft Simulation*, by J. P. VerStreate, AFIT, March 1974. (GA/MC/74-19, publication UNCLASSIFIED.)

The evaluation of the techniques for computing  $A_p$  (see Table 4) by a FOM yielded different results from those discussed previously. In Table 4, the 26 L measured was best for the A-4, A-7, and A-10, while the 26 R was better for the OV-10. In general, the amount of error using 26-view methods was less than the other methods.

Generation of the 26 views for P001 from the six cardinal views requires use of the FOM in selecting the appropriate approximation technique. That is, the seven prime areas should be generated using both R and E projection and the FOM computed for each. In this way the best method is selected for the particular aircraft of interest.

SIMFIND 2 and EVADE II methods require computing a FOM to determine whether R or E projection is more accurate for each type aircraft in the program.

### RECOMMENDATIONS

A complete study should be undertaken for a larger variety of aircraft using act... determining the FOM rather than a binomial curve fit.

Based on the results of this study, the  $A_p$  computation methods used in SIMFIND 2 and EVADE II should be reviewed to determine techniques to improve accuracy.

NOTE:  
THESE VIEWS ARE 180-DEGREE  
IMAGES OF P001 VIEWS.




Figure 1. Seven Principal Views.

JTCG/AS-75-S-001

Table 1. 26 Required Views.

| View | $\phi$ , deg | $\psi$ , deg | View | $\phi$ , deg | $\psi$ , deg |
|------|--------------|--------------|------|--------------|--------------|
| 1    | 0            | 0            | 14   | 90           | 180          |
| 2    | 45           | 0            | 15   | 90           | 225          |
| 3    | 45           | 45           | 16   | 90           | 270          |
| 4    | 45           | 90           | 17   | 90           | 315          |
| 5    | 90           | 0            | 18   | 135          | 0            |
| 6    | 90           | 45           | 19   | 135          | 45           |
| 7    | 90           | 90           | 20   | 135          | 90           |
| 8    | 45           | 135          | 21   | 135          | 135          |
| 9    | 45           | 180          | 22   | 135          | 180          |
| 10   | 45           | 225          | 23   | 135          | 225          |
| 11   | 45           | 270          | 24   | 135          | 270          |
| 12   | 45           | 315          | 25   | 135          | 315          |
| 13   | 90           | 135          | 26   | 180          | 0            |

Table 2. Mirror Image Equivalencies of Principal Views.

| View | Principal    |              | Equivalent   |              |
|------|--------------|--------------|--------------|--------------|
|      | $\phi$ , deg | $\psi$ , deg | $\phi$ , deg | $\psi$ , deg |
| 1    | 0            | 0            | 180          | 0            |
| 2    | 45           | 0            | 135          | 0            |
|      |              |              | 45           | 180          |
|      |              |              | 135          | 180          |
| 3    | 45           | 45           | 135          | 45           |
|      |              |              | 45           | 135          |
|      |              |              | 135          | 135          |
|      |              |              | 45           | 225          |
|      |              |              | 135          | 225          |
|      |              |              | 45           | 315          |
|      |              |              | 135          | 315          |
| 4    | 45           | 90           | 135          | 90           |
|      |              |              | 45           | 270          |
|      |              |              | 135          | 270          |
| 5    | 90           | 0            | 90           | 180          |
| 6    | 90           | 45           | 135          | 45           |
|      |              |              | 225          | 45           |
|      |              |              | 315          | 45           |
| 7    | 90           | 90           | 90           | 270          |

Table 3. Prime Area Calculations.

| View  | Measured <sup>a</sup> | R             |         | E             |         |
|-------|-----------------------|---------------|---------|---------------|---------|
|       |                       | Approximation | % error | Approximation | % error |
| A-4   |                       |               |         |               |         |
| 1     | 33.77                 | 33.77         | 0.0     | 33.77         | 0.0     |
| 2     | 24.76                 | 27.09         | 9.4     | 24.09         | -2.7    |
| 3     | 24.21                 | 36.25         | 49.7    | 26.03         | 5.5     |
| 4     | 29.07                 | 38.17         | 31.3    | 27.83         | -4.3    |
| 5     | 4.54                  | 4.54          | 0.0     | 4.54          | 0.0     |
| 6     | 15.26                 | 17.50         | 14.7    | 14.65         | -4.0    |
| 7     | 20.21                 | 20.21         | 0.0     | 20.21         | 0.0     |
| A-7   |                       |               |         |               |         |
| 1     | 53.48                 | 53.48         | 0.0     | 53.48         | 0.0     |
| 2     | 39.01                 | 42.08         | 7.7     | 38.05         | -2.5    |
| 3     | 40.01                 | 57.29         | 43.2    | 41.36         | 3.4     |
| 4     | 48.82                 | 61.14         | 25.2    | 44.43         | -9.0    |
| 5     | 5.96                  | 5.96          | 0.0     | 5.96          | 0.0     |
| 6     | 24.37                 | 27.54         | 13.0    | 23.71         | -2.7    |
| 7     | 32.99                 | 32.99         | 0.0     | 32.99         | 0.0     |
| A-10  |                       |               |         |               |         |
| 1     | 77.94                 | 77.94         | 0.0     | 77.94         | 0.0     |
| 2     | 62.81                 | 65.63         | 4.5     | 56.11         | -10.7   |
| 3     | 65.26                 | 75.62         | 15.9    | 57.13         | -12.5   |
| 4     | 65.39                 | 73.54         | 12.5    | 58.13         | -11.1   |
| 5     | 14.88                 | 14.88         | 0.0     | 14.88         | 0.0     |
| 6     | 23.34                 | 29.00         | 24.2    | 21.26         | -8.9    |
| 7     | 26.13                 | 26.13         | 0.0     | 26.13         | 0.0     |
| OV-10 |                       |               |         |               |         |
| 1     | 40.84                 | 40.84         | 0.0     | 40.84         | 0.0     |
| 2     | 29.50                 | 34.39         | 16.6    | 29.40         | -0.3    |
| 3     | 36.66                 | 40.19         | 9.6     | 30.07         | -18.0   |
| 4     | 39.95                 | 39.36         | -1.5    | 30.72         | -23.1   |
| 5     | 7.80                  | 7.80          | 0.0     | 7.80          | 0.0     |
| 6     | 15.52                 | 16.00         | 3.1     | 11.85         | -23.7   |
| 7     | 14.83                 | 14.83         | 0.0     | 14.83         | 0.0     |

<sup>a</sup> Assumed correct

Table 4. Weighted FOM.

| Method        | A-4  | A-7  | A-10  | OV-10 |
|---------------|------|------|-------|-------|
| 26 L measured | -1.2 | -1.8 | -4.0  | -4.9  |
| 26 L R        | 15.6 | 12.6 | 4.6   | -0.6  |
| 26 L E        | -1.4 | -3.1 | -10.5 | -14.8 |
| 6 R           | 22.6 | 19.3 | 10.5  | 5.0   |
| 6 E           | -3.1 | -4.6 | -12.4 | -16.6 |

## APPENDIX

Equations 3 and 4 for R and E projection are as follows:

$$A_{pR} = A_F |\sin \phi \cos \psi| + A_S |\sin \phi \sin \psi| + A_T |\cos \phi|$$

$$A_{pE} = \sqrt{(A_F \sin \phi \cos \psi)^2 + (A_S \sin \phi \sin \psi)^2 + (A_T \cos \phi)^2}$$

Using one of the seven principal  $A_p$  areas, the A-7 has front, side, and top areas of 5.96, 32.99, and 53.48 respectively. For the view between the side and top  $\phi = 45$  and  $\psi = 90$ .

$$\begin{aligned} A_{pR} &= 5.96 |\sin 45 \cos 90| + 32.99 |\sin 45 \sin 90| + 53.48 |\cos 45| \\ &= 0 + 23.327 + 37.816 = 61.14 \end{aligned}$$

$$\begin{aligned} A_{pE} &= \sqrt{(5.96 \sin 45 \cos 90)^2 + (32.99 \sin 45 \sin 90)^2 + (53.48 \cos 45)^2} \\ &= \sqrt{0^2 + (32.327)^2 + (37.816)^2} = 44.43 \end{aligned}$$

For  $A_p$  computation method comparison where  $\phi = 60$  deg,  $\psi = 30$  deg and for the L interpolation:

$$\begin{aligned} \phi &= 45 \text{ deg}, \psi = 0 \text{ deg} & 39.01 \\ \phi &= 90 \text{ deg}, \psi = 0 \text{ deg} & 5.96 \\ \phi &= 45 \text{ deg}, \psi = 45 \text{ deg} & 40.01 \\ \phi &= 90 \text{ deg}, \psi = 45 \text{ deg} & 24.36 \end{aligned}$$

$$F_\phi = \phi/45 = 60/45 = 1.333$$

$$F_\psi = \psi/45 = 30/45 = 0.667$$

$$I_\phi = F_\phi = 1.333 = 1$$

$$I_\psi = F_\psi = 0.667 = 0$$

$$\Delta_\phi = F_\phi - I_\phi = 1.333 - 1 = 0.333$$

$$\Delta_\psi = F_\psi - I_\psi = 0.667 - 0 = 0.667$$

$$\begin{aligned} A_{pL} &= (1-\Delta\phi)(1-\Delta\psi)A(45,0) + \Delta\psi A(45,45) + \Delta\phi(1-\Delta\psi)A(90,0) + \Delta\psi A(90,45) \\ &= 0.667(0.333(39.01) + 0.667(40.01)) \\ &\quad + 0.333(0.333(5.96) + 0.667(24.36)) \\ &= 0.667(39.677) + 0.333(18.227) = 32.53 \end{aligned}$$

JTCG/AS-75-S-001

For R projection:

$$\begin{aligned} A_{pR} &= 5.96 | \sin 60 \cos 30 | + 32.99 | \sin 60 \sin 30 | + 53.48 | \cos 60 | \\ &= 4.470 + 14.285 + 26.74 = 45.50 \end{aligned}$$

For E projection:

$$\begin{aligned} A_{pE} &= \sqrt{(5.96 \sin 60 \cos 30)^2 + (32.99 \sin 60 \sin 30)^2 + 53.48 (\cos 60)^2} \\ &= \sqrt{(4.470)^2 + (14.285)^2 + (26.74)^2} = 30.64 \end{aligned}$$

JTCG/AS-75-S-001

INITIAL DISTRIBUTION

Aeronautical Systems Division (AFSC)  
Wright-Patterson AFB, OH 45433  
Attn: ASD/ADDP (R. R. Hilbrand)  
Attn: ASD/ENFEF (D. C. Wight)  
Attn: ASD/ENFTV (J. H. Howard)  
Attn: ASD/ENFTV (D. J. Wallick)  
Attn: ASD/XRHD (G. B. Bennett)  
Attn: ASD/XRHP (S. E. Tate)  
Attn: ASD/XROL (F. Campanile)  
Attn: ASD/XROL (R. K. Frick)  
Attn: ASD/XRZ (L. R. Roesner)  
Attn: ASD/YFE (LT COL J. N. McCready)  
Attn: ASD/YXEJ (C. Jenkins)

Aerospace Medical Research Laboratories  
Wright-Patterson AFB, OH 45433  
Attn: AMRL/EMT (C. N. Day)

Air Force Aero Propulsion Laboratory  
Wright-Patterson AFB, OH 45433  
Attn: AFAPL/SFH (R. G. Clodfelter)  
Attn: AFAPL/SFH (G. Gandee)

Air Force Armament Test Laboratory  
Eglin AFB, FL 32542  
Attn: AFATL/DLYA (V. D. Thornton)  
Attn: AFATL/DLYV (J. A. Rutland)

Air Force Avionics Laboratory  
Wright-Patterson AFB, OH 45433  
Attn: AFAL/WRA-1 (E. Leaphart)

Air Force Flight Dynamics Laboratory  
Wright-Patterson AFB, OH 45433  
Attn: AFFDL/FES (Branch Chief)  
Attn: AFFDL/FES (CDIC)  
Attn: AFFDL/FES (G. W. Ducker)  
Attn: AFFDL/FES (C. W. Harris)  
Attn: AFFDL/FES (D. W. Voyls)

Air Force Materials Laboratory  
Wright-Patterson AFB, OH 45433  
Attn: AFML/LC (G. H. Griffith)

JTCG/AS-75-S-001

Air Force Systems Command  
Andrews AFB, DC 20334  
Attn: AFSC/DLCAA (P. L. Sandler)

Air Force Test and Evaluation Center  
Kirtland AFB, NM 87115  
Attn: AFTEC/JT (MAJ Palmer)

Air Force Weapons Laboratory  
Kirtland AFB, NM 87117  
Attn: AFWL/PGV (MAJ H. Rede)  
Attn: AFWL/SATL (A. F. Gunther)

Armament Development and Test Center  
Eglin AFB, FL 32542  
Attn: ADTC/DLOSL (Technical Library)  
Attn: ADTC/TESTW/TGPE (M. H. Forbragd)  
Attn: ADTC/XR (C. T. Maney)  
Attn: ADTC/XRL

Army Air Mobility R&D Laboratory  
Eustis Directorate  
Fort Eustis, VA 23604  
Attn: SAVDL-EU-MOS (H. W. Holland)  
Attn: SAVDL-EU-MOS (J. D. Ladd)  
Attn: SAVDL-EU-MOS (S. Pociluyko)  
Attn: SAVDL-EU-MOS (J. T. Robinson)

Army Aviation Systems Command  
P. O. Box 209  
St. Louis, MO 63166  
Attn: DRCPM-ASE (J. Keaton)  
Attn: DRCPM-ASE-TM (E. F. Branhof)  
Attn: DRCPM-ASE-TM (MAJ Schwend)  
Attn: DRCPM-ASE-TM (S. P. Smith)  
Attn: DRCPM-ASH (R. J. Braun)  
Attn: DRSAB-EI (CAPT W. D. Wolfinger)

Army Ballistic Research Laboratories  
Aberdeen Proving Ground, MD 21005  
Attn: DRXBR-TB (J. T. Frasier)  
Attn: DRXBR-TB (C. L. Grabarek)  
Attn: DRXBR-VL (R. G. Bernier)  
Attn: DRXBR-VL (A. J. Hoffman)  
Attn: DRXBR-VL (J. R. Jacobson)  
Attn: DRXBR-VL (O. T. Johnson)  
Attn: DRXBR-VL (R. Mayerhofer)  
Attn: DRXBR-VL (D. W. Mowrer)  
Attn: DRXBR-VL (D. L. Rigotti)

JTCG/AS-75-S-001

Army Electronics Command  
Fort Monmouth, NJ 07703

Attn: DRSEL-CT-A (J. P. Hakim)  
Attn: DRSEL-GG-EM (C. Goldy)  
Attn: DRSEL-GG-TD (Commander)  
Attn: DRSEL-WL-A (M. Alder)  
Attn: DRSEL-WL-A (R. F. Giordano)

Army Electronics Command  
Electronic Warfare Laboratory  
White Sands Missile Range, NM 88002  
Attn: DRSEL-WLM-AD (T. A. Atherton)  
Attn: DRSEL-WLM-AD (L. E. Garret)  
Attn: DRSEL-WLM-AD (R. Vasquez)

Army Foreign Science and Technology Center  
220 Seventh St. NE  
Charlottesville, VA 22901  
Attn: DRXST-WS1 (J. M. Blake)  
Attn: DRXST-WS4 (E. R. McInturff)

Army Materials and Mechanics Research Center  
Watertown, MA 02172  
Attn: DRXMR-EM (A. A. Anctil)  
Attn: DRXMR-ER (F. C. Quigley)  
Attn: DRXMR-K (S. V. Arnold)  
Attn: DRXMR-MI (C. F. Hickey, Jr.)  
Attn: DRXMR-TE (J. Adachi)  
Attn: DRXMR-TM (E. M. Lenoe)  
Attn: DRXMR-XC (E. S. Wright)

Army Materiel Systems Analysis Activity  
Aberdeen Proving Ground, MD 21005  
Attn: DRXSY-AA (Director)  
Attn: DRXSY-AAM (R. F. Mathias)  
Attn: DRXSY-AAS (W. B. Paris)  
Attn: DRXSY-AD (H. X. Peaker)  
Attn: DRXSY-ADG (A. S. Henderson)  
Attn: DRXSY-J (J. J. McCarthy)

Army Missile R&D Command  
Redstone Arsenal, AL 35809  
Attn: DRDMI-DS (R. B. Clem)

BMDSCOM, Research Park  
Huntsville, AL 35807  
Attn: PATRIOT Project Office

JTCG/AS-75-S-001

Chief of Naval Operations

Washington, DC 20350

Attn: OP-506 (Head, A/C & Weapons Rqmts Br)

Attn: OP-962 (G. Haering)

Attn: OP-982E3 (CAPT W.B. Hospevec)

Attn: OP-987 (Director R&D Plans Div.)

Combat Development Experimentation Command

155th Aviation Co.

Ford Ord, CA 93941

Attn: (Attack Helicopter Group)

David W. Taylor Naval Ship R&D Center

Annapolis, MD 21402

Attn: Code 2851 (R. O. Foernsler)

David W. Taylor Naval Ship R&D Center

Bethesda, MD 20084

Attn: Code 1740.2 (F. J. Fisch)

Attn: Code 1740.2 (H. F. Hackett)

Attn: Code 1740.3 (M. L. Salive)

Attn: Code 522

Defense Advanced Research Projects Agency

1400 Wilson Blvd.

Arlington, VA 22209

Attn: S. Zakanycz

Defense Documentation Center

Cameron Station, Bldg. 5

Alexandria, VA 22314

Attn: DDC-TCA, (12 copies)

Defense Systems Management College

Ft. Belvoir, VA 22060

Attn: W. Schmidt

Department of Transportation - FAA

2100 Second St., SW, Rm 1400C

Washington, DC 20591

Attn: ARD-520 (R. A. Kirsch)

FAA/NAFEC

Atlantic City, NJ 08405

Attn: ANA-430 (W. D. Howell)

Attn: ANA-64 (NAFEC Library)

JTCG/AS-75-S-001

Foreign Technology Division (AFSC)  
Wright-Patterson AFB, OH 45433  
Attn: FTD/ETWD (C. W. Caudy)  
Attn: FTD/NICD

HQ SAC  
Offutt AFB, NB 68113  
Attn: CINCSAC/XPFS (MAJ B. G. Stephan)  
Attn: JSTPS/JPTB (MAJ C. O. Cox)  
Attn: NRI/STINFO Library

Marine Corps Development Center  
Quantico, VA 22134  
Attn: D-042 (MAJ W. Waddell)  
Attn: D-091 (LT COL J. Givan)

NASA - Ames Research Center  
Army Air Mobility R&D Laboratory  
Mail Stop 207-5  
Moffett Field, CA 94035  
Attn: SAVDL-AS (V.L.J. Di Rito)  
Attn: SAVDL-AS-X (F.H. Immen)

NASA - Johnson Spacecraft Center  
Houston, TX 77058  
Attn: ES-5 (F.S. Dawn)  
Attn: JM-6 (R.W. Bricker)

NASA - Lewis Research Center  
21000 Brookpark Rd.  
Mail Stop 500-202  
Cleveland, OH 44135  
Attn: Library (D. Morris)

Naval Air Development Center  
Warminster, PA 18974  
Attn: Code 063 (MAJ W. Boeck)  
Attn: Code 2043 (L. M. Rakszawski)  
Attn: Code 30C (R. A. Ritter)  
Attn: Code 30222 (D. F. Pulley)  
Attn: Code 303 (E. J. McQuillen)  
Attn: Code 40A (D. A. Mancinelli)  
Attn: Code 5420 (D. V. M. Green)  
Attn: Code 5422 (R. H. Beliveau)  
Attn: Code 5422 (R. S. Hall, Jr.)  
Attn: Code 5422 (M. C. Mitchell)  
Attn: Code 5422 (C. E. Murrow)  
Attn: Code 5422 (B. Vafakos)  
Attn: Code 5423 (B. L. Cavallo)

JTCG/AS-75-S-001

Naval Air Propulsion Test Center  
Trenton, NJ 08628

Attn: AD1 (W. G. Hawk)  
Attn: PE3A (J. Mendrala)  
Attn: PE62 (F. L. Husted)

Naval Air Systems Command  
Washington, DC 20361

Attn: AIR-03PAF (CDR R. C. Gibson)  
Attn: AIR-03PA4 (T. S. Momiyama)  
Attn: AIR-350  
Attn: AIR-360D (R. Thyberg)  
Attn: AIR-503W1 (E. A. Thibault)  
Attn: AIR-5204  
Attn: AIR-5204A (D. Atkinson)  
Attn: AIR-5204J (LT COL R. T. Remers)  
Attn: AIR-53031 (R. O. Lutz)  
Attn: AIR-530313 (R. D. Hume)  
Attn: AIR-5323  
Attn: AIR-53242 (C. F. Magee)  
Attn: AIR-53242B (W. R. McAninch)  
Attn: AIR-53603B (G. W. Gigioli)  
Attn: AIR-954 (Tech. Library)

Naval Intelligence Support Center  
4301 Suitland Rd.  
Washington, DC 20390

Attn: NISC-3323 (R. E. McGuire)

Naval Material Command  
Washington, DC 20360

Attn: MAT-0331 (H. G. Moore)

Naval Postgraduate School  
Monterey, CA 93940

Attn: Code 53WG (P. C. C. Wang)  
Attn: Code 57BT (M. H. Bank)

Naval Research Laboratory  
4555 Overlook Ave., SW  
Washington, DC 20375

Attn: Code 2627 (Director)  
Attn: Code 4109 (J. M. MacCallum)  
Attn: Code 5470 (R. D. Misner)  
Attn: Code 5550 (J. R. Anderson)  
Attn: Code 5730 (E. E. Koos)  
Attn: Code 6373 (W. J. Ferguson)  
Attn: Code 6410 (J. T. Schriempf)  
Attn: Code 8432 (H. L. Smith)

JTCG/AS-75-S-001

Naval Sea Systems Command  
Washington, DC 20362  
Attn: SEA-03511 (C. H. Pohler)  
Attn: SEA-6543 (F. W. Sieve)

Naval Ship Engineering Center  
Hyattsville, MD 20782  
Attn: Code 6105D (Y. H. Park)

Naval Surface Weapons Center  
Dahlgren Laboratory  
Dahlgren, VA 22448  
Attn: DG-10 (J. E. Ball)  
Attn: DG-10 (S. Hock)  
Attn: DG-10 (T. L. Wasmund)  
Attn: DG-104 (T. H. McCants)  
Attn: DK 20 (H. P. Caster)  
Attn: DK-2301 (B. W. Montrief)  
Attn: DT-51 (J. F. Horton)  
Attn: Library (A. D. Hopkins)

Naval Surface Weapons Center  
White Oak Laboratory  
Silver Spring, MD 20910  
Attn: WA-11 (L. C. Dixon)  
Attn: WA-11 (E. F. Kelton)  
Attn: WU-41 (J. C. Hetzler)  
Attn: WX-21 (Library)

Naval War College  
Newport, RI 02840  
Attn: President

Naval Weapons Center  
China Lake, CA 93555  
Attn: Code 31 (M. M. Rogers)  
Attn: Code 3121 (R. R. Wahler)  
Attn: Code 3123 (W. K. Fung)  
Attn: Code 31701 (M. H. Keith)  
Attn: Code 318 (H. Drake)  
Attn: Code 318 (C. Padgett)  
Attn: Code 3181 (C. B. Sandberg)  
Attn: Code 3183 (G. Moncsko)  
Attn: Code 35033 (W. W. West)  
Attn: Code 3831 (M. E. Backman)  
Attn: Code 3943 (W. L. Capps, Jr.)

JTCG/AS-75-S-001

Office of Naval Research  
Arlington, VA 22217  
Attn: Code 210 (D. C. Lauver)  
Attn: Code 474 (N. Perrone)

Pacific Missile Test Center  
Point Mugu, CA 93042  
Attn: Code 0160 (A. R. Burge)  
Attn: Code 1332 (J. R. Bok)  
Attn: Code 1332 (W. E. Chandler)  
Attn: Code 1332 (B. E. Nofrey)  
Attn: Code 4253-3 (Technical Library)

Picatinny Arsenal  
Dover, NJ 07801  
Attn: SARPA-AD-C (S. K. Einbinder)

Rock Island Arsenal  
Rock Island, IL 61201  
Attn: DRSAR-PPV (D. K. Kotecki)  
Attn: DRSAR-RDG (L. J. Artioli)  
Attn: DRSAR-SAS (S. Olsen)  
Attn: SARRI-LR (C. S. Hicks)

Warner Robins Air Logistics Center  
Robins AFB, GA 31098  
Attn: WRALC/MMET (LT COL G. G. Dean)

Aeroquip Corp.  
Subsidiary of Libbey-Owens Ford Co.  
300 S. East Ave.  
Jackson, MI 49203  
Attn: R. Rogers

AiResearch Manufacturing Co. of California  
A Division of the Garrett Corp.  
2525 W. 190th St.  
Torrance, CA 90509  
Attn: Library

Analytic Services Inc.  
5613 Leesburg Pike  
Falls Church, VA 22041  
Attn: Chief Librarian (F. G. Binion)

Armament Systems, Inc.  
712-F North Valley Street  
Anaheim, CA 92801  
Attn: J. Musch

JTCG/AS-75-S-001

Arnold Research Organization, Inc.  
Arnold AFS, TN 37389  
Attn: T. J. Gillard, ETF

A. T. Kearney and Company, Inc.  
Caywood-Schiller Division  
100 South Wacker Drive  
Chicago, IL 60606  
Attn: P. C. Hewett  
Attn: R. H. Rose

AVCO  
Lycoming Division  
550 So. Main St.  
Stratford, CT 06467  
Attn: H. F. Grady

AVCO  
Systems Division  
Lowell Industrial Park  
Lowell, MA 01851  
Attn: R. Rouleau

Battelle Memorial Institute  
505 King Ave.  
Columbus, OH 03201  
Attn: J. H. Brown, Jr.

Beech Aircraft Corp.  
9709 E. Central Ave.  
Wichita, KS 67201  
Attn: Engineering Library (T. R. Hales)

Bell Helicopter Textron  
Division of Textron Inc.  
P.O. Box 482/Hwy 183  
Fort Worth, TX 76101  
Attn: J. F. Jaggers  
Attn: J. R. Johnson  
Attn: E. A. Morris

Boeing Vertol Company  
A Division of the Boeing Co.  
P.O. Box 16858  
Philadelphia, PA 19142  
Attn: J. E. Gonsalves, M/S P32-19  
Attn: M/S P32-01

JTCG/AS-75-S-001

Booz•Allen Applied Research  
362 Beal Parkway N.W.  
Fort Walton Beach, FL 32548  
Attn: W. R. Day

Calspan Corp.  
P.O. Box 235  
Buffalo, NY 14221  
Attn: Library (V. M. Young)

CDI Corp.  
M & T Co.  
2130 Arch St.  
Philadelphia, PA 19103  
Attn: R. L. Hall  
Attn: E. P. Lorge

Center for Naval Analyses  
1401 Wilson Blvd  
Arlington, VA 22209  
Attn: P. E. DePoy, OEG

Cessna Aircraft Co.  
Wallace Division  
P.O. Box 1977  
Wichita, KS 67201  
Attn: B. B. Overfield

COMARCO inc  
1417 N. Norma  
Ridgecrest, CA 93555  
Attn: F. Stone, 2 copies

E-Systems Inc.  
Greenville Division  
P.O. Box 1056  
Greenville, TX 75401  
Attn: C. H. Hall, 8-55200C  
Attn: Librarian, 8-51120 (J. Moore)

Fairchild Industries, Inc.  
Fairchild Republic Co.  
Conklin Street  
Farmingdale, L.I., NY 11735  
Attn: J. A. Arrighi  
Attn: G. Mott  
Attn: D. C. Watson  
Attn: Engineering Library (G. A. Mauter)

JTCG/AS-75-S-001

Falcon Research and Development Co.  
2350 Alamo Ave. SE  
Albuquerque, NM 87108  
Attn: W. L. Baker

Falcon Research and Development Co.  
696 Fairmount Ave.  
Baltimore, MD 21204  
Attn: J. A. Silva

General Dynamics Corp.  
Convair Division  
P.O. Box 80877  
San Diego, CA 92138  
Attn: Research Library, MZ 652-10 (U.J. Sweeney)

General Dynamics Corp.  
Fort Worth Division  
Grants Lane, P.O. Box 748  
Fort Worth, TX 76101  
Attn: P. R. deTonnancour/G. W. Bowen  
Attn: Tech Library, MZ 2246

General Electric Co.  
Aircraft Engine Business Group  
1000 Western Ave.  
West Lynn, MA 01910  
Attn: E. L. Richardson, ELM, 24055  
Attn: J. M. Wannemacher

General Electric Co.  
Aircraft Engine Business Group  
Evendale Plant  
Cincinnati, OH 45215  
Attn: AEG Technical Information Center (J. J. Brady)

General Research Corp.  
P.O. Box 3587  
Santa Barbara, CA 93105  
Attn: R. Rodman  
Attn: Tech Information Office (K. S. Tammen)

Goodyear Aerospace Corp.  
1210 Massillon Rd.  
Akron, OH 44315  
Attn: T. L. Shubert, D/910  
Attn: H. D. Smith, D/490G-2  
Attn: J. E. Wells, D/959  
Attn: Library, D/152G, (R. L. Vittitoe/J. R. Wolfersberger)

JTCG/AS-75-S-001

Grumman Aerospace Corp.

South Oyster Bay Rd.

Bethpage, NY 11714

Attn: J. P. Archey Jr., D/662-E-14, Plant 05

Attn: R. W. Harvey, D/661, Plant 05

Attn: H. L. Henze, D/471, Plant 35

Attn: Technical Information Center, Plant 35 (J. Davis, C. W. Turner)

Hughes Helicopters

A Division of Summa Corp.

Centinela & Teale St.

Culver City, CA 90230

Attn: R. E. Rohtert, 15T288

Attn: Library, 2/T2124 (D. K. Goss)

Institute for Defense Analyses

400 Army-Navy Drive

Arlington, VA 22202

Attn: J. Metzko, WSEG

Attn: P. Okamoto, DIMO

Attn: F. G. Parsons, WSEG

Attn: J. R. Transue

ITT Research Institute

10 West 35 Street

Chicago, IL 60616

Attn: I. Pincus

JG Engineering Research Associates

3831 Menlo Dr.

Baltimore, MD 21215

Attn: J. E. Greenspon

Kaman Aerospace Corporation

Old Winsor Rd.

Bloomfield, CT 06002

Attn: H. E. Showalter

Lockheed-California Co.

A Division of Lockheed Aircraft Corp.

P.O. Box 551

Burbank, CA 91520

Attn: L. E. Channel

Attn: C. W. Cook, 75-84

Attn: Technological Information Center, 84-40

JTCG/AS-75-S-001

Lockheed-Georgia Co.  
A Division of Lockheed Aircraft Corp.  
86 S. Cobb Drive  
Marietta, GA 30063  
Attn: D. R. Scarbrough, 72-08  
Attn: Sci-Tech Info Center, 72-34 (T. J. Kopkin)

Martin Marietta Corp.  
Orlando Division  
P.O. Box 5837  
Orlando, FL 32805  
Attn: Library (M. C. Griffith)

McDonnell Douglas Corp.  
3855 Lakewood Blvd.  
Long Beach, CA 90846  
Attn: Technical Library, Cl 290/36-84

McDonnell Douglas Corp.  
P.O. Box 516  
St. Louis, MO 63166  
Attn: R. D. Detrich  
Attn: R. A. Eberhard  
Attn: M. Meyers  
Attn: Library

New Mexico Institute of Mining and Technology  
Campus Station  
Socorro, NM 87801  
Attn: Tera

Northrop Corp.  
Aircraft Division  
3901 W. Broadway  
Hawthorne, CA 90250  
Attn: J. H. Bach, 3680/35  
Attn: V. B. Bertagna, 3451/32  
Attn: H. W. Jones, 3369/32  
Attn: W. Mohlenhoff, 3680/35  
Attn: J. R. Oliver, 3628/33  
Attn: J. F. Paris 3628/33

Northrop Corp.  
Ventura Division  
1515 Rancho Conejo Blvd.  
Newbury Park, CA 91320  
Attn: M. Raine

JTCG/AS-75-S-001

Norton Co.  
One New Bond St.  
Worcester, MA 01606  
Attn: P. B. Gardner

Parker Hannifin Corp.  
18321 Jamboree Rd.  
Irvine, CA 92664  
Attn: J. E. Lowes

Potomac Research, Inc.  
7655 Old Springhouse Rd.  
Westgate Research Park  
McLean, VA 22101  
Attn: S. J. Nelson  
Attn: D. E. Wegley

PRC Technical Applications Inc.  
7600 Old Springhouse Rd.  
McLean, VA 22101  
Attn: E. Monroe

Protective Materials Co.  
York and Haverhill Streets  
Andover, MA 01810  
Attn: M. H. Miller

RAND Corp.  
1700 Main St.  
Santa Monica, CA 90406  
Attn: N. W. Crawford

R&D Associates  
P.O. Box 9695  
Marina Del Rey, CA 90291  
Attn: H. W. Hevert  
Attn: Technical Information Center

Reynolds Metals Co.  
Product Development Div.  
6601 W. Broad St.  
Richmond, VA 23261  
Attn: B. F. Holcombe

JTCG/AS-75-S-001

Rockwell International Corp.  
5701 W. Imperial Hwy  
Los Angeles, CA 90009  
Attn: W. H. Hatton, BB18  
Attn: R. Hurst, BB33  
Attn: W. L. Jackson  
Attn: S. C. Mellin  
Attn: R. Moonan, AB78

Rockwell International Corp.  
4300 E. Fifth Ave.  
P.O. Box 1259  
Columbus, OH 43216  
Attn: Technical Information Center (D. Z. Cox)

Southwest Research Institute  
P.O. Drawer 28510  
San Antonio, TX 78284  
Attn: Bessey Div. 02  
Attn: P. H. Zabel, Div. 02

Stanford Research Institute  
333 Ravenswood Ave.  
Menlo Park, CA 94025  
Attn: G. Branch  
Attn: J. Golins

System Planning Corporation  
1500 Wilson Blvd., Suite 1300  
Arlington, VA 22209  
Attn: J. A. Navarro

Teledyne CAE  
1330 Laskey Rd.  
Toledo, OH 43612  
Attn: Engineering Library (M. Dowdell)

Teledyne Ryan Aeronautical  
2701 Harbor Dr.  
San Diego, CA 92112  
Attn: P. Kleyn  
Attn: N. S. Sakamoto  
Attn: Technical Information Services (W. E. Ebner)

The BDM Corp.  
7915 Jones Branch  
McClean, VA 22101  
Attn: J. W. Milanski

JTCG/AS-75-S-001

The Boeing Co.  
3801 S. Oliver St.  
Wichita, KS 67210  
Attn: H. E. Corner, M/S K21-57  
Attn: L. D. Lee, M/S K31-11  
Attn: D. Y. Sink, M/S K16-14

The Boeing Co.  
Aerospace Group  
P.O. Box 3999  
Seattle, WA 98124  
Attn: J. G. Avery, M/S 41-37  
Attn: R. G. Blaisdell, M/S 8C-42  
Attn: R. J. Helzer, M/S 13-66

The Johns Hopkins University  
Applied Physics Laboratory  
Johns Hopkins Road  
Laurel, MD 20810  
Attn: A. R. Eaton  
Attn: C. F. Meyer  
Attn: B. W. Woodford

United Technologies Corp.  
United Technologies Research Center  
Silver Lane, Gate 5R  
East Hartford, CT 06108  
Attn: UTC Library (M. E. Donnelly)

United Technologies Corporation  
Pratt & Whitney Aircraft Division  
Florida Research and Development Center  
P.O. Box 2691  
West Palm Beach, FL 33402  
Attn: J. Vernon

United Technologies Corp.  
Sikorsky Aircraft Division  
North Main Street  
Stratford, CT 06602  
Attn: D. Fansler/S. Okarma  
Attn: J. B. Foulk  
Attn: G. W. Forbes

University of Dayton  
300 College Park Ave.  
Dayton, OH 45409  
Attn: Industrial Security Supervisor, KL-505 (R. P. Boehmer)

# ABSTRACT CARD

Aeronautical Systems Division

*Error Analysis of Presented Area Computation Techniques*, by R.B. Smith, Raytheon Company, Directorate of Systems Engineering, Aeronautical Systems Division, Wright-Patterson AFB, OH, for Joint Technical Coordinating Group/Aircraft Survivability, June 1977. 16 pp. (JTCG/AS-75-S-001, publication UNCLASSIFIED.)

This report uses the rectangular and ellipsoidal projection techniques to convert six cardinal views into 26 views for attrition modeling purposes. Also included are presented area computation techniques.



1 card, 8 copies

Aeronautical Systems Division

*Error Analysis of Presented Area Computation Techniques*, by R.B. Smith, Raytheon Company, Directorate of Systems Engineering, Aeronautical Systems Division, Wright-Patterson AFB, OH, for Joint Technical Coordinating Group/Aircraft Survivability, June 1977. 16 pp. (JTCG/AS-75-S-001, publication UNCLASSIFIED.)

This report uses the rectangular and ellipsoidal projection techniques to convert six cardinal views into 26 views for attrition modeling purposes. Also included are presented area computation techniques.



1 card, 8 copies

Aeronautical Systems Division

*Error Analysis of Presented Area Computation Techniques*, by R.B. Smith, Raytheon Company, Directorate of Systems Engineering, Aeronautical Systems Division, Wright-Patterson AFB, OH, for Joint Technical Coordinating Group/Aircraft Survivability, June 1977. 16 pp. (JTCG/AS-75-S-001, publication UNCLASSIFIED.)

This report uses the rectangular and ellipsoidal projection techniques to convert six cardinal views into 26 views for attrition modeling purposes. Also included are presented area computation techniques.



1 card, 8 copies

Aeronautical Systems Division

*Error Analysis of Presented Area Computation Techniques*, by R.B. Smith, Raytheon Company, Directorate of Systems Engineering, Aeronautical Systems Division, Wright-Patterson AFB, OH, for Joint Technical Coordinating Group/Aircraft Survivability, June 1977. 16 pp. (JTCG/AS-75-S-001, publication UNCLASSIFIED.)

This report uses the rectangular and ellipsoidal projection techniques to convert six cardinal views into 26 views for attrition modeling purposes. Also included are presented area computation techniques.



1 card, 8 copies

JTCG/AS-75-S-001

University of Denver  
Colorado Seminary  
Denver Research Institute  
P.O. Box 10127  
Denver, CO 80210  
Attn: R. F. Recht

Vought Corporation  
P.O. Box 5907  
Dallas, TX 75222  
Attn: D. M. Reedy, 2-54244

Williams Research Corp.  
2280 W. Maple Rd.  
Walled Lake, MI 48088  
Attn: Library