

AD-A042 468

WOODS HOLE OCEANOGRAPHIC INSTITUTION MASS
CONTINUATION OF UNDERSEA ACOUSTICS RESEARCH. (U)
JUL 77 G K GLASS
WHOI-77-33

F/G 17/7

N00014-70-C-0205
NL

UNCLASSIFIED

| OF |

AD
A042 468



END
DATE
FILMED

8-77

DDC

ADA 042468

✓ WHOI-77-33

12

Woods Hole Oceanographic Institution



DDC
RECEIVED
AUG 1977
C

CONTINUATION OF UNDERSEA ACOUSTICS
RESEARCH

by

Gordon K. Glass

July 1977

TECHNICAL REPORT

Prepared for the Office of Naval Research under
Contract N00014-70-C-0305; NR 055-325.

Approved for public release; distribution un-
limited.

FILE COPY

WOODS HOLE OCEANOGRAPHIC INSTITUTION

UNCLASSIFIED 7/77

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM	
1 REPORT NUMBER 14 WHOI-77-33	2 GOVT ACCESSION NO.	3 RECIPIENT'S CATALOG NUMBER 9	
4 TITLE (and Subtitle) 6 CONTINUATION OF UNDERSEA ACOUSTICS RESEARCH, Final Technical rept.		5 TYPE OF REPORT & PERIOD COVERED	
7 AUTHOR(s) 10 Gordon K. Glass		6 PERFORMING ORG. REPORT NUMBER 1 Aug 69-31 Dec 76	8 CONTRACT OR GRANT NUMBER(s) 15 N00014-70-C-0205
9 PERFORMING ORGANIZATION NAME AND ADDRESS Woods Hole Oceanographic Institution Woods Hole, MA 02543		10 PROGRAM ELEMENT PROJECT, TASK AREA & WORK UNIT NUMBERS NR 083-325	
11 CONTROLLING OFFICE NAME AND ADDRESS NORDA National Space Technology Laboratory Bay St. Louis, MS 39529		12 REPORT DATE 11 July 1977	13 NUMBER OF PAGES 19
14 MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office) 12 25p.		15 SECURITY CLASS. (of this report) Unclassified	
15a DECLASSIFICATION/DOWNGRADING SCHEDULE			
16 DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.			
17 DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)			
18 SUPPLEMENTARY NOTES			
19 KEY WORDS (Continue on reverse side if necessary and identify by block number) 1. Ocean acoustics 2. Ocean dynamics 3. Acoustic navigation 4. Undersea acoustic propagation			
20 ABSTRACT (Continue on reverse side if necessary and identify by block number) This is the final report of Contract N00014-70-C-0205; NR 083-325, between the Woods Hole Oceanographic Institution and the Office of Naval Research. This contract supported, from 1 August 1969 - 31 December 1976, a program of basic research whose broad aim was to investigate those aspects of undersea acoustic propagation that relate directly to present and future Naval requirements. A review of the highlights of the research in each area, and a bibliography of published and unpublished reports, is presented.			

DDC
 AUG 5 1977
 RESEARCH
 C

381000

13

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

A review of the highlights of the research in each area, and a bibliography of published and unpublished reports, is presented.

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

WHOI-77-33

CONTINUATION OF UNDERSEA ACOUSTICS RESEARCH

by

Gordon K. Glass

Dr. E. E. Hays, Principal Investigator

WOODS HOLE OCEANOGRAPHIC INSTITUTION
Woods Hole, Massachusetts 02543

July 1977

TECHNICAL REPORT

*Prepared for the Office of Naval Research under
Contract N00014-70-C-0205; NR 083-325.*

*Reproduction in whole or in part is permitted
for any purpose of the United States Government.
In citing this manuscript in a bibliography, the
reference should be followed by the phrase:
UNPUBLISHED MANUSCRIPT.*

*Approved for public release; distribution
unlimited.*

Approved for Distribution

Earl E. Hays

Earl E. Hays, Chairman
Department of Ocean Engineering

ACCESSION for	
NTIS	Write Section <input checked="" type="checkbox"/>
DDC	D. H. Section <input type="checkbox"/>
UNANNOUNCED	<input type="checkbox"/>
JUSTIFICATION	
BY	
DISTRIBUTION/AVAILABILITY NOTES	CONFIDENTIAL
D:	
A	

ABSTRACT

This is the final report of Contract N00014-70-C-0205; NR 083-325, between the Woods Hole Oceanographic Institution and the Office of Naval Research. This contract supported, from 1 August 1969 - 31 December 1976, a program of basic research whose broad aim was to investigate those aspects of undersea acoustic propagation that relate directly to present and future Naval requirements.

A review of the highlights of the research in each area, and a bibliography of published and unpublished reports, is presented.

TABLE OF CONTENTS,

	<u>Page</u>
Introduction	1
Summary of Investigations	
Ocean Acoustics	1
Acoustic Navigation	2
Long Range Echo Ranging	3
Microearthquakes	3
Modified Acoustic Ray Theory	4
Ambient Noise	4
Volume Reverberation	4
SOFAR Channel Transmission	4
The Development of Computer Use	6
Ocean Dynamics and Acoustic Environment	7
Bibliography	
By W.H.O.I. Reference No.	13
By W.H.O.I. Contribution No.	17
Figure - Instrument Package	10
Table - Summary of Tow Data	11

INTRODUCTION

This is a final report of the research activities under the Office of Naval Research Contract N00014-70-C-0205;NR 083-325, at the Woods Hole Oceanographic Institution during the period from August 1969 to December 1976.

The work was performed by members of the Department of Geology and Geophysics until 1971 and then after internal reorganization at this Institution by these people, now under the auspices of the Department of Ocean Engineering. The seven year period of work reported herein was preceded by Contract Nonr-4029(00); NR 260-101, and has been superseded by Contract N00014-77-C-0196. In order to preserve continuity and efficiency, each contract change has included transfer of equipment, reports and contractual obligations.

SUMMARY OF INVESTIGATIONS

Ocean Acoustics

The principal goal of the research performed under this contract was to investigate those aspects of undersea acoustic propagation that relate directly to present and future Naval requirements. Our response to currently perceived Navy needs has been the single major factor in shaping the general direction of our research. We have completed various studies in such diverse areas as undersea ambient noise, ray and mode theory propagation analysis, acoustic dispersion, volume reverberation, split sound channel effects, amplitude and phase fluctuations at low frequencies, acoustic-internal wave effects, temporal and spatial coherence, bottom reflectivity, long-range side-looking echo ranging, etc. As a necessary adjunct to these programs a number of unique and generally useful instruments have been developed. They include core head and trawl wire velocimeters, high frequency sonars for volume reverberation, ambient noise

processors, environment sensing depth controlled towed fish (salinity, temperature, pressure, sound velocity), pulse and Doppler precision acoustic navigation systems, analog ambient noise buoys, and a digital acoustic buoy. A computer system devoted solely to acoustic signal processing has been developed. We have also responded to Navy requirements through participation in several large-scale acoustic exercises including projects NEAT I and II and other LRAPP sponsored activities. The primary results of these endeavors have appeared in the form of Woods Hole Technical Reports, the publication of scientific papers in both the classified and unclassified literature, the presentation of oral reports at various technical society symposia and Navy sponsored workshops, and technical lectures and briefings to an assortment of Navy and NATO organizations. This material is included in the bibliography appended to this report.

An important, though less reported, function throughout the contract period has been our capacity to function as an advisory agency to a wide variety of Navy activities. These have included representation on Navy panels concerned with oceanographic and acoustic problems in the Mediterranean, towed array systems, mine defense, ambient noise, and low frequency propagation. Advisory discussions with the Sixth Fleet, NAVOCEANO, FNWC, NOL, USC, SACLANT, COMSUBDEVGRU TWO, Naval War College, Navy League, SUBFLOT TWO and others have occurred on a continuing basis.

The following paragraphs summarize the major areas of research pursued under the auspices of this contract.

Acoustic Navigation

A new and novel type of acoustic navigation has been developed under the initial sponsorship of this contract. It operates on the Doppler

principle, using three acoustic beacons moored close to the ocean bottom. Each beacon emits a high frequency stable acoustic tone near 13 kHz. The tones are received by the object to be tracked and are examined for Doppler shift. Accuracy over a short time interval is several centimeters. Together with ARPA support, the system has been combined with a conventional pulse type (travel tone) acoustic navigation system that has enabled the formation of spatial synthetic apertures in the ocean for the purpose of acquiring spatial coherence data. The combined pulse Doppler system has also made possible the unique acoustic fluctuation and coherence work performed under this and other contracts.

Long Range Echo Ranging

Two long-range side-looking echo ranging schemes were developed and tested at sea near the Blake-Bahama escarpment. The first system employed a deep-towed (2000') hydrophone array and explosive acoustic sources and mapped submarine features at a range of about 200 NM. The second system used a similar array together with a coherent, swept frequency acoustic source. Processing gain using matched filter techniques was about 15 db indicating that a 300 NM ocean path is sufficiently phase stable to support coherent processing schemes.

Microearthquakes

An acoustic navigation system was used to track the position of drifting sonobuoys for the purpose of forming arrays to detect and locate small seismic events near the Mid-Atlantic Ridge. The frequency, magnitude and spectral characteristics of these microearthquakes were analyzed. The location of many events was pinpointed, using maxim likelihood spectral techniques, to within 200 meters.

Modified Acoustic Ray Theory

A ray theory of acoustic propagation designed to yield accurate range estimates at low frequencies has been developed. Certain diffraction effects are accounted for in a ray theoretic framework and the calculations can be taken through shadow zones and caustics. The modified ray theory has been compared, via computer modeling, with exact normal mode solutions.

Ambient Noise

Quantitative ambient noise measurements in the Atlantic, Caribbean, and Mediterranean have been reported. Ambient noise analysis from project NEAT and other LRAPP activities have also been reported.

Volume Reverberation

Volume reverberation data in the Atlantic and Mediterranean have been analyzed and reported. Single frequency and broadband analyses have been performed. Reverberation from the deep scattering layer has been compared extensively with simultaneous biologic sampling. Correlations between scattering strength, oceanographic features, and biologic species have been made.

SOFAR Channel Transmission

Dispersed high-order modes were observed at frequencies up to 300 Hz and ranges of 600 km for shots detonated in a Mediterranean SOFAR channel. WKB mode theory was used to predict accurately the observed group-velocity profiles, and to predict the pressure field in channels with arbitrary velocity profile. Observations of combined ray and mode behavior are also predicted. A computer code was developed to estimate the wideband propagation loss that requires an order of magnitude fewer calculations than an harmonic analysis.

Fluctuations and Coherence

A program to investigate acoustic fluctuations and coherence effects in low frequency, long-range transmissions has constituted a major portion

of the research conducted under the auspices of this contract during the years 1972-1976. The program has been a combined experimental and theoretical effort and has resulted in a number of new measurement techniques and theoretical developments. These innovations are described in complete detail in the appended list of publications.

One of the more significant technical advances has been the development of synthetic aperture techniques for measuring acoustic fluctuations and coherence. The technique is based on an acoustic Doppler navigation system capable of resolving relative motion of a hydrophone (or other tracked object) to within a fraction of a meter. This system has enabled the formation of synthetic apertures up to 10 km in length. The Doppler system has been combined with a conventional pulse type navigation system (based on the measurement of acoustic travel times rather than Doppler shift) to form a powerful acoustic navigation tool that gives absolute positions to within five to 10 m and relative positions to within 0.1-1 meter. Also of note has been the development of low frequency (100 and 200 Hz) self-contained, moored acoustic sources. These have found extensive use in our fluctuation studies and are now finding their way into other Navy programs.

At-sea measurement of acoustic fluctuations were made in a series of four major experiments. Fluctuations of signal amplitude, phase and phase-rate were observed on a function of depth, range and frequency. Signals were received on ship-suspended drifting hydrophones, hydrophones suspended from drifting sonobuoys and moored hydrophones at various depths. The moored hydrophones are coupled to small data processing and digital recording buoys developed specially for this work. Data have been used extensively to compare observed fluctuations with predictions based on

theoretical ideas developed at Woods Hole and elsewhere.

Some of the more significant findings of this research have been:

1) For time periods greater than the local inertial period and less than the local buoyancy period acoustic fluctuations, and therefore temporal and spatial coherence, are strongly dependent on ocean internal waves unless the number of acoustic paths is large.

2) When the number of acoustic paths is large, by virtue of source and receiver placement (for example, at very long ranges) fluctuations are dominated by multipath propagation and the received signal obeys the statistics of a phase random process.

3) Signal fluctuations scale with frequency, at least in the hundred to several hundred Hz range, as predicted by weak scattering theories.

The Development of Computer Use

Between 1969 and 1973 the Acoustics Group used the computers provided by the shipboard computer systems. These systems were based around Hewlett Packard minicomputers located on each ship, plus one system on shore. These systems consisted of a H/P 2116 computer, a paper tape reader/punch, a magnetic tape drive, and a Calcomp plotter. The shore system was used to develop programs to be run at sea.

Each project had its own specialized computer peripherals. The Acoustics Group owned a magnetic tape drive, an analog to digital converter, a graphics terminal, and a time code generator. These devices, were used under computer control to acquire data from the ocean and record it on magnetic tape for later analysis on shore.

The length and complexity of the acquisition programs, and hence the sophistication of the experiment, was limited by the available computer

hardware. A small change to a program required around 30 minutes, so programs seldom exceeded 600 lines of code. As acoustics experiments became more complex, including such features as Fourier transforms and phase analysis, the programs required to control these experiments grew beyond the capability of the available hardware. In 1973 the Acoustics Group purchased a H/P 2100 minicomputer system to aid in the development of their acquisition and analysis programs.

The 1973 data analysis facility consisted of the earlier peripherals plus a H/P 2100 computer, two disc drives, one magnetic tape drive, and a paper tape reader/punch. The disc drives, running with the Disc Operating System software (DOS-M), gave the acousticians the capability of writing acquisition programs which included on-line signal processing options. The data analysis facility was expanded in 1974 with a Calcomp plotter, in 1975 with a high speed line printer and a console terminal, and in 1976 with a medium speed line printer for use at sea.

This facility has successfully provided software support for on-line acoustic data acquisition. During the time period funded by this contract, computer applications have grown from very simple data logging programs to very sophisticated control/acquisition/navigation programs.

Ocean Dynamics and Acoustic Environment

Throughout the life of the contract there was a continuous and vigorous program of studying the spatial variations in the ocean with an appreciation of the effect that these variations have on acoustic transmission in the ocean. Observations have been made simultaneously with transmission experiments, but the basic effort was to study the statistical properties of ocean variability.

The backbone of these studies has been several generations of tow

fish systems which evolved from a weight-depressed, wire-controlled depth, single sensor package to a neutral tow body, electronically controlled depth, multi-sensor package. A schematic of the system (almost totally developed under this contract beginning in 1972) as last flown is shown in Figure 1. The proven capabilities of this system are as follows:

- 1) Has been towed for a total of 1000 hours at speeds of 408 knots.
- 2) Has tracked an isopleth to within ± 1 meter for 36 hours.
- 3) Has flown at depths of 10 to 800 meters.
- 4) Has towed vertically separated sensor packages from eight to 70 meters apart with 5% variation in separation.
- 5) Has flown for over three days on a single deployment without degradation of performance or signal.
6. Has measured temperature, vertical temperature gradients, salinity, sound velocity, dissolved oxygen and ocean currents.


It is presently fully operational, though still being improved. A complete and annotated list of tows are shown in the table, without reference to the tow system deployed.

The objective of our tow fish program has been to enhance our understanding of the ocean by describing the spatial variability of its density and current fields and delineating the dynamic processes which are actively responsible for the variability. This variability is known to degrade coherent acoustic propagation in the ocean and is therefore a limiting factor to coherent array design.

The results of the program have had a direct input to acoustic prediction via the modeling of internal waves. Our measurements of the energy spectrum in the vertical displacement field, as a function of

horizontal wavenumber has demonstrated the isotropy and stationarity of internal wave induced motions and has made an important contribution to demonstrating the universality of this field. As the first set of measurements well below the surface layers, it had a special value at the time. The continuation of this study, into the vertical coherence of the displacement field, is expected to play a role in the present activity of revising (and tuning) of these models. The most recent efforts have been towards investigating fine structure in the ocean (i.e., scales smaller than coherent internal waves) and its generation by shear currents in the ocean.

A second area of continued interest has been frontal structures (both surface and subsurface) in the ocean. Their role in distributing acoustic propagation is qualitatively obvious, because of the generally sharp change of temperature (hence sound velocity) across them (gradients 1000 times large than normal). Our interest has been directed at the stability of fronts, work which will hopefully lead to an understanding of frontolysis.



CODES
 S=SENSOR SIGNAL
 D= DIGITIZED DATA
 P=POWER
 C=DEPTH CONTROL

SUMMARY OF TOW DATA¹

Tow Nos.	Location	Month & Year	Depth of tows (m)	Length of tracks (km)	Main Sensor Suite ²	Vertically Separated Sensors	Primary Purpose of Program	
101,102	W. Mediterranean	7/70	400,450	220	P,T,C	-	Discontinuity in Levantine Intermediate Water (L.I.W.)	
201-203	W. Mediterranean	7/70	375,275, 135	330	P,T,C	-	Interaction between L.I.W. and surface waters	
301,401	S. Sargasso	3/71	560-680	750	P,T,C,SV	-	Large-scale displacement of isopycnal surface	
501-503	S. Sargasso	2/72	620-660	200	P,T,C,SV	SV	Short-time stationarity of isopycnal surface	
504-509	N. Sargasso	3/72	25,45	600	P,T,C,SV	SV	Structure of the mixed layer	
601-606	S. Sargasso	9/72	600-640	210	P,T,C,SV	-	Short-time stationarity of isopycnal surface	
607	S. Sargasso	10/72	300	170	P,T,C,SV	-	Support of propagation study	
701-704	S. Sargasso	4-6/73	700-800	2700	P,T,C	P,T	Identification of quasigeostrophic scales (MODE)	
801-803	Equatorial Atlantic	6-7/74	10-160	1200	P,T,C,DO,CV	-	Profiling of equatorial undercurrent (GATE)	
900	SW Sargasso	9/74	500	350	P,T,C,SV	-	Support of propagation study	
901-964	S & N Sargasso	10/75	280-400 640-780	2500	P,T,C	P,T	Vertical coherence of spatial density variations	
951,952	Bermuda							
1001-1005	S Sargasso	3/76	20-200	1400	P,T,C,CV	T	Current field in oceanic fronts	
1100	California Current	1/78	in preparation					Coherence of fine-scale current and density variations

¹Support for tows 100-600,900 was from ONR, Contract N00014-70-C-0205. Support for 700 series was from NSF/IDOE, Grant GX 34906. Support for 800 series was from NSF (GARP), Grant GA 40343. Support for 901-964 was from NSF, Grant DES 19608. Support for 1000 series was from ONR, supplement to Contract N00014-74-C-0262. Preparation for 1100 series is from ONR, N00014-77-C-0196.

²p = pressure, T = temperature, C = conductivity, SV = sound velocity, DO = dissolved oxygen CV = current vector.

BIBLIOGRAPHY

by W.H.O.I. Reference No.

- 70-22 In-Line Cable Connectors for Well-Logging Cable,
Warren E. Witzell.
- 70-31 Ambient Noise Measurements on R/V CHAIN #96 in the Eastern
North Atlantic Ocean, Lincoln Baxter II. July 1970.
- 70-43 Operational Technique for Continuous Seismic Profiling and
Related Studies - 1970, S. T. Knott. September 1970.
- 70-56 Analysis of Towed Hydrophone Flow Noise, J. C. Beckerle,
A. Orange, B. Woznick. November 1970.
- 70-64 Final Report of Contract Nonr-4029(00); NR 260-101 including
a History of the Contract and the Bibliography of Scientific
Contributions Supported by Contract Nonr-4029 at the Woods
Hole Oceanographic Institution, September 1962-September 1960,
S. T. Knott, A. C. Vine. December 1970.
- 71-14 Ambient Noise Measurements on R/V ATLANTIS II Cruise #59 in
the Mediterranean in July 1970, E. L. Murphy, L. Baxter II,
J. A. Davis, F. R. Hess. February 1971.
- 71-26 The Sound Channel Axis in the Western Mediterranean, Eli
Joel Katz. May 1971
- 71-27 Summary of Investigations Conducted in 1970 by the Woods
Hole Oceanographic Institution.
- 71-48 Modified Ray Theory in the Presence of a Boundary, J. A. Davis,
E. L. Murphy. July 1971.
- 71-49 Application of Modified Ray Theory to Underwater Sound
Propagation, E. L. Murphy, J. A. Davis, J. A. Douth. July 1971.
- 71-58 Ambient Noise Measurements in the Caribbean Sea, L. Baxter II,
J. A. Davis, J. A. Douth, W. Dow, F. Hess. September 1971.
- 71-59 Long Range Propagation Experiments Performed by Woods Hole
Oceanographic Institution and Admiralty Underwater Weapons
Establishment May 1968. E. L. Murphy, J. A. Davis. September 1971.
- 71-64 Spectra of Ambient Noise in the Mediterranean Sea (1 Hz Resolution),
Lincoln Baxter II. October 1971.
- 71-70 Deep Towed Hydrophone Array, Willard Dow. December 1971.
- 72-23 Summary of Investigations Conducted in 1971 by the Woods Hole
Oceanographic Institution. April 1972.
- 72-30 Use of a Coherent Frequency Synthesizer in Echo-Sounder Studies
of Deep Scattering Layers, P. T. McElroy. May 1972.

- 72-31 Spectral Level of Explosive Charges Fired Very Near the Surface, P. T. McElroy. May 1972.
- 72-43 VSA Gravity Meter System: Tests and Recent Developments, Carl Bowin, Thomas C. Aldrich, R. A. Folinsbee. June 1972.
- 72-78 Long Range Bathymetric Surveying, R. C. Spindel, James R. Heirtzler. October 1972.
- 72-85 The Levantine Intermediate Water Between the Strait of Sicily and the Strait of Gibraltar, Eli Joel Katz. November 1972.
- 72-88 Propagation Loss as Predicted by Modified Ray Theory, James A. Davis. December 1972.
- 72-89 Behavior of Modified Ray Theory, James A. Davis. December 1972.
- 72-91 Some Ambient Noise Measurements in the North American Basin of the Atlantic Ocean, L. Baxter II, J. A. Douth, F. Hess, W. Dow. December 1972.
- 73-17 Dispersion of Axial SOFAR Propagation in the Western Mediterranean, Robert P. Porter. March 1973.
- 73-23 Surficial Stratification and Sound Velocity Field in the Sargasso Sea, Peter E. Raschig. April 1973.
- 73-26 A Neutrally Buoyant Suspension System for Underwater Instruments, Willard Dow. April 1973.
- 73-53 CW Beacon System for Hydrophone Motion Determination, R. P. Porter, R. C. Spindel, R. J. Jaffee. August 1973.
- 74-6 An Acoustic Navigation System, Mary M. Hunt, William M. Marquet, Donald A. Moller, Kenneth R. Peal, Woolcott K. Smith, Robert C. Spindel. December 1974.
- 74-12 Transmission and Reception of Transient Signals in a SOFAR Channel, Robert P. Porter. February 1974.
- 74-30 Summary of Seismic Reflection, Refraction, Magnetic and Dredge Station Data Collected During a Geologic Study of the Gulf of Maine, Robert D. Ballard. May 1974.
- 74-31 Modified Ray Theory for Discontinuous Media, James A. Davis. June 1974.
- 74-36 Bottom Reflectivity at Select Sites in the Eastern North Atlantic, J. A. Davis, J. A. Douth. June 1974.
- 74-65 Column Strength Spectra Measured During Three Cruises in the North Atlantic and Mediterranean, Paul T. McElroy. September 1974.

- 74-71 The Nature of Triassic Continental Rift Structures in the Gulf of Maine, Robert D. Ballard. October 1974.
- 74-72 Long-Range Sound Fluctuations with Drifting Hydrophones, R. C. Spindel, R. P. Porter, R. J. Jaffee. October 1974.
- 74-73 Microearthquake Survey of Median Valley of the Mid-Atlantic Ridge at 36230'N, R. C. Spindel, S. B. Davis, K. C. MacDonald, R. P. Porter, J. D. Phillips. October 1974.
- 75-2 Acoustic-Internal Wave Interaction at Long Ranges in the Ocean, R. P. Porter, R. C. Spindel, R. J. Jaffee. January 1975.
- 75-11 Precision Tracking System for Sonobuoys, R. C. Spindel, R. P. Porter. February 1975.
- 75-13 A Medium-Depth Controllable Towed Instrument Platform, F. R. Hess, R. T. Nowak. February 1975.
- 75-17 Modified Ray Theory for Bounded Media, E. L. Murphy, J. A. Davis. March 1975.
- 75-49 Fluctuations of Narrow-band Sound Amplitudes from Long-Range Transmissions in the Deep Atlantic Ocean, Lincoln Baxter II, C. Y. Yang.
- 75-50 Reply to "Comments on 'Level and Zero Crossings in Volume Reverberation Signals' ", (J. E. Ehrenberg and C. A. Erickson, J. Acoust. Soc. Am., 57, 961-963 (1975)), R. C. Spindel, P. T. McElroy. November 1975.
- 75-51 Performance Analysis of Deep Ocean Acoustic Navigation Systems, R. C. Spindel, J. L. Durham, R. P. Porter. November 1975.
- 75-52 Energy Evaluation of Wide-band SOFAR Transmission, R. P. Porter, H. D. Leslie. November 1975.
- 75-55 On the Stationarity of Temperature Spectra at High Horizontal Wave Numbers, Walter Zenk, Eli Joel Katz. November 1975.
- 75-66 Tow Spectra from MODE, Eli Joel Katz. December 1975.
- 76-13 Triassic Rift Structure in the Gulf of Maine, R. D. Ballard, Elazar Uchupi. March 1976.
- 76-19 Clustering of Volume Reverberation Spectra: An Application of Correspondence Analysis, Paul T. McElroy, Woolcott Smith. March 1976.
- 76-71 Long-Range Echo Sounding with a Chirp Source, M. H. Orr, R. C. Spindel, R. P. Porter. July 1976.

76-87 A High Resolution Pulse-Doppler Acoustic Navigation
System, R. C. Spindel, R. P. Porter, W. M. Marquet,
James L. Durham.

BIBLIOGRAPHY
by W.H.O.I. Contribution No.

- 2368 Eli Joel Katz, Diffusion of the Core of Mediterranean Water Above the Mid-Atlantic Ridge Crest, Deep-Sea Research, Vol. 17, No. 3, pp. 611-625. 1970.
- 2374 Elazar Uchupi, J. D. Phillips, K. F. Prada, Origin and Structure of the New England Seamount Chain, Deep-Sea Research, Vol. 17, pp. 483-494. 1970
- 2377 J. D. Phillips, Magnetic Anomalies in the Red Sea, Phil.Trans. Royal Soc., London, A, 267, 205-217. 1970.
- 2431 Francis S. Birch, The Barracuda Fault Zone in the Western North Atlantic: Geological and Geophysical Studies, Deep-Sea Research, Vol. 17, No.5, pp. 847-859. 1970.
- 2478 Peter A. Rona, J. Brakl, J. R. Heirtzler, Magnetic Anomalies in the Northeast Atlantic Between the Canary and Cape Verde Islands, Journ.Geophys.Res., Vol. 75, No.35, pp. 7412-7420. 1970.
- 2525 Elazar Uchupi, J. D. Milliman, Bruce P. Luyendyk, C. O. Bowin, K. O. Emery, Structure and Origin of Southeastern Bahamas, Amer.Assoc.Petrol.Geol.Bull., Vol. 55, No.5, pp.687-704. 1971.
- 2658 Carl Bowin, Thomas C. Aldrich, R. A. Folinsbee, VSA Gravity Meter System: Tests and Recent Developments, Jour.Geophys.Res., Vol. 77, No. 11, pp. 2018-2033. 1972.
- 2721 Eli Joel Katz, Richard T. Nowak, A Towing System for a Sensing Package: Experiences and Plans, Jour.Mar.Res., Vol. 31, No. 1, pp. 63-76. 1973.
- 2743 John M. Hunt, Hydrocarbon and Kerogen Studies on Red Sea and Gulf of Aden Cores, Initial Repts., Deep-Sea Drilling Proj.24: 1165-1167. 1974.
- 2754 R. P. Porter, R. C. Spindel, R. J. Jaffee. Acoustic-Internal Wave Interaction at Long Ranges in the Ocean, Jour.Acoust.Soc. Amer. 56(5): 1426-1436. 1974.
- 2769 Richard H. Backus, Midwater Fish Distribution and Sound-Scattering Levels in the North Atlantic Ocean, U.S.Jour. Underwater Acoustics, Vol. 22, No. 3, pp. 243-255. 1972.
- 2793 Eli Joel Katz, The Levantine Intermediate Water Between the Strait of Gibraltar, Deep-Sea Research, Vol. 19, No. 7, pp. 507-520. 1972.
- 2825 Allyn C. Vine, Bottom Photographs of Black Sea In: The Black Sea - Geology, Chemistry and Biology, Am.Assoc.Petroleum Geol. Memoir 20:338-346. 1974.
- 2841 R. C. Spindel, J. R. Heirtzler, Long-Range Echo Ranging, Jour. Geophys.Res., Vol. 77, No.35, pp.7073-7088. 1972.

- 2853 Robert C. Spindel, James R. Heirtzler, Long Ranging Bathymetric Surveying, Ocean '72, IEEE Int.Conf.Engng.Ocean Environment, IEEE Publ., 72 CHO 6601 OCC, pp.554-557. 1972.
- 2904 Robert P. Porter, Dispersion of Axial SOFAR Propagation in the Western Mediterranean, Jour.Acoust.Soc.Amer.,Vol.53, No.1, pp. 181-191. 1973.
- 2936 R. C. Spindel, P. T. McElroy, Level and Zero Crossings in Volume Reverberation Signals, Jour.Acoust.Soc.Amer., Vol.53, No. 5, pp. 1417-1426. 1973.
- 2995 R. P. Porter, R. C. Spindel, R. J. Jaffee, CW Beacon Systems for Hydrophone Motion Determination, Jour.Acoust.Soc.Amer., Vol.53, No. 6, pp. 1691-1699. 1973.
- 3086 Eli Joel Katz, Profile of an Isopycnal Surface in the Main Thermocline of the Sargasso Sea, Jour.Phys.Oceanogr., Vol. 3, No. 4, pp. 448-457. 1973.
- 3094 Robert P. Porter, Transmission and Reception of Transient Signals in a SOFAR Channel, Jour.Acoust.Soc.Amer., Vol. 54, No. 4, pp. 1081-1091. 1973.
- 3237 R. C. Spindel, S. B. Davis, K. C. MacDonald, R. P. Porter, J. D. Phillips, Microearthquake Survey of Median Valley of the Mid-Atlantic Ridge at 36°30'N, Nature, Lond, 248(5449): 577-579. 1974.
- 3242 E. L. Murphy and J. A. Davis, Modified Ray Theory for Bounded Media, J.Acoust.Soc.Am., 56(6):1747-1760. 1974.
- 3246 Paul T. McElroy, Geographic Patterns in Volume Reverberation Spectra in the North Atlantic Between 33°N and 63°N, J.Acoust. Soc.Am. 56(2):394-407. 1974.
- 3250 J. A. Davis, Extended Modified Ray Theory Field in Bounded and Unbounded Inhomogeneous Media, J.Acoust.Soc.Am., Vol 57, pp. 276-286. 1975.
- 3260 R. C. Spindel, R. P. Porter and R. J. Jaffee, Long-Range Sound Fluctuations with Drifting Hydrophones, J.Acoust.Soc. Amer.56(2):440-446. 1974.
- 3317 F. R. Hess, R. T. Nowak, A Medium-Depth Controllable Towed Instrument Platform, 1974 IEEE Internat.Conf.Eng.Ocean Environ.Record, Vol. 1:187-191. 1974.
- 3345 R. C. Spindel, R. P. Porter, Precision Tracking System for Sonobuoys, 1974 IEEE Internat.Conf.Eng.Ocean Environ. Record, 2:162-165. 1974.
- 3455 Eli Joel Katz, Tow Spectra from MODE, J.Geophys.Res. 80(9): 1163-1167. 1975.
- 3369 E. O. LaCasce,Jr., J. C. Beckerle, A Preliminary Experiment to Measure Large-Scale Ocean Movements with Acoustical Signals, J.Acoust.Soc.Am., 57(4): 966-967. 1975.

- 3476 R. C. Spindel, P. T. McElroy, Reply to Comments on Level and Zero Crossings in Volume Reverberation Signals, J.Acoust.Soc.Am., 57, 964-965. 1975.
- 3478 Walter Zenk, Eli Joel Katz, On the Stationarity of Temperature Spectra at High Horizontal Wavelengths, J.Geophys.Res.80(27): 3885-3891. 1975.
- 3524 R. P. Porter, H. D. Leslie, Energy Evaluation of Wideband SOFAR Transmission, J.Acoust.Soc.58, 812-822. 1975.
- 3527 L. Baxter II, C. Y. Yang, Fluctuations of Narrowband Amplitudes from Long Range Transmissions in the Deep Atlantic Ocean, J.Acoust.Soc.Am.58, 595-603. 1975.
- 3562 M. H. Orr, R. C. Spindel, R. P. Porter, Long-Range Echo Sounding with a Chirp Source, J.Geophys.Res. 81, 1197-1200. 1976.
- 3572 R. C. Spindel, J. L. Durham, R. P. Porter, Performance Analysis of Deep Ocean Acoustic Navigation Systems, IEEE OCEAN 75, 568-572. 1975.
- 3688 M. H. Orr, M. A. Schoenberg, Acoustic Signatures from Deep Water Implosions of Spherical Cavities, J.Acoust.Soc.Am., Vol. 59, pp. 1155-1159. 1976.
- 3692 R. C. Spindel, R. P. Porter, W. M. Marquet, James L. Durham, A High Resolution Pulse-Doppler Underwater Acoustic Navigation System, IEEE Jour.Ocean Engng., Vol. OE-1, No.1, 1976.
- 3842 R. P. Porter, R. C. Spindel, Low Frequency Acoustic Fluctuations and Internal Gravity Waves in the Ocean, J.Acoust.Soc.Amer. 61(4): 943-958. 1977.
- 3899 R. P. Porter, R. C. Spindel, J. A. Schwoerer, Acoustic Phase Tracking of Intermediate Depth Ocean Moorings, IEEE J.Oceanic Eng. (Submitted).
- 3901 R. C. Spindel, R. P. Porter, D. C. Webb, A Mobile, Coherent, Low Frequency Acoustic Range, IEEE J.Oceanic Eng. OE-2. (In press).

MANDATORY DISTRIBUTION LIST

FOR UNCLASSIFIED TECHNICAL REPORTS, REPRINTS, & FINAL REPORTS
PUBLISHED BY OCEANOGRAPHIC CONTRACTORS
OF THE OCEAN SCIENCE AND TECHNOLOGY DIVISION
OF THE OFFICE OF NAVAL RESEARCH
(REVISED APRIL 1977)

1	Director of Defense Research and Engineering Office of the Secretary of Defense Washington, D.C. 20301 ATTN: Office Assistant Director (Research)	1	National Oceanographic Data Center National Oceanic & Atmospheric Administration 3300 Whitehaven St., N.W. Washington, D.C. 20235
	Office of Naval Research Arlington, VA 22217	12	Defense Documentation Center Cameron Station Alexandria, VA 22314
1	ATTN: (Code 460)		Commander Naval Oceanographic Office Washington, D.C. 20373
1	ATTN: (Code 102-OS)	1	ATTN: Code 1640
6	ATTN: (Code 102IP)	1	ATTN: Code 70
1	ATTN: (Code 200)		
1	CDR J. C. Harlett, (USN) ONR Representative Woods Hole Oceanographic Inst. Woods Hole, MA 02543		
1	Office of Naval Research Branch Office 495 Summer Street Boston, MA 02210	3	NORDA National Space Technology Laboratory Bay St. Louis, MS 39529
	Director Naval Research Laboratory Washington, D.C. 20375		
6	ATTN: Library, Code 2620		

DISTRIBUTION LIST

	<u>No. of Copies</u>
Director Undersea Warfare Technology Operational Application Division Office of Naval Research 800 North Quincy Street Arlington, Virginia 22217	1
CDR Donald D. Pizinger Code 212 Office of Naval Research 800 North Quincy Street Arlington, Virginia 22217	1
LCDR George J. Ranes Code 500 Ocean Exploratory Development Office NORDA/National Space Technology Labs Bay St. Louis, Mississippi 39529	1
Director, U. S. Naval Research Laboratory Attn: Technical Information Division Code N000173 Washington, D. C. 20390	6

