

AD-A042 968

AIR FORCE HUMAN RESOURCES LAB BROOKS AFB TEX
AUTOMATIC INTERACTION DETECTOR-VERSION 4 (AID)-4. REFERENCE MAN--ETC(U)
JUL 77 C D GOTT, J B KOPLYAY
AFHRL-TR-77-30

F/6 9/2

UNCLASSIFIED

NL

1 OF 1

AD-A042 968



END
DATE
FILMED
9-77
DDC

AFHRL-TR-77-30

AIR FORCE



AD A 042968

AD No. _____
DDC FILE COPY


HUMAN RESOURCES

**AUTOMATIC INTERACTION DETECTOR-VERSION 4
(AID)-4
REFERENCE MANUAL ADDENDUM 1**

By

C. Deene Gott
Janos B. Kopyay

COMPUTATIONAL SCIENCES DIVISION
Brooks Air Force Base, Texas 78235



July 1977
Final Report for Period October 1973 - April 1977

Approved for public release; distribution unlimited.

LABORATORY

**AIR FORCE SYSTEMS COMMAND
BROOKS AIR FORCE BASE, TEXAS 78235**

NOTICE

When US Government drawings, specifications, or other data are used for any purpose other than a definitely related Government procurement operation, the Government thereby incurs no responsibility nor any obligation whatsoever, and the fact that the Government may have formulated, furnished, or in any way supplied the said drawings, specifications, or other data is not to be regarded by implication or otherwise, as in any manner licensing the holder or any other person or corporation, or conveying any rights or permission to manufacture, use, or sell any patented invention that may in any way be related thereto.

This final report was submitted by Computational Sciences Division, under project 6323, with HQ Air Force Human Resources Laboratory (AFSC), Brooks Air Force Base, Texas 78235. Dr. Janos B. Kopyay, Statistical and Computer Technology Branch, was the project monitor.

This report has been reviewed and cleared for open publication and/or public release by the appropriate Office of Information (OI) in accordance with AFR 190-17 and DoDD 5230.9. There is no objection to unlimited distribution of this report to the public at large, or by DDC to the National Technical Information Service (NTIS).

This technical report has been reviewed and is approved for publication.

ROBERT A. BOTTENBERG, Chief
Computational Sciences Division

DAN D. FULGHAM, Colonel, USAF
Commander

ACCESSION FOR	
NTIS	Write Section ☒
DDC	Own Section ☐
UNANNOUNCED	☐
JUSTIFICATION	
BY	
DISTRIBUTION/AVAILABILITY CODES	
Dist.	AVAIL. AND/OR SPECIAL
A	

Unclassified

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER AFHRL-TR-77-30	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) AUTOMATIC INTERACTION DETECTOR-VERSION 4 (AID)-4. REFERENCE MANUAL, ADDENDUM 1.	5. TYPE OF REPORT & PERIOD COVERED Final rept. October 1973 - April 1977	6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s) C. Deene/Gott Janos B. Kopyay	8. CONTRACT OR GRANT NUMBER(s)	
9. PERFORMING ORGANIZATION NAME AND ADDRESS Computational Sciences Division Air Force Human Resources Laboratory ✓ Brooks Air Force Base, Texas 78235	10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS 62703F 63230506	
11. CONTROLLING OFFICE NAME AND ADDRESS HQ Air Force Human Resources Laboratory (AFSC) Brooks Air Force Base, Texas 78235	12. REPORT DATE July 1977	
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office) 12 14p.	13. NUMBER OF PAGES 16	15. SECURITY CLASS. (of this report) Unclassified
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) interaction detection in prediction systems model building multiple linear regression pattern identification prediction system regression model building		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) This document serves as the addendum to the AID-4 Reference Manual (Kopyay, J.B., Gott, C.D., and Elton, J.H., <i>Automatic Interaction Detector-Version 4 (AID)-4 Reference Manual</i> , AFHRL-TR-73-17, Lackland Air Force Base, Texas, Personnel Research Division, Air Force Human Resources Laboratory, October 1973.) The addendum describes changes to the original reference manual, technical notes on certain aspects of the program not mentioned before, and supplemental information to assist in running the AID-4 package on the UNIVAC 1108 computer.		

PREFACE

This research was completed under project 6323, Personnel Data Analysis; task 632305, Development of Analytic Methodology for Air Force Personnel Research Data. Special credit is given to Mr. Larry K. Whitehead who made the computer program conversion from the IBM 7040 to the UNIVAC 1108, and to Mrs. Doris E. Black for editing this report for technical accuracy.

TABLE OF CONTENTS

	Page
I. Introduction	5
II. Change of Limitations of the AID-4 Computer Algorithm Adapted to the UNIVAC 1108 (Reference AFHRL-TR-73-17)	5
III. AID-4 Random Selection Process Correction and Technical Description	6
IV. Supplemental Information for Running AID-4 on the UNIVAC 1108	7
Reference	12
Bibliography	13

PRECEDING PAGE NOT FILMED
BLANK

AUTOMATIC INTERACTION DETECTOR-VERSION 4 (AID)-4
REFERENCE MANUAL ADDENDUM 1

I. INTRODUCTION

AID-4, an acronym for automatic interaction detector-version 4, is a computer-based regression model building algorithm which was originally made operational on an IBM 7040 computer system at the Computational Sciences Division, Air Force Human Resources Laboratory (AFHRL), Lackland Air Force Base, Texas. The background, basic algorithm, and technical details required for use of AID-4 are described by Kopyay, Gott, and Elton (1973).

Subsequent acquisition of a UNIVAC 1108 computer system by the Computational Sciences Division, allowed for the expansion of AID-4 capabilities. This report serves as an addendum to the original reference manual mentioned previously. This addendum contains three sections which describe changes to the IBM 7040 version of the program, technical notes on certain aspects of the program not mentioned before, and information to assist users on the UNIVAC 1108 system. Specifications provided should also prove useful for implementing AID-4 on other computer systems.

II. CHANGE OF LIMITATIONS OF THE AID-4 COMPUTER ALGORITHM
ADAPTED TO THE UNIVAC 1108 (Reference AFHRL-TR-73-17)

1. All references in AFHRL-TR-73-17 to the upper range of the recode categories should be changed from (0-39) to (0-49); i.e., the total number of categories per variable changed from 40 to 50. The following pages are affected:

Page 16 Last 3 lines

Page 19 4th line from bottom of page

Page 22 Middle of page (3d and 4th line from para III)

Page 23 4th and 5th line from bottom of page

Page 28 Limitation No. 8

Page 29 Error No. 30

Page 30 In the formulas in Adoption Note No. 8 change $\ln 40$ to $\ln 50$ in the denominators and the results; i.e., replace $6.58 = 6$, $5.82 = 5$, and $11.086 = 11$ with $6.20 = 6$, $5.49 = 5$, and $10.45 = 10$, respectively.

2. Change all references in AFHRL-TR-73-17 to the maximum number of input variables from 80 to 300. The following pages are affected:

Page 14 Under Card Columns 27-29 and 30-32, change 83 to 303

Page 28 Under Limitations change 83 to 303 (para 1) and 80 to 300 (para 2)

Page 29 Error No. 38: Change 83 to 303

3. The references in AFHRL-TR-73-17 to the total number of categories of a given problem require the following changes:

Page 28 Limitations No. 3, change 700 to 2500

Page 29 Errors No. 26, 27 and 31, change 700 to 2500

4. There are numerous changes to the FORTRAN listing appearing in AFHRL-TR-73-17 which were necessary to implement AID-4 on the UNIVAC 1108. These changes do not affect the user and will

not be listed. Revised FORTRAN source program listings could be provided to qualified users upon justified request.

III. AID-4 RANDOM SELECTION PROCESS CORRECTION AND TECHNICAL DESCRIPTION

1. The program listing of AID-4 given in AFHRL-TR-73-17 has an error on line AID06480 (page 51 of AFHRL-TR-73-17). Line AID064480 reads

PRO1 = FLOAT(NSAB-NSEL)/FLOAT(NC-NIN+1).

The above statement should be changed to

PRO1 = FLOAT(NSAB-NSEL-NOUT)/FLOAT(NC-NIN+1).

2. The random selection process used in AID-4 when a user specifies IRUN = 2 or 3 (on the title card) employs the same concepts as the following "balls from an urn" analogy, where N , N_A , and N_B in the urn problem are analogous to

- N = number of cases in the original input file,
- N_A = number of cases requested by the user to be randomly selected for assignment to sample A, and
- N_B = number of cases requested by the user to be randomly selected for assignment to sample B

Select balls one at a time without replacement from an urn which initially contains N balls of which N_A are labeled A, N_B are labeled B and the remainder, if any, are unlabeled. If i balls have been selected where n_A were labeled A, n_B were labeled B, and $i \geq n_A + n_B$, then the probability that the next ball selected is labeled A or B is

$$p(A \text{ or } B) = \{N_A + N_B - (n_A + n_B)\} / \{N - i\}$$

The probability that the next ball selected is labeled A is

$$p(A) = \{N_A - n_A\} / \{N - i\}$$

AID-4 makes its assignments to sample A and sample B by generating a uniform random deviate r in the interval (0,1) and by applying it to the following logic sequence:

(a) Assign case to sample A if $r \leq p(A)$ and case does not contain out-of-range data; therefore, if the case is assigned to sample A, $n_A = n_A + 1$.

(b) Assign case to sample B if $p(A) < r \leq p(A \text{ or } B)$ and case does not contain out-of-range data; therefore, if the case is assigned to sample B, $n_B = n_B + 1$.

(c) Case is not assigned to a sample if $r > p(A \text{ or } B)$.

NOTE: If the case is not assigned to a sample because it contains out-of-range data, the following computation is performed to approximate the number of cases in sample A and sample B.

$$n_A = n_A + N_A / (N_A + N_B) \text{ and } n_B = n_B + N_B / (N_A + N_B)$$

IV. SUPPLEMENTAL INFORMATION FOR RUNNING AID-4 ON THE UNIVAC 1108

1. Runstreams for the UNIVAC 1108.

The following card sequence is required to use the AID-4 program as it is operational on the AFHRL UNIVAC 1108 computer. (Other computer systems will require different systems-runstreams.) The files involved in the run may be either tape or mass storage. The cataloging options (as required by tape or mass storage) will be supplied by the user.

Note: Several types of runs may be performed by AID-4 depending upon the value of "IRUN" in column 50 of the title/parameter card. These runs may be briefly described as follows:

IRUN=0 Use every case in the original input file for a normal AID-4 run; no forced splitting.

IRUN=1 Select a random sample A from the original input file, and use only the cases that belong to A for a normal AID-4 run.

IRUN=2 Select a random sample A and a random sample B from the original input file, and use only those cases that belong to A for a normal AID-4 run. Then force those cases that belong to B to make the same splits as taken by A; i.e., single cross-validation.

IRUN=3 Select a random sample A and a random sample B from the original input file, and use only the cases that belong to A for a normal AID-4 run. Then force those cases that belong to B to make the same splits as taken by A. Then use only those cases that belong to B for a normal AID-4 run, and force those cases that belong to A to make the same split as taken by B; i.e., double cross-validation.

IRUN=4 Given sample A and sample B (no random selection by the program), use only the cases that belong to A for a normal AID-4 run. Then force those cases that belong to B to make the same splits as taken by A; i.e., single cross-validation. Note that double cross-validation can be accomplished by submitting a second job with samples A and B switched.

1.1 IRUN=0, 1, 2, or 3.

Order Type

1. @RUN RUN-ID, Job, Section
2. @ASG, A DATA) Alternate data file if
3. @USE 10, DATA) data is not on cards
4. @ASG, T TEMP-1, ---) Scratch file
5. @USE 11, TEMP-1)
6. @ASG, T TEMP-2, ---) Scratch file
7. @USE 12, TEMP-2)
8. @ASG, T TEMP-3, ---) Sample A
9. @USE 13, TEMP-3) or total
10. @ASG, T TEMP-4, ---) Scratch file
11. @USE 14, TEMP-4)
12. @ASG, T TEMP-5, ---) TREE PLOT
13. @USE 15, TEMP-5) information
14. @ASG, T TEMP-6, ---) Sample B (2, 3) or
15. @USE 18, TEMP-6) Optional Residuals (0.1)
16. @XQT T*T.AID-4

17. Title (Parameters) Card
18. Data Format Card(s)
19. Description Card
20. Predictor Card(s): at least one per predictor
21. Criterion Card
22. Data (if on cards, otherwise on U10)
23. End-of-job Card
24. @FIN

1.2 IRUN=4.

Order Type

1. @RUN RUN-ID,Job,Section
2. @ASG,A SAMP-A) Sample A
3. @USE 10,SAMP-A) Data file
4. @ASG,1 TEMP-1,---) Scratch file
5. @USE 11,TEMP-1)
6. @ASG,T TEMP-2,---) Scratch file
7. @USE 12,TEMP-2)
8. @ASG,T TEMP-3,---) Scratch file
9. @USE 13,TEMP-3)
10. @ASG,T TEMP-4,---) Scratch file
11. @USE 14,TEMP-4)
12. @ASG,T TEMP-5,---) TREE PLOT
13. @USE 15,TEMP-5) information
14. @ASG,A SAMP-B) Sample B
15. @USE 18,SAMP-B) Data file
16. @XQT T*T.AID-4
17. Title (Parameters) Card
18. Data Format Card(s)
19. Description Card
20. Predictor Card(s) : at least one per predictor
21. Criterion Card
22. End-of-job Card
23. @FIN


2. File Flowcharts.

Note: All unmentioned files are "scratch" (temporary) files used in either "split" or "forced split."


2.1 IRUN=0 and IRUN=1.

IRUN=0 (Use all cases)


IRUN=1 (Select random sample A)




2.2 IRUN=2. (Single cross-validation)



2.3 IRUN=3. (Double cross-validation)



2.4 IRUN=4. (Single cross-validation given samples A and B)



REFERENCE

Koplyay, J.B., Gott, C.D., & Elton, J.H. *Automatic interaction detector-version 4 (AID)-4 reference manual*. AFHRL-TR-73-17, AD-773 803. Lackland AFB, TX: Personnel Research Division, Air Force Human Resources Laboratory, October 1973.

BIBLIOGRAPHY

Sonquist, J.A., & Morgan, J.N. *The detection of interaction effects.* Survey Research Center, Monograph No. 35, Institute for Social Research, University of Michigan, Ann Arbor, 1964.

UNIVAC Systems Reference Library. *UNIVAC 1100 series operating system programmer reference.* UP-4144 Rev. 3, Sperry Rand Corporation, 1974.

UNIVAC Systems Reference Library. *SPERRY-UNIVAC 1100 series FORTRAN V programmer reference.* UP-4060 Rev. 2, Sperry Rand Corporation, 1974.

☆ U.S. GOVERNMENT PRINTING OFFICE: 1977 - 771-057/47