

AD-A043 213


ARMY TRIMIS AGENCY WASHINGTON D C
PROCESS CONDITION-ACTION DIAGRAM FLOWCHARTS. OVERVIEW. HEALTH C--ETC(U)
DEC 76 K SCHANK
TRIMIS-ARMY-TR-1-1

F/G 6/5

UNCLASSIFIED

NL

1 OF 1
AD
A043213



TRIMIS-Army Technical Report 1-1

①


HEALTH CARE INFORMATION PROCESS

CONDITION-ACTION DIAGRAM
FLOWCHARTS

OVERVIEW

AD-A043213

US ARMY TRIMIS AGENCY
Walter Reed Army Medical Center
Washington, D.C. 20012



December 1976

Approved for Public Release - Distribution Unlimited

"The views of the author do not purport to reflect
the position of the Department of the Army or the
Department of Defense."

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER TRIMIS-ARMY-TR-1-1	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) HEALTH CARE INFORMATION PROCESS CONDITION-ACTION DIAGRAM FLOWCHARTS OVERVIEW		5. TYPE OF REPORT & PERIOD COVERED
7. AUTHOR(s) Karl Schank		6. PERFORMING ORG. REPORT NUMBER N/A
9. PERFORMING ORGANIZATION NAME AND ADDRESS USA TRIMIS Agency WRAMC Washington, DC 20012		8. CONTRACT OR GRANT NUMBER(s) N/A
11. CONTROLLING OFFICE NAME AND ADDRESS USA TRIMIS Agency (SGTR-DO) WRAMC Washington, DC 20012		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office) N/A		12. REPORT DATE December 1976
		13. NUMBER OF PAGES 36
		15. SECURITY CLASS. (of this report) UNCLASSIFIED
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE N/A
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release: distribution unlimited		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report) Same		
18. SUPPLEMENTARY NOTES N/A		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Flowchart, Condition-Action Diagram, Health Care, Information System, Ambulatory Care, Hospital		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) This report is a general overview of and introduction to the US Army Tri-Service Medical Information Systems Agency (TRIMIS-Army) effort to analyze and flowchart the manual information handling operations in military Medical Treatment Facilities (MTF). In particular, Walter Reed Army Medical Center (WRAMC), a large facility whose new hospital will have a capacity of 1,280 beds and approximately 200,000 outpatient visits per year, was chosen as the object of this effort. WRAMC was selected for analysis because, due to its		

ACCESSION for	
NTIS	White Section ☒
DDC	Buff Section ☐
UNANNOUNCED	☐
JUSTIFICATION	
BY	
DISTRIBUTION/AVAILABILITY CODES	
Dist.	AVAIL. and/or SPECIAL
A	

Block #20:

size, it includes a superset of the capabilities of most MTF's, and is also the chosen prototype site for TRIMIS integrated computerized systems to be installed in the future.

This introductory volume includes background material and overview of TRIMIS and the charting effort, introduction and interpretation guides to the charting methodology, as well as indexes to all the charted processes of each of the subsystems included in this series of reports.

13 MAY 1977

DASG-ISZ (13 Apr 77) 1st Ind
SUBJECT: Publication of Health Care Condition Action Flow-Charts


DA, OTSG, Washington, DC 20310

TO: Director, US Army Tri-Service Medical Information Systems Agency,
Walter Reed Army Medical Center, Washington, DC 20012

1. Approved.
2. Material submitted to DDC/NTIS will include a disclaimer in accord with Paragraph 4-3f, AR 360-5.
3. One copy of cleared material submitted for publication and distribution will be forwarded to DASG-ZXA.

FOR THE SURGEON GENERAL:

wd all incl


LEWIS H. HUGGINS
Colonel, MSC
Executive Officer

CONTENTS OF THIS VOLUME

	<u>Page</u>
Acknowledgements	ii
Subjects of Volumes on This Series	iii
Introduction	1
Overview of the TRIMIS Program	1
Overview of the Flowcharting Effort	1
Organization of the Flowcharts	3
Sample Diagram Interpretation Guide	3
Comparison to ANSI ADP Flowcharts	9
Sample Flowchart Diagram	11
Narrative Equivalent of Sample Chart	13
Commonly Used Abbreviations	15
References	18
Subsystem Volumes Tables of Contents	19
Index to Charted Processes	24

ACKNOWLEDGEMENTS

These flowcharts were developed by personnel of the US Army TRIMIS Agency (TRIMIS-Army) under the capable management of LTC James Wilburn, Director. Especial thanks are due to the personnel of Walter Reed Army Medical Center (WRAMC) without whose participation and patience neither the analysis upon which the charts are based nor their subsequent review would have been possible. Graphic production of the charts from pencil originals was done under contract by JANDS, Inc., Silver Spring, Maryland.

Additional gratitude is expressed to the following individuals who made signal contributions to the effort: Dr. James Levy who, as chief of the Development Office and the Modeling Effort, initiated the charting project; CPT Fred Bock, now with USARIEM, who developed the initial charting guidelines, and coordinated and monitored the graphic production of the charts themselves; and the secretaries of TRIMIS-Army, all of whom had a hand in the tedious job of typing these manuscripts.

To all: Your participation, help, and support is gratefully acknowledged.

--Karl Schank, Editor
7 December 1976

SUBJECTS OF VOLUMES IN THIS SERIES

<u>Subject</u>	<u>Report Number*:</u>
Overview and Introduction (This Volume)	-01
Wards (Inpatient Care) Subsystem Charts	-02
Clinics (Amubulatory Care) Subsystem Charts	-03
Patient Administration (PAD) Subsystem Charts	-04
Patient Appointments (PAS) Subsystem Charts	-05
Pharmacy Subsystem Charts	-06
Clinical Laboratory Subsystem Charts	-07
Radiology Subsystem Charts	-08
Food Service (FS) Subsystem Charts	-09
Hospital Logistics Subsystem Charts	-10

*"TRIMIS-Army TR 1" refers to the entire 10- Volume series; "TRIMIS-Army TR 1-nn", with appropriate "nn" as above, refers to a specific volume.

"The successful design of anything depends on two activities: *analysis* and *synthesis*. To construct a toothbrush, a chair, a health center building or a city, the designer must first analyze to the last detail the needs that are to be fulfilled by the object he is designing. Second, he must synthesize the fulfillment of these needs into the form that the object will take."

Robert A. Little and George F. Dalton*

*Little, R. A. and Dalton, G. F. "Designing the Community Health Foundation Center," in Yedidia, A. Planning and Implementation of the Community Health Foundation, Cleveland, Ohio. Washington DC: US Department of Health, Education and Welfare, 1968, p. 42.

INTRODUCTION

OVERVIEW OF THE TRIMIS PROGRAM

The Tri-Service Medical Information Systems (TRIMIS) program was formally created 11 July 1974 by the Department of Defense (DOD) Assistant Secretaries of Defense (Comptroller) and (Health and Environment) in order to consolidate previous service efforts and to "Improve the effectiveness and economy of health care delivery in the Army, Navy and Air Force." As this original tasking assignment stated, "TRIMIS will include development of automated information systems for timely patient-centered health data, supporting medical services, clinical research, epidemiological and health care information." This program is now managed and administered by the TRIMIS Program Office (TPO) of the Office of the Assistant Secretary of Defense (Health Affairs) which was created by DOD Directive 6000.5.

The concept of the TRIMIS system, as delineated on the 31 March 1976 TRIMIS ADP Development Plan includes various integrated health care systems projects which include stand-alone systems and a longer-range Integrated Hospital System (IHS) Project), direct health care support systems projects, and medical management information systems projects. The individual projects that are included in the first category include development and/or procurement of the following subsystems:

- o wards and clinics (hospital information system)
- o patient administration (PAD)
- o patient appointments (PAS)
- o pharmacy
- o clinical laboratory
- o radiology
- o food service
- o hospital logistics

OVERVIEW OF THE FLOWCHARTING EFFORT

Inherent in any development or acquisition project is an analysis of the existing situation, as synthesis cannot proceed except based on the foundation formed by analysis of needs. To this end, the US Army TRIMIS Agency (Army component of the TRIMIS program and field activity of the Army Office of the Surgeon General) conducted an analysis of Walter Reed Army Medical Center (WRAMC). WRAMC was chosen as the site to analyze because its size and complexity which make it a superset of the activities at most other Army Medical Treatment Facilities (MTF). Further, it has been chosen as the prototype implementation site for the TRIMIS integrated system. Additionally, the mission of the Army TRIMIS Agency (TRIMIS-Army) include implementing improvements in a manual mode preparatory to ADP implementations whenever feasible.

These flowcharts are a result of the analysis and improvement efforts of TRIMIS-Army at Walter Reed. They depict the existing, and in some cases planned, operations of the MTF in a manual or technology-independent mode. The use of ADP is not part of these charts, although portions of them may be amenable to ADP support. As it was believed that no similar charting effort had been undertaken elsewhere, it was desired to make these charts available in hopes that they may prove of use to others, perhaps as a model, an object of discussion to help initiate and crystalize thought, or as a foil or straw man for criticism. It is not expected or intended that these charts will be used or implemented directly either in a manual or an ADP mode: the specific details would not transfer unaltered to any specific MTF. They may, however, provide a base from which to build and to extract.

More specifically, the purpose of these flowcharts is to present in easily understandable graphic form the major processing, material, personnel, and information flow involved in the above mentioned TRIMIS-related systems of a military MTF.

ORGANIZATION OF FLOWCHARTS

Each subsystem is presented as a separate stand-alone volume for ease of use. In this manner, the bulk does not become so cumbersome and, more importantly, functional distinction is preserved so that a specialist may concern himself only with the volume dealing with his own speciality if he so desires.

Similarly, each subsystem volume was developed by functionally-specific subsystem teams composed of both functional professionals and systems analysts. Thus there is diversity in team backgrounds, in functional subsystem details that affect the nature of the charts, and in the baseline system which was charted. This diversity has created a heterogeneity among the various charts and necessitates each subsystem volume including a description of exact nuances and interpretations of the standard symbology and structure used therein.

In general, however, the flowcharts are of the "condition-action" variety rather than the more common ANSI-standard ADP flowcharts. It was recognized early in the effort that the procedure-oriented ANSI charts were not as appropriate here because of their finer resolution and greater bulk, and because they were developed primarily for showing procedural flow of control and are relatively poor and cumbersome for representing information, material, and personnel flow. In this variety of flowcharts, the basic units of description are action (of any variety, performed by any actor or agent), enabling conditions and information (of any variety or media). These charts are rather more functionally (and declaratively) oriented than the algorithm-oriented ANSI charts. For a better visualization of this, see the sample description of symbols below, and the example which follows.

SAMPLE DIAGRAM INTERPRETATION GUIDE

The following pages are the PAS Condition-Action Diagram Interpretation Guide and Examples. They are presented here both to clarify and explain this charting technique and to aid in interpretation of the sample flowchart which follows.

CONDITION-ACTION
DIAGRAM INTERPRETATION GUIDE


1. ACTION

When an action circle is encountered, the specified action, procedure, function, or process is to be performed as noted. An action is performed and never has a truth (true or false) value.




2. CONDITION

When a condition box is encountered, the specified condition is to be evaluated. If it holds true or succeeds, the following blocks on the diagram are to be executed. If the condition does not hold, then flow along this path of the diagram stops. The flow may, as appropriate, either be blocked permanently or may merely wait at the box pending the successful evaluation of the condition at some later time. A condition always has a truth (true or false) value.




3. FLOWLINES

Flow proceeds through the diagram along the flowlines. When a flowline splits into multiple lines, all the lines must be followed (perhaps at once). If only one is intended, condition boxes will be used to select the proper line. When flowlines join or reconsolidate into a single line, that line is to be followed regardless of the number of joining lines that were active. Thus, there is no waiting at a junction. Control, execution, or interpretation of the diagram is shown by solid flowlines. Data and information are usually assumed to accompany control; but, where necessary for clarity, it is shown by "dash" lines, regardless of media.



4. NOTE

Clarifying notes, comments, remarks, and other annotations, including references to additional documentation, are enclosed in "dash" note boxes and are connected to the annotated structure by "dash" lines.




5. STORAGE

A triangular storage block indicates storage of information or data regardless of the medium of storage. Thus, only "dash" data flow lines--not solid control lines--will connect to storage blocks.




6. DOCUMENT

A document symbol represents information or data, regardless of media. (It may or may not physically reside on a document). It is used only for clarity, as information such as that contained in the "document" is assumed to be always present along with the control flow. Like the storage symbol, only "dash" data lines may connect to a document symbol.




7. CONNECTOR

A connector circle specifies that the flow continues on another page. An out-connector contains a number (which is the sheet number at which the flow is continued) and a letter (which specifies which in-connector on that sheet is being referenced). The in-connector contains the matching number/letter code. Adjacent to the connectors is a notation as to the sheet and process to, or from, which the connectors refer.




8. PROCESS

A striped process circle indicates a process to be performed. It is analagous to a high-level or meta-action. The process referenced will be diagramed in its own set of condition-action flowcharts which are included in the same packet of flowcharts for reference. After the process is performed, flow resumes.




9. TERMINATOR

The oblong terminator symbol indicates that the current process or sub-process is complete. Normally, upon completion of a process, control returns to the process which invoked it and resumes where it left off in that process.




CONDITION-ACTION EXAMPLES


Perform Action A first,
then in sequence,
perform B.




If Condition P holds true,
then perform Action A. If
P does not hold, do not
perform A.




If both Condition P and
Condition Q hold true,
then perform A. If either
one does not hold, then
do not perform A.




Same function and same net
result as above, but
evaluated in a different
sequence.




If either Condition P or
Condition Q holds true
(or both), then perform A.
If neither holds true,
then do not perform A.




If Condition P holds true, then perform Action A, but not B. If P does not hold, then perform B, but not A. In any case, when done, perform C.




First perform Action C. Then, if Condition P holds true, perform Action A. If Condition Q holds true, then perform Action B. Note that both P and Q may hold, in which case both A and B will be performed.




First perform Action A, then (in all case) perform Action B. Additionally, if Condition P holds true, then perform Action C (perhaps at the same time as Action B).



Perform Action A, utilizing information contained on the document B which was retrieved from the File C.




First perform Action A. Then perform Process B, which is itself flow-charted elsewhere in this set of charts. After B is completed, return to here and perform Action C.



Comparison to ANSI* ADP Flowcharts

The following two flowchart segments are roughly equivalent. They are chosen for compatibility: Many charts have no easy translation.


Condition-Action:



*Standardized as:


ANSI X3.5-1970, adopted as FIPS PUB 24, and adopted by DOD.

ANSI:



SAMPLE FLOWCHART DIAGRAMS

The following page is a sheet extracted from the PAS condition-action diagram flowcharts, and is presented as an example of the charting techniques and of the processes charted.



PAS
CHECK-IN PROCESS
SHEET 1 OF 2 3 NOV 1975

ANNOTED NARRATIVE EQUIVALENT OF SAMPLE CHART

Patient Appointments Check-In Process

1. This chart applies and is invoked whenever either a patient arrives in an ambulatory clinic or when a patient's appointment time arrives (e.g., the patient didn't show up on time).

2. If the time for the appointment has arrived, the details of subsequent processing are contained on another sheet (PAS sheet 2) starting at connector 2B. If the patient has arrived, details follow on this sheet. Note that if both conditions occur simultaneously, it is in general intended that both paths of the chart be followed, as here. Sequence of the two paths is not important, and may be parallel. (If sequence were important, the paths would have been combined into a single new path, with one old section before the other.

3. When the patient arrives, the receptionist or clinic clerk will ask and determine his needs and his appointment status. (Earlier charts in the series specified that the agent or actor in this case and for this entire chart is the clerk/receptionist.) Five possibilities are considered here (as noted, this will vary from clinic to clinic):

- a. The patient has an appointment (as indicated by the asterisk, this is the most frequent or common case);
- b. The patient walked in without an appointment for an acute (as opposed to routine or preventive care) but non-emergency health problem;
- c. The patient walked-in for emergency care;
- d. The patient walked-in for routine or preventative care.
- e. The patient does not recall whether or not he has a previously-made appointment.

Note that the nature of these conditions is such that they are mutually exclusive--only one case can occur at a time--so unlike item 2 above, only one chosen path will be followed. Each case is discussed in more detail below (as noted, details vary from clinic to clinic):

4. If the patient has an appointment, then register the patient by performing the PAD Registration process. When registration is completed, continue the PAS check-in process on sheet 2 at connector 2A.

5. If the patient walked-in for care for an acute problem, then first make an appointment for him (by performing the PAS Appointment Process)

for the same day. (Note that this may avoid some waiting if he can do other things in the area and come back at the appointed time, it gives him a definite appointment time rather than a vague assurance that if he waits long enough he will be worked-in somehow so it improves patient morale and care provider (CP) utilization. It also requires that the clinic has reserved some appointment slots for such occurrences.) After the patient is given an appointment, he is registered, recorded as a "walk-in" (as opposed to pre-appointed) for patient appointment history and statistical purposes, and the processing continues at 2B. (Note that the "files" mentioned may be paper forms, card files, logs, etc. or ADP disk files. Media is not important. What is important is that this an appropriate point to record such information.)

6. If the patient walked-in for true emergency care, then he is treated first (by performing the Encounter processes detailed on the clinic charts). He also must be registered and then checked-in as a "walk-in". However, in this situation these processes are of lower priority than the encounter (treatment) processes and may be done either at a later time, or may be done at the same time as the encounter but by different people. The branches of the diagram going to two circles signify this--both encounter and registration must be done, but not sequentially.

7. If the patient walked-in for routine or preventative care, then (in the clinic shown) an appointment is made for him and that is all--the PAS check-in process is complete. The patient will later return for care at the appointed time and date.

8. If the patient does not recall whether or not he had made an appointment, then determine who he is (by performing the PTID process) and then look-up his appointment in an appointment file. As in item 5 above, the medium (card file, roster, slips, ADP disk, etc. and organization (by patient name, patient number, time and date, etc.) of the file is not important here. Once his appointment status is determined, (connector 1A), appropriate actions (items 4,5,7 above) will be taken.

SOME COMMON ABBREVIATIONS USED IN THE CHARTS

ADP	Automatic Data Processing (Computers)
AMEDD	US Army Medical Department
c	with
clin	clinic
clk	clerk
commo	communications
CP	Care Provider (physician, dentist, nurse, etc.)
curr	current
determ	determine
doc	document
DOD	US Department of Defense
Dx	Diagnosis
FS	Food Service or Food Service Subsystem
HSC	USA Health Services Command
Hx	History
incl	including
info	information
Lab	laboratory or laboratory subsystem
log	log, record, journal
Log	logistics or logistics subsystem
MDS	Material Distribution Service
med rec	medical record(s)
mgt	management or managerial

MITRC	Medical Inpatient Treatment Recording Card (Inpatient ID Card)
MR	Medical Record(s)
MSA	Medical Service Accounts
MTF	Medical Treatment Facility (hospital, etc.)
MTRC	Medical Treatment Record Card (out-patient ID card)
MW/C	Model Ward and Clinic
NU	Nursing Unit (ward)
OSD	Office of the Secretary of Defense
OTSG	Office of the Surgeon General of the Army
PAD	Patient Administration Subsystem (or Patient Administration Division)
PAS	Patient Appointment Subsystem
pblm	problem (patient's medical problem)
persnl	personnel
Pharm	pharmacy or pharmacy subsystem
pnt	patient
POC	Point of Contact
pri care	primary care
proc	process or procedure
prod	product or produce
pt	patient
PTID	Patient Identification
Rad	radiology or radiology subsystem
reg	registration

registr	registration
rept	report
sched	schedule
sel	selected
spec'd	specified
stat	statistical
STAT	immediately (latin: <u>statim</u>)
susp	suspense or suspense file
TPO	TRIMIS Program Office, OSD, Washington, D.C.
TRIMIS	Tri-Service Medical Information System. Refers to the system, the project/program, and the organization.
TRIMIS-Army	USA TRIMIS Agency, Washington, D.C.
Unit	Ward (nursing unit) or clinic
US	United States
USA	US Army
w/	with
W/C	Ward and Clinics Subsystems
WRAMC	Walter Reed Army Medical Center, Washington, DC

REFERENCES

"Tri-Service Medical Information System Program (TRIMIS) Tasking Assignment."
July, 11 1974. (superseded by DOD Directive 6000.5)

Tri-Service Medical Information Systems (TRIMIS) Program: Integrated
Health Care Delivery ADP System: Functional Description. 4 October 1974.

TRIMIS Technical Workbook. Release 35, 2/16/76.

Tri-Service Medical Information System (TRIMIS) ADP Development Plan (TADP).
31 March, 1976.

DOD Directive 6000.5, SUBJECT: Tri-Service Medical Information System (TRIMIS)
Program. June 11, 1976.

Note--Additional references specific to each subsystem are included in the
appropriate subsystem volume.

SUBSYSTEMS' TABLE OF CONTENTS

	Volume*-Page
<u>Wards (Inpatient Care) Subsystem</u>	2
Purpose	2-1
Background	2-1
Limitations	2-1
Objectives	2-2
Definitions of Abbreviations and Terms	2-3
Expected Benefits	2-9
Subsystem Interfaces	2-9
Amenability to ADP Support	2-9
Files, Records, and Forms	2-9
Specific Flowchart Commentary	2-10
Diagram Interpretation Guide	2-12
Flowcharts	2-17
Index to Ward Charts	2-44
<u>Clinics (Ambulatory Care) Subsystem</u>	3
Purpose	3-1
Background	3-1
Limitations	3-1
Objectives	3-2
Expected Benefits	3-2
Subsystem Interfaces	3-3
Amenability to ADP Support	3-3
Files Records, and Forms	3-4
Definitions of Abbreviations and Terms	3-8
Specific Flowchart Commentary	3-14
Diagram Interpretation Guide	3-18

* Refers to last two digits "nn" in publication number:
"TRIMIS-Army TR 1-nn"

	Volume-Page
Flowcharts	3-23
Index to Subsystem Charts	
<u>Patient Administration (PAD) Subsystem</u>	4
Purpose	4-1
Background	4-1
Limitations	4-2
Objectives	4-3
Overview	4-3
Expected Benefits	4-10
Interfaces	4-11
Subsystem Interfaces	4-13
Amenability to ADP Support	4-13
Diagram Interpretation Guide	4-14
PAD Subsystem Abbreviations	4-19
Flowcharts	4-24
Index to PAD Subsystem Charts	4-125
References	4-127
<u>Patient Appointments (PAS) Subsystem</u>	5
Purpose	5-4
Background	5-4
Limitations	5-5
Objectives	5-5
Overview	5-8
Expected Benefits	5-9
Subsystem Interfaces	5-9
Amenability to ADP Support	5-9

	Volume-Page
Diagram Interpretation Guide	5-10
PAS Subsystem Abbreviations	5-15
Overview Chart	5-18
Flowcharts	5-19
Summary Materials	5-45
Index to PAS Subsystem Charts	5-48
References	5-49
<u>Pharmacy Subsystem</u>	6
Purpose	6-1
Background	6-1
Limitations	6-1
Objectives	6-2
Overview	6-3
Expected Benefits	6-4
Subsystem Interfaces	6-4
Amenability to ADP Support	6-4
Pharmacy Subsystem Abbreviations	6-5
Diagram Interpretation Guide	6-7
Overview Chart	6-12
Flow Charts	6-13
Summary Materials	
Index to Pharmacy Subsystem Charts	
<u>Clinical Laboratory Subsystem</u>	7
Purpose	7-1
Background	7-1
Limitations	7-3

	Volume-Page
Objectives	7-3
Interfaces	7-3
Overview and General Description	7-5
Amenability to ADP Support	7-8
Lab Subsystem Abbreviations and Definitions of Terms	7-9
Diagram Interpretation Guide	7-12
Flowcharts	7-16
Index to Lab Subsystem Charts	7-65
<u>Radiology Subsystem</u>	8
Purpose	8-1
Background	8-1
Limitations	8-2
Objectives	8-3
Overview	8-4
Expected Benefits	8-4
System Interfaces	8-4
Amenability to ADP Support	8-5
Radiology Subsystem Abbreviations and Definitions	8-6
Diagram Interpretation Guide	8-9
Overview Chart	8-13
Flowcharts	8-14
Index to Radiology Subsystem Charts	8-41
<u>Food Service Subsystem</u>	9
Purpose	9-2
Background	9-2
Limitations	9-2
Objectives	9-2
Overview	9-3
Expected Benefits	9-4
Subsystem Interfaces	9-4

	Volume-Page
Amenability to ADP Support	9-14
Diagram Interpretation Guide	9-15
Overview Chart	9-20
Flowcharts	9-21
Index to Subsystem Charts	9-14 1
Food Service Abbreviations	9-14 3
References	9-14 6
<u>Hospital Logistics Subsystem</u>	10
Purpose	10-1
Background	10-1
Limitations	10-2
Objectives	10-2
Overview	10-3
Subsystem Interfaces	10-4
Diagram Interpretation Guide	10-5
Directory and Contents to Charts	10-11
Overview Chart	10-12
Flowcharts	10-13
Index to Logistics Subsystem Charts	10-95
Logistics Abbreviations	10-96

INDEX TO CHARTED PROCESSES

<u>Process</u>	<u>Subsystem</u>	<u>Volume*-Page</u>
Absent Sick	PAD	4-25
Accounting, Logistics Customer	Log	10-82
Accounts Receivable, Patient, MSA	PAD	4-44
Administrative Data Acquisition	PAD	4-98
Admission, Clinic	Clinic	3-49
Admission/Preadmission	PAD	4-36
Admission/Transfer-In	Ward	2-17
Ambulatory Care	(See outpatient; clinic)	
Appointed Patient Check	Clinic	3-26
Appointed Patient Record Pull List	Clinic	3-56
Appointment	(See also schedule)	
Appointment Cancellation, Patient	PAS	5-32
Appointment, Clinic	Clinic	3-27
Appointment, Dental Facility	Clinic	3-62
Appointment Initiation	PAS	5-19
Appointment Making	PAS	5-26
Appointment No-Shows	Clinic	3-55
Appointment, Radiology	Rad	8-18
Appointment From Waiting List	PAS	5-33

*"Volume" is last two digits "nn" of report number:
"TRIMIS-Army TR 1-nn"

<u>Process</u>	<u>Subsystem</u>	<u>Volume-Page</u>
Appointments: Add to Waiting List Suspense File	PAS	5-20
Appointment Overview	PAS	5-18
Baggage Room Check-In	PAD	4-111
Baggage Room Check-Out	PAD	4-112
Birth Reporting	PAD	4-77
Blood Bank: Donor Blood Processing	Lab	7-59
Blood Bank: Blood Product Inventory	Lab	7-55
Blood Donation	Lab	7-56
Blood Product Administration	Ward	2-42
Blood Product Request Processing	Lab	7-50
Cancellation, Appointment, Patient	PAS	5-32
Cancellation, Appointment Schedule, Care Provider	PAS	5-23
Care Provider/Clinic Scheduling	PAS	5-21
Care Provider/Clinic Schedule Modification	PAS	5-23
Care Provider Encounter	Clinic	3-29
Casualty	PAD	4-68
Change of Status	PAD	4-98
Check-In	(See also reception)	
Check-In	PAS	5-41
Check-In, Appointed Patient	Clinic	3-26
Chemistry Accessioning/Preprocessing	Lab	7-21
Chemistry Processing	Lab	7-24

<u>Process</u>	<u>Subsystem</u>	<u>Volume-Page</u>
Chemistry Quality Control	Lab	7-63
Chemistry Reporting	Lab	7-46
Chemistry, STAT Lab	Lab	7-32
Clinic	(See also out-patient; unit)	
Clinic Admission	Clinic	3-49
Clinical Support, Food Service	FS	9-21
Clinical Support, Inpatient, Food Service	FS	9-36
Clinical Support, Outpatient, Food Service	FS	9-31
Clinic Appointed--Patient Check	Clinic	3-26
Clinic Appointment	Clinic	3-27
Clinic/CP Schedule Modification	PAS	5-23
Clinic/CP Scheduling	PAS	5-21
Clinic Exit	Clinic	3-27
Clinic Exit	PAS	5-42
Clinic Patient Encounter	Clinic	3-22
Clinic Reception	Clinic	3-23
Clinic Review	Clinic	3-42
Clinic Triage	Clinic	3-48
Corresponding Section	PAD	4-78
Cytology	Lab	7-42
Data Base Maintenance, Central	FS	9-50
Data Base Maintenance Local	FS	9-63
Dental Facility Preappointment Activity	Clinic	3-62

<u>Process</u>	<u>Subsystem</u>	<u>Volume-Page</u>
Dental Facility Record Room	Clinic	3-66
Dental Prosthetics Laboratory	Clinic	3-65
Dental Radiology	Clinic	3-64
Dietetics	(see also Food Service)	
Dining Room Service	FS	9-132
Discharge, Equipment	Log	10-5
Disposition, Inpatient	PAD	4-96
Donor Blood Processing	Lab	7-59
Drug	(see also Pharmacy; Medication)	
Drug Information	Pharm	6-125
Eligibility Check	Clinic	3-33
Eligibility	PAD	4-104
Emergency Room Process, Radiology	Rad	8-38
Encounter, Care Provider	Clinic	3-29
Encounter, Patient	Clinic	3-22
Equipment Discharge	Log	10-55
Equipment, Log Tech Obtain	Log	10-50
Equipment Pool Activities	Log	10-81
Equipment Return	Log	10-53
Examination, Mobile Radiological	Rad	8-40
Examination, Radiological	Rad	8-22
Exit, Clinic	Clinic	3-37

<u>Process</u>	<u>Subsystem</u>	<u>Volume-Page</u>
Exit, Clinic	PAS	5-42
Exit, Radiology	Rad	8-25
Exit, Record	Clinic	3-39
Financial Management, Food Service	FS	9-78
Follow-Up	PAS	5-37
Follow-Up, Patient	Clinic	3-57
Food Production	(see Menu Item Preparation; Food Service)	
Food Service: Central Data Base Maintenance	FS	9-50
Food Service Clinical Support	FS	9-21
Food Service Financial Management	FS	9-78
Food Service: Inpatient Clinical Support	FS	9-36
Food Service Inventory Control	FS	9-97
Food Service: Local Data Base Maintenance	FS	9-63
Food Service: Outpatient Clinical Support	FS	9-31
Food Service Overview	FS	9-20
Food Service: Patient Tray Assembly	FS	9-122
Food Service Personnel Management	FS	9-81
Food Service Quality Control Management	FS	9-89
Hematology	Lab	7-30
Histology	Lab	7-49
Information	PAS	5-25
Information Desk, Inpatient	PAD	4-123
Information, Drug	Pharm	6-125

<u>Process</u>	<u>Subsystem</u>	<u>Volume-Page</u>
Initial Contact	PAS	5-19
Inpatient Care	Ward	2-22
Inpatient Clinical Support, Food Service	FS	9-36
Inpatient Disposition	PAD	4-96
Inpatient Pharmacy Cycle	Pharm	6-31
Inventory, Blood Product	Lab	7-55
Inventory, Cart	Log	10-69
Inventory Control, Food Service	FS	9-97
Inventory Control, Pharmacy	Pharm	6-63
Lab Reception	Lab	7-16
Lab: SMA Processing	Lab	7-45
Lab Ward Rounds	Lab	7-18
Line of Duty/Third Party Liability	PAD	4-75
Log Cart Delivery and Return	Log	10-14
Log Cart Inventory	Log	10-69
Log List Preparation	Log	10-84
Log Cart Restock	Log	10-72
Logistics: Customer Accounting	Log	10-82
Logistics: DDMAMP/MDS Posting	Log	10-61
Log Tech General Duties	Log	10-13
Log Tech Miscellaneous	Log	10-49
Log Tech Obtain Equipment	Log	10-50
Log Tech Oral Communication	Log	10-30
Log Tech Order	Log	10-31

<u>Process</u>	<u>Subsystem</u>	<u>Volume-Page</u>
Manufacture/Prepack	Pharm	6-103
Material Inflow Overview	Log	10-12
MDS/DDAMP Posting	Log	10-61
MDS Document Flow	Log	10-94
MDS General Duties	Log	10-68
MDS: Process Receiving Documents	Log	10-77
MDS Receipts	Log	10-75
MDS Response to Orders	Log	10-78
MEDEVAC-In	PAD	4-117
MEDEVAC-Out	PAD	4-53
Medical Evaluation Board Processing	PAD	4-100
Medical Record: Dental Facility Record Room	Clinic	3-66
Medical Record: Inpatient Record Creation	PAD	4-90
Medical Record: Inpatient Record Finalization	PAD	4-56
Medical Record: Outpatient Record Creation	PAD	4-87
Medical Record: Outpatient Record Finalization	Clinic	3-54
Medical Record: Record Exit	Clinic	3-39
Medical Record: Records Availability	Clinic	3-59
Medical Record: Outpatient Record Finalization	PAD	4-107
Medical Record: Pull List, Appointed Patients	Clinic	3-56
Medical Record: Record Retrieval	PAD	4-62
Medical Record: Record Storage	PAD	4-85
Medical Record: Record Transport	Clinic	3-61
Medical Record: Record Update	PAD	4-84

<u>Process</u>	<u>Subsystem</u>	<u>Volume-Page</u>
Medication	(see also Drug; Pharmacy)	
Medication Administration	Ward	2-40
Menu Item Preparation	FS	9-108
Menu Item Preparation Scheduling	FS	9-96
Microbiology	Lab	7-33
MSA Patient Accounts Receivable	PAD	4-44
Non-Patient Specific Supply Cycle	Pharm	6-56
No-Shows	Clinic	3-55
Nuclear Medicine	Rad	8-36
Nutrition	(see Food Service)	
Order	(see also Results; Review)	
Order	Ward	2-24
Order, Log Tech	Log	10-31
Order Review Radiology	Rad	8-21
Order Suspense Check	Clinic	3-58
Order, Written	Clinic	3-32
Ordered Items Receipt	Log	10-39
Orders, Supply, MDS Response	Log	10-78
Outpatient	(see also clinic)	
Outpatient Clinical Support, Food Service	FS	9-31
Outpatient Laboratory	Lab	7-22
Outpatient Pharmacy Cycle	Pharm	6-8
Overview, Food Service	FS	9-20

<u>Process</u>	<u>Subsystem</u>	<u>Volume-Page</u>
Overview, Material Inflow	Log	10-12
Overview, PAS Appointments	PAS	5-18
Overview, Pharmacy	Pharm	6-12
Overview, Radiology	Rad	8-13
PAS Appointments Overview	PAS PAS	5-35 5-18
Patient Encounter	Clinic	3-22
Patient Follow-Up	Clinic	3-57
Patient Identification (PTID)	PAS	5-39
Patient-Initiated Appointment Cancellation	PAS	5-32
Patient Tray Assembly	FS	9-122
Patient Trust Fund	PAD	4-28
Personnel Management Food Service	FS	9-87
Pharmacy	(see also Drug; Medication)	
Pharmacy Inventory Control	Pharm	6-63
Pharmacy: Inpatient Cycle	Pharm	6-31
Pharmacy: Manufacture/Prepack	Pharm	6-103
Pharmacy: Non-Patient Specific Supply Cycle	Pharm	6-56
Pharmacy: Outpatient Cycle	Pharm	6-8
Pharmacy Overviewed	Pharm	6-12
Pharmacy Quality Control	Pharm	6-12
Pre/Admission	PAD	4-36
Prepack/Manufacture	Pharm	6-103
Quality Control Chemistry Lab	Lab	7-63

<u>Process</u>	<u>Subsystem</u>	<u>Volume-Page</u>
Quality Control, Food Service	FS	9-89
Quality Control, Logistics	Log	10-59
Quality Control, Pharmacy	Pharm	6-112
Radiation Therapy	Rad	8-32
Radiological Examination	Rad	8-22
Radiological Examination, Mobile	Rad	8-40
Radiological Special Procedures	Rad	8-39
Radiology Appointment	Rad	8-18
Radiology Cast Rooms/Surgery Support	Rad	8-35
Radiology, Dental	Clinic	3-64
Radiology: Emergency Room Process	Rad	8-38
Radiology Exit	Rad	8-25
Radiology Image Assembly	Rad	8-26
Radiology Image Management	Rad	8-28
Radiology Order Review	Rad	8-21
Radiology Overview	Rad	8-13
Radiology Reception	Rad	8-14
Radiology Results Reporting	Rad	8-27
Radiology Schedule	Rad	8-20
Receipt of Ordered Items	Log	10-39
Receipt, Status	Log	10-44
Receipts, MDS	Log	10-75
Receiving Documents Processing, Logistics	Log	10-77
Reception	(see also check-in; information)	

<u>Process</u>	<u>Subsystem</u>	<u>Volume-Page</u>
Reception, Clinic	Clinic	3-23
Reception, Lab	Lab	7-16
Reception, Radiology	Rad	8-14
Record	(see also Medical Record)	
Record Room, Dental Facility	Clinic	3-66
Registration	Clinic	3-34
Registration	PAD	4-92
Registration, Partial	PAS	5-35
Reporting, Lab, Chemistry	Lab	7-63
Reports	(see also order; result)	
Restock	(see also supply)	
Restock Computation	Log	10-70
Restock Log Cart	Log	10-72
Restock Supply Cabinet	Log	10-20
Result	(see also Order; Review)	
Result Return and Review	Ward	2-37
Results Reporting, Radiology	Rad	8-27
Review, Results	(see also Results; order)	
Review, Clinic	Clinic	3-42
Review, Result	Ward	2-37
Schedule	(see also appointment)	

<u>Process</u>	<u>Subsystem</u>	<u>Volume-Page</u>
Schedule Modification	PAS	5-23
Schedule, Radiology	Rad	8-20
Scheduling, Clinic/CP	PAS	5-21
Scheduling, Menu Item Preparation	FS	9-96
SMA Processing	Lab	7-45
STAT Lab Chemistry	Lab	7-32
Status Receipt	Log	10-44
Supplies Turn-In	Log	10-47
Supply	(see also restock)	
Supply Cabinet Restock	Log	10-20
Supply Cycle, Non-Patient Specific	Pharm	6-56
Suspense Check, Order	Clinic	3-58
Suspense File, Add	PAS	5-20
Suspense File Appointment	PAS	5-33
Third Party Liability/Line of Duty	PAD	4-75
Transfer-In Admission	Ward	2-17
Triage, Clinic	Clinic	3-48
Turn-In Supplies	Log	10-47
Urinalysis	Lab	7-27
Unit	(see also clinic; ward)	
Unit Supply Cycle, Pharmacy	Pharm	6-56
Waiting List	(see Suspense)	
Want Slips	Log	10-29

<u>Process</u>	<u>Subsystem</u>	<u>Volume-Page</u>
Ward	(see also Inpatient; Nursing Unit; Unit)	
Ward Rounds, Lab	Lab	7-18
Written Order	Clinic	3-32
X-Ray	(see Radiology)	