AD-A044 173 AIR FORCE INST OF TECH WRIGHT-PATTERSON AFB OHIO SCHO--ETC F/G 5/1
A METHOD FOR AUGMENTING THE ADVANCED CONFIGURATION MANAGEMENT S--ETC(U)
JUN 77 G F BOSWELL, T E DISTELHORST

UNCLASSIFIED AFIT-LSSR-23-77A NL

1 OF 2
AD
A044 173


1.0
1.1
1.25
1.4
1.6
1.8
2.0
2.2
2.5
2.8
3.2
3.6
4.0
4.5
5.0
5.6
6.3
MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS-1963-A

AD A044173

DDC
RECEIVED
SEP 16 1977
A

UNITED STATES AIR FORCE

AIR UNIVERSITY

AIR FORCE INSTITUTE OF TECHNOLOGY

Wright-Patterson Air Force Base, Ohio

AD No.
DDC FILE COPY

DISTRIBUTION STATEMENT A
Approved for public release;
Distribution Unlimited

3

A METHOD FOR AUGMENTING THE ADVANCED CONFIGURATION MANAGEMENT SYSTEM FOR NATIONS OPERATING F-4 AIRCRAFT UNDER THE UNITED STATES INTERNATIONAL LOGISTICS PROGRAM

Gordon F. Boswell, Capt, USAF
Thomas E. Distelhorst, Capt, USAF

LSSR 23-77A

DDC
RECEIVED
SEP 16 1977
A

DISTRIBUTION STATEMENT A
Approved for public release;
Distribution Unlimited

The contents of the document are technically accurate, and no sensitive items, detrimental ideas, or deliterious information are contained therein. Furthermore, the views expressed in the document are those of the author and do not necessarily reflect the views of the School of Systems and Logistics, the Air University, the United States Air Force, or the Department of Defense.

USAF SCN 75-20B AFIT Control Number LSSR 23-77A

AFIT RESEARCH ASSESSMENT

The purpose of this questionnaire is to determine the potential for current and future applications of AFIT thesis research. Please return completed questionnaires to: AFIT/SLGR (Thesis Feedback), Wright-Patterson AFB, Ohio 45433.

1. Did this research contribute to a current Air Force project?

   a. Yes b. No

2. Do you believe this research topic is significant enough that it would have been researched (or contracted) by your organization or another agency if AFIT had not researched it?

   a. Yes b. No

3. The benefits of AFIT research can often be expressed by the equivalent value that your agency received by virtue of AFIT performing the research. Can you estimate what this research would have cost if it had been accomplished under contract or if it had been done in-house in terms of man-power and/or dollars?

   a. Man-years _____ $ _____ (Contract).

   b. Man-years _____ $ _____ (In-house).

4. Often it is not possible to attach equivalent dollar values to research, although the results of the research may, in fact, be important. Whether or not you were able to establish an equivalent value for this research (3 above), what is your estimate of its significance?

   a. Highly Significant b. Significant c. Slightly Significant d. Of No Significance

5. Comments:



Name and Grade Position

Organization Location

OFFICIAL BUSINESS
PENALTY FOR PRIVATE USE, $300

AFIT/LSGR (Lt Col Barndt)
Wright-Patterson AFB, OH 45433

AU FORM 6
JUL 74

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE	READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER: LSSR 23-77A	2. GOVT ACCESSION NO. / 3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle): A METHOD FOR AUGMENTING THE ADVANCED CONFIGURATION MANAGEMENT SYSTEM FOR NATIONS OPERATING F-4 AIRCRAFT UNDER THE UNTED STATES INTERNATIONAL LOGISTICS PROGRAM	5. TYPE OF REPORT & PERIOD COVERED: MASTER'S THESIS
	6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s): Gordon F. Boswell, Captain, USAF Thomas E. Distelhorst, Captain, USAF	8. CONTRACT OR GRANT NUMBER(s)
9. PERFORMING ORGANIZATION NAME AND ADDRESS: Graduate Education Division School of Systems and Logistics Air Force Institute of Technology, WPAFB, OH	10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS
11. CONTROLLING OFFICE NAME AND ADDRESS: Department of Research and Administrative Management (LSGR) AFIT/SLGR, WPAFB, OH 45433	12. REPORT DATE: June 1977 / 13. NUMBER OF PAGES: 112
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)	15. SECURITY CLASS. (of this report): UNCLASSIFIED 15a. DECLASSIFICATION/DOWNGRADING SCHEDULE

16. DISTRIBUTION STATEMENT (of this Report)

Approved for public release; distribution unlimited.

17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)

18. SUPPLEMENTARY NOTES

APPROVED FOR PUBLIC RELEASE AFR 190-17

JERRAL F. GUESS, CAPT, USAF
Director of Information

19. KEY WORDS (Continue on reverse side if necessary and identify by block number)

CONFIGURATION MANAGEMENT
INTERNATIONAL LOGISTICS PROGRAM
TECHNICAL COORDINATION GROUP
F-4
CONFIGURATION ACCOUNTING

20. ABSTRACT (Continue on reverse side if necessary and identify by block number)

Thesis Chairman: Daniel E. Reynolds, GS-12, USAF

Over

DD FORM 1 JAN 73 1473 EDITION OF 1 NOV 65 IS OBSOLETE

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

The F-4 Technical Coordination Group (TCG) at the Ogden Air Logistics Center has the responsibility for configuration accounting of F-4s sold abroad under the International Logistics Program. The TCG uses a combination of the U. S. Air Force Advanced Configuration Management System and a manual record-keeping system. The manual system has had to be used extensively due to peculiarities of foreign nations' configuration accounting needs. These manual methods have been very time consuming for the TCG. This research developed a computer model to take the place of the manual system methods. The computer model was found to be a faster method of accomplishing TCG configuration accounting tasks while performing at an equivalent level of accuracy.

(14) AFIT - LSSR-23-77A

(6)

A METHOD FOR AUGMENTING THE ADVANCED CONFIGURATION MANAGEMENT SYSTEM FOR NATIONS OPERATING F-4 AIRCRAFT UNDER THE UNITED STATES INTERNATIONAL LOGISTICS PROGRAM.

(9) Master's

A Thesis,

Presented to the Faculty of the School of Systems and Logistics

of the Air Force Institute of Technology

Air University

In Partial Fulfillment of the Requirements for the

Degree of Master of Science in Logistics Management

(10) By

Gordon F. Boswell, B.Ed.
Captain, USAF

Thomas E. Distelhorst, BS
Captain, USAF

(11) June 1977

(12) 126 p.

Approved for public release;
distribution unlimited

1473

012 250

1B

This thesis, written by

Captain Gordon F. Boswell

and

Captain Thomas E. Distelhorst

has been accepted by the undersigned on behalf of the faculty of the School of Systems and Logistics in partial fulfillment of the requirements for the degree of

MASTER OF SCIENCE IN LOGISTICS MANAGEMENT

DATE: 15 June 1977



COMMITTEE CHAIRMAN

ACKNOWLEDGMENTS

We wish to express our sincere appreciation to our advisor, Mr. Daniel E. Reynolds, Assistant Professor of Logistics Management, School of Systems and Logistics, Air Force Institute of Technology for his guidance and understanding throughout this effort. We are also indebted to Captain Drew Oltyan of the Ogden Air Logistics Center for his cooperation in gathering data and coordination efforts with the F-4 Technical Coordination Group. We owe a great measure of thanks to Airman First Class Reginald B. Bonds, School of Systems and Logistics, for his assistance in writing the computer programs for this research. We must acknowledge Mrs. Deanna Thompson, whose typing efforts were instrumental in completing this thesis. Last, but not least, we are grateful to our families, whose support and understanding contributed so much to our effort.

TABLE OF CONTENTS

Page

ACKNOWLEDGMENTS iii

LIST OF FIGURES vii

Chapter

I. INTRODUCTION 1

STATEMENT OF THE PROBLEM 1

JUSTIFICATION FOR THE RESEARCH 2

TCG Configuration Management Function 2

Advanced Configuration Management System (ACMS) 4

TCG Configuration Accounting Problems 6

TCG Manual System 8

Capabilities of a Computerized System 11

RESEARCH OBJECTIVES 12

RESEARCH QUESTIONS 12

ASSUMPTIONS 13

II. METHODOLOGY FOR MODEL DEVELOPMENT AND TEST DESIGN 15

INTRODUCTION 15

MODEL DEFINITION 15

Inputs 15

Process 16

Output 16

Chapter Page

METHOD OF DEVELOPING THE MODEL 18

User Discussions 18

Expert Opinion 18

METHOD OF TESTING THE MODEL 18

Design for Testing 19

Criteria Test 19

Statistical Test 20

SUMMARY 23

III. PROGRAM DEVELOPMENT AND VERIFICATION 24

INTRODUCTION 24

TCG DISCUSSION 24

Model Requirements 24

Output Requirements 25

Input Sources 25

AFIT/AD DISCUSSIONS 26

FILE DESCRIPTION 27

SEARCH TECHNIQUE 30

PROGRAM PROCESS 34

Introduction 34

PARTSRCH and MODSRCH Program Process 35

File and Output Examples 38

VERIFICATION 42

Chapter Page

IV. VALIDATION AND TESTING 44

INTRODUCTION 44

VALIDATION 44

TESTING 45

Introduction 45

Configuration Accounting Tasks 45

Data Sources for Testing 46

Results of Testing 49

V. CONCLUSIONS AND RECOMMENDATIONS 54

APPENDICES

A. GLOSSARY OF TERMS 57

B. FLOW CHARTS AND PROGRAMS 60

C. INSTRUCTIONS FOR USE OF THE COMPUTER MODEL 78

SELECTED BIBLIOGRAPHY

A. REFERENCES CITED 110

B. RELATED SOURCES 112

LIST OF FIGURES

Figure		Page
1-1	ACMS System Flow	6
1-2	TCG Data Input Flow	9
1-3	Data Search Flow (Initiated By Proposing Source)	10
2-1	Format For Time Comparison	20
3-1	Master File Format	28
3-2	Part File Format	28
3-3	Modification File Format	29
3-4	ILP ACMS File System	31
3-5	Binary Search Technique	32
3-6	Linear Search Technique	34
3-7	System Flow Diagram For Part or Modification Searches	36
3-8	System Flow Diagram For Listing Files	37
3-9	Example Part File	38
3-10	Example Modification File	39
3-11	Example Master File For Parts	40
3-12	Example Master File For Modifications	41
3-13	PARTSRCH Program Output	41
3-14	MODSRCH Program Output	42
4-1	Example of Changed File	47

Figure		Page
4-2	ANOVA Results With Single Part/Modification Search	49
4-3	ANOVA Results With Multiple Searches, High-Speed Printer	51
4-4	ANOVA Results With Multiple Searches, Slow-Speed Printer	52
C-1	FORTRAN Coding Form	92

CHAPTER I

INTRODUCTION

STATEMENT OF THE PROBLEM

Presently, there are more than 700 F-4 aircraft owned and operated by foreign nations (13:1). These aircraft were purchased through both the U. S. International Logistics Program (ILP) and the Military Assistant Program (MAP). The level of logistics support, particularly maintenance, needed to keep these aircraft operational has increased as they have aged (13:1).

In July 1972, the Air Staff directed development of a program that would provide manager services for the foreign F-4 users. On 1 July 1976, an F-4 Technical Coordination Group (TCG) was established at the Ogden Air Logistics Center (OO/ALC) to provide a broad range of logistics services, including configuration management, for ILP nations (15:1; 16). To aid in providing these services, the TCG used portions of the U. S. Air Force (USAF) Advanced Configuration Management System (ACMS).

Although the ACMS provides satisfactory configuration management for U. S. Air Force requirements, it is not wholly adequate for monitoring and tracking the configuration of foreign F-4 aircraft. Due to differences between

ILP nations' requirements and U. S. Air Force requirements, a manual records system must be used at the Ogden ALC to augment the ACMS (14:2;16). As a consequence, in the process of accurately managing F-4 aircraft configuration, a great deal of time is spent manually indexing, searching, and listing files. The TCG desires a faster, more efficient system (16).

JUSTIFICATION FOR THE RESEARCH

This section develops the need for the research. It discusses the configuration management function of the TCG, the role of the ACMS, the TCG's configuration accounting problems, the present method of dealing with these problems, and the case for an alternate method. Objectives of the research, the questions that the research was designed to answer, and assumptions concerning the research are presented.

TCG Configuration Management Function

When the TCG was formed, one of its objectives was to monitor the various configurations of F-4 aircraft belonging to the countries using its technical coordination services (13:2). The present countries that have purchased F-4s under the International Logistics Program (ILP) and that also use the configuration monitoring function of the TCG are: Spain, Greece, Iran, Israel, Turkey, and South Korea

(13:Atch.2; 16). These are referred to in the research as the ILP nations.

The TCG is involved with these nations in three areas of configuration management (12:1):

(1) Identification or establishing the description of the baseline aircraft by technical specifications or drawings (12:2),

(2) Configuration control, the process of maintaining the established baseline identification and regulating all changes to that baseline (12:2),

(3) Configuration accounting, the bookkeeping process of recording the status of all changes to the baseline configuration. Configuration accounting gives users of weapons systems a current configuration listing (12:2).

The TCG employs a set of methods to manage F-4 configurations. For identification, the TCG maintains copies of the detailed specifications and Government Furnished Equipment Lists (GFEL) for each model of F-4 that a country has purchased (16). This gives the TCG a record of the initial configuration. Each country accomplishes its own configuration control, or regulation of changes, by either a manual file system or a computerized system. The TCG monitors these configuration changes by maintaining constant communication with the McDonnell-Douglas Corporation (the

prime F-4 contractor), other contractors, and ILP countries using the TCG services. Currently these are: Spain, Greece, Iran, Israel, Turkey, and South Korea. This communication consists of notification letters, telephone conversations, and personal visits (16). The TCG must record changes so that a current listing of the parts and subsystems, and modifications to them, of each country's model series of aircraft is available.

This research was concerned with the process the TCG uses for configuration accounting when it is notified of a change to a country's configuration of F-4s. Currently, the TCG accomplishes configuration accounting by combined use of the ACMS and manually recorded files (16). The following discussion deals with the ACMS and why it does not fully meet the TCG's configuration accounting needs.

Advanced Configuration Management System (ACMS)

The ACMS is used by the USAF to account for the configuration status of certain equipment (12:1). The F-4 is one of the items it is used for. The ACMS is designed around automatic data processing equipment. The data system for the F-4 aircraft (referred to as the DO57G data system) contains a master file of tables and indexes containing identification and applicability of all F-4 Time Compliance Technical Orders (TCTO's). The master files for the F-4

contain 529,627 records which are maintained and continually updated by the F-4 System Manager Office. Twenty-eight different reports from this data system are used to determine F-4 configuration, the TCTO's or modifications accomplished or outstanding on individual aircraft, and the TCTO status or related manhours used for any given organizational level within the U. S. F-4 Force. These reports are also used to program depot repair efforts (12:1).

While there are twenty-eight F-4 reports used by the F-4 System Manager Office, only four are applicable for TCG configuration accounting use (16):

(1) DO57G 951A, Class IV Modification Summary Report. This is a quarterly summary of mission-essential modifications for each model F-4 (16),

(2) DO57G 901B, ACMS Selected Article Configuration Status Report. This quarterly report gives the current TCTO status and modification history of F-4 aircraft by serial number and base (16),

(3) DO57G 801E, ACMS TCTO Master Record Report. This is a quarterly report showing complete information on all approved and current TCTO modifications (16),

(4) DO57G 801F, ACMS TCTO Permanent History Record Report. This is a quarterly record of all accomplished TCTO s on individual aircraft (16).



Figure 1-1. ACMS System Flow

The TCG uses these ACMS reports to monitor USAF-approved modifications (TCTOs) that individual countries have adopted (16). The ACMS covers only USAF-approved modifications, however, and situations exist that are not covered by the ACMS (16).

TCG Configuration Accounting Problems

One situation occurs when the original baseline configuration of an ILP nation's F-4 differs from a U. S. baseline aircraft. Almost every ILP nations' F-4 configurations have some differences from USAF F-4 configurations, requiring that different detailed specification books be kept by the TCG (14:2; 16). A second case occurs when a proposed modification (which can result from USAF findings, non-contractor industrial proposals, etc.) is disapproved by the USAF Configuration Control Board for USAF adoption. A foreign nation could be offered the same modification from

an industrial source and accept it. The ACMS would not carry a record of such modification (16). A third situation occurs when a foreign country retrofits its aircraft with a foreign-made subsystem not contained in USAF aircraft (16). Due to these situations, the TCG is concerned with monitoring parts and modifications beyond the scope of the ACMS.

When a modification is proposed by some industrial source that could affect foreign aircraft, the responsible technician frequently queries the TCG to find how many aircraft would be affected. Also, when a modification is adopted by the USAF or proposed by an industrial source, the TCG needs to know how many aircraft in which countries could possibly be affected (16).

There are three reasons why the TCG performs configuration accounting in this manner. First, many countries use USAF technical data as a basis for their own technical publications and need to be appraised of changes, particularly for safety reasons. Second, sale of modifications to other nations helps the U. S. balance of payments and helps amortize contractor costs among a larger market, decreasing USAF costs. Third, certain modifications may affect mission capabilities, a factor the USAF needs to be aware of for planning allied operations or defense (16).

TCG Manual System

To accomplish configuration accounting for the ILP countries, the TCG has used a manual system of filing and retrieving information. This system is used to track non-USAF modification status and to assess the number of a given part possessed by a country. When a non-USAF-approved modification is reported adopted by a particular nation, a record of the modification and proposed (and later, actual) completion date is filed, including nations and individual aircraft serial numbers affected. To accurately assess configuration status of particular nations' aircraft at a later date, these files must be searched and counted (16). This process is shown in Figure 1-2. When a modification to a subsystem is proposed, the proposing service (depot, private industry, etc.) may request TCG assistance. A thorough search of the detailed specification books for each aircraft model in each country must be made by the TCG to determine how many aircraft in what country might be affected. The files of subsequent modifications must also be searched to discover which aircraft have been changed from the original specifications. A subsequent report is made to the proposing service (16). This process is shown in Figure 1-3. Both tasks may often take from eight to twenty-four manhours for the TCG staff to accomplish (16).



Figure 1-2. TCG Data Input Flow



Figure 1-3. Data Search Flow (Initiated By Proposing Source)

Each foreign nation accomplishes its own configuration accounting as well. Though there exists some computer capability within the ILP nations, many have a completely manual system for recording and accounting for status of modifications (16). In order for the USAF to monitor allied configuration status and provide a full range of technical services to foreign military sales customers, the TCG performs its own configuration accounting tasks and must utilize this manual system (2:1).

Capabilities of a Computerized System

The TCG desired a faster method of accomplishing configuration accounting tasks. A computerized system seemed capable of doing this. The speed and memory of a computer permit achievement of greater efficiency in systems through more rapid calculations and sorting ability (11:17-18; 8:42).

The task of the TCG appeared analagous to the accounting and inventory problems that have been successfully computerized by many organizations. The USAF ACMS is just such a case, allowing rapid assessment of operational readiness and the ability to assess the scope and cost of modifications (16;17).

The TCG currently saves time by using this system for researching USAF-approved modifications (16). Extending the capabilities of the computer to the tasks of researching

non-USAF-approved modifications and researching applicability of proposed modifications could further enhance the TCG's efficiency. A computerized method of speeding up the sorting and recording of information was therefore considered worthy of development and testing.

RESEARCH OBJECTIVES

At the outset of the research, three objectives relating to developing and testing a computerized model of the present manual system were set forth:

1. Develop a computer model that will provide the information necessary for the TCG to accurately accomplish selected representative configuration accounting tasks.

2. Develop the model so it can be expanded to include the entire range of parts and modifications that the TCG monitors.

3. Test the model to determine if the representative tasks are performed more rapidly than with the present manual system.

RESEARCH QUESTIONS

The following questions followed from the research objectives. The questions were posed in this manner.

1. What elements of input and output are necessary to develop a computer model for configuration management support of the ILP?

2. What technique should be used for programming the model?

3. What model is most appropriate?

4. Is the model valid?

5. What would be required to expand the model?

6. Does the model perform tasks faster than the present manual system?

ASSUMPTIONS

Certain assumptions were made at the beginning of the research in order to define the problem and were used in answering the research questions and objectives:

1. The research was confined to the configuration accounting function of the TCG. It was assumed that identification and configuration control are exercised by the individual country with adequate communication between the country, TCG, and the contractor.

2. It was assumed the data collection procedure of the TCG would not be changed. This would have required a procedural change outside the scope of this research.

3. The interpretation of the work of the TCG was assumed to remain the same.

4. It was assumed that the model proposed would not be considered developed until it was capable of producing information the TCG required at an equivalent (or higher) level of accuracy than the present system.

5. It was assumed that due to the computer capability between the Air Force Institute of Technology and Ogden ALC, the cost of implementation of a successful model would be minimal.

6. Time was assumed to be the major item of comparison of efficiency between a successful computer model and the present manual system.

Once research objectives were clarified, research questions developed, and the necessary assumptions made, methods for accomplishing the objectives had to be developed. These are outlined in Chapter II.

CHAPTER II

METHODOLOGY FOR MODEL DEVELOPMENT AND TEST DESIGN

INTRODUCTION

Due to the nature of the objectives, the research consisted of two phases. First, a computer model had to be developed that would provide proper information to the TCG and that would be responsive to operational data. Second, the computer model had to be tested against the manual system. This chapter will explain what the model consisted of, the proposed method of model development, and the type of testing determined appropriate.

MODEL DEFINITION

The name, ILP Advanced Configuration Management System (ACMS), was given to the computer model devised to replace the manual system. The ILP ACMS would consist of inputs, a process, and outputs. Once this model was developed, tested, and accepted by the TCG, it could be expanded into a fully operational system to replace the manual system.

Inputs

The input for the ILP ACMS was to consist of data collected by the TCG for ILP nations F-4 configurations.

The data used to develop inputs would be obtained from: (1) TCG files and records of ILP countries and aircraft, (2) current ACMS listing of applicable USAF-approved modifications, (3) codes developed by the USAF for parts and subsystems, (4) codes developed by the TCG for non-USAF-approved modifications, (5) TCG records of previous tasks, (6) detailed specifications for various models of F-4 aircraft, and (7) opinions of TCG personnel. These inputs were all to be considered for application in developing the model for accomplishing the configuration accounting tasks of the manual system.

Process

A process was to be developed to insure the proper information for a particular configuration accounting task was gleaned from the input data. Computer programs were to be written that would search the files of input data, find the necessary information, and present it as output. One program would concentrate specifically on searching for a given part, counting the amount, and give any remarks stored in the files. A second program would perform the same functions for modifications.

Output

Useful output was determined to be an essential element of the ILP ACMS. Research has shown that many information

systems fail because they have an overabundance of irrelevent information (1:179). The emphasis on generating, storing, and retrieving all possible data may lead to the manager getting many things he does not need. The real emphasis should be on filtering and condensation (1:179-180). Also, models should concentrate on outputting the information that directly affects decision making (1:80; 3:199).

The output was to consist of the information necessary for the TCG to perform the tasks of configuration accounting. The concept of what this output should be was slightly different for each program. The program researching parts would print out a number by country and model of the parts in inventory and remarks such as nomenclature or sources. The program researching modifications was to identify the countries and models that the modification applied to, note the completion status for the model group as a whole, and list remarks applicable to that modification. Both sets of output, as well as a computer list of any file, would be structured for a time-sharing teletypewriter.

TCG personnel were to be able to ask for a part or modification to be researched and receive a rapid answer in an easy to read format. Plans were made for confirming proper output with the TCG, refining the input data, and developing the computer programs.

METHOD OF DEVELOPING THE MODEL

User Discussions

Discussions with TCG personnel were scheduled to determine specific output requirements and input methods. The main purpose of the discussions was to identify the necessary information for TCG use and develop a format for presenting it. These discussions would also aid in defining proper output, input sources, and the means to be used in building the initial files. After ILP ACMS development, later discussions would assess the usefulness of the model.

Expert Opinion

To determine an appropriate files structure and computer technique for the process, the expertise of personnel in the Air Force Institute of Technology Academic Development and Support Division (AFIT/AD) was to be solicited. These discussions were to lead to the design of the various files and programs which would make up the ILP ACMS.

METHOD OF TESTING THE MODEL

The third research objective set forth in Chapter I stated that the ILP ACMS, when developed, was to be tested against the manual system. This section discusses the

design of this test, the criteria for success, and explains the statistical test that was applied.

Design for Testing

The testing was designed to compare completion times for the two different systems (manual and computer) required to accomplish different problems the TCG was faced with. Discussion with the TCG had established that these could be grouped into three tasks (16).

These tasks consisted of (1) changing and reprinting parts lists for each country and model of aircraft, (2) given a particular part code, researching information about it, and (3) given a particular modification, researching its status. These are shown in Figure 2-1 as Task 1 (list changes), Task 2 (part search), and Task 3 (modification search).

Since the times had been recorded for manual solution to the different problems, it was possible for the TCG to compute average times for each type of task. The ILP ACMS would be designed to accomplish the same types of tasks, and a sample of these times was to be used to compute an average time for each task.

Criteria Test

Since development of the ILP ACMS inherently assumed a level of accuracy equivalent to the manual system, and

since the cost to the TCG of development was not assumed to be significant, a reduction in time was used as a criteria for success for the ILP ACMS. A twenty-five percent reduction in time would be the criteria for the comparison.

Statistical Test

In addition to the criteria test, a test of statistical significance between times for the manual system and the ILP ACMS was also possible. The particular design of the comparison made an analysis of variance (ANOVA) test possible between the performance of the manual system and computer model for the three different tasks. Performance was to be based on average time for each to complete the different task categories.

To illustrate this, the results of the time comparisons were to be displayed in this manner:

	Task 1 (list changes)	Task 2 (part search)	Task 3 (mod. search)
Manual System (A)	Avg. Time (A1)	Avg. Time (A2)	Avg. Time (A3)
Computer Model (B)	Avg. Time (B1)	Avg. Time (B2)	Avg. Time (B3)

Figure 2-1. Format For Time Comparison

ANOVA is a powerful statistical method. It can provide the basis for determining if several means differ significantly (6:456,476). In this design the means would be the

means of the three average times for each row; A1, A2, and A3 for the manual system, and B1, B2, and B3 for the ILP ACMS.

The analysis of variance between the means for row A and row B was to be accomplished by computing the mean square effect of rows (MSR) by the following formula (6:461):

$$MSR = \frac{\sum_i \sum_j n(\bar{x}_{i.} - Z)^2}{r - 1}$$

where $i = 1, 2$ (or row A and row B)

$j = 1, 2, 3$ (or column 1, 2, and 3)

$n = 3$ (number of columns)

$r = 2$ (number of rows)

$$\bar{x}_{i.} = \frac{A1 + A2 + A3}{3} \text{ for } i = 1$$

$$\frac{B1 + B2 + B3}{3} \text{ for } i = 2$$

$$Z = \frac{A1 + A2 + A3 + B1 + B2 + B3}{6}$$

The variation within the values in the comparison figure are the mean square errors (MSE) and would be computed by the following formula (6:462):

$$MSE = \frac{\sum_i \sum_j (x_{ij} - \bar{x}_{i.})^2}{r(n - 1)}$$

where i, j, r, and n are as defined above and

x_{ij} = A1, A2, A3 for i = 1 and j = 1, 2, 3

B1, B2, B3 for i = 2 and j = 1, 2, 3

$$\bar{x}_{1.} = \frac{A1 + A2 + A3}{3} \text{ for } i = 1$$

$$\frac{B1 + B2 + B3}{3} \text{ for } i = 2$$

The ratio of MSR to MSE is an F statistic and can be compared to a critical F value contained in standard mathematical tables (6:461-465).

Depending upon the risk level (of being wrong) the F statistic can be compared to the critical F value. The null hypothesis in this type testing is that the row means are the same, and the test is a one-tailed F-test. If the F statistic is greater than the critical F value, the null hypothesis may be rejected, and the row means are considered significantly different from each other (at the given risk level). If the F statistic is not greater than the critical value, the null hypothesis may not be rejected (6:461-465).

Assumptions for using the ANOVA technique were that (1) each average time was independent for each category (column) and system (row), (2) the populations of categories and systems were normal with a constant variance (6:458;16), and (3) the times recorded by the TCG were

accurate. The significance of time differences were to be judged at a ten percent level of risk of error (6:463-468). The critical F value for this was 4.54 (6:847). The test of statistical significance was to be made to add emphasis to the outcome of the criteria test.

SUMMARY

This chapter has identified the elements of the ILP ACMS, the computer model that was proposed as an alternative to the TCG's manual system. The methods proposed for developing this model were presented. The criteria test (for a twenty-five percent reduction in time) and the statistical test (ANOVA, with a ten percent risk factor) were described. The next two chapters will report on how the ILP ACMS was actually developed and the results of the comparison tests, respectively.

CHAPTER III

PROGRAM DEVELOPMENT AND VERIFICATION

INTRODUCTION

This chapter traces the definition of the output information and input data and the development of the computer programs that were written to provide the output for the ILP ACMS. The discussions held with the user (TCG) and programming experts are summarized. The process portion of the ILP ACMS and the verification of the programs making up that process are explained.

TCG DISCUSSIONS

Model Requirements

Discussion with TCG personnel confirmed the requirements for accomplishing configuration accounting tasks. Given a particular part code, a need existed to quickly determine which country possessed it and in what quantity. In addition, the TCG wanted to be able to quickly list the parts belonging to a particular country's model aircraft. Similar requirements existed for modifications (USAF-approved and others). Given a particular modification, the TCG had to know which country was installing it

and what the completion status was. A requirement also existed for updating numbers of parts, modifications, and aircraft as conditions changed with time (16).

Output Requirements

To accomplish these requirements, the TCG determined that the following elements of information were necessary: (1) a listing of which countries, and which models within that country, possessed a given part or subassembly, (2) a listing of parts and subsystems for a country's configuration by model (for example, the parts on Israel's F-4Es), (3) a listing of modifications applicable to each country's aircraft models, (4) a listing of modification acceptance or rejection by country, and (5) a listing of modification completion dates (13). These items were the output goals of the ILP ACMS. The input sources necessary to achieve this output were then clarified.

Input Sources

The input data which was available to the TCG and applied to the desired output, included: (1) codes for parts and subsystems, (2) codes for modifications, (3) numbers of different aircraft model for each country, (4) completion dates for modifications, and (5) records of countries acceptance or rejection of USAF modifications. This data was obtained from TCG records and current ACMS listings.

AFIT/AD DISCUSSIONS

Discussions with Air Force Institute of Technology Academic Development and Support (AFIT/AD) personnel were held concerning selection of a computer language for the ILP ACMS. Both FORTRAN and COBOL were discussed as appropriate languages for rapid sorting of alpha-numeric data (19).

FORTRAN was selected for three reasons. First, FORTRAN was compatible with the time-sharing[1] capability of the Air Force Logistics Command CREATE computer system. This system and its remote time-sharing terminals were accessible by both the researchers and TCG personnel. Second, COBOL was not compatible with the CREATE time-sharing feature. COBOL could only be used in batch processing[2], which required too much delay for TCG purposes. Finally, the researchers were more familiar

---

[1]Time sharing is the concurrent use of a single computer system by many users, each of which has an input/output device and can access the same computer at the same time. The computer gives each user a small but frequently repeated slice of time, so that each user gets almost immediate response (7:16).

[2]In batch processing data to be processed is accumulated over a period of time. The accumulated batch is processed periodically. This method is very efficient, but its use means that there is always a processing delay (7:16).

with the FORTRAN language taught at the AFIT School of Systems and Logistics.

After FORTRAN was selected as the language, the method of filing data in the computer was also discussed with AFIT/AD personnel. The TCG required approximately 500 parts and 200 modifications to be tracked for each of approximately 700 aircraft (16). Since one master file containing all this information could possibly exceed available core space limitations for a single file within the computer, another discussion with the TCG was held (19). This discussion revealed that it was not necessary to track parts and modifications for individual aircraft, but by country and model (16). Therefore, a system of smaller interrelated files was developed by the researchers.

FILE DESCRIPTION

Once a general concept of what the files structure should be was determined, specific fields in each record of the files had to be identified. Files with similar formats were created for both parts and modifications.

It was envisioned that the master files would contain three fields: line number, file name, and number of aircraft possessed as portrayed in Figure 3-1. The master files would be accessed by the main programs (to be discussed later) to determine the order that sub-files

should be searched and to determine the total possessed aircraft. The numbers of possessed aircraft were obtained from the ACMS Configuration Index Report (DO57G901A).

Line Number Field		File Name Field		No. of Aircraft Possessed Field

Figure 3-1. Master File Format

The parts file consisted of the part numbers and accompanying description and remarks for each country by model. Part numbers were obtained from Government Furnished Equipment List Item Numbers. Figure 3-2 shows the three fields which make up the parts files. When a part was to be searched or a list of parts possessed by a country/model was desired, these files would be used.

Line Number Field		Part Number Field		Remarks Field

Figure 3-2. Part File Format

The modification files consisted of modifications pertaining to each country's models. Data concerning numbers of each modification completed or notice of rejection by the country for the modification was also a part of the file. Additionally, a section of the file was reserved for remarks concerning the modifications. This data was constructed from TCG files for non-USAF modifications and ACMS Selected Article Configuration Status Reports (DO576901B) and ACMS TCTO Permanent History Record Reports (DO57G801F). The resultant format and the envisioned fields are shown in Figure 3-3. As with parts, when a modification was to be searched or a list of modifications by model/country was desired, these files would be searched.

Line Number Field	Modification Number Field	Modification Completed Field	Remarks Field

Figure 3-3. Modification File Format

In describing this computer file system, an analogy may be made to a metal filing cabinet drawer as shown in

Figure 3-4. The master file for parts (using parts as an example) is on the front of the drawer. This master file is an index of the files within the drawer. Each file in the drawer pertains to a country's model of aircraft (such as ISR-F4E for Israel's F-4Es) and contains a list of parts and remarks for that model. The master file on the front of the drawer lists the number of aircraft of each country's model. When a search through the drawer for a particular part is made, whenever the part is located on one file, a counter is increased by the number of airplanes listed on the master file. Then the next file is searched for the part until all files in the drawer have been searched. For a list of parts for any country or model, those lists are simply pulled from the drawer. A second similar file drawer exists for modifications. Changes are made by updating the master file for numbers of aircraft and the individual files for new parts or modifications.

SEARCH TECHNIQUE

Once the files were conceptualized, a search technique to obtain the desired output was necessary. Two alternatives were considered. A linear search technique that examined each line of each file sequentially was one alternative. The second was a binary search technique.



Figure 3-4. ILP ACMS File System

The binary search technique can be compared to a person searching for a word in a dictionary. Knowing that the entries in the dictionary are sorted alphabetically, the book may be opened at random and the first entry encountered compared with the word being sought. If that particular entry found comes after the word sought in alphabetical sequence, the person would turn some pages to the left. Or, if the entry precedes the word sought in alphabetical sequence, the person would turn to the right. This procedure is performed repeatedly until the desired word is located (5:160). This technique requires all entries in the file to be in a sequential order. Figure 3-5 demonstrates how this would be done for a file list. Item number 160 is used as an example.



Figure 3-5. Binary Search Technique

In Step 1, the first value in the list is identified and in Step 2 the last value is identified. Step 3 looks

at the middle value and compares it to the value being sought. In this case, the middle value, item number 160, was the value being sought. If this middle value was equal to the value being sought, it would become the first or last value for the next comparison, depending if it was greater or less than the value sought. Thus, a list is halved, then halved again until the value being sought is isolated or found not to be in the file. This is a fast way to search very large amounts of sequential data.

While this is a very rapid search technique, it requires that the files always be sorted according to a pre-selected precedence after each new entry. This becomes a disadvantage when contents of the table change frequently because a new sort is required with each change (5:163). In the case of the TCG, frequent changes are made to the files. Also, the coding system for parts or modifications currently used is not compatible with any particular precedence sequence (16).

The other technique considered, a linear search, simply examines each entry on a file in whatever order the entries are listed. Each entry is compared to the value being sought until that value is discovered. No further comparisons are made for that list (4). This technique is displayed in Figure 3-6. The value sought here is item number 140.



(Steps continue until desired item number is found.)

Figure 3-6. Linear Search Technique

This technique, though slower than the binary search, does not require any complex sorting routines. The search itself is also easier to program.

Because the amount of data in each file (approximately 500 items for part files and 200 items for modification files) is not particularly large, the time used in a linear search is still short. Since the technique was easier to program, and did not require any changes to the present coding system, it was used in the ILP ACMS.

PROGRAM PROCESS

Introduction

This section describes the structure and function of the ILP ACMS computer programs. Examples of files, master files, and program output are shown. The programs, program flow charts, and instructions for their use are found in Appendices B and C, respectively.

PARTSRCH and MODSRCH Program Process

Two programs were written with the aid of AFIT/AD personnel. The program designated PARTSRCH (see Figure 3-7 for system flow) looks for a particular part by searching the files developed for each country and aircraft model combination. If the part is found, it increases a counter value by the number contained on the master part (named MASTER.P) file. It then searches the next country and model file in order of the listing on the master file. The master file consists of a list of the country/model files and the number of each model aircraft a country owns. The program prints the number of the part as well as any remarks contained in the country/model files. If a country buys more of one model or loses aircraft through accidents or combat loss, the number on the master file can be changed.

The program that searches for a given modification was called MODSRCH (see Figure 3-7 for system flow) and works in a similar fashion. The modification files for a country and model are searched and when a given modification is found, the number completed (also on the file) is noted and divided by the total number of aircraft for the country and model listed on the master (MASTER.P) file. The percent of aircraft with the modification complete, as well



Figure 3-7. System Flow Diagram For Part Or Modification Searches



Figure 3-8. System Flow Diagram For Listing Files

as the actual number complete is part of the printout. Information concerning completion dates and acceptance or rejection is contained in a remarks portion of the country and model files, and is printed out with the numerical information about the modification.

The only difference between the master files for parts and for modifications is that the list of part files for a country and model has a different designation than the modification files. Whenever a country gains or loses aircraft, the numbers on both master files need to be changed.

File and Output Examples

Examples of the part and modification files, master files, and output of the programs described above are presented in this section. A system flow diagram for listing the part and modification files is shown in Figure 3-8. These files are explained below.

An abbreviated example of a part file developed for Israel's F-4Es is shown in Figure 3-9.

```
*LIST PISRF4E.

00010   101      J79-GE-17B ENGINE (LOW SMOKE)
00020   201
00030   201-01
00040   201-02
*
```

Figure 3-9. Example Part File

LIST is a computer command to list the file information. PISRF4E. is the name of the file. The first column of numbers are the line numbers of the file, the second column contains the part codes which is followed by a space for remarks.

Figure 3-10 shows a modification file. As with the part files, the file name follows the LIST command. The file name here is MGREF4E. Following the line numbers, in the first column, are the modification codes. The third column reflects the number of modifications complete and is followed by a space for remarks. These remarks may include information concerning modification acceptance or rejection and significant dates.

```
*LIST MGREF4E.

00010   1F-4E-1313     00030 MOD TO EJECTION SEAT, BOUGHT 4/4/74
00020   1F-4E-1314     00015 MOD TO NOSE GEAR, BOUGHT 4/6/74
00030   1F-4E-517      00000 CANOPY SEAL, REJECTION LTR, 2/2/75
00040   1F-4E-2001     00010 APN/78 RADAR
```

Figure 3-10. Example Modification File

The space provided for part numbers (six characters) and modification numbers (twelve characters) was determined ample by the TCG representative (16). These spaces can be expanded if necessary, though at the expense of the remarks section. The file names are limited to eight characters.

Within these space limitations, the TCG is able to assign any file names, part codes, or modification codes desired. The file names used for this research consisted of a P or M as the first character, to distinguish a part file from a modification file. A three-character designation (such as ISR for Israel, TUR for Turkey, etc.) identifies the country. The last four spaces identify the model of aircraft (RF4E, F4E, etc.)[3].

Abbreviated lists of the master files for parts (MASTER.P) and modifications (MASTER.M) are shown below. These files contain the counting values (number of aircraft owned) and identify the sequence in which PARTSRCH and MODSRCH search the files.

```
*LIST MASTER.P

00010  PISRF4E.;  134
00020  PISRRF4E;   10
00030  PGREF4E.;   37
00040  PTURF4E.;   40
```

Figure 3-11. Example Master File For Parts

---

[3]Within the CREATE system, file names are limited to eight spaces. Any blank space is treated as a break in the file name. To avoid blank spaces, periods (.) are used as fillers for those file names using less than eight spaces.

```
*LIST MASTER.M

00010  MISRF4E.;  134
00020  MISRRF4E;   10
00030  MGREF4E.;   37
00040  MTURF4E.;   40
```

Figure 3-12. Example Master File For Modifications

After the programs search the files, the output is generated. An example of the PARTSRCH program output is displayed in Figure 3-13. When a part number is typed into the computer, output consists of the file name (corresponding to the country and model), the number of the parts possessed, and any remarks previously stored in the file.

```
ENTER THE PART NUMBER (NO ENTRY TERMINATES PROGRAM)
=101
PISRF4E.  HAS   134 OF PART NUMBER 101
REMARKS - J79-GE-17B ENGINE (LOW SMOKE)

PISRRF4E  HAS    10 OF PART NUMBER 101
REMARKS - J79-GE-17B ENGINE (LOW SMOKE)

PGREF4E.  HAS    37 OF PART NUMBER 101
REMARKS - J79-GE-17A ENGINE

PTURF4E.  HAS    41 OF PART NUMBER 101
REMARKS - J79-GE-17A ENGINE

THERE ARE 222 OF REQUESTED PART NO. 101
```

Figure 3-13. PARTSRCH Program Output

An example of the MODSRCH program output is displayed in Figure 3-14. When a modification code is typed into

the program, the file (or country and model) that has that modification listed is identified. The output also contains the number of aircraft modified and what the completion percentage is. Room is also provided to list remarks concerning the modification.

```
ENTER THE MODIFICATION NUMBER
(NO ENTRY TERMINATES PROGRAM)
=1F-4E-1313

MISRF4E.  HAS   23 OF   134 MOD.  1F-4E-1313 DONE FOR 17%
REMARKS - MOD TO EJECTION SEAT

MISRRF4E  HAS    6 OF    10 MOD.  1F-4E-1313 DONE FOR 60%
REMARKS - EJECTION SEAT MOD, BOUGHT 4/5/74

MGREF4E.  HAS   30 OF    37 MOD.  1F-4E-1313 DONE FOR 81%
REMARKS - MOD TO EJECTION SEAT, BOUGHT 4/4/74

MTURF4E.  HAS   20 OF    40 MOD.  1F-4E-1313 DONE FOR 50%
REMARKS - EJECTION SEAT MOD, BOUGHT 6/5/74

THERE ARE  79  OF MODIFICATION NUMBER 1F-4E-1313
COMPLETED AND TOTAL PERCENTAGE IS  35%.
```

Figure 3-14. MODSRCH Program Output

VERIFICATION

In designing a computer model, verification is an important step. This may be defined as insuring that the model behaves as the designer intends (18:210). The intent of this model was to produce output that actually contained the information requested by the TCG.

In writing the programs to produce this output, programming errors were sometimes made that caused erroneous output. Correcting these errors, or "debugging" the programs, resulted in output being consistent with what the model should have produced when presented with a known set of input data. To insure this consistency, parts and modifications were identified in the files along with pertinent numbers possessed and remarks. Thus, the proper output was predetermined. The programs were run for these parts and modifications and program output were checked against the predetermined output. When these outputs were the same, the model was considered verified. Once the model was verified it was necessary to determine its validity and to test its value to the TCG. These two areas are addressed in the next chapter.

CHAPTER IV

VALIDATION AND TESTING

INTRODUCTION

Once the ILP ACMS was developed and verified it was then necessary to determine its validity. It was also necessary to test the ILP ACMS to determine if it was significantly faster than the manual system. This chapter addresses both the validation and testing of the ILP ACMS.

VALIDATION

Validity is a test of the agreement between the behavior of a model and that of the real situation (18:210). If the ILP ACMS could produce the same results as the manual system in an operational situation it would be of value to the TCG.

During the development phase of the ILP ACMS, operational data received from the TCG was entered into the part and modification files. During this phase, TCG personnel visited the AFIT School of Systems and Logistics and observed the operation of the computer model. TCG personnel confirmed that the ILP ACMS output was comparable to that achieved by the manual system, and accomplished

TCG tasks considerably faster. Additionally, TCG personnel confirmed that the ILP ACMS was accurate and flexible and would meet the needs of the TCG (16). The ILP ACMS was, therefore, considered valid.

TESTING

Introduction

The analysis of variance (ANOVA) design described in Chapter II was used to test for a significant difference in speed between the ILP ACMS and the manual system. The configuration accounting tasks used for the test, determination of times for these tasks, and test results are addressed next.

Configuration Accounting Tasks

Discussion with the TCG had revealed three major tasks which the manual system of configuration accounting was used to solve. The first task consisted of making changes to the list of parts used by a particular country's models of aircraft (16). If a country, such as Israel, bought a number of parts for its F-4Es, the TCG's listings had to be changed in pen and ink, retyped, and copied. Too few changes made at once created a heavy labor burden. Valuable TCG time was required to search the files, make the necessary changes, and re-file the listings. Past

TCG records indicated the average number of changes made at a given time was twenty-eight (16).

The second task involved researching lists of parts and detailed specifications for each country to determine what countries and models of aircraft used a given part or subsystem. Due to the numerous parts lists and lengthy detailed specifications to be searched this task required considerable time. The average length of time required to search a single part was approximately three hours (16).

The third task involved determining what countries and models had a particular modification and finding the most current status of that modification, including when it was obtained by the country or rejected for use. This task was especially difficult when using the manual system because all modification offers, acceptance or rejections, and current status of modifications required written correspondence. Therefore, all correspondence within a country's record files had to be searched. Approximately thirty minutes were required by the TCG to search a modification (16).

Data Sources for Testing

Once these tasks were identified, it was necessary to establish times to perform them with the manual system and the ILP ACMS. Average times to accomplish each type

of task were supplied by the TCG. Times for the computer model to accomplish each type of task were obtained by changing and listing files, executing the PARTSRCH program and the MODSRCH program, respectively.

The method of accomplishing the first task for the ILP ACMS was to change twenty-eight lines within a file and let the computer print the list. Twenty-eight lines were changed to correspond with the average number used with the manual system. An example of a changed part file is shown below:

Before:			After:		
Line No.	Part No.	Remark	Line No.	Part No.	Remark
10	101	N/A	10	101	N/A
20	102	N/A	20	102-A	N/A
30	103-10	N/A	30	103-11	N/A
40	104	N/A	40	104-15A	N/A

Figure 4-1. Example of Changed File

Line numbers 20, 30, and 40 were changed and the computer listing reflects this.

Eight different files were changed and the time taken by the computer system was nearly the same in all cases. Since the researchers typed the changes themselves and by no means could be considered fast typists, the time for this category could be considered a worst case. The only

other limiting factor was the speed of the line printer. In printing the list a teletypewriter, Model 35, similar to that available to the TCG, was used. The time for the TCG's manual system averaged twenty manhours (16). The average time for this type of task using the time-sharing computer terminal was twenty-five minutes. These times are shown in Figures 4-2, 4-3, and 4-4 for Task 1, changes.

The second task, searching part numbers, was accomplished for the computer system by calling up the program PARTSRCH and running it for a random part number. This procedure was accomplished twenty times, using a different part each time. These twenty separate runs revealed an average time of two minutes for the program to come "on line" or obtain sufficient core space; an average of less than one second to conduct the actual search; and an average of one minute to print the information. The total was three minutes. The average time for the manual system has been two hours per part number (16). These figures are shown in Figures 4-2, 4-3, and 4-4 for Task 2, part search.

The third task, searching modifications, was accomplished for the computer system by calling up the program MODSRCH and running it for a random modification number. Again, this procedure was accomplished twenty separate

times, using a different modification number each time. The average time per trial after twenty trials was three minutes. "On line", search, and print times were the same as for PARTSRCH. The average time for the manual system was thirty minutes (16). These times are shown in Figures 4-2, 4-3, and 4-4 for Task 3, modification search.

Results of Testing

Figure 4-2 shows the average time in minutes for each task obtained using the manual system and the ILP ACMS. Task 1 represents changing twenty-eight lines in a file. Tasks 2 and 3 represent average times to search for a single part number and a single modification number. The ANOVA results are also shown.

	Task 1 (28 changes)	Task 2 (Part Search)	Task 3 (Mod. Search)
Manual System	1200	120	30
ILP ACMS	23	3	3

(Time in minutes)

Mean Square Row (MSR) = 289960.165

Mean Square Error (MSE) = 212030.666

F statistic = MSR/MSE = 1.3675

F critical value (10 percent error) = 4.54

Figure 4-2. ANOVA Results With Single Part/Modification Search

The times for the computer system met the pre-specified criteria of at least a twenty-five percent reduction in time. The ANOVA results were not, however, significant at the ten percent level of risk. The F statistic for row differences, 1.3675, was less than the critical F value for the ten percent risk level, 4.54 (4:847).

When the number of parts and modifications to be researched was increased to ten, the results became significant. This was because of the linear nature of the time and task relationship of the manual system. For instance, it took 120 minutes to search a single part number with the manual system. It took 1200 minutes (or ten times 120) to search for ten parts. This same relationship was true with modifications. Searching for ten parts and modifications at once was a very realistic set of tasks for the TCG (16).

The average time to access either the PARTSRCH or MODSRCH program (or get it "on line") was two minutes. Once these programs were accessed, this two-minute period was no longer a factor if subsequent parts or modifications were searched. Using an Anderson-Jacobson AF832 high-speed printer, the time to print output for ten parts or modifications was eleven minutes for each task. The two minutes required to get each program "on line" resulted

in total times for each task of thirteen minutes. The time comparisons and ANOVA results using ten parts and modifications are shown in Figure 4-3.

	Task 1 (28 changes)	Task 2 (Part Search (10 parts)	Task 3 (Mod. Search) (10 mods.)
Manual System	1200	120	30
ILP ACMS	25	13	13

(Time in minutes)

MSR = 1169533.5

MSE = 135024.0

F statistic = MSR/MSE = 8.67

Critical F value (10 percent error) = 4.54

Critical F value (5 percent error) = 7.71

Figure 4-3. ANOVA Results With Multiple Searches, High-Speed Printer

This result was statistically significant at the five percent level of error. The speed of the printer appeared an important factor. When the same multiple searches for parts and modifications were accomplished using the teletypewriter, Model 35, (the slower speed printer available to the TCG) the times were as shown in Figure 4-4.

	Task 1 (28 changes)	Task 2 (Part Search) (10 parts)	Task 3 (Mod. Search) (10 mods.)
Manual System	1200	1200	300
ILP ACMS	25	20	20

(Time in minutes)

MSR = 1157204.16

MSE = 135004.17

F statistic = MSR/MSE = 8.57

Critical F value (10 percent error) = 4.54

Critical F value (5 percent error) = 7.71

Figure 4-4. ANOVA Results With Multiple Searches, Slow-Speed Printer

Even with the slower speed printer, the results were again statistically significant at the five percent level of risk.

Comparing the times for the manual system and the ILP ACMS for Task 1, 28 changes to a file listing; Task 2, searching a single part; and Task 3, searching a single modification, the criteria test of a twenty-five percent reduction for each task was met. The differences in times were not, however, statistically significant at the ten percent risk level. However, when Tasks 2 and 3 were expanded to search ten parts and modifications along

with Task 1, 28 changes, the results were statistically significant not only at the ten percent risk level, but also at the five percent risk level, regardless of whether a high or low speed printer was used. Based on these results, several conclusions and recommendations were arrived at and are presented in Chapter V.

CHAPTER V

CONCLUSIONS AND RECOMMENDATIONS

The ILP ACMS is capable of performing representative TCG configuration accounting tasks more rapidly than with the present manual system. This is evidenced by the meeting of the criteria test of a twenty-five percent reduction in time and the statistically significant time differences, at the five percent risk level, demonstrated for multiple part and modification searches. TCG personnel have witnessed operation of the ILP ACMS and have confirmed its capability of outputting information the TCG requires (16). In addition to performing TCG configuration accounting tasks more rapidly and as desired by the TCG, the ILP ACMS also has the advantage of providing reports at any time. The USAF ACMS reports are only available quarterly. In this respect, the ILP ACMS allows the TCG to be more responsive and flexible in performing its functions.

The ILP ACMS demonstrated it could be expanded to include a large number of parts and modifications. Once an early prototype of the ILP ACMS was capable of processing a small number (10) of parts and modifications, the files were expanded (approximately 500 parts and 200 modifications).

The computer programs which make up the ILP ACMS were written with access capability. To implement the ILP ACMS, the TCG need only obtain user identification, password, and a job identification number to utilize the Air Force Logistics Command CREATE computer system. At the TCG's request, the most current data was not utilized in building part and modification files, since the most current listing is not yet available. Instructions for building data files may be found in Appendix C. Use of these programs once the desired information is put into the data files is freely available to the TCG and has been shown to be capable of saving valuable time.

Based on the findings in this research several areas merit further consideration in the future. These areas might include the following:

1. As the TCG further expands the scope of the ILP ACMS a standardized coding system for parts and non-U.S. modifications would be desireable. Presently, both an item number and a computer code are used to identify parts within the Government Furnished Equipment List and the detailed specifications. Neither item number nor computer code was developed by the TCG and as a result they do not meet their needs.

2. The responsiveness and flexibility of the ILP ACMS need not be limited to meeting just the needs of the F-4

TCG. The ILP ACMS is capable of meeting other currently operating TCGs' needs. Additionally, as more weapon systems are used abroad and as some weapon systems are co-produced by the U. S. and its allies, the ILP ACMS might be considered in meeting their weapons systems configuration accounting requirements.

3. Further research efforts directly related to the ILP ACMS might consider removal of all F-4 ILP data and reports from the USAF ACMS and incorporated into the ILP ACMS. One benefit of such an effort would be the availability of reports at any time. As identified earlier, USAF ACMS reports are only available quarterly. Another benefit of consolidating all ILP data would obviously be the increase in efficiency and effectiveness of TCG operations.

APPENDIX A

GLOSSARY OF TERMS

APPENDIX A

GLOSSARY OF TERMS

Advanced Configuration Management System (ACMS)

A computerized program to account for Time Compliance Technical Orders (TCTOs) issued against the aerospace vehicle, engine, components, spares, and associated support equipment by part number and serial number (10:Atch.1).

Baseline

A set of configuration identification documents, the complete technical description formally designated and fixed at a specific point in time during the life cycle. The initial approved configuration program for operational use (7:62).

International Logistics Program (ILP)

The furnishing of materials or services to a foreign country under the provisions of one or more of the following programs: (1) Foreign Military Sales, and (2) Grant Aid (7:228). The foreign countries that have purchased F-4 aircraft from the United States are: Spain, West Germany, Greece, Turkey, Japan, Iran, Israel, Korea, and the United Kingdom. Presently, the ILP countries that use the services of the TCG are: Spain, West Germany,

Greece, Iran, Israel, Turkey, and Korea (10:Atch.2; 13). Japan and the United Kingdom have expressed an interest in joining the TCG (13). This research only addresses those ILP countries that are currently members of the TCG.

Technical Coordination Group (TCG)

An organization established to assist both the USAF and Security Assistance Countries in improving the maintainability, reliability, and overall performance of their aircraft by making possible the joint use of USAF and country technical and engineering data and joint action to correct deficiencies. This report concerns the F-4 TCG (10:2).

Time Compliance Technical Order (TCTO)

An action requirement specified by a Technical Order which sets completion of required action within a stated time period. A TCTO sets forth instructions for modifying equipment, performing or initially establishing special inspections, or imposing temporary flight restrictions (7:455).

APPENDIX B

FLOW CHARTS AND PROGRAMS

APPENDIX B

FLOW CHARTS AND PROGRAMS

This appendix contains information relating to the programs PARTSRCH and MODSRCH. A table of symbols used, a program flow chart, and the actual program are supplied for each program. PARTSRCH is presented first, then MODSRCH.

PARTSRCH SYMBOL DESCRIPTION

These variable symbols were used in the PARTSRCH program and are explained here.

Variable Name	Meaning
File Name	The eight character name given to the file identifying a country/ model group.
RQNO	The code of the part for which the search is made.
REMAR	Refers to the remarks section (fifty-nine characters) in the country/model file.
LNO	The line number of the entry in any file.
Q	The part codes listed in the country/model file (against which RQNO is to be compared).
AMT	The number of a country's model of F-4s listed on the master file.
ACUM	A counter used to compute the grand total of a particular part number.
MASTER.P	The name of the master file.

PARTSRCH Flow Chart



Specify lengths for alpha numeric strings.

Defines AMT, ACUM as integer values.

Initialize value for ACUM.

Special Honeywell/ Fortran call feature attaches master file.

This insures the master file entries are in proper order after previous uses.

The desired part is types into the remote terminal.



If no entry is made (by pressing carriage return key) program is terminated.

Reads one entry at at time from the master file.

Special Honeywell/ Fortran call feature attaches a country/ model file.

This is a nested loop that allows 99,999 line entries in a country/model file. This could be increased or decreased.



This reads in entry in the country/model file.

Going to 4 or 5 breaks the nested loop that searches through the country/model file.

This prints count and remarks information for the country/model.

These features prepare the file for later searches and return it to storage.



This prints the grand total of the part number.

Return the master file to storage.

```
00010       CHARACTER FILENAME*9,RQNO*6,REMAR*59,Q*6
00020       INTEGER AMT,ACUM
00030C*************************************************
00040C*         ATTACH MASTER FILE                     *
00050C*************************************************
00060       CALL ATTACH(24,"77A87/MASTER.P;",1,0,ISTAT,)
00070C*************************************************
00080C*          INPUT THE INITIAL REQUESTS            *
00090C*************************************************
00100    1  PRINT,"ENTER THE PART NUMBER (NO ENTRY TERMINATES PROGRAM)"
00110       REWIND 24
00120       ACUM = 0
00130       READ,RQNO
00140       IF(RQNO.EQ." ")GO TO 7
00150C*************************************************
00160C*       TERMINATION WHEN NO FURTHER REQUEST MADE *
00170C*************************************************
00180    2  CONTINUE
00190       READ(24,7003,END=6)LNO,FILENAME,AMT
00200C*************************************************
00210C*     ATTACH EACH COUNTRY/MODEL FILE IN ORDER    *
00220C*     IDENTIFIED ON MASTER FILE                  *
00230C*************************************************
00240       CALL ATTACH(25,FILENAME,1,0,ISTAT,)
00250       DO 3 I = 1,99999
00260  READ(25,7002,END=5)LNO,Q,REMAR
00270       IF(Q.EQ.RQNO)GO TO 4
00280    3  CONTINUE
00290       GO TO 2
00300C*************************************************
00310C*       IF PART IS FOUND, COUNT THE TOTAL FROM   *
00320C*       THE MASTER FILE. PRINT TOTAL & REMARKS   *
00330C*************************************************
00340    4  ACUM = ACUM + AMT
00350  PRINT 7001,FILENAME,AMT,RQNO,REMAR
00360C*************************************************
00370C*       WHEN PART IS FOUND, RETURN FILE TO       *
00380C*       STORAGE. GO TO NEXT COUNTRY/MODEL FILE   *
00390C*************************************************
00400       REWIND 25
00410       CALL DETACH(25,,)
00420       GO TO 2
00430C*************************************************
00440C*       IF PART IS NOT FOUND BY END OF FILE      *
00450C*       RETURN FILE TO STORAGE. GO TO NEXT       *
00460C*       COUNTRY/MODEL FILE                       *
00470C*************************************************
```

```
00480    5  REWIND 25
00490       CALL DETACH(25,,)
00500       GO TO 2
00510    6  PRINT 7004,ACUM,RQNO
00520       GO TO 1
00530    7  PRINT," "
00540       PRINT," "
00550C**************************************************
00560C*      PUT THE MASTER FILE BACK IN STORAGE       *
00570C**************************************************
00580       CALL DETACH(24,,)
00590       STOP
00600C**************************************************
00610C*      FORMAT STATEMENTS USED FOR PRINTING       *
00620C**************************************************
00630 7001 FORMAT(1X,A8,1X,"HAS ",I5," OF PART NUMBER ",A6,".",/,
00640&1X,"REMARKS - ",A60,".",//)
00650 7002 FORMAT(I5,1X,A6,1X,A59)
00660 7003 FORMAT(V)
00670 7004 FORMAT (1X,"THERE ARE ",I5," OF REQUESTED PART NO.",
00680&A6,".",////)
00690       END
```

MODSRCH SYMBOL DESCRIPTION

These variable symbols were used in the MODSRCH program and are explained here.

Variable Name	Meaning
File Name	The eight character name given to the file identifying a country/model group.
RQNO	The requested modification code for which the search is made.
REMAR	Refers to the remarks section (forty-seven characters) in the country/model file.
LNO	The line number of the entry in any file.
Q	The modification codes listed in the country/model file (against which RQNO is compared).
AMT	The number of a country's models of F-4s listed on the master file.
M	The number of modifications complete for a given country/model group.
ACUM	A counter used to compute the grand total of modifications complete.
ICUM	A counter used to compute the grand total of F-4s in all the country/model files.

Variable Name	Meaning
PER	The percentage of modifications completed for a country/model group ($PER = \frac{M}{AMT} \times 100$).
PERS	The percentage of all the ILP F-4 force having a certain modification complete ($PERS = \frac{ACUM}{ICUM} \times 100$).

MODSRCH Flow Chart



Specify lengths for alpha numeric strings.

Special call feature of Honeywell/Fortran System that redefines carriage length.

Identifies these as integer variables.

Special Honeywell/ Fortran call features. Attaches master file.



Desired modification code is typed into the remove terminal.

If no entry is made (by pressing carriage return key) program is terminated.

Reads one entry at a time from the Master File.

Special Honeywell/ Fortran call feature attaches a country/ model file.

This is a nested loop allowing 99,999 line entries. This can be increased or decreased.



This reads an entry in the country/model file.

Going to 4 or 5 breaks the nested loop that searches a country/model file.

This process notes the number of modifications completed and computes a percentage which is printed in the next step.



These processes prepare the file for further searches then return it to storage.

These features prepare the country/ model file for further searches and return it to storage.



This prints the grand total of modifications completed and the percentage.

This step allows further modification searches before the program is terminated.

This special Honeywell/ Fortran feature returns the Master File to storage and terminates the program.

```
      CHARACTER FILENAME*9,RQNO*12,REMAR*47
      CALL FPARAM(1,120)
      CHARACTER Q*12
      INTEGER AMT,ACUM,PER,PERS
C*************************************************
C*      ATTACH MASTER.M FILE                     *
C*************************************************
      CALL ATTACH(24,"77A87/MASTER.M;",1,0,ISTAT,)
C*************************************************
C*      INPUT THE INITIAL REQUESTS               *
C*************************************************
   1  PRINT,"ENTER THE MODIFICATION NUMBER"
      PRINT,"(NO ENTRY TERMINATES PROGRAM)"
      REWIND 24
      ACUM = 0
      ICUM = 0
      PERS = 0
      READ,RQNO
      PRINT," "
      PRINT," "
      IF(RQNO.EQ." ")GO TO 7
C*************************************************
C*      TERMINATION WHEN NO FURTHER REQUESTS MADE*
C*************************************************
   2  CONTINUE
      READ(24,7003,END=6)LNO,FILENAME,AMT
C*************************************************
C*      ATTACH EACH COUNTRY/MODEL FILE IN ORDER  *
C*      IDENTIFIED ON MASTER FILE                *
C*************************************************
      CALL ATTACH(25,FILENAME,1,0,ISTAT,)
      DO 3 I = 1,99999
            READ(25,7002,END=5)LNO,Q,M,REMAR
       IF(Q.EQ.RQNO)GO TO 4
   3  CONTINUE
      GO TO 2
C*************************************************
C*      IF MODIFICATION IS FOUND, COUNT THE TOTAL*
C*      FROM THE MASTER FILE, PRINT IT, COMPUTE  *
C*      AND PRINT PERCENTAGE, AND PRINT REMARKS  *
C*************************************************
   4  ACUM = ACUM + M
      ICUM =AMT + ICUM
      PER = M*100/AMT
      PERS = ACUM*100/ICUM
         PRINT 7001,FILENAME,M,AMT,RQNO,PER,REMAR
      Q = " "
C*************************************************
```

```
00490C*       WHEN MODIFICATION IS FOUND, PUT THE COUNTRY*
00500C*       /MODEL FILE BACK IN STORAGE AND GO TO THE  *
00510C*       NEXT ONE                                   *
00520C*************************************************
00530       REWIND 25
00540       CALL DETACH(25,,)
00550       GO TO 2
00560C*************************************************
00570C*       IF MODIFICATION IS NOT FOUND AT END OF     *
00580C*       FILE PRINT NOTHING, RETURN FILE TO STORAGE *
00590C*       AND GO TO NEXT COUNTRY/MODEL FILE          *
00600C*************************************************
00610    5  IF(Q.EQ.RQNO)GO TO 4
00620       REWIND 25
00630       CALL DETACH(25,,)
00640       GO TO 2
00650    6  PRINT 7004,ACUM,RQNO,PERS
00660       GO TO 1
00670    7  PRINT," "
00680       PRINT," "
00690C*************************************************
00700C*       PUT THE MASTER FILE BACK IN STORAGE        *
00710C*************************************************
00720       CALL DETACH(24,,)
00730       STOP
00740C*************************************************
00750C*       FORMAT STATEMENTS USED FOR PRINTING        *
00760C*************************************************
00770 7001 FORMAT(1X,A8,1X," HAS ",I5," OF ",I5," MOD. ",A12,
00780      &" DONE FOR ",I5," %"/1X,"REMARKS - ",A47//)
00790 7002 FORMAT(I5,1X,A12,1X,I5,1X,A47)
00800 7003 FORMAT(V)
00810 7004 FORMAT(1X,"THERE ARE ",I5," OF MODIFICATION NUMBER ",A12,
00820      &/,"COMPLETED AND TOTAL PERCENTAGE IS ",I5,"%.",////)
00830      END
```

APPENDIX C

INSTRUCTIONS FOR USE OF THE COMPUTER MODEL

APPENDIX C

INSTRUCTIONS FOR USE OF THE COMPUTER MODEL

This appendix contains the instructions (step-by-step examples) for interacting with the two programs, PARTSRCH and MODSRCH, and the various files which make up the computer model. These instructions assume the terminal operator has a basic knowledge of gaining access to, or logging on, the CREATE system. If the terminal operator does not have this knowledge and/or requires further instructions, guidance is provided in Chapter 3 of Grad Log FORTRAN Y User's Guide by Mr. Daniel E. Reynolds, School of Systems and Logistics, Wright-Patterson AFB, Ohio, June 1976. A copy has been furnished to the TCG. Within this appendix, instructions for submitting information to terminal operators on FORTRAN coding forms (such as AFIT Form 0-4, May 1972) are also given.

APPENDIX C - INDEX

Paragraph	Title	Page
	Introduction	79
1.	Researching a Part Number	80
2	Listing All Parts for a Given Country/Model	83

Paragraph	Title	Page
3	Researching a Modification Number	85
4	Listing All Modifications for a Given Country/Model	87
5	Changing the Part and/or Modification List for a Particular Country/Model	89
	CASE 1: New Parts/Modifications are Obtained Replacing Previous Parts/Modifications	90
	CASE 2: Adding New Parts/Modifications to a List	93
	CASE 3: Deleting a Part/Modification	95
6	Building the Initial Part/Modification Files	97
7	Building the MASTER.P and MASTER.M Files	99
8	Listing a Master File	100
9	Changing a Master File	102
	CASE 1: Adding a Country to a Master File	102
	CASE 2: Changing a Country's Total Possessed Aircraft	104
	CASE 3: Deleting a Country from a Master File	106

INSTRUCTIONS FOR USE OF PARTSRCH AND MODSRCH

1. Researching a Part Number

To research a specific part number the following steps are required by the terminal operator. The first portion of each step identifies the computer response and is followed

by an explanation and the required operator response, which is underlined. The return key should be depressed after each operator response. Part number 101 is used as an example.

Step 1: SYSTEM? Identify the computer language to be used. This will always be FORTRAN and can be abbreviated FORT.

Step 2: OLD OR NEW. Identify the program to be used. Since you are searching for a part number and the program already exists, your response is OLD PARTSRCH.

Step 3: READY. The command RUN compiles and executes your desired program.
*

Step 4: Enter the part number (no entry terminates the program).
=

The desired part number to be searched should be entered after the = sign. Your response for part 101 is =101.

Step 5: At this step the terminal will print the desired output.

Step 6: Enter the part number (no entry terminates the program).
=

This computer response will be repeated after each requested part is searched. If another part search is desired return to Step 4. If

AD-A044 173 AIR FORCE INST OF TECH WRIGHT-PATTERSON AFB OHIO SCHO--ETC F/G 5/1
A METHOD FOR AUGMENTING THE ADVANCED CONFIGURATION MANAGEMENT S--ETC(U)
JUN 77 G F BOSWELL, T E DISTELHORST

UNCLASSIFIED AFIT-LSSR-23-77A NL

2 OF 2
AD
A044 173

END
DATE
FILMED
10-77
DDC


1.0
1.1
1.25
1.4
1.6
1.8
2.0
2.2
2.5
2.8
3.2
3.6
4.0
4.5
5.0
5.6
MICROCOPY RESOLUTION TEST CHART
NATIONAL BUREAU OF STANDARDS-1963-A

not, depress the return key. This action terminates the PARTSRCH program.

Step 7: *. To sign off the computer the BYE command should be used.

An example of the above seven steps as they occur on a terminal is as follows:

Step 1: SYSTEM? FORT

Step 2: OLD OR NEW-OLD PARTSRCH

Step 3: READY
*RUN

Step 4: ENTER THE PART NUMBER (NO ENTRY TERMINATES PROGRAM).
=101

Step 5: PISRF4E. HAS 134 OF PART NUMBER 101.
REMARKS - J79-GE-17B ENGINE (LOW SMOKE).

PISRRF4E HAS 10 OF PART NUMBER 101.
REMARKS - J79-GE-17B ENGINE (LOW SMOKE).

PGREF4E. HAS 37 OF PART NUMBER 101.
REMARKS - J79-GE-17A ENGINE.

PTURF4E. HAS 41 OF PART NUMBER 101.
REMARKS - J79-GE-17A ENGINE.

THERE ARE 322 OF REQUESTED PART NO. 101.

Step 6: ENTER THE PART NUMBER (NO ENTRY TERMINATES PROGRAM).
=

Step 7: *BYE

CREATE off at 19.267

To submit this information via FORTRAN coding forms, simply list the part numbers to be researched, along with the program name PARTSRCH to the terminal operator, who should reference the above steps.

2. Listing All Parts for a Given Country/Model

To list all parts for a given country/model, the following steps are required by the terminal operator. The first portion of each step identifies the computer response and is followed by an explanation and the required operator response, which is underlined. The return key should be depressed after each operator response. Part file PISRF4E. (Israel's F-4Es) is used as an example.

NOTE: The file names developed for the country and model are left to the discretion of the user. The following names were used by the researchers in developing the computer model:

PISRF4E. for Israel's F-4Es

PISRRF4E for Israel's RF-4Es

PGREF4E. for Greece's F-4Es

PTURF4E. for Turkey's F-4Es

Due to the nature of the program language, all eight spaces must be filled in the file names. Periods were used as fillers.

Step 1: SYSTEM? Identify the computer language to be used. This will always be FORTRAN and can be abbreviated FORT.

Step 2: OLD OR NEW. Identify the program file to be listed. Since the file already exists, your response is OLD PISRF4E..

Step 3: READY. The command LIST executes your desired Program.
*

Step 4: At this step the terminal will print the desired output.

NOTE: If further lists of other part files are desired, any time an asterisk appears, type LIST, skip a space and type the file name. (Example: *LIST PGREF4E.)

Step 5: *. To sign off the computer, the BYE command should be used.

An example of the above steps as they occur on a terminal is as follows:

Step 1: SYSTEM? FORT

Step 2: OLD OR NEW-OLD PISRF4E.

Step 3: READY
*LIST

Step 4:
```
00010  101     J79-GE-17B ENGINE (LOW SMOKE)
00020  201
00030  201-01
00040  201-02
00050  202
```

Step 4: (Continued)

```
00060  203
00070  204
00080  205
00090  206
00100  207
```

Step 5: *BYE

CREATE off at 9.305

To submit this information via FORTRAN coding forms, simply list the file names to be listed by the operator.

3. Researching a Modification Number

To research a specific modification number the following steps are required by the terminal operator. The first portion of each step identifies the computer response and is followed by an explanation and the required operator response, which is underlined. The return key should be depressed after each operator response. Modification number 1F-4E-1313 is used as an example.

Step 1: SYSTEM? Identify the computer language to be used. This will always be FORTRAN and can be abbreviated FORT.

Step 2: OLD OR NEW. Identify the program to be used. Since you are searching a modification number and the program already exists, your response is OLD MODSRCH.

Step 3: READY. The command RUN compiles and
*
executes your desired program.

Step 4: Enter the modification number (no entry terminates the program).
=

The desired modification number to be searched should be entered after the = sign. Your response for modification 1F-4E-1313 is =1F-4E-1313.

Step 5: At this step the terminal will print the desired output.

Step 6: Enter the modification number (no entry terminates the program).
=

This computer response will be repeated after each requested modification is searched. If another modification search is desired, return to Step 4. If not, depress the return key. This action terminates the MODSRCH program.

Step 7: *. To sign off the computer the BYE command should be used.

An example of the above steps as they occur on a terminal is as follows:

Step 1: SYSTEM? FORT

Step 2: OLD OR NEW-OLD MODSRCH

Step 3: READY
*RUN

Step 4: ENTER THE MODIFICATION NUMBER (NO ENTRY TERMINATES THE PROGRAM)
=1F-4E-1313

Step 5: MISRF4E. HAS 23 OF 134 MOD 1F-4E-1313 DONE FOR 17%
REMARKS - MOD TO EJECTION SEAT

MISRRF4E HAS 6 OF 10 MOD. 1F-4E-1313 DONE FOR 60%
REMARKS - EJECTION SEAT MOD, BOUGHT 4/5/74

MGREF4E. HAS 30 OF 37 MOD. 1F-4E-1313 DONE FOR 81%
REMARKS - MOD TO EJECTION SEAT, BOUGHT 4/4/74

MIURF4E. HAS 20 OF 40 MOD. 1F-4E-1313 DONE FOR 50%
REMARKS - EJECTION SEAT MOD, BOUGHT 6/5/74

THERE ARE 79 OF MODIFICATION NUMBER 1F-4E-1313 COMPLETED AND TOTAL PERCENTAGE IS 35%.

Step 6: ENTER THE MODIFICATION NUMBER
(NO ENTRY TERMINATES THE PROGRAM)
=

Step 7: *BYE

CREATE off at 9.909

To submit this information via FORTRAN coding forms, simply list the modification numbers to be searched, along with the program name MODSRCH to the terminal operator, who should reference the above steps.

4. Listing All Modifications for a Given Country/Model

To list all modifications for a given country/model, the following steps are required by the terminal operator. The first portion of each step identifies the computer response and is followed by an explanation and the required

operator response, which is underlined. The return key should be depressed after each operator response. Modification file MTURF4E. (Turkey's F-4Es) is used as an example.

NOTE: The file names developed for the country and model are left to the discretion of the user. The following names were used by the researchers in developing the computer model:

MISRF4E. for Israel's F-4Es
MISRRF4E for Israel's RF-4Es
MGREF4E. for Greece's F-4Es
MTURF4E. for Turkey's F-4Es

Due to the nature of the program language, all eight spaces must be filled in the file name. Periods were used as fillers.

Step 1: SYSTEM? Identify the computer language to be used. This will always be FORTRAN and can be abbreviated FORT.

Step 2: OLD OR NEW. Identify the program file to be listed. Since the file already exists, your response is OLD MTURF4E..

Step 3: READY. The command LIST executes your desired program.

Step 4: At this step the terminal will print the desired output.

NOTE: If further lists of other modification files are desired, any time an asterisk appears, type LIST, skip a space and type the file name (Example: *LIST MGREF4E.)

Step 5: *. To sign off the computer, the BYE command should be used.

An example of the above steps as they occur on a terminal is as follows:

Step 1: SYSTEM? FORT

Step 2: OLD OR NEW-OLD MTURF4E.

Step 3: READY
*LIST

Step 4:
```
00010 1F-4E-1313 00020 EJECTION SEAT MOD, BOUGHT 6/5/74
00020 1F-4E-1314 00015 NOSE GEAR MOD, BOUGHT 7/7/74
00030 1F-4E-517  00016 CANOPY SEAL MOD
00040 1F-4E-2001 00000 REJECTION LETTER DATED 7 JUN 74

READY
```

Step 5: *BYE

To submit this information via FORTRAN coding forms, simply list the file names to be listed by the operator.

5. Changing the Part and/or Modification List for a Particular Country/Model

A variety of methods for changing lists may be used, depending on the user's preferences. Some basic options are shown here. Three separate cases are used to illustrate these options.

CASE 1: New Parts/Modifications are Obtained Replacing Previous Parts/Modifications

To replace a previous part/modification with a new one the following steps are required by the terminal operator. Required responses to computer queries are underlined. Modification file MTURF4E. is used as an example and line number 00030 of that file is to be changed.

Step 1: If desired, list the appropriate file as in paragraphs 2 and 4. Otherwise, continue with Step 2.

NOTE: Further information for listing portions of a file, as well as other time-sharing commands, is shown on pages 5-22 to 5-32 of Grad Log FORTRAN Y User's Guide.

Step 2: *. Type in the desired new line to replace the old line, and follow the appropriate format for part files or modification files as shown here:

Part File Format (See Figure C-1):

Five digit line number, one blank space, six character part code, one blank space, fifty-nine character remarks section.

Modification File Format (See Figure C-1):

Five digit line number, one blank space, twelve character modification code, one blank space, five digit number of completed modifications, one blank space, forty-seven character remarks section.

NOTE: IT IS VERY IMPORTANT TO ADHERE TO THESE FORMATS. ALSO, THE FIVE DIGIT SPACE FOR COMPLETED MODIFICATIONS MUST BE COMPLETELY FILLED, AND THE NUMBER RIGHT JUSTIFIED (i.e., 23 BECOMES 00023). FAILURE TO COMPLY WILL RESULT IN ERRONEOUS OUTPUT.

Step 3: *. Resave the file under the same file name. Your response should be *RESA MTURF4E..

Step 4: If you desire to re-list the file or portions of it to check for correctness, refer to the NOTE following Step 1 of paragraph 5 again. If not, proceed to Step 5.

Step 5: *. The sign off command BYE is used to sign off the computer.

An example of the above steps as they occur on a terminal is as follows:

Step 1: SYSTEM? FORT

OLD OR NEW-OLD MTURF4E.

READY
*LIST



Figure C-1. FORTRAN Coding Form

```
00010 lF-4E-1313 00020 EJECTION SEAT MOD,BOUGHT 6/5/74
00020 lF-4E-1314 00015 NOSE GEAR MOD, BOUGHT 7/7/74
00030 lF-4E-517  00016 CANOPY SEAL MOD
00040 lF-4E-2001 00000 REJECTION LETTER DATED 7 JUN 74

READY
```

Step 2: *00030 lF-4E-517 00012 AUTO-PILOT MOD, BOUGHT 7/4/76

Step 3:
```
*RESA MTURF4E.
DATA SAVED-MTURF4E.
```

Step 4:
```
READY
*LIST

00010 lF-4E-1313 00020 EJECTION SEAT MOD,BOUGHT 6/5/74
00020 lF-4E-1314 00015 NOSE GEAR MOD,BOUGHT 7/7/74
00030 lF-4E-517  00012 AUTO-PILOT MOD, BOUGHT 7/4/76
00040 lF-4E-2001 00000 REJECTION LETTER DATED 7 JUN 74
```

Step 5:
```
READY
*BYE
```

CREATE off at 12.707

To accomplish via FORTRAN coding forms, code the new information in accordance with the proper format specified above. See Figure C-1 for an example.

CASE 2: Adding New Parts/Modifications to a List

To add new parts/modifications to a list, the following steps are required by the terminal operator. Required responses to computer queries are underlined. Modification file MTURF4E. is used as an example and modification lF-4E-1315 is to be added to the file.

Step 1: If desired, list the appropriate file as in paragraphs 2 and 4. Otherwise, continue with Step 2.

NOTE: See previous NOTE under CASE 1, Step 1.

Step 2: Type in new line number (choice of a number between two other numbers will place the new line in its desired sequence) in accordance with formats following CASE 1, Step 2, and shown in Figure C-1.

Step 3: If desired, re-sequencing of line numbers (by fives, tens, etc.) may be accomplished in the following manner:

*RESA 00010,5 (This will number the line numbers 00010, 00015, 00020, etc.)

Step 4: *. Resave the file under the same file name. Your response should be *RESA MTURF4E..

Step 5: If you desire to re-list the file or a portion of it to check for correctness, refer to the NOTE following Step 1 of paragraph 5 again. If not, proceed to Step 6.

Step 6: The sign off command BYE is used to sign off the computer.

An example of the above steps as they occur on a terminal is as follows:

Step 1: SYSTEM? FORT

OLD OR NEW-OLD MTURF4E.

READY
*LIST

```
00010 1F-4E-1313 00020 EJECTION SEAT MOD,BOUGHT 6/5/74
00020 1F-4E-1314 00015 NOSE GEAR MOD, BOUGHT 7/7/74
00030 1F-4E-517  00016 CANOPY SEAL MOD
00040 1F-4E-2001 00000 REJECTION LETTER DATED 7 JUN 74

READY
```

Step 2: *00025 1F-4E-1315 00012 UHF RADIO MOD, BOUGHT 6/5/76

Step 3: *RESE 00010,5

Step 4: *RESA MTURF4E.
DATA SAVED-MTURF4E.

Step 5: *LIST

```
00010 1F-4E-1313 00020 EJECTION SEAT MOD,BOUGHT 6/5/74
00015 1F-4E-1314 00015 NOSE GEAR MOD, BOUGHT 7/7/74
00020 1F-4E-1315 00012 UHF RADIO MOD, BOUGHT 6/5/76
00025 1F-4E-517  00016 CANOPY SEAL MOD
00030 1F-4E-2001 00000 REJECTION LETTER DATED 7 JUN 74

READY
```

Step 6: *BYE

CREATE off at 12.460

To accomplish via FORTRAN coding forms, code the new information in accordance with the proper format. See Figure C-1 for an example.

CASE 3: Deleting a Part/Modification

To delete a part/modification from a file, the following steps are required by the terminal operator. Required responses to computer queries are underlined. Modification file MTURF4E. is used as an example and modification 1F-4E-517 (line 00030) is to be deleted from the file.

Step 1: If desired, list the appropriate file as in paragraphs 2 and 4. Otherwise, continue with Step 2.

NOTE: See previous NOTE under CASE 1, Step 1.

Step 2: *. The command to delete a line number is DELE followed by a space and the line number. Your response should be *DELE 00030.

Step 3: *. If desired, re-sequencing of line numbers (by fives, tens, etc.) may be accomplished in the following manner: *RESE 00010,5. This will number the line numbers 00010, 00015, 00020, etc.

Step 4: *. Resave the file under the same file name. Your response should be *RESA MTURF4E..

Step 5: If you desire to re-list the file or a portion of it to check for correctness, refer to the NOTE following Step 1 of paragraph 5 again. If not, proceed to Step 6.

Step 6: The sign off command BYE is used to sign off the computer.

An example of the above steps as they occur on a terminal is as follows:

Step 1: SYSTEM? FORT

OLD OR NEW-OLD MTURF4E.

READY
*LIST

```
00010 1F-4E-1313 00020 EJECTION SEAT MOD,BOUGHT 6/5/74
00020 1F-4E-1314 00015 NOSE GEAR MOD, BOUGHT 7/7/74
00030 1F-4E-517  00016 CANOPY SEAL MOD
00040 1F-4E-2001 00010 REJECTION LETTER DATED 7 JUN 74

READY
```

Step 2: *DELE 00030

Step 3: *RESE 00010,5

Step 4: *RESA MTURF4E.
DATA SAVED-MTURF4E.

Step 5: *LIST

```
00010 1F-4E-1313 00020 EJECTION SEAT MOD,BOUGHT 6/5/74
00015 1F-4E-1314 00015 NOSE GEAR MOD, BOUGHT 7/7/74
00020 1F-4E-2001 00010 REJECTION LETTER DATED 7 JUN 74

READY
```

Step 6: *BYE

CREATE off at 12.780

To accomplish via FORTRAN coding forms, enter the line number and/or information to be deleted on a coding form.

6. Building the Initial Parts and Modification Files

This process could be done with a time-sharing terminal but due to the length of the files and the need for proper format, a simpler method is to accomplish this on FORTRAN coding forms.

A. Give the file a name to correspond to country and model aircraft. The name may be any desired but must contain no more than eight characters. If the file name has less than eight characters, a period (.) or solidi (/) must be

used to fill each extra space. The file names must be exactly the same as those in the MASTER.P (for part files) or MASTER.M (for modification files) as described in paragraph 7.

B. For Part Files - Follow the proper format for parts (shown in Figure C-1). Spaces 1 through 5 are for the line number in the file. Space 6 must be blank. Spaces 7 through 12 are for the part code (and may be digits or characters). Space 13 must be blank. Spaces 14 through 72 are for remarks and any desired numbers, characters, or blank spaces may be inserted.

C. For Modification Files - Follow the format for modifications (shown in Figure C-1). Spaces 1 through 5 are for the line number in the file. Space 6 must be blank. Spaces 7 through 18 are for the modification code (and may be digits or characters). Space 19 must be blank. Spaces 20 through 24 are for the number of completed modifications for the model and country. THIS NUMBER MUST BE RIGHT JUSTIFIED (i.e., 23 is written as 00023) OR ERRONEOUS OUTPUT MAY OCCUR. Space 25 must be blank. Spaces 26 through 72 are for remarks (which may be any desired numbers, characters, or blank spaces).

D. If accomplished on an interactive time-sharing terminal, the file should be saved under its selected name.

Further "saving" of data must be resaved. Examples of commands are:

*SAVE PGREF4E. (for the first "save)

*RESA PGREF4E. (for subsequent "saves" of the saved file)

7. Building the MASTER.P and MASTER.M Files

These files are necessary for two reasons. MASTER.P is attached to the PARTSRCH program and MASTER.M is attached to the MODSRCH program to allow a sequential search of the country/model files listed on each of these master files. Also, the number of each model aircraft owned by each country is contained in each master file. These numbers are the ones counted when a part is found and listed as total aircraft when a modification is found.

The building of these two files can be done with a time-sharing terminal but due to the need for proper format it is best accomplished on a FORTRAN coding form first. The following instructions apply to both files:

A. Because programs PARTSRCH and MODSRCH both call attach to MASTER.P and MASTER.M, respectively, it is recommended that the names for these two files not be changed. However, if it is desired these names be changed, reference paragraph 6A, and insure that PARTSRCH and MODSRCH are changed accordingly.

B. Follow the proper format for MASTER.P and MASTER.M as shown in Figure C-1. Spaces 1 through 5 are for the line number in the file. Space 6 must be blank. Spaces 7 through 14 are for the file name. All eight spaces must be filled. Fill with periods if necessary. Space 15 must contain a semi-colon (;). Space 16 should be blank. Spaces 17 through 19 are for the number of aircraft possessed by the country/model designated by the file name.

C. Once the file has been built, the file should be saved under its selected name. Reference paragraph 6D for data saving.

8. Listing a Master File

To list a master file, the following steps are required by the terminal operator. The first portion of each step identifies the computer response and is followed by an explanation and the required operator response, which is underlined. The return key should be depressed after each operator response. MASTER.P file (master file for parts) is used as an example.

Step 1: SYSTEM? Identify the computer language to be used. This will always be FORTRAN and is abbreviated FORT.

Step 2: OLD OR NEW. Identify the file to be listed. Since the file already exists, your response is OLD MASTER.P.

Step 3: READY. The command LIST executes your desired program.

Step 4: At this step the terminal will print the desired program.

Step 5: *. To sign off the computer, the BYE command should be used.

An example of the above steps as they occur on a terminal is as follows:

```
Step 1:  SYSTEM?  FORT

Step 2:  OLD OR NEW-OLD MASTER.P

Step 3:  READY
         *LIST

Step 4:  00010 PISRF4E.; 134
         00020 PISRRF4E;  10
         00030 PGREF4E.;  37
         00040 PTURF4E.;  41

         READY

Step 5:  *BYE

CREATE off at 11.831
```

To submit this information via FORTRAN coding form, simply list the file names to be listed by the terminal operator.

9. Changing a Master File

Master files must be changed when a new country becomes an ILP member or withdraws its membership as an ILP nation and when the number of aircraft possessed by an ILP nation changes. To change a master file, the following steps are required by the terminal operator. Three cases are presented: adding a country, changing a country's possessed aircraft total, and deleting a country.

CASE 1: Adding a Country to a Master File

To add a country to a master file, the following steps are required by the terminal operator. Required responses to computer queries are underlined. File MASTER.P is used as an example and it is assumed that Iraq (designated PIRQF4E. with fifty new purchased F-4Es) has just become an ILP member.

Step 1: If desired, list the appropriate file as in paragraph 8. Otherwise, continue with Step 2.

Step 2: Type in the desired new line number and follow the appropriate format. Reference paragraph 7B and/or Figure C-1. Your response should be *00050 PIRQF4E.; 50.

NOTE: FAILURE TO COMPLY WITH THIS FORMAT WILL RESULT IN ERRONEOUS OUTPUT.

Step 3: *. Resave the file under the same file name:

*RESA MASTER.P.

Step 4: *If you desire to re-list the file to check for correctness, your response should be:

*LIST.

Step 5: *To sign off the computer, the BYE command should be used.

An example of the above steps as they occur on a terminal is as follows:

```
Step 1:  SYSTEM?  FORT

         OLD OR NEW-OLD MASTER.P

         READY
         *LIST

         00010 PISRF4E.; 134
         00020 PISRRF4E;  10
         00030 PGREF4E.;  37
         00040 PTURF4E.;  41

         READY

Step 2:  *00050 PIRQF4E.; 50

Step 3:  *RESA MASTER.P
         DATA SAVED-MASTER.P

Step 4:  *LIST

         00010 PISRF4E.; 134
         00020 PISRRF4E;  10
         00030 PGREF4E.;  37
         00040 PTURF4E.;  41
         00050 PIRQF4E.;  50
```

Step 5: *BYE

CREATE off at 12.617

NOTE: If not already done, refer to paragraph 6 for instructions on building part/modification files.

NOTE: The above five steps must be accomplished for MASTER.M and MASTER.P

To accomplish via FORTRAN coding forms, code the new information in accordance with the proper format. Reference paragraph 7B and/or Figure C-1.

CASE 2: Changing a Country's Total Possessed Aircraft

To change a country's total possessed aircraft, the following steps are required by the terminal operator. Required responses to computer queries are underlined. As an example file MASTER.M is used and Greece's F-4E aircraft total is now 45.

Step 1: If desired, list the appropriate file as in paragraph 8. Otherwise, continue with Step 2.

Step 2: Type in the appropriate line number and follow the appropriate format. Reference paragraph 7B and/or Figure C-1. Your response for the above example should be *00030 MGREF4E.; 45.

Step 3: *. Resave the file under the same file name: *RESA MASTER.M.

Step 4: *. If you desire to re-list the file to check for correctness, your response should be: *LIST.

Step 5: *. To sign off the computer the BYE command should be used.

An example of the above steps as they occur on a terminal is as follows:

```
Step 1:  SYSTEM?  FORT

         OLD OR NEW-OLD MASTER.M

         READY
         *LIST

         00010 MISRF4E.; 134
         00020 MISRRF4E;  10
         00030 MGREF4E.;  37
         00040 MTURF4E.;  40

         READY

Step 2:  *00030 MGREF4E.; 45

Step 3:  *RESA MASTER.M
         DATA SAVED-MASTER.M

Step 4:  *LIST

         00010 MISRF4E.; 134
         00020 MISRRF4E;  10
         00030 MGREF4E.;  45
         00040 MTURF4E.;  40

         READY

Step 5:  *BYE

CREATE off at 12.684
```

NOTE: The above five steps must be accomplished for MASTER.M and MASTER.P.

To accomplish via FORTRAN coding form, code the new information in accordance with the proper format. Reference paragraph 7B and/or Figure C-1.

CASE 3: Deleting a Country from a Master File

To delete a country from a master file, the following steps are required by the terminal operator. Required responses to computer queries are underlined. As an example, master file MASTER.M is used and Greece (line number 00030) is to be deleted.

Step 1: If desired, list the appropriate file as in paragraph 8. Otherwise, continue with Step 2.

Step 2: *. The command to delete a line number is DELE followed by a space and the line number. Your response should be *DELE 00030.

Step 3: *. If desired, re-sequencing of line numbers (by fives, tens, etc.) may be accomplished in the following manner:
*RESE 00010,10. This will number the line numbers 00010, 00020, 00030, etc.

Step 4: *. Resave the file under the same file name. Your response should be *RESA MASTER.M.

Step 5: *. If you desire to re-list the file to check for correctness, your response should be *LIST.

Step 6: *. To sign off the computer, the BYE command should be used.

An example of the above steps as they occur on a terminal is as follows:

```
Step 1:  SYSTEM?  FORT

         OLD OR NEW-OLD MASTER.M

         READY
         *LIST

         00010 MISRF4E.; 134
         00020 MISRRF4E;  10
         00030 MGREF4E.;  45
         00040 MTURF4E.;  40

         READY

Step 2:  *DELE 00030

Step 3:  *RESE 00010,10

Step 4:  *RESA MASTER.M
         DATA SAVED-MASTER.M

Step 5:  *LIST

         00010 MISRF4E.; 134
         00020 MISRRF4E;  10
         00030 MTURF4E.;  40

         READY

Step 6:  *BYE

©REATE off at 12.762
```

NOTE: The above five steps must be accomplished for MASTER.P and MASTER.M.

NOTE: If not already done, the applicable part/ modification file(s) must also be released. Your response should be *RELE MGREF4E. for the above example.

To accomplish via FORTRAN coding form, code the new information in accordance with the proper format. Reference paragraph 7B and/or Figure C-1.

SELECTED BIBLIOGRAPHY

SELECTED BIBLIOGRAPHY

A. REFERENCES CITED

1. Ackoff, Russell L. "Management Misinformation Systems", Management Systems. 2nd Ed. New York: John Wiley & Sons, Inc., 1971.

2. Aircraft Operations Branch (MMFO). 26-2 Organization Package (Technical Coordination Group Branch). Ogden/Air Logistics Center, 30 October 1974.

3. Blumenthal, Sherman C. Management Information Systems: A Framework for Planning and Development. Englewood Cliffs, New Jersey: Prentice Hall, Inc., 1969.

4. Bonds, AlC Reginald B., USAF, Computer Operator, AFIT/AD, Wright-Patterson AFB, Ohio. Personal interviews conducted intermittently between 1 November 1976 and 20 May 1977.

5. Brillinger, Peter C., and Doron J. Cohen. Introduction to Data Structures and Non-Numeric Computation. Englewood Cliffs, New Jersey: Prentice Hall, Inc., 1972.

6. Clark, Charles T., and Lawrence L. Schkade. Statistical Analysis for Administrative Decisions. Cincinnati, Ohio: South-Western Publishing Co., 1974.

7. Davis, Gordon B. Introduction to Electronic Computers. 2nd Ed. New York: McGraw-Hill Inc., 1971.

8. Ensign, Richard B. "Measuring the Flow of Management Information", Journal of Systems Management, February 1974, pp. 40-43.

9. Friedman, Gerald D., Chief, Systems Management Office, ASD/DSM. Staff Summary Sheet, Subject: Foreign Military Sales, to ASD/CC, 27 February 1975.

10. Gluck, Lt Col Fred, USAF. A Compendium of Authenticated Logistics Terms and Definitions. Air Force Institute of Technology, Air University: Wright-Patterson AFB, Ohio, January 1970.

11. Mathews, Don Q. The Design of the Management Information System. New York: Auerback Publishers, 1971.

12. Ogden/Air Logistics Center. F-4 Aircraft System Manager. Ogden Air Logistics Center Report, undated.

13. Ogden/Air Logistics Center. F-4 Technical Coordination Group. Ogden Air Logistics Center Report, undated.

14. Ogden/Air Logistics Center/MM. Letter, Subject: Establishment of F-4 Technical Coordination Program, to AFLC/MMI and XOM, 1 November 1974.

15. Ogden/Air Logistics Center/MM. Letter, Subject: F-4 Technical Coordination/Documentation Program (TCDP), to HQ USAF/LGF, 8 March 1973.

16. Oltyan, Capt Drew, USAF, Foreign Military Sales Officer. Ogden Air Logistics Center/MMS-2, Hill AFB, Utah. Personal interviews conducted intermittently between 15 July 1976 and 30 November 1976.

17. Semler, Steve, Systems Engineering Manager, ASD/SD27MB, Aeronautical Systems Division, Wright-Patterson AFB, Ohio. Personal interview on 15 November 1976.

18. Shannon, Robert E. Systems Simulation: The Art and Science. Englewood Cliffs, New Jersey: Prentice-Hall, Inc., 1975.

19. Sternberg, Capt Charles D., USAF, Chief, Computer Systems Development. AFIT/ADS, Wright-Patterson AFB, Ohio. Personal interviews conducted intermittently between 1 November 1976 and 20 May 1977.

'0. U. S. Air Force Logistics Command. ACMS Selected Article Configuration Status Report DO57590lB, 14 June 1976.

B. RELATED SOURCES

Buergen, Maj Edward, USAF, Maj Ramon K. Broerman, USAF, and Maj James C. Fields, USA. "Tri-Service Configuration Management." Unpublished research report, unnumbered, Air Command and Staff College, Maxwell AFB, Alabama, 9 May 1975. AD B005298.

Downs, Maj James J., USAF, F-4 TCG Chief, Systems Management Support Division, Ogden ALC. F-4 Technical Coordination Group (TCG) Briefing. No date.

Kelly, Lt Col John J., USAF, and Maj Thomas E. McNiff, USAF. "Foreign Military Sales: The F/RF-4 Weapon System as a Special Case Study." Unpublished research report, No. 5653, Air War College, Maxwell AFB, Alabama, April 1975. AD B003859L.

Ogden/ALC/MAP. Reports Distribution Listing F-4 Advanced Configuration Management System (AFLCM 66-16). Ogden/ALC, September 1974.

Wright, Grant. Briefing on Technical Coordination Group. August 1976.