

AD-A044 287

DEFENCE RESEARCH ESTABLISHMENT SUFFIELD RALSTON (ALBERTA) F/G 6/13
GUIDELINES FOR HANDLING AND SHIPPING 'NEISSERIA MENINGITIDIS' F--ETC(U)
JUL 77 M R SPENCE, L A WHITE

UNCLASSIFIED

DRES-TN-399

NL

| OF |
AD
AO44287



END
DATE
FILMED
10-77
DDC



UNCLASSIFIED

3
NW

AD A 044287

DRES

SUFFIELD TECHNICAL NOTE

NO. 399

GUIDELINES FOR HANDLING AND SHIPPING *Neisseria*
meningitidis FROM CF HOSPITALS TO
DEFENCE RESEARCH ESTABLISHMENT SUFFIELD (DRES)

(REVISED) (U)

SUPERSEDES SUFFIELD TECHNICAL NOTE NO. 360

by

M.R. Spence and L.A. White

Technical Program 16 - Operational Medicine
and

Tasks DPM 01 and DPM 19

JULY 1977



DDC FILE COPY



DISTRIBUTION STATEMENT A
Approved for public release;
Distribution Unlimited

DEFENCE RESEARCH ESTABLISHMENT SUFFIELD : RALSTON : ALBERTA

WARNING

of proprietary and patentable information

UNCLASSIFIED

DEFENCE RESEARCH ESTABLISHMENT SUFFIELD ✓
RALSTON ALBERTA

14 DRES-TN-399

9
SUFFIELD TECHNICAL NOTE NO. 399 ✓

6 GUIDELINES FOR HANDLING AND SHIPPING *Neisseria meningitidis* FROM CF HOSPITALS TO DEFENCE RESEARCH ESTABLISHMENT SUFFIELD (DRES)
(REVISED), (U)

SUPERSEDES SUFFIELD TECHNICAL NOTE NO. 360

by

10 M.R. Spence and L.A. White

Technical Program 16 - Operational Medicine

and

11 Jul 77
12 13p.

Tasks DPM 01 and DPM 19

WARNING
The use of this information is permitted subject to recognition of proprietary and patent rights.

UNCLASSIFIED

403 104 Jones

UNCLASSIFIED

DEFENCE RESEARCH ESTABLISHMENT SUFFIELD
RALSTON ALBERTA

SUFFIELD TECHNICAL NOTE NO. 399

GUIDELINES FOR HANDLING AND SHIPPING *Neisseria meningitidis* FROM CF HOSPITALS TO DEFENCE RESEARCH ESTABLISHMENT SUFFIELD (DRES)

(REVISED) (U)

SUPERSEDES SUFFIELD TECHNICAL NOTE NO. 360

by

M.R. Spence and L.A. White

ABSTRACT

Instructions are presented to ensure the transport of *Neisseria meningitidis* in viable state from remote sites to a diagnostic laboratory. Precautions are outlined which are necessary to prevent the accidental release of pathogenic material during shipment. In addition, instructions are provided for the handling of initial isolate material (e.g. on swabs or in cerebrospinal fluid (CSF)). The described shipping procedures are in accordance with IATA Packing Notes for Passenger and Cargo Aircraft, Nos. 701 and 720, Etiologic Agents. (U)

UNCLASSIFIED

ACCESSION for	
NTIS	Wire Section <input checked="" type="checkbox"/>
DDC	B.R. Section <input type="checkbox"/>
UNANNOUNCED	<input type="checkbox"/>
JUSTIFICATION	
BY _____	
DISTRIBUTION/AVAILABILITY CODE	
Date	AVAIL. and/or CF No.
A	

UNCLASSIFIED

DEFENCE RESEARCH ESTABLISHMENT SUFFIELD
RALSTON ALBERTA

SUFFIELD TECHNICAL NOTE NO. 399

GUIDELINES FOR HANDLING AND SHIPPING *Neisseria*
meningitidis FROM CF HOSPITALS TO
DEFENCE RESEARCH ESTABLISHMENT SUFFIELD (DRES)

(REVISED) (U)

SUPERSEDES SUFFIELD TECHNICAL NOTE NO. 360

by

M.R. Spence and L.A. White

INTRODUCTION

Under Task DPM 19, air samples are routinely collected in recruit barracks and the gymnasia at CFB Cornwallis and BFC St. Jean by base hospital personnel. These samples are then shipped to DRES where they are analyzed for the presence of *Neisseria meningitidis*. Samples from infected individuals as well as purified isolates from clinical cases are also sent to DRES for further investigation.

Special handling is required in order to maintain the viability of many bacterial pathogens during shipment. As well, when shipping pathogenic material, precautions must be employed to ensure that there is no possibility of release of this material into the transporting vehicle, thus causing a health hazard to crew or passengers. The onus is firmly placed on the shipper of such material to ensure that safety is not compromised. The International Air Transport Association (IATA) has recently published Packing Notes

UNCLASSIFIED

for Passenger and Cargo Aircraft with respect to etiologic agents (1). This report presents revised guidelines for the shipping of *N. meningitidis* which will replace those previously published (2).

Various media have been developed for the transport of bacterial pathogens while at the same time maintaining viability. Many are capable of allowing recovery of viable organisms for many days and, in some cases, even months. Neisseriae, however, tend to be very fragile and viability is not normally maintained for longer than 48 hours even in the better media (3) which are available. The time involved in transporting samples from CFB Cornwallis to DRES is usually greater than 48 hours. In fact, if the mails are employed (the usual means of transporting swabs of suspected pathogenic material), the delay may reach 10 days. Shipments have been received in which all samples were non-viable, whereas others in the same media and with a similar transit time have yielded positive isolates, thus indicating that temperature conditions also play a role.

An additional requirement which must be considered when transporting bacteria which will be employed in laboratory research on disease mechanisms is that the organisms arrive in the same morphological and physiological state as when they were shipped. For example, the presence of pili has been associated with virulence in *N. gonorrhoeae* (4,5) and recently DeVoe and Gilchrist (6) have demonstrated that on initial isolation from healthy carriers or from the cerebrospinal fluid (CSF) of disease cases, *N. meningitidis* are also heavily piliated. Pili are completely lost by third subculture on usual laboratory media. We have adopted a working hypothesis that, in this organism as in gonococcus, the presence of pili is related to virulence.

It has been shown that freezing to a temperature of -70°C will maintain viability of *N. meningitidis* for at least three months (Spence, M.R., F.W. Stevenson and L.A. White, unpublished data). Recent studies have found that the addition of dimethyl

sulfoxide (DMSO), at a level of 5-10%, to the freezing medium enhanced survival after freezing and thawing (7). Past experience has shown that Iso-Therm^R (Canlab) containers will adequately maintain samples in a frozen state for at least four days if the samples are packed with good quality dry ice. Previous instructions have been included in earlier correspondence and signals, as well as in Suffield Technical Note No. 360, and it is the purpose of this note to provide complete and definitive guidelines for the packaging and shipping of *N. meningitidis*, which will comply with IATA regulations.

HANDLING OF SAMPLES

1. Samples collected from the air, broth cultures of isolates, and cerebrospinal fluid (CSF)

Samples collected 1) from the air by means of the DRES large volume air sampler (8,9,10), 2) from cerebrospinal taps and 3) trypticase soy broth (TSB) (Baltimore Biological Laboratories) cultures of *N. meningitidis* isolated from carriers, or disease cases, must be frozen immediately in collecting fluid containing 10% DMSO. Immediate and rapid freezing has been found to be essential since aerosolized meningococci rapidly die on standing in the collection fluid (7). It is recommended, therefore, that air samples be transferred immediately to a screw-capped tube and frozen on dry ice without delay. An Iso-Therm container filled with dry ice should be available at the sampling site for this purpose. The screw-capped tubes should be just large enough to contain the sample allowing for expansion due to freezing. In most cases, tubes approximately 100 mm x 13 mm are adequate. They should be filled to within 10 mm of the top if sufficient sample is available. It is essential that the top of the tube be sealed with a non-porous tape such as "gun tape"* prior to freezing. This will prevent the entry of CO₂ into the tube. High concentrations of this gas may result in the death of *N. meningitidis*.

*Tape, pressure sensitive, adhesive, plastic coated, cloth backing, opaque, oil and water resistant, e.g. NATO No. 7510-21-116-9697 (TAN).

II. Samples collected on swabs

Nasopharyngeal swabs or other samples collected by fabric or surgical cotton swabs should be placed in screw-capped tubes containing 1.0 ml of TSB and 10% DMSO. The excess wooden handle must be removed and the screw cap sealed with non-porous tape. The sample must then be frozen immediately on dry ice.

III. Instructions for packaging of samples for aircraft shipment

Frozen samples are to be placed in an Iso-Therm container which will be provided by DRES. Fill the container to approximately one-third its volume with cracked (not crushed) dry ice. The primary containers (screw cap test tubes, sealed with a waterproof tape) must be wrapped in a continuous piece of cheesecloth, taking care to ensure that each tube is cushioned from the others. When so packed the tubes should be securely fastened by passing adhesive tape around them. The bundle must then be wrapped in a layer of absorbent cotton, placed in the small plastic bag supplied and sealed. Place these in the container and fill with more dry ice. Then seal the unit. Less than 5 pounds of dry ice is required for the packing as described above but it is recommended that it be obtained in 25 pound lots to ensure that sufficient quantity will be on hand to pack adequately the samples in case of delay. No more than 8 tubes should be placed in one bundle and no more than 2 bundles should be placed in a single Iso-Therm container. Total liquid volume per shipping container must not exceed 50 ml.

Place the container in a plastic bag and seal by means of a bag tie. Wrap it in absorbent material (cheesecloth is suitable) which has been saturated with a 1:100 solution of Savlon* in water. No other bactericide is acceptable. Savlon, at very low concentration, has been shown to be a highly effective disinfectant for this organism (11). Seal the unit in another plastic bag and place it in the plywood shipping box which is

*Savlon - Trademark; Ayerst, McKenna and Harrison.

supplied by DRES with the Iso-Therm container. This box must be securely fastened and addressed to its destination. The exterior of the box is to be clearly marked in the following manner:

F R A G I L E
MEDICAL SUPPLIES AND BIOLOGICAL MATERIAL
KEEP FROZEN
PACKED IN ACCORDANCE WITH IATA REGULATIONS
FOR SHIPMENT OF ETIOLOGIC AGENTS

SHIPMENT OF SAMPLES

Samples are to be shipped by air, preferably via Canadian Forces Flight No. 712*. Shippers are required to contact the appropriate Air Movements Unit (for shipments from CFB Cornwallis - 3 AMU, Shearwater; for shipments from BFC St. Jean - 3 AMU, Ottawa) and arrange for the samples to be forwarded to 1 AMU, Namao on the earliest flight. The following authority must be quoted:

Unclassified DTO 3341 19 1900Z Mar. 75

Samples shipped to DRES via SF 712 to Namao, and then via Time Air to Medicine Hat, must be labelled in the following manner:

Chief/DRES
CFB Suffield
Ralston, Alberta
Attention: Preventive Medicine Section

The Preventive Medicine Section must be contacted by telephone by the shipper. CFB Suffield can be reached through CSN network. The waybill number and flight departure and arrival times must be reported. 1 AMU, Namao, will handle shipments in a manner previously set up (Letter, CFB Edmonton - DRES, 7505-1 (BTNO) dated 10 June 1975, signed by Major H.R. Christianson,

*Shipments must be designated as dangerous cargo because of the dry ice in which the samples are packed. The amount of dry ice used in any container is less than 5 lbs which is far below the Safe Dry Ice Loading listed in CFP 117, Article 1121, para 3(a). This fact should be brought to the attention of AMU personnel in order to avoid problems in the acceptance of shipments.

as amended by Letter, DRES-CFB Edmonton, DRES 9365-10-4 (Prev. Medicine) dated 25 June 1975, signed by Mr. J.F. Currie). If flights are delayed, or if the sample inadvertently is not placed on the appropriate flight, or if a delay is experienced in transshipping, the container must be held in a deep freeze during the delay.

SUMMARY

If the samples containing *N. meningitidis* are handled as described, they will reach their destination in a viable condition, essentially physiologically and morphologically unaltered, and at the same time will have presented no risk to those having handled them. In summary, the steps to be followed are re-emphasized:

1. Place samples in small tubes and freeze.
2. Seal tubes, wrap as described in Handling Samples, Section III, and seal in a small plastic bag.
3. Pack samples in dry ice in an Iso-Therm container.
4. Pack the container in such a way as to ensure organisms will be decontaminated in case of accident.
5. Place the container in the properly labelled shipping box.
6. Arrange with appropriate AMU detachment for shipment to DRES.
7. Contact DRES.

NOTE:

To facilitate the identification of samples, each shipment must include a note which designates the shipping date. Copies of the Government Bill of Lading (GBL) are to be placed in an envelope and firmly fixed to the container and not sent separate from it. In addition, one copy of the GBL must remain with the container until it reaches its final destination, DRES.

REFERENCES

1. INTERNATIONAL AIR TRANSPORT ASSOCIATION, Section VI - Packing Notes for Passenger and Cargo Aircraft, Numbers 701 and 720, Etiologic Agents.
2. SPENCE, M.R. and L.A. White. 1975. Guidelines for handling and shipping *Neisseria meningitidis* from CF hospitals to Defence Research Establishemtn Suffield (DRES). Suffield Technical Note No. 360. Unclassified.
3. WHITE, L.A. and D.R. Tingley. 1975. Bacteriological transport media: A literature review. Suffield Technical Note No. 351. Unclassified.
4. SWANSON, J., S.J. Kraus and E.C. Gotschlich. 1971. Studies on gonococcus infection. I. Pili and zones of adhesion: their relation to gonococcal growth patterns. J. Exp. Med. 134:886-906.
5. JEPHCOTT, A.E., A. Reyn and A. Birch-Anderson. 1971. *Neisseria gonorrhoeae*. III. Demonstration of presumed appendages to cells from different colony types. Acta Pathol. Microbiol. Scan. Sect. B Microbiol. Immunol. 79:437-439.
6. DEVOE, I.W. and J.E. Gilchrist. 1975. Pili on meningococci from primary cultures of nasopharyngeal carriers and cerebrospinal fluid of patients with acute disease. J. Exp. Med. 141:297-305.
7. HOLBEIN, B.E., M.R. Spence and L.A. White. (In preparation) Meningococcal control in the Canadian Forces III. Handling procedures to ensure maximal recovery of *Neisseria meningitidis* from air samples. Unclassified.
8. HADLEY, D.J., D.E. Davids and L.A. White. 1972. Modification of a large volume air sampler (cyclone scrubber). Suffield Technical Note No. 311. Unclassified.
9. WHITE, L.A., D.J. Hadley and D.E. Davids. 1973. Evaluation of the DRES - modified large volume air sampler (cyclone scrubber) for the collection of airborne bacterial cells. Suffield Technical Paper No. 413. Unclassified.
10. WHITE, L.A., D.J. Hadley, D.E. Davids and R. Naylor. 1975. Improved large volume air sampler for the collection of bacterial cells from aerosol. Appl. Microbiol. 29:335-339.

REFERENCES

11. WHITE, L.A. and M.R. Spence. 1977. Meningococcal control in the Canadian Forces I. Evaluation of disinfectants. Suffield Technical Note No. 374. Unclassified.

DOCUMENT CONTROL DATA - R & D		
<small>(Security classification of title, body of abstract and indexing annotation must be entered when the overall document is classified)</small>		
1. ORIGINATING ACTIVITY Defence Research Establishment Suffield	2a. DOCUMENT SECURITY CLASSIFICATION UNCLASSIFIED	
	2b. GROUP	
3. DOCUMENT TITLE GUIDELINES FOR HANDLING AND SHIPPING <i>Neisseria meningitidis</i> FROM CF HOSPITALS TO DEFENCE RESEARCH ESTABLISHMENT SUFFIELD (DRES) (REVISED) (U)		
4. DESCRIPTIVE NOTES (Type of report and inclusive dates) Suffield Technical Note		
5. AUTHOR(S) (Last name, first name, middle initial) M.R. Spence and L.A. White		
6. DOCUMENT DATE JULY 1977	7a. TOTAL NO. OF PAGES 9	7b. NO. OF REFS 11
8a. PROJECT OR GRANT NO. Technical program 16 - Operational Medicine and Tasks DPM 01 and DPM 19	8a. ORIGINATOR'S DOCUMENT NUMBER(S) Suffield Technical Note No. 399	
8b. CONTRACT NO.	8b. OTHER DOCUMENT NO.(S) (Any other numbers that may be assigned this document)	
10. DISTRIBUTION STATEMENT "Qualifie, requesters may obtain copies of this document from their defence documentation center."		
11. SUPPLEMENTARY NOTES	12. SPONSORING ACTIVITY	
13. ABSTRACT <p>Instructions are presented to ensure the transport of <i>Neisseria meningitidis</i> in viable state from remote sites to a diagnostic laboratory. Precautions are outlined which are necessary to prevent the accidental release of pathogenic material during shipment. In addition, instructions are provided for the handling of initial isolate material (e.g. on swabs or in cerebrospinal fluid (CSF)). The described shipping procedures are in accordance with IATA Packing Notes for Passenger and Cargo Aircraft, Nos. 701 and 720, Etiologic Agents.</p> <p style="text-align: right;">(U)</p>		

KEY WORDS

1. Neisseriae
2. *Neisseria meningitidis*
3. Transport media
4. Transport
5. Viability
6. Disinfection

INSTRUCTIONS

1. **ORIGINATING ACTIVITY:** Enter the name and address of the organization issuing the document.
- 2a. **DOCUMENT SECURITY CLASSIFICATION:** Enter the overall security classification of the document including special warning terms whenever applicable.
- 2b. **GROUP:** Enter security reclassification group number. The three groups are defined in Appendix 'M' of the DRB Security Regulations.
3. **DOCUMENT TITLE:** Enter the complete document title in all capital letters. Titles in all cases should be unclassified. If a sufficiently descriptive title cannot be selected without classification, show title classification with the usual one-capital-letter abbreviation in parentheses immediately following the title.
4. **DESCRIPTIVE NOTES:** Enter the category of document, e.g. technical report, technical note or technical letter. If appropriate, enter the type of document, e.g. interim, progress, summary, annual or final. Give the inclusive dates when a specific reporting period is covered.
5. **AUTHOR(S):** Enter the name(s) of author(s) as shown on or in the document. Enter last name, first name, middle initial. If military, show rank. The name of the principal author is an absolute minimum requirement.
6. **DOCUMENT DATE:** Enter the date (month, year) of Establishment approval for publication of the document.
- 7a. **TOTAL NUMBER OF PAGES:** The total page count should follow normal pagination procedures, i.e., enter the number of pages containing information.
- 7b. **NUMBER OF REFERENCES:** Enter the total number of references cited in the document.
- 8a. **PROJECT OR GRANT NUMBER:** If appropriate, enter the applicable research and development project or grant number under which the document was written.
- 8b. **CONTRACT NUMBER:** If appropriate, enter the applicable number under which the document was written.
- 9a. **ORIGINATOR'S DOCUMENT NUMBER(S):** Enter the official document number by which the document will be identified and controlled by the originating activity. This number must be unique to this document.
- 9b. **OTHER DOCUMENT NUMBER(S):** If the document has been assigned any other document numbers (either by the originator or by the sponsor), also enter this number(s).
10. **DISTRIBUTION STATEMENT:** Enter any limitations on further dissemination of the document, other than those imposed by security classification, using standard statements such as
 - (1) "Qualified requesters may obtain copies of this document from their defence documentation center."
 - (2) "Announcement and dissemination of this document is not authorized without prior approval from originating activity."
11. **SUPPLEMENTARY NOTES:** Use for additional explanatory notes.
12. **SPONSORING ACTIVITY:** Enter the name of the departmental project office or laboratory sponsoring the research and development. Include address.
13. **ABSTRACT:** Enter an abstract giving a brief and factual summary of the document, even though it may also appear elsewhere in the body of the document itself. It is highly desirable that the abstract of classified documents be unclassified. Each paragraph of the abstract shall end with an indication of the security classification of the information in the paragraph (unless the document itself is unclassified) represented as (TS), (S), (C), (R), or (U).
The length of the abstract should be limited to 20 single-spaced standard typewritten lines; 7/8 inches long.
14. **KEY WORDS:** Key words are technically meaningful terms or short phrases that characterize a document and could be helpful in cataloging the document. Key words should be selected so that no security classification is required. Identifiers, such as equipment model designation, trade name, military project code name, geographic location, may be used as key words but will be followed by an indication of technical context.