

AD-A044 848

TECHNICON INSTRUMENTS CORP TARRYTOWN NY

F/G 13/8

DESIGN OF WATTS PROCESS CONTINUOUS CASTING MACHINE FOR TUBE HOL--ETC(U)

JAN 77 L WATTS, H ALLEN

DAAG46-76-C-0041


UNCLASSIFIED

AMMRC-CTR-77-2

NL

1 OF 1
ADA
044848





NATIONAL BUREAU OF STANDARDS
MICROCOPY RESOLUTION TEST CHART

- FINAL REPORT -

CONTRACT NO. DAAG46-76-C-0041



AD

AMMRC CTR-77-2

TITLE 6 DESIGN OF WATTS PROCESS
CONTINUOUS CASTING MACHINE
FOR TUBE HOLLOW.

DATE 11 Jan 1977

AUTHOR(s) 10 Leonard Watts and Henry Allen

COMPANY Technicon Instruments Corporation

ADDRESS Tarrytown, New York 10591

9 FINAL REPORT, CONTRACT NUMBER 15 DAAG46-76-C-0041

May 76 - Jan 77

Approved for public release; distribution unlimited.

Prepared for

ARMY MATERIALS AND MECHANICS RESEARCH CENTER
Watertown, Massachusetts 02172

New
410 413

mt

ACCESSION for	
NTIS	Write Section ☒
DDC	B.H. Section ☐
UNANNOUNCED	☐
JUSTIFICATION	
BY	
DISTRIBUTION/AVAILABILITY NOTES	
Dist	CHAL
A	

The findings in this report are not to be construed as an official Department of the Army position, unless so designated by other authorized documents.

Mention of any trade names or manufacturers in this report shall not be construed as advertising nor as an official indorsement or approval of such products or companies by the United States Government.

DISPOSITION INSTRUCTIONS

Destroy this report when it is no longer needed.
Do not return it to the originator.

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER AMMRC CTR 77-2	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) DESIGN OF WATTS PROCESS CONTINUOUS CASTING MACHINE FOR TUBE HOLLOW		5. TYPE OF REPORT & PERIOD COVERED Final Report May, 1976- January, 1977
		6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s) Leonard Watts and Henry Allen		8. CONTRACT OR GRANT NUMBER(s) DAAG46-76-C-0041
9. PERFORMING ORGANIZATION NAME AND ADDRESS Technicon Instruments Corporation Tarrytown, New York 10591		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS D/A Project: M757590 AMCMS Code: 32970M7590 Agency Accession:
11. CONTROLLING OFFICE NAME AND ADDRESS Army Materials and Mechanics Research Center Watertown, Massachusetts 02172		12. REPORT DATE January, 1977
		13. NUMBER OF PAGES 5
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		15. SECURITY CLASS. (of this report) Unclassified
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES This project has been accomplished as part of the U.S. Army Manufacturing Methods and Technology Program, which has as its objective the timely establishment of manufacturing processes, techniques or equipment to insure the efficient production of current or future defense programs.		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Watts Process Steel Continuous Casting		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) This work covers the design of a prototype Watts Process continuous casting machine for producing up to 5 1/2 inches O.D. steel hollow tube blanks in short lengths.		

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

FOREWARD

This report on "Design of Watts Process Continuous Casting Machine for Tube Hollows" covers the work performed under Contract DAAG46-76-C-0041 under the direction of Technicon Corporation, from May, 1976 to December, 1976.

The project was supported by the Army Materials and Mechanics Research Center, Watertown, Massachusetts. This work was under the technical supervision of Mr. Arthur Ayvazian of AMMRC.

ABSTRACT

This work covers the design of a prototype Watts Process continuous casting machine for producing up to 5 1/2 inches O.D. steel hollow tube blanks in short lengths.

BACKGROUND

In late 1973 an official of Technicon Corporation visited the Army Materiel Command in Alexandria to discuss Technicon's patented process for casting steel in both solid and tubular form. At that time Technicon learned of a procurement problem relating to gun barrels and similar forged products. The essential problem as described was that steel which is made by pouring ingots, or by vertical continuous casting, does not meet the high quality standards which are needed for these weapons. Both ingot and continuously cast steel are somewhat deficient in that they are subject to porosity and segregation. Accordingly, AMC has found it necessary to rely essentially on electroslag refined steel as a feed material for both its present forging operations and its new rotary forging press. Although steel from this process readily meets quality specifications, other alternate methods are constantly being explored.

We were asked at the early meetings about both the economics and the quality possibilities of steel made in our unique horizontal continuous casting process. Our initial response was that the process would be considerably less expensive not only than the ESR process but also than conventional continuous casting or ingot-pouring. From a quality standpoint, at that time, we could only estimate that our quality would be superior to both ingot-poured steel and vertical continuously cast steel, while not as good as the ESR product. AMC reasoned that our process should be looked at further to determine where steel made in the process would fall in the quality spectrum. We understood that to some extent the ESR grades being used were "overkill" from a quality standpoint, but at the moment their high cost could not be avoided because of the quality deficiencies of steel made by other methods.

Subsequently, a test by AMC of the material made by Technicon using the Watts Horizontal Continuous Casting Process revealed that its quality was not only appreciably superior to either the ingot-poured or the conventionally continuously cast product, but in certain aspects it even

approached the quality of the expensive ESR product. In addition, of course, both the capital investment and the operating costs of the Watts Process are appreciably lower. For these reasons it appears that material made in our process should be very desirable for the special military purposes under consideration.

While these judgments are based on production and evaluation of billets cast in solid form, the same basic principles would be used and the same quality advantages will occur in using the process to produce hollow rounds. The production of hollows, however, requires equipment of a somewhat modified design, although the basic concepts of the closed-end mold process are the same for hollows as they are for solids.

Operation of the Horizontal Tube Blank Caster

The horizontal closed-end mold tube blank machine as designed in this program is seen in Figure 1. The operating sequence of the machine is illustrated schematically in Figure 2. Prior to casting the tundish is preheated, the flame emerging from the tundish nozzle serving to preheat the mold plug. On completion of preheat, the mold is pushed over the tundish nozzle into the casting position (Figure 2-1). Metal is poured from the melting furnace into the preheated tundish. The metal flows through the tundish nozzle and fills

the mold cavity (Figure 2-2). After a delay of a few seconds to allow freezing onto the anchoring bolts on the tundish nozzle, the mold is slowly withdrawn from the fixed tundish. The mold withdrawal rate is gradually accelerated to the aim casting speed which should be achieved within 60 seconds of the start of pouring. During this time metal is being poured from the melting furnace into the tundish. The tundish is not replenished during the cast; therefore, as casting proceeds, the metal level in the tundish gradually falls (Figure 2-3). Liquid metal supply from the tundish to the liquid core of the cast strand continues until the metal level in the tundish falls below the level of the nozzle. Casting beyond this strand length results in an infilling of the mold cavity by the still liquid core of the cast section. The liquid core, in turn, drains towards the mold. Casting is complete when all the liquid core has been converted to solidified outer shell (Figure 2-4). The slag/metal reservoir remaining in the tundish is drained through a slide gate valve mounted in the base of the tundish.

Future Work

A three-phase program has been planned for the "establishment of production base for Watts Process products". Phase I

which was funded and completed, has covered the complete design of a Watts Process Tube Hollow Continuous Casting Machine for producing rounds up to a maximum of 5-1/2" diameter in short lengths. A complete set of manufacturing drawings is now available.

Phase II, depending on future funding, will involve construction of the prototype machine in accordance with the Phase I design, equipment installation, start-up and debugging, demonstration of the process, and evaluation of products made in the process.

Contingent on the success of Phase II and the availability of funding, Phase III would involve the design, construction, and installation of a commercial size machine which would provide the Army Materiel Command with all its requirements of high quality, hollow feed stock for its rotary forging machines on an attractive economic basis.




FIG. 1






FIG. 2
OPERATING SEQUENCE OF HORIZONTAL


1- MOLD IN STARTING POSITION



2- TUNDISH & MOLD BEING FILLED




3- CASTING IN PROGRESS




2
HORIZONTAL TUBE BLANK CASTER

CASTING IN PROGRESS



4 - HOLLOW CASTING COMPLETED



Army Materials and Mechanics Research Center, Watertown, Massachusetts 02172 DESIGN OF WATTS PROCESS CONTINUOUS CASTING MACHINE FOR TUBE HOLLOW - Leonard Watts and Henry Allen, Technicon Instruments Corporation, Tarrytown, New York 10591 Technical Report ANMRC CTR 77-2, January, 1977, 5 pp - 2 illustrations, Contract DAAG46-76-C-0041 D/A Project M757590, AMCS Code 32970M7590, Final Report, January, 1977 The object of this research program was the design of a prototype Watts Process Continuous Casting Machine for producing up to 5 1/2" O.D. alloy steel tube hollows in short lengths for process evaluation.	AD UNCLASSIFIED UNLIMITED DISTRIBUTION Key Words Watts Process Steel Continuous Casting	Army Materials and Mechanics Research Center, Watertown, Massachusetts 02172 DESIGN OF WATTS PROCESS CONTINUOUS CASTING MACHINE FOR TUBE HOLLOW - Leonard Watts and Henry Allen, Technicon Instruments Corporation, Tarrytown, New York 10591 Technical Report ANMRC CTR 77-2, January, 1977, 5 pp - 2 illustrations, Contract DAAG46-76-C-0041 D/A Project M757590, AMCS Code 32970M7590, Final Report, January, 1977 The object of this research program was the design of a prototype Watts Process Continuous Casting Machine for producing up to 5 1/2" O.D. alloy steel tube hollows in short lengths for process evaluation.	AD UNCLASSIFIED UNLIMITED DISTRIBUTION Key Words Watts Process Steel Continuous Casting
Army Materials and Mechanics Research Center, Watertown, Massachusetts 02172 DESIGN OF WATTS PROCESS CONTINUOUS CASTING MACHINE FOR TUBE HOLLOW - Leonard Watts and Henry Allen, Technicon Instruments Corporation, Tarrytown, New York 10591 Technical Report ANMRC CTR 77-2, January, 1977, 5 pp - 2 illustrations, Contract DAAG46-76-C-0041 D/A Project M757590, AMCS Code 32970M7590, Final Report, January, 1977 The object of this research program was the design of a prototype Watts Process Continuous Casting Machine for producing up to 5 1/2" O.D. alloy steel tube hollows in short lengths for process evaluation.	AD UNCLASSIFIED UNLIMITED DISTRIBUTION Key Words Watts Process Steel Continuous Casting	Army Materials and Mechanics Research Center, Watertown, Massachusetts 02172 DESIGN OF WATTS PROCESS CONTINUOUS CASTING MACHINE FOR TUBE HOLLOW - Leonard Watts and Henry Allen, Technicon Instruments Corporation, Tarrytown, New York 10591 Technical Report ANMRC CTR 77-2, January, 1977, 5 pp - 2 illustrations, Contract DAAG46-76-C-0041 D/A Project M757590, AMCS Code 32970M7590, Final Report, January, 1977 The object of this research program was the design of a prototype Watts Process Continuous Casting Machine for producing up to 5 1/2" O.D. alloy steel tube hollows in short lengths for process evaluation.	AD UNCLASSIFIED UNLIMITED DISTRIBUTION Key Words Watts Process Steel Continuous Casting

DISTRIBUTION LIST

No. of Copies	To
1	Office of the Director, Defense Research and Engineering, The Pentagon, Washington, D. C. 20301
12	Commander, Defense Documentation Center, Cameron Station, Alexandria, Virginia 22314
1	Advanced Research Projects Agency, The Pentagon, Washington, D. C. 20315
	Metals and Ceramics Information Center, Battelle Columbus Laboratories, 505 King Avenue, Columbus, Ohio 43201
2	ATTN: Mr. Daniel Maykuth
	Chief of Research and Development, Department of the Army, Washington, D. C. 20310
2	ATTN: Physical and Engineering Sciences Division
1	Dr. Bernard R. Stein
	Commander, U. S. Army Materiel Development and Readiness Command, 5001 Eisenhower Avenue, Alexandria, Virginia 22333
1	ATTN: DRCDE-DE, Development Division
1	DRCDE-RS, Research Division
1	DRCDE-RS, Scientific Deputy
1	DRCLDC, Mr. R. Zentner
	Commander, U. S. Army Aviation Systems Command, P. O. Box 209, Main Office, St. Louis, Missouri 63166
1	ATTN: DRSAB-LEP, Mr. J. M. Thorp
1	DRSAV-ER, Dr. I. Peterson
	Commander, U. S. Army Missile Command, Redstone Arsenal, Alabama 35809
1	ATTN: DRSMI-IE, Mr. J. E. Kirshtein
1	DRSMI-R, Mr. John L. McDaniel
1	DRSMI-RBLD, Redstone Scientific Information Center
1	Chief Scientist, Dr. W. W. Carter
1	Directorate of R&D
1	Dr. B. Steverding
	Commander, U. S. Army Mobility Equipment Research and Development Command, 4300 Goodfellow Boulevard, St. Louis, Missouri 63120
1	ATTN: DRSME-PLC, Mr. J. Murphy
1	Commander, U. S. Army Tank-Automotive Research & Development Command, Warren, Michigan 48090
1	ATTN: DRDTA-PPS, Mr. David Siegel
1	Mr. B. A. Schevo

No. of Copies	To
	Commander, U. S. Army Armament Command, Rock Island, Illinois 61201
2	ATTN: Technical Library
1	DRSAR-SC, Dr. C. M. Hudson
1	DRSAR-PPW-PB, Mr. Francis X. Walter
	Commander, Aberdeen Proving Ground, Maryland 21005
3	ATTN: Technical Library, Building 313
	Commander, U. S. Army Foreign Science and Technology Center, 220 7th Street, N. E., Charlottesville, Virginia 22901
1	ATTN: DRXST-SD3
	Frankford Arsenal, Philadelphia, Pennsylvania 19137
1	ATTN: Pitman-Dunn Institute of Research
	Commander, Picatinny Arsenal, Dover, New Jersey 07801
1	ATTN: Feltman Research Laboratories
	Commander, Rock Island Arsenal, Rock Island, Illinois 61201
1	ATTN: SARRI-RDL
	Director, Eustis Directorate, U. S. Army Air Mobility Research & Development Laboratory, Fort Eustis, Virginia 23604
1	ATTN: SAVDL-EU-SS, Mr. J. Robinson
	Commander, U. S. Army Ballistic Research Laboratories, Aberdeen Proving Ground, Maryland 21005
1	ATTN: Dr. D. Eichelberger
	Director, U. S. Army Materiel Systems Analysis Activity, Aberdeen Proving Ground, Maryland 21005
1	ATTN: AMXSY-D, Dr. J. Sperrazza
	Commander, U. S. Army Electronics Command, 225 South 18th Street, Philadelphia, Pennsylvania 19103
1	ATTN: DRSEL-PP/P/IED-2, Mr. Wesley Karg
	Commander, U. S. Army Mobility Equipment Research & Development Center, Fort Belvoir, Virginia 22060
2	ATTN: Technical Documents Center, Building 315
	Commander, U. S. Army Production Equipment Agency, Manufacturing Technology Branch, Rock Island Arsenal, Illinois 61202
1	ATTN: AMXPE, Mr. Ralph Siegel
	Commander, U. S. Army Research and Engineering Directorate, Warren, Michigan 48090
1	ATTN: SMOTA-RCM.1, Mr. Edward Moritz
1	SMOTA-RCM.1, Mr. Donald Phelps

No. of Copies	To
	Commander, Watervliet Arsenal, Watervliet, New York 12189
1	ATTN: SARVV-R
1	Dr. Robert Weigle
1	Chief, Bureau of Naval Weapons, Department of the Navy, Room 2225, Munitions Building, Washington, D. C.
	Chief, Bureau of Ships, Department of the Navy, Washington, D. C. 20315
1	ATTN: Code 341
	Chief of Naval Research, Arlington, Virginia 22217
1	ATTN: Code 472
	Headquarters, U. S. Air Force/RDPI, The Pentagon, Washington, D. C. 20330
1	ATTN: Major Donald Sponberg
	Headquarters, Aeronautical Systems Division, 4950 TEST W/TZHM (DH 2-5 Mgr), Wright-Patterson Air Force Base, Ohio 45433
1	ATTN: AFML-MATB, Mr. George Glenn
2	AFML-MXE, E. Morrissey
1	AFML-LLP, D. M. Forney, Jr.
1	AFML-LC
1	AFML-MBC, S. Schulman
	National Aeronautics and Space Administration, Washington, D. C. 20546
1	ATTN: AFSS-AD, Office of Scientific & Technical Information
1	Mr. B. G. Achhammer
1	Mr. G. C. Deutsch, Chief, Materials Research Program, Code RR-1
	National Aeronautics and Space Administration, Lewis Research Center, 21000 Brookpark Road, Cleveland, Ohio 44135
1	ATTN: Mr. G. Mervin Ault, Assistant Chief, M&S Division
	National Aeronautics and Space Administration, Marshall Space Flight Center, Huntsville, Alabama 35812
1	ATTN: S&E-ME-MM, Mr. W. A. Wilson, Building 4720
1	R-P&VE-M, R. J. Schwinghamer
	Albany Metallurgy Research Center, Albany, Oregon 97321
1	ATTN: Mr. R. R. Wells, Research Director
	Defense Materials Service, General Services Administration, Washington, D. C. 20405
1	ATTN: Mr. Clarence A. Fredell, Director, Technical R&D Staff

No. of Copies	To
	Director, Army Materials and Mechanics Research Center, Watertown, Massachusetts 02172
2	ATTN: DRXMR-PL
1	DRXMR-AG
1	DRXMR-X
1	DRXMR-M
1	DRXMR-L
2	DRXMR-ER
1	DRXMR-CT
4	DRXMR-PT