

AD-A047 155

TEXAS A AND M UNIV COLLEGE STATION DEPT OF CHEMISTRY  
NEW TRENDS IN THE CHEMISTRY OF ORGANOMETALLOPORPHYRINS. (U)  
NOV 77 M TSUTSUI

F/G 6/1


N00014-75-C-0417

UNCLASSIFIED


TR-19

NL

[CF]  
AD  
A04755



END  
DATE  
FILMED  
1 - 78  
DDC



MICROCOPY RESOLUTION TEST CHART  
NATIONAL BUREAU OF STANDARDS-1963-A

12  
B.S.

AD A 0 471 55

OFFICE OF NAVAL RESEARCH  
Contract <sup>15</sup> ~~NO 0014-75-C-0417~~  
Task No. NR 053-559

TECHNICAL REPORT NO. 19

<sup>6</sup> New Trends in the Chemistry of Organometalloporphyrins.

by

<sup>10</sup> Minoru Tsutsui

<sup>9</sup> Interim rept.

Prepared for Publication

in the

Proceedings of VIIIth International Conference

On Organometallic Chemistry

Texas A&M University  
Department of Chemistry  
College Station, Texas 77843

DDC  
RECEIVED  
DEC 5 1977  
F.

<sup>11</sup> 18 Nov ~~1977~~ 1977

<sup>12</sup> 10p.

<sup>14</sup> TR-19

Reproduction in whole or in part is permitted for any purpose of the United States Government

AD No. \_\_\_\_\_  
DDC FILE COPY

Approved for Public Release; Distribution Unlimited

ACCESSION for	
NIS	Section <input checked="" type="checkbox"/>
DDC	3rd Section <input type="checkbox"/>
SEARCHED	<input type="checkbox"/>
INDEXED	<input type="checkbox"/>
DISTRIBUTION/AVAILABILITY CODES	
SPECIAL	
A	


1473

407 997

LB

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER Technical Report No. 19 ✓	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) NEW TRENDS IN THE CHEMISTRY OF ORGANOMETALLO- PORPHYRINS		5. TYPE OF REPORT & PERIOD COVERED Interim
		6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s) Minoru Tsutsui		8. CONTRACT OR GRANT NUMBER(s) N00014-75-C-0417 ✓
9. PERFORMING ORGANIZATION NAME AND ADDRESS Department of Chemistry ✓ Texas A & M University College Station, Texas 77843		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS NR 053-559
11. CONTROLLING OFFICE NAME AND ADDRESS Office of Naval Research Department of the Navy Arlington, Virginia 22217		12. REPORT DATE November 18, 1977
		13. NUMBER OF PAGES 8
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		15. SECURITY CLASS. (of this report) unclassified
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Approved for Public Release, Distribution Unlimited		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES As the original camera ready sheets typed were too large, the sheets were contracted by the Xerox copy machine. Proceedings of the VIIIth International Conference on Organometallic Chemistry		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Organometalloporphyrins (H-MP)-Tc(CO) <sub>3</sub> TPP Tc(CO) <sub>3</sub> ·Re(CO) <sub>3</sub> Vitamin B <sub>12</sub> MP[Tc(CO) <sub>3</sub> ] <sub>2</sub> (H <sub>3</sub> OEP) <sup>+</sup> [Re <sub>2</sub> (CO) <sub>6</sub> Cl <sub>3</sub> ] <sup>-</sup> ·H <sub>2</sub> O (H-MP)Re(CO) <sub>3</sub> TPP[Re(CO) <sub>3</sub> ] <sub>2</sub> [Re(CO) <sub>3</sub> Cl] <sub>2</sub> ·TPP·256Cl <sub>6</sub> MP[Re(CO) <sub>3</sub> ] <sub>2</sub> TPP[Tc(CO) <sub>3</sub> ] <sub>2</sub>		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) Current developments in chemistry of Organometallic chemistry are reviewed. A major part of the manuscript is the coverage of the work done in the author's laboratory.		

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)



S/N 0102-LF-014-6601

SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)

## INSTRUCTIONS FOR PREPARATION OF REPORT DOCUMENTATION PAGE

**RESPONSIBILITY.** The controlling DoD office will be responsible for completion of the Report Documentation Page, DD Form 1473, in all technical reports prepared by or for DoD organizations.

**CLASSIFICATION.** Since this Report Documentation Page, DD Form 1473, is used in preparing announcements, bibliographies, and data banks, it should be unclassified if possible. If a classification is required, identify the classified items on the page by the appropriate symbol.

### COMPLETION GUIDE

**General.** Make Blocks 1, 4, 5, 6, 7, 11, 13, 15, and 16 agree with the corresponding information on the report cover. Leave Blocks 2 and 3 blank.

**Block 1.** Report Number. Enter the unique alphanumeric report number shown on the cover.

**Block 2.** Government Accession No. Leave Blank. This space is for use by the Defense Documentation Center.

**Block 3.** Recipient's Catalog Number. Leave blank. This space is for the use of the report recipient to assist in future retrieval of the document.

**Block 4.** Title and Subtitle. Enter the title in all capital letters exactly as it appears on the publication. Title should be unclassified whenever possible. Write out the English equivalent for Greek letters and mathematical symbols in the title (see "Abstracting Scientific and Technical Reports of Defense-sponsored RDT/E," AD-667 000). If the report has a subtitle, this subtitle should follow the main title, be separated by a comma or semicolon if appropriate, and be initially capitalized. If a publication has a title in a foreign language, translate the title into English and follow the English translation with the title in the original language. Make every effort to simplify the title before publication.

**Block 5.** Type of Report and Period Covered. Indicate here whether report is interim, final, etc., and, if applicable, inclusive dates of period covered, such as the life of a contract covered in a final contractor report.

**Block 6.** Performing Organization Report Number. Only numbers other than the official report number shown in Block 1, such as series numbers for in-house reports or a contractor/grantee number assigned by him, will be placed in this space. If no such numbers are used, leave this space blank.

**Block 7.** Author(s). Include corresponding information from the report cover. Give the name(s) of the author(s) in conventional order (for example, John R. Doe or, if author prefers, J. Robert Doe). In addition, list the affiliation of an author if it differs from that of the performing organization.

**Block 8.** Contract or Grant Number(s). For a contractor or grantee report, enter the complete contract or grant number(s) under which the work reported was accomplished. Leave blank in in-house reports.

**Block 9.** Performing Organization Name and Address. For in-house reports enter the name and address, including office symbol, of the performing activity. For contractor or grantee reports enter the name and address of the contractor or grantee who prepared the report and identify the appropriate corporate division, school, laboratory, etc., of the author. List city, state, and ZIP Code.

**Block 10.** Program Element, Project, Task Area, and Work Unit Numbers. Enter here the number code from the applicable Department of Defense form, such as the DD Form 1498, "Research and Technology Work Unit Summary" or the DD Form 1634, "Research and Development Planning Summary," which identifies the program element, project, task area, and work unit or equivalent under which the work was authorized.

**Block 11.** Controlling Office Name and Address. Enter the full, official name and address, including office symbol, of the controlling office. (Equates to funding/sponsoring agency. For definition see DoD Directive 5200.20, "Distribution Statements on Technical Documents.")

**Block 12.** Report Date. Enter here the day, month, and year or month and year as shown on the cover.

**Block 13.** Number of Pages. Enter the total number of pages.

**Block 14.** Monitoring Agency Name and Address (if different from Controlling Office). For use when the controlling or funding office does not directly administer a project, contract, or grant, but delegates the administrative responsibility to another organization.

**Blocks 15 & 15s.** Security Classification of the Report: Declassification/Downgrading Schedule of the Report. Enter in 15 the highest classification of the report. If appropriate, enter in 15s the declassification/downgrading schedule of the report, using the abbreviations for declassification/downgrading schedules listed in paragraph 4-207 of DoD 5200.1-R.

**Block 16.** Distribution Statement of the Report. Insert here the applicable distribution statement of the report from DoD Directive 5200.20, "Distribution Statements on Technical Documents."

**Block 17.** Distribution Statement (of the abstract entered in Block 20, if different from the distribution statement of the report). Insert here the applicable distribution statement of the abstract from DoD Directive 5200.20, "Distribution Statements on Technical Documents."

**Block 18.** Supplementary Notes. Enter information not included elsewhere but useful, such as: Prepared in cooperation with . . . Translation of (or by) . . . Presented at conference of . . . To be published in . . .

**Block 19.** Key Words. Select terms or short phrases that identify the principal subjects covered in the report, and are sufficiently specific and precise to be used as index entries for cataloging, conforming to standard terminology. The DoD "Thesaurus of Engineering and Scientific Terms" (TEST), AD-672 000, can be helpful.

**Block 20.** Abstract. The abstract should be a brief (not to exceed 200 words) factual summary of the most significant information contained in the report. If possible, the abstract of a classified report should be unclassified and the abstract to an unclassified report should consist of publicly-releasable information. If the report contains a significant bibliography or literature survey, mention it here. For information on preparing abstracts see "Abstracting Scientific and Technical Reports of Defense-Sponsored RDT&E," AD-667 000.

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle)		5. TYPE OF REPORT & PERIOD COVERED
		6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s)		8. CONTRACT OR GRANT NUMBER(s)
9. PERFORMING ORGANIZATION NAME AND ADDRESS		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS
11. CONTROLLING OFFICE NAME AND ADDRESS		12. REPORT DATE
		13. NUMBER OF PAGES
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		15. SECURITY CLASS. (of this report)
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report)		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES		
<p>20 the original camera ready sheets typed were <sup>too</sup> large, the sheets were contracted by the xerox copy machine.</p>		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number)		
<p>Organometalloporphyrins, (H-MP)-Tc(CO)<sub>3</sub>, TPP(Tc(CO)<sub>3</sub>)<sub>2</sub>, TPP(Tc(CO)<sub>3</sub>)<sub>2</sub> · Re(CO)<sub>3</sub>                  Vitamin B<sub>12</sub>, MP(Tc(CO)<sub>3</sub>)<sub>2</sub>, (H<sub>3</sub>OEP)<sup>+</sup>[Re<sub>2</sub>(CO)<sub>6</sub>Cl<sub>3</sub>]<sup>-</sup> · H<sub>2</sub>O                  (H-MP)Re(CO)<sub>3</sub>, TPP[Re(CO)<sub>3</sub>]<sub>2</sub>, [Re(CO)<sub>3</sub>Cl]<sub>2</sub> · TPP · 2.5bCl<sub>6</sub>                  MP[Re(CO)<sub>3</sub>]<sub>2</sub>, TPP(Tc(CO)<sub>3</sub>)<sub>2</sub></p>		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number)		
<p><del>A broad review</del> on current developments in organometallic chemistry of Organometallic chemistry are reviewed. A most part of the manuscript is the coverage of the work done in the author's lab.</p>		

SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)

A large rectangular area with a dashed border, intended for handwritten security classification information. The area is currently blank, with only a few faint, illegible marks and a single vertical line on the left side.


SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)

## NEW TRENDS IN THE CHEMISTRY OF ORGANOMETALLOPORPHYRINS

Minoru Tsutsui

Department of Chemistry, Texas A & M University, College Station, Texas 77843


Organometalloporphyrins in general are defined as synthetic metalloporphyrin complexes containing at least one direct metal-carbon bond. However, the coenzyme of vitamin B<sub>12</sub> (Figure 1) containing an adenosyl group linked to cobalt by a direct cobalt-carbon  $\sigma$ -bond is the first example of a naturally occurring organometallic complex (similar to organometalloporphyrins in molecular structure) and the first-known stable organocobalt derivative.<sup>2,3</sup> The determination of the structure of the vitamin B<sub>12</sub> coenzyme by x-ray crystallography<sup>4,5</sup> prompted several studies of the synthesis and properties of cobalt-alkyl compounds.<sup>6-9</sup> Johnson and his co-workers<sup>6-9</sup> extended their studies to the porphyrin series by reaction of pyridinobromocobalt(III)actioporphyrin-I with a variety of alkyl- and aryl-magnesium halides in anhydrous 1,2-dimethoxyethane (DME) to give the corresponding alkyl- and aryl-cobalt(III) derivatives.<sup>6,9</sup> Ethyl and p-tolyl-iron(III) derivatives of actioporphyrin-I were also prepared by a similar method. The first-row transition metal derivatives of organometalloporphyrins were thus synthesized for the first time. In an alternative synthesis, Johnson and his co-workers were also able to prepare the identical alkyl cobalt(III)actioporphyrin-I complexes as that mentioned above, by reduction of cobalt(II)actioporphyrin-I with 1% sodium amalgam in DME to form cobalt(I) species,<sup>7</sup> which then react with alkyl halides to give the final products. This method was also used for the preparation of hydroxyalkyl-cobalt(III)actioporphyrin-I complexes.<sup>8</sup> Both the cobalt(III) and the iron(III) organometalloporphyrins are sensitive to light, especially in solution, and decompose by homolytic fission of the metal-carbon bond.



SPATIAL STRUCTURE OF COENZYME B<sub>12</sub>

FIGURE 1

The use of metal carbonyls for the insertion of metal ions into porphyrins was first introduced by Tsutsui and his co-workers<sup>10,11</sup> in 1966 (Figure 2). This method is probably one of the most important developments in porphyrin chemistry within the last two decades. In addition to a number of previously reported metalloporphyrins, the reaction of metal carbonyls and metal carbonyl halides<sup>12,21,24-29</sup> with neutral porphyrins has led to the synthesis of new metalloporphyrin complexes of chromium, molybdenum, technetium, ruthenium, rhodium, rhenium and iridium.<sup>10-32</sup> Except for the chromium and molybdenum complexes, carbonyl groups




USE OF  $\text{Cr}(\text{CO})_6$  FOR INSERTION OF  $\text{Cr}^{\text{II}}$  TO PP

FIGURE 2

are retained by the metals in the new metalloporphyrin complexes.

By reaction of dirhenium decarbonyl,  $\text{Re}_2(\text{CO})_{10}$ , or ditechneium decacarbonyl,  $\text{Tc}(\text{CO})_{10}$ , with mesoporphyrin IX dimethylester,  $\text{H}_2\text{MPiXDMe}$ , in refluxing decalin under argon, Tsutsui<sup>1</sup> and his co-workers have successfully prepared two unusual rhenium organometalloporphyrins<sup>31,32</sup> ( $\text{H-MP})\text{Re}(\text{CO})_3$ , I, and  $\text{MP}[\text{Re}(\text{CO})_3]_2$ , II, a pair of technetium organometalloporphyrins,<sup>33,34</sup> ( $\text{H-MP})\text{Tc}(\text{CO})_3$ , III, and  $\text{MP}[\text{Tc}(\text{CO})_3]_2$ , IV, and a mixed rhenium technetium organometalloporphyrin,  $(\text{OC})_3\text{ReMP}(\text{CO})_3$ , V. A single crystal x-ray diffraction analysis of  $\mu$ -[meso-tetraphenylporphinato]bis[tricarbonylrhenium(1)],  $\text{TPP}[\text{Re}(\text{CO})_3]_2$ , VI, (Figure 3), has shown



Porphyrin - Tridentate Ligand

Porphyrin - Hexadentate Ligand

FIGURE 3

that each rhenium ion is bonded to three nitrogen atoms and that two rhenium atoms are bonded to one porphyrin on opposite sides of the plane of the porphyrin molecule.

The metal ions in these complexes, I-VI, sit out of the plane of the porphyrin molecule. The monorhenium and monotechnetium complexes, I and III, where the porphyrin moiety acts as a tridentate ligand, resemble Fleischer's proposed "sitting-atop complex"<sup>38,39</sup> and are good models for the intermediates in the insertion of a metal ion into porphyrin.<sup>40</sup> The dirhenium, ditechneium, and mixed rhenium-technetium organometalloporphyrin complexes, II, IV, V, and VI, where the porphyrin moiety acts as a hexadentate ligand, are examples of the first isolated stable homo- and hetero-dinuclear organometalloporphyrin complexes.<sup>13,32</sup> The monorhenium porphyrin complex, I, reacts with  $\text{Re}_2(\text{CO})_{10}$  or  $\text{Tc}_2(\text{CO})_{10}$  in refluxing decalin to form the dirhenium porphyrin complex,<sup>31</sup> II, and the mixed rhenium technetium porphyrin complex,<sup>13</sup> V, respectively. Replacement of the pyrrolic proton ( $\text{N}_2\text{H}$ ) of the monorhenium porphyrin complex by other metal ions such as  $\text{Ag}^+$ ,  $\text{Hg}^{2+}$ , and  $\text{Pb}^{2+}$ , has resulted in unstable complexes.<sup>32</sup> The monotechnetium porphyrin complex, III, (Figure 4), behaves in a different manner by disproportionating to form a ditechneium porphyrin complex, IV, and the free porphyrin,  $\text{H}_2\text{MPiXDMe}$ , by heating in refluxing decalin.<sup>32</sup> This unusual coordination phenomenon has never been reported. Such a reaction was not observed on heating monorhenium porphyrin complex, I, in refluxing decalin.<sup>31,32</sup> It seems that both the rhenium and technetium din metalloporphyrin complexes are thermodynamically more stable than the monometalloporphyrin complexes, because a reverse reaction of  $\text{MP}[\text{M}(\text{CO})_3]_2$  to  $(\text{H-MP})-\text{M}(\text{CO})_3$ .

(M=Re or Tc), could not be detected between  $\text{MP}[\text{M}(\text{CO})_3]_2$  and  $\text{H}_2\text{MP}(\text{CO})_3$  in refluxing decalin for either the rhenium or technetium dimetalloporphyrin complexes.<sup>31-34</sup>





FIGURE 4

Temperature-dependent  $^1\text{H}$  nmr spectral changes for  $\text{HTPPRe}(\text{CO})_3$  and  $\text{HMPRe}(\text{CO})_3$  dissolved in 1,1,2,2-tetrachlorethane showed fluxional behavior of  $\text{Re}(\text{CO})_3$  group. This phenomenon is best explained by the intramolecular rearrangement of the metal carbonyl group among the four ring nitrogens of porphin and also movement of the N-H; it can also be regarded as intramolecular substitution at rhenium or technetium, (Figure 4).<sup>35</sup>

We have prepared a new salt type complex of porphyrins, monocation octaethylporphyrin tri- $\mu$ -halogeno-hexacarbonyldirhenate(I) from the reaction of  $\text{Re}(\text{CO})_5\text{Cl}$  and  $\text{H}_2\text{OEP}$  in a 2:1 mole ratio in decalin. The structure of the complex was elucidated by the x-ray diffraction analysis method, (Figure 5).<sup>36</sup>




STRUCTURE OF  $(\text{H}_3\text{OEP})^+[\text{Re}_2(\text{CO}_6)\text{Cl}_3]^- \cdot \text{H}_2\text{O}$

FIGURE 5

$[\text{Re}(\text{CO})_5]_2\text{TPP}$  has been oxidized by  $\text{SbCl}_5$  in dichloromethane to yield  $[\text{Re}(\text{CO})_5\text{Cl}]_2\text{TPP} \cdot 2\text{SbCl}_6$  and  $[\text{Re}(\text{CO})_3][\text{Re}(\text{CO})_2\text{Cl}] \cdot \text{SbCl}_6$ . An x-ray determination of the structure of these complexes provides definite evidence for a "skewed complex", that is a metalloporphyrin in which a metal-metal bond exists through the "hole" of the macrocycle, (Figure 6).<sup>37</sup>


Two different methods were employed by Fleischer and his co-workers in preparing the rhodium and iridium porphyrin complexes.<sup>24,25</sup> In one, the freshly prepared metal carbonyl halides,  $[\text{Rh}(\text{CO})_2\text{Cl}]_2$  and  $[\text{Ir}(\text{CO})_2\text{Cl}]_2$ , were allowed to react with the porphyrins in glacial acetic acid solution to form the respective metalloporphyrins, (Figure 7). In the second method,



First Skewered Complex (Radical Metalloporphyrin)

FIGURE 6

the cyclooctene complexes of rhodium and iridium were found to be reactive intermediates useful in the metalloporphyrin formation, (Figure 8). In both methods, incorporation of rhodium into the porphyrin was more readily achieved than was that of iridium. It is of interest that in the metalloporphyrins prepared by these methods, the iridium porphyrins retain the carbon monoxide ligand while rhodium and other metals do not.<sup>18,21</sup> The carbon monoxide is very tightly bound to the iridium porphyrin moiety; heating, pumping, boiling in pyridine, or reprecipitating from concentrated sulfuric acid solution does not remove the carbonyl group from the complex.<sup>24</sup> By the reaction of  $[\text{Rh}(\text{CO})_2\text{Cl}]_2$  with *meso*-tetraphenylporphine,  $\text{H}_2\text{TPP}$ , in refluxing benzene, two stable organometalloporphyrin derivatives of rhodium,  $\text{Rh}^{\text{III}}(\text{CO})(\text{TPP}) \cdot \text{Cl}$  and  $(\sigma\text{-phenyl})\text{Rh}^{\text{IV}}(\text{TPP}) \cdot \text{Cl}$ , were separated by chromatography on an alumina column by Fleisher and his co-workers.<sup>21,26</sup>



REACTION SCHEME FOR IRIDIUM PORPHYRIN PREPARED VIA  $\text{Ir}(\text{CO})_3\text{Cl}$

FIGURE 7

Yoshida and his co-workers were able to prepare two novel dinuclear rhodium(I) organometalloporphyrin complexes, VII and VIII, by modifying Fleischer's reaction conditions for the preparation of  $\text{Rh}^{\text{III}}(\text{CO})(\text{TPP}) \cdot \text{Cl}$  and  $(\sigma\text{-phenyl})\text{Rh}^{\text{IV}}(\text{TPP}) \cdot \text{Cl}$  in refluxing benzene.<sup>21,26</sup> Octaethylporphyrin, OEPH<sub>8</sub>, or (*N*-methyl) octaethylporphyrin reacts with  $[\text{Rh}(\text{CO})_2\text{Cl}]_2$  in benzene solution at room temperature under nitrogen atmosphere to produce VII and VIII. From the spectral data and the experimentally determined molecular weight,<sup>29</sup> VII was formulated as an acid,  $\text{H}^+[\text{OEP} \cdot \text{Rh}_2(\text{CO})_2\text{Cl}]^-$ , which contains a Rh-Cl-Rh bridge. The proton nmr and infrared spectral data indicate that the  $[\text{Rh}(\text{CO})_2\text{Cl}]_2$  moiety is maintained and the N-H and N-CH<sub>3</sub> bonds exist in VII. Since the Rh-Rh distance in  $[\text{Rh}(\text{CO})_2\text{Cl}]_2$  has been reported to be 3.12 Å, and the distances between the two adjacent nitrogen atoms of planar porphyrin is about 2.9 Å, it was assumed<sup>29</sup> that the two Rh atoms of the  $[\text{Rh}(\text{CO})_2\text{Cl}]_2$  moiety are bonded to the two adjacent nitrogen atoms of the porphyrinato core of VIII, as



FIGURE 8





FIGURE 9

shown in Figure 9. Upon exposure to air, VII was slowly oxidized to form a rhodium(III) chloro complex of octaethylporphyrin,  $Rh^{III}Cl(OEP) \cdot 2H_2O$ , which can further react with alkyl lithium to give an alkyl-rhodium complex, another example of rhodium organometalloporphyrin complex. However, VIII behaves in a different manner to give the identical alkyl-rhodium complex either by gentle heating in chloroform or chromatography on silica gel (Figure 9). This phenomenon of alkyl migration from a nitrogen atom to a metal ion is reported for the first time. The alkyl migration may proceed concertedly with oxidation of rhodium(I) to rhodium(III). The N-CH<sub>3</sub> bond fission seems to be facilitated by the aid of a low-valent rhodium ion. The reaction of (N-ethyl)octaethylporphyrin with  $[Rh(CO)_2Cl]$  yields a rhodium(I) complex similar to VIII, which is also easily oxidized to  $CH_3CH_2 \cdot Rh^{III}(OEP)$ . The mechanism of metal oxidation and alkyl migration is still unknown.

Both ruthenium carbonyl,  $Ru_3(CO)_{12}$ , and ruthenium carbonyl halide,  $[Ru(CO)_2Cl]_2$ , react with tetraphenylporphyrin to give the identical product, monocarbonyl-ruthenium(II) tetraphenyl porphine<sup>14,21</sup>,  $TPPRuCO$ , IX. It was found that IX crystallizes with a molecule of either<sup>14</sup> alcohol or water and that these weakly bound molecules are *trans* to the carbonyl group. Recently, a single crystal x-ray diffraction analysis<sup>16,20</sup> confirmed this structure. Imidazole and similar organic bases complex immediately at room temperature with  $TPPRuCO$  upon mixing in benzene.<sup>18,23</sup> However, as expected for a low spin  $d^6$  system, substitution reactions of the monocarbonylruthenium(II) complex take place slowly and under severe conditions to replace the carbonyl group.<sup>14</sup> Irradiation of degassed benzene or pyridine solutions of monocarbonyl ruthenium(II) aetioporphyrin-I pyridinate with visible or ultraviolet light leads quantitatively to a ruthenium(II) porphyrin photodimer with a metal-metal bond.<sup>15</sup> It is of interest that  $MPRuCO$  in benzene solution reacts smoothly with excess nitric oxide to form a dinitrosyl-ruthenium(II) meso-porphyrin complex.<sup>11</sup>


Since the successful isolation and purification of nitrogenase, the enzyme system that fixes molecular nitrogen to ammonia in living organisms, many studies have been made to find a nitrogenase model.<sup>41,42</sup> Fleicher and co-workers<sup>43</sup> created a model system consisting of the water soluble *meso*-tetra(p-sulfonatophenyl)porphinatocobalt(III),  $Co^{III}TPPS$ , and sodium borohydride and found it to be very effective catalyst for the reduction of the substrate of nitrogenase. For example, acetylene was reduced catalytically in this system to ethylene and ethane. A possible mechanism for this catalytic system was proposed to include cobalt-acetylene and cobalt-ethylene metalloporphyrin  $\pi$ -complexes as intermediates (Figure 10). For the induced oxidation of cobalt(II) mesoporphyrin IX dimethyl ester,



POSSIBLE MECHANISM FOR REDUCTION OF ACETYLENE BY A COBALT(III) PORPHYRIN SYSTEM.

FIGURE 10

$Co^{II}MPPIXDME$  by unsaturated hydrocarbons, an olefin-cobalt  $\pi$ -complex intermediate was proposed<sup>44</sup> (Figure 11).<sup>11</sup> Recently, the formation of a 1:1 adduct between cobalt(II) tetraphenylporphyrin,  $Co^{II}TPP$ , and carbon monoxide was reported by an esr study of a frozen



PROPOSED REACTION INTERMEDIATE FOR INDUCED OXIDATION  
OF COBALT(II) PORPHYRIN BY CYCLOHEXENE

FIGURE 11

solution of toluene.<sup>45</sup> The paramagnetic low-spin  $d^7$  complex of  $\text{Co}^{\text{II}}$ -TPP has a single unpaired electron in the  $d_{z^2}$  orbital for  $\sigma$  bonding with carbon monoxide, which provides an opportunity for the examination by esr of  $\sigma$  spin delocalization to carbon monoxide. Similarly, the reversible binding of carbon monoxide to iron(II) protoporphyrin IX in piperidine was identified by its esr spectrum in frozen solution.

The  $\sigma$ -interaction in carbon monoxide to metalloporphyrin adducts and the proposed olefin-metal  $\pi$ -complex intermediates for induced oxidation of Cobalt(II) porphyrin by unsaturated hydrocarbon and the catalytic reduction of acetylene in  $\text{Co}^{\text{III}}$ -TPPS and  $\text{NaBH}_4$  model system has brought new examples of formation of organometalloporphyrins.

ACKNOWLEDGEMENT-This research was supported in part under a contract of the Office of Naval Research.

#### REFERENCES

1. Unusual Metalloporphyrins, XXX.
2. E.L. Smith, Vitamin B<sub>12</sub>, 3rd Edition, Wiley, New York (1965).
3. G.M. Schrauzer, Accounts Chem. Res., **1**, 97.
4. D.C. Hodgkin, Royal Society of London, Proceeding A, **288**, 294 (1965).
5. P.G. Lenhart and D.C. Hodgkin, Nature, **192**, 937 (1961).
6. D. Dolphin and A.W. Johnson, Chem. Comm., 494 (1965).
7. D.A. Clarke, R. Grigg and A.W. Johnson, Chem. Comm., 208 (1966).
8. D.A. Clarke, R. Gribb, H. Pinnock and A.W. Johnson, Chem. Comm., 309 (1967).
9. D.A. Clarke, D. Dolphin, R. Grigg, H. Pinnock and A.W. Johnson, J. Chem. Soc. (C), **7**, 881 (1968).
10. M. Tsutsui, M. Ichikawa, F. Vohwinkel and K. Suzuki, J. Amer. Chem. Soc., **88**, 854 (1966).
11. M. Tsutsui, R. Velapoldi, K. Suzuki, F. Vohwinkel, M. Ichikawa and T. Koyano, J. Amer. Chem. Soc., **91**, 6262 (1969).
12. T.S. Srivastava and E.B. Fleischer, J. Amer. Chem. Soc., **92**, 5518 (1970).
13. M. Tsutsui and C.P. Hrung, J. Amer. Chem. Soc., **95**, 5777 (1973).
14. B.C. Chow and I.A. Cohen, Bioinorg. Chem., **1**, 57 (1971).
15. G.W. Sovocool, F. Hopf and D. Whitten, J. Amer. Chem. Soc., **94**, 4350 (1972).
16. J.J. Bonnet, S.S. Eaton, G.R. Eaton, R.H. Holm and J.A. Ibers, J. Amer. Chem. Soc., **95**, 2141 (1973).
17. T.S. Srivastava, L. Hoffman and M. Tsutsui, J. Amer. Chem. Soc., **94**, 1385 (1972).
18. M. Tsutsui, D. Ostfeld and L. Hoffman, J. Amer. Chem. Soc., **92**, 1820 (1971).
19. M. Tsutsui, D. Ostfeld, J.N. Francis and L. Hoffman, J. Coord. Chem., **1**, 115 (1971).
20. D. Cullen, E. Meyer, Jr., T. Srivastava and M. Tsutsui, J. Chem. Soc., Chem. Comm., 584 (1972).
21. E.B. Fleischer, R. Thorp and D. Venerable, Chem. Comm., 475 (1969).
22. J.W. Faller and J.W. Sibert, J. Organometal Chem., **31**, C5 (1971).
23. S.S. Eaton, G.R. Eaton and R. Holm, J. Organometal Chem., **39**, 179 (1972).
24. E.B. Fleischer and D. Lavalley, J. Amer. Chem. Soc., **89**, 7132 (1969).
25. N. Sadasivan and E.B. Fleischer, J. Inorg. Nucl. Chem., **30**, 591 (1968).
26. E.B. Fleischer and D. Lavalley, J. Amer. Chem. Soc., **89**, 7132 (1969).
27. B.R. James and D.V. Stynes, J. Amer. Chem. Soc., **94**, 6225 (1972).
28. Z. Yoshida, H. Ogoshi, T. Omura, E. Watanabe and T. Kurosaki, Tetrahed. Lett., **11**, 1077 (1972).
29. H. Ogoshi, T. Omura and Z. Yoshida, J. Amer. Chem. Soc., **95**, 1666 (1973).
30. D. Cullen, E. Meyer, T.S. Srivastava and M. Tsutsui, J. Amer. Chem. Soc., **94**, 7603 (1972).
31. D. Ostfeld, M. Tsutsui, C.P. Hrung and D.C. Conway, J. Amer. Chem. Soc., **93**, 2548 (1971).
32. D. Ostfeld, M. Tsutsui, C.P. Hrung and D.C. Conway, J. Coord. Chem., **2**, 101 (1972).
33. M. Tsutsui and C.P. Hrung, Chem. Lett., 941 (1973).
34. M. Tsutsui and C.P. Hrung, J. Coord. Chem., **3**, 193 (1973).

35. M. Tsutsui and C.P. Hsung, J. Amer. Chem. Soc., 96, 2638 (1974).
36. C.P. Hsung, M. Tsutsui, D. Cullen and E. Meyer, Jr., J. Amer. Chem. Soc., 98, 7878 (1976).
37. S. Kato, M. Tsutsui, J. Amer. Chem. Soc., 99, 620 (1977).
38. E.B. Fleischer and J.H. Wang, J. Amer. Chem. Soc., 82, 3498 (1960).
39. E.B. Fleischer, E.I. Choi, P. Hambright and A. Stone, Inorg. Chem., 3, 1284 (1964).
40. R. Khosropour and P. Hambright, J. Chem. Soc., Chem. Comm., 13, (1972).
41. E.E. VanTamelon, Acc. Chem. Res., 3, 361 (1970).
42. G.W. Schrauzer and P.A. Doemeny, J. Amer. Chem. Soc., 93, 1608 (1971).
43. E.B. Fleischer and M. Krishnamurty, J. Amer. Chem. Soc., 94, 1382 (1972).
44. M. Tsutsui, A. Velapoldi, K. Suzuki and A. Ferrari, J. Amer. Chem. Soc., 90, 2723 (1968).
45. B.B. Wayland and D. Mohajer, J. Amer. Chem. Soc., 93, 5295 (1971).
46. D.V. Stynes, H.C. Stynes, B.R. James and J.A. Ibers, J. Amer. Chem. Soc., 95, 4087 (1973).

TECHNICAL REPORT DISTRIBUTION LIST

<u>No. Copies</u>		<u>No. Copies</u>
2	Office of Naval Research Arlington, Virginia 22217 Attn: Code 472	Defense Documentation Center Building 5, Cameron Station Alexandria, Virginia 22314 12
6	Office of Naval Research Arlington, Virginia 22217 Attn: Code 102IP 1	U.S. Army Research Office P.O. Box 12211 Research Triangle Park, N.C. 27709 Attn: CRD-AA-IP 1
1	ONR Branch Office 536 S. Clark Street Chicago, Illinois 60605 Attn: Dr. Jerry Smith	Naval Ocean Systems Center San Diego, California 92152 Attn: Mr. Joe McCartney 1
1	ONR Branch Office 715 Broadway New York, New York 10003 Attn: Scientific Dept.	Naval Weapons Center China Lake, California 93555 Attn: Head, Chemistry Division 1
1	ONR Branch Office 1030 East Green Street Pasadena, California 91106 Attn: Dr. R. J. Marcus	Naval Civil Engineering Laboratory Port Hueneme, California 93041 Attn: Mr. W. S. Haynes 1
1	ONR Branch Office 760 Market Street, Rm. 447 San Francisco, California 94102 Attn: Dr. P. A. Miller	Professor O. Heinz Department of Physics & Chemistry Naval Postgraduate School Monterey, California 93940 1
1	ONR Branch Office 495 Summer Street Boston, Massachusetts 02210 Attn: Dr. L. H. Peebles	Dr. A. L. Slafkosky Scientific Advisor Commandant of the Marine Corps (Code RD-1) Washington, D.C. 20380 1
1	Director, Naval Research Laboratory Washington, D.C. 20390 Attn: Code 6100	Office of Naval Research Arlington, Virginia 22217 Attn: Dr. Richard S. Miller 1
1	The Asst. Secretary of the Navy (R&D) Department of the Navy Room 4E736, Pentagon Washington, D.C. 20350	
1	Commander, Naval Air Systems Command Department of the Navy Washington, D.C. 20360 Attn: Code 310C (H. Rosenwasser)	

TECHNICAL REPORT DISTRIBUTION LIST

<u>No. Copies</u>	<u>No. Copies</u>
Dr. R. M. Grimes University of Virginia Department of Chemistry Charlottesville, Virginia 22901 1	Dr. W. Hatfield University of North Carolina Department of Chemistry Chapel Hill, North Carolina 27514 1
<del>Dr. M. Tsutsui Texas A&amp;M University Department of Chemistry College Station, Texas 77843 1</del>	Dr. D. Seyferth Massachusetts Institute of Technology Department of Chemistry Cambridge, Massachusetts 02139 1
Dr. C. Quicksall Georgetown University Department of Chemistry 37th & O Streets Washington, D.C. 20007 1	Dr. M. H. Chisholm Princeton University Department of Chemistry Princeton, New Jersey 08540 1
Dr. M. F. Hawthorne University of California Department of Chemistry Los Angeles, California 90024 1	Dr. B. Foxman Brandeis University Department of Chemistry Waltham, Massachusetts 02154 1
Dr. D. B. Brown University of Vermont Department of Chemistry Burlington, Vermont 05401 1	Dr. T. Marks Northwestern University Department of Chemistry Evanston, Illinois 60201 1
Dr. W. B. Fox Naval Research Laboratory Chemistry Division Code 6130 Washington, D.C. 20375 1	Dr. G. Geoffrey Pennsylvania State University Department of Chemistry University Park, Pennsylvania 16802 1
Dr. J. Adcock University of Tennessee Department of Chemistry Knoxville, Tennessee 37916 1	Dr. J. Zuckerman University of Oklahoma Department of Chemistry Norman, Oklahoma 73019 1
Dr. A. Cowley University of Texas Department of Chemistry Austin, Texas 78712 1	

TECHNICAL REPORT DISTRIBUTION LIST

<u>No. Copies</u>		<u>No. Copies</u>
2	Office of Naval Research Arlington, Virginia 22217 Attn: Code 472	Defense Documentation Center Building 5, Cameron Station Alexandria, Virginia 22314 12
6	Office of Naval Research Arlington, Virginia 22217 Attn: Code 102IP 1	U.S. Army Research Office P.O. Box 12211 Research Triangle Park, N.C. 27709 Attn: CRD-AA-IP 1
1	ONR Branch Office 536 S. Clark Street Chicago, Illinois 60605 Attn: Dr. Jerry Smith	Naval Ocean Systems Center San Diego, California 92152 Attn: Mr. Joe McCartney 1
1	ONR Branch Office 715 Broadway New York, New York 10003 Attn: Scientific Dept.	Naval Weapons Center China Lake, California 93555 Attn: Head, Chemistry Division 1
1	ONR Branch Office 1030 East Green Street Pasadena, California 91106 Attn: Dr. R. J. Marcus	Naval Civil Engineering Laboratory Port Hueneme, California 93041 Attn: Mr. W. S. Haynes 1
1	ONR Branch Office 760 Market Street, Rm. 447 San Francisco, California 94102 Attn: Dr. P. A. Miller	Professor O. Heinz Department of Physics & Chemistry Naval Postgraduate School Monterey, California 93940 1
1	ONR Branch Office 495 Summer Street Boston, Massachusetts 02210 Attn: Dr. L. H. Peebles	Dr. A. L. Slafkosky Scientific Advisor Commandant of the Marine Corps (Code RD-1) Washington, D.C. 20380 1
1	Director, Naval Research Laboratory Washington, D.C. 20390 Attn: Code 6100	Office of Naval Research Arlington, Virginia 22217 Attn: Dr. Richard S. Miller 1
1	The Asst. Secretary of the Navy (R&D) Department of the Navy Room 4E736, Pentagon Washington, D.C. 20350	
1	Commander, Naval Air Systems Command Department of the Navy Washington, D.C. 20360 Attn: Code 310C (H. Rosenwasser)	

TECHNICAL REPORT DISTRIBUTION LIST

<u>No. Copies</u>	<u>No. Copies</u>
Dr. R. M. Grimes University of Virginia Department of Chemistry Charlottesville, Virginia 22901 1	Dr. W. Hatfield University of North Carolina Department of Chemistry Chapel Hill, North Carolina 27514 1
<del>Dr. M. Tsutsui Texas A&amp;M University Department of Chemistry College Station, Texas 77843 1</del>	Dr. D. Seyferth Massachusetts Institute of Technology Department of Chemistry Cambridge, Massachusetts 02139 1
Dr. C. Quicksall Georgetown University Department of Chemistry 37th & O Streets Washington, D.C. 20007 1	Dr. M. H. Chisholm Princeton University Department of Chemistry Princeton, New Jersey 08540 1
Dr. M. F. Hawthorne University of California Department of Chemistry Los Angeles, California 90024 1	Dr. B. Foxman Brandeis University Department of Chemistry Waltham, Massachusetts 02154 1
Dr. D. B. Brown University of Vermont Department of Chemistry Burlington, Vermont 05401 1	Dr. T. Marks Northwestern University Department of Chemistry Evanston, Illinois 60201 1
Dr. W. B. Fox Naval Research Laboratory Chemistry Division Code 6130 Washington, D.C. 20375 1	Dr. G. Geoffrey Pennsylvania State University Department of Chemistry University Park, Pennsylvania 16802 1
Dr. J. Adcock University of Tennessee Department of Chemistry Knoxville, Tennessee 37916 1	Dr. J. Zuckerman University of Oklahoma Department of Chemistry Norman, Oklahoma 73019 1
Dr. A. Cowley University of Texas Department of Chemistry Austin, Texas 78712 1	

