

AD-A047 388

KAMAN SCIENCES CORP COLORADO SPRINGS COLO
CALCULATIONS OF ENVIRONMENTS FROM LOW-YIELD NUCLEAR DETONATIONS--ETC(U)
JUN 76 D C SACHS
K-76-83U(R)

F/G 18/3


UNCLASSIFIED

DNA-4257F

DNA001-75-C-0238

NL

| OF |
AD
A047388



AD A 047388



AD-E300022

DNA 4257F

CALCULATIONS OF ENVIRONMENTS FROM LOW-YIELD NUCLEAR DETONATIONS (RAD9 CODE RESULTS)

Kaman Sciences Corporation
P.O. Box 7463
Colorado Springs, Colorado 80933

June 1976

Final Report for Period 1 March 1976—30 June 1976


CONTRACT No. DNA 001-75-C-0238

APPROVED FOR PUBLIC RELEASE;
DISTRIBUTION UNLIMITED.

THIS WORK SPONSORED BY THE DEFENSE NUCLEAR AGENCY
UNDER RDT&E RMSS CODE B350076462 L35GAXMX41001 H2590D.

AD NO. _____
DDC FILE COPY

Prepared for
Director
DEFENSE NUCLEAR AGENCY
Washington, D. C. 20305



Destroy this report when it is no longer
needed. Do not return to sender.



UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER DNA 4257F	2. GOVT ACCESSION NO. (9)	3. RECIPIENT'S CATALOG NUMBER (9) (rept.)
4. TITLE (and Subtitle) CALCULATIONS OF ENVIRONMENTS FROM LOW-YIELD NUCLEAR DETONATIONS (RAD9 CODE RESULTS).	5. TYPE OF REPORT & PERIOD COVERED Final Rpt for Period 1 Mar 76 - 30 Jun 76	6. PERFORMING ORG. REPORT NUMBER K-76-83U (R)
7. AUTHOR(s) Donald C. Sachs	8. CONTRACT OR GRANT NUMBER(s) DNA 001-75-C-0238	10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS Subtask L35GAXMX410-01
9. PERFORMING ORGANIZATION NAME AND ADDRESS Kaman Sciences Corporation P.O. Box 7463 Colorado Springs, Colorado 80933	11. CONTROLLING OFFICE NAME AND ADDRESS Director Defense Nuclear Agency Washington, D.C. 20305	12. REPORT DATE June 1976 (12) (X410)
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office) (12) 65p.	13. NUMBER OF PAGES 70	15. SECURITY CLASS (of this report) UNCLASSIFIED
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.		15a. DECLASSIFICATION DOWNGRADING SCHEDULE
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report) (18) DNA, SBIE (19) 4257F, AD-E300 022		
18. SUPPLEMENTARY NOTES This work sponsored by the Defense Nuclear Agency under RDT&E RMSS Code B350076462 L35GAXMX41001 H2590D.		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Shallow Buried Devices Temperature Profiles Low-Yield Nuclear Energy/Mass Distributions RAD-9 Code Pressure Contours 2-D Rad-Hydro Density Contours Material Profiles Velocity Contours		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) The Defense Nuclear Agency has supported an extensive program to better define the blast, thermal and initial nuclear radiation environments associated with low-yield shallow buried nuclear device detonations. This report and the appendix include detailed results of 2-D rad-hydro computations for two geometries of interest using the KSC version of the RAD9 Code. → next page		

DD FORM 1 JAN 73 1473 EDITION OF 1 NOV 65 IS OBSOLETE

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

389 119

1B

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)

20. ABSTRACT (Continued)

cont. → The RAD9 Code is briefly described and results are shown for a 1-KT source at burial depths of 0.5 and 3.0 meters. Because of the limitations in the scope of work, additional tasks are suggested which would provide information on the effect of yield on air blast and sensitivity of results to equations of state.

ACCESSION for	
NTIS	Write Section ☒
DOC	Buy Section ☐
UNANNOUNCED	☐
JUSTIFICATION	
BY	
DISTRIBUTION/AVAILABILITY CODES	
Dist. ☐ and/or SPECIAL	
A	

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)

PREFACE

It is a pleasure to acknowledge the technical assistance extended by Capt. Jerry Stockton, SPSS, and Mr. Mort Rubenstein, SPAS, both of DNA. In addition, the cooperation and help supplied by Mr. Jeff Thomsen, ERDA-Livermore, and Capt. Mark Fry, AFWL, was much appreciated.

For Kaman Sciences, major contributions were made by Dr. Peter Snow and Mr. David Cruikshank. The outstanding assistance of Dr. Wallace Johnson, Computer Code Consultants, is gratefully acknowledged.

TABLE OF CONTENTS

	<u>PAGE</u>
1.0 INTRODUCTION	3
2.0 DESCRIPTION OF THE RAD9 CODE	4
3.0 RAD9 CODE RESULTS	5
3.1 Material Profiles	5
3.2 Temperature Profiles	9
3.3 Energy and Mass Results	16
3.4 Contour Plots of the Results	19
4.0 SUGGESTED FURTHER WORK	20
APPENDIX	23

1.0 INTRODUCTION

During the first three or four months of CY 1976, the Defense Nuclear Agency organized and funded an extensive program of one-dimensional and two-dimensional computer code calculations dealing with low-yield, shallow-buried nuclear device detonations. The main thrust of this effort was to better define the blast, thermal and initial nuclear radiation environments associated with such detonations. A secondary objective was to attempt to compare the results obtained from several different complex 2-D rad-hydro codes which are being run around the country.

In order to make these comparisons of code results meaningful, DNA requested that ERDA-Livermore generate the source tapes to be used by all the participants. Responding to that request, Livermore (Jeff Thomsen) supplied source tapes for each depth of burial considered.

As a portion of a Kaman Sciences' investigation for DNA of the test design for an underground cavity experiment (HURON KING), it became necessary for Kaman to perform 2-D rad-hydro computations for two of the geometries of interest. The computations were done using the KSC version of the RAD9 Code. This report presents some of the results of those two calculations.

Following this introduction, the RAD9 Code will be described briefly. Then, the principal results will be presented and discussed; for individuals who are interested in the detailed results, more data are included in the Appendix. The report concludes with some suggestions for further work, using the RAD9 Code.

2.0 DESCRIPTION OF THE RAD9 CODE

The Kaman Sciences' RAD9 Code is a two-dimensional multi-material hydrocode which treats material strength with elastic-plastic relations and handles radiation flow (and conduction) effects with a single-group greybody formulation. Hydrodynamic difference equations are explicit and accurate to terms of first order, while radiation is generally implicit. Massless tracer particles are used to define surface positions and move across the Eulerian grid, so that the code yields a Lagrangian-type definition of moving surfaces. The code is capable of handling up to nine materials with two materials per cell. Transfer of material between mixed Eulerian cells is effected by forcing a common velocity (and pressure) on the two constituents, computing the total increase in internal energy within the cell, and partitioning this energy between the materials by assuring that energy increments are proportional to fractional volumes occupied by the various materials. These fractional volumes are computed by dividing the mass of each material by its density.

Generally, Tillotson's equations of state are used in the code; however, in some calculations other analytic or tabular forms are used. A Brode fit to the Hillenrath data has been used for air and tabular data from Sandia Corporation (CHART-D) has been employed for various materials, particularly those used in nuclear weapons. Greybody opacities used in the code are obtained from Heubner's (LASL) tabular data and they include line spectra.

3.0 RAD9 CODE RESULTS

Some selected results from the KSC RAD9 Code runs for the 0.5-meter and 3-meter depth of burial, 1-KT source, are presented in this section. First, the maps of the motion of the various materials in the problem are shown for specific times after the burst. Next, some temperature profiles are shown for the 3-meter calculation only, and, finally, the partition of energy between the soil and the air is presented in tabular form.

3.1 Material Profiles

The material profiles corresponding to the 0.5-meter DOB calculation are shown in Figures 3.1 through 3.3. The first profile at $t = 0.175$ msec (Figure 3.1) shows the characteristic shape of the early-time material "bubble". It should be noted that although the bubble is truly oblong in shape (larger vertically than horizontally), the distortion in shape is somewhat accentuated by the choice of scales on the plots. Reference to Figures 3.2 and 3.3, which show material profiles representative of later times, indicates that the profile evolves as if the source were expanding from a region 4 to 6 meters above the initial soil/air interface. It is also apparent that a large volume of soil is moved upward and outward at these relatively early times, supporting the expanding air blast pressure wave. Note that near the soil/air interface there is a cusp, which is again characteristic of a low air burst geometry rather than a buried burst geometry.

The material profiles corresponding to the 3-meter DOB calculation are shown in Figures 3.4 through 3.7. As one would expect, the profiles shown here for the deeper buried burst are significantly different from those shown for the




FIGURE 3.1 RAD9 CALCULATION MATERIAL PROFILES, 1-KT AT
0.5-METER DEPTH, $t = 0$ AND $t = 0.175 \text{ MSEC}$




FIGURE 3.2 RAD9 CALCULATION MATERIAL PROFILES, 1-KT AT 0.5-METER DEPTH, $t = 0.180 \text{ MSEC}$ AND $t = 0.193 \text{ MSEC}$




FIGURE 3.3 RAD9 CALCULATION MATERIAL PROFILE, 1-KT AT
0.5-METER DEPTH, $t = 0.342 \text{ MSEC}$

0.5-meter case. The early-time expansion (Figures 3.4 and 3.5) is characteristic of the so-called "earth-piston" effect which has been observed often when large high-explosive (H.E.) charges are buried and detonated. For the later times (Figures 3.6 and 3.7), the piston appears to push up through the top and expand more significantly in the vertical direction. To be specific, at $t = 1.734$ msec (Figure 3.5), the piston dimension along the ground surface is about 8 meters and close to 8 meters above ground zero; however, at $t = 3.965$ msec (Figure 3.7), the piston size along the ground has expanded to about 12 meters whereas its height is more than 19 meters. When one refers to the air blast pressure contours (Appendix) it is apparent that this expansion of the soil piston has a significant effect upon the pressures.

3.2 Temperature Profiles

The temperature profiles at selected times after burst for the 3-meter depth calculation only are included in Figures 3.8 and 3.9. The temperatures are given in eV. units where 1 eV. is about $11,800^{\circ}\text{K}$. In each case, the profile defines the maximum space extent of the labeled temperature given; that is, all temperatures inside the profile are higher than the label value.

The general behavior illustrated in the figures shows a very hot region of soil/iron mixture at early times ($t = 1.297$ msec in Figure 3.8) located slightly above the air/soil interface. As time passes, this hot region cools somewhat, expands, and moves upward - until at $t = 3.965$ msec (Figure 3.9), it extends over a region of about 12 meters vertically which is centered near a height of 12 meters above ground zero. The temperature of this region is about 3 eV. (or about $30,000^{\circ}\text{K}$) near its outer surface and hotter on the interior. The




FIGURE 3.5 RAD9 CALCULATION MATERIAL PROFILES, 1-KT AT 3-METER DEPTH, $t = 1.406 \text{ MSEC}$ AND $t = 1.734 \text{ MSEC}$




FIGURE 3.6 RAD9 CALCULATION MATERIAL PROFILE, 1-KT AT
3-METER DEPTH, $t = 2.694 \text{ MSEC}$




FIGURE 3.7 RAD9 CALCULATION MATERIAL PROFILES, 1-KT AT
3-METER DEPTH, $t = 3.965 \text{ MSEC}$




FIGURE 3.8 RAD9 CALCULATION TEMPERATURE PROFILES, 1-KT AT 3-METER DEPTH, $t = 1.297$ MSEC AND $t = 1.93$ MSEC




FIGURE 3.9 RAD9 CALCULATION TEMPERATURE PROFILE, 1-KT
AT 3-METER DEPTH, $t = 3.965 \text{ MSEC}$

general behavior illustrated in Figures 3.8 and 3.9 indicates that, concerning thermal radiation heating of the air and the ground surface at later times, the 3-meter depth burst acts more like an air burst at about 12-meter HOB and reduced yield. The thermal yield would be reduced due to the large amount of soil moved up and out which provides an effective shield to the radiation emitted by the hot fireball which is characterized by the temperature profiles. This shielding phenomenon adds complexity to the already-difficult problem of computing the total thermal radiation (vs. time) reaching the ground surface at various ranges from GZ.

3.3 Energy and Mass Results

Tables 3.1 and 3.2 include summaries of the energy and mass results obtained from the 0.5-meter and 3-meter depth of burst calculations, respectively. For the 0.5-meter case, the ERDA-Livermore source tape indicated that, at the time the RAD9 calculation was started (0.175 msec) the contribution from the iron to the total mass and energy is only about 0.06% and decreases with time; for this reason the iron data were omitted from Table 3.1.

Reference to Table 3.1 indicates that the fraction of the total energy going into the air is increasing with time. However, it is also evident that this calculation would have to be carried out to times of about 10 msec to accurately determine the air/soil energy partition. The table listings indicate that energy and mass is conserved very well during the calculation.

Table 3.2 listings show that the fraction of total energy partitioned to the air for the 3-meter buried charge is much less than for the 0.5-meter case, which is as expected. Also,

TABLE 3.1
SUMMARY OF ENERGY AND MASS RESULTS FROM 0.5-METER
DOB KAMAN SCIENCES RAD9 CALCULATION

MATERIAL	INT. E (jerks) ⁺	KIN. E (jerks)	TOTAL E (jerks)	TOTAL MASS (gms)	TIME (msec)
Soil	1775	1831	3602	1.579(+10) [*]	0.175
Air	702	341	1043	1.99(+7)	
Totals	2478	2172	4650	1.581(+10)	
Soil	1773	1815	3588	1.579(+10)	0.180
Air	722	340	1062	1.99(+7)	
Totals	2495	2155	4650	1.581(+10)	
Soil	1762	1776	3538	1.579(+10)	0.193
Air	764	348	1112	1.99(+7)	
Totals	2526	2124	4650	1.581(+10)	
Soil	1722	1667	3389	1.579(+10)	0.248
Air	873	389	1262	1.99(+7)	
Totals	2594	2056	4650	1.581(+10)	
Soil	1676	1541	3216	1.579(+10)	0.342
Air	992	441	1434	1.99(+7)	
Totals	2668	1982	4650	1.581(+10)	
Soil	1632	1434	3066	1.579(+10)	0.469
Air	1106	478	1583	1.98(+7)	
Totals	2738	1912	4650	1.581(+10)	
Soil	1631	1432	3064	1.579(+10)	0.472
Air	1108	478	1586	1.98(+7)	
Totals	2739	1911	4650	1.581(+10)	

⁺ jerk = 10¹⁶ ergs

^{*} 1.579(+10) = 1.579x10¹⁰

TABLE 3.2

SUMMARY OF ENERGY AND MASS RESULTS FROM 3-METER DOB
KAMAN SCIENCES RAD9 CALCULATION

MATERIAL	INT. E (jerks) ⁺	KIN. E (jerks)	TOTAL E (jerks)	TOTAL MASS (gms)	TIME (msec)
Iron	14.3	0.68	15.0	1.76 (+4) [*]	1.297
Soil	2661	1913	4575	2.535 (+10)	
Air	16.0	2.79	18.8	2.32 (+7)	
Totals	2692	1917	4608	2.537 (+10)	
Iron	4.56	0.82	5.39	2.77 (+4)	1.406
Soil	2662	1923	4585	2.535 (+10)	
Air	14.8	2.89	17.68	2.32 (+7)	
Totals	2681	1927	4608	2.537 (+10)	
Iron	2.06	0.48	2.54	2.55 (+4)	1.734
Soil	2651	1931	4582	2.535 (+10)	
Air	18.67	3.94	22.6	2.32 (+7)	
Totals	2671	1936	4607	2.537 (+10)	
Iron	1.44	0.38	1.82	2.44 (+4)	1.928
Soil	2649	1930	4579	2.535 (+10)	
Air	21.73	4.87	26.60	2.32 (+7)	
Totals	2672	1935	4607	2.537 (+10)	
Iron	1.00	0.28	1.28	2.31 (+4)	2.164
Soil	2648	1925	4573	2.535 (+10)	
Air	25.97	6.24	32.2	2.32 (+7)	
Totals	2675	1932	4607	2.537 (+10)	
Iron	0.63	0.21	0.84	2.01 (+4)	2.694
Soil	2651	1909	4559	2.535 (+10)	
Air	36.87	9.65	46.52	2.32 (+7)	
Totals	2688	1919	4607	2.537 (+10)	
Iron	0.33	0.13	0.46	1.53 (+4)	3.345
Soil	2669	1869	4538	2.5346 (+10)	
Air	49.46	13.22	62.68	2.32 (+7)	
Totals	2719	1883	4601	2.537 (+10)	
Iron	0.23	0.08	0.31	1.44 (+4)	3.965
Soil	2683	1813	4496	2.5326 (+10)	
Air	61.1	16.22	77.3	2.32 (+7)	
Totals	2745	1829	4574	2.535 (+10)	
Iron	0.233	0.078	0.31	1.44 (+4)	3.981
Soil	2684	1811	4495	2.5325 (+10)	
Air	61.4	16.30	77.72	2.32 (+7)	
Totals	2746	1827	4573	2.535 (+10)	

⁺ jerk = 10^{16} ergs

^{*} 1.76 (+4) = 1.76×10^4

it is evident that, at early times, the contribution of the energy from the iron to the total energy is significant; as time proceeds, this contribution rapidly decreases. It is estimated that this calculation would need to be carried out to times near 100 msec to obtain accurate data regarding air/soil energy partition. Using the data available from these calculations, an "educated guess" would say that the fraction of energy appearing as air blast for the 3-meter case is less than one would predict using the standard effective yield concept. This conclusion should be verified by carrying out the calculations to the required later times.

Carrying out the KSC RAD9 calculations of the 0.5-meter and 3-meter cases to later times would not require excessive computer costs. The results reported here were obtained using a CDC 7600 Computer with the following run times:

- (a) 0.5-meter case - 19 min.
- (b) 3-meter case - 16 min.

3.4 Contour Plots of the Results

Plots of space contours of pressure, density, velocity vectors and internal energy are presented in an Appendix to this report. The plots are given for:

- 1. 0.5-meter DOB (1-KT); $t = 0.472$ msec
- 2. 3-meter DOB (1-KT); $t = 3.981$ msec.

The Z- and R-axes are labeled in centimeters; for the 0.5-meter case the air/soil interface is at $Z = 1000$ centimeters and for the 3-meter case the air/soil interface is at $Z = 1600$ centimeters.

For the 0.5-meter case, some pressure vs. radius plots are presented, corresponding to selected values of constant Z .

4.0 SUGGESTED FURTHER WORK

It is suggested that the following work be done with the KSC RAD9 Code:

1. Continue the KSC RAD9 calculations of the 1 KT-3 meter case to about 200 msec and the 1 KT-0.5 meter case to about 20 msec to determine the yield fraction contributing to air blast in each case.
2. Using the results obtained from 1. above, compare these results with the AFWL HULL Code calculations (using the Tillotson Equation of State) for the same cases.
3. Using the KSC RAD9 Code, complete the following sensitivity studies:
 - (a) Determine the effect of changing (within sensible limits) the linear and/or quadratic terms in the artificial viscosity used in the problem. Most of the codes used for these calculations incorporate the artificial viscosity formalism.
 - (b) Determine the effect of zone size near the source and at the shock front. There is some evidence that even the "shock-following" routine used by AFWL is not adequate to define the peak overpressure accurately at low (less than 20 psi) overpressures. Kaman Sciences is developing a "packaging" routine which will help to define these peak overpressures without the use of excessive computer time.

- (c) Determine the parameters which cause the most severe radiation leakage in the calculations considered. One candidate is the value chosen for the "flux-limiter" variable.
- (d) Determine the effect of allowing materials to "mix" inside the Euler cells, particularly when high opacity materials are adjacent to low opacity materials. This situation could lead to excess leakage of radiation, significantly influencing the results.

APPENDIX

PLOTS OF THE RAD9 CODE RESULTS

This appendix includes Figures A.1 through A.40. The subjects covered can be summarized as:

1. 1-KT; 0.5-meter DOB; $t = 0.472$ msec
 - (a) Figures A.1 through A.7: Pressure Contours (Z-R space)
 - (b) Figures A.8 through A.10: Pressure vs. R Profiles
 - (c) Figures A.11 through A.17: Density Contours (Z-R space)
 - (d) Figure A.18: Velocity Vectors (Z-R space)
 - (e) Figures A.19 through A.22: Internal Energy Contours (Z-R space).
2. 1-KT; 3-meter DOB; $t = 3.981$ msec
 - (a) Figures A.23 through A.29: Pressure Contours (Z-R space)
 - (b) Figures A.30 through A.36: Density Contours (Z-R space)
 - (c) Figure A.37: Velocity Vectors (Z-R space)
 - (d) Figures A.38 through A.40: Internal Energy (Z-R space).

CONTOUR P LINES




FIGURE A.1 RAD9 CALCULATION, 1-KT AT 0.5-METER DEPTH,
t = 0.472 MSEC; CONTOURS OF CONSTANT PRESSURE

CONTOUR P LINES SLIDE




FIGURE A.2 RAD9 CALCULATION, 1-KT AT 0.5-METER DEPTH,
t = 0.472 MSEC; 14.7 PSI PRESSURE CONTOUR

CONTOUR P LINES SLIDE




FIGURE A.3 RAD9 CALCULATION, 1-KT AT 0.5-METER DEPTH,
t = 0.472 MSEC; 147 PSI PRESSURE CONTOUR

CONTOUR P LINES SLIDE




FIGURE A.4 RAD9 CALCULATION, 1-KT AT 0.5-METER DEPTH,
 $t = 0.472$ MSEC; 1470 PSI PRESSURE CONTOUR

CONTOUR P LINES SLIDE




FIGURE A.5 RAD9 CALCULATION, 1-KT AT 0.5-METER DEPTH,
t = 0.472 MSEC; 14700 PSI (1 KB) PRESSURE
CONTOUR

CONTOUR P LINES SLIDE




FIGURE A.6 RAD9 CALCULATION, 1-KT AT 0.5-METER DEPTH,
 $t = 0.472$ MSEC; 10 KB PRESSURE CONTOUR

CONTOUR P LINES SLIDE




FIGURE A.7 RAD9 CALCULATION, 1-KT AT 0.5-METER DEPTH,
 $t = 0.472$ MSEC; 100 KB PRESSURE CONTOUR




FIGURE A.8 RAD9 CALCULATION, 1-KT AT 0.5-METER DEPTH,
 $t = 0.472$ MSEC; PRESSURE VS. RADIUS
 PROFILES (IN AIR)

PRO P 0 1.E10 Z 0 1000 R 50 PLOT 1 1

WALLY1

CYCLE 1351. TIME 4.72+04





FIGURE A.9 RAD9 CALCULATION, 1-KT AT 0.5-METER DEPTH,
 $t = 0.472$ MSEC; PRESSURE VS. RADIUS
 PROFILE (IN SOIL)

PRO P 0 1.E10 Z 1000 3000 R 50

WALLY1

CYCLE 1351. TIME 4.72+04



AIR/SOIL
INTERFACE

FIGURE A.10 RAD9 CALCULATION, 1-KT AT 0.5-METER DEPTH,
t = 0.472 MSEC; PRESSURE VS. RADIUS
PROFILE (IN AIR)

CONTOUR DEN LINES




FIGURE A.11 RAD9 CALCULATION, 1-KT AT 0.5-METER DEPTH,
 $t = 0.472$ MSEC; CONTOURS OF CONSTANT DENSITY

CONTOUR DEN LINES SLIDE




FIGURE A.12 RAD9 CALCULATION, 1-KT AT 0.5-METER DEPTH,
 $t = 0.472 \text{ MSEC}; 1 \times 10^{-3} \text{ g/cc DENSITY CONTOUR}$

CONTOUR DEN LINES SLIDE




FIGURE A.13 RAD9 CALCULATION, 1-KT AT 0.5-METER DEPTH,
 $t = 0.472 \text{ MSEC}; 3 \times 10^{-3} \text{ g/cc DENSITY CONTOUR}$

CONTOUR DEN LINES SLIDE




FIGURE A.14 RAD9 CALCULATION, 1-KT AT 0.5-METER DEPTH,
 $t = 0.472 \text{ MSEC}; 1 \times 10^{-2} \text{ g/cc DENSITY CONTOUR}$

CONTOUR DEN LINE'S SLIDE




FIGURE A.15 RAD9 CALCULATION, 1-KT AT 0.5-METER DEPTH,
t = 0.472 MSEC; 3×10^{-2} g/cc DENSITY CONTOUR

CONTOUR DEN LINES SLIDE




FIGURE A.16 RAD9 CALCULATION, 1-KT AT 0.5-METER DEPTH,
 $t = 0.472 \text{ MSEC}; 1 \times 10^{-1} \text{ g/cc DENSITY CONTOUR}$

CONTOUR DEN LINES SLIDE




FIGURE A.17 RAD9 CALCULATION, 1-KT AT 0.5-METER DEPTH,
 $t = 0.472$ MSEC; 3×10^{-1} g/cc DENSITY CONTOUR

VECTOR U U 1.E9 1.E4 R 40 Z 40




FIGURE A.18 RAD9 CALCULATION, 1-KT AT 0.5-METER DEPTH,
 $t = 0.472$ MSEC; PARTICLE VELOCITY VECTORS
 (CM/SEC)

CONTOUR IEM 1.E6 3.2E10 1.6E11 LINES




FIGURE A.19 RAD9 CALCULATION, 1-KT AT 0.5-METER DEPTH,
 $t = 0.472$ MSEC; CONTOURS OF CONSTANT
 INTERNAL ENERGY

CONTOUR IEM LINES SLIDE




FIGURE A.20 RAD9 CALCULATION, 1-KT AT 0.5-METER DEPTH,
 $t = 0.472$ MSEC; 1×10^6 ERGS/GM INTERNAL
 ENERGY CONTOUR

CONTOUR IEM LINES SLIDE




FIGURE A.21 RAD9 CALCULATION, 1-KT AT 0.5-METER DEPTH,
 $t = 0.472 \text{ MSEC}$; $3.2 \times 10^{10} \text{ ERGS/GM INTERNAL ENERGY CONTOUR}$

CONTOUR IEM LINES SLIDE




FIGURE A.22 RAD9 CALCULATION, 1-KT AT 0.5-METER DEPTH,
 $t = 0.472$ MSEC; 1.6×10^{11} ERGS/GM INTERNAL
 ENERGY CONTOUR

CONTOUR P LINES




FIGURE A.23 RAD9 CALCULATION, 1-KT AT 3-METER DEPTH,
 t = 3.981 MSEC; CONTOURS OF CONSTANT
 PRESSURE

CONTOUR P LINES




FIGURE A.24 RAD9 CALCULATION, 1-KT AT 3-METER DEPTH,
 t = 3.981 MSEC; CONTOURS OF CONSTANT
 PRESSURE

CONTOUR P LINES SLIDE




FIGURE A.25 RAD9 CALCULATION, 1-KT AT 3-METER DEPTH,
t = 3.981 MSEC; 14.7 PSI PRESSURE CONTOUR

CONTOUR P LINES SLIDE




FIGURE A.26 RAD9 CALCULATION, 1-KT AT 3-METER DEPTH,
 $t = 3.981$ MSEC; 147 PSI PRESSURE CONTOUR

CONTOUR P LINES SLIDE




FIGURE A.27 RAD9 CALCULATION, 1-KT AT 3-METER DEPTH,
t = 3.981 MSEC; 1470 PSI PRESSURE CONTOUR

CONTOUR P LINES SLIDE




FIGURE A.28 RAD9 CALCULATION, 1-KT AT 3-METER DEPTH,
 $t = 3.981$ MSEC; 14700 PSI (1 KB) PRESSURE
 CONTOUR

CONTOUR P LINES SLIDE




FIGURE A.29 RAD9 CALCULATION, 1-KT AT 3-METER DEPTH,
 $t \approx 3.981$ MSEC; 10 KB PRESSURE CONTOUR

CONTOUR DEN LINES




FIGURE A.30 RAD9 CALCULATION, 1-KT AT 3-METER DEPTH,
 $t = 3.981$ MSEC; CONTOURS OF CONSTANT DENSITY

CONTOUR DEN LINE'S SLIDE




FIGURE A.31 RAD9 CALCULATION, 1-KT AT 3-METER DEPTH,
 $t = 3.981 \text{ MSEC}; 1 \times 10^{-3} \text{ g/cc DENSITY}$
 CONTOUR

CONTOUR DEN LINE'S SLIDE




FIGURE A.32 RAD9 CALCULATION, 1-KT AT 3-METER DEPTH,
 $t = 3.981 \text{ MSEC}$; $3 \times 10^{-3} \text{ g/cc DENSITY}$
 CONTOUR

CONTOUR DEN LINES SLIDE




FIGURE A.33 RAD9 CALCULATION, 1-KT AT 3-METER DEPTH,
 $t = 3.981 \text{ MSEC}$; $1 \times 10^{-2} \text{ g/cc DENSITY}$
 CONTOUR

CONTOUR DEN LINES SLIDE




FIGURE A.34 RAD9 CALCULATION, 1-KT AT 3-METER DEPTH,
 $t = 3.981$ MSEC; 3×10^{-2} g/cc DENSITY
 CONTOUR

CONTOUR DEN LINES SLIDE




FIGURE A.35 RAD9 CALCULATION, 1-KT AT 3-METER DEPTH,
 $t = 3.981$ MSEC; 3×10^{-1} g/cc DENSITY
 CONTOUR

CONTOUR DEN LINES SLIDE




FIGURE A.36 RAD 9 CALCULATION, 1-KT AT 3-METER DEPTH,
 $t = 3.981$ MSEC; 1.0 g/cc DENSITY CONTOUR

VECTOR U U 1.E0 1.E4 R 40 Z 40




FIGURE A.37 RAD9 CALCULATION, 1-KT AT 3-METER DEPTH,
 $t = 3.981$ MSEC; PARTICLE VELOCITY VECTORS
 (CM/SEC)

CONTOUR IEM 1.E6 3.2E10 1.6E11 LINES




FIGURE A.38 RAD9 CALCULATION, 1-KT AT 3-METER DEPTH,
 $t = 3.981$ MSEC; CONTOURS OF CONSTANT
 INTERNAL ENERGY

CONTOUR IEM LINES SLIDE




FIGURE A.39 RAD9 CALCULATION, 1-KT AT 3-METER DEPTH,
 $t = 3.981 \text{ MSEC}$; $3.2 \times 10^{10} \text{ ERGS/GM INTERNAL ENERGY CONTOUR}$

CONTOUR IEM LINE: SLIDE




FIGURE A.40 RAD9 CALCULATION, 1-KT AT 3-METER DEPTH,
 $t = 3.981 \text{ MSEC}$; $1.6 \times 10^{11} \text{ ERGS/GM INTERNAL ENERGY CONTOUR}$

DISTRIBUTION LIST

DEPARTMENT OF DEFENSE

Assistant to the Secretary of Defense
Atomic Energy
Department of Defense
ATTN: Honorable Donald R. Cotter

Director
Defense Advanced Rsch. Proj. Agency
ATTN: Technical Library
ATTN: NMRO
ATTN: PMO
ATTN: STO

Director
Defense Civil Preparedness Agency
Assistant Director for Research
ATTN: Admin. Officer

Defense Communications Agency
WWMCCS System Engineering Org.
ATTN: Thomas Neighbors

Defense Documentation Center
Cameron Station
12 cy ATTN: TC

Director
Defense Intelligence Agency
ATTN: DT-1C
ATTN: DB-4C, Edward O'Farrell
ATTN: DI-7E

Director
Defense Nuclear Agency
ATTN: DDST
ATTN: TISI, Archives
3 cy ATTN: TITL, Tech. Library
2 cy ATTN: SPSS

Dir. of Defense Rsch. & Engineering
Department of Defense
ATTN: S&SS (OS)

Commander
Field Command
Defense Nuclear Agency
ATTN: FCPR

Director
Interservice Nuclear Weapons School
ATTN: Document Control

Director
Joint Strat. Target Planning Staff, JCS
ATTN: STINFO, Library

Chief
Livermore Division, Field Command, DNA
Lawrence Livermore Laboratory
ATTN: FCPRL

DEPARTMENT OF THE ARMY

Director
BMD Advanced Tech. Center
Huntsville Office
ATTN: CRDABH-S
ATTN: CRDABH-X

Dep. Chief of Staff for Rsch. Dev. & Acq.
Department of the Army
ATTN: Technical Library

Chief of Engineers
Department of the Army
ATTN: DAEN-RDM
ATTN: DAEN-MCE-D

Deputy Chief of Staff for Ops. & Plans
Department of the Army
ATTN: Technical Library

Commander
Harry Diamond Laboratories
ATTN: DRXDO-NP
ATTN: DRXDO-TI, Tech. Lib.

Commander
Redstone Scientific Information Center
US Army Missile Command
ATTN: Chief, Documents

Director
US Army Ballistic Research Labs.
ATTN: J. H. Keefer, DRDAR-BLE
ATTN: W. Taylor
ATTN: Julius J. Meszaros, DRXBR-X
ATTN: Edward Baicy, Tech. Lib.

Commander
US Army Engineer Center
ATTN: ATSE-DT-LRC

Division Engineer
US Army Engineer Div. Huntsville
ATTN: HNDED-SR

Division Engineer
US Army Engineer Div. Ohio River
ATTN: Technical Library

Director
US Army Engr. Waterways Exper. Sta.
ATTN: Leo Ingram
ATTN: Guy Jackson
ATTN: John N. Strange
ATTN: Technical Library
ATTN: William Flathau

Commander
US Army Mat. & Mechanics Rsch. Center
ATTN: Technical Library

DEPARTMENT OF THE ARMY (Continued)

Commander
US Army Materiel Dev. & Readiness Command
ATTN: Technical Library

Commander
US Army Nuclear Agency
ATTN: Tech. Lib.

DEPARTMENT OF THE NAVY

Chief of Naval Material
Navy Department
ATTN: MAT 0323

Chief of Naval Operations
Navy Department
ATTN: OP 03EG
ATTN: OP 981

Chief of Naval Research
Navy Department
ATTN: Code 464, Jacob L. Warner
ATTN: Technical Library
ATTN: Nicholas Perrone
ATTN: Code 464, Thomas P. Quinn

Officer-in-Charge
Civil Engineering Laboratory
Naval Construction Battalion Center
ATTN: Stan Takahashi
ATTN: Technical Library

Commander
David W. Taylor Naval Ship R & D Center
ATTN: Code L42-3, Library

Commander
Naval Electronic Systems Command
Naval Electronic Systems Command Hqs.
ATTN: PME 117-21A

Commander
Naval Facilities Engineering Command
Headquarters
ATTN: Code 04B
ATTN: Code 03A
ATTN: Technical Library

Superintendent (Code 1424)
Naval Postgraduate School
ATTN: Code 2124, Tech. Rpts. Librarian

Director
Naval Research Laboratory
ATTN: Code 2600, Tech. Lib.

Commander
Naval Sea Systems Command
Navy Department
ATTN: ORD-91313, Lib.

Commander
Naval Ship Engineering Center
Department of the Navy
ATTN: Technical Library

DEPARTMENT OF THE NAVY (Continued)

Commander
Naval Ship Rsch. & Development Center
Underwater Explosive Research Division
ATTN: Technical Library

Officer-in-Charge
Naval Surface Weapons Center
ATTN: Code WA501, Navy Nuc. Prgms. Off.

Commander
Naval Surface Weapons Center
Dahlgren Laboratory
ATTN: Technical Library

President
Naval War College
ATTN: Technical Library

Commanding Officer
Naval Weapons Evaluation Facility
ATTN: Technical Library

Director
Strategic Systems Project Office
Navy Department
ATTN: NSP-43, Tech. Lib.

DEPARTMENT OF THE AIR FORCE

AF Geophysics Laboratory, AFSC
ATTN: SUOL, Rsch. Lib.

AF Institute of Technology, AU
ATTN: Library AFIT Bldg. 640, Area B

AF Weapons Laboratory, AFSC
ATTN: SUL
ATTN: DES-C, Robert Henny
ATTN: DEP, Jimmie L. Bratton
ATTN: DES-S, M. A. Plamondon
ATTN: DYT

Headquarters
Air Force Systems Command
ATTN: Technical Library
ATTN: DLCAW

Commander
Foreign Technology Division, AFSC
ATTN: NICD, Library

Hq. USAF/IN
ATTN: INATA

Hq. USAF/PR
ATTN: PRE

Hq. USAF/RD
ATTN: RDQSM

Commander
Rome Air Development Center, AFSC
ATTN: EMTLD, Doc. Library

SAMSO/MN
ATTN: MMH

DEPARTMENT OF THE AIR FORCE (Continued)

Commander in Chief
Strategic Air Command
ATTN: NRI-STINFO, Library

ENERGY RESEARCH & DEVELOPMENT ADMINISTRATION

University of California
Lawrence Livermore Laboratory
ATTN: Tech. Info. Dept. L-3

Los Alamos Scientific Laboratory
ATTN: Doc. Con. for R. J. Bridwell
ATTN: Doc. Con. for Reports Lib.
ATTN: Doc. Con. for G. R. Spillman

Sandia Laboratories
Livermore Laboratory
ATTN: Doc. Con. for Tech. Library

Sandia Laboratories
ATTN: Doc. Con. for 3141, Sandia Rpt. Coll.

US Energy Research & Dev. Admin.
Albuquerque Operations Office
ATTN: Doc. Con. for Tech. Library

US Energy Rsch. & Dev. Admin.
Division of Headquarters Services
Library Branch G-043
ATTN: Doc. Con. for Tech. Lib.

US Energy Rsch. & Dev. Admin.
Nevada Operations Office
ATTN: Doc. Con. for Tech. Lib.

Union Carbide Corporation
Holifield National Laboratory
ATTN: Doc. Con. for Tech. Lib.
ATTN: Civil Def. Res. Proj.

OTHER GOVERNMENT AGENCIES

Department of the Interior
Bureau of Mines
ATTN: Tech. Lib.

Department of the Interior
US Geological Survey
ATTN: Cecil B. Raleigh
ATTN: J. H. Realy

DEPARTMENT OF DEFENSE CONTRACTORS

Aerospace Corporation
ATTN: Tech. Info. Services

Agbabian Associates
ATTN: M. Agbabian

Applied Theory, Inc.
2 cy ATTN: John G. Trulio

Avco Research & Systems Group
ATTN: Research Lib., A830, Rm. 7201

Battelle Memorial Institute
ATTN: Technical Library

The BDM Corporation
ATTN: Technical Library

DEPARTMENT OF DEFENSE CONTRACTORS (Continued)

The Boeing Company
ATTN: Aerospace Library
ATTN: R. M. Schmidt

California Research & Technology, Inc.
ATTN: Sheldon Shuster
ATTN: Ken Kreyenhagen
ATTN: Technical Library

Calspan Corporation
ATTN: Technical Library

Civil/Nuclear Systems Corp.
ATTN: Robert Crawford

University of Dayton
Industrial Security Super KL-505
ATTN: Hallock F. Swift

University of Denver
Colorado Seminary
Denver Research Institute
ATTN: Sec. Officer for J. Wisotski

EG&G, Inc.
Albuquerque Division
ATTN: Technical Library

Gard, Incorporated
ATTN: G. L. Neidhardt

General Electric Company
TEMPO-Center for Advanced Studies
ATTN: DASIAC

IIT Research Institute
ATTN: Technical Library

Institute for Defense Analyses
ATTN: IDA Librarian, Ruth S. Smith

Kaman AvIDyne
Division of Kaman Sciences Corp.
ATTN: E. S. Criscione
ATTN: Technical Library

Kaman Sciences Corporation
ATTN: Library
ATTN: Donald C. Sachs

Lockheed Missiles & Space Company, Inc.
ATTN: Technical Library

Lockheed Missiles & Space Company, Inc.
ATTN: Tom Geers, D/52-33, Bldg. 205
ATTN: Tech. Info. Center D/COLL

McDonnell Douglas Corporation
ATTN: Robert W. Halprin

Merritt CASES, Incorporated
ATTN: Technical Library
ATTN: J. L. Merritt

The Mitre Corporation
ATTN: Library

DEPARTMENT OF DEFENSE CONTRACTORS (Continued)

Nathan M. Newmark
Consulting Engineering Services
B106A Civil Engineering Building
University of Illinois
ATTN: Nathan M. Newmark

Physics International Company
ATTN: Doc. Con. for Tech. Lib.
ATTN: Doc. Con. for Robert Swift
ATTN: Doc. Con. for Dennis Orphal
ATTN: Doc. Con. for Larry A. Behrmann
ATTN: Doc. Con. for Fred M. Sauer
ATTN: Doc. Con. for Charles Godfrey
ATTN: Doc. Con. for E. T. Moore

R & D Associates
ATTN: William B. Wright, Jr.
ATTN: J. G. Lewis
ATTN: Technical Library
ATTN: Robert Port
ATTN: Henry Cooper
ATTN: Harold L. Brode
ATTN: Cyrus P. Knowles
ATTN: Jerry Carpenter
ATTN: Jerry Stockton

Science Applications, Inc.
ATTN: D. E. Maxwell
ATTN: David Bernstein

Science Applications, Inc.
ATTN: Technical Library

Southwest Research Institute
ATTN: Wilfred E. Baker
ATTN: A. B. Wenzel

Stanford Research Institute
ATTN: Burt R. Gasten
ATTN: George R. Abrahamson

Systems, Science & Software, Inc.
ATTN: Thomas D. Riney
ATTN: Ted Cherry
ATTN: Technical Library
ATTN: Donald R. Grine

Terra Tek, Inc.
ATTN: Sidney Green
ATTN: Technical Library

Tetra Tech., Inc.
ATTN: Technical Library
ATTN: LI-San Hwang

DEPARTMENT OF DEFENSE CONTRACTORS (Continued)

TRW Defense & Space Sys. Group
ATTN: Tech. Info. Center/S-1930
ATTN: D. H. Baer, RI-2136
ATTN: R. K. Plebuch, RI-2078
ATTN: I. E. Alber, RI-1008
2 cy ATTN: Peter K. Dai, RI/2170

TRW Defense & Space Sys. Group
San Bernardino Operations
ATTN: E. Y. Wong, 527/712

Universal Analytics, Inc.
ATTN: E. I. Field

URS Research Company
ATTN: Technical Library

The Eri. H. Wang
Civil Engineering Rsch. Fac.
University Station
ATTN: Neal Baum
ATTN: Larry Bickle

Washington State University
Administrative Organization
ATTN: Arthur Miles Hohorf for George Duval

Weidlinger Assoc. Consulting Engineers
ATTN: J. W. Wright
ATTN: Melvin L. Baron

Weidlinger Assoc. Consulting Engineers
ATTN: J. Isenberg

Westinghouse Electric Corp.
Marine Division
ATTN: W. A. Volz