

AD-A047713

AD-
TECHNICAL REPORT
TR 78-3

TECHNICAL
LIBRARY

Box 110
Tech Lib
DPSAR-LFP-L

**MORE ON SIMON'S
TWO ECHELON MODEL**



**U.S. ARMY
INVENTORY
RESEARCH
OFFICE**

NOVEMBER 1977

**ROOM 800
U.S. CUSTOM HOUSE
2nd and Chestnut Streets
Philadelphia Pa. 19106**

Information and data contained in this document are based on input available at the time of preparation. Because the results may be subject to change, this document should not be construed to represent the official position of the U.S. Army Materiel Command unless so stated.

MORE ON SIMON'S TWO ECHELON MODEL

TECHNICAL REPORT

BY

W. KARL KRUSE

NOVEMBER 1977

APPROVED FOR PUBLIC RELEASE; DISTRIBUTION UNLIMITED

US ARMY INVENTORY RESEARCH OFFICE
US ARMY LOGISTICS MANAGEMENT CENTER
ROOM 800 US CUSTOM HOUSE
2ND AND CHESTNUT STREETS
PHILADELPHIA, PA 19106

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) MORE ON SIMON'S TWO ECHELON MODEL		5. TYPE OF REPORT & PERIOD COVERED Technical Report
7. AUTHOR(s) W. Karl Kruse		6. PERFORMING ORG. REPORT NUMBER
9. PERFORMING ORGANIZATION NAME AND ADDRESS US Army Inventory Research Office, ALMC US Custom House, 2nd & Chestnut Streets, Rm 800 Philadelphia, PA 19106		8. CONTRACT OR GRANT NUMBER(s)
11. CONTROLLING OFFICE NAME AND ADDRESS US Army Materiel Development & Readiness Command 5001 Eisenhower Avenue Alexandria, VA 22333		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		12. REPORT DATE November 1977
		13. NUMBER OF PAGES 11
		15. SECURITY CLASS. (of this report) UNCLASSIFIED
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Approved for Public Release; Distribution Unlimited		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES Information and data contained in this document are based on input available at the time of preparation. Because the results may be subject to change, this document should not be construed to represent the official position of the US Army Materiel Development & Readiness Command unless so stated.		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) Inventory Theory Multi-echelon		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) This paper discusses some further analysis by the IRO of a two echelon inventory model developed by R. M. Simon, and subsequently corrected by Kruse and Kaplan. The Kruse and Kaplan expressions, as published, were quite complex, and much additional manipulation was required to put them in computational form. In doing this, it was discovered that these were reducible to a simple and revealing form. Moreover, it was also learned that the Simon		

expressions reduced to the same simple form despite the logical flaw in their development. Reasons for the identity are presented in this paper. Appendices A and B contain the algebraic reductions of Simon's and Kruse and Kaplan's expressions.

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE(When Data Entered)

Kruse and Kaplan [1] published a note "Comments on Simon's Two Echelon Model" which identifies a logical flaw in a paper by R. M. Simon [2] which modelled a two echelon inventory system composed of a number of independent bases using S-1,S replenishment policies, and a common depot using a more general R,Q type policy. The failure process at each base was assumed Poisson with rate λ_j . A given failure was repaired at the base j with probability r_j , or sent to the depot with probability $1-r_j$, whereupon it was repaired with probability ρ , or condemned with probability $1-\rho$. All repair actions were taken to be started immediately without any batching. Repair and supply lead times were all deterministic.

The essence of the model was the expression for the probability distribution of dues-out to base j (amount on backorder at the depot for base j) at time t. Naturally, this is in part dependent upon the demand in the depot's supply lead time, i.e., the time it takes the depot to receive replenishment stocks from its source of supply. Simon contended that part of the demands in the depots supply lead time could be ignored because they had no effect at all on dues out at time t. Specifically, those demands in the lead time which are associated with carcasses that can be repaired before t could be ignored since each of those demands "furnishes a serviceable carcass by time t in place of the carcass it takes, and does not alter the sequence of relevant demands." Kruse and Kaplan pointed out that although total dues out at t were unaffected by these demands, they, nonetheless, did affect to whom those dues-out were due. A simple example supported this claim, and a different analysis was done using many of Simon's methods. However, while Kruse and Kaplan were correct in claiming

that actual dues-out were dependent on these demands, they were nevertheless incorrect in believing that this necessarily meant that the probability distribution did too. In fact, for the particular set of assumptions and parameters in Simon's paper, both Simon's and Kruse and Kaplan's results are identical. This may be shown formally by algebraically reducing both results.

The reduced result is quite compact and revealing. It says simply that if total dues-out at the depot at time t are, say b , then the amount due out to base j is binomially distributed with parameters b , and $\lambda_j(1-r_j)/\sum_k \lambda_k(1-r_k)$, the probability that a given demand is from base j .

The key to this simple result is that for the assumptions made it follows that the probability that a carcass sent to the depot is reparable does not depend upon the base from which the carcass came. Thus, the likelihood of a given demand on the depot coming from base j does not depend on whether that demand is associated with a reparable carcass. This means that the probability a given due out is for base j is the same as the probability a given demand on the depot is from base j .

If the assumptions are relaxed so that ρ is base dependent, say ρ_j , then the Kruse and Kaplan model may be easily modified. Particularly in case 2B set

$$\Pr[D_j(t_a, t_b) = d_j(t_a, t_b) | D_o^C(t_a, t_b) = d_o^C(t_a, t_b), D_o^D(t_a, t_b) = d_o^D(t_a, t_b)]$$

$$= \sum_{k=0}^{d_j(t_a, t_b)} \binom{d_o^C(t_a, t_b)}{k} P_C^k (1-P_C)^{d_o^C(t_a, t_b)-k} \binom{d_o^D(t_a, t_b)}{d_j(t_a, t_b)-k} \\ \cdot P_D^{d_j(t_a, t_b)-k} (1-P_D)^{d_o^D(t_a, t_b)-d_j(t_a, t_b)+k}$$

where

$$P_C = \frac{(1-r_j)(1-\rho_j)\lambda_j}{\sum_k (1-r_k)(1-\rho_k)\lambda_k},$$

$$P_D = \frac{(1-r_j)\rho_j\lambda_j}{\sum_k (1-r_k)\rho_k\lambda_k},$$

and

$$\lambda_o^D = \sum_j (1-r_j)\rho_j\lambda_j.$$

With $P_C = P_D$, i.e. if $\rho_j = \rho$ for all j , then this probability reduces to the form of the Kruse and Kaplan model.

Appendices A and B show the algebraic reductions of Simon's and Kruse and Kaplan's expressions.

REFERENCES

- 1 W. Karl Kruse and Alan J. Kaplan, "Comments on Simon's Two Echelon Model," Operations Research 21, No. 6.
- 2 Richard M. Simon, "Stationary Properties of a Two Echelon Inventory Model for Low Demand Items," Operations Research 19, No. 3.

APPENDIX A

REDUCTION OF SIMON'S EQUATIONS (12) AND (13)

Equation (13), the probability that the number due out to base j equals 0, is a special case since it must include those situations where the depot has stock on hand as well as those situations when the depot has dues-out but none are for base j . This second set is the most interesting analytically, and in fact is the same form as equation (12). Consequently, we will limit this demonstration to the reduction of equation (12). The reduced form of (13) follows obviously.

We have from Simon (12) that

$$\begin{aligned}
 (A1) \quad & \Pr[\text{Due out to base } j = d | X(t_a) = s_o + k] = \Pr[E_j(t) = d | X(t_a) = s_{o+k}] \\
 &= \sum_{d_o = s_o + k + d}^{\infty} \Pr[D_o^C(t_a, t) + D_o^D(t_b, t) = d_o] \\
 & \quad \sum_{\substack{s_o + k + d \\ d_j = d}} \left\{ \binom{d_j}{d} \binom{d - d_j}{s_o + k - d_j + d} / \binom{d_o}{s_o + k} \right\} \binom{d_o}{d_j} p_j^{d_j} (1 - p_j)^{d_o - d_j}
 \end{aligned}$$

$$\text{where } p_j = \frac{(1 - r_j) \lambda_j}{\sum_k (1 - r_k) \lambda_k} .$$

Since the inner summation is equal to

$$\begin{aligned}
 & \sum_{\substack{s_o + k + d \\ d_j = d}} \binom{s_o + k}{d_j - d} \binom{d_o - s_o - k}{d} p_j^{d_j} (1 - p_j)^{d_o - d_j} \\
 &= \sum_{d_j = 0}^{s_o + k} \binom{s_o + k}{d_j} \binom{d_o - s_o - k}{d} p_j^{d_j + d} (1 - p_j)^{d_o - d_j - d} \\
 &= \binom{d_o - s_o - k}{d} p_j^d (1 - p_j)^{d_o - s_o - k - d} ,
 \end{aligned}$$

we get

$$\begin{aligned}
 (A2) \quad \Pr[E_j(t) = d | X(t_a) = s_o + k] &= \\
 \sum_{d_o = s_o + k + d}^{\infty} \Pr[D_o^C(t_a, t) + D_o^D(t_b, t) = d_o] &\binom{d_o - s_o - k}{d} p_j^d (1 - p_j)^{d_o - s_o - k - d} \\
 = \sum_{d_o = d}^{\infty} \Pr[D_o^C(t_a, t) + D_o^D(t_b, t) = d_o + s_o + k] &\binom{d_o}{d} p_j^d (1 - p_j)^{d_o - d} \\
 = \sum_{b=d}^{\infty} \Pr[\text{Depot backorders at } t = b] &\binom{b}{d} p_j^d (1 - p_j)^{b-d} .
 \end{aligned}$$

APPENDIX B

REDUCTION OF KRUSE AND KAPLAN'S EQUATIONS (3) AND (4)

First consider Kruse and Kaplan's Case 2A where $D_o^C(t_a, t_b) < X(t_a)$

$$\Pr[\text{Due out to base } j = d | X(t_a) = x, D_o^C(t_a, t_b) = d_o^C, D_o(t_b, t) = d_o]$$

$$= \Pr[E_j(t) = d | X(t_a) = x, D_o^C(t_a, t_b) = d_o^C, D_o(t_b, t) = d_o]$$

$$= \sum_{d_j=d}^{x+d-d_o^C} \left\{ \binom{d_o - x + d_o^C}{d} \binom{x - d_o^C}{d_o - d} \middle/ \binom{d_o}{d_j} \binom{d_o}{d_j} P_j^{d_j} (1-P_j)^{d_o - d_j} \right\},$$

where the elements of the combinatorials of their equation (3) have been rearranged and P_j is as defined in Appendix A. Then

$$\Pr[E_j(t) = d | x(t_a) = x, D_o^C(t_a, t_b) = d_o^C, D_o(t_b, t) = d_o]$$

$$\begin{aligned} &= \sum_{d_j=d}^{x+d-d_o^C} \binom{d_o - x + d_o^C}{d} \binom{x - d_o^C}{d_j - d} P_j^{d_j} (1-P_j)^{d_o - d_j} \\ &= \binom{d_o - x + d_o^C}{d} \sum_{d_j=0}^{x-d_o^C} \binom{x - d_o^C}{d_j} P_j^{d_j+d} (1-P_j)^{d_o - d_j - d} \\ &= \binom{d_o + d_o^C - x}{d} P_j^d (1-P_j)^{d_o + d_o^C - x - d}. \end{aligned} \tag{B1}$$

Now consider Kruse and Kaplan's case 2B where $D_o^C(t_a, t_b) \geq X(t_a)$. With their definition of $U_j^2(t)$ we have that

$$E_j(t) = U_j^2(t) + D_j(t_b, t)$$

Now

$$\begin{aligned}
& \Pr[U_j^2(t) = d | X(t_a) = x, D_o^C(t_a, t_b) = d_o^C, D_o^D(t_a, t_b) = d_o^D] \\
&= \sum_{d_j=d}^{d_o^D+x+d} \left\{ \binom{d_j}{d_j-d} \binom{d_o^D+d_o^C-d_j}{x+d_o^D-d_j+d} \middle/ \binom{d_o^D+d_o^C}{x+d_o^D} \right\} \binom{d_o^C+d_o^D}{d_j} P_j^{d_j} (1-P_j)^{d_o^C+d_o^D-d_j} \\
&= \sum_{d_j=d}^{x+d_o^D+d} \binom{x+d_o^D}{d_j-d} \binom{d_o^C-x}{d} P_j^{d_j} (1-P_j)^{d_o^C+d_o^D-d_j} \\
&= \sum_{d_j=0}^{x+d_o^D} \binom{x+d_o^D}{d_j} \binom{d_o^C-x}{d} P_j^{d_j+d} (1-P_j)^{d_o^C+d_o^D-d_j-d} \\
&= \binom{d_o^C-x}{d} P_j^d (1-P_j)^{d_o^C-x-d}
\end{aligned}$$

Note this does not depend on D_o^D

Now convoluting $U_j^2(t)$ and $D_j(t_b, t)$ to get $E_j(t)$ we have

$$\begin{aligned}
& \Pr[E_j(t) = d | X(t_a)=x, D_o^C(t_a, t_b) = d_o^C, D_o(t_b, t) = d_o] \\
&= \sum_{k=0}^d \Pr[U_j^2(t)=k | X(t_a)=x, D_o^C(t_a, t_b) = d_o^C] \\
& \quad \Pr[D_j(t_b, t) = d - k | D_o(t_b, t) = d_o]
\end{aligned}$$


$$\begin{aligned}
&= \sum_{k=0}^d \binom{d_o^C - x}{k} p_j^k (1-p_j)^{d_o^C - x - k} \binom{d_o}{d-k} p_j^{d-k} (1-p_j)^{d_o - d + k} \\
&= \binom{d_o + d_o^C - x}{d} p_j^d (1-p_j)^{d_o + d_o^C - x - d} \quad (B2)
\end{aligned}$$

Note that this is the exact form of (B1)

Combining (B1) and (B2) we have

$$\begin{aligned}
&\Pr[E_j(t) = d | X(t_a) = x] \\
&= \sum_{d_o^C=0}^{\infty} \sum_{d_o = \max(0, x - d_o^C + d)}^{\infty} \Pr[D_o^C(t_a, t_b) = d_o^C] \Pr[D_o(t_b, t) = d_o] \binom{d_o + d_o^C - x}{d} p_j^d (1-p_j)^{d_o + d_o^C - x - d}
\end{aligned}$$

Consider the region of summation



All of lines $d_0 + d_0^C = x + b$ for $b \geq d$ cover the region of summation. Consequently we may sum along each of these lines .

Doing that we have

$$\begin{aligned} & \Pr[E_j(t) = d | X(t_a) = x] \\ &= \sum_{b=d}^{\infty} \Pr[D_0^C + D_0 = x + b] \binom{b}{d} p_j^d (1-p_j)^{b-d} \\ &= \sum_{b=d}^{\infty} \Pr[\text{Depot backorder at } t=b] \binom{b}{d} p_j^d (1-p_j)^{b-d} \quad (B3) \end{aligned}$$

for $d > 0$

DISTRIBUTION

COPIES

<u>1</u>	Deputy Under Sec'y of the Army, ATTN: Office of Op Resch Headquarters, US Army Materiel Development & Readiness Command
<u>1</u>	DRCMM-RS
<u>1</u>	DRCMM-M
<u>1</u>	Dep Chf of Staff for Logistics, ATTN: DALO-SML, Pentagon Wash., DC 20310
<u>2</u>	Defense Logistics Studies Info Exchange, DRXMC-D
<u>2</u>	Commander, US Army Logistics Center, Ft. Lee, VA 23801
<u>1</u>	Commander, US Army Tank-Automotive Materiel Readiness Cmd, ATTN: DRSTA-S, Warren, MI 48090
<u>1</u>	Commander, US Armament Materiel Readiness Cmd, Rock Island, IL 61201
<u>1</u>	Commander, USA Electronics Command, Ft. Monmouth, NJ 07703
<u>1</u>	Commander, USA Missile Materiel Readiness Cmd, Redstone Arsenal, AL 35809
<u>1</u>	Commander, US Army Troop Support & Aviation Materiel Readiness Cmd, 4300 Goodfellow Blvd., St. Louis, MO 63120
<u>1</u>	Commander, Army Automated Logistics Mgt Systems Agency, Box 14505, St. Louis, MO 63168
<u>1</u>	Director, DARCOM Logistics Systems Support Agency, Letterkenny Army Depot, Chambersburg, PA 17201
<u>1</u>	Commander, Maintenance Mgt Center, Lexington-Blue Grass Army Depot, Lexington, KY 40507
<u>1</u>	Director, Army Management Engineering Training Agency, Rock Island Arsenal, Rock Island, ILL 61202
<u>1</u>	Commandant, US Army Logistics Mgt Center, Ft. Lee, VA 23801
<u>4</u>	Dep Chf of Staff (I&L), HQ USMC-LMP-2, ATTN: MAJ Sonneborn, Jr., Wash., DC 20380
<u>10</u>	Defense Documentation Center, Cameron Sta., Alexandria, VA 22314
<u>1</u>	Commander, US Air Force Logistics Command, WPAFB, Dayton, Ohio, ATTN: AFLC/XRS 45433
<u>1</u>	US Navy Fleet Materiel Support Office, Naval Support Depot, Mechanicsburg, PA 17055
<u>1</u>	Mr. James Prichard, Navy Supply Systems Cmd, Dept of US Navy, Wash., DC
<u>1</u>	George Washington University, Inst of Management Science & Engineering, 707 22nd St., N.W., Washington, DC
<u>1</u>	Naval Postgraduate School, ATTN: Dept of Opns Anal, Monterey, Calif 93940
<u>1</u>	Air Force Institute of Technology, ATTN: SLGQ, Head Quantita- tive Studies Dept., Dayton, Ohio 43433
<u>2</u>	The Army Library, Room 1A518, Pentagon, Wash., DC 20310
<u>1</u>	US Army Military Academy, West Point, NY
<u>1</u>	Logistics Management Institute, 4701 Sangamore Road, Wash., DC 20016
<u>1</u>	University of Florida, ATTN: Dept of Industrial & Systems Engineering, Gainesville, Fla

COPIES

<u>1</u>	RAND Corp, ATTN: S.M. Drezner, 1700 Main St., Santa Monica, CA 90406
<u>1</u>	Office, Asst Sec'y of Defense, ATTN: MRA&L-SR, Pentagon, Wash., DC 20301
<u>1</u>	US Army Materiel Systems Analysis Activity, ATTN: AMXSY-CL, Aberdeen Proving Ground, MD 21005
<u>1</u>	Commander, US Army Logistics Center, ATTN: Studies Analysis Div., Concepts & Doctrine Directorate, Ft. Lee, VA 23801
<u>1</u>	ALOG Magazine, ATTN: Tom Johnson, USALMC, Ft. Lee, VA 23801
<u>1</u>	Commander, Air Force Logistics Cmd, ATTN: AFLC/AQMLE, WPAFB, Dayton, Ohio 45433
<u>1</u>	Operations Research Center, 3115 Etcheverry Hall, University of California, Berkeley, CA 94720
<u>1</u>	HQ, Dept of the Army, (DASG-HCL-P), Washington, DC 20314
<u>1</u>	Dr. Jack Muckstadt, Dept of Industrial Engineering & Operations Research, Upson Hall, Cornell University, Ithaca, NY 14890
<u>1</u>	Prof Herbert P. Galliher, Dept of Industrial Engineering, University of Michigan, Ann Arbor, MI 48104
<u>1</u>	Mr. Ellwood Hurford, Scientific Advisor, Army Logistics Center, Ft. Lee, VA 23801
<u>1</u>	Commandant, USA Armor School, ATTN: MAJ Harold E. Burch, Leadership Dept, Ft. Knox, KY 40121
<u>1</u>	Prof Robert M. Stark, Dept of Stat & Computer Sciences, University of Delaware, Newark, DEL 19711
<u>1</u>	Prof E. Gerald Hurst, Jr., Dept of Decision Science, The Wharton School, University of Penna., Phila., PA 19174
<u>1</u>	Logistics Studies Office, DRXMC-LSO, ALMC, Ft. Lee, VA 23801
<u>1</u>	Procurement Research Office, DRXMC-PRO, ALMC, Ft. Lee, VA 23801
<u>1</u>	Dept of Industrial Engr. & Engr. Management, Stanford University, Stanford, CA 94305
<u>1</u>	Commander, US Army Communication Command, ATTN: Dr. Forrey, CC-LOG-LEO, Ft. Huachuca, AZ 85613
<u>1</u>	Commander, US Army Test & Evaluation Cmd, ATTN: DRSTE-SY, Aberdeen Proving Ground, MD 21005
<u>1</u>	Commander, US Army Mobility Equipment Research & Development Cmd, ATTN: DRXFB-O, Ft. Belvoir, VA 22060
<u>1</u>	Commander, US Army Natick Research & Development Cmd, ATTN: DRXNM-O, Natick, MA 01760
<u>1</u>	Commander, USA Missile R&D Cmd, ATTN: DRDMI-X-C, Redstone Ars, AL 35809
<u>1</u>	Commander, USA Missile R&D Cmd, ATTN: DRDMI-X-D, Redstone Ars, AL 35809
<u>1</u>	Prof Harvey M. Wagner, Dean, School of Business Adm, University of North Carolina, Chapel Hill, NC 27514
<u>1</u>	Dr. John Voelker, Mechanical Engr. Bldg., Room 144, University of Illinois, Urbana, IL 61801