

AD-A051 479

FOREIGN TECHNOLOGY DIV WRIGHT-PATTERSON AFB OHIO
METHOD OF MAKING POLYMER-CONCRETE ARTICLES, (U)
JUL 77 S S DAVYDOV, A D MASLAKOV
FTD-ID(RS)T-1145-77

F/G 11/9

UNCLASSIFIED

NL

| OF |
AD
A051479



END
DATE
FILMED
4-78
DDC

①

FTD-ID(RS)T-1145-77

AD-A051479

FOREIGN TECHNOLOGY DIVISION



METHOD OF MAKING POLYMER-CONCRETE ARTICLES

by

S. S. Davydov, A. D. Maslakov
et al.



DDC
RECEIVED
MAR 20 1978
A

Approved for public release;
distribution unlimited.



EDITED TRANSLATION

FTD-ID(RS)T-1145-77

28 July 1977

MICROFICHE NR: *FTD-77-C-000935*

METHOD OF MAKING POLYMER-CONCRETE ARTICLES

By: S. S. Davydov, A. D. Maslakov, et al.

English pages: 4

Source: USSR Patent 353935, 9 Oct 1972, pp 1-2

Country of origin: USSR

Translated by: Carol S. Nack

Requester: FTD/PDRR

Approved for public release; distribution unlimited

ADMISSION BY		
978	Info Section	<input checked="" type="checkbox"/>
000	Dist Section	<input type="checkbox"/>
HANDLING		
JUSTIFICATION		
BY		
DISTRIBUTION/AVAILABILITY GROUP		
REG.	ATL.	SPECIAL
A		

THIS TRANSLATION IS A RENDITION OF THE ORIGINAL FOREIGN TEXT WITHOUT ANY ANALYTICAL OR EDITORIAL COMMENT. STATEMENTS OR THEORIES ADVOCATED OR IMPLIED ARE THOSE OF THE SOURCE AND DO NOT NECESSARILY REFLECT THE POSITION OR OPINION OF THE FOREIGN TECHNOLOGY DIVISION.

PREPARED BY:

TRANSLATION DIVISION
FOREIGN TECHNOLOGY DIVISION
WP-AFB, OHIO.

U. S. BOARD ON GEOGRAPHIC NAMES TRANSLITERATION SYSTEM

Block	Italic	Transliteration	Block	Italic	Transliteration
А а	А а	A, a	Р р	Р р	R, r
Б б	Б б	B, b	С с	С с	S, s
В в	В в	V, v	Т т	Т т	T, t
Г г	Г г	G, g	У у	У у	U, u
Д д	Д д	D, d	Ф ф	Ф ф	F, f
Е е	Е е	Ye, ye; E, e*	Х х	Х х	Kh, kh
Ж ж	Ж ж	Zh, zh	Ц ц	Ц ц	Ts, ts
З з	З з	Z, z	Ч ч	Ч ч	Ch, ch
И и	И и	I, i	Ш ш	Ш ш	Sh, sh
Й й	Й й	Y, y	Щ щ	Щ щ	Shch, shch
К к	К к	K, k	Ъ ъ	Ъ ъ	"
Л л	Л л	L, l	Ы ы	Ы ы	Y, y
М м	М м	M, m	Ь ь	Ь ь	'
Н н	Н н	N, n	Э э	Э э	E, e
О о	О о	O, o	Ю ю	Ю ю	Yu, yu
П п	П п	P, p	Я я	Я я	Ya, ya

**ye* initially, after vowels, and after *ъ, ь*; *e* elsewhere.
 When written as *ë* in Russian, transliterate as *yë* or *ë*.
 The use of diacritical marks is preferred, but such marks
 may be omitted when expediency dictates.

GREEK ALPHABET

Alpha	Α α	α	Nu	Ν ν
Beta	Β β		Xi	Ξ ξ
Gamma	Γ γ		Omicron	Ο ο
Delta	Δ δ		Pi	Π π
Epsilon	Ε ε	ε	Rho	Ρ ρ ϱ
Zeta	Ζ ζ		Sigma	Σ σ ς
Eta	Η η		Tau	Τ τ
Theta	Θ θ	ϑ	Upsilon	Υ υ
Iota	Ι ι		Phi	Φ φ ϕ
Kappa	Κ κ	κ χ	Chi	Χ χ
Lambda	Λ λ		Psi	Ψ ψ
Mu	Μ μ		Omega	Ω ω

RUSSIAN AND ENGLISH TRIGONOMETRIC FUNCTIONS

Russian	English
sin	sin
cos	cos
tg	tan
ctg	cot
sec	sec
cosec	csc
sh	sinh
ch	cosh
th	tanh
cth	coth
sch	sech
csch	csch
arc sin	sin ⁻¹
arc cos	cos ⁻¹
arc tg	tan ⁻¹
arc ctg	cot ⁻¹
arc sec	sec ⁻¹
arc cosec	csc ⁻¹
arc sh	sinh ⁻¹
arc ch	cosh ⁻¹
arc th	tanh ⁻¹
arc cth	coth ⁻¹
arc sch	sech ⁻¹
arc csch	csch ⁻¹
—	
rot	curl
lg	log

GRAPHICS DISCLAIMER

All figures, graphics, tables, equations, etc.
merged into this translation were extracted
from the best quality copy available.

1145

METHOD OF MAKING POLYMER-CONCRETE ARTICLES

S. S. Davydov, A. D. Maslakov, V. I. Solomatov, L. S. Yesyutin, I. D. Maslakov, and A. Ye. Shlykov

This invention is a method of making polymer-concrete articles.

We have a method of making polymer-concrete articles by preparing the raw mixture, molding and heat treatment.

The polymer-concrete hardening reaction is exothermic; therefore, the mixture cools off in the hardening process. Here the outer layers release heat into the environment and have a lower temperature than the core of the article. The surface layers do not

harden completely, which causes the material in the surface layers to be weak. This has a detrimental effect on the overall strength and longevity of the article. It generally takes 30 days or longer for an article to harden at normal temperatures and requires large production areas.

The articles are heated in a heat chamber at 80° for 10-12 hours. Considerable temperature differentials originate inside the article during the convective heat exchange with the environment, causing the manifestation of considerable internal stress, which leads to crack formation.

The purpose of this invention is to speed up hardening and reduce the internal stress in the polymer-concrete.

This is achieved by conducting the heat treatment process in an electromagnetic field at a frequency of 2500-30,000 MHz and voltage of 0.1-0.025 kV/cm for 5-10 min.

Increasing the frequency intensifies the effect of the electromagnetic field and accelerates the hardening process. A lower electromagnetic field strength is required to achieve the same effect at a higher frequency.

Under the action of the electromagnetic field, uniform cooling of the polymer-concrete mass occurs over its entire depth and it hardens in 5-10 minutes, thus eliminating the origination of nonuniform temperature fields and the internal stress connected with them.


The figure shows a block-diagram of this method.

The electric power is fed from power unit 1 over wire connections 2 to SHF generator 3. Here it is transformed and fed through linkage 4 via waveguide connections 5 into working chamber 6, which contains the articles being treated.

This method can be used to make shafts, cross ties, pipes, columns, and other structural components out of polymer-concrete.

Subject of Invention

This invention is a method of making polymer-concrete articles by preparing the raw mixture, molding and heat treatment. It differs in that in order to speed up hardening and reduce the internal stress in the polymer-concrete, the heat treatment process is carried out in an electromagnetic field at a frequency of 2500-30,000 MHz and voltage of 0.1-0.025 kV/cm for 5-10 minutes.



UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER FTD-ID(RS)T-1145-77	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) METHOD OF MAKING POLYMER-CONCRETE ARTICLES		5. TYPE OF REPORT & PERIOD COVERED Translation
		6. PERFORMING ORG. REPORT NUMBER
7. AUTHOR(s) S. S. Davydov, A. D. Maslakov, et al.		8. CONTRACT OR GRANT NUMBER(s)
9. PERFORMING ORGANIZATION NAME AND ADDRESS Foreign Technology Division Air Force Systems Command U. S. Air Force		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS
11. CONTROLLING OFFICE NAME AND ADDRESS		12. REPORT DATE 9 Oct 1972
		13. NUMBER OF PAGES 4
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		15. SECURITY CLASS. (of this report) UNCLASSIFIED
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number)		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) 07		

DD FORM 1473
1 JAN 73

EDITION OF 1 NOV 65 IS OBSOLETE

UNCLASSIFIED

SECURITY CLASSIFICATION OF THIS PAGE (When Data Entered)

REPORT DOCUMENTATION PAGE

1. AGENCY USE ONLY (Leave blank)

2. AUTHOR

3. TITLE

4. AUTHORING ORGANIZATION NAME(S) AND ADDRESS(ES)

5. PERFORMING ORGANIZATION NAME(S) AND ADDRESS(ES)

6. AUTHORING ORGANIZATION REPORT NUMBER

7. AUTHORING ORGANIZATION REPORT NUMBER

8. PERFORMING ORGANIZATION REPORT NUMBER

9. PERFORMING ORGANIZATION REPORT NUMBER

10. PERFORMING ORGANIZATION REPORT NUMBER

11. PERFORMING ORGANIZATION REPORT NUMBER

12. PERFORMING ORGANIZATION REPORT NUMBER

13. PERFORMING ORGANIZATION REPORT NUMBER

14. PERFORMING ORGANIZATION REPORT NUMBER

15. PERFORMING ORGANIZATION REPORT NUMBER

16. PERFORMING ORGANIZATION REPORT NUMBER

17. PERFORMING ORGANIZATION REPORT NUMBER

18. PERFORMING ORGANIZATION REPORT NUMBER

19. PERFORMING ORGANIZATION REPORT NUMBER

20. PERFORMING ORGANIZATION REPORT NUMBER

21. PERFORMING ORGANIZATION REPORT NUMBER

22. PERFORMING ORGANIZATION REPORT NUMBER

23. PERFORMING ORGANIZATION REPORT NUMBER

24. PERFORMING ORGANIZATION REPORT NUMBER

25. PERFORMING ORGANIZATION REPORT NUMBER

26. PERFORMING ORGANIZATION REPORT NUMBER

27. PERFORMING ORGANIZATION REPORT NUMBER

28. PERFORMING ORGANIZATION REPORT NUMBER

29. PERFORMING ORGANIZATION REPORT NUMBER

30. PERFORMING ORGANIZATION REPORT NUMBER

31. PERFORMING ORGANIZATION REPORT NUMBER

32. PERFORMING ORGANIZATION REPORT NUMBER

33. PERFORMING ORGANIZATION REPORT NUMBER

34. PERFORMING ORGANIZATION REPORT NUMBER

35. PERFORMING ORGANIZATION REPORT NUMBER

36. PERFORMING ORGANIZATION REPORT NUMBER

37. PERFORMING ORGANIZATION REPORT NUMBER

38. PERFORMING ORGANIZATION REPORT NUMBER

39. PERFORMING ORGANIZATION REPORT NUMBER

40. PERFORMING ORGANIZATION REPORT NUMBER

41. PERFORMING ORGANIZATION REPORT NUMBER

42. PERFORMING ORGANIZATION REPORT NUMBER

43. PERFORMING ORGANIZATION REPORT NUMBER

44. PERFORMING ORGANIZATION REPORT NUMBER

45. PERFORMING ORGANIZATION REPORT NUMBER

46. PERFORMING ORGANIZATION REPORT NUMBER

47. PERFORMING ORGANIZATION REPORT NUMBER

48. PERFORMING ORGANIZATION REPORT NUMBER

49. PERFORMING ORGANIZATION REPORT NUMBER

50. PERFORMING ORGANIZATION REPORT NUMBER

DISTRIBUTION LIST

DISTRIBUTION DIRECT TO RECIPIENT

ORGANIZATION	MICROFICHE	ORGANIZATION	MICROFICHE
A205 DMATC	1	E053 AF/INAKA	1
A210 DMAAC	2	E017 AF/RDXTR-W	1
B344 DIA/RDS-3C	8	E404 AEDC	1
C043 USAMIIA	1	E408 AFWL	1
C509 BALLISTIC RES LABS	1	E410 ADTC	1
C510 AIR MOBILITY R&D	1	E413 ESD	2
LAB/FTO		FTD	
C513 PICATINNY ARSENAL	1	CCN	1
C535 AVIATION SYS COMD	1	ETID	3
C557 USAIIC	1	NIA/PHS	1
C591 FSTC	5	NICD	5
C619 MIA REDSTONE	1		
D008 NISC	1		
H300 USAICE (USAREUR)	1		
P005 ERDA	1		
P055 CIA/CRS/ADD/SD	1		
NAVORDSTA (50L)	1		
NAVWPNSCEN (Code 121)	1		
NASA/KSI	1		
AFIT/LD	1		