

AD-A052 324

WEIDLINGER ASSOCIATES NEW YORK
CORRECTION AND IMPROVEMENT OF THE INERTIAL-DAMPING COLLOCATION --ETC(U)
JAN 78 F L DIMAGGIO, D RANLET, H H BLEICH

F/G 20/4

N00014-72-C-0119

NL

UNCLASSIFIED

| OF |

AD
A052 324



END
DATE
FILMED
5-78

DDC

AD No. _____

DDC FILE COPY

AD A 052324

DDC
RECEIVED
APR 10 1978
RECEIVED
B

ABSTRACT

An earlier version of the uncoupling technique referred to as the Inertial-Damping Collocation Approximation is shown to be improperly formulated, and a corrected, improved and simplified version is presented.

DDC
RECEIVED
APR 10 1978
RECEIVED
B

DISTRIBUTION STATEMENT A

Approved for public release;
Distribution Unlimited

1. Earlier Version of the IDCA

If, for simplicity of presentation, it is assumed that the excitation involves no incident fluid velocity and no discontinuity in incident pressure, the Inertial-Damping Collocation Approximation (IDCA) presented in Refs. [1] and [2] may be written as ^{*})

$$\ddot{q} - a \dddot{q} = -\gamma^{-1} Q_1 + B\ddot{Q}_1 + C\dddot{Q}_1 \quad (1)$$

$$\ddot{q} = DQ_2 - \bar{\alpha}^{-1} \ddot{Q}_2 \quad (2)$$

$$Q = Q_1 + Q_2 \quad (3)$$

In Eqs. (1)-(3), a dot denotes differentiation with respect to time t , a superscript - 1 denotes an inverse, and

- (i) α and γ , as discussed in Ref. [1], are, respectively, known diagonal damping and virtual mass matrices corresponding to appropriate orthogonal surface expansion functions.
- (ii) a is a matrix intended to be used to make the IDCA go over to the Curved Wave Approximation (CWA) for short times (Ref. [2]).
- (iii) q is the matrix of (modified) generalized coordinates for the normal shell displacement (corresponding to surface expansion functions, as opposed to shell modes).
- (iv) Q_1 and Q_2 are, respectively, inertial and damping "components" of the generalized force Q corresponding to the radiated fluid pressure on the shell surface.

^{*}) It should be noted that in Eq. (1), and in what follows, the sign of the virtual mass matrix has been changed to produce a positive definite matrix.

White Section
Buff Section

DISTRIBUTION/AVAILABILITY CODES		
Dist.	AVAIL.	and/or SPECIAL
A		

(v) B, C and D are fitting matrices, to be determined by matching the steady-state response of a fluid cavity, having the same shape as the shell, at selected frequencies, with the response obtained using acoustic computer codes.

As shown in Ref. [2], the Doubly Asymptotic Approximation (DAA) may be written as

$$\ddot{q} = -\alpha^{-1}\dot{q} - \gamma^{-1}Q \quad (4)$$

which, for short times (or high frequencies), becomes the Plane Wave Approximation (PWA)

$$Q = -\alpha \dot{q} \quad (5)$$

and, for long times (or low frequencies), goes to the Virtual Mass Approximation (VMA)

$$Q = -\gamma \ddot{q} \quad (6)$$

as it should.

If B, C, D and a are set equal to zero, Eqs. (1)-(3) lead to

$$Q = -\alpha \dot{q} - \gamma \ddot{q} \quad (7)$$

which does not go to the correct asymptotic relations. Furthermore, although using

$$a = -C \beta \quad (8)$$

in Eq. (1), as in Ref. [2], where β is a symmetric curvature matrix defined in Ref. [2], leads to the CWA when B and D are set equal to zero, an inertial component has been used to satisfy short-time damping behavior. This would cause a very poor match at high frequency in the relation between the generalized force and the inertial component of the acceleration as a function of frequency.

2. Corrected Version of the IDCA

Instead of Eqs. (1)-(3), an appropriate form is

$$\ddot{q}_1 - B\lambda \ddot{\ddot{q}}_1 = -\bar{\gamma}^{-1}Q + B\ddot{Q} \quad (9)$$

$$\ddot{\dot{q}}_2 - D\epsilon\dot{q}_2 = DQ - \bar{\alpha}^{-1}\ddot{Q} \quad (10)$$

$$q = q_1 + q_2 \quad (11)$$

in which λ and ϵ are matrices introduced to permit the IDCA to approach the correct asymptotic limits. If B and D are set equal to zero, Eqs. (9)-(11) go to the DAA of Eq. (4) as they should.

3. Determination of B and D

On the surface of a fluid cavity having the same shape as the shell, apply the pressure

$$p_i(s, t) = P_i \psi_i(s) e^{\hat{i} \Omega_i t} \quad (12)$$

In Eq. (12), s denotes position on the shell surface, P_i is a constant, $\hat{i} = \sqrt{-1}$, Ω_i is an appropriately chosen fitting frequency, and $\psi_i(s)$ is one of the orthogonal surface expansion functions which satisfy

$$\int_A \psi_i \psi_j dA = \mu_i \delta_{ij} \quad (13)$$

where A is the surface area of the shell and δ_{ij} is the Kronecker delta.

The generalized forces corresponding to the pressure of Eq. (12) are

$$(Q_j)_i = \int_A p_i(s, t) \psi_j(s) dA \quad (14)$$

Using Eqs. (12) and (13), Eq. (14) becomes

$$(Q_j)_i = P_i \mu_j \delta_{ij} e^{\hat{i} \Omega_i t} \quad (15)$$

which yields

$$(Q_i)_i = P_i \mu_i e^{\hat{i}\Omega_i t} \equiv Q_i(t) \quad (16)$$

$$(Q_j)_i = 0, j \neq i$$

On the surface of the shell, the normal acceleration resulting from the excitation of Eq. (12) may be expressed as

$$\ddot{w}_i(s, t) = Q_i(t)\bar{A}_i(s) - \dot{Q}_i(t)\bar{\bar{A}}_i(s) \quad (17)$$

Since the normal acceleration may also be written in the form

$$\ddot{w}_i = \sum_k \psi_k (\ddot{q}_k)_i \quad (18)$$

it follows that

$$\sum_k (\ddot{q}_k)_i \int_A \psi_k \psi_j dA = -Q_i \int_A \bar{A}_i \psi_j dA - \dot{Q}_i \int_A \bar{\bar{A}}_i \psi_j dA \quad (19)$$

In view of Eq. (13), Eq. (19) becomes

$$(\ddot{q}_j)_i = -Q_i (W_{1j})_i - \dot{Q}_i (W_{2j})_i \quad (20)$$

where

$$(W_{1j})_i = \frac{1}{\mu_j} \int_A \bar{A}_i(s) \psi_j(s) dA$$

$$(W_{2j})_i = \frac{1}{\mu_j} \int_A \bar{\bar{A}}_i(s) \psi_j(s) dA \quad (21)$$

In order to avoid oscillations in the relation between generalized forces and acceleration obtained from Eqs. (9)-(11) as a function of frequency, as discussed in Ref. [1], the $(W_{1j})_i$ and $(W_{2j})_i$ terms ($j \neq i$) will be neglected compared, respectively, to the $(W_{1i})_i$ and $(W_{2i})_i$ terms.

This assumption neglects coupling between surface expansion functions at all frequencies and allows Eq. (20) to be simplified to

$$\ddot{q}_i = -Q_i/R_{1i} - \dot{Q}_i/R_{2i} \quad (22)$$

in which

$$R_{1i}(\Omega_i) = 1/(W_{1i})_i, \quad R_{2i}(\Omega_i) = 1/(W_{2i})_i \quad (23)$$

The first term on the right-hand side of Eq. (22),

$$\ddot{q}_{1i} = -Q_i/R_{1i} \quad (24)$$

is the real (inertial) part of the second derivative of the generalized coordinate, in phase with the applied pressure, and the second term,

$$\ddot{q}_{2i} = \dot{Q}_i/R_{2i} \quad (25)$$

is the imaginary (damping) component, 90° out of phase. It now remains to match, at selected frequencies, the results yielded by Eqs. (9)-(11) with those yielded by Eqs. (24) and (25).

Consider simple-harmonic motion, at frequency Ω_{1i} , involving the i th surface expansion function only. If the matrix λ is assumed to be diagonal, Eq. (9) may be satisfied by a diagonal matrix B with main diagonal terms B_i such that

$$\ddot{q}_{1i} - B_i \lambda_i \ddot{q}_{1i} = -e_i Q_i + B_i \dot{Q}_i \quad (26)$$

in which e_i , the i th main diagonal term of the diagonal matrix $\bar{\gamma}^{-1}$, is given by

$$e_i = 1/\gamma_i \quad (27)$$

where γ_i is the i th main diagonal term of the virtual mass matrix. Since a steady-state excitation is being considered, Eq. (26) may be written

in the form

$$\ddot{q}_{1i} = -Q_i(e_i + B_i \Omega_{1i}^2) / (1 + B_i \lambda_i \Omega_{1i}^2) \quad (28)$$

In order for Eqs. (24) and (28) to yield identical results, at frequency

Ω_{1i} ,

$$-Q_i(e_i + B_i \Omega_{1i}^2) / (1 + B_i \lambda_i \Omega_{1i}^2) = -Q_i / R_{1i}(\Omega_{1i})$$

or

$$B_i = \frac{1 - e_i R_{1i}(\Omega_{1i})}{[R_{1i}(\Omega_{1i}) - \lambda_i] \Omega_{1i}^2} \equiv B_i(\Omega_{1i}) \quad (29)$$

Consider now simple-harmonic motion, at frequency Ω_{2i} , involving the i th surface expansion function only. If the matrix ϵ is assumed to be diagonal, Eq. (10) may be satisfied by a diagonal matrix D with main diagonal terms D_i such that

$$\ddot{q}_{2i} - D_i \epsilon_i \dot{q}_{2i} = D_i Q_i - h_i \ddot{Q}_i \quad (30)$$

in which h_i , the i th main diagonal term of the diagonal matrix α^{-1} , is given by

$$h_i = 1/\alpha_i \quad (31)$$

where α_i is the i th main diagonal term of the damping matrix. For the steady-state excitation being considered, Eq. (30) may be written as

$$\ddot{q}_{2i} = -\dot{Q}_i(h_i + D_i/\Omega_{2i}^2) / (1 + D_i \epsilon_i / \Omega_{2i}^2) \quad (32)$$

In order for Eqs. (25) and (32) to yield identical results, at frequency

Ω_{2i} ,

$$-\dot{Q}_i(h_i + D_i/\Omega_{2i}^2) / (1 + D_i \epsilon_i / \Omega_{2i}^2) = -\dot{Q}_i / R_{2i}(\Omega_{2i})$$

or

$$D_i = \frac{[1 - h_i R_{2i}(\Omega_{2i})] \Omega_{2i}^2}{R_{2i}(\Omega_{2i}) - \epsilon_i} \equiv D_i(\Omega_{2i}) \quad (33)$$

4. Positive Inertia and Damping - Allowable Fitting Frequencies

For the steady-state excitation, at frequency Ω , of the i th surface expansion function only, Eqs. (9)-(11) may be written as

$$\ddot{q}_i = -\frac{[e_i + B_i(\Omega_{1i})\Omega^2]}{[1 + B_i(\Omega_{1i})\lambda_i\Omega^2]} Q_i - \frac{[h_i + D_i(\Omega_{2i})/\Omega^2]}{[1 + D_i(\Omega_{2i})\epsilon_i/\Omega^2]} \dot{Q}_i \quad (34)$$

in which $B_i(\Omega_{1i})$ and $D_i(\Omega_{2i})$ are given by Eqs. (29) and (33), respectively.

If λ_i and ϵ_i do not vanish, Eq. (34) reduces to the PWA as $\Omega \rightarrow \infty$:

$$\ddot{q}_i = \lim_{\Omega \rightarrow \infty} -\left(\frac{\hat{i}}{\lambda_i\Omega} + h_i\right)\dot{Q}_i = -h_i\dot{Q}_i$$

and reduces to the VMA as $\Omega \rightarrow 0$:

$$\ddot{q}_i = \lim_{\Omega \rightarrow 0} -\left(e_i + \frac{\hat{i}\Omega}{\epsilon_i}\right)Q_i = -e_i Q_i$$

If Eq. (34) is to produce positive inertia and damping at all frequencies Ω , the coefficients of Q_i and \dot{Q}_i must be negative. Thus, if λ_i and ϵ_i are positive, positive inertia and damping are ensured by requiring $B_i(\Omega_{1i})$, $D_i(\Omega_{2i}) > 0$. From Eqs. (29) and (33) it then follows that

$$\frac{1 - e_i R_{1i}(\Omega_{1i})}{R_{1i}(\Omega_{1i}) - \lambda_i} > 0 \quad (35)$$

$$\frac{1 - h_i R_{2i}(\Omega_{2i})}{R_{2i}(\Omega_{2i}) - \epsilon_i} > 0 \quad (36)$$

are, respectively, sufficient conditions for positive inertia and damping.

The inequality of Eq. (35) will be satisfied if the fitting frequency Ω_{1i} is such that $R_{1i}(\Omega_{1i})$ lies between γ_i and λ_i , i.e.,

$$0 < \lambda_i < R_{1i}(\Omega_{1i}) < \gamma_i \quad (37)$$

Similarly, the inequality of Eq. (36) will be satisfied if the fitting frequency Ω_{2i} is such that $R_{2i}(\Omega_{2i})$ lies between α_i and ϵ_i , i.e.,

$$0 < \epsilon_i < R_{2i}(\Omega_{2i}) < \alpha_i \quad (38)$$

Since λ_i is the high frequency limit of the inertial part of Eq. (34) and ϵ_i is the low frequency limit of the damping part of Eq. (34) (both of which limits vanish in an exact solution), it is recommended that λ_i and ϵ_i be arbitrarily set to small fractions of γ_i and α_i , respectively. The fractions may be determined by comparing the frequency behavior of the inertial and damping parts of Eq. (34) with those of Eq. (22). Least squares fits of the type proposed in Ref. [3] may also be used to determine the λ_i and ϵ_i . Alternatively, experience may indicate that the matrices λ and ϵ should be chosen such that known steady-state results from acoustic computer codes are matched at low and high frequencies, respectively, while still maintaining the inequalities of Eqs. (37) and (38). In any event, the satisfaction of the inequalities of Eqs. (37) and (38) ensures positive inertia and damping.

If the inequalities of Eqs. (37) and (38) are satisfied, it may be readily shown that in a steady-state excitation at any intermediate frequency $\Omega(0 < \Omega < \infty)$, the inertia and damping yielded by Eq. (34) [or equivalently Eqs. (9)-(11)] are smaller than the corresponding quantities produced by the VMA and the PWA. A closer reproduction of the exact curve relating inertial generalized force and driving frequency might be obtained by introducing an additional fitting matrix in Eq. (9), enabling an additional point of the approximate curve to match that of the exact.

REFERENCES

- [1] H.H. Bleich, F.L. DiMaggio, D. Ranlet and M.L. Baron, "On Uncoupling Structure-Fluid Interaction Problems, Status Report on the IDCA", ONR Contract N00014-72-C-0119, Weidlinger Associates, New York, New York, Technical Note, May 1977.
- [2] H.H. Bleich, F.L. DiMaggio, M.L. Baron and D. Ranlet, "Transient Response of Submerged Shells of Finite Length to Full Envelopment Type Shock Waves, Part I: Acoustic Approximations for Uncoupling Fluid-Structure Interaction Problems", ONR Contract N00014-72-C-0119, Weidlinger Associates, New York, New York, Technical Report No. 13, July 1974.
- [3] T.L. Geers, "Refinement of the Doubly Asymptotic Approximation", ONR Contract N00014-72-C-0347, presented at the second review meeting of the DNA/ONR/NAVSHIPS shock hardening program, DNA, Washington, D.C., July 17, 1974.

DISTRIBUTION MAILING LIST

PAGE 1

ASSISTANT TO THE SECRETARY DEFENSE
ATOMIC ENERGY
WASHINGTON, DC 20301
ATTN DONALD COTTER

DIRECTOR
DEFENSE ADVANCED RESEARCH PROJECT AGENCY
ARCHITECT BUILDING
1400 WILSON BLVD.
ARLINGTON, VA 22209
ATTN A. TACHMINDJI
ATTN STO KENT KRESA
ATTN TECHNICAL LIBRARY
ATTN R. CHAPMAN

DEFENSE DOCUMENTATION CENTER
CAMERON STATION
ALEXANDRIA, VA 22314
ATTN TECHNICAL LIBRARY

(3 COPIES)

DIRECTOR
DEFENSE INTELLIGENCE AGENCY
WASHINGTON, DC 20301
ATTN DI-7D E. OFARRELL
ATTN DI-7E
ATTN DT-1C J. VERONA
ATTN TECHNICAL LIBRARY
ATTN. DT-2 (WEAPONS&SYSTEMS DIVISION)

DEFENSE NUCLEAR AGENCY
WASHINGTON, DC 20305
ATTN STTL TECHNICAL LIBRARY
ATTN STST ARCHIVES
ATTN DDST
ATTN SPSS

(2 COPIES)

(2 COPIES)

PAGE 2

CHAIRMAN
DEPARTMENT OF DEFENSE EXPLOSION
SAFETY BOARD
RM-GB270, FORRESTAL BUILDING
WASHINGTON DC 20301
ATTN DD/S+SS

DIRECTOR OF DEFENSE RESEARCH&ENGINEERING
WASHINGTON DC 20301
ATTN AD/SW
ATTN DD/TWP
ATTN DD/S+SS
ATTN AD/NP

COMMANDER
FIELD COMMAND
DEFENSE NUCLEAR AGENCY
KIRTLAND AIR FORCE BASE
ALBUQUERQUE, NM 87117
ATTN FCTA
ATTN FCTA-D

INTERSERVICE NUCLEAR WEAPONS SCHOOL
KIRTLAND AIR FORCE BASE
ALBUQUERQUE, NM 87117
ATTN TECH LIB

DIRECTOR
JOINT STRATEGIC TARGET
PLANNING STAFF JCS
OFFUTT AIR FORCE BASE
OMAHA, NB 68113
ATTN STINFO LIBRARY

WEAPONS SYSTEMS EVALUATION GROUP
400 ARMY NAVY DRIVE
ARLINGTON VA 22202
ATTN DOC CON

PAGE 3

CHIEF OF RESEARCH, DEVELOPMENT AND
ACQUISITION
DEPARTMENT OF THE ARMY
WASHINGTON DC 20310
ATTN TECHNICAL LIBRARY
ATTN DAMA-CSM-N LTC E. DEBOESER JR

COMMANDER
HARRY DIAMOND LABORATORIES
WASHINGTON, DC 20438
ATTN AMXDO-NP
ATTN AMXDO-TI TECH LIB

DIRECTOR
U S ARMY BALLISTIC RESEARCH LABORATORIES
ABERDEEN PROVING GROUND, MD 21005
ATTN TECH LIB E. BAICY

COMMANDER
U S ARMY COMM COMMAND
FORT HUACHUCA, AZ 85613
ATTN TECHNICAL LIBRARY

COMMANDER
U. S. ARMY MATERIAL & MECHANICS
RESEARCH CENTER
WATERTOWN, MA 02172
ATTN R SHEA

COMMANDER
U S ARMY NUCLEAR AGENCY
FORT BLISS, TX 79916
ATTN TECH LIB

PAGE 4

COMMANDER
U S ARMY WEAPONS COMMAND
ROCK ISLAND ARSENAL
ROCK ISLAND, IL 61201
ATTN TECHNICAL LIBRARY

CHIEF OF NAVAL MATERIAL
DEPARTMENT OF THE NAVY
WASHINGTON, DC 20360
ATTN MAT 0323

CHIEF OF NAVAL OPERATIONS
DEPARTMENT OF THE NAVY
WASHINGTON, DC 20350
ATTN OP 03FG
ATTN OP 985F

CHIEF OF NAVAL RESEARCH
DEPARTMENT OF THE NAVY
ARLINGTON VA 22217
ATTN N PERRONE CD 474
ATTN TECHNICAL LIBRARY

(5 COPIES)

OFFICER IN CHARGE
CIVIL ENGINEERING LABORATORIES
NAVAL CONSTRUCTION BATTALION CENTER
PORT HUENEME CA 93041
ATTN R ODELLO
ATTN TECHNICAL LIBRARY

COMMANDER
NAVAL ELECTRONIC SYSTEMS COMMAND
NAVAL ELECTRONIC SYSTEMS COMMAND HQS
WASHINGTON, DC 20360
ATTN PME 117-21A

COMMANDER
NAVAL FACILITIES ENGINEERING COMMAND
HEADQUARTERS
WASHINGTON, DC 20390
ATTN TECHNICAL LIBRARY

SUPERINTENDENT
NAVAL POSTGRADUATE SCHOOL
MONTEREY CA 93940
ATTN CODE 2124 TECH RPTS LIBRARIAN

DIRECTOR
NAVAL RESEARCH LABRATORY
WASHINGTON DC 20375
ATTN CODE 2027 TECHNICAL LIBRARY
ATTN CODE 840 J GREGORY
ATTN CODE 8440 F ROSENTHAL
ATTN CODE 8403A G OHARA
ATTN CODE 8442 H HUANG

NKF ENGINEERING ASSOCIATES, INC.
8720 GEORGIA AVENUE
SUITE 803
SILVER SPRING, MD 20910
ATTN. DR. ROBERT O. BELSHEIM

COMMANDER
NAVAL SEA SYSTEMS COMMAND
DEPARTMENT OF THE NAVY
WASHINGTON, DC 20362
ATTN ORD - 91313 LIB
ATTN CODE 03511 C POHLER

NAVAL SHIP RESEARCH & DEVELOPMENT CENTER
UNDERSEA EXPLOSIONS RESEARCH DIVISION
PORTSMOUTH VA 23709
ATTN E PALMER
ATTN TECHNICAL LIBRARY

COMMANDER
NAVAL SHIP ENGINEERING CENTER
DEPARTMENT OF THE NAVY
WASHINGTON, DC 20362
ATTN NSEC 6120D
ATTN NSEC 6110.01
ATTN NSEC 6105G
ATTN NSEC 6105
ATTN 6105C1
ATTN TECHNICAL LIBRARY

COMMANDER
DAVID W. TAYLOR
NAVAL SHIP RESEARCH & DEVELOPMENT CENTER
BETHESDA MD 20034
ATTN CODE 17 WW MURRAY
ATTN CODE 142-3 LIBRARY
ATTN CODE 174 R SHORT
ATTN CODE 11
ATTN CODE 2740 Y WANG
ATTN CODE 1962
ATTN CODE 1903
ATTN CODE 1731C
ATTN CODE 1171
ATTN CODE 19

COMMANDER
NAVAL SURFACE WEAPONS CENTER
WHITE OAK
SILVER SPRING MD 20910
ATTN CODE 241 J PETES
ATTN CODE 1224 NAVY NUC PRGMS OFF
ATTN CODE 730 TECH LIB
ATTN CODE 240 H SNAY
ATTN CODE 243 G YOUNG

COMMANDER
NAVAL SURFACE WEAPONS CENTER
DAHLGREN LABORATORY
DAHLGREN VA 22448
ATTN TECHNICAL LIBRARY

PAGE 7

COMMANDER
NAVAL UNDERSEA CENTER
SAN DIEGO, CA 92152
ATTN TECHNICAL LIBRARY

COMMANDER
NAVAL WEAPONS CENTER
CHINA LAKE CA 93555
ATTN CODE 533 TECH LIB

COMMANDING OFFICER
NAVAL WEAPONS EVALUATION FACILITY
KIRTLAND AIR FORCE BASE
ALBUQUERQUE NM 87117
ATTN TECHNICAL LIBRARY

DIRECTOR
STRATEGIC SYSTEMS PROJECTS OFFICE
DEPARTMENT OF THE NAVY
WASHINGTON DC 20376
ATTN NSP-272
ATTN NSP-43 TECH LIBRARY

AIR FORCE CAMBRIDGE RESEARCH
LABORATORIES, AFSC
L.G. HANSCOM FIELD
BEDFORD MA 01730
ATTN SUOL AFCRL RSCH LIB

HEADQUARTERS
AIR FORCE SYSTEMS COMMAND
ANDREWS AIR FORCE BASE
WASHINGTON DC 20331
ATTN TECHNICAL LIBRARY

COMMANDER
ARMAMENT DEVELOPMENT&TEST CENTER
ELGIN AFB FL 32542
ATTN TECHNICAL LIBRARY

LOS ALAMOS SCIENTIFIC LABORATORY
P O BOX 1663
LOS ALAMOS NM 87544
ATTN DOC CONTROL FOR REPORTS LIBRARY

LIVERMORE LABORATORIES
P O BOX 969
LIVERMORE CA 94550
ATTN DOC CON FOR TECH LIBRARY

SANDIA LABORATORIES
P.O. BOX 5800
ALBUQUERQUE NM 87115
ATTN DOC CON FOR 3141 SANDIA RPT COLL

U. S. ENERGY RESEARCH&DEVELOPMENT ADMIN.
DIVISION OF HEADQUARTERS SERVICES
LIBRARY BRANCH G-043
WASHINGTON DC 20545
ATTN DOC CONTROL FOR CLASS TECH LIB

LAWRENCE LIVERMORE LABORATORIES
P.O. BOX 808
LIVERMORE CA 94550
ATTN TECHNICAL LIBRARY

AGBABIAN ASSOCIATES
250 NORTH NASH STREET
EL SUGONDO CA 90245
ATTN M AGBABIAN

BATTELLE MEMORIAL INSTITUTE
505 KING AVENUE
COLUMBUS OH 43201
ATTN TECHNICAL LIBRARY

BELL TELEPHONE LABORATORIES INC.
MOUNTAIN AVE
MURRAY HILL NJ 07974
ATTN TECHNICAL REPORT CENTER

BOEING COMPANY
P.O. BOX 3707
SEATTLE WA 98124
ATTN AEROSPACE LABORATORY

CAMBRIDGE ACOUSTICAL ASSOCIATION
1033 MASSACHUSETTS AVENUE
CAMBRIDGE MA 02138
ATTN M JUNGER

CIVIL / NUCLEAR SYSTEMS CORPORATION
1200 UNIVERSITY N. F.
ALBUQUERQUE NM 87102
ATTN T DUFFY

ELECTRIC BOAT DIVISION
GENERAL DYNAMICS CORPORATION
GROTON CN 06340
ATTN L. CHEN

GENERAL ELECTRIC COMPANY
TEMPO-CENTER FOR ADVANCED STUDIES
816 STATE STREET (P.O. DRAWER QQ)
SANTA BARBARA CA 93102
ATTN DASAC

PAGE 10

ITT RESEARCH INSTITUTE
10 WEST 35TH STREET
CHICAGO IL 60616
ATTN TECHNICAL LIBRARY

INSTITUTE FOR DEFENSE ANALYSIS
400 ARMY NAVY DRIVE
ARLINGTON VA 22202
ATTN IDA LIBRARIAN R SMITH

J.L. MERRITT
CONSULTING AND SPECIAL ENGINEERING
SERVICES, INC.
P.O. BOX 1206
REDLANDS CA 92373
ATTN TECHNICAL LIBRARY

KAMAN AVIDYNE
DIV OF KAMAN SCIENCES CORPORATION
83 SECOND AVENUE
NW INDUSTRIAL PARK
BURLINGTON MA 01803
ATTN E CRISCIONE
ATTN TECHNICAL LIBRARY
ATTN G ZARTARIAN

KAMAN SCIENCES CORPORATION
P.O. BOX 7463
COLORADO SPRINGS CO 80933
ATTN TECHNICAL LIBRARY

LOCKHEED MISSILES AND SPACE COMPANY
3251 HANOVER STREET
PALO ALTO CA 94304
ATTN TECH INFO CTR D/COLL
ATTN T GEERS D/52-33 BLDG 205

NATHAN M. NEWMARK
CONSULTING ENGINEERING SERVICES
1114 CIVIL ENGINEERING BUILDING
URBANA IL 61801
ATTN N NEWMARK

POLYTECHNIC INSTITUTE OF NEW YORK
DEPARTMENT OF MECHANICAL AND
AEROSPACE ENGINEERING
333 JAY STREET
BROOKLYN NY 11201
ATTN J KLOSNER

R+D ASSOCIATES
P. O. BOX 9695
MARINA DEL RAY, CA 90291
ATTN TECHNICAL LIBRARY

STANFORD RESEARCH INSTITUTE
333 RAVENSWOOD AVENUE
MENLO PARK CA 94025
ATTN SRT LIB ROOM G021
ATTN B GASTEN
ATTN G ABRAHAMSON

TETRA TECH INC.
630 N ROSEMEAD BLVD
PASADENA CA 91107
ATTN LI-SAN HWANG
ATTN TECH LIB

THE BDM CORPORATION
1920 ALINE AVENUE
VIENNA VA 22180
ATTN TECHNICAL LIBRARY

PAGE 12

UNIVERSITY OF MARYLAND
DEPARTMENT OF CIVIL ENGINEERING
COLLEGE PARK MD 20742
ATTN B BERGER

URS RESEARCH COMPANY
155 BOVET ROAD
SAN MATEO CA 94402
ATTN TECHNICAL LIBRARY

ASSISTANT CHIEF FOR TECHNOLOGY
OFFICE OF NAVAL RESEARCH
ARLINGTON, VA 22217
ATTN CODE 200

DR. AZRIEL HARARI/3B 311
NAVAL UNDERWATER SYSTEMS COMMAND
NEWPORT, RI 02840

TELEDYNE BROWN ENGINEERING
MAIL STOP 44
300 SPARKMAN DRIVE
RESEARCH PARK
HUNTSVILLE, AL 35807
ATTN DR. MANU PATEL

DIRECTOR
U.S. ARMY WATERWAYS EXPERIMENT STATION
P.O. BOX 631
VICKSBURG MS 39180
ATTN J STRANGE
ATTN W FLATHAU
ATTN TECH LIB (UNCL ONLY)

PAGE 13

AIR FORCE INSTITUTE OF TECHNOLOGY, AU
WRIGHT PATTERSON AFB, OH 45433
ATTN LIB AFIT BLDG 640 AREA B (UNCL ONLY)

WEIDLINGER ASSOCIATES
3000 SAND HILL ROAD
BUILDING 4 SUITE 245
MENLO PARK CA 94025
ATTN J. ISENBERG

WEIDLINGER ASSOCIATES
110 EAST 59TH STREET
NEW YORK, NY 10022
ATTN DR. M. L. BARON

(5 COPIES)

REPORT DOCUMENTATION PAGE		READ INSTRUCTIONS BEFORE COMPLETING FORM
1. REPORT NUMBER	2. GOVT ACCESSION NO.	3. RECIPIENT'S CATALOG NUMBER
4. TITLE (and Subtitle) Correction and Improvement of the Inertial-Damping Collocation Approximation (IDCA)		5. TYPE OF REPORT & PERIOD COVERED Technical Note
7. AUTHOR(s) F.L. DiMaggio, D. Ranlet, H.H. Bleich M.L. Baron		6. PERFORMING ORG. REPORT NUMBER
9. PERFORMING ORGANIZATION NAME AND ADDRESS Weidlinger Associates ✓ 110 East 59th Street New York, New York 10022		8. CONTRACT OR GRANT NUMBER(s) N00014-72-C-0119
11. CONTROLLING OFFICE NAME AND ADDRESS Office of Naval Research 800 North Quincy Street Arlington, Virginia 22217		10. PROGRAM ELEMENT, PROJECT, TASK AREA & WORK UNIT NUMBERS 61153N 44 023-03-064464
14. MONITORING AGENCY NAME & ADDRESS (if different from Controlling Office)		12. REPORT DATE Jan 78
		13. NUMBER OF PAGES 9
		15. SECURITY CLASS. (of this report) UNCLASSIFIED
		15a. DECLASSIFICATION/DOWNGRADING SCHEDULE
16. DISTRIBUTION STATEMENT (of this Report) Approved for public release; distribution unlimited.		
17. DISTRIBUTION STATEMENT (of the abstract entered in Block 20, if different from Report)		
18. SUPPLEMENTARY NOTES		
19. KEY WORDS (Continue on reverse side if necessary and identify by block number) structure-fluid interaction fluid uncoupling uncoupling techniques		
20. ABSTRACT (Continue on reverse side if necessary and identify by block number) An earlier version of the uncoupling technique referred to as the Inertial-Damping Collocation Approximation is shown to be improperly formulated, and a corrected, improved and simplified version is presented.		

373 050

slf